THE ENVIRONMENTAL PROTECTION DEPARTMENT
ENVIRONMENTAL MONITORING SECTION

THE SAVANNAH RIVER SITE'S
GROUNDWATER MONITORING PROGRAM

FIRST QUARTER 1990 (U)

Westinghouse Savannah River Company
Savannah River Site
Aiken, SC 29808

SAFETY • RESPONSIBILITY • SECURITY

SRS

SAVANNAH RIVER SITE

DISCLAIMER

This report was prepared by Westinghouse Savannah River Company (WSRC) for the United States Department of Energy under Contract No DE-AC09-88SR18035 and is an account of work performed under that contract. Neither the United States Department of Energy, nor WSRC, nor any of their employees makes any warranty, expressed or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness, of any information, apparatus, or product or process disclosed herein or represents that its use will not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trademark, name, manufacturer or otherwise does not necessarily constitute or imply endorsement, recommendation, or favoring of same by WSRC or by United States Government or any agency thereof. The views and opinions of the authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

**THE ENVIRONMENTAL PROTECTION DEPARTMENT
ENVIRONMENTAL MONITORING SECTION**

**THE SAVANNAH RIVER SITE'S
GROUNDWATER MONITORING PROGRAM**

FIRST QUARTER 1990 (U)

Environmental Protection Department
Westinghouse Savannah River Company
Aiken, SC

and

Exploration Resources, Inc.
Athens, GA

Publication Date: October 18, 1990

Westinghouse Savannah River Company
Savannah River Site
Aiken, SC 29808

SAVANNAH RIVER SITE

chs
DISTRIBUTION OF THIS DOCUMENT IS UNLIMITED

This page was left blank intentionally.

CONTENTS

EXECUTIVE SUMMARY	1
INTRODUCTION	11
Organization of This Report	12
For Further Information	13
CORRECTIONS	15
Corrections to the Second Quarter 1989 Report (ESH-EMS-890044)	15
Corrections to the Third Quarter 1989 Report (ESH-EMS-890045)	15
Corrections to the Fourth Quarter 1989 Report (ESH-EMS-890046)	16
WELL ABANDONMENT	21
WELL MAINTENANCE	23
WELL CONSTRUCTION	27
WELL STABILIZATION	49
ENVIRONMENTAL SOIL BORINGS	59
SURVEYING	61
SAMPLE SCHEDULING	63
Routine Comprehensive Analyses	63
Flagging Criteria	63
Indicator Parameters	64
Regulatory Requirements	64
SAMPLE COLLECTION	65
SAMPLE ANALYSIS	81
Review of the Analytical Data for Errors	81
Analytical Methods	97
QUALITY CONTROL SAMPLES	105
Replicate and Duplicate Analyses of Samples	105
Comments on the Replicate Analyses	112
Blanks	114
Quality Control Standards	139

CONTENTS

FLAGGING CRITERIA	143
DRINKING WATER DATA	147
ANALYTICAL RESULTS	151
WATER-LEVEL DATA	595
LOCATION INDEX BY WELL SERIES	609
GLOSSARY	615
REFERENCES	619

LIST OF FIGURES

Figure 1. Head of Groundwater Monitoring Well	23
Figure 2. Well Construction Diagram	27
Figure 3. The Number of Samples Analyzed During First Quarter 1990	63
Figure 4. Percentage of Analytes Within the Advisory Range of Certified Values from the Two Primary Laboratories	139

LIST OF TABLES

Table 1. Analytes Above Flag 2 Criteria	2
Table 2. Corrected Calcium Results from metaTRACE for Second Quarter 1989	15
Table 3. Corrected Calcium Results from metaTRACE for Third Quarter 1989	15
Table 4. Corrected Calcium Results from metaTRACE for Fourth Quarter	16
Table 5. High Analytical Results from General Engineering	16
Table 6. Low Analytical Results from General Engineering	17
Table 7. High Analytical Results from metaTRACE	18
Table 8. Low Analytical Results from metaTRACE	19
Table 9. Survey Information	61
Table 10. Comments from Field Data	65
Table 11. Elevated EPD Blind Blanks from General Engineering	84
Table 12. Elevated Laboratory Blanks from General Engineering	84
Table 13. High Analytical Results from General Engineering Compared to Historical Data	86
Table 14. Low Analytical Results from General Engineering Compared to Historical Data	88
Table 15. Analyses Not Performed by General Engineering	90
Table 16. Elevated EPD Blind Blanks from metaTRACE	92
Table 17. High Analytical Results from metaTRACE Compared to Historical Data	93
Table 18. Low Analytical Results from metaTRACE Compared to Historical Data	94

LIST OF TABLES

Table 19. M-Area Laboratory Analytical Results Different from Historical Data	94
Table 20. Elevated EPD Blind Blanks from Teledyne	95
Table 21. High Analytical Results from Teledyne Compared to Historical Data	95
Table 22. Low Analytical Results from Teledyne Compared to Historical Data	96
Table 23. Drinking Water Analytical Results from the EPD/EMS Laboratory Different from Previous Results	97
Table 24. Radioactive Analytical Results Different from Previous Results	97
Table 25. Methods and Detection Limits Used by metaTRACE and General Engineering	98
Table 26. Methods and Detection Limits for Radioisotopes	103
Table 27. Wells Providing Blind Replicate Samples	105
Table 28. Analytes Not Showing Measurable Concentrations Above Detection Limits	106
Table 29. Intralaboratory MRD Indexes for General Engineering and metaTRACE	109
Table 30. Analytes with at Least One Result Above the Reference Detection Limit	111
Table 31. Wells with Large Differences Among EPD Blind Replicate Results for General Engineering	113
Table 32. Wells with Large Differences Among EPD Blind Replicate Results for metaTRACE	113
Table 33. Quality Control Standards Results for Routine Analyses, Batch No. 2524 (ERA 190), from General Engineering and metaTRACE	140
Table 34. Quality Control Standards Results for Appendix IX Analyses, Batch No. 2601 (ERA 190-X), from General Engineering and metaTRACE	141
Table 35. Flagging Criteria	144
Table 36. Drinking Water Data	147

EXECUTIVE SUMMARY

The Environmental Protection Department/Environmental Monitoring Section (EPD/EMS) administers the Savannah River Site's (SRS) groundwater monitoring program. During first quarter 1990 (January through March) EPD/EMS conducted routine sampling of monitoring wells and drinking water locations.

EPD/EMS established two sets of flagging criteria in 1986 to assist in the management of sample results. The flagging criteria do not define contamination levels; instead they aid personnel in sample scheduling, interpretation of data, and trend identification. The flagging criteria are based on detection limits, background levels in SRS groundwater, and drinking water standards. An explanation of flagging criteria for the first quarter is presented in the **Flagging Criteria** section of this document.

All analytical results from first quarter 1990 are listed in this report, which is distributed to all waste-site custodians. One or more analytes exceeded Flag 2 in 90 monitoring well series. Analytes exceeded Flag 2 for the first time since 1984 in 26 monitoring well series.

Those sites with constituents in the groundwater above Flag 2 in first quarter 1990 are listed in Table 1, organized by location and well series. Results from all laboratory analyses above Flag 2 are used to generate this table. (In quarterly reports prior to the Third Quarter 1988 Report, the table was generated using data only from the former primary laboratory, Envirodyne Engineers.) Also, field specific conductance and pH data exceeding Flag 2 are used to generate this table. (In quarterly reports prior to the Third Quarter 1988 Report, the table was generated using only laboratory specific conductance and pH data.)

EPD/EMS collected the drinking water samples from SRS drinking water systems supplied by wells. The EPD/EMS Laboratory in Building 735-A analyzed the drinking water samples for radioactive constituents. Gross alpha exceeded Flag 1 (5 pCi/L) at 241-24H (6.35 pCi/L on 1/19/90; 7.81 pCi/L, 7.42 pCi/L, and 6.70 pCi/L on 3/9/90) and at 704-S DWPF (6.89 pCi/L on 2/13/90). Nonvolatile beta exceeded Flag 1 (10 pCi/L) at 241-24H (10.64 pCi/L on 1/19/90; 15.09 pCi/L and 17.5 pCi/L on 3/9/90). Tritium reached Flag 1 (10.0 pCi/mL) at Talatha Gate on 1/31/90.

EXECUTIVE SUMMARY

Table 1. Analytes Above Flag 2 Criteria

<u>Site</u>	<u>Well Series</u>	<u>Analyte(s) Above Flag 2 Criteria First Quarter 1990</u>
100 AREAS		
<i>C Area</i>		
C-Area Burning/Rubble Pit	CRP	Chromium, lead, pH, total organic halogens, trichloroethylene, tritium
C-Area Disassembly Basin	CDB	Cadmium, iron, manganese, lead, total organic halogens , tritium
C-Area Reactor Seepage Basins	CSB	Copper, manganese, lead, pH, total organic halogens, trichloroethylene, tritium
<i>K Area</i>		
K-Area Acid/Caustic Basin	KAC	Gross alpha, iron, manganese, lead, sulfate, total radium
K-Area Ash Basin	KAB	Iron, manganese, total radium
K-Area Burning/Rubble Pit	KRP	Lead, tetrachloroethylene, total organic halogens, trichloroethylene
K-Area Coal Pile Runoff Containment Basin	KCB	Iron, manganese, selenium, sulfate, total radium, tritium
K-Area Disassembly Basin	KDB	Iron, manganese, lead, tetrachloroethylene, total organic halogens, trichloroethylene, tritium
K-Area Retention Basin	KRB	Gross alpha, nonvolatile beta, lead, total organic halogens, tritium
K-Area Reactor Seepage Basin	KSB	Total organic halogens, tritium
K-Area Sludge Land Application Site	KSS	Total radium
K-Area Water Table Well	KDT	Manganese, tritium
<i>L Area</i>		
L-Area Acid/Caustic Basin	LAC	Lead, pH, tetrachloroethylene, trichloroethylene
L-Area Burning/Rubble Pit	LRP	Lead, tetrachloroethylene, trichloroethylene

Note: Analytes in **bold** were above Flag 2 criteria for the first time since 1984.

EXECUTIVE SUMMARY

Table 1. Analytes Above Flag 2 Criteria (cont.)

<u>Site</u>	<u>Well Series</u>	<u>Analyte(s) Above Flag 2 Criteria First Quarter 1990</u>
100 AREAS (cont.)		
<i>L Area (cont.)</i>		
L-Area Disassembly Basin	LDB	Lead, total organic halogens
L-Area Oil and Chemical Basin	LCO	Nonvolatile beta, mercury, manganese, pH, sulfate, tetrachloroethylene, total organic halogens, trichloroethylene, tritium
L-Area Reactor Seepage Basin	LSB	Tritium
<i>P Area</i>		
P-Area Acid/Caustic Basin	PAC	Iron, manganese, selenium
P-Area Burning/Rubble Pit	PRP	Carbon tetrachloride, manganese, lead, tetrachloroethylene, total organic halogens, trichloroethylene, tritium, 1,1,1-trichloroethane
P-Area Coal Pile Runoff Containment Basin	PCB	Cadmium, chromium, fluoride , iron, manganese, nickel, lead, selenium, sulfate, total radium
P-Area Disassembly Basin	PDB	Lead, tritium
P-Area Reactor Seepage Basins	PSB	Copper, iron, nitrate as nitrogen, lead, tritium
<i>R Area</i>		
R-Area Acid/Caustic Basin	RAC	Total radium
R-Area Disassembly Basin	RDB	Iron, manganese, lead, total radium, tritium
Series D, between R-Area Reactor Seepage Basins and R-Area Disassembly Basin	RSD	Nonvolatile beta
Series E, R-Area Reactor Seepage Basins	RSE	Nonvolatile beta, tritium
Series F, R-Area Reactor Seepage Basins	RSF	pH

Note: Analytes in **bold** were above Flag 2 criteria for the first time since 1984.

EXECUTIVE SUMMARY

Table 1. Analytes Above Flag 2 Criteria (cont.)

<u>Site</u>	<u>Well Series</u>	<u>Analyte(s) Above Flag 2 Criteria First Quarter 1990</u>
200 AREAS		
<i>F Area</i>		
F Area and H Area	ZW	Tritium
F-Area Acid/Caustic Basin	FAC	Gross alpha, manganese, pH, total radium
F-Area A Line	FAL	Iron, lead, total organic halogens, trichloroethylene
F-Area Burning/Rubble Pits	FBP	Nonvolatile beta, carbon tetrachloride, tetrachloroethylene, total radium, total organic halogens, trichloroethylene
F-Area Canyon Building	FCA	Gross alpha, nonvolatile beta, manganese, nitrate as nitrogen, lead, strontium-89/90, tetrachloroethylene, total radium, total organic halogens, trichloroethylene, tritium
F-Area Coal Pile Runoff Containment Basin	FCB	Iron, manganese, lead, total radium
F-Area Effluent Treatment Cooling Water Basin	FET	Total radium
F-Area Seepage Basins	F	Gross alpha, nonvolatile beta, tritium
F-Area Seepage Basins	FSB	Gross alpha, barium, nonvolatile beta, cadmium, chromium, cesium-137, copper, endrin , fluoride, iron, mercury, lindane , manganese, nickel, nitrate as nitrogen, lead, pH, sulfate , tetrachloroethylene, total radium, total organic halogens, trichloroethylene, tritium
F-Area Sludge Land Application Site	FSS	Gross alpha , manganese, lead, total radium , tritium
F-Area Tank Farm	FTF	Gross alpha, nonvolatile beta, pH, total radium
Old F-Area Seepage Basin	FNB	Gross alpha, nonvolatile beta, chromium, manganese, nitrate as nitrogen, total radium, total organic halogens, trichloroethylene, tritium

Note: Analytes in **bold** were above Flag 2 criteria for the first time since 1984.

EXECUTIVE SUMMARY

Table 1. Analytes Above Flag 2 Criteria (cont.)

<u>Site</u>	<u>Well Series</u>	<u>Analyte(s) Above Flag 2 Criteria First Quarter 1990</u>
200 AREAS (cont.)		
<i>F Area (cont.)</i>		
Wells between the F-Area Canyon Building and the Naval Fuel Material Facility	NBG	Iron, nitrate as nitrogen, total organic halogens, trichloroethylene, tritium
<i>H Area</i>		
Ford Building Seepage Basin	HXB	Gross alpha, total radium
H-Area Acid/Caustic Basin	HAC	Iron, mercury, manganese, sulfate, tritium
H-Area Canyon Building	HCA	Manganese, lead, tetrachloroethylene, total organic halogens, trichloroethylene, tritium
H-Area Coal Pile Runoff Containment Basin	HCB	Lead, total radium, tritium
H-Area Effluent Treatment Facility	HET	Total organic halogens, tritium
H-Area Retention Basin	HR8	Nonvolatile beta , manganese, nitrate as nitrogen, total radium, tritium
H-Area Seepage Basins	H	Nonvolatile beta, tritium
H-Area Seepage Basins	HSB	Aluminum, gross alpha, arsenic, nonvolatile beta, cadmium, cobalt-60, copper, endrin, iron, mercury, lindane , manganese, nitrate as nitrogen, lead, pH, tetrachloroethylene, total radium, total organic halogens, trichloroethylene, tritium
H-Area Sludge Land Application Site	HSS	Lead, total radium
H-Area Tank Farm	HTF	Gross alpha, nonvolatile beta, cadmium, chromium, lead, total radium, tritium
H-Area Tank Farm, between Tanks 9 and 11	241-H	Tritium
Old H-Area Retention Basin	HR3	Total organic halogens, tritium

Note: Analytes in **bold** were above Flag 2 criteria for the first time since 1984.

EXECUTIVE SUMMARY

Table 1. Analytes Above Flag 2 Criteria (cont.)

<u>Site</u>	<u>Well Series</u>	<u>Analyte(s) Above Flag 2 Criteria First Quarter 1990</u>
200 AREAS (cont.)		
<i>S Area</i>		
S-Area Background Wells	SBG	Tetrachloroethylene, total radium, total organic halogens, trichloroethylene, tritium
S-Area Vitrification Building	SCA	Manganese
S-Area Low Point Pump Pit	SLP	Manganese
<i>Z Area</i>		
Z-Area Drain Tank	ZDT	Total radium , tritium
300/700 AREAS		
A-Area Burning/Rubble Pits	ARP	Iron , mercury, tetrachloroethylene, total radium, total organic halogens, trichloroethylene
A-Area Cluster Perimeter Wells and M-Area Plume Definition Wells	AC	pH
A-Area Coal Pile Runoff Containment Basin	ACB	Gross alpha, mercury, manganese, total radium, trichloroethylene
A-Area Metals Burning Pit	ABP	pH , tetrachloroethylene, total radium, total organic halogens, trichloroethylene
M-Area Hazardous Waste Management Facility (HWMF) and Plume Definition Wells	MSB	Silver, aluminum, gross alpha, nonvolatile beta, cadmium, chloroform, chromium, iron, mercury, manganese, nitrate as nitrogen, lead, pH, tetrachloroethylene, total radium, total organic halogens, trichloroethylene, zinc
M-Area Recovery Wells (also used for plume definition)	RWM	Nitrate as nitrogen, tetrachloroethylene, total radium, total organic halogens, trichloroethylene
Metallurgical Laboratory Seepage Basin	AMB	Iron, manganese, lead, tetrachloroethylene, total radium, total organic halogens, trichloroethylene

Note: Analytes in **bold** were above Flag 2 criteria for the first time since 1984.

EXECUTIVE SUMMARY

Table 1. Analytes Above Flag 2 Criteria (cont.)

<u>Site</u>	<u>Well Series</u>	<u>Analyte(s) Above Flag 2 Criteria First Quarter 1990</u>
300/700 AREAS (cont.)		
Miscellaneous Chemical Basin	MCB	Nonvolatile beta, carbon tetrachloride, manganese, lead, pH, tetrachloroethylene, total radium, total organic halogens, trichloroethylene
Motor Shop Oil Basin	AOB	Gross alpha , tetrachloroethylene, total radium , total organic halogens, trichloroethylene
Savannah River Laboratory (SRL) Seepage Basins	ASB	Mercury, pH, tetrachloroethylene, total radium, total organic halogens, trichloroethylene, tritium
Silverton Road Waste Site	SRW	Gross alpha , carbon tetrachloride, copper , lead, total radium, total organic halogens, trichloroethylene
400 AREA		
D-Area Burning/Rubble Pits	DBP	Manganese, sulfate
D-Area Coal Pile Runoff Containment Basin and Ash Basins	DCB	Aluminum, gross alpha, beryllium, nonvolatile beta, cadmium, chromium, fluoride, iron, mercury, manganese, nickel, lead, pH, selenium, sulfate, tetrachloroethylene, total radium, total organic halogens, trichloroethylene, tritium, zinc
D-Area Oil Disposal Basin	DOB	Iron, manganese, tetrachloroethylene, total organic halogens, trichloroethylene
600 AREAS		
Burial Grounds		
Burial Grounds	BG	Aluminum , gross alpha, nonvolatile beta, chromium , manganese , lead , pH, tritium, zinc
Burial Grounds Perimeter Wells	BGO	Gross alpha, barium, carbon tetrachloride, iron, manganese, lead, pH, tetrachloroethylene, total radium, total organic halogens, trichloroethylene, tritium
Series C, Monitoring Grid Wells for Burial Grounds	MGC	Gross alpha, tritium

Note: Analytes in **bold** were above Flag 2 criteria for the first time since 1984.

EXECUTIVE SUMMARY

Table 1. Analytes Above Flag 2 Criteria (cont.)

<u>Site</u>	<u>Well Series</u>	<u>Analyte(s) Above Flag 2 Criteria First Quarter 1990</u>
600 AREAS (cont.)		
Series E, Monitoring Grid Wells for Burial Grounds	MGE	Gross alpha, nonvolatile beta, tritium
Series G, Monitoring Grid Wells for Burial Grounds	MGG	Tritium
Central Shops		
Central Shops Burning/Rubble Pits	CSR	Gross alpha
Central Shops Diesel Spill Characterization and Remediation Wells	CSD	Iron, mercury, pH, tetrachloroethylene, total radium, total organic halogens, trichloroethylene
General		
Chemicals, Metals, and Pesticides (CMP) Pits	CMP	Manganese, lead, pH, tetrachloroethylene, total radium, total organic halogens, trichloroethylene
Interim Waste Technology Site Characterization Wells, Site B	IDB	Aluminum, gross alpha, iron, pH
Interim Waste Technology Site Characterization Wells, Site P	IDP	Gross alpha, iron, pH, total organic carbon
Interim Waste Technology Site Characterization Wells, Site Q	IDQ	Aluminum, chromium, iron, manganese, pH
Par Pond Sludge Land Application Site	PSS	Iron, lead
Road A Chemical Basin (Baxley Road)	BRD	Lead
Sanitary Landfill	LFW	Gross alpha, arsenic, iron, manganese, tetrachloroethylene, total radium, total organic halogens, trichloroethylene, tritium
Sewage Sludge Application Sites Wells	SSS	Gross alpha, iron, manganese, total radium

Note: Analytes in **bold** were above Flag 2 criteria for the first time since 1984.

EXECUTIVE SUMMARY

Table 1. Analytes Above Flag 2 Criteria (cont.)

<u>Site</u>	<u>Well Series</u>	<u>Analyte(s) Above Flag 2 Criteria First Quarter 1990</u>
600 AREAS (cont.)		
TNX		
New TNX Seepage Basin	YSB	Gross alpha, chromium , iron, total organic halogens
Old TNX Seepage Basin	XSB	Gross alpha, carbon tetrachloride, chromium , iron, lead, pH, total organic halogens, trichloroethylene
TNX-Area Pump Test Wells for the Congaree Formation (P 26AP) and for the Water Table (P 26DP)	P	Iron, mercury
TNX-Area Assessment Wells	TNX	Gross alpha, carbon tetrachloride, iron, manganese, nitrate as nitrogen, tetrachloroethylene, total organic halogens, trichloroethylene
TNX Burying Ground	TBG	Gross alpha, carbon tetrachloride, chromium , iron, mercury, manganese, nitrate as nitrogen, tetrachloroethylene, total radium, total organic halogens, trichloroethylene

Note: Analytes in **bold** were above Flag 2 criteria for the first time since 1984.

This page was left blank intentionally.

INTRODUCTION

This report summarizes the SRS groundwater monitoring program conducted by EPD/EMS in the first quarter of 1990. It includes the analytical data, field data, well activity data, and other documentation for this program and provides a record of the program's activities and rationale and an official document of the analytical results.

EPD/EMS is responsible for monitoring for contaminants in the groundwater at approximately 135 waste sites on SRS. The majority of this monitoring is required by federal and state regulations administered by the U.S. Environmental Protection Agency (EPA) and the South Carolina Department of Health and Environmental Control (SCDHEC) and by U.S. Department of Energy (DOE) orders. The groundwater monitoring program includes the following activities:

- installation, maintenance, and abandonment of monitoring wells
- environmental soil borings
- development of the sampling and analytical schedule
- collection and analyses of groundwater samples
- review of the analytical data and other data
- maintenance of the databases containing groundwater monitoring data and related data
- quality assurance (QA) evaluations of laboratory performance
- reports of results to waste-site facility custodians and to the Environmental Protection Section (EPS) of EPD

EPD/EMS is responsible for monitoring wells, but not for the facilities that are monitored. It is the responsibility of the custodian of each waste site to ensure that EPD/EMS is informed of sampling requirements and special requests for the sampling schedule, to assist in reviewing the data, and to make any decisions regarding groundwater monitoring at the waste site.

Each custodian receives a copy of this report; also, each custodian receives site-specific data upon request, including the following:

- a computer printout of the analytical data for this quarter and for the previous seven quarters, designed to assist in identifying trends

INTRODUCTION

- a computer printout of analytical values at or above Flag 1 and Flag 2 criteria for the quarter, designed to assist in identifying elevated analytical values

ORGANIZATION OF THIS REPORT

This report is divided into sections that focus on specific aspects of the SRS groundwater monitoring program. The **Executive Summary** section gives a tabular listing by waste site and well series of all analytes detected at or above Flag 2 criteria during the quarter. Also listed are analytes detected at or above Flag 2 criteria for the first time since 1984. The **Corrections** section lists omissions and corrections to previous quarterly reports.

The next three sections concern the physical state of monitoring wells. The **Well Abandonment** section lists wells that have been abandoned during the quarter, their SRS grid coordinates, the date each well was abandoned, and a short description of why each well was abandoned. The **Well Maintenance** section lists wells that were repaired during the quarter, the repairs made, and the date the repairs were made. The **Well Construction** section lists newly installed monitoring wells, describes the construction of each well, and discusses drilling and lithologic sampling techniques.

New monitoring wells are pumped to determine how many well volumes must be evacuated in order for the chemistry of the water to stabilize, and the results of these tests are listed in the **Well Stabilization** section. The **Environmental Soil Borings** section contains drilling and sampling methods, completion dates, and depths of environmental soil borings drilled during the quarter. The elevations and SRS grid coordinates for new wells are in the **Surveying** section.

The next four sections address the sampling and assessment of groundwater quality at SRS. The **Sample Scheduling** section discusses the preparation of the sampling schedule and the criteria for analyte selection, including flagging criteria.

During sample collection, samplers often write comments that may be pertinent to the analysis of the sample in the field-data log books. Many of the comments concern the appearance of water that is colored or turbid or wells that went dry during sampling. These comments are given in the **Sample Collection** section.

Samples are analyzed by the EPD/EMS and M-Area laboratories at SRS and by three offsite laboratories. A select number of replicate samples are analyzed by two offsite laboratories, metaTRACE and General Engineering, as part of the EPD/EMS quality control program. The **Sample Analysis** section contains two subsections. The **Review of the Analytical Data for Errors** is a discussion of discrepancies in each laboratory's analytical data, including results that are considerably higher or lower than previous results, analyses that were omitted, samples in which the rinsewater may have been contaminated, and samples that were held past the allowable holding time. The **Analytical Methods** subsection lists the methods that metaTRACE, General Engineering, and Teledyne Isotopes laboratories used for measuring concentrations of each analyte.

The **Quality Control Samples** section contains four subsections. The **Replicate and Duplicate Analyses of Samples** subsection explains the replicate analysis program, gives the statistical methods used for comparison, and lists the results of the comparisons. The **Comments on the Replicate Analyses** subsection discusses the replicate analyses comparison results and their meanings. The **Blanks** subsection lists analytical results of laboratory tests on rinsewater to determine if contaminants were in the rinsewater, sample containers, or introduced during analysis. The accuracy of analysis is

INTRODUCTION

tested using solutions of known analyte concentrations; the results and percentages of accuracy are listed in the **Quality Control Standards** subsection.

The **Flagging Criteria** section lists flagging criteria for analytes and provides short descriptions of how the flags were derived. Drinking water from numerous areas within SRS and the surrounding area is analyzed for contaminants at the EPD/EMS Laboratory. The results are listed in the **Drinking Water Data** section. The **Analytical Results** section includes tables listing all the analytical results from all the laboratories and field data for all wells sampled during the quarter. The tables are listed in alphabetical order by well name. The **Water-Level Data** section includes field data results obtained for a special project on concurrent water elevations in the A/M Areas, which are used by site custodians in hydrogeologic interpretation.

The **Location Index by Well Series** assists the reader in finding the site names. References cited in this and previous quarterly reports are listed in the **References** section. A glossary of abbreviations and acronyms used in this report can be found in the **Glossary** section. An **Index of Well Information** (a cumulative index of all well series in the EPD/EMS quarterly reports for 1986-89) will appear in the second quarter 1990 report.

FOR FURTHER INFORMATION

The following is a brief description of documents pertaining to the groundwater monitoring program.

Quarterly Reports

EPD/EMS has published a description of its groundwater monitoring program for each quarter since the beginning of 1986. These quarterly reports are listed below.

<u>Report</u>	<u>Document Number</u>
Fourth Quarter 1989	ESH-EMS-890046
Third Quarter 1989	ESH-EMS-890045
Second Quarter 1989	ESH-EMS-890044
First Quarter 1989	ESH-EMS-890043
Fourth Quarter 1988	HPR-89-193
Third Quarter 1988	HPR-88-489
Second Quarter 1988	HPR-88-300
First Quarter 1988	HPR-88-238
Fourth Quarter 1987	HPR-88-098
Third Quarter 1987	HPR-87-339
Second Quarter 1987	HPR-87-286
First Quarter 1987	HPR-87-158
Fourth Quarter 1986	HPR-87-072
Third Quarter 1986	HPR-87-002
Second Quarter 1986	HPR-86-226
First Quarter 1986 (revised)	HPR-86-158

Annual Reports

The U.S. Department of Energy's *Savannah River Site Environmental Report*, which includes groundwater data for the year, site descriptions, and site maps, is a public document issued annually. Recent reports are listed below.

INTRODUCTION

<u>Report</u>	<u>Document Number</u>
1989	WSRC-IM-90-60 (Vols. 1 and 2)
1988	WSRC-RP-89-59-1 (Vols. 1 and 2)
1987	DPSPU-88-30-1 (Vols. 1 and 2)
1986	DPSPU-87-30-1 (Vols. 1 and 2)
1985	DPSPU-86-30-1 (Vols. 1 and 2)

Time Plots

Time Versus Concentration Plots of Select Parameters from the Groundwater Monitoring Program provides graphical representations of groundwater data from each monitoring well series. The latest version of this document is HPR-88-058, July 1984–June 1987.

Inventory and Maps of Wells

The *Environmental Protection Well Inventory* provides an historical record of the wells that are monitored by EPD/EMS, contains a list of wells currently in the EPD/EMS groundwater monitoring program, and provides pertinent information about all wells listed in EPD/EMS documents. The latest version is ESH-EMS-900037.

Other Data Reports

Geoscience Implementation Plan and *Geohydrology Program Report* describe projects relating to the geohydrology program at SRS and their current status and administration.

Technical Summary of Groundwater Quality Protection Program at Savannah River Plant, Volume I—Site Geohydrology, and Solid and Hazardous Wastes, DPST-83-829, describes SRS waste disposal sites and analytical monitoring data as of December 1983.

Technical Summary of Groundwater Quality Protection Program at Savannah River Plant, Volume II—Radioactive Waste, DPST-83-829, presents representative monitoring data for radioactivity in groundwater at SRS as of December 1983.

Full bibliographical listings of these and other documents can be found in the **References** section of this report.

CORRECTIONS

CORRECTIONS TO THE SECOND QUARTER 1989 REPORT (ESII-EMS-890044)

The following information was omitted from the **Well Construction** section. A Grundfos 10S05-9 pump was installed in ABP 7D on 8/4/89 at 152.2 ft below ground level.

Some of the wells listed in the **Surveying** section have been renamed. The T18N wells are now the NTN wells; the T18S wells are now the NTS wells.

Some of the calcium results in the **Field and Analytical Data** section were incorrect because metaTRACE did not multiply the results by a dilution factor. The corrected metaTRACE results are listed in Table 2.

Table 2. Corrected Calcium Results from metaTRACE for Second Quarter 1989

<u>Well</u>	<u>Sample Date</u>	<u>Incorrect Result</u>	<u>Correct Result</u>
FSB 78C	05/03/89	73,540 µg/L	147,080 µg/L
FSB 95C	05/03/89	72,600 µg/L	145,200 µg/L
FSB 97D	05/17/89	43,380 µg/L	216,900 µg/L
FSB 98D	05/17/89	75,310 µg/L	150,620 µg/L

CORRECTIONS TO THE THIRD QUARTER 1989 REPORT (ESII-EMS-890045)

The following information was omitted from the **Well Construction** section. A Grundfos 10S05-9 pump was installed in ABP 8D on 8/4/89 at 160.5 ft below ground level.

Some of the calcium results in the **Field and Analytical Data** section were incorrect because metaTRACE did not multiply the results by a dilution factor. The corrected metaTRACE results are listed in Table 3.

Table 3. Corrected Calcium Results from metaTRACE for Third Quarter 1989

<u>Well</u>	<u>Sample Date</u>	<u>Incorrect Result</u>	<u>Correct Result</u>
BGO 16A	07/26/89	69,540 µg/L	139,080 µg/L
FSB 93D	07/07/89	73,820 µg/L	147,640 µg/L
FSB 97C	07/09/89	83,070 µg/L	166,140 µg/L
FSB 97D	07/09/89	89,190 µg/L	178,380 µg/L

CORRECTIONS

CORRECTIONS TO THE FOURTH QUARTER 1989 REPORT (ESH-EMS-890046)

The publication date for the following document in the **References** section was incorrect: Janssen, J. L., and Exploration Resources. (1990). *Environmental Protection Well Inventory, Includes Current and Past Monitoring (Through the Fourth Quarter of 1989)*, ESH-EMS-900037. Aiken, SC: Westinghouse Savannah River Company, Savannah River Site.

Some of the calcium results in the **Field and Analytical Data** section were incorrect because metaTRACE did not multiply the results by a dilution factor. The corrected metaTRACE results are listed in Table 4.

Table 4. Corrected Calcium Results from metaTRACE for Fourth Quarter 1989

<u>Well</u>	<u>Sample Date</u>	<u>Incorrect Result</u>	<u>Correct Result</u>
FSB 78C	10/11/89	16,420 µg/L	164,200 µg/L
FSB 94C	10/11/89	14,540 µg/L	145,400 µg/L
FSB 95C	10/11/89	16,210 µg/L	162,100 µg/L
FSB 97C	10/11/89	21,210 µg/L	212,100 µg/L
FSB 97D	10/11/89	21,840 µg/L	218,400 µg/L
FSB 98A	10/11/89	40,470 µg/L	404,700 µg/L
FSB 98D	10/11/89	14,110 µg/L	141,100 µg/L

The following calcium results were omitted from the **Field and Analytical Data** section. BGO 16A had a result from metaTRACE of 130,800 µg/L on 11/15/89. BGO 14A had a result from metaTRACE of 131,400 µg/L on 11/15/89.

The following tables were omitted from the **Review of the Analytical Data** subsection of the **Sample Analysis** section.

A technical review of the quarter's analytical data identified the analyses results in Table 5 from General Engineering as high in comparison to previous quarters' data. A review of the laboratory records did not reveal a problem with the analyses.

Table 5. High Analytical Results from General Engineering

<u>Analyte</u>	<u>Well(s)</u>
Acetone	ASB 1A
Aluminum	DCB 9, MSB 9A, MSB 12TA, MSB 20C
Barium	ASB 2A, KAC 1
Calcium	ABP 3C, MCB 5C, MCB 7C
Chromium	HCB 2
Copper	MSB 29D
Iron	ABP 3C, FCA 19D, FNB 4
Lead	FAL 2, HAC 4, HWS 1A, MCB 7C
Magnesium	ABP 3C
Manganese	AMB 6
Nitrate as nitrogen	KAC 2
Phenols	MCB 6C, MCB 7C
Potassium	MCB 6C

CORRECTIONS

Table 5. High Analytical Results from General Engineering (cont.)

<u>Analyte</u>	<u>Well(s)</u>
Selenium	KAC 5
Sodium	FAC 3, FCA 19D, KAC 4, MSB 40C, MSB 43D, TBG 7
Specific conductance	MCB 7C
Tetrachloroethylene	ASB 8C
Total organic carbon	ABP 3C, BGO 11D, FAC 6, FAC 8, HAC 2, HSB117A, PAC 1, YSB 4A
Total organic halogens	HSB 65C, MSB 10A, MSB 17B, MSB 31B
Total phosphates	PAC 3
Trichloroethylene	ASB 8
Turbidity	HAC 2, PAC 6
Zinc	MSB 36B
1,1,1-Trichloroethane	MSB 2A
Gross alpha	MGC 19, RAC 3, TBG 7
Nonvolatile beta	KAC 1, MCB 7C
Total radium	KAC 1, KSS 2D, MSB 29TA, SSS 8
Tritium	BG 52, BGO 11D, MCB 5C

A technical review of the quarter's analytical data identified the analyses results in Table 6 from General Engineering as low in comparison to previous quarters' data. A review of the laboratory records did not reveal a problem with the analyses.

Table 6. Low Analytical Results from General Engineering

<u>Analyte</u>	<u>Well(s)</u>
Aluminum	CMP 15A, DCB 3A, MSB 6A, MSB 21A
Antimony	MSB 7A
Calcium	AOB 3, CRP 3
Chloride	HWS 1A, HWS 2, HXB 1, HXB 3, KSS 1D, MSB 29A, MSB 29TA
Copper	CMP 15A, MSB 17A
Fluoride	KCB 2
Iron	FNB 4, KAC 1, KAC 7, KSS 2D, RAC 1
Lead	FSS 1D, KAC 1, MSB 2A
Magnesium	KAC 2, MCB 7C
Manganese	HWS 2
Nickel	HET 1D
Nitrate as nitrogen	BGO 27C, BGO 35C, KSS 1D, MSB 9B
Phenols	MCB 5C
Potassium	FSB101A
Sodium	ABP 3C, FSS 1D
Specific conductance	HAC 2
Sulfate	MCB 6C
Tetrachloroethylene	MSB 31C
Tin	DCB 9, MSB 6A, MSB 8A
Total dissolved solids	FSS 1D, HSS 3D, KAC 6, KSS 1D, KSS 2D, KSS 3D, PSS 1D, PSS 2D
Total organic carbon	PAC 5

CORRECTIONS

Table 6. Low Analytical Results from General Engineering (cont.)

<u>Analyte</u>	<u>Well(s)</u>
Total organic halogens	CSR 1, CSR 3, MSB 9A, MSB 12A, MSB 12B, MSB 12TA, MSB 12TB, MSB 19C, MSB 20A, MSB 20C, MSB 21A, MSB 21C, MSB 21TA, MSB 31A, MSB 31B, MSB 36B, RAC 3, SSS 1, SSS 2, SSS 3, SSS 5, SSS 7
Total phosphates	AMB 7, FAC 3, FAC 5, FAC 8, FCA 19D, MCB 6C
Trichloroethylene	ASB 8B, ASB 8C, MSB 31C, MSB 47B, RWM 3
Turbidity	FAC 5, PAC 2, PAC 4
Zinc	HSB117A, MSB 6A, MSB 10A, MSB 10C, MSB 14C, MSB 39D, MSB 39TA, MSB 40C
Gross alpha	BG 60, FTF 3, HWS 2, HXB 3, KAC 1, MCB 6C
Nonvolatile beta	BG 60, HXB 3

A technical review of the quarter's analytical data identified the analyses results in Table 7 from metaTRACE as high in comparison to previous quarters' data. A review of the laboratory records did not reveal a problem with the analyses.

Table 7. High Analytical Results from metaTRACE

<u>Analyte</u>	<u>Well(s)</u>
Barium	HSB 84D, HSB115D
Benzene	TBG 7
Bis(2-ethylhexyl) phthalate	MSB 22
Cadmium	FSB 91D, HSB 84D
Calcium	FSB 94C, HSB 84A, HSB 84D, PAC 1
Chloroform	BGO 11D, FSB 78C, FSB 79A, HSB 83B, HSB113C, MSB 13A
Chromium	BGO 5C, BGO 28D, FSB 98A, HSB 69A
Cobalt	FSB 94C, HSB 84D, HSB116C
Copper	FSB 93D, HSB 84D
Iron	BGO 5C, BGO 7D, BGO 30C, FSB 76, FSB 96A, FSB100A, FSB105D, FSB106C, HSB 69A, HSB116C, HSB123A, HSB133C, HSB137C
Lead	FSB 76A, FSB 77, FSB 97C, FSB 97D, HSB103C
Magnesium	FSB 91D, FSB 94C, HSB 70C, HSB 84D, HSB133C
Manganese	FSB 94C, FSB107C, HSB 84D, HSB112D, HSB115D
Methylene chloride	BGO 10C, BGO 12A, BGO 21D, BGO 25A, BGO 35D
Nitrate as nitrogen	BGO 6A, BGO 10C, BGO 12C, FSB 76, FSB 77
Phenols	BGO 2D, BGO 26A, BGO 32D, BGO 38D, HSB114D, HSB135C, KAC 4, MSB 17B
Silicon	HSB 84D, HSB116C
Silver	HSB115D
Sodium	HSB 84D
Specific conductance	BGO 18D, BGO 31C
Sulfate	BGO 22D, MSB 17B
Tetrachloroethylene	FSB103C
Total dissolved solids	BGO 14A, BGO 19D, BGO 24D, FSB 77, FSB104D, HSB129C
Total organic carbon	BGO 5C, FSB 78C, HSB 68B, HSB126D, HSB127D, HSB139C
Total organic halogens	BGO 6A, BGO 16D, FSB103C, FSB108D, HSB102C, KSB 2
Total phosphates	BGO 27D, BGO 38D, FSB 90C, FSB107C, FSB110D, HSB 84C, HSB106D, HSB109D, HSB117D, HSB119A, HSB127C

Table 7. High Analytical Results from metaTRACE (cont.)

<u>Analyte</u>	<u>Well(s)</u>
Trichloroethylene	FSB103C
Turbidity	BGO 23D
Zinc	FNB 1, FNB 4, FSB 93C, FSB 94C, FSB109D, HSB 84D
1,2-Dichloroethane	BGO 28D
Gross alpha	BG 52, BGO 36D, HSB125D, HTF 13, HTF 14, HTF 15, HTF 16, HTF 17, HTF 18, HTF 19, HTF 20, HTF 21, HTF 22, HTF 23, HTF 24, HTF 25, HTF 26, HTF 27, HTF 28, HTF 29, HTF 31, HTF 32, KRB 14, MGC 19, RSE 8
Nonvolatile beta	BG 52, FTF 3, FTF 4, FTF 7, FTF 15, FTF 16, FTF 17, FTF 18, FTF 19, FTF 20, FTF 22, FTF 23, FTF 24A, FTF 25A, FTF 26, FTF 27, HSB109D, HSB115D, HTF 10, HTF 13, HTF 14, HTF 15, HTF 16, HTF 17, HTF 18, HTF 19, HTF 20, HTF 21, HTF 22, HTF 23, HTF 26, HTF 27, HTF 28, HTF 29, HTF 31, HTF 32, MGC 19, RSE 8
Total radium	FSB 77, HTF 16
Tritium	BG 52, BGO 8A, BGO 11D, BGO 27D, BGO 29A, BGO 30C, HSB106D

A technical review of the quarter's analytical data identified the analyses results in Table 8 from metaTRACE as low in comparison to previous quarters' data. A review of the laboratory records did not reveal a problem with the analyses.

Table 8. Low Analytical Results from metaTRACE

<u>Analyte</u>	<u>Well(s)</u>
Aluminum	MSB 29B
Antimony	FSB106C
Barium	FSB105C
Calcium	BGO 14A, BGO 21D, FSB 78C, FSB 94C, FSB 95C, FSB 97C, FSB 97D, FSB 98D, FSB103C, FSB105C
Carbon tetrachloride	TBG 6, XSB 1D
Chloride	BGO 6D, BGO 33C
Cobalt	FSB105C, HSB104D
Copper	FSB105C, HSB 71
Fluoride	FSB 92D, FSB105C
Iron	BGO 4D, BGO 6D, HSB 68, HSB 85B
Lead	FSB105D
Magnesium	FSB103C, FSB105C, HSB110D, HSB138D
Manganese	FSB103C, FSB105C
Nitrate as nitrogen	BGO 12D, FNB 3, FSB103C, HSB 68, HSB 71, HSB 83D, HSB110D, HSB111E, HSB114C, HSB139D
Potassium	HSB115C, HSB133C
Silicon	FSB 98A
Sodium	BGO 1D, BGO 3D, BGO 5C, BGO 5D, BGO 8D, BGO 10A, BGO 10C, BGO 12A, BGO 12C, BGO 12D, BGO 25A, BGO 33C, FSB103C, FSB104C, FSB105C, FSB109D, HSB 71, HSB 85A, HSB 85B, HSB111E, HSB133C
Specific conductance	BGO 12C, FSB103C, HSB 83C, HSB101C
Sulfate	BGO 6D

CORRECTIONS

Table 8. Low Analytical Results from metaTRACE (cont.)

<u>Analyte</u>	<u>Well(s)</u>
Tetrachloroethylene	MSB 7A, MSB 13B, MSB 22, MSB 31B, RWM 3
Total dissolved solids	BGO 9D, BGO 11D, BGO 12D, BGO 18A, BGO 20D, BGO 21D, BGO 26A, BGO 26D, BGO 33C, BGO 33D, FSB 91D, FSB109D, FSB110D, FSB111C, HSB111E, HSB134C, HSB139D
Total organic carbon	PAC 1
Total organic halogens	BGO 33C, MSB 31B, TBG 1, XSB 1D
Total phosphates	BGO 10A, BGO 33C, HSB 83C, HSB 85B
trans-1,2-Dichloroethene	BGO 28D, BGO 30D, BGO 31D, BGO 37C
Trichloroethylene	BGO 33C, BGO 37C, MSB 22, MSB 47B, RWM 3, TBG 1, XSB 1D
Turbidity	BGO 8D, BGO 17D
Zinc	FSB 91C, FSB105C, HSB 65B, HSB 85C, HSB100C, HSB104C, HSB109C, HSB110C, HSB110D, HSB125C, MSB 22
1,1,1-Trichloroethane	MSB 13C
Nonvolatile beta	HSB133C
Total radium	HTF 14
Tritium	BGO 33C, BGO 37D, HSB 71

WELL ABANDONMENT

The primary sources of data for this section are SRP Monitoring Well/Production Well Abandonment Reports (DPSOP 254-VI-2) and SRP Daily Activities Reports. The oversight group, Gualco, Ltd., maintained these records during first quarter 1990. Environmental Monitoring and Testing Corporation (EMTC) performed abandonment activities.

Unnamed Well Inside Burial Grounds at the Mixed Waste Management Facility (MWMF)

<u>Well</u>	<u>SRS Coordinates</u>		<u>Abandonment Completed</u>	<u>Reason</u>
	<u>North</u>	<u>East</u>		
(Unnamed)	76450	58035	1/4/90	Located under the MWMF closure cap

This page was left blank intentionally.

WELL MAINTENANCE

The source of data for this section is well maintenance records kept by Ge-Hy Sampling of New Ellenton, SC, and EPD/EMS during the first quarter of 1990. Graves Well Drilling performed all maintenance activities. A diagram of the head of a groundwater monitoring well is shown in Figure 1.

ARP Series, A-Area Burning/Rubble Pits

ARP 3: On 11/1/89, a nipple was broken and leaked badly. On 1/3/90, Graves replaced the riser pipe elbow, the sampling tee, and the nipple.

ASB Series, Savannah River Laboratory (SRL) Seepage Basins

ASB 8TA: On 11/7/89, the flowmeter needed replacing. On 1/4/90, Graves replaced it.

BGO Series, Burial Grounds Perimeter Wells

BGO 33D: On 10/29/89, there was a leak between the nipple and the sampling tee. On 1/4/90, Graves replaced the nipple.

CMP Series, Chemicals, Metals, and Pesticides (CMP) Pits

CMP 11: On 8/12/89 and 12/2/89, samplers noted that the sampling tee needed replacing. On 1/15/90, Graves replaced it.

Figure 1. Head of Groundwater Monitoring Well

WELL MAINTENANCE

CRP Series, C-Area Burning/Rubble Pit

CRP 2: On 11/8/89, the gate valve was cracked and needed replacing. On 1/5/90, Graves replaced the gate valve, the water discharge hose, the hose clamp, and the flowmeter connector.

CSA Series, Hydrofluoric Acid Spill Area

CSA 4: On 11/7/89, the sample cock needed replacing. On 11/7/89, Jeff Bullard of Ge-Hy Sampling replaced the sample cock. On 1/15/90, Graves replaced the sample cock.

DBP Series, D-Area Burning/Rubble Pits

DBP 1: On 8/27/89, the ground wire was not attached to the mounting post. On 1/5/90, Graves reattached it.

DCB Series, D-Area Coal Pile Runoff Containment Basin

DCB 3A: On 8/26/89 and on 11/10/89, samplers noted that the sampling tee was cracked and leaking. On 1/5/90, Graves replaced the sampling tee.

DCB 6: On 8/26/89 and on 11/10/89, samplers noted that the gate valve needed replacing. On 1/5/90, Graves replaced the flowmeter.

DCB 11: On 11/10/89, the liquid level pipe cap needed replacing. On 1/5/90, Graves replaced the liquid level pipe cap.

DCB 13: On 11/10/89, the water discharge hose and the hose clamp were missing. On 1/5/90, Graves installed a water discharge hose and a hose clamp.

DCB 16: On 11/10/89, the water discharge hose and the hose clamp were missing. On 1/5/90, Graves installed a water discharge hose and a hose clamp.

FSB Series, F-Area Seepage Basins

FSB 78B: On 1/6/90, the flowmeter needed replacing. On 1/10/90, Graves repaired or replaced the flowmeter.

FSB 93D: On 7/2/89, the sampling tee, bushing, sample cock, nipple, sample nipple cap, and another nipple were missing. According to Jeff and Bonnie Bullard of Ge-Hy Sampling, these were replaced (this maintenance was not indicated on the maintenance record). On 1/16/90, Graves checked the fittings and retaped the threads with teflon® tape.

IIR8 Series, II-Area Retention Basin

IIR8 12: On 8/16/89, the flowmeter and sampling tee needed replacing. On 1/5/90, Graves replaced them.

WELL MAINTENANCE

KSB Series, K-Area Reactor Seepage Basin

KSB 2: On 11/11/89, the sampling tee was cracked and needed replacing. On 1/15/90, Graves replaced the sampling tee and a nipple.

KSB 3: On 9/3/89 and on 11/11/89, samplers noted that the sampling tee and the sample cock were cracked and needed replacing. On 1/15/90, Graves replaced the sampling tee, the bushing, and the sample cock.

LFW Series, Sanitary Landfill

LFW 18: On 9/17/89, the flowmeter needed replacing. On 1/5/90, Graves replaced the flowmeter, the sample cock, and the bushing.

LFW 19: On 9/17/89, the flowmeter needed replacing. On 1/5/90, Graves replaced the flowmeter and the flowmeter tie down.

LFW 33: On 12/17/89, the electrical connections and wires appeared burned. During first quarter, Graves made repairs.

LFW 42: On 9/16/89, the hose clamp was missing. On 1/5/90, Graves found that someone already had replaced the hose clamp.

LRP Series, L-Area Burning/Rubble Pit

LRP 2: On 9/3/89, the bushing needed replacing. On 11/8/89, the bushing still needed replacing, and the liquid level pipe cap also needed replacing. On 1/15/90, Graves replaced them.

LSB Series, L-Area Reactor Seepage Basin

LSB 4: On 9/6/89 and on 11/8/89, samplers noted that the flowmeter needed replacing. On 1/17/90, Graves replaced it.

MSB Series, M-Area Hazardous Waste Management Facility (HWMF) and Plume Definition Wells

MSB 8A: On 8/22/89 and 11/4/89, samplers noted that the hose clamp was missing and the flowmeter needed replacing. On 1/4/90, Graves installed a hose clamp, replaced the flowmeter, and tied down the flowmeter with a cable.

MSB 11D: On 10/8/89, there was a leak between the flowmeter connector and the flowmeter. On 1/4/90, Graves replaced the water discharge hose.

MSB 39C and 39D: On 10/4/89, there were several leaks. On 1/4/90, Graves retaped all stainless steel plumbing with teflon® tape.

MSB 40A, 40B, 40C, 40D, and 40TA: On 8/2/89, the stainless steel fittings needed to be taped because there were leaks. On 1/4/90, Graves retaped all stainless steel plumbing with teflon® tape at all of these wells.

WELL MAINTENANCE

MSB 46A: On 10/22/89, the gate valve needed replacing. On 1/4/90, Graves replaced it.

MSB 47TA: On 10/31/89, the flowmeter needed replacing. On 1/5/90, Graves replaced it.

MSB 55D: On 7/29/89, the water discharge hose and the hose clamp were missing, and the flowmeter tie down needed repairing. On 10/24/89, samplers noted that the water discharge hose was missing. On 1/5/90, Graves replaced the water discharge hose and the hose clamp and reinstalled the flowmeter tie down.

MSB 85C: On 7/29/89, the lock, the well identification sign, and the sign bolt were missing. On 1/5/90, Graves noted that the lock was already on the casing, but they had no signs with them to install.

RRP Series, R-Area Burning/Rubble Pits

RRP 4: On 9/13/89, the gate valve leaked and needed replacing. On 12/16/89, samplers noted that the gate valve still needed replacing and that the flowmeter also needed replacing. On 1/15/90, Graves replaced the gate valve, the bushing, and the flowmeter and retaped all the threaded joints with teflon® tape.

SRW Series, Silverton Road Waste Site

SRW 2: On 11/17/89, the hose clamp and the flowmeter connector were missing. On 1/16/90, Graves installed a flowmeter connector and a hose clamp.

SRW 5: On 8/13/89 and on 11/16/89, samplers noted that the sampling tee was cracked, leaked, and needed replacing. On 1/16/90, Graves replaced the sampling tee and retaped the threads with teflon® tape.

SRW 8: On 8/16/89 and 11/17/89, samplers noted that the sampling tee was cracked and needed replacing. On 1/16/90, Graves replaced the sampling tee and retaped the threads with teflon® tape.

SRW 10: On 8/13/89 and on 11/16/89, samplers noted that the riser pipe elbow was cracked and needed replacing. Graves replaced the riser pipe elbow and retaped the threads with teflon® tape.

XSB Series, Old TNX Seepage Basin

XSB 5A: On 11/29/89, the hose clamp, the flowmeter connector, and the gate valve were missing. On 1/15/90, Graves replaced the hose clamp, the flowmeter connector, the gate valve, and a nipple.

WELL CONSTRUCTION

The primary source of data for this section is the SRS Monitoring Well Installation Report (DPSOP 254-V-2). Secondary sources include the following:

- SCDHEC Water Well Record
- SRS Monitoring Well Construction Details (Figure 2)
- SRS Monitoring Well Installation Report
- Field Geologic Log
- SRP Daily Activities Report
- SRP Well Development Report
- Monitor Testing Corporation Pump Data Sheet
- Monitor Testing Corporation Well Completion Report

Westinghouse Environmental and Geotechnical Services, CH₂M Hill, and Sirrine Environmental Consultants (the oversight groups) maintained these reports during first quarter 1990. EMTC, formerly Monitor Testing Corporation (MTC), conducted drilling activities under both names.

Although the **Well Construction** section gathers data from these sources, it does not attempt to replace the original records, from which more detailed information can be obtained. The original records can be found in the EPD/EMS Groundwater Monitoring Library.

Geologic characteristics were logged as noted for each well. Some wells do not have information about geologic characteristics because logging is usually done only for the deepest well in a cluster. Wireline coring is the most prevalent coring method used to determine lithologic and hydrologic characteristics of subsurface sediments. For most boreholes logged this way, the drillers set a temporary surface casing as a guide for the core barrel used in wireline coring. In these cases, the drillers use the mud rotary method to drill the first stage of the borehole. Then they set the temporary casing and begin wireline coring. Consequently, wireline coring begins below ground surface for these wells.

1. Total drilled depth
2. Total length of casing
3. Screen length
4. Sump and plug
5. Casing above ground
6. Thickness of grout
7. Depth to top of bentonite seal
8. Depth to top of sand seal
9. Depth to top of filter pack
10. Depth to centralizers
11. Total depth of installed well
12. Hole Diameter

Figure 2. Well Construction Diagram

WELL CONSTRUCTION

All depths and measurements given under Placement in this section are from ground level. Casings were cut off at 2.5 ft above ground level after installation, except as noted. However, because of construction activities, the final distances between top of casing and ground level vary. The actual distances between top of casing and ground level will be reported in the **Surveying** section as surveying data are received. The length of the sump includes the sump cap. All pump placements are measured from ground level to the top of the pump. C.S. stands for carbon steel. S.S. stands for stainless steel.

BRR Series

Burma Road Rubble Pit

Four temporary piezometers, PZ 1, PZ 2, PZ 3, and PZ 4, were installed at the Burma Road Rubble Pit to determine the groundwater flow direction prior to construction of the **BRR Series**. These temporary wells were all drilled by the mud rotary method (with a total depth of 85.0 to 90.0 ft) and then grouted shut.

All of the wells in the **BRR Series** were drilled by mud rotary drilling and sampled by wireline coring. Lithologies were logged during drilling. Geophysical logging was conducted for BRR 1D, BRR 2D, and BRR 5D. All of these wells were accepted by Westinghouse 3/15/90 except BRR 4D, for which no acceptance date was given.

BRR 1D

The borehole was reamed from a depth of 12.0 to 102.0 ft. Drilling began 2/5/90; grouting was completed 2/9/90; the pump was installed 2/13/90. The total depth of the borehole is 102.0 ft from ground level.

<u>Item</u>	<u>Type</u>	<u>Length (ft)</u>	<u>Placement (ft)</u>
Casing	4" PVC	75.9	0-73.4
Screen	4" 0.015"-slot PVC	20.0	73.4-93.4
Sump	4" PVC	5.3	93.4-98.7
Pump	Grundfos 10S05-9	N/A	92.0

BRR 2D

The borehole was reamed from a depth of 0 to 100.0 ft. Drilling began 2/6/90; grouting was completed 2/9/90; the pump was installed 2/12/90. The total depth of the borehole is 100.0 ft from ground level.

<u>Item</u>	<u>Type</u>	<u>Length (ft)</u>	<u>Placement (ft)</u>
Casing	4" PVC	76.0	0-73.5
Screen	4" 0.015"-slot PVC	20.0	73.5-93.5
Sump	4" PVC	5.4	93.5-98.9
Pump	Grundfos 10S05-9	N/A	91.0

WELL CONSTRUCTION

BRR 3D

The borehole was reamed from a depth of 0 to 100.0 ft. Drilling began 2/8/90; grouting was completed 2/12/90; the pump was installed 2/14/90. The total depth of the borehole is 100.0 ft from ground level.

<u>Item</u>	<u>Type</u>	<u>Length (ft)</u>	<u>Placement (ft)</u>
Casing	4" PVC	74.9	0-72.4
Screen	4" 0.015"-slot PVC	20.0	72.4-92.4
Sump	4" PVC	5.4	92.4-97.8
Pump	Grundfos 10S05-9	N/A	90.0

BRR 4D

The borehole was reamed from a depth of 0 to 102.0 ft. Drilling began 1/30/90; grouting was completed 2/2/90; the pump was installed 2/14/90. The total depth of the borehole is 102.0 ft from ground level.

<u>Item</u>	<u>Type</u>	<u>Length (ft)</u>	<u>Placement (ft)</u>
Casing	4" PVC	73.8	0-71.3
Screen	4" 0.015"-slot PVC	20.0	71.3-91.3
Sump	4" PVC	5.5	91.3-96.8
Pump	Grundfos 10S05-9	N/A	89.4

BRR 5D

The borehole was reamed from a depth of 0 to 102.0 ft. Drilling began 1/26/90; grouting was completed 1/30/90; the pump was installed 2/14/90. The total depth of the borehole is 102.0 ft from ground level.

<u>Item</u>	<u>Type</u>	<u>Length (ft)</u>	<u>Placement (ft)</u>
Casing	4" PVC	73.0	0-70.5
Screen	4" 0.015"-slot PVC	20.0	70.5-90.5
Sump	4" PVC	5.4	90.5-95.5
Pump	Grundfos 10S05-9	N/A	88.0

CBR Series

Central Shops Burning/Rubble Pit
south of the Ford Building Seepage Basin

The drilling and sampling method for the wells in the **CBR Series** are noted under each well. Lithologies were logged during drilling. Geophysical logging was conducted at CBR 1D and CBR 3D. All of these wells were accepted by Westinghouse 3/15/90 except CBR 2, for which no acceptance date was given.

WELL CONSTRUCTION

CBR 1D

The borehole was drilled by the mud rotary method from 0 to 75.0 ft and sampled by continuous wireline coring from 12.0 to 77.0 ft. The borehole was reamed from a depth of 0 to 75.0 ft. Drilling began 1/24/90; grouting was completed 2/16/90; the pump was installed 2/21/90. The total depth of the borehole is 77.0 ft from ground level.

<u>Item</u>	<u>Type</u>	<u>Length (ft)</u>	<u>Placement (ft)</u>
Casing	4" PVC	50.1	0-47.6
Screen	4" 0.010"-slot PVC	20.0	47.6-67.6
Sump	4" PVC	5.4	67.6-73.0
Pump	Grundfos 10S05-9	N/A	65.5

CBR 2

The borehole was drilled by the mud rotary method from 0 to 80.0 ft and sampled by continuous wireline coring from 12.0 to 80.0 ft. The borehole was reamed from a depth of 0 to 80.0 ft. Drilling began 1/19/90; grouting was completed 1/23/90; a pump installation date was not given. The total depth of the borehole is 80.0 ft from ground level.

<u>Item</u>	<u>Type</u>	<u>Length (ft)</u>	<u>Placement (ft)</u>
Casing	4" PVC	50.1	0-47.6
Screen	4" 0.010"-slot PVC	20.0	53.6-73.6
Sump	4" PVC	5.4	73.6-79.0

CBR 2D

The borehole was drilled by the mud rotary method from 0 to 75.0 ft, and wash cuttings were taken every 5 ft from 5.0 to 75.0 ft. Drilling began 2/15/90; grouting was completed 2/15/90; the pump was installed 2/21/90. The total depth of the borehole is 75.0 ft from ground level.

<u>Item</u>	<u>Type</u>	<u>Length (ft)</u>	<u>Placement (ft)</u>
Casing	4" PVC	47.5	0-45.0
Screen	4" 0.016"-slot PVC	20.0	45.0-65.0
Sump	4" PVC	5.6	65.0-70.6
Pump	Grundfos 10S05-9	N/A	66.0

CBR 3D

Continuous wireline coring was taken from 12.0 to 75.0 ft. The borehole was reamed from a depth of 0 to 75.0 ft. Drilling began 2/13/90; grouting was completed 2/14/90; the pump was installed 2/21/90. The total depth of the borehole is 75.0 ft from ground level.

WELL CONSTRUCTION

CBR 3D (cont.)

<u>Item</u>	<u>Type</u>	<u>Length (ft)</u>	<u>Placement (ft)</u>
Casing	4" PVC	48.0	0-45.5
Screen	4" 0.016"-slot PVC	20.0	45.5-65.5
Sump	4" PVC	5.3	65.5-70.8
Pump	Grundfos 10S05-9	N/A	66.0

CSD Well Series

Central Shops Diesel Spill Characterization and Remediation Wells

The CSD Series monitoring wells were constructed for microbiological observation and bioremediation. Although construction on these wells began in 1988 and 1989, construction details are being reported here for the first time. The drilling methods for these are noted under each well. Split-spoon sampling was conducted in all the wells at 3-ft intervals. Lithologies were logged during drilling. These wells were accepted by Westinghouse 3/12/89.

CSD 1D

The borehole was drilled by the auger method from 0 to 80.0 ft. The borehole was reamed from a depth of 0 to 81.0 ft. Drilling began 12/19/88; grouting was completed 1/10/89; the pump was installed 1/27/89. The total depth of the borehole is 81.0 ft from ground level.

<u>Item</u>	<u>Type</u>	<u>Length (ft)</u>	<u>Placement (ft)</u>
Casing	4" PVC	42.5	0-40.0
Screen	4" 0.015"-slot PVC	35	40.0-75.0
Sump	4" PVC	5.6	75.0-80.6
Pump	Grundfos 10S05-9	N/A	73.5

CSD 2D

The borehole was drilled by the auger method from 0 to 78.0 ft. The borehole was reamed from a depth of 0 to 83.7 ft. Drilling began 12/20/88; grouting was completed 1/11/89; the pump was installed 1/30/89. The total depth of the borehole is 83.7 ft from ground level.

<u>Item</u>	<u>Type</u>	<u>Length (ft)</u>	<u>Placement (ft)</u>
Casing	4" PVC	52.5	0-50.0
Screen	4" 0.015"-slot PVC	25	50.0-75.0
Sump	4" PVC	5.4	75.0-80.4
Pump	Grundfos 10S05-9	N/A	63.5

CSD 4D

The borehole was drilled by the auger method from 0 to 80.0 ft. Continuous wireline coring was conducted from 80.0 to 182.0 ft. Geophysical logging was conducted. The borehole was backfilled from 182.0 to 100.0 ft. The borehole was reamed from a depth of 25.0 to 100.0 ft. Drilling began 12/15/88; grouting was completed 1/11/89; the pump was installed 2/1/89. The total depth of the borehole is 182.0 ft from ground level.

WELL CONSTRUCTION

CSD 4D (cont.)

<u>Item</u>	<u>Type</u>	<u>Length (ft)</u>	<u>Placement (ft)</u>
Casing	4" PVC	45.5	0-43.0
Screen	4" 0.015"-slot PVC	50.0	43.0-93.0
Sump	4" PVC	5.4	93.0-98.4
Pump	Grundfos 10S05-9	N/A	88.5

CSD 8D

The borehole was drilled by the auger method from 0 to 75.0 ft. The borehole was reamed from a depth of 0 to 82.0 ft. Drilling began 1/3/89; grouting was completed 1/20/89; the pump was installed 1/30/89. The total depth of the borehole is 82.0 ft from ground level.

<u>Item</u>	<u>Type</u>	<u>Length (ft)</u>	<u>Placement (ft)</u>
Casing	4" PVC	47.5	0-45.0
Screen	4" 0.015"-slot PVC	30.0	45.0-75.0
Sump	4" PVC	5.5	75.0-80.5
Pump	Grundfos 10S05-9	N/A	74.0

CSD 9D

The borehole was drilled by the auger method from 0 to 80.0 ft. The borehole was reamed from a depth of 0 to 77.0 ft. Drilling began 1/5/89; grouting was completed 1/18/89; the pump was installed 1/30/89. The total depth of the borehole is 80.0 ft from ground level.

<u>Item</u>	<u>Type</u>	<u>Length (ft)</u>	<u>Placement (ft)</u>
Casing	4" PVC	42.5	0-40.0
Screen	4" 0.015"-slot PVC	30.0	40.0-70.0
Sump	4" PVC	5.4	70.0-75.4
Pump	Grundfos 10S05-9	N/A	67.5

CSD 10D

The borehole was drilled by the auger method from 0 to 70.0 ft. The borehole was reamed from a depth of 0 to 77.0 ft. Drilling began 1/4/89; grouting was completed 1/13/89; the pump was installed 1/31/89. The total depth of the borehole is 77.0 ft from ground level.

<u>Item</u>	<u>Type</u>	<u>Length (ft)</u>	<u>Placement (ft)</u>
Casing	4" PVC	42.5	0-40.0
Screen	4" 0.015"-slot PVC	30.0	40.0-70.0
Sump	4" PVC	5.4	70.0-75.4
Pump	Grundfos 10S05-9	N/A	68.5

WELL CONSTRUCTION

CSD 11D

The borehole was drilled by the auger method from 0 to 68.0 ft and by the mud rotary method from 0 to 77.0 ft. Drilling began 1/10/89; grouting was completed 1/20/89; the pump was installed 1/31/89. The total depth of the borehole is 77.0 ft from ground level.

<u>Item</u>	<u>Type</u>	<u>Length (ft)</u>	<u>Placement (ft)</u>
Surface casing	12"	20.0	0-18.7
Casing	4" PVC	42.5	0-40.0
Screen	4" 0.015"-slot PVC	30.0	40.0-70.0
Sump	4" PVC	5.6	70.0-75.6
Pump	Grundfos 10S05-9	N/A	68.5

CSD 12D

The borehole was drilled by the auger method from 0 to 70.0 ft. The borehole was reamed from a depth of 0 to 82.0 ft. Drilling began 12/21/88; grouting was completed 1/12/89; the pump was installed 1/30/89. The total depth of the borehole is 82.0 ft from ground level.

<u>Item</u>	<u>Type</u>	<u>Length (ft)</u>	<u>Placement (ft)</u>
Casing	4" PVC	47.5	0-45.0
Screen	4" 0.015"-slot PVC	30.0	45.0-75.0
Sump	4" PVC	5.4	75.0-80.4
Pump	Grundfos 10S05-9	N/A	72.5

CSD 13D

The borehole was drilled by the auger method from 0 to 62.0 ft. The borehole was reamed from a depth of 0 to 92.0 ft. Drilling began 12/22/88; grouting was completed 1/24/89; the pump was installed 1/31/89. The total depth of the borehole is 92.0 ft from ground level.

<u>Item</u>	<u>Type</u>	<u>Length (ft)</u>	<u>Placement (ft)</u>
Surface casing	16" Steel	21.6	0-20.0
Casing	4" PVC	37.5	0-35.0
Screen	4" 0.015"-slot PVC	50.0	35.0-85.0
Sump	4" PVC	4.8	85.0-89.8
Pump	Grundfos 10S05-9	N/A	82.5

MSB Well Series

M-Area Settling Basin Plume Assessment Wells

The wells in the **MSB Series** were drilled by the mud rotary method. Geophysical logging was conducted for MSB 48TA, MSB 55TA, MSB 75B, MSB 85TA, and MSB 86C. No acceptance dates were given.

WELL CONSTRUCTION

MSB 47BB

Drilling began 10/10/89; grouting was completed 10/16/89; the pump was installed 3/26/90. The total depth of the borehole is 263.6 ft from ground level.

<u>Item</u>	<u>Type</u>	<u>Length (ft)</u>	<u>Placement (ft)</u>
Casing	4" PVC	248.5	0-246.0
Screen	4" 0.016"-slot wire wound PVC	4.7	246.0-250.7
Sump	4" PVC	5.4	250.7-256.1
Pump	Grundfos 10S05-9	N/A	217.5

MSB 48A

Drilling began 1/2/90; grouting was completed 1/12/90; the pump was installed 3/23/90. The total depth of the borehole is 239.6 ft.

<u>Item</u>	<u>Type</u>	<u>Length (ft)</u>	<u>Placement (ft)</u>
Casing	4" PVC	232.5	0-230.0
Screen	4" 0.016"-slot wire wound PVC	4.7	230.0-234.7
Sump	4" PVC	2.9	234.7-237.6
Pump	Grundfos 10S05-9	N/A	217.5

MSB 48B

Drilling began 1/4/90; grouting was completed 1/16/90; the pump was installed 3/23/90. The total depth of the borehole is 214.0 ft from ground level.

<u>Item</u>	<u>Type</u>	<u>Length (ft)</u>	<u>Placement (ft)</u>
Casing	4" PVC	203.5	0-201.0
Screen	4" 0.016"-slot PVC	4.7	201.0-205.7
Sump	4" PVC	2.9	205.7-208.6
Pump	Grundfos 10S05-9	N/A	197.5

MSB 48TA

Continuous wireline coring was taken from 195.0 to 288.0 ft. Lithologies were logged. The borehole was reamed from a depth of 0 to 267.0 ft. The borehole was backfilled from 288.0 to 189.3 ft. Drilling began 12/1/89; grouting was completed 1/15/90; the pump was installed 3/23/90. The total depth of the borehole is 288.0 ft from ground level.

<u>Item</u>	<u>Type</u>	<u>Length (ft)</u>	<u>Placement (ft)</u>
Surface casing	12" C.S.	N/A	241.2
Casing	4" C.S.	254.5	0-252.0
Screen	4" 0.016"-slot wire wound S.S.	5.3	252.0-257.3
Sump	4" C.S.	4.8	257.3-262.1
Pump	Grundfos 10S05-9	N/A	217.5

WELL CONSTRUCTION

MSB 55B

Drilling began 12/4/89; grouting was completed 1/3/90; the pump was installed 3/22/90. The total depth of the borehole is 229.0 ft from ground level.

<u>Item</u>	<u>Type</u>	<u>Length (ft)</u>	<u>Placement (ft)</u>
Casing	4" PVC	216.5	0-214.0
Screen	4" 0.016"-slot wire wound PVC	4.7	214.0-218.7
Sump	4" PVC	5.4	218.7-224.1
Pump	Grundfos 10S05-9	N/A	209.5

MSB 55HC

Drilling began 9/25/89; grouting was completed 10/6/90; the pump was installed 3/22/90. The total depth of the borehole is 158.0 ft from ground level.

<u>Item</u>	<u>Type</u>	<u>Length (ft)</u>	<u>Placement (ft)</u>
Casing	4" PVC	150.5	0-148.0
Screen	4" 0.015"-slot wire wound PVC	4.7	148.0-152.7
Sump	4" PVC	2.9	152.7-155.6
Pump	Grundfos 10S05-9	N/A	149.0

MSB 55TA

Continuous wireline coring was taken from 209.0 to 309.0 ft. Lithologies were logged. The borehole was reamed from a depth of 0 to 290.0 ft. The borehole was backfilled from 309.0 to 227.0 ft. Drilling began 11/14/89; grouting was completed 12/6/89; the pump was installed 3/22/90. The total depth of the borehole is 309.0 ft from ground level.

<u>Item</u>	<u>Type</u>	<u>Length (ft)</u>	<u>Placement (ft)</u>
Surface casing	12" C.S.	N/A	223.4
Casing	4" C.S.	277.5	0-275.0
Screen	4" 0.016"-slot wire wound S.S.	5.4	275.0-280.4
Sump	4" C.S.	5.2	280.4-285.6
Pump	Grundfos 10S05-9	N/A	217.5

MSB 75B

Continuous wireline coring was taken from 0 to 193.0 ft. Lithologies were logged. The borehole was backfilled from 193.0 to 176.0 ft. The borehole was reamed from a depth of 0 to 176.0 ft. Drilling began 10/26/89; grouting was completed 11/17/89; the pump was installed 3/30/90. The total depth of the borehole is 193.0 ft from ground level.

<u>Item</u>	<u>Type</u>	<u>Length (ft)</u>	<u>Placement (ft)</u>
Casing	4" PVC	165.5	0-163.0
Screen	4" 0.016"-slot wire wound PVC	4.8	163.0-167.8
Sump	4" PVC	5.4	167.8-173.2
Pump	Grundfos 10S05-9	N/A	155.5

WELL CONSTRUCTION

MSB 75C

Drilling began 11/14/89; grouting was completed 11/21/89; the pump was installed 3/30/90. The total depth of the borehole is 147.0 ft from ground level.

<u>Item</u>	<u>Type</u>	<u>Length (ft)</u>	<u>Placement (ft)</u>
Casing	4" PVC	134.5	0-132.0
Screen	4" 0.016"-slot wire wound PVC	4.7	132.0-136.7
Sump	4" PVC	5.4	136.7-142.1
Pump	Grundfos 10S05-9	N/A	129.5

MSB 85B

Drilling began 1/17/90; grouting was completed 1/24/90; the pump was installed 3/27/90. The total depth of the borehole is 254.0 ft from ground level.

<u>Item</u>	<u>Type</u>	<u>Length (ft)</u>	<u>Placement (ft)</u>
Casing	4" PVC	243.5	0-241.0
Screen	4" 0.016"-slot wire wound PVC	4.7	241.0-245.7
Sump	4" PVC	5.4	245.7-251.1
Pump	Grundfos 10S05-9	N/A	195.5

MSB 85TA

Continuous wireline coring was taken from 216.0 to 308.0 ft. Lithologies were logged during drilling. The borehole was backfilled from 308.0 to 259.0 ft. The borehole was reamed from a depth of 0 to 12.0 ft. Drilling began 12/7/89; grouting was completed 1/2/90; the pump was installed 3/27/90. The total depth of the borehole is 308.0 ft from ground level.

<u>Item</u>	<u>Type</u>	<u>Length (ft)</u>	<u>Placement (ft)</u>
Casing	4" Steel	292.7	0-290.2
Screen	4" 0.016"-slot wire wound S.S.	5.4	290.2-295.6
Sump	4" Steel	5.3	295.6-300.9
Pump	Grundfos 10S05-9	N/A	217.5

MSB 86C

Continuous wireline coring was conducted from 10.0 to 213.0 ft. Lithologies were logged during drilling. The borehole was backfilled from 213.0 to 203.0 ft. The borehole was reamed from a depth of 0 to 203.0 ft. Drilling began 10/2/89; grouting was completed 10/13/89; the pump was installed 3/26/90. The total depth of the borehole is 213.0 ft from ground level.

<u>Item</u>	<u>Type</u>	<u>Length (ft)</u>	<u>Placement (ft)</u>
Casing	4" PVC	192.5	0-190.0
Screen	4" 0.016"-slot wire wound PVC	4.7	190.0-194.7
Sump	4" PVC	5.4	194.7-200.1
Pump	Grundfos 10S05-9	N/A	189.5

WELL CONSTRUCTION

NPM Well Series

Preliminary Hydrogeologic Evaluation of Potential New Production Reactor Site Characterization Wells

The drilling and sampling methods for the wells in the **NPM Series** are noted for each well. Although construction on these wells began in 1989, construction details are being reported here for the first time. Lithologies were logged. Geophysical logging was conducted for NPM 1A. These wells were accepted by Westinghouse 6/12/89.

NPM 1

The borehole was drilled by the mud rotary method from 35.0 to 55.0 ft. Split-spoon sampling was conducted from 0 to 35.0 ft. The borehole was reamed from a depth of 0 to 35.0 ft. Drilling began 4/27/89; grouting was completed 5/1/89. The total depth of the borehole is 55.0 ft from ground level. This well is a piezometer; therefore, no pump was installed.

<u>Item</u>	<u>Type</u>	<u>Length (ft)</u>	<u>Placement (ft)</u>
Casing	4" PVC	29.2	0-26.7
Screen	4" 0.015"-slot PVC	20.0	26.7-46.7
Sump	4" PVC	5.3	46.8-52.1

NPM 1A

The borehole was drilled by the mud rotary method from 0 to 329.0 ft. Continuous wireline coring was taken from 0 to 329.0 ft. The borehole was reamed from a depth of 0 to 330.0 ft and then backfilled from 330.0 to 302.0 ft. Drilling began 4/27/89; grouting was completed 5/26/89; no pump installation date was given. The total depth of the borehole is 330.0 ft from ground level.

<u>Item</u>	<u>Type</u>	<u>Length (ft)</u>	<u>Placement (ft)</u>
Casing	4" PVC	286.9	0-284.4
Screen	4" 0.016"-slot PVC	10.0	284.4-294.4
Sump	4" PVC	5.3	294.4-299.7

NPM 2

The borehole was drilled by the auger method from 0 to 70.0 ft and by the mud rotary method from 70.0 to 100.0 ft. Split-spoon sampling was conducted from 0 to 70.0 ft. The borehole was reamed from a depth of 0 to 70.0 ft. Drilling began 5/8/89; grouting was completed 5/17/89. The total depth of the borehole is 100.0 ft from ground level. This well is a piezometer; therefore, no pump was installed.

<u>Item</u>	<u>Type</u>	<u>Length (ft)</u>	<u>Placement (ft)</u>
Casing	4" PVC	73.2	0-70.7
Screen	4" 0.016"-slot PVC	20.0	70.7-90.7
Sump	4" PVC	5.3	90.8-96.1

WELL CONSTRUCTION

NPM 3

The borehole was drilled by the auger method from 0 to 80.0 ft and by the mud rotary method from 80.0 to 95.0 ft. Split-spoon sampling was conducted from 0 to 80.0 ft. The borehole was reamed from a depth of 0 to 80.0 ft. Drilling began 5/9/89; grouting was completed 5/24/89. The total depth of the borehole is 95.0 ft from ground level. This well is a piezometer; therefore, no pump was installed.

<u>Item</u>	<u>Type</u>	<u>Length (ft)</u>	<u>Placement (ft)</u>
Casing	4" PVC	69.2	0-66.7
Screen	4" 0.016"-slot PVC	20.0	66.7-86.7
Sump	4" PVC	5.3	86.7-92.0

NPM 4

The borehole was drilled by the auger method from 0 to 75.0 ft and by the mud rotary method from 75.0 to 100.0 ft. Split-spoon sampling was conducted from 0 to 75.0 ft. The borehole was reamed from a depth of 0 to 75.0 ft. Drilling began 5/9/89; grouting was completed 5/11/89. The total depth of the borehole is 100.0 ft from ground level. This well is a piezometer; therefore, no pump was installed.

<u>Item</u>	<u>Type</u>	<u>Length (ft)</u>	<u>Placement (ft)</u>
Casing	4" PVC	37.4	0-34.9
Screen	4" 0.016"-slot PVC	20.0	34.9-54.9
Sump	4" PVC	5.3	54.9-60.2

NPM 4DD

The borehole was drilled by the auger method from 0 to 22.0 ft. Grab samples were taken from 0 to 20.0 ft. Drilling began 5/10/89; grouting was completed 5/11/89. The total depth of the borehole is 22.0 ft from ground level. This well is a piezometer; therefore, no pump was installed.

<u>Item</u>	<u>Type</u>	<u>Length (ft)</u>	<u>Placement (ft)</u>
Casing	4" PVC	7.4	0-4.9
Screen	4" 0.016"-slot PVC	10.0	4.9-14.9
Sump	4" PVC	5.3	14.9-20.2

NPN Well Series

Preliminary Hydrogeologic Evaluation of Potential New Production Reactor Site Characterization Wells

The drilling and sampling methods for the wells in the **NPN Series** are noted under each well. Although construction on these wells began in 1989, construction details are being reported here for the first time. Lithologies were logged during drilling. Geophysical logging was conducted for NPN 1A. These wells were accepted by Westinghouse 6/12/89.

WELL CONSTRUCTION

NPN 1

The borehole was drilled by the auger method from 0 to 60.0 ft and by the mud rotary method from 60.0 to 85.0 ft. Split-spoon sampling was conducted. The borehole was reamed from a depth of 0 to 60.0 ft. Drilling began 5/1/89; grouting was completed 5/19/89. The total depth of the borehole is 85.0 ft from ground level. This well is a piezometer; therefore, no pump was installed.

<u>Item</u>	<u>Type</u>	<u>Length (ft)</u>	<u>Placement (ft)</u>
Casing	4" PVC	60.1	0-57.6
Screen	4" 0.016"-slot PVC	20.1	57.6-77.7
Sump	4" PVC	5.3	77.7-83.0

NPN 1A

The borehole was drilled by the air rotary method from 0 to 15.0 ft and by the mud rotary method from 15.0 to 344.0 ft. Continuous wireline coring was conducted from 15.0 to 344.0 ft. The borehole was reamed from a depth of 0 to 315.0 ft and was backfilled from 344.0 to 294.0 ft. Drilling began 5/9/89; grouting was completed 5/22/89. The total depth of the borehole is 344.0 ft from ground level.

<u>Item</u>	<u>Type</u>	<u>Length (ft)</u>	<u>Placement (ft)</u>
Casing	4" PVC	297.5	0-295.0
Screen	4" 0.016"-slot PVC	10.0	295.0-305.0
Sump	4" PVC	5.3	305.0-310.3

NPN 2

The borehole was drilled by the auger method from 0 to 60 ft and by the mud rotary method from 60.0 to 79.0 ft. Split-spoon sampling was conducted from 0 to 60.0 ft. The borehole was reamed from a depth of 0 to 60.0 ft. Drilling began 5/3/89; grouting was completed 6/2/89. The total depth of the borehole is 79.0 ft from ground level. This well is a piezometer; therefore, no pump was installed.

<u>Item</u>	<u>Type</u>	<u>Length (ft)</u>	<u>Placement (ft)</u>
Casing	4" PVC	72.0	0-69.5
Screen	4" 0.016"-slot PVC	20.1	49.5-69.6
Sump	4" PVC	5.5	69.5-75.0

NPN 3

The borehole was drilled by the auger method from 0 to 55.0 ft and by the mud rotary method from 55.0 to 63.0 ft. Split-spoon sampling was conducted from 0 to 55.0 ft. The borehole was reamed from a depth of 0 to 55.0 ft. Drilling began 5/11/89; grouting was completed 6/2/89. The total depth of the borehole is 63.0 ft from ground level. This well is a piezometer; therefore, no pump was installed.

WELL CONSTRUCTION

NPN 3 (cont.)

<u>Item</u>	<u>Type</u>	<u>Length (ft)</u>	<u>Placement (ft)</u>
Casing	4" PVC	37.6	0-35.1
Screen	4" 0.016"-slot PVC	20.1	35.1-55.2
Sump	4" PVC	5.3	55.2-60.5

NPN 4

The borehole was drilled by the auger method from 0 to 45.0 ft and by the mud rotary method from 45.0 to 53.0 ft. Split-spoon sampling was conducted from 0 to 45.0 ft. The borehole was reamed from a depth of 0 to 45.0 ft. Drilling began 5/11/89; grouting was completed 5/29/89. The total depth of the borehole is 53.0 ft from ground level. This well is a piezometer; therefore, no pump was installed.

<u>Item</u>	<u>Type</u>	<u>Length (ft)</u>	<u>Placement (ft)</u>
Casing	4" PVC	22.1	0-19.6
Screen	4" 0.016"-slot PVC	20.1	19.6-39.7
Sump	4" PVC	5.3	39.7-45.0

NTN Well Series

Preliminary Hydrogeologic Evaluation of Potential New Production Reactor Site Characterization Wells

The drilling and sampling methods for the wells in the **NTN Series** are noted under each well. Although construction on these wells began in 1989, constructions details are being reported here for the first time. Lithologies were logged during drilling. Geophysical logging was conducted for NTN 1A. These wells were accepted by Westinghouse 6/12/89.

NTN 1

The borehole was drilled by the auger method from 0 to 50.0 ft. Split-spoon sampling was conducted from 0 to 50.0 ft. The borehole was reamed from a depth of 0 to 55.0 ft. Drilling began 4/27/89; grouting was completed 5/2/89. The total depth of the borehole is 55.0 ft from ground level. This well is a piezometer; therefore, no pump was installed.

<u>Item</u>	<u>Type</u>	<u>Length (ft)</u>	<u>Placement (ft)</u>
Casing	4" PVC	27.9	0-25.4
Screen	4" 0.015"-slot PVC	20.0	25.4-45.4
Sump	4" PVC	5.3	45.4-50.7

NTN 1A

The borehole was drilled by the mud rotary method from 0 to 338.0 ft. Continuous wireline coring was conducted from 15 to 338.0 ft. The borehole was reamed from a depth of 0 to 338.0 ft. The hole was backfilled from 338.0 to 320.0 ft. Drilling began 5/4/89; grouting was completed 6/8/89. The total depth of the borehole is 338.0 ft from ground level.

WELL CONSTRUCTION

NTN 1A (cont.)

<u>Item</u>	<u>Type</u>	<u>Length (ft)</u>	<u>Placement (ft)</u>
Casing	4" PVC	302.5	0-300.0
Screen	4" 0.016"-slot PVC	10.0	300.0-310.0
Sump	4" PVC	5.3	310.0-315.3

NTN 2

The borehole was drilled by the auger method from 0 to 30.0 ft and by the mud rotary method from 30.0 to 55.0 ft. Split-spoon sampling was conducted from 0 to 30.0 ft. Wash cuttings were taken from 30.0 to 55.0 ft. The borehole was reamed from a depth of 0 to 30.0 ft. Drilling began 4/27/89; grouting was completed 5/3/89. The total depth of the borehole is 55.0 ft from ground level. This well is a piezometer; therefore, no pump was installed.

<u>Item</u>	<u>Type</u>	<u>Length (ft)</u>	<u>Placement (ft)</u>
Casing	4" PVC	30.0	0-27.5
Screen	4" 0.015"-slot PVC	20.0	27.5-47.5
Sump	4" PVC	5.4	47.5-52.9

NTS Well Series

Preliminary Hydrogeologic Evaluation of Potential New Production Reactor Site Characterization Wells

The drilling and sampling methods for the wells in the **NTS Series** are noted under each well. Although construction on these wells began in 1989, constructions details are being reported here for the first time. Lithologies were logged during drilling. Geophysical logging was conducted for NTS 1A. These wells were accepted by Westinghouse 6/12/89.

NTS 1

The borehole was drilled by the auger method from 60.0 to 79.0 ft. Split-spoon sampling was conducted from 0 to 60.0 ft. The borehole was reamed from a depth of 0 to 60.0 ft. Drilling began 5/16/89; grouting was completed 6/2/89. The total depth of the borehole is 79.0 ft from ground level.

<u>Item</u>	<u>Type</u>	<u>Length (ft)</u>	<u>Placement (ft)</u>
Casing	4" PVC	52.0	0-49.5
Screen	4" 0.016"-slot PVC	20.1	49.5-69.6
Sump	4" PVC	5.4	69.6-75.0

NTS 1A

The borehole was drilled by the air rotary method from 0 to 15.0 ft and by the mud rotary method from 15.0 to 313.0 ft. Continuous wireline coring was conducted from 15.0 to 313.0 ft. The borehole was reamed from a depth of 0 to 280 ft and was backfilled from 313.0 to 278.0 ft. Drilling began 5/19/89; grouting was completed 6/1/89. The total depth of the borehole is 313.0 ft from ground level.

WELL CONSTRUCTION

NTS 1A (cont.)

<u>Item</u>	<u>Type</u>	<u>Length (ft)</u>	<u>Placement (ft)</u>
Casing	4" PVC	250.6	0-248.1
Screen	4" 0.015"-slot PVC	10.0	248.1-258.1
Sump	4" PVC	5.3	258.1-263.4

NTS 2

The borehole was drilled by the auger method from 0 to 60.0 ft. Split-spoon sampling was conducted from 0 to 60.0 ft. The borehole was reamed by mud rotary from a depth of 0 to 80.0 ft. Drilling began 4/28/89; grouting was completed 5/8/89. The total depth of the borehole is 80.0 ft from ground level.

<u>Item</u>	<u>Type</u>	<u>Length (ft)</u>	<u>Placement (ft)</u>
Casing	4" PVC	52.0	0-49.5
Screen	4" 0.016"-slot PVC	20.1	49.5-69.6
Sump	4" PVC	5.3	69.6-74.9

NTW Well Series

Preliminary Hydrogeologic Evaluation of Potential New Production Reactor Site Characterization Wells

The drilling and sampling methods used for the wells in the **NTW Series** are noted under each well. Although construction on these wells began in 1989, constructions details are being reported here for the first time. Lithologies were logged during drilling. These wells are piezometers; therefore, no pumps were installed. Geophysical logging was conducted for NTW 1A. These wells were accepted by Westinghouse 1/22/90.

NTW 1

The borehole was drilled by the auger method from 0 to 65.0 ft and by the mud rotary method from 65.0 to 85.0 ft. Auger samples were taken 0 to 65.0 ft. The borehole was reamed from a depth of 0 to 65.0 ft. Drilling began 11/28/89; grouting was completed 12/15/89. The total depth of the borehole is 85.0 ft from ground level.

<u>Item</u>	<u>Type</u>	<u>Length (ft)</u>	<u>Placement (ft)</u>
Casing	4" PVC	58.6	0-56.1
Screen	4" 0.016"-slot PVC	19.9	56.1-76.0
Sump	4" PVC	5.1	76.0-81.1

NTW 1A

Continuous wireline coring was conducted from 0 to 291.0 ft. The borehole was reamed from a depth of 0 to 275.0 ft. Drilling began 12/1/89; grouting was completed 12/15/89. The total depth of the borehole is 291.0 ft from ground level.

WELL CONSTRUCTION

NTW 1A (cont.)

<u>Item</u>	<u>Type</u>	<u>Length (ft)</u>	<u>Placement (ft)</u>
Casing	4" PVC	257.5	0-255.0
Screen	4" 0.016"-slot PVC	10.0	255.0-265.0
Sump	4" PVC	5.4	265.0-270.4

NTW 2

The borehole was drilled by the auger method from 0 to 65.0 ft and by the mud rotary method from 65.0 to 80.0 ft. Split-spoon sampling was conducted from 0 to 65.0 ft. The borehole was reamed from a depth of 0 to 65.0 ft. Drilling began 11/29/89; grouting was completed 12/7/89. The total depth of the borehole is 80.0 ft from ground level.

<u>Item</u>	<u>Type</u>	<u>Length (ft)</u>	<u>Placement (ft)</u>
Casing	4" PVC	54.1	0-51.6
Screen	4" 0.016"-slot PVC	20.0	51.6-71.6
Sump	4" PVC	5.0	71.6-76.6

NTW 3

The borehole was drilled by the auger method from 0 to 75.0 ft and by the mud rotary method from 75.0 to 95.0 ft. Split-spoon sampling was conducted from 0 to 75.0 ft. The borehole was reamed from a depth of 0 to 95.0 ft. Drilling began 11/17/89; grouting was completed 11/29/89. The total depth of the borehole is 95.0 ft from ground level.

<u>Item</u>	<u>Type</u>	<u>Length (ft)</u>	<u>Placement (ft)</u>
Casing	4" PVC	65.4	0-62.9
Screen	4" 0.016"-slot PVC	19.9	62.9-82.8
Sump	4" PVC	5.3	82.8-88.1

NTW 4

The borehole was drilled by the auger method from 0 to 50.0 ft and by the mud rotary method from 50.0 to 70.0 ft. Split-spoon sampling was conducted from 0 to 50.0 ft. The borehole was reamed from a depth of 0 to 50.0 ft. Drilling began 11/28/89; grouting was completed 11/30/89. The total depth of the borehole is 70.0 ft from ground level.

<u>Item</u>	<u>Type</u>	<u>Length (ft)</u>	<u>Placement (ft)</u>
Casing	4" PVC	42.9	0-40.4
Screen	4" 0.016"-slot PVC	19.8	40.4-60.2
Sump	4" PVC	5.8	60.2-66.0

WELL CONSTRUCTION

P Series

TNX-Area Pump Test Wells for the Congaree
Formation (P 26AP) and for the Water Table (P 26DP)

Both of these wells were drilled by the mud rotary method. Wash cuttings were taken, and lithologies were logged during drilling. Geophysical logging was not conducted at either of these wells. Both wells were accepted by Westinghouse 1/15/90.

P 26AP

Drilling began 11/28/89; grouting was completed 12/5/89; the pump was installed 1/17/90. The total depth of the borehole is 150.0 ft from ground level.

<u>Item</u>	<u>Type</u>	<u>Length (ft)</u>	<u>Placement (ft)</u>
Casing	6" PVC	102.3	0-99.8
Screen	6" 0.020"-slot wire wound PVC	40.8	99.8-140.6
Sump	6" PVC	4.8	140.6-145.4
Pump	Grundfos 10S05-9	N/A	139.0

P 26DP

Drilling began 11/30/89; grouting was completed 12/5/89; the pump was installed 1/17/90. The total depth of the borehole is 82.0 ft from ground level.

<u>Item</u>	<u>Type</u>	<u>Length (ft)</u>	<u>Placement (ft)</u>
Casing	6" PVC	37.5	0-35.0
Screen	4" 0.020"-slot wire wound PVC	40.8	35.0-75.8
Sump	6" PVC	5.2	75.8-81.0
Pump	Grundfos 10S05-9	N/A	77.5

RDB Series

R-Area Disassembly Basin

All of these wells were drilled by the mud rotary method. During drilling, wash cuttings were taken, and lithologies were logged. Geophysical logging was not conducted at any of the wells. Grouting was not done; the top of the screen in each of these wells was 5.0 ft below ground level, and the concrete pad was sealed directly to the bentonite seal. All of these wells were accepted by Westinghouse 3/15/90.

RDB 1D

Drilling began 2/22/90; the pump was installed 3/7/90. The borehole was caving in from 3.0 to 14.0 ft and had to be reamed from a depth of 3.0 to 35.5 ft. The total depth of the borehole is 35.5 ft from ground level.

WELL CONSTRUCTION

RDB 1D (cont.)

<u>Item</u>	<u>Type</u>	<u>Length (ft)</u>	<u>Placement (ft)</u>
Casing	4" PVC	7.5	0-5.0
Screen	4" 0.015"-slot PVC	20.0	5.0-25.0
Sump	4" PVC	5.0	25.0-30.0
Pump	Grundfos 10S05-9	N/A	27.4

RDB 2D

Drilling began 2/23/90; the pump was installed 3/7/90. The borehole was caving in from 3.0 to 20.0 ft and had to be reamed from a depth of 7.0 to 35.5 ft. The total depth of the borehole is 35.5 ft from ground level.

<u>Item</u>	<u>Type</u>	<u>Length (ft)</u>	<u>Placement (ft)</u>
Casing	4" PVC	7.5	0-5.0
Screen	4" 0.015"-slot PVC	20.0	5.0-25.0
Sump	4" PVC	5.0	25.0-30.0
Pump	Grundfos 10S05-9	N/A	23.0

RDB 3D

Drilling began 2/26/90; the pump was installed 3/6/90. The borehole was caving in from 3.0 to 20.0 ft and had to be redrilled and reamed from a depth of 5.0 to 35.5 ft. The total depth of the borehole is 35.5 ft from ground level.

<u>Item</u>	<u>Type</u>	<u>Length (ft)</u>	<u>Placement (ft)</u>
Casing	4" PVC	7.5	0-5.0
Screen	4" 0.015"-slot PVC	20.0	5.0-25.0
Sump	4" PVC	5.0	25.0-30.0
Pump	Grundfos 10S05-9	N/A	25.0

SCA Well Series S-Area Vitrification Building

All of these wells were drilled by the mud rotary method. Wash cuttings were taken, and lithologies were logged during drilling. No geophysical logging was conducted at these wells. The wells were accepted by Westinghouse 4/12/90.

SCA 3A

Drilling began 12/13/89; grouting was completed 12/15/89. The total depth of the borehole is 18.6 ft from ground level. No pump or sump was installed.

<u>Item</u>	<u>Type</u>	<u>Length (ft)</u>	<u>Placement (ft)</u>
Casing	4" PVC	10.7	0-8.2
Screen	4" 0.016"-slot PVC	10.0	8.2-18.2
Sump cap	4" PVC	0.4	18.2-18.6

WELL CONSTRUCTION

SCA 4

Drilling began 12/19/89; grouting was completed 12/21/89; the pump was installed 1/18/90. The total depth of the borehole is 73.4 ft from ground level.

<u>Item</u>	<u>Type</u>	<u>Length (ft)</u>	<u>Placement (ft)</u>
Casing	4" PVC	46.0	0-43.5
Screen	4" 0.016"-slot PVC	20.0	43.5-63.5
Sump	4" PVC	5.4	63.5-68.9
Pump	Grundfos 10S05-9	N/A	59.5

SCA 4A

Drilling began 12/18/89. Pellets were used in place of grout. No pump or sump was installed. The total depth of the borehole is 19.0 ft from ground level.

<u>Item</u>	<u>Type</u>	<u>Length (ft)</u>	<u>Placement (ft)</u>
Casing	4" PVC	11.1	0-8.6
Screen	4" 0.016"-slot PVC	10.0	8.6-18.6
Sump cap	4" PVC	0.4	18.6-19.0

SCA 5

Drilling began 12/21/89; grouting was completed 1/3/89; the pump was installed 1/18/90. The total depth of the borehole is 72.1 ft from ground level.

<u>Item</u>	<u>Type</u>	<u>Length (ft)</u>	<u>Placement (ft)</u>
Casing	4" PVC	44.9	0-42.4
Screen	4" 0.016"-slot PVC	20.0	42.4-62.4
Sump	4" PVC	5.4	62.4-67.8
Pump	Grundfos 10S05-9	N/A	59.5

XSB Series Old TNX Seepage Basin

Both of these wells were drilled by the mud rotary method. Lithologies were logged during drilling. Geophysical logging was conducted for XSB 1A. Both wells were accepted by Westinghouse 1/16/90.

XSB 1A

Split-spoon sampling was conducted from 53.0 to 91.0 ft. Drilling began 11/10/89; grouting was completed 11/21/89; the pump was installed 1/16/90. The total depth of the borehole is 119.0 ft from ground level.

WELL CONSTRUCTION

XSB 1A (cont.)

<u>Item</u>	<u>Type</u>	<u>Length (ft)</u>	<u>Placement (ft)</u>
Surface casing	12" PVC	N/A	91.0
Casing	4" PVC	102.5	0-100.0
Screen	4" 0.016"-slot PVC	10.0	100.0-110.0
Sump	4" PVC	5.0	110.0-115.0
Pump	Grundfos 10S05-9	N/A	110.5

XSB 1B

Wash cuttings were taken from 0 to 90.0 ft. Drilling began 11/21/89; grouting was completed 11/22/89; the pump was installed 1/16/90. The total depth of the borehole is 92.0 ft from ground level.

<u>Item</u>	<u>Type</u>	<u>Length (ft)</u>	<u>Placement (ft)</u>
Casing	4" PVC	81.5	0-79.0
Screen	4" 0.016"-slot PVC	10.0	79.0-89.0
Sump	4" PVC	2.0	89.0-91.0
Pump	Grundfos 10S05-9	N/A	87.0

This page was left blank intentionally.

WELL STABILIZATION

Because grout may influence the water in a newly installed well, pH and specific conductance measurements were taken for the following wells. Water temperature measurements also were taken. Measurements were made on the first water withdrawn from the well and at one-well-volume intervals until stabilization. The abbreviation gpm stands for gallons per minute.

CSD 1D

Date: 03/20/90

One well volume = 2.7 gal

<u>Well Vol.</u>	<u>pH</u>	<u>Sp. Cond. (μS/cm)</u>	<u>Water Temp. ($^{\circ}$C)</u>	<u>Comments</u>
0	5.7	59	15.7	Moderately turbid, light brown
1	5.9	61	17.2	Strongly turbid, light brown, sand
2	5.9	75	16.6	Strongly turbid, light brown, sand, bailed dry

Date: 03/21/90

<u>Well Vol.</u>	<u>pH</u>	<u>Sp. Cond. (μS/cm)</u>	<u>Water Temp. ($^{\circ}$C)</u>	<u>Comments</u>
0	5.4	64	16.7	Turbid, light brown

CSD 4D

Date: 03/20/90

One well volume = 18.5 gal

<u>Well Vol.</u>	<u>pH</u>	<u>Sp. Cond. (μS/cm)</u>	<u>Water Temp. ($^{\circ}$C)</u>	<u>Comments</u>
0	9.0	1912	14.3	Moderately turbid, light brown
1	11.9	1001	15.1	Clear, aerated, dry after pumping 23 gal

Date: 03/20/90

<u>Well Vol.</u>	<u>pH</u>	<u>Sp. Cond. (μS/cm)</u>	<u>Water Temp. ($^{\circ}$C)</u>
0	11.6	546	16.9

WELL STABILIZATION

CSD 8D

Date: 03/16/90

One well volume = 8.8 gal

<u>Well</u> <u>Vol.</u>	<u>pH</u>	<u>Sp. Cond.</u> <u>(μS/cm)</u>	<u>Water</u> <u>Temp. ($^{\circ}$C)</u>	<u>Comments</u>
0	5.9	72	23.4	Weakly turbid, light brown
1	5.9	62	21.8	Weakly turbid, light brown
2	5.9	58	21.5	Weakly turbid, light brown
3	5.8	51	21.3	Weakly turbid, light brown
4	5.8	55	21.1	Weakly turbid, light brown
5	5.7	48	21.1	Weakly turbid, light brown
6	5.6	45	21.1	Weakly turbid, light brown

CSD 9D

Date: 03/10/90

One well volume = 9.0 gal

<u>Well</u> <u>Vol.</u>	<u>pH</u>	<u>Sp. Cond.</u> <u>(μS/cm)</u>	<u>Water</u> <u>Temp. ($^{\circ}$C)</u>	<u>Comments</u>
0	6.3	985	25.7	Strongly turbid, light brown
1	5.5	45	22.9	Moderately turbid, light brown
2	5.5	47	21.5	Moderately turbid, light brown
3	5.4	44	21.2	Weakly turbid, light brown, surges
4	5.4	45	21.3	Very weakly turbid, light brown, surges

CSD 10D

Date: 03/10/90

One well volume = 10.0 gal

<u>Well</u> <u>Vol.</u>	<u>pH</u>	<u>Sp. Cond.</u> <u>(μS/cm)</u>	<u>Water</u> <u>Temp. ($^{\circ}$C)</u>	<u>Comments</u>
0	6.3	3020	25.4	Strongly turbid, light brown
1	5.7	48	21.8	Moderately turbid, light brown, surges
2	5.8	47	21.3	Moderately turbid, light brown, surges
3	5.8	49	21.3	Weakly turbid, light brown, surges
4	5.6	43	21.3	Weakly turbid, light brown, surges
5	5.5	49	21.4	Very weakly turbid, light brown, surges
6	5.2	38	21.4	Clear, surges
7	5.4	39	21.4	Clear, surges
8	5.4	39	21.4	Clear, surges

WELL STABILIZATION

CSD 11D

Date: 03/10/90

One well volume = 11.8 gal

<u>Well</u> <u>Vol.</u>	<u>pH</u>	<u>Sp. Cond.</u> <u>(μS/cm)</u>	<u>Water</u> <u>Temp. ($^{\circ}$C)</u>	<u>Comments</u>
0	7.6	438	21.0	Weakly turbid, light brown, dry after pumping 11 gal

Date: 03/10/90

<u>Well</u> <u>Vol.</u>	<u>pH</u>	<u>Sp. Cond.</u> <u>(μS/cm)</u>	<u>Water</u> <u>Temp. ($^{\circ}$C)</u>
0	7.0	178	21.3

CSD 12D

Date: 03/10/90

One well volume = 10.3 gal

<u>Well</u> <u>Vol.</u>	<u>pH</u>	<u>Sp. Cond.</u> <u>(μS/cm)</u>	<u>Water</u> <u>Temp. ($^{\circ}$C)</u>	<u>Comments</u>
0	6.1	927	26.6	Strongly turbid, orange-brown
1	5.1	54	22.7	Moderately turbid, light brown
2	5.0	51	22.3	Weakly turbid, light brown
3	4.8	48	21.6	Very weakly turbid, light brown
4	4.7	47	21.4	Very weakly turbid, light brown

CSD 13D

Date: 03/10/90

One well volume = 54.6 gal

<u>Well</u> <u>Vol.</u>	<u>pH</u>	<u>Sp. Cond.</u> <u>(μS/cm)</u>	<u>Water</u> <u>Temp. ($^{\circ}$C)</u>	<u>Comments</u>
0	6.2	192	20.0	Moderately turbid, light brown, hydrogen sulfide odor
1	5.8	89	20.8	Moderately turbid, light pinkish brown
2	5.6	121	20.8	Weakly turbid, light brown, surges
3	5.4	138	21.0	Very weakly turbid, light brown, surges
4	5.3	115	20.9	Very weakly turbid, light brown, surges
5	5.3	110	20.9	Clear, surges

WELL STABILIZATION

KDT 1D

Date: 03/13/90

One well volume = 8.8 gal

<u>Well Vol.</u>	<u>pH</u>	<u>Sp. Cond. ($\mu\text{S/cm}$)</u>	<u>Water Temp. ($^{\circ}\text{C}$)</u>	<u>Comments</u>
0	7.2	195	24.2	Weakly turbid, light brown, dry after pumping 7 gal

Date: 03/13/90

<u>Well Vol.</u>	<u>pH</u>	<u>Sp. Cond. ($\mu\text{S/cm}$)</u>	<u>Water Temp. ($^{\circ}\text{C}$)</u>
0	5.6	135	23.2

RDB 1D

Date: 03/16/90

One well volume = 13.3 gal

<u>Well Vol.</u>	<u>pH</u>	<u>Sp. Cond. ($\mu\text{S/cm}$)</u>	<u>Water Temp. ($^{\circ}\text{C}$)</u>	<u>Comments</u>
0	6.7	173	19.5	Clear
1	6.7	147	18.5	Strongly turbid, orange-brown, dry after pumping 22 gal

Date: 03/16/90

<u>Well Vol.</u>	<u>pH</u>	<u>Sp. Cond. ($\mu\text{S/cm}$)</u>	<u>Water Temp. ($^{\circ}\text{C}$)</u>
0	6.4	165	20.7

RDB 2D

Date: 03/16/90

One well volume = 12.3 gal

<u>Well Vol.</u>	<u>pH</u>	<u>Sp. Cond. ($\mu\text{S/cm}$)</u>	<u>Water Temp. ($^{\circ}\text{C}$)</u>	<u>Comments</u>
0	6.5	164	21.2	Moderately turbid, light brown
1	6.4	189	19.6	Strongly turbid, orange-brown
2	6.3	190	18.9	Strongly turbid, orange-brown, surges
3	6.2	209	19.5	Strongly turbid, orange-brown, surges
4	6.2	219	20.3	Moderately turbid, light brown, surges

WELL STABILIZATION

RDB 3D

Date: 03/16/90

One well volume = 10.3 gal

<u>Well</u> <u>Vol.</u>	<u>pH</u>	<u>Sp. Cond.</u> <u>(μS/cm)</u>	<u>Water</u> <u>Temp. ($^{\circ}$C)</u>	<u>Comments</u>
0	6.3	147	20.0	Weakly turbid, light brown
1	6.3	132	18.3	Moderately turbid, light brown
2	6.2	143	18.7	Clear
3	6.0	135	19.4	Moderately turbid, light brown, pump rate 0.6 gpm
4	6.2	143	19.9	Weakly turbid, light brown, pump rate varying from 0 to 0.5 gpm
5	6.2	133	21.4	Weakly turbid, light brown, pump rate varying from 0 to 0.5 gpm

TNX 1D

Date: 03/06/90

One well volume = 11.4 gal

<u>Well</u> <u>Vol.</u>	<u>pH</u>	<u>Sp. Cond.</u> <u>(μS/cm)</u>	<u>Water</u> <u>Temp. ($^{\circ}$C)</u>	<u>Comments</u>
0	7.9	242	19.3	Moderately turbid, light brown
1	7.2	171	20.4	Moderately turbid, light brown
2	6.8	102	21.1	Moderately turbid, light brown
3	6.7	93	21.8	Moderately turbid, light brown
4	6.5	86	22.1	Weakly turbid, light brown
5	6.5	86	22.2	Weakly turbid, light brown

TNX 2D

Date: 03/07/90

One well volume = 10.5 gal

<u>Well</u> <u>Vol.</u>	<u>pH</u>	<u>Sp. Cond.</u> <u>(μS/cm)</u>	<u>Water</u> <u>Temp. ($^{\circ}$C)</u>	<u>Comments</u>
0	7.3	321	17.4	Clear
1	6.6	178	18.4	Weakly turbid, light brown
2	6.3	130	18.7	Clear
3	6.2	115	18.8	Clear
4	6.1	106	19.5	Clear
5	6.1	100	18.9	Clear

WELL STABILIZATION

TNX 3D

Date: 03/07/90

One well volume = 9.5 gal

<u>Well</u> <u>Vol.</u>	<u>pH</u>	<u>Sp. Cond.</u> <u>(μS/cm)</u>	<u>Water</u> <u>Temp. ($^{\circ}$C)</u>	<u>Comments</u>
0	7.1	294	16.6	Clear, dry after pumping 5.5 gal

Date: 03/07/90

<u>Well</u> <u>Vol.</u>	<u>pH</u>	<u>Sp. Cond.</u> <u>(μS/cm)</u>	<u>Water</u> <u>Temp. ($^{\circ}$C)</u>	<u>Comments</u>
0	6.2	140	18.1	Turbid, light brown

TNX 4D

Date: 03/07/90

One well volume = 10.5 gal

<u>Well</u> <u>Vol.</u>	<u>pH</u>	<u>Sp. Cond.</u> <u>(μS/cm)</u>	<u>Water</u> <u>Temp. ($^{\circ}$C)</u>	<u>Comments</u>
0	7.4	251	16.2	Clear, dry after pumping 8.5 gal

Date: 03/07/90

<u>Well</u> <u>Vol.</u>	<u>pH</u>	<u>Sp. Cond.</u> <u>(μS/cm)</u>	<u>Water</u> <u>Temp. ($^{\circ}$C)</u>	<u>Comments</u>
0	5.1	107	17.5	Turbid, light brown

TNX 5D

Date: 03/07/90

One well volume = 9.5 gal

<u>Well</u> <u>Vol.</u>	<u>pH</u>	<u>Sp. Cond.</u> <u>(μS/cm)</u>	<u>Water</u> <u>Temp. ($^{\circ}$C)</u>	<u>Comments</u>
0	7.3	318	17.5	Clear, dry after pumping 5 gal

Date: 03/07/90

<u>Well</u> <u>Vol.</u>	<u>pH</u>	<u>Sp. Cond.</u> <u>(μS/cm)</u>	<u>Water</u> <u>Temp. ($^{\circ}$C)</u>	<u>Comments</u>
0	6.2	147	17.1	Turbid, light brown

WELL STABILIZATION

TNX 6D

Date: 03/07/90

One well volume = 9.0 gal

<u>Well</u> <u>Vol.</u>	<u>pH</u>	<u>Sp. Cond.</u> <u>(μS/cm)</u>	<u>Water</u> <u>Temp. ($^{\circ}$C)</u>	<u>Comments</u>
0	6.9	354	16.7	Clear, dry after pumping 7.3 gal

Date: 03/07/90

<u>Well</u> <u>Vol.</u>	<u>pH</u>	<u>Sp. Cond.</u> <u>(μS/cm)</u>	<u>Water</u> <u>Temp. ($^{\circ}$C)</u>	<u>Comments</u>
0	6.2	205	18.2	Turbid, light brown

TNX 7D

Date: 03/06/90

One well volume = 10.8 gal

<u>Well</u> <u>Vol.</u>	<u>pH</u>	<u>Sp. Cond.</u> <u>(μS/cm)</u>	<u>Water</u> <u>Temp. ($^{\circ}$C)</u>	<u>Comments</u>
0	6.8	189	18.6	Clear
1	5.9	103	20.1	Weakly turbid, light brown
2	6.0	109	20.8	Weakly turbid, light brown
3	6.0	104	21.3	Very weakly turbid, light brown
4	5.9	100	21.6	Very weakly turbid, light brown

TNX 8D

Date: 03/06/90

One well volume = 14.0 gal

<u>Well</u> <u>Vol.</u>	<u>pH</u>	<u>Sp. Cond.</u> <u>(μS/cm)</u>	<u>Water</u> <u>Temp. ($^{\circ}$C)</u>	<u>Comments</u>
0	6.1	119	17.5	Clear
1	5.2	168	16.7	Very weakly turbid, light brown
2	5.2	166	16.5	Clear
3	5.2	166	16.3	Clear
4	5.2	165	16.3	Clear

WELL STABILIZATION

TNX 9D

Date: 03/06/90

One well volume = 13.0 gal

<u>Well</u> <u>Vol.</u>	<u>pH</u>	<u>Sp. Cond.</u> <u>(μS/cm)</u>	<u>Water</u> <u>Temp. ($^{\circ}$C)</u>	<u>Comments</u>
0	6.3	302	18.5	Clear
1	5.1	128	18.3	Clear
2	5.1	130	18.4	Clear
3	5.1	133	18.3	Clear
4	5.0	135	18.3	Clear
5	5.0	137	18.4	Clear

TNX 10D

Date: 03/06/90

One well volume = 12.0 gal

<u>Well</u> <u>Vol.</u>	<u>pH</u>	<u>Sp. Cond.</u> <u>(μS/cm)</u>	<u>Water</u> <u>Temp. ($^{\circ}$C)</u>	<u>Comments</u>
0	6.2	102	19.4	Clear
1	4.3	141	18.9	Clear
2	4.2	143	18.7	Clear
3	4.3	148	18.7	Clear
4	4.3	147	18.7	Clear

TNX 11D

Date: 03/06/90

One well volume = 14.6 gal

<u>Well</u> <u>Vol.</u>	<u>pH</u>	<u>Sp. Cond.</u> <u>(μS/cm)</u>	<u>Water</u> <u>Temp. ($^{\circ}$C)</u>	<u>Comments</u>
0	5.7	68	20.2	Clear
1	4.8	64	19.7	Moderately turbid, orange-brown
2	4.7	65	19.7	Clear
3	4.7	66	19.5	Clear
4	4.7	65	19.6	Clear

WELL STABILIZATION

TNX 12D

Date: 03/06/90

One well volume = 15.0 gal

<u>Well</u> <u>Vol.</u>	<u>pH</u>	<u>Sp. Cond.</u> <u>(μS/cm)</u>	<u>Water</u> <u>Temp. ($^{\circ}$C)</u>	<u>Comments</u>
0	6.5	103	19.4	Clear
1	5.8	71	18.5	Clear
2	5.8	70	18.5	Clear
3	5.8	70	18.4	Clear
4	5.8	70	18.5	Clear

This page was left blank intentionally.

ENVIRONMENTAL SOIL BORINGS

The sources of data for this section are the SRP Daily Activities Reports and Field Geologic Logs. The oversight group, Sirrine Environmental Consultants, kept these records during fourth quarter 1988. EMTC performed the drilling. The completion date given for each boring is the date drilling was completed, unless otherwise noted. No environmental soil borings were reported for first quarter 1990.

Central Shops Diesel Spill Characterization and Remediation Borings

The following borings, obtained by hollow stem augering and split-spoon sampling, were installed as part of the bioremediation study for the Central Shops Diesel Spill Characterization and Remediation Area.

<u>Core ID</u>	<u>Completion Date</u>	<u>Depth (ft)</u>
BH-3	12/14/88	12.0
BH-5	12/14/88	12.0
BH-6	12/14/88	12.0
BH-7	12/14/88	12.0

This page was left blank intentionally.

SURVEYING

The source of data for Table 9 is a database maintained by Surveying and Mapping Consultants of Tigerville, SC. Surveying and Mapping Consultants conducted the following surveying between 1/1/90 and 3/31/90. Elevations are in feet above mean sea level.

Table 9. Survey Information

<u>Well ID</u>	<u>SRS Coordinates</u>		<u>Top of Casing Elevation</u>	<u>Ground Elevation</u>	<u>Final Height of Casing Above Ground</u>
	<u>North</u>	<u>East</u>			
BRR 1D	77365.16	50588.19	295.90	293.8	2.10
BRR 2D	77431.39	50306.34	291.85	289.6	2.25
BRR 3D	77398.29	50203.51	291.66	289.5	2.16
BRR 4D	77360.45	50104.54	292.15	290.0	2.15
BRR 5D	77266.70	50009.03	294.57	292.6	1.97
CBR 1D	61334.64	52282.10	300.60	298.5	2.10
CBR 2D	61385.22	52410.20	300.94	298.8	2.14
CBR 3D	61365.58	52477.05	301.76	299.6	2.16
KDT 1D	54154.10	40380.00	273.04	270.7	2.34
P 26AP	72006.42	18004.85	153.28	151.1	2.18
P 26DP	71983.27	18013.89	153.52	151.3	2.22
RDB 1D	57097.34	74844.51	292.44	290.5	1.94
RDB 2D	56879.80	74782.24	292.61	290.7	1.91
RDB 3D	56881.94	74899.03	292.72	290.8	1.92
TNX 8D	70591.94	16168.34	100.27	98.0	2.27
TNX 9D	70791.36	16145.77	101.68	99.4	2.28
TNX 10D	70999.28	16166.69	102.29	100.0	2.29
TNX 11D	71199.25	16165.51	99.84	97.7	2.14
TNX 12D	71598.29	16176.25	99.20	97.1	2.10

This page was left blank intentionally.

SAMPLE SCHEDULING

Routine comprehensive analyses, flagging criteria, indicator parameters, regulatory requirements, and special custodian requests are used to generate the *EPD/EMS Groundwater Monitoring Program Sampling Schedule*. The scope of the groundwater sampling program for first quarter 1990 is demonstrated in Figure 3.

EPD/EMS personnel also schedule certain wells for routine radioactive analyses and the A/M-Areas wells by special custodian request. Some of these wells are included in the EPD/EMS groundwater monitoring program.

ROUTINE COMPREHENSIVE ANALYSES

Four quarters of comprehensive analyses (silver, arsenic, barium, cadmium, chromium, mercury, lead, selenium, fluoride, nitrate, total radium, gross alpha, nonvolatile beta, chloride, iron, manganese, phenols, sodium, sulfate, pH, specific conductance, total organic carbon, and total organic halogens, major ions, phosphate, total dissolved solids, and tritium) are scheduled for wells new to the groundwater monitoring program. Herbicide/pesticide analyses are included only in the first quarter of comprehensives.

After the first four quarters of comprehensives, comprehensive analyses are scheduled every two years for each well series. Wells that are exclusively sampled for radionuclide analyses are not included in these biannual comprehensive analyses. Certain wells in the A/M Areas are scheduled only for GC VOA analysis at the M-Area Laboratory and are also excluded from the biannual comprehensives.

FLAGGING CRITERIA

Analytes detected above prescribed levels are assigned flagging values of either 1 or 2. In routine scheduling, analytes detected above Flag 1 are subsequently scheduled once a year (first quarter), and those above Flag 2 are scheduled twice a year (first and third quarters). Criteria for Flag 1 and Flag 2 designations are listed in the **Flagging Criteria** section of this report.

Scheduling for flagged analytes from wells monitored by routine radioactive sampling follows a different scheme than those monitored by routine sampling. The EPD/EMS Laboratory at SRS

Figure 3. The Number of Samples Analyzed During First Quarter 1990

SAMPLE SCHEDULING

analyzes gross alpha, nonvolatile beta, tritium, strontium, chemical cesium, and gamma PHA. The laboratory also uses gamma PHA and alpha spectroscopy to analyze for other radioactive isotopes. Analytes above Flag 1 are scheduled for two analyses per year, and analytes above Flag 2 are scheduled for four analyses per year.

Another exception to the previously outlined flagging rules concerns wells in the A/M Areas that are exclusively monitored by the A/M Areas. These wells are sampled by EPD/EMS by special request from the site custodians. However, if a well that is exclusively monitored by the A/M Areas yields an analyte exceeding Flag 2, this analysis must be verified by scheduling offsite analysis.

The schedule is cleared of unnecessary flags using the following rules. If an analyte is scheduled with a Flag 2 and has three subsequent results that do not equal or exceed Flag 2, then the Flag 2 for that analyte is changed to a Flag 1. Similarly, if an analyte is scheduled with Flag 1 and has had three subsequent results less than Flag 1, then the flag for that analyte is removed from the schedule.

INDICATOR PARAMETERS

When any one of the six herbicide/pesticide constituents is flagged, the entire suite is flagged for analyses according to the conventional flagging scheme. The GC VOA suite follows the same rule as the herbicide/pesticide suite; if one compound is flagged, the whole set of GC VOA is flagged.

The GC VOA suite is a subset of the GCMS VOA suite. Therefore, if only GC VOA compounds exceed Flag 1, only GC VOA is scheduled for Flag 1 analysis. Likewise, if only GC VOA compounds exceed Flag 2, only GC VOA is scheduled for Flag 2 analysis. If GC VOA compounds exceed Flag 2, and the other GCMS VOA compounds only exceed Flag 1, GCMS VOA is scheduled for one quarter of analysis, and GC VOA is scheduled for analysis in a different quarter. This allows the GC VOA compounds to be analyzed twice, fulfilling the Flag 2 requirement.

The Appendix IX, Base/Neutral/Acid, and Organochlorine Pesticides analyte suites contain many compounds with no established drinking water standards; therefore, they do not have clearly established flagging criteria. Thus, for RCRA wells, any compound detected is scheduled as a Flag 1. Each compound is requested on a compound-specific basis, and all wells in the series are tested for that particular compound once a year according to the rules for Flag 1.

If any two consecutive results of total organic halogens (TOH) analyses are $>10 \mu\text{g/L}$, and the well has not had a GCMS VOA analysis since those two $>10 \mu\text{g/L}$ results, then the well is scheduled for a GCMS VOA analysis. Only the well that yielded the two elevated results is scheduled.

REGULATORY REQUIREMENTS

The schedule also contains routine quarterly sampling requests for the RCRA wells.

SAMPLE COLLECTION

Sample collection was performed by EPD/EMS personnel and by Jeff Bullard, Bonnie Bullard, and Jack Bullard of Ge-Hy Sampling of New Ellenton, SC.

Each sampler maintained a field notebook. Field measurements were pH, temperature, specific conductance, air temperature, depth to the water prior to pumping, and volume of water pumped prior to sampling. These field books are located in the first quarter 1990 section of the EPD/EMS Groundwater Monitoring Library.

All sample collections were routine during the first quarter of 1990, except as indicated in Table 10. The samplers' observations about the water sample, well condition, and any special method of collecting also are noted in the table. All wells were pumped except as noted. Wells that went dry were revisited and sampled, usually within 24 hours. A second visitation after this 24-hour period is considered a separate sampling event. For those wells that required a second visitation, only the volume purged before the well went dry is given in this section. The total amount of water purged from each well is given in the **Field and Analytical Data** section.

Comments about dry wells, continuously pumping wells, and malfunctioning wells can be found in the **Field and Analytical Data** section.

Table 10. Comments from Field Data

<u>Well</u>	<u>Date</u>	<u>Comments</u>
ABP Series		
ABP 3C	02/10/90	Flowmeter not working, estimated volume purged; no well identification sign; strongly turbid; orange brown; sand; pumped mud after ~40 gal
AC Series		
AC 1B	01/13/90	No water in standpipe; flowmeter not working, estimated volume purged
AMB Series		
AMB 4	03/03/90	Pump runs, but no water was purged
AMB 6	03/03/90	Weakly turbid; light brown
AMB 7	03/03/90	Dry after 1 gal
	03/04/90	Moderately turbid; brown
AMB 8D	03/03/90	No well identification sign
AMB 9D	03/03/90	No well identification sign
AMB 10D	03/03/90	No well identification sign
AMB 10DD	03/03/90	The water was odorous; no well identification sign

SAMPLE COLLECTION

Table 10. Comments from Field Data (cont.)

<u>Well</u>	<u>Date</u>	<u>Comments</u>
AMB Series (cont.)		
AMB 11D	03/04/90	No well identification sign
AMB 12D	03/04/90	Weakly turbid; light brown; no well identification sign
AOB Series		
AOB 2	02/09/90	Oil-like substance on sample surface
AOB 3	02/09/90	Dry after 7 gal
	02/10/90	Weakly turbid; light brown; no well identification sign
ARP Series		
ARP 1A	02/09/90	No water in standpipe
ARP 4	02/09/90	No water in standpipe
ASB Series		
ASB 1A	02/14/90	No water in standpipe; small amount of fine sand
ASB 3A	02/14/90	Small amount of fine sand
ASB 5A	02/16/90	Small amount of fine sand
ASB 6A	02/16/90	Small amount of fine sand
ASB 6AA	02/16/90	Weakly turbid; light brown
ASB 7	02/16/90	Flowmeter not working, estimated volume purged
ASB 8A	02/16/90	Flowmeter stopped working, estimated volume purged
ASB 9B	02/10/90	Flowmeter not working, estimated volume purged; sand
BG Series		
BG 91	03/11/90	Dry after ~15 gal; no flowmeter, estimated volume purged
BG 92	03/11/90	Dry after ~8 gal; no flowmeter, estimated volume purged; turbid; brown
BG 93	03/16/90	Weakly turbid; light brown
BG 94	03/11/90	No flowmeter, estimated volume purged
BG 95	03/11/90	No flowmeter, estimated volume purged; weakly turbid; brown
BG 96	03/11/90	Dry after 24 gal; no flowmeter, estimated volume purged; turbid; brown
BG 101	03/15/90	Weakly turbid; light brown; sand; no flowmeter, estimated volume purged
BG 103	03/15/90	Weakly turbid; light brown; no flowmeter, estimated volume purged
BG 104	03/13/90	Dry after ~5 gal
	03/14/90	No flowmeter, estimated volume purged
BG 107	03/11/90	No flowmeter, estimated volume purged
BG 108	03/11/90	No flowmeter, estimated volume purged
BG 109	03/11/90	No flowmeter, estimated volume purged
BG 110	03/11/90	Dry after ~30 gal; no flowmeter, estimated volume purged; brown
BG 121	03/11/90	Dry after bailing ~2 gal; strongly turbid; brown; sand; pine needles; plastic electrical tie; four pieces of grout
BG 122	03/11/90	No flowmeter, estimated volume purged

SAMPLE COLLECTION

Table 10. Comments from Field Data (cont.)

<u>Well</u>	<u>Date</u>	<u>Comments</u>
BGO Series		
BGO 1D	01/23/90	Dry after 5 gal
	01/24/90	Light brown; turbid
BGO 3D	01/23/90	Dry after 4 gal
	01/24/90	Light brown; turbid
BGO 4D	02/04/90	Flowmeter not working, estimated volume purged
BGO 5C	01/23/90	Dry after 17 gal
BGO 5D	01/23/90	Dry after 6 gal
BGO 6D	01/23/90	Dry after 7 gal
BGO 8A	01/23/90	Dry after 25 gal
BGO 10A	01/23/90	Dry after 36 gal
BGO 10C	01/23/90	Dry after 32 gal
BGO 10D	01/23/90	No water in standpipe (~71 ft)
BGO 12A	01/27/90	Dry after 14 gal
BGO 12C	01/27/90	Dry after 32 gal
BGO 12D	01/27/90	Dry after 6 gal
BGO 13D	02/01/90	New ditch under construction blocks access
	03/20/90	Dry after 0.3 gal; no water in standpipe (~88 ft)
BGO 14A	02/01/90	New ditch under construction blocks access
BGO 14C	02/01/90	New ditch under construction blocks access
BGO 14D	02/01/90	New ditch under construction blocks access
BGO 16A	01/30/90	Dry after 14 gal
BGO 16D	01/30/90	Dry after 3 gal
BGO 20D	01/30/90	Dry after 7 gal
BGO 21D	01/31/90	Dry after 6 gal; red brown; turbid
BGO 23D	02/01/90	No access
BGO 24D	01/31/90	Dry after 5 gal
BGO 25A	01/27/90	Dry after 13 gal
BGO 26A	01/26/90	Dry after ~24
BGO 26D	01/26/90	Dry after 6 gal
BGO 27D	01/26/90	Dry after 9 gal
	01/27/90	Turbid; light brown; aerated
BGO 28D	01/26/90	Dry after 6 gal
	01/27/90	Turbid; light brown
BGO 29A	01/26/90	Dry after ~20 gal
	01/27/90	Flowmeter not working, estimated volume purged
BGO 30C	01/26/90	Dry after 16 gal
	01/27/90	Weakly turbid; light brown
BGO 30D	01/26/90	Dry after 8 gal
	01/27/90	Turbid; light brown; aerated
BGO 31C	01/26/90	Dry after 27 gal
	01/27/90	Aerated
BGO 31D	01/26/90	Dry after 6.5 gal
	01/27/90	Turbid; light brown
BGO 32D	02/03/90	Dry after 4.2 gal
	02/04/90	Turbid; light brown
BGO 33D	01/26/90	Dry after 8 gal
	01/27/90	Turbid; light brown; aerated

SAMPLE COLLECTION

Table 10. Comments from Field Data (cont.)

<u>Well</u>	<u>Date</u>	<u>Comments</u>
BGO Series (cont.)		
BGO 34D	02/03/90	Dry after 10.2 gal
	02/04/90	Aerated
BGO 35D	02/03/90	Dry after 7.8 gal
	02/04/90	Turbid; light brown
BGO 36D	02/03/90	Dry after 6.6 gal
	02/04/90	Turbid; light brown
BGO 37D	02/03/90	Dry after 4.4 gal
	02/04/90	Turbid; light brown
BGO 38D	02/03/90	Dry after 6 gal
	02/04/90	Turbid; light brown
BGO 39D	02/03/90	Dry after 4.3 gal
	02/04/90	Turbid; light brown
BRD Series		
BRD 5D	02/14/90	Weakly turbid; light brown
CCB Series		
CCB 1	02/24/90	No water in standpipe
CCB 2	02/24/90	Moderately turbid; red brown; sand
CCB 3	02/24/90	Dry after 9.5 gal
CDB Series		
CDB 1	03/13/90	Dry after 8 gal; weakly turbid; light brown
CDB 2	03/13/90	Dry after 5 gal; no water in standpipe
CMP Series		
CMP 10	03/04/90	Flowmeter not working, estimated volume purged
CMP 11	03/03/90	Dry after 13 gal
CMP 12	03/03/90	Dry after 11 gal
	03/04/90	Flowmeter not working, estimated volume purged
CMP 13	03/03/90	Dry after 5 gal
	03/04/90	Very light brown; very weakly turbid
CMP 15B	03/03/90	Dry after 20 gal
CMP 15C	03/03/90	No water in standpipe (~44 ft)
CMP 16C	02/25/90	No water in standpipe (~88 ft)
CRP Series		
CRP 3	02/18/90	Dry after 9 gal
	02/19/90	No water in standpipe

SAMPLE COLLECTION

Table 10. Comments from Field Data (cont.)

<u>Well</u>	<u>Date</u>	<u>Comments</u>
CSB Series		
CSB 1A	02/13/90	No water in standpipe
CSB 2A	02/13/90	Dry after 3 gal
CSB 3A	02/13/90	Dry after 2 gal
CSB 5A	02/13/90	Dry after 4 gal
CSD Series		
CSD 1D	03/20/90	Dry after bailing ~11 gal
	03/21/90	Turbid; tan; no well identification sign
CSD 2D	03/20/90	No water in standpipe (~66 ft); no well identification sign
CSD 4D	03/20/90	Dry after 23 gal
	03/21/90	No well identification sign
CSD 8D	03/10/90	Pump would not start; no well identification sign
	03/16/90	Weakly turbid; light brown; no well identification sign
CSD 9D	03/10/90	Very weakly turbid; light brown; no well identification sign
CSD 10D	03/10/90	No well identification sign
CSD 11D	03/10/90	Dry after 11 gal; weakly turbid; light brown; aerated; no well identification sign
CSD 12D	03/10/90	Very weakly turbid; light brown; no well identification sign
CSD 13D	03/10/90	No well identification sign
CSR Series		
CSR 2	02/13/90	Dry after 6 gal; weakly turbid; light brown
CSR 4	02/13/90	Weakly turbid; light brown
DCB Series		
DCB 1A	02/11/90	Brown yellow
DCB 6	02/11/90	Dry after 6 gal; aerated; no well identification sign
DCB 7	02/11/90	Brown yellow; no well identification sign
DCB 8	02/11/90	No well identification sign
DCB 9	02/11/90	No well identification sign
DCB 11	02/11/90	Dry after 20 gal; weakly turbid; yellow brown; no well identification sign
DCB 13	02/11/90	Dry after 2.4 gal; weakly turbid; brown
DCB 14	02/11/90	Weakly turbid; gray; aerated; hydrogen sulfide odor
DCB 15	02/11/90	Dry after 5 gal; moderately turbid; brown
DCB 16	02/11/90	Dry after 5 gal; moderately turbid; brown; slight odor
FAC Series		
FAC 3	02/13/90	Dry after bailing 0.5 gal
FAC 5	02/13/90	Dry after bailing 8 gal
FAC 6	02/13/90	Dry after bailing 3 gal
FAC 7	02/06/90	Dry after bailing 3 gal
FAC 8	02/06/90	Dry after bailing 9 gal

SAMPLE COLLECTION

Table 10. Comments from Field Data (cont.)

<u>Well</u>	<u>Date</u>	<u>Comments</u>
FAL Series		
FAL 1	03/18/90	Dry after 5 gal
FAL 2	03/18/90	Dry after 0.5 gal; moderately turbid; yellow brown
FCA Series		
FCA 2D	03/18/90	Dry after bailing 1.3 gal; turbid; red brown
FCA 9D	03/18/90	Dry after bailing 0.9 gal; strongly turbid; red brown
FCA 10A	03/18/90	Dry after bailing 1.8 gal; yellow brown; moderately turbid
FCA 16A	03/18/90	Dry after bailing 7 gal; weakly turbid; yellow brown
FCA 16D	03/18/90	Dry after bailing 0.75 gal; turbid; orange brown
FCA 19D	03/18/90	Dry after 2.7 gal; aerated; weakly turbid; light brown
FCB Series		
FCB 4	02/24/90	Dry after 10 gal
	02/25/90	Brown; turbid
FCB 5	02/17/90	Dry after 2 gal
FCB 6	02/17/90	Dry after 1 gal
FCB 7	02/17/90	No water in standpipe
FET Series		
FET 1D	02/17/90	Dry after 6 gal
FSB Series		
FSB 76	01/09/90	No water in standpipe
FSB 77	01/01/90	Aerated
FSB 78B	01/06/90	Flowmeter not working, estimated volume purged
FSB 78C	01/06/90	Dry after 21 gal
FSB 79	01/09/90	Pump hard to start
FSB 88D	01/06/90	Dry after 4 gal
FSB 90C	01/06/90	Dry after 22 gal
FSB 90D	01/06/90	Dry after 2 gal
	01/07/90	Aerated
FSB 91C	01/06/90	Dry after 18 gal
FSB 92D	01/06/90	Turbid; light brown
FSB 93D	01/01/90	Dry after 1.6 gal
	01/02/90	Aerated
FSB 94C	01/01/90	Dry after 24 gal
	01/02/90	Weakly turbid; olive green
FSB 95C	01/01/90	Dry after 21.7 gal
FSB 96A	01/02/90	Dry after 17 gal
	01/03/90	Weakly turbid; very light brown
FSB 97C	01/02/90	Dry after 27 gal
	01/03/90	Small amount of fine sand
FSB 97D	01/02/90	Dry after 1.5 gal

SAMPLE COLLECTION

Table 10. Comments from Field Data (cont.)

<u>Well</u>	<u>Date</u>	<u>Comments</u>
FSB Series (cont.)		
FSB 98A	01/02/90	Dry after 24.5 gal
FSB 98D	01/02/90	Dry after 1.2 gal
	01/03/90	Weakly turbid; light brown
FSB100A	01/02/90	Dry after 16 gal
FSB105D	01/01/90	Dry after 0.7 gal
	01/02/90	Weakly turbid; light brown
FSB108D	01/06/90	Dry after 2 gal
FSB109D	01/01/90	Dry after 2.3 gal
	01/02/90	Weakly turbid; light brown
FSB110D	01/16/90	Aerated
FSS Series		
FSS 1D	02/17/90	Dry after 5 gal
	02/18/90	Brown; turbid
FSS 2D	02/17/90	Dry after 9 gal
	02/18/90	Light brown; turbid
FSS 3D	02/17/90	Dry after 8 gal
	02/18/90	Brown; turbid
FSS 4D	02/17/90	Dry after 9 gal
	02/18/90	Light brown; turbid
FTF Series		
FTF 5	02/23/90	Unable to sample
GBW Series		
GBW 1	02/25/90	Dry after 5.5 gal
	02/26/90	Weakly turbid; light brown
HAC Series		
HAC 2	02/10/90	Dry after 4 gal
HAC 3	02/10/90	Dry after 6 gal
HCA Series		
HCA 1	02/10/90	Dry after 14 gal
HCA 2	02/10/90	Very light brown; weakly turbid
HCA 3	02/10/90	Dry after 11 gal
HCA 4	02/10/90	Dry after 18 gal

SAMPLE COLLECTION

Table 10. Comments from Field Data (cont.)

<u>Well</u>	<u>Date</u>	<u>Comments</u>
ICB Series		
ICB 1	02/21/90	Standing water surrounding well
ICB 2	02/21/90	Very light brown; very weakly turbid
ICB 4	02/21/90	Very light brown; flowmeter not working, estimated volume purged
HET Series		
HET 1D	02/18/90	Flowmeter not working, estimated volume purged
HET 2D	02/17/90	Dry after 8 gal
	02/18/90	Light brown; weakly turbid
HET 3D	02/17/90	Dry after 12 gal
HET 4D	02/17/90	Dry after 18 gal
	02/18/90	Light brown; turbid
HR8 Series		
HR8 13	02/11/90	Light brown; turbid
HSB Series		
HSB 68	01/21/90	No water in standpipe (~28 ft)
HSB 68A	01/21/90	Flowmeter not working, estimated volume purged
HSB 68B	01/13/90	Dry after 55 gal
	01/14/90	Light brown; turbid
HSB 68C	01/13/90	Dry after pumping 16 gal
	01/14/90	Aerated
HSB 70C	01/06/90	Dry after 25 gal
HSB 71C	01/13/90	Dry after 20 gal
HSB 84B	01/23/90	Flowmeter not working, estimated volume purged
HSB 84C	01/13/90	Dry after 14 gal
HSB 85B	01/23/90	Dry after 46 gal
HSB101D	01/17/90	Light brown; turbid
HSB102D	01/17/90	Dry after 7 gal; red brown; turbid
HSB110D	01/17/90	Very light brown; weakly turbid
HSB111E	01/16/90	Light brown; turbid
HSB112E	01/16/90	Dry after ~2 gal; light brown; turbid
HSB115C	01/02/90	Dry after ~14 gal
HSB115D	01/02/90	Dry after ~3 gal
	01/03/90	Flowmeter not working, estimated volume purged; light brown; turbid
HSB117D	01/13/90	Light gray; turbid
HSB124A	01/16/90	Dry after 41 gal
HSB126D	01/13/90	Dry after 7 gal
	01/27/90	Dry after 7 gal
HSB127C	01/13/90	Dry after 38 gal
HSB132D	01/27/90	Flowmeter not working, estimated volume purged
HSB135C	01/20/90	Light brown; turbid

SAMPLE COLLECTION

Table 10. Comments from Field Data (cont.)

<u>Well</u>	<u>Date</u>	<u>Comments</u>
HSB Series (cont.)		
HSB135D	01/20/90	Very light brown, weakly turbid
HSB139C	01/13/90	Dry after 27 gal
	01/27/90	Dry after 26 gal
HSS Series		
HSS 1D	02/17/90	Dry after 21 gal
HSS 3D	02/17/90	Dry after 28 gal
	02/18/90	Brown; turbid; aerated
HTF Series		
HTF 3	01/23/90	Unable to sample
HTF 5	01/23/90	Unable to sample
HTF 6	01/23/90	Unable to sample
HTF 8	01/23/90	Unable to sample
HTF 34	01/24/90	Unable to sample
IDB Series		
IDB 1A	03/26/90	Dry after 16 gal
IDB 1B	03/26/90	Dry after 4 gal
IDB 1C	02/24/90	No flowmeter, estimated volume purged
IDB 5	02/24/90	Dry after 3.2 gal; weakly turbid; light brown
IDB 8	02/24/90	Dry after 6.9 gal
IDP Series		
IDP 2	03/09/90	Moderately turbid; brown
IDP 3C	03/02/90	Dry after 10 gal
	03/03/90	Aerated
IDP 9	03/02/90	Dry after 2.3 gal
	03/03/90	Turbid; light brown; aerated
IDQ Series		
IDQ 1	02/25/90	Sounded bottom of well at 27.19 ft below top of casing
IDQ 2	03/09/90	Dry after bailing 8 gal; weakly turbid; light brown
IDQ 3C	02/25/90	Dry after 6.6 gal
IDQ 6	02/25/90	Dry after 3.6 gal
IDQ 7	02/25/90	Dry after 5.2 gal; no water in standpipe
KAB Series		
KAB 1	03/04/90	Dry after 11 gal
KAB 2	03/04/90	Dry after 3 gal; very light brown; very weakly turbid

SAMPLE COLLECTION

Table 10. Comments from Field Data (cont.)

<u>Well</u>	<u>Date</u>	<u>Comments</u>
KAC Series		
KAC 6	02/06/90	Dry after 7 gal
	02/07/90	Very light brown; weakly turbid
KAC 7	02/06/90	Dry after 5 gal
	02/07/90	Light brown; weakly turbid
KCB Series		
KCB 1	03/04/90	Light brown; turbid; sand
KCB 2	03/04/90	Light brown; weakly turbid
KCB 4	03/04/90	Flowmeter not working, estimated volume purged
KDB Series		
KDB 1	03/13/90	Dry after 16 gal
KDB 2	03/13/90	No well identification sign
KDB 3	03/13/90	Dry after 17 gal
KDT Series		
KDT 1D	03/13/90	Dry after 7 gal; weakly turbid; light brown
KRB Series		
KRB 1	02/18/90	Dry after 1.75 gal
KRB 13	02/18/90	Dry after 0.5 gal
	02/19/90	Turbid; pink
KRB 14	02/18/90	Dry after bailing 4.8 gal
	02/19/90	Turbid; brown
KRB 15	02/18/90	Dry after 0.7 gal
	02/19/90	Turbid; brown
KSB Series		
KSB 3	02/24/90	Weakly turbid; red brown
KSB 4A	02/24/90	Weakly turbid; light brown
KSS Series		
KSS 2D	02/24/90	Brown; strongly turbid; sand in samples; flowmeter not working, estimated volume purged
LCO Series		
LCO 4	03/06/90	Oil-like film on sample surface; very light brown; very weakly turbid

SAMPLE COLLECTION

Table 10. Comments from Field Data (cont.)

<u>Well</u>	<u>Date</u>	<u>Comments</u>
LDB Series		
LDB 1	03/13/90	Dry after 17 gal; weakly turbid; light brown
LDB 2	03/13/90	Dry after 18 gal; weakly turbid; light brown
LFW Series		
LFW 6	03/13/90	Flowmeter not working, estimated volume purged
LFW 7	03/13/90	Weak onion-like odor
LFW 8	03/13/90	Onion-like odor; light brown; weakly turbid; flowmeter not working, estimated volume purged
LFW 10A	03/14/90	Flowmeter not working, estimated volume purged
LFW 20	03/18/90	Flowmeter not working, estimated volume purged
LFW 28	03/19/90	Dry after ~11 gal
LFW 33	03/14/90	Pump will not start
LFW 36	03/13/90	Onion-like odor; light brown
LSB Series		
LSB 1	03/06/90	Flowmeter not working, estimated volume purged
LSB 3	03/06/90	Oil-like film on sample surface
MCB Series		
MCB 2	03/03/90	Dry after 8 gal
MCB 4	03/03/90	Dry after 2 gal
MCB 5	03/03/90	Dry after 7 gal
	03/04/90	Weakly turbid; light brown
MCB 5C	03/03/90	Dry after 10 gal
MCB 6	03/03/90	Dry after 1.4 gal
	03/04/90	Weakly turbid; light brown; aerated
MCB 6C	03/03/90	Dry after 18 gal
	03/04/90	Strongly turbid; orange brown
MCB 7C	03/03/90	Dry after 12 gal
	03/04/90	Turbid; brown; no well identification sign
MSB Series		
MSB 2A	01/28/90	No water in standpipe
	03/08/90	No water in standpipe
MSB 3A	01/13/90	No water in standpipe
MSB 5A	01/28/90	No water in standpipe
	03/10/90	No water in standpipe
MSB 7A	01/28/90	Fine sand
MSB 9B	01/17/90	Dry after 8 gal
MSB 9C	01/17/90	No water in standpipe
MSB 11A	01/12/90	Flowmeter not working, estimated volume purged
MSB 11F	01/12/90	No water in standpipe

SAMPLE COLLECTION

Table 10. Comments from Field Data (cont.)

<u>Well</u>	<u>Date</u>	<u>Comments</u>
MSB Series (cont.)		
MSB 13B	12/12/89	Dry after ~2 gal
	01/28/90	Aerated
	03/08/90	Dry after ~2 gal; aerated
MSB 13C	01/28/90	Dry after bailing 150 mL; dark red brown; very strongly turbid
MSB 14C	01/17/90	Dry after 1 gal
	01/18/90	No water in standpipe
MSB 15D	02/06/90	Dry after 1.7 gal
MSB 18B	01/20/90	Very weakly turbid; brown
MSB 18C	01/20/90	Dry after 6.5 gal
MSB 20C	01/21/90	Dry after 6 gal
MSB 22	01/30/90	Dry after 0.5 gal
	01/31/90	No water in standpipe
	03/07/90	Dry after 0.25 gal
	03/08/90	No water in standpipe
MSB 23TA	01/26/90	Weakly turbid; rust brown; sample collected at each of first five well volumes
	02/21/90	Weakly turbid; rust brown; sample collected at each of first five well volumes
	03/21/90	Weakly turbid; brown; sample collected at each of first five well volumes
MSB 24	01/10/90	Dry after 5 gal
MSB 26	01/14/90	Sand; no water in standpipe
MSB 27A	01/12/90	No water in standpipe
MSB 30AA	01/13/90	Dry after 63 gal
MSB 30C	01/13/90	Very weakly turbid; light brown
MSB 35TA	01/05/90	Flowmeter not working, estimated volume purged
MSB 37A	01/19/90	Dry after 76 gal
MSB 39A	01/14/90	Dry after 58 gal
MSB 40C	02/07/90	No water in standpipe
MSB 40D	02/06/90	Dry after 0.5 gal
	02/07/90	No water in standpipe
MSB 44C	01/21/90	Strongly turbid; light brown; sand
MSB 46A	01/20/90	Dry after 47 gal
MSB 46B	01/20/90	No water in standpipe
MSB 47TA	01/21/90	Weakly turbid; brown
MSB 49D	02/07/90	Dry after 12 gal
MSB 51D	01/27/90	Flowmeter not working, estimated volume purged; dry after ~6 gal; very weakly turbid; light brown; slightly aerated
MSB 52B	02/09/90	Flowmeter not working, estimated volume purged
MSB 52D	02/09/90	Dry after 1.5 gal
MSB 53C	02/09/90	Flowmeter not working, estimated volume purged
MSB 55D	01/28/90	No water in standpipe
MSB 61C	02/09/90	Dry after 8 gal; weakly turbid; light brown
MSB 65D	02/09/90	Pump runs, no water was purged
MSB 66B	02/03/90	Weakly turbid; light brown
MSB 66C	02/03/90	Weakly turbid; light brown
MSB 66D	02/03/90	Pump would not work
MSB 68D	01/21/90	Weakly turbid; light brown

SAMPLE COLLECTION

Table 10. Comments from Field Data (cont.)

<u>Well</u>	<u>Date</u>	<u>Comments</u>
MSB Series (cont.)		
MSB 69C	01/28/90	Dry after 27 gal
MSB 69TA	01/28/90	Weakly turbid; light brown
MSB 71B	01/13/90	Dry after 39 gal
	01/14/90	Weakly turbid; light brown
MSB 82C	01/28/90	Weakly turbid; light brown
NBG Series		
NBG 1	02/24/90	Dry after 10 gal
	02/25/90	Light brown; weakly turbid
NBG 2	02/24/90	Dry after 14 gal
NBG 3	02/24/90	Dry after 6 gal
	02/25/90	Weakly turbid
NBG 4	02/24/90	Dry after 8 gal
NBG 5	02/24/90	Dry after 13 gal
	02/25/90	Leaks badly
P Series		
P 26B	03/18/90	Flowmeter not working, estimated volume purged; unable to measure water level due to transducer in standpipe; aerated
P 26D	03/18/90	Unable to measure water level due to transducer in standpipe
PAC Series		
PAC 2	02/04/90	Brown; turbid
PAC 3	02/04/90	Light red brown; turbid
PAC 5	02/06/90	Dry after 10 gal
PAC 6	02/06/90	Dry after 10 gal
	02/07/90	Light brown; weakly turbid
PCB Series		
PCB 3A	03/21/90	Dry after ~41 gal
PCB 4A	03/21/90	Very weakly turbid; light gray
PRP Series		
PRP 1A	03/21/90	Very light brown; weakly turbid
PRP 3	03/21/90	Very light brown; very weakly turbid
PSB Series		
PSB 4A	02/13/90	Very light brown; weakly turbid
PSB 5A	02/13/90	Dry after 7.5 gal

SAMPLE COLLECTION

Table 10. Comments from Field Data (cont.)

<u>Well</u>	<u>Date</u>	<u>Comments</u>
PSS Series		
PSS 3D	03/04/90	Dry after 12.5 gal; turbid; brown
RAC Series		
RAC 1	03/07/90	Light white
RDB Series		
RDB 1D	03/16/90	Dry after 22 gal; weakly turbid; light brown; no well identification sign, and well not marked
RDB 2D	03/16/90	Moderately turbid; brown; no well identification sign, and well not marked
RDB 3D	03/16/90	Weakly turbid; light brown; no well identification sign, and well not marked
RWM Series		
RWM 1	02/12/90	Aerated
SCA Series		
SCA 2	03/20/90	Turbid; brown
SLP Series		
SLP 1	02/24/90	Dry after 5 gal
SRW Series		
SRW 5	02/17/90	Flowmeter not working, estimated volume purged; small amount of sand
SRW 7	02/17/90	Dry after 2 gal
	02/18/90	Turbid; brown
SRW 9	02/17/90	Very weakly turbid; light brown
SRW 10	02/17/90	No water in standpipe
SRW 13C	02/17/90	Weakly turbid; light brown
SRW 14C	02/17/90	No water in standpipe
SRW 16A	02/17/90	Dry after 22 gal
	02/18/90	Turbid; brown
SRW 16C	02/18/90	Small amount of fine sand
SSS Series		
SSS 1	01/24/90	Moderately turbid; brown; sand
SSS 2	01/24/90	Moderately turbid; light brown
SSS 3	01/24/90	Turbid; brown
SSS 5	01/23/90	Dry after bailing 700 mL
	01/24/90	Turbid; brown; sand

SAMPLE COLLECTION

Table 10. Comments from Field Data (cont.)

<u>Well</u>	<u>Date</u>	<u>Comments</u>
SSS Series (cont.)		
SSS 7	01/23/90	Strongly turbid; orange brown; sand
SSS 8	01/23/90	Strongly turbid; orange brown; sand
SSS 9	01/23/90	An obstruction prevented bailer from reaching water
SSS 10	01/23/90	Strongly turbid; brown; sand
SSS 17	01/23/90	Moderately turbid; light brown
SSS 20	01/23/90	Dry after bailing 1.9 L
	01/24/90	Turbid; orange brown
SSS 22	01/23/90	Weakly turbid; light brown
SSS 23	01/23/90	Moderately turbid; yellow brown
SSS 26	01/23/90	Moderately turbid; pinkish brown; small amount of sand
SSS 27	01/23/90	Moderately turbid; orange brown
TBG Series		
TBG 3	03/10/90	Dry after 7 gal
	03/11/90	Very light brown; very weakly turbid; slightly aerated
TBG 5	03/10/90	Dry after 7 gal
TBG 6	03/10/90	Dry after 8 gal
TNX Series		
TNX 1D	03/06/90	Weakly turbid; light brown; no well identification sign
TNX 2D	03/07/90	No well identification sign
TNX 3D	03/07/90	Dry after 5.5 gal; turbid; light brown; no well identification sign
TNX 4D	03/07/90	Dry after 8.5 gal; turbid; light brown; no well identification sign
TNX 5D	03/07/90	Dry after 5 gal; turbid; light brown; no well identification sign
TNX 6D	03/07/90	Dry after 7.3 gal; turbid; light brown; no well identification sign
TNX 7D	03/06/90	No well identification sign
TNX 8D	03/06/90	Pump would not start
	03/06/90	No well identification sign
TNX 9D	03/06/90	Pump would not start
	03/06/90	No well identification sign
TNX 10D	03/06/90	Pump would not start
	03/06/90	No well identification sign
TNX 11D	03/06/90	No well identification sign
TNX 12D	03/06/90	No well identification sign
XSB Series		
XSB 2D	03/10/90	Dry after 7 gal
	03/11/90	Unfamiliar lock prevented obtaining static water level

SAMPLE COLLECTION

Table 10. Comments from Field Data (cont.)

<u>Well</u>	<u>Date</u>	<u>Comments</u>
YSB Series		
YSB 1A	03/11/90	Light brown; weakly turbid
YSB 2A	03/11/90	Flowmeter not working, estimated volume purged
YSB 3A	03/11/90	Very light brown; very weakly turbid
ZBG Series		
ZBG 1	03/06/90	Flowmeter not working, estimated volume purged

SAMPLE ANALYSIS

The following SCDHEC-certified laboratories performed the sample analyses for EPD/EMS. All analyses were conducted by EPA-approved methods except as noted below.

General Engineering (GE) of Charleston, SC, and metaTRACE (MT) of St. Louis, MO, the primary subcontracting laboratories for sample analysis, performed all routine analyses, with the following exceptions:

- Teledyne Isotopes of Westwood, NJ, performed routine radioisotope analyses.
- The EPD/EMS Laboratory operated by the EPD/EMS at SRS conducted total activity analyses of samples for shipping clearance. The EPD/EMS Laboratory also conducted tritium, gross alpha, nonvolatile beta, and selected radionuclide analyses of samples from specified well series. The gross alpha and nonvolatile beta analytical methods used by the EPD/EMS Laboratory do not correspond to the EPA methods for these determinations. The EPD/EMS Laboratory radioactivity determinations are reported as the absolute concentrations calculated from the analytical tests.
- The M-Area Laboratory at SRS performed chloroform, tetrachloroethylene, trans-1,2-dichloroethene, 1,1-dichloroethylene, trichloroethylene, and 1,1,1-trichloroethane analyses for certain wells in the A/M Areas.

REVIEW OF THE ANALYTICAL DATA FOR ERRORS

When EPD/EMS receives analytical data from the laboratories, EPD/EMS reviews these results for errors and unusual results before entering this information into the database. All suspected data are returned to the laboratories for their review, corrections, and comments. Specific details concerning the following corrections can be found in the *EMS Groundwater Monitoring Program Changes to the Database Log Book*, where the corrections are recorded.

- Several well names and sample dates were corrected in the analytical and field data.
- All five laboratories assigned incorrect well names to several laboratory sample identification numbers and incorrectly entered several analytical units. After a review of their records, the laboratories corrected these errors in the data files provided to EPD/EMS.
- Several analytical results were considerably different from historical data. A review of the laboratory records revealed problems with these analyses, such as data entry errors, incorrect dilution factor calculations, and so forth. The original values were corrected in the data files provided to EPD/EMS.

SAMPLE ANALYSIS

Review of the General Engineering Analytical Data

Samples from the following 103 wells were analyzed past the 7-day holding time for total organic halogens because the laboratory received them after the holding time expired.

BGO 4D	FSB 93C	HSB 86D	HSB125D
BGO 6C	FSB 93D	HSB101D	HSB126D
BGO 16D	FSB 94C	HSB102D	HSB127D
BGO 27D	FSB 95C	HSB103D	HSB129C
BGO 28D	FSB 97A	HSB104C	HSB129D
BGO 30D	FSB 97C	HSB104D	HSB134D
BGO 32D	FSB 97D	HSB105D	HSB136C
BGO 33C	FSB 98D	HSB106C	HSB136D
BGO 35D	FSB 99C	HSB106D	HSB137C
BGO 37C	FSB102C	HSB107D	HSB137D
CRP 2	FSB104C	HSB109D	HSB139C
CSD 1D	FSB105C	HSB110D	KDT 1D
CSD 4D	FSB105D	HSB111C	MSB 6D
DCB 12	FSB106C	HSB111D	TNX 1D
DCB 14	FSB108C	HSB111E	TNX 2D
FSB 77	FSB108D	HSB112C	TNX 3D
FSB 78	FSB109D	HSB112D	TNX 4D
FSB 78C	FSB110C	HSB112E	TNX 5D
FSB 79	FSS 2D	HSB113C	TNX 6D
FSB 79C	HSB 67	HSB113D	TNX 7D
FSB 88B	HSB 70C	HSB114C	TNX 8D
FSB 89D	HSB 83D	HSB114D	TNX 9D
FSB 90D	HSB 84A	HSB115C	TNX 10D
FSB 91C	HSB 84B	HSB115D	TNX 11D
FSB 91D	HSB 84D	HSB116C	TNX 12D
FSB 92D	HSB 86C	HSB116D	

Samples from the following 136 wells were analyzed past the 7-day holding time for total organic halogens, although the laboratory received them before the holding time expired.

BGO 2C	BGO 22D	CSD 8D	FSB 89C
BGO 2D	BGO 24D	CSD 9D	FSB 90C
BGO 6A	BGO 25A	CSD 10D	FSB 99A
BGO 7D	BGO 26A	CSD 11D	FSB 99B
BGO 8B	BGO 26D	CSD 12D	FSB 99D
BGO 8C	BGO 27B	CSD 13D	FSB103C
BGO 8D	BGO 27C	FCA 16D	HSB 68
BGO 11D	BGO 29A	FCB 5	HSB 68C
BGO 12A	BGO 30C	FCB 6	HSB 69
BGO 12C	BGO 31C	FET 1D	HSB 70
BGO 12D	BGO 31D	FET 2D	HSB 71
BGO 15C	BGO 33D	FET 3D	HSB 71C
BGO 16A	BGO 34D	FET 4D	HSB 84C
BGO 18A	BGO 35C	FSB 76	HSB107C
BGO 18D	BGO 36D	FSB 78C	HSB117D
BGO 19D	BGO 37D	FSB 87C	HSB119A
BGO 20D	BGO 38D	FSB 88B	HSB124A
BGO 21D	BGO 39D	FSB 88C	HSB126C

SAMPLE ANALYSIS

HSB127C	MSB 11B	MSB 39B	RDB 1D
HSB132C	MSB 11C	MSB 39C	RDB 2D
HSB132D	MSB 11D	MSB 39D	RDB 3D
HSB135C	MSB 11F	MSB 39TA	RWM 1
HSB135D	MSB 13A	MSB 43A	SRW 12B
HSB138C	MSB 13B	MSB 43B	SRW 12C
HSS 1D	MSB 13C	MSB 43C	SRW 13A
HSS 2D	MSB 17A	MSB 43D	SRW 13B
HSS 3D	MSB 17B	MSB 43TA	SRW 13C
LRP 4	MSB 22	P 26A	SRW 14A
MSB 2A	MSB 29A	P 26B	SRW 14B
MSB 5A	MSB 29B	P 26D	SRW 14C
MSB 6A	MSB 29C	PAC 2	SSS 17
MSB 7A	MSB 29D	PAC 3	SSS 25
MSB 11	MSB 29TA	PAC 4	SSS 26
MSB 11A	MSB 39A	PAC 4A	SSS 27

Samples from the following 39 wells were analyzed past the 14-day holding time for GCMS VOA, although the laboratory received them before the holding time expired.

BGO 16D	FSB 92D	HSB102D	HSB112D
CRP 2	FSB 99C	HSB104D	HSB112E
DCB 12	FSB102C	HSB105D	HSB114D
DCB 14	FSB104C	HSB106D	HSB116D
FSB 78	FSB106C	HSB107D	HSB125D
FSB 78C	HSB 70C	HSB110D	HSB126D
FSB 88B	HSB 84D	HSB111C	HSB129D
FSB 90D	HSB 86C	HSB111D	HSB134D
FSB 91C	HSB 86D	HSB111E	HSB137D
FSB 91D	HSB101D	HSB112C	

Samples from the following 17 wells were analyzed past the seven-day holding time for herbicides/pesticides, although the laboratory received them before the holding time expired.

FSB 78	FSB 91D	HSB 70C	HSB114D
FSB 78C	FSB 92D	HSB 86C	HSB116D
FSB 88B	FSB102C	HSB 86D	HSB129D
FSB 90D	FSB106C	HSB107D	HSB137D
FSB 91C			

Samples from the following 11 wells were analyzed past the 28-day holding time for total organic carbon, although the laboratory received them before the holding time expired.

FSB108D	HSB114C	HSB116C	HSB136D
HSB109D	HSB115C	HSB129C	HSB137C
HSB113D	HSB115D	HSB136C	

General Engineering found no errors when they reviewed records of the EPD blind blanks that showed elevated results. Table 11 lists the samples that accompanied the blind blanks in their respective analytical batches.

SAMPLE ANALYSIS

Table 11. Elevated EPD Blind Blanks from General Engineering

<u>Analyte</u>	<u>Sample Date</u>	<u>Result</u>	<u>Well Samples Accompanying Blind Blanks</u>
Aluminum	02/04/90	38.4 µg/L	MSB 29D, MSB 29TA, MSB 43B, MSB 43D, MSB 43TA
Cobalt	02/04/90	7.25 µg/L	MSB 29D, MSB 29TA, MSB 43A, MSB 43B, MSB 43D, MSB 43TA
Lead	02/08/90	27.9 µg/L	MSB 36C, MSB 36TA, MSB 40A, MSB 40B, MSB 40C, MSB 40D, MSB 40TA
Silica	02/04/90	8560 µg/L	MSB 29D, MSB 29TA, MSB 43A, MSB 43B, MSB 43D, MSB 43TA
	03/04/90	2290 µg/L	IDP 7, IDP 8, IDP 9, MCB 2, MCB 4, MCB 5, PSS 1D, PSS 2D, PSS 3D
Sodium	02/04/90	2890 µg/L	MSB 29D, MSB 29TA, MSB 43B, MSB 43D, MSB 43TA
Total dissolved solids	01/17/90	113 mg/L	FSB 88C, FSB 89C, FSB 99A

The following laboratory blanks showed elevated results. These results were confirmed by General Engineering after review of the laboratory's records. The samples that accompanied the laboratory blanks in their respective analytical batches are listed in Table 12.

Table 12. Elevated Laboratory Blanks from General Engineering

<u>Analyte</u>	<u>Sample Date</u>	<u>Result</u>	<u>Well Samples Accompanying Blanks</u>
Aluminum	01/09/90	48.1 µg/L	HSB106D, HSB117C, HSB 134D
	01/20/90	66.7 µg/L	HSB121A
Barium	01/23/90	68.9 µg/L	HSB110D, HSB111E, HSB122A, HSB135C
Benzene	02/07/90	5 µg/L	MSB 36A, MSB 36B, MSB 36C, MSB 36TA, MSB 40A, MSB 40B, PAC 1, PAC 5, PAC 6
Copper	01/20/90	10.9 µg/L	HSB121A
Dichloromethane (Methylene chloride)	01/21/90	16 µg/L	HSB 65A, HSB 65B, HSB 65C, HSB 68A, HSB 69A, HSB 85A
	01/23/90	10 µg/L	HSB 84A, HSB 84B, HSB127C, RWM 1
	01/28/90	11 µg/L	BGO 6C, BGO 6D, BGO 28D, BGO 30D, BGO 33C, BGO 37C, BGO 65C
Lead	02/14/90	8.06 µg/L	FBP 4, HWS 1A, LRP 1
Magnesium	01/17/90	270 µg/L	MSB 9A, MSB 9B, MSB 9C, MSB 10A, MSB 10B, MSB 10C, MSB 14A, MSB 14B, MSB 14C
	02/11/90	25.1 µg/L	DCB 6, DCB 7, DCB 8, DCB 9, DCB 10, DCB 11, DCB 13, DCB 15, DCB 16
Potassium	01/23/90	69.4 µg/L	HSB 84A, HSB 84B, HSB127C, RWM 1
Silica	03/03/90	4650 µg/L	AMB 5, AMB 6, AMB 7, AMB 8D, AMB 9D, AMB 10D, AMB 10DD, AMB 11D, AMB 12D

SAMPLE ANALYSIS

Table 12. Elevated Laboratory Blanks from General Engineering (cont.)

<u>Analyte</u>	<u>Sample Date</u>	<u>Result</u>	<u>Well Samples Accompanying Blanks</u>
Sodium	01/28/90	1400 µg/L	BGO 6C, BGO 6D, BGO 27D, BGO 28D, BGO 30D, BGO 33C, BGO 37C
	01/28/90	1640 µg/L	FSB 79C
	02/17/90	789 µg/L	SRW 14B, SRW 14C, SRW 15A, SRW 15B, SRW 15C, SRW 16A, SRW 16B, SRW 16C
	02/24/90	850 µg/L	IDB 3A, IDB 4
	03/03/90	1110 µg/L	AMB 5, AMB 6, AMB 7, AMB 8D, AMB 9D, AMB 10D, AMB 10DD, AMB 11D, AMB 12D
Total dissolved solids	01/21/90	39 mg/L	HSB 65A, HSB 65B, HSB 65C, HSB 68A, HSB 69A, HSB 85A
	01/24/90	31 mg/L	SSS 1, SSS 2, SSS 3, SSS 7, SSS 8, SSS 10, SSS 17, SSS 22, SSS 23, SSS 25, SSS 26, SSS 27
	02/03/90	34 mg/L	BGO 2D, BGO 8C, BGO 8D, BGO 15D, BGO 34D, BGO 35C, BGO 36D, BGO 37D
	03/16/90	39 mg/L	BG 93, BG 101, BG 103, BG 104, CSD 8D, KDT 1D, SCA 1, SCA 2
	03/18/90	40 mg/L	P 26A, P 26B, P 26D, RDB 1D, RDB 2D, RDB 3D
Trichlorofluoromethane	01/10/90	8 µg/L	FSB 99C, FSB104D, HSB 71C, HSB104D, HSB105D, HSB106D, HSB117C, HSB125D, HSB127D, HSB134D
Nonvolatile beta	01/16/90	49±2.3 pCi/L	BGO 1D, BGO 3D, BGO 5C, BGO 5D, BGO 8A, BGO 9D, BGO 10A, BGO 10C, FSB 89D, FSB110C, HSB 65, HSB 85B, HSB 85C, HSB102C, HSB110D, HSB111E, MSB 8A
Total radium	01/28/90	12.7±4.3 pCi/L	FSB 79, FSB 79C, HSB 67, HSB 83D, HSB 84D, HSB103D, HSB139C
	02/18/90	73.1±12.3 pCi/L	HSS 1D, HSS 2D

A technical review of the quarter's analytical data identified the results in Table 13 as high in comparison to historical data. A review of the laboratory records did not reveal a problem with the analyses.

SAMPLE ANALYSIS

Table 13. High Analytical Results from General Engineering Compared to Historical Data

Analyte	Well(s)
Aluminum	CMP 10, CMP 10B, CMP 11, CMP 12, CMP 12A, CMP 13, CMP 14B, CMP 15B, DCB 5A, DCB 6, DCB 9, DCB 11, HSB 86C, HSB115D, HSB116C, HSB122A, KSS 1D, MSB 7A
Ammonia	MSB 31C
Arsenic	DCB 15
Barium	DCB 4A, FCA 19D
beta-Benzene hexachloride	LFW 8
Cadmium	FSB 91D, PSS 1D
Calcium	ABP 3C, HSB 69A, HSB117C, HSS 1D, PCB 1A, PCB 4A
Carbon tetrachloride	MCB 5
Chloride	DCB 1A, DCB 14, HCB 2, HSB103D, PRP 1A
Chlorobenzene	LFW 17
Chloroform	MSB 20A
Chromium	DCB 9, HSB105D, LFW 31
Cobalt	HSB115D, HSB136D
Copper	CMP 10, DCB 8, DCB 9, FCB 4, HSB 70
Cyanide	HSB121A
Dichloromethane (Methylene chloride)	FSB 79A, FSB110D, HSB105D, HSB106D, HSB117C, MSB 13A, MSB 13B, SRW 7
Endrin	FSB 76, FSB 79B, HSB129C
Ethyl benzene	LFW 7, LFW 8, LFW 17
Fluoride	FSB 77, FSB 97C, FSB 98D, PCB 4A
gamma-Benzene hexachloride (Lindane)	FSB 76, FSB 79B, FSB 89D, FSB 90D, FSB102C, FSB106C, HSB 70C, HSB104D, HSB129C, HSB136D, HSB137C, LFW 17
Iron	AOB 1, BGO 6D, BGO 34D, BRD 5D, CMP 13, CSA 3, CSR 4, DCB 6, DCB 8, DCB 9, DCB 10, DCB 12, FAL 2, HSB111E, HSB137D, KAB 1, KAB 2, LFW 6, LFW 21, LFW 32, LFW 36, SLP 2, SRW 3A, SRW 6, SRW 7, SRW 9A, ZDT 2
Lead	AMB 7, AMB 8D, AMB 10D, AMB 11D, BGO 35D, CMP 8B, DCB 13, FCA 2D, FCB 6, FSB 77, FSB 78, FSB 88D, FSB 91D, FSB 97C, HSB102D, HSB108D, LFW 29, LFW 31, PSS 3D, RAC 4, RRP 1, SRW 7
Lithium	DCB 5A
Magnesium	DCB 6, FSS 1D, KCB 4, KSS 2D, PCB 1A, PCB 2A, PCB 4A
Manganese	BGO 1D, FSB 94C, FSB110C, KAB 2, LFW 21, LFW 32, MSB 36C, PCB 4A
Mercury	ARP 4, ASB 8A, ASB 8B, DCB 5A, FSB 88C, HSB105D, MSB 14A, MSB 29D
Nickel	CSR 3, FSB 93D, HET 4D, KAB 2, PCB 4A
Nitrate as nitrogen	HSB131C, RAC 2, RAC 4, SRW 7
Phenols	FSB 89C, FSB 99A
Potassium	ABP 3C, AMB 12D, BGO 12C, BGO 16D
Selenium	PCB 3A, PCB 4A
Silica	BGO 7D, BGO 8A, BGO 18D, CRP 2, FSB 93D, FSB 97C, FSB 98D, FSB100A, HSB107D, HSB130D, HSB137D, LFW 26, PCB 1A, PCB 4A, SRW 15B, SSS 3, SSS 25
Silver	MSB 8A
Sodium	FSB 78B, HSB129D

SAMPLE ANALYSIS

Table 13. High Analytical Results from General Engineering Compared to Historical Data (cont.)

<u>Analyte</u>	<u>Well(s)</u>
Specific conductance	BGO 16D, BGO 26A, DBP 1, DBP 3, DBP 4, HCA 1, HSB102D, MSB 39TA, PCB 4A
Sulfate	ACB 3A, DBP 2, DBP 4, DCB 2A, DCB 4A, DCB 5A, DCB 6, DCB 7, DCB 8, DCB 10, DCB 11, DCB 12, DCB 13, FBP 1A, FSB 77, FSB 78, FSB 79, FSB 79C, FSB105D, HSB 67, HSB 68, HSB 69, HSB 86C, HSB105D, HSB110D, HSB111E, HSB114D, HSB126D, HSB127D, HSB136D, KAC 3, KCB 3, PCB 1A, PCB 4A, RAC 2, SRW 2, XSB 4D
Tetrachloroethylene	ABP 2A, CMP 12, FSB 90D, MSB 20A, MSB 31B
Toluene	LFW 8, LFW 17
Total dissolved solids	BGO 26A, FSB 79A, HSB 65, HSB 67, HSB107C, HSS 1D, KAC 3, SSS 1
Total organic carbon	BGO 32D, CMP 10B, FAC 7, FSB 76C, FSB 78A, FSB 78B, FSB 78C, FSB101A, FSB107C, FSB111C, FSB111D, HCB 1, HSB 68C, HSB 83C, HSB 86B, HSB100C, HSB100D, HSB118A, HSB125C, HSB125D, HSB126D, HSB130C, HSB133C, KAC 1, MSB 13B, SRW 12A, SSS 3, SSS 5, SSS 7, SSS 8, SSS 10
Total organic halogens	ARP 2, ASB 6A, ASB 8A, BG 31C, BGO 24D, CMP 15A, DBP 1, FCB 3, FET 3D, FET 4D, FSB 78C, FSB103C, FSB111C, HCA 3, HET 4D, HSB129D, KCB 4, LFW 10A, LFW 27, LFW 40, LFW 41, MSB 11A, MSB 13C, SRW 10, SRW 14B
Total phosphates	ASB 5A, BGO 23D, CMP 10, FAL 1, FAL 2, HSB 84B, LFW 6, LFW 8, LFW 17, LFW 18, LFW 19, LFW 20, LFW 26, LFW 27, LFW 28, LFW 29, LFW 31, LFW 33, LFW 34, LFW 35, LFW 36
Trichloroethylene	BGO 8D, BGO 30D, DCB 14, LFW 40
Trichlorofluoromethane	FSB 97C, HSB116C, LFW 16
Turbidity	BGO 1D, BGO 3D, BGO 5C, BGO 5D, HAC 4
Zinc	FCB 6, FSB 99A, HSB 65A, HSB 68A, HSB104C, HSB130C, MSB 43D, PCB 4A, SRW 7, SRW 12A
1,1-Dichloroethane	LFW 7, LFW 8, LFW 10A, LFW 22, LFW 38, LFW 40
1,1-Dichloroethylene	MSB 2A, MSB 22
1,1,1-Trichloroethane	LFW 22, LFW 39, LFW 40
1,2-Dichloroethane	LFW 37
Gross alpha	ACB 1A, AOB 3, BG 62, BGO 5C, BGO 22D, BGO 24D, BGO 37C, CSR 1, CSR 2, FBP 1A, FSS 4D, HSB 69, HSB 84D, HSB103C, HSB107D, HSB108D, HSB111E, HWS 1A, HXB 2, KAC 3, KAC 4, LFW 22, LFW 31, LFW 34, MSB 5A, MSB 43A, PSS 3D, SRW 12A, SRW 14A, XSB 4D, YSB 2A
Nonvolatile beta	BG 62, BGO 16D, CSR 2, DCB 3A, DCB 13, FCB 2, FSB111D, HCA 4, HSB 70C, HSB116C, LFW 22, LFW 34, MSB 18A, SRW 12A, SRW 14A, SRW 15A, SRW 15C, SRW 16A

SAMPLE ANALYSIS

Table 13. High Analytical Results from General Engineering Compared to Historical Data (cont.)

<u>Analyte</u>	<u>Well(s)</u>
Total radium	ABP 1A, ACB 4A, AMB 6, AMB 7, AOB 3, ARP 1A, ASB 5A, BGO 5C, BGO 5D, BGO 33C, CMP 8, CMP 8A, CMP 10, DCB 3A, DCB 6, DCB 9, DCB 11, FBP 2A, FCB 2, FCB 4, FET 1D, FET 2D, HCB 1, HCB 4, HSB 84A, HSB 84D, HSB102D, HSB106D, HSB115D, HSB125D, HXB 1, KAC 3, KAC 4, LAC 2, LFW 19, LFW 25, LFW 27, LFW 31, LFW 34, LFW 39, LFW 40, MCB 5, MCB 7C, MSB 43B, PCB 4A, RAC 3, RAC 4, SBG 2, SRW 3A, SRW 8, SRW 12A, SSS 7, ZBG 1, ZBG 2, ZDT 1
Tritium	BGO 30C, HSB 68A, HSB103D, HSB135D

A technical review of the quarter's analytical data identified the results in Table 14 as low in comparison to historical data. A review of the laboratory records did not reveal a problem with the analyses.

Table 14. Low Analytical Results from General Engineering Compared to Historical Data

<u>Analyte</u>	<u>Well(s)</u>
Aluminum	CMP 8A, CMP 15A, DCB 8, DCB 13, FAC 6, HSB 84A, HSB104C, HSB111E, HSB124A, HSB138D, MSB 11A, MSB 20C
Barium	DCB 13, FSB107D, HSB 84D, HSB124A, KAB 2, KCB 1
Beryllium	DCB 10
Cadmium	DCB 1A, DCB 6, DCB 10
Calcium	BGO 8C, BGO 12C, BGO 35D, DCB 1A, DCB 6, DCB 9, DCB 10, DCB 11, DCB 16, FSS 1D, HSB124A, HSB135C, KAB 2, KCB 1, LFW 20, LFW 26, LFW 27, LFW 32, LFW 37, LFW 38, LFW 40, MSB 20C, PCB 3A, PSS 1D
Chloride	LAC 2, LAC 4, RAC 1, RAC 2, RAC 3, RAC 4, RRP 1, RRP 2, RRP 3, RRP 4, SBG 1, SBG 2, SBG 4, SBG 5, SBG 6, SSS 1, SSS 3
Chromium	CSR 3, FBP 4
Cobalt	DCB 10, FSB 89D
Copper	CSR 4, DCB 6, FSS 1D, RAC 2
Dichloromethane (Methylene chloride)	HSB112C, HSB138D
Iron	ABP 3C, AMB 7, BGO 23D, DCB 4A, DCB 13, FAC 4, FSB 98A, FSS 1D, HET 4D, HSS 1D, HWS 1A, HXB 3, LFW 29, LFW 31, LFW 35, LFW 41, SRW 5, SRW 16A, ZBG 2
Lead	DCB 6, FSB104D, HSB 65, MSB 9C
Magnesium	BGO 16D, DCB 11, FSB 76A, FSB 98A, FSB107D, HSB 84D, HSB101D, HSB129C, HSB136C, HSB138D, MCB 7C, MSB 11C, PCB 3A, XSB 4D
Manganese	ABP 3C, DCB 13, HSB114C, LFW 18, XSB 4D
Mercury	HSB101D, HSB106D
Nickel	LFW 6
Nitrate as nitrogen	BGO 6C, BGO 23D, FCA 9D, FSB107D, FSS 1D, HSB106C, HSB112E, HSB138D, LFW 20, LFW 27
pH	FSB 97C
Phenols	BGO 8A, BGO 12C, BGO 16A

SAMPLE ANALYSIS

Table 14. Low Analytical Results from General Engineering Compared to Historical Data (cont.)

<u>Analyte</u>	<u>Well(s)</u>
Potassium	DCB 1A, FSB 87A, HSB 68C, HSB111D, HSB115C, HSB124A, MCB 6C
Silica	ABP 3C, FSB 76B, FSB 78, FSB 78C, FSB 79B, FSB 88D, FSB 91C, FSB 91D, FSB 92D, FSB 99D, FSB102C, FSB104C, FSB106C, HCB 4, HSB 65B, HSB 66, HSB 68C, HSB107D, HSB1117A, HSB121A, HSB129D, HSB137D, HSB139A, MSB 11A, MSB 11B, MSB 17A, MSB 19B, MSB 39A, MSB 39C, MSB 39D, MSB 39TA, SSS 7, YSB 2A
Sodium	HSB 86C
Specific conductance	BGO 8A, DBP 2, DCB 4A, HSB110C, KAB 2, LFW 18, MCB 7C
Sulfate	FSB100A, KAB 2
Tetrachloroethylene	ABP 4, DCB 12, MSB 12B, MSB 22, RWM 7
Thallium	LFW 34
Toluene	LFW 18
Total dissolved solids	BGO 8A, BGO 10C, BGO 19D, BGO 24D, FSB 87A, FSB 97A, FSS 2D, HSB 83B, HSB110D, HSB122A
Total organic carbon	AMB 9D, AMB 10D, AMB 12D, BGO 25A, BGO 26A, CSR 1, HAC 3
Total organic halogens	AOB 3, ASB 8, ASB 8B, BGO 27D, BGO 31D, CRP 3, CSA 2, CSR 1, DCB 1A, DCB 16, HCB 1, HCB 2, HSB 65C, HSB106C, HSB125D, HSB126D, HSB134D, HSB139C, LAC 3, MCB 4, MCB 5C, MSB 2A, MSB 8A, MSB 10A, MSB 13A, MSB 20A, MSB 22, SSS 3, SSS 7
Total organic nitrogen	LFW 28
Total phosphates	AMB 6, BGO 6A, BGO 31D, BGO 32D, BGO 33C, BGO 38D, DCB 2A, FCB 3, FSB105C, FSS 1D, FSS 3D, HSB102D, HSB107C, HSB112E, MCB 2, MCB 6C, MCB 7C
trans-1,2-Dichloroethene	BGO 30D, LFW 6, LFW 7, LFW 8, LFW 17
Trichloroethylene	ABP 4, DCB 1A, DCB 12, MSB 12B, MSB 22, RWM 7
Trichlorofluoromethane	FBP 1A, LFW 37
Turbidity	BGO 20D
Zinc	CMP 9B, CMP 12A, CMP 12B, CMP 16B, DCB 15, FCB 5, FSB 78A, FSB 78B, FSB 94C, HSB103D, HSB108C, HSB115D, SRW 2, SRW 2A, SRW 9, SRW 9B, SRW 14A, SRW 15A, SRW 15B
1,1-Dichloroethylene	MSB 14B, MSB 17A, MSB 17B
1,1,1-Trichloroethane	AMB 7, MSB 14B, MSB 17A, MSB 31C
1,2-Dichloroethane	BGO 28D, LFW 17
Gross alpha	ACB 3A, BG 60, BGO 36D, DCB 1A, DCB 10, FSB 77, FSB 78, FSB 78C, FSB 79, FSB 88D, FSB 89D, FSB 90D, FSB 91C, FSB 91D, FSB 92D, FSB 93D, FSB 94C, FSB 96A, FSB 97C, FSB 97D, FSB 98C, FSB 98D, FSB 99D, FSB104D, FSB105C, FSB105D, FSB106C, FSB107D, FSB110D, HSB104D, HSB105D, HSB113D, HSB136D, KCB 3, MSB 9C, RSD 8
Nonvolatile beta	BGO 16A, DCB 1A, DCB 11, FSB 78, FSB 78C, FSB 79, FSB 79C, FSB 88D, FSB 90C, FSB 90D, FSB 91C, FSB 91D, FSB 92D, FSB 93C, FSB 97C, FSB 98D, FSB 99C, FSB102C, FSB104C, FSB104D, FSB105C, FSB105D, FSB106C, FSB107D, HSB 71C, HSB 84A, HSB 86C, HSB101D, HSB104D, HSB105D, HSB106D, HSB107C, HSB107D, HSB111D, HSB114D, HSB115C, HSB116D, HSB117C, HSB129D, HSB134D, HSB136C, HSB136D, HSB137D, HSB138D, LFW 36, MSB 9C

SAMPLE ANALYSIS

Table 14. Low Analytical Results from General Engineering Compared to Historical Data (cont.)

<u>Analyte</u>	<u>Well(s)</u>
Total radium	ASB 3A, FSB 78C, FSB 90D, FSB 91C, FSB 91D, FSB 92D, FSB104D, FSB105C, FSB106C, FSB107D, HSB 69, HSB 86D, HSB104D, HSB105D, HSB107D, HSB114D, HSB116D, LAC 1, MSB 9C, MSB 10C, SSS 27
Tritium	ASB 2A, ASB 6A, CCB 4, CRP 1, CRP 2, DCB 12, FSS 2D, FSS 3D, HCB 2, HCB 4, HSB112D, KRP 3, MCB 5C, SBG 5, SLP 1, SLP 2

Table 15 lists the reasons General Engineering did not perform certain analyses.

Table 15. Analyses Not Performed by General Engineering

<u>Well(s)</u>	<u>Analyte(s)</u>	<u>Reason</u>
BG 121 BGO 7D	Gross alpha, nonvolatile beta Herbicides	Insufficient water Sample container broke
BGO 13D	Arsenic, barium, calcium, cadmium, chloride, chromium, fluoride, gross alpha, iron, lead, magnesium, manganese, mercury, nitrate as nitrogen, nonvolatile beta, pH, phenols, potassium, selenium, silica, silver, sodium, specific conductance, sulfate, total dissolved solids, total organic carbon, total radium, total phosphates, tritium, turbidity, herbicides/pesticides	Insufficient water
BGO 14A, BGO 14C, BGO 14D	All scheduled analyses for first quarter	No access; sample not collected
BGO 17D	All scheduled analyses for first quarter	Road constructed over the well; no sample collected
FAC 3	Chloride, fluoride, gross alpha, herbicides/pesticides, nonvolatile beta, pH, specific conductance, sulfate, total dissolved solids, total phosphates, total radium, tritium, turbidity	Insufficient water
FAC 6 FCA 2D	Herbicides/pesticides Chloride, fluoride, gross alpha, nitrate as nitrogen, nonvolatile beta, pH, specific conductance, sulfate, total phosphates, total radium, tritium	Insufficient water Insufficient water
FCA 9D FCA 16D	Gross alpha, nonvolatile beta, total radium Chloride, fluoride, gross alpha, nonvolatile beta, pH, specific conductance, sulfate, tritium, total radium	Insufficient water Insufficient water
FSB 78C, FSB 90D	Herbicides	Sample container broke
FSB 92C	All scheduled analyses for first quarter	No pump in well; sample not collected

SAMPLE ANALYSIS

Table 15. Analyses Not Performed by General Engineering (cont.)

<u>Well(s)</u>	<u>Analyte(s)</u>	<u>Reason</u>
MSB 9A, MSB 9B, MSB 9C, MSB 10A, MSB 10B, MSB 10C, MSB 11A, MSB 11B, MSB 11D, MSB 11F, MSB 12A, MSB 12B, MSB 12C, MSB 12TA, MSB 12TB, MSB 14A, MSB 14B, MSB 14C, MSB 17A, MSB 17B, MSB 18A, MSB 18B, MSB 18C, MSB 19A, MSB 19B, MSB 19C, MSB 20C, MSB 21A, MSB 21C, MSB 21TA, MSB 31A, MSB 31B, MSB 36A, MSB 36B, MSB 36C, MSB 36TA, MSB 39A, MSB 39B, MSB 39C, MSB 39TA, MSB 40A, MSB 40B, MSB 40C, MSB 40D, MSB 40TA, RWM 1	Total organic carbon	Omitted from the chain of custody
MSB 13B	Herbicides/pesticides	Insufficient water
MSB 13C	Aluminum, arsenic, barium, cadmium, calcium, carbonate, chloride, chromium, cobalt, copper, cyanide, gross alpha, herbi- cides/pesticides, iron, lead, mercury, manga- nese, nickel, nitrate as nitrogen, nonvolatile beta, pH, phenols, potassium, selenium, silica, silver, sodium, specific conductance, sulfate, tin, total organic carbon, total radium, total phosphates, uranium, zinc	Insufficient water
MSB 22	Carbonate, chloride, cyanide, gross alpha, herbicides/pesticides, nitrate as nitrogen, nonvolatile beta, pH, phenols, specific conductance, sulfate, total phosphates, total radium	Insufficient water
MSB 40D	Chloride, fluoride, gross alpha, nonvolatile beta, pH, specific conductance, sulfate, total radium	Insufficient water
SSS 5	Arsenic, barium, cadmium, calcium, chloride, chromium, fluoride, gross alpha, iron, lead, magnesium, manganese, mercury, nitrate as nitrogen, nonvolatile beta, pH, phenols, potassium, selenium, silica, silver, sodium, specific conductance, sulfate, total dissolved solids, total phosphates, total radium, tritium	Insufficient water
SSS 9	All scheduled analyses for first quarter	Could not get bail to go into the water; no sample collected
SSS 20	Chloride, fluoride, gross alpha, nonvolatile beta, pH, specific conductance, sulfate, total dissolved solids, total radium, tritium	Insufficient water

SAMPLE ANALYSIS

Review of the metaTRACE Analytical Data

Samples from the following 29 wells were analyzed after the 7-day holding time for total organic halogens because the laboratory received them after the holding time expired.

CDB 2	KDB 1	KRB 15	PDB 3
CSB 2A	KDB 2	KSB 1	PSB 1A
CSB 3A	KDB 3	KSB 3	PSB 2A
CSB 4A	KRB 1	KSB 4A	PSB 3A
CSB 5A	KRB 8	NBG 1	PSB 4A
CSB 7A	KRB 13	NBG 2	PSB 6A
FNB 1	KRB 14	PDB 2	PSB 7A
FNB 2			

Samples from the following 10 wells were analyzed after the 7-day holding time for GCMS VOA, although the laboratory received them before the holding time expired.

CSB 3A	FNB 1	KRB 8	KRB 14
CSB 4A	FNB 2	KRB 13	KRB 15
CSB 5A	KRB 1		

Samples from the following five wells were analyzed after the 7-day holding time for total organic halogens, although the laboratory received them before the holding time expired: KSB 2, KSS 1D, LCO 1, NBG 3, and NBG 4.

The total dissolved solids analysis for KSS 1D was conducted after the seven-day holding time, although the laboratory received the sample before the holding time expired.

Samples from the following three wells were analyzed after the 28-day holding time for total organic carbon because the laboratory had instrument problems: CDB 2, LFW 31, and LFW 35.

After reviewing their records, metaTRACE did not find anything wrong with the EPD blind blanks and an internal laboratory blank, which had elevated results. Table 16 contains a list of the samples that accompanied the blind blanks in their respective analytical batches.

Table 16. Elevated EPD Blind Blanks from metaTRACE

Analyte	Sample Date	Result	Well Samples Accompanying Blind Blanks
Calcium	03/10/90	391 µg/L	LFW 16, TBG 1, TBG 3, TBG 4, TBG 5, TBG 6, TBG 7, XSB 1D, XSB 2D, XSB 3A, XSB 4D, YSB 1A, YSB 2A, YSB 3A, YSB 4A
Chromium	03/10/90	32.7 µg/L	LFW 16, TBG 1, TBG 3, TBG 4, TBG 5, TBG 6, TBG 7, XSB 1D, XSB 2D, XSB 3A, XSB 4D, YSB 1A, YSB 2A, YSB 3A, YSB 4A
Iron	02/14/90	2444 µg/L	PSB 5A
Manganese	02/14/90	52.7 µg/L	CSO 1, CSO 2, PSB 5A
Nickel	03/06/90	17.6 µg/L	CSB 3A, KRB 15

SAMPLE ANALYSIS

Table 16. Elevated EPD Blind Blanks from metaTRACE (cont.)

<u>Analyte</u>	<u>Sample Date</u>	<u>Result</u>	<u>Well Samples Accompanying Blind Blanks</u>
Zinc	01/17/90	110 µg/L	FSB 88C, FSB 99A
Nonvolatile beta	01/24/90	21±4 pCi/L	HTF 7, HTF 21, HTF 22, HTF 23, HTF 24, HTF 25, HTF 26, HTF 27, HTF 28, HTF 29, HTF 31, HTF 32, MSB 8A

A technical review of the quarter's analytical data identified the results in Table 17 as high in comparison to historical data. A review of the laboratory records did not reveal a problem with the analyses.

Table 17. High Analytical Results from metaTRACE Compared to Historical Data

<u>Analyte</u>	<u>Well(s)</u>
Bis(2-ethylhexyl) phthalate	MSB 43D
Cadmium	HTF 10, HTF 16
Calcium	BGO 27C, HSB105C
Chloroform	YSB 3A
Chromium	DCB 2A, FNB 3, HTF 22, TBG 1, TBG 3, TBG 6, YSB 2A, YSB 3A
Copper	LFW 31, XSB 5A
Dichloromethane (Methylene chloride)	CSB 2A, KRB 1, KRB 13
Fluoride	FAC 4
Iron	AMB 5, FNB 3, KDB 3, KRB 8, NBG 4, NBG 5, PSB 5A, PSS 2D, TBG 3, TBG 5, TBG 6, TBG 7, XSB 3A, YSB 1A, YSB 2A, YSB 3A
Lead	CDB 2, DCB 1, HTF 4, HTF 24, KRB 13
Manganese	CDB 2, HR8 12, XSB 3A
Nickel	ABP 4, FNB 3
Nitrate as nitrogen	CSB 4A, FTF 3, FTF 26, HSB121A, LDB 2, LSB 2
pH	KRB 15
Phenols	FNB 3, TBG 3
Potassium	ASB 8B, BGO 8D, HSB105C
Sodium	YSB 4A
Specific conductance	HSB105C
Sulfate	HSB105C
Total dissolved solids	HSB105C, KSS 1D
Total organic halogens	CDB 2, HSB 85A, KRB 1, KSB 3, XSB 1D, YSB 3A, YSB 4A
Total phosphates	LFW 35, NBG 1, NBG 2, TBG 3, TBG 5, YSB 1A
Trichloroethylene	TBG 6, XSB 3A
Trichlorofluoromethane	LFW 16
1,2-Dichloroethane	CSB 2A, KRB 1, KRB 13
Gross alpha	BG 60, BG 62, FTF 3, FTF 4, FTF 15, FTF 16, FTF 18, FTF 19, FTF 20, FTF 22, FTF 24A, FTF 25A, FTF 26, FTF 27, HTF 13, HTF 17, HTF 28
Nonvolatile beta	AMB 5, BG 60, BG 62, FTF 3, FTF 4, FTF 15, FTF 18, FTF 19, FTF 20, FTF 22, FTF 24A, FTF 25A, FTF 26, FTF 27, HR8 11, HTF 15, HTF 17, HTF 28, KRB 14, YSB 4A
Tritium	PDB 2, TBG 5

SAMPLE ANALYSIS

A technical review of the quarter's analytical data identified the results in Table 18 as low in comparison to historical data. A review of the laboratory records did not reveal a problem with the analyses.

Table 18. Low Analytical Results from metaTRACE Compared to Historical Data

<u>Analyte</u>	<u>Well(s)</u>
Barium	HSB121A, HTF 7, HTF 13, HTF 15, HTF 25, XSB 5A
Cadmium	HTF 17
Calcium	HSB121A, MSB 11C
Chromium	HTF 12, HTF 15
Iron	DOB 1, HSB105C
Lead	CSB 5A, HTF 2, HTF 12, HTF 14
Magnesium	NBG 1
Nitrate as nitrogen	HSB105C, PSB 1A
Specific conductance	BGO 27C, CSB 4A, DCB 2A, FTF 21, HSB121A, HTF 1, HTF 2, HTF 4, HTF 7, HTF 9, HTF 10, HTF 15, HTF 16, HTF 17, HTF 18, HTF 19, HTF 21, HTF 22, HTF 23, HTF 24, HTF 25, HTF 26, HTF 27, HTF 28, HTF 29, HTF 32, KRB 8, KRB 15, MSB 8A, NBG 1, NBG 2
Sulfate	HSB121A, NBG 2
Tetrachloroethylene	YSB 4A
Tin	MSB 8A
Total dissolved solids	BGO 8D, HSB121A
Total organic halogens	RSE 25, XSB 5A
Total phosphates	XSB 2D
Trichloroethylene	KDB 2, TBG 1, XSB 5A
Trichlorofluoromethane	LDB 2
Zinc	YSB 3A
Gross alpha	TBG 6, TBG 7
Tritium	KDB 2

Because of an incorrect sample aliquot, metaTRACE did not analyze for acetophenone and naphthalene in BGO 27C.

Review of the M-Area Analytical Data

The results in Table 19 appear to be considerably different from historical data. A review of the laboratory records did not reveal a problem with the analyses.

Table 19. M-Area Laboratory Analytical Results Different from Historical Data

<u>Analyte</u>	<u>Well(s)</u>
Tetrachloroethylene	ASB 9C, MSB 23TA, MSB 31CC, MSB 42TA, RWM 4, RWM 8, RWM 9
trans-1,2-Dichloroethene	MSB 17BB
Trichloroethylene	ASB 9C, MSB 23TA, MSB 67B, RWM 8
1,1-Dichloroethylene	MSB 70C
1,1,1-Trichloroethane	MSB 27B, SRW 16A

SAMPLE ANALYSIS

Review of the Teledyne Isotopes Analytical Data

After reviewing its records, Teledyne did not find anything wrong with the EPD blind blanks, which showed elevated results. The blind blanks and the samples that accompanied the blind blanks in their respective analytical batches are listed in Table 20.

Table 20. Elevated EPD Blind Blanks from Teledyne

<u>Analyte</u>	<u>Sample Date</u>	<u>Result</u>	<u>Well Samples Accompanying Blind Blanks</u>
Americium-241	01/29/90	0.77 ± 0.36 pCi/L	BGC 6A, BGO 7D, BGO 11D, BGO 19D, BGO 22D, BGO 27C, HSB 84A
Americium-243	01/29/90	0.89 ± 0.33 pCi/L	BGO 6A, BGO 7D, BGO 11D, BGO 19D, BGO 22D, BGO 27C, HSB 84A
Curium-242	01/29/90	0.36 ± 0.26 pCi/L	BGO 6A, BGO 7D, BGO 11D, BGO 19D, BGO 22D, BGO 27C, HSB 84A
Curium-243/244	01/29/90	1.4 ± 0.5 pCi/L	BGO 6A, BGO 7D, BGO 11D, BGO 19D, BGO 22D, BGO 27C, HSB 84A
Gross alpha	01/29/90	1.6 ± 1.0 pCi/L	BGO 6A, BGO 7D, BGO 11D, BGO 27C, FSB110D, HSB 69, HSB101D
Nonvolatile beta	01/29/90	3.4 ± 1.2 pCi/L	BGO 6A, BGO 7D, BGO 11D, BGO 27C, FSB110D, HSB 69, HSB101D
Strontium-90	01/17/90	4.3 ± 1.1 pCi/L	FSB 79, FSB 79C, FSB104D
	01/24/90	3.8 ± 0.9 pCi/L	BGO 8A, BGO 9D, BGO 10A, BGO 10C, FSB 89D, HSB 85A, HSB 85B, HSB 85C, HSB111E
Thorium-232	01/17/90	0.88 ± 0.4 pCi/L	FSB104D, HSB 85B

A technical review of the quarter's analytical data identified the results in Table 21 as high in comparison to historical data. A review of the laboratory records did not reveal a problem with the analyses.

Table 21. High Analytical Results from Teledyne Compared to Historical Data

<u>Analyte</u>	<u>Well(s)</u>
Americium-241	BGO 6C, BGO 8C, BGO 22D, FSB 78, FSB 92D, FSB106C, HSB 86C, HSB101D, HSB107D, HSB137D, TBG 6
Americium-243	BGO 22D, FSB 79, FSB 92D, FSB106C, FSB110D, HSB 86C, HSB137D
Carbon-14	BGO 6C, BGO 7D, BGO 8A, BGO 8C, BGO 37C, FSB 78, FSB 78C, FSB 79, FSB 87C, FSB 90D, FSB 91D, FSB 92D, FSB104D, FSB110D, HSB 69, HSB 86C, HSB 86D, HSB101D, HSB107D, HSB114D, HSB116D, HSB129D
Cesium-137	HTF 7
Cobalt-60	HSB 86C
Curium-243/244	BGO 7D, BGO 8C, FSB 78, FSB 79C
Curium-246	BGO 22D, FSB 76C, FSB 92D, FSB106C, TBG 1
Iodine-129	FSB 91D, HSB 66, HSB 86C
Iron-55	HSB107D

SAMPLE ANALYSIS

Table 21. High Analytical Results from Teledyne Compared to Historical Data (cont.)

<u>Analyte</u>	<u>Well(s)</u>
Nickel-63	FSB 87B, HSB 66, HSB 86C
Nonvolatile beta	HSB 86C
Plutonium-238	BGO 37C
Plutonium-242	ASB 3A, ASB 5A, ASB 7, ASB 8A, BGO 4D, BGO 37C,
Radium-226	FSB 79
Radium-228	HSB114D
Strontium-89	ASB 7, BGO 8C, BGO 19D
Strontium-90	BGO 8A, FSB102C, XSB 4D
Technetium-99	BGO 6C, HSB107D
Thorium-228	FSB 79C, FSB102C, FSB106C, HSB 86A, HSB107D, TBG 3
Thorium-230	FSB 76, FSB 76A, FSB 76B, FSB 78A, FSB 78B, FSB 79A, FSB 79B, FSB 87A, FSB 87C, FSB102C, FSB103C, FSB106C, HSB 85A, HSB 86A, HSB 86B, HSB114D, HSB116D, HSB129D, XSB 1D
Thorium-232	FSB102C, FSB103C, FSB106C, FSB110D, HSB 86A, HSB 86C
Uranium-234	ASB 2A
Uranium-235	HSB114D
Uranium-238	ASB 7, FSB 76B, HSB114D, XSB 3A

A technical review of the quarter's analytical data identified the results in Table 22 as low in comparison to historical data. A review of the laboratory records did not reveal a problem with the analyses.

Table 22. Low Analytical Results from Teledyne Compared to Historical Data

<u>Analyte</u>	<u>Well(s)</u>
Americium-241	BGO 27C, HSB 85C
Americium-243	BGO 8C, FSB 91D
Cerium-141	FSB110D
Curium-242	BGO 4D, FSB 76B, FSB 90D, HSB 69, HSB 86D
Curium-243/244	BGO 9D, FSB 90D, FSB110D, HSB 69, HSB 86D
Curium-246	ASB 7, BGO 8A, BGO 8C, BGO 27C, FSB 76, FSB 79B, FSB103C, FSB110D, HSB111E, HSB137D
Gross alpha	FSB 89D, FSB 91D, HSB 84A
Iodine-129	FSB 90D, HSB116D
Nickel-63	HSB137D
Nonvolatile beta	BGO 9D, FSB103C, HSB111E
Plutonium-238	BGO 9D, FSB 76C
Plutonium-239/240	BGO 8A, FSB 76, FSB 78B, FSB 79C, FSB103C, HSB 85B, HSB129D
Plutonium-242	ASB 6A, BGO 6C, BGO 9D, FSB 76B, FSB 76C, FSB 78C, FSB 89D, HSB 85B, HSB133D
Radium-228	BGO 7D
Strontium-89	FSB 79C, FSB 91D, FSB102C, FSB110D, HSB107D, HSB111E
Strontium-90	HSB111E
Technetium-99	HSB114D
Thorium-228	FSB 79C, FSB 89D
Thorium-230	BGO 6A, BGO 8A, BGO 10A, BGO 22D, FSB 79, FSB 79C, FSB 91D, HSB111E, TBG 5
Thorium-232	BGO 8A, BGO 9D, BGO 10A, FSB 79, FSB 79C, FSB 91D, FSB110D

SAMPLE ANALYSIS

Table 22. Low Analytical Results from Teledyne Compared to Historical Data (cont.)

<u>Analyte</u>	<u>Well(s)</u>
Tritium	BGO 33C, FSB 79, FSB 79C, FSB 90D, HSB 84A, HSB114D
Uranium-235	FSB 78, HSB101D
Uranium-238	BGO 8C, XSB 1D

Review of the EPD/EMS Laboratory Drinking Water Analytical Data

The results from the drinking water analyses shown in Table 23 appear to be considerably different from previous results. A review of the EPD/EMS Laboratory records did not reveal any problems with the analyses.

Table 23. Drinking Water Analytical Results from the EPD/EMS Laboratory Different from Previous Results

<u>Analyte</u>	<u>Site(s)</u>
Gross alpha	Classification Yard, 241-24H Building, 704S DWPF
Nonvolatile beta	Central Shops, Classification Yard, 241-24H Building, 704S DWPF

Review of the EPD/EMS Laboratory Radioactive Analytical Data

The results from radioactive analyses shown in Table 24 appear to be considerably different from previous results. A review of the EPD/EMS Laboratory records did not reveal any problems with the analyses.

Table 24. Radioactive Analytical Results Different from Previous Results

<u>Analyte</u>	<u>Well(s)</u>
Gross alpha	H 14, KSB 2, RSD 7
Nonvolatile beta	BG 67, F 18A, FCA 9D, H 18A, HTF 13, HTF 20, HTF 29, MGG 19, RSC 6, RSE 9, SBG 1, SBG 4, SBG 5
Strontium-89/90	FCA 9D
Total activity	DCB 14
Tritium	BG 55, F 15, F 18A, MGG 28, RSE 18

ANALYTICAL METHODS

Laboratories performed analyses using the EPA methods listed in Table 25, with the following exceptions:

- The EPD/EMS Laboratory at SRS conducted selected radionuclide analyses of samples required by the groundwater monitoring program. The gross alpha and nonvolatile beta analytical methods used by the EPD/EMS Laboratory are in-house methods based on applicable EPA methods. Methods used by EPD/EMS for testing other radioisotopes are also in-house analytical methods.

SAMPLE ANALYSIS

- The M-Area Laboratory at SRS analyzes certain wells in the A/M Areas only for chloroform, tetrachloroethylene, trans-1,2-dichloroethene, 1,1-dichloroethylene, trichloroethylene, and 1,1,1-trichloroethane by EPA methods 601 (Gas Chromatograph) and 624 (Gas Chromatograph/Mass Spectrometer).
- Methods that are not EPA methods are designated with an asterisk (*) in Table 25.

For each method and analyte, the detection limit given is equal to or higher than the detection limit used for at least 90% of the analyses.

If more than one analytical method is listed for one analyte, the methods are listed in descending order according to which method was used most often. Generally, the method listed first is the method that was used for at least half of the analyses.

The method code 200.7 means that the inductively coupled plasma method of analysis was used.

Table 25. Methods and Detection Limits Used by metaTRACE and General Engineering

Analyte	MT		GE	
	Method	Detection Limit	Method	Detection Limit
Acenaphthene	-	-	8270	10 µg/L
Acenaphthylene	625	10 µg/L	8270	10 µg/L
Acetophenone	625	10 µg/L	8270	10 µg/L
Aldrin	608	0.01 µg/L	8080	0.1 µg/L
			8270	10 µg/L
Alkalinity	310.1	-	-	-
alpha-Benzene hexachloride	608	0.005 µg/L	8080	0.1 µg/L
			8270	10 µg/L
alpha-Endosulfan	-	-	8270	10 µg/L
Aluminum	200.7	23 µg/L	6010	20 µg/L
Ammonia	351.1	30 µg/L	417B*	0.1 mg/L*
Anthracene	-	-	8270	10 µg/L
Antimony	204.2	3 µg/L	7041	3 µg/L
Arsenic	7060	3 µg/L	7060	2 µg/L
Barium	200.7	8 µg/L	6010	4 µg/L
Benzene	624	5 µg/L	8240	1 µg/L
Benzidine	-	-	8270	50 µg/L
Benzo[a]anthracene	-	-	8270	10 µg/L
Benzo[a]pyrene	-	-	8270	10 µg/L
Benzo[b]fluoranthene	-	-	8270	10 µg/L
Benzo[g,h,i]perylene	-	-	8270	10 µg/L
Benzo[k]fluoranthene	-	-	8270	10 µg/L
Benzyl alcohol	625	10 µg/L	-	-
Beryllium	200.7	3 µg/L	6010	5 µg/L
beta-Benzene hexachloride	608	0.01 µg/L	8080	0.1 µg/L
			8270	10 µg/L
beta-Endosulfan	-	-	8270	10 µg/L

- Not analyzed.

* American Public Health Association (1985).

SAMPLE ANALYSIS

Table 25. Methods and Detection Limits Used by metaTRACE and General Engineering (cont.)

Analyte	MT		GE	
	Method	Detection Limit	Method	Detection Limit
Bis(chloromethyl)ether	-	-	8270	10 µg/L
Bis(2-chloroethoxy) methane	-	-	8270	10 µg/L
Bis(2-chloroethyl) ether	-	-	8270	10 µg/L
Bis(2-chloroisopropyl) ether	-	-	8270	10 µg/L
Bis(2-ethylhexyl) phthalate	-	-	8080	10 µg/L
			8270	1 µg/L
Bromochloromethane	624	5 µg/L	-	-
Bromodichloromethane	624	5 µg/L	8240	1 µg/L
Bromoform	624	5 µg/L	8240	1 µg/L
Bromomethane (Methyl bromide)	624	10 µg/L	8240	1 µg/L
Butylbenzyl phthalate	-	-	8270	10 µg/L
Cadmium	200.7	3 µg/L	6010	2 µg/L
Calcium	200.7	40 µg/L	6010	10 µg/L
Carbonate	-	-	310.1	1 mg/L
Carbon tetrachloride	624	5 µg/L	8240	1 µg/L
	601	1 µg/L	8010	1 µg/L
Chlordane	608	0.01 µg/L	8080	0.1 µg/L
			8270	10 µg/L
Chloride	300.0	0.25 mg/L	300.0	1 mg/L
Chlorobenzene	624	5 µg/L	8240	1 µg/L
Chloroethane	624	10 µg/L	8240	1 µg/L
Chloroethene (Vinyl chloride)	624	5 µg/L	8240	1 µg/L
Chloroform	624	5 µg/L	8010	1 µg/L
	601	0.4 µg/L	8240	1 µg/L
Chloromethane (Methyl chloride)	624	10 µg/L	8240	1 µg/L
Chromium	200.7	5 µg/L	6010	4 µg/L
Chrysene	-	-	8270	10 µg/L
cis-1,3-Dichloropropene	624	5 µg/L	8240	1 µg/L
Cobalt	200.7	15 µg/L	6010	4 µg/L
Copper	200.7	7 µg/L	6010	4 µg/L
Cyanide	335.2	5 µg/L	9012	5 µg/L
delta-Benzene hexachloride	608	0.01 µg/L	8080	0.1 µg/L
			8270	10 µg/L
Dibenz[a,h]anthracene	-	-	8270	10 µg/L
Dibenzofuran	625	10 µg/L	-	-
Dibromochloromethane	624	5 µg/L	8240	1 µg/L
Dichloromethane (Methylene chloride)	624	5 µg/L	8240	1 µg/L
Dieldrin	608	0.01 µg/L	8080	0.1 µg/L
			8270	10 µg/L
Diethyl phthalate	-	-	8270	10 µg/L
Dimethyl phthalate	-	-	8270	10 µg/L
Di-n-butyl phthalate	-	-	8270	10 µg/L
Di-n-octyl phthalate	-	-	8270	10 µg/L
Dissolved organic carbon	415.2	1 mg/L	9060	1 mg/L
Endosulfan I	608	0.01 µg/L	8080	0.1 µg/L

- Not analyzed.

SAMPLE ANALYSIS

Table 25. Methods and Detection Limits Used by metaTRACE and General Engineering (cont.)

Analyte	MT		GE	
	Method	Detection Limit	Method	Detection Limit
Endosulfan II	608	0.02 µg/L	8080	0.1 µg/L
Endosulfan sulfate	608	0.02 µg/L	8080	0.1 µg/L
			8270	10 µg/L
Endrin	608	0.006 µg/L	8080	0.02 µg/L
			8270	10 µg/L
Endrin aldehyde	608	0.025 µg/L	8080	0.1 µg/L
			8270	10 µg/L
Ethyl acetate	624	5 µg/L	-	-
Ethylbenzene	624	5 µg/L	8240	1 µg/L
Fluoranthene	-	-	8270	10 µg/L
Fluorene	-	-	8270	10 µg/L
Fluoride	300.0	0.25 mg/L	340.1	0.1 mg/L
gamma-Benzene hexachloride (Lindane)	608	0.005 µg/L	8080	0.01 µg/L
			8270	10 µg/L
Heptachlor	608	0.01 µg/L	8080	0.1 µg/L
			8270	10 µg/L
Heptachlor epoxide	608	0.01 µg/L	8080	0.1 µg/L
			8270	10 µg/L
Hexachlorobenzene	-	-	8270	10 µg/L
Hexachlorobutadiene	-	-	8270	10 µg/L
Hexachlorocyclopentadiene	-	-	8270	10 µg/L
Hexachloroethane	-	-	8270	10 µg/L
Hexachlorophene	625	10 µg/L	-	-
Indeno[1,2,3-c,d]pyrene	-	-	8270	10 µg/L
Iodine	300.0	0.05 mg/L	415	0.1 mg/L
Iodomethane (Methyl iodide)	624	5 µg/L	-	-
Iron	200.7	20 µg/L	6010	4 µg/L
Isodrin	608	0.02 µg/L	-	-
Isophorone	-	-	8270	10 µg/L
Kepone	608	0.05 µg/L	-	-
Lead	7421	3 µg/L	7421	6 µg/L
Lithium	200.7	26 µg/L	6010	5 µg/L
m-Cresol (3-methylphenol)	625	10 µg/L	-	-
Magnesium	200.7	10 µg/L	6010	2 µg/L
Manganese	200.7	5 µg/L	6010	2 µg/L
Mercury	245.1	0.2 µg/L	7470	0.2 µg/L
Methoxychlor	608	0.5 µg/L	8080	0.1 µg/L
n-Nitrosodi-propylamine	-	-	8270	10 µg/L
n-Nitrosodimethylamine	-	-	8270	10 µg/L
n-Nitrosodiphenylamine	-	-	8270	10 µg/L
Naphthalene	-	-	8270	10 µg/L
Nickel	200.7	5.2 µg/L	6010	4 µg/L
Nitrate as nitrogen	352.1	0.02 mg/L	353.3	0.05 mg/L
			300.0	0.05 mg/L
Nitrite as nitrogen	300.0	0.08 mg/L	300.0	0.01 mg/L

- Not analyzed.

SAMPLE ANALYSIS

Table 25. Methods and Detection Limits Used by metaTRACE and General Engineering (cont.)

Analyte	MT		GE	
	Method	Detection Limit	Method	Detection Limit
Nitrobenzene	625	10 µg/L	8270	10 µg/L
Oil and grease	-	-	413.1	1 mg/L
para-Chloro-meta-cresol	-	-	8270	10 µg/L
PCB 1232	608	0.3 µg/L	8270	150 µg/L
PCB 1242	608	0.3 µg/L	8270	150 µg/L
PCB 1248	608	0.3 µg/L	8270	150 µg/L
PCB 1254	608	0.5 µg/L	8270	150 µg/L
PCB 1260	608	0.5 µg/L	8270	150 µg/L
PCB 1221	608	0.3 µg/L	8270	150 µg/L
PCB 1016	608	0.3 µg/L	8270	150 µg/L
Pentachlorophenol	-	-	8270	10 µg/L
Phenanthrene	-	-	8270	10 µg/L
Phenols	420.1	5 µg/L	420.1	5 µg/L
			8270	10 µg/L
Potassium	200.7	1620 µg/L	6010	500 µg/L
p,p'-DDD	608	0.02 µg/L	8080	0.1 µg/L
			8270	10 µg/L
p,p'-DDE	608	0.01 µg/L	8080	0.1 µg/L
			8270	10 µg/L
p,p'-DDT	608	0.02 µg/L	8080	0.1 µg/L
			8270	10 µg/L
Pyrene	-	-	8270	10 µg/L
Selenium	7740	3 µg/L	7740	2 µg/L
Silica	200.7	2140 µg/L	6010	100 µg/L
Silver	200.7	2 µg/L	6010	2 µg/L
Sodium	200.7	22 µg/L	6010	10 µg/L
Sulfate	300.0	1 mg/L	300.0	5 mg/L
Sulfide	376.1	1 mg/L	9030	1 mg/L
Tetrachloroethylene	624	5 µg/L	8240	1 µg/L
	601	0.4 µg/L	8010	1 µg/L
Thallium	7481	3 µg/L	7481	2 µg/L
Tin	200.7	1926 µg/L	282.2	2 µg/L
Toluene	624	5 µg/L	8240	1 µg/L
Total carbon	415.2	1 mg/L	9060	1 mg/L
Total dissolved solids	160.2	5 mg/L	160.1	1 mg/L
Total hardness	130.2	5 mg/L	-	-
Total hydrocarbons	-	-	418.1	1 mg/L
Total inorganic carbon	415.2	1 mg/L	9060	1 mg/L
Total organic carbon	415.1	1 mg/L	9060	1 mg/L
Total organic halogens	450.1	5 µg/L	9020	5 µg/L
Total organic nitrogen	351.1	30 µg/L	420*	0.1 mg/L*
Total petroleum hydrocarbons	418.1	2 mg/L	-	-
Total phosphates	365.4	10 µg/L	365.2	0.05 mg/L

- Not analyzed.

* American Public Health Association (1985).

SAMPLE ANALYSIS

Table 25. Methods and Detection Limits Used by metaTRACE and General Engineering (cont.)

Analyte	MT		GE	
	Method	Detection Limit	Method	Detection Limit
Toxaphene	608	0.24 µg/L	8080	0.2 µg/L
			8270	10 µg/L
trans-1,2-Dichloroethene	624	5 µg/L	8240	1 µg/L
trans-1,3-Dichloropropene	624	5 µg/L	8240	1 µg/L
Trichloroethylene	624	5 µg/L	8240	1 µg/L
	601	0.4 µg/L	8010	1 µg/L
Trichlorofluoromethane	624	5 µg/L	8240	1 µg/L
Turbidity	180.1	0.33 NTU	180.1	0.2 NTU
Uranium	200.7	119 µg/L	6010	1 mg/L
Vanadium	200.7	3 µg/L	6010	20 µg/L
Xylenes	624	5 µg/L	8240	2 µg/L
Zinc	200.7	9 µg/L	6010	2 µg/L
1,1-Dichloroethane	624	5 µg/L	8240	1 µg/L
1,1-Dichloroethylene	624	5 µg/L	8240	1 µg/L
1,1,1-Trichloroethane	624	5 µg/L	8240	1 µg/L
	601	0.4 µg/L	8010	1 µg/L
1,1,1,2-Tetrachloroethane	624	5 µg/L	-	-
1,1,2-Trichloroethane	624	5 µg/L	8240	1 µg/L
1,1,2,2-Tetrachloroethane	624	5 µg/L	8240	1 µg/L
1,2-Dibromoethane	624	5 µg/L	-	-
1,2-Dichloroethane	624	5 µg/L	8240	1 µg/L
1,2-Dichloropropane	624	5 µg/L	8240	1 µg/L
1,2-Diphenylhydrazine	-	-	8270	10 µg/L
1,2,3-Trichloropropane	624	5 µg/L	-	-
1,2,4-Trichlorobenzene	-	-	8270	10 µg/L
1,3-Dichlorobenzene	624	5 µg/L	-	-
1,3,5-Trichlorobenzene	624	5 µg/L	-	-
	625	10 µg/L	-	-
2-Chloroethylvinyl ether	624	5 µg/L	8240	1 µg/L
			8270	10 µg/L
2-Chloronaphthalene	-	-	8270	10 µg/L
2-Chlorophenol	-	-	8270	10 µg/L
2-Methyl-4,6-dinitrophenol	-	-	8270	30 µg/L
2-Methylnaphthalene	625	10 µg/L	-	-
2-Nitrophenol	-	-	8270	10 µg/L
2,4-Dichlorophenol	-	-	8270	10 µg/L
(2,4-Dichlorophenoxy)acetic acid	509B	0.46 µg/L	8150	0.3 µg/L
2,4-Dimethyl phenol	-	-	8270	10 µg/L
2,4-Dinitrophenol	-	-	8270	45 µg/L
2,4-Dinitrotoluene	-	-	8270	10 µg/L
2,4,5-TP (Silvex)	509B	0.07 µg/L	8150	0.09 µg/L
2,4,5-Trichlorophenol	625	10 µg/L	-	-
2,4,6-Trichlorophenol	-	-	8270	10 µg/L
2,6-Dichlorophenol	625	10 µg/L	-	-

- Not analyzed.

SAMPLE ANALYSIS

Table 25. Methods and Detection Limits Used by metaTRACE and General Engineering (cont.)

Analyte	MT		GE	
	Method	Detection Limit	Method	Detection Limit
2,6-Dinitrotoluene	-	-	8270	10 µg/L
3,3'-Dichlorobenzidine	-	-	8270	10 µg/L
4-Bromophenyl phenyl ether	-	-	8270	10 µg/L
4-Chloro-3-methylphenol	625	10 µg/L	-	-
4-Chlorophenyl phenyl ether	-	-	8270	10 µg/L
4-Nitroaniline	625	50 µg/L	-	-
4-Nitrophenol	-	-	8270	10 µg/L
Gross alpha	900.0	3 pCi/L	900.0	3 pCi/L
Nonvolatile beta	900.0	6 pCi/L	900.0	2 pCi/L
Total radium	903.0	1 pCi/L	900.1	1 pCi/L
Tritium	9763M*	1 pCi/mL	906.0	0.7 pCi/mL

- Not analyzed.

* An in-house method from the Los Alamos National Laboratory (1983).

Teledyne Isotopes conducted all analyses of radioisotopes during first quarter 1990, using the in-house methods in Table 26, which are based on applicable EPA methods.

Table 26. Methods and Detection Limits Used by Teledyne for Radioisotopes

Analyte	Method	Detection Limit	Analyte	Method	Detection Limit
Gross alpha	032-1	2 pCi/L	Neptunium-237	042-5	10 pCi/L
Americium-241	052-32	0.4 pCi/L	Nonvolatile beta	032-1	2 pCi/L
Americium-243	052-32	0.3 pCi/L	Plutonium-238	052-32	0.4 pCi/L
Barium-140	042-5	30 pCi/L	Plutonium-239/240	052-32	0.2 pCi/L
Beryllium-7	042-5	60 pCi/L	Plutonium-241	052-32	80 pCi/L
Cerium-141	042-5	20 pCi/L	Plutonium-242	052-32	0.2 pCi/L
Cerium-144	042-5	40 pCi/L	Radium-226	042-5	100 pCi/L
Curium-242	052-32	0.4 pCi/L		022-65	1 pCi/L
Curium-243/244	052-32	0.5 pCi/L	Radium-228	032-67	3 pCi/L
Curium-246	052-32	0.3 pCi/L	Ruthenium-103	042-5	9 pCi/L
Cobalt-58	042-5	6 pCi/L	Ruthenium-106	042-5	50 pCi/L
Cobalt-60	042-5	5 pCi/L	Strontium-89	032-16	40 pCi/L
Cesium-134	042-5	6 pCi/L	Strontium-90	032-16	2 pCi/L
Cesium-137	042-5	5 pCi/L	Technetium-99	032-78	5 pCi/L
Carbon-14	032-82	20 pCi/L	Thorium-228	042-5	10 pCi/L
Iron-55	032-62	90 pCi/L		052-32	2 pCi/L
Iron-59	042-5	10 pCi/L	Thorium-230	052-32	0.5 pCi/L
Iodine-129	032-90	2 pCi/L	Thorium-232	052-32	0.5 pCi/L
Iodine-131	042-5	100 pCi/L	Tritium	052-2	2 pCi/mL
Potassium-40	042-5	90 pCi/L	Uranium-234	052-32	2 pCi/L
Lanthanum-140	042-5	20 pCi/L	Uranium-235	052-32	0.9 pCi/L
Manganese-54	042-5	5 pCi/L	Uranium-238	052-32	2 pCi/L
Niobium-95	042-5	5 pCi/L	Zinc-65	042-5	10 pCi/L
Nickel-59	032-79	100 pCi/L	Zirconium-95	042-5	7 pCi/L
Nickel-63	032-37	10 pCi/L			

This page was left blank intentionally.

QUALITY CONTROL SAMPLES

REPLICATE AND DUPLICATE ANALYSES OF SAMPLES

Blind replicate samples and duplicates are analyzed by the primary laboratories, General Engineering (GE) and metaTRACE (MT), in order to satisfy quality assurance standards. For within laboratory (intralaboratory) comparisons, each laboratory generally analyzes 10% of the samples in duplicate. In addition, EPD/EMS sends blind replicates for approximately 5% of the total samples to both laboratories for analysis. The results of the blind replicate analyses are used for both within and between laboratory (interlaboratory) comparisons. All of these results are included in the **Field and Analytical Data** section of this report.

The replicate and duplicate analytical results are used to generate the Mean Relative Difference (MRD) index for comparison. The MRD is used along with *t*-test results (Steel and Torrie, 1980) to evaluate the laboratories' performance. Consult the tables in the **Field and Analytical Data** section for blind replicate data from the samples in Table 27.

Table 27. Wells Providing Blind Replicate Samples

<u>Well</u>	<u>Sample Date</u>	<u>Well</u>	<u>Sample Date</u>	<u>Well</u>	<u>Sample Date</u>
ABP 4	02/09/90	FSB 92D	01/06/90	MSB 11C	01/12/90
AMB 5	03/03/90	FSB 99A	01/16/90	MSB 20A	01/21/90
ASB 8A	02/16/90	FSB110D	01/16/90	MSB 26	01/14/90
ASB 8B	02/16/90	HSB 65B	01/21/90	MSB 38B	01/14/90
BGO 2D	02/01/90	HSB 69	01/21/90	MSB 43D	02/02/90
BGO 8D	02/01/90	HSB 85A	01/21/90	MSB 67B	01/21/90
BGO 27C	01/26/90	HSB105C	01/20/90	PAC 4	02/04/90
BGO 33C	01/26/90	HSB114D	01/07/90	PSS 2D	03/04/90
BGO 37C	01/27/90	HSB116D	01/06/90	RWM 7	02/12/90
DCB 2A	02/11/90	HSB121A	01/20/90	SRW 12A	02/17/90
FAC 4	02/07/90	KSB 2	02/24/90	TBG 7	03/10/90
FNB 3	02/11/90	KSS 1D	02/24/90	XSB 4D	03/10/90
FSB 76B	01/13/90	LFW 16	03/11/90	YSB 2A	03/11/90
FSB 78	01/06/90	LFW 31	03/19/90	ZBG 1	03/06/90
FSB 79B	01/13/90	LFW 35	03/19/90		
FSB 88C	01/16/90	MSE 8A	01/25/90		

Certain analytes did not show measurable concentrations above the detection limits at either laboratory. These analytes, listed in Table 28, are not considered in further evaluation of the replicate and duplicate program.

QUALITY CONTROL SAMPLES

Table 28. Analytes Not Showing Measurable Concentrations Above Detection Limits

Analyte	GE		MT	
	Detection Limit	Number of Analyses	Detection Limit	Number of Analyses
Acenaphthene	10.0 µg/L	2	-	-
Acenaphthylene	10.0 µg/L	2	-	-
Acetophenone	10.0 µg/L	6	-	-
alpha-Benzene hexachloride	10.0 µg/L	17	0.005 µg/L	6
alpha-Endosulfan	10.0 µg/L	2	-	-
Anthracene	10.0 µg/L	2	-	-
Antimony	3.00 µg/L	76	3.00 µg/L	16
Benzidine	50.0 µg/L	2	-	-
Benzo[a]anthracene	10.0 µg/L	2	-	-
Benzo[a]pyrene	10.0 µg/L	2	-	-
Benzo[b]fluoranthene	10.0 µg/L	2	-	-
Benzo[g,h,i]perylene	10.0 µg/L	2	-	-
Benzo[k]fluoranthene	10.0 µg/L	2	-	-
beta-Benzene hexachloride	10.0 µg/L	17	0.01 µg/L	6
beta-Endosulfan	10.0 µg/L	2	-	-
Bis(2-chloroethoxy) methane	10.0 µg/L	2	-	-
Bis(2-chloroethyl) ether	10.0 µg/L	2	-	-
Bis(2-chloroisopropyl) ether	10.0 µg/L	2	-	-
Bis(chloromethyl)ether	10.0 µg/L	2	-	-
Bromodichloromethane (Methyl bromide)	1.00 µg/L	152	5.00 µg/L	50
Bromoform	1.00 µg/L	152	5.00 µg/L	50
Bromomethane	1.00 µg/L	152	10.0 µg/L	50
Butylbenzyl phthalate	10.0 µg/L	2	-	-
Chlordane	10.0 µg/L	17	0.01 µg/L	6
Chloroethene (Vinyl chloride)	1.00 µg/L	152	5.00 µg/L	14
Chloromethane (Methyl chloride)	1.00 µg/L	152	10.0 µg/L	50
Chrysene	10.0 µg/L	2	-	-
cis-1,3-Dichloropropene	1.00 µg/L	152	5.00 µg/L	50
delta-Benzene hexachloride	10.0 µg/L	17	0.01 µg/L	6
Dibenz[a,h]anthracene	10.0 µg/L	2	-	-
Dibromochloromethane	1.00 µg/L	152	5.00 µg/L	50
Dieldrin	10.0 µg/L	17	0.01 µg/L	6
Diethyl phthalate	10.0 µg/L	17	-	-
Dimethyl phthalate	10.0 µg/L	2	-	-
Di-n-butyl phthalate	10.0 µg/L	2	-	-
Di-n-octyl phthalate	10.0 µg/L	17	-	-
Endosulfan I	0.50 µg/L	15	0.01 µg/L	6
Endosulfan II	0.50 µg/L	15	0.02 µg/L	6
Endosulfan sulfate	10.0 µg/L	17	0.02 µg/L	6
Endrin aldehyde	10.0 µg/L	17	0.025 µg/L	6
Fluoranthene	10.0 µg/L	2	-	-
Fluorene	10.0 µg/L	2	-	-
Heptachlor	10.0 µg/L	17	0.01 µg/L	6

- Not analyzed.

QUALITY CONTROL SAMPLES

Table 28. Analytes Not Showing Measurable Concentrations Above Detection Limits (cont.)

Analyte	GE		MT	
	Detection Limit	Number of Analyses	Detection Limit	Number of Analyses
Heptachlor epoxide	10.0 µg/L	17	0.01 µg/L	6
Hexachlorobenzene	10.0 µg/L	2	-	-
Hexachlorobutadiene	10.0 µg/L	2	-	-
Hexachlorocyclopentadiene	10.0 µg/L	2	-	-
Hexachloroethane	10.0 µg/L	2	-	-
Indeno[1,2,3-c,d]pyrene	10.0 µg/L	2	-	-
Iodine	100 µg/L	12	-	-
Isophorone	10.0 µg/L	2	-	-
Methoxychlor	0.50 µg/L	108	0.50 µg/L	38
Naphthalene	10.0 µg/L	8	-	-
Nitrite as nitrogen	10.0 µg/L	29	800 µg/L	4
Nitrobenzene	10.0 µg/L	2	-	-
n-Nitrosodimethylamine	10.0 µg/L	2	-	-
n-Nitrosodiphenylamine	10.0 µg/L	2	-	-
n-Nitrosodi-propylamine	10.0 µg/L	2	-	-
para-Chloro-meta-cresol	10.0 µg/L	2	-	-
PCB 1016	150 µg/L	2	0.30 µg/L	6
PCB 1221	150 µg/L	2	0.30 µg/L	6
PCB 1232	150 µg/L	2	0.30 µg/L	6
PCB 1242	150 µg/L	2	0.30 µg/L	6
PCB 1248	150 µg/L	2	0.30 µg/L	6
PCB 1254	150 µg/L	2	0.50 µg/L	6
PCB 1260	150 µg/L	2	0.50 µg/L	6
Pentachlorophenol	10.0 µg/L	2	-	-
Phenanthrene	10.0 µg/L	2	-	-
p,p'-DDD	10.0 µg/L	17	0.02 µg/L	6
p,p'-DDE	10.0 µg/L	17	0.01 µg/L	6
p,p'-DDT	10.0 µg/L	17	0.02 µg/L	6
Pyrene	10.0 µg/L	2	-	-
Sulfide	1000 µg/L	4	-	-
Thallium	2.00 µg/L	44	3.00 µg/L	14
Tin	2.00 µg/L	12	1926 µg/L	6
Toxaphene	1.00 µg/L	110	0.24 µg/L	38
trans-1,3-Dichloropropene	1.00 µg/L	152	5.00 µg/L	50
Xylenes	2.00 µg/L	6	5.00 µg/L	2
1,1,2-Trichloroethane	1.00 µg/L	152	5.00 µg/L	50
1,2-Diphenylhydrazine	10.0 µg/L	2	-	-
1,2,4-Trichlorobenzene	10.0 µg/L	2	-	-
2-Chloroethyl vinyl ether	1.00 µg/L	154	5.00 µg/L	50
2-Chloronaphthalene	10.0 µg/L	2	-	-
2-Chlorophenol	10.0 µg/L	2	-	-
2-Methyl-4,6-dinitrophenol	30.0 µg/L	2	-	-
2-Nitrophenol	10.0 µg/L	2	-	-
2,4-Dichlorophenol	10.0 µg/L	2	-	-

- Not analyzed.

QUALITY CONTROL SAMPLES

Table 28. Analytes Not Showing Measurable Concentrations Above Detection Limits (cont.)

Analyte	GE	Number of Analyses	MT	Number of Analyses
	Detection Limit		Detection Limit	
2,4-Dichlorophenoxyacetic acid	0.30 µg/L	108	0.46 µg/L	38
2,4-Dimethyl phenol	10.0 µg/L	2	-	-
2,4-Dinitrophenol	45.0 µg/L	2	-	-
2,4-Dinitrotoluene	10.0 µg/L	2	-	-
2,4,6-Trichlorophenol	10.0 µg/L	2	-	-
2,6-Dinitrotoluene	10.0 µg/L	2	-	-
3,3'-Dichlorobenzidene	10.0 µg/L	2	-	-
4-Bromophenyl phenyl ether	10.0 µg/L	2	-	-
4-Chlorophenyl phenyl ether	10.0 µg/L	2	-	-
4-Nitrophenol	10.0 µg/L	2	-	-

- Not analyzed.

The MRD, devised by EPD/EMS personnel to assess the interlaboratory and interlaboratory reproducibility of identical chemical analyses, is defined as

$$MRD = \left\{ \frac{\sum_{i=1}^n (|x_i - y_i| / [(x_i + y_i) / 2])}{n} \right\} \times 100,$$

where x_i and y_i represent an analyte's concentrations in a water sample and in the replicate or duplicate for the i^{th} well, respectively. Generally, the closer the original results or their replicate and duplicate results are to each other, the lower the MRD.

There are two types of intralaboratory comparisons: in-house duplicate and blind replicate. For the in-house duplicate comparisons, the quantities x_i and y_i represent the original result and the in-house duplicate rerun, respectively. For the blind replicate comparisons, x_i and y_i represent the results for the known sample and the EPD/EMS blind replicate, respectively.

For both intralaboratory comparisons, the MRD is calculated as the average absolute difference between an original sample and its duplicate or blind replicate expressed as a percentage of the mean of those two samples.

For interlaboratory comparisons, x_i and y_i represent the mean analyte concentrations for the i^{th} well; x_i represents the mean from one laboratory; y_i represents the mean from the other. The values x_i and y_i are calculated from the known sample results and the EPD blind replicate results.

For interlaboratory comparisons, the MRD is calculated as the average absolute difference between laboratories for the i^{th} well expressed as a percentage of the mean of both laboratories.

QUALITY CONTROL SAMPLES

Intralaboratory Comparison

The intralaboratory MRD indexes for General Engineering and metaTRACE are listed in Table 29. The symbol # stands for number of analyses.

Table 29. Intralaboratory MRD Indexes for General Engineering and metaTRACE

Analyte	GE				MT			
	In-house Duplicate		EPD (Blind)		In-house Duplicate		EPD (Blind)	
	#	MRD	#	MRD	#	MRD	#	MRD
Aldrin	6	0.0492	3	0	0	-	3	0
Alkalinity	-	-	-	-	2	16.5	5	24.5
Aluminum	31	9.56	11	32.7	2	2.46	11	12.7
Arsenic	55	0.843	26	0.470	5	0	26	0
Barium	55	5.27	24	10.3	9	2.99	24	3.02
Benzene	54	6.06	25	0	0	-	25	0
Beryllium	8	0.150	2	0	0	-	2	0
Bis(2-ethylhexyl) phthalate	7	0	4	0	0	-	1	19.6
Cadmium	67	0.0478	30	0	9	7.33	30	0.318
Calcium	66	4.13	27	8.76	7	3.20	27	4.54
Carbon tetrachloride	57	6.91	27	6.17	0	-	27	1.30
Carbonate	19	0.957	5	0	-	-	-	-
Chloride	62	2.81	28	5.64	6	0.775	28	1.58
Chlorobenzene	54	6.19	25	0	0	-	25	0
Chloroethane	54	6.06	25	0	0	-	25	0
Chloroform	57	6.91	27	7.17	0	-	27	0
Chromium	68	1.09	29	4.91	7	1.79	29	21.7
Cobalt	31	4.76	11	0	1	0	11	0
Copper	58	3.73	23	11.0	7	4.42	23	13.8
Cyanide	29	3.90	13	8.70	6	0	13	0
Dichloromethane (Methylene chloride)	54	9.45	25	8.90	0	-	25	15.8
Dissolved organic carbon	2	0	0	-	-	-	-	-
Endrin	39	0.0508	19	2.04	0	-	19	0
Ethylbenzene	54	6.14	25	0	0	-	25	0
Fluoride	53	3.17	23	4.66	5	10.6	23	2.01
gamma-Benzene hexa- chloride (Lindane)	39	2.37	19	19.2	0	-	19	4.14
Iron	73	13.1	29	30.1	11	47.1	29	45.8
Lead	73	3.58	30	7.77	14	23.4	30	3.63
Lithium	2	7.26	2	3.47	0	-	2	0
Magnesium	59	7.49	25	6.28	6	2.99	26	5.25
Manganese	73	5.09	30	4.98	11	8.75	30	10.3
Mercury	62	2.91	27	7.28	10	0.202	27	1.42
Nickel	53	3.46	25	3.93	9	1.56	25	12.3
Nitrate as nitrogen	63	4.16	29	8.38	10	1.81	16	2.42
pH	67	1.18	29	3.70	18	0.231	29	2.43
Phenols	63	0.118	29	7.18	14	8.92	29	12.6
Potassium	62	2.63	26	5.49	4	10.7	26	10.9

- Not analyzed.

QUALITY CONTROL SAMPLES

Table 29. Intralaboratory MRD Indexes for General Engineering and metaTRACE (cont.)

Analyte	GE				MT			
	In-house Duplicate		EPD (Blind)		In-house Duplicate		EPD (Blind)	
	#	MRD	#	MRD	#	MRD	#	MRD
Selenium	53	0.174	26	0.355	4	0	26	1.42
Silica	67	7.94	30	24.5	12	4.77	30	3.59
Silver	54	0	24	7.59	4	8.33	24	9.36
Sodium	73	5.05	29	6.99	13	6.08	29	3.36
Specific conductance	67	0.982	28	6.01	16	0.831	28	9.56
Sulfate	50	1.49	28	3.67	6	0.414	28	1.12
Tetrachloroethylene	57	3.12	27	14.2	0	-	27	5.06
Toluene	54	9.14	25	13.3	0	-	25	0
Total carbon	6	6.98	0	-	-	-	-	-
Total dissolved solids	43	8.66	16	16.5	5	4.21	16	29.7
Total inorganic carbon	6	6.67	0	-	-	-	-	-
Total organic carbon	61	3.51	24	2.78	5	0	26	2.21
Total organic halogens	69	5.89	31	27.1	11	8.44	31	28.1
Total organic nitrogen	5	28.4	3	88.9	2	-	3	23.0
Total phosphates	69	1.34	28	7.61	10	5.81	28	23.6
trans-1,2-Dichloroethene	54	9.94	25	0	0	-	25	0
Trichloroethylene	57	1.25	27	8.90	0	-	27	11.3
Trichlorofluoromethane	54	6.06	25	7.43	0	-	25	0
Turbidity	6	8.68	5	46.8	2	0.397	5	17.1
Uranium	42	0.419	17	0	3	0	17	0
Vanadium	29	0	9	0	1	0	9	4.07
Zinc	43	7.21	16	42.4	4	9.50	16	44.3
1,1-Dichloroethane	54	5.77	25	6.55	0	-	25	0
1,1-Dichloroethylene	54	3.34	25	0	0	-	25	0
1,1,1-Trichloroethane	57	3.57	27	3.54	0	-	27	0.281
1,1,2,2-Tetrachloroethane	54	6.06	25	0	0	-	25	3.43
1,2-Dichloroethane	54	6.56	25	0	0	-	25	0
1,2-Dichloropropane	54	6.06	25	0	0	-	25	0
2,4,5-TP (Silvex)	38	0	19	0	0	-	19	1.86
Gross alpha	71	9.23	29	19.6	12	21.6	29	11.5
Nonvolatile beta	64	26.6	27	29.5	14	11.6	27	6.49
Total radium	67	37.0	30	37.0	8	8.28	30	11.1
Tritium	58	4.14	23	9.69	16	1.75	23	6.69

- Not analyzed.

Interlaboratory Comparison

Choosing a Reference Detection Limit

For interlaboratory comparisons, it is necessary to establish a reference detection limit (RDL) for calculation of the MRD. The RDL is chosen from the detection limits in the analytical data from both laboratories. Because some detection limits may be anomalously high (due to dilution or other effects, for example), the RDL for the laboratories is chosen as the value that is greater than or equal to at least 90% of the detection limit values from both laboratories.

QUALITY CONTROL SAMPLES

Normalizing Data to the RDL

All of the results less than the RDL are adjusted to the new RDL value. Results that are detection limit values and are above the RDL are eliminated from the MRD index comparison and from the *t*-tests. By definition, less than 10% of the detection limit values may be above the RDL.

In addition to the interlaboratory MRD calculations, paired *t*-tests are performed to see if the difference between the mean concentrations of an analyte from the same well reported by each laboratory is significant. The *t*-test tests the null hypothesis that there is no significant difference in the concentrations given by the two laboratories. The MRD and *t*-test results for the analytes with at least one result above the RDL are listed in Table 30.

Table 30. Analytes With at Least One Result Above the Reference Detection Limit

<u>Analyte</u>	<u>MRD</u>	<u><i>t</i>-test Probability*</u>
Aldrin	0	-
Aluminum	21.4	.666
Arsenic	0	-
Barium	6.31	.0678
Benzene	0	-
Beryllium	0	-
Bis(2-ethylhexyl) phthalate	87.3	-
Cadmium	0.163	.326
Calcium	11.7	.142
Carbon tetrachloride	0.307	.325
Chloride	8.40	.147
Chlorobenzene	0	-
Chloroethane	0	-
Chloroform	4.78	.325
Chromium	27.6	.0797
Cobalt	0	-
Copper	9.29	.134
Cyanide	4.65	.337
Dichloromethane (Methylene chloride)	0	-
Endrin	9.25	.331
Ethylbenzene	0	-
Fluoride	0.791	.328
gamma-Benzene hexachloride (Lindane)	30.0	.183
Iron	78.0	.0246
Lead	6.97	.0304
Lithium	0	-
Magnesium	14.9	.00130
Manganese	19.2	.0291
Mercury	6.49	.310
Nickel	18.0	.145

* Values less than .05 indicate a probability of less than 1 in 20 that the results from both laboratories for that analyte are the same.

QUALITY CONTROL SAMPLES

Table 30. Analytes With at Least One Result Above the Reference Detection Limit (cont.)

<u>Analyte</u>	<u>MRD</u>	<u>t-test Probability*</u>
Nitrate as nitrogen	13.7	.327
pH	4.13	.216
Phenols	12.3	.936
Potassium	8.12	.00426
Selenium	1.37	.327
Silica	26.2	.00244
Silver	5.41	.353
Sodium	12.3	.147
Specific conductance	21.0	.549
Sulfate	6.45	.584
Tetrachloroethylene	17.8	.764
Toluene	0	-
Total dissolved solids	31.3	.224
Total organic carbon	2.78	.833
Total organic halogens	39.6	.111
Total organic nitrogen	126	.101
Total phosphates	23.9	.0951
trans-1,2-Dichloroethene	0	-
Trichloroethylene	21.7	.239
Trichlorofluoromethane	2.55	.328
Turbidity	23.8	.992
Uranium	0	-
Vanadium	0	-
Zinc	57.8	.639
1,1-Dichloroethane	2.08	.328
1,1-Dichloroethylene	0	-
1,1,1-Trichloroethane	0	-
1,1,2,2-Tetrachloroethane	0	-
1,2-Dichloroethane	0	-
1,2-Dichloropropane	0	-
2,4,5-TP (Silvex)	0.284	.331
Gross alpha	45.6	.0237
Nonvolatile beta	34.6	.0502
Total radium	34.7	.451
Tritium	30.1	.0663

* Values less than .05 indicate a probability of less than 1 in 20 that the results from both laboratories for that analyte are the same.

COMMENTS ON THE REPLICATE ANALYSES

Intralaboratory Comparison

In-house MRDs for General Engineering duplicates are generally low (less than 20.0) except for nonvolatile beta, total organic nitrogen, and total radium. The high in-house MRD for nonvolatile beta is caused by differences between duplicate results for the following wells: BG 60, BGO 16A, HSB 65A, HSB 84A, and HSB111D. The high in-house MRD for total organic nitrogen is caused

QUALITY CONTROL SAMPLES

by differences between duplicate results for well LFW 28. The high in-house MRD for total radium is caused by differences between duplicate results for wells FSB 79, HSS 1D, and HXB 1. The low magnitude of most total radium results also contributed to the high in-house MRD.

High MRDs for blind replicate analyses of aluminum, nonvolatile beta, iron, silica, total organic nitrogen, total organic halogens, total radium, turbidity, and zinc were calculated from General Engineering results. Large differences among results from the wells listed in Table 31 contributed to the high MRDs.

Table 31. Wells with Large Differences Among EPD Blind Replicate Results for General Engineering

<u>Analyte</u>	<u>Wells</u>
Aluminum	DCB 2A, HSB 65B, KSS 1D
Iron	HSB 65B, XSB 4D
Silica	FSB 88C, HSB 65B, HSB121A, MSB 20A, YSB 2A
Total organic halogens	AMB 5, ASB 8B, FSB 76B, HSB 65B, MSB 8A, PSS 2D
Total organic nitrogen	LFW 16, LFW 31, LFW 35
Total radium	AMB 5, BGO 2D, LFW 31
Turbidity	BGO 8D, FAC 4
Zinc	FSB 99A, HSB 65B, MSB 43D

The high MRD for replicate results for nonvolatile beta and total organic nitrogen are due to the low magnitude of the results.

In-house MRDs for metaTRACE duplicates are generally low except for gross alpha, iron, and lead. The high MRD for gross alpha is caused by the low magnitude of the results. The high MRD for iron is caused by differences between duplicate results for wells ASB 8B, FSB 99A, KRB 15, and NBG 3. The high MRD for lead is caused by differences between duplicate results for wells CSB 6A, KRB 1, and XSB 5A.

High MRDs for replicate analyses of alkalinity, chromium, iron, total dissolved solids, total organic nitrogen, total organic halogens, total phosphates, and zinc were calculated from metaTRACE results. Large differences between among from the wells listed in Table 32 contributed to the high MRDs. The high MRD for replicate analyses for total organic nitrogen is due to the low magnitude of the results.

Table 32. Wells with Large Differences Among EPD Blind Replicate Results for metaTRACE

<u>Analyte</u>	<u>Well(s)</u>
Alkalinity	HSB105C
Chromium	DCB 2A, FNB 3, KSS 1D, TBG 7, YSB 2A
Iron	ASB 8B, FAC 4, FNB 3, FSB 88C, FSB 99A, HSB 85A, KSS 1D, LFW 16, LFW 31, PSS 2D, TBG 7
Total dissolved solids	BGO 8D, FAC 4, FSB 88C, KSS 1D
Total organic halogens	FSB 76B, HSB 65B, HSB 85A, HSB105C, LFW 35, XSB 4D, YSB 2A
Total organic nitrogen	LFW 31, LFW 35

QUALITY CONTROL SAMPLES

Table 32. Wells With Large Differences Between EPD Blind Replicate Results for metaTRACE (cont.)

<u>Analyte</u>	<u>Well(s)</u>
Total phosphate	ASB 8B, LFW 16, LFW 35, MSB 11C, PAC 4
Zinc	DCB 2A, FSB 76B, FSB 88C, HSB 65B, HSB 85A, MSB 11C, MSB 20A

Interlaboratory Comparison

Gross alpha, iron, potassium, magnesium, manganese, lead, and silica results have *t*-test probability values of less than .05. Results for lead from General Engineering are significantly higher than corresponding results from metaTRACE. Results for gross alpha, iron, potassium, magnesium, manganese, and silica from General Engineering are significantly lower than corresponding results from metaTRACE.

The interlaboratory MRDs reflect variability in sample results that may be introduced by sampling, shipping, sample preparation, and analysis. High MRDs were calculated for aluminum, gross alpha, nonvolatile beta, bis(2-ethylhexyl)phthalate, specific conductance, chromium, iron, lindane, silica, total dissolved solids, total organic nitrogen, total radium, total organic halogens, total phosphate, trichloroethylene, tritium, turbidity, and zinc. The high MRDs for gross alpha, iron, and silica corresponded to low *t*-test probability values. High MRD values indicate imprecise data. Low probability values indicate a significant, consistent bias between the laboratories, with one laboratory's results being consistently higher or lower than corresponding results from the other laboratory.

BLANKS

Samples of distilled water used for rinse water in the field were sent to metaTRACE, General Engineering, and Teledyne Isotopes labeled with alias well names. Results from these blanks are used to identify potential contaminants in the rinse water, sample containers, or analytical equipment. The blanks tables list the dates, field measurements, and analytical results for these blanks.

The following codes may appear in these data.

$\mu\text{g/L}$ = micrograms per liter

$\mu\text{S/cm}$ = microsiemens per centimeter (equivalent to micromhos per centimeter)

B = analyte detected in associated blank as well as in sample

E = exponential notation (e.g., $200000 \pm 20\text{E}3$ pCi/mL = 200000 ± 20000 pCi/mL)

GE = General Engineering

J = estimated value

mg/L = milligrams per liter

MT = metaTRACE

pCi/L = picocuries per liter

pCi/mL = picocuries per milliliter

pH = pH units

ng/L = nanograms per liter

NTU = turbidity units

TE = Teledyne Isotopes

QUALITY CONTROL SAMPLES

WELL BLANK

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/04/90
Depth to water: Not applicable
Water elevation: Not applicable
Sp. conductance: 1 µS/cm

Time: 9:20
pH: 6.2
Alkalinity: 1 mg/L
Water temperature: 17.4°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	6.0	pH	GE
0	Specific conductance	8.0	µS/cm	GE
0	Turbidity	<0.20	NTU	GE
0	Acetophenone	<10	µg/L	GE
0	Aldrin	<0.50	µg/L	GE
0	alpha-Benzene hexachloride	<0.50	µg/L	GE
0	Aluminum	<20	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	<4.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Beryllium	<5.0	µg/L	GE
0	beta-Benzene hexachloride	<0.50	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	28	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chlordane	<0.50	µg/L	GE
0	Chloride	<1000	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	delta-Benzene hexachloride	<0.50	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Dieldrin	<0.50	µg/L	GE
0	Endosulfan I	<0.50	µg/L	GE
0	Endosulfan II	<0.50	µg/L	GE
0	Endosulfan sulfate	<0.50	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Endrin aldehyde	<0.50	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Heptachlor	<0.50	µg/L	GE
0	Heptachlor epoxide	<0.50	µg/L	GE
0	Iron	14	µg/L	GE
0	Lead	<8.0	µg/L	GE
0	Lithium	<5.0	µg/L	GE
0	Magnesium	4.5	µg/L	GE
0	Manganese	<2.0	µg/L	GE
1	Mercury	0.80	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	<50	µg/L	GE
0	Nitrite as nitrogen	<10.0	µg/L	GE
0	p,p'-DDD	<0.50	µg/L	GE
0	p,p'-DDE	<0.50	µg/L	GE
0	p,p'-DDT	<0.50	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	580	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	92	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Thallium	<2.0	µg/L	GE
0	Tin	<2.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	1000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE

WELL BLANK collected on 01/04/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Vanadium	<20	µg/L	GE
0	Xylenes	<2.0	µg/L	GE
0	Zinc	<2.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.080	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	<2.0	pCi/L	GE
1	Total radium	2.8±2.4	pCi/L	GE
0	Tritium	<0.70	pCi/mL	GE

WELL BLANK

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/10/90
Depth to water: Not applicable
Water elevation: Not applicable
Sp. conductance: 1 µS/cm

Time: 11:40
pH: 5.2
Alkalinity: 1 mg/L
Water temperature: 22.6°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.5	pH	GE
0	Specific conductance	1.0	µS/cm	GE
0	Turbidity	<0.20	NTU	GE
0	Acetophenone	<10	µg/L	GE
0	Aldrin	<0.50	µg/L	GE
0	alpha-Benzene hexachloride	<0.50	µg/L	GE
0	Aluminum	<20	µg/L	GE
1	Ammonia	100	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	<4.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Beryllium	<5.0	µg/L	GE
0	beta-Benzene hexachloride	<0.50	µg/L	GE
0	Bis(2-ethylhexyl) phthalate	<10	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	36	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chlordane	<0.50	µg/L	GE
0	Chloride	<1000	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	delta-Benzene hexachloride	<0.50	µg/L	GE
0	Di-n-octyl phthalate	<10	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Dieldrin	<0.50	µg/L	GE
0	Diethyl phthalate	<10	µg/L	GE
0	Dissolved organic carbon	<1000	µg/L	GE
0	Endosulfan I	<0.50	µg/L	GE
0	Endosulfan II	<0.50	µg/L	GE
0	Endosulfan sulfate	<0.50	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Endrin aldehyde	<0.50	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Heptachlor	<0.50	µg/L	GE
0	Heptachlor epoxide	<0.50	µg/L	GE
0	Iodine	<100	µg/L	GE
0	Iron	24	µg/L	GE
0	Lead	7.0	µg/L	GE
0	Lithium	<5.0	µg/L	GE
0	Magnesium	4.7	µg/L	GE
0	Manganese	<2.0	µg/L	GE
2	Mercury	1.4	µg/L	GE

QUALITY CONTROL SAMPLES

WELL BLANK collected on 01/10/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Methoxychlor	<0.50	µg/L	GE
0	Naphthalene	<10	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	<50	µg/L	GE
0	Nitrite as nitrogen	<10.0	µg/L	GE
0	p,p'-DDD	<0.50	µg/L	GE
0	p,p'-DDE	<0.50	µg/L	GE
0	p,p'-DDT	<0.50	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	504	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	98	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Sulfide	<1000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Thallium	<2.0	µg/L	GE
0	Tin	<2.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total carbon	<1000	µg/L	GE
0	Total dissolved solids	<1000	µg/L	GE
1	Total hydrocarbons	2000	µg/L	GE
0	Total inorganic carbon	<1000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
1	Total organic nitrogen	200	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Xylenes	<2.0	µg/L	GE
0	Zinc	6.8	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Americium-241	<0.10	pCi/L	TE
0	Americium-243	<0.20	pCi/L	TE
0	Barium-140	<10	pCi/L	TE
0	Beryllium-7	<40	pCi/L	TE
1	Carbon-14	8.3 ± 4.7	pCi/L	TE
0	Cerium-141	<9.0	pCi/L	TE
0	Cerium-144	<30	pCi/L	TE
0	Cesium-134	<4.0	pCi/L	TE
0	Cesium-137	<3.0	pCi/L	TE
0	Cobalt-58	<3.0	pCi/L	TE
0	Cobalt-60	<3.0	pCi/L	TE
0	Curium-242	<0.20	pCi/L	TE
0	Curium-243/244	<0.40	pCi/L	TE
1	Curium-246	0.32 ± 0.17	pCi/L	TE
0	Gross alpha	<3.0	pCi/L	GE
0	Gross alpha	<0.70	pCi/L	TE
0	Iodine-129	<1.0	pCi/L	TE
0	Iodine-131	<20	pCi/L	TE
0	Iron-55	<100	pCi/L	TE
0	Iron-59	<9.0	pCi/L	TE
0	Manganese-54	<3.0	pCi/L	TE
0	Nickel-59	<90	pCi/L	TE
0	Nickel-63	<10	pCi/L	TE
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Nonvolatile beta	<1.0	pCi/L	TE
0	Plutonium-238	<0.20	pCi/L	TE
0	Plutonium-239/240	<0.090	pCi/L	TE
0	Plutonium-242	<0.080	pCi/L	TE
0	Potassium-40	<60	pCi/L	TE
0	Radium-226	<80	pCi/L	TE
0	Radium-226	<1.0	pCi/L	TE
0	Radium-228	<2.0	pCi/L	TE
0	Ruthenium-103	<5.0	pCi/L	TE
0	Ruthenium-106	<30	pCi/L	TE
0	Strontium-89	<5.0	pCi/L	TE
0	Strontium-90	<1.0	pCi/L	TE
0	Technetium-99	<3.0	pCi/L	TE
0	Thorium-228	<7.0	pCi/L	TE
0	Thorium-228	<1.0	pCi/L	TE
0	Thorium-230	<0.80	pCi/L	TE
1	Thorium-232	1.5 ± 0.80	pCi/L	TE
0	Total radium	<1.0	pCi/L	GE

WELL BLANK collected on 01/10/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Tritium	<0.70	pCi/mL	GE
0	Tritium	<2.0	pCi/mL	TE
0	Uranium-234	<4.0	pCi/L	TE
0	Uranium-235	<5.0	pCi/L	TE
0	Uranium-238	<4.0	pCi/L	TE
0	Zinc-65	<7.0	pCi/L	TE
0	Zirconium-95	<4.0	pCi/L	TE

WELL BLANK

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/17/90
 Depth to water: Not applicable
 Water elevation: Not applicable
 Sp. conductance: 1 µS/cm

Time: 15:25
 pH: 5.0
 Alkalinity: 1 mg/L
 Water temperature: 24.6°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	6.0	pH	MT
0	pH	6.0	pH	MT
0	pH	6.2	pH	GE
0	pH	6.2	pH	GE
0	Specific conductance	1.4	µS/cm	MT
0	Specific conductance	1.4	µS/cm	MT
0	Specific conductance	21	µS/cm	GE
0	Specific conductance	21	µS/cm	GE
0	Turbidity	0.33	NTU	MT
0	Turbidity	0.30	NTU	MT
0	Turbidity	<0.20	NTU	GE
0	Turbidity	<0.20	NTU	GE
0	Acetophenone	<10	µg/L	GE
0	Acetophenone	<10	µg/L	GE
0	Aldrin	<0.50	µg/L	GE
0	Aldrin	<0.50	µg/L	GE
0	alpha-Benzene hexachloride	<0.50	µg/L	GE
0	alpha-Benzene hexachloride	<0.50	µg/L	GE
0	Aluminum	23	µg/L	MT
0	Aluminum	24	µg/L	GE
0	Aluminum	21	µg/L	GE
0	Ammonia	<30	µg/L	MT
1	Ammonia	100	µg/L	GE
1	Ammonia	100	µg/L	GE
0	Antimony	<3.0	µg/L	MT
0	Antimony	<3.0	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<3.0	µg/L	MT
0	Arsenic	<2.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Darium	<8.0	µg/L	MT
0	Barium	<4.0	µg/L	GE
0	Barium	<4.0	µg/L	GE
0	Benzene	<5.0	µg/L	MT
0	Benzene	<1.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Beryllium	<2.0	µg/L	MT
0	Beryllium	<5.0	µg/L	GE
0	Beryllium	<5.0	µg/L	GE
0	beta-Benzene hexachloride	<0.50	µg/L	GE
0	beta-Benzene hexachloride	<0.50	µg/L	GE
0	Bis(2-ethylhexyl) phthalate	<10	µg/L	GE
0	Bis(2-ethylhexyl) phthalate	<10	µg/L	GE
0	Bromodichloromethane	<5.0	µg/L	MT
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<5.0	µg/L	MT
0	Bromoform	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<10	µg/L	MT
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<3.0	µg/L	MT
0	Cadmium	<2.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	76	µg/L	MT
0	Calcium	42	µg/L	GE
0	Calcium	53	µg/L	GE
0	Carbon tetrachloride	<5.0	µg/L	MT
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chlordane	<0.50	µg/L	GE
0	Chlordane	<0.50	µg/L	GE
0	Chloride	<250	µg/L	MT
0	Chloride	<250	µg/L	MT
0	Chloride	<1000	µg/L	GE
0	Chloride	<1000	µg/L	GE

QUALITY CONTROL SAMPLES

WELL BLANK collected on 01/17/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Chlorobenzene	<5.0	µg/L	MT
0	Chlorobenzene	<1.0	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	MT
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<5.0	µg/L	MT
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<5.0	µg/L	MT
0	Chloroform	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	MT
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<3.0	µg/L	MT
0	Chromium	<4.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<5.0	µg/L	MT
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<15	µg/L	MT
0	Cobalt	<4.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Copper	<7.0	µg/L	MT
0	Copper	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Cyanide	<5.0	µg/L	MT
0	Cyanide	<5.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	delta-Benzene hexachloride	<0.50	µg/L	GE
0	delta-Benzene hexachloride	<0.50	µg/L	GE
0	Di-n-octyl phthalate	<10	µg/L	GE
0	Di-n-octyl phthalate	<10	µg/L	GE
0	Dibromochloromethane	<5.0	µg/L	MT
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<5.0	µg/L	MT
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Dieldrin	<0.50	µg/L	GE
0	Dieldrin	<0.50	µg/L	GE
0	Diethyl phthalate	<10	µg/L	GE
0	Diethyl phthalate	<10	µg/L	GE
0	Dissolved organic carbon	<1000	µg/L	MT
0	Dissolved organic carbon	<1000	µg/L	GE
0	Dissolved organic carbon	<1000	µg/L	GE
0	Endosulfan I	<0.50	µg/L	GE
0	Endosulfan I	<0.50	µg/L	GE
0	Endosulfan II	<0.50	µg/L	GE
0	Endosulfan II	<0.50	µg/L	GE
0	Endosulfan sulfate	<0.50	µg/L	GE
0	Endosulfan sulfate	<0.50	µg/L	GE
0	Endrin	<0.0060	µg/L	MT
0	Endrin	<0.10	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Endrin aldehyde	<0.50	µg/L	GE
0	Endrin aldehyde	<0.50	µg/L	GE
0	Ethylbenzene	<5.0	µg/L	MT
0	Ethylbenzene	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<250	µg/L	MT
0	Fluoride	<250	µg/L	MT
0	Fluoride	<100	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.0050	µg/L	MT
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Heptachlor	<0.50	µg/L	GE
0	Heptachlor	<0.50	µg/L	GE
0	Heptachlor epoxide	<0.50	µg/L	GE
0	Heptachlor epoxide	<0.50	µg/L	GE
0	Iodine	<50	µg/L	MT
0	Iodine	<50	µg/L	MT
0	Iodine	<100	µg/L	GE
0	Iodine	<100	µg/L	GE
0	Iron	<6.0	µg/L	MT
0	Iron	8.3	µg/L	GE
0	Iron	8.2	µg/L	GE
0	Lead	<3.0	µg/L	MT
0	Lead	<8.0	µg/L	GE
0	Lead	<8.0	µg/L	GE
0	Lithium	<28	µg/L	MT
0	Lithium	<5.0	µg/L	GE
0	Lithium	<5.0	µg/L	GE
0	Magnesium	18	µg/L	MT
0	Magnesium	4.0	µg/L	GE
0	Magnesium	3.7	µg/L	GE
0	Manganese	<2.0	µg/L	MT

WELL BLANK collected on 01/17/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Manganese	<2.0	µg/L	GE
0	Manganese	<2.0	µg/L	GE
0	Mercury	<0.20	µg/L	MT
0	Mercury	<0.20	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	MT
0	Methoxychlor	<0.50	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Naphthalene	<10	µg/L	GE
0	Naphthalene	<10	µg/L	GE
0	Nickel	<5.2	µg/L	MT
0	Nickel	<5.2	µg/L	MT
0	Nickel	<4.0	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	<200	µg/L	MT
0	Nitrate as nitrogen	<200	µg/L	MT
0	Nitrate as nitrogen	<50	µg/L	GE
0	Nitrate as nitrogen	<50	µg/L	GE
0	Nitrile as nitrogen	<800	µg/L	MT
0	Nitrile as nitrogen	<800	µg/L	MT
0	Nitrile as nitrogen	<10.0	µg/L	GE
0	Nitrile as nitrogen	<10.0	µg/L	GE
0	p,p'-DDD	<0.50	µg/L	GE
0	p,p'-DDD	<0.50	µg/L	GE
0	p,p'-DDE	<0.50	µg/L	GE
0	p,p'-DDE	<0.50	µg/L	GE
0	p,p'-DDT	<0.50	µg/L	GE
0	p,p'-DDT	<0.50	µg/L	GE
0	Phenols	<5.0	µg/L	MT
0	Phenols	<5.0	µg/L	MT
0	Phenols	<5.0	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<1620	µg/L	MT
0	Potassium	<500	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Selenium	<3.0	µg/L	MT
0	Selenium	<2.0	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	331	µg/L	GE
0	Silica	318	µg/L	GE
0	Silica	<107	µg/L	MT
0	Silver	<2.0	µg/L	MT
0	Silver	<2.0	µg/L	MT
0	Silver	<2.0	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	<22	µg/L	MT
0	Sodium	142	µg/L	GE
0	Sodium	158	µg/L	GE
0	Sulfate	<1000	µg/L	MT
0	Sulfate	<1000	µg/L	MT
0	Sulfate	<5000	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Sulfide	1680	µg/L	MT
0	Sulfide	<1000	µg/L	GE
0	Sulfide	<1000	µg/L	GE
0	Tetrachloroethylene	<5.0	µg/L	MT
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Thallium	<3.0	µg/L	MT
0	Thallium	<2.0	µg/L	GE
0	Thallium	<2.0	µg/L	GE
0	Tin	<1930	µg/L	MT
0	Tin	<2.0	µg/L	GE
0	Tin	<2.0	µg/L	GE
0	Toluene	<5.0	µg/L	MT
0	Toluene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
1	Total carbon	1440	µg/L	MT
0	Total carbon	<1000	µg/L	GE
0	Total carbon	<1000	µg/L	GE
0	Total dissolved solids	27000	µg/L	MT
0	Total dissolved solids	113000	µg/L	GE
0	Total dissolved solids	103000	µg/L	GE
0	Total hydrocarbons	<1000	µg/L	GE
1	Total inorganic carbon	1260	µg/L	MT
0	Total inorganic carbon	<1000	µg/L	GE
0	Total inorganic carbon	<1000	µg/L	GE
0	Total organic carbon	<1000	µg/L	MT
0	Total organic carbon	<1000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	MT
0	Total organic halogens	<5.0	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total organic nitrogen	<30	µg/L	MT
1	Total organic nitrogen	350	µg/L	GE
1	Total organic nitrogen	340	µg/L	GE
1	Total petroleum hydrocarbons	4000	µg/L	MT
0	Total phosphates	<10	µg/L	MT
0	Total phosphates	<50	µg/L	GE

QUALITY CONTROL SAMPLES

WELL BLANK collected on 01/17/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<0.24	µg/L	MT
0	Toxaphene	<1.0	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<5.0	µg/L	MT
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<5.0	µg/L	MT
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<5.0	µg/L	MT
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<5.0	µg/L	MT
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<84	µg/L	MT
0	Uranium	<1000	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<3.0	µg/L	MT
0	Vanadium	<20	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Xylenes	<5.0	µg/L	MT
0	Xylenes	<2.0	µg/L	GE
0	Xylenes	<2.0	µg/L	GE
0	Zinc	110	µg/L	MT
0	Zinc	2.4	µg/L	GE
0	Zinc	2.8	µg/L	GE
0	1,1-Dichloroethane	<5.0	µg/L	MT
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<5.0	µg/L	MT
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<5.0	µg/L	MT
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<5.0	µg/L	MT
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<5.0	µg/L	MT
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<5.0	µg/L	MT
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<5.0	µg/L	MT
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<5.0	µg/L	MT
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.48	µg/L	MT
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.070	µg/L	MT
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Americium-241	<0.20	pCi/L	TE
0	Americium-243	<0.10	pCi/L	TE
0	Barium-140	<20	pCi/L	TE
0	Beryllium-7	<40	pCi/L	TE
1	Carbon-14	13±5.0	pCi/L	TE
0	Cerium-141	<10	pCi/L	TE
0	Cerium-144	<30	pCi/L	TE
0	Cesium-134	<4.0	pCi/L	TE
0	Cesium-137	<4.0	pCi/L	TE
0	Cobalt-58	<4.0	pCi/L	TE
0	Cobalt-60	<4.0	pCi/L	TE
0	Curium-242	<0.10	pCi/L	TE
0	Curium-243/244	<0.20	pCi/L	TE
1	Curium-248	0.36±0.28	pCi/L	TE
0	Gross alpha	<3.0	pCi/L	MT
0	Gross alpha	<3.0	pCi/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Gross alpha	<0.90	pCi/L	TE
0	Iodine-129	<2.0	pCi/L	TE
0	Iodine-131	<50	pCi/L	TE
0	Iron-55	<40	pCi/L	TE
0	Iron-59	<10	pCi/L	TE
0	Manganese-54	<3.0	pCi/L	TE
0	Nickel-59	<80	pCi/L	TE
0	Nickel-63	<10	pCi/L	TE
0	Nonvolatile beta	<5.0	pCi/L	MT
0	Nonvolatile beta	4.7±2.0	pCi/L	GE
0	Nonvolatile beta	4.7±2.0	pCi/L	GE
0	Nonvolatile beta	<1.0	pCi/L	TE
0	Plutonium-238	<0.20	pCi/L	TE
0	Plutonium-239/240	<0.10	pCi/L	TE

WELL BLANK collected on 01/17/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Plutonium-242	<0.090	pCi/L	TE
0	Potassium-40	<70	pCi/L	TE
0	Radium-226	<1.0	pCi/L	TE
0	Radium-228	<80	pCi/L	TE
0	Radium-228	<3.0	pCi/L	TE
0	Ruthenium-103	<6.0	pCi/L	TE
0	Ruthenium-106	<30	pCi/L	TE
0	Strontium-89	<5.0	pCi/L	TE
1	Strontium-90	4.3±1.1	pCi/L	TE
0	Technetium-99	<5.0	pCi/L	TE
0	Thorium-228	<7.0	pCi/L	TE
0	Thorium-228	<0.50	pCi/L	TE
0	Thorium-230	<0.20	pCi/L	TE
1	Thorium-232	0.88±0.40	pCi/L	TE
0	Total radium	<1.0	pCi/L	MT
0	Total radium	<1.0	pCi/L	GE
0	Total radium	<1.0	pCi/L	GE
0	Tritium	<1.0	pCi/mL	MT
0	Tritium	<0.70	pCi/mL	GE
0	Tritium	<0.70	pCi/mL	GE
0	Tritium	<2.0	pCi/mL	TE
0	Uranium-234	<1.0	pCi/L	TE
0	Uranium-235	<0.70	pCi/L	TE
0	Uranium-238	<2.0	pCi/L	TE
0	Zinc-65	<7.0	pCi/L	TE
0	Zirconium-95	<4.0	pCi/L	TE

WELL BLANK

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/24/90
Depth to water: Not applicable
Water elevation: Not applicable
Sp. conductance: 1 µS/cm

Time: 13:50
pH: 5.2
Alkalinity: 1 mg/L
Water temperature: 21.9°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.5	pH	MT
1	pH	8.5	pH	GE
0	Specific conductance	3.3	µS/cm	MT
0	Specific conductance	3.0	µS/cm	GE
0	Turbidity	0.27	NTU	MT
0	Turbidity	0.28	NTU	MT
0	Turbidity	<0.20	NTU	GE
0	Acetophenone	<10	µg/L	GE
0	Aldrin	<0.50	µg/L	GE
0	alpha-Benzene hexachloride	<0.50	µg/L	GE
0	Aluminum	<23	µg/L	MT
0	Aluminum	<20	µg/L	GE
1	Ammonia	200	µg/L	GE
0	Antimony	<3.0	µg/L	MT
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<3.0	µg/L	MT
0	Arsenic	<2.0	µg/L	GE
0	Barium	<8.0	µg/L	MT
0	Barium	<4.0	µg/L	GE
0	Benzene	<5.0	µg/L	MT
0	Benzene	<1.0	µg/L	GE
0	Beryllium	<2.0	µg/L	MT
0	Beryllium	<5.0	µg/L	GE
0	beta-Benzene hexachloride	<0.50	µg/L	GE
0	Bis(2-ethylhexyl) phthalate	<10	µg/L	GE
0	Bromodichloromethane	<5.0	µg/L	MT
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<5.0	µg/L	MT
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<10	µg/L	MT
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<3.0	µg/L	MT
0	Cadmium	<2.0	µg/L	GE
0	Calcium	<40	µg/L	MT
0	Calcium	22	µg/L	GE
0	Carbon tetrachloride	<5.0	µg/L	MT
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chlordane	<0.50	µg/L	GE
0	Chloride	<250	µg/L	MT
0	Chloride	<250	µg/L	MT
0	Chloride	<1000	µg/L	GE
0	Chlorobenzene	<5.0	µg/L	MT
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<10	µg/L	MT
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<5.0	µg/L	MT
0	Chloroform	<1.0	µg/L	GE

QUALITY CONTROL SAMPLES

WELL BLANK collected on 01/24/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Chloromethane (Methyl chloride)	<10	µg/L	MT
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<3.0	µg/L	MT
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<5.0	µg/L	MT
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<15	µg/L	MT
0	Cobalt	<4.0	µg/L	GE
0	Copper	<7.0	µg/L	MT
0	Copper	<4.0	µg/L	GE
0	Cyanide	<5.0	µg/L	MT
0	Cyanide	<5.0	µg/L	GE
0	delta-Benzene hexachloride	<0.50	µg/L	GE
0	Di-n-octyl phthalate	<10	µg/L	GE
0	Dibromochloromethane	<5.0	µg/L	MT
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<5.0	µg/L	MT
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Dieldrin	<0.50	µg/L	GE
0	Diethyl phthalate	<10	µg/L	GE
0	Dissolved organic carbon	<1000	µg/L	MT
0	Dissolved organic carbon	<1000	µg/L	GE
0	Endosulfan I	<0.50	µg/L	GE
0	Endosulfan II	<0.50	µg/L	GE
0	Endosulfan sulfate	<0.50	µg/L	GE
0	Endrin	<0.0060	µg/L	MT
0	Endrin	<0.10	µg/L	GE
0	Endrin aldehyde	<0.50	µg/L	GE
0	Ethylbenzene	<5.0	µg/L	MT
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<250	µg/L	MT
0	Fluoride	<250	µg/L	MT
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	0.0070	µg/L	MT
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Heptachlor	<0.50	µg/L	GE
0	Heptachlor epoxide	<0.50	µg/L	GE
0	Iodine	<50	µg/L	MT
0	Iodine	<50	µg/L	MT
0	Iodine	<100	µg/L	GE
0	Iron	9.6	µg/L	MT
0	Iron	13	µg/L	GE
0	Lead	<3.0	µg/L	MT
0	Lead	<6.0	µg/L	GE
0	Lithium	<26	µg/L	MT
0	Lithium	<5.0	µg/L	GE
0	Magnesium	13	µg/L	MT
0	Magnesium	<2.0	µg/L	GE
0	Manganese	<2.0	µg/L	MT
0	Manganese	<2.0	µg/L	GE
0	Mercury	<0.20	µg/L	MT
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	MT
0	Methoxychlor	<0.50	µg/L	GE
0	Naphthalene	<10	µg/L	GE
0	Nickel	<5.2	µg/L	MT
0	Nickel	<5.2	µg/L	MT
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	<200	µg/L	MT
0	Nitrate as nitrogen	<200	µg/L	MT
0	Nitrate as nitrogen	<50	µg/L	GE
0	Nitrite as nitrogen	<800	µg/L	MT
0	Nitrite as nitrogen	<800	µg/L	MT
0	Nitrite as nitrogen	<10.0	µg/L	GE
0	p,p'-DDD	<0.50	µg/L	GE
0	p,p'-DDE	<0.50	µg/L	GE
0	p,p'-DDT	<0.50	µg/L	GE
0	Phenols	<5.0	µg/L	MT
0	Phenols	<5.0	µg/L	GE
0	Potassium	<1620	µg/L	MT
0	Potassium	<500	µg/L	GE
0	Selenium	<3.0	µg/L	MT
0	Selenium	<2.0	µg/L	GE
0	Silica	163	µg/L	GE
0	Silica	<276	µg/L	MT
0	Silver	<2.0	µg/L	MT
0	Silver	<2.0	µg/L	MT
0	Silver	<2.0	µg/L	GE
0	Sodium	<22	µg/L	MT
0	Sodium	116	µg/L	GE
0	Sulfate	<1000	µg/L	MT
0	Sulfate	<1000	µg/L	MT
0	Sulfate	<5000	µg/L	GE
0	Sulfide	1680	µg/L	MT
0	Sulfide	<1000	µg/L	GE
0	Tetrachloroethylene	<5.0	µg/L	MT
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Thallium	<3.0	µg/L	MT
0	Thallium	<2.0	µg/L	GE

WELL BLANK collected on 01/24/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Tin	<1930	µg/L	MT
0	Tin	<2.0	µg/L	GE
0	Toluene	<5.0	µg/L	MT
0	Toluene	<1.0	µg/L	GE
0	Total carbon	<1000	µg/L	MT
0	Total carbon	<1000	µg/L	GE
0	Total dissolved solids	22000	µg/L	MT
0	Total dissolved solids	27000	µg/L	MT
0	Total dissolved solids	<1000	µg/L	GE
0	Total hydrocarbons	<1000	µg/L	GE
0	Total inorganic carbon	<1000	µg/L	MT
0	Total inorganic carbon	<1000	µg/L	GE
0	Total organic carbon	<1000	µg/L	MT
0	Total organic carbon	1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	MT
0	Total organic halogens	<5.0	µg/L	MT
0	Total organic halogens	<5.0	µg/L	GE
1	Total organic nitrogen	100	µg/L	GE
1	Total petroleum hydrocarbons	2700	µg/L	MT
0	Total phosphates	<10	µg/L	MT
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<0.24	µg/L	MT
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<5.0	µg/L	MT
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<5.0	µg/L	MT
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<5.0	µg/L	MT
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<5.0	µg/L	MT
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<84	µg/L	MT
0	Uranium	<1000	µg/L	GE
0	Vanadium	<3.0	µg/L	MT
0	Vanadium	<20	µg/L	GE
0	Xylenes	<5.0	µg/L	MT
0	Xylenes	<2.0	µg/L	GE
0	Zinc	<9.0	µg/L	MT
0	Zinc	2.2	µg/L	GE
0	1,1-Dichloroethane	<5.0	µg/L	MT
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<5.0	µg/L	MT
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<5.0	µg/L	MT
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<5.0	µg/L	MT
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<5.0	µg/L	MT
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<5.0	µg/L	MT
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<5.0	µg/L	MT
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<5.0	µg/L	MT
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.48	µg/L	MT
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.070	µg/L	MT
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Americium-241	<0.20	pCi/L	TE
0	Americium-243	<0.20	pCi/L	TE
0	Barium-140	<20	pCi/L	TE
0	Beryllium-7	<40	pCi/L	TE
0	Carbon-14	<7.0	pCi/L	TE
0	Cerium-141	<10	pCi/L	TE
0	Cerium-144	<30	pCi/L	TE
0	Cesium-134	<3.0	pCi/L	TE
0	Cesium-137	<3.0	pCi/L	TE
0	Cobalt-58	<3.0	pCi/L	TE
0	Cobalt-60	<3.0	pCi/L	TE
0	Curium-242	<0.10	pCi/L	TE
0	Curium-243/244	<0.30	pCi/L	TE
0	Curium-246	<0.20	pCi/L	TE
0	Gross alpha	<4.0	pCi/L	MT
0	Gross alpha	<3.0	pCi/L	GE
0	Gross alpha	<0.60	pCi/L	TE
0	Iodine-129	<2.0	pCi/L	TE
0	Iodine-131	<50	pCi/L	TE
0	Iron-55	<60	pCi/L	TE
0	Iron-59	<8.0	pCi/L	TE
0	Manganese-54	<3.0	pCi/L	TE
0	Neptunium-237	<8.0	pCi/L	TE
0	Nickel-58	<80	pCi/L	TE
0	Nickel-63	<10	pCi/L	TE
1	Nonvolatile beta	21 ± 4.0	pCi/L	MT
0	Nonvolatile beta	3.4 ± 1.3	pCi/L	GE
0	Nonvolatile beta	<1.0	pCi/L	TE
0	Plutonium-238	<0.10	pCi/L	TE
0	Plutonium-239/240	<0.080	pCi/L	TE

QUALITY CONTROL SAMPLES

WELL BLANK collected on 01/24/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Plutonium-242	<0.040	pCi/L	TE
0	Potassium-40	<50	pCi/L	TE
0	Radium-226	<70	pCi/L	TE
0	Radium-226	<1.0	pCi/L	TE
0	Radium-228	<2.0	pCi/L	TE
0	Ruthenium-103	<5.0	pCi/L	TE
0	Ruthenium-106	<30	pCi/L	TE
0	Strontium-89	<4.0	pCi/L	TE
1	Strontium-90	3.8±0.90	pCi/L	TE
0	Technetium-99	<1.0	pCi/L	TE
0	Thorium-228	<8.0	pCi/L	TE
0	Thorium-228	<0.20	pCi/L	TE
0	Thorium-230	<0.10	pCi/L	TE
1	Thorium-232	0.14±0.090	pCi/L	TE
0	Total radium	<1.0	pCi/L	MT
0	Total radium	<1.0	pCi/L	MT
0	Total radium	<1.0	pCi/L	GE
0	Tritium	<1.0	pCi/mL	MT
0	Tritium	<1.0	pCi/mL	MT
0	Tritium	<0.70	pCi/mL	GE
0	Tritium	<2.0	pCi/mL	TE
0	Uranium-234	<0.10	pCi/L	TE
0	Uranium-235	<0.10	pCi/L	TE
0	Uranium-238	<0.10	pCi/L	TE
0	Zinc-65	<7.0	pCi/L	TE
0	Zirconium-95	<4.0	pCi/L	TE

WELL BLANK

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/29/90
Depth to water: Not applicable
Water elevation: Not applicable
Sp. conductance: 1 µS/cm

Time: 9:40
pH: 5.7
Alkalinity: 1 mg/L
Water temperature: 24.0 °C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	Americium-241	0.77±0.36	pCi/L	TE
1	Americium-243	0.89±0.33	pCi/L	TE
0	Barium-140	<20	pCi/L	TE
0	Beryllium-7	<40	pCi/L	TE
1	Carbon-14	15±4.0	pCi/L	TE
0	Cerium-141	<10	pCi/L	TE
0	Cerium-144	<30	pCi/L	TE
0	Cesium-134	<3.0	pCi/L	TE
0	Cesium-137	<3.0	pCi/L	TE
0	Cobalt-58	<4.0	pCi/L	TE
0	Cobalt-60	<3.0	pCi/L	TE
1	Curium-242	0.36±0.26	pCi/L	TE
1	Curium-243/244	1.4±0.50	pCi/L	TE
1	Curium-246	0.30±0.24	pCi/L	TE
0	Gross alpha	1.6±1.0	pCi/L	TE
0	Iodine-129	<2.0	pCi/L	TE
0	Iodine-131	<50	pCi/L	TE
0	Iron-55	<50	pCi/L	TE
0	Iron-59	<8.0	pCi/L	TE
0	Manganese-54	<3.0	pCi/L	TE
0	Neptunium-237	<7.0	pCi/L	TE
0	Nickel-59	<80	pCi/L	TE
0	Nickel-63	<10	pCi/L	TE
0	Nonvolatile beta	3.4±1.2	pCi/L	TE
0	Plutonium-238	<0.20	pCi/L	TE
0	Plutonium-239/240	<0.20	pCi/L	TE
0	Plutonium-242	<0.10	pCi/L	TE
0	Potassium-40	<50	pCi/L	TE
0	Radium-226	<70	pCi/L	TE
0	Radium-226	<1.0	pCi/L	TE
0	Radium-228	<2.0	pCi/L	TE
0	Ruthenium-103	<5.0	pCi/L	TE
0	Ruthenium-106	<30	pCi/L	TE
0	Strontium-89	<5.0	pCi/L	TE
0	Strontium-90	<1.0	pCi/L	TE
0	Technetium-99	<3.0	pCi/L	TE
0	Thorium-228	<8.0	pCi/L	TE
0	Thorium-228	<0.20	pCi/L	TE
0	Thorium-230	<0.10	pCi/L	TE
0	Thorium-232	<0.080	pCi/L	TE
0	Tritium	<2.0	pCi/mL	TE
0	Uranium-234	<0.10	pCi/L	TE
0	Uranium-235	<0.050	pCi/L	TE
1	Uranium-238	0.96±0.39	pCi/L	TE
0	Zinc-65	<7.0	pCi/L	TE
0	Zirconium-95	<4.0	pCi/L	TE

WELL BLANK

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/01/90
Depth to water: Not applicable
Water elevation: Not applicable
Sp. conductance: 1 µS/cm

Time: 9:00
pH: 5.7
Alkalinity: 1 mg/L
Water temperature: 21.1 °C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	4.3	pH	MT
0	pH	5.7	pH	GE
0	Specific conductance	2.2	µS/cm	MT
0	Specific conductance	3.0	µS/cm	GE
0	Turbidity	0.30	NTU	MT
0	Turbidity	0.30	NTU	MT
0	Turbidity	<0.20	NTU	GE
0	Acetophenone	<10	µg/L	GE
0	Aldrin	<0.50	µg/L	GE
0	alpha-Benzene hexachloride	<0.50	µg/L	GE
0	Aluminum	<23	µg/L	MT
0	Aluminum	<23	µg/L	MT
0	Aluminum	<20	µg/L	GE
1	Ammonia	300	µg/L	GE
0	Antimony	<3.0	µg/L	MT
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<3.0	µg/L	MT
0	Arsenic	<3.0	µg/L	MT
0	Arsenic	<2.0	µg/L	GE
0	Barium	<8.0	µg/L	MT
0	Barium	<8.0	µg/L	MT
0	Barium	<4.0	µg/L	GE
0	Benzene	<5.0	µg/L	MT
0	Benzene	<1.0	µg/L	GE
0	Beryllium	<2.0	µg/L	MT
0	Beryllium	<2.0	µg/L	MT
0	Beryllium	<5.0	µg/L	GE
0	beta-Benzene hexachloride	<0.50	µg/L	GE
0	Bis(2-ethylhexyl) phthalate	<10	µg/L	GE
0	Bromodichloromethane	<5.0	µg/L	MT
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<5.0	µg/L	MT
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<10	µg/L	MT
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<3.0	µg/L	MT
0	Cadmium	<3.0	µg/L	MT
0	Cadmium	<2.0	µg/L	GE
0	Calcium	<40	µg/L	MT
0	Calcium	141	µg/L	MT
0	Calcium	39	µg/L	GE
0	Carbon tetrachloride	<5.0	µg/L	MT
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chlordane	<0.50	µg/L	GE
0	Chloride	<250	µg/L	MT
0	Chloride	<250	µg/L	MT
0	Chloride	<1000	µg/L	GE
0	Chlorobenzene	<5.0	µg/L	MT
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<10	µg/L	MT
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<5.0	µg/L	MT
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<10	µg/L	MT
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<3.0	µg/L	MT
0	Chromium	<3.0	µg/L	MT
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<5.0	µg/L	MT
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<15	µg/L	MT
0	Cobalt	<15	µg/L	MT
0	Cobalt	<4.0	µg/L	GE
0	Copper	<7.0	µg/L	MT
0	Copper	<7.0	µg/L	MT
0	Copper	<4.0	µg/L	GE
0	Cyanide	<5.0	µg/L	MT
0	Cyanide	<5.0	µg/L	MT
0	Cyanide	<5.0	µg/L	GE
0	delta-Benzene hexachloride	<0.50	µg/L	GE
0	Di-n-octyl phthalate	<10	µg/L	GE
0	Dibromochloromethane	<5.0	µg/L	MT
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<5.0	µg/L	MT
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Dieldrin	<0.50	µg/L	GE
0	Diethyl phthalate	<10	µg/L	GE
0	Dissolved organic carbon	<1000	µg/L	MT

QUALITY CONTROL SAMPLES

WELL BLANK collected on 02/01/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Dissolved organic carbon	< 1000	µg/L	GE
0	Endosulfan I	< 0.50	µg/L	GE
0	Endosulfan II	< 0.50	µg/L	GE
0	Endosulfan sulfate	< 0.50	µg/L	GE
0	Endrin	< 0.0060	µg/L	MT
0	Endrin	< 0.10	µg/L	GE
0	Endrin aldehyde	< 0.50	µg/L	GE
0	Ethylbenzene	< 5.0	µg/L	MT
0	Ethylbenzene	< 1.0	µg/L	GE
0	Fluoride	< 250	µg/L	MT
0	Fluoride	< 250	µg/L	MT
0	Fluoride	< 100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	< 0.0050	µg/L	MT
0	gamma-Benzene hexachloride (Lindane)	< 0.050	µg/L	GE
0	Heptachlor	< 0.50	µg/L	GE
0	Heptachlor epoxide	< 0.50	µg/L	GE
0	Iodine	< 50	µg/L	MT
0	Iodine	< 100	µg/L	GE
0	Iron	< 6.0	µg/L	MT
0	Iron	50	µg/L	MT
0	Iron	27	µg/L	GE
0	Lead	< 3.0	µg/L	MT
0	Lead	< 6.0	µg/L	GE
0	Lithium	< 26	µg/L	MT
0	Lithium	< 26	µg/L	MT
0	Lithium	< 5.0	µg/L	GE
0	Magnesium	< 7.0	µg/L	MT
0	Magnesium	17	µg/L	MT
0	Magnesium	3.3	µg/L	GE
0	Manganese	< 2.0	µg/L	MT
0	Manganese	< 2.0	µg/L	MT
0	Manganese	< 2.0	µg/L	GE
0	Mercury	< 0.20	µg/L	MT
0	Mercury	< 0.20	µg/L	GE
0	Methoxychlor	< 0.50	µg/L	MT
0	Methoxychlor	< 0.50	µg/L	GE
0	Naphthalene	< 10	µg/L	GE
1	Nickel	8.3	µg/L	MT
0	Nickel	< 4.0	µg/L	GE
0	Nitrate as nitrogen	< 200	µg/L	MT
0	Nitrate as nitrogen	< 200	µg/L	MT
0	Nitrate as nitrogen	< 50	µg/L	GE
0	Nitrite as nitrogen	< 800	µg/L	MT
0	Nitrite as nitrogen	< 800	µg/L	MT
0	Nitrite as nitrogen	< 10.0	µg/L	GE
0	p,p'-DDD	< 0.50	µg/L	GE
0	p,p'-DDE	< 0.50	µg/L	GE
0	p,p'-DDT	< 0.50	µg/L	GE
0	Phenols	< 5.0	µg/L	MT
0	Phenols	< 5.0	µg/L	GE
0	Potassium	< 1620	µg/L	MT
0	Potassium	< 1620	µg/L	MT
0	Potassium	< 500	µg/L	GE
0	Selenium	< 3.0	µg/L	MT
0	Selenium	< 3.0	µg/L	MT
0	Selenium	< 2.0	µg/L	GE
0	Silica	< 100	µg/L	GE
0	Silica	< 278	µg/L	MT
0	Silica	< 278	µg/L	MT
0	Silver	< 2.0	µg/L	MT
0	Silver	< 2.0	µg/L	GE
0	Sodium	52	µg/L	MT
0	Sodium	63	µg/L	MT
0	Sodium	96	µg/L	GE
0	Sulfate	< 1000	µg/L	MT
0	Sulfate	< 1000	µg/L	MT
0	Sulfate	< 5000	µg/L	GE
0	Sulfide	< 1000	µg/L	MT
0	Sulfide	< 1000	µg/L	GE
0	Tetrachloroethylene	< 5.0	µg/L	MT
1	Tetrachloroethylene	1.0	µg/L	GE
0	Thallium	< 3.0	µg/L	MT
0	Thallium	< 2.0	µg/L	GE
0	Tin	< 1930	µg/L	MT
0	Tin	< 1930	µg/L	MT
0	Tin	< 2.0	µg/L	GE
0	Toluene	< 5.0	µg/L	MT
0	Toluene	< 1.0	µg/L	GE
0	Total carbon	< 1000	µg/L	MT
0	Total carbon	< 1000	µg/L	GE
0	Total dissolved solids	9000	µg/L	MT
0	Total dissolved solids	12000	µg/L	MT
0	Total dissolved solids	< 1000	µg/L	GE
0	Total hydrocarbons	< 1000	µg/L	GE
0	Total inorganic carbon	< 1000	µg/L	MT
0	Total inorganic carbon	< 1000	µg/L	GE
0	Total organic carbon	< 1000	µg/L	MT
0	Total organic carbon	< 1000	µg/L	GE
0	Total organic halogens	< 5.0	µg/L	MT

WELL BLANK collected on 02/01/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Total organic halogens	< 5.0	µg/L	MT
0	Total organic halogens	< 5.0	µg/L	GE
1	Total organic nitrogen	200	µg/L	GE
1	Total petroleum hydrocarbons	6380	µg/L	MT
0	Total phosphates	< 10	µg/L	MT
0	Total phosphates	< 50	µg/L	GE
0	Toxaphene	< 0.24	µg/L	MT
0	Toxaphene	< 1.0	µg/L	GE
0	trans-1,2-Dichloroethene	< 5.0	µg/L	MT
0	trans-1,2-Dichloroethene	< 1.0	µg/L	GE
0	trans-1,3-Dichloropropene	< 5.0	µg/L	MT
0	trans-1,3-Dichloropropene	< 1.0	µg/L	GE
0	Trichloroethylene	< 5.0	µg/L	MT
0	Trichloroethylene	< 1.0	µg/L	GE
0	Trichlorofluoromethane	< 5.0	µg/L	MT
0	Trichlorofluoromethane	< 1.0	µg/L	GE
0	Uranium	< 84	µg/L	MT
0	Uranium	< 84	µg/L	MT
0	Uranium	< 1000	µg/L	GE
0	Vanadium	< 3.0	µg/L	MT
0	Vanadium	< 3.0	µg/L	MT
0	Vanadium	< 20	µg/L	GE
0	Xylenes	< 5.0	µg/L	MT
0	Xylenes	< 2.0	µg/L	GE
0	Zinc	< 9.0	µg/L	MT
0	Zinc	10	µg/L	MT
0	Zinc	< 2.0	µg/L	GE
0	1,1-Dichloroethane	< 5.0	µg/L	MT
0	1,1-Dichloroethane	< 1.0	µg/L	GE
0	1,1-Dichloroethylene	< 5.0	µg/L	MT
0	1,1-Dichloroethylene	< 1.0	µg/L	GE
0	1,1,1-Trichloroethane	< 5.0	µg/L	MT
0	1,1,1-Trichloroethane	< 1.0	µg/L	GE
0	1,1,2-Trichloroethane	< 5.0	µg/L	MT
0	1,1,2-Trichloroethane	< 1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	< 5.0	µg/L	MT
0	1,1,2,2-Tetrachloroethane	< 1.0	µg/L	GE
0	1,2-Dichloroethane	< 5.0	µg/L	MT
0	1,2-Dichloroethane	< 1.0	µg/L	GE
0	1,2-Dichloropropane	< 5.0	µg/L	MT
0	1,2-Dichloropropane	< 1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	< 5.0	µg/L	MT
0	2-Chloroethyl vinyl ether	< 1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	< 0.46	µg/L	MT
0	(2,4-Dichlorophenoxy)acetic acid	< 0.30	µg/L	GE
0	2,4,5-TP (Silvex)	< 0.070	µg/L	MT
0	2,4,5-TP (Silvex)	< 0.090	µg/L	GE
0	Gross alpha	< 4.0	pCi/L	MT
0	Gross alpha	< 3.0	pCi/L	GE
0	Nonvolatile beta	< 4.0	pCi/L	MT
0	Nonvolatile beta	< 2.0	pCi/L	GE
0	Total radium	< 1.0	pCi/L	MT
0	Total radium	< 1.0	pCi/L	MT
0	Total radium	< 1.0	pCi/L	GE
0	Tritium	< 1.0	pCi/mL	MT
0	Tritium	< 1.0	pCi/mL	MT
0	Tritium	< 0.70	pCi/mL	GE

WELL BLANK

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/04/90
Depth to water: Not applicable
Water elevation: Not applicable
Sp. conductance: 1 µS/cm

Time: 13:45
pH: 5.1
Alkalinity: 1 mg/L
Water temperature: 25.0 C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.7	pH	MT
0	pH	5.7	pH	GE
0	Specific conductance	1.7	µS/cm	MT
0	Specific conductance	5.0	µS/cm	GE
0	Turbidity	0.36	NTU	MT
0	Turbidity	0.16	NTU	GE
0	Acetophenone	< 10	µg/L	GE
0	Aldrin	< 0.50	µg/L	GE
0	alpha-Benzene hexachloride	< 0.50	µg/L	GE
0	Aluminum	< 23	µg/L	MT
0	Aluminum	< 23	µg/L	MT
0	Aluminum	38	µg/L	GE
0	Ammonia	< 30	µg/L	MT
1	Ammonia	400	µg/L	GE
0	Antimony	< 3.0	µg/L	MT
0	Antimony	< 3.0	µg/L	GE
0	Arsenic	< 3.0	µg/L	MT

QUALITY CONTROL SAMPLES

WELL BLANK collected on 02/04/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Arsenic	<3.0	µg/L	MT
0	Arsenic	<2.0	µg/L	GE
0	Barium	<8.0	µg/L	MT
0	Barium	<8.0	µg/L	MT
0	Barium	<4.0	µg/L	GE
0	Benzene	<5.0	µg/L	MT
0	Benzene	<1.0	µg/L	GE
0	Beryllium	<2.0	µg/L	MT
0	Beryllium	<2.0	µg/L	MT
0	Beryllium	<5.0	µg/L	GE
0	beta-Benzene hexachloride	<0.50	µg/L	GE
0	Bis(2-ethylhexyl) phthalate	<10	µg/L	GE
0	Bromodichloromethane	<5.0	µg/L	MT
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<5.0	µg/L	MT
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<10	µg/L	MT
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<3.0	µg/L	MT
0	Cadmium	<3.0	µg/L	MT
0	Cadmium	<2.0	µg/L	GE
0	Calcium	<40	µg/L	MT
0	Calcium	94	µg/L	MT
0	Calcium	43	µg/L	GE
0	Carbon tetrachloride	<5.0	µg/L	MT
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chlordane	<0.50	µg/L	GE
0	Chloride	<250	µg/L	MT
0	Chloride	<250	µg/L	MT
0	Chloride	<1000	µg/L	GE
0	Chlorobenzene	<5.0	µg/L	MT
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<10	µg/L	MT
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<5.0	µg/L	MT
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<10	µg/L	MT
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<3.0	µg/L	MT
0	Chromium	<3.0	µg/L	MT
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<5.0	µg/L	MT
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<3.0	µg/L	MT
0	Cobalt	<3.0	µg/L	MT
1	Cobalt	7.3	µg/L	GE
0	Copper	<7.0	µg/L	MT
0	Copper	<7.0	µg/L	MT
0	Copper	<4.0	µg/L	GE
0	Cyanide	<5.0	µg/L	MT
0	Cyanide	<5.0	µg/L	GE
0	delta-Benzene hexachloride	<0.50	µg/L	GE
0	Di-n-octyl phthalate	<10	µg/L	GE
0	Dibromochloromethane	<5.0	µg/L	MT
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<5.0	µg/L	MT
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Dieldrin	<0.50	µg/L	GE
0	Diethyl phthalate	<10	µg/L	GE
0	Dissolved organic carbon	<1000	µg/L	MT
0	Dissolved organic carbon	<1000	µg/L	MT
0	Dissolved organic carbon	<1000	µg/L	GE
0	Endosulfan I	<0.50	µg/L	GE
0	Endosulfan II	<0.50	µg/L	GE
0	Endosulfan sulfate	<0.50	µg/L	GE
0	Endrin	<0.0060	µg/L	MT
0	Endrin	<0.10	µg/L	GE
0	Endrin aldehyde	<0.50	µg/L	GE
0	Ethylbenzene	<5.0	µg/L	MT
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<250	µg/L	MT
0	Fluoride	<250	µg/L	MT
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.0050	µg/L	MT
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Heptachlor	<0.50	µg/L	GE
0	Heptachlor epoxide	<0.50	µg/L	GE
0	Iodine	<50	µg/L	MT
0	Iodine	<100	µg/L	GE
0	Iron	<6.0	µg/L	MT
0	Iron	39	µg/L	MT
0	Iron	13	µg/L	GE
0	Lead	<3.0	µg/L	MT
0	Lead	<3.0	µg/L	MT
0	Lead	<6.0	µg/L	GE
0	Lithium	<26	µg/L	MT
0	Lithium	<26	µg/L	MT
0	Lithium	<5.0	µg/L	GE

WELL BLANK collected on 02/04/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Magnesium	<7.0	µg/L	MT
0	Magnesium	480	µg/L	MT
0	Magnesium	7.3	µg/L	GE
0	Manganese	13	µg/L	MT
0	Manganese	13	µg/L	MT
0	Manganese	<2.0	µg/L	GE
0	Mercury	<0.20	µg/L	MT
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	MT
0	Methoxychlor	<0.50	µg/L	GE
0	Naphthalene	<10	µg/L	GE
0	Nickel	<5.2	µg/L	MT
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	<200	µg/L	MT
0	Nitrate as nitrogen	<200	µg/L	MT
0	Nitrate as nitrogen	<50	µg/L	GE
0	Nitrite as nitrogen	<800	µg/L	MT
0	Nitrite as nitrogen	<800	µg/L	MT
0	Nitrite as nitrogen	<10.0	µg/L	GE
0	p,p'-DDD	<0.50	µg/L	GE
0	p,p'-DDE	<0.50	µg/L	GE
0	p,p'-DDT	<0.50	µg/L	GE
0	Phenols	<5.0	µg/L	MT
0	Phenols	<5.0	µg/L	GE
0	Potassium	<1620	µg/L	MT
0	Potassium	<1620	µg/L	MT
0	Potassium	<500	µg/L	GE
0	Selenium	<3.0	µg/L	MT
0	Selenium	<3.0	µg/L	MT
0	Selenium	<2.0	µg/L	GE
0	Silica	8580	µg/L	GE
0	Silica	<276	µg/L	MT
0	Silica	<276	µg/L	MT
0	Silver	<2.0	µg/L	MT
0	Silver	<2.0	µg/L	GE
0	Sodium	<22	µg/L	MT
0	Sodium	29	µg/L	MT
0	Sodium	2890	µg/L	GE
0	Sulfate	<1000	µg/L	MT
0	Sulfate	<1000	µg/L	MT
0	Sulfate	<5000	µg/L	GE
0	Sulfide	1740	µg/L	MT
0	Sulfide	<1000	µg/L	GE
0	Tetrachloroethylene	<5.0	µg/L	MT
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Thallium	<3.0	µg/L	MT
0	Thallium	<3.0	µg/L	MT
0	Thallium	<2.0	µg/L	GE
0	Tin	<1930	µg/L	MT
0	Tin	<1930	µg/L	MT
0	Tin	<2.0	µg/L	GE
0	Toluene	<5.0	µg/L	MT
0	Toluene	<1.0	µg/L	GE
0	Total carbon	<1000	µg/L	MT
1	Total carbon	1020	µg/L	MT
1	Total carbon	1000	µg/L	GE
0	Total dissolved solids	<1000	µg/L	MT
0	Total dissolved solids	2000	µg/L	GE
0	Total hydrocarbons	<1000	µg/L	GE
0	Total inorganic carbon	<1000	µg/L	MT
1	Total inorganic carbon	1090	µg/L	MT
0	Total inorganic carbon	<1000	µg/L	GE
0	Total organic carbon	<1000	µg/L	MT
0	Total organic carbon	<1000	µg/L	MT
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	MT
0	Total organic halogens	<5.0	µg/L	GE
1	Total organic nitrogen	45	µg/L	MT
1	Total organic nitrogen	200	µg/L	GE
1	Total petroleum hydrocarbons	8650	µg/L	MT
0	Total phosphates	<10	µg/L	MT
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<0.24	µg/L	MT
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<5.0	µg/L	MT
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<5.0	µg/L	MT
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<5.0	µg/L	MT
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<5.0	µg/L	MT
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<84	µg/L	MT
0	Uranium	<84	µg/L	MT
0	Uranium	<1000	µg/L	GE
0	Vanadium	<3.0	µg/L	MT
0	Vanadium	<3.0	µg/L	MT
0	Vanadium	<20	µg/L	GE
0	Xylenes	<5.0	µg/L	MT

QUALITY CONTROL SAMPLES

WELL BLANK collected on 02/04/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Xylenes	<2.0	µg/L	GE
0	Zinc	<8.0	µg/L	MT
0	Zinc	<8.0	µg/L	MT
0	Zinc	<2.0	µg/L	GE
0	1,1-Dichloroethane	<5.0	µg/L	MT
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<5.0	µg/L	MT
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<5.0	µg/L	MT
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<5.0	µg/L	MT
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<5.0	µg/L	MT
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<5.0	µg/L	MT
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<5.0	µg/L	MT
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<5.0	µg/L	MT
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.48	µg/L	MT
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.070	µg/L	MT
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	<3.0	pCi/L	MT
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	<5.0	pCi/L	MT
0	Nonvolatile beta	3.4 ± 1.4	pCi/L	GE
0	Total radium	<1.0	pCi/L	MT
0	Total radium	<1.0	pCi/L	GE
0	Tridium	<1.0	pCi/mL	MT
0	Tridium	<0.70	pCi/mL	GE

WELL BLANK

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/08/90
Depth to water: Not applicable
Water elevation: Not applicable
Sp. conductance: 1 µS/cm

Time: 10:10
pH: 5.4
Alkalinity: 1 mg/L
Water temperature: 22.9°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.9	pH	MT
0	pH	5.6	pH	GE
0	Specific conductance	1.6	µS/cm	MT
0	Specific conductance	3.0	µS/cm	GE
0	Turbidity	0.28	NTU	MT
0	Turbidity	0.25	NTU	GE
0	Acetophenone	<10	µg/L	GE
0	Aldrin	<0.50	µg/L	GE
0	alpha-Benzene hexachloride	<0.50	µg/L	GE
0	Aluminum	<23	µg/L	MT
0	Aluminum	<20	µg/L	GE
0	Ammonia	<30	µg/L	MT
0	Ammonia	<30	µg/L	GE
1	Ammonia	400	µg/L	GE
0	Antimony	<3.0	µg/L	MT
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<3.0	µg/L	MT
0	Arsenic	<2.0	µg/L	GE
0	Barium	<8.0	µg/L	MT
0	Barium	<4.0	µg/L	GE
0	Benzene	<5.0	µg/L	MT
0	Benzene	<1.0	µg/L	GE
0	Beryllium	<2.0	µg/L	MT
0	Beryllium	<5.0	µg/L	GE
0	beta-Benzene hexachloride	<0.50	µg/L	GE
0	Bis(2-ethylhexyl) phthalate	<10	µg/L	GE
0	Bromodichloromethane	<5.0	µg/L	MT
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<5.0	µg/L	MT
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<10	µg/L	MT
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<3.0	µg/L	MT
0	Cadmium	<2.0	µg/L	GE
0	Calcium	51	µg/L	MT
0	Calcium	25	µg/L	GE
0	Carbon tetrachloride	<5.0	µg/L	MT
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chlordane	<0.50	µg/L	GE
0	Chloride	<250	µg/L	MT
0	Chloride	<1000	µg/L	GE
0	Chlorobenzene	<5.0	µg/L	MT

WELL BLANK collected on 02/08/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<10	µg/L	MT
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<5.0	µg/L	MT
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<10	µg/L	MT
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<3.0	µg/L	MT
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<5.0	µg/L	MT
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<15	µg/L	MT
0	Cobalt	<4.0	µg/L	GE
0	Copper	<7.0	µg/L	MT
0	Copper	<4.0	µg/L	GE
0	Cyanide	<5.0	µg/L	MT
0	Cyanide	<5.0	µg/L	GE
0	Cyanide	<5.0	µg/L	MT
0	delta-Benzene hexachloride	<0.50	µg/L	GE
0	Di-n-octyl phthalate	<10	µg/L	GE
0	Dibromochloromethane	<5.0	µg/L	MT
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<5.0	µg/L	MT
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Dieldrin	<0.50	µg/L	GE
0	Diethyl phthalate	<10	µg/L	GE
0	Dissolved organic carbon	<1000	µg/L	MT
0	Dissolved organic carbon	<1000	µg/L	GE
0	Endosulfan I	<0.50	µg/L	GE
0	Endosulfan II	<0.50	µg/L	GE
0	Endosulfan sulfate	<0.50	µg/L	GE
0	Endrin	<0.0080	µg/L	MT
0	Endrin	<0.10	µg/L	GE
0	Endrin aldehyde	<0.50	µg/L	GE
0	Ethylbenzene	<5.0	µg/L	MT
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<250	µg/L	MT
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.0050	µg/L	MT
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Heptachlor	<0.50	µg/L	GE
0	Heptachlor epoxide	<0.50	µg/L	GE
0	Iodine	<50	µg/L	MT
0	Iodine	<100	µg/L	GE
0	Iron	14	µg/L	MT
0	Iron	14	µg/L	GE
0	Lead	<3.0	µg/L	MT
2	Lead	28	µg/L	GE
0	Lithium	<28	µg/L	MT
0	Lithium	<5.0	µg/L	GE
0	Magnesium	41	µg/L	MT
0	Magnesium	2.4	µg/L	GE
0	Manganese	<2.0	µg/L	MT
0	Manganese	<2.0	µg/L	GE
0	Mercury	<0.20	µg/L	MT
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	MT
0	Methoxychlor	<0.50	µg/L	GE
0	Naphthalene	<10	µg/L	GE
0	Nickel	<5.2	µg/L	MT
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	<200	µg/L	MT
0	Nitrate as nitrogen	<50	µg/L	GE
0	Nitrite as nitrogen	<800	µg/L	MT
0	Nitrite as nitrogen	<10.0	µg/L	GE
0	Nitrite as nitrogen	<0.50	µg/L	GE
0	p,p'-DDD	<0.50	µg/L	GE
0	p,p'-DDE	<0.50	µg/L	GE
0	p,p'-DDT	<0.50	µg/L	GE
0	Phenols	<5.0	µg/L	MT
0	Phenols	<5.0	µg/L	MT
0	Phenols	<5.0	µg/L	GE
0	Potassium	<1820	µg/L	MT
0	Potassium	<500	µg/L	GE
0	Selenium	<3.0	µg/L	MT
0	Selenium	<2.0	µg/L	GE
0	Silica	244	µg/L	GE
0	Silica	<278	µg/L	MT
0	Silver	<2.0	µg/L	MT
0	Silver	<2.0	µg/L	GE
0	Sodium	<22	µg/L	MT
0	Sodium	304	µg/L	GE
0	Sulfate	1000	µg/L	MT
0	Sulfate	<5000	µg/L	GE
0	Sulfide	1500	µg/L	MT
0	Sulfide	<1000	µg/L	GE
0	Tetrachloroethylene	<5.0	µg/L	MT
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Thallium	<3.0	µg/L	MT

QUALITY CONTROL SAMPLES

WELL BLANK collected on 02/08/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Thallium	<2.0	µg/L	GE
0	Tin	<1930	µg/L	MT
0	Tin	<2.0	µg/L	GE
0	Toluene	<5.0	µg/L	MT
0	Toluene	<1.0	µg/L	GE
0	Total carbon	<1000	µg/L	MT
0	Total carbon	<1000	µg/L	GE
0	Total dissolved solids	14000	µg/L	MT
0	Total dissolved solids	3000	µg/L	GE
0	Total hydrocarbons	<1000	µg/L	GE
0	Total inorganic carbon	<1000	µg/L	MT
0	Total inorganic carbon	<1000	µg/L	GE
0	Total organic carbon	<1000	µg/L	MT
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	MT
0	Total organic halogens	<5.0	µg/L	GE
1	Total organic nitrogen	48	µg/L	MT
1	Total organic nitrogen	32	µg/L	MT
1	Total organic nitrogen	200	µg/L	GE
0	Total petroleum hydrocarbons	<2000	µg/L	MT
0	Total phosphates	<10	µg/L	MT
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<0.24	µg/L	MT
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<5.0	µg/L	MT
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<5.0	µg/L	MT
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<5.0	µg/L	MT
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<5.0	µg/L	MT
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<84	µg/L	MT
0	Uranium	<1000	µg/L	GE
0	Vanadium	<3.0	µg/L	MT
0	Vanadium	<20	µg/L	GE
0	Xylenes	<5.0	µg/L	MT
0	Xylenes	<2.0	µg/L	GE
0	Zinc	<9.0	µg/L	MT
0	Zinc	<2.0	µg/L	GE
0	1,1-Dichloroethane	<5.0	µg/L	MT
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<5.0	µg/L	MT
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<5.0	µg/L	MT
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<5.0	µg/L	MT
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<5.0	µg/L	MT
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<5.0	µg/L	MT
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<5.0	µg/L	MT
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<5.0	µg/L	MT
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.48	µg/L	MT
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.070	µg/L	MT
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	<2.0	pCi/L	MT
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	<4.0	pCi/L	MT
0	Nonvolatile beta	4.4 ± 1.5	pCi/L	GE
0	Total radium	<1.0	pCi/L	MT
0	Total radium	<1.0	pCi/L	MT
1	Total radium	3.1 ± 2.6	pCi/L	GE
0	Tritium	<1.0	pCi/mL	MT
0	Tritium	<0.70	pCi/mL	GE

WELL BLANK

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/10/90
 Depth to water: Not applicable
 Water elevation: Not applicable
 Sp. conductance: 1 µS/cm
 Time: 14:35
 pH: 6.5
 Alkalinity: 1 mg/L
 Water temperature: 23.1°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	6.8	pH	MT
1	pH	7.1	pH	GE
0	Specific conductance	2.2	µS/cm	MT
0	Specific conductance	5.0	µS/cm	GE
0	Turbidity	0.29	NTU	MT
0	Turbidity	0.25	NTU	MT
0	Turbidity	<0.20	NTU	GE
0	Acetophenone	<10	µg/L	GE
0	Aldrin	<0.50	µg/L	GE
0	alpha-Benzene hexachloride	<0.50	µg/L	GE
0	Aluminum	<23	µg/L	MT
0	Aluminum	<20	µg/L	GE
0	Ammonia	<30	µg/L	MT
1	Ammonia	200	µg/L	GE
0	Antimony	<3.0	µg/L	MT
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<3.0	µg/L	MT
0	Arsenic	<2.0	µg/L	GE
0	Barium	<8.0	µg/L	MT
0	Barium	<4.0	µg/L	GE
0	Benzene	<5.0	µg/L	MT
0	Benzene	<1.0	µg/L	GE
0	Beryllium	<2.0	µg/L	MT
0	Beryllium	<5.0	µg/L	GE
0	beta-Benzene hexachloride	<0.50	µg/L	GE
0	Bis(2-ethylhexyl) phthalate	<10	µg/L	GE
0	Bromodichloromethane	<5.0	µg/L	MT
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<5.0	µg/L	MT
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<10	µg/L	MT
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<3.0	µg/L	MT
0	Cadmium	<2.0	µg/L	GE
0	Calcium	87	µg/L	MT
0	Calcium	111	µg/L	GE
0	Carbon tetrachloride	<5.0	µg/L	MT
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chlordane	<0.50	µg/L	GE
0	Chloride	<250	µg/L	MT
0	Chloride	<250	µg/L	MT
0	Chloride	<1000	µg/L	GE
0	Chlorobenzene	<5.0	µg/L	MT
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<10	µg/L	MT
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<5.0	µg/L	MT
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<10	µg/L	MT
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
1	Chromium	8.5	µg/L	MT
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<5.0	µg/L	MT
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<15	µg/L	MT
0	Cobalt	<4.0	µg/L	GE
0	Copper	<7.0	µg/L	MT
0	Copper	<4.0	µg/L	GE
0	Cyanide	<5.0	µg/L	MT
0	Cyanide	<5.0	µg/L	GE
0	delta-Benzene hexachloride	<0.50	µg/L	GE
0	Di-n-octyl phthalate	<10	µg/L	GE
0	Dibromochloromethane	<5.0	µg/L	MT
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<5.0	µg/L	MT
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Dieldrin	<0.50	µg/L	GE
0	Diethyl phthalate	<10	µg/L	GE
1	Dissolved organic carbon	1030	µg/L	MT
0	Dissolved organic carbon	<1000	µg/L	GE
0	Endosulfan I	<0.50	µg/L	GE
0	Endosulfan II	<0.50	µg/L	GE
0	Endosulfan sulfate	<0.50	µg/L	GE
0	Endrin	<0.0060	µg/L	MT
0	Endrin	<0.10	µg/L	GE
0	Endrin aldehyde	<0.50	µg/L	GE
0	Ethylbenzene	<5.0	µg/L	MT
0	Ethylbenzene	<1.0	µg/L	GE

QUALITY CONTROL SAMPLES

WELL BLANK collected on 02/10/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Fluoride	<250	µg/L	MT
0	Fluoride	<250	µg/L	MT
0	Fluoride	100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.0050	µg/L	MT
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Heptachlor	<0.50	µg/L	GE
0	Heptachlor epoxide	<0.50	µg/L	GE
0	Iodine	<50	µg/L	MT
0	Iodine	<50	µg/L	MT
0	Iodine	<100	µg/L	GE
0	Iron	32	µg/L	MT
0	Iron	35	µg/L	GE
0	Lead	<3.0	µg/L	MT
0	Lead	<8.0	µg/L	GE
0	Lithium	<26	µg/L	MT
0	Lithium	<5.0	µg/L	GE
0	Magnesium	26	µg/L	MT
0	Magnesium	6.0	µg/L	GE
0	Manganese	<2.0	µg/L	MT
0	Manganese	<2.0	µg/L	GE
0	Mercury	<0.20	µg/L	MT
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	MT
0	Methoxychlor	<0.50	µg/L	GE
0	Naphthalene	<10	µg/L	GE
0	Nickel	7.4	µg/L	MT
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	<200	µg/L	MT
0	Nitrate as nitrogen	<200	µg/L	MT
0	Nitrate as nitrogen	<50	µg/L	GE
0	Nitrite as nitrogen	<800	µg/L	MT
0	Nitrite as nitrogen	<800	µg/L	MT
0	Nitrite as nitrogen	<10.0	µg/L	GE
0	p,p'-DDD	<0.50	µg/L	GE
0	p,p'-DDE	<0.50	µg/L	GE
0	p,p'-DDT	<0.50	µg/L	GE
0	Phenols	<5.0	µg/L	MT
0	Phenols	<5.0	µg/L	GE
0	Potassium	2240	µg/L	MT
0	Potassium	<500	µg/L	GE
0	Selenium	<3.0	µg/L	MT
0	Selenium	<2.0	µg/L	GE
0	Silica	308	µg/L	GE
0	Silica	<278	µg/L	MT
0	Silver	<2.0	µg/L	MT
0	Silver	<2.0	µg/L	GE
0	Sodium	33	µg/L	MT
0	Sodium	287	µg/L	GE
0	Sulfate	<1000	µg/L	MT
0	Sulfate	<1000	µg/L	MT
0	Sulfate	<5000	µg/L	GE
0	Sulfide	1600	µg/L	MT
0	Sulfide	<1000	µg/L	GE
0	Tetrachloroethylene	<5.0	µg/L	MT
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Thallium	<3.0	µg/L	MT
0	Thallium	<2.0	µg/L	GE
0	Tin	<1930	µg/L	MT
0	Tin	<2.0	µg/L	GE
0	Toluene	<5.0	µg/L	MT
0	Toluene	<1.0	µg/L	GE
1	Total carbon	1290	µg/L	MT
0	Total carbon	<1000	µg/L	GE
0	Total dissolved solids	4000	µg/L	MT
0	Total dissolved solids	2000	µg/L	MT
0	Total dissolved solids	<1000	µg/L	GE
0	Total hydrocarbons	<1000	µg/L	GE
0	Total inorganic carbon	<1000	µg/L	MT
0	Total inorganic carbon	<1000	µg/L	GE
0	Total organic carbon	1170	µg/L	MT
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	MT
0	Total organic halogens	<5.0	µg/L	MT
0	Total organic halogens	<5.0	µg/L	GE
1	Total organic nitrogen	32	µg/L	MT
1	Total organic nitrogen	200	µg/L	GE
0	Total petroleum hydrocarbons	<2000	µg/L	MT
0	Total phosphates	22	µg/L	MT
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<0.24	µg/L	MT
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<5.0	µg/L	MT
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<5.0	µg/L	MT
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<5.0	µg/L	MT
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<5.0	µg/L	MT
0	Trichlorofluoromethane	<1.0	µg/L	GE

WELL BLANK collected on 02/10/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Uranium	<84	µg/L	MT
0	Uranium	<1000	µg/L	GE
0	Vanadium	<3.0	µg/L	MT
0	Vanadium	<20	µg/L	GE
0	Xylenes	<5.0	µg/L	MT
0	Xylenes	<2.0	µg/L	GE
0	Zinc	<9.0	µg/L	MT
0	Zinc	2.2	µg/L	GE
0	1,1-Dichloroethane	<5.0	µg/L	MT
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<5.0	µg/L	MT
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<5.0	µg/L	MT
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<5.0	µg/L	MT
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<5.0	µg/L	MT
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<5.0	µg/L	MT
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chlorovinyl vinyl ether	<5.0	µg/L	MT
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.48	µg/L	MT
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
1	2,4,5-TP (Silvex)	0.16	µg/L	MT
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Americium-241	<0.20	pCi/L	TE
1	Americium-243	0.40±0.30	pCi/L	TE
0	Barium-140	<10	pCi/L	TE
0	Beryllium-7	<40	pCi/L	TE
1	Carbon-14	24±6.0	pCi/L	TE
0	Cerium-141	<8.0	pCi/L	TE
0	Cerium-144	<30	pCi/L	TE
0	Cesium-134	<3.0	pCi/L	TE
0	Cesium-137	<4.0	pCi/L	TE
0	Cobalt-58	<3.0	pCi/L	TE
0	Cobalt-60	<3.0	pCi/L	TE
1	Curium-242	0.23±0.18	pCi/L	TE
1	Curium-243/244	1.8±0.50	pCi/L	TE
0	Curium-248	<0.20	pCi/L	TE
0	Gross alpha	<3.0	pCi/L	MT
0	Gross alpha	<3.0	pCi/L	GE
0	Gross alpha	<1.0	pCi/L	TE
0	Iodine-129	<2.0	pCi/L	TE
0	Iodine-131	<30	pCi/L	TE
0	Iron-55	<80	pCi/L	TE
0	Iron-59	<8.0	pCi/L	TE
0	Manganese-54	<3.0	pCi/L	TE
0	Nickel-59	<80	pCi/L	TE
1	Nickel-63	15±7.0	pCi/L	TE
0	Nonvolatile beta	<5.0	pCi/L	MT
0	Nonvolatile beta	3.7±1.4	pCi/L	GE
0	Nonvolatile beta	<1.0	pCi/L	TE
0	Plutonium-238	<0.50	pCi/L	TE
0	Plutonium-239/240	<0.20	pCi/L	TE
0	Plutonium-242	<0.20	pCi/L	TE
0	Potassium-40	<50	pCi/L	TE
0	Radium-226	<70	pCi/L	TE
0	Radium-226	<1.0	pCi/L	TE
0	Radium-228	<0.80	pCi/L	TE
0	Ruthenium-103	<5.0	pCi/L	TE
0	Ruthenium-106	<30	pCi/L	TE
0	Strontium-88	<4.0	pCi/L	TE
0	Strontium-90	<0.90	pCi/L	TE
0	Technetium-99	<4.0	pCi/L	TE
0	Thorium-228	<8.0	pCi/L	TE
0	Thorium-228	<0.20	pCi/L	TE
1	Thorium-230	0.95±0.76	pCi/L	TE
1	Thorium-232	1.1±0.60	pCi/L	TE
0	Total radium	<1.0	pCi/L	MT
0	Total radium	1.0±1.9	pCi/L	GE
0	Tritium	<1.0	pCi/ml	MT
0	Tritium	<0.70	pCi/ml	GE
0	Tritium	<2.0	pCi/ml	TE
0	Uranium-234	<0.090	pCi/L	TE
0	Uranium-235	<0.080	pCi/L	TE
0	Uranium-238	<0.080	pCi/L	TE
0	Zinc-65	<7.0	pCi/L	TE
0	Zirconium-95	<4.0	pCi/L	TE

QUALITY CONTROL SAMPLES

WELL BLANK

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/14/90
Depth to water: Not applicable
Water elevation: Not applicable
Sp. conductance: 1 µS/cm

Time: 8:55
pH: 5.5
Alkalinity: 1 mg/L
Water temperature: 22.3°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.7	pH	MT
0	pH	5.7	pH	MT
0	pH	5.8	pH	GE
0	Specific conductance	2.3	µS/cm	MT
0	Specific conductance	2.3	µS/cm	MT
0	Specific conductance	10	µS/cm	GE
0	Turbidity	0.31	NTU	MT
0	Turbidity	0.32	NTU	MT
0	Turbidity	0.70	NTU	GE
0	Acetophenone	< 10	µg/L	GE
0	Aldrin	< 0.50	µg/L	GE
0	alpha-Benzene hexachloride	< 0.50	µg/L	GE
0	Aluminum	< 23	µg/L	MT
0	Aluminum	< 20	µg/L	GE
0	Ammonia	< 30	µg/L	MT
1	Ammonia	200	µg/L	GE
0	Antimony	< 3.0	µg/L	MT
0	Antimony	< 3.0	µg/L	GE
0	Arsenic	< 3.0	µg/L	MT
0	Arsenic	< 2.0	µg/L	GE
0	Barium	< 8.0	µg/L	MT
0	Barium	< 4.0	µg/L	GE
0	Benzene	< 5.0	µg/L	MT
0	Benzene	< 1.0	µg/L	GE
0	Beryllium	< 2.0	µg/L	MT
0	Beryllium	< 5.0	µg/L	GE
0	beta-Benzene hexachloride	< 0.50	µg/L	GE
0	Bis(2-ethylhexyl) phthalate	< 10	µg/L	GE
0	Bromodichloromethane	< 5.0	µg/L	MT
0	Bromodichloromethane	< 1.0	µg/L	GE
0	Bromoform	< 5.0	µg/L	MT
0	Bromoform	< 1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	< 10	µg/L	MT
0	Bromomethane (Methyl bromide)	< 1.0	µg/L	GE
0	Cadmium	< 3.0	µg/L	MT
0	Cadmium	< 2.0	µg/L	GE
0	Calcium	< 40	µg/L	MT
0	Calcium	23	µg/L	GE
0	Carbon tetrachloride	< 5.0	µg/L	MT
0	Carbon tetrachloride	< 1.0	µg/L	GE
0	Chlordane	< 0.50	µg/L	GE
0	Chloride	< 250	µg/L	MT
0	Chloride	< 250	µg/L	MT
0	Chloride	< 1000	µg/L	GE
0	Chlorobenzene	< 5.0	µg/L	MT
0	Chlorobenzene	< 1.0	µg/L	GE
0	Chloroethane	< 10	µg/L	MT
0	Chloroethane	< 1.0	µg/L	GE
0	Chloroethane (Vinyl chloride)	< 1.0	µg/L	GE
0	Chloroform	< 5.0	µg/L	MT
0	Chloroform	< 1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	< 10	µg/L	MT
0	Chloromethane (Methyl chloride)	< 1.0	µg/L	GE
2	Chromium	888	µg/L	MT
1	Chromium	5.8	µg/L	GE
0	cis-1,3-Dichloropropene	< 5.0	µg/L	MT
0	cis-1,3-Dichloropropene	< 1.0	µg/L	GE
0	Cobalt	< 15	µg/L	MT
0	Cobalt	< 4.0	µg/L	GE
0	Copper	7.1	µg/L	MT
0	Copper	< 4.0	µg/L	GE
0	Cyanide	< 5.0	µg/L	MT
0	Cyanide	< 5.0	µg/L	MT
0	Cyanide	< 5.0	µg/L	GE
0	delta-Benzene hexachloride	< 0.50	µg/L	GE
0	Di-n-octyl phthalate	< 10	µg/L	GE
0	Dibromochloromethane	< 5.0	µg/L	MT
0	Dibromochloromethane	< 1.0	µg/L	GE
1	Dichloromethane (Methylene chloride)	8.0	µg/L	MT
0	Dichloromethane (Methylene chloride)	< 1.0	µg/L	GE
0	Dieldrin	< 0.50	µg/L	GE
0	Diethyl phthalate	< 10	µg/L	GE
0	Dissolved organic carbon	< 1000	µg/L	MT
0	Dissolved organic carbon	< 1000	µg/L	GE
0	Endosulfan I	< 0.50	µg/L	GE
0	Endosulfan II	< 0.50	µg/L	GE
0	Endosulfan sulfate	< 0.50	µg/L	GE
0	Endrin	< 0.0080	µg/L	MT
0	Endrin	< 0.10	µg/L	GE

WELL BLANK collected on 02/14/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Endrin aldehyde	< 0.50	µg/L	GE
0	Ethylbenzene	< 5.0	µg/L	MT
0	Ethylbenzene	< 1.0	µg/L	GE
0	Fluoride	< 250	µg/L	MT
0	Fluoride	< 250	µg/L	MT
0	Fluoride	< 100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	0.0080	µg/L	MT
0	gamma-Benzene hexachloride (Lindane)	< 0.050	µg/L	GE
0	Heptachlor	< 0.50	µg/L	GE
0	Heptachlor epoxide	< 0.50	µg/L	GE
0	Iodine	< 50	µg/L	MT
0	Iodine	< 50	µg/L	MT
0	Iodine	< 100	µg/L	GE
2	Iron	2440	µg/L	MT
0	Iron	145	µg/L	GE
0	Lead	< 3.0	µg/L	MT
0	Lead	< 8.0	µg/L	GE
0	Lithium	< 28	µg/L	MT
0	Lithium	< 5.0	µg/L	GE
0	Magnesium	< 7.0	µg/L	MT
0	Magnesium	28	µg/L	GE
2	Manganese	53	µg/L	MT
0	Manganese	< 2.0	µg/L	GE
0	Mercury	< 0.20	µg/L	MT
0	Mercury	< 0.20	µg/L	GE
0	Methoxychlor	< 0.50	µg/L	MT
0	Methoxychlor	< 0.50	µg/L	GE
0	Naphthalene	< 10	µg/L	GE
1	Nickel	11	µg/L	MT
0	Nickel	< 4.0	µg/L	GE
0	Nitrate as nitrogen	< 200	µg/L	MT
0	Nitrate as nitrogen	< 200	µg/L	MT
0	Nitrate as nitrogen	< 50	µg/L	GE
0	Nitrite as nitrogen	< 800	µg/L	MT
0	Nitrite as nitrogen	< 800	µg/L	MT
0	Nitrite as nitrogen	< 10.0	µg/L	GE
0	p,p'-DDD	< 0.50	µg/L	GE
0	p,p'-DDE	< 0.50	µg/L	GE
0	p,p'-DDT	< 0.50	µg/L	GE
0	Phenols	< 5.0	µg/L	MT
0	Phenols	< 5.0	µg/L	GE
0	Potassium	1770	µg/L	MT
0	Potassium	< 500	µg/L	GE
0	Selenium	< 3.0	µg/L	MT
0	Selenium	< 2.0	µg/L	GE
0	Silica	372	µg/L	GE
0	Silica	< 278	µg/L	MT
0	Silver	< 2.0	µg/L	MT
0	Silver	< 2.0	µg/L	GE
0	Sodium	24	µg/L	MT
0	Sodium	60	µg/L	GE
0	Sulfate	< 1000	µg/L	MT
0	Sulfate	< 1000	µg/L	MT
0	Sulfate	< 5000	µg/L	GE
0	Sulfide	1800	µg/L	MT
0	Sulfide	1780	µg/L	MT
0	Sulfide	< 1000	µg/L	GE
0	Tetrachloroethylene	< 5.0	µg/L	MT
0	Tetrachloroethylene	< 1.0	µg/L	GE
0	Thallium	< 3.0	µg/L	MT
0	Thallium	< 2.0	µg/L	GE
0	Tin	< 1930	µg/L	MT
0	Tin	< 2.0	µg/L	GE
0	Toluene	< 5.0	µg/L	MT
0	Toluene	< 1.0	µg/L	GE
0	Total carbon	< 1000	µg/L	MT
1	Total carbon	3000	µg/L	GE
0	Total dissolved solids	8000	µg/L	MT
0	Total dissolved solids	3000	µg/L	GE
0	Total hydrocarbons	< 1000	µg/L	GE
0	Total inorganic carbon	< 1000	µg/L	MT
1	Total inorganic carbon	1000	µg/L	GE
0	Total organic carbon	< 1000	µg/L	MT
0	Total organic carbon	< 1000	µg/L	GE
0	Total organic halogens	< 5.0	µg/L	MT
0	Total organic halogens	8.0	µg/L	GE
1	Total organic nitrogen	48	µg/L	MT
1	Total organic nitrogen	520	µg/L	GE
0	Total petroleum hydrocarbons	< 2000	µg/L	MT
0	Total phosphates	11	µg/L	MT
0	Total phosphates	< 50	µg/L	GE
0	Toxaphene	< 0.24	µg/L	MT
0	Toxaphene	< 1.0	µg/L	GE
0	trans-1,2-Dichloroethene	< 5.0	µg/L	MT
0	trans-1,2-Dichloroethene	< 1.0	µg/L	GE
0	trans-1,3-Dichloropropene	< 5.0	µg/L	MT
0	trans-1,3-Dichloropropene	< 1.0	µg/L	GE
0	Trichloroethylene	< 5.0	µg/L	MT
0	Trichloroethylene	< 1.0	µg/L	GE

QUALITY CONTROL SAMPLES

WELL BLANK collected on 02/14/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Trichlorofluoromethane	<5.0	µg/L	MT
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<64	µg/L	MT
0	Uranium	<1000	µg/L	GE
0	Vanadium	<3.0	µg/L	MT
0	Vanadium	<20	µg/L	GE
0	Xylenes	<5.0	µg/L	MT
0	Xylenes	<2.0	µg/L	GE
0	Zinc	<9.0	µg/L	MT
0	Zinc	4.0	µg/L	GE
0	1,1-Dichloroethane	<5.0	µg/L	MT
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<5.0	µg/L	MT
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<5.0	µg/L	MT
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<5.0	µg/L	MT
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<5.0	µg/L	MT
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<5.0	µg/L	MT
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<5.0	µg/L	MT
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<5.0	µg/L	MT
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.48	µg/L	MT
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.070	µg/L	MT
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
1	Americium-241	0.48 ± 0.35	pCi/L	TE
0	Americium-243	<0.20	pCi/L	TE
0	Barium-140	<10	pCi/L	TE
0	Beryllium-7	<30	pCi/L	TE
0	Carbon-14	<10	pCi/L	TE
0	Cerium-141	<7.0	pCi/L	TE
0	Cerium-144	<20	pCi/L	TE
0	Cesium-134	<3.0	pCi/L	TE
0	Cesium-137	<3.0	pCi/L	TE
0	Cobalt-58	<3.0	pCi/L	TE
0	Cobalt-60	<3.0	pCi/L	TE
0	Curium-242	<0.10	pCi/L	TE
0	Curium-243/244	<0.30	pCi/L	TE
0	Curium-246	<0.20	pCi/L	TE
0	Gross alpha	<3.0	pCi/L	MT
0	Gross alpha	2.5 ± 1.9	pCi/L	MT
0	Gross alpha	<3.0	pCi/L	GE
0	Gross alpha	<1.0	pCi/L	TE
0	Iodine-129	<1.0	pCi/L	TE
0	Iodine-131	<20	pCi/L	TE
0	Iron-55	<60	pCi/L	TE
0	Iron-59	<7.0	pCi/L	TE
0	Manganese-54	<3.0	pCi/L	TE
0	Nickel-59	<80	pCi/L	TE
0	Nickel-63	<10	pCi/L	TE
0	Nonvolatile beta	<5.0	pCi/L	MT
0	Nonvolatile beta	9.0 ± 3.2	pCi/L	MT
0	Nonvolatile beta	5.2 ± 1.7	pCi/L	GE
0	Nonvolatile beta	<1.0	pCi/L	TE
0	Plutonium-238	<0.30	pCi/L	TE
0	Plutonium-239/240	<0.10	pCi/L	TE
0	Plutonium-242	<0.080	pCi/L	TE
0	Potassium-40	<40	pCi/L	TE
0	Radium-226	<60	pCi/L	TE
0	Radium-226	<1.0	pCi/L	TE
0	Radium-228	<0.80	pCi/L	TE
0	Ruthenium-103	<4.0	pCi/L	TE
0	Ruthenium-106	<20	pCi/L	TE
0	Strontium-89	<6.0	pCi/L	TE
0	Strontium-90	<1.0	pCi/L	TE
0	Technetium-99	<5.0	pCi/L	TE
0	Thorium-228	<5.0	pCi/L	TE
0	Thorium-228	<0.20	pCi/L	TE
0	Thorium-230	<0.050	pCi/L	TE
1	Thorium-232	0.78 ± 0.20	pCi/L	TE
0	Total radium	<1.0	pCi/L	MT
0	Total radium	<1.0	pCi/L	MT
0	Total radium	1.7 ± 2.3	pCi/L	GE
0	Tritium	<1.0	pCi/mL	MT
0	Tritium	<1.0	pCi/mL	MT
0	Tritium	<0.70	pCi/mL	GE
0	Tritium	<2.0	pCi/mL	TE
1	Uranium-234	3.7 ± 1.8	pCi/L	TE
0	Uranium-235	<0.30	pCi/L	TE
0	Uranium-238	<0.70	pCi/L	TE
0	Zinc-65	<6.0	pCi/L	TE
0	Zirconium-95	<3.0	pCi/L	TE

WELL BLANK

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/18/90
Depth to water: Not applicable
Water elevation: Not applicable
Sp. conductance: 1 µS/cm

Time: 17:00
pH: 5.2
Alkalinity: 1 mg/L
Water temperature: 18.8°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Americium-241	<0.20	pCi/L	TE
1	Americium-243	0.42 ± 0.38	pCi/L	TE
0	Barium-140	<9.0	pCi/L	TE
0	Beryllium-7	<30	pCi/L	TE
0	Carbon-14	<6.0	pCi/L	TE
0	Cerium-141	<7.0	pCi/L	TE
0	Cerium-144	<20	pCi/L	TE
0	Cesium-134	<3.0	pCi/L	TE
0	Cesium-137	<3.0	pCi/L	TE
0	Cobalt-58	<3.0	pCi/L	TE
0	Cobalt-60	<3.0	pCi/L	TE
0	Curium-242	<0.10	pCi/L	TE
1	Curium-243/244	1.0 ± 0.60	pCi/L	TE
0	Curium-246	<0.20	pCi/L	TE
0	Gross alpha	<1.0	pCi/L	TE
0	Iodine-129	<2.0	pCi/L	TE
0	Iodine-131	<20	pCi/L	TE
0	Iron-55	<60	pCi/L	TE
0	Iron-59	<7.0	pCi/L	TE
0	Manganese-54	<3.0	pCi/L	TE
0	Neptunium-237	<8.0	pCi/L	TE
0	Nickel-59	<100	pCi/L	TE
0	Nickel-63	<10	pCi/L	TE
0	Nonvolatile beta	<1.0	pCi/L	TE
0	Plutonium-238	<0.080	pCi/L	TE
0	Plutonium-239/240	<0.070	pCi/L	TE
0	Plutonium-242	<0.070	pCi/L	TE
0	Potassium-40	<50	pCi/L	TE
0	Radium-226	<70	pCi/L	TE
0	Radium-226	<1.0	pCi/L	TE
0	Radium-228	<2.0	pCi/L	TE
0	Ruthenium-103	<4.0	pCi/L	TE
0	Ruthenium-106	<20	pCi/L	TE
1	Strontium-89	45 ± 5.0	pCi/L	TE
1	Strontium-90	1.1 ± 0.80	pCi/L	TE
0	Technetium-99	<4.0	pCi/L	TE
0	Thorium-228	<5.0	pCi/L	TE
0	Thorium-228	<0.20	pCi/L	TE
0	Thorium-230	<0.050	pCi/L	TE
1	Thorium-232	0.91 ± 0.35	pCi/L	TE
0	Tritium	<2.0	pCi/mL	TE
0	Uranium-234	<2.0	pCi/L	TE
0	Uranium-235	<0.90	pCi/L	TE
0	Uranium-238	<2.0	pCi/L	TE
0	Zinc-65	<6.0	pCi/L	TE
0	Zirconium-95	<3.0	pCi/L	TE

WELL BLANK

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/19/90
Depth to water: Not applicable
Water elevation: Not applicable
Sp. conductance: 1 µS/cm

Time: 9:20
pH: 5.7
Alkalinity: 1 mg/L
Water temperature: 15.2°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.7	pH	MT
0	pH	5.7	pH	MT
0	pH	5.6	pH	GE
0	Specific conductance	1.3	µS/cm	MT
0	Specific conductance	1.3	µS/cm	MT
0	Specific conductance	5.0	µS/cm	GE
0	Turbidity	0.38	NTU	MT
0	Turbidity	0.37	NTU	MT
0	Turbidity	<0.20	NTU	GE
0	Acetophenone	<10	µg/L	GE
0	Aldrin	<0.50	µg/L	GE
0	alpha-Benzene hexachloride	<0.50	µg/L	GE
0	Aluminum	<23	µg/L	MT
0	Aluminum	<20	µg/L	GE
0	Ammonia	<30	µg/L	MT
0	Ammonia	<30	µg/L	MT
1	Ammonia	2000	µg/L	GE
0	Antimony	<3.0	µg/L	MT

QUALITY CONTROL SAMPLES

WELL BLANK collected on 02/19/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<3.0	µg/L	MT
0	Arsenic	<2.0	µg/L	GE
0	Barium	<8.0	µg/L	MT
0	Barium	<4.0	µg/L	GE
0	Benzene	<5.0	µg/L	MT
0	Benzene	<1.0	µg/L	GE
0	Beryllium	<2.0	µg/L	MT
0	Beryllium	<5.0	µg/L	GE
0	beta-Benzene hexachloride	<0.50	µg/L	GE
0	Bis(2-ethylhexyl) phthalate	<1.0	µg/L	GE
0	Bromodichloromethane	<5.0	µg/L	MT
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromofom	<5.0	µg/L	MT
0	Bromofom	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	MT
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<3.0	µg/L	MT
0	Cadmium	<2.0	µg/L	GE
0	Calcium	<40	µg/L	MT
0	Calcium	30	µg/L	GE
0	Carbon tetrachloride	<5.0	µg/L	MT
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chlordane	<0.50	µg/L	GE
0	Chloride	<250	µg/L	MT
0	Chloride	<250	µg/L	MT
0	Chloride	<1000	µg/L	GE
0	Chlorobenzene	<5.0	µg/L	MT
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	MT
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<5.0	µg/L	MT
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	MT
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<3.0	µg/L	MT
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<5.0	µg/L	MT
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<15	µg/L	MT
0	Cobalt	<4.0	µg/L	GE
0	Copper	<7.0	µg/L	MT
0	Copper	<4.0	µg/L	GE
0	Cyanide	<5.0	µg/L	MT
0	Cyanide	<5.0	µg/L	MT
0	Cyanide	<5.0	µg/L	GE
0	delta-Benzene hexachloride	<0.50	µg/L	GE
0	Di-n-octyl phthalate	<1.0	µg/L	GE
0	Dibromochloromethane	<5.0	µg/L	MT
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<5.0	µg/L	MT
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Dieldrin	<0.50	µg/L	GE
0	Diethyl phthalate	<1.0	µg/L	GE
0	Dissolved organic carbon	<1000	µg/L	MT
1	Dissolved organic carbon	3000	µg/L	GE
0	Endosulfan I	<0.50	µg/L	GE
0	Endosulfan II	<0.50	µg/L	GE
0	Endosulfan sulfate	<0.50	µg/L	GE
0	Endrin	<0.0060	µg/L	MT
0	Endrin	<0.10	µg/L	GE
0	Endrin aldehyde	<0.50	µg/L	GE
0	Ethylbenzene	<5.0	µg/L	MT
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<250	µg/L	MT
0	Fluoride	<250	µg/L	MT
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.0050	µg/L	MT
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Heptachlor	<0.50	µg/L	GE
0	Heptachlor epoxide	<0.50	µg/L	GE
0	Iodine	<50	µg/L	MT
0	Iodine	<50	µg/L	MT
0	Iodine	<100	µg/L	GE
0	Iron	80	µg/L	MT
0	Iron	15	µg/L	GE
0	Lead	<3.0	µg/L	MT
0	Lead	<6.0	µg/L	GE
0	Lithium	<26	µg/L	MT
0	Lithium	<5.0	µg/L	GE
0	Magnesium	<7.0	µg/L	MT
0	Magnesium	<2.0	µg/L	GE
0	Manganese	<2.0	µg/L	MT
0	Manganese	<2.0	µg/L	GE
0	Mercury	<0.20	µg/L	MT
0	Mercury	0.26	µg/L	GE
0	Methoxychlor	<0.50	µg/L	MT
0	Methoxychlor	<0.50	µg/L	GE

WELL BLANK collected on 02/19/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Naphthalene	<10	µg/L	GE
0	Nickel	<5.2	µg/L	MT
0	Nickel	<5.2	µg/L	GE
0	Nickel	<4.0	µg/L	MT
0	Nitrate as nitrogen	<200	µg/L	MT
0	Nitrate as nitrogen	<200	µg/L	MT
0	Nitrate as nitrogen	<50	µg/L	GE
0	Nitrite as nitrogen	<800	µg/L	MT
0	Nitrite as nitrogen	<800	µg/L	MT
0	Nitrite as nitrogen	<10.0	µg/L	GE
0	p,p'-DDD	<0.50	µg/L	GE
0	p,p'-DDE	<0.50	µg/L	GE
0	p,p'-DDT	<0.50	µg/L	GE
0	Phenols	<5.0	µg/L	MT
0	Phenols	<5.0	µg/L	GE
0	Potassium	<1820	µg/L	MT
0	Potassium	<500	µg/L	GE
0	Selenium	<3.0	µg/L	MT
0	Selenium	<2.0	µg/L	GE
0	Silica	477	µg/L	GE
0	Silica	<276	µg/L	MT
0	Silver	<2.0	µg/L	MT
0	Silver	<2.0	µg/L	MT
0	Silver	<2.0	µg/L	GE
0	Sodium	<22	µg/L	MT
0	Sodium	89	µg/L	GE
0	Sulfate	<1000	µg/L	MT
0	Sulfate	<1000	µg/L	MT
0	Sulfate	<5000	µg/L	GE
0	Sulfide	1580	µg/L	MT
0	Sulfide	<1000	µg/L	GE
0	Tetrachloroethylene	<5.0	µg/L	MT
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Thallium	<3.0	µg/L	MT
0	Thallium	<2.0	µg/L	GE
0	Tin	<1830	µg/L	MT
0	Tin	<2.0	µg/L	GE
0	Toluene	<5.0	µg/L	MT
0	Toluene	<1.0	µg/L	GE
0	Total carbon	<1000	µg/L	MT
1	Total carbon	7000	µg/L	GE
0	Total dissolved solids	70000	µg/L	MT
0	Total dissolved solids	70000	µg/L	MT
0	Total dissolved solids	10000	µg/L	GE
0	Total hydrocarbons	<1000	µg/L	GE
0	Total inorganic carbon	<1000	µg/L	MT
1	Total inorganic carbon	2000	µg/L	GE
0	Total organic carbon	<1000	µg/L	MT
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	MT
0	Total organic halogens	<5.0	µg/L	GE
1	Total organic nitrogen	55	µg/L	MT
1	Total organic nitrogen	54	µg/L	MT
1	Total organic nitrogen	130	µg/L	GE
0	Total petroleum hydrocarbons	<2000	µg/L	MT
0	Total phosphates	<10	µg/L	MT
0	Total phosphates	<10	µg/L	MT
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<0.24	µg/L	MT
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<5.0	µg/L	MT
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<5.0	µg/L	MT
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<5.0	µg/L	MT
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<5.0	µg/L	MT
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<84	µg/L	MT
0	Uranium	<1000	µg/L	GE
0	Vanadium	<3.0	µg/L	MT
0	Vanadium	<20	µg/L	GE
0	Xylenes	<5.0	µg/L	MT
0	Xylenes	<2.0	µg/L	GE
0	Zinc	<9.0	µg/L	MT
0	Zinc	<2.0	µg/L	GE
0	1,1-Dichloroethane	<5.0	µg/L	MT
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<5.0	µg/L	MT
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<5.0	µg/L	MT
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<5.0	µg/L	MT
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<5.0	µg/L	MT
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<5.0	µg/L	MT
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<5.0	µg/L	MT

QUALITY CONTROL SAMPLES

WELL BLANK collected on 02/19/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<5.0	µg/L	MT
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.48	µg/L	MT
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.070	µg/L	MT
0	2,4,5-TP (Silvex)	<0.080	µg/L	GE
0	Gross alpha	<2.0	pCi/L	MT
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	5.2±2.9	pCi/L	MT
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Total radium	<1.0	pCi/L	MT
0	Total radium	<1.0	pCi/L	GE
0	Tritium	1.3±0.20	pCi/mL	MT
0	Tritium	<0.70	pCi/mL	GE

WELL BLANK

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/25/90
Depth to water: Not applicable
Water elevation: Not applicable
Sp. conductance: 1 µS/cm

Time: 9:10
pH: 6.0
Alkalinity: 1 mg/L
Water temperature: 17.4°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	6.0	pH	MT
0	pH	6.0	pH	MT
1	pH	6.6	pH	GE
0	Specific conductance	2.2	µS/cm	MT
0	Specific conductance	2.2	µS/cm	MT
0	Specific conductance	5.0	µS/cm	GE
0	Turbidity	0.35	NTU	MT
0	Turbidity	0.38	NTU	MT
0	Turbidity	<0.20	NTU	GE
0	Acetophenone	<10	µg/L	GE
0	Aldrin	<0.50	µg/L	GE
0	alpha-Benzene hexachloride	<0.50	µg/L	GE
0	Aluminum	<23	µg/L	MT
0	Aluminum	<20	µg/L	GE
0	Ammonia	<30	µg/L	MT
0	Ammonia	<100	µg/L	GE
0	Antimony	<2.0	µg/L	MT
0	Antimony	<3.0	µg/L	MT
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<3.0	µg/L	MT
0	Arsenic	<3.0	µg/L	MT
0	Arsenic	<2.0	µg/L	GE
0	Barium	<8.0	µg/L	MT
0	Barium	<4.0	µg/L	GE
0	Benzene	<5.0	µg/L	MT
0	Benzene	<1.0	µg/L	GE
0	Beryllium	<2.0	µg/L	MT
0	Beryllium	<5.0	µg/L	GE
0	beta-Benzene hexachloride	<0.50	µg/L	GE
0	Bis(2-ethylhexyl) phthalate	<10	µg/L	GE
0	Bromodichloromethane	<5.0	µg/L	MT
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<5.0	µg/L	MT
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<10	µg/L	MT
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<3.0	µg/L	MT
0	Cadmium	<2.0	µg/L	GE
0	Calcium	<40	µg/L	MT
0	Calcium	20	µg/L	GE
0	Carbon tetrachloride	<5.0	µg/L	MT
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chlordane	<0.50	µg/L	GE
0	Chloride	<250	µg/L	MT
0	Chloride	<250	µg/L	MT
0	Chloride	<1000	µg/L	GE
0	Chlorobenzene	<5.0	µg/L	MT
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<10	µg/L	MT
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<5.0	µg/L	MT
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<10	µg/L	MT
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<3.0	µg/L	MT
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<5.0	µg/L	MT
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE

WELL BLANK collected on 02/25/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Cobalt	<15	µg/L	MT
0	Cobalt	<4.0	µg/L	GE
0	Copper	<7.0	µg/L	MT
0	Copper	<4.0	µg/L	GE
0	Cyanide	<5.0	µg/L	MT
0	Cyanide	<5.0	µg/L	MT
0	Cyanide	<5.0	µg/L	GE
0	delta-Benzene hexachloride	<0.50	µg/L	GE
0	Di-n-octyl phthalate	<10	µg/L	GE
0	Dibromochloromethane	<5.0	µg/L	MT
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<5.0	µg/L	MT
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Dieldrin	<0.50	µg/L	GE
0	Diethyl phthalate	<10	µg/L	GE
0	Dissolved organic carbon	<1000	µg/L	MT
0	Dissolved organic carbon	<1000	µg/L	GE
0	Endosulfan I	<0.50	µg/L	GE
0	Endosulfan II	<0.50	µg/L	GE
0	Endosulfan sulfate	<0.50	µg/L	GE
0	Endrin	<0.0060	µg/L	MT
0	Endrin	<0.10	µg/L	GE
0	Endrin aldehyde	<0.50	µg/L	GE
0	Ethylbenzene	<5.0	µg/L	MT
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<250	µg/L	MT
0	Fluoride	<250	µg/L	MT
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.0050	µg/L	MT
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Heptachlor	<0.50	µg/L	GE
0	Heptachlor epoxide	<0.50	µg/L	GE
0	Iodine	<50	µg/L	MT
0	Iodine	<50	µg/L	MT
0	Iodine	<100	µg/L	GE
0	Iron	19	µg/L	MT
0	Iron	11	µg/L	GE
0	Lead	<3.0	µg/L	MT
0	Lead	<3.0	µg/L	MT
0	Lead	<6.0	µg/L	GE
0	Lithium	<26	µg/L	MT
0	Lithium	<5.0	µg/L	GE
0	Magnesium	<7.0	µg/L	MT
0	Magnesium	<2.0	µg/L	GE
0	Manganese	<2.0	µg/L	MT
0	Manganese	<2.0	µg/L	GE
0	Mercury	<0.20	µg/L	MT
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	MT
0	Methoxychlor	<0.50	µg/L	GE
0	Naphthalene	<10	µg/L	GE
0	Nickel	<5.2	µg/L	MT
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	<200	µg/L	MT
0	Nitrate as nitrogen	<200	µg/L	MT
0	Nitrate as nitrogen	<50	µg/L	GE
0	Nitrite as nitrogen	<800	µg/L	MT
0	Nitrite as nitrogen	<800	µg/L	MT
0	Nitrite as nitrogen	<10.0	µg/L	GE
0	p,p'-DDD	<0.50	µg/L	GE
0	p,p'-DDE	<0.50	µg/L	GE
0	p,p'-DDT	<0.50	µg/L	GE
0	Phenols	<5.0	µg/L	MT
0	Phenols	<5.0	µg/L	GE
0	Potassium	<1620	µg/L	MT
0	Potassium	<500	µg/L	GE
0	Selenium	<3.0	µg/L	MT
0	Selenium	<3.0	µg/L	MT
0	Selenium	<2.0	µg/L	GE
0	Silica	457	µg/L	GE
0	Silica	<276	µg/L	MT
0	Silver	<2.0	µg/L	MT
0	Silver	<2.0	µg/L	GE
0	Sodium	31	µg/L	MT
0	Sodium	139	µg/L	GE
0	Sulfate	<1000	µg/L	MT
0	Sulfate	<1000	µg/L	MT
0	Sulfate	<5000	µg/L	GE
0	Sulfide	19900	µg/L	MT
0	Sulfide	<1000	µg/L	GE
0	Tetrachloroethylene	<5.0	µg/L	MT
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Thallium	<3.0	µg/L	MT
0	Thallium	<3.0	µg/L	MT
0	Thallium	<2.0	µg/L	GE
0	Tin	<1930	µg/L	MT
0	Tin	<2.0	µg/L	GE
0	Toluene	<5.0	µg/L	MT
0	Toluene	<1.0	µg/L	GE

QUALITY CONTROL SAMPLES

WELL BLANK collected on 02/25/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Total carbon	<1000	µg/L	MT
0	Total carbon	<1000	µg/L	GE
0	Total dissolved solids	12000	µg/L	MT
0	Total dissolved solids	12000	µg/L	MT
0	Total dissolved solids	13000	µg/L	GE
0	Total hydrocarbons	<1000	µg/L	GE
0	Total inorganic carbon	<1000	µg/L	MT
0	Total inorganic carbon	<1000	µg/L	GE
0	Total organic carbon	<1000	µg/L	MT
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	MT
0	Total organic halogens	<5.0	µg/L	GE
1	Total organic nitrogen	50	µg/L	MT
1	Total organic nitrogen	200	µg/L	GE
0	Total petroleum hydrocarbons	<2000	µg/L	MT
0	Total phosphates	22	µg/L	MT
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<0.24	µg/L	MT
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<5.0	µg/L	MT
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<5.0	µg/L	MT
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<5.0	µg/L	MT
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<5.0	µg/L	MT
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<84	µg/L	MT
0	Uranium	<1000	µg/L	GE
0	Vanadium	<3.0	µg/L	MT
0	Vanadium	<20	µg/L	GE
0	Xylenes	<5.0	µg/L	MT
0	Xylenes	<2.0	µg/L	GE
0	Zinc	<9.0	µg/L	MT
0	Zinc	<2.0	µg/L	GE
0	1,1-Dichloroethane	<5.0	µg/L	MT
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<5.0	µg/L	MT
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<5.0	µg/L	MT
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<5.0	µg/L	MT
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<5.0	µg/L	MT
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<5.0	µg/L	MT
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<5.0	µg/L	MT
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<5.0	µg/L	MT
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.48	µg/L	MT
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.070	µg/L	MT
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Americium-241	<0.20	pCi/L	TE
0	Americium-243	<0.10	pCi/L	TE
0	Barium-140	<8.0	pCi/L	TE
0	Beryllium-7	<30	pCi/L	TE
0	Carbon-14	<7.0	pCi/L	TE
0	Cerium-141	<7.0	pCi/L	TE
0	Cerium-144	<20	pCi/L	TE
0	Cesium-134	<3.0	pCi/L	TE
0	Cesium-137	<3.0	pCi/L	TE
0	Cobalt-58	<3.0	pCi/L	TE
0	Cobalt-60	<3.0	pCi/L	TE
1	Curium-242	0.52±0.48	pCi/L	TE
1	Curium-243/244	1.6±1.0	pCi/L	TE
0	Curium-248	<0.20	pCi/L	TE
0	Gross alpha	<3.0	pCi/L	MT
0	Gross alpha	<3.0	pCi/L	GE
0	Gross alpha	<1.0	pCi/L	TE
0	Iodine-129	<2.0	pCi/L	TE
0	Iodine-131	<20	pCi/L	TE
0	Iron-55	<40	pCi/L	TE
0	Iron-59	<8.0	pCi/L	TE
0	Manganese-54	<3.0	pCi/L	TE
0	Neptunium-237	<8.0	pCi/L	TE
0	Nickel-59	<90	pCi/L	TE
0	Nickel-63	<10	pCi/L	TE
0	Nonvolatile beta	<5.0	pCi/L	MT
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Nonvolatile beta	<1.0	pCi/L	TE
0	Plutonium-238	<0.20	pCi/L	TE
0	Plutonium-239/240	<0.090	pCi/L	TE
0	Plutonium-242	<0.10	pCi/L	TE
0	Potassium-40	<40	pCi/L	TE
0	Radium-226	<80	pCi/L	TE
0	Radium-228	<1.0	pCi/L	TE

WELL BLANK collected on 02/25/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Radium-228	<1.0	pCi/L	TE
0	Ruthenium-103	<4.0	pCi/L	TE
0	Ruthenium-106	<30	pCi/L	TE
0	Strontium-89	<3.0	pCi/L	TE
0	Strontium-90	<1.0	pCi/L	TE
0	Technetium-99	<3.0	pCi/L	TE
0	Thorium-228	<5.0	pCi/L	TE
0	Thorium-228	<0.10	pCi/L	TE
0	Thorium-230	<0.040	pCi/L	TE
1	Thorium-232	0.84±0.28	pCi/L	TE
0	Total radium	<1.0	pCi/L	MT
0	Total radium	1.7±3.3	pCi/L	GE
0	Tritium	<1.0	pCi/mL	MT
0	Tritium	<1.0	pCi/mL	MT
0	Tritium	<0.70	pCi/mL	GE
0	Tritium	<2.0	pCi/mL	TE
0	Uranium-234	<2.0	pCi/L	TE
0	Uranium-235	<1.0	pCi/L	TE
0	Uranium-238	<2.0	pCi/L	TE
0	Zinc-65	<8.0	pCi/L	TE
0	Zirconium-95	<3.0	pCi/L	TE

WELL BLANK

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/04/90
Depth to water: Not applicable
Water elevation: Not applicable
Sp. conductance: 1 µS/cm

Time: 8:15
pH: 5.4
Alkalinity: 1 mg/L
Water temperature: 15.3°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.6	pH	MT
0	pH	5.6	pH	MT
0	pH	4.9	pH	GE
0	Specific conductance	2.4	µS/cm	MT
0	Specific conductance	2.4	µS/cm	MT
0	Specific conductance	4.0	µS/cm	GE
0	Turbidity	71	NTU	MT
0	Turbidity	71	NTU	MT
0	Turbidity	<0.20	NTU	GE
0	Acetophenone	<10	µg/L	GE
0	Aldrin	<0.50	µg/L	GE
0	alpha-Benzene hexachloride	<0.50	µg/L	GE
0	Aluminum	<23	µg/L	MT
0	Aluminum	42	µg/L	GE
0	Ammonia	<30	µg/L	MT
0	Ammonia	<30	µg/L	MT
0	Ammonia	<100	µg/L	GE
0	Antimony	<2.0	µg/L	MT
0	Antimony	<3.0	µg/L	MT
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<3.0	µg/L	MT
0	Arsenic	<3.0	µg/L	MT
0	Arsenic	<2.0	µg/L	GE
0	Barium	<8.0	µg/L	MT
0	Barium	<4.0	µg/L	GE
0	Benzene	<5.0	µg/L	MT
1	Benzene	1.0	µg/L	GE
0	Beryllium	<2.0	µg/L	MT
0	Beryllium	<5.0	µg/L	GE
0	beta-Benzene hexachloride	<0.50	µg/L	GE
0	Bis(2-ethylhexyl) phthalate	<10	µg/L	GE
0	Bromodichloromethane	<5.0	µg/L	MT
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<5.0	µg/L	MT
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<10	µg/L	MT
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<3.0	µg/L	MT
0	Cadmium	<2.0	µg/L	GE
0	Calcium	<40	µg/L	MT
0	Calcium	52	µg/L	GE
0	Carbon tetrachloride	<5.0	µg/L	MT
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chlordane	<0.50	µg/L	GE
0	Chloride	<250	µg/L	MT
0	Chloride	<1000	µg/L	GE
0	Chlorobenzene	<5.0	µg/L	MT
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<10	µg/L	MT
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethane (Vinyl chloride)	<1.0	µg/L	GE
1	Chloroform	2.0	µg/L	MT
1	Chloroform	1.0	µg/L	GE

QUALITY CONTROL SAMPLES

WELL BLANK collected on 03/04/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Chloromethane (Methyl chloride)	<10	µg/L	MT
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<3.0	µg/L	MT
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<5.0	µg/L	MT
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<15	µg/L	MT
0	Cobalt	<4.0	µg/L	GE
0	Copper	<7.0	µg/L	MT
0	Copper	<4.0	µg/L	GE
0	Cyanide	<5.0	µg/L	MT
0	Cyanide	<5.0	µg/L	GE
0	delta-Benzene hexachloride	<0.50	µg/L	GE
0	Di-n-octyl phthalate	<10	µg/L	GE
0	Dibromochloromethane	<5.0	µg/L	MT
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<5.0	µg/L	MT
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Dieldrin	<0.50	µg/L	GE
0	Diethyl phthalate	<10	µg/L	GE
0	Dissolved organic carbon	<1000	µg/L	MT
1	Dissolved organic carbon	1000	µg/L	GE
0	Endosulfan I	<0.50	µg/L	GE
0	Endosulfan II	<0.50	µg/L	GE
0	Endosulfan sulfate	<0.50	µg/L	GE
0	Endrin	<0.0080	µg/L	MT
0	Endrin	<0.10	µg/L	GE
0	Endrin aldehyde	<0.50	µg/L	GE
0	Ethylbenzene	<5.0	µg/L	MT
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<250	µg/L	MT
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.0050	µg/L	MT
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Heptachlor	<0.50	µg/L	GE
0	Heptachlor epoxide	<0.50	µg/L	GE
0	Iodine	<50	µg/L	MT
0	Iodine	<100	µg/L	GE
0	Iron	118	µg/L	MT
0	Iron	14	µg/L	GE
0	Lead	<3.0	µg/L	MT
0	Lead	<3.0	µg/L	MT
0	Lead	<8.0	µg/L	GE
0	Lithium	<26	µg/L	MT
0	Lithium	<5.0	µg/L	GE
0	Magnesium	<7.0	µg/L	MT
0	Magnesium	3.5	µg/L	GE
0	Manganese	<2.0	µg/L	MT
0	Manganese	<2.0	µg/L	GE
0	Mercury	<0.20	µg/L	MT
0	Mercury	<0.20	µg/L	MT
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	MT
0	Methoxychlor	<0.50	µg/L	GE
0	Naphthalene	<10	µg/L	GE
0	Nickel	<5.2	µg/L	MT
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	<100	µg/L	MT
0	Nitrate as nitrogen	<50	µg/L	GE
0	Nitrite as nitrogen	<800	µg/L	MT
0	Nitrite as nitrogen	<10.0	µg/L	GE
0	p,p'-DDD	<0.50	µg/L	GE
0	p,p'-DDE	<0.50	µg/L	GE
0	p,p'-DDT	<0.50	µg/L	GE
0	Phenols	<5.0	µg/L	MT
0	Phenols	<5.0	µg/L	GE
0	Potassium	<1820	µg/L	MT
0	Potassium	<500	µg/L	GE
0	Selenium	<3.0	µg/L	MT
0	Selenium	<3.0	µg/L	MT
0	Selenium	<2.0	µg/L	GE
0	Silica	2290	µg/L	GE
0	Silica	<278	µg/L	MT
0	Silver	<2.0	µg/L	MT
0	Silver	<2.0	µg/L	GE
0	Sodium	37	µg/L	MT
0	Sodium	154	µg/L	GE
0	Sulfate	<1000	µg/L	MT
0	Sulfate	<5000	µg/L	GE
0	Sulfide	<1000	µg/L	MT
0	Sulfide	<1000	µg/L	MT
0	Sulfide	<1000	µg/L	GE
0	Tetrachloroethylene	<5.0	µg/L	MT
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Thallium	<2.0	µg/L	MT
0	Thallium	<3.0	µg/L	MT
0	Thallium	<2.0	µg/L	GE
0	Tin	<1830	µg/L	MT
0	Tin	<2.0	µg/L	GE

WELL BLANK collected on 03/04/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Toluene	<5.0	µg/L	MT
0	Toluene	<1.0	µg/L	GE
0	Total carbon	<1000	µg/L	MT
0	Total carbon	<1000	µg/L	GE
0	Total dissolved solids	42000	µg/L	MT
0	Total dissolved solids	44000	µg/L	MT
0	Total dissolved solids	13000	µg/L	GE
0	Total hydrocarbons	<1000	µg/L	GE
0	Total inorganic carbon	<1000	µg/L	MT
0	Total inorganic carbon	<1000	µg/L	GE
0	Total organic carbon	<1000	µg/L	MT
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	MT
0	Total organic halogens	<5.0	µg/L	GE
1	Total organic nitrogen	55	µg/L	MT
1	Total organic nitrogen	50	µg/L	MT
1	Total organic nitrogen	200	µg/L	GE
0	Total petroleum hydrocarbons	<2000	µg/L	MT
0	Total phosphates	<10	µg/L	MT
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<0.24	µg/L	MT
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<5.0	µg/L	MT
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<5.0	µg/L	MT
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<5.0	µg/L	MT
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<5.0	µg/L	MT
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<84	µg/L	MT
0	Uranium	<1000	µg/L	GE
0	Vanadium	<3.0	µg/L	MT
0	Vanadium	<20	µg/L	GE
0	Xylenes	<5.0	µg/L	MT
0	Xylenes	<2.0	µg/L	GE
0	Zinc	<9.0	µg/L	MT
0	Zinc	2.8	µg/L	GE
0	1,1-Dichloroethane	<5.0	µg/L	MT
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<5.0	µg/L	MT
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<5.0	µg/L	MT
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<5.0	µg/L	MT
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<5.0	µg/L	MT
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<5.0	µg/L	MT
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<5.0	µg/L	MT
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<5.0	µg/L	MT
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.48	µg/L	MT
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.070	µg/L	MT
0	2,4,5-TP (Silvex)	<0.060	µg/L	GE
0	Americium-241	<0.30	pCi/L	TE
0	Americium-243	<0.20	pCi/L	TE
0	Barium-140	<9.0	pCi/L	TE
0	Beryllium-7	<30	pCi/L	TE
1	Carbon-14	14 ± 8.0	pCi/L	TE
0	Cerium-141	<7.0	pCi/L	TE
0	Cerium-144	<20	pCi/L	TE
0	Cesium-134	<3.0	pCi/L	TE
0	Cesium-137	<4.0	pCi/L	TE
0	Cobalt-58	<3.0	pCi/L	TE
0	Cobalt-60	<3.0	pCi/L	TE
1	Curium-242	0.38 ± 0.28	pCi/L	TE
1	Curium-243/244	1.5 ± 0.50	pCi/L	TE
0	Curium-248	<0.20	pCi/L	TE
0	Gross alpha	<2.0	pCi/L	MT
0	Gross alpha	<3.0	pCi/L	GE
0	Gross alpha	<0.80	pCi/L	TE
0	Iodine-129	<2.0	pCi/L	TE
0	Iodine-131	<20	pCi/L	TE
0	Iron-55	<80	pCi/L	TE
0	Iron-59	<8.0	pCi/L	TE
0	Manganese-54	<3.0	pCi/L	TE
0	Neptunium-237	<8.0	pCi/L	TE
0	Nickel-58	<100	pCi/L	TE
0	Nickel-63	<10	pCi/L	TE
0	Nonvolatile beta	<4.0	pCi/L	MT
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Nonvolatile beta	<1.0	pCi/L	TE
0	Plutonium-238	<0.20	pCi/L	TE
0	Plutonium-239/240	<0.080	pCi/L	TE
0	Plutonium-242	<0.020	pCi/L	TE

QUALITY CONTROL SAMPLES

WELL BLANK collected on 03/04/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Potassium-40	<50	pCi/L	TE
0	Radium-226	<60	pCi/L	TE
0	Radium-226	<1.0	pCi/L	TE
0	Radium-228	<2.0	pCi/L	TE
0	Ruthenium-103	<4.0	pCi/L	TE
0	Ruthenium-106	<30	pCi/L	TE
0	Strontium-89	<8.0	pCi/L	TE
1	Strontium-90	17 ± 2.0	pCi/L	TE
0	Technetium-99	<5.0	pCi/L	TE
0	Thorium-228	<8.0	pCi/L	TE
0	Thorium-228	<0.10	pCi/L	TE
0	Thorium-230	<0.060	pCi/L	TE
1	Thorium-232	0.56 ± 0.25	pCi/L	TE
0	Total radium	<1.0	pCi/L	MT
0	Total radium	<1.0	pCi/L	MT
0	Total radium	<1.0	pCi/L	GE
0	Tritium	<1.0	pCi/mL	MT
0	Tritium	<1.0	pCi/mL	MT
0	Tritium	<0.70	pCi/mL	GE
0	Tritium	<2.0	pCi/mL	TE
0	Uranium-234	<1.0	pCi/L	TE
0	Uranium-235	<0.50	pCi/L	TE
0	Uranium-238	<1.0	pCi/L	TE
0	Zinc-65	<6.0	pCi/L	TE
0	Zirconium-95	<4.0	pCi/L	TE

WELL BLANK

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/06/90
Depth to water: Not applicable
Water elevation: Not applicable
Sp. conductance: 1 µS/cm

Time: 17:05
pH: 5.9
Alkalinity: 1 mg/L
Water temperature: 26.4°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Americium-241	<0.20	pCi/L	TE
0	Americium-243	<0.20	pCi/L	TE
0	Barium-140	<10	pCi/L	TE
0	Beryllium-7	<30	pCi/L	TE
0	Carbon-14	<20	pCi/L	TE
0	Cerium-141	<7.0	pCi/L	TE
0	Cerium-144	<20	pCi/L	TE
0	Cesium-134	<3.0	pCi/L	TE
0	Cesium-137	<3.0	pCi/L	TE
0	Cobalt-58	<3.0	pCi/L	TE
0	Cobalt-60	<3.0	pCi/L	TE
1	Curium-242	0.23 ± 0.20	pCi/L	TE
1	Curium-243/244	0.70 ± 0.45	pCi/L	TE
0	Curium-246	<0.20	pCi/L	TE
0	Gross alpha	<0.80	pCi/L	TE
0	Iodine-129	<1.0	pCi/L	TE
0	Iodine-131	<20	pCi/L	TE
0	Iron-55	<30	pCi/L	TE
0	Iron-59	<7.0	pCi/L	TE
0	Manganese-54	<3.0	pCi/L	TE
0	Neptunium-237	<6.0	pCi/L	TE
0	Nickel-59	<100	pCi/L	TE
0	Nickel-63	<10	pCi/L	TE
0	Nonvolatile beta	<1.0	pCi/L	TE
0	Plutonium-238	<0.40	pCi/L	TE
0	Plutonium-239/240	<0.20	pCi/L	TE
0	Plutonium-242	<0.10	pCi/L	TE
0	Potassium-40	<40	pCi/L	TE
0	Radium-226	<60	pCi/L	TE
0	Radium-226	<1.0	pCi/L	TE
1	Radium-228	1.6 ± 1.1	pCi/L	TE
0	Ruthenium-103	<4.0	pCi/L	TE
0	Ruthenium-106	<30	pCi/L	TE
0	Strontium-89	<3.0	pCi/L	TE
0	Strontium-90	<1.0	pCi/L	TE
0	Technetium-99	<2.0	pCi/L	TE
0	Thorium-228	<5.0	pCi/L	TE
0	Thorium-228	<0.20	pCi/L	TE
0	Thorium-230	<0.060	pCi/L	TE
1	Thorium-232	0.47 ± 0.25	pCi/L	TE
0	Tritium	<2.0	pCi/mL	TE
1	Uranium-234	3.8 ± 2.2	pCi/L	TE
0	Uranium-235	<0.70	pCi/L	TE
0	Uranium-238	<1.0	pCi/L	TE
0	Zinc-65	<6.0	pCi/L	TE
0	Zirconium-95	<3.0	pCi/L	TE

WELL BLANK

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/10/90
Depth to water: Not applicable
Water elevation: Not applicable
Sp. conductance: 1 µS/cm

Time: 10:00
pH: 8.1
Alkalinity: 0 mg/L
Water temperature: 23.2°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.8	pH	MT
0	pH	5.8	pH	MT
0	pH	5.9	pH	GE
0	pH	5.8	pH	GE
0	Specific conductance	0.99	µS/cm	MT
0	Specific conductance	0.99	µS/cm	MT
0	Specific conductance	10	µS/cm	GE
0	Specific conductance	10	µS/cm	GE
0	Turbidity	0.28	NTU	MT
0	Turbidity	0.29	NTU	MT
0	Turbidity	<0.20	NTU	GE
0	Turbidity	<0.20	NTU	GE
0	Acetophenone	<10	µg/L	GE
0	Acetophenone	<10	µg/L	GE
0	Aldrin	<0.010	µg/L	MT
0	Aldrin	<0.50	µg/L	GE
0	Aldrin	<0.50	µg/L	GE
0	alpha-Benzene hexachloride	<0.0050	µg/L	MT
0	alpha-Benzene hexachloride	<0.50	µg/L	GE
0	alpha-Benzene hexachloride	<0.50	µg/L	GE
0	Aluminum	<23	µg/L	MT
0	Aluminum	<23	µg/L	MT
0	Aluminum	<20	µg/L	GE
0	Aluminum	<20	µg/L	GE
0	Ammonia	<30	µg/L	MT
0	Ammonia	<30	µg/L	MT
0	Ammonia	<100	µg/L	GE
0	Ammonia	<100	µg/L	GE
0	Antimony	<2.0	µg/L	MT
0	Antimony	<3.0	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<3.0	µg/L	MT
0	Arsenic	<3.0	µg/L	MT
0	Arsenic	<2.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	<8.0	µg/L	MT
0	Barium	<8.0	µg/L	MT
0	Barium	<4.0	µg/L	GE
0	Barium	<4.0	µg/L	GE
0	Benzene	<5.0	µg/L	MT
0	Benzene	<1.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Beryllium	<2.0	µg/L	MT
0	Beryllium	<2.0	µg/L	MT
0	Beryllium	<5.0	µg/L	GE
0	Beryllium	<5.0	µg/L	GE
0	beta-Benzene hexachloride	<0.010	µg/L	MT
0	beta-Benzene hexachloride	<0.50	µg/L	GE
0	beta-Benzene hexachloride	<0.50	µg/L	GE
0	Bis(2-ethylhexyl) phthalate	<10	µg/L	GE
0	Bis(2-ethylhexyl) phthalate	<10	µg/L	GE
0	Bromodichloromethane	<5.0	µg/L	MT
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<5.0	µg/L	MT
0	Bromoform	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<10	µg/L	MT
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<3.0	µg/L	MT
0	Cadmium	<3.0	µg/L	MT
0	Cadmium	<2.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	391	µg/L	MT
0	Calcium	388	µg/L	MT
0	Calcium	20	µg/L	GE
0	Calcium	30	µg/L	GE
0	Carbon tetrachloride	<5.0	µg/L	MT
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chlordane	<0.010	µg/L	MT
0	Chlordane	<0.50	µg/L	GE
0	Chlordane	<0.50	µg/L	GE
0	Chloride	<250	µg/L	MT
0	Chloride	<250	µg/L	MT
0	Chloride	<1000	µg/L	GE
0	Chloride	<1000	µg/L	GE
0	Chlorobenzene	<5.0	µg/L	MT

QUALITY CONTROL SAMPLES

WELL BLANK collected on 03/10/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Chlorobenzene	<1.0	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	MT
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethane (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroethane (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<5.0	µg/L	MT
0	Chloroform	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	MT
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
2	Chromium	33	µg/L	MT
0	Chromium	<3.0	µg/L	MT
1	Chromium	4.9	µg/L	GE
1	Chromium	4.8	µg/L	GE
0	cis-1,3-Dichloropropene	<5.0	µg/L	MT
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<15	µg/L	MT
0	Cobalt	<15	µg/L	MT
0	Cobalt	<4.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Copper	<7.0	µg/L	MT
0	Copper	<7.0	µg/L	MT
0	Copper	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Cyanide	<5.0	µg/L	MT
0	Cyanide	<5.0	µg/L	MT
0	Cyanide	<5.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	delta-Benzene hexachloride	<0.010	µg/L	MT
0	delta-Benzene hexachloride	<0.50	µg/L	GE
0	delta-Benzene hexachloride	<0.50	µg/L	GE
0	Di-n-octyl phthalate	<10	µg/L	GE
0	Di-n-octyl phthalate	<10	µg/L	GE
0	Dibromochloromethane	<5.0	µg/L	MT
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
1	Dichloromethane (Methylene chloride)	2.0	µg/L	MT
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Dieldrin	<0.010	µg/L	MT
0	Dieldrin	<0.50	µg/L	GE
0	Dieldrin	<0.50	µg/L	GE
0	Diethyl phthalate	<10	µg/L	GE
0	Diethyl phthalate	<10	µg/L	GE
0	Dissolved organic carbon	<1000	µg/L	MT
1	Dissolved organic carbon	2000	µg/L	GE
1	Dissolved organic carbon	2000	µg/L	GE
0	Endosulfan I	<0.010	µg/L	MT
0	Endosulfan I	<0.50	µg/L	GE
0	Endosulfan I	<0.50	µg/L	GE
0	Endosulfan II	<0.020	µg/L	MT
0	Endosulfan II	<0.50	µg/L	GE
0	Endosulfan II	<0.50	µg/L	GE
0	Endosulfan sulfate	<0.020	µg/L	MT
0	Endosulfan sulfate	<0.50	µg/L	GE
0	Endosulfan sulfate	<0.50	µg/L	GE
0	Endrin	<0.0060	µg/L	MT
0	Endrin	<0.10	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Endrin aldehyde	<0.025	µg/L	MT
0	Endrin aldehyde	<0.50	µg/L	GE
0	Endrin aldehyde	<0.50	µg/L	GE
0	Ethylbenzene	<5.0	µg/L	MT
0	Ethylbenzene	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<250	µg/L	MT
0	Fluoride	<250	µg/L	MT
0	Fluoride	<100	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.0050	µg/L	MT
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Heptachlor	<0.010	µg/L	MT
0	Heptachlor	<0.50	µg/L	GE
0	Heptachlor	<0.50	µg/L	GE
0	Heptachlor epoxide	<0.010	µg/L	MT
0	Heptachlor epoxide	<0.50	µg/L	GE
0	Heptachlor epoxide	<0.50	µg/L	GE
0	Iodine	<50	µg/L	MT
0	Iodine	<50	µg/L	MT
0	Iodine	<100	µg/L	GE
0	Iodine	<100	µg/L	GE
0	Iron	95	µg/L	MT
0	Iron	14	µg/L	MT
0	Iron	18	µg/L	GE

WELL BLANK collected on 03/10/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Iron	19	µg/L	GE
0	Lead	<3.0	µg/L	MT
0	Lead	<3.0	µg/L	MT
0	Lead	<8.0	µg/L	GE
0	Lead	<8.0	µg/L	GE
0	Lithium	<28	µg/L	MT
0	Lithium	<28	µg/L	MT
0	Lithium	<5.0	µg/L	GE
0	Lithium	<5.0	µg/L	GE
0	Magnesium	22	µg/L	MT
0	Magnesium	18	µg/L	MT
0	Magnesium	2.0	µg/L	GE
0	Magnesium	3.2	µg/L	GE
0	Manganese	<2.0	µg/L	MT
0	Manganese	<2.0	µg/L	MT
0	Manganese	<2.0	µg/L	GE
0	Manganese	<2.0	µg/L	GE
0	Mercury	<0.20	µg/L	MT
0	Mercury	<0.20	µg/L	MT
0	Mercury	<0.20	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	MT
0	Methoxychlor	<0.50	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Naphthalene	<10	µg/L	GE
0	Naphthalene	<10	µg/L	GE
0	Nickel	<5.2	µg/L	MT
0	Nickel	<4.0	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	1300	µg/L	GE
0	Nitrate as nitrogen	1250	µg/L	GE
0	Nitrite as nitrogen	<800	µg/L	MT
0	Nitrite as nitrogen	<800	µg/L	MT
0	Nitrite as nitrogen	<10.0	µg/L	GE
0	Nitrite as nitrogen	<10.0	µg/L	GE
0	p,p'-DDD	<0.020	µg/L	MT
0	p,p'-DDD	<0.50	µg/L	GE
0	p,p'-DDD	<0.50	µg/L	GE
0	p,p'-DDE	<0.010	µg/L	MT
0	p,p'-DDE	<0.50	µg/L	GE
0	p,p'-DDE	<0.50	µg/L	GE
0	p,p'-DDT	<0.020	µg/L	MT
0	p,p'-DDT	<0.50	µg/L	GE
0	p,p'-DDT	<0.50	µg/L	GE
0	PCB 1016	<0.30	µg/L	MT
0	PCB 1221	<0.30	µg/L	MT
0	PCB 1232	<0.30	µg/L	MT
0	PCB 1242	<0.30	µg/L	MT
0	PCB 1248	<0.30	µg/L	MT
0	PCB 1254	<0.50	µg/L	MT
0	PCB 1260	<0.50	µg/L	MT
0	Phenols	<5.0	µg/L	MT
0	Phenols	<5.0	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<1620	µg/L	MT
0	Potassium	<1620	µg/L	MT
0	Potassium	<500	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Selenium	<3.0	µg/L	MT
0	Selenium	<3.0	µg/L	MT
0	Selenium	<2.0	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	768	µg/L	GE
0	Silica	646	µg/L	GE
0	Silica	<278	µg/L	MT
0	Silica	<278	µg/L	MT
0	Silver	<2.0	µg/L	MT
0	Silver	<2.0	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	<22	µg/L	MT
0	Sodium	<22	µg/L	MT
0	Sodium	190	µg/L	GE
0	Sodium	125	µg/L	GE
0	Sulfate	<1000	µg/L	MT
0	Sulfate	<1000	µg/L	MT
0	Sulfate	<5000	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Sulfide	5960	µg/L	MT
0	Sulfide	5720	µg/L	MT
0	Sulfide	<1000	µg/L	GE
0	Sulfide	<1000	µg/L	GE
0	Tetrachloroethylene	<5.0	µg/L	MT
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Thallium	<2.0	µg/L	MT
0	Thallium	<2.0	µg/L	MT
0	Thallium	<2.0	µg/L	GE
0	Thallium	<2.0	µg/L	GE
0	Tin	<1930	µg/L	MT

QUALITY CONTROL SAMPLES

WELL BLANK collected on 03/10/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Tin	<1830	µg/L	MT
0	Tin	<2.0	µg/L	GE
0	Tin	<2.0	µg/L	GE
0	Toluene	<5.0	µg/L	MT
0	Toluene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total carbon	<1000	µg/L	MT
0	Total carbon	<1000	µg/L	GE
0	Total carbon	<1000	µg/L	GE
0	Total dissolved solids	18000	µg/L	MT
0	Total dissolved solids	6000	µg/L	GE
0	Total dissolved solids	6000	µg/L	GE
0	Total hydrocarbons	<1000	µg/L	GE
0	Total inorganic carbon	<1000	µg/L	MT
0	Total inorganic carbon	<1000	µg/L	GE
0	Total inorganic carbon	<1000	µg/L	GE
0	Total organic carbon	<1000	µg/L	MT
0	Total organic carbon	<1000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	MT
0	Total organic halogens	<5.0	µg/L	MT
0	Total organic halogens	<5.0	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
1	Total organic nitrogen	58	µg/L	MT
1	Total organic nitrogen	100	µg/L	GE
1	Total organic nitrogen	100	µg/L	GE
0	Total petroleum hydrocarbons	<2000	µg/L	MT
0	Total phosphates	<10	µg/L	MT
0	Total phosphates	<50	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<0.24	µg/L	MT
0	Toxaphene	<1.0	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<5.0	µg/L	MT
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<5.0	µg/L	MT
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<5.0	µg/L	MT
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<5.0	µg/L	MT
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<84	µg/L	MT
0	Uranium	<84	µg/L	MT
0	Uranium	<1000	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<3.0	µg/L	MT
0	Vanadium	<3.0	µg/L	MT
0	Vanadium	<20	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Xylenes	<5.0	µg/L	MT
0	Xylenes	<2.0	µg/L	GE
0	Xylenes	<2.0	µg/L	GE
0	Zinc	12	µg/L	MT
0	Zinc	10	µg/L	MT
0	Zinc	2.2	µg/L	GE
0	Zinc	<2.0	µg/L	GE
0	1,1-Dichloroethane	<5.0	µg/L	MT
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<5.0	µg/L	MT
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<5.0	µg/L	MT
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<5.0	µg/L	MT
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<5.0	µg/L	MT
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<5.0	µg/L	MT
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<5.0	µg/L	MT
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<5.0	µg/L	MT
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.48	µg/L	MT
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.070	µg/L	MT
0	2,4,5-TP (Silvex)	<0.060	µg/L	GE

WELL BLANK collected on 03/10/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	2,4,5-TP (Silvex)	<0.060	µg/L	GE
0	Gross alpha	<2.0	pCi/L	MT
0	Gross alpha	<3.0	pCi/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	<5.0	pCi/L	MT
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Total radium	<1.0	pCi/L	MT
0	Total radium	1.1 ± 1.5	pCi/L	GE
0	Total radium	1.8 ± 4.7	pCi/L	GE
0	Tritium	<1.0	pCi/mL	MT
0	Tritium	<0.70	pCi/mL	GE
0	Tritium	<0.70	pCi/mL	GE

WELL BLANK

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/11/90
 Depth to water: Not applicable
 Water elevation: Not applicable
 Sp. conductance: 1 µS/cm
 Time: 7:45
 pH: 5.8
 Alkalinity: 1 mg/L
 Water temperature: 18.2°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Americium-241	<0.80	pCi/L	TE
0	Americium-243	<2.0	pCi/L	TE
0	Barium-140	<10	pCi/L	TE
0	Beryllium-7	<40	pCi/L	TE
0	Carbon-14	<20	pCi/L	TE
0	Cerium-141	<9.0	pCi/L	TE
0	Cerium-144	<30	pCi/L	TE
0	Cesium-134	<4.0	pCi/L	TE
0	Cesium-137	<4.0	pCi/L	TE
0	Cobalt-58	<4.0	pCi/L	TE
0	Cobalt-60	<4.0	pCi/L	TE
0	Curium-242	<0.40	pCi/L	TE
0	Curium-243/244	<0.70	pCi/L	TE
0	Curium-248	<3.0	pCi/L	TE
0	Gross alpha	<0.80	pCi/L	TE
0	Iodine-129	<1.0	pCi/L	TE
0	Iodine-131	<20	pCi/L	TE
1	Iron-55	140 ± 30	pCi/L	TE
0	Iron-59	<10	pCi/L	TE
0	Manganese-54	<4.0	pCi/L	TE
0	Nickel-59	<100	pCi/L	TE
0	Nickel-63	<10	pCi/L	TE
0	Nonvolatile beta	<1.0	pCi/L	TE
0	Plutonium-238	<0.40	pCi/L	TE
0	Plutonium-239/240	<0.30	pCi/L	TE
0	Plutonium-242	<0.10	pCi/L	TE
0	Potassium-40	<100	pCi/L	TE
0	Radium-226	<70	pCi/L	TE
0	Radium-228	<1.0	pCi/L	TE
0	Ruthenium-103	<5.0	pCi/L	TE
0	Ruthenium-106	<40	pCi/L	TE
0	Strontium-89	<3.0	pCi/L	TE
0	Strontium-90	<1.0	pCi/L	TE
0	Technetium-99	<4.0	pCi/L	TE
0	Thorium-228	<6.0	pCi/L	TE
1	Thorium-228	1.2 ± 0.70	pCi/L	TE
1	Thorium-230	6.3 ± 0.90	pCi/L	TE
0	Thorium-232	<0.10	pCi/L	TE
0	Tritium	<2.0	pCi/mL	TE
0	Uranium-234	<0.30	pCi/L	TE
0	Uranium-235	<0.20	pCi/L	TE
0	Uranium-238	<0.10	pCi/L	TE
0	Zinc-65	<9.0	pCi/L	TE
0	Zirconium-95	<5.0	pCi/L	TE

QUALITY CONTROL SAMPLES

WELL BLANK

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/14/90
Depth to water: Not applicable
Water elevation: Not applicable
Sp. conductance: 1 µS/cm

Time: 12:30
pH: 5.8
Alkalinity: 1 mg/L
Water temperature: 33.5°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	Americium-241	0.46±0.33	pCi/L	TE
1	Americium-243	0.64±0.36	pCi/L	TE
0	Barium-140	<9.0	pCi/L	TE
0	Beryllium-7	<30	pCi/L	TE
0	Carbon-14	<20	pCi/L	TE
0	Cerium-141	<7.0	pCi/L	TE
0	Cerium-144	<20	pCi/L	TE
0	Cesium-134	<3.0	pCi/L	TE
0	Cesium-137	<3.0	pCi/L	TE
0	Cobalt-58	<3.0	pCi/L	TE
0	Cobalt-60	<3.0	pCi/L	TE
1	Curium-242	0.52±0.32	pCi/L	TE
1	Curium-243/244	2.7±0.80	pCi/L	TE
0	Curium-246	<0.30	pCi/L	TE
0	Gross alpha	<2.0	pCi/L	TE
0	Iodine-129	<2.0	pCi/L	TE
0	Iodine-131	<20	pCi/L	TE
0	Iron-55	<30	pCi/L	TE
0	Iron-59	<7.0	pCi/L	TE
0	Manganese-54	<3.0	pCi/L	TE
0	Neptunium-237	<5.0	pCi/L	TE
0	Nickel-59	<90	pCi/L	TE
0	Nickel-63	<10	pCi/L	TE
0	Nonvolatile beta	1.6±1.1	pCi/L	TE
0	Plutonium-238	<0.080	pCi/L	TE
0	Plutonium-239/240	<0.060	pCi/L	TE
0	Plutonium-242	<0.060	pCi/L	TE
0	Potassium-40	<40	pCi/L	TE
0	Radium-226	<80	pCi/L	TE
0	Radium-226	<1.0	pCi/L	TE
0	Radium-228	<2.0	pCi/L	TE
0	Ruthenium-103	<4.0	pCi/L	TE
0	Ruthenium-106	<20	pCi/L	TE
0	Strontium-89	<3.0	pCi/L	TE
0	Strontium-90	<1.0	pCi/L	TE
0	Technetium-99	<4.0	pCi/L	TE
0	Thorium-228	<5.0	pCi/L	TE
0	Thorium-228	<0.020	pCi/L	TE
1	Thorium-230	0.79±0.48	pCi/L	TE
1	Thorium-232	0.49±0.25	pCi/L	TE
0	Tritium	<2.0	pCi/mL	TE
0	Uranium-234	<0.60	pCi/L	TE
0	Uranium-235	<0.30	pCi/L	TE
0	Uranium-238	<0.30	pCi/L	TE
0	Zinc-65	<6.0	pCi/L	TE
0	Zirconium-95	<3.0	pCi/L	TE

WELL BLANK

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/17/90
Depth to water: Not applicable
Water elevation: Not applicable
Sp. conductance: 1 µS/cm

Time: 12:10
pH: 5.1
Alkalinity: 1 mg/L
Water temperature: 21.1°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.8	pH	MT
0	pH	8.1	pH	GE
0	Specific conductance	1.0	µS/cm	MT
0	Specific conductance	5.0	µS/cm	GE
0	Turbidity	0.40	NTU	MT
0	Turbidity	0.39	NTU	MT
0	Turbidity	<0.20	NTU	GE
0	Acetophenone	<10	µg/L	GE
0	Aldrin	<0.010	µg/L	MT
0	Aldrin	<0.50	µg/L	GE
0	alpha-Benzene hexachloride	<0.0050	µg/L	MT
0	alpha-Benzene hexachloride	<0.50	µg/L	GE
0	Aluminum	<40	µg/L	MT
0	Aluminum	<40	µg/L	MT
0	Aluminum	<20	µg/L	GE
0	Ammonia	<10	µg/L	MT
0	Ammonia	<30	µg/L	MT
0	Ammonia	<100	µg/L	GE

WELL BLANK collected on 03/17/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Antimony	<2.0	µg/L	MT
0	Antimony	<2.0	µg/L	MT
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<3.0	µg/L	MT
0	Arsenic	<3.0	µg/L	MT
0	Arsenic	<2.0	µg/L	GE
0	Barium	<10	µg/L	MT
0	Barium	<10	µg/L	MT
0	Barium	<4.0	µg/L	GE
0	Benzene	<5.0	µg/L	MT
0	Benzene	<1.0	µg/L	GE
0	Beryllium	<3.0	µg/L	MT
0	Beryllium	<3.0	µg/L	MT
0	Beryllium	<5.0	µg/L	GE
0	beta-Benzene hexachloride	<0.010	µg/L	MT
0	beta-Benzene hexachloride	<0.50	µg/L	GE
0	Bis(2-ethylhexyl) phthalate	<10	µg/L	GE
0	Bromodichloromethane	<5.0	µg/L	MT
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<5.0	µg/L	MT
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<10	µg/L	MT
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<3.0	µg/L	MT
0	Cadmium	<3.0	µg/L	MT
0	Cadmium	<2.0	µg/L	GE
0	Calcium	52	µg/L	MT
0	Calcium	53	µg/L	MT
0	Calcium	37	µg/L	GE
0	Carbon tetrachloride	<5.0	µg/L	MT
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chlordane	<0.010	µg/L	MT
0	Chlordane	<0.50	µg/L	GE
0	Chloride	<250	µg/L	MT
0	Chloride	<250	µg/L	MT
0	Chloride	<1000	µg/L	GE
0	Chlorobenzene	<5.0	µg/L	MT
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<10	µg/L	MT
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<5.0	µg/L	MT
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<10	µg/L	MT
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<5.0	µg/L	MT
0	Chromium	<5.0	µg/L	MT
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<5.0	µg/L	MT
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<20	µg/L	MT
0	Cobalt	<20	µg/L	MT
0	Cobalt	<4.0	µg/L	GE
0	Copper	<5.0	µg/L	MT
0	Copper	<5.0	µg/L	MT
0	Copper	<4.0	µg/L	GE
0	Cyanide	<5.0	µg/L	MT
0	Cyanide	<5.0	µg/L	MT
0	Cyanide	<5.0	µg/L	GE
0	delta-Benzene hexachloride	<0.010	µg/L	MT
0	delta-Benzene hexachloride	<0.50	µg/L	GE
0	Di-n-octyl phthalate	<10	µg/L	GE
0	Dibromochloromethane	<5.0	µg/L	MT
0	Dibromochloromethane	<1.0	µg/L	GE
1	Dichloromethane (Methylene chloride)	J 3.0	µg/L	MT
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Dieldrin	<0.010	µg/L	MT
0	Dieldrin	<0.50	µg/L	GE
0	Diethyl phthalate	<10	µg/L	GE
0	Dissolved organic carbon	<1000	µg/L	MT
0	Dissolved organic carbon	<1000	µg/L	GE
0	Endosulfan I	<0.010	µg/L	MT
0	Endosulfan I	<0.50	µg/L	GE
0	Endosulfan II	<0.020	µg/L	MT
0	Endosulfan II	<0.50	µg/L	GE
0	Endosulfan sulfate	<0.020	µg/L	MT
0	Endosulfan sulfate	<0.50	µg/L	GE
0	Endrin	<0.0080	µg/L	MT
0	Endrin	<0.10	µg/L	GE
0	Endrin aldehyde	<0.025	µg/L	MT
0	Endrin aldehyde	<0.50	µg/L	GE
0	Ethylbenzene	<5.0	µg/L	MT
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<250	µg/L	MT
0	Fluoride	<250	µg/L	MT
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.0050	µg/L	MT
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Heptachlor	<0.010	µg/L	MT

QUALITY CONTROL SAMPLES

WELL BLANK collected on 03/17/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Heptachlor	<0.50	µg/L	GE
0	Heptachlor epoxide	<0.010	µg/L	MT
0	Heptachlor epoxide	<0.50	µg/L	GE
0	Iodine	<50	µg/L	MT
0	Iodine	<50	µg/L	MT
0	Iodine	<100	µg/L	GE
0	Iron	<20	µg/L	MT
0	Iron	<20	µg/L	MT
0	Iron	12	µg/L	GE
0	Lead	<2.0	µg/L	MT
0	Lead	<2.0	µg/L	MT
0	Lead	<6.0	µg/L	GE
0	Lithium	<20	µg/L	MT
0	Lithium	<20	µg/L	MT
0	Lithium	<5.0	µg/L	GE
0	Magnesium	<10	µg/L	MT
0	Magnesium	<10	µg/L	MT
0	Magnesium	3.0	µg/L	GE
0	Manganese	<5.0	µg/L	MT
0	Manganese	<5.0	µg/L	MT
0	Manganese	<2.0	µg/L	GE
0	Mercury	<0.20	µg/L	MT
0	Mercury	<0.20	µg/L	MT
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	MT
0	Methoxychlor	<0.50	µg/L	GE
0	Naphthalene	<10	µg/L	GE
0	Nickel	<5.2	µg/L	MT
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	<200	µg/L	MT
0	Nitrate as nitrogen	<200	µg/L	MT
0	Nitrate as nitrogen	<50	µg/L	GE
0	Nitrite as nitrogen	<800	µg/L	MT
0	Nitrite as nitrogen	<800	µg/L	MT
0	Nitrite as nitrogen	<10.0	µg/L	GE
0	p,p'-DDD	<0.020	µg/L	MT
0	p,p'-DDD	<0.50	µg/L	GE
0	p,p'-DDE	<0.010	µg/L	MT
0	p,p'-DDE	<0.50	µg/L	GE
0	p,p'-DDT	<0.020	µg/L	MT
0	p,p'-DDT	<0.50	µg/L	GE
0	PCB 1016	<0.30	µg/L	MT
0	PCB 1221	<0.30	µg/L	MT
0	PCB 1232	<0.30	µg/L	MT
0	PCB 1242	<0.30	µg/L	MT
0	PCB 1248	<0.30	µg/L	MT
0	PCB 1254	<0.50	µg/L	MT
0	PCB 1260	<0.50	µg/L	MT
0	Phenols	<5.0	µg/L	MT
0	Phenols	<5.0	µg/L	GE
0	Potassium	<600	µg/L	MT
0	Potassium	<600	µg/L	MT
0	Potassium	<500	µg/L	GE
0	Selenium	<3.0	µg/L	MT
0	Selenium	<3.0	µg/L	MT
0	Selenium	<2.0	µg/L	GE
0	Silica	344	µg/L	GE
0	Silica	<2140	µg/L	MT
0	Silica	<2140	µg/L	MT
0	Silver	<2.0	µg/L	MT
0	Silver	<2.0	µg/L	GE
0	Sodium	21	µg/L	MT
0	Sodium	18	µg/L	MT
0	Sodium	44	µg/L	GE
0	Sulfate	<1000	µg/L	MT
0	Sulfate	<1000	µg/L	MT
0	Sulfate	<5000	µg/L	GE
0	Sulfide	10600	µg/L	MT
0	Sulfide	11000	µg/L	MT
0	Sulfide	<1000	µg/L	GE
0	Tetrachloroethylene	<5.0	µg/L	MT
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Thallium	<2.0	µg/L	MT
0	Thallium	<2.0	µg/L	MT
0	Thallium	<2.0	µg/L	GE
0	Tin	<1930	µg/L	MT
0	Tin	<2.0	µg/L	GE
0	Toluene	<5.0	µg/L	MT
0	Toluene	<1.0	µg/L	GE
0	Total carbon	<1000	µg/L	MT
0	Total carbon	<1000	µg/L	GE
0	Total dissolved solids	90000	µg/L	MT
0	Total dissolved solids	88000	µg/L	MT
0	Total dissolved solids	124000	µg/L	GE
0	Total hydrocarbons	<1000	µg/L	GE
0	Total inorganic carbon	<1000	µg/L	MT
0	Total inorganic carbon	<1000	µg/L	GE
0	Total organic carbon	<1000	µg/L	MT
0	Total organic carbon	<1000	µg/L	GE

WELL BLANK collected on 03/17/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Total organic halogens	<5.0	µg/L	MT
0	Total organic halogens	<5.0	µg/L	MT
0	Total organic halogens	<5.0	µg/L	GE
0	Total organic nitrogen	<30	µg/L	MT
0	Total organic nitrogen	<100	µg/L	GE
0	Total petroleum hydrocarbons	<2000	µg/L	MT
0	Total phosphates	12	µg/L	MT
0	Total phosphates	50	µg/L	GE
0	Toxaphene	<0.24	µg/L	MT
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<5.0	µg/L	MT
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<5.0	µg/L	MT
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<5.0	µg/L	MT
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<5.0	µg/L	MT
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<119	µg/L	MT
0	Uranium	<119	µg/L	MT
0	Uranium	<1000	µg/L	GE
0	Vanadium	<5.0	µg/L	MT
0	Vanadium	<5.0	µg/L	MT
0	Vanadium	<20	µg/L	GE
0	Xylenes	<5.0	µg/L	MT
0	Xylenes	<2.0	µg/L	GE
0	Zinc	17	µg/L	MT
0	Zinc	15	µg/L	MT
0	Zinc	2.1	µg/L	GE
0	1,1-Dichloroethane	<5.0	µg/L	MT
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<5.0	µg/L	MT
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<5.0	µg/L	MT
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<5.0	µg/L	MT
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<5.0	µg/L	MT
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<5.0	µg/L	MT
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<5.0	µg/L	MT
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<5.0	µg/L	MT
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.48	µg/L	MT
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.070	µg/L	MT
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Americium-241	<0.20	pCi/L	TE
1	Americium-243	0.45 ± 0.24	pCi/L	TE
0	Barium-140	<30	pCi/L	TE
0	Beryllium-7	<40	pCi/L	TE
0	Carbon-14	<20	pCi/L	TE
0	Cerium-141	<10	pCi/L	TE
0	Cerium-144	<20	pCi/L	TE
0	Cesium-134	<3.0	pCi/L	TE
0	Cesium-137	<3.0	pCi/L	TE
0	Cobalt-58	<4.0	pCi/L	TE
0	Cobalt-60	<3.0	pCi/L	TE
0	Curium-242	<0.20	pCi/L	TE
1	Curium-243/244	3.2 ± 0.70	pCi/L	TE
0	Curium-246	<0.20	pCi/L	TE
0	Gross alpha	<2.0	pCi/L	MT
0	Gross alpha	<3.0	pCi/L	GE
0	Gross alpha	<0.60	pCi/L	TE
0	Iodine-129	<2.0	pCi/L	TE
0	Iodine-131	<100	pCi/L	TE
1	Iron-55	170 ± 30	pCi/L	TE
0	Iron-59	<10	pCi/L	TE
0	Manganese-54	<3.0	pCi/L	TE
0	Neptunium-237	<7.0	pCi/L	TE
0	Nickel-59	<100	pCi/L	TE
0	Nickel-63	<10	pCi/L	TE
0	Nonvolatile beta	<5.0	pCi/L	MT
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Nonvolatile beta	<1.0	pCi/L	TE
0	Plutonium-238	<0.20	pCi/L	TE
0	Plutonium-239/240	<0.10	pCi/L	TE
0	Plutonium-242	<0.060	pCi/L	TE
0	Potassium-40	<50	pCi/L	TE
0	Radium-226	<60	pCi/L	TE
0	Radium-226	<1.0	pCi/L	TE
0	Radium-228	<2.0	pCi/L	TE
0	Ruthenium-103	<6.0	pCi/L	TE
0	Ruthenium-106	<30	pCi/L	TE
0	Strontium-89	<4.0	pCi/L	TE
0	Strontium-90	<1.0	pCi/L	TE
0	Technetium-99	<4.0	pCi/L	TE

QUALITY CONTROL SAMPLES

WELL BLANK collected on 03/17/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Thorium-228	<6.0	pCi/L	TE
0	Thorium-228	<0.020	pCi/L	TE
0	Thorium-230	<0.020	pCi/L	TE
1	Thorium-232	0.40±0.19	pCi/L	TE
0	Total radium	<1.0	pCi/L	MT
0	Total radium	2.4±2.3	pCi/L	GE
0	Tritium	<1.0	pCi/mL	MT
0	Tritium	<0.70	pCi/mL	GE
0	Tritium	<2.0	pCi/mL	TE
1	Uranium-234	1.0±0.60	pCi/L	TE
0	Uranium-235	<0.10	pCi/L	TE
0	Uranium-238	<0.20	pCi/L	TE
0	Zinc-65	<7.0	pCi/L	TE
0	Zirconium-95	<5.0	pCi/L	TE

WELL BLANK

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/26/90
Depth to water: Not applicable
Water elevation: Not applicable
Sp conductance: 1 µS/cm

Time: 8:50
pH: 5.4
Alkalinity: 1 mg/L
Water temperature: 21.4 C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	4.8	pH	GE
0	Specific conductance	10	µS/cm	GE
0	Turbidity	<0.20	NTU	GE
0	Acetophenone	<10	µg/L	GE
0	Aldrin	<0.50	µg/L	GE
0	alpha-Benzene hexachloride	<0.50	µg/L	GE
0	Aluminum	<20	µg/L	GE
1	Ammonia	200	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	<4.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Beryllium	<5.0	µg/L	GE
0	beta-Benzene hexachloride	<0.50	µg/L	GE
0	Bis(2-ethylhexyl) phthalate	<10	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	51	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chlordane	<0.50	µg/L	GE
0	Chloride	<1000	µg/L	GE
1	Chlorobenzene	33	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	delta-Benzene hexachloride	<0.50	µg/L	GE
0	Di-n-octyl phthalate	<10	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Dieldrin	<0.50	µg/L	GE
0	Diethyl phthalate	<10	µg/L	GE
0	Dissolved organic carbon	<1000	µg/L	GE
0	Endosulfan I	<0.50	µg/L	GE
0	Endosulfan II	<0.50	µg/L	GE
0	Endosulfan sulfate	<0.50	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Endrin aldehyde	<0.50	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Heptachlor	<0.50	µg/L	GE
0	Heptachlor epoxide	<0.50	µg/L	GE
0	Iodine	<100	µg/L	GE
0	Iron	6.7	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Lithium	<5.0	µg/L	GE
0	Magnesium	4.0	µg/L	GE
0	Manganese	<2.0	µg/L	GE
0	Mercury	0.29	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Naphthalene	<10	µg/L	GE
0	Nickel	<4.0	µg/L	GE

WELL BLANK collected on 03/28/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Nitrate as nitrogen	140	µg/L	GE
0	Nitrite as nitrogen	<10.0	µg/L	GE
0	p,p'-DDD	<0.50	µg/L	GE
0	p,p'-DDE	<0.50	µg/L	GE
0	p,p'-DDT	<0.50	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	1420	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	184	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Sulfide	<1000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Thallium	<2.0	µg/L	GE
0	Tin	<2.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total carbon	<1000	µg/L	GE
0	Total dissolved solids	62000	µg/L	GE
0	Total hydrocarbons	<1000	µg/L	GE
0	Total inorganic carbon	<1000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
1	Total organic nitrogen	360	µg/L	GE
0	Total phosphates	90	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Xylenes	<2.0	µg/L	GE
0	Zinc	<2.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Total radium	<1.0	pCi/mL	GE
0	Tritium	<0.70	pCi/mL	GE

WELL BLANK

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/27/90
Depth to water: Not applicable
Water elevation: Not applicable
Sp conductance: 1 µS/cm

Time: 12:40
pH: 5.8
Alkalinity: 1 mg/L
Water temperature: 23.3 C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Americium-241	<0.20	pCi/L	TE
1	Americium-243	0.66±0.30	pCi/L	TE
0	Barium-140	<30	pCi/L	TE
0	Beryllium-7	<70	pCi/L	TE
0	Carbon-14	<20	pCi/L	TE
0	Cerium-141	<20	pCi/L	TE
0	Cerium-144	<40	pCi/L	TE
0	Cesium-134	<6.0	pCi/L	TE
0	Cesium-137	<6.0	pCi/L	TE
0	Cobalt-58	<6.0	pCi/L	TE
0	Cobalt-60	<6.0	pCi/L	TE
0	Curium-242	<0.30	pCi/L	TE
0	Curium-243/244	<0.60	pCi/L	TE
1	Curium-246	0.99±0.35	pCi/L	TE
0	Gross alpha	<0.60	pCi/L	TE
0	Iodine-129	<2.0	pCi/L	TE
0	Iodine-131	<100	pCi/L	TE
0	Iron-55	<50	pCi/L	TE
0	Iron-59	<20	pCi/L	TE
0	Manganese-54	<5.0	pCi/L	TE
0	Neptunium-237	<10	pCi/L	TE
0	Nickel-56	<90	pCi/L	TE
0	Nickel-63	<10	pCi/L	TE
0	Nonvolatile beta	<1.0	pCi/L	TE
0	Plutonium-238	<0.060	pCi/L	TE
0	Plutonium-239/240	<0.060	pCi/L	TE

QUALITY CONTROL SAMPLES

WELL BLANK collected on 03/27/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Plutonium-242	<0.060	pCi/L	TE
0	Potassium-40	<80	pCi/L	TE
0	Radium-226	<1.0	pCi/L	TE
0	Radium-228	<100	pCi/L	TE
0	Radium-228	<2.0	pCi/L	TE
0	Ruthenium-103	<8.0	pCi/L	TE
0	Ruthenium-106	<50	pCi/L	TE
0	Strontium-89	<4.0	pCi/L	TE
0	Strontium-90	<1.0	pCi/L	TE
0	Technetium-99	<2.0	pCi/L	TE
0	Thorium-228	<10	pCi/L	TE
0	Thorium-228	<0.20	pCi/L	TE
0	Thorium-230	<0.10	pCi/L	TE
1	Thorium-232	0.21 ± 0.14	pCi/L	TE
0	Tritium	<2.0	pCi/mL	TE
0	Uranium-234	<0.060	pCi/L	TE
0	Uranium-235	<0.040	pCi/L	TE
0	Uranium-238	<0.050	pCi/L	TE
0	Zinc-65	<10	pCi/L	TE
0	Zirconium-95	<7.0	pCi/L	TE

WELL FB 1

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/04/90
Depth to water: Not applicable
Water elevation: Not applicable
Sp. conductance: 6 µS/cm

Time: 15:00
pH: 4.7
Alkalinity: 1 mg/L
Water temperature: 17.7°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	<1.0	µg/L	MA
1	Chloroform	2.3	µg/L	MA
0	Tetrachloroethylene	<1.0	µg/L	MA
1	Tetrachloroethylene	3.0	µg/L	MA
0	trans-1,2-Dichloroethene	<1.0	µg/L	MA
1	trans-1,2-Dichloroethene	2.7	µg/L	MA
0	Trichloroethylene	<1.0	µg/L	MA
2	Trichloroethylene	3.0	µg/L	MA
0	1,1-Dichloroethylene	<1.0	µg/L	MA
1	1,1-Dichloroethylene	2.9	µg/L	MA
0	1,1,1-Trichloroethane	<1.0	µg/L	MA
1	1,1,1-Trichloroethane	2.9	µg/L	MA

WELL FB 2

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/12/90
Depth to water: Not applicable
Water elevation: Not applicable
Sp. conductance: 4 µS/cm

Time: 10:50
pH: 4.9
Alkalinity: 1 mg/L
Water temperature: 12.5°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	<1.0	µg/L	MA
0	Tetrachloroethylene	<1.0	µg/L	MA
0	trans-1,2-Dichloroethene	<1.0	µg/L	MA
0	Trichloroethylene	<1.0	µg/L	MA
0	1,1-Dichloroethylene	<1.0	µg/L	MA
0	1,1,1-Trichloroethane	<1.0	µg/L	MA

WELL FB 3

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/28/90
Depth to water: Not applicable
Water elevation: Not applicable
Sp. conductance: 2 µS/cm

Time: 8:00
pH: 5.4
Alkalinity: 1 mg/L
Water temperature: 6.5°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	<1.0	µg/L	MA
0	Tetrachloroethylene	<1.0	µg/L	MA
0	trans-1,2-Dichloroethene	<1.0	µg/L	MA
0	Trichloroethylene	<1.0	µg/L	MA
0	1,1-Dichloroethylene	<1.0	µg/L	MA
0	1,1,1-Trichloroethane	<1.0	µg/L	MA

WELL FB 4

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/03/90
Depth to water: Not applicable
Water elevation: Not applicable
Sp. conductance: 3 µS/cm

Time: 7:40
pH: 4.7
Alkalinity: 1 mg/L
Water temperature: 15.4°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	<1.0	µg/L	MA
0	Tetrachloroethylene	<1.0	µg/L	MA
0	trans-1,2-Dichloroethene	<1.0	µg/L	MA
0	Trichloroethylene	<1.0	µg/L	MA
0	1,1-Dichloroethylene	<1.0	µg/L	MA
0	1,1,1-Trichloroethane	<1.0	µg/L	MA

WELL FB 5

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/09/90
Depth to water: Not applicable
Water elevation: Not applicable
Sp. conductance: 1 µS/cm

Time: 15:20
pH: 5.1
Alkalinity: 1 mg/L
Water temperature: 21.9°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	<1.0	µg/L	MA
0	Tetrachloroethylene	<1.0	µg/L	MA
0	trans-1,2-Dichloroethene	<1.0	µg/L	MA
0	Trichloroethylene	<1.0	µg/L	MA
0	1,1-Dichloroethylene	<1.0	µg/L	MA
0	1,1,1-Trichloroethane	<1.0	µg/L	MA

WELL FB 6

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/03/90
Depth to water: Not applicable
Water elevation: Not applicable
Sp. conductance: 3 µS/cm

Time: 14:10
pH: 5.2
Alkalinity: 1 mg/L
Water temperature: 15.4°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	<1.0	µg/L	MA
0	Tetrachloroethylene	<1.0	µg/L	MA
0	trans-1,2-Dichloroethene	<1.0	µg/L	MA
0	Trichloroethylene	<1.0	µg/L	MA
0	1,1-Dichloroethylene	<1.0	µg/L	MA
0	1,1,1-Trichloroethane	<1.0	µg/L	MA

WELL FB 7

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/12/90
Depth to water: Not applicable
Water elevation: Not applicable
Sp. conductance: 2 µS/cm

Time: 7:10
pH: 5.0
Alkalinity: 1 mg/L
Water temperature: 18.9°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	Chloroform	1.1	µg/L	MA
0	Tetrachloroethylene	<1.0	µg/L	MA
0	trans-1,2-Dichloroethene	<1.0	µg/L	MA
0	Trichloroethylene	<1.0	µg/L	MA
0	1,1-Dichloroethylene	<1.0	µg/L	MA
0	1,1,1-Trichloroethane	<1.0	µg/L	MA

QUALITY CONTROL SAMPLES

WELL FB 8

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/21/90
 Depth to water: Not applicable
 Water elevation: Not applicable
 Sp. conductance: 3 µS/cm

Time: 12:50
 pH: 4.7
 Alkalinity: 1 mg/L
 Water temperature: 13.8°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	<1.0	µg/L	MA
0	Tetrachloroethylene	<1.0	µg/L	MA
0	trans-1,2-Dichloroethene	<1.0	µg/L	MA
0	Trichloroethylene	<1.0	µg/L	MA
0	1,1-Dichloroethylene	<1.0	µg/L	MA
0	1,1,1-Trichloroethane	<1.0	µg/L	MA

QUALITY CONTROL STANDARDS

During the first quarter of 1990, EPD/EMS conducted quality assessments of metaTRACE (MT) and General Engineering (GE), the two primary laboratories used for sample analysis. The laboratories were sent two sets of certified environmental quality control standards, one for routine analyses (Table 33) and one for Appendix IX analyses (Table 34). Both sets of standards were purchased from Environmental Resource Associates (ERA) of Arvada, Colorado.

Because the laboratories submitted two results to EPD/EMS for some analytes, the first result obtained was the one recorded in these tables for each analyte.

The standards analyses were reviewed by comparing the laboratory results with the ERA-certified values and advisory ranges. A comparison of their performances is shown in Figure 4.

Figure 4. Percentage of Analytes Within the Advisory Range of Certified Values from the Two Primary Laboratories

QUALITY CONTROL SAMPLES

Table 33. Quality Control Standards Results for Routine Analyses, Batch No. 2524 (ERA 190), from General Engineering and metaTRACE

Analyte	Certified Value	Advisory Range	CE	MT
Chloride (mg/L)	1.54	1.39-1.69	1.5	1.54
Turbidity (NTU)	2.2	2.0-2.4	1.7*	2.13
Inorganics				
Alkalinity (as CaCO ₃) (mg/L)	66	61-71	-	36*
Fluoride (mg/L)	3.3	2.7-3.9	3.5	2.4*
Nitrate as nitrogen (mg/L)	10.8	9.4-12.2	11.7	12.3*
pH	8.8	8.6-9.0	9.1*	9.26*
Potassium (mg/L)	37	30-44	37.7	36.6
Sodium (mg/L)	71	57-85	72.6	70.6
Sulfate (mg/L)	86	76-96	90.4	81.3
Metals				
Antimony (µg/L)	72.2	57-87	-	69.4
Arsenic (µg/L)	81	64-97	71.1	91
Barium (µg/L)	421	336-505	391	429
Beryllium (µg/L)	26.6	21-32	-	27.3
Cadmium (µg/L)	50	40-60	43.9	49.1
Calcium (mg/L)	22.3	18-27	23	22.1
Chromium (µg/L)	227	181-272	198	222
Copper (µg/L)	192	154-230	-	214
Hardness (as CaCO ₃) (mg/L)	55.8	49-62	5.0*	60
Iron (µg/L)	345	276-414	314	381
Lead (µg/L)	172	138-206	204	178
Manganese (µg/L)	255	204-306	276	266
Mercury (µg/L)	13	10-16	14.9	12.9
Nickel (µg/L)	487	390-584	-	434
Selenium (µg/L)	78.4	63-94	67	70.6
Silver (µg/L)	187	125-224	55.6*	61.4*
Thallium (µg/L)	35.6	28-43	-	27.1*
Pesticides/Herbicides				
Endrin (µg/L)	0.10	0.03-0.15	0.154*	0.11
gamma-BHC (Lindane) (µg/L)	0.0624	0.018-0.087	0.136*	0.05
Methoxychlor (µg/L)	0.36	0.11-0.58	0.373	0.44
Silvex (µg/L)	0.297	0.089-0.39	0.093	0.21
Toxaphene (µg/L)	0.294	0.11-0.37	0.956*	0.2
2,4-D (µg/L)	0.192	0.058-0.25	<0.30	<0.46
Halomethanes				
Bromodichloromethane (µg/L)	38.7	19-54	39	35
Bromoform (µg/L)	17.1	7.7-27	18	15
Chlorodibromomethane (µg/L)	23.7	16-31	24	23
Chloroform (µg/L)	79.3	54-96	76	82

* Results out of range.

- Not analyzed.

QUALITY CONTROL STANDARDS

Table 33. Quality Control Standards Results for Routine Analyses, Batch No. 2524 (ERA 190), from General Engineering and metaTRACE (cont.)

<u>Analyte</u>	<u>Certified Value</u>	<u>Advisory Range</u>	<u>GE</u>	<u>MT</u>
Regulated Volatiles				
Carbon tetrachloride ($\mu\text{g/L}$)	11.1	7.8-14	12.6	6.0*
Vinyl chloride ($\mu\text{g/L}$)	0.94	0.14-2.1	<1.0	<5.0
1,1,1-Trichloroethane ($\mu\text{g/L}$)	4.29	2.2-6.9	5.2	<5.0
Unregulated Volatiles				
Bromochloromethane ($\mu\text{g/L}$)	30.2	9.1-48	33.1	<5.0*
Trichlorofluoromethane ($\mu\text{g/L}$)	42.7	7.2-77	-	23
1,1-Dichloroethane ($\mu\text{g/L}$)	20.8	10-30	21.0	9.0*
1,1,1,2-Tetrachloroethane ($\mu\text{g/L}$)	12.2	5.6-17	11.5	8.0
1,3-Dichlorobenzene ($\mu\text{g/L}$)	10.4	6.1-16	10.5	8.0

Table 34. Quality Control Standards Results for Appendix IX Analyses, Batch No. 2601 (ERA 190-X), from General Engineering and metaTRACE

<u>Analyte</u>	<u>Certified Value</u>	<u>Advisory Range</u>	<u>GE</u>	<u>MT</u>
Volatiles				
Benzene ($\mu\text{g/L}$)	7.32	2.7-9.5	5.4	5.0
Ethyl acetate ($\mu\text{g/L}$)	139	21-250	-	<5.0*
Iodomethane ($\mu\text{g/L}$)	91.6	27-160	70.8	74
1,1-Dichloroethane ($\mu\text{g/L}$)	22.2	11-32	18.7	16
1,1,2-Trichloroethane ($\mu\text{g/L}$)	31.9	16-43	26.9	26
1,2-Dibromoethane ($\mu\text{g/L}$)	48.8	21-78	36.6	33
1,2,3-Trichloropropane ($\mu\text{g/L}$)	22.2	6.7-36	<1.0*	<5.0*
Base/Neutrals				
Acenaphthylene ($\mu\text{g/L}$)	28.6	9.4-41	31	27
Acetophenone ($\mu\text{g/L}$)	148	44-240	130	J120
Benzyl alcohol ($\mu\text{g/L}$)	182	27-320	210	100
Dibenzofuran ($\mu\text{g/L}$)	30.1	9.1-48	44	30
Hexachlorophene ($\mu\text{g/L}$)	87.6	26-140	<10*	<10*
Nitrobenzene ($\mu\text{g/L}$)	32.2	11-58	51	29
1,3,5-Trinitrobenzene ($\mu\text{g/L}$)	38.7	5.8-70	<10	<10
2-Methylnaphthalene ($\mu\text{g/L}$)	51.1	22-74	77*	47
4-Nitroaniline ($\mu\text{g/L}$)	60.4	18-97	91	61

* Results out of range.

- Not analyzed.

J Estimated value.

QUALITY CONTROL SAMPLES

Table 34. Quality Control Standards Results for Appendix IX Analyses, Batch No. 2601 (ERA 190-X), from General Engineering and metaTRACE (cont.)

<u>Analyte</u>	<u>Certified Value</u>	<u>Advisory Range</u>	<u>GE</u>	<u>MT</u>
Acids				
2,4,5-Trichlorophenol ($\mu\text{g/L}$)	151	45-240	115	99
2,6-Dichlorophenol ($\mu\text{g/L}$)	69.3	21-110	62	J39
3-Methylphenol ($\mu\text{g/L}$)	62.1	18-81	46	J35
4-Chloro-3-methylphenol ($\mu\text{g/L}$)	109	41-160	123	87
Pesticides				
gamma-BHC (Lindane) ($\mu\text{g/L}$)	0.534	0.016-0.74	0.132	0.44
Isodrin ($\mu\text{g/L}$)	0.123	0.032-0.22	<10	0.21
Kepone ($\mu\text{g/L}$)	0.765	0.12-1.4	<10	0.38
Methoxychlor ($\mu\text{g/L}$)	1.1	0.33-1.7	0.787	1.48
4,4-DDT ($\mu\text{g/L}$)	2.31	0.86-3.4	1.67	2.29
PCBs				
Aroclor 1242 ($\mu\text{g/L}$)	3.09	1.2-4.6	4.61*	3.03

J Estimated value.

* Results out of range.

FLAGGING CRITERIA

EPD/EMS established two flagging criteria levels in 1986. These criteria are modified periodically, and the changes are documented in the quarterly reports.

The Flag 1 criteria are based on current analytical detection limits, approximate background concentration levels in SRS groundwaters, or EPA Drinking Water Standards (DWS).

The Flag 2 criteria are higher and are usually set at one-half the EPA DWS. If no drinking water standard exists for a particular constituent, the Flag 2 criterion is set based on regional values.

Results for all analytes not listed in Table 35 are automatically set at Flag 1, with the following exceptions:

- If the result is below the analytical detection limit, it is coded with a 0, meaning that it is not flagged.
- Odor, corrosivity, total dissolved solids, surfactants, sulfides, nitrites, color, turbidity, and GC Scan analytes are automatically coded with a 0. These analytes are not flagged because EPA regards them as aesthetic measurements with no known health effects.

FLAGGING CRITERIA

Table 35. Flagging Criteria

Analyte	Unit	Flag 1		Flag 2	
		Criterion	Standard	Criterion	Standard
Aluminum	µg/L	80	~2 x BG	400	~10 x BG
Arsenic	µg/L	1	DL	25	½ EPA ^c
Barium	µg/L	50	~2 x BG	500	½ EPA ^c
Beryllium	µg/L	2	DL	20	10 x DL
Carbon tetrachloride	µg/L	1	DL	2.5	½ EPA ^d
Calcium	µg/L	10,000	BG		
Cadmium	µg/L	2	DL	5	½ EPA ^c
Chloride	µg/L	10,000	~2 x BG	125,000	½ EPA ^b
Chromium	µg/L	4	DL	25	½ EPA ^c
Copper	µg/L	20	~2 x BG	500	½ EPA ^b
Cyanide	µg/L	5	DL	100	½ USDWS
Endrin	µg/L	0.04	DL	0.10	½ EPA ^c
Fluoride	µg/L	500	1/8 EPA ^c	2,000	½ EPA ^c
Iron	µg/L	150	½ EPA ^b	300	EPA ^b
Lead	µg/L	20	~2 x BG	25	½ EPA ^c
Lindane	µg/L	0.018	DL	2	½ EPA ^c
Magnesium	µg/L	5,000	BG		
Manganese	µg/L	25	½ EPA ^b	50	EPA ^b
Mercury	µg/L	0.4	2 x DL	1	½ EPA ^c
Methoxychlor	µg/L	0.10	DL	50	½ EPA ^c
Nickel	µg/L	8	2 x DL	175	½ IHA
Nitrate as nitrogen	µg/L	3,000	~2 x BG	10,000	EPA ^c
pH	pH	<4	BG	<3	
pH	pH	>6.5	BG	>8	
Phenols	µg/L	2	DL		
Potassium	µg/L	5,000	BG		
Selenium	µg/L	2	DL	5	½ EPA ^c
Silica	µg/L	10,000	BG		
Silver	µg/L	2	DL	25	½ EPA ^c
Silvex	µg/L	0.10	DL	5	½ EPA ^c
Sodium	µg/L	5,000	~2 x BG		
Specific conductance	µS/cm	100	~2 x BG		
Sulfate	µg/L	10,000	~2 x DL	125,000	½ EPA ^b
Total organic carbon	µg/L	5,000	~2 x BG	25,000	~10 x BG
Total organic halogens	µg/L	10	2 x DL	25	5 x DL
Total phosphates	µg/L	300	BG		

~ = approximately.

BG = approximate background concentration at SRS.

DL = analytical detection limit.

EPA^b = drinking water standard (U.S. Environmental Protection Agency, 1986b).

EPA^c = drinking water standard (U.S. Environmental Protection Agency, 1987a).

EPA^d = drinking water standard (U.S. Environmental Protection Agency, 1987b).

IHA = EPA Interim Health Advisory.

USDWS = drinking water standard (U.S. Public Health Service, 1962).

FLAGGING CRITERIA

Table 35. Flagging Criteria (cont.)

<u>Analyte</u>	<u>Unit</u>	<u>Flag 1</u>		<u>Flag 2</u>	
		<u>Criterion</u>	<u>Standard</u>	<u>Criterion</u>	<u>Standard</u>
Toxaphene	μg/L	0.64	DL	2.5	½ EPA ^c
Zinc	μg/L	250	~2 x BG	2,500	½ EPA ^b
Antimony-125	pCi/L	30*	1/10 EPA	150	½ EPA
Cobalt-60	pCi/L	10*	1/10 EPA	50	½ EPA
Chromium-51	pCi/L	600*	1/10 EPA	3,000	½ EPA
Cesium-134	pCi/L	10*	1/8 EPA ^a	40	½ EPA ^a
Cesium-137	pCi/L	20*	1/10 EPA	100	½ EPA
Gross alpha	pCi/L	5	~2 x BG	15	EPA ^c
Iodine-131	pCi/L	1*	1/3 EPA	1.5	½ EPA
Nonvolatile beta	pCi/L	10	~2 x BG	50	~10 x BG
Ruthenium-103	pCi/L	20*	1/10 EPA	100	½ EPA
Ruthenium-106	pCi/L	3	1/10 EPA	15	½ EPA
Strontium-89/90	pCi/L	4	DL	8	EPA
Total radium	pCi/L	2.5	~2 x BG	5	EPA ^c
Tritium	pCi/L	10,000	½ EPA ^c	20,000	EPA ^c
Zirconium/Niobium-95	pCi/L	20*	1/10 EPA	100	½ EPA

* This is the detection limit requested in the drinking water standard (Environmental Protection Agency, 1976).

~ = approximately.

BG = approximate background concentration at SRS.

DL = analytical detection limit.

EPA = drinking water standard (U.S. Environmental Protection Agency, 1977).

EPA^a = drinking water standard (U.S. Environmental Protection Agency, 1986a).

EPA^b = drinking water standard (U.S. Environmental Protection Agency, 1986b).

EPA^c = drinking water standard (U.S. Environmental Protection Agency, 1987a).

This page was left blank intentionally.

DRINKING WATER DATA

The analytical results of radioactive monitoring of drinking water from SRS wells are listed in Table 36. EPD/EMS in Building 735-A conducts all analyses.

Table 36. Drinking Water Data

<u>Sample Location</u>	<u>Sample Date</u>	<u>Analysis</u>	<u>Result</u>
A Area	2/13/90	Gross alpha	0.23 $\pm$ 0.28 pCi/L
		Nonvolatile beta	0.56 $\pm$ 0.69 pCi/L
		Tritium	-0.05 $\pm$ 0.16 pCi/mL
Allendale Gate	2/13/90	Gross alpha	-0.16 $\pm$ 0.19 pCi/L
		Nonvolatile beta	0.58 $\pm$ 0.70 pCi/L
		Tritium	0.04 $\pm$ 0.16 pCi/mL
Barnwell Gate	2/13/90	Gross alpha	-0.14 $\pm$ 0.16 pCi/L
		Nonvolatile beta	0.18 $\pm$ 0.59 pCi/L
		Tritium	-0.01 $\pm$ 0.16 pCi/mL
Central Shops	2/13/90	Gross alpha	-0.15 $\pm$ 0.18 pCi/L
		Nonvolatile beta	0.14 $\pm$ 0.61 pCi/L
		Tritium	-0.07 $\pm$ 0.16 pCi/mL
Classification Yard	2/13/90	Gross alpha	-0.09 $\pm$ 0.17 pCi/L
		Nonvolatile beta	0.70 $\pm$ 0.76 pCi/L
		Tritium	-0.01 $\pm$ 0.16 pCi/mL
Emergency Operations Center (EOC)	2/13/90	Gross alpha	0.38 $\pm$ 0.33 pCi/L
		Nonvolatile beta	0.72 $\pm$ 0.71 pCi/L
		Tritium	0.03 $\pm$ 0.17 pCi/mL
Firing Range	2/13/90	Gross alpha	2.01 $\pm$ 0.65 pCi/L
		Nonvolatile beta	2.23 $\pm$ 0.97 pCi/L
		Tritium	1.17 $\pm$ 0.17 pCi/mL
Forestry Building	2/13/90	Gross alpha	3.76 $\pm$ 0.92 pCi/L
		Nonvolatile beta	2.87 $\pm$ 1.09 pCi/L
		Tritium	0.90 $\pm$ 0.17 pCi/mL
Jackson Gate	2/13/90	Gross alpha	0.78 $\pm$ 0.42 pCi/L
		Nonvolatile beta	1.03 $\pm$ 0.76 pCi/L
		Tritium	-0.14 $\pm$ 0.16 pCi/mL

DRINKING WATER DATA

Table 36. Drinking Water Data (cont.)

<u>Sample Location</u>	<u>Sample Date</u>	<u>Analysis</u>	<u>Result</u>
Par Pond Laboratory	2/13/90	Gross alpha	0.00 ± 0.22 pCi/L
		Nonvolatile beta	0.42 ± 0.69 pCi/L
		Tritium	-0.05 ± 0.16 pCi/mL
Talatha Gate	1/31/90	Tritium	10.0 ± 0.37 pCi/mL
		Tritium	6.64 ± 0.30 pCi/mL
TC-1 (704-B)	2/13/90	Gross alpha	0.64 ± 0.39 pCi/L
		Nonvolatile beta	1.12 ± 0.78 pCi/L
		Tritium	0.00 ± 0.16 pCi/mL
TNX	2/13/90	Gross alpha	0.61 ± 0.48 pCi/L
		Nonvolatile beta	3.45 ± 1.25 pCi/L
		Tritium	-0.12 ± 0.16 pCi/mL
Williston Gate	2/13/90	Gross alpha	0.25 ± 0.31 pCi/L
		Nonvolatile beta	1.87 ± 0.95 pCi/L
		Tritium	0.04 ± 0.16 pCi/mL
105-C Building	1/19/90	Gross alpha	2.27 ± 0.85 pCi/L
		Nonvolatile beta	2.23 ± 0.95 pCi/L
		Tritium	0.03 ± 0.18 pCi/mL
	2/13/90	Gross alpha	1.74 ± 0.63 pCi/L
		Nonvolatile beta	0.71 ± 0.72 pCi/L
		Tritium	-0.09 ± 0.16 pCi/mL
	3/9/90	Gross alpha	1.40 ± 0.79 pCi/L
		Nonvolatile beta	1.82 ± 0.86 pCi/L
		Tritium	0.10 ± 0.15 pCi/mL
105-K Building	1/19/90	Gross alpha	0.61 ± 0.48 pCi/L
		Nonvolatile beta	1.80 ± 0.89 pCi/L
		Tritium	-0.09 ± 0.18 pCi/mL
	2/13/90	Gross alpha	0.45 ± 0.35 pCi/L
		Nonvolatile beta	2.49 ± 1.03 pCi/L
		Tritium	0.03 ± 0.16 pCi/mL
	3/9/90	Gross alpha	0.93 ± 0.66 pCi/L
		Nonvolatile beta	2.70 ± 0.98 pCi/L
		Tritium	0.05 ± 0.15 pCi/mL
105-L Building	1/19/90	Gross alpha	0.17 ± 0.31 pCi/L
		Nonvolatile beta	1.70 ± 0.87 pCi/L
		Tritium	-0.08 ± 0.18 pCi/mL
	2/13/90	Gross alpha	0.46 ± 0.36 pCi/L
		Nonvolatile beta	1.44 ± 0.85 pCi/L
		Tritium	0.05 ± 0.17 pCi/mL
	3/9/90	Gross alpha	0.57 ± 0.54 pCi/L
		Nonvolatile beta	0.79 ± 0.70 pCi/L
		Tritium	0.09 ± 0.15 pCi/mL

DRINKING WATER DATA

Table 36. Drinking Water Data (cont.)

<u>Sample Location</u>	<u>Sample Date</u>	<u>Analysis</u>	<u>Result</u>
105-P Building	1/19/90	Gross alpha	0.62 ±0.49 pCi/L
		Nonvolatile beta	1.25 ±0.80 pCi/L
		Tritium	-0.19 ±0.18 pCi/mL
	2/13/90	Gross alpha	0.58 ±0.37 pCi/L
		Nonvolatile beta	0.67 ±0.70 pCi/L
		Tritium	-0.21 ±0.23 pCi/mL
	3/9/90	Gross alpha	0.37 ±0.46 pCi/L
		Nonvolatile beta	1.20 ±0.77 pCi/L
		Tritium	0.08 ±0.15 pCi/mL
221-F Building	1/19/90	Gross alpha	3.41 ±1.11 pCi/L
		Nonvolatile beta	4.30 ±1.28 pCi/L
		Tritium	-0.15 ±0.18 pCi/mL
	2/13/90	Gross alpha	2.14 ±0.76 pCi/L
		Nonvolatile beta	3.48 ±1.23 pCi/L
		Tritium	0.09 ±0.16 pCi/mL
	3/9/90	Gross alpha	1.85 ±0.89 pCi/L
		Nonvolatile beta	2.32 ±0.93 pCi/L
		Tritium	0.07 ±0.15 pCi/mL
221-H Building	1/19/90	Gross alpha	1.08 ±0.60 pCi/L
		Nonvolatile beta	3.08 ±1.07 pCi/L
		Tritium	-0.10 ±0.18 pCi/mL
	2/13/90	Gross alpha	0.08 ±0.22 pCi/L
		Nonvolatile beta	1.19 ±0.81 pCi/L
		Tritium	0.08 ±0.16 pCi/mL
	3/9/90	Gross alpha	2.49 ±1.12 pCi/L
		Nonvolatile beta	4.12 ±1.20 pCi/L
		Tritium	0.07 ±0.15 pCi/mL
241-24H	1/19/90	Gross alpha	6.35 ±1.47 pCi/L
		Gross alpha	3.60 ±0.92 pCi/L
		Nonvolatile beta	10.64 ±2.08 pCi/L
		Nonvolatile beta	9.48 ±2.07 pCi/L
		Tritium	-0.07 ±0.18 pCi/mL
		Tritium	-0.07 ±0.18 pCi/mL
	3/9/90	Gross alpha	7.81 ±1.91 pCi/L
		Gross alpha	7.42 ±2.30 pCi/L
		Gross alpha	6.70 ±1.20 pCi/L
		Nonvolatile beta	15.09 ±2.45 pCi/L
		Nonvolatile beta	17.5 ±2.58 pCi/L
		Nonvolatile beta	5.5 ±1.6 pCi/L
617-G Wackenhut Training Facility	2/13/90	Strontium-90	0.61 ±2 pCi/L
		Strontium-90	-0.96 ±1.93 pCi/L
		Tritium	0.05 ±0.15 pCi/mL
		Tritium	0.05 ±0.15 pCi/mL
617-G Wackenhut Training Facility	2/13/90	Gross alpha	1.62 ±0.61 pCi/L
		Nonvolatile beta	1.45 ±0.85 pCi/L
		Tritium	1.79 ±0.18 pCi/mL

DRINKING WATER DATA

Table 36. Drinking Water Data (cont.)

<u>Sample Location</u>	<u>Sample Date</u>	<u>Analysis</u>	<u>Result</u>
681-1G Pump House	2/13/90	Gross alpha	0.08 $\pm$ 0.25 pCi/L
		Nonvolatile beta	3.21 $\pm$ 1.18 pCi/L
		Tritium	-0.04 $\pm$ 0.16 pCi/mL
681-3G Pump House	2/13/90	Gross alpha	0.85 $\pm$ 0.46 pCi/L
		Nonvolatile beta	2.83 $\pm$ 1.09 pCi/L
		Tritium	-0.12 $\pm$ 0.16 pCi/mL
701-1F Building	1/19/90	Gross alpha	3.56 $\pm$ 1.15 pCi/L
		Nonvolatile beta	4.76 $\pm$ 1.34 pCi/L
		Tritium	-0.09 $\pm$ 0.18 pCi/mL
701-12G Barricade 7	2/13/90	Gross alpha	-0.18 $\pm$ 0.21 pCi/L
		Nonvolatile beta	1.21 $\pm$ 0.84 pCi/L
		Tritium	1.68 $\pm$ 0.17 pCi/mL
701-13G Barricade 6	2/13/90	Gross alpha	0.36 $\pm$ 0.31 pCi/L
		Nonvolatile beta	1.00 $\pm$ 0.76 pCi/L
		Tritium	2.42 $\pm$ 0.18 pCi/mL
701-8G Barricade 8	2/13/90	Gross alpha	0.28 $\pm$ 0.28 pCi/L
		Nonvolatile beta	0.75 $\pm$ 0.71 pCi/L
		Tritium	3.37 $\pm$ 0.19 pCi/mL
704-F Building	2/13/90	Gross alpha	1.17 $\pm$ 0.58 pCi/L
		Nonvolatile beta	2.17 $\pm$ 1.10 pCi/L
		Tritium	0.09 $\pm$ 0.16 pCi/mL
704-H Building	2/13/90	Gross alpha	2.87 $\pm$ 0.81 pCi/L
		Nonvolatile beta	3.93 $\pm$ 1.26 pCi/L
		Tritium	0.20 $\pm$ 0.16 pCi/mL
704-Z	2/13/90	Gross alpha	2.02 $\pm$ 0.69 pCi/L
		Nonvolatile beta	3.08 $\pm$ 1.13 pCi/L
		Tritium	0.05 $\pm$ 0.16 pCi/mL
704-S DWPF	2/13/90	Gross alpha	6.89 $\pm$ 1.33 pCi/L
		Gross alpha	4.98 $\pm$ 1.48 pCi/L
		Nonvolatile beta	7.18 $\pm$ 1.75 pCi/L
		Nonvolatile beta	8.79 $\pm$ 1.74 pCi/L
		Tritium	0.04 $\pm$ 0.16 pCi/mL
772-F Building	3/9/90	Gross alpha	2.78 $\pm$ 1.17 pCi/L
		Nonvolatile beta	4.10 $\pm$ 1.20 pCi/L
		Tritium	0.04 $\pm$ 0.15 pCi/mL

ANALYTICAL RESULTS

This section presents the field and analytical results for samples collected during first quarter 1990. The tables are presented in alphabetical order by well series and in numerical order within each series. The **Location Index by Well Series** following this section contains the area name(s) for each series. The tabular data contain all the analytical results for samples collected during this quarter except for those analyses described in the **Sample Analysis** and **Quality Control Samples** sections. Some samples are analyzed for field data only and have no laboratory analyses.

The following codes may appear in the tabular data.

$\mu\text{g/L}$ = micrograms per liter

$\mu\text{S/cm}$ = microsiemens per centimeter (equivalent to micromhos per centimeter)

B = analyte detected in associated blank as well as in sample

E = exponential notation (e.g., $200000 \pm 20\text{E}3 \text{ pCi/mL} = 200000 \pm 20000 \text{ pCi/mL}$)

EM = EPD/EMS Laboratory

GE = General Engineering

J = estimated value

MA = M-Area Laboratory

mg/L = milligrams per liter

MT = metaTRACE

pCi/L = picocuries per liter

pCi/mL = picocuries per milliliter

pH = pH units

ng/L = nanograms per liter

NTU = turbidity units

TE = Teledyne Isotopes

ANALYTICAL RESULTS

WELL ABP 1A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/10/90
Depth to water: 140.68 ft (42.88 m) below TOC
Water elevation: 218.22 ft (66.82 m) msl
Sp. conductance: 29 µS/cm
Water evacuated before sampling: 120 gal

Time: 11:50
pH: 5.0
Alkalinity: 1 mg/L
Water temperature: 18.0°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	MA
0	Lead	<6.0	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Lithium	<5.0	µg/L	GE
0	Lithium	<5.0	µg/L	GE
0	Manganese	2.8	µg/L	GE
0	Manganese	2.9	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	MA
0	Total organic halogens	<5.0	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	MA
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	MA
0	1,1-Dichloroethylene	<1.0	µg/L	MA
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	MA
0	Gross alpha	<3.0	pCi/L	GE
0	Gross alpha	<3.0	pCi/L	GE
2	Total radium	6.4±3.3	pCi/L	GE
2	Total radium	5.9±2.7	pCi/L	GE

WELL ABP 2A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/10/90
Depth to water: 154.37 ft (47.05 m) below TOC
Water elevation: 217.53 ft (66.30 m) msl
Sp. conductance: 17 µS/cm
Water evacuated before sampling: 95 gal

Time: 12:35
pH: 5.1
Alkalinity: 1 mg/L
Water temperature: 17.7°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Lithium	<5.0	µg/L	GE
0	Manganese	5.4	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Sulfate	<5000	µg/L	GE
2	Tetrachloroethylene	17	µg/L	GE
1	Total organic halogens	14	µg/L	GE
2	Trichloroethylene	18	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	Gross alpha	4.0±2.6	pCi/L	GE
1	Total radium	3.4±3.7	pCi/L	GE

WELL ABP 3

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/10/90
Depth to water: 133.88 ft (40.81 m) below TOC
Water elevation: 219.82 ft (67.00 m) msl
Sp. conductance: 17 µS/cm
Water evacuated before sampling: 34 gal

Time: 13:30
pH: 6.0
Alkalinity: 0 mg/L
Water temperature: 18.9°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Lithium	<5.0	µg/L	GE
0	Manganese	9.8	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
1	Total organic halogens	24	µg/L	GE
2	Trichloroethylene	34	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Total radium	<1.0	pCi/L	GE

WELL ABP 3C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/10/90
Depth to water: 159.91 ft (48.74 m) below TOC
Water elevation: 194.59 ft (59.31 m) msl
Sp. conductance: 129 µS/cm
Water evacuated before sampling: 97 gal

Time: 14:00
pH: 9.5
Alkalinity: 31 mg/L
Water temperature: 18.0°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
2	pH	9.2	pH	GE
1	Specific conductance	135	µS/cm	GE
1	Arsenic	2.7	µg/L	GE
0	Barium	29	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
1	Calcium	11200	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	2500	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	MA
0	Chromium	<4.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	Iron	50	µg/L	GE
0	Lead	<3.0	µg/L	GE
0	Lithium	<5.0	µg/L	GE
0	Magnesium	334	µg/L	GE
0	Manganese	<2.0	µg/L	GE
0	Manganese	<2.0	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Nickel	<4.0	µg/L	GE
1	Nitrate as nitrogen	3200	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	3560	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	8570	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	7390	µg/L	GE
0	Sulfate	<5000	µg/L	GE
2	Tetrachloroethylene	18	µg/L	GE
2	Tetrachloroethylene	13	µg/L	MA
0	Total dissolved solids	76000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
2	Total organic halogens	28	µg/L	GE
0	Total phosphates	200	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	MA
2	Trichloroethylene	30	µg/L	GE
2	Trichloroethylene	33	µg/L	MA
0	1,1-Dichloroethylene	<1.0	µg/L	MA
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	MA
0	Gross alpha	4.0±2.6	pCi/L	GE
0	Nonvolatile beta	6.2±3.9	pCi/L	GE
0	Total radium	1.8±2.0	pCi/L	GE
0	Tritium	<0.70	pCi/mL	GE

ANALYTICAL RESULTS

WELL AC 1A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/13/90 Time: 13:35
Depth to water: 80.78 ft (15.48 m) below TOC pH: 5.8
Water elevation: 211.32 ft (64.41 m) msf Alkalinity: 2 mg/L
Sp. conductance: 35 µS/cm Water temperature: 18.7°C
Water evacuated before sampling: 180 gal

WELL AC 1B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/13/90 Time: 13:20
Depth to water: Not available pH: 5.8
Water elevation: Not available Alkalinity: 4 mg/L
Sp. conductance: 202 µS/cm Water temperature: 18.5°C
Water evacuated before sampling: 35 gal

WELL AC 2A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/13/90 Time: 14:30
Depth to water: 124.88 ft (38.08 m) below TOC pH: 6.2
Water elevation: 218.84 ft (67.01 m) msf Alkalinity: 8 mg/L
Sp. conductance: 44 µS/cm Water temperature: 18.9°C
Water evacuated before sampling: 200 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	< 1.0	µg/L	MA
0	Tetrachloroethylene	< 1.0	µg/L	MA
0	trans-1,2-Dichloroethene	< 1.0	µg/L	MA
0	Trichloroethylene	< 1.0	µg/L	MA
0	1,1-Dichloroethylene	< 1.0	µg/L	MA
0	1,1,1-Trichloroethane	< 1.0	µg/L	MA

WELL AC 2B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/13/90 Time: 14:40
Depth to water: 117.15 ft (35.71 m) below TOC pH: 5.4
Water elevation: 227.85 ft (69.39 m) msf Alkalinity: 2 mg/L
Sp. conductance: 28 µS/cm Water temperature: 17.9°C
Water evacuated before sampling: 24 gal

WELL AC 3A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/13/90 Time: 12:55
Depth to water: 95.47 ft (29.10 m) below TOC pH: 6.2
Water elevation: 208.83 ft (63.04 m) msf Alkalinity: 14 mg/L
Sp. conductance: 54 µS/cm Water temperature: 17.4°C
Water evacuated before sampling: 148 gal

WELL AC 3B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/13/90 Time: 13:00
Depth to water: 93.68 ft (28.55 m) below TOC pH: 9.9
Water elevation: 208.84 ft (63.06 m) msf Alkalinity: 35 mg/L
Sp. conductance: 89 µS/cm Water temperature: 17.3°C
Water evacuated before sampling: 242 gal

WELL ACB 1A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/19/90 Time: 15:15
Depth to water: 124.19 ft (37.85 m) below TOC pH: 5.8
Water elevation: 235.41 ft (71.75 m) msf Alkalinity: 10 mg/L
Sp. conductance: 89 µS/cm Water temperature: 18.4°C
Water evacuated before sampling: 48 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Specific conductance	87	µS/cm	GE
0	Specific conductance	89	µS/cm	GE
0	Calcium	202	µg/L	GE
0	Calcium	331	µg/L	GE
0	Chloroform	< 1.0	µg/L	MA
0	Copper	< 4.0	µg/L	GE
0	Copper	< 4.0	µg/L	GE
0	Magnesium	137	µg/L	GE
0	Manganese	2.4	µg/L	GE
0	Manganese	2.8	µg/L	GE
0	Mercury	< 0.20	µg/L	GE
0	Mercury	< 0.20	µg/L	GE
0	Selenium	< 2.0	µg/L	GE
0	Selenium	< 2.0	µg/L	GE
0	Silica	4020	µg/L	GE
0	Silica	3740	µg/L	GE
1	Sodium	15800	µg/L	GE
1	Sodium	15800	µg/L	GE
1	Sulfate	14700	µg/L	GE
1	Sulfate	14900	µg/L	GE
0	Tetrachloroethylene	< 1.0	µg/L	MA
0	Total organic halogens	< 5.0	µg/L	GE
0	Total organic halogens	< 5.0	µg/L	GE
0	trans-1,2-Dichloroethene	< 1.0	µg/L	MA
0	Trichloroethylene	< 1.0	µg/L	MA
0	1,1-Dichloroethylene	< 1.0	µg/L	MA
0	1,1,1-Trichloroethane	< 1.0	µg/L	MA
2	Gross alpha	27 ± 8.0	pCi/L	GE
2	Gross alpha	29 ± 6.2	pCi/L	GE
1	Nonvolatile beta	40 ± 8.4	pCi/L	GE
1	Nonvolatile beta	33 ± 5.9	pCi/L	GE
0	Total radium	< 1.0	pCi/L	GE
0	Total radium	< 1.0	pCi/L	GE

WELL ACB 2A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/19/90 Time: 15:40
Depth to water: 113.48 ft (34.58 m) below TOC pH: 5.2
Water elevation: 236.32 ft (72.03 m) msf Alkalinity: 4 mg/L
Sp. conductance: 64 µS/cm Water temperature: 19.5°C
Water evacuated before sampling: 74 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Specific conductance	52	µS/cm	GE
0	Calcium	188	µg/L	GE
1	Copper	21	µg/L	GE
0	Magnesium	47	µg/L	GE
0	Manganese	< 2.0	µg/L	GE
0	Mercury	< 0.20	µg/L	GE
0	Selenium	< 2.0	µg/L	GE
0	Silica	4880	µg/L	GE
1	Sodium	9040	µg/L	GE
1	Sulfate	9100	µg/L	GE
0	Total organic halogens	< 5.0	µg/L	GE
0	Gross alpha	< 3.0	pCi/L	GE
0	Nonvolatile beta	7.1 ± 2.7	pCi/L	GE
0	Total radium	< 1.0	pCi/L	GE

ANALYTICAL RESULTS

WELL ACB 3A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/19/90
Depth to water: 111.89 ft (34.03 m) below TOC
Water elevation: 238.84 ft (72.13 m) msf
Sp. conductance: 272 µS/cm
Water evacuated before sampling: 79 gal

Time: 17:18
pH: 4.8
Alkalinity: 0 mg/L
Water temperature: 19.7°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	Specific conductance	255	µS/cm	GE
1	Calcium	18100	µg/L	GE
0	Copper	<4.0	µg/L	GE
1	Magnesium	11400	µg/L	GE
2	Manganese	331	µg/L	GE
2	Mercury	1.2	µg/L	GE
1	Selenium	4.5	µg/L	GE
1	Silica	12800	µg/L	GE
0	Sodium	3820	µg/L	GE
1	Sulfate	115000	µg/L	GE
1	Total organic halogens	11	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	4.4±2.3	pCi/L	GE
2	Total radium	22±5.8	pCi/L	GE

WELL ACB 4A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/19/90
Depth to water: 122.06 ft (37.20 m) below TOC
Water elevation: 237.04 ft (72.25 m) msf
Sp. conductance: 194 µS/cm
Water evacuated before sampling: 60 gal

Time: 17:35
pH: 5.2
Alkalinity: 2 mg/L
Water temperature: 19.5°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	Specific conductance	140	µS/cm	GE
1	Calcium	11300	µg/L	GE
0	Chloroform	<1.0	µg/L	MA
0	Copper	8.1	µg/L	GE
1	Magnesium	9920	µg/L	GE
0	Manganese	8.9	µg/L	GE
1	Mercury	0.97	µg/L	GE
1	Selenium	3.0	µg/L	GE
0	Silica	7570	µg/L	GE
0	Sodium	3020	µg/L	GE
1	Sulfate	78400	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	MA
0	Total organic halogens	5.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	MA
0	Trichloroethylene	<1.0	µg/L	MA
0	1,1-Dichloroethylene	<1.0	µg/L	MA
0	1,1,1-Trichloroethane	<1.0	µg/L	MA
1	Gross alpha	7.1±2.4	pCi/L	GE
0	Nonvolatile beta	5.0±2.4	pCi/L	GE
2	Total radium	21±5.2	pCi/L	GE

WELL AMB 4

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/03/90
Depth to water: 147.83 ft (45.08 m) below TOC
Water elevation: 232.87 ft (70.89 m) msf
The well pumped dry before sampling could be done.

Time: 18:35

WELL AMB 5

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/03/90
Depth to water: 147.14 ft (44.85 m) below TOC
Water elevation: 232.48 ft (70.85 m) msf
Sp. conductance: 42 µS/cm
Water evacuated before sampling: 46 gal

Time: 17:20
pH: 4.7
Alkalinity: 0 mg/L
Water temperature: 17.8°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.3	pH	MT
0	pH	5.0	pH	GE
0	pH	5.0	pH	GE
0	Specific conductance	39	µS/cm	MT
0	Specific conductance	40	µS/cm	GE
0	Specific conductance	40	µS/cm	GE
0	Arsenic	<3.0	µg/L	MT
0	Arsenic	<2.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	<8.0	µg/L	MT
0	Barium	7.2	µg/L	GE
0	Barium	7.8	µg/L	GE
0	Benzene	<5.0	µg/L	MT
0	Benzene	<1.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<5.0	µg/L	MT
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<5.0	µg/L	MT
0	Bromoform	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	MT
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<3.0	µg/L	MT
0	Cadmium	<2.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	487	µg/L	MT
0	Calcium	511	µg/L	GE
0	Calcium	529	µg/L	GE
0	Carbon tetrachloride	<5.0	µg/L	MT
0	Carbon tetrachloride	<1.0	µg/L	GE
1	Carbon tetrachloride	2.0	µg/L	GE
0	Chloride	4000	µg/L	MT
0	Chloride	4000	µg/L	GE
0	Chloride	4000	µg/L	GE
0	Chlorobenzene	<5.0	µg/L	MT
0	Chlorobenzene	<1.0	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	MT
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethane (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroethane (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<5.0	µg/L	MT
0	Chloroform	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloroform	<2.0	µg/L	MA
0	Chloromethane (Methyl chloride)	<1.0	µg/L	MT
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<3.0	µg/L	MT
0	Chromium	<4.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<5.0	µg/L	MT
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cyanide	<5.0	µg/L	MT
0	Cyanide	<5.0	µg/L	MT
0	Cyanide	<5.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<5.0	µg/L	MT
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<5.0	µg/L	MT

WILL ALLEN CO. INC., 1001 N. 10TH ST., CHICAGO, ILL. 60610

[illegible]

MAAG 09-017 2009-01-14 14:11

Example of the problem	Figure 12.10
Depth of water in the tank at the point of impact	per 12.7
Water depth in the tank at the point of impact	Academy Group
Water depth in the tank at the point of impact	Water depth in the 12.10

【关键词】 非暴力沟通；自我觉察；自我肯定；自我激励；自我实现

[illegible]

ANALYTICAL RESULTS

WELL AMB 5 collected on 03/03/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<5.0	µg/L	MT
0	Chloroform	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	MA
0	Chloromethane (Methyl chloride)	<1.0	µg/L	MT
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<3.0	µg/L	MT
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<5.0	µg/L	MT
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cyanide	<5.0	µg/L	MT
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<5.0	µg/L	MT
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<5.0	µg/L	MT
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.0080	µg/L	MT
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<5.0	µg/L	MT
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<250	µg/L	MT
0	Fluoride	<100	µg/L	GE
1	gamma-Benzene hexachloride (Lindane)	0.087	µg/L	MT
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
1	Iron	274	µg/L	MT
0	Iron	38	µg/L	GE
0	Lead	<3.0	µg/L	MT
0	Lead	9.3	µg/L	GE
0	Magnesium	520	µg/L	MT
0	Magnesium	491	µg/L	GE
0	Manganese	18	µg/L	MT
0	Manganese	15	µg/L	GE
0	Mercury	<0.20	µg/L	MT
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	MT
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<5.2	µg/L	MT
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	1900	µg/L	MT
0	Nitrate as nitrogen	1390	µg/L	GE
0	Phenols	<5.0	µg/L	MT
0	Phenols	<5.0	µg/L	GE
0	Potassium	<1820	µg/L	MT
0	Potassium	<500	µg/L	GE
0	Selenium	<3.0	µg/L	MT
0	Selenium	<2.0	µg/L	GE
1	Silica	10700	µg/L	GE
0	Silica	7520	µg/L	MT
0	Silver	<2.0	µg/L	MT
0	Silver	<2.0	µg/L	GE
1	Sodium	5180	µg/L	MT
1	Sodium	6250	µg/L	GE
0	Sulfate	1300	µg/L	MT
0	Sulfate	5800	µg/L	GE
2	Tetrachloroethylene	6.0	µg/L	MT
2	Tetrachloroethylene	11	µg/L	GE
0	Tetrachloroethylene	<10	µg/L	MA
0	Toluene	<5.0	µg/L	MT
0	Toluene	<1.0	µg/L	GE
0	Total organic carbon	<1000	µg/L	MT
0	Total organic carbon	1000	µg/L	GE
2	Total organic halogens	154	µg/L	MT
2	Total organic halogens	119	µg/L	GE
0	Total phosphates	<10	µg/L	MT
0	Total phosphates	130	µg/L	GE
0	Toxaphene	<0.24	µg/L	MT
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<5.0	µg/L	MT
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	MA
0	trans-1,3-Dichloropropene	<5.0	µg/L	MT
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
2	Trichloroethylene	180	µg/L	MT
2	Trichloroethylene	166	µg/L	GE
2	Trichloroethylene	215	µg/L	MA
0	Trichlorofluoromethane	<5.0	µg/L	MT
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<5.0	µg/L	MT
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<5.0	µg/L	MT
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	MA
0	1,1,1-Trichloroethane	<5.0	µg/L	MT
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	MA
0	1,1,2-Trichloroethane	<5.0	µg/L	MT
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	MA
0	1,1,2,2-Tetrachloroethane	<5.0	µg/L	MT
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE

WELL AMB 5 collected on 03/03/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	1,2-Dichloroethane	<5.0	µg/L	MT
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<5.0	µg/L	MT
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<5.0	µg/L	MT
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.48	µg/L	MT
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.070	µg/L	MT
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	4.1±2.1	pCi/L	MT
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	7.9±3.1	pCi/L	MT
0	Nonvolatile beta	4.7±3.8	pCi/L	GE
2	Total radium	5.9±0.80	pCi/L	MT
2	Total radium	6.8±4.4	pCi/L	GE

WELL AMB 6

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/03/90
 Depth to water: 144.85 ft (44.09 m) below TOC
 Water elevation: 232.55 ft (70.60 m) msl
 Sp. conductance: 55 µS/cm
 Water evacuated before sampling: 27 gal

Time: 17:10
 pH: 5.4
 Alkalinity: 5 mg/L
 Water temperature: 18.7°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.8	pH	GE
0	Specific conductance	40	µS/cm	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	<4.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoforn	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	232	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	3300	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	MA
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	41	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	48	µg/L	GE
0	Manganese	4.3	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	130	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	500	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	7710	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	7870	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	MA
0	Toluene	<1.0	µg/L	GE
0	Total organic carbon	1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	MA
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
2	Trichloroethylene	5.0	µg/L	GE
2	Trichloroethylene	5.7	µg/L	MA
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE

ANALYTICAL RESULTS

WELL AMB 6 collected on 03/03/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	MA
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	MA
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	<2.0	pCi/L	GE
2	Total radium	7.7±6.2	pCi/L	GE

WELL AMB 7

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/04/90
 Depth to water: 137.27 ft (41.84 m) below TOC
 Water elevation: 232.83 ft (70.91 m) msl
 Sp. conductance: 202 µS/cm
 Water evacuated before sampling: 1 gal
 The well went dry during purging.

Time: 12:05
 pH: 7.0
 Alkalinity: 88 mg/L
 Water temperature: 19.0°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	pH	6.9	pH	GE
1	Specific conductance	178	µS/cm	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	11	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	3070	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	2400	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloroform	<2.5	µg/L	MA
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	26	µg/L	GE
2	Lead	26	µg/L	GE
0	Magnesium	235	µg/L	GE
1	Manganese	29	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	5.3	µg/L	GE
0	Nitrate as nitrogen	<50	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	4620	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	8280	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	40400	µg/L	GE
0	Sulfate	6900	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Tetrachloroethylene	<2.5	µg/L	MA
0	Toluene	<1.0	µg/L	GE
0	Total organic carbon	2000	µg/L	GE
1	Total organic halogens	16	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<2.5	µg/L	MA
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
2	Trichloroethylene	3.2	µg/L	MA
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<2.5	µg/L	MA

WELL AMB 7 collected on 03/04/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
1	1,1,1-Trichloroethane	8.5	µg/L	MA
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	5.2±3.7	pCi/L	GE
1	Total radium	2.7±3.6	pCi/L	GE

WELL AMB 8D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/03/90
 Depth to water: 135.94 ft (41.44 m) below TOC
 Water elevation: 233.66 ft (71.22 m) msl
 Sp. conductance: 49 µS/cm
 Water evacuated before sampling: 35 gal

Time: 16:20
 pH: 5.5
 Alkalinity: 9 mg/L
 Water temperature: 17.5°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.7	pH	GE
0	Specific conductance	35	µS/cm	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	<4.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	719	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	3100	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	35	µg/L	GE
2	Lead	104	µg/L	GE
0	Lead	11	µg/L	GE
0	Magnesium	130	µg/L	GE
0	Manganese	11	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	330	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	6550	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	8330	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	41000	µg/L	GE
0	Total organic carbon	1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
2	Trichloroethylene	8.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE

ANALYTICAL RESULTS

WELL AMB 8D collected on 03/03/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Total radium	<1.0	pCi/L	GE
0	Tritium	<0.70	pCi/mL	GE

WELL AMB 9D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/03/90
Depth to water: 134.85 ft (41.10 m) below TOC
Water elevation: 233.05 ft (71.03 m) msl
Sp. conductance: 58 µS/cm
Water evacuated before sampling: 35 gal

Time: 15:55
pH: 5.8
Alkalinity: 12 mg/L
Water temperature: 17.3°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.8	pH	GE
0	Specific conductance	42	µS/cm	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	<4.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	485	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	2700	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	34	µg/L	GE
0	Lead	17	µg/L	GE
0	Magnesium	106	µg/L	GE
0	Manganese	8.5	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	160	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	6750	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	9100	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	35000	µg/L	GE
0	Total organic carbon	1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<5.0	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	<2.0	pCi/L	GE
1	Total radium	2.7 ± 2.4	pCi/L	GE
0	Tritium	<0.70	pCi/mL	GE

WELL AMB 10D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/03/90
Depth to water: 131.85 ft (40.22 m) below TOC
Water elevation: 233.55 ft (71.19 m) msl
Sp. conductance: 90 µS/cm
Water evacuated before sampling: 40 gal

Time: 15:25
pH: 8.2
Alkalinity: 28 mg/L
Water temperature: 17.3°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	8.2	pH	GE
0	Specific conductance	81	µS/cm	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	15	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	3920	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	2800	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	35	µg/L	GE
2	Lead	28	µg/L	GE
0	Magnesium	167	µg/L	GE
0	Manganese	23	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	110	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	1910	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	9110	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	11600	µg/L	GE
0	Sulfate	8000	µg/L	GE
1	Tetrachloroethylene	2.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	50000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<5.0	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	2.9 ± 2.2	pCi/L	GE
1	Total radium	2.7 ± 2.4	pCi/L	GE
0	Tritium	<0.70	pCi/mL	GE

ANALYTICAL RESULTS

WELL AMB 10DD

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/03/90
Depth to water: 7.03 ft (2.14 m) below TOC
Water elevation: 358.37 ft (109.23 m) msl
Sp. conductance: 120 µS/cm
Water evacuated before sampling: 53 gal

Time: 15:40
pH: 6.4
Alkalinity: 55 mg/L
Water temperature: 16.9°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	6.4	pH	GE
1	Specific conductance	101	µS/cm	GE
1	Arsenic	5.3	µg/L	GE
0	Barium	9.7	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	5320	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	2300	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
2	Iron	5170	µg/L	GE
0	Lead	12	µg/L	GE
0	Magnesium	361	µg/L	GE
2	Manganese	194	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	<5.0	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	6160	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	17400	µg/L	GE
0	Sulfate	<5000	µg/L	GE
1	Tetrachloroethylene	4.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	82000	µg/L	GE
0	Total organic carbon	2000	µg/L	GE
0	Total organic halogens	5.0	µg/L	GE
0	Total phosphates	<5.0	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Total radium	1.6±3.3	pCi/L	GE
0	Tritium	<0.70	pCi/mL	GE

WELL AMB 11D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/04/90
Depth to water: 130.08 ft (39.64 m) below TOC
Water elevation: 233.94 ft (71.31 m) msl
Sp. conductance: 92 µS/cm
Water evacuated before sampling: 87 gal

Time: 13:30
pH: 6.5
Alkalinity: 33 mg/L
Water temperature: 17.8°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	pH	6.8	pH	GE
0	Specific conductance	94	µS/cm	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	20	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	9170	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	2500	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	30	µg/L	GE
2	Lead	60	µg/L	GE
0	Lead	11	µg/L	GE
0	Magnesium	94	µg/L	GE
0	Manganese	<2.0	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	80	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Selenium	<2.0	µg/L	GE
1	Silica	11000	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	8700	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	62000	µg/L	GE
0	Total organic carbon	1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	110	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	<2.0	pCi/L	GE
1	Total radium	3.4±2.5	pCi/L	GE
0	Tritium	<0.70	pCi/mL	GE

ANALYTICAL RESULTS

WELL AMB 12D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/04/90 Time: 12:50
 Depth to water: 138.75 ft (41.68 m) below TOC pH: 6.4
 Water elevation: 233.05 ft (71.03 m) msl Alkalinity: 34 mg/L
 Sp. conductance: 105 µS/cm Water temperature: 18.6°C
 Water evacuated before sampling: 37 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	6.3	pH	GE
0	Specific conductance	91	µS/cm	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	4.9	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	2330	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	1800	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	32	µg/L	GE
0	Lead	15	µg/L	GE
0	Magnesium	264	µg/L	GE
0	Manganese	16	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	710	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	2570	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	9930	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	14900	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	48000	µg/L	GE
0	Total organic carbon	2000	µg/L	GE
1	Total organic halogens	11	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Total radium	1.1 ± 2.0	pCi/L	GE
0	Tritium	1.2 ± 0.30	pCi/mL	GE

WELL AOB 1

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/09/90 Time: 14:15
 Depth to water: 108.58 ft (32.48 m) below TOC pH: 4.8
 Water elevation: 234.54 ft (71.49 m) msl Alkalinity: 0 mg/L
 Sp. conductance: 44 µS/cm Water temperature: 20.6°C
 Water evacuated before sampling: 42 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.1	pH	GE
0	Specific conductance	43	µS/cm	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Calcium	1780	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloroform	<50	µg/L	MA
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	82	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Silica	8990	µg/L	GE
2	Tetrachloroethylene	83	µg/L	GE
2	Tetrachloroethylene	72	µg/L	MA
0	Toluene	<1.0	µg/L	GE
0	Total organic carbon	2000	µg/L	GE
2	Total organic halogens	208	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<50	µg/L	MA
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
2	Trichloroethylene	90	µg/L	GE
2	Trichloroethylene	70	µg/L	MA
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<50	µg/L	MA
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Total radium	1.0 ± 2.1	pCi/L	GE

WELL AOB 2

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/09/90 Time: 13:50
 Depth to water: 111.21 ft (33.90 m) below TOC pH: 5.0
 Water elevation: 234.19 ft (71.38 m) msl Alkalinity: 1 mg/L
 Sp. conductance: 25 µS/cm Water temperature: 20.6°C
 Water evacuated before sampling: 36 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.4	pH	GE
0	Specific conductance	22	µS/cm	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Calcium	879	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE

ANALYTICAL RESULTS

WELL AOB 2 collected on 02/09/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Chloroform	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	MA
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
1	Ethylbenzene	1.0	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	62	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Silica	7180	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	MA
1	Toluene	5.0	µg/L	GE
0	Total organic carbon	3000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	MA
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	MA
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	MA
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	MA
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Total radium	1.2±2.0	pCi/L	GE

WELL AOB 3 collected on 02/10/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Potassium	<500	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	6310	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	1400	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	MA
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	17000	µg/L	GE
0	Total organic carbon	2000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	MA
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	MA
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	MA
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
2	Gross alpha	20±3.8	pCi/L	GE
0	Nonvolatile beta	3.4±2.7	pCi/L	GE
2	Total radium	53±7.4	pCi/L	GE
1	Total radium	4.2±4.0	pCi/L	GE
0	Tritium	1.8±0.30	pCi/mL	GE

WELL AOB 3

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/10/90
 Depth to water: 115.38 ft (35.16 m) below TOC
 Water elevation: 237.24 ft (72.31 m) msl
 Sp. conductance: 28 µS/cm
 Water evacuated before sampling: 8 gal
 The well went dry during purging.

Time: 9:25
 pH: 5.5
 Alkalinity: 4 mg/L
 Water temperature: 18.6°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.7	pH	GE
0	Specific conductance	27	µS/cm	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	4.1	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	2490	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	2000	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethane (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	MA
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	34	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	286	µg/L	GE
0	Manganese	7.5	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nitrate as nitrogen	410	µg/L	GE
0	Phenols	<5.0	µg/L	GE

WELL ARP 1A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/09/90
 Depth to water: Not available
 Water elevation: Not available
 Sp. conductance: 21 µS/cm
 Water evacuated before sampling: 39 gal

Time: 18:15
 pH: 5.0
 Alkalinity: 1 mg/L
 Water temperature: 19.6°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Benzene	<1.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethane (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroethane (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
1	Copper	64	µg/L	GE
1	Copper	64	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Iron	35	µg/L	GE
0	Iron	37	µg/L	GE
0	Iron	15	µg/L	GE
0	Iron	13	µg/L	GE
0	Mercury	0.25	µg/L	GE

ANALYTICAL RESULTS

WELL ARP 1A collected on 02/09/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Mercury	0.25	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Silica	8780	µg/L	GE
0	Silica	6690	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
2	Trichloroethylene	3.0	µg/L	GE
2	Trichloroethylene	3.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
2	Total radium	5.6±4.1	pCi/L	GE
0	Total radium	2.4±4.9	pCi/L	GE

WELL ARP 2

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/09/90
Depth to water: 122.56 ft (37.38 m) below TOC
Water elevation: 214.74 ft (65.45 m) msl
Sp. conductance: 20 µS/cm
Water evacuated before sampling: 64 gal

Time: 18:40
pH: 5.1
Alkalinity: 1 mg/L
Water temperature: 19.0°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	MA
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
1	Copper	28	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Iron	21	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Silica	7080	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	MA
0	Toluene	<1.0	µg/L	GE
1	Total organic halogens	15	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	MA
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
1	Trichloroethylene	1.0	µg/L	GE
1	Trichloroethylene	1.1	µg/L	MA

WELL ARP 2 collected on 02/09/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	MA
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	MA
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Total radium	1.9±3.3	pCi/L	GE

WELL ARP 3

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/09/90
Depth to water: 123.22 ft (37.56 m) below TOC
Water elevation: 216.58 ft (66.01 m) msl
Sp. conductance: 29 µS/cm
Water evacuated before sampling: 74 gal

Time: 17:10
pH: 5.1
Alkalinity: 1 mg/L
Water temperature: 19.5°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
1	Carbon tetrachloride	1.0	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Copper	15	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
2	Iron	1340	µg/L	GE
0	Iron	18	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Silica	6510	µg/L	GE
0	Sulfate	<5000	µg/L	GE
2	Tetrachloroethylene	47	µg/L	GE
0	Toluene	<1.0	µg/L	GE
2	Total organic halogens	420	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
2	Trichloroethylene	608	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Total radium	1.9±2.2	pCi/L	GE

WELL ARP 4

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/09/90
Depth to water: Not available
Water elevation: Not available
Sp. conductance: 23 µS/cm
Water evacuated before sampling: 41 gal

Time: 16:45
pH: 4.9
Alkalinity: 0 mg/L
Water temperature: 20.2°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE

ANALYTICAL RESULTS

WELL ARP 4 collected on 02/09/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	MA
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
1	Copper	22	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Iron	17	µg/L	GE
2	Mercury	2.5	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Silica	8520	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	MA
0	Toluene	<1.0	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	MA
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
1	Trichloroethylene	2.0	µg/L	GE
1	Trichloroethylene	2.1	µg/L	MA
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	MA
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	MA
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	MA
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	MA
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Total radium	<1.0	pCi/L	GE

WELL ASB 1A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/14/90
Depth to water: Not available
Water elevation: Not available
Sp. conductance: 85 µS/cm
Water evacuated before sampling: 47 gal

Time: 10:05
pH: 5.1
Alkalinity: 1 mg/L
Water temperature: 18.0°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.4	pH	GE
0	Specific conductance	88	µS/cm	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	8.8	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	713	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	5300	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	MA
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Copper	7.6	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	24	µg/L	GE
0	Lead	<8.0	µg/L	GE
0	Magnesium	223	µg/L	GE
0	Manganese	18	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<4.0	µg/L	GE

WELL ASB 1A collected on 02/14/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Nitrate as nitrogen	200	µg/L	GE
0	Phenols	<8.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	3380	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	9820	µg/L	GE
1	Sulfate	19100	µg/L	GE
1	Tetrachloroethylene	3.0	µg/L	GE
1	Tetrachloroethylene	4.3	µg/L	MA
0	Toluene	<1.0	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	MA
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
1	Trichloroethylene	1.0	µg/L	GE
1	Trichloroethylene	1.8	µg/L	MA
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Zinc	5.9	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	MA
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	MA
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Americium-241	<0.40	pCi/L	TE
0	Americium-243	<0.40	pCi/L	TE
0	Barium-140	<10	pCi/L	TE
0	Beryllium-7	<30	pCi/L	TE
0	Cerium-141	<9.0	pCi/L	TE
0	Cerium-144	<30	pCi/L	TE
0	Cesium-134	<3.0	pCi/L	TE
0	Cesium-137	<3.0	pCi/L	TE
0	Cobalt-58	<3.0	pCi/L	TE
0	Cobalt-60	<3.0	pCi/L	TE
0	Curium-242	<0.10	pCi/L	TE
0	Curium-243/244	<0.30	pCi/L	TE
0	Curium-246	<0.30	pCi/L	TE
0	Gross alpha	<3.0	pCi/L	GE
0	Iodine-131	<20	pCi/L	TE
0	Iron-59	<8.0	pCi/L	TE
0	Manganese-54	<3.0	pCi/L	TE
0	Nonvolatile beta	5.2 ± 1.7	pCi/L	GE
0	Plutonium-238	<0.20	pCi/L	TE
0	Plutonium-239/240	<0.070	pCi/L	TE
0	Plutonium-242	<0.060	pCi/L	TE
0	Potassium-40	<50	pCi/L	TE
0	Radium-226	<70	pCi/L	TE
1	Radium-228	1.1 ± 0.80	pCi/L	TE
0	Radium-228	<3.0	pCi/L	TE
0	Ruthenium-103	<4.0	pCi/L	TE
0	Ruthenium-106	<30	pCi/L	TE
0	Strontium-88	<8.0	pCi/L	TE
0	Strontium-90	<1.0	pCi/L	TE
0	Thorium-228	<8.0	pCi/L	TE
0	Total radium	<1.0	pCi/L	GE
0	Tritium	0.73 ± 0.30	pCi/mL	GE
0	Uranium-234	<0.70	pCi/L	TE
0	Uranium-235	<0.40	pCi/L	TE
0	Uranium-238	<0.70	pCi/L	TE
0	Zinc-65	<8.0	pCi/L	TE
0	Zirconium-95	<3.0	pCi/L	TE

ANALYTICAL RESULTS

WELL ASB 2A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/14/90 Time: 11:20
 Depth to water: 112.52 ft (34.30 m) below TOC pH: 5.8
 Water elevation: 236.48 ft (72.08 m) msl Alkalinity: 12 mg/L
 Sp. conductance: 85 µS/cm Water temperature: 18.2°C
 Water evacuated before sampling: 51 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.8	pH	GE
0	Specific conductance	85	µS/cm	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	8.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	1680	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	5600	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	MA
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	79	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	486	µg/L	GE
0	Manganese	8.3	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	130	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	4230	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	13200	µg/L	GE
1	Sulfate	13000	µg/L	GE
1	Tetrachloroethylene	1.0	µg/L	GE
1	Tetrachloroethylene	1.3	µg/L	MA
0	Toluene	<1.0	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	MA
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	MA
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Zinc	6.2	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	MA
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	MA
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Americium-241	<0.20	pCi/L	TE
0	Americium-243	<0.20	pCi/L	TE
0	Barium-140	<10	pCi/L	TE
0	Beryllium-7	<50	pCi/L	TE
0	Cerium-141	<10	pCi/L	TE
0	Cerium-144	<30	pCi/L	TE
0	Cesium-134	<5.0	pCi/L	TE
0	Cesium-137	<5.0	pCi/L	TE
0	Cobalt-58	<5.0	pCi/L	TE

WELL ASB 2A collected on 02/14/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Cobalt-60	<5.0	pCi/L	TE
0	Curium-242	<0.10	pCi/L	TE
0	Curium-243/244	<0.30	pCi/L	TE
0	Curium-248	<0.20	pCi/L	TE
0	Gross alpha	<3.0	pCi/L	GE
0	Iodine-131	<40	pCi/L	TE
0	Iron-59	<10	pCi/L	TE
0	Manganese-54	<4.0	pCi/L	TE
0	Nonvolatile beta	4.1 ± 1.5	pCi/L	GE
0	Plutonium-238	<0.10	pCi/L	TE
0	Plutonium-239/240	<0.080	pCi/L	TE
0	Plutonium-242	<0.40	pCi/L	TE
0	Potassium-40	<70	pCi/L	TE
0	Radium-226	<90	pCi/L	TE
1	Radium-226	1.7 ± 0.50	pCi/L	TE
0	Radium-228	<3.0	pCi/L	TE
0	Ruthenium-103	<6.0	pCi/L	TE
0	Ruthenium-106	<40	pCi/L	TE
0	Strontium-89	<3.0	pCi/L	TE
0	Strontium-90	<1.0	pCi/L	TE
0	Thorium-228	<10	pCi/L	TE
0	Total radium	1.3 ± 2.1	pCi/L	GE
0	Tritium	<0.70	pCi/mL	GE
1	Uranium-234	1.4 ± 1.0	pCi/L	TE
0	Uranium-235	<0.40	pCi/L	TE
0	Uranium-238	<0.90	pCi/L	TE
0	Zinc-65	<9.0	pCi/L	TE
0	Zirconium-85	<5.0	pCi/L	TE

WELL ASB 3A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/14/90 Time: 10:40
 Depth to water: 108.42 ft (33.05 m) below TOC pH: 5.8
 Water elevation: 236.58 ft (72.11 m) msl Alkalinity: 10 mg/L
 Sp. conductance: 61 µS/cm Water temperature: 18.0°C
 Water evacuated before sampling: 49 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.8	pH	GE
0	Specific conductance	60	µS/cm	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	11	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	1690	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	4100	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	MA
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	122	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	422	µg/L	GE
0	Manganese	2.9	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	7.6	µg/L	GE
0	Nitrate as nitrogen	250	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	5280	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	6910	µg/L	GE
0	Sulfate	6700	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	MA

ANALYTICAL RESULTS

WELL ASB 3A collected on 02/14/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Toluene	<1.0	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	MA
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	MA
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Zinc	13	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	MA
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	MA
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
1	Americium-241	0.50 ± 0.48	pCi/L	TE
0	Americium-243	<0.20	pCi/L	TE
0	Barium-140	<10	pCi/L	TE
0	Beryllium-7	<40	pCi/L	TE
0	Cerium-141	<10	pCi/L	TE
0	Cerium-144	<30	pCi/L	TE
0	Cesium-134	<4.0	pCi/L	TE
0	Cesium-137	<4.0	pCi/L	TE
0	Cobalt-58	<4.0	pCi/L	TE
0	Cobalt-60	<3.0	pCi/L	TE
0	Curium-242	<0.10	pCi/L	TE
0	Curium-243/244	<0.30	pCi/L	TE
0	Curium-248	<0.20	pCi/L	TE
0	Gross alpha	<3.0	pCi/L	GE
0	Iodine-131	<30	pCi/L	TE
0	Iron-59	<9.0	pCi/L	TE
0	Manganese-54	<3.0	pCi/L	TE
0	Nonvolatile beta	3.8 ± 1.4	pCi/L	GE
0	Plutonium-238	<0.10	pCi/L	TE
0	Plutonium-239/240	<0.020	pCi/L	TE
1	Plutonium-242	0.97 ± 0.28	pCi/L	TE
0	Potassium-40	<80	pCi/L	TE
0	Radium-226	<80	pCi/L	TE
1	Radium-228	1.3 ± 0.70	pCi/L	TE
0	Radium-228	<3.0	pCi/L	TE
0	Ruthenium-103	<5.0	pCi/L	TE
0	Ruthenium-106	<30	pCi/L	TE
0	Strontium-89	<5.0	pCi/L	TE
0	Strontium-90	<3.0	pCi/L	TE
0	Thorium-228	<7.0	pCi/L	TE
0	Total radium	<1.0	pCi/L	GE
0	Tritium	<0.70	pCi/mL	GE
0	Uranium-234	<2.0	pCi/L	TE
0	Uranium-235	<0.90	pCi/L	TE
0	Uranium-238	<3.0	pCi/L	TE
0	Zinc-65	<7.0	pCi/L	TE
0	Zirconium-95	<4.0	pCi/L	TE

WELL ASB 4 collected on 02/09/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Chloride	2500	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	MA
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
1	Chromium	4.5	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	40	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	538	µg/L	GE
0	Manganese	<2.0	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	300	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	4320	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	8470	µg/L	GE
0	Sulfate	8300	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	MA
0	Toluene	<1.0	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
1	Total organic halogens	18	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	MA
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
2	Trichloroethylene	3.0	µg/L	GE
2	Trichloroethylene	3.5	µg/L	MA
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Zinc	9.8	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	MA
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	MA
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
1	Americium-241	0.88 ± 0.35	pCi/L	TE
1	Americium-243	0.24 ± 0.21	pCi/L	TE
0	Barium-140	<20	pCi/L	TE
0	Beryllium-7	<40	pCi/L	TE
0	Cerium-141	<8.0	pCi/L	TE
0	Cerium-144	<20	pCi/L	TE
0	Cesium-134	<3.0	pCi/L	TE
0	Cesium-137	<4.0	pCi/L	TE
0	Cobalt-58	<4.0	pCi/L	TE
0	Cobalt-60	<4.0	pCi/L	TE
1	Curium-242	0.14 ± 0.12	pCi/L	TE
1	Curium-243/244	1.3 ± 0.30	pCi/L	TE
0	Curium-248	<0.20	pCi/L	TE
1	Gross alpha	5.7 ± 6.2	pCi/L	GE
0	Iodine-131	<30	pCi/L	TE
0	Iron-59	<9.0	pCi/L	TE
0	Manganese-54	<3.0	pCi/L	TE
0	Nonvolatile beta	4.4 ± 2.8	pCi/L	GE
0	Plutonium-238	<0.10	pCi/L	TE
0	Plutonium-239/240	<0.080	pCi/L	TE
1	Plutonium-242	0.15 ± 0.12	pCi/L	TE
0	Potassium-40	<50	pCi/L	TE
0	Radium-226	<80	pCi/L	TE
0	Radium-228	<1.0	pCi/L	TE
0	Radium-228	<2.0	pCi/L	TE
0	Ruthenium-103	<5.0	pCi/L	TE
0	Ruthenium-106	<30	pCi/L	TE
0	Strontium-89	<5.0	pCi/L	TE
0	Strontium-90	<2.0	pCi/L	TE
0	Thorium-228	<6.0	pCi/L	TE
0	Total radium	2.1 ± 9.7	pCi/L	GE
0	Tritium	<0.70	pCi/mL	GE

WELL ASB 4

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/09/90 Time: 11:10
 Depth to water: 100.46 ft (30.82 m) below TOC pH: 5.5
 Water elevation: 235.14 ft (71.67 m) msl Alkalinity: 8 mg/L
 Sp. conductance: 55 µS/cm Water temperature: 19.5°C
 Water evacuated before sampling: 23 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.8	pH	GE
0	Specific conductance	55	µS/cm	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	8.4	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	925	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE

ANALYTICAL RESULTS

WELL ASB 4 collected on 02/09/00, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Uranium-234	< 1.0	pCi/L	TE
0	Uranium-235	< 0.80	pCi/L	TE
0	Uranium-238	< 1.0	pCi/L	TE
0	Zinc-65	< 7.0	pCi/L	TE
0	Zirconium-95	< 4.0	pCi/L	TE

WELL ASB 5A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/16/90 Time: 8:55
 Depth to water: 109.41 ft (33.35 m) below TOC pH: 5.2
 Water elevation: 235.59 ft (71.81 m) msl Alkalinity: 3 mg/L
 Sp. conductance: 42 µS/cm Water temperature: 18.7°C
 Water evacuated before sampling: 48 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.5	pH	GE
0	pH	5.4	pH	GE
0	Specific conductance	42	µS/cm	GE
0	Specific conductance	42	µS/cm	GE
0	Arsenic	< 2.0	µg/L	GE
0	Arsenic	< 2.0	µg/L	GE
0	Barium	13	µg/L	GE
0	Barium	12	µg/L	GE
0	Benzene	< 1.0	µg/L	GE
0	Benzene	< 1.0	µg/L	GE
0	Bromodichloromethane	< 1.0	µg/L	GE
0	Bromodichloromethane	< 1.0	µg/L	GE
0	Bromoform	< 1.0	µg/L	GE
0	Bromoform	< 1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	< 1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	< 1.0	µg/L	GE
0	Cadmium	< 2.0	µg/L	GE
0	Cadmium	< 2.0	µg/L	GE
0	Calcium	1880	µg/L	GE
0	Calcium	1750	µg/L	GE
0	Carbon tetrachloride	< 1.0	µg/L	GE
0	Carbon tetrachloride	< 1.0	µg/L	GE
0	Chloride	5000	µg/L	GE
0	Chloride	4900	µg/L	GE
0	Chlorobenzene	< 1.0	µg/L	GE
0	Chlorobenzene	< 1.0	µg/L	GE
0	Chloroethane	< 1.0	µg/L	GE
0	Chloroethane	< 1.0	µg/L	GE
0	Chloroethane (Vinyl chloride)	< 1.0	µg/L	GE
0	Chloroethane (Vinyl chloride)	< 1.0	µg/L	GE
0	Chloroform	< 1.0	µg/L	GE
0	Chloroform	< 1.0	µg/L	GE
0	Chloroform	< 1.0	µg/L	MA
0	Chloromethane (Methyl chloride)	< 1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	< 1.0	µg/L	GE
0	Chromium	< 4.0	µg/L	GE
0	Chromium	< 4.0	µg/L	GE
0	cis-1,3-Dichloropropene	< 1.0	µg/L	GE
0	cis-1,3-Dichloropropene	< 1.0	µg/L	GE
0	Copper	4.5	µg/L	GE
0	Copper	< 4.0	µg/L	GE
0	Dibromochloromethane	< 1.0	µg/L	GE
0	Dibromochloromethane	< 1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	< 1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	< 1.0	µg/L	GE
0	Endrin	< 0.10	µg/L	GE
0	Endrin	< 0.10	µg/L	GE
0	Ethylbenzene	< 1.0	µg/L	GE
0	Ethylbenzene	< 1.0	µg/L	GE
0	Fluoride	< 100	µg/L	GE
0	Fluoride	< 100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	< 0.050	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	< 0.050	µg/L	GE
0	Iron	14	µg/L	GE
0	Iron	12	µg/L	GE
0	Lead	< 6.0	µg/L	GE
0	Lead	< 6.0	µg/L	GE
0	Magnesium	752	µg/L	GE
0	Magnesium	782	µg/L	GE
0	Manganese	8.3	µg/L	GE
0	Manganese	8.1	µg/L	GE
1	Mercury	0.40	µg/L	GE
1	Mercury	0.40	µg/L	GE
0	Methoxychlor	< 0.50	µg/L	GE
0	Methoxychlor	< 0.50	µg/L	GE
0	Nickel	< 4.0	µg/L	GE
0	Nickel	< 4.0	µg/L	GE

WELL ASB 5A collected on 02/16/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Nitrate as nitrogen	420	µg/L	GE
0	Nitrate as nitrogen	440	µg/L	GE
0	Phenols	< 5.0	µg/L	GE
0	Phenols	< 5.0	µg/L	GE
0	Potassium	< 5000	µg/L	GE
0	Potassium	< 5000	µg/L	GE
0	Selenium	< 2.0	µg/L	GE
0	Selenium	< 2.0	µg/L	GE
0	Silica	4710	µg/L	GE
0	Silica	5000	µg/L	GE
0	Silver	< 2.0	µg/L	GE
0	Silver	< 2.0	µg/L	GE
0	Sodium	3120	µg/L	GE
0	Sodium	3140	µg/L	GE
0	Sulfate	< 5000	µg/L	GE
0	Sulfate	< 5000	µg/L	GE
1	Tetrachloroethylene	1.0	µg/L	GE
1	Tetrachloroethylene	1.0	µg/L	GE
1	Tetrachloroethylene	1.2	µg/L	MA
0	Toluene	< 1.0	µg/L	GE
0	Toluene	< 1.0	µg/L	GE
0	Total organic carbon	< 1000	µg/L	GE
0	Total organic carbon	< 1000	µg/L	GE
0	Total organic halogens	< 10	µg/L	GE
0	Total organic halogens	< 10	µg/L	GE
0	Total phosphates	< 50	µg/L	GE
0	Total phosphates	50	µg/L	GE
0	Toxaphene	< 1.0	µg/L	GE
0	Toxaphene	< 1.0	µg/L	GE
0	trans-1,2-Dichloroethane	< 1.0	µg/L	GE
0	trans-1,2-Dichloroethane	< 1.0	µg/L	GE
0	trans-1,2-Dichloroethane	< 1.0	µg/L	MA
0	trans-1,3-Dichloropropene	< 1.0	µg/L	GE
0	trans-1,3-Dichloropropene	< 1.0	µg/L	GE
2	Trichloroethylene	6.0	µg/L	GE
2	Trichloroethylene	6.0	µg/L	GE
2	Trichloroethylene	5.0	µg/L	MA
0	Trichlorofluoromethane	< 1.0	µg/L	GE
0	Trichlorofluoromethane	< 1.0	µg/L	GE
0	Zinc	7.8	µg/L	GE
0	Zinc	7.0	µg/L	GE
0	1,1-Dichloroethane	< 1.0	µg/L	GE
0	1,1-Dichloroethane	< 1.0	µg/L	GE
0	1,1-Dichloroethylene	< 1.0	µg/L	GE
0	1,1-Dichloroethylene	< 1.0	µg/L	GE
0	1,1-Dichloroethylene	< 1.0	µg/L	MA
0	1,1,1-Trichloroethane	< 1.0	µg/L	GE
0	1,1,1-Trichloroethane	< 1.0	µg/L	GE
0	1,1,1-Trichloroethane	< 1.0	µg/L	MA
0	1,1,2-Trichloroethane	< 1.0	µg/L	GE
0	1,1,2-Trichloroethane	< 1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	< 1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	< 1.0	µg/L	GE
0	1,2-Dichloroethane	< 1.0	µg/L	GE
0	1,2-Dichloroethane	< 1.0	µg/L	GE
0	1,2-Dichloropropane	< 1.0	µg/L	GE
0	1,2-Dichloropropane	< 1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	< 1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	< 1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	< 0.30	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	< 0.30	µg/L	GE
0	2,4,5-TP (Silvex)	< 0.090	µg/L	GE
0	2,4,5-TP (Silvex)	< 0.090	µg/L	GE
0	Americium-241	< 0.30	pCi/L	TE
0	Americium-243	< 0.20	pCi/L	TE
0	Barium-140	< 9.0	pCi/L	TE
0	Beryllium-7	< 30	pCi/L	TE
0	Cerium-141	< 8.0	pCi/L	TE
0	Cerium-144	< 20	pCi/L	TE
0	Cesium-134	< 3.0	pCi/L	TE
0	Cesium-137	< 3.0	pCi/L	TE
0	Cobalt-58	< 1.0	pCi/L	TE
0	Cobalt-60	< 1.0	pCi/L	TE
1	Curium-242	0.36 ± 0.28	pCi/L	TE
1	Curium-243/244	1.3 ± 0.50	pCi/L	TE
0	Curium-246	< 0.20	pCi/L	TE
0	Gross alpha	3.7 ± 2.5	pCi/L	GE
0	Gross alpha	< 3.0	pCi/L	GE
0	Iodine-131	< 20	pCi/L	TE
0	Iron-59	< 7.0	pCi/L	TE
0	Manganese-54	< 2.0	pCi/L	TE
0	Neptunium-237	< 6.0	pCi/L	TE
0	Nonvolatile beta	< 2.0	pCi/L	GE
0	Nonvolatile beta	< 2.0	pCi/L	GE
0	Plutonium-238	< 0.10	pCi/L	TE
0	Plutonium-239/240	< 0.050	pCi/L	TE
1	Plutonium-242	0.24 ± 0.13	pCi/L	TE
0	Potassium-40	< 40	pCi/L	TE
0	Radium-226	< 70	pCi/L	TE

ANALYTICAL RESULTS

WELL ASB 5A collected on 02/18/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
1	Radium-226	1.8±0.00	pCi/L	TE
0	Radium-228	<1.0	pCi/L	TE
0	Ruthenium-103	<4.0	pCi/L	TE
0	Ruthenium-106	<20	pCi/L	TE
0	Strontium-89	<10	pCi/L	TE
0	Strontium-90	<2.0	pCi/L	TE
0	Thorium-232	<6.0	pCi/L	TE
1	Total radium	3.7±3.9	pCi/L	GE
2	Total radium	5.2±4.3	pCi/L	GE
0	Trillium	2.1±0.30	pCi/mL	GE
0	Trillium	2.1±0.40	pCi/mL	GE
0	Uranium-234	<2.0	pCi/L	TE
0	Uranium-235	<1.0	pCi/L	TE
0	Uranium-238	<2.0	pCi/L	TE
0	Zinc-65	<6.0	pCi/L	TE
0	Zirconium-95	<3.0	pCi/L	TE

WELL ASB 6A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/18/90 Time: 10:00
 Depth to water: 115.08 ft (35.08 m) below TOC pH: 4.9
 Water elevation: 235.12 ft (71.87 m) msl Alkalinity: 0 mg/L
 Sp. conductance: 74 µS/cm Water temperature: 19.7°C
 Water evacuated before sampling: 44 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.2	pH	GE
0	Specific conductance	74	µS/cm	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	6.3	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	962	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	8600	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethane (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	MA
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Copper	5.6	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	140	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	97	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	363	µg/L	GE
0	Manganese	17	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	5.0	µg/L	GE
0	Nitrate as nitrogen	1066	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	4680	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	11200	µg/L	GE
0	Sulfate	7000	µg/L	GE
1	Tetrachloroethylene	2.0	µg/L	GE
1	Tetrachloroethylene	2.3	µg/L	MA
0	Toluene	<1.0	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
2	Total organic halogens	930	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	MA
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
1	Trichloroethylene	1.0	µg/L	GE
1	Trichloroethylene	1.3	µg/L	MA
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Zinc	7.8	µg/L	GE

WELL ASB 6A collected on 02/18/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	MA
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	MA
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropene	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.000	µg/L	GE
1	Americium-241	0.70±0.56	pCi/L	TE
1	Americium-243	0.56±0.52	pCi/L	TE
0	Barium-140	<10	pCi/L	TE
0	Beryllium-7	<30	pCi/L	TE
0	Cerium-141	<6.0	pCi/L	TE
0	Cerium-144	<20	pCi/L	TE
0	Cesium-134	<3.0	pCi/L	TE
0	Cesium-137	<3.0	pCi/L	TE
0	Cobalt-58	<3.0	pCi/L	TE
0	Cobalt-60	<3.0	pCi/L	TE
0	Curium-242	<0.70	pCi/L	TE
1	Curium-243/244	0.72±0.44	pCi/L	TE
0	Curium-246	<0.20	pCi/L	TE
0	Gross alpha	<3.0	pCi/L	GE
0	Iodine-131	<20	pCi/L	TE
0	Iron-59	<7.0	pCi/L	TE
0	Manganese-54	<3.0	pCi/L	TE
0	Neptunium-237	<5.0	pCi/L	TE
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Plutonium-238	<0.20	pCi/L	TE
0	Plutonium-238/240	<0.10	pCi/L	TE
0	Plutonium-242	<0.10	pCi/L	TE
0	Potassium-40	<40	pCi/L	TE
0	Radium-226	<50	pCi/L	TE
1	Radium-228	2.4±0.80	pCi/L	TE
0	Radium-228	<3.0	pCi/L	TE
0	Ruthenium-103	<4.0	pCi/L	TE
0	Ruthenium-106	<30	pCi/L	TE
0	Strontium-89	<7.0	pCi/L	TE
0	Strontium-90	<1.0	pCi/L	TE
0	Thorium-232	<5.0	pCi/L	TE
1	Total radium	3.1±3.7	pCi/L	GE
0	Trillium	<0.70	pCi/mL	GE
0	Uranium-234	<0.80	pCi/L	TE
0	Uranium-235	<0.40	pCi/L	TE
0	Uranium-238	<0.80	pCi/L	TE
0	Zinc-65	<6.0	pCi/L	TE
0	Zirconium-95	<3.0	pCi/L	TE

WELL ASB 6AA

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/18/90 Time: 10:50
 Depth to water: 136.85 ft (41.71 m) below TOC pH: 10.8
 Water elevation: 217.35 ft (66.25 m) msl Alkalinity: 86 mg/L
 Sp. conductance: 304 µS/cm Water temperature: 18.9°C
 Water evacuated before sampling: 453 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	<250	µg/L	MA
0	Tetrachloroethylene	<250	µg/L	MA
0	trans-1,2-Dichloroethene	<250	µg/L	MA
2	Trichloroethylene	2580	µg/L	MA
0	1,1-Dichloroethylene	<250	µg/L	MA
0	1,1,1-Trichloroethane	<250	µg/L	MA

ANALYTICAL RESULTS

WELL ASB 7

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/10/90 Time: 9:30
 Depth to water: 119.70 ft (36.50 m) below TOC pH: 5.0
 Water elevation: 233.04 ft (71.21 m) msd Alkalinity: 0 mg/L
 Sp. conductance: 72 µS/cm Water temperature: 18.0 C
 Water evaluated before sampling: 50 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.1	pH	GE
0	Specific conductance	72	µS/cm	GE
0	Arsenic	< 2.0	µg/L	GE
0	Barium	0.9	µg/L	GE
0	Benzene	< 1.0	µg/L	GE
0	Bromodichloromethane	< 1.0	µg/L	GE
0	Bromofluoromethane	< 1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	< 1.0	µg/L	GE
0	Calcium	< 2.0	µg/L	GE
0	Calcium	1010	µg/L	GE
0	Carbon tetrachloride	< 1.0	µg/L	GE
0	Chloride	9500	µg/L	GE
0	Chlorobenzene	< 1.0	µg/L	GE
0	Chloroethane	< 1.0	µg/L	GE
0	Chloroethane (Vinyl chloride)	< 1.0	µg/L	GE
0	Chloroform	< 1.0	µg/L	GE
0	Chloroform	< 1.0	µg/L	MA
0	Chloromethane (Methyl chloride)	< 1.0	µg/L	GE
0	Chromium	< 4.0	µg/L	GE
0	cis-1,3-Dichloropropene	< 1.0	µg/L	GE
0	Copper	12	µg/L	GE
0	Dibromochloromethane	< 1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	< 1.0	µg/L	GE
0	Endrin	< 0.10	µg/L	GE
0	Ethylbenzene	< 1.0	µg/L	GE
0	Fluoride	150	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	< 0.050	µg/L	GE
0	Iron	25	µg/L	GE
0	Lead	11	µg/L	GE
0	Magnesium	422	µg/L	GE
1	Manganese	31	µg/L	GE
0	Mercury	< 0.20	µg/L	GE
0	Methoxychlor	< 0.50	µg/L	GE
0	Nickel	< 4.0	µg/L	GE
0	Nitrate as nitrogen	1450	µg/L	GE
0	Phenols	< 5.0	µg/L	GE
0	Potassium	< 500	µg/L	GE
0	Selenium	< 2.0	µg/L	GE
0	Silica	4810	µg/L	GE
0	Silver	< 2.0	µg/L	GE
1	Sodium	10200	µg/L	GE
0	Sulfate	7200	µg/L	GE
1	Tetrachloroethylene	2.0	µg/L	GE
1	Tetrachloroethylene	2.8	µg/L	MA
0	Toluene	< 1.0	µg/L	GE
0	Total organic carbon	< 1000	µg/L	GE
0	Total organic halogens	< 10	µg/L	GE
0	Total phosphates	< 50	µg/L	GE
0	Toxaphene	< 1.0	µg/L	GE
0	trans-1,2-Dichloroethene	< 1.0	µg/L	GE
0	trans-1,2-Dichloroethene	< 1.0	µg/L	MA
0	trans-1,3-Dichloropropene	< 1.0	µg/L	GE
1	Trichloroethylene	2.0	µg/L	GE
2	Trichloroethylene	2.9	µg/L	MA
0	Trichlorofluoromethane	< 1.0	µg/L	GE
0	Zinc	5.6	µg/L	GE
0	1,1-Dichloroethane	< 1.0	µg/L	GE
0	1,1-Dichloroethylene	< 1.0	µg/L	GE
0	1,1-Dichloroethylene	< 1.0	µg/L	MA
0	1,1,1-Trichloroethane	< 1.0	µg/L	GE
0	1,1,1-Trichloroethane	< 1.0	µg/L	MA
0	1,1,2-Trichloroethane	< 1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	< 1.0	µg/L	GE
0	1,2-Dichloroethane	< 1.0	µg/L	GE
0	1,2-Dichloropropane	< 1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	< 1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	< 0.30	µg/L	GE
0	2,4,5-TP (Silvex)	< 0.050	µg/L	GE
0	Amonium-243	0.30	µg/L	GE
0	Amonium-243	< 0.30	µg/L	GE
0	Barium-140	< 20	µg/L	GE
0	Beryllium-7	< 50	µg/L	GE
0	Cesium-141	< 10	µg/L	GE
0	Cesium-144	< 30	µg/L	GE
0	Cesium-134	< 1.0	µg/L	GE
0	Cesium-137	< 5.0	µg/L	GE
0	Cobalt-58	< 5.0	µg/L	GE

WELL ASB 7 collected on 02/10/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Cobalt-60	< 5.0	µg/L	GE
0	Cadmium-242	< 0.10	µg/L	GE
0	Cadmium-243/244	< 0.20	µg/L	GE
0	Cadmium-246	< 0.30	µg/L	GE
0	Crotyl alpha	< 3.0	µg/L	GE
0	Endrin	< 30	µg/L	GE
0	Iron-59	< 10	µg/L	GE
0	Manganese-54	< 5.0	µg/L	GE
0	Neptunium-237	< 10	µg/L	GE
0	Neovadillo beta	4.5 ± 1.7	µg/L	GE
0	Plutonium-238	< 0.10	µg/L	GE
0	Plutonium-239/240	< 0.080	µg/L	GE
1	Plutonium-242	0.38 ± 0.30	µg/L	GE
0	Potassium-40	< 300	µg/L	GE
0	Radium-226	< 10	µg/L	GE
1	Radium-226	2.4 ± 0.80	µg/L	GE
0	Radium-228	< 3.0	µg/L	GE
0	Ruthenium-103	< 2.0	µg/L	GE
0	Ruthenium-106	< 40	µg/L	GE
1	Strontium-89	80 ± 7.0	µg/L	GE
0	Strontium-90	< 0.80	µg/L	GE
0	Thorium-230	< 0.0	µg/L	GE
0	Total radium	1.1 ± 2.0	µg/L	GE
0	Tritium	5.0 ± 0.40	µCi/ml	GE
0	Uranium-234	< 2.0	µg/L	GE
0	Uranium-235	< 0.80	µg/L	GE
1	Uranium-238	3.1 ± 2.0	µg/L	GE
0	Zinc-65	< 10	µg/L	GE
0	Zinc-66	< 5.0	µg/L	GE

WELL ASB 8

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/10/90 Time: 12:40
 Depth to water: 117.17 ft (35.71 m) below TOC pH: 4.4
 Water elevation: 231.03 ft (70.66 m) msd Alkalinity: 0 mg/L
 Sp. conductance: 35 µS/cm Water temperature: 20.0 C
 Water evaluated before sampling: 60 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	4.6	pH	GE
0	Specific conductance	31	µS/cm	GE
0	Arsenic	< 2.0	µg/L	GE
0	Barium	4.2	µg/L	GE
0	Benzene	< 1.0	µg/L	GE
0	Bromodichloromethane	< 1.0	µg/L	GE
0	Bromofluoromethane	< 1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	< 1.0	µg/L	GE
0	Calcium	< 2.0	µg/L	GE
0	Calcium	387	µg/L	GE
0	Carbon tetrachloride	< 1.0	µg/L	GE
0	Chloride	3400	µg/L	GE
0	Chlorobenzene	< 1.0	µg/L	GE
0	Chloroethane	< 1.0	µg/L	GE
0	Chloroethane (Vinyl chloride)	< 1.0	µg/L	GE
0	Chloroform	< 1.0	µg/L	GE
0	Chloroform	< 50	µg/L	MA
0	Chloromethane (Methyl chloride)	< 1.0	µg/L	GE
0	Chromium	< 4.0	µg/L	GE
0	cis-1,3-Dichloropropene	< 1.0	µg/L	GE
1	Copper	52	µg/L	GE
0	Dibromochloromethane	< 1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	< 1.0	µg/L	GE
0	Endrin	< 0.10	µg/L	GE
0	Ethylbenzene	< 1.0	µg/L	GE
0	Fluoride	< 100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	< 0.050	µg/L	GE
0	Iron	18	µg/L	GE
0	Lead	11	µg/L	GE
0	Magnesium	260	µg/L	GE
0	Manganese	< 2.0	µg/L	GE
0	Mercury	< 0.20	µg/L	GE
0	Methoxychlor	< 0.50	µg/L	GE
0	Nickel	< 4.0	µg/L	GE
0	Nitrate as nitrogen	830	µg/L	GE
0	Phenols	< 5.0	µg/L	GE
0	Potassium	< 500	µg/L	GE
0	Selenium	< 2.0	µg/L	GE
0	Silica	8000	µg/L	GE
0	Silver	< 2.0	µg/L	GE
0	Sodium	2620	µg/L	GE
0	Sulfate	< 5000	µg/L	GE
1	Tetrachloroethylene	1.0	µg/L	GE

ANALYTICAL RESULTS

WELL ASB B collected on 02/16/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Tetrachloroethylene	<50	µg/L	MA
0	Toluene	<1.0	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
1	Total organic halogens	14	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethane	<50	µg/L	MA
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
2	Trichloroethylene	445	µg/L	GE
2	Trichloroethylene	399	µg/L	MA
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Zinc	11	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<50	µg/L	MA
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<50	µg/L	MA
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.080	µg/L	GE
0	Americium-241	<0.20	pCi/L	TE
1	Americium-243	0.38 ± 0.28	pCi/L	TE
0	Barium-140	<20	pCi/L	TE
0	Beryllium-7	<40	pCi/L	TE
0	Cerium-141	<10	pCi/L	TE
0	Cerium-144	<30	pCi/L	TE
0	Cesium-134	<4.0	pCi/L	TE
0	Cesium-137	<4.0	pCi/L	TE
0	Cobalt-58	<4.0	pCi/L	TE
0	Cobalt-60	<4.0	pCi/L	TE
0	Curium-242	<0.10	pCi/L	TE
0	Curium-243/244	<0.20	pCi/L	TE
1	Curium-246	0.38 ± 0.27	pCi/L	TE
0	Gross alpha	<3.0	pCi/L	GE
0	Iodine-131	<30	pCi/L	TE
0	Iron-59	<10	pCi/L	TE
0	Manganese-54	<3.0	pCi/L	TE
0	Neptunium-237	<8.0	pCi/L	TE
0	Nonvolatile beta	5.9 ± 1.9	pCi/L	GE
0	Plutonium-238	<0.10	pCi/L	TE
0	Plutonium-239/240	<0.080	pCi/L	TE
0	Plutonium-242	<0.10	pCi/L	TE
0	Potassium-40	<80	pCi/L	TE
0	Radium-226	<80	pCi/L	TE
1	Radium-228	1.2 ± 0.50	pCi/L	TE
0	Radium-228	<2.0	pCi/L	TE
0	Ruthenium-103	<8.0	pCi/L	TE
0	Ruthenium-106	<30	pCi/L	TE
0	Strontium-89	<4.0	pCi/L	TE
0	Strontium-90	<0.80	pCi/L	TE
0	Thorium-232	<7.0	pCi/L	TE
0	Total radium	<1.0	pCi/L	GE
0	Thallium	2.0 ± 0.40	pCi/mL	GE
0	Uranium-234	<0.80	pCi/L	TE
0	Uranium-235	<0.30	pCi/L	TE
0	Uranium-238	<0.80	pCi/L	TE
0	Zinc-65	<8.0	pCi/L	TE
0	Zirconium-95	<4.0	pCi/L	TE

WELL ASB 8A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/16/90
 Depth to water: 131.46 ft (40.07 m) below TOC
 Water elevation: 217.84 ft (66.40 m) msl
 Sp. conductance: 26 µS/cm
 Water evacuated before sampling: 381 gal

Time: 13:30
 pH: 5.1
 Alkalinity: 1 mg/L
 Water temperature: 20.2°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.4	pH	GE
0	Specific conductance	25	µS/cm	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	5.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE

WELL ASB 8A collected on 02/16/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Calcium	1130	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	1800	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethane (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	MA
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	14	µg/L	GE
0	Lead	<8.0	µg/L	GE
0	Magnesium	289	µg/L	GE
0	Manganese	8.2	µg/L	GE
2	Mercury	2.8	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	1020	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	5310	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	1800	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	MA
0	Toluene	<1.0	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
2	Total organic halogens	330	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	MA
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	MA
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Zinc	12	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	MA
0	1,1,1-Trichloroethane	<1.0	µg/L	MA
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.080	µg/L	GE
1	Americium-241	0.45 ± 0.28	pCi/L	TE
1	Americium-243	0.81 ± 0.28	pCi/L	TE
0	Barium-140	<20	pCi/L	TE
0	Beryllium-7	<40	pCi/L	TE
0	Cerium-141	<10	pCi/L	TE
0	Cerium-144	<30	pCi/L	TE
0	Cesium-134	<4.0	pCi/L	TE
0	Cesium-137	<4.0	pCi/L	TE
0	Cobalt-58	<4.0	pCi/L	TE
0	Cobalt-60	<4.0	pCi/L	TE
0	Curium-242	<0.10	pCi/L	TE
0	Curium-243/244	<0.30	pCi/L	TE
0	Curium-246	<0.20	pCi/L	TE
0	Gross alpha	<3.0	pCi/L	GE
0	Iodine-131	<30	pCi/L	TE
0	Iron-59	<9.0	pCi/L	TE
0	Manganese-54	<3.0	pCi/L	TE
0	Neptunium-237	<8.0	pCi/L	TE
0	Nonvolatile beta	3.2 ± 1.5	pCi/L	GE
0	Plutonium-238	<0.20	pCi/L	TE
0	Plutonium-239/240	<0.080	pCi/L	TE
0	Plutonium-242	<0.080	pCi/L	TE
0	Potassium-40	<50	pCi/L	TE
0	Radium-226	<80	pCi/L	TE
0	Radium-228	<1.0	pCi/L	TE
0	Radium-228	<0.80	pCi/L	TE
0	Ruthenium-103	<8.0	pCi/L	TE
0	Ruthenium-106	<30	pCi/L	TE
0	Strontium-89	<4.0	pCi/L	TE
0	Strontium-90	<0.80	pCi/L	TE

ANALYTICAL RESULTS

WELL ASB 8A collected on 02/16/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Thorium-228	<7.0	pCi/L	TE
0	Total radium	<1.0	pCi/L	GE
0	Tritium	<0.70	pCi/mL	GE
0	Uranium-234	<2.0	pCi/L	TE
0	Uranium-235	<1.0	pCi/L	TE
0	Uranium-238	<2.0	pCi/L	TE
0	Zinc-65	<6.0	pCi/L	TE
0	Zirconium-95	<4.0	pCi/L	TE

WELL ASB 8A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/16/90 Time: 13:30
 Depth to water: 131.46 ft (40.07 m) below TOC pH: 5.1
 Water elevation: 217.84 ft (66.40 m) msl Alkalinity: 1 mg/L
 Sp. conductance: 28 µS/cm Water temperature: 20.2°C
 Water evacuated before sampling: 381 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Americium-241	<0.20	pCi/L	TE
0	Americium-243	<0.20	pCi/L	TE
0	Barium-140	<10	pCi/L	TE
0	Beryllium-7	<40	pCi/L	TE
0	Cerium-141	<10	pCi/L	TE
0	Cerium-144	<30	pCi/L	TE
0	Cesium-134	<3.0	pCi/L	TE
0	Cesium-137	<4.0	pCi/L	TE
0	Cobalt-58	<4.0	pCi/L	TE
0	Cobalt-60	<3.0	pCi/L	TE
0	Curium-242	<0.10	pCi/L	TE
0	Curium-243/244	<0.30	pCi/L	TE
0	Curium-246	<0.20	pCi/L	TE
0	Iodine-131	<30	pCi/L	TE
0	Iron-59	<9.0	pCi/L	TE
0	Manganese-54	<3.0	pCi/L	TE
0	Neptunium-237	<7.0	pCi/L	TE
0	Plutonium-238	<0.20	pCi/L	TE
0	Plutonium-239/240	<0.070	pCi/L	TE
1	Plutonium-242	0.28 ± 0.18	pCi/L	TE
0	Potassium-40	<60	pCi/L	TE
0	Radium-226	<80	pCi/L	TE
1	Radium-226	1.0 ± 0.40	pCi/L	TE
0	Radium-228	<2.0	pCi/L	TE
0	Ruthenium-103	<5.0	pCi/L	TE
0	Ruthenium-106	<30	pCi/L	TE
0	Strontium-89	<3.0	pCi/L	TE
0	Strontium-90	<0.90	pCi/L	TE
0	Thorium-228	<7.0	pCi/L	TE
0	Uranium-234	<0.30	pCi/L	TE
0	Uranium-235	<0.20	pCi/L	TE
1	Uranium-238	0.25 ± 0.14	pCi/L	TE
0	Zinc-65	<7.0	pCi/L	TE
0	Zirconium-95	<4.0	pCi/L	TE

WELL ASB 8B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/16/90 Time: 11:45
 Depth to water: 130.25 ft (39.70 m) below TOC pH: 5.1
 Water elevation: 219.55 ft (66.92 m) msl Alkalinity: 1 mg/L
 Sp. conductance: 45 µS/cm Water temperature: 20.4°C
 Water evacuated before sampling: 272 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.2	pH	MT
0	pH	5.3	pH	GE
0	Specific conductance	35	µS/cm	MT
0	Specific conductance	31	µS/cm	GE
0	Arsenic	<3.0	µg/L	MT
0	Arsenic	<2.0	µg/L	GE
0	Barium	<8.0	µg/L	MT
0	Barium	9.2	µg/L	MT
0	Barium	5.9	µg/L	GE
0	Benzene	<5.0	µg/L	MT
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<5.0	µg/L	MT
0	Bromodichloromethane	<1.0	µg/L	GE

WELL ASB 8B collected on 02/16/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Bromoform	<5.0	µg/L	MT
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<10	µg/L	MT
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<3.0	µg/L	MT
0	Cadmium	<3.0	µg/L	MT
0	Cadmium	<2.0	µg/L	GE
0	Calcium	948	µg/L	MT
0	Calcium	945	µg/L	MT
0	Calcium	937	µg/L	GE
0	Carbon tetrachloride	<5.0	µg/L	MT
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	2000	µg/L	MT
0	Chloride	1900	µg/L	GE
0	Chlorobenzene	<5.0	µg/L	MT
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<10	µg/L	MT
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<5.0	µg/L	MT
0	Chloroform	<1.0	µg/L	GE
0	Chloroform	<200	µg/L	MA
0	Chloromethane (Methyl chloride)	<10	µg/L	MT
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	3.4	µg/L	MT
0	Chromium	<3.0	µg/L	MT
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<5.0	µg/L	MT
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Copper	8.5	µg/L	MT
0	Copper	<7.0	µg/L	MT
0	Copper	<4.0	µg/L	GE
0	Dibromochloromethane	<5.0	µg/L	MT
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<5.0	µg/L	MT
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.0060	µg/L	MT
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<5.0	µg/L	MT
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<250	µg/L	MT
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.0050	µg/L	MT
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	16	µg/L	MT
1	Iron	190	µg/L	MT
0	Iron	25	µg/L	GE
0	Lead	<3.0	µg/L	MT
0	Lead	<8.0	µg/L	GE
0	Magnesium	416	µg/L	MT
0	Magnesium	407	µg/L	MT
0	Magnesium	393	µg/L	GE
0	Manganese	5.4	µg/L	MT
0	Manganese	5.7	µg/L	MT
0	Manganese	5.4	µg/L	GE
0	Mercury	<0.20	µg/L	MT
0	Mercury	0.20	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	MT
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<5.2	µg/L	MT
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	1700	µg/L	MT
0	Nitrate as nitrogen	1810	µg/L	GE
1	Phenols	7.5	µg/L	MT
0	Phenols	<5.0	µg/L	MT
0	Phenols	<5.0	µg/L	GE
0	Potassium	2920	µg/L	MT
0	Potassium	2180	µg/L	MT
0	Potassium	531	µg/L	GE
0	Selenium	<3.0	µg/L	MT
0	Selenium	<2.0	µg/L	GE
0	Silica	8740	µg/L	GE
0	Silica	7480	µg/L	MT
0	Silica	7220	µg/L	MT
0	Silver	<2.0	µg/L	MT
0	Silver	<2.0	µg/L	GE
0	Sodium	2840	µg/L	MT
0	Sodium	2780	µg/L	MT
0	Sodium	2840	µg/L	GE
0	Sulfate	<1000	µg/L	MT
0	Sulfate	<5000	µg/L	GE
2	Tetrachloroethylene	7.0	µg/L	MT
2	Tetrachloroethylene	12	µg/L	GE
0	Tetrachloroethylene	<200	µg/L	MA
0	Toluene	<5.0	µg/L	MT
0	Toluene	<1.0	µg/L	GE
0	Total organic carbon	1660	µg/L	MT
0	Total organic carbon	<1000	µg/L	GE

ANALYTICAL RESULTS

WELL ASB 8B collected on 02/16/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
2	Total organic halogens	691	µg/L	MT
0	Total organic halogens	< 10	µg/L	GE
0	Total phosphates	27	µg/L	MT
0	Total phosphates	< 50	µg/L	GE
0	Toxaphene	< 0.24	µg/L	MT
0	Toxaphene	< 1.0	µg/L	GE
0	trans-1,2-Dichloroethene	< 5.0	µg/L	MT
0	trans-1,2-Dichloroethene	< 1.0	µg/L	GE
0	trans-1,2-Dichloroethene	< 200	µg/L	MA
0	trans-1,3-Dichloropropene	< 5.0	µg/L	MT
0	trans-1,3-Dichloropropene	< 1.0	µg/L	GE
2	Trichloroethylene	1300	µg/L	MT
2	Trichloroethylene	1480	µg/L	GE
2	Trichloroethylene	1320	µg/L	MA
0	Trichlorofluoromethane	< 5.0	µg/L	MT
0	Trichlorofluoromethane	< 1.0	µg/L	GE
0	Zinc	< 9.0	µg/L	MT
0	Zinc	< 9.0	µg/L	MT
0	Zinc	5.0	µg/L	GE
0	1,1-Dichloroethane	< 5.0	µg/L	MT
0	1,1-Dichloroethane	< 1.0	µg/L	GE
0	1,1-Dichloroethylene	< 5.0	µg/L	MT
0	1,1-Dichloroethylene	< 1.0	µg/L	GE
0	1,1-Dichloroethylene	< 100	µg/L	MA
0	1,1,1-Trichloroethane	< 5.0	µg/L	MT
0	1,1,1-Trichloroethane	< 1.0	µg/L	GE
0	1,1,1-Trichloroethane	< 200	µg/L	MA
0	1,1,2-Trichloroethane	< 5.0	µg/L	MT
0	1,1,2-Trichloroethane	< 1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	< 5.0	µg/L	MT
0	1,1,2,2-Tetrachloroethane	< 1.0	µg/L	GE
0	1,2-Dichloroethane	< 5.0	µg/L	MT
0	1,2-Dichloroethane	< 1.0	µg/L	GE
0	1,2-Dichloropropane	< 5.0	µg/L	MT
0	1,2-Dichloropropane	< 1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	< 5.0	µg/L	MT
0	2-Chloroethyl vinyl ether	< 1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	< 0.46	µg/L	MT
0	(2,4-Dichlorophenoxy)acetic acid	< 0.30	µg/L	GE
0	2,4,5-TP (Silvex)	< 0.070	µg/L	MT
0	2,4,5-TP (Silvex)	< 0.090	µg/L	GE
0	Americium-241	< 0.30	pCi/L	TE
1	Americium-243	0.34 ± 0.25	pCi/L	TE
0	Barium-140	< 20	pCi/L	TE
0	Beryllium-7	< 40	pCi/L	TE
0	Cerium-141	< 10	pCi/L	TE
0	Cerium-144	< 40	pCi/L	TE
0	Cesium-134	< 4.0	pCi/L	TE
0	Cesium-137	< 4.0	pCi/L	TE
0	Cobalt-58	< 4.0	pCi/L	TE
0	Cobalt-60	< 3.0	pCi/L	TE
0	Curium-242	< 0.10	pCi/L	TE
0	Curium-243/244	< 0.30	pCi/L	TE
0	Curium-246	< 0.20	pCi/L	TE
0	Gross alpha	< 2.0	pCi/L	MT
0	Gross alpha	< 3.0	pCi/L	GE
0	Iodine-131	< 30	pCi/L	TE
0	Iron-59	< 9.0	pCi/L	TE
0	Manganese-54	< 3.0	pCi/L	TE
0	Neptunium-237	< 8.0	pCi/L	TE
0	Nonvolatile beta	5.0 ± 2.9	pCi/L	MT
0	Nonvolatile beta	5.0 ± 1.8	pCi/L	GE
0	Plutonium-238	< 0.20	pCi/L	TE
0	Plutonium-239/240	< 0.080	pCi/L	TE
0	Plutonium-242	< 0.050	pCi/L	TE
0	Potassium-40	< 70	pCi/L	TE
0	Radium-226	< 100	pCi/L	TE
0	Radium-226	< 1.0	pCi/L	TE
0	Radium-228	< 2.0	pCi/L	TE
0	Ruthenium-103	< 6.0	pCi/L	TE
0	Ruthenium-106	< 30	pCi/L	TE
0	Strontium-89	< 3.0	pCi/L	TE
0	Strontium-90	< 0.90	pCi/L	TE
0	Thorium-232	< 8.0	pCi/L	TE
0	Total radium	< 1.0	pCi/L	MT
0	Total radium	< 1.0	pCi/L	MT
0	Total radium	< 1.0	pCi/L	GE
0	Tritium	< 1.0	pCi/mL	MT
0	Tritium	< 0.70	pCi/mL	GE
1	Uranium-234	0.11 ± 0.10	pCi/L	TE
0	Uranium-235	< 0.80	pCi/L	TE
0	Uranium-238	< 0.90	pCi/L	TE
0	Zinc-65	< 7.0	pCi/L	TE
0	Zinc-65	< 4.0	pCi/L	TE

WELL ASB 8B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/16/90
 Depth to water: 130.25 ft (39.71 m) below TOC
 Water elevation: 219.55 ft (66.92 m) ms.
 Sp. conductance: 45 µS/cm
 Water evacuated before sampling: 272 gal

Time: 11:45
 pH: 5.1
 Alkalinity: 1 mg/L
 Water temperature: 20.4°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.2	pH	MT
0	pH	5.4	pH	GE
0	Specific conductance	38	µS/cm	MT
0	Specific conductance	30	µS/cm	GE
0	Arsenic	< 3.0	µg/L	MT
0	Arsenic	< 2.0	µg/L	GE
0	Barium	< 8.0	µg/L	MT
0	Barium	6.8	µg/L	GE
0	Benzene	< 5.0	µg/L	MT
0	Benzene	< 1.0	µg/L	GE
0	Bromodichloromethane	< 5.0	µg/L	MT
0	Bromodichloromethane	< 1.0	µg/L	GE
0	Bromoform	< 5.0	µg/L	MT
0	Bromoform	< 1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	< 10	µg/L	MT
0	Bromomethane (Methyl bromide)	< 1.0	µg/L	GE
0	Cadmium	< 3.0	µg/L	MT
0	Cadmium	< 2.0	µg/L	GE
0	Calcium	958	µg/L	MT
0	Calcium	1020	µg/L	GE
0	Carbon tetrachloride	< 5.0	µg/L	MT
0	Carbon tetrachloride	< 1.0	µg/L	GE
0	Chloride	2000	µg/L	MT
0	Chloride	1700	µg/L	GE
0	Chlorobenzene	< 5.0	µg/L	MT
0	Chlorobenzene	< 1.0	µg/L	GE
0	Chloroethane	< 10	µg/L	MT
0	Chloroethane	< 1.0	µg/L	GE
0	Chloroethane (Vinyl chloride)	< 1.0	µg/L	GE
0	Chloroform	< 5.0	µg/L	MT
0	Chloroform	< 1.0	µg/L	GE
0	Chloroform	< 500	µg/L	MA
0	Chloromethane (Methyl chloride)	< 10	µg/L	MT
0	Chloromethane (Methyl chloride)	< 1.0	µg/L	GE
0	Chromium	< 3.0	µg/L	MT
0	Chromium	< 4.0	µg/L	GE
0	cis-1,3-Dichloropropene	< 5.0	µg/L	MT
0	cis-1,3-Dichloropropene	< 1.0	µg/L	GE
0	Copper	< 7.0	µg/L	MT
0	Copper	< 4.0	µg/L	GE
0	Dibromochloromethane	< 5.0	µg/L	MT
0	Dibromochloromethane	< 1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	< 5.0	µg/L	MT
0	Dichloromethane (Methylene chloride)	< 1.0	µg/L	GE
0	Endrin	< 0.0060	µg/L	MT
0	Endrin	< 0.10	µg/L	GE
0	Ethylbenzene	< 5.0	µg/L	MT
0	Ethylbenzene	< 1.0	µg/L	GE
0	Fluoride	< 250	µg/L	MT
0	Fluoride	< 100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	< 0.0050	µg/L	MT
0	gamma-Benzene hexachloride (Lindane)	< 0.050	µg/L	GE
0	Iron	11	µg/L	MT
0	Iron	17	µg/L	GE
0	Lead	< 3.0	µg/L	MT
0	Lead	4.0	µg/L	MT
0	Lead	< 6.0	µg/L	GE
0	Magnesium	437	µg/L	MT
0	Magnesium	355	µg/L	GE
0	Manganese	5.4	µg/L	MT
0	Manganese	4.8	µg/L	GE
0	Mercury	< 0.20	µg/L	MT
0	Mercury	0.20	µg/L	GE
0	Methoxychlor	< 0.50	µg/L	MT
0	Methoxychlor	< 0.50	µg/L	GE
0	Nickel	< 5.2	µg/L	MT
0	Nickel	< 4.0	µg/L	GE
0	Nitrate as nitrogen	1700	µg/L	MT
0	Nitrate as nitrogen	1830	µg/L	GE
0	Phenols	< 5.0	µg/L	MT
0	Phenols	< 5.0	µg/L	GE
0	Potassium	1750	µg/L	MT
0	Potassium	< 500	µg/L	GE
0	Selenium	< 3.0	µg/L	MT
0	Selenium	< 2.0	µg/L	GE
0	Silica	6000	µg/L	GE
0	Silica	7860	µg/L	MT

ANALYTICAL RESULTS

WELL ASB 8B collected on 02/18/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Silver	<2.0	µg/L	MT
0	Silver	<2.0	µg/L	GE
0	Sodium	3020	µg/L	MT
0	Sodium	2430	µg/L	GE
0	Sulfate	<1000	µg/L	MT
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<5.0	µg/L	MT
2	Tetrachloroethylene	13	µg/L	GE
0	Tetrachloroethylene	<500	µg/L	MA
0	Toluene	<5.0	µg/L	MT
0	Toluene	<1.0	µg/L	GE
0	Total organic carbon	<1000	µg/L	MT
0	Total organic carbon	<1000	µg/L	GE
2	Total organic halogens	804	µg/L	MT
2	Total organic halogens	384	µg/L	GE
0	Total phosphates	14	µg/L	MT
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<0.24	µg/L	MT
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<5.0	µg/L	MT
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<500	µg/L	MA
0	trans-1,3-Dichloropropene	<5.0	µg/L	MT
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
2	Trichloroethylene	1200	µg/L	MT
2	Trichloroethylene	1290	µg/L	GE
2	Trichloroethylene	1510	µg/L	MA
0	Trichlorofluoromethane	<5.0	µg/L	MT
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Zinc	<9.0	µg/L	MT
0	Zinc	6.5	µg/L	GE
0	1,1-Dichloroethane	<5.0	µg/L	MT
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<5.0	µg/L	MT
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<500	µg/L	MA
0	1,1,1-Trichloroethane	<5.0	µg/L	MT
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<500	µg/L	MA
0	1,1,2-Trichloroethane	<5.0	µg/L	MT
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<5.0	µg/L	MT
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<5.0	µg/L	MT
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<5.0	µg/L	MT
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<5.0	µg/L	MT
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.46	µg/L	MT
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.070	µg/L	MT
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	<2.0	pCi/L	MT
0	Gross alpha	<3.0	pCi/L	MT
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	5.0±2.9	pCi/L	MT
0	Nonvolatile beta	<5.0	pCi/L	MT
0	Nonvolatile beta	4.9±1.8	pCi/L	GE
0	Total radium	1.0±0.30	pCi/L	MT
0	Total radium	<1.0	pCi/L	GE
0	Tritium	<1.0	pCi/mL	MT
0	Tritium	1.4±0.30	pCi/mL	GE

WELL ASB 8C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/18/90 Time: 13.10
 Depth to water: 127.35 ft (38.82 m) below TOC pH: 4.6
 Water elevation: 222.34 ft (67.77 m) msl Alkalinity: 0 mg/L
 Sp. conductance: 48 µS/cm Water temperature: 20.0°C
 Water evacuated before sampling: 124 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	4.9	pH	GE
0	Specific conductance	43	µS/cm	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	9.8	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Caesium	<2.0	µg/L	GE

WELL ASB 8C collected on 02/18/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Calcium	1440	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	4900	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
1	Chloroform	1.0	µg/L	GE
0	Chloroform	<200	µg/L	MA
0	Chloroform	<200	µg/L	MA
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	110	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	27	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	615	µg/L	GE
0	Manganese	4.8	µg/L	GE
2	Mercury	1.2	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	1820	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	7340	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	3840	µg/L	GE
0	Sulfate	<5000	µg/L	GE
2	Tetrachloroethylene	113	µg/L	GE
0	Tetrachloroethylene	<200	µg/L	MA
0	Tetrachloroethylene	<200	µg/L	MA
0	Toluene	<1.0	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
2	Total organic halogens	720	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<200	µg/L	MA
0	trans-1,2-Dichloroethene	<200	µg/L	MA
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
2	Trichloroethylene	1580	µg/L	GE
2	Trichloroethylene	1830	µg/L	MA
2	Trichloroethylene	1460	µg/L	MA
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Zinc	5.3	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<200	µg/L	MA
0	1,1-Dichloroethylene	<200	µg/L	MA
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<200	µg/L	MA
0	1,1,1-Trichloroethane	<200	µg/L	MA
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
1	Americium-241	0.37±0.29	pCi/L	TE
0	Americium-243	<0.20	pCi/L	TE
0	Barium-140	<20	pCi/L	TE
0	Beryllium-7	<50	pCi/L	TE
0	Cerium-141	<10	pCi/L	TE
0	Cerium-144	<30	pCi/L	TE
0	Cesium-134	<5.0	pCi/L	TE
0	Cesium-137	<5.0	pCi/L	TE
0	Cobalt-58	<5.0	pCi/L	TE
0	Cobalt-60	<5.0	pCi/L	TE
0	Curium-242	<0.10	pCi/L	TE
0	Curium-243/244	<0.20	pCi/L	TE
0	Curium-246	<0.20	pCi/L	TE
0	Gross alpha	<3.0	pCi/L	GE
0	Iodine-131	<40	pCi/L	TE
0	Iron-59	<10	pCi/L	TE
0	Manganese-54	<5.0	pCi/L	TE
0	Neptunium-237	<6.0	pCi/L	TE
0	Nonvolatile beta	5.7±1.9	pCi/L	GE
0	Plutonium-238	<0.10	pCi/L	TE
0	Plutonium-239/240	<0.050	pCi/L	TE
1	Plutonium-242	0.61±0.36	pCi/L	TE
0	Potassium-40	<100	pCi/L	TE
0	Radium-226	<90	pCi/L	TE

ANALYTICAL RESULTS

WELL ASB 8C collected on 02/18/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Radium-226	<1.0	pCi/L	TE
1	Radium-228	2.3±1.3	pCi/L	TE
0	Ruthenium-103	<7.0	pCi/L	TE
0	Ruthenium-106	<40	pCi/L	TE
0	Strontium-89	<4.0	pCi/L	TE
0	Strontium-90	<2.0	pCi/L	TE
0	Thorium-228	<8.0	pCi/L	TE
0	Total radium	<1.0	pCi/L	GE
2	Tritium	26±0.60	pCi/mL	GE
0	Uranium-234	<2.0	pCi/L	TE
0	Uranium-235	<1.0	pCi/L	TE
0	Uranium-238	<2.0	pCi/L	TE
0	Zinc-65	<10	pCi/L	TE
0	Zirconium-95	<8.0	pCi/L	TE

WELL ASB 8TA

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/18/90 Time: 12:30
 Depth to water: 135.44 ft (41.28 m) below TOC pH: 4.8
 Water elevation: 214.16 ft (65.28 m) msl Alkalinity: 1 mg/L
 Sp. conductance: 27 µS/cm Water temperature: 20.8°C
 Water evacuated before sampling: 534 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	<1.0	µg/L	MA
0	Tetrachloroethylene	<1.0	µg/L	MA
0	trans-1,2-Dichloroethene	<1.0	µg/L	MA
0	Trichloroethylene	<1.0	µg/L	MA
0	1,1-Dichloroethylene	<1.0	µg/L	MA
0	1,1,1-Trichloroethane	<1.0	µg/L	MA

WELL ASB 9

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/10/90 Time: 10:20
 Depth to water: 70.68 ft (21.54 m) below TOC pH: 4.9
 Water elevation: 238.32 ft (72.64 m) msl Alkalinity: 1 mg/L
 Sp. conductance: 42 µS/cm Water temperature: 18.2°C
 Water evacuated before sampling: 57 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.2	pH	GE
0	Specific conductance	40	µS/cm	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	28	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	1500	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	3900	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	MA
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
1	Chromium	4.2	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Copper	7.4	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	26	µg/L	GE
0	Lead	8.3	µg/L	GE
0	Magnesium	724	µg/L	GE
0	Manganese	21	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	440	µg/L	GE

WELL ASB 9 collected on 02/10/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	4500	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	3690	µg/L	GE
0	Sulfate	7400	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	MA
0	Toluene	<1.0	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	MA
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	MA
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Zinc	2.5	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	MA
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	MA
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Americium-241	<0.30	pCi/L	TE
0	Americium-243	<0.20	pCi/L	TE
0	Barium-140	<20	pCi/L	TE
0	Beryllium-7	<40	pCi/L	TE
0	Cerium-141	<10	pCi/L	TE
0	Cerium-144	<30	pCi/L	TE
0	Cesium-134	<3.0	pCi/L	TE
0	Cesium-137	<4.0	pCi/L	TE
0	Cobalt-58	<4.0	pCi/L	TE
0	Cobalt-60	<4.0	pCi/L	TE
1	Curium-242	0.31±0.14	pCi/L	TE
1	Curium-243/244	0.77±0.28	pCi/L	TE
0	Curium-246	<0.20	pCi/L	TE
0	Gross alpha	3.2±1.7	pCi/L	GE
0	Iodine-131	<30	pCi/L	TE
0	Iron-59	<9.0	pCi/L	TE
0	Manganese-54	<4.0	pCi/L	TE
0	Nonvolatile beta	2.6±2.3	pCi/L	GE
0	Plutonium-238	<0.10	pCi/L	TE
0	Plutonium-239/240	<0.050	pCi/L	TE
1	Plutonium-242	0.60±0.20	pCi/L	TE
0	Potassium-40	<50	pCi/L	TE
0	Radium-226	<60	pCi/L	TE
0	Radium-228	<1.0	pCi/L	TE
0	Radium-228	<2.0	pCi/L	TE
0	Ruthenium-103	<5.0	pCi/L	TE
0	Ruthenium-106	<30	pCi/L	TE
0	Strontium-89	<4.0	pCi/L	TE
0	Strontium-90	<0.80	pCi/L	TE
0	Thorium-228	<7.0	pCi/L	TE
0	Total radium	1.9±2.1	pCi/L	GE
0	Tritium	0.87±0.30	pCi/mL	GE
0	Uranium-234	<0.80	pCi/L	TE
0	Uranium-235	<0.50	pCi/L	TE
0	Uranium-238	<1.0	pCi/L	TE
0	Zinc-65	<7.0	pCi/L	TE
0	Zirconium-95	<4.0	pCi/L	TE

ANALYTICAL RESULTS

WELL ASB 9B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/10/90
Depth to water: 90.47 ft (27.58 m) below TOC
Water elevation: 218.53 ft (66.61 m) msl
Sp. conductance: 109 µS/cm
Water evacuated before sampling: 300 gal

Time: 11:05
pH: 9.4
Alkalinity: 45 mg/L
Water temperature: 18.4°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	<10	µg/L	MA
0	Chloroform	<10	µg/L	MA
2	Tetrachloroethylene	38	µg/L	MA
2	Tetrachloroethylene	37	µg/L	MA
0	trans-1,2-Dichloroethene	<10	µg/L	MA
0	trans-1,2-Dichloroethene	<10	µg/L	MA
2	Trichloroethylene	38	µg/L	MA
2	Trichloroethylene	41	µg/L	MA
0	1,1-Dichloroethylene	<10	µg/L	MA
0	1,1-Dichloroethylene	<10	µg/L	MA
0	1,1,1-Trichloroethane	<10	µg/L	MA
0	1,1,1-Trichloroethane	<10	µg/L	MA

WELL ASB 9C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/10/90
Depth to water: 91.18 ft (27.79 m) below TOC
Water elevation: 218.74 ft (66.67 m) msl
Sp. conductance: 53 µS/cm
Water evacuated before sampling: 107 gal

Time: 10:05
pH: 5.9
Alkalinity: 15 mg/L
Water temperature: 18.3°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	<1.0	µg/L	MA
2	Tetrachloroethylene	5.9	µg/L	MA
0	trans-1,2-Dichloroethene	<1.0	µg/L	MA
2	Trichloroethylene	5.1	µg/L	MA
0	1,1-Dichloroethylene	<1.0	µg/L	MA
0	1,1,1-Trichloroethane	<1.0	µg/L	MA

WELL BG 52

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/14/90
Depth to water: 62.00 ft (18.90 m) below TOC
Water elevation: 227.80 ft (69.43 m) msl
Sp. conductance: 33 µS/cm
No water was evacuated before sampling.

Time: 11:00
pH: 5.8
Water temperature: 21.0°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Gross alpha	0.94±0.68	pCi/L	EM
0	Nonvolatile beta	2.1±1.0	pCi/L	EM
2	Tritium	74±2.0	pCi/mL	EM

WELL BG 53

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/22/90
Depth to water: 58.20 ft (17.74 m) below TOC
Water elevation: 227.50 ft (69.34 m) msl
Sp. conductance: 25 µS/cm
No water was evacuated before sampling.

Time: 10:20
pH: 5.5
Water temperature: 17.4°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Gross alpha	1.3±0.51	pCi/L	EM
0	Nonvolatile beta	2.2±1.2	pCi/L	EM
1	Tritium	15±1.0	pCi/mL	EM

WELL BG 54

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/22/90
Depth to water: 50.20 ft (15.30 m) below TOC
Water elevation: 227.00 ft (69.19 m) msl
Sp. conductance: 38 µS/cm
No water was evacuated before sampling.

Time: 10:05
pH: 5.8
Water temperature: 19.8°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Gross alpha	0.79±0.41	pCi/L	EM
0	Nonvolatile beta	3.6±1.4	pCi/L	EM
1	Tritium	18±1.1	pCi/mL	EM

WELL BG 55

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/22/90
Depth to water: 50.90 ft (15.51 m) below TOC
Water elevation: 228.00 ft (69.49 m) msl
Sp. conductance: 39 µS/cm
No water was evacuated before sampling.

Time: 9:50
pH: 5.0
Water temperature: 17.3°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Gross alpha	3.9±0.90	pCi/L	EM
0	Nonvolatile beta	3.4±1.4	pCi/L	EM
2	Tritium	7870±80	pCi/mL	EM
2	Tritium	8890±90	pCi/mL	EM
2	Tritium	10300±110	pCi/mL	EM

WELL BG 56

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/22/90
Depth to water: 50.40 ft (15.36 m) below TOC
Water elevation: 224.50 ft (68.43 m) msl
Sp. conductance: 99 µS/cm
No water was evacuated before sampling.

Time: 9:40
pH: 4.8
Water temperature: 17.1°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Gross alpha	4.8±1.4	pCi/L	EM
0	Nonvolatile beta	6.1±1.8	pCi/L	EM
2	Tritium	49900±460	pCi/mL	EM

WELL BG 57

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/22/90
Depth to water: 47.50 ft (14.48 m) below TOC
Water elevation: 225.10 ft (68.61 m) msl
Sp. conductance: 29 µS/cm
No water was evacuated before sampling.

Time: 9:30
pH: 6.0
Water temperature: 17.8°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Gross alpha	0.63±0.37	pCi/L	EM
0	Nonvolatile beta	0.98±0.91	pCi/L	EM
2	Tritium	89±9.0	pCi/mL	EM

ANALYTICAL RESULTS

WELL BG 58

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/22/90
Depth to water: 52.00 ft (15.85 m) below TOC
Water elevation: 226.20 ft (68.95 m) msl
Sp. conductance: 56 μ S/cm
No water was evacuated before sampling.

Time: 9:15
pH: 5.9
Water temperature: 15.5°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Gross alpha	1.1 $\pm$ 0.48	pCi/L	EM
0	Nonvolatile beta	1.4 $\pm$ 1.0	pCi/L	EM
1	Tritium	15 $\pm$ 1.1	pCi/mL	EM

WELL BG 59

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/22/90
Depth to water: 54.50 ft (16.61 m) below TOC
Water elevation: 228.20 ft (69.56 m) msl
Sp. conductance: 44 μ S/cm
No water was evacuated before sampling.

Time: 10:30
pH: 6.4
Water temperature: 16.5°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Gross alpha	0.24 $\pm$ 0.26	pCi/L	EM
0	Nonvolatile beta	0.89 $\pm$ 0.89	pCi/L	EM
2	Tritium	31 $\pm$ 1.3	pCi/mL	EM

WELL BG 60

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/22/90
Depth to water: 46.40 ft (14.14 m) below TOC
Water elevation: 229.10 ft (69.83 m) msl
Sp. conductance: 34 μ S/cm
No water was evacuated before sampling.

Time: 10:45
pH: 5.5
Water temperature: 19.0°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
2	Gross alpha	93 $\pm$ 10	pCi/L	MT
1	Gross alpha	15 $\pm$ 4.0	pCi/L	GE
0	Gross alpha	4.1 $\pm$ 2.2	pCi/L	GE
2	Gross alpha	25 $\pm$ 3.8	pCi/L	GE
0	Gross alpha	0.56 $\pm$ 0.35	pCi/L	EM
2	Nonvolatile beta	120 $\pm$ 20	pCi/L	MT
1	Nonvolatile beta	25 $\pm$ 4.7	pCi/L	GE
0	Nonvolatile beta	9.2 $\pm$ 2.9	pCi/L	GE
0	Nonvolatile beta	1.1 $\pm$ 0.95	pCi/L	EM
1	Tritium	17 $\pm$ 2.0	pCi/mL	MT
2	Tritium	23 $\pm$ 0.60	pCi/mL	GE
2	Tritium	23 $\pm$ 0.60	pCi/mL	GE
1	Tritium	17 $\pm$ 1.1	pCi/mL	EM

WELL BG 61

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/22/90
Depth to water: 44.00 ft (13.41 m) below TOC
Water elevation: 231.00 ft (70.41 m) msl
Sp. conductance: 49 μ S/cm
No water was evacuated before sampling.

Time: 12:40
pH: 6.2
Water temperature: 19.9°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Gross alpha	0.87 $\pm$ 0.42	pCi/L	EM
0	Nonvolatile beta	1.4 $\pm$ 1.0	pCi/L	EM
2	Tritium	22 $\pm$ 1.3	pCi/mL	EM
2	Tritium	24 $\pm$ 1.3	pCi/mL	EM
2	Tritium	35 $\pm$ 1.4	pCi/mL	EM

WELL BG 62

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/22/90
Depth to water: 39.70 ft (12.10 m) below TOC
Water elevation: 232.80 ft (70.96 m) msl
Sp. conductance: 30 μ S/cm
No water was evacuated before sampling.

Time: 12:55
pH: 5.7
Water temperature: 20.0°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
2	Gross alpha	90 $\pm$ 9.0	pCi/L	MT
2	Gross alpha	130 $\pm$ 20	pCi/L	MT
2	Gross alpha	100 $\pm$ 10	pCi/L	MT
2	Gross alpha	34 $\pm$ 6.2	pCi/L	GE
0	Gross alpha	0.72 $\pm$ 0.39	pCi/L	EM
2	Nonvolatile beta	100 $\pm$ 10	pCi/L	MT
2	Nonvolatile beta	170 $\pm$ 20	pCi/L	MT
2	Nonvolatile beta	100 $\pm$ 10	pCi/L	MT
1	Nonvolatile beta	44 $\pm$ 6.2	pCi/L	GE
0	Nonvolatile beta	1.4 $\pm$ 1.0	pCi/L	EM
2	Tritium	24 $\pm$ 3.0	pCi/mL	MT
1	Tritium	14 $\pm$ 0.50	pCi/mL	GE
2	Tritium	23 $\pm$ 1.2	pCi/mL	EM

WELL BG 63

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/22/90
Depth to water: 39.50 ft (12.04 m) below TOC
Water elevation: 234.70 ft (71.54 m) msl
Sp. conductance: 24 μ S/cm
No water was evacuated before sampling.

Time: 13:00
pH: 6.2
Water temperature: 18.6°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Gross alpha	0.31 $\pm$ 0.28	pCi/L	EM
0	Nonvolatile beta	0.56 $\pm$ 0.82	pCi/L	EM
2	Tritium	27 $\pm$ 1.3	pCi/mL	EM

WELL BG 64

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/22/90
Depth to water: 48.50 ft (14.78 m) below TOC
Water elevation: 236.80 ft (72.18 m) msl
Sp. conductance: 31 μ S/cm
No water was evacuated before sampling.

Time: 13:10
pH: 6.2
Water temperature: 19.5°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Gross alpha	1.0 $\pm$ 0.46	pCi/L	EM
0	Nonvolatile beta	0.42 $\pm$ 0.79	pCi/L	EM
2	Tritium	23 $\pm$ 1.2	pCi/mL	EM

WELL BG 65

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/22/90
Depth to water: 58.20 ft (17.13 m) below TOC
Water elevation: 234.70 ft (71.54 m) msl
Sp. conductance: 52 μ S/cm
No water was evacuated before sampling.

Time: 13:15
pH: 6.8
Water temperature: 20.6°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Gross alpha	0.25 $\pm$ 0.27	pCi/L	EM
0	Nonvolatile beta	0.62 $\pm$ 0.84	pCi/L	EM
2	Tritium	25 $\pm$ 1.2	pCi/mL	EM

ANALYTICAL RESULTS

WELL BG 66

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/22/90 Time: 13:25
Depth to water: 62.00 ft (18.90 m) below TOC pH: 6.5
Water elevation: 234.00 ft (71.32 m) msl
Sp. conductance: 53 µS/cm Water temperature: 18.0°C
No water was evacuated before sampling.

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Gross alpha	0.50±0.35	pCi/L	EM
0	Nonvolatile beta	0.71±0.87	pCi/L	EM
2	Tritium	32±1.3	pCi/mL	EM

WELL BG 67

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/14/90 Time: 11:20
Depth to water: 60.00 ft (18.29 m) below TOC pH: 5.4
Water elevation: 234.70 ft (71.54 m) msl
Sp. conductance: 33 µS/cm Water temperature: 20.4°C
No water was evacuated before sampling.

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Gross alpha	0.53±0.54	pCi/L	EM
0	Nonvolatile beta	0.080±0.71	pCi/L	EM
2	Tritium	65±1.9	pCi/mL	EM

WELL BG 91

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/11/90 Time: 16:10
Depth to water: 56.80 ft (17.31 m) below TOC pH: 4.8
Water elevation: 216.60 ft (66.02 m) msl Alkalinity: 0 mg/L
Sp. conductance: 48 µS/cm Water temperature: 21.3°C
Water evacuated before sampling: 19 gal
The well went dry during purging.

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.3	pH	GE
0	pH	5.3	pH	GE
0	Specific conductance	39	µS/cm	GE
0	Specific conductance	39	µS/cm	GE
0	Aluminum	<20	µg/L	GE
0	Aluminum	<20	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Barium	10	µg/L	GE
0	Barium	10	µg/L	GE
0	Beryllium	<5.0	µg/L	GE
0	Beryllium	<5.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	1960	µg/L	GE
0	Calcium	1940	µg/L	GE
0	Carbonate	<1000	µg/L	GE
0	Carbonate	<1000	µg/L	GE
0	Chloride	3000	µg/L	GE
0	Chloride	2900	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
1	Copper	61	µg/L	GE
1	Copper	61	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	Iodine	<100	µg/L	GE
0	Iodine	<100	µg/L	GE
0	Iron	57	µg/L	GE
0	Iron	57	µg/L	GE
2	Lead	25	µg/L	GE
2	Lead	28	µg/L	GE
0	Magnesium	603	µg/L	GE
0	Magnesium	594	µg/L	GE
0	Manganese	11	µg/L	GE

WELL BG 91 collected on 03/11/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Manganese	12	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	110	µg/L	GE
0	Nitrate as nitrogen	100	µg/L	GE
0	Nitrite as nitrogen	<10.0	µg/L	GE
0	Nitrite as nitrogen	<10.0	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	961	µg/L	GE
0	Potassium	959	µg/L	GE
0	Silica	5820	µg/L	GE
0	Silica	5420	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	3290	µg/L	GE
0	Sodium	3300	µg/L	GE
0	Sulfate	9100	µg/L	GE
0	Sulfate	9400	µg/L	GE
1	Total carbon	8000	µg/L	GE
1	Total carbon	7000	µg/L	GE
0	Total dissolved solids	52000	µg/L	GE
0	Total dissolved solids	48000	µg/L	GE
1	Total inorganic carbon	7000	µg/L	GE
1	Total inorganic carbon	7000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	18	µg/L	GE
0	Zinc	19	µg/L	GE
0	Barium-140	<20	pCi/L	TE
0	Beryllium-7	<50	pCi/L	TE
0	Cerium-141	<10	pCi/L	TE
0	Cerium-144	<40	pCi/L	TE
0	Cesium-134	<4.0	pCi/L	TE
0	Cesium-137	<4.0	pCi/L	TE
0	Cobalt-58	<5.0	pCi/L	TE
0	Cobalt-60	<4.0	pCi/L	TE
0	Gross alpha	<3.0	pCi/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Iodine-131	<50	pCi/L	TE
0	Iron-59	<10	pCi/L	TE
0	Manganese-54	<4.0	pCi/L	TE
0	Neptunium-237	<9.0	pCi/L	TE
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Potassium-40	<60	pCi/L	TE
0	Radium-226	<90	pCi/L	TE
0	Ruthenium-103	<7.0	pCi/L	TE
0	Ruthenium-106	<40	pCi/L	TE
0	Thorium-228	<8.0	pCi/L	TE
0	Total activity	±50	pCi/mL	EM
0	Tritium	9.3±0.40	pCi/mL	GE
0	Tritium	9.0±0.40	pCi/mL	GE
0	Zinc-65	<8.0	pCi/L	TE
0	Zirconium-95	<5.0	pCi/L	TE

WELL BG 92

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/11/90 Time: 17:30
Depth to water: 48.19 ft (14.69 m) below TOC pH: 7.1
Water elevation: 207.01 ft (63.10 m) msl Alkalinity: 119 mg/L
Sp. conductance: 277 µS/cm Water temperature: 20.2°C
Water evacuated before sampling: 8 gal
The well went dry during purging.

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	pH	7.5	pH	GE
1	Specific conductance	276	µS/cm	GE
0	Aluminum	22	µg/L	GE
0	Antimony	<3.0	µg/L	GE
1	Barium	148	µg/L	GE
0	Beryllium	<5.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
1	Calcium	37500	µg/L	GE
0	Carbonate	<1000	µg/L	GE

ANALYTICAL RESULTS

WELL BG 92 collected on 03/11/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Chloride	4000	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	Iodine	<100	µg/L	GE
0	Iron	5.2	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	1780	µg/L	GE
2	Manganese	435	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	110	µg/L	GE
0	Nitrite as nitrogen	<10.0	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	3520	µg/L	GE
0	Silica	3320	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	20800	µg/L	GE
1	Sulfate	18000	µg/L	GE
1	Total carbon	18000	µg/L	GE
0	Total dissolved solids	169000	µg/L	GE
1	Total inorganic carbon	14000	µg/L	GE
0	Total organic carbon	2000	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	21	µg/L	GE
0	Barium-140	<10	pCi/L	TE
0	Beryllium-7	<30	pCi/L	TE
0	Cerium-141	<8.0	pCi/L	TE
0	Cerium-144	<20	pCi/L	TE
0	Cesium-134	<3.0	pCi/L	TE
0	Cesium-137	<3.0	pCi/L	TE
0	Cobalt-58	<3.0	pCi/L	TE
0	Cobalt-60	<3.0	pCi/L	TE
0	Gross alpha	3.3±2.6	pCi/L	GE
0	Iodine-131	<30	pCi/L	TE
0	Iron-59	<8.0	pCi/L	TE
0	Manganese-54	<3.0	pCi/L	TE
0	Neptunium-237	<5.0	pCi/L	TE
0	Nonvolatile beta	5.2±3.6	pCi/L	GE
0	Potassium-40	<40	pCi/L	TE
0	Radium-226	<60	pCi/L	TE
0	Ruthenium-103	<4.0	pCi/L	TE
0	Ruthenium-106	<20	pCi/L	TE
0	Thorium-228	<6.0	pCi/L	TE
1	Total activity	14±50	pCi/mL	EM
0	Tritium	7.4±0.40	pCi/mL	GE
0	Zinc-65	<7.0	pCi/L	TE
0	Zirconium-95	<4.0	pCi/L	TE

WELL BG 93

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/16/90 Time: 12:50
 Depth to water: 59.71 ft (18.20 m) below TOC pH: 5.7
 Water elevation: 198.79 ft (60.59 m) msl Alkalinity: 10 mg/L
 Sp. conductance: 87 µS/cm Water temperature: 20.2°C
 Water evacuated before sampling: 53 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.9	pH	GE
0	pH	5.9	pH	GE
0	Specific conductance	70	µS/cm	GE
0	Specific conductance	70	µS/cm	GE
0	Aluminum	<20	µg/L	GE
0	Aluminum	<20	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Barium	<4.0	µg/L	GE
0	Beryllium	<4.0	µg/L	GE
0	Beryllium	<5.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	287	µg/L	GE
0	Calcium	295	µg/L	GE
0	Carbonate	<1000	µg/L	GE
0	Carbonate	<1000	µg/L	GE
0	Chloride	2400	µg/L	GE
0	Chloride	2400	µg/L	GE
0	Chromium	<4.0	µg/L	GE

WELL BG 93 collected on 03/16/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Chromium	<4.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	Iodine	<100	µg/L	GE
0	Iodine	<100	µg/L	GE
1	Iron	205	µg/L	GE
1	Iron	200	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	48	µg/L	GE
0	Magnesium	48	µg/L	GE
0	Manganese	5.2	µg/L	GE
0	Manganese	5.4	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	350	µg/L	GE
0	Nitrate as nitrogen	320	µg/L	GE
0	Nitrite as nitrogen	<10.0	µg/L	GE
0	Nitrite as nitrogen	<10.0	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Silica	3510	µg/L	GE
0	Silica	3680	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	14300	µg/L	GE
1	Sodium	15200	µg/L	GE
1	Sulfate	17000	µg/L	GE
1	Sulfate	17000	µg/L	GE
1	Total carbon	9000	µg/L	GE
1	Total carbon	9000	µg/L	GE
0	Total dissolved solids	75000	µg/L	GE
0	Total dissolved solids	81000	µg/L	GE
1	Total inorganic carbon	8000	µg/L	GE
1	Total inorganic carbon	8000	µg/L	GE
0	Total organic carbon	1000	µg/L	GE
0	Total organic carbon	1000	µg/L	GE
1	Total phosphates	390	µg/L	GE
1	Total phosphates	400	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	10.0	µg/L	GE
0	Zinc	9.8	µg/L	GE
0	Barium-140	<40	pCi/L	TE
0	Beryllium-7	<50	pCi/L	TE
0	Cerium-141	<20	pCi/L	TE
0	Cerium-144	<30	pCi/L	TE
0	Cesium-134	<4.0	pCi/L	TE
0	Cesium-137	<3.0	pCi/L	TE
0	Cobalt-58	<4.0	pCi/L	TE
0	Cobalt-60	<3.0	pCi/L	TE
0	Gross alpha	<3.0	pCi/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Iodine-131	<200	pCi/L	TE
0	Iron-59	<10	pCi/L	TE
0	Manganese-54	<3.0	pCi/L	TE
0	Neptunium-237	<7.0	pCi/L	TE
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Potassium-40	<50	pCi/L	TE
0	Radium-226	<80	pCi/L	TE
0	Ruthenium-103	<7.0	pCi/L	TE
0	Ruthenium-106	<30	pCi/L	TE
0	Thorium-228	<7.0	pCi/L	TE
1	Total activity	8.8±1.3	pCi/mL	EM
0	Tritium	5.2±0.40	pCi/mL	GE
0	Tritium	6.2±0.40	pCi/mL	GE
0	Zinc-65	<7.0	pCi/L	TE
0	Zirconium-95	<5.0	pCi/L	TE

ANALYTICAL RESULTS

WELL BG 94

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/11/90 Time: 14:15
 Depth to water: 60.77 ft (18.52 m) below TOC pH: 5.5
 Water elevation: 190.03 ft (57.92 m) msl Alkalinity: 11 mg/L
 Sp. conductance: 92 µS/cm Water temperature: 20.7°C
 Water evacuated before sampling: 105 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.7	pH	GE
1	Specific conductance	100	µS/cm	GE
0	Aluminum	25	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Barium	27	µg/L	GE
0	Beryllium	<5.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	4640	µg/L	GE
0	Carbonate	<1000	µg/L	GE
0	Chloride	3500	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	Iodine	<100	µg/L	GE
0	Iron	48	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	553	µg/L	GE
2	Manganese	73	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	210	µg/L	GE
0	Nitrite as nitrogen	<10.0	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Silica	6690	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	11100	µg/L	GE
1	Sulfate	28400	µg/L	GE
1	Total carbon	9000	µg/L	GE
0	Total dissolved solids	80000	µg/L	GE
1	Total inorganic carbon	8000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total phosphates	230	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
1	Zinc	778	µg/L	GE
0	Barium-140	<20	pCi/L	TE
0	Beryllium-7	<40	pCi/L	TE
0	Cerium-141	<10	pCi/L	TE
0	Cerium-144	<30	pCi/L	TE
0	Cesium-134	<3.0	pCi/L	TE
0	Cesium-137	<3.0	pCi/L	TE
0	Cobalt-58	<4.0	pCi/L	TE
0	Cobalt-60	<3.0	pCi/L	TE
0	Gross alpha	<3.0	pCi/L	GE
0	Iodine-131	<30	pCi/L	TE
0	Iron-59	<9.0	pCi/L	TE
0	Manganese-54	<3.0	pCi/L	TE
0	Neptunium-237	<7.0	pCi/L	TE
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Potassium-40	<50	pCi/L	TE
0	Radium-226	<70	pCi/L	TE
0	Ruthenium-103	<5.0	pCi/L	TE
0	Ruthenium-106	<30	pCi/L	TE
0	Thorium-228	<6.0	pCi/L	TE
1	Total activity	32 ± 50	pCi/mL	EM
0	Tritium	4.7 ± 0.40	pCi/mL	GE
0	Zinc-65	<7.0	pCi/L	TE
0	Zirconium-95	<4.0	pCi/L	TE

WELL BG 95

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/11/90 Time: 15:20
 Depth to water: 30.83 ft (9.40 m) below TOC pH: 5.3
 Water elevation: 191.67 ft (58.42 m) msl Alkalinity: 2 mg/L
 Sp. conductance: 58 µS/cm Water temperature: 20.8°C
 Water evacuated before sampling: 107 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.8	pH	GE
0	Specific conductance	53	µS/cm	GE
0	Aluminum	22	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Barium	11	µg/L	GE
0	Beryllium	<5.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	2930	µg/L	GE
0	Carbonate	<1000	µg/L	GE
0	Chloride	3900	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
1	Copper	58	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	Iodine	<100	µg/L	GE
0	Iron	22	µg/L	GE
0	Lead	8.9	µg/L	GE
0	Magnesium	453	µg/L	GE
0	Manganese	9.5	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	700	µg/L	GE
0	Nitrite as nitrogen	<10.0	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Silica	6570	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	4970	µg/L	GE
1	Sulfate	10400	µg/L	GE
1	Total carbon	10000	µg/L	GE
0	Total dissolved solids	48000	µg/L	GE
1	Total inorganic carbon	8000	µg/L	GE
0	Total organic carbon	1000	µg/L	GE
0	Total phosphates	70	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
1	Zinc	323	µg/L	GE
0	Barium-140	<30	pCi/L	TE
0	Beryllium-7	<40	pCi/L	TE
0	Cerium-141	<10	pCi/L	TE
0	Cerium-144	<20	pCi/L	TE
0	Cesium-134	<4.0	pCi/L	TE
0	Cesium-137	<4.0	pCi/L	TE
0	Cobalt-58	<4.0	pCi/L	TE
0	Cobalt-60	<3.0	pCi/L	TE
0	Gross alpha	<3.0	pCi/L	GE
0	Iodine-131	<90	pCi/L	TE
0	Iron-59	<10	pCi/L	TE
0	Manganese-54	<4.0	pCi/L	TE
0	Neptunium-237	<7.0	pCi/L	TE
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Potassium-40	<80	pCi/L	TE
0	Radium-226	<70	pCi/L	TE
0	Ruthenium-103	<6.0	pCi/L	TE
0	Ruthenium-106	<30	pCi/L	TE
0	Thorium-228	<6.0	pCi/L	TE
1	Total activity	10 ± 50	pCi/mL	EM
0	Tritium	7.7 ± 0.40	pCi/mL	GE
0	Zinc-65	<8.0	pCi/L	TE
0	Zirconium-95	<5.0	pCi/L	TE

ANALYTICAL RESULTS

WELL BG 96

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/11/90
 Depth to water: 48.15 ft (14.68 m) below TOC
 Water elevation: 197.05 ft (60.06 m) msl
 Sp. conductance: 48 µS/cm
 Water evacuated before sampling: 24 gal
 The well went dry during purging.

Time: 17:55
 pH: 5.5
 Alkalinity: 8 mg/L
 Water temperature: 20.3°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.8	pH	GE
0	Specific conductance	32	µS/cm	GE
0	Aluminum	<20	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Barium	10	µg/L	GE
0	Beryllium	<5.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	3890	µg/L	GE
0	Carbonate	<1000	µg/L	GE
0	Chloride	3500	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Copper	19	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	Iodine	<100	µg/L	GE
0	Iron	34	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	499	µg/L	GE
0	Manganese	13	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	1100	µg/L	GE
0	Nitrite as nitrogen	<10.0	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Silica	7180	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	2090	µg/L	GE
0	Sulfate	<5000	µg/L	GE
1	Total carbon	8000	µg/L	GE
0	Total dissolved solids	43000	µg/L	GE
1	Total inorganic carbon	6000	µg/L	GE
0	Total organic carbon	2000	µg/L	GE
0	Total phosphates	60	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	25	µg/L	GE
0	Barium-140	<40	pCi/L	TE
0	Beryllium-7	<80	pCi/L	TE
0	Cerium-141	<20	pCi/L	TE
0	Cerium-144	<40	pCi/L	TE
0	Cesium-134	<6.0	pCi/L	TE
0	Cesium-137	<5.0	pCi/L	TE
0	Cobalt-58	<7.0	pCi/L	TE
0	Cobalt-60	<8.0	pCi/L	TE
0	Gross alpha	<3.0	pCi/L	GE
0	Iodine-131	<200	pCi/L	TE
0	Iron-59	<20	pCi/L	TE
0	Manganese-54	<5.0	pCi/L	TE
0	Neptunium-237	<10	pCi/L	TE
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Potassium-40	<90	pCi/L	TE
0	Radium-226	<100	pCi/L	TE
0	Ruthenium-103	<10	pCi/L	TE
0	Ruthenium-106	<50	pCi/L	TE
0	Thorium-228	<10	pCi/L	TE
1	Total activity	15 ± 50	pCi/mL	EM
1	Tritium	13	pCi/mL	GE
0	Zinc-65	<10	pCi/L	TE
0	Zirconium-95	<7.0	pCi/L	TE

WELL BG 101

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/15/90
 Depth to water: 38.78 ft (11.21 m) below TOC
 Water elevation: 194.82 ft (59.32 m) msl
 Sp. conductance: 24 µS/cm
 Water evacuated before sampling: 92 gal

Time: 17:20
 pH: 5.0
 Alkalinity: 1 mg/L
 Water temperature: 20.3°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.4	pH	GE
0	Specific conductance	20	µS/cm	GE
0	Aluminum	<20	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Barium	5.5	µg/L	GE
0	Beryllium	<5.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	1280	µg/L	GE
0	Carbonate	<1000	µg/L	GE
0	Chloride	1900	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
1	Copper	62	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	Iodine	<100	µg/L	GE
0	Iron	<4.0	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	324	µg/L	GE
0	Manganese	7.2	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	880	µg/L	GE
0	Nitrite as nitrogen	<10.0	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Silica	5390	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	1550	µg/L	GE
0	Sulfate	<5000	µg/L	GE
1	Total carbon	8000	µg/L	GE
0	Total dissolved solids	54000	µg/L	GE
1	Total inorganic carbon	6000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
1	Total phosphates	650	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	81	µg/L	GE
0	Barium-140	<50	pCi/L	TE
0	Beryllium-7	<50	pCi/L	TE
0	Cerium-141	<20	pCi/L	TE
0	Cerium-144	<40	pCi/L	TE
0	Cesium-134	<4.0	pCi/L	TE
0	Cesium-137	<4.0	pCi/L	TE
0	Cobalt-58	<4.0	pCi/L	TE
0	Cobalt-60	<4.0	pCi/L	TE
0	Gross alpha	<3.0	pCi/L	GE
0	Iodine-131	<200	pCi/L	TE
0	Iron-59	<10	pCi/L	TE
0	Manganese-54	<3.0	pCi/L	TE
0	Neptunium-237	<8.0	pCi/L	TE
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Potassium-40	<70	pCi/L	TE
0	Radium-226	<100	pCi/L	TE
0	Ruthenium-103	<8.0	pCi/L	TE
0	Ruthenium-106	<30	pCi/L	TE
0	Thorium-228	<9.0	pCi/L	TE
1	Total activity	318 ± 4.2	pCi/mL	EM
2	Tritium	330 ± 1.8	pCi/mL	GE
0	Zinc-65	<8.0	pCi/L	TE
0	Zirconium-95	<8.0	pCi/L	TE

ANALYTICAL RESULTS

WELL BG 103

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/15/90
 Depth to water: 40.77 ft (12.43 m) below TOC
 Water elevation: 198.73 ft (60.57 m) msl
 Sp. conductance: 29 µS/cm
 Water evacuated before sampling: 82 gal

Time: 16:30
 pH: 5.2
 Alkalinity: 1 mg/L
 Water temperature: 19.9 °C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.4	pH	GE
0	Specific conductance	23	µS/cm	GE
0	Aluminum	45	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Barium	4.3	µg/L	GE
0	Beryllium	<5.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	1900	µg/L	GE
0	Carbonate	<1000	µg/L	GE
0	Chloride	1900	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
1	Copper	47	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	Iodine	<100	µg/L	GE
0	Iron	13	µg/L	GE
0	Lead	<8.0	µg/L	GE
0	Magnesium	358	µg/L	GE
0	Manganese	4.8	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	1550	µg/L	GE
0	Nitrite as nitrogen	<10.0	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Silica	8480	µg/L	GE
1	Silver	3.8	µg/L	GE
0	Sodium	1490	µg/L	GE
0	Sulfate	<5000	µg/L	GE
1	Total carbon	6000	µg/L	GE
0	Total dissolved solids	45000	µg/L	GE
1	Total inorganic carbon	5000	µg/L	GE
0	Total organic carbon	2000	µg/L	GE
1	Total phosphates	850	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	44	µg/L	GE
0	Barium-141	<30	pCi/L	TE
0	Beryllium-7	<50	pCi/L	TE
0	Cerium-141	<20	pCi/L	TE
0	Cerium-144	<30	pCi/L	TE
0	Cesium-134	<4.0	pCi/L	TE
0	Cesium-137	<3.0	pCi/L	TE
0	Cobalt-58	<4.0	pCi/L	TE
0	Cobalt-60	<4.0	pCi/L	TE
0	Gross alpha	<3.0	pCi/L	GE
0	Iodine-131	<200	pCi/L	TE
0	Iron-59	<10	pCi/L	TE
0	Manganese-54	<3.0	pCi/L	TE
0	Neptunium-237	<7.0	pCi/L	TE
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Potassium-40	<60	pCi/L	TE
0	Radium-226	<80	pCi/L	TE
0	Ruthenium-103	<7.0	pCi/L	TE
0	Ruthenium-106	<30	pCi/L	TE
0	Thorium-228	<7.0	pCi/L	TE
1	Total activity	83 ± 2.3	pCi/mL	EM
2	Trillium	90 ± 1.0	pCi/mL	GE
0	Zinc-65	<7.0	pCi/L	TE
0	Zirconium-95	<5.0	pCi/L	TE

WELL BG 104

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/14/90
 Depth to water: 81.21 ft (24.86 m) below TOC
 Water elevation: 224.59 ft (68.48 m) msl
 Sp. conductance: 134 µS/cm
 Water evacuated before sampling: 5 gal
 The well went dry during purging.

Time: 16:40
 pH: 6.8
 Alkalinity: 47 mg/L
 Water temperature: 19.3 °C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
2	pH	8.8	pH	GE
0	Specific conductance	95	µS/cm	GE
0	Aluminum	28	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Barium	9.9	µg/L	GE
0	Beryllium	<5.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
1	Calcium	18900	µg/L	GE
0	Carbonate	<1000	µg/L	GE
1	Chloride	2900	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	Iodine	<100	µg/L	GE
0	Iron	8.9	µg/L	GE
0	Lead	<8.0	µg/L	GE
0	Magnesium	284	µg/L	GE
0	Manganese	8.0	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	130	µg/L	GE
0	Nitrite as nitrogen	<10.0	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	575	µg/L	GE
0	Silica	6150	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	2690	µg/L	GE
0	Sulfate	<5000	µg/L	GE
1	Total carbon	13000	µg/L	GE
0	Total dissolved solids	102000	µg/L	GE
1	Total inorganic carbon	10000	µg/L	GE
0	Total organic carbon	3000	µg/L	GE
1	Total phosphates	700	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	15	µg/L	GE
0	Barium-140	<80	pCi/L	TE
0	Beryllium-7	<80	pCi/L	TE
0	Cerium-141	<20	pCi/L	TE
0	Cerium-144	<40	pCi/L	TE
0	Cesium-134	<8.0	pCi/L	TE
0	Cesium-137	<8.0	pCi/L	TE
0	Cobalt-58	<8.0	pCi/L	TE
0	Cobalt-60	<8.0	pCi/L	TE
0	Gross alpha	<3.0	pCi/L	GE
0	Iodine-131	<300	pCi/L	TE
0	Iron-59	<20	pCi/L	TE
0	Manganese-54	<6.0	pCi/L	TE
0	Neptunium-237	<10	pCi/L	TE
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Potassium-40	<200	pCi/L	TE
0	Radium-226	<100	pCi/L	TE
0	Ruthenium-103	<10	pCi/L	TE
0	Ruthenium-106	<50	pCi/L	TE
0	Thorium-232	<10	pCi/L	TE
1	Total activity	15 ± 1.4	pCi/mL	EM
1	Trillium	15 ± 0.50	pCi/mL	GE
0	Zinc-65	<10	pCi/L	TE
0	Zirconium-95	<9.0	pCi/L	TE

ANALYTICAL RESULTS

WELL BG 107

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/11/90
Depth to water: 13.98 ft (4.26 m) below TOC
Water elevation: 234.32 ft (71.42 m) msf
Sp. conductance: 35 µS/cm
Water evacuated before sampling: 73 gal

Time: 11:00
pH: 5.3
Alkalinity: 7 mg/L
Water temperature: 20.2°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.7	pH	GE
0	Specific conductance	37	µS/cm	GE
0	Aluminum	25	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Barium	12	µg/L	GE
0	Beryllium	<5.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	1090	µg/L	GE
0	Carbonate	<1000	µg/L	GE
0	Chloride	2700	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Copper	9.3	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	Iodine	<100	µg/L	GE
0	Iron	15	µg/L	GE
0	Lead	6.8	µg/L	GE
0	Magnesium	584	µg/L	GE
1	Manganese	47	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	870	µg/L	GE
0	Nitrite as nitrogen	<10.0	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Silica	8980	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	1520	µg/L	GE
0	Sulfate	<5000	µg/L	GE
1	Total carbon	12000	µg/L	GE
0	Total dissolved solids	44000	µg/L	GE
1	Total inorganic carbon	10000	µg/L	GE
0	Total organic carbon	2000	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
2	Zinc	5250	µg/L	GE
0	Barium-140	<30	pCi/L	TE
0	Beryllium-7	<80	pCi/L	TE
0	Cerium-141	<20	pCi/L	TE
0	Cerium-144	<40	pCi/L	TE
0	Cesium-134	<5.0	pCi/L	TE
0	Cesium-137	<4.0	pCi/L	TE
0	Cobalt-58	<5.0	pCi/L	TE
0	Cobalt-60	<5.0	pCi/L	TE
0	Gross alpha	<3.0	pCi/L	GE
0	Iodine-131	<100	pCi/L	TE
0	Iron-59	<10	pCi/L	TE
0	Manganese-54	<4.0	pCi/L	TE
0	Neptunium-237	<10	pCi/L	TE
0	Nonvolatile beta	2.6±3.5	pCi/L	GE
0	Potassium-40	<90	pCi/L	TE
0	Radium-226	<100	pCi/L	TE
0	Ruthenium-103	<9.0	pCi/L	TE
0	Ruthenium-106	<40	pCi/L	TE
0	Thorium-228	<9.0	pCi/L	TE
1	Total activity	53±50	pCi/mL	EM
2	Tritium	30±0.70	pCi/mL	GE
0	Zinc-65	<9.0	pCi/L	TE
0	Zirconium-95	<5.0	pCi/L	TE

WELL BG 108

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/11/90
Depth to water: 29.52 ft (9.00 m) below TOC
Water elevation: 237.78 ft (72.48 m) msf
Sp. conductance: 44 µS/cm
Water evacuated before sampling: 58 gal

Time: 10:10
pH: 5.4
Alkalinity: 8 mg/L
Water temperature: 18.3°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.5	pH	GE
0	Specific conductance	40	µS/cm	GE
0	Aluminum	24	µg/L	GE
0	Antimony	<3.0	µg/L	GE
1	Barium	86	µg/L	GE
0	Beryllium	<5.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	2790	µg/L	GE
0	Carbonate	<1000	µg/L	GE
0	Chloride	3800	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Copper	18	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	Iodine	<100	µg/L	GE
1	Iron	213	µg/L	GE
2	Lead	96	µg/L	GE
0	Magnesium	1010	µg/L	GE
2	Manganese	112	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	1200	µg/L	GE
0	Nitrite as nitrogen	<10.0	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Silica	7730	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	1750	µg/L	GE
0	Sulfate	<5000	µg/L	GE
1	Total carbon	17000	µg/L	GE
0	Total dissolved solids	46000	µg/L	GE
1	Total inorganic carbon	15000	µg/L	GE
0	Total organic carbon	2000	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	127	µg/L	GE
0	Barium-140	<30	pCi/L	TE
0	Beryllium-7	<40	pCi/L	TE
0	Cerium-141	<10	pCi/L	TE
0	Cerium-144	<20	pCi/L	TE
0	Cesium-134	<3.0	pCi/L	TE
0	Cesium-137	<3.0	pCi/L	TE
0	Cobalt-58	<4.0	pCi/L	TE
0	Cobalt-60	<3.0	pCi/L	TE
0	Gross alpha	<3.0	pCi/L	GE
0	Iodine-131	<100	pCi/L	TE
0	Iron-59	<10	pCi/L	TE
0	Manganese-54	<3.0	pCi/L	TE
0	Neptunium-237	<6.0	pCi/L	TE
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Potassium-40	<50	pCi/L	TE
0	Radium-226	<60	pCi/L	TE
0	Ruthenium-103	<8.0	pCi/L	TE
0	Ruthenium-106	<30	pCi/L	TE
0	Thorium-228	<6.0	pCi/L	TE
1	Total activity	40±50	pCi/mL	EM
2	Tritium	33±0.60	pCi/mL	GE
0	Zinc-65	<7.0	pCi/L	TE
0	Zirconium-95	<4.0	pCi/L	TE

ANALYTICAL RESULTS

WELL BG 109

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/11/90

Depth to water: 47.78 ft (14.57 m) below TOC

Water elevation: 238.81 ft (72.73 m) msl

Sp. conductance: 42 µS/cm

Water evacuated before sampling: 32 gal

Time: 9:40

pH: 5.0

Alkalinity: 0 mg/L

Water temperature: 18.1°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.2	pH	GE
0	Specific conductance	39	µS/cm	GE
0	Aluminum	30	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Barium	5.9	µg/L	GE
0	Beryllium	<5.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	818	µg/L	GE
0	Carbonate	<1000	µg/L	GE
0	Chloride	2900	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
1	Copper	74	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	Iodine	<100	µg/L	GE
0	Iron	12	µg/L	GE
2	Lead	49	µg/L	GE
0	Magnesium	373	µg/L	GE
0	Manganese	8.6	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	2210	µg/L	GE
0	Nitrite as nitrogen	<10.0	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Silica	6110	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	5180	µg/L	GE
0	Sulfate	<5000	µg/L	GE
1	Total carbon	5000	µg/L	GE
0	Total dissolved solids	51000	µg/L	GE
1	Total inorganic carbon	4000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	28	µg/L	GE
0	Barium-140	<50	pCi/L	TE
0	Beryllium-7	<60	pCi/L	TE
0	Cerium-141	<20	pCi/L	TE
0	Cerium-144	<40	pCi/L	TE
0	Cesium-134	<5.0	pCi/L	TE
0	Cesium-137	<5.0	pCi/L	TE
0	Cobalt-58	<6.0	pCi/L	TE
0	Cobalt-60	<5.0	pCi/L	TE
0	Gross alpha	<3.0	pCi/L	GE
0	Iodine-131	<200	pCi/L	TE
0	Iron-59	<10	pCi/L	TE
0	Manganese-54	<5.0	pCi/L	TE
0	Neptunium-237	<10	pCi/L	TE
0	Nonvolatile beta	5.1 ± 2.5	pCi/L	GE
0	Potassium-40	<80	pCi/L	TE
0	Radium-226	<100	pCi/L	TE
0	Ruthenium-103	<9.0	pCi/L	TE
0	Ruthenium-106	<40	pCi/L	TE
0	Thorium-228	<10	pCi/L	TE
1	Total activity	51 ± 50	pCi/mL	EM
1	Tritium	19 ± 0.50	pCi/mL	GE
0	Zinc-65	<10	pCi/L	TE
0	Zirconium-95	<7.0	pCi/L	TE

WELL BG 110

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/11/90

Depth to water: 55.83 ft (16.98 m) below TOC

Water elevation: 238.87 ft (72.75 m) msl

Sp. conductance: 88 µS/cm

Water evacuated before sampling: 30 gal

The well went dry during purging.

Time: 15:40

pH: 4.1

Alkalinity: 0 mg/L

Water temperature: 21.0°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	4.5	pH	GE
0	Specific conductance	82	µS/cm	GE
2	Aluminum	498	µg/L	GE
0	Antimony	<3.0	µg/L	GE
1	Barium	144	µg/L	GE
0	Beryllium	<5.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	<10	µg/L	GE
0	Carbonate	<1000	µg/L	GE
0	Chloride	7200	µg/L	GE
2	Chromium	498	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
1	Copper	119	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	Iodine	<100	µg/L	GE
0	Iron	13	µg/L	GE
2	Lead	88	µg/L	GE
0	Magnesium	2940	µg/L	GE
2	Manganese	111	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Nickel	8.0	µg/L	GE
1	Nitrate as nitrogen	8880	µg/L	GE
0	Nitrite as nitrogen	<10.0	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	1280	µg/L	GE
0	Silica	7150	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	4060	µg/L	GE
0	Sulfate	6700	µg/L	GE
1	Total carbon	17000	µg/L	GE
0	Total dissolved solids	74000	µg/L	GE
1	Total inorganic carbon	18000	µg/L	GE
0	Total organic carbon	1000	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	104	µg/L	GE
0	Barium-140	<30	pCi/L	TE
0	Beryllium-7	<40	pCi/L	TE
0	Cerium-141	<10	pCi/L	TE
0	Cerium-144	<20	pCi/L	TE
0	Cesium-134	<3.0	pCi/L	TE
0	Cesium-137	<3.0	pCi/L	TE
0	Cobalt-58	<4.0	pCi/L	TE
0	Cobalt-60	<3.0	pCi/L	TE
0	Gross alpha	3.4 ± 2.5	pCi/L	GE
0	Iodine-131	<90	pCi/L	TE
0	Iron-59	<10	pCi/L	TE
0	Manganese-54	<3.0	pCi/L	TE
0	Neptunium-237	<5.0	pCi/L	TE
0	Nonvolatile beta	9.2 ± 4.3	pCi/L	GE
0	Potassium-40	<50	pCi/L	TE
0	Radium-226	<60	pCi/L	TE
0	Ruthenium-103	<6.0	pCi/L	TE
0	Ruthenium-106	<30	pCi/L	TE
0	Thorium-228	<5.0	pCi/L	TE
1	Total activity	80 ± 50	pCi/mL	EM
2	Tritium	34 ± 0.70	pCi/mL	GE
0	Zinc-65	<7.0	pCi/L	TE
0	Zirconium-95	<4.0	pCi/L	TE

ANALYTICAL RESULTS

WELL BG 121

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/11/00 Time: 18:40
 Depth to water: 71.98 ft (21.93 m) below TOC pH: 8.8
 Water elevation: 205.94 ft (62.77 m) msl Alkalinity: 9 mg/L
 Sp. conductance: 101 µS/cm Water temperature: 23.3 °C
 Water evacuated before sampling: 2 gal
 There was insufficient water to fill all or some sample bottles.

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
2	pH	9.1	pH	GE
0	Specific conductance	78	µS/cm	GE
0	Aluminum	47	µg/L	GE
0	Antimony	< 3.0	µg/L	GE
0	Barium	13	µg/L	GE
0	Beryllium	< 5.0	µg/L	GE
0	Cadmium	< 2.0	µg/L	GE
0	Calcium	5720	µg/L	GE
0	Carbonate	< 1000	µg/L	GE
0	Chloride	4300	µg/L	GE
0	Chromium	< 4.0	µg/L	GE
0	Cobalt	< 4.0	µg/L	GE
0	Copper	4.1	µg/L	GE
0	Fluoride	< 100	µg/L	GE
0	Iodine	< 100	µg/L	GE
0	Iron	9.8	µg/L	GE
0	Lead	< 8.0	µg/L	GE
0	Magnesium	853	µg/L	GE
2	Manganese	80	µg/L	GE
0	Mercury	< 0.20	µg/L	GE
0	Nickel	< 4.0	µg/L	GE
0	Nitrate as nitrogen	20	µg/L	GE
0	Nitrite as nitrogen	< 10.0	µg/L	GE
0	Phenols	< 5.0	µg/L	GE
0	Potassium	1060	µg/L	GE
0	Silica	5960	µg/L	GE
0	Silver	< 2.0	µg/L	GE
0	Sodium	1680	µg/L	GE
0	Sulfate	8900	µg/L	GE
1	Total carbon	9000	µg/L	GE
0	Total dissolved solids	17500	µg/L	GE
1	Total inorganic carbon	4000	µg/L	GE
1	Total organic carbon	5000	µg/L	GE
0	Total phosphates	110	µg/L	GE
0	Uranium	< 1000	µg/L	GE
0	Vanadium	< 20	µg/L	GE
0	Zinc	149	µg/L	GE
1	Total activity	31 ± 50	pCi/mL	EM
0	Tritium	7.8 ± 0.50	pCi/mL	GE

WELL BG 122

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/11/00 Time: 13:05
 Depth to water: 39.06 ft (11.91 m) below TOC pH: 5.3
 Water elevation: 208.84 ft (63.66 m) msl Alkalinity: 3 mg/L
 Sp. conductance: 47 µS/cm Water temperature: 20.3 °C
 Water evacuated before sampling: 52 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.4	pH	GE
0	pH	5.8	pH	GE
0	Specific conductance	38	µS/cm	GE
0	Specific conductance	38	µS/cm	GE
0	Aluminum	< 20	µg/L	GE
0	Aluminum	< 20	µg/L	GE
0	Antimony	< 3.0	µg/L	GE
0	Antimony	< 3.0	µg/L	GE
0	Barium	4.7	µg/L	GE
0	Barium	4.5	µg/L	GE
0	Beryllium	< 5.0	µg/L	GE
0	Beryllium	< 5.0	µg/L	GE
0	Cadmium	< 2.0	µg/L	GE
0	Cadmium	< 2.0	µg/L	GE
0	Calcium	747	µg/L	GE
0	Calcium	701	µg/L	GE
0	Carbonate	< 1000	µg/L	GE
0	Carbonate	< 1000	µg/L	GE
0	Chloride	3400	µg/L	GE
0	Chloride	3300	µg/L	GE
0	Chromium	< 4.0	µg/L	GE

WELL BG 122 collected on 03/11/00, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Chromium	< 4.0	µg/L	GE
0	Cobalt	< 4.0	µg/L	GE
0	Cobalt	< 4.0	µg/L	GE
0	Copper	9.8	µg/L	GE
0	Copper	9.9	µg/L	GE
0	Fluoride	< 100	µg/L	GE
0	Fluoride	< 100	µg/L	GE
0	Iodine	< 100	µg/L	GE
0	Iodine	< 100	µg/L	GE
0	Iron	32	µg/L	GE
0	Iron	30	µg/L	GE
0	Lead	8.8	µg/L	GE
0	Lead	8.9	µg/L	GE
0	Magnesium	275	µg/L	GE
0	Magnesium	209	µg/L	GE
0	Manganese	8.9	µg/L	GE
0	Manganese	8.9	µg/L	GE
0	Mercury	< 0.20	µg/L	GE
0	Mercury	< 0.20	µg/L	GE
0	Nickel	< 4.0	µg/L	GE
0	Nickel	< 4.0	µg/L	GE
0	Nitrate as nitrogen	350	µg/L	GE
0	Nitrate as nitrogen	360	µg/L	GE
0	Nitrite as nitrogen	< 10.0	µg/L	GE
0	Nitrite as nitrogen	< 10.0	µg/L	GE
0	Phenols	< 5.0	µg/L	GE
0	Phenols	< 5.0	µg/L	GE
0	Potassium	< 500	µg/L	GE
0	Potassium	< 500	µg/L	GE
0	Silica	7170	µg/L	GE
0	Silica	8560	µg/L	GE
0	Silver	< 2.0	µg/L	GE
0	Silver	< 2.0	µg/L	GE
1	Sodium	5480	µg/L	GE
1	Sodium	5510	µg/L	GE
0	Sulfate	5200	µg/L	GE
0	Sulfate	5200	µg/L	GE
1	Total carbon	10000	µg/L	GE
1	Total carbon	10000	µg/L	GE
0	Total dissolved solids	86000	µg/L	GE
0	Total dissolved solids	50000	µg/L	GE
1	Total inorganic carbon	8000	µg/L	GE
1	Total inorganic carbon	8000	µg/L	GE
0	Total organic carbon	1000	µg/L	GE
0	Total organic carbon	1000	µg/L	GE
0	Total phosphates	< 50	µg/L	GE
0	Total phosphates	< 50	µg/L	GE
0	Uranium	< 1000	µg/L	GE
0	Uranium	< 1000	µg/L	GE
0	Vanadium	< 20	µg/L	GE
0	Vanadium	< 20	µg/L	GE
0	Zinc	59	µg/L	GE
0	Zinc	59	µg/L	GE
0	Barium-140	< 30	pCi/L	TE
0	Beryllium-7	< 40	pCi/L	TE
0	Cerium-141	< 10	pCi/L	TE
0	Cerium-144	< 30	pCi/L	TE
0	Cesium-134	< 3.0	pCi/L	TE
0	Cesium-137	< 3.0	pCi/L	TE
0	Cobalt-58	< 4.0	pCi/L	TE
0	Cobalt-60	< 4.0	pCi/L	TE
0	Gross alpha	< 3.0	pCi/L	GE
0	Gross alpha	< 3.0	pCi/L	GE
0	Iodine-131	< 100	pCi/L	TE
0	Iron-59	< 10	pCi/L	TE
0	Manganese-54	< 3.0	pCi/L	TE
0	Neptunium-237	< 7.0	pCi/L	TE
0	Nonvolatile beta	< 2.0	pCi/L	GE
0	Nonvolatile beta	< 2.0	pCi/L	GE
0	Potassium-40	< 50	pCi/L	TE
0	Radium-226	< 70	pCi/L	TE
0	Ruthenium-103	< 8.0	pCi/L	TE
0	Ruthenium-106	< 30	pCi/L	TE
0	Thorium-228	< 8.0	pCi/L	TE
0	Total activity	± 50	pCi/mL	EM
0	Tritium	4.5 ± 0.40	pCi/mL	GE
0	Tritium	4.8 ± 0.40	pCi/mL	GE
0	Zinc-65	< 7.0	pCi/L	TE
0	Zirconium-95	< 4.0	pCi/L	TE

ANALYTICAL RESULTS

WELL BG 125

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/11/90
The well was dry.

Time: 8:30

WELL BGO 1D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/24/90
Depth to water: 57.90 ft (17.65 m) below TOC
Water elevation: 237.20 ft (72.30 m) msl
Sp. conductance: 50 µS/cm
Water evacuated before sampling: 6 gal
The well went dry during purging.

Time: 9:45
pH: 5.0
Alkalinity: 3 mg/L
Water temperature: 18.9°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.0	pH	GE
0	Specific conductance	35	µS/cm	GE
0	Turbidity	146	NTU	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	20	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	334	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	2100	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	76	µg/L	GE
0	Lead	13	µg/L	GE
0	Magnesium	167	µg/L	GE
2	Manganese	55	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nitrate as nitrogen	2900	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	5580	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	6690	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	66000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Total radium	1.4 ± 2.1	pCi/L	GE
1	Tritium	13 ± 0.50	pCi/mL	GE

WELL BGO 2D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/01/90
Depth to water: 57.91 ft (17.65 m) below TOC
Water elevation: 238.99 ft (72.85 m) msl
Sp. conductance: 43 µS/cm
Water evacuated before sampling: 68 gal

Time: 11:15
pH: 4.4
Alkalinity: 2 mg/L
Water temperature: 21.6°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	4.7	pH	MT
0	pH	4.7	pH	GE
0	Specific conductance	45	µS/cm	MT
0	Specific conductance	42	µS/cm	GE
0	Turbidity	0.36	NTU	MT
0	Turbidity	0.30	NTU	GE
0	Arsenic	<3.0	µg/L	MT
0	Arsenic	<2.0	µg/L	GE
0	Barium	21	µg/L	MT
0	Barium	21	µg/L	GE
0	Benzene	<5.0	µg/L	MT
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<5.0	µg/L	MT
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<5.0	µg/L	MT
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	MT
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<3.0	µg/L	MT
0	Cadmium	<2.0	µg/L	GE
0	Calcium	1290	µg/L	MT
0	Calcium	1480	µg/L	GE
0	Carbon tetrachloride	<5.0	µg/L	MT
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	3000	µg/L	MT
0	Chloride	2900	µg/L	GE
0	Chlorobenzene	<5.0	µg/L	MT
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	MT
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<5.0	µg/L	MT
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	MT
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<3.0	µg/L	MT
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<5.0	µg/L	MT
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Dibromochloromethane	<5.0	µg/L	MT
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<5.0	µg/L	MT
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.0060	µg/L	MT
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<5.0	µg/L	MT
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<250	µg/L	MT
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.0050	µg/L	MT
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	8.8	µg/L	MT
0	Iron	21	µg/L	GE
0	Lead	<3.0	µg/L	MT
0	Lead	<6.0	µg/L	GE
0	Magnesium	1120	µg/L	MT
0	Magnesium	1030	µg/L	GE
0	Manganese	2.6	µg/L	MT
0	Manganese	2.3	µg/L	GE
0	Mercury	<0.20	µg/L	MT
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	MT
0	Methoxychlor	<0.50	µg/L	GE
0	Nitrate as nitrogen	2500	µg/L	MT
0	Nitrate as nitrogen	2500	µg/L	GE
0	Phenols	<5.0	µg/L	MT
0	Phenols	<5.0	µg/L	GE
0	Potassium	<1620	µg/L	MT
0	Potassium	<500	µg/L	GE
0	Selenium	<3.0	µg/L	MT
0	Selenium	<2.0	µg/L	GE
0	Silica	5650	µg/L	GE
0	Silica	6260	µg/L	MT
0	Silver	<2.0	µg/L	MT
0	Silver	<2.0	µg/L	GE
0	Sodium	2500	µg/L	MT
0	Sodium	2490	µg/L	GE

ANALYTICAL RESULTS

WELL BGO 2D collected on 02/01/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Sulfate	<1000	µg/L	MT
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<5.0	µg/L	MT
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<5.0	µg/L	MT
1	Toluene	2.0	µg/L	GE
0	Total dissolved solids	39000	µg/L	MT
0	Total dissolved solids	46000	µg/L	GE
0	Total organic carbon	<1000	µg/L	MT
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	MT
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<10	µg/L	MT
0	Total phosphates	<10	µg/L	GE
0	Total phosphates	<50	µg/L	MT
0	Toxaphene	<0.24	µg/L	GE
0	Toxaphene	<1.0	µg/L	MT
0	trans-1,2-Dichloroethene	<5.0	µg/L	MT
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<5.0	µg/L	MT
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<5.0	µg/L	MT
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<5.0	µg/L	MT
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<5.0	µg/L	MT
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<5.0	µg/L	MT
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<5.0	µg/L	MT
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<5.0	µg/L	MT
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<5.0	µg/L	MT
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<5.0	µg/L	MT
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<5.0	µg/L	MT
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<5.0	µg/L	MT
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.46	µg/L	MT
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.070	µg/L	MT
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	<2.0	pCi/L	MT
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	<4.0	pCi/L	MT
0	Nonvolatile beta	3.5 ± 1.6	pCi/L	GE
1	Total radium	4.2 ± 0.80	pCi/L	MT
0	Total radium	1.4 ± 2.1	pCi/L	GE
1	Tritium	17 ± 2.0	pCi/mL	MT
2	Tritium	21 ± 0.60	pCi/mL	GE

WELL BGO 2D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/01/90 Time: 11:15
 Depth to water: 57.91 ft (17.65 m) below TOC pH: 4.4
 Water elevation: 238.99 ft (72.85 m) msl Alkalinity: 2 mg/L
 Sp. conductance: 43 µS/cm Water temperature: 21.6°C
 Water evacuated before sampling: 68 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	4.7	pH	MT
0	pH	4.6	pH	GE
0	pH	4.6	pH	GE
0	Specific conductance	43	µS/cm	MT
0	Specific conductance	40	µS/cm	GE
0	Specific conductance	40	µS/cm	GE
0	Turbidity	0.45	NTU	MT
0	Turbidity	0.44	NTU	GE
0	Turbidity	0.45	NTU	GE
0	Arsenic	<3.0	µg/L	MT
0	Arsenic	<2.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	20	µg/L	MT
0	Barium	23	µg/L	GE
0	Barium	24	µg/L	GE
0	Benzene	<5.0	µg/L	MT
0	Benzene	<1.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<5.0	µg/L	MT

WELL BGO 2D collected on 02/01/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromofom	<5.0	µg/L	MT
0	Bromofom	<1.0	µg/L	GE
0	Bromofom	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	MT
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<3.0	µg/L	MT
0	Cadmium	<2.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	1300	µg/L	MT
0	Calcium	1560	µg/L	GE
0	Calcium	1580	µg/L	GE
0	Carbon tetrachloride	<5.0	µg/L	MT
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	2800	µg/L	MT
0	Chloride	2800	µg/L	GE
0	Chloride	2700	µg/L	GE
0	Chlorobenzene	<5.0	µg/L	MT
0	Chlorobenzene	<1.0	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	MT
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethane (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroethane (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<5.0	µg/L	MT
0	Chloroform	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	MT
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<3.0	µg/L	MT
0	Chromium	<4.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<5.0	µg/L	MT
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Dibromochloromethane	<5.0	µg/L	MT
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<5.0	µg/L	MT
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.0060	µg/L	MT
0	Endrin	<0.10	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<5.0	µg/L	MT
0	Ethylbenzene	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<250	µg/L	MT
0	Fluoride	<100	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.0050	µg/L	MT
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	13	µg/L	MT
0	Iron	43	µg/L	GE
0	Iron	40	µg/L	GE
0	Lead	<3.0	µg/L	MT
0	Lead	<6.0	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	1080	µg/L	MT
0	Magnesium	941	µg/L	GE
0	Magnesium	1010	µg/L	GE
0	Manganese	2.4	µg/L	MT
0	Manganese	2.5	µg/L	GE
0	Manganese	2.5	µg/L	GE
0	Mercury	<0.20	µg/L	MT
0	Mercury	<0.20	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	MT
0	Methoxychlor	<0.50	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nitrate as nitrogen	2600	µg/L	MT
0	Nitrate as nitrogen	2800	µg/L	GE
0	Nitrate as nitrogen	2700	µg/L	GE
0	Phenols	<5.0	µg/L	MT
0	Phenols	<5.0	µg/L	MT
0	Phenols	<5.0	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<1620	µg/L	MT
0	Potassium	<500	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Selenium	<3.0	µg/L	MT
0	Selenium	<2.0	µg/L	GE
0	Selenium	<2.0	µg/L	GE

ANALYTICAL RESULTS

WELL BGO 2D collected on 02/01/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Silica	5740	µg/L	GE
0	Silica	6120	µg/L	GE
0	Silica	6130	µg/L	MT
0	Silver	<2.0	µg/L	MT
0	Silver	<2.0	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	2450	µg/L	MT
0	Sodium	2380	µg/L	GE
0	Sodium	2480	µg/L	GE
0	Sulfate	<1000	µg/L	MT
0	Sulfate	<5000	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<5.0	µg/L	MT
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<5.0	µg/L	MT
1	Toluene	1.0	µg/L	GE
1	Toluene	3.0	µg/L	GE
0	Total dissolved solids	33000	µg/L	MT
0	Total dissolved solids	66000	µg/L	GE
0	Total dissolved solids	88000	µg/L	GE
0	Total organic carbon	<1000	µg/L	MT
0	Total organic carbon	<1000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	MT
0	Total organic halogens	<5.0	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<10	µg/L	MT
0	Total phosphates	<50	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<0.24	µg/L	MT
0	Toxaphene	<1.0	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<5.0	µg/L	MT
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<5.0	µg/L	MT
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<5.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<5.0	µg/L	MT
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<5.0	µg/L	MT
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<5.0	µg/L	MT
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<5.0	µg/L	MT
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<5.0	µg/L	MT
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<5.0	µg/L	MT
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<5.0	µg/L	MT
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<5.0	µg/L	MT
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<5.0	µg/L	MT
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.48	µg/L	MT
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.070	µg/L	MT
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	<3.0	pCi/L	MT
0	Gross alpha	<3.0	pCi/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	<4.0	pCi/L	MT
0	Nonvolatile beta	7.0±2.8	pCi/L	GE
0	Nonvolatile beta	4.9±2.4	pCi/L	GE
1	Total radium	2.9±0.60	pCi/L	MT
2	Total radium	6.0±3.6	pCi/L	GE
2	Total radium	7.8±3.6	pCi/L	GE
1	Tritium	17±2.0	pCi/mL	MT
2	Tritium	21±0.60	pCi/mL	GE
2	Tritium	21±0.60	pCi/mL	GE

WELL BGO 3D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/24/90
 Depth to water: 67.81 ft (17.56 m) below TOC
 Water elevation: 235.09 ft (71.66 m) msl
 Sp. conductance: 48 µS/cm
 Water evacuated before sampling: 5 gal
 The well went dry during purging.

Time: 10:05
 pH: 4.5
 Alkalinity: 0 mg/L
 Water temperature: 18.6°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	4.5	pH	GE
0	Specific conductance	45	µS/cm	GE
0	Turbidity	137	NTU	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	7.1	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	159	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	3700	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	85	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	337	µg/L	GE
0	Manganese	15	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nitrate as nitrogen	2800	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	5850	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	4620	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	78000	µg/L	GE
0	Total organic carbon	1000	µg/L	GE
1	Total organic halogens	10	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	<2.0	pCi/L	GE
1	Total radium	4.5±3.2	pCi/L	GE
2	Tritium	29±0.60	pCi/mL	GE

ANALYTICAL RESULTS

WELL BGO 4D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/04/90 Time: 11:15
 Depth to water: 65.63 ft (20.00 m) below TOC pH: 5.8
 Water elevation: 231.87 ft (70.67 m) msl Alkalinity: 10 mg/L
 Sp. conductance: 53 µS/cm Water temperature: 22.2°C
 Water evacuated before sampling: 28 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	6.1	pH	GE
0	pH	6.0	pH	GE
0	Specific conductance	53	µS/cm	GE
0	Specific conductance	53	µS/cm	GE
0	Turbidity	0.32	NTU	GE
0	Turbidity	0.52	NTU	GE
0	Arsenic	<2.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	7.4	µg/L	GE
0	Barium	7.9	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	6240	µg/L	GE
0	Calcium	6220	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	1900	µg/L	GE
0	Chloride	1900	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	29	µg/L	GE
0	Iron	29	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	245	µg/L	GE
0	Magnesium	239	µg/L	GE
0	Manganese	9.8	µg/L	GE
0	Manganese	11	µg/L	GE
0	Mercury	0.25	µg/L	GE
0	Mercury	0.25	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nitrate as nitrogen	1300	µg/L	GE
0	Nitrate as nitrogen	1300	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	7700	µg/L	GE
0	Silica	8450	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	2730	µg/L	GE

WELL BGO 4D collected on 02/04/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Sodium	2650	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	31000	µg/L	GE
0	Total dissolved solids	35000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	5.0	µg/L	GE
0	Total organic halogens	8.0	µg/L	GE
0	Total phosphates	<60	µg/L	GE
0	Total phosphates	<60	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Americium-241	<0.30	pCi/L	TE
0	Americium-243	<0.20	pCi/L	TE
0	Barium-140	<20	pCi/L	TE
0	Beryllium-7	<40	pCi/L	TE
1	Carbon-14	11 ± 4.0	pCi/L	TE
0	Cerium-141	<10	pCi/L	TE
0	Cerium-144	<30	pCi/L	TE
0	Cesium-134	<3.0	pCi/L	TE
0	Cesium-137	<3.0	pCi/L	TE
0	Cobalt-58	<4.0	pCi/L	TE
0	Cobalt-60	<4.0	pCi/L	TE
0	Curium-242	<0.10	pCi/L	TE
0	Curium-243/244	<0.30	pCi/L	TE
0	Curium-246	<0.30	pCi/L	TE
0	Gross alpha	<3.0	pCi/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Gross alpha	<1.0	pCi/L	TE
0	Iodine-129	<2.0	pCi/L	TE
0	Iodine-131	<50	pCi/L	TE
0	Iron-55	<50	pCi/L	TE
0	Iron-59	<8.0	pCi/L	TE
0	Manganese-54	<3.0	pCi/L	TE
0	Nickel-59	<70	pCi/L	TE
0	Nickel-63	<10	pCi/L	TE
0	Nonvolatile beta	7.6 ± 2.6	pCi/L	GE
0	Nonvolatile beta	6.0 ± 2.3	pCi/L	GE
0	Nonvolatile beta	<2.0	pCi/L	TE
0	Plutonium-238	<0.10	pCi/L	TE
0	Plutonium-239/240	<0.050	pCi/L	TE
1	Plutonium-242	0.53 ± 0.33	pCi/L	TE
0	Potassium-40	<60	pCi/L	TE
0	Radium-226	<80	pCi/L	TE
0	Radium-226	<1.0	pCi/L	TE
0	Radium-228	<2.0	pCi/L	TE
0	Ruthenium-103	<5.0	pCi/L	TE
0	Ruthenium-106	<30	pCi/L	TE
0	Strontium-89	<5.0	pCi/L	TE
0	Strontium-90	<1.0	pCi/L	TE
0	Technetium-99	<1.0	pCi/L	TE
0	Thorium-228	<6.0	pCi/L	TE
1	Total activity	173 ± 3.2	pCi/mL	EM
1	Total radium	2.5 ± 3.4	pCi/L	GE
0	Total radium	1.4 ± 3.1	pCi/L	GE
2	Tritium	191 ± 1.4	pCi/mL	GE

ANALYTICAL RESULTS

WELL BGO 4D collected on 02/04/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
2	Tritium	192±1.4	pCi/mL	GE
2	Tritium	170±10	pCi/mL	TE
0	Uranium-234	<0.60	pCi/L	TE
0	Uranium-235	<0.30	pCi/L	TE
0	Uranium-238	<0.50	pCi/L	TE
0	Zinc-65	<7.0	pCi/L	TE
0	Zirconium-95	<4.0	pCi/L	TE

WELL BGO 5C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/24/90
 Depth to water: 80.44 ft (24.52 m) below TOC
 Water elevation: 215.66 ft (65.73 m) msl
 Sp. conductance: 57 µS/cm
 Water evacuated before sampling: 19 gal
 The well went dry during purging.

Time: 10:25
 pH: 6.6
 Alkalinity: 8 mg/L
 Water temperature: 19.0°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	6.3	pH	GE
0	Specific conductance	50	µS/cm	GE
0	Turbidity	171	NTU	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	8.9	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	5770	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	2300	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
1	Chromium	9.6	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	120	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	71	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	370	µg/L	GE
0	Manganese	7.1	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nitrate as nitrogen	820	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	8.9	µg/L	GE
0	Selenium	<2.0	µg/L	GE
1	Silica	12600	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	2000	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	28000	µg/L	GE
0	Total organic carbon	1000	µg/L	GE
0	Total organic halogens	7.0	µg/L	GE
1	Total phosphates	500	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
2	Gross alpha	16±3.5	pCi/L	GE

WELL BGO 5C collected on 01/24/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Nonvolatile beta	4.4±2.6	pCi/L	GE
2	Total radium	43±8.0	pCi/L	GE
1	Total radium	4.8±3.1	pCi/L	GE
1	Tritium	18±0.50	pCi/mL	GE

WELL BGO 5D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/24/90
 Depth to water: 65.07 ft (19.83 m) below TOC
 Water elevation: 231.23 ft (70.48 m) msl
 Sp. conductance: 40 µS/cm
 Water evacuated before sampling: 7 gal
 The well went dry during purging.

Time: 10:40
 pH: 4.9
 Alkalinity: 0 mg/L
 Water temperature: 18.8°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.2	pH	GE
0	Specific conductance	38	µS/cm	GE
0	Turbidity	91	NTU	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	41	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	890	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	3800	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	54	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	976	µg/L	GE
1	Manganese	39	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nitrate as nitrogen	2000	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	6030	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	3230	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	24000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	9.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
2	Gross alpha	27±4.4	pCi/L	GE
0	Nonvolatile beta	<2.0	pCi/L	GE
2	Total radium	56±8.9	pCi/L	GE
0	Total radium	1.2±1.9	pCi/L	GE
2	Tritium	78±0.90	pCi/mL	GE

ANALYTICAL RESULTS

WELL BGO 6A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/28/90 Time: 14:10
 Depth to water: 126.97 ft (38.70 m) below TOC pH: 7.3
 Water elevation: 158.63 ft (48.35 m) msl Alkalinity: 110 mg/L
 Sp. conductance: 301 µS/cm Water temperature: 19.4°C
 Water evacuated before sampling: 148 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	pH	7.5	pH	GE
1	Specific conductance	308	µS/cm	GE
0	Turbidity	<0.20	NTU	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	40	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
1	Calcium	36900	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	2800	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	65	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	1350	µg/L	GE
0	Manganese	4.4	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nitrate as nitrogen	<50	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	730	µg/L	GE
0	Selenium	<2.0	µg/L	GE
1	Silica	43300	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	2270	µg/L	GE
0	Sulfate	8500	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
1	Toluene	1.0	µg/L	GE
0	Total dissolved solids	205000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
1	Total organic halogens	18	µg/L	GE
0	Total phosphates	50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Americium-241	<0.30	pCi/L	TE
0	Americium-243	<0.20	pCi/L	TE
0	Barium-140	<20	pCi/L	TE
0	Beryllium-7	<40	pCi/L	TE
1	Carbon-14	9.4 ± 3.9	pCi/L	TE
0	Cerium-141	<9.0	pCi/L	TE
0	Cerium-144	<20	pCi/L	TE
0	Cesium-134	<3.0	pCi/L	TE
0	Cesium-137	<3.0	pCi/L	TE
0	Cobalt-58	<4.0	pCi/L	TE
0	Cobalt-60	<3.0	pCi/L	TE
0	Curium-242	<0.060	pCi/L	TE
0	Curium-243/244	<0.20	pCi/L	TE
1	Curium-246	0.53 ± 0.32	pCi/L	TE
0	Gross alpha	<3.0	pCi/L	GE
0	Gross alpha	<3.0	pCi/L	TE

WELL BGO 6A collected on 01/28/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Iodine-129	<2.0	pCi/L	TE
0	Iodine-131	<60	pCi/L	TE
0	Iron-55	<80	pCi/L	TE
0	Iron-59	<8.0	pCi/L	TE
0	Manganese-54	<3.0	pCi/L	TE
0	Neptunium-237	<6.0	pCi/L	TE
0	Nickel-59	<90	pCi/L	TE
0	Nickel-63	<10	pCi/L	TE
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Nonvolatile beta	3.9 ± 1.5	pCi/L	TE
0	Plutonium-238	<0.30	pCi/L	TE
0	Plutonium-239/240	<0.20	pCi/L	TE
0	Plutonium-242	<0.20	pCi/L	TE
0	Potassium-40	<40	pCi/L	TE
0	Radium-226	<1.0	pCi/L	TE
0	Radium-228	<60	pCi/L	TE
0	Radium-228	<2.0	pCi/L	TE
0	Ruthenium-103	<5.0	pCi/L	TE
0	Ruthenium-106	<30	pCi/L	TE
0	Strontium-89	<5.0	pCi/L	TE
0	Strontium-90	<1.0	pCi/L	TE
0	Technetium-99	<4.0	pCi/L	TE
0	Thorium-228	<6.0	pCi/L	TE
0	Thorium-228	<10	pCi/L	TE
0	Thorium-230	<0.040	pCi/L	TE
1	Thorium-232	0.69 ± 0.32	pCi/L	TE
0	Total radium	1.0 ± 1.9	pCi/L	GE
0	Tritium	<0.70	pCi/mL	GE
0	Tritium	<2.0	pCi/mL	TE
1	Uranium-234	4.2 ± 1.0	pCi/L	TE
0	Uranium-235	<0.20	pCi/L	TE
1	Uranium-238	0.87 ± 0.51	pCi/L	TE
0	Zinc-65	<6.0	pCi/L	TE
0	Zirconium-95	<4.0	pCi/L	TE

WELL BGO 6C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/28/90 Time: 14:30
 Depth to water: 66.21 ft (20.18 m) below TOC pH: 7.2
 Water elevation: 219.39 ft (66.87 m) msl Alkalinity: 58 mg/L
 Sp. conductance: 140 µS/cm Water temperature: 19.4°C
 Water evacuated before sampling: 185 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	pH	7.5	pH	GE
1	pH	7.4	pH	GE
1	Specific conductance	121	µS/cm	GE
1	Specific conductance	121	µS/cm	GE
0	Turbidity	<0.20	NTU	GE
0	Turbidity	<0.20	NTU	GE
0	Arsenic	<2.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	12	µg/L	GE
0	Barium	11	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
1	Calcium	19900	µg/L	GE
1	Calcium	20100	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	2000	µg/L	GE
0	Chloride	1900	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE

ANALYTICAL RESULTS

WELL BGO 6C collected on 01/28/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	11	µg/L	GE
0	Iron	8.6	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	467	µg/L	GE
0	Magnesium	464	µg/L	GE
0	Manganese	<2.0	µg/L	GE
0	Manganese	<2.0	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nitrate as nitrogen	680	µg/L	GE
0	Nitrate as nitrogen	690	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	9530	µg/L	GE
0	Silica	9880	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	3750	µg/L	GE
0	Sodium	3720	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	81000	µg/L	GE
0	Total dissolved solids	83000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	120	µg/L	GE
0	Total phosphates	130	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
1	Americium-241	0.74 ± 0.49	pCi/L	TE
0	Americium-243	<0.10	pCi/L	TE
0	Barium-140	<30	pCi/L	TE
0	Beryllium-7	<40	pCi/L	TE
0	Carbon-14	<20	pCi/L	TE

WELL BGO 6C collected on 01/28/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Cerium-141	<10	pCi/L	TE
0	Cerium-144	<20	pCi/L	TE
0	Cesium-134	<3.0	pCi/L	TE
0	Cesium-137	<3.0	pCi/L	TE
0	Cobalt-58	<4.0	pCi/L	TE
0	Cobalt-60	<4.0	pCi/L	TE
0	Curium-242	<0.10	pCi/L	TE
0	Curium-243/244	<0.30	pCi/L	TE
0	Curium-246	<0.20	pCi/L	TE
0	Gross alpha	<3.0	pCi/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Gross alpha	<2.0	pCi/L	TE
0	Iodine-129	<2.0	pCi/L	TE
0	Iodine-131	<100	pCi/L	TE
0	Iron-55	<50	pCi/L	TE
0	Iron-59	<10	pCi/L	TE
0	Manganese-54	<4.0	pCi/L	TE
0	Neptunium-237	<7.0	pCi/L	TE
0	Nickel-59	<90	pCi/L	TE
0	Nickel-63	<10	pCi/L	TE
0	Nonvolatile beta	3.2 ± 3.4	pCi/L	GE
0	Nonvolatile beta	4.1 ± 3.5	pCi/L	GE
0	Nonvolatile beta	<2.0	pCi/L	TE
0	Plutonium-238	<0.10	pCi/L	TE
0	Plutonium-239/240	<0.040	pCi/L	TE
0	Plutonium-242	<0.040	pCi/L	TE
0	Potassium-40	<50	pCi/L	TE
0	Radium-226	<70	pCi/L	TE
0	Radium-226	<1.0	pCi/L	TE
0	Radium-228	<2.0	pCi/L	TE
0	Ruthenium-103	<6.0	pCi/L	TE
0	Ruthenium-106	<30	pCi/L	TE
0	Strontium-89	<4.0	pCi/L	TE
0	Strontium-90	<1.0	pCi/L	TE
1	Technetium-99	11 ± 2.0	pCi/L	TE
0	Thorium-228	<6.0	pCi/L	TE
0	Thorium-228	<0.10	pCi/L	TE
0	Thorium-230	<0.050	pCi/L	TE
1	Thorium-232	0.43 ± 0.12	pCi/L	TE
1	Total activity	2010 ± 40	pCi/mL	EM
0	Total radium	1.5 ± 3.3	pCi/L	GE
0	Total radium	2.4 ± 3.6	pCi/L	GE
2	Tritium	1750 ± 4.3	pCi/mL	GE
2	Tritium	1720 ± 4.2	pCi/mL	GE
2	Tritium	1500 ± 100	pCi/mL	TE
0	Uranium-234	<0.30	pCi/L	TE
0	Uranium-235	<0.10	pCi/L	TE
0	Uranium-236	<0.20	pCi/L	TE
0	Zinc-65	<8.0	pCi/L	TE
0	Zirconium-95	<5.0	pCi/L	TE

WELL BGO 6D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/24/90
 Depth to water: 53.97 ft (16.45 m) below TOC
 Water elevation: 231.53 ft (70.57 m) msl
 Sp. conductance: 102 µS/cm
 Water evacuated before sampling: 8 gal
 The well went dry during purging.

Time: 11:00
 pH: 6.3
 Alkalinity: 38 mg/L
 Water temperature: 18.6°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	pH	6.8	pH	GE
1	Specific conductance	120	µS/cm	GE
0	Turbidity	28	NTU	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	20	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
1	Calcium	20100	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	1500	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE

ANALYTICAL RESULTS

WELL BGO 8D collected on 01/24/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
C	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	128	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	818	µg/L	GE
0	Manganese	23	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nitrate as nitrogen	100	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	783	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	8090	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	2930	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	82000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	9.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropene	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	2.6±2.1	pCi/L	GE
1	Total activity	11500±20	pCi/mL	EM
1	Total radium	3.4±3.8	pCi/L	GE
2	Tritium	11800±10	pCi/mL	GE

WELL BGO 7D collected on 01/28/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Magnesium	811	µg/L	GE
0	Manganese	12	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nitrate as nitrogen	1080	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	8300	µg/L	GE
0	Silica	7840	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	2510	µg/L	GE
0	Sulfate	<5000	µg/L	GE
2	Tetrachloroethylene	18	µg/L	GE
1	Toluene	2.0	µg/L	GE
0	Total dissolved solids	30000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
2	Total organic halogens	87	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
2	Trichloroethylene	88	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
1	1,1,1-Trichloroethane	2.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropene	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Americium-241	<0.20	pCi/L	TE
0	Americium-243	<0.20	pCi/L	TE
0	Barium-140	<20	pCi/L	TE
0	Beryllium-7	<40	pCi/L	TE
1	Carbon-14	37±4.0	pCi/L	TE
0	Cerium-141	<10	pCi/L	TE
0	Cerium-144	<30	pCi/L	TE
0	Cesium-134	<3.0	pCi/L	TE
0	Cesium-137	<3.0	pCi/L	TE
0	Cobalt-58	<4.0	pCi/L	TE
0	Cobalt-60	<3.0	pCi/L	TE
0	Curium-242	<2.0	pCi/L	TE
1	Curium-243/244	1.7±0.60	pCi/L	TE
0	Curium-248	<0.20	pCi/L	TE
0	Gross alpha	<3.0	pCi/L	GE
0	Gross alpha	<1.0	pCi/L	TE
0	Iodine-129	<2.0	pCi/L	TE
0	Iodine-131	<60	pCi/L	TE
0	Iron-55	<50	pCi/L	TE
0	Iron-59	<9.0	pCi/L	TE
0	Manganese-54	<3.0	pCi/L	TE
0	Neptunium-237	<7.0	pCi/L	TE
0	Nickel-59	<90	pCi/L	TE
0	Nickel-63	<10	pCi/L	TE
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Nonvolatile beta	3.6±1.2	pCi/L	TE
0	Plutonium-238	<0.30	pCi/L	TE
0	Plutonium-239/240	<0.10	pCi/L	TE
0	Plutonium-242	<0.10	pCi/L	TE
0	Potassium-40	<50	pCi/L	TE
0	Radium-226	<70	pCi/L	TE
1	Radium-226	1.2±0.60	pCi/L	TE
0	Radium-228	<1.0	pCi/L	TE
0	Ruthenium-103	<5.0	pCi/L	TE
0	Ruthenium-106	<30	pCi/L	TE
0	Strontium-89	<5.0	pCi/L	TE
0	Strontium-90	<1.0	pCi/L	TE
0	Technetium-99	<4.0	pCi/L	TE
0	Thorium-228	<6.0	pCi/L	TE
0	Thorium-228	<0.20	pCi/L	TE
1	Thorium-230	0.74±0.61	pCi/L	TE
1	Thorium-232	0.78±0.43	pCi/L	TE
0	Total radium	1.2±2.0	pCi/L	GE
2	Tritium	49±0.80	pCi/mL	GE
2	Tritium	44±2.0	pCi/mL	TE
1	Uranium-234	0.23±0.19	pCi/L	TE
0	Uranium-235	<0.050	pCi/L	TE
0	Uranium-238	<0.10	pCi/L	TE
0	Zinc-65	<7.0	pCi/L	TE
0	Zirconium-95	<4.0	pCi/L	TE

WELL BGO 7D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/28/90
 Depth to water: 50.57 ft (15.41 m) below TOC
 Water elevation: 231.83 ft (70.66 m) msl
 Sp. conductance: 32 µS/cm
 Water evacuated before sampling: 57 gal

Time: 15:15
 pH: 4.8
 Alkalinity: 1 mg/L
 Water temperature: 19.5°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	4.7	pH	GE
0	Specific conductance	48	µS/cm	GE
0	Turbidity	<0.20	NTU	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	10	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	1560	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	2700	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
1	Chloroform	1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	14	µg/L	GE
0	Lead	<6.0	µg/L	GE

ANALYTICAL RESULTS

WELL BGO 8A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/24/90 Time: 11:25
 Depth to water: 121.95 ft (37.17 m) below TOC pH: 11.7
 Water elevation: 161.25 ft (49.15 m) msl Alkalinity: 69 mg/L
 Sp. conductance: 781 μ S/cm Water temperature: 19.0°C
 Water evacuated before sampling: 29 gal
 The well went dry during purging.

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
2	pH	11	pH	GE
1	Specific conductance	550	μ S/cm	GE
0	Turbidity	0.25	NTU	GE
0	Arsenic	<2.0	μ g/L	GE
1	Barium	166	μ g/L	GE
0	Benzene	<1.0	μ g/L	GE
0	Bromodichloromethane	<1.0	μ g/L	GE
0	Bromoform	<1.0	μ g/L	GE
0	Bromomethane (Methyl bromide)	<1.0	μ g/L	GE
0	Cadmium	<2.0	μ g/L	GE
1	Calcium	20100	μ g/L	GE
0	Carbon tetrachloride	<1.0	μ g/L	GE
0	Chloride	2200	μ g/L	GE
0	Chlorobenzene	<1.0	μ g/L	GE
0	Chloroethane	<1.0	μ g/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	μ g/L	GE
0	Chloroform	<1.0	μ g/L	GE
0	Chloromethane (Methyl chloride)	<1.0	μ g/L	GE
0	Chromium	<4.0	μ g/L	GE
0	cis-1,3-Dichloropropene	<1.0	μ g/L	GE
0	Dibromochloromethane	<1.0	μ g/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	μ g/L	GE
0	Endrin	<0.10	μ g/L	GE
0	Ethylbenzene	<1.0	μ g/L	GE
0	Fluoride	150	μ g/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	μ g/L	GE
0	Iron	46	μ g/L	GE
0	Lead	<6.0	μ g/L	GE
0	Magnesium	327	μ g/L	GE
0	Manganese	<2.0	μ g/L	GE
0	Mercury	<0.20	μ g/L	GE
0	Methoxychlor	<0.50	μ g/L	GE
0	Nitrate as nitrogen	<50	μ g/L	GE
1	Phenols	7.0	μ g/L	GE
1	Potassium	15100	μ g/L	GE
0	Selenium	<2.0	μ g/L	GE
1	Silica	80400	μ g/L	GE
0	Silver	<2.0	μ g/L	GE
1	Sodium	9500	μ g/L	GE
1	Sodium	8600	μ g/L	GE
1	Sulfate	10600	μ g/L	GE
0	Tetrachloroethylene	<1.0	μ g/L	GE
0	Toluene	<1.0	μ g/L	GE
0	Total dissolved solids	39000	μ g/L	GE
0	Total organic carbon	2000	μ g/L	GE
0	Total organic halogens	9.0	μ g/L	GE
0	Total phosphates	<50	μ g/L	GE
0	Toxaphene	<1.0	μ g/L	GE
0	trans-1,2-Dichloroethene	<1.0	μ g/L	GE
0	trans-1,3-Dichloropropene	<1.0	μ g/L	GE
0	Trichloroethylene	<1.0	μ g/L	GE
0	Trichlorofluoromethane	<1.0	μ g/L	GE
0	1,1-Dichloroethane	<1.0	μ g/L	GE
0	1,1-Dichloroethylene	<1.0	μ g/L	GE
0	1,1,1-Trichloroethane	<1.0	μ g/L	GE
0	1,1,2-Trichloroethane	<1.0	μ g/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	μ g/L	GE
0	1,2-Dichloroethane	<1.0	μ g/L	GE
0	1,2-Dichloropropane	<1.0	μ g/L	GE
0	2-Chloroethyl vinyl ether	<1.0	μ g/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	μ g/L	GE
0	2,4,5-TP (Silvex)	<0.090	μ g/L	GE
0	Americium-241	<0.20	pCi/L	TE
0	Americium-243	<0.20	pCi/L	TE
0	Barium-140	<10	pCi/L	TE
0	Beryllium-7	<30	pCi/L	TE
1	Carbon-14	81 $\pm$ 7.0	pCi/L	TE
0	Cerium-141	<8.0	pCi/L	TE
0	Cerium-144	<20	pCi/L	TE
0	Cesium-134	<3.0	pCi/L	TE
0	Cesium-137	<3.0	pCi/L	TE
0	Cobalt-58	<3.0	pCi/L	TE
0	Cobalt-60	<3.0	pCi/L	TE
0	Curium-242	<0.10	pCi/L	TE
0	Curium-243/244	<0.20	pCi/L	TE
0	Curium-246	<0.20	pCi/L	TE
0	Gross alpha	<3.0	pCi/L	GE

WELL BGO 8A collected on 01/24/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Gross alpha	<1.0	pCi/L	TE
0	Iodine-129	<2.0	pCi/L	TE
0	Iodine-131	<40	pCi/L	TE
0	Iron-55	<70	pCi/L	TE
0	Iron-59	<8.0	pCi/L	TE
0	Manganese-54	<3.0	pCi/L	TE
0	Neptunium-237	<8.0	pCi/L	TE
0	Nickel-59	<80	pCi/L	TE
0	Nickel-63	<10	pCi/L	TE
1	Nonvolatile beta	33 $\pm$ 4.1	pCi/L	GE
1	Nonvolatile beta	16 $\pm$ 2.0	pCi/L	TE
0	Plutonium-238	<0.20	pCi/L	TE
0	Plutonium-239/240	<0.10	pCi/L	TE
0	Plutonium-242	<0.10	pCi/L	TE
0	Potassium-40	<40	pCi/L	TE
0	Radium-226	<1.0	pCi/L	TE
0	Radium-226	<60	pCi/L	TE
1	Radium-228	1.3 $\pm$ 0.50	pCi/L	TE
0	Ruthenium-103	<5.0	pCi/L	TE
0	Ruthenium-106	<30	pCi/L	TE
0	Strontium-89	<5.0	pCi/L	TE
1	Strontium-90	2.0 $\pm$ 0.80	pCi/L	TE
0	Technetium-99	<4.0	pCi/L	TE
0	Thorium-228	<5.0	pCi/L	TE
0	Thorium-228	<0.10	pCi/L	TE
0	Thorium-230	<0.050	pCi/L	TE
1	Thorium-232	0.10 $\pm$ 0.060	pCi/L	TE
0	Total radium	<1.0	pCi/L	GE
0	Tritium	<0.70	pCi/mL	GE
0	Tritium	<2.0	pCi/mL	TE
1	Uranium-234	0.68 $\pm$ 0.27	pCi/L	TE
0	Uranium-235	<0.060	pCi/L	TE
1	Uranium-238	0.68 $\pm$ 0.25	pCi/L	TE
0	Zinc-65	<6.0	pCi/L	TE
0	Zirconium-95	<4.0	pCi/L	TE

WELL BGO 8C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/01/90 Time: 13:15
 Depth to water: 60.73 ft (18.51 m) below TOC pH: 7.0
 Water elevation: 222.57 ft (67.84 m) msl Alkalinity: 45 mg/L
 Sp. conductance: 122 μ S/cm Water temperature: 20.6°C
 Water evacuated before sampling: 152 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	pH	7.4	pH	GE
1	Specific conductance	123	μ S/cm	GE
0	Turbidity	<0.20	NTU	GE
0	Arsenic	<2.0	μ g/L	GE
0	Barium	17	μ g/L	GE
0	Benzene	<1.0	μ g/L	GE
0	Bromodichloromethane	<1.0	μ g/L	GE
0	Bromoform	<1.0	μ g/L	GE
0	Bromomethane (Methyl bromide)	<1.0	μ g/L	GE
0	Cadmium	<2.0	μ g/L	GE
0	Calcium	1560	μ g/L	GE
0	Carbon tetrachloride	<1.0	μ g/L	GE
0	Chloride	2300	μ g/L	GE
0	Chlorobenzene	<1.0	μ g/L	GE
0	Chloroethane	<1.0	μ g/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	μ g/L	GE
0	Chloroform	<1.0	μ g/L	GE
0	Chloromethane (Methyl chloride)	<1.0	μ g/L	GE
0	Chromium	3.7	μ g/L	GE
0	cis-1,3-Dichloropropene	<1.0	μ g/L	GE
0	Dibromochloromethane	<1.0	μ g/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	μ g/L	GE
0	Endrin	<0.10	μ g/L	GE
0	Ethylbenzene	<1.0	μ g/L	GE
0	Fluoride	100	μ g/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	μ g/L	GE
0	Iron	15	μ g/L	GE
0	Lead	<6.0	μ g/L	GE
0	Magnesium	430	μ g/L	GE
0	Manganese	<2.0	μ g/L	GE
0	Mercury	<0.20	μ g/L	GE
0	Methoxychlor	<0.50	μ g/L	GE
0	Nitrate as nitrogen	620	μ g/L	GE
0	Phenols	<5.0	μ g/L	GE
0	Potassium	3840	μ g/L	GE
0	Selenium	<2.0	μ g/L	GE
1	Silica	10900	μ g/L	GE

ANALYTICAL RESULTS

WELL BGO 8C collected on 02/01/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Silver	<2.0	µg/L	GE
1	Sodium	5090	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	113600	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	140	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropene	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
1	Americium-241	0.87 ± 0.47	pCi/L	TE
0	Americium-243	<0.30	pCi/L	TE
0	Barium-140	<20	pCi/L	TE
0	Beryllium-7	<40	pCi/L	TE
1	Carbon-14	15 ± 6.0	pCi/L	TE
0	Cerium-141	<10	pCi/L	TE
0	Cerium-144	<20	pCi/L	TE
0	Cesium-134	<3.0	pCi/L	TE
0	Cesium-137	<4.0	pCi/L	TE
0	Cobalt-58	<4.0	pCi/L	TE
0	Cobalt-60	<3.0	pCi/L	TE
0	Curium-242	<0.10	pCi/L	TE
1	Curium-243/244	1.1 ± 0.60	pCi/L	TE
0	Curium-246	<0.30	pCi/L	TE
0	Gross alpha	<3.0	pCi/L	GE
0	Gross alpha	<2.0	pCi/L	TE
0	Iodine-129	<2.0	pCi/L	TE
0	Iodine-131	<50	pCi/L	TE
0	Iron-55	<30	pCi/L	TE
0	Iron-59	<10	pCi/L	TE
0	Manganese-54	<3.0	pCi/L	TE
0	Neptunium-237	<7.0	pCi/L	TE
0	Nickel-59	<80	pCi/L	TE
0	Nickel-63	<10	pCi/L	TE
0	Nonvolatile beta	3.8 ± 1.6	pCi/L	GE
0	Nonvolatile beta	3.0 ± 1.3	pCi/L	TE
0	Plutonium-238	<0.10	pCi/L	TE
0	Plutonium-239/240	<0.10	pCi/L	TE
0	Plutonium-242	<0.10	pCi/L	TE
0	Potassium-40	<50	pCi/L	TE
0	Radium-226	<70	pCi/L	TE
0	Radium-226	<1.0	pCi/L	TE
0	Radium-228	<2.0	pCi/L	TE
0	Ruthenium-103	<5.0	pCi/L	TE
0	Ruthenium-106	<30	pCi/L	TE
1	Strontium-89	230 ± 10	pCi/L	TE
1	Strontium-90	5.1 ± 1.3	pCi/L	TE
0	Technetium-99	<3.0	pCi/L	TE
0	Thorium-228	<6.0	pCi/L	TE
2	Total radium	7.2 ± 4.6	pCi/L	GE
0	Tritium	<0.70	pCi/mL	GE
0	Tritium	<2.0	pCi/mL	TE
0	Uranium-234	<0.10	pCi/L	TE
0	Uranium-235	<0.050	pCi/L	TE
0	Uranium-238	<0.090	pCi/L	TE
0	Zinc-65	<8.0	pCi/L	TE
0	Zirconium-95	<4.0	pCi/L	TE

WELL BGO 8D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/01/90
 Depth to water: 51.17 ft (15.60 m) below TOC
 Water elevation: 232.03 ft (70.72 m) msl
 Sp. conductance: 26 µS/cm
 Water evacuated before sampling: 56 gal

Time: 12:20
 pH: 4.7
 Alkalinity: 0 mg/L
 Water temperature: 21.8°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.1	pH	MT
0	pH	5.1	pH	GE
0	Specific conductance	26	µS/cm	MT
0	Specific conductance	26	µS/cm	GE
0	Turbidity	5.4	NTU	MT
0	Turbidity	8.2	NTU	GE
0	Arsenic	<3.0	µg/L	MT
0	Arsenic	<2.0	µg/L	GE
0	Barium	13	µg/L	MT
0	Barium	14	µg/L	GE
0	Benzene	<5.0	µg/L	MT
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<5.0	µg/L	MT
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromofom	<5.0	µg/L	MT
0	Bromofom	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<10	µg/L	MT
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<3.0	µg/L	MT
0	Cadmium	<2.0	µg/L	GE
0	Calcium	827	µg/L	MT
0	Calcium	1030	µg/L	GE
0	Carbon tetrachloride	<5.0	µg/L	MT
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	2100	µg/L	MT
0	Chloride	2000	µg/L	GE
0	Chlorobenzene	<5.0	µg/L	MT
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<10	µg/L	MT
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<5.0	µg/L	MT
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<10	µg/L	MT
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
1	Chromium	4.6	µg/L	MT
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<5.0	µg/L	MT
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Dibromochloromethane	<5.0	µg/L	MT
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<5.0	µg/L	MT
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.0060	µg/L	MT
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<5.0	µg/L	MT
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<250	µg/L	MT
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.0050	µg/L	MT
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	13	µg/L	MT
0	Iron	22	µg/L	GE
0	Lead	<3.0	µg/L	MT
0	Lead	<6.0	µg/L	GE
0	Magnesium	521	µg/L	MT
0	Magnesium	506	µg/L	GE
0	Manganese	13	µg/L	MT
0	Manganese	11	µg/L	GE
0	Mercury	<0.20	µg/L	MT
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	MT
0	Methoxychlor	<0.50	µg/L	GE
0	Nitrate as nitrogen	1200	µg/L	MT
0	Nitrate as nitrogen	1300	µg/L	GE
0	Phenols	<5.0	µg/L	MT
0	Phenols	<5.0	µg/L	GE
0	Potassium	3120	µg/L	MT
0	Potassium	<800	µg/L	GE
0	Selenium	<3.0	µg/L	MT
0	Selenium	<2.0	µg/L	GE
0	Silica	8210	µg/L	GE
0	Silica	7320	µg/L	MT
0	Silver	<2.0	µg/L	MT
0	Silver	<2.0	µg/L	GE
0	Sodium	2350	µg/L	MT
0	Sodium	2500	µg/L	GE

ANALYTICAL RESULTS

WELL BGO 8D collected on 02/01/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Sulfate	<1000	µg/L	MT
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<5.0	µg/L	MT
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<5.0	µg/L	MT
1	Toluene	3.0	µg/L	GE
0	Total dissolved solids	32000	µg/L	MT
0	Total dissolved solids	84000	µg/L	GE
0	Total organic carbon	<1000	µg/L	MT
0	Total organic carbon	<1000	µg/L	GE
2	Total organic halogens	26	µg/L	MT
2	Total organic halogens	26	µg/L	GE
0	Total phosphates	<10	µg/L	MT
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<0.24	µg/L	MT
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<5.0	µg/L	MT
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<5.0	µg/L	MT
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
2	Trichloroethylene	32	µg/L	MT
2	Trichloroethylene	31	µg/L	GE
0	Trichlorofluoromethane	<5.0	µg/L	MT
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<5.0	µg/L	MT
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<5.0	µg/L	MT
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<5.0	µg/L	MT
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<5.0	µg/L	MT
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<5.0	µg/L	MT
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<5.0	µg/L	MT
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<5.0	µg/L	MT
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<5.0	µg/L	MT
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.46	µg/L	MT
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.070	µg/L	MT
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	<2.0	pCi/L	MT
0	Gross alpha	3.0±1.6	pCi/L	GE
0	Nonvolatile beta	<4.0	pCi/L	MT
0	Nonvolatile beta	3.4±1.5	pCi/L	GE
0	Total radium	1.7±0.50	pCi/L	MT
1	Total radium	4.3±4.0	pCi/L	GE
1	Tritium	14±2.0	pCi/mL	MT
1	Tritium	17±0.50	pCi/mL	GE

WELL BGO 8D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/01/90
 Depth to water: 51.17 ft (15.60 m) below TOC
 Water elevation: 232.03 ft (70.72 m) msl
 Sp. conductance: 28 µS/cm
 Water evacuated before sampling: 56 gal

Time: 12:20
 pH: 4.7
 Alkalinity: 0 mg/L
 Water temperature: 21.8°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.1	pH	MT
0	pH	4.9	pH	GE
0	Specific conductance	28	µS/cm	MT
0	Specific conductance	27	µS/cm	GE
0	Turbidity	3.8	NTU	MT
0	Turbidity	3.8	NTU	MT
0	Turbidity	2.4	NTU	GE
0	Arsenic	<3.0	µg/L	MT
0	Arsenic	<2.0	µg/L	GE
0	Barium	13	µg/L	MT
0	Barium	14	µg/L	GE
0	Benzene	<5.0	µg/L	MT
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<5.0	µg/L	MT
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<5.0	µg/L	MT
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<10	µg/L	MT
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<3.0	µg/L	MT

WELL BGO 8D collected on 02/01/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Cadmium	<2.0	µg/L	GE
0	Calcium	872	µg/L	MT
0	Calcium	960	µg/L	GE
0	Carbon tetrachloride	<5.0	µg/L	MT
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	2100	µg/L	MT
0	Chloride	2100	µg/L	GE
0	Chlorobenzene	<5.0	µg/L	MT
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<10	µg/L	MT
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<5.0	µg/L	MT
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<10	µg/L	MT
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<3.0	µg/L	MT
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<5.0	µg/L	MT
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Dibromochloromethane	<5.0	µg/L	MT
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<5.0	µg/L	MT
1	Dichloromethane (Methylene chloride)	5.0	µg/L	GE
0	Endrin	<0.0080	µg/L	MT
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<5.0	µg/L	MT
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<250	µg/L	MT
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.0050	µg/L	MT
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	12	µg/L	MT
0	Iron	30	µg/L	GE
0	Lead	<3.0	µg/L	MT
0	Lead	<6.0	µg/L	GE
0	Magnesium	547	µg/L	MT
0	Magnesium	480	µg/L	GE
0	Manganese	13	µg/L	MT
0	Manganese	11	µg/L	GE
0	Mercury	<0.20	µg/L	MT
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	MT
0	Methoxychlor	<0.50	µg/L	GE
0	Nitrate as nitrogen	1200	µg/L	MT
0	Nitrate as nitrogen	1400	µg/L	GE
0	Phenols	<5.0	µg/L	MT
0	Phenols	<5.0	µg/L	GE
0	Potassium	<1620	µg/L	MT
0	Potassium	<500	µg/L	GE
0	Selenium	<3.0	µg/L	MT
0	Selenium	<2.0	µg/L	GE
0	Silica	7380	µg/L	GE
0	Silica	7880	µg/L	MT
0	Silver	<2.0	µg/L	MT
0	Silver	<2.0	µg/L	GE
0	Sodium	2540	µg/L	MT
0	Sodium	2560	µg/L	GE
0	Sulfate	<1000	µg/L	MT
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<5.0	µg/L	MT
1	Tetrachloroethylene	1.0	µg/L	GE
0	Toluene	<5.0	µg/L	MT
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	8000	µg/L	MT
0	Total dissolved solids	87000	µg/L	GE
0	Total organic carbon	<1000	µg/L	MT
0	Total organic carbon	<1000	µg/L	GE
2	Total organic halogens	27	µg/L	MT
2	Total organic halogens	28	µg/L	GE
0	Total phosphates	<10	µg/L	MT
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<0.24	µg/L	MT
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<5.0	µg/L	MT
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<5.0	µg/L	MT
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
2	Trichloroethylene	29	µg/L	MT
2	Trichloroethylene	30	µg/L	GE
0	Trichlorofluoromethane	<5.0	µg/L	MT
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<5.0	µg/L	MT
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<5.0	µg/L	MT
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<5.0	µg/L	MT
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<5.0	µg/L	MT

ANALYTICAL RESULTS

WELL BGO 8D collected on 02/01/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<5.0	µg/L	MT
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<5.0	µg/L	MT
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<5.0	µg/L	MT
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<5.0	µg/L	MT
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.48	µg/L	MT
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
1	2,4,5-TP (Silvex)	0.10	µg/L	MT
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	<3.0	pCi/L	MT
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	<5.0	pCi/L	MT
0	Nonvolatile beta	3.4 ± 1.5	pCi/L	GE
0	Total radium	1.8 ± 0.5C	pCi/L	MT
1	Total radium	2.9 ± 2.4	pCi/L	GE
1	Tritium	13 ± 2.0	pCi/mL	MT
1	Tritium	18 ± 0.50	pCi/mL	GE

WELL BGO 9D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/24/90
 Depth to water: 52.73 ft (18.07 m) below TOC
 Water elevation: 232.37 ft (70.83 m) msl
 Sp. conductance: 38 µS/cm
 Water evacuated before sampling: 75 gal

Time: 14:20
 pH: 4.9
 Alkalinity: 2 mg/L
 Water temperature: 21.0°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	4.9	pH	GE
0	Specific conductance	39	µS/cm	GE
0	Turbidity	<0.20	NTU	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	14	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	1950	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	2400	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	42	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	590	µg/L	GE
1	Manganese	38	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nitrate as nitrogen	1700	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	7370	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	2700	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	17000	µg/L	GE
0	Total organic carbon	1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE

WELL BGO 9D collected on 01/24/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
1	Americium-241	0.44 ± 0.31	pCi/L	TE
1	Americium-243	0.39 ± 0.25	pCi/L	TE
0	Barium-140	<20	pCi/L	TE
0	Beryllium-7	<40	pCi/L	TE
1	Carbon-14	8.0 ± 4.2	pCi/L	TE
0	Cerium-141	<10	pCi/L	TE
0	Cerium-144	<30	pCi/L	TE
0	Cesium-134	<3.0	pCi/L	TE
0	Cesium-137	<3.0	pCi/L	TE
0	Cobalt-58	<3.0	pCi/L	TE
0	Cobalt-60	<3.0	pCi/L	TE
0	Curium-242	<0.10	pCi/L	TE
0	Curium-243/244	<0.30	pCi/L	TE
1	Curium-246	0.33 ± 0.26	pCi/L	TE
0	Gross alpha	<3.0	pCi/L	GE
0	Gross alpha	0.86 ± 0.75	pCi/L	TE
0	Iodine-129	<2.0	pCi/L	TE
0	Iodine-131	<50	pCi/L	TE
0	Iron-55	<50	pCi/L	TE
0	Iron-59	<8.0	pCi/L	TE
0	Manganese-54	<3.0	pCi/L	TE
0	Neptunium-237	<7.0	pCi/L	TE
0	Nickel-59	<100	pCi/L	TE
0	Nickel-63	<10	pCi/L	TE
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Nonvolatile beta	2.1 ± 1.1	pCi/L	TE
0	Plutonium-238	<0.10	pCi/L	TE
0	Plutonium-239/240	<0.070	pCi/L	TE
0	Plutonium-242	<0.040	pCi/L	TE
0	Potassium-40	<50	pCi/L	TE
0	Radium-226	<70	pCi/L	TE
0	Radium-226	<1.0	pCi/L	TE
0	Radium-228	<2.0	pCi/L	TE
0	Ruthenium-103	<5.0	pCi/L	TE
0	Ruthenium-106	<30	pCi/L	TE
0	Strontium-89	<5.0	pCi/L	TE
0	Strontium-90	<0.90	pCi/L	TE
1	Technetium-99	3.7 ± 2.8	pCi/L	TE
0	Thorium-228	<6.0	pCi/L	TE
0	Thorium-228	<0.20	pCi/L	TE
0	Thorium-230	<0.060	pCi/L	TE
0	Thorium-232	<0.060	pCi/L	TE
1	Total radium	3.5 ± 2.7	pCi/L	GE
2	Tritium	38 ± 0.70	pCi/mL	GE
2	Tritium	42 ± 2.0	pCi/mL	TE
0	Uranium-234	<0.20	pCi/L	TE
0	Uranium-235	<0.050	pCi/L	TE
0	Uranium-238	<0.90	pCi/L	TE
0	Zinc-65	<7.0	pCi/L	TE
0	Zirconium-95	<4.0	pCi/L	TE

WELL BGO 10A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/24/90
 Depth to water: 131.91 ft (40.21 m) below TOC
 Water elevation: 188.91 ft (51.51 m) msl
 Sp. conductance: 311 µS/cm
 Water evacuated before sampling: 40 gal
 The well went dry during purging.

Time: 11:50
 pH: 7.8
 Alkalinity: 121 mg/L
 Water temperature: 18.8°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	pH	7.8	pH	GE
1	Specific conductance	307	µS/cm	GE
0	Turbidity	0.40	NTU	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	14	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
1	Calcium	35800	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE

ANALYTICAL RESULTS

WELL BGO 10A collected on 01/24/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Chloride	3000	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	120	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	99	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	1390	µg/L	GE
0	Manganese	5.2	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nitrate as nitrogen	<50	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	1110	µg/L	GE
0	Selenium	<2.0	µg/L	GE
1	Silica	39400	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	1100	µg/L	GE
0	Sulfate	9400	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	219000	µg/L	GE
0	Total organic carbon	1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Americium-241	<0.30	pCi/L	TE
0	Americium-243	<0.20	pCi/L	TE
0	Barium-140	<20	pCi/L	TE
0	Beryllium-7	<50	pCi/L	TE
1	Carbon-14	8.9±3.9	pCi/L	TE
0	Cerium-141	<10	pCi/L	TE
0	Cerium-144	<30	pCi/L	TE
0	Cesium-134	<5.0	pCi/L	TE
0	Cesium-137	<5.0	pCi/L	TE
0	Cobalt-58	<5.0	pCi/L	TE
0	Cobalt-60	<4.0	pCi/L	TE
0	Curium-242	<0.20	pCi/L	TE
0	Curium-243/244	<0.40	pCi/L	TE
0	Curium-246	<0.20	pCi/L	TE
0	Gross alpha	<3.0	pCi/L	GE
0	Gross alpha	<2.0	pCi/L	TE
0	Iodine-129	<2.0	pCi/L	TE
0	Iodine-131	<60	pCi/L	TE
0	Iron-55	<60	pCi/L	TE
0	Iron-59	<10	pCi/L	TE
0	Manganese-54	<4.0	pCi/L	TE
0	Neptunium-237	<9.0	pCi/L	TE
0	Nickel-59	<80	pCi/L	TE
0	Nickel-63	<10	pCi/L	TE
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Nonvolatile beta	<2.0	pCi/L	TE
0	Plutonium-238	<0.060	pCi/L	TE
0	Plutonium-239/240	<0.060	pCi/L	TE
0	Plutonium-242	<0.060	pCi/L	TE
0	Potassium-40	<70	pCi/L	TE
0	Radium-226	<90	pCi/L	TE
0	Radium-226	<1.0	pCi/L	TE
0	Radium-228	<2.0	pCi/L	TE
0	Ruthenium-103	<7.0	pCi/L	TE
0	Ruthenium-106	<40	pCi/L	TE
0	Strontium-89	<3.0	pCi/L	TE
0	Strontium-90	<1.0	pCi/L	TE
0	Technetium-99	<3.0	pCi/L	TE
0	Thorium-228	<10	pCi/L	TE
0	Thorium-228	<0.090	pCi/L	TE

WELL BGO 10A collected on 01/24/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Thorium-230	<0.020	pCi/L	TE
0	Thorium-232	<0.050	pCi/L	TE
0	Total radium	<1.0	pCi/L	GE
0	Tritium	<0.70	pCi/mL	GE
0	Tritium	<2.0	pCi/mL	TE
1	Uranium-234	0.18±0.12	pCi/L	TE
0	Uranium-235	<0.080	pCi/L	TE
0	Uranium-238	<0.050	pCi/L	TE
0	Zinc-65	<9.0	pCi/L	TE
0	Zirconium-95	<5.0	pCi/L	TE

WELL BGO 10C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/24/90
 Depth to water: 81.94 ft (24.98 m) below TOC
 Water elevation: 219.36 ft (66.86 m) msl
 Sp. conductance: 124 µS/cm
 Water evacuated before sampling: 36 gal
 The well went dry during purging.

Time: 12:15
 pH: 10.4
 Alkalinity: 63 mg/L
 Water temperature: 19.0°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
2	pH	8.1	pH	GE
1	Specific conductance	178	µS/cm	GE
0	Turbidity	5.1	NTU	GE
0	Arsenic	<2.0	µg/L	GE
1	Barium	63	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
1	Calcium	22800	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	2600	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	40	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	869	µg/L	GE
0	Manganese	<2.0	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nitrate as nitrogen	480	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	1200	µg/L	GE
0	Selenium	<2.0	µg/L	GE
1	Silica	19200	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	6570	µg/L	GE
0	Sulfate	5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	21000	µg/L	GE
0	Total organic carbon	2000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
1	Americium-241	0.66±0.36	pCi/L	TE

ANALYTICAL RESULTS

WELL BGO 10C collected on 01/24/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Americium-243	<0.20	pCi/L	TE
0	Barium-140	<20	pCi/L	TE
0	Beryllium-7	<50	pCi/L	TE
0	Carbon-14	<8.0	pCi/L	TE
0	Cerium-141	<10	pCi/L	TE
0	Cerium-144	<30	pCi/L	TE
0	Cesium-134	<4.0	pCi/L	TE
0	Cesium-137	<4.0	pCi/L	TE
0	Cobalt-58	<4.0	pCi/L	TE
0	Cobalt-60	<4.0	pCi/L	TE
0	Curium-242	<0.10	pCi/L	TE
0	Curium-243/244	<0.30	pCi/L	TE
0	Curium-246	<0.20	pCi/L	TE
0	Gross alpha	<3.0	pCi/L	GE
0	Gross alpha	<1.0	pCi/L	TE
0	Iodine-129	<2.0	pCi/L	TE
0	Iodine-131	<80	pCi/L	TE
0	Iron-55	<50	pCi/L	TE
0	Iron-59	<10	pCi/L	TE
0	Manganese-54	<3.0	pCi/L	TE
0	Neptunium-237	<8.0	pCi/L	TE
0	Nickel-59	<80	pCi/L	TE
0	Nickel-63	<10	pCi/L	TE
0	Nonvolatile beta	4.8±2.2	pCi/L	GE
0	Nonvolatile beta	<2.0	pCi/L	TE
0	Plutonium-238	<0.10	pCi/L	TE
0	Plutonium-239/240	<0.070	pCi/L	TE
0	Plutonium-242	<0.050	pCi/L	TE
0	Potassium-40	<70	pCi/L	TE
0	Radium-226	<80	pCi/L	TE
0	Radium-228	<1.0	pCi/L	TE
0	Radium-228	<3.0	pCi/L	TE
0	Ruthenium-103	<8.0	pCi/L	TE
0	Ruthenium-106	<30	pCi/L	TE
0	Strontium-89	<3.0	pCi/L	TE
1	Strontium-90	1.5±0.60	pCi/L	TE
0	Technetium-99	<4.0	pCi/L	TE
0	Thorium-228	<7.0	pCi/L	TE
0	Thorium-228	<0.10	pCi/L	TE
0	Thorium-230	<0.040	pCi/L	TE
1	Thorium-232	0.19±0.10	pCi/L	TE
0	Total radium	<1.0	pCi/L	GE
0	Tritium	<0.70	pCi/mL	GE
0	Tritium	<2.0	pCi/mL	TE
1	Uranium-234	0.29±0.17	pCi/L	TE
0	Uranium-235	<0.080	pCi/L	TE
0	Uranium-238	<0.10	pCi/L	TE
0	Zinc-65	<7.0	pCi/L	TE
0	Zirconium-95	<4.0	pCi/L	TE

WELL BGO 10D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/23/90
The well was dry.

Time: 15:30

WELL BGO 11D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/28/90
Depth to water: 75.31 ft (22.95 m) below TOC
Water elevation: 229.99 ft (70.10 m) msl
Sp. conductance: 36 µS/cm
Water evacuated before sampling: 50 gal

Time: 15:55
pH: 4.8
Alkalinity: 1 mg/L
Water temperature: 19.6°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	4.9	pH	GE
0	Specific conductance	34	µS/cm	GE
0	Turbidity	<0.20	NTU	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	7.1	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	1110	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	2200	µg/L	GE

WELL BGO 11D collected on 01/28/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	19	µg/L	GE
0	Lead	<8.0	µg/L	GE
0	Magnesium	555	µg/L	GE
0	Manganese	9.9	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nitrate as nitrogen	1830	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	6870	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	3180	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	29000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
2	Trichloroethylene	4.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
1	Americium-241	0.50±0.47	pCi/L	TE
0	Americium-243	<0.20	pCi/L	TE
0	Barium-140	<30	pCi/L	TE
0	Beryllium-7	<60	pCi/L	TE
0	Carbon-14	<7.0	pCi/L	TE
0	Cerium-141	<20	pCi/L	TE
0	Cerium-144	<40	pCi/L	TE
0	Cesium-134	<5.0	pCi/L	TE
0	Cesium-137	<5.0	pCi/L	TE
0	Cobalt-58	<5.0	pCi/L	TE
0	Cobalt-60	<5.0	pCi/L	TE
0	Curium-242	<0.10	pCi/L	TE
0	Curium-243/244	<0.20	pCi/L	TE
0	Curium-246	<0.20	pCi/L	TE
0	Gross alpha	<3.0	pCi/L	GE
0	Gross alpha	4.1±1.5	pCi/L	TE
0	Iodine-129	<2.0	pCi/L	TE
0	Iodine-131	<80	pCi/L	TE
0	Iron-55	<60	pCi/L	TE
0	Iron-59	<10	pCi/L	TE
0	Manganese-54	<5.0	pCi/L	TE
0	Neptunium-237	<10	pCi/L	TE
0	Nickel-59	<80	pCi/L	TE
0	Nickel-63	<10	pCi/L	TE
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Nonvolatile beta	4.9±1.3	pCi/L	TE
0	Plutonium-238	<0.30	pCi/L	TE
0	Plutonium-239/240	<0.20	pCi/L	TE
0	Plutonium-242	<0.10	pCi/L	TE
0	Potassium-40	<80	pCi/L	TE
0	Radium-226	<80	pCi/L	TE
1	Radium-228	2.9±0.60	pCi/L	TE
0	Radium-228	<2.0	pCi/L	TE
0	Ruthenium-103	<8.0	pCi/L	TE
0	Ruthenium-106	<40	pCi/L	TE
0	Strontium-89	<5.0	pCi/L	TE
0	Strontium-90	<1.0	pCi/L	TE
0	Technetium-99	<4.0	pCi/L	TE
0	Thorium-228	<10	pCi/L	TE
0	Thorium-228	<0.20	pCi/L	TE
0	Thorium-230	<0.050	pCi/L	TE

ANALYTICAL RESULTS

WELL BGO 11D collected on 01/28/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
1	Thorium-232	0.52±0.31	pCi/L	TE
0	Total radium	<1.0	pCi/L	GE
2	Tritium	53±0.80	pCi/mL	GE
2	Tritium	32±2.0	pCi/mL	TE
0	Uranium-234	<0.080	pCi/L	TE
0	Uranium-235	<0.050	pCi/L	TE
0	Uranium-238	<0.080	pCi/L	TE
0	Zinc-65	<10	pCi/L	TE
0	Zirconium-95	<8.0	pCi/L	TE

WELL BGO 12A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/28/90
 Depth to water: 133.58 ft (40.72 m) below TOC
 Water elevation: 179.82 ft (54.81 m) msl
 Sp. conductance: 143 µS/cm
 Water evacuated before sampling: 16 gal
 The well went dry during purging.

Time: 10:50
 pH: 6.9
 Alkalinity: 41 mg/L
 Water temperature: 18.3°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	pH	6.9	pH	GE
1	Specific conductance	138	µS/cm	GE
0	Turbidity	<0.20	NTU	GE
0	Arsenic	<2.0	µg/L	GE
1	Barium	71	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
1	Calcium	20100	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	2300	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	53	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	504	µg/L	GE
0	Manganese	5.1	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nitrate as nitrogen	210	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	1480	µg/L	GE
0	Selenium	<2.0	µg/L	GE
1	Silica	34300	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	2760	µg/L	GE
0	Sulfate	7900	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	107000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
2	Trichloroethylene	17	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	<2.0	pCi/L	GE

WELL BGO 12A collected on 01/28/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Total radium	2.1±2.2	pCi/L	GE
0	Tritium	<0.70	pCi/mL	GE

WELL BGO 12C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/28/90
 Depth to water: 94.14 ft (28.69 m) below TOC
 Water elevation: 219.46 ft (66.89 m) msl
 Sp. conductance: 4180 µS/cm
 Water evacuated before sampling: 35 gal
 The well went dry during purging.

Time: 11:05
 pH: 12.8
 Alkalinity: 848 mg/L
 Water temperature: 18.8°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
2	pH	12	pH	GE
1	Specific conductance	4480	µS/cm	GE
0	Turbidity	<0.20	NTU	GE
0	Arsenic	<2.0	µg/L	GE
2	Barium	581	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
1	Calcium	39100	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	<1000	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
1	Chromium	6.9	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	130	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	28	µg/L	GE
0	Lead	19	µg/L	GE
0	Magnesium	4.0	µg/L	GE
0	Manganese	<2.0	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nitrate as nitrogen	180	µg/L	GE
1	Phenols	6.0	µg/L	GE
1	Potassium	49500	µg/L	GE
0	Selenium	<2.0	µg/L	GE
1	Silica	14800	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	31700	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	1.01E±06	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
1	Total organic halogens	15	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
2	Trichloroethylene	18	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
1	Nonvolatile beta	23±3.8	pCi/L	GE
0	Total radium	1.9±2.2	pCi/L	GE
0	Tritium	7.4±0.50	pCi/mL	GE

ANALYTICAL RESULTS

WELL BGO 12D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/28/90 Time: 11:25
Depth to water: 84.63 ft (25.80 m) below TOC pH: 6.7
Water elevation: 229.07 ft (69.82 m) msl Alkalinity: 16 mg/L
Sp. conductance: 107 µS/cm Water temperature: 19.1°C
Water evacuated before sampling: 7 gal
The well went dry during purging.

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	6.2	pH	GE
0	Specific conductance	97	µS/cm	GE
0	Turbidity	9.9	NTU	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	30	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	9310	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	2400	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	30	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	2690	µg/L	GE
0	Manganese	19	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nitrate as nitrogen	1240	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	2780	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	8180	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	4750	µg/L	GE
1	Sulfate	10100	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
1	Toluene	1.0	µg/L	GE
0	Total dissolved solids	164000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
2	Total organic halogens	33	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
2	Trichloroethylene	56	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	5.3 ± 2.5	pCi/L	GE
1	Total radium	2.7 ± 2.7	pCi/L	GE
1	Tritium	12 ± 0.50	pCi/mL	GE

WELL BGO 13D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/01/90 Time: 14:10
Inaccessibility or pump failure prevented sample collection

WELL BGO 13D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/20/90 Time: 12:55
Depth to water: Not available pH: 5.7
Water elevation: Not available Alkalinity: 23 mg/L
Sp. conductance: 82 µS/cm Water temperature: 18.1°C
Water evacuated before sampling: 1 gal
There was insufficient water to fill all or some sample bottles.

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
1	Chloroform	1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
1	Total organic halogens	14	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE

WELL BGO 14A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/01/90 Time: 14:15
Inaccessibility or pump failure prevented sample collection.

WELL BGO 14C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/01/90 Time: 14:15
Inaccessibility or pump failure prevented sample collection.

WELL BGO 14D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/01/90 Time: 14:15
Inaccessibility or pump failure prevented sample collection.

ANALYTICAL RESULTS

WELL BGO 15D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/04/90 Time: 12:20
 Depth to water: 70.05 ft (21.35 m) below TOC pH: 5.2
 Water elevation: 228.65 ft (69.99 m) msl Alkalinity: 3 mg/L
 Sp. conductance: 26 µS/cm Water temperature: 21.0°C
 Water evacuated before sampling: 40 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.6	pH	GE
0	Specific conductance	29	µS/cm	GE
0	Turbidity	0.30	NTU	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	6.8	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	2030	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	1900	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	39	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	293	µg/L	GE
0	Manganese	5.9	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nitrate as nitrogen	710	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	5520	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	2540	µg/L	GE
0	Sulfate	<5000	µg/L	GE
2	Tetrachloroethylene	5.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	47000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
2	Total organic halogens	69	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
2	Trichloroethylene	60	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
1	Americium-241	0.72 ± 0.43	pCi/L	TE
0	Americium-243	<0.20	pCi/L	TE
0	Barium-140	<20	pCi/L	TE
0	Beryllium-7	<40	pCi/L	TE
0	Carbon-14	<6.0	pCi/L	TE
0	Cerium-141	<10	pCi/L	TE

WELL BGO 15D collected on 02/04/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Cerium-144	<30	pCi/L	TE
0	Cesium-134	<3.0	pCi/L	TE
0	Cesium-137	<3.0	pCi/L	TE
0	Cobalt-58	<4.0	pCi/L	TE
0	Cobalt-60	<4.0	pCi/L	TE
1	Curium-242	0.38 ± 0.28	pCi/L	TE
1	Curium-243/244	1.4 ± 0.50	pCi/L	TE
0	Curium-246	<0.20	pCi/L	TE
0	Gross alpha	<3.0	pCi/L	GE
0	Gross alpha	<1.0	pCi/L	TE
0	Iodine-129	<1.0	pCi/L	TE
0	Iodine-131	<50	pCi/L	TE
0	Iron-55	<30	pCi/L	TE
0	Iron-59	<10	pCi/L	TE
0	Manganese-54	<3.0	pCi/L	TE
0	Neptunium-237	<8.0	pCi/L	TE
0	Nickel-59	<80	pCi/L	TE
0	Nickel-63	<10	pCi/L	TE
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Nonvolatile beta	<2.0	pCi/L	TE
0	Plutonium-238	<0.20	pCi/L	TE
0	Plutonium-239/240	<0.10	pCi/L	TE
0	Plutonium-242	<0.070	pCi/L	TE
0	Potassium-40	<60	pCi/L	TE
0	Radium-226	<80	pCi/L	TE
0	Radium-226	<1.0	pCi/L	TE
0	Radium-228	<2.0	pCi/L	TE
0	Ruthenium-103	<6.0	pCi/L	TE
0	Ruthenium-106	<30	pCi/L	TE
0	Strontium-89	<6.0	pCi/L	TE
0	Strontium-90	<1.0	pCi/L	TE
0	Technetium-99	<2.0	pCi/L	TE
0	Thorium-228	<7.0	pCi/L	TE
1	Total radium	3.3 ± 2.5	pCi/L	GE
2	Tritium	253 ± 1.6	pCi/mL	GE
2	Tritium	240 ± 10	pCi/mL	TE
0	Uranium-234	<0.080	pCi/L	TE
0	Uranium-235	<0.10	pCi/L	TE
0	Uranium-238	<0.080	pCi/L	TE
0	Zinc-65	<7.0	pCi/L	TE
0	Zirconium-95	<4.0	pCi/L	TE

WELL BGO 16A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/31/90 Time: 10:55
 Depth to water: 144.93 ft (44.18 m) below TOC pH: 12.2
 Water elevation: 160.07 ft (48.79 m) msl Alkalinity: 284 mg/L
 Sp. conductance: 1737 µS/cm Water temperature: 18.0°C
 Water evacuated before sampling: 16 gal
 The well went dry during purging.

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
2	pH	12	pH	GE
2	pH	12	pH	GE
1	Specific conductance	1670	µS/cm	GE
1	Specific conductance	1670	µS/cm	GE
0	Turbidity	<0.20	NTU	GE
0	Turbidity	<0.20	NTU	GE
0	Arsenic	<2.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
1	Barium	129	µg/L	GE
1	Barium	125	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
1	Calcium	38800	µg/L	GE
1	Calcium	38800	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	<1000	µg/L	GE
0	Chloride	<1000	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE

ANALYTICAL RESULTS

WELL BGO 16A collected on 01/31/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	150	µg/L	GE
0	Fluoride	170	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	40	µg/L	GE
0	Iron	15	µg/L	GE
0	Lead	<8.0	µg/L	GE
0	Lead	<8.0	µg/L	GE
0	Magnesium	5.3	µg/L	GE
0	Magnesium	4.8	µg/L	GE
0	Manganese	<2.0	µg/L	GE
0	Manganese	<2.0	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nitrate as nitrogen	<50	µg/L	GE
0	Nitrate as nitrogen	<50	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Phenols	<5.0	µg/L	GE
1	Potassium	21400	µg/L	GE
1	Potassium	21700	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Selenium	<2.0	µg/L	GE
1	Silica	13900	µg/L	GE
1	Silica	13900	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	21500	µg/L	GE
1	Sodium	21700	µg/L	GE
1	Sulfate	10600	µg/L	GE
1	Sulfate	10600	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	404000	µg/L	GE
0	Total dissolved solids	408000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE

WELL BGO 16A collected on 01/31/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	2,4,5-TP (Silvex)	<0.080	µg/L	GE
0	2,4,5-TP (Silvex)	<0.080	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	<2.0	pCi/L	GE
1	Nonvolatile beta	14±4.2	pCi/L	GE
0	Total radium	1.1±2.1	pCi/L	GE
0	Total radium	2.1±3.3	pCi/L	GE
0	Tritium	3.8±0.40	pCi/mL	GE
0	Tritium	3.1±0.40	pCi/mL	GE

WELL BGO 16D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/31/90
 Depth to water: 75.03 ft (22.87 m) below TOC
 Water elevation: 229.57 ft (69.97 m) msl
 Sp. conductance: 718 µS/cm
 Water evacuated before sampling: 3 gal
 The well went dry during purging.

Time: 11:15
 pH: 11.5
 Alkalinity: 146 mg/L
 Water temperature: 17.9°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
2	pH	11	pH	GE
1	Specific conductance	570	µS/cm	GE
0	Turbidity	14	NTU	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	12	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoforn	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	1350	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	1200	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
1	Chromium	7.9	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	25	µg/L	GE
0	Lead	<8.0	µg/L	GE
0	Magnesium	39	µg/L	GE
0	Manganese	<2.0	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nitrate as nitrogen	140	µg/L	GE
0	Phenols	<5.0	µg/L	GE
1	Potassium	28900	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	8860	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	718000	µg/L	GE
0	Sulfate	8800	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	221000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
2	Total organic halogens	41	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
2	Trichloroethylene	12	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.080	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE

ANALYTICAL RESULTS

WELL BGO 18D collected on 01/31/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
1	Nonvolatile beta	25 ± 3.4	pCl/L	GE
1	Total activity	981 ± 7.1	pCl/mL	EM
0	Total radium	< 1.0	pCl/L	GE
2	Tritium	1160 ± 3.5	pCl/mL	GE

WELL BGO 17D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/30/90 Time: 11:10
Inaccessibility or pump failure prevented sample collection.

WELL BGO 18A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/30/90 Time: 13:00
Depth to water: 135.06 ft (41.17 m) below TOC pH: 7.1
Water elevation: 180.14 ft (48.81 m) msl Alkalinity: 77 mg/L
Sp. conductance: 207 µS/cm Water temperature: 18.4°C
Water evacuated before sampling: 170 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	pH	7.1	pH	GE
1	Specific conductance	209	µS/cm	GE
0	Turbidity	0.30	NTU	GE
0	Arsenic	< 2.0	µg/L	GE
1	Barium	50	µg/L	GE
0	Benzene	< 1.0	µg/L	GE
0	Bromodichloromethane	< 1.0	µg/L	GE
0	Bromoform	< 1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	< 1.0	µg/L	GE
0	Cadmium	< 2.0	µg/L	GE
1	Calcium	40600	µg/L	GE
0	Carbon tetrachloride	< 1.0	µg/L	GE
0	Chloride	2700	µg/L	GE
0	Chlorobenzene	< 1.0	µg/L	GE
0	Chloroethane	< 1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	< 1.0	µg/L	GE
0	Chloroform	< 1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	< 1.0	µg/L	GE
0	Chromium	< 4.0	µg/L	GE
0	cis-1,3-Dichloropropene	< 1.0	µg/L	GE
0	Dibromochloromethane	< 1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	< 1.0	µg/L	GE
0	Endrin	< 0.10	µg/L	GE
0	Ethylbenzene	< 1.0	µg/L	GE
0	Fluoride	140	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	< 0.050	µg/L	GE
0	Iron	38	µg/L	GE
0	Lead	< 6.0	µg/L	GE
0	Magnesium	1750	µg/L	GE
2	Manganese	82	µg/L	GE
0	Mercury	< 0.20	µg/L	GE
0	Methoxychlor	< 0.50	µg/L	GE
0	Nitrate as nitrogen	< 50	µg/L	GE
0	Phenols	< 5.0	µg/L	GE
0	Potassium	1340	µg/L	GE
0	Selenium	< 2.0	µg/L	GE
1	Silica	32100	µg/L	GE
0	Silver	< 2.0	µg/L	GE
0	Sodium	3040	µg/L	GE
1	Sulfate	10100	µg/L	GE
0	Tetrachloroethylene	< 1.0	µg/L	GE
0	Toluene	< 1.0	µg/L	GE
0	Total dissolved solids	142000	µg/L	GE
0	Total organic carbon	< 1000	µg/L	GE
0	Total organic halogens	< 5.0	µg/L	GE
0	Total phosphates	160	µg/L	GE
0	Toxaphene	< 1.0	µg/L	GE
0	trans-1,2-Dichloroethene	< 1.0	µg/L	GE
0	trans-1,3-Dichloropropene	< 1.0	µg/L	GE
0	Trichloroethylene	< 1.0	µg/L	GE
0	Trichlorofluoromethane	< 1.0	µg/L	GE
0	1,1-Dichloroethane	< 1.0	µg/L	GE
0	1,1-Dichloroethylene	< 1.0	µg/L	GE
0	1,1,1-Trichloroethane	< 1.0	µg/L	GE
0	1,1,2-Trichloroethane	< 1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	< 1.0	µg/L	GE
0	1,2-Dichloroethane	< 1.0	µg/L	GE
0	1,2-Dichloropropane	< 1.0	µg/L	GE

WELL BGO 18A collected on 01/30/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	2-Chloroethyl vinyl ether	< 1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	< 0.30	µg/L	GE
0	2,4,5-TP (Silvex)	< 0.090	µg/L	GE
0	Gross alpha	< 3.0	pCl/L	GE
0	Nonvolatile beta	2.5 ± 2.1	pCl/L	GE
1	Total radium	3.2 ± 2.4	pCl/L	GE
0	Tritium	< 0.70	pCl/mL	GE

WELL BGO 18D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/30/90 Time: 12:20
Depth to water: 63.87 ft (19.50 m) below TOC pH: 5.0
Water elevation: 230.93 ft (70.39 m) msl Alkalinity: 1 mg/L
Sp. conductance: 24 µS/cm Water temperature: 17.3°C
Water evacuated before sampling: 65 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	4.7	pH	GE
0	Specific conductance	27	µS/cm	GE
0	Turbidity	< 0.20	NTU	GE
0	Arsenic	< 2.0	µg/L	GE
0	Barium	10	µg/L	GE
0	Benzene	< 1.0	µg/L	GE
0	Bromodichloromethane	< 1.0	µg/L	GE
0	Bromoform	< 1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	< 1.0	µg/L	GE
0	Cadmium	< 2.0	µg/L	GE
0	Calcium	1200	µg/L	GE
0	Carbon tetrachloride	< 1.0	µg/L	GE
0	Chloride	1800	µg/L	GE
0	Chlorobenzene	< 1.0	µg/L	GE
0	Chloroethane	< 1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	< 1.0	µg/L	GE
0	Chloroform	< 1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	< 1.0	µg/L	GE
0	Chromium	< 4.0	µg/L	GE
0	cis-1,3-Dichloropropene	< 1.0	µg/L	GE
0	Dibromochloromethane	< 1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	< 1.0	µg/L	GE
0	Endrin	< 0.10	µg/L	GE
0	Ethylbenzene	< 1.0	µg/L	GE
0	Fluoride	< 100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	< 0.050	µg/L	GE
0	Iron	47	µg/L	GE
0	Lead	< 6.0	µg/L	GE
0	Magnesium	320	µg/L	GE
0	Manganese	18	µg/L	GE
0	Mercury	< 0.20	µg/L	GE
0	Methoxychlor	< 0.50	µg/L	GE
0	Nitrate as nitrogen	1400	µg/L	GE
0	Phenols	< 5.0	µg/L	GE
0	Potassium	< 500	µg/L	GE
0	Selenium	< 2.0	µg/L	GE
1	Silica	71400	µg/L	GE
0	Silver	< 2.0	µg/L	GE
0	Sodium	2010	µg/L	GE
0	Sulfate	< 5000	µg/L	GE
0	Tetrachloroethylene	< 1.0	µg/L	GE
0	Toluene	< 1.0	µg/L	GE
0	Total dissolved solids	13000	µg/L	GE
0	Total organic carbon	< 1000	µg/L	GE
0	Total organic halogens	< 5.0	µg/L	GE
0	Total phosphates	< 50	µg/L	GE
0	Toxaphene	< 1.0	µg/L	GE
0	trans-1,2-Dichloroethene	< 1.0	µg/L	GE
0	trans-1,3-Dichloropropene	< 1.0	µg/L	GE
0	Trichloroethylene	< 1.0	µg/L	GE
0	Trichlorofluoromethane	< 1.0	µg/L	GE
0	1,1-Dichloroethane	< 1.0	µg/L	GE
0	1,1-Dichloroethylene	< 1.0	µg/L	GE
0	1,1,1-Trichloroethane	< 1.0	µg/L	GE
0	1,1,2-Trichloroethane	< 1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	< 1.0	µg/L	GE
0	1,2-Dichloroethane	< 1.0	µg/L	GE
0	1,2-Dichloropropane	< 1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	< 1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	< 0.30	µg/L	GE
0	2,4,5-TP (Silvex)	< 0.090	µg/L	GE
0	Gross alpha	< 3.0	pCl/L	GE
0	Nonvolatile beta	< 2.0	pCl/L	GE
0	Total radium	1.8 ± 2.1	pCl/L	GE
1	Tritium	17 ± 0.50	pCl/mL	GE

ANALYTICAL RESULTS

WELL BGO 19D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/30/90 Time: 10:30
 Depth to water: 55.43 ft (16.90 m) below TOC pH: 5.9
 Water elevation: 231.77 ft (70.64 m) msl Alkalinity: 4 mg/L
 Sp. conductance: 35 µS/cm Water temperature: 17.8°C
 Water evacuated before sampling: 113 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.8	pH	GE
0	Specific conductance	35	µS/cm	GE
0	Turbidity	<0.20	NTU	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	13	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	2390	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	2300	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	24	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	228	µg/L	GE
0	Manganese	23	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nitrate as nitrogen	1100	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	8720	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	3290	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	23000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Americium-241	<0.10	pCi/L	TE
0	Americium-243	<0.10	pCi/L	TE
0	Barium-140	<20	pCi/L	TE
0	Beryllium-7	<40	pCi/L	TE
1	Carbon-14	7.7 ± 4.5	pCi/L	TE
0	Cerium-141	<10	pCi/L	TE
0	Cerium-144	<30	pCi/L	TE
0	Cesium-134	<3.0	pCi/L	TE
0	Cesium-137	<3.0	pCi/L	TE
0	Cobalt-58	<4.0	pCi/L	TE
0	Cobalt-60	<3.0	pCi/L	TE
0	Curium-242	<0.060	pCi/L	TE
0	Curium-243/244	<0.10	pCi/L	TE
0	Curium-248	<0.10	pCi/L	TE
0	Gross alpha	<3.0	pCi/L	GE
0	Gross alpha	<1.0	pCi/L	TE

WELL BGO 19D collected on 01/30/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Iodine-129	<2.0	pCi/L	TE
0	Iodine-131	<50	pCi/L	TE
0	Iron-55	<60	pCi/L	TE
0	Iron-59	<10	pCi/L	TE
0	Manganese-54	<3.0	pCi/L	TE
0	Neptunium-237	<7.0	pCi/L	TE
0	Nickel-59	<100	pCi/L	TE
0	Nickel-63	<10	pCi/L	TE
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Nonvolatile beta	<2.0	pCi/L	TE
0	Plutonium-238	<0.10	pCi/L	TE
0	Plutonium-239/240	<0.090	pCi/L	TE
0	Plutonium-242	<0.10	pCi/L	TE
0	Potassium-40	<50	pCi/L	TE
0	Radium-226	<70	pCi/L	TE
0	Radium-228	<1.0	pCi/L	TE
0	Radium-228	<2.0	pCi/L	TE
0	Ruthenium-103	<6.0	pCi/L	TE
0	Ruthenium-106	<30	pCi/L	TE
1	Strontium-89	13 ± 4.0	pCi/L	TE
1	Strontium-90	2.8 ± 1.0	pCi/L	TE
0	Technetium-99	<3.0	pCi/L	TE
0	Thorium-228	<6.0	pCi/L	TE
0	Thorium-228	<0.40	pCi/L	TE
0	Thorium-230	<0.20	pCi/L	TE
1	Thorium-232	1.0 ± 0.50	pCi/L	TE
0	Total radium	1.8 ± 2.2	pCi/L	GE
2	Tritium	30 ± 0.60	pCi/mL	GE
2	Tritium	22 ± 2.0	pCi/mL	TE
0	Uranium-234	<0.50	pCi/L	TE
0	Uranium-235	<0.070	pCi/L	TE
0	Uranium-238	<0.050	pCi/L	TE
0	Zinc-65	<6.0	pCi/L	TE
0	Zirconium-95	<4.0	pCi/L	TE

WELL BGO 20D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/31/90 Time: 12:00
 Depth to water: 50.69 ft (15.45 m) below TOC pH: 5.8
 Water elevation: 233.01 ft (71.02 m) msl Alkalinity: 33 mg/L
 Sp. conductance: 84 µS/cm Water temperature: 19.2°C
 Water evacuated before sampling: 8 gal
 The well went dry during purging.

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.8	pH	GE
0	Specific conductance	81	µS/cm	GE
0	Turbidity	2.2	NTU	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	35	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	4230	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	2500	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	36	µg/L	GE
0	Lead	7.0	µg/L	GE
0	Magnesium	774	µg/L	GE
2	Manganese	103	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nitrate as nitrogen	1500	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	2640	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	8550	µg/L	GE
0	Silver	<2.0	µg/L	GE

ANALYTICAL RESULTS

WELL BGO 20D collected on 01/31/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
1	Sodium	9680	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	46000	µg/L	GE
0	Total organic carbon	1000	µg/L	GE
0	Total organic halogens	7.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	4.3±2.4	pCi/L	GE
0	Total radium	2.4±2.3	pCi/L	GE
2	Tritium	24±0.60	pCi/mL	GE

WELL BGO 21D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/31/90
 Depth to water: 51.75 ft (15.77 m) below TOC
 Water elevation: 233.65 ft (71.22 m) msl
 Sp. conductance: 115 µS/cm
 Water evacuated before sampling: 7 gal
 The well went dry during purging.

Time: 13:35
 pH: 6.3
 Alkalinity: 30 mg/L
 Water temperature: 19.6°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	pH	6.5	pH	GE
1	Specific conductance	114	µS/cm	GE
0	Turbidity	68	NTU	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	8.2	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	1410	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	2600	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	23	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	154	µg/L	GE
0	Manganese	5.8	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nitrate as nitrogen	1690	µg/L	GE
0	Phenols	<5.0	µg/L	GE
1	Potassium	11900	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	7650	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	14200	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	80000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE

WELL BGO 21D collected on 01/31/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	8.6±2.8	pCi/L	GE
0	Total radium	2.2±2.2	pCi/L	GE
2	Tritium	50±0.80	pCi/mL	GE

WELL BGO 22D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/31/90
 Depth to water: 54.85 ft (16.72 m) below TOC
 Water elevation: 231.65 ft (70.61 m) msl
 Sp. conductance: 28 µS/cm
 Water evacuated before sampling: 123 gal

Time: 13:05
 pH: 4.7
 Alkalinity: 1 mg/L
 Water temperature: 19.2°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.4	pH	GE
0	Specific conductance	32	µS/cm	GE
0	Turbidity	0.40	NTU	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	9.8	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	1070	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	1700	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	32	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	553	µg/L	GE
0	Manganese	14	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nitrate as nitrogen	1670	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	7460	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	2880	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	23000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE

ANALYTICAL RESULTS

WELL BGO 22D collected on 01/31/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
1	Americium-241	9.1±1.9	pCi/L	TE
1	Americium-243	3.0±1.1	pCi/L	TE
0	Barium-140	<20	pCi/L	TE
0	Beryllium-7	<40	pCi/L	TE
0	Carbon-14	<8.0	pCi/L	TE
0	Cerium-141	<10	pCi/L	TE
0	Cerium-144	<30	pCi/L	TE
0	Cesium-134	<3.0	pCi/L	TE
0	Cesium-137	<3.0	pCi/L	TE
0	Cobalt-58	<4.0	pCi/L	TE
0	Cobalt-60	<3.0	pCi/L	TE
0	Curium-242	<0.10	pCi/L	TE
0	Curium-243/244	<0.30	pCi/L	TE
1	Curium-246	5.3±1.4	pCi/L	TE
2	Gross alpha	19±3.6	pCi/L	GE
0	Gross alpha	<1.0	pCi/L	TE
0	Iodine-129	<2.0	pCi/L	TE
0	Iodine-131	<50	pCi/L	TE
0	Iron-55	<80	pCi/L	TE
0	Iron-59	<8.0	pCi/L	TE
0	Manganese-54	<3.0	pCi/L	TE
0	Neptunium-237	<7.0	pCi/L	TE
0	Nickel-59	<80	pCi/L	TE
0	Nickel-63	<10	pCi/L	TE
0	Nonvolatile beta	3.6±2.7	pCi/L	GE
0	Nonvolatile beta	2.1±1.1	pCi/L	TE
0	Plutonium-238	<0.40	pCi/L	TE
0	Plutonium-239/240	<0.10	pCi/L	TE
0	Plutonium-242	<0.10	pCi/L	TE
0	Potassium-40	<50	pCi/L	TE
0	Radium-226	<70	pCi/L	TE
0	Radium-228	<1.0	pCi/L	TE
0	Radium-228	<0.80	pCi/L	TE
0	Ruthenium-103	<5.0	pCi/L	TE
0	Ruthenium-106	<30	pCi/L	TE
0	Strontium-89	<5.0	pCi/L	TE
0	Strontium-90	<1.0	pCi/L	TE
1	Technetium-99	8.3±2.5	pCi/L	TE
0	Thorium-228	<6.0	pCi/L	TE
0	Thorium-228	<0.090	pCi/L	TE
0	Thorium-230	<0.030	pCi/L	TE
1	Thorium-232	0.51±0.24	pCi/L	TE
0	Total radium	<1.0	pCi/L	GE
2	Tritium	21±0.60	pCi/mL	GE
1	Tritium	19±2.0	pCi/mL	TE
1	Uranium-234	0.23±0.16	pCi/L	TE
0	Uranium-235	<0.070	pCi/L	TE
1	Uranium-238	0.15±0.14	pCi/L	TE
0	Zinc-65	<7.0	pCi/L	TE
0	Zirconium-95	<4.0	pCi/L	TE

WELL BGO 23D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/01/90 Time: 14:35
Inaccessibility or pump failure prevented sample collection.

WELL BGO 23D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/20/90 Time: 10:30
Depth to water: 53.85 ft (16.44 m) below TOC pH: 8.0
Water elevation: 235.25 ft (71.71 m) mal Alkalinity: 6 mg/L
Sp. conductance: 37 µS/cm Water temperature: 19.7°C
Water evacuated before sampling: 50 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	8.1	pH	GE
0	Specific conductance	34	µS/cm	GE
0	Turbidity	0.60	NTU	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	<4.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	857	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	<1000	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethane (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	<4.0	µg/L	GE
0	Iron	49	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	134	µg/L	GE
0	Manganese	4.8	µg/L	GE
0	Mercury	0.25	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nitrate as nitrogen	40	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	1300	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	5280	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	5050	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	75000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
1	Total phosphates	450	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Total radium	<1.0	pCi/L	GE
2	Tritium	25±0.60	pCi/mL	GE

ANALYTICAL RESULTS

WELL BGO 24D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/31/90 Time: 14:10
 Depth to water: 57.24 ft (17.45 m) below TOC pH: 10.1
 Water elevation: 235.98 ft (71.92 m) msf Alkalinity: 28 mg/L
 Sp. conductance: 112 µS/cm Water temperature: 19.9°C
 Water evacuated before sampling: 6 gal
 The well went dry during purging.

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
2	pH	10	pH	GE
1	Specific conductance	118	µS/cm	GE
0	Turbidity	7.2	NTU	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	26	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	8750	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	1600	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethane (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	25	µg/L	GE
0	Lead	8.3	µg/L	GE
0	Magnesium	113	µg/L	GE
0	Manganese	<2.0	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nitrate as nitrogen	620	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	1280	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	7480	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	10900	µg/L	GE
0	Sulfate	5400	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	55000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
1	Total organic halogens	22	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
2	Gross alpha	27 ± 4.4	pCi/L	GE
0	Nonvolatile beta	8.2 ± 3.0	pCi/L	GE
0	Total radium	<1.0	pCi/L	GE
0	Tritium	5.7 ± 0.40	pCi/mL	GE

WELL BGO 25A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/28/90 Time: 12:00
 Depth to water: 137.20 ft (41.82 m) below TOC pH: 7.5
 Water elevation: 159.30 ft (48.58 m) msf Alkalinity: 87 mg/L
 Sp. conductance: 253 µS/cm Water temperature: 19.0°C
 Water evacuated before sampling: 15 gal
 The well went dry during purging.

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	pH	8.0	pH	GE
1	Specific conductance	210	µS/cm	GE
0	Turbidity	<0.20	NTU	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	38	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
1	Calcium	32500	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	2500	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethane (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	40	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	712	µg/L	GE
0	Manganese	5.1	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nitrate as nitrogen	<50	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	1080	µg/L	GE
0	Selenium	<2.0	µg/L	GE
1	Silica	42100	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	3130	µg/L	GE
0	Sulfate	8300	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
1	Toluene	1.0	µg/L	GE
0	Total dissolved solids	181000	µg/L	GE
0	Total organic carbon	1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Total radium	1.1 ± 2.0	pCi/L	GE
0	Tritium	<0.70	pCi/mL	GE

ANALYTICAL RESULTS

WELL BGO 26A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/27/90 Time: 11:25
 Depth to water: 128.56 ft (39.19 m) below TOC pH: 13.1
 Water elevation: 158.84 ft (48.35 m) msf Alkalinity: 830 mg/L
 Sp. conductance: 3200 µS/cm Water temperature: 18.4°C
 Water evacuated before sampling: 28 gal
 The well went dry during purging.

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
2	pH	12	pH	GE
2	pH	12	pH	GE
1	Specific conductance	3300	µS/cm	GE
1	Specific conductance	3300	µS/cm	GE
0	Acetophenone	< 10	µg/L	GE
0	Acetophenone	< 10	µg/L	GE
0	Arsenic	< 2.0	µg/L	GE
0	Arsenic	< 2.0	µg/L	GE
1	Barium	58	µg/L	GE
1	Barium	63	µg/L	GE
0	Benzene	< 1.0	µg/L	GE
0	Benzene	< 1.0	µg/L	GE
0	Bromodichloromethane	< 1.0	µg/L	GE
0	Bromodichloromethane	< 1.0	µg/L	GE
0	Bromoform	< 1.0	µg/L	GE
0	Bromoform	< 1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	< 1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	< 1.0	µg/L	GE
0	Cadmium	< 2.0	µg/L	GE
0	Cadmium	< 2.0	µg/L	GE
1	Calcium	40200	µg/L	GE
1	Calcium	41500	µg/L	GE
0	Carbon tetrachloride	< 1.0	µg/L	GE
0	Carbon tetrachloride	< 1.0	µg/L	GE
0	Chloride	< 1000	µg/L	GE
0	Chloride	< 1000	µg/L	GE
0	Chlorobenzene	< 1.0	µg/L	GE
0	Chlorobenzene	< 1.0	µg/L	GE
0	Chloroethane	< 1.0	µg/L	GE
0	Chloroethane	< 1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	< 1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	< 1.0	µg/L	GE
0	Chloroform	< 1.0	µg/L	GE
0	Chloroform	< 1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	< 1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	< 1.0	µg/L	GE
0	Chromium	2.6	µg/L	GE
0	Chromium	2.4	µg/L	GE
0	cis-1,3-Dichloropropene	< 1.0	µg/L	GE
0	cis-1,3-Dichloropropene	< 1.0	µg/L	GE
0	Dibromochloromethane	< 1.0	µg/L	GE
0	Dibromochloromethane	< 1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	< 1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	< 1.0	µg/L	GE
0	Endrin	< 0.10	µg/L	GE
0	Endrin	< 0.10	µg/L	GE
0	Ethylbenzene	< 1.0	µg/L	GE
0	Ethylbenzene	< 1.0	µg/L	GE
0	Fluoride	< 100	µg/L	GE
0	Fluoride	100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	< 0.050	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	< 0.050	µg/L	GE
0	Iron	31	µg/L	GE
0	Iron	30	µg/L	GE
0	Lead	< 6.0	µg/L	GE
0	Lead	< 6.0	µg/L	GE
0	Magnesium	43	µg/L	GE
0	Magnesium	45	µg/L	GE
0	Manganese	< 2.0	µg/L	GE
0	Manganese	< 2.0	µg/L	GE
0	Mercury	< 0.20	µg/L	GE
0	Mercury	< 0.20	µg/L	GE
0	Methoxychlor	< 0.50	µg/L	GE
0	Methoxychlor	< 0.50	µg/L	GE
0	Naphthalene	< 10	µg/L	GE
0	Naphthalene	< 10	µg/L	GE
0	Nitrate as nitrogen	340	µg/L	GE
0	Nitrate as nitrogen	310	µg/L	GE
1	Phenols	17	µg/L	GE
1	Phenols	17	µg/L	GE
0	Selenium	< 2.0	µg/L	GE
0	Selenium	< 2.0	µg/L	GE
1	Silica	20300	µg/L	GE
1	Silica	22500	µg/L	GE
0	Silver	< 2.0	µg/L	GE
0	Silver	< 2.0	µg/L	GE
1	Sodium	11200	µg/L	GE

WELL BGO 26A collected on 01/27/90, laboratory analyses (continued)

File	Analyte	Result	Unit	Lab
1	Sodium	12000	µg/L	GE
0	Sulfate	8300	µg/L	GE
0	Sulfate	8100	µg/L	GE
0	Tetrahydroethylene	< 1.0	µg/L	GE
0	Tetrahydroethylene	< 1.0	µg/L	GE
0	Toluene	< 1.0	µg/L	GE
0	Toluene	< 1.0	µg/L	GE
0	Total dissolved solids	781000	µg/L	GE
0	Total dissolved solids	758000	µg/L	GE
0	Total organic carbon	1000	µg/L	GE
0	Total organic carbon	1000	µg/L	GE
0	Total organic halogens	< 5.0	µg/L	GE
0	Total organic halogens	< 5.0	µg/L	GE
0	Total phosphates	< 50	µg/L	GE
0	Total phosphates	< 50	µg/L	GE
0	Toxaphene	< 1.0	µg/L	GE
0	Toxaphene	< 1.0	µg/L	GE
0	trans-1,2-Dichloroethene	< 1.0	µg/L	GE
0	trans-1,2-Dichloroethene	< 1.0	µg/L	GE
0	trans-1,3-Dichloropropene	< 1.0	µg/L	GE
0	trans-1,3-Dichloropropene	< 1.0	µg/L	GE
2	Trichloroethylene	10	µg/L	GE
2	Trichloroethylene	10	µg/L	GE
0	Trichlorofluoromethane	< 1.0	µg/L	GE
0	Trichlorofluoromethane	< 1.0	µg/L	GE
0	Xylenes	< 2.0	µg/L	GE
0	Xylenes	< 2.0	µg/L	GE
0	1,1-Dichloroethane	< 1.0	µg/L	GE
0	1,1-Dichloroethane	< 1.0	µg/L	GE
0	1,1-Dichloroethylene	< 1.0	µg/L	GE
0	1,1-Dichloroethylene	< 1.0	µg/L	GE
0	1,1,1-Trichloroethane	< 1.0	µg/L	GE
0	1,1,1-Trichloroethane	< 1.0	µg/L	GE
0	1,1,2-Trichloroethane	< 1.0	µg/L	GE
0	1,1,2-Trichloroethane	< 1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	< 1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	< 1.0	µg/L	GE
0	1,2-Dichloroethane	< 1.0	µg/L	GE
0	1,2-Dichloroethane	< 1.0	µg/L	GE
0	1,2-Dichloropropane	< 1.0	µg/L	GE
0	1,2-Dichloropropane	< 1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	< 1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	< 1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	< 0.30	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	< 0.30	µg/L	GE
0	2,4,5-TP (Silvex)	< 0.090	µg/L	GE
0	2,4,5-TP (Silvex)	< 0.090	µg/L	GE
0	Barium-140	< 30	pCi/L	TE
0	Beryllium-7	< 40	pCi/L	TE
0	Cerium-141	< 10	pCi/L	TE
0	Cerium-144	< 20	pCi/L	TE
0	Cesium-134	< 4.0	pCi/L	TE
0	Cesium-137	< 4.0	pCi/L	TE
0	Cobalt-58	< 4.0	pCi/L	TE
0	Cobalt-60	< 3.0	pCi/L	TE
0	Gross alpha	< 3.0	pCi/L	GE
0	Gross alpha	< 3.0	pCi/L	GE
0	Iodine-131	< 80	pCi/L	TE
0	Iron-59	< 10	pCi/L	TE
0	Manganese-54	< 3.0	pCi/L	TE
0	Neptunium-237	< 7.0	pCi/L	TE
0	Nonvolatile beta	5.0 ± 1.5	pCi/L	GE
0	Nonvolatile beta	4.7 ± 1.5	pCi/L	GE
0	Potassium-40	< 50	pCi/L	TE
0	Radium-226	< 70	pCi/L	TE
0	Ruthenium-103	< 6.0	pCi/L	TE
0	Ruthenium-106	< 30	pCi/L	TE
0	Thorium-228	< 6.0	pCi/L	TE
0	Total radium	< 1.0	pCi/L	GE
0	Total radium	< 1.0	pCi/L	GE
0	Tritium	1.9 ± 0.30	pCi/mL	GE
0	Tritium	2.2 ± 0.40	pCi/mL	GE
0	Zinc-65	< 9.0	pCi/L	TE
0	Zirconium-95	< 5.0	pCi/L	TE

ANALYTICAL RESULTS

WELL BGO 26D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/27/90

Depth to water: 60.07 ft (18.31 m) below TOC

Water elevation: 225.43 ft (68.71 m) msl

Sp. conductance: 204 µS/cm

Water evacuated before sampling: 7 gal

The well went dry during purging.

Time: 11:45

pH: 8.1

Alkalinity: 19 mg/L

Water temperature: 16.6°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	6.2	pH	GE
0	Specific conductance	67	µS/cm	GE
0	Acetophenone	<10	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	19	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	5280	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	2100	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	38	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	431	µg/L	GE
0	Manganese	13	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Naphthalene	<10	µg/L	GE
0	Nitrate as nitrogen	880	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	8110	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	7810	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	33000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Xylenes	<2.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Barium-140	<30	pCi/L	TE
0	Beryllium-7	<50	pCi/L	TE
0	Cerium-141	<10	pCi/L	TE
0	Cerium-144	<30	pCi/L	TE
0	Cesium-134	<4.0	pCi/L	TE
0	Cesium-137	<4.0	pCi/L	TE
0	Cobalt-58	<4.0	pCi/L	TE
0	Cobalt-60	<4.0	pCi/L	TE
0	Gross alpha	<3.0	pCi/L	GE
0	Iodine-131	<80	pCi/L	TE
0	Iron-59	<10	pCi/L	TE
0	Manganese-54	<3.0	pCi/L	TE
0	Neptunium-237	<8.0	pCi/L	TE
0	Nonvolatile beta	5.5 ± 1.7	pCi/L	GE
0	Potassium-40	<60	pCi/L	TE

WELL BGO 26D collected on 01/27/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Radium-226	<80	pCi/L	TE
0	Ruthenium-103	<7.0	pCi/L	TE
0	Ruthenium-106	<30	pCi/L	TE
0	Thorium-228	<7.0	pCi/L	TE
0	Total radium	<1.0	pCi/L	GE
0	Tritium	7.8 ± 0.40	pCi/mL	GE
0	Zinc-65	<8.0	pCi/L	TE
0	Zirconium-91	<5.0	pCi/L	TE

WELL BGO 27C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/28/90

Depth to water: 57.98 ft (17.67 m) below TOC

Water elevation: 218.02 ft (66.45 m) msl

Sp. conductance: 109 µS/cm

Water evacuated before sampling: 179 gal

Time: 16:20

pH: 7.2

Alkalinity: 42 mg/L

Water temperature: 17.3°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	pH	7.4	pH	MT
1	pH	7.4	pH	GE
0	Specific conductance	18	µS/cm	MT
1	Specific conductance	104	µS/cm	GE
0	Acetophenone	<10	µg/L	GE
0	Arsenic	<3.0	µg/L	MT
0	Arsenic	<2.0	µg/L	GE
0	Barium	11	µg/L	MT
0	Barium	4.7	µg/L	GE
0	Benzene	<5.0	µg/L	MT
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<5.0	µg/L	MT
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<5.0	µg/L	MT
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<10	µg/L	MT
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<3.0	µg/L	MT
0	Cadmium	<2.0	µg/L	GE
1	Calcium	45700	µg/L	MT
1	Calcium	20500	µg/L	GE
0	Carbon tetrachloride	<5.0	µg/L	MT
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	1800	µg/L	MT
0	Chloride	1700	µg/L	GE
0	Chlorobenzene	<5.0	µg/L	MT
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<10	µg/L	MT
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<5.0	µg/L	MT
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<10	µg/L	MT
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<3.0	µg/L	MT
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<5.0	µg/L	MT
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Dibromochloromethane	<5.0	µg/L	MT
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<5.0	µg/L	MT
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.0060	µg/L	MT
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<5.0	µg/L	MT
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	250	µg/L	MT
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.0050	µg/L	MT
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	24	µg/L	MT
0	Iron	18	µg/L	GE
0	Lead	<3.0	µg/L	MT
0	Lead	<8.0	µg/L	GE
0	Magnesium	712	µg/L	MT
0	Magnesium	269	µg/L	GE
0	Manganese	5.2	µg/L	MT
0	Manganese	<2.0	µg/L	GE
0	Mercury	<0.20	µg/L	MT
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	MT
0	Methoxychlor	<0.50	µg/L	GE
0	Naphthalene	<10	µg/L	GE
0	Nitrate as nitrogen	1100	µg/L	MT

ANALYTICAL RESULTS

WELL BGO 270 collected on 01/28/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Nitrate as nitrogen	1100	µg/L	GE
0	Phenols	<5.0	µg/L	MT
0	Phenols	<5.0	µg/L	MT
0	Phenols	<5.0	µg/L	GE
0	Selenium	<3.0	µg/L	MT
0	Selenium	<2.0	µg/L	GE
0	Silica	8030	µg/L	GE
1	Silica	17600	µg/L	MT
0	Silver	<2.0	µg/L	MT
0	Silver	<2.0	µg/L	GE
0	Sodium	3760	µg/L	MT
0	Sodium	1770	µg/L	GE
0	Sulfate	1100	µg/L	MT
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<5.0	µg/L	MT
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<5.0	µg/L	MT
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	86000	µg/L	MT
0	Total dissolved solids	89000	µg/L	MT
0	Total dissolved solids	74000	µg/L	GE
0	Total organic carbon	<1000	µg/L	MT
0	Total organic carbon	<1000	µg/L	MT
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	7.4	µg/L	MT
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	288	µg/L	MT
1	Total phosphates	400	µg/L	GE
0	Toxaphene	<0.24	µg/L	MT
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<5.0	µg/L	MT
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<5.0	µg/L	MT
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<5.0	µg/L	MT
2	Trichloroethylene	12	µg/L	GE
0	Trichlorofluoromethane	<5.0	µg/L	MT
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Xylenes	<5.0	µg/L	MT
0	Xylenes	<2.0	µg/L	GE
0	1,1-Dichloroethane	<5.0	µg/L	MT
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<5.0	µg/L	MT
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<5.0	µg/L	MT
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<5.0	µg/L	MT
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<5.0	µg/L	MT
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<5.0	µg/L	MT
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<5.0	µg/L	MT
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<5.0	µg/L	MT
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.46	µg/L	MT
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.070	µg/L	MT
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Americium-241	<0.20	pCi/L	TE
0	Americium-243	<0.10	pCi/L	TE
0	Barium-140	<30	pCi/L	TE
0	Beryllium-7	<50	pCi/L	TE
0	Carbon-14	<7.0	pCi/L	TE
0	Cerium-141	<10	pCi/L	TE
0	Cerium-144	<30	pCi/L	TE
0	Cesium-134	<4.0	pCi/L	TE
0	Cesium-137	<4.0	pCi/L	TE
0	Cobalt-58	<4.0	pCi/L	TE
0	Cobalt-60	<4.0	pCi/L	TE
0	Curium-242	<0.050	pCi/L	TE
0	Curium-243/244	<0.20	pCi/L	TE
0	Curium-248	<0.20	pCi/L	TE
0	Gross alpha	<4.0	pCi/L	MT
0	Gross alpha	<3.0	pCi/L	GE
0	Gross alpha	<2.0	pCi/L	TE
0	Iodine-129	<2.0	pCi/L	TE
0	Iodine-131	<80	pCi/L	TE
0	Iron-55	<30	pCi/L	TE
0	Iron-59	<10	pCi/L	TE
0	Manganese-54	<4.0	pCi/L	TE
0	Neptunium-237	<8.0	pCi/L	TE
0	Nickel-59	<90	pCi/L	TE
0	Nickel-63	<10	pCi/L	TE
0	Nonvolatile beta	<5.0	pCi/L	MT
0	Nonvolatile beta	3.8 ± 1.4	pCi/L	GE
0	Nonvolatile beta	1.9 ± 1.2	pCi/L	TE
0	Plutonium-238	<0.20	pCi/L	TE

WELL BGO 270 collected on 01/26/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Plutonium-239/240	<0.10	pCi/L	TE
1	Plutonium-242	0.20 ± 0.18	pCi/L	TE
0	Potassium-40	<80	pCi/L	TE
0	Radium-226	<80	pCi/L	TE
0	Radium-228	<1.0	pCi/L	TE
0	Radium-228	<2.0	pCi/L	TE
0	Ruthenium-103	<7.0	pCi/L	TE
0	Ruthenium-106	<30	pCi/L	TE
0	Strontium-89	<5.0	pCi/L	TE
0	Strontium-90	<1.0	pCi/L	TE
0	Technetium-99	<4.0	pCi/L	TE
0	Thorium-228	<7.0	pCi/L	TE
0	Thorium-228	<0.10	pCi/L	TE
0	Thorium-230	<0.50	pCi/L	TE
1	Thorium-232	0.32 ± 0.22	pCi/L	TE
0	Total radium	<1.0	pCi/L	MT
0	Total radium	1.2 ± 2.0	pCi/L	GE
2	Tritium	29 ± 3.0	pCi/mL	MT
2	Tritium	14 ± 1.0	pCi/mL	GE
2	Tritium	45 ± 2.0	pCi/mL	TE
0	Uranium-234	<0.040	pCi/L	TE
0	Uranium-235	<0.040	pCi/L	TE
0	Uranium-238	<0.040	pCi/L	TE
0	Zinc-65	<8.0	pCi/L	TE
0	Zirconium-95	<5.0	pCi/L	TE

WELL BGO 270

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/28/90
 Depth to water: 57.98 ft (17.87 m) below TOC
 Water elevation: 218.02 ft (66.45 m) msl
 Sp. conductance: 109 µS/cm
 Water evacuated before sampling: 179 gal
 Time: 18:20
 pH: 7.2
 Alkalinity: 42 mg/L
 Water temperature: 17.6°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	pH	7.3	pH	MT
1	pH	7.3	pH	MT
1	pH	7.4	pH	GE
0	Specific conductance	15	µS/cm	MT
0	Specific conductance	15	µS/cm	MT
1	Specific conductance	106	µS/cm	GE
0	Acetophenone	<10	µg/L	GE
0	Arsenic	<3.0	µg/L	MT
0	Arsenic	<2.0	µg/L	GE
0	Barium	10	µg/L	MT
0	Barium	5.4	µg/L	GE
0	Benzene	<5.0	µg/L	MT
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<5.0	µg/L	MT
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<5.0	µg/L	MT
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<10	µg/L	MT
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<3.0	µg/L	MT
0	Cadmium	<2.0	µg/L	GE
1	Calcium	40500	µg/L	MT
1	Calcium	18400	µg/L	GE
0	Carbon tetrachloride	<5.0	µg/L	MT
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	1800	µg/L	MT
0	Chloride	1600	µg/L	GE
0	Chlorobenzene	<5.0	µg/L	MT
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<10	µg/L	MT
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<5.0	µg/L	MT
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<10	µg/L	MT
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<3.0	µg/L	MT
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<5.0	µg/L	MT
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Dibromochloromethane	<5.0	µg/L	MT
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<5.0	µg/L	MT
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.0080	µg/L	MT
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<5.0	µg/L	MT

ANALYTICAL RESULTS

WELL BGO 27C collected on 01/28/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	250	µg/L	MT
0	Fluoride	130	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.0050	µg/L	MT
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	25	µg/L	MT
0	Iron	22	µg/L	GE
0	Lead	<3.0	µg/L	MT
0	Lead	<8.0	µg/L	GE
0	Magnesium	642	µg/L	MT
0	Magnesium	226	µg/L	GE
0	Manganese	5.2	µg/L	MT
0	Manganese	<2.0	µg/L	GE
0	Mercury	<0.20	µg/L	MT
0	Mercury	<0.20	µg/L	MT
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	MT
0	Methoxychlor	<0.50	µg/L	GE
0	Naphthalene	<10	µg/L	GE
0	Nitrate as nitrogen	1100	µg/L	MT
0	Nitrate as nitrogen	1100	µg/L	GE
0	Phenols	<5.0	µg/L	MT
0	Phenols	<5.0	µg/L	GE
0	Selenium	<3.0	µg/L	MT
0	Selenium	<2.0	µg/L	GE
0	Silica	7250	µg/L	GE
1	Silica	15700	µg/L	MT
1	Silver	3.8	µg/L	MT
0	Silver	<2.0	µg/L	GE
0	Sodium	3310	µg/L	MT
0	Sodium	1450	µg/L	GE
0	Sulfate	1100	µg/L	MT
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<5.0	µg/L	MT
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<5.0	µg/L	MT
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	79000	µg/L	MT
0	Total dissolved solids	67000	µg/L	GE
0	Total organic carbon	<1000	µg/L	MT
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	8.8	µg/L	MT
0	Total organic halogens	9.8	µg/L	MT
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	201	µg/L	MT
1	Total phosphates	400	µg/L	GE
0	Toxaphene	<0.24	µg/L	MT
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<5.0	µg/L	MT
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<5.0	µg/L	MT
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
2	Trichloroethylene	12	µg/L	MT
2	Trichloroethylene	14	µg/L	GE
0	Trichlorofluoromethane	<5.0	µg/L	MT
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Xylenes	<5.0	µg/L	MT
0	Xylenes	<2.0	µg/L	GE
0	1,1-Dichloroethane	<5.0	µg/L	MT
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<5.0	µg/L	MT
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<5.0	µg/L	MT
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<5.0	µg/L	MT
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<5.0	µg/L	MT
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<5.0	µg/L	MT
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<5.0	µg/L	MT
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<5.0	µg/L	MT
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.46	µg/L	MT
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.070	µg/L	MT
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	<4.0	pCi/L	MT
0	Gross alpha	<2.0	pCi/L	MT
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	<4.0	pCi/L	MT
0	Nonvolatile beta	<5.0	pCi/L	MT
0	Nonvolatile beta	4.2 ± 1.4	pCi/L	GE
0	Total radium	<1.0	pCi/L	MT
0	Total radium	<1.0	pCi/L	GE
2	Tritium	28 ± 3.0	pCi/mL	MT
2	Tritium	86 ± 1.0	pCi/mL	GE

WELL BGO 27D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/27/90
 Depth to water: 51.68 ft (15.75 m) below TOC
 Water elevation: 224.82 ft (68.47 m) msl
 Sp. conductance: 66 µS/cm
 Water evacuated before sampling: 11 gal
 The well went dry during purging.

Time: 12:05
 pH: 5.3
 Alkalinity: 2 mg/L
 Water temperature: 16.9°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.9	pH	GE
0	Specific conductance	30	µS/cm	GE
0	Acetophenone	<10	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	22	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	2270	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	2200	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
1	Iron	204	µg/L	GE
0	Lead	14	µg/L	GE
0	Magnesium	727	µg/L	GE
2	Manganese	75	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Naphthalene	<10	µg/L	GE
0	Nitrate as nitrogen	450	µg/L	GE
1	Phenols	8.0	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	6650	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	2710	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	22000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	9.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Xylenes	<2.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Barium-140	<40	pCi/L	TE
0	Beryllium-7	<60	pCi/L	TE
0	Cerium-141	<20	pCi/L	TE
0	Cerium-144	<40	pCi/L	TE
0	Cesium-134	<4.0	pCi/L	TE
0	Cesium-137	<5.0	pCi/L	TE
0	Cobalt-58	<5.0	pCi/L	TE
0	Cobalt-60	<5.0	pCi/L	TE
0	Gross alpha	<3.0	pCi/L	GE
0	Iodine-131	<200	pCi/L	TE
0	Iron-59	<10	pCi/L	TE
0	Manganese-54	<4.0	pCi/L	TE
0	Neptunium-237	<10	pCi/L	TE
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Potassium-40	<90	pCi/L	TE

ANALYTICAL RESULTS

WELL BGO 27D collected on 01/27/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Radium-226	<100	pCi/L	TE
0	Ruthenium-103	<9.0	pCi/L	TE
0	Ruthenium-106	<40	pCi/L	TE
0	Thorium-228	<8.0	pCi/L	TE
1	Total activity	2360 ± 40	pCi/mL	EM
2	Total radium	7.9 ± 3.6	pCi/L	GE
2	Tritium	3950 ± 6.5	pCi/mL	GE
0	Zinc-65	<9.0	pCi/L	TE
0	Zirconium-95	<6.0	pCi/L	TE

WELL BGO 28D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/27/90
 Depth to water: 54.28 ft (16.54 m) below TOC
 Water elevation: 223.12 ft (68.01 m) msl
 Sp. conductance: 91 µS/cm
 Water evacuated before sampling: 6 gal
 The well went dry during purging.

Time: 12:30
 pH: 5.9
 Alkalinity: 18 mg/L
 Water temperature: 18.2°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.5	pH	GE
0	Specific conductance	68	µS/cm	GE
0	Acetophenone	<10	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	27	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	3240	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
1	Chloride	10300	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
1	Chloroform	4.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
2	Iron	403	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	738	µg/L	GE
2	Manganese	132	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Naphthalene	<10	µg/L	GE
0	Nitrate as nitrogen	540	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	8200	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	9290	µg/L	GE
0	Sulfate	<5000	µg/L	GE
1	Tetrachloroethylene	2.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	43000	µg/L	GE
0	Total organic carbon	2000	µg/L	GE
2	Total organic halogens	938	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
2	Trichloroethylene	129	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Xylenes	<2.0	µg/L	GE
1	1,1-Dichloroethane	6.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Barium-140	<30	pCi/L	TE

WELL BGO 28D collected on 01/27/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Beryllium-7	<40	pCi/L	TE
0	Cerium-141	<10	pCi/L	TE
0	Cerium-144	<30	pCi/L	TE
0	Cesium-134	<3.0	pCi/L	TE
0	Cesium-137	<3.0	pCi/L	TE
0	Cobalt-58	<4.0	pCi/L	TE
0	Cobalt-60	<3.0	pCi/L	TE
0	Gross alpha	<3.0	pCi/L	GE
0	Iodine-131	<100	pCi/L	TE
0	Iron-59	<9.0	pCi/L	TE
0	Manganese-54	<3.0	pCi/L	TE
0	Neptunium-237	<6.0	pCi/L	TE
0	Nonvolatile beta	3.7 ± 2.3	pCi/L	GE
0	Potassium-40	<50	pCi/L	TE
0	Radium-226	<70	pCi/L	TE
0	Ruthenium-103	<6.0	pCi/L	TE
0	Ruthenium-106	<30	pCi/L	TE
0	Thorium-228	<6.0	pCi/L	TE
1	Total activity	155000 ± 290	pCi/mL	EM
1	Total radium	3.8 ± 2.8	pCi/L	GE
2	Tritium	150000 ± 40	pCi/mL	GE
0	Zinc-65	<8.0	pCi/L	TE
0	Zirconium-95	<5.0	pCi/L	TE

WELL BGO 29A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/27/90
 Depth to water: 105.78 ft (32.24 m) below TOC
 Water elevation: 158.44 ft (48.29 m) msl
 Sp. conductance: 130 µS/cm
 Water evacuated before sampling: 31 gal
 The well went dry during purging.

Time: 11:00
 pH: 8.7
 Alkalinity: 52 mg/L
 Water temperature: 18.1°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
2	pH	8.2	pH	GE
1	Specific conductance	129	µS/cm	GE
0	Acetophenone	<10	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	38	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
1	Calcium	17600	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	1800	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	19	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	683	µg/L	GE
0	Manganese	3.4	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Naphthalene	<10	µg/L	GE
0	Nitrate as nitrogen	1100	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Selenium	<2.0	µg/L	GE
1	Silica	12500	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	3870	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	83000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
1	Total phosphates	310	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE

ANALYTICAL RESULTS

WELL BGO 29A collected on 01/27/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
1	Trichloroethylene	2.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Xylenes	<2.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Barium-140	<40	pCi/L	TE
0	Beryllium-7	<70	pCi/L	TE
0	Cerium-141	<20	pCi/L	TE
0	Cerium-144	<40	pCi/L	TE
0	Cesium-134	<8.0	pCi/L	TE
0	Cesium-137	<5.0	pCi/L	TE
0	Cobalt-58	<6.0	pCi/L	TE
0	Cobalt-60	<5.0	pCi/L	TE
0	Gross alpha	<3.0	pCi/L	GE
0	Iodine-131	<100	pCi/L	TE
0	Iron-59	<10	pCi/L	TE
0	Manganese-54	<5.0	pCi/L	TE
0	Neptunium-237	<10	pCi/L	TE
0	Nonvolatile beta	5.9 ± 1.7	pCi/L	GE
0	Potassium-40	<90	pCi/L	TE
0	Radium-226	<100	pCi/L	TE
0	Ruthenium-103	<10	pCi/L	TE
0	Ruthenium-106	<50	pCi/L	TE
0	Thorium-228	<10	pCi/L	TE
0	Total radium	<1.0	pCi/L	GE
0	Tritium	5.5 ± 0.40	pCi/mL	GE
0	Zinc-65	<10	pCi/L	TE
0	Zirconium-95	<7.0	pCi/L	TE

WELL BGO 30C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/27/90
 Depth to water: 57.96 ft (17.67 m) below TOC
 Water elevation: 218.54 ft (66.00 m) msl
 Sp. conductance: 124 µS/cm
 Water evacuated before sampling: 21 gal
 The well went dry during purging.

Time: 12:55
 pH: 6.6
 Alkalinity: 29 mg/L
 Water temperature: 18.0°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	pH	7.0	pH	GE
1	Specific conductance	119	µS/cm	GE
0	Acetophenone	<10	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	10	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	2500	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	2800	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	150	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	52	µg/L	GE
0	Lead	<8.0	µg/L	GE
0	Magnesium	207	µg/L	GE
1	Manganese	34	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Naphthalene	<10	µg/L	GE
0	Nitrate as nitrogen	530	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Selenium	<2.0	µg/L	GE

WELL BGO 30C collected on 01/27/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Silica	8880	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	19400	µg/L	GE
1	Sulfate	15600	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	77000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
1	Total organic halogens	22	µg/L	GE
0	Total phosphates	110	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
2	Trichloroethylene	7.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Xylenes	<2.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Barium-140	<30	pCi/L	TE
0	Beryllium-7	<60	pCi/L	TE
0	Cerium-141	<20	pCi/L	TE
0	Cerium-144	<40	pCi/L	TE
0	Cesium-134	<5.0	pCi/L	TE
0	Cesium-137	<5.0	pCi/L	TE
0	Cobalt-58	<5.0	pCi/L	TE
0	Cobalt-60	<4.0	pCi/L	TE
0	Gross alpha	<3.0	pCi/L	GE
0	Iodine-131	<100	pCi/L	TE
0	Iron-59	<10	pCi/L	TE
0	Manganese-54	<4.0	pCi/L	TE
0	Neptunium-237	<9.0	pCi/L	TE
0	Nonvolatile beta	9.2 ± 2.2	pCi/L	GE
0	Potassium-40	<90	pCi/L	TE
0	Radium-226	<100	pCi/L	TE
0	Ruthenium-103	<8.0	pCi/L	TE
0	Ruthenium-106	<40	pCi/L	TE
0	Thorium-228	<9.0	pCi/L	TE
0	Total radium	<1.0	pCi/L	GE
2	Tritium	483 ± 2.3	pCi/mL	GE
0	Zinc-65	<9.0	pCi/L	TE
0	Zirconium-95	<8.0	pCi/L	TE

WELL BGO 30D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/27/90
 Depth to water: 52.07 ft (15.87 m) below TOC
 Water elevation: 222.73 ft (67.89 m) msl
 Sp. conductance: 85 µS/cm
 Water evacuated before sampling: 10 gal
 The well went dry during purging.

Time: 13:15
 pH: 5.3
 Alkalinity: 5 mg/L
 Water temperature: 18.3°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.3	pH	GE
0	Specific conductance	46	µS/cm	GE
0	Acetophenone	<10	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	12	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	1500	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	6400	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
1	Chloroform	18	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE

ANALYTICAL RESULTS

WELL BGO 30D collected on 01/27/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
1	Iron	248	µg/L	GE
0	Lead	11	µg/L	GE
0	Magnesium	431	µg/L	GE
2	Manganese	88	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Naphthalene	<10	µg/L	GE
0	Nitrate as nitrogen	500	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	7650	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	11800	µg/L	GE
0	Sulfate	<5000	µg/L	GE
1	Tetrachloroethylene	2.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	28000	µg/L	GE
0	Total organic carbon	2000	µg/L	GE
2	Total organic halogens	333	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
2	Trichloroethylene	77	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Xylenes	<2.0	µg/L	GE
1	1,1-Dichloroethane	50	µg/L	GE
1	1,1-Dichloroethylene	10	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Barium-140	<40	pCi/L	TE
0	Beryllium-7	<50	pCi/L	TE
0	Cerium-141	<10	pCi/L	TE
0	Cerium-144	<30	pCi/L	TE
0	Cesium-134	<4.0	pCi/L	TE
0	Cesium-137	<4.0	pCi/L	TE
0	Cobalt-58	<4.0	pCi/L	TE
0	Cobalt-60	<4.0	pCi/L	TE
0	Gross alpha	3.6 ± 1.8	pCi/L	GE
0	Iodine-131	<100	pCi/L	TE
0	Iron-59	<10	pCi/L	TE
0	Manganese-54	<4.0	pCi/L	TE
0	Neptunium-237	<7.0	pCi/L	TE
0	Nonvolatile beta	3.6 ± 2.4	pCi/L	GE
0	Potassium-40	<50	pCi/L	TE
0	Radium-226	<80	pCi/L	TE
0	Ruthenium-103	<7.0	pCi/L	TE
0	Ruthenium-106	<30	pCi/L	TE
0	Thorium-228	<7.0	pCi/L	TE
1	Total activity	42800 ± 150	pCi/mL	EM
1	Total radium	3.7 ± 2.7	pCi/L	GE
2	Tritium	44300 ± 20	pCi/mL	GE
0	Zinc-65	<7.0	pCi/L	TE
0	Zirconium-95	<5.0	pCi/L	TE

WELL BGO 31C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/27/90
 Depth to water: 51.08 ft (15.57 m) below TOC
 Water elevation: 222.02 ft (67.67 m) msl
 Sp. conductance: 35 µS/cm
 Water evacuated before sampling: 33 gal
 The well went dry during purging.

Time: 14:25
 pH: 5.5
 Alkalinity: 4 mg/L
 Water temperature: 18.3°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.6	pH	GE
0	Specific conductance	29	µS/cm	GE
0	Acetophenone	<10	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	9.9	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE

WELL BGO 31C collected on 01/27/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Cadmium	<2.0	µg/L	GE
0	Calcium	2230	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	1500	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	31	µg/L	GE
0	Lead	<8.0	µg/L	GE
0	Magnesium	368	µg/L	GE
0	Manganese	8.4	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Naphthalene	<10	µg/L	GE
0	Nitrate as nitrogen	1100	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	7420	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	2020	µg/L	GE
0	Sulfate	<5000	µg/L	GE
1	Tetrachloroethylene	1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	20000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
1	Total organic halogens	23	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
2	Trichloroethylene	4.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Xylenes	<2.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Barium-140	<30	pCi/L	TE
0	Beryllium-7	<40	pCi/L	TE
0	Cerium-141	<10	pCi/L	TE
0	Cerium-144	<30	pCi/L	TE
0	Cesium-134	<3.0	pCi/L	TE
0	Cesium-137	<3.0	pCi/L	TE
0	Cobalt-58	<4.0	pCi/L	TE
0	Cobalt-60	<3.0	pCi/L	TE
0	Gross alpha	<3.0	pCi/L	GE
0	Iodine-131	<80	pCi/L	TE
0	Iron-59	<9.0	pCi/L	TE
0	Manganese-54	<3.0	pCi/L	TE
0	Neptunium-237	<6.0	pCi/L	TE
0	Nonvolatile beta	4.1 ± 1.5	pCi/L	GE
0	Potassium-40	<50	pCi/L	TE
0	Radium-226	<70	pCi/L	TE
0	Ruthenium-103	<6.0	pCi/L	TE
0	Ruthenium-106	<30	pCi/L	TE
0	Thorium-228	<6.0	pCi/L	TE
0	Total radium	<1.0	pCi/L	GE
2	Tritium	323 ± 1.9	pCi/mL	GE
0	Zinc-65	<8.0	pCi/L	TE
0	Zirconium-95	<4.0	pCi/L	TE

ANALYTICAL RESULTS

WELL BGO 31D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/27/90 Time: 14:45
 Depth to water: 50.39 ft (15.36 m) below TOC pH: 4.8
 Water elevation: 223.31 ft (68.07 m) msl Alkalinity: 0 mg/L
 Sp. conductance: 34 µS/cm Water temperature: 18.1°C
 Water evacuated before sampling: 8 gal
 The well went dry during purging.

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.0	pH	GE
0	Specific conductance	27	µS/cm	GE
0	Acetophenone	<10	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	8.7	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	680	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	2500	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	22	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	1020	µg/L	GE
0	Manganese	12	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Naphthalene	<10	µg/L	GE
0	Nitrate as nitrogen	1300	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	6290	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	1650	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	20000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	9.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Xylenes	<2.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Barium-140	<20	pCi/L	TE
0	Beryllium-7	<40	pCi/L	TE
0	Cerium-141	<10	pCi/L	TE
0	Cerium-144	<30	pCi/L	TE
0	Cesium-134	<4.0	pCi/L	TE
0	Cesium-137	<3.0	pCi/L	TE
0	Cobalt-58	<4.0	pCi/L	TE
0	Cobalt-60	<3.0	pCi/L	TE
0	Gross alpha	<3.0	pCi/L	GE
0	Iodine-131	<70	pCi/L	TE
0	Iron-59	<10	pCi/L	TE
0	Manganese-54	<3.0	pCi/L	TE
0	Neptunium-237	<7.0	pCi/L	TE
0	Nonvolatile beta	2.7 ± 2.3	pCi/L	GE
0	Potassium-40	<60	pCi/L	TE

WELL BGO 31D collected on 01/27/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Radium-226	<80	pCi/L	TE
0	Ruthenium-103	<5.0	pCi/L	TE
0	Ruthenium-106	<30	pCi/L	TE
0	Thorium-228	<7.0	pCi/L	TE
1	Total activity	464 ± 5.1	pCi/mL	EM
1	Total radium	2.8 ± 2.4	pCi/L	GE
2	Tritium	809 ± 2.8	pCi/mL	GE
0	Zinc-65	<7.0	pCi/L	TE
0	Zirconium-95	<4.0	pCi/L	TE

WELL BGO 32D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/04/90 Time: 8:15
 Depth to water: 56.48 ft (17.22 m) below TOC pH: 5.0
 Water elevation: 225.22 ft (68.65 m) msl Alkalinity: 1 mg/L
 Sp. conductance: 84 µS/cm Water temperature: 19.3°C
 Water evacuated before sampling: 4 gal
 The well went dry during purging.

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.3	pH	GE
0	Specific conductance	58	µS/cm	GE
0	Acetophenone	<10	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	22	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	2820	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	4000	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
1	Chloroform	1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	89	µg/L	GE
2	Lead	53	µg/L	GE
0	Magnesium	1110	µg/L	GE
1	Manganese	28	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Naphthalene	<10	µg/L	GE
1	Nitrate as nitrogen	4370	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	6430	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	8460	µg/L	GE
0	Sulfate	<5000	µg/L	GE
2	Tetrachloroethylene	30	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	41000	µg/L	GE
1	Total organic carbon	9000	µg/L	GE
2	Total organic halogens	86	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
2	Trichloroethylene	14	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Xylenes	<2.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
1	1,1,1-Trichloroethane	9.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Barium-140	<10	pCi/L	TE

ANALYTICAL RESULTS

WELL BGO 32D collected on 02/04/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Beryllium-7	<30	pCi/L	TE
0	Cerium-141	<7.0	pCi/L	TE
0	Cerium-144	<20	pCi/L	TE
0	Cesium-134	<3.0	pCi/L	TE
0	Cesium-137	<3.0	pCi/L	TE
0	Cobalt-58	<3.0	pCi/L	TE
0	Cobalt-60	<3.0	pCi/L	TE
0	Gross alpha	<3.0	pCi/L	GE
0	Iodine-131	<20	pCi/L	TE
0	Iron-59	<7.0	pCi/L	TE
0	Manganese-54	<2.0	pCi/L	TE
0	Nonvolatile beta	3.5 ± 2.4	pCi/L	GE
0	Potassium-40	<40	pCi/L	TE
1	Radium-226	88 ± 40	pCi/L	TE
0	Ruthenium-103	<4.0	pCi/L	TE
0	Ruthenium-106	<20	pCi/L	TE
0	Thorium-228	<5.0	pCi/L	TE
1	Total activity	17300 ± 90	pCi/mL	EM
1	Total radium	3.7 ± 2.6	pCi/L	GE
2	Tritium	15900 ± 10	pCi/mL	GE
0	Zinc-65	<8.0	pCi/L	TE
0	Zirconium-95	<3.0	pCi/L	TE

WELL BGO 33C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/26/90
 Depth to water: 56.58 ft (17.25 m) below TOC
 Water elevation: 222.82 ft (67.92 m) msl
 Sp. conductance: 73 µS/cm
 Water evacuated before sampling: 105 gal

Time: 17:30
 pH: 8.4
 Alkalinity: 19 mg/L
 Water temperature: 18.2°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	pH	6.8	pH	GE
0	Specific conductance	70	µS/cm	GE
0	Acetophenone	<10	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	31	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	6870	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	4000	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
1	Chloroform	9.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	8.9	µg/L	GE
0	Lead	<8.0	µg/L	GE
0	Magnesium	457	µg/L	GE
1	Manganese	33	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Naphthalene	<10	µg/L	GE
0	Nitrate as nitrogen	720	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	9260	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	5890	µg/L	GE
0	Sulfate	<5000	µg/L	GE
1	Tetrachloroethylene	3.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	41000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
2	Total organic halogens	112	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
2	Trichloroethylene	18	µg/L	GE

WELL BGO 33C collected on 01/26/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Xylenes	<2.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Americium-241	<0.20	pCi/L	TE
0	Americium-243	<0.30	pCi/L	TE
0	Barium-140	<40	pCi/L	TE
0	Beryllium-7	<60	pCi/L	TE
0	Carbon-14	<6.0	pCi/L	TE
0	Cerium-141	<20	pCi/L	TE
0	Cerium-144	<40	pCi/L	TE
0	Cesium-134	<5.0	pCi/L	TE
0	Cesium-137	<5.0	pCi/L	TE
0	Cobalt-58	<5.0	pCi/L	TE
0	Cobalt-60	<4.0	pCi/L	TE
0	Curium-242	<0.10	pCi/L	TE
0	Curium-243/244	<0.20	pCi/L	TE
0	Curium-246	<0.30	pCi/L	TE
0	Gross alpha	<3.0	pCi/L	GE
0	Gross alpha	<2.0	pCi/L	TE
0	Iodine-129	<1.0	pCi/L	TE
0	Iodine-131	<100	pCi/L	TE
0	Iron-55	<50	pCi/L	TE
0	Iron-59	<10	pCi/L	TE
0	Manganese-54	<4.0	pCi/L	TE
0	Neptunium-237	<10	pCi/L	TE
0	Nickel-59	<100	pCi/L	TE
0	Nickel-63	<10	pCi/L	TE
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Nonvolatile beta	2.7 ± 1.2	pCi/L	TE
0	Plutonium-238	<0.30	pCi/L	TE
0	Plutonium-239/240	<0.20	pCi/L	TE
0	Plutonium-242	<0.20	pCi/L	TE
0	Potassium-40	<90	pCi/L	TE
0	Radium-226	<100	pCi/L	TE
0	Radium-228	<1.0	pCi/L	TE
0	Radium-228	<2.0	pCi/L	TE
0	Ruthenium-103	<9.0	pCi/L	TE
0	Ruthenium-106	<40	pCi/L	TE
0	Strontium-89	<6.0	pCi/L	TE
0	Strontium-90	<1.0	pCi/L	TE
0	Technetium-99	<3.0	pCi/L	TE
0	Thorium-228	<8.0	pCi/L	TE
0	Thorium-228	<0.10	pCi/L	TE
0	Thorium-230	<0.040	pCi/L	TE
1	Thorium-232	0.88 ± 0.28	pCi/L	TE
1	Total activity	7250 ± 60	pCi/mL	EM
2	Total radium	24 ± 6.3	pCi/L	GE
2	Tritium	7180 ± 8.7	pCi/mL	GE
2	Tritium	580 ± 10	pCi/mL	TE
0	Uranium-234	<0.10	pCi/L	TE
0	Uranium-235	<0.050	pCi/L	TE
0	Uranium-238	<0.050	pCi/L	TE
0	Zinc-65	<10	pCi/L	TE
0	Zirconium-95	<6.0	pCi/L	TE

WELL BGO 33C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/26/90
 Depth to water: 56.58 ft (17.25 m) below TOC
 Water elevation: 222.82 ft (67.92 m) msl
 Sp. conductance: 73 µS/cm
 Water evacuated before sampling: 105 gal

Time: 17:30
 pH: 8.4
 Alkalinity: 19 mg/L
 Water temperature: 18.2°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Americium-241	<0.50	pCi/L	TE
1	Americium-243	0.40 ± 0.38	pCi/L	TE
0	Barium-140	<40	pCi/L	TE
0	Beryllium-7	<70	pCi/L	TE
0	Carbon-14	<6.0	pCi/L	TE
0	Cerium-141	<20	pCi/L	TE
0	Cerium-144	<40	pCi/L	TE
0	Cesium-134	<6.0	pCi/L	TE
0	Cesium-137	<5.0	pCi/L	TE

ANALYTICAL RESULTS

WELL BGO 33C collected on 01/26/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Cobalt-58	< 6.0	pCi/L	TE
0	Cobalt-60	< 5.0	pCi/L	TE
0	Curlum-242	< 0.10	pCi/L	TE
0	Curlum-243/244	< 0.40	pCi/L	TE
0	Curlum-248	< 0.30	pCi/L	TE
0	Gross alpha	< 2.0	pCi/L	TE
0	Iodine-129	< 2.0	pCi/L	TE
0	Iodine-131	< 200	pCi/L	TE
0	Iron-55	< 60	pCi/L	TE
0	Iron-59	< 20	pCi/L	TE
0	Manganese-54	< 5.0	pCi/L	TE
0	Neptunium-237	< 10	pCi/L	TE
0	Nickel-59	< 100	pCi/L	TE
0	Nickel-63	< 10	pCi/L	TE
0	Nonvolatile beta	< 2.0	pCi/L	TE
0	Plutonium-238	< 0.20	pCi/L	TE
0	Plutonium-239/240	< 0.10	pCi/L	TE
0	Plutonium-242	< 0.080	pCi/L	TE
0	Potassium-40	< 90	pCi/L	TE
0	Radium-226	< 100	pCi/L	TE
0	Radium-228	< 1.0	pCi/L	TE
0	Radium-228	< 2.0	pCi/L	TE
0	Ruthenium-103	< 10	pCi/L	TE
0	Ruthenium-106	< 50	pCi/L	TE
0	Strontium-89	< 5.0	pCi/L	TE
1	Strontium-90	1.8 ± 0.90	pCi/L	TE
0	Technetium-99	< 3.0	pCi/L	TE
0	Thorium-228	< 10	pCi/L	TE
0	Thorium-228	< 0.10	pCi/L	TE
0	Thorium-230	< 0.030	pCi/L	TE
1	Thorium-232	0.68 ± 0.29	pCi/L	TE
2	Tritium	570 ± 10	pCi/mL	TE
0	Uranium-234	< 0.10	pCi/L	TE
0	Uranium-235	< 0.060	pCi/L	TE
0	Uranium-238	< 0.10	pCi/L	TE
0	Zinc-65	< 10	pCi/L	TE
0	Zirconium-95	< 6.0	pCi/L	TE

WELL BGO 33D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/27/90
 Depth to water: 52.98 ft (16.15 m) below TOC
 Water elevation: 227.32 ft (69.29 m) msl
 Sp. conductance: 72 µS/cm
 Water evacuated before sampling: 9 gal
 The well went dry during purging.

Time: 15:10
 pH: 4.8
 Alkalinity: 0 mg/L
 Water temperature: 18.8°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.1	pH	GE
0	Specific conductance	80	µS/cm	GE
0	Acetophenone	< 10	µg/L	GE
0	Arsenic	< 2.0	µg/L	GE
0	Barium	21	µg/L	GE
0	Benzene	< 1.0	µg/L	GE
0	Bromodichloromethane	< 1.0	µg/L	GE
0	Bromoform	< 1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	< 1.0	µg/L	GE
0	Cadmium	< 2.0	µg/L	GE
0	Calcium	1960	µg/L	GE
0	Carbon tetrachloride	< 1.0	µg/L	GE
1	Chloride	16400	µg/L	GE
0	Chlorobenzene	< 1.0	µg/L	GE
0	Chloroethane	< 1.0	µg/L	GE
0	Chloroethane (Vinyl chloride)	< 1.0	µg/L	GE
0	Chloroform	< 1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	< 1.0	µg/L	GE
0	Chromium	< 4.0	µg/L	GE
0	cis-1,3-Dichloropropene	< 1.0	µg/L	GE
0	Dibromochloromethane	< 1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	< 1.0	µg/L	GE
0	Endrin	< 0.10	µg/L	GE
0	Ethylbenzene	< 1.0	µg/L	GE
0	Fluoride	< 100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	< 0.050	µg/L	GE
1	Iron	179	µg/L	GE
0	Lead	< 6.0	µg/L	GE
0	Magnesium	1770	µg/L	GE
0	Manganese	10	µg/L	GE
0	Mercury	< 0.20	µg/L	GE
0	Methoxychlor	< 0.50	µg/L	GE
0	Naphthalene	< 10	µg/L	GE
0	Nitrate as nitrogen	2400	µg/L	GE
0	Phenols	< 5.0	µg/L	GE

WELL BGO 33D collected on 01/27/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Selenium	< 2.0	µg/L	GE
0	Silica	5030	µg/L	GE
0	Silver	< 2.0	µg/L	GE
0	Sodium	4450	µg/L	GE
0	Sulfate	< 5000	µg/L	GE
0	Tetrachloroethylene	< 1.0	µg/L	GE
0	Toluene	< 1.0	µg/L	GE
0	Total dissolved solids	58000	µg/L	GE
0	Total organic carbon	< 1000	µg/L	GE
0	Total organic halogens	7.0	µg/L	GE
0	Total phosphates	< 50	µg/L	GE
0	Toxaphene	< 1.0	µg/L	GE
0	trans-1,2-Dichloroethene	< 1.0	µg/L	GE
0	trans-1,3-Dichloropropene	< 1.0	µg/L	GE
0	Trichloroethylene	< 1.0	µg/L	GE
0	Trichlorofluoromethane	< 1.0	µg/L	GE
0	Xylenes	< 2.0	µg/L	GE
0	1,1-Dichloroethane	< 1.0	µg/L	GE
0	1,1-Dichloroethylene	< 1.0	µg/L	GE
0	1,1,1-Trichloroethane	< 1.0	µg/L	GE
0	1,1,2-Trichloroethane	< 1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	< 1.0	µg/L	GE
0	1,2-Dichloroethane	< 1.0	µg/L	GE
0	1,2-Dichloropropane	< 1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	< 1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	< 0.30	µg/L	GE
0	2,4,5-TP (Silvex)	< 0.090	µg/L	GE
0	Barium-140	< 30	pCi/L	TE
0	Beryllium-7	< 50	pCi/L	TE
0	Cerium-141	< 10	pCi/L	TE
0	Cerium-144	< 30	pCi/L	TE
0	Cesium-134	< 4.0	pCi/L	TE
0	Cesium-137	< 4.0	pCi/L	TE
0	Cobalt-58	< 5.0	pCi/L	TE
0	Cobalt-60	< 4.0	pCi/L	TE
0	Gross alpha	< 3.0	pCi/L	GE
0	Iodine-131	< 90	pCi/L	TE
0	Iron-59	< 10	pCi/L	TE
0	Manganese-54	< 3.0	pCi/L	TE
0	Neptunium-237	< 8.0	pCi/L	TE
0	Nonvolatile beta	6.8 ± 1.9	pCi/L	GE
0	Potassium-40	< 60	pCi/L	TE
0	Radium-226	< 80	pCi/L	TE
0	Ruthenium-103	< 7.0	pCi/L	TE
0	Ruthenium-106	< 30	pCi/L	TE
0	Thorium-228	< 7.0	pCi/L	TE
0	Total radium	1.2 ± 3.2	pCi/L	GE
2	Tritium	323 ± 1.9	pCi/mL	GE
0	Zinc-65	< 8.0	pCi/L	TE
0	Zirconium-95	< 6.0	pCi/L	TE

WELL BGO 34D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/04/90
 Depth to water: 44.97 ft (13.71 m) below TOC
 Water elevation: 229.93 ft (70.08 m) msl
 Sp. conductance: 33 µS/cm
 Water evacuated before sampling: 13 gal
 The well went dry during purging.

Time: 10:50
 pH: 5.2
 Alkalinity: 2 mg/L
 Water temperature: 20.8°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.4	pH	GE
0	Specific conductance	33	µS/cm	GE
0	Acetophenone	< 10	µg/L	GE
0	Arsenic	< 2.0	µg/L	GE
0	Barium	20	µg/L	GE
0	Benzene	< 1.0	µg/L	GE
0	Bromodichloromethane	< 1.0	µg/L	GE
0	Bromoform	< 1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	< 1.0	µg/L	GE
0	Cadmium	< 2.0	µg/L	GE
0	Calcium	1130	µg/L	GE
0	Carbon tetrachloride	< 1.0	µg/L	GE
0	Chloride	3700	µg/L	GE
0	Chlorobenzene	< 1.0	µg/L	GE
0	Chloroethane	< 1.0	µg/L	GE
0	Chloroethane (Vinyl chloride)	< 1.0	µg/L	GE
0	Chloroform	< 1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	< 1.0	µg/L	GE
0	Chromium	< 4.0	µg/L	GE
0	cis-1,3-Dichloropropene	< 1.0	µg/L	GE
0	Dibromochloromethane	< 1.0	µg/L	GE
1	Dichloromethane (Methylene chloride)	7.0	µg/L	GE

ANALYTICAL RESULTS

WELL BGO 34D collected on 02/04/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
1	Iron	159	µg/L	GE
0	Lead	14	µg/L	GE
0	Magnesium	705	µg/L	GE
0	Manganese	14	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Naphthalene	<10	µg/L	GE
0	Nitrate as nitrogen	650	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	6110	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	2200	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	83000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Xylenes	<2.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,1,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Barium-140	<20	pCi/L	TE
0	Beryllium-7	<40	pCi/L	TE
0	Cerium-141	<10	pCi/L	TE
0	Cerium-144	<30	pCi/L	TE
0	Cesium-134	<3.0	pCi/L	TE
0	Cesium-137	<4.0	pCi/L	TE
0	Cobalt-58	<4.0	pCi/L	TE
0	Cobalt-60	<3.0	pCi/L	TE
0	Gross alpha	<3.0	pCi/L	GE
0	Iodine-131	<60	pCi/L	TE
0	Iron-59	<9.0	pCi/L	TE
0	Manganese-54	<3.0	pCi/L	TE
0	Neptunium-237	<7.0	pCi/L	TE
0	Nonvolatile beta	7.0±2.1	pCi/L	GE
0	Potassium-40	<50	pCi/L	TE
0	Radium-226	<80	pCi/L	TE
0	Ruthenium-103	<8.0	pCi/L	TE
0	Ruthenium-106	<30	pCi/L	TE
0	Thorium-228	<7.0	pCi/L	TE
0	Total radium	1.3±2.1	pCi/L	GE
2	Tritium	31±0.70	pCi/mL	GE
0	Zinc-65	<7.0	pCi/L	TE
0	Zirconium-95	<5.0	pCi/L	TE

WELL BGO 35C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/03/90
 Depth to water: 46.58 ft (14.20 m) below TOC
 Water elevation: 226.82 ft (59.14 m) msl
 Sp. conductance: 98 µS/cm
 Water evacuated before sampling: 322 gal

Time: 16:35
 pH: 9.7
 Alkalinity: 36 mg/L
 Water temperature: 20.0 °C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
2	pH	9.4	pH	GE
0	Specific conductance	90	µS/cm	GE
0	Acetophenone	<10	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	28	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE

WELL BGO 35C collected on 02/03/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Cadmium	<2.0	µg/L	GE
1	Calcium	12100	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	1700	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	13	µg/L	GE
0	Lead	<8.0	µg/L	GE
0	Magnesium	236	µg/L	GE
0	Manganese	11	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Naphthalene	<10	µg/L	GE
0	Nitrate as nitrogen	1100	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	8260	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	2450	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	98000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Xylenes	<2.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Barium-140	<20	pCi/L	TE
0	Beryllium-7	<50	pCi/L	TE
0	Cerium-141	<10	pCi/L	TE
0	Cerium-144	<40	pCi/L	TE
0	Cesium-134	<4.0	pCi/L	TE
0	Cesium-137	<4.0	pCi/L	TE
0	Cobalt-58	<4.0	pCi/L	TE
0	Cobalt-60	<3.0	pCi/L	TE
0	Gross alpha	<3.0	pCi/L	GE
0	Iodine-131	<60	pCi/L	TE
0	Iron-59	<10	pCi/L	TE
0	Manganese-54	<4.0	pCi/L	TE
0	Neptunium-237	<8.0	pCi/L	TE
0	Nonvolatile beta	5.0±1.8	pCi/L	GE
0	Potassium-40	<60	pCi/L	TE
0	Radium-226	<90	pCi/L	TE
0	Ruthenium-103	<8.0	pCi/L	TE
0	Ruthenium-106	<30	pCi/L	TE
0	Thorium-228	<8.0	pCi/L	TE
0	Total radium	1.4±3.2	pCi/L	GE
0	Tritium	9.4±0.50	pCi/mL	GE
0	Zinc-65	<8.0	pCi/L	TE
0	Zirconium-95	<5.0	pCi/L	TE

ANALYTICAL RESULTS

WELL BGO 35D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/04/90
 Depth to water: 41.49 ft (12.65 m) below TOC
 Water elevation: 232.01 ft (70.72 m) msl
 Sp. conductance: 54 µS/cm
 Water evacuated before sampling: 11 gal
 The well went dry during purging.

Time: 10:25
 pH: 4.9
 Alkalinity: 0 mg/L
 Water temperature: 20.6°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.0	pH	GE
0	Specific conductance	55	µS/cm	GE
0	Acetophenone	< 10	µg/L	GE
0	Arsenic	< 2.0	µg/L	GE
0	Barium	14	µg/L	GE
0	Benzene	< 1.0	µg/L	GE
0	Bromodichloromethane	< 1.0	µg/L	GE
0	Bromoform	< 1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	< 1.0	µg/L	GE
0	Cadmium	< 2.0	µg/L	GE
0	Calcium	464	µg/L	GE
0	Carbon tetrachloride	< 1.0	µg/L	GE
0	Chloride	3400	µg/L	GE
0	Chlorobenzene	< 1.0	µg/L	GE
0	Chloroethane	< 1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	< 1.0	µg/L	GE
0	Chloroform	< 1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	< 1.0	µg/L	GE
1	Chromium	5.5	µg/L	GE
0	cis-1,3-Dichloropropene	< 1.0	µg/L	GE
0	Dibromochloromethane	< 1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	< 1.0	µg/L	GE
0	Endrin	< 0.10	µg/L	GE
0	Ethylbenzene	< 1.0	µg/L	GE
0	Fluoride	< 100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	< 0.050	µg/L	GE
1	Iron	156	µg/L	GE
0	Lead	13	µg/L	GE
0	Magnesium	475	µg/L	GE
0	Manganese	6.8	µg/L	GE
0	Mercury	< 0.20	µg/L	GE
0	Methoxychlor	< 0.50	µg/L	GE
0	Naphthalene	< 10	µg/L	GE
1	Nitrate as nitrogen	3400	µg/L	GE
0	Phenols	< 5.0	µg/L	GE
0	Selenium	< 2.0	µg/L	GE
0	Silica	7310	µg/L	GE
0	Silver	< 2.0	µg/L	GE
1	Sodium	7090	µg/L	GE
0	Sulfate	< 5000	µg/L	GE
0	Tetrachloroethylene	< 1.0	µg/L	GE
0	Toluene	< 1.0	µg/L	GE
0	Total dissolved solids	28000	µg/L	GE
0	Total organic carbon	< 1000	µg/L	GE
0	Total organic halogens	< 5.0	µg/L	GE
0	Total phosphates	< 50	µg/L	GE
0	Toxaphene	< 1.0	µg/L	GE
0	trans-1,2-Dichloroethene	< 1.0	µg/L	GE
0	trans-1,3-Dichloropropene	< 1.0	µg/L	GE
0	Trichloroethylene	< 1.0	µg/L	GE
0	Trichlorofluoromethane	< 1.0	µg/L	GE
0	Xylenes	< 4.0	µg/L	GE
0	1,1-Dichloroethane	< 1.0	µg/L	GE
0	1,1-Dichloroethylene	< 1.0	µg/L	GE
0	1,1,1-Trichloroethane	< 1.0	µg/L	GE
0	1,1,2-Trichloroethane	< 1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	< 1.0	µg/L	GE
0	1,2-Dichloroethane	< 1.0	µg/L	GE
0	1,2-Dichloropropane	< 1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	< 1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	< 0.30	µg/L	GE
0	2,4,5-TP (Silvex)	< 0.090	µg/L	GE
0	Barium-140	< 20	pCi/L	TE
0	Beryllium-7	< 50	pCi/L	TE
0	Cerium-141	< 10	pCi/L	TE
0	Cerium-144	< 40	pCi/L	TE
0	Cesium-134	< 4.0	pCi/L	TE
0	Cesium-137	< 4.0	pCi/L	TE
0	Cobalt-58	< 4.0	pCi/L	TE
0	Cobalt-60	< 4.0	pCi/L	TE
0	Gross alpha	< 3.0	pCi/L	GE
0	Iodine-131	< 6.0	pCi/L	TE
0	Iron-59	< 10	pCi/L	TE
0	Manganese-54	< 3.0	pCi/L	TE
0	Nonvolatile beta	4.4 ± 1.5	pCi/L	GE
0	Potassium-40	< 60	pCi/L	TE
0	Radium-226	< 100	pCi/L	TE

WELL BGO 35D collected on 02/04/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Ruthenium-103	< 6.0	pCi/L	TE
0	Ruthenium-106	< 30	pCi/L	TE
0	Thorium-228	< 9.0	pCi/L	TE
1	Total activity	910 ± 6.8	pCi/mL	EM
0	Total radium	< 1.0	pCi/L	GE
2	Tritium	1050 ± 3.3	pCi/mL	GE
0	Zinc-65	< 7.0	pCi/L	TE
0	Zirconium-95	< 5.0	pCi/L	TE

WELL BGO 36D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/04/90
 Depth to water: 41.77 ft (12.73 m) below TOC
 Water elevation: 233.63 ft (71.21 m) msl
 Sp. conductance: 36 µS/cm
 Water evacuated before sampling: 8 gal
 The well went dry during purging.

Time: 10:00
 pH: 5.1
 Alkalinity: 2 mg/L
 Water temperature: 20.4°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.1	pH	GE
0	Specific conductance	34	µS/cm	GE
0	Acetophenone	< 10	µg/L	GE
0	Arsenic	< 2.0	µg/L	GE
0	Barium	23	µg/L	GE
0	Benzene	< 1.0	µg/L	GE
0	Bromodichloromethane	< 1.0	µg/L	GE
0	Bromoform	< 1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	< 1.0	µg/L	GE
0	Cadmium	< 2.0	µg/L	GE
0	Calcium	481	µg/L	GE
0	Carbon tetrachloride	< 1.0	µg/L	GE
0	Chloride	3200	µg/L	GE
0	Chlorobenzene	< 1.0	µg/L	GE
0	Chloroethane	< 1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	< 1.0	µg/L	GE
0	Chloroform	< 1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	< 1.0	µg/L	GE
0	Chromium	< 4.0	µg/L	GE
0	cis-1,3-Dichloropropene	< 1.0	µg/L	GE
0	Dibromochloromethane	< 1.0	µg/L	GE
1	Dichloromethane (Methylene chloride)	5.0	µg/L	GE
0	Endrin	< 0.10	µg/L	GE
0	Ethylbenzene	< 1.0	µg/L	GE
0	Fluoride	< 100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	< 0.050	µg/L	GE
0	Iron	62	µg/L	GE
0	Lead	9.5	µg/L	GE
0	Magnesium	436	µg/L	GE
1	Manganese	46	µg/L	GE
0	Mercury	< 0.20	µg/L	GE
0	Methoxychlor	< 0.50	µg/L	GE
0	Naphthalene	< 10	µg/L	GE
0	Nitrate as nitrogen	840	µg/L	GE
0	Phenols	< 5.0	µg/L	GE
0	Selenium	< 2.0	µg/L	GE
0	Silica	6870	µg/L	GE
0	Silver	< 2.0	µg/L	GE
0	Sodium	3580	µg/L	GE
0	Sulfate	< 5000	µg/L	GE
0	Tetrachloroethylene	< 1.0	µg/L	GE
0	Toluene	< 1.0	µg/L	GE
0	Total dissolved solids	51000	µg/L	GE
0	Total organic carbon	< 1000	µg/L	GE
0	Total organic halogens	< 5.0	µg/L	GE
0	Total phosphates	< 50	µg/L	GE
0	Toxaphene	< 1.0	µg/L	GE
0	trans-1,2-Dichloroethene	< 1.0	µg/L	GE
0	trans-1,3-Dichloropropene	< 1.0	µg/L	GE
0	Trichloroethylene	< 1.0	µg/L	GE
0	Trichlorofluoromethane	< 1.0	µg/L	GE
0	Xylenes	< 2.0	µg/L	GE
0	1,1-Dichloroethane	< 1.0	µg/L	GE
0	1,1-Dichloroethylene	< 1.0	µg/L	GE
0	1,1,1-Trichloroethane	< 1.0	µg/L	GE
0	1,1,2-Trichloroethane	< 1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	< 1.0	µg/L	GE
0	1,2-Dichloroethane	< 1.0	µg/L	GE
0	1,2-Dichloropropane	< 1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	< 1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	< 0.30	µg/L	GE
0	2,4,5-TP (Silvex)	< 0.090	µg/L	GE
0	Barium-140	< 20	pCi/L	TE
0	Beryllium-7	< 50	pCi/L	TE

ANALYTICAL RESULTS

WELL BGO 38D collected on 02/04/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Cerium-141	< 10	pCi/L	TE
0	Cerium-144	< 40	pCi/L	TE
0	Cesium-134	< 5.0	pCi/L	TE
0	Cesium-137	< 5.0	pCi/L	TE
0	Cobalt-58	< 6.0	pCi/L	TE
0	Cobalt-60	< 5.0	pCi/L	TE
0	Gross alpha	< 3.0	pCi/L	GE
0	Iodine-131	< 70	pCi/L	TE
0	Iron-59	< 10	pCi/L	TE
0	Manganese-54	< 4.0	pCi/L	TE
0	Neptunium-237	< 9.0	pCi/L	TE
0	Nonvolatile beta	4.5 ± 1.7	pCi/L	GE
0	Potassium-40	< 100	pCi/L	TE
0	Radium-226	< 90	pCi/L	TE
0	Ruthenium-103	< 6.0	pCi/L	TE
0	Ruthenium-106	< 40	pCi/L	TE
0	Thorium-228	< 7.0	pCi/L	TE
0	Total radium	< 1.0	pCi/L	GE
2	Tritium	30 ± 0.60	pCi/mL	GE
0	Zinc-65	< 10	pCi/L	TE
0	Zirconium-95	< 6.0	pCi/L	TE

WELL BGO 37C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/27/90
 Depth to water: 57.77 ft (17.81 m) below TOC
 Water elevation: 228.53 ft (69.66 m) msl
 Sp. conductance: 45 µS/cm
 Water evacuated before sampling: 171 gal

Time: 15:50
 pH: 4.6
 Alkalinity: 0 mg/L
 Water temperature: 18.1 °C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	4.6	pH	GE
0	Specific conductance	34	µS/cm	GE
0	Acetophenone	< 10	µg/L	GE
0	Arsenic	< 2.0	µg/L	GE
0	Barium	9.1	µg/L	GE
0	Benzene	< 1.0	µg/L	GE
0	Bromodichloromethane	< 1.0	µg/L	GE
0	Bromoform	< 1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	< 1.0	µg/L	GE
0	Cadmium	< 2.0	µg/L	GE
0	Calcium	726	µg/L	GE
2	Carbon tetrachloride	12	µg/L	GE
0	Chloride	2200	µg/L	GE
0	Chlorobenzene	< 1.0	µg/L	GE
0	Chloroethane	< 1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	< 1.0	µg/L	GE
1	Chloroform	46	µg/L	GE
0	Chloromethane (Methyl chloride)	< 1.0	µg/L	GE
0	Chromium	< 4.0	µg/L	GE
0	cis-1,3-Dichloropropene	< 1.0	µg/L	GE
0	Dibromochloromethane	< 1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	< 1.0	µg/L	GE
0	Endrin	< 0.10	µg/L	GE
0	Ethylbenzene	< 1.0	µg/L	GE
0	Fluoride	< 100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	< 0.050	µg/L	GE
0	Iron	37	µg/L	GE
0	Lead	< 6.0	µg/L	GE
0	Magnesium	458	µg/L	GE
1	Manganese	29	µg/L	GE
0	Mercury	< 0.20	µg/L	GE
0	Methoxychlor	< 0.50	µg/L	GE
0	Naphthalene	< 10	µg/L	GE
0	Nitrate as nitrogen	1930	µg/L	GE
0	Phenols	< 5.0	µg/L	GE
0	Selenium	< 2.0	µg/L	GE
0	Silica	6980	µg/L	GE
0	Silver	< 2.0	µg/L	GE
1	Sodium	6080	µg/L	GE
0	Sulfate	< 5000	µg/L	GE
2	Tetrachloroethylene	12	µg/L	GE
0	Toluene	< 1.0	µg/L	GE
0	Total dissolved solids	21000	µg/L	GE
0	Total organic carbon	1000	µg/L	GE
2	Total organic halogens	778	µg/L	GE
0	Total phosphates	< 50	µg/L	GE
0	Toxaphene	< 1.0	µg/L	GE
0	trans-1,2-Dichloroethene	< 1.0	µg/L	GE
0	trans-1,3-Dichloropropene	< 1.0	µg/L	GE
2	Trichloroethylene	568	µg/L	GE
0	Trichlorofluoromethane	< 1.0	µg/L	GE

WELL BGO 37C collected on 01/27/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Xylenes	< 2.0	µg/L	GE
1	1,1-Dichloroethane	3.0	µg/L	GE
0	1,1-Dichloroethylene	< 1.0	µg/L	GE
0	1,1,1-Trichloroethane	< 1.0	µg/L	GE
0	1,1,2-Trichloroethane	< 1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	< 1.0	µg/L	GE
0	1,2-Dichloroethane	< 1.0	µg/L	GE
0	1,2-Dichloropropane	< 1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	< 1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	< 0.30	µg/L	GE
0	2,4,5-TP (Silvex)	< 0.090	µg/L	GE
0	Americium-241	< 0.20	pCi/L	TE
0	Americium-243	< 0.20	pCi/L	TE
0	Barium-140	< 40	pCi/L	TE
0	Beryllium-7	< 70	pCi/L	TE
1	Carbon-14	13 ± 5.0	pCi/L	TE
0	Cerium-141	< 20	pCi/L	TE
0	Cerium-144	< 40	pCi/L	TE
0	Cesium-134	< 5.0	pCi/L	TE
0	Cesium-137	< 5.0	pCi/L	TE
0	Cobalt-58	< 7.0	pCi/L	TE
0	Cobalt-60	< 6.0	pCi/L	TE
0	Curium-242	< 0.30	pCi/L	TE
0	Curium-243/244	< 0.60	pCi/L	TE
0	Curium-246	< 0.20	pCi/L	TE
2	Gross alpha	18 ± 3.9	pCi/L	GE
0	Gross alpha	< 1.0	pCi/L	TE
0	Iodine-129	< 2.0	pCi/L	TE
0	Iodine-131	< 200	pCi/L	TE
0	Iron-55	< 50	pCi/L	TE
0	Iron-59	< 20	pCi/L	TE
0	Manganese-54	< 5.0	pCi/L	TE
0	Neptunium-237	< 10	pCi/L	TE
0	Nickel-59	< 70	pCi/L	TE
0	Nickel-63	< 10	pCi/L	TE
0	Nonvolatile beta	7.5 ± 3.1	pCi/L	GE
0	Nonvolatile beta	< 2.0	pCi/L	TE
0	Plutonium-238	< 0.10	pCi/L	TE
0	Plutonium-239/240	< 0.050	pCi/L	TE
1	Plutonium-242	1.1 ± 0.30	pCi/L	TE
0	Potassium-40	< 90	pCi/L	TE
0	Radium-226	< 100	pCi/L	TE
0	Radium-228	< 1.0	pCi/L	TE
0	Radium-228	< 2.0	pCi/L	TE
0	Ruthenium-103	< 10	pCi/L	TE
0	Ruthenium-106	< 40	pCi/L	TE
0	Strontium-89	< 4.0	pCi/L	TE
0	Strontium-90	< 1.0	pCi/L	TE
0	Technetium-99	< 3.0	pCi/L	TE
0	Thorium-228	< 10	pCi/L	TE
0	Thorium-228	< 0.010	pCi/L	TE
0	Thorium-230	< 0.050	pCi/L	TE
1	Thorium-232	0.60 ± 0.17	pCi/L	TE
1	Total activity	16400 ± 90	pCi/mL	EM
0	Total radium	1.5 ± 2.2	pCi/L	GE
2	Tritium	18700 ± 10	pCi/mL	GE
2	Tritium	15000 ± 1000	pCi/mL	TE
0	Uranium-234	< 0.20	pCi/L	TE
0	Uranium-235	< 0.10	pCi/L	TE
0	Uranium-238	< 0.30	pCi/L	TE
0	Zinc-65	< 10	pCi/L	TE
0	Zirconium-95	< 7.0	pCi/L	TE

WELL BGO 37C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/27/90
 Depth to water: 57.77 ft (17.81 m) below TOC
 Water elevation: 228.53 ft (69.66 m) msl
 Sp. conductance: 45 µS/cm
 Water evacuated before sampling: 171 gal

Time: 15:50
 pH: 4.6
 Alkalinity: 0 mg/L
 Water temperature: 18.1 °C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Americium-241	< 0.30	pCi/L	TE
0	Americium-243	< 0.20	pCi/L	TE
0	Barium-140	< 30	pCi/L	TE
0	Beryllium-7	< 50	pCi/L	TE
1	Carbon-14	31 ± 10	pCi/L	TE
0	Cerium-141	< 10	pCi/L	TE
0	Cerium-144	< 30	pCi/L	TE
0	Cesium-134	< 4.0	pCi/L	TE
0	Cesium-137	6.7 ± 3.6	pCi/L	TE
0	Cobalt-58	< 4.0	pCi/L	TE

ANALYTICAL RESULTS

WELL BGO 37C collected on 01/27/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Cobalt-60	<4.0	pCi/L	TE
0	Cesium-242	<0.10	pCi/L	TE
0	Cesium-243/244	<0.20	pCi/L	TE
0	Cesium-246	<0.20	pCi/L	TE
0	Gross alpha	<1.0	pCi/L	TE
0	Iodine-129	<2.0	pCi/L	TE
0	Iodine-131	<100	pCi/L	TE
0	Iron-55	<80	pCi/L	TE
0	Iron-59	<10	pCi/L	TE
0	Manganese-54	<4.0	pCi/L	TE
0	Neptunium-237	<8.0	pCi/L	TE
0	Nickel-59	<80	pCi/L	TE
0	Nickel-63	<10	pCi/L	TE
0	Nonvolatile beta	<2.0	pCi/L	TE
1	Plutonium-238	3.2 ± 0.60	pCi/L	TE
0	Plutonium-239/240	<0.060	pCi/L	TE
0	Plutonium-242	<0.040	pCi/L	TE
0	Potassium-40	<80	pCi/L	TE
0	Radium-226	<80	pCi/L	TE
0	Radium-228	<1.0	pCi/L	TE
0	Radium-228	<2.0	pCi/L	TE
0	Ruthenium-103	<7.0	pCi/L	TE
0	Ruthenium-106	<30	pCi/L	TE
0	Strontium-89	<5.0	pCi/L	TE
0	Strontium-90	<1.0	pCi/L	TE
0	Technetium-99	<3.0	pCi/L	TE
0	Thorium-228	<7.0	pCi/L	TE
0	Thorium-228	<0.20	pCi/L	TE
0	Thorium-230	<0.10	pCi/L	TE
1	Thorium-232	0.64 ± 0.17	pCi/L	TE
2	Tritium	14000 ± 1000	pCi/mL	TE
0	Uranium-234	<0.10	pCi/L	TE
0	Uranium-235	<0.10	pCi/L	TE
0	Uranium-238	<0.10	pCi/L	TE
0	Zinc-65	<8.0	pCi/L	TE
0	Zirconium-95	<5.0	pCi/L	TE

WELL BGO 37D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/04/90
 Depth to water: 52.38 ft (15.97 m) below TOC
 Water elevation: 234.92 ft (71.80 m) msl
 Sp. conductance: 47 µS/cm
 Water evacuated before sampling: 4 gal
 The well went dry during purging.

Time: 9:35
 pH: 5.2
 Alkalinity: 2 mg/L
 Water temperature: 19.0 °C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.7	pH	GE
0	Specific conductance	42	µS/cm	GE
0	Acetophenone	<10	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	11	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	908	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	1700	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
1	Dichloromethane (Methylene chloride)	5.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	88	µg/L	GE
0	Lead	19	µg/L	GE
0	Magnesium	288	µg/L	GE
1	Manganese	49	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Naphthalene	<10	µg/L	GE
1	Nitrates as nitrogen	3100	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Selenium	<2.0	µg/L	GE

WELL BGO 37D collected on 02/04/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Silica	8820	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	8380	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	88000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Xylenes	<2.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TF (Silvex)	<0.050	µg/L	GE
0	Barium-140	<20	pCi/L	TE
0	Beryllium-7	<40	pCi/L	TE
0	Cerium-141	<10	pCi/L	TE
0	Cerium-144	<30	pCi/L	TE
0	Cesium-134	<3.0	pCi/L	TE
0	Cesium-137	<3.0	pCi/L	TE
0	Cobalt-58	<4.0	pCi/L	TE
0	Cobalt-60	<3.0	pCi/L	TE
0	Gross alpha	<3.0	pCi/L	GE
0	Iodine-131	<80	pCi/L	TE
0	Iron-59	<10	pCi/L	TE
0	Manganese-54	<3.0	pCi/L	TE
0	Neptunium-237	<7.0	pCi/L	TE
0	Nonvolatile beta	2.5 ± 1.4	pCi/L	GE
0	Potassium-40	<80	pCi/L	TE
0	Radium-226	<80	pCi/L	TE
0	Ruthenium-103	<5.0	pCi/L	TE
0	Ruthenium-106	<30	pCi/L	TE
0	Thorium-228	<8.0	pCi/L	TE
0	Total radium	2.0 ± 2.3	pCi/L	GE
2	Tritium	27 ± 6.0	pCi/mL	GE
0	Zinc-65	<6.0	pCi/L	TE
0	Zirconium-95	<4.0	pCi/L	TE

WELL BGO 38D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/04/90
 Depth to water: 58.07 ft (17.70 m) below TOC
 Water elevation: 233.53 ft (71.18 m) msl
 Sp. conductance: 30 µS/cm
 Water evacuated before sampling: 7 gal
 The well went dry during purging.

Time: 9:10
 pH: 4.5
 Alkalinity: 0 mg/L
 Water temperature: 20.0 °C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	4.7	pH	GE
0	pH	4.6	pH	GE
0	Specific conductance	28	µS/cm	GE
0	Specific conductance	28	µS/cm	GE
0	Acetophenone	<10	µg/L	GE
0	Acetophenone	<10	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	16	µg/L	GE
0	Barium	17	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	323	µg/L	GE
0	Calcium	348	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE

ANALYTICAL RESULTS

WELL BGO 38D collected on 02/04/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	1400	µg/L	GE
0	Chloride	1.00	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	100	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	32	µg/L	GE
0	Iron	31	µg/L	GE
0	Lead	<8.0	µg/L	GE
0	Lead	<8.0	µg/L	GE
0	Magnesium	855	µg/L	GE
0	Magnesium	705	µg/L	GE
0	Manganese	23	µg/L	GE
0	Manganese	24	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Naphthalene	<10	µg/L	GE
0	Naphthalene	<10	µg/L	GE
0	Nitrate as nitrogen	1390	µg/L	GE
0	Nitrate as nitrogen	1360	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	5580	µg/L	GE
0	Silica	5860	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	1970	µg/L	GE
0	Sodium	1740	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	39000	µg/L	GE
0	Total dissolved solids	39000	µg/L	GE
0	Total organic carbon	2000	µg/L	GE
0	Total organic carbon	2000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethane	<1.0	µg/L	GE
0	trans-1,2-Dichloroethane	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Xylenes	<2.0	µg/L	GE
0	Xylenes	<2.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE

WELL BGO 38D collected on 02/04/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Barium-140	<20	pCi/L	TE
0	Beryllium-7	<40	pCi/L	TE
0	Cerium-141	<10	pCi/L	TE
0	Cerium-144	<30	pCi/L	TE
0	Cesium-134	<3.0	pCi/L	TE
0	Cesium-137	<3.0	pCi/L	TE
0	Cobalt-58	<4.0	pCi/L	TE
0	Cobalt-60	<4.0	pCi/L	TE
0	Gross alpha	<3.0	pCi/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Iodine-131	<80	pCi/L	TE
0	Iron-59	<9.0	pCi/L	TE
0	Manganese-54	<3.0	µCi/L	TE
0	Neptunium-237	<7.0	pCi/L	TE
0	Nonvolatile beta	8.8±2.7	pCi/L	GE
0	Nonvolatile beta	5.2±2.5	pCi/L	GE
0	Potassium-40	<60	pCi/L	TE
0	Radium-226	<70	pCi/L	TE
0	Ruthenium-103	<8.0	pCi/L	TE
0	Ruthenium-106	<30	pCi/L	TE
0	Thorium-232	<7.0	pCi/L	TE
2	Total radium	8.0±4.5	pCi/L	GE
1	Total radium	4.8±4.1	pCi/L	GE
2	Tritium	30±0.80	pCi/mL	GE
2	Tritium	30±0.80	pCi/mL	GE
0	Zinc-65	<7.0	pCi/L	TE
0	Zirconium-95	<4.0	pCi/L	TE

WELL BGO 39D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/04/90 Time: 8:45
 Depth to water: 82.28 ft (16.98 m) below TOC pH: 4.5
 Water elevation: 233.42 ft (71.15 m) msl Alkalinity: 0 mg/L
 Sp. conductance: 33 µS/cm Water temperature: 17.9°C
 Water evacuated before sampling: 4 gal
 The well went dry during purging.

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	4.8	pH	GE
0	Specific conductance	31	µS/cm	GE
0	Acetophenone	<10	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	8.1	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	160	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	2800	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	33	µg/L	GE
0	Lead	<8.0	µg/L	GE
0	Magnesium	111	µg/L	GE
0	Manganese	2.4	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Naphthalene	<10	µg/L	GE

ANALYTICAL RESULTS

WELL BGO 39D collected on 02/04/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Nitrate as nitrogen	890	µg/L	GE
0	Phenols	< 5.0	µg/L	GE
0	Selenium	< 2.0	µg/L	GE
0	Silica	8420	µg/L	GE
0	Silver	< 2.0	µg/L	GE
0	Sodium	3850	µg/L	GE
0	Sulfate	< 5000	µg/L	GE
0	Tetrachloroethylene	< 1.0	µg/L	GE
0	Toluene	< 1.0	µg/L	GE
0	Total dissolved solids	44000	µg/L	GE
0	Total organic carbon	< 1000	µg/L	GE
0	Total organic halogens	< 5.0	µg/L	GE
0	Total phosphates	< 50	µg/L	GE
0	Toxaphene	< 1.0	µg/L	GE
0	trans-1,2-Dichloroethene	< 1.0	µg/L	GE
0	trans-1,3-Dichloropropene	< 1.0	µg/L	GE
0	Trichloroethylene	< 1.0	µg/L	GE
0	Trichlorofluoromethane	< 1.0	µg/L	GE
0	Xylenes	< 2.0	µg/L	GE
0	1,1-Dichloroethane	< 1.0	µg/L	GE
0	1,1-Dichloroethylene	< 1.0	µg/L	GE
0	1,1,1-Trichloroethane	< 1.0	µg/L	GE
0	1,1,2-Trichloroethane	< 1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	< 1.0	µg/L	GE
0	1,2-Dichloroethane	< 1.0	µg/L	GE
0	1,2-Dichloropropane	< 1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	< 1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	< 0.30	µg/L	GE
0	2,4,5-TP (Silvex)	< 0.090	µg/L	GE
0	Barium-140	< 20	pCi/L	TE
0	Beryllium-7	< 50	pCi/L	TE
0	Cerium-141	< 10	pCi/L	TE
0	Cerium-144	< 30	pCi/L	TE
0	Cesium-134	< 4.0	pCi/L	TE
0	Cesium-137	< 4.0	pCi/L	TE
0	Cobalt-58	< 5.0	pCi/L	TE
0	Cobalt-60	< 4.0	pCi/L	TE
0	Gross alpha	< 3.0	pCi/L	GE
0	Iodine-131	< 80	pCi/L	TE
0	Iron-58	< 10	pCi/L	TE
0	Manganese-54	< 4.0	pCi/L	TE
0	Neptunium-237	< 9.0	pCi/L	TE
0	Nonvolatile beta	4.4 ± 1.7	pCi/L	GE
0	Potassium-40	< 100	pCi/L	TE
0	Radium-226	< 80	pCi/L	TE
0	Ruthenium-103	< 7.0	pCi/L	TE
0	Ruthenium-106	< 40	pCi/L	TE
0	Thorium-228	< 7.0	pCi/L	TE
2	Total radium	8.4 ± 3.3	pCi/L	GE
2	Tritium	42 ± 0.70	pCi/mL	GE
0	Zinc-65	< 10	pCi/L	TE
0	Zirconium-95	< 5.0	pCi/L	TE

WELL BRD 1

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/14/90
Depth to water: 40.43 ft (12.32 m) below TOC
Water elevation: 165.37 ft (50.41 m) msl
Sp. conductance: 28 µS/cm
Water evacuated before sampling: 43 gal

Time: 17:40
pH: 4.9
Alkalinity: 1 mg/L
Water temperature: 19.8 °C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Cadmium	< 2.0	µg/L	GE
0	Lead	9.5	µg/L	GE
0	Manganese	19	µg/L	GE
0	Phenols	< 5.0	µg/L	GE
0	Silica	9170	µg/L	GE
0	Total organic halogens	< 5.0	µg/L	GE
0	Gross alpha	< 3.0	pCi/L	GE
1	Total radium	3.0 ± 2.4	pCi/L	GE

WELL BRD 2

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/14/90
Depth to water: 38.73 ft (11.81 m) below TOC
Water elevation: 168.57 ft (51.38 m) msl
Sp. conductance: 30 µS/cm
Water evacuated before sampling: 52 gal

Time: 18:55
pH: 5.3
Alkalinity: 2 mg/L
Water temperature: 20.2 °C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Cadmium	< 2.0	µg/L	GE
2	Lead	44	µg/L	GE
0	Manganese	7.0	µg/L	GE
0	Phenols	< 5.0	µg/L	GE
0	Silica	7870	µg/L	GE
0	Total organic halogens	< 5.0	µg/L	GE
0	Gross alpha	3.2 ± 0.80	pCi/L	GE
0	Total radium	< 1.0	pCi/L	GE

WELL BRD 3

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/14/90
The well was dry.

Time: 18:25

WELL BRD 4

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/14/90
Depth to water: 33.85 ft (10.32 m) below TOC
Water elevation: 184.05 ft (56.00 m) msl
Sp. conductance: 27 µS/cm
Water evacuated before sampling: 91 gal

Time: 17:20
pH: 4.7
Alkalinity: 0 mg/L
Water temperature: 20.0 °C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Cadmium	< 2.0	µg/L	GE
0	Lead	< 6.0	µg/L	GE
0	Manganese	4.0	µg/L	GE
0	Phenols	< 5.0	µg/L	GE
0	Silica	7580	µg/L	GE
0	Total organic halogens	< 5.0	µg/L	GE
0	Gross alpha	< 3.0	pCi/L	GE
0	Total radium	< 1.0	pCi/L	GE

WELL BRD 5D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/14/90
Depth to water: 40.98 ft (12.48 m) below TOC
Water elevation: 184.04 ft (56.00 m) msl
Sp. conductance: 39 µS/cm
Water evacuated before sampling: 47 gal

Time: 17:50
pH: 5.3
Alkalinity: 3 mg/L
Water temperature: 20.5 °C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.6	pH	GE
0	Specific conductance	30	µS/cm	GE
0	Arsenic	< 2.0	µg/L	GE
0	Barium	8.2	µg/L	GE
0	Cadmium	< 2.0	µg/L	GE
0	Calcium	1780	µg/L	GE
0	Chloride	2000	µg/L	GE
0	Chromium	< 4.0	µg/L	GE
0	Fluoride	< 100	µg/L	GE
0	Iron	53	µg/L	GE
0	Lead	< 8.0	µg/L	GE
0	Magnesium	326	µg/L	GE
0	Manganese	18	µg/L	GE
0	Mercury	< 0.20	µg/L	GE
0	Nitrate as nitrogen	1450	µg/L	GE
0	Phenols	< 5.0	µg/L	GE
0	Potassium	< 500	µg/L	GE

ANALYTICAL RESULTS

WELL BBD 5D collected on 02/14/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Selenium	<2.0	µg/L	GE
0	Silica	8830	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	2510	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Total dissolved solids	38000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	8.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	4.8 ± 1.6	pCi/L	GE
0	Total radium	<1.0	pCi/L	GE
0	Tritium	<0.70	pCi/mL	GE

WELL CCB 1

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/24/90
Depth to water: Not available
Water elevation: Not available
Sp. conductance: 23 µS/cm
Water evacuated before sampling: 48 gal

Time: 9:30
pH: 4.8
Alkalinity: 0 mg/L
Water temperature: 17.3 °C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	Copper	34	µg/L	GE
1	Copper	35	µg/L	GE
0	Iron	31	µg/L	GE
0	Iron	30	µg/L	GE
0	Silica	7330	µg/L	GE
0	Silica	8130	µg/L	GE
0	Sodium	1370	µg/L	GE
0	Sodium	1520	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Tritium	2.8 ± 0.40	pCi/mL	GE
0	Tritium	2.4 ± 0.40	pCi/mL	GE

WELL CCB 2

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/24/90
Depth to water: 54.43 ft (16.59 m) below TOC
Water elevation: 215.97 ft (65.83 m) msl
Sp. conductance: 30 µS/cm
Water evacuated before sampling: 49 gal

Time: 8:55
pH: 4.9
Alkalinity: 0 mg/L
Water temperature: 17.3 °C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	Copper	25	µg/L	GE
0	Iron	13	µg/L	GE
0	Silica	8580	µg/L	GE
0	Sodium	1730	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Tritium	6.2 ± 0.50	pCi/mL	GE

WELL CCB 3

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/24/90
Depth to water: 45.82 ft (13.97 m) below TOC
Water elevation: 221.58 ft (67.54 m) msl
Sp. conductance: 19 µS/cm
Water evacuated before sampling: 10 gal
The well went dry during purging.

Time: 10:10
pH: 4.9
Alkalinity: 0 mg/L
Water temperature: 17.8 °C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	Copper	34	µg/L	GE
0	Iron	15	µg/L	GE
0	Silica	9030	µg/L	GE
0	Sodium	1250	µg/L	GE

WELL CCB 3 collected on 02/24/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Tritium	3.9 ± 0.80	pCi/mL	GE

WELL CCB 4

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/24/90
Depth to water: 80.06 ft (18.31 m) below TOC
Water elevation: 222.94 ft (67.95 m) msl
Sp. conductance: 16 µS/cm
Water evacuated before sampling: 31 gal

Time: 9:50
pH: 5.0
Alkalinity: 1 mg/L
Water temperature: 17.5 °C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Copper	13	µg/L	GE
0	Iron	27	µg/L	GE
0	Silica	7090	µg/L	GE
0	Sodium	1060	µg/L	GE
1	Total organic halogens	10	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Tritium	<0.70	pCi/mL	GE
0	Tritium	8.0 ± 0.40	pCi/mL	GE

WELL CDB 1

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/13/90
Depth to water: 78.60 ft (23.98 m) below TOC
Water elevation: 210.30 ft (64.10 m) msl
Sp. conductance: 62 µS/cm
Water evacuated before sampling: 9 gal
The well went dry during purging.

Time: 10:05
pH: 5.0
Alkalinity: 4 mg/L
Water temperature: 21.3 °C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Arsenic	<3.0	µg/L	MT
0	Arsenic	<3.0	µg/L	MT
2	Cadmium	5.6	µg/L	MT
0	Cadmium	<3.0	µg/L	MT
2	Iron	305	µg/L	MT
1	Iron	266	µg/L	MT
2	Lead	310	µg/L	MT
2	Lead	309	µg/L	MT
2	Manganese	88	µg/L	MT
2	Manganese	84	µg/L	MT
0	Nitrate as nitrogen	2100	µg/L	MT
0	Silica	8830	µg/L	MT
0	Silica	8680	µg/L	MT
0	Sodium	2150	µg/L	MT
0	Sodium	2110	µg/L	MT
0	Sulfate	1100	µg/L	MT
0	Total organic carbon	<1000	µg/L	MT
0	Total organic halogens	7.5	µg/L	MT
0	Total organic halogens	6.3	µg/L	MT
0	Nonvolatile beta	<5.0	pCi/L	MT
2	Tritium	95 ± 10	pCi/mL	MT
2	Tritium	92 ± 10	pCi/mL	MT

WELL CDB 2

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/13/90
Depth to water: Not available
Water elevation: Not available
Sp. conductance: 74 µS/cm
Water evacuated before sampling: 5 gal
The well went dry during purging.

Time: 9:50
pH: 4.7
Alkalinity: 1 mg/L
Water temperature: 21.2 °C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	Arsenic	3.2	µg/L	MT
0	Cadmium	<3.0	µg/L	MT
0	Iron	90	µg/L	MT
2	Lead	272	µg/L	MT
2	Manganese	90	µg/L	MT

ANALYTICAL RESULTS

WELL CDB 2 collected on 03/13/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Nitrate as nitrogen	2500	µg/L	MT
0	Silica	5560	µg/L	MT
1	Sodium	5540	µg/L	MT
0	Sulfate	5500	µg/L	MT
0	Total organic carbon	<1000	µg/L	MT
2	Total organic halogens	41	µg/L	MT
0	Nonvolatile beta	<5.0	pCi/L	MT
1	Total activity	445 ± 4.9	pCi/mL	EM
2	Tritium	380 ± 40	pCi/mL	MT

WELL CMP 8

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/03/90
Depth to water: 26.48 ft (8.07 m) below TOC
Water elevation: 202.12 ft (61.61 m) msl
Sp. conductance: 29 µS/cm
Water evacuated before sampling: 47 gal

Time: 16:05
pH: 5.3
Alkalinity: 3 mg/L
Water temperature: 18.6°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.3	pH	GE
0	pH	5.4	pH	GE
0	Specific conductance	23	µS/cm	GE
0	Specific conductance	23	µS/cm	GE
0	Aluminum	48	µg/L	GE
0	Aluminum	40	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Calcium	1630	µg/L	GE
0	Calcium	1670	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
1	Copper	343	µg/L	GE
1	Copper	347	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	Iron	20	µg/L	GE
0	Iron	17	µg/L	GE
2	Lead	47	µg/L	GE
2	Lead	52	µg/L	GE
0	Manganese	6.4	µg/L	GE
0	Manganese	6.5	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Silica	9100	µg/L	GE
0	Silica	9450	µg/L	GE
0	Sodium	1200	µg/L	GE
0	Sodium	1250	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE

WELL CMP 8 collected on 03/03/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Toluene	<1.0	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Zinc	131	µg/L	GE
0	Zinc	136	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropene	<1.0	µg/L	GE
0	1,2-Dichloropropene	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Gross alpha	<3.0	pCi/L	GE
1	Total radium	3.7 ± 3.8	pCi/L	GE
2	Total radium	5.1 ± 4.2	pCi/L	GE

WELL CMP 8A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/03/90
Depth to water: 48.01 ft (14.63 m) below TOC
Water elevation: 181.69 ft (55.38 m) msl
Sp. conductance: 115 µS/cm
Water evacuated before sampling: 504 gal

Time: 16:20
pH: 6.2
Alkalinity: 30 mg/L
Water temperature: 18.6°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	6.3	pH	GE
1	Specific conductance	114	µS/cm	GE
0	Aluminum	<20	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
1	Calcium	15300	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Copper	5.5	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	120	µg/L	GE
1	Iron	220	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Manganese	16	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Potassium	1480	µg/L	GE
1	Silica	11200	µg/L	GE
0	Sodium	1960	µg/L	GE
1	Sulfate	12200	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	120	µg/L	GE

ANALYTICAL RESULTS

WELL CMP 8A collected on 03/03/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Zinc	4.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
1	Total radium	4.3 ± 3.9	pCi/L	GE

WELL CMP 8B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/03/90
 Depth to water: 31.51 ft (9.60 m) below TOC
 Water elevation: 197.99 ft (60.35 m) msl
 Sp. conductance: 132 µS/cm
 Water evacuated before sampling: 108 gal

Time: 15:45
 pH: 8.8
 Alkalinity: 36 mg/L
 Water temperature: 17.2°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	pH	6.6	pH	GE
1	Specific conductance	130	µS/cm	GE
1	Aluminum	102	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
1	Calcium	18800	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
1	Chromium	5.4	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	190	µg/L	GE
0	Iron	22	µg/L	GE
2	Lead	89	µg/L	GE
0	Manganese	<2.0	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Potassium	944	µg/L	GE
0	Silica	9910	µg/L	GE
0	Sodium	2840	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total organic carbon	1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
1	Total phosphates	570	µg/L	GE
0	trans-1,2-Dichloroethane	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Zinc	3.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Total radium	<1.0	pCi/L	GE

WELL CMP 9B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/25/90
 Depth to water: 121.15 ft (36.63 m) below TOC
 Water elevation: 193.95 ft (59.12 m) msl
 Sp. conductance: 142 µS/cm
 Water evacuated before sampling: 117 gal

Time: 13:50
 pH: 8.8
 Alkalinity: 50 mg/L
 Water temperature: 20.5°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
2	pH	8.6	pH	GE
1	Specific conductance	138	µS/cm	GE
0	Aluminum	26	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
1	Calcium	17500	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
1	Chromium	4.1	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	Iron	12	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Manganese	<2.0	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Potassium	1440	µg/L	GE
1	Silica	15000	µg/L	GE
0	Sodium	3030	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total organic carbon	2000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	trans-1,2-Dichloroethane	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Zinc	2.7	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Total radium	<1.0	pCi/L	GE

WELL CMP 10

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/04/90
 Depth to water: 93.42 ft (28.47 m) below TOC
 Water elevation: 217.48 ft (66.29 m) msl
 Sp. conductance: 20 µS/cm
 Water evacuated before sampling: 75 gal

Time: 10:45
 pH: 5.0
 Alkalinity: 1 mg/L
 Water temperature: 19.4°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.3	pH	GE
0	Specific conductance	21	µS/cm	GE
1	Aluminum	96	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Calcium	832	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE

ANALYTICAL RESULTS

WELL CMP 10 collected on 03/04/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
1	Copper	42	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	Iron	21	µg/L	GE
1	Lead	21	µg/L	GE
0	Manganese	6.7	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Potassium	555	µg/L	GE
0	Silica	9610	µg/L	GE
0	Sodium	2320	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	70	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Zinc	7.9	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
2	Total radium	57 ± 7.9	pCi/L	GE

WELL CMP 10B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/04/90
 Depth to water: 118.31 ft (35.45 m) below TOC
 Water elevation: 194.49 ft (59.28 m) msl
 Sp. conductance: 192 µS/cm
 Water evacuated before sampling: 150 gal

Time: 11:05
 pH: 7.7
 Alkalinity: 77 mg/L
 Water temperature: 19.4°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	pH	7.6	pH	GE
1	Specific conductance	190	µS/cm	GE
1	Aluminum	97	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
1	Calcium	31000	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
1	Chromium	4.5	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	Iron	23	µg/L	GE
0	Lead	<8.0	µg/L	GE
0	Manganese	<2.0	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Potassium	954	µg/L	GE
1	Silica	13600	µg/L	GE
0	Sodium	2440	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE

WELL CMP 10B collected on 03/04/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Total organic carbon	3000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Zinc	9.6	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Total radium	<1.0	pCi/L	GE

WELL CMP 11

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/04/90
 Depth to water: 101.10 ft (30.82 m) below TOC
 Water elevation: 209.40 ft (63.83 m) msl
 Sp. conductance: 27 µS/cm
 Water evacuated before sampling: 14 gal
 The well went dry during purging.

Time: 9:15
 pH: 5.1
 Alkalinity: 4 mg/L
 Water temperature: 16.2°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.1	pH	GE
0	Specific conductance	26	µS/cm	GE
1	Aluminum	136	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Calcium	1320	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
1	Copper	35	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	Iron	24	µg/L	GE
0	Lead	12	µg/L	GE
0	Manganese	4.7	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Potassium	752	µg/L	GE
0	Silica	7450	µg/L	GE
0	Sodium	2330	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total organic carbon	1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Zinc	20	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
1	Total radium	2.7 ± 3.5	pCi/L	GE

ANALYTICAL RESULTS

WELL CMP 11B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/25/90 Time: 15:30
Depth to water: 115.98 ft (35.35 m) below TOC pH: 7.6
Water elevation: 194.22 ft (59.20 m) msl Alkalinity: 82 mg/L
Sp. conductance: 193 µS/cm Water temperature: 18.4°C
Water evacuated before sampling: 139 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	pH	8.0	pH	GE
1	Specific conductance	137	µS/cm	GE
0	Aluminum	<20	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
1	Calcium	25700	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	Iron	14	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Manganese	<2.0	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Potassium	890	µg/L	GE
1	Silica	14500	µg/L	GE
0	Sodium	1500	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total organic carbon	3000	µg/L	GE
0	Total organic halogens	6.0	µg/L	GE
0	Total phosphates	50	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Zinc	3.2	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Total radium	<1.0	pCi/L	GE

WELL CMP 12

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/04/90 Time: 9:40
Depth to water: 78.74 ft (24.00 m) below TOC pH: 5.1
Water elevation: 204.16 ft (62.23 m) msl Alkalinity: 1 mg/L
Sp. conductance: 17 µS/cm Water temperature: 15.5°C
Water evacuated before sampling: 12 gal
The well went dry during purging.

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.2	pH	GE
0	Specific conductance	18	µS/cm	GE
1	Aluminum	218	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Calcium	666	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE

WELL CMP 12 collected on 03/04/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
1	Copper	57	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	Iron	23	µg/L	GE
0	Lead	18	µg/L	GE
0	Manganese	4.9	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Silica	7480	µg/L	GE
0	Sodium	2360	µg/L	GE
0	Sulfate	<5000	µg/L	GE
2	Tetrachloroethylene	10	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
1	Total organic halogens	13	µg/L	GE
0	Total phosphates	170	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
2	Trichloroethylene	11	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Zinc	85	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Total radium	<1.0	pCi/L	GE

WELL CMP 12A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/03/90 Time: 14:45
Depth to water: 103.38 ft (31.51 m) below TOC pH: 8.7
Water elevation: 180.72 ft (55.08 m) msl Alkalinity: 50 mg/L
Sp. conductance: 178 µS/cm Water temperature: 18.8°C
Water evacuated before sampling: 413 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	pH	8.7	pH	GE
1	Specific conductance	172	µS/cm	GE
1	Aluminum	153	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
1	Calcium	26300	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	180	µg/L	GE
1	Iron	187	µg/L	GE
0	Lead	<6.0	µg/L	GE
2	Manganese	95	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Potassium	996	µg/L	GE
1	Silica	18100	µg/L	GE
0	Sodium	2620	µg/L	GE
1	Sulfate	11300	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE

ANALYTICAL RESULTS

WELL CMP 12A collected on 03/03/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	290	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Zinc	2.2	µg/L	GE
0	Zinc	9.2	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Total radium	<1.0	pCi/L	GE

WELL CMP 12B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/03/90
 Depth to water: 89.87 ft (27.39 m) below TOC
 Water elevation: 194.03 ft (59.14 m) msl
 Sp. conductance: 187 µS/cm
 Water evacuated before sampling: 121 gal

Time: 13:40
 pH: 7.5
 Alkalinity: 60 mg/L
 Water temperature: 19.4°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	pH	7.9	pH	GE
1	Specific conductance	180	µS/cm	GE
1	Aluminum	98	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromofluoromethane	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
1	Calcium	27400	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
1	Chromium	4.5	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	Iron	20	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Manganese	<2.0	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Potassium	699	µg/L	GE
1	Silica	13100	µg/L	GE
0	Sodium	2500	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
1	Trichloroethylene	2.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Zinc	2.3	µg/L	GE
0	Zinc	15	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Total radium	<1.0	pCi/L	GE

WELL CMP 13

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/04/90
 Depth to water: 83.31 ft (25.39 m) below TOC
 Water elevation: 205.89 ft (62.76 m) msl
 Sp. conductance: 56 µS/cm
 Water evacuated before sampling: 6 gal
 The well went dry during purging.

Time: 10:00
 pH: 6.1
 Alkalinity: 16 mg/L
 Water temperature: 17.9°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	6.2	pH	GE
0	Specific conductance	53	µS/cm	GE
0	Aluminum	73	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromofluoromethane	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Calcium	7650	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
1	Copper	100	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	Iron	54	µg/L	GE
0	Lead	12	µg/L	GE
0	Manganese	11	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Potassium	<500	µg/L	GE
1	Silica	10100	µg/L	GE
0	Sodium	2590	µg/L	GE
0	Sulfate	<5000	µg/L	GE
2	Tetrachloroethylene	14	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
2	Total organic halogens	25	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
2	Trichloroethylene	9.0	µg/L	GE
1	Trichlorofluoromethane	3.0	µg/L	GE
0	Zinc	75	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
1	1,2-Dichloroethane	1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Total radium	2.4 ± 3.5	pCi/L	GE

WELL CMP 13B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/25/90
 Depth to water: 95.21 ft (29.02 m) below TOC
 Water elevation: 193.89 ft (59.10 m) msl
 Sp. conductance: 187 µS/cm
 Water evacuated before sampling: 154 gal

Time: 16:40
 pH: 8.1
 Alkalinity: 65 mg/L
 Water temperature: 19.0°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
2	pH	8.3	pH	GE
1	Specific conductance	174	µS/cm	GE
0	Aluminum	<20	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromofluoromethane	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
1	Calcium	24200	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE

ANALYTICAL RESULTS

WELL CMP 13B collected on 02/25/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	Iron	12	µg/L	GE
0	Lead	<8.0	µg/L	GE
0	Manganese	<2.0	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Potassium	1510	µg/L	GE
1	Silica	14000	µg/L	GE
0	Sodium	1950	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total organic carbon	3000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Zinc	2.4	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Total radium	<1.0	pCi/L	GE

WELL CMP 14B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/03/90
 Depth to water: 70.38 ft (21.45 m) below TOC
 Water elevation: 194.12 ft (59.17 m) msf
 Sp. conductance: 171 µS/cm
 Water evacuated before sampling: 167 gal
 Time: 10:35
 pH: 7.9
 Alkalinity: 53 mg/L
 Water temperature: 18.7°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	pH	8.0	pH	GE
2	pH	8.0	pH	GE
1	Specific conductance	162	µS/cm	GE
1	Specific conductance	184	µS/cm	GE
1	Aluminum	92	µg/L	GE
1	Aluminum	92	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
1	Calcium	27800	µg/L	GE
1	Calcium	27300	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE

WELL CMP 14B collected on 03/03/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	Iron	9.0	µg/L	GE
0	Iron	8.9	µg/L	GE
0	Lead	<8.0	µg/L	GE
0	Lead	<8.0	µg/L	GE
0	Manganese	<2.0	µg/L	GE
0	Manganese	<2.0	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Potassium	523	µg/L	GE
0	Potassium	558	µg/L	GE
1	Silica	11800	µg/L	GE
1	Silica	11400	µg/L	GE
0	Sodium	2450	µg/L	GE
0	Sodium	2410	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	60	µg/L	GE
0	Total phosphates	50	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Zinc	2.0	µg/L	GE
0	Zinc	2.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Total radium	<1.0	pCi/L	GE
0	Total radium	<1.0	pCi/L	GE

WELL CMP 14C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/03/90
 Depth to water: 53.14 ft (16.20 m) below TOC
 Water elevation: 210.96 ft (64.30 m) msf
 Sp. conductance: 17 µS/cm
 Water evacuated before sampling: 67 gal
 Time: 10:10
 pH: 7.1
 Alkalinity: 1 mg/L
 Water temperature: 17.4°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	4.9	pH	GE
0	Specific conductance	17	µS/cm	GE
0	Aluminum	41	µg/L	GE
0	Arsenic	<2.0	µg/L	GE

ANALYTICAL RESULTS

WELL CMP 14C collected on 03/03/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Calcium	501	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethane (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Copper	4.9	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	Iron	20	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Manganese	2.6	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Silica	5750	µg/L	GE
0	Sodium	1770	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Zinc	3.6	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropene	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Total radium	<1.0	pCi/L	GE

WELL CMP 15A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/03/90
 Depth to water: 96.97 ft (29.56 m) below TOC
 Water elevation: 179.53 ft (54.72 m) msl
 Sp. conductance: 100 µS/cm
 Water evacuated before sampling: 430 gal

Time: 12:40
 pH: 6.3
 Alkalinity: 22 mg/L
 Water temperature: 18.2°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	6.3	pH	GE
0	Specific conductance	95	µS/cm	GE
0	Aluminum	54	µg/L	GE
1	Arsenic	2.3	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
1	Calcium	11400	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethane (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	310	µg/L	GE
1	Iron	258	µg/L	GE
0	Lead	<6.0	µg/L	GE
1	Manganese	36	µg/L	GE
0	Nickel	<4.0	µg/L	GE

WELL CMP 15A collected on 03/03/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Potassium	4700	µg/L	GE
1	Silica	16000	µg/L	GE
0	Sodium	3920	µg/L	GE
1	Sulfate	10700	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
1	Total organic halogens	20	µg/L	GE
1	Total phosphates	470	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Zinc	2.3	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropene	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Total radium	1.6±2.2	pCi/L	GE

WELL CMP 15B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/04/90
 Depth to water: 74.41 ft (22.88 m) below TOC
 Water elevation: 201.99 ft (61.57 m) msl
 Sp. conductance: 113 µS/cm
 Water evacuated before sampling: 21 gal
 The well went dry during purging.

Time: 8:55
 pH: 11.0
 Alkalinity: 27 mg/L
 Water temperature: 17.4°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
2	pH	11	pH	GE
1	Specific conductance	127	µS/cm	GE
1	Aluminum	119	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Calcium	9480	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethane (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	Iron	36	µg/L	GE
0	Lead	13	µg/L	GE
0	Manganese	<2.0	µg/L	GE
0	Nickel	<4.0	µg/L	GE
1	Potassium	5520	µg/L	GE
1	Silica	11800	µg/L	GE
1	Sodium	5600	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	6.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Zinc	2.1	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropene	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE

ANALYTICAL RESULTS

WELL CMP 15B collected on 03/04/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Gross alpha	<3.0	pCi/L	GE
0	Total radium	1.2±2.0	pCi/L	GE

WELL CMP 15C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/03/90 Time: 11:05
The well was dry.

WELL CMP 16B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/25/90 Time: 14:45
Depth to water: 123.66 ft (37.69 m) below TOC pH: 7.4
Water elevation: 194.04 ft (59.14 m) msl Alkalinity: 71 mg/L
Sp. conductance: 189 µS/cm Water temperature: 19.0°C
Water evacuated before sampling: 136 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
2	pH	8.0	pH	GE
1	Specific conductance	184	µS/cm	GE
0	Aluminum	<20	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
1	Calcium	28400	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
1	Chromium	5.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	100	µg/L	GE
0	Iron	12	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Manganese	<2.0	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Potassium	861	µg/L	GE
1	Silica	15700	µg/L	GE
0	Sodium	1530	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total organic carbon	2000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Zinc	<2.0	µg/L	GE
0	Zinc	<2.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Total radium	<1.0	pCi/L	GE

WELL CMP 16C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/25/90 Time: 14:10
The well was dry.

WELL CRP 1

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/18/90 Time: 14:45
Depth to water: 89.90 ft (21.31 m) below TOC pH: 8.1
Water elevation: 204.70 ft (62.39 m) msl Alkalinity: 12 mg/L
Sp. conductance: 48 µS/cm Water temperature: 19.9°C
Water evacuated before sampling: 46 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	8.0	pH	GE
0	Specific conductance	48	µS/cm	GE
1	Benzene	1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Calcium	6080	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Copper	8.7	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	Lead	<8.0	µg/L	GE
0	Magnesium	304	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE
1	Silica	10400	µg/L	GE
0	Sodium	1850	µg/L	GE
1	Tetrachloroethylene	3.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
2	Total organic halogens	309	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
2	Trichloroethylene	443	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
2	Tritium	33±0.70	pCi/mL	GE

WELL CRP 2

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/18/90 Time: 15:15
Depth to water: 74.07 ft (22.58 m) below TOC pH: 5.3
Water elevation: 204.63 ft (62.37 m) msl Alkalinity: 1 mg/L
Sp. conductance: 15 µS/cm Water temperature: 17.9°C
Water evacuated before sampling: 85 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.5	pH	GE
0	pH	5.8	pH	GE
0	Specific conductance	15	µS/cm	GE
0	Specific conductance	15	µS/cm	GE
0	Benzene	<1.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE

ANALYTICAL RESULTS

WELL CRP 2 collected on 02/18/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Bromodichloromethane	< 1.0	µg/L	GE
0	Bromodichloromethane	< 1.0	µg/L	GE
0	Bromoform	< 1.0	µg/L	GE
0	Bromoform	< 1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	< 1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	< 1.0	µg/L	GE
0	Calcium	550	µg/L	GE
0	Calcium	562	µg/L	GE
0	Carbon tetrachloride	< 1.0	µg/L	GE
0	Carbon tetrachloride	< 1.0	µg/L	GE
0	Chlorobenzene	< 1.0	µg/L	GE
0	Chlorobenzene	< 1.0	µg/L	GE
0	Chloroethane	< 1.0	µg/L	GE
0	Chloroethane	< 1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	< 1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	< 1.0	µg/L	GE
0	Chloroform	< 1.0	µg/L	GE
0	Chloroform	< 1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	< 1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	< 1.0	µg/L	GE
0	Chromium	< 4.0	µg/L	GE
0	Chromium	< 4.0	µg/L	GE
0	cis-1,3-Dichloropropene	< 1.0	µg/L	GE
0	cis-1,3-Dichloropropene	< 1.0	µg/L	GE
1	Copper	21	µg/L	GE
1	Copper	23	µg/L	GE
0	Dibromochloromethane	< 1.0	µg/L	GE
0	Dibromochloromethane	< 1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	< 1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	< 1.0	µg/L	GE
0	Ethylbenzene	< 1.0	µg/L	GE
0	Ethylbenzene	< 1.0	µg/L	GE
0	Fluoride	< 100	µg/L	GE
0	Fluoride	< 100	µg/L	GE
0	Lead	8.3	µg/L	GE
0	Lead	9.3	µg/L	GE
0	Magnesium	132	µg/L	GE
0	Magnesium	149	µg/L	GE
0	Phenols	< 5.0	µg/L	GE
0	Phenols	< 5.0	µg/L	GE
0	Potassium	< 500	µg/L	GE
0	Potassium	< 500	µg/L	GE
0	Silica	7860	µg/L	GE
0	Silica	6270	µg/L	GE
0	Sodium	1300	µg/L	GE
0	Sodium	1200	µg/L	GE
0	Tetrachloroethylene	< 1.0	µg/L	GE
0	Tetrachloroethylene	< 1.0	µg/L	GE
0	Toluene	< 1.0	µg/L	GE
0	Toluene	< 1.0	µg/L	GE
0	Total organic carbon	1000	µg/L	GE
0	Total organic carbon	1000	µg/L	GE
0	Total organic halogens	< 5.0	µg/L	GE
0	Total organic halogens	< 5.0	µg/L	GE
0	trans-1,2-Dichloroethene	< 1.0	µg/L	GE
0	trans-1,2-Dichloroethene	< 1.0	µg/L	GE
0	trans-1,3-Dichloropropene	< 1.0	µg/L	GE
0	trans-1,3-Dichloropropene	< 1.0	µg/L	GE
0	Trichloroethylene	< 1.0	µg/L	GE
0	Trichloroethylene	< 1.0	µg/L	GE
0	Trichlorofluoromethane	< 1.0	µg/L	GE
0	Trichlorofluoromethane	< 1.0	µg/L	GE
0	1,1-Dichloroethane	< 1.0	µg/L	GE
0	1,1-Dichloroethane	< 1.0	µg/L	GE
0	1,1-Dichloroethylene	< 1.0	µg/L	GE
0	1,1,1-Trichloroethane	< 1.0	µg/L	GE
0	1,1,1-Trichloroethane	< 1.0	µg/L	GE
0	1,1,2-Trichloroethane	< 1.0	µg/L	GE
0	1,1,2-Trichloroethane	< 1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	< 1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	< 1.0	µg/L	GE
0	1,2-Dichloroethane	< 1.0	µg/L	GE
0	1,2-Dichloroethane	< 1.0	µg/L	GE
0	1,2-Dichloropropane	< 1.0	µg/L	GE
0	1,2-Dichloropropane	< 1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	< 1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	< 1.0	µg/L	GE
0	Gross alpha	< 3.0	pCi/L	GE
0	Gross alpha	< 3.0	pCi/L	GE
1	Total activity	265 ± 3.5	pCi/mL	EM
2	Tritium	134 ± 1.3	pCi/mL	GE
2	Tritium	148 ± 1.3	pCi/mL	GE

WELL CRP 3

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/18/90
 Depth to water: Not available
 Water elevation: Not available
 Sp. conductance: 1519 µS/cm
 Water evacuated before sampling: 10 gal
 The well went dry during purging.

Time: 10:45
 pH: 12.2
 Alkalinity: 445 mg/L
 Water temperature: 17.8°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
2	pH	12	pH	GE
1	Specific conductance	1450	µS/cm	GE
0	Benzene	< 1.0	µg/L	GE
0	Bromodichloromethane	< 1.0	µg/L	GE
0	Bromoform	< 1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	< 1.0	µg/L	GE
1	Calcium	44500	µg/L	GE
0	Carbon tetrachloride	< 1.0	µg/L	GE
0	Chlorobenzene	< 1.0	µg/L	GE
0	Chloroethane	< 1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	< 1.0	µg/L	GE
0	Chloroform	< 1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	< 1.0	µg/L	GE
2	Chromium	90	µg/L	GE
0	cis-1,3-Dichloropropene	< 1.0	µg/L	GE
0	Copper	< 4.0	µg/L	GE
0	Dibromochloromethane	< 1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	< 1.0	µg/L	GE
0	Ethylbenzene	< 1.0	µg/L	GE
0	Fluoride	130	µg/L	GE
2	Lead	48	µg/L	GE
0	Magnesium	11	µg/L	GE
0	Phenols	< 5.0	µg/L	GE
0	Potassium	1550	µg/L	GE
0	Silica	4680	µg/L	GE
0	Sodium	4880	µg/L	GE
1	Tetrachloroethylene	2.0	µg/L	GE
1	Toluene	2.0	µg/L	GE
0	Total organic carbon	< 1000	µg/L	GE
2	Total organic halogens	1300	µg/L	GE
1	trans-1,2-Dichloroethene	5.0	µg/L	GE
0	trans-1,3-Dichloropropene	< 1.0	µg/L	GE
0	Trichloroethylene	< 1.0	µg/L	GE
0	Trichlorofluoromethane	< 1.0	µg/L	GE
0	1,1-Dichloroethane	< 1.0	µg/L	GE
0	1,1-Dichloroethylene	< 1.0	µg/L	GE
0	1,1,1-Trichloroethane	< 1.0	µg/L	GE
0	1,1,2-Trichloroethane	< 1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	< 1.0	µg/L	GE
1	1,2-Dichloroethane	5.0	µg/L	GE
0	1,2-Dichloropropane	< 1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	< 1.0	µg/L	GE
1	Gross alpha	7.0 ± 3.4	pCi/L	GE
1	Tritium	19 ± 0.60	pCi/mL	GE

WELL CRP 4

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/18/90
 Depth to water: 62.80 ft (19.14 m) below TOC
 Water elevation: 204.90 ft (62.45 m) msl
 Sp. conductance: 20 µS/cm
 Water evacuated before sampling: 63 gal

Time: 15:45
 pH: 5.4
 Alkalinity: 1 mg/L
 Water temperature: 17.5°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.3	pH	GE
0	Specific conductance	20	µS/cm	GE
0	Benzene	< 1.0	µg/L	GE
0	Bromodichloromethane	< 1.0	µg/L	GE
0	Bromoform	< 1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	< 1.0	µg/L	GE
0	Calcium	828	µg/L	GE
0	Carbon tetrachloride	< 1.0	µg/L	GE
0	Chlorobenzene	< 1.0	µg/L	GE
0	Chloroethane	< 1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	< 1.0	µg/L	GE
0	Chloroform	< 1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	< 1.0	µg/L	GE
0	Chromium	< 4.0	µg/L	GE
0	cis-1,3-Dichloropropene	< 1.0	µg/L	GE
0	Copper	< 4.0	µg/L	GE

ANALYTICAL RESULTS

WELL CRP 4 collected on 02/18/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	Lead	<8.0	µg/L	GE
0	Magnesium	334	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Silica	7640	µg/L	GE
0	Sodium	1330	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
1	Trichloroethylene	2.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
1	Tritium	18±0.50	pCi/mL	GE

WELL CSA 1

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/13/90
 Depth to water: 51.30 ft (15.04 m) below TOC
 Water elevation: 239.50 ft (73.00 m) msl
 Sp. conductance: 53 µS/cm
 Water evacuated before sampling: 20 gal
 Time: 13:30
 pH: 4.8
 Alkalinity: 0 mg/L
 Water temperature: 21.8°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	4.9	pH	GE
0	pH	4.9	pH	GE
0	Cadmium	<2.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	Iron	21	µg/L	GE
0	Iron	20	µg/L	GE
0	Lead	<8.0	µg/L	GE
0	Lead	<8.0	µg/L	GE
0	Manganese	<2.0	µg/L	GE
0	Manganese	<2.0	µg/L	GE
0	Nitrate as nitrogen	2900	µg/L	GE
1	Nitrate as nitrogen	3200	µg/L	GE
0	Silica	5700	µg/L	GE
0	Silica	5850	µg/L	GE
0	Sodium	3790	µg/L	GE
0	Sodium	3790	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Total phosphates	<50	µg/L	GE
1	Total radium	2.9±3.7	pCi/L	GE
0	Total radium	1.5±2.1	pCi/L	GE

WELL CSA 2

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/13/90
 Depth to water: 50.23 ft (15.31 m) below TOC
 Water elevation: 239.87 ft (73.11 m) msl
 Sp. conductance: 42 µS/cm
 Water evacuated before sampling: 56 gal
 Time: 12:55
 pH: 4.2
 Alkalinity: 0 mg/L
 Water temperature: 20.2°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.0	pH	GE
0	Cadmium	<2.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	Iron	45	µg/L	GE
0	Lead	<8.0	µg/L	GE
0	Manganese	<2.0	µg/L	GE
0	Nitrate as nitrogen	2800	µg/L	GE
0	Silica	6920	µg/L	GE
0	Sodium	2540	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Total radium	<1.0	pCi/L	GE

WELL CSA 3

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/13/90
 Depth to water: 50.10 ft (15.27 m) below TOC
 Water elevation: 239.30 ft (72.94 m) msl
 Sp. conductance: 46 µS/cm
 Water evacuated before sampling: 54 gal
 Time: 14:30
 pH: 4.8
 Alkalinity: 0 mg/L
 Water temperature: 20.3°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.0	pH	GE
0	Cadmium	<2.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	Iron	31	µg/L	GE
0	Lead	<8.0	µg/L	GE
0	Manganese	<2.0	µg/L	GE
0	Nitrate as nitrogen	2800	µg/L	GE
0	Silica	6460	µg/L	GE
0	Sodium	2960	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Total radium	<1.0	pCi/L	GE

WELL CSA 4

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/13/90
 Depth to water: 51.38 ft (15.65 m) below TOC
 Water elevation: 239.04 ft (72.86 m) msl
 Sp. conductance: 47 µS/cm
 Water evacuated before sampling: 54 gal
 Time: 14:05
 pH: 4.6
 Alkalinity: 0 mg/L
 Water temperature: 20.8°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	pH	7.0	pH	GE
0	Cadmium	<2.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	Iron	21	µg/L	GE
0	Lead	<8.0	µg/L	GE
0	Manganese	2.9	µg/L	GE
0	Nitrate as nitrogen	2800	µg/L	GE
0	Silica	6850	µg/L	GE
0	Sodium	3130	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Total radium	<1.0	pCi/L	GE

ANALYTICAL RESULTS

WELL CSB 1A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/13/90
The well was dry.

Time: 13:20

WELL CSB 2A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/14/90
Depth to water: 77.69 ft (23.68 m) below TOC
Water elevation: 208.91 ft (63.07 m) msl
Sp. conductance: 68 µS/cm
Water evacuated before sampling: 3 gal
The well went dry during purging.

Time: 9:05
pH: 8.1
Alkalinity: 18 mg/L
Water temperature: 18.7°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	8.1	pH	MT
0	Specific conductance	78	µS/cm	MT
0	Barium	33	µg/L	MT
0	Barium	31	µg/L	MT
0	Benzene	<5.0	µg/L	MT
0	Bromodichloromethane	<5.0	µg/L	MT
0	Bromoform	<5.0	µg/L	MT
0	Bromomethane (Methyl bromide)	<10	µg/L	MT
0	Calcium	5330	µg/L	MT
0	Calcium	5200	µg/L	MT
0	Carbon tetrachloride	<5.0	µg/L	MT
0	Chlorobenzene	<5.0	µg/L	MT
0	Chloroethane	<10	µg/L	MT
1	Chloroform	2.0	µg/L	MT
0	Chloromethane (Methyl chloride)	<10	µg/L	MT
0	Chromium	<3.0	µg/L	MT
0	Chromium	<3.0	µg/L	MT
0	cis-1,3-Dichloropropene	<5.0	µg/L	MT
2	Copper	1470	µg/L	MT
2	Copper	1430	µg/L	MT
0	Dibromochloromethane	<5.0	µg/L	MT
1	Dichloromethane (Methylene chloride)	35	µg/L	MT
0	Ethylbenzene	<5.0	µg/L	MT
0	Iron	111	µg/L	MT
0	Iron	84	µg/L	MT
2	Lead	137	µg/L	MT
0	Manganese	15	µg/L	MT
0	Manganese	15	µg/L	MT
1	Nickel	28	µg/L	MT
0	Nitrate as nitrogen	990	µg/L	MT
0	Phenols	<5.0	µg/L	MT
0	Phenols	<5.0	µg/L	MT
0	Silica	8500	µg/L	MT
1	Silica	11200	µg/L	MT
0	Silver	<2.0	µg/L	MT
0	Sodium	3930	µg/L	MT
0	Sodium	2510	µg/L	MT
0	Sulfate	1300	µg/L	MT
0	Tetrachloroethylene	<5.0	µg/L	MT
0	Toluene	<5.0	µg/L	MT
0	Total organic carbon	<1000	µg/L	MT
2	Total organic halogens	788	µg/L	MT
0	trans-1,2-Dichloroethane	<5.0	µg/L	MT
0	trans-1,3-Dichloropropene	<5.0	µg/L	MT
2	Trichloroethylene	1700	µg/L	MT
0	Trichlorofluoromethane	<5.0	µg/L	MT
0	1,1-Dichloroethane	<5.0	µg/L	MT
0	1,1-Dichloroethylene	<5.0	µg/L	MT
0	1,1,1-Trichloroethane	<5.0	µg/L	MT
0	1,1,2-Trichloroethane	<5.0	µg/L	MT
0	1,1,2,2-Tetrachloroethane	<5.0	µg/L	MT
1	1,2-Dichloroethane	100	µg/L	MT
0	1,2-Dichloropropane	<5.0	µg/L	MT
0	2-Chloroethyl vinyl ether	<5.0	µg/L	MT
0	Gross alpha	1.5 ± 1.1	pCi/L	EM
0	Nonvolatile beta	<6.0	pCi/L	MT
0	Nonvolatile beta	1.2 ± 0.88	pCi/L	EM
2	Tritium	130 ± 10	pCi/mL	MT
2	Tritium	182 ± 3.0	pCi/mL	EM

WELL CSB 3A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/14/90
Depth to water: 78.49 ft (23.92 m) below TOC
Water elevation: 208.41 ft (62.91 m) msl
Sp. conductance: 31 µS/cm
Water evacuated before sampling: 2 gal
The well went dry during purging.

Time: 9:30
pH: 8.7
Alkalinity: 6 mg/L
Water temperature: 18.5°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	8.0	pH	MT
0	Specific conductance	29	µS/cm	MT
0	Barium	8.9	µg/L	MT
0	Benzene	<5.0	µg/L	MT
0	Bromodichloromethane	<5.0	µg/L	MT
0	Bromoform	<5.0	µg/L	MT
0	Bromomethane (Methyl bromide)	<10	µg/L	MT
0	Calcium	1700	µg/L	MT
0	Carbon tetrachloride	<5.0	µg/L	MT
0	Chlorobenzene	<5.0	µg/L	MT
0	Chloroethane	<10	µg/L	MT
0	Chloroform	<5.0	µg/L	MT
0	Chloromethane (Methyl chloride)	<10	µg/L	MT
0	Chromium	<3.0	µg/L	MT
0	cis-1,3-Dichloropropene	<5.0	µg/L	MT
2	Copper	737	µg/L	MT
0	Dibromochloromethane	<5.0	µg/L	MT
1	Dichloromethane (Methylene chloride)	8.50	µg/L	MT
0	Ethylbenzene	<5.0	µg/L	MT
0	Iron	29	µg/L	MT
2	Lead	89	µg/L	MT
0	Manganese	11	µg/L	MT
0	Nickel	7.5	µg/L	MT
0	Nitrate as nitrogen	540	µg/L	MT
0	Phenols	<5.0	µg/L	MT
0	Silica	7080	µg/L	MT
0	Silver	<2.0	µg/L	MT
0	Sodium	2030	µg/L	MT
0	Sulfate	<1000	µg/L	MT
0	Tetrachloroethylene	<5.0	µg/L	MT
0	Toluene	<5.0	µg/L	MT
0	Total organic carbon	<1000	µg/L	MT
1	Total organic halogens	12	µg/L	MT
0	trans-1,2-Dichloroethane	<5.0	µg/L	MT
0	trans-1,3-Dichloropropene	<5.0	µg/L	MT
2	Trichloroethylene	8.0	µg/L	MT
0	Trichlorofluoromethane	<5.0	µg/L	MT
0	1,1-Dichloroethane	<5.0	µg/L	MT
0	1,1-Dichloroethylene	<5.0	µg/L	MT
0	1,1,1-Trichloroethane	<5.0	µg/L	MT
0	1,1,2-Trichloroethane	<5.0	µg/L	MT
0	1,1,2,2-Tetrachloroethane	<5.0	µg/L	MT
0	1,2-Dichloroethane	<5.0	µg/L	MT
0	1,2-Dichloropropane	<5.0	µg/L	MT
0	2-Chloroethyl vinyl ether	<5.0	µg/L	MT
0	Gross alpha	0.49 ± 0.69	pCi/L	EM
0	Nonvolatile beta	<5.0	pCi/L	MT
0	Nonvolatile beta	1.8 ± 0.91	pCi/L	EM
2	Tritium	39000 ± 4000	pCi/mL	MT
2	Tritium	50900 ± 750	pCi/mL	EM

WELL CSB 4A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/13/90
Depth to water: 78.88 ft (23.98 m) below TOC
Water elevation: 208.42 ft (62.92 m) msl
Sp. conductance: 31 µS/cm
Water evacuated before sampling: 48 gal

Time: 13:55
pH: 5.2
Alkalinity: 2 mg/L
Water temperature: 21.5°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.7	pH	MT
0	pH	5.7	pH	MT
0	Specific conductance	30	µS/cm	MT
0	Specific conductance	30	µS/cm	MT
0	Barium	<8.0	µg/L	MT
0	Benzene	<5.0	µg/L	MT
0	Bromodichloromethane	<5.0	µg/L	MT
0	Bromoform	<5.0	µg/L	MT
0	Bromomethane (Methyl bromide)	<10	µg/L	MT
0	Calcium	1800	µg/L	MT

ANALYTICAL RESULTS

WELL CSB 4A collected on 02/13/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Carbon tetrachloride	<5.0	µg/L	MT
0	Chlorobenzene	<5.0	µg/L	MT
0	Chloroethane	<10	µg/L	MT
0	Chloroform	<5.0	µg/L	MT
0	Chloromethane (Methyl chloride)	<10	µg/L	MT
0	Chromium	<3.0	µg/L	MT
0	cis-1,3-Dichloropropene	<5.0	µg/L	MT
0	Copper	10	µg/L	MT
0	Dibromochloromethane	<5.0	µg/L	MT
0	Dichloromethane (Methylene chloride)	<5.0	µg/L	MT
0	Ethylbenzene	<5.0	µg/L	MT
0	Iron	21	µg/L	MT
0	Lead	14	µg/L	MT
2	Manganese	50	µg/L	MT
0	Nickel	<5.2	µg/L	MT
0	Nitrate as nitrogen	1200	µg/L	MT
0	Phenols	<5.0	µg/L	MT
0	Silica	9410	µg/L	MT
0	Silver	<2.0	µg/L	MT
0	Sodium	2740	µg/L	MT
0	Sulfate	<1000	µg/L	MT
0	Tetrachloroethylene	<5.0	µg/L	MT
0	Toluene	<5.0	µg/L	MT
0	Total organic carbon	<1000	µg/L	MT
1	Total organic halogens	19	µg/L	MT
0	trans-1,2-Dichloroethene	<5.0	µg/L	MT
0	trans-1,3-Dichloropropene	<5.0	µg/L	MT
2	Trichloroethylene	21	µg/L	MT
0	Trichlorofluoromethane	<5.0	µg/L	MT
0	1,1-Dichloroethane	<5.0	µg/L	MT
0	1,1-Dichloroethylene	<5.0	µg/L	MT
0	1,1,1-Trichloroethane	<5.0	µg/L	MT
0	1,1,2-Trichloroethane	<5.0	µg/L	MT
0	1,1,2,2-Tetrachloroethane	<5.0	µg/L	MT
0	1,2-Dichloroethane	<5.0	µg/L	MT
0	1,2-Dichloropropane	<5.0	µg/L	MT
0	2-Chloroethyl vinyl ether	<5.0	µg/L	MT
0	Gross alpha	0.89 ± 0.74	pCi/L	EM
0	Nonvolatile beta	<5.0	pCi/L	MT
0	Nonvolatile beta	1.8 ± 0.06	pCi/L	EM
2	Trillium	29000 ± 3000	pCi/mL	MT
2	Trillium	30800 ± 410	pCi/mL	EM

WELL CSB 5A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/14/90
 Depth to water: 78.19 ft (23.22 m) below TOC
 Water elevation: 206.81 ft (62.98 m) msl
 Sp. conductance: 160 µS/cm
 Water evacuated before sampling: 5 gal
 The well went dry during purging.

Time: 9:50
 pH: 10.8
 Alkalinity: 36 mg/L
 Water temperature: 20.2°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
2	pH	11	pH	MT
1	Specific conductance	124	µS/cm	MT
0	Barium	14	µg/L	MT
0	Benzene	<5.0	µg/L	MT
0	Bromodichloromethane	<5.0	µg/L	MT
0	Bromoform	<5.0	µg/L	MT
0	Bromomethane (Methyl bromide)	<10	µg/L	MT
1	Calcium	15200	µg/L	MT
0	Carbon tetrachloride	<5.0	µg/L	MT
0	Chlorobenzene	<5.0	µg/L	MT
0	Chloroethane	<10	µg/L	MT
0	Chloroform	<5.0	µg/L	MT
0	Chloromethane (Methyl chloride)	<10	µg/L	MT
0	Chromium	3.8	µg/L	MT
0	cis-1,3-Dichloropropene	<5.0	µg/L	MT
0	Copper	<7.0	µg/L	MT
0	Dibromochloromethane	<5.0	µg/L	MT
0	Dichloromethane (Methylene chloride)	<5.0	µg/L	MT
0	Ethylbenzene	<5.0	µg/L	MT
0	Iron	25	µg/L	MT
0	Lead	2.4	µg/L	MT
0	Manganese	<2.0	µg/L	MT
0	Nickel	<5.2	µg/L	MT
0	Nitrate as nitrogen	880	µg/L	MT
0	Nitrate as nitrogen	880	µg/L	MT
0	Phenols	<5.0	µg/L	MT
0	Silica	7850	µg/L	MT
0	Silver	<2.0	µg/L	MT
0	Sodium	3990	µg/L	MT
0	Sulfate	3300	µg/L	MT

WELL CSB 6A collected on 02/14/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Sulfate	3300	µg/L	MT
0	Tetrachloroethylene	<5.0	µg/L	MT
0	Toluene	<5.0	µg/L	MT
0	Total organic carbon	<1000	µg/L	MT
1	Total organic halogens	19	µg/L	MT
0	trans-1,2-Dichloroethene	<5.0	µg/L	MT
0	trans-1,3-Dichloropropene	<5.0	µg/L	MT
1	Trichloroethylene	2.0	µg/L	MT
0	Trichlorofluoromethane	<5.0	µg/L	MT
0	1,1-Dichloroethane	<5.0	µg/L	MT
0	1,1-Dichloroethylene	<5.0	µg/L	MT
0	1,1,1-Trichloroethane	<5.0	µg/L	MT
0	1,1,2-Trichloroethane	<5.0	µg/L	MT
0	1,1,2,2-Tetrachloroethane	<5.0	µg/L	MT
0	1,2-Dichloroethane	<5.0	µg/L	MT
0	1,2-Dichloropropane	<5.0	µg/L	MT
0	2-Chloroethyl vinyl ether	<5.0	µg/L	MT
0	Gross alpha	0.34 ± 0.79	pCi/L	EM
0	Nonvolatile beta	8.0 ± 3.8	pCi/L	MT
0	Nonvolatile beta	3.3 ± 1.4	pCi/L	EM
2	Trillium	3800 ± 400	pCi/mL	MT
2	Trillium	3780 ± 400	pCi/mL	MT
2	Trillium	4870 ± 70	pCi/mL	EM

WELL CSB 6A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/13/90
 Depth to water: 78.26 ft (24.18 m) below TOC
 Water elevation: 207.54 ft (63.26 m) msl
 Sp. conductance: 89 µS/cm
 Water evacuated before sampling: 48 gal

Time: 13:10
 pH: 6.0
 Alkalinity: 17 mg/L
 Water temperature: 21.4°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	6.4	pH	MT
0	Specific conductance	91	µS/cm	MT
0	Barium	9.8	µg/L	MT
0	Benzene	<5.0	µg/L	MT
0	Bromodichloromethane	<5.0	µg/L	MT
0	Bromoform	<5.0	µg/L	MT
0	Bromomethane (Methyl bromide)	<10	µg/L	MT
1	Calcium	10200	µg/L	MT
0	Carbon tetrachloride	<5.0	µg/L	MT
0	Chlorobenzene	<5.0	µg/L	MT
0	Chloroethane	<10	µg/L	MT
0	Chloroform	<5.0	µg/L	MT
0	Chloromethane (Methyl chloride)	<10	µg/L	MT
0	Chromium	<3.0	µg/L	MT
0	cis-1,3-Dichloropropene	<5.0	µg/L	MT
0	Copper	10	µg/L	MT
0	Dibromochloromethane	<5.0	µg/L	MT
0	Dichloromethane (Methylene chloride)	<5.0	µg/L	MT
0	Ethylbenzene	<5.0	µg/L	MT
0	Iron	<8.0	µg/L	MT
0	Lead	<2.0	µg/L	MT
0	Lead	8.9	µg/L	MT
0	Manganese	8.2	µg/L	MT
0	Nickel	<5.2	µg/L	MT
0	Nitrate as nitrogen	2100	µg/L	MT
0	Phenols	<5.0	µg/L	MT
1	Silica	11200	µg/L	MT
0	Silver	<2.0	µg/L	MT
0	Sodium	2510	µg/L	MT
0	Sulfate	1900	µg/L	MT
0	Tetrachloroethylene	<5.0	µg/L	MT
0	Toluene	<5.0	µg/L	MT
0	Total organic carbon	<1000	µg/L	MT
0	Total organic halogens	5.9	µg/L	MT
0	trans-1,2-Dichloroethene	<5.0	µg/L	MT
0	trans-1,3-Dichloropropene	<5.0	µg/L	MT
0	Trichloroethylene	<5.0	µg/L	MT
0	Trichlorofluoromethane	<5.0	µg/L	MT
0	1,1-Dichloroethane	<5.0	µg/L	MT
0	1,1-Dichloroethylene	<5.0	µg/L	MT
0	1,1,1-Trichloroethane	<5.0	µg/L	MT
0	1,1,2-Trichloroethane	<5.0	µg/L	MT
0	1,1,2,2-Tetrachloroethane	<5.0	µg/L	MT
0	1,2-Dichloroethane	<5.0	µg/L	MT
0	1,2-Dichloropropane	<5.0	µg/L	MT
0	2-Chloroethyl vinyl ether	<5.0	µg/L	MT
0	Gross alpha	0.90 ± 0.98	pCi/L	EM
0	Nonvolatile beta	<4.0	pCi/L	MT
0	Nonvolatile beta	2.0 ± 0.98	pCi/L	EM

ANALYTICAL RESULTS

WELL OSB 8A collected on 02/13/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
2	Tritium	520 ± 60	pCi/mL	MT
2	Tritium	920 ± 7.0	pCi/mL	EM

WELL OSD 1D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/21/90
 Depth to water: 73.54 ft (22.42 m) below TOC
 Water elevation: 241.88 ft (73.72 m) msl
 Sp. conductance: 84 µS/cm
 Water evacuated before sampling: 11 gal
 The well went dry during purging.

Time: 9:10
 pH: 5.4
 Alkalinity: 4 mg/L
 Water temperature: 18.7°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.9	pH	GE
0	pH	5.9	pH	GE
0	Specific conductance	57	µS/cm	GE
0	Specific conductance	57	µS/cm	GE
1	Arsenic	4.6	µg/L	GE
1	Arsenic	4.5	µg/L	GE
0	Barium	39	µg/L	GE
0	Barium	42	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	1800	µg/L	GE
0	Calcium	1880	µg/L	GE
0	Chloride	2800	µg/L	GE
0	Chloride	2800	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
1	Dissolved organic carbon	5000	µg/L	GE
1	Dissolved organic carbon	5000	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	35	µg/L	GE
0	Iron	31	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	891	µg/L	GE
0	Magnesium	735	µg/L	GE
0	Manganese	12	µg/L	GE
0	Manganese	13	µg/L	GE
2	Mercury	12	µg/L	GE
2	Mercury	12	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nitrate as nitrogen	250	µg/L	GE
0	Nitrate as nitrogen	230	µg/L	GE
0	Nitrite as nitrogen	<10.0	µg/L	GE
0	Nitrite as nitrogen	<10.0	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	2830	µg/L	GE
0	Potassium	2990	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Selenium	<2.0	µg/L	GE
1	Silica	39000	µg/L	GE
1	Silica	42300	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	4360	µg/L	GE
0	Sodium	4820	µg/L	GE
0	Sulfate	8000	µg/L	GE
0	Sulfate	8000	µg/L	GE
0	Sulfide	<1000	µg/L	GE
0	Sulfide	<1000	µg/L	GE
0	Total dissolved solids	345000	µg/L	GE
0	Total dissolved solids	353000	µg/L	GE
0	Total hydrocarbons	<1000	µg/L	GE
1	Total organic carbon	7000	µg/L	GE
1	Total organic carbon	7000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
1	Total phosphates	5300	µg/L	GE
1	Total phosphates	5400	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.060	µg/L	GE

WELL OSD 1D collected on 03/21/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	2,4,5-TP (Silvex)	<0.060	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	4.2 ± 3.7	pCi/L	GE
0	Nonvolatile beta	4.9 ± 0.80	pCi/L	GE
2	Total radium	101 ± 10	pCi/L	GE
2	Total radium	101 ± 10	pCi/L	GE
0	Tritium	<0.70	pCi/mL	GE
0	Tritium	<0.70	pCi/mL	GE
0	Tritium	0.18 ± 0.88	pCi/mL	EM

WELL OSD 2D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/20/90
 The well was dry.

Time: 11:05

WELL OSD 4D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/21/90
 Depth to water: 87.71 ft (20.84 m) below TOC
 Water elevation: 240.79 ft (73.39 m) msl
 Sp. conductance: 548 µS/cm
 Water evacuated before sampling: 28 gal
 The well went dry during purging.

Time: 10:25
 pH: 11.6
 Alkalinity: 154 mg/L
 Water temperature: 18.9°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
2	pH	11	pH	GE
0	Specific conductance	51	µS/cm	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	25	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
1	Calcium	24200	µg/L	GE
0	Chloride	2000	µg/L	GE
1	Chromium	6.2	µg/L	GE
0	Dissolved organic carbon	<1000	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	<4.0	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	24	µg/L	GE
0	Manganese	<2.0	µg/L	GE
0	Mercury	0.29	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nitrate as nitrogen	830	µg/L	GE
0	Nitrite as nitrogen	<10.0	µg/L	GE
0	Phenols	<5.0	µg/L	GE
1	Potassium	8100	µg/L	GE
0	Selenium	<2.0	µg/L	GE
1	Silica	18300	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	17900	µg/L	GE
0	Sulfate	8200	µg/L	GE
0	Sulfide	<1000	µg/L	GE
0	Total dissolved solids	205000	µg/L	GE
0	Total hydrocarbons	<1000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
1	Total phosphates	1780	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.060	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	8.4 ± 3.8	pCi/L	GE
0	Total radium	1.0 ± 3.1	pCi/L	GE
0	Tritium	<0.70	pCi/mL	GE
0	Tritium	0.54 ± 0.67	pCi/mL	EM

ANALYTICAL RESULTS

WELL CSD 8D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/10/90 Time: 18:45
 Depth to water: 83.68 ft (19.40 m) below TOC
 Water elevation: 240.24 ft (73.23 m) msl
 Inaccessibility or pump failure prevented sample collection.

WELL CSD 8D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/16/90 Time: 13:25
 Depth to water: 83.57 ft (19.38 m) below TOC pH: 5.8
 Water elevation: 240.33 ft (73.25 m) msl Alkalinity: 8 mg/L
 Sp. conductance: 45 µS/cm Water temperature: 21.1°C
 Water evacuated before sampling: 53 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.7	pH	GE
0	Specific conductance	38	µS/cm	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	18	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	1930	µg/L	GE
0	Chloride	2300	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	Dissolved organic carbon	<1000	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	38	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	351	µg/L	GE
0	Manganese	8.7	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nitrate as nitrogen	1140	µg/L	GE
0	Nitrite as nitrogen	<10.0	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	1120	µg/L	GE
0	Selenium	<2.0	µg/L	GE
1	Silica	11300	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	4980	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Sulfide	<1000	µg/L	GE
0	Total dissolved solids	70000	µg/L	GE
0	Total hydrocarbons	<1000	µg/L	GE
0	Total organic carbon	1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
1	Total phosphates	1500	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	<2.0	pCi/L	GE
1	Total activity	2.5 ± 1.2	pCi/mL	EM
0	Total radium	2.0 ± 2.2	pCi/L	GE
0	Tritium	2.9 ± 0.40	pCi/mL	GE

WELL CSD 9D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/10/90 Time: 18:15
 Depth to water: 58.21 ft (17.74 m) below TOC pH: 5.4
 Water elevation: 239.99 ft (73.15 m) msl Alkalinity: 4 mg/L
 Sp. conductance: 45 µS/cm Water temperature: 21.3°C
 Water evacuated before sampling: 38 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.7	pH	GE
0	pH	5.8	pH	GE
0	Specific conductance	40	µS/cm	GE
0	Specific conductance	40	µS/cm	GE
0	Arsenic	<2.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	6.8	µg/L	GE

WELL CSD 9D collected on 03/10/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Barium	6.8	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	218	µg/L	GE
0	Calcium	219	µg/L	GE
0	Chloride	3400	µg/L	GE
0	Chloride	3400	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	Dissolved organic carbon	<1000	µg/L	GE
0	Dissolved organic carbon	<1000	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
1	gamma-Benzene hexachloride (Lindane)	0.070	µg/L	GE
1	Iron	183	µg/L	GE
1	Iron	200	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	154	µg/L	GE
0	Magnesium	149	µg/L	GE
0	Manganese	11	µg/L	GE
0	Manganese	11	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nitrate as nitrogen	1090	µg/L	GE
0	Nitrate as nitrogen	1110	µg/L	GE
0	Nitrite as nitrogen	<10.0	µg/L	GE
0	Nitrite as nitrogen	<10.0	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	1090	µg/L	GE
0	Potassium	1030	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Selenium	<2.0	µg/L	GE
1	Silica	14700	µg/L	GE
1	Silica	13800	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	8580	µg/L	GE
1	Sodium	8200	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Sulfide	<1000	µg/L	GE
0	Sulfide	<1000	µg/L	GE
0	Total dissolved solids	84000	µg/L	GE
0	Total dissolved solids	47000	µg/L	GE
0	Total hydrocarbons	<1000	µg/L	GE
0	Total hydrocarbons	<1000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
2	Total organic halogens	33	µg/L	GE
2	Total organic halogens	32	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Nonvolatile beta	2.1 ± 3.4	pCi/L	GE
1	Total activity	2.4 ± 1.0	pCi/mL	EM
0	Total activity	1.7 ± 3.0	pCi/L	GE
0	Total radium	2.2 ± 3.5	pCi/L	GE
0	Tritium	2.0 ± 0.40	pCi/mL	GE
0	Tritium	1.8 ± 0.40	pCi/mL	GE

ANALYTICAL RESULTS

WELL CSD 10D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/10/90 Time: 15:45
 Depth to water: 56.84 ft (17.33 m) below TOC pH: 5.4
 Water elevation: 239.76 ft (73.08 m) msl Alkalinity: 5 mg/L
 Sp. conductance: 39 µS/cm Water temperature: 21.4°C
 Water evacuated before sampling: 80 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.8	pH	GE
0	Specific conductance	35	µS/cm	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	4.3	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	121	µg/L	GE
0	Chloride	3600	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	Dissolved organic carbon	<1000	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
2	Iron	338	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	88	µg/L	GE
0	Manganese	14	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nitrate as nitrogen	550	µg/L	GE
0	Nitrite as nitrogen	<10.0	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	759	µg/L	GE
0	Selenium	<2.0	µg/L	GE
1	Silica	12400	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	8130	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Sulfide	<1000	µg/L	GE
0	Total dissolved solids	84000	µg/L	GE
0	Total hydrocarbons	<1000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
1	Total organic halogens	15	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	<2.0	pCi/L	GE
1	Total activity	1.8±1.0	pCi/mL	EM
0	Total radium	<1.0	pCi/L	GE
0	Tritium	<0.70	pCi/mL	GE

WELL CSD 11D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/10/90 Time: 17:45
 Depth to water: 53.69 ft (16.36 m) below TOC pH: 7.0
 Water elevation: 239.31 ft (72.94 m) msl Alkalinity: 61 mg/L
 Sp. conductance: 178 µS/cm Water temperature: 21.3°C
 Water evacuated before sampling: 14 gal
 The well went dry during purging.

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	pH	7.4	pH	GE
1	Specific conductance	178	µS/cm	GE
0	Arsenic	2.1	µg/L	GE
0	Barium	7.7	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
1	Calcium	18500	µg/L	GE
0	Chloride	3000	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	Dissolved organic carbon	<1000	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	38	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	472	µg/L	GE
0	Manganese	3.8	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nitrate as nitrogen	1180	µg/L	GE

WELL CSD 11D collected on 03/10/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Nitrite as nitrogen	<10.0	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	1130	µg/L	GE
0	Selenium	<2.0	µg/L	GE
1	Silica	14700	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	8750	µg/L	GE
1	Sulfate	10400	µg/L	GE
0	Sulfide	<1000	µg/L	GE
0	Total dissolved solids	151000	µg/L	GE
0	Total hydrocarbons	<1000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	9.0	µg/L	GE
1	Total phosphates	1510	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	2.3±2.0	pCi/L	GE
1	Total activity	8.6±1.1	pCi/mL	EM
0	Total radium	<1.0	pCi/L	GE
0	Tritium	9.4±0.40	pCi/mL	GE

WELL CSD 12D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/10/90 Time: 17:10
 Depth to water: 81.35 ft (18.70 m) below TOC pH: 4.7
 Water elevation: 240.25 ft (73.23 m) msl Alkalinity: 0 mg/L
 Sp. conductance: 47 µS/cm Water temperature: 21.4°C
 Water evacuated before sampling: 46 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.0	pH	GE
0	Specific conductance	45	µS/cm	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	28	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	1410	µg/L	GE
1	Chloride	11400	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	Dissolved organic carbon	<1000	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	42	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	882	µg/L	GE
1	Manganese	40	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nitrate as nitrogen	350	µg/L	GE
0	Nitrite as nitrogen	<10.0	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	880	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	7330	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	2920	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Sulfide	<1000	µg/L	GE
0	Total dissolved solids	58000	µg/L	GE
0	Total hydrocarbons	<1000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
1	Total organic halogens	18	µg/L	GE
1	Total phosphates	790	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	<2.0	pCi/L	GE
1	Total activity	3.8±1.0	pCi/mL	EM
0	Total radium	1.8±2.2	pCi/L	GE
0	Tritium	3.4±0.40	pCi/mL	GE

ANALYTICAL RESULTS

WELL CSD 13D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/10/90 Time: 14:50
 Depth to water: 50.57 ft (15.41 m) below TOC pH: 5.3
 Water elevation: 238.93 ft (72.83 m) msf Alkalinity: 8 mg/L
 Sp. conductance: 110 µS/cm Water temperature: 20.9°C
 Water evacuated before sampling: 273 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.7	pH	GE
1	Specific conductance	100	µS/cm	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	6.9	µg/L	GE
1	Benzene	5.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	480	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	2700	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Dissolved organic carbon	<1000	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
1	gamma-Benzo hexachloride (Lindane)	0.70	µg/L	GE
1	Iron	286	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	158	µg/L	GE
1	Manganese	32	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nitrate as nitrogen	350	µg/L	GE
0	Nitrite as nitrogen	<10.0	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Selenium	<2.0	µg/L	GE
1	Silica	14200	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	21300	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Sulfide	<1000	µg/L	GE
2	Tetrachloroethylene	5.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	132000	µg/L	GE
0	Total hydrocarbons	<1000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
2	Total organic halogens	25	µg/L	GE
1	Total phosphates	15000	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
2	Trichloroethylene	32	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	<2.0	pCi/L	GE
1	Total activity	3.7 ± 1.0	pCi/mL	EM
0	Total radium	1.1 ± 2.1	pCi/L	GE
0	Tritium	3.2 ± 0.40	pCi/mL	GE

WELL CSO 1

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/14/90 Time: 14:05
 Depth to water: 54.85 ft (16.68 m) below TOC pH: 4.8
 Water elevation: 249.25 ft (75.97 m) msf Alkalinity: 0 mg/L
 Sp. conductance: 45 µS/cm Water temperature: 20.0°C
 Water evacuated before sampling: 45 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	Barium	58	µg/L	MT
0	Lead	4.3	µg/L	MT
0	Manganese	20	µg/L	MT
0	Nitrate as nitrogen	1500	µg/L	MT
1	Silica	20800	µg/L	MT
1	Tritium	18 ± 2.0	pCi/mL	MT

WELL CSO 2

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/14/90 Time: 14:20
 Depth to water: 52.54 ft (16.01 m) below TOC pH: 4.8
 Water elevation: 249.36 ft (76.01 m) msf Alkalinity: 0 mg/L
 Sp. conductance: 33 µS/cm Water temperature: 20.2°C
 Water evacuated before sampling: 103 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Barium	33	µg/L	MT
0	Lead	<3.0	µg/L	MT
0	Manganese	8.4	µg/L	MT
0	Nitrate as nitrogen	1200	µg/L	MT
1	Silica	18500	µg/L	MT
1	Tritium	13 ± 2.0	pCi/mL	MT

WELL CSR 1

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/13/90 Time: 12:30
 Depth to water: 19.05 ft (5.81 m) below TOC pH: 4.7
 Water elevation: 255.05 ft (77.74 m) msf Alkalinity: 0 mg/L
 Sp. conductance: 42 µS/cm Water temperature: 18.3°C
 Water evacuated before sampling: 48 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	4.9	pH	GE
0	Specific conductance	39	µS/cm	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Iron	44	µg/L	GE
0	Lead	12	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Silica	5660	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE

ANALYTICAL RESULTS

WELL CSR 1 collected on 02/13/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
1	Gross alpha	14±3.2	pCi/L	GE
0	Nonvolatile beta	3.1±2.6	pCi/L	GE
0	Tritium	7.9±0.40	pCi/mL	GE

WELL CSR 2

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/13/90 Time: 14:45
 Depth to water: 37.95 ft (11.57 m) below TOC pH: 4.8
 Water elevation: 259.75 ft (79.17 m) msl Alkalinity: 0 mg/L
 Sp. conductance: 24 µS/cm Water temperature: 19.4°C
 Water evacuated before sampling: 8 gal
 The well went dry during purging.

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.2	pH	GE
0	Specific conductance	21	µS/cm	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoforn	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethane (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
1	Copper	24	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Iron	106	µg/L	GE
0	Lead	18	µg/L	GE
1	Nickel	14	µg/L	GE
0	Silica	6600	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
2	Gross alpha	24±4.1	pCi/L	GE
0	Gross alpha	<2.0	pCi/L	GE
0	Nonvolatile beta	4.3±2.9	pCi/L	GE
0	Tritium	5.8±0.40	pCi/mL	GE

WELL CSR 3

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/13/90 Time: 11:45
 Depth to water: 31.59 ft (9.63 m) below TOC pH: 5.0
 Water elevation: 253.61 ft (77.30 m) msl Alkalinity: 1 mg/L
 Sp. conductance: 22 µS/cm Water temperature: 20.0°C
 Water evacuated before sampling: 40 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.4	pH	GE
0	Specific conductance	19	µS/cm	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoforn	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethane (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Copper	9.2	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Iron	98	µg/L	GE
0	Lead	15	µg/L	GE
1	Nickel	21	µg/L	GE
0	Silica	3930	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Tritium	7.6±0.40	pCi/mL	GE

WELL CSR 4

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/13/90 Time: 12:05
 Depth to water: 29.93 ft (9.12 m) below TOC pH: 4.8
 Water elevation: 254.77 ft (77.65 m) msl Alkalinity: 0 mg/L
 Sp. conductance: 22 µS/cm Water temperature: 17.8°C
 Water evacuated before sampling: 45 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.1	pH	GE
0	Specific conductance	21	µS/cm	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoforn	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethane (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE

ANALYTICAL RESULTS

WELL CSR 4 collected on 02/13/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Iron	17	µg/L	GE
0	Iron	9.5	µg/L	GE
0	Lead	<8.0	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Silica	3830	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Tridium	8.4±0.40	pCi/mL	GE

WELL DBP 1

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/11/90
Depth to water: 14.87 ft (4.53 m) below TOC
Water elevation: 120.33 ft (36.68 m) msl
Sp. conductance: 58 µS/cm
Water evacuated before sampling: 71 gal

Time: 9:50
pH: 4.8
Alkalinity: 0 mg/L
Water temperature: 17.0°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	4.8	pH	GE
1	Specific conductance	288	µS/cm	GE
0	Barium	15	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Calcium	425	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	8000	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Iron	93	µg/L	GE
0	Magnesium	769	µg/L	GE
0	Manganese	12	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Silica	7530	µg/L	GE
1	Sodium	7500	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
1	Total organic halogens	13	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE

WELL DBP 2

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/11/90
Depth to water: 8.18 ft (2.49 m) below TOC
Water elevation: 118.12 ft (36.00 m) msl
Sp. conductance: 305 µS/cm
Water evacuated before sampling: 88 gal

Time: 11:10
pH: 4.1
Alkalinity: 0 mg/L
Water temperature: 17.2°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	4.2	pH	GE
0	Specific conductance	80	µS/cm	GE
1	Barium	94	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
1	Calcium	12300	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
1	Chloride	12100	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Iron	89	µg/L	GE
1	Magnesium	11500	µg/L	GE
2	Manganese	510	µg/L	GE
0	Phenols	<5.0	µg/L	GE
1	Silica	12700	µg/L	GE
1	Sodium	15100	µg/L	GE
2	Sulfate	367000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total organic carbon	4000	µg/L	GE
1	Total organic halogens	24	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
1	1,1-Dichloroethane	4.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE

WELL DBP 3

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/11/90
Depth to water: 8.31 ft (1.92 m) below TOC
Water elevation: 121.99 ft (37.18 m) msl
Sp. conductance: 62 µS/cm
Water evacuated before sampling: 93 gal

Time: 10:20
pH: 5.5
Alkalinity: 5 mg/L
Water temperature: 16.8°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.5	pH	GE
1	Specific conductance	127	µS/cm	GE
0	Barium	9.4	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Calcium	664	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	7700	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE

ANALYTICAL RESULTS

WELL DBP 3 collected on 02/11/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Iron	59	µg/L	GE
0	Magnesium	214	µg/L	GE
2	Manganese	94	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Silica	4180	µg/L	GE
1	Sodium	9800	µg/L	GE
0	Sulfate	7500	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total organic carbon	1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE

WELL DBP 4

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/11/90
 Depth to water: 8.06 ft (1.85 m) below TOC
 Water elevation: 120.14 ft (36.62 m) msl
 Sp. conductance: 131 µS/cm
 Water evacuated before sampling: 93 gal

Time: 10:45
 pH: 4.3
 Alkalinity: 0 mg/L
 Water temperature: 17.2°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	4.4	pH	GE
0	Specific conductance	45	µS/cm	GE
1	Barium	50	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Calcium	4710	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
1	Chloride	12300	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
1	Iron	285	µg/L	GE
0	Magnesium	1480	µg/L	GE
2	Manganese	683	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Silica	8090	µg/L	GE
1	Sodium	12400	µg/L	GE
1	Sulfate	103000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total organic carbon	1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE

WELL DCB 1A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/11/90
 Depth to water: 11.72 ft (3.57 m) below TOC
 Water elevation: 115.38 ft (35.17 m) msl
 Sp. conductance: 5920 µS/cm
 Water evacuated before sampling: 66 gal

Time: 14:30
 pH: 2.2
 Alkalinity: 0 mg/L
 Water temperature: 17.3°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
2	pH	2.3	pH	GE
1	Specific conductance	7700	µS/cm	GE
2	Aluminum	684000	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	4.7	µg/L	GE
0	Benzene	<1.0	µg/L	GE
2	Beryllium	67	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
2	Cadmium	9.8	µg/L	GE
1	Calcium	39800	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
1	Chloride	13100	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
2	Chromium	111	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
1	Cobalt	919	µg/L	GE
1	Copper	390	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
2	Fluoride	3100	µg/L	GE
2	Iron	1230	µg/L	GE
2	Lead	29	µg/L	GE
1	Lithium	718	µg/L	GE
1	Magnesium	300000	µg/L	GE
2	Manganese	10100	µg/L	GE
0	Mercury	<0.20	µg/L	GE
2	Nickel	1810	µg/L	GE
1	Phenols	10	µg/L	GE
0	Potassium	<500	µg/L	GE
1	Selenium	2.3	µg/L	GE
1	Silica	162000	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	22000	µg/L	GE
2	Sulfate	5.97E±08	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Tin	<2.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total organic carbon	4000	µg/L	GE
1	Total organic halogens	12	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
2	Zinc	5480	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Gross alpha	<2.0	pCi/L	GE
0	Nonvolatile beta	5.9±1.2	pCi/L	GE
1	Nonvolatile beta	23±20	pCi/L	GE
2	Total radium	21±5.2	pCi/L	GE
0	Tritium	3.0±1.7	pCi/mL	GE

ANALYTICAL RESULTS

WELL DCB 2A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/11/90 Time: 13:40
 Depth to water: 9.89 ft (2.95 m) below TOC pH: 4.8
 Water elevation: 124.81 ft (37.98 m) msl Alkalinity: 0 mg/L
 Sp. conductance: 53 µS/cm Water temperature: 20.0°C
 Water evacuated before sampling: 71 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.2	pH	MT
0	pH	5.2	pH	MT
0	pH	5.1	pH	GE
0	Specific conductance	38	µS/cm	MT
0	Specific conductance	38	µS/cm	MT
0	Specific conductance	39	µS/cm	GE
0	Aluminum	41	µg/L	MT
0	Aluminum	60	µg/L	GE
0	Arsenic	<3.0	µg/L	MT
0	Arsenic	<2.0	µg/L	GE
0	Barium	24	µg/L	MT
0	Barium	24	µg/L	GE
0	Benzene	<5.0	µg/L	MT
0	Benzene	<1.0	µg/L	GE
0	Beryllium	<2.0	µg/L	MT
0	Beryllium	<5.0	µg/L	GE
0	Bromodichloromethane	<5.0	µg/L	MT
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<5.0	µg/L	MT
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<10	µg/L	MT
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<3.0	µg/L	MT
0	Cadmium	<2.0	µg/L	GE
0	Calcium	2140	µg/L	MT
0	Calcium	2470	µg/L	GE
0	Carbon tetrachloride	<5.0	µg/L	MT
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	3500	µg/L	MT
0	Chloride	3300	µg/L	GE
0	Chlorobenzene	<5.0	µg/L	MT
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<10	µg/L	MT
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethane (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<5.0	µg/L	MT
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<10	µg/L	MT
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
1	Chromium	10	µg/L	MT
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<5.0	µg/L	MT
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<15	µg/L	MT
0	Cobalt	<4.0	µg/L	GE
1	Copper	.36	µg/L	MT
1	Copper	4.1	µg/L	GE
0	Dibromochloromethane	<5.0	µg/L	MT
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<5.0	µg/L	MT
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<5.0	µg/L	MT
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<250	µg/L	MT
0	Fluoride	<100	µg/L	GE
1	Iron	280	µg/L	MT
1	Iron	276	µg/L	GE
0	Lead	12	µg/L	MT
0	Lead	17	µg/L	GE
0	Lithium	<26	µg/L	MT
0	Lithium	<5.0	µg/L	GE
0	Magnesium	945	µg/L	MT
0	Magnesium	882	µg/L	GE
0	Manganese	21	µg/L	MT
0	Manganese	19	µg/L	GE
0	Mercury	<0.20	µg/L	MT
0	Mercury	<0.20	µg/L	GE
1	Nickel	20	µg/L	MT
0	Nickel	<4.0	µg/L	GE
0	Phenols	<5.0	µg/L	MT
0	Phenols	<5.0	µg/L	GE
0	Potassium	1810	µg/L	MT
0	Potassium	695	µg/L	GE
0	Selenium	<3.0	µg/L	MT
0	Selenium	<2.0	µg/L	GE
1	Silica	11300	µg/L	GE
1	Silica	13200	µg/L	MT

WELL DCB 2A collected on 02/11/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Silver	<2.0	µg/L	MT
0	Silver	<2.0	µg/L	GE
0	Sodium	2520	µg/L	MT
0	Sodium	2840	µg/L	GE
0	Sulfate	1300	µg/L	MT
1	Sulfate	11300	µg/L	GE
0	Tetrachloroethylene	<5.0	µg/L	MT
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Tin	<1930	µg/L	MT
0	Tin	<2.0	µg/L	GE
0	Toluene	<5.0	µg/L	MT
0	Toluene	<1.0	µg/L	GE
0	Total organic carbon	<1000	µg/L	MT
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	MT
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	56	µg/L	MT
0	Total phosphates	<50	µg/L	GE
0	trans-1,2-Dichloroethene	<5.0	µg/L	MT
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<5.0	µg/L	MT
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<5.0	µg/L	MT
1	Trichloroethylene	1.0	µg/L	GE
0	Trichlorofluoromethane	<5.0	µg/L	MT
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Zinc	57	µg/L	MT
0	Zinc	54	µg/L	GE
0	1,1-Dichloroethane	<5.0	µg/L	MT
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<5.0	µg/L	MT
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<5.0	µg/L	MT
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<5.0	µg/L	MT
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<5.0	µg/L	MT
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<5.0	µg/L	MT
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<5.0	µg/L	MT
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<5.0	µg/L	MT
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Gross alpha	<3.0	pCi/L	MT
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	<5.0	pCi/L	MT
0	Nonvolatile beta	5.2 ± 1.7	pCi/L	GE
0	Total radium	1.4 ± 0.40	pCi/L	MT
0	Total radium	<1.0	pCi/L	GE
0	Tritium	3.7 ± 0.40	pCi/mL	MT
0	Tritium	4.5 ± 0.40	pCi/mL	GE

WELL DCB 2A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/11/90 Time: 13:40
 Depth to water: 9.89 ft (2.95 m) below TOC pH: 4.8
 Water elevation: 124.81 ft (37.98 m) msl Alkalinity: 0 mg/L
 Sp. conductance: 53 µS/cm Water temperature: 20.0°C
 Water evacuated before sampling: 71 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.2	pH	MT
0	pH	5.2	pH	GE
0	Specific conductance	40	µS/cm	MT
0	Specific conductance	44	µS/cm	GE
0	Aluminum	44	µg/L	MT
0	Aluminum	30	µg/L	GE
0	Arsenic	<3.0	µg/L	MT
0	Arsenic	<2.0	µg/L	GE
0	Barium	23	µg/L	MT
0	Barium	25	µg/L	GE
0	Benzene	<5.0	µg/L	MT
0	Benzene	<1.0	µg/L	GE
0	Beryllium	<2.0	µg/L	MT
0	Beryllium	<5.0	µg/L	GE
0	Bromodichloromethane	<5.0	µg/L	MT
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<5.0	µg/L	MT
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<10	µg/L	MT
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE

ANALYTICAL RESULTS

WELL DOB 2A collected on 02/11/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Cadmium	<3.0	µg/L	MT
0	Cadmium	<2.0	µg/L	GE
0	Calcium	2130	µg/L	MT
0	Calcium	2800	µg/L	GE
0	Carbon tetrachloride	<5.0	µg/L	MT
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	3400	µg/L	MT
0	Chloride	3100	µg/L	GE
0	Chlorobenzene	<5.0	µg/L	MT
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<10	µg/L	MT
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethane (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<5.0	µg/L	MT
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<10	µg/L	MT
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
2	Chromium	28	µg/L	MT
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<5.0	µg/L	MT
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<15	µg/L	MT
0	Cobalt	<4.0	µg/L	GE
1	Copper	59	µg/L	MT
1	Copper	44	µg/L	GE
0	Dibromochloromethane	<5.0	µg/L	MT
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<5.0	µg/L	MT
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<5.0	µg/L	MT
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<250	µg/L	MT
0	Fluoride	<100	µg/L	GE
1	Iron	291	µg/L	MT
1	Iron	243	µg/L	GE
0	Lead	12	µg/L	MT
1	Lead	23	µg/L	GE
0	Lithium	<28	µg/L	MT
0	Lithium	<5.0	µg/L	GE
0	Magnesium	933	µg/L	MT
0	Magnesium	917	µg/L	GE
0	Manganese	22	µg/L	MT
0	Manganese	18	µg/L	GE
0	Mercury	<0.20	µg/L	MT
0	Mercury	<0.20	µg/L	GE
0	Nickel	<5.2	µg/L	MT
0	Nickel	<4.0	µg/L	GE
0	Phenols	<5.0	µg/L	MT
0	Phenols	<5.0	µg/L	GE
0	Potassium	1840	µg/L	MT
0	Potassium	765	µg/L	GE
0	Selenium	<3.0	µg/L	MT
0	Selenium	<2.0	µg/L	GE
1	Silica	12300	µg/L	GE
1	Silica	13200	µg/L	MT
0	Silver	<2.0	µg/L	MT
0	Silver	<2.0	µg/L	GE
0	Sodium	2470	µg/L	MT
0	Sodium	2580	µg/L	GE
0	Sulfate	1200	µg/L	MT
0	Sulfate	8400	µg/L	GE
0	Tetrachloroethylene	<5.0	µg/L	MT
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Tin	<1930	µg/L	MT
0	Tin	<2.0	µg/L	GE
0	Toluene	<5.0	µg/L	MT
0	Toluene	<1.0	µg/L	GE
0	Total organic carbon	<1000	µg/L	MT
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	MT
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	51	µg/L	MT
0	Total phosphates	<50	µg/L	GE
0	trans-1,2-Dichloroethene	<5.0	µg/L	MT
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<5.0	µg/L	MT
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<5.0	µg/L	MT
1	Trichloroethylene	1.0	µg/L	GE
0	Trichlorofluoromethane	<5.0	µg/L	MT
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Zinc	97	µg/L	MT
0	Zinc	52	µg/L	GE
0	1,1-Dichloroethane	<5.0	µg/L	MT
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<5.0	µg/L	MT
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<5.0	µg/L	MT
0	1,1,1-Trichloroethane	<1.0	µg/L	GE

WELL DOB 2A collected on 02/11/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	1,1,2-Trichloroethane	<5.0	µg/L	MT
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<5.0	µg/L	MT
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<5.0	µg/L	MT
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<5.0	µg/L	MT
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<5.0	µg/L	MT
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Gross alpha	<3.0	pCi/L	MT
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	<6.0	pCi/L	MT
0	Nonvolatile beta	4.6 ± 1.6	pCi/L	GE
0	Total radium	1.4 ± 0.40	pCi/L	MT
0	Total radium	1.8 ± 2.1	pCi/L	GE
0	Tritium	3.5 ± 0.40	pCi/ml	MT
0	Tritium	3.8 ± 0.40	pCi/ml	GE

WELL DOB 3A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/11/90
 Depth to water: 12.77 ft (3.89 m) below TOC
 Water elevation: 120.23 ft (38.65 m) msl
 Sp. conductance: 52 µS/cm
 Water evacuated before sampling: 62 gal

Time: 16:10
 pH: 5.0
 Alkalinity: 1 mg/L
 Water temperature: 18.1 °C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.3	pH	GE
0	Specific conductance	47	µS/cm	GE
0	Aluminum	58	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	20	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Beryllium	<5.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	1770	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	5400	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethane (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
1	Iron	160	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Lithium	<5.0	µg/L	GE
0	Magnesium	835	µg/L	GE
1	Manganese	48	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Selenium	<2.0	µg/L	GE
1	Silica	11000	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	5380	µg/L	GE
0	Sulfate	7800	µg/L	GE
1	Tetrachloroethylene	1.0	µg/L	GE
0	Tin	<2.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total organic carbon	4000	µg/L	GE
1	Total organic halogens	10	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
1	Trichloroethylene	1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Zinc	11	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE

ANALYTICAL RESULTS

WELL DCB 3A collected on 02/11/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	7.5±2.0	pCi/L	GE
2	Total radium	8.0±3.4	pCi/L	GE
0	Tritium	4.3±0.30	pCi/mL	GE

WELL DCB 4A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/11/90
Depth to water: 9.94 ft (3.03 m) below TOC
Water elevation: 119.56 ft (36.44 m) msl
Sp. conductance: 528 µS/cm
Water evacuated before sampling: 70 gal

Time: 15:50
pH: 4.2
Alkalinity: 0 mg/L
Water temperature: 18.5°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	4.3	pH	GE
0	Specific conductance	65	µS/cm	GE
2	Aluminum	11600	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
1	Barium	178	µg/L	GE
0	Benzene	<1.0	µg/L	GE
1	Beryllium	9.5	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
1	Calcium	34500	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	2400	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
1	Cobalt	88	µg/L	GE
1	Copper	30	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
1	Fluoride	1200	µg/L	GE
0	Iron	77	µg/L	GE
0	Lead	10	µg/L	GE
1	Lithium	53	µg/L	GE
1	Magnesium	31200	µg/L	GE
2	Manganese	1340	µg/L	GE
0	Mercury	<0.20	µg/L	GE
1	Nickel	153	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	1880	µg/L	GE
1	Selenium	2.2	µg/L	GE
1	Silica	21500	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	3440	µg/L	GE
2	Sulfate	3.30E ±06	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Tin	<2.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total organic carbon	3000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
1	Zinc	444	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
1	Nonvolatile beta	11±2.9	pCi/L	GE

WELL DCB 4A collected on 02/11/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
1	Total radium	4.3±4.0	pCi/L	GE
0	Tritium	4.7±0.30	pCi/mL	GE

WELL DCB 5A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/11/90
Depth to water: 4.18 ft (1.27 m) below TOC
Water elevation: 118.72 ft (36.19 m) msl
Sp. conductance: 650 µS/cm
Water evacuated before sampling: 87 gal

Time: 15:30
pH: 4.5
Alkalinity: 0 mg/L
Water temperature: 18.0°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	4.8	pH	GE
1	Specific conductance	700	µS/cm	GE
2	Aluminum	8230	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	44	µg/L	GE
0	Benzene	<1.0	µg/L	GE
1	Beryllium	7.8	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
1	Calcium	34400	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	2700	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
1	Cobalt	112	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
1	Fluoride	1300	µg/L	GE
1	Iron	273	µg/L	GE
0	Lead	9.2	µg/L	GE
1	Lithium	24	µg/L	GE
1	Magnesium	28300	µg/L	GE
2	Manganese	3280	µg/L	GE
2	Mercury	2.5	µg/L	GE
1	Nickel	103	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	2480	µg/L	GE
1	Selenium	2.8	µg/L	GE
1	Silica	17700	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	5230	µg/L	GE
2	Sulfate	1.88E ±06	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Tin	<2.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total organic carbon	3000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
2	Trichloroethylene	24	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
1	Zinc	274	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	3.7±1.3	pCi/L	GE
0	Total radium	2.0±2.2	pCi/L	GE
0	Tritium	4.7±0.40	pCi/mL	GE

ANALYTICAL RESULTS

WELL DCB 6

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/11/90 Time: 18:25
 Depth to water: 18.80 ft (5.12 m) below TOC pH: 3.8
 Water elevation: 118.40 ft (35.48 m) msf Alkalinity: 0 mg/L
 Sp. conductance: 3060 µS/cm Water temperature: 18.3°C
 Water evacuated before sampling: 7 gal
 The well went dry during purging.

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	pH	3.8	pH	GE
1	pH	3.8	pH	GE
1	Specific conductance	3500	µS/cm	GE
1	Specific conductance	3500	µS/cm	GE
2	Aluminum	264000	µg/L	GE
2	Aluminum	252000	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	13	µg/L	GE
0	Barium	12	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE
1	Beryllium	17	µg/L	GE
1	Beryllium	17	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
1	Calcium	39600	µg/L	GE
1	Calcium	39600	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	8300	µg/L	GE
0	Chloride	7600	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
2	Chromium	1850	µg/L	GE
2	Chromium	1840	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
1	Cobalt	1080	µg/L	GE
1	Cobalt	1080	µg/L	GE
1	Copper	48	µg/L	GE
1	Copper	39	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
2	Fluoride	5300	µg/L	GE
2	Fluoride	6100	µg/L	GE
2	Iron	128000	µg/L	GE
2	Iron	125000	µg/L	GE
0	Lead	<8.0	µg/L	GE
0	Lead	<8.0	µg/L	GE
1	Lithium	73	µg/L	GE
1	Lithium	83	µg/L	GE
1	Magnesium	380000	µg/L	GE
1	Magnesium	353000	µg/L	GE
2	Manganese	25200	µg/L	GE
2	Manganese	25500	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Mercury	<0.20	µg/L	GE
2	Nickel	1480	µg/L	GE
2	Nickel	1490	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Phenols	<5.0	µg/L	GE
1	Potassium	6090	µg/L	GE
1	Potassium	6030	µg/L	GE
2	Selenium	7.2	µg/L	GE
2	Selenium	6.9	µg/L	GE
1	Silica	38900	µg/L	GE
1	Silica	39100	µg/L	GE
0	Silver	<2.0	µg/L	GE

WELL DCB 6 collected on 02/11/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Silver	<2.0	µg/L	GE
1	Sodium	34800	µg/L	GE
1	Sodium	35000	µg/L	GE
2	Sulfate	1.88E±07	µg/L	GE
2	Sulfate	1.89E±07	µg/L	GE
1	Tetrachloroethylene	2.0	µg/L	GE
1	Tetrachloroethylene	2.0	µg/L	GE
0	Tin	<2.0	µg/L	GE
0	Tin	<2.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total organic carbon	2000	µg/L	GE
0	Total organic carbon	2000	µg/L	GE
2	Total organic halogens	48	µg/L	GE
2	Total organic halogens	43	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Total phosphates	<50	µg/L	GE
1	trans-1,2-Dichloroethene	2.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
2	Trichloroethylene	27	µg/L	GE
2	Trichloroethylene	28	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
1	Zinc	1930	µg/L	GE
1	Zinc	1970	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
1	Gross alpha	8.0±3.0	pCi/L	GE
2	Gross alpha	17±10	pCi/L	GE
0	Nonvolatile beta	8.2±2.5	pCi/L	GE
0	Nonvolatile beta	9.4±2.6	pCi/L	GE
2	Total radium	24±7.8	pCi/L	GE
2	Total radium	26±7.8	pCi/L	GE
0	Tritium	3.7±0.80	pCi/mL	GE
0	Tritium	4.0±0.80	pCi/mL	GE

WELL DCB 7

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/11/90 Time: 12:55
 Depth to water: 15.12 ft (4.61 m) below TOC pH: 2.5
 Water elevation: 117.68 ft (35.87 m) msf Alkalinity: 0 mg/L
 Sp. conductance: 3280 µS/cm Water temperature: 20.4°C
 Water evacuated before sampling: 23 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
2	pH	2.7	pH	GE
1	Specific conductance	3150	µS/cm	GE
2	Aluminum	281000	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	15	µg/L	GE
0	Benzene	<1.0	µg/L	GE
2	Beryllium	88	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
1	Cadmium	4.8	µg/L	GE
1	Calcium	145000	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	7600	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
1	Chromium	12	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE

ANALYTICAL RESULTS

WELL DCB 7 collected on 02/11/00, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
1	Cobalt	427	µg/L	GE
1	Copper	148	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
2	Fluoride	6800	µg/L	GE
2	Iron	233000	µg/L	GE
0	Lead	<8.0	µg/L	GE
1	Lithium	158	µg/L	GE
1	Magnesium	144000	µg/L	GE
2	Manganese	9580	µg/L	GE
0	Mercury	<0.20	µg/L	GE
2	Nickel	785	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	1320	µg/L	GE
1	Selenium	3.5	µg/L	GE
1	Silica	47000	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	8810	µg/L	GE
2	Sulfate	3.29E+07	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Tin	<2.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
2	Total organic halogens	98	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
2	Trichloroethylene	48	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
1	Zinc	2210	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	4.4 ± 1.4	pCi/L	GE
2	Total radium	12 ± 5.8	pCi/L	GE
0	Tritium	<0.70	pCi/ml	GE

WELL DCB 8

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/11/00
 Depth to water: 10.69 ft (3.26 m) below TOC
 Water elevation: 126.11 ft (38.44 m) msl
 Sp. conductance: 58 µS/cm
 Water evacuated before sampling: 41 gal

Time: 13:20
 pH: 5.0
 Alkalinity: 0 mg/L
 Water temperature: 19.8°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.2	pH	GE
0	Specific conductance	45	µS/cm	GE
1	Aluminum	135	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	24	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Beryllium	<5.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	1420	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	3700	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethane (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
1	Copper	52	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
1	Iron	228	µg/L	GE
0	Lead	<8.0	µg/L	GE

WELL DCB 8 collected on 02/11/00, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Lithium	<5.0	µg/L	GE
0	Magnesium	1200	µg/L	GE
0	Manganese	11	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Selenium	<2.0	µg/L	GE
1	Silica	10500	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	3150	µg/L	GE
1	Sulfate	11800	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Tin	<2.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total organic carbon	2000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
1	Trichloroethylene	1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Zinc	10	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	4.3 ± 1.5	pCi/L	GE
0	Total radium	<1.0	pCi/L	GE
0	Tritium	5.2 ± 0.40	pCi/ml	GE

WELL DCB 9

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/11/00
 Depth to water: 7.84 ft (2.38 m) below TOC
 Water elevation: 114.46 ft (34.89 m) msl
 Sp. conductance: 1719 µS/cm
 Water evacuated before sampling: 55 gal

Time: 14:10
 pH: 3.1
 Alkalinity: 0 mg/L
 Water temperature: 19.5°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	pH	3.2	pH	GE
1	Specific conductance	2050	µS/cm	GE
2	Aluminum	154000	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
1	Barium	74	µg/L	GE
0	Benzene	<1.0	µg/L	GE
2	Beryllium	22	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
1	Cadmium	3.7	µg/L	GE
1	Calcium	41400	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	4300	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethane (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
2	Chromium	49	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
1	Cobalt	1940	µg/L	GE
1	Copper	144	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
1	Fluoride	1700	µg/L	GE
2	Iron	8550	µg/L	GE
1	Lead	21	µg/L	GE
1	Lithium	108	µg/L	GE
1	Magnesium	112000	µg/L	GE
2	Manganese	48100	µg/L	GE
2	Mercury	2.5	µg/L	GE
2	Nickel	488	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	3240	µg/L	GE
1	Selenium	2.7	µg/L	GE

ANALYTICAL RESULTS

WELL DOB 9 collected on 02/11/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
1	Silica	51300	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	14800	µg/L	GE
2	Sulfate	8.94E ± 08	µg/L	GE
2	Tetrachloroethylene	5.0	µg/L	GE
0	Tin	<2.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total organic carbon	1000	µg/L	GE
2	Total organic halogens	63	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
2	Trichloroethylene	71	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
1	Zinc	1270	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Gross alpha	4.7 ± 2.3	pCi/L	GE
0	Nonvolatile beta	8.8 ± 1.8	pCi/L	GE
2	Total radium	8.8 ± 3.3	pCi/L	GE
0	Tritium	4.7 ± 0.40	pCi/mL	GE

WELL DOB 10

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/11/90
Depth to water: 7.99 ft (2.44 m) below TOC
Water elevation: 115.91 ft (35.33 m) msf
Sp. conductance: 4450 µS/cm
Water evacuated before sampling: 42 gal

Time: 15:05
pH: 2.4
Alkalinity: 0 mg/L
Water temperature: 17.2°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
2	pH	2.8	pH	GE
1	Specific conductance	4740	µS/cm	GE
2	Aluminum	511000	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	8.1	µg/L	GE
0	Benzene	<1.0	µg/L	GE
2	Beryllium	45	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
2	Cadmium	8.3	µg/L	GE
1	Calcium	39900	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	1800	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
2	Chromium	382	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
1	Cobalt	754	µg/L	GE
1	Copper	357	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
2	Fluoride	2950	µg/L	GE
2	Iron	958000	µg/L	GE
0	Lead	<8.0	µg/L	GE
1	Lithium	439	µg/L	GE
1	Magnesium	238000	µg/L	GE
2	Manganese	9830	µg/L	GE
0	Mercury	<0.20	µg/L	GE
2	Nickel	2280	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<800	µg/L	GE
0	Selenium	<2.0	µg/L	GE
1	Silica	171000	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	21100	µg/L	GE
2	Sulfate	3.34E ± 07	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Tin	<2.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total organic carbon	3000	µg/L	GE

WELL DOB 10 collected on 02/11/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
2	Total organic halogens	29	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
2	Zinc	4250	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
1	Gross alpha	10 ± 10	pCi/L	GE
1	Nonvolatile beta	10 ± 20	pCi/L	GE
2	Total radium	19 ± 8.8	pCi/L	GE
0	Tritium	3.3 ± 2.7	pCi/mL	GE

WELL DOB 11

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/11/90
Depth to water: 9.40 ft (2.87 m) below TOC
Water elevation: 121.20 ft (38.94 m) msf
Sp. conductance: 293 µS/cm
Water evacuated before sampling: 24 gal
The well went dry during purging.

Time: 18:45
pH: 5.8
Alkalinity: 8 mg/L
Water temperature: 19.8°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	4.7	pH	GE
1	Specific conductance	3380	µS/cm	GE
1	Aluminum	253	µg/L	GE
1	Arsenic	10	µg/L	GE
0	Barium	31	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Beryllium	<5.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
1	Calcium	36900	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
1	Chloride	14100	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
1	Chromium	4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
1	Cobalt	21	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	150	µg/L	GE
2	Iron	54700	µg/L	GE
0	Lead	<8.0	µg/L	GE
1	Lithium	735	µg/L	GE
1	Magnesium	126000	µg/L	GE
2	Manganese	3130	µg/L	GE
0	Mercury	<0.20	µg/L	GE
1	Nickel	29	µg/L	GE
0	Phenols	<5.0	µg/L	GE
1	Potassium	115000	µg/L	GE
0	Selenium	<2.0	µg/L	GE
1	Silica	26300	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	81500	µg/L	GE
2	Sulfate	9.63E ± 08	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Tin	<2.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Zinc	50	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE

ANALYTICAL RESULTS

WELL DCB 11 collected on 02/11/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	1,1-Dichloroethylene	< 1.0	µg/L	GE
0	1,1,1-Trichloroethane	< 1.0	µg/L	GE
0	1,1,2-Trichloroethane	< 1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	< 1.0	µg/L	GE
0	1,2-Dichloroethane	< 1.0	µg/L	GE
0	1,2-Dichloropropane	< 1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	< 1.0	µg/L	GE
0	Gross alpha	< 3.0	pCi/L	GE
1	Nonvolatile beta	10 ± 3.0	pCi/L	GE
2	Nonvolatile beta	67 ± 10	pCi/L	GE
2	Total radium	8.5 ± 4.0	pCi/L	GE
0	Tridium	2.0 ± 0.80	pCi/mL	GE

WELL DCB 12

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/11/90
Depth to water: 8.70 ft (2.65 m) below TOC
Water elevation: 108.20 ft (32.98 m) ms
Sp. conductance: 580 µS/cm
Water evacuated before sampling: 89 gal

Time: 11:30
pH: 3.8
Alkalinity: 0 mg/L
Water temperature: 16.9°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	pH	3.7	pH	GE
1	Specific conductance	570	µS/cm	GE
2	Aluminum	32000	µg/L	GE
0	Arsenic	< 2.0	µg/L	GE
0	Barium	15	µg/L	GE
0	Benzene	< 1.0	µg/L	GE
0	Beryllium	< 5.0	µg/L	GE
0	Bromodichloromethane	< 1.0	µg/L	GE
0	Bromoform	< 1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	< 1.0	µg/L	GE
0	Cadmium	< 2.0	µg/L	GE
1	Calcium	19800	µg/L	GE
0	Carbon tetrachloride	< 1.0	µg/L	GE
1	Chloride	11800	µg/L	GE
0	Chlorobenzene	< 1.0	µg/L	GE
0	Chloroethane	< 1.0	µg/L	GE
0	Chloroethane (Vinyl chloride)	< 1.0	µg/L	GE
0	Chloroform	< 1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	< 1.0	µg/L	GE
0	Chromium	< 4.0	µg/L	GE
0	cis-1,3-Dichloropropene	< 1.0	µg/L	GE
1	Cobalt	23	µg/L	GE
1	Copper	184	µg/L	GE
0	Dibromochloromethane	< 1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	< 1.0	µg/L	GE
0	Ethylbenzene	< 1.0	µg/L	GE
1	Fluoride	1800	µg/L	GE
2	Iron	822	µg/L	GE
0	Lead	7.5	µg/L	GE
1	Lithium	10	µg/L	GE
1	Magnesium	12300	µg/L	GE
2	Manganese	1480	µg/L	GE
0	Mercury	< 0.20	µg/L	GE
1	Nickel	38	µg/L	GE
0	Phenols	< 5.0	µg/L	GE
0	Potassium	< 500	µg/L	GE
0	Selenium	< 2.0	µg/L	GE
1	Silica	23100	µg/L	GE
0	Silver	< 2.0	µg/L	GE
1	Sodium	14800	µg/L	GE
2	Sulfate	1.92E ± 08	µg/L	GE
0	Tetrachloroethylene	< 1.0	µg/L	GE
0	Tin	< 2.0	µg/L	GE
0	Toluene	< 1.0	µg/L	GE
0	Total organic carbon	1000	µg/L	GE
2	Total organic halogens	50	µg/L	GE
0	Total phosphates	< 50	µg/L	GE
0	trans-1,2-Dichloroethene	< 1.0	µg/L	GE
0	trans-1,3-Dichloropropene	< 1.0	µg/L	GE
0	Trichloroethylene	< 1.0	µg/L	GE
0	Trichlorofluoromethane	< 1.0	µg/L	GE
0	Zinc	104	µg/L	GE
0	1,1-Dichloroethane	< 1.0	µg/L	GE
0	1,1-Dichloroethylene	< 1.0	µg/L	GE
0	1,1,1-Trichloroethane	< 1.0	µg/L	GE
0	1,1,2-Trichloroethane	< 1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	< 1.0	µg/L	GE
0	1,2-Dichloroethane	< 1.0	µg/L	GE
0	1,2-Dichloropropane	< 1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	< 1.0	µg/L	GE

WELL DCB 12 collected on 02/11/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Gross alpha	< 3.0	pCi/L	GE
0	Nonvolatile beta	3.3 ± 1.0	pCi/L	GE
1	Total activity	76 ± 2.1	pCi/mL	EM
0	Total radium	1.1 ± 2.0	pCi/L	GE
2	Tridium	40 ± 0.80	pCi/mL	GE

WELL DCB 13

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/11/90
Depth to water: 18.73 ft (5.71 m) below TOC
Water elevation: 111.07 ft (33.85 m) ms
Sp. conductance: 342 µS/cm
Water evacuated before sampling: 2 gal
The well went dry during purging.

Time: 17:00
pH: 5.8
Alkalinity: 13 mg/L
Water temperature: 16.5°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.8	pH	GE
1	Specific conductance	288	µS/cm	GE
0	Aluminum	49	µg/L	GE
1	Arsenic	11	µg/L	GE
1	Barium	100	µg/L	GE
0	Benzene	< 1.0	µg/L	GE
0	Beryllium	< 5.0	µg/L	GE
0	Bromodichloromethane	< 1.0	µg/L	GE
0	Bromoform	< 1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	< 1.0	µg/L	GE
0	Cadmium	< 2.0	µg/L	GE
1	Calcium	19700	µg/L	GE
0	Carbon tetrachloride	< 1.0	µg/L	GE
0	Chloride	3200	µg/L	GE
0	Chlorobenzene	< 1.0	µg/L	GE
0	Chloroethane	< 1.0	µg/L	GE
0	Chloroethane (Vinyl chloride)	< 1.0	µg/L	GE
0	Chloroform	< 1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	< 1.0	µg/L	GE
0	Chromium	< 4.0	µg/L	GE
0	cis-1,3-Dichloropropene	< 1.0	µg/L	GE
0	Cobalt	< 4.0	µg/L	GE
0	Copper	< 4.0	µg/L	GE
0	Dibromochloromethane	< 1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	< 1.0	µg/L	GE
0	Ethylbenzene	< 1.0	µg/L	GE
0	Fluoride	180	µg/L	GE
2	Iron	2310	µg/L	GE
0	Lead	12	µg/L	GE
1	Lithium	103	µg/L	GE
1	Magnesium	8150	µg/L	GE
2	Manganese	193	µg/L	GE
0	Mercury	< 0.20	µg/L	GE
1	Nickel	50	µg/L	GE
0	Phenols	< 5.0	µg/L	GE
1	Potassium	18900	µg/L	GE
0	Selenium	< 2.0	µg/L	GE
1	Silica	56700	µg/L	GE
0	Silver	< 2.0	µg/L	GE
1	Sodium	6970	µg/L	GE
2	Sulfate	158000	µg/L	GE
0	Tetrachloroethylene	< 1.0	µg/L	GE
0	Tin	< 2.0	µg/L	GE
0	Toluene	< 1.0	µg/L	GE
0	Total organic carbon	1000	µg/L	GE
0	Total organic halogens	50	µg/L	GE
0	Total phosphates	< 50	µg/L	GE
0	trans-1,2-Dichloroethene	< 1.0	µg/L	GE
0	trans-1,3-Dichloropropene	< 1.0	µg/L	GE
0	Trichloroethylene	< 1.0	µg/L	GE
0	Trichlorofluoromethane	< 1.0	µg/L	GE
0	Zinc	51	µg/L	GE
0	1,1-Dichloroethane	< 1.0	µg/L	GE
0	1,1-Dichloroethylene	< 1.0	µg/L	GE
0	1,1,1-Trichloroethane	< 1.0	µg/L	GE
0	1,1,2-Trichloroethane	< 1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	< 1.0	µg/L	GE
0	1,2-Dichloroethane	< 1.0	µg/L	GE
0	1,2-Dichloropropane	< 1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	< 1.0	µg/L	GE
0	Gross alpha	< 3.0	pCi/L	GE
1	Nonvolatile beta	21 ± 3.1	pCi/L	GE
0	Total radium	< 1.0	pCi/L	GE
0	Tridium	2.8 ± 0.40	pCi/mL	GE

ANALYTICAL RESULTS

WELL DCB 14

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/11/90
 Depth to water: 16.81 ft (5.13 m) below TOC
 Water elevation: 110.60 ft (33.71 m) msl
 Sp. conductance: 5890 µS/cm
 Water evacuated before sampling: 57 gal

Time: 12:25
 pH: 4.1
 Alkalinity: 0 mg/L
 Water temperature: 20.7°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	pH	3.7	pH	GE
1	Specific conductance	8400	µS/cm	GE
2	Aluminum	56300	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	18	µg/L	GE
0	Benzene	<1.0	µg/L	GE
2	Beryllium	53	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
2	Cadmium	5.4	µg/L	GE
1	Calcium	197000	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
1	Chloride	30900	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
1	Cobalt	157	µg/L	GE
0	Copper	4.8	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
2	Fluoride	2200	µg/L	GE
2	Iron	288000	µg/L	GE
0	Lead	8.4	µg/L	GE
1	Lithium	49	µg/L	GE
1	Magnesium	182000	µg/L	GE
2	Manganese	30400	µg/L	GE
0	Mercury	<0.20	µg/L	GE
2	Nickel	340	µg/L	GE
0	Phenols	<5.0	µg/L	GE
1	Potassium	11000	µg/L	GE
0	Selenium	<2.0	µg/L	GE
1	Silica	14300	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	83100	µg/L	GE
2	Sulfate	1.75E±07	µg/L	GE
2	Tetrachloroethylene	6.0	µg/L	GE
1	Tin	4.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
1	Total organic carbon	8000	µg/L	GE
2	Total organic halogens	47	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
2	Trichloroethylene	18	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
1	Zinc	274	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	<2.0	pCi/L	GE
1	Total activity	3.7±20	pCi/mL	EM
1	Total radium	4.3±4.0	pCi/L	GE
0	Tritium	<0.70	pCi/mL	GE

WELL DCB 15

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/11/90
 Depth to water: 17.80 ft (5.43 m) below TOC
 Water elevation: 109.80 ft (33.47 m) msl
 Sp. conductance: 551 µS/cm
 Water evacuated before sampling: 8 gal
 The well went dry during purging.

Time: 17:35
 pH: 8.5
 Alkalinity: 353 mg/L
 Water temperature: 17.9°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	pH	8.7	pH	GE
1	Specific conductance	1180	µS/cm	GE
0	Aluminum	<20	µg/L	GE
1	Arsenic	4.5	µg/L	GE
1	Barium	131	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Beryllium	<5.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
1	Calcium	43100	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	4300	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Copper	2.8	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	240	µg/L	GE
2	Iron	11200	µg/L	GE
0	Lead	<5.0	µg/L	GE
0	Lithium	<5.0	µg/L	GE
1	Magnesium	24900	µg/L	GE
2	Manganese	709	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Phenols	<5.0	µg/L	GE
1	Potassium	10800	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	3310	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	7870	µg/L	GE
2	Sulfate	180000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Tin	<2.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total organic carbon	2000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Zinc	8.7	µg/L	GE
0	Zinc	4.8	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	8.2±1.9	pCi/L	GE
0	Total activity	<1.0	pCi/L	GE
0	Total radium	4.7±0.40	pCi/mL	GE
0	Tritium			

ANALYTICAL RESULTS

WELL DOB 16

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/11/90
Depth to water: 18.16 ft (4.93 m) below TOC
Water elevation: 111.72 ft (34.05 m) msl
Sp. conductance: 876 µS/cm
Water evacuated before sampling: 6 gal
The well went dry during purging.

Time: 17:15
pH: 6.8
Alkalinity: 259 mg/L
Water temperature: 18.0°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	pH	6.8	pH	GE
1	Specific conductance	1090	µS/cm	GE
0	Aluminum	<20	µg/L	GE
1	Arsenic	4.3	µg/L	GE
1	Barium	69	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Beryllium	<5.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
1	Calcium	43000	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
1	Chloride	18100	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	180	µg/L	GE
2	Iron	8280	µg/L	GE
0	Lead	<8.0	µg/L	GE
1	Lithium	12	µg/L	GE
1	Magnesium	18000	µg/L	GE
2	Manganese	323	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Phenols	<5.0	µg/L	GE
1	Potassium	12300	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	2780	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	34200	µg/L	GE
2	Sulfate	163000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Tin	<2.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total organic carbon	4000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Zinc	5.2	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
1	Nonvolatile beta	11±2.2	pCi/L	GE
0	Total radium	<1.0	pCi/L	GE
0	Tritium	1.8±0.30	pCi/mL	GE

WELL DOB 1

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/11/90
Depth to water: 10.39 ft (3.17 m) below TOC
Water elevation: 141.31 ft (43.07 m) msl
Sp. conductance: 118 µS/cm
Water evacuated before sampling: 69 gal

Time: 8:40
pH: 8.9
Alkalinity: 20 mg/L
Water temperature: 18.9°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	8.7	pH	MT
1	Specific conductance	124	µS/cm	MT
1	Carbon tetrachloride	1.2	µg/L	MT
1	Chloroform	1.1	µg/L	MT
0	Iron	52	µg/L	MT
1	Magnesium	8100	µg/L	MT
1	Manganese	44	µg/L	MT
0	Nitrate as nitrogen	<200	µg/L	MT
0	Phenols	<5.0	µg/L	MT
0	Silica	4300	µg/L	MT
1	Sulfate	28000	µg/L	MT
2	Tetrachloroethylene	69	µg/L	MT
1	Total organic carbon	7790	µg/L	MT
2	Total organic halogens	164	µg/L	MT
0	Total phosphates	51	µg/L	MT
2	Trichloroethylene	79	µg/L	MT
0	1,1,1-Trichloroethane	<0.40	µg/L	MT

WELL DOB 2

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/11/90
Depth to water: 11.08 ft (3.38 m) below TOC
Water elevation: 141.12 ft (43.01 m) msl
Sp. conductance: 87 µS/cm
Water evacuated before sampling: 87 gal

Time: 9:05
pH: 5.5
Alkalinity: 7 mg/L
Water temperature: 17.1°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.4	pH	MT
0	Specific conductance	58	µS/cm	MT
0	Carbon tetrachloride	<1.0	µg/L	MT
0	Chloroform	<0.40	µg/L	MT
2	Iron	3110	µg/L	MT
0	Magnesium	1410	µg/L	MT
2	Manganese	55	µg/L	MT
0	Nitrate as nitrogen	340	µg/L	MT
0	Phenols	<5.0	µg/L	MT
0	Silica	6130	µg/L	MT
0	Sulfate	7800	µg/L	MT
2	Tetrachloroethylene	11	µg/L	MT
1	Total organic carbon	8730	µg/L	MT
2	Total organic halogens	373	µg/L	MT
0	Total phosphates	87	µg/L	MT
2	Trichloroethylene	193	µg/L	MT
0	1,1,1-Trichloroethane	<0.40	µg/L	MT

WELL DOB 3

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/11/90
Depth to water: 11.70 ft (3.57 m) below TOC
Water elevation: 141.10 ft (43.01 m) msl
Sp. conductance: 29 µS/cm
Water evacuated before sampling: 66 gal

Time: 9:25
pH: 5.5
Alkalinity: 2 mg/L
Water temperature: 17.0°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.3	pH	MT
0	Specific conductance	29	µS/cm	MT
0	Carbon tetrachloride	<1.0	µg/L	MT
0	Chloroform	<0.40	µg/L	MT
0	Iron	111	µg/L	MT
0	Magnesium	590	µg/L	MT
0	Manganese	7.8	µg/L	MT
0	Nitrate as nitrogen	1200	µg/L	MT
0	Phenols	<5.0	µg/L	MT

ANALYTICAL RESULTS

WELL DOB 3 collected on 02/11/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Silica	4750	µg/L	MT
0	Sulfate	1800	µg/L	MT
0	Tetrachloroethylene	0.93	µg/L	MT
0	Total organic carbon	<1000	µg/L	MT
0	Total organic halogens	<5.0	µg/L	MT
0	Total phosphates	45	µg/L	MT
0	Trichloroethylene	<0.40	µg/L	MT
0	1,1,1-Trichloroethane	<0.40	µg/L	MT

WELL DOB 4

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/11/90
 Depth to water: 12.23 ft (3.73 m) below TOC
 Water elevation: 140.77 ft (42.91 m) msl
 Sp. conductance: 43 µS/cm
 Water evacuated before sampling: 82 gal

Time: 8:10
 pH: 5.3
 Alkalinity: 1 mg/L
 Water temperature: 17.0°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.2	pH	MT
0	Specific conductance	39	µS/cm	MT
0	Carbon tetrachloride	<1.0	µg/L	MT
0	Chloroform	<0.40	µg/L	MT
0	Iron	147	µg/L	MT
0	Magnesium	991	µg/L	MT
0	Manganese	14	µg/L	MT
0	Nitrate as nitrogen	520	µg/L	MT
0	Phenols	<5.0	µg/L	MT
0	Silica	5840	µg/L	MT
0	Sulfate	4600	µg/L	MT
2	Tetrachloroethylene	5.9	µg/L	MT
0	Total organic carbon	<1000	µg/L	MT
0	Total organic halogens	<5.0	µg/L	MT
0	Total phosphates	46	µg/L	MT
0	Trichloroethylene	0.63	µg/L	MT
0	1,1,1-Trichloroethane	<0.40	µg/L	MT

WELL F 9

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/14/90
 The well was dry.

Time: 13:35

WELL F 14

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/22/90
 The well was dry.

Time: 12:40

WELL F 15

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/14/90
 Depth to water: 47.00 ft (14.33 m) below TOC
 Water elevation: 206.50 ft (62.94 m) msl
 Sp. conductance: 122 µS/cm
 No water was evacuated before sampling.

Time: 13:25
 pH: 4.0
 Water temperature: 19.9°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
2	Gross alpha	19 ± 3.4	pCi/L	EM
1	Nonvolatile beta	34 ± 4.8	pCi/L	EM
2	Tritium	447 ± 20	pCi/mL	EM
2	Tritium	468 ± 20	pCi/mL	EM

WELL F 16

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/22/90
 The well was dry.

Time: 12:50

WELL F 17

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/14/90
 Depth to water: 36.20 ft (11.03 m) below TOC
 Water elevation: 203.60 ft (62.06 m) msl
 Sp. conductance: 92 µS/cm
 No water was evacuated before sampling.

Time: 12:50
 pH: 5.9
 Water temperature: 22.1°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Gross alpha	3.3 ± 1.3	pCi/L	EM
1	Nonvolatile beta	41 ± 5.7	pCi/L	EM
2	Tritium	230 ± 10	pCi/mL	EM

WELL F 18A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/14/90
 Depth to water: 31.40 ft (9.57 m) below TOC
 Water elevation: 202.00 ft (61.57 m) msl
 Sp. conductance: 547 µS/cm
 No water was evacuated before sampling.

Time: 13:05
 pH: 3.4
 Water temperature: 19.9°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
2	Gross alpha	150 ± 10	pCi/L	EM
2	Nonvolatile beta	229 ± 20	pCi/L	EM
2	Tritium	2820 ± 130	pCi/mL	EM
2	Tritium	2950 ± 140	pCi/mL	EM

WELL F 19

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/22/90
 The well was dry.

Time: 13:00

WELL F 24

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/21/90
 Depth to water: 67.10 ft (20.45 m) below TOC
 Water elevation: 223.90 ft (68.25 m) msl
 Sp. conductance: 22 µS/cm
 No water was evacuated before sampling.

Time: 10:40
 pH: 5.8
 Water temperature: 15.2°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Gross alpha	±0.20	pCi/L	EM
0	Nonvolatile beta	0.80 ± 0.83	pCi/L	EM
0	Tritium	9.6 ± 0.94	pCi/mL	EM

ANALYTICAL RESULTS

WELL F 25

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/22/90 Time: 13:30
 Depth to water: 50.30 ft (15.33 m) below TOC pH: 5.8
 Water elevation: 210.60 ft (64.19 m) msl
 Sp. conductance: 54 µS/cm Water temperature: 22.5°C
 No water was evacuated before sampling.

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Gross alpha	1.5±0.91	pCi/L	EM
2	Nonvolatile beta	73±9.3	pCi/L	EM
1	Tritium	18±1.1	pCi/mL	EM

WELL FAC 3

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/14/90 Time: 11:00
 Depth to water: 84.39 ft (25.72 m) below TOC pH: 8.9
 Water elevation: 227.41 ft (69.32 m) msl Alkalinity: 23 mg/L
 Sp. conductance: 221 µS/cm Water temperature: 20.2°C
 Water evacuated before sampling: 1 gal
 There was insufficient water to fill all or some sample bottles.

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	Aluminum	239	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	23	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
1	Calcium	21500	µg/L	GE
1	Chromium	12	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Iron	33	µg/L	GE
0	Lead	<8.0	µg/L	GE
0	Magnesium	1580	µg/L	GE
0	Manganese	<2.0	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Nitrate as nitrogen	200	µg/L	GE
0	Phenols	<5.0	µg/L	GE
1	Potassium	5400	µg/L	GE
0	Selenium	<2.0	µg/L	GE
1	Silica	12700	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	19000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE

WELL FAC 4

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/07/90 Time: 13:25
 Depth to water: 83.46 ft (25.44 m) below TOC pH: 4.8
 Water elevation: 226.44 ft (69.02 m) msl Alkalinity: 1 mg/L
 Sp. conductance: 114 µS/cm Water temperature: 22.0°C
 Water evacuated before sampling: 48 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.1	pH	MT
0	pH	5.1	pH	MT
0	pH	4.9	pH	GE
0	pH	5.0	pH	GE
1	Specific conductance	107	µS/cm	MT
1	Specific conductance	106	µS/cm	MT
1	Specific conductance	108	µS/cm	GE
1	Specific conductance	108	µS/cm	GE
0	Turbidity	10	NTU	MT
0	Turbidity	10	NTU	MT
0	Turbidity	5.3	NTU	GE
0	Turbidity	5.4	NTU	GE
1	Aluminum	157	µg/L	MT
1	Aluminum	125	µg/L	GE
1	Aluminum	137	µg/L	GE
0	Arsenic	<3.0	µg/L	MT
0	Arsenic	<2.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	37	µg/L	MT

WELL FAC 4 collected on 02/07/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Barium	37	µg/L	GE
0	Barium	36	µg/L	GE
0	Cadmium	<3.0	µg/L	MT
0	Cadmium	<2.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	6910	µg/L	MT
0	Calcium	6770	µg/L	GE
0	Calcium	7120	µg/L	GE
0	Chloride	2200	µg/L	MT
0	Chloride	2200	µg/L	MT
0	Chloride	2300	µg/L	GE
0	Chloride	2200	µg/L	GE
0	Chromium	<3.0	µg/L	MT
0	Chromium	<4.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	Copper	<7.0	µg/L	MT
0	Copper	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Endrin	<0.0060	µg/L	MT
0	Endrin	<0.10	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Fluoride	400	µg/L	MT
0	Fluoride	<250	µg/L	MT
0	Fluoride	<100	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.0050	µg/L	MT
0	gamma-Benzene hexachloride (Lindane)	<0.0050	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.0050	µg/L	GE
0	Iron	54	µg/L	MT
0	Iron	54	µg/L	GE
0	Iron	54	µg/L	GE
0	Lead	<3.0	µg/L	MT
0	Lead	<8.0	µg/L	GE
0	Lead	<8.0	µg/L	GE
0	Magnesium	3100	µg/L	MT
0	Magnesium	2700	µg/L	GE
0	Magnesium	2860	µg/L	GE
2	Manganese	342	µg/L	MT
2	Manganese	297	µg/L	GE
2	Manganese	299	µg/L	GE
0	Mercury	0.21	µg/L	MT
0	Mercury	<0.20	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	MT
0	Methoxychlor	<0.50	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nitrate as nitrogen	410	µg/L	MT
0	Nitrate as nitrogen	380	µg/L	MT
0	Nitrate as nitrogen	290	µg/L	GE
0	Nitrate as nitrogen	310	µg/L	GE
0	Phenols	<5.0	µg/L	MT
0	Phenols	<5.0	µg/L	MT
0	Phenols	<5.0	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	2920	µg/L	MT
0	Potassium	2940	µg/L	GE
0	Potassium	3030	µg/L	GE
0	Selenium	<3.0	µg/L	MT
0	Selenium	<2.0	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	7500	µg/L	GE
0	Silica	6940	µg/L	GE
0	Silica	8410	µg/L	MT
0	Silver	<2.0	µg/L	MT
0	Silver	<2.0	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	4390	µg/L	MT
0	Sodium	4240	µg/L	GE
0	Sodium	4330	µg/L	GE
1	Sulfate	42500	µg/L	MT
1	Sulfate	42600	µg/L	MT
1	Sulfate	34200	µg/L	GE
1	Sulfate	31200	µg/L	GE
0	Total dissolved solids	131000	µg/L	MT
0	Total dissolved solids	84000	µg/L	GE
0	Total dissolved solids	74000	µg/L	GE
0	Total organic carbon	<1000	µg/L	MT
0	Total organic carbon	<1000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	MT
0	Total organic halogens	<5.0	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	75	µg/L	MT
0	Total phosphates	<50	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<0.24	µg/L	MT
0	Toxaphene	<1.0	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.40	µg/L	MT

ANALYTICAL RESULTS

WELL FAC 4 collected on 02/07/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.070	µg/L	MT
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
1	Gross alpha	14±4.0	pCi/L	MT
2	Gross alpha	15±4.0	pCi/L	MT
1	Gross alpha	8.3±3.1	pCi/L	GE
0	Gross alpha	4.2±2.6	pCi/L	GE
0	Nonvolatile beta	7.8±3.4	pCi/L	MT
1	Nonvolatile beta	10±3.0	pCi/L	MT
0	Nonvolatile beta	5.5±3.9	pCi/L	GE
0	Nonvolatile beta	5.8±3.9	pCi/L	GE
2	Total radium	16±2.0	pCi/L	MT
2	Total radium	11±5.0	pCi/L	GE
2	Total radium	14±5.4	pCi/L	GE
0	Tritium	1.1±0.20	pCi/mL	MT
0	Tritium	<1.0	pCi/mL	MT
0	Tritium	0.83±0.30	pCi/mL	GE
0	Tritium	<0.70	pCi/mL	GE

WELL FAC 4

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/07/90 Time: 13:25
 Depth to water: 83.48 ft (25.44 m) below TOC pH: 4.8
 Water elevation: 226.44 ft (69.02 m) msl Alkalinity: 1 mg/L
 Sp. conductance: 114 µS/cm Water temperature: 22.0°C
 Water evacuated before sampling: 48 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.0	pH	MT
0	pH	5.0	pH	GE
1	Specific conductance	121	µS/cm	MT
1	Specific conductance	110	µS/cm	GE
0	Turbidity	11	NTU	MT
0	Turbidity	12	NTU	GE
1	Aluminum	356	µg/L	MT
1	Aluminum	155	µg/L	GE
0	Arsenic	<3.0	µg/L	MT
0	Arsenic	<2.0	µg/L	GE
0	Barium	39	µg/L	MT
0	Barium	40	µg/L	GE
0	Cadmium	<3.0	µg/L	MT
0	Cadmium	<2.0	µg/L	GE
0	Calcium	7040	µg/L	MT
0	Calcium	7840	µg/L	GE
0	Chloride	2200	µg/L	MT
0	Chloride	2200	µg/L	GE
0	Chromium	<3.0	µg/L	MT
0	Chromium	<4.0	µg/L	GE
0	Copper	<7.0	µg/L	MT
0	Copper	<4.0	µg/L	GE
0	Endrin	<0.0060	µg/L	MT
0	Endrin	<0.10	µg/L	GE
0	Fluoride	<250	µg/L	MT
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.0050	µg/L	MT
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
1	Iron	238	µg/L	MT
0	Iron	59	µg/L	GE
0	Lead	<3.0	µg/L	MT
0	Lead	<6.0	µg/L	GE
0	Magnesium	4110	µg/L	MT
0	Magnesium	3110	µg/L	GE
2	Manganese	345	µg/L	MT
2	Manganese	339	µg/L	GE
0	Mercury	0.20	µg/L	MT
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	MT
0	Methoxychlor	<0.50	µg/L	GE
0	Nitrate as nitrogen	380	µg/L	MT
0	Nitrate as nitrogen	320	µg/L	GE
0	Phenols	<5.0	µg/L	MT
0	Phenols	<5.0	µg/L	GE
0	Potassium	3130	µg/L	MT
0	Potassium	3320	µg/L	GE
0	Selenium	<3.0	µg/L	MT
0	Selenium	<2.0	µg/L	GE
0	Silica	8440	µg/L	GE
0	Silica	8450	µg/L	MT
0	Silver	<2.0	µg/L	MT
0	Silver	<2.0	µg/L	GE

WELL FAC 4 collected on 02/07/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Sodium	4390	µg/L	MT
0	Sodium	4680	µg/L	GE
1	Sulfate	42600	µg/L	MT
1	Sulfate	45800	µg/L	GE
0	Total dissolved solids	79000	µg/L	MT
0	Total dissolved solids	73000	µg/L	GE
0	Total organic carbon	<1000	µg/L	MT
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	MT
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	80	µg/L	MT
0	Total phosphates	85	µg/L	MT
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<0.24	µg/L	MT
0	Toxaphene	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.48	µg/L	MT
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.070	µg/L	MT
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
2	Gross alpha	22±5.0	pCi/L	MT
1	Gross alpha	8.3±2.3	pCi/L	GE
1	Nonvolatile beta	12±4.0	pCi/L	MT
0	Nonvolatile beta	8.1±2.9	pCi/L	GE
2	Total radium	14±2.0	pCi/L	MT
2	Total radium	27±7.2	pCi/L	GE
0	Tritium	1.1±0.20	pCi/mL	MT
0	Tritium	0.88±0.30	pCi/mL	GE

WELL FAC 5

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/14/90 Time: 11:25
 Depth to water: 94.88 ft (28.82 m) below TOC pH: 4.8
 Water elevation: 220.92 ft (67.34 m) msl Alkalinity: 4 mg/L
 Sp. conductance: 84 µS/cm Water temperature: 20.8°C
 Water evacuated before sampling: 8 gal
 The well went dry during purging.

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.3	pH	GE
0	Specific conductance	79	µS/cm	GE
0	Turbidity	43	NTU	GE
0	Aluminum	49	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	4.3	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	4040	µg/L	GE
0	Chloride	1700	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	49	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	1940	µg/L	GE
1	Manganese	34	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nitrate as nitrogen	<50	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	2550	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	5580	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	2910	µg/L	GE
1	Sulfate	32100	µg/L	GE
0	Total dissolved solids	64000	µg/L	GE
0	Total organic carbon	3000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	7.2±1.9	pCi/L	GE
0	Total radium	<1.0	pCi/L	GE
0	Tritium	<0.70	pCi/mL	GE

ANALYTICAL RESULTS

WELL FAC 6

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/14/90 Time: 10:20
 Depth to water: 96.12 ft (29.30 m) below TOC pH: 5.8
 Water elevation: 216.38 ft (65.95 m) msl Alkalinity: 25 mg/L
 Sp. conductance: 89 µS/cm Water temperature: 18.8°C
 Water evacuated before sampling: 3 gal
 There was insufficient water to fill all or some sample bottles.

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	6.5	pH	GE
1	Specific conductance	131	µS/cm	GE
0	Turbidity	52	NTU	GE
0	Aluminum	20	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	4.1	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	9130	µg/L	GE
0	Chloride	2800	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	Iron	48	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	336	µg/L	GE
1	Manganese	32	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Nitrate as nitrogen	60	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	1420	µg/L	GE
0	Selenium	<2.0	µg/L	GE
1	Silica	10400	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	6780	µg/L	GE
0	Sulfate	6600	µg/L	GE
0	Total dissolved solids	88000	µg/L	GE
0	Total organic carbon	2000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	3.2 ± 1.3	pCi/L	GE
0	Total radium	1.5 ± 2.2	pCi/L	GE
0	Tritium	1.3 ± 0.30	pCi/mL	GE

WELL FAC 7

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/07/90 Time: 12:30
 Depth to water: 95.64 ft (29.15 m) below TOC pH: 5.9
 Water elevation: 216.36 ft (65.95 m) msl Alkalinity: 15 mg/L
 Sp. conductance: 80 µS/cm Water temperature: 21.4°C
 Water evacuated before sampling: 3 gal
 The well went dry during purging.

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	6.5	pH	GE
1	Specific conductance	119	µS/cm	GE
0	Turbidity	23	NTU	GE
0	Aluminum	<20	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	9.1	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	3200	µg/L	GE
0	Chloride	3300	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	12	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	329	µg/L	GE
0	Manganese	5.9	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nitrate as nitrogen	220	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	2710	µg/L	GE
0	Selenium	<2.0	µg/L	GE
1	Silica	10400	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	9450	µg/L	GE

WELL FAC 7 collected on 02/07/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Sulfate	9600	µg/L	GE
0	Total dissolved solids	77000	µg/L	GE
1	Total organic carbon	9000	µg/L	GE
0	Total organic halogens	7.0	µg/L	GE
0	Total phosphates	50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	5.9 ± 2.5	pCi/L	GE
0	Total radium	1.2 ± 2.0	pCi/L	GE
0	Tritium	1.2 ± 0.30	pCi/mL	GE

WELL FAC 8

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/07/90 Time: 11:50
 Depth to water: 89.43 ft (27.26 m) below TOC pH: 6.1
 Water elevation: 221.57 ft (67.54 m) msl Alkalinity: 18 mg/L
 Sp. conductance: 73 µS/cm Water temperature: 21.8°C
 Water evacuated before sampling: 9 gal
 The well went dry during purging.

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	6.3	pH	GE
0	Specific conductance	88	µS/cm	GE
0	Turbidity	21	NTU	GE
0	Aluminum	<20	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	14	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	8150	µg/L	GE
0	Chloride	3000	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	18	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	482	µg/L	GE
0	Manganese	18	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nitrate as nitrogen	150	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	1020	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	9180	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	4390	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Total dissolved solids	73000	µg/L	GE
1	Total organic carbon	7000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	60	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	2.1 ± 2.0	pCi/L	GE
0	Total radium	1.0 ± 2.0	pCi/L	GE
0	Tritium	1.2 ± 0.30	pCi/mL	GE

WELL FAC 1

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/18/90 Time: 17:35
 Depth to water: 96.20 ft (29.32 m) below TOC pH: 6.4
 Water elevation: 216.70 ft (66.05 m) msl Alkalinity: 75 mg/L
 Sp. conductance: 160 µS/cm Water temperature: 19.3°C
 Water evacuated before sampling: 5 gal
 The well went dry during purging.

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	pH	6.8	pH	GE
1	Specific conductance	150	µS/cm	GE
0	Benzene	<1.0	µg/L	GE

ANALYTICAL RESULTS

WELL FAL 1 collected on 03/18/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
1	Calcium	12700	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Iron	5.7	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Manganese	19	µg/L	GE
0	Phenols	<5.0	µg/L	GE
1	Silica	10100	µg/L	GE
1	Sodium	8190	µg/L	GE
0	Sulfate	<5000	µg/L	GE
1	Tetrachloroethylene	2.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
2	Total organic halogens	27	µg/L	GE
1	Total phosphates	990	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
2	Trichloroethylene	28	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
1	1,1-Dichloroethane	3.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE

WELL FAL 2

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/18/90
 Depth to water: 97.07 ft (29.59 m) below TOC
 Water elevation: 215.03 ft (65.54 m) msl
 Sp. conductance: 58 µS/cm
 Water evacuated before sampling: 1 gal
 The well went dry during purging.

Time: 17:50
 pH: 5.0
 Alkalinity: 4 mg/L
 Water temperature: 21.0°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.5	pH	GE
0	Specific conductance	48	µS/cm	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Calcium	1540	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Iron	769	µg/L	GE
2	Lead	753	µg/L	GE
1	Manganese	48	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Silica	9940	µg/L	GE
0	Sodium	3100	µg/L	GE
1	Sulfate	12100	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
1	Toluene	8.0	µg/L	GE
2	Total organic halogens	447	µg/L	GE
1	Total phosphates	860	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
2	Trichloroethylene	10	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE

WELL FAL 2 collected on 03/18/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
1	1,2-Dichloroethane	748	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE

WELL FBP 1A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/14/90
 Depth to water: 84.04 ft (25.62 m) below TOC
 Water elevation: 203.86 ft (62.14 m) msl
 Sp. conductance: 103 µS/cm
 Water evacuated before sampling: 109 gal

Time: 15:10
 pH: 4.5
 Alkalinity: 0 mg/L
 Water temperature: 19.1°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	4.8	pH	GE
0	pH	4.8	pH	GE
0	Specific conductance	88	µS/cm	GE
0	Specific conductance	90	µS/cm	GE
0	Barium	22	µg/L	GE
0	Barium	21	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Calcium	6460	µg/L	GE
0	Calcium	6750	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Lead	<6.0	µg/L	GE
1	Manganese	25	µg/L	GE
1	Manganese	25	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nickel	<4.0	µg/L	GE
1	Nitrate as nitrogen	8000	µg/L	GE
1	Nitrate as nitrogen	8060	µg/L	GE
0	Silica	7240	µg/L	GE
0	Silica	7380	µg/L	GE
0	Sodium	3760	µg/L	GE
0	Sodium	3890	µg/L	GE
1	Sulfate	11800	µg/L	GE
1	Sulfate	10700	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
1	Total organic halogens	10	µg/L	GE
0	Total organic halogens	8.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
2	Trichloroethylene	6.0	µg/L	GE
2	Trichloroethylene	7.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE

ANALYTICAL RESULTS

WELL FBP 1A collected on 02/14/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Uranium	<1000	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
1	Gross alpha	5.9±3.5	pCi/L	GE
1	Gross alpha	13±3.8	pCi/L	GE
2	Nonvolatile beta	81±8.0	pCi/L	GE
2	Nonvolatile beta	58±7.0	pCi/L	GE
1	Total radium	3.6±3.9	pCi/L	GE
0	Total radium	<1.0	pCi/L	GE

WELL FBP 2A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/14/90
 Depth to water: 101.27 ft (30.87 m) below TOC
 Water elevation: 187.83 ft (57.25 m) msl
 Sp. conductance: 38 µS/cm
 Water evacuated before sampling: 132 gal

Time: 14:30
 pH: 4.8
 Alkalinity: 0 mg/L
 Water temperature: 19.9°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.2	pH	GE
0	Specific conductance	38	µS/cm	GE
0	Barium	5.8	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Calcium	2200	µg/L	GE
2	Carbon tetrachloride	7.0	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethane (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Manganese	11	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	1490	µg/L	GE
0	Silica	8820	µg/L	GE
0	Sodium	3710	µg/L	GE
0	Sulfate	<5000	µg/L	GE
2	Tetrachloroethylene	20	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
2	Total organic halogens	102	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
2	Trichloroethylene	48	µg/L	GE
1	Trichlorofluoromethane	7.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
1	Nonvolatile beta	17±3.9	pCi/L	GE
2	Total radium	20±6.8	pCi/L	GE

WELL FBP 3A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/14/90
 Depth to water: 102.42 ft (31.22 m) below TOC
 Water elevation: 190.48 ft (58.06 m) msl
 Sp. conductance: 55 µS/cm
 Water evacuated before sampling: 129 gal

Time: 13:35
 pH: 4.9
 Alkalinity: 1 mg/L
 Water temperature: 19.2°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.2	pH	GE
0	Specific conductance	55	µS/cm	GE
0	Barium	8.2	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Calcium	3530	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethane (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Manganese	4.9	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	180	µg/L	GE
0	Silica	7800	µg/L	GE
0	Sodium	3990	µg/L	GE
1	Sulfate	13400	µg/L	GE
1	Tetrachloroethylene	1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
1	Total organic halogens	10	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
1	Trichlorofluoromethane	1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	3.8±1.4	pCi/L	GE
0	Total radium	<1.0	pCi/L	GE

WELL FBP 4

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/14/90
 Depth to water: 78.34 ft (23.27 m) below TOC
 Water elevation: 208.96 ft (64.00 m) msl
 Sp. conductance: 29 µS/cm
 Water evacuated before sampling: 118 gal

Time: 12:40
 pH: 4.8
 Alkalinity: 0 mg/L
 Water temperature: 19.4°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.0	pH	GE
0	Specific conductance	30	µS/cm	GE
0	Barium	<4.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Calcium	339	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethane (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE

ANALYTICAL RESULTS

WELL FBP 4 collected on 02/14/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Lead	8.8	µg/L	GE
0	Manganese	<2.0	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	260	µg/L	GE
0	Silica	8090	µg/L	GE
0	Sodium	2770	µg/L	GE
0	Sulfate	8900	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	4.0±1.5	pCi/L	GE
0	Total radium	<1.0	pCi/L	GE

WELL FCA 1N

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/08/90 Time: 13:45
The well was dry.

WELL FCA 1N

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/17/90 Time: 9:30
The well was dry.

WELL FCA 2C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/08/90 Time: 14:45
The well was dry.

WELL FCA 2D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/08/90 Time: 14:50
Depth to water: 90.20 ft (27.49 m) below TOC pH: 4.0
Water elevation: 222.00 ft (67.67 m) msf
Sp. conductance: 358 µS/cm Water temperature: 19.2°C
No water was evacuated before sampling.

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Antimony-125	<0.056	pCi/mL	EM
0	Cerium-144	<0.14	pCi/mL	EM
0	Cesium-134	<0.019	pCi/mL	EM
0	Cesium-137	<0.020	pCi/mL	EM
1	Chemical cesium	0.98±1.2	pCi/L	EM
0	Chromium-51	<0.29	pCi/mL	EM
0	Cobalt-60	<0.023	pCi/mL	EM
2	Gross alpha	58±8.6	pCi/L	EM
0	Iodine-131	<0.17	pCi/mL	EM
2	Nonvolatile beta	321±30	pCi/L	EM

WELL FCA 2D collected on 03/08/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Ruthenium-103	<0.027	pCi/mL	EM
0	Ruthenium-106	<0.17	pCi/mL	EM
0	Strontium-89/90	±1.2	pCi/L	EM
0	Tritium	9.8±0.98	pCi/mL	EM
0	Zirconium-95	<0.039	pCi/mL	EM

WELL FCA 2D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/18/90 Time: 18:05
Depth to water: 91.08 ft (27.78 m) below TOC pH: 3.7
Water elevation: 221.12 ft (67.40 m) msf Alkalinity: 0 mg/L
Sp. conductance: 325 µS/cm Water temperature: 20.8°C
Water evacuated before sampling: 1 gal
There was insufficient water to fill all or some sample bottles.

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	Barium	99	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoforn	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
1	Cadmium	4.3	µg/L	GE
1	Calcium	21100	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Iron	41	µg/L	GE
2	Lead	149	µg/L	GE
2	Lead	118	µg/L	GE
1	Magnesium	10800	µg/L	GE
2	Manganese	276	µg/L	GE
0	Potassium	1750	µg/L	GE
1	Silica	10400	µg/L	GE
0	Sodium	4020	µg/L	GE
2	Tetrachloroethylene	8.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total organic carbon	1000	µg/L	GE
2	Total organic halogens	120	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
2	Trichloroethylene	142	µg/L	GE
1	Trichlorofluoromethane	43	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE

WELL FCA 9B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/08/90 Time: 13:00
The well was dry.

WELL FCA 9C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/08/90 Time: 14:10
The well was dry.

ANALYTICAL RESULTS

WELL FCA 9D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/08/90 Time: 14:12
 Depth to water: 88.20 ft (26.88 m) below TOC pH: 4.5
 Water elevation: 223.70 ft (68.18 m) msl
 Sp. conductance: 184 µS/cm
 No water was evacuated before sampling. Water temperature: 19.3°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Antimony-125	<0.058	pCi/mL	EM
0	Cerium-144	<0.15	pCi/mL	EM
0	Cesium-134	<0.018	pCi/mL	EM
0	Cesium-137	<0.021	pCi/mL	EM
0	Chromium-51	<0.28	pCi/mL	EM
0	Cobalt-60	<0.021	pCi/mL	EM
2	Gross alpha	28±6.7	pCi/L	EM
0	Iodine-131	<0.17	pCi/mL	EM
2	Nonvolatile beta	1480±160	pCi/L	EM
0	Ruthenium-103	<0.027	pCi/mL	EM
0	Ruthenium-106	<0.19	pCi/mL	EM
2	Strontium-89/90	558±20	pCi/L	EM
0	Tritium	5.3±0.84	pCi/mL	EM
0	Zirconium/niblum-95	<0.040	pCi/mL	EM

WELL FCA 9D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/18/90 Time: 17:00
 Depth to water: 87.57 ft (26.69 m) below TOC pH: 4.1
 Water elevation: 224.33 ft (68.38 m) msl Alkalinity: 0 mg/L
 Sp. conductance: 181 µS/cm Water temperature: 21.5°C
 Water evacuated before sampling: 1 gal
 There was insufficient water to fill all or some sample bottles.

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	4.3	pH	GE
1	Specific conductance	183	µS/cm	GE
0	Barium	41	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	7840	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	5000	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	270	µg/L	GE
0	Iron	57	µg/L	GE
1	Lead	25	µg/L	GE
0	Magnesium	1030	µg/L	GE
2	Manganese	65	µg/L	GE
0	Nitrate as nitrogen	830	µg/L	GE
0	Potassium	1190	µg/L	GE
0	Silica	5600	µg/L	GE
1	Sodium	10500	µg/L	GE
0	Sulfate	7800	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
1	Total organic halogens	11	µg/L	GE
1	Total phosphates	930	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE

WELL FCA 9D collected on 03/18/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
2	Trichloroethylene	4.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Tritium	8.4±0.40	pCi/mL	GE

WELL FCA 10A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/08/90 Time: 13:20
 Depth to water: 88.00 ft (26.82 m) below TOC pH: 7.3
 Water elevation: 223.80 ft (68.22 m) msl
 Sp. conductance: 75 µS/cm
 No water was evacuated before sampling. Water temperature: 22.3°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Antimony-125	<0.059	pCi/mL	EM
0	Cerium-144	<0.14	pCi/mL	EM
0	Cesium-134	<0.018	pCi/mL	EM
0	Cesium-137	<0.019	pCi/mL	EM
0	Chromium-51	<0.31	pCi/mL	EM
0	Cobalt-60	<0.021	pCi/mL	EM
0	Gross alpha	2.3±1.5	pCi/L	EM
0	Iodine-131	<0.17	pCi/mL	EM
0	Nonvolatile beta	4.8±1.8	pCi/L	EM
0	Ruthenium-103	<0.030	pCi/mL	EM
0	Ruthenium-106	<0.17	pCi/mL	EM
0	Strontium-89/90	0.17±1.4	pCi/L	EM
0	Tritium	7.8±0.92	pCi/mL	EM
0	Zirconium/niblum-95	<0.044	pCi/mL	EM

WELL FCA 10A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/18/90 Time: 15:40
 Depth to water: 87.92 ft (26.80 m) below TOC pH: 5.8
 Water elevation: 223.88 ft (68.24 m) msl Alkalinity: 4 mg/L
 Sp. conductance: 65 µS/cm Water temperature: 26.1°C
 Water evacuated before sampling: 2 gal
 The well went dry during purging.

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.9	pH	GE
0	pH	5.9	pH	GE
0	Specific conductance	52	µS/cm	GE
0	Specific conductance	52	µS/cm	GE
0	Barium	5.1	µg/L	GE
0	Barium	5.3	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	1710	µg/L	GE
0	Calcium	1760	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	4300	µg/L	GE
0	Chloride	4300	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE

ANALYTICAL RESULTS

WELL FCA 10A collected on 03/18/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Chloroform	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	Iron	4.1	µg/L	GE
0	Iron	7.3	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	315	µg/L	GE
0	Magnesium	311	µg/L	GE
0	Manganese	7.8	µg/L	GE
0	Manganese	7.8	µg/L	GE
1	Nitrate as nitrogen	4150	µg/L	GE
1	Nitrate as nitrogen	4140	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Silica	8220	µg/L	GE
0	Silica	8380	µg/L	GE
1	Sodium	7520	µg/L	GE
1	Sodium	7730	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
1	Total phosphates	710	µg/L	GE
1	Total phosphates	690	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
1	Gross alpha	8.9 ± 1.3	pCi/L	GE
1	Gross alpha	7.8 ± 1.2	pCi/L	GE
1	Nonvolatile beta	13 ± 1.9	pCi/L	GE
0	Nonvolatile beta	9.2 ± 1.8	pCi/L	GE
1	Total radium	2.8 ± 3.6	pCi/L	GE
1	Total radium	2.5 ± 3.6	pCi/L	GE
0	Tritium	8.7 ± 0.40	pCi/mL	GE
0	Tritium	8.8 ± 0.40	pCi/mL	GE

WELL FCA 10B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/08/90 Time: 13:15
The well was dry.

WELL FCA 10C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/08/90 Time: 14:05
The well was dry.

WELL FCA 10D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/08/90 Time: 14:00
Depth to water: 88.00 ft (28.62 m) below TOC
Water elevation: 223.30 ft (68.08 m) msl
The well was dry.

WELL FCA 10D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/18/90 Time: 9:00
The well was dry.

WELL FCA 16A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/08/90 Time: 13:30
Depth to water: 88.00 ft (28.62 m) below TOC pH: 6.9
Water elevation: 224.20 ft (68.34 m) msl
Sp. conductance: 80 µS/cm Water temperature: 21.7 °C
No water was evacuated before sampling.

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Antimony-125	<0.057	pCi/mL	EM
0	Cerium-144	<0.14	pCi/mL	EM
0	Cesium-134	<0.018	pCi/mL	EM
0	Cesium-137	<0.020	pCi/mL	EM
0	Chromium-51	<0.29	pCi/mL	EM
0	Cobalt-60	<0.021	pCi/mL	EM
0	Gross alpha	3.7 ± 1.9	pCi/L	EM
0	Iodine-131	<0.18	pCi/mL	EM
0	Nonvolatile beta	2.3 ± 1.5	pCi/L	EM
0	Ruthenium-103	<0.029	pCi/mL	EM
0	Ruthenium-106	<0.17	pCi/mL	EM
0	Strontium-89/90	0.86 ± 1.3	pCi/L	EM
0	Tritium	4.4 ± 0.81	pCi/mL	EM
0	Zirconium/nioium-95	<0.039	pCi/mL	EM

WELL FCA 16A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/18/90 Time: 16:05
Depth to water: 88.30 ft (26.91 m) below TOC pH: 5.5
Water elevation: 223.90 ft (68.25 m) msl Alkalinity: 8 mg/L
Sp. conductance: 73 µS/cm Water temperature: 25.0 °C
Water evacuated before sampling: 7 gal
The well went dry during purging.

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	6.0	pH	GE
0	Specific conductance	75	µS/cm	GE
0	Barium	11	µg/L	GE
0	Benzene	<1.0	µg/L	GE

ANALYTICAL RESULTS

WELL FCA 16A collected on 03/18/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Bromodichloromethane	< 1.0	µg/L	GE
0	Bromoform	< 1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	< 1.0	µg/L	GE
0	Cadmium	< 2.0	µg/L	GE
0	Calcium	3580	µg/L	GE
0	Carbon tetrachloride	< 1.0	µg/L	GE
0	Chloride	4200	µg/L	GE
0	Chlorobenzene	< 1.0	µg/L	GE
0	Chloroethane	< 1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	< 1.0	µg/L	GE
0	Chloroform	< 1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	< 1.0	µg/L	GE
0	cis-1,3-Dichloropropene	< 1.0	µg/L	GE
0	Dibromochloromethane	< 1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	< 1.0	µg/L	GE
0	Ethylbenzene	< 1.0	µg/L	GE
0	Fluoride	< 100	µg/L	GE
0	Iron	12	µg/L	GE
0	Lead	7.0	µg/L	GE
0	Magnesium	327	µg/L	GE
0	Manganese	11	µg/L	GE
0	Nitrate as nitrogen	2730	µg/L	GE
0	Potassium	2710	µg/L	GE
0	Silica	8180	µg/L	GE
1	Sodium	6340	µg/L	GE
0	Sulfate	< 5000	µg/L	GE
1	Tetrachloroethylene	3.0	µg/L	GE
0	Toluene	< 1.0	µg/L	GE
0	Total organic carbon	4000	µg/L	GE
0	Total organic halogens	< 5.0	µg/L	GE
1	Total phosphates	710	µg/L	GE
0	trans-1,2-Dichloroethene	< 1.0	µg/L	GE
0	trans-1,3-Dichloropropene	< 1.0	µg/L	GE
0	Trichloroethylene	< 1.0	µg/L	GE
0	Trichlorofluoromethane	< 1.0	µg/L	GE
0	Uranium	< 1000	µg/L	GE
0	1,1-Dichloroethane	< 1.0	µg/L	GE
0	1,1-Dichloroethylene	< 1.0	µg/L	GE
0	1,1,1-Trichloroethane	< 1.0	µg/L	GE
0	1,1,2-Trichloroethane	< 1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	< 1.0	µg/L	GE
0	1,2-Dichloroethane	< 1.0	µg/L	GE
0	1,2-Dichloropropane	< 1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	< 1.0	µg/L	GE
0	Gross alpha	< 3.0	pCi/L	GE
1	Nonvolatile beta	12 ± 4.5	pCi/L	GE
2	Total radium	5.3 ± 4.2	pCi/L	GE
0	Tridium	6.6 ± 0.40	pCi/mL	GE

WELL FCA 16B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/08/90 Time: 13:25
The well was dry.

WELL FCA 16D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/08/90 Time: 13:55
Depth to water: 86.70 ft (26.43 m) below TOC pH: 5.5
Water elevation: 224.00 ft (68.28 m) msf
Sp. conductance: 122 µS/cm Water temperature: 19.9°C
No water was evacuated before sampling.

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Antimony-125	< 0.056	pCi/mL	EM
0	Cerium-144	< 0.14	pCi/mL	EM
0	Cesium-134	< 0.019	pCi/mL	EM
0	Cesium-137	< 0.019	pCi/mL	EM
0	Chromium-51	< 0.30	pCi/mL	EM
0	Cobalt-60	< 0.019	pCi/mL	EM
1	Gross alpha	8.0 ± 2.6	pCi/L	EM
0	Iodine-131	< 0.18	pCi/mL	EM
1	Nonvolatile beta	11 ± 2.7	pCi/L	EM
0	Ruthenium-103	< 0.031	pCi/mL	EM
0	Ruthenium-106	< 0.18	pCi/mL	EM
0	Strontium-89/90	1.0 ± 1.5	pCi/L	EM
2	Tridium	309 ± 4.2	pCi/mL	EM
0	Zirconium/niobium-95	< 0.046	pCi/mL	EM

WELL FCA 16D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/18/90 Time: 16:25
Depth to water: 86.71 ft (26.43 m) below TOC pH: 5.9
Water elevation: 223.99 ft (68.27 m) msf Alkalinity: 9 mg/L
Sp. conductance: 158 µS/cm Water temperature: 23.1°C
Water evacuated before sampling: 1 gal
There was insufficient water to fill all or some sample bottles.

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Barium	34	µg/L	GE
1	Benzene	3.0	µg/L	GE
0	Bromodichloromethane	< 1.0	µg/L	GE
0	Bromoform	< 1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	< 1.0	µg/L	GE
0	Cadmium	< 2.0	µg/L	GE
1	Calcium	11200	µg/L	GE
0	Carbon tetrachloride	< 1.0	µg/L	GE
0	Chlorobenzene	< 1.0	µg/L	GE
0	Chloroethane	< 1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	< 1.0	µg/L	GE
0	Chloroform	< 1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	< 1.0	µg/L	GE
0	cis-1,3-Dichloropropene	< 1.0	µg/L	GE
0	Dibromochloromethane	< 1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	< 1.0	µg/L	GE
0	Ethylbenzene	< 1.0	µg/L	GE
0	Iron	< 4.0	µg/L	GE
0	Lead	< 6.0	µg/L	GE
0	Magnesium	1340	µg/L	GE
0	Manganese	20	µg/L	GE
2	Nitrate as nitrogen	14300	µg/L	GE
0	Potassium	1640	µg/L	GE
0	Silica	7240	µg/L	GE
1	Sodium	12900	µg/L	GE
0	Tetrachloroethylene	< 1.0	µg/L	GE
0	Toluene	< 1.0	µg/L	GE
0	Total organic carbon	2000	µg/L	GE
2	Total organic halogens	101	µg/L	GE
0	trans-1,2-Dichloroethene	< 1.0	µg/L	GE
0	trans-1,3-Dichloropropene	< 1.0	µg/L	GE
2	Trichloroethylene	121	µg/L	GE
0	Trichlorofluoromethane	< 1.0	µg/L	GE
0	Uranium	< 1000	µg/L	GE
0	1,1-Dichloroethane	< 1.0	µg/L	GE
0	1,1-Dichloroethylene	< 1.0	µg/L	GE
0	1,1,1-Trichloroethane	< 1.0	µg/L	GE
0	1,1,2-Trichloroethane	< 1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	< 1.0	µg/L	GE
0	1,2-Dichloroethane	< 1.0	µg/L	GE
0	1,2-Dichloropropane	< 1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	< 1.0	µg/L	GE
1	Total activity	398 ± 4.7	pCi/mL	EM
2	Tridium	398 ± 4.6	pCi/mL	EM

WELL FCA 16T

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/08/90 Time: 13:35
The well was dry.

WELL FCA 19D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/18/90 Time: 17:20
Depth to water: 96.67 ft (29.47 m) below TOC pH: 8.5
Water elevation: 214.03 ft (65.51 m) msf Alkalinity: 137 mg/L
Sp. conductance: 300 µS/cm Water temperature: 19.5°C
Water evacuated before sampling: 3 gal
The well went dry during purging.

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	pH	8.7	pH	GE
1	Specific conductance	300	µS/cm	GE
1	Barium	53	µg/L	GE
0	Benzene	< 1.0	µg/L	GE
0	Bromodichloromethane	< 1.0	µg/L	GE
0	Bromoform	< 1.0	µg/L	GE

ANALYTICAL RESULTS

WELL FCB 10D collected on 03/18/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Bromomethane (Methyl bromide)	< 1.0	µg/L	GE
0	Cadmium	< 2.0	µg/L	GE
1	Calcium	17700	µg/L	GE
0	Carbon tetrachloride	< 1.0	µg/L	GE
0	Chloride	2500	µg/L	GE
0	Chlorobenzene	< 1.0	µg/L	GE
0	Chloroethane	< 1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	< 1.0	µg/L	GE
1	Chloroform	4.0	µg/L	GE
0	Chloromethane (Methyl chloride)	< 1.0	µg/L	GE
0	cis-1,3-Dichloropropene	< 1.0	µg/L	GE
0	Dibromochloromethane	< 1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	< 1.0	µg/L	GE
0	Ethylbenzene	< 1.0	µg/L	GE
0	Fluoride	120	µg/L	GE
0	Iron	8.5	µg/L	GE
0	Lead	< 6.0	µg/L	GE
0	Magnesium	1880	µg/L	GE
2	Manganese	88	µg/L	GE
0	Nitrate as nitrogen	110	µg/L	GE
1	Potassium	17400	µg/L	GE
0	Silica	7700	µg/L	GE
1	Sodium	19200	µg/L	GE
0	Sulfate	5900	µg/L	GE
0	Tetrachloroethylene	< 1.0	µg/L	GE
0	Toluene	< 1.0	µg/L	GE
0	Total organic carbon	3000	µg/L	GE
2	Total organic halogens	117	µg/L	GE
1	Total phosphates	890	µg/L	GE
0	trans-1,2-Dichloroethene	< 1.0	µg/L	GE
0	trans-1,3-Dichloropropene	< 1.0	µg/L	GE
2	Trichloroethylene	72	µg/L	GE
0	Trichlorofluoromethane	< 1.0	µg/L	GE
0	Uranium	< 1000	µg/L	GE
1	1,1-Dichloroethane	2.0	µg/L	GE
0	1,1-Dichloroethylene	< 1.0	µg/L	GE
1	1,1,1-Trichloroethane	25	µg/L	GE
0	1,1,2-Trichloroethane	< 1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	< 1.0	µg/L	GE
0	1,2-Dichloroethane	< 1.0	µg/L	GE
0	1,2-Dichloropropane	< 1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	< 1.0	µg/L	GE
0	Gross alpha	< 3.0	pCi/L	GE
1	Nonvolatile beta	30 ± 10	pCi/L	GE
0	Total radium	2.1 ± 2.2	pCi/L	GE
0	Tritium	4.8 ± 0.40	pCi/mL	GE

WELL FCB 2

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/17/90
 Depth to water: 79.59 ft (24.26 m) below TOC
 Water elevation: 227.71 ft (69.41 m) msl
 Sp. conductance: 27 µS/cm
 Water evacuated before sampling: 59 gal

Time: 13:50
 pH: 4.8
 Alkalinity: 0 mg/L
 Water temperature: 10.3°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	4.8	pH	GE
0	Specific conductance	24	µS/cm	GE
0	Barium	5.2	µg/L	GE
0	Calcium	597	µg/L	GE
0	Carbon tetrachloride	< 1.0	µg/L	GE
0	Chloroform	< 1.0	µg/L	GE
0	Chromium	< 4.0	µg/L	GE
0	Copper	4.3	µg/L	GE
0	Iron	49	µg/L	GE
0	Lead	10	µg/L	GE
0	Manganese	2.4	µg/L	GE
0	Phenols	< 5.0	µg/L	GE
0	Potassium	< 500	µg/L	GE
0	Silica	8210	µg/L	GE
0	Silver	< 2.0	µg/L	GE
0	Sodium	2010	µg/L	GE
0	Sulfate	< 5000	µg/L	GE
0	Tetrachloroethylene	< 1.0	µg/L	GE
0	Total organic carbon	< 1000	µg/L	GE
0	Total organic halogens	< 5.0	µg/L	GE
0	Total phosphates	< 50	µg/L	GE
0	Trichloroethylene	< 1.0	µg/L	GE
0	Zinc	8.3	µg/L	GE
0	1,1,1-Trichloroethane	< 1.0	µg/L	GE
0	Gross alpha	3.6 ± 2.4	pCi/L	GE
0	Nonvolatile beta	6.3 ± 2.7	pCi/L	GE

WELL FCB 2 collected on 02/17/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
2	Total radium	5.7 ± 4.1	pCi/L	GE
0	Tritium	7.8 ± 0.40	pCi/mL	GE

WELL FCB 3

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/17/90
 Depth to water: 82.73 ft (25.22 m) below TOC
 Water elevation: 219.57 ft (66.93 m) msl
 Sp. conductance: 132 µS/cm
 Water evacuated before sampling: 63 gal

Time: 13:18
 pH: 6.3
 Alkalinity: 39 mg/L
 Water temperature: 20.2°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	6.5	pH	GE
1	Specific conductance	120	µS/cm	GE
0	Barium	15	µg/L	GE
1	Calcium	18800	µg/L	GE
0	Carbon tetrachloride	< 1.0	µg/L	GE
0	Chloroform	< 1.0	µg/L	GE
0	Chromium	< 4.0	µg/L	GE
0	Copper	5.9	µg/L	GE
0	Iron	44	µg/L	GE
0	Lead	< 6.0	µg/L	GE
0	Manganese	4.8	µg/L	GE
0	Phenols	< 5.0	µg/L	GE
0	Potassium	< 500	µg/L	GE
0	Silica	9580	µg/L	GE
0	Silver	< 2.0	µg/L	GE
0	Sodium	1980	µg/L	GE
0	Sulfate	< 5000	µg/L	GE
0	Tetrachloroethylene	< 1.0	µg/L	GE
0	Total organic carbon	< 1000	µg/L	GE
1	Total organic halogens	18	µg/L	GE
0	Total phosphates	80	µg/L	GE
0	Trichloroethylene	< 1.0	µg/L	GE
0	Zinc	18	µg/L	GE
0	1,1,1-Trichloroethane	< 1.0	µg/L	GE
0	Gross alpha	3.4 ± 2.5	pCi/L	GE
1	Nonvolatile beta	11 ± 3.3	pCi/L	GE
2	Total radium	5.7 ± 4.1	pCi/L	GE
0	Tritium	8.5 ± 0.40	pCi/mL	GE

WELL FCB 4

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/25/90
 Depth to water: 79.73 ft (24.30 m) below TOC
 Water elevation: 226.87 ft (69.15 m) msl
 Sp. conductance: 30 µS/cm
 Water evacuated before sampling: 11 gal
 The well went dry during purging.

Time: 9:30
 pH: 6.3
 Alkalinity: 2 mg/L
 Water temperature: 15.3°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.1	pH	GE
0	Specific conductance	31	µS/cm	GE
0	Barium	8.5	µg/L	GE
0	Calcium	893	µg/L	GE
0	Carbon tetrachloride	< 1.0	µg/L	GE
0	Chloroform	< 1.0	µg/L	GE
0	Chromium	< 4.0	µg/L	GE
1	Copper	112	µg/L	GE
1	Copper	121	µg/L	GE
2	Iron	497	µg/L	GE
0	Lead	< 6.0	µg/L	GE
2	Manganese	51	µg/L	GE
0	Phenols	< 5.0	µg/L	GE
0	Potassium	< 500	µg/L	GE
0	Silica	5050	µg/L	GE
0	Silver	< 2.0	µg/L	GE
0	Sodium	2230	µg/L	GE
0	Sulfate	< 5000	µg/L	GE
0	Tetrachloroethylene	< 1.0	µg/L	GE
0	Total organic carbon	1000	µg/L	GE
0	Total organic halogens	< 5.0	µg/L	GE
0	Total phosphates	< 50	µg/L	GE
0	Trichloroethylene	< 1.0	µg/L	GE
1	Zinc	458	µg/L	GE
0	1,1,1-Trichloroethane	< 1.0	µg/L	GE

ANALYTICAL RESULTS

WELL FCB 4 collected on 02/25/00, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Gross alpha	< 3.0	pCi/L	GE
0	Nonvolatile beta	< 2.0	pCi/L	GE
2	Total radium	10 ± 0.2	pCi/L	GE
0	Total radium	< 1.0	pCi/L	GE
0	Tritium	2.2 ± 0.40	pCi/mL	GE

WELL FCB 5

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/18/00
 Depth to water: 77.27 ft (23.55 m) below TOC
 Water elevation: 226.63 ft (69.08 m) msf
 Sp. conductance: 28 µS/cm
 Water evacuated before sampling: 2 gal
 The well went dry during purging.

Time: 9:25
 pH: 5.2
 Alkalinity: 0 mg/L
 Water temperature: 16.7°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.1	pH	GE
0	Specific conductance	27	µS/cm	GE
0	Barium	14	µg/L	GE
0	Calcium	1880	µg/L	GE
0	Carbon tetrachloride	< 1.0	µg/L	GE
0	Chloroform	< 1.0	µg/L	GE
0	Chromium	< 4.0	µg/L	GE
0	Copper	9.8	µg/L	GE
0	Iron	30	µg/L	GE
0	Lead	10	µg/L	GE
0	Manganese	17	µg/L	GE
0	Phenols	< 5.0	µg/L	GE
0	Potassium	< 500	µg/L	GE
0	Silica	8820	µg/L	GE
0	Silver	< 2.0	µg/L	GE
0	Sodium	2100	µg/L	GE
0	Sulfate	< 5000	µg/L	GE
0	Tetrachloroethylene	< 1.0	µg/L	GE
0	Total organic carbon	< 1000	µg/L	GE
0	Total organic halogens	< 5.0	µg/L	GE
0	Total phosphates	80	µg/L	GE
0	Trichloroethylene	< 1.0	µg/L	GE
0	Zinc	13	µg/L	GE
0	1,1,1-Trichloroethane	< 1.0	µg/L	GE
0	Gross alpha	< 3.0	pCi/L	GE
0	Nonvolatile beta	4.3 ± 1.7	pCi/L	GE
0	Total radium	1.3 ± 2.0	pCi/L	GE
1	Tritium	10 ± 0.40	pCi/mL	GE

WELL FCB 6

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/18/00
 Depth to water: 83.40 ft (25.42 m) below TOC
 Water elevation: 227.10 ft (69.22 m) msf
 Sp. conductance: 105 µS/cm
 Water evacuated before sampling: 1 gal
 The well went dry during purging.

Time: 9:50
 pH: 6.5
 Alkalinity: 28 mg/L
 Water temperature: 16.1°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	6.3	pH	GE
1	Specific conductance	104	µS/cm	GE
0	Barium	45	µg/L	GE
0	Calcium	7700	µg/L	GE
0	Carbon tetrachloride	< 1.0	µg/L	GE
0	Chloroform	< 1.0	µg/L	GE
0	Chromium	< 4.0	µg/L	GE
0	Copper	8.8	µg/L	GE
0	Iron	20	µg/L	GE
2	Lead	26	µg/L	GE
1	Manganese	28	µg/L	GE
0	Phenols	< 5.0	µg/L	GE
1	Potassium	8130	µg/L	GE
0	Silica	8880	µg/L	GE
0	Silver	< 2.0	µg/L	GE
1	Sodium	7240	µg/L	GE
0	Sulfate	< 5000	µg/L	GE
0	Tetrachloroethylene	< 1.0	µg/L	GE
0	Total organic carbon	< 1000	µg/L	GE
1	Total organic halogens	15	µg/L	GE
0	Total phosphates	< 5.0	µg/L	GE

WELL FCB 8 collected on 02/18/00, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Trichloroethylene	< 1.0	µg/L	GE
0	Zinc	57	µg/L	GE
1	1,1,1-Trichloroethane	12	µg/L	GE
0	Gross alpha	< 3.0	pCi/L	GE
1	Nonvolatile beta	10 ± 2.4	pCi/L	GE
0	Total radium	2.2 ± 2.2	pCi/L	GE
1	Tritium	11 ± 0.40	pCi/mL	GE

WELL FCB 7

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/17/00
 The well was dry.

Time: 14:05

WELL FET 1D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/18/00
 Depth to water: 48.28 ft (14.71 m) below TOC
 Water elevation: 221.74 ft (67.58 m) msf
 Sp. conductance: 87 µS/cm
 Water evacuated before sampling: 7 gal
 The well went dry during purging.

Time: 10:20
 pH: 5.3
 Alkalinity: 4 mg/L
 Water temperature: 17.8°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.3	pH	GE
0	Specific conductance	80	µS/cm	GE
0	Iron	41	µg/L	GE
1	Manganese	41	µg/L	GE
0	Mercury	< 0.20	µg/L	GE
0	Nitrate as nitrogen	1340	µg/L	GE
0	Phenols	< 5.0	µg/L	GE
0	Silica	5550	µg/L	GE
1	Sodium	7640	µg/L	GE
0	Total organic halogens	< 5.0	µg/L	GE
0	Total phosphates	< 50	µg/L	GE
2	Total radium	20 ± 0.8	pCi/L	GE
0	Tritium	6.5 ± 0.40	pCi/mL	GE

WELL FET 2D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/17/00
 Depth to water: 48.74 ft (15.18 m) below TOC
 Water elevation: 220.28 ft (67.14 m) msf
 Sp. conductance: 48 µS/cm
 Water evacuated before sampling: 43 gal

Time: 11:05
 pH: 4.8
 Alkalinity: 0 mg/L
 Water temperature: 20.4°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	4.9	pH	GE
0	Specific conductance	43	µS/cm	GE
0	Iron	17	µg/L	GE
0	Manganese	13	µg/L	GE
0	Mercury	< 0.20	µg/L	GE
0	Nitrate as nitrogen	2100	µg/L	GE
0	Phenols	< 5.0	µg/L	GE
0	Silica	7680	µg/L	GE
0	Sodium	4470	µg/L	GE
0	Total organic halogens	< 5.0	µg/L	GE
0	Total phosphates	80	µg/L	GE
2	Total radium	17 ± 0.1	pCi/L	GE
1	Total radium	3.8 ± 3.9	pCi/L	GE
0	Tritium	9.1 ± 0.40	pCi/mL	GE

ANALYTICAL RESULTS

WELL FET 3D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/17/90
 Depth to water: 85.00 ft (19.81 m) below TOC
 Water elevation: 220.20 ft (87.12 m) msf
 Sp. conductance: 44 µS/cm
 Water evacuated before sampling: 60 gal

Time: 11:30
 pH: 5.1
 Alkalinity: 2 mg/L
 Water temperature: 20.2°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.3	pH	GE
0	Specific conductance	41	µS/cm	GE
0	Iron	22	µg/L	GE
0	Manganese	8.4	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Nitrate as nitrogen	1430	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Silica	5770	µg/L	GE
1	Sodium	5310	µg/L	GE
1	Total organic halogens	22	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Total radium	<1.0	pCi/L	GE
0	Tritium	7.4 ± 0.40	pCi/mL	GE

WELL FET 4D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/17/90
 Depth to water: 88.09 ft (20.14 m) below TOC
 Water elevation: 220.81 ft (87.30 m) msf
 Sp. conductance: 41 µS/cm
 Water evacuated before sampling: 58 gal

Time: 12:10
 pH: 4.8
 Alkalinity: 0 mg/L
 Water temperature: 20.9°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.2	pH	GE
0	Specific conductance	40	µS/cm	GE
0	Iron	68	µg/L	GE
0	Manganese	12	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Nitrate as nitrogen	1990	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Silica	8490	µg/L	GE
0	Sodium	4460	µg/L	GE
1	Total organic halogens	22	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Total radium	<1.0	pCi/L	GE
0	Tritium	8.9 ± 0.40	pCi/mL	GE

WELL FNB 1

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/11/90
 Depth to water: 78.17 ft (23.22 m) below TOC
 Water elevation: 208.13 ft (83.44 m) msf
 Sp. conductance: 81 µS/cm
 Water evacuated before sampling: 80 gal

Time: 14:05
 pH: 4.5
 Alkalinity: 0 mg/L
 Water temperature: 18.3°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	4.5	pH	MT
0	pH	4.8	pH	MT
0	Specific conductance	79	µS/cm	MT
0	Specific conductance	79	µS/cm	MT
0	Barium	20	µg/L	MT
0	Benzene	<5.0	µg/L	MT
0	Beryllium	<2.0	µg/L	MT
0	Bromodichloromethane	<5.0	µg/L	MT
0	Bromoform	<5.0	µg/L	MT
0	Bromomethane (Methyl bromide)	<10	µg/L	MT
0	Cadmium	<3.0	µg/L	MT
0	Carbon tetrachloride	<5.0	µg/L	MT
0	Chlorobenzene	<5.0	µg/L	MT
0	Chloroethane	<10	µg/L	MT
0	Chloroform	<5.0	µg/L	MT
0	Chloromethane (Methyl chloride)	<10	µg/L	MT
0	Chromium	<3.0	µg/L	MT

WELL FNB 1 collected on 02/11/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	cis-1,3-Dichloropropene	<5.0	µg/L	MT
0	Copper	12	µg/L	MT
0	Dibromochloromethane	<5.0	µg/L	MT
0	Dichloromethane (Methylene chloride)	<5.0	µg/L	MT
0	Ethylbenzene	<5.0	µg/L	MT
0	Fluoride	<250	µg/L	MT
0	Iron	35	µg/L	MT
0	Lead	9.7	µg/L	MT
0	Manganese	19	µg/L	MT
0	Mercury	<0.20	µg/L	MT
0	Nickel	<5.2	µg/L	MT
0	Nickel	<5.2	µg/L	MT
1	Nitrate as nitrogen	9500	µg/L	MT
0	Phenols	<5.0	µg/L	MT
0	Silica	7710	µg/L	MT
1	Silver	2.8	µg/L	MT
0	Silver	<2.0	µg/L	MT
1	Sodium	8710	µg/L	MT
0	Tetrachloroethylene	<5.0	µg/L	MT
0	Toluene	<5.0	µg/L	MT
2	Total organic halogens	43	µg/L	MT
2	Total organic halogens	43	µg/L	MT
0	trans-1,2-Dichloroethene	<5.0	µg/L	MT
0	trans-1,3-Dichloropropene	<5.0	µg/L	MT
2	Trichloroethylene	57	µg/L	MT
0	Trichlorofluoromethane	<5.0	µg/L	MT
0	Uranium	<84	µg/L	MT
0	Zinc	<9.0	µg/L	MT
0	1,1-Dichloroethane	<5.0	µg/L	MT
0	1,1-Dichloroethylene	<5.0	µg/L	MT
0	1,1,1-Trichloroethane	<5.0	µg/L	MT
0	1,1,2-Trichloroethane	<5.0	µg/L	MT
0	1,1,2,2-Tetrachloroethane	<5.0	µg/L	MT
0	1,2-Dichloroethane	<5.0	µg/L	MT
0	1,2-Dichloropropene	<5.0	µg/L	MT
0	2-Chloroethyl vinyl ether	<5.0	µg/L	MT
0	Gross alpha	<2.0	pCi/L	MT
0	Gross alpha	2.7 ± 1.9	pCi/L	MT
0	Nonvolatile beta	7.4	pCi/L	MT
0	Nonvolatile beta	8.0 ± 3.1	pCi/L	MT
1	Total activity	220 ± 3.3	pCi/mL	EM
0	Total radium	2.2 ± 0.50	pCi/L	MT
2	Tritium	200 ± 20	pCi/mL	MT

WELL FNB 2

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/11/90
 Depth to water: 83.73 ft (25.52 m) below TOC
 Water elevation: 204.07 ft (82.20 m) msf
 Sp. conductance: 227 µS/cm
 Water evacuated before sampling: 81 gal

Time: 14:30
 pH: 3.7
 Alkalinity: 0 mg/L
 Water temperature: 19.3°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	pH	3.8	pH	MT
1	Specific conductance	223	µS/cm	MT
1	Barium	89	µg/L	MT
0	Benzene	<5.0	µg/L	MT
0	Beryllium	<2.0	µg/L	MT
0	Bromodichloromethane	<5.0	µg/L	MT
0	Bromoform	<5.0	µg/L	MT
0	Bromomethane (Methyl bromide)	<10	µg/L	MT
0	Cadmium	<3.0	µg/L	MT
0	Carbon tetrachloride	<5.0	µg/L	MT
0	Chlorobenzene	<5.0	µg/L	MT
0	Chloroethane	<10	µg/L	MT
0	Chloroform	<5.0	µg/L	MT
0	Chloromethane (Methyl chloride)	<10	µg/L	MT
0	Chromium	<3.0	µg/L	MT
0	cis-1,3-Dichloropropene	<5.0	µg/L	MT
0	Copper	14	µg/L	MT
0	Dibromochloromethane	<5.0	µg/L	MT
0	Dichloromethane (Methylene chloride)	<5.0	µg/L	MT
0	Ethylbenzene	<5.0	µg/L	MT
0	Fluoride	300	µg/L	MT
0	Fluoride	280	µg/L	MT
0	Iron	53	µg/L	MT
0	Lead	4.1	µg/L	MT
2	Manganese	364	µg/L	MT
0	Mercury	<0.20	µg/L	MT
0	Mercury	<0.20	µg/L	MT
1	Nickel	21	µg/L	MT
2	Nitrate as nitrogen	19800	µg/L	MT

ANALYTICAL RESULTS

WELL FNB 2 collected on 02/11/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
2	Nitrate as nitrogen	19400	µg/L	MT
0	Phenols	<5.0	µg/L	MT
1	Silica	12300	µg/L	MT
0	Silver	<2.0	µg/L	MT
1	Sodium	10600	µg/L	MT
0	Tetrachloroethylene	<5.0	µg/L	MT
0	Toluene	<5.0	µg/L	MT
1	Total organic halogens	20	µg/L	MT
0	trans-1,2-Dichloroethene	<5.0	µg/L	MT
0	trans-1,3-Dichloropropene	<5.0	µg/L	MT
2	Trichloroethylene	18	µg/L	MT
0	Trichlorofluoromethane	<5.0	µg/L	MT
0	Uranium	<84	µg/L	MT
0	Zinc	24	µg/L	MT
0	1,1-Dichloroethane	<5.0	µg/L	MT
0	1,1-Dichloroethylene	<5.0	µg/L	MT
0	1,1,1-Trichloroethane	<5.0	µg/L	MT
0	1,1,2-Trichloroethane	<5.0	µg/L	MT
0	1,1,2,2-Tetrachloroethane	<5.0	µg/L	MT
0	1,2-Dichloroethane	<5.0	µg/L	MT
0	1,2-Dichloropropene	<5.0	µg/L	MT
0	2-Chloroethyl vinyl ether	<5.0	µg/L	MT
2	Gross alpha	44±8.0	pCi/L	MT
2	Nonvolatile beta	560±80	pCi/L	MT
1	Total activity	337±4.1	pCi/mL	EM
2	Total radium	11±2.0	pCi/L	MT
2	Tritium	300±30	pCi/mL	MT
2	Tritium	300±30	pCi/mL	MT

WELL FNB 3

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/11/90 Time: 15:05
 Depth to water: 77.72 ft (23.89 m) below TOC pH: 4.3
 Water elevation: 206.28 ft (62.87 m) msl Alkalinity: 0 mg/L
 Sp. conductance: 85 µS/cm Water temperature: 17.0°C
 Water evacuated before sampling: 63 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	4.8	pH	MT
0	pH	4.8	pH	GE
0	Specific conductance	77	µS/cm	MT
0	Specific conductance	48	µS/cm	GE
0	Barium	28	µg/L	MT
0	Barium	27	µg/L	GE
0	Benzene	<5.0	µg/L	MT
0	Benzene	<1.0	µg/L	GE
0	Beryllium	<2.0	µg/L	MT
0	Beryllium	<5.0	µg/L	GE
0	Bromodichloromethane	<5.0	µg/L	MT
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<5.0	µg/L	MT
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	MT
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<3.0	µg/L	MT
0	Cadmium	<2.0	µg/L	GE
0	Carbon tetrachloride	<5.0	µg/L	MT
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chlorobenzene	<5.0	µg/L	MT
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	MT
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethane (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<5.0	µg/L	MT
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	MT
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
2	Chromium	62	µg/L	MT
0	Chromium	<5.0	µg/L	MT
1	Chromium	4.7	µg/L	GF
0	cis-1,3-Dichloropropene	<5.0	µg/L	MT
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Copper	8.5	µg/L	MT
0	Copper	8.8	µg/L	GE
0	Dibromochloromethane	<5.0	µg/L	MT
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<5.0	µg/L	MT
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<5.0	µg/L	MT
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<250	µg/L	MT
0	Fluoride	<100	µg/L	GE

WELL FNB 3 collected on 02/11/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
1	Iron	275	µg/L	MT
0	Iron	43	µg/L	GE
0	Lead	4.2	µg/L	MT
0	Lead	7.2	µg/L	GE
2	Manganese	114	µg/L	MT
2	Manganese	108	µg/L	GE
0	Mercury	<0.20	µg/L	MT
0	Mercury	0.25	µg/L	GE
1	Nickel	98	µg/L	MT
0	Nickel	8.1	µg/L	GE
1	Nitrate as nitrogen	7000	µg/L	MT
1	Nitrate as nitrogen	7480	µg/L	GE
1	Phenols	19	µg/L	MT
0	Phenols	<5.0	µg/L	GE
0	Silica	7880	µg/L	GE
0	Silica	7180	µg/L	MT
0	Silver	<2.0	µg/L	MT
0	Silver	<2.0	µg/L	GE
1	Sodium	5960	µg/L	MT
1	Sodium	6140	µg/L	GE
0	Tetrachloroethylene	<5.0	µg/L	MT
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<5.0	µg/L	MT
0	Toluene	<1.0	µg/L	GE
0	Total organic halogens	<5.0	µg/L	MT
0	Total organic halogens	<5.0	µg/L	GE
0	trans-1,2-Dichloroethene	<5.0	µg/L	MT
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<5.0	µg/L	MT
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<5.0	µg/L	MT
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<5.0	µg/L	MT
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<84	µg/L	MT
0	Uranium	<1000	µg/L	GE
0	Zinc	24	µg/L	MT
0	Zinc	22	µg/L	GE
0	1,1-Dichloroethane	<5.0	µg/L	MT
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<5.0	µg/L	MT
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<5.0	µg/L	MT
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<5.0	µg/L	MT
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<5.0	µg/L	MT
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<5.0	µg/L	MT
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropene	<5.0	µg/L	MT
0	1,2-Dichloropropene	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<5.0	µg/L	MT
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Gross alpha	<3.0	pCi/L	MT
1	Gross alpha	5.0±1.8	pCi/L	GE
1	Nonvolatile beta	48±8.0	pCi/L	MT
1	Nonvolatile beta	41±4.7	pCi/L	GE
1	Total radium	4.2±0.70	pCi/L	MT
0	Total radium	1.9±2.2	pCi/L	GE
2	Tritium	90±9.0	pCi/mL	MT
2	Tritium	115±1.1	pCi/mL	GE

WELL FNB 3

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/11/90 Time: 15:05
 Depth to water: 77.72 ft (23.89 m) below TOC pH: 4.3
 Water elevation: 206.28 ft (62.87 m) msl Alkalinity: 0 mg/L
 Sp. conductance: 85 µS/cm Water temperature: 17.0°C
 Water evacuated before sampling: 63 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	4.8	pH	MT
0	pH	4.5	pH	GE
0	Specific conductance	81	µS/cm	MT
0	Specific conductance	85	µS/cm	GE
0	Barium	28	µg/L	MT
0	Barium	28	µg/L	GE
0	Benzene	<5.0	µg/L	MT
0	Benzene	<1.0	µg/L	GE
0	Beryllium	<2.0	µg/L	MT
0	Beryllium	<5.0	µg/L	GE

ANALYTICAL RESULTS

WELL FNB 3 collected on 02/11/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Bromodichloromethane	<5.0	µg/L	MT
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<5.0	µg/L	MT
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	MT
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<3.0	µg/L	MT
0	Cadmium	<2.0	µg/L	GE
0	Carbon tetrachloride	<5.0	µg/L	MT
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chlorobenzene	<5.0	µg/L	MT
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	MT
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<5.0	µg/L	MT
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	MT
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
2	Chromium	31	µg/L	MT
1	Chromium	4.9	µg/L	GE
0	cis-1,3-Dichloropropene	<5.0	µg/L	MT
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Copper	10	µg/L	MT
0	Copper	4.1	µg/L	GE
0	Dibromochloromethane	<5.0	µg/L	MT
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<5.0	µg/L	MT
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<5.0	µg/L	MT
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<250	µg/L	MT
0	Fluoride	<100	µg/L	GE
0	Iron	140	µg/L	MT
0	Iron	67	µg/L	GE
0	Lead	5.3	µg/L	MT
0	Lead	8.7	µg/L	GE
2	Manganese	112	µg/L	MT
2	Manganese	105	µg/L	GE
2	Manganese	123	µg/L	GE
0	Mercury	<0.20	µg/L	MT
0	Mercury	<0.20	µg/L	GE
1	Nickel	23	µg/L	MT
0	Nickel	5.9	µg/L	GE
1	Nitrate as nitrogen	7000	µg/L	MT
1	Nitrate as nitrogen	7270	µg/L	GE
0	Phenols	<5.0	µg/L	MT
0	Phenols	<5.0	µg/L	GE
0	Silica	6870	µg/L	GE
0	Silica	7060	µg/L	MT
0	Silver	<2.0	µg/L	MT
0	Silver	<2.0	µg/L	GE
1	Sodium	5900	µg/L	MT
1	Sodium	8100	µg/L	GE
0	Tetrachloroethylene	<5.0	µg/L	MT
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<5.0	µg/L	MT
0	Toluene	<1.0	µg/L	GE
0	Total organic halogens	5.5	µg/L	MT
0	Total organic halogens	<5.0	µg/L	GE
0	trans-1,2-Dichloroethene	<5.0	µg/L	MT
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<5.0	µg/L	MT
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<5.0	µg/L	MT
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<5.0	µg/L	MT
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<84	µg/L	MT
0	Uranium	<1000	µg/L	GE
0	Zinc	23	µg/L	MT
0	Zinc	24	µg/L	GE
0	1,1-Dichloroethane	<5.0	µg/L	MT
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<5.0	µg/L	MT
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<5.0	µg/L	MT
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<5.0	µg/L	MT
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<5.0	µg/L	MT
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<5.0	µg/L	MT
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<5.0	µg/L	MT
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<5.0	µg/L	MT
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Gross alpha	4.4±2.3	pCi/L	MT

WELL FNB 3 collected on 02/11/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
1	Gross alpha	12±3.7	pCi/L	GE
1	Nonvolatile beta	48±5.0	pCi/L	MT
2	Nonvolatile beta	65±7.8	pCi/L	GE
1	Total radium	4.1±0.70	pCi/L	MT
0	Total radium	1.0±3.2	pCi/L	GE
2	Tridium	90±9.0	pCi/mL	MT
2	Tridium	111±1.1	pCi/mL	GE

WELL FNB 4

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/11/90
 Depth to water: 81.14 ft (24.73 m) below TOC
 Water elevation: 210.36 ft (64.12 m) msl
 Sp. conductance: 39 µS/cm
 Water evacuated before sampling: 80 gal

Time: 13:30
 pH: 4.5
 Alkalinity: 0 mg/L
 Water temperature: 18.3°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	4.7	pH	MT
0	Specific conductance	34	µS/cm	MT
0	Barium	<8.0	µg/L	MT
0	Benzene	<5.0	µg/L	MT
0	Beryllium	<2.0	µg/L	MT
0	Bromodichloromethane	<5.0	µg/L	MT
0	Bromoform	<5.0	µg/L	MT
0	Bromomethane (Methyl bromide)	<1.0	µg/L	MT
0	Cadmium	<3.0	µg/L	MT
0	Carbon tetrachloride	<5.0	µg/L	MT
0	Chlorobenzene	<5.0	µg/L	MT
0	Chloroethane	<1.0	µg/L	MT
0	Chloroform	<5.0	µg/L	MT
0	Chloromethane (Methyl chloride)	<1.0	µg/L	MT
1	Chromium	8.3	µg/L	MT
0	cis-1,3-Dichloropropene	<5.0	µg/L	MT
0	Copper	<7.0	µg/L	MT
0	Dibromochloromethane	<5.0	µg/L	MT
0	Dichloromethane (Methylene chloride)	<5.0	µg/L	MT
0	Ethylbenzene	<5.0	µg/L	MT
0	Fluoride	<250	µg/L	MT
0	Iron	48	µg/L	MT
0	Lead	<3.0	µg/L	MT
0	Manganese	10	µg/L	MT
0	Mercury	<0.20	µg/L	MT
0	Nickel	<5.2	µg/L	MT
0	Nitrate as nitrogen	1900	µg/L	MT
0	Phenols	<5.0	µg/L	MT
0	Silica	7380	µg/L	MT
0	Silver	<2.0	µg/L	MT
0	Sodium	2770	µg/L	MT
0	Tetrachloroethylene	<5.0	µg/L	MT
0	Toluene	<5.0	µg/L	MT
0	Total organic halogens	<5.0	µg/L	MT
0	trans-1,2-Dichloroethene	<5.0	µg/L	MT
0	trans-1,3-Dichloropropene	<5.0	µg/L	MT
0	Trichloroethylene	<5.0	µg/L	MT
0	Trichlorofluoromethane	<5.0	µg/L	MT
0	Uranium	<84	µg/L	MT
0	Zinc	<9.0	µg/L	MT
0	1,1-Dichloroethane	<5.0	µg/L	MT
0	1,1-Dichloroethylene	<5.0	µg/L	MT
0	1,1,1-Trichloroethane	<5.0	µg/L	MT
0	1,1,2-Trichloroethane	<5.0	µg/L	MT
0	1,1,2,2-Tetrachloroethane	<5.0	µg/L	MT
0	1,2-Dichloroethane	<5.0	µg/L	MT
0	1,2-Dichloropropane	<5.0	µg/L	MT
0	2-Chloroethyl vinyl ether	<5.0	µg/L	MT
0	Gross alpha	<3.0	pCi/L	MT
0	Nonvolatile beta	<8.0	pCi/L	MT
1	Total radium	3.2±0.70	pCi/L	MT
0	Tridium	8.0±0.80	pCi/mL	MT

ANALYTICAL RESULTS

WELL FSB 76

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/09/90
 Depth to water: Not available
 Water elevation: Not available
 Sp. conductance: 122 µS/cm
 Water evacuated before sampling: 45 gal

Time: 9:25
 pH: 5.3
 Alkalinity: 2 mg/L
 Water temperature: 17.7°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.5	pH	GE
0	pH	5.5	pH	GE
1	Specific conductance	110	µS/cm	GE
1	Specific conductance	110	µS/cm	GE
0	Antimony	<3.0	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	12	µg/L	GE
0	Barium	13	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	1370	µg/L	GE
0	Calcium	1510	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	2600	µg/L	GE
0	Chloride	2600	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethane (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroethane (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
2	Copper	913	µg/L	GE
2	Copper	1020	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
1	Dichloromethane (Methylene chloride)	3.0	µg/L	GE
1	Dichloromethane (Methylene chloride)	2.0	µg/L	GE
2	Endrin	2.0	µg/L	GE
2	Endrin	2.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	Fluoride	<100	µg/L	GE
2	gamma-Benzene hexachloride (Lindane)	19	µg/L	GE
2	gamma-Benzene hexachloride (Lindane)	18	µg/L	GE
0	Iron	19	µg/L	GE
0	Iron	17	µg/L	GE
2	Lead	68	µg/L	GE
2	Lead	78	µg/L	GE
0	Magnesium	1210	µg/L	GE
0	Magnesium	1360	µg/L	GE
0	Manganese	8.0	µg/L	GE
0	Manganese	8.7	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
1	Nickel	8.4	µg/L	GE
1	Nickel	9.5	µg/L	GE
2	Nitrate as nitrogen	10200	µg/L	GE
2	Nitrate as nitrogen	10000	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE

WELL FSB 76 collected on 01/09/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Potassium	<500	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	1440	µg/L	GE
0	Silica	1240	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	17400	µg/L	GE
1	Sodium	19900	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Thallium	<2.0	µg/L	GE
0	Thallium	<2.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	96060	µg/L	GE
0	Total dissolved solids	91000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Vanadium	<20	µg/L	GE
1	Zinc	706	µg/L	GE
1	Zinc	788	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethene	<1.0	µg/L	GE
0	1,1-Dichloroethene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Americium-241	<0.10	pCi/L	TE
0	Americium-243	<0.20	pCi/L	TE
0	Barium-140	<10	pCi/L	TE
0	Beryllium-7	<40	pCi/L	TE
1	Carbon-14	14±4.0	pCi/L	TE
0	Cerium-141	<8.0	pCi/L	TE
0	Cerium-144	<20	pCi/L	TE
0	Cesium-134	<3.0	pCi/L	TE
0	Cesium-137	<4.0	pCi/L	TE
0	Cobalt-58	<4.0	pCi/L	TE
0	Cobalt-60	<3.0	pCi/L	TE
0	Curium-242	<0.20	pCi/L	TE
0	Curium-243/244	<0.40	pCi/L	TE
1	Curium-246	0.25±0.17	pCi/L	TE
0	Gross alpha	<3.0	pCi/L	GE
0	Gross alpha	<3.0	pCi/L	GE
1	Gross alpha	8.1±1.9	pCi/L	TE
0	Iodine-129	<2.0	pCi/L	TE
0	Iodine-131	<20	pCi/L	TE
0	Iron-55	<70	pCi/L	TE
0	Iron-59	<9.0	pCi/L	TE
0	Manganese-54	<3.0	pCi/L	TE
0	Nickel-59	<100	pCi/L	TE
0	Nickel-63	<10	pCi/L	TE
1	Nonvolatile beta	17±4.9	pCi/L	GE
1	Nonvolatile beta	15±4.7	pCi/L	GE
1	Nonvolatile beta	21±2.0	pCi/L	TE
0	Plutonium-238	<0.20	pCi/L	TE

ANALYTICAL RESULTS

WELL FSB 76 collected on 01/09/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Plutonium-239/240	<0.10	pCi/L	TE
1	Plutonium-242	0.41 ± 0.19	pCi/L	TE
0	Potassium-40	<50	pCi/L	TE
0	Radium-226	<70	pCi/L	TE
1	Radium-228	4.7 ± 1.9	pCi/L	TE
0	Radium-228	<3.0	pCi/L	TE
0	Ruthenium-103	<5.0	pCi/L	TE
0	Ruthenium-106	<30	pCi/L	TE
0	Strontium-89	<4.0	pCi/L	TE
0	Strontium-90	<0.70	pCi/L	TE
1	Technetium-99	30 ± 10	pCi/L	TE
0	Thorium-228	<6.0	pCi/L	TE
0	Thorium-228	<0.10	pCi/L	TE
1	Thorium-230	1.2 ± 0.30	pCi/L	TE
1	Thorium-232	0.39 ± 0.15	pCi/L	TE
1	Total activity	893 ± 6.4	pCi/mL	EM
0	Total radium	1.6 ± 3.3	pCi/L	GE
0	Total radium	2.1 ± 3.3	pCi/L	GE
2	Tritium	921 ± 3.1	pCi/mL	GE
2	Tritium	907 ± 3.0	pCi/mL	GE
2	Tritium	900 ± 10	pCi/mL	TE
1	Uranium-234	1.5 ± 1.1	pCi/L	TE
0	Uranium-235	<0.40	pCi/L	TE
0	Uranium-238	<0.40	pCi/L	TE
0	Zinc-65	<8.0	pCi/L	TE
0	Zirconium-95	<4.0	pCi/L	TE

WELL FSB 76A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/09/90
 Depth to water: 138.92 ft (42.34 m) below TOC
 Water elevation: 154.98 ft (47.24 m) msl
 Sp. conductance: 112 µS/cm
 Water evacuated before sampling: 315 gal

Time: 10:20
 pH: 6.5
 Alkalinity: 37 mg/L
 Water temperature: 17.2°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	pH	6.8	pH	GE
1	pH	6.8	pH	GE
1	Specific conductance	112	µS/cm	GE
1	Specific conductance	112	µS/cm	GE
0	Antimony	<3.0	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	20	µg/L	GE
0	Barium	24	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
1	Calcium	19100	µg/L	GE
1	Calcium	19200	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	2300	µg/L	GE
0	Chloride	2300	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE

WELL FSB 76A collected on 01/09/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
1	Dichloromethane (Methylene chloride)	6.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	170	µg/L	GE
0	Fluoride	140	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	<4.0	µg/L	GE
0	Iron	<4.0	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	610	µg/L	GE
0	Magnesium	<2.0	µg/L	GE
0	Magnesium	489	µg/L	GE
0	Manganese	2.8	µg/L	GE
0	Manganese	3.9	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	<50	µg/L	GE
0	Nitrate as nitrogen	<50	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	1760	µg/L	GE
0	Potassium	1680	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Selenium	<2.0	µg/L	GE
1	Silica	27800	µg/L	GE
1	Silica	27400	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	2030	µg/L	GE
0	Sodium	2010	µg/L	GE
0	Sulfate	8200	µg/L	GE
0	Sulfate	8500	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Thallium	<2.0	µg/L	GE
0	Thallium	<2.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	100000	µg/L	GE
0	Total dissolved solids	104000	µg/L	GE
0	Total organic carbon	10000	µg/L	GE
0	Total organic carbon	2000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
1	Total phosphates	350	µg/L	GE
1	Total phosphates	350	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	<2.0	µg/L	GE
0	Zinc	<2.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE

ANALYTICAL RESULTS

WELL FSB 76A collected on 01/09/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Americium-241	<0.20	pCi/L	TE
0	Americium-243	<0.10	pCi/L	TE
0	Barium-140	<9.0	pCi/L	TE
0	Beryllium-7	<40	pCi/L	TE
0	Carbon-14	<8.0	pCi/L	TE
0	Cerium-141	<8.0	pCi/L	TE
0	Cerium-144	<30	pCi/L	TE
0	Cesium-134	<3.0	pCi/L	TE
0	Cesium-137	<4.0	pCi/L	TE
0	Cobalt-58	<3.0	pCi/L	TE
0	Cobalt-60	<3.0	pCi/L	TE
0	Curium-242	<0.20	pCi/L	TE
0	Curium-243/244	<0.50	pCi/L	TE
0	Curium-246	<0.20	pCi/L	TE
0	Gross alpha	<3.0	pCi/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Gross alpha	<1.0	pCi/L	TE
0	Iodine-129	<2.0	pCi/L	TE
0	Iodine-131	<20	pCi/L	TE
0	Iron-55	<80	pCi/L	TE
0	Iron-59	<8.0	pCi/L	TE
0	Manganese-54	<3.0	pCi/L	TE
0	Nickel-59	<90	pCi/L	TE
0	Nickel-63	<10	pCi/L	TE
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Nonvolatile beta	2.2±1.2	pCi/L	TE
0	Plutonium-238	<0.20	pCi/L	TE
0	Plutonium-239/240	<0.10	pCi/L	TE
1	Plutonium-242	0.091±0.071	pCi/L	TE
0	Potassium-40	<50	pCi/L	TE
0	Radium-226	<80	pCi/L	TE
0	Radium-226	<1.0	pCi/L	TE
0	Radium-228	<1.0	pCi/L	TE
0	Ruthenium-103	<4.0	pCi/L	TE
0	Ruthenium-106	<30	pCi/L	TE
0	Strontium-89	<3.0	pCi/L	TE
0	Strontium-90	<0.80	pCi/L	TE
0	Technetium-99	<3.0	pCi/L	TE
0	Thorium-228	<7.0	pCi/L	TE
0	Thorium-228	<0.20	pCi/L	TE
1	Thorium-230	0.95±0.34	pCi/L	TE
1	Thorium-232	0.47±0.19	pCi/L	TE
0	Total radium	<1.0	pCi/L	GE
0	Total radium	<1.0	pCi/L	GE
0	Tritium	<0.70	pCi/mL	GE
0	Tritium	<0.70	pCi/mL	GE
0	Tritium	2.2±1.3	pCi/mL	TE
0	Uranium-234	<0.40	pCi/L	TE
0	Uranium-235	<0.10	pCi/L	TE
0	Uranium-238	<0.20	pCi/L	TE
0	Zinc-65	<8.0	pCi/L	TE
0	Zirconium-95	<4.0	pCi/L	TE

WELL FSB 76B collected on 01/13/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<10	µg/L	MT
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<3.0	µg/L	MT
0	Cadmium	<2.0	µg/L	GE
1	Calcium	21900	µg/L	MT
1	Calcium	28200	µg/L	GE
0	Carbon tetrachloride	<5.0	µg/L	MT
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	2300	µg/L	MT
0	Chloride	2200	µg/L	GE
0	Chlorobenzene	<5.0	µg/L	MT
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<10	µg/L	MT
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<5.0	µg/L	MT
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<10	µg/L	MT
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<3.0	µg/L	MT
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<5.0	µg/L	MT
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<15	µg/L	MT
0	Cobalt	<4.0	µg/L	GE
0	Copper	<7.0	µg/L	MT
0	Copper	5.0	µg/L	GE
0	Cyanide	<5.0	µg/L	MT
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<5.0	µg/L	MT
0	Dibromochloromethane	<1.0	µg/L	GE
1	Dichloromethane (Methylene chloride)	3.0	µg/L	MT
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.0080	µg/L	MT
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<5.0	µg/L	MT
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<250	µg/L	MT
0	Fluoride	150	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.0050	µg/L	MT
1	gamma-Benzene hexachloride (Lindane)	0.96	µg/L	GE
0	Iron	<8.0	µg/L	MT
0	Iron	26	µg/L	GE
0	Lead	<3.0	µg/L	MT
0	Lead	<8.0	µg/L	GE
0	Magnesium	836	µg/L	MT
0	Magnesium	585	µg/L	GE
0	Manganese	<2.0	µg/L	MT
0	Manganese	<2.0	µg/L	GE
0	Mercury	<0.20	µg/L	MT
0	Mercury	<0.20	µg/L	GE
0	Mercury	<0.20	µg/L	MT
0	Methoxychlor	<0.50	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<5.2	µg/L	MT
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	500	µg/L	MT
0	Nitrate as nitrogen	480	µg/L	GE
0	Phenols	<5.0	µg/L	MT
0	Phenols	<5.0	µg/L	GE
0	Potassium	2020	µg/L	MT
0	Potassium	870	µg/L	GE
0	Selenium	<3.0	µg/L	MT
0	Selenium	<2.0	µg/L	GE
0	Silica	1940	µg/L	GE
1	Silica	18000	µg/L	MT
0	Silver	<2.0	µg/L	MT
0	Silver	<2.0	µg/L	GE
0	Sodium	1570	µg/L	MT
0	Sodium	1580	µg/L	GE
0	Sulfate	2900	µg/L	MT
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<5.0	µg/L	MT
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Thallium	<3.0	µg/L	MT
0	Thallium	<2.0	µg/L	GE
0	Toluene	<5.0	µg/L	MT
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	81000	µg/L	MT
0	Total dissolved solids	96000	µg/L	GE
0	Total organic carbon	<1000	µg/L	MT
0	Total organic carbon	1000	µg/L	GE
1	Total organic halogens	24	µg/L	MT
0	Total organic halogens	<5.0	µg/L	GE
1	Total phosphates	423	µg/L	MT
1	Total phosphates	410	µg/L	GE
0	Toxaphene	<0.24	µg/L	MT
0	Toxaphene	<1.0	µg/L	GE

WELL FSB 76B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/13/90 Time: 9:55
 Depth to water: 143.14 ft (43.83 m) below TOC pH: 7.0
 Water elevation: 150.66 ft (45.92 m) msf Alkalinity: 50 mg/L
 Sp. conductance: 127 µS/cm Water temperature: 17.6°C
 Water evacuated before sampling: 134 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	pH	6.9	pH	MT
1	pH	6.9	pH	GE
1	Specific conductance	130	µS/cm	MT
1	Specific conductance	110	µS/cm	GE
0	Antimony	<3.0	µg/L	MT
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<3.0	µg/L	MT
0	Arsenic	<2.0	µg/L	GE
0	Barium	18	µg/L	MT
0	Barium	17	µg/L	GE
0	Benzene	<5.0	µg/L	MT
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<5.0	µg/L	MT
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<5.0	µg/L	MT

ANALYTICAL RESULTS

WELL FSB 76B collected on 01/13/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	trans-1,2-Dichloroethene	<5.0	µg/L	MT
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<5.0	µg/L	MT
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
2	Trichloroethylene	14	µg/L	MT
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<5.0	µg/L	MT
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<84	µg/L	MT
0	Uranium	<1000	µg/L	GE
0	Vanadium	<3.0	µg/L	MT
0	Vanadium	<20	µg/L	GE
0	Zinc	<9.0	µg/L	MT
0	Zinc	4.8	µg/L	GE
0	1,1-Dichloroethane	<5.0	µg/L	MT
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<5.0	µg/L	MT
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<5.0	µg/L	MT
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<5.0	µg/L	MT
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<5.0	µg/L	MT
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<5.0	µg/L	MT
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<5.0	µg/L	MT
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<5.0	µg/L	MT
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.48	µg/L	MT
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Slivex)	<0.070	µg/L	MT
0	2,4,5-TP (Slivex)	<0.090	µg/L	GE
0	Americium-241	<0.10	pCi/L	TE
1	Americium-243	0.39±0.21	pCi/L	TE
0	Barium-140	<10	pCi/L	TE
0	Beryllium-7	<40	pCi/L	TE
1	Carbon-14	8.2±3.9	pCi/L	TE
0	Cerium-141	<10	pCi/L	TE
0	Cerium-144	<30	pCi/L	TE
0	Cesium-134	<4.0	pCi/L	TE
0	Cesium-137	<4.0	pCi/L	TE
0	Cobalt-58	<4.0	pCi/L	TE
0	Cobalt-60	<4.0	pCi/L	TE
0	Curium-242	<0.10	pCi/L	TE
0	Curium-243/244	<0.20	pCi/L	TE
1	Curium-248	1.1±0.30	pCi/L	TE
0	Gross alpha	<3.0	pCi/L	MT
0	Gross alpha	<3.0	pCi/L	GE
0	Gross alpha	<1.0	pCi/L	TE
0	Iodine-129	<1.0	pCi/L	TE
0	Iodine-131	<20	pCi/L	TE
0	Iron-55	<70	pCi/L	TE
0	Iron-59	<9.0	pCi/L	TE
0	Manganese-54	<3.0	pCi/L	TE
0	Nickel-59	<70	pCi/L	TE
0	Nickel-63	<10	pCi/L	TE
0	Nonvolatile beta	<5.0	pCi/L	MT
0	Nonvolatile beta	8.4±2.7	pCi/L	GE
0	Nonvolatile beta	0.4±1.3	pCi/L	TE
0	Plutonium-238	<0.080	pCi/L	TE
0	Plutonium-239/240	<0.070	pCi/L	TE
0	Plutonium-242	<0.070	pCi/L	TE
0	Potassium-40	<60	pCi/L	TE
0	Radium-226	<60	pCi/L	TE
0	Radium-226	<1.0	pCi/L	TE
0	Radium-228	<2.0	pCi/L	TE
0	Ruthenium-103	<5.0	pCi/L	TE
0	Ruthenium-106	<30	pCi/L	TE
0	Strontium-89	<4.0	pCi/L	TE
0	Strontium-90	<1.0	pCi/L	TE
0	Technetium-99	<4.0	pCi/L	TE
0	Thorium-228	<7.0	pCi/L	TE
0	Thorium-228	<0.20	pCi/L	TE
1	Thorium-230	8.0±0.70	pCi/L	TE
1	Thorium-232	0.47±0.18	pCi/L	TE
0	Total radium	1.2±0.40	pCi/L	MT
0	Total radium	<1.0	pCi/L	GE
0	Tritium	<1.0	pCi/mL	MT
0	Tritium	<1.0	pCi/mL	MT
0	Tritium	<0.70	pCi/mL	GE
0	Tritium	<2.0	pCi/mL	TE
0	Uranium-234	<1.0	pCi/L	TE
0	Uranium-235	<0.40	pCi/L	TE
1	Uranium-238	1.5±1.1	pCi/L	TE
0	Zinc-65	<8.0	pCi/L	TE
0	Zirconium-95	<4.0	pCi/L	TE

WELL FSB 76B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/13/90 Time: 9:55
 Depth to water: 143.14 ft (43.83 m) below TOC pH: 7.0
 Water elevation: 150.88 ft (45.92 m) msl Alkalinity: 50 mg/L
 Sp. conductance: 127 µS/cm Water temperature: 17.6°C
 Water evacuated before sampling: 134 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	pH	6.9	pH	MT
1	pH	6.9	pH	MT
1	pH	7.0	pH	GE
1	Specific conductance	130	µS/cm	MT
1	Specific conductance	129	µS/cm	MT
1	Specific conductance	120	µS/cm	GE
0	Antimony	<3.0	µg/L	MT
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<3.0	µg/L	MT
0	Arsenic	<2.0	µg/L	GE
0	Barium	19	µg/L	MT
0	Barium	19	µg/L	GE
0	Benzene	<5.0	µg/L	MT
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<5.0	µg/L	MT
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<5.0	µg/L	MT
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<10	µg/L	MT
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<3.0	µg/L	MT
0	Cadmium	<2.0	µg/L	GE
1	Calcium	23000	µg/L	MT
1	Calcium	21700	µg/L	GE
0	Carbon tetrachloride	<5.0	µg/L	MT
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	2300	µg/L	MT
0	Chloride	2100	µg/L	GE
0	Chlorobenzene	<5.0	µg/L	MT
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<10	µg/L	MT
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<5.0	µg/L	MT
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<10	µg/L	MT
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<3.0	µg/L	MT
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<5.0	µg/L	MT
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<15	µg/L	MT
0	Cobalt	<4.0	µg/L	GE
1	Copper	48	µg/L	MT
0	Copper	9.8	µg/L	GE
0	Cyanide	<5.0	µg/L	MT
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<5.0	µg/L	MT
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<5.0	µg/L	MT
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.0060	µg/L	MT
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<5.0	µg/L	MT
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<250	µg/L	MT
0	Fluoride	150	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.0050	µg/L	MT
1	gamma-Benzene hexachloride (Lindane)	0.50	µg/L	GE
0	Iron	<6.0	µg/L	MT
0	Iron	13	µg/L	GE
0	Lead	<3.0	µg/L	MT
0	Lead	<6.0	µg/L	GE
0	Magnesium	664	µg/L	MT
0	Magnesium	652	µg/L	GE
0	Manganese	<2.0	µg/L	MT
0	Manganese	<2.0	µg/L	GE
0	Mercury	<0.20	µg/L	MT
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	MT
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<5.2	µg/L	MT
1	Nickel	8.9	µg/L	GE
0	Nitrate as nitrogen	520	µg/L	MT
0	Nitrate as nitrogen	510	µg/L	GE
0	Phenols	<5.0	µg/L	MT
0	Phenols	<5.0	µg/L	GE

ANALYTICAL RESULTS

WELL FSB 76B collected on 01/13/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Potassium	<1620	µg/L	MT
0	Potassium	743	µg/L	GE
0	Selenium	<3.0	µg/L	MT
0	Selenium	<2.0	µg/L	GE
0	Silica	2060	µg/L	GE
1	Silica	19000	µg/L	MT
0	Silver	<2.0	µg/L	MT
0	Silver	<2.0	µg/L	GE
0	Sodium	1600	µg/L	MT
0	Sodium	1720	µg/L	GE
0	Sulfate	3000	µg/L	MT
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<5.0	µg/L	MT
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Thallium	<3.0	µg/L	MT
0	Thallium	<2.0	µg/L	GE
0	Toluene	<5.0	µg/L	MT
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	65000	µg/L	MT
0	Total dissolved solids	67000	µg/L	MT
0	Total dissolved solids	95000	µg/L	GE
0	Total organic carbon	<1000	µg/L	MT
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	8.4	µg/L	MT
1	Total organic halogens	16	µg/L	GE
1	Total phosphates	440	µg/L	MT
1	Total phosphates	390	µg/L	GE
0	Toxaphene	<0.24	µg/L	MT
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<5.0	µg/L	MT
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<5.0	µg/L	MT
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<5.0	µg/L	MT
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<5.0	µg/L	MT
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<84	µg/L	MT
0	Uranium	<1000	µg/L	GE
0	Vanadium	<3.0	µg/L	MT
0	Vanadium	<20	µg/L	GE
0	Zinc	18	µg/L	MT
0	Zinc	7.7	µg/L	GE
0	1,1-Dichloroethane	<5.0	µg/L	MT
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<5.0	µg/L	MT
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<5.0	µg/L	MT
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<5.0	µg/L	MT
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<5.0	µg/L	MT
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<5.0	µg/L	MT
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<5.0	µg/L	MT
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<5.0	µg/L	MT
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.46	µg/L	MT
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.070	µg/L	MT
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	<3.0	pCi/L	MT
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	<5.0	pCi/L	MT
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Total radium	1.1 ± 0.40	pCi/L	MT
0	Total radium	<1.0	pCi/L	GE
0	Tritium	<1.0	pCi/mL	MT
0	Tritium	<0.70	pCi/mL	GE

WELL FSB 76C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/09/90
 Depth to water: 83.47 ft (25.44 m) below TOC
 Water elevation: 210.13 ft (64.05 m) msl
 Sp. conductance: 47 µS/cm
 Water evacuated before sampling: 144 gal
 Time: 10:05
 pH: 5.9
 Alkalinity: 5 mg/L
 Water temperature: 18.1°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	6.0	pH	GE
0	Specific conductance	47	µS/cm	GE
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	5.1	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	5850	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	2200	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
1	Dichloromethane (Methylene chloride)	7.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	<4.0	µg/L	GE
0	Lead	<8.0	µg/L	GE
0	Magnesium	342	µg/L	GE
0	Manganese	10	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	1160	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Selenium	<2.0	µg/L	GE
1	Silica	11500	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	2130	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Thallium	<2.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	48000	µg/L	GE
0	Total organic carbon	3000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
2	Trichloroethylene	4.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	19	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,1,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Americium-241	<0.10	pCi/L	TE
0	Americium-243	<0.20	pCi/L	TE
0	Barium-140	<8.0	pCi/L	TE
0	Beryllium-7	<30	pCi/L	TE
1	Carbon-14	18 ± 7.0	pCi/L	TE
0	Cerium-141	<8.0	pCi/L	TE
0	Cerium-144	<30	pCi/L	TE
0	Cesium-134	<3.0	pCi/L	TE

ANALYTICAL RESULTS

WELL FSB 76C collected on 01/09/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Cesium-137	<3.0	pCi/L	TE
0	Cobalt-58	<3.0	pCi/L	TE
0	Cobalt-60	<3.0	pCi/L	TE
0	Curium-242	<0.20	pCi/L	TE
0	Curium-243/244	<0.40	pCi/L	TE
1	Curium-246	0.79±0.25	pCi/L	TE
0	Gross alpha	<3.0	pCi/L	GE
0	Gross alpha	<1.0	pCi/L	TE
0	Iodine-129	<2.0	pCi/L	TE
0	Iodine-131	<20	pCi/L	TE
0	Iron-55	<80	pCi/L	TE
0	Iron-59	<7.0	pCi/L	TE
0	Manganese-54	<3.0	pCi/L	TE
0	Nickel-59	<70	pCi/L	TE
0	Nickel-63	<10	pCi/L	TE
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Nonvolatile beta	<2.0	pCi/L	TE
0	Plutonium-238	<0.080	pCi/L	TE
0	Plutonium-239/240	<0.080	pCi/L	TE
0	Plutonium-242	<0.080	pCi/L	TE
0	Potassium-40	<50	pCi/L	TE
0	Radium-226	<80	pCi/L	TE
0	Radium-226	<1.0	pCi/L	TE
0	Radium-228	<2.0	pCi/L	TE
0	Ruthenium-103	<4.0	pCi/L	TE
0	Ruthenium-106	<30	pCi/L	TE
0	Strontium-89	<4.0	pCi/L	TE
0	Strontium-90	<0.80	pCi/L	TE
0	Technetium-99	<5.0	pCi/L	TE
0	Thorium-228	<8.0	pCi/L	TE
0	Thorium-228	<0.30	pCi/L	TE
0	Thorium-230	<0.070	pCi/L	TE
1	Thorium-232	0.50±0.20	pCi/L	TE
0	Total radium	<1.0	pCi/L	GE
0	Tritium	1.5±0.30	pCi/mL	GE
0	Tritium	4.3±1.3	pCi/mL	TE
0	Uranium-234	<0.10	pCi/L	TE
0	Uranium-235	<0.20	pCi/L	TE
0	Uranium-238	<0.10	pCi/L	TE
0	Zinc-65	<8.0	pCi/L	TE
0	Zirconium-95	<4.0	pCi/L	TE

WELL FSB 77 collected on 01/01/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
1	Cobalt	14	µg/L	GE
1	Copper	88	µg/L	GE
1	Copper	90	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
1	Fluoride	1800	µg/L	GE
1	Fluoride	1820	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	84	µg/L	GE
0	Iron	89	µg/L	GE
2	Lead	57	µg/L	GE
2	Lead	85	µg/L	GE
0	Magnesium	1800	µg/L	GE
0	Magnesium	1700	µg/L	GE
2	Manganese	399	µg/L	GE
2	Manganese	427	µg/L	GE
0	Mercury	0.20	µg/L	GE
0	Mercury	0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
1	Nickel	19	µg/L	GE
1	Nickel	23	µg/L	GE
2	Nitrate as nitrogen	197000	µg/L	GE
2	Nitrate as nitrogen	181000	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	1110	µg/L	GE
0	Potassium	1380	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Selenium	<2.0	µg/L	GE
1	Silica	37000	µg/L	GE
1	Silica	38000	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	50700	µg/L	GE
1	Sodium	57100	µg/L	GE
0	Sulfate	5400	µg/L	GE
0	Sulfate	5800	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Thallium	<2.0	µg/L	GE
0	Thallium	<2.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	484000	µg/L	GE
0	Total dissolved solids	484000	µg/L	GE
0	Total organic carbon	1000	µg/L	GE
0	Total organic carbon	1000	µg/L	GE
0	Total organic halogens	7.0	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
1	Uranium	2250	µg/L	GE
1	Uranium	2420	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	89	µg/L	GE
0	Zinc	77	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE

WELL FSB 77

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/01/90
 Depth to water: 83.32 ft (19.30 m) below TOC
 Water elevation: 209.98 ft (64.00 m) msf
 Sp. conductance: 1370 µS/cm
 Water evacuated before sampling: 81 gal

Time: 11:45
 pH: 3.3
 Alkalinity: 0 mg/L
 Water temperature: 16.8°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	pH	3.5	pH	GE
1	pH	3.5	pH	GE
1	Specific conductance	1320	µS/cm	GE
1	Specific conductance	1320	µS/cm	GE
0	Antimony	<3.0	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
1	Barium	158	µg/L	GE
1	Barium	170	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromofom	<1.0	µg/L	GE
0	Bromofom	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	1790	µg/L	GE
0	Calcium	1990	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	2000	µg/L	GE
0	Chloride	2000	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE

ANALYTICAL RESULTS

WELL FSB 77 collected on 01/01/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
2	Gross alpha	185 ± 10	pCi/L	GE
2	Gross alpha	126 ± 10	pCi/L	GE
2	Nonvolatile beta	398 ± 20	pCi/L	GE
2	Nonvolatile beta	432 ± 20	pCi/L	GE
1	Total activity	16100 ± 90	pCi/mL	EM
2	Total radium	50 ± 10	pCi/L	GE
2	Total radium	48 ± 9.6	pCi/L	GE
2	Tritium	16500 ± 10	pCi/mL	GE
2	Tritium	16800 ± 10	pCi/mL	GE

WELL FSB 78

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/06/90
 Depth to water: 65.65 ft (20.01 m) below TOC
 Water elevation: 206.95 ft (63.08 m) msf
 Sp. conductance: 2830 µS/cm
 Water evacuated before sampling: 50 gal

Time: 10:50
 pH: 7.7
 Alkalinity: 0 mg/L
 Water temperature: 18.0°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	pH	3.0	pH	GE
1	pH	3.0	pH	GE
1	Specific conductance	3150	µS/cm	GE
1	Specific conductance	3020	µS/cm	GE
0	Antimony	<3.0	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
1	Barium	171	µg/L	GE
1	Barium	180	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	2380	µg/L	GE
0	Calcium	2470	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	2500	µg/L	GE
0	Chloride	2500	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
1	Chromium	23	µg/L	GE
1	Chromium	24	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
1	Cobalt	39	µg/L	GE
1	Cobalt	41	µg/L	GE
1	Copper	78	µg/L	GE
1	Copper	80	µg/L	GE
0	Cyanide	<5.0	µg/L	GE

WELL FSB 78 collected on 01/06/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	400	µg/L	GE
0	Fluoride	420	µg/L	GE
1	gamma-Benzene hexachloride (Lindane)	0.45	µg/L	GE
1	gamma-Benzene hexachloride (Lindane)	0.43	µg/L	GE
0	Iron	108	µg/L	GE
0	Iron	108	µg/L	GE
0	Lead	13	µg/L	GE
0	Lead	15	µg/L	GE
0	Magnesium	732	µg/L	GE
0	Magnesium	705	µg/L	GE
2	Manganese	848	µg/L	GE
2	Manganese	904	µg/L	GE
2	Mercury	3.4	µg/L	GE
2	Mercury	2.8	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
1	Nickel	50	µg/L	GE
1	Nickel	54	µg/L	GE
2	Nitrate as nitrogen	348000	µg/L	GE
2	Nitrate as nitrogen	344000	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	1380	µg/L	GE
0	Potassium	1450	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Selenium	<2.0	µg/L	GE
1	Silica	18800	µg/L	GE
1	Silica	20500	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	305000	µg/L	GE
1	Sodium	331000	µg/L	GE
2	Sulfate	157000	µg/L	GE
2	Sulfate	169000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Thallium	<2.0	µg/L	GE
0	Thallium	<2.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	1.53E ± 06	µg/L	GE
0	Total dissolved solids	1.56E ± 06	µg/L	GE
1	Total organic carbon	8000	µg/L	GE
1	Total organic carbon	8000	µg/L	GE
0	Total organic halogens	5.0	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
1	Uranium	8770	µg/L	GE
1	Uranium	7180	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	151	µg/L	GE
0	Zinc	159	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE

ANALYTICAL RESULTS

WELL FSB 78 collected on 01/08/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
1	Americium-241	82 ± 10	pCi/L	TE
1	Americium-243	1.7 ± 1.1	pCi/L	TE
0	Barium-140	<20	pCi/L	TE
0	Beryllium-7	<70	pCi/L	TE
1	Carbon-14	48 ± 5.0	pCi/L	TE
0	Cerium-141	<20	pCi/L	TE
0	Cerium-144	<40	pCi/L	TE
0	Cesium-134	<6.0	pCi/L	TE
2	Cesium-137	197 ± 20	pCi/L	TE
0	Cobalt-58	<6.0	pCi/L	TE
0	Cobalt-60	<6.0	pCi/L	TE
0	Curium-242	<6.0	pCi/L	TE
1	Curium-243/244	59 ± 20	pCi/L	TE
0	Curium-246	<5.0	pCi/L	TE
2	Gross alpha	57 ± 9.2	pCi/L	GE
2	Gross alpha	58 ± 10	pCi/L	GE
2	Gross alpha	580 ± 40	pCi/L	TE
1	Iodine-129	48 ± 3.0	pCi/L	TE
0	Iodine-131	<50	pCi/L	TE
0	Iron-55	<60	pCi/L	TE
0	Iron-59	<10	pCi/L	TE
0	Manganese-54	<5.0	pCi/L	TE
0	Nickel-59	<100	pCi/L	TE
0	Nickel-63	<10	pCi/L	TE
2	Nonvolatile beta	220 ± 10	pCi/L	GE
2	Nonvolatile beta	227 ± 10	pCi/L	GE
2	Nonvolatile beta	4100 ± 100	pCi/L	TE
0	Plutonium-238	<0.40	pCi/L	TE
0	Plutonium-239/240	<0.30	pCi/L	TE
0	Plutonium-242	<0.20	pCi/L	TE
0	Potassium-40	<90	pCi/L	TE
0	Radium-226	<100	pCi/L	TE
1	Radium-226	2.7 ± 1.1	pCi/L	TE
1	Radium-228	37 ± 4.0	pCi/L	TE
0	Ruthenium-103	<9.0	pCi/L	TE
0	Ruthenium-106	<60	pCi/L	TE
0	Strontium-89	<20	pCi/L	TE
1	Strontium-90	140 ± 10	pCi/L	TE
1	Technetium-99	160 ± 10	pCi/L	TE
0	Thorium-228	<10	pCi/L	TE
1	Thorium-228	5.8 ± 3.1	pCi/L	TE
0	Thorium-230	<1.0	pCi/L	TE
0	Thorium-232	<2.0	pCi/L	TE
1	Total activity	36400 ± 130	pCi/mL	EM
1	Total radium	2.6 ± 3.7	pCi/L	GE
0	Total radium	1.5 ± 3.4	pCi/L	GE
2	Tritium	44500 ± 20	pCi/mL	GE
2	Tritium	44800 ± 20	pCi/mL	GE
2	Tritium	36000 ± 1000	pCi/mL	TE
1	Uranium-234	220 ± 20	pCi/L	TE
1	Uranium-235	15 ± 4.0	pCi/L	TE
1	Uranium-238	1400 ± 100	pCi/L	TE
0	Zinc-65	<10	pCi/L	TE
0	Zirconium-95	<7.0	pCi/L	TE

WELL FSB 78

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/08/90
 Depth to water: 65.95 ft (20.01 m) below TOC
 Water elevation: 206.95 ft (63.08 m) msl
 Sp. conductance: 2830 µS/cm
 Water evacuated before sampling: 50 gal

Time: 10:50
 pH: 7.7
 Alkalinity: 0 mg/L
 Water temperature: 18.0°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	Americium-241	16 ± 2.0	pCi/L	TE
1	Americium-243	1.0 ± 0.80	pCi/L	TE
0	Barium-140	<10	pCi/L	TE
0	Beryllium-7	<50	pCi/L	TE
1	Carbon-14	62 ± 10	pCi/L	TE
0	Cerium-141	<10	pCi/L	TE
0	Cerium-144	<30	pCi/L	TE
0	Cesium-134	<4.0	pCi/L	TE
2	Cesium-137	193 ± 20	pCi/L	TE
0	Cobalt-58	<4.0	pCi/L	TE
0	Cobalt-60	<4.0	pCi/L	TE
1	Curium-242	0.85 ± 0.55	pCi/L	TE
1	Curium-243/244	18 ± 3.0	pCi/L	TE
1	Curium-246	3.6 ± 1.3	pCi/L	TE

WELL FSB 78 collected on 01/08/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
2	Gross alpha	840 ± 50	pCi/L	TE
1	Iodine-129	52 ± 3.0	pCi/L	TE
0	Iodine-131	<40	pCi/L	TE
0	Iron-55	<80	pCi/L	TE
0	Iron-59	<6.0	pCi/L	TE
0	Manganese-54	<4.0	pCi/L	TE
0	Nickel-59	<90	pCi/L	TE
0	Nickel-63	<10	pCi/L	TE
2	Nonvolatile beta	4000 ± 100	pCi/L	TE
0	Plutonium-238	<0.80	pCi/L	TE
0	Plutonium-239/240	<0.40	pCi/L	TE
0	Plutonium-242	<0.40	pCi/L	TE
0	Potassium-40	<60	pCi/L	TE
0	Radium-226	<100	pCi/L	TE
1	Radium-228	3.1 ± 1.1	pCi/L	TE
1	Radium-228	43 ± 7.0	pCi/L	TE
0	Ruthenium-103	<6.0	pCi/L	TE
0	Ruthenium-106	<40	pCi/L	TE
0	Strontium-89	<30	pCi/L	TE
1	Strontium-90	200 ± 10	pCi/L	TE
1	Technetium-99	110 ± 10	pCi/L	TE
0	Thorium-228	<7.0	pCi/L	TE
1	Thorium-228	7.8 ± 2.8	pCi/L	TE
1	Thorium-230	3.3 ± 1.9	pCi/L	TE
0	Thorium-232	<0.20	pCi/L	TE
2	Tritium	36000 ± 1000	pCi/mL	TE
1	Uranium-234	290 ± 10	pCi/L	TE
1	Uranium-235	30 ± 4.0	pCi/L	TE
1	Uranium-238	1600 ± 100	pCi/L	TE
0	Zinc-65	<8.0	pCi/L	TE
0	Zirconium-95	<6.0	pCi/L	TE

WELL FSB 78A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/08/90
 Depth to water: 117.41 ft (35.79 m) below TOC
 Water elevation: 155.19 ft (47.30 m) msl
 Sp. conductance: 115 µS/cm
 Water evacuated before sampling: 333 gal

Time: 11:20
 pH: 6.1
 Alkalinity: 31 mg/L
 Water temperature: 18.4°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	pH	6.5	pH	GE
1	pH	6.5	pH	GE
1	Specific conductance	104	µS/cm	GE
1	Specific conductance	104	µS/cm	GE
0	Antimony	<3.0	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	20	µg/L	GE
0	Barium	19	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
1	Calcium	10800	µg/L	GE
1	Calcium	18100	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	2400	µg/L	GE
0	Chloride	2400	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE

ANALYTICAL RESULTS

WELL FSB 78A collected on 01/06/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Cobalt	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	130	µg/L	GE
0	Fluoride	100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	18	µg/L	GE
0	Iron	15	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	603	µg/L	GE
0	Magnesium	591	µg/L	GE
0	Manganese	6.6	µg/L	GE
0	Manganese	5.4	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	180	µg/L	GE
0	Nitrate as nitrogen	180	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	771	µg/L	GE
0	Potassium	851	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Selenium	<2.0	µg/L	GE
1	Silica	23500	µg/L	GE
1	Silica	23000	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	1880	µg/L	GE
0	Sodium	1850	µg/L	GE
0	Sulfate	7500	µg/L	GE
0	Sulfate	7500	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Thallium	<2.0	µg/L	GE
0	Thallium	<2.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	85000	µg/L	GE
0	Total dissolved solids	76000	µg/L	GE
0	Total organic carbon	4000	µg/L	GE
0	Total organic carbon	3000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	200	µg/L	GE
0	Total phosphates	200	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethane	<1.0	µg/L	GE
0	trans-1,2-Dichloroethane	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	<2.0	µg/L	GE
0	Zinc	<2.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE

WELL FSB 78A collected on 01/06/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.080	µg/L	GE
0	2,4,5-TP (Silvex)	<0.080	µg/L	GE
0	Americium-241	<0.10	pCi/L	TE
1	Americium-243	0.47±0.37	pCi/L	TE
0	Barium-140	<8.0	pCi/L	TE
0	Beryllium-7	<30	pCi/L	TE
0	Carbon-14	<7.0	pCi/L	TE
0	Cesium-141	<7.0	pCi/L	TE
0	Cesium-144	<20	pCi/L	TE
0	Cesium-134	<3.0	pCi/L	TE
0	Cesium-137	<3.0	pCi/L	TE
0	Cobalt-58	<3.0	pCi/L	TE
0	Cobalt-60	<3.0	pCi/L	TE
0	Cesium-242	<0.20	pCi/L	TE
0	Cesium-243/244	<0.40	pCi/L	TE
1	Cesium-246	0.48±0.20	pCi/L	TE
0	Gross alpha	<3.0	pCi/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Gross alpha	<1.0	pCi/L	TE
0	Iodine-129	<2.0	pCi/L	TE
0	Iodine-131	<20	pCi/L	TE
0	Iron-55	<100	pCi/L	TE
0	Iron-59	<8.0	pCi/L	TE
0	Manganese-54	<3.0	pCi/L	TE
0	Nickel-59	<80	pCi/L	TE
0	Nickel-63	<10	pCi/L	TE
0	Nonvolatile beta	3.2±4.5	pCi/L	GE
0	Nonvolatile beta	3.1±4.5	pCi/L	GE
0	Nonvolatile beta	3.3±1.3	pCi/L	TE
0	Plutonium-238	<0.20	pCi/L	TE
0	Plutonium-239/240	<0.10	pCi/L	TE
0	Plutonium-242	<0.060	pCi/L	TE
0	Potassium-40	<50	pCi/L	TE
0	Radium-226	<1.0	pCi/L	TE
0	Radium-226	<70	pCi/L	TE
0	Radium-228	<2.0	pCi/L	TE
0	Ruthenium-103	<4.0	pCi/L	TE
0	Ruthenium-106	<30	pCi/L	TE
0	Strontium-89	<4.0	pCi/L	TE
0	Strontium-90	<1.0	pCi/L	TE
0	Technetium-99	<5.0	pCi/L	TE
0	Thorium-228	<8.0	pCi/L	TE
0	Thorium-228	<0.40	pCi/L	TE
1	Thorium-230	24±2.0	pCi/L	TE
1	Thorium-232	0.59±0.28	pCi/L	TE
0	Total radium	<1.0	pCi/L	GE
0	Total radium	<1.0	pCi/L	GE
1	Tritium	13±0.50	pCi/mL	GE
1	Tritium	13±0.49	pCi/mL	GE
1	Tritium	12±1.0	pCi/mL	TE
0	Uranium-234	<0.70	pCi/L	TE
0	Uranium-235	<0.30	pCi/L	TE
0	Uranium-238	<0.70	pCi/L	TE
0	Zinc-65	<7.0	pCi/L	TE
0	Zirconium-95	<4.0	pCi/L	TE

WELL FSB 78B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/06/90
 Depth to water: 119.29 ft (36.36 m) below TOC
 Water elevation: 153.51 ft (46.79 m) msl
 Sp. conductance: 227 µS/cm
 Water evacuated before sampling: 185 gal

Time: 11:45
 pH: 8.9
 Alkalinity: 86 mg/L
 Water temperature: 18.9°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	pH	7.7	pH	GE
1	Specific conductance	200	µS/cm	GE
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	44	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
1	Calcium	38300	µg/L	GE

ANALYTICAL RESULTS

WELL FSB 788 collected on 01/08/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Carbon tetrachloride	< 1.0	µg/L	GE
0	Chloride	2000	µg/L	GE
0	Chlorobenzene	< 1.0	µg/L	GE
0	Chloroethane	< 1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	< 1.0	µg/L	GE
0	Chloroform	< 1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	< 1.0	µg/L	GE
0	Chromium	< 4.0	µg/L	GE
0	cis-1,3-Dichloropropene	< 1.0	µg/L	GE
0	Cobalt	< 4.0	µg/L	GE
0	Copper	< 4.0	µg/L	GE
0	Cyanide	< 5.0	µg/L	GE
0	Dibromochloromethane	< 1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	< 1.0	µg/L	GE
0	Endrin	< 0.10	µg/L	GE
0	Ethylbenzene	< 1.0	µg/L	GE
0	Fluoride	< 100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	< 0.050	µg/L	GE
0	Iron	12	µg/L	GE
0	Lead	< 0.0	µg/L	GE
0	Magnesium	783	µg/L	GE
0	Manganese	3.8	µg/L	GE
0	Mercury	< 0.20	µg/L	GE
0	Methoxychlor	< 0.50	µg/L	GE
0	Nickel	< 4.0	µg/L	GE
1	Nitrate as nitrogen	7400	µg/L	GE
0	Phenols	< 5.0	µg/L	GE
0	Potassium	560	µg/L	GE
0	Selenium	< 2.0	µg/L	GE
1	Silica	17800	µg/L	GE
0	Silver	< 2.0	µg/L	GE
0	Sodium	4110	µg/L	GE
0	Sodium	4020	µg/L	GE
0	Sulfate	< 5000	µg/L	GE
0	Tetrachloroethylene	< 1.0	µg/L	GE
0	Thallium	< 2.0	µg/L	GE
0	Toluene	< 1.0	µg/L	GE
0	Total dissolved solids	159000	µg/L	GE
1	Total organic carbon	14000	µg/L	GE
0	Total organic halogens	< 5.0	µg/L	GE
0	Total phosphates	70	µg/L	GE
0	Toxaphene	< 1.0	µg/L	GE
0	trans-1,2-Dichloroethene	< 1.0	µg/L	GE
0	trans-1,3-Dichloropropene	< 1.0	µg/L	GE
0	Trichloroethylene	< 1.0	µg/L	GE
0	Trichlorofluoromethane	< 1.0	µg/L	GE
0	Uranium	< 1000	µg/L	GE
0	Vanadium	< 20	µg/L	GE
0	Zinc	< 2.0	µg/L	GE
0	1,1-Dichloroethane	< 1.0	µg/L	GE
0	1,1-Dichloroethylene	< 1.0	µg/L	GE
0	1,1,1-Trichloroethane	< 1.0	µg/L	GE
0	1,1,2-Trichloroethane	< 1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	< 1.0	µg/L	GE
0	1,2-Dichloroethane	< 1.0	µg/L	GE
0	1,2-Dichloropropane	< 1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	< 1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	< 0.30	µg/L	GE
0	2,4,5-TP (Silvex)	< 0.090	µg/L	GE
0	Americium-241	< 0.10	pCi/L	TE
1	Americium-243	0.51 ± 0.45	pCi/L	TE
0	Barium-140	< 10	pCi/L	TE
0	Beryllium-7	< 40	pCi/L	TE
1	Carbon-14	7.5 ± 3.9	pCi/L	TE
0	Cerium-141	< 10	pCi/L	TE
0	Cerium-144	< 30	pCi/L	TE
0	Cesium-134	< 3.0	pCi/L	TE
0	Cesium-137	< 4.0	pCi/L	TE
0	Cobalt-58	< 4.0	pCi/L	TE
0	Cobalt-60	< 3.0	pCi/L	TE
0	Curium-242	< 0.20	pCi/L	TE
0	Curium-243/244	< 0.50	pCi/L	TE
0	Curium-246	< 0.20	pCi/L	TE
0	Gross alpha	< 3.0	pCi/L	GE
0	Gross alpha	1.8 ± 1.4	pCi/L	TE
0	Iodine-129	< 2.0	pCi/L	TE
0	Iodine-131	< 20	pCi/L	TE
0	Iron-55	< 60	pCi/L	TE
0	Iron-59	< 7.0	pCi/L	TE
0	Manganese-54	< 3.0	pCi/L	TE
0	Nickel-59	< 80	pCi/L	TE
0	Nickel-63	< 10	pCi/L	TE
0	Nonvolatile beta	< 2.0	pCi/L	GE
0	Nonvolatile beta	9.0 ± 1.8	pCi/L	TE
0	Plutonium-238	< 0.10	pCi/L	TE
0	Plutonium-239/240	< 0.090	pCi/L	TE
0	Plutonium-242	< 0.080	pCi/L	TE
0	Potassium-40	< 80	pCi/L	TE
0	Radium-226	< 90	pCi/L	TE

WELL FSB 788 collected on 01/08/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Radium-226	< 1.0	pCi/L	TE
0	Radium-228	< 2.0	pCi/L	TE
0	Ruthenium-103	< 5.0	pCi/L	TE
0	Ruthenium-106	< 30	pCi/L	TE
0	Strontium-89	< 4.0	pCi/L	TE
0	Strontium-90	< 1.0	pCi/L	TE
1	Technetium-99	16 ± 4.0	pCi/L	TE
0	Thorium-226	< 7.0	pCi/L	TE
0	Thorium-230	< 0.50	pCi/L	TE
1	Thorium-232	13 ± 1.0	pCi/L	TE
0	Thorium-232	< 0.20	pCi/L	TE
1	Total activity	254 ± 0.8	pCi/mL	EM
0	Total radium	< 1.0	pCi/L	GE
2	Tritium	264 ± 1.7	pCi/mL	GE
2	Tritium	260 ± 10	pCi/mL	TE
0	Uranium-234	< 0.70	pCi/L	TE
0	Uranium-235	< 0.40	pCi/L	TE
0	Uranium-238	< 0.80	pCi/L	TE
0	Zinc-65	< 7.0	pCi/L	TE
0	Zirconium-95	< 4.0	pCi/L	TE

WELL FSB 78C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/07/90
 Depth to water: 87.32 ft (20.52 m) below TOC
 Water elevation: 208.18 ft (62.84 m) msl
 Sp. conductance: 1805 µS/cm
 Water evacuated before sampling: 25 gal
 The well went dry during purging.

Time: 10:30
 pH: 4.2
 Alkalinity: 0 mg/L
 Water temperature: 18.0 °C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	4.3	pH	GE
1	Specific conductance	1890	µS/cm	GE
0	Antimony	< 3.0	µg/L	GE
1	Arsenic	2.8	µg/L	GE
1	Barium	463	µg/L	GE
0	Benzene	< 1.0	µg/L	GE
0	Bromodichloromethane	< 1.0	µg/L	GE
0	Bromoform	< 1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	< 1.0	µg/L	GE
2	Cadmium	14	µg/L	GE
1	Calcium	157000	µg/L	GE
0	Carbon tetrachloride	< 1.0	µg/L	GE
0	Chloride	2600	µg/L	GE
0	Chlorobenzene	< 1.0	µg/L	GE
0	Chloroethane	< 1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	< 1.0	µg/L	GE
0	Chloroform	< 1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	< 1.0	µg/L	GE
0	Chromium	< 4.0	µg/L	GE
0	cis-1,3-Dichloropropene	< 1.0	µg/L	GE
1	Cobalt	201	µg/L	GE
0	Copper	18	µg/L	GE
0	Cyanide	< 5.0	µg/L	GE
0	Dibromochloromethane	< 1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	< 1.0	µg/L	GE
0	Endrin	< 0.10	µg/L	GE
0	Ethylbenzene	< 1.0	µg/L	GE
1	Fluoride	1560	µg/L	GE
1	gamma-Benzene hexachloride (Lindane)	0.40	µg/L	GE
0	Iron	60	µg/L	GE
0	Lead	19	µg/L	GE
1	Magnesium	28900	µg/L	GE
2	Manganese	5080	µg/L	GE
0	Mercury	< 0.20	µg/L	GE
0	Methoxychlor	< 0.50	µg/L	GE
1	Nickel	86	µg/L	GE
2	Nitrate as nitrogen	278000	µg/L	GE
0	Phenols	< 5.0	µg/L	GE
0	Potassium	3790	µg/L	GE
0	Selenium	< 2.0	µg/L	GE
0	Silica	1350	µg/L	GE
0	Silver	< 2.0	µg/L	GE
1	Sodium	118000	µg/L	GE
0	Sulfate	< 5000	µg/L	GE
0	Tetrachloroethylene	< 1.0	µg/L	GE
0	Thallium	< 2.0	µg/L	GE
0	Toluene	< 1.0	µg/L	GE
0	Total dissolved solids	134 ± 0.8	µg/L	GE
1	Total organic carbon	17000	µg/L	GE
2	Total organic halogens	198	µg/L	GE
0	Total phosphates	< 50	µg/L	GE
0	Toxaphene	< 1.0	µg/L	GE

ANALYTICAL RESULTS

WELL FSB 78C collected on 01/07/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	trans-1,2-Dichloroethene	< 1.0	µg/L	GE
0	trans-1,3-Dichloropropene	< 1.0	µg/L	GE
0	Trichloroethylene	< 1.0	µg/L	GE
0	Trichlorofluoromethane	< 1.0	µg/L	GE
0	Uranium	< 1000	µg/L	GE
0	Vanadium	< 20	µg/L	GE
1	Zinc	480	µg/L	GE
0	1,1-Dichloroethane	< 1.0	µg/L	GE
0	1,1-Dichloroethylene	< 1.0	µg/L	GE
0	1,1,1-Trichloroethane	< 1.0	µg/L	GE
0	1,1,2-Trichloroethane	< 1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	< 1.0	µg/L	GE
0	1,2-Dichloroethane	< 1.0	µg/L	GE
0	1,2-Dichloropropane	< 1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	< 1.0	µg/L	GE
1	Americium-241	0.38 ± 0.28	pCi/L	TE
0	Americium-243	< 0.20	pCi/L	TE
0	Barium-140	< 20	pCi/L	TE
0	Beryllium-7	< 80	pCi/L	TE
1	Carbon-14	36 ± 5.0	pCi/L	TE
0	Cesium-141	< 10	pCi/L	TE
0	Cesium-144	< 40	pCi/L	TE
0	Cesium-134	< 4.0	pCi/L	TE
0	Cesium-137	< 5.0	pCi/L	TE
0	Cobalt-58	< 5.0	pCi/L	TE
0	Cobalt-60	< 5.0	pCi/L	TE
0	Curium-242	< 0.20	pCi/L	TE
1	Curium-243/244	2.0 ± 1.0	pCi/L	TE
0	Curium-246	< 0.20	pCi/L	TE
2	Gross alpha	< 3.0	pCi/L	GE
2	Gross alpha	48 ± 10	pCi/L	TE
1	Iodine-129	72 ± 5.0	pCi/L	TE
0	Iodine-131	< 40	pCi/L	TE
0	Iron-55	< 100	pCi/L	TE
0	Iron-59	< 10	pCi/L	TE
0	Manganese-54	< 4.0	pCi/L	TE
0	Nickel-58	< 100	pCi/L	TE
0	Nickel-63	< 10	pCi/L	TE
2	Nonvolatile beta	332 ± 10	pCi/L	GE
2	Nonvolatile beta	2400 ± 100	pCi/L	TE
0	Plutonium-238	< 0.30	pCi/L	TE
0	Plutonium-239/240	< 0.20	pCi/L	TE
0	Plutonium-242	< 0.10	pCi/L	TE
0	Potassium-40	< 80	pCi/L	TE
0	Radium-226	< 100	pCi/L	TE
1	Radium-226	36 ± 4.0	pCi/L	TE
1	Radium-228	18 ± 2.0	pCi/L	TE
0	Ruthenium-103	< 8.0	pCi/L	TE
0	Ruthenium-106	< 40	pCi/L	TE
0	Strontium-89	< 90	pCi/L	TE
1	Strontium-90	1100 ± 100	pCi/L	TE
1	Technetium-99	240 ± 10	pCi/L	TE
0	Thorium-228	< 8.0	pCi/L	TE
0	Thorium-228	< 0.20	pCi/L	TE
0	Thorium-230	< 0.080	pCi/L	TE
1	Thorium-232	0.23 ± 0.10	pCi/L	TE
1	Total activity	9200 ± 70	pCi/mL	EM
0	Total radium	< 1.0	pCi/L	GE
2	Tritium	10800 ± 10	pCi/mL	GE
2	Tritium	9800 ± 100	pCi/mL	TE
1	Uranium-234	25 ± 3.0	pCi/L	TE
1	Uranium-235	1.2 ± 0.90	pCi/L	TE
1	Uranium-238	29 ± 3.0	pCi/L	TE
0	Zinc-65	< 8.0	pCi/L	TE
0	Zirconium-95	< 5.0	pCi/L	TE

WELL FSB 79

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/09/90
Depth to water: 16.08 ft (4.90 m) below TOC
Water elevation: 201.72 ft (61.49 m) msl
Sp. conductance: 1852 µS/cm
Water evacuated before sampling: 72 gal

Time: 16:30
pH: 3.2
Alkalinity: 0 mg/L
Water temperature: 17.7°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	Specific conductance	1830	µS/cm	GE
1	Specific conductance	1900	µS/cm	GE
1	Americium-241	7.7 ± 1.4	pCi/L	TE
1	Americium-243	8.0 ± 1.2	pCi/L	TE
0	Barium-140	< 30	pCi/L	TE
0	Beryllium-7	< 40	pCi/L	TE
1	Carbon-14	27 ± 5.0	pCi/L	TE

WELL FSB 79 collected on 01/09/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Cesium-141	< 10	pCi/L	TE
0	Cesium-144	< 20	pCi/L	TE
0	Cesium-134	< 3.0	pCi/L	TE
0	Cesium-137	< 3.0	pCi/L	TE
0	Cobalt-58	< 4.0	pCi/L	TE
0	Cobalt-60	9.0 ± 3.1	pCi/L	TE
0	Curium-242	< 0.40	pCi/L	TE
1	Curium-243/244	3.4 ± 1.0	pCi/L	TE
1	Curium-246	5.2 ± 1.2	pCi/L	TE
2	Gross alpha	250 ± 30	pCi/L	TE
1	Iodine-129	82 ± 3.0	pCi/L	TE
0	Iodine-131	< 80	pCi/L	TE
0	Iron-55	< 50	pCi/L	TE
0	Iron-59	< 10	pCi/L	TE
0	Manganese-54	< 3.0	pCi/L	TE
0	Nickel-58	< 100	pCi/L	TE
0	Nickel-63	< 20	pCi/L	TE
2	Nonvolatile beta	1700 ± 100	pCi/L	TE
0	Plutonium-238	< 0.20	pCi/L	TE
0	Plutonium-239/240	< 0.10	pCi/L	TE
0	Plutonium-242	< 0.10	pCi/L	TE
0	Potassium-40	< 50	pCi/L	TE
1	Radium-226	22 ± 2.0	pCi/L	TE
0	Radium-226	< 70	pCi/L	TE
1	Radium-228	26 ± 8.0	pCi/L	TE
0	Ruthenium-103	< 5.0	pCi/L	TE
0	Ruthenium-106	< 30	pCi/L	TE
1	Strontium-89	34 ± 20	pCi/L	TE
1	Strontium-90	280 ± 10	pCi/L	TE
1	Technetium-99	110 ± 10	pCi/L	TE
0	Thorium-228	< 8.0	pCi/L	TE
0	Thorium-228	< 0.20	pCi/L	TE
1	Thorium-230	3.5 ± 0.80	pCi/L	TE
1	Thorium-232	0.33 ± 0.15	pCi/L	TE
1	Total activity	18000 ± 80	pCi/mL	EM
2	Tritium	18000 ± 1000	pCi/mL	TE
1	Uranium-234	120 ± 10	pCi/L	TE
1	Uranium-235	1.7 ± 0.70	pCi/L	TE
1	Uranium-238	310 ± 10	pCi/L	TE
0	Zinc-65	< 7.0	pCi/L	TE
0	Zirconium-95	< 5.0	pCi/L	TE

WELL FSB 79

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/28/90
Depth to water: 18.19 ft (4.93 m) below TOC
Water elevation: 201.64 ft (61.48 m) msl
Sp. conductance: 1897 µS/cm
Water evacuated before sampling: 72 gal

Time: 12:45
pH: 3.1
Alkalinity: 0 mg/L
Water temperature: 18.8°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	pH	3.2	pH	GE
1	pH	3.2	pH	GE
1	Specific conductance	1730	µS/cm	GE
1	Specific conductance	1700	µS/cm	GE
0	Antimony	< 3.0	µg/L	GE
0	Antimony	< 3.0	µg/L	GE
0	Arsenic	< 2.0	µg/L	GE
0	Arsenic	< 2.0	µg/L	GE
1	Barium	385	µg/L	GE
1	Barium	393	µg/L	GE
0	Benzene	< 1.0	µg/L	GE
0	Benzene	< 1.0	µg/L	GE
0	Bromodichloromethane	< 1.0	µg/L	GE
0	Bromodichloromethane	< 1.0	µg/L	GE
0	Bromoform	< 1.0	µg/L	GE
0	Bromoform	< 1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	< 1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	< 1.0	µg/L	GE
1	Cadmium	3.5	µg/L	GE
1	Cadmium	3.8	µg/L	GE
0	Calcium	3030	µg/L	GE
0	Calcium	3090	µg/L	GE
0	Carbon tetrachloride	< 1.0	µg/L	GE
0	Carbon tetrachloride	< 1.0	µg/L	GE
0	Chloride	< 1000	µg/L	GE
0	Chloride	< 1000	µg/L	GE
0	Chlorobenzene	< 1.0	µg/L	GE
0	Chlorobenzene	< 1.0	µg/L	GE
0	Chloroethane	< 1.0	µg/L	GE
0	Chloroethane	< 1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	< 1.0	µg/L	GE

ANALYTICAL RESULTS

WELL F8B 79 collected on 01/28/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Chloroethene (Vinyl chloride)	< 1.0	µg/L	GE
0	Chloroform	< 1.0	µg/L	GE
0	Chloroform	< 1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	< 1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	< 1.0	µg/L	GE
1	Chromium	8.4	µg/L	GE
1	Chromium	8.0	µg/L	GE
0	cis-1,3-Dichloropropene	< 1.0	µg/L	GE
0	cis-1,3-Dichloropropene	< 1.0	µg/L	GE
1	Cobalt	203	µg/L	GE
1	Cobalt	203	µg/L	GE
1	Copper	85	µg/L	GE
1	Copper	57	µg/L	GE
0	Cyanide	< 5.0	µg/L	GE
0	Cyanide	< 5.0	µg/L	GE
0	Dibromochloromethane	< 1.0	µg/L	GE
0	Dibromochloromethane	< 1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	< 1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	< 1.0	µg/L	GE
0	Endrin	< 0.10	µg/L	GE
0	Endrin	< 0.10	µg/L	GE
0	Ethylbenzene	< 1.0	µg/L	GE
0	Ethylbenzene	< 1.0	µg/L	GE
1	Fluoride	970	µg/L	GE
1	Fluoride	940	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	< 0.050	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	< 0.050	µg/L	GE
1	Iron	220	µg/L	GE
1	Iron	228	µg/L	GE
0	Lead	< 8.0	µg/L	GE
0	Lead	8.9	µg/L	GE
0	Magnesium	1510	µg/L	GE
0	Magnesium	1560	µg/L	GE
2	Manganese	3050	µg/L	GE
2	Manganese	3080	µg/L	GE
1	Mercury	0.51	µg/L	GE
1	Mercury	0.51	µg/L	GE
0	Methoxychlor	< 0.50	µg/L	GE
0	Methoxychlor	< 0.50	µg/L	GE
1	Nickel	40	µg/L	GE
1	Nickel	42	µg/L	GE
2	Nitrate as nitrogen	276000	µg/L	GE
2	Nitrate as nitrogen	194000	µg/L	GE
0	Phenols	< 5.0	µg/L	GE
0	Phenols	< 5.0	µg/L	GE
0	Potassium	1530	µg/L	GE
0	Potassium	1580	µg/L	GE
0	Selenium	< 2.0	µg/L	GE
0	Selenium	< 2.0	µg/L	GE
1	Silica	89400	µg/L	GE
1	Silica	91400	µg/L	GE
0	Silver	< 2.0	µg/L	GE
0	Silver	< 2.0	µg/L	GE
1	Sodium	87700	µg/L	GE
1	Sodium	88700	µg/L	GE
1	Sulfate	62700	µg/L	GE
1	Sulfate	63700	µg/L	GE
0	Tetrachloroethylene	< 1.0	µg/L	GE
0	Tetrachloroethylene	< 1.0	µg/L	GE
0	Thallium	< 2.0	µg/L	GE
0	Thallium	< 2.0	µg/L	GE
0	Toluene	< 1.0	µg/L	GE
0	Toluene	< 1.0	µg/L	GE
0	Total dissolved solids	772000	µg/L	GE
0	Total dissolved solids	791000	µg/L	GE
0	Total organic carbon	1000	µg/L	GE
0	Total organic carbon	< 1000	µg/L	GE
0	Total organic halogens	< 5.0	µg/L	GE
0	Total organic halogens	< 5.0	µg/L	GE
0	Total phosphates	< 50	µg/L	GE
0	Total phosphates	< 50	µg/L	GE
0	Toxaphene	< 1.0	µg/L	GE
0	Toxaphene	< 1.0	µg/L	GE
0	trans-1,2-Dichloroethene	< 1.0	µg/L	GE
0	trans-1,2-Dichloroethene	< 1.0	µg/L	GE
0	trans-1,3-Dichloropropene	< 1.0	µg/L	GE
0	trans-1,3-Dichloropropene	< 1.0	µg/L	GE
0	Trichloroethylene	< 1.0	µg/L	GE
0	Trichloroethylene	< 1.0	µg/L	GE
0	Trichlorofluoromethane	< 1.0	µg/L	GE
0	Trichlorofluoromethane	< 1.0	µg/L	GE
1	Uranium	1240	µg/L	GE
1	Uranium	1300	µg/L	GE
0	Vanadium	< 20	µg/L	GE
0	Vanadium	< 20	µg/L	GE
0	Zinc	147	µg/L	GE
0	Zinc	148	µg/L	GE
0	1,1-Dichloroethane	< 1.0	µg/L	GE
0	1,1-Dichloroethane	< 1.0	µg/L	GE

WELL F8B 79 collected on 01/28/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	1,1-Dichloroethylene	< 1.0	µg/L	GE
0	1,1-Dichloroethylene	< 1.0	µg/L	GE
0	1,1,1-Trichloroethane	< 1.0	µg/L	GE
0	1,1,1-Trichloroethane	< 1.0	µg/L	GE
0	1,1,2-Trichloroethane	< 1.0	µg/L	GE
0	1,1,2-Trichloroethane	< 1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	< 1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	< 1.0	µg/L	GE
0	1,2-Dichloroethane	< 1.0	µg/L	GE
0	1,2-Dichloroethane	< 1.0	µg/L	GE
0	1,2-Dichloropropene	< 1.0	µg/L	GE
0	1,2-Dichloropropene	< 1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	< 1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	< 1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	< 0.30	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	< 0.30	µg/L	GE
0	2,4,5-TP (Silvex)	< 0.090	µg/L	GE
0	2,4,5-TP (Silvex)	< 0.090	µg/L	GE
1	Americium-241	12 ± 2.0	pCi/L	TE
1	Americium-243	15 ± 2.0	pCi/L	TE
0	Barium-140	< 30	pCi/L	TE
0	Beryllium-7	< 40	pCi/L	TE
1	Carbon-14	39 ± 5.0	pCi/L	TE
0	Cerium-141	< 10	pCi/L	TE
0	Cerium-144	< 30	pCi/L	TE
0	Cesium-134	< 4.0	pCi/L	TE
0	Cesium-137	< 4.0	pCi/L	TE
0	Cobalt-60	< 4.0	pCi/L	TE
1	Cobalt-60	13 ± 4.1	pCi/L	TE
0	Curium-242	< 0.30	pCi/L	TE
1	Curium-243/244	8.8 ± 2.1	pCi/L	TE
1	Curium-246	9.3 ± 1.7	pCi/L	TE
2	Gross alpha	183 ± 20	pCi/L	GE
2	Gross alpha	183 ± 10	pCi/L	GE
2	Gross alpha	130 ± 20	pCi/L	TE
1	Iodine-129	48 ± 3.0	pCi/L	TE
0	Iodine-131	< 80	pCi/L	TE
0	Iron-55	< 30	pCi/L	TE
0	Iron-59	< 10	pCi/L	TE
0	Manganese-54	< 3.0	pCi/L	TE
0	Neptunium-237	< 8.0	pCi/L	TE
0	Nickel-59	< 60	pCi/L	TE
1	Nickel-63	14 ± 8.0	pCi/L	TE
2	Nonvolatile beta	596 ± 20	pCi/L	GE
2	Nonvolatile beta	594 ± 20	pCi/L	GE
2	Nonvolatile beta	1800 ± 100	pCi/L	TE
0	Plutonium-238	< 0.50	pCi/L	TE
0	Plutonium-239/240	< 0.20	pCi/L	TE
0	Plutonium-242	< 0.20	pCi/L	TE
0	Potassium-40	< 50	pCi/L	TE
0	Radium-226	< 80	pCi/L	TE
1	Radium-226	29 ± 3.0	pCi/L	TE
1	Radium-228	20 ± 6.0	pCi/L	TE
0	Ruthenium-103	< 8.0	pCi/L	TE
0	Ruthenium-106	< 30	pCi/L	TE
0	Strontium-89	< 40	pCi/L	TE
1	Strontium-90	380 ± 10	pCi/L	TE
1	Technetium-99	100 ± 10	pCi/L	TE
0	Thorium-228	< 6.0	pCi/L	TE
1	Thorium-228	58 ± 7.0	pCi/L	TE
1	Thorium-230	58 ± 7.0	pCi/L	TE
1	Thorium-232	2 ± 1.3	pCi/L	TE
1	Total activity	21000 ± 110	pCi/mL	EM
2	Total radium	55 ± 10	pCi/L	GE
2	Total radium	33 ± 8.8	pCi/L	GE
2	Tritium	14700 ± 10	pCi/mL	GE
2	Tritium	14300 ± 10	pCi/mL	GE
2	Tritium	1800 ± 100	pCi/mL	TE
1	Uranium-234	120 ± 10	pCi/L	TE
1	Uranium-235	5.3 ± 0.80	pCi/L	TE
1	Uranium-238	310 ± 10	pCi/L	TE
0	Zinc-65	< 9.0	pCi/L	TE
0	Zirconium-95	< 8.0	pCi/L	TE

ANALYTICAL RESULTS

WELL FSB 79A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/09/90
Depth to water: 61.27 ft (18.68 m) below TOC
Water elevation: 156.83 ft (47.80 m) msl
Sp. conductance: 118 µS/cm
Water evacuated before sampling: 381 gal

Time: 10:45
pH: 8.2
Alkalinity: 21 mg/L
Water temperature: 17.5°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	8.5	pH	GE
0	Specific conductance	81	µS/cm	GE
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	15	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
1	Calcium	13200	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	2200	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
1	Dichloromethane (Methylene chloride)	22	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	130	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	4.5	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	518	µg/L	GE
0	Manganese	<2.0	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	160	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	844	µg/L	GE
0	Selenium	<2.0	µg/L	GE
1	Silica	19800	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	1790	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Thallium	<2.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	192000	µg/L	GE
0	Total organic carbon	2000	µg/L	GE
1	Total organic halogens	14	µg/L	GE
0	Total phosphates	190	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	<2.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Americium-241	<0.20	pCi/L	TE
0	Americium-243	<0.20	pCi/L	TE
0	Barium-140	<10	pCi/L	TE
0	Beryllium-7	<40	pCi/L	TE
1	Carbon-14	8.7 ± 3.9	pCi/L	TE
0	Cerium-141	<10	pCi/L	TE
0	Cerium-144	<30	pCi/L	TE
0	Cesium-134	<4.0	pCi/L	TE

WELL FSB 79A collected on 01/09/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Cesium-137	<5.0	pCi/L	TE
0	Cobalt-58	<5.0	pCi/L	TE
0	Cobalt-60	<4.0	pCi/L	TE
0	Curium-242	<0.10	pCi/L	TE
1	Curium-243/244	0.58 ± 0.28	pCi/L	TE
1	Curium-246	2.0 ± 0.30	pCi/L	TE
0	Gross alpha	<3.0	pCi/L	GE
0	Gross alpha	<1.0	pCi/L	TE
0	Iodine-129	<1.0	pCi/L	TE
0	Iodine-131	<20	pCi/L	TE
0	Iron-55	<60	pCi/L	TE
0	Iron-59	<10	pCi/L	TE
0	Manganese-54	<4.0	pCi/L	TE
0	Nickel-59	<90	pCi/L	TE
0	Nickel-63	<10	pCi/L	TE
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Nonvolatile beta	2.1 ± 1.2	pCi/L	TE
0	Plutonium-238	<0.10	pCi/L	TE
0	Plutonium-239/240	<0.090	pCi/L	TE
0	Plutonium-242	<0.080	pCi/L	TE
0	Potassium-40	<100	pCi/L	TE
0	Radium-226	<80	pCi/L	TE
0	Radium-228	<1.0	pCi/L	TE
0	Radium-228	<2.0	pCi/L	TE
0	Ruthenium-103	<8.0	pCi/L	TE
0	Ruthenium-106	<40	pCi/L	TE
0	Strontium-89	<6.0	pCi/L	TE
0	Strontium-90	<1.0	pCi/L	TE
0	Technetium-99	<4.0	pCi/L	TE
0	Thorium-228	<7.0	pCi/L	TE
0	Thorium-228	<1.0	pCi/L	TE
1	Thorium-230	1.2 ± 0.80	pCi/L	TE
0	Thorium-232	<0.40	pCi/L	TE
0	Total radium	<1.0	pCi/L	GE
1	Tritium	12 ± 0.47	pCi/mL	GE
1	Tritium	18 ± 2.0	pCi/mL	TE
1	Uranium-234	2.9 ± 0.90	pCi/L	TE
0	Uranium-235	<0.30	pCi/L	TE
0	Uranium-238	<0.20	pCi/L	TE
0	Zinc-65	<10	pCi/L	TE
0	Zirconium-95	<5.0	pCi/L	TE

WELL FSB 79B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/13/90
Depth to water: 61.33 ft (18.69 m) below TOC
Water elevation: 156.87 ft (47.81 m) msl
Sp. conductance: 158 µS/cm
Water evacuated before sampling: 204 gal

Time: 11:30
pH: 7.1
Alkalinity: 65 mg/L
Water temperature: 17.0°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	pH	7.1	pH	MT
1	pH	7.0	pH	GE
1	Specific conductance	158	µS/cm	MT
1	Specific conductance	140	µS/cm	GE
0	Antimony	<3.0	µg/L	MT
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<3.0	µg/L	MT
0	Arsenic	<2.0	µg/L	GE
0	Barium	27	µg/L	MT
0	Barium	25	µg/L	GE
0	Benzene	<5.0	µg/L	MT
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<5.0	µg/L	MT
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<5.0	µg/L	MT
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<10	µg/L	MT
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<3.0	µg/L	MT
0	Cadmium	<2.0	µg/L	GE
1	Calcium	28800	µg/L	MT
1	Calcium	24400	µg/L	GE
0	Carbon tetrachloride	<5.0	µg/L	MT
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	2200	µg/L	MT
0	Chloride	1900	µg/L	GE
0	Chlorobenzene	<5.0	µg/L	MT
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<10	µg/L	MT
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE

ANALYTICAL RESULTS

WELL FSB 79B collected on 01/13/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Chloroform	<5.0	µg/L	MT
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	MT
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<3.0	µg/L	MT
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<5.0	µg/L	MT
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<15	µg/L	MT
0	Cobalt	<4.0	µg/L	GE
0	Copper	<7.0	µg/L	MT
0	Copper	<4.0	µg/L	GE
0	Cyanide	<5.0	µg/L	MT
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<5.0	µg/L	MT
0	Dibromochloromethane	<1.0	µg/L	GE
1	Dichloromethane (Methylene chloride)	2.0	µg/L	MT
1	Dichloromethane (Methylene chloride)	2.0	µg/L	GE
0	Endrin	<0.0060	µg/L	MT
2	Endrin	1.3	µg/L	GE
0	Ethylbenzene	<5.0	µg/L	MT
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<250	µg/L	MT
0	Fluoride	130	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.0050	µg/L	MT
2	gamma-Benzene hexachloride (Lindane)	5.6	µg/L	GE
0	Iron	<6.0	µg/L	MT
0	Iron	13	µg/L	GE
0	Lead	<3.0	µg/L	MT
0	Lead	<6.0	µg/L	GE
0	Magnesium	595	µg/L	MT
0	Magnesium	533	µg/L	GE
0	Manganese	<2.0	µg/L	MT
0	Manganese	<2.0	µg/L	GE
0	Mercury	<0.20	µg/L	MT
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	MT
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<5.2	µg/L	MT
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	730	µg/L	MT
0	Nitrate as nitrogen	770	µg/L	GE
0	Phenols	<5.0	µg/L	MT
0	Phenols	<5.0	µg/L	GE
0	Potassium	<1620	µg/L	MT
0	Potassium	612	µg/L	GE
0	Selenium	<3.0	µg/L	MT
0	Selenium	<2.0	µg/L	GE
0	Silica	2580	µg/L	GE
1	Silica	24400	µg/L	GE
1	Silica	24600	µg/L	MT
0	Silver	<2.0	µg/L	MT
0	Silver	<2.0	µg/L	GE
0	Sodium	1730	µg/L	MT
0	Sodium	1880	µg/L	GE
0	Sulfate	2400	µg/L	MT
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<5.0	µg/L	MT
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Thallium	<3.0	µg/L	MT
0	Thallium	<2.0	µg/L	GE
0	Toluene	<5.0	µg/L	MT
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	68000	µg/L	MT
0	Total dissolved solids	117000	µg/L	GE
0	Total organic carbon	<1000	µg/L	MT
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	MT
0	Total organic halogens	<5.0	µg/L	GE
1	Total phosphates	509	µg/L	MT
1	Total phosphates	430	µg/L	GE
0	Toxaphene	<0.24	µg/L	MT
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<5.0	µg/L	MT
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<5.0	µg/L	MT
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<5.0	µg/L	MT
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<5.0	µg/L	MT
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<84	µg/L	MT
0	Uranium	<1000	µg/L	GE
0	Vanadium	<3.0	µg/L	MT
0	Vanadium	<20	µg/L	GE
0	Zinc	57	µg/L	MT
0	Zinc	9.0	µg/L	GE
0	1,1-Dichloroethane	<5.0	µg/L	MT
0	1,1-Dichloroethane	<1.0	µg/L	GE

WELL FSB 79B collected on 01/13/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	1,1-Dichloroethylene	<5.0	µg/L	MT
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<5.0	µg/L	MT
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<5.0	µg/L	MT
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<5.0	µg/L	MT
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<5.0	µg/L	MT
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<5.0	µg/L	MT
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<5.0	µg/L	MT
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.46	µg/L	MT
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.070	µg/L	MT
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Americium-241	<0.10	pCi/L	TE
0	Americium-243	<0.20	pCi/L	TE
0	Barium-140	<10	pCi/L	TE
0	Beryllium-7	<40	pCi/L	TE
1	Carbon-14	8.8±3.9	pCi/L	TE
0	Cerium-141	<10	pCi/L	TE
0	Cerium-144	<40	pCi/L	TE
0	Cesium-134	<4.0	pCi/L	TE
0	Cesium-137	<5.0	pCi/L	TE
0	Cobalt-58	<5.0	pCi/L	TE
0	Cobalt-60	<4.0	pCi/L	TE
0	Curium-242	<0.10	pCi/L	TE
0	Curium-243/244	<0.30	pCi/L	TE
0	Curium-246	<0.10	pCi/L	TE
0	Gross alpha	<3.0	pCi/L	MT
0	Gross alpha	<3.0	pCi/L	GE
0	Gross alpha	<2.0	pCi/L	TE
0	Iodine-129	<2.0	pCi/L	TE
0	Iodine-131	<20	pCi/L	TE
0	Iron-55	<70	pCi/L	TE
0	Iron-59	<10	pCi/L	TE
0	Manganese-54	<4.0	pCi/L	TE
0	Nickel-58	<70	pCi/L	TE
0	Nickel-63	<10	pCi/L	TE
0	Nonvolatile beta	<5.0	pCi/L	MT
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Nonvolatile beta	<2.0	pCi/L	TE
0	Plutonium-238	<0.10	pCi/L	TE
0	Plutonium-239/240	<0.080	pCi/L	TE
0	Plutonium-242	<0.050	pCi/L	TE
0	Potassium-40	<90	pCi/L	TE
0	Radium-226	<100	pCi/L	TE
1	Radium-226	1.0±0.50	pCi/L	TE
0	Radium-228	<2.0	pCi/L	TE
0	Ruthenium-103	<6.0	pCi/L	TE
0	Ruthenium-106	<40	pCi/L	TE
0	Strontium-89	<4.0	pCi/L	TE
0	Strontium-90	<2.0	pCi/L	TE
0	Technetium-99	<3.0	pCi/L	TE
0	Thorium-228	<9.0	pCi/L	TE
1	Thorium-228	2.7±0.70	pCi/L	TE
1	Thorium-230	11±1.0	pCi/L	TE
1	Thorium-232	1.4±0.50	pCi/L	TE
0	Total radium	<1.0	pCi/L	MT
0	Total radium	1.1±2.0	pCi/L	GE
1	Tritium	12±2.0	pCi/mL	MT
1	Tritium	13±0.50	pCi/mL	GE
1	Tritium	13±1.0	pCi/mL	TE
0	Uranium-234	<1.0	pCi/L	TE
0	Uranium-235	<0.90	pCi/L	TE
0	Uranium-238	<1.0	pCi/L	TE
0	Zinc-65	<9.0	pCi/L	TE
0	Zirconium-95	<5.0	pCi/L	TE

ANALYTICAL RESULTS

WELL FSB 79B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/13/90
 Depth to water: 81.33 ft (18.69 m) below TOC
 Water elevation: 156.87 ft (47.81 m) msl
 Sp. conductance: 156 µS/cm
 Water evacuated before sampling: 204 gal
 Time: 11:30
 pH: 7.1
 Alkalinity: 65 mg/L
 Water temperature: 17.0°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	pH	7.1	pH	MT
1	pH	7.3	pH	GE
1	Specific conductance	159	µS/cm	MT
1	Specific conductance	140	µS/cm	GE
0	Antimony	<3.0	µg/L	MT
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<3.0	µg/L	MT
0	Arsenic	<2.0	µg/L	GE
0	Barium	26	µg/L	MT
0	Barium	24	µg/L	GE
0	Benzene	<5.0	µg/L	MT
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<5.0	µg/L	MT
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<5.0	µg/L	MT
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<10	µg/L	MT
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<3.0	µg/L	MT
0	Cadmium	<2.0	µg/L	GE
1	Calcium	28200	µg/L	MT
1	Calcium	23500	µg/L	GE
0	Carbon tetrachloride	<5.0	µg/L	MT
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	2200	µg/L	MT
0	Chloride	2100	µg/L	MT
0	Chloride	2000	µg/L	GE
0	Chlorobenzene	<5.0	µg/L	MT
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<10	µg/L	MT
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethane (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<5.0	µg/L	MT
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<10	µg/L	MT
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<3.0	µg/L	MT
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<5.0	µg/L	MT
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<15	µg/L	MT
0	Cobalt	<4.0	µg/L	GE
0	Copper	<7.0	µg/L	MT
0	Copper	<4.0	µg/L	GE
0	Cyanide	<5.0	µg/L	MT
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<5.0	µg/L	MT
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<5.0	µg/L	MT
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.0060	µg/L	MT
2	Endrin	1.8	µg/L	GE
0	Ethylbenzene	<5.0	µg/L	MT
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<250	µg/L	MT
0	Fluoride	<250	µg/L	MT
0	Fluoride	150	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.0050	µg/L	MT
1	gamma-Benzene hexachloride (Lindane)	1.5	µg/L	GE
0	Iron	9.2	µg/L	MT
0	Iron	15	µg/L	GE
0	Lead	<3.0	µg/L	MT
0	Lead	<8.0	µg/L	GE
0	Magnesium	596	µg/L	MT
0	Magnesium	522	µg/L	GE
0	Manganese	<2.0	µg/L	MT
0	Manganese	<2.0	µg/L	GE
0	Mercury	<0.20	µg/L	MT
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	MT
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<5.2	µg/L	MT
0	Nickel	<5.2	µg/L	MT
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	770	µg/L	MT
0	Nitrate as nitrogen	750	µg/L	MT
0	Nitrate as nitrogen	710	µg/L	GE

WELL FSB 79B collected on 01/13/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Phenols	<5.0	µg/L	MT
0	Phenols	<5.0	µg/L	GE
0	Potassium	2290	µg/L	MT
0	Potassium	545	µg/L	GE
0	Selenium	<3.0	µg/L	MT
0	Selenium	<2.0	µg/L	GE
0	Silica	2500	µg/L	GE
1	Silica	23100	µg/L	GE
1	Silica	24000	µg/L	MT
0	Silver	<2.0	µg/L	MT
0	Silver	<2.0	µg/L	MT
0	Silver	<2.0	µg/L	GE
0	Sodium	1890	µg/L	MT
0	Sodium	1740	µg/L	GE
0	Sulfate	2400	µg/L	MT
0	Sulfate	2400	µg/L	MT
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<5.0	µg/L	MT
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Thallium	<3.0	µg/L	MT
0	Thallium	<2.0	µg/L	GE
0	Toluene	<5.0	µg/L	MT
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	106000	µg/L	MT
0	Total dissolved solids	117000	µg/L	GE
0	Total organic carbon	<1000	µg/L	MT
0	Total organic carbon	<1000	µg/L	MT
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	MT
0	Total organic halogens	<5.0	µg/L	GE
1	Total phosphates	512	µg/L	MT
1	Total phosphates	500	µg/L	GE
0	Toxaphene	<0.24	µg/L	MT
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<5.0	µg/L	MT
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<5.0	µg/L	MT
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<5.0	µg/L	MT
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<5.0	µg/L	MT
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<84	µg/L	MT
0	Uranium	<1000	µg/L	GE
0	Vanadium	<3.0	µg/L	MT
0	Vanadium	<20	µg/L	GE
0	Zinc	55	µg/L	MT
0	Zinc	5.0	µg/L	GE
0	1,1-Dichloroethane	<5.0	µg/L	MT
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<5.0	µg/L	MT
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<5.0	µg/L	MT
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<5.0	µg/L	MT
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<5.0	µg/L	MT
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<5.0	µg/L	MT
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<5.0	µg/L	MT
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<5.0	µg/L	MT
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.48	µg/L	MT
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.070	µg/L	MT
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	<3.0	pCi/L	MT
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	<5.0	pCi/L	MT
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Total radium	1.3±0.40	pCi/L	MT
0	Total radium	1.7±0.60	pCi/L	MT
0	Total radium	1.2±2.0	pCi/L	GE
1	Tritium	12±2.0	pCi/mL	MT
1	Tritium	14±0.50	pCi/mL	GE

ANALYTICAL RESULTS

WELL FSB 79C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/09/90
 Depth to water: 21.86 ft (6.66 m) below TOC
 Water elevation: 196.54 ft (59.91 m) msl
 Sp. conductance: 1388 µS/cm
 Water evacuated before sampling: 122 gal

Time: 18:05
 pH: 3.5
 Alkalinity: 0 mg/L
 Water temperature: 18.1°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	Specific conductance	1440	µS/cm	GE
1	Americium-241	8.9±2.0	pCi/L	TE
1	Americium-243	11±2.0	pCi/L	TE
0	Barium-140	<20	pCi/L	TE
0	Beryllium-7	<40	pCi/L	TE
1	Carbon-14	60±5.0	pCi/L	TE
0	Cerium-141	<10	pCi/L	TE
0	Cerium-144	<30	pCi/L	TE
0	Cesium-134	<3.0	pCi/L	TE
0	Cesium-137	<3.0	pCi/L	TE
0	Cobalt-58	<4.0	pCi/L	TE
0	Cobalt-60	5.1±3.0	pCi/L	TE
1	Curium-242	2.0±1.3	pCi/L	TE
1	Curium-243/244	12±3.0	pCi/L	TE
1	Curium-248	6.7±1.8	pCi/L	TE
2	Gross alpha	460±30	pCi/L	TE
1	Iodine-129	36±3.0	pCi/L	TE
0	Iodine-131	<90	pCi/L	TE
0	Iron-55	<30	pCi/L	TE
0	Iron-59	<9.0	pCi/L	TE
0	Manganese-54	<3.0	pCi/L	TE
0	Nickel-59	<100	pCi/L	TE
0	Nickel-63	<10	pCi/L	TE
2	Nonvolatile beta	5500±100	pCi/L	TE
0	Plutonium-238	<0.20	pCi/L	TE
0	Plutonium-239/240	<0.070	pCi/L	TE
0	Plutonium-242	<0.070	pCi/L	TE
0	Potassium-40	<50	pCi/L	TE
1	Radium-226	88±7.0	pCi/L	TE
0	Radium-228	<90	pCi/L	TE
1	Radium-228	42±8.0	pCi/L	TE
0	Ruthenium-103	<6.0	pCi/L	TE
0	Ruthenium-106	<30	pCi/L	TE
0	Strontium-89	<60	pCi/L	TE
1	Strontium-90	1400±100	pCi/L	TE
1	Technetium-99	210±10	pCi/L	TE
0	Thorium-228	<6.0	pCi/L	TE
0	Thorium-228	<0.20	pCi/L	TE
0	Thorium-230	<0.050	pCi/L	TE
1	Thorium-232	0.28±0.13	pCi/L	TE
1	Total activity	10800±70	pCi/mL	EM
2	Tritium	11000±1000	pCi/mL	TE
1	Uranium-234	280±10	pCi/L	TE
1	Uranium-235	11±2.0	pCi/L	TE
1	Uranium-238	330±10	pCi/L	TE
0	Zinc-65	<7.0	pCi/L	TE
0	Zirconium-95	<5.0	pCi/L	TE

WELL FSB 79C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/09/90
 Depth to water: 21.86 ft (6.66 m) below TOC
 Water elevation: 196.54 ft (59.91 m) msl
 Sp. conductance: 1388 µS/cm
 Water evacuated before sampling: 122 gal
 Note: This analysis is from an unfiltered sample.

Time: 18:05
 pH: 3.5
 Alkalinity: 0 mg/L
 Water temperature: 18.1°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
------	---------	--------	------	-----

1	Silica	22900	µg/L	GE
---	--------	-------	------	----

WELL FSB 79C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/28/90
 Depth to water: 22.02 ft (6.71 m) below TOC
 Water elevation: 196.38 ft (59.86 m) msl
 Sp. conductance: 1447 µS/cm
 Water evacuated before sampling: 121 gal

Time: 12:20
 pH: 3.3
 Alkalinity: 0 mg/L
 Water temperature: 18.3°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	pH	3.5	pH	GE
1	Specific conductance	1370	µS/cm	GE
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
2	Barium	597	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
2	Cadmium	35	µg/L	GE
1	Calcium	15700	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	2100	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
1	Cobalt	83	µg/L	GE
1	Copper	62	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
1	Fluoride	1300	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	28	µg/L	GE
0	Lead	<6.0	µg/L	GE
1	Magnesium	15000	µg/L	GE
2	Manganese	2130	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
1	Nickel	35	µg/L	GE
2	Nitrate as nitrogen	155000	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	2910	µg/L	GE
0	Selenium	<2.0	µg/L	GE
1	Silica	16600	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	114000	µg/L	GE
1	Sulfate	12800	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Thallium	<2.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	724000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
1	Total organic halogens	15	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
1	Uranium	1170	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	122	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
1	Americium-241	8.1±1.7	pCi/L	TE
1	Americium-243	9.0±1.8	pCi/L	TE
0	Barium-140	<40	pCi/L	TE
0	Beryllium-7	<50	pCi/L	TE
0	Cerium-141	<10	pCi/L	TE
0	Cerium-144	<30	pCi/L	TE
0	Cesium-134	<4.0	pCi/L	TE
0	Cesium-137	<4.0	pCi/L	TE

ANALYTICAL RESULTS

WELL FSB 79C collected on 01/28/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Cobalt-58	<5.0	pCi/L	TE
0	Cobalt-60	8.1 ± 3.2	pCi/L	TE
0	Curium-242	<1.0	pCi/L	TE
0	Curium-243/244	<2.0	pCi/L	TE
1	Curium-246	3.8 ± 1.3	pCi/L	TE
2	Gross alpha	338 ± 20	pCi/L	GE
2	Gross alpha	300 ± 20	pCi/L	TE
1	Iodine-129	35 ± 3.0	pCi/L	TE
0	Iodine-131	<100	pCi/L	TE
0	Iron-59	<10	pCi/L	TE
0	Manganese-54	<4.0	pCi/L	TE
0	Neptunium-237	<8.0	pCi/L	TE
2	Nonvolatile beta	1940 ± 30	pCi/L	GE
2	Nonvolatile beta	5300 ± 100	pCi/L	TE
0	Plutonium-238	<0.20	pCi/L	TE
0	Plutonium-239/240	<0.080	pCi/L	TE
0	Plutonium-242	<0.070	pCi/L	TE
0	Potassium-40	<60	pCi/L	TE
0	Radium-226	<100	pCi/L	TE
1	Radium-228	46 ± 5.0	pCi/L	TE
1	Radium-228	44 ± 7.0	pCi/L	TE
0	Ruthenium-103	<7.0	pCi/L	TE
0	Ruthenium-106	<40	pCi/L	TE
0	Strontium-89	<70	pCi/L	TE
1	Strontium-90	1700 ± 100	pCi/L	TE
0	Thorium-228	<8.0	pCi/L	TE
1	Thorium-228	150 ± 10	pCi/L	TE
1	Thorium-230	79 ± 10	pCi/L	TE
1	Thorium-232	9.0 ± 3.5	pCi/L	TE
1	Total activity	12800 ± 80	pCi/mL	EM
2	Total radium	133 ± 20	pCi/L	GE
2	Tritium	13300 ± 10	pCi/mL	GE
2	Tritium	1100 ± 100	pCi/mL	TE
1	Uranium-234	230 ± 10	pCi/L	TE
1	Uranium-235	8.4 ± 0.90	pCi/L	TE
1	Uranium-238	260 ± 10	pCi/L	TE
0	Zinc-65	<8.0	pCi/L	TE
0	Zirconium-95	<8.0	pCi/L	TE

WELL FSB 87A collected on 01/08/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	330	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	624	µg/L	GE
0	Selenium	<2.0	µg/L	GE
1	Silica	19300	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	1560	µg/L	GE
0	Sulfate	5700	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Thallium	<2.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	<1000	µg/L	GE
1	Total organic carbon	5000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	300	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	<2.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.080	µg/L	GE
1	Americium-241	0.19 ± 0.18	pCi/L	TE
0	Americium-243	<0.10	pCi/L	TE
0	Barium-140	<10	pCi/L	TE
0	Beryllium-7	<40	pCi/L	TE
0	Carbon-14	<8.0	pCi/L	TE
0	Cerium-141	<10	pCi/L	TE
0	Cerium-144	<30	pCi/L	TE
0	Cesium-134	<4.0	pCi/L	TE
0	Cesium-137	<4.0	pCi/L	TE
0	Cobalt-58	<4.0	pCi/L	TE
0	Cobalt-60	<4.0	pCi/L	TE
0	Curium-242	<0.20	pCi/L	TE
0	Curium-243/244	<0.40	pCi/L	TE
1	Curium-246	0.96 ± 0.28	pCi/L	TE
0	Gross alpha	<3.0	pCi/L	GE
0	Gross alpha	<1.0	pCi/L	TE
0	Iodine-129	<1.0	pCi/L	TE
0	Iodine-131	<20	pCi/L	TE
0	Iron-55	<30	pCi/L	TE
0	Iron-59	<8.0	pCi/L	TE
0	Manganese-54	<4.0	pCi/L	TE
0	Nickel-59	<80	pCi/L	TE
0	Nickel-63	<10	pCi/L	TE
0	Nonvolatile beta	2.4 ± 4.4	pCi/L	GE
0	Nonvolatile beta	<2.0	pCi/L	TE
0	Plutonium-238	<0.10	pCi/L	TE
0	Plutonium-239/240	<0.080	pCi/L	TE
0	Plutonium-242	<0.050	pCi/L	TE
0	Potassium-40	<80	pCi/L	TE
0	Radium-226	<1.0	pCi/L	TE
0	Radium-226	<90	pCi/L	TE
0	Radium-228	<2.0	pCi/L	TE
0	Ruthenium-103	<8.0	pCi/L	TE
0	Ruthenium-106	<40	pCi/L	TE
0	Strontium-89	<4.0	pCi/L	TE
0	Strontium-90	<2.0	pCi/L	TE
0	Technetium-99	<7.0	pCi/L	TE
0	Thorium-228	<8.0	pCi/L	TE
0	Thorium-228	<0.80	pCi/L	TE
1	Thorium-230	19 ± 2.0	pCi/L	TE
0	Thorium-232	<0.40	pCi/L	TE
0	Total radium	<1.0	pCi/L	GE
2	Tritium	21 ± 0.58	pCi/mL	GE
2	Tritium	22 ± 2.0	pCi/mL	TE
0	Uranium-234	<0.50	pCi/L	TE
0	Uranium-235	<0.30	pCi/L	TE
0	Uranium-238	<0.70	pCi/L	TE
0	Zinc-65	<8.0	pCi/L	TE
0	Zirconium-95	<4.0	pCi/L	TE

WELL FSB 87A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/08/90 Time: 16:10
 Depth to water: 134.71 ft (41.06 m) below TOC pH: 6.4
 Water elevation: 153.08 ft (46.68 m) msl Alkalinity: 33 mg/L
 Sp. conductance: 107 µS/cm Water temperature: 18.9°C
 Water evacuated before sampling: 312 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	pH	6.8	pH	GE
0	Specific conductance	98	µS/cm	GE
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	17	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
1	Calcium	15300	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	2400	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	7.9	µg/L	GE
0	Lead	<8.0	µg/L	GE
0	Magnesium	540	µg/L	GE
0	Manganese	<2.0	µg/L	GE
0	Mercury	<0.20	µg/L	GE

ANALYTICAL RESULTS

WELL FSB 87B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/06/90 Time: 15:30
 Depth to water: 137.80 ft (42.00 m) below TOC pH: 5.8
 Water elevation: 149.70 ft (45.63 m) msl Alkalinity: 6 mg/L
 Sp. conductance: 89 µS/cm Water temperature: 19.2°C
 Water evacuated before sampling: 155 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.9	pH	GE
0	Specific conductance	81	µS/cm	GE
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	<4.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	7120	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	2300	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	330	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	5.9	µg/L	GE
0	Lead	<8.0	µg/L	GE
0	Magnesium	412	µg/L	GE
0	Manganese	<2.0	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<4.0	µg/L	GE
1	Nitrate as nitrogen	3400	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Selenium	<2.0	µg/L	GE
1	Silica	11400	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	1870	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Thallium	<2.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	63000	µg/L	GE
0	Total organic carbon	2000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
1	Total phosphates	1000	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	<2.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Americium-241	<0.20	pCi/L	TE
1	Americium-243	0.50 ± 0.43	pCi/L	TE
0	Barium-140	<10	pCi/L	TE
0	Beryllium-7	<30	pCi/L	TE
0	Carbon-14	<7.0	pCi/L	TE
0	Cerium-141	<8.0	pCi/L	TE
0	Cerium-144	<20	pCi/L	TE
0	Cesium-134	<3.0	pCi/L	TE

WELL FSB 87B collected on 01/06/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Cesium-137	<3.0	pCi/L	TE
0	Cobalt-58	<3.0	pCi/L	TE
0	Cobalt-60	<3.0	pCi/L	TE
0	Curium-242	<0.20	pCi/L	TE
0	Curium-243/244	<0.40	pCi/L	TE
1	Curium-246	0.51 ± 0.23	pCi/L	TE
0	Gross alpha	<3.0	pCi/L	GE
0	Gross alpha	<1.0	pCi/L	TE
0	Iodine-129	<2.0	pCi/L	TE
0	Iodine-131	<20	pCi/L	TE
0	Iron-55	<70	pCi/L	TE
0	Iron-59	<7.0	pCi/L	TE
0	Manganese-54	<3.0	pCi/L	TE
0	Nickel-59	<100	pCi/L	TE
1	Nickel-63	31 ± 8.0	pCi/L	TE
0	Nonvolatile beta	8.7 ± 3.4	pCi/L	GE
0	Nonvolatile beta	5.6 ± 1.4	pCi/L	TE
0	Plutonium-238	<0.20	pCi/L	TE
0	Plutonium-239/240	<0.10	pCi/L	TE
0	Plutonium-242	<0.20	pCi/L	TE
0	Potassium-40	<50	pCi/L	TE
0	Radium-226	<1.0	pCi/L	TE
0	Radium-226	<70	pCi/L	TE
0	Radium-228	<3.0	pCi/L	TE
0	Ruthenium-103	<4.0	pCi/L	TE
0	Ruthenium-106	<20	pCi/L	TE
0	Strontium-89	<5.0	pCi/L	TE
0	Strontium-90	<0.80	pCi/L	TE
1	Technetium-99	8.2 ± 3.5	pCi/L	TE
0	Thorium-228	<8.0	pCi/L	TE
0	Thorium-228	<0.60	pCi/L	TE
1	Thorium-230	3.8 ± 0.90	pCi/L	TE
1	Thorium-232	1.3 ± 0.50	pCi/L	TE
0	Total radium	<1.0	pCi/L	GE
2	Tritium	81 ± 0.87	pCi/mL	GE
2	Tritium	59 ± 2.0	pCi/mL	TE
0	Uranium-234	<2.0	pCi/L	TE
0	Uranium-235	<0.80	pCi/L	TE
0	Uranium-238	<2.0	pCi/L	TE
0	Zinc-65	<8.0	pCi/L	TE
0	Zirconium-95	<3.0	pCi/L	TE

WELL FSB 87C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/06/90 Time: 16:30
 Depth to water: 80.86 ft (24.65 m) below TOC pH: 5.9
 Water elevation: 208.64 ft (62.98 m) msl Alkalinity: 7 mg/L
 Sp. conductance: 214 µS/cm Water temperature: 19.5°C
 Water evacuated before sampling: 150 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	6.0	pH	GE
1	Specific conductance	200	µS/cm	GE
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	33	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
1	Calcium	17000	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	2200	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	8.6	µg/L	GE
0	Lead	17	µg/L	GE

ANALYTICAL RESULTS

WELL FSB 87C collected on 01/08/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Magnesium	2680	µg/L	GE
0	Manganese	12	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<4.0	µg/L	GE
2	Nitrate as nitrogen	20400	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	9070	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	13800	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Thallium	<2.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	187000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	8.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	14	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropene	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Americium-241	<0.20	pCi/L	TE
0	Americium-243	<0.20	pCi/L	TE
0	Barium-140	<10	pCi/L	TE
0	Beryllium-7	<30	pCi/L	TE
1	Carbon-14	19 ± 4.0	pCi/L	TE
0	Cerium-141	<9.0	pCi/L	TE
0	Cerium-144	<30	pCi/L	TE
0	Cesium-134	<3.0	pCi/L	TE
0	Cesium-137	<3.0	pCi/L	TE
0	Cobalt-58	<3.0	pCi/L	TE
0	Cobalt-60	<4.0	pCi/L	TE
0	Curium-242	<0.10	pCi/L	TE
0	Curium-243/244	<0.30	pCi/L	TE
0	Curium-248	<0.10	pCi/L	TE
0	Gross alpha	<3.0	pCi/L	GE
0	Gross alpha	4.2 ± 2.2	pCi/L	TE
1	Iodine-129	1.8 ± 0.90	pCi/L	TE
0	Iodine-131	<20	pCi/L	TE
0	Iron-55	<300	pCi/L	TE
0	Iron-59	<8.0	pCi/L	TE
0	Manganese-54	<3.0	pCi/L	TE
0	Nickel-58	<70	pCi/L	TE
0	Nickel-63	<10	pCi/L	TE
0	Nonvolatile beta	2.5 ± 2.2	pCi/L	GE
1	Nonvolatile beta	16 ± 2.0	pCi/L	TE
0	Plutonium-238	<0.20	pCi/L	TE
0	Plutonium-239/240	<0.10	pCi/L	TE
0	Plutonium-242	<0.10	pCi/L	TE
0	Potassium-40	<60	pCi/L	TE
0	Radium-226	<70	pCi/L	TE
0	Radium-228	<1.0	pCi/L	TE
0	Radium-228	<2.0	pCi/L	TE
0	Ruthenium-103	<4.0	pCi/L	TE
0	Ruthenium-106	<30	pCi/L	TE
0	Strontium-89	<6.0	pCi/L	TE
0	Strontium-90	<1.0	pCi/L	TE
1	Technetium-99	17 ± 8.0	pCi/L	TE
0	Thorium-228	<6.0	pCi/L	TE
0	Thorium-228	<0.30	pCi/L	TE
1	Thorium-230	78 ± 5.0	pCi/L	TE
1	Thorium-232	1.1 ± 0.60	pCi/L	TE
1	Total activity	1220 ± 7.6	pCi/mL	EM
0	Total radium	<1.0	pCi/L	GE
2	Tritium	1330 ± 3.3	pCi/mL	GE
2	Tritium	1300 ± 100	pCi/mL	TE
1	Uranium-234	1.5 ± 0.70	pCi/L	TE
0	Uranium-235	<0.30	pCi/L	TE
1	Uranium-238	0.47 ± 0.42	pCi/L	TE
0	Zinc-65	<7.0	pCi/L	TE
0	Zirconium-95	<3.0	pCi/L	TE

WELL FSB 87D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/02/90
The well was dry.

Time: 14:55

WELL FSB 88C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/16/90
Depth to water: 72.94 ft (22.23 m) below TOC
Water elevation: 210.08 ft (64.03 m) msl
Sp. conductance: 59 µS/cm
Water evacuated before sampling: 135 gal

Time: 10:15
pH: 5.8
Alkalinity: 7 mg/L
Water temperature: 17.3°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.8	pH	MT
0	pH	5.7	pH	GE
0	Specific conductance	47	µS/cm	MT
0	Specific conductance	53	µS/cm	GE
0	Antimony	<3.0	µg/L	MT
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<3.0	µg/L	MT
0	Arsenic	<2.0	µg/L	GE
0	Barium	14	µg/L	MT
0	Barium	12	µg/L	GE
0	Benzene	<5.0	µg/L	MT
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<5.0	µg/L	MT
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<5.0	µg/L	MT
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<10	µg/L	MT
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<3.0	µg/L	MT
0	Cadmium	<2.0	µg/L	GE
0	Calcium	3860	µg/L	MT
0	Calcium	4210	µg/L	GE
0	Carbon tetrachloride	<5.0	µg/L	MT
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	3100	µg/L	MT
0	Chloride	4100	µg/L	GE
0	Chlorobenzene	<5.0	µg/L	MT
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<10	µg/L	MT
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<5.0	µg/L	MT
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<5.0	µg/L	MT
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<10	µg/L	MT
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<3.0	µg/L	MT
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<5.0	µg/L	MT
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<15	µg/L	MT
0	Cobalt	<4.0	µg/L	GE
0	Copper	<7.0	µg/L	MT
0	Copper	<4.0	µg/L	GE
0	Cyanide	<5.0	µg/L	MT
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<5.0	µg/L	MT
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<5.0	µg/L	MT
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.0060	µg/L	MT
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<5.0	µg/L	MT
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<250	µg/L	MT
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.0050	µg/L	MT
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	31	µg/L	MT
0	Iron	14	µg/L	GE
0	Lead	<3.0	µg/L	MT
0	Lead	<6.0	µg/L	GE
0	Magnesium	582	µg/L	MT
0	Magnesium	474	µg/L	GE
0	Manganese	11	µg/L	MT
0	Manganese	8.8	µg/L	GE
0	Mercury	<0.20	µg/L	MT

ANALYTICAL RESULTS

WELL FSB 88C collected on 01/16/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	MT
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<5.2	µg/L	MT
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	1700	µg/L	MT
0	Nitrate as nitrogen	2000	µg/L	GE
0	Phenols	<5.0	µg/L	MT
0	Phenols	<5.0	µg/L	GE
0	Potassium	<1820	µg/L	MT
0	Potassium	<500	µg/L	GE
0	Selenium	<3.0	µg/L	MT
0	Selenium	<2.0	µg/L	GE
0	Silica	505	µg/L	GE
0	Silica	8150	µg/L	MT
0	Silver	<2.0	µg/L	MT
0	Silver	<2.0	µg/L	GE
0	Sodium	3660	µg/L	MT
0	Sodium	3810	µg/L	GE
0	Sulfate	<1000	µg/L	MT
0	Sulfate	<5000	µg/L	GE
1	Tetrachloroethylene	4.0	µg/L	MT
2	Tetrachloroethylene	7.0	µg/L	GE
0	Thallium	<3.0	µg/L	MT
0	Thallium	<2.0	µg/L	GE
0	Toluene	<5.0	µg/L	MT
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	50000	µg/L	MT
0	Total dissolved solids	53000	µg/L	GE
0	Total dissolved solids	53000	µg/L	GE
0	Total organic carbon	<1000	µg/L	MT
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	MT
0	Total organic halogens	<5.0	µg/L	GE
0	Total organic halogens	9.0	µg/L	GE
0	Total phosphates	88	µg/L	MT
0	Total phosphates	50	µg/L	GE
0	Toxaphene	<0.24	µg/L	MT
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<5.0	µg/L	MT
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<5.0	µg/L	MT
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<5.0	µg/L	MT
1	Trichloroethylene	1.0	µg/L	GE
0	Trichlorofluoromethane	<5.0	µg/L	MT
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<84	µg/L	MT
0	Uranium	<1000	µg/L	GE
0	Vanadium	<3.0	µg/L	MT
0	Vanadium	<20	µg/L	GE
0	Zinc	42	µg/L	MT
0	Zinc	13	µg/L	GE
0	1,1-Dichloroethane	<5.0	µg/L	MT
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<5.0	µg/L	MT
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<5.0	µg/L	MT
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<5.0	µg/L	MT
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<5.0	µg/L	MT
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<5.0	µg/L	MT
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<5.0	µg/L	MT
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<5.0	µg/L	MT
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.48	µg/L	MT
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.070	µg/L	MT
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	<3.0	pCi/L	MT
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	<5.0	pCi/L	MT
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Total radium	<1.0	pCi/L	MT
0	Total radium	<1.0	pCi/L	GE
2	Tritium	24 ± 3.0	pCi/mL	MT
2	Tritium	25 ± 0.60	pCi/mL	GE

WELL FSB 88C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/16/90 Time: 10:15
 Depth to water: 72.94 ft (22.23 m) below TOC pH: 5.6
 Water elevation: 210.06 ft (64.03 m) msl Alkalinity: 7 mg/L
 Sp. conductance: 59 µS/cm Water temperature: 17.3°C
 Water evacuated before sampling: 135 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.7	pH	MT
0	pH	4.5	pH	GE
0	pH	4.6	pH	GE
0	Specific conductance	48	µS/cm	MT
0	Specific conductance	54	µS/cm	GE
0	Specific conductance	54	µS/cm	GE
0	Antimony	<3.0	µg/L	MT
0	Antimony	<3.0	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<3.0	µg/L	MT
0	Arsenic	<2.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	13	µg/L	MT
0	Barium	12	µg/L	GE
0	Barium	12	µg/L	GE
0	Benzene	<5.0	µg/L	MT
0	Benzene	<1.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<5.0	µg/L	MT
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromofom	<5.0	µg/L	MT
0	Bromofom	<1.0	µg/L	GE
0	Bromofom	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	MT
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<3.0	µg/L	MT
0	Cadmium	<2.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	3770	µg/L	MT
0	Calcium	3970	µg/L	GE
0	Calcium	4100	µg/L	GE
0	Carbon tetrachloride	<5.0	µg/L	MT
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	100	µg/L	MT
0	Chloride	3200	µg/L	GE
0	Chloride	3100	µg/L	GE
0	Chlorobenzene	<5.0	µg/L	MT
0	Chlorobenzene	<1.0	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	MT
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<5.0	µg/L	MT
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<5.0	µg/L	MT
0	Chloroform	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	MT
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<3.0	µg/L	MT
0	Chromium	<4.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<5.0	µg/L	MT
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<15	µg/L	MT
0	Cobalt	<4.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Copper	<7.0	µg/L	MT
0	Copper	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Cyanide	<5.0	µg/L	MT
0	Cyanide	<5.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<5.0	µg/L	MT
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<5.0	µg/L	MT
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.0060	µg/L	MT
0	Endrin	<0.10	µg/L	GE

ANALYTICAL RESULTS

WELL FSB 88C collected on 01/16/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<5.0	µg/L	MT
0	Ethylbenzene	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<250	µg/L	MT
0	Fluoride	<100	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.0050	µg/L	MT
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	12	µg/L	MT
0	Iron	12	µg/L	GE
0	Iron	14	µg/L	GE
0	Lead	<3.0	µg/L	MT
0	Lead	<8.0	µg/L	GE
0	Lead	<8.0	µg/L	GE
0	Magnesium	519	µg/L	MT
0	Magnesium	449	µg/L	GE
0	Magnesium	453	µg/L	GE
0	Manganese	9.9	µg/L	MT
0	Manganese	8.0	µg/L	GE
0	Manganese	8.3	µg/L	GE
0	Mercury	<0.20	µg/L	MT
2	Mercury	1.1	µg/L	GE
2	Mercury	1.2	µg/L	GE
0	Methoxychlor	<0.50	µg/L	MT
0	Methoxychlor	<0.50	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<5.2	µg/L	MT
0	Nickel	<4.0	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	1700	µg/L	MT
0	Nitrate as nitrogen	1800	µg/L	GE
0	Nitrate as nitrogen	1800	µg/L	GE
0	Phenols	<5.0	µg/L	MT
1	Phenols	22	µg/L	GE
1	Phenols	22	µg/L	GE
0	Potassium	2150	µg/L	MT
0	Potassium	<500	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Selenium	<3.0	µg/L	MT
0	Selenium	<2.0	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	7800	µg/L	GE
0	Silica	8110	µg/L	GE
0	Silica	7950	µg/L	MT
0	Silver	<2.0	µg/L	MT
0	Silver	<2.0	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	3560	µg/L	MT
0	Sodium	3480	µg/L	GE
0	Sodium	3650	µg/L	GE
0	Sulfate	<1000	µg/L	MT
0	Sulfate	<5000	µg/L	GE
0	Sulfate	<5000	µg/L	GE
1	Tetrachloroethylene	4.0	µg/L	MT
2	Tetrachloroethylene	6.0	µg/L	GE
2	Tetrachloroethylene	6.0	µg/L	GE
0	Thallium	<3.0	µg/L	MT
0	Thallium	<2.0	µg/L	GE
0	Thallium	<2.0	µg/L	GE
0	Toluene	<5.0	µg/L	MT
0	Toluene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	29000	µg/L	MT
0	Total dissolved solids	48000	µg/L	GE
0	Total dissolved solids	51000	µg/L	GE
0	Total organic carbon	<1000	µg/L	MT
0	Total organic carbon	<1000	µg/L	MT
0	Total organic carbon	<1000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	5.1	µg/L	MT
0	Total organic halogens	7.0	µg/L	GE
0	Total organic halogens	7.0	µg/L	GE
0	Total phosphates	56	µg/L	MT
0	Total phosphates	70	µg/L	GE
0	Total phosphates	70	µg/L	GE
0	Toxaphene	<0.24	µg/L	MT
0	Toxaphene	<1.0	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<5.0	µg/L	MT
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<5.0	µg/L	MT
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<5.0	µg/L	MT
1	Trichloroethylene	1.0	µg/L	GE
1	Trichloroethylene	1.0	µg/L	GE

WELL FSB 88C collected on 01/16/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Trichlorofluoromethane	<5.0	µg/L	MT
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<84	µg/L	MT
0	Uranium	<1000	µg/L	GE
0	Uranium	<1000	µg/L	GE
1	Vanadium	3.1	µg/L	MT
0	Vanadium	<20	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	18	µg/L	MT
0	Zinc	13	µg/L	GE
0	Zinc	13	µg/L	GE
0	1,1-Dichloroethane	<5.0	µg/L	MT
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<5.0	µg/L	MT
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<5.0	µg/L	MT
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<5.0	µg/L	MT
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<5.0	µg/L	MT
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<5.0	µg/L	MT
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<5.0	µg/L	MT
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<5.0	µg/L	MT
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.48	µg/L	MT
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.070	µg/L	MT
0	2,4,5-TP (Silvex)	<0.080	µg/L	GE
0	2,4,5-TP (Silvex)	<0.080	µg/L	GE
0	Gross alpha	<3.0	pCi/L	MT
0	Gross alpha	<3.0	pCi/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	<5.0	pCi/L	MT
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Total radium	<1.0	pCi/L	MT
0	Total radium	<1.0	pCi/L	GE
0	Total radium	<1.0	pCi/L	GE
2	Tritium	22±3.0	pCi/mL	MT
2	Tritium	23±0.60	pCi/mL	GE
2	Tritium	23±0.60	pCi/mL	GE

WELL FSB 88D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/07/90
 Depth to water: 68.99 ft (21.03 m) below TOC
 Water elevation: 213.41 ft (65.05 m) msl
 Sp. conductance: 798 µS/cm
 Water evacuated before sampling: 4 gal
 The well went dry during purging.

Time: 12:30
 pH: 4.0
 Alkalinity: 0 mg/L
 Water temperature: 15.8°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	4.1	pH	GE
1	Specific conductance	850	µS/cm	GE
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
1	Barium	334	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
1	Cadmium	2.4	µg/L	GE
1	Calcium	17800	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	1200	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE

ANALYTICAL RESULTS

WELL FSB 88D collected on 01/07/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
1	Chromium	7.6	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
1	Cobalt	22	µg/L	GE
1	Copper	37	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
1	Fluoride	810	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
1	Iron	189	µg/L	GE
2	Lead	101	µg/L	GE
0	Magnesium	2530	µg/L	GE
2	Manganese	1000	µg/L	GE
1	Mercury	0.40	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
1	Nickel	27	µg/L	GE
2	Nitrate as nitrogen	106000	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	1470	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	3850	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	104000	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Thallium	<2.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	535000	µg/L	GE
0	Total organic carbon	1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	213	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
2	Gross alpha	47±6.7	pCi/L	GE
2	Nonvolatile beta	267±10	pCi/L	GE
1	Total activity	3030±10	pCi/mL	EM
0	Total radium	<1.0	pCi/L	GE
2	Tritium	3400±6.0	pCi/mL	GE

WELL FSB 89C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/18/90
 Depth to water: 71.52 ft (21.80 m) below TOC
 Water elevation: 208.78 ft (63.94 m) msl
 Sp. conductance: 65 µS/cm
 Water evacuated before sampling: 140 gal

Time: 9:35
 pH: 5.9
 Alkalinity: 11 mg/L
 Water temperature: 18.1°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.9	pH	GE
0	Specific conductance	58	µS/cm	GE
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	13	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	5350	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	2800	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE

WELL FSB 89C collected on 01/16/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	9.2	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	445	µg/L	GE
0	Manganese	6.9	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	1900	µg/L	GE
1	Phenols	24	µg/L	GE
0	Potassium	1010	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	8930	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	3850	µg/L	GE
0	Sulfate	<5000	µg/L	GE
2	Tetrachloroethylene	7.0	µg/L	GE
0	Thallium	<2.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	80000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
1	Total organic halogens	13	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
1	Trichloroethylene	1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	15	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Total radium	<1.0	pCi/L	GE
2	Tritium	37±0.70	pCi/mL	GE

WELL FSB 89D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/16/90
 Depth to water: 68.48 ft (20.88 m) below TOC
 Water elevation: 212.71 ft (64.83 m) msl
 Sp. conductance: 344 µS/cm
 Water evacuated before sampling: 28 gal

Time: 9:20
 pH: 4.1
 Alkalinity: 0 mg/L
 Water temperature: 17.3°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	4.1	pH	GE
0	Specific conductance	238	µS/cm	GE
1	Antimony	255	µg/L	GE
0	Arsenic	<3.0	µg/L	GE
0	Barium	<3.0	µg/L	GE
0	Benzene	<2.0	µg/L	GE
1	Bromodichloromethane	65	µg/L	GE
1	Bromoform	68	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<1.0	µg/L	GE
0	Calcium	<1.0	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	<1.0	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE

ANALYTICAL RESULTS

WELL FSB 89D collected on 01/16/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
1	Cadmium	2.4	µg/L	GE
1	Cadmium	2.4	µg/L	GE
0	Calcium	3400	µg/L	GE
0	Calcium	3600	µg/L	GE
0	Calcium	3200	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	4200	µg/L	GE
0	Chloride	4100	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
1	Cobalt	9.3	µg/L	GE
1	Cobalt	10	µg/L	GE
1	Copper	21	µg/L	GE
1	Copper	22	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	230	µg/L	GE
0	Fluoride	220	µg/L	GE
1	gamma-Benzene hexachloride (Lindane)	0.28	µg/L	GE
1	gamma-Benzene hexachloride (Lindane)	0.22	µg/L	GE
0	Iron	42	µg/L	GE
0	Iron	52	µg/L	GE
0	Lead	6.7	µg/L	GE
0	Lead	8.4	µg/L	GE
0	Magnesium	1050	µg/L	GE
0	Magnesium	1110	µg/L	GE
2	Manganese	348	µg/L	GE
2	Manganese	378	µg/L	GE
2	Mercury	5.8	µg/L	GE
2	Mercury	5.8	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
1	Nickel	9.2	µg/L	GE
1	Nickel	9.8	µg/L	GE
2	Nitrate as nitrogen	32300	µg/L	GE
2	Nitrate as nitrogen	33600	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Selenium	<2.0	µg/L	GE
1	Silica	10900	µg/L	GE
1	Silica	11700	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	36400	µg/L	GE
1	Sodium	36800	µg/L	GE
0	Sulfate	9600	µg/L	GE
1	Sulfate	10800	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Thallium	<2.0	µg/L	GE
0	Thallium	<2.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	191000	µg/L	GE
0	Total dissolved solids	188000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE

WELL FSB 89D collected on 01/16/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	37	µg/L	GE
0	Zinc	40	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
1	Americium-241	3.1±0.70	pCi/L	TE
1	Americium-243	1.0±0.40	pCi/L	TE
0	Barium-140	<20	pCi/L	TE
0	Beryllium-7	<40	pCi/L	TE
1	Carbon-14	17±4.0	pCi/L	TE
0	Cerium-141	<10	pCi/L	TE
0	Cerium-144	<20	pCi/L	TE
0	Cesium-134	<3.0	pCi/L	TE
0	Cesium-137	<3.0	pCi/L	TE
0	Cobalt-58	<4.0	pCi/L	TE
0	Cobalt-60	<3.0	pCi/L	TE
0	Curium-242	<0.10	pCi/L	TE
1	Curium-243/244	1.2±0.60	pCi/L	TE
1	Curium-246	3.2±0.70	pCi/L	TE
2	Gross alpha	30±8.1	pCi/L	GE
2	Gross alpha	19±7.1	pCi/L	GE
0	Gross alpha	<1.0	pCi/L	TE
1	Iodine-129	18±2.0	pCi/L	TE
0	Iodine-131	<80	pCi/L	TE
0	Iron-55	<50	pCi/L	TE
0	Iron-59	<9.0	pCi/L	TE
0	Manganese-54	<3.0	pCi/L	TE
0	Neptunium-237	<5.0	pCi/L	TE
0	Nickel-59	<100	pCi/L	TE
0	Nickel-63	<10	pCi/L	TE
2	Nonvolatile beta	458±20	pCi/L	GE
2	Nonvolatile beta	414±20	pCi/L	GE
2	Nonvolatile beta	720±10	pCi/L	TE
0	Plutonium-238	<0.090	pCi/L	TE
0	Plutonium-239/240	<0.090	pCi/L	TE
0	Plutonium-242	<0.040	pCi/L	TE
0	Potassium-40	<40	pCi/L	TE
0	Radium-226	<80	pCi/L	TE
1	Radium-228	4.5±0.60	pCi/L	TE
1	Radium-228	8.4±1.1	pCi/L	TE
0	Ruthenium-103	<5.0	pCi/L	TE
0	Ruthenium-106	<20	pCi/L	TE
0	Strontium-89	<20	pCi/L	TE
1	Strontium-90	230±10	pCi/L	TE
1	Technetium-99	41±9.0	pCi/L	TE
0	Thorium-228	<5.0	pCi/L	TE
0	Thorium-228	<0.20	pCi/L	TE
1	Thorium-230	2.1±0.40	pCi/L	TE
1	Thorium-232	0.22±0.11	pCi/L	TE
1	Total activity	1480±8.3	pCi/mL	EM
2	Total radium	5.0±4.0	pCi/L	GE
1	Total radium	4.8±6.1	pCi/L	GE
2	Tritium	1290±3.6	pCi/mL	GE
2	Tritium	1220±3.5	pCi/mL	GE
2	Tritium	1300±100	pCi/mL	TE
1	Uranium-234	45±6.0	pCi/L	TE
1	Uranium-235	2.0±1.2	pCi/L	TE
1	Uranium-238	81±7.0	pCi/L	TE
0	Zinc-65	<6.0	pCi/L	TE

ANALYTICAL RESULTS

WELL FSB 89D collected on 01/18/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Zirconium-95	<4.0	pCi/L	TE

WELL FSB 90C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/07/90
Depth to water: 69.91 ft (21.31 m) below TOC
Water elevation: 208.49 ft (63.55 m) msl
Sp. conductance: 222 µS/cm
Water evacuated before sampling: 26 gal
The well went dry during purging.

Time: 11:25
pH: 7.0
Alkalinity: 41 mg/L
Water temperature: 17.4°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	pH	7.8	pH	GE
1	Specific conductance	200	µS/cm	GE
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
1	Barium	52	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
1	Calcium	22900	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	3200	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethane (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Copper	<5.0	µg/L	GE
0	Cyanide	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	15	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	3040	µg/L	GE
0	Manganese	18	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<4.0	µg/L	GE
2	Nitrate as nitrogen	14800	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	2490	µg/L	GE
0	Selenium	<2.0	µg/L	GE
1	Silica	11500	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	10800	µg/L	GE
0	Sulfate	<5000	µg/L	GE
1	Tetrachloroethylene	2.0	µg/L	GE
0	Thallium	<2.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	150000	µg/L	GE
0	Total organic carbon	2000	µg/L	GE
0	Total organic halogens	13	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	21	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	2.5±2.2	pCi/L	GE

WELL FSB 90C collected on 01/07/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
1	Total activity	968±6.8	pCi/mL	EM
0	Total radium	<1.0	pCi/L	GE
2	Tritium	1040±3.3	pCi/mL	GE

WELL FSB 90D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/07/90
Depth to water: 66.94 ft (20.40 m) below TOC
Water elevation: 211.66 ft (64.51 m) msl
Sp. conductance: 878 µS/cm
Water evacuated before sampling: 2 gal
The well went dry during purging.

Time: 11:50
pH: 3.9
Alkalinity: 0 mg/L
Water temperature: 16.6°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	4.2	pH	GE
1	Specific conductance	820	µS/cm	GE
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
2	Barium	563	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
2	Cadmium	8.5	µg/L	GE
1	Calcium	14500	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	3800	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethane (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
1	Chromium	7.7	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
1	Cobalt	22	µg/L	GE
0	Copper	7.9	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
1	Fluoride	1850	µg/L	GE
1	gamma-Benzene hexachloride (Lindane)	0.34	µg/L	GE
1	Iron	200	µg/L	GE
2	Lead	269	µg/L	GE
0	Magnesium	4510	µg/L	GE
2	Manganese	1480	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
1	Nickel	40	µg/L	GE
2	Nitrate as nitrogen	107000	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	1840	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	1240	µg/L	GE
1	Silver	2.1	µg/L	GE
1	Sodium	71300	µg/L	GE
0	Sulfate	<5000	µg/L	GE
2	Tetrachloroethylene	12	µg/L	GE
0	Thallium	<2.0	µg/L	GE
1	Toluene	2.0	µg/L	GE
0	Total dissolved solids	415000	µg/L	GE
0	Total organic carbon	1000	µg/L	GE
0	Total organic halogens	9.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
1	Zinc	258	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
1	Americium-241	10±2.0	pCi/L	TE
1	Americium-243	12±2.0	pCi/L	TE

ANALYTICAL RESULTS

WELL FSB 90D collected on 01/07/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Barium-140	<20	pCi/L	TE
0	Beryllium-7	<50	pCi/L	TE
1	Carbon-14	38 ± 4.0	pCi/L	TE
0	Cerium-141	<10	pCi/L	TE
0	Cerium-144	<30	pCi/L	TE
0	Cesium-134	<4.0	pCi/L	TE
0	Cesium-137	<4.0	pCi/L	TE
0	Cobalt-58	<4.0	pCi/L	TE
0	Cobalt-60	7.3 ± 3.9	pCi/L	TE
0	Curium-242	<0.30	pCi/L	TE
0	Curium-243/244	<0.50	pCi/L	TE
1	Curium-248	7.3 ± 1.4	pCi/L	TE
0	Gross alpha	<3.0	pCi/L	GE
2	Gross alpha	130 ± 10	pCi/L	TE
1	Iodine-129	69 ± 4.0	pCi/L	TE
0	Iodine-131	<30	pCi/L	TE
0	Iron-55	<80	pCi/L	TE
0	Iron-59	<10	pCi/L	TE
0	Manganese-54	<4.0	pCi/L	TE
0	Nickel-59	<100	pCi/L	TE
0	Nickel-63	<10	pCi/L	TE
2	Nonvolatile beta	203 ± 10	pCi/L	GE
2	Nonvolatile beta	1900 ± 100	pCi/L	TE
0	Plutonium-238	<0.50	pCi/L	TE
0	Plutonium-239/240	<0.30	pCi/L	TE
0	Plutonium-242	<0.20	pCi/L	TE
0	Potassium-40	<60	pCi/L	TE
0	Radium-226	<90	pCi/L	TE
1	Radium-226	30 ± 3.0	pCi/L	TE
1	Radium-228	32 ± 2.0	pCi/L	TE
0	Ruthenium-103	<6.0	pCi/L	TE
0	Ruthenium-106	<40	pCi/L	TE
0	Strontium-89	<40	pCi/L	TE
1	Strontium-90	830 ± 10	pCi/L	TE
1	Technetium-99	74 ± 6.0	pCi/L	TE
0	Thorium-228	<7.0	pCi/L	TE
0	Thorium-228	<1.0	pCi/L	TE
1	Thorium-230	6.7 ± 3.4	pCi/L	TE
0	Thorium-232	<0.80	pCi/L	TE
1	Total activity	6910 ± 60	pCi/mL	EM
0	Total radium	1.1 ± 2.1	pCi/L	GE
2	Tritium	5070 ± 7.0	pCi/mL	GE
2	Tritium	6700 ± 100	pCi/mL	TE
1	Uranium-234	87 ± 7.0	pCi/L	TE
1	Uranium-235	2.8 ± 1.3	pCi/L	TE
1	Uranium-238	100 ± 10	pCi/L	TE
0	Zinc-65	<9.0	pCi/L	TE
0	Zirconium-95	<5.0	pCi/L	TE

WELL FSB 91C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/07/90
 Depth to water: 70.54 ft (21.50 m) below TOC
 Water elevation: 208.76 ft (63.63 m) msl
 Sp. conductance: 418 µS/cm
 Water evacuated before sampling: 21 gal
 The well went dry during purging.

Time: 10:55
 pH: 6.5
 Alkalinity: 34 mg/L
 Water temperature: 17.8°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	pH	7.3	pH	GE
1	Specific conductance	440	µS/cm	GE
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
1	Barium	252	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
2	Cadmium	7.0	µg/L	GE
1	Calcium	31500	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	1700	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
1	Cobalt	16	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE

WELL FSB 91O collected on 01/07/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
1	Fluoride	580	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	42	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	3610	µg/L	GE
2	Manganese	535	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
1	Nickel	12	µg/L	GE
2	Nitrate as nitrogen	38600	µg/L	GE
0	Phenols	<5.0	µg/L	GE
1	Potassium	5370	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	828	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	37200	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Thallium	<2.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	318000	µg/L	GE
0	Total organic carbon	1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethane	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
1	Trichloroethylene	2.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	27	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
1	Gross alpha	8.5 ± 4.0	pCi/L	GE
2	Nonvolatile beta	240 ± 10	pCi/L	GE
1	Total activity	2470 ± 40	pCi/mL	EM
0	Total radium	<1.0	pCi/L	GE
2	Tritium	2800 ± 5.1	pCi/mL	GE

WELL FSB 91D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/06/90
 Depth to water: 68.35 ft (20.83 m) below TOC
 Water elevation: 210.85 ft (64.27 m) msl
 Sp. conductance: 2080 µS/cm
 Water evacuated before sampling: 26 gal

Time: 13:00
 pH: 3.2
 Alkalinity: 0 mg/L
 Water temperature: 18.5°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	pH	3.3	pH	GE
1	Specific conductance	2070	µS/cm	GE
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
1	Barium	473	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
2	Cadmium	23	µg/L	GE
1	Calcium	10300	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	2200	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
1	Cobalt	13	µg/L	GE
1	Copper	38	µg/L	GE

ANALYTICAL RESULTS

WELL FSB 91D collected on 01/06/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
1	Fluoride	1790	µg/L	GE
1	gamma-Benzene hexachloride (Lindane)	0.10	µg/L	GE
0	Iron	48	µg/L	GE
1	Lead	21	µg/L	GE
1	Magnesium	10900	µg/L	GE
2	Manganese	1070	µg/L	GE
0	Mercury	0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
1	Nickel	27	µg/L	GE
2	Nitrate as nitrogen	295000	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	1840	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	2570	µg/L	GE
1	Silver	4.5	µg/L	GE
1	Sodium	105000	µg/L	GE
0	Sulfate	7900	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Thallium	<2.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	808000	µg/L	GE
0	Total organic carbon	2000	µg/L	GE
1	Total organic halogens	12	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
1	Uranium	2740	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	78	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
1	Americium-241	6.0 ± 1.4	pCi/L	TE
0	Americium-243	<0.20	pCi/L	TE
0	Barium-140	<10	pCi/L	TE
0	Beryllium-7	<40	pCi/L	TE
1	Carbon-14	72 ± 5.0	pCi/L	TE
0	Cerium-141	<10	pCi/L	TE
0	Cerium-144	<30	pCi/L	TE
0	Cesium-134	<4.0	pCi/L	TE
0	Cesium-137	<4.0	pCi/L	TE
0	Cobalt-58	<4.0	pCi/L	TE
1	Cobalt-60	13 ± 4.1	pCi/L	TE
0	Curium-242	<0.50	pCi/L	TE
1	Curium-243/244	10 ± 3.0	pCi/L	TE
1	Curium-246	6.1 ± 1.4	pCi/L	TE
1	Gross alpha	12 ± 4.9	pCi/L	GE
2	Gross alpha	320 ± 30	pCi/L	TE
1	Iodine-129	100 ± 10	pCi/L	TE
0	Iodine-131	<30	pCi/L	TE
0	Iron-55	<60	pCi/L	TE
0	Iron-59	<9.0	pCi/L	TE
0	Manganese-54	<4.0	pCi/L	TE
0	Nickel-59	<300	pCi/L	TE
0	Nickel-63	<400	pCi/L	TE
2	Nonvolatile beta	312 ± 10	pCi/L	GE
2	Nonvolatile beta	4100 ± 100	pCi/L	TE
0	Plutonium-238	<0.20	pCi/L	TE
0	Plutonium-239/240	<0.10	pCi/L	TE
0	Plutonium-242	<0.10	pCi/L	TE
0	Potassium-40	<50	pCi/L	TE
0	Radium-226	<100	pCi/L	TE
1	Radium-226	23 ± 2.0	pCi/L	TE
1	Radium-228	120 ± 10	pCi/L	TE
0	Ruthenium-103	<6.0	pCi/L	TE
0	Ruthenium-106	<30	pCi/L	TE
0	Strontium-89	<50	pCi/L	TE
1	Strontium-90	870 ± 10	pCi/L	TE
1	Technetium-99	190 ± 10	pCi/L	TE
0	Thorium-228	<7.0	pCi/L	TE
0	Thorium-228	<0.090	pCi/L	TE
0	Thorium-230	<0.20	pCi/L	TE
1	Thorium-232	0.18 ± 0.13	pCi/L	TE
1	Total activity	24500 ± 110	pCi/mL	EM

WELL FSB 91D collected on 01/06/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
2	Total radium	14 ± 4.6	pCi/L	GE
2	Tritium	28600 ± 20	pCi/mL	GE
2	Tritium	25000 ± 1000	pCi/mL	TE
1	Uranium-234	530 ± 10	pCi/L	TE
1	Uranium-235	22 ± 3.0	pCi/L	TE
1	Uranium-238	820 ± 20	pCi/L	TE
0	Zinc-65	<10	pCi/L	TE
0	Zirconium-95	<5.0	pCi/L	TE

WELL FSB 91D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/06/90 Time: 13:00
 Depth to water: 68.35 ft (20.83 m) below TOC pH: 3.2
 Water elevation: 210.85 ft (64.27 m) msl Alkalinity: 0 mg/L
 Sp. conductance: 2060 µS/cm Water temperature: 18.5°C
 Water evacuated before sampling: 26 gal
 Note: This analysis is from an unfiltered sample.

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Silica	488	µg/L	GE

WELL FSB 92D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/06/90 Time: 17:05
 Depth to water: 66.31 ft (20.21 m) below TOC pH: 3.5
 Water elevation: 209.59 ft (63.88 m) msl Alkalinity: 0 mg/L
 Sp. conductance: 1264 µS/cm Water temperature: 18.8°C
 Water evacuated before sampling: 20 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	pH	3.5	pH	GE
1	Specific conductance	1300	µS/cm	GE
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
1	Barium	353	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
2	Cadmium	15	µg/L	GE
0	Calcium	9260	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	2800	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
1	Cobalt	10	µg/L	GE
1	Copper	44	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
1	Fluoride	1620	µg/L	GE
1	gamma-Benzene hexachloride (Lindane)	0.070	µg/L	GE
0	Iron	62	µg/L	GE
0	Lead	<6.0	µg/L	GE
1	Magnesium	7900	µg/L	GE
2	Manganese	558	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
1	Nickel	21	µg/L	GE
2	Nitrate as nitrogen	182000	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	2430	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	1350	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	83100	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Thallium	<2.0	µg/L	GE

ANALYTICAL RESULTS

WELL FSB 92D collected on 01/06/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	536000	µg/L	GE
0	Total organic carbon	1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	66	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
1	Americium-241	7.6 ± 1.6	pCi/L	TE
1	Americium-243	12 ± 2.0	pCi/L	TE
0	Barium-140	<20	pCi/L	TE
1	Carbon-14	32 ± 4.0	pCi/L	TE
0	Cerium-141	<10	pCi/L	TE
0	Cerium-144	<30	pCi/L	TE
0	Cesium-134	<4.0	pCi/L	TE
0	Cesium-137	10 ± 3.4	pCi/L	TE
0	Cobalt-58	<4.0	pCi/L	TE
0	Cobalt-60	<5.0	pCi/L	TE
0	Curium-242	<0.50	pCi/L	TE
0	Curium-243/244	<0.50	pCi/L	TE
1	Curium-246	8.3 ± 1.7	pCi/L	TE
2	Gross alpha	50 ± 7.3	pCi/L	GE
2	Gross alpha	170 ± 20	pCi/L	TE
1	Iodine-129	23 ± 2.0	pCi/L	TE
0	Iodine-131	<50	pCi/L	TE
0	Iron-55	<80	pCi/L	TE
0	Iron-59	<10	pCi/L	TE
0	Manganese-54	<4.0	pCi/L	TE
0	Nickel-59	<100	pCi/L	TE
0	Nickel-63	<20	pCi/L	TE
2	Nonvolatile beta	403 ± 10	pCi/L	GE
2	Nonvolatile beta	2500 ± 100	pCi/L	TE
0	Plutonium-238	<0.20	pCi/L	TE
0	Plutonium-239/240	<0.20	pCi/L	TE
0	Plutonium-242	<0.080	pCi/L	TE
0	Potassium-40	<50	pCi/L	TE
0	Radium-226	<100	pCi/L	TE
1	Radium-228	26 ± 3.0	pCi/L	TE
1	Radium-228	38 ± 10	pCi/L	TE
0	Ruthenium-103	<8.0	pCi/L	TE
0	Ruthenium-106	<30	pCi/L	TE
1	Strontium-89	70 ± 40	pCi/L	TE
1	Strontium-90	970 ± 20	pCi/L	TE
1	Technetium-99	93 ± 9.0	pCi/L	TE
0	Thorium-226	<8.0	pCi/L	TE
0	Thorium-228	<0.20	pCi/L	TE
1	Thorium-230	3.3 ± 0.50	pCi/L	TE
1	Thorium-232	0.15 ± 0.11	pCi/L	TE
1	Total activity	14200 ± 80	pCi/mL	EM
2	Total radium	9.2 ± 3.8	pCi/L	GE
2	Tritium	14500 ± 10	pCi/mL	GE
2	Tritium	15000 ± 1000	pCi/mL	TE
1	Uranium-234	190 ± 10	pCi/L	TE
1	Uranium-235	5.3 ± 0.70	pCi/L	TE
1	Uranium-238	220 ± 10	pCi/L	TE
0	Zinc-65	<7.0	pCi/L	TE
0	Zirconium-95	<5.0	pCi/L	TE

WELL FSB 92D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/06/90
Depth to water: 68.31 ft (20.21 m) below TOC
Water elevation: 208.59 ft (63.88 m) msl
Sp. conductance: 1264 µS/cm
Water evacuated before sampling: 20 gal

Time: 17:05
pH: 3.5
Alkalinity: 0 mg/L
Water temperature: 18.8°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	Americium-241	14 ± 2.0	pCi/L	TE
1	Americium-243	33 ± 3.0	pCi/L	TE
0	Barium-140	<20	pCi/L	TE
0	Beryllium-7	<40	pCi/L	TE
1	Carbon-14	61 ± 10	pCi/L	TE
0	Cerium-141	<10	pCi/L	TE
0	Cerium-144	<30	pCi/L	TE
0	Cesium-134	<4.0	pCi/L	TE
0	Cesium-137	8.7 ± 3.7	pCi/L	TE
0	Cobalt-58	<4.0	pCi/L	TE
0	Cobalt-60	<4.0	pCi/L	TE
0	Curium-242	<0.30	pCi/L	TE
0	Curium-243/244	<0.50	pCi/L	TE
1	Curium-246	15 ± 2.0	pCi/L	TE
2	Gross alpha	190 ± 20	pCi/L	TE
1	Iodine-129	33 ± 3.0	pCi/L	TE
0	Iodine-131	<40	pCi/L	TE
0	Iron-55	<80	pCi/L	TE
0	Iron-59	<8.0	pCi/L	TE
0	Manganese-54	<4.0	pCi/L	TE
0	Nickel-59	<80	pCi/L	TE
0	Nickel-63	<10	pCi/L	TE
2	Nonvolatile beta	2400 ± 100	pCi/L	TE
0	Plutonium-238	<0.20	pCi/L	TE
0	Plutonium-239/240	<0.10	pCi/L	TE
0	Plutonium-242	<0.10	pCi/L	TE
0	Potassium-40	<60	pCi/L	TE
0	Radium-226	<100	pCi/L	TE
1	Radium-228	37 ± 4.0	pCi/L	TE
1	Radium-228	29 ± 7.0	pCi/L	TE
0	Ruthenium-103	<5.0	pCi/L	TE
0	Ruthenium-106	<30	pCi/L	TE
0	Strontium-89	<60	pCi/L	TE
1	Strontium-90	870 ± 10	pCi/L	TE
1	Technetium-99	97 ± 7.0	pCi/L	TE
0	Thorium-226	<8.0	pCi/L	TE
0	Thorium-228	<0.10	pCi/L	TE
0	Thorium-230	<0.070	pCi/L	TE
1	Thorium-232	0.23 ± 0.080	pCi/L	TE
2	Tritium	14000 ± 1000	pCi/mL	TE
1	Uranium-234	250 ± 20	pCi/L	TE
1	Uranium-235	13 ± 4.0	pCi/L	TE
1	Uranium-238	290 ± 20	pCi/L	TE
0	Zinc-65	<7.0	pCi/L	TE
0	Zirconium-95	<5.0	pCi/L	TE

WELL FSB 93C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/01/90
Depth to water: 69.88 ft (21.30 m) below TOC
Water elevation: 206.32 ft (62.89 m) msl
Sp. conductance: 395 µS/cm
Water evacuated before sampling: 167 gal

Time: 16:10
pH: 5.0
Alkalinity: 1 mg/L
Water temperature: 17.0°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.8	pH	GE
1	Specific conductance	345	µS/cm	GE
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
1	Barium	78	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
1	Calcium	31700	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	2700	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE

ANALYTICAL RESULTS

WELL FSB 93C collected on 01/01/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	18	µg/L	GE
0	Lead	<8.0	µg/L	GE
1	Magnesium	7910	µg/L	GE
2	Manganese	93	µg/L	GE
0	Mercury	0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<4.0	µg/L	GE
2	Nitrate as nitrogen	44800	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	1540	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	<100	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	31500	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Thallium	<2.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	331000	µg/L	GE
0	Total organic carbon	1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
1	Trichloroethylene	2.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	93	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	5.3±2.5	pCi/L	GE
1	Total activity	1890±30	pCi/mL	EM
1	Total radium	4.2±2.8	pCi/L	GE
2	Tritium	2050±4.8	pCi/mL	GE

WELL FSB 93D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/02/90
 Depth to water: 68.28 ft (20.81 m) below TOC
 Water elevation: 207.82 ft (63.34 m) msl
 Sp. conductance: 1868 µS/cm
 Water evacuated before sampling: 2 gal
 The well went dry during purging.

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	pH	4.0	pH	GE
1	Specific conductance	1720	µS/cm	GE
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
2	Barium	562	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
1	Calcium	64700	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	1300	µg/L	GE

WELL FSB 93D collected on 01/02/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
2	Chromium	34	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
1	Cobalt	23	µg/L	GE
0	Copper	270	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
2	Fluoride	2550	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
2	Iron	1400	µg/L	GE
2	Lead	324	µg/L	GE
0	Magnesium	4790	µg/L	GE
2	Manganese	1450	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
1	Nickel	131	µg/L	GE
2	Nitrate as nitrogen	244000	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	4940	µg/L	GE
0	Selenium	<2.0	µg/L	GE
1	Silica	22800	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	91100	µg/L	GE
1	Sulfate	12500	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Thallium	<2.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	1.04E±08	µg/L	GE
0	Total organic carbon	2000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
1	Uranium	2500	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	221	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
2	Gross alpha	33±10	pCi/L	GE
2	Nonvolatile beta	3070±40	pCi/L	GE
1	Total activity	28000±120	pCi/mL	EM
2	Total radium	28±8.1	pCi/L	GE
2	Tritium	28500±20	pCi/mL	GE

WELL FSB 94C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/02/90
 Depth to water: 74.98 ft (22.85 m) below TOC
 Water elevation: 208.14 ft (62.83 m) msl
 Sp. conductance: 1865 µS/cm
 Water evacuated before sampling: 29 gal
 The well went dry during purging.

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
2	pH	8.2	pH	GE
1	Specific conductance	1780	µS/cm	GE
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
2	Barium	522	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
1	Calcium	183000	µg/L	GE

ANALYTICAL RESULTS

WELL FSB 94C collected on 01/02/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	2100	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<1.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
1	Cobalt	39	µg/L	GE
0	Copper	<4.0	µg/L	GE
1	Cyanide	11	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
1	Fluoride	1850	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	28	µg/L	GE
0	Lead	13	µg/L	GE
1	Magnesium	7510	µg/L	GE
2	Manganese	3620	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
1	Nickel	21	µg/L	GE
2	Nitrate as nitrogen	192000	µg/L	GE
0	Phenols	<5.0	µg/L	GE
1	Potassium	68600	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	2610	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	180000	µg/L	GE
0	Sulfate	5100	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Thallium	<2.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	1.60E±08	µg/L	GE
0	Total organic carbon	2000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	<2.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
2	Nonvolatile beta	867±20	pCi/L	GE
1	Total activity	11500±80	pCi/mL	EM
1	Total radium	2.6±2.5	pCi/L	GE
2	Tritium	13400±10	pCi/mL	GE

WELL FSB 94D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/01/90
The well was dry.

Time: 17:30

WELL FSB 95C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/02/90
Depth to water: 78.82 ft (24.02 m) below TOC
Water elevation: 205.18 ft (62.54 m) msl
Sp. conductance: 1528 µS/cm
Water evacuated before sampling: 27 gal
The well went dry during purging.

Time: 15:20
pH: 12.0
Alkalinity: 262 mg/L
Water temperature: 17.5°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
2	pH	12	pH	GE
1	Specific conductance	1520	µS/cm	GE
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
1	Barium	202	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
1	Calcium	160000	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	2400	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
1	Cobalt	10	µg/L	GE
0	Copper	<4.0	µg/L	GE
1	Cyanide	8.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	13	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	74	µg/L	GE
0	Manganese	<2.0	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<4.0	µg/L	GE
2	Nitrate as nitrogen	89200	µg/L	GE
0	Phenols	<5.0	µg/L	GE
1	Potassium	19600	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	4660	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	59100	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Thallium	<2.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	1.01E±06	µg/L	GE
0	Total organic carbon	2000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	4.9	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
1	Gross alpha	9.5±3.8	pCi/L	GE
2	Nonvolatile beta	150±8.9	pCi/L	GE
1	Total activity	6220±60	pCi/mL	EM
0	Total radium	1.4±4.1	pCi/L	GE
2	Tritium	6390±8.3	pCi/mL	GE

ANALYTICAL RESULTS

WELL FSB 95D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/01/90 Time: 17:10
 Depth to water: 78.78 ft (23.40 m) below TOC
 Water elevation: 207.54 ft (63.28 m) msl
 The well pumped dry before sampling could be done.

WELL FSB 96A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/03/90 Time: 9:25
 Depth to water: 127.87 ft (38.91 m) below TOC pH: 10.4
 Water elevation: 152.13 ft (46.37 m) msl Alkalinity: 94 mg/L
 Sp. conductance: 227 µS/cm Water temperature: 17.4°C
 Water evacuated before sampling: 22 gal
 The well went dry during purging.

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
2	pH	9.9	pH	GE
2	pH	9.9	pH	GE
1	Specific conductance	284	µS/cm	GE
1	Specific conductance	284	µS/cm	GE
0	Antimony	<3.0	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
1	Arsenic	2.6	µg/L	GE
0	Barium	47	µg/L	GE
0	Barium	47	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	6760	µg/L	GE
0	Calcium	6400	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	2100	µg/L	GE
0	Chloride	2100	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	100	µg/L	GE
0	Fluoride	100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	13	µg/L	GE
0	Iron	13	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	601	µg/L	GE
0	Magnesium	601	µg/L	GE
0	Manganese	<2.0	µg/L	GE

WELL FSB 96A collected on 01/03/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Manganese	<2.0	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	500	µg/L	GE
0	Nitrate as nitrogen	500	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Phenols	<5.0	µg/L	GE
1	Potassium	18800	µg/L	GE
1	Potassium	19100	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Selenium	<2.0	µg/L	GE
1	Silica	21200	µg/L	GE
1	Silica	20400	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	36000	µg/L	GE
1	Sodium	34300	µg/L	GE
0	Sulfate	6900	µg/L	GE
0	Sulfate	6600	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Thallium	<2.0	µg/L	GE
0	Thallium	<2.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	142000	µg/L	GE
0	Total dissolved solids	152000	µg/L	GE
0	Total organic carbon	4000	µg/L	GE
0	Total organic carbon	4000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	130	µg/L	GE
0	Total phosphates	140	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	<2.0	µg/L	GE
0	Zinc	<2.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Gross alpha	2.1±2.3	pCi/L	GE
1	Nonvolatile beta	26±2.3	pCi/L	GE
1	Nonvolatile beta	30±2.4	pCi/L	GE
0	Total radium	2.1±1.7	pCi/L	GE
1	Total radium	3.2±1.5	pCi/L	GE
1	Tritium	13±0.49	pCi/mL	GE
1	Tritium	12±0.47	pCi/mL	GE

ANALYTICAL RESULTS

WELL FSB 97A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/03/90 Time: 10:25
 Depth to water: 135.06 ft (41.17 m) below TOC pH: 7.0
 Water elevation: 151.04 ft (46.04 m) msl Alkalinity: 72 mg/L
 Sp. conductance: 288 µS/cm Water temperature: 18.9°C
 Water evacuated before sampling: 170 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	pH	7.3	pH	GE
1	Specific conductance	278	µS/cm	GE
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	42	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
1	Calcium	43200	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	2300	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	8.8	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	1140	µg/L	GE
0	Manganese	18	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<4.0	µg/L	GE
2	Nitrate as nitrogen	14500	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	840	µg/L	GE
0	Selenium	<2.0	µg/L	GE
1	Silica	19900	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	8900	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Thallium	<2.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	70000	µg/L	GE
0	Total organic carbon	2000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	120	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	<2.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	4.8±2.4	pCi/L	GE
1	Total activity	504±5.0	pCi/mL	EM
0	Total radium	<1.0	pCi/L	GE
2	Tritium	552±2.4	pCi/mL	GE

WELL FSB 97A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/03/90 Time: 10:25
 Depth to water: 135.06 ft (41.17 m) below TOC pH: 7.0
 Water elevation: 151.04 ft (46.04 m) msl Alkalinity: 72 mg/L
 Sp. conductance: 288 µS/cm Water temperature: 18.9°C
 Water evacuated before sampling: 170 gal
 Note: This analysis is from an unfiltered sample.

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	Silica	17500	µg/L	GE

WELL FSB 97C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/03/90 Time: 10:00
 Depth to water: 80.45 ft (24.52 m) below TOC pH: 4.0
 Water elevation: 205.65 ft (62.68 m) msl Alkalinity: 0 mg/L
 Sp. conductance: 2370 µS/cm Water temperature: 17.7°C
 Water evacuated before sampling: 32 gal
 The well went dry during purging.

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	pH	4.0	pH	GE
1	Specific conductance	2320	µS/cm	GE
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
2	Barium	1070	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
2	Cadmium	5.8	µg/L	GE
1	Calcium	103000	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	1500	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
1	Cobalt	45	µg/L	GE
1	Copper	54	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
2	Fluoride	4400	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
2	Iron	846	µg/L	GE
2	Lead	78	µg/L	GE
1	Magnesium	12500	µg/L	GE
2	Manganese	6810	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
1	Nickel	113	µg/L	GE
2	Nitrate as nitrogen	317000	µg/L	GE
0	Phenols	<5.0	µg/L	GE
1	Potassium	14800	µg/L	GE
0	Selenium	<2.0	µg/L	GE
1	Silica	39300	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	138000	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Thallium	<2.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	1.41E±08	µg/L	GE
0	Total organic carbon	3000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
1	Trichlorofluoromethane	47	µg/L	GE
1	Uranium	1270	µg/L	GE
0	Vanadium	<20	µg/L	GE
1	Zinc	307	µg/L	GE

ANALYTICAL RESULTS

WELL FSB 97C collected on 01/03/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
1	Nonvolatile beta	21 ± 3.8	pCi/L	GE
1	Total activity	24700 ± 110	pCi/mL	EM
2	Total radium	158 ± 10	pCi/L	GE
2	Tritium	28200 ± 20	pCi/mL	GE

WELL FSB 97C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/03/90
 Depth to water: 80.45 ft (24.52 m) below TOC
 Water elevation: 205.65 ft (62.68 m) msl
 Sp. conductance: 2370 µS/cm
 Water evacuated before sampling: 32 gal
 The well went dry during purging.
 Note: This analysis is from an unfiltered sample.

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	Silica	47000	µg/L	GE

WELL FSB 97D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/03/90
 Depth to water: 77.74 ft (23.70 m) below TOC
 Water elevation: 208.28 ft (63.48 m) msl
 Sp. conductance: 2040 µS/cm
 Water evacuated before sampling: 2 gal
 The well went dry during purging.

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	4.3	pH	GE
1	Specific conductance	1820	µS/cm	GE
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
2	Barium	734	µg/L	GE
1	Benzene	2.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
2	Cadmium	7.4	µg/L	GE
1	Calcium	157000	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	2700	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
1	Chromium	18	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
1	Cobalt	27	µg/L	GE
0	Copper	9.9	µg/L	GE
1	Cyanide	5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
1	Fluoride	1180	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
2	Iron	3850	µg/L	GE
2	Lead	417	µg/L	GE
1	Magnesium	5130	µg/L	GE
2	Manganese	2830	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
1	Nickel	79	µg/L	GE
2	Nitrate as nitrogen	279000	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	4070	µg/L	GE

WELL FSB 97D collected on 01/03/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Selenium	<2.0	µg/L	GE
1	Silica	58500	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	280000	µg/L	GE
1	Sulfate	18700	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Thallium	<2.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	1.34E ± 08	µg/L	GE
0	Total organic carbon	2000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
1	Uranium	2100	µg/L	GE
0	Vanadium	<20	µg/L	GE
1	Zinc	321	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
1	Gross alpha	5.7 ± 7.8	pCi/L	GE
2	Nonvolatile beta	1340 ± 30	pCi/L	GE
1	Total activity	24400 ± 110	pCi/mL	EM
2	Total radium	58 ± 8.4	pCi/L	GE
2	Tritium	20000 ± 20	pCi/mL	GE

WELL FSB 98A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/03/90
 Depth to water: 132.58 ft (40.40 m) below TOC
 Water elevation: 150.44 ft (45.85 m) msl
 Sp. conductance: 4290 µS/cm
 Water evacuated before sampling: 30 gal
 The well went dry during purging.

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
2	pH	12	pH	GE
1	Specific conductance	5500	µS/cm	GE
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
2	Barium	573	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
1	Calcium	442000	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	>1000	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	120	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	7.5	µg/L	GE
0	Lead	43	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	10	µg/L	GE
0	Manganese	<2.0	µg/L	GE
1	Mercury	0.70	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<4.0	µg/L	GE

ANALYTICAL RESULTS

WELL FSB 98A collected on 01/03/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Nitrate as nitrogen	250	µg/L	GE
0	Phenols	<5.0	µg/L	GE
1	Potassium	13700	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	1850	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	11300	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Thallium	<2.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	1.08E±08	µg/L	GE
0	Total organic carbon	2000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	<2.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
1	Nonvolatile beta	21±2.2	pCi/L	GE
2	Total radium	10±2.0	pCi/L	GE
2	Tritium	21±0.55	pCi/mL	GE

WELL FSB 98C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/03/90
 Depth to water: 78.45 ft (23.30 m) below TOC
 Water elevation: 206.65 ft (62.99 m) msl
 Sp. conductance: 1943 µS/cm
 Water evacuated before sampling: 158 gal
 Time: 12:00
 pH: 3.1
 Alkalinity: 0 mg/L
 Water temperature: 18.7°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	pH	3.3	pH	GE
1	Specific conductance	1620	µS/cm	GE
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
2	Barium	508	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
2	Cadmium	6.4	µg/L	GE
1	Calcium	10200	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	1900	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
1	Cobalt	281	µg/L	GE
1	Copper	88	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
1	Dichloromethane (Methylene chloride)	4.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
1	Fluoride	1160	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	47	µg/L	GE
0	Lead	12	µg/L	GE
0	Magnesium	3700	µg/L	GE
2	Manganese	4390	µg/L	GE
0	Mercury	0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE

WELL FSB 98C collected on 01/03/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
1	Nickel	40	µg/L	GE
2	Nitrate as nitrogen	352000	µg/L	GE
0	Phenols	<5.0	µg/L	GE
1	Potassium	32400	µg/L	GE
0	Selenium	<2.0	µg/L	GE
1	Silica	57000	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	97000	µg/L	GE
0	Sulfate	8000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Thallium	<2.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	852000	µg/L	GE
0	Total organic carbon	1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
1	Uranium	1370	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	113	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
2	Gross alpha	82±8.9	pCi/L	GE
2	Nonvolatile beta	1340±30	pCi/L	GE
1	Total activity	17000±90	pCi/mL	EM
2	Total radium	118±10	pCi/L	GE
2	Tritium	20200±20	pCi/mL	GE

WELL FSB 98D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/03/90
 Depth to water: 73.99 ft (22.55 m) below TOC
 Water elevation: 209.11 ft (63.74 m) msl
 Sp. conductance: 2800 µS/cm
 Water evacuated before sampling: 1 gal
 The well went dry during purging.
 Time: 12:15
 pH: 3.4
 Alkalinity: 0 mg/L
 Water temperature: 18.3°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	pH	4.0	pH	GE
1	Specific conductance	2490	µS/cm	GE
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
2	Barium	1980	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
1	Calcium	74800	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	<1000	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
2	Chromium	31	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
1	Cobalt	181	µg/L	GE
0	Copper	18	µg/L	GE
1	Cyanide	5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
2	Fluoride	3300	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
2	Iron	5430	µg/L	GE
2	Lead	483	µg/L	GE
1	Magnesium	6130	µg/L	GE
2	Manganese	9340	µg/L	GE

ANALYTICAL RESULTS

WELL FSB 98D collected on 01/03/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
2	Nickel	334	µg/L	GE
2	Nitrate as nitrogen	328000	µg/L	GE
0	Phenols	<5.0	µg/L	GE
1	Potassium	20800	µg/L	GE
0	Selenium	<2.0	µg/L	GE
1	Silica	51800	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	105000	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Thallium	<2.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	1.48E±06	µg/L	GE
0	Total organic carbon	3000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
1	Uranium	2130	µg/L	GE
0	Vanadium	<20	µg/L	GE
1	Zinc	580	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.060	µg/L	GE
2	Gross alpha	49±7.5	pCi/L	GE
2	Nonvolatile beta	431±10	pCi/L	GE
1	Total activity	37500±130	pCi/mL	EM
2	Total radium	61±9.0	pCi/L	GE
2	Tritium	38900±20	pCi/mL	GE

WELL FSB 99A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/16/90 Time: 11:30
 Depth to water: 137.98 ft (42.06 m) below TOC pH: 7.3
 Water elevation: 149.82 ft (45.60 m) msl Alkalinity: 63 mg/L
 Sp. conductance: 184 µS/cm Water temperature: 19.0°C
 Water evacuated before sampling: 184 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	pH	7.4	pH	MT
1	pH	7.4	pH	GE
1	Specific conductance	186	µS/cm	MT
1	Specific conductance	134	µS/cm	GE
0	Antimony	<3.0	µg/L	MT
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<3.0	µg/L	MT
0	Arsenic	<3.0	µg/L	MT
0	Arsenic	<2.0	µg/L	GE
0	Barium	42	µg/L	MT
0	Barium	42	µg/L	MT
0	Barium	38	µg/L	GE
0	Benzene	<5.0	µg/L	MT
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<5.0	µg/L	MT
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<5.0	µg/L	MT
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<10	µg/L	MT
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<3.0	µg/L	MT
0	Cadmium	<3.0	µg/L	MT
0	Cadmium	<2.0	µg/L	GE
1	Calcium	23000	µg/L	MT
1	Calcium	23100	µg/L	MT
1	Calcium	22100	µg/L	GE
0	Carbon tetrachloride	<5.0	µg/L	MT
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	2100	µg/L	MT
0	Chloride	2900	µg/L	GE
0	Chlorobenzene	<5.0	µg/L	MT

WELL FSB 99A collected on 01/16/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<10	µg/L	MT
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<5.0	µg/L	MT
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<5.0	µg/L	MT
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<10	µg/L	MT
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<3.0	µg/L	MT
0	Chromium	<3.0	µg/L	MT
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<5.0	µg/L	MT
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<15	µg/L	MT
0	Cobalt	<15	µg/L	MT
0	Cobalt	<4.0	µg/L	GE
0	Copper	<7.0	µg/L	MT
0	Copper	<7.0	µg/L	MT
0	Copper	<4.0	µg/L	GE
0	Cyanide	<5.0	µg/L	MT
0	Cyanide	<5.0	µg/L	MT
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<5.0	µg/L	MT
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<5.0	µg/L	MT
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.0060	µg/L	MT
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<5.0	µg/L	MT
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<250	µg/L	MT
0	Fluoride	130	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.0050	µg/L	MT
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	17	µg/L	MT
0	Iron	36	µg/L	MT
0	Iron	29	µg/L	GE
0	Lead	<3.0	µg/L	MT
0	Lead	<3.0	µg/L	MT
0	Lead	<6.0	µg/L	GE
0	Magnesium	1480	µg/L	MT
0	Magnesium	1530	µg/L	MT
0	Magnesium	1150	µg/L	GE
0	Manganese	5.8	µg/L	MT
0	Manganese	6.5	µg/L	MT
0	Manganese	4.4	µg/L	GE
0	Mercury	<0.20	µg/L	MT
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	MT
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<5.2	µg/L	MT
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	1700	µg/L	MT
0	Nitrate as nitrogen	2000	µg/L	GE
0	Phenols	<5.0	µg/L	MT
1	Phenols	12	µg/L	GE
0	Potassium	2760	µg/L	MT
0	Potassium	2520	µg/L	MT
0	Potassium	1820	µg/L	GE
0	Selenium	<3.0	µg/L	MT
0	Selenium	<3.0	µg/L	MT
0	Selenium	<2.0	µg/L	GE
1	Silica	14100	µg/L	GE
1	Silica	15800	µg/L	MT
1	Silica	15800	µg/L	MT
0	Silver	<2.0	µg/L	MT
0	Silver	<2.0	µg/L	GE
0	Sodium	3300	µg/L	MT
0	Sodium	3290	µg/L	MT
0	Sodium	3390	µg/L	GE
0	Sulfate	1500	µg/L	MT
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<5.0	µg/L	MT
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Thallium	<3.0	µg/L	MT
0	Thallium	<2.0	µg/L	GE
0	Toluene	<5.0	µg/L	MT
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	123000	µg/L	MT
0	Total dissolved solids	112000	µg/L	GE
0	Total organic carbon	<1000	µg/L	MT
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	MT
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	258	µg/L	MT
0	Total phosphates	230	µg/L	GE
0	Toxaphene	<0.24	µg/L	MT
0	Toxaphene	<1.0	µg/L	GE

ANALYTICAL RESULTS

WELL FSB 99A collected on 01/16/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	trans-1,2-Dichloroethene	<5.0	µg/L	MT
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<5.0	µg/L	MT
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<5.0	µg/L	MT
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<5.0	µg/L	MT
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<84	µg/L	MT
0	Uranium	<84	µg/L	MT
0	Uranium	<1000	µg/L	GE
0	Vanadium	<3.0	µg/L	MT
0	Vanadium	<3.0	µg/L	MT
0	Vanadium	<20	µg/L	GE
0	Zinc	11	µg/L	MT
0	Zinc	12	µg/L	MT
1	Zinc	545	µg/L	GE
0	1,1-Dichloroethane	<5.0	µg/L	MT
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<5.0	µg/L	MT
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<5.0	µg/L	MT
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<5.0	µg/L	MT
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<5.0	µg/L	MT
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<5.0	µg/L	MT
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropene	<5.0	µg/L	MT
0	1,2-Dichloropropene	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<5.0	µg/L	MT
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.48	µg/L	MT
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.070	µg/L	MT
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	<3.0	pCi/L	MT
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	<5.0	pCi/L	MT
0	Nonvolatile beta	3.2±2.2	pCi/L	GE
0	Total radium	1.4±0.50	pCi/L	MT
0	Total radium	1.8±2.2	pCi/L	GE
2	Tritium	53±6.0	pCi/mL	MT
2	Tritium	61±0.90	pCi/mL	GE

WELL FSB 99A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/16/90
 Depth to water: 137.98 ft (42.06 m) below TOC
 Water elevation: 149.62 ft (45.60 m) msl
 Sp. conductance: 164 µS/cm
 Water evacuated before sampling: 184 gal
 Time: 11:30
 pH: 7.3
 Alkalinity: 63 mg/L
 Water temperature: 19.0°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	pH	7.5	pH	MT
0	pH	5.9	pH	GE
1	Specific conductance	145	µS/cm	MT
1	Specific conductance	150	µS/cm	GE
0	Antimony	<3.0	µg/L	MT
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<3.0	µg/L	MT
0	Arsenic	<2.0	µg/L	GE
0	Barium	42	µg/L	MT
0	Barium	38	µg/L	GE
0	Benzene	<5.0	µg/L	MT
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<5.0	µg/L	MT
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<5.0	µg/L	MT
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<10	µg/L	MT
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<3.0	µg/L	MT
0	Cadmium	<2.0	µg/L	GE
1	Calcium	22700	µg/L	MT
1	Calcium	21000	µg/L	GE
0	Carbon tetrachloride	<5.0	µg/L	MT
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	2000	µg/L	MT
0	Chloride	2400	µg/L	GE
0	Chlorobenzene	<5.0	µg/L	MT

WELL FSB 99A collected on 01/16/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<10	µg/L	MT
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<5.0	µg/L	MT
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<5.0	µg/L	MT
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<10	µg/L	MT
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<3.0	µg/L	MT
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<5.0	µg/L	MT
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<15	µg/L	MT
0	Cobalt	<4.0	µg/L	GE
0	Copper	<7.0	µg/L	MT
0	Copper	<4.0	µg/L	GE
0	Cyanide	<5.0	µg/L	MT
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<5.0	µg/L	MT
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<5.0	µg/L	MT
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.0060	µg/L	MT
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<5.0	µg/L	MT
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<250	µg/L	MT
0	Fluoride	160	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.0050	µg/L	MT
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	13	µg/L	MT
0	Iron	27	µg/L	GE
0	Lead	<3.0	µg/L	MT
0	Lead	<6.0	µg/L	GE
0	Magnesium	1590	µg/L	MT
0	Magnesium	1320	µg/L	GE
0	Manganese	5.8	µg/L	MT
0	Manganese	4.2	µg/L	GE
0	Mercury	<0.20	µg/L	MT
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	MT
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<5.2	µg/L	MT
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	1740	µg/L	MT
0	Nitrate as nitrogen	2200	µg/L	GE
0	Phenols	<5.0	µg/L	MT
0	Phenols	<5.0	µg/L	GE
0	Potassium	2290	µg/L	MT
0	Potassium	2240	µg/L	GE
0	Selenium	<3.0	µg/L	MT
0	Selenium	<2.0	µg/L	GE
1	Silica	18000	µg/L	MT
1	Silica	15900	µg/L	GE
0	Silver	<2.0	µg/L	MT
0	Silver	<2.0	µg/L	GE
0	Sodium	3530	µg/L	MT
0	Sodium	4010	µg/L	GE
0	Sulfate	1500	µg/L	MT
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<5.0	µg/L	MT
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Thallium	<3.0	µg/L	MT
0	Thallium	<2.0	µg/L	GE
0	Toluene	<5.0	µg/L	MT
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	108000	µg/L	MT
0	Total dissolved solids	115000	µg/L	GE
0	Total organic carbon	<1000	µg/L	MT
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	MT
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	262	µg/L	MT
0	Total phosphates	247	µg/L	GE
0	Total phosphates	210	µg/L	MT
0	Toxaphene	<0.24	µg/L	MT
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<5.0	µg/L	MT
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<5.0	µg/L	MT
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<5.0	µg/L	MT
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<5.0	µg/L	MT
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<84	µg/L	MT
0	Uranium	<1000	µg/L	GE
0	Vanadium	<3.0	µg/L	MT

ANALYTICAL RESULTS

WELL FSB 99A collected on 01/16/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Vanadium	<20	µg/L	GE
0	Zinc	<9.0	µg/L	MT
0	Zinc	9.0	µg/L	GE
0	1,1-Dichloroethane	<5.0	µg/L	MT
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<5.0	µg/L	MT
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<5.0	µg/L	MT
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<5.0	µg/L	MT
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<5.0	µg/L	MT
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<5.0	µg/L	MT
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<5.0	µg/L	MT
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<5.0	µg/L	MT
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.48	µg/L	MT
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.070	µg/L	MT
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	<3.0	pCi/L	MT
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	<5.0	pCi/L	MT
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Total radium	1.2±0.40	pCi/L	MT
0	Total radium	<1.0	pCi/L	GE
2	Tritium	51±8.0	pCi/mL	MT
2	Tritium	40±0.70	pCi/mL	GE

WELL FSB 99C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/09/90
Depth to water: 80.66 ft (24.59 m) below TOC
Water elevation: 207.04 ft (63.11 m) msl
Sp. conductance: 312 µS/cm
Water evacuated before sampling: 201 gal

Time: 12:10
pH: 5.7
Alkalinity: 8 mg/L
Water temperature: 18.0°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.8	pH	GE
1	Specific conductance	288	µS/cm	GE
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
1	Barium	84	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
1	Calcium	14800	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	3300	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethane (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
1	Cobalt	4.3	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
1	Dichloromethane (Methylene chloride)	8.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	15	µg/L	GE
0	Lead	<6.0	µg/L	GE
1	Magnesium	8740	µg/L	GE
2	Manganese	82	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<4.0	µg/L	GE
2	Nitrate as nitrogen	29100	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	1800	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	9260	µg/L	GE

WELL FSB 99C collected on 01/09/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Silver	<2.0	µg/L	GE
1	Sodium	23400	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Thallium	<2.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	217000	µg/L	GE
0	Total organic carbon	2000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
1	Trichloroethylene	2.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	10	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	<2.0	pCi/L	GE
1	Total activity	2470±10	pCi/mL	EM
0	Total radium	<1.0	pCi/L	GE
2	Tritium	2950±5.8	pCi/mL	GE

WELL FSB 99D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/09/90
Depth to water: 77.39 ft (23.59 m) below TOC
Water elevation: 210.21 ft (64.07 m) msl
Sp. conductance: 112 µS/cm
Water evacuated before sampling: 31 gal

Time: 15:20
pH: 4.7
Alkalinity: 0 mg/L
Water temperature: 18.9°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	4.5	pH	GE
0	Specific conductance	47	µS/cm	GE
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	12	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	1750	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	1800	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethane (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	130	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	25	µg/L	GE
0	Lead	6.4	µg/L	GE
0	Magnesium	288	µg/L	GE
1	Manganese	35	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	2800	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE

ANALYTICAL RESULTS

WELL FSB 99D collected on 01/09/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Selenium	<2.0	µg/L	GE
0	Silica	1750	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	4110	µg/L	GE
0	Sulfate	5700	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Thallium	<2.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	47000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	11	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	9.0±2.7	pCi/L	GE
1	Total activity	50±1.9	pCi/mL	EM
0	Total radium	<1.0	pCi/L	GE
2	Tritium	51±0.80	pCi/mL	GE

WELL FSB100A collected on 01/03/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Phenols	<5.0	µg/L	GE
1	Potassium	19500	µg/L	GE
0	Selenium	<2.0	µg/L	GE
1	Silica	17500	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	44500	µg/L	GE
1	Sulfate	11800	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Thallium	<2.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	187000	µg/L	GE
0	Total organic carbon	3000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	140	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	<2.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
1	Nonvolatile beta	24±5.3	pCi/L	GE
0	Total radium	<1.0	pCi/L	GE
2	Tritium	103±1.1	pCi/mL	GE

WELL FSB100A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/03/90
 Depth to water: 135.66 ft (41.35 m) below TOC
 Water elevation: 150.34 ft (45.82 m) msl
 Sp. conductance: 295 µS/cm
 Water evacuated before sampling: 20 gal
 The well went dry during purging.

Time: 12:40
 pH: 10.1
 Alkalinity: 106 mg/L
 Water temperature: 19.5°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
2	pH	9.9	pH	GE
1	Specific conductance	341	µS/cm	GE
0	Antimony	<3.0	µg/L	GE
1	Arsenic	3.9	µg/L	GE
0	Barium	35	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	4850	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	2300	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	15	µg/L	GE
0	Lead	<8.0	µg/L	GE
0	Magnesium	518	µg/L	GE
0	Manganese	<2.0	µg/L	GE
0	Mercury	0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<4.0	µg/L	GE
1	Nitrate as nitrogen	3270	µg/L	GE

WELL FSB101A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/01/90
 Depth to water: 134.49 ft (40.99 m) below TOC
 Water elevation: 150.71 ft (45.94 m) msl
 Sp. conductance: 161 µS/cm
 Water evacuated before sampling: 150 gal

Time: 12:30
 pH: 6.9
 Alkalinity: 59 mg/L
 Water temperature: 17.5°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	pH	7.4	pH	GE
1	Specific conductance	162	µS/cm	GE
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	35	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
1	Calcium	29300	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	2700	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	8.4	µg/L	GE
0	Lead	<8.0	µg/L	GE
0	Magnesium	726	µg/L	GE
0	Manganese	<2.0	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<4.0	µg/L	GE

ANALYTICAL RESULTS

WELL FSB101A collected on 01/01/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Nitrate as nitrogen	1840	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	1230	µg/L	GE
0	Selenium	<2.0	µg/L	GE
1	Silica	17000	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	2480	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Thallium	<2.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	113000	µg/L	GE
1	Total organic carbon	10000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	200	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	<2.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	8.1 ± 2.8	pCi/L	GE
0	Total radium	<1.0	pCi/L	GE
0	Tritium	<0.70	pCi/mL	GE

WELL FSB102C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/06/90
 Depth to water: 8.05 ft (1.84 m) below TOC
 Water elevation: 195.05 ft (59.45 m) msl
 Sp. conductance: 808 µS/cm
 Water evacuated before sampling: 143 gal

Time: 9:10
 pH: 4.4
 Alkalinity: 0 mg/L
 Water temperature: 18.7°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	4.5	pH	GE
1	Specific conductance	800	µS/cm	GE
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
1	Barium	141	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
2	Cadmium	8.1	µg/L	GE
1	Calcium	19900	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	2200	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
1	Cobalt	49	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
1	Fluoride	530	µg/L	GE
1	gamma-Benzene hexachloride (Lindane)	0.95	µg/L	GE
0	Iron	48	µg/L	GE
0	Lead	<8.0	µg/L	GE
1	Magnesium	7390	µg/L	GE
2	Manganese	1220	µg/L	GE
2	Mercury	1.1	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE

WELL FSB102C collected on 01/06/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
1	Nickel	21	µg/L	GE
2	Nitrate as nitrogen	88600	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	1250	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	789	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	74500	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Thallium	<2.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	408000	µg/L	GE
0	Total organic carbon	1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	55	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Americium-241	<2.0	pCi/L	TE
0	Americium-243	<1.0	pCi/L	TE
0	Barium-140	<20	pCi/L	TE
0	Beryllium-7	<60	pCi/L	TE
1	Carbon-14	22 ± 4.0	pCi/L	TE
0	Cerium-141	<10	pCi/L	TE
0	Cerium-144	<40	pCi/L	TE
0	Cesium-134	<5.0	pCi/L	TE
0	Cesium-137	<5.0	pCi/L	TE
0	Cobalt-58	<5.0	pCi/L	TE
0	Cobalt-60	<5.0	pCi/L	TE
0	Curium-242	<0.10	pCi/L	TE
0	Curium-243/244	<0.30	pCi/L	TE
0	Curium-246	<2.0	pCi/L	TE
2	Gross alpha	25 ± 4.5	pCi/L	GE
1	Gross alpha	7.9 ± 3.3	pCi/L	TE
1	Iodine-129	31 ± 3.0	pCi/L	TE
0	Iodine-131	<70	pCi/L	TE
0	Iron-55	<80	pCi/L	TE
0	Iron-59	<10	pCi/L	TE
0	Manganese-54	<5.0	pCi/L	TE
0	Nickel-59	<70	pCi/L	TE
0	Nickel-63	<10	pCi/L	TE
0	Nonvolatile beta	5.1 ± 2.7	pCi/L	GE
2	Nonvolatile beta	980 ± 20	pCi/L	TE
0	Plutonium-238	<0.20	pCi/L	TE
0	Plutonium-239/240	<0.10	pCi/L	TE
0	Plutonium-242	<0.080	pCi/L	TE
0	Potassium-40	<100	pCi/L	TE
0	Radium-226	<90	pCi/L	TE
1	Radium-228	6.4 ± 0.80	pCi/L	TE
1	Radium-228	7.8 ± 3.1	pCi/L	TE
0	Ruthenium-103	<8.0	pCi/L	TE
0	Ruthenium-106	<40	pCi/L	TE
1	Strontium-89	54 ± 30	pCi/L	TE
1	Strontium-90	630 ± 10	pCi/L	TE
1	Technetium-99	57 ± 7.0	pCi/L	TE
0	Thorium-228	<8.0	pCi/L	TE
1	Thorium-228	140 ± 10	pCi/L	TE
1	Thorium-230	230 ± 10	pCi/L	TE
1	Thorium-232	4.2 ± 0.90	pCi/L	TE
1	Total activity	2150 ± 10	pCi/mL	EM
0	Total radium	2.2 ± 2.4	pCi/L	GE
2	Tritium	2600 ± 5.2	pCi/mL	GE
2	Tritium	2200 ± 100	pCi/mL	TE
1	Uranium-234	0.82 ± 0.49	pCi/L	TE
0	Uranium-235	<0.20	pCi/L	TE
0	Uranium-238	<0.40	pCi/L	TE
0	Zinc-65	<10	pCi/L	TE
0	Zirconium-95	<8.0	pCi/L	TE

ANALYTICAL RESULTS

WELL FSB103C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/07/90 Time: 15:05
 Depth to water: 41.44 ft (12.63 m) below TOC pH: 5.8
 Water elevation: 200.98 ft (61.25 m) msl Alkalinity: 12 mg/L
 Sp. conductance: 223 µS/cm Water temperature: 18.0°C
 Water evacuated before sampling: 185 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.8	pH	GE
1	Specific conductance	200	µS/cm	GE
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	39	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
1	Calcium	24200	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	2200	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	22	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	2300	µg/L	GE
1	Manganese	36	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<4.0	µg/L	GE
2	Nitrate as nitrogen	20000	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	842	µg/L	GE
0	Selenium	<2.0	µg/L	GE
1	Silica	13800	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	8980	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Thallium	<2.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	196000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
1	Total organic halogens	18	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	20	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Americium-241	<0.20	pCi/L	TE
0	Americium-243	<0.20	pCi/L	TE
0	Barium-140	<10	pCi/L	TE
0	Beryllium-7	<30	pCi/L	TE
1	Carbon-14	10±4.0	pCi/L	TE
0	Cerium-141	<8.0	pCi/L	TE
0	Cerium-144	<30	pCi/L	TE
0	Cesium-134	<3.0	pCi/L	TE

WELL FSB103C collected on 01/07/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Cesium-137	<3.0	pCi/L	TE
0	Cobalt-58	<3.0	pCi/L	TE
0	Cobalt-60	<3.0	pCi/L	TE
0	Curium-242	<0.20	pCi/L	TE
0	Curium-243/244	<0.40	pCi/L	TE
0	Curium-246	<0.10	pCi/L	TE
0	Gross alpha	<3.0	pCi/L	GE
0	Gross alpha	<1.0	pCi/L	TE
0	Iodine-129	<2.0	pCi/L	TE
0	Iodine-131	<20	pCi/L	TE
0	Iron-55	<60	pCi/L	TE
0	Iron-59	<8.0	pCi/L	TE
0	Manganese-54	<2.0	pCi/L	TE
0	Nickel-59	<80	pCi/L	TE
0	Nickel-63	<10	pCi/L	TE
0	Nonvolatile beta	3.9±2.4	pCi/L	GE
0	Nonvolatile beta	<2.0	pCi/L	TE
0	Plutonium-238	<0.20	pCi/L	TE
0	Plutonium-239/240	<0.060	pCi/L	TE
0	Plutonium-242	<0.010	pCi/L	TE
0	Potassium-40	<50	pCi/L	TE
0	Radium-226	<70	pCi/L	TE
0	Radium-226	<1.0	pCi/L	TE
0	Radium-228	<2.0	pCi/L	TE
0	Ruthenium-103	<4.0	pCi/L	TE
0	Ruthenium-106	<30	pCi/L	TE
0	Strontium-88	<4.0	pCi/L	TE
0	Strontium-90	<2.0	pCi/L	TE
1	Technetium-99	45±6.0	pCi/L	TE
0	Thorium-228	<6.0	pCi/L	TE
1	Thorium-228	2.4±1.4	pCi/L	TE
1	Thorium-230	17±3.0	pCi/L	TE
1	Thorium-232	1.1±0.80	pCi/L	TE
1	Total activity	658±5.7	pCi/mL	EM
0	Total radium	<1.0	pCi/L	GE
2	Tritium	714±2.7	pCi/mL	GE
2	Tritium	1300±100	pCi/mL	TE
0	Uranium-234	<0.60	pCi/L	TE
0	Uranium-235	<0.30	pCi/L	TE
0	Uranium-238	<0.50	pCi/L	TE
0	Zinc-65	<6.0	pCi/L	TE
0	Zirconium-95	<3.0	pCi/L	TE

WELL FSB104C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/09/90 Time: 11:25
 Depth to water: 18.48 ft (5.93 m) below TOC pH: 5.2
 Water elevation: 199.84 ft (60.85 m) msl Alkalinity: 1 mg/L
 Sp. conductance: 324 µS/cm Water temperature: 16.7°C
 Water evacuated before sampling: 141 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.5	pH	GE
1	Specific conductance	300	µS/cm	GE
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	58	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
1	Calcium	25900	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	2400	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	22	µg/L	GE

ANALYTICAL RESULTS

WELL FSB104C collected on 01/09/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Lead	<6.0	µg/L	GE
0	Magnesium	4580	µg/L	GE
0	Manganese	21	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
1	Nickel	9.9	µg/L	GE
2	Nitrate as nitrogen	28900	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	1480	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	1210	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	13700	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Thallium	<2.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	241000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	90	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	40	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropene	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
2	Gross alpha	17±3.7	pCi/L	GE
0	Nonvolatile beta	8.2±2.9	pCi/L	GE
1	Nonvolatile beta	42±8.6	pCi/L	GE
1	Total activity	1010±6.8	pCi/mL	EM
0	Total radium	<1.0	pCi/L	GE
2	Tritium	1120±3.3	pCi/mL	GE

WELL FSB104D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/09/90
Depth to water: 18.13 ft (4.92 m) below TOC
Water elevation: 203.07 ft (61.90 m) msl
Sp. conductance: 1373 µS/cm
Water evacuated before sampling: 47 gal

Time: 11:00
pH: 3.5
Alkalinity: 0 mg/L
Water temperature: 16.6°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	pH	3.5	pH	GE
1	Specific conductance	1310	µS/cm	GE
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
1	Barium	306	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
1	Cadmium	4.3	µg/L	GE
0	Calcium	2750	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	3000	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
1	Cobalt	108	µg/L	GE
1	Copper	72	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE

WELL FSB104D collected on 01/09/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
1	Fluoride	1150	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	114	µg/L	GE
0	Lead	8.0	µg/L	GE
0	Magnesium	1380	µg/L	GE
2	Manganese	2210	µg/L	GE
2	Mercury	1.5	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
1	Nickel	31	µg/L	GE
2	Nitrate as nitrogen	195000	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	917	µg/L	GE
0	Selenium	<2.0	µg/L	GE
1	Silica	50900	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	182000	µg/L	GE
0	Sulfate	5800	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Thallium	<2.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	684000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	5.0	µg/L	GE
0	Total phosphates	90	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
1	Uranium	1810	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	84	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
1	Americium-241	6.8±1.3	pCi/L	TE
1	Americium-243	4.3±1.0	pCi/L	TE
0	Barium-140	<30	pCi/L	TE
0	Beryllium-7	<80	pCi/L	TE
1	Carbon-14	39±6.0	pCi/L	TE
0	Cerium-141	<20	pCi/L	TE
0	Cerium-144	<40	pCi/L	TE
0	Cesium-134	<5.0	pCi/L	TE
0	Cesium-137	<5.0	pCi/L	TE
0	Cobalt-58	<6.0	pCi/L	TE
1	Cobalt-60	13±3.7	pCi/L	TE
0	Curium-242	<0.10	pCi/L	TE
1	Curium-243/244	2.7±0.90	pCi/L	TE
1	Curium-246	5.4±1.1	pCi/L	TE
2	Gross alpha	48±6.1	pCi/L	GE
2	Gross alpha	550±30	pCi/L	TE
1	Iodine-129	48±3.0	pCi/L	TE
0	Iodine-131	<100	pCi/L	TE
0	Iron-55	<50	pCi/L	TE
0	Iron-59	<10	pCi/L	TE
0	Manganese-54	<4.0	pCi/L	TE
0	Nickel-59	<100	pCi/L	TE
1	Nickel-63	20±8.0	pCi/L	TE
2	Nonvolatile beta	90±7.3	pCi/L	GE
2	Nonvolatile beta	2400±100	pCi/L	TE
0	Plutonium-238	<0.20	pCi/L	TE
0	Plutonium-239/240	<0.080	pCi/L	TE
0	Plutonium-242	<0.050	pCi/L	TE
0	Potassium-40	<70	pCi/L	TE
1	Radium-226	35±4.0	pCi/L	TE
0	Radium-228	<100	pCi/L	TE
1	Radium-228	41±10	pCi/L	TE
0	Ruthenium-103	<8.0	pCi/L	TE
0	Ruthenium-106	<40	pCi/L	TE
0	Strontium-89	<40	pCi/L	TE
1	Strontium-90	430±10	pCi/L	TE
1	Technetium-99	150±10	pCi/L	TE
0	Thorium-228	<10	pCi/L	TE
1	Thorium-228	11±2.0	pCi/L	TE
1	Thorium-230	31±3.0	pCi/L	TE
1	Thorium-232	3.1±0.90	pCi/L	TE
1	Total activity	9440±70	pCi/mL	EM
0	Total radium	<1.0	pCi/L	GE
2	Tritium	11100±10	pCi/mL	GE
2	Tritium	10000±1000	pCi/mL	TE
1	Uranium-234	280±10	pCi/L	TE
1	Uranium-235	8.8±1.8	pCi/L	TE

ANALYTICAL RESULTS

WELL FSB104D collected on 01/09/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
1	Uranium-238	380 ± 10	pCi/L	TE
0	Zinc-65	< 10	pCi/L	TE
0	Zirconium-95	< 8.0	pCi/L	TE

WELL FSB105C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/01/90 Time: 18:50
 Depth to water: 80.49 ft (24.53 m) below TOC pH: 3.4
 Water elevation: 205.31 ft (62.58 m) msl Alkalinity: 0 mg/L
 Sp. conductance: 1511 µS/cm Water temperature: 16.7°C
 Water evacuated before sampling: 179 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	pH	3.6	pH	GE
1	Specific conductance	1880	µS/cm	GE
0	Antimony	< 3.0	µg/L	GE
0	Arsenic	< 2.0	µg/L	GE
2	Barium	559	µg/L	GE
0	Benzene	< 1.0	µg/L	GE
0	Bromodichloromethane	< 1.0	µg/L	GE
0	Bromoform	< 1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	< 1.0	µg/L	GE
2	Cadmium	17	µg/L	GE
1	Calcium	18000	µg/L	GE
0	Carbon tetrachloride	< 1.0	µg/L	GE
0	Chloride	2800	µg/L	GE
0	Chlorobenzene	< 1.0	µg/L	GE
0	Chloroethane	< 1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	< 1.0	µg/L	GE
0	Chloroform	< 1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	< 1.0	µg/L	GE
0	Chromium	< 4.0	µg/L	GE
0	cis-1,3-Dichloropropene	< 1.0	µg/L	GE
1	Cobalt	348	µg/L	GE
1	Copper	62	µg/L	GE
0	Cyanide	< 5.0	µg/L	GE
0	Dibromochloromethane	< 1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	< 1.0	µg/L	GE
0	Endrin	< 0.10	µg/L	GE
0	Ethylbenzene	< 1.0	µg/L	GE
2	Fluoride	2500	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	< 0.050	µg/L	GE
0	Iron	40	µg/L	GE
0	Lead	7.4	µg/L	GE
1	Magnesium	7480	µg/L	GE
2	Manganese	4400	µg/L	GE
0	Mercury	0.20	µg/L	GE
0	Methoxychlor	< 0.50	µg/L	GE
1	Nickel	57	µg/L	GE
2	Nitrate as nitrogen	230000	µg/L	GE
0	Phenols	< 5.0	µg/L	GE
0	Potassium	2320	µg/L	GE
0	Selenium	< 2.0	µg/L	GE
1	Silica	23800	µg/L	GE
0	Silver	< 2.0	µg/L	GE
1	Sodium	94800	µg/L	GE
0	Sulfate	< 5000	µg/L	GE
0	Tetrachloroethylene	< 1.0	µg/L	GE
0	Thallium	< 2.0	µg/L	GE
0	Toluene	< 1.0	µg/L	GE
0	Total dissolved solids	708000	µg/L	GE
0	Total organic carbon	< 1000	µg/L	GE
0	Total organic halogens	< 5.0	µg/L	GE
0	Total phosphates	90	µg/L	GE
0	Toxaphene	< 1.0	µg/L	GE
0	trans-1,2-Dichloroethene	< 1.0	µg/L	GE
0	trans-1,3-Dichloropropene	< 1.0	µg/L	GE
0	Trichloroethylene	< 1.0	µg/L	GE
0	Trichlorofluoromethane	< 1.0	µg/L	GE
0	Uranium	< 1000	µg/L	GE
0	Vanadium	< 20	µg/L	GE
0	Zinc	152	µg/L	GE
0	1,1-Dichloroethane	< 1.0	µg/L	GE
0	1,1-Dichloroethylene	< 1.0	µg/L	GE
0	1,1,1-Trichloroethane	< 1.0	µg/L	GE
0	1,1,2-Trichloroethane	< 1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	< 1.0	µg/L	GE
0	1,2-Dichloroethane	< 1.0	µg/L	GE
0	1,2-Dichloropropane	< 1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	< 1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	< 0.30	µg/L	GE
0	2,4,5-TP (Silvex)	< 0.090	µg/L	GE

WELL FSB105C collected on 01/01/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
1	Gross alpha	15 ± 3.8	pCi/L	GE
2	Nonvolatile beta	118 ± 8.2	pCi/L	GE
1	Total activity	12000 ± 70	pCi/mL	EM
2	Total radium	81 ± 8.9	pCi/L	GE
2	Tritium	13800 ± 10	pCi/mL	GE

WELL FSB105D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/02/90 Time: 14:20
 Depth to water: 78.07 ft (23.80 m) below TOC pH: 3.7
 Water elevation: 207.73 ft (63.32 m) msl Alkalinity: 0 mg/L
 Sp. conductance: 2190 µS/cm Water temperature: 16.3°C
 Water evacuated before sampling: 1 gal
 The well went dry during purging

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	pH	3.9	pH	GE
1	Specific conductance	1270	µS/cm	GE
1	Antimony	4.3	µg/L	GE
0	Arsenic	< 2.0	µg/L	GE
1	Barium	424	µg/L	GE
0	Benzene	< 1.0	µg/L	GE
0	Bromodichloromethane	< 1.0	µg/L	GE
0	Bromoform	< 1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	< 1.0	µg/L	GE
2	Cadmium	14	µg/L	GE
1	Calcium	13800	µg/L	GE
0	Carbon tetrachloride	< 1.0	µg/L	GE
0	Chloride	1600	µg/L	GE
0	Chlorobenzene	< 1.0	µg/L	GE
0	Chloroethane	< 1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	< 1.0	µg/L	GE
0	Chloroform	< 1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	< 1.0	µg/L	GE
1	Chromium	21	µg/L	GE
0	cis-1,3-Dichloropropene	< 1.0	µg/L	GE
1	Cobalt	38	µg/L	GE
1	Copper	208	µg/L	GE
0	Cyanide	< 5.0	µg/L	GE
0	Dibromochloromethane	< 1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	< 1.0	µg/L	GE
0	Endrin	< 0.10	µg/L	GE
0	Ethylbenzene	< 1.0	µg/L	GE
1	Fluoride	1500	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	< 0.050	µg/L	GE
2	Iron	7440	µg/L	GE
2	Lead	442	µg/L	GE
1	Magnesium	7950	µg/L	GE
2	Manganese	1200	µg/L	GE
0	Mercury	< 0.20	µg/L	GE
0	Methoxychlor	< 0.50	µg/L	GE
1	Nickel	62	µg/L	GE
2	Nitrate as nitrogen	207000	µg/L	GE
0	Phenols	< 5.0	µg/L	GE
0	Potassium	4570	µg/L	GE
0	Selenium	< 2.0	µg/L	GE
1	Silica	29000	µg/L	GE
0	Silver	< 2.0	µg/L	GE
1	Sodium	163000	µg/L	GE
1	Sulfate	10300	µg/L	GE
0	Tetrachloroethylene	< 1.0	µg/L	GE
0	Thallium	< 2.0	µg/L	GE
0	Toluene	< 1.0	µg/L	GE
0	Total dissolved solids	685000	µg/L	GE
0	Total organic carbon	1000	µg/L	GE
0	Total organic halogens	< 5.0	µg/L	GE
0	Total phosphates	< 50	µg/L	GE
0	Toxaphene	< 1.0	µg/L	GE
0	trans-1,2-Dichloroethene	< 1.0	µg/L	GE
0	trans-1,3-Dichloropropene	< 1.0	µg/L	GE
0	Trichloroethylene	< 1.0	µg/L	GE
0	Trichlorofluoromethane	< 1.0	µg/L	GE
1	Uranium	1050	µg/L	GE
0	Vanadium	< 20	µg/L	GE
0	Zinc	199	µg/L	GE
0	1,1-Dichloroethane	< 1.0	µg/L	GE
0	1,1-Dichloroethylene	< 1.0	µg/L	GE
0	1,1,1-Trichloroethane	< 1.0	µg/L	GE
0	1,1,2-Trichloroethane	< 1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	< 1.0	µg/L	GE
0	1,2-Dichloroethane	< 1.0	µg/L	GE
0	1,2-Dichloropropane	< 1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	< 1.0	µg/L	GE

ANALYTICAL RESULTS

WELL FSB105D collected on 01/02/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
2	Gross alpha	18±4.5	pCi/L	GE
2	Nonvolatile beta	135±8.3	pCi/L	GE
1	Total activity	20700±100	pCi/mL	EM
2	Total radium	27±8.2	pCi/L	GE
2	Tritium	15200±10	pCi/mL	GE

WELL FSB106C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/06/90 Time: 9:50
 Depth to water: 34.79 ft (10.60 m) below TOC pH: 4.9
 Water elevation: 200.31 ft (61.06 m) msl Alkalinity: 0 mg/L
 Sp. conductance: 700 µS/cm Water temperature: 17.6°C
 Water evacuated before sampling: 131 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	4.9	pH	GE
1	Specific conductance	690	µS/cm	GE
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
1	Barium	227	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
2	Cadmium	14	µg/L	GE
1	Calcium	31500	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	3300	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethane (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
1	Cobalt	70	µg/L	GE
0	Copper	4.1	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
1	Fluoride	820	µg/L	GE
1	gamma-Benzene hexachloride (Lindane)	1.0	µg/L	GE
0	Iron	26	µg/L	GE
0	Lead	<6.0	µg/L	GE
1	Magnesium	8750	µg/L	GE
2	Manganese	1650	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
1	Nickel	19	µg/L	GE
2	Nitrate as nitrogen	81800	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	1460	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	864	µg/L	GE
1	Silver	5.7	µg/L	GE
1	Sodium	70100	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Thallium	<2.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	458000	µg/L	GE
0	Total organic carbon	1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
1	Trichloroethylene	1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	49	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE

WELL FSB106C collected on 01/06/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
1	Americium-241	10±1.0	pCi/L	TE
1	Americium-243	19±2.0	pCi/L	TE
0	Barium-140	<20	pCi/L	TE
0	Beryllium-7	<40	pCi/L	TE
1	Carbon-14	53±10	pCi/L	TE
0	Cerium-141	<10	pCi/L	TE
0	Cerium-144	<30	pCi/L	TE
0	Cesium-134	<4.0	pCi/L	TE
0	Cesium-137	<4.0	pCi/L	TE
0	Cobalt-58	<4.0	pCi/L	TE
0	Cobalt-60	<5.0	pCi/L	TE
0	Curium-242	<0.10	pCi/L	TE
0	Curium-243/244	<0.30	pCi/L	TE
1	Curium-246	10±1.0	pCi/L	TE
0	Gross alpha	<3.0	pCi/L	GE
2	Gross alpha	25±6.0	pCi/L	TE
1	Iodine-129	42±3.0	pCi/L	TE
0	Iodine-131	<50	pCi/L	TE
0	Iron-55	<80	pCi/L	TE
0	Iron-59	<9.0	pCi/L	TE
0	Manganese-54	<3.0	pCi/L	TE
0	Nickel-59	<100	pCi/L	TE
0	Nickel-63	<10	pCi/L	TE
0	Nonvolatile beta	<2.0	pCi/L	GE
2	Nonvolatile beta	1800±100	pCi/L	TE
0	Plutonium-238	<0.10	pCi/L	TE
0	Plutonium-239/240	<0.080	pCi/L	TE
0	Plutonium-242	<0.080	pCi/L	TE
0	Potassium-40	<60	pCi/L	TE
0	Radium-226	<80	pCi/L	TE
1	Radium-228	25±3.0	pCi/L	TE
1	Radium-228	12±6.0	pCi/L	TE
0	Ruthenium-103	<6.0	pCi/L	TE
0	Ruthenium-106	<30	pCi/L	TE
0	Strontium-89	<50	pCi/L	TE
1	Strontium-90	580±10	pCi/L	TE
1	Technetium-99	110±10	pCi/L	TE
0	Thorium-228	<7.0	pCi/L	TE
1	Thorium-228	94±4.0	pCi/L	TE
1	Thorium-230	220±10	pCi/L	TE
1	Thorium-232	5.8±0.90	pCi/L	TE
1	Total activity	2610±10	pCi/mL	EM
0	Total radium	<1.0	pCi/L	GE
2	Tritium	3200±5.8	pCi/mL	GE
2	Tritium	2600±100	pCi/mL	TE
1	Uranium-234	0.67±0.28	pCi/L	TE
0	Uranium-235	<0.070	pCi/L	TE
1	Uranium-238	0.17±0.15	pCi/L	TE
0	Zinc-65	<8.0	pCi/L	TE
0	Zirconium-95	<4.0	pCi/L	TE

WELL FSB107C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/01/90 Time: 15:30
 Depth to water: 82.47 ft (19.04 m) below TOC pH: 6.8
 Water elevation: 208.43 ft (63.53 m) msl Alkalinity: 65 mg/L
 Sp. conductance: 277 µS/cm Water temperature: 17.8°C
 Water evacuated before sampling: 165 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	pH	7.0	pH	GE
1	Specific conductance	296	µS/cm	GE
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	43	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
1	Calcium	37800	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	2500	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethane (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE

ANALYTICAL RESULTS

WELL FSB107C collected on 01/01/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	<4.0	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	3740	µg/L	GE
2	Manganese	93	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<4.0	µg/L	GE
2	Nitrate as nitrogen	15700	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	764	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	8230	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	11500	µg/L	GE
0	Sulfate	<5000	µg/L	GE
1	Tetrachloroethylene	2.0	µg/L	GE
0	Thallium	<2.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	210000	µg/L	GE
0	Total organic carbon	4000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	80	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
1	Trichloroethylene	1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	18	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
2	Nonvolatile beta	109±8.5	pCi/L	GE
0	Total radium	<1.0	pCi/L	GE
2	Tritium	389±2.1	pCi/mL	GE

WELL FSB107D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/01/90
Depth to water: 59.77 ft (18.22 m) below TOC
Water elevation: 211.23 ft (64.38 m) msl
Sp. conductance: 297 µS/cm
Water evacuated before sampling: 42 gal

Time: 15:00
pH: 3.8
Alkalinity: 0 mg/L
Water temperature: 17.0°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	pH	3.9	pH	GE
1	Specific conductance	289	µS/cm	GE
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
1	Barium	72	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	1530	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	2400	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE

WELL FSB107D collected on 01/01/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Copper	18	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	410	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	102	µg/L	GE
0	Lead	8.4	µg/L	GE
0	Magnesium	907	µg/L	GE
2	Manganese	397	µg/L	GE
0	Mercury	0.30	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	1100	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Selenium	<2.0	µg/L	GE
1	Silica	14100	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	30800	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Thallium	<2.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	180000	µg/L	GE
0	Total organic carbon	2000	µg/L	GE
0	Total organic halogens	5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	22	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
2	Gross alpha	62±20	pCi/L	GE
0	Nonvolatile beta	<2.0	pCi/L	GE
2	Nonvolatile beta	719±40	pCi/L	GE
1	Total activity	1140±30	pCi/mL	EM
0	Total radium	<1.0	pCi/L	GE
2	Total radium	43±4.1	pCi/L	GE
2	Tritium	1200±2.7	pCi/mL	GE

WELL FSB108D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/07/90
Depth to water: 83.81 ft (25.55 m) below TOC
Water elevation: 214.19 ft (65.29 m) msl
Sp. conductance: 89 µS/cm
Water evacuated before sampling: 2 gal
The well went dry during purging.

Time: 9:55
pH: 7.0
Alkalinity: 19 mg/L
Water temperature: 16.9°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	pH	6.8	pH	GE
0	Specific conductance	73	µS/cm	GE
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	15	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	7880	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE

ANALYTICAL RESULTS

WELL FSB108D collected on 01/07/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Chloride	3100	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	8.9	µg/L	GE
0	Lead	8.3	µg/L	GE
0	Magnesium	482	µg/L	GE
0	Manganese	21	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	1480	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	5640	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	3720	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Thallium	<2.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	54000	µg/L	GE
0	Total organic carbon	2000	µg/L	GE
1	Total organic halogens	14	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	18	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	3.0±2.8	pCi/L	GE
0	Total radium	1.1±1.8	pCi/L	GE
1	Tritium	15±0.50	pCi/mL	GE

WELL FSB109D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/02/90
 Depth to water: 82.52 ft (25.15 m) below TOC
 Water elevation: 210.58 ft (64.19 m) msl
 Sp. conductance: 107 µS/cm
 Water evacuated before sampling: 2 gal
 The well went dry during purging.

Time: 13:55
 pH: 6.8
 Alkalinity: 32 mg/L
 Water temperature: 16.7°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	pH	7.0	pH	GE
0	Specific conductance	78	µS/cm	GE
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	12	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	4230	µg/L	GE

WELL FSB109D collected on 01/02/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	1200	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	18	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	1280	µg/L	GE
0	Manganese	9.5	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	1100	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	1500	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	8980	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	10000	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Thallium	<2.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	143000	µg/L	GE
0	Total organic carbon	2000	µg/L	GE
1	Total organic halogens	11	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
2	Trichloroethylene	4.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	194	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	<2.0	pCi/L	GE
1	Total activity	140±2.8	pCi/mL	EM
0	Total radium	1.1±1.9	pCi/L	GE
2	Tritium	150±1.3	pCi/mL	GE

WELL FSB110C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/18/90
 Depth to water: 33.67 ft (10.28 m) below TOC
 Water elevation: 200.33 ft (61.06 m) msl
 Sp. conductance: 295 µS/cm
 Water evacuated before sampling: 180 gal

Time: 14:30
 pH: 6.2
 Alkalinity: 18 mg/L
 Water temperature: 20.5°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	6.3	pH	GE
1	Specific conductance	269	µS/cm	GE
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
1	Barium	71	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE

ANALYTICAL RESULTS

WELL FSB110C collected on 01/18/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Cadmium	<2.0	µg/L	GE
1	Calcium	35100	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	3000	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Copper	6.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	20	µg/L	GE
0	Lead	13	µg/L	GE
0	Magnesium	3460	µg/L	GE
0	Manganese	12	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<4.0	µg/L	GE
2	Nitrate as nitrogen	33100	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	3770	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	7340	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	14600	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Thallium	<2.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	209000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	60	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	8.7	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
1	Nonvolatile beta	23±3.8	pCi/L	GE
1	Total activity	815±6.2	pCi/mL	EM
0	Total radium	2.3±2.5	pCi/L	GE
2	Tritium	734±2.8	pCi/mL	GE

WELL FSB110D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/18/90
 Depth to water: 30.44 ft (9.28 m) below TOC
 Water elevation: 204.06 ft (62.20 m) msl
 Sp. conductance: 3390 µS/cm
 Water evacuated before sampling: 50 gal
 Time: 12:55
 pH: 3.0
 Alkalinity: 0 mg/L
 Water temperature: 19.6°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	pH	3.0	pH	GE
1	Specific conductance	3310	µS/cm	GE
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
1	Barium	223	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE

WELL FSB110D collected on 01/18/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	1770	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	<1000	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
1	Chromium	23	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
1	Cobalt	20	µg/L	GE
1	Copper	115	µg/L	GE
1	Cyanide	12	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
1	Dichloromethane (Methylene chloride)	14	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
1	Fluoride	1280	µg/L	GE
1	gamma-Benzene hexachloride (Lindane)	0.12	µg/L	GE
2	Iron	385	µg/L	GE
0	Lead	12	µg/L	GE
0	Magnesium	1310	µg/L	GE
2	Manganese	1160	µg/L	GE
1	Mercury	0.78	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
1	Nickel	67	µg/L	GE
2	Nitrate as nitrogen	386000	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	2080	µg/L	GE
0	Selenium	<2.0	µg/L	GE
1	Silica	187000	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	94900	µg/L	GE
2	Sulfate	193000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Thallium	<2.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	1.11E±08	µg/L	GE
0	Total organic carbon	2000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
1	Uranium	5170	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	222	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
1	Americium-241	14±1.0	pCi/L	TE
1	Americium-243	14±1.0	pCi/L	TE
0	Barium-140	<50	pCi/L	TE
0	Beryllium-7	<80	pCi/L	TE
1	Carbon-14	46±4.0	pCi/L	TE
1	Cerium-141	27±10	pCi/L	TE
0	Cerium-144	<40	pCi/L	TE
0	Cesium-134	<4.0	pCi/L	TE
0	Cesium-137	<4.0	pCi/L	TE
0	Cobalt-58	<5.0	pCi/L	TE
1	Cobalt-60	23±3.8	pCi/L	TE
0	Curium-242	<0.40	pCi/L	TE
1	Curium-243/244	0.41±0.050	pCi/L	TE
1	Curium-246	0.15±0.010	pCi/L	TE
2	Gross alpha	71±10	pCi/L	GE
2	Gross alpha	396±30	pCi/L	GE
2	Gross alpha	1200±100	pCi/L	TE
1	Iodine 129	51±3.0	pCi/L	TE
0	Iodine-131	<200	pCi/L	TE
0	Iron-55	<50	pCi/L	TE
0	Iron-59	<10	pCi/L	TE
0	Manganese-54	<4.0	pCi/L	TE
0	Neptunium-237	<8.0	pCi/L	TE
0	Nickel-59	<200	pCi/L	TE
0	Nickel-63	<20	pCi/L	TE
2	Nonvolatile beta	1870±30	pCi/L	GE
2	Nonvolatile beta	4500±100	pCi/L	TE

ANALYTICAL RESULTS

WELL FSB110D collected on 01/16/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Plutonium-238	<0.40	pCi/L	TE
0	Plutonium-239/240	<0.30	pCi/L	TE
0	Plutonium-242	<0.10	pCi/L	TE
0	Potassium-40	<60	pCi/L	TE
1	Radium-226	12 ± 1.0	pCi/L	TE
0	Radium-228	<100	pCi/L	TE
1	Radium-228	52 ± 2.0	pCi/L	TE
0	Ruthenium-103	<9.0	pCi/L	TE
0	Ruthenium-106	<40	pCi/L	TE
0	Strontium-89	<20	pCi/L	TE
1	Strontium-90	68 ± 4.0	pCi/L	TE
1	Technetium-99	350 ± 20	pCi/L	TE
0	Thorium-228	<8.0	pCi/L	TE
1	Thorium-228	70 ± 5.0	pCi/L	TE
1	Thorium-230	22 ± 3.0	pCi/L	TE
0	Thorium-232	<0.20	pCi/L	TE
1	Total activity	36900 ± 130	pCi/mL	EM
2	Total radium	35 ± 5.9	pCi/L	GE
2	Tritium	30900 ± 20	pCi/mL	GE
2	Tritium	40000 ± 20	pCi/mL	GE
2	Tritium	34000 ± 1000	pCi/mL	TE
1	Uranium-234	350 ± 10	pCi/L	TE
1	Uranium-235	7.7 ± 1.0	pCi/L	TE
1	Uranium-238	990 ± 10	pCi/L	TE
0	Zinc-65	<8.0	pCi/L	TE
0	Zirconium-95	<7.0	pCi/L	TE

WELL FSB110D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/16/90
Depth to water: 30.44 ft (9.28 m) below TOC
Water elevation: 204.06 ft (62.20 m) msl
Sp. conductance: 3390 µS/cm
Water evacuated before sampling: 50 gal

Time: 12:55
pH: 3.0
Alkalinity: 0 mg/L
Water temperature: 19.6°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	Americium-241	14 ± 1.0	pCi/L	TE
1	Americium-243	14 ± 1.0	pCi/L	TE
0	Barium-140	<40	pCi/L	TE
0	Beryllium-7	<50	pCi/L	TE
1	Carbon-14	48 ± 4.0	pCi/L	TE
0	Cerium-141	<10	pCi/L	TE
0	Cerium-144	<30	pCi/L	TE
0	Cesium-134	<3.0	pCi/L	TE
0	Cesium-137	<3.0	pCi/L	TE
0	Cobalt-58	<4.0	pCi/L	TE
1	Cobalt-60	15 ± 3.5	pCi/L	TE
1	Curium-242	0.40 ± 0.27	pCi/L	TE
1	Curium-243/244	5.6 ± 0.90	pCi/L	TE
1	Curium-246	15 ± 1.0	pCi/L	TE
2	Gross alpha	820 ± 50	pCi/L	TE
1	Iodine-129	47 ± 3.0	pCi/L	TE
0	Iodine-131	<200	pCi/L	TE
0	Iron-55	<30	pCi/L	TE
0	Iron-59	<10	pCi/L	TE
0	Manganese-54	<3.0	pCi/L	TE
0	Neptunium-237	<6.0	pCi/L	TE
0	Nickel-59	<100	pCi/L	TE
0	Nickel-63	<10	pCi/L	TE
2	Nonvolatile beta	4700 ± 100	pCi/L	TE
0	Plutonium-238	<0.20	pCi/L	TE
0	Plutonium-239/240	<0.20	pCi/L	TE
0	Plutonium-242	<0.20	pCi/L	TE
0	Potassium-40	<40	pCi/L	TE
0	Radium-226	<90	pCi/L	TE
1	Radium-226	10 ± 1.0	pCi/L	TE
1	Radium-228	51 ± 7.0	pCi/L	TE
0	Ruthenium-103	<7.0	pCi/L	TE
0	Ruthenium-106	<30	pCi/L	TE
1	Sodium-22	5.0 ± 2.4	pCi/L	TE
0	Strontium-89	<20	pCi/L	TE
1	Strontium-90	140 ± 10	pCi/L	TE
1	Technetium-99	330 ± 20	pCi/L	TE
0	Thorium-228	<8.0	pCi/L	TE
1	Thorium-228	56 ± 8.0	pCi/L	TE
1	Thorium-230	16 ± 3.0	pCi/L	TE
1	Thorium-232	10 ± 2.0	pCi/L	TE
2	Tritium	34000 ± 1000	pCi/mL	TE
1	Uranium-234	420 ± 10	pCi/L	TE
1	Uranium-235	24 ± 3.0	pCi/L	TE
1	Uranium-238	1200 ± 100	pCi/L	TE
0	Zinc-65	<7.0	pCi/L	TE
0	Zirconium-95	<8.0	pCi/L	TE

WELL FSB110D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/16/90
Depth to water: 30.44 ft (9.28 m) below TOC
Water elevation: 204.06 ft (62.20 m) msl
Sp. conductance: 3390 µS/cm
Water evacuated before sampling: 50 gal
Note: This analysis is from an unfiltered sample.

Time: 12:55
pH: 3.0
Alkalinity: 0 mg/L
Water temperature: 19.6°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	Silica	156000	µg/L	GE

WELL FSB111C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/01/90
Depth to water: 67.17 ft (20.47 m) below TOC
Water elevation: 208.13 ft (63.74 m) msl
Sp. conductance: 58 µS/cm
Water evacuated before sampling: 145 gal

Time: 13:10
pH: 5.5
Alkalinity: 8 mg/L
Water temperature: 18.3°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.7	pH	GE
0	Specific conductance	58	µS/cm	GE
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	7.4	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	8540	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	3500	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
1	Cyanide	9.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	8.8	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	437	µg/L	GE
0	Manganese	6.3	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	1780	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Selenium	<2.0	µg/L	GE
1	Silica	11000	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	4050	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Thallium	<2.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	54000	µg/L	GE
1	Total organic carbon	8000	µg/L	GE
2	Total organic halogens	31	µg/L	GE
0	Total phosphates	140	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE

ANALYTICAL RESULTS

WELL FSB111C collected on 01/01/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	7.7	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	5.9±2.2	pCi/L	GE
0	Total radium	<1.0	pCi/L	GE
0	Tritium	7.3±0.42	pCi/mL	GE

WELL FSB111D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/01/90
 Depth to water: 65.18 ft (19.87 m) below TOC
 Water elevation: 211.42 ft (64.44 m) msl
 Sp. conductance: 52 µS/cm
 Water evacuated before sampling: 40 gal
 Time: 13:45
 pH: 4.5
 Alkalinity: 0 mg/L
 Water temperature: 18.3°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.0	pH	GE
0	Specific conductance	40	µS/cm	GE
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	13	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	1150	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	2700	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethane (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
1	Dichloromethane (Methylene chloride)	8.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	5.8	µg/L	GE
0	Lead	<8.0	µg/L	GE
0	Magnesium	834	µg/L	GE
0	Manganese	19	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	7.0	µg/L	GE
0	Nitrate as nitrogen	1820	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	8970	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	3090	µg/L	GE
0	Sulfate	<5000	µg/L	GE
1	Tetrachloroethylene	2.0	µg/L	GE
0	Thallium	<2.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	38000	µg/L	GE
0	Total organic carbon	3000	µg/L	GE
1	Total organic halogens	13	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE

WELL FSB111D collected on 01/01/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	trans-1,2-Dichloroethane	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
1	Trichlorofluoromethane	2.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	17	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
1	Nonvolatile beta	21±4.2	pCi/L	GE
0	Total radium	1.2±2.0	pCi/L	GE
1	Tritium	16±0.53	pCi/mL	GE

WELL FSS 1D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/18/90
 Depth to water: 44.31 ft (13.51 m) below TOC
 Water elevation: 221.89 ft (67.57 m) msl
 Sp. conductance: 225 µS/cm
 Water evacuated before sampling: 6 gal
 The well went dry during purging.
 Time: 11:45
 pH: 7.0
 Alkalinity: 37 mg/L
 Water temperature: 18.8°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	pH	7.4	pH	GE
1	pH	7.3	pH	GE
1	Specific conductance	280	µS/cm	GE
1	Specific conductance	257	µS/cm	GE
0	Cadmium	<2.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
1	Calcium	14900	µg/L	GE
1	Calcium	14700	µg/L	GE
0	Chloride	2400	µg/L	GE
0	Chloride	2300	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Iron	<4.0	µg/L	GE
0	Iron	<4.0	µg/L	GE
0	Lead	<8.0	µg/L	GE
0	Lead	<8.0	µg/L	GE
0	Magnesium	218	µg/L	GE
0	Magnesium	220	µg/L	GE
0	Manganese	<2.0	µg/L	GE
0	Manganese	<2.0	µg/L	GE
0	Mercury	0.20	µg/L	GE
0	Mercury	0.20	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	280	µg/L	GE
0	Nitrate as nitrogen	240	µg/L	GE
0	Nitrite as nitrogen	<10.0	µg/L	GE
0	Nitrite as nitrogen	<10.0	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	1560	µg/L	GE
0	Potassium	1490	µg/L	GE
0	Silica	6040	µg/L	GE
0	Silica	8010	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	8310	µg/L	GE
1	Sodium	8280	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Total dissolved solids	176000	µg/L	GE
0	Total dissolved solids	187000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total organic halogens	7.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE

ANALYTICAL RESULTS

WELL FSS 1D collected on 02/18/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Gross alpha	<3.0	pCi/L	GE
1	Total radium	2.8±2.0	pCi/L	GE
1	Total radium	2.8±2.1	pCi/L	GE
1	Tritium	14±0.50	pCi/mL	GE
1	Tritium	14±0.50	pCi/mL	GE

WELL FSS 2D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/18/90
Depth to water: 40.40 ft (12.31 m) below TOC
Water elevation: 221.20 ft (67.42 m) msl
Sp. conductance: 118 µS/cm
Water evacuated before sampling: 11 gal
The well went dry during purging.

Time: 11:30
pH: 5.3
Alkalinity: 1 mg/L
Water temperature: 18.4°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.5	pH	GE
0	pH	5.5	pH	GE
1	Specific conductance	118	µS/cm	GE
1	Specific conductance	117	µS/cm	GE
0	Cadmium	<2.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	4470	µg/L	GE
0	Calcium	4690	µg/L	GE
0	Chloride	3300	µg/L	GE
0	Chloride	3100	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
1	Iron	257	µg/L	GE
1	Iron	288	µg/L	GE
0	Lead	10	µg/L	GE
0	Lead	12	µg/L	GE
0	Magnesium	1960	µg/L	GE
0	Magnesium	1950	µg/L	GE
2	Manganese	465	µg/L	GE
2	Manganese	499	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Mercury	<0.20	µg/L	GE
1	Nickel	14	µg/L	GE
1	Nickel	14	µg/L	GE
0	Nitrate as nitrogen	340	µg/L	GE
0	Nitrate as nitrogen	300	µg/L	GE
0	Nitrite as nitrogen	<10.0	µg/L	GE
0	Nitrite as nitrogen	<10.0	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	1200	µg/L	GE
0	Potassium	1200	µg/L	GE
0	Silica	9310	µg/L	GE
0	Silica	8450	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	9610	µg/L	GE
1	Sodium	10100	µg/L	GE
1	Sulfate	34900	µg/L	GE
1	Sulfate	34800	µg/L	GE
0	Total dissolved solids	9000	µg/L	GE
0	Total dissolved solids	10000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Gross alpha	<3.0	pCi/L	GE
1	Total activity	279±3.6	pCi/mL	EM
1	Total radium	2.5±3.5	pCi/L	GE
2	Total radium	7.1±4.5	pCi/L	GE
2	Tritium	127±1.3	pCi/mL	GE
2	Tritium	126±1.3	pCi/mL	GE

WELL FSS 3D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/18/90
Depth to water: 39.27 ft (11.97 m) below TOC
Water elevation: 218.93 ft (66.73 m) msl
Sp. conductance: 52 µS/cm
Water evacuated before sampling: 9 gal
The well went dry during purging.

Time: 11:15
pH: 5.2
Alkalinity: 0 mg/L
Water temperature: 15.7°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.3	pH	GE
0	Specific conductance	64	µS/cm	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	1500	µg/L	GE
0	Chloride	3700	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	Copper	8.7	µg/L	GE
0	Iron	72	µg/L	GE
2	Lead	42	µg/L	GE
0	Magnesium	756	µg/L	GE
2	Manganese	102	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Nickel	5.2	µg/L	GE
0	Nitrate as nitrogen	500	µg/L	GE
0	Nitrite as nitrogen	<10.0	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	558	µg/L	GE
0	Silica	6720	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	5100	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Total dissolved solids	50000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
1	Total organic halogens	12	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Total radium	1.8±3.4	pCi/L	GE
0	Tritium	<0.70	pCi/mL	GE
2	Tritium	48±0.80	pCi/mL	GE

WELL FSS 4D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/18/90
Depth to water: 75.91 ft (23.14 m) below TOC
Water elevation: 215.89 ft (65.80 m) msl
Sp. conductance: 48 µS/cm
Water evacuated before sampling: 10 gal
The well went dry during purging.

Time: 10:55
pH: 5.0
Alkalinity: 0 mg/L
Water temperature: 17.6°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	4.9	pH	GE
0	Specific conductance	50	µS/cm	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	1310	µg/L	GE
0	Chloride	3700	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	Copper	8.7	µg/L	GE
0	Iron	43	µg/L	GE
0	Lead	<5.0	µg/L	GE
0	Magnesium	690	µg/L	GE
0	Manganese	11	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Nickel	<4.0	µg/L	GE
1	Nitrate as nitrogen	3500	µg/L	GE
0	Nitrite as nitrogen	<10.0	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Silica	7800	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	4000	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Total dissolved solids	62000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
2	Gross alpha	189±10	pCi/L	GE
0	Gross alpha	2.8±2.2	pCi/L	GE
0	Total radium	1.9±3.2	pCi/L	GE
0	Tritium	6.8±0.40	pCi/mL	GE

ANALYTICAL RESULTS

WELL FTF 1

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/23/90 Time: 9:40
The well was dry.

WELL FTF 2

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/23/90 Time: 9:50
The well was dry.

WELL FTF 3

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/20/90 Time: 9:35
Depth to water: 58.50 ft (17.83 m) below TOC pH: 6.5
Water elevation: 221.50 ft (67.51 m) msl
Sp. conductance: 138 µS/cm Water temperature: 27.3°C
No water was evacuated before sampling.

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	6.5	pH	MT
1	Specific conductance	103	µS/cm	MT
0	Nitrate as nitrogen	650	µg/L	MT
1	Sodium	5140	µg/L	MT
2	Gross alpha	170±50	pCi/L	MT
1	Gross alpha	10±6.1	pCi/L	GE
0	Gross alpha	3.7±1.4	pCi/L	EM
2	Nonvolatile beta	250±50	pCi/L	MT
1	Nonvolatile beta	14±3.4	pCi/L	GE
0	Nonvolatile beta	8.7±2.0	pCi/L	EM
2	Total radium	23±3.0	pCi/L	MT
0	Tritium	4.9±0.50	pCi/mL	MT
0	Tritium	1.1±0.50	pCi/mL	GE
0	Tritium	5.7±0.85	pCi/mL	EM

WELL FTF 4

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/23/90 Time: 9:55
Depth to water: 58.00 ft (17.07 m) below TOC pH: 6.5
Water elevation: 222.50 ft (67.82 m) msl
Sp. conductance: 88 µS/cm Water temperature: 21.6°C
No water was evacuated before sampling.

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	pH	7.0	pH	MT
0	Specific conductance	89	µS/cm	MT
0	Nitrate as nitrogen	520	µg/L	MT
1	Sodium	5300	µg/L	MT
2	Gross alpha	150±40	pCi/L	MT
0	Gross alpha	1.0±0.73	pCi/L	EM
2	Nonvolatile beta	380±50	pCi/L	MT
0	Nonvolatile beta	9.0±2.0	pCi/L	EM
2	Total radium	14±2.0	pCi/L	MT
0	Tritium	2.4±0.30	pCi/mL	MT
0	Tritium	3.3±0.79	pCi/mL	EM

WELL FTF 5

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/23/90 Time: Not available
Inaccessibility or pump failure prevented sample collection.

WELL FTF 6

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/23/90 Time: 9:50
The well was dry.

WELL FTF 7

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/23/90 Time: 9:35
Depth to water: 50.00 ft (17.98 m) below TOC pH: 6.8
Water elevation: 221.00 ft (67.36 m) msl
Sp. conductance: 147 µS/cm Water temperature: 29.2°C
No water was evacuated before sampling.

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	pH	7.5	pH	MT
0	Specific conductance	98	µS/cm	MT
0	Nitrate as nitrogen	<200	µg/L	MT
0	Sodium	2230	µg/L	MT
2	Gross alpha	110±40	pCi/L	MT
0	Gross alpha	0.69±2.3	pCi/L	EM
2	Nonvolatile beta	23000±3000	pCi/L	MT
2	Nonvolatile beta	435±50	pCi/L	EM
2	Total radium	15±2.0	pCi/L	MT
0	Tritium	4.8±0.50	pCi/mL	MT
0	Tritium	5.3±0.84	pCi/mL	EM

WELL FTF 8

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/23/90 Time: 9:25
The well was dry.

WELL FTF 9

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/21/90 Time: 13:45
The well was dry.

WELL FTF 10

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/22/90 Time: 11:15
The well was dry.

WELL FTF 11

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/22/90 Time: 9:15
The well was dry.

WELL FTF 12

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/21/90 Time: 14:00
Depth to water: 51.20 ft (15.61 m) below TOC pH: 11.6
Water elevation: 220.50 ft (67.21 m) msl
Sp. conductance: 1435 µS/cm Water temperature: 23.5°C
No water was evacuated before sampling.

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
2	pH	12	pH	MT
1	Specific conductance	1100	µS/cm	MT
0	Nitrate as nitrogen	2200	µg/L	MT
1	Sodium	6190	µg/L	MT
0	Gross alpha	<8.0	pCi/L	MT
0	Gross alpha	±3.1	pCi/L	EM
1	Nonvolatile beta	39±10	pCi/L	MT
1	Nonvolatile beta	10±10	pCi/L	EM
0	Total radium	1.3±0.40	pCi/L	MT
1	Tritium	14±2.0	pCi/mL	MT
1	Tritium	14±2.0	pCi/mL	MT
1	Tritium	16±1.1	pCi/mL	EM

ANALYTICAL RESULTS

WELL FTF 13

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/23/90
The well was dry.

Time: 10:10

WELL FTF 14

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/23/90
The well was dry.

Time: 11:00

WELL FTF 15

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/23/90
Depth to water: 64.00 ft (19.81 m) below TOC
Water elevation: 222.50 ft (67.82 m) msl
Sp. conductance: 52 μ S/cm
No water was evacuated before sampling.

Time: 10:00
pH: 5.8

Water temperature: 19.8°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.1	pH	MT
0	Specific conductance	53	μ S/cm	MT
1	Nitrate as nitrogen	3400	μ g/L	MT
0	Sodium	4440	μ g/L	MT
2	Gross alpha	27 $\pm$ 5.0	pCi/L	MT
1	Gross alpha	9.8 $\pm$ 3.8	pCi/L	GE
0	Gross alpha	1.2 $\pm$ 0.73	pCi/L	EM
2	Nonvolatile beta	80 $\pm$ 8.0	pCi/L	MT
2	Nonvolatile beta	87 $\pm$ 9.0	pCi/L	MT
1	Nonvolatile beta	15 $\pm$ 4.8	pCi/L	GE
0	Nonvolatile beta	1.8 $\pm$ 0.99	pCi/L	EM
2	Total radium	5.5 $\pm$ 0.80	pCi/L	MT
0	Tritium	7.3 $\pm$ 0.80	pCi/mL	MT
0	Tritium	2.4 $\pm$ 0.40	pCi/mL	GE
0	Tritium	7.8 $\pm$ 0.91	pCi/mL	EM

WELL FTF 16

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/23/90
Depth to water: 65.00 ft (19.81 m) below TOC
Water elevation: 223.60 ft (68.15 m) msl
Sp. conductance: 48 μ S/cm
No water was evacuated before sampling.

Time: 11:25
pH: 4.9

Water temperature: 21.1°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	4.9	pH	MT
0	Specific conductance	33	μ S/cm	MT
0	Nitrate as nitrogen	2000	μ g/L	MT
0	Nitrate as nitrogen	2000	μ g/L	MT
0	Sodium	3270	μ g/L	MT
2	Gross alpha	41 $\pm$ 6.0	pCi/L	MT
0	Gross alpha	2.1 $\pm$ 0.93	pCi/L	EM
2	Nonvolatile beta	67 $\pm$ 7.0	pCi/L	MT
0	Nonvolatile beta	1.8 $\pm$ 1.0	pCi/L	EM
2	Total radium	5.8 $\pm$ 0.80	pCi/L	MT
0	Tritium	5.3 $\pm$ 0.60	pCi/mL	MT
0	Tritium	6.7 $\pm$ 0.88	pCi/mL	EM

WELL FTF 17

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/23/90
Depth to water: 68.50 ft (20.88 m) below TOC
Water elevation: 221.10 ft (67.39 m) msl
Sp. conductance: 48 μ S/cm
No water was evacuated before sampling.

Time: 10:20
pH: 4.7

Water temperature: 20.2°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	4.7	pH	MT
0	Specific conductance	41	μ S/cm	MT
0	Nitrate as nitrogen	2300	μ g/L	MT
1	Sodium	5730	μ g/L	MT
1	Gross alpha	7.8 $\pm$ 3.3	pCi/L	MT
0	Gross alpha	3.7 $\pm$ 1.3	pCi/L	EM
2	Nonvolatile beta	52 $\pm$ 7.0	pCi/L	MT
0	Nonvolatile beta	3.0 $\pm$ 1.2	pCi/L	EM
2	Total radium	10 $\pm$ 1.0	pCi/L	MT
0	Tritium	8.2 $\pm$ 0.70	pCi/mL	MT
0	Tritium	7.3 $\pm$ 0.80	pCi/mL	EM

WELL FTF 18

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/23/90
Depth to water: 67.00 ft (20.42 m) below TOC
Water elevation: 221.00 ft (67.36 m) msl
Sp. conductance: 48 μ S/cm
No water was evacuated before sampling.

Time: 10:15
pH: 5.1

Water temperature: 20.1°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.3	pH	MT
0	Specific conductance	44	μ S/cm	MT
0	Nitrate as nitrogen	1800	μ g/L	MT
0	Sodium	4080	μ g/L	MT
2	Gross alpha	57 $\pm$ 10	pCi/L	MT
0	Gross alpha	1.2 $\pm$ 0.72	pCi/L	EM
2	Nonvolatile beta	72 $\pm$ 10	pCi/L	MT
0	Nonvolatile beta	1.7 $\pm$ 1.0	pCi/L	EM
2	Total radium	8.4 $\pm$ 0.90	pCi/L	MT
0	Tritium	5.2 $\pm$ 0.60	pCi/mL	MT
0	Tritium	6.5 $\pm$ 0.87	pCi/mL	EM

WELL FTF 19

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/23/90
Depth to water: 67.70 ft (20.64 m) below TOC
Water elevation: 219.50 ft (66.90 m) msl
Sp. conductance: 56 μ S/cm
No water was evacuated before sampling.

Time: 10:35
pH: 5.7

Water temperature: 24.7°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.3	pH	MT
0	Specific conductance	51	μ S/cm	MT
0	Nitrate as nitrogen	1700	μ g/L	MT
1	Sodium	7620	μ g/L	MT
2	Gross alpha	82 $\pm$ 10	pCi/L	MT
0	Gross alpha	1.1 $\pm$ 0.71	pCi/L	EM
2	Nonvolatile beta	77 $\pm$ 10	pCi/L	MT
0	Nonvolatile beta	2.1 $\pm$ 1.1	pCi/L	EM
2	Total radium	5.4 $\pm$ 0.80	pCi/L	MT
0	Tritium	5.3 $\pm$ 0.60	pCi/mL	MT
0	Tritium	6.6 $\pm$ 0.87	pCi/mL	EM

ANALYTICAL RESULTS

WELL FTF 20

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/23/90 Time: 10:45
 Depth to water: 87.00 ft (20.42 m) below TOC pH: 5.7
 Water elevation: 220.10 ft (67.09 m) msl
 Sp. conductance: 72 µS/cm Water temperature: 25.1°C
 No water was evacuated before sampling.

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.8	pH	MT
0	pH	5.8	pH	MT
0	Specific conductance	85	µS/cm	MT
0	Specific conductance	85	µS/cm	MT
0	Nitrate as nitrogen	1400	µg/L	MT
1	Sodium	8530	µg/L	MT
2	Gross alpha	83±10	pCi/L	MT
0	Gross alpha	0.90±0.85	pCi/L	EM
2	Nonvolatile beta	94±10	pCi/L	MT
0	Nonvolatile beta	3.0±1.2	pCi/L	EM
2	Total radium	8.0±0.90	pCi/L	MT
0	Tritium	4.3±0.50	pCi/mL	MT
0	Tritium	5.3±0.84	pCi/mL	EM

WELL FTF 21

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/23/90 Time: 10:50
 Depth to water: 88.00 ft (20.73 m) below TOC pH: 12.1
 Water elevation: 219.50 ft (66.90 m) msl
 Sp. conductance: 3820 µS/cm Water temperature: 25.1°C
 No water was evacuated before sampling.

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
2	pH	12	pH	MT
0	Specific conductance	3.2	µS/cm	MT
0	Nitrate as nitrogen	<200	µg/L	MT
1	Sodium	39800	µg/L	MT
0	Gross alpha	<2.0	pCi/L	MT
0	Gross alpha	2.5±1.4	pCi/L	MT
0	Gross alpha	±5.3	pCi/L	EM
1	Nonvolatile beta	45±10	pCi/L	MT
1	Nonvolatile beta	37±10	pCi/L	MT
1	Nonvolatile beta	28±20	pCi/L	EM
1	Total radium	3.8±0.80	pCi/L	MT
0	Tritium	7.4±0.80	pCi/mL	MT
0	Tritium	8.5±0.93	pCi/mL	EM

WELL FTF 22

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/23/90 Time: 10:55
 Depth to water: 88.80 ft (20.30 m) below TOC pH: 5.1
 Water elevation: 220.20 ft (67.12 m) msl
 Sp. conductance: 75 µS/cm Water temperature: 23.0°C
 No water was evacuated before sampling.

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.7	pH	MT
0	Specific conductance	50	µS/cm	MT
0	Nitrate as nitrogen	1900	µg/L	MT
1	Sodium	6590	µg/L	MT
2	Gross alpha	65±20	pCi/L	MT
0	Gross alpha	1.8±0.88	pCi/L	EM
2	Nonvolatile beta	120±20	pCi/L	MT
0	Nonvolatile beta	1.7±1.0	pCi/L	EM
2	Total radium	7.4±0.90	pCi/L	MT
0	Tritium	8.7±0.90	pCi/mL	MT
1	Tritium	11±0.98	pCi/mL	EM

WELL FTF 23

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/23/90 Time: 11:00
 Depth to water: 88.50 ft (20.27 m) below TOC pH: 5.3
 Water elevation: 219.50 ft (66.90 m) msl
 Sp. conductance: 88 µS/cm Water temperature: 24.8°C
 No water was evacuated before sampling.

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.0	pH	MT
0	Specific conductance	45	µS/cm	MT
0	Nitrate as nitrogen	2500	µg/L	MT
0	Sodium	4740	µg/L	MT
1	Gross alpha	12±4.0	pCi/L	MT
0	Gross alpha	4.5±1.4	pCi/L	EM
1	Nonvolatile beta	28±5.0	pCi/L	MT
0	Nonvolatile beta	2.5±1.1	pCi/L	EM
2	Total radium	5.7±0.80	pCi/L	MT
0	Tritium	6.9±0.70	pCi/mL	MT
0	Tritium	8.2±0.91	pCi/mL	EM

WELL FTF 24A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/22/90 Time: 9:30
 Depth to water: 50.00 ft (15.24 m) below TOC pH: 5.9
 Water elevation: 220.30 ft (67.15 m) msl
 Sp. conductance: 105 µS/cm Water temperature: 24.3°C
 No water was evacuated before sampling.

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.9	pH	MT
0	Specific conductance	91	µS/cm	MT
0	Nitrate as nitrogen	2200	µg/L	MT
1	Sodium	11900	µg/L	MT
0	Antimony-125	<0.18	pCi/mL	EM
0	Cerium-144	<0.35	pCi/mL	EM
0	Cesium-134	<0.080	pCi/mL	EM
0	Cesium-137	<0.078	pCi/mL	EM
0	Chromium-51	<1.1	pCi/mL	EM
0	Cobalt-60	<0.090	pCi/mL	EM
2	Gross alpha	230±40	pCi/L	MT
2	Gross alpha	190±20	pCi/L	MT
0	Gross alpha	0.60±0.58	pCi/L	EM
0	Iodine-131	<0.49	pCi/mL	EM
2	Nonvolatile beta	300±30	pCi/L	MT
2	Nonvolatile beta	220±30	pCi/L	MT
0	Nonvolatile beta	4.9±1.5	pCi/L	EM
0	Ruthenium-103	<0.10	pCi/mL	EM
0	Ruthenium-106	<0.82	pCi/mL	EM
2	Total radium	18±2.0	pCi/L	MT
1	Tritium	11±2.0	pCi/mL	MT
1	Tritium	12±1.0	pCi/mL	EM
0	Zirconium/nickelium-95	<0.19	pCi/mL	EM

ANALYTICAL RESULTS

WELL FTF 25A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/22/90
Depth to water: 50.80 ft (15.48 m) below TOC
Water elevation: 220.40 ft (67.18 m) msf
Sp. conductance: 114 µS/cm
No water was evacuated before sampling.

Time: 10:55
pH: 5.9
Water temperature: 28.2°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.9	pH	MT
0	Specific conductance	84	µS/cm	MT
1	Nitrate as nitrogen	3400	µg/L	MT
1	Sodium	8680	µg/L	MT
0	Antimony-125	<0.21	pCi/mL	EM
0	Cerium-144	<0.39	pCi/mL	EM
0	Cesium-134	<0.083	pCi/mL	EM
0	Cesium-137	<0.094	pCi/mL	EM
0	Chromium-51	<0.96	pCi/mL	EM
0	Cobalt-60	<0.10	pCi/mL	EM
2	Gross alpha	370±60	pCi/L	MT
0	Gross alpha	0.93±0.69	pCi/L	EM
0	Iodine-131	<0.56	pCi/mL	EM
2	Nonvolatile beta	540±60	pCi/L	MT
0	Nonvolatile beta	7.7±1.8	pCi/L	EM
0	Ruthenium-103	<0.11	pCi/mL	EM
0	Ruthenium-106	<0.77	pCi/mL	EM
2	Total radium	40±4.0	pCi/L	MT
0	Tritium	6.0±0.60	pCi/mL	MT
0	Tritium	6.4±0.87	pCi/mL	EM
0	Zirconium/niohium-95	<0.19	pCi/mL	EM

WELL FTF 26

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/22/90
Depth to water: 50.40 ft (15.38 m) below TOC
Water elevation: 220.50 ft (67.21 m) msf
Sp. conductance: 182 µS/cm
No water was evacuated before sampling.

Time: 10:30
pH: 5.4
Water temperature: 27.4°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.0	pH	MT
1	Specific conductance	169	µS/cm	MT
1	Nitrate as nitrogen	7700	µg/L	MT
1	Sodium	10100	µg/L	MT
0	Antimony-125	<0.30	pCi/mL	EM
0	Cerium-144	<0.48	pCi/mL	EM
0	Cesium-134	<0.11	pCi/mL	EM
0	Cesium-137	<0.13	pCi/mL	EM
0	Chromium-51	<1.4	pCi/mL	EM
0	Cobalt-60	<0.10	pCi/mL	EM
2	Gross alpha	260±40	pCi/L	MT
1	Gross alpha	8.8±2.4	pCi/L	EM
0	Iodine-131	<0.78	pCi/mL	EM
2	Nonvolatile beta	400±40	pCi/L	MT
1	Nonvolatile beta	17±3.3	pCi/L	EM
0	Ruthenium-103	<0.12	pCi/mL	EM
0	Ruthenium-106	<1.0	pCi/mL	EM
2	Total radium	40±4.0	pCi/L	MT
1	Tritium	12±2.0	pCi/mL	MT
1	Tritium	14±1.0	pCi/mL	EM
0	Zirconium/niohium-95	<0.26	pCi/mL	EM

WELL FTF 27

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/22/90
Depth to water: 50.20 ft (15.30 m) below TOC
Water elevation: 220.30 ft (67.15 m) msf
Sp. conductance: 103 µS/cm
No water was evacuated before sampling.

Time: 9:50
pH: 6.9
Water temperature: 25.0°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	pH	6.8	pH	MT
1	Specific conductance	113	µS/cm	MT
0	Nitrate as nitrogen	2300	µg/L	MT
1	Sodium	8160	µg/L	MT
0	Antimony-125	<0.23	pCi/mL	EM
0	Cerium-144	<0.52	pCi/mL	EM
0	Cesium-134	<0.075	pCi/mL	EM
0	Cesium-137	<0.085	pCi/mL	EM
0	Chromium-51	<1.1	pCi/mL	EM
0	Cobalt-60	<0.072	pCi/mL	EM
2	Gross alpha	850±100	pCi/L	MT
2	Gross alpha	850±70	pCi/L	MT
0	Gross alpha	±0.25	pCi/L	EM
0	Iodine-131	<0.87	pCi/mL	EM
2	Nonvolatile beta	750±100	pCi/L	MT
2	Nonvolatile beta	820±90	pCi/L	MT
0	Nonvolatile beta	4.5±1.4	pCi/L	EM
0	Ruthenium-103	<0.11	pCi/mL	EM
0	Ruthenium-106	<0.68	pCi/mL	EM
2	Total radium	46±5.0	pCi/L	MT
1	Tritium	15±2.0	pCi/mL	MT
1	Tritium	17±1.1	pCi/mL	EM
0	Zirconium/niohium-95	<0.15	pCi/mL	EM

WELL GBW 1

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/26/90
Depth to water: 72.08 ft (21.97 m) below TOC
Water elevation: 261.52 ft (79.71 m) msf
Sp. conductance: 17 µS/cm
Water evacuated before sampling: 7 gal
The well went dry during purging.

Time: 8:55
pH: 5.3
Alkalinity: 1 mg/L
Water temperature: 17.3°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Silica	6230	µg/L	MT

WELL H 12

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/14/90
The well was dry.

Time: 14:10

WELL H 13

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/14/90
Depth to water: 19.80 ft (6.04 m) below TOC
Water elevation: 224.60 ft (68.48 m) msf
Sp. conductance: 180 µS/cm
No water was evacuated before sampling.

Time: 13:50
pH: 6.4
Water temperature: 19.8°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Gross alpha	1.3±1.2	pCi/L	EM
2	Nonvolatile beta	181±20	pCi/L	EM
2	Tritium	1570±30	pCi/mL	EM

ANALYTICAL RESULTS

WELL H 14

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/14/90 Time: 14:00
Depth to water: 19.00 ft (5.79 m) below TOC pH: 4.5
Sp. conductance: 500 µS/cm Water temperature: 18.8°C
No water was evacuated before sampling.

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Gross alpha	0.48 ± 1.7	pCi/L	EM
1	Nonvolatile beta	17 ± 5.8	pCi/L	EM
2	Tritium	5050 ± 50	pCi/mL	EM

WELL H 15

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/22/90 Time: 13:45
The well was dry.

WELL H 16

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/22/90 Time: 13:50
Depth to water: 14.80 ft (4.45 m) below TOC pH: 5.8
Water elevation: 228.90 ft (69.16 m) msl
Sp. conductance: 23 µS/cm Water temperature: 19.8°C
No water was evacuated before sampling.

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Gross alpha	0.81 ± 0.58	pCi/L	EM
0	Nonvolatile beta	2.8 ± 1.1	pCi/L	EM
2	Tritium	51 ± 1.7	pCi/mL	EM

WELL H 17

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/22/90 Time: 14:25
Depth to water: 14.80 ft (4.51 m) below TOC pH: 5.2
Water elevation: 228.50 ft (69.65 m) msl
Sp. conductance: 28 µS/cm Water temperature: 20.5°C
No water was evacuated before sampling.

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Gross alpha	2.5 ± 1.1	pCi/L	EM
0	Nonvolatile beta	4.9 ± 1.5	pCi/L	EM
2	Tritium	28 ± 1.3	pCi/mL	EM

WELL H 18A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/22/90 Time: 14:10
Depth to water: 14.80 ft (4.51 m) below TOC pH: 6.2
Water elevation: 224.70 ft (68.49 m) msl
Sp. conductance: 185 µS/cm Water temperature: 20.2°C
No water was evacuated before sampling.

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Gross alpha	1.2 ± 1.1	pCi/L	EM
1	Nonvolatile beta	10 ± 2.5	pCi/L	EM
2	Tritium	50 ± 1.7	pCi/mL	EM

WELL H 19

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/22/90 Time: 14:05
The well was dry.

WELL HAC 1

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/10/90 Time: 10:45
Depth to water: 29.99 ft (9.14 m) below TOC pH: 4.9
Water elevation: 288.41 ft (81.81 m) msl Alkalinity: 1 mg/L
Sp. conductance: 150 µS/cm Water temperature: 22.1°C
Water evacuated before sampling: 36 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.2	pH	GE
1	Specific conductance	134	µS/cm	GE
0	Turbidity	<0.20	NTU	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	<4.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	138	µg/L	GE
0	Chloride	5300	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	87	µg/L	GE
0	Lead	8.4	µg/L	GE
0	Magnesium	65	µg/L	GE
0	Manganese	5.7	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nitrate as nitrogen	2100	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	5320	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	23900	µg/L	GE
1	Sulfate	48200	µg/L	GE
0	Total dissolved solids	78000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<5.0	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Total radium	<1.0	pCi/mL	GE
2	Tritium	81 ± 0.90	pCi/mL	GE

WELL HAC 2

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/10/90 Time: 13:20
Depth to water: 30.14 ft (9.19 m) below TOC pH: 5.2
Water elevation: 287.96 ft (81.88 m) msl Alkalinity: 1 mg/L
Sp. conductance: 488 µS/cm Water temperature: 19.1°C
Water evacuated before sampling: 4 gal
The well went dry during purging.

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.2	pH	GE
1	Specific conductance	580	µS/cm	GE
0	Turbidity	34	NTU	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	7.8	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	454	µg/L	GE
0	Chloride	4500	µg/L	GE
1	Chromium	4.4	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
2	Iron	385	µg/L	GE

ANALYTICAL RESULTS

WELL HAC 2 collected on 02/10/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Lead	7.7	µg/L	GE
0	Magnesium	312	µg/L	GE
0	Manganese	19	µg/L	GE
2	Mercury	1.2	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nitrate as nitrogen	860	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	6230	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	942000	µg/L	GE
2	Sulfate	322000	µg/L	GE
0	Total dissolved solids	310000	µg/L	GE
0	Total organic carbon	1000	µg/L	GE
1	Total organic halogens	10	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Total radium	1.2±1.9	pCi/L	GE
2	Tritium	55±0.80	pCi/mL	GE

WELL HAC 3

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/10/90
 Depth to water: 29.69 ft (9.05 m) below TOC
 Water elevation: 268.31 ft (81.78 m) msl
 Sp. conductance: 257 µS/cm
 Water evacuated before sampling: 7 gal
 The well went dry during purging.

Time: 13:50
 pH: 4.9
 Alkalinity: 0 mg/L
 Water temperature: 20.2°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.0	pH	GE
1	Specific conductance	280	µS/cm	GE
0	Turbidity	2.3	NTU	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	17	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	427	µg/L	GE
0	Chloride	7900	µg/L	GE
1	Chromium	4.6	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
1	Iron	270	µg/L	GE
0	Lead	14	µg/L	GE
0	Magnesium	409	µg/L	GE
2	Manganese	92	µg/L	GE
0	Mercury	0.25	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nitrate as nitrogen	1200	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	7480	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	43200	µg/L	GE
1	Sulfate	104000	µg/L	GE
0	Total dissolved solids	147000	µg/L	GE
0	Total organic carbon	1000	µg/L	GE
0	Total organic halogens	8.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Total radium	2.3±3.4	pCi/L	GE
2	Tritium	42±0.70	pCi/mL	GE

WELL HAC 4

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/10/90
 Depth to water: 28.21 ft (8.60 m) below TOC
 Water elevation: 268.69 ft (81.90 m) msl
 Sp. conductance: 47 µS/cm
 Water evacuated before sampling: 53 gal

Time: 10:10
 pH: 4.8
 Alkalinity: 0 mg/L
 Water temperature: 22.2°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	4.7	pH	GE
0	Specific conductance	52	µS/cm	GE
0	Turbidity	1.9	NTU	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	14	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	201	µg/L	GE
0	Chloride	4300	µg/L	GE
1	Chromium	4.7	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	67	µg/L	GE
0	Lead	17	µg/L	GE
0	Magnesium	285	µg/L	GE
2	Manganese	52	µg/L	GE
2	Mercury	1.0	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nitrate as nitrogen	2500	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	5500	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	5160	µg/L	GE
0	Sulfate	6200	µg/L	GE
0	Total dissolved solids	29000	µg/L	GE
0	Total organic carbon	1000	µg/L	GE
0	Total organic halogens	8.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	3.4±2.3	pCi/L	GE
0	Total radium	1.8±2.0	pCi/L	GE
2	Tritium	37±0.70	pCi/mL	GE

WELL HAP 1

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/21/90
 Depth to water: 18.47 ft (5.63 m) below TOC
 Water elevation: 270.63 ft (82.49 m) msl
 Sp. conductance: 281 µS/cm
 Water evacuated before sampling: 52 gal

Time: 9:50
 pH: 6.7
 Alkalinity: 65 mg/L
 Water temperature: 16.5°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	pH	6.5	pH	GE
1	pH	6.6	pH	GE
1	Specific conductance	250	µS/cm	GE
1	Specific conductance	250	µS/cm	GE
0	Barium	33	µg/L	GE
0	Barium	34	µg/L	GE
1	Calcium	35700	µg/L	GE
1	Calcium	35600	µg/L	GE
0	Chloride	9700	µg/L	GE
0	Chloride	9600	µg/L	GE
0	Iron	124	µg/L	GE
0	Iron	126	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Lead	<6.0	µg/L	GE
1	Manganese	28	µg/L	GE
1	Manganese	28	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	4560	µg/L	GE
0	Potassium	4270	µg/L	GE
0	Silica	7160	µg/L	GE

ANALYTICAL RESULTS

WELL HAP 1 collected on 02/21/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Silica	7200	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	8230	µg/L	GE
1	Sodium	8290	µg/L	GE
1	Sulfate	13000	µg/L	GE
1	Sulfate	13000	µg/L	GE
0	Total organic carbon	1000	µg/L	GE
0	Total organic carbon	1000	µg/L	GE
1	Total organic halogens	15	µg/L	GE
1	Total organic halogens	17	µg/L	GE
0	Tritium	7.5±0.60	pCi/mL	GE
0	Tritium	9.0±0.60	pCi/mL	GE

WELL HAP 2

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/21/90
Depth to water: 19.85 ft (6.05 m) below TOC
Water elevation: 270.05 ft (82.31 m) msl
Sp. conductance: 58 µS/cm
Water evacuated before sampling: 84 gal

Time: 9:30
pH: 5.3
Alkalinity: 0 mg/L
Water temperature: 19.2°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	pH	6.8	pH	GE
0	Specific conductance	58	µS/cm	GE
0	Barium	27	µg/L	GE
0	Calcium	1550	µg/L	GE
0	Chloride	3000	µg/L	GE
0	Iron	28	µg/L	GE
0	Lead	8.2	µg/L	GE
0	Manganese	24	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	1480	µg/L	GE
0	Silica	9060	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	4540	µg/L	GE
1	Sulfate	10100	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	8.0	µg/L	GE
0	Tritium	7.7±0.60	pCi/mL	GE

WELL HCA 1

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/10/90
Depth to water: 40.80 ft (12.44 m) below TOC
Water elevation: 289.20 ft (82.05 m) msl
Sp. conductance: 48 µS/cm
Water evacuated before sampling: 18 gal
The well went dry during purging.

Time: 12:25
pH: 5.5
Alkalinity: 5 mg/L
Water temperature: 22.0°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	Specific conductance	179	µS/cm	GE
1	Specific conductance	179	µS/cm	GE
0	Barium	29	µg/L	GE
0	Barium	33	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Calcium	1740	µg/L	GE
0	Calcium	1720	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethane (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroethane (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE

WELL HCA 1 collected on 02/10/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Iron	55	µg/L	GE
0	Iron	58	µg/L	GE
0	Lead	18	µg/L	GE
0	Lead	18	µg/L	GE
0	Manganese	15	µg/L	GE
0	Manganese	15	µg/L	GE
0	Potassium	1380	µg/L	GE
0	Potassium	1350	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	9750	µg/L	GE
0	Silica	9350	µg/L	GE
0	Sodium	3970	µg/L	GE
0	Sodium	4010	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Gross alpha	<3.0	pCi/L	GE
1	Nonvolatile beta	11±3.1	pCi/L	GE
1	Nonvolatile beta	10±3.0	pCi/L	GE
0	Total radium	<1.0	pCi/L	GE
0	Total radium	1.3±3.1	pCi/L	GE
2	Tritium	84±1.0	pCi/mL	GE
2	Tritium	85±1.0	pCi/mL	GE

WELL HCA 2

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/10/90
Depth to water: 40.85 ft (12.39 m) below TOC
Water elevation: 270.15 ft (82.34 m) msl
Sp. conductance: 187 µS/cm
Water evacuated before sampling: 73 gal

Time: 11:25
pH: 5.9
Alkalinity: 20 mg/L
Water temperature: 24.9°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	Specific conductance	180	µS/cm	GE
0	Barium	20	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE

ANALYTICAL RESULTS

WELL HCA 2 collected on 02/10/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
1	Calcium	24700	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Iron	47	µg/L	GE
0	Lead	11	µg/L	GE
0	Manganese	15	µg/L	GE
1	Potassium	5180	µg/L	GE
1	Selenium	4.5	µg/L	GE
0	Silica	3960	µg/L	GE
1	Sodium	5620	µg/L	GE
1	Sulfate	57900	µg/L	GE
1	Tetrachloroethylene	1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
1	Total organic halogens	15	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Gross alpha	3.7 ± 1.6	pCi/L	GE
0	Nonvolatile beta	9.0 ± 2.1	pCi/L	GE
0	Total radium	2.2 ± 3.5	pCi/L	GE
2	Tritium	48 ± 0.80	pCi/mL	GE

WELL HCA 3

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/10/90
 Depth to water: 41.27 ft (12.58 m) below TOC
 Water elevation: 269.03 ft (82.00 m) msl
 Sp. conductance: 79 µS/cm
 Water evacuated before sampling: 13 gal
 The well went dry during purging.

Time: 12:50
 pH: 8.0
 Alkalinity: 18 mg/L
 Water temperature: 21.6°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Specific conductance	77	µS/cm	GE
0	Barium	41	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Calcium	8550	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Iron	60	µg/L	GE
0	Lead	13	µg/L	GE
2	Manganese	68	µg/L	GE
0	Potassium	1210	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	3930	µg/L	GE
0	Sodium	3480	µg/L	GE
0	Sulfate	<5000	µg/L	GE
1	Tetrachloroethylene	1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
1	Total organic halogens	14	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE

WELL HCA 3 collected on 02/10/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	4.3 ± 1.5	pCi/L	GE
0	Total radium	1.5 ± 2.1	pCi/L	GE
2	Tritium	104 ± 1.1	pCi/mL	GE

WELL HCA 4

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/10/90
 Depth to water: 41.64 ft (12.69 m) below TOC
 Water elevation: 269.08 ft (82.01 m) msl
 Sp. conductance: 43 µS/cm
 Water evacuated before sampling: 20 gal
 The well went dry during purging.

Time: 11:55
 pH: 5.3
 Alkalinity: 5 mg/L
 Water temperature: 21.6°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Specific conductance	42	µS/cm	GE
0	Barium	23	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Calcium	1770	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Iron	84	µg/L	GE
2	Lead	144	µg/L	GE
1	Manganese	30	µg/L	GE
0	Potassium	646	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	7740	µg/L	GE
0	Sodium	3540	µg/L	GE
0	Sulfate	<5000	µg/L	GE
2	Tetrachloroethylene	27	µg/L	GE
0	Toluene	<1.0	µg/L	GE
2	Total organic halogens	35	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
2	Trichloroethylene	15	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	6.2 ± 1.8	pCi/L	GE
0	Total radium	1.2 ± 2.0	pCi/L	GE
2	Tritium	67 ± 0.90	pCi/mL	GE

ANALYTICAL RESULTS

WELL HCB 1

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/21/90 Time: 11:00
 Depth to water: 16.20 ft (4.94 m) below TOC pH: 4.8
 Water elevation: 263.10 ft (80.19 m) msl Alkalinity: 0 mg/L
 Sp. conductance: 63 µS/cm Water temperature: 18.4°C
 Water evacuated before sampling: 105 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	4.9	pH	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	4500	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Lead	13	µg/L	GE
0	Silica	6570	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Tetrachloroethylene	1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
1	Total organic carbon	5000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
2	Total radium	6.0±3.0	pCi/L	GE
1	Tritium	11±0.50	pCi/mL	GE

WELL HCB 2

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/21/90 Time: 11:55
 Depth to water: 13.50 ft (4.11 m) below TOC pH: 3.0
 Water elevation: 268.20 ft (81.75 m) msl Alkalinity: 0 mg/L
 Sp. conductance: 1551 µS/cm Water temperature: 17.9°C
 Water evacuated before sampling: 74 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	pH	3.1	pH	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	4600	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
2	Lead	63	µg/L	GE
1	Silica	48900	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GF
0	Toluene	<1.0	µg/L	GE
0	Total organic carbon	2000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE

WELL HCB 2 collected on 02/21/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
2	Total radium	15±4.2	pCi/mL	GE
0	Tritium	9.6±0.60	pCi/mL	GE

WELL HCB 3

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/21/90 Time: 11:25
 Depth to water: 8.99 ft (2.74 m) below TOC pH: 4.6
 Water elevation: 268.41 ft (81.20 m) msl Alkalinity: 0 mg/L
 Sp. conductance: 40 µS/cm Water temperature: 18.6°C
 Water evacuated before sampling: 85 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	4.8	pH	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	3800	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
1	Lead	22	µg/L	GE
0	Silica	6860	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Total radium	1.1±2.0	pCi/L	GE
2	Tritium	33±0.90	pCi/mL	GE

WELL HCB 4

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/21/90 Time: 10:25
 Depth to water: 13.41 ft (4.09 m) below TOC pH: 4.4
 Water elevation: 264.39 ft (80.59 m) msl Alkalinity: 0 mg/L
 Sp. conductance: 222 µS/cm Water temperature: 18.2°C
 Water evacuated before sampling: 74 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	4.4	pH	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE

ANALYTICAL RESULTS

WELL HCB 4 collected on 02/21/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	4000	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethane (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Lead	19	µg/L	GE
0	Silica	87	µg/L	GE
1	Silica	11400	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
1	Total radium	3.9±2.6	pCi/L	GE
1	Tritium	12±0.60	pCi/mL	GE

WELL HET 1D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/18/90
 Depth to water: 14.89 ft (4.54 m) below TOC
 Water elevation: 267.31 ft (81.48 m) msl
 Sp. conductance: 52 µS/cm
 Water evacuated before sampling: 78 gal

Time: 14:40
 pH: 4.9
 Alkalinity: 0 mg/L
 Water temperature: 19.6°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Iron	27	µg/L	GE
0	Manganese	6.4	µg/L	GE
0	Mercury	0.26	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Silica	5190	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	8130	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
2	Tritium	44±0.80	pCi/mL	GE

WELL HET 2D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/18/90
 Depth to water: 18.45 ft (5.62 m) below TOC
 Water elevation: 258.45 ft (78.78 m) msl
 Sp. conductance: 33 µS/cm
 Water evacuated before sampling: 9 gal
 The well went dry during purging.

Time: 13:20
 pH: 5.4
 Alkalinity: 2 mg/L
 Water temperature: 17.5°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Iron	63	µg/L	GE
0	Manganese	8.6	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Nickel	<4.0	µg/L	GE
1	Nickel	17	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Silica	5590	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	4070	µg/L	GE
1	Total organic halogens	15	µg/L	GE

WELL HET 2D collected on 02/18/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Total phosphates	<50	µg/L	GE
2	Tritium	47±0.80	pCi/mL	GE

WELL HET 3D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/18/90
 Depth to water: 17.70 ft (5.40 m) below TOC
 Water elevation: 259.00 ft (78.94 m) msl
 Sp. conductance: 26 µS/cm
 Water evacuated before sampling: 13 gal
 The well went dry during purging.

Time: 13:05
 pH: 5.1
 Alkalinity: 0 mg/L
 Water temperature: 18.0°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Iron	71	µg/L	GE
0	Manganese	2.0	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Silica	4640	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	3310	µg/L	GE
1	Total organic halogens	16	µg/L	GE
0	Total phosphates	<50	µg/L	GE
2	Tritium	35±0.70	pCi/mL	GE

WELL HET 4D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/18/90
 Depth to water: 17.98 ft (5.48 m) below TOC
 Water elevation: 258.72 ft (78.88 m) msl
 Sp. conductance: 42 µS/cm
 Water evacuated before sampling: 20 gal
 The well went dry during purging.

Time: 12:40
 pH: 5.3
 Alkalinity: 4 mg/L
 Water temperature: 16.6°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	Iron	208	µg/L	GE
0	Manganese	15	µg/L	GE
0	Mercury	0.26	µg/L	GE
1	Nickel	11	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Silica	6250	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	4260	µg/L	GE
2	Total organic halogens	70	µg/L	GE
0	Total phosphates	<50	µg/L	GE
2	Tritium	38±0.70	pCi/mL	GE

WELL HR3 11

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/11/90
 Depth to water: 11.61 ft (3.54 m) below TOC
 Water elevation: 258.79 ft (78.18 m) msl
 Sp. conductance: 42 µS/cm
 Water evacuated before sampling: 154 gal

Time: 12:40
 pH: 4.5
 Alkalinity: 0 mg/L
 Water temperature: 19.7°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	4.7	pH	MT
0	Specific conductance	40	µS/cm	MT
0	Arsenic	<3.0	µg/L	MT
0	Calcium	186	µg/L	MT
1	Mercury	0.82	µg/L	MT
0	Nitrate as nitrogen	1300	µg/L	MT
0	Silica	5350	µg/L	MT
1	Sodium	5880	µg/L	MT
2	Total organic halogens	25	µg/L	MT
0	Total phosphates	86	µg/L	MT
0	Antimony-125	±0.040	pCi/mL	EM
0	Cesium-134	±0.11	pCi/mL	EM
0	Cesium-134	±0.020	pCi/mL	EM

ANALYTICAL RESULTS

WELL HR3 11 collected on 02/11/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Cesium-137	±0.020	pCi/mL	EM
0	Chromium-51	±0.15	pCi/mL	EM
0	Cobalt-60	±0.010	pCi/mL	EM
0	Gross alpha	0.21±0.40	pCi/L	EM
0	Iodine-131	±0.030	pCi/mL	EM
0	Nonvolatile beta	0.82±0.80	pCi/L	EM
0	Ruthenium-103	±0.020	pCi/mL	EM
0	Ruthenium-106	±0.16	pCi/mL	EM
1	Total activity	21±40	pCi/mL	EM
1	Tritium	19±2.0	pCi/mL	MT
2	Tritium	20±1.2	pCi/mL	EM
0	Zirconium/niobium-95	±0.050	pCi/mL	EM

WELL HR3 13

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/11/90
Depth to water: 17.98 ft (5.48 m) below TOC
Water elevation: 258.22 ft (78.71 m) msl
Sp. conductance: 97 µS/cm
Water evacuated before sampling: 138 gal

Time: 12:05
pH: 8.3
Alkalinity: 18 mg/L
Water temperature: 20.8°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	8.4	pH	MT
0	Specific conductance	89	µS/cm	MT
0	Arsenic	<3.0	µg/L	MT
1	Calcium	11100	µg/L	MT
0	Mercury	<0.20	µg/L	MT
0	Nitrate as nitrogen	2800	µg/L	MT
1	Silica	13000	µg/L	MT
1	Sodium	6180	µg/L	MT
0	Total organic halogens	6.7	µg/L	MT
0	Total phosphates	21	µg/L	MT
0	Antimony-125	±0.050	pCi/mL	EM
0	Cerium-144	±0.10	pCi/mL	EM
0	Cesium-134	±0.020	pCi/mL	EM
0	Cesium-137	±0.020	pCi/mL	EM
0	Chromium-51	±0.17	pCi/mL	EM
0	Cobalt-60	±0.020	pCi/mL	EM
0	Gross alpha	1.1±0.78	pCi/L	EM
0	Iodine-131	±0.030	pCi/mL	EM
0	Nonvolatile beta	3.4±1.2	pCi/L	EM
0	Ruthenium-103	±0.020	pCi/mL	EM
0	Ruthenium-106	±0.14	pCi/mL	EM
1	Total activity	38±1.7	pCi/mL	EM
2	Tritium	33±4.0	pCi/mL	MT
2	Tritium	34±1.4	pCi/mL	EM
0	Zirconium/niobium-95	±0.050	pCi/mL	EM

WELL HR8 11

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/11/90
Depth to water: 13.75 ft (4.19 m) below TOC
Water elevation: 245.45 ft (74.61 m) msl
Sp. conductance: 28 µS/cm
Water evacuated before sampling: 98 gal

Time: 11:00
pH: 4.8
Alkalinity: 0 mg/L
Water temperature: 19.3°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Specific conductance	23	µS/cm	MT
0	Lead	7.9	µg/L	MT
1	Manganese	44	µg/L	MT
0	Nitrate as nitrogen	750	µg/L	MT
0	Silica	5220	µg/L	MT
0	Sodium	2350	µg/L	MT
0	Total organic halogens	<5.0	µg/L	MT
0	Gross alpha	<3.0	pCi/L	MT
0	Gross alpha	1.3±0.77	pCi/L	EM
2	Nonvolatile beta	58±8.0	pCi/L	MT
0	Nonvolatile beta	<5.0	pCi/L	MT
0	Nonvolatile beta	2.0±1.0	pCi/L	EM
1	Total activity	37±1.6	pCi/mL	EM
1	Total radium	2.6±0.60	pCi/L	MT
2	Tritium	38±4.0	pCi/mL	MT
2	Tritium	40±1.6	pCi/mL	EM

WELL HR8 12

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/11/90
Depth to water: 18.37 ft (5.60 m) below TOC
Water elevation: 239.13 ft (72.89 m) msl
Sp. conductance: 33 µS/cm
Water evacuated before sampling: 85 gal

Time: 10:30
pH: 4.5
Alkalinity: 0 mg/L
Water temperature: 19.0°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Specific conductance	30	µS/cm	MT
0	Lead	16	µg/L	MT
2	Manganese	117	µg/L	MT
0	Manganese	<5.0	µg/L	MT
0	Nickel	<5.2	µg/L	MT
0	Nitrate as nitrogen	1200	µg/L	MT
0	Silica	4900	µg/L	MT
0	Silver	<2.0	µg/L	MT
0	Sodium	3120	µg/L	MT
0	Total organic halogens	8.4	µg/L	MT
0	Antimony-125	±0.050	pCi/mL	EM
0	Cerium-144	±0.10	pCi/mL	EM
0	Cesium-134	±0.020	pCi/mL	EM
0	Cesium-137	±0.020	pCi/mL	EM
0	Chromium-51	±0.15	pCi/mL	EM
0	Cobalt-60	±0.020	pCi/mL	EM
0	Gross alpha	<3.0	pCi/L	MT
0	Gross alpha	1.2±0.75	pCi/L	EM
0	Iodine-131	±0.040	pCi/mL	EM
1	Nonvolatile beta	17±4.0	pCi/L	MT
0	Nonvolatile beta	5.1±1.4	pCi/L	EM
0	Ruthenium-103	±0.020	pCi/mL	EM
0	Ruthenium-106	±0.14	pCi/mL	EM
1	Total activity	29±1.5	pCi/mL	EM
0	Total radium	1.8±0.50	pCi/L	MT
2	Tritium	27±3.0	pCi/mL	MT
2	Tritium	29±1.4	pCi/mL	EM
0	Zirconium/niobium-95	±0.050	pCi/mL	EM

WELL HR8 13

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/11/90
Depth to water: 15.18 ft (4.62 m) below TOC
Water elevation: 237.94 ft (72.52 m) msl
Sp. conductance: 54 µS/cm
Water evacuated before sampling: 94 gal

Time: 9:20
pH: 4.6
Alkalinity: 0 mg/L
Water temperature: 16.4°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Specific conductance	45	µS/cm	MT
0	Lead	15	µg/L	MT
0	Manganese	7.1	µg/L	MT
0	Nitrate as nitrogen	1200	µg/L	MT
0	Silica	4770	µg/L	MT
1	Sodium	5220	µg/L	MT
0	Total organic halogens	9.0	µg/L	MT
0	Gross alpha	2.3±1.8	pCi/L	MT
0	Gross alpha	<3.0	pCi/L	MT
0	Gross alpha	3.6±1.3	pCi/L	EM
0	Nonvolatile beta	<8.0	pCi/L	MT
0	Nonvolatile beta	<8.0	pCi/L	MT
0	Nonvolatile beta	4.0±1.3	pCi/L	EM
1	Total activity	28±1.5	pCi/mL	EM
1	Total radium	3.7±0.70	pCi/L	MT
2	Tritium	25±3.0	pCi/mL	MT
2	Tritium	31±1.4	pCi/mL	EM

ANALYTICAL RESULTS

WELL HR8 14

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/11/90
Depth to water: 9.70 ft (2.96 m) below TOC
Water elevation: 243.90 ft (74.34 m) msl
Sp. conductance: 312 µS/cm
Water evacuated before sampling: 114 gal

Time: 9:55
pH: 4.6
Alkalinity: 0 mg/L
Water temperature: 19.3°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	Specific conductance	320	µS/cm	MT
0	Lead	15	µg/L	MT
2	Manganese	76	µg/L	MT
2	Manganese	69	µg/L	MT
2	Nitrate as nitrogen	33900	µg/L	MT
0	Selenium	<3.0	µg/L	MT
0	Silica	8070	µg/L	MT
0	Silica	7500	µg/L	MT
1	Sodium	39100	µg/L	MT
1	Sodium	36200	µg/L	MT
0	Total organic halogens	<5.0	µg/L	MT
1	Gross alpha	6.7±2.7	pCi/L	MT
1	Gross alpha	10.0±2.5	pCi/L	EM
0	Nonvolatile beta	6.8±3.8	pCi/L	MT
1	Nonvolatile beta	12±2.4	pCi/L	EM
1	Total activity	7.0±1.2	pCi/mL	EM
2	Total radium	12±2.0	pCi/L	MT
0	Tritium	3.8±0.40	pCi/mL	MT
0	Tritium	4.4±0.85	pCi/mL	EM

WELL HSB 65

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/23/90
Depth to water: 40.72 ft (12.41 m) below TOC
Water elevation: 231.28 ft (70.50 m) msl
Sp. conductance: 42 µS/cm
Water evacuated before sampling: 49 gal

Time: 13:30
pH: 4.7
Alkalinity: 3 mg/L
Water temperature: 19.3°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	4.9	pH	GE
0	Specific conductance	37	µS/cm	GE
0	Aluminum	38	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	7.2	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	833	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbonate	<1000	µg/L	GE
0	Chloride	3200	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
1	Copper	62	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	30	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	804	µg/L	GE
0	Manganese	<2.0	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	2700	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE

WELL HSB 65 collected on 01/23/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Selenium	<2.0	µg/L	GE
0	Silica	5520	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	3780	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	193000	µg/L	GE
0	Total organic carbon	1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethane	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	27	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
1	Gross alpha	5.5±2.1	pCi/L	GE
0	Nonvolatile beta	2.4±2.3	pCi/L	GE
2	Total radium	9.4±3.9	pCi/L	GE
2	Tritium	34±0.70	pCi/mL	GE

WELL HSB 65A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/21/90
Depth to water: 103.68 ft (31.60 m) below TOC
Water elevation: 189.92 ft (51.79 m) msl
Sp. conductance: 201 µS/cm
Water evacuated before sampling: 279 gal

Time: 13:55
pH: 7.4
Alkalinity: 73 mg/L
Water temperature: 20.0°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	pH	7.3	pH	GE
1	pH	7.4	pH	GE
1	Specific conductance	189	µS/cm	GE
1	Specific conductance	189	µS/cm	GE
0	Aluminum	47	µg/L	GE
0	Aluminum	52	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	44	µg/L	GE
0	Barium	43	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
1	Calcium	28400	µg/L	GE
1	Calcium	28900	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbonate	<1000	µg/L	GE
0	Carbonate	<1000	µg/L	GE
0	Chloride	2400	µg/L	GE
0	Chloride	2300	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE

ANALYTICAL RESULTS

WELL HSB 85A collected on 01/21/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Chloromethane (Methyl chloride)	< 1.0	µg/L	GE
0	Chromium	< 4.0	µg/L	GE
0	Chromium	< 4.0	µg/L	GE
0	cis-1,3-Dichloropropene	< 1.0	µg/L	GE
0	cis-1,3-Dichloropropene	< 1.0	µg/L	GE
0	Cobalt	< 4.0	µg/L	GE
0	Cobalt	< 4.0	µg/L	GE
0	Copper	13	µg/L	GE
0	Copper	10	µg/L	GE
0	Cyanide	< 5.0	µg/L	GE
0	Cyanide	< 5.0	µg/L	GE
0	Dibromochloromethane	< 1.0	µg/L	GE
0	Dibromochloromethane	< 1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	< 1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	< 1.0	µg/L	GE
0	Endrin	< 0.10	µg/L	GE
0	Endrin	< 0.10	µg/L	GE
0	Ethylbenzene	< 1.0	µg/L	GE
0	Ethylbenzene	< 1.0	µg/L	GE
0	Fluoride	< 100	µg/L	GE
0	Fluoride	< 100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	< 0.050	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	< 0.050	µg/L	GE
0	Iron	19	µg/L	GE
0	Iron	15	µg/L	GE
0	Lead	< 6.0	µg/L	GE
0	Lead	< 6.0	µg/L	GE
0	Magnesium	636	µg/L	GE
0	Magnesium	630	µg/L	GE
0	Manganese	< 2.0	µg/L	GE
0	Manganese	< 2.0	µg/L	GE
0	Mercury	< 0.20	µg/L	GE
0	Mercury	< 0.20	µg/L	GE
0	Methoxychlor	< 0.50	µg/L	GE
0	Methoxychlor	< 0.50	µg/L	GE
0	Nickel	< 4.0	µg/L	GE
0	Nickel	< 4.0	µg/L	GE
0	Nitrate as nitrogen	< 50	µg/L	GE
0	Nitrate as nitrogen	< 50	µg/L	GE
0	Phenols	< 5.0	µg/L	GE
0	Phenols	< 5.0	µg/L	GE
0	Potassium	1670	µg/L	GE
0	Potassium	1750	µg/L	GE
0	Selenium	< 2.0	µg/L	GE
0	Selenium	< 2.0	µg/L	GE
1	Silica	25700	µg/L	GE
1	Silica	24100	µg/L	GE
0	Silver	< 2.0	µg/L	GE
0	Silver	< 2.0	µg/L	GE
0	Sodium	1930	µg/L	GE
0	Sodium	2070	µg/L	GE
0	Sulfate	5400	µg/L	GE
0	Sulfate	5000	µg/L	GE
0	Tetrachloroethylene	< 1.0	µg/L	GE
0	Tetrachloroethylene	< 1.0	µg/L	GE
0	Toluene	< 1.0	µg/L	GE
0	Toluene	< 1.0	µg/L	GE
0	Total dissolved solids	166000	µg/L	GE
0	Total dissolved solids	168000	µg/L	GE
0	Total organic carbon	1000	µg/L	GE
0	Total organic carbon	1000	µg/L	GE
1	Total organic halogens	11	µg/L	GE
0	Total organic halogens	7.0	µg/L	GE
0	Total phosphates	90	µg/L	GE
0	Total phosphates	90	µg/L	GE
0	Toxaphene	< 1.0	µg/L	GE
0	Toxaphene	< 1.0	µg/L	GE
0	trans-1,2-Dichloroethene	< 1.0	µg/L	GE
0	trans-1,2-Dichloroethene	< 1.0	µg/L	GE
0	trans-1,3-Dichloropropene	< 1.0	µg/L	GE
0	trans-1,3-Dichloropropene	< 1.0	µg/L	GE
0	Trichloroethylene	< 1.0	µg/L	GE
0	Trichloroethylene	< 1.0	µg/L	GE
0	Trichlorofluoromethane	< 1.0	µg/L	GE
0	Trichlorofluoromethane	< 1.0	µg/L	GE
0	Uranium	< 1000	µg/L	GE
0	Uranium	< 1000	µg/L	GE
0	Vanadium	< 20	µg/L	GE
0	Vanadium	< 20	µg/L	GE
0	Zinc	25	µg/L	GE
0	Zinc	25	µg/L	GE
0	1,1-Dichloroethane	< 1.0	µg/L	GE
0	1,1-Dichloroethane	< 1.0	µg/L	GE
0	1,1-Dichloroethylene	< 1.0	µg/L	GE
0	1,1-Dichloroethylene	< 1.0	µg/L	GE
0	1,1,1-Trichloroethane	< 1.0	µg/L	GE
0	1,1,1-Trichloroethane	< 1.0	µg/L	GE
0	1,1,2-Trichloroethane	< 1.0	µg/L	GE
0	1,1,2-Trichloroethane	< 1.0	µg/L	GE

WELL HSB 85A collected on 01/21/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	1,1,2,2-Tetrachloroethane	< 1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	< 1.0	µg/L	GE
0	1,2-Dichloroethane	< 1.0	µg/L	GE
0	1,2-Dichloroethane	< 1.0	µg/L	GE
0	1,2-Dichloropropene	< 1.0	µg/L	GE
0	1,2-Dichloropropene	< 1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	< 1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	< 1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	< 0.30	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	< 0.30	µg/L	GE
0	2,4,5-TP (Silvex)	< 0.090	µg/L	GE
0	2,4,5-TP (Silvex)	< 0.090	µg/L	GE
0	Gross alpha	< 3.0	pCi/L	GE
0	Gross alpha	< 3.0	pCi/L	GE
1	Nonvolatile beta	23 ± 5.0	pCi/L	GE
0	Nonvolatile beta	< 2.0	pCi/L	GE
1	Total radium	3.6 ± 3.0	pCi/L	GE
1	Total radium	2.7 ± 2.9	pCi/L	GE
1	Tritium	10 ± 0.50	pCi/mL	GE
0	Tritium	9.8 ± 0.50	pCi/mL	GE

WELL HSB 65B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/21/90
 Depth to water: 50.06 ft (15.26 m) below TOC
 Water elevation: 223.64 ft (68.17 m) msl
 Sp. conductance: 199 µS/cm
 Water evacuated before sampling: 261 gal

Time: 12:50
 pH: 7.7
 Alkalinity: 181 mg/L
 Water temperature: 19.4°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	pH	7.6	pH	MT
1	pH	7.8	pH	GE
1	Specific conductance	215	µS/cm	MT
1	Specific conductance	193	µS/cm	GE
1	Alkalinity	84800	µg/L	MT
0	Aluminum	< 23	µg/L	MT
0	Aluminum	< 20	µg/L	GE
0	Antimony	< 3.0	µg/L	MT
0	Antimony	< 3.0	µg/L	GE
0	Arsenic	< 3.0	µg/L	MT
0	Arsenic	< 2.0	µg/L	GE
0	Barium	16	µg/L	MT
0	Barium	16	µg/L	GE
0	Benzene	< 5.0	µg/L	MT
0	Benzene	< 1.0	µg/L	GE
0	Bromodichloromethane	< 5.0	µg/L	MT
0	Bromodichloromethane	< 1.0	µg/L	GE
0	Bromoform	< 5.0	µg/L	MT
0	Bromoform	< 1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	< 10	µg/L	MT
0	Bromomethane (Methyl bromide)	< 1.0	µg/L	GE
0	Cadmium	< 3.0	µg/L	MT
0	Cadmium	< 2.0	µg/L	GE
1	Calcium	36800	µg/L	MT
1	Calcium	29800	µg/L	GE
0	Carbon tetrachloride	< 5.0	µg/L	MT
0	Carbon tetrachloride	< 1.0	µg/L	GE
0	Carbonate	< 1000	µg/L	GE
0	Chloride	2800	µg/L	MT
0	Chloride	2400	µg/L	GE
0	Chlorobenzene	< 5.0	µg/L	MT
0	Chlorobenzene	< 1.0	µg/L	GE
0	Chloroethane	< 10	µg/L	MT
0	Chloroethane	< 1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	< 5.0	µg/L	MT
0	Chloroethene (Vinyl chloride)	< 1.0	µg/L	GE
0	Chloroform	< 5.0	µg/L	MT
0	Chloroform	< 1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	< 10	µg/L	MT
0	Chloromethane (Methyl chloride)	< 1.0	µg/L	GE
0	Chromium	3.2	µg/L	MT
0	Chromium	< 4.0	µg/L	GE
0	cis-1,3-Dichloropropene	< 5.0	µg/L	MT
0	cis-1,3-Dichloropropene	< 1.0	µg/L	GE
0	Cobalt	< 15	µg/L	MT
0	Cobalt	< 4.0	µg/L	GE
0	Copper	< 7.0	µg/L	MT
0	Copper	< 4.0	µg/L	GE
0	Cyanide	< 5.0	µg/L	MT
0	Cyanide	< 5.0	µg/L	GE
0	Dibromochloromethane	< 5.0	µg/L	MT
0	Dibromochloromethane	< 1.0	µg/L	GE

ANALYTICAL RESULTS

WELL HSB 65B collected on 01/21/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Dichloromethane (Methylene chloride)	<5.0	µg/L	MT
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.0060	µg/L	MT
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<5.0	µg/L	MT
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<250	µg/L	MT
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.0050	µg/L	MT
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	7.5	µg/L	MT
0	Iron	5.9	µg/L	GE
0	Lead	<3.0	µg/L	MT
0	Lead	<6.0	µg/L	GE
0	Magnesium	798	µg/L	MT
0	Magnesium	699	µg/L	GE
0	Manganese	<2.0	µg/L	MT
0	Manganese	<2.0	µg/L	GE
0	Mercury	<0.20	µg/L	MT
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	MT
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<5.2	µg/L	MT
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	<200	µg/L	MT
0	Nitrate as nitrogen	<50	µg/L	GE
0	Phenols	<5.0	µg/L	MT
0	Phenols	<5.0	µg/L	GE
0	Potassium	1970	µg/L	MT
0	Potassium	593	µg/L	GE
0	Selenium	<3.0	µg/L	MT
0	Selenium	<2.0	µg/L	GE
0	Silica	1490	µg/L	GE
1	Silica	12500	µg/L	GE
1	Silica	15800	µg/L	MT
0	Silver	<2.0	µg/L	MT
0	Silver	<2.0	µg/L	GE
0	Sodium	1700	µg/L	MT
0	Sodium	1810	µg/L	GE
0	Sulfate	<1000	µg/L	MT
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<5.0	µg/L	MT
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<5.0	µg/L	MT
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	136000	µg/L	MT
0	Total dissolved solids	155000	µg/L	GE
0	Total organic carbon	<1000	µg/L	MT
0	Total organic carbon	1000	µg/L	GE
1	Total organic halogens	15	µg/L	MT
1	Total organic halogens	15	µg/L	GE
0	Total phosphates	13	µg/L	MT
0	Total phosphates	60	µg/L	GE
0	Toxaphene	<0.24	µg/L	MT
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethane	<5.0	µg/L	MT
0	trans-1,2-Dichloroethane	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<5.0	µg/L	MT
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<5.0	µg/L	MT
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<5.0	µg/L	MT
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<64	µg/L	MT
0	Uranium	<1000	µg/L	GE
0	Vanadium	<3.0	µg/L	MT
0	Vanadium	<20	µg/L	GE
0	Zinc	28	µg/L	MT
0	Zinc	12	µg/L	GE
0	1,1-Dichloroethane	<5.0	µg/L	MT
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<5.0	µg/L	MT
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<5.0	µg/L	MT
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,1-Trichloroethylene	<5.0	µg/L	MT
0	1,1,1-Trichloroethylene	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<5.0	µg/L	MT
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<5.0	µg/L	MT
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropene	<5.0	µg/L	MT
0	1,2-Dichloropropene	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<5.0	µg/L	MT
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.48	µg/L	MT
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.070	µg/L	MT
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE

WELL HSB 65B collected on 01/21/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Gross alpha	<3.0	pCi/L	MT
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	<5.0	pCi/L	MT
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Total radium	<1.0	pCi/L	MT
0	Total radium	1.8±3.3	pCi/L	GE
0	Tridium	<1.0	pCi/mL	MT
0	Tridium	<0.70	pCi/mL	GE

WELL HSB 65B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/21/90 Time: 12:50
 Depth to water: 50.06 ft (15.26 m) below TOC pH: 7.7
 Water elevation: 223.64 ft (68.17 m) msl Alkalinity: 181 mg/L
 Sp. conductance: 199 µS/cm Water temperature: 19.4°C
 Water evacuated before sampling: 261 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	pH	7.7	pH	MT
2	pH	8.2	pH	GE
1	Specific conductance	205	µS/cm	MT
1	Specific conductance	190	µS/cm	GE
1	Alkalinity	90400	µg/L	MT
0	Aluminum	<23	µg/L	MT
0	Aluminum	40	µg/L	GE
0	Antimony	<3.0	µg/L	MT
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<3.0	µg/L	MT
0	Arsenic	<2.0	µg/L	GE
0	Barium	17	µg/L	MT
0	Barium	17	µg/L	GE
0	Benzene	<5.0	µg/L	MT
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<5.0	µg/L	MT
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<5.0	µg/L	MT
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<10	µg/L	MT
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<3.0	µg/L	MT
0	Cadmium	<2.0	µg/L	GE
1	Calcium	37100	µg/L	MT
1	Calcium	29800	µg/L	GE
0	Carbon tetrachloride	<5.0	µg/L	MT
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbonate	<1000	µg/L	MT
0	Chloride	2700	µg/L	MT
0	Chloride	2500	µg/L	GE
0	Chlorobenzene	<5.0	µg/L	MT
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<10	µg/L	MT
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<5.0	µg/L	MT
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<5.0	µg/L	MT
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<10	µg/L	MT
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<3.0	µg/L	MT
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<5.0	µg/L	MT
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<15	µg/L	MT
0	Cobalt	<4.0	µg/L	GE
0	Copper	<7.0	µg/L	MT
0	Copper	10	µg/L	GE
0	Cyanide	<5.0	µg/L	MT
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<5.0	µg/L	MT
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<5.0	µg/L	MT
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.0060	µg/L	MT
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<5.0	µg/L	MT
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<250	µg/L	MT
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.0050	µg/L	MT
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	<6.0	µg/L	MT
0	Iron	15	µg/L	GE

ANALYTICAL RESULTS

WELL HSB 65B collected on 01/21/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Lead	<3.0	µg/L	MT
0	Lead	<6.0	µg/L	GE
0	Magnesium	808	µg/L	MT
0	Magnesium	704	µg/L	GE
0	Manganese	<2.0	µg/L	MT
0	Manganese	<2.0	µg/L	GE
0	Mercury	<0.20	µg/L	MT
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	MT
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<5.2	µg/L	MT
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	<200	µg/L	MT
0	Nitrate as nitrogen	<50	µg/L	GE
1	Phenols	7.4	µg/L	MT
0	Phenols	<5.0	µg/L	GE
0	Potassium	<1820	µg/L	MT
0	Potassium	887	µg/L	GE
0	Selenium	<3.0	µg/L	MT
0	Selenium	<2.0	µg/L	GE
1	Silica	18100	µg/L	GE
1	Silica	15900	µg/L	MT
0	Silver	<2.0	µg/L	MT
0	Silver	<2.0	µg/L	GE
0	Sodium	1720	µg/L	MT
0	Sodium	2020	µg/L	GE
0	Sulfate	<1000	µg/L	MT
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<5.0	µg/L	MT
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<5.0	µg/L	MT
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	137000	µg/L	MT
0	Total dissolved solids	148000	µg/L	GE
0	Total organic carbon	<1000	µg/L	MT
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	MT
0	Total organic halogens	<5.0	µg/L	GE
0	Total organic halogens	<5.0	µg/L	MT
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	20	µg/L	MT
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<0.24	µg/L	MT
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<5.0	µg/L	MT
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<5.0	µg/L	MT
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
2	Trichloroethylene	8.0	µg/L	MT
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<5.0	µg/L	MT
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<84	µg/L	MT
0	Uranium	<1000	µg/L	GE
0	Vanadium	<3.0	µg/L	MT
0	Vanadium	<20	µg/L	GE
0	Zinc	<9.0	µg/L	MT
0	Zinc	20	µg/L	GE
0	1,1-Dichloroethane	<5.0	µg/L	MT
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<5.0	µg/L	MT
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<5.0	µg/L	MT
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<5.0	µg/L	MT
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<5.0	µg/L	MT
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<5.0	µg/L	MT
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<5.0	µg/L	MT
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<5.0	µg/L	MT
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.46	µg/L	MT
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.070	µg/L	MT
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	<3.0	pCi/L	MT
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	<5.0	pCi/L	MT
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Total radium	<1.0	pCi/L	MT
0	Total radium	1.6±3.3	pCi/L	GE
0	Tritium	<1.0	pCi/mL	MT
0	Tritium	<0.70	pCi/mL	GE

WELL HSB 65C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/21/90
 Depth to water: 42.06 ft (12.82 m) below TOC
 Water elevation: 231.54 ft (70.57 m) msl
 Sp. conductance: 50 µS/cm
 Water evacuated before sampling: 62 gal

Time: 12:20
 pH: 4.8
 Alkalinity: 0 mg/L
 Water temperature: 19.7°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	4.9	pH	GE
0	Specific conductance	48	µS/cm	GE
0	Aluminum	44	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	7.2	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoforn	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	1480	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbonate	<1000	µg/L	GE
0	Chloride	3500	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
1	Copper	20	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.030	µg/L	GE
0	Iron	31	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	581	µg/L	GE
0	Manganese	7.9	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	2710	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	6780	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	5480	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	85000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	8.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	34	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Total radium	1.3±2.0	pCi/L	GE
2	Tritium	28±0.70	pCi/mL	GE

ANALYTICAL RESULTS

WELL HSB 66

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/13/90 Time: 13:25
 Depth to water: 65.73 ft (18.99 m) below TOC pH: 4.9
 Water elevation: 224.47 ft (68.42 m) msl Alkalinity: 0 mg/L
 Sp. conductance: 26 µS/cm Water temperature: 16.9°C
 Water evacuated before sampling: 69 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.1	pH	GE
0	Specific conductance	24	µS/cm	GE
0	Aluminum	31	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	<4.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	1050	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbonate	<1000	µg/L	GE
0	Chloride	2300	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
1	Copper	28	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	9.2	µg/L	GE
0	Lead	7.7	µg/L	GE
0	Magnesium	355	µg/L	GE
0	Manganese	5.2	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	1000	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	840	µg/L	GE
0	Silica	7900	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	2250	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	28000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	80	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	21	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.080	µg/L	GE
0	Americium-241	<0.20	pCi/L	TE
1	Americium-243	0.52 ± 0.39	pCi/L	TE
0	Barium-140	<10	pCi/L	TE
0	Beryllium-7	<30	pCi/L	TE
1	Carbon-14	9.1 ± 5.2	pCi/L	TE
0	Cerium-141	<8.0	pCi/L	TE

WELL HSB 66 collected on 01/13/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Cerium-144	<30	pCi/L	TE
0	Cesium-134	<3.0	pCi/L	TE
0	Cesium-137	<3.0	pCi/L	TE
0	Cobalt-58	<3.0	pCi/L	TE
0	Cobalt-60	<3.0	pCi/L	TE
0	Curium-242	<0.10	pCi/L	TE
0	Curium-243/244	<0.20	pCi/L	TE
1	Curium-246	0.62 ± 0.45	pCi/L	TE
2	Gross alpha	24 ± 4.2	pCi/L	GE
0	Gross alpha	<0.80	pCi/L	TE
1	Iodine-129	48 ± 3.0	pCi/L	TE
0	Iodine-131	<20	pCi/L	TE
0	Iron-55	<60	pCi/L	TE
0	Iron-59	<7.0	pCi/L	TE
0	Manganese-54	<3.0	pCi/L	TE
0	Nickel-59	<60	pCi/L	TE
1	Nickel-63	67 ± 6.0	pCi/L	TE
0	Nonvolatile beta	5.0 ± 2.8	pCi/L	GE
0	Nonvolatile beta	<1.0	pCi/L	TE
0	Plutonium-238	<0.20	pCi/L	TE
0	Plutonium-239/240	<0.10	pCi/L	TE
0	Plutonium-242	<0.10	pCi/L	TE
0	Potassium-40	<50	pCi/L	TE
0	Radium-226	<70	pCi/L	TE
0	Radium-228	<1.0	pCi/L	TE
0	Radium-228	<2.0	pCi/L	TE
0	Ruthenium-103	<4.0	pCi/L	TE
0	Ruthenium-106	<30	pCi/L	TE
0	Strontium-89	<4.0	pCi/L	TE
0	Strontium-90	<2.0	pCi/L	TE
0	Technetium-99	<5.0	pCi/L	TE
0	Thorium-228	<7.0	pCi/L	TE
0	Thorium-228	<0.70	pCi/L	TE
0	Thorium-230	<0.20	pCi/L	TE
0	Thorium-232	<0.10	pCi/L	TE
0	Total radium	<1.0	pCi/L	GE
1	Tritium	15 ± 0.50	pCi/mL	GE
1	Tritium	15 ± 2.0	pCi/mL	TE
0	Uranium-234	<2.0	pCi/L	TE
0	Uranium-235	<1.0	pCi/L	TE
0	Uranium-238	<1.0	pCi/L	TE
0	Zinc-65	<7.0	pCi/L	TE
0	Zirconium-95	<4.0	pCi/L	TE

WELL HSB 67

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/09/90 Time: 14:25
 Depth to water: 13.25 ft (4.04 m) below TOC pH: 4.2
 Water elevation: 224.55 ft (68.44 m) msl Alkalinity: 0 mg/L
 Sp. conductance: 157 µS/cm Water temperature: 19.1°C
 Water evacuated before sampling: 82 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	Specific conductance	180	µS/cm	GE
1	Total activity	5380 ± 20	pCi/mL	EM

WELL HSB 67

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/27/90 Time: 14:30
 Depth to water: 13.40 ft (4.08 m) below TOC pH: 4.1
 Water elevation: 224.40 ft (68.40 m) msl Alkalinity: 0 mg/L
 Sp. conductance: 151 µS/cm Water temperature: 19.5°C
 Water evacuated before sampling: 82 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	4.3	pH	GE
1	Specific conductance	141	µS/cm	GE
2	Aluminum	850	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	27	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE

ANALYTICAL RESULTS

WELL HSB 87 collected on 01/27/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Cadmium	<2.0	µg/L	GE
0	Calcium	942	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbonate	<1000	µg/L	GE
0	Chloride	3100	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Copper	19	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	110	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	15	µg/L	GE
0	Lead	<0.0	µg/L	GE
0	Magnesium	899	µg/L	GE
2	Manganese	87	µg/L	GE
2	Mercury	2.4	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<4.0	µg/L	GE
1	Nitrate as nitrogen	9120	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	8750	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	22000	µg/L	GE
0	Sulfate	7900	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	100000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	7.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	11	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
1	Gross alpha	10 ± 5.4	pCi/L	GE
2	Nonvolatile beta	582 ± 20	pCi/L	GE
1	Total activity	4770 ± 20	pCi/mL	EM
2	Total radium	17 ± 5.0	pCi/L	GE
2	Tritium	5300 ± 7.6	pCi/mL	GE

WELL HSB 68

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/21/90
 Depth to water: Not available
 Water elevation: Not available
 Sp. conductance: 303 µS/cm
 Water evacuated before sampling: 45 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	pH	3.9	pH	GE
1	Specific conductance	287	µS/cm	GE
2	Aluminum	5200	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
1	Barium	94	µg/L	GE
0	Benzene	<1.0	µg/L	GE

WELL HSB 68 collected on 01/21/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	2700	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbonate	<1000	µg/L	GE
0	Chloride	2700	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
1	Cobalt	6.4	µg/L	GE
1	Copper	87	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	420	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	32	µg/L	GE
0	Lead	6.0	µg/L	GE
0	Magnesium	858	µg/L	GE
2	Manganese	448	µg/L	GE
2	Mercury	1.8	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
1	Nickel	18	µg/L	GE
2	Nitrate as nitrogen	16200	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	1280	µg/L	GE
0	Selenium	<2.0	µg/L	GE
1	Silica	16200	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	26600	µg/L	GE
1	Sulfate	12700	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	152000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	53	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
2	Gross alpha	88 ± 10	pCi/L	GE
2	Nonvolatile beta	4700 ± 50	pCi/L	GE
1	Total activity	20100 ± 100	pCi/mL	EM
2	Total radium	35 ± 5.9	pCi/L	GE
2	Tritium	21100 ± 10	pCi/mL	GE

WELL HSB 68A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/21/90
 Depth to water: 79.20 ft (24.14 m) below TOC
 Water elevation: 170.20 ft (51.88 m) ms
 Sp. conductance: 142 µS/cm
 Water evacuated before sampling: 319 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	pH	7.2	pH	GE
1	Specific conductance	187	µS/cm	GE
0	Aluminum	74	µg/L	GE
0	Antimony	<3.0	µg/L	GE

ANALYTICAL RESULTS

WELL HSB 68A collected on 01/21/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
1	Arsenic	2.0	µg/L	GE
0	Barium	31	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
1	Calcium	21800	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbonate	<1000	µg/L	GE
0	Chloride	2300	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Copper	12	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	15	µg/L	GE
0	Lead	8.4	µg/L	GE
0	Magnesium	424	µg/L	GE
0	Manganese	<2.0	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	70	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	1940	µg/L	GE
0	Selenium	<2.0	µg/L	GE
1	Silica	22500	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	2470	µg/L	GE
0	Sulfate	5800	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	128000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	9.0	µg/L	GE
0	Total phosphates	250	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	24	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	4.2 ± 2.4	pCi/L	GE
0	Total radium	<1.0	pCi/L	GE
2	Tritium	98 ± 1.1	pCi/mL	GE

WELL HSB 68B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/14/90 Time: 10:55
 Depth to water: 33.25 ft (10.13 m) below TOC pH: 7.8
 Water elevation: 218.75 ft (66.07 m) msl Alkalinity: 79 mg/L
 Sp. conductance: 237 µS/cm Water temperature: 18.0°C
 Water evacuated before sampling: 59 gal
 The well went dry during purging.

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	pH	8.0	pH	GE
1	Specific conductance	210	µS/cm	GE
0	Aluminum	39	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	32	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
1	Calcium	30800	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbonate	<1000	µg/L	GE
0	Chloride	2600	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	100	µg/L	GE
1	gamma-Benzene hexachloride (Lindane)	0.24	µg/L	GE
0	Iron	18	µg/L	GE
0	Lead	13	µg/L	GE
0	Magnesium	757	µg/L	GE
0	Manganese	2.0	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	180	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	544	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	1890	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	1850	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	151000	µg/L	GE
0	Total organic carbon	1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	11	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
1	Nonvolatile beta	18 ± 3.8	pCi/L	GE
0	Total radium	<1.0	pCi/L	GE
2	Tritium	34 ± 0.80	pCi/mL	GE

ANALYTICAL RESULTS

WELL HSB 68C

WELL HSB 68C collected on 01/14/90, laboratory analyses (continued)

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/14/90
Depth to water: 32.52 ft (9.91 m) below TOC
Water elevation: 217.58 ft (66.32 m) msf
Sp. conductance: 115 µS/cm
Water evacuated before sampling: 18 gal
The well went dry during purging.

Time: 11:15
pH: 5.9
Alkalinity: 4 mg/L
Water temperature: 10.3°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.7	pH	GE
0	pH	5.7	pH	GE
1	Specific conductance	130	µS/cm	GE
1	Specific conductance	125	µS/cm	GE
0	Aluminum	35	µg/L	GE
0	Aluminum	30	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	15	µg/L	GE
0	Barium	14	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	4570	µg/L	GE
0	Calcium	4470	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbonate	<1000	µg/L	GE
0	Carbonate	<1000	µg/L	GE
0	Chloride	3200	µg/L	GE
0	Chloride	3100	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethane (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroethane (Vinyl chloride)	<1.0	µg/L	GE
1	Chloroform	2.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
1	Chromium	4.8	µg/L	GE
0	Chromium	3.8	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
1	Copper	121	µg/L	GE
1	Copper	115	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
1	Iron	209	µg/L	GE
1	Iron	204	µg/L	GE
1	Lead	22	µg/L	GE
1	Lead	20	µg/L	GE
0	Magnesium	900	µg/L	GE
0	Magnesium	870	µg/L	GE
1	Manganese	34	µg/L	GE
1	Manganese	33	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nickel	<4.0	µg/L	GE
2	Nitrate as nitrogen	12800	µg/L	GE
2	Nitrate as nitrogen	12200	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	551	µg/L	GE
0	Potassium	510	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	808	µg/L	GE
0	Silica	1130	µg/L	GE
1	Silica	10100	µg/L	GE
0	Silica	8240	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	11600	µg/L	GE
1	Sodium	10800	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Sulfate	<5000	µg/L	GE
1	Tetrachloroethylene	2.0	µg/L	GE
1	Tetrachloroethylene	2.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	95000	µg/L	GE
0	Total dissolved solids	88000	µg/L	GE
0	Total organic carbon	3000	µg/L	GE
0	Total organic carbon	1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total organic halogens	7.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	111	µg/L	GE
0	Zinc	105	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Gross alpha	3.6±2.1	pCi/L	GE
1	Nonvolatile beta	12±3.1	pCi/L	GE
1	Nonvolatile beta	14±3.3	pCi/L	GE
1	Total activity	1590±8.7	pCi/mL	EM
0	Total radium	<1.0	pCi/L	GE
0	Total radium	<1.0	pCi/L	GE
2	Tritium	1490±3.9	pCi/mL	GE
2	Tritium	1490±3.9	pCi/mL	GE

ANALYTICAL RESULTS

WELL HSB 69

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/21/90
 Depth to water: 16.33 ft (4.98 m) below TOC
 Water elevation: 219.67 ft (66.96 m) msl
 Sp. conductance: 381 µS/cm
 Water evacuated before sampling: 59 gal

Time: 14:55
 pH: 3.7
 Alkalinity: 0 mg/L
 Water temperature: 20.3°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	pH	3.8	pH	GE
1	Specific conductance	371	µS/cm	GE
2	Aluminum	8810	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
1	Barium	148	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	7070	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbonate	<1000	µg/L	GE
0	Chloride	2800	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
1	Cobalt	15	µg/L	GE
0	Copper	7.5	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
1	Fluoride	960	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	23	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	3520	µg/L	GE
2	Manganese	857	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
1	Nickel	30	µg/L	GE
2	Nitrate as nitrogen	25100	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	1960	µg/L	GE
0	Selenium	<2.0	µg/L	GE
1	Silica	16500	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	21100	µg/L	GE
1	Sulfate	10500	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	142000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	91	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
1	Americium-241	9.1 ± 1.1	pCi/L	TE
1	Americium-243	4.0 ± 0.80	pCi/L	TE
0	Barium-140	<30	pCi/L	TE
0	Beryllium-7	<50	pCi/L	TE
1	Carbon-14	94 ± 5.0	pCi/L	TE
0	Cerium-141	<10	pCi/L	TE
0	Cerium-144	<30	pCi/L	TF

WELL HSB 69 collected on 01/21/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Cesium-134	<5.0	pCi/L	TE
0	Cesium-137	<5.0	pCi/L	TE
0	Cobalt-58	<6.0	pCi/L	TE
2	Cobalt-60	325 ± 30	pCi/L	TE
0	Curium-242	<0.20	pCi/L	TE
0	Curium-243/244	<0.30	pCi/L	TE
1	Curium-246	3.7 ± 0.80	pCi/L	TE
2	Gross alpha	90 ± 20	pCi/L	GE
2	Gross alpha	29 ± 4.0	pCi/L	TE
1	Iodine-129	4.0 ± 1.5	pCi/L	TE
0	Iodine-131	<100	pCi/L	TE
0	Iron-55	<60	pCi/L	TE
0	Iron-59	<20	pCi/L	TE
0	Manganese-54	<5.0	pCi/L	TE
0	Neptunium-237	<8.0	pCi/L	TE
0	Nickel-59	<100	pCi/L	TE
1	Nickel-63	300 ± 10	pCi/L	TE
2	Nonvolatile beta	8140 ± 60	pCi/L	GE
2	Nonvolatile beta	8700 ± 200	pCi/L	TE
0	Plutonium-238	<0.090	pCi/L	TE
0	Plutonium-239/240	<0.060	pCi/L	TE
0	Plutonium-242	<0.040	pCi/L	TE
0	Potassium-40	<50	pCi/L	TE
1	Radium-226	15 ± 1.0	pCi/L	TE
0	Radium-226	<70	pCi/L	TE
1	Radium-228	58 ± 4.0	pCi/L	TE
0	Ruthenium-103	<7.0	pCi/L	TE
0	Ruthenium-106	<40	pCi/L	TE
0	Strontium-89	<80	pCi/L	TE
1	Strontium-90	3700 ± 100	pCi/L	TE
1	Technetium-99	69 ± 8.0	pCi/L	TE
0	Thorium-228	<7.0	pCi/L	TE
0	Thorium-228	<0.10	pCi/L	TE
0	Thorium-230	<0.040	pCi/L	TE
1	Thorium-232	0.14 ± 0.080	pCi/L	TE
1	Total activity	14200 ± 80	pCi/mL	EM
2	Total radium	9.6 ± 3.7	pCi/L	GE
2	Tritium	14100 ± 10	pCi/mL	GE
2	Tritium	13000 ± 1000	pCi/mL	TE
1	Uranium-234	1.1 ± 0.30	pCi/L	TE
0	Uranium-235	<0.060	pCi/L	TE
1	Uranium-238	1.0 ± 0.30	pCi/L	TE
0	Zinc-65	<10	pCi/L	TE
0	Zirconium-95	<7.0	pCi/L	TE

WELL HSB 69

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/21/90
 Depth to water: 16.33 ft (4.98 m) below TOC
 Water elevation: 219.67 ft (66.96 m) msl
 Sp. conductance: 381 µS/cm
 Water evacuated before sampling: 59 gal

Time: 14:55
 pH: 3.7
 Alkalinity: 0 mg/L
 Water temperature: 20.3°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	Americium-241	4.9 ± 0.80	pCi/L	TE
1	Americium-243	2.5 ± 0.50	pCi/L	TE
0	Barium-140	<40	pCi/L	TE
0	Beryllium-7	<60	pCi/L	TE
1	Carbon-14	87 ± 5.0	pCi/L	TE
0	Cerium-141	<20	pCi/L	TE
0	Cerium-144	<40	pCi/L	TE
0	Cesium-134	<5.0	pCi/L	TE
0	Cesium-137	<5.0	pCi/L	TE
0	Cobalt-58	<7.0	pCi/L	TE
2	Cobalt-60	348 ± 40	pCi/L	TE
0	Curium-242	<0.20	pCi/L	TE
0	Curium-243/244	<0.50	pCi/L	TE
1	Curium-246	3.0 ± 0.60	pCi/L	TE
2	Gross alpha	33 ± 5.0	pCi/L	TE
0	Iodine-129	<2.0	pCi/L	TE
0	Iodine-131	<100	pCi/L	TE
0	Iron-55	<50	pCi/L	TE
0	Iron-59	<20	pCi/L	TE
0	Manganese-54	<5.0	pCi/L	TE
0	Neptunium-237	<9.0	pCi/L	TE
0	Nickel-59	<60	pCi/L	TE
1	Nickel-63	380 ± 10	pCi/L	TE
2	Nonvolatile beta	8800 ± 200	pCi/L	TE
0	Plutonium-238	<0.10	pCi/L	TE
0	Plutonium-239/240	<0.080	pCi/L	TE
0	Plutonium-242	<0.090	pCi/L	TF
0	Potassium-40	<50	pCi/L	TE

ANALYTICAL RESULTS

WELL HSB 69 collected on 01/21/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
1	Radium-226	19±2.0	pCi/L	TE
0	Radium-228	<90	pCi/L	TE
1	Radium-228	63±8.0	pCi/L	TE
0	Ruthenium-103	<8.0	pCi/L	TE
0	Ruthenium-106	<50	pCi/L	TE
0	Strontium-89	<70	pCi/L	TE
1	Strontium-90	3800±100	pCi/L	TE
1	Technetium-99	76±8.0	pCi/L	TE
0	Thorium-228	<8.0	pCi/L	TE
0	Thorium-228	<0.20	pCi/L	TE
0	Thorium-230	<0.050	pCi/L	TE
1	Thorium-232	0.19±0.12	pCi/L	TE
2	Tritium	13000±1000	pCi/mL	TE
1	Uranium-234	1.0±0.40	pCi/L	TE
0	Uranium-235	<0.090	pCi/L	TE
1	Uranium-238	0.35±0.23	pCi/L	TE
0	Zinc-65	<10	pCi/L	TE
0	Zirconium-95	<7.0	pCi/L	TE

WELL HSB 69A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/21/90 Time: 15:20
 Depth to water: 66.01 ft (20.12 m) below TOC pH: 7.0
 Water elevation: 170.59 ft (52.00 m) msl Alkalinity: 50 mg/L
 Sp. conductance: 175 µS/cm Water temperature: 19.0°C
 Water evacuated before sampling: 242 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	pH	7.1	pH	GE
1	Specific conductance	161	µS/cm	GE
0	Aluminum	30	µg/L	GE
0	Antimony	<3.0	µg/L	GE
1	Arsenic	2.2	µg/L	GE
0	Barium	29	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
1	Calcium	26300	µg/L	GE
1	Calcium	24700	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbonate	<1000	µg/L	GE
0	Chloride	2300	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Copper	8.2	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	12	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	681	µg/L	GE
0	Manganese	17	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	<50	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	1530	µg/L	GE
0	Selenium	<2.0	µg/L	GE
1	Silica	28100	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	2500	µg/L	GE
0	Sulfate	6600	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	152000	µg/L	GE
0	Total organic carbon	1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
1	Total phosphates	320	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE

WELL HSB 69A collected on 01/21/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	39	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.060	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Total radium	1.5±2.1	pCi/L	GE
0	Tritium	<0.70	pCi/mL	GE

WELL HSB 70

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/06/90 Time: 11:35
 Depth to water: 18.52 ft (5.64 m) below TOC pH: 5.1
 Water elevation: 224.28 ft (68.36 m) msl Alkalinity: 5 mg/L
 Sp. conductance: 88 µS/cm Water temperature: 18.6°C
 Water evacuated before sampling: 48 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.2	pH	GE
0	pH	5.2	pH	GE
0	Specific conductance	66	µS/cm	GE
0	Specific conductance	65	µS/cm	GE
0	Aluminum	43	µg/L	GE
0	Aluminum	23	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	45	µg/L	GE
0	Barium	45	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	2910	µg/L	GE
0	Calcium	2950	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbonate	<1000	µg/L	GE
0	Carbonate	<1000	µg/L	GE
0	Chloride	1000	µg/L	GE
0	Chloride	1900	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
2	Copper	1580	µg/L	GE
2	Copper	1590	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE

ANALYTICAL RESULTS

WELL HSB 70 collected on 01/06/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	17	µg/L	GE
0	Iron	21	µg/L	GE
2	Lead	75	µg/L	GE
2	Lead	74	µg/L	GE
0	Magnesium	1200	µg/L	GE
0	Magnesium	1190	µg/L	GE
0	Manganese	13	µg/L	GE
0	Manganese	14	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
1	Nickel	15	µg/L	GE
1	Nickel	14	µg/L	GE
0	Nitrate as nitrogen	2600	µg/L	GE
0	Nitrate as nitrogen	2600	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	5210	µg/L	GE
0	Silica	5660	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	4110	µg/L	GE
0	Sodium	4120	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
1	Toluene	3.0	µg/L	GE
1	Toluene	2.0	µg/L	GE
0	Total dissolved solids	65000	µg/L	GE
0	Total dissolved solids	58000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	223	µg/L	GE
1	Zinc	273	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE

WELL HSB 70 collected on 01/06/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Gross alpha	<3.0	pCi/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	5.4±3.8	pCi/L	GE
0	Nonvolatile beta	8.0±4.1	pCi/L	GE
1	Total activity	1370±7.9	pCi/mL	EM
0	Total radium	<1.0	pCi/L	GE
0	Total radium	<1.0	pCi/L	GE
2	Tritium	1710±4.2	pCi/mL	GE
2	Tritium	1710±4.2	pCi/mL	GE

WELL HSB 70C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/07/90
 Depth to water: 19.87 ft (6.06 m) below TOC
 Water elevation: 223.23 ft (68.04 m) msl
 Sp. conductance: 512 µS/cm
 Water evacuated before sampling: 29 gal
 The well went dry during purging.

Time: 10:45
 pH: 11.4
 Alkalinity: 48 mg/L
 Water temperature: 18.0°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
2	pH	11	pH	GE
2	pH	11	pH	GE
1	Specific conductance	421	µS/cm	GE
1	Specific conductance	370	µS/cm	GE
2	Aluminum	487	µg/L	GE
2	Aluminum	500	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
1	Barium	112	µg/L	GE
1	Barium	118	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
1	Calcium	27700	µg/L	GE
1	Calcium	28300	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
1	Carbonate	126000	µg/L	GE
1	Carbonate	105000	µg/L	GE
0	Chloride	3200	µg/L	GE
0	Chloride	3200	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
1	Chromium	5.4	µg/L	GE
1	Chromium	4.6	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Copper	4.9	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	Fluoride	<100	µg/L	GE
1	gamma-Benzene hexachloride (Lindane)	1.0	µg/L	GE
1	gamma-Benzene hexachloride (Lindane)	0.80	µg/L	GE
0	Iron	18	µg/L	GE

ANALYTICAL RESULTS

WELL HSB 70C collected on 01/07/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Iron	13	µg/L	GE
0	Lead	<8.0	µg/L	GE
0	Lead	<8.0	µg/L	GE
0	Magnesium	184	µg/L	GE
0	Magnesium	194	µg/L	GE
0	Manganese	<2.0	µg/L	GE
0	Manganese	<2.0	µg/L	GE
1	Mercury	0.80	µg/L	GE
1	Mercury	0.90	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nickel	<4.0	µg/L	GE
2	Nitrate as nitrogen	11500	µg/L	GE
2	Nitrate as nitrogen	11900	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	4940	µg/L	GE
1	Potassium	5130	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	8320	µg/L	GE
0	Silica	8700	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	22700	µg/L	GE
1	Sodium	23300	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	185000	µg/L	GE
0	Total dissolved solids	190000	µg/L	GE
0	Total organic carbon	3000	µg/L	GE
0	Total organic carbon	3000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	8.8	µg/L	GE
0	Zinc	8.8	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
2	Gross alpha	20±10	pCi/L	GE
2	Gross alpha	22±10	pCi/L	GE
2	Nonvolatile beta	2090±40	pCi/L	GE
2	Nonvolatile beta	1840±40	pCi/L	GE
1	Total activity	2480±10	pCi/mL	EM
0	Total radium	2.0±3.5	pCi/L	GE
0	Total radium	1.3±3.3	pCi/L	GE
2	Tritium	2800±5.1	pCi/mL	GE
2	Tritium	2800±5.2	pCi/mL	GE

WELL HSB 71

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/13/90
 Depth to water: 17.05 ft (5.20 m) below TOC
 Water elevation: 224.35 ft (68.38 m) msl
 Sp. conductance: 25 µS/cm
 Water evacuated before sampling: 51 gal
 Time: 11:00
 pH: 5.2
 Alkalinity: 0 mg/L
 Water temperature: 14.3°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.3	pH	GE
0	Specific conductance	49	µS/cm	GE
0	Aluminum	28	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	<4.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	481	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbonate	<1000	µg/L	GE
0	Chloride	4800	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
1	Copper	43	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	53	µg/L	GE
0	Lead	13	µg/L	GE
0	Magnesium	427	µg/L	GE
0	Manganese	<2.0	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	70	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	4420	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	2920	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	28000	µg/L	GE
0	Total organic carbon	1000	µg/L	GE
0	Total organic halogens	8.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	14	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	3.0±1.5	pCi/L	GE
0	Nonvolatile beta	8.2±1.8	pCi/L	GE
1	Total activity	38±1.7	pCi/mL	EM
0	Total radium	<1.0	pCi/L	GE
2	Tritium	38±0.60	pCi/mL	GE

ANALYTICAL RESULTS

WELL HSB 71C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/14/90
 Depth to water: 18.99 ft (5.79 m) below TOC
 Water elevation: 222.81 ft (87.85 m) msl
 Sp. conductance: 704 µS/cm
 Water evacuated before sampling: 22 gal
 The well went dry during purging.

Time: 9:10
 pH: 11.8
 Alkalinity: 34 mg/L
 Water temperature: 18.4°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
2	pH	8.7	pH	GE
1	Specific conductance	850	µS/cm	GE
1	Aluminum	84	µg/L	GE
0	Antimony	<2.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
1	Barium	103	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoflorm	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
1	Calcium	23100	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
1	Carbonate	21000	µg/L	GE
0	Chloride	5900	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	180	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	10	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	2260	µg/L	GE
0	Manganese	<2.0	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<4.0	µg/L	GE
2	Nitrate as nitrogen	56000	µg/L	GE
0	Phenols	<5.0	µg/L	GE
1	Potassium	7070	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	4520	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	77600	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	487000	µg/L	GE
0	Total organic carbon	3000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	3.4	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
1	Gross alpha	5.3 ± 2.6	pCi/L	GE
2	Nonvolatile beta	58 ± 5.7	pCi/L	GE
1	Total activity	9750 ± 70	pCi/mL	EM
1	Total radium	3.8 ± 2.7	pCi/mL	GE
2	Tritium	10100 ± 10	pCi/mL	GE

WELL HSB 83A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/09/90
 Depth to water: 65.55 ft (19.98 m) below TOC
 Water elevation: 171.75 ft (52.35 m) msl
 Sp. conductance: 188 µS/cm
 Water evacuated before sampling: 279 gal

Time: 11:50
 pH: 7.1
 Alkalinity: 68 mg/L
 Water temperature: 18.9°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	pH	7.1	pH	GE
1	pH	7.1	pH	GE
1	Specific conductance	181	µS/cm	GE
1	Specific conductance	181	µS/cm	GE
0	Aluminum	<20	µg/L	GE
0	Aluminum	<20	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	27	µg/L	GE
0	Barium	29	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
1	Calcium	35800	µg/L	GE
1	Calcium	37500	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbonate	<1000	µg/L	GE
0	Carbonate	<1000	µg/L	GE
0	Chloride	2500	µg/L	GE
0	Chloride	2600	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	120	µg/L	GE
0	Fluoride	120	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	8.5	µg/L	GE
0	Iron	7.8	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	732	µg/L	GE
0	Magnesium	780	µg/L	GE
0	Manganese	<2.0	µg/L	GE
0	Manganese	<2.0	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	<50	µg/L	GE

ANALYTICAL RESULTS

WELL HSB 83A collected on 01/09/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Nitrate as nitrogen	<50	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	1080	µg/L	GE
0	Potassium	965	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Selenium	<2.0	µg/L	GE
1	Silica	27700	µg/L	GE
1	Silica	28700	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	1730	µg/L	GE
0	Sodium	1820	µg/L	GE
0	Sulfate	5800	µg/L	GE
0	Sulfate	5700	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	148000	µg/L	GE
0	Total dissolved solids	142000	µg/L	GE
0	Total organic carbon	1000	µg/L	GE
0	Total organic carbon	1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	60	µg/L	GE
0	Total phosphates	60	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	2.8	µg/L	GE
0	Zinc	2.8	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Total radium	<1.0	pCi/L	GE
0	Total radium	<1.0	pCi/L	GE
0	Tritium	<0.70	pCi/mL	GE
0	Tritium	<0.70	pCi/mL	GE

WELL HSB 83B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/09/90
 Depth to water: 14.75 ft (4.50 m) below TOC
 Water elevation: 222.25 ft (67.74 m) msl
 Sp. conductance: 118 µS/cm
 Water evacuated before sampling: 283 gal

Time: 11:30
 pH: 8.8
 Alkalinity: 38 mg/L
 Water temperature: 18.1°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	pH	8.8	pH	GE
1	Specific conductance	118	µS/cm	GE
0	Aluminum	<20	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	35	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
1	Calcium	18500	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbonate	<1000	µg/L	GE
0	Chloride	2600	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	160	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	4.9	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	542	µg/L	GE
0	Manganese	<2.0	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	<50	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	1000	µg/L	GE
0	Selenium	<2.0	µg/L	GE
1	Silica	26500	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	3430	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	40000	µg/L	GE
0	Total organic carbon	2000	µg/L	GE
1	Total organic halogens	10	µg/L	GE
1	Total phosphates	520	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	8.4	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
2	Gross alpha	19±3.8	pCi/L	GE
0	Nonvolatile beta	4.9±2.7	pCi/L	GE
0	Total radium	<1.0	pCi/L	GE
0	Tritium	7.5±0.43	pCi/mL	GE

ANALYTICAL RESULTS

WELL HSB 83C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/09/90
Depth to water: 12.98 ft (3.96 m) below TOC
Water elevation: 224.12 ft (68.31 m) msl
Sp. conductance: 23 µS/cm
Water evacuated before sampling: 166 gal

Time: 12:35
pH: 5.4
Alkalinity: 2 mg/L
Water temperature: 18.1°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.6	pH	GE
0	Specific conductance	22	µS/cm	GE
1	Aluminum	177	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	<4.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	970	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbonate	<1000	µg/L	GE
0	Chloride	2600	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	14	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	370	µg/L	GE
0	Manganese	5.3	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	70	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Selenium	<2.0	µg/L	GE
1	Silica	11300	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	1370	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	49000	µg/L	GE
0	Total organic carbon	3000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	80	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	6.1	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropene	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Total radium	<1.0	pCi/L	GE
0	Tritium	<0.70	pCi/mL	GE

WELL HSB 83D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/09/90
Depth to water: 10.90 ft (3.32 m) below TOC
Water elevation: 228.10 ft (68.92 m) msl
Sp. conductance: 110 µS/cm
Water evacuated before sampling: 71 gal

Time: 12:10
pH: 5.2
Alkalinity: 8 mg/L
Water temperature: 15.9°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	Specific conductance	109	µS/cm	GE
1	Total activity	3480 ± 10	pCi/mL	EM

WELL HSB 83D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/27/90
Depth to water: 11.48 ft (3.50 m) below TOC
Water elevation: 225.52 ft (68.74 m) msl
Sp. conductance: 115 µS/cm
Water evacuated before sampling: 72 gal

Time: 15:00
pH: 5.1
Alkalinity: 2 mg/L
Water temperature: 17.1°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.4	pH	GE
1	Specific conductance	100	µS/cm	GE
0	Aluminum	48	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	35	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	4410	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbonate	<1000	µg/L	GE
0	Chloride	2700	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	17	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	2030	µg/L	GE
2	Manganese	52	µg/L	GE
0	Mercury	0.29	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<4.0	µg/L	GE
1	Nitrate as nitrogen	5960	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	859	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	6560	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	18600	µg/L	GE
0	Sulfate	5500	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	68000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	7.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE

ANALYTICAL RESULTS

WELL HSB 83D collected on 01/27/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Vanadium	<20	µg/L	GE
0	Zinc	11	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	4.4±1.8	pCi/L	GE
1	Nonvolatile beta	33±4.1	pCi/L	GE
1	Total activity	4360±20	pCi/mL	EM
1	Total radium	3.1±2.7	pCi/L	GE
2	Tritium	5060±6.0	pCi/mL	GE

WELL HSB 84A collected on 01/23/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Endrin	<0.10	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	170	µg/L	GE
0	Fluoride	180	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	23	µg/L	GE
0	Iron	26	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	699	µg/L	GE
0	Magnesium	699	µg/L	GE
2	Manganese	57	µg/L	GE
2	Manganese	57	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	150	µg/L	GE
0	Nitrate as nitrogen	170	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	808	µg/L	GE
0	Potassium	793	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Selenium	<2.0	µg/L	GE
1	Silica	19000	µg/L	GE
1	Silica	18500	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	2080	µg/L	GE
0	Sodium	2050	µg/L	GE
0	Sulfate	6500	µg/L	GE
0	Sulfate	6400	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	61000	µg/L	GE
0	Total dissolved solids	62000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	140	µg/L	GE
0	Total phosphates	140	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	4.8	µg/L	GE
0	Zinc	4.8	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Americium-241	<0.20	pCi/L	TE
0	Americium-243	<0.10	pCi/L	TE
0	Barium-140	<30	pCi/L	TE

WELL HSB 84A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/23/90 Time: 10:50
 Depth to water: 58.38 ft (17.79 m) below TOC pH: 8.3
 Water elevation: 170.34 ft (51.92 m) msl Alkalinity: 25 mg/L
 Sp. conductance: 88 µS/cm Water temperature: 19.7°C
 Water evacuated before sampling: 263 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	8.4	pH	GE
0	pH	8.5	pH	GE
0	Specific conductance	85	µS/cm	GE
0	Specific conductance	84	µS/cm	GE
0	Aluminum	29	µg/L	GE
0	Aluminum	28	µg/L	GE
1	Aluminum	80	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	26	µg/L	GE
0	Barium	25	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
1	Calcium	12400	µg/L	GE
1	Calcium	12400	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbonate	<1000	µg/L	GE
0	Carbonate	<1000	µg/L	GE
0	Chloride	2400	µg/L	GE
0	Chloride	2400	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethane (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroethane (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE

ANALYTICAL RESULTS

WELL HSB 84A collected on 01/23/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Beryllium-7	<40	pCi/L	TE
1	Carbon-14	11±4.0	pCi/L	TE
0	Cerium-141	<10	pCi/L	TE
0	Cerium-144	<20	pCi/L	TE
0	Cesium-134	<3.0	pCi/L	TE
0	Cesium-137	<3.0	pCi/L	TE
0	Cobalt-58	<3.0	pCi/L	TE
0	Cobalt-60	<4.0	pCi/L	TE
0	Curium-242	<0.10	pCi/L	TE
0	Curium-243/244	<0.30	pCi/L	TE
0	Curium-248	<0.20	pCi/L	TE
0	Gross alpha	<3.0	pCi/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Gross alpha	1.8±1.1	pCi/L	TE
0	Iodine-129	<2.0	pCi/L	TE
0	Iodine-131	<80	pCi/L	TE
0	Iron-55	<80	pCi/L	TE
0	Iron-59	<9.0	pCi/L	TE
0	Manganese-54	<3.0	pCi/L	TE
0	Neptunium-237	<5.0	pCi/L	TE
0	Nickel-59	<70	pCi/L	TE
1	Nickel-63	21±7.0	pCi/L	TE
0	Nonvolatile beta	1110±24.3	pCi/L	GE
0	Nonvolatile beta	<2.0	pCi/L	GE
2	Nonvolatile beta	1800±100	pCi/L	TE
0	Plutonium-238	<0.10	pCi/L	TE
0	Plutonium-239/240	<0.090	pCi/L	TE
0	Plutonium-242	<0.080	pCi/L	TE
0	Potassium-40	<40	pCi/L	TE
0	Radium-226	<60	pCi/L	TE
1	Radium-226	2.1±0.50	pCi/L	TE
1	Radium-228	8.3±2.8	pCi/L	TE
0	Ruthenium-103	<5.0	pCi/L	TE
0	Ruthenium-106	<20	pCi/L	TE
0	Strontium-89	<80	pCi/L	TE
1	Strontium-90	870±20	pCi/L	TE
0	Technetium-99	<4.0	pCi/L	TE
0	Thorium-228	<5.0	pCi/L	TE
0	Thorium-228	<0.10	pCi/L	TE
0	Thorium-230	<0.050	pCi/L	TE
1	Thorium-232	0.69±0.28	pCi/L	TE
1	Total activity	139±3.0	pCi/mL	EM
2	Total radium	45±8.8	pCi/L	GE
2	Total radium	57±9.9	pCi/L	GE
2	Tritium	144±1.3	pCi/mL	GE
2	Tritium	141±1.3	pCi/mL	GE
2	Tritium	120±10	pCi/mL	TE
0	Uranium-234	<0.20	pCi/L	TE
0	Uranium-235	<0.090	pCi/L	TE
1	Uranium-238	0.50±0.42	pCi/L	TE
0	Zinc-65	<6.0	pCi/L	TE
0	Zirconium-95	<4.0	pCi/L	TE

WELL HSB 84B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/23/90
Depth to water: 18.38 ft (5.60 m) below TOC
Water elevation: 210.52 ft (64.17 m) msl
Sp. conductance: 188 µS/cm
Water evacuated before sampling: 231 gal

Time: 11:50
pH: 8.0
Alkalinity: 55 mg/L
Water temperature: 20.4°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	pH	7.4	pH	GE
1	Specific conductance	177	µS/cm	GE
0	Aluminum	29	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	46	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
1	Calcium	37800	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbonate	<1000	µg/L	GE
0	Chloride	2800	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE

WELL HSB 84B collected on 01/23/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	15	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	408	µg/L	GE
0	Manganese	<2.0	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	490	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	2850	µg/L	GE
0	Selenium	<2.0	µg/L	GE
1	Silica	38600	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	4090	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	137000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
1	Total phosphates	1130	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	<2.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	<2.0	pCi/L	GE
1	Total activity	161±3.2	pCi/mL	EM
0	Total radium	1.0±1.9	pCi/L	GE
2	Tritium	168±1.4	pCi/mL	GE

WELL HSB 84C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/14/90
Depth to water: 15.14 ft (4.61 m) below TOC
Water elevation: 213.96 ft (65.22 m) msl
Sp. conductance: 88 µS/cm
Water evacuated before sampling: 16 gal
The well went dry during purging.

Time: 10:30
pH: 7.5
Alkalinity: 26 mg/L
Water temperature: 18.2°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	pH	7.9	pH	GE
0	Specific conductance	79	µS/cm	GE
1	Aluminum	83	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	19	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
1	Cadmium	2.8	µg/L	GE
1	Calcium	11900	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbonate	<1000	µg/L	GE
0	Chloride	4300	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE

ANALYTICAL RESULTS

WELL HSB 84C collected on 01/14/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Chloroethane (Vinyl chloride)	< 1.0	µg/L	GE
0	Chloroform	< 1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	< 1.0	µg/L	GE
1	Chromium	4.1	µg/L	GE
0	cis-1,3-Dichloropropene	< 1.0	µg/L	GE
0	Cobalt	< 4.0	µg/L	GE
0	Copper	< 4.0	µg/L	GE
0	Cyanide	< 5.0	µg/L	GE
0	Dibromochloromethane	< 1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	< 1.0	µg/L	GE
0	Endrin	< 0.10	µg/L	GE
0	Ethylbenzene	< 1.0	µg/L	GE
0	Fluoride	< 100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	< 0.050	µg/L	GE
0	Iron	58	µg/L	GE
0	Lead	< 8.0	µg/L	GE
0	Magnesium	810	µg/L	GE
0	Manganese	< 2.0	µg/L	GE
0	Mercury	< 0.20	µg/L	GE
0	Methoxychlor	< 0.50	µg/L	GE
0	Nickel	< 4.0	µg/L	GE
0	Nitrate as nitrogen	1300	µg/L	GE
0	Phenols	< 5.0	µg/L	GE
0	Potassium	2300	µg/L	GE
0	Selenium	< 2.0	µg/L	GE
1	Silica	10500	µg/L	GE
0	Silver	< 2.0	µg/L	GE
0	Sodium	3790	µg/L	GE
0	Sulfate	< 5000	µg/L	GE
0	Tetrachloroethylene	< 1.0	µg/L	GE
0	Toluene	< 1.0	µg/L	GE
0	Total dissolved solids	58000	µg/L	GE
0	Total organic carbon	< 1000	µg/L	GE
0	Total organic halogens	< 5.0	µg/L	GE
0	Total phosphates	< 50	µg/L	GE
0	Toxaphene	< 1.0	µg/L	GE
0	trans-1,2-Dichloroethene	< 1.0	µg/L	GE
0	trans-1,3-Dichloropropene	< 1.0	µg/L	GE
0	Trichloroethylene	< 1.0	µg/L	GE
0	Trichlorofluoromethane	< 1.0	µg/L	GE
0	Uranium	< 1000	µg/L	GE
0	Vanadium	< 20	µg/L	GE
0	Zinc	33	µg/L	GE
0	1,1-Dichloroethane	< 1.0	µg/L	GE
0	1,1-Dichloroethylene	< 1.0	µg/L	GE
0	1,1,1-Trichloroethane	< 1.0	µg/L	GE
0	1,1,2-Trichloroethane	< 1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	< 1.0	µg/L	GE
0	1,2-Dichloroethane	< 1.0	µg/L	GE
0	1,2-Dichloropropane	< 1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	< 1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	< 0.30	µg/L	GE
0	2,4,5-TP (Silvex)	< 0.090	µg/L	GE
0	Gross alpha	< 3.0	pCi/L	GE
0	Nonvolatile beta	7.8 ± 2.0	pCi/L	GE
1	Total activity	295 ± 3.0	pCi/mL	EM
0	Total radium	< 1.0	pCi/L	GE
2	Tritium	289 ± 1.7	pCi/mL	GE

WELL HSB 84D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/23/90
Depth to water: 9.74 ft (2.97 m) below TOC
Water elevation: 219.08 ft (66.77 m) msl
Sp. conductance: 170 µS/cm
Water evacuated before sampling: 65 gal

Time: 11:20
pH: 4.1
Alkalinity: 0 mg/L
Water temperature: 19.7 °C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	pH	4.0	pH	GE
1	Specific conductance	145	µS/cm	GE
2	Aluminum	2120	µg/L	GE
0	Antimony	< 3.0	µg/L	GE
0	Arsenic	< 2.0	µg/L	GE
0	Barium	31	µg/L	GE
0	Benzene	< 1.0	µg/L	GE
0	Bromodichloromethane	< 1.0	µg/L	GE
0	Bromoform	< 1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	< 1.0	µg/L	GE
0	Cadmium	< 2.0	µg/L	GE
0	Calcium	2740	µg/L	GE
0	Carbon tetrachloride	< 1.0	µg/L	GE
0	Carbonate	< 1000	µg/L	GE

WELL HSB 84D collected on 01/23/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Chloride	2300	µg/L	GE
0	Chlorobenzene	< 1.0	µg/L	GE
0	Chloroethane	< 1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	< 1.0	µg/L	GE
0	Chloroform	< 1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	< 1.0	µg/L	GE
1	Chromium	8.3	µg/L	GE
0	cis-1,3-Dichloropropene	< 1.0	µg/L	GE
0	Cobalt	< 4.0	µg/L	GE
0	Copper	< 4.0	µg/L	GE
0	Cyanide	< 5.0	µg/L	GE
0	Dibromochloromethane	< 1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	< 1.0	µg/L	GE
0	Endrin	< 0.10	µg/L	GE
0	Ethylbenzene	< 1.0	µg/L	GE
0	Fluoride	190	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	< 0.050	µg/L	GE
0	Iron	18	µg/L	GE
0	Lead	14	µg/L	GE
0	Magnesium	728	µg/L	GE
2	Manganese	174	µg/L	GE
0	Mercury	< 0.20	µg/L	GE
0	Methoxychlor	< 0.50	µg/L	GE
0	Nickel	4.8	µg/L	GE
2	Nitrate as nitrogen	10200	µg/L	GE
0	Phenols	< 5.0	µg/L	GE
0	Potassium	968	µg/L	GE
0	Selenium	< 2.0	µg/L	GE
1	Silica	12400	µg/L	GE
0	Silver	< 2.0	µg/L	GE
1	Sodium	13500	µg/L	GE
0	Sulfate	7400	µg/L	GE
0	Tetrachloroethylene	< 1.0	µg/L	GE
0	Toluene	< 1.0	µg/L	GE
0	Total dissolved solids	81000	µg/L	GE
0	Total organic carbon	< 1000	µg/L	GE
0	Total organic halogens	< 5.0	µg/L	GE
0	Total phosphates	< 50	µg/L	GE
0	Toxaphene	< 1.0	µg/L	GE
0	trans-1,2-Dichloroethene	< 1.0	µg/L	GE
0	trans-1,3-Dichloropropene	< 1.0	µg/L	GE
0	Trichloroethylene	< 1.0	µg/L	GE
0	Trichlorofluoromethane	< 1.0	µg/L	GE
0	Uranium	< 1000	µg/L	GE
0	Vanadium	< 20	µg/L	GE
0	Zinc	28	µg/L	GE
0	1,1-Dichloroethane	< 1.0	µg/L	GE
0	1,1-Dichloroethylene	< 1.0	µg/L	GE
0	1,1,1-Trichloroethane	< 1.0	µg/L	GE
0	1,1,2-Trichloroethane	< 1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	< 1.0	µg/L	GE
0	1,2-Dichloroethane	< 1.0	µg/L	GE
0	1,2-Dichloropropane	< 1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	< 1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	< 0.30	µg/L	GE
0	2,4,5-TP (Silvex)	< 0.090	µg/L	GE
2	Gross alpha	181 ± 10	pCi/L	GE
2	Nonvolatile beta	2920 ± 40	pCi/L	GE
1	Total activity	3830 ± 10	pCi/mL	EM
2	Total radium	75 ± 10	pCi/L	GE
2	Tritium	3420 ± 8.0	pCi/mL	GE

WELL HSB 85A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/21/90
Depth to water: 126.71 ft (38.62 m) below TOC
Water elevation: 167.89 ft (51.11 m) msl
Sp. conductance: 183 µS/cm
Water evacuated before sampling: 277 gal

Time: 10:50
pH: 8.9
Alkalinity: 84 mg/L
Water temperature: 20.0 °C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	pH	7.0	pH	MT
1	pH	7.1	pH	GE
1	Specific conductance	200	µS/cm	MT
1	Specific conductance	178	µS/cm	GE
0	Turbidity	0.24	NTU	MT
0	Turbidity	< 0.20	NTU	GE
1	Alkalinity	88400	µg/L	MT
0	Aluminum	32	µg/L	MT
0	Aluminum	< 20	µg/L	GE
0	Antimony	< 3.0	µg/L	MT
0	Antimony	< 3.0	µg/L	GE

ANALYTICAL RESULTS

WELL HSB 85A collected on 01/21/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Arsenic	<3.0	µg/L	MT
0	Arsenic	<2.0	µg/L	GE
0	Barium	32	µg/L	MT
0	Barium	30	µg/L	GE
0	Benzene	<5.0	µg/L	MT
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<5.0	µg/L	MT
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<5.0	µg/L	MT
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	MT
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<3.0	µg/L	MT
0	Cadmium	<2.0	µg/L	GE
1	Calcium	32400	µg/L	MT
1	Calcium	26100	µg/L	GE
0	Carbon tetrachloride	<5.0	µg/L	MT
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbonate	<1000	µg/L	GE
0	Chloride	2600	µg/L	MT
0	Chloride	2300	µg/L	GE
0	Chlorobenzene	<5.0	µg/L	MT
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	MT
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<5.0	µg/L	MT
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<5.0	µg/L	MT
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	MT
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<3.0	µg/L	MT
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<5.0	µg/L	MT
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<15	µg/L	MT
0	Cobalt	<4.0	µg/L	GE
0	Copper	<7.0	µg/L	MT
0	Copper	<4.0	µg/L	GE
0	Cyanide	<5.0	µg/L	MT
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<5.0	µg/L	MT
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<5.0	µg/L	MT
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.0060	µg/L	MT
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<5.0	µg/L	MT
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<250	µg/L	MT
0	Fluoride	100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.0050	µg/L	MT
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	30	µg/L	MT
0	Iron	7.1	µg/L	GE
0	Lead	<3.0	µg/L	MT
0	Lead	<6.0	µg/L	GE
0	Magnesium	884	µg/L	MT
0	Magnesium	849	µg/L	GE
0	Manganese	<2.0	µg/L	MT
0	Manganese	<2.0	µg/L	GE
0	Mercury	<0.20	µg/L	MT
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	MT
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<5.2	µg/L	MT
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	<200	µg/L	MT
0	Nitrate as nitrogen	<50	µg/L	GE
0	Phenols	<5.0	µg/L	MT
0	Phenols	<5.0	µg/L	GE
0	Potassium	<1620	µg/L	MT
0	Potassium	1160	µg/L	GE
0	Selenium	<3.0	µg/L	MT
0	Selenium	<2.0	µg/L	GE
1	Silica	24600	µg/L	GE
1	Silica	26600	µg/L	MT
0	Silver	<2.0	µg/L	MT
0	Silver	<2.0	µg/L	GE
0	Sodium	1730	µg/L	MT
0	Sodium	1780	µg/L	GE
0	Sulfate	8300	µg/L	MT
0	Sulfate	6200	µg/L	GE
0	Tetrachloroethylene	<5.0	µg/L	MT
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Thallium	<2.0	µg/L	GE
0	Toluene	<5.0	µg/L	MT
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	142000	µg/L	MT

WELL HSB 85A collected on 01/21/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Total dissolved solids	152000	µg/L	GE
0	Total organic carbon	1000	µg/L	MT
0	Total organic carbon	1000	µg/L	GE
2	Total organic halogens	37	µg/L	MT
0	Total organic halogens	7.0	µg/L	GE
0	Total phosphates	128	µg/L	MT
0	Total phosphates	108	µg/L	MT
0	Total phosphates	160	µg/L	GE
0	Toxaphene	<0.24	µg/L	MT
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<5.0	µg/L	MT
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<5.0	µg/L	MT
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<5.0	µg/L	MT
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<5.0	µg/L	MT
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<84	µg/L	MT
0	Uranium	<1000	µg/L	GE
0	Vanadium	<3.0	µg/L	MT
0	Vanadium	<20	µg/L	GE
0	Zinc	50	µg/L	MT
0	Zinc	2.7	µg/L	GE
0	1,1-Dichloroethane	<5.0	µg/L	MT
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<5.0	µg/L	MT
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<5.0	µg/L	MT
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<5.0	µg/L	MT
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<5.0	µg/L	MT
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<5.0	µg/L	MT
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropene	<5.0	µg/L	MT
0	1,2-Dichloropropene	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<5.0	µg/L	MT
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.46	µg/L	MT
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.070	µg/L	MT
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
1	Americium-241	0.81 ± 0.35	pCi/L	TE
1	Americium-243	0.41 ± 0.31	pCi/L	TE
0	Barium-140	<20	pCi/L	TE
0	Beryllium-7	<50	pCi/L	TE
0	Carbon-14	<6.0	pCi/L	TE
0	Cerium-141	<10	pCi/L	TE
0	Cerium-144	<30	pCi/L	TE
0	Cesium-134	<5.0	pCi/L	TE
0	Cesium-137	<5.0	pCi/L	TE
0	Cobalt-58	<5.0	pCi/L	TE
0	Cobalt-60	<4.0	pCi/L	TE
0	Cunum-242	<0.10	pCi/L	TE
0	Cunum-243/244	<0.30	pCi/L	TE
0	Cunum-248	<0.20	pCi/L	TE
0	Gross alpha	<3.0	pCi/L	MT
0	Gross alpha	<3.0	pCi/L	GE
0	Gross alpha	<2.0	pCi/L	TE
0	Iodine-129	<2.0	pCi/L	TE
0	Iodine-131	<50	pCi/L	TE
0	Iron-55	<50	pCi/L	TE
0	Iron-59	<10	pCi/L	TE
0	Manganese-54	<4.0	pCi/L	TE
0	Neptunium-237	<10	pCi/L	TE
0	Nickel-59	<100	pCi/L	TE
0	Nickel-63	<10	pCi/L	TE
0	Nonvolatile beta	<5.0	pCi/L	MT
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Nonvolatile beta	3.9 ± 1.4	pCi/L	TE
0	Plutonium-238	<0.060	pCi/L	TE
0	Plutonium-239/240	<0.050	pCi/L	TE
0	Plutonium-242	<0.050	pCi/L	TE
0	Potassium-40	<70	pCi/L	TE
0	Radium-226	<90	pCi/L	TE
0	Radium-226	<1.0	pCi/L	TE
0	Radium-228	<2.0	pCi/L	TE
0	Ruthenium-103	<7.0	pCi/L	TE
0	Ruthenium-106	<40	pCi/L	TE
0	Strontium-89	<3.0	pCi/L	TE
0	Strontium-90	<0.70	pCi/L	TE
0	Technetium-99	<4.0	pCi/L	TE
0	Thorium-228	<9.0	pCi/L	TE
0	Thorium-228	<0.30	pCi/L	TE
1	Thorium-230	1.8 ± 0.40	pCi/L	TE
1	Thorium-232	0.13 ± 0.090	pCi/L	TE
0	Total radium	1.2 ± 0.40	pCi/L	MT

ANALYTICAL RESULTS

WELL HSB 85A collected on 01/21/00, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Total radium	1.8 ± 2.1	pCi/L	GE
0	Tridium	< 1.0	pCi/mL	MT
0	Tridium	< 1.0	pCi/mL	MT
0	Tridium	< 0.70	pCi/mL	GE
0	Tridium	< 2.0	pCi/mL	TE
1	Uranium-234	1.2 ± 0.00	pCi/L	TE
0	Uranium-235	< 0.030	pCi/L	TE
1	Uranium-238	0.27 ± 0.15	pCi/L	TE
0	Zinc-65	< 6.0	pCi/L	TE
0	Zirconium-95	< 5.0	pCi/L	TE

WELL HSB 85A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/21/00
 Depth to water: 128.71 ft (38.02 m) below TOC
 Water elevation: 187.69 ft (57.11 m) msl
 Sp. conductance: 183 µS/cm
 Water evacuated before sampling: 277 gal
 Time: 10:50
 pH: 6.9
 Alkalinity: 84 mg/L
 Water temperature: 20.0 °C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	pH	6.9	pH	MT
1	pH	7.1	pH	GE
1	Specific conductance	202	µS/cm	MT
1	Specific conductance	177	µS/cm	GE
0	Turbidity	0.29	NTU	MT
0	Turbidity	< 0.20	NTU	GE
1	Alkalinity	74800	µg/L	MT
0	Aluminum	< 23	µg/L	MT
0	Aluminum	< 20	µg/L	GE
0	Antimony	< 3.0	µg/L	MT
0	Antimony	< 3.0	µg/L	GE
0	Arsenic	< 3.0	µg/L	MT
0	Arsenic	< 2.0	µg/L	GE
0	Barium	32	µg/L	MT
0	Barium	33	µg/L	GE
0	Benzene	< 5.0	µg/L	MT
0	Benzene	< 1.0	µg/L	GE
0	Bromodichloromethane	< 5.0	µg/L	MT
0	Bromodichloromethane	< 1.0	µg/L	GE
0	Bromoform	< 5.0	µg/L	MT
0	Bromoform	< 1.0	µg/L	GE
0	Bromomethane (Methyl chloride)	< 1.0	µg/L	MT
0	Bromomethane (Methyl chloride)	< 1.0	µg/L	GE
0	Cadmium	< 3.0	µg/L	MT
0	Cadmium	< 2.0	µg/L	GE
1	Calcium	30600	µg/L	MT
1	Calcium	27200	µg/L	GE
0	Carbon tetrachloride	< 5.0	µg/L	MT
0	Carbon tetrachloride	< 1.0	µg/L	GE
0	Carbonate	< 1000	µg/L	GE
0	Chloride	2800	µg/L	MT
0	Chloride	2300	µg/L	GE
0	Chlorobenzene	< 5.0	µg/L	MT
0	Chlorobenzene	< 1.0	µg/L	GE
0	Chloroethane	< 1.0	µg/L	MT
0	Chloroethane	< 1.0	µg/L	GE
0	Chloroethane (Vinyl chloride)	< 5.0	µg/L	MT
0	Chloroethane (Vinyl chloride)	< 1.0	µg/L	GE
0	Chloroform	< 5.0	µg/L	MT
0	Chloroform	< 1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	< 1.0	µg/L	MT
0	Chloromethane (Methyl chloride)	< 1.0	µg/L	GE
0	Chromium	< 3.0	µg/L	MT
0	Chromium	< 4.0	µg/L	GE
0	cis-1,3-Dichloropropene	< 5.0	µg/L	MT
0	cis-1,3-Dichloropropene	< 1.0	µg/L	GE
0	Cobalt	< 15	µg/L	MT
0	Cobalt	< 4.0	µg/L	GE
0	Copper	< 7.0	µg/L	MT
0	Copper	< 4.0	µg/L	GE
0	Cyanide	< 5.0	µg/L	MT
0	Cyanide	< 5.0	µg/L	GE
0	Dibromochloromethane	< 5.0	µg/L	MT
0	Dibromochloromethane	< 1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	< 5.0	µg/L	MT
0	Dichloromethane (Methylene chloride)	< 1.0	µg/L	GE
0	Endrin	< 0.0060	µg/L	MT
0	Endrin	< 0.10	µg/L	GE
0	Ethylbenzene	< 5.0	µg/L	MT
0	Ethylbenzene	< 1.0	µg/L	GE
0	Fluoride	< 250	µg/L	MT
0	Fluoride	< 100	µg/L	GE

WELL HSB 85A collected on 01/21/00, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	gamma-Benzene hexachloride (Lindane)	< 0.0050	µg/L	MT
0	gamma-Benzene hexachloride (Lindane)	< 0.050	µg/L	GE
0	Iron	9.5	µg/L	MT
0	Iron	13	µg/L	GE
0	Lead	< 3.0	µg/L	MT
0	Lead	< 8.0	µg/L	GE
0	Magnesium	790	µg/L	MT
0	Magnesium	870	µg/L	GE
0	Manganese	< 2.0	µg/L	MT
0	Manganese	< 2.0	µg/L	GE
0	Mercury	< 0.20	µg/L	MT
0	Mercury	< 0.20	µg/L	GE
0	Methoxychlor	< 0.50	µg/L	MT
0	Methoxychlor	< 0.50	µg/L	GE
0	Nickel	< 5.2	µg/L	MT
0	Nickel	< 4.0	µg/L	GE
0	Nitrate as nitrogen	< 200	µg/L	MT
0	Nitrate as nitrogen	< 50	µg/L	GE
0	Phenols	< 5.0	µg/L	MT
0	Phenols	< 5.0	µg/L	GE
0	Potassium	1750	µg/L	MT
0	Potassium	1230	µg/L	GE
0	Selenium	< 3.0	µg/L	MT
0	Selenium	< 2.0	µg/L	GE
1	Silica	26100	µg/L	GE
1	Silica	25200	µg/L	MT
0	Silver	< 2.0	µg/L	MT
0	Silver	< 2.0	µg/L	GE
0	Sodium	1640	µg/L	MT
0	Sodium	1870	µg/L	GE
0	Sulfate	6300	µg/L	MT
0	Sulfate	8100	µg/L	GE
0	Tetrachloroethylene	< 5.0	µg/L	MT
0	Tetrachloroethylene	< 1.0	µg/L	GE
0	Toluene	< 5.0	µg/L	MT
0	Toluene	< 1.0	µg/L	GE
0	Total dissolved solids	133000	µg/L	MT
0	Total dissolved solids	151000	µg/L	GE
0	Total organic carbon	< 1000	µg/L	MT
0	Total organic carbon	1000	µg/L	GE
1	Total organic halogens	14	µg/L	MT
0	Total organic halogens	< 5.0	µg/L	GE
0	Total phosphates	92	µg/L	MT
0	Total phosphates	180	µg/L	GE
0	Toxaphene	< 0.24	µg/L	MT
0	Toxaphene	< 1.0	µg/L	GE
0	trans-1,2-Dichloroethane	< 5.0	µg/L	MT
0	trans-1,2-Dichloroethane	< 1.0	µg/L	GE
0	trans-1,3-Dichloropropene	< 5.0	µg/L	MT
0	trans-1,3-Dichloropropene	< 1.0	µg/L	GE
0	Trichloroethylene	< 5.0	µg/L	MT
0	Trichloroethylene	< 1.0	µg/L	GE
0	Trichlorofluoromethane	< 5.0	µg/L	MT
0	Trichlorofluoromethane	< 1.0	µg/L	GE
0	Uranium	< 84	µg/L	MT
0	Uranium	< 1000	µg/L	GE
0	Vanadium	< 3.0	µg/L	MT
0	Vanadium	< 20	µg/L	GE
0	Zinc	< 9.0	µg/L	MT
0	Zinc	2.9	µg/L	GE
0	1,1-Dichloroethane	< 5.0	µg/L	MT
0	1,1-Dichloroethane	< 1.0	µg/L	GE
0	1,1-Dichloroethylene	< 5.0	µg/L	MT
0	1,1-Dichloroethylene	< 1.0	µg/L	GE
0	1,1,1-Trichloroethane	< 5.0	µg/L	MT
0	1,1,1-Trichloroethane	< 1.0	µg/L	GE
0	1,1,2-Trichloroethane	< 5.0	µg/L	MT
0	1,1,2-Trichloroethane	< 1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	< 5.0	µg/L	MT
0	1,1,2,2-Tetrachloroethane	< 1.0	µg/L	GE
0	1,2-Dichloroethane	< 5.0	µg/L	MT
0	1,2-Dichloroethane	< 1.0	µg/L	GE
0	1,2-Dichloropropane	< 5.0	µg/L	MT
0	1,2-Dichloropropane	< 1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	< 5.0	µg/L	MT
0	2-Chloroethyl vinyl ether	< 1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	< 0.48	µg/L	MT
0	(2,4-Dichlorophenoxy)acetic acid	< 0.30	µg/L	GE
0	2,4,5-TP (Silvex)	< 0.070	µg/L	MT
0	2,4,5-TP (Silvex)	< 0.090	µg/L	GE
0	Gross alpha	< 3.0	pCi/L	MT
0	Gross alpha	< 3.0	pCi/L	GE
0	Nonvolatile beta	< 5.0	pCi/L	MT
0	Nonvolatile beta	2.1 ± 1.0	pCi/L	GE
0	Total radium	< 1.0	pCi/L	MT
0	Total radium	< 1.0	pCi/L	GE
0	Tridium	< 1.0	pCi/mL	MT
0	Tridium	< 0.70	pCi/mL	GE

ANALYTICAL RESULTS

WELL HSB 85B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/24/90 Time: 9:10
 Depth to water: 82.41 ft (19.02 m) below TOC pH: 11.3
 Water elevation: 232.08 ft (70.74 m) msf Alkalinity: 71 mg/L
 Sp. conductance: 877 µS/cm Water temperature: 18.7°C
 Water evacuated before sampling: 60 gal
 The well went dry during purging.

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
2	pH	8.5	pH	GE
1	Specific conductance	169	µS/cm	GE
0	Turbidity	<0.20	NTU	GE
0	Aluminum	50	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	25	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
1	Calcium	24200	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbonate	<1000	µg/L	GE
0	Chloride	2300	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	61	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	929	µg/L	GE
0	Manganese	<2.0	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	350	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	1130	µg/L	GE
0	Selenium	<2.0	µg/L	GE
1	Silica	13000	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	4750	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	114000	µg/L	GE
0	Total organic carbon	2000	µg/L	GE
0	Total organic halogens	8.0	µg/L	GE
0	Total phosphates	130	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	2.8	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
1	Americium-241	0.51 ± 0.32	pCi/L	TE
1	Americium-243	1.1 ± 0.40	pCi/L	TE
0	Barium-140	<10	pCi/L	TE
0	Beryllium-7	<40	pCi/L	TE
1	Carbon-14	12 ± 4.0	pCi/L	TE
0	Cesium-141	<10	pCi/L	TE

WELL HSB 85B collected on 01/24/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Cesium-144	<30	pCi/L	TE
0	Cesium-134	<3.0	pCi/L	TE
0	Cesium-137	<4.0	pCi/L	TE
0	Cobalt-58	<4.0	pCi/L	TE
0	Cobalt-60	<3.0	pCi/L	TE
0	Cesium-242	<0.10	pCi/L	TE
0	Cesium-243/244	<0.30	pCi/L	TE
0	Cesium-246	<0.20	pCi/L	TE
0	Gross alpha	<3.0	pCi/L	GE
0	Gross alpha	<1.0	pCi/L	TE
0	Iodine-129	<2.0	pCi/L	TE
0	Iodine-131	<90	pCi/L	TE
0	Iron-55	<70	pCi/L	TE
0	Iron-59	<6.0	pCi/L	TE
0	Manganese-54	<3.0	pCi/L	TE
0	Neptunium-237	<9.0	pCi/L	TE
0	Nickel-58	<90	pCi/L	TE
0	Nickel-63	<10	pCi/L	TE
0	Nonvolatile beta	8.5 ± 2.3	pCi/L	GE
0	Nonvolatile beta	2.2 ± 1.3	pCi/L	TE
0	Plutonium-238	<0.10	pCi/L	TE
0	Plutonium-239/240	<0.090	pCi/L	TE
0	Plutonium-242	<0.080	pCi/L	TE
0	Potassium-40	<70	pCi/L	TE
0	Radium-226	<60	pCi/L	TE
0	Radium-228	<1.0	pCi/L	TE
0	Radium-228	<2.0	pCi/L	TE
0	Ruthenium-103	<5.0	pCi/L	TE
0	Ruthenium-106	<30	pCi/L	TE
0	Strontium-89	<3.0	pCi/L	TE
0	Strontium-90	<0.70	pCi/L	TE
0	Technetium-99	<3.0	pCi/L	TE
0	Thorium-228	<7.0	pCi/L	TE
0	Thorium-232	<0.40	pCi/L	TE
0	Thorium-230	<0.20	pCi/L	TE
1	Thorium-232	0.18 ± 0.14	pCi/L	TE
0	Total radium	<1.0	pCi/L	GE
0	Tritium	<0.70	pCi/mL	GE
0	Tritium	<2.0	pCi/mL	TE
1	Uranium-234	0.87 ± 0.31	pCi/L	TE
0	Uranium-235	<0.050	pCi/L	TE
1	Uranium-238	0.23 ± 0.16	pCi/L	TE
0	Zinc-65	<7.0	pCi/L	TE
0	Zirconium-95	<4.0	pCi/L	TE

WELL HSB 85C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/23/90 Time: 14:00
 Depth to water: 58.85 ft (17.27 m) below TOC pH: 4.8
 Water elevation: 237.45 ft (72.38 m) msf Alkalinity: 0 mg/L
 Sp. conductance: 28 µS/cm Water temperature: 19.5°C
 Water evacuated before sampling: 60 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	4.7	pH	GE
0	Specific conductance	28	µS/cm	GE
0	Turbidity	<0.20	NTU	GE
0	Aluminum	51	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	5.2	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	239	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbonate	<1000	µg/L	GE
0	Chloride	2300	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Copper	18	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE

ANALYTICAL RESULTS

WELL HSB 850 collected on 01/23/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	40	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	115	µg/L	GE
0	Manganese	2.8	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	1600	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	5950	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	3480	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	21000	µg/L	GE
0	Total organic carbon	1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<80	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	6.9	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.080	µg/L	GE
0	Americium-241	<0.20	pCi/L	TE
0	Americium-243	<0.20	pCi/L	TE
0	Barium-140	<10	pCi/L	TE
0	Beryllium-7	<30	pCi/L	TE
0	Carbon-14	<7.0	pCi/L	TE
0	Cerium-141	<7.0	pCi/L	TE
0	Cerium-144	<20	pCi/L	TE
0	Cesium-134	<3.0	pCi/L	TE
0	Cesium-137	<3.0	pCi/L	TE
0	Cobalt-58	<3.0	pCi/L	TE
0	Cobalt-60	<3.0	pCi/L	TE
0	Curium-242	<0.10	pCi/L	TE
0	Curium-243/244	<0.30	pCi/L	TE
0	Curium-246	<0.20	pCi/L	TE
0	Gross alpha	2.0 ± 1.5	pCi/L	GE
0	Gross alpha	<0.60	pCi/L	TE
0	Iodine-129	<2.0	pCi/L	TE
0	Iodine-131	<20	pCi/L	TE
0	Iron-55	<60	pCi/L	TE
0	Iron-59	<7.0	pCi/L	TE
0	Manganese-54	<2.0	pCi/L	TE
0	Neptunium-237	<6.0	pCi/L	TE
0	Nickel-59	<60	pCi/L	TE
0	Nickel-63	<10	pCi/L	TE
0	Nonvolatile beta	9.8 ± 3.0	pCi/L	GE
0	Nonvolatile beta	<1.0	pCi/L	TE
0	Plutonium-238	<0.080	pCi/L	TE
0	Plutonium-239/240	<0.080	pCi/L	TE
0	Plutonium-242	<0.080	pCi/L	TE
0	Potassium-40	<40	pCi/L	TE
0	Radium-226	<60	pCi/L	TE
0	Radium-226	<1.0	pCi/L	TE
0	Radium-226	<2.0	pCi/L	TE
0	Ruthenium-103	<4.0	pCi/L	TE
0	Ruthenium-106	<20	pCi/L	TE
0	Strontium-89	<4.0	pCi/L	TE
0	Strontium-90	<0.70	pCi/L	TE
0	Technetium-99	<5.0	pCi/L	TE
0	Thorium-228	<5.0	pCi/L	TE
0	Thorium-228	<0.10	pCi/L	TE
0	Thorium-230	<0.040	pCi/L	TE
0	Thorium-232	<0.080	pCi/L	TE
0	Total radium	<1.0	pCi/L	GE
0	Tritium	1.4 ± 0.30	pCi/mL	GE
0	Tritium	2.3 ± 1.3	pCi/mL	TE
1	Uranium-234	0.35 ± 0.19	pCi/L	TE

WELL HSB 850 collected on 01/23/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Uranium-235	<0.040	pCi/L	TE
0	Uranium-238	<0.080	pCi/L	TE
0	Zinc-65	<6.0	pCi/L	TE
0	Zirconium-95	<3.0	pCi/L	TE

WELL HSB 86A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/07/90
 Depth to water: 95.19 ft (29.01 m) below TOC
 Water elevation: 187.21 ft (50.97 m) msl
 Sp. conductance: 128 µS/cm
 Water evacuated before sampling: 272 gal

Time: 13:20
 pH: 6.8
 Alkalinity: 38 mg/L
 Water temperature: 18.9°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	pH	6.7	pH	GE
1	Specific conductance	135	µS/cm	GE
0	Aluminum	37	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	30	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
1	Calcium	23900	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbonate	<1000	µg/L	GE
0	Chloride	2500	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	14	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	877	µg/L	GE
0	Manganese	<2.0	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	<50	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	1270	µg/L	GE
0	Selenium	<2.0	µg/L	GE
1	Silica	23300	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	1880	µg/L	GE
1	Sulfate	10500	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	109000	µg/L	GE
0	Total organic carbon	2000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	200	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	<2.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE

ANALYTICAL RESULTS

WELL HSB 86A collected on 01/07/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.080	µg/L	GE
0	Americium-241	<0.20	pCi/L	TE
1	Americium-243	0.45±0.36	pCi/L	TE
0	Barium-140	<10	pCi/L	TE
0	Beryllium-7	<30	pCi/L	TE
0	Carbon-14	<8.0	pCi/L	TE
0	Cerium-141	<9.0	pCi/L	TE
0	Cerium-144	<30	pCi/L	TE
0	Cesium-134	<3.0	pCi/L	TE
0	Cesium-137	<3.0	pCi/L	TE
0	Cobalt-58	<3.0	pCi/L	TE
0	Cobalt-60	<3.0	pCi/L	TE
0	Curium-242	<0.10	pCi/L	TE
1	Curium-243/244	0.75±0.30	pCi/L	TE
1	Curium-246	1.1±0.30	pCi/L	TE
0	Gross alpha	<3.0	pCi/L	GE
0	Gross alpha	<2.0	pCi/L	TE
0	Iodine-129	<1.0	pCi/L	TE
0	Iodine-131	<20	pCi/L	TE
0	Iron-55	<100	pCi/L	TE
0	Iron-59	<7.0	pCi/L	TE
0	Manganese-54	<3.0	pCi/L	TE
0	Nickel-59	<80	pCi/L	TE
0	Nickel-63	<10	pCi/L	TE
0	Nonvolatile beta	6.9±3.1	pCi/L	GE
0	Nonvolatile beta	2.7±1.3	pCi/L	TE
0	Plutonium-238	<0.080	pCi/L	TE
0	Plutonium-239/240	<0.080	pCi/L	TE
0	Plutonium-242	<0.080	pCi/L	TE
0	Potassium-40	<60	pCi/L	TE
0	Radium-226	<1.0	pCi/L	TE
0	Radium-226	<80	pCi/L	TE
0	Radium-228	<2.0	pCi/L	TE
0	Ruthenium-103	<5.0	pCi/L	TE
0	Ruthenium-106	<30	pCi/L	TE
0	Strontium-89	<5.0	pCi/L	TE
0	Strontium-90	<1.0	pCi/L	TE
0	Technetium-99	<5.0	pCi/L	TE
0	Thorium-228	<6.0	pCi/L	TE
1	Thorium-228	25±3.0	pCi/L	TE
1	Thorium-230	37±3.0	pCi/L	TE
1	Thorium-232	1.8±0.90	pCi/L	TE
0	Total radium	<1.0	pCi/L	GE
1	Tritium	13±0.49	pCi/mL	GE
1	Tritium	12±1.0	pCi/mL	TE
0	Uranium-234	<0.80	pCi/L	TE
0	Uranium-235	<0.50	pCi/L	TE
0	Uranium-238	<0.70	pCi/L	TE
0	Zinc-65	<7.0	pCi/L	TE
0	Zirconium-95	<4.0	pCi/L	TE

WELL HSB 86B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/07/90
 Depth to water: 40.58 ft (12.37 m) below TOC
 Water elevation: 221.32 ft (67.48 m) msl
 Sp. conductance: 213 µS/cm
 Water evacuated before sampling: 282 gal

Time: 12:55
 pH: 7.1
 Alkalinity: 85 mg/L
 Water temperature: 18.6°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	pH	7.5	pH	GE
1	Specific conductance	215	µS/cm	GE
0	Aluminum	23	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	38	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
1	Calcium	36300	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbonate	<1000	µg/L	GE
0	Chloride	2800	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE

WELL HSB 86B collected on 01/07/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	19	µg/L	GE
0	Lead	<8.0	µg/L	GE
0	Magnesium	742	µg/L	GE
0	Manganese	<2.0	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	<50	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Selenium	<2.0	µg/L	GE
1	Silica	27700	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	1970	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	141000	µg/L	GE
0	Total organic carbon	3000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	<2.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.080	µg/L	GE
0	Americium-241	<0.20	pCi/L	TE
0	Americium-243	<0.20	pCi/L	TE
0	Barium-140	<10	pCi/L	TE
0	Beryllium-7	<50	pCi/L	TE
0	Carbon-14	<6.0	pCi/L	TE
0	Cerium-141	<10	pCi/L	TE
0	Cerium-144	<40	pCi/L	TE
0	Cesium-134	<5.0	pCi/L	TE
0	Cesium-137	<5.0	pCi/L	TE
0	Cobalt-58	<5.0	pCi/L	TE
0	Cobalt-60	<5.0	pCi/L	TE
1	Curium-242	0.28±0.15	pCi/L	TE
0	Curium-243/244	<0.30	pCi/L	TE
1	Curium-246	0.57±0.20	pCi/L	TE
0	Gross alpha	<3.0	pCi/L	GE
0	Gross alpha	<2.0	pCi/L	TE
0	Iodine-129	<2.0	pCi/L	TE
0	Iodine-131	<30	pCi/L	TE
0	Iron-55	<60	pCi/L	TE
0	Iron-59	<10	pCi/L	TE
0	Manganese-54	<5.0	pCi/L	TE
0	Nickel-59	<80	pCi/L	TE
0	Nickel-63	<10	pCi/L	TE
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Nonvolatile beta	<2.0	pCi/L	TE
0	Plutonium-238	<0.10	pCi/L	TE
0	Plutonium-239/240	<0.10	pCi/L	TE
0	Plutonium-242	<0.070	pCi/L	TE
0	Potassium-40	<80	pCi/L	TE
0	Radium-226	<1.0	pCi/L	TE
0	Radium-226	<100	pCi/L	TE
0	Radium-228	<2.0	pCi/L	TE
0	Ruthenium-103	<6.0	pCi/L	TE
0	Ruthenium-106	<40	pCi/L	TE
0	Strontium-89	<5.0	pCi/L	TE
0	Strontium-90	<2.0	pCi/L	TE
0	Technetium-99	<4.0	pCi/L	TE
0	Thorium-228	<10	pCi/L	TE
0	Thorium-228	<0.20	pCi/L	TE
1	Thorium-230	3.1±0.40	pCi/L	TE

ANALYTICAL RESULTS

WELL HSB 86B collected on 01/07/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
1	Thorium-232	0.44±0.14	pCi/L	TE
0	Total radium	<1.0	pCi/L	GE
0	Tritium	1.0±0.34	pCi/mL	GE
0	Tritium	<2.0	pCi/mL	TE
0	Uranium-234	<0.50	pCi/L	TE
0	Uranium-235	<0.30	pCi/L	TE
0	Uranium-238	<0.50	pCi/L	TE
0	Zinc-65	<10	pCi/L	TE
0	Zirconium-95	<5.0	pCi/L	TE

WELL HSB 86C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/07/90 Time: 13:50
 Depth to water: 39.15 ft (11.93 m) below TOC pH: 4.5
 Water elevation: 223.75 ft (68.20 m) msl Alkalinity: 0 mg/L
 Sp. conductance: 435 µS/cm Water temperature: 19.2°C
 Water evacuated before sampling: 89 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	4.4	pH	GE
1	Specific conductance	428	µS/cm	GE
2	Aluminum	407	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
1	Barium	66	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
2	Cadmium	19	µg/L	GE
0	Calcium	9890	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbonate	<1000	µg/L	GE
0	Chloride	3000	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethane (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
1	Cobalt	84	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
1	gamma-Benzene hexachloride (Lindane)	0.070	µg/L	GE
0	Iron	12	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	4180	µg/L	GE
2	Manganese	8290	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
1	Nickel	143	µg/L	GE
2	Nitrate as nitrogen	41900	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	3670	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	1070	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	5600	µg/L	GE
1	Sulfate	10000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GL
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	254000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	39	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE

WELL HSB 86C collected on 01/07/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
1	Americium-241	5.3±1.4	pCi/L	TE
1	Americium-243	2.5±1.1	pCi/L	TE
0	Barium-140	<10	pCi/L	TE
0	Beryllium-7	<50	pCi/L	TE
1	Carbon-14	60±5.0	pCi/L	TE
0	Cerium-141	<10	pCi/L	TE
0	Cerium-144	<30	pCi/L	TE
0	Cesium-134	<5.0	pCi/L	TE
0	Cesium-137	<4.0	pCi/L	TE
0	Cobalt-58	<6.0	pCi/L	TE
2	Cobalt-60	136±10	pCi/L	TE
0	Curium-242	<0.70	pCi/L	TE
0	Curium-243/244	<1.0	pCi/L	TE
1	Curium-246	2.8±1.2	pCi/L	TE
1	Gross alpha	8.0±2.9	pCi/L	GE
1	Gross alpha	9.8±3.2	pCi/L	TE
1	Iodine-129	12±2.0	pCi/L	TE
0	Iodine-131	<40	pCi/L	TE
0	Iron-55	<50	pCi/L	TE
0	Iron-59	<10	pCi/L	TE
0	Manganese-54	<5.0	pCi/L	TE
0	Nickel-59	<80	pCi/L	TE
1	Nickel-63	220±10	pCi/L	TE
1	Nonvolatile beta	45±5.2	pCi/L	GE
2	Nonvolatile beta	200±10	pCi/L	TE
0	Plutonium-238	<0.60	pCi/L	TE
0	Plutonium-239/240	<0.40	pCi/L	TE
0	Plutonium-242	<0.40	pCi/L	TE
0	Potassium-40	<60	pCi/L	TE
0	Radium-226	<90	pCi/L	TE
1	Radium-228	13±1.0	pCi/L	TE
0	Radium-228	<7.0	pCi/L	TE
0	Ruthenium-103	<6.0	pCi/L	TE
0	Ruthenium-106	<40	pCi/L	TE
0	Strontium-89	<6.0	pCi/L	TE
1	Strontium-90	1.9±1.0	pCi/L	TE
1	Technetium-99	180±10	pCi/L	TE
0	Thorium-228	<7.0	pCi/L	TE
0	Thorium-228	<6.0	pCi/L	TE
0	Thorium-230	<2.0	pCi/L	TE
1	Thorium-232	7.8±3.5	pCi/L	TE
1	Total activity	18800±90	pCi/mL	EM
0	Total radium	1.3±2.2	pCi/L	GE
2	Tritium	20100±10	pCi/mL	GE
2	Tritium	20000±1000	pCi/mL	TE
0	Uranium-234	<0.70	pCi/L	TE
0	Uranium-235	<0.30	pCi/L	TE
0	Uranium-238	<0.50	pCi/L	TE
0	Zinc-65	<10	pCi/L	TE
0	Zirconium-95	<5.0	pCi/L	TE

WELL HSB 86D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/07/90 Time: 14:20
 Depth to water: 39.17 ft (11.94 m) below TOC pH: 3.8
 Water elevation: 223.83 ft (68.22 m) msl Alkalinity: 0 mg/L
 Sp. conductance: 371 µS/cm Water temperature: 18.8°C
 Water evacuated before sampling: 48 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	pH	3.8	pH	GE
1	Specific conductance	359	µS/cm	GE
2	Aluminum	11000	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
1	Barium	92	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	4500	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbonate	<1000	µg/L	GE
0	Chloride	2200	µg/L	GE

ANALYTICAL RESULTS

WELL HSB 86D collected on 01/07/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
1	Cobalt	14	µg/L	GE
0	Copper	11	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
1	Fluoride	970	µg/L	GE
1	gamma-Benzene hexachloride (Lindane)	0.17	µg/L	GE
0	Iron	52	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	1020	µg/L	GE
2	Manganese	607	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
1	Nickel	19	µg/L	GE
2	Nitrate as nitrogen	31000	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	2140	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	3290	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	31000	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	154000	µg/L	GE
0	Total organic carbon	1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	121	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
1	Americium-241	1.7 ± 0.70	pCi/L	TE
1	Americium-243	1.2 ± 0.60	pCi/L	TE
0	Barium-140	<20	pCi/L	TE
0	Beryllium-7	<60	pCi/L	TE
1	Carbon-14	35 ± 5.0	pCi/L	TE
0	Cerium-141	<20	pCi/L	TE
0	Cerium-144	<40	pCi/L	TE
0	Cesium-134	<7.0	pCi/L	TE
0	Cesium-137	<6.0	pCi/L	TE
0	Cobalt-58	<7.0	pCi/L	TE
2	Cobalt-60	188 ± 20	pCi/L	TE
0	Curium-242	<0.40	pCi/L	TE
0	Curium-243/244	<0.80	pCi/L	TE
1	Curium-246	1.7 ± 0.60	pCi/L	TE
2	Gross alpha	50 ± 5.9	pCi/L	GE
2	Gross alpha	25 ± 4.0	pCi/L	TE
1	Iodine-129	8.0 ± 1.7	pCi/L	TE
0	Iodine-131	<50	pCi/L	TE
0	Iron-55	<60	pCi/L	TE
0	Iron-59	<20	pCi/L	TE
0	Manganese-54	<6.0	pCi/L	TE
0	Nickel-59	<80	pCi/L	TE
1	Nickel-63	220 ± 10	pCi/L	TE
2	Nonvolatile beta	623 ± 20	pCi/L	GE
2	Nonvolatile beta	2100 ± 100	pCi/L	TE
0	Plutonium-238	<0.30	pCi/L	TE
0	Plutonium-239/240	<0.10	pCi/L	TE
0	Plutonium-242	<0.10	pCi/L	TE
0	Potassium-40	<90	pCi/L	TE
0	Radium-226	<100	pCi/L	TE
1	Radium-228	19 ± 2.0	pCi/L	TE
1	Radium-228	27 ± 6.0	pCi/L	TE
0	Ruthenium-103	<9.0	pCi/L	TF
0	Ruthenium-106	<50	pCi/L	TE

WELL HSB 86D collected on 01/07/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
1	Strontium-89	72 ± 30	pCi/L	TE
1	Strontium-90	860 ± 10	pCi/L	TE
1	Technetium-99	55 ± 6.0	pCi/L	TE
0	Thorium-228	<1.0	pCi/L	TE
0	Thorium-228	<1.0	pCi/L	TE
0	Thorium-230	<0.40	pCi/L	TE
0	Thorium-232	<0.50	pCi/L	TE
1	Total activity	12300 ± 80	pCi/mL	EM
0	Total radium	<1.0	pCi/L	GE
2	Tritium	12400 ± 10	pCi/mL	GE
2	Tritium	12000 ± 1000	pCi/mL	TE
1	Uranium-234	2.0 ± 1.6	pCi/L	TE
0	Uranium-235	<2.0	pCi/L	TE
1	Uranium-238	4.8 ± 2.2	pCi/L	TE
0	Zinc-65	<10	pCi/L	TE
0	Zirconium-95	<7.0	pCi/L	TE

WELL HSB100C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/01/90
 Depth to water: 34.62 ft (10.55 m) below TOC
 Water elevation: 225.58 ft (68.78 m) msl
 Sp. conductance: 32 µS/cm
 Water evacuated before sampling: 285 gal
 Time: 12:20
 pH: 5.8
 Alkalinity: 5 mg/L
 Water temperature: 19.4°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.7	pH	GE
0	Specific conductance	34	µS/cm	GE
0	Aluminum	27	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	<4.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	3520	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbonate	<1000	µg/L	GE
0	Chloride	2600	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	140	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	9.8	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	414	µg/L	GE
0	Manganese	3.5	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	180	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Selenium	<2.0	µg/L	GE
1	Silica	14500	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	1890	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	40000	µg/L	GE
1	Total organic carbon	6000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
1	Total phosphates	480	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE

ANALYTICAL RESULTS

WELL HSB100C collected on 01/01/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	9.7	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	8.7±2.7	pCi/L	GE
0	Total radium	1.4±2.0	pCi/L	GE
0	Tritium	2.7±0.37	pCi/mL	GE

WELL HSB100D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/01/90
Depth to water: 28.00 ft (8.53 m) below TOC
Water elevation: 232.10 ft (70.74 m) msl
Sp. conductance: 64 µS/cm
Water evacuated before sampling: 57 gal

Time: 12:05
pH: 5.3
Alkalinity: 0 mg/L
Water temperature: 19.8°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.3	pH	GE
0	Specific conductance	63	µS/cm	GE
0	Aluminum	28	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	21	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	2170	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbonate	<1000	µg/L	GE
0	Chloride	4400	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Copper	15	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	22	µg/L	GE
0	Lead	11	µg/L	GE
0	Magnesium	613	µg/L	GE
1	Manganese	35	µg/L	GE
0	Mercury	0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<4.0	µg/L	GE
1	Nitrate as nitrogen	4000	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	6120	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	7450	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	41000	µg/L	GE
0	Total organic carbon	4000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE

WELL HSB100D collected on 01/01/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	188	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
1	Nonvolatile beta	21±4.6	pCi/L	GE
1	Total activity	842±6.3	pCi/mL	EM
0	Total radium	<1.0	pCi/L	GE
2	Tritium	997±3.3	pCi/mL	GE

WELL HSB101C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/17/90
Depth to water: 33.82 ft (10.31 m) below TOC
Water elevation: 224.66 ft (68.48 m) msl
Sp. conductance: 67 µS/cm
Water evacuated before sampling: 188 gal

Time: 13:10
pH: 6.1
Alkalinity: 11 mg/L
Water temperature: 20.6°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.7	pH	GE
0	Specific conductance	58	µS/cm	GE
0	Aluminum	24	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	13	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	6470	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbonate	<1000	µg/L	GE
0	Chloride	3500	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	148	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	300	µg/L	GE
0	Manganese	6.9	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	1200	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	3000	µg/L	GE
0	Selenium	<2.0	µg/L	GE
1	Silica	11900	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	4010	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	58000	µg/L	GE
0	Total organic carbon	1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE

ANALYTICAL RESULTS

WELL HSB101C collected on 01/17/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
1	Total phosphates	360	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	4.9	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	5.6 ± 1.7	pCi/L	GE
0	Total radium	<1.0	pCi/L	GE
2	Tritium	33 ± 0.60	pCi/mL	GE

WELL HSB101D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/17/90
 Depth to water: 28.61 ft (8.72 m) below TOC
 Water elevation: 230.09 ft (70.13 m) msl
 Sp. conductance: 1306 µS/cm
 Water evacuated before sampling: 59 gal

Time: 13:35
 pH: 9.1
 Alkalinity: 89 mg/L
 Water temperature: 22.0°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
2	pH	9.0	pH	GE
1	Specific conductance	124	µS/cm	GE
1	Aluminum	317	µg/L	CF
0	Antimony	<3.0	µg/L	GE
2	Arsenic	75	µg/L	GE
0	Barium	<4.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	109	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
1	Carbonate	10500	µg/L	GE
0	Chloride	2300	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	3.6	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
1	Cyanide	7.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	440	µg/L	GE
0	gamma-Benzen hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	28	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	47	µg/L	GE
0	Manganese	<2.0	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<4.0	µg/L	GE
2	Nitrate as nitrogen	111000	µg/L	GE
1	Phenols	6.0	µg/L	GE
0	Potassium	690	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	4730	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	327000	µg/L	GE
0	Sulfate	5300	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	936000	µg/L	GE

WELL HSB101D collected on 01/17/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Total organic carbon	1000	µg/L	GE
1	Total organic halogens	10	µg/L	GE
1	Total phosphates	1400	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethane	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
2	Trichloroethylene	3.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
1	Vanadium	152	µg/L	GE
0	Zinc	<2.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
1	Americium-241	3.5 ± 1.2	pCi/L	TE
1	Americium-243	4.4 ± 1.3	pCi/L	TE
0	Barium-140	<50	pCi/L	TE
0	Beryllium-7	<70	pCi/L	TE
1	Carbon-14	580 ± 10	pCi/L	TE
0	Cerium-141	<20	pCi/L	TE
0	Cerium-144	<40	pCi/L	TE
0	Cesium-134	<5.0	pCi/L	TE
0	Cesium-137	<5.0	pCi/L	TE
0	Cobalt-58	<6.0	pCi/L	TE
0	Cobalt-60	<5.0	pCi/L	TE
0	Curium-242	<0.10	pCi/L	TE
0	Curium-243/244	<0.20	pCi/L	TE
1	Curium-246	2.5 ± 1.0	pCi/L	TE
0	Gross alpha	<3.0	pCi/L	GE
0	Gross alpha	<3.0	pCi/L	TE
1	Iodine-129	4.9 ± 1.8	pCi/L	TE
0	Iodine-131	<200	pCi/L	TE
0	Iron-55	<50	pCi/L	TE
0	Iron-59	<20	pCi/L	TE
0	Manganese-54	<4.0	pCi/L	TE
0	Neptunium-237	<10	pCi/L	TE
0	Nickel-59	<100	pCi/L	TE
0	Nickel-63	<10	pCi/L	TE
1	Nonvolatile beta	30 ± 4.2	pCi/L	GE
2	Nonvolatile beta	64 ± 5.0	pCi/L	TE
0	Plutonium-238	<0.20	pCi/L	TE
0	Plutonium-239/240	<0.080	pCi/L	TE
0	Plutonium-242	<0.080	pCi/L	TE
0	Potassium-40	<60	pCi/L	TE
0	Radium-226	<1.0	pCi/L	TE
0	Radium-226	<90	pCi/L	TE
0	Radium-228	<2.0	pCi/L	TE
0	Ruthenium-103	<9.0	pCi/L	TE
0	Ruthenium-106	<40	pCi/L	TE
0	Strontium-89	<8.0	pCi/L	TE
1	Strontium-90	6.6 ± 1.4	pCi/L	TE
1	Technetium-99	96 ± 8.0	pCi/L	TE
0	Thorium-228	<10	pCi/L	TE
0	Thorium-228	<0.30	pCi/L	TE
0	Thorium-230	<0.070	pCi/L	TE
0	Thorium-232	<0.060	pCi/L	TE
1	Total activity	24900 ± 110	pCi/mL	EM
0	Total radium	1.8 ± 2.1	pCi/L	GE
2	Tritium	30000 ± 20	pCi/mL	GE
2	Tritium	23000 ± 1000	pCi/mL	TE
1	Uranium-234	1.6 ± 0.40	pCi/L	TE
1	Uranium-235	0.16 ± 0.13	pCi/L	TE
1	Uranium-238	1.5 ± 0.40	pCi/L	TE
0	Zinc-65	<10	pCi/L	TE
0	Zirconium-95	<6.0	pCi/L	TE

ANALYTICAL RESULTS

WELL HSB102C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/17/90
Depth to water: 35.33 ft (10.77 m) below TOC
Water elevation: 223.67 ft (68.18 m) msl
Sp. conductance: 191 µS/cm
Water evacuated before sampling: 164 gal

Time: 14:45
pH: 5.8
Alkalinity: 14 mg/L
Water temperature: 19.9°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.9	pH	GE
1	Specific conductance	145	µS/cm	GE
0	Aluminum	27	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	16	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	5180	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbonate	<1000	µg/L	GE
0	Chloride	4900	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	29	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	1190	µg/L	GE
2	Manganese	68	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<4.0	µg/L	GE
2	Nitrate as nitrogen	11800	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	3070	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	7850	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	16800	µg/L	GE
0	Sulfate	<5000	µg/L	GE
2	Tetrachloroethylene	8.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	99000	µg/L	GE
0	Total organic carbon	1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	80	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
1	Trichloroethylene	2.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	11	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	3.0 ± 1.9	pCi/L	GE
1	Nonvolatile beta	15 ± 3.6	pCi/L	GE
1	Total activity	215 ± 3.3	pCi/mL	EM
0	Total radium	<1.0	pCi/L	GE
2	Tritium	172 ± 1.3	pCi/mL	GE

WELL HSB102D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/17/90
Depth to water: 30.68 ft (9.35 m) below TOC
Water elevation: 227.92 ft (69.47 m) msl
Sp. conductance: 677 µS/cm
Water evacuated before sampling: 7 gal
The well went dry during purging.

Time: 15:05
pH: 3.8
Alkalinity: 0 mg/L
Water temperature: 19.7°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	pH	3.8	pH	GE
1	Specific conductance	5740	µS/cm	GE
2	Aluminum	20000	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
1	Barium	113	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
1	Cadmium	2.8	µg/L	GE
1	Calcium	10400	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbonate	<1000	µg/L	GE
0	Chloride	3100	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	2.8	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
1	Cobalt	6.8	µg/L	GE
1	Copper	27	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
1	Fluoride	700	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
2	Iron	663	µg/L	GE
2	Lead	130	µg/L	GE
0	Magnesium	2290	µg/L	GE
2	Manganese	2440	µg/L	GE
2	Mercury	7.0	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
1	Nickel	41	µg/L	GE
2	Nitrate as nitrogen	50200	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	2980	µg/L	GE
0	Selenium	<2.0	µg/L	GE
1	Silica	14800	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	43000	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	328000	µg/L	GE
0	Total organic carbon	1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	169	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	227 ± 30	pCi/L	GE
2	Nonvolatile beta	15400 ± 90	pCi/L	GE
1	Total activity	47800 ± 150	pCi/mL	EM
2	Total radium	129 ± 10	pCi/L	GE
2	Tritium	60000 ± 30	pCi/mL	GE

ANALYTICAL RESULTS

WELL HSB102D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/17/90 Time: 15:05
 Depth to water: 30.88 ft (9.35 m) below TOC pH: 3.8
 Water elevation: 227.92 ft (89.47 m) msl Alkalinity: 0 mg/L
 Sp. conductance: 877 µS/cm Water temperature: 19.7°C
 Water evacuated before sampling: 7 gal
 The well went dry during purging.
 Note: This analysis is from an unfiltered sample.

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	Silica	22200	µg/L	GE

WELL HSB103C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/01/90 Time: 13:15
 Depth to water: 24.48 ft (7.48 m) below TOC pH: 5.6
 Water elevation: 222.92 ft (87.95 m) msl Alkalinity: 1 mg/L
 Sp. conductance: 221 µS/cm Water temperature: 17.9°C
 Water evacuated before sampling: 182 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.4	pH	GE
1	Specific conductance	217	µS/cm	GE
1	Aluminum	137	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
1	Barium	80	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	6110	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbonate	<1000	µg/L	GE
0	Chloride	5000	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	9.5	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	4920	µg/L	GE
2	Manganese	373	µg/L	GE
2	Mercury	2.1	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<4.0	µg/L	GE
2	Nitrate as nitrogen	22400	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	2480	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	8340	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	23200	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	139000	µg/L	GE
0	Total organic carbon	2000	µg/L	GE
0	Total organic halogens	8.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
2	Trichloroethylene	4.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE

WELL HSB103C collected on 01/01/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Zinc	15	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.060	µg/L	GE
2	Gross alpha	26±4.5	pCi/L	GE
1	Nonvolatile beta	27±5.1	pCi/L	GE
1	Total activity	929±6.6	pCi/mL	EM
0	Total radium	<1.0	pCi/L	GE
2	Tritium	1110±3.5	pCi/mL	GE

WELL HSB103D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/10/90 Time: 12:45
 Depth to water: 21.89 ft (6.67 m) below TOC pH: 4.3
 Water elevation: 225.71 ft (88.80 m) msl Alkalinity: 0 mg/L
 Sp. conductance: 337 µS/cm Water temperature: 20.6°C
 Water evacuated before sampling: 48 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	Specific conductance	344	µS/cm	GE
0	Beryllium-7	<40	pCi/L	TE
2	Gross alpha	15±3.0	pCi/L	TE
2	Nonvolatile beta	420±10	pCi/L	TE
1	Total activity	7240±60	pCi/mL	EM
2	Tritium	7700±100	pCi/mL	TE

WELL HSB103D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/27/90 Time: 13:50
 Depth to water: 22.01 ft (6.71 m) below TOC pH: 4.2
 Water elevation: 225.59 ft (88.78 m) msl Alkalinity: 0 mg/L
 Sp. conductance: 352 µS/cm Water temperature: 20.1°C
 Water evacuated before sampling: 51 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	4.4	pH	GE
1	Specific conductance	300	µS/cm	GE
2	Aluminum	678	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	27	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	885	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbonate	<1000	µg/L	GE
1	Chloride	16300	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	120	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	33	µg/L	GE
0	Lead	<6.0	µg/L	GE

ANALYTICAL RESULTS

WELL HSB103D collected on 01/27/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Magnesium	1460	µg/L	GE
2	Manganese	68	µg/L	GE
2	Mercury	4.4	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<4.0	µg/L	GE
2	Nitrate as nitrogen	32500	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	1350	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	9010	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	66900	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	225000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	7.8	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
2	Gross alpha	18±3.7	pCi/L	GE
2	Nonvolatile beta	280±10	pCi/L	GE
1	Total activity	9120±70	pCi/mL	EM
2	Total radium	14±4.6	pCi/L	GE
2	Tritium	9380±9.9	pCi/mL	GE

WELL HSB104C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/10/90
Depth to water: 27.74 ft (8.46 m) below TOC
Water elevation: 220.16 ft (67.11 m) msl
Sp. conductance: 145 µS/cm
Water evacuated before sampling: 163 gal

Time: 11:55
pH: 8.4
Alkalinity: 26 mg/L
Water temperature: 18.6°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	pH	8.0	pH	GE
1	Specific conductance	127	µS/cm	GE
1	Aluminum	250	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	30	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	9550	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbonate	<1000	µg/L	GE
0	Chloride	3300	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	100	µg/L	GE

WELL HSB104C collected on 01/10/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	11	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	807	µg/L	GE
0	Manganese	20	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<4.0	µg/L	GE
1	Nitrate as nitrogen	5200	µg/L	GE
0	Phenols	<5.0	µg/L	GE
1	Potassium	8490	µg/L	GE
0	Selenium	<2.0	µg/L	GE
1	Silica	11300	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	11700	µg/L	GE
0	Sulfate	<5000	µg/L	GE
1	Tetrachloroethylene	3.0	µg/L	GE
1	Toluene	4.0	µg/L	GE
0	Total dissolved solids	103000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	15	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
1	Nonvolatile beta	13±2.5	pCi/L	GE
1	Total activity	314±4.0	pCi/mL	EM
0	Total radium	<1.0	pCi/L	GE
2	Tritium	317±1.8	pCi/mL	GE

WELL HSB104D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/10/90
Depth to water: 22.60 ft (6.89 m) below TOC
Water elevation: 225.20 ft (68.64 m) msl
Sp. conductance: 377 µS/cm
Water evacuated before sampling: 54 gal

Time: 11:00
pH: 4.0
Alkalinity: 0 mg/L
Water temperature: 18.0°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	pH	4.0	pH	GE
1	Specific conductance	380	µS/cm	GE
2	Aluminum	11500	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
1	Barium	95	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	3980	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbonate	<1000	µg/L	GE
0	Chloride	2400	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
1	Cobalt	9.9	µg/L	GE
0	Copper	14	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE

ANALYTICAL RESULTS

WELL HSB104D collected on 01/10/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	380	µg/L	GE
1	gamma-Benzene hexachloride (Lindane)	0.37	µg/L	GE
0	Iron	58	µg/L	GE
0	Lead	7.4	µg/L	GE
0	Magnesium	1390	µg/L	GE
2	Manganese	1090	µg/L	GE
2	Mercury	3.8	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
1	Nickel	14	µg/L	GE
2	Nitrate as nitrogen	36900	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	1270	µg/L	GE
0	Selenium	<2.0	µg/L	GE
1	Silica	12700	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	39200	µg/L	GE
0	Sulfate	9800	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
1	Toluene	1.0	µg/L	GE
0	Total dissolved solids	204000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	8.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	46	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	6.8 ± 2.6	pCi/L	GE
1	Total activity	18000 ± 90	pCi/mL	EM
0	Total radium	1.0 ± 1.1	pCi/L	GE
2	Tritium	22700 ± 20	pCi/mL	GE

WELL HSB105C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/20/90
Depth to water: 30.21 ft (9.21 m) below TOC
Water elevation: 219.29 ft (66.84 m) msl
Sp. conductance: 79 µS/cm
Water evacuated before sampling: 189 gal

Time: 12:10
pH: 6.1
Alkalinity: 14 mg/L
Water temperature: 17.4°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	6.0	pH	MT
0	pH	6.2	pH	GE
0	Specific conductance	85	µS/cm	MT
0	Specific conductance	78	µS/cm	GE
1	Alkalinity	17600	µg/L	MT
1	Alkalinity	19600	µg/L	MT
0	Aluminum	<23	µg/L	MT
0	Aluminum	<20	µg/L	GE
0	Antimony	<3.0	µg/L	MT
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<3.0	µg/L	MT
0	Arsenic	<2.0	µg/L	GE
0	Barium	<8.0	µg/L	MT
0	Barium	5.9	µg/L	GE
0	Benzene	<5.0	µg/L	MT
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<5.0	µg/L	MT
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<5.0	µg/L	MT
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	MT
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<3.0	µg/L	MT
0	Cadmium	<2.0	µg/L	GE

WELL HSB105C collected on 01/20/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Calcium	8050	µg/L	MT
0	Calcium	8160	µg/L	GE
0	Carbon tetrachloride	<5.0	µg/L	MT
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbonate	<1000	µg/L	GE
0	Chloride	3500	µg/L	MT
0	Chloride	3200	µg/L	GE
0	Chlorobenzene	<5.0	µg/L	MT
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	MT
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<5.0	µg/L	MT
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<5.0	µg/L	MT
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	MT
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<3.0	µg/L	MT
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<5.0	µg/L	MT
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<15	µg/L	MT
0	Cobalt	<4.0	µg/L	GE
0	Copper	<7.0	µg/L	MT
0	Copper	<4.0	µg/L	GE
0	Cyanide	<5.0	µg/L	MT
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<5.0	µg/L	MT
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<5.0	µg/L	MT
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.0080	µg/L	MT
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<5.0	µg/L	MT
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<250	µg/L	MT
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.0050	µg/L	MT
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	<6.0	µg/L	MT
0	Iron	18	µg/L	GE
0	Lead	<3.0	µg/L	MT
0	Lead	<6.0	µg/L	GE
0	Magnesium	817	µg/L	MT
0	Magnesium	880	µg/L	GE
0	Manganese	4.0	µg/L	MT
0	Manganese	3.9	µg/L	GE
0	Mercury	0.28	µg/L	MT
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	MT
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<5.2	µg/L	MT
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	2900	µg/L	MT
1	Nitrate as nitrogen	3300	µg/L	GE
0	Phenols	12	µg/L	MT
0	Phenols	<5.0	µg/L	GE
0	Phenols	<5.0	µg/L	MT
0	Potassium	3190	µg/L	MT
0	Potassium	2690	µg/L	GE
0	Selenium	<3.0	µg/L	MT
0	Selenium	<2.0	µg/L	GE
1	Silica	11000	µg/L	GE
1	Silica	11300	µg/L	MT
0	Silver	<2.0	µg/L	MT
0	Silver	<2.0	µg/L	GE
0	Sodium	3020	µg/L	MT
0	Sodium	3070	µg/L	GE
0	Sulfate	<1000	µg/L	MT
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<5.0	µg/L	MT
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<5.0	µg/L	MT
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	74000	µg/L	MT
0	Total dissolved solids	83000	µg/L	GE
0	Total organic carbon	<1000	µg/L	MT
0	Total organic carbon	1000	µg/L	GE
2	Total organic halogens	27	µg/L	MT
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	164	µg/L	MT
0	Total phosphates	210	µg/L	GE
0	Toxaphene	<0.24	µg/L	MT
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<5.0	µg/L	MT
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<5.0	µg/L	MT
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<5.0	µg/L	MT

ANALYTICAL RESULTS

WELL HSB1050 collected on 01/20/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<5.0	µg/L	MT
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<84	µg/L	MT
0	Uranium	<1000	µg/L	GE
0	Vanadium	<3.0	µg/L	MT
0	Vanadium	<20	µg/L	GE
0	Zinc	31	µg/L	MT
0	Zinc	24	µg/L	GE
0	1,1-Dichloroethane	<5.0	µg/L	MT
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<5.0	µg/L	MT
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<5.0	µg/L	MT
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<5.0	µg/L	MT
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<5.0	µg/L	MT
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<5.0	µg/L	MT
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<5.0	µg/L	MT
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<5.0	µg/L	MT
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.48	µg/L	MT
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.070	µg/L	MT
0	2,4,5-TP (Silvex)	<0.060	µg/L	GE
0	Gross alpha	<3.0	pCi/L	MT
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	<5.0	pCi/L	MT
0	Nonvolatile beta	8.3±3.7	pCi/L	GE
0	Total radium	<1.0	pCi/L	MT
0	Total radium	<1.0	pCi/L	GE
2	Tritium	87±9.0	pCi/mL	MT
2	Tritium	127±1.2	pCi/mL	GE

WELL HSB105C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/20/90
 Depth to water: 30.21 ft (9.21 m) below TOC
 Water elevation: 219.29 ft (66.84 m) msl
 Sp. conductance: 79 µS/cm
 Water evacuated before sampling: 188 gal

Time: 12:10
 pH: 6.1
 Alkalinity: 14 mg/L
 Water temperature: 17.4°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.9	pH	MT
0	pH	6.3	pH	GE
0	Specific conductance	84	µS/cm	MT
0	Specific conductance	75	µS/cm	GE
1	Alkalinity	39200	µg/L	MT
0	Aluminum	<23	µg/L	MT
0	Aluminum	<20	µg/L	GE
0	Antimony	<3.0	µg/L	MT
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<3.0	µg/L	MT
0	Arsenic	<2.0	µg/L	GE
0	Barium	<8.0	µg/L	MT
0	Barium	6.0	µg/L	GE
0	Benzene	<5.0	µg/L	MT
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<5.0	µg/L	MT
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<5.0	µg/L	MT
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<10	µg/L	MT
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<3.0	µg/L	MT
0	Cadmium	<2.0	µg/L	GE
0	Calcium	7900	µg/L	MT
0	Calcium	7810	µg/L	GE
0	Carbon tetrachloride	<5.0	µg/L	MT
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbonate	<1000	µg/L	GE
0	Chloride	3500	µg/L	MT
0	Chloride	2900	µg/L	GE
0	Chlorobenzene	<5.0	µg/L	MT
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<10	µg/L	MT
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<5.0	µg/L	MT

WELL HSB1050 collected on 01/20/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<5.0	µg/L	MT
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<10	µg/L	MT
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<3.0	µg/L	MT
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<5.0	µg/L	MT
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<15	µg/L	MT
0	Cobalt	<4.0	µg/L	GE
0	Copper	<7.0	µg/L	MT
0	Copper	<4.0	µg/L	GE
0	Cyanide	<5.0	µg/L	MT
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<5.0	µg/L	MT
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<5.0	µg/L	MT
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.0060	µg/L	MT
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<5.0	µg/L	MT
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<250	µg/L	MT
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.0050	µg/L	MT
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	8.2	µg/L	MT
0	Iron	20	µg/L	GE
0	Lead	<3.0	µg/L	MT
0	Lead	<6.0	µg/L	GE
0	Magnesium	811	µg/L	MT
0	Magnesium	681	µg/L	GE
0	Manganese	4.5	µg/L	MT
0	Manganese	4.2	µg/L	GE
0	Mercury	<0.20	µg/L	MT
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	MT
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<5.2	µg/L	MT
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	2900	µg/L	MT
1	Nitrate as nitrogen	3100	µg/L	GE
0	Phenols	<5.0	µg/L	MT
0	Phenols	<5.0	µg/L	GE
0	Potassium	3180	µg/L	MT
0	Potassium	2610	µg/L	GE
0	Selenium	<3.0	µg/L	MT
0	Selenium	<2.0	µg/L	GE
1	Silica	10900	µg/L	GE
1	Silica	11300	µg/L	MT
0	Silver	<2.0	µg/L	MT
0	Silver	<2.0	µg/L	GE
0	Sodium	2940	µg/L	MT
0	Sodium	3080	µg/L	GE
0	Sulfate	<1000	µg/L	MT
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<5.0	µg/L	MT
1	Tetrachloroethylene	1.0	µg/L	GE
0	Toluene	<5.0	µg/L	MT
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	73000	µg/L	MT
0	Total dissolved solids	94000	µg/L	GE
0	Total organic carbon	<1000	µg/L	MT
0	Total organic carbon	<1000	µg/L	GE
2	Total organic halogens	75	µg/L	MT
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	157	µg/L	MT
0	Total phosphates	210	µg/L	GE
0	Toxaphene	<0.24	µg/L	MT
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<5.0	µg/L	MT
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<5.0	µg/L	MT
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<5.0	µg/L	MT
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<5.0	µg/L	MT
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	84	µg/L	MT
0	Uranium	<1000	µg/L	GE
0	Vanadium	<3.0	µg/L	MT
0	Vanadium	<20	µg/L	GE
0	Zinc	30	µg/L	MT
0	Zinc	25	µg/L	GE
0	1,1-Dichloroethane	<5.0	µg/L	MT
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<5.0	µg/L	MT
0	1,1-Dichloroethylene	<1.0	µg/L	GE

ANALYTICAL RESULTS

WELL HSB105C collected on 01/20/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	1,1,1-Trichloroethane	<5.0	µg/L	MT
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<5.0	µg/L	MT
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<5.0	µg/L	MT
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<5.0	µg/L	MT
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<5.0	µg/L	MT
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<5.0	µg/L	MT
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.40	µg/L	MT
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Blivet)	<0.070	µg/L	MT
0	2,4,5-TP (Blivet)	<0.090	µg/L	GE
0	Gross alpha	<3.0	pCi/L	MT
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	<5.0	pCi/L	MT
0	Nonvolatile beta	3.3 ± 2.3	pCi/L	GE
0	Total radium	<1.0	pCi/L	MT
0	Total radium	<1.0	pCi/L	GE
2	Tritium	89 ± 9.0	pCi/mL	MT
2	Tritium	127 ± 1.2	pCi/mL	GE

WELL HSB105D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/10/90
Depth to water: 23.93 ft (7.29 m) below TOC
Water elevation: 225.57 ft (68.75 m) msl
Sp. conductance: 812 µS/cm
Water evacuated before sampling: 52 gal

Time: 14:20
pH: 4.3
Alkalinity: 0 mg/L
Water temperature: 19.1°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	pH	3.9	pH	GE
1	Specific conductance	850	µS/cm	GE
2	Aluminum	11800	µg/L	GE
2	Aluminum	10300	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
1	Barium	144	µg/L	GE
1	Barium	125	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	8320	µg/L	GE
0	Calcium	4790	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbonate	<1000	µg/L	GE
0	Chloride	3100	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	Chromium	3.7	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
1	Cobalt	12	µg/L	GE
1	Cobalt	11	µg/L	GE
0	Copper	5.0	µg/L	GE
0	Copper	4.8	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
1	Dichloromethane (Methylene chloride)	44	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
1	Fluoride	1020	µg/L	GE
1	gamma-Benzene hexachloride (Lindane)	0.25	µg/L	GE
0	Iron	70	µg/L	GE
0	Iron	70	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	2850	µg/L	GE
0	Magnesium	2380	µg/L	GE
2	Manganese	831	µg/L	GE
2	Manganese	744	µg/L	GE

WELL HSB105D collected on 01/10/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
2	Mercury	3.7	µg/L	GE
2	Mercury	3.7	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
1	Nickel	10	µg/L	GE
1	Nickel	10	µg/L	GE
2	Nitrate as nitrogen	89800	µg/L	GE
0	Phenol	<5.0	µg/L	GE
0	Potassium	2170	µg/L	GE
0	Potassium	1980	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	7380	µg/L	GE
0	Silica	6500	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	87000	µg/L	GE
1	Sodium	58200	µg/L	GE
0	Sulfate	8300	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	312000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	31	µg/L	GE
0	Zinc	29	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Blivet)	<0.090	µg/L	GE
0	Gross alpha	3.8 ± 3.2	pCi/L	GE
1	Nonvolatile beta	30 ± 6.1	pCi/L	GE
1	Total activity	16300 ± 90	pCi/mL	EM
0	Total radium	<1.0	pCi/L	GE
2	Tritium	15800 ± 10	pCi/mL	GE

WELL HSB106C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/10/90
Depth to water: 31.72 ft (9.67 m) below TOC
Water elevation: 221.18 ft (67.42 m) msl
Sp. conductance: 127 µS/cm
Water evacuated before sampling: 179 gal

Time: 13:50
pH: 6.4
Alkalinity: 8 mg/L
Water temperature: 19.4°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	6.3	pH	GE
0	Specific conductance	91	µS/cm	GE
0	Aluminum	21	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	19	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	8330	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbonate	<1000	µg/L	GE
0	Chloride	3600	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE

ANALYTICAL RESULTS

WELL HSB106D collected on 01/10/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Cobalt	< 4.0	µg/L	GE
0	Copper	< 4.0	µg/L	GE
0	Cyanide	< 5.0	µg/L	GE
0	Dibromochloromethane	< 1.0	µg/L	GE
0	Dibromochloromethane (Methylene chloride)	< 1.0	µg/L	GE
0	Endrin	< 0.10	µg/L	GE
0	Ethylbenzene	< 1.0	µg/L	GE
0	Fluoride	< 100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	< 0.050	µg/L	GE
0	Iron	14	µg/L	GE
0	Lead	< 0.0	µg/L	GE
0	Magnesium	1010	µg/L	GE
0	Manganese	8.4	µg/L	GE
0	Mercury	< 0.20	µg/L	GE
0	Methoxychlor	< 0.50	µg/L	GE
0	Nickel	< 4.0	µg/L	GE
0	Nitrate as nitrogen	1800	µg/L	GE
0	Phenols	< 5.0	µg/L	GE
0	Potassium	1430	µg/L	GE
0	Selenium	< 2.0	µg/L	GE
1	Silica	10500	µg/L	GE
0	Silver	< 2.0	µg/L	GE
1	Sodium	7990	µg/L	GE
0	Sulfate	< 5000	µg/L	GE
2	Tetrachloroethylene	0.0	µg/L	GE
0	Toluene	< 1.0	µg/L	GE
0	Total dissolved solids	108000	µg/L	GE
0	Total organic carbon	< 1000	µg/L	GE
0	Total organic halogens	< 5.0	µg/L	GE
0	Total phosphates	< 50	µg/L	GE
0	Toxaphene	< 1.0	µg/L	GE
0	trans-1,2-Dichloroethane	< 1.0	µg/L	GE
0	trans-1,3-Dichloropropene	< 1.0	µg/L	GE
0	Trichloroethylene	< 1.0	µg/L	GE
0	Trichlorofluoromethane	< 1.0	µg/L	GE
0	Uranium	< 1000	µg/L	GE
0	Vanadium	< 20	µg/L	GE
0	Zinc	8.5	µg/L	GE
0	1,1-Dichloroethane	< 1.0	µg/L	GE
0	1,1-Dichloroethylene	< 1.0	µg/L	GE
0	1,1,1-Trichloroethane	< 1.0	µg/L	GE
0	1,1,2-Trichloroethane	< 1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	< 1.0	µg/L	GE
0	1,2-Dichloroethane	< 1.0	µg/L	GE
0	1,2-Dichloropropane	< 1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	< 1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	< 0.30	µg/L	GE
0	2,4,5-TP (Silvex)	< 0.090	µg/L	GE
0	Gross alpha	< 3.0	pCi/L	GE
0	Nonvolatile beta	7.0 ± 2.0	pCi/L	GE
1	Total activity	398 ± 4.5	pCi/mL	EM
0	Total radium	< 1.0	pCi/L	GE
2	Tridium	413 ± 2.1	pCi/mL	GE

WELL HSB106D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/10/90
Depth to water: 27.27 ft (8.31 m) below TOC
Water elevation: 225.83 ft (68.77 m) msl
Sp. conductance: 247 µS/cm
Water evacuated before sampling: 47 gal

Time: 13:20
pH: 4.3
Alkalinity: 0 mg/L
Water temperature: 19.8°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	4.3	pH	GE
1	Specific conductance	232	µS/cm	GE
2	Aluminum	899	µg/L	GE
0	Antimony	< 3.0	µg/L	GE
0	Arsenic	< 2.0	µg/L	GE
1	Barium	63	µg/L	GE
0	Benzene	< 1.0	µg/L	GE
0	Bromochloromethane	< 1.0	µg/L	GE
0	Bromofom	< 1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	< 1.0	µg/L	GE
0	Cadmium	< 2.0	µg/L	GE
0	Calcium	3290	µg/L	GE
0	Carbon tetrachloride	< 1.0	µg/L	GE
0	Carbonate	< 1000	µg/L	GE
0	Chloride	4200	µg/L	GE
0	Chlorobenzene	< 1.0	µg/L	GE
0	Chloroethane	< 1.0	µg/L	GE
0	Chloroethane (Vinyl chloride)	< 1.0	µg/L	GE
0	Chloroform	< 1.0	µg/L	GE

WELL HSB106D collected on 01/10/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Chloromethane (Methyl chloride)	< 1.0	µg/L	GE
0	Chromium	< 4.0	µg/L	GE
0	cis-1,3-Dichloropropene	< 1.0	µg/L	GE
1	Cobalt	9.8	µg/L	GE
0	Copper	8.4	µg/L	GE
0	Cyanide	< 5.0	µg/L	GE
0	Dibromochloromethane	< 1.0	µg/L	GE
1	Dichloromethane (Methylene chloride)	38	µg/L	GE
0	Endrin	< 0.10	µg/L	GE
0	Ethylbenzene	< 1.0	µg/L	GE
0	Fluoride	110	µg/L	GE
1	gamma-Benzene hexachloride (Lindane)	0.04	µg/L	GE
0	Iron	115	µg/L	GE
0	Lead	< 0.0	µg/L	GE
0	Magnesium	1230	µg/L	GE
2	Manganese	320	µg/L	GE
0	Mercury	< 0.20	µg/L	GE
0	Methoxychlor	< 0.50	µg/L	GE
1	Nickel	11	µg/L	GE
2	Nitrate as nitrogen	23200	µg/L	GE
0	Phenols	< 5.0	µg/L	GE
0	Potassium	788	µg/L	GE
0	Selenium	< 2.0	µg/L	GE
1	Silica	11300	µg/L	GE
0	Silver	< 2.0	µg/L	GE
1	Sodium	40800	µg/L	GE
0	Sulfate	< 5000	µg/L	GE
0	Tetrachloroethylene	< 1.0	µg/L	GE
0	Toluene	< 1.0	µg/L	GE
0	Total dissolved solids	183000	µg/L	GE
0	Total organic carbon	< 1000	µg/L	GE
0	Total organic halogens	< 5.0	µg/L	GE
0	Total phosphates	< 50	µg/L	GE
0	Toxaphene	< 1.0	µg/L	GE
0	trans-1,2-Dichloroethane	< 1.0	µg/L	GE
0	trans-1,3-Dichloropropene	< 1.0	µg/L	GE
0	Trichloroethylene	< 1.0	µg/L	GE
0	Trichlorofluoromethane	< 1.0	µg/L	GE
0	Uranium	< 1000	µg/L	GE
0	Vanadium	< 20	µg/L	GE
0	Zinc	38	µg/L	GE
0	1,1-Dichloroethane	< 1.0	µg/L	GE
0	1,1-Dichloroethylene	< 1.0	µg/L	GE
0	1,1,1-Trichloroethane	< 1.0	µg/L	GE
0	1,1,2-Trichloroethane	< 1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	< 1.0	µg/L	GE
0	1,2-Dichloroethane	< 1.0	µg/L	GE
0	1,2-Dichloropropane	< 1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	< 1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	< 0.30	µg/L	GE
0	2,4,5-TP (Silvex)	< 0.090	µg/L	GE
1	Gross alpha	11 ± 5.3	pCi/L	GE
2	Nonvolatile beta	395 ± 10	pCi/L	GE
1	Total activity	8850 ± 60	pCi/mL	EM
2	Total radium	29 ± 5.9	pCi/L	GE
2	Tridium	7570 ± 0.1	pCi/mL	GE

WELL HSB107C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/06/90
Depth to water: 42.30 ft (12.92 m) below TOC
Water elevation: 219.21 ft (66.82 m) msl
Sp. conductance: 185 µS/cm
Water evacuated before sampling: 164 gal

Time: 15:05
pH: 6.5
Alkalinity: 55 mg/L
Water temperature: 20.3°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	pH	6.6	pH	GE
1	Specific conductance	180	µS/cm	GE
0	Aluminum	< 20	µg/L	GE
0	Antimony	< 3.0	µg/L	GE
0	Arsenic	< 2.0	µg/L	GE
1	Barium	52	µg/L	GE
0	Benzene	< 1.0	µg/L	GE
0	Bromodichloromethane	< 1.0	µg/L	GE
0	Bromofom	< 1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	< 1.0	µg/L	GE
0	Cadmium	< 2.0	µg/L	GE
1	Calcium	14800	µg/L	GE
0	Carbon tetrachloride	< 1.0	µg/L	GE
0	Carbonate	< 1000	µg/L	GE
0	Chloride	3100	µg/L	GE
0	Chlorobenzene	< 1.0	µg/L	GE

ANALYTICAL RESULTS

WELL HSB107C collected on 01/06/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Chloroethane	< 1.0	µg/L	GE
0	Chloroethane (Vinyl chloride)	< 1.0	µg/L	GE
0	Chloroform	< 1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	< 1.0	µg/L	GE
0	Chromium	< 4.0	µg/L	GE
0	cis-1,3-Dichloropropene	< 1.0	µg/L	GE
0	Cobalt	< 4.0	µg/L	GE
0	Copper	< 4.0	µg/L	GE
0	Cyanide	< 5.0	µg/L	GE
0	Dibromochloromethane	< 1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	< 1.0	µg/L	GE
0	Endrin	< 0.10	µg/L	GE
0	Ethylbenzene	< 1.0	µg/L	GE
0	Fluoride	180	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	< 0.050	µg/L	GE
2	Iron	540	µg/L	GE
0	Lead	< 8.0	µg/L	GE
0	Magnesium	894	µg/L	GE
2	Manganese	608	µg/L	GE
0	Mercury	< 0.20	µg/L	GE
0	Methoxychlor	< 0.50	µg/L	GE
0	Nickel	< 4.0	µg/L	GE
1	Nitrate as nitrogen	3500	µg/L	GE
0	Phenols	< 5.0	µg/L	GE
0	Potassium	4230	µg/L	GE
0	Selenium	< 2.0	µg/L	GE
1	Silica	10300	µg/L	GE
0	Silver	< 2.0	µg/L	GE
1	Sodium	17500	µg/L	GE
0	Sulfate	< 5000	µg/L	GE
1	Tetrachloroethylene	4.0	µg/L	GE
0	Toluene	< 1.0	µg/L	GE
0	Total dissolved solids	336000	µg/L	GE
0	Total organic carbon	1000	µg/L	GE
0	Total organic halogens	< 5.0	µg/L	GE
0	Total phosphates	90	µg/L	GE
0	Toxaphene	< 1.0	µg/L	GE
0	trans-1,2-Dichloroethane	< 1.0	µg/L	GE
0	trans-1,3-Dichloropropene	< 1.0	µg/L	GE
0	Trichloroethylene	< 1.0	µg/L	GE
0	Trichlorofluoromethane	< 1.0	µg/L	GE
0	Uranium	< 1000	µg/L	GE
0	Vanadium	< 20	µg/L	GE
0	Zinc	8.8	µg/L	GE
0	1,1-Dichloroethane	< 1.0	µg/L	GE
0	1,1-Dichloroethylene	< 1.0	µg/L	GE
0	1,1,1-Trichloroethane	< 1.0	µg/L	GE
0	1,1,2-Trichloroethane	< 1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	< 1.0	µg/L	GE
0	1,2-Dichloroethane	< 1.0	µg/L	GE
0	1,2-Dichloropropane	< 1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	< 1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	< 0.30	µg/L	GE
0	2,4,5-TP (Silvex)	< 0.090	µg/L	GE
0	Gross alpha	< 3.0	pCi/L	GE
0	Nonvolatile beta	< 2.0	pCi/L	GE
1	Nonvolatile beta	21 ± 6.9	pCi/L	GE
1	Total activity	874 ± 8.5	pCi/ml	EM
0	Total radium	< 1.0	pCi/L	GE
2	Tridium	829 ± 2.9	pCi/ml	GE

WELL HSB107D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/06/90 Time: 14:00
 Depth to water: 38.15 ft (11.63 m) below TOC pH: 4.5
 Water elevation: 224.15 ft (68.32 m) msl Alkalinity: 0 mg/L
 Sp. conductance: 388 µS/cm Water temperature: 19.9 C
 Water evacuated before sampling: 40 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	4.5	pH	GE
1	Specific conductance	382	µS/cm	GE
2	Aluminum	1160	µg/L	GE
0	Antimony	< 3.0	µg/L	GE
0	Arsenic	< 2.0	µg/L	GE
1	Barium	88	µg/L	GE
0	Benzene	< 1.0	µg/L	GE
0	Bromodichloromethane	< 1.0	µg/L	GE
0	Bromoform	< 1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	< 1.0	µg/L	GE
0	Cadmium	< 2.0	µg/L	GE
0	Calcium	5010	µg/L	GE

WELL HSB107C collected on 01/06/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Carbon tetrachloride	< 1.0	µg/L	GE
0	Carbonate	< 1000	µg/L	GE
0	Chloride	2800	µg/L	GE
0	Chlorobenzene	< 1.0	µg/L	GE
0	Chloroethane	< 1.0	µg/L	GE
0	Chloroethane (Vinyl chloride)	< 1.0	µg/L	GE
0	Chloroform	< 1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	< 1.0	µg/L	GE
0	Chromium	< 4.0	µg/L	GE
0	cis-1,3-Dichloropropene	< 1.0	µg/L	GE
0	Cobalt	< 4.0	µg/L	GE
0	Copper	< 4.0	µg/L	GE
0	Cyanide	< 5.0	µg/L	GE
0	Dibromochloromethane	< 1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	< 1.0	µg/L	GE
0	Endrin	< 0.10	µg/L	GE
0	Ethylbenzene	< 1.0	µg/L	GE
0	Fluoride	270	µg/L	GE
1	gamma-Benzene hexachloride (Lindane)	0.10	µg/L	GE
0	Iron	32	µg/L	GE
0	Lead	< 8.0	µg/L	GE
0	Magnesium	3110	µg/L	GE
2	Manganese	311	µg/L	GE
2	Mercury	3.7	µg/L	GE
0	Methoxychlor	< 0.50	µg/L	GE
0	Nickel	8.0	µg/L	GE
2	Nitrate as nitrogen	39700	µg/L	GE
0	Phenols	< 5.0	µg/L	GE
0	Potassium	2220	µg/L	GE
0	Selenium	< 2.0	µg/L	GE
0	Silica	810	µg/L	GE
0	Silver	< 2.0	µg/L	GE
1	Sodium	48700	µg/L	GE
0	Sulfate	< 5000	µg/L	GE
0	Tetrachloroethylene	< 1.0	µg/L	GE
0	Toluene	< 1.0	µg/L	GE
0	Total dissolved solids	217000	µg/L	GE
0	Total organic carbon	1000	µg/L	GE
0	Total organic halogens	< 5.0	µg/L	GE
0	Total phosphates	< 50	µg/L	GE
0	Toxaphene	< 1.0	µg/L	GE
0	trans-1,2-Dichloroethane	< 1.0	µg/L	GE
0	trans-1,3-Dichloropropene	< 1.0	µg/L	GE
0	Trichloroethylene	< 1.0	µg/L	GE
0	Trichlorofluoromethane	< 1.0	µg/L	GE
0	Uranium	< 1000	µg/L	GE
0	Vanadium	< 20	µg/L	GE
0	Zinc	32	µg/L	GE
0	1,1-Dichloroethane	< 1.0	µg/L	GE
0	1,1-Dichloroethylene	< 1.0	µg/L	GE
0	1,1,1-Trichloroethane	< 1.0	µg/L	GE
0	1,1,2-Trichloroethane	< 1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	< 1.0	µg/L	GE
0	1,2-Dichloroethane	< 1.0	µg/L	GE
0	1,2-Dichloropropane	< 1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	< 1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	< 0.30	µg/L	GE
0	2,4,5-TP (Silvex)	< 0.090	µg/L	GE
1	Americium-241	2.5 ± 0.50	pCi/L	TE
1	Americium-243	3.6 ± 0.60	pCi/L	TE
0	Barium-140	< 20	pCi/L	TE
0	Beryllium-7	< 50	pCi/L	TE
1	Carbon-14	88 ± 5.0	pCi/L	TE
0	Cerium-141	< 10	pCi/L	TE
0	Cerium-144	< 40	pCi/L	TE
0	Cesium-134	< 5.0	pCi/L	TE
0	Cesium-137	< 5.0	pCi/L	TE
0	Cobalt-58	< 5.0	pCi/L	TE
2	Cobalt-60	127 ± 10	pCi/L	TE
0	Curium-242	< 0.10	pCi/L	TE
0	Curium-243/244	< 0.40	pCi/L	TE
1	Curium-248	2.1 ± 0.50	pCi/L	TE
2	Gross alpha	139 ± 9.9	pCi/L	GE
2	Gross alpha	22 ± 4.0	pCi/L	TE
1	Iodine-129	11 ± 2.0	pCi/L	TE
0	Iodine-131	< 50	pCi/L	TE
1	Iron-55	200 ± 80	pCi/L	TE
0	Iron-59	< 10	pCi/L	TE
0	Manganese-54	< 5.0	pCi/L	TE
0	Nickel-59	< 100	pCi/L	TE
1	Nickel-63	120 ± 10	pCi/L	TE
2	Nonvolatile beta	2100 ± 30	pCi/L	GE
2	Nonvolatile beta	8300 ± 200	pCi/L	TE
0	Plutonium-238	< 0.30	pCi/L	TE
0	Plutonium-239/240	< 0.10	pCi/L	TE
0	Plutonium-242	< 0.090	pCi/L	TE
0	Potassium-40	< 80	pCi/L	TE
0	Radium-226	< 100	pCi/L	TE
1	Radium-228	13 ± 1.0	pCi/L	TE

ANALYTICAL RESULTS

WELL HSB107D collected on 01/08/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
1	Radium-226	89 ± 10	pCi/L	TE
0	Ruthenium-103	< 7.0	pCi/L	TE
0	Ruthenium-106	< 40	pCi/L	TE
0	Strontium-89	< 100	pCi/L	TE
1	Strontium-90	3800 ± 100	pCi/L	TE
1	Technetium-99	340 ± 20	pCi/L	TE
0	Thorium-228	< 8.0	pCi/L	TE
1	Thorium-228	15 ± 1.0	pCi/L	TE
1	Thorium-230	7.4 ± 1.0	pCi/L	TE
1	Thorium-232	0.16 ± 0.15	pCi/L	TE
1	Total activity	18100 ± 90	pCi/mL	EM
2	Total radium	6.7 ± 3.3	pCi/L	GE
2	Tritium	18600 ± 10	pCi/mL	GE
2	Tritium	18000 ± 1000	pCi/mL	TE
1	Uranium-234	4.4 ± 1.0	pCi/L	TE
1	Uranium-235	0.35 ± 0.29	pCi/L	TE
1	Uranium-238	0.72 ± 0.45	pCi/L	TE
0	Zinc-65	< 10	pCi/L	TE
0	Zirconium-95	< 8.0	pCi/L	TE

WELL HSB107D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/08/90
 Depth to water: 38.15 ft (11.63 m) below TOC
 Water elevation: 224.15 ft (68.32 m) msl
 Sp. conductance: 388 µS/cm
 Water evacuated before sampling: 40 gal
 Note: This analysis is from an unfiltered sample.

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	Silica	29100	µg/L	GE

WELL HSB108C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/02/90
 Depth to water: 48.21 ft (14.69 m) below TOC
 Water elevation: 217.99 ft (66.44 m) msf
 Sp. conductance: 178 µS/cm
 Water evacuated before sampling: 91 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	pH	7.5	pH	GE
1	Specific conductance	182	µS/cm	GE
0	Aluminum	49	µg/L	GE
0	Antimony	< 3.0	µg/L	GE
0	Arsenic	< 2.0	µg/L	GE
0	Barium	7.8	µg/L	GE
0	Benzene	< 1.0	µg/L	GE
0	Bromodichloromethane	< 1.0	µg/L	GE
0	Bromoform	< 1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	< 1.0	µg/L	GE
0	Cadmium	< 2.0	µg/L	GE
1	Calcium	27200	µg/L	GE
0	Carbon tetrachloride	< 1.0	µg/L	GE
0	Carbonate	< 1000	µg/L	GE
0	Chloride	2800	µg/L	GE
0	Chlorobenzene	< 1.0	µg/L	GE
0	Chloroethane	< 1.0	µg/L	GE
0	Chloroethane (Vinyl chloride)	< 1.0	µg/L	GE
0	Chloroform	< 1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	< 1.0	µg/L	GE
0	Chromium	< 4.0	µg/L	GE
0	cis-1,3-Dichloropropene	< 1.0	µg/L	GE
0	Cobalt	< 4.0	µg/L	GE
0	Copper	< 4.0	µg/L	GE
0	Cyanide	< 5.0	µg/L	GE
0	Dibromochloromethane	< 1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	< 1.0	µg/L	GE
0	Endrin	< 0.10	µg/L	GE
0	Ethylbenzene	< 1.0	µg/L	GE
0	Fluoride	190	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	< 0.050	µg/L	GE
0	Iron	15	µg/L	GE
0	Lead	< 8.0	µg/L	GE
0	Magnesium	1490	µg/L	GE
0	Manganese	< 2.0	µg/L	GE

WELL HSB108C collected on 01/02/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Mercury	< 0.20	µg/L	GE
0	Methoxychlor	< 0.50	µg/L	GE
0	Nickel	< 4.0	µg/L	GE
1	Nitrate as nitrogen	3300	µg/L	GE
0	Phenols	< 5.0	µg/L	GE
0	Potassium	563	µg/L	GE
0	Selenium	< 2.0	µg/L	GE
1	Silica	11000	µg/L	GE
0	Silver	< 2.0	µg/L	GE
0	Sodium	2880	µg/L	GE
0	Sulfate	< 5000	µg/L	GE
0	Tetrachloroethylene	< 1.0	µg/L	GE
0	Toluene	< 1.0	µg/L	GE
0	Total dissolved solids	123000	µg/L	GE
0	Total organic carbon	1000	µg/L	GE
0	Total organic halogens	< 5.0	µg/L	GE
1	Total phosphates	350	µg/L	GE
0	Toxaphene	< 1.0	µg/L	GE
0	trans-1,2-Dichloroethane	< 1.0	µg/L	GE
0	trans-1,3-Dichloropropene	< 1.0	µg/L	GE
0	Trichloroethylene	< 1.0	µg/L	GE
0	Trichlorofluoromethane	< 1.0	µg/L	GE
0	Uranium	< 1000	µg/L	GE
0	Vanadium	< 20	µg/L	GE
0	Zinc	< 2.0	µg/L	GE
0	1,1-Dichloroethane	< 1.0	µg/L	GE
0	1,1-Dichloroethylene	< 1.0	µg/L	GE
0	1,1,1-Trichloroethane	< 1.0	µg/L	GE
0	1,1,2-Trichloroethane	< 1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	< 1.0	µg/L	GE
0	1,2-Dichloroethane	< 1.0	µg/L	GE
0	1,2-Dichloropropane	< 1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	< 1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	< 0.30	µg/L	GE
0	2,4,5-TP (Silvex)	< 0.090	µg/L	GE
0	Gross alpha	< 3.0	pCi/L	GE
0	Nonvolatile beta	8.4 ± 2.4	pCi/L	GE
1	Total activity	382 ± 4.4	pCi/mL	EM
0	Total radium	< 1.0	pCi/L	GE
2	Tritium	448 ± 2.2	pCi/mL	GE

WELL HSB108D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/02/90
 Depth to water: 43.08 ft (13.13 m) below TOC
 Water elevation: 223.21 ft (68.04 m) msf
 Sp. conductance: 342 µS/cm
 Water evacuated before sampling: 45 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	4.3	pH	GE
0	pH	4.3	pH	GE
1	Specific conductance	273	µS/cm	GE
1	Specific conductance	304	µS/cm	GE
2	Aluminum	1440	µg/L	GE
2	Aluminum	1390	µg/L	GE
0	Antimony	< 3.0	µg/L	GE
0	Antimony	< 3.0	µg/L	GE
0	Arsenic	< 2.0	µg/L	GE
0	Arsenic	< 2.0	µg/L	GE
1	Barium	88	µg/L	GE
1	Barium	87	µg/L	GE
0	Benzene	< 1.0	µg/L	GE
0	Benzene	< 1.0	µg/L	GE
0	Bromodichloromethane	< 1.0	µg/L	GE
0	Bromodichloromethane	< 1.0	µg/L	GE
0	Bromoform	< 1.0	µg/L	GE
0	Bromoform	< 1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	< 1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	< 1.0	µg/L	GE
0	Cadmium	< 2.0	µg/L	GE
0	Cadmium	< 2.0	µg/L	GE
0	Calcium	5470	µg/L	GE
0	Calcium	5180	µg/L	GE
0	Carbon tetrachloride	< 1.0	µg/L	GE
0	Carbon tetrachloride	< 1.0	µg/L	GE
0	Carbonate	< 1000	µg/L	GE
0	Carbonate	< 1000	µg/L	GE
0	Chloride	1700	µg/L	GE
0	Chloride	1800	µg/L	GE
0	Chlorobenzene	< 1.0	µg/L	GE
0	Chlorobenzene	< 1.0	µg/L	GE

ANALYTICAL RESULTS

WELL HSB108D collected on 01/02/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
1	Cobalt	16	µg/L	GE
1	Cobalt	14	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	180	µg/L	GE
0	Fluoride	170	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	48	µg/L	GE
0	Iron	50	µg/L	GE
0	Lead	14	µg/L	GE
0	Lead	11	µg/L	GE
0	Magnesium	1980	µg/L	GE
0	Magnesium	1930	µg/L	GE
2	Manganese	634	µg/L	GE
2	Manganese	643	µg/L	GE
2	Mercury	7.3	µg/L	GE
2	Mercury	7.5	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
1	Nickel	20	µg/L	GE
1	Nickel	21	µg/L	GE
2	Nitrate as nitrogen	40000	µg/L	GE
2	Nitrate as nitrogen	40500	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	2050	µg/L	GE
0	Potassium	2040	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	9510	µg/L	GE
0	Silica	8600	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	43200	µg/L	GE
1	Sodium	41500	µg/L	GE
0	Sulfate	8500	µg/L	GE
0	Sulfate	8300	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	224000	µg/L	GE
0	Total dissolved solids	227000	µg/L	GE
0	Total organic carbon	1000	µg/L	GE
0	Total organic carbon	1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	41	µg/L	GE
0	Zinc	41	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE

WELL HSB108D collected on 01/02/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
2	Gross alpha	77±20	pCi/L	GE
2	Gross alpha	82±20	pCi/L	GE
2	Nonvolatile beta	1900±40	pCi/L	GE
2	Nonvolatile beta	2300±40	pCi/L	GE
1	Total activity	23100±110	pCi/mL	EM
0	Total radium	<1.0	pCi/L	CC
0	Total radium	<1.0	pCi/L	GE
2	Tritium	26500±20	pCi/mL	GE
2	Tritium	25600±20	pCi/mL	GE

WELL HSB109C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/02/90 Time: 14:40
 Depth to water: 43.24 ft (13.18 m) below TOC pH: 8.3
 Water elevation: 218.36 ft (66.56 m) msl Alkalinity: 11 mg/L
 Sp. conductance: 58 µS/cm Water temperature: 19.4°C
 Water evacuated before sampling: 145 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	8.4	pH	GE
0	Specific conductance	89	µS/cm	GE
0	Aluminum	<20	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	10	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	5220	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbonate	<1000	µg/L	GE
0	Chloride	2800	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	130	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	16	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	292	µg/L	GE
0	Manganese	<2.0	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	1290	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	1000	µg/L	GE
0	Selenium	<2.0	µg/L	GE
1	Silica	10900	µg/L	GE
0	Silver	<2.0	µg/L	GE

ANALYTICAL RESULTS

WELL HSB109C collected on 01/02/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
1	Sodium	5370	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	46000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
1	Total phosphates	350	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	<2.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	3.4±3.4	pCi/L	GE
0	Total radium	<1.0	pCi/L	GE
2	Tritium	83±0.99	pCi/mL	GE

WELL HSB109D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/02/90
Depth to water: 38.75 ft (11.81 m) below TOC
Water elevation: 222.45 ft (67.80 m) msl
Sp. conductance: 94 µS/cm
Water evacuated before sampling: 41 gal

Time: 15:00
pH: 4.5
Alkalinity: 0 mg/L
Water temperature: 21.0°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	4.7	pH	GE
0	Specific conductance	76	µS/cm	GE
2	Aluminum	637	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	32	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	2680	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbonate		µg/L	GE
0	Chloride	1900	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
1	Cobalt	15	µg/L	GE
0	Copper	6.6	µg/L	GE
1	Cyanide	6.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	17	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	1760	µg/L	GE
2	Manganese	426	µg/L	GE
1	Mercury	0.50	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
1	Nickel	14	µg/L	GE
1	Nitrate as nitrogen	8160	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	745	µg/L	GE
0	Selenium	<2.0	µg/L	GE

WELL HSB109D collected on 01/02/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Silica	7490	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	3350	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	68000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	31	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
2	Gross alpha	19±5.3	pCi/L	GE
2	Nonvolatile beta	343±10	pCi/L	GE
1	Total activity	3450±40	pCi/mL	EM
1	Total radium	2.6±2.5	pCi/L	GE
2	Tritium	3490±6.0	pCi/mL	GE

WELL HSB110C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/17/90
Depth to water: 36.86 ft (11.24 m) below TOC
Water elevation: 218.84 ft (66.70 m) msl
Sp. conductance: 27 µS/cm
Water evacuated before sampling: 139 gal

Time: 11:25
pH: 5.2
Alkalinity: 1 mg/L
Water temperature: 20.8°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.6	pH	GE
0	Specific conductance	45	µS/cm	GE
0	Aluminum	<20	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	5.4	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	1540	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbonate	<1000	µg/L	GE
0	Chloride	3700	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	23	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	293	µg/L	GE
0	Manganese	18	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	790	µg/L	GE

ANALYTICAL RESULTS

WELL HSB110C collected on 01/17/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Selenium	<2.0	µg/L	GE
1	Silica	10600	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	2660	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
1	Toluene	10	µg/L	GE
0	Total dissolved solids	45000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	6.0	µg/L	GE
0	Total phosphates	60	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	14	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	7.4 ± 1.9	pCi/L	GE
0	Total radium	1.0 ± 2.1	pCi/L	GE
2	Tritium	71 ± 0.90	pCi/mL	GE

WELL HSB110D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/17/90

Depth to water: 33.48 ft (10.20 m) below TOC

Water elevation: 222.12 ft (67.70 m) msl

Sp. conductance: 102 µS/cm

Water evacuated before sampling: 44 gal

Time: 10:20

pH: 4.0

Alkalinity: 0 mg/L

Water temperature: 19.7°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	4.1	pH	GE
0	Specific conductance	91	µS/cm	GE
2	Aluminum	2270	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	18	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	1770	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbonate	<1000	µg/L	GE
0	Chloride	2600	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
1	Cobalt	4.4	µg/L	GE
0	Copper	<4.0	µg/L	GE
1	Cyanide	6.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	140	µg/L	GE
1	gamma-Benzene hexachloride (Lindane)	0.22	µg/L	GE
0	Iron	42	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	199	µg/L	GE
2	Manganese	136	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE

WELL HSB110D collected on 01/17/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
1	Nickel	9.9	µg/L	GE
1	Nitrate as nitrogen	6300	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Selenium	<2.0	µg/L	GE
1	Silica	17200	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	3900	µg/L	GE
1	Sulfate	15800	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	14000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	58	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
2	Gross alpha	31 ± 6.0	pCi/L	GE
0	Nonvolatile beta	485 ± 20	pCi/L	GE
1	Total activity	635 ± 20	pCi/mL	EM
2	Total radium	6.7 ± 3.5	pCi/L	GE
2	Tritium	436 ± 2.0	pCi/mL	GE

WELL HSB111C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/18/90

Depth to water: 36.01 ft (10.98 m) below TOC

Water elevation: 219.99 ft (67.05 m) msl

Sp. conductance: 231 µS/cm

Water evacuated before sampling: 222 gal

Time: 12:40

pH: 4.7

Alkalinity: 1 mg/L

Water temperature: 20.7°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.0	pH	GE
1	Specific conductance	225	µS/cm	GE
1	Aluminum	196	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	23	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
1	Calcium	15300	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbonate	<1000	µg/L	GE
0	Chloride	4300	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	170	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	23	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	3650	µg/L	GE

ANALYTICAL RESULTS

WELL HSB111C collected on 01/16/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
1	Manganese	35	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	5.5	µg/L	GE
2	Nitrate as nitrogen	16300	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	763	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	8980	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	15100	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	184000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	80	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	35	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
1	Gross alpha	8.5 ± 3.2	pCi/L	GE
2	Nonvolatile beta	74 ± 6.4	pCi/L	GE
1	Total activity	3250 ± 10	pCi/mL	EM
0	Total radium	1.4 ± 2.0	pCi/L	GE
2	Tritium	3800 ± 6.1	pCi/mL	GE

WELL HSB111D collected on 01/16/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	180	µg/L	GE
0	Fluoride	140	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	18	µg/L	GE
0	Iron	16	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	2970	µg/L	GE
0	Magnesium	2910	µg/L	GE
2	Manganese	53	µg/L	GE
2	Manganese	52	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nickel	4.5	µg/L	GE
2	Nitrate as nitrogen	50200	µg/L	GE
2	Nitrate as nitrogen	47200	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	899	µg/L	GE
0	Potassium	707	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	7470	µg/L	GE
0	Silica	7240	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	108000	µg/L	GE
1	Sodium	104000	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	389000	µg/L	GE
0	Total dissolved solids	429000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	20	µg/L	GE
0	Zinc	17	µg/L	GE

WELL HSB111D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/16/90
Depth to water: 34.01 ft (10.37 m) below TOC
Water elevation: 221.99 ft (67.66 m) msl
Sp. conductance: 580 µS/cm
Water evacuated before sampling: 200 gal

Time: 14:25
pH: 4.8
Alkalinity: 0 mg/L
Water temperature: 22.0°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	4.9	pH	GE
0	pH	4.9	pH	GE
1	Specific conductance	580	µS/cm	GE
1	Specific conductance	580	µS/cm	GE
1	Aluminum	250	µg/L	GE
1	Aluminum	238	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	48	µg/L	GE
0	Barium	48	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	6890	µg/L	GE
0	Calcium	6810	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbonate	<1000	µg/L	GE
0	Carbonate	<1000	µg/L	GE
0	Chloride	3900	µg/L	GE
0	Chloride	3900	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE

ANALYTICAL RESULTS

WELL HSB111D collected on 01/18/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
1	Gross alpha	13±3.8	pCi/L	GE
1	Gross alpha	13±5.0	pCi/L	GE
2	Nonvolatile beta	89±8.2	pCi/L	GE
2	Nonvolatile beta	121±10	pCi/L	GE
1	Total activity	17100±90	pCi/mL	EM
2	Total radium	5.6±4.1	pCi/L	GE
2	Total radium	6.8±4.3	pCi/L	GE
2	Tritium	19900±10	pCi/mL	GE
2	Tritium	18800±10	pCi/mL	GE

WELL HSB111E

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/18/90

Depth to water: 33.80 ft (10.30 m) below TOC

Water elevation: 222.10 ft (67.70 m) msl

Sp. conductance: 83 µS/cm

Water evacuated before sampling: 50 gal

Time: 13:00

pH: 4.1

Alkalinity: 0 mg/L

Water temperature: 20.2°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	4.1	pH	GE
0	Specific conductance	95	µS/cm	GE
2	Aluminum	856	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	12	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	1140	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbonate	<1000	µg/L	GE
0	Chloride	3300	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	170	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	141	µg/L	GE
0	Lead	<8.0	µg/L	GE
0	Magnesium	273	µg/L	GE
2	Manganese	77	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<4.0	µg/L	GE
1	Nitrate as nitrogen	8400	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	7870	µg/L	GE

WELL HSB111E collected on 01/18/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Silver	<2.0	µg/L	GE
1	Sodium	8800	µg/L	GE
1	Sulfate	10500	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	118000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	24	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Americium-241	<0.30	pCi/L	TE
0	Americium-243	<0.20	pCi/L	TE
0	Barium-140	<20	pCi/L	TE
0	Beryllium-7	<40	pCi/L	TE
1	Carbon-14	15±4.0	pCi/L	TE
0	Cerium-141	<10	pCi/L	TE
0	Cerium-144	<30	pCi/L	TE
0	Cesium-134	<3.0	pCi/L	TE
0	Cesium-137	<4.0	pCi/L	TE
0	Cobalt-58	<4.0	pCi/L	TE
2	Cobalt-60	70±7.0	pCi/L	TE
0	Curium-242	<0.10	pCi/L	TE
0	Curium-243/244	<0.30	pCi/L	TE
0	Curium-248	<0.20	pCi/L	TE
2	Gross alpha	83±9.7	pCi/L	GE
1	Gross alpha	9.3±2.1	pCi/L	TE
0	Iodine-129	<2.0	pCi/L	TE
0	Iodine-131	<50	pCi/L	TE
0	Iron-55	<50	pCi/L	TE
0	Iron-59	<10	pCi/L	TE
0	Manganese-54	<3.0	pCi/L	TE
0	Neptunium-237	<8.0	pCi/L	TE
0	Nickel-59	<70	pCi/L	TE
1	Nickel-63	73±10	pCi/L	TE
2	Nonvolatile beta	1540±40	pCi/L	GE
2	Nonvolatile beta	1500±100	pCi/L	TE
0	Plutonium-238	<0.10	pCi/L	TE
0	Plutonium-239/240	<0.070	pCi/L	TE
0	Plutonium-242	<0.050	pCi/L	TE
0	Potassium-40	<40	pCi/L	TE
0	Radium-226	<70	pCi/L	TE
1	Radium-226	4.4±0.70	pCi/L	TE
1	Radium-228	10±3.0	pCi/L	TE
0	Ruthenium-103	<5.0	pCi/L	TE
0	Ruthenium-106	<30	pCi/L	TE
0	Strontium-88	<40	pCi/L	TE
1	Strontium-90	600±10	pCi/L	TE
1	Technetium-99	50±10	pCi/L	TE
0	Thorium-228	<8.0	pCi/L	TE
0	Thorium-228	<0.10	pCi/L	TE
0	Thorium-230	<0.040	pCi/L	TE
1	Thorium-232	0.13±0.070	pCi/L	TE
1	Total activity	1820±30	pCi/mL	EM
2	Total radium	18±5.1	pCi/L	GE
2	Tritium	1810±4.2	pCi/mL	GE
2	Tritium	2000±100	pCi/mL	TE
1	Uranium-234	0.33±0.20	pCi/L	TE
0	Uranium-235	<0.070	pCi/L	TE
0	Uranium-238	<0.10	pCi/L	TE
0	Zinc-65	<8.0	pCi/L	TE
0	Zirconium-95	<4.0	pCi/L	TE

ANALYTICAL RESULTS

WELL HSB112C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/18/90 Time: 10:00
 Depth to water: 33.40 ft (10.18 m) below TOC pH: 8.8
 Water elevation: 221.50 ft (67.51 m) msl Alkalinity: 14 mg/L
 Sp. conductance: 238 µS/cm Water temperature: 19.6°C
 Water evacuated before sampling: 224 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	pH	8.8	pH	GE
1	Specific conductance	219	µS/cm	GE
0	Aluminum	40	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	30	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
1	Calcium	19800	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbonate	<1000	µg/L	GE
0	Chloride	3700	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethane (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	170	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	4.3	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	3870	µg/L	GE
1	Manganese	31	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<4.0	µg/L	GE
2	Nitrate as nitrogen	11700	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	752	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	9130	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	18400	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	172000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
1	Total phosphates	350	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	23	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
2	Gross alpha	20±4.1	pCi/L	GE
1	Nonvolatile beta	39±4.9	pCi/L	GE
1	Total activity	3080±10	pCi/mL	EM
0	Total radium	1.4±2.0	pCi/L	GE
2	Tritium	3630±6.2	pCi/mL	GE

WELL HSB112D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/18/90 Time: 9:40
 Depth to water: 32.29 ft (9.84 m) below TOC pH: 4.9
 Water elevation: 222.61 ft (67.91 m) msl Alkalinity: 3 mg/L
 Sp. conductance: 449 µS/cm Water temperature: 19.1°C
 Water evacuated before sampling: 105 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	4.8	pH	GE
1	Specific conductance	418	µS/cm	GE
1	Aluminum	201	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	33	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
1	Cadmium	2.3	µg/L	GE
0	Calcium	3130	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbonate	<1000	µg/L	GE
0	Chloride	2300	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethane (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
1	Cobalt	9.5	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	130	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	23	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	1780	µg/L	GE
2	Manganese	331	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	7.5	µg/L	GE
2	Nitrate as nitrogen	34700	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	1490	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	8480	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	86400	µg/L	GE
0	Sulfate	5800	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	278000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	18	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
1	Gross alpha	6.8±2.7	pCi/L	GE
2	Nonvolatile beta	54±5.6	pCi/L	GE
1	Total activity	20500±100	pCi/mL	EM
2	Total radium	5.0±2.8	pCi/L	GE
2	Tritium	2180±4.5	pCi/mL	GE
2	Tritium	22000±20	pCi/mL	GE

ANALYTICAL RESULTS

WELL HSB112D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/18/90 Time: 9:40
 Depth to water: 32.29 ft (9.84 m) below TOC pH: 4.9
 Water elevation: 222.81 ft (67.91 m) msl Alkalinity: 3 mg/L
 Sp. conductance: 449 µS/cm Water temperature: 19.1°C
 Water evacuated before sampling: 105 gal
 Note: This analysis is from an unfiltered sample.

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Silica	8480	µg/L	GE

WELL HSB112E

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/16/90 Time: 14:50
 Depth to water: 32.32 ft (9.85 m) below TOC pH: 5.7
 Water elevation: 222.78 ft (67.90 m) msl Alkalinity: 8 mg/L
 Sp. conductance: 427 µS/cm Water temperature: 22.7°C
 Water evacuated before sampling: 2 gal
 The well went dry during purging.

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.9	pH	GE
1	Specific conductance	424	µS/cm	GE
0	Aluminum	<20	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
1	Barium	113	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
1	Cadmium	2.7	µg/L	GE
0	Calcium	9650	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbonate	<1000	µg/L	GE
0	Chloride	2900	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
1	Cobalt	20	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
1	gamma-Benzene hexachloride (Lindane)	0.060	µg/L	GE
0	Iron	21	µg/L	GE
0	Lead	9.7	µg/L	GE
0	Magnesium	2360	µg/L	GE
2	Manganese	1020	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
1	Nickel	36	µg/L	GE
2	Nitrate as nitrogen	29800	µg/L	GE
0	Phenols	<5.0	µg/L	GE
1	Potassium	5500	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	3330	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	67500	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	328000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE

WELL HSB112E collected on 01/18/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Zinc	85	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
1	Gross alpha	11±5.3	pCi/L	GE
2	Nonvolatile beta	511±20	pCi/L	GE
1	Total activity	17200±90	pCi/mL	EM
2	Total radium	5.8±2.9	pCi/L	GE
2	Tritium	15000±10	pCi/mL	GE

WELL HSB113C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/02/90 Time: 13:00
 Depth to water: 39.24 ft (11.96 m) below TOC pH: 5.0
 Water elevation: 221.78 ft (67.59 m) msl Alkalinity: 0 mg/L
 Sp. conductance: 121 µS/cm Water temperature: 19.9°C
 Water evacuated before sampling: 197 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.1	pH	GE
1	Specific conductance	117	µS/cm	GE
1	Aluminum	91	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	25	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	6390	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbonate	<1000	µg/L	GE
0	Chloride	3300	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	8.9	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	1970	µg/L	GE
2	Manganese	50	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<4.0	µg/L	GE
1	Nitrate as nitrogen	9400	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	758	µg/L	GE
0	Selenium	<2.0	µg/L	GE
1	Silica	19600	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	7750	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	83000	µg/L	GE
0	Total organic carbon	1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE

ANALYTICAL RESULTS

WELL HSB113C collected on 01/02/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	10	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	3.5±2.1	pCi/L	GE
1	Nonvolatile beta	30±4.3	pCi/L	GE
1	Total activity	1310±8.0	pCi/mL	EM
0	Total radium	<1.0	pCi/L	GE
2	Tritium	1470±4.0	pCi/mL	GE

WELL HSB113D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/02/90
Depth to water: 38.12 ft (11.62 m) below TOC
Water elevation: 222.78 ft (67.80 m) ms
Sp. conductance: 426 µS/cm
Water evacuated before sampling: 34 gal
Time: 12:25
pH: 3.8
Alkalinity: 0 mg/L
Water temperature: 20.5°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	pH	3.8	pH	GE
1	Specific conductance	262	µS/cm	GE
2	Aluminum	11300	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
1	Barium	63	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	6110	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbonate	<1000	µg/L	GE
0	Chloride	2500	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
1	Cobalt	9.1	µg/L	GE
0	Copper	<1.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
1	Fluoride	670	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	73	µg/L	GE
0	Lead	17	µg/L	GE
0	Magnesium	786	µg/L	GE
2	Manganese	271	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
1	Nickel	13	µg/L	GE
2	Nitrate as nitrogen	48900	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	2030	µg/L	GE
0	Selenium	<2.0	µg/L	GE
1	Silica	32500	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	30800	µg/L	GE
0	Sulfate	5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	219000	µg/L	GE
0	Total organic carbon	1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE

WELL HSB113D collected on 01/02/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	100	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
2	Nonvolatile beta	1960±40	pCi/L	GE
1	Total activity	20100±100	pCi/mL	EM
2	Total radium	18±5.0	pCi/L	GE
2	Tritium	20800±10	pCi/mL	GE

WELL HSB114C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/02/90
Depth to water: 40.50 ft (12.34 m) below TOC
Water elevation: 223.30 ft (68.06 m) ms
Sp. conductance: 558 µS/cm
Water evacuated before sampling: 115 gal
Time: 11:55
pH: 4.8
Alkalinity: 0 mg/L
Water temperature: 19.9°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	4.8	pH	GE
1	Specific conductance	445	µS/cm	GE
2	Aluminum	472	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
1	Barium	50	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
1	Calcium	12800	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbonate	<1000	µg/L	GE
0	Chloride	4900	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	110	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	19	µg/L	GE
0	Lead	10	µg/L	GE
0	Magnesium	3840	µg/L	GE
2	Manganese	147	µg/L	GE
0	Mercury	0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
1	Nickel	11	µg/L	GE
2	Nitrate as nitrogen	73000	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	1080	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	9700	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	86900	µg/L	GE
0	Sulfate	7600	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	432000	µg/L	GE
0	Total organic carbon	1000	µg/L	GE

ANALYTICAL RESULTS

WELL HSB114C collected on 01/02/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	83	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
1	Gross alpha	13±3.9	pCi/L	GE
2	Nonvolatile beta	143±10	pCi/L	GE
1	Total activity	15900±90	pCi/mL	EM
2	Total radium	10±4.3	pCi/L	GE
2	Tridium	15600±10	pCi/mL	GE

WELL HSB114D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/07/90
 Depth to water: 40.48 ft (12.33 m) below TOC
 Water elevation: 223.54 ft (68.14 m) msl
 Sp. conductance: 351 µS/cm
 Water evacuated before sampling: 44 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	pH	4.0	pH	GE
1	Specific conductance	367	µS/cm	GE
2	Aluminum	5500	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
1	Barium	60	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	3980	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbonate	<1000	µg/L	GE
0	Chloride	2100	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
1	Cobalt	6.1	µg/L	GE
0	Copper	13	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
1	Fluoride	770	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	80	µg/L	GE
0	Lead	11	µg/L	GE
0	Magnesium	852	µg/L	GE
2	Manganese	219	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
1	Nickel	11	µg/L	GE
2	Nitrate as nitrogen	30400	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	2090	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	2140	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	32700	µg/L	GE
1	Sulfate	10200	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE

WELL HSB114D collected on 01/07/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	157000	µg/L	GE
0	Total organic carbon	1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zn	88	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
2	Gross alpha	24±4.2	pCi/L	GE
2	Nonvolatile beta	295±10	pCi/L	GE
1	Total activity	12200±80	pCi/mL	EM
0	Total radium	1.8±2.4	pCi/L	GE
2	Tridium	12600±10	pCi/mL	GE

WELL HSB114D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/07/90
 Depth to water: 40.48 ft (12.33 m) below TOC
 Water elevation: 223.54 ft (68.14 m) msl
 Sp. conductance: 351 µS/cm
 Water evacuated before sampling: 44 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Americium-241	<0.20	pCi/L	TE
0	Americium-241	<0.20	pCi/L	TE
0	Americium-243	<0.20	pCi/L	TE
0	Americium-243	<0.10	pCi/L	TE
0	Barium-140	<20	pCi/L	TE
0	Barium-140	<10	pCi/L	TE
0	Beryllium-7	<60	pCi/L	TE
0	Beryllium-7	<40	pCi/L	TE
1	Carbon-14	37±5.0	pCi/L	TE
1	Carbon-14	28±4.0	pCi/L	TE
0	Cerium-141	<10	pCi/L	TE
0	Cerium-141	<9.0	pCi/L	TE
0	Cerium-144	<40	pCi/L	TE
0	Cerium-144	<30	pCi/L	TE
0	Cesium-134	<6.0	pCi/L	TE
0	Cesium-134	<5.0	pCi/L	TE
0	Cesium-137	<6.0	pCi/L	TE
0	Cesium-137	<5.0	pCi/L	TE
0	Cobalt-58	<6.0	pCi/L	TE
0	Cobalt-58	<5.0	pCi/L	TE
2	Cobalt-60	154±20	pCi/L	TE
2	Cobalt-60	155±20	pCi/L	TE
0	Curium-242	<0.20	pCi/L	TE
0	Curium-242	<0.20	pCi/L	TE
0	Curium-243/244	<0.50	pCi/L	TE
0	Curium-243/244	<0.50	pCi/L	TE
1	Curium-248	2.0±0.70	pCi/L	TE
0	Curium-248	<0.10	pCi/L	TE
2	Gross alpha	27±4.0	pCi/L	TE
2	Gross alpha	28±4.0	pCi/L	TE
1	Iodine-129	15±2.0	pCi/L	TE
1	Iodine-129	7.5±1.4	pCi/L	TE
0	Iodine-131	<40	pCi/L	TE
0	Iodine-131	<30	pCi/L	TE
0	Iron-55	<60	pCi/L	TE
0	Iron-55	<60	pCi/L	TE
0	Iron-59	<20	pCi/L	TE
0	Iron-59	<10	pCi/L	TE
0	Manganese-54	<8.0	pCi/L	TE
0	Manganese-54	<5.0	pCi/L	TE
0	Nickel-58	<80	pCi/L	TE
0	Nickel-58	<100	pCi/L	TE
1	Nickel-63	170±10	pCi/L	TE
1	Nickel-63	190±10	pCi/L	TE

ANALYTICAL RESULTS

WELL HSB114D collected on 01/07/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
2	Nonvolatile beta	2100 ± 100	pCi/L	TE
2	Nonvolatile beta	2000 ± 100	pCi/L	TE
0	Plutonium-238	< 0.10	pCi/L	TE
0	Plutonium-238	< 1.0	pCi/L	TE
0	Plutonium-239/240	< 0.090	pCi/L	TE
0	Plutonium-239/240	< 0.70	pCi/L	TE
0	Plutonium-242	< 0.060	pCi/L	TE
0	Plutonium-242	< 0.80	pCi/L	TE
0	Potassium-40	< 100	pCi/L	TE
0	Potassium-40	< 50	pCi/L	TE
0	Radium-226	< 90	pCi/L	TE
0	Radium-226	< 70	pCi/L	TE
1	Radium-226	14 ± 1.4	pCi/L	TE
1	Radium-226	12 ± 1.2	pCi/L	TE
1	Radium-226	16 ± 3.0	pCi/L	TE
1	Radium-226	16 ± 4.0	pCi/L	TE
0	Ruthenium-103	< 8.0	pCi/L	TE
0	Ruthenium-103	< 8.0	pCi/L	TE
0	Ruthenium-106	< 50	pCi/L	TE
0	Ruthenium-106	< 40	pCi/L	TE
0	Strontium-88	< 70	pCi/L	TE
0	Strontium-88	< 60	pCi/L	TE
1	Strontium-90	1300 ± 100	pCi/L	TE
1	Strontium-90	1400 ± 100	pCi/L	TE
1	Technetium-99	70 ± 6.0	pCi/L	TE
1	Technetium-99	63 ± 6.0	pCi/L	TE
0	Thorium-228	< 8.0	pCi/L	TE
0	Thorium-228	< 7.0	pCi/L	TE
0	Thorium-228	< 2.0	pCi/L	TE
0	Thorium-228	< 1.0	pCi/L	TE
1	Thorium-230	4.7 ± 3.0	pCi/L	TE
1	Thorium-230	2.5 ± 2.1	pCi/L	TE
0	Thorium-232	< 0.30	pCi/L	TE
0	Thorium-232	< 0.30	pCi/L	TE
2	Tritium	13000 ± 1000	pCi/mL	TE
2	Tritium	12000 ± 1000	pCi/mL	TE
1	Uranium-234	14 ± 4.0	pCi/L	TE
1	Uranium-234	1.7 ± 0.90	pCi/L	TE
1	Uranium-235	2.3 ± 1.8	pCi/L	TE
0	Uranium-235	< 0.20	pCi/L	TE
1	Uranium-238	3.8 ± 2.5	pCi/L	TE
0	Uranium-238	< 0.30	pCi/L	TE
0	Zinc-65	< 10	pCi/L	TE
0	Zinc-65	< 10	pCi/L	TE
0	Zirconium-95	< 7.0	pCi/L	TE
0	Zirconium-95	< 5.0	pCi/L	TE

WELL HSB115C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/03/90
Depth to water: 45.39 ft (13.84 m) below TOC
Water elevation: 223.91 ft (68.25 m) msl
Sp. conductance: 749 µS/cm
Water evacuated before sampling: 16 gal
The well went dry during purging.

Time: 10:05
pH: 11.6
Alkalinity: 54 mg/L
Water temperature: 18.3°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
2	pH	11	pH	GE
1	Specific conductance	610	µS/cm	GE
2	Aluminum	1640	µg/L	GE
0	Antimony	< 3.0	µg/L	GE
0	Arsenic	< 2.0	µg/L	GE
0	Barium	22	µg/L	GE
0	Benzene	< 1.0	µg/L	GE
0	Bromodichloromethane	< 1.0	µg/L	GE
0	Bromoform	< 1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	< 1.0	µg/L	GE
0	Cadmium	< 2.0	µg/L	GE
1	Calcium	44300	µg/L	GE
0	Carbon tetrachloride	< 1.0	µg/L	GE
1	Carbonate	105000	µg/L	GE
0	Chloride	1400	µg/L	GE
0	Chlorobenzene	< 1.0	µg/L	GE
0	Chloroethane	< 1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	< 1.0	µg/L	GE
0	Chloroform	< 1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	< 1.0	µg/L	GE
0	Chromium	< 4.0	µg/L	GE
0	cis-1,3-Dichloropropene	< 1.0	µg/L	GE
0	Cobalt	< 4.0	µg/L	GE
0	Copper	< 4.0	µg/L	GE
0	Cyanide	< 5.0	µg/L	GE
0	Dibromochloromethane	< 1.0	µg/L	GE

WELL HSB115C collected on 01/03/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Dichloromethane (Methylene chloride)	< 1.0	µg/L	GE
0	Endrin	< 0.10	µg/L	GE
0	Ethylbenzene	< 1.0	µg/L	GE
0	Fluoride	< 100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	< 0.050	µg/L	GE
0	Iron	20	µg/L	GE
0	Lead	< 6.0	µg/L	GE
0	Magnesium	138	µg/L	GE
0	Manganese	< 2.0	µg/L	GE
0	Mercury	< 0.20	µg/L	GE
0	Methoxychlor	< 0.50	µg/L	GE
0	Nickel	< 4.0	µg/L	GE
2	Nitrate as nitrogen	54900	µg/L	GE
0	Phenols	< 5.0	µg/L	GE
0	Potassium	1680	µg/L	GE
0	Selenium	< 2.0	µg/L	GE
0	Silica	7330	µg/L	GE
0	Silver	< 2.0	µg/L	GE
1	Sodium	83600	µg/L	GE
0	Sulfate	5100	µg/L	GE
0	Tetrachloroethylene	< 1.0	µg/L	GE
0	Toluene	< 1.0	µg/L	GE
0	Total dissolved solids	459000	µg/L	GE
0	Total organic carbon	< 1000	µg/L	GE
0	Total organic halogens	< 5.0	µg/L	GE
0	Total phosphates	< 50	µg/L	GE
0	Toxaphene	< 1.0	µg/L	GE
0	trans-1,2-Dichloroethene	< 1.0	µg/L	GE
0	trans-1,3-Dichloropropene	< 1.0	µg/L	GE
0	Trichloroethylene	< 1.0	µg/L	GE
0	Trichlorofluoromethane	< 1.0	µg/L	GE
0	Uranium	< 1000	µg/L	GE
0	Vanadium	< 20	µg/L	GE
0	Zinc	4.4	µg/L	GE
0	1,1-Dichloroethane	< 1.0	µg/L	GE
0	1,1-Dichloroethylene	< 1.0	µg/L	GE
0	1,1,1-Trichloroethane	< 1.0	µg/L	GE
0	1,1,2-Trichloroethane	< 1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	< 1.0	µg/L	GE
0	1,2-Dichloroethane	< 1.0	µg/L	GE
0	1,2-Dichloropropene	< 1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	< 1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	< 0.30	µg/L	GE
0	2,4,5-TP (Silvex)	< 0.090	µg/L	GE
0	Gross alpha	< 3.0	pCi/L	GE
0	Nonvolatile beta	7.9 ± 3.3	pCi/L	GE
1	Total activity	22600 ± 100	pCi/mL	EM
1	Total radium	3.5 ± 2.7	pCi/L	GE
2	Tritium	22900 ± 20	pCi/mL	GE

WELL HSB115D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/03/90
Depth to water: 44.98 ft (13.70 m) below TOC
Water elevation: 224.14 ft (68.32 m) msl
Sp. conductance: 346 µS/cm
Water evacuated before sampling: 3 gal
The well went dry during purging.

Time: 9:45
pH: 6.0
Alkalinity: 6 mg/L
Water temperature: 18.3°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	6.0	pH	GE
1	Specific conductance	270	µS/cm	GE
0	Aluminum	71	µg/L	GE
0	Antimony	< 3.0	µg/L	GE
0	Arsenic	< 2.0	µg/L	GE
1	Barium	74	µg/L	GE
0	Benzene	< 1.0	µg/L	GE
0	Bromodichloromethane	< 1.0	µg/L	GE
0	Bromoform	< 1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	< 1.0	µg/L	GE
0	Cadmium	< 2.0	µg/L	GE
1	Calcium	27000	µg/L	GE
0	Carbon tetrachloride	< 1.0	µg/L	GE
0	Carbonate	< 1000	µg/L	GE
0	Chloride	1700	µg/L	GE
0	Chlorobenzene	< 1.0	µg/L	GE
0	Chloroethane	< 1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	< 1.0	µg/L	GE
0	Chloroform	< 1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	< 1.0	µg/L	GE
0	Chromium	< 4.0	µg/L	GE
0	cis-1,3-Dichloropropene	< 1.0	µg/L	GE
1	Cobalt	21	µg/L	GE

ANALYTICAL RESULTS

WELL HSB116D collected on 01/03/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Copper	<4.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	180	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	28	µg/L	GE
0	Lead	13	µg/L	GE
0	Magnesium	1110	µg/L	GE
2	Manganese	385	µg/L	GE
0	Mercury	0.30	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
1	Nickel	86	µg/L	GE
2	Nitrate as nitrogen	30800	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	1530	µg/L	GE
0	Selenium	<2.0	µg/L	GE
1	Silica	24700	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	28400	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	339000	µg/L	GE
0	Total organic carbon	1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethane	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	159	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
1	Gross alpha	9.8±5.0	pCi/L	GE
2	Nonvolatile beta	443±20	pCi/mL	GE
1	Total activity	10900±70	pCi/mL	EM
2	Total radium	339±30	pCi/L	GE
2	Tritium	10900±10	pCi/mL	GE

WELL HSB116C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/02/90
 Depth to water: 32.81 ft (10.00 m) below TOC
 Water elevation: 224.69 ft (68.49 m) msl
 Sp. conductance: 432 µS/cm
 Water evacuated before sampling: 131 gal

Time: 10:25
 pH: 5.8
 Alkalinity: 2 mg/L
 Water temperature: 19.5°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.7	pH	GE
1	Specific conductance	315	µS/cm	GE
1	Aluminum	94	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	44	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	3600	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbonate	<1000	µg/L	GE
0	Chloride	1100	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE

WELL HSB116C collected on 01/02/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
1	Cobalt	47	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	8.1	µg/L	GE
0	Lead	8.8	µg/L	GE
0	Magnesium	774	µg/L	GE
2	Manganese	443	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	8.4	µg/L	GE
2	Nitrate as nitrogen	41600	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	1750	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	8300	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	68300	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	293000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethane	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
1	Trichlorofluoromethane	39	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	11	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	8.8±3.3	pCi/L	GE
1	Total activity	25700±110	pCi/mL	EM
0	Total radium	<1.0	pCi/L	GE
2	Tritium	28300±20	pCi/mL	GE

WELL HSB116D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/06/90
 Depth to water: 31.38 ft (9.56 m) below TOC
 Water elevation: 225.42 ft (68.71 m) msl
 Sp. conductance: 307 µS/cm
 Water evacuated before sampling: 45 gal

Time: 10:50
 pH: 4.1
 Alkalinity: 0 mg/L
 Water temperature: 21.8°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	4.2	pH	GE
1	Specific conductance	301	µS/cm	GE
2	Aluminum	4350	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
1	Barium	174	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	6040	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbonate	<1000	µg/L	GE
0	Chloride	2100	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE

ANALYTICAL RESULTS

WELL HSB116D collected on 01/06/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Chloroethene (Vinyl chloride)	< 1.0	µg/L	GE
0	Chloroform	< 1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	< 1.0	µg/L	GE
0	Chromium	< 4.0	µg/L	GE
0	cis-1,3-Dichloropropene	< 1.0	µg/L	GE
1	Cobalt	7.1	µg/L	GE
0	Copper	8.0	µg/L	GE
0	Cyanide	< 5.0	µg/L	GE
0	Dibromochloromethane	< 1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	< 1.0	µg/L	GE
0	Endrin	< 0.10	µg/L	GE
0	Ethylbenzene	< 1.0	µg/L	GE
1	Fluoride	800	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	< 0.050	µg/L	GE
0	Iron	99	µg/L	GE
2	Lead	42	µg/L	GE
0	Magnesium	1640	µg/L	GE
2	Manganese	518	µg/L	GE
0	Mercury	< 0.20	µg/L	GE
0	Methoxychlor	< 0.50	µg/L	GE
1	Nickel	29	µg/L	GE
2	Nitrate as nitrogen	28800	µg/L	GE
0	Phenols	< 5.0	µg/L	GE
0	Potassium	2080	µg/L	GE
0	Selenium	< 2.0	µg/L	GE
0	Silica	1170	µg/L	GE
0	Silver	< 2.0	µg/L	GE
1	Sodium	27900	µg/L	GE
0	Sulfate	< 5000	µg/L	GE
0	Tetrachloroethylene	< 1.0	µg/L	GE
0	Toluene	< 1.0	µg/L	GE
0	Total dissolved solids	150000	µg/L	GE
0	Total organic carbon	1000	µg/L	GE
0	Total organic halogens	< 5.0	µg/L	GE
0	Total phosphates	< 50	µg/L	GE
0	Toxaphene	< 1.0	µg/L	GE
0	trans-1,2-Dichloroethene	< 1.0	µg/L	GE
0	trans-1,3-Dichloropropene	< 1.0	µg/L	GE
0	Trichloroethylene	< 1.0	µg/L	GE
0	Trichlorofluoromethane	< 1.0	µg/L	GE
0	Uranium	< 1000	µg/L	GE
0	Vanadium	< 20	µg/L	GE
2	Zinc	91	µg/L	GE
0	1,1-Dichloroethane	< 1.0	µg/L	GE
0	1,1-Dichloroethylene	< 1.0	µg/L	GE
0	1,1,1-Trichloroethane	< 1.0	µg/L	GE
0	1,1,2-Trichloroethane	< 1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	< 1.0	µg/L	GE
0	1,2-Dichloroethane	< 1.0	µg/L	GE
0	1,2-Dichloropropane	< 1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	< 1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	< 0.30	µg/L	GE
0	2,4,5-TP (Silvex)	< 0.090	µg/L	GE
1	Americium-241	0.31 ± 0.28	pCi/L	TE
0	Americium-243	< 0.20	pCi/L	TE
0	Barium-140	< 20	pCi/L	TE
0	Beryllium-7	< 70	pCi/L	TE
1	Carbon-14	32 ± 4.0	pCi/L	TE
0	Cerium-141	< 20	pCi/L	TE
0	Cerium-144	< 40	pCi/L	TE
0	Cesium-134	< 7.0	pCi/L	TE
0	Cesium-137	< 7.0	pCi/L	TE
0	Cobalt-58	< 8.0	pCi/L	TE
2	Cobalt-60	296 ± 30	pCi/L	TE
0	Curium-242	< 0.20	pCi/L	TE
0	Curium-243/244	< 0.50	pCi/L	TE
0	Curium-248	< 0.20	pCi/L	TE
2	Gross alpha	22 ± 4.1	pCi/L	GE
2	Gross alpha	40 ± 5.0	pCi/L	TE
1	Iodine-129	7.9 ± 1.5	pCi/L	TE
0	Iodine-131	< 60	pCi/L	TE
0	Iron-55	< 60	pCi/L	TE
0	Iron-59	< 20	pCi/L	TE
0	Manganese-54	< 7.0	pCi/L	TE
0	Nickel-58	< 90	pCi/L	TE
1	Nickel-63	330 ± 10	pCi/L	TE
2	Nonvolatile beta	285 ± 10	pCi/L	GE
2	Nonvolatile beta	7000 ± 100	pCi/L	TE
0	Plutonium-238	< 1.0	pCi/L	TE
0	Plutonium-239/240	< 0.50	pCi/L	TE
0	Plutonium-242	< 0.30	pCi/L	TE
0	Potassium-40	< 90	pCi/L	TE
0	Radium-226	< 100	pCi/L	TE
1	Radium-228	31 ± 3.1	pCi/L	TE
1	Radium-228	44 ± 7.0	pCi/L	TE
0	Ruthenium-103	< 8.0	pCi/L	TE
0	Ruthenium-106	< 60	pCi/L	TE
1	Strontium-89	120 ± 50	pCi/L	TE
1	Strontium-90	2000 ± 100	pCi/L	TE

WELL HSB116D collected on 01/06/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
1	Technetium-99	100 ± 10	pCi/L	TE
0	Thorium-228	< 1.0	pCi/L	TE
0	Thorium-230	< 1.0	pCi/L	TE
1	Thorium-232	3.8 ± 2.2	pCi/L	TH
0	Thorium-232	< 0.30	pCi/L	TE
1	Total activity	18800 ± 90	pCi/mL	EM
0	Total radium	< 1.0	pCi/L	GE
2	Tritium	18800 ± 10	pCi/mL	GE
2	Tritium	18000 ± 1000	pCi/mL	TE
0	Uranium-234	< 0.80	pCi/L	TE
0	Uranium-235	< 0.40	pCi/L	TE
0	Uranium-238	< 0.80	pCi/L	TE
0	Zinc-65	< 20	pCi/L	TE
0	Zirconium-95	< 8.0	pCi/L	TE

WELL HSB116D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/06/90
 Depth to water: 31.38 ft (9.58 m) below TOC
 Water elevation: 225.42 ft (68.71 m) msl
 Sp. conductance: 307 µS/cm
 Water evacuated before sampling: 45 gal
 Time: 10:50
 pH: 4.1
 Alkalinity: 0 mg/L
 Water temperature: 21.8°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Americium-241	< 0.30	pCi/L	TE
0	Americium-243	< 0.30	pCi/L	TE
0	Barium-140	< 10	pCi/L	TE
0	Beryllium-7	< 60	pCi/L	TE
1	Carbon-14	30 ± 5.0	pCi/L	TE
0	Cerium-141	< 10	pCi/L	TE
0	Cerium-144	< 40	pCi/L	TE
0	Cesium-134	< 8.0	pCi/L	TE
0	Cesium-137	< 8.0	pCi/L	TE
0	Cobalt-58	< 7.0	pCi/L	TE
2	Cobalt-60	309 ± 30	pCi/L	TE
0	Curium-242	< 0.10	pCi/L	TE
0	Curium-243/244	< 0.40	pCi/L	TE
1	Curium-248	1.5 ± 0.80	pCi/L	TE
2	Gross alpha	32 ± 5.0	pCi/L	TE
1	Iodine-129	8.8 ± 1.4	pCi/L	TE
0	Iodine-131	< 50	pCi/L	TE
0	Iron-55	< 80	pCi/L	TE
0	Iron-59	< 20	pCi/L	TE
0	Manganese-54	< 6.0	pCi/L	TE
0	Nickel-58	< 90	pCi/L	TE
1	Nickel-63	320 ± 10	pCi/L	TE
2	Nonvolatile beta	8800 ± 100	pCi/L	TE
0	Plutonium-238	< 1.0	pCi/L	TE
0	Plutonium-239/240	< 0.30	pCi/L	TE
0	Plutonium-242	< 0.30	pCi/L	TE
1	Potassium-40	77 ± 30	pCi/L	TE
0	Radium-226	< 100	pCi/L	TE
1	Radium-228	33 ± 3.3	pCi/L	TE
1	Radium-228	44 ± 7.0	pCi/L	TE
0	Ruthenium-103	< 8.0	pCi/L	TE
0	Ruthenium-106	< 60	pCi/L	TE
1	Strontium-89	180 ± 40	pCi/L	TE
1	Strontium-90	1100 ± 100	pCi/L	TE
1	Technetium-99	110 ± 10	pCi/L	TE
0	Thorium-228	< 8.0	pCi/L	TE
0	Thorium-228	< 0.20	pCi/L	TE
1	Thorium-230	3.9 ± 1.0	pCi/L	TE
0	Thorium-232	< 0.10	pCi/L	TE
2	Tritium	19000 ± 1000	pCi/mL	TE
1	Uranium-234	14 ± 3.0	pCi/L	TE
0	Uranium-235	< 0.50	pCi/L	TE
0	Uranium-238	< 1.0	pCi/L	TE
0	Zinc-65	< 10	pCi/L	TE
0	Zirconium-95	< 7.0	pCi/L	TE

ANALYTICAL RESULTS

WELL HSB116D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/08/90
 Depth to water: 31.38 ft (9.58 m) below TOC
 Water elevation: 225.42 ft (68.71 m) msl
 Sp. conductance: 307 µS/cm
 Water evacuated before sampling: 45 gal
 Note: This analysis is from an unfiltered sample.

Time: 10:50
 pH: 4.1
 Alkalinity: 0 mg/L
 Water temperature: 21.8°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	Silica	14300	µg/L	GE

WELL HSB117A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/13/90
 Depth to water: 71.43 ft (21.77 m) below TOC
 Water elevation: 164.87 ft (50.25 m) msl
 Sp. conductance: 139 µS/cm
 Water evacuated before sampling: 225 gal

Time: 12:00
 pH: 6.0
 Alkalinity: 49 mg/L
 Water temperature: 17.1°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	pH	7.0	pH	GE
1	Specific conductance	110	µS/cm	GE
0	Aluminum	28	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	35	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
1	Calcium	21100	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbonate	<1000	µg/L	GE
0	Chloride	2300	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethane (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	130	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	8.0	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	910	µg/L	GE
2	Manganese	156	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	50	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	2180	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	2470	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	2310	µg/L	GE
0	Sulfate	6400	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	100000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	8.0	µg/L	GE
0	Total phosphates	130	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE

WELL HSB117A collected on 01/13/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Zinc	9.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.080	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatiles beta	3.6±2.3	pCi/L	GE
0	Total radium	<1.0	pCi/L	GE
0	Trillium	<0.70	pCi/mL	GE

WELL HSB117C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/13/90
 Depth to water: 14.04 ft (4.55 m) below TOC
 Water elevation: 221.38 ft (67.47 m) msl
 Sp. conductance: 479 µS/cm
 Water evacuated before sampling: 164 gal

Time: 11:40
 pH: 5.4
 Alkalinity: 1 mg/L
 Water temperature: 16.4°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.3	pH	GE
1	Specific conductance	437	µS/cm	GE
2	Aluminum	420	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
1	Barium	78	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
1	Calcium	12000	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbonate	<1000	µg/L	GE
0	Chloride	5500	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethane (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
1	Cobalt	3.8	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
1	Dichloromethane (Methylene chloride)	38	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	19	µg/L	GE
0	Lead	<6.0	µg/L	GE
1	Magnesium	5900	µg/L	GE
2	Manganese	99	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<4.0	µg/L	GE
2	Nitrate as nitrogen	42600	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	864	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	8380	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	68300	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	344000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE

ANALYTICAL RESULTS

WELL HSB117C collected on 01/13/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Uranium	< 1000	µg/L	GE
0	Vanadium	< 20	µg/L	GE
0	Zinc	10	µg/L	GE
0	1,1-Dichloroethane	< 1.0	µg/L	GE
0	1,1-Dichloroethylene	< 1.0	µg/L	GE
0	1,1,1-Trichloroethane	< 1.0	µg/L	GE
0	1,1,2-Trichloroethane	< 1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	< 1.0	µg/L	GE
0	1,2-Dichloroethane	< 1.0	µg/L	GE
0	1,2-Dichloropropane	< 1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	< 1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	< 0.30	µg/L	GE
0	2,4,5-TP (Silvex)	< 0.090	µg/L	GE
2	Gross alpha	23 ± 4.5	pCi/L	GE
2	Nonvolatile beta	80 ± 5.9	pCi/L	GE
1	Total activity	10000 ± 70	pCi/mL	EM
2	Total radium	7.9 ± 3.4	pCi/L	GE
2	Tritium	11200 ± 10	pCi/mL	GE

WELL HSB117D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/13/90 Time: 12:15
 Depth to water: 12.29 ft (3.75 m) below TOC pH: 5.9
 Water elevation: 224.01 ft (68.28 m) msl Alkalinity: 2 mg/L
 Sp. conductance: 31 µS/cm Water temperature: 17.0 C
 Water evacuated before sampling: 80 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.1	pH	GE
0	Specific conductance	43	µS/cm	GE
0	Aluminum	< 20	µg/L	GE
0	Antimony	< 3.0	µg/L	GE
0	Arsenic	< 2.0	µg/L	GE
0	Barium	< 4.0	µg/L	GE
0	Benzene	< 1.0	µg/L	GE
0	Bromodichloromethane	< 1.0	µg/L	GE
0	Bromoform	< 1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	< 1.0	µg/L	GE
0	Cadmium	< 2.0	µg/L	GE
0	Calcium	522	µg/L	GE
0	Carbon tetrachloride	< 1.0	µg/L	GE
0	Carbonate	< 1000	µg/L	GE
0	Chloride	3400	µg/L	GE
0	Chlorobenzene	< 1.0	µg/L	GE
0	Chloroethane	< 1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	< 1.0	µg/L	GE
0	Chloroform	< 1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	< 1.0	µg/L	GE
0	Chromium	< 4.0	µg/L	GE
0	cis-1,3-Dichloropropene	< 1.0	µg/L	GE
0	Cobalt	< 4.0	µg/L	GE
0	Copper	< 4.0	µg/L	GE
0	Cyanide	< 5.0	µg/L	GE
0	Dibromochloromethane	< 1.0	µg/L	GE
1	Dichloromethane (Methylene chloride)	8.0	µg/L	GE
0	Endrin	< 0.10	µg/L	GE
0	Ethylbenzene	< 1.0	µg/L	GE
0	Fluoride	< 100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	< 0.050	µg/L	GE
0	Iron	10	µg/L	GE
0	Lead	< 6.0	µg/L	GE
0	Magnesium	326	µg/L	GE
0	Manganese	2.8	µg/L	GE
0	Mercury	< 0.20	µg/L	GE
0	Methoxychlor	< 0.50	µg/L	GE
0	Nickel	< 4.0	µg/L	GE
0	Nitrate as nitrogen	1800	µg/L	GE
0	Phenols	< 5.0	µg/L	GE
0	Potassium	< 500	µg/L	GE
0	Selenium	< 2.0	µg/L	GE
0	Silica	5640	µg/L	GE
0	Silver	< 2.0	µg/L	GE
0	Sodium	4500	µg/L	GE
0	Sulfate	< 5000	µg/L	GE
0	Tetrachloroethylene	< 1.0	µg/L	GE
0	Toluene	< 1.0	µg/L	GE
0	Total dissolved solids	37000	µg/L	GE
0	Total organic carbon	1000	µg/L	GE
0	Total organic halogens	< 5.0	µg/L	GE
0	Total phosphates	70	µg/L	GE
0	Toxaphene	< 1.0	µg/L	GE
0	trans-1,2-Dichloroethene	< 1.0	µg/L	GE

WELL HSB117D collected on 01/13/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	trans-1,3-Dichloropropene	< 1.0	µg/L	GE
0	Trichloroethylene	< 1.0	µg/L	GE
0	Trichlorofluoromethane	< 1.0	µg/L	GE
0	Uranium	< 1000	µg/L	GE
0	Vanadium	< 20	µg/L	GE
0	Zinc	5.7	µg/L	GE
0	1,1-Dichloroethane	< 1.0	µg/L	GE
0	1,1-Dichloroethylene	< 1.0	µg/L	GE
0	1,1,1-Trichloroethane	< 1.0	µg/L	GE
0	1,1,2-Trichloroethane	< 1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	< 1.0	µg/L	GE
0	1,2-Dichloroethane	< 1.0	µg/L	GE
0	1,2-Dichloropropane	< 1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	< 1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	< 0.30	µg/L	GE
0	2,4,5-TP (Silvex)	< 0.090	µg/L	GE
0	Gross alpha	< 3.0	pCi/L	GE
0	Nonvolatile beta	8.0 ± 2.1	pCi/L	GE
1	Total activity	304 ± 4.0	pCi/mL	EM
0	Total radium	< 1.2	pCi/L	GE
2	Tritium	402 ± 2.1	pCi/mL	GE

WELL HSB118A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/01/90 Time: 14:20
 Depth to water: 81.10 ft (24.72 m) below TOC pH: 6.8
 Water elevation: 168.20 ft (50.66 m) msl Alkalinity: 54 mg/L
 Sp. conductance: 160 µS/cm Water temperature: 19.5 C
 Water evacuated before sampling: 212 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	pH	6.9	pH	GE
1	Specific conductance	167	µS/cm	GE
0	Aluminum	< 20	µg/L	GE
0	Antimony	< 3.0	µg/L	GE
0	Arsenic	< 2.0	µg/L	GE
1	Barium	54	µg/L	GE
0	Benzene	< 1.0	µg/L	GE
0	Bromodichloromethane	< 1.0	µg/L	GE
0	Bromoform	< 1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	< 1.0	µg/L	GE
0	Cadmium	< 2.0	µg/L	GE
1	Calcium	27100	µg/L	GE
0	Carbon tetrachloride	< 1.0	µg/L	GE
0	Carbonate	< 1000	µg/L	GE
0	Chloride	2400	µg/L	GE
0	Chlorobenzene	< 1.0	µg/L	GE
0	Chloroethane	< 1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	< 1.0	µg/L	GE
0	Chloroform	< 1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	< 1.0	µg/L	GE
0	Chromium	< 4.0	µg/L	GE
0	cis-1,3-Dichloropropene	< 1.0	µg/L	GE
0	Cobalt	< 4.0	µg/L	GE
0	Copper	< 4.0	µg/L	GE
0	Cyanide	< 5.0	µg/L	GE
0	Dibromochloromethane	< 1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	< 1.0	µg/L	GE
0	Endrin	< 0.10	µg/L	GE
0	Ethylbenzene	< 1.0	µg/L	GE
0	Fluoride	140	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	< 0.050	µg/L	GE
0	Iron	13	µg/L	GE
0	Lead	< 6.0	µg/L	GE
0	Magnesium	726	µg/L	GE
2	Manganese	82	µg/L	GE
0	Mercury	< 0.20	µg/L	GE
0	Methoxychlor	< 0.50	µg/L	GE
0	Nickel	< 4.0	µg/L	GE
0	Nitrate as nitrogen	< 50	µg/L	GE
0	Phenols	< 5.0	µg/L	GE
0	Potassium	3220	µg/L	GE
0	Selenium	< 2.0	µg/L	GE
1	Silica	31800	µg/L	GE
0	Silver	< 2.0	µg/L	GE
0	Sodium	2870	µg/L	GE
0	Sulfate	8600	µg/L	GE
0	Tetrachloroethylene	< 1.0	µg/L	GE
0	Toluene	< 1.0	µg/L	GE
0	Total dissolved solids	120000	µg/L	GE
1	Total organic carbon	17000	µg/L	GE
0	Total organic halogens	< 5.0	µg/L	GE

ANALYTICAL RESULTS

WELL HSB118A collected on 01/01/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Total phosphates	240	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	8.5	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
1	Nonvolatile beta	11±3.0	pCi/L	GE
0	Total radium	1.8±2.1	pCi/L	GE
0	Tritium	<0.70	pCi/mL	GE

WELL HSB119A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/16/90
 Depth to water: 91.51 ft (27.89 m) below TOC
 Water elevation: 165.59 ft (50.47 m) msl
 Sp. conductance: 180 µS/cm
 Water evacuated before sampling: 204 gal

Time: 11:50
 pH: 7.5
 Alkalinity: 57 mg/L
 Water temperature: 20.6°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	pH	7.5	pH	GE
1	Specific conductance	171	µS/cm	GE
0	Aluminum	26	µg/L	GE
0	Antimony	<3.0	µg/L	GE
1	Arsenic	3.6	µg/L	GE
0	Barium	27	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
1	Calcium	24100	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbonate	<1000	µg/L	GE
0	Chloride	2800	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	10	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	910	µg/L	GE
0	Manganese	2.1	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	2000	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	4290	µg/L	GE
0	Selenium	<2.0	µg/L	GE
1	Silica	33300	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	5090	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	137000	µg/L	GE

WELL HSB118A collected on 01/16/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Total organic carbon	1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
1	Total phosphates	350	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	4.4	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	6.2±1.7	pCi/L	GE
0	Total radium	1.6±2.4	pCi/L	GE
2	Tritium	182±1.4	pCi/mL	GE

WELL HSB119A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/16/90
 Depth to water: 91.51 ft (27.89 m) below TOC
 Water elevation: 165.59 ft (50.47 m) msl
 Sp. conductance: 180 µS/cm
 Water evacuated before sampling: 204 gal
 Note: This analysis is from an unfiltered sample.

Time: 11:50
 pH: 7.5
 Alkalinity: 57 mg/L
 Water temperature: 20.6°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	Silica	32300	µg/L	GE

WELL HSB120A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/17/90
 Depth to water: 103.03 ft (31.40 m) below TOC
 Water elevation: 165.17 ft (50.34 m) msl
 Sp. conductance: 210 µS/cm
 Water evacuated before sampling: 209 gal

Time: 9:40
 pH: 7.9
 Alkalinity: 72 mg/L
 Water temperature: 19.3°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	pH	7.7	pH	GE
1	Specific conductance	198	µS/cm	GE
0	Aluminum	<20	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	22	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
1	Calcium	27200	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbonate	<1000	µg/L	GE
0	Chloride	2600	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE

ANALYTICAL RESULTS

WELL HSB120A collected on 01/17/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Fluoride	100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	13	µg/L	GE
0	Lead	<8.0	µg/L	GE
0	Magnesium	552	µg/L	GE
0	Manganese	7.1	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	<50	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	2410	µg/L	GE
0	Selenium	<2.0	µg/L	GE
1	Silica	29200	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	4270	µg/L	GE
0	Sulfate	5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	149000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	80	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	3.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	5.3 ± 1.6	pCi/L	GE
0	Total radium	1.4 ± 2.6	pCi/L	GE
0	Tritium	<0.70	pCi/mL	GE

WELL HSB121A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/20/90
 Depth to water: 104.39 ft (31.82 m) below TOC
 Water elevation: 170.21 ft (51.88 m) msl
 Sp. conductance: 234 µS/cm
 Water evacuated before sampling: 229 gal

Time: 11:10
 pH: 7.5
 Alkalinity: 74 mg/L
 Water temperature: 17.6°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	pH	7.4	pH	MT
1	pH	7.7	pH	GE
1	Specific conductance	249	µS/cm	MT
1	Specific conductance	220	µS/cm	GE
1	Alkalinity	105000	µg/L	MT
0	Aluminum	<23	µg/L	MT
0	Aluminum	<20	µg/L	GE
0	Antimony	<3.0	µg/L	MT
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<3.0	µg/L	MT
1	Arsenic	2.3	µg/L	GE
0	Barium	33	µg/L	MT
0	Barium	32	µg/L	GE
0	Benzene	<5.0	µg/L	MT
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<5.0	µg/L	MT
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<5.0	µg/L	MT
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<10	µg/L	MT
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<3.0	µg/L	MT
0	Cadmium	<2.0	µg/L	GE
1	Calcium	39200	µg/L	MT
1	Calcium	48300	µg/L	GE
0	Carbon tetrachloride	<5.0	µg/L	MT
0	Carbon tetrachloride	<1.0	µg/L	GE

WELL HSB121A collected on 01/20/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Carbonate	<1000	µg/L	GE
0	Chloride	2800	µg/L	MT
0	Chloride	2600	µg/L	GE
0	Chlorobenzene	<5.0	µg/L	MT
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<10	µg/L	MT
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<5.0	µg/L	MT
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<5.0	µg/L	MT
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<10	µg/L	MT
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<3.0	µg/L	MT
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<5.0	µg/L	MT
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<15	µg/L	MT
0	Cobalt	<4.0	µg/L	GE
0	Copper	<7.0	µg/L	MT
0	Copper	<4.0	µg/L	GE
0	Cyanide	<5.0	µg/L	MT
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<5.0	µg/L	MT
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<5.0	µg/L	MT
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.0060	µg/L	MT
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<5.0	µg/L	MT
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<250	µg/L	MT
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.0050	µg/L	MT
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	42	µg/L	MT
0	Iron	57	µg/L	GE
0	Lead	<3.0	µg/L	MT
0	Lead	<6.0	µg/L	GE
0	Magnesium	794	µg/L	MT
0	Magnesium	651	µg/L	GE
0	Manganese	11	µg/L	MT
0	Manganese	9.5	µg/L	GE
0	Mercury	<0.20	µg/L	MT
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	MT
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<5.2	µg/L	MT
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	<200	µg/L	MT
0	Nitrate as nitrogen	<50	µg/L	GE
0	Phenols	<5.0	µg/L	MT
0	Phenols	<5.0	µg/L	GE
1	Potassium	8300	µg/L	MT
0	Potassium	4420	µg/L	GE
0	Selenium	<3.0	µg/L	MT
0	Selenium	<2.0	µg/L	GE
0	Silica	4180	µg/L	MT
1	Silica	40600	µg/L	GE
1	Silica	41600	µg/L	MT
0	Silver	<2.0	µg/L	MT
0	Silver	<2.0	µg/L	GE
0	Sodium	3450	µg/L	MT
0	Sodium	3830	µg/L	GE
1	Sulfate	10200	µg/L	MT
1	Sulfate	10100	µg/L	GE
0	Tetrachloroethylene	<5.0	µg/L	MT
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<5.0	µg/L	MT
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	196000	µg/L	MT
0	Total dissolved solids	190000	µg/L	GE
0	Total organic carbon	<1000	µg/L	MT
0	Total organic carbon	1000	µg/L	GE
2	Total organic halogens	58	µg/L	MT
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	30	µg/L	MT
0	Total phosphates	100	µg/L	GE
0	Toxaphene	<0.24	µg/L	MT
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<5.0	µg/L	MT
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<5.0	µg/L	MT
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<5.0	µg/L	MT
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<5.0	µg/L	MT
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<84	µg/L	MT

ANALYTICAL RESULTS

WELL HSB121A collected on 01/20/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Uranium	<1000	µg/L	GE
1	Vanadium	4.2	µg/L	MT
0	Vanadium	<20	µg/L	GE
0	Zinc	<9.0	µg/L	MT
0	Zinc	7.0	µg/L	GE
0	1,1-Dichloroethane	<5.0	µg/L	MT
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<5.0	µg/L	MT
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<5.0	µg/L	MT
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<5.0	µg/L	MT
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<5.0	µg/L	MT
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<5.0	µg/L	MT
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<5.0	µg/L	MT
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<5.0	µg/L	MT
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.48	µg/L	MT
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.070	µg/L	MT
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	<3.0	pCi/L	MT
0	Gross alpha	<3.0	pCi/L	GE
0	Gross alpha	<3.0	pCi/L	MT
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	6.1±3.6	pCi/L	MT
0	Nonvolatile beta	6.1±3.6	pCi/L	GE
0	Nonvolatile beta	<2.0	pCi/L	MT
0	Total radium	1.2±0.40	pCi/L	MT
0	Total radium	<1.0	pCi/L	GE
0	Tritium	<1.0	pCi/mL	MT
0	Tritium	<0.70	pCi/mL	GE

WELL HSB121A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/20/90
 Depth to water: 104.39 ft (31.82 m) below TOC
 Water elevation: 170.21 ft (51.88 m) msl
 Sp. conductance: 234 µS/cm
 Water evacuated before sampling: 229 gal

Time: 11:10
 pH: 7.5
 Alkalinity: 74 mg/L
 Water temperature: 17.6°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	pH	7.8	pH	MT
1	pH	7.8	pH	MT
1	pH	7.8	pH	GE
1	pH	7.5	pH	GE
1	Specific conductance	252	µS/cm	MT
1	Specific conductance	252	µS/cm	MT
1	Specific conductance	237	µS/cm	GE
1	Specific conductance	223	µS/cm	GE
1	Alkalinity	96000	µg/L	MT
0	Aluminum	<23	µg/L	MT
0	Aluminum	<20	µg/L	GE
0	Aluminum	<20	µg/L	GE
0	Antimony	<3.0	µg/L	MT
0	Antimony	<3.0	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<3.0	µg/L	MT
0	Arsenic	<2.0	µg/L	GE
1	Arsenic	2.2	µg/L	GE
0	Barium	33	µg/L	MT
0	Barium	32	µg/L	GE
0	Barium	33	µg/L	GE
0	Benzene	<5.0	µg/L	MT
0	Benzene	<1.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<5.0	µg/L	MT
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<5.0	µg/L	MT
0	Bromoform	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<10	µg/L	MT
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<3.0	µg/L	MT
0	Cadmium	<2.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
1	Calcium	39200	µg/L	MT

WELL HSB121A collected on 01/20/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
1	Calcium	31100	µg/L	GE
1	Calcium	32000	µg/L	GE
0	Carbon tetrachloride	<5.0	µg/L	MT
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbonate	<1000	µg/L	GE
0	Carbonate	<1000	µg/L	GE
0	Chloride	2800	µg/L	MT
0	Chloride	2800	µg/L	MT
0	Chloride	2500	µg/L	GE
0	Chloride	2500	µg/L	GE
0	Chlorobenzene	<5.0	µg/L	MT
0	Chlorobenzene	<1.0	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<10	µg/L	MT
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<5.0	µg/L	MT
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<5.0	µg/L	MT
0	Chloroform	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<10	µg/L	MT
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<3.0	µg/L	MT
0	Chromium	<4.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<5.0	µg/L	MT
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<15	µg/L	MT
0	Cobalt	<4.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Copper	<7.0	µg/L	MT
0	Copper	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Cyanide	<5.0	µg/L	MT
1	Cyanide	18	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<5.0	µg/L	MT
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
1	Dichloromethane (Methylene chloride)	2.0	µg/L	MT
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.0060	µg/L	MT
0	Endrin	<0.10	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<5.0	µg/L	MT
0	Ethylbenzene	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<250	µg/L	MT
0	Fluoride	<250	µg/L	MT
0	Fluoride	<100	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.0050	µg/L	MT
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	43	µg/L	MT
0	Iron	32	µg/L	GE
0	Iron	33	µg/L	GE
0	Lead	<3.0	µg/L	MT
0	Lead	<6.0	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	804	µg/L	MT
0	Magnesium	850	µg/L	GE
0	Magnesium	872	µg/L	GE
0	Manganese	12	µg/L	MT
0	Manganese	9.5	µg/L	GE
0	Manganese	10	µg/L	GE
0	Mercury	<0.20	µg/L	MT
0	Mercury	<0.20	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	MT
0	Methoxychlor	<0.50	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<5.2	µg/L	MT
0	Nickel	<5.2	µg/L	MT
0	Nickel	<4.0	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	<200	µg/L	MT
0	Nitrate as nitrogen	<200	µg/L	MT
0	Nitrate as nitrogen	<50	µg/L	GE
0	Nitrate as nitrogen	<50	µg/L	GE
0	Phenols	<5.0	µg/L	MT
0	Phenols	<5.0	µg/L	GE
0	Phenols	<5.0	µg/L	GE

ANALYTICAL RESULTS

WELL HSB121A collected on 01/20/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Potassium	4780	µg/L	MT
0	Potassium	4270	µg/L	GE
0	Potassium	4520	µg/L	GE
0	Selenium	<3.0	µg/L	MT
0	Selenium	<2.0	µg/L	GE
0	Selenium	<2.0	µg/L	GE
1	Silica	41700	µg/L	GE
1	Silica	43200	µg/L	GE
1	Silica	42100	µg/L	MT
0	Silver	<2.0	µg/L	MT
0	Silver	<2.0	µg/L	MT
0	Silver	<2.0	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	3600	µg/L	MT
0	Sodium	3760	µg/L	GE
0	Sodium	3970	µg/L	GE
1	Sulfate	10200	µg/L	MT
1	Sulfate	10200	µg/L	MT
1	Sulfate	10000	µg/L	GE
0	Sulfate	9600	µg/L	GE
0	Tetrachloroethylene	<5.0	µg/L	MT
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<5.0	µg/L	MT
0	Toluene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	206000	µg/L	MT
0	Total dissolved solids	214000	µg/L	MT
0	Total dissolved solids	188000	µg/L	GE
0	Total dissolved solids	193000	µg/L	GE
0	Total organic carbon	<1000	µg/L	MT
0	Total organic carbon	1000	µg/L	GE
0	Total organic carbon	1000	µg/L	GE
2	Total organic halogens	48	µg/L	MT
0	Total organic halogens	<5.0	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	22	µg/L	MT
0	Total phosphates	130	µg/L	GE
0	Total phosphates	120	µg/L	GE
0	Toxaphene	<0.24	µg/L	MT
0	Toxaphene	<1.0	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<5.0	µg/L	MT
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<5.0	µg/L	MT
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<5.0	µg/L	MT
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<5.0	µg/L	MT
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<84	µg/L	MT
0	Uranium	<1000	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<3.0	µg/L	MT
0	Vanadium	<20	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	<9.0	µg/L	MT
0	Zinc	9.4	µg/L	GE
0	Zinc	4.2	µg/L	GE
0	1,1-Dichloroethane	<5.0	µg/L	MT
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<5.0	µg/L	MT
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<5.0	µg/L	MT
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<5.0	µg/L	MT
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<5.0	µg/L	MT
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<5.0	µg/L	MT
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<5.0	µg/L	MT
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<5.0	µg/L	MT
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.46	µg/L	MT
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE

WELL HSB121A collected on 01/20/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.070	µg/L	MT
0	2,4,5-TP (Silvex)	<0.060	µg/L	GE
0	2,4,5-TP (Silvex)	<0.060	µg/L	GE
0	Gross alpha	<3.0	pCi/L	MT
0	Gross alpha	3.3±2.6	pCi/L	GE
0	Gross alpha	3.1±1.8	pCi/L	GE
0	Nonvolatile beta	6.9±3.7	pCi/L	MT
0	Nonvolatile beta	6.0±3.7	pCi/L	GE
0	Nonvolatile beta	6.1±3.6	pCi/L	GE
0	Total radium	1.0±0.50	pCi/L	MT
0	Total radium	1.0±0.50	pCi/L	MT
0	Total radium	<1.0	pCi/L	GE
0	Total radium	1.4±3.1	pCi/L	GE
0	Tritium	<1.0	pCi/mL	MT
0	Tritium	<1.0	pCi/mL	MT
0	Tritium	<0.70	pCi/mL	GE
0	Tritium	<0.0	pCi/mL	GE

WELL HSB122A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/23/90
 Depth to water: 101.50 ft (30.94 m) below TOC
 Water elevation: 170.10 ft (51.85 m) msl
 Sp. conductance: 217 µS/cm
 Water evacuated before sampling: 230 gal

Time: 13:00
 pH: 7.0
 Alkalinity: 77 mg/L
 Water temperature: 18.4°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	pH	7.4	pH	GE
1	pH	7.3	pH	GE
1	Specific conductance	202	µS/cm	GE
1	Specific conductance	201	µS/cm	GE
0	Aluminum	20	µg/L	GE
0	Aluminum	23	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	21	µg/L	GE
0	Barium	22	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromofom	<1.0	µg/L	GE
0	Bromofom	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
1	Calcium	29400	µg/L	GE
1	Calcium	20800	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbonate	<1000	µg/L	GE
0	Carbonate	<1000	µg/L	GE
0	Chloride	2900	µg/L	GE
0	Chloride	2900	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE

ANALYTICAL RESULTS

WELL HSB122A collected on 01/23/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Endrin	<0.10	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	47	µg/L	GE
0	Iron	50	µg/L	GE
0	Lead	<8.0	µg/L	GE
0	Lead	<8.0	µg/L	GE
0	Magnesium	830	µg/L	GE
0	Magnesium	658	µg/L	GE
0	Manganese	6.9	µg/L	GE
0	Manganese	7.3	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	<50	µg/L	GE
0	Nitrate as nitrogen	<50	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	854	µg/L	GE
0	Potassium	872	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Selenium	<2.0	µg/L	GE
1	Silica	31800	µg/L	GE
1	Silica	33000	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	1960	µg/L	GE
0	Sodium	1970	µg/L	GE
1	Sulfate	10400	µg/L	GE
1	Sulfate	10400	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	51000	µg/L	GE
0	Total dissolved solids	44000	µg/L	GE
0	Total organic carbon	1000	µg/L	GE
0	Total organic carbon	1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	2.5	µg/L	GE
0	Zinc	2.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Gross alpha	<3.0	pCi/L	GE
1	Nonvolatile beta	12±3.2	pCi/L	GE

WELL HSB122A collected on 01/23/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Nonvolatile beta	6.7±2.4	pCi/L	GE
0	Total radium	<1.0	pCi/L	GE
0	Total radium	2.2±3.8	pCi/L	GE
0	Tritium	<0.70	pCi/mL	GE
0	Tritium	<0.70	pCi/mL	GE

WELL HSB123A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/17/90 Time: 12:35
 Depth to water: 94.00 ft (28.65 m) below TOC pH: 8.9
 Water elevation: 170.50 ft (51.97 m) msl Alkalinity: 71 mg/L
 Sp. conductance: 224 µS/cm Water temperature: 20.5°C
 Water evacuated before sampling: 220 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
2	pH	8.9	pH	GE
1	Specific conductance	202	µS/cm	GE
0	Aluminum	23	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
1	Barium	67	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
1	Calcium	31600	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
1	Carbonate	40900	µg/L	GE
0	Chloride	3100	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	98	µg/L	GE
0	Lead	<8.0	µg/L	GE
0	Magnesium	618	µg/L	GE
0	Manganese	13	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	<50	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	3590	µg/L	GE
0	Selenium	<2.0	µg/L	GE
1	Silica	48500	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	5210	µg/L	GE
1	Sulfate	10000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	184000	µg/L	GE
0	Total organic carbon	1030	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	90	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	2.4	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE

ANALYTICAL RESULTS

WELL HSB123A collected on 01/17/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	6.5 ± 1.8	pCi/L	GE
0	Total radium	<1.0	pCi/L	GE
0	Tritium	<0.70	pCi/mL	GE

WELL HSB124A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/16/90
 Depth to water: 74.43 ft (22.69 m) below TOC
 Water elevation: 191.77 ft (58.43 m) msl
 Sp. conductance: 243 µS/cm
 Water evacuated before sampling: 45 gal
 The well went dry during purging.

Time: 15:10
 pH: 7.6
 Alkalinity: 48 mg/L
 Water temperature: 20.0°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
2	pH	8.8	pH	GE
1	Specific conductance	308	µS/cm	GE
0	Aluminum	72	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	43	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
1	Calcium	27800	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbonate	<1000	µg/L	GE
0	Chloride	3700	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethane (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	19	µg/L	GE
0	Lead	<8.0	µg/L	GE
0	Magnesium	837	µg/L	GE
0	Manganese	<2.0	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.30	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	<50	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	2340	µg/L	GE
0	Selenium	<2.0	µg/L	GE
1	Silica	32300	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	2730	µg/L	GE
1	Sulfate	11900	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	205000	µg/L	GE
0	Total organic carbon	1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	<2.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE

WELL HSB124A collected on 01/16/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropene	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	3.3 ± 1.3	pCi/L	GE
0	Total radium	<1.0	pCi/L	GE
0	Tritium	<0.70	pCi/mL	GE

WELL HSB125C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/09/90
 Depth to water: 9.43 ft (2.87 m) below TOC
 Water elevation: 222.47 ft (67.81 m) msl
 Sp. conductance: 72 µS/cm
 Water evacuated before sampling: 215 gal

Time: 14:00
 pH: 8.3
 Alkalinity: 22 mg/L
 Water temperature: 18.5°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	8.3	pH	GE
0	Specific conductance	74	µS/cm	GE
0	Aluminum	<20	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	5.3	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	9590	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbonate	<1000	µg/L	GE
0	Chloride	2700	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethane (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	140	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	6.9	µg/L	GE
0	Lead	<8.0	µg/L	GE
0	Magnesium	1170	µg/L	GE
0	Manganese	7.9	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	80	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	681	µg/L	GE
0	Selenium	<2.0	µg/L	GE
1	Silica	11300	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	1880	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	84000	µg/L	GE
0	Total organic carbon	3000	µg/L	GE
1	Total organic halogens	12	µg/L	GE
0	Total phosphates	220	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	4.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE

ANALYTICAL RESULTS

WELL HSB125C collected on 01/09/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Total radium	<1.0	pCi/L	GE
0	Tritium	2.2±0.35	pCi/mL	GE

WELL HSB125D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/09/90 Time: 13:20
 Depth to water: 9.28 ft (2.83 m) below TOC pH: 5.1
 Water elevation: 222.42 ft (67.79 m) msl Alkalinity: 1 mg/L
 Sp. conductance: 500 µS/cm Water temperature: 17.5°C
 Water evacuated before sampling: 75 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.3	pH	GE
1	Specific conductance	510	µS/cm	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbonate	<1000	µg/L	GE
0	Chloride	5100	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethane (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
2	Mercury	1.0	µg/L	GE
2	Nitrate as nitrogen	54500	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Sulfate	6400	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	367000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
1	Trichloroethylene	2.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
1	Total activity	9690±70	pCi/mL	EM

WELL HSB125D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/04/90 Time: 10:00
 Depth to water: 9.83 ft (2.94 m) below TOC pH: 5.0
 Water elevation: 222.07 ft (67.69 m) msl Alkalinity: 1 mg/L
 Sp. conductance: 486 µS/cm Water temperature: 19.3°C
 Water evacuated before sampling: 75 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.1	pH	GE
0	pH	5.1	pH	GE
1	Specific conductance	470	µS/cm	GE
1	Specific conductance	474	µS/cm	GE
1	Aluminum	185	µg/L	GE
1	Aluminum	170	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	29	µg/L	GE
0	Barium	25	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	839	µg/L	GE
0	Calcium	795	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbonate	<1000	µg/L	GE
0	Carbonate	<1000	µg/L	GE
0	Chloride	4500	µg/L	GE
0	Chloride	4500	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethane (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroethane (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Copper	5.2	µg/L	GE
0	Copper	5.1	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	18	µg/L	GE
0	Iron	18	µg/L	GE
0	Lead	<8.0	µg/L	GE
0	Lead	<8.0	µg/L	GE
0	Magnesium	982	µg/L	GE
0	Magnesium	1040	µg/L	GE
2	Manganese	143	µg/L	GE
2	Manganese	154	µg/L	GE
2	Mercury	1.8	µg/L	GE
2	Mercury	1.8	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nickel	<4.0	µg/L	GE
2	Nitrate as nitrogen	52100	µg/L	GE

ANALYTICAL RESULTS

WELL HSB125D collected on 02/04/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
2	Nitrate as nitrogen	50600	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	5750	µg/L	GE
0	Silica	8030	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	96300	µg/L	GE
1	Sodium	108000	µg/L	GE
1	Sulfate	11700	µg/L	GE
1	Sulfate	11100	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	329000	µg/L	GE
0	Total dissolved solids	330000	µg/L	GE
1	Total organic carbon	13000	µg/L	GE
1	Total organic carbon	12000	µg/L	GE
0	Total organic halogens	7.0	µg/L	GE
0	Total organic halogens	8.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
1	Trichloroethylene	2.0	µg/L	GE
1	Trichloroethylene	2.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	9.1	µg/L	GE
0	Zinc	8.8	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	3.4±3.1	pCi/L	GE
1	Gross alpha	6.6±3.7	pCi/L	GE
1	Nonvolatile beta	42±6.5	pCi/L	GE
1	Nonvolatile beta	42±6.6	pCi/L	GE
1	Total activity	9460±70	pCi/mL	EM
2	Total radium	84±10	pCi/L	GE
2	Total radium	82±10	pCi/L	GE
2	Tritium	9270±9.8	pCi/mL	GE
2	Tritium	9610±10	pCi/mL	GE

WELL HSB126C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/13/90
 Depth to water: 8.97 ft (2.73 m) below TOC
 Water elevation: 203.63 ft (62.07 m) msl
 Sp. conductance: 206 µS/cm
 Water evacuated before sampling: 79 gal

Time: 14:10
 pH: 7.6
 Alkalinity: 70 mg/L
 Water temperature: 17.1°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	pH	7.9	pH	GE
1	Specific conductance	198	µS/cm	GE
0	Aluminum	<20	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	16	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
1	Calcium	26800	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbonate	<1000	µg/L	GE
0	Chloride	3600	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
1	Dichloromethane (Methylene chloride)	28	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	16	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	1140	µg/L	GE
0	Manganese	3.0	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<4.0	µg/L	GE
1	Nitrate as nitrogen	4800	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	697	µg/L	GE
0	Selenium	<2.0	µg/L	GE
1	Silica	24300	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	6860	µg/L	GE
0	Sulfate	<5000	µg/L	GE
1	Tetrachloroethylene	1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	157000	µg/L	GE
0	Total organic carbon	1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	60	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	3.4	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
1	Nonvolatile beta	20±3.2	pCi/L	GE
1	Total activity	278±3.8	pCi/mL	EM
0	Total radium	<1.0	pCi/L	GE
2	Tritium	278±1.7	pCi/mL	GE

ANALYTICAL RESULTS

WELL HSB126D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/14/90
Depth to water: 7.43 ft (2.28 m) below TOC
Water elevation: 205.27 ft (62.57 m) msl
Sp. conductance: 502 µS/cm
Water evacuated before sampling: 9 gal
The well went dry during purging.

Time: 9:50
pH: 4.7
Alkalinity: 0 mg/L
Water temperature: 12.5°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	Specific conductance	451	µS/cm	GE
1	Total activity	5060±50	pCi/mL	EM

WELL HSB126D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/28/90
Depth to water: 7.62 ft (2.32 m) below TOC
Water elevation: 205.08 ft (62.51 m) msl
Sp. conductance: 501 µS/cm
Water evacuated before sampling: 9 gal
The well went dry during purging.

Time: 9:50
pH: 4.7
Alkalinity: 0 mg/L
Water temperature: 14.6°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	4.8	pH	GE
1	Specific conductance	530	µS/cm	GE
2	Aluminum	554	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
1	Barium	115	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	9640	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbonate	<1000	µg/L	GE
0	Chloride	4900	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	110	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	48	µg/L	GE
0	Lead	14	µg/L	GE
0	Magnesium	4470	µg/L	GE
1	Manganese	49	µg/L	GE
2	Mercury	1.2	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<4.0	µg/L	GE
2	Nitrate as nitrogen	71300	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	726	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	7330	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	83300	µg/L	GE
1	Sulfate	32100	µg/L	GE
1	Tetrachloroethylene	1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	341000	µg/L	GE
1	Total organic carbon	14000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	60	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE

WELL HSB126D collected on 01/28/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Vanadium	<20	µg/L	GE
0	Zinc	17	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
1	Nonvolatile beta	18±3.1	pCi/L	GE
1	Total activity	5140±50	pCi/mL	EM
1	Total activity	4950±50	pCi/mL	EM
0	Total radium	2.3±3.3	pCi/L	GE
2	Tritium	5560±7.8	pCi/mL	GE

WELL HSB127C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/14/90
Depth to water: 15.74 ft (4.80 m) below TOC
Water elevation: 209.96 ft (64.00 m) msl
Sp. conductance: 271 µS/cm
Water evacuated before sampling: 42 gal
The well went dry during purging.

Time: 12:10
pH: 7.5
Alkalinity: 72 mg/L
Water temperature: 18.1°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	pH	7.7	pH	GE
0	Total phosphates	<50	µg/L	GE
1	Total activity	1030±7.0	pCi/mL	EA

WELL HSB127C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/27/90
Depth to water: 15.80 ft (4.82 m) below TOC
Water elevation: 209.90 ft (63.98 m) msl
Sp. conductance: 271 µS/cm
Water evacuated before sampling: 173 gal

Time: 18:05
pH: 7.7
Alkalinity: 74 mg/L
Water temperature: 17.2°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	pH	7.8	pH	GE
1	Specific conductance	285	µS/cm	GE
0	Aluminum	<20	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	18	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
1	Calcium	31000	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbonate	<1000	µg/L	GE
0	Chloride	3500	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GF
0	Chloromethane (Methyl chloride)	<1.0	µg/L	Gi
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	35	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	782	µg/L	GE

ANALYTICAL RESULTS

WELL HSB127C collected on 01/27/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Manganese	<2.0	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<4.0	µg/L	GE
2	Nitrate as nitrogen	10600	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	598	µg/L	GE
0	Selenium	<2.0	µg/L	GE
1	Silica	13300	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	5120	µg/L	GE
0	Sulfate	<5000	µg/L	GE
1	Tetrachloroethylene	3.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	187000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	4.4	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	<2.0	pCi/L	GE
1	Total activity	1100±7.8	pCi/mL	EM
0	Total radium	<1.0	pCi/L	GE
2	Tritium	1150±3.5	pCi/mL	GE

WELL HSB127D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/14/90
 Depth to water: 7.62 ft (2.32 m) below TOC
 Water elevation: 218.48 ft (66.59 m) msl
 Sp. conductance: 279 µS/cm
 Water evacuated before sampling: 69 gal

Time: 11:55
 pH: 4.6
 Alkalinity: 0 mg/L
 Water temperature: 17.7°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	4.7	pH	GE
1	Specific conductance	278	µS/cm	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbonate	<1000	µg/L	GE
0	Chloride	2500	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
2	Mercury	1.8	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
2	Nitrate as nitrogen	22400	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Sulfate	8500	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	203000	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE

WELL HSB127D collected on 01/14/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
3	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
1	Total activity	18100±90	pCi/mL	EM

WELL HSB127D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/04/90
 Depth to water: 7.93 ft (2.42 m) below TOC
 Water elevation: 218.17 ft (66.50 m) msl
 Sp. conductance: 278 µS/cm
 Water evacuated before sampling: 70 gal

Time: 9:20
 pH: 4.6
 Alkalinity: 0 mg/L
 Water temperature: 19.5°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	4.7	pH	GE
1	Specific conductance	283	µS/cm	GE
0	Aluminum	70	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	14	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	1390	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbonate	<1000	µg/L	GE
0	Chloride	2000	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	26	µg/L	GE
0	Lead	<8.0	µg/L	GE
0	Magnesium	862	µg/L	GE
2	Manganese	123	µg/L	GE
2	Mercury	2.5	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<4.0	µg/L	GE
2	Nitrate as nitrogen	27900	µg/L	GE
1	Phenols	8.0	µg/L	GE
0	Potassium	557	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	6980	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	51300	µg/L	GE
1	Sulfate	15400	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	194000	µg/L	GE
1	Total organic carbon	7000	µg/L	GE
0	Total organic halogens	5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE

ANALYTICAL RESULTS

WELL HSB127D collected on 02/04/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	3.5	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	4.8±2.8	pCi/L	GE
2	Nonvolatile beta	80±5.7	pCi/L	GE
1	Total activity	17600±90	pCi/mL	EM
0	Total radium	2.2±2.2	pCi/L	GE
2	Tritium	18800±10	pCi/mL	GE

WELL HSB129C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/03/90
Depth to water: 9.48 ft (2.89 m) below TOC
Water elevation: 205.62 ft (62.67 m) msl
Sp. conductance: 174 µS/cm
Water evacuated before sampling: 185 gal

Time: 12:00
pH: 5.3
Alkalinity: 7 mg/L
Water temperature: 18.1°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.8	pH	GE
1	Specific conductance	125	µS/cm	GE
0	Aluminum	75	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	12	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
1	Calcium	13400	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbonate	<1000	µg/L	GE
0	Chloride	3200	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethane (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
2	Endrin	0.34	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
1	gamma-Benzene hexachloride (Lindane)	0.61	µg/L	GE
0	Iron	8.4	µg/L	GE
0	Lead	<8.0	µg/L	GE
0	Magnesium	844	µg/L	GE
0	Manganese	12	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	5.7	µg/L	GE
2	Nitrate as nitrogen	13800	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	1580	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	9920	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	8070	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	179000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	100	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethane	<1.0	µg/L	GE

WELL HSB129C collected on 01/03/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	70	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
1	Gross alpha	5.0±2.5	pCi/L	GE
2	Nonvolatile beta	87±7.2	pCi/L	GE
1	Total activity	2220±10	pCi/mL	EM
0	Total radium	1.0±2.2	pCi/L	GE
2	Tritium	2400±5.1	pCi/mL	GE

WELL HSB129D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/06/90
Depth to water: 5.78 ft (1.76 m) below TOC
Water elevation: 206.91 ft (63.68 m) msl
Sp. conductance: 399 µS/cm
Water evacuated before sampling: 77 gal

Time: 12:35
pH: 4.5
Alkalinity: 0 mg/L
Water temperature: 17.3°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.0	pH	GE
1	Specific conductance	395	µS/cm	GE
1	Aluminum	260	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	47	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	3740	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbonate	<1000	µg/L	GE
0	Chloride	5100	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethane (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Copper	18	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	17	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	3030	µg/L	GE
0	Manganese	15	µg/L	GE
1	Mercury	0.60	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<4.0	µg/L	GE
2	Nitrate as nitrogen	38500	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	702	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	59000	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	252000	µg/L	GE
0	Total organic carbon	2000	µg/L	GE
2	Total organic halogens	51	µg/L	GE

ANALYTICAL RESULTS

WELL HSB129D collected on 01/06/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	8.5	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
1	1,2-Dichloroethane	3.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Americium-241	<0.20	pCi/L	TE
0	Americium-243	<0.20	pCi/L	TE
0	Barium-140	<10	pCi/L	TE
0	Beryllium-7	<30	pCi/L	TE
1	Carbon-14	81±7.0	pCi/L	TE
0	Cerium-141	<9.0	pCi/L	TE
0	Cerium-144	<30	pCi/L	TE
0	Cesium-134	<3.0	pCi/L	TE
0	Cesium-137	<3.0	pCi/L	TE
0	Cobalt-58	<3.0	pCi/L	TE
0	Cobalt-60	<3.0	pCi/L	TE
0	Curium-242	<0.10	pCi/L	TE
1	Curium-243/244	0.92±0.29	pCi/L	TE
0	Curium-246	<0.20	pCi/L	TE
1	Gross alpha	7.1±2.3	pCi/L	GE
0	Gross alpha	2.5±1.8	pCi/L	TE
0	Iodine-129	<2.0	pCi/L	TE
0	Iodine-131	<30	pCi/L	TE
0	Iron-55	<80	pCi/L	TE
0	Iron-59	<9.0	pCi/L	TE
0	Manganese-54	<3.0	pCi/L	TE
0	Nickel-59	<80	pCi/L	TE
0	Nickel-63	<10	pCi/L	TE
1	Nonvolatile beta	45±4.7	pCi/L	GE
2	Nonvolatile beta	130±10	pCi/L	TE
0	Plutonium-238	<0.20	pCi/L	TE
1	Plutonium-239/240	1.2±0.40	pCi/L	TE
0	Plutonium-242	<0.080	pCi/L	TE
0	Potassium-40	<40	pCi/L	TE
0	Radium-226	<70	pCi/L	TE
1	Radium-226	1.6±1.0	pCi/L	TE
0	Radium-228	<3.0	pCi/L	TE
0	Ruthenium-103	<5.0	pCi/L	TE
0	Ruthenium-106	<30	pCi/L	TE
0	Strontium-89	<6.0	pCi/L	TE
1	Strontium-90	4.3±1.2	pCi/L	TE
1	Technetium-99	210±10	pCi/L	TE
0	Thorium-228	<6.0	pCi/L	TE
1	Thorium-228	19±2.0	pCi/L	TE
1	Thorium-230	54±4.0	pCi/L	TE
1	Thorium-232	1.6±0.70	pCi/L	TE
1	Total activity	10100±70	pCi/mL	EM
0	Total radium	<1.0	pCi/L	GE
2	Tritium	10600±10	pCi/mL	GE
2	Tritium	1000±1000	pCi/mL	TE
1	Uranium-234	3.63±0.47	pCi/L	TE
0	Uranium-235	<0.50	pCi/L	TE
0	Uranium-238	<0.40	pCi/L	TE
0	Zinc-65	<6.0	pCi/L	TE
0	Zirconium-95	<4.0	pCi/L	TE

WELL HSB130C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/01/90 Time: 15:05
 Depth to water: 18.95 ft (5.17 m) below TOC pH: 7.6
 Water elevation: 201.35 ft (61.37 m) msl Alkalinity: 82 mg/L
 Sp. conductance: 188 µS/cm Water temperature: 17.3°C
 Water evacuated before sampling: 122 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
2	pH	8.1	pH	GE
1	Specific conductance	173	µS/cm	GE
0	Aluminum	<20	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	20	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
1	Calcium	28000	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbonate	<1000	µg/L	GE
0	Chloride	2000	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Copper	12	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	8.9	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	620	µg/L	GE
0	Manganese	<2.0	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	210	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	694	µg/L	GE
0	Selenium	<2.0	µg/L	GE
1	Silica	12300	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	3320	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	107000	µg/L	GE
0	Total organic carbon	4000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	39	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	4.9±2.0	pCi/L	GE
0	Total radium	<1.0	pCi/L	GE
0	Tritium	0.84±0.33	pCi/mL	GE

ANALYTICAL RESULTS

WELL HSB130D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/01/90

Depth to water: 18.91 ft (5.76 m) below TOC

Water elevation: 199.89 ft (60.87 m) msl

Sp. conductance: 73 µS/cm

Water evacuated before sampling: 60 gal

Time: 15:55

pH: 6.7

Alkalinity: 25 mg/L

Water temperature: 18.3°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	pH	6.7	pH	GE
0	Specific conductance	77	µS/cm	GE
0	Aluminum	<20	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	8.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
1	Calcium	11900	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbonate	<1000	µg/L	GE
0	Chloride	1800	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	7.1	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	443	µg/L	GE
0	Manganese	2.8	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	450	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	9040	µg/L	GE
0	Silica	7880	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	1250	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	51000	µg/L	GE
0	Total organic carbon	2000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	130	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	<2.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	7.8±1.0	pCi/L	GE
0	Total radium	<1.0	pCi/L	GE
0	Tritium	8.1±0.43	pCi/mL	GE

WELL HSB131C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/01/90

Depth to water: 8.47 ft (2.58 m) below TOC

Water elevation: 203.23 ft (61.95 m) msl

Sp. conductance: 220 µS/cm

Water evacuated before sampling: 157 gal

Time: 16:40

pH: 7.4

Alkalinity: 65 mg/L

Water temperature: 17.1°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	pH	8.0	pH	GE
1	Specific conductance	221	µS/cm	GE
0	Aluminum	<20	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	23	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
1	Calcium	37700	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbonate	<1000	µg/L	GE
0	Chloride	2500	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	5.2	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	622	µg/L	GE
0	Manganese	<2.0	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<4.0	µg/L	GE
2	Nitrate as nitrogen	23400	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	928	µg/L	GE
0	Selenium	<2.0	µg/L	GE
1	Silica	12400	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	3300	µg/L	GE
0	Sulfate	<5000	µg/L	GE
1	Tetrachloroethylene	1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	126000	µg/L	GE
0	Total organic carbon	2000	µg/L	GE
0	Total organic halogens	5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	<2.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	4.5±2.7	pCi/L	GE
1	Total activity	202±3.2	pCi/mL	EM
0	Total radium	<1.0	pCi/L	GE
2	Tritium	232±1.6	pCi/mL	GE

ANALYTICAL RESULTS

WELL HSB131D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/01/90
Depth to water: 7.34 ft (2.24 m) below TOC
Water elevation: 204.76 ft (62.41 m) msf
Sp. conductance: 30 µS/cm
Water evacuated before sampling: 41 gal

Time: 16:55
pH: 5.2
Alkalinity: 5 mg/L
Water temperature: 15.9°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.2	pH	GE
0	pH	5.2	pH	GE
0	Specific conductance	28	µS/cm	GE
0	Specific conductance	28	µS/cm	GE
0	Aluminum	36	µg/L	GE
0	Aluminum	43	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	13	µg/L	GE
0	Barium	15	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	1790	µg/L	GE
0	Calcium	1980	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbonate	<1000	µg/L	GE
0	Carbonate	<1000	µg/L	GE
0	Chloride	1300	µg/L	GE
0	Chloride	1300	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethane (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroethane (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	20	µg/L	GE
0	Iron	21	µg/L	GE
0	Lead	<8.0	µg/L	GE
0	Lead	<8.0	µg/L	GE
0	Magnesium	902	µg/L	GE
0	Magnesium	830	µg/L	GE
0	Manganese	7.2	µg/L	GE
0	Manganese	7.5	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	320	µg/L	GE

WELL HSB131D collected on 01/01/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Nitrate as nitrogen	320	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	5620	µg/L	GE
0	Silica	8100	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	894	µg/L	GE
0	Sodium	972	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	28000	µg/L	GE
0	Total dissolved solids	26000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	<2.0	µg/L	GE
0	Zinc	<2.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropene	<1.0	µg/L	GE
0	1,2-Dichloropropene	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	9.3 ± 1.1	pCi/L	GE
1	Nonvolatile beta	12 ± 1.2	pCi/L	GE
0	Total radium	1.2 ± 1.3	pCi/L	GE
0	Total radium	<1.0	pCi/L	GE
1	Tritium	11 ± 0.47	pCi/mL	GE
1	Tritium	10 ± 0.45	pCi/mL	GE

ANALYTICAL RESULTS

WELL HSB132C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/27/90
 Depth to water: 18.12 ft (5.52 m) below TOC
 Water elevation: 222.38 ft (67.78 m) msl
 Sp. conductance: 48 µS/cm
 Water evacuated before sampling: 155 gal

Time: 12:55
 pH: 5.6
 Alkalinity: 4 mg/L
 Water temperature: 18.5°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.4	pH	GE
0	Specific conductance	48	µS/cm	GE
0	Aluminum	44	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	5.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	1000	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbonate	<1000	µg/L	GE
0	Chloride	2500	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	69	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	270	µg/L	GE
0	Manganese	16	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	100	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	984	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	7700	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	6010	µg/L	GE
0	Sulfate	8100	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	34000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	120	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	8.6	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	4.3 ± 1.5	pCi/L	GE
0	Total radium	<1.0	pCi/L	GE
0	Tritium	<0.70	pCi/mL	GE

WELL HSB132D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/27/90
 Depth to water: 18.62 ft (5.68 m) below TOC
 Water elevation: 222.08 ft (67.68 m) msl
 Sp. conductance: 23 µS/cm
 Water evacuated before sampling: 56 gal

Time: 12:10
 pH: 5.4
 Alkalinity: 2 mg/L
 Water temperature: 18.2°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.3	pH	GE
0	Specific conductance	22	µS/cm	GE
0	Aluminum	<20	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	7.3	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
1	Cadmium	2.7	µg/L	GE
0	Calcium	789	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbonate	<1000	µg/L	GE
0	Chloride	2100	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
1	Chromium	5.7	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	40	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	303	µg/L	GE
0	Manganese	13	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	700	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	6880	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	2590	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	21000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	6.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	14	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	7.8 ± 2.0	pCi/L	GE
0	Total radium	1.5 ± 2.1	pCi/L	GE
2	Tritium	22 ± 0.60	pCi/mL	GE

ANALYTICAL RESULTS

WELL HSB133C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/09/90 Time: 10:25
 Depth to water: 26.20 ft (7.99 m) below TOC pH: 6.3
 Water elevation: 229.40 ft (69.92 m) msl Alkalinity: 15 mg/L
 Sp. conductance: 51 µS/cm Water temperature: 18.6°C
 Water evacuated before sampling: 161 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	6.1	pH	GE
0	Specific conductance	49	µS/cm	GE
1	Aluminum	89	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	6.6	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	4840	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbonate	<1000	µg/L	GE
0	Chloride	2800	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	150	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	11	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	470	µg/L	GE
0	Manganese	8.5	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	<50	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	2040	µg/L	GE
0	Selenium	<2.0	µg/L	GE
1	Silica	13500	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	3330	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	44000	µg/L	GE
0	Total organic carbon	3000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	290	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	<2.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Total radium	<1.0	pCi/L	GE
0	Tritium	<0.70	pCi/mL	GE

WELL HSB133D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/09/90 Time: 9:25
 Depth to water: 20.75 ft (6.32 m) below TOC pH: 5.7
 Water elevation: 234.55 ft (71.49 m) msl Alkalinity: 9 mg/L
 Sp. conductance: 87 µS/cm Water temperature: 17.0°C
 Water evacuated before sampling: 83 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.9	pH	GE
0	Specific conductance	65	µS/cm	GE
0	Aluminum	<20	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	<4.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	3050	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbonate	<1000	µg/L	GE
0	Chloride	4600	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	15	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	161	µg/L	GE
0	Manganese	<2.0	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	580	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	8260	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	9890	µg/L	GE
0	Sulfate	6200	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	61000	µg/L	GE
0	Total organic carbon	2000	µg/L	GE
0	Total organic halogens	7.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	<2.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Americium-241	<0.20	pCi/L	TE
0	Americium-243	<0.10	pCi/L	TE
0	Barium-140	<9.0	pCi/L	TE
0	Beryllium-7	<30	pCi/L	TE
0	Carbon-14	<6.0	pCi/L	TE
0	Cerium-141	<6.0	pCi/L	TE
0	Cerium-144	<20	pCi/L	TE

ANALYTICAL RESULTS

WELL HSB133D collected on 01/09/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Cesium-134	<3.0	pCi/L	TE
0	Cesium-137	<3.0	pCi/L	TE
0	Cobalt-58	<3.0	pCi/L	TE
0	Cobalt-60	<3.0	pCi/L	TE
0	Curium-242	<0.20	pCi/L	TE
0	Curium-243/244	<0.30	pCi/L	TE
1	Curium-246	0.70±0.21	pCi/L	TE
0	Gross alpha	<3.0	pCi/L	GE
0	Gross alpha	2.7±1.5	pCi/L	TE
0	Iodine-129	<1.0	pCi/L	TE
0	Iodine-131	<10	pCi/L	TE
0	Iron-55	<90	pCi/L	TE
0	Iron-59	<7.0	pCi/L	TE
0	Manganese-54	<3.0	pCi/L	TE
0	Nickel-59	<100	pCi/L	TE
0	Nickel-63	<10	pCi/L	TE
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Nonvolatile beta	4.8±1.4	pCi/L	TE
0	Plutonium-238	<0.20	pCi/L	TE
0	Plutonium-239/240	<0.080	pCi/L	TE
0	Plutonium-242	<0.050	pCi/L	TE
0	Potassium-40	<40	pCi/L	TE
0	Radium-226	<60	pCi/L	TE
0	Radium-226	<1.0	pCi/L	TE
0	Radium-228	<2.0	pCi/L	TE
0	Ruthenium-103	<4.0	pCi/L	TE
0	Ruthenium-106	<30	pCi/L	TE
0	Strontium-89	<4.0	pCi/L	TE
0	Strontium-90	<1.0	pCi/L	TE
0	Technetium-99	<4.0	pCi/L	TE
0	Thorium-228	<6.0	pCi/L	TE
0	Thorium-228	<0.20	pCi/L	TE
0	Thorium-230	<0.050	pCi/L	TE
1	Thorium-232	0.52±0.35	pCi/L	TE
0	Total radium	<1.0	pCi/L	GE
2	Tritium	58±0.86	pCi/mL	GE
2	Tritium	55±2.0	pCi/mL	TE
1	Uranium-234	4.4±1.1	pCi/L	TE
0	Uranium-235	<0.30	pCi/L	TE
0	Uranium-238	<0.80	pCi/L	TE
0	Zinc-65	<8.0	pCi/L	TE
0	Zirconium-95	<4.0	pCi/L	TE

WELL HSB134C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/09/90
Depth to water: 17.95 ft (5.47 m) below TOC
Water elevation: 220.45 ft (67.19 m) msl
Sp. conductance: 43 µS/cm
Water evacuated before sampling: 224 gal

Time: 15:35
pH: 5.8
Alkalinity: 5 mg/L
Water temperature: 18.5°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	6.0	pH	GE
0	Specific conductance	45	µS/cm	GE
0	Aluminum	56	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	7.2	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	3560	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbonate	<1000	µg/L	GE
0	Chloride	3000	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE

WELL HSB134C collected on 01/09/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	25	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	1110	µg/L	GE
0	Manganese	24	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	1510	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	910	µg/L	GE
0	Selenium	<2.0	µg/L	GE
1	Silica	14900	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	2510	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	49000	µg/L	GE
0	Total organic carbon	2000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	<2.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Slivex)	<0.090	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Total radium	<1.0	pCi/L	GE
2	Tritium	50±0.79	pCi/mL	GE

WELL HSB134D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/09/90
Depth to water: 15.45 ft (4.71 m) below TOC
Water elevation: 222.65 ft (67.86 m) msl
Sp. conductance: 243 µS/cm
Water evacuated before sampling: 55 gal

Time: 15:15
pH: 4.4
Alkalinity: 0 mg/L
Water temperature: 16.9°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	4.3	pH	GE
1	Specific conductance	228	µS/cm	GE
1	Aluminum	362	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	31	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	462	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbonate	<1000	µg/L	GE
0	Chloride	3500	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Copper	5.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
1	Dichloromethane (Methylene chloride)	5.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE

ANALYTICAL RESULTS

WELL HSB134D collected on 01/09/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	27	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	1030	µg/L	GE
2	Manganese	60	µg/L	GE
1	Mercury	0.42	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<4.0	µg/L	GE
2	Nitrate as nitrogen	19500	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	5860	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	39300	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	162000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	8.8	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	4.5±2.8	pCi/L	GE
2	Nonvolatile beta	74±6.2	pCi/L	GE
1	Total activity	3490±40	pCi/mL	EM
0	Total radium	2.4±1.7	pCi/L	GE
2	Tritium	4910±7.7	pCi/mL	GE

WELL HSB135C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/20/90
Depth to water: 25.84 ft (7.88 m) below TOC
Water elevation: 206.18 ft (62.84 m) msl
Sp. conductance: 189 µS/cm
Water evacuated before sampling: 172 gal

Time: 13:15
pH: 7.8
Alkalinity: 70 mg/L
Water temperature: 18.9°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	pH	7.8	pH	GE
1	Specific conductance	178	µS/cm	GE
0	Aluminum	45	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	15	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	3.6	µg/L	GE
1	Calcium	24900	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbonate	<1000	µg/L	GE
0	Chloride	2900	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE

WELL HSB135C collected on 01/20/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	18	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	500	µg/L	GE
0	Manganese	<2.0	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	880	µg/L	GE
1	Phenols	7.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Selenium	<2.0	µg/L	GE
1	Silica	19200	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	1780	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	148000	µg/L	GE
0	Total organic carbon	2000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	90	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	8.8	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	8.3±2.0	pCi/L	GE
1	Total activity	49±1.9	pCi/mL	EM
0	Total radium	1.1±2.3	pCi/L	GE
2	Tritium	56±0.80	pCi/mL	GE

WELL HSB135D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/20/90
Depth to water: 13.88 ft (4.22 m) below TOC
Water elevation: 218.44 ft (66.58 m) msl
Sp. conductance: 97 µS/cm
Water evacuated before sampling: 69 gal

Time: 12:45
pH: 5.0
Alkalinity: 1 mg/L
Water temperature: 18.4°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.1	pH	GE
0	Specific conductance	86	µS/cm	GE
0	Aluminum	27	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	<4.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	209	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbonate	<1000	µg/L	GE
0	Chloride	2800	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE

ANALYTICAL RESULTS

WELL HSB135D collected on 01/20/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Copper	5.5	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	23	µg/L	GE
0	Lead	6.2	µg/L	GE
0	Magnesium	245	µg/L	GE
0	Manganese	8.9	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<4.0	µg/L	GE
1	Nitrate as nitrogen	5670	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	5900	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	14800	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	58000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	8.3	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	3.3±2.1	pCi/L	GE
1	Nonvolatile beta	26±4.1	pCi/L	GE
1	Total activity	2200±30	pCi/mL	EM
0	Total radium	1.7±2.1	pCi/L	GE
2	Tritium	20100±20	pCi/mL	GE

WELL HSB136C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/03/90
 Depth to water: 10.71 ft (3.26 m) below TOC
 Water elevation: 217.19 ft (66.20 m) msl
 Sp. conductance: 468 µS/cm
 Water evacuated before sampling: 162 gal

Time: 17:40
 pH: 6.1
 Alkalinity: 14 mg/L
 Water temperature: 19.4°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	8.3	pH	GE
1	Specific conductance	375	µS/cm	GE
1	Aluminum	85	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	45	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
1	Calcium	12500	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbonate	<1000	µg/L	GE
0	Chloride	3700	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE

WELL HSB136C collected on 01/03/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
1	gamma-Benzene hexachloride (Lindane)	0.23	µg/L	GE
0	Iron	42	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	1900	µg/L	GE
1	Manganese	33	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	5.5	µg/L	GE
2	Nitrate as nitrogen	42100	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	3710	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	9440	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	57300	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	380000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	20	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
1	Nonvolatile beta	27±5.0	pCi/L	GE
1	Total activity	11400±70	pCi/mL	EM
1	Total radium	4.1±4.1	pCi/L	GE
2	Tritium	12100±10	pCi/mL	GE

WELL HSB136D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/03/90
 Depth to water: 7.06 ft (2.15 m) below TOC
 Water elevation: 220.84 ft (67.34 m) msl
 Sp. conductance: 353 µS/cm
 Water evacuated before sampling: 70 gal

Time: 18:00
 pH: 3.9
 Alkalinity: 0 mg/L
 Water temperature: 19.2°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	4.1	pH	GE
1	Specific conductance	301	µS/cm	GE
2	Aluminum	5800	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
1	Barium	78	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	2790	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbonate	<1000	µg/L	GE
0	Chloride	2200	µg/L	GE

ANALYTICAL RESULTS

WELL HSB136D collected on 01/03/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
1	Cobalt	9.4	µg/L	GE
0	Copper	5.3	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
1	Fluoride	550	µg/L	GE
1	gamma-Benzene hexachloride (Lindane)	0.86	µg/L	GE
0	Iron	14	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	982	µg/L	GE
2	Manganese	320	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
1	Nickel	13	µg/L	GE
2	Nitrate as nitrogen	33000	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	1420	µg/L	GE
0	Selenium	<2.0	µg/L	GE
1	Silica	12700	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	31800	µg/L	GE
0	Sulfate	7200	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	205000	µg/L	GE
0	Total organic carbon	1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	44	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	3.4±2.4	pCi/L	GE
2	Nonvolatile beta	71±7.3	pCi/L	GE
1	Total activity	15800±90	pCi/mL	EM
2	Total radium	24±8.1	pCi/L	GE
2	Tritium	12100±10	pCi/mL	GE

WELL HSB137C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/03/90
Depth to water: 15.77 ft (4.81 m) below TOC
Water elevation: 220.23 ft (67.13 m) msl
Sp. conductance: 514 µS/cm
Water evacuated before sampling: 162 gal

Time: 15:30
pH: 5.4
Alkalinity: 6 mg/L
Water temperature: 20.2°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.6	pH	GE
1	Specific conductance	430	µS/cm	GE
1	Aluminum	107	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
1	Barium	64	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
1	Calcium	22800	µg/L	GE

WELL HSB137C collected on 01/03/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbonate	<1000	µg/L	GE
0	Chloride	3700	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
2	gamma-Benzene hexachloride (Lindane)	10	µg/L	GE
0	Iron	14	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	4850	µg/L	GE
2	Manganese	107	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	8.4	µg/L	GE
2	Nitrate as nitrogen	50100	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	1500	µg/L	GE
0	Selenium	<2.0	µg/L	GE
1	Silica	10200	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	58500	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	442000	µg/L	GE
0	Total organic carbon	1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	42	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
1	Gross alpha	8.1±2.7	pCi/L	GE
2	Nonvolatile beta	84±6.8	pCi/L	GE
1	Total activity	9780±70	pCi/mL	EM
0	Total radium	1.3±2.3	pCi/L	GE
2	Tritium	10000±10	pCi/mL	GE

WELL HSB137D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/06/90
Depth to water: 14.22 ft (4.33 m) below TOC
Water elevation: 222.38 ft (67.78 m) msl
Sp. conductance: 157 µS/cm
Water evacuated before sampling: 59 gal

Time: 13:15
pH: 4.8
Alkalinity: 0 mg/L
Water temperature: 18.9°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.6	pH	GE
1	Specific conductance	179	µS/cm	GE
1	Aluminum	109	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	27	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE

ANALYTICAL RESULTS

WELL HSB137D collected on 01/06/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	2800	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbonate	<1000	µg/L	GE
0	Chloride	2100	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
1	Copper	58	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	19	µg/L	GE
0	Lead	9.9	µg/L	GE
0	Magnesium	1650	µg/L	GE
2	Manganese	127	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
1	Nickel	9.4	µg/L	GE
2	Nitrate as nitrogen	11400	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	853	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	595	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	22500	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	100000	µg/L	GE
0	Total organic carbon	1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	72	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
1	Americium-241	3.5±0.80	pCi/L	TE
1	Americium-243	2.8±0.70	pCi/L	TE
0	Barium-140	<20	pCi/L	TE
0	Beryllium-7	<40	pCi/L	TE
1	Carbon-14	23±4.0	pCi/L	TE
0	Cerium-141	<10	pCi/L	TE
0	Cerium-144	<30	pCi/L	TE
0	Cesium-134	<4.0	pCi/L	TE
0	Cesium-137	6.7±3.1	pCi/L	TE
0	Cobalt-58	<4.0	pCi/L	TE
1	Cobalt-60	19±4.2	pCi/L	TE
1	Curium-242	0.16±0.14	pCi/L	TE
0	Curium-243/244	<0.30	pCi/L	TE
1	Curium-246	1.8±0.60	pCi/L	TE
1	Gross alpha	13±3.2	pCi/L	TE
0	Gross alpha	4.5±1.7	pCi/L	TE
1	Iodine-129	2.9±1.6	pCi/L	TE
0	Iodine-131	<40	pCi/L	TE
0	Iron-55	<100	pCi/L	TE
0	Iron-59	<10	pCi/L	TE
0	Manganese-54	<3.0	pCi/L	TE
0	Nickel-59	<80	pCi/L	TE
1	Nickel-63	17±7.0	pCi/L	TE
2	Nonvolatile beta	123±7.7	pCi/L	GE
0	Nonvolatile beta	420±10	pCi/L	TE
0	Plutonium-238	<0.30	pCi/L	TE
0	Plutonium-239/240	<0.20	pCi/L	TE
0	Plutonium-242	<0.10	pCi/L	TE

WELL HSB137D collected on 01/06/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Potassium-40	<80	pCi/L	TE
0	Radium-226	<80	pCi/L	TE
1	Radium-226	2.9±0.70	pCi/L	TE
1	Radium-228	3.3±2.1	pCi/L	TE
0	Ruthenium-103	<6.0	pCi/L	TE
0	Ruthenium-106	<30	pCi/L	TE
0	Strontium-89	<10	pCi/L	TE
1	Strontium-90	140±10	pCi/L	TE
1	Technetium-99	37±5.0	pCi/L	TE
0	Thorium-226	<7.0	pCi/L	TE
0	Thorium-228	<0.30	pCi/L	TE
0	Thorium-230	<0.20	pCi/L	TE
1	Thorium-232	0.52±0.38	pCi/L	TE
1	Total activity	6140±80	pCi/mL	EM
0	Total radium	<1.0	pCi/L	GE
2	Tritium	7630±8.9	pCi/mL	GE
2	Tritium	6200±100	pCi/mL	TE
1	Uranium-234	1.9±1.4	pCi/L	TE
0	Uranium-235	<0.60	pCi/L	TE
0	Uranium-238	<1.0	pCi/L	TE
0	Zinc-65	<8.0	pCi/L	TE
0	Zirconium-85	<5.0	pCi/L	TE

WELL HSB138D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/13/90
 Depth to water: 29.48 ft (8.99 m) below TOC
 Water elevation: 222.92 ft (67.85 m) msl
 Sp. conductance: 106 µS/cm
 Water evacuated before sampling: 53 gal
 Time: 10:25
 pH: 5.4
 Alkalinity: 0 mg/L
 Water temperature: 16.8°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.4	pH	GE
1	Specific conductance	103	µS/cm	GE
0	Aluminum	35	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	11	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	1310	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbonate	<1000	µg/L	GE
0	Chloride	3400	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	26	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	598	µg/L	GE
0	Manganese	9.9	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<4.0	µg/L	GE
1	Nitrate as nitrogen	9600	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	597	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	5770	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	19300	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	223000	µg/L	GE
0	Total organic carbon	1000	µg/L	GE

ANALYTICAL RESULTS

WELL HSB138D collected on 01/13/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	9.8	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	4.2±1.4	pCi/L	GE
1	Nonvolatile beta	30±7.9	pCi/L	GE
1	Total activity	1730±30	pCi/mL	EM
0	Total radium	<1.0	pCi/L	GE
2	Tritium	1700±4.2	pCi/mL	GE

WELL HSB139A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/14/90
 Depth to water: 61.71 ft (18.81 m) below TOC
 Water elevation: 171.99 ft (52.42 m) msl
 Sp. conductance: 214 µS/cm
 Water evacuated before sampling: 234 gal
 Time: 13:30
 pH: 8.2
 Alkalinity: 70 mg/L
 Water temperature: 18.6°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	pH	8.0	pH	GE
1	Specific conductance	200	µS/cm	GE
0	Aluminum	<20	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	24	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
1	Calcium	29500	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbonate	<1000	µg/L	GE
0	Chloride	2300	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	12	µg/L	GE
0	Lead	<8.0	µg/L	GE
0	Magnesium	888	µg/L	GE
0	Manganese	4.5	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	50	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	3050	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	3900	µg/L	GE
1	Silica	28800	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	3960	µg/L	GE

WELL HSB139A collected on 01/14/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	151000	µg/L	GE
0	Total organic carbon	1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	4.8	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Total radium	<1.0	pCi/L	GE
0	Tritium	<0.70	pCi/mL	GE

WELL HSB139C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/14/90
 Depth to water: 19.60 ft (5.97 m) below TOC
 Water elevation: 214.20 ft (65.29 m) msl
 Sp. conductance: 387 µS/cm
 Water evacuated before sampling: 30 gal
 The well went dry during purging.
 Time: 12:40
 pH: 5.8
 Alkalinity: 7 mg/L
 Water temperature: 18.1°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	Specific conductance	338	µS/cm	GE
1	Total activity	3430±40	pCi/mL	EM

WELL HSB139C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/26/90
 Depth to water: 19.74 ft (6.02 m) below TOC
 Water elevation: 214.08 ft (65.25 m) msl
 Sp. conductance: 403 µS/cm
 Water evacuated before sampling: 30 gal
 The well went dry during purging.
 Time: 10:15
 pH: 5.8
 Alkalinity: 4 mg/L
 Water temperature: 17.9°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.8	pH	GE
1	Specific conductance	348	µS/cm	GE
1	Aluminum	100	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
1	Barium	51	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
1	Calcium	15300	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbonate	<1000	µg/L	GE
0	Chloride	5100	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE

ANALYTICAL RESULTS

WELL HSB139C collected on 01/28/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	180	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	40	µg/L	GE
0	Lead	<1.0	µg/L	GE
1	Magnesium	5370	µg/L	GE
2	Manganese	169	µg/L	GE
0	Mercury	0.29	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
1	Nickel	11	µg/L	GE
2	Nitrate as nitrogen	30800	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	1500	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	9800	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	48100	µg/L	GE
0	Sulfate	<5000	µg/L	GE
2	Tetrachloroethylene	8.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	278000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	140	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
1	Trichloroethylene	2.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	43	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
1	Nonvolatile beta	20±3.0	pCi/L	GE
1	Total activity	3590±10	pCi/mL	EM
1	Total radium	3.5±2.5	pCi/L	GE
2	Tritium	3780±6.2	pCi/mL	GE

WELL HSB139D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/14/90
 Depth to water: 10.36 ft (3.18 m) below TOC
 Water elevation: 223.44 ft (68.11 m) msl
 Sp. conductance: 32 µS/cm
 Water evacuated before sampling: 61 gal

Time: 13:05
 pH: 5.0
 Alkalinity: 0 mg/L
 Water temperature: 18.0°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.0	pH	GE
0	Specific conductance	32	µS/cm	GE
0	Aluminum	52	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	10	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	1080	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbonate	<1000	µg/L	GE
0	Chloride	2800	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE

WELL HSB139D collected on 01/14/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Copper	7.1	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	53	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	640	µg/L	GE
1	Manganese	26	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	740	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	582	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	6140	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	3650	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	90000	µg/L	GE
0	Total organic carbon	1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	11	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	4.4±1.5	pCi/L	GE
1	Total activity	54±1.9	pCi/mL	EM
0	Total radium	<1.0	pCi/L	GE
2	Tritium	50±0.70	pCi/mL	GE

WELL HSS 1D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/18/90
 Depth to water: 43.84 ft (13.30 m) below TOC
 Water elevation: 268.46 ft (81.22 m) msl
 Sp. conductance: 32 µS/cm
 Water evacuated before sampling: 23 gal
 The well went dry during purging.

Time: 12:20
 pH: 5.8
 Alkalinity: 5 mg/L
 Water temperature: 16.8°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	6.0	pH	GE
0	pH	6.0	pH	GE
0	Specific conductance	39	µS/cm	GE
0	Specific conductance	38	µS/cm	GE
0	Cadmium	<2.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	3230	µg/L	GE
0	Calcium	3280	µg/L	GE
0	Chloride	1600	µg/L	GE
0	Chloride	1500	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	Copper	11	µg/L	GE
0	Copper	11	µg/L	GE
0	Iron	6.3	µg/L	GE
0	Iron	6.5	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Lead	<6.0	µg/L	GE

ANALYTICAL RESULTS

WELL HSS 1D collected on 02/18/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Magnesium	454	µg/L	GE
0	Magnesium	487	µg/L	GE
0	Manganese	4.7	µg/L	GE
0	Manganese	4.7	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	1360	µg/L	GE
0	Nitrate as nitrogen	1470	µg/L	GE
0	Nitrite as nitrogen	<10.0	µg/L	GE
0	Nitrite as nitrogen	<10.0	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	1410	µg/L	GE
0	Potassium	1450	µg/L	GE
1	Silica	10400	µg/L	GE
1	Silica	10800	µg/L	GE
0	Sodium	1570	µg/L	GE
0	Sodium	1580	µg/L	GE
0	Total dissolved solids	88000	µg/L	GE
0	Total dissolved solids	98000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Gross alpha	<3.0	pCi/L	GE
2	Total radium	287±20	pCi/L	GE
0	Total radium	1.5±3.3	pCi/L	GE

WELL HSS 2D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/17/90
 Depth to water: 39.78 ft (11.82 m) below TOC
 Water elevation: 285.61 ft (80.96 m) msl
 Sp. conductance: 26 µS/cm
 Water evacuated before sampling: 82 gal

Time: 16:10
 pH: 5.2
 Alkalinity: 1 mg/L
 Water temperature: 17.7°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.4	pH	GE
0	Specific conductance	27	µS/cm	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	1140	µg/L	GE
0	Chloride	1900	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	Copper	5.3	µg/L	GE
0	Iron	10	µg/L	GE
0	Lead	8.1	µg/L	GE
0	Magnesium	317	µg/L	GE
0	Manganese	15	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Nickel	4.8	µg/L	GE
0	Nitrate as nitrogen	1020	µg/L	GE
0	Nitrite as nitrogen	<10.0	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	1140	µg/L	GE
1	Silica	23500	µg/L	GE
0	Sodium	1930	µg/L	GE
0	Total dissolved solids	50000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Gross alpha	3.0±2.3	pCi/L	GE
0	Total radium	1.5±3.2	pCi/L	GE

WELL HSS 3D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/18/90
 Depth to water: 29.39 ft (8.96 m) below TOC
 Water elevation: 280.41 ft (85.47 m) msl
 Sp. conductance: 35 µS/cm
 Water evacuated before sampling: 31 gal
 The well went dry during purging.

Time: 12:05
 pH: 4.4
 Alkalinity: 0 mg/L
 Water temperature: 17.8°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	4.5	pH	GE
0	Specific conductance	30	µS/cm	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	378	µg/L	GE
0	Chloride	3100	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	Copper	19	µg/L	GE
0	Iron	48	µg/L	GE
2	Lead	88	µg/L	GE
0	Magnesium	305	µg/L	GE
0	Manganese	4.8	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	1300	µg/L	GE
0	Nitrite as nitrogen	<10.0	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Silica	5120	µg/L	GE
0	Sodium	2440	µg/L	GE
0	Total dissolved solids	35000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Total radium	2.1±3.3	pCi/L	GE

WELL HTF 1

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/23/90
 Depth to water: 8.00 ft (2.74 m) below TOC
 Water elevation: 273.00 ft (83.21 m) msl
 Sp. conductance: 258 µS/cm
 No water was evacuated before sampling.

Time: 10:00
 pH: 8.9
 Water temperature: 21.4°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	pH	7.2	pH	MT
0	Specific conductance	13	µS/cm	MT
1	Barium	189	µg/L	MT
1	Barium	172	µg/L	MT
2	Cadmium	35	µg/L	MT
2	Cadmium	34	µg/L	MT
0	Chromium	<3.0	µg/L	MT
0	Chromium	<3.0	µg/L	MT
2	Lead	189	µg/L	MT
2	Lead	204	µg/L	MT
0	Mercury	<0.20	µg/L	MT
0	Nitrate as nitrogen	<200	µg/L	MT
0	Sodium	4940	µg/L	MT
0	Sodium	4060	µg/L	MT
0	Gross alpha	<4.0	pCi/L	MT
0	Gross alpha	0.46±0.83	pCi/L	EM
0	Nonvolatile beta	7.1±3.9	pCi/L	MT
0	Nonvolatile beta	4.8±2.2	pCi/L	EM
1	Total radium	2.9±0.80	pCi/L	MT
2	Tritium	32±4.0	pCi/mL	MT
2	Tritium	39±1.6	pCi/mL	EM

ANALYTICAL RESULTS

WELL HTF 2

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/23/90
Depth to water: 7.50 ft (2.29 m) below TOC
Water elevation: 274.30 ft (83.61 m) msl
Sp. conductance: 199 µS/cm
No water was evacuated before sampling.

Time: 10:40
pH: 6.5
Water temperature: 21.6°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	6.3	pH	MT
0	Specific conductance	14	µS/cm	MT
1	Barium	68	µg/L	MT
2	Cadmium	95	µg/L	MT
0	Chromium	<3.0	µg/L	MT
2	Lead	48	µg/L	MT
0	Mercury	<0.20	µg/L	MT
0	Mercury	<0.20	µg/L	MT
0	Nitrate as nitrogen	<200	µg/L	MT
0	Sodium	4220	µg/L	MT
0	Gross alpha	<4.0	pCi/L	MT
0	Gross alpha	0.16±0.54	pCi/L	EM
0	Nonvolatile beta	<6.0	pCi/L	MT
0	Nonvolatile beta	3.0±1.4	pCi/L	EM
0	Total radium	1.7±0.50	pCi/L	MT
2	Tritium	28±3.0	pCi/mL	MT
2	Tritium	32±1.5	pCi/mL	EM

WELL HTF 3

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/23/90
Inaccessibility or pump failure prevented sample collection.

Time: Not available

WELL HTF 4

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/23/90
Depth to water: 8.50 ft (2.59 m) below TOC
Water elevation: 274.40 ft (83.64 m) msl
Sp. conductance: 153 µS/cm
No water was evacuated before sampling.

Time: 10:20
pH: 6.5
Water temperature: 24.1°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	6.3	pH	MT
0	Specific conductance	13	µS/cm	MT
0	Barium	38	µg/L	MT
2	Cadmium	92	µg/L	MT
0	Chromium	<3.0	µg/L	MT
2	Lead	257	µg/L	MT
0	Mercury	<0.20	µg/L	MT
0	Nitrate as nitrogen	<200	µg/L	MT
0	Sodium	3430	µg/L	MT
0	Gross alpha	<3.0	pCi/L	MT
0	Gross alpha	<3.0	pCi/L	GE
0	Gross alpha	±0.30	pCi/L	EM
0	Nonvolatile beta	8.1±3.7	pCi/L	MT
0	Nonvolatile beta	8.6±0.70	pCi/L	GE
0	Nonvolatile beta	2.3±1.3	pCi/L	EM
0	Total radium	1.2±0.50	pCi/L	MT
2	Tritium	31±4.0	pCi/mL	MT
2	Tritium	43±0.70	pCi/mL	GE
2	Tritium	37±1.5	pCi/mL	EM

WELL HTF 5

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/23/90
Inaccessibility or pump failure prevented sample collection.

Time: Not available

WELL HTF 6

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/23/90
Inaccessibility or pump failure prevented sample collection.

Time: Not available

WELL HTF 7

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/23/90
Depth to water: 30.00 ft (9.14 m) below TOC
Water elevation: 275.30 ft (83.91 m) msl
Sp. conductance: 124 µS/cm
No water was evacuated before sampling.

Time: 11:00
pH: 5.7
Water temperature: 25.2°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.8	pH	MT
0	Specific conductance	13	µS/cm	MT
1	Barium	69	µg/L	MT
2	Cadmium	25	µg/L	MT
0	Chromium	<3.0	µg/L	MT
2	Lead	26	µg/L	MT
0	Mercury	<0.20	µg/L	MT
0	Nitrate as nitrogen	610	µg/L	MT
0	Silver	<2.0	µg/L	MT
1	Sodium	5290	µg/L	MT
0	Antimony-125	<0.22	pCi/mL	EM
0	Barium-140	<200	pCi/L	TE
0	Beryllium-7	<80	pCi/L	TE
0	Cerium-141	<30	pCi/L	TE
0	Cerium-144	<0.51	pCi/mL	EM
0	Cerium-144	<40	pCi/L	TE
0	Cesium-134	<0.074	pCi/mL	EM
0	Cesium-134	<4.0	pCi/L	TE
0	Cesium-137	<0.076	pCi/mL	EM
0	Cesium-137	<4.0	pCi/L	TE
0	Chromium-51	<0.71	pCi/mL	EM
0	Cobalt-58	<8.0	pCi/L	TE
0	Cobalt-60	<0.079	pCi/mL	EM
0	Cobalt-60	<4.0	pCi/L	TE
1	Gross alpha	7.9±3.3	pCi/L	MT
0	Gross alpha	0.37±0.55	pCi/L	EM
0	Iodine-131	<0.15	pCi/mL	EM
0	Iodine-131	<2000	pCi/L	TE
0	Iron-59	<20	pCi/L	TE
0	Manganese-54	<4.0	pCi/L	TE
0	Neptunium-237	<8.0	pCi/L	TE
1	Nonvolatile beta	18±5.0	pCi/L	MT
0	Nonvolatile beta	2.5±1.1	pCi/L	EM
0	Potassium-40	<70	pCi/L	TE
0	Radium-226	<10	pCi/L	TE
0	Ruthenium-103	<0.079	pCi/mL	EM
0	Ruthenium-103	<10	pCi/L	TE
0	Ruthenium-106	<0.63	pCi/mL	EM
0	Ruthenium-106	<40	pCi/L	TE
0	Thorium-228	<9.0	pCi/L	TE
0	Total radium	2.3±0.50	pCi/L	MT
0	Tritium	8.3±0.90	pCi/mL	MT
0	Tritium	9.8±0.99	pCi/mL	EM
0	Zinc-65	<8.0	pCi/L	TE
0	Zirconium-95	<8.0	pCi/L	TE
0	Zirconium/niobium-95	<0.14	pCi/mL	EM

ANALYTICAL RESULTS

WELL HTF 8

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/23/90 Time: Not available
Inaccessibility or pump failure prevented sample collection.

WELL HTF 9

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/24/90 Time: 14:30
Depth to water: 50.00 ft (15.24 m) below TOC pH: 8.4
Water elevation: 274.00 ft (83.52 m) msf
Sp. conductance: 103 μ S/cm Water temperature: 25.6°C
No water was evacuated before sampling.

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	8.9	pH	MT
0	Specific conductance	13	μ S/cm	MT
0	Barium	<8.0	μ g/L	MT
0	Cadmium	<3.0	μ g/L	MT
0	Chromium	<3.0	μ g/L	MT
0	Lead	13	μ g/L	MT
1	Mercury	0.45	μ g/L	MT
0	Nitrate as nitrogen	<200	μ g/L	MT
0	Sodium	3820	μ g/L	MT
0	Gross alpha	<3.0	pCi/L	MT
0	Gross alpha	0.76 $\pm$ 0.65	pCi/L	EM
0	Nonvolatile beta	8.8 $\pm$ 3.7	pCi/L	MT
0	Nonvolatile beta	2.2 $\pm$ 1.0	pCi/L	EM
0	Total radium	1.6 $\pm$ 0.50	pCi/L	MT
2	Tritium	120 $\pm$ 20	pCi/mL	MT
2	Tritium	148 $\pm$ 3.0	pCi/mL	EM

WELL HTF 10

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/24/90 Time: 14:45
Depth to water: 49.00 ft (14.94 m) below TOC pH: 8.3
Water elevation: 273.70 ft (83.42 m) msf
Sp. conductance: 155 μ S/cm Water temperature: 22.6°C
No water was evacuated before sampling.

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	8.0	pH	MT
0	Specific conductance	14	μ S/cm	MT
0	Barium	29	μ g/L	MT
2	Cadmium	123	μ g/L	MT
0	Chromium	<3.0	μ g/L	MT
0	Lead	18	μ g/L	MT
1	Mercury	0.49	μ g/L	MT
0	Nitrate as nitrogen	<200	μ g/L	MT
0	Sodium	4270	μ g/L	MT
0	Gross alpha	<3.0	pCi/L	MT
0	Gross alpha	1.1 $\pm$ 0.90	pCi/L	EM
0	Nonvolatile beta	8.5 $\pm$ 3.8	pCi/L	MT
0	Nonvolatile beta	2.3 $\pm$ 1.3	pCi/L	EM
0	Total radium	1.5 $\pm$ 0.50	pCi/L	MT
2	Tritium	92 $\pm$ 10	pCi/mL	MT
2	Tritium	113 $\pm$ 2.6	pCi/mL	EM

WELL HTF 11

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/24/90 Time: 14:15
Depth to water: 49.50 ft (15.09 m) below TOC pH: 8.2
Water elevation: 273.30 ft (83.30 m) msf
Sp. conductance: 80 μ S/cm Water temperature: 22.8°C
No water was evacuated before sampling.

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Gross alpha	0.65 $\pm$ 0.61	pCi/L	EM
0	Nonvolatile beta	2.1 $\pm$ 1.0	pCi/L	EM
2	Tritium	114 $\pm$ 2.6	pCi/mL	EM

WELL HTF 11

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/05/90 Time: 10:45
Depth to water: 49.00 ft (14.94 m) below TOC pH: 6.3
Water elevation: 273.80 ft (83.48 m) msf
Sp. conductance: 72 μ S/cm Water temperature: 21.3°C
No water was evacuated before sampling.

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	6.2	pH	MT
0	Specific conductance	57	μ S/cm	MT
0	Barium	18	μ g/L	MT
2	Cadmium	9.3	μ g/L	MT
0	Chromium	3.3	μ g/L	MT
0	Lead	6.1	μ g/L	MT
1	Mercury	0.61	μ g/L	MT
0	Nitrate as nitrogen	<200	μ g/L	MT
1	Sodium	5410	μ g/L	MT
0	Gross alpha	<4.0	pCi/L	MT
0	Gross alpha	$\pm$ 0.19	pCi/L	EM
0	Nonvolatile beta	5.2 $\pm$ 3.2	pCi/L	MT
0	Nonvolatile beta	1.8 $\pm$ 0.97	pCi/L	EM
1	Total radium	2.7 $\pm$ 0.80	pCi/L	MT
2	Tritium	98 $\pm$ 10	pCi/mL	MT
2	Tritium	115 $\pm$ 2.5	pCi/mL	EM

WELL HTF 12

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/23/90 Time: 13:15
Depth to water: 49.00 ft (14.94 m) below TOC pH: 6.5
Water elevation: 273.90 ft (83.49 m) msf
Sp. conductance: 67 μ S/cm Water temperature: 27.7°C
No water was evacuated before sampling.

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	6.1	pH	MT
0	Specific conductance	13	μ S/cm	MT
0	Barium	<8.0	μ g/L	MT
2	Cadmium	30	μ g/L	MT
1	Chromium	4.4	μ g/L	MT
0	Lead	17	μ g/L	MT
1	Mercury	0.68	μ g/L	MT
0	Nitrate as nitrogen	<200	μ g/L	MT
0	Sodium	4100	μ g/L	MT
0	Gross alpha	<3.0	pCi/L	MT
0	Gross alpha	0.22 $\pm$ 0.42	pCi/L	EM
0	Nonvolatile beta	<6.0	pCi/L	MT
0	Nonvolatile beta	1.5 $\pm$ 0.94	pCi/L	EM
0	Total radium	<1.0	pCi/L	MT
2	Tritium	160 $\pm$ 20	pCi/mL	MT
2	Tritium	187 $\pm$ 3.2	pCi/mL	EM

ANALYTICAL RESULTS

WELL HTF 13

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/23/90 Time: 14:15
 Depth to water: 49.70 ft (15.15 m) below TOC pH: 5.5
 Water elevation: 274.70 ft (83.73 m) msl
 Sp. conductance: 29 µS/cm Water temperature: 26.3°C
 No water was evacuated before sampling.

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.4	pH	MT
0	Specific conductance	10	µS/cm	MT
0	Barium	12	µg/L	MT
2	Cadmium	17	µg/L	MT
1	Chromium	25	µg/L	MT
2	Lead	73	µg/L	MT
0	Mercury	0.20	µg/L	MT
0	Nitrate as nitrogen	1030	µg/L	MT
0	Sodium	2520	µg/L	MT
2	Gross alpha	29±3.0	pCi/L	MT
0	Gross alpha	±0.22	pCi/L	EM
1	Nonvolatile beta	41±5.0	pCi/L	MT
0	Nonvolatile beta	0.080±0.70	pCi/L	EM
1	Total radium	4.9±0.80	pCi/L	MT
1	Tritium	19±2.0	pCi/mL	MT
2	Tritium	23±1.3	pCi/mL	EM

WELL HTF 14

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/23/90 Time: 14:30
 Depth to water: 50.30 ft (15.33 m) below TOC pH: 5.5
 Water elevation: 273.60 ft (83.39 m) msl
 Sp. conductance: 48 µS/cm Water temperature: 26.3°C
 No water was evacuated before sampling.

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	6.0	pH	MT
0	Specific conductance	13	µS/cm	MT
1	Barium	67	µg/L	MT
2	Cadmium	26	µg/L	MT
1	Chromium	21	µg/L	MT
2	Lead	139	µg/L	MT
0	Mercury	<0.20	µg/L	MT
0	Nitrate as nitrogen	1800	µg/L	MT
0	Sodium	4000	µg/L	MT
2	Gross alpha	90±9.0	pCi/L	MT
0	Gross alpha	0.79±0.67	pCi/L	EM
2	Nonvolatile beta	130±20	pCi/L	MT
0	Nonvolatile beta	2.5±1.1	pCi/L	EM
2	Total radium	13±2.0	pCi/L	MT
2	Tritium	50±5.0	pCi/mL	MT
2	Tritium	59±1.8	pCi/mL	EM

WELL HTF 15

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/23/90 Time: 13:40
 Depth to water: 48.30 ft (14.72 m) below TOC pH: 4.9
 Water elevation: 274.20 ft (83.58 m) msl
 Sp. conductance: 60 µS/cm Water temperature: 26.2°C
 No water was evacuated before sampling.

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.1	pH	MT
0	Specific conductance	13	µS/cm	MT
0	Barium	11	µg/L	MT
2	Cadmium	157	µg/L	MT
1	Chromium	8.0	µg/L	MT
0	Lead	13	µg/L	MT
1	Mercury	0.92	µg/L	MT
0	Nitrate as nitrogen	1900	µg/L	MT
1	Sodium	7670	µg/L	MT
2	Gross alpha	45±5.0	pCi/L	MT
0	Gross alpha	0.34±0.49	pCi/L	EM

WELL HTF 15 collected on 01/23/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
2	Nonvolatile beta	65±10	pCi/L	MT
0	Nonvolatile beta	0.64±0.81	pCi/L	EM
2	Total radium	8.5±0.90	pCi/L	MT
2	Tritium	41±5.0	pCi/mL	MT
2	Tritium	41±5.0	pCi/mL	MT
2	Tritium	48±1.7	pCi/mL	EM

WELL HTF 16

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/23/90 Time: 9:40
 Depth to water: 32.00 ft (9.75 m) below TOC pH: 5.0
 Water elevation: 268.30 ft (81.78 m) msl
 Sp. conductance: 52 µS/cm Water temperature: 19.8°C
 No water was evacuated before sampling.

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.2	pH	MT
0	Specific conductance	14	µS/cm	MT
0	Barium	21	µg/L	MT
2	Cadmium	45	µg/L	MT
1	Chromium	8.6	µg/L	MT
0	Lead	11	µg/L	MT
0	Mercury	<0.20	µg/L	MT
0	Nitrate as nitrogen	2600	µg/L	MT
0	Sodium	2780	µg/L	MT
2	Gross alpha	36±4.0	pCi/L	MT
0	Gross alpha	3.6±2.0	pCi/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Gross alpha	0.74±0.63	pCi/L	EM
1	Nonvolatile beta	43±5.0	pCi/L	MT
1	Nonvolatile beta	13±3.4	pCi/L	GE
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Nonvolatile beta	1.7±0.98	pCi/L	EM
2	Total radium	36±4.0	pCi/L	MT
2	Tritium	32±4.0	pCi/mL	MT
2	Tritium	37±0.70	pCi/mL	GE
2	Tritium	38±0.70	pCi/mL	GE
2	Tritium	33±1.5	pCi/mL	EM

WELL HTF 17

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/24/90 Time: 10:00
 Depth to water: 30.00 ft (9.14 m) below TOC pH: 6.0
 Water elevation: 260.20 ft (79.31 m) msl
 Sp. conductance: 80 µS/cm Water temperature: 20.2°C
 No water was evacuated before sampling.

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	6.0	pH	MT
0	Specific conductance	14	µS/cm	MT
0	Barium	30	µg/L	MT
2	Cadmium	6.1	µg/L	MT
1	Chromium	18	µg/L	MT
2	Lead	29	µg/L	MT
0	Mercury	<0.20	µg/L	MT
1	Nitrate as nitrogen	3700	µg/L	MT
0	Sodium	2450	µg/L	MT
2	Gross alpha	30±3.0	pCi/L	MT
0	Gross alpha	0.45±0.56	pCi/L	EM
1	Nonvolatile beta	38±4.0	pCi/L	MT
0	Nonvolatile beta	3.6±1.3	pCi/L	EM
2	Total radium	33±4.0	pCi/L	MT
2	Tritium	42±5.0	pCi/mL	MT
2	Tritium	48±1.7	pCi/mL	EM

ANALYTICAL RESULTS

WELL HTF 18

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/23/90
Depth to water: 51.50 ft (15.70 m) below TOC
Water elevation: 272.20 ft (82.97 m) msl
Sp. conductance: 62 µS/cm
No water was evacuated before sampling.

Time: 14:50
pH: 4.5
Water temperature: 22.4°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	4.9	pH	MT
0	Specific conductance	15	µS/cm	MT
0	Barium	23	µg/L	MT
1	Cadmium	3.4	µg/L	MT
1	Chromium	9.1	µg/L	MT
0	Lead	13	µg/L	MT
1	Mercury	0.78	µg/L	MT
0	Nitrate as nitrogen	1400	µg/L	MT
0	Sodium	4770	µg/L	MT
2	Gross alpha	33±4.0	pCi/L	MT
0	Gross alpha	2.4±1.1	pCi/L	EM
1	Nonvolatile beta	34±4.0	pCi/L	MT
0	Nonvolatile beta	2.1±1.0	pCi/L	EM
2	Total radium	8.3±0.90	pCi/L	MT
1	Tritium	14±2.0	pCi/mL	MT
1	Tritium	17±1.2	pCi/mL	EM

WELL HTF 19

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/23/90
Depth to water: 56.00 ft (17.07 m) below TOC
Water elevation: 268.80 ft (81.93 m) msl
Sp. conductance: 38 µS/cm
No water was evacuated before sampling.

Time: 14:10
pH: 5.1
Water temperature: 24.0°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.8	pH	MT
0	pH	5.8	pH	MT
0	Specific conductance	13	µS/cm	MT
0	Specific conductance	13	µS/cm	MT
0	Barium	19	µg/L	MT
0	Cadmium	<3.0	µg/L	MT
1	Chromium	9.1	µg/L	MT
0	Lead	6.5	µg/L	MT
0	Mercury	<0.20	µg/L	MT
0	Nitrate as nitrogen	500	µg/L	MT
0	Sodium	2320	µg/L	MT
1	Gross alpha	9.8±3.6	pCi/L	MT
0	Gross alpha	1.6±0.91	pCi/L	EM
1	Nonvolatile beta	11±2.0	pCi/L	MT
0	Nonvolatile beta	2.0±1.0	pCi/L	EM
1	Total radium	3.1±0.80	pCi/L	MT
0	Tritium	9.0±0.90	pCi/mL	MT
1	Tritium	11±1.0	pCi/mL	EM

WELL HTF 20

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/25/90
Depth to water: 56.20 ft (17.13 m) below TOC
Water elevation: 268.70 ft (81.90 m) msl
Sp. conductance: 51 µS/cm
No water was evacuated before sampling.

Time: 10:10
pH: 4.7
Water temperature: 25.5°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Gross alpha	0.78±0.66	pCi/L	EM
0	Nonvolatile beta	0.58±0.80	pCi/L	EM
2	Tritium	25±1.3	pCi/mL	EM

WELL HTF 20

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/05/90
Depth to water: 56.50 ft (17.22 m) below TOC
Water elevation: 268.40 ft (81.81 m) msl
Sp. conductance: 58 µS/cm
No water was evacuated before sampling.

Time: 11:20
pH: 4.8
Water temperature: 24.1°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	4.7	pH	MT
0	pH	4.7	pH	MT
0	Specific conductance	65	µS/cm	MT
0	Specific conductance	66	µS/cm	MT
0	Barium	21	µg/L	MT
0	Cadmium	<3.0	µg/L	MT
1	Chromium	4.2	µg/L	MT
0	Lead	5.7	µg/L	MT
1	Mercury	0.50	µg/L	MT
1	Mercury	0.49	µg/L	MT
0	Nitrate as nitrogen	2200	µg/L	MT
0	Sodium	4830	µg/L	MT
1	Gross alpha	12±6.0	pCi/L	MT
0	Gross alpha	0.63±0.54	pCi/L	EM
1	Nonvolatile beta	19±7.0	pCi/L	MT
0	Nonvolatile beta	2.1±1.1	pCi/L	EM
1	Total radium	4.6±0.80	pCi/L	MT
2	Tritium	20±2.0	pCi/mL	MT
2	Tritium	20±2.0	pCi/mL	MT
2	Tritium	25±1.3	pCi/mL	EM

WELL HTF 21

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/25/90
Depth to water: 55.20 ft (16.83 m) below TOC
Water elevation: 269.50 ft (82.14 m) msl
Sp. conductance: 57 µS/cm
No water was evacuated before sampling.

Time: 9:50
pH: 4.7
Water temperature: 21.8°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	4.5	pH	MT
0	Specific conductance	12	µS/cm	MT
0	Barium	32	µg/L	MT
0	Cadmium	<3.0	µg/L	MT
1	Chromium	18	µg/L	MT
0	Lead	13	µg/L	MT
1	Mercury	0.97	µg/L	MT
0	Nitrate as nitrogen	2500	µg/L	MT
0	Sodium	4320	µg/L	MT
2	Gross alpha	15±4.0	pCi/L	MT
0	Gross alpha	1.8±0.94	pCi/L	EM
1	Nonvolatile beta	16±4.0	pCi/L	MT
0	Nonvolatile beta	2.6±1.1	pCi/L	EM
1	Total radium	4.5±0.70	pCi/L	MT
2	Tritium	20±2.0	pCi/mL	MT
2	Tritium	24±1.3	pCi/mL	EM

WELL HTF 22

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/24/90
Depth to water: 57.50 ft (17.53 m) below TOC
Water elevation: 276.00 ft (84.13 m) msl
Sp. conductance: 147 µS/cm
No water was evacuated before sampling.

Time: 11:10
pH: 6.3
Water temperature: 24.5°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	6.4	pH	MT
0	Specific conductance	16	µS/cm	MT
0	Barium	23	µg/L	MT
1	Cadmium	3.4	µg/L	MT
2	Chromium	42	µg/L	MT
0	Lead	18	µg/L	MT
0	Mercury	<0.20	µg/L	MT

ANALYTICAL RESULTS

WELL HTF 22 collected on 01/24/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Nitrate as nitrogen	560	µg/L	MT
0	Sodium	4720	µg/L	MT
2	Gross alpha	130±60	pCi/L	MT
0	Gross alpha	±0.47	pCi/L	EM
2	Nonvolatile beta	170±80	pCi/L	MT
0	Nonvolatile beta	3.4±1.5	pCi/L	EM
2	Total radium	24±3.0	pCi/L	MT
2	Total radium	24±3.0	pCi/L	MT
1	Tritium	13±2.0	pCi/mL	MT
1	Tritium	16±1.1	pCi/mL	EM

WELL HTF 23

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/24/90 Time: 11:00
 Depth to water: 58.80 ft (17.92 m) below TOC pH: 6.3
 Water elevation: 275.20 ft (83.86 m) msl
 Sp. conductance: 102 µS/cm Water temperature: 24.4°C
 No water was evacuated before sampling.

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	pH	6.9	pH	MT
0	Specific conductance	13	µS/cm	MT
0	Barium	9.1	µg/L	MT
0	Cadmium	<3.0	µg/L	MT
1	Chromium	9.4	µg/L	MT
0	Lead	11	µg/L	MT
1	Mercury	0.41	µg/L	MT
0	Nitrate as nitrogen	1700	µg/L	MT
0	Sodium	4310	µg/L	MT
2	Gross alpha	17±7.0	pCi/L	MT
0	Gross alpha	±0.33	pCi/L	EM
1	Nonvolatile beta	23±8.0	pCi/L	MT
0	Nonvolatile beta	1.7±1.0	pCi/L	EM
1	Total radium	4.1±0.60	pCi/L	MT
2	Tritium	22±3.0	pCi/mL	MT
2	Tritium	28±1.4	pCi/mL	EM

WELL HTF 24

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/24/90 Time: 10:50
 Depth to water: 59.50 ft (18.14 m) below TOC pH: 5.0
 Water elevation: 274.40 ft (83.64 m) msl
 Sp. conductance: 49 µS/cm Water temperature: 23.4°C
 No water was evacuated before sampling.

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.3	pH	MT
0	Specific conductance	11	µS/cm	MT
0	Barium	23	µg/L	MT
0	Cadmium	<3.0	µg/L	MT
1	Chromium	18	µg/L	MT
2	Lead	99	µg/L	MT
1	Mercury	0.47	µg/L	MT
0	Nitrate as nitrogen	2200	µg/L	MT
0	Sodium	4470	µg/L	MT
2	Gross alpha	38±20	pCi/L	MT
0	Gross alpha	0.33±0.48	pCi/L	EM
2	Nonvolatile beta	70±20	pCi/L	MT
0	Nonvolatile beta	0.21±0.73	pCi/L	EM
2	Total radium	6.4±0.80	pCi/L	MT
2	Tritium	30±3.0	pCi/mL	MT
2	Tritium	35±1.5	pCi/mL	EM

WELL HTF 25

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/25/90 Time: 9:20
 Depth to water: 59.80 ft (18.23 m) below TOC pH: 5.7
 Water elevation: 274.50 ft (83.67 m) msl
 Sp. conductance: 38 µS/cm Water temperature: 23.3°C
 No water was evacuated before sampling.

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.5	pH	MT
0	Specific conductance	11	µS/cm	MT
0	Barium	<8.0	µg/L	MT
0	Cadmium	<3.0	µg/L	MT
0	Chromium	<3.0	µg/L	MT
0	Lead	<3.0	µg/L	MT
0	Mercury	<0.20	µg/L	MT
0	Nitrate as nitrogen	790	µg/L	MT
0	Sodium	3210	µg/L	MT
0	Gross alpha	4.2±2.5	pCi/L	MT
0	Gross alpha	0.010±0.30	pCi/L	EM
0	Nonvolatile beta	<5.0	pCi/L	MT
0	Nonvolatile beta	0.84±0.81	pCi/L	EM
0	Total radium	1.5±0.40	pCi/L	MT
1	Tritium	18±2.0	pCi/mL	MT
2	Tritium	21±1.2	pCi/mL	EM

WELL HTF 26

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/24/90 Time: 10:40
 Depth to water: 60.80 ft (18.53 m) below TOC pH: 5.2
 Water elevation: 274.70 ft (83.73 m) msl
 Sp. conductance: 75 µS/cm Water temperature: 21.9°C
 No water was evacuated before sampling.

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.8	pH	MT
0	Specific conductance	13	µS/cm	MT
0	Barium	19	µg/L	MT
0	Cadmium	<3.0	µg/L	MT
1	Chromium	7.8	µg/L	MT
0	Lead	14	µg/L	MT
0	Mercury	0.23	µg/L	MT
0	Nitrate as nitrogen	1800	µg/L	MT
0	Sodium	2340	µg/L	MT
2	Gross alpha	15±4.0	pCi/L	MT
0	Gross alpha	2.3±1.1	pCi/L	EM
1	Nonvolatile beta	31±5.0	pCi/L	MT
1	Nonvolatile beta	10±2.1	pCi/L	EM
2	Total radium	6.0±0.80	pCi/L	MT
1	Tritium	12±2.0	pCi/mL	MT
1	Tritium	15±1.1	pCi/mL	EM

WELL HTF 27

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/25/90 Time: 9:00
 Depth to water: 55.50 ft (16.92 m) below TOC pH: 4.2
 Water elevation: 277.60 ft (84.61 m) msl
 Sp. conductance: 109 µS/cm Water temperature: 23.1°C
 No water was evacuated before sampling.

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	4.2	pH	MT
0	Specific conductance	18	µS/cm	MT
0	Barium	18	µg/L	MT
0	Cadmium	<3.0	µg/L	MT
1	Chromium	5.7	µg/L	MT
0	Lead	<3.0	µg/L	MT
0	Mercury	0.34	µg/L	MT
0	Nitrate as nitrogen	1800	µg/L	MT
0	Nitrate as nitrogen	1800	µg/L	MT
1	Sodium	7810	µg/L	MT
1	Gross alpha	6.9±2.9	pCi/L	MT

ANALYTICAL RESULTS

WELL HTF 27 collected on 01/25/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Gross alpha	4.4±1.5	pCi/L	EM
0	Nonvolatile beta	8.4±3.7	pCi/L	MT
0	Nonvolatile beta	8.1±1.8	pCi/L	EM
1	Total radium	4.9±0.70	pCi/L	MT
1	Tritium	12±2.0	pCi/mL	MT
1	Tritium	14±1.1	pCi/mL	EM

WELL HTF 28

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/24/90 Time: 11:30
 Depth to water: 57.30 ft (17.47 m) below TOC pH: 4.7
 Water elevation: 276.40 ft (84.25 m) msl
 Sp. conductance: 36 µS/cm Water temperature: 34.8°C
 No water was evacuated before sampling.

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	4.6	pH	MT
0	Specific conductance	9.0	µS/cm	MT
0	Barium	<8.0	µg/L	MT
0	Cadmium	<3.0	µg/L	MT
1	Chromium	5.4	µg/L	MT
0	Lead	4.5	µg/L	MT
0	Mercury	<0.20	µg/L	MT
0	Nitrate as nitrogen	1200	µg/L	MT
0	Sodium	2770	µg/L	MT
2	Gross alpha	47±30	pCi/L	MT
0	Gross alpha	0.84±0.68	pCi/L	EM
2	Nonvolatile beta	55±40	pCi/L	MT
0	Nonvolatile beta	1.1±0.87	pCi/L	EM
2	Total radium	9.5±1.0	pCi/L	MT
1	Tritium	10±1.0	pCi/mL	MT
1	Tritium	12±1.0	pCi/mL	EM

WELL HTF 29

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/24/90 Time: 11:20
 Depth to water: 57.00 ft (17.37 m) below TOC pH: 5.4
 Water elevation: 276.50 ft (84.28 m) msl
 Sp. conductance: 61 µS/cm Water temperature: 21.3°C
 No water was evacuated before sampling.

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.7	pH	MT
0	Specific conductance	11	µS/cm	MT
0	Barium	<8.0	µg/L	MT
0	Cadmium	<3.0	µg/L	MT
1	Chromium	4.4	µg/L	MT
0	Lead	5.3	µg/L	MT
1	Mercury	0.67	µg/L	MT
0	Nitrate as nitrogen	2900	µg/L	MT
0	Sodium	4550	µg/L	MT
0	Gross alpha	<4.0	pCi/L	MT
1	Gross alpha	7.2	pCi/L	MT
0	Gross alpha	0.34±0.49	pCi/L	EM
0	Nonvolatile beta	<6.0	pCi/L	MT
0	Nonvolatile beta	<7.0	pCi/L	MT
0	Nonvolatile beta	0.21±0.74	pCi/L	EM
1	Total radium	3.0±0.60	pCi/L	MT
1	Tritium	18±2.0	pCi/mL	MT
2	Tritium	21±1.2	pCi/mL	EM

WELL HTF 31

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/24/90 Time: 11:30
 Depth to water: 50.40 ft (15.36 m) below TOC pH: 5.1
 Water elevation: 277.30 ft (84.52 m) msl
 Sp. conductance: 50 µS/cm Water temperature: 21.0°C
 No water was evacuated before sampling.

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.1	pH	MT
0	Specific conductance	11	µS/cm	MT
1	Barium	69	µg/L	MT
0	Cadmium	<3.0	µg/L	MT
1	Chromium	8.0	µg/L	MT
0	Lead	<3.0	µg/L	MT
0	Mercury	<0.20	µg/L	MT
0	Nitrate as nitrogen	2500	µg/L	MT
1	Sodium	5630	µg/L	MT
0	Gross alpha	<4.0	pCi/L	MT
0	Gross alpha	0.32±0.49	pCi/L	EM
0	Nonvolatile beta	<4.0	pCi/L	MT
0	Nonvolatile beta	3.4±1.2	pCi/L	EM
0	Total radium	<1.0	pCi/L	MT
1	Tritium	10±1.0	pCi/mL	MT
1	Tritium	12±1.0	pCi/mL	EM

WELL HTF 32

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/24/90 Time: 10:25
 Depth to water: 51.10 ft (15.58 m) below TOC pH: 4.9
 Water elevation: 278.00 ft (84.74 m) msl
 Sp. conductance: 44 µS/cm Water temperature: 22.4°C
 No water was evacuated before sampling.

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.0	pH	MT
0	Specific conductance	11	µS/cm	MT
0	Barium	<8.0	µg/L	MT
0	Cadmium	<3.0	µg/L	MT
1	Chromium	5.7	µg/L	MT
0	Lead	<3.0	µg/L	MT
0	Mercury	<0.20	µg/L	MT
0	Nitrate as nitrogen	2300	µg/L	MT
0	Sodium	4600	µg/L	MT
0	Gross alpha	4.7±2.8	pCi/L	MT
0	Gross alpha	0.22±0.43	pCi/L	EM
0	Nonvolatile beta	8.3±4.0	pCi/L	MT
0	Nonvolatile beta	0.33±0.75	pCi/L	EM
0	Total radium	1.4±0.40	pCi/L	MT
1	Tritium	11±2.0	pCi/mL	MT
1	Tritium	13±1.1	pCi/mL	EM

WELL HTF 34

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/24/90 Time: Not available
 Inaccessibility or pump failure prevented sample collection.

ANALYTICAL RESULTS

WELL HWS 1A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/13/90 Time: 16:15
 Depth to water: 81.88 ft (24.89 m) below TOC pH: 4.5
 Water elevation: 242.94 ft (74.05 m) msl Alkalinity: 0 mg/L
 Sp. conductance: 22 µS/cm Water temperature: 20.5°C
 Water evacuated before sampling: 46 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloride	1000	µg/L	GE
0	Iron	54	µg/L	GE
0	Lead	15	µg/L	GE
0	Manganese	2.4	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Silica	8060	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
1	Gross alpha	6.8±2.3	pCi/L	GE
0	Total radium	1.3±2.1	pCi/L	GE

WELL HWS 2

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/13/90 Time: 15:25
 Depth to water: 79.58 ft (24.25 m) below TOC pH: 4.4
 Water elevation: 243.64 ft (74.26 m) msl Alkalinity: 0 mg/L
 Sp. conductance: 24 µS/cm Water temperature: 20.6°C
 Water evacuated before sampling: 74 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloride	1300	µg/L	GE
0	Iron	20	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Manganese	<2.0	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Silica	5400	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Total radium	2.3±2.5	pCi/L	GE

WELL HXB 1

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/13/90 Time: 10:55
 Depth to water: 57.67 ft (17.58 m) below TOC pH: 4.6
 Water elevation: 248.53 ft (75.75 m) msl Alkalinity: 0 mg/L
 Sp. conductance: 29 µS/cm Water temperature: 18.2°C
 Water evacuated before sampling: 89 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Cadmium	<2.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Chloride	1800	µg/L	GE
0	Chloride	1900	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	Iron	25	µg/L	GE
0	Iron	26	µg/L	GE
0	Manganese	<2.0	µg/L	GE
0	Manganese	<2.0	µg/L	GE
0	Silica	8150	µg/L	GE
0	Silica	7920	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Nonvolatile beta	<2.0	pCi/L	GE
2	Total radium	93±10	pCi/L	GE
2	Total radium	121±10	pCi/L	GE
2	Total radium	8.4±10	pCi/L	GE
1	Total radium	3.7±9.7	pCi/L	GE

WELL HXB 2

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/13/90 Time: 10:00
 Depth to water: 55.08 ft (16.78 m) below TOC pH: 4.9
 Water elevation: 249.34 ft (76.00 m) msl Alkalinity: 0 mg/L
 Sp. conductance: 26 µS/cm Water temperature: 17.8°C
 Water evacuated before sampling: 120 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Cadmium	<2.0	µg/L	GE
0	Chloride	2400	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	Iron	49	µg/L	GE
0	Manganese	<2.0	µg/L	GE
1	Silica	12300	µg/L	GE
2	Gross alpha	186±10	pCi/L	GE
0	Gross alpha	<2.0	pCi/L	GE
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Total radium	<1.0	pCi/L	GE

WELL HXB 3

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/13/90 Time: 10:35
 Depth to water: 55.25 ft (16.84 m) below TOC pH: 4.9
 Water elevation: 248.95 ft (75.88 m) msl Alkalinity: 0 mg/L
 Sp. conductance: 27 µS/cm Water temperature: 18.0°C
 Water evacuated before sampling: 107 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Cadmium	<2.0	µg/L	GE
0	Chloride	2100	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	Iron	45	µg/L	GE
0	Iron	8.9	µg/L	GE
0	Manganese	<2.0	µg/L	GE
1	Silica	13300	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	<2.0	pCi/L	GE
1	Total radium	2.5±2.2	pCi/L	GE

WELL IDB 1A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/27/90 Time: 9:15
 Depth to water: 108.82 ft (33.17 m) below TOC pH: 12.3
 Water elevation: 187.98 ft (57.30 m) msl Alkalinity: 402 mg/L
 Sp. conductance: 1653 µS/cm Water temperature: 17.6°C
 Water evacuated before sampling: 18 gal
 The well went dry during purging.

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
2	pH	12	pH	GE
1	Specific conductance	1700	µS/cm	GE
2	Aluminum	4110	µg/L	GE
0	Antimony	<3.0	µg/L	GE
1	Barium	218	µg/L	GE
0	Beryllium	<5.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
1	Calcium	39100	µg/L	GE
1	Carbonate	754000	µg/L	GE
0	Chloride	1900	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Fluoride	180	µg/L	GE
0	Iodine	<100	µg/L	GE
0	Iron	<4.0	µg/L	GE
0	Lead	11	µg/L	GE
0	Magnesium	6.4	µg/L	GE
0	Manganese	<2.0	µg/L	GE
0	Mercury	0.29	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	230	µg/L	GE
0	Nitrite as nitrogen	<10.0	µg/L	GE

ANALYTICAL RESULTS

WELL IDB 1A collected on 03/27/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
1	Phenols	19	µg/L	GE
1	Potassium	39100	µg/L	GE
0	Silica	3520	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	1560	µg/L	GE
1	Sulfate	11700	µg/L	GE
1	Total carbon	2000	µg/L	GE
0	Total dissolved solids	477000	µg/L	GE
0	Total inorganic carbon	<1000	µg/L	GE
0	Total organic carbon	1000	µg/L	GE
1	Total phosphates	390	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	8.8	µg/L	GE
0	Barium-140	<30	pCi/L	TE
0	Beryllium-7	<60	pCi/L	TE
0	Cerium-141	<20	pCi/L	TE
0	Cerium-144	<40	pCi/L	TE
0	Cesium-134	<5.0	pCi/L	TE
0	Cesium-137	<4.0	pCi/L	TE
0	Cobalt-58	<5.0	pCi/L	TE
0	Cobalt-60	<4.0	pCi/L	TE
0	Gross alpha	4.0±4.3	pCi/L	GE
0	Iodine-131	<90	pCi/L	TE
0	Iron-59	<10	pCi/L	TE
0	Manganese-54	<4.0	pCi/L	TE
0	Neptunium-237	<10	pCi/L	TE
0	Nonvolatile beta	5.2±8.9	pCi/L	GE
0	Potassium-40	<70	pCi/L	TE
0	Radium-226	<100	pCi/L	TE
0	Ruthenium-103	<8.0	pCi/L	TE
0	Ruthenium-106	<40	pCi/L	TE
0	Thorium-228	<8.0	pCi/L	TE
1	Total activity	0.45±1.3	pCi/mL	EM
0	Tritium	<0.70	pCi/mL	GE
0	Zinc-65	<9.0	pCi/L	TE
0	Zirconium-95	<5.0	pCi/L	TE

WELL IDB 1B collected on 03/27/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Vanadium	<20	µg/L	GE
0	Zinc	18	µg/L	GE
0	Barium-140	<30	pCi/L	TE
0	Beryllium-7	<60	pCi/L	TE
0	Cerium-141	<20	pCi/L	TE
0	Cerium-144	<40	pCi/L	TE
0	Cesium-134	<5.0	pCi/L	TE
0	Cesium-137	<5.0	pCi/L	TE
0	Cobalt-58	<6.0	pCi/L	TE
0	Cobalt-60	<5.0	pCi/L	TE
0	Gross alpha	<2.0	pCi/L	GE
0	Iodine-131	<90	pCi/L	TE
0	Iron-59	<10	pCi/L	TE
0	Manganese-54	<5.0	pCi/L	TE
0	Neptunium-237	<10	pCi/L	TE
1	Nonvolatile beta	19±2.7	pCi/L	GE
0	Potassium-40	<100	pCi/L	TE
0	Radium-226	<80	pCi/L	TE
0	Ruthenium-103	<8.0	pCi/L	TE
0	Ruthenium-106	<40	pCi/L	TE
0	Thorium-228	<8.0	pCi/L	TE
1	Total activity	0.11±1.3	pCi/mL	EM
0	Tritium	<0.70	pCi/mL	GE
0	Zinc-65	<10	pCi/L	TE
0	Zirconium-95	<7.0	pCi/L	TE

WELL IDB 1C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/24/90
 Depth to water: 58.48 ft (17.82 m) below TOC
 Water elevation: 238.72 ft (72.78 m) msl
 Sp. conductance: 28 µS/cm
 Water evacuated before sampling: 111 gal

Time: 16:50
 pH: 5.1
 Alkalinity: 2 mg/L
 Water temperature: 18.0°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.3	pH	GE
0	Specific conductance	24	µS/cm	GE
0	Aluminum	22	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Barium	7.7	µg/L	GE
0	Beryllium	<5.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	1180	µg/L	GE
0	Carbonate	<1000	µg/L	GE
0	Chloride	1500	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	Iodine	<100	µg/L	GE
0	Iron	20	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	318	µg/L	GE
0	Manganese	5.3	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	<50	µg/L	GE
0	Nitrite as nitrogen	<10.0	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Silica	7980	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	1500	µg/L	GE
0	Sulfate	<5000	µg/L	GE
1	Total carbon	3000	µg/L	GE
0	Total dissolved solids	16000	µg/L	GE
1	Total inorganic carbon	2000	µg/L	GE
0	Total organic carbon	1000	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	7.2	µg/L	GE
0	Barium-140	<7.0	pCi/L	TE
0	Beryllium-7	<30	pCi/L	TE
0	Cerium-141	<7.0	pCi/L	TE
0	Cerium-144	<20	pCi/L	TE
0	Cesium-134	<3.0	pCi/L	TE
0	Cesium-137	<3.0	pCi/L	TE
0	Cobalt-58	<3.0	pCi/L	TE
0	Cobalt-60	<3.0	pCi/L	TE
2	Gross alpha	18±3.8	pCi/L	GE
0	Iodine-131	<20	pCi/L	TE

WELL IDB 1B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/27/90
 Depth to water: 113.33 ft (34.54 m) below TOC
 Water elevation: 183.97 ft (56.07 m) msl
 Sp. conductance: 919 µS/cm
 Water evacuated before sampling: 4 gal
 The well went dry during purging.

Time: 9:40
 pH: 11.8
 Alkalinity: 208 mg/L
 Water temperature: 17.0°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
2	pH	10	pH	GE
0	Specific conductance	90	µS/cm	GE
2	Aluminum	1810	µg/L	GE
1	Antimony	13	µg/L	GE
1	Barium	209	µg/L	GE
0	Beryllium	<5.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
1	Calcium	34300	µg/L	GE
1	Carbonate	418000	µg/L	GE
0	Chloride	1800	µg/L	GE
1	Chromium	6.5	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	Iodine	<100	µg/L	GE
0	Iron	<4.0	µg/L	GE
0	Lead	18	µg/L	GE
0	Magnesium	14	µg/L	GE
0	Manganese	<2.0	µg/L	GE
1	Mercury	0.78	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	150	µg/L	GE
0	Nitrite as nitrogen	<10.0	µg/L	GE
1	Phenols	86	µg/L	GE
1	Potassium	19100	µg/L	GE
1	Silica	10200	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	8410	µg/L	GE
0	Sulfate	9500	µg/L	GE
1	Total carbon	6000	µg/L	GE
0	Total dissolved solids	276000	µg/L	GE
0	Total inorganic carbon	<1000	µg/L	GE
1	Total organic carbon	5000	µg/L	GE
1	Total phosphates	970	µg/L	GE
0	Uranium	<1000	µg/L	GE

ANALYTICAL RESULTS

WELL IDB 1C collected on 02/24/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Iron-59	<8.0	pCi/L	TE
0	Manganese-54	<2.0	pCi/L	TE
0	Neptunium-237	<5.0	pCi/L	TE
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Potassium-40	<40	pCi/L	TE
0	Radium-226	<60	pCi/L	TE
0	Ruthenium-103	<4.0	pCi/L	TE
0	Ruthenium-106	<20	pCi/L	TE
0	Thorium-228	<5.0	pCi/L	TE
0	Tritium	<0.70	pCi/mL	GE
0	Zinc-65	<5.0	pCi/L	TE
0	Zirconium-95	<3.0	pCi/L	TE

WELL IDB 2A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/24/90 Time: 15:55
 Depth to water: 117.07 ft (35.68 m) below TOC pH: 5.9
 Water elevation: 187.23 ft (57.07 m) msl Alkalinity: 9 mg/L
 Sp. conductance: 69 µS/cm Water temperature: 18.8°C
 Water evacuated before sampling: 559 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	6.1	pH	GE
0	Specific conductance	60	µS/cm	GE
0	Aluminum	29	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Barium	17	µg/L	GE
0	Beryllium	<5.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	7650	µg/L	GE
0	Carbonate	<1000	µg/L	GE
0	Chloride	1300	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	Iodine	<100	µg/L	GE
2	Iron	1180	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	244	µg/L	GE
1	Manganese	41	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	50	µg/L	GE
0	Nitrite as nitrogen	<10.0	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	947	µg/L	GE
1	Silica	11800	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	1410	µg/L	GE
0	Sulfate	9000	µg/L	GE
1	Total carbon	4000	µg/L	GE
0	Total dissolved solids	46000	µg/L	GE
1	Total inorganic carbon	3000	µg/L	GE
0	Total organic carbon	1000	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	21	µg/L	GE
0	Barium-140	<10	pCi/L	TE
0	Beryllium-7	<50	pCi/L	TE
0	Cerium-141	<10	pCi/L	TE
0	Cerium-144	<30	pCi/L	TE
0	Cesium-134	<5.0	pCi/L	TE
0	Cesium-137	6.2±3.3	pCi/L	TE
0	Cobalt-58	<5.0	pCi/L	TE
0	Cobalt-60	<5.0	pCi/L	TE
2	Gross alpha	20±3.9	pCi/L	GE
0	Iodine-131	<30	pCi/L	TE
0	Iron-59	<10	pCi/L	TE
0	Manganese-54	<4.0	pCi/L	TE
0	Neptunium-237	<9.0	pCi/L	TE
0	Nonvolatile beta	8.6±3.0	pCi/L	GE
0	Potassium-40	<70	pCi/L	TE
0	Radium-226	<90	pCi/L	TE
0	Ruthenium-103	<6.0	pCi/L	TE
0	Ruthenium-106	<40	pCi/L	TE
0	Thorium-228	<10	pCi/L	TE
0	Tritium	<0.70	pCi/mL	GE
0	Zinc-65	<9.0	pCi/L	TE
0	Zirconium-95	<5.0	pCi/L	TE

WELL IDB 2B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/24/90 Time: 15:25
 Depth to water: 129.09 ft (39.35 m) below TOC pH: 11.4
 Water elevation: 176.81 ft (53.83 m) msl Alkalinity: 186 mg/L
 Sp. conductance: 645 µS/cm Water temperature: 19.0°C
 Water evacuated before sampling: 158 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
2	pH	12	pH	GE
1	Specific conductance	830	µS/cm	GE
2	Aluminum	1470	µg/L	GE
0	Antimony	<3.0	µg/L	GE
1	Barium	99	µg/L	GE
0	Beryllium	<5.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
1	Calcium	38200	µg/L	GE
0	Carbonate	<1000	µg/L	GE
0	Chloride	1900	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Fluoride	120	µg/L	GE
0	Iodine	<100	µg/L	GE
0	Iron	17	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	27	µg/L	GE
0	Manganese	<2.0	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	110	µg/L	GE
0	Nitrite as nitrogen	20	µg/L	GE
0	Phenols	<5.0	µg/L	GE
1	Potassium	8670	µg/L	GE
0	Silica	9710	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	7480	µg/L	GE
1	Sulfate	14800	µg/L	GE
1	Total carbon	2000	µg/L	GE
0	Total dissolved solids	238000	µg/L	GE
0	Total inorganic carbon	<1000	µg/L	GE
0	Total organic carbon	1000	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Uranium	<1000	µg/L	GE
1	Vanadium	35	µg/L	GE
0	Zinc	<2.0	µg/L	GE
0	Barium-140	<10	pCi/L	TE
0	Beryllium-7	<40	pCi/L	TE
0	Cerium-141	<9.0	pCi/L	TE
0	Cerium-144	<30	pCi/L	TE
0	Cesium-134	<3.0	pCi/L	TE
0	Cesium-137	<3.0	pCi/L	TE
0	Cobalt-58	<3.0	pCi/L	TE
0	Cobalt-60	<4.0	pCi/L	TE
0	Gross alpha	<3.0	pCi/L	GE
0	Iodine-131	<20	pCi/L	TE
0	Iron-59	<9.0	pCi/L	TE
0	Manganese-54	<3.0	pCi/L	TE
0	Neptunium-237	<6.0	pCi/L	TE
0	Nonvolatile beta	5.6±2.1	pCi/L	GE
0	Potassium-40	<80	pCi/L	TE
0	Radium-226	<70	pCi/L	TE
0	Ruthenium-103	<4.0	pCi/L	TE
0	Ruthenium-106	<30	pCi/L	TE
0	Thorium-228	<6.0	pCi/L	TE
0	Tritium	<0.70	pCi/mL	GE
0	Zinc-65	<7.0	pCi/L	TE
0	Zirconium-95	<3.0	pCi/L	TE

ANALYTICAL RESULTS

WELL IDB 2C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/24/90
Depth to water: 74.43 ft (22.69 m) below TOC
Water elevation: 231.97 ft (70.71 m) msl
Sp. conductance: 202 µS/cm
Water evacuated before sampling: 134 gal

Time: 15:45
pH: 10.2
Alkalinity: 96 mg/L
Water temperature: 18.0°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
2	pH	9.9	pH	GE
0	Specific conductance	79	µS/cm	GE
1	Aluminum	284	µg/L	GE
0	Antimony	<3.0	µg/L	GE
1	Barium	91	µg/L	GE
0	Beryllium	<5.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
1	Calcium	26900	µg/L	GE
1	Carbonate	21000	µg/L	GE
0	Chloride	2000	µg/L	GE
0	Chromium	2.8	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	Iodine	<100	µg/L	GE
0	Iron	32	µg/L	GE
0	Lead	<8.0	µg/L	GE
0	Magnesium	334	µg/L	GE
0	Manganese	4.8	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	380	µg/L	GE
0	Nitrite as nitrogen	<10.0	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	1830	µg/L	GE
1	Silica	10500	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	5130	µg/L	GE
0	Sulfate	<5000	µg/L	GE
1	Total carbon	8000	µg/L	GE
0	Total dissolved solids	54000	µg/L	GE
1	Total inorganic carbon	5000	µg/L	GE
0	Total organic carbon	1000	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	<2.0	µg/L	GE
0	Barium-140	<10	pCi/L	TE
0	Beryllium-7	<30	pCi/L	TE
0	Cerium-141	<8.0	pCi/L	TE
0	Cerium-144	<30	pCi/L	TE
0	Cesium-134	<3.0	pCi/L	TE
0	Cesium-137	<3.0	pCi/L	TE
0	Cobalt-58	<3.0	pCi/L	TE
0	Cobalt-60	<3.0	pCi/L	TE
0	Gross alpha	<3.0	pCi/L	GE
0	Iodine-131	<20	pCi/L	TE
0	Iron-59	<7.0	pCi/L	TE
0	Manganese-54	<3.0	pCi/L	TE
0	Neptunium-237	<7.0	pCi/L	TE
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Potassium-40	<50	pCi/L	TE
0	Radium-226	<70	pCi/L	TE
0	Ruthenium-103	<4.0	pCi/L	TE
0	Ruthenium-106	<30	pCi/L	TE
0	Thorium-228	<6.0	pCi/L	TE
0	Tritium	<0.70	pCi/mL	GE
0	Zinc-65	<8.0	pCi/L	TE
0	Zirconium-95	<4.0	pCi/L	TE

WELL IDB 3

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/24/90
The well was dry.

Time: 14:20

WELL IDB 4

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/24/90
Depth to water: 70.65 ft (21.53 m) below TOC
Water elevation: 245.95 ft (74.97 m) msl
Sp. conductance: 38 µS/cm
Water evacuated before sampling: 17 gal

Time: 14:00
pH: 8.0
Alkalinity: 8 mg/L
Water temperature: 21.1°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	8.1	pH	GE
0	pH	8.1	pH	GE
0	Specific conductance	30	µS/cm	GE
0	Specific conductance	30	µS/cm	GE
0	Aluminum	<20	µg/L	GE
0	Aluminum	<20	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Barium	<4.0	µg/L	GE
0	Barium	<4.0	µg/L	GE
0	Beryllium	<5.0	µg/L	GE
0	Beryllium	<5.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	4280	µg/L	GE
0	Calcium	4300	µg/L	GE
0	Carbonate	<1000	µg/L	GE
0	Carbonate	<1000	µg/L	GE
0	Chloride	<1000	µg/L	GE
0	Chloride	<1000	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	Iodine	<100	µg/L	GE
0	Iodine	<100	µg/L	GE
0	Iron	27	µg/L	GE
0	Iron	35	µg/L	GE
0	Lead	15	µg/L	GE
0	Lead	12	µg/L	GE
0	Magnesium	163	µg/L	GE
0	Magnesium	162	µg/L	GE
0	Manganese	3.2	µg/L	GE
0	Manganese	3.1	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	430	µg/L	GE
0	Nitrate as nitrogen	440	µg/L	GE
0	Nitrite as nitrogen	<10.0	µg/L	GE
0	Nitrite as nitrogen	<10.0	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Silica	8580	µg/L	GE
0	Silica	8440	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	1830	µg/L	GE
0	Sodium	2100	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Sulfate	<5000	µg/L	GE
1	Total carbon	2000	µg/L	GE
1	Total carbon	2000	µg/L	GE
0	Total dissolved solids	27000	µg/L	GE
0	Total dissolved solids	20000	µg/L	GE
1	Total inorganic carbon	1000	µg/L	GE
0	Total inorganic carbon	<1000	µg/L	GE
0	Total organic carbon	1000	µg/L	GE
0	Total organic carbon	1000	µg/L	GE
0	Total phosphates	<50	µg/L	GE

ANALYTICAL RESULTS

WELL IDB 4 collected on 02/24/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Total phosphates	<50	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	18	µg/L	GE
0	Zinc	18	µg/L	GE
0	Barium-140	<20	pCi/L	TE
0	Beryllium-7	<30	pCi/L	TE
0	Cerium-141	<9.0	pCi/L	TE
0	Cerium-144	<20	pCi/L	TE
0	Cesium-134	<3.0	pCi/L	TE
0	Cesium-137	<3.0	pCi/L	TE
0	Cobalt-58	<3.0	pCi/L	TE
0	Cobalt-60	<3.0	pCi/L	TE
0	Gross alpha	<3.0	pCi/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Iodine-131	<30	pCi/L	TE
0	Iron-59	<7.0	pCi/L	TE
0	Manganese-54	<3.0	pCi/L	TE
0	Neptunium-237	<5.0	pCi/L	TE
0	Nonvolatile beta	2.0±3.5	pCi/L	GE
0	Nonvolatile beta	2.9±3.5	pCi/L	GE
0	Potassium-40	<40	pCi/L	TE
0	Radium-226	<80	pCi/L	TE
0	Ruthenium-103	<5.0	pCi/L	TE
0	Ruthenium-106	<30	pCi/L	TE
0	Thorium-228	<5.0	pCi/L	TE
0	Tritium	3.5±0.40	pCi/mL	GE
0	Tritium	3.8±0.40	pCi/mL	GE
0	Tritium	3.6±0.77	pCi/mL	EM
0	Zinc-65	<6.0	pCi/L	TE
0	Zirconium-95	<3.0	pCi/L	TE

WELL IDB 5

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/24/90
 Depth to water: 78.13 ft (23.81 m) below TOC
 Water elevation: 243.77 ft (74.30 m) msl
 Sp. conductance: 88 µS/cm
 Water evacuated before sampling: 4 gal
 The well went dry during purging.

Time: 18:20
 pH: 8.8
 Alkalinity: 19 mg/L
 Water temperature: 18.1°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	pH	7.8	pH	GE
1	pH	7.5	pH	GE
0	Specific conductance	49	µS/cm	GE
0	Specific conductance	48	µS/cm	GE
0	Aluminum	<20	µg/L	GE
0	Aluminum	<20	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Barium	6.5	µg/L	GE
0	Barium	6.5	µg/L	GE
0	Beryllium	<5.0	µg/L	GE
0	Beryllium	<5.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	1420	µg/L	GE
0	Calcium	1400	µg/L	GE
0	Carbonate	<1000	µg/L	GE
0	Carbonate	<1000	µg/L	GE
0	Chloride	1300	µg/L	GE
0	Chloride	1400	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	Iodine	<100	µg/L	GE
0	Iodine	<100	µg/L	GE
0	Iron	15	µg/L	GE
0	Iron	17	µg/L	GE
0	Lead	<8.0	µg/L	GE
0	Lead	<8.0	µg/L	GE
0	Magnesium	135	µg/L	GE
0	Magnesium	138	µg/L	GE
0	Manganese	19	µg/L	GE
0	Manganese	19	µg/L	GE
0	Mercury	<0.20	µg/L	GE

WELL IDB 5 collected on 02/24/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Mercury	<0.20	µg/L	GE
1	Nickel	19	µg/L	GE
1	Nickel	19	µg/L	GE
0	Nitrate as nitrogen	<50	µg/L	GE
0	Nitrate as nitrogen	<50	µg/L	GE
0	Nitrite as nitrogen	<10.0	µg/L	GE
0	Nitrite as nitrogen	<10.0	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	2600	µg/L	GE
0	Potassium	2630	µg/L	GE
0	Silica	4710	µg/L	GE
0	Silica	5820	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	6850	µg/L	GE
1	Sodium	6810	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Sulfate	<5000	µg/L	GE
1	Total carbon	2000	µg/L	GE
1	Total carbon	2000	µg/L	GE
0	Total dissolved solids	43000	µg/L	GE
0	Total dissolved solids	37000	µg/L	GE
1	Total inorganic carbon	1000	µg/L	GE
1	Total inorganic carbon	1000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	54	µg/L	GE
0	Zinc	52	µg/L	GE
0	Barium-140	<10	pCi/L	TE
0	Beryllium-7	<40	pCi/L	TE
0	Cerium-141	<10	pCi/L	TE
0	Cerium-144	<30	pCi/L	TE
0	Cesium-134	<4.0	pCi/L	TE
0	Cesium-137	<4.0	pCi/L	TE
0	Cobalt-58	<4.0	pCi/L	TE
0	Cobalt-60	<4.0	pCi/L	TE
0	Gross alpha	<3.0	pCi/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Iodine-131	<20	pCi/L	TE
0	Iron-59	<8.0	pCi/L	TE
0	Manganese-54	<3.0	pCi/L	TE
0	Neptunium-237	<8.0	pCi/L	TE
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Nonvolatile beta	5.0±5.4	pCi/L	GE
0	Potassium-40	<70	pCi/L	TE
0	Radium-226	<80	pCi/L	TE
0	Ruthenium-103	<5.0	pCi/L	TE
0	Ruthenium-106	<30	pCi/L	TE
0	Thorium-228	<7.0	pCi/L	TE
0	Tritium	<0.70	pCi/mL	GE
0	Tritium	<0.70	pCi/mL	GE
0	Zinc-65	<7.0	pCi/L	TE
0	Zirconium-95	<4.0	pCi/L	TE

WELL IDB 6

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/24/90
 Depth to water: 85.97 ft (26.11 m) below TOC
 Water elevation: 253.03 ft (77.12 m) msl
 Sp. conductance: 26 µS/cm
 Water evacuated before sampling: 32 gal

Time: 18:30
 pH: 8.1
 Alkalinity: 1 mg/L
 Water temperature: 18.0°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	8.1	pH	GE
0	Specific conductance	19	µS/cm	GE
0	Aluminum	<20	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Barium	8.9	µg/L	GE
0	Beryllium	<5.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	520	µg/L	GE
0	Carbonate	<1000	µg/L	GE
0	Chloride	1000	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE

ANALYTICAL RESULTS

WELL IDB 6 collected on 02/24/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Copper	<4.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	Iodine	<100	µg/L	GE
0	Iron	25	µg/L	GE
0	Lead	<8.0	µg/L	GE
0	Magnesium	212	µg/L	GE
0	Manganese	5.2	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	350	µg/L	GE
0	Nitrite as nitrogen	<10.0	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	507	µg/L	GE
0	Silica	6820	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	1240	µg/L	GE
0	Sulfate	<5000	µg/L	GE
1	Total carbon	2000	µg/L	GE
0	Total dissolved solids	21000	µg/L	GE
0	Total inorganic carbon	<1000	µg/L	GE
0	Total organic carbon	1000	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	8.5	µg/L	GE
0	Barium-140	<10	pCi/L	TE
0	Beryllium-7	<30	pCi/L	TE
0	Cerium-141	<8.0	pCi/L	TE
0	Cerium-144	<30	pCi/L	TE
0	Cesium-134	<3.0	pCi/L	TE
0	Cesium-137	<3.0	pCi/L	TE
0	Cobalt-58	<3.0	pCi/L	TE
0	Cobalt-60	<3.0	pCi/L	TE
0	Gross alpha	<3.0	pCi/L	GE
0	Iodine-131	<20	pCi/L	TE
0	Iron-59	<8.0	pCi/L	TE
0	Manganese-54	<3.0	pCi/L	TE
0	Neptunium-237	<8.0	pCi/L	TE
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Potassium-40	<40	pCi/L	TE
0	Radium-226	<70	pCi/L	TE
0	Ruthenium-103	<4.0	pCi/L	TE
0	Ruthenium-106	<30	pCi/L	TE
0	Thorium-228	<8.0	pCi/L	TE
0	Tritium	<0.70	pCi/mL	GE
0	Zinc-65	<8.0	pCi/L	TE
0	Zirconium-95	<3.0	pCi/L	TE

WELL IDB 7

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/24/90 Time: 18:00
 Depth to water: 58.18 ft (17.73 m) below TOC pH: 4.3
 Water elevation: 255.22 ft (77.79 m) msl Alkalinity: 0 mg/L
 Sp. conductance: 33 µS/cm Water temperature: 17.7°C
 Water evacuated before sampling: 36 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	4.6	pH	GE
0	Specific conductance	31	µS/cm	GE
1	Aluminum	86	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Barium	11	µg/L	GE
0	Beryllium	<5.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	244	µg/L	GE
0	Carbonate	<1000	µg/L	GE
0	Chloride	4000	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Copper	5.8	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	Iodine	<100	µg/L	GE
0	Iron	13	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	444	µg/L	GE
0	Manganese	2.1	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	610	µg/L	GE
0	Nitrite as nitrogen	<10.0	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE

WELL IDB 7 collected on 02/24/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Silica	6050	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	3000	µg/L	GE
0	Sulfate	<5000	µg/L	GE
1	Total carbon	3000	µg/L	GE
0	Total dissolved solids	33000	µg/L	GE
1	Total inorganic carbon	2000	µg/L	GE
0	Total organic carbon	1000	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	6.5	µg/L	GE
0	Barium-140	<10	pCi/L	TE
0	Beryllium-7	<30	pCi/L	TE
0	Cerium-141	<9.0	pCi/L	TE
0	Cerium-144	<30	pCi/L	TE
0	Cesium-134	<3.0	pCi/L	TE
0	Cesium-137	<3.0	pCi/L	TE
0	Cobalt-58	<3.0	pCi/L	TE
0	Cobalt-60	<3.0	pCi/L	TE
0	Gross alpha	<3.0	pCi/L	GE
0	Iodine-131	<20	pCi/L	TE
0	Iron-59	<7.0	pCi/L	TE
0	Manganese-54	<3.0	pCi/L	TE
0	Neptunium-237	<7.0	pCi/L	TE
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Potassium-40	<50	pCi/L	TE
0	Radium-226	<80	pCi/L	TE
0	Ruthenium-103	<4.0	pCi/L	TE
0	Ruthenium-106	<30	pCi/L	TE
0	Thorium-228	<7.0	pCi/L	TE
0	Tritium	<0.70	pCi/mL	GE
0	Zinc-65	<8.0	pCi/L	TE
0	Zirconium-95	<4.0	pCi/L	TE

WELL IDB 8

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/24/90 Time: 17:05
 Depth to water: 55.69 ft (18.97 m) below TOC pH: 4.9
 Water elevation: 237.41 ft (72.36 m) msl Alkalinity: 1 mg/L
 Sp. conductance: 20 µS/cm Water temperature: 17.7°C
 Water evacuated before sampling: 9 gal
 The well went dry during purging.

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.2	pH	GE
0	Specific conductance	16	µS/cm	GE
0	Aluminum	38	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Barium	6.2	µg/L	GE
0	Beryllium	<5.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	318	µg/L	GE
0	Carbonate	<1000	µg/L	GE
0	Chloride	<1000	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	Iodine	<100	µg/L	GE
0	Iron	22	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	373	µg/L	GE
0	Manganese	8.9	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	590	µg/L	GE
0	Nitrite as nitrogen	<10.0	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Silica	5970	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	1370	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Total carbon	<1000	µg/L	GE
0	Total dissolved solids	25000	µg/L	GE
0	Total inorganic carbon	<1000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	14	µg/L	GE
0	Barium-140	<10	pCi/L	TE

ANALYTICAL RESULTS

WELL IDB 8 collected on 02/24/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Beryllium-7	<30	pCi/L	TE
0	Cerium-141	<8.0	pCi/L	TE
0	Cerium-144	<20	pCi/L	TE
0	Cesium-134	<3.0	pCi/L	TE
0	Cesium-137	<3.0	pCi/L	TE
0	Cobalt-58	<3.0	pCi/L	TE
0	Cobalt-60	<3.0	pCi/L	TE
0	Gross alpha	<3.0	pCi/L	GE
0	Iodine-131	<20	pCi/L	TE
0	Iron-59	<7.0	pCi/L	TE
0	Manganese-54	<3.0	pCi/L	TE
0	Neptunium-237	<7.0	pCi/L	TE
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Potassium-40	<40	pCi/L	TE
0	Radium-226	<70	pCi/L	TE
0	Ruthenium-103	<4.0	pCi/L	TE
0	Ruthenium-106	<30	pCi/L	TE
0	Thorium-228	<8.0	pCi/L	TE
0	Tritium	<0.70	pCi/mL	GE
0	Zinc-65	<8.0	pCi/L	TE
0	Zirconium-95	<3.0	pCi/L	TE

WELL IDP 1

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/10/90
Depth to water: 82.83 ft (25.19 m) below TOC
Sp. conductance: 84 µS/cm
Water evacuated before sampling: 50 gal

Time: 13:00
pH: 5.8
Water temperature: 20.0°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.2	pH	GE
1	Specific conductance	105	µS/cm	GE
0	Aluminum	73	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Barium	18	µg/L	GE
0	Beryllium	<5.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	8080	µg/L	GE
0	Carbonate	<1000	µg/L	GE
0	Chloride	3400	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Copper	8.9	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	Iodine	<100	µg/L	GE
0	Iron	14	µg/L	GE
0	Lead	<8.0	µg/L	GE
0	Magnesium	1110	µg/L	GE
0	Manganese	18	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	2740	µg/L	GE
0	Nitrite as nitrogen	<10.0	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	3960	µg/L	GE
0	Silica	8070	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	2220	µg/L	GE
0	Sulfate	<5000	µg/L	GE
1	Total carbon	32000	µg/L	GE
0	Total dissolved solids	141000	µg/L	GE
1	Total inorganic carbon	28000	µg/L	GE
2	Total organic carbon	28000	µg/L	GE
1	Total phosphates	840	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	78	µg/L	GE
0	Barium-140	<10	pCi/L	TE
0	Beryllium-7	<40	pCi/L	TE
0	Cerium-141	<8.0	pCi/L	TE
0	Cerium-144	<20	pCi/L	TE
0	Cesium-134	<3.0	pCi/L	TE
0	Cesium-137	<3.0	pCi/L	TE
0	Cobalt-58	<4.0	pCi/L	TE
0	Cobalt-60	<3.0	pCi/L	TE
0	Gross alpha	<3.0	pCi/L	GE
0	Iodine-131	<40	pCi/L	TE
0	Iron-59	<8.0	pCi/L	TE
0	Manganese-54	<3.0	pCi/L	TE
0	Neptunium-237	<8.0	pCi/L	TE
0	Nonvolatile beta	8.8±3.8	pCi/L	GE

WELL IDP 1 collected on 03/10/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Potassium-40	<80	pCi/L	TE
0	Radium-226	<80	pCi/L	TE
0	Ruthenium-103	<8.0	pCi/L	TE
0	Ruthenium-106	<30	pCi/L	TE
0	Thorium-228	<8.0	pCi/L	TE
0	Total activity	±50	pCi/mL	EM
0	Tritium	4.0±0.40	pCi/mL	GE
0	Zinc-65	<7.0	pCi/L	TE
0	Zirconium-95	<4.0	pCi/L	TE

WELL IDP 2

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/09/90
Depth to water: 88.38 ft (20.24 m) below TOC
Sp. conductance: 48 µS/cm
Water evacuated before sampling: 42 gal

Time: 10:50
pH: 5.8
Water temperature: 18.9°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	6.0	pH	GE
0	Specific conductance	37	µS/cm	GE
1	Aluminum	151	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Barium	7.1	µg/L	GE
0	Beryllium	<5.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	2310	µg/L	GE
0	Carbonate	<1000	µg/L	GE
0	Chloride	2300	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Copper	5.8	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	Iodine	<100	µg/L	GE
0	Iron	27	µg/L	GE
0	Lead	<8.0	µg/L	GE
0	Magnesium	523	µg/L	GE
0	Manganese	8.2	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	1080	µg/L	GE
0	Nitrite as nitrogen	<10.0	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	7.1	µg/L	GE
0	Silica	8790	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	1250	µg/L	GE
0	Sulfate	<5000	µg/L	GE
1	Total carbon	22000	µg/L	GE
0	Total dissolved solids	75000	µg/L	GE
1	Total inorganic carbon	3000	µg/L	GE
1	Total organic carbon	18000	µg/L	GE
1	Total phosphates	410	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	7.1	µg/L	GE
0	Barium-140	<20	pCi/L	TE
0	Beryllium-7	<80	pCi/L	TE
0	Cerium-141	<20	pCi/L	TE
0	Cerium-144	<40	pCi/L	TE
0	Cesium-134	<8.0	pCi/L	TE
0	Cesium-137	<5.0	pCi/L	TE
0	Cobalt-58	<8.0	pCi/L	TE
0	Cobalt-60	<8.0	pCi/L	TE
0	Gross alpha	<3.0	pCi/L	GE
0	Iodine-131	<70	pCi/L	TE
0	Iron-59	<10	pCi/L	TE
0	Manganese-54	<8.0	pCi/L	TE
0	Neptunium-237	<10	pCi/L	TE
0	Nonvolatile beta	4.4±3.8	pCi/L	GE
0	Potassium-40	<80	pCi/L	TE
0	Radium-226	<100	pCi/L	TE
0	Ruthenium-103	<8.0	pCi/L	TE
0	Ruthenium-106	<50	pCi/L	TE
0	Thorium-228	<10	pCi/L	TE
1	Total activity	35±50	pCi/mL	EM
0	Tritium	4.0±0.40	pCi/mL	GE
0	Zinc-65	<10	pCi/L	TE
0	Zirconium-95	<8.0	pCi/L	TE

ANALYTICAL RESULTS

WELL IDP 3A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/03/90 Time: 10:30
 Depth to water: 118.04 ft (35.98 m) below TOC pH: 5.0
 Water elevation: 185.96 ft (50.59 m) msl Alkalinity: 2 mg/L
 Sp. conductance: 47 µS/cm Water temperature: 18.4°C
 Water evacuated before sampling: 667 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.5	pH	GE
0	Specific conductance	42	µS/cm	GE
1	Aluminum	84	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Barium	11	µg/L	GE
0	Beryllium	<5.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	4370	µg/L	GE
0	Carbonate	<1000	µg/L	GE
0	Chloride	1700	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	Iodine	<100	µg/L	GE
2	Iron	734	µg/L	GE
0	Lead	<8.0	µg/L	GE
0	Magnesium	354	µg/L	GE
0	Manganese	22	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	70	µg/L	GE
0	Nitrite as nitrogen	<10.0	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	707	µg/L	GE
1	Silica	11800	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	2280	µg/L	GE
1	Sulfate	11000	µg/L	GE
1	Total carbon	8000	µg/L	GE
0	Total dissolved solids	37000	µg/L	GE
1	Total inorganic carbon	7000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	7.9	µg/L	GE
0	Barium-140	<10	pCi/L	TE
0	Beryllium-7	<40	pCi/L	TE
0	Cerium-141	<8.0	pCi/L	TE
0	Cerium-144	<30	pCi/L	TE
0	Cesium-134	<3.0	pCi/L	TE
0	Cesium-137	<3.0	pCi/L	TE
0	Cobalt-58	<3.0	pCi/L	TE
0	Cobalt-60	<3.0	pCi/L	TE
0	Gross alpha	<3.0	pCi/L	GE
0	Iodine-131	<20	pCi/L	TE
0	Iron-59	<8.0	pCi/L	TE
0	Manganese-54	<3.0	pCi/L	TE
0	Neptunium-237	<7.0	pCi/L	TE
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Potassium-40	<50	pCi/L	TE
0	Radium-226	<70	pCi/L	TE
0	Ruthenium-103	<5.0	pCi/L	TE
0	Ruthenium-106	<30	pCi/L	TE
0	Thorium-228	<8.0	pCi/L	TE
0	Tritium	<0.70	pCi/mL	GE
0	Zinc-65	<7.0	pCi/L	TE
0	Zirconium-95	<4.0	pCi/L	TE

WELL IDP 3B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/03/90 Time: 10:50
 Depth to water: 129.82 ft (39.51 m) below TOC pH: 10.8
 Water elevation: 154.88 ft (47.21 m) msl Alkalinity: 82 mg/L
 Sp. conductance: 155 µS/cm Water temperature: 18.5°C
 Water evacuated before sampling: 240 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
2	pH	11	pH	GE
1	Specific conductance	189	µS/cm	GE
1	Aluminum	383	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Barium	21	µg/L	GE
0	Beryllium	<5.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	<10	µg/L	GE
1	Carbonate	105000	µg/L	GE
0	Chloride	1500	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	Iodine	<100	µg/L	GE
0	Iron	19	µg/L	GE
0	Lead	<8.0	µg/L	GE
0	Magnesium	70	µg/L	GE
0	Manganese	2.3	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	350	µg/L	GE
0	Nitrite as nitrogen	10.0	µg/L	GE
0	Phenols	<5.0	µg/L	GE
1	Potassium	5920	µg/L	GE
1	Silica	14700	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	4430	µg/L	GE
0	Sulfate	<5000	µg/L	GE
1	Total carbon	2000	µg/L	GE
0	Total dissolved solids	111000	µg/L	GE
1	Total inorganic carbon	1000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	<2.0	µg/L	GE
0	Barium-140	<40	pCi/L	TE
0	Beryllium-7	<50	pCi/L	TE
0	Cerium-141	<10	pCi/L	TE
0	Cerium-144	<40	pCi/L	TE
0	Cesium-134	<5.0	pCi/L	TE
0	Cesium-137	<5.0	pCi/L	TE
0	Cobalt-58	<5.0	pCi/L	TE
0	Cobalt-60	<5.0	pCi/L	TE
0	Gross alpha	<3.0	pCi/L	GE
0	Iodine-131	<30	pCi/L	TE
0	Iron-59	<10	pCi/L	TE
0	Lanthanum-140	<20	pCi/L	TE
0	Manganese-54	<4.0	pCi/L	TE
0	Neptunium-237	<10	pCi/L	TE
0	Niobium-95	<5.0	pCi/L	TE
0	Nonvolatile beta	5.0±2.3	pCi/L	GE
0	Potassium-40	<80	pCi/L	TE
0	Radium-226	<100	pCi/L	TE
0	Ruthenium-103	<7.0	pCi/L	TE
0	Ruthenium-106	<40	pCi/L	TE
0	Thorium-228	<10	pCi/L	TE
0	Tritium	<0.70	pCi/mL	GE
0	Zinc-65	<9.0	pCi/L	TE
0	Zirconium-95	<10	pCi/L	TE

ANALYTICAL RESULTS

WELL IDP 3C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/03/90
Depth to water: 88.04 ft (26.83 m) below TOC
Water elevation: 198.98 ft (60.03 m) msf
Sp. conductance: 368 µS/cm
Water evacuated before sampling: 12 gal
The well went dry during purging.

Time: 11:05
pH: 11.2
Alkalinity: 87 mg/L
Water temperature: 17.7°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
2	pH	11	pH	GE
1	Specific conductance	211	µS/cm	GE
0	Aluminum	33	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Barium	43	µg/L	GE
0	Beryllium	<5.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
1	Calcium	10800	µg/L	GE
1	Carbonate	105000	µg/L	GE
0	Chloride	1700	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	Iodine	<100	µg/L	GE
0	Iron	12	µg/L	GE
0	Lead	<8.0	µg/L	GE
0	Magnesium	1180	µg/L	GE
0	Manganese	<2.0	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	580	µg/L	GE
0	Nitrite as nitrogen	<10.0	µg/L	GE
0	Phenols	<5.0	µg/L	GE
1	Potassium	8490	µg/L	GE
1	Silica	11800	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	4040	µg/L	GE
0	Sulfate	<5000	µg/L	GE
1	Total carbon	1000	µg/L	GE
0	Total dissolved solids	103000	µg/L	GE
0	Total inorganic carbon	<1000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	<2.0	µg/L	GE
0	Barium-140	<10	pCi/L	TE
0	Beryllium-7	<40	pCi/L	TE
0	Cerium-141	<10	pCi/L	TE
0	Cerium-144	<30	pCi/L	TE
0	Cesium-134	<4.0	pCi/L	TE
0	Cesium-137	<4.0	pCi/L	TE
0	Cobalt-58	<4.0	pCi/L	TE
0	Cobalt-60	<4.0	pCi/L	TE
0	Gross alpha	<3.0	pCi/L	GE
0	Iodine-131	<30	pCi/L	TE
0	Iron-59	<9.0	pCi/L	TE
0	Manganese-54	<4.0	pCi/L	TE
0	Neptunium-237	<9.0	pCi/L	TE
0	Nonvolatile beta	7.7 ± 4.0	pCi/L	GE
0	Potassium-40	<80	pCi/L	TE
0	Radium-226	<90	pCi/L	TE
0	Ruthenium-103	<5.0	pCi/L	TE
0	Ruthenium-106	<30	pCi/L	TE
0	Thorium-228	<7.0	pCi/L	TE
0	Tritium	<0.70	pCi/mL	GE
0	Zinc-65	<7.0	pCi/L	TE
0	Zirconium-95	<4.0	pCi/L	TE

WELL IDP 3D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/02/90
The well was dry.

Time: 14:35

WELL IDP 4

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/02/90
The well was dry.

Time: 14:50

WELL IDP 5

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/03/90
Depth to water: 89.89 ft (27.25 m) below TOC
Water elevation: 193.81 ft (59.07 m) msf
Sp. conductance: 47 µS/cm
Water evacuated before sampling: 25 gal

Time: 13:40
pH: 4.8
Alkalinity: 0 mg/L
Water temperature: 17.9°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.2	pH	GE
0	Specific conductance	47	µS/cm	GE
0	Aluminum	82	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Barium	15	µg/L	GE
0	Beryllium	<5.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	3080	µg/L	GE
0	Carbonate	<1000	µg/L	GE
0	Chloride	3500	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	Iodine	<100	µg/L	GE
0	Iron	13	µg/L	GE
0	Lead	14	µg/L	GE
0	Magnesium	818	µg/L	GE
0	Manganese	11	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	1780	µg/L	GE
0	Nitrite as nitrogen	<10.0	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Silica	9620	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	2410	µg/L	GE
0	Sulfate	<5000	µg/L	GE
1	Total carbon	8000	µg/L	GE
0	Total dissolved solids	35000	µg/L	GE
1	Total inorganic carbon	7000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	20	µg/L	GE
0	Barium-140	<10	pCi/L	TE
0	Beryllium-7	<40	pCi/L	TE
0	Cerium-141	<9.0	pCi/L	TE
0	Cerium-144	<30	pCi/L	TE
0	Cesium-134	<3.0	pCi/L	TE
0	Cesium-137	<4.0	pCi/L	TE
0	Cobalt-58	<3.0	pCi/L	TE
0	Cobalt-60	<3.0	pCi/L	TE
2	Gross alpha	17 ± 3.8	pCi/L	GE
0	Iodine-131	<20	pCi/L	TE
0	Iron-59	<8.0	pCi/L	TE
0	Manganese-54	<3.0	pCi/L	TE
0	Neptunium-237	<7.0	pCi/L	TE
0	Nonvolatile beta	3.8 ± 2.7	pCi/L	GE
0	Potassium-40	<40	pCi/L	TE
0	Radium-226	<80	pCi/L	TE
0	Ruthenium-103	<5.0	pCi/L	TE
0	Ruthenium-106	<30	pCi/L	TE
0	Thorium-228	<8.0	pCi/L	TE
0	Tritium	3.8 ± 0.40	pCi/mL	GE

ANALYTICAL RESULTS

WELL IDP 5 collected on 03/03/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Zinc-85	<8.0	pCi/L	TE
0	Zirconium-95	<4.0	pCi/L	TE

WELL IDP 6

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/03/90
Depth to water: 84.89 ft (19.78 m) below TOC
Water elevation: 198.61 ft (59.93 m) msl
Sp. conductance: 55 µS/cm
Water evacuated before sampling: 31 gal

Time: 12:55
pH: 5.3
Alkalinity: 3 mg/L
Water temperature: 18.4°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.7	pH	GE
0	Specific conductance	48	µS/cm	GE
1	Aluminum	141	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Barium	12	µg/L	GE
0	Beryllium	<5.0	µg/L	GE
1	Cadmium	2.0	µg/L	GE
0	Calcium	3680	µg/L	GE
0	Carbonate	<1000	µg/L	GE
0	Chloride	2200	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Copper	4.9	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	Iodine	<100	µg/L	GE
0	Iron	38	µg/L	GE
0	Lead	<8.0	µg/L	GE
0	Magnesium	835	µg/L	GE
0	Manganese	13	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	1920	µg/L	GE
0	Nitrite as nitrogen	<10.0	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	858	µg/L	GE
0	Silica	9600	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	4060	µg/L	GE
0	Sulfate	<5000	µg/L	GE
1	Total carbon	8000	µg/L	GE
0	Total dissolved solids	45000	µg/L	GE
1	Total inorganic carbon	5000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	89	µg/L	GE
0	Barium-140	<8.0	pCi/L	TE
0	Beryllium-7	<30	pCi/L	TE
0	Cerium-141	<8.0	pCi/L	TE
0	Cerium-144	<20	pCi/L	TE
0	Cesium-134	<3.0	pCi/L	TE
0	Cesium-137	<3.0	pCi/L	TE
0	Cobalt-58	<3.0	pCi/L	TE
0	Cobalt-60	<3.0	pCi/L	TE
2	Gross alpha	26 ± 4.3	pCi/L	GE
0	Iodine-131	<20	pCi/L	TE
0	Iron-59	<7.0	pCi/L	TE
0	Manganese-54	<3.0	pCi/L	TE
0	Neptunium-237	<8.0	pCi/L	TE
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Potassium-40	<50	pCi/L	TE
0	Radium-226	<70	pCi/L	TE
0	Ruthenium-103	<4.0	pCi/L	TE
0	Ruthenium-106	<20	pCi/L	TE
0	Thorium-228	<8.0	pCi/L	TE
0	Tritium	2.0 ± 0.30	pCi/mL	GE
0	Zinc-85	<5.0	pCi/L	TE
0	Zirconium-95	<3.0	pCi/L	TE

WELL IDP 7

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/03/90
Depth to water: 52.48 ft (15.99 m) below TOC
Water elevation: 198.04 ft (59.75 m) msl
Sp. conductance: 78 µS/cm
Water evacuated before sampling: 19 gal

Time: 12:10
pH: 8.4
Alkalinity: 20 mg/L
Water temperature: 17.9°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	8.4	pH	GE
0	Specific conductance	55	µS/cm	GE
1	Aluminum	86	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Barium	22	µg/L	GE
0	Beryllium	<5.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	8100	µg/L	GE
0	Carbonate	<1000	µg/L	GE
0	Chloride	1100	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Copper	7.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	Iodine	<100	µg/L	GE
0	Iron	29	µg/L	GE
0	Lead	<8.0	µg/L	GE
0	Magnesium	774	µg/L	GE
0	Manganese	4.3	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	1330	µg/L	GE
0	Nitrite as nitrogen	<10.0	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Silica	7190	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	3000	µg/L	GE
0	Sulfate	<5000	µg/L	GE
1	Total carbon	8000	µg/L	GE
0	Total dissolved solids	38000	µg/L	GE
0	Total inorganic carbon	<1000	µg/L	GE
1	Total organic carbon	8000	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	123	µg/L	GE
0	Barium-140	<8.0	pCi/L	TE
0	Beryllium-7	<30	pCi/L	TE
0	Cerium-141	<7.0	pCi/L	TE
0	Cerium-144	<20	pCi/L	TE
0	Cesium-134	<3.0	pCi/L	TE
0	Cesium-137	<3.0	pCi/L	TE
0	Cobalt-58	<3.0	pCi/L	TE
0	Cobalt-60	<3.0	pCi/L	TE
0	Gross alpha	<3.0	pCi/L	GE
0	Iodine-131	<10	pCi/L	TE
0	Iron-59	<7.0	pCi/L	TE
0	Manganese-54	<3.0	pCi/L	TE
0	Neptunium-237	<8.0	pCi/L	TE
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Potassium-40	<40	pCi/L	TE
0	Radium-226	<80	pCi/L	TE
0	Ruthenium-103	<4.0	pCi/L	TE
0	Ruthenium-106	<20	pCi/L	TE
0	Thorium-228	<8.0	pCi/L	TE
0	Tritium	3.0 ± 0.40	pCi/mL	GE
0	Zinc-85	<5.0	pCi/L	TE
0	Zirconium-95	<3.0	pCi/L	TE

ANALYTICAL RESULTS

WELL IDP 8

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/03/90
 Depth to water: 70.46 ft (21.48 m) below TOC
 Water elevation: 193.94 ft (59.11 m) msl
 Sp. conductance: 43 µS/cm
 Water evacuated before sampling: 22 gal

Time: 11:45
 pH: 5.4
 Alkalinity: 5 mg/L
 Water temperature: 19.1°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.8	pH	GE
0	Specific conductance	29	µS/cm	GE
1	Aluminum	112	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Barium	13	µg/L	GE
0	Beryllium	<5.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	2340	µg/L	GE
0	Carbonate	<1000	µg/L	GE
0	Chloride	1600	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	Iodine	<100	µg/L	GE
0	Iron	54	µg/L	GE
0	Lead	<8.0	µg/L	GE
0	Magnesium	401	µg/L	GE
0	Manganese	22	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	480	µg/L	GE
0	Nitrite as nitrogen	<10.0	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Silica	8900	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	3180	µg/L	GE
0	Sulfate	<5000	µg/L	GE
1	Total carbon	9000	µg/L	GE
0	Total dissolved solids	23000	µg/L	GE
1	Total inorganic carbon	8000	µg/L	GE
0	Total organic carbon	1000	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	31	µg/L	GE
0	Barium-140	<10	pCi/L	TE
0	Beryllium-7	<30	pCi/L	TE
0	Cerium-141	<6.0	pCi/L	TE
0	Cerium-144	<20	pCi/L	TE
0	Cesium-134	<3.0	pCi/L	TE
0	Cesium-137	<3.0	pCi/L	TE
0	Cobalt-58	<3.0	pCi/L	TE
0	Cobalt-60	<3.0	pCi/L	TE
0	Gross alpha	<3.0	pCi/L	GE
0	Iodine-131	<20	pCi/L	TE
0	Iron-59	<7.0	pCi/L	TE
0	Manganese-54	<3.0	pCi/L	TE
0	Neptunium-237	<6.0	pCi/L	TE
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Potassium-40	<40	pCi/L	TE
0	Radium-226	<50	pCi/L	TE
0	Ruthenium-103	<4.0	pCi/L	TE
0	Ruthenium-106	<20	pCi/L	TE
0	Thorium-228	<5.0	pCi/L	TE
0	Tritium	4.1 ± 0.40	pCi/mL	GE
0	Zinc-65	<7.0	pCi/L	TE
0	Zirconium-95	<3.0	pCi/L	TE

WELL IDP 9

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/03/90
 Depth to water: 73.54 ft (22.42 m) below TOC
 Water elevation: 198.36 ft (60.46 m) msl
 Sp. conductance: 43 µS/cm
 Water evacuated before sampling: 2 gal
 The well went dry during purging.

Time: 8:35
 pH: 6.2
 Alkalinity: 10 mg/L
 Water temperature: 17.5°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	6.1	pH	GE
0	Specific conductance	36	µS/cm	GE
1	Aluminum	87	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Barium	15	µg/L	GE
0	Beryllium	<5.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	3720	µg/L	GE
0	Carbonate	<1000	µg/L	GE
0	Chloride	1100	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	Iodine	<100	µg/L	GE
0	Iron	26	µg/L	GE
0	Lead	16	µg/L	GE
0	Magnesium	468	µg/L	GE
1	Manganese	31	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	870	µg/L	GE
0	Nitrite as nitrogen	<10.0	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	584	µg/L	GE
0	Silica	7640	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	3110	µg/L	GE
0	Sulfate	<5000	µg/L	GE
1	Total carbon	5000	µg/L	GE
0	Total dissolved solids	28000	µg/L	GE
1	Total inorganic carbon	5000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	42	µg/L	GE
0	Barium-140	<20	pCi/L	TE
0	Beryllium-7	<50	pCi/L	TE
0	Cerium-141	<10	pCi/L	TE
0	Cerium-144	<40	pCi/L	TE
0	Cesium-134	<5.0	pCi/L	TE
0	Cesium-137	<5.0	pCi/L	TE
0	Cobalt-58	<5.0	pCi/L	TE
0	Cobalt-60	<5.0	pCi/L	TE
0	Gross alpha	3.2 ± 2.4	pCi/L	GE
0	Iodine-131	<30	pCi/L	TE
0	Iron-59	<10	pCi/L	TE
0	Manganese-54	<5.0	pCi/L	TE
0	Neptunium-237	<10	pCi/L	TE
0	Nonvolatile beta	2.6 ± 3.5	pCi/L	GE
0	Potassium-40	<200	pCi/L	TE
0	Radium-226	<90	pCi/L	TE
0	Ruthenium-103	<7.0	pCi/L	TE
0	Ruthenium-106	<40	pCi/L	TE
0	Thorium-228	<9.0	pCi/L	TE
0	Tritium	3.4 ± 0.40	pCi/mL	GE
0	Zinc-65	<10	pCi/L	TE
0	Zirconium-95	<6.0	pCi/L	TE

ANALYTICAL RESULTS

WELL IDP 10

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/02/90 Time: 14:15
The well was dry.

WELL IDQ 1

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/25/90 Time: 15:00
The well was dry.

WELL IDQ 2

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/09/90 Time: 12:20
Depth to water: 105.29 ft (32.09 m) below TOC pH: 5.8
Sp. conductance: 39 µS/cm Water temperature: 18.9°C
Water evacuated before sampling: 8 gal
The well went dry during purging.

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.8	pH	GE
0	Specific conductance	22	µS/cm	GE
0	Aluminum	77	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Barium	4.9	µg/L	GE
0	Beryllium	<5.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	2230	µg/L	GE
0	Carbonate	<1000	µg/L	GE
0	Chloride	3300	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	Iodine	<100	µg/L	GE
0	Iron	11	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	283	µg/L	GE
0	Manganese	10.0	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	680	µg/L	GE
0	Nitrite as nitrogen	<10.0	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	1310	µg/L	GE
0	Silica	8440	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	1820	µg/L	GE
0	Sulfate	<5000	µg/L	GE
1	Total carbon	13000	µg/L	GE
0	Total dissolved solids	58000	µg/L	GE
1	Total inorganic carbon	3000	µg/L	GE
1	Total organic carbon	10000	µg/L	GE
0	Total phosphates	100	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	40	µg/L	GE
0	Barium-140	<20	pCi/L	TE
0	Beryllium-7	<40	pCi/L	TE
0	Cerium-141	<9.0	pCi/L	TE
0	Cerium-144	<30	pCi/L	TE
0	Cesium-134	<3.0	pCi/L	TE
0	Cesium-137	<3.0	pCi/L	TE
0	Cobalt-58	<3.0	pCi/L	TE
0	Cobalt-60	<3.0	pCi/L	TE
0	Gross alpha	<3.0	pCi/L	GE
0	Iodine-131	<40	pCi/L	TE
0	Iron-59	<8.0	pCi/L	TE
0	Manganese-54	<3.0	pCi/L	TE
0	Neptunium-237	<8.0	pCi/L	TE
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Potassium-40	<50	pCi/L	TE
0	Radium-226	<70	pCi/L	TE
0	Ruthenium-103	<5.0	pCi/L	TE
0	Ruthenium-106	<30	pCi/L	TE
0	Thorium-228	<8.0	pCi/L	TE
1	Total activity	15±50	pCi/mL	EM

WELL IDQ 2 collected on 03/09/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Tritium	3.8±0.40	pCi/mL	GE
0	Zinc-65	<8.0	pCi/L	TE
0	Zirconium-95	<4.0	pCi/L	TE

WELL IDQ 3A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/25/90 Time: 14:10
Depth to water: 41.10 ft (12.53 m) below TOC pH: 5.8
Water elevation: 164.20 ft (50.05 m) msl Alkalinity: 5 mg/L
Sp. conductance: 89 µS/cm Water temperature: 18.4°C
Water evacuated before sampling: 925 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.8	pH	GE
0	pH	5.8	pH	GE
0	Specific conductance	45	µS/cm	GE
0	Specific conductance	45	µS/cm	GE
0	Aluminum	20	µg/L	GE
0	Aluminum	23	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Barium	11	µg/L	GE
0	Barium	10	µg/L	GE
0	Beryllium	<5.0	µg/L	GE
0	Beryllium	<5.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	4830	µg/L	GE
0	Calcium	4550	µg/L	GE
0	Carbonate	<1000	µg/L	GE
0	Carbonate	<1000	µg/L	GE
0	Chloride	1500	µg/L	GE
0	Chloride	<1000	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	Iodine	<100	µg/L	GE
0	Iodine	<100	µg/L	GE
2	Iron	1490	µg/L	GE
2	Iron	1480	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	344	µg/L	GE
0	Magnesium	323	µg/L	GE
0	Manganese	14	µg/L	GE
0	Manganese	14	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	<50	µg/L	GE
0	Nitrate as nitrogen	<50	µg/L	GE
0	Nitrite as nitrogen	<10.0	µg/L	GE
0	Nitrite as nitrogen	<10.0	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	543	µg/L	GE
0	Potassium	538	µg/L	GE
1	Silica	10400	µg/L	GE
1	Silica	10800	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	1120	µg/L	GE
0	Sodium	1240	µg/L	GE
1	Sulfate	10800	µg/L	GE
1	Sulfate	11400	µg/L	GE
1	Total carbon	4000	µg/L	GE
1	Total carbon	3000	µg/L	GE
0	Total dissolved solids	49000	µg/L	GE
0	Total dissolved solids	39000	µg/L	GE
1	Total inorganic carbon	3000	µg/L	GE
1	Total inorganic carbon	2000	µg/L	GE
0	Total organic carbon	1000	µg/L	GE
0	Total organic carbon	1000	µg/L	GE
0	Total phosphates	60	µg/L	GE
0	Total phosphates	60	µg/L	GE
0	Uranium	<1000	µg/L	GE

ANALYTICAL RESULTS

WELL IDQ 3A collected on 02/25/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Uranium	< 1000	µg/L	GE
0	Vanadium	< 20	µg/L	GE
0	Vanadium	< 20	µg/L	GE
0	Zinc	9.8	µg/L	GE
0	Zinc	8.5	µg/L	GE
0	Barium-140	< 10	pCi/L	TE
0	Beryllium-7	< 40	pCi/L	TE
0	Cerium-141	< 10	pCi/L	TE
0	Cerium-144	< 30	pCi/L	TE
0	Cesium-134	< 4.0	pCi/L	TE
0	Cesium-137	< 4.0	pCi/L	TE
0	Cobalt-58	< 4.0	pCi/L	TE
0	Cobalt-60	< 3.0	pCi/L	TE
0	Gross alpha	< 3.0	pCi/L	GE
0	Gross alpha	< 3.0	pCi/L	GE
0	Iodine-131	< 30	pCi/L	TE
0	Iron-59	< 8.0	pCi/L	TE
0	Manganese-54	< 4.0	pCi/L	TE
0	Neptunium-237	< 8.0	pCi/L	TE
0	Nonvolatile beta	< 2.0	pCi/L	GE
0	Nonvolatile beta	< 2.0	pCi/L	GE
0	Potassium-40	< 80	pCi/L	TE
0	Radium-226	< 80	pCi/L	TE
0	Ruthenium-103	< 5.0	pCi/L	TE
0	Ruthenium-106	< 30	pCi/L	TE
0	Thorium-228	< 7.0	pCi/L	TE
0	Tritium	< 0.70	pCi/mL	GE
0	Tritium	< 0.70	pCi/mL	GE
0	Zinc-65	< 7.0	pCi/L	TE
0	Zirconium-95	< 5.0	pCi/L	TE

WELL IDQ 3B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/25/90
 Depth to water: 69.37 ft (21.14 m) below TOC
 Water elevation: 136.23 ft (41.52 m) msl
 Sp. conductance: 124 µS/cm
 Water evacuated before sampling: 72 gal

Time: 14:45
 pH: 9.8
 Alkalinity: 47 mg/L
 Water temperature: 19.1°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
2	pH	9.8	pH	GE
1	Specific conductance	132	µS/cm	GE
1	Aluminum	211	µg/L	GE
0	Antimony	< 3.0	µg/L	GE
0	Barium	46	µg/L	GE
0	Beryllium	< 5.0	µg/L	GE
0	Cadmium	< 2.0	µg/L	GE
1	Calcium	197000	µg/L	GE
1	Carbonate	15700	µg/L	GE
0	Chloride	1800	µg/L	GE
0	Chromium	< 4.0	µg/L	GE
0	Cobalt	< 4.0	µg/L	GE
0	Copper	< 4.0	µg/L	GE
0	Fluoride	130	µg/L	GE
0	Iodine	< 100	µg/L	GE
0	Iron	17	µg/L	GE
0	Lead	< 8.0	µg/L	GE
0	Magnesium	307	µg/L	GE
2	Manganese	76	µg/L	GE
0	Mercury	< 0.20	µg/L	GE
0	Nickel	< 4.0	µg/L	GE
0	Nitrate as nitrogen	110	µg/L	GE
0	Nitrite as nitrogen	< 10.0	µg/L	GE
0	Phenols	< 5.0	µg/L	GE
0	Potassium	2880	µg/L	GE
1	Silica	18800	µg/L	GE
0	Silver	< 2.0	µg/L	GE
1	Sodium	8440	µg/L	GE
0	Sulfate	9300	µg/L	GE
1	Total carbon	4000	µg/L	GE
0	Total dissolved solids	77000	µg/L	GE
1	Total inorganic carbon	2000	µg/L	GE
0	Total organic carbon	2000	µg/L	GE
0	Total phosphates	250	µg/L	GE
0	Uranium	< 1000	µg/L	GE
0	Vanadium	< 20	µg/L	GE
0	Zinc	7.5	µg/L	GE
0	Barium-140	< 10	pCi/L	TE
0	Beryllium-7	< 40	pCi/L	TE
0	Cerium-141	< 10	pCi/L	TE
0	Cerium-144	< 30	pCi/L	TE
0	Cesium-134	< 4.0	pCi/L	TE

WELL IDQ 3B collected on 02/25/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Cesium-137	< 4.0	pCi/L	TE
0	Cobalt-58	< 4.0	pCi/L	TE
0	Cobalt-60	< 4.0	pCi/L	TE
0	Gross alpha	< 3.0	pCi/L	GE
0	Iodine-131	< 20	pCi/L	TE
0	Iron-59	< 10	pCi/L	TE
0	Manganese-54	< 4.0	pCi/L	TE
0	Neptunium-237	< 8.0	pCi/L	TE
0	Nonvolatile beta	3.5 ± 2.2	pCi/L	GE
0	Potassium-40	< 100	pCi/L	TE
0	Radium-226	< 80	pCi/L	TE
0	Ruthenium-103	< 6.0	pCi/L	TE
0	Ruthenium-106	< 40	pCi/L	TE
0	Thorium-228	< 8.0	pCi/L	TE
0	Tritium	< 0.70	pCi/mL	GE
0	Zinc-65	< 9.0	pCi/L	TE
0	Zirconium-95	< 4.0	pCi/L	TE

WELL IDQ 3C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/25/90
 Depth to water: 46.53 ft (14.18 m) below TOC
 Water elevation: 158.97 ft (48.76 m) msl
 Sp. conductance: 37 µS/cm
 Water evacuated before sampling: 8 gal
 The well went dry during purging.

Time: 16:40
 pH: 5.8
 Alkalinity: 4 mg/L
 Water temperature: 17.3°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.2	pH	GE
0	Specific conductance	28	µS/cm	GE
0	Aluminum	45	µg/L	GE
0	Antimony	< 3.0	µg/L	GE
0	Barium	< 4.0	µg/L	GE
0	Beryllium	< 5.0	µg/L	GE
0	Cadmium	< 2.0	µg/L	GE
0	Calcium	1850	µg/L	GE
0	Carbonate	< 1000	µg/L	GE
0	Chloride	1900	µg/L	GE
0	Chromium	< 4.0	µg/L	GE
0	Cobalt	< 4.0	µg/L	GE
0	Copper	9.3	µg/L	GE
0	Fluoride	< 100	µg/L	GE
0	Iodine	< 100	µg/L	GE
0	Iron	58	µg/L	GE
0	Lead	< 8.0	µg/L	GE
0	Magnesium	220	µg/L	GE
0	Manganese	10	µg/L	GE
0	Mercury	0.26	µg/L	GE
0	Nickel	4.8	µg/L	GE
0	Nitrate as nitrogen	130	µg/L	GE
0	Nitrite as nitrogen	< 10.0	µg/L	GE
0	Phenols	< 5.0	µg/L	GE
0	Potassium	< 500	µg/L	GE
0	Silica	8770	µg/L	GE
0	Silver	< 2.0	µg/L	GE
0	Sodium	2400	µg/L	GE
0	Sulfate	< 5000	µg/L	GE
1	Total carbon	4000	µg/L	GE
0	Total dissolved solids	38000	µg/L	GE
1	Total inorganic carbon	2000	µg/L	GE
0	Total organic carbon	2000	µg/L	GE
1	Total phosphates	470	µg/L	GE
0	Uranium	< 1000	µg/L	GE
0	Vanadium	< 20	µg/L	GE
0	Zinc	110	µg/L	GE
0	Barium-140	< 10	pCi/L	TE
0	Beryllium-7	< 40	pCi/L	TE
0	Cerium-141	< 10	pCi/L	TE
0	Cerium-144	< 30	pCi/L	TE
0	Cesium-134	< 4.0	pCi/L	TE
0	Cesium-137	< 4.0	pCi/L	TE
0	Cobalt-58	< 4.0	pCi/L	TE
0	Cobalt-60	< 4.0	pCi/L	TE
0	Gross alpha	3.4 ± 2.4	pCi/L	GE
0	Iodine-131	< 20	pCi/L	TE
0	Iron-59	< 10	pCi/L	TE
0	Manganese-54	< 3.0	pCi/L	TE
0	Neptunium-237	< 8.0	pCi/L	TE
0	Nonvolatile beta	3.5 ± 3.7	pCi/L	GE
0	Potassium-40	< 80	pCi/L	TE
0	Radium-226	< 80	pCi/L	TE
0	Ruthenium-103	< 5.0	pCi/L	TE
0	Ruthenium-106	< 30	pCi/L	TE

ANALYTICAL RESULTS

WELL IDQ 3C collected on 02/25/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Thorium-228	<7.0	pCi/L	TE
0	Tritium	<0.70	pCi/mL	GE
0	Zinc-65	<7.0	pCi/L	TE
0	Zirconium-95	<4.0	pCi/L	TE

WELL IDQ 4

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/25/90
 Depth to water: 71.89 ft (21.91 m) below TOC
 Water elevation: 193.61 ft (59.01 m) msl
 Sp. conductance: 84 µS/cm
 Water evacuated before sampling: 21 gal

Time: 15:35
 pH: 10.1
 Alkalinity: 35 mg/L
 Water temperature: 19.0°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
2	pH	9.7	pH	GE
0	Specific conductance	79	µS/cm	GE
2	Aluminum	704	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Barium	4.5	µg/L	GE
0	Beryllium	<5.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
1	Calcium	14200	µg/L	GE
1	Carbonate	15700	µg/L	GE
0	Chloride	2200	µg/L	GE
0	Chromium	3.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	Iodine	<100	µg/L	GE
0	Iron	24	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	113	µg/L	GE
0	Manganese	12	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	<50	µg/L	GE
0	Nitrite as nitrogen	<10.0	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Silica	8560	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	2110	µg/L	GE
0	Sulfate	<5000	µg/L	GE
1	Total carbon	3000	µg/L	GE
0	Total dissolved solids	49000	µg/L	GE
1	Total inorganic carbon	1000	µg/L	GE
0	Total organic carbon	2000	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	2.3	µg/L	GE
0	Barium-140	<10	pCi/L	TE
0	Beryllium-7	<50	pCi/L	TE
0	Cerium-141	<10	pCi/L	TE
0	Cerium-144	<40	pCi/L	TE
0	Cesium-134	<5.0	pCi/L	TE
0	Cesium-137	<5.0	pCi/L	TE
0	Cobalt-58	<5.0	pCi/L	TE
0	Cobalt-60	<4.0	pCi/L	TE
0	Gross alpha	<3.0	pCi/L	GE
0	Iodine-131	<30	pCi/L	TE
0	Iron-59	<10	pCi/L	TE
0	Manganese-54	<4.0	pCi/L	TE
0	Neptunium-237	<10	pCi/L	TE
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Potassium-40	<80	pCi/L	TE
0	Radium-226	<100	pCi/L	TE
0	Ruthenium-103	<6.0	pCi/L	TE
0	Ruthenium-106	<40	pCi/L	TE
0	Thorium-228	<9.0	pCi/L	TE
0	Tritium	<0.70	pCi/mL	GE
0	Zinc-65	<9.0	pCi/L	TE
0	Zirconium-95	<5.0	pCi/L	TE

WELL IDQ 5

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/25/90
 The well was dry.

Time: 15:50

WELL IDQ 6

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/25/90
 Depth to water: 68.98 ft (21.03 m) below TOC
 Water elevation: 189.12 ft (57.64 m) msl
 Sp. conductance: 844 µS/cm
 Water evacuated before sampling: 4 gal
 The well went dry during purging.

Time: 16:05
 pH: 11.8
 Alkalinity: 202 mg/L
 Water temperature: 17.1°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
2	pH	12	pH	GE
1	Specific conductance	1000	µS/cm	GE
2	Aluminum	6760	µg/L	GE
0	Antimony	<3.0	µg/L	GE
1	Barium	135	µg/L	GE
0	Beryllium	<5.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
1	Calcium	35500	µg/L	GE
0	Carbonate	<1000	µg/L	GE
0	Chloride	1800	µg/L	GE
2	Chromium	44	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Fluoride	200	µg/L	GE
0	Iodine	<100	µg/L	GE
0	Iron	18	µg/L	GE
0	Lead	12	µg/L	GE
0	Magnesium	4.9	µg/L	GE
0	Manganese	2.3	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	180	µg/L	GE
0	Nitrite as nitrogen	20	µg/L	GE
0	Phenols	<5.0	µg/L	GE
1	Potassium	18100	µg/L	GE
1	Silica	10900	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	19000	µg/L	GE
0	Sulfate	<5000	µg/L	GE
1	Total carbon	2000	µg/L	GE
0	Total dissolved solids	270000	µg/L	GE
0	Total inorganic carbon	<1000	µg/L	GE
0	Total organic carbon	2000	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Uranium	<1000	µg/L	GE
1	Vanadium	77	µg/L	GE
0	Zinc	7.2	µg/L	GE
0	Barium-140	<10	pCi/L	TE
0	Beryllium-7	<40	pCi/L	TE
0	Cerium-141	<8.0	pCi/L	TE
0	Cerium-144	<20	pCi/L	TE
0	Cesium-134	<3.0	pCi/L	TE
0	Cesium-137	<4.0	pCi/L	TE
0	Cobalt-58	<4.0	pCi/L	TE
0	Cobalt-60	<4.0	pCi/L	TE
0	Gross alpha	<3.0	pCi/L	GE
0	Iodine-131	<20	pCi/L	TE
0	Iron-59	<8.0	pCi/L	TE
0	Manganese-54	<3.0	pCi/L	TE
0	Neptunium-237	<7.0	pCi/L	TE
1	Nonvolatile beta	10 ± 2.6	pCi/L	GE
0	Potassium-40	<60	pCi/L	TE
0	Radium-226	<70	pCi/L	TE
0	Ruthenium-103	<4.0	pCi/L	TE
0	Ruthenium-106	<30	pCi/L	TE
0	Thorium-228	<8.0	pCi/L	TE
0	Tritium	<0.70	pCi/mL	GE
0	Zinc-65	<7.0	pCi/L	TE
0	Zirconium-95	<4.0	pCi/L	TE

ANALYTICAL RESULTS

WELL IDQ 7

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/25/90
Depth to water: Not available
Water elevation: Not available
Sp. conductance: 228 µS/cm
Water evacuated before sampling: 8 gal
The well went dry during purging.

Time: 18:20
pH: 7.5
Alkalinity: 10 mg/L
Water temperature: 17.4°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	pH	7.8	pH	GE
1	Specific conductance	221	µS/cm	GE
0	Aluminum	<20	µg/L	GE
0	Antimony	<3.0	µg/L	GE
1	Barium	59	µg/L	GE
0	Beryllium	<5.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
1	Calcium	24800	µg/L	GE
0	Carbonate	<1000	µg/L	GE
0	Chloride	1400	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Fluoride	100	µg/L	GE
0	Iodine	<100	µg/L	GE
0	Iron	14	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	1800	µg/L	GE
0	Manganese	2.1	µg/L	GE
0	Mercury	0.38	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	70	µg/L	GE
0	Nitrite as nitrogen	<10.0	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	1830	µg/L	GE
0	Silica	8090	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	8570	µg/L	GE
0	Sulfate	<5000	µg/L	GE
1	Total carbon	14000	µg/L	GE
0	Total dissolved solids	125000	µg/L	GE
1	Total inorganic carbon	10000	µg/L	GE
0	Total organic carbon	4000	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	12	µg/L	GE
0	Barium-140	<20	pCi/L	TE
0	Beryllium-7	<60	pCi/L	TE
0	Cerium-141	<10	pCi/L	TE
0	Cerium-144	<40	pCi/L	TE
0	Cesium-134	<6.0	pCi/L	TE
0	Cesium-137	<6.0	pCi/L	TE
0	Cobalt-58	<6.0	pCi/L	TE
0	Cobalt-60	<6.0	pCi/L	TE
0	Gross alpha	<3.0	pCi/L	GE
0	Iodine-131	<40	pCi/L	TE
0	Iron-59	<10	pCi/L	TE
0	Manganese-54	<5.0	pCi/L	TE
0	Neptunium-237	<10	pCi/L	TE
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Potassium-40	<90	pCi/L	TE
0	Radium-226	<100	pCi/L	TE
0	Ruthenium-103	<7.0	pCi/L	TE
0	Ruthenium-106	<50	pCi/L	TE
0	Thorium-228	<10	pCi/L	TE
0	Tritium	<0.70	pCi/mL	GE
0	Zinc-65	<10	pCi/L	TE
0	Zirconium-95	<6.0	pCi/L	TE

WELL IDQ 8

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/25/90
The well was dry.

Time: 12:10

WELL IDQ 9

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/25/90
The well was dry.

Time: 12:20

WELL IDQ 10

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/25/90
The well was dry.

Time: 12:30

WELL KAB 1

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/04/90
Depth to water: 81.45 ft (18.73 m) below TOC
Water elevation: 204.55 ft (62.35 m) msl
Sp. conductance: 301 µS/cm
Water evacuated before sampling: 12 gal
The well went dry during purging.

Time: 14:50
pH: 5.8
Alkalinity: 30 mg/L
Water temperature: 21.2°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	6.0	pH	GE
1	Specific conductance	278	µS/cm	GE
1	Barium	53	µg/L	GE
1	Calcium	18900	µg/L	GE
1	Chloride	11500	µg/L	GE
2	Iron	8000	µg/L	GE
0	Magnesium	4700	µg/L	GE
2	Manganese	752	µg/L	GE
1	Nickel	11	µg/L	GE
0	Phenols	<5.0	µg/L	GE
1	Potassium	11900	µg/L	GE
0	Selenium	<2.0	µg/L	GE
1	Silica	10200	µg/L	GE
1	Sodium	15300	µg/L	GE
1	Sulfate	90800	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
1	Total organic halogens	13	µg/L	GE
1	Gross alpha	5.1±2.2	pCi/L	GE
1	Nonvolatile beta	13±3.0	pCi/L	GE
2	Total radium	8.0±3.2	pCi/L	GE
0	Tritium	5.2±0.40	pCi/mL	GE

WELL KAB 2

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/04/90
Depth to water: 53.10 ft (16.19 m) below TOC
Water elevation: 207.60 ft (63.28 m) msl
Sp. conductance: 152 µS/cm
Water evacuated before sampling: 3 gal
The well went dry during purging.

Time: 14:30
pH: 6.2
Alkalinity: 19 mg/L
Water temperature: 19.3°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	6.4	pH	GE
1	Specific conductance	148	µS/cm	GE
0	Barium	6.6	µg/L	GE
1	Calcium	12600	µg/L	GE
1	Chloride	13600	µg/L	GE
1	Iron	179	µg/L	GE
0	Magnesium	1430	µg/L	GE
2	Manganese	165	µg/L	GE
1	Nickel	90	µg/L	GE

ANALYTICAL RESULTS

WELL KAB 2 collected on 03/04/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
1	Nickel	93	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	3060	µg/L	GE
0	Selenium	<2.0	µg/L	GE
1	Silica	11800	µg/L	GE
1	Sodium	10600	µg/L	GE
1	Sulfate	10000	µg/L	GE
0	Total organic carbon	1000	µg/L	GE
0	Total organic halogens	5.0	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	3.1±3.4	pCi/L	GE
0	Total radium	1.7±3.3	pCi/L	GE
0	Tritium	3.9±0.40	pCi/mL	GE

WELL KAB 3

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/04/90
Depth to water: 47.75 ft (14.55 m) below TOC
Water elevation: 202.35 ft (61.68 m) msl
Sp. conductance: 157 µS/cm
Water evacuated before sampling: 24 gal

Time: 14:15
pH: 5.3
Alkalinity: 19 mg/L
Water temperature: 19.5°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.8	pH	GE
1	Specific conductance	150	µS/cm	GE
0	Barium	35	µg/L	GE
1	Calcium	11800	µg/L	GE
0	Chloride	8300	µg/L	GE
1	Iron	189	µg/L	GE
0	Magnesium	3020	µg/L	GE
0	Manganese	9.5	µg/L	GE
1	Nickel	9.7	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	3890	µg/L	GE
1	Selenium	2.2	µg/L	GE
0	Silica	2380	µg/L	GE
1	Sodium	7440	µg/L	GE
1	Sulfate	36900	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	8.0	µg/L	GE
0	Gross alpha	4.5±2.0	pCi/L	GE
0	Nonvolatile beta	9.8±2.9	pCi/L	GE
2	Total radium	8.6±3.5	pCi/L	GE
0	Tritium	9.4±0.40	pCi/mL	GE

WELL KAB 4

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/04/90
Depth to water: 52.59 ft (16.03 m) below TOC
Water elevation: 201.81 ft (61.51 m) msl
Sp. conductance: 647 µS/cm
Water evacuated before sampling: 39 gal

Time: 13:50
pH: 6.8
Alkalinity: 158 mg/L
Water temperature: 21.0°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	pH	7.2	pH	GE
1	Specific conductance	640	µS/cm	GE
1	Barium	87	µg/L	GE
1	Calcium	51900	µg/L	GE
1	Chloride	17800	µg/L	GE
0	Iron	21	µg/L	GE
1	Magnesium	8070	µg/L	GE
0	Manganese	2.9	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Phenols	<5.0	µg/L	GE
1	Potassium	13800	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	1450	µg/L	GE
1	Sodium	17900	µg/L	GE
1	Sulfate	91000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
1	Gross alpha	8.1±3.0	pCi/L	GE
1	Nonvolatile beta	10±2.3	pCi/L	GE
2	Total radium	12±4.0	pCi/L	GE
0	Tritium	7.2±0.40	pCi/mL	GE

WELL KAC 1

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/06/90
Depth to water: 48.31 ft (14.73 m) below TOC
Water elevation: 217.69 ft (66.35 m) msl
Sp. conductance: 1403 µS/cm
Water evacuated before sampling: 61 gal

Time: 14:15
pH: 8.1
Alkalinity: 1 mg/L
Water temperature: 18.3°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	4.9	pH	GE
1	Specific conductance	1850	µS/cm	GE
0	Turbidity	3.2	NTU	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	20	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	9130	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
1	Chloride	36500	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Copper	14	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
1	Fluoride	650	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
1	Iron	197	µg/L	GE
2	Lead	39	µg/L	GE
1	Magnesium	9560	µg/L	GE
2	Manganese	120	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nitrate as nitrogen	760	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	836	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	6870	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	530000	µg/L	GE
2	Sulfate	834000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	1.29E±06	µg/L	GE
0	Total organic carbon	4000	µg/L	GE
0	Total organic halogens	8.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
1	Gross alpha	12±10	pCi/L	GE
0	Nonvolatile beta	4.7±1.5	pCi/L	GE
2	Total radium	18±4.8	pCi/L	GE
0	Tritium	1.6±0.30	pCi/mL	GE

ANALYTICAL RESULTS

WELL KAC 2

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/06/90

Depth to water: 37.62 ft (11.47 m) below TOC

Water elevation: 210.88 ft (67.02 m) msl

Sp. conductance: 268 µS/cm

Water evacuated before sampling: 64 gal

Time: 13:50

pH: 8.5

Alkalinity: 48 mg/L

Water temperature: 19.4°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	pH	8.6	pH	GE
1	Specific conductance	244	µS/cm	GE
0	Turbidity	15	NTU	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	<4.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	311	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	5000	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Copper	13	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	72	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	156	µg/L	GE
0	Manganese	<2.0	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nitrate as nitrogen	280	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE
1	Selenium	3.2	µg/L	GE
0	Silica	5750	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	83900	µg/L	GE
1	Sulfate	58000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	171000	µg/L	GE
0	Total organic carbon	1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
1	Nonvolatile beta	13±3.1	pCi/L	GE
0	Total radium	<1.0	pCi/L	GE
1	Tritium	11±0.50	pCi/mL	GE

WELL KAC 3

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/06/90

Depth to water: 36.93 ft (11.26 m) below TOC

Water elevation: 220.87 ft (67.32 m) msl

Sp. conductance: 905 µS/cm

Water evacuated before sampling: 65 gal

Time: 13:20

pH: 7.1

Alkalinity: 160 mg/L

Water temperature: 19.2°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	pH	7.8	pH	GE
1	Specific conductance	1040	µS/cm	GE
0	Turbidity	0.37	NTU	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	<4.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	1210	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
1	Chloride	18100	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	200	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	31	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	492	µg/L	GE
0	Manganese	<2.0	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nitrate as nitrogen	620	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	677	µg/L	GE
1	Selenium	2.3	µg/L	GE
0	Silica	4480	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	224000	µg/L	GE
2	Sulfate	277000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	863000	µg/L	GE
0	Total organic carbon	2000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	200	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
2	Gross alpha	21±4.7	pCi/L	GE
0	Gross alpha	<2.0	pCi/L	GE
0	Nonvolatile beta	4.5±2.2	pCi/L	GE
2	Total radium	61±8.1	pCi/L	GE
1	Total radium	3.4±2.1	pCi/L	GE
0	Tritium	6.4±0.40	pCi/mL	GE

ANALYTICAL RESULTS

WELL KAC 4

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/06/90
 Depth to water: 43.49 ft (13.26 m) below TOC
 Water elevation: 216.51 ft (65.99 m) msl
 Sp. conductance: 102 µS/cm
 Water evacuated before sampling: 100 gal
 Time: 12:00
 pH: 8.3
 Alkalinity: 1 mg/L
 Water temperature: 17.7°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	8.3	pH	GE
1	Specific conductance	108	µS/cm	GE
0	Turbidity	<0.20	NTU	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	4.9	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	501	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
1	Chloride	10700	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethane (Vinyl chloride)	<1.0	µg/L	GE
1	Chloroform	3.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	23	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	356	µg/L	GE
0	Manganese	2.9	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nitrate as nitrogen	300	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	5440	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	18200	µg/L	GE
1	Sulfate	25800	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	70000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
2	Gross alpha	23 ± 4.1	pCi/L	GE
0	Gross alpha	<2.0	pCi/L	GE
0	Nonvolatile beta	7.1 ± 3.0	pCi/L	GE
2	Total radium	70 ± 8.5	pCi/L	GE
0	Total radium	<1.0	pCi/L	GE
0	tritium	1.0 ± 0.30	pCi/mL	GE

WELL KAC 5

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/06/90
 Depth to water: 38.36 ft (11.69 m) below TOC
 Water elevation: 220.64 ft (67.25 m) msl
 Sp. conductance: 88 µS/cm
 Water evacuated before sampling: 57 gal
 Time: 12:45
 pH: 5.3
 Alkalinity: 3 mg/L
 Water temperature: 19.0°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.4	pH	GE
0	Specific conductance	58	µS/cm	GE
0	Turbidity	<0.20	NTU	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	<4.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	318	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	7400	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethane (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	18	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	176	µg/L	GE
0	Manganese	4.7	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nitrate as nitrogen	40	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	5510	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	11200	µg/L	GE
1	Sulfate	10700	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	40000	µg/L	GE
0	Total organic carbon	2000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	2.6 ± 2.2	pCi/L	GE
0	Total radium	1.5 ± 2.0	pCi/L	GE
0	tritium	<0.70	pCi/mL	GE

ANALYTICAL RESULTS

WELL KAC 6

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/07/90
Depth to water: 38.56 ft (11.75 m) below TOC
Water elevation: 220.44 ft (67.19 m) msl
Sp. conductance: 99 µS/cm
Water evacuated before sampling: 9 gal
The well went dry during purging.

Time: 9:10
pH: 5.2
Alkalinity: 2 mg/L
Water temperature: 17.8°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.7	pH	GE
0	Specific conductance	91	µS/cm	GE
0	Turbidity	39	NTU	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	5.8	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	591	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	7800	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	85	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	375	µg/L	GE
0	Manganese	11	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nitrate as nitrogen	<50	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	5470	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	15600	µg/L	GE
1	Sulfate	31300	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
1	Toluene	1.0	µg/L	GE
0	Total dissolved solids	62000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Total radium	1.4 ± 2.1	pCi/L	GE
0	Tritium	<0.70	pCi/mL	GE

WELL KAC 7

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/07/90
Depth to water: 47.35 ft (14.43 m) below TOC
Water elevation: 217.75 ft (66.37 m) msl
Sp. conductance: 1293 µS/cm
Water evacuated before sampling: 8 gal
The well went dry during purging.

Time: 9:35
pH: 5.1
Alkalinity: 13 mg/L
Water temperature: 18.0°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.5	pH	GE
1	Specific conductance	980	µS/cm	GE
0	Turbidity	70	NTU	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	19	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	3550	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
1	Chloride	18400	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
2	Iron	418	µg/L	GE
0	Lead	7.3	µg/L	GE
0	Magnesium	1150	µg/L	GE
1	Manganese	44	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nitrate as nitrogen	1520	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	8130	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	211000	µg/L	GE
2	Sulfate	423000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	818000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
1	Total organic halogens	10	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	2.4 ± 1.7	pCi/L	GE
1	Total radium	3.0 ± 2.4	pCi/L	GE
0	Tritium	8.3 ± 0.50	pCi/mL	GE

ANALYTICAL RESULTS

WELL KCB 1

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/04/90 Time: 13:25
 Depth to water: 57.48 ft (17.51 m) below TOC pH: 5.2
 Water elevation: 202.94 ft (61.86 m) msl Alkalinity: 2 mg/L
 Sp. conductance: 195 µS/cm Water temperature: 20.9°C
 Water evacuated before sampling: 50 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.8	pH	GE
1	Specific conductance	181	µS/cm	GE
0	Barium	14	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
1	Calcium	12400	µg/L	GE
0	Chloride	9400	µg/L	GE
0	Copper	8.3	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	Iron	50	µg/L	GE
0	Magnesium	628	µg/L	GE
0	Manganese	11	µg/L	GE
1	Potassium	10200	µg/L	GE
1	Selenium	3.7	µg/L	GE
0	Silica	7480	µg/L	GE
1	Sodium	11100	µg/L	GE
1	Sulfate	57400	µg/L	GE
0	Total organic halogens	<8.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Zinc	10	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
1	Nonvolatile beta	14±4.8	pCi/L	GE
0	Total radium	2.0±3.4	pCi/L	GE
1	Tritium	13±0.50	pCi/mL	GE

WELL KCB 2

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/04/90 Time: 13:00
 Depth to water: 52.52 ft (16.01 m) below TOC pH: 4.8
 Water elevation: 201.88 ft (61.53 m) msl Alkalinity: 0 mg/L
 Sp. conductance: 47 µS/cm Water temperature: 21.0°C
 Water evacuated before sampling: 38 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.0	pH	GE
0	Specific conductance	45	µS/cm	GE
0	Barium	7.8	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	157	µg/L	GE
0	Chloride	3800	µg/L	GE
0	Copper	5.7	µg/L	GE
0	Fluoride	<100	µg/L	GE
2	Iron	425	µg/L	GE
0	Magnesium	287	µg/L	GE
0	Manganese	8.4	µg/L	GE
0	Potassium	4180	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	8220	µg/L	GE
0	Sodium	3500	µg/L	GE
0	Sulfate	5200	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Zinc	13	µg/L	GE
1	Gross alpha	8.8±3.1	pCi/L	GE
0	Nonvolatile beta	9.1±4.2	pCi/L	GE
2	Total radium	5.0±4.2	pCi/L	GE
2	Tritium	20±0.60	pCi/mL	GE

WELL KCB 3

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/04/90 Time: 12:45
 Depth to water: 47.32 ft (14.42 m) below TOC pH: 3.9
 Water elevation: 200.58 ft (61.14 m) msl Alkalinity: 0 mg/L
 Sp. conductance: 473 µS/cm Water temperature: 20.7°C
 Water evacuated before sampling: 43 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	pH	4.0	pH	GE
0	pH	4.0	pH	GE
1	Specific conductance	437	µS/cm	GE
1	Specific conductance	437	µS/cm	GE
0	Barium	29	µg/L	GE
0	Barium	27	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
1	Calcium	27900	µg/L	GE
1	Calcium	27200	µg/L	GE
0	Chloride	8900	µg/L	GE
0	Chloride	7200	µg/L	GE
1	Copper	27	µg/L	GE
1	Copper	28	µg/L	GE
1	Fluoride	720	µg/L	GE
1	Fluoride	890	µg/L	GE
0	Iron	121	µg/L	GE
0	Iron	110	µg/L	GE
1	Magnesium	14800	µg/L	GE
1	Magnesium	14700	µg/L	GE
2	Manganese	1880	µg/L	GE
2	Manganese	1810	µg/L	GE
0	Potassium	3890	µg/L	GE
0	Potassium	3750	µg/L	GE
2	Selenium	5.9	µg/L	GE
2	Selenium	6.2	µg/L	GE
0	Silica	9900	µg/L	GE
0	Silica	9940	µg/L	GE
1	Sodium	7560	µg/L	GE
1	Sodium	7370	µg/L	GE
2	Sulfate	824000	µg/L	GE
2	Sulfate	784000	µg/L	GE
0	Total organic halogens	8.0	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	80	µg/L	GE
0	Total phosphates	70	µg/L	GE
0	Zinc	105	µg/L	GE
0	Zinc	100	µg/L	GE
0	Gross alpha	4.8±2.9	pCi/L	GE
0	Gross alpha	3.7±2.7	pCi/L	GE
1	Nonvolatile beta	11±4.0	pCi/L	GE
1	Nonvolatile beta	11±4.0	pCi/L	GE
2	Total radium	12±5.5	pCi/L	GE
2	Total radium	18±6.1	pCi/L	GE
1	Tritium	13±0.50	pCi/mL	GE
1	Tritium	13±0.50	pCi/mL	GE

WELL KCB 4

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/04/90 Time: 12:15
 Depth to water: 53.08 ft (16.18 m) below TOC pH: 8.3
 Water elevation: 202.52 ft (61.73 m) msl Alkalinity: 38 mg/L
 Sp. conductance: 419 µS/cm Water temperature: 21.4°C
 Water evacuated before sampling: 35 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	8.5	pH	GE
1	Specific conductance	392	µS/cm	GE
0	Barium	<4.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
1	Calcium	48300	µg/L	GE
1	Chloride	18100	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Fluoride	220	µg/L	GE
0	Iron	45	µg/L	GE
0	Magnesium	3700	µg/L	GE
0	Manganese	<2.0	µg/L	GE
1	Potassium	10100	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	434	µg/L	GE

ANALYTICAL RESULTS

WELL KCB 4 collected on 03/04/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
1	Sodium	21000	µg/L	GE
1	Sulfate	108000	µg/L	GE
1	Total organic halogens	10	µg/L	GE
0	Total phosphates	< 50	µg/L	GE
0	Zinc	3.8	µg/L	GE
0	Gross alpha	< 3.0	pCi/L	GE
1	Nonvolatile beta	12 ± 4.3	pCi/L	GE
0	Total radium	2.3 ± 3.5	pCi/L	GE
0	Tritium	8.4 ± 0.40	pCi/mL	GE

WELL KDB 1

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/13/90
 Depth to water: 85.71 ft (20.03 m) below TOC
 Water elevation: 207.39 ft (63.21 m) msl
 Sp. conductance: 88 µS/cm
 Water evacuated before sampling: 19 gal
 The well went dry during purging.

Time: 11:45
 pH: 4.4
 Alkalinity: 0 mg/L
 Water temperature: 25.4°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Specific conductance	93	µS/cm	MT
0	Arsenic	< 3.0	µg/L	MT
1	Barium	85	µg/L	MT
0	Cadmium	< 3.0	µg/L	MT
0	Calcium	5870	µg/L	MT
0	Carbon tetrachloride	< 1.0	µg/L	MT
0	Chloroform	B 0.93	µg/L	MT
1	Iron	290	µg/L	MT
2	Lead	107	µg/L	MT
2	Manganese	655	µg/L	MT
0	Mercury	< 0.20	µg/L	MT
0	Nitrate as nitrogen	930	µg/L	MT
0	Potassium	< 800	µg/L	MT
0	Silica	7820	µg/L	MT
0	Sodium	2660	µg/L	MT
1	Sulfate	19000	µg/L	MT
2	Tetrachloroethylene	8.9	µg/L	MT
0	Total organic halogens	7.7	µg/L	MT
0	Trichloroethylene	0.45	µg/L	MT
0	1,1,1-Trichloroethane	B 0.81	µg/L	MT
0	Gross alpha	3.5 ± 2.1	pCi/L	MT
1	Nonvolatile beta	10 ± 4.0	pCi/L	MT
1	Total activity	874 ± 0.8	pCi/mL	EM
1	Total radium	3.8 ± 0.70	pCi/L	MT
2	Tritium	740 ± 80	pCi/mL	MT

WELL KDB 2

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/13/90
 Depth to water: 87.29 ft (20.51 m) below TOC
 Water elevation: 206.21 ft (62.85 m) msl
 Sp. conductance: 54 µS/cm
 Water evacuated before sampling: 62 gal

Time: 11:25
 pH: 4.8
 Alkalinity: 0 mg/L
 Water temperature: 24.7°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Specific conductance	46	µS/cm	MT
0	Arsenic	< 3.0	µg/L	MT
0	Barium	13	µg/L	MT
0	Cadmium	< 3.0	µg/L	MT
0	Calcium	1430	µg/L	MT
0	Carbon tetrachloride	< 1.0	µg/L	MT
1	Chloroform	B 2.8	µg/L	MT
0	Iron	33	µg/L	MT
2	Lead	45	µg/L	MT
2	Manganese	70	µg/L	MT
0	Mercury	< 0.20	µg/L	MT
0	Nitrate as nitrogen	1800	µg/L	MT
0	Potassium	< 800	µg/L	MT
0	Silica	7840	µg/L	MT
0	Sodium	4680	µg/L	MT
0	Sulfate	2100	µg/L	MT
2	Tetrachloroethylene	7.8	µg/L	MT
2	Total organic halogens	39	µg/L	MT
2	Trichloroethylene	18	µg/L	MT
0	1,1,1-Trichloroethane	B 0.84	µg/L	MT
0	Gross alpha	< 3.0	pCi/L	MT

WELL KDB 2 collected on 03/13/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Nonvolatile beta	< 5.0	pCi/L	MT
1	Total activity	948 ± 70	pCi/mL	EM
0	Total radium	1.3 ± 0.40	pCi/L	MT
2	Tritium	880 ± 90	pCi/mL	MT

WELL KDB 3

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/13/90
 Depth to water: 88.47 ft (20.26 m) below TOC
 Water elevation: 208.93 ft (63.07 m) msl
 Sp. conductance: 275 µS/cm
 Water evacuated before sampling: 20 gal
 The well went dry during purging.

Time: 12:00
 pH: 8.1
 Alkalinity: 100 mg/L
 Water temperature: 25.1°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	Specific conductance	248	µS/cm	MT
0	Arsenic	< 3.0	µg/L	MT
0	Barium	30	µg/L	MT
0	Cadmium	< 3.0	µg/L	MT
1	Calcium	27800	µg/L	MT
0	Carbon tetrachloride	< 1.0	µg/L	MT
0	Chloroform	B 0.90	µg/L	MT
2	Iron	2340	µg/L	MT
0	Lead	15	µg/L	MT
2	Manganese	87	µg/L	MT
0	Mercury	< 0.20	µg/L	MT
0	Nitrate as nitrogen	1000	µg/L	MT
0	Potassium	3350	µg/L	MT
0	Silica	4880	µg/L	MT
1	Sodium	9370	µg/L	MT
1	Sulfate	20000	µg/L	MT
0	Tetrachloroethylene	0.87	µg/L	MT
2	Total organic halogens	87	µg/L	MT
2	Trichloroethylene	15	µg/L	MT
0	1,1,1-Trichloroethane	B 0.85	µg/L	MT
0	Gross alpha	< 3.0	pCi/L	MT
0	Nonvolatile beta	< 5.0	pCi/L	MT
1	Total activity	89 ± 2.4	pCi/mL	EM
0	Total radium	2.4 ± 0.80	pCi/L	MT
2	Tritium	78 ± 0.0	pCi/mL	MT

WELL KDT 1D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/13/90
 Depth to water: 88.11 ft (20.15 m) below TOC
 Water elevation: 208.89 ft (63.08 m) msl
 Sp. conductance: 135 µS/cm
 Water evacuated before sampling: 7 gal
 The well went dry during purging.

Time: 12:15
 pH: 5.8
 Alkalinity: 37 mg/L
 Water temperature: 23.2°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	6.1	pH	GE
1	Specific conductance	118	µS/cm	GE
0	Arsenic	< 2.0	µg/L	GE
1	Barium	73	µg/L	GE
0	Benzene	< 1.0	µg/L	GE
0	Bromodichloromethane	< 1.0	µg/L	GE
0	Bromoform	< 1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	< 1.0	µg/L	GE
0	Cadmium	< 3.0	µg/L	GE
1	Calcium	10400	µg/L	GE
0	Carbon tetrachloride	< 1.0	µg/L	GE
0	Chloride	8700	µg/L	GE
0	Chlorobenzene	< 1.0	µg/L	GE
0	Chloroethane	< 1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	< 1.0	µg/L	GE
0	Chloroform	< 1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	< 1.0	µg/L	GE
0	Chromium	< 4.0	µg/L	GE
0	cis-1,3-Dichloropropene	< 1.0	µg/L	GE
0	Dibromochloromethane	< 1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	< 1.0	µg/L	GE
0	Endrin	< 0.10	µg/L	GE
0	Ethylbenzene	< 1.0	µg/L	GE
0	Fluoride	< 100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	< 0.050	µg/L	GE
1	Iron	183	µg/L	GE

ANALYTICAL RESULTS

WELL KDT 1D collected on 03/13/00, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Lead	7.2	µg/L	GE
0	Magnesium	476	µg/L	GE
2	Manganese	789	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nitrate as nitrogen	2010	µg/L	GE
0	Oil & grease	<1000	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	1460	µg/L	GE
0	Selenium	<2.0	µg/L	GE
1	Silica	10200	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	8060	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	127000	µg/L	GE
0	Total organic carbon	3000	µg/L	GE
1	Total organic halogens	20	µg/L	GE
1	Total phosphates	880	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethane	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,1-Trichloroethylene	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.080	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	2.3±2.1	pCi/mL	GE
1	Total activity	570±5.5	pCi/mL	EM
1	Total radium	2.5±2.3	pCi/L	GE
2	Tritium	852±2.8	pCi/mL	GE

WELL KRB 1

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/19/90
 Depth to water: 59.58 ft (18.18 m) below TOC
 Water elevation: 208.92 ft (63.07 m) msl
 Sp. conductance: 61 µS/cm
 Water evacuated before sampling: 2 gal
 The well went dry during purging.

Time: 11:15
 pH: 5.4
 Alkalinity: 8 mg/L
 Water temperature: 17.0°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.4	pH	MT
0	pH	5.4	pH	MT
0	Specific conductance	28	µS/cm	MT
0	Specific conductance	29	µS/cm	MT
0	Antimony	<3.0	µg/L	MT
0	Arsenic	<3.0	µg/L	MT
0	Benzene	<5.0	µg/L	MT
0	Bromodichloromethane	<5.0	µg/L	MT
0	Bromoform	<5.0	µg/L	MT
0	Bromomethane (Methyl bromide)	<10	µg/L	MT
0	Cadmium	<3.0	µg/L	MT
0	Carbon tetrachloride	<5.0	µg/L	MT
0	Chloride	2800	µg/L	MT
0	Chloride	2800	µg/L	MT
0	Chlorobenzene	<5.0	µg/L	MT
0	Chloroethane	<10	µg/L	MT
0	Chloroform	<5.0	µg/L	MT
0	Chloromethane (Methyl chloride)	<10	µg/L	MT
0	Chromium	<3.0	µg/L	MT
0	cis-1,3-Dichloropropene	<5.0	µg/L	MT
0	Dibromochloromethane	<5.0	µg/L	MT
1	Dichloromethane (Methylene chloride)	110	µg/L	MT
0	Ethylbenzene	<5.0	µg/L	MT
0	Iron	78	µg/L	MT
2	Lead	338	µg/L	MT
2	Lead	529	µg/L	MT
0	Manganese	10	µg/L	MT
1	Nickel	11	µg/L	MT
0	Nitrate as nitrogen	540	µg/L	MT
0	Nitrate as nitrogen	540	µg/L	MT
0	Phenols	<5.0	µg/L	MT
0	Selenium	<3.0	µg/L	MT

WELL KRB 1 collected on 02/19/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Silica	7180	µg/L	MT
0	Sodium	2580	µg/L	MT
0	Tetrachloroethylene	<5.0	µg/L	MT
0	Thallium	<3.0	µg/L	MT
0	Toluene	<5.0	µg/L	MT
2	Total organic halogens	75	µg/L	MT
0	trans-1,2-Dichloroethane	<5.0	µg/L	MT
0	trans-1,3-Dichloropropene	<5.0	µg/L	MT
0	Trichloroethylene	<5.0	µg/L	MT
0	Trichlorofluoromethane	<5.0	µg/L	MT
0	1,1-Dichloroethane	<5.0	µg/L	MT
0	1,1,1-Trichloroethane	<5.0	µg/L	MT
0	1,1,2-Trichloroethane	<5.0	µg/L	MT
0	1,1,2,2-Tetrachloroethane	<5.0	µg/L	MT
1	1,2-Dichloroethane	300	µg/L	MT
0	1,2-Dichloropropane	<5.0	µg/L	MT
0	2-Chloroethyl vinyl ether	<5.0	µg/L	MT
0	Gross alpha	<2.0	pCi/L	MT
0	Gross alpha	1.8±0.88	pCi/L	EM
0	Nonvolatile beta	5.8±3.0	pCi/L	MT
0	Nonvolatile beta	2.1±1.0	pCi/L	EM
1	Total activity	50±1.7	pCi/mL	EM
0	Total radium	<1.0	pCi/L	MT
2	Tritium	84±7.0	pCi/mL	MT
2	Tritium	50±1.7	pCi/mL	EM

WELL KRB 8

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/19/90
 Depth to water: 59.03 ft (17.99 m) below TOC
 Water elevation: 208.87 ft (63.68 m) msl
 Sp. conductance: 51 µS/cm
 Water evacuated before sampling: 21 gal

Time: 13:15
 pH: 4.8
 Alkalinity: 0 mg/L
 Water temperature: 17.8°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	4.5	pH	MT
0	Specific conductance	49	µS/cm	MT
0	Benzene	<5.0	µg/L	MT
0	Bromodichloromethane	<5.0	µg/L	MT
0	Bromoform	<5.0	µg/L	MT
0	Bromomethane (Methyl bromide)	<10	µg/L	MT
0	Cadmium	<3.0	µg/L	MT
0	Carbon tetrachloride	<5.0	µg/L	MT
0	Chloride	5900	µg/L	MT
0	Chlorobenzene	<5.0	µg/L	MT
0	Chloroethane	<10	µg/L	MT
0	Chloroform	<5.0	µg/L	MT
0	Chloromethane (Methyl chloride)	<10	µg/L	MT
0	Chromium	<3.0	µg/L	MT
0	cis-1,3-Dichloropropene	<5.0	µg/L	MT
0	Dibromochloromethane	<5.0	µg/L	MT
0	Dichloromethane (Methylene chloride)	<5.0	µg/L	MT
0	Ethylbenzene	<5.0	µg/L	MT
0	Iron	100	µg/L	MT
2	Lead	50	µg/L	MT
1	Manganese	28	µg/L	MT
0	Nickel	<5.2	µg/L	MT
0	Nitrate as nitrogen	2500	µg/L	MT
0	Phenols	<5.0	µg/L	MT
0	Phenols	<5.0	µg/L	MT
0	Silica	7740	µg/L	MT
1	Sodium	5610	µg/L	MT
0	Tetrachloroethylene	<5.0	µg/L	MT
0	Toluene	<5.0	µg/L	MT
0	Total organic halogens	<5.0	µg/L	MT
0	trans-1,2-Dichloroethane	<5.0	µg/L	MT
0	trans-1,3-Dichloropropene	<5.0	µg/L	MT
0	Trichloroethylene	<5.0	µg/L	MT
0	Trichlorofluoromethane	<5.0	µg/L	MT
0	1,1-Dichloroethane	<5.0	µg/L	MT
0	1,1-Dichloroethylene	<5.0	µg/L	MT
0	1,1,1-Trichloroethane	<5.0	µg/L	MT
0	1,1,2-Trichloroethane	<5.0	µg/L	MT
0	1,1,2,2-Tetrachloroethane	<5.0	µg/L	MT
0	1,2-Dichloroethane	<5.0	µg/L	MT
0	1,2-Dichloropropane	<5.0	µg/L	MT
0	2-Chloroethyl vinyl ether	<5.0	µg/L	MT
0	Gross alpha	<2.0	pCi/L	MT
0	Gross alpha	<2.0	pCi/L	MT
0	Gross alpha	0.97±0.87	pCi/L	EM
0	Nonvolatile beta	5.1±2.9	pCi/L	MT

ANALYTICAL RESULTS

WELL KRB 8 collected on 02/18/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Nonvolatile beta	<4.0	pCl/L	MT
0	Nonvolatile beta	2.3 ± 1.1	pCl/L	EM
1	Total activity	4820 ± 480	pCi/mL	EM
0	Total radium	<1.0	pCi/L	MT
2	Tritium	4300 ± 500	pCi/mL	MT
2	Tritium	4820 ± 480	pCi/mL	EM

WELL KRB 13

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/19/90
 Depth to water: 78.29 ft (23.88 m) below TOC
 Water elevation: 205.31 ft (62.58 m) msl
 Sp. conductance: 57 µS/cm
 Water evacuated before sampling: 1 gal
 The well went dry during purging.

Time: 11:35
 pH: 8.0
 Alkalinity: 13 mg/L
 Water temperature: 18.8°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.8	pH	MT
0	Specific conductance	43	µS/cm	MT
0	Benzene	<5.0	µg/L	MT
0	Bromodichloromethane	<5.0	µg/L	MT
0	Bromochloromethane	<5.0	µg/L	MT
0	Bromomethane (Methyl bromide)	<10	µg/L	MT
0	Cadmium	<3.0	µg/L	MT
0	Carbon tetrachloride	<5.0	µg/L	MT
0	Chloride	4800	µg/L	MT
0	Chlorobenzene	<5.0	µg/L	MT
0	Chloroethane	<10	µg/L	MT
0	Chloroform	<5.0	µg/L	MT
0	Chloromethane (Methyl chloride)	<10	µg/L	MT
0	Chromium	<3.0	µg/L	MT
0	cis-1,3-Dichloropropene	<5.0	µg/L	MT
0	Dibromochloromethane	<5.0	µg/L	MT
1	Dichloromethane (Methylene chloride)	100	µg/L	MT
0	Ethylbenzene	<5.0	µg/L	MT
0	Iron	37	µg/L	MT
2	Lead	294	µg/L	MT
0	Manganese	9.0	µg/L	MT
1	Nickel	18	µg/L	MT
0	Nitrate as nitrogen	930	µg/L	MT
0	Phenols	<5.0	µg/L	MT
0	Silica	8840	µg/L	MT
1	Sodium	7250	µg/L	MT
0	Tetrachloroethylene	<5.0	µg/L	MT
0	Toluene	<5.0	µg/L	MT
0	Total organic halogens	8.4	µg/L	MT
0	trans-1,2-Dichloroethene	<5.0	µg/L	MT
0	trans-1,3-Dichloropropene	<5.0	µg/L	MT
0	Trichloroethylene	<5.0	µg/L	MT
0	Trichlorofluoromethane	<5.0	µg/L	MT
0	1,1-Dichloroethane	<5.0	µg/L	MT
0	1,1-Dichloroethylene	<5.0	µg/L	MT
0	1,1,1-Trichloroethane	<5.0	µg/L	MT
0	1,1,2-Trichloroethane	<5.0	µg/L	MT
0	1,1,2,2-Tetrachloroethane	<5.0	µg/L	MT
1	1,2-Dichloroethane	340	µg/L	MT
0	1,2-Dichloropropane	<5.0	µg/L	MT
0	2-Chloroethyl vinyl ether	<5.0	µg/L	MT
0	Gross alpha	<2.0	pCi/L	MT
0	Gross alpha	1.2 ± 0.74	pCi/L	EM
0	Nonvolatile beta	<4.0	pCi/L	MT
0	Nonvolatile beta	1.8 ± 0.97	pCi/L	EM
1	Total activity	23800 ± 330	pCi/mL	EM
0	Total radium	<1.0	pCi/L	MT
2	Tritium	20000 ± 2000	pCi/mL	MT
2	Tritium	23800 ± 330	pCi/mL	EM

WELL KRB 14

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/19/90
 Depth to water: 78.85 ft (23.97 m) below TOC
 Water elevation: 203.85 ft (62.13 m) msl
 Sp. conductance: 72 µS/cm
 Water evacuated before sampling: 5 gal
 The well went dry during purging.

Time: 12:00
 pH: 5.8
 Alkalinity: 8 mg/L
 Water temperature: 18.5°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.8	pH	MT
0	Specific conductance	60	µS/cm	MT
0	Benzene	<5.0	µg/L	MT
0	Bromodichloromethane	<5.0	µg/L	MT
0	Bromochloromethane	<5.0	µg/L	MT
0	Bromomethane (Methyl bromide)	<10	µg/L	MT
0	Cadmium	<3.0	µg/L	MT
0	Carbon tetrachloride	<5.0	µg/L	MT
1	Chloride	11000	µg/L	MT
0	Chlorobenzene	<5.0	µg/L	MT
0	Chloroethane	<10	µg/L	MT
0	Chloroform	<5.0	µg/L	MT
0	Chloromethane (Methyl chloride)	<10	µg/L	MT
0	Chromium	<3.0	µg/L	MT
0	cis-1,3-Dichloropropene	<5.0	µg/L	MT
0	Dibromochloromethane	<5.0	µg/L	MT
0	Dichloromethane (Methylene chloride)	<5.0	µg/L	MT
0	Ethylbenzene	<5.0	µg/L	MT
0	Iron	27	µg/L	MT
0	Lead	17	µg/L	MT
0	Manganese	21	µg/L	MT
0	Nickel	<5.2	µg/L	MT
0	Nitrate as nitrogen	720	µg/L	MT
0	Phenols	<5.0	µg/L	MT
0	Silica	7080	µg/L	MT
1	Sodium	6810	µg/L	MT
0	Tetrachloroethylene	<5.0	µg/L	MT
0	Toluene	<5.0	µg/L	MT
0	Total organic halogens	<5.0	µg/L	MT
0	trans-1,2-Dichloroethene	<5.0	µg/L	MT
0	trans-1,3-Dichloropropene	<5.0	µg/L	MT
0	Trichloroethylene	<5.0	µg/L	MT
0	Trichlorofluoromethane	<5.0	µg/L	MT
0	1,1-Dichloroethane	<5.0	µg/L	MT
0	1,1-Dichloroethylene	<5.0	µg/L	MT
0	1,1,1-Trichloroethane	<5.0	µg/L	MT
0	1,1,2-Trichloroethane	<5.0	µg/L	MT
0	1,1,2,2-Tetrachloroethane	<5.0	µg/L	MT
0	1,2-Dichloroethane	<5.0	µg/L	MT
0	1,2-Dichloropropane	<5.0	µg/L	MT
0	2-Chloroethyl vinyl ether	<5.0	µg/L	MT
2	Gross alpha	24 ± 5.0	pCi/L	MT
0	Gross alpha	1.5 ± 0.83	pCi/L	EM
1	Nonvolatile beta	27 ± 5.0	pCi/L	MT
0	Nonvolatile beta	1.2 ± 0.91	pCi/L	EM
1	Total activity	15400 ± 190	pCi/mL	EM
1	Total radium	2.9 ± 0.60	pCi/L	MT
2	Tritium	12000 ± 2000	pCi/mL	MT
2	Tritium	15400 ± 190	pCi/mL	EM

WELL KRB 15

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/19/90
 Depth to water: 84.49 ft (25.68 m) below TOC
 Water elevation: 205.11 ft (62.52 m) msl
 Sp. conductance: 81 µS/cm
 Water evacuated before sampling: 1 gal
 The well went dry during purging.

Time: 12:20
 pH: 7.1
 Alkalinity: 24 mg/L
 Water temperature: 17.0°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	pH	8.8	pH	MT
1	pH	8.8	pH	MT
0	Specific conductance	59	µS/cm	MT
0	Specific conductance	59	µS/cm	MT
0	Antimony	<3.0	µg/L	MT
0	Arsenic	<3.0	µg/L	MT
0	Benzene	<5.0	µg/L	MT
0	Bromodichloromethane	<5.0	µg/L	MT
0	Bromochloromethane	<5.0	µg/L	MT
0	Bromomethane (Methyl bromide)	<10	µg/L	MT
0	Cadmium	<3.0	µg/L	MT

ANALYTICAL RESULTS

WELL KRB 15 collected on 02/18/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Cadmium	<3.0	µg/L	MT
0	Carbon tetrachloride	<5.0	µg/L	MT
0	Chloride	1900	µg/L	MT
0	Chlorobenzene	<5.0	µg/L	MT
0	Chloroethane	<10	µg/L	MT
0	Chloroform	<5.0	µg/L	MT
0	Chloromethane (Methyl chloride)	<10	µg/L	MT
0	Chromium	<3.0	µg/L	MT
0	Chromium	<3.0	µg/L	MT
0	cis-1,3-Dichloropropene	<5.0	µg/L	MT
0	Dibromochloromethane	<5.0	µg/L	MT
1	Dichloromethane (Methylene chloride)	J 3.0	µg/L	MT
0	Ethylbenzene	<5.0	µg/L	MT
0	Iron	12	µg/L	MT
0	Iron	33	µg/L	MT
0	Lead	14	µg/L	MT
0	Lead	14	µg/L	MT
0	Manganese	8.7	µg/L	MT
0	Manganese	7.0	µg/L	MT
0	Nickel	<5.2	µg/L	MT
0	Nickel	<5.2	µg/L	MT
0	Nitrate as nitrogen	450	µg/L	MT
0	Phenols	<5.0	µg/L	MT
0	Selenium	<3.0	µg/L	MT
0	Silica	4420	µg/L	MT
0	Silica	4780	µg/L	MT
1	Sodium	5660	µg/L	MT
1	Sodium	5970	µg/L	MT
0	Tetrachloroethylene	<5.0	µg/L	MT
0	Thallium	<3.0	µg/L	MT
0	Toluene	<5.0	µg/L	MT
0	Total organic halogens	<5.0	µg/L	MT
0	trans-1,2-Dichloroethane	<5.0	µg/L	MT
0	trans-1,3-Dichloropropene	<5.0	µg/L	MT
0	Trichloroethylene	<5.0	µg/L	MT
0	Trichlorofluoromethane	<5.0	µg/L	MT
0	1,1-Dichloroethane	<5.0	µg/L	MT
0	1,1-Dichloroethylene	<5.0	µg/L	MT
0	1,1,1-Trichloroethane	<5.0	µg/L	MT
0	1,1,2-Trichloroethane	<5.0	µg/L	MT
0	1,1,2,2-Tetrachloroethane	<5.0	µg/L	MT
0	1,2-Dichloroethane	<5.0	µg/L	MT
0	1,2-Dichloropropane	<5.0	µg/L	MT
0	2-Chloroethyl vinyl ether	<5.0	µg/L	MT
0	Gross alpha	<2.0	pCi/L	MT
0	Gross alpha	3.3 ± 1.3	pCi/L	EM
2	Nonvolatile beta	93 ± 10	pCi/L	MT
2	Nonvolatile beta	77 ± 7.7	pCi/L	EM
1	Total activity	53100 ± 700	pCi/mL	EM
0	Total radium	2.0 ± 0.50	pCi/L	MT
2	Tritium	47000 ± 5000	pCi/mL	MT
2	Tritium	53100 ± 700	pCi/mL	EM

WELL KRP 1

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/21/90
 Depth to water: 48.18 ft (14.08 m) below TOC
 Water elevation: 217.72 ft (66.38 m) msf
 Sp. conductance: 39 µS/cm
 Water evacuated before sampling: 28 gal
 Time: 12:35
 pH: 4.7
 Alkalinity: 0 mg/L
 Water temperature: 18.2°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
2	Lead	25	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	5.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	Tritium	3.7 ± 0.40	pCi/mL	GE

WELL KRP 2

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/21/90
 Depth to water: 38.08 ft (11.61 m) below TOC
 Water elevation: 218.02 ft (66.45 m) msf
 Sp. conductance: 28 µS/cm
 Water evacuated before sampling: 49 gal
 Time: 13:10
 pH: 5.1
 Alkalinity: 0 mg/L
 Water temperature: 18.4°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
2	Lead	54	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	7.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	Tritium	4.6 ± 0.40	pCi/mL	GE

WELL KRP 3

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/21/90
 Depth to water: 35.82 ft (10.92 m) below TOC
 Water elevation: 218.88 ft (66.65 m) msf
 Sp. conductance: 18 µS/cm
 Water evacuated before sampling: 36 gal
 Time: 13:30
 pH: 5.2
 Alkalinity: 0 mg/L
 Water temperature: 19.0°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Lead	14	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	Tritium	1.2 ± 0.40	pCi/mL	GE

WELL KRP 4

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/21/90
 Depth to water: 38.32 ft (11.68 m) below TOC
 Water elevation: 217.28 ft (66.23 m) msf
 Sp. conductance: 85 µS/cm
 Water evacuated before sampling: 74 gal
 Time: 14:10
 pH: 4.8
 Alkalinity: 0 mg/L
 Water temperature: 18.6°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Lead	<6.0	µg/L	GE
2	Tetrachloroethylene	84	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
2	Total organic halogens	89	µg/L	GE
2	Trichloroethylene	30	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	Tritium	4.1 ± 0.40	pCi/mL	GE

ANALYTICAL RESULTS

WELL KSB 1

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/24/90
Depth to water: 83.93 ft (19.49 m) below TOC
Water elevation: 203.47 ft (62.02 m) msl
Sp. conductance: 31 µS/cm
Water evacuated before sampling: 72 gal

Time: 10:40
pH: 5.1
Alkalinity: 0 mg/L
Water temperature: 19.9°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Cadmium	<3.0	µg/L	MT
0	Cadmium	<3.0	µg/L	MT
0	Lead	<3.0	µg/L	MT
0	Nitrate as nitrogen	1200	µg/L	MT
0	Silica	7850	µg/L	MT
0	Silica	7480	µg/L	MT
0	Total organic halogens	8.3	µg/L	MT
0	Total organic halogens	7.0	µg/L	MT
0	Antimony-125	<0.037	pCi/mL	EM
0	Cerium-144	<0.078	pCi/mL	EM
0	Cesium-134	<0.012	pCi/mL	EM
0	Cesium-137	<0.015	pCi/mL	EM
0	Chromium-51	<0.084	pCi/mL	EM
0	Cobalt-60	<0.018	pCi/mL	EM
0	Gross alpha	0.42±0.45	pCi/L	EM
0	Iodine-131	<0.012	pCi/mL	EM
0	Nonvolatile beta	1.8±1.0	pCi/L	EM
0	Ruthenium-103	<0.012	pCi/mL	EM
0	Ruthenium-106	<0.11	pCi/mL	EM
2	Tritium	1200±200	pCi/mL	MT
2	Tritium	1410±8.1	pCi/mL	EM
0	Zirconium/nickelium-95	<0.022	pCi/mL	EM

WELL KSB 2

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/24/90
Depth to water: 62.73 ft (19.12 m) below TOC
Water elevation: 203.07 ft (61.90 m) msl
Sp. conductance: 31 µS/cm
Water evacuated before sampling: 76 gal

Time: 10:55
pH: 4.8
Alkalinity: 0 mg/L
Water temperature: 20.0°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Cadmium	<3.0	µg/L	MT
0	Cadmium	<2.0	µg/L	GE
0	Nitrate as nitrogen	810	µg/L	MT
0	Nitrate as nitrogen	480	µg/L	GE
0	Silica	5940	µg/L	GE
0	Silica	6980	µg/L	MT
0	Total organic halogens	<5.0	µg/L	MT
0	Total organic halogens	<5.0	µg/L	MT
0	Total organic halogens	<5.0	µg/L	GE
0	Antimony-125	<0.050	pCi/mL	EM
0	Cerium-144	<0.14	pCi/mL	EM
0	Cesium-134	<0.018	pCi/mL	EM
0	Cesium-137	<0.018	pCi/mL	EM
0	Chromium-51	<0.21	pCi/mL	EM
0	Cobalt-60	<0.020	pCi/mL	EM
0	Gross alpha	0.010±0.20	pCi/L	EM
0	Iodine-131	<0.057	pCi/mL	EM
0	Nonvolatile beta	±0.60	pCi/L	EM
0	Ruthenium-103	<0.023	pCi/mL	EM
0	Ruthenium-106	<0.14	pCi/mL	EM
2	Tritium	34±4.0	pCi/mL	MT
2	Tritium	35±4.0	pCi/mL	MT
1	Tritium	18±0.80	pCi/mL	GE
2	Tritium	42±1.6	pCi/mL	EM
0	Zirconium/nickelium-95	<0.033	pCi/mL	EM

WELL KSB 2

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/24/90
Depth to water: 62.73 ft (19.12 m) below TOC
Water elevation: 203.07 ft (61.90 m) msl
Sp. conductance: 31 µS/cm
Water evacuated before sampling: 76 gal

Time: 10:55
pH: 4.8
Alkalinity: 0 mg/L
Water temperature: 20.0°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Cadmium	<3.0	µg/L	MT
0	Cadmium	<2.0	µg/L	GE
0	Nitrate as nitrogen	790	µg/L	MT
0	Nitrate as nitrogen	410	µg/L	GE
0	Silica	5780	µg/L	GE
0	Silica	6810	µg/L	MT
0	Total organic halogens	<5.0	µg/L	MT
0	Total organic halogens	<5.0	µg/L	GE
2	Tritium	34±4.0	pCi/mL	MT
1	Tritium	18±0.70	pCi/mL	GE

WELL KSB 3

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/24/90
Depth to water: 59.19 ft (18.04 m) below TOC
Water elevation: 202.31 ft (61.66 m) msl
Sp. conductance: 38 µS/cm
Water evacuated before sampling: 90 gal

Time: 11:40
pH: 4.4
Alkalinity: 0 mg/L
Water temperature: 19.3°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Cadmium	<3.0	µg/L	MT
0	Nitrate as nitrogen	1400	µg/L	MT
0	Silica	7340	µg/L	MT
2	Total organic halogens	28	µg/L	MT
0	Antimony-125	<0.050	pCi/mL	EM
0	Cerium-144	<0.14	pCi/mL	EM
0	Cesium-134	<0.017	pCi/mL	EM
0	Cesium-137	<0.019	pCi/mL	EM
0	Chromium-51	<0.21	pCi/mL	EM
0	Cobalt-60	<0.020	pCi/mL	EM
0	Gross alpha	0.71±0.58	pCi/L	EM
0	Iodine-131	<0.058	pCi/mL	EM
0	Nonvolatile beta	1.5±0.95	pCi/L	EM
0	Ruthenium-103	<0.022	pCi/mL	EM
0	Ruthenium-106	<0.18	pCi/mL	EM
2	Tritium	240±30	pCi/mL	MT
2	Tritium	239±3.3	pCi/mL	EM
0	Zirconium/nickelium-95	<0.037	pCi/mL	EM

WELL KSB 4A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/24/90
Depth to water: 60.91 ft (18.57 m) below TOC
Water elevation: 203.19 ft (61.93 m) msl
Sp. conductance: 31 µS/cm
Water evacuated before sampling: 87 gal

Time: 12:05
pH: 4.7
Alkalinity: 0 mg/L
Water temperature: 20.2°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Cadmium	<3.0	µg/L	MT
0	Nitrate as nitrogen	970	µg/L	MT
0	Silica	7860	µg/L	MT
0	Total organic halogens	8.7	µg/L	MT
0	Antimony-125	±0.040	pCi/mL	EM
0	Cerium-144	±0.14	pCi/mL	EM
0	Cesium-134	±0.020	pCi/mL	EM
0	Cesium-137	±0.020	pCi/mL	EM
0	Chromium-51	±0.18	pCi/mL	EM
0	Cobalt-60	±0.020	pCi/mL	EM
0	Gross alpha	0.72±0.57	pCi/L	EM
0	Iodine-131	±0.060	pCi/mL	EM
0	Nonvolatile beta	1.4±0.95	pCi/L	EM
0	Ruthenium-103	±0.020	pCi/mL	EM
0	Ruthenium-106	±0.18	pCi/mL	EM

ANALYTICAL RESULTS

WELL KSB 4A collected on 02/24/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
2	Tritium	280 ± 30	pCi/mL	MT
2	Tritium	296 ± 3.7	pCi/mL	EM
0	Zirconium/niohi m-85	± 0.050	pCi/mL	EM

WELL KSS 1D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/24/90
Depth to water: 58.56 ft (17.85 m) below TOC
Water elevation: 171.24 ft (52.19 m) msl
Sp. conductance: 64 µS/cm
Water evacuated before sampling: 45 gal

Time: 16:05
pH: 6.0
Alkalinity: 13 mg/L
Water temperature: 19.2°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	6.1	pH	MT
0	pH	6.0	pH	GE
0	Specific conductance	63	µS/cm	MT
0	Specific conductance	60	µS/cm	GE
0	Aluminum	<23	µg/L	MT
1	Aluminum	90	µg/L	GE
0	Cadmium	<3.0	µg/L	MT
0	Cadmium	<2.0	µg/L	GE
0	Calcium	7490	µg/L	MT
0	Calcium	9030	µg/L	GE
0	Chloride	3200	µg/L	MT
0	Chloride	3100	µg/L	GE
1	Chromium	14	µg/L	MT
0	Chromium	<4.0	µg/L	GE
0	Copper	<7.0	µg/L	MT
0	Copper	<4.0	µg/L	GE
0	Fluoride	<250	µg/L	MT
0	Fluoride	<100	µg/L	GE
0	Iron	81	µg/L	MT
0	Iron	13	µg/L	GE
0	Lead	<3.0	µg/L	MT
0	Lead	<3.0	µg/L	GE
0	Lead	<8.0	µg/L	MT
0	Magnesium	487	µg/L	MT
0	Magnesium	442	µg/L	GE
0	Manganese	21	µg/L	MT
0	Manganese	20	µg/L	GE
0	Nickel	<5.2	µg/L	MT
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	810	µg/L	MT
0	Nitrate as nitrogen	460	µg/L	GE
0	Nitrite as nitrogen	<800	µg/L	MT
0	Nitrite as nitrogen	<10.0	µg/L	GE
0	Phenols	<5.0	µg/L	MT
0	Phenols	<5.0	µg/L	GE
0	Potassium	<1620	µg/L	MT
0	Potassium	<500	µg/L	GE
0	Silica	6980	µg/L	MT
0	Silica	7470	µg/L	GE
0	Sodium	2360	µg/L	MT
0	Sodium	2280	µg/L	GE
0	Sulfate	1200	µg/L	MT
0	Sulfate	<5000	µg/L	GE
0	Total dissolved solids	32000	µg/L	MT
0	Total dissolved solids	52000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	MT
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	83	µg/L	MT
0	Total phosphates	70	µg/L	GE
0	Uranium	<84	µg/L	MT
0	Uranium	<1000	µg/L	GE
0	Total radium	<1.0	pCi/L	MT
1	Total radium	3.2 ± 5.1	pCi/L	GE

WELL KSS 1D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/24/90
Depth to water: 58.56 ft (17.85 m) below TOC
Water elevation: 171.24 ft (52.19 m) msl
Sp. conductance: 64 µS/cm
Water evacuated before sampling: 45 gal

Time: 16:05
pH: 6.0
Alkalinity: 13 mg/L
Water temperature: 19.2°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	6.2	pH	MT
0	pH	6.0	pH	GE
0	pH	6.0	pH	GE
0	Specific conductance	61	µS/cm	MT
0	Specific conductance	60	µS/cm	GE
0	Specific conductance	60	µS/cm	GE
0	Aluminum	<23	µg/L	MT
0	Aluminum	<20	µg/L	GE
0	Aluminum	<20	µg/L	GE
0	Cadmium	<3.0	µg/L	MT
0	Cadmium	<2.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	7320	µg/L	MT
0	Calcium	7350	µg/L	GE
0	Calcium	7540	µg/L	GE
0	Chloride	3200	µg/L	MT
0	Chloride	3100	µg/L	GE
0	Chloride	3200	µg/L	GE
0	Chromium	<3.0	µg/L	MT
0	Chromium	<4.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	Copper	<7.0	µg/L	MT
0	Copper	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Fluoride	<250	µg/L	MT
0	Fluoride	<100	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	Iron	22	µg/L	MT
0	Iron	15	µg/L	GE
0	Iron	18	µg/L	GE
0	Lead	<2.0	µg/L	MT
0	Lead	<6.0	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	477	µg/L	MT
0	Magnesium	425	µg/L	GE
0	Magnesium	432	µg/L	GE
0	Manganese	20	µg/L	MT
0	Manganese	18	µg/L	GE
0	Manganese	18	µg/L	GE
0	Nickel	<5.2	µg/L	MT
0	Nickel	<5.2	µg/L	MT
0	Nickel	<4.0	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	470	µg/L	MT
0	Nitrate as nitrogen	510	µg/L	GE
0	Nitrate as nitrogen	620	µg/L	GE
0	Nitrite as nitrogen	<800	µg/L	MT
0	Nitrite as nitrogen	<10.0	µg/L	GE
0	Nitrite as nitrogen	<10.0	µg/L	GE
0	Phenols	<5.0	µg/L	MT
0	Phenols	<5.0	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<1620	µg/L	MT
0	Potassium	<500	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Silica	6880	µg/L	MT
0	Silica	6990	µg/L	GE
0	Silica	7190	µg/L	MT
0	Sodium	2310	µg/L	MT
0	Sodium	2500	µg/L	GE
0	Sodium	2350	µg/L	GE
0	Sulfate	1200	µg/L	MT
0	Sulfate	<5000	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Total dissolved solids	118000	µg/L	MT
0	Total dissolved solids	58000	µg/L	GE
0	Total dissolved solids	53000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	MT
0	Total organic halogens	<5.0	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	81	µg/L	MT
0	Total phosphates	82	µg/L	MT
0	Total phosphates	80	µg/L	GE
0	Total phosphates	70	µg/L	GE
0	Uranium	<84	µg/L	MT
0	Uranium	<1000	µg/L	GE
0	Uranium	<1000	µg/L	GE

ANALYTICAL RESULTS

WELL KSS 1D collected on 02/24/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Total radium	<1.0	pCi/L	MT
0	Total radium	<1.0	pCi/L	MT
0	Total radium	1.0±3.1	pCi/L	GE
1	Total radium	3.7±3.8	pCi/L	GE

WELL KSS 2D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/24/90
Depth to water: 29.93 ft (9.12 m) below TOC
Water elevation: 182.37 ft (49.49 m) msl
Sp. conductance: 30 µS/cm
Water evacuated before sampling: 55 gal

Time: 17:05
pH: 5.5
Alkalinity: 3 mg/L
Water temperature: 18.9°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.8	pH	GE
0	Specific conductance	25	µS/cm	GE
0	Aluminum	<20	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	1040	µg/L	GE
0	Chloride	2100	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	Copper	14	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	Iron	58	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	248	µg/L	GE
1	Manganese	36	µg/L	GE
0	Nickel	6.1	µg/L	GE
0	Nitrate as nitrogen	310	µg/L	GE
0	Nitrite as nitrogen	<10.0	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Silica	7480	µg/L	GE
0	Sodium	2580	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Total dissolved solids	31000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Uranium	<1000	µg/L	GE
2	Total radium	15±5.9	pCi/L	GE

WELL KSS 3D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/24/90
Depth to water: 23.41 ft (7.14 m) below TOC
Water elevation: 181.79 ft (49.31 m) msl
Sp. conductance: 59 µS/cm
Water evacuated before sampling: 67 gal

Time: 17:30
pH: 6.1
Alkalinity: 15 mg/L
Water temperature: 17.4°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	6.1	pH	GE
0	Specific conductance	54	µS/cm	GE
0	Aluminum	<20	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	7890	µg/L	GE
0	Chloride	2500	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	Copper	6.4	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	Iron	25	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	362	µg/L	GE
0	Manganese	8.8	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	300	µg/L	GE
0	Nitrite as nitrogen	<10.0	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Silica	7360	µg/L	GE
0	Sodium	1710	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Total dissolved solids	56000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Uranium	<1000	µg/L	GE

WELL KSS 3D collected on 02/24/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Total radium	<1.0	pCi/L	GE

WELL LAC 1

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/06/90
Depth to water: 23.46 ft (7.15 m) below TOC
Water elevation: 214.74 ft (65.45 m) msl
Sp. conductance: 24 µS/cm
Water evacuated before sampling: 61 gal

Time: 13:45
pH: 4.8
Alkalinity: 2 mg/L
Water temperature: 21.2°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	4.9	pH	GE
0	pH	4.9	pH	GE
0	Specific conductance	23	µS/cm	GE
0	Specific conductance	23	µS/cm	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	3000	µg/L	GE
0	Chloride	3000	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
1	Copper	33	µg/L	GE
1	Copper	31	µg/L	GE
0	Iron	36	µg/L	GE
0	Iron	39	µg/L	GE
0	Lead	12	µg/L	GE
0	Lead	11	µg/L	GE
0	Silica	6330	µg/L	GE
0	Silica	7540	µg/L	GE
0	Sodium	2260	µg/L	GE
0	Sodium	2210	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
1	Total organic halogens	12	µg/L	GE
1	Total organic halogens	13	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	Total radium	1.0±3.1	pCi/L	GE
0	Total radium	1.0±3.1	pCi/L	GE
0	Tritium	6.4±0.40	pCi/mL	GE
0	Tritium	6.6±0.40	pCi/mL	GE

WELL LAC 2

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/06/90
Depth to water: 25.07 ft (7.64 m) below TOC
Water elevation: 215.13 ft (65.57 m) msl
Sp. conductance: 25 µS/cm
Water evacuated before sampling: 56 gal

Time: 14:10
pH: 4.7
Alkalinity: 1 mg/L
Water temperature: 21.7°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.0	pH	GE
0	Specific conductance	25	µS/cm	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	1500	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
1	Copper	496	µg/L	GE
0	Iron	13	µg/L	GE
2	Lead	53	µg/L	GE
0	Silica	7580	µg/L	GE
0	Sodium	2040	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
1	Total organic halogens	15	µg/L	GE
2	Trichloroethylene	21	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
1	Total radium	3.1±3.8	pCi/L	GE
0	Tritium	9.1±0.40	pCi/mL	GE

ANALYTICAL RESULTS

WELL LAC 3

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/06/90
Depth to water: 22.88 ft (6.97 m) below TOC
Water elevation: 214.92 ft (65.51 m) msl
Sp. conductance: 362 µS/cm
Water evacuated before sampling: 63 gal

Time: 11:30
pH: 9.6
Alkalinity: 118 mg/L
Water temperature: 20.3°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
2	pH	9.4	pH	GE
1	Specific conductance	312	µS/cm	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	2500	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Iron	34	µg/L	GE
0	Lead	<6.0	µg/L	GE
1	Silica	12900	µg/L	GE
1	Sodium	78900	µg/L	GE
1	Sulfate	15700	µg/L	GE
2	Tetrachloroethylene	18	µg/L	GE
1	Total organic halogens	14	µg/L	GE
2	Trichloroethylene	14	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
1	Total radium	2.7±3.5	pCi/L	GE
0	Tritium	7.3±0.40	pCi/mL	GE

WELL LAC 4

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/06/90
Depth to water: 22.22 ft (6.77 m) below TOC
Water elevation: 214.88 ft (65.50 m) msl
Sp. conductance: 158 µS/cm
Water evacuated before sampling: 77 gal

Time: 13:20
pH: 6.3
Alkalinity: 29 mg/L
Water temperature: 20.4°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	pH	7.0	pH	GE
1	Specific conductance	142	µS/cm	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	1800	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Iron	21	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Silica	8600	µg/L	GE
1	Sodium	24000	µg/L	GE
1	Sulfate	22200	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Total organic halogens	9.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	Total radium	<1.0	pCi/L	GE
0	Tritium	4.7±0.40	pCi/mL	GE

WELL LCO 1

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/06/90
Depth to water: 27.52 ft (8.39 m) below TOC
Water elevation: 213.18 ft (64.98 m) msl
Sp. conductance: 54 µS/cm
Water evacuated before sampling: 13 gal
The well went dry during purging.

Time: 12:25
pH: 5.4
Alkalinity: 3 mg/L
Water temperature: 21.7°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.4	pH	MT
0	pH	5.4	pH	MT
0	Specific conductance	48	µS/cm	MT
0	Specific conductance	48	µS/cm	MT
0	Arsenic	<3.0	µg/L	MT
0	Carbon tetrachloride	<1.0	µg/L	MT
0	Chloride	2000	µg/L	MT
0	Chloride	2000	µg/L	MT
0	Chloroform	<0.40	µg/L	MT

WELL LCO 1 collected on 03/06/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Chromium	<5.0	µg/L	MT
1	Iron	188	µg/L	MT
0	Lead	3.0	µg/L	MT
0	Manganese	5.0	µg/L	MT
0	Mercury	<0.20	µg/L	MT
1	Nickel	27	µg/L	MT
1	Nickel	27	µg/L	MT
0	Nitrate as nitrogen	1800	µg/L	MT
0	Nitrate as nitrogen	1700	µg/L	MT
0	Phenols	<5.0	µg/L	MT
1	Potassium	8150	µg/L	MT
0	Silica	4580	µg/L	MT
0	Sodium	2750	µg/L	MT
0	Sulfate	2800	µg/L	MT
0	Tetrachloroethylene	0.53	µg/L	MT
0	Total organic halogens	<5.0	µg/L	MT
1	Total phosphates	880	µg/L	MT
0	Trichloroethylene	<0.40	µg/L	MT
0	1,1,1-Trichloroethane	B 0.71	µg/L	MT
0	Gross alpha	<3.0	pCi/L	MT
2	Nonvolatile beta	88±8.0	pCi/L	MT
1	Total activity	339±4.0	pCi/mL	EM
0	Total radium	1.4±0.40	pCi/L	MT
2	Tritium	300±30	pCi/mL	MT

WELL LCO 2

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/06/90
Depth to water: 26.61 ft (8.11 m) below TOC
Water elevation: 214.99 ft (65.53 m) msl
Sp. conductance: 28 µS/cm
Water evacuated before sampling: 49 gal

Time: 12:45
pH: 4.2
Alkalinity: 0 mg/L
Water temperature: 22.0°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	4.2	pH	MT
0	Specific conductance	31	µS/cm	MT
0	Arsenic	<3.0	µg/L	MT
0	Carbon tetrachloride	<1.0	µg/L	MT
0	Chloride	1800	µg/L	MT
0	Chloroform	<0.40	µg/L	MT
0	Chromium	<3.0	µg/L	MT
0	Iron	38	µg/L	MT
0	Lead	13	µg/L	MT
0	Manganese	2.0	µg/L	MT
0	Mercury	<0.20	µg/L	MT
0	Nickel	6.3	µg/L	MT
0	Nickel	5.8	µg/L	MT
0	Nitrate as nitrogen	1400	µg/L	MT
0	Phenols	<5.0	µg/L	MT
0	Potassium	<1620	µg/L	MT
0	Silica	5410	µg/L	MT
0	Sodium	1860	µg/L	MT
0	Sulfate	<1000	µg/L	MT
0	Tetrachloroethylene	<0.40	µg/L	MT
1	Total organic halogens	13	µg/L	MT
0	Total phosphates	<10	µg/L	MT
2	Trichloroethylene	2.5	µg/L	MT
0	1,1,1-Trichloroethane	B 0.73	µg/L	MT
0	Gross alpha	<2.0	pCi/L	MT
0	Nonvolatile beta	<5.0	pCi/L	MT
0	Total radium	<1.0	pCi/L	MT
0	Tritium	8.7±0.70	pCi/mL	MT

ANALYTICAL RESULTS

WELL LCO 3

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/06/90
 Depth to water: 26.67 ft (8.13 m) below TOC
 Water elevation: 214.73 ft (65.45 m) msl
 Sp. conductance: 348 µS/cm
 Water evacuated before sampling: 48 gal

Time: 11:20
 pH: 9.6
 Alkalinity: 45 mg/L
 Water temperature: 19.4°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
2	pH	9.5	pH	MT
1	Specific conductance	347	µS/cm	MT
0	Arsenic	<3.0	µg/L	MT
0	Carbon tetrachloride	<1.0	µg/L	MT
0	Chloride	2200	µg/L	MT
0	Chloroform	<0.40	µg/L	MT
0	Chromium	<3.0	µg/L	MT
0	Iron	61	µg/L	MT
0	Lead	<3.0	µg/L	MT
0	Manganese	<2.0	µg/L	MT
0	Mercury	<0.20	µg/L	MT
0	Nickel	<5.2	µg/L	MT
0	Nitrate as nitrogen	610	µg/L	MT
0	Phenols	<5.0	µg/L	MT
0	Potassium	<1620	µg/L	MT
0	Silica	3970	µg/L	MT
1	Sodium	71500	µg/L	MT
1	Sulfate	16200	µg/L	MT
2	Tetrachloroethylene	14	µg/L	MT
1	Total organic halogens	19	µg/L	MT
1	Total organic halogens	19	µg/L	MT
0	Total phosphates	104	µg/L	MT
0	Total phosphates	114	µg/L	MT
2	Trichloroethylene	4.6	µg/L	MT
0	1,1,1-Trichloroethane	0.31	µg/L	MT
0	Gross alpha	<2.0	pCi/L	MT
0	Nonvolatile beta	<6.0	pCi/L	MT
0	Total radium	<1.0	pCi/L	MT
0	Tritium	8.3±0.70	pCi/mL	MT
0	Tritium	8.3±0.70	pCi/mL	MT

WELL LCO 4

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/06/90
 Depth to water: 25.57 ft (7.79 m) below TOC
 Water elevation: 211.63 ft (64.51 m) msl
 Sp. conductance: 714 µS/cm
 Water evacuated before sampling: 50 gal

Time: 12:00
 pH: 4.6
 Alkalinity: 3 mg/L
 Water temperature: 20.0°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	4.8	pH	MT
1	Specific conductance	777	µS/cm	MT
0	Arsenic	<3.0	µg/L	MT
0	Carbon tetrachloride	<1.0	µg/L	MT
1	Chloride	12500	µg/L	MT
0	Chloroform	<0.40	µg/L	MT
1	Chromium	4.7	µg/L	MT
0	Iron	67	µg/L	MT
0	Lead	5.3	µg/L	MT
2	Manganese	54	µg/L	MT
2	Mercury	1.0	µg/L	MT
1	Nickel	8.1	µg/L	MT
0	Nitrate as nitrogen	1400	µg/L	MT
1	Phenols	10	µg/L	MT
0	Potassium	<1620	µg/L	MT
0	Silica	6320	µg/L	MT
1	Sodium	136000	µg/L	MT
2	Sulfate	338000	µg/L	MT
2	Tetrachloroethylene	19	µg/L	MT
2	Total organic halogens	32	µg/L	MT
0	Total phosphates	14	µg/L	MT
0	Trichloroethylene	<0.40	µg/L	MT
0	1,1,1-Trichloroethane	B 0.71	µg/L	MT
0	Gross alpha	2.9±2.2	pCi/L	MT
0	Nonvolatile beta	<6.0	pCi/L	MT
1	Total radium	3.3±0.50	pCi/L	MT
2	Tritium	50±5.0	pCi/mL	MT

WELL LDB 1

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/13/90
 Depth to water: 37.54 ft (11.44 m) below TOC
 Water elevation: 215.36 ft (65.64 m) msl
 Sp. conductance: 45 µS/cm
 Water evacuated before sampling: 19 gal
 The well went dry during purging.

Time: 14:05
 pH: 4.3
 Alkalinity: 0 mg/L
 Water temperature: 23.5°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Arsenic	<3.0	µg/L	MT
0	Benzene	<5.0	µg/L	MT
0	Bromodichloromethane	<5.0	µg/L	MT
0	Bromoform	<5.0	µg/L	MT
0	Bromomethane (Methyl bromide)	<10	µg/L	MT
0	Carbon tetrachloride	<5.0	µg/L	MT
0	Chlorobenzene	<5.0	µg/L	MT
0	Chloroethane	<10	µg/L	MT
0	Chloroform	<5.0	µg/L	MT
0	Chloromethane (Methyl chloride)	<10	µg/L	MT
0	Chromium	<5.0	µg/L	MT
0	cis-1,3-Dichloropropene	<5.0	µg/L	MT
0	Dibromochloromethane	<5.0	µg/L	MT
1	Dichloromethane (Methylene chloride)	B 6.0	µg/L	MT
0	Ethylbenzene	<5.0	µg/L	MT
0	Iron	74	µg/L	MT
2	Lead	60	µg/L	MT
0	Manganese	22	µg/L	MT
0	Mercury	<0.20	µg/L	MT
0	Mercury	<0.20	µg/L	MT
0	Nitrate as nitrogen	2000	µg/L	MT
0	Phenols	<5.0	µg/L	MT
0	Silica	7200	µg/L	MT
0	Sulfate	1500	µg/L	MT
0	Tetrachloroethylene	<5.0	µg/L	MT
0	Toluene	<5.0	µg/L	MT
1	Total organic halogens	21	µg/L	MT
0	trans-1,2-Dichloroethene	<5.0	µg/L	MT
0	trans-1,3-Dichloropropene	<5.0	µg/L	MT
0	Trichloroethylene	<5.0	µg/L	MT
0	Trichlorofluoromethane	<5.0	µg/L	MT
0	1,1-Dichloroethane	<5.0	µg/L	MT
0	1,1-Dichloroethylene	<5.0	µg/L	MT
0	1,1,1-Trichloroethane	<5.0	µg/L	MT
0	1,1,2-Trichloroethane	<5.0	µg/L	MT
0	1,1,2,2-Tetrachloroethane	<5.0	µg/L	MT
0	1,2-Dichloroethane	<5.0	µg/L	MT
0	1,2-Dichloropropane	<5.0	µg/L	MT
0	2-Chloroethyl vinyl ether	<5.0	µg/L	MT

WELL LDB 2

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/13/90
 Depth to water: 36.47 ft (11.12 m) below TOC
 Water elevation: 215.43 ft (65.66 m) msl
 Sp. conductance: 61 µS/cm
 Water evacuated before sampling: 20 gal
 The well went dry during purging.

Time: 14:15
 pH: 4.6
 Alkalinity: 0 mg/L
 Water temperature: 24.1°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Arsenic	<3.0	µg/L	MT
0	Benzene	<5.0	µg/L	MT
0	Bromodichloromethane	<5.0	µg/L	MT
0	Bromoform	<5.0	µg/L	MT
0	Bromomethane (Methyl bromide)	<10	µg/L	MT
0	Carbon tetrachloride	<5.0	µg/L	MT
0	Chlorobenzene	<5.0	µg/L	MT
0	Chloroethane	<10	µg/L	MT
0	Chloroform	<5.0	µg/L	MT
0	Chloromethane (Methyl chloride)	<10	µg/L	MT
0	Chromium	<5.0	µg/L	MT
0	cis-1,3-Dichloropropene	<5.0	µg/L	MT
0	Dibromochloromethane	<5.0	µg/L	MT
1	Dichloromethane (Methylene chloride)	B 5.0	µg/L	MT
0	Ethylbenzene	<5.0	µg/L	MT
0	Iron	136	µg/L	MT
2	Lead	36	µg/L	MT
1	Manganese	26	µg/L	MT
0	Mercury	<0.20	µg/L	MT
0	Nitrate as nitrogen	430	µg/L	MT
0	Phenols	<5.0	µg/L	MT

ANALYTICAL RESULTS

WELL LDB 2 collected on 03/13/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Silica	6930	µg/L	MT
0	Sulfate	5600	µg/L	MT
0	Sulfate	5600	µg/L	MT
0	Tetrachloroethylene	<5.0	µg/L	MT
0	Toluene	<5.0	µg/L	MT
2	Total organic halogens	99	µg/L	MT
0	trans-1,2-Dichloroethene	<5.0	µg/L	MT
0	trans-1,3-Dichloropropene	<5.0	µg/L	MT
0	Trichloroethylene	<5.0	µg/L	MT
1	Trichlorofluoromethane	B 21	µg/L	MT
0	Trichlorofluoromethane	<5.0	µg/L	MT
0	1,1-Dichloroethane	<5.0	µg/L	MT
0	1,1-Dichloroethylene	<5.0	µg/L	MT
0	1,1,1-Trichloroethane	<5.0	µg/L	MT
0	1,1,2-Trichloroethane	<5.0	µg/L	MT
0	1,1,2,2-Tetrachloroethane	<5.0	µg/L	MT
0	1,2-Dichloroethane	<5.0	µg/L	MT
0	1,2-Dichloropropane	<5.0	µg/L	MT
0	2-Chloroethyl vinyl ether	<5.0	µg/L	MT

WELL LFW 6

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/13/90
 Depth to water: 19.12 ft (5.83 m) below TOC
 Water elevation: 152.58 ft (46.51 m) msl
 Sp. conductance: 328 µS/cm
 Water evacuated before sampling: 33 gal

Time: 16:00
 pH: 8.1
 Alkalinity: 92 mg/L
 Water temperature: 20.0°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	8.2	pH	GE
0	pH	8.2	pH	GE
1	Specific conductance	222	µS/cm	GE
1	Specific conductance	220	µS/cm	GE
0	Aldrin	<0.50	µg/L	GE
0	Aldrin	<0.50	µg/L	GE
0	alpha-Benzene hexachloride	<0.50	µg/L	GE
0	alpha-Benzene hexachloride	<0.50	µg/L	GE
1	Arsenic	5.1	µg/L	GE
1	Arsenic	5.5	µg/L	GE
1	Benzene	4.0	µg/L	GE
1	Benzene	4.0	µg/L	GE
0	beta-Benzene hexachloride	<0.50	µg/L	GE
0	beta-Benzene hexachloride	<0.50	µg/L	GE
0	Bis(2-ethylhexyl) phthalate	<10	µg/L	GE
0	Bis(2-ethylhexyl) phthalate	<10	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	3510	µg/L	GE
0	Calcium	3600	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chlordane	<0.50	µg/L	GE
0	Chlordane	<0.50	µg/L	GE
1	Chloride	21000	µg/L	GE
1	Chloride	21300	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
1	Chlorobenzene	1.0	µg/L	GE
1	Chloroethane	6.0	µg/L	GE
1	Chloroethane	6.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	delta-Benzene hexachloride	<0.50	µg/L	GE
0	delta-Benzene hexachloride	<0.50	µg/L	GE
0	Di-n-octyl phthalate	<10	µg/L	GE
0	Di-n-octyl phthalate	<10	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE

WELL LFW 6 collected on 03/13/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Dieldrin	<0.50	µg/L	GE
0	Dieldrin	<0.50	µg/L	GE
0	Diethyl phthalate	<10	µg/L	GE
0	Diethyl phthalate	<10	µg/L	GE
0	Endosulfan I	<0.50	µg/L	GE
0	Endosulfan I	<0.50	µg/L	GE
0	Endosulfan II	<0.50	µg/L	GE
0	Endosulfan II	<0.50	µg/L	GE
0	Endosulfan sulfate	<0.50	µg/L	GE
0	Endosulfan sulfate	<0.50	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Endrin aldehyde	<0.50	µg/L	GE
0	Endrin aldehyde	<0.50	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Heptachlor	<0.50	µg/L	GE
0	Heptachlor	<0.50	µg/L	GE
0	Heptachlor epoxide	<0.50	µg/L	GE
0	Heptachlor epoxide	<0.50	µg/L	GE
2	Iron	43800	µg/L	GE
2	Iron	463000	µg/L	GE
2	Iron	51000	µg/L	GE
0	Lead	<8.0	µg/L	GE
0	Lead	<8.0	µg/L	GE
1	Magnesium	9530	µg/L	GE
1	Magnesium	9740	µg/L	GE
0	Manganese	20	µg/L	GE
0	Manganese	20	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	<50	µg/L	GE
0	Nitrate as nitrogen	<50	µg/L	GE
0	p,p'-DDD	<0.50	µg/L	GE
0	p,p'-DDD	<0.50	µg/L	GE
0	p,p'-DDE	<0.50	µg/L	GE
0	p,p'-DDE	<0.50	µg/L	GE
0	p,p'-DDT	<0.50	µg/L	GE
0	p,p'-DDT	<0.50	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	1460	µg/L	GE
0	Potassium	1520	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	6900	µg/L	GE
0	Silica	6820	µg/L	GE
1	Sodium	13100	µg/L	GE
1	Sodium	13800	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Thallium	<2.0	µg/L	GE
0	Thallium	<2.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
1	Total organic carbon	8000	µg/L	GE
1	Total organic carbon	7000	µg/L	GE
2	Total organic halogens	168	µg/L	GE
2	Total organic halogens	170	µg/L	GE
1	Total organic nitrogen	3200	µg/L	GE
1	Total organic nitrogen	2700	µg/L	GE
0	Total phosphates	70	µg/L	GE
0	Total phosphates	80	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Uranium	<1000	µg/L	GE
1	1,1-Dichloroethane	18	µg/L	GE
1	1,1-Dichloroethane	18	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE

ANALYTICAL RESULTS

WELL LFW 6 collected on 03/13/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	4.4±3.5	pCi/L	GE
0	Nonvolatile beta	5.0±3.7	pCi/L	GE
0	Total radium	1.7±3.3	pCi/L	GE
1	Total radium	4.8±3.9	pCi/L	GE
1	Tritium	11±0.50	pCi/mL	GE
1	Tritium	11±0.50	pCi/mL	GE

WELL LFW 7

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/13/90
 Depth to water: 20.28 ft (6.18 m) below TOC
 Water elevation: 151.12 ft (46.06 m) msl
 Sp. conductance: 532 µS/cm
 Water evacuated before sampling: 31 gal
 Time: 15:30
 pH: 8.4
 Alkalinity: 173 mg/L
 Water temperature: 20.3°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	8.4	pH	GE
1	Specific conductance	470	µS/cm	GE
0	Aldrin	<0.50	µg/L	GE
0	alpha-Benzene hexachloride	<0.50	µg/L	GE
2	Arsenic	38	µg/L	GE
1	Benzene	7.0	µg/L	GE
0	beta-Benzene hexachloride	<0.50	µg/L	GE
1	Bis(2-ethylhexyl) phthalate	21	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromofom	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
1	Calcium	12400	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chlordane	<0.50	µg/L	GE
1	Chloride	41300	µg/L	GE
1	Chlorobenzene	7.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	delta-Benzene hexachloride	<0.50	µg/L	GE
0	Di-n-octyl phthalate	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Dieldrin	<0.50	µg/L	GE
0	Diethyl phthalate	<1.0	µg/L	GE
0	Endosulfan I	<0.50	µg/L	GE
0	Endosulfan II	<0.50	µg/L	GE
0	Endosulfan sulfate	<0.50	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Endrin aldehyde	<0.50	µg/L	GE
1	Ethylbenzene	52	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Heptachlor	<0.50	µg/L	GE
0	Heptachlor epoxide	<0.50	µg/L	GE
2	Iron	36400	µg/L	GE
0	Lead	<8.0	µg/L	GE
1	Magnesium	18100	µg/L	GE
0	Manganese	10	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	<50	µg/L	GE

WELL LFW 7 collected on 03/13/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	p,p'-DDD	<0.50	µg/L	GE
0	p,p'-DDE	<0.50	µg/L	GE
0	p,p'-DDT	<0.50	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	2920	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	4840	µg/L	GE
1	Sodium	43400	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Thallium	<2.0	µg/L	GE
1	Toluene	14	µg/L	GE
1	Total organic carbon	18000	µg/L	GE
2	Total organic halogens	284	µg/L	GE
1	Total organic nitrogen	5000	µg/L	GE
0	Total phosphates	90	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethane	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
1	1,1-Dichloroethane	111	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
1	1,2-Dichloroethane	12	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	7.8±3.7	pCi/L	GE
1	Total radium	4.8±4.0	pCi/L	GE
2	Tritium	31±0.70	pCi/mL	GE

WELL LFW 8

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/13/90
 Depth to water: 21.40 ft (6.52 m) below TOC
 Water elevation: 149.10 ft (45.45 m) msl
 Sp. conductance: 433 µS/cm
 Water evacuated before sampling: 27 gal
 Time: 14:55
 pH: 8.4
 Alkalinity: 152 mg/L
 Water temperature: 20.7°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	8.3	pH	GE
1	Specific conductance	344	µS/cm	GE
0	Aldrin	<0.50	µg/L	GE
0	alpha-Benzene hexachloride	<0.50	µg/L	GE
1	Arsenic	17	µg/L	GE
0	Benzene	<1.0	µg/L	GE
1	beta-Benzene hexachloride	0.82	µg/L	GE
0	Bis(2-ethylhexyl) phthalate	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromofom	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	8730	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chlordane	<0.50	µg/L	GE
1	Chloride	34900	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
1	Chloroethane	10	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	delta-Benzene hexachloride	<0.50	µg/L	GE
0	Di-n-octyl phthalate	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Dieldrin	<0.50	µg/L	GE
0	Diethyl phthalate	<1.0	µg/L	GE
0	Endosulfan I	<0.50	µg/L	GE
0	Endosulfan II	<0.50	µg/L	GE
1	Endosulfan sulfate	1.2	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Endrin aldehyde	<0.50	µg/L	GE
1	Ethylbenzene	43	µg/L	GE

ANALYTICAL RESULTS

WELL LFW 8 collected on 03/13/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Heptachlor	<0.50	µg/L	GE
0	Heptachlor epoxide	<0.50	µg/L	GE
2	Iron	45800	µg/L	GE
0	Lead	<8.0	µg/L	GE
1	Magnesium	13200	µg/L	GE
1	Manganese	27	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	<50	µg/L	GE
0	p,p'-DDD	<0.50	µg/L	GE
0	p,p'-DDE	<0.50	µg/L	GE
0	p,p'-DDT	<0.50	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	960	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	5920	µg/L	GE
1	Sodium	22700	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Thallium	<2.0	µg/L	GE
1	Toluene	15	µg/L	GE
1	Total organic carbon	12000	µg/L	GE
2	Total organic halogens	311	µg/L	GE
1	Total organic nitrogen	2800	µg/L	GE
0	Total phosphates	90	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethane	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
1	Trichloroethylene	2.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
1	1,1-Dichloroethane	166	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
1	1,2-Dichloroethane	9.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	3.6±2.9	pCi/L	GE
1	Nonvolatile beta	13±4.2	pCi/L	GE
2	Total radium	6.5±4.5	pCi/L	GE
1	Tritium	13±0.60	pCi/mL	GE

WELL LFW 10A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/14/90
 Depth to water: 24.40 ft (7.44 m) below TOC
 Water elevation: 151.10 ft (46.06 m) msl
 Sp. conductance: 32 µS/cm
 Water evacuated before sampling: 59 gal
 Time: 13:30
 pH: 4.7
 Alkalinity: 1 mg/L
 Water temperature: 20.9°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.1	pH	GE
0	Specific conductance	34	µS/cm	GE
0	Aldrin	<0.50	µg/L	GE
0	alpha-Benzene hexachloride	<0.50	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	beta-Benzene hexachloride	<0.50	µg/L	GE
0	Bis(2-ethylhexyl) phthalate	<10	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromotorm	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	537	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chlordane	<0.50	µg/L	GE
0	Chloride	5900	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	delta-Benzene hexachloride	<0.50	µg/L	GE

WELL LFW 10A collected on 03/14/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Di-n-octyl phthalate	<10	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
1	Dichloromethane (Methylene chloride)	17	µg/L	GE
0	Dieldrin	<0.50	µg/L	GE
0	Diethyl phthalate	<10	µg/L	GE
0	Endosulfan I	<0.50	µg/L	GE
0	Endosulfan II	<0.50	µg/L	GE
0	Endosulfan sulfate	<0.50	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Endrin aldehyde	<0.50	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Heptachlor	<0.50	µg/L	GE
0	Heptachlor epoxide	<0.50	µg/L	GE
0	Iron	82	µg/L	GE
0	Lead	<8.0	µg/L	GE
0	Magnesium	588	µg/L	GE
0	Manganese	<2.0	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	410	µg/L	GE
0	p,p'-DDD	<0.50	µg/L	GE
0	p,p'-DDE	<0.50	µg/L	GE
0	p,p'-DDT	<0.50	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	9220	µg/L	GE
0	Sodium	3020	µg/L	GE
0	Sulfate	<5000	µg/L	GE
2	Tetrachloroethylene	7.0	µg/L	GE
0	Thallium	<2.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
2	Total organic halogens	144	µg/L	GE
1	Total organic nitrogen	400	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethane	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
2	Trichloroethylene	8.0	µg/L	GE
1	Trichlorofluoromethane	74	µg/L	GE
0	Uranium	<1000	µg/L	GE
1	1,1-Dichloroethane	27	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	35	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	3.5±2.5	pCi/L	GE
0	Nonvolatile beta	7.6±4.1	pCi/L	GE
0	Total radium	2.1±2.3	pCi/L	GE
2	Tritium	138±1.3	pCi/mL	GE

WELL LFW 16

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/11/90
 Depth to water: 24.87 ft (7.58 m) below TOC
 Water elevation: 153.83 ft (46.82 m) msl
 Sp. conductance: 33 µS/cm
 Water evacuated before sampling: 59 gal
 Time: 15:40
 pH: 4.5
 Alkalinity: 0 mg/L
 Water temperature: 22.1°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.0	pH	MT
0	pH	4.7	pH	GE
0	pH	4.7	pH	GE
0	Specific conductance	31	µS/cm	MT
0	Specific conductance	45	µS/cm	GE
0	Specific conductance	45	µS/cm	GE
0	Aldrin	<0.010	µg/L	MT
0	Aldrin	<0.50	µg/L	GE
0	Aldrin	<0.50	µg/L	GE
0	alpha-Benzene hexachloride	<0.0050	µg/L	MT
0	alpha-Benzene hexachloride	<0.50	µg/L	GE
0	alpha-Benzene hexachloride	<0.50	µg/L	GE
0	Arsenic	<3.0	µg/L	MT
0	Arsenic	<2.0	µg/L	GE

WELL LFW 10 collected on 03/11/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Arsenic	<2.0	µg/L	GE
0	Benzene	<5.0	µg/L	MT
0	Benzene	<1.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	beta-Benzene hexachloride	<0.010	µg/L	MT
0	beta-Benzene hexachloride	<0.50	µg/L	GE
0	beta-Benzene hexachloride	<0.50	µg/L	GE
0	Bis(2-ethylhexyl) phthalate	<10	µg/L	GE
0	Bis(2-ethylhexyl) phthalate	<)	µg/L	GE
0	Bromodichloromethane	<5.0	µg/L	MT
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<5.0	µg/L	MT
0	Bromoform	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<10	µg/L	MT
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<3.0	µg/L	MT
0	Cadmium	<2.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	988	µg/L	MT
0	Calcium	1030	µg/L	GE
0	Calcium	988	µg/L	GE
0	Carbon tetrachloride	<5.0	µg/L	MT
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chlordane	<0.010	µg/L	MT
0	Chlordane	<0.50	µg/L	GE
0	Chlordane	<0.50	µg/L	GE
0	Chloride	3100	µg/L	MT
0	Chloride	3000	µg/L	GE
0	Chloride	2900	µg/L	GE
0	Chlorobenzene	<5.0	µg/L	MT
0	Chlorobenzene	<1.0	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<10	µg/L	MT
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethane (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroethane (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<5.0	µg/L	MT
0	Chloroform	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<10	µg/L	MT
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	3.4	µg/L	MT
0	Chromium	<4.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<5.0	µg/L	MT
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Copper	7.8	µg/L	MT
0	Copper	5.2	µg/L	GE
0	Copper	4.2	µg/L	GE
0	delta-Benzene hexachloride	<0.010	µg/L	MT
0	delta-Benzene hexachloride	<0.50	µg/L	GE
0	delta-Benzene hexachloride	<0.50	µg/L	GE
0	Di-n-octyl phthalate	<10	µg/L	GE
0	Di-n-octyl phthalate	<10	µg/L	GE
0	Dibromochloromethane	<5.0	µg/L	MT
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<5.0	µg/L	MT
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Dieldrin	<0.010	µg/L	MT
0	Dieldrin	<0.50	µg/L	GE
0	Dieldrin	<0.50	µg/L	GE
0	Diethyl phthalate	<10	µg/L	GE
0	Diethyl phthalate	<10	µg/L	GE
0	Endosulfan I	<0.010	µg/L	MT
0	Endosulfan I	<0.50	µg/L	GE
0	Endosulfan I	<0.50	µg/L	GE
0	Endosulfan II	<0.020	µg/L	MT
0	Endosulfan II	<0.50	µg/L	GE
0	Endosulfan II	<0.50	µg/L	GE
0	Endosulfan sulfate	<0.020	µg/L	MT
0	Endosulfan sulfate	<0.50	µg/L	GE
0	Endosulfan sulfate	<0.50	µg/L	GE
0	Endrin	<0.0060	µg/L	MT
0	Endrin	<0.10	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Endrin aldehyde	<0.025	µg/L	MT
0	Endrin aldehyde	<0.50	µg/L	GE
0	Endrin aldehyde	<0.50	µg/L	GE
0	Ethylbenzene	<5.0	µg/L	MT
0	Ethylbenzene	<1.0	µg/L	GE

WELL LFW 18 collected on 03/11/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Ethylbenzene	<1.0	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.0050	µg/L	MT
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Heptachlor	<0.010	µg/L	MT
0	Heptachlor	<0.50	µg/L	GE
0	Heptachlor	<0.50	µg/L	GE
0	Heptachlor epoxide	<0.010	µg/L	MT
0	Heptachlor epoxide	<0.50	µg/L	GE
0	Heptachlor epoxide	<0.50	µg/L	GE
0	Iron	100	µg/L	MT
0	Iron	70	µg/L	GE
0	Iron	85	µg/L	GE
0	Lead	15	µg/L	MT
1	Lead	24	µg/L	GE
0	Lead	20	µg/L	GE
0	Magnesium	1310	µg/L	MT
0	Magnesium	1270	µg/L	GE
0	Magnesium	1250	µg/L	GE
0	Manganese	<2.0	µg/L	MT
0	Manganese	<2.0	µg/L	GE
0	Manganese	<2.0	µg/L	GE
0	Mercury	<0.20	µg/L	MT
0	Mercury	<0.20	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	MT
0	Methoxychlor	<0.50	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
1	Nickel	10	µg/L	MT
1	Nickel	9.9	µg/L	GE
1	Nickel	9.8	µg/L	GE
0	Nitrate as nitrogen	1220	µg/L	GE
0	Nitrate as nitrogen	1190	µg/L	GE
0	p,p'-DDD	<0.020	µg/L	MT
0	p,p'-DDD	<0.50	µg/L	GE
0	p,p'-DDD	<0.50	µg/L	GE
0	p,p'-DDE	<0.010	µg/L	MT
0	p,p'-DDE	<0.50	µg/L	GE
0	p,p'-DDE	<0.50	µg/L	GE
0	p,p'-DDT	<0.020	µg/L	MT
0	p,p'-DDT	<0.50	µg/L	GE
0	p,p'-DDT	<0.50	µg/L	GE
0	PCB 1018	<0.30	µg/L	MT
0	PCB 1221	<0.30	µg/L	MT
0	PCB 1232	<0.30	µg/L	MT
0	PCB 1242	<0.30	µg/L	MT
0	PCB 1248	<0.30	µg/L	MT
0	PCB 1254	<0.50	µg/L	MT
0	PCB 1260	<0.50	µg/L	MT
0	Phenols	<5.0	µg/L	MT
0	Phenols	<5.0	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<1820	µg/L	MT
0	Potassium	<500	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Selenium	<3.0	µg/L	MT
0	Selenium	<2.0	µg/L	GE
0	Selenium	<2.0	µg/L	GE
1	Silica	10200	µg/L	GE
0	Silica	6680	µg/L	GE
0	Silica	9080	µg/L	MT
0	Sodium	1340	µg/L	MT
0	Sodium	1660	µg/L	GE
0	Sodium	1880	µg/L	GE
0	Sulfate	<1000	µg/L	MT
0	Sulfate	<5000	µg/L	GE
0	Sulfate	<5000	µg/L	GE
1	Tetrachloroethylene	J 2.0	µg/L	MT
1	Tetrachloroethylene	2.0	µg/L	GE
1	Tetrachloroethylene	2.0	µg/L	GE
0	Thallium	<2.0	µg/L	MT
0	Thallium	<2.0	µg/L	GE
0	Thallium	<2.0	µg/L	GE
0	Toluene	<5.0	µg/L	MT
0	Toluene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total organic carbon	<1000	µg/L	MT
0	Total organic carbon	<1000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
2	Total organic halogens	42	µg/L	MT
2	Total organic halogens	48	µg/L	GE
2	Total organic halogens	41	µg/L	GE
1	Total organic nitrogen	79	µg/L	MT
1	Total organic nitrogen	200	µg/L	GE
1	Total organic nitrogen	200	µg/L	GE
0	Total phosphates	20	µg/L	MT
0	Total phosphates	<50	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<0.24	µg/L	MT

ANALYTICAL RESULTS

WELL LFW 18 collected on 03/11/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Toxaphene	< 1.0	µg/L	GE
0	Toxaphene	< 1.0	µg/L	GE
0	trans-1,2-Dichloroethene	< 5.0	µg/L	MT
0	trans-1,2-Dichloroethene	< 1.0	µg/L	GE
0	trans-1,2-Dichloroethene	< 1.0	µg/L	GE
0	trans-1,3-Dichloropropene	< 5.0	µg/L	MT
0	trans-1,3-Dichloropropene	< 1.0	µg/L	GE
0	trans-1,3-Dichloropropene	< 1.0	µg/L	GE
2	Trichloroethylene	3.0	µg/L	MT
1	Trichloroethylene	2.0	µg/L	GE
1	Trichloroethylene	2.0	µg/L	GE
1	Trichlorofluoromethane	37	µg/L	MT
1	Trichlorofluoromethane	27	µg/L	GE
1	Trichlorofluoromethane	27	µg/L	GE
0	Uranium	< 84	µg/L	MT
0	Uranium	< 1000	µg/L	GE
0	Uranium	< 1000	µg/L	GE
0	1,1-Dichloroethene	< 5.0	µg/L	MT
1	1,1-Dichloroethene	10	µg/L	GE
1	1,1-Dichloroethene	10	µg/L	GE
0	1,1-Dichloroethylene	< 5.0	µg/L	MT
0	1,1-Dichloroethylene	< 1.0	µg/L	GE
0	1,1-Dichloroethylene	< 1.0	µg/L	GE
1	1,1,1-Trichloroethane	10	µg/L	MT
1	1,1,1-Trichloroethane	60	µg/L	GE
1	1,1,1-Trichloroethane	7.0	µg/L	GE
0	1,1,2-Trichloroethane	< 5.0	µg/L	MT
0	1,1,2-Trichloroethane	< 1.0	µg/L	GE
0	1,1,2-Trichloroethane	< 1.0	µg/L	GE
1	1,1,2,2-Tetrachloroethane	2.0	µg/L	MT
0	1,1,2,2-Tetrachloroethane	< 1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	< 1.0	µg/L	GE
0	1,2-Dichloroethane	< 5.0	µg/L	MT
0	1,2-Dichloroethane	< 1.0	µg/L	GE
0	1,2-Dichloroethane	< 1.0	µg/L	GE
0	1,2-Dichloroethane	< 1.0	µg/L	GE
0	1,2-Dichloropropane	< 5.0	µg/L	MT
0	1,2-Dichloropropane	< 1.0	µg/L	GE
0	1,2-Dichloropropane	< 1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	< 5.0	µg/L	MT
0	2-Chloroethyl vinyl ether	< 1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	< 1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	< 0.48	µg/L	MT
0	(2,4-Dichlorophenoxy)acetic acid	< 0.30	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	< 0.30	µg/L	GE
0	2,4,5-TP (Silvex)	< 0.070	µg/L	MT
0	2,4,5-TP (Silvex)	< 0.090	µg/L	GE
0	2,4,5-TP (Silvex)	< 0.090	µg/L	GE
0	Gross alpha	< 2.0	pCi/L	MT
0	Gross alpha	4.8 ± 2.8	pCi/L	GE
1	Gross alpha	5.3 ± 2.9	pCi/L	GE
0	Nonvolatile beta	7.8 ± 3.3	pCi/L	MT
0	Nonvolatile beta	4.2 ± 3.8	pCi/L	GE
1	Nonvolatile beta	11 ± 4.6	pCi/L	GE
0	Total radium	2.1 ± 0.60	pCi/L	MT
1	Total radium	4.6 ± 4.0	pCi/L	GE
2	Total radium	8.5 ± 4.4	pCi/L	GE
0	Tritium	3.5 ± 0.40	pCi/mL	MT
0	Tritium	3.4 ± 0.40	pCi/mL	MT
0	Tritium	4.3 ± 0.40	pCi/mL	GE
0	Tritium	4.3 ± 0.40	pCi/mL	GE

WELL LFW 16

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/11/90
 Depth to water: 24.87 ft (7.58 m) below TOC
 Water elevation: 153.93 ft (46.82 m) msl
 Sp. conductance: 33 µS/cm
 Water evacuated before sampling: 59 gal
 Time: 15:40
 pH: 4.5
 Alkalinity: 0 mg/L
 Water temperature: 22.1°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	pH	6.8	pH	MT
0	pH	4.8	pH	GE
0	Specific conductance	25	µS/cm	MT
0	Specific conductance	38	µS/cm	GE
0	Aldrin	< 0.010	µg/L	MT
0	Aldrin	< 0.50	µg/L	GE
0	alpha-Benzene hexachloride	< 0.0050	µg/L	MT
0	alpha-Benzene hexachloride	< 0.50	µg/L	GE
0	Arsenic	< 3.0	µg/L	MT
0	Arsenic	< 2.0	µg/L	GE
0	Benzene	< 5.0	µg/L	MT
0	Benzene	< 1.0	µg/L	GE

WELL LFW 18 collected on 03/11/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	beta-Benzene hexachloride	< 0.010	µg/L	MT
0	beta-Benzene hexachloride	< 0.50	µg/L	GE
0	Bis(2-ethylhexyl) phthalate	< 10	µg/L	GE
0	Bromodichloromethane	< 5.0	µg/L	MT
0	Bromodichloromethane	< 1.0	µg/L	GE
0	Bromoform	< 5.0	µg/L	MT
0	Bromoform	< 1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	< 10	µg/L	MT
0	Bromomethane (Methyl bromide)	< 1.0	µg/L	GE
0	Cadmium	< 3.0	µg/L	MT
0	Cadmium	< 2.0	µg/L	GE
0	Calcium	880	µg/L	MT
0	Calcium	1100	µg/L	GE
0	Carbon tetrachloride	< 5.0	µg/L	MT
0	Carbon tetrachloride	< 1.0	µg/L	GE
0	Chlordane	< 0.010	µg/L	MT
0	Chlordane	< 0.50	µg/L	GE
0	Chloride	2800	µg/L	MT
0	Chloride	3000	µg/L	GE
0	Chlorobenzene	< 5.0	µg/L	MT
0	Chlorobenzene	< 1.0	µg/L	GE
0	Chloroethane	< 10	µg/L	MT
0	Chloroethane	< 1.0	µg/L	GE
0	Chloroethane (Vinyl chloride)	< 1.0	µg/L	GE
0	Chloroform	< 5.0	µg/L	MT
0	Chloroform	< 1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	< 10	µg/L	MT
0	Chloromethane (Methyl chloride)	< 1.0	µg/L	GE
0	Chromium	< 3.0	µg/L	MT
0	Chromium	< 4.0	µg/L	GE
0	cis-1,3-Dichloropropene	< 5.0	µg/L	MT
0	cis-1,3-Dichloropropene	< 1.0	µg/L	GE
0	Copper	< 7.0	µg/L	MT
0	Copper	5.4	µg/L	GE
0	delta-Benzene hexachloride	< 0.010	µg/L	MT
0	delta-Benzene hexachloride	< 0.50	µg/L	GE
0	Di-n-octyl phthalate	< 10	µg/L	GE
0	Dibromochloromethane	< 5.0	µg/L	MT
0	Dibromochloromethane	< 1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	< 5.0	µg/L	MT
0	Dichloromethane (Methylene chloride)	< 1.0	µg/L	GE
0	Dieldrin	< 0.010	µg/L	MT
0	Dieldrin	< 0.50	µg/L	GE
0	Diethyl phthalate	< 10	µg/L	GE
0	Endosulfan I	< 0.010	µg/L	MT
0	Endosulfan I	< 0.50	µg/L	GE
0	Endosulfan II	< 0.020	µg/L	MT
0	Endosulfan II	< 0.50	µg/L	GE
0	Endosulfan sulfate	< 0.020	µg/L	MT
0	Endosulfan sulfate	< 0.50	µg/L	GE
0	Endrin	< 0.0060	µg/L	MT
0	Endrin	< 0.10	µg/L	GE
0	Endrin aldehyde	< 0.025	µg/L	MT
0	Endrin aldehyde	< 0.50	µg/L	GE
0	Ethylbenzene	< 5.0	µg/L	MT
0	Ethylbenzene	< 1.0	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	< 0.0050	µg/L	MT
0	gamma-Benzene hexachloride (Lindane)	< 0.050	µg/L	GE
0	Heptachlor	< 0.010	µg/L	MT
0	Heptachlor	< 0.50	µg/L	GE
0	Heptachlor epoxide	< 0.010	µg/L	MT
0	Heptachlor epoxide	< 0.50	µg/L	GE
0	Iron	71	µg/L	MT
0	Iron	78	µg/L	GE
0	Lead	18	µg/L	MT
1	Lead	23	µg/L	GE
0	Magnesium	1300	µg/L	MT
0	Magnesium	1370	µg/L	GE
0	Manganese	< 2.0	µg/L	MT
0	Manganese	< 2.0	µg/L	GE
0	Mercury	< 0.20	µg/L	MT
0	Mercury	< 0.20	µg/L	GE
0	Methoxychlor	< 0.50	µg/L	MT
0	Methoxychlor	< 0.50	µg/L	GE
1	Nickel	9.4	µg/L	MT
1	Nickel	12	µg/L	GE
0	Nitrate as nitrogen	1200	µg/L	GE
0	p,p'-DDD	< 0.020	µg/L	MT
0	p,p'-DDD	< 0.50	µg/L	GE
0	p,p'-DDE	< 0.010	µg/L	MT
0	p,p'-DDE	< 0.50	µg/L	GE
0	p,p'-DDT	< 0.020	µg/L	MT
0	p,p'-DDT	< 0.50	µg/L	GE
0	PCB 1018	< 0.30	µg/L	MT
0	PCB 1221	< 0.30	µg/L	MT
0	PCB 1232	< 0.30	µg/L	MT
0	PCB 1242	< 0.30	µg/L	MT
0	PCB 1248	< 0.30	µg/L	MT
0	PCB 1254	< 0.50	µg/L	MT

ANALYTICAL RESULTS

WELL LFW 16 collected on 03/11/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	PCB 1260	< 0.50	µg/L	MT
0	Phenols	< 5.0	µg/L	MT
0	Phenols	< 5.0	µg/L	GE
0	Potassium	< 1020	µg/L	MT
0	Potassium	< 500	µg/L	GE
0	Selenium	< 3.0	µg/L	MT
0	Selenium	< 2.0	µg/L	GE
0	Silica	8220	µg/L	GE
0	Silica	9050	µg/L	MT
0	Sodium	1370	µg/L	MT
0	Sodium	1730	µg/L	GE
0	Sulfate	< 1000	µg/L	MT
0	Sulfate	< 5000	µg/L	GE
0	Tetrachloroethylene	< 5.0	µg/L	MT
1	Tetrachloroethylene	2.0	µg/L	GE
0	Thallium	< 2.0	µg/L	MT
0	Thallium	< 2.0	µg/L	GE
0	Toluene	< 5.0	µg/L	MT
0	Toluene	< 1.0	µg/L	GE
0	Total organic carbon	< 1000	µg/L	MT
0	Total organic carbon	< 1000	µg/L	GE
2	Total organic halogens	35	µg/L	MT
2	Total organic halogens	59	µg/L	GE
1	Total organic nitrogen	87	µg/L	MT
1	Total organic nitrogen	83	µg/L	MT
1	Total organic nitrogen	400	µg/L	GE
0	Total phosphates	< 10	µg/L	MT
0	Total phosphates	< 50	µg/L	GE
0	Toxaphene	< 0.24	µg/L	MT
0	Toxaphene	< 1.0	µg/L	GE
0	trans-1,2-Dichloroethane	< 5.0	µg/L	MT
0	trans-1,2-Dichloroethane	< 1.0	µg/L	GE
0	trans-1,3-Dichloropropene	< 5.0	µg/L	MT
0	trans-1,3-Dichloropropene	< 1.0	µg/L	GE
2	Trichloroethylene	4.0	µg/L	MT
1	Trichloroethylene	2.0	µg/L	GE
1	Trichlorofluoromethane	37	µg/L	MT
0	Trichlorofluoromethane	< 1.0	µg/L	GE
0	Uranium	< 84	µg/L	MT
0	Uranium	< 1000	µg/L	GE
0	1,1-Dichloroethane	< 5.0	µg/L	MT
0	1,1-Dichloroethane	< 1.0	µg/L	GE
0	1,1-Dichloroethylene	< 5.0	µg/L	MT
0	1,1-Dichloroethylene	< 1.0	µg/L	GE
1	1,1,1-Trichloroethane	10	µg/L	MT
1	1,1,1-Trichloroethane	17	µg/L	GE
0	1,1,2-Trichloroethane	< 5.0	µg/L	MT
0	1,1,2-Trichloroethane	< 1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	< 5.0	µg/L	MT
0	1,1,2,2-Tetrachloroethane	< 1.0	µg/L	GE
0	1,2-Dichloroethane	< 5.0	µg/L	MT
0	1,2-Dichloroethane	< 1.0	µg/L	GE
0	1,2-Dichloropropane	< 5.0	µg/L	MT
0	1,2-Dichloropropane	< 1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	< 5.0	µg/L	MT
0	2-Chloroethyl vinyl ether	< 1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	< 0.48	µg/L	MT
0	(2,4-Dichlorophenoxy)acetic acid	< 0.30	µg/L	GE
0	2,4,5-TP (Silvex)	< 0.070	µg/L	MT
0	2,4,5-TP (Silvex)	< 0.090	µg/L	GE
0	Gross alpha	< 2.0	pCi/L	MT
1	Gross alpha	8.3 ± 2.3	pCi/L	GE
0	Nonvolatile beta	8.0 ± 3.3	pCi/L	MT
0	Nonvolatile beta	4.8 ± 2.8	pCi/L	GE
1	Total radium	2.9 ± 0.80	pCi/L	MT
2	Total radium	5.6 ± 3.0	pCi/L	GE
0	Tritium	3.5 ± 0.40	pCi/mL	MT
0	Tritium	4.7 ± 0.40	pCi/mL	GE

WELL LFW 17

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/18/90
 Depth to water: 24.42 ft (7.44 m) below TOC
 Water elevation: 153.33 ft (46.75 m) msl
 Sp. conductance: 342 µS/cm
 Water evacuated before sampling: 86 gal

Time: 11:10
 pH: 6.5
 Alkalinity: 77 mg/L
 Water temperature: 19.8°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	6.2	pH	GE
0	pH	6.2	pH	GE
1	Specific conductance	200	µS/cm	GE
1	Specific conductance	200	µS/cm	GE

WELL LFW 17 collected on 03/18/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
1	Aldrin	0.00	µg/L	GE
1	Aldrin	0.00	µg/L	GE
0	alpha-Benzene hexachloride	< 0.50	µg/L	GE
0	alpha-Benzene hexachloride	< 0.50	µg/L	GE
2	Arsenic	31	µg/L	GE
2	Arsenic	31	µg/L	GE
1	Benzene	2.0	µg/L	GE
1	Benzene	2.0	µg/L	GE
0	beta-Benzene hexachloride	< 0.50	µg/L	GE
0	beta-Benzene hexachloride	< 0.50	µg/L	GE
0	Bis(2-ethylhexyl) phthalate	< 10	µg/L	GE
0	Bis(2-ethylhexyl) phthalate	< 10	µg/L	GE
0	Bromodichloromethane	< 1.0	µg/L	GE
0	Bromodichloromethane	< 1.0	µg/L	GE
0	Bromoform	< 1.0	µg/L	GE
0	Bromoform	< 1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	< 1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	< 1.0	µg/L	GE
0	Cadmium	< 2.0	µg/L	GE
0	Cadmium	< 2.0	µg/L	GE
0	Calcium	5740	µg/L	GE
0	Calcium	5960	µg/L	GE
0	Carbon tetrachloride	< 1.0	µg/L	GE
0	Carbon tetrachloride	< 1.0	µg/L	GE
0	Chlordane	< 0.50	µg/L	GE
0	Chlordane	< 0.50	µg/L	GE
1	Chloride	35500	µg/L	GE
1	Chloride	38700	µg/L	GE
1	Chlorobenzene	29	µg/L	GE
1	Chlorobenzene	27	µg/L	GE
0	Chloroethane	< 1.0	µg/L	GE
0	Chloroethane	< 1.0	µg/L	GE
0	Chloroethane (Vinyl chloride)	< 1.0	µg/L	GE
0	Chloroethane (Vinyl chloride)	< 1.0	µg/L	GE
0	Chloroform	< 1.0	µg/L	GE
0	Chloroform	< 1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	< 1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	< 1.0	µg/L	GE
0	Chromium	< 4.0	µg/L	GE
0	Chromium	< 4.0	µg/L	GE
0	cis-1,3-Dichloropropene	< 1.0	µg/L	GE
0	cis-1,3-Dichloropropene	< 1.0	µg/L	GE
0	Copper	< 4.0	µg/L	GE
0	Copper	< 4.0	µg/L	GE
0	delta-Benzene hexachloride	< 0.50	µg/L	GE
0	delta-Benzene hexachloride	< 0.50	µg/L	GE
0	Di-n-octyl phthalate	< 10	µg/L	GE
0	Di-n-octyl phthalate	< 10	µg/L	GE
0	Dibromochloromethane	< 1.0	µg/L	GE
0	Dibromochloromethane	< 1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	< 1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	< 1.0	µg/L	GE
0	Dieldrin	< 0.50	µg/L	GE
0	Dieldrin	< 0.50	µg/L	GE
0	Diethyl phthalate	< 10	µg/L	GE
0	Diethyl phthalate	< 10	µg/L	GE
0	Endosulfan I	< 0.50	µg/L	GE
0	Endosulfan I	< 0.50	µg/L	GE
0	Endosulfan II	< 0.50	µg/L	GE
0	Endosulfan II	< 0.50	µg/L	GE
0	Endosulfan sulfate	< 0.50	µg/L	GE
0	Endosulfan sulfate	< 0.50	µg/L	GE
0	Endrin	< 0.10	µg/L	GE
0	Endrin	< 0.10	µg/L	GE
0	Endrin aldehyde	< 0.50	µg/L	GE
0	Endrin aldehyde	< 0.50	µg/L	GE
1	Ethylbenzene	24	µg/L	GE
1	Ethylbenzene	23	µg/L	GE
1	gamma-Benzene hexachloride (Lindane)	0.70	µg/L	GE
1	gamma-Benzene hexachloride (Lindane)	0.81	µg/L	GE
0	Heptachlor	< 0.50	µg/L	GE
0	Heptachlor	< 0.50	µg/L	GE
0	Heptachlor epoxide	< 0.50	µg/L	GE
0	Heptachlor epoxide	< 0.50	µg/L	GE
2	Iron	33300	µg/L	GE
2	Iron	34000	µg/L	GE
0	Lead	< 8.0	µg/L	GE
0	Lead	< 8.0	µg/L	GE
1	Magnesium	7280	µg/L	GE
1	Magnesium	7640	µg/L	GE
0	Manganese	12	µg/L	GE
0	Manganese	12	µg/L	GE
0	Mercury	< 0.20	µg/L	GE
0	Mercury	< 0.20	µg/L	GE
0	Methoxychlor	< 0.50	µg/L	GE
0	Methoxychlor	< 0.50	µg/L	GE
0	Nickel	< 4.0	µg/L	GE
0	Nickel	< 4.0	µg/L	GE
0	Nitrate as nitrogen	80	µg/L	GE

ANALYTICAL RESULTS

WELL LFW 17 collected on 03/18/00, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Nitrate as nitrogen	80	µg/L	GE
0	p,p'-DDD	<0.50	µg/L	GE
0	p,p'-DDD	<0.50	µg/L	GE
0	p,p'-DDE	<0.50	µg/L	GE
0	p,p'-DDE	<0.50	µg/L	GE
0	p,p'-DDT	<0.50	µg/L	GE
0	p,p'-DDT	<0.50	µg/L	GE
1	Phenols	13	µg/L	GE
1	Phenols	14	µg/L	GE
0	Potassium	837	µg/L	GE
0	Potassium	881	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	6770	µg/L	GE
0	Silica	7010	µg/L	GE
1	Sodium	21500	µg/L	GE
1	Sodium	22800	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Sulfate	<5000	µg/L	GE
1	Tetrachloroethylene	1.0	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Thallium	<2.0	µg/L	GE
0	Thallium	<2.0	µg/L	GE
1	Toluene	13	µg/L	GE
1	Toluene	10	µg/L	GE
1	Total organic carbon	9000	µg/L	GE
1	Total organic carbon	9000	µg/L	GE
2	Total organic halogens	191	µg/L	GE
2	Total organic halogens	180	µg/L	GE
1	Total organic nitrogen	2000	µg/L	GE
1	Total organic nitrogen	1800	µg/L	GE
1	Total phosphates	830	µg/L	GE
1	Total phosphates	820	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Uranium	<1000	µg/L	GE
1	1,1-Dichloroethane	32	µg/L	GE
1	1,1-Dichloroethane	44	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
1	1,2-Dichloroethane	12	µg/L	GE
1	1,2-Dichloroethane	14	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.080	µg/L	GE
0	2,4,5-TP (Silvex)	<0.080	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	4.8±3.5	pCi/L	GE
0	Nonvolatile beta	5.4±0.80	pCi/L	GE
1	Total radium	3.9±3.8	pCi/L	GE
0	Total radium	2.1±3.4	pCi/L	GE
0	Tritium	8.5±0.40	pCi/mL	GE
0	Tritium	8.8±0.40	pCi/mL	GE

WELL LFW 18

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/18/00
 Depth to water: 21.88 ft (6.66 m) below TOC
 Water elevation: 153.84 ft (46.80 m) msl
 Bp. conductance: 183 µS/cm
 Water evacuated before sampling: 64 gal
 Time: 11:50
 pH: 8.4
 Alkalinity: 46 mg/L
 Water temperature: 19.9°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	8.1	pH	GE
0	Specific conductance	82	µS/cm	GE
0	Aldrin	<0.50	µg/L	GE
0	alpha-Benzene hexachloride	<0.50	µg/L	GE
1	Arsenic	22	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	beta-Benzene hexachloride	<0.50	µg/L	GE
1	Bis(2-ethylhexyl) phthalate	14	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	2300	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chlordane	<0.50	µg/L	GE
0	Chloride	9700	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	delta-Benzene hexachloride	<0.50	µg/L	GE
0	Di-n-octyl phthalate	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Dieldrin	<0.50	µg/L	GE
0	Diethyl phthalate	<1.0	µg/L	GE
0	Endosulfan I	<0.50	µg/L	GE
0	Endosulfan II	<0.50	µg/L	GE
0	Endosulfan sulfate	<0.50	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Endrin aldehyde	<0.50	µg/L	GE
1	Ethylbenzene	10	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Heptachlor	<0.50	µg/L	GE
0	Heptachlor epoxide	<0.50	µg/L	GE
2	Iron	25400	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	4200	µg/L	GE
0	Manganese	15	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	80	µg/L	GE
0	p,p'-DDD	<0.50	µg/L	GE
0	p,p'-DDE	<0.50	µg/L	GE
0	p,p'-DDT	<0.50	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	742	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	5530	µg/L	GE
1	Sodium	8680	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Thallium	<2.0	µg/L	GE
1	Toluene	4.0	µg/L	GE
0	Total organic carbon	4000	µg/L	GE
2	Total organic halogens	108	µg/L	GE
0	Total organic nitrogen	<100	µg/L	GE
1	Total phosphates	800	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
1	1,1-Dichloroethane	18	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
1	1,2-Dichloroethane	2.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE

ANALYTICAL RESULTS

WELL LFW 18 collected on 03/18/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	<2.0	pCi/L	GE
1	Total radium	3.5 ± 3.7	pCi/L	GE
0	Tritium	0.3 ± 0.40	pCi/mL	GE

WELL LFW 19

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/18/90
 Depth to water: 22.44 ft (6.84 m) below TOC
 Water elevation: 154.26 ft (47.02 m) msl
 Sp. conductance: 17 µS/cm
 Water evacuated before sampling: 84 gal

Time: 14:45
 pH: 4.7
 Alkalinity: 1 mg/L
 Water temperature: 18.4°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.2	pH	GE
0	Specific conductance	18	µS/cm	GE
0	Aldrin	<0.50	µg/L	GE
0	alpha-Benzene hexachloride	<0.50	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	beta-Benzene hexachloride	<0.50	µg/L	GE
0	Bis(2-ethylhexyl) phthalate	<10	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	415	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chlordane	<0.50	µg/L	GE
0	Chloride	2100	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Copper	4.4	µg/L	GE
0	delta-Benzene hexachloride	<0.50	µg/L	GE
0	Di-n-octyl phthalate	<10	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Dieldrin	<0.50	µg/L	GE
0	Diethyl phthalate	<10	µg/L	GE
0	Endosulfan I	<0.50	µg/L	GE
0	Endosulfan II	<0.50	µg/L	GE
0	Endosulfan sulfate	<0.50	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Endrin aldehyde	<0.50	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Heptachlor	<0.50	µg/L	GE
0	Heptachlor epoxide	<0.50	µg/L	GE
0	Iron	77	µg/L	GE
0	Lead	11	µg/L	GE
0	Magnesium	365	µg/L	GE
0	Manganese	<2.0	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	4.7	µg/L	GE
0	Nitrate as nitrogen	180	µg/L	GE
0	p,p'-DDD	<0.50	µg/L	GE
0	p,p'-DDE	<0.50	µg/L	GE
0	p,p'-DDT	<0.50	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	5710	µg/L	GE
0	Sodium	1080	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Thallium	<2.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total organic nitrogen	<100	µg/L	GE
1	Total phosphates	510	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE

WELL LFW 19 collected on 03/18/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	3.2 ± 2.3	pCi/L	GE
2	Total radium	6.7 ± 3.1	pCi/L	GE
0	Tritium	4.2 ± 0.40	pCi/mL	GE

WELL LFW 20

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/18/90
 Depth to water: 23.80 ft (7.19 m) below TOC
 Water elevation: 157.30 ft (47.93 m) msl
 Sp. conductance: 14 µS/cm
 Water evacuated before sampling: 59 gal

Time: 13:45
 pH: 4.6
 Alkalinity: 0 mg/L
 Water temperature: 19.9°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.0	pH	GE
0	Specific conductance	18	µS/cm	GE
0	Aldrin	<0.50	µg/L	GE
0	alpha-Benzene hexachloride	<0.50	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	beta-Benzene hexachloride	<0.50	µg/L	GE
0	Bis(2-ethylhexyl) phthalate	<10	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	209	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chlordane	<0.50	µg/L	GE
0	Chloride	2100	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	delta-Benzene hexachloride	<0.50	µg/L	GE
0	Di-n-octyl phthalate	<10	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Dieldrin	<0.50	µg/L	GE
0	Diethyl phthalate	<10	µg/L	GE
0	Endosulfan I	<0.50	µg/L	GE
0	Endosulfan II	<0.50	µg/L	GE
0	Endosulfan sulfate	<0.50	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Endrin aldehyde	<0.50	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Heptachlor	<0.50	µg/L	GE
0	Heptachlor epoxide	<0.50	µg/L	GE
0	Iron	40	µg/L	GE
0	Lead	6.5	µg/L	GE
0	Magnesium	277	µg/L	GE
0	Manganese	<2.0	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	110	µg/L	GE
0	p,p'-DDD	<0.50	µg/L	GE
0	p,p'-DDE	<0.50	µg/L	GE
0	p,p'-DDT	<0.50	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	5080	µg/L	GE
0	Sodium	1130	µg/L	GE

ANALYTICAL RESULTS

WELL LFW 20 collected on 03/18/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Thallium	<2.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	5.0	µg/L	GE
0	Total organic nitrogen	<100	µg/L	GE
1	Total phosphates	480	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Total radium	2.2±2.3	pCi/mL	GE
0	Trillium	4.8±0.40	pCi/mL	GE

WELL LFW 21

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/13/90
Depth to water: 28.12 ft (7.96 m) below TOC
Water elevation: 150.08 ft (45.74 m) msf
Sp. conductance: 185 µS/cm
Water evacuated before sampling: 54 gal

Time: 10:15
pH: 5.2
Alkalinity: 17 mg/L
Water temperature: 20.1°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.5	pH	GE
1	Specific conductance	199	µS/cm	GE
0	Aldrin	<0.50	µg/L	GE
0	alpha-Benzene hexachloride	<0.50	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
1	Benzene	4.0	µg/L	GE
0	beta-Benzene hexachloride	<0.50	µg/L	GE
0	Bis(2-ethylhexyl) phthalate	<10	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	8480	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chlordane	<0.50	µg/L	GE
1	Chloride	17300	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
1	Chloromethane (Methyl chloride)	11	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	delta-Benzene hexachloride	<0.50	µg/L	GE
0	Di-n-octyl phthalate	<10	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
1	Dichloromethane (Methylene chloride)	27	µg/L	GE
0	Dieldrin	<0.50	µg/L	GE
0	Diethyl phthalate	<10	µg/L	GE
0	Endosulfan I	<0.50	µg/L	GE
0	Endosulfan II	<0.50	µg/L	GE
0	Endosulfan sulfate	<0.50	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Endrin aldehyde	<0.50	µg/L	GE
1	Ethylbenzene	3.0	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Heptachlor	<0.50	µg/L	GE
0	Heptachlor epoxide	<0.50	µg/L	GE
2	Iron	3330	µg/L	GE
0	Lead	<8.0	µg/L	GE
1	Magnesium	8180	µg/L	GE
2	Manganese	128	µg/L	GE
0	Mercury	<0.20	µg/L	GE

WELL LFW 21 collected on 03/13/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	<50	µg/L	GE
0	p,p'-DDD	<0.50	µg/L	GE
0	p,p'-DDE	<0.50	µg/L	GE
0	p,p'-DDT	<0.50	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Selenium	<2.0	µg/L	GE
1	Silica	16400	µg/L	GE
1	Sodium	13800	µg/L	GE
1	Sulfate	29900	µg/L	GE
2	Tetrachloroethylene	44	µg/L	GE
0	Thallium	<2.0	µg/L	GE
1	Toluene	3.0	µg/L	GE
0	Total organic carbon	4000	µg/L	GE
2	Total organic halogens	854	µg/L	GE
1	Total organic nitrogen	500	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
2	Trichloroethylene	30	µg/L	GE
1	Trichlorofluoromethane	10	µg/L	GE
0	Uranium	<1000	µg/L	GE
1	1,1-Dichloroethane	90	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
1	1,1,1-Trichloroethane	24	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
1	Gross alpha	8.4±2.4	pCi/L	GE
0	Nonvolatile beta	7.6±2.7	pCi/L	GE
0	Total radium	2.4±3.0	pCi/mL	GE
1	Trillium	13±0.50	pCi/mL	GE

WELL LFW 22

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/13/90
Depth to water: 24.44 ft (7.45 m) below TOC
Water elevation: 149.76 ft (45.65 m) msf
Sp. conductance: 28 µS/cm
Water evacuated before sampling: 72 gal

Time: 9:50
pH: 4.8
Alkalinity: 0 mg/L
Water temperature: 19.0°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.1	pH	GE
0	Specific conductance	28	µS/cm	GE
0	Aldrin	<0.50	µg/L	GE
0	alpha-Benzene hexachloride	<0.50	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	beta-Benzene hexachloride	<0.50	µg/L	GE
0	Bis(2-ethylhexyl) phthalate	<10	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	422	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chlordane	<0.50	µg/L	GE
0	Chloride	3800	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	delta-Benzene hexachloride	<0.50	µg/L	GE
0	Di-n-octyl phthalate	<10	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Dieldrin	<0.50	µg/L	GE
0	Diethyl phthalate	<10	µg/L	GE
0	Endosulfan I	<0.50	µg/L	GE
0	Endosulfan II	<0.50	µg/L	GE
0	Endosulfan sulfate	<0.50	µg/L	GE

ANALYTICAL RESULTS

WELL LFW 22 collected on 03/13/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Endrin	<0.10	µg/L	GE
0	Endrin aldehyde	<0.50	µg/L	GE
1	Ethylbenzene	1.0	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Heptachlor	<0.50	µg/L	GE
0	Heptachlor epoxide	<0.50	µg/L	GE
0	Iron	84	µg/L	GE
0	Lead	11	µg/L	GE
0	Magnesium	515	µg/L	GE
0	Manganese	<2.0	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	510	µg/L	GE
0	p,p'-DDD	<0.50	µg/L	GE
0	p,p'-DDE	<0.50	µg/L	GE
0	p,p'-DDT	<0.50	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	8480	µg/L	GE
0	Sodium	2280	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Thallium	<2.0	µg/L	GE
1	Toluene	2.0	µg/L	GE
0	Total organic carbon	1000	µg/L	GE
2	Total organic halogens	143	µg/L	GE
1	Total organic nitrogen	500	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
2	Trichloroethylene	5.0	µg/L	GE
1	Trichlorofluoromethane	188	µg/L	GE
0	Uranium	<1000	µg/L	GE
1	1,1-Dichloroethane	15	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
1	1,1,1-Trichloroethane	25	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
2	Gross alpha	22 ± 4.0	pCi/L	GE
1	Nonvolatile beta	11 ± 3.4	pCi/L	GE
1	Total radium	3.7 ± 3.9	pCi/L	GE
0	Tritium	3.9 ± 0.40	pCi/mL	GE

WELL LFW 23

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/13/90
Depth to water: 21.55 ft (8.57 m) below TOC
Water elevation: 150.25 ft (45.80 m) msl
Sp. conductance: 18 µS/cm
Water evacuated before sampling: 66 gal

Time: 9:20
pH: 4.8
Alkalinity: 0 mg/L
Water temperature: 18.6°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.1	pH	GE
0	Specific conductance	20	µS/cm	GE
0	Aldrin	<0.50	µg/L	GE
0	alpha-Benzene hexachloride	<0.50	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	beta-Benzene hexachloride	<0.50	µg/L	GE
0	Bis(2-ethylhexyl) phthalate	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	318	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chlordane	<0.50	µg/L	GE
0	Chloride	2700	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE

WELL LFW 23 collected on 03/13/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Copper	5.8	µg/L	GE
0	delta-Benzene hexachloride	<0.50	µg/L	GE
0	Di-n-octyl phthalate	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Dieldrin	<0.50	µg/L	GE
0	Diethyl phthalate	<1.0	µg/L	GE
0	Endosulfan I	<0.50	µg/L	GE
0	Endosulfan II	<0.50	µg/L	GE
0	Endosulfan sulfate	<0.50	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Endrin aldehyde	<0.50	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Heptachlor	<0.50	µg/L	GE
0	Heptachlor epoxide	<0.50	µg/L	GE
0	Iron	58	µg/L	GE
0	Lead	10	µg/L	GE
0	Magnesium	321	µg/L	GE
0	Manganese	<2.0	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	270	µg/L	GE
0	p,p'-DDD	<0.50	µg/L	GE
0	p,p'-DDE	<0.50	µg/L	GE
0	p,p'-DDT	<0.50	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	6980	µg/L	GE
0	Sodium	1300	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Thallium	<2.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
1	Total organic halogens	17	µg/L	GE
0	Total organic nitrogen	<100	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
1	Trichlorofluoromethane	3.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
1	1,1,1-Trichloroethane	3.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	3.9 ± 2.4	pCi/L	GE
0	Total radium	1.4 ± 2.1	pCi/L	GE
0	Tritium	4.1 ± 0.40	pCi/mL	GE

WELL LFW 24

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/13/90
Depth to water: 18.78 ft (5.72 m) below TOC
Water elevation: 152.52 ft (46.49 m) msl
Sp. conductance: 16 µS/cm
Water evacuated before sampling: 74 gal

Time: 8:50
pH: 5.0
Alkalinity: 0 mg/L
Water temperature: 18.1°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.1	pH	GE
0	Specific conductance	19	µS/cm	GE
0	Aldrin	<0.50	µg/L	GE
0	alpha-Benzene hexachloride	<0.50	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	beta-Benzene hexachloride	<0.50	µg/L	GE
0	Bis(2-ethylhexyl) phthalate	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE

ANALYTICAL RESULTS

WELL LFW 24 collected on 03/13/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Cadmium	<2.0	µg/L	GE
0	Calcium	312	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chlordane	<0.50	µg/L	GE
0	Chloride	2600	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Copper	11	µg/L	GE
0	delta-Benzene hexachloride	<0.50	µg/L	GE
0	Di-n-octyl phthalate	<10	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Dieldrin	<0.50	µg/L	GE
0	Diethyl phthalate	<10	µg/L	GE
0	Endosulfan I	<0.50	µg/L	GE
0	Endosulfan II	<0.50	µg/L	GE
0	Endosulfan sulfate	<0.50	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Endrin aldehyde	<0.50	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Heptachlor	<0.50	µg/L	GE
0	Heptachlor epoxide	<0.50	µg/L	GE
0	Iron	58	µg/L	GE
0	Lead	11	µg/L	GE
0	Magnesium	353	µg/L	GE
0	Manganese	<2.0	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	4.9	µg/L	GE
0	Nitrate as nitrogen	510	µg/L	GE
0	p,p'-DDD	<0.50	µg/L	GE
0	p,p'-DDE	<0.50	µg/L	GE
0	p,p'-DDT	<0.50	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	9470	µg/L	GE
0	Sodium	2010	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Thallium	<2.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	6.0	µg/L	GE
0	Total organic nitrogen	<100	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	3.4 ± 1.8	pCi/L	GE
0	Nonvolatile beta	5.5 ± 2.6	pCi/L	GE
0	Total radium	2.3 ± 2.4	pCi/L	GE
0	Tritium	3.2 ± 0.40	pCi/mL	GE

WELL LFW 25

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/11/90
 Depth to water: 19.82 ft (6.07 m) below TOC
 Water elevation: 154.78 ft (47.18 m) mai
 Sp. conductance: 18 µS/cm
 Water evacuated before sampling: 83 gal

Time: 14:50
 pH: 4.8
 Alkalinity: 0 mg/L
 Water temperature: 21.0°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	4.9	pH	GE
0	Specific conductance	18	µS/cm	GE
0	Aldrin	<0.50	µg/L	GE
0	alpha-Benzene hexachloride	<0.50	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	beta-Benzene hexachloride	<0.50	µg/L	GE
0	Bis(2-ethylhexyl) phthalate	<10	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	253	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chlordane	<0.50	µg/L	GE
0	Chloride	1700	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	delta-Benzene hexachloride	<0.50	µg/L	GE
0	Di-n-octyl phthalate	<10	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Dieldrin	<0.50	µg/L	GE
0	Diethyl phthalate	<10	µg/L	GE
0	Endosulfan I	<0.50	µg/L	GE
0	Endosulfan II	<0.50	µg/L	GE
0	Endosulfan sulfate	<0.50	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Endrin aldehyde	<0.50	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Heptachlor	<0.50	µg/L	GE
0	Heptachlor epoxide	<0.50	µg/L	GE
0	Iron	28	µg/L	GE
0	Lead	7.8	µg/L	GE
0	Magnesium	412	µg/L	GE
0	Manganese	<2.0	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	500	µg/L	GE
0	p,p'-DDD	<0.50	µg/L	GE
0	p,p'-DDE	<0.50	µg/L	GE
0	p,p'-DDT	<0.50	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	5780	µg/L	GE
0	Sodium	1200	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Thallium	<2.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total organic nitrogen	300	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	CC
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE

ANALYTICAL RESULTS

WELL LFW 25 collected on 03/11/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
1	Gross alpha	11±3.8	pCi/L	GE
0	Nonvolatile beta	8.6±4.4	pCi/L	GE
2	Total radium	11±5.2	pCi/L	GE
0	Tritium	4.0±0.40	pCi/mL	GE

WELL LFW 26

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/18/90
 Depth to water: 27.48 ft (8.38 m) below TOC
 Water elevation: 159.42 ft (48.59 m) msl
 Sp. conductance: 14 µS/cm
 Water evacuated before sampling: 51 gal

Time: 13:15
 pH: 4.5
 Alkalinity: 0 mg/L
 Water temperature: 20.3°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.0	pH	GE
0	Specific conductance	18	µS/cm	GE
0	Aldrin	<0.50	µg/L	GE
0	alpha-Benzene hexachloride	<0.50	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	beta-Benzene hexachloride	<0.50	µg/L	GE
0	Bis(2-ethylhexyl) phthalate	<10	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	212	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chlordane	<0.50	µg/L	GE
0	Chloride	2000	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	delta-Benzene hexachloride	<0.50	µg/L	GE
0	Di-n-octyl phthalate	<10	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Dieldrin	<0.50	µg/L	GE
0	Diethyl phthalate	<10	µg/L	GE
0	Endosulfan I	<0.50	µg/L	GE
0	Endosulfan II	<0.50	µg/L	GE
0	Endosulfan sulfate	<0.50	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Endrin aldehyde	<0.50	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Heptachlor	<0.50	µg/L	GE
0	Heptachlor epoxide	<0.50	µg/L	GE
0	Iron	39	µg/L	GE
0	Lead	<8.0	µg/L	GE
0	Magnesium	244	µg/L	GE
0	Manganese	<2.0	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	90	µg/L	GE
0	p,p'-DDD	<0.50	µg/L	GE
0	p,p'-DDE	<0.50	µg/L	GE
0	p,p'-DDT	<0.50	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	5380	µg/L	GE
0	Sodium	1170	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Thallium	<2.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total organic nitrogen	<100	µg/L	GE
1	Total phosphates	440	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE

WELL LFW 26 collected on 03/18/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Total radium	1.5±2.1	pCi/L	GE
0	Tritium	3.9±0.40	pCi/mL	GE

WELL LFW 27

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/18/90
 Depth to water: 29.44 ft (8.97 m) below TOC
 Water elevation: 180.18 ft (48.82 m) msl
 Sp. conductance: 15 µS/cm
 Water evacuated before sampling: 46 gal

Time: 12:35
 pH: 5.1
 Alkalinity: 1 mg/L
 Water temperature: 20.3°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.1	pH	GE
0	Specific conductance	18	µS/cm	GE
0	Aldrin	<0.50	µg/L	GE
0	alpha-Benzene hexachloride	<0.50	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	beta-Benzene hexachloride	<0.50	µg/L	GE
0	Bis(2-ethylhexyl) phthalate	<10	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	285	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chlordane	<0.50	µg/L	GE
0	Chloride	2000	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	delta-Benzene hexachloride	<0.50	µg/L	GE
0	Di-n-octyl phthalate	<10	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Dieldrin	<0.50	µg/L	GE
0	Diethyl phthalate	<10	µg/L	GE
0	Endosulfan I	<0.50	µg/L	GE
0	Endosulfan II	<0.50	µg/L	GE
0	Endosulfan sulfate	<0.50	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Endrin aldehyde	<0.50	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Heptachlor	<0.50	µg/L	GE
0	Heptachlor epoxide	<0.50	µg/L	GE
0	Iron	52	µg/L	GE
0	Lead	<8.0	µg/L	GE
0	Magnesium	280	µg/L	GE
0	Manganese	3.3	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	90	µg/L	GE
0	p,p'-DDD	<0.50	µg/L	GE
0	p,p'-DDE	<0.50	µg/L	GE
0	p,p'-DDT	<0.50	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	8120	µg/L	GE
0	Sodium	1300	µg/L	GE

ANALYTICAL RESULTS

WELL LFW 27 collected on 03/18/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Thallium	<2.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
2	Total organic halogens	30	µg/L	GE
0	Total organic nitrogen	<100	µg/L	GE
1	Total phosphates	480	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	2.7 ± 2.2	pCi/L	GE
0	Total radium	2.3 ± 2.3	pCi/L	GE
0	Tritium	3.1 ± 0.40	pCi/mL	GE

WELL LFW 28

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/19/90
 Depth to water: 31.44 ft (9.58 m) below TOC
 Water elevation: 181.36 ft (49.18 m) msl
 Sp. conductance: 27 µS/cm
 Water evacuated before sampling: 12 gal
 The well went dry during purging.

Time: 14:20
 pH: 4.8
 Alkalinity: 3 mg/L
 Water temperature: 19.8°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.2	pH	GE
0	pH	5.3	pH	GE
0	Specific conductance	24	µS/cm	GE
0	Specific conductance	23	µS/cm	GE
0	Aldrin	<0.50	µg/L	GE
0	Aldrin	<0.50	µg/L	GE
0	alpha-Benzene hexachloride	<0.50	µg/L	GE
0	alpha-Benzene hexachloride	<0.50	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	beta-Benzene hexachloride	<0.50	µg/L	GE
0	beta-Benzene hexachloride	<0.50	µg/L	GE
0	Bis(2-ethylhexyl) phthalate	<10	µg/L	GE
0	Bis(2-ethylhexyl) phthalate	<10	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	1240	µg/L	GE
0	Calcium	1280	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chlordane	<0.50	µg/L	GE
0	Chlordane	<0.50	µg/L	GE
0	Chloride	1800	µg/L	GE
0	Chloride	1600	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE

WELL LFW 28 collected on 03/19/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Copper	4.4	µg/L	GE
0	delta-Benzene hexachloride	<0.50	µg/L	GE
0	delta-Benzene hexachloride	<0.50	µg/L	GE
0	Di-n-octyl phthalate	<10	µg/L	GE
0	Di-n-octyl phthalate	<10	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Dieldrin	<0.50	µg/L	GE
0	Dieldrin	<0.50	µg/L	GE
0	Diethyl phthalate	<10	µg/L	GE
0	Diethyl phthalate	<10	µg/L	GE
0	Endosulfan I	<0.50	µg/L	GE
0	Endosulfan I	<0.50	µg/L	GE
0	Endosulfan II	<0.50	µg/L	GE
0	Endosulfan II	<0.50	µg/L	GE
0	Endosulfan sulfate	<0.50	µg/L	GE
0	Endosulfan sulfate	<0.50	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Endrin aldehyde	<0.50	µg/L	GE
0	Endrin aldehyde	<0.50	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Heptachlor	<0.50	µg/L	GE
0	Heptachlor	<0.50	µg/L	GE
0	Heptachlor epoxide	<0.50	µg/L	GE
0	Heptachlor epoxide	<0.50	µg/L	GE
0	Iron	88	µg/L	GE
0	Iron	88	µg/L	GE
0	Lead	<8.0	µg/L	GE
0	Lead	<8.0	µg/L	GE
0	Magnesium	328	µg/L	GE
0	Magnesium	352	µg/L	GE
0	Manganese	7.8	µg/L	GE
0	Manganese	8.2	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	240	µg/L	GE
0	Nitrate as nitrogen	200	µg/L	GE
0	p,p'-DDD	<0.50	µg/L	GE
0	p,p'-DDD	<0.50	µg/L	GE
0	p,p'-DDE	<0.50	µg/L	GE
0	p,p'-DDE	<0.50	µg/L	GE
0	p,p'-DDT	<0.50	µg/L	GE
0	p,p'-DDT	<0.50	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	593	µg/L	GE
0	Potassium	614	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	6100	µg/L	GE
0	Silica	6890	µg/L	GE
0	Sodium	1390	µg/L	GE
0	Sodium	1470	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Thallium	<2.0	µg/L	GE
0	Thallium	<2.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total organic carbon	1000	µg/L	GE
0	Total organic carbon	1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
1	Total organic nitrogen	300	µg/L	GE
1	Total organic nitrogen	1100	µg/L	GE
1	Total phosphates	540	µg/L	GE
1	Total phosphates	550	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE

ANALYTICAL RESULTS

WELL LFW 28 collected on 03/19/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	4.2±2.5	pCi/L	GE
0	Nonvolatile beta	5.9±3.9	pCi/L	GE
0	Total radium	1.6±3.2	pCi/L	GE
0	Total radium	<1.0	pCi/L	GE
0	Tritium	2.4±0.40	pCi/mL	GE
0	Tritium	2.2±0.40	pCi/mL	GE

WELL LFW 29

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/19/90
 Depth to water: 33.08 ft (10.08 m) below TOC
 Water elevation: 162.62 ft (49.57 m) msl
 Sp. conductance: 28 µS/cm
 Water evacuated before sampling: 49 gal

Time: 13:55
 pH: 4.9
 Alkalinity: 0 mg/L
 Water temperature: 18.6°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.0	pH	GE
0	Specific conductance	23	µS/cm	GE
0	Aldrin	<0.50	µg/L	GE
0	alpha-Benzene hexachloride	<0.50	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	beta-Benzene hexachloride	<0.50	µg/L	GE
0	Bis(2-ethylhexyl) phthalate	<10	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	688	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chlordane	<0.50	µg/L	GE
0	Chloride	1700	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Copper	4.5	µg/L	GE
0	delta-Benzene hexachloride	<0.50	µg/L	GE
0	Di-n-octyl phthalate	<10	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Dieldrin	<0.50	µg/L	GE
0	Diethyl phthalate	<10	µg/L	GE
0	Endosulfan I	<0.50	µg/L	GE
0	Endosulfan II	<0.50	µg/L	GE
0	Endosulfan sulfate	<0.50	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Endrin aldehyde	<0.50	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Heptachlor	<0.50	µg/L	GE
0	Heptachlor epoxide	<0.50	µg/L	GE

WELL LFW 29 collected on 03/19/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Iron	14	µg/L	GE
0	Lead	7.8	µg/L	GE
0	Lead	15	µg/L	GE
0	Magnesium	638	µg/L	GE
0	Manganese	4.4	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	1000	µg/L	GE
0	p,p'-DDD	<0.50	µg/L	GE
0	p,p'-DDE	<0.50	µg/L	GE
0	p,p'-DDT	<0.50	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	829	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	4470	µg/L	GE
0	Sodium	923	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Thallium	<2.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
1	Total organic nitrogen	200	µg/L	GE
1	Total phosphates	460	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	2.1±2.1	pCi/L	GE
0	Nonvolatile beta	8.3±4.0	pCi/L	GE
1	Total radium	4.5±3.8	pCi/mL	GE
0	Tritium	2.2±0.30	pCi/mL	GE

WELL LFW 30

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/14/90
 Depth to water: 47.81 ft (14.57 m) below TOC
 Water elevation: 162.99 ft (49.68 m) msl
 Sp. conductance: 29 µS/cm
 Water evacuated before sampling: 47 gal

Time: 14:45
 pH: 5.4
 Alkalinity: 0 mg/L
 Water temperature: 18.0°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.8	pH	GE
0	Specific conductance	28	µS/cm	GE
0	Aldrin	<0.50	µg/L	GE
0	alpha-Benzene hexachloride	<0.50	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	beta-Benzene hexachloride	<0.50	µg/L	GE
0	Bis(2-ethylhexyl) phthalate	<10	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	2130	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chlordane	<0.50	µg/L	GE
0	Chloride	2700	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	delta-Benzene hexachloride	<0.50	µg/L	GE
0	Di-n-octyl phthalate	<10	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE

ANALYTICAL RESULTS

WELL LFW 30 collected on 03/14/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Dieldrin	<0.50	µg/L	GE
0	Diethyl phthalate	<10	µg/L	GE
0	Endosulfan I	<0.50	µg/L	GE
0	Endosulfan II	<0.50	µg/L	GE
0	Endosulfan sulfate	<0.50	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Endrin aldehyde	<0.50	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Heptachlor	<0.50	µg/L	GE
0	Heptachlor epoxide	<0.50	µg/L	GE
0	Iron	48	µg/L	GE
0	Lead	<8.0	µg/L	GE
0	Magnesium	357	µg/L	GE
0	Manganese	5.6	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	310	µg/L	GE
0	p,p'-DDD	<0.50	µg/L	GE
0	p,p'-DDE	<0.50	µg/L	GE
0	p,p'-DDT	<0.50	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	8060	µg/L	GE
0	Sodium	787	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Thallium	<2.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total organic nitrogen	<100	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropene	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.060	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	3.3 ± 2.3	pCi/L	GE
0	Total radium	<1.0	pCi/L	GE
0	Tritium	3.4 ± 0.40	pCi/mL	GE

WELL LFW 31

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/19/90
 Depth to water: 87.53 ft (20.58 m) below TOC
 Water elevation: 182.17 ft (49.43 m) msl
 Sp. conductance: 23 µS/cm
 Water evacuated before sampling: 45 gal

Time: 11:45
 pH: 5.0
 Alkalinity: 0 mg/L
 Water temperature: 18.9°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.2	pH	MT
0	pH	5.4	pH	GE
0	Specific conductance	20	µS/cm	MT
0	Specific conductance	18	µS/cm	GE
0	Aldrin	<0.010	µg/L	MT
0	Aldrin	<0.50	µg/L	GE
0	alpha-Benzene hexachloride	<0.0050	µg/L	MT
0	alpha-Benzene hexachloride	<0.50	µg/L	GE
0	Arsenic	<3.0	µg/L	MT
0	Arsenic	<2.0	µg/L	GE
0	Benzene	<5.0	µg/L	MT
0	Benzene	<1.0	µg/L	GE
0	beta-Benzene hexachloride	<0.010	µg/L	MT
0	beta-Benzene hexachloride	<0.50	µg/L	GE
0	Bis(2-ethylhexyl) phthalate	<10	µg/L	GE
0	Bromodichloromethane	<5.0	µg/L	MT

WELL LFW 31 collected on 03/19/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<5.0	µg/L	MT
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<10	µg/L	MT
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
1	Cadmium	3.3	µg/L	MT
0	Cadmium	<2.0	µg/L	GE
0	Calcium	830	µg/L	MT
0	Calcium	812	µg/L	GE
0	Carbon tetrachloride	<5.0	µg/L	MT
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chlordane	<0.010	µg/L	MT
0	Chlordane	<0.50	µg/L	GE
0	Chloride	1800	µg/L	MT
0	Chloride	1500	µg/L	GE
0	Chlorobenzene	<5.0	µg/L	MT
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<10	µg/L	MT
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<5.0	µg/L	MT
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<10	µg/L	MT
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
1	Chromium	5.8	µg/L	MT
1	Chromium	20	µg/L	GE
0	cis-1,3-Dichloropropene	<5.0	µg/L	MT
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Copper	13	µg/L	MT
0	Copper	11	µg/L	GE
0	delta-Benzene hexachloride	<0.010	µg/L	MT
0	delta-Benzene hexachloride	<0.50	µg/L	GE
0	Di-n-octyl phthalate	<10	µg/L	GE
0	Dibromochloromethane	<5.0	µg/L	MT
0	Dibromochloromethane	<1.0	µg/L	GE
1	Dichloromethane (Methylene chloride)	5.0	µg/L	MT
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Dieldrin	<0.010	µg/L	MT
0	Dieldrin	<0.50	µg/L	GE
0	Diethyl phthalate	<10	µg/L	GE
0	Endosulfan I	<0.010	µg/L	MT
0	Endosulfan I	<0.50	µg/L	GE
0	Endosulfan II	<0.020	µg/L	MT
0	Endosulfan II	<0.50	µg/L	GE
0	Endosulfan sulfate	<0.020	µg/L	MT
0	Endosulfan sulfate	<0.50	µg/L	GE
0	Endrin	<0.0080	µg/L	MT
0	Endrin	<0.10	µg/L	GE
0	Endrin aldehyde	<0.025	µg/L	MT
0	Endrin aldehyde	<0.50	µg/L	GE
0	Ethylbenzene	<5.0	µg/L	MT
0	Ethylbenzene	<1.0	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.0050	µg/L	MT
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Heptachlor	<0.010	µg/L	MT
0	Heptachlor	<0.50	µg/L	GE
0	Heptachlor epoxide	<0.010	µg/L	MT
0	Heptachlor epoxide	<0.50	µg/L	GE
0	Iron	48	µg/L	MT
0	Iron	20	µg/L	GE
0	Lead	4.1	µg/L	MT
0	Lead	7.3	µg/L	GE
0	Magnesium	479	µg/L	MT
0	Magnesium	438	µg/L	GE
0	Manganese	<5.0	µg/L	MT
0	Manganese	3.5	µg/L	GE
0	Mercury	<0.20	µg/L	MT
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	MT
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<5.2	µg/L	MT
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	<200	µg/L	MT
0	Nitrate as nitrogen	240	µg/L	GE
0	p,p'-DDD	<0.020	µg/L	MT
0	p,p'-DDD	<0.50	µg/L	GE
0	p,p'-DDE	<0.010	µg/L	MT
0	p,p'-DDE	<0.50	µg/L	GE
0	p,p'-DDT	<0.020	µg/L	MT
0	p,p'-DDT	<0.50	µg/L	GE
0	PCB 1018	<0.30	µg/L	MT
0	PCB 1221	<0.30	µg/L	MT
0	PCB 1232	<0.30	µg/L	MT
0	PCB 1242	<0.30	µg/L	MT
0	PCB 1248	<0.30	µg/L	MT
0	PCB 1254	<0.50	µg/L	MT
0	PCB 1260	<0.50	µg/L	MT
0	Phenols	<5.0	µg/L	MT
0	Phenols	<5.0	µg/L	GE

ANALYTICAL RESULTS

WELL LFW 31 collected on 03/19/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Potassium	<600	µg/L	MT
0	Potassium	<500	µg/L	GE
0	Selenium	<3.0	µg/L	MT
0	Selenium	<2.0	µg/L	GE
0	Silica	8390	µg/L	GE
0	Silica	8430	µg/L	MT
0	Sodium	1080	µg/L	MT
0	Sodium	1110	µg/L	GE
0	Sulfate	1300	µg/L	MT
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<5.0	µg/L	MT
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Thallium	<2.0	µg/L	MT
0	Thallium	<2.0	µg/L	GE
0	Toluene	<5.0	µg/L	MT
0	Toluene	<1.0	µg/L	GE
0	Total organic carbon	<1000	µg/L	MT
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	MT
0	Total organic halogens	<5.0	µg/L	GE
1	Total organic nitrogen	59	µg/L	MT
1	Total organic nitrogen	700	µg/L	GE
0	Total phosphates	29	µg/L	MT
0	Total phosphates	29	µg/L	MT
1	Total phosphates	500	µg/L	GE
0	Toxaphene	<0.24	µg/L	MT
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<5.0	µg/L	MT
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<5.0	µg/L	MT
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<5.0	µg/L	MT
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<5.0	µg/L	MT
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<119	µg/L	MT
0	Uranium	<1000	µg/L	GE
0	1,1-Dichloroethane	<5.0	µg/L	MT
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<5.0	µg/L	MT
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<5.0	µg/L	MT
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<5.0	µg/L	MT
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<5.0	µg/L	MT
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<5.0	µg/L	MT
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<5.0	µg/L	MT
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<5.0	µg/L	MT
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.48	µg/L	MT
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.070	µg/L	MT
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	<2.0	pCi/L	MT
2	Gross alpha	16±3.4	pCi/L	GE
0	Nonvolatile beta	<5.0	pCi/L	MT
0	Nonvolatile beta	5.9±2.9	pCi/L	GE
0	Total radium	<1.0	pCi/L	MT
2	Total radium	52±7.4	pCi/L	GE
0	Total radium	1.3±2.1	pCi/L	GE
0	Tritium	2.1±0.30	pCi/mL	MT
0	Tritium	2.0±0.30	pCi/mL	GE

WELL LFW 31

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/19/90
 Depth to water: 87.53 ft (20.58 m) below TOC
 Water elevation: 182.17 ft (49.43 m) msl
 Sp. conductance: 23 µS/cm
 Water evacuated before sampling: 45 gal

Time: 11:45
 pH: 6.0
 Alkalinity: 0 mg/L
 Water temperature: 18.9°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.1	pH	MT
0	pH	5.3	pH	GE
0	Specific conductance	21	µS/cm	MT
0	Specific conductance	19	µS/cm	GE
0	Aldrin	<0.010	µg/L	MT
0	Aldrin	<0.50	µg/L	GE

WELL LFW 31 collected on 03/19/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	alpha-Benzene hexachloride	<0.0050	µg/L	MT
0	alpha-Benzene hexachloride	<0.50	µg/L	GE
0	Arsenic	<3.0	µg/L	MT
0	Arsenic	<2.0	µg/L	GE
0	Benzene	<5.0	µg/L	MT
0	Benzene	<1.0	µg/L	GE
0	beta-Benzene hexachloride	<0.010	µg/L	MT
0	beta-Benzene hexachloride	<0.50	µg/L	GE
0	Bis(2-ethylhexyl) phthalate	<10	µg/L	GE
0	Bromodichloromethane	<5.0	µg/L	MT
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<5.0	µg/L	MT
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<10	µg/L	MT
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<3.0	µg/L	MT
0	Cadmium	<2.0	µg/L	GE
0	Calcium	679	µg/L	MT
0	Calcium	758	µg/L	GE
0	Carbon tetrachloride	<5.0	µg/L	MT
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chlordane	<0.010	µg/L	MT
0	Chlordane	<0.50	µg/L	GE
0	Chloride	1700	µg/L	MT
0	Chloride	1800	µg/L	GE
0	Chlorobenzene	<5.0	µg/L	MT
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<10	µg/L	MT
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<5.0	µg/L	MT
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<10	µg/L	MT
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
1	Chromium	11	µg/L	MT
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<5.0	µg/L	MT
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Copper	<5.0	µg/L	MT
0	Copper	7.9	µg/L	GE
0	delta-Benzene hexachloride	<0.010	µg/L	MT
0	delta-Benzene hexachloride	<0.50	µg/L	GE
0	Di-n-octyl phthalate	<10	µg/L	GE
0	Dibromochloromethane	<5.0	µg/L	MT
0	Dibromochloromethane	<1.0	µg/L	GE
1	Dichloromethane (Methylene chloride)	5.0	µg/L	MT
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Dieldrin	<0.010	µg/L	MT
0	Dieldrin	<0.50	µg/L	GE
0	Diethyl phthalate	<10	µg/L	GE
0	Endosulfan I	<0.010	µg/L	MT
0	Endosulfan I	<0.50	µg/L	GE
0	Endosulfan II	<0.020	µg/L	MT
0	Endosulfan II	<0.50	µg/L	GE
0	Endosulfan sulfate	<0.020	µg/L	MT
0	Endosulfan sulfate	<0.50	µg/L	GE
0	Endrin	<0.0060	µg/L	MT
0	Endrin	<0.10	µg/L	GE
0	Endrin aldehyde	<0.025	µg/L	MT
0	Endrin aldehyde	<0.50	µg/L	GE
0	Ethylbenzene	<5.0	µg/L	MT
0	Ethylbenzene	<1.0	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.0050	µg/L	MT
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Heptachlor	<0.010	µg/L	MT
0	Heptachlor	<0.50	µg/L	GE
0	Heptachlor epoxide	<0.010	µg/L	MT
0	Heptachlor epoxide	<0.50	µg/L	GE
0	Iron	85	µg/L	MT
0	Iron	7.5	µg/L	GE
0	Iron	41	µg/L	GE
0	Lead	3.9	µg/L	MT
0	Lead	<5.0	µg/L	GE
0	Magnesium	443	µg/L	MT
0	Magnesium	432	µg/L	GE
0	Manganese	<5.0	µg/L	MT
0	Manganese	3.4	µg/L	GE
0	Mercury	<0.20	µg/L	MT
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	MT
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<5.2	µg/L	MT
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	<200	µg/L	MT
0	Nitrate as nitrogen	300	µg/L	GE
0	p,p'-DDD	<0.020	µg/L	MT
0	p,p'-DDD	<0.50	µg/L	GE
0	p,p'-DDE	<0.010	µg/L	MT
0	p,p'-DDE	<0.50	µg/L	GE

ANALYTICAL RESULTS

WELL LFW 31 collected on 03/19/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	p,p'-DDT	<0.020	µg/L	MT
0	p,p'-DDT	<0.50	µg/L	GE
0	PCB 1016	<0.30	µg/L	MT
0	PCB 1221	<0.30	µg/L	MT
0	PCB 1232	<0.30	µg/L	MT
0	PCB 1242	<0.30	µg/L	MT
0	PCB 1248	<0.30	µg/L	MT
0	PCB 1254	<0.50	µg/L	MT
0	PCB 1260	<0.50	µg/L	MT
0	Phenols	<5.0	µg/L	MT
0	Phenols	<5.0	µg/L	MT
0	Phenols	<5.0	µg/L	GE
0	Potassium	<600	µg/L	MT
0	Potassium	<500	µg/L	GE
0	Selenium	<3.0	µg/L	MT
0	Selenium	<2.0	µg/L	GE
0	Silica	8310	µg/L	GE
0	Silica	8210	µg/L	MT
0	Sodium	1020	µg/L	MT
0	Sodium	1110	µg/L	GE
0	Sulfate	1400	µg/L	MT
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<5.0	µg/L	MT
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Thallium	<2.0	µg/L	MT
0	Thallium	<2.0	µg/L	GE
0	Toluene	<5.0	µg/L	MT
0	Toluene	<1.0	µg/L	GE
0	Total organic carbon	1080	µg/L	MT
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	MT
0	Total organic halogens	<5.0	µg/L	GE
1	Total organic nitrogen	41	µg/L	MT
1	Total organic nitrogen	83	µg/L	MT
1	Total organic nitrogen	300	µg/L	GE
0	Total phosphates	27	µg/L	MT
1	Total phosphates	480	µg/L	GE
0	Toxaphene	<0.24	µg/L	MT
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<5.0	µg/L	MT
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<5.0	µg/L	MT
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<5.0	µg/L	MT
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<5.0	µg/L	MT
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<119	µg/L	MT
0	Uranium	<1000	µg/L	GE
0	1,1-Dichloroethane	<5.0	µg/L	MT
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<5.0	µg/L	MT
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<5.0	µg/L	MT
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<5.0	µg/L	MT
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<5.0	µg/L	MT
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<5.0	µg/L	MT
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<5.0	µg/L	MT
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<5.0	µg/L	MT
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.48	µg/L	MT
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.070	µg/L	MT
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	<3.0	pCi/L	MT
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	<5.0	pCi/L	MT
0	Nonvolatile beta	2.3±2.2	pCi/L	GE
0	Total radium	1.1±0.40	pCi/L	MT
1	Total radium	2.5±2.3	pCi/L	GE
0	Tritium	5.8±0.60	pCi/mL	MT
0	Tritium	2.2±0.30	pCi/mL	GE

WELL LFW 32

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/14/90
 Depth to water: 83.78 ft (19.43 m) below TOC
 Water elevation: 180.34 ft (48.87 m) msl
 Sp. conductance: 21 µS/cm
 Water evacuated before sampling: 42 gal

Time: 14:15
 pH: 4.8
 Alkalinity: 0 mg/L
 Water temperature: 20.0°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.2	pH	GE
0	Specific conductance	28	µS/cm	GE
0	Aldrin	<0.50	µg/L	GE
0	alpha-Benzene hexachloride	<0.50	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	beta-Benzene hexachloride	<0.50	µg/L	GE
0	Bis(2-ethylhexyl) phthalate	<10	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	322	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chlordane	<0.50	µg/L	GE
0	Chloride	4300	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	delta-Benzene hexachloride	<0.50	µg/L	GE
0	Di-n-octyl phthalate	<10	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Dieldrin	<0.50	µg/L	GE
0	Diethyl phthalate	<10	µg/L	GE
0	Endosulfan I	<0.50	µg/L	GE
0	Endosulfan II	<0.50	µg/L	GE
0	Endosulfan sulfate	<0.50	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Endrin aldehyde	<0.50	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Heptachlor	<0.50	µg/L	GE
0	Heptachlor epoxide	<0.50	µg/L	GE
0	Iron	131	µg/L	GE
0	Lead	<8.0	µg/L	GE
0	Magnesium	327	µg/L	GE
0	Manganese	2.5	µg/L	GE
0	Manganese	2.4	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	410	µg/L	GE
0	p,p'-DDD	<0.50	µg/L	GE
0	p,p'-DDE	<0.50	µg/L	GE
0	p,p'-DDT	<0.50	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	509	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	8180	µg/L	GE
0	Sodium	2050	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Thallium	<2.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total organic nitrogen	<100	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE

ANALYTICAL RESULTS

WELL LFW 32 collected on 03/14/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	4.7 ± 3.8	pCi/L	GE
1	Total radium	2.8 ± 2.5	pCi/L	GE
0	Trillium	3.8 ± 0.40	pCi/mL	GE

WELL LFW 33

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/14/90 Time: 13:50
Depth to water: 54.88 ft (16.73 m) below TOC
Water elevation: 159.22 ft (48.53 m) msl
Inaccessibility or pump failure prevented sample collection.

WELL LFW 33

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/18/90 Time: 14:10
Depth to water: 54.88 ft (16.73 m) below TOC pH: 4.8
Water elevation: 159.22 ft (48.53 m) msl Alkalinity: 0 mg/L
Sp. conductance: 18 µS/cm Water temperature: 19.3°C
Water evacuated before sampling: 50 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.1	pH	GE
0	Specific conductance	20	µS/cm	GE
0	Aldrin	<0.50	µg/L	GE
0	alpha-Benzene hexachloride	<0.50	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	beta-Benzene hexachloride	<0.50	µg/L	GE
0	Bis(2-ethylhexyl) phthalate	<10	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	335	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chlordane	<0.50	µg/L	GE
0	Chloride	2600	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	delta-Benzene hexachloride	<0.50	µg/L	GE
0	Di-n-octyl phthalate	<10	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Dieldrin	<0.50	µg/L	GE
0	Diethyl phthalate	<10	µg/L	GE
0	Endosulfan I	<0.50	µg/L	GE
0	Endosulfan II	<0.50	µg/L	GE
0	Endosulfan sulfate	<0.50	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Endrin aldehyde	<0.50	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Heptachlor	<0.50	µg/L	GE
0	Heptachlor epoxide	<0.50	µg/L	GE
0	Iron	33	µg/L	GE
0	Lead	<8.0	µg/L	GE
0	Magnesium	318	µg/L	GE
0	Manganese	<2.0	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	240	µg/L	GE
0	p,p'-DDD	<0.50	µg/L	GE
0	p,p'-DDE	<0.50	µg/L	GE
0	p,p'-DDT	<0.50	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Selenium	<2.0	µg/L	GE

WELL LFW 33 collected on 03/18/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Silica	5050	µg/L	GE
0	Sodium	1520	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Thallium	<2.0	µg/L	GE
1	Toluene	2.0	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	8.0	µg/L	GE
0	Total organic nitrogen	<100	µg/L	GE
1	Total phosphates	500	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	3.8 ± 2.5	pCi/L	GE
0	Nonvolatile beta	7.2 ± 4.1	pCi/L	GE
1	Total radium	2.8 ± 3.5	pCi/L	GE
0	Trillium	3.4 ± 0.40	pCi/mL	GE

WELL LFW 34

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/19/90 Time: 13:25
Depth to water: 43.39 ft (13.23 m) below TOC pH: 5.0
Water elevation: 158.01 ft (48.18 m) msl Alkalinity: 0 mg/L
Sp. conductance: 21 µS/cm Water temperature: 18.4°C
Water evacuated before sampling: 38 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.2	pH	GE
0	Specific conductance	20	µS/cm	GE
0	Aldrin	<0.50	µg/L	GE
0	alpha-Benzene hexachloride	<0.50	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	beta-Benzene hexachloride	<0.50	µg/L	GE
0	Bis(2-ethylhexyl) phthalate	<10	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	425	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chlordane	<0.50	µg/L	GE
0	Chloride	2400	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	delta-Benzene hexachloride	<0.50	µg/L	GE
0	Di-n-octyl phthalate	<10	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Dieldrin	<0.50	µg/L	GE
0	Diethyl phthalate	<10	µg/L	GE
0	Endosulfan I	<0.50	µg/L	GE
0	Endosulfan II	<0.50	µg/L	GE
0	Endosulfan sulfate	<0.50	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Endrin aldehyde	<0.50	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Heptachlor	<0.50	µg/L	GE
0	Heptachlor epoxide	<0.50	µg/L	GE
0	Iron	17	µg/L	GE
0	Lead	<8.0	µg/L	GE
0	Magnesium	389	µg/L	GE

ANALYTICAL RESULTS

WELL LFW 34 collected on 03/19/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Manganese	2.8	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	370	µg/L	GE
0	p,p'-DDD	<0.50	µg/L	GE
0	p,p'-DDE	<0.50	µg/L	GE
0	p,p'-DDT	<0.50	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	646	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	5550	µg/L	GE
0	Sodium	1250	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Thallium	<2.0	µg/L	GE
0	Thallium	<2.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
1	Total organic nitrogen	200	µg/L	GE
1	Total phosphates	480	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethane	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropene	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
2	Gross alpha	18±3.7	pCi/L	GE
1	Nonvolatile beta	10±3.3	pCi/L	GE
2	Total radium	84±8.1	pCi/L	GE
0	Total radium	1.5±2.1	pCi/L	GE
0	Tritium	4.1±0.40	pCi/mL	GE

WELL LFW 35

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/19/90
 Depth to water: 28.99 ft (8.23 m) below TOC
 Water elevation: 157.11 ft (47.89 m) msl
 Sp. conductance: 15 µS/cm
 Water evacuated before sampling: 48 gal
 Time: 10:35
 pH: 5.0
 Alkalinity: 0 mg/L
 Water temperature: 19.5°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	4.9	pH	MT
0	pH	4.9	pH	MT
0	pH	5.4	pH	GE
0	Specific conductance	18	µS/cm	MT
0	Specific conductance	18	µS/cm	MT
0	Specific conductance	18	µS/cm	GE
0	Aldrin	<0.010	µg/L	MT
0	Aldrin	<0.50	µg/L	GE
0	alpha-Benzene hexachloride	<0.0050	µg/L	MT
0	alpha-Benzene hexachloride	<0.50	µg/L	GE
0	Arsenic	<3.0	µg/L	MT
0	Arsenic	<2.0	µg/L	GE
0	Benzene	<3.0	µg/L	MT
0	Benzene	<1.0	µg/L	GE
0	beta-Benzene hexachloride	<0.010	µg/L	MT
0	beta-Benzene hexachloride	<0.50	µg/L	GE
0	Bis(2-ethylhexyl) phthalate	<10	µg/L	GE
0	Bromodichloromethane	<5.0	µg/L	MT
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<5.0	µg/L	MT
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<10	µg/L	MT
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<3.0	µg/L	MT
0	Cadmium	<2.0	µg/L	GE
0	Calcium	288	µg/L	MT
0	Calcium	288	µg/L	GE
0	Carbon tetrachloride	<5.0	µg/L	MT
0	Carbon tetrachloride	<1.0	µg/L	GE

WELL LFW 35 collected on 03/19/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Chlordane	<0.010	µg/L	MT
0	Chlordane	<0.50	µg/L	GE
0	Chloride	2100	µg/L	MT
0	Chloride	2600	µg/L	GE
0	Chlorobenzene	<5.0	µg/L	MT
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<10	µg/L	MT
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethane (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<5.0	µg/L	MT
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<10	µg/L	MT
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<5.0	µg/L	MT
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<5.0	µg/L	MT
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Copper	<5.0	µg/L	MT
0	Copper	<4.0	µg/L	GE
0	delta-Benzene hexachloride	<0.010	µg/L	MT
0	delta-Benzene hexachloride	<0.50	µg/L	GE
0	Di-n-octyl phthalate	<10	µg/L	GE
0	Dibromochloromethane	<5.0	µg/L	MT
0	Dibromochloromethane	<1.0	µg/L	GE
1	Dichloromethane (Methylene chloride)	5.0	µg/L	MT
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Dieldrin	<0.010	µg/L	MT
0	Dieldrin	<0.50	µg/L	GE
0	Diethyl phthalate	<10	µg/L	GE
0	Endosulfan I	<0.010	µg/L	MT
0	Endosulfan I	<0.50	µg/L	GE
0	Endosulfan II	<0.020	µg/L	MT
0	Endosulfan II	<0.50	µg/L	GE
0	Endosulfan sulfate	<0.020	µg/L	MT
0	Endosulfan sulfate	<0.50	µg/L	GE
0	Endrin	<0.0080	µg/L	MT
0	Endrin	<0.10	µg/L	GE
0	Endrin aldehyde	<0.025	µg/L	MT
0	Endrin aldehyde	<0.50	µg/L	GE
0	Ethylbenzene	<5.0	µg/L	MT
0	Ethylbenzene	<1.0	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.0050	µg/L	MT
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Heptachlor	<0.010	µg/L	MT
0	Heptachlor	<0.50	µg/L	GE
0	Heptachlor epoxide	<0.010	µg/L	MT
0	Heptachlor epoxide	<0.50	µg/L	GE
0	Iron	23	µg/L	MT
0	Iron	9.1	µg/L	GE
0	Lead	2.5	µg/L	MT
0	Lead	<8.0	µg/L	GE
0	Magnesium	338	µg/L	MT
0	Magnesium	204	µg/L	GE
0	Manganese	<5.0	µg/L	MT
0	Manganese	2.0	µg/L	GE
0	Mercury	<0.20	µg/L	MT
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	MT
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<5.2	µg/L	MT
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	270	µg/L	MT
0	Nitrate as nitrogen	220	µg/L	GE
0	p,p'-DDD	<0.020	µg/L	MT
0	p,p'-DDD	<0.50	µg/L	GE
0	p,p'-DDE	<0.010	µg/L	MT
0	p,p'-DDE	<0.50	µg/L	GE
0	p,p'-DDT	<0.020	µg/L	MT
0	p,p'-DDT	<0.50	µg/L	GE
0	PCB 1016	<0.30	µg/L	MT
0	PCB 1221	<0.30	µg/L	MT
0	PCB 1232	<0.30	µg/L	MT
0	PCB 1242	<0.30	µg/L	MT
0	PCB 1248	<0.30	µg/L	MT
0	PCB 1254	<0.50	µg/L	MT
0	PCB 1260	<0.50	µg/L	MT
0	Phenols	<5.0	µg/L	MT
0	Phenols	<5.0	µg/L	GE
0	Potassium	<800	µg/L	MT
0	Potassium	<500	µg/L	GE
0	Selenium	<3.0	µg/L	MT
0	Selenium	<2.0	µg/L	GE
0	Silica	6130	µg/L	GE
0	Silica	5880	µg/L	MT
0	Sodium	1450	µg/L	MT
0	Sodium	1450	µg/L	GE
0	Sulfate	<1000	µg/L	MT
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<5.0	µg/L	MT

ANALYTICAL RESULTS

WELL LFW 35 collected on 03/19/00, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Tetrachloroethylene	< 1.0	µg/L	GE
0	Thallium	< 2.0	µg/L	MT
0	Thallium	< 2.0	µg/L	GE
0	Toluene	< 5.0	µg/L	MT
0	Toluene	< 1.0	µg/L	GE
0	Total organic carbon	< 1000	µg/L	MT
0	Total organic carbon	< 1000	µg/L	GE
0	Total organic halogens	< 5.0	µg/L	MT
0	Total organic halogens	< 5.0	µg/L	GE
1	Total organic nitrogen	48	µg/L	MT
1	Total organic nitrogen	1200	µg/L	GE
0	Total phosphates	38	µg/L	MT
1	Total phosphates	440	µg/L	GE
0	Toxaphene	< 0.24	µg/L	MT
0	Toxaphene	< 1.0	µg/L	GE
0	trans-1,2-Dichloroethane	< 5.0	µg/L	MT
0	trans-1,2-Dichloroethane	< 1.0	µg/L	GE
0	trans-1,3-Dichloropropene	< 5.0	µg/L	MT
0	trans-1,3-Dichloropropene	< 1.0	µg/L	GE
0	Trichloroethylene	< 5.0	µg/L	MT
0	Trichloroethylene	< 1.0	µg/L	GE
0	Trichlorofluoromethane	< 5.0	µg/L	MT
0	Trichlorofluoromethane	< 1.0	µg/L	GE
0	Uranium	< 119	µg/L	MT
0	Uranium	< 1000	µg/L	GE
0	1,1-Dichloroethane	< 5.0	µg/L	MT
0	1,1-Dichloroethane	< 1.0	µg/L	GE
0	1,1-Dichloroethylene	< 5.0	µg/L	MT
0	1,1-Dichloroethylene	< 1.0	µg/L	GE
0	1,1,1-Trichloroethane	< 5.0	µg/L	MT
0	1,1,1-Trichloroethane	< 1.0	µg/L	GE
0	1,1,2-Trichloroethane	< 5.0	µg/L	MT
0	1,1,2-Trichloroethane	< 1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	< 5.0	µg/L	MT
0	1,1,2,2-Tetrachloroethane	< 1.0	µg/L	GE
0	1,2-Dichloroethane	< 5.0	µg/L	MT
0	1,2-Dichloroethane	< 1.0	µg/L	GE
0	1,2-Dichloropropane	< 5.0	µg/L	MT
0	1,2-Dichloropropane	< 1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	< 5.0	µg/L	MT
0	2-Chloroethyl vinyl ether	< 1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	< 0.48	µg/L	MT
0	(2,4-Dichlorophenoxy)acetic acid	< 0.30	µg/L	GE
0	2,4,5-TP (Silvex)	< 0.070	µg/L	MT
0	2,4,5-TP (Silvex)	< 0.000	µg/L	GE
0	Gross alpha	< 2.0	pCi/L	MT
0	Gross alpha	< 3.0	pCi/L	GE
0	Nonvolatile beta	< 5.0	pCi/L	MT
0	Nonvolatile beta	3.1 ± 2.3	pCi/L	GE
0	Total radium	1.1 ± 0.60	pCi/L	MT
0	Total radium	2.0 ± 2.2	pCi/L	GE
0	Tritium	3.3 ± 0.40	pCi/mL	MT
0	Tritium	4.3 ± 0.40	pCi/mL	GE

WELL LFW 35

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/19/00
 Depth to water: 28.99 ft (8.23 m) below TOC
 Water elevation: 157.11 ft (47.89 m) msl
 Sp. conductance: 15 µS/cm
 Water evacuated before sampling: 48 gal

Time: 10:35
 pH: 5.0
 Alkalinity: 0 mg/L
 Water temperature: 19.5°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	4.9	pH	MT
0	pH	5.3	pH	GE
0	Specific conductance	18	µS/cm	MT
0	Specific conductance	19	µS/cm	GE
0	Aldrin	< 0.010	µg/L	MT
0	Aldrin	< 0.50	µg/L	GE
0	alpha-Benzene hexachloride	< 0.0050	µg/L	MT
0	alpha-Benzene hexachloride	< 0.50	µg/L	GE
0	Arsenic	< 3.0	µg/L	MT
0	Arsenic	< 2.0	µg/L	GE
0	Benzene	< 5.0	µg/L	MT
0	Benzene	< 1.0	µg/L	GE
0	beta-Benzene hexachloride	< 0.010	µg/L	MT
0	beta-Benzene hexachloride	< 0.50	µg/L	GE
0	Bis(2-ethylhexyl) phthalate	< 10	µg/L	GE
0	Bromodichloromethane	< 5.0	µg/L	MT
0	Bromodichloromethane	< 1.0	µg/L	GE
0	Bromoform	< 5.0	µg/L	MT
0	Bromoform	< 1.0	µg/L	GE

WELL LFW 35 collected on 03/19/00, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Bromomethane (Methyl bromide)	< 10	µg/L	MT
0	Bromomethane (Methyl bromide)	< 1.0	µg/L	GE
0	Cadmium	< 3.0	µg/L	MT
0	Cadmium	< 2.0	µg/L	GE
0	Calcium	337	µg/L	MT
0	Calcium	310	µg/L	GE
0	Carbon tetrachloride	< 5.0	µg/L	MT
0	Carbon tetrachloride	< 1.0	µg/L	GE
0	Chlordane	< 0.010	µg/L	MT
0	Chlordane	< 0.50	µg/L	GE
0	Chloride	2100	µg/L	MT
0	Chloride	2500	µg/L	GE
0	Chlorobenzene	< 5.0	µg/L	MT
0	Chlorobenzene	< 1.0	µg/L	GE
0	Chloroethane	< 10	µg/L	MT
0	Chloroethane	< 1.0	µg/L	GE
0	Chloroethane (Vinyl chloride)	< 1.0	µg/L	GE
0	Chloroform	< 5.0	µg/L	MT
0	Chloroform	< 1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	< 10	µg/L	MT
0	Chloromethane (Methyl chloride)	< 1.0	µg/L	GE
0	Chromium	< 5.0	µg/L	MT
0	Chromium	< 4.0	µg/L	GE
0	cis-1,3-Dichloropropene	< 5.0	µg/L	MT
0	cis-1,3-Dichloropropene	< 1.0	µg/L	GE
0	Copper	< 5.0	µg/L	MT
0	Copper	< 4.0	µg/L	GE
0	delta-Benzene hexachloride	< 0.010	µg/L	MT
0	delta-Benzene hexachloride	< 0.50	µg/L	GE
0	Di-n-octyl phthalate	< 10	µg/L	GE
0	Dibromochloromethane	< 5.0	µg/L	MT
0	Dibromochloromethane	< 1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	< 5.0	µg/L	MT
0	Dichloromethane (Methylene chloride)	< 1.0	µg/L	GE
0	Dieldrin	< 0.010	µg/L	MT
0	Dieldrin	< 0.50	µg/L	GE
0	Diethyl phthalate	< 10	µg/L	GE
0	Endosulfan I	< 0.010	µg/L	MT
0	Endosulfan I	< 0.50	µg/L	GE
0	Endosulfan II	< 0.020	µg/L	MT
0	Endosulfan II	< 0.50	µg/L	GE
0	Endosulfan sulfate	< 0.020	µg/L	MT
0	Endosulfan sulfate	< 0.50	µg/L	GE
0	Endrin	< 0.0060	µg/L	MT
0	Endrin	< 0.10	µg/L	GE
0	Endrin aldehyde	< 0.025	µg/L	MT
0	Endrin aldehyde	< 0.50	µg/L	GE
0	Ethylbenzene	< 5.0	µg/L	MT
0	Ethylbenzene	< 1.0	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	< 0.0050	µg/L	MT
0	gamma-Benzene hexachloride (Lindane)	< 0.050	µg/L	GE
0	Heptachlor	< 0.010	µg/L	MT
0	Heptachlor	< 0.50	µg/L	GE
0	Heptachlor epoxide	< 0.010	µg/L	MT
0	Heptachlor epoxide	< 0.50	µg/L	GE
0	Iron	29	µg/L	MT
0	Iron	< 4.0	µg/L	GE
0	Lead	2.7	µg/L	MT
0	Lead	< 8.0	µg/L	GE
0	Magnesium	339	µg/L	MT
0	Magnesium	298	µg/L	GE
0	Manganese	< 5.0	µg/L	MT
0	Manganese	2.1	µg/L	GE
0	Mercury	< 0.20	µg/L	MT
0	Mercury	< 0.20	µg/L	GE
0	Methoxychlor	< 0.50	µg/L	MT
0	Methoxychlor	< 0.50	µg/L	GE
0	Nickel	< 5.2	µg/L	MT
0	Nickel	< 4.0	µg/L	GE
0	Nitrate as nitrogen	270	µg/L	MT
0	Nitrate as nitrogen	240	µg/L	GE
0	p,p'-DDD	< 0.020	µg/L	MT
0	p,p'-DDD	< 0.50	µg/L	GE
0	p,p'-DDE	< 0.010	µg/L	MT
0	p,p'-DDE	< 0.50	µg/L	GE
0	p,p'-DDT	< 0.020	µg/L	MT
0	p,p'-DDT	< 0.50	µg/L	GE
0	PCB 1018	< 0.30	µg/L	MT
0	PCB 1221	< 0.30	µg/L	MT
0	PCB 1232	< 0.30	µg/L	MT
0	PCB 1242	< 0.30	µg/L	MT
0	PCB 1248	< 0.30	µg/L	MT
0	PCB 1254	< 0.50	µg/L	MT
0	PCB 1260	< 0.50	µg/L	MT
0	Phenols	< 5.0	µg/L	MT
0	Phenols	< 5.0	µg/L	GE
0	Potassium	< 800	µg/L	MT
0	Potassium	< 500	µg/L	GE
0	Selenium	< 3.0	µg/L	MT

ANALYTICAL RESULTS

WELL LFW 35 collected on 03/10/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Selenium	<2.0	µg/L	GE
0	Silica	5310	µg/L	GE
0	Silica	5740	µg/L	MT
0	Sodium	1480	µg/L	MT
0	Sodium	1590	µg/L	GE
0	Sulfate	<1000	µg/L	MT
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<5.0	µg/L	MT
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Thallium	<2.0	µg/L	MT
0	Thallium	<2.0	µg/L	GE
0	Toluene	<5.0	µg/L	MT
0	Toluene	<1.0	µg/L	GE
0	Total organic carbon	<1000	µg/L	MT
0	Total organic carbon	<1000	µg/L	GE
1	Total organic halogens	18	µg/L	MT
0	Total organic halogens	<5.0	µg/L	GE
1	Total organic nitrogen	80	µg/L	MT
1	Total organic nitrogen	300	µg/L	GE
0	Total phosphates	18	µg/L	MT
1	Total phosphates	440	µg/L	GE
0	Toxaphene	<0.24	µg/L	MT
0	Toxaphene	<1.0	µg/L	GF
0	trans-1,2-Dichloroethane	<5.0	µg/L	MT
0	trans-1,2-Dichloroethane	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<5.0	µg/L	MT
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<5.0	µg/L	MT
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<5.0	µg/L	MT
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<119	µg/L	MT
0	Uranium	<1000	µg/L	GE
0	1,1-Dichloroethane	<5.0	µg/L	MT
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<5.0	µg/L	MT
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<5.0	µg/L	MT
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<5.0	µg/L	MT
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<5.0	µg/L	MT
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<5.0	µg/L	MT
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<5.0	µg/L	MT
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<5.0	µg/L	MT
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.48	µg/L	MT
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.070	µg/L	MT
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	<2.0	pCi/L	MT
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	<5.0	pCi/L	MT
0	Nonvolatile beta	2.3±2.2	pCi/L	GE
0	Total radium	1.2±0.40	pCi/L	MT
0	Total radium	<1.0	pCi/L	GE
0	Tritium	3.3±0.40	pCi/mL	MT
0	Tritium	3.6±0.40	pCi/mL	GE

WELL LFW 36

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/13/90
Depth to water: 25.01 ft (7.62 m) below TOC
Water elevation: 145.38 ft (44.32 m) msl
Sp. conductance: 300 µS/cm
Water evacuated before sampling: 42 gal

Time: 14:25
pH: 8.0
Alkalinity: 69 mg/L
Water temperature: 20.1°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	8.2	pH	GE
0	pH	8.3	pH	GE
1	Specific conductance	281	µS/cm	GE
1	Specific conductance	282	µS/cm	GE
0	Aldrin	<0.50	µg/L	GE
0	Aldrin	<0.50	µg/L	GE
0	alpha-Benzene hexachloride	<0.50	µg/L	GE
0	alpha-Benzene hexachloride	<0.50	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
1	Benzene	4.0	µg/L	GE

WELL LFW 36 collected on 03/13/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
1	Benzene	4.0	µg/L	GF
0	beta-Benzene hexachloride	<0.50	µg/L	GE
0	beta-Benzene hexachloride	<0.50	µg/L	GE
0	Bis(2-ethylhexyl) phthalate	<10	µg/L	GE
0	Bis(2-ethylhexyl) phthalate	<10	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	5550	µg/L	GE
0	Calcium	5820	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chlordane	<0.50	µg/L	GE
0	Chlordane	<0.50	µg/L	GE
1	Chloride	32000	µg/L	GE
1	Chloride	31600	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	delta-Benzene hexachloride	<0.50	µg/L	GE
0	delta-Benzene hexachloride	<0.50	µg/L	GE
0	Di-n-octyl phthalate	<10	µg/L	GE
0	Di-n-octyl phthalate	<10	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Dieldrin	<0.50	µg/L	GE
0	Dieldrin	<0.50	µg/L	GE
0	Diethyl phthalate	<10	µg/L	GE
0	Diethyl phthalate	<10	µg/L	GE
0	Endosulfan I	<0.50	µg/L	GE
0	Endosulfan I	<0.50	µg/L	GE
0	Endosulfan II	<0.50	µg/L	GE
0	Endosulfan II	<0.50	µg/L	GE
0	Endosulfan sulfate	<0.50	µg/L	GE
0	Endosulfan sulfate	<0.50	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Endrin aldehyde	<0.50	µg/L	GE
0	Endrin aldehyde	<0.50	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Heptachlor	<0.50	µg/L	GE
0	Heptachlor	<0.50	µg/L	GE
0	Heptachlor epoxide	<0.50	µg/L	GE
0	Heptachlor epoxide	<0.50	µg/L	GE
2	Iron	13800	µg/L	GE
2	Iron	14400	µg/L	GE
0	Lead	<8.0	µg/L	GE
0	Lead	<8.0	µg/L	GE
1	Magnesium	10900	µg/L	GE
1	Magnesium	11400	µg/L	GE
0	Manganese	19	µg/L	GE
0	Manganese	21	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	<50	µg/L	GE
0	Nitrate as nitrogen	<50	µg/L	GE
0	p,p'-DDD	<0.50	µg/L	GE
0	p,p'-DDD	<0.50	µg/L	GE
0	p,p'-DDE	<0.50	µg/L	GE
0	p,p'-DDE	<0.50	µg/L	GE
0	p,p'-DDT	<0.50	µg/L	GE
0	p,p'-DDT	<0.50	µg/L	GE

ANALYTICAL RESULTS

WELL LFW 36 collected on 03/13/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Phenols	<5.0	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	7840	µg/L	GE
0	Silica	8890	µg/L	GE
1	Sodium	15500	µg/L	GE
1	Sodium	18100	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Thallium	<2.0	µg/L	GE
0	Thallium	<2.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
1	Total organic carbon	8000	µg/L	GE
1	Total organic carbon	8000	µg/L	GE
2	Total organic halogens	218	µg/L	GE
2	Total organic halogens	248	µg/L	GE
0	Total organic nitrogen	<100	µg/L	GE
0	Total organic nitrogen	<100	µg/L	GE
0	Total phosphates	90	µg/L	GE
0	Total phosphates	90	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
1	Trichloroethylene	2.0	µg/L	GE
1	Trichloroethylene	2.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Uranium	<1000	µg/L	GE
1	1,1-Dichloroethane	79	µg/L	GE
0	1,1-Dichloroethane	88	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
1	1,2-Dichloroethane	8.0	µg/L	GE
1	1,2-Dichloroethane	9.0	µg/L	GE
1	1,2-Dichloropropene	2.0	µg/L	GE
1	1,2-Dichloropropene	2.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	2.4±3.3	pCi/L	GE
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Total radium	1.8±3.3	pCi/L	GE
1	Total radium	3.1±3.8	pCi/L	GE
1	Tridium	12±0.50	pCi/mL	GE
1	Tridium	12±0.50	pCi/mL	GE

WELL LFW 37

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/13/90
 Depth to water: 27.42 ft (8.36 m) below TOC
 Water elevation: 142.48 ft (43.43 m) msl
 Sp. conductance: 102 µS/cm
 Water evacuated before sampling: 35 gal

Time: 14:00
 pH: 4.8
 Alkalinity: 3 mg/L
 Water temperature: 20.7°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.2	pH	GE
1	Specific conductance	110	µS/cm	GE
0	Aldrin	<0.50	µg/L	GE
0	alpha-Benzene hexachloride	<0.50	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE

WELL LFW 37 collected on 03/13/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	beta-Benzene hexachloride	<0.50	µg/L	GE
0	Bis(2-ethylhexyl) phthalate	<10	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromofluoromethane	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	771	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chlordane	<0.50	µg/L	GE
1	Chloride	21500	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethane (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	delta-Benzene hexachloride	<0.50	µg/L	GE
0	Di-n-octyl phthalate	<10	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
1	Dichloromethane (Methylene chloride)	10	µg/L	GE
0	Dieldrin	<0.50	µg/L	GE
0	Diethyl phthalate	<10	µg/L	GE
0	Endosulfan I	<0.50	µg/L	GE
0	Endosulfan II	<0.50	µg/L	GE
0	Endosulfan sulfate	<0.50	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Endrin aldehyde	<0.50	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Heptachlor	<0.50	µg/L	GE
0	Heptachlor epoxide	<0.50	µg/L	GE
0	Iron	15	µg/L	GE
0	Lead	<8.0	µg/L	GE
0	Magnesium	1090	µg/L	GE
0	Manganese	<2.0	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	<50	µg/L	GE
0	p,p'-DDD	<0.50	µg/L	GE
0	p,p'-DDE	<0.50	µg/L	GE
0	p,p'-DDT	<0.50	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	5250	µg/L	GE
1	Sodium	5490	µg/L	GE
0	Sulfate	<5000	µg/L	GE
1	Tetrachloroethylene	1.0	µg/L	GE
0	Thallium	<2.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
1	Total organic carbon	5000	µg/L	GE
2	Total organic halogens	148	µg/L	GE
0	Total organic nitrogen	<100	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
2	Trichloroethylene	18	µg/L	GE
1	Trichlorofluoromethane	2.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
1	1,1-Dichloroethane	87	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
1	1,2-Dichloroethane	12	µg/L	GE
0	1,2-Dichloropropene	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	9.8±4.2	pCi/L	GE
1	Total radium	4.5±4.1	pCi/L	GE
1	Tridium	13±0.50	pCi/mL	GE

ANALYTICAL RESULTS

WELL LFW 38

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/13/90
Depth to water: 27.43 ft (8.36 m) below TOC
Water elevation: 142.87 ft (43.55 m) ms
Sp. conductance: 43 µS/cm
Water evacuated before sampling: 35 gal

Time: 13:35
pH: 4.5
Alkalinity: 0 mg/L
Water temperature: 21.9°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.1	pH	GE
0	Specific conductance	39	µS/cm	GE
0	Aldrin	<0.50	µg/L	GE
0	alpha-Benzene hexachloride	<0.50	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	beta-Benzene hexachloride	<0.50	µg/L	GE
0	Bis(2-ethylhexyl) phthalate	<10	µg/L	GE
0	Bromochloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	857	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chlordane	<0.50	µg/L	GE
1	Chloride	11400	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
1	Chloroform	8.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	delta-Benzene hexachloride	<0.50	µg/L	GE
0	Di-n-octyl phthalate	<10	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
1	Dichloromethane (Methylene chloride)	15	µg/L	GE
0	Dieldrin	<0.50	µg/L	GE
0	Diethyl phthalate	<10	µg/L	GE
0	Endosulfan I	<0.50	µg/L	GE
0	Endosulfan II	<0.50	µg/L	GE
0	Endosulfan sulfate	<0.50	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Endrin aldehyde	<0.50	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Heptachlor	<0.50	µg/L	GE
0	Heptachlor epoxide	<0.50	µg/L	GE
0	Iron	46	µg/L	GE
0	Lead	<8.0	µg/L	GE
0	Magnesium	729	µg/L	GE
0	Manganese	4.5	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	120	µg/L	GE
0	p,p'-DDD	<0.50	µg/L	GE
0	p,p'-DDE	<0.50	µg/L	GE
0	p,p'-DDT	<0.50	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	9110	µg/L	GE
0	Sodium	3710	µg/L	GE
0	Sulfate	<5000	µg/L	GE
1	Tetrachloroethylene	1.0	µg/L	GE
0	Thallium	<2.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total organic carbon	1000	µg/L	GE
2	Total organic halogens	109	µg/L	GE
0	Total organic nitrogen	<100	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
2	Trichloroethylene	12	µg/L	GE
1	Trichlorofluoromethane	25	µg/L	GE
0	Uranium	<1000	µg/L	GE
1	1,1-Dichloroethane	44	µg/L	GE
1	1,1-Dichloroethylene	4.0	µg/L	GE
1	1,1,1-Trichloroethane	15	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
1	1,2-Dichloroethane	2.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE

WELL LFW 38 collected on 03/13/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.080	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	3.8±2.4	pCi/L	GE
0	Total radium	<1.0	pCi/L	GE
0	Tritium	0.3±0.40	pCi/mL	GE

WELL LFW 39

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/13/90
Depth to water: 28.35 ft (8.64 m) below TOC
Water elevation: 143.05 ft (43.60 m) ms
Sp. conductance: 18 µS/cm
Water evacuated before sampling: 37 gal

Time: 12:05
pH: 4.7
Alkalinity: 0 mg/L
Water temperature: 23.3°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.1	pH	GE
0	Specific conductance	21	µS/cm	GE
0	Aldrin	<0.50	µg/L	GE
0	alpha-Benzene hexachloride	<0.50	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	beta-Benzene hexachloride	<0.50	µg/L	GE
0	Bis(2-ethylhexyl) phthalate	<10	µg/L	GE
0	Bromochloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	272	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chlordane	<0.50	µg/L	GE
0	Chloride	3100	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	delta-Benzene hexachloride	<0.50	µg/L	GE
0	Di-n-octyl phthalate	<10	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
1	Dichloromethane (Methylene chloride)	5.0	µg/L	GE
0	Dieldrin	<0.50	µg/L	GE
0	Diethyl phthalate	<10	µg/L	GE
0	Endosulfan I	<0.50	µg/L	GE
0	Endosulfan II	<0.50	µg/L	GE
0	Endosulfan sulfate	<0.50	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Endrin aldehyde	<0.50	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Heptachlor	<0.50	µg/L	GE
0	Heptachlor epoxide	<0.50	µg/L	GE
0	Iron	14	µg/L	GE
0	Lead	<8.0	µg/L	GE
0	Magnesium	378	µg/L	GE
0	Manganese	<2.0	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	210	µg/L	GE
0	p,p'-DDD	<0.50	µg/L	GE
0	p,p'-DDE	<0.50	µg/L	GE
0	p,p'-DDT	<0.50	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	8800	µg/L	GE
0	Sodium	1830	µg/L	GE
0	Sulfate	<5000	µg/L	GE
2	Tetrachloroethylene	137	µg/L	GE
0	Thallium	<2.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
2	Total organic halogens	121	µg/L	GE
0	Total organic nitrogen	<100	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE

ANALYTICAL RESULTS

WELL LFW 39 collected on 03/13/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
2	Trichloroethylene	4.0	µg/L	GE
1	Trichlorofluoromethane	47	µg/L	GE
0	Uranium	<1000	µg/L	GE
1	1,1-Dichloroethane	6.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
1	1,1,1-Trichloroethane	13	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	2.0±2.1	pCi/L	GE
2	Total radium	45±7.5	pCi/L	GE
0	Total radium	1.2±2.0	pCi/L	GE
0	Tritium	5.4±0.40	pCi/mL	GE

WELL LFW 40

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/13/90
 Depth to water: 28.41 ft (8.66 m) below TOC
 Water elevation: 142.59 ft (43.46 m) msl
 Sp. conductance: 26 µS/cm
 Water evacuated before sampling: 36 gal

Time: 11:45
 pH: 4.8
 Alkalinity: 0 mg/L
 Water temperature: 20.2°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.0	pH	GE
0	Specific conductance	27	µS/cm	GE
0	Aldrin	<0.50	µg/L	GE
0	alpha-Benzene hexachloride	<0.50	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	beta-Benzene hexachloride	<0.50	µg/L	GE
0	Bis(2-ethylhexyl) phthalate	<10	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	842	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chlordane	<0.50	µg/L	GE
0	Chloride	3400	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	delta-Benzene hexachloride	<0.50	µg/L	GE
0	Di-n-octyl phthalate	<10	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Dieldrin	<0.50	µg/L	GE
0	Diethyl phthalate	<10	µg/L	GE
0	Endosulfan I	<0.50	µg/L	GE
0	Endosulfan II	<0.50	µg/L	GE
0	Endosulfan sulfate	<0.50	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Endrin aldehyde	<0.50	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Heptachlor	<0.50	µg/L	GE
0	Heptachlor epoxide	<0.50	µg/L	GE
0	Iron	9.7	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	619	µg/L	GE
0	Manganese	<2.0	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	990	µg/L	GE
0	p,p'-DDD	<0.50	µg/L	GE
0	p,p'-DDE	<0.50	µg/L	GE
0	p,p'-DDT	<0.50	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	6840	µg/L	GE

WELL LFW 40 collected on 03/13/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Sodium	1890	µg/L	GE
0	Sulfate	<5000	µg/L	GE
1	Tetrachloroethylene	2.0	µg/L	GE
0	Thallium	<2.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
2	Total organic halogens	370	µg/L	GE
0	Total organic nitrogen	<100	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
2	Trichloroethylene	6.0	µg/L	GE
1	Trichlorofluoromethane	262	µg/L	GE
0	Uranium	<1000	µg/L	GE
1	1,1-Dichloroethane	10	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
1	1,1,1-Trichloroethane	52	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	2.2±2.2	pCi/L	GE
2	Total radium	49±7.9	pCi/L	GE
0	Total radium	1.0±1.9	pCi/L	GE
0	Tritium	4.0±0.40	pCi/mL	GE

WELL LFW 41

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/13/90
 Depth to water: 26.43 ft (8.06 m) below TOC
 Water elevation: 144.07 ft (43.91 m) msl
 Sp. conductance: 15 µS/cm
 Water evacuated before sampling: 42 gal

Time: 11:20
 pH: 4.9
 Alkalinity: 2 mg/L
 Water temperature: 20.0°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.2	pH	GE
0	Specific conductance	17	µS/cm	GE
0	Aldrin	<0.50	µg/L	GE
0	alpha-Benzene hexachloride	<0.50	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	beta-Benzene hexachloride	<0.50	µg/L	GE
0	Bis(2-ethylhexyl) phthalate	<10	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	298	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chlordane	<0.50	µg/L	GE
0	Chloride	2000	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	delta-Benzene hexachloride	<0.50	µg/L	GE
0	Di-n-octyl phthalate	<10	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Dieldrin	<0.50	µg/L	GE
0	Diethyl phthalate	<10	µg/L	GE
0	Endosulfan I	<0.50	µg/L	GE
0	Endosulfan II	<0.50	µg/L	GE
0	Endosulfan sulfate	<0.50	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Endrin aldehyde	<0.50	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Heptachlor	<0.50	µg/L	GE
0	Heptachlor epoxide	<0.50	µg/L	GE
0	Iron	8.6	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	292	µg/L	GE

ANALYTICAL RESULTS

WELL LFW 41 collected on 03/13/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Manganese	<2.0	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	230	µg/L	GE
0	p,p'-DDD	<0.50	µg/L	GE
0	p,p'-DDE	<0.50	µg/L	GE
0	p,p'-DDT	<0.50	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	5700	µg/L	GE
0	Sodium	1240	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Thallium	<2.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	57	µg/L	GE
0	Total organic nitrogen	<100	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	8.4 ± 2.7	pCi/L	GE
0	Total radium	1.3 ± 2.1	pCi/L	GE
0	Tritium	5.1 ± 0.40	pCi/mL	GE

WELL LFW 42

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/13/90
Depth to water: 24.06 ft (7.33 m) below TOC
Water elevation: 146.04 ft (44.51 m) msl
Sp. conductance: 15 µS/cm
Water evacuated before sampling: 44 gal

Time: 10:55
pH: 4.9
Alkalinity: 1 mg/L
Water temperature: 19.8°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.3	pH	GE
0	Specific conductance	19	µS/cm	GE
0	Aldrin	<0.50	µg/L	GE
0	alpha-Benzene hexachloride	<0.50	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	beta-Benzene hexachloride	<0.50	µg/L	GE
0	Bis(2-ethylhexyl) phthalate	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromofom	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	29.1	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chlordane	<0.50	µg/L	GE
0	Chloride	2500	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	delta-Benzene hexachloride	<0.50	µg/L	GE
0	Di-n-octyl phthalate	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Dieldrin	<0.50	µg/L	GE
0	Diethyl phthalate	<1.0	µg/L	GE
0	Endosulfan I	<0.50	µg/L	GE

WELL LFW 42 collected on 03/13/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Endosulfan II	<0.50	µg/L	GE
0	Endosulfan sulfate	<0.50	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Endrin aldehyde	<0.50	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Heptachlor	<0.50	µg/L	GE
0	Heptachlor epoxide	<0.50	µg/L	GE
0	Iron	33	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	334	µg/L	GE
0	Manganese	<2.0	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	410	µg/L	GE
0	p,p'-DDD	<0.50	µg/L	GE
0	p,p'-DDE	<0.50	µg/L	GE
0	p,p'-DDT	<0.50	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	5190	µg/L	GE
0	Sodium	1020	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Thallium	<2.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total organic nitrogen	<100	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	5.7 ± 4.0	pCi/L	GE
1	Total radium	3.0 ± 2.5	pCi/L	GE
0	Tritium	3.7 ± 0.40	pCi/mL	GE

WELL LRP 1

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/14/90
Depth to water: 48.31 ft (14.73 m) below TOC
Water elevation: 204.59 ft (62.36 m) msl
Sp. conductance: 23 µS/cm
Water evacuated before sampling: 53 gal

Time: 15:45
pH: 4.8
Alkalinity: 0 mg/L
Water temperature: 19.9°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	Carbon tetrachloride	1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Iron	18	µg/L	GE
0	Lead	19	µg/L	GE
0	Manganese	13	µg/L	GE
0	Silica	8100	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE

ANALYTICAL RESULTS

WELL LRP 2

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/14/90 Time: 16:05
 Depth to water: 49.33 ft (15.04 m) below TOC pH: 5.1
 Water elevation: 207.37 ft (63.21 m) msl Alkalinity: 1 mg/L
 Sp. conductance: 37 µS/cm Water temperature: 19.8°C
 Water evacuated before sampling: 59 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Iron	21	µg/L	GE
2	Lead	90	µg/L	GE
0	Manganese	14	µg/L	GE
0	Silica	6800	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE

WELL LRP 3

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/14/90 Time: 14:55
 Depth to water: 51.99 ft (15.85 m) below TOC pH: 4.7
 Water elevation: 206.21 ft (62.85 m) msl Alkalinity: 0 mg/L
 Sp. conductance: 31 µS/cm Water temperature: 19.5°C
 Water evacuated before sampling: 39 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	Carbon tetrachloride	2.0	µg/L	GE
1	Chloroform	1.0	µg/L	GE
0	Iron	28	µg/L	GE
2	Lead	54	µg/L	GE
0	Manganese	15	µg/L	GE
0	Silica	6720	µg/L	GE
2	Tetrachloroethylene	5.0	µg/L	GE
0	Total organic halogens	7.0	µg/L	GE
2	Trichloroethylene	4.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE

WELL LRP 4

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/14/90 Time: 15:20
 Depth to water: 50.16 ft (15.29 m) below TOC pH: 4.8
 Water elevation: 205.44 ft (62.62 m) msl Alkalinity: 0 mg/L
 Sp. conductance: 27 µS/cm Water temperature: 20.2°C
 Water evacuated before sampling: 84 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Iron	30	µg/L	GE
0	Lead	<8.0	µg/L	GE
0	Manganese	7.4	µg/L	GE
0	Silica	6750	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE

WELL LSB 1

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/06/90 Time: 9:45
 Depth to water: 22.33 ft (6.81 m) below TOC pH: 4.8
 Water elevation: 210.37 ft (64.12 m) msl Alkalinity: 0 mg/L
 Sp. conductance: 23 µS/cm Water temperature: 20.2°C
 Water evacuated before sampling: 47 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	4.8	pH	MT
0	pH	4.8	pH	MT
0	Copper	12	µg/L	MT
0	Copper	11	µg/L	MT
0	Lead	16	µg/L	MT
0	Nitrate as nitrogen	1200	µg/L	MT
0	Phenols	<5.0	µg/L	MT
0	Silica	5010	µg/L	MT
0	Silica	4890	µg/L	MT
0	Total organic carbon	<1000	µg/L	MT
0	Gross alpha	<2.0	pCi/L	MT
0	Nonvolatile beta	<4.0	pCi/L	MT
1	Total activity	4720±10	pCi/mL	EM
2	Tritium	4100±500	pCi/mL	MT
2	Tritium	4180±500	pCi/mL	MT
2	Tritium	4720±10	pCi/mL	EM

WELL LSB 2

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/06/90 Time: 10:25
 Depth to water: 23.66 ft (7.31 m) below TOC pH: 4.4
 Water elevation: 211.22 ft (64.38 m) msl Alkalinity: 0 mg/L
 Sp. conductance: 32 µS/cm Water temperature: 22.5°C
 Water evacuated before sampling: 42 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	4.0	pH	MT
0	Copper	9.9	µg/L	MT
0	Lead	12	µg/L	MT
0	Nitrate as nitrogen	1500	µg/L	MT
0	Phenols	<5.0	µg/L	MT
0	Silica	4830	µg/L	MT
0	Total organic carbon	<1000	µg/L	MT
0	Gross alpha	<2.0	pCi/L	MT
0	Nonvolatile beta	<5.0	pCi/L	MT
0	Tritium	4.8±0.50	pCi/mL	MT

WELL LSB 3

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/06/90 Time: 10:45
 Depth to water: 20.60 ft (6.28 m) below TOC pH: 4.9
 Water elevation: 215.80 ft (65.78 m) msl Alkalinity: 0 mg/L
 Sp. conductance: 20 µS/cm Water temperature: 20.8°C
 Water evacuated before sampling: 50 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	4.4	pH	MT
1	Copper	38	µg/L	MT
1	Lead	24	µg/L	MT
0	Lead	16	µg/L	MT
0	Nitrate as nitrogen	900	µg/L	MT
0	Phenols	<5.0	µg/L	MT
0	Silica	4870	µg/L	MT
0	Total organic carbon	1080	µg/L	MT
0	Gross alpha	<2.0	pCi/L	MT
0	Nonvolatile beta	<5.0	pCi/L	MT
0	Tritium	8.4±0.90	pCi/mL	MT

ANALYTICAL RESULTS

WELL LSB 4

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/06/90 Time: 9:15
 Depth to water: 14.98 ft (4.56 m) below TOC pH: 4.7
 Water elevation: 218.54 ft (66.00 m) msl Alkalinity: 0 mg/L
 Sp. conductance: 33 µS/cm Water temperature: 19.2°C
 Water evacuated before sampling: 86 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	4.3	pH	MT
0	Copper	15	µg/L	MT
0	Lead	12	µg/L	MT
0	Lead	12	µg/L	MT
0	Nitrate as nitrogen	1800	µg/L	MT
0	Phenols	<5.0	µg/L	MT
0	Phenols	<5.0	µg/L	MT
0	Silica	5310	µg/L	MT
0	Total organic carbon	<1000	µg/L	MT
0	Gross alpha	<2.0	pCi/L	MT
0	Nonvolatile beta	<4.0	pCi/L	MT
1	Total activity	4080 ± 10	pCi/mL	EM
2	Tritium	3800 ± 400	pCi/mL	MT
2	Tritium	4080 ± 10	pCi/mL	EM

WELL MCB 2

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/04/90 Time: 11:45
 Depth to water: 109.66 ft (33.42 m) below TOC pH: 8.0
 Water elevation: 218.74 ft (66.67 m) msl Alkalinity: 8 mg/L
 Sp. conductance: 45 µS/cm Water temperature: 17.6°C
 Water evacuated before sampling: 10 gal
 The well went dry during purging.

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.9	pH	GE
0	Arsenic	<2.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Calcium	2960	µg/L	GE
2	Carbon tetrachloride	4.0	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	MA
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Iron	27	µg/L	GE
0	Manganese	4.6	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Silica	8140	µg/L	GE
1	Tetrachloroethylene	4.0	µg/L	GE
2	Tetrachloroethylene	6.3	µg/L	MA
0	Toluene	<1.0	µg/L	GE
2	Total organic halogens	34	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	MA
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
2	Trichloroethylene	50	µg/L	GE
2	Trichloroethylene	53	µg/L	MA
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	MA
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	MA
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Total radium	1.5 ± 2.1	pCi/L	GE

WELL MCB 4

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/04/90 Time: 11:20
 Depth to water: 130.84 ft (39.88 m) below TOC pH: 5.3
 Water elevation: 219.56 ft (66.92 m) msl Alkalinity: 1 mg/L
 Sp. conductance: 89 µS/cm Water temperature: 17.8°C
 Water evacuated before sampling: 2 gal
 The well went dry during purging.

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.3	pH	GE
0	Arsenic	<2.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Calcium	998	µg/L	GE
2	Carbon tetrachloride	6.0	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	MA
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Iron	22	µg/L	GE
0	Manganese	6.4	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Silica	7840	µg/L	GE
2	Tetrachloroethylene	19	µg/L	GE
2	Tetrachloroethylene	25	µg/L	MA
0	Toluene	<1.0	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	MA
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
2	Trichloroethylene	49	µg/L	GE
2	Trichloroethylene	57	µg/L	MA
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	MA
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	MA
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Total radium	1.8 ± 2.2	pCi/L	GE

WELL MCB 5

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/04/90 Time: 10:20
 Depth to water: 118.96 ft (36.26 m) below TOC pH: 8.0
 Water elevation: 220.84 ft (67.25 m) msl Alkalinity: 9 mg/L
 Sp. conductance: 29 µS/cm Water temperature: 17.2°C
 Water evacuated before sampling: 9 gal
 The well went dry during purging.

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	6.4	pH	GE
0	Arsenic	<2.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Calcium	7230	µg/L	GE
2	Carbon tetrachloride	25	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
1	Chloroform	5.0	µg/L	GE
0	Chloroform	<5.0	µg/L	MA
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE

ANALYTICAL RESULTS

WELL MCB 5 collected on 03/04/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Iron	11	µg/L	GE
0	Manganese	8.1	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Silica	8070	µg/L	GE
2	Tetrachloroethylene	50	µg/L	GE
2	Tetrachloroethylene	78	µg/L	MA
0	Toluene	<1.0	µg/L	GE
2	Total organic halogens	382	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<5.0	µg/L	MA
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
2	Trichloroethylene	448	µg/L	GE
2	Trichloroethylene	562	µg/L	MA
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<5.0	µg/L	MA
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<5.0	µg/L	MA
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
1	Total radium	3.6±3.9	pCi/L	GE

WELL MCB 5C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/04/90 Time: 10:35
 Depth to water: 145.75 ft (44.43 m) below TOC pH: 12.3
 Water elevation: 193.35 ft (58.93 m) msl Alkalinity: 702 mg/L
 Sp. conductance: 2890 µS/cm Water temperature: 17.6°C
 Water evacuated before sampling: 12 gal
 The well went dry during purging.

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
2	pH	12	pH	GE
1	Specific conductance	2930	µS/cm	GE
0	Arsenic	<2.0	µg/L	GE
1	Barium	369	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
1	Calcium	80800	µg/L	GE
1	Carbon tetrachloride	1.0	µg/L	GE
0	Chloride	1700	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloroform	<5.0	µg/L	MA
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
1	Chromium	9.5	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	100	µg/L	GE
0	Iron	23	µg/L	GE
2	Lead	33	µg/L	GE
0	Magnesium	13	µg/L	GE
0	Manganese	<2.0	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Nitrate as nitrogen	410	µg/L	GE
1	Phenols	14	µg/L	GE
1	Potassium	101000	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	5780	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	57900	µg/L	GE
0	Sulfate	<5000	µg/L	GE
2	Tetrachloroethylene	8.0	µg/L	GE
2	Tetrachloroethylene	10	µg/L	MA
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	801000	µg/L	GE
0	Total organic carbon	3000	µg/L	GE

WELL MCB 5C collected on 03/04/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	80	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<5.0	µg/L	MA
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
2	Trichloroethylene	148	µg/L	GE
2	Trichloroethylene	170	µg/L	MA
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<5.0	µg/L	MA
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<5.0	µg/L	MA
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
2	Nonvolatile beta	85±5.4	pCi/L	GE
2	Total radium	7.1±3.3	pCi/L	GE
0	Tritium	0.80±0.30	pCi/mL	GE
0	Tritium	<0.70	pCi/mL	GE

WELL MCB 6

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/04/90 Time: 9:50
 Depth to water: 118.78 ft (35.59 m) below TOC pH: 5.8
 Water elevation: 215.34 ft (65.64 m) msl Alkalinity: 8 mg/L
 Sp. conductance: 43 µS/cm Water temperature: 15.9°C
 Water evacuated before sampling: 1 gal
 The well went dry during purging.

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	6.1	pH	GE
0	Specific conductance	35	µS/cm	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	11	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	1740	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	1800	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	MA
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	Iron	34	µg/L	GE
0	Lead	9.2	µg/L	GE
0	Magnesium	222	µg/L	GE
2	Manganese	71	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Nitrate as nitrogen	250	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	1830	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	7870	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	2900	µg/L	GE
0	Sulfate	<5000	µg/L	GF
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	MA
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	24000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	MA
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
1	Trichloroethylene	1.0	µg/L	GE
1	Trichloroethylene	1.1	µg/L	MA
0	Trichlorofluoromethane	<1.0	µg/L	GE

ANALYTICAL RESULTS

WELL MCB 6C collected on 03/04/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	MA
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	MA
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Gross alpha	<2.0	pCi/L	GE
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Total radium	<1.0	pCi/L	GE
0	Tritium	1.3±0.30	pCi/mL	GE

WELL MCB 6C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/04/90 Time: 9:10
 Depth to water: 136.15 ft (41.50 m) below TOC pH: 10.5
 Water elevation: 195.95 ft (59.73 m) msl Alkalinity: 99 mg/L
 Sp. conductance: 191 µS/cm Water temperature: 17.1°C
 Water evacuated before sampling: 24 gal
 The well went dry during purging.

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
2	pH	10	pH	GE
1	Specific conductance	237	µS/cm	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	19	µg/L	GE
1	Benzene	1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
1	Calcium	14400	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	2000	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloroform	<2.0	µg/L	MA
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	Iron	24	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	146	µg/L	GE
0	Manganese	<2.0	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Nitrate as nitrogen	380	µg/L	GE
1	Phenols	18	µg/L	GE
1	Potassium	10100	µg/L	GE
0	Selenium	<2.0	µg/L	GE
1	Silica	35100	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	12200	µg/L	GE
0	Sulfate	5900	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Tetrachloroethylene	<2.0	µg/L	MA
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	157000	µg/L	GE
0	Total organic carbon	2000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	220	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<2.0	µg/L	MA
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichloroethylene	<2.0	µg/L	MA
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	MA
0	1,1-Dichloroethylene	<2.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<2.0	µg/L	MA
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE

WELL MCB 6C collected on 03/04/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
1	Gross alpha	7.9±2.2	pCi/L	GE
1	Nonvolatile beta	19±3.8	pCi/L	GE
2	Total radium	8.4±4.9	pCi/L	GE
0	Tritium	<0.70	pCi/mL	GE

WELL MCB 7C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/04/90 Time: 10:55
 Depth to water: 144.94 ft (44.18 m) below TOC pH: 12.7
 Water elevation: 192.76 ft (58.75 m) msl Alkalinity: 1546 mg/L
 Sp. conductance: 5870 µS/cm Water temperature: 18.2°C
 Water evacuated before sampling: 14 gal
 The well went dry during purging.

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
2	pH	12	pH	GE
1	Specific conductance	233	µS/cm	GE
0	Arsenic	<2.0	µg/L	GE
1	Barium	239	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
1	Calcium	60500	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	1400	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloroform	<5.0	µg/L	MA
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
1	Chromium	5.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	Iron	15	µg/L	GE
0	Lead	11	µg/L	GE
0	Magnesium	8.3	µg/L	GE
0	Manganese	<2.0	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Nitrate as nitrogen	840	µg/L	GE
1	Phenols	20	µg/L	GE
1	Potassium	19900	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	4570	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	30100	µg/L	GE
0	Sulfate	<5000	µg/L	GE
1	Tetrachloroethylene	3.0	µg/L	GE
0	Tetrachloroethylene	<5.0	µg/L	MA
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	497000	µg/L	GE
0	Total organic carbon	2000	µg/L	GE
1	Total organic halogens	11	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<5.0	µg/L	MA
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
2	Trichloroethylene	18	µg/L	GE
2	Trichloroethylene	6.7	µg/L	MA
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<5.0	µg/L	MA
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<5.0	µg/L	MA
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
1	Nonvolatile beta	14±4.5	pCi/L	GE
2	Total radium	23±7.2	pCi/L	GE
0	Tritium	3.4±0.40	pCi/mL	GE

ANALYTICAL RESULTS

WELL MGA 36

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/14/90 Time: 9:30
The well was dry.

WELL MGC 9

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/14/90 Time: 10:50
Depth to water: 55.70 ft (16.98 m) below TOC pH: 6.8
Water elevation: 228.40 ft (69.62 m) msl
Sp. conductance: 28 μ S/cm
No water was evacuated before sampling. Water temperature: 20.2°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Gross alpha	3.1 $\pm$ 1.7	pCi/L	EM
1	Nonvolatile beta	13 $\pm$ 2.4	pCi/L	EM
2	Tritium	2310 $\pm$ 120	pCi/mL	EM

WELL MGC 11

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/14/90 Time: 9:40
The well was dry.

WELL MGC 19

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/14/90 Time: 9:45
Depth to water: 55.10 ft (16.79 m) below TOC pH: 6.8
Water elevation: 231.50 ft (70.56 m) msl
Sp. conductance: 15 μ S/cm
The well was dry. Water temperature: 19.8°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
2	Gross alpha	69 $\pm$ 10	pCi/L	MT
1	Gross alpha	9.9 $\pm$ 2.8	pCi/L	GE
0	Gross alpha	2.0 $\pm$ 0.98	pCi/L	EM
1	Nonvolatile beta	48 $\pm$ 8.0	pCi/L	MT
0	Nonvolatile beta	9.0 $\pm$ 2.1	pCi/L	GE
0	Nonvolatile beta	1.5 $\pm$ 0.98	pCi/L	EM
2	Tritium	53 $\pm$ 6.0	pCi/mL	MT
2	Tritium	58 $\pm$ 1.0	pCi/mL	GE
2	Tritium	32 $\pm$ 1.4	pCi/mL	EM

WELL MGC 23

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/14/90 Time: 9:50
The well was dry.

WELL MGC 32

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/14/90 Time: 10:25
Depth to water: 54.20 ft (16.52 m) below TOC pH: 4.7
Water elevation: 243.80 ft (74.31 m) msl
Sp. conductance: 58 μ S/cm
No water was evacuated before sampling. Water temperature: 19.8°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Gross alpha	2.4 $\pm$ 1.1	pCi/L	EM
0	Nonvolatile beta	4.7 $\pm$ 1.4	pCi/L	EM
2	Tritium	3070 $\pm$ 40	pCi/mL	EM

WELL MGC 36

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/14/90 Time: 9:35
Depth to water: 81.10 ft (24.72 m) below TOC pH: 4.7
Water elevation: 235.50 ft (71.78 m) msl
Sp. conductance: 34 μ S/cm
No water was evacuated before sampling. Water temperature: 19.0°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Gross alpha	2.8 $\pm$ 1.1	pCi/L	EM
0	Nonvolatile beta	1.4 $\pm$ 0.95	pCi/L	EM
2	Tritium	4880 $\pm$ 20	pCi/mL	EM

WELL MGE 9

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/14/90 Time: 10:20
The well was dry.

WELL MGE 21

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/14/90 Time: 10:25
The well was dry.

WELL MGE 30

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/14/90 Time: 10:15
Depth to water: 47.20 ft (14.39 m) below TOC pH: 4.8
Water elevation: 235.00 ft (71.63 m) msl
Sp. conductance: 60 μ S/cm
No water was evacuated before sampling. Water temperature: 19.5°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
2	Gross alpha	140 $\pm$ 40	pCi/L	MT
1	Gross alpha	7.0 $\pm$ 2.2	pCi/L	GE
1	Gross alpha	9.2 $\pm$ 5.4	pCi/L	EM
2	Nonvolatile beta	190 $\pm$ 40	pCi/L	MT
0	Nonvolatile beta	9.7 $\pm$ 2.3	pCi/L	GE
0	Nonvolatile beta	2.1 $\pm$ 1.1	pCi/L	EM
2	Tritium	130 $\pm$ 10	pCi/mL	MT
2	Tritium	218 $\pm$ 1.5	pCi/mL	GE
2	Tritium	139 $\pm$ 2.7	pCi/mL	EM

ANALYTICAL RESULTS

WELL MGE 34

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/14/90 Time: 10:00
The well was dry.

WELL MGG 15

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/14/90 Time: 11:05
The well was dry.

WELL MGG 19

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/14/90 Time: 11:10
The well was dry.

WELL MGG 23

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/14/90 Time: 11:15
The well was dry.

WELL MGG 28

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/14/90 Time: 10:05
Depth to water: 42.50 ft (12.95 m) below TOC pH: 5.4
Water elevation: 234.00 ft (71.32 m) msf
Sp. conductance: 59 µS/cm
No water was evacuated before sampling. Water temperature: 19.8°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Gross alpha	0.94±0.55	pCi/L	EM
0	Nonvolatile beta	1.1±0.92	pCi/L	EM
2	Tritium	140±2.7	pCi/mL	EM

WELL MGG 36

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/14/90 Time: 9:55
Depth to water: 55.60 ft (18.95 m) below TOC pH: 5.7
Water elevation: 235.60 ft (71.81 m) msf
Sp. conductance: 20 µS/cm
No water was evacuated before sampling. Water temperature: 19.8°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Gross alpha	2.8±2.2	pCi/L	EM
0	Nonvolatile beta	4.7±3.5	pCi/L	EM
2	Tritium	350000±1900	pCi/mL	EM

WELL MSB 1A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/13/90 Time: 17:05
The well was dry.

WELL MSB 2A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/28/90 Time: 11:15
Depth to water: Not available pH: 4.2
Water elevation: Not available Alkalinity: 0 mg/L
Sp. conductance: 38 µS/cm
Water evacuated before sampling: 19 gal
Water temperature: 18.5°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	4.4	pH	GE
0	pH	4.5	pH	GE
0	Specific conductance	32	µS/cm	GE
0	Specific conductance	32	µS/cm	GE
1	Aluminum	288	µg/L	GE
1	Aluminum	238	µg/L	GE
0	Antimony	<1.0	µg/L	GE
0	Antimony	<1.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	5.3	µg/L	GE
0	Barium	4.7	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	833	µg/L	GE
0	Calcium	730	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbonate	<1000	µg/L	GE
0	Carbonate	<1000	µg/L	GE
0	Chloride	2900	µg/L	GE
0	Chloride	2800	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
1	Copper	282	µg/L	GE
1	Copper	277	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	22	µg/L	GE
0	Iron	8.2	µg/L	GE
2	Lead	28	µg/L	GE
2	Lead	29	µg/L	GE
0	Manganese	5.0	µg/L	GE
0	Manganese	4.8	µg/L	GE
0	Mercury	<0.20	µg/L	GE

ANALYTICAL RESULTS

WELL MSB 2A collected on 01/28/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nickel	1.7	µg/L	GE
0	Nitrate as nitrogen	1390	µg/L	GE
0	Nitrate as nitrogen	1380	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	7430	µg/L	GE
0	Silica	8900	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	2140	µg/L	GE
0	Sodium	1740	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Sulfate	<5000	µg/L	GE
2	Tetrachloroethylene	988	µg/L	GE
2	Tetrachloroethylene	855	µg/L	GE
0	Tin	<2.0	µg/L	GE
0	Tin	<2.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
2	Total organic halogens	795	µg/L	GE
2	Total organic halogens	799	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
2	Trichloroethylene	218	µg/L	GE
2	Trichloroethylene	288	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Zinc	32	µg/L	GE
0	Zinc	30	µg/L	GE
1	1,1-Dichloroethane	3.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
1	1,1-Dichloroethylene	13	µg/L	GE
1	1,1-Dichloroethylene	11	µg/L	GE
1	1,1,1-Trichloroethane	32	µg/L	GE
1	1,1,1-Trichloroethane	25	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	3.2±2.8	pCi/L	GE
0	Gross alpha	3.2±1.7	pCi/L	GE
0	Nonvolatile beta	3.9±3.8	pCi/L	GE
0	Nonvolatile beta	5.4±2.8	pCi/L	GE
0	Total radium	1.5±2.0	pCi/L	GE
0	Total radium	<1.0	pCi/L	GE

WELL MSB 2A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/08/90 Time: 8:20
 Depth to water: Not available pH: 4.6
 Water elevation: Not available Alkalinity: 0 mg/L
 Sp. conductance: 33 µS/cm Water temperature: 17.5°C
 Water evacuated before sampling: 19 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Antimony	<3.0	µg/L	GE
1	Benzene	1.0	µg/L	GE
0	Bromodichloro methane	<1.0	µg/L	GE
0	Bromofom	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
1	Dichloromethane (Methylene chloride)	8.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
2	Tetrachloroethylene	850	µg/L	GE
0	Tin	<2.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
2	Trichloroethylene	292	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
1	1,1-Dichloroethane	2.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
1	1,1,1-Trichloroethane	27	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE

WELL MSB 3A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/13/90 Time: 18:55
 Inaccessibility or pump failure prevented sample collection.

WELL MSB 4A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/13/90 Time: 18:45
 The well was dry.

WELL MSB 5A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/28/90 Time: 9:40
 Depth to water: Not available pH: 5.8
 Water elevation: Not available Alkalinity: 3 mg/L
 Sp. conductance: 13 µS/cm Water temperature: 17.8°C
 Water evacuated before sampling: 26 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.7	pH	GE
1	Specific conductance	104	µS/cm	GE
0	Aluminum	22	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	5.8	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Beryllium	<5.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE

ANALYTICAL RESULTS

WELL MSB 5A collected on 01/28/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	2890	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbonate	<10000	µg/L	GE
0	Chloride	2500	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Copper	17	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	11	µg/L	GE
0	Lead	7.3	µg/L	GE
0	Manganese	3.9	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<4.0	µg/L	GE
1	Nitrate as nitrogen	7890	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	7150	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	18300	µg/L	GE
0	Sulfate	<5000	µg/L	GE
2	Tetrachloroethylene	15	µg/L	GE
0	Tin	<2.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
1	Total organic halogens	21	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
2	Trichloroethylene	11	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Zinc	40	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
1	1,1-Dichloroethylene	3.0	µg/L	GE
1	1,1,1-Trichloroethane	3.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
2	Gross alpha	24 ± 4.3	pCi/L	GE
1	Nonvolatile beta	17 ± 3.8	pCi/L	GE
1	Total radium	3.9 ± 2.6	pCi/L	GE

WELL MSB 5A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/10/90
Depth to water: Not available
Water elevation: Not available
Sp. conductance: 104 µS/cm
Water evacuated before sampling: 26 gal

Time: 9:35
pH: 5.3
Alkalinity: 3 mg/L
Water temperature: 19.1°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Antimony	<3.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Beryllium	<5.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE

WELL MSB 5A collected on 03/10/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
2	Tetrachloroethylene	15	µg/L	GE
0	Tin	<2.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
2	Trichloroethylene	15	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Vanadium	<10	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
1	1,1,1-Trichloroethane	3.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE

WELL MSB 6A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/28/90
Depth to water: 119.06 ft (36.29 m) below TOC
Water elevation: 224.84 ft (68.53 m) msl
Sp. conductance: 55 µS/cm
Water evacuated before sampling: 37 gal

Time: 10:10
pH: 5.4
Alkalinity: 2 mg/L
Water temperature: 17.5°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.5	pH	GE
0	Specific conductance	35	µS/cm	GE
0	Aluminum	60	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	5.3	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	977	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbonate	<1000	µg/L	GE
0	Chloride	5000	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Copper	1.8	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	32	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Manganese	5.7	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	280	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	8040	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	7850	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Tin	<2.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE

ANALYTICAL RESULTS

WELL MSB 6A collected on 01/28/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethane	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Zinc	6.1	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Total radium	<1.0	pCi/L	GE

WELL MSB 6A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/10/90
 Depth to water: 118.55 ft (36.13 m) below TOC
 Water elevation: 225.35 ft (68.99 m) msl
 Sp. conductance: 44 µS/cm
 Water evacuated before sampling: 35 gal

Time: 8:10
 pH: 5.3
 Alkalinity: 4 mg/L
 Water temperature: 17.8°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethane (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Tin	<2.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethane	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE

WELL MSB 7A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/28/90
 Depth to water: 117.85 ft (35.86 m) below TOC
 Water elevation: 228.85 ft (69.14 m) msl
 Sp. conductance: 86 µS/cm
 Water evacuated before sampling: 38 gal

Time: 10:35
 pH: 4.8
 Alkalinity: 0 mg/L
 Water temperature: 17.2°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.1	pH	GE
0	Specific conductance	53	µS/cm	GE
1	Aluminum	80	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	18	µg/L	GE

WELL MSB 7A collected on 01/28/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Benzene	<1.0	µg/L	GE
0	Beryllium	<5.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
1	Cadmium	3.0	µg/L	GE
0	Calcium	1850	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbonate	<1000	µg/L	GE
0	Chloride	4200	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethane (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Copper	1.2	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	56	µg/L	GE
0	Lead	<6.0	µg/L	GE
1	Manganese	27	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	2580	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	7880	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	8420	µg/L	GE
0	Sulfate	<5000	µg/L	GE
2	Tetrachloroethylene	17	µg/L	GE
0	Thallium	<2.0	µg/L	GE
0	Tin	<2.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
2	Total organic halogens	29	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethane	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
2	Trichloroethylene	8.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Zinc	5.8	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
1	Nonvolatile beta	12±3.1	pCi/L	GE
0	Total radium	<1.0	pCi/L	GE

WELL MSB 7A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/10/90
 Depth to water: 118.46 ft (36.11 m) below TOC
 Water elevation: 226.04 ft (68.90 m) msl
 Sp. conductance: 57 µS/cm
 Water evacuated before sampling: 36 gal

Time: 8:30
 pH: 4.9
 Alkalinity: 0 mg/L
 Water temperature: 17.1°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Antimony	<3.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Beryllium	<5.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE

ANALYTICAL RESULTS

WELL MSB 7A collected on 03/10/00, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethane (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
2	Tetrachloroethylene	10	µg/L	GE
0	Tin	<2.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
2	Trichloroethylene	4.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE

WELL MSB 8A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/25/90
 Depth to water: 118.48 ft (35.50 m) below TOC
 Water elevation: 227.74 ft (69.42 m) msl
 Sp. conductance: 134 µS/cm
 Water evacuated before sampling: 40 gal

Time: 8:30
 pH: 4.4
 Alkalinity: 0 mg/L
 Water temperature: 17.8°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	4.9	pH	MT
0	pH	4.9	pH	GE
0	Specific conductance	15	µS/cm	MT
1	Specific conductance	110	µS/cm	GE
1	Alkalinity	2000	µg/L	MT
1	Alkalinity	1600	µg/L	MT
0	Aluminum	74	µg/L	MT
1	Aluminum	84	µg/L	GE
0	Arsenic	<3.0	µg/L	MT
0	Arsenic	<2.0	µg/L	GE
0	Barium	18	µg/L	MT
0	Barium	18	µg/L	GE
0	Benzene	<5.0	µg/L	MT
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<5.0	µg/L	MT
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<5.0	µg/L	MT
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	MT
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<3.0	µg/L	MT
0	Cadmium	<2.0	µg/L	GE
0	Calcium	3450	µg/L	MT
0	Calcium	3830	µg/L	GE
0	Carbon tetrachloride	<5.0	µg/L	MT
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbonate	<1000	µg/L	GE
0	Chloride	2500	µg/L	MT
0	Chloride	2800	µg/L	GE
0	Chlorobenzene	<5.0	µg/L	MT
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	MT
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethane (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<5.0	µg/L	MT
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	MT
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<3.0	µg/L	MT
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<5.0	µg/L	MT
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<15	µg/L	MT
0	Cobalt	<4.0	µg/L	GE
0	Copper	7.9	µg/L	MT
0	Copper	8.4	µg/L	GE
0	Cyanide	<5.0	µg/L	MT

WELL MSB 8A collected on 01/25/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<5.0	µg/L	MT
0	Dibromochloromethane	<1.0	µg/L	GE
1	Dichloromethane (Methylene chloride)	4.0	µg/L	MT
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.0080	µg/L	MT
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<5.0	µg/L	MT
0	Ethylbenzene	<1.0	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	0.010	µg/L	MT
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	41	µg/L	MT
0	Iron	102	µg/L	GE
0	Lead	8.5	µg/L	MT
0	Lead	9.8	µg/L	GE
1	Manganese	47	µg/L	MT
1	Manganese	42	µg/L	GE
0	Mercury	<0.20	µg/L	MT
0	Mercury	<0.20	µg/L	MT
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	MT
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<5.2	µg/L	MT
0	Nickel	<4.0	µg/L	GE
2	Nitrate as nitrogen	12800	µg/L	MT
2	Nitrate as nitrogen	15600	µg/L	GE
0	Phenols	<5.0	µg/L	MT
0	Phenols	<5.0	µg/L	MT
0	Phenols	<5.0	µg/L	GE
0	Potassium	<1820	µg/L	MT
0	Potassium	1040	µg/L	GE
0	Selenium	<3.0	µg/L	MT
0	Selenium	<2.0	µg/L	GE
0	Silica	7700	µg/L	GE
0	Silica	7420	µg/L	MT
0	Silver	<2.0	µg/L	MT
2	Silver	84	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	15100	µg/L	MT
1	Sodium	15300	µg/L	GE
0	Sulfate	<1000	µg/L	MT
0	Sulfate	<5000	µg/L	GE
2	Tetrachloroethylene	140	µg/L	MT
2	Tetrachloroethylene	158	µg/L	GE
0	Tin	<1930	µg/L	MT
0	Tin	<2.0	µg/L	GE
0	Toluene	<5.0	µg/L	MT
0	Toluene	<1.0	µg/L	GE
0	Total organic carbon	<1000	µg/L	MT
0	Total organic carbon	<1000	µg/L	GE
2	Total organic halogens	156	µg/L	MT
2	Total organic halogens	145	µg/L	GE
0	Total phosphates	<1.0	µg/L	MT
0	Total phosphates	<5.0	µg/L	GE
0	Toxaphene	<0.24	µg/L	MT
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<5.0	µg/L	MT
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<5.0	µg/L	MT
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
2	Trichloroethylene	48	µg/L	MT
2	Trichloroethylene	50	µg/L	GE
0	Trichlorofluoromethane	<5.0	µg/L	MT
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<84	µg/L	MT
0	Uranium	<1000	µg/L	GE
0	Zinc	11	µg/L	MT
0	Zinc	17	µg/L	GE
0	1,1-Dichloroethane	<5.0	µg/L	MT
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<5.0	µg/L	MT
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<5.0	µg/L	MT
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<5.0	µg/L	MT
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<5.0	µg/L	MT
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<5.0	µg/L	MT
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<5.0	µg/L	MT
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<5.0	µg/L	MT
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.48	µg/L	MT
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.070	µg/L	MT
0	2,4,5-TP (Silvex)	<0.060	µg/L	GE
1	Gross alpha	10±1.0	pCi/L	MT

ANALYTICAL RESULTS

WELL MSB 8A collected on 01/25/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Gross alpha	3.0±2.0	pCi/L	GE
1	Nonvolatile beta	21±4.0	pCi/L	MT
1	Nonvolatile beta	18±3.5	pCi/L	GE
2	Total radium	13±2.0	pCi/L	MT
1	Total radium	4.2±2.9	pCi/L	GE

WELL MSB 8A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/25/90

Depth to water: 118.48 ft (35.50 m) below TOC

Water elevation: 227.74 ft (69.42 m) msf

Sp. conductance: 134 µS/cm

Water recovered before sampling: 40 gal

Time: 8:30

pH: 4.4

Alkalinity: 0 mg/L

Water temperature: 17.9°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.0	pH	MT
0	pH	4.8	pH	GE
0	Specific conductance	13	µS/cm	MT
1	Specific conductance	111	µS/cm	GE
1	Alkalinity	1800	µg/L	MT
0	Aluminum	83	µg/L	MT
0	Aluminum	85	µg/L	GE
0	Arsenic	<3.0	µg/L	MT
0	Arsenic	<2.0	µg/L	GE
0	Barium	18	µg/L	MT
0	Barium	18	µg/L	GE
0	Benzene	<5.0	µg/L	MT
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<5.0	µg/L	MT
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<5.0	µg/L	MT
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	MT
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<3.0	µg/L	MT
0	Cadmium	<2.0	µg/L	GE
0	Calcium	3510	µg/L	MT
0	Calcium	3710	µg/L	GE
0	Carbon tetrachloride	<5.0	µg/L	MT
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbonate	<1000	µg/L	GE
0	Chloride	2500	µg/L	MT
0	Chloride	2900	µg/L	GE
0	Chlorobenzene	<5.0	µg/L	MT
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	MT
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethane (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<5.0	µg/L	MT
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	MT
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<3.0	µg/L	MT
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<5.0	µg/L	MT
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<15	µg/L	MT
0	Cobalt	<4.0	µg/L	GE
0	Copper	10	µg/L	MT
0	Copper	8.3	µg/L	GE
0	Cyanide	<5.0	µg/L	MT
0	Cyanide	<5.0	µg/L	GE
0	Cyanide	<5.0	µg/L	MT
0	Dibromochloromethane	<5.0	µg/L	MT
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<5.0	µg/L	MT
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.0080	µg/L	MT
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<5.0	µg/L	MT
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	0.0080	µg/L	MT
1	gamma-Benzene hexachloride (Lindane)	1.8	µg/L	GE
0	Iron	43	µg/L	MT
0	Iron	83	µg/L	GE
0	Lead	7.1	µg/L	MT
0	Lead	<8.0	µg/L	GE
1	Manganese	47	µg/L	MT
1	Manganese	41	µg/L	GE
0	Mercury	<0.20	µg/L	MT
0	Mercury	<0.20	µg/L	GE

WELL MSB 8A collected on 01/25/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Methoxychlor	<0.50	µg/L	MT
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<5.2	µg/L	MT
0	Nickel	<4.0	µg/L	GE
2	Nitrate as nitrogen	12900	µg/L	MT
2	Nitrate as nitrogen	13800	µg/L	GE
1	Phenols	8.9	µg/L	MT
0	Phenols	<5.0	µg/L	GE
0	Potassium	<1820	µg/L	MT
0	Potassium	1010	µg/L	GE
0	Selenium	<3.0	µg/L	MT
0	Selenium	<2.0	µg/L	GE
0	Silica	7060	µg/L	GE
0	Silica	7220	µg/L	MT
1	Silver	19	µg/L	MT
0	Silver	<2.0	µg/L	GE
1	Sodium	15400	µg/L	MT
1	Sodium	14000	µg/L	GE
0	Sulfate	<1000	µg/L	MT
0	Sulfate	<5000	µg/L	GE
2	Tetrachloroethylene	140	µg/L	MT
2	Tetrachloroethylene	124	µg/L	GE
0	Tin	<1930	µg/L	MT
0	Tin	<2.0	µg/L	GE
0	Toluene	<5.0	µg/L	MT
0	Toluene	<1.0	µg/L	GE
0	Total organic carbon	<1000	µg/L	MT
0	Total organic carbon	<1000	µg/L	MT
0	Total organic carbon	<1000	µg/L	GE
2	Total organic halogens	158	µg/L	MT
2	Total organic halogens	71	µg/L	GE
0	Total phosphates	<10	µg/L	MT
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<0.24	µg/L	MT
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethane	<5.0	µg/L	MT
0	trans-1,2-Dichloroethane	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<5.0	µg/L	MT
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
2	Trichloroethylene	48	µg/L	MT
2	Trichloroethylene	50	µg/L	GE
0	Trichlorofluoromethane	<5.0	µg/L	MT
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<84	µg/L	MT
0	Uranium	<1000	µg/L	GE
0	Zinc	12	µg/L	MT
0	Zinc	11	µg/L	GE
0	1,1-Dichloroethane	<5.0	µg/L	MT
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<5.0	µg/L	MT
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<5.0	µg/L	MT
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<5.0	µg/L	MT
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<5.0	µg/L	MT
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<5.0	µg/L	MT
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<5.0	µg/L	MT
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<5.0	µg/L	MT
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.46	µg/L	MT
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.070	µg/L	MT
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
1	Gross alpha	7.9±3.1	pCi/L	MT
0	Gross alpha	3.0±1.9	pCi/L	GE
1	Nonvolatile beta	27±5.0	pCi/L	MT
1	Nonvolatile beta	18±3.4	pCi/L	GE
2	Total radium	13±2.0	pCi/L	MT
2	Total radium	7.4±3.5	pCi/L	GE

ANALYTICAL RESULTS

WELL MSB 8A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/08/90 Time: 0:40
 Depth to water: 118.87 ft (35.82 m) below TOC pH: 4.7
 Water elevation: 227.33 ft (69.29 m) msl Alkalinity: 0 mg/L
 Sp. conductance: 120 µS/cm Water temperature: 17.3°C
 Water evacuated before sampling: 38 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethane (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
2	Tetrachloroethylene	108	µg/L	GE
0	Tin	<2.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
2	Trichloroethylene	43	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE

WELL MSB 9A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/17/90 Time: 11:20
 Depth to water: 148.24 ft (45.18 m) below TOC pH: 6.0
 Water elevation: 211.16 ft (64.38 m) msl Alkalinity: 14 mg/L
 Sp. conductance: 55 µS/cm Water temperature: 18.3°C
 Water evacuated before sampling: 181 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	6.4	pH	GE
0	pH	0.4	pH	GE
0	Specific conductance	43	µS/cm	GE
0	Specific conductance	43	µS/cm	GE
0	Aluminum	<20	µg/L	GE
0	Aluminum	<20	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	8.5	µg/L	GE
0	Barium	7.2	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	4070	µg/L	GE
0	Calcium	4270	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	2100	µg/L	GE
0	Chloride	2000	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethane (Vinyl chloride)	<1.0	µg/L	GE

WELL MSB 9A collected on 01/17/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Chloroethane (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Cyanide	<8.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	Iron	13	µg/L	GE
0	Iron	9.8	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	293	µg/L	GE
0	Magnesium	297	µg/L	GE
0	Manganese	2.4	µg/L	GE
0	Manganese	3.9	µg/L	GE
0	Mercury	<0.20	µg/L	GE
2	Mercury	1.1	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	370	µg/L	GE
0	Nitrate as nitrogen	370	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Selenium	<2.0	µg/L	GE
1	Silica	14800	µg/L	GE
1	Silica	14800	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	1590	µg/L	GE
0	Sodium	1590	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Sulfate	<5000	µg/L	GE
2	Tetrachloroethylene	>1500	µg/L	GE
2	Tetrachloroethylene	>1500	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
2	Total organic halogens	1880	µg/L	GE
2	Total organic halogens	1840	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
1	trans-1,2-Dichloroethene	8.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
2	Trichloroethylene	>1000	µg/L	GE
2	Trichloroethylene	>1000	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Uranium	<1000	µg/L	GE
2	Zinc	3170	µg/L	GE
2	Zinc	3190	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Nonvolatile beta	<2.0	pCi/L	GE

ANALYTICAL RESULTS

WELL MSB 9A collected on 01/17/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Total radium	<1.0	pCi/L	GE
0	Total radium	<1.0	pCi/L	GE

WELL MSB 9B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/18/90
 Depth to water: 129.85 ft (39.52 m) below TOC
 Water elevation: 229.95 ft (70.09 m) msl
 Sp. conductance: 214 µS/cm
 Water evacuated before sampling: 9 gal
 The well went dry during purging.

Time: 8:20
 pH: 9.5
 Alkalinity: 19 mg/L
 Water temperature: 16.8°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
2	pH	9.2	pH	GE
1	Specific conductance	186	µS/cm	GE
0	Aluminum	29	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	22	µg/L	GE
1	Benzene	2.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
1	Calcium	25600	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	4900	µg/L	GE
1	Chlorobenzene	5.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
1	Chloroform	2.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
1	Cyanide	17	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
1	Ethylbenzene	4.0	µg/L	GE
0	Fluoride	130	µg/L	GE
0	Iron	11	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	1540	µg/L	GE
0	Manganese	2.1	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Nickel	<4.0	µg/L	GE
2	Nitrate as nitrogen	14500	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	1420	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	1120	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	12900	µg/L	GE
0	Sulfate	<5000	µg/L	GE
2	Tetrachloroethylene	41000	µg/L	GE
1	Toluene	3.0	µg/L	GE
2	Total organic halogens	20700	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
2	Trichloroethylene	29800	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Zinc	31	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
1	1,1-Dichloroethylene	25	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
2	Gross alpha	29 ± 4.6	pCi/L	GE
0	Nonvolatile beta	4.6 ± 2.8	pCi/L	GE
0	Total radium	1.6 ± 2.1	pCi/L	GE

WELL MSB 9C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/17/90
 Depth to water: Not available
 Water elevation: Not available
 Sp. conductance: 289 µS/cm
 Water evacuated before sampling: 18 gal

Time: 10:50
 pH: 3.9
 Alkalinity: 0 mg/L
 Water temperature: 17.5°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	4.1	pH	GE
1	Specific conductance	252	µS/cm	GE
2	Aluminum	6160	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
1	Barium	56	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	9400	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	4700	µg/L	GE
1	Chlorobenzene	11	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
1	Copper	51	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
1	Fluoride	520	µg/L	GE
0	Iron	72	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	2090	µg/L	GE
2	Manganese	190	µg/L	GE
0	Mercury	0.20	µg/L	GE
1	Nickel	24	µg/L	GE
2	Nitrate as nitrogen	24300	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Selenium	<2.0	µg/L	GE
1	Silica	10500	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	15400	µg/L	GE
0	Sulfate	<5000	µg/L	GE
2	Tetrachloroethylene	59500	µg/L	GE
1	Toluene	2.0	µg/L	GE
2	Total organic halogens	33500	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
2	Trichloroethylene	32800	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Zinc	83	µg/L	GE
1	1,1-Dichloroethane	4.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
1	1,1,1-Trichloroethane	66	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
1	1,1,2,2-Tetrachloroethane	8.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
2	Gross alpha	32 ± 4.9	pCi/L	GE
1	Nonvolatile beta	24 ± 4.3	pCi/L	GE
1	Nonvolatile beta	23 ± 8.4	pCi/L	GE
0	Total radium	<1.0	pCi/L	GE
2	Total radium	69 ± 4.4	pCi/L	GE

ANALYTICAL RESULTS

WELL MSB 10A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/17/90 Time: 12:20
 Depth to water: 148.15 ft (44.55 m) below TOC pH: 5.0
 Water elevation: 208.85 ft (63.66 m) msl Alkalinity: 2 mg/L
 Sp. conductance: 31 µS/cm Water temperature: 18.6°C
 Water evacuated before sampling: 236 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.7	pH	GE
0	Specific conductance	38	µS/cm	GE
0	Aluminum	27	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	4.7	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	1440	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	2100	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
1	Chromium	4.3	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	Iron	8.8	µg/L	GE
0	Lead	<8.0	µg/L	GE
0	Magnesium	263	µg/L	GE
0	Manganese	<2.0	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	250	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Selenium	<2.0	µg/L	GE
1	Silica	13400	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	1570	µg/L	GE
0	Sulfate	<5000	µg/L	GE
1	Tetrachloroethylene	4.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total organic halogens	7.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
2	Trichloroethylene	13	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Zinc	85	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Total radium	<1.0	pCi/L	GE

WELL MSB 10B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/17/90 Time: 12:40
 Depth to water: 144.18 ft (43.94 m) below TOC pH: 4.8
 Water elevation: 210.54 ft (64.17 m) msl Alkalinity: 0 mg/L
 Sp. conductance: 40 µS/cm Water temperature: 19.5°C
 Water evacuated before sampling: 159 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	4.1	pH	GE
0	Specific conductance	67	µS/cm	GE
0	Aluminum	38	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	11	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	2060	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	2900	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	Iron	21	µg/L	GE
0	Lead	<8.0	µg/L	GE
0	Magnesium	672	µg/L	GE
0	Manganese	4.6	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	280	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	528	µg/L	GE
0	Selenium	<2.0	µg/L	GE
1	Silica	42700	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	2850	µg/L	GE
1	Sulfate	14800	µg/L	GE
2	Tetrachloroethylene	8.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
2	Trichloroethylene	3.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Zinc	44	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Total radium	1.4±2.1	pCi/L	GE

ANALYTICAL RESULTS

WELL MSB 10C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/17/90 Time: 13:00
 Depth to water: 128.34 ft (39.12 m) below TOC pH: 8.9
 Water elevation: 227.66 ft (69.39 m) msl Alkalinity: 53 mg/L
 Sp. conductance: 354 µS/cm Water temperature: 18.0°C
 Water evacuated before sampling: 95 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
2	pH	8.8	pH	GE
1	Specific conductance	288	µS/cm	GE
0	Aluminum	73	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
1	Barium	199	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
1	Calcium	30300	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	3800	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	Iron	22	µg/L	GE
0	Lead	<6.0	µg/L	GE
1	Magnesium	5290	µg/L	GE
1	Manganese	39	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Nickel	<4.0	µg/L	GE
2	Nitrate as nitrogen	28800	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	1740	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	8810	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	14300	µg/L	GE
0	Sulfate	<5000	µg/L	GE
2	Tetrachloroethylene	38400	µg/L	GE
1	Toluene	2.0	µg/L	GE
2	Total organic halogens	32600	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
2	Trichloroethylene	47400	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Zinc	6.5	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
1	1,1,2,2-Tetrachloroethane	16	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
1	Gross alpha	5.5±2.1	pCi/L	GE
1	Nonvolatile beta	15±2.8	pCi/L	GE
0	Total radium	<1.0	pCi/L	GE
2	Total radium	17±2.5	pCi/L	GE

WELL MSB 11A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/12/90 Time: 8:25
 Depth to water: 152.78 ft (46.66 m) below TOC pH: 5.9
 Water elevation: 212.14 ft (64.66 m) msl Alkalinity: 9 mg/L
 Sp. conductance: 34 µS/cm Water temperature: 17.4°C
 Water evacuated before sampling: 213 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	6.1	pH	GE
0	Specific conductance	31	µS/cm	GE
0	Aluminum	<20	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	5.3	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	4110	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	1800	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	Iron	7.5	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	232	µg/L	GE
0	Manganese	2.4	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	280	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	1710	µg/L	GE
1	Silica	14800	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	1480	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
2	Total organic halogens	97	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
2	Trichloroethylene	14	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Zinc	92	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Total radium	1.4±2.1	pCi/L	GE

ANALYTICAL RESULTS

WELL MSB 11B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/12/90 Time: 8:40
 Depth to water: 147.44 ft (44.94 m) below TOC pH: 5.8
 Water elevation: 217.36 ft (66.25 m) msl Alkalinity: 8 mg/L
 Sp. conductance: 32 µS/cm Water temperature: 17.2°C
 Water evacuated before sampling: 168 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.9	pH	GE
0	Specific conductance	29	µS/cm	GE
0	Aluminum	<20	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	6.2	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	4000	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	1700	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	Iron	16	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	241	µg/L	GE
0	Manganese	4.8	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	200	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	2000	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	1530	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
2	Total organic halogens	64	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
2	Trichloroethylene	99	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Zinc	94	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	6.7 ± 2.5	pCi/L	GE
0	Total radium	<1.0	pCi/L	GE

WELL MSB 11C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/12/90 Time: 8:00
 Depth to water: 146.35 ft (44.61 m) below TOC pH: 4.8
 Water elevation: 218.55 ft (66.61 m) msl Alkalinity: 0 mg/L
 Sp. conductance: 60 µS/cm Water temperature: 16.9°C
 Water evacuated before sampling: 107 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.1	pH	MT
0	pH	4.9	pH	GE
0	Specific conductance	60	µS/cm	MT
0	Specific conductance	57	µS/cm	GE
0	Aluminum	49	µg/L	MT
0	Aluminum	59	µg/L	GE
0	Arsenic	<3.0	µg/L	MT
0	Arsenic	<2.0	µg/L	GE
0	Barium	15	µg/L	MT
0	Barium	14	µg/L	GE
0	Benzene	<5.0	µg/L	MT
0	Benzene	<5.0	µg/L	GE
0	Bromodichloromethane	<5.0	µg/L	MT
0	Bromodichloromethane	<5.0	µg/L	GE
0	Bromoform	<5.0	µg/L	MT
0	Bromoform	<5.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<10	µg/L	MT
0	Bromomethane (Methyl bromide)	<5.0	µg/L	GE
0	Cadmium	<3.0	µg/L	MT
0	Cadmium	<2.0	µg/L	GE
0	Calcium	3180	µg/L	MT
0	Calcium	3340	µg/L	GE
0	Carbon tetrachloride	<5.0	µg/L	MT
0	Carbon tetrachloride	<5.0	µg/L	GE
0	Chloride	2500	µg/L	MT
0	Chloride	2200	µg/L	GE
0	Chlorobenzene	<5.0	µg/L	MT
0	Chlorobenzene	<5.0	µg/L	GE
0	Chloroethane	<10	µg/L	MT
0	Chloroethane	<5.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<5.0	µg/L	MT
0	Chloroform	<5.0	µg/L	GE
0	Chloroform	<5.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<10	µg/L	MT
0	Chloromethane (Methyl chloride)	<5.0	µg/L	GE
0	Chromium	<3.0	µg/L	MT
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<5.0	µg/L	MT
0	cis-1,3-Dichloropropene	<5.0	µg/L	GE
0	Copper	<7.0	µg/L	MT
0	Copper	<4.0	µg/L	GE
0	Cyanide	<5.0	µg/L	MT
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<5.0	µg/L	MT
0	Dibromochloromethane	<5.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<5.0	µg/L	MT
0	Dichloromethane (Methylene chloride)	<5.0	µg/L	GE
0	Ethylbenzene	<5.0	µg/L	MT
0	Ethylbenzene	<5.0	µg/L	GE
0	Fluoride	<250	µg/L	MT
0	Fluoride	<100	µg/L	GE
0	Iron	7.9	µg/L	MT
0	Iron	12	µg/L	GE
0	Lead	<3.0	µg/L	MT
0	Lead	<6.0	µg/L	GE
0	Magnesium	1630	µg/L	MT
0	Magnesium	1460	µg/L	GE
0	Manganese	8.5	µg/L	MT
0	Manganese	7.9	µg/L	GE
0	Mercury	<0.20	µg/L	MT
0	Mercury	<0.20	µg/L	GE
0	Nickel	<5.2	µg/L	MT
0	Nickel	<4.0	µg/L	GE
1	Nitrate as nitrogen	4610	µg/L	MT
1	Nitrate as nitrogen	4800	µg/L	GE
0	Phenols	<5.0	µg/L	MT
0	Phenols	<5.0	µg/L	MT
0	Phenols	<5.0	µg/L	GE
0	Potassium	<1620	µg/L	MT
0	Potassium	<500	µg/L	GE
0	Selenium	<3.0	µg/L	MT
0	Selenium	<2.0	µg/L	GE
0	Silica	915	µg/L	GE
0	Silica	8790	µg/L	MT
0	Silver	<2.0	µg/L	MT
0	Silver	<2.0	µg/L	GE
0	Sodium	3220	µg/L	MT

ANALYTICAL RESULTS

WELL MSB 11C collected on 01/12/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Sodium	3040	µg/L	GE
0	Sulfate	<1000	µg/L	MT
0	Sulfate	<5000	µg/L	GE
2	Tetrachloroethylene	8.0	µg/L	MT
0	Tetrachloroethylene	<50	µg/L	GE
0	Toluene	<5.0	µg/L	MT
0	Toluene	<50	µg/L	GE
0	Total organic carbon	<1000	µg/L	MT
2	Total organic halogens	18800	µg/L	MT
2	Total organic halogens	18100	µg/L	GE
0	Total phosphates	31	µg/L	MT
0	Total phosphates	<50	µg/L	GE
0	trans-1,2-Dichloroethene	<5.0	µg/L	MT
0	trans-1,2-Dichloroethene	<50	µg/L	GE
0	trans-1,3-Dichloropropene	<5.0	µg/L	MT
0	trans-1,3-Dichloropropene	<50	µg/L	GE
0	Trichloroethylene	<5.0	µg/L	MT
2	Trichloroethylene	40500	µg/L	GE
0	Trichlorofluoromethane	<5.0	µg/L	MT
0	Trichlorofluoromethane	<50	µg/L	GE
0	Uranium	<84	µg/L	MT
0	Uranium	<1000	µg/L	GE
0	Zinc	55	µg/L	MT
0	Zinc	12	µg/L	GE
0	1,1-Dichloroethane	<5.0	µg/L	MT
0	1,1-Dichloroethane	<50	µg/L	GE
0	1,1-Dichloroethylene	<5.0	µg/L	MT
0	1,1-Dichloroethylene	<50	µg/L	GE
0	1,1,1-Trichloroethane	<5.0	µg/L	MT
0	1,1,1-Trichloroethane	<50	µg/L	GE
0	1,1,2-Trichloroethane	<5.0	µg/L	MT
0	1,1,2-Trichloroethane	<50	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<5.0	µg/L	MT
0	1,1,2,2-Tetrachloroethane	<50	µg/L	GE
0	1,2-Dichloroethane	<5.0	µg/L	MT
0	1,2-Dichloroethane	<50	µg/L	GE
0	1,2-Dichloropropane	<5.0	µg/L	MT
0	1,2-Dichloropropane	<50	µg/L	GE
0	2-Chloroethyl vinyl ether	<5.0	µg/L	MT
0	2-Chloroethyl vinyl ether	<50	µg/L	GE
0	Gross alpha	<3.0	pCi/L	MT
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	<5.0	pCi/L	MT
0	Nonvolatile beta	<2.0	pCi/L	GE
1	Total radium	2.9±0.70	pCi/L	MT
0	Total radium	<1.0	pCi/L	GE

WELL MSB 11C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/12/90
 Depth to water: 148.35 ft (44.61 m) below TOC
 Water elevation: 218.55 ft (66.61 m) msl
 Sp. conductance: 80 µS/cm
 Water evacuated before sampling: 107 gal

Time: 8:00
 pH: 4.8
 Alkalinity: 0 mg/L
 Water temperature: 16.9°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	4.8	pH	MT
0	pH	4.8	pH	GE
0	pH	4.9	pH	GE
0	Specific conductance	84	µS/cm	MT
0	Specific conductance	57	µS/cm	GE
0	Specific conductance	57	µS/cm	GE
0	Aluminum	48	µg/L	MT
0	Aluminum	46	µg/L	MT
0	Aluminum	69	µg/L	GE
0	Aluminum	87	µg/L	GE
0	Arsenic	<3.0	µg/L	MT
0	Arsenic	<3.0	µg/L	MT
0	Arsenic	<2.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	15	µg/L	MT
0	Barium	15	µg/L	MT
0	Barium	16	µg/L	GE
0	Barium	16	µg/L	GE
0	Benzene	<5.0	µg/L	MT
0	Benzene	<50	µg/L	GE
0	Benzene	<500	µg/L	GE
0	Bromodichloromethane	<5.0	µg/L	MT
0	Bromodichloromethane	<50	µg/L	GE
0	Bromodichloromethane	<500	µg/L	GE
0	Bromoform	<5.0	µg/L	MT
0	Bromoform	<50	µg/L	GE

WELL MSB 11C collected on 01/12/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Bromoform	<500	µg/L	GE
0	Bromomethane (Methyl bromide)	<10	µg/L	MT
0	Bromomethane (Methyl bromide)	<50	µg/L	GE
0	Bromomethane (Methyl bromide)	<500	µg/L	GE
0	Cadmium	<3.0	µg/L	MT
0	Cadmium	<3.0	µg/L	MT
0	Cadmium	<2.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	3130	µg/L	MT
0	Calcium	3220	µg/L	MT
0	Calcium	3880	µg/L	GE
0	Calcium	3850	µg/L	GE
0	Carbon tetrachloride	<5.0	µg/L	MT
0	Carbon tetrachloride	<50	µg/L	GE
0	Carbon tetrachloride	<500	µg/L	GE
0	Chloride	2500	µg/L	MT
0	Chloride	2200	µg/L	GE
0	Chloride	2200	µg/L	GE
0	Chlorobenzene	<5.0	µg/L	MT
0	Chlorobenzene	<50	µg/L	GE
0	Chlorobenzene	<500	µg/L	GE
0	Chloroethane	<10	µg/L	MT
0	Chloroethane	<50	µg/L	GE
0	Chloroethane	<500	µg/L	GE
0	Chloroethene (Vinyl chloride)	<50	µg/L	GE
0	Chloroethene (Vinyl chloride)	<500	µg/L	GE
0	Chloroform	<5.0	µg/L	MT
0	Chloroform	<50	µg/L	GE
0	Chloroform	<500	µg/L	GE
0	Chloromethane (Methyl chloride)	<10	µg/L	MT
0	Chloromethane (Methyl chloride)	<50	µg/L	GE
0	Chloromethane (Methyl chloride)	<500	µg/L	GE
0	Chromium	<3.0	µg/L	MT
0	Chromium	<3.0	µg/L	MT
0	Chromium	<4.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<5.0	µg/L	MT
0	cis-1,3-Dichloropropene	<50	µg/L	GE
0	cis-1,3-Dichloropropene	<500	µg/L	GE
0	Copper	<7.0	µg/L	MT
0	Copper	<7.0	µg/L	MT
0	Copper	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Cyanide	<5.0	µg/L	MT
0	Cyanide	<5.0	µg/L	MT
0	Cyanide	<5.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<5.0	µg/L	MT
0	Dibromochloromethane	<50	µg/L	GE
0	Dibromochloromethane	<500	µg/L	GE
0	Dichloromethane (Methylene chloride)	<5.0	µg/L	MT
0	Dichloromethane (Methylene chloride)	<50	µg/L	GE
0	Dichloromethane (Methylene chloride)	<500	µg/L	GE
0	Ethylbenzene	<5.0	µg/L	MT
0	Ethylbenzene	<50	µg/L	GE
0	Ethylbenzene	<500	µg/L	GE
0	Fluoride	<250	µg/L	MT
0	Fluoride	160	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	Iron	<6.0	µg/L	MT
0	Iron	7.5	µg/L	MT
0	Iron	13	µg/L	GE
0	Iron	14	µg/L	GE
0	Lead	<3.0	µg/L	MT
0	Lead	<3.0	µg/L	MT
0	Lead	<6.0	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	1620	µg/L	MT
0	Magnesium	1670	µg/L	MT
0	Magnesium	1750	µg/L	GE
0	Magnesium	1590	µg/L	GE
0	Manganese	7.9	µg/L	MT
0	Manganese	8.5	µg/L	MT
0	Manganese	8.7	µg/L	GE
0	Manganese	8.5	µg/L	GE
0	Mercury	<0.20	µg/L	MT
0	Mercury	<0.20	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Nickel	<5.2	µg/L	MT
0	Nickel	<4.0	µg/L	GE
0	Nickel	<4.0	µg/L	GE
1	Nitrate as nitrogen	4630	µg/L	MT
1	Nitrate as nitrogen	4500	µg/L	GE
1	Nitrate as nitrogen	3900	µg/L	GE
0	Phenols	<5.0	µg/L	MT
0	Phenols	<5.0	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<1620	µg/L	MT
0	Potassium	1700	µg/L	MT

ANALYTICAL RESULTS

WELL MSB 11C collected on 01/12/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Potassium	808	µg/L	GE
0	Potassium	811	µg/L	GE
0	Selenium	<3.0	µg/L	MT
0	Selenium	<3.0	µg/L	MT
0	Selenium	<2.0	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	1040	µg/L	GE
0	Silica	1870	µg/L	GE
0	Silica	8720	µg/L	MT
0	Silica	8890	µg/L	MT
0	Silver	<2.0	µg/L	MT
0	Silver	<2.0	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	3260	µg/L	MT
0	Sodium	3200	µg/L	MT
0	Sodium	3530	µg/L	GE
0	Sodium	3170	µg/L	GE
0	Sulfate	<1000	µg/L	MT
0	Sulfate	<5000	µg/L	GE
0	Sulfate	<5000	µg/L	GE
2	Tetrachloroethylene	9.0	µg/L	MT
0	Tetrachloroethylene	<50	µg/L	GE
0	Tetrachloroethylene	<500	µg/L	GE
0	Toluene	<5.0	µg/L	MT
0	Toluene	<50	µg/L	GE
U	Toluene	<500	µg/L	GE
0	Total organic carbon	<1000	µg/L	MT
0	Total organic carbon	1000	µg/L	GE
0	Total organic carbon	1000	µg/L	GE
2	Total organic halogens	15400	µg/L	MT
2	Total organic halogens	19100	µg/L	MT
2	Total organic halogens	18800	µg/L	GE
2	Total organic halogens	18400	µg/L	GE
0	Total phosphates	<10	µg/L	MT
0	Total phosphates	<10	µg/L	MT
0	Total phosphates	<50	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	trans-1,2-Dichloroethene	<5.0	µg/L	MT
0	trans-1,2-Dichloroethene	<50	µg/L	GE
0	trans-1,2-Dichloroethene	<500	µg/L	GE
0	trans-1,3-Dichloropropene	<5.0	µg/L	MT
0	trans-1,3-Dichloropropene	<50	µg/L	GE
0	trans-1,3-Dichloropropene	<500	µg/L	GE
0	Trichloroethylene	<5.0	µg/L	MT
2	Trichloroethylene	44400	µg/L	GE
2	Trichloroethylene	43800	µg/L	GE
0	Trichlorofluoromethane	<5.0	µg/L	MT
0	Trichlorofluoromethane	<50	µg/L	GE
0	Trichlorofluoromethane	<500	µg/L	GE
0	Uranium	<84	µg/L	MT
0	Uranium	<84	µg/L	MT
0	Uranium	<1000	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Zinc	9.5	µg/L	MT
0	Zinc	12	µg/L	MT
0	Zinc	12	µg/L	GE
0	Zinc	12	µg/L	GE
0	1,1-Dichloroethane	<5.0	µg/L	MT
0	1,1-Dichloroethane	<50	µg/L	GE
0	1,1-Dichloroethane	<500	µg/L	GE
0	1,1-Dichloroethylene	<5.0	µg/L	MT
0	1,1-Dichloroethylene	<50	µg/L	GE
0	1,1-Dichloroethylene	<500	µg/L	GE
0	1,1,1-Trichloroethane	<5.0	µg/L	MT
0	1,1,1-Trichloroethane	<50	µg/L	GE
0	1,1,1-Trichloroethane	<500	µg/L	GE
0	1,1,2-Trichloroethane	<5.0	µg/L	MT
0	1,1,2-Trichloroethane	<50	µg/L	GE
0	1,1,2-Trichloroethane	<500	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<5.0	µg/L	MT
0	1,1,2,2-Tetrachloroethane	<50	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<500	µg/L	GE
0	1,2-Dichloroethane	<5.0	µg/L	MT
0	1,2-Dichloroethane	<50	µg/L	GE
0	1,2-Dichloroethane	<500	µg/L	GE
0	1,2-Dichloropropane	<5.0	µg/L	MT
0	1,2-Dichloropropane	<50	µg/L	GE
0	1,2-Dichloropropane	<500	µg/L	GE
0	2-Chloroethyl vinyl ether	<5.0	µg/L	MT
0	2-Chloroethyl vinyl ether	<50	µg/L	GE
0	2-Chloroethyl vinyl ether	<500	µg/L	GE
0	Gross alpha	<3.0	pCi/L	MT
0	Gross alpha	<3.0	pCi/L	MT
0	Gross alpha	<3.0	pCi/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	<5.0	pCi/L	MT
0	Nonvolatile beta	<5.0	pCi/L	MT
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Nonvolatile beta	<2.0	pCi/L	GE

WELL MSB 11C collected on 01/12/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
1	Total radium	4.1±0.70	pCi/L	MT
0	Total radium	<1.0	pCi/L	GE
0	Total radium	<1.0	pCi/L	GE

WELL MSB 11D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/12/90
 Depth to water: 135.85 ft (41.44 m) below TOC
 Water elevation: 229.25 ft (69.88 m) msl
 Sp. conductance: 31 µS/cm
 Water evacuated before sampling: 77 gal

Time: 8:50
 pH: 4.7
 Alkalinity: 0 mg/L
 Water temperature: 17.4°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.2	pH	GE
0	Specific conductance	23	µS/cm	GE
0	Aluminum	47	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	7.1	µg/L	GE
0	Benzene	<50	µg/L	GE
0	Bromodichloromethane	<50	µg/L	GE
0	Bromoform	<50	µg/L	GE
0	Bromomethane (Methyl bromide)	<50	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	1080	µg/L	GE
0	Carbon tetrachloride	<50	µg/L	GE
0	Chloride	1700	µg/L	GE
0	Chlorobenzene	<50	µg/L	GE
0	Chloroethane	<50	µg/L	GE
0	Chloroethene (Vinyl chloride)	<50	µg/L	GE
0	Chloroform	<50	µg/L	GE
0	Chloromethane (Methyl chloride)	<50	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<50	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<50	µg/L	GE
0	Dichloromethane (Methylene chloride)	<50	µg/L	GE
0	Ethylbenzene	<50	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	Iron	14	µg/L	GE
0	Lead	<8.0	µg/L	GE
0	Magnesium	377	µg/L	GE
0	Manganese	7.0	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	1200	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	714	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	1830	µg/L	GE
0	Sulfate	<5000	µg/L	GE
2	Tetrachloroethylene	320	µg/L	GE
0	Toluene	<50	µg/L	GE
2	Total organic halogens	2830	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	trans-1,2-Dichloroethene	<50	µg/L	GE
0	trans-1,3-Dichloropropene	<50	µg/L	GE
2	Trichloroethylene	5850	µg/L	GE
0	Trichlorofluoromethane	<50	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Zinc	20	µg/L	GE
0	1,1-Dichloroethane	<50	µg/L	GE
0	1,1-Dichloroethylene	<50	µg/L	GE
0	1,1,1-Trichloroethane	<50	µg/L	GE
0	1,1,2-Trichloroethane	<50	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<50	µg/L	GE
0	1,2-Dichloroethane	<50	µg/L	GE
0	1,2-Dichloropropane	<50	µg/L	GE
0	2-Chloroethyl vinyl ether	<50	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Total radium	<1.0	pCi/L	GE

ANALYTICAL RESULTS

WELL MSB 11F

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/12/90
 Depth to water: Not available
 Water elevation: Not available
 Sp. conductance: 34 µS/cm
 Water evacuated before sampling: 19 gal

Time: 9:15
 pH: 4.3
 Alkalinity: 0 mg/L
 Water temperature: 17.1°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	4.5	pH	GE
0	Specific conductance	29	µS/cm	GE
1	Aluminum	171	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	5.0	µg/L	GE
0	Benzene	<10	µg/L	GE
0	Bromodichloromethane	<10	µg/L	GE
0	Bromoform	<10	µg/L	GE
0	Bromomethane (Methyl bromide)	<10	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	618	µg/L	GE
0	Carbon tetrachloride	<10	µg/L	GE
0	Chloride	2200	µg/L	GE
0	Chlorobenzene	<10	µg/L	GE
0	Chloroethane	<10	µg/L	GE
0	Chloroethane (Vinyl chloride)	<10	µg/L	GE
0	Chloroform	<10	µg/L	GE
0	Chloromethane (Methyl chloride)	<10	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<10	µg/L	GE
0	Copper	18	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<10	µg/L	GE
0	Dichloromethane (Methylene chloride)	<10	µg/L	GE
0	Ethylbenzene	<10	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	Iron	18	µg/L	GE
0	Lead	6.3	µg/L	GE
0	Magnesium	188	µg/L	GE
0	Manganese	6.7	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	1100	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	725	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	2240	µg/L	GE
0	Sulfate	<5000	µg/L	GE
2	Tetrachloroethylene	1850	µg/L	GE
0	Toluene	<10	µg/L	GE
2	Total organic halogens	5550	µg/L	GE
0	Total phosphates	230	µg/L	GE
0	trans-1,2-Dichloroethene	<10	µg/L	GE
0	trans-1,3-Dichloropropene	<10	µg/L	GE
2	Trichloroethylene	8400	µg/L	GE
0	Trichlorofluoromethane	<10	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Zinc	31	µg/L	GE
0	1,1-Dichloroethane	<10	µg/L	GE
0	1,1-Dichloroethylene	<10	µg/L	GE
0	1,1,1-Trichloroethane	<10	µg/L	GE
0	1,1,2-Trichloroethane	<10	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<10	µg/L	GE
0	1,2-Dichloroethane	<10	µg/L	GE
0	1,2-Dichloropropane	<10	µg/L	GE
0	2-Chloroethyl vinyl ether	<10	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	3.3±2.2	pCi/L	GE
0	Total radium	<1.0	pCi/L	GE

WELL MSB 12A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/20/90
 Depth to water: 140.58 ft (42.84 m) below TOC
 Water elevation: 207.24 ft (63.17 m) msl
 Sp. conductance: 24 µS/cm
 Water evacuated before sampling: 247 gal

Time: 14:40
 pH: 4.6
 Alkalinity: 0 mg/L
 Water temperature: 17.9°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.0	pH	GE
0	pH	5.0	pH	GE
0	Specific conductance	18	µS/cm	GE
0	Specific conductance	18	µS/cm	GE
0	Aluminum	31	µg/L	GE
0	Aluminum	27	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	<4.0	µg/L	GE
0	Barium	4.3	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	459	µg/L	GE
0	Calcium	543	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	1700	µg/L	GE
0	Chloride	1800	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethane (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroethane (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	Iron	20	µg/L	GE
0	Iron	23	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	196	µg/L	GE
0	Magnesium	234	µg/L	GE
0	Manganese	2.2	µg/L	GE
0	Manganese	2.8	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	310	µg/L	GE
0	Nitrate as nitrogen	310	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Selenium	<2.0	µg/L	GE
1	Silica	12900	µg/L	GE
1	Silica	15700	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	1370	µg/L	GE

ANALYTICAL RESULTS

WELL MSB 12A collected on 01/20/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Sodium	1670	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
2	Total organic halogens	275	µg/L	GE
2	Total organic halogens	308	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
2	Trichloroethylene	480	µg/L	GE
2	Trichloroethylene	391	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Zinc	50	µg/L	GE
0	Zinc	54	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Total radium	1.7±0.3	pCi/L	GE
0	Total radium	<1.0	pCi/L	GE

WELL MSB 12B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/20/90 Time: 13:30
 Depth to water: 132.15 ft (40.28 m) below TOC pH: 4.5
 Water elevation: 216.25 ft (65.91 m) msl Alkalinity: 0 mg/L
 Sp. conductance: 127 µS/cm Water temperature: 18.2°C
 Water evacuated before sampling: 156 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	4.7	pH	GE
1	Specific conductance	121	µS/cm	GE
0	Aluminum	79	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	17	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	4710	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	3500	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
1	Copper	23	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	Iron	16	µg/L	GE

WELL MSB 12B collected on 01/20/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Lead	<6.0	µg/L	GE
0	Magnesium	1570	µg/L	GE
0	Manganese	5.0	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Nickel	<4.0	µg/L	GE
2	Nitrate as nitrogen	12000	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	864	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	9260	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	13900	µg/L	GE
0	Sulfate	<5000	µg/L	GE
2	Tetrachloroethylene	825	µg/L	GE
0	Toluene	<1.0	µg/L	GE
2	Total organic halogens	4290	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
2	Trichloroethylene	2540	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Zinc	41	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
1	1,1-Dichloroethylene	15	µg/L	GE
1	1,1,1-Trichloroethane	20	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
1	1,1,2,2-Tetrachloroethane	1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
1	Nonvolatile beta	18±3.4	pCi/L	GE
1	Total radium	4.1±2.7	pCi/L	GE

WELL MSB 12C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/20/90 Time: 13:45
 Depth to water: 126.66 ft (38.61 m) below TOC pH: 4.9
 Water elevation: 221.24 ft (67.43 m) msl Alkalinity: 0 mg/L
 Sp. conductance: 145 µS/cm Water temperature: 18.0°C
 Water evacuated before sampling: 113 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.3	pH	GE
1	Specific conductance	132	µS/cm	GE
0	Aluminum	44	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	31	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	5800	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	3600	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Copper	4.7	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	Iron	9.1	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	2030	µg/L	GE
0	Manganese	12	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Nickel	<4.0	µg/L	GE
2	Nitrate as nitrogen	14200	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	807	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	8340	µg/L	GE

ANALYTICAL RESULTS

WELL MSB 12C collected on 01/20/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Silver	<2.0	µg/L	GE
1	Sodium	18900	µg/L	GE
0	Sulfate	<5000	µg/L	GE
2	Tetrachloroethylene	982	µg/L	GE
0	Toluene	<1.0	µg/L	GE
2	Total organic halogens	1920	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
2	Trichloroethylene	3230	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
1	Zinc	268	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
1	1,1-Dichloroethylene	30	µg/L	GE
1	1,1,1-Trichloroethane	19	µg/L	GE
1	1,1,2-Trichloroethane	2.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropene	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
1	Gross alpha	5.5 ± 2.9	pCi/L	GE
0	Nonvolatile beta	7.7 ± 4.0	pCi/L	GE
2	Total radium	5.9 ± 4.3	pCi/L	GE

WELL MSB 12D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/20/90
The well was dry.

Time: 14:55

WELL MSB 12TA

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/20/90
Depth to water: 158.04 ft (48.17 m) below TOC
Water elevation: 190.48 ft (58.05 m) msl
Sp. conductance: 37 µS/cm
Water evacuated before sampling: 800 gal

Time: 14:30
pH: 5.8
Alkalinity: 10 mg/L
Water temperature: 18.0°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.5	pH	GE
0	Specific conductance	35	µS/cm	GE
0	Aluminum	41	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	6.3	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	4810	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	1600	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Copper	8.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	Iron	11	µg/L	GE
0	Lead	<8.0	µg/L	GE
0	Magnesium	130	µg/L	GE
0	Manganese	<2.0	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	60	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	696	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	8790	µg/L	GE
0	Silver	<2.0	µg/L	GE

WELL MSB 12TA collected on 01/20/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Sodium	1460	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
1	Trichloroethylene	1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Zinc	32	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropene	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	3.7 ± 2.3	pCi/L	GE
0	Total radium	1.0 ± 2.0	pCi/L	GE

WELL MSB 12TB

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/20/90
Depth to water: 157.75 ft (48.08 m) below TOC
Water elevation: 191.15 ft (58.28 m) msl
Sp. conductance: 28 µS/cm
Water evacuated before sampling: 513 gal

Time: 13:00
pH: 5.2
Alkalinity: 3 mg/L
Water temperature: 17.7°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.8	pH	GE
0	Specific conductance	23	µS/cm	GE
0	Aluminum	70	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	4.2	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	1920	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	2000	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Copper	9.1	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
1	Iron	279	µg/L	GE
0	Lead	11	µg/L	GE
0	Magnesium	235	µg/L	GE
0	Manganese	9.8	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	110	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Selenium	<2.0	µg/L	GE
1	Silica	20200	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	1730	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total organic halogens	7.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE

ANALYTICAL RESULTS

WELL MSB 12TB collected on 01/20/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Zinc	22	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Total radium	<1.0	pCi/L	GE

WELL MSB 13A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/28/90
Depth to water: 137.04 ft (41.77 m) below TOC
Water elevation: 208.18 ft (63.45 m) msf
Sp. conductance: 27 µS/cm
Water evacuated before sampling: 203 gal

Time: 8:50
pH: 5.0
Alkalinity: 0 mg/L
Water temperature: 17.8°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.3	pH	GE
0	Specific conductance	23	µS/cm	GE
0	Aluminum	63	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	<4.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	723	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbonate	<1000	µg/L	GE
0	Chloride	1900	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	24	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Manganese	<2.0	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	230	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Selenium	<2.0	µg/L	GE
1	Silica	14300	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	1400	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Tin	<2.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethane	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
2	Trichloroethylene	82	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Zinc	35	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE

WELL MSB 13A collected on 01/28/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.060	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Total radium	<1.0	pCi/L	GE

WELL MSB 13A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/08/90
Depth to water: 139.44 ft (42.50 m) below TOC
Water elevation: 205.78 ft (62.72 m) msf
Sp. conductance: 63 µS/cm
Water evacuated before sampling: 219 gal

Time: 10:25
pH: 5.2
Alkalinity: 3 mg/L
Water temperature: 17.8°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
1	Dichloromethane (Methylene chloride)	7.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
2	Trichloroethylene	85	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE

WELL MSB 13B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/28/90
Depth to water: 148.65 ft (45.31 m) below TOC
Water elevation: 198.95 ft (60.03 m) msf
Sp. conductance: 2590 µS/cm
Water evacuated before sampling: 2 gal
There was insufficient water to fill all or some sample bottles.

Time: 9:10
pH: 12.7
Alkalinity: 614 mg/L
Water temperature: 16.1°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
2	pH	12	pH	GE
1	Specific conductance	2780	µS/cm	GE
1	Aluminum	114	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
1	Barium	420	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
1	Calcium	44000	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
1	Carbonate	1.28E ± 06	µg/L	GE
0	Chloride	<1000	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE

ANALYTICAL RESULTS

WELL MSB 13B collected on 01/28/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
2	Chromium	89	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Copper	13	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Iron	18	µg/L	GE
2	Lead	98	µg/L	GE
0	Manganese	<2.0	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Nickel	<4.0	µg/L	GE
2	Nitrate as nitrogen	13300	µg/L	GE
1	Phenols	20	µg/L	GE
1	Potassium	54500	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	4850	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	43300	µg/L	GE
0	Sulfate	<5000	µg/L	GE
2	Tetrachloroethylene	48	µg/L	GE
0	Tin	<2.0	µg/L	GE
1	Toluene	3.0	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
2	Total organic halogens	55	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
2	Trichloroethylene	30	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Zinc	48	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
1	1,1,1-Trichloroethane	2.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
1	Nonvolatile beta	12±3.0	pCi/L	GE
0	Total radium	<1.0	pCi/L	GE

WELL MSB 13B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/08/90 Time: 10:10
 Depth to water: 150.20 ft (45.78 m) below TOC pH: 12.7
 Water elevation: 195.40 ft (59.56 m) msf Alkalinity: 805 mg/L
 Sp. conductance: 2850 µS/cm Water temperature: 17.1°C
 Water evacuated before sampling: 2 gal
 The well went dry during purging.

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	Benzene	1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
1	Chloroform	2.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
1	Dichloromethane (Methylene chloride)	7.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
2	Tetrachloroethylene	30	µg/L	GE
1	Toluene	2.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
2	Trichloroethylene	25	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
1	1,1,1-Trichloroethane	2.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE

WELL MSB 13B collected on 03/08/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE

WELL MSB 13C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/28/90 Time: 17:20
 Depth to water: 120.03 ft (36.58 m) below TOC pH: 5.5
 Water elevation: 225.87 ft (68.79 m) msf Alkalinity: 4 mg/L
 Sp. conductance: 581 µS/cm Water temperature: 17.5°C
 Water evacuated before sampling: 1 gal
 There was insufficient water to fill all or some sample bottles.

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
2	Tetrachloroethylene	24	µg/L	GE
0	Toluene	<1.0	µg/L	GE
2	Total organic halogens	212	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
2	Trichloroethylene	15	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
1	1,1,1-Trichloroethane	5.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE

WELL MSB 13C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/08/90 Time: 9:55
 The well was dry.

WELL MSB 14A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/17/90 Time: 10:00
 Depth to water: 133.06 ft (40.56 m) below TOC pH: 4.5
 Water elevation: 215.24 ft (65.61 m) msf Alkalinity: 0 mg/L
 Sp. conductance: 177 µS/cm Water temperature: 17.6°C
 Water evacuated before sampling: 184 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	4.8	pH	GE
1	Specific conductance	178	µS/cm	GE
0	Aluminum	60	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
1	Barium	52	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	9950	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	4700	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE

ANALYTICAL RESULTS

WELL MSB 14A collected on 01/17/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	100	µg/L	GE
0	Iron	11	µg/L	GE
0	Lead	7.3	µg/L	GE
0	Magnesium	3530	µg/L	GE
0	Manganese	13	µg/L	GE
1	Mercury	0.80	µg/L	GE
0	Nickel	<4.0	µg/L	GE
2	Nitrate as nitrogen	15700	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	780	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	9350	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	8900	µg/L	GE
0	Sulfate	<5000	µg/L	GE
2	Tetrachloroethylene	1200	µg/L	GE
0	Toluene	<1.0	µg/L	GE
2	Total organic halogens	923	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
2	Trichloroethylene	913	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Zinc	9.8	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
1	Gross alpha	5.2 ± 1.9	pCi/L	GE
0	Nonvolatile beta	9.0 ± 2.2	pCi/L	GE
0	Total radium	1.7 ± 2.2	pCi/L	GE

WELL MSB 14B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/17/90 Time: 9:25
 Depth to water: 132.15 ft (40.28 m) below TOC pH: 4.8
 Water elevation: 216.55 ft (66.01 m) msl Alkalinity: 0 mg/L
 Sp. conductance: 225 µS/cm Water temperature: 16.8°C
 Water evacuated before sampling: 72 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.0	pH	GE
1	Specific conductance	185	µS/cm	GE
0	Aluminum	45	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	46	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	7880	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	2700	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE

WELL MSB 14B collected on 01/17/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Iron	25	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	3000	µg/L	GE
0	Manganese	18	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Nickel	<4.0	µg/L	GE
2	Nitrate as nitrogen	17300	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	780	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	9940	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	16000	µg/L	GE
0	Sulfate	<5000	µg/L	GE
2	Tetrachloroethylene	112	µg/L	GE
1	Toluene	2.0	µg/L	GE
2	Total organic halogens	132	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
2	Trichloroethylene	95	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Zinc	118	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	5.7 ± 1.7	pCi/L	GE
0	Total radium	<1.0	pCi/L	GE

WELL MSB 14C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/18/90 Time: 7:50
 Depth to water: Not available pH: 7.5
 Water elevation: Not available Alkalinity: 35 mg/L
 Sp. conductance: 123 µS/cm Water temperature: 15.9°C
 Water evacuated before sampling: 1 gal
 The well went dry during purging.

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	pH	7.8	pH	GE
1	Specific conductance	105	µS/cm	GE
0	Aluminum	35	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	7.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
1	Calcium	16200	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	4500	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	Iron	19	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	395	µg/L	GE
0	Manganese	<2.0	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Nickel	<4.0	µg/L	GE
1	Nitrate as nitrogen	5100	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Selenium	<2.0	µg/L	GE
1	Silica	14000	µg/L	GE

ANALYTICAL RESULTS

WELL MSB 14C collected on 01/18/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Silver	<2.0	µg/L	GE
0	Sodium	2650	µg/L	GE
0	Sulfate	<5000	µg/L	GE
1	Tetrachloroethylene	4.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
1	Total organic halogens	10	µg/L	GE
0	Total phosphates	100	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
2	Trichloroethylene	6.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Zinc	18	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
1	Nonvolatile beta	12±2.4	pCi/L	GE
0	Total radium	<1.0	pCi/L	GE

WELL MSB 15A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/06/90
Depth to water: 147.14 ft (44.85 m) below TOC
Water elevation: 220.06 ft (67.08 m) msl
Sp. conductance: 46 µS/cm
Water evacuated before sampling: 150 gal

Time: 14:55
pH: 5.9
Alkalinity: 10 mg/L
Water temperature: 18.8°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	8.1	pH	GE
0	Specific conductance	42	µS/cm	GE
0	Aluminum	23	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	11	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	5630	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	2000	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	Iron	45	µg/L	GE
0	Lead	<8.0	µg/L	GE
0	Magnesium	420	µg/L	GE
0	Manganese	2.3	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	1200	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	8080	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	2180	µg/L	GE
0	Sulfate	<5000	µg/L	GE
2	Tetrachloroethylene	122	µg/L	GE
0	Toluene	<1.0	µg/L	GE
2	Total organic halogens	798	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
2	Trichloroethylene	1580	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE

WELL MSB 15A collected on 02/06/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Uranium	<1000	µg/L	GE
0	Zinc	14	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	6.3±1.8	pCi/L	GE
0	Total radium	<1.0	pCi/L	GE

WELL MSB 15AA

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/31/90
Depth to water: 154.85 ft (47.14 m) below TOC
Water elevation: 214.85 ft (65.49 m) msl
Sp. conductance: 33 µS/cm
Water evacuated before sampling: 236 gal

Time: 13:50
pH: 5.6
Alkalinity: 7 mg/L
Water temperature: 18.2°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	<1.0	µg/L	MA
0	Chloroform	<1.0	µg/L	MA
0	Tetrachloroethylene	<1.0	µg/L	MA
0	Tetrachloroethylene	<1.0	µg/L	MA
0	trans-1,2-Dichloroethene	<1.0	µg/L	MA
0	trans-1,2-Dichloroethene	<1.0	µg/L	MA
2	Trichloroethylene	60	µg/L	MA
2	Trichloroethylene	65	µg/L	MA
0	1,1-Dichloroethylene	<1.0	µg/L	MA
0	1,1-Dichloroethylene	<1.0	µg/L	MA
0	1,1,1-Trichloroethane	<1.0	µg/L	MA
0	1,1,1-Trichloroethane	<1.0	µg/L	MA

WELL MSB 15D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/06/90
Depth to water: 135.75 ft (41.38 m) below TOC
Water elevation: 233.05 ft (71.03 m) msl
Sp. conductance: 28 µS/cm
Water evacuated before sampling: 2 gal
The well went dry during purging.

Time: 17:00
pH: 5.3
Alkalinity: 2 mg/L
Water temperature: 17.2°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	<2000	µg/L	MA
2	Tetrachloroethylene	2250	µg/L	MA
0	trans-1,2-Dichloroethene	<2000	µg/L	MA
2	Trichloroethylene	27300	µg/L	MA
0	1,1-Dichloroethylene	<2000	µg/L	MA
0	1,1,1-Trichloroethane	<2000	µg/L	MA

WELL MSB 16A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/06/90
Depth to water: 147.15 ft (44.85 m) below TOC
Water elevation: 219.55 ft (66.92 m) msl
Sp. conductance: 32 µS/cm
Water evacuated before sampling: 152 gal

Time: 16:10
pH: 5.1
Alkalinity: 2 mg/L
Water temperature: 19.8°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	<1000	µg/L	MA
0	Tetrachloroethylene	<1000	µg/L	MA
0	trans-1,2-Dichloroethene	<1000	µg/L	MA
2	Trichloroethylene	8620	µg/L	MA
0	1,1-Dichloroethylene	<1000	µg/L	MA
0	1,1,1-Trichloroethane	<1000	µg/L	MA

ANALYTICAL RESULTS

WELL MSB 16C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/08/90
The well was dry.

Time: 15:15

WELL MSB 17A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/14/90
Depth to water: 143.95 ft (43.88 m) below TOC
Water elevation: 214.05 ft (65.24 m) msl
Sp. conductance: 180 µS/cm
Water evacuated before sampling: 155 gal

Time: 13:55
pH: 4.4
Alkalinity: 0 mg/L
Water temperature: 17.1°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.3	pH	GE
1	Specific conductance	180	µS/cm	GE
0	Aluminum	86	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	32	µg/L	GE
0	Benzene	<10	µg/L	GE
0	Bromodichloromethane	<10	µg/L	GE
0	Bromoform	<10	µg/L	GE
0	Bromomethane (Methyl bromide)	<10	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	8320	µg/L	GE
0	Carbon tetrachloride	<10	µg/L	GE
0	Chloride	3700	µg/L	GE
0	Chlorobenzene	<10	µg/L	GE
0	Chloroethane	<10	µg/L	GE
0	Chloroethane (Vinyl chloride)	<10	µg/L	GE
0	Chloroform	<10	µg/L	GE
0	Chloromethane (Methyl chloride)	<10	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<10	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Cyanide	<3.0	µg/L	GE
0	Dibromochloromethane	<10	µg/L	GE
0	Dichloromethane (Methylene chloride)	<10	µg/L	GE
0	Ethylbenzene	<10	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	Iron	88	µg/L	GE
0	Lead	<8.0	µg/L	GE
0	Magnesium	3190	µg/L	GE
0	Manganese	8.2	µg/L	GE
1	Mercury	0.50	µg/L	GE
0	Nickel	<4.0	µg/L	GE
2	Nitrate as nitrogen	18100	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	1010	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	1120	µg/L	GE
1	Silica	10100	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	18200	µg/L	GE
0	Sulfate	<5000	µg/L	GE
2	Tetrachloroethylene	272	µg/L	GE
0	Toluene	<10	µg/L	GE
2	Total organic halogens	200	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	trans-1,2-Dichloroethene	<10	µg/L	GE
0	trans-1,3-Dichloropropene	<10	µg/L	GE
2	Trichloroethylene	41	µg/L	GE
0	Trichlorofluoromethane	<10	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Zinc	28	µg/L	GE
0	1,1-Dichloroethane	<10	µg/L	GE
0	1,1-Dichloroethylene	<10	µg/L	GE
0	1,1,1-Trichloroethane	<10	µg/L	GE
0	1,1,2-Trichloroethane	<10	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<10	µg/L	GE
0	1,2-Dichloroethane	<10	µg/L	GE
0	1,2-Dichloropropane	<10	µg/L	GE
0	2-Chloroethyl vinyl ether	<10	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	8.5±2.7	pCi/L	GE
0	Total radium	<1.0	pCi/L	GE

WELL MSB 17B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/14/90
Depth to water: 134.34 ft (40.95 m) below TOC
Water elevation: 223.58 ft (68.14 m) msl
Sp. conductance: 182 µS/cm
Water evacuated before sampling: 100 gal

Time: 14:15
pH: 4.5
Alkalinity: 0 mg/L
Water temperature: 18.7°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	4.3	pH	GE
1	Specific conductance	120	µS/cm	GE
0	Aluminum	140	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	15	µg/L	GE
0	Benzene	<10	µg/L	GE
0	Bromodichloromethane	<10	µg/L	GE
0	Bromoform	<10	µg/L	GE
0	Bromomethane (Methyl bromide)	<10	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	3230	µg/L	GE
0	Carbon tetrachloride	<10	µg/L	GE
0	Chloride	3700	µg/L	GE
0	Chlorobenzene	<10	µg/L	GE
0	Chloroethane	<10	µg/L	GE
0	Chloroethane (Vinyl chloride)	<10	µg/L	GE
0	Chloroform	<10	µg/L	GE
0	Chloromethane (Methyl chloride)	<10	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<10	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<10	µg/L	GE
0	Dichloromethane (Methylene chloride)	<10	µg/L	GE
0	Ethylbenzene	<10	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	Iron	27	µg/L	GE
0	Lead	8.8	µg/L	GE
0	Magnesium	1210	µg/L	GE
0	Manganese	11	µg/L	GE
0	Mercury	0.20	µg/L	GE
0	Nickel	<4.0	µg/L	GE
2	Nitrate as nitrogen	12500	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	853	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	1050	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	21700	µg/L	GE
0	Sulfate	<5000	µg/L	GE
2	Tetrachloroethylene	343	µg/L	GE
0	Toluene	<10	µg/L	GE
2	Total organic halogens	380	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	trans-1,2-Dichloroethene	<10	µg/L	GE
0	trans-1,3-Dichloropropene	<10	µg/L	GE
2	Trichloroethylene	289	µg/L	GE
0	Trichlorofluoromethane	<10	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Zinc	21	µg/L	GE
0	1,1-Dichloroethane	<10	µg/L	GE
0	1,1-Dichloroethylene	<10	µg/L	GE
1	1,1,1-Trichloroethane	27	µg/L	GE
0	1,1,2-Trichloroethane	<10	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<10	µg/L	GE
0	1,2-Dichloroethane	<10	µg/L	GE
0	1,2-Dichloropropane	<10	µg/L	GE
0	2-Chloroethyl vinyl ether	<10	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Total radium	<1.0	pCi/L	GE

ANALYTICAL RESULTS

WELL MSB 17BB

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/14/90
Depth to water: 147.66 ft (45.01 m) below TOC
Water elevation: 211.64 ft (64.51 m) msl
Sp. conductance: 134 µS/cm
Water evacuated before sampling: 207 gal

Time: 13:45
pH: 5.7
Alkalinity: 10 mg/L
Water temperature: 17.7°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	<10	µg/L	MA
0	Chloroform	<10	µg/L	MA
2	Tetrachloroethylene	299	µg/L	MA
2	Tetrachloroethylene	301	µg/L	MA
1	trans-1,2-Dichloroethene	48	µg/L	MA
1	trans-1,2-Dichloroethene	48	µg/L	MA
2	Trichloroethylene	1060	µg/L	MA
2	Trichloroethylene	1050	µg/L	MA
0	1,1-Dichloroethylene	<10	µg/L	MA
0	1,1-Dichloroethylene	<10	µg/L	MA
0	1,1,1-Trichloroethane	<10	µg/L	MA
0	1,1,1-Trichloroethane	<10	µg/L	MA

WELL MSB 17C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/14/90
The well was dry.

Time: 13:20

WELL MSB 17D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/14/90
Depth to water: 134.15 ft (40.89 m) below TOC
Water elevation: 226.05 ft (68.90 m) msl
Sp. conductance: 40 µS/cm
Water evacuated before sampling: 35 gal

Time: 14:00
pH: 4.8
Alkalinity: 1 mg/L
Water temperature: 17.8°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	<1.0	µg/L	MA
0	Tetrachloroethylene	<1.0	µg/L	MA
0	trans-1,2-Dichloroethene	<1.0	µg/L	MA
0	Trichloroethylene	<1.0	µg/L	MA
0	1,1-Dichloroethylene	<1.0	µg/L	MA
0	1,1,1-Trichloroethane	<1.0	µg/L	MA

WELL MSB 18A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/20/90
Depth to water: 131.25 ft (40.01 m) below TOC
Water elevation: 208.95 ft (63.69 m) msl
Sp. conductance: 39 µS/cm
Water evacuated before sampling: 134 gal

Time: 11:40
pH: 4.8
Alkalinity: 0 mg/L
Water temperature: 17.2°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	4.8	pH	GE
0	Specific conductance	32	µS/cm	GE
0	Aluminum	43	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	11	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	1330	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	2300	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE

WELL MSB 18A collected on 01/20/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Chloroethane (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	Iron	132	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	733	µg/L	GE
0	Manganese	10	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	2400	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	634	µg/L	GE
0	Selenium	<2.0	µg/L	GE
1	Silica	43500	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	2980	µg/L	GE
0	Sulfate	<5000	µg/L	GE
2	Tetrachloroethylene	9.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
1	Total organic halogens	15	µg/L	GE
0	Total phosphates	50	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
2	Trichloroethylene	13	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Zinc	2.9	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
1	Gross alpha	5.4 ± 2.1	pCi/L	GE
2	Nonvolatile beta	89 ± 6.9	pCi/L	GE
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Total radium	<1.0	pCi/L	GE

WELL MSB 18B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/20/90
Depth to water: 122.56 ft (37.36 m) below TOC
Water elevation: 217.74 ft (66.37 m) msl
Sp. conductance: 109 µS/cm
Water evacuated before sampling: 67 gal

Time: 11:25
pH: 5.2
Alkalinity: 1 mg/L
Water temperature: 17.1°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.4	pH	GE
1	Specific conductance	101	µS/cm	GE
0	Aluminum	44	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	21	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	5000	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	3800	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethane (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE

ANALYTICAL RESULTS

WELL MSB 18B collected on 01/20/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Fluoride	<100	µg/L	GE
0	Iron	139	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	982	µg/L	GE
0	Manganese	18	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Nickel	<4.0	µg/L	GE
1	Nitrate as nitrogen	8100	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	9830	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	14500	µg/L	GE
0	Sulfate	<5000	µg/L	GE
2	Tetrachloroethylene	28	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total organic halogens	21	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
2	Trichloroethylene	8.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Zinc	53	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
1	1,1,1-Trichloroethane	5.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	4.2 ± 2.3	pCi/L	GE
0	Total radium	<1.0	pCi/L	GE

WELL MSB 18C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/21/90
 Depth to water: 117.46 ft (35.80 m) below TOC
 Water elevation: 223.14 ft (68.01 m) msl
 Sp. conductance: 40 µS/cm
 Water evacuated before sampling: 8 gal
 The well went dry during purging.

Time: 9:30
 pH: 5.2
 Alkalinity: 1 mg/L
 Water temperature: 17.3°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.4	pH	GE
0	Specific conductance	28	µS/cm	GE
0	Aluminum	43	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	12	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	826	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	1500	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Copper	8.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	Iron	123	µg/L	GE
0	Lead	10	µg/L	GE
0	Magnesium	547	µg/L	GE
0	Manganese	10	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	1020	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Selenium	<2.0	µg/L	GE

WELL MSB 18C collected on: 01/21/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Silica	8640	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	2240	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
1	Toluene	2.0	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	280	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Zinc	174	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Total radium	1.0 ± 2.0	pCi/L	GE

WELL MSB 19A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/19/90
 Depth to water: 86.77 ft (26.45 m) below TOC
 Water elevation: 212.73 ft (64.84 m) msl
 Sp. conductance: 32 µS/cm
 Water evacuated before sampling: 255 gal

Time: 18:35
 pH: 4.8
 Alkalinity: 0 mg/L
 Water temperature: 19.8°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.1	pH	GE
0	Specific conductance	23	µS/cm	GE
0	Aluminum	33	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	4.6	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	1110	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	1300	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	Iron	83	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	358	µg/L	GE
0	Manganese	3.3	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	1300	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	8350	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	1850	µg/L	GE
0	Sulfate	<5000	µg/L	GE
2	Tetrachloroethylene	30	µg/L	GE
0	Toluene	<1.0	µg/L	GE
2	Total organic halogens	83	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
2	Trichloroethylene	183	µg/L	GE

ANALYTICAL RESULTS

WELL MSB 19A collected on 01/19/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Zinc	32	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Total radium	1.8±2.2	pCi/L	GE

WELL MSB 19B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/19/90
 Depth to water: 84.07 ft (25.82 m) below TOC
 Water elevation: 215.83 ft (65.79 m) msl
 Sp. conductance: 24 µS/cm
 Water evacuated before sampling: 191 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.4	pH	GE
0	Specific conductance	20	µS/cm	GE
0	Aluminum	36	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	4.7	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	885	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	1200	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Copper	7.4	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	Iron	105	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	294	µg/L	GE
0	Manganese	2.7	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	880	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	1160	µg/L	GE
0	Silica	9090	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	1750	µg/L	GE
0	Sulfate	<5000	µg/L	GE
1	Tetrachloroethylene	1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<5.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
2	Trichloroethylene	5.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Zinc	18	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE

WELL MSB 19B collected on 01/19/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	4.8±3.5	pCi/L	GE
0	Total radium	1.1±3.1	pCi/L	GE

WELL MSB 19C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/19/90
 Depth to water: 54.38 ft (16.58 m) below TOC
 Water elevation: 245.82 ft (74.93 m) msl
 Sp. conductance: 278 µS/cm
 Water evacuated before sampling: 124 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.6	pH	GE
1	Specific conductance	253	µS/cm	GE
0	Aluminum	28	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	22	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
1	Calcium	14600	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	3100	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
1	Iron	198	µg/L	GE
0	Lead	<6.0	µg/L	GE
1	Magnesium	9300	µg/L	GE
0	Manganese	4.5	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Nickel	<4.0	µg/L	GE
1	Nitrate as nitrogen	3100	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	1480	µg/L	GE
1	Selenium	3.9	µg/L	GE
0	Silica	9970	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	14600	µg/L	GE
1	Sulfate	92600	µg/L	GE
2	Tetrachloroethylene	54	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total organic halogens	84	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
2	Trichloroethylene	157	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
1	Zinc	358	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	2.7±3.4	pCi/L	GE
2	Total radium	6.5±4.5	pCi/L	GE

ANALYTICAL RESULTS

WELL MSB 20A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/21/90
Depth to water: 137.35 ft (41.86 m) below TOC
Water elevation: 216.65 ft (66.04 m) msl
Sp. conductance: 44 µS/cm
Water evacuated before sampling: 157 gal

Time: 17:05
pH: 5.2
Alkalinity: 2 mg/L
Water temperature: 17.7°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.1	pH	MT
0	pH	5.6	pH	GE
0	Specific conductance	46	µS/cm	MT
0	Specific conductance	23	µS/cm	GE
0	Aluminum	<23	µg/L	MT
0	Aluminum	<23	µg/L	MT
0	Aluminum	<20	µg/L	GE
0	Arsenic	<3.0	µg/L	MT
0	Arsenic	<3.0	µg/L	MT
0	Arsenic	<2.0	µg/L	GE
0	Barium	<8.0	µg/L	MT
0	Barium	<8.0	µg/L	MT
0	Barium	7.3	µg/L	GE
0	Benzene	<5.0	µg/L	MT
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<5.0	µg/L	MT
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<5.0	µg/L	MT
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	MT
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<3.0	µg/L	MT
0	Cadmium	<3.0	µg/L	MT
0	Cadmium	<2.0	µg/L	GE
0	Calcium	1850	µg/L	MT
0	Calcium	1630	µg/L	MT
0	Calcium	1900	µg/L	GE
0	Carbon tetrachloride	<5.0	µg/L	MT
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	1500	µg/L	MT
0	Chloride	1300	µg/L	GE
0	Chlorobenzene	<5.0	µg/L	MT
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	MT
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<5.0	µg/L	MT
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<5.0	µg/L	MT
2	Chloroform	82	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	MT
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<3.0	µg/L	MT
0	Chromium	<3.0	µg/L	MT
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<5.0	µg/L	MT
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Copper	<7.0	µg/L	MT
0	Copper	<7.0	µg/L	MT
0	Copper	<4.0	µg/L	GE
0	Cyanide	<5.0	µg/L	MT
0	Cyanide	<5.0	µg/L	MT
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<5.0	µg/L	MT
0	Dibromochloromethane	<1.0	µg/L	GE
1	Dichloromethane (Methylene chloride)	1.0	µg/L	MT
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<5.0	µg/L	MT
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<250	µg/L	MT
0	Fluoride	<100	µg/L	GE
0	Iron	46	µg/L	MT
0	Iron	33	µg/L	MT
0	Iron	85	µg/L	GE
0	Lead	<3.0	µg/L	MT
0	Lead	<3.0	µg/L	MT
0	Lead	<6.0	µg/L	GE
0	Magnesium	381	µg/L	MT
0	Magnesium	378	µg/L	MT
0	Magnesium	418	µg/L	GE
0	Manganese	2.7	µg/L	MT
0	Manganese	2.7	µg/L	MT
0	Manganese	3.2	µg/L	GE
0	Mercury	<0.20	µg/L	MT
0	Mercury	<0.20	µg/L	GE
0	Nickel	<5.2	µg/L	MT
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	1300	µg/L	MT

WELL MSB 20A collected on 01/21/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Nitrate as nitrogen	1060	µg/L	GE
0	Phenols	<5.0	µg/L	MT
0	Phenols	<5.0	µg/L	GE
0	Potassium	<1820	µg/L	MT
0	Potassium	<1820	µg/L	MT
0	Potassium	<500	µg/L	GE
0	Selenium	<3.0	µg/L	MT
0	Selenium	<3.0	µg/L	MT
0	Selenium	<2.0	µg/L	GE
0	Silica	4470	µg/L	GE
0	Silica	9670	µg/L	MT
0	Silica	9640	µg/L	MT
0	Silver	<2.0	µg/L	MT
0	Silver	<2.0	µg/L	GE
0	Sodium	1460	µg/L	MT
0	Sodium	1450	µg/L	MT
0	Sodium	1850	µg/L	GE
0	Sulfate	<1000	µg/L	MT
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<5.0	µg/L	MT
2	Tetrachloroethylene	50	µg/L	GE
0	Toluene	<5.0	µg/L	MT
0	Toluene	<1.0	µg/L	GE
0	Total organic carbon	<1000	µg/L	MT
0	Total organic carbon	<1000	µg/L	MT
2	Total organic halogens	513	µg/L	MT
2	Total organic halogens	526	µg/L	GE
0	Total phosphates	14	µg/L	MT
0	Total phosphates	<50	µg/L	GE
0	trans-1,2-Dichloroethene	<5.0	µg/L	MT
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<5.0	µg/L	MT
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
2	Trichloroethylene	1200	µg/L	MT
2	Trichloroethylene	893	µg/L	GE
0	Trichlorofluoromethane	<5.0	µg/L	MT
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<84	µg/L	MT
0	Uranium	<84	µg/L	MT
0	Uranium	<1000	µg/L	GE
0	Zinc	41	µg/L	MT
0	Zinc	36	µg/L	MT
0	Zinc	32	µg/L	GE
0	1,1-Dichloroethane	<5.0	µg/L	MT
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<5.0	µg/L	MT
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<5.0	µg/L	MT
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<5.0	µg/L	MT
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<5.0	µg/L	MT
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<5.0	µg/L	MT
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<5.0	µg/L	MT
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<5.0	µg/L	MT
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Gross alpha	<3.0	pCi/L	MT
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	<5.0	pCi/L	MT
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Total radium	<1.0	pCi/L	MT
0	Total radium	1.1±2.0	pCi/L	GE

WELL MSB 20A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/21/90
Depth to water: 137.35 ft (41.86 m) below TOC
Water elevation: 216.65 ft (66.04 m) msl
Sp. conductance: 44 µS/cm
Water evacuated before sampling: 157 gal

Time: 17:05
pH: 5.2
Alkalinity: 2 mg/L
Water temperature: 17.7°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.3	pH	MT
0	pH	5.7	pH	GE
0	Specific conductance	19	µS/cm	MT
0	Specific conductance	25	µS/cm	GE
0	Aluminum	<23	µg/L	MT
0	Aluminum	26	µg/L	GE
0	Arsenic	<3.0	µg/L	MT

ANALYTICAL RESULTS

WELL MSB 20A collected on 01/21/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Arsenic	<2.0	µg/L	GE
0	Barium	<8.0	µg/L	MT
0	Barium	7.2	µg/L	GE
0	Benzene	<5.0	µg/L	MT
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<5.0	µg/L	MT
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<5.0	µg/L	MT
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	MT
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<3.0	µg/L	MT
0	Cadmium	<2.0	µg/L	GE
0	Calcium	1730	µg/L	MT
0	Calcium	1750	µg/L	GE
0	Carbon tetrachloride	<5.0	µg/L	MT
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	1500	µg/L	MT
0	Chloride	1300	µg/L	GE
0	Chlorobenzene	<5.0	µg/L	MT
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	MT
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<5.0	µg/L	MT
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<5.0	µg/L	MT
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	MT
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<3.0	µg/L	MT
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<5.0	µg/L	MT
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Copper	<7.0	µg/L	MT
0	Copper	<4.0	µg/L	GE
0	Cyanide	<5.0	µg/L	MT
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<5.0	µg/L	MT
0	Dibromochloromethane	<1.0	µg/L	GE
1	Dichloromethane (Methylene chloride)	2.0	µg/L	MT
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<5.0	µg/L	MT
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<250	µg/L	MT
0	Fluoride	<100	µg/L	GE
0	Iron	30	µg/L	MT
0	Iron	84	µg/L	GE
0	Lead	<3.0	µg/L	MT
0	Lead	<6.0	µg/L	GE
0	Magnesium	389	µg/L	MT
0	Magnesium	394	µg/L	GE
0	Manganese	3.1	µg/L	MT
0	Manganese	3.5	µg/L	GE
0	Mercury	<0.20	µg/L	MT
0	Mercury	<0.20	µg/L	GE
0	Nickel	<5.2	µg/L	MT
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	1300	µg/L	MT
0	Nitrate as nitrogen	1050	µg/L	GE
0	Phenols	<5.0	µg/L	MT
0	Phenols	<5.0	µg/L	GE
0	Potassium	<1820	µg/L	MT
0	Potassium	<500	µg/L	GE
0	Selenium	<3.0	µg/L	MT
0	Selenium	<2.0	µg/L	GE
1	Silica	10400	µg/L	GE
0	Silica	9880	µg/L	MT
0	Silver	<2.0	µg/L	MT
0	Silver	<2.0	µg/L	GE
0	Sodium	1510	µg/L	MT
0	Sodium	1840	µg/L	GE
0	Sulfate	<1000	µg/L	MT
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<5.0	µg/L	MT
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<5.0	µg/L	MT
1	Toluene	2.0	µg/L	GE
0	Total organic carbon	<1000	µg/L	MT
0	Total organic carbon	<1000	µg/L	GE
2	Total organic halogens	545	µg/L	MT
2	Total organic halogens	481	µg/L	GE
0	Total phosphates	12	µg/L	MT
0	Total phosphates	<50	µg/L	GE
0	trans-1,2-Dichloroethene	<5.0	µg/L	MT
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<5.0	µg/L	MT
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
2	Trichloroethylene	1100	µg/L	MT
2	Trichloroethylene	907	µg/L	GE

WELL MSB 20A collected on 01/21/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Trichlorofluoromethane	<5.0	µg/L	MT
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<84	µg/L	MT
0	Uranium	<1000	µg/L	GE
0	Zinc	101	µg/L	MT
0	Zinc	38	µg/L	GE
0	1,1-Dichloroethane	<5.0	µg/L	MT
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<5.0	µg/L	MT
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<5.0	µg/L	MT
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<5.0	µg/L	MT
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<5.0	µg/L	MT
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<5.0	µg/L	MT
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<5.0	µg/L	MT
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<5.0	µg/L	MT
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Gross alpha	<3.0	pCi/L	MT
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	<5.0	pCi/L	MT
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Total radium	<1.0	pCi/L	MT
0	Total radium	<1.0	pCi/L	GE

WELL MSB 20C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/21/90
 Depth to water: 125.56 ft (38.27 m) below TOC
 Water elevation: 227.74 ft (69.42 m) msf
 Sp. conductance: 236 µS/cm
 Water evacuated before sampling: 7 gal
 The well went dry during purging.

Time: 16:45
 pH: 11.3
 Alkalinity: 84 mg/L
 Water temperature: 17.8°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
2	pH	11	pH	GE
1	Specific conductance	520	µS/cm	GE
0	Aluminum	50	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	4.7	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	1250	µg/L	GE
1	Calcium	27800	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	1900	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	Iron	81	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	337	µg/L	GE
0	Manganese	3.5	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	1800	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	8580	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	1800	µg/L	GE
0	Sulfate	7200	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total organic halogens	9.0	µg/L	GE

ANALYTICAL RESULTS

WELL MSB 20C collected on 01/21/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Total phosphates	<50	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
2	Trichloroethylene	4.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Zinc	49	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropene	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Total radium	1.4 ± 2.1	pCi/L	GE

WELL MSB 21A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/20/90
Depth to water: 132.05 ft (40.25 m) below TOC
Water elevation: 221.35 ft (67.47 m) msl
Sp. conductance: 25 µS/cm
Water evacuated before sampling: 178 gal

Time: 16:15
pH: 5.0
Alkalinity: 1 mg/L
Water temperature: 18.0°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.7	pH	GE
0	Specific conductance	22	µS/cm	GE
0	Aluminum	29	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	8.1	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	1120	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	1600	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Copper	7.7	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	Iron	105	µg/L	GE
0	Lead	<8.0	µg/L	GE
0	Magnesium	441	µg/L	GE
0	Manganese	8.7	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	1000	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	8800	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	1900	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
1	Total organic halogens	20	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
2	Trichloroethylene	3.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Zinc	24	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE

WELL MSB 21A collected on 01/20/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropene	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Total radium	2.1 ± 3.4	pCi/L	GE

WELL MSB 21B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/20/90
Depth to water: 135.05 ft (41.18 m) below TOC
Water elevation: 220.25 ft (67.13 m) msl
Sp. conductance: 35 µS/cm
Water evacuated before sampling: 203 gal

Time: 15:30
pH: 5.7
Alkalinity: 4 mg/L
Water temperature: 18.0°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	<5.0	µg/L	MA
2	Tetrachloroethylene	5.0	µg/L	MA
1	trans-1,2-Dichloroethene	13	µg/L	MA
2	Trichloroethylene	180	µg/L	MA
0	1,1-Dichloroethane	<5.0	µg/L	MA
0	1,1,1-Trichloroethane	<5.0	µg/L	MA

WELL MSB 21C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/20/90
Depth to water: 125.76 ft (38.33 m) below TOC
Water elevation: 227.64 ft (69.39 m) msl
Sp. conductance: 23 µS/cm
Water evacuated before sampling: 41 gal

Time: 15:40
pH: 5.1
Alkalinity: 1 mg/L
Water temperature: 17.8°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.5	pH	GE
0	Specific conductance	22	µS/cm	GE
0	Aluminum	21	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	7.3	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	1010	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	1700	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Copper	6.2	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	Iron	82	µg/L	GE
0	Lead	<8.0	µg/L	GE
0	Magnesium	393	µg/L	GE
0	Manganese	11	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	800	µg/L	GE
1	Phenols	12	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	7890	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	1780	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE

ANALYTICAL RESULTS

WELL MSB 21C collected on 01/20/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
1	Total organic halogens	13	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Zinc	22	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	<2.0	pCi/L	GE
1	Total radium	3.9±3.9	pCi/L	GE

WELL MSB 21TA

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/20/90
Depth to water: 192.24 ft (49.45 m) below TOC
Water elevation: 192.48 ft (58.68 m) msl
Sp. conductance: 87 µS/cm
Water evacuated before sampling: 452 gal

Time: 18:50
pH: 5.7
Alkalinity: 10 mg/L
Water temperature: 18.0°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	6.0	pH	GE
0	Specific conductance	80	µS/cm	GE
1	Aluminum	96	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	12	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	6680	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	1700	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	Iron	100	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	552	µg/L	GE
0	Manganese	17	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Nickel	4.4	µg/L	GE
0	Nitrate as nitrogen	<50	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	783	µg/L	GE
0	Selenium	<2.0	µg/L	GE
1	Silica	12300	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	1890	µg/L	GE
0	Sulfate	8400	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
1	Toluene	1.0	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Zinc	9.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE

WELL MSB 21TA collected on 01/20/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	3.5±2.3	pCi/L	GE
0	Total radium	<1.0	pCi/L	GE

WELL MSB 22

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/31/90
Depth to water: Not available
Water elevation: Not available
Sp. conductance: 199 µS/cm
Water evacuated before sampling: 1 gal
There was insufficient water to fill all or some sample bottles.

Time: 11:20
pH: 6.8
Alkalinity: 24 mg/L
Water temperature: 16.5°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
2	Aluminum	479	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	7.1	µg/L	GE
1	Benzene	1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
1	Calcium	22600	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
1	Chlorobenzene	7.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
1	Chromium	8.8	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Iron	83	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Manganese	18	µg/L	GE
0	Mercury	0.39	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Potassium	772	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	8280	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	6630	µg/L	GE
2	Tetrachloroethylene	19500	µg/L	GE
0	Tin	<2.0	µg/L	GE
1	Toluene	2.0	µg/L	GE
0	Total organic carbon	2000	µg/L	GE
2	Total organic halogens	22400	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
2	Trichloroethylene	7450	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Zinc	9.4	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE

ANALYTICAL RESULTS

WELL MSB 22

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/08/90
Depth to water: Not available
Water elevation: Not available
Sp. conductance: 184 µS/cm
Water evacuated before sampling: 1 gal
The well went dry during purging.

Time: 9:40
pH: 7.7
Alkalinity: 17 mg/L
Water temperature: 12.1°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	Benzene	1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
1	Chlorobenzene	7.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
1	Chloroform	2.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
2	Tetrachloroethylene	58700	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
2	Trichloroethylene	22100	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
1	1,1-Dichloroethylene	10	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE

WELL MSB 23

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/26/90
The well was dry.

Time: 12:20

WELL MSB 23B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/26/90
Depth to water: 147.04 ft (44.82 m) below TOC
Water elevation: 224.56 ft (68.45 m) msl
Sp. conductance: 30 µS/cm
Water evacuated before sampling: 140 gal

Time: 12:10
pH: 5.2
Alkalinity: 3 mg/L
Water temperature: 18.1°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	<20	µg/L	MA
0	Tetrachloroethylene	<20	µg/L	MA
0	trans-1,2-Dichloroethene	<20	µg/L	MA
2	Trichloroethylene	597	µg/L	MA
0	1,1-Dichloroethylene	<20	µg/L	MA
0	1,1,1-Trichloroethane	<20	µg/L	MA

WELL MSB 23TA

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/26/90
Depth to water: 177.83 ft (54.20 m) below TOC
Water elevation: 195.07 ft (59.46 m) msl
Sp. conductance: 33 µS/cm
No water was evacuated before sampling.

Time: 11:50
pH: 5.1
Alkalinity: 1 mg/L
Water temperature: 17.5°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	<1.0	µg/L	MA
0	Tetrachloroethylene	<1.0	µg/L	MA
0	trans-1,2-Dichloroethene	<1.0	µg/L	MA
1	Trichloroethylene	2.3	µg/L	MA
0	1,1-Dichloroethylene	<1.0	µg/L	MA
0	1,1,1-Trichloroethane	<1.0	µg/L	MA

WELL MSB 23TA

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/26/90
Depth to water: 177.83 ft (54.20 m) below TOC
Water elevation: 195.07 ft (59.46 m) msl
Sp. conductance: 41 µS/cm
Water evacuated before sampling: 88 gal

Time: 12:15
pH: 5.7
Alkalinity: 7 mg/L
Water temperature: 19.0°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	<5.0	µg/L	MA
1	Tetrachloroethylene	2.3	µg/L	MA
0	trans-1,2-Dichloroethene	<5.0	µg/L	MA
2	Trichloroethylene	55	µg/L	MA
0	1,1-Dichloroethylene	<5.0	µg/L	MA
0	1,1,1-Trichloroethane	<5.0	µg/L	MA

WELL MSB 23TA

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/26/90
Depth to water: 177.83 ft (54.20 m) below TOC
Water elevation: 195.07 ft (59.46 m) msl
Sp. conductance: 33 µS/cm
Water evacuated before sampling: 175 gal

Time: 12:40
pH: 5.0
Alkalinity: 1 mg/L
Water temperature: 19.3°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	<1.0	µg/L	MA
0	Tetrachloroethylene	<1.0	µg/L	MA
0	trans-1,2-Dichloroethene	<1.0	µg/L	MA
2	Trichloroethylene	4.2	µg/L	MA
0	1,1-Dichloroethylene	<1.0	µg/L	MA
0	1,1,1-Trichloroethane	<1.0	µg/L	MA

WELL MSB 23TA

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/26/90
Depth to water: 177.83 ft (54.20 m) below TOC
Water elevation: 195.07 ft (59.46 m) msl
Sp. conductance: 29 µS/cm
Water evacuated before sampling: 263 gal

Time: 13:05
pH: 4.7
Alkalinity: 0 mg/L
Water temperature: 19.5°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	<1.0	µg/L	MA
0	Tetrachloroethylene	<1.0	µg/L	MA
0	trans-1,2-Dichloroethene	<1.0	µg/L	MA
2	Trichloroethylene	2.6	µg/L	MA
0	1,1-Dichloroethylene	<1.0	µg/L	MA
0	1,1,1-Trichloroethane	<1.0	µg/L	MA

ANALYTICAL RESULTS

WELL MSB 23TA

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/28/90 Time: 13:35
 Depth to water: 177.83 ft (54.20 m) below TOC pH: 4.7
 Water elevation: 195.07 ft (59.46 m) msl Alkalinity: 0 mg/L
 Sp. conductance: 28 µS/cm Water temperature: 18.5°C
 Water evacuated before sampling: 350 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	<1.0	µg/L	MA
0	Tetrachloroethylene	<1.0	µg/L	MA
0	trans-1,2-Dichloroethene	<1.0	µg/L	MA
1	Trichloroethylene	1.3	µg/L	MA
0	1,1-Dichloroethylene	<1.0	µg/L	MA
0	1,1,1-Trichloroethane	<1.0	µg/L	MA

WELL MSB 23TA

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/21/90 Time: 11:55
 Depth to water: 173.54 ft (52.90 m) below TOC pH: 5.0
 Water elevation: 199.36 ft (60.77 m) msl Alkalinity: 0 mg/L
 Sp. conductance: 28 µS/cm Water temperature: 18.1°C
 No water was evacuated before sampling.

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	<1.0	µg/L	MA
0	Tetrachloroethylene	<1.0	µg/L	MA
0	trans-1,2-Dichloroethene	<1.0	µg/L	MA
1	Trichloroethylene	1.6	µg/L	MA
0	1,1-Dichloroethylene	<1.0	µg/L	MA
0	1,1,1-Trichloroethane	<1.0	µg/L	MA

WELL MSB 23TA

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/21/90 Time: 12:25
 Depth to water: 173.54 ft (52.90 m) below TOC pH: 5.5
 Water elevation: 199.36 ft (60.77 m) msl Alkalinity: 4 mg/L
 Sp. conductance: 35 µS/cm Water temperature: 18.1°C
 Water evacuated before sampling: 90 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	<5.0	µg/L	MA
0	Tetrachloroethylene	<5.0	µg/L	MA
0	trans-1,2-Dichloroethene	<5.0	µg/L	MA
2	Trichloroethylene	26	µg/L	MA
0	1,1-Dichloroethylene	<5.0	µg/L	MA
0	1,1,1-Trichloroethane	<5.0	µg/L	MA

WELL MSB 23TA

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/21/90 Time: 12:50
 Depth to water: 173.54 ft (52.90 m) below TOC pH: 4.9
 Water elevation: 199.36 ft (60.77 m) msl Alkalinity: 0 mg/L
 Sp. conductance: 28 µS/cm Water temperature: 18.1°C
 Water evacuated before sampling: 181 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	<1.0	µg/L	MA
0	Chloroform	<1.0	µg/L	MA
0	Tetrachloroethylene	<1.0	µg/L	MA
0	Tetrachloroethylene	<1.0	µg/L	MA
0	trans-1,2-Dichloroethene	<1.0	µg/L	MA
0	trans-1,2-Dichloroethene	<1.0	µg/L	MA
1	Trichloroethylene	2.5	µg/L	MA
2	Trichloroethylene	3.2	µg/L	MA

WELL MSB 23TA collected on 02/21/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	1,1-Dichloroethylene	<1.0	µg/L	MA
0	1,1-Dichloroethylene	<1.0	µg/L	MA
0	1,1,1-Trichloroethane	<1.0	µg/L	MA
0	1,1,1-Trichloroethane	<1.0	µg/L	MA

WELL MSB 23TA

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/21/90 Time: 13:20
 Depth to water: 173.54 ft (52.90 m) below TOC pH: 4.8
 Water elevation: 199.36 ft (60.77 m) msl Alkalinity: 0 mg/L
 Sp. conductance: 28 µS/cm Water temperature: 18.3°C
 Water evacuated before sampling: 271 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	<1.0	µg/L	MA
0	Tetrachloroethylene	<1.0	µg/L	MA
0	trans-1,2-Dichloroethene	<1.0	µg/L	MA
1	Trichloroethylene	2.0	µg/L	MA
0	1,1-Dichloroethylene	<1.0	µg/L	MA
0	1,1,1-Trichloroethane	<1.0	µg/L	MA

WELL MSB 23TA

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/21/90 Time: 13:45
 Depth to water: 173.54 ft (52.90 m) below TOC pH: 4.7
 Water elevation: 199.36 ft (60.77 m) msl Alkalinity: 0 mg/L
 Sp. conductance: 27 µS/cm Water temperature: 18.5°C
 Water evacuated before sampling: 361 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	<1.0	µg/L	MA
0	Tetrachloroethylene	<1.0	µg/L	MA
0	trans-1,2-Dichloroethene	<1.0	µg/L	MA
0	Trichloroethylene	<1.0	µg/L	MA
0	1,1-Dichloroethylene	<1.0	µg/L	MA
0	1,1,1-Trichloroethane	<1.0	µg/L	MA

WELL MSB 23TA

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/21/90 Time: 13:25
 Depth to water: 174.24 ft (53.11 m) below TOC pH: 4.7
 Water elevation: 198.66 ft (60.55 m) msl Alkalinity: 0 mg/L
 Sp. conductance: 34 µS/cm Water temperature: 20.6°C
 No water was evacuated before sampling.

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	<1.0	µg/L	MA
0	Tetrachloroethylene	<1.0	µg/L	MA
0	trans-1,2-Dichloroethene	<1.0	µg/L	MA
1	Trichloroethylene	1.1	µg/L	MA
0	1,1-Dichloroethylene	<1.0	µg/L	MA
0	1,1,1-Trichloroethane	<1.0	µg/L	MA

ANALYTICAL RESULTS

WELL MSB 23TA

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/21/90 Time: 13:50
 Depth to water: 174.24 ft (53.11 m) below TOC pH: 5.1
 Water elevation: 198.66 ft (60.55 m) msl Alkalinity: 4 mg/L
 Sp. conductance: 44 µS/cm Water temperature: 20.5°C
 Water evacuated before sampling: 90 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	<5.0	µg/L	MA
1	Tetrachloroethylene	4.0	µg/L	MA
0	trans-1,2-Dichloroethene	<5.0	µg/L	MA
2	Trichloroethylene	41	µg/L	MA
0	1,1-Dichloroethylene	<5.0	µg/L	MA
0	1,1,1-Trichloroethane	<5.0	µg/L	MA

WELL MSB 23TA

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/21/90 Time: 14:20
 Depth to water: 174.24 ft (53.11 m) below TOC pH: 4.5
 Water elevation: 198.66 ft (60.55 m) msl Alkalinity: 0 mg/L
 Sp. conductance: 33 µS/cm Water temperature: 19.0°C
 Water evacuated before sampling: 180 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	<1.0	µg/L	MA
0	Tetrachloroethylene	<1.0	µg/L	MA
0	trans-1,2-Dichloroethene	<1.0	µg/L	MA
2	Trichloroethylene	4.1	µg/L	MA
0	1,1-Dichloroethylene	<1.0	µg/L	MA
0	1,1,1-Trichloroethane	<1.0	µg/L	MA

WELL MSB 23TA

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/21/90 Time: 14:50
 Depth to water: 174.24 ft (53.11 m) below TOC pH: 4.5
 Water elevation: 198.66 ft (60.55 m) msl Alkalinity: 0 mg/L
 Sp. conductance: 29 µS/cm Water temperature: 20.5°C
 Water evacuated before sampling: 270 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	<1.0	µg/L	MA
0	Tetrachloroethylene	<1.0	µg/L	MA
0	trans-1,2-Dichloroethene	<1.0	µg/L	MA
2	Trichloroethylene	2.6	µg/L	MA
0	1,1-Dichloroethylene	<1.0	µg/L	MA
0	1,1,1-Trichloroethane	<1.0	µg/L	MA

WELL MSB 23TA

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/21/90 Time: 15:20
 Depth to water: 174.24 ft (53.11 m) below TOC pH: 4.4
 Water elevation: 198.66 ft (60.55 m) msl Alkalinity: 0 mg/L
 Sp. conductance: 27 µS/cm Water temperature: 19.9°C
 Water evacuated before sampling: 360 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	<1.0	µg/L	MA
0	Tetrachloroethylene	<1.0	µg/L	MA
0	trans-1,2-Dichloroethene	<1.0	µg/L	MA
0	Trichloroethylene	<1.0	µg/L	MA
0	1,1-Dichloroethylene	<1.0	µg/L	MA
0	1,1,1-Trichloroethane	<1.0	µg/L	MA

WELL MSB 24

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/11/90 Time: 9:45
 Depth to water: 143.44 ft (43.72 m) below TOC pH: 10.2
 Water elevation: 236.78 ft (72.17 m) msl Alkalinity: 17 mg/L
 Sp. conductance: 80 µS/cm Water temperature: 18.9°C
 Water evacuated before sampling: 6 gal
 The well went dry during purging.

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	<200	µg/L	MA
2	Tetrachloroethylene	1200	µg/L	MA
0	trans-1,2-Dichloroethene	<200	µg/L	MA
2	Trichloroethylene	15300	µg/L	MA
0	1,1-Dichloroethylene	<200	µg/L	MA
0	1,1,1-Trichloroethane	<200	µg/L	MA

WELL MSB 24A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/10/90 Time: 14:05
 Depth to water: 155.25 ft (47.32 m) below TOC pH: 4.4
 Water elevation: 226.35 ft (68.99 m) msl Alkalinity: 0 mg/L
 Sp. conductance: 66 µS/cm Water temperature: 19.7°C
 Water evacuated before sampling: 150 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	<500	µg/L	MA
2	Tetrachloroethylene	12700	µg/L	MA
0	trans-1,2-Dichloroethene	<500	µg/L	MA
2	Trichloroethylene	51000	µg/L	MA
0	1,1-Dichloroethylene	<500	µg/L	MA
0	1,1,1-Trichloroethane	<500	µg/L	MA

WELL MSB 25

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/10/90 Time: 14:40
 The well was dry.

WELL MSB 25A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/10/90 Time: 15:00
 Depth to water: 149.74 ft (45.64 m) below TOC pH: 4.6
 Water elevation: 216.66 ft (66.04 m) msl Alkalinity: 0 mg/L
 Sp. conductance: 40 µS/cm Water temperature: 18.2°C
 Water evacuated before sampling: 148 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	<50	µg/L	MA
2	Tetrachloroethylene	106	µg/L	MA
0	trans-1,2-Dichloroethene	<50	µg/L	MA
2	Trichloroethylene	2110	µg/L	MA
0	1,1-Dichloroethylene	<50	µg/L	MA
0	1,1,1-Trichloroethane	<50	µg/L	MA

ANALYTICAL RESULTS

WELL MSB 26

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/14/90
 Depth to water: Not available
 Water elevation: Not available
 Sp. conductance: 60 µS/cm
 Water evacuated before sampling: 12 gal

Time: 14:40
 pH: 5.0
 Alkalinity: 1 mg/L
 Water temperature: 17.4°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Carbon tetrachloride	<1.0	µg/L	MT
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloroform	0.71	µg/L	MT
0	Chloroform	<1.0	µg/L	GE
0	Chloroform	<50	µg/L	MA
2	Tetrachloroethylene	2650	µg/L	MT
2	Tetrachloroethylene	8500	µg/L	GE
2	Tetrachloroethylene	3500	µg/L	MA
0	trans-1,2-Dichloroethene	<50	µg/L	MA
2	Trichloroethylene	7310	µg/L	MT
2	Trichloroethylene	18000	µg/L	GE
2	Trichloroethylene	10200	µg/L	MA
0	1,1-Dichloroethylene	<50	µg/L	MA
0	1,1,1-Trichloroethane	<0.40	µg/L	MT
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<50	µg/L	MA
1	Total activity	2.8 ± 1.1	pCi/mL	EM

WELL MSB 26

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/14/90
 Depth to water: Not available
 Water elevation: Not available
 Sp. conductance: 60 µS/cm
 Water evacuated before sampling: 12 gal

Time: 14:40
 pH: 5.0
 Alkalinity: 1 mg/L
 Water temperature: 17.4°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	<200	µg/L	MA
2	Tetrachloroethylene	4210	µg/L	MA
0	trans-1,2-Dichloroethene	<200	µg/L	MA
2	Trichloroethylene	12200	µg/L	MA
0	1,1-Dichloroethylene	<200	µg/L	MA
0	1,1,1-Trichloroethane	<200	µg/L	MA

WELL MSB 26A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/14/90
 Depth to water: 137.85 ft (42.02 m) below TOC
 Water elevation: 223.05 ft (68.99 m) msl
 Sp. conductance: 26 µS/cm
 Water evacuated before sampling: 141 gal

Time: 14:50
 pH: 5.0
 Alkalinity: 1 mg/L
 Water temperature: 17.3°C

WELL MSB 26B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/14/90
 Depth to water: 143.74 ft (43.81 m) below TOC
 Water elevation: 219.48 ft (66.89 m) msl
 Sp. conductance: 44 µS/cm
 Water evacuated before sampling: 227 gal

Time: 15:10
 pH: 8.0
 Alkalinity: 14 mg/L
 Water temperature: 18.0°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	<2.0	µg/L	MA
0	Tetrachloroethylene	<2.0	µg/L	MA
1	trans-1,2-Dichloroethene	12	µg/L	MA
2	Trichloroethylene	222	µg/L	MA
0	1,1-Dichloroethylene	<2.0	µg/L	MA
0	1,1,1-Trichloroethane	<2.0	µg/L	MA

WELL MSB 27

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/12/90
 Depth to water: 136.65 ft (41.65 m) below TOC
 Water elevation: 238.85 ft (72.80 m) msl
 Sp. conductance: 62 µS/cm
 Water evacuated before sampling: 14 gal

Time: 14:20
 pH: 4.9
 Alkalinity: 0 mg/L
 Water temperature: 17.9°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	<1.0	µg/L	MA
0	Tetrachloroethylene	<1.0	µg/L	MA
0	trans-1,2-Dichloroethene	<1.0	µg/L	MA
2	Trichloroethylene	4.7	µg/L	MA
0	1,1-Dichloroethylene	<1.0	µg/L	MA
0	1,1,1-Trichloroethane	<1.0	µg/L	MA

WELL MSB 27A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/12/90
 Depth to water: Not available
 Water elevation: Not available
 Sp. conductance: 63 µS/cm
 Water evacuated before sampling: 55 gal

Time: 14:40
 pH: 5.1
 Alkalinity: 0 mg/L
 Water temperature: 18.5°C

WELL MSB 27B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/12/90
 Depth to water: 151.14 ft (46.07 m) below TOC
 Water elevation: 225.66 ft (68.78 m) msl
 Sp. conductance: 32 µS/cm
 Water evacuated before sampling: 159 gal

Time: 13:50
 pH: 5.2
 Alkalinity: 1 mg/L
 Water temperature: 17.5°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	<2.0	µg/L	MA
0	Tetrachloroethylene	<2.0	µg/L	MA
0	trans-1,2-Dichloroethene	<2.0	µg/L	MA
2	Trichloroethylene	52	µg/L	MA
0	1,1-Dichloroethylene	<2.0	µg/L	MA
0	1,1,1-Trichloroethane	<2.0	µg/L	MA

WELL MSB 27TA

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/12/90
 Depth to water: 175.44 ft (53.47 m) below TOC
 Water elevation: 201.16 ft (61.31 m) msl
 Sp. conductance: 29 µS/cm
 Water evacuated before sampling: 391 gal

Time: 14:15
 pH: 4.9
 Alkalinity: 0 mg/L
 Water temperature: 18.0°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	<1.0	µg/L	MA
0	Tetrachloroethylene	<1.0	µg/L	MA
0	trans-1,2-Dichloroethene	<1.0	µg/L	MA
0	Trichloroethylene	<1.0	µg/L	MA
0	1,1-Dichloroethylene	<1.0	µg/L	MA
0	1,1,1-Trichloroethane	<1.0	µg/L	MA

ANALYTICAL RESULTS

WELL MSB 28

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/05/90 Time: 14:40
Depth to water: 124.86 ft (38.06 m) below TOC pH: 6.4
Water elevation: 229.54 ft (69.96 m) msl Alkalinity: 23 mg/L
Sp. conductance: 29 µS/cm Water temperature: 18.8°C
Water evacuated before sampling: 49 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	<1.0	µg/L	MA
0	Tetrachloroethylene	<1.0	µg/L	MA
0	trans-1,2-Dichloroethene	<1.0	µg/L	MA
0	Trichloroethylene	<1.0	µg/L	MA
0	1,1-Dichloroethylene	<1.0	µg/L	MA
0	1,1,1-Trichloroethane	<1.0	µg/L	MA

WELL MSB 28A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/05/90 Time: 15:05
Depth to water: 131.65 ft (40.13 m) below TOC pH: 4.6
Water elevation: 222.55 ft (67.83 m) msl Alkalinity: 0 mg/L
Sp. conductance: 27 µS/cm Water temperature: 18.9°C
Water evacuated before sampling: 182 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	<50	µg/L	MA
0	Chloroform	<50	µg/L	MA
0	Tetrachloroethylene	<50	µg/L	MA
0	Tetrachloroethylene	<50	µg/L	MA
1	trans-1,2-Dichloroethene	159	µg/L	MA
1	trans-1,2-Dichloroethene	150	µg/L	MA
2	Trichloroethylene	4550	µg/L	MA
2	Trichloroethylene	4380	µg/L	MA
0	1,1-Dichloroethylene	<50	µg/L	MA
0	1,1-Dichloroethylene	<50	µg/L	MA
0	1,1,1-Trichloroethane	<50	µg/L	MA
0	1,1,1-Trichloroethane	<50	µg/L	MA

WELL MSB 29A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/02/90 Time: 15:15
Depth to water: 144.65 ft (44.09 m) below TOC pH: 6.1
Water elevation: 220.75 ft (67.29 m) msl Alkalinity: 12 mg/L
Sp. conductance: 56 µS/cm Water temperature: 20.5°C
Water evacuated before sampling: 265 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	pH	6.6	pH	GE
0	Aluminum	42	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	27	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bis(2-ethylhexyl) phthalate	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	1500	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethane (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE

WELL MSB 29A collected on 02/02/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Iron	34	µg/L	GE
0	Lead	<8.0	µg/L	GE
1	Manganese	27	µg/L	GE
0	Mercury	0.29	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	590	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Selenium	<2.0	µg/L	GE
1	Silica	30200	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	2190	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Tin	<2.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	14	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	2.5±2.2	pCi/L	GE
0	Total radium	<1.0	pCi/L	GE
0	Tritium	<0.70	pCi/mL	GE

WELL MSB 29B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/02/90 Time: 14:35
Depth to water: 141.05 ft (42.99 m) below TOC pH: 4.2
Water elevation: 224.15 ft (68.32 m) msl Alkalinity: 0 mg/L
Sp. conductance: 31 µS/cm Water temperature: 19.5°C
Water evacuated before sampling: 199 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	4.8	pH	GE
0	Aluminum	74	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	6.4	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bis(2-ethylhexyl) phthalate	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	2000	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethane (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Iron	29	µg/L	GE
0	Lead	<8.0	µg/L	GE
0	Manganese	<2.0	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	1400	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	7160	µg/L	GE
0	Silver	<2.0	µg/L	GE

ANALYTICAL RESULTS

WELL MSB 29B collected on 02/02/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Sodium	2400	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Tin	<2.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	5.9	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Total radium	1.7±2.3	pCi/L	GE
0	Tritium	1.3±0.30	pCi/mL	GE

WELL MSB 29C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/02/90 Time: 15:00
 Depth to water: 134.54 ft (41.01 m) below TOC pH: 4.5
 Water elevation: 230.66 ft (70.31 m) msl Alkalinity: 0 mg/L
 Sp. conductance: 28 µS/cm Water temperature: 19.7°C
 Water evacuated before sampling: 143 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	4.9	pH	GE
0	Aluminum	38	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	5.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bis(2-ethylhexyl) phthalate	<10	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	1700	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Iron	13	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Manganese	2.5	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	1400	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	6640	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	1970	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Tin	<2.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	9.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE

WELL MSB 29C collected on 02/02/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	7.5	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	2.0±2.2	pCi/L	GE
0	Total radium	<1.0	pCi/L	GE
0	Tritium	<0.70	pCi/mL	GE

WELL MSB 29D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/02/90 Time: 14:00
 Depth to water: 132.16 ft (40.28 m) below TOC pH: 4.2
 Water elevation: 232.94 ft (71.00 m) msl Alkalinity: 0 mg/L
 Sp. conductance: 39 µS/cm Water temperature: 19.5°C
 Water evacuated before sampling: 65 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	4.7	pH	GE
1	Aluminum	90	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	7.6	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bis(2-ethylhexyl) phthalate	<10	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	2100	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Copper	8.8	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Iron	43	µg/L	GE
0	Lead	6.8	µg/L	GE
0	Manganese	2.5	µg/L	GE
1	Mercury	0.73	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	1700	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	8710	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	3170	µg/L	GE
0	Sulfate	<5000	µg/L	GE
1	Tetrachloroethylene	3.0	µg/L	GE
0	Tin	<2.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
1	Trichloroethylene	1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	5.8	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE

ANALYTICAL RESULTS

WELL MSB 29D collected on 02/02/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Gross alpha	4.5±1.9	pCi/L	GE
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Total radium	1.8±3.5	pCi/L	GE
0	Tritium	1.0±0.30	pCi/mL	GE

WELL MSB 29TA

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/02/90
Depth to water: 154.34 ft (47.04 m) below TOC
Water elevation: 210.86 ft (64.27 m) msl
Sp. conductance: 22 µS/cm
Water evacuated before sampling: 391 gal

Time: 13:45
pH: 4.4
Alkalinity: 0 mg/L
Water temperature: 19.7°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.1	pH	GE
0	Aluminum	69	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	<4.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bis(2-ethylhexyl) phthalate	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	1400	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Copper	9.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Iron	113	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Manganese	14	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	420	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Selenium	<2.0	µg/L	GE
1	Silica	11000	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	1970	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Tin	<2.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
1	Total organic halogens	12	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
1	Trichloroethylene	2.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	4.4	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Total radium	<1.0	pCi/L	GE
0	Tritium	<0.70	pCi/mL	GE

WELL MSB 30A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/13/90
Depth to water: 157.34 ft (47.98 m) below TOC
Water elevation: 197.26 ft (60.13 m) msl
Sp. conductance: 73 µS/cm
Water evacuated before sampling: 446 gal

Time: 18:25
pH: 8.5
Alkalinity: 23 mg/L
Water temperature: 17.4°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	<1.0	µg/L	MA
0	Chloroform	<1.0	µg/L	MA
0	Tetrachloroethylene	<1.0	µg/L	MA
0	Tetrachloroethylene	<1.0	µg/L	MA
0	trans-1,2-Dichloroethene	<1.0	µg/L	MA
0	trans-1,2-Dichloroethene	<1.0	µg/L	MA
0	Trichloroethylene	<1.0	µg/L	MA
0	Trichloroethylene	<1.0	µg/L	MA
0	1,1-Dichloroethylene	<1.0	µg/L	MA
0	1,1-Dichloroethylene	<1.0	µg/L	MA
0	1,1,1-Trichloroethane	<1.0	µg/L	MA
0	1,1,1-Trichloroethane	<1.0	µg/L	MA

WELL MSB 30AA

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/14/90
Depth to water: 129.55 ft (39.49 m) below TOC
Water elevation: 223.05 ft (67.99 m) msl
Sp. conductance: 99 µS/cm
Water evacuated before sampling: 68 gal
The well went dry during purging.

Time: 9:35
pH: 8.1
Alkalinity: 15 mg/L
Water temperature: 18.3°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	<1.0	µg/L	MA
0	Tetrachloroethylene	<1.0	µg/L	MA
0	trans-1,2-Dichloroethene	<1.0	µg/L	MA
0	Trichloroethylene	<1.0	µg/L	MA
0	1,1-Dichloroethylene	<1.0	µg/L	MA
0	1,1,1-Trichloroethane	<1.0	µg/L	MA

WELL MSB 30B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/13/90
Depth to water: 128.96 ft (39.31 m) below TOC
Water elevation: 224.14 ft (68.32 m) msl
Sp. conductance: 31 µS/cm
Water evacuated before sampling: 260 gal

Time: 15:35
pH: 4.5
Alkalinity: 0 mg/L
Water temperature: 17.2°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	<1.0	µg/L	MA
0	Tetrachloroethylene	<1.0	µg/L	MA
0	trans-1,2-Dichloroethene	<1.0	µg/L	MA
0	Trichloroethylene	<1.0	µg/L	MA
0	1,1-Dichloroethylene	<1.0	µg/L	MA
0	1,1,1-Trichloroethane	<1.0	µg/L	MA

ANALYTICAL RESULTS

WELL MSB 30C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/13/90
Depth to water: 124.95 ft (38.08 m) below TOC
Water elevation: 229.95 ft (70.09 m) msl
Sp. conductance: 28 µS/cm
Water evacuated before sampling: 26 gal

Time: 16:10
pH: 5.1
Alkalinity: 1 mg/L
Water temperature: 16.7°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	<1.0	µg/L	MA
0	Tetrachloroethylene	<1.0	µg/L	MA
0	trans-1,2-Dichloroethene	<1.0	µg/L	MA
0	Trichloroethylene	<1.0	µg/L	MA
0	1,1-Dichloroethylene	<1.0	µg/L	MA
0	1,1,1-Trichloroethane	<1.0	µg/L	MA

WELL MSB 30CC

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/13/90
Depth to water: 129.74 ft (39.55 m) below TOC
Water elevation: 223.96 ft (68.26 m) msl
Sp. conductance: 23 µS/cm
Water evacuated before sampling: 167 gal

Time: 16:00
pH: 4.9
Alkalinity: 0 mg/L
Water temperature: 17.6°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	<1.0	µg/L	MA
0	Tetrachloroethylene	<1.0	µg/L	MA
0	trans-1,2-Dichloroethene	<1.0	µg/L	MA
1	Trichloroethylene	1.8	µg/L	MA
0	1,1-Dichloroethylene	<1.0	µg/L	MA
0	1,1,1-Trichloroethane	<1.0	µg/L	MA

WELL MSB 31A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/21/90
Depth to water: 152.94 ft (46.82 m) below TOC
Water elevation: 194.26 ft (59.21 m) msl
Sp. conductance: 21 µS/cm
Water evacuated before sampling: 474 gal

Time: 11:20
pH: 4.8
Alkalinity: 0 mg/L
Water temperature: 19.0°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.1	pH	GE
0	Specific conductance	19	µS/cm	GE
0	Aluminum	24	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	<4.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	872	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	1500	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Copper	8.1	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	Iron	83	µg/L	GE
0	Lead	<8.0	µg/L	GE
0	Magnesium	212	µg/L	GE
0	Manganese	3.8	µg/L	GE
0	Mercury	<0.20	µg/L	GE

WELL MSB 31A collected on 01/21/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	280	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	7740	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	1520	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Zinc	21	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	2.4±3.5	pCi/L	GE
0	Total radium	<1.0	pCi/L	GE

WELL MSB 31B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/21/90
Depth to water: 134.45 ft (40.98 m) below TOC
Water elevation: 213.05 ft (64.94 m) msl
Sp. conductance: 26 µS/cm
Water evacuated before sampling: 161 gal

Time: 10:35
pH: 4.7
Alkalinity: 0 mg/L
Water temperature: 19.3°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.0	pH	GE
0	Specific conductance	24	µS/cm	GE
0	Aluminum	74	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	5.8	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	906	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	1900	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Copper	4.8	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	Iron	83	µg/L	GE
0	Lead	<8.0	µg/L	GE
0	Magnesium	381	µg/L	GE
0	Manganese	2.7	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	880	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	9840	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	2320	µg/L	GE
0	Sulfate	<5000	µg/L	GE
2	Tetrachloroethylene	131	µg/L	GE
0	Toluene	<1.0	µg/L	GE

ANALYTICAL RESULTS

WELL MSB 31B collected on 01/21/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
2	Total organic halogens	368	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
2	Trichloroethylene	392	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Zinc	20	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	<2.0	pCi/L	GE
1	Total radium	3.5±3.8	pCi/L	GE

WELL MSB 31C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/21/90 Time: 11:45
 Depth to water: 114.18 ft (34.80 m) below TOC pH: 5.2
 Water elevation: 233.14 ft (71.06 m) msl Alkalinity: 2 mg/L
 Sp. conductance: 108 µS/cm Water temperature: 19.0°C
 Water evacuated before sampling: 45 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.5	pH	GE
1	Specific conductance	108	µS/cm	GE
0	Aluminum	54	µg/L	GE
1	Ammonia	1210	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	30	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	4410	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbohate	<1000	µg/L	GE
0	Chloride	5200	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	Iron	87	µg/L	GE
0	Lead	<8.0	µg/L	GE
0	Magnesium	1510	µg/L	GE
0	Manganese	12	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Nickel	<4.0	µg/L	GE
1	Nitrate as nitrogen	5250	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	1230	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	7870	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	11000	µg/L	GE
0	Sulfate	5500	µg/L	GE
2	Tetrachloroethylene	113000	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total organic carbon	1000	µg/L	GE
2	Total organic halogens	45800	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
2	Trichloroethylene	89900	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Zinc	38	µg/L	GE

WELL MSB 31C collected on 01/21/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
1	Nonvolatile beta	11±3.0	pCi/L	GE
0	Total radium	1.4±2.1	pCi/L	GE

WELL MSB 31CC

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/21/90 Time: 11:30
 Depth to water: 133.85 ft (40.80 m) below TOC pH: 6.2
 Water elevation: 214.85 ft (65.52 m) msl Alkalinity: 12 mg/L
 Sp. conductance: 85 µS/cm Water temperature: 20.1°C
 Water evacuated before sampling: 100 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	<5.0	µg/L	MA
0	Tetrachloroethylene	<5.0	µg/L	MA
0	trans-1,2-Dichloroethene	<5.0	µg/L	MA
2	Trichloroethylene	221	µg/L	MA
0	1,1-Dichloroethylene	<5.0	µg/L	MA
0	1,1,1-Trichloroethane	<5.0	µg/L	MA

WELL MSB 32

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/04/90 Time: 18:15
 Depth to water: 30.52 ft (9.30 m) below TOC pH: 5.1
 Water elevation: 224.78 ft (68.51 m) msl Alkalinity: 1 mg/L
 Sp. conductance: 32 µS/cm Water temperature: 19.1°C
 Water evacuated before sampling: 70 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	<1.0	µg/L	MA
0	Tetrachloroethylene	<1.0	µg/L	MA
0	trans-1,2-Dichloroethene	<1.0	µg/L	MA
0	Trichloroethylene	<1.0	µg/L	MA
0	1,1-Dichloroethylene	<1.0	µg/L	MA
0	1,1,1-Trichloroethane	<1.0	µg/L	MA

WELL MSB 33

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/05/90 Time: 10:25
 Depth to water: 33.69 ft (10.27 m) below TOC pH: 4.8
 Water elevation: 222.91 ft (67.94 m) msl Alkalinity: 0 mg/L
 Sp. conductance: 45 µS/cm Water temperature: 17.3°C
 Water evacuated before sampling: 44 gal

ANALYTICAL RESULTS

WELL MSB 33A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/05/90 Time: 10:10
Depth to water: 52.57 ft (16.02 m) below TOC pH: 4.7
Water elevation: 202.03 ft (61.82 m) msl Alkalinity: 0 mg/L
Sp. conductance: 29 µS/cm Water temperature: 17.2°C
Water evacuated before sampling: 324 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	<1.0	µg/L	MA
0	Tetrachloroethylene	<1.0	µg/L	MA
0	trans-1,2-Dichloroethene	<1.0	µg/L	MA
2	Trichloroethylene	8.7	µg/L	MA
0	1,1-Dichloroethylene	<1.0	µg/L	MA
0	1,1,1-Trichloroethane	<1.0	µg/L	MA

WELL MSB 33B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/05/90 Time: 8:30
Depth to water: 47.88 ft (14.59 m) below TOC pH: 4.8
Water elevation: 207.32 ft (63.19 m) msl Alkalinity: 0 mg/L
Sp. conductance: 33 µS/cm Water temperature: 17.7°C
Water evacuated before sampling: 226 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	<1.0	µg/L	MA
2	Tetrachloroethylene	30	µg/L	MA
1	trans-1,2-Dichloroethene	7.8	µg/L	MA
2	Trichloroethylene	17	µg/L	MA
0	1,1-Dichloroethylene	<1.0	µg/L	MA
0	1,1,1-Trichloroethane	<1.0	µg/L	MA

WELL MSB 33C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/05/90 Time: 9:00
Depth to water: 45.68 ft (13.92 m) below TOC pH: 5.0
Water elevation: 209.02 ft (63.89 m) msl Alkalinity: 0 mg/L
Sp. conductance: 40 µS/cm Water temperature: 17.5°C
Water evacuated before sampling: 110 gal

WELL MSB 33TA

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/05/90 Time: 10:20
Depth to water: 63.47 ft (19.35 m) below TOC pH: 4.5
Water elevation: 192.03 ft (58.53 m) msl Alkalinity: 0 mg/L
Sp. conductance: 24 µS/cm Water temperature: 17.0°C
Water evacuated before sampling: 448 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	<1.0	µg/L	MA
0	Tetrachloroethylene	<1.0	µg/L	MA
0	trans-1,2-Dichloroethene	<1.0	µg/L	MA
0	Trichloroethylene	<1.0	µg/L	MA
0	1,1-Dichloroethylene	<1.0	µg/L	MA
0	1,1,1-Trichloroethane	<1.0	µg/L	MA

WELL MSB 34A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/26/90 Time: 11:20
Depth to water: 188.14 ft (50.64 m) below TOC pH: 4.8
Water elevation: 217.08 ft (66.16 m) msl Alkalinity: 0 mg/L
Sp. conductance: 27 µS/cm Water temperature: 18.3°C
Water evacuated before sampling: 270 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	<20	µg/L	MA
2	Tetrachloroethylene	104	µg/L	MA
0	trans-1,2-Dichloroethene	<20	µg/L	MA
2	Trichloroethylene	1790	µg/L	MA
0	1,1-Dichloroethylene	<20	µg/L	MA
0	1,1,1-Trichloroethane	<20	µg/L	MA

WELL MSB 34B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/26/90 Time: 10:30
Depth to water: 157.05 ft (47.87 m) below TOC pH: 4.8
Water elevation: 226.05 ft (68.90 m) msl Alkalinity: 1 mg/L
Sp. conductance: 31 µS/cm Water temperature: 18.3°C
Water evacuated before sampling: 134 gal

WELL MSB 34C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/26/90 Time: 10:10
Depth to water: 151.55 ft (46.19 m) below TOC pH: 4.8
Water elevation: 231.05 ft (70.61 m) msl Alkalinity: 0 mg/L
Sp. conductance: 32 µS/cm Water temperature: 18.5°C
Water evacuated before sampling: 28 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	<10	µg/L	MA
2	Tetrachloroethylene	27	µg/L	MA
0	trans-1,2-Dichloroethene	<10	µg/L	MA
2	Trichloroethylene	170	µg/L	MA
0	1,1-Dichloroethylene	<10	µg/L	MA
0	1,1,1-Trichloroethane	<10	µg/L	MA

WELL MSB 34TA

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/26/90 Time: 11:10
Depth to water: 188.53 ft (56.86 m) below TOC pH: 5.8
Water elevation: 195.97 ft (59.73 m) msl Alkalinity: 8 mg/L
Sp. conductance: 28 µS/cm Water temperature: 18.0°C
Water evacuated before sampling: 777 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	<1.0	µg/L	MA
0	Tetrachloroethylene	<1.0	µg/L	MA
0	trans-1,2-Dichloroethene	<1.0	µg/L	MA
0	Trichloroethylene	<1.0	µg/L	MA
0	1,1-Dichloroethylene	<1.0	µg/L	MA
0	1,1,1-Trichloroethane	<1.0	µg/L	MA

ANALYTICAL RESULTS

WELL MSB 34TB

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/28/90
Depth to water: 184.14 ft (58.13 m) below TOC
Water elevation: 198.66 ft (60.55 m) msl
Sp. conductance: 52 µS/cm
Water evacuated before sampling: 345 gal

Time: 9:55
pH: 5.4
Alkalinity: 1 mg/L
Water temperature: 17.0°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	<1.0	µg/L	MA
0	Tetrachloroethylene	<1.0	µg/L	MA
0	trans-1,2-Dichloroethene	<1.0	µg/L	MA
0	Trichloroethylene	<1.0	µg/L	MA
0	1,1-Dichloroethylene	<1.0	µg/L	MA
0	1,1,1-Trichloroethane	<1.0	µg/L	MA

WELL MSB 35A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/05/90
Depth to water: 135.75 ft (41.38 m) below TOC
Water elevation: 215.35 ft (65.64 m) msl
Sp. conductance: 29 µS/cm
Water evacuated before sampling: 247 gal

Time: 11:25
pH: 4.7
Alkalinity: 0 mg/L
Water temperature: 17.8°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	<1.0	µg/L	MA
0	Tetrachloroethylene	<1.0	µg/L	MA
0	trans-1,2-Dichloroethene	<1.0	µg/L	MA
1	Trichloroethylene	2.2	µg/L	MA
0	1,1-Dichloroethylene	<1.0	µg/L	MA
0	1,1,1-Trichloroethane	<1.0	µg/L	MA

WELL MSB 35B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/05/90
Depth to water: 132.33 ft (40.33 m) below TOC
Water elevation: 219.47 ft (66.90 m) msl
Sp. conductance: 32 µS/cm
Water evacuated before sampling: 163 gal

Time: 11:55
pH: 5.2
Alkalinity: 5 mg/L
Water temperature: 18.1°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	<1.0	µg/L	MA
0	Tetrachloroethylene	<1.0	µg/L	MA
0	trans-1,2-Dichloroethene	<1.0	µg/L	MA
0	Trichloroethylene	<1.0	µg/L	MA
0	1,1-Dichloroethylene	<1.0	µg/L	MA
0	1,1,1-Trichloroethane	<1.0	µg/L	MA

WELL MSB 35D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/05/90
The well was dry.

Time: 10:50

WELL MSB 35TA

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/05/90
Depth to water: 153.24 ft (46.71 m) below TOC
Water elevation: 197.16 ft (60.10 m) msl
Sp. conductance: 21 µS/cm
Water evacuated before sampling: 477 gal

Time: 11:50
pH: 4.8
Alkalinity: 0 mg/L
Water temperature: 18.0°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	<1.0	µg/L	MA
0	Tetrachloroethylene	<1.0	µg/L	MA
0	trans-1,2-Dichloroethene	<1.0	µg/L	MA
0	Trichloroethylene	<1.0	µg/L	MA
0	1,1-Dichloroethylene	<1.0	µg/L	MA
0	1,1,1-Trichloroethane	<1.0	µg/L	MA

WELL MSB 36A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/07/90
Depth to water: 131.95 ft (40.22 m) below TOC
Water elevation: 208.65 ft (63.60 m) msl
Sp. conductance: 38 µS/cm
Water evacuated before sampling: 304 gal

Time: 11:40
pH: 4.2
Alkalinity: 0 mg/L
Water temperature: 19.5°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.1	pH	GE
0	Specific conductance	31	µS/cm	GE
0	Aluminum	27	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	9.6	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	1160	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	1800	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Copper	6.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	100	µg/L	GE
0	Iron	51	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	368	µg/L	GE
1	Manganese	39	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Nickel	4.9	µg/L	GE
0	Nitrate as nitrogen	90	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Selenium	<2.0	µg/L	GE
1	Silica	14400	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	1860	µg/L	GE
0	Sulfate	9700	µg/L	GE
1	Tetrachloroethylene	1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Zinc	17	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE

ANALYTICAL RESULTS

WELL MSB 36A collected on 02/07/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	6.8±1.9	pCi/L	GE
0	Total radium	1.7±1.0	pCi/L	GE

WELL MSB 36B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/07/90
Depth to water: 127.89 ft (38.98 m) below TOC
Water elevation: 212.81 ft (64.87 m) msl
Sp. conductance: 196 µS/cm
Water evacuated before sampling: 181 gal

Time: 10:45
pH: 4.7
Alkalinity: 0 mg/L
Water temperature: 18.1°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	4.1	pH	GE
1	Specific conductance	180	µS/cm	GE
0	Aluminum	88	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	49	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	9980	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	2800	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	Iron	17	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	4800	µg/L	GE
1	Manganese	34	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Nickel	<4.0	µg/L	GE
2	Nitrate as nitrogen	20500	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	811	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	7910	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	14400	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
2	Total organic halogens	972	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
2	Trichloroethylene	2360	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Zinc	20	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
1	1,1,2-Trichloroethane	1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Gross alpha	3.3±1.8	pCi/L	GE
1	Nonvolatile beta	10±2.2	pCi/L	GE
1	Total radium	4.5±2.9	pCi/L	GE

WELL MSB 36C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/07/90
Depth to water: 127.97 ft (39.01 m) below TOC
Water elevation: 212.83 ft (64.87 m) msl
Sp. conductance: 26 µS/cm
Water evacuated before sampling: 88 gal

Time: 11:05
pH: 4.7
Alkalinity: 0 mg/L
Water temperature: 18.6°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.0	pH	GE
0	Specific conductance	19	µS/cm	GE
0	Aluminum	31	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	6.8	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	896	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	1600	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	Iron	19	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	443	µg/L	GE
0	Manganese	4.4	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	1330	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	9430	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	2400	µg/L	GE
0	Sulfate	<5000	µg/L	GE
2	Tetrachloroethylene	9.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
2	Total organic halogens	40	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
2	Trichloroethylene	96	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Zinc	50	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	5.0±1.8	pCi/L	GE
0	Total radium	<1.0	pCi/L	GE

ANALYTICAL RESULTS

WELL MSB 36D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/06/90
The well was dry.

Time: 18:45

WELL MSB 36TA

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/07/90
Depth to water: 147.34 ft (44.91 m) below TOC
Water elevation: 183.28 ft (56.91 m) msl
Sp. conductance: 24 µS/cm
Water evacuated before sampling: 397 gal

Time: 10:10
pH: 4.9
Alkalinity: 1 mg/L
Water temperature: 18.6°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.3	pH	GE
0	Specific conductance	21	µS/cm	GE
0	Aluminum	<20	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	5.3	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	797	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	1900	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethane (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Copper	5.2	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
2	Iron	755	µg/L	GE
0	Lead	12	µg/L	GE
0	Magnesium	228	µg/L	GE
2	Manganese	57	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	<50	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	8790	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	1580	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Zinc	5.8	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	3.8 ± 1.4	pCi/L	GE
0	Total radium	<1.0	pCi/L	GE

WELL MSB 37A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/20/90
Depth to water: 175.14 ft (53.38 m) below TOC
Water elevation: 207.96 ft (63.39 m) msl
Sp. conductance: 105 µS/cm
Water evacuated before sampling: 81 gal
The well went dry during purging.

Time: 7:40
pH: 7.3
Alkalinity: 31 mg/L
Water temperature: 17.8°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	<10	µg/L	MA
2	Tetrachloroethylene	5.7	µg/L	MA
0	trans-1,2-Dichloroethene	<10	µg/L	MA
2	Trichloroethylene	48	µg/L	MA
0	1,1-Dichloroethylene	<10	µg/L	MA
0	1,1,1-Trichloroethane	<10	µg/L	MA

WELL MSB 37B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/19/90
Depth to water: 182.34 ft (49.48 m) below TOC
Water elevation: 220.48 ft (67.20 m) msl
Sp. conductance: 29 µS/cm
Water evacuated before sampling: 236 gal

Time: 13:35
pH: 5.4
Alkalinity: 4 mg/L
Water temperature: 19.8°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	<2.0	µg/L	MA
1	Tetrachloroethylene	4.8	µg/L	MA
0	trans-1,2-Dichloroethene	<2.0	µg/L	MA
2	Trichloroethylene	301	µg/L	MA
0	1,1-Dichloroethylene	<2.0	µg/L	MA
0	1,1,1-Trichloroethane	<2.0	µg/L	MA

WELL MSB 37C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/19/90
Depth to water: 153.95 ft (48.92 m) below TOC
Water elevation: 229.15 ft (69.85 m) msl
Sp. conductance: 31 µS/cm
Water evacuated before sampling: 159 gal

Time: 14:05
pH: 5.5
Alkalinity: 4 mg/L
Water temperature: 20.1°C

WELL MSB 37D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/19/90
The well was dry.

Time: 14:10

WELL MSB 37TA

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/19/90
Depth to water: 174.74 ft (53.28 m) below TOC
Water elevation: 207.86 ft (63.30 m) msl
Sp. conductance: 27 µS/cm
Water evacuated before sampling: 481 gal

Time: 14:30
pH: 5.0
Alkalinity: 1 mg/L
Water temperature: 19.6°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	<10	µg/L	MA
0	Chloroform	<10	µg/L	MA
2	Tetrachloroethylene	79	µg/L	MA
2	Trichloroethylene	80	µg/L	MA
0	trans-1,2-Dichloroethene	<10	µg/L	MA
0	trans-1,2-Dichloroethene	<10	µg/L	MA
2	Trichloroethylene	1820	µg/L	MA

ANALYTICAL RESULTS

WELL MSB 37TA collected on 01/18/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
2	Trichloroethylene	1840	µg/L	MA
0	1,1-Dichloroethylene	<10	µg/L	MA
0	1,1-Dichloroethylene	<10	µg/L	MA
0	1,1,1-Trichloroethane	<10	µg/L	MA
0	1,1,1-Trichloroethane	<10	µg/L	MA

WELL MSB 38B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/14/90
Depth to water: 143.55 ft (43.75 m) below TOC
Water elevation: 213.05 ft (64.94 m) msl
Sp. conductance: 107 µS/cm
Water evacuated before sampling: 193 gal

Time: 12:20
pH: 6.4
Alkalinity: 18 mg/L
Water temperature: 17.7°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Carbon tetrachloride	<1.0	µg/L	MT
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloroform	<0.40	µg/L	MT
0	Chloroform	<1.0	µg/L	GE
0	Chloroform	<5.0	µg/L	MA
2	Tetrachloroethylene	320	µg/L	MT
2	Tetrachloroethylene	540	µg/L	GE
2	Tetrachloroethylene	531	µg/L	MA
0	trans-1,2-Dichloroethene	<5.0	µg/L	MA
2	Trichloroethylene	542	µg/L	MT
2	Trichloroethylene	1300	µg/L	GE
2	Trichloroethylene	821	µg/L	MA
0	1,1-Dichloroethylene	<5.0	µg/L	MA
0	1,1,1-Trichloroethane	<0.40	µg/L	MT
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<5.0	µg/L	MA
1	Total activity	1.4 ± 1.1	pCi/mL	EM

WELL MSB 38B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/14/90
Depth to water: 143.55 ft (43.75 m) below TOC
Water elevation: 213.05 ft (64.94 m) msl
Sp. conductance: 107 µS/cm
Water evacuated before sampling: 193 gal

Time: 12:20
pH: 6.4
Alkalinity: 18 mg/L
Water temperature: 17.7°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	<20	µg/L	MA
2	Tetrachloroethylene	557	µg/L	MA
0	trans-1,2-Dichloroethene	<20	µg/L	MA
2	Trichloroethylene	884	µg/L	MA
0	1,1-Dichloroethylene	<20	µg/L	MA
0	1,1,1-Trichloroethane	<20	µg/L	MA

WELL MSB 38C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/14/90
Depth to water: 140.54 ft (42.84 m) below TOC
Water elevation: 215.78 ft (65.78 m) msl
Sp. conductance: 106 µS/cm
Water evacuated before sampling: 141 gal

Time: 12:55
pH: 6.6
Alkalinity: 12 mg/L
Water temperature: 18.8°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	<5.0	µg/L	MA
2	Tetrachloroethylene	193	µg/L	MA
1	trans-1,2-Dichloroethene	28	µg/L	MA
2	Trichloroethylene	468	µg/L	MA
0	1,1-Dichloroethylene	<5.0	µg/L	MA
0	1,1,1-Trichloroethane	<5.0	µg/L	MA

WELL MSB 38D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/14/90
The well was dry.

Time: 11:50

WELL MSB 38TA

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/14/90
Depth to water: 181.63 ft (55.27 m) below TOC
Water elevation: 195.07 ft (59.46 m) msl
Sp. conductance: 28 µS/cm
Water evacuated before sampling: 477 gal

Time: 13:00
pH: 4.6
Alkalinity: 0 mg/L
Water temperature: 18.8°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	<1.0	µg/L	MA
0	Tetrachloroethylene	<1.0	µg/L	MA
0	trans-1,2-Dichloroethene	<1.0	µg/L	MA
0	Trichloroethylene	<1.0	µg/L	MA
0	1,1-Dichloroethylene	<1.0	µg/L	MA
0	1,1,1-Trichloroethane	<1.0	µg/L	MA

WELL MSB 39A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/14/90
Depth to water: 133.55 ft (40.71 m) below TOC
Water elevation: 208.05 ft (63.41 m) msl
Sp. conductance: 89 µS/cm
Water evacuated before sampling: 63 gal
The well went dry during purging.

Time: 15:30
pH: 6.4
Alkalinity: 23 mg/L
Water temperature: 17.0°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.8	pH	GE
0	Specific conductance	37	µS/cm	GE
0	Aluminum	36	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	12	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
2	Cadmium	14	µg/L	GE
0	Calcium	3850	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	1900	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Copper	12	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	Iron	15	µg/L	GE
0	Lead	<5.0	µg/L	GE
0	Magnesium	390	µg/L	GE
1	Manganese	32	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Nickel	6.8	µg/L	GE
0	Nitrate as nitrogen	110	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	584	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	1610	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	1820	µg/L	GE
0	Sulfate	<5000	µg/L	GE
1	Tetrachloroethylene	1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total organic halogens	6.0	µg/L	GE
0	Total phosphates	240	µg/L	GE

ANALYTICAL RESULTS

WELL MSB 39A collected on 01/14/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	trans-1,2-Dichloroethane	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
2	Trichloroethylene	4.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Zinc	198	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropene	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Total radium	<1.0	pCi/L	GE

WELL MSB 39B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/14/90
 Depth to water: 131.05 ft (39.94 m) below TOC
 Water elevation: 210.75 ft (64.24 m) msl
 Sp. conductance: 199 µS/cm
 Water evacuated before sampling: 192 gal

Time: 10:40
 pH: 4.4
 Alkalinity: 0 mg/L
 Water temperature: 16.7°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	4.8	pH	GE
1	Specific conductance	170	µS/cm	GE
1	Aluminum	80	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	42	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	7340	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	3800	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethane (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	Iron	16	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	3470	µg/L	GE
0	Manganese	12	µg/L	GE
0	Mercury	0.30	µg/L	GE
0	Nickel	<4.0	µg/L	GE
2	Nitrate as nitrogen	28600	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	1020	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	1020	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	25000	µg/L	GE
0	Sulfate	<5000	µg/L	GE
2	Tetrachloroethylene	163	µg/L	GE
0	Toluene	<1.0	µg/L	GE
2	Total organic halogens	300	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	trans-1,2-Dichloroethane	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
2	Trichloroethylene	184	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Zinc	6.2	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
1	1,1-Dichloroethylene	14	µg/L	GE
1	1,1,1-Trichloroethane	21	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE

WELL MSB 39B collected on 01/14/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropene	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Gross alpha	4.1±2.0	pCi/L	GE
0	Nonvolatile beta	7.0±2.7	pCi/L	GE
0	Total radium	<1.0	pCi/L	GE

WELL MSB 39C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/14/90
 Depth to water: 127.36 ft (38.82 m) below TOC
 Water elevation: 214.14 ft (65.27 m) msl
 Sp. conductance: 55 µS/cm
 Water evacuated before sampling: 72 gal

Time: 11:10
 pH: 4.4
 Alkalinity: 0 mg/L
 Water temperature: 16.8°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	4.8	pH	GE
0	Specific conductance	49	µS/cm	GE
1	Aluminum	83	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	8.8	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	1770	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	2000	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethane (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	Iron	14	µg/L	GE
0	Lead	8.9	µg/L	GE
0	Magnesium	852	µg/L	GE
0	Manganese	6.7	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	2100	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	521	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	1070	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	3480	µg/L	GE
0	Sulfate	<5000	µg/L	GE
2	Tetrachloroethylene	11	µg/L	GE
0	Toluene	<1.0	µg/L	GE
2	Total organic halogens	58	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	trans-1,2-Dichloroethane	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
2	Trichloroethylene	59	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Zinc	4.9	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropene	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Total radium	2.1±2.3	pCi/L	GE

ANALYTICAL RESULTS

WELL MSB 39D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/14/90
Depth to water: 111.47 ft (33.98 m) below TOC
Water elevation: 230.23 ft (70.17 m) msl
Sp. conductance: 85 µS/cm
Water evacuated before sampling: 45 gal

Time: 11:30
pH: 4.9
Alkalinity: 1 mg/L
Water temperature: 17.1°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.7	pH	GE
0	Specific conductance	29	µS/cm	GE
0	Aluminum	<20	µg/L	GE
1	Ammonia	150	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	5.7	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	1840	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbonate		µg/L	GE
0	Chloride	2000	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethane (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
1	Copper	22	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	Iron	48	µg/L	GE
2	Lead	28	µg/L	GE
0	Magnesium	714	µg/L	GE
0	Manganese	5.0	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	1800	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	580	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	892	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	2180	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total organic carbon	1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	trans-1,2-Dichloroethane	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Zinc	5.9	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	3.7±2.2	pCi/L	GE
0	Total radium	1.1±2.1	pCi/L	GE

WELL MSB 39TA

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/14/90
Depth to water: 150.14 ft (45.76 m) below TOC
Water elevation: 191.66 ft (58.42 m) msl
Sp. conductance: 58 µS/cm
Water evacuated before sampling: 403 gal

Time: 10:55
pH: 4.9
Alkalinity: 1 mg/L
Water temperature: 17.3°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.2	pH	GE
1	Specific conductance	170	µS/cm	GE
0	Aluminum	21	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	<4.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	688	µg/L	GE
0	Carb. tetrachloride	<1.0	µg/L	GE
0	Chloride	2000	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethane (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Copper	4.1	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
2	Iron	727	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	187	µg/L	GE
0	Manganese	18	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	<50	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	898	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	1480	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	trans-1,2-Dichloroethane	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Zinc	3.8	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	3.9±2.2	pCi/L	GE
0	Total radium	<1.0	pCi/L	GE

ANALYTICAL RESULTS

WELL MSB 40A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/07/90 Time: 13:30
 Depth to water: 120.26 ft (36.66 m) below TOC pH: 4.7
 Water elevation: 200.94 ft (61.25 m) msl Alkalinity: 0 mg/L
 Sp. conductance: 50 µS/cm Water temperature: 20.0°C
 Water evacuated before sampling: 254 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	4.8	pH	GE
0	Specific conductance	46	µS/cm	GE
0	Aluminum	59	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	18	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	1910	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	2200	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
2	Iron	1550	µg/L	GE
0	Lead	<5.0	µg/L	GE
0	Magnesium	959	µg/L	GE
1	Manganese	42	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Nickel	4.2	µg/L	GE
0	Nitrate as nitrogen	<50	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	1210	µg/L	GE
0	Selenium	<2.0	µg/L	GE
1	Silica	39900	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	2280	µg/L	GE
1	Sulfate	15600	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	70	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Zinc	24	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	4.7±1.6	pCi/L	GE
0	Total radium	1.0±2.0	pCi/L	GE

WELL MSB 40B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/07/90 Time: 14:10
 Depth to water: 118.77 ft (36.20 m) below TOC pH: 4.7
 Water elevation: 202.93 ft (61.85 m) msl Alkalinity: 0 mg/L
 Sp. conductance: 28 µS/cm Water temperature: 19.4°C
 Water evacuated before sampling: 159 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.2	pH	GE
0	Specific conductance	36	µS/cm	GE
0	Aluminum	26	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	5.8	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	1880	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	1800	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Copper	11	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	100	µg/L	GE
0	Iron	22	µg/L	GE
0	Lead	<5.0	µg/L	GE
0	Magnesium	345	µg/L	GE
0	Manganese	18	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	850	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	7560	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	1910	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
2	Total organic halogens	279	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
2	Trichloroethylene	568	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Zinc	24	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	4.2±1.5	pCi/L	GE
0	Total radium	2.1±2.2	pCi/L	GE

ANALYTICAL RESULTS

WELL MSB 40C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/07/90
Depth to water: Not available
Water elevation: Not available
Sp. conductance: 54 µS/cm
Water evacuated before sampling: 40 gal

Time: 14:20
pH: 5.2
Alkalinity: 2 mg/L
Water temperature: 20.1°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.5	pH	GE
0	pH	5.5	pH	GE
0	Specific conductance	48	µS/cm	GE
0	Specific conductance	48	µS/cm	GE
1	Aluminum	107	µg/L	GE
1	Aluminum	112	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	12	µg/L	GE
0	Barium	12	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl chloride)	<1.0	µg/L	GE
0	Bromomethane (Methyl chloride)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	5350	µg/L	GE
0	Calcium	5300	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	1800	µg/L	GE
0	Chloride	1800	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethane (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroethane (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
1	Fluoride	530	µg/L	GE
1	Fluoride	570	µg/L	GE
2	Iron	532	µg/L	GE
2	Iron	524	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	833	µg/L	GE
0	Magnesium	835	µg/L	GE
2	Manganese	93	µg/L	GE
2	Manganese	94	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	330	µg/L	GE
0	Nitrate as nitrogen	340	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	778	µg/L	GE
0	Potassium	771	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Selenium	<2.0	µg/L	GE
1	Silica	28600	µg/L	GE
1	Silica	25400	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	2350	µg/L	GE

WELL MSB 40C collected on 02/07/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Sodium	2310	µg/L	GE
0	Sulfate	8200	µg/L	GE
0	Sulfate	8100	µg/L	GE
2	Tetrachloroethylene	<1.0	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total organic halogens	<8.0	µg/L	GE
0	Total organic halogens	<8.0	µg/L	GE
1	Total phosphates	800	µg/L	GE
1	Total phosphates	800	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Zinc	21	µg/L	GE
0	Zinc	23	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Gross alpha	3.5±1.5	pCi/L	GE
0	Nonvolatile beta	9.7±2.3	pCi/L	GE
0	Nonvolatile beta	8.7±2.4	pCi/L	GE
0	Total radium	1.2±2.0	pCi/L	GE
0	Total radium	<1.0	pCi/L	GE

WELL MSB 40D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/07/90
Depth to water: Not available
Water elevation: Not available
Sp. conductance: 32 µS/cm
Water evacuated before sampling: 1 gal
Time: 14:50
pH: 4.7
Alkalinity: 1 mg/L
Water temperature: 17.8°C
There was insufficient water to fill all or some sample bottles.

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Aluminum	34	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	8.1	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	2540	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethane (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
1	Copper	170	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Iron	17	µg/L	GE
0	Lead	15	µg/L	GE
0	Magnesium	408	µg/L	GE
2	Manganese	58	µg/L	GE
0	Mercury	<0.20	µg/L	GE

ANALYTICAL RESULTS

WELL MSB 40D collected on 02/07/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
1	Nickel	12	µg/L	GE
0	Nitrate as nitrogen	840	µg/L	GE
0	Phenols	< 5.0	µg/L	GE
0	Potassium	< 500	µg/L	GE
0	Selenium	< 2.0	µg/L	GE
0	Silica	6250	µg/L	GE
1	Silver	2.7	µg/L	GE
0	Sodium	1800	µg/L	GE
0	Tetrachloroethylene	< 1.0	µg/L	GE
0	Toluene	< 1.0	µg/L	GE
0	Total organic halogens	6.0	µg/L	GE
0	Total phosphates	100	µg/L	GE
0	trans-1,2-Dichloroethene	< 1.0	µg/L	GE
0	trans-1,3-Dichloropropene	< 1.0	µg/L	GE
0	Trichloroethylene	< 1.0	µg/L	GE
0	Trichlorofluoromethane	< 1.0	µg/L	GE
0	Uranium	< 1000	µg/L	GE
0	Zinc	108	µg/L	GE
0	1,1-Dichloroethane	< 1.0	µg/L	GE
0	1,1-Dichloroethylene	< 1.0	µg/L	GE
0	1,1,1-Trichloroethane	< 1.0	µg/L	GE
0	1,1,2-Trichloroethane	< 1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	< 1.0	µg/L	GE
0	1,2-Dichloroethane	< 1.0	µg/L	GE
0	1,2-Dichloropropane	< 1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	< 1.0	µg/L	GE

WELL MSB 40TA

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/07/90 Time: 13:45
 Depth to water: 133.15 ft (40.58 m) below TOC pH: 5.4
 Water elevation: 187.85 ft (57.20 m) msl Alkalinity: 3 mg/L
 Sp. conductance: 30 µS/cm Water temperature: 19.6°C
 Water evacuated before sampling: 449 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.8	pH	GE
0	Specific conductance	27	µS/cm	GE
0	Aluminum	24	µg/L	GE
0	Arsenic	< 2.0	µg/L	GE
0	Barium	6.3	µg/L	GE
0	Benzene	< 1.0	µg/L	GE
0	Bromodichloromethane	< 1.0	µg/L	GE
0	Bromoform	< 1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	< 1.0	µg/L	GE
0	Cadmium	< 2.0	µg/L	GE
0	Calcium	3100	µg/L	GE
0	Carbon tetrachloride	< 1.0	µg/L	GE
0	Chloride	1800	µg/L	GE
0	Chlorobenzene	< 1.0	µg/L	GE
0	Chloroethane	< 1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	< 1.0	µg/L	GE
0	Chloroform	< 1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	< 1.0	µg/L	GE
0	Chromium	< 4.0	µg/L	GE
0	cis-1,3-Dichloropropene	< 1.0	µg/L	GE
0	Copper	< 4.0	µg/L	GE
0	Cyanide	< 5.0	µg/L	GE
0	Dibromochloromethane	< 1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	< 1.0	µg/L	GE
0	Ethylbenzene	< 1.0	µg/L	GE
0	Fluoride	< 100	µg/L	GE
2	Iron	484	µg/L	GE
0	Lead	< 8.0	µg/L	GE
0	Magnesium	222	µg/L	GE
2	Manganese	75	µg/L	GE
0	Mercury	< 0.20	µg/L	GE
0	Nickel	< 4.0	µg/L	GE
0	Nitrate as nitrogen	< 50	µg/L	GE
1	Phenols	6.0	µg/L	GE
0	Potassium	< 500	µg/L	GE
0	Selenium	< 2.0	µg/L	GE
0	Silica	7810	µg/L	GE
0	Silver	< 2.0	µg/L	GE
0	Sodium	1740	µg/L	GE
0	Sulfate	< 5000	µg/L	GE
0	Tetrachloroethylene	< 1.0	µg/L	GE
0	Toluene	< 1.0	µg/L	GE
0	Total organic halogens	6.0	µg/L	GE
0	Total phosphates	< 50	µg/L	GE
0	trans-1,2-Dichloroethene	< 1.0	µg/L	GE
0	trans-1,3-Dichloropropene	< 1.0	µg/L	GE

WELL MSB 40TA collected on 02/07/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Trichloroethylene	< 1.0	µg/L	GE
0	Trichlorofluoromethane	< 1.0	µg/L	GE
0	Uranium	< 1000	µg/L	GE
0	Zinc	8.5	µg/L	GE
0	1,1-Dichloroethane	< 1.0	µg/L	GE
0	1,1-Dichloroethylene	< 1.0	µg/L	GE
0	1,1,1-Trichloroethane	< 1.0	µg/L	GE
0	1,1,2-Trichloroethane	< 1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	< 1.0	µg/L	GE
0	1,2-Dichloroethane	< 1.0	µg/L	GE
0	1,2-Dichloropropane	< 1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	< 1.0	µg/L	GE
0	Gross alpha	< 3.0	pCi/L	GE
0	Nonvolatile beta	4.2 ± 1.5	pCi/L	GE
0	Total radium	1.6 ± 2.1	pCi/L	GE

WELL MSB 41A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/05/90 Time: 13:00
 Depth to water: 108.16 ft (32.97 m) below TOC pH: 5.7
 Water elevation: 215.84 ft (65.73 m) msl Alkalinity: 8 mg/L
 Sp. conductance: 49 µS/cm Water temperature: 17.2°C
 Water evacuated before sampling: 372 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	< 1.0	µg/L	MA
1	Tetrachloroethylene	1.3	µg/L	MA
0	trans-1,2-Dichloroethene	< 1.0	µg/L	MA
0	Trichloroethylene	< 1.0	µg/L	MA
0	1,1-Dichloroethylene	< 1.0	µg/L	MA
0	1,1,1-Trichloroethane	< 1.0	µg/L	MA

WELL MSB 41B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/05/90 Time: 13:45
 Depth to water: 108.66 ft (33.42 m) below TOC pH: 4.9
 Water elevation: 214.34 ft (65.33 m) msl Alkalinity: 0 mg/L
 Sp. conductance: 23 µS/cm Water temperature: 17.3°C
 Water evacuated before sampling: 278 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	< 1.0	µg/L	MA
2	Tetrachloroethylene	7.0	µg/L	MA
0	trans-1,2-Dichloroethene	< 1.0	µg/L	MA
1	Trichloroethylene	1.7	µg/L	MA
0	1,1-Dichloroethylene	< 1.0	µg/L	MA
0	1,1,1-Trichloroethane	< 1.0	µg/L	MA

WELL MSB 41C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/05/90 Time: 14:15
 Depth to water: 108.65 ft (33.12 m) below TOC pH: 4.5
 Water elevation: 215.95 ft (65.82 m) msl Alkalinity: 0 mg/L
 Sp. conductance: 21 µS/cm Water temperature: 17.0°C
 Water evacuated before sampling: 188 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	< 1.0	µg/L	MA
0	Tetrachloroethylene	< 1.0	µg/L	MA
0	trans-1,2-Dichloroethene	< 1.0	µg/L	MA
0	Trichloroethylene	< 1.0	µg/L	MA
0	1,1-Dichloroethylene	< 1.0	µg/L	MA
0	1,1,1-Trichloroethane	< 1.0	µg/L	MA

ANALYTICAL RESULTS

WELL MSB 41D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/05/90
The well was dry.

Time: 12:20

WELL MSB 41TA

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/05/90
Depth to water: 119.67 ft (36.48 m) below TOC
Water elevation: 204.03 ft (62.19 m) msl
Sp. conductance: 29 μ S/cm
Water evacuated before sampling: 499 gal

Time: 14:00
pH: 4.8
Alkalinity: 0 mg/L
Water temperature: 17.5°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	<1.0	μ g/L	MA
0	Tetrachloroethylene	<1.0	μ g/L	MA
0	trans-1,2-Dichloroethene	<1.0	μ g/L	MA
0	Trichloroethylene	<1.0	μ g/L	MA
0	1,1-Dichloroethylene	<1.0	μ g/L	MA
0	1,1,1-Trichloroethane	<1.0	μ g/L	MA

WELL MSB 42A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/19/90
Depth to water: 157.34 ft (47.96 m) below TOC
Water elevation: 219.26 ft (66.83 m) msl
Sp. conductance: 27 μ S/cm
Water evacuated before sampling: 270 gal

Time: 12:40
pH: 4.8
Alkalinity: 1 mg/L
Water temperature: 19.7°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	<10	μ g/L	MA
2	Tetrachloroethylene	150	μ g/L	MA
0	trans-1,2-Dichloroethene	<10	μ g/L	MA
2	Trichloroethylene	1100	μ g/L	MA
0	1,1-Dichloroethylene	<10	μ g/L	MA
0	1,1,1-Trichloroethane	<10	μ g/L	MA

WELL MSB 42B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/19/90
Depth to water: 149.05 ft (45.43 m) below TOC
Water elevation: 227.45 ft (69.33 m) msl
Sp. conductance: 29 μ S/cm
Water evacuated before sampling: 192 gal

Time: 11:55
pH: 4.8
Alkalinity: 0 mg/L
Water temperature: 19.4°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	<10	μ g/L	MA
0	Chloroform	<1.0	μ g/L	MA
2	Tetrachloroethylene	10	μ g/L	MA
2	Tetrachloroethylene	24	μ g/L	MA
0	trans-1,2-Dichloroethene	<10	μ g/L	MA
0	trans-1,2-Dichloroethene	<1.0	μ g/L	MA
2	Trichloroethylene	214	μ g/L	MA
2	Trichloroethylene	98	μ g/L	MA
0	1,1-Dichloroethylene	<10	μ g/L	MA
0	1,1-Dichloroethylene	<1.0	μ g/L	MA
0	1,1,1-Trichloroethane	<10	μ g/L	MA
0	1,1,1-Trichloroethane	<1.0	μ g/L	MA

WELL MSB 42C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/19/90
Depth to water: 144.26 ft (43.97 m) below TOC
Water elevation: 232.24 ft (70.79 m) msl
Sp. conductance: 30 μ S/cm
Water evacuated before sampling: 95 gal

Time: 11:20
pH: 5.3
Alkalinity: 1 mg/L
Water temperature: 19.0°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	<5.0	μ g/L	MA
1	Tetrachloroethylene	3.1	μ g/L	MA
0	trans-1,2-Dichloroethene	<5.0	μ g/L	MA
2	Trichloroethylene	19	μ g/L	MA
0	1,1-Dichloroethylene	<5.0	μ g/L	MA
0	1,1,1-Trichloroethane	<5.0	μ g/L	MA

WELL MSB 42D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/19/90
The well was dry.

Time: 12:50

WELL MSB 42TA

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/19/90
Depth to water: 171.84 ft (52.32 m) below TOC
Water elevation: 205.06 ft (62.50 m) msl
Sp. conductance: 21 μ S/cm
Water evacuated before sampling: 461 gal

Time: 12:35
pH: 4.9
Alkalinity: 1 mg/L
Water temperature: 19.6°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	<1.0	μ g/L	MA
1	Tetrachloroethylene	4.5	μ g/L	MA
0	trans-1,2-Dichloroethene	<1.0	μ g/L	MA
2	Trichloroethylene	0.3	μ g/L	MA
0	1,1-Dichloroethylene	<1.0	μ g/L	MA
0	1,1,1-Trichloroethane	<1.0	μ g/L	MA

WELL MSB 43A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/02/90
Depth to water: 128.36 ft (39.12 m) below TOC
Water elevation: 229.54 ft (69.96 m) msl
Sp. conductance: 22 μ S/cm
Water evacuated before sampling: 243 gal

Time: 12:25
pH: 4.7
Alkalinity: 0 mg/L
Water temperature: 18.5°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.3	pH	GE
0	pH	5.2	pH	GE
0	Aluminum	<20	μ g/L	GE
0	Aluminum	<20	μ g/L	GE
0	Arsenic	<2.0	μ g/L	GE
0	Arsenic	<2.0	μ g/L	GE
0	Barium	<4.0	μ g/L	GE
0	Barium	4.2	μ g/L	GE
0	Benzene	<1.0	μ g/L	GE
0	Benzene	<1.0	μ g/L	GE
0	Bis(2-ethylhexyl) phthalate	<10	μ g/L	GE
0	Bis(2-ethylhexyl) phthalate	<10	μ g/L	GE
0	Bromodichloromethane	<1.0	μ g/L	GE
0	Bromodichloromethane	<1.0	μ g/L	GE
0	Bromoform	<1.0	μ g/L	GE
0	Bromoform	<1.0	μ g/L	GE
0	Bromomethane (Methyl bromide)	<1.0	μ g/L	GE
0	Bromomethane (Methyl bromide)	<1.0	μ g/L	GE
0	Cadmium	<2.0	μ g/L	GE
0	Cadmium	<2.0	μ g/L	GE
0	Carbon tetrachloride	<1.0	μ g/L	GE

ANALYTICAL RESULTS

WELL MSB 43A collected on 02/02/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	1200	µg/L	GE
0	Chloride	1200	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Iron	20	µg/L	GE
0	Iron	17	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Manganese	4.5	µg/L	GE
0	Manganese	5.5	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	1100	µg/L	GE
0	Nitrate as nitrogen	1100	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	8410	µg/L	GE
0	Silica	8080	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	1470	µg/L	GE
0	Sodium	1450	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Tin	<2.0	µg/L	GE
0	Tin	<2.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	8.0	µg/L	GE
0	Total organic halogens	6.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	8.4	µg/L	GE
0	Zinc	9.2	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE

WELL MSB 43A collected on 02/02/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
2	Gross alpha	41 ± 6.9	pCi/L	GE
2	Gross alpha	43 ± 7.1	pCi/L	GE
0	Gross alpha	<2.0	pCi/L	GE
0	Gross alpha	<2.0	pCi/L	GE
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Nonvolatile beta	3.1 ± 4.5	pCi/L	GE
0	Total radium	2.1 ± 3.5	pCi/L	GE
1	Total radium	3.2 ± 3.9	pCi/L	GE
0	Trilium	<0.70	pCi/mL	GE
0	Trilium	<0.70	pCi/mL	GE

WELL MSB 43B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/02/90
 Depth to water: 127.65 ft (38.91 m) below TOC
 Water elevation: 230.35 ft (70.21 m) msl
 Sp. conductance: 24 µS/cm
 Water evacuated before sampling: 154 gal
 Time: 11:40
 pH: 4.8
 Alkalinity: 0 mg/L
 Water temperature: 19.2°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.4	pH	GE
0	Aluminum	28	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	<4.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bis(2-ethylhexyl) phthalate	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	1400	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Iron	18	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Manganese	2.4	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	1400	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	8840	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	1950	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Tin	<2.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
2	Total organic halogens	25	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE
0	Zinc	14	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE

ANALYTICAL RESULTS

WELL MSB 43B collected on 02/02/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	<2.0	pCi/L	GE
2	Total radium	907 ± 50	pCi/L	GE
0	Total radium	1.2 ± 4.1	pCi/L	GE
0	Tritium	<0.70	pCi/mL	GE

WELL MSB 43D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/02/90
Depth to water: 128.48 ft (38.55 m) below TOC
Water elevation: 231.04 ft (70.42 m) msl
Sp. conductance: 26 µS/cm
Water evacuated before sampling: 82 gal

Time: 11:00
pH: 4.5
Alkalinity: 0 mg/L
Water temperature: 19.0°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	4.8	pH	MT
0	pH	4.8	pH	MT
0	pH	5.0	pH	GE
0	Aluminum	74	µg/L	MT
0	Aluminum	77	µg/L	GE
0	Arsenic	<3.0	µg/L	MT
0	Arsenic	<2.0	µg/L	GE
0	Barium	<8.0	µg/L	MT
0	Barium	<4.0	µg/L	GE
0	Benzene	<5.0	µg/L	MT
0	Benzene	<1.0	µg/L	GE
1	Bis(2-ethylhexyl) phthalate	B 28	µg/L	MT
0	Bis(2-ethylhexyl) phthalate	<10	µg/L	GE
0	Bromodichloromethane	<5.0	µg/L	MT
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<5.0	µg/L	MT
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<10	µg/L	MT
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<3.0	µg/L	MT
0	Cadmium	<2.0	µg/L	GE
0	Carbon tetrachloride	<5.0	µg/L	MT
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	2100	µg/L	MT
0	Chloride	1800	µg/L	GE
0	Chlorobenzene	<5.0	µg/L	MT
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<10	µg/L	MT
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethane (Vinyl chloride)	<1.0	µg/L	MT
0	Chloroform	<5.0	µg/L	MT
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<10	µg/L	MT
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<3.0	µg/L	MT
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<5.0	µg/L	MT
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<15	µg/L	MT
0	Cobalt	<4.0	µg/L	GE
0	Copper	<7.0	µg/L	MT
0	Copper	4.4	µg/L	GE
0	Cyanide	<5.0	µg/L	MT
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<5.0	µg/L	MT
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<5.0	µg/L	MT
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<5.0	µg/L	MT
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<250	µg/L	MT
0	Iron	36	µg/L	MT
0	Iron	50	µg/L	GE
0	Lead	9.7	µg/L	MT
0	Lead	11	µg/L	GE
0	Manganese	13	µg/L	MT
0	Manganese	10	µg/L	GE
0	Mercury	<0.20	µg/L	MT
0	Mercury	<0.20	µg/L	GE
0	Nickel	<5.2	µg/L	MT
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	950	µg/L	MT
0	Nitrate as nitrogen	1000	µg/L	GE
1	Phenols	8.7	µg/L	MT
0	Phenols	<5.0	µg/L	GE

WELL MSB 43D collected on 02/02/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Selenium	<3.0	µg/L	MT
0	Selenium	<2.0	µg/L	GE
0	Silica	8050	µg/L	GE
0	Silica	7280	µg/L	MT
0	Silver	<2.0	µg/L	MT
0	Silver	<2.0	µg/L	GE
0	Sodium	1510	µg/L	MT
0	Sodium	2770	µg/L	GE
0	Sulfate	<1000	µg/L	MT
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<5.0	µg/L	MT
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Tin	<1830	µg/L	MT
0	Tin	<2.0	µg/L	GE
0	Toluene	<5.0	µg/L	MT
0	Toluene	<1.0	µg/L	GE
0	Total organic carbon	<1000	µg/L	MT
0	Total organic carbon	2000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	MT
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<10	µg/L	MT
0	Total phosphates	<50	µg/L	GE
0	trans-1,2-Dichloroethene	<5.0	µg/L	MT
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<5.0	µg/L	MT
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<5.0	µg/L	MT
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<5.0	µg/L	MT
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<84	µg/L	MT
0	Uranium	<1000	µg/L	GE
0	Vanadium	<3.0	µg/L	MT
0	Vanadium	<20	µg/L	GE
0	Zinc	<9.0	µg/L	MT
0	Zinc	68	µg/L	GE
0	1,1-Dichloroethane	<5.0	µg/L	MT
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<5.0	µg/L	MT
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<5.0	µg/L	MT
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<5.0	µg/L	MT
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<5.0	µg/L	MT
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<5.0	µg/L	MT
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<5.0	µg/L	MT
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<5.0	µg/L	MT
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Gross alpha	<3.0	pCi/L	MT
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	<4.0	pCi/L	MT
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Total radium	1.8 ± 0.50	pCi/L	MT
0	Total radium	1.2 ± 3.3	pCi/L	GE
0	Tritium	1.2 ± 0.20	pCi/mL	MT
0	Tritium	1.2 ± 0.30	pCi/mL	GE

WELL MSB 43D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/02/90
Depth to water: 128.48 ft (38.55 m) below TOC
Water elevation: 231.04 ft (70.42 m) msl
Sp. conductance: 26 µS/cm
Water evacuated before sampling: 82 gal

Time: 11:00
pH: 4.5
Alkalinity: 0 mg/L
Water temperature: 19.0°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	4.9	pH	MT
0	pH	4.8	pH	GE
0	Aluminum	73	µg/L	MT
1	Aluminum	84	µg/L	GE
0	Arsenic	<3.0	µg/L	MT
0	Arsenic	<2.0	µg/L	GE
0	Barium	<8.0	µg/L	MT
0	Barium	<4.0	µg/L	GE
0	Benzene	<5.0	µg/L	MT
0	Benzene	<1.0	µg/L	GE
1	Bis(2-ethylhexyl) phthalate	B 23	µg/L	MT
0	Bis(2-ethylhexyl) phthalate	<10	µg/L	GE

ANALYTICAL RESULTS

WELL MSB 43D collected on 02/02/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Bromodichloromethane	<5.0	µg/L	MT
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<5.0	µg/L	MT
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<10	µg/L	MT
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<3.0	µg/L	MT
0	Cadmium	<2.0	µg/L	GE
0	Carbon tetrachloride	<5.0	µg/L	MT
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	2000	µg/L	MT
0	Chloride	1800	µg/L	GE
0	Chlorobenzene	<5.0	µg/L	MT
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<10	µg/L	MT
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<5.0	µg/L	MT
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<10	µg/L	MT
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<3.0	µg/L	MT
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<5.0	µg/L	MT
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<15	µg/L	MT
0	Cobalt	<4.0	µg/L	GE
0	Copper	<7.0	µg/L	MT
0	Copper	5.1	µg/L	GE
0	Cyanide	<5.0	µg/L	MT
0	Cyanide	<5.0	µg/L	MT
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<5.0	µg/L	MT
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<5.0	µg/L	MT
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<5.0	µg/L	MT
0	Ethylbenzene	<1.0	µg/L	GE
0	Iron	44	µg/L	MT
0	Iron	47	µg/L	GE
0	Lead	10	µg/L	MT
0	Lead	12	µg/L	GE
0	Manganese	13	µg/L	MT
0	Manganese	11	µg/L	GE
0	Mercury	<0.20	µg/L	MT
0	Mercury	0.29	µg/L	GE
0	Nickel	<5.2	µg/L	MT
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	950	µg/L	MT
0	Nitrate as nitrogen	1000	µg/L	GE
0	Phenols	<5.0	µg/L	MT
0	Phenols	<5.0	µg/L	GE
0	Selenium	<3.0	µg/L	MT
0	Selenium	<2.0	µg/L	GE
0	Silica	6380	µg/L	GE
0	Silica	7300	µg/L	MT
0	Silver	<2.0	µg/L	MT
0	Silver	<2.0	µg/L	GE
0	Sodium	1490	µg/L	MT
0	Sodium	3090	µg/L	GE
0	Sulfate	<1000	µg/L	MT
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<5.0	µg/L	MT
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Tin	<1930	µg/L	MT
0	Tin	<2.0	µg/L	GE
0	Toluene	<5.0	µg/L	MT
0	Toluene	<1.0	µg/L	GE
0	Total organic carbon	<1000	µg/L	MT
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	MT
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<10	µg/L	MT
0	Total phosphates	<50	µg/L	GE
0	trans-1,2-Dichloroethene	<5.0	µg/L	MT
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<5.0	µg/L	MT
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<5.0	µg/L	MT
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<5.0	µg/L	MT
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<84	µg/L	MT
0	Uranium	<1000	µg/L	GE
0	Vanadium	<3.0	µg/L	MT
0	Vanadium	<20	µg/L	GE
0	Zinc	<9.0	µg/L	MT
0	Zinc	6.5	µg/L	GE
0	1,1-Dichloroethane	<5.0	µg/L	MT

WELL MSB 43D collected on 02/02/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<5.0	µg/L	MT
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<5.0	µg/L	MT
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<5.0	µg/L	MT
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<5.0	µg/L	MT
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<5.0	µg/L	MT
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<5.0	µg/L	MT
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<5.0	µg/L	MT
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Gross alpha	<3.0	pCi/L	MT
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	<4.0	pCi/L	MT
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Total radium	<1.0	pCi/L	MT
0	Total radium	1.4±3.4	pCi/L	GE
0	Tritium	1.4±0.20	pCi/mL	MT
0	Tritium	1.1±0.30	pCi/mL	GE

WELL MSB 43TA

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/02/90 Time: 12:00
 Depth to water: 156.34 ft (47.65 m) below TOC pH: 4.5
 Water elevation: 201.26 ft (61.34 m) msl Alkalinity: 0 mg/L
 Sp. conductance: 19 µS/cm Water temperature: 19.4°C
 Water evacuated before sampling: 448 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.0	pH	GE
0	Aluminum	30	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	<4.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bis(2-ethylhexyl) phthalate	<10	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	1800	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Cobalt	<4.0	µg/L	GE
0	Copper	7.0	µg/L	GE
0	Cyanide	<5.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
2	Iron	325	µg/L	GE
0	Lead	14	µg/L	GE
1	Manganese	28	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	90	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	7650	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	3930	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Tin	<2.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Vanadium	<20	µg/L	GE

ANALYTICAL RESULTS

WELL MSB 43TA collected on 02/02/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Zinc	5.8	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	2.5±1.2	pCi/L	GE
0	Total radium	<1.0	pCi/L	GE
0	Tritium	<0.70	pCi/mL	GE

WELL MSB 44A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/20/90
Depth to water: 160.49 ft (48.92 m) below TOC
Water elevation: 216.41 ft (65.96 m) msl
Sp. conductance: 23 µS/cm
Water evacuated before sampling: 251 gal

Time: 8:40
pH: 5.0
Alkalinity: 1 mg/L
Water temperature: 17.0°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	<1.0	µg/L	MA
0	Tetrachloroethylene	<1.0	µg/L	MA
0	trans-1,2-Dichloroethene	<1.0	µg/L	MA
2	Trichloroethylene	8.5	µg/L	MA
0	1,1-Dichloroethylene	<1.0	µg/L	MA
0	1,1,1-Trichloroethane	<1.0	µg/L	MA

WELL MSB 44B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/20/90
Depth to water: 153.38 ft (46.75 m) below TOC
Water elevation: 223.72 ft (68.19 m) msl
Sp. conductance: 49 µS/cm
Water evacuated before sampling: 135 gal

Time: 8:25
pH: 5.2
Alkalinity: 1 mg/L
Water temperature: 17.3°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	<1.0	µg/L	MA
0	Tetrachloroethylene	<1.0	µg/L	MA
0	trans-1,2-Dichloroethene	<1.0	µg/L	MA
0	Trichloroethylene	<1.0	µg/L	MA
0	1,1-Dichloroethylene	<1.0	µg/L	MA
0	1,1,1-Trichloroethane	<1.0	µg/L	MA

WELL MSB 44C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/21/90
Depth to water: 143.14 ft (43.63 m) below TOC
Water elevation: 234.76 ft (71.56 m) msl
Sp. conductance: 218 µS/cm
Water evacuated before sampling: 1 gal

Time: 12:15
pH: 6.5
Alkalinity: 44 mg/L
Water temperature: 18.6°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	<1.0	µg/L	MA
0	Tetrachloroethylene	<1.0	µg/L	MA
0	trans-1,2-Dichloroethene	<1.0	µg/L	MA
0	Trichloroethylene	<1.0	µg/L	MA
0	1,1-Dichloroethylene	<1.0	µg/L	MA
0	1,1,1-Trichloroethane	<1.0	µg/L	MA

WELL MSB 45A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/20/90
Depth to water: 166.18 ft (50.65 m) below TOC
Water elevation: 214.94 ft (65.51 m) msl
Sp. conductance: 44 µS/cm
Water evacuated before sampling: 230 gal

Time: 10:10
pH: 5.3
Alkalinity: 3 mg/L
Water temperature: 17.8°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	<10	µg/L	MA
2	Tetrachloroethylene	202	µg/L	MA
0	trans-1,2-Dichloroethene	<10	µg/L	MA
2	Trichloroethylene	1040	µg/L	MA
0	1,1-Dichloroethylene	<10	µg/L	MA
0	1,1,1-Trichloroethane	<10	µg/L	MA

WELL MSB 45B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/20/90
Depth to water: 156.10 ft (47.56 m) below TOC
Water elevation: 225.00 ft (68.58 m) msl
Sp. conductance: 42 µS/cm
Water evacuated before sampling: 125 gal

Time: 9:50
pH: 5.0
Alkalinity: 0 mg/L
Water temperature: 17.3°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	<1.0	µg/L	MA
0	Tetrachloroethylene	<1.0	µg/L	MA
0	trans-1,2-Dichloroethene	<1.0	µg/L	MA
0	Trichloroethylene	<1.0	µg/L	MA
0	1,1-Dichloroethylene	<1.0	µg/L	MA
0	1,1,1-Trichloroethane	<1.0	µg/L	MA

WELL MSB 45C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/20/90
The well was dry.

Time: 9:25

WELL MSB 46A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/21/90
Depth to water: 158.03 ft (48.17 m) below TOC
Water elevation: 214.67 ft (65.43 m) msl
Sp. conductance: 126 µS/cm
Water evacuated before sampling: 52 gal
The well went dry during purging.

Time: 7:45
pH: 10.2
Alkalinity: 36 mg/L
Water temperature: 18.8°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	<1.0	µg/L	MA
0	Tetrachloroethylene	<1.0	µg/L	MA
0	trans-1,2-Dichloroethene	<1.0	µg/L	MA
0	Trichloroethylene	<1.0	µg/L	MA
0	1,1-Dichloroethylene	<1.0	µg/L	MA
0	1,1,1-Trichloroethane	<1.0	µg/L	MA

ANALYTICAL RESULTS

WELL MSB 46B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/20/90 Time: 9:10
 Depth to water: Not available pH: 5.3
 Water elevation: Not available Alkalinity: 3 mg/L
 Sp. conductance: 43 µS/cm Water temperature: 17.1°C
 Water evacuated before sampling: 101 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	<1.0	µg/L	MA
0	Tetrachloroethylene	<1.0	µg/L	MA
0	trans-1,2-Dichloroethene	<1.0	µg/L	MA
0	Trichloroethylene	<1.0	µg/L	MA
0	1,1-Dichloroethylene	<1.0	µg/L	MA
0	1,1,1-Trichloroethane	<1.0	µg/L	MA

WELL MSB 46C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/20/90 Time: 8:55
 The well was dry.

WELL MSB 47B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/21/90 Time: 15:15
 Depth to water: 141.65 ft (43.18 m) below TOC pH: 8.0
 Water elevation: 227.35 ft (69.30 m) msf Alkalinity: 24 mg/L
 Sp. conductance: 103 µS/cm Water temperature: 18.7°C
 Water evacuated before sampling: 219 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	<25	µg/L	MA
0	Tetrachloroethylene	<25	µg/L	MA
0	trans-1,2-Dichloroethene	<25	µg/L	MA
2	Trichloroethylene	1750	µg/L	MA
0	1,1-Dichloroethylene	<25	µg/L	MA
0	1,1,1-Trichloroethane	<25	µg/L	MA

WELL MSB 47C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/21/90 Time: 15:40
 Depth to water: 136.25 ft (41.53 m) below TOC pH: 5.2
 Water elevation: 233.05 ft (71.03 m) msf Alkalinity: 3 mg/L
 Sp. conductance: 53 µS/cm Water temperature: 18.8°C
 Water evacuated before sampling: 107 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	<200	µg/L	MA
0	Tetrachloroethylene	<200	µg/L	MA
0	trans-1,2-Dichloroethene	<200	µg/L	MA
2	Trichloroethylene	7480	µg/L	MA
0	1,1-Dichloroethylene	<200	µg/L	MA
0	1,1,1-Trichloroethane	<200	µg/L	MA

WELL MSB 47D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/21/90 Time: 15:50
 Depth to water: 134.74 ft (41.07 m) below TOC pH: 4.7
 Water elevation: 234.48 ft (71.48 m) msf Alkalinity: 0 mg/L
 Sp. conductance: 74 µS/cm Water temperature: 18.4°C
 Water evacuated before sampling: 34 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	<1.0	µg/L	MA
0	Tetrachloroethylene	<1.0	µg/L	MA
0	trans-1,2-Dichloroethene	<1.0	µg/L	MA
1	Trichloroethylene	1.4	µg/L	MA
0	1,1-Dichloroethylene	<1.0	µg/L	MA
0	1,1,1-Trichloroethane	<1.0	µg/L	MA

WELL MSB 47TA

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/21/90 Time: 16:20
 Depth to water: 153.34 ft (46.74 m) below TOC pH: 5.0
 Water elevation: 215.86 ft (65.73 m) msf Alkalinity: 1 mg/L
 Sp. conductance: 26 µS/cm Water temperature: 18.4°C
 Water evacuated before sampling: 444 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	<10	µg/L	MA
0	Tetrachloroethylene	<10	µg/L	MA
0	trans-1,2-Dichloroethene	<10	µg/L	MA
2	Trichloroethylene	563	µg/L	MA
0	1,1-Dichloroethylene	<10	µg/L	MA
0	1,1,1-Trichloroethane	<10	µg/L	MA

WELL MSB 48C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/03/90 Time: 8:35
 Depth to water: 139.05 ft (42.38 m) below TOC pH: 6.1
 Water elevation: 223.85 ft (68.23 m) msf Alkalinity: 4 mg/L
 Sp. conductance: 44 µS/cm Water temperature: 17.8°C
 Water evacuated before sampling: 126 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	<100	µg/L	MA
0	Tetrachloroethylene	<100	µg/L	MA
0	trans-1,2-Dichloroethene	<100	µg/L	MA
2	Trichloroethylene	168	µg/L	MA
0	1,1-Dichloroethylene	<100	µg/L	MA
0	1,1,1-Trichloroethane	<100	µg/L	MA

WELL MSB 48D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/03/90 Time: 8:25
 Depth to water: 132.28 ft (40.32 m) below TOC
 Water elevation: 230.92 ft (70.39 m) msf
 The well pumped dry before sampling could be done.

ANALYTICAL RESULTS

WELL MSB 49A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/07/90
Depth to water: 139.25 ft (42.44 m) below TOC
Water elevation: 198.15 ft (59.79 m) msl
Sp. conductance: 30 µS/cm
Water evacuated before sampling: 322 gal

Time: 16:55
pH: 4.9
Alkalinity: 1 mg/L
Water temperature: 19.3°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	<1.0	µg/L	MA
0	Tetrachloroethylene	<1.0	µg/L	MA
0	trans-1,2-Dichloroethene	<1.0	µg/L	MA
0	Trichloroethylene	<1.0	µg/L	MA
0	1,1-Dichloroethylene	<1.0	µg/L	MA
0	1,1,1-Trichloroethane	<1.0	µg/L	MA

WELL MSB 49B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/07/90
Depth to water: 132.74 ft (40.46 m) below TOC
Water elevation: 202.08 ft (61.59 m) msl
Sp. conductance: 71 µS/cm
Water evacuated before sampling: 252 gal

Time: 16:15
pH: 6.4
Alkalinity: 17 mg/L
Water temperature: 20.0°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	<20	µg/L	MA
0	Tetrachloroethylene	<20	µg/L	MA
0	trans-1,2-Dichloroethene	<20	µg/L	MA
2	Trichloroethylene	86	µg/L	MA
0	1,1-Dichloroethylene	<20	µg/L	MA
0	1,1,1-Trichloroethane	<20	µg/L	MA

WELL MSB 49D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/08/90
Depth to water: 108.88 ft (33.18 m) below TOC
Water elevation: 225.34 ft (68.68 m) msl
Sp. conductance: 35 µS/cm
Water evacuated before sampling: 16 gal
The well went dry during purging.

Time: 8:00
pH: 6.2
Alkalinity: 13 mg/L
Water temperature: 17.5°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	<1.0	µg/L	MA
0	Tetrachloroethylene	<1.0	µg/L	MA
0	trans-1,2-Dichloroethene	<1.0	µg/L	MA
0	Trichloroethylene	<1.0	µg/L	MA
0	1,1-Dichloroethylene	<1.0	µg/L	MA
0	1,1,1-Trichloroethane	<1.0	µg/L	MA

WELL MSB 50B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/27/90
Depth to water: 22.79 ft (6.95 m) below TOC
Water elevation: 201.21 ft (61.33 m) msl
Sp. conductance: 29 µS/cm
Water evacuated before sampling: 147 gal

Time: 9:10
pH: 6.0
Alkalinity: 5 mg/L
Water temperature: 16.8°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	<5.0	µg/L	MA
1	Tetrachloroethylene	2.9	µg/L	MA
0	trans-1,2-Dichloroethene	<5.0	µg/L	MA
2	Trichloroethylene	8.5	µg/L	MA
0	1,1-Dichloroethylene	<5.0	µg/L	MA
0	1,1,1-Trichloroethane	<5.0	µg/L	MA

WELL MSB 50D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/27/90
Depth to water: 22.49 ft (6.86 m) below TOC
Water elevation: 201.01 ft (61.27 m) msl
Sp. conductance: 89 µS/cm
Water evacuated before sampling: 39 gal

Time: 8:55
pH: 5.8
Alkalinity: 11 mg/L
Water temperature: 16.5°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	<1.0	µg/L	MA
0	Tetrachloroethylene	<1.0	µg/L	MA
0	trans-1,2-Dichloroethene	<1.0	µg/L	MA
0	Trichloroethylene	<1.0	µg/L	MA
0	1,1-Dichloroethylene	<1.0	µg/L	MA
0	1,1,1-Trichloroethane	<1.0	µg/L	MA

WELL MSB 51B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/27/90
Depth to water: 60.37 ft (18.40 m) below TOC
Water elevation: 203.13 ft (61.91 m) msl
Sp. conductance: 37 µS/cm
Water evacuated before sampling: 150 gal

Time: 8:25
pH: 6.3
Alkalinity: 9 mg/L
Water temperature: 16.3°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	<1.0	µg/L	MA
0	Tetrachloroethylene	<1.0	µg/L	MA
0	trans-1,2-Dichloroethene	<1.0	µg/L	MA
0	Trichloroethylene	<1.0	µg/L	MA
0	1,1-Dichloroethylene	<1.0	µg/L	MA
0	1,1,1-Trichloroethane	<1.0	µg/L	MA

WELL MSB 51D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/27/90
Depth to water: 54.18 ft (16.51 m) below TOC
Water elevation: 208.32 ft (63.50 m) msl
Sp. conductance: 27 µS/cm
Water evacuated before sampling: 9 gal
The well went dry during purging.

Time: 17:50
pH: 5.0
Alkalinity: 1 mg/L
Water temperature: 17.1°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	<1.0	µg/L	MA
0	Tetrachloroethylene	<1.0	µg/L	MA
0	trans-1,2-Dichloroethene	<1.0	µg/L	MA
0	Trichloroethylene	<1.0	µg/L	MA
0	1,1-Dichloroethylene	<1.0	µg/L	MA
0	1,1,1-Trichloroethane	<1.0	µg/L	MA

WELL MSB 52B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/09/90
Depth to water: 104.24 ft (31.77 m) below TOC
Water elevation: 217.66 ft (66.34 m) msl
Sp. conductance: 103 µS/cm
Water evacuated before sampling: 402 gal

Time: 13:00
pH: 6.8
Alkalinity: 35 mg/L
Water temperature: 18.8°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	<1.0	µg/L	MA
2	Tetrachloroethylene	7.8	µg/L	MA
0	trans-1,2-Dichloroethene	<1.0	µg/L	MA
2	Trichloroethylene	4.5	µg/L	MA
0	1,1-Dichloroethylene	<1.0	µg/L	MA
0	1,1,1-Trichloroethane	<1.0	µg/L	MA

ANALYTICAL RESULTS

WELL MSB 52D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/10/90
Depth to water: 85.77 ft (26.14 m) below TOC
Water elevation: 236.03 ft (71.94 m) msl
Sp. conductance: 23 µS/cm
Water evacuated before sampling: 2 gal
The well went dry during purging.

Time: 8:05
pH: 5.4
Alkalinity: 3 mg/L
Water temperature: 17.5°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	< 1.0	µg/L	MA
0	Tetrachloroethylene	< 1.0	µg/L	MA
0	trans-1,2-Dichloroethene	< 1.0	µg/L	MA
0	Trichloroethylene	< 1.0	µg/L	MA
0	1,1-Dichloroethylene	< 1.0	µg/L	MA
0	1,1,1-Trichloroethane	< 1.0	µg/L	MA

WELL MSB 53B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/09/90
Depth to water: 123.96 ft (37.78 m) below TOC
Water elevation: 220.64 ft (67.25 m) msl
Sp. conductance: 20 µS/cm
Water evacuated before sampling: 190 gal

Time: 10:20
pH: 5.4
Alkalinity: 1 mg/L
Water temperature: 18.0°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	< 1.0	µg/L	MA
0	Tetrachloroethylene	< 1.0	µg/L	MA
0	trans-1,2-Dichloroethene	< 1.0	µg/L	MA
0	Trichloroethylene	< 1.0	µg/L	MA
0	1,1-Dichloroethylene	< 1.0	µg/L	MA
0	1,1,1-Trichloroethane	< 1.0	µg/L	MA

WELL MSB 53C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/09/90
Depth to water: 124.15 ft (37.84 m) below TOC
Water elevation: 221.35 ft (67.47 m) msl
Sp. conductance: 24 µS/cm
Water evacuated before sampling: 101 gal

Time: 10:15
pH: 5.3
Alkalinity: 1 mg/L
Water temperature: 18.0°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	< 1.0	µg/L	MA
1	Tetrachloroethylene	1.3	µg/L	MA
0	trans-1,2-Dichloroethene	< 1.0	µg/L	MA
1	Trichloroethylene	2.1	µg/L	MA
0	1,1-Dichloroethylene	< 1.0	µg/L	MA
0	1,1,1-Trichloroethane	< 1.0	µg/L	MA

WELL MSB 53D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/09/90
Depth to water: 112.07 ft (34.16 m) below TOC
Water elevation: 233.03 ft (71.03 m) msl
Sp. conductance: 23 µS/cm
Water evacuated before sampling: 23 gal

Time: 10:30
pH: 4.7
Alkalinity: 0 mg/L
Water temperature: 18.1°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	< 1.0	µg/L	MA
0	Tetrachloroethylene	< 1.0	µg/L	MA
0	trans-1,2-Dichloroethene	< 1.0	µg/L	MA
1	Trichloroethylene	1.9	µg/L	MA
0	1,1-Dichloroethylene	< 1.0	µg/L	MA
0	1,1,1-Trichloroethane	< 1.0	µg/L	MA

WELL MSB 54B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/03/90
Depth to water: 152.64 ft (46.53 m) below TOC
Water elevation: 221.06 ft (67.38 m) msl
Sp. conductance: 39 µS/cm
Water evacuated before sampling: 248 gal

Time: 10:25
pH: 5.6
Alkalinity: 5 mg/L
Water temperature: 19.5°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	< 1.0	µg/L	MA
0	Tetrachloroethylene	< 1.0	µg/L	MA
0	trans-1,2-Dichloroethene	< 1.0	µg/L	MA
0	Trichloroethylene	< 1.0	µg/L	MA
0	1,1-Dichloroethylene	< 1.0	µg/L	MA
0	1,1,1-Trichloroethane	< 1.0	µg/L	MA

WELL MSB 54C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/03/90
Depth to water: 147.36 ft (44.92 m) below TOC
Water elevation: 226.34 ft (68.99 m) msl
Sp. conductance: 125 µS/cm
Water evacuated before sampling: 308 gal

Time: 9:40
pH: 10.7
Alkalinity: 59 mg/L
Water temperature: 19.4°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	< 1.0	µg/L	MA
0	Tetrachloroethylene	< 1.0	µg/L	MA
0	trans-1,2-Dichloroethene	< 1.0	µg/L	MA
0	Trichloroethylene	< 1.0	µg/L	MA
0	1,1-Dichloroethylene	< 1.0	µg/L	MA
0	1,1,1-Trichloroethane	< 1.0	µg/L	MA

WELL MSB 54D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/03/90
Depth to water: 137.35 ft (41.66 m) below TOC
Water elevation: 236.65 ft (72.13 m) msl
Sp. conductance: 30 µS/cm
Water evacuated before sampling: 32 gal

Time: 10:35
pH: 4.5
Alkalinity: 0 mg/L
Water temperature: 18.8°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	< 1.0	µg/L	MA
0	Tetrachloroethylene	< 1.0	µg/L	MA
0	trans-1,2-Dichloroethene	< 1.0	µg/L	MA
0	Trichloroethylene	< 1.0	µg/L	MA
0	1,1-Dichloroethylene	< 1.0	µg/L	MA
0	1,1,1-Trichloroethane	< 1.0	µg/L	MA

WELL MSB 54TA

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/03/90
Depth to water: 155.35 ft (47.35 m) below TOC
Water elevation: 218.45 ft (66.58 m) msl
Sp. conductance: 54 µS/cm
Water evacuated before sampling: 441 gal

Time: 10:45
pH: 6.9
Alkalinity: 19 mg/L
Water temperature: 20.5°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	< 1.0	µg/L	MA
0	Tetrachloroethylene	< 1.0	µg/L	MA
0	trans-1,2-Dichloroethene	< 1.0	µg/L	MA
0	Trichloroethylene	< 1.0	µg/L	MA
0	1,1-Dichloroethylene	< 1.0	µg/L	MA
0	1,1,1-Trichloroethane	< 1.0	µg/L	MA

ANALYTICAL RESULTS

WELL MSB 55C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/28/90
Depth to water: 140.55 ft (42.84 m) below TOC
Water elevation: 228.95 ft (69.78 m) msl
Sp. conductance: 37 µS/cm
Water evacuated before sampling: 117 gal

Time: 18:05
pH: 4.9
Alkalinity: 1 mg/L
Water temperature: 18.8°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	< 1.0	µg/L	MA
0	Tetrachloroethylene	< 1.0	µg/L	MA
0	trans-1,2-Dichloroethene	< 1.0	µg/L	MA
0	Trichloroethylene	< 1.0	µg/L	MA
0	1,1-Dichloroethylene	< 1.0	µg/L	MA
0	1,1,1-Trichloroethane	< 1.0	µg/L	MA

WELL MSB 55D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/28/90
Depth to water: Not available
Water elevation: Not available
Sp. conductance: 58 µS/cm
Water evacuated before sampling: 23 gal

Time: 15:55
pH: 5.0
Alkalinity: 1 mg/L
Water temperature: 18.2°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	< 1.0	µg/L	MA
0	Tetrachloroethylene	< 1.0	µg/L	MA
0	trans-1,2-Dichloroethene	< 1.0	µg/L	MA
0	Trichloroethylene	< 1.0	µg/L	MA
0	1,1-Dichloroethylene	< 1.0	µg/L	MA
0	1,1,1-Trichloroethane	< 1.0	µg/L	MA

WELL MSB 56D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/03/90
Depth to water: 59.28 ft (18.07 m) below TOC
Water elevation: 220.52 ft (67.22 m) msl
Sp. conductance: 24 µS/cm
Water evacuated before sampling: 22 gal

Time: 12:30
pH: 4.7
Alkalinity: 0 mg/L
Water temperature: 19.8°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	< 1.0	µg/L	MA
0	Tetrachloroethylene	< 1.0	µg/L	MA
0	trans-1,2-Dichloroethene	< 1.0	µg/L	MA
0	Trichloroethylene	< 1.0	µg/L	MA
0	1,1-Dichloroethylene	< 1.0	µg/L	MA
0	1,1,1-Trichloroethane	< 1.0	µg/L	MA

WELL MSB 61C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/09/90
Depth to water: 96.47 ft (29.40 m) below TOC
Water elevation: 221.13 ft (67.40 m) msl
Sp. conductance: 29 µS/cm
Water evacuated before sampling: 136 gal

Time: 9:10
pH: 5.3
Alkalinity: 1 mg/L
Water temperature: 17.7°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	< 1.0	µg/L	MA
0	Tetrachloroethylene	< 1.0	µg/L	MA
0	trans-1,2-Dichloroethene	< 1.0	µg/L	MA
0	Trichloroethylene	< 1.0	µg/L	MA
0	1,1-Dichloroethylene	< 1.0	µg/L	MA
0	1,1,1-Trichloroethane	< 1.0	µg/L	MA

WELL MSB 61D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/09/90
Depth to water: 85.27 ft (26.04 m) below TOC
Water elevation: 222.83 ft (67.92 m) msl
Sp. conductance: 27 µS/cm
Water evacuated before sampling: 9 gal
The well went dry during purging.

Time: 11:35
pH: 5.3
Alkalinity: 2 mg/L
Water temperature: 17.8°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	< 1.0	µg/L	MA
0	Tetrachloroethylene	< 1.0	µg/L	MA
0	trans-1,2-Dichloroethene	< 1.0	µg/L	MA
0	Trichloroethylene	< 1.0	µg/L	MA
0	1,1-Dichloroethylene	< 1.0	µg/L	MA
0	1,1,1-Trichloroethane	< 1.0	µg/L	MA

WELL MSB 65D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/08/90
Depth to water: 117.27 ft (35.74 m) below TOC
Water elevation: 232.23 ft (70.78 m) msl
The well pumped dry before sampling could be done.

Time: 15:05

WELL MSB 66B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/03/90
Depth to water: 163.74 ft (49.81 m) below TOC
Water elevation: 219.76 ft (66.98 m) msl
Sp. conductance: 203 µS/cm
Water evacuated before sampling: 298 gal

Time: 13:35
pH: 10.8
Alkalinity: 85 mg/L
Water temperature: 20.5°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	< 5.0	µg/L	MA
2	Tetrachloroethylene	7.4	µg/L	MA
0	trans-1,2-Dichloroethene	< 5.0	µg/L	MA
2	Trichloroethylene	17	µg/L	MA
0	1,1-Dichloroethylene	< 5.0	µg/L	MA
0	1,1,1-Trichloroethane	< 5.0	µg/L	MA

WELL MSB 66C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/03/90
Depth to water: 153.85 ft (46.89 m) below TOC
Water elevation: 229.65 ft (70.00 m) msl
Sp. conductance: 38 µS/cm
Water evacuated before sampling: 217 gal

Time: 14:20
pH: 5.5
Alkalinity: 4 mg/L
Water temperature: 20.6°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	< 10	µg/L	MA
2	Tetrachloroethylene	14	µg/L	MA
0	trans-1,2-Dichloroethene	< 10	µg/L	MA
2	Trichloroethylene	62	µg/L	MA
0	1,1-Dichloroethylene	< 10	µg/L	MA
0	1,1,1-Trichloroethane	< 10	µg/L	MA

ANALYTICAL RESULTS

WELL MSB 66D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/03/90 Time: 12:50
Depth to water: 152.69 ft (46.84 m) below TOC
Water elevation: 230.81 ft (70.29 m) msf
Inaccessibility or pump failure prevented sample collection.

WELL MSB 66TA

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/03/90 Time: 14:35
Depth to water: 177.23 ft (54.02 m) below TOC
Water elevation: 205.57 ft (62.66 m) msf
Sp. conductance: 33 µS/cm
Water evacuated before sampling: 455 gal
pH: 5.4
Alkalinity: 5 mg/L
Water temperature: 20.1°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	<1.0	µg/L	MA
0	Tetrachloroethylene	<1.0	µg/L	MA
0	trans-1,2-Dichloroethene	<1.0	µg/L	MA
0	Trichloroethylene	<1.0	µg/L	MA
0	1,1-Dichloroethylene	<1.0	µg/L	MA
0	1,1,1-Trichloroethane	<1.0	µg/L	MA

WELL MSB 67B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/21/90 Time: 13:55
Depth to water: 148.74 ft (44.73 m) below TOC
Water elevation: 218.36 ft (66.56 m) msf
Sp. conductance: 87 µS/cm
Water evacuated before sampling: 304 gal
pH: 7.0
Alkalinity: 24 mg/L
Water temperature: 18.5°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Carbon tetrachloride	<1.0	µg/L	MT
0	Carbon tetrachloride	<2.0	µg/L	GE
0	Chloroform	<0.40	µg/L	MT
0	Chloroform	<2.0	µg/L	GE
0	Chloroform	<10	µg/L	MA
0	Tetrachloroethylene	0.42	µg/L	MT
0	Tetrachloroethylene	<2.0	µg/L	GE
0	Tetrachloroethylene	<10	µg/L	MA
0	trans-1,2-Dichloroethene	<10	µg/L	MA
2	Trichloroethylene	23	µg/L	MT
2	Trichloroethylene	28	µg/L	GE
2	Trichloroethylene	55	µg/L	MA
0	1,1-Dichloroethylene	<10	µg/L	MA
0	1,1,1-Trichloroethane	<0.40	µg/L	MT
0	1,1,1-Trichloroethane	<2.0	µg/L	GE
0	1,1,1-Trichloroethane	<10	µg/L	MA
1	Total activity	0.14 ± 1.1	pCi/mL	EM

WELL MSB 67B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/21/90 Time: 13:55
Depth to water: 148.74 ft (44.73 m) below TOC
Water elevation: 218.36 ft (66.56 m) msf
Sp. conductance: 87 µS/cm
Water evacuated before sampling: 304 gal
pH: 7.0
Alkalinity: 24 mg/L
Water temperature: 18.5°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	<10	µg/L	MA
0	Tetrachloroethylene	<10	µg/L	MA
0	Trichloroethylene	<10	µg/L	MA
0	1,1-Dichloroethylene	<10	µg/L	MA
0	1,1,1-Trichloroethane	<10	µg/L	MA

WELL MSB 67C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/21/90 Time: 14:20
Depth to water: 138.55 ft (41.82 m) below TOC
Water elevation: 228.25 ft (69.57 m) msf
Sp. conductance: 58 µS/cm
Water evacuated before sampling: 165 gal
pH: 8.1
Alkalinity: 13 mg/L
Water temperature: 18.8°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	<10	µg/L	MA
0	Tetrachloroethylene	<10	µg/L	MA
1	trans-1,2-Dichloroethene	11	µg/L	MA
2	Trichloroethylene	108	µg/L	MA
0	1,1-Dichloroethylene	<10	µg/L	MA
0	1,1,1-Trichloroethane	<10	µg/L	MA

WELL MSB 67D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/21/90 Time: 14:00
Depth to water: 131.36 ft (40.04 m) below TOC
Water elevation: 233.64 ft (71.21 m) msf
Sp. conductance: 122 µS/cm
Water evacuated before sampling: 38 gal
pH: 8.1
Alkalinity: 27 mg/L
Water temperature: 19.5°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	<20	µg/L	MA
0	Tetrachloroethylene	<20	µg/L	MA
0	trans-1,2-Dichloroethene	<20	µg/L	MA
2	Trichloroethylene	1920	µg/L	MA
0	1,1-Dichloroethylene	<20	µg/L	MA
0	1,1,1-Trichloroethane	<20	µg/L	MA

WELL MSB 68B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/21/90 Time: 13:10
Depth to water: 138.35 ft (42.17 m) below TOC
Water elevation: 218.55 ft (66.61 m) msf
Sp. conductance: 27 µS/cm
Water evacuated before sampling: 238 gal
pH: 6.2
Alkalinity: 1 mg/L
Water temperature: 18.8°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	<1.0	µg/L	MA
0	Chloroform	<1.0	µg/L	MA
0	trans-1,2-Dichloroethene	<4.8	µg/L	MA
0	trans-1,2-Dichloroethene	<4.8	µg/L	MA
2	Trichloroethylene	98	µg/L	MA
2	Trichloroethylene	98	µg/L	MA
0	1,1-Dichloroethylene	<1.0	µg/L	MA
0	1,1-Dichloroethylene	<1.0	µg/L	MA
0	1,1,1-Trichloroethane	<1.0	µg/L	MA
0	1,1,1-Trichloroethane	<1.0	µg/L	MA

WELL MSB 68C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/21/90 Time: 13:00
Depth to water: 129.66 ft (39.52 m) below TOC
Water elevation: 227.04 ft (69.20 m) msf
Sp. conductance: 33 µS/cm
Water evacuated before sampling: 171 gal
pH: 5.1
Alkalinity: 1 mg/L
Water temperature: 18.2°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	<10	µg/L	MA
0	Tetrachloroethylene	<10	µg/L	MA
0	trans-1,2-Dichloroethene	<10	µg/L	MA
2	Trichloroethylene	881	µg/L	MA

ANALYTICAL RESULTS

WELL MSB 68C collected on 01/21/00, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	1,1-Dichloroethylene	< 10	µg/L	MA
0	1,1,1-Trichloroethane	< 10	µg/L	MA

WELL MSB 68D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/21/00
Depth to water: 123.24 ft (37.58 m) below TOC
Water elevation: 233.76 ft (71.25 m) msl
Sp. conductance: 58 µS/cm
Water evacuated before sampling: 30 gal

Time: 13:05
pH: 5.2
Alkalinity: 2 mg/L
Water temperature: 18.4°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	< 100	µg/L	MA
0	Tetrachloroethylene	< 100	µg/L	MA
0	trans-1,2-Dichloroethene	< 100	µg/L	MA
2	Trichloroethylene	8110	µg/L	MA
0	1,1-Dichloroethylene	< 100	µg/L	MA
0	1,1,1-Trichloroethane	< 100	µg/L	MA

WELL MSB 69B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/28/00
Depth to water: 181.74 ft (49.30 m) below TOC
Water elevation: 219.96 ft (67.04 m) msl
Sp. conductance: 42 µS/cm
Water evacuated before sampling: 200 gal

Time: 14:55
pH: 5.0
Alkalinity: 11 mg/L
Water temperature: 18.4°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	< 1.0	µg/L	MA
0	Tetrachloroethylene	< 1.0	µg/L	MA
0	trans-1,2-Dichloroethene	< 1.0	µg/L	MA
0	Trichloroethylene	< 1.0	µg/L	MA
0	1,1-Dichloroethylene	< 1.0	µg/L	MA
0	1,1,1-Trichloroethane	< 1.0	µg/L	MA

WELL MSB 69C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/28/00
Depth to water: 153.55 ft (46.80 m) below TOC
Water elevation: 228.25 ft (69.57 m) msl
Sp. conductance: 116 µS/cm
Water evacuated before sampling: 31 gal
The well went dry during purging.

Time: 16:50
pH: 7.1
Alkalinity: 35 mg/L
Water temperature: 18.0°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	< 5.0	µg/L	MA
0	Tetrachloroethylene	< 5.0	µg/L	MA
0	trans-1,2-Dichloroethene	< 5.0	µg/L	MA
2	Trichloroethylene	121	µg/L	MA
0	1,1-Dichloroethylene	< 5.0	µg/L	MA
0	1,1,1-Trichloroethane	< 5.0	µg/L	MA

WELL MSB 69D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/26/00
Depth to water: 149.25 ft (45.49 m) below TOC
Water elevation: 232.05 ft (71.00 m) msl
Sp. conductance: 35 µS/cm
Water evacuated before sampling: 33 gal

Time: 14:35
pH: 4.5
Alkalinity: 0 mg/L
Water temperature: 18.5°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	< 1.0	µg/L	MA
0	Tetrachloroethylene	< 1.0	µg/L	MA
0	trans-1,2-Dichloroethene	< 1.0	µg/L	MA
0	Trichloroethylene	< 1.0	µg/L	MA
0	1,1-Dichloroethylene	< 1.0	µg/L	MA
0	1,1,1-Trichloroethane	< 1.0	µg/L	MA

WELL MSB 69TA

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/26/00
Depth to water: 187.53 ft (57.06 m) below TOC
Water elevation: 213.97 ft (65.22 m) msl
Sp. conductance: 82 µS/cm
Water evacuated before sampling: 383 gal

Time: 15:35
pH: 6.6
Alkalinity: 22 mg/L
Water temperature: 18.5°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	< 1.0	µg/L	MA
0	Tetrachloroethylene	< 1.0	µg/L	MA
0	trans-1,2-Dichloroethene	< 1.0	µg/L	MA
0	Trichloroethylene	< 1.0	µg/L	MA
0	1,1-Dichloroethylene	< 1.0	µg/L	MA
0	1,1,1-Trichloroethane	< 1.0	µg/L	MA

WELL MSB 70C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/21/00
Depth to water: 145.35 ft (44.30 m) below TOC
Water elevation: 218.85 ft (66.10 m) msl
Sp. conductance: 177 µS/cm
Water evacuated before sampling: 139 gal

Time: 8:35
pH: 5.9
Alkalinity: 11 mg/L
Water temperature: 18.0°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	< 5.0	µg/L	MA
2	Tetrachloroethylene	378	µg/L	MA
0	trans-1,2-Dichloroethene	< 5.0	µg/L	MA
2	Trichloroethylene	42	µg/L	MA
1	1,1-Dichloroethylene	38	µg/L	MA
1	1,1,1-Trichloroethane	22	µg/L	MA

WELL MSB 71B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/14/00
Depth to water: 129.05 ft (39.33 m) below TOC
Water elevation: 218.05 ft (65.55 m) msl
Sp. conductance: 267 µS/cm
Water evacuated before sampling: 48 gal
The well went dry during purging.

Time: 9:10
pH: 10.5
Alkalinity: 105 mg/L
Water temperature: 17.0°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	< 1.0	µg/L	MA
0	Tetrachloroethylene	< 1.0	µg/L	MA
0	trans-1,2-Dichloroethene	< 1.0	µg/L	MA
0	Trichloroethylene	< 1.0	µg/L	MA
0	1,1-Dichloroethylene	< 1.0	µg/L	MA
0	1,1,1-Trichloroethane	< 1.0	µg/L	MA

ANALYTICAL RESULTS

WELL MSB 72B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/28/90 Time: 14:08
Depth to water: 129.85 ft (38.88 m) below TOC pH: 5.2
Water elevation: 198.35 ft (60.48 m) msf Alkalinity: 8 mg/L
Sp. conductance: 50 µS/cm Water temperature: 18.0°C
Water evacuated before sampling: 123 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	< 1.0	µg/L	MA
0	Tetrachloroethylene	< 1.0	µg/L	MA
0	trans-1,2-Dichloroethene	< 1.0	µg/L	MA
0	Trichloroethylene	< 1.0	µg/L	MA
0	1,1-Dichloroethylene	< 1.0	µg/L	MA
0	1,1,1-Trichloroethane	< 1.0	µg/L	MA

WELL MSB 73B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/28/90 Time: 8:30
Depth to water: 140.15 ft (42.72 m) below TOC pH: 4.8
Water elevation: 200.25 ft (61.04 m) msf Alkalinity: 0 mg/L
Sp. conductance: 41 µS/cm Water temperature: 17.0°C
Water evacuated before sampling: 180 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	< 1.0	µg/L	MA
0	Tetrachloroethylene	< 1.0	µg/L	MA
0	trans-1,2-Dichloroethene	< 1.0	µg/L	MA
2	Trichloroethylene	7.4	µg/L	MA
0	1,1-Dichloroethylene	< 1.0	µg/L	MA
0	1,1,1-Trichloroethane	< 1.0	µg/L	MA

WELL MSB 82C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/28/90 Time: 18:30
Depth to water: 145.74 ft (44.42 m) below TOC pH: 9.4
Water elevation: 228.26 ft (69.57 m) msf Alkalinity: 28 mg/L
Sp. conductance: 83 µS/cm Water temperature: 18.4°C
Water evacuated before sampling: 180 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	< 1.0	µg/L	MA
0	Tetrachloroethylene	< 1.0	µg/L	MA
0	trans-1,2-Dichloroethene	< 1.0	µg/L	MA
0	Trichloroethylene	< 1.0	µg/L	MA
0	1,1-Dichloroethylene	< 1.0	µg/L	MA
0	1,1,1-Trichloroethane	< 1.0	µg/L	MA

WELL MSB 83C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/03/90 Time: 11:30
Depth to water: 144.14 ft (43.93 m) below TOC pH: 9.5
Water elevation: 227.98 ft (69.48 m) msf Alkalinity: 29 mg/L
Sp. conductance: 97 µS/cm Water temperature: 19.6°C
Water evacuated before sampling: 228 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	< 1.0	µg/L	MA
0	Tetrachloroethylene	< 1.0	µg/L	MA
0	trans-1,2-Dichloroethene	< 1.0	µg/L	MA
0	Trichloroethylene	< 1.0	µg/L	MA
0	1,1-Dichloroethylene	< 1.0	µg/L	MA
0	1,1,1-Trichloroethane	< 1.0	µg/L	MA

WELL MSB 84C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/03/90 Time: 11:55
Depth to water: 132.65 ft (40.40 m) below TOC pH: 8.0
Water elevation: 229.45 ft (69.94 m) msf Alkalinity: 8 mg/L
Sp. conductance: 49 µS/cm Water temperature: 19.7°C
Water evacuated before sampling: 126 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	< 1.0	µg/L	MA
0	Tetrachloroethylene	< 1.0	µg/L	MA
0	trans-1,2-Dichloroethene	< 1.0	µg/L	MA
0	Trichloroethylene	< 1.0	µg/L	MA
0	1,1-Dichloroethylene	< 1.0	µg/L	MA
0	1,1,1-Trichloroethane	< 1.0	µg/L	MA

WELL MSB 85C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/03/90 Time: 12:10
Depth to water: 157.24 ft (47.93 m) below TOC pH: 8.5
Water elevation: 224.16 ft (68.32 m) msf Alkalinity: 23 mg/L
Sp. conductance: 101 µS/cm Water temperature: 20.1°C
Water evacuated before sampling: 30 gal
The well went dry during purging.

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	< 1.0	µg/L	MA
0	Tetrachloroethylene	< 1.0	µg/L	MA
0	trans-1,2-Dichloroethene	< 1.0	µg/L	MA
2	Trichloroethylene	13	µg/L	MA
0	1,1-Dichloroethylene	< 1.0	µg/L	MA
0	1,1,1-Trichloroethane	< 1.0	µg/L	MA

WELL NBG 1

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/25/90 Time: 10:25
Depth to water: 88.20 ft (26.88 m) below TOC pH: 5.2
Water elevation: 223.30 ft (68.06 m) msf Alkalinity: 3 mg/L
Sp. conductance: 71 µS/cm Water temperature: 18.6°C
Water evacuated before sampling: 11 gal
The well went dry during purging.

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.4	pH	MT
0	Specific conductance	60	µS/cm	MT
0	Barium	< 8.0	µg/L	MT
0	Benzene	< 5.0	µg/L	MT
0	Bromodichloromethane	< 5.0	µg/L	MT
0	Bromoform	< 5.0	µg/L	MT
0	Bromomethane (Methyl bromide)	< 10	µg/L	MT
0	Calcium	3000	µg/L	MT
0	Carbon tetrachloride	< 5.0	µg/L	MT
0	Chlorobenzene	< 5.0	µg/L	MT
0	Chloroethane	< 10	µg/L	MT
0	Chloroform	< 5.0	µg/L	MT
0	Chloromethane (Methyl chloride)	< 10	µg/L	MT
0	cis-1,3-Dichloropropene	< 5.0	µg/L	MT
0	Dibromochloromethane	< 5.0	µg/L	MT
0	Dichloromethane (Methylene chloride)	< 5.0	µg/L	MT
0	Ethylbenzene	< 5.0	µg/L	MT
0	Iron	45	µg/L	MT
1	Lead	24	µg/L	MT
0	Magnesium	790	µg/L	MT
0	Manganese	12	µg/L	MT
1	Mercury	0.41	µg/L	MT
1	Nitrate as nitrogen	5000	µg/L	MT
1	Sodium	7950	µg/L	MT
0	Sulfate	< 1000	µg/L	MT
0	Tetrachloroethylene	< 5.0	µg/L	MT
0	Toluene	< 5.0	µg/L	MT
2	Total organic halogens	111	µg/L	MT
0	Total phosphates	170	µg/L	MT
0	trans-1,2-Dichloroethene	< 5.0	µg/L	MT
0	trans-1,3-Dichloropropene	< 5.0	µg/L	MT

ANALYTICAL RESULTS

WELL NBG 1 collected on 02/25/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
2	Trichloroethylene	140	µg/L	MT
0	Trichlorofluoromethane	<5.0	µg/L	MT
0	1,1-Dichloroethane	<5.0	µg/L	MT
0	1,1-Dichloroethylene	<5.0	µg/L	MT
0	1,1,1-Trichloroethane	<5.0	µg/L	MT
0	1,1,2-Trichloroethane	<5.0	µg/L	MT
0	1,1,2,2-Tetrachloroethane	<5.0	µg/L	MT
0	1,2-Dichloroethane	<5.0	µg/L	MT
0	1,2-Dichloropropane	<5.0	µg/L	MT
0	2-Chloroethyl vinyl ether	<5.0	µg/L	MT
0	Gross alpha	<2.0	pCi/L	MT
0	Nonvolatile beta	9.7 ± 3.3	pCi/L	MT
0	Total radium	1.0 ± 0.40	pCi/L	MT
2	Tritium	230 ± 30	pCi/mL	MT
2	Tritium	289 ± 3.6	pCi/mL	EM

WELL NBG 2

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/25/90
Depth to water: 88.96 ft (27.12 m) below TOC
Water elevation: 223.74 ft (68.20 m) msl
Sp. conductance: 651 µS/cm
Water evacuated before sampling: 18 gal
The well went dry during purging.

Time: 10:05
pH: 6.2
Alkalinity: 1 mg/L
Water temperature: 18.5°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.2	pH	MT
0	Specific conductance	58	µS/cm	MT
0	Barium	34	µg/L	MT
0	Benzene	<5.0	µg/L	MT
0	Bromodichloromethane	<5.0	µg/L	MT
0	Bromoform	<5.0	µg/L	MT
0	Bromomethane (Methyl bromide)	<10	µg/L	MT
1	Calcium	10800	µg/L	MT
0	Carbon tetrachloride	<5.0	µg/L	MT
0	Chlorobenzene	<5.0	µg/L	MT
0	Chloroethane	<10	µg/L	MT
0	Chloroform	<5.0	µg/L	MT
0	Chloromethane (Methyl chloride)	<10	µg/L	MT
0	cis-1,3-Dichloropropene	<5.0	µg/L	MT
0	Dibromochloromethane	<5.0	µg/L	MT
0	Dichloromethane (Methylene chloride)	<5.0	µg/L	MT
0	Ethylbenzene	<5.0	µg/L	MT
2	Iron	552	µg/L	MT
1	Lead	24	µg/L	MT
0	Magnesium	4100	µg/L	MT
1	Manganese	45	µg/L	MT
1	Mercury	0.44	µg/L	MT
2	Nitrate as nitrogen	89200	µg/L	MT
1	Sodium	104000	µg/L	MT
1	Sulfate	23100	µg/L	MT
1	Tetrachloroethylene	4.0	µg/L	MT
0	Toluene	<5.0	µg/L	MT
2	Total organic halogens	54	µg/L	MT
1	Total phosphates	566	µg/L	MT
0	trans-1,2-Dichloroethene	<5.0	µg/L	MT
0	trans-1,3-Dichloropropene	<5.0	µg/L	MT
2	Trichloroethylene	47	µg/L	MT
0	Trichlorofluoromethane	<5.0	µg/L	MT
0	1,1-Dichloroethane	<5.0	µg/L	MT
0	1,1-Dichloroethylene	<5.0	µg/L	MT
0	1,1,1-Trichloroethane	<5.0	µg/L	MT
0	1,1,2-Trichloroethane	<5.0	µg/L	MT
0	1,1,2,2-Tetrachloroethane	<5.0	µg/L	MT
0	1,2-Dichloroethane	<5.0	µg/L	MT
0	1,2-Dichloropropane	<5.0	µg/L	MT
0	2-Chloroethyl vinyl ether	<5.0	µg/L	MT
1	Gross alpha	5.8 ± 2.8	pCi/L	MT
1	Nonvolatile beta	47 ± 5.0	pCi/L	MT
1	Total radium	3.8 ± 0.70	pCi/L	MT
2	Tritium	1400 ± 200	pCi/mL	MT
2	Tritium	1640 ± 30	pCi/mL	EM

WELL NBG 3

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/25/90
Depth to water: 97.12 ft (29.60 m) below TOC
Water elevation: 215.28 ft (65.82 m) msf
Sp. conductance: 107 µS/cm
Water evacuated before sampling: 7 gal
The well went dry during purging.

Time: 11:25
pH: 8.3
Alkalinity: 28 mg/L
Water temperature: 18.5°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	pH	8.8	pH	MT
1	Specific conductance	104	µS/cm	MT
0	Barium	18	µg/L	MT
0	Barium	18	µg/L	MT
0	Benzene	<5.0	µg/L	MT
0	Bromodichloromethane	<5.0	µg/L	MT
0	Bromoform	<5.0	µg/L	MT
0	Bromomethane (Methyl bromide)	<10	µg/L	MT
1	Calcium	13000	µg/L	MT
1	Calcium	12300	µg/L	MT
0	Carbon tetrachloride	<5.0	µg/L	MT
0	Chlorobenzene	<5.0	µg/L	MT
0	Chloroethane	<10	µg/L	MT
0	Chloroform	<5.0	µg/L	MT
0	Chloromethane (Methyl chloride)	<10	µg/L	MT
0	cis-1,3-Dichloropropene	<5.0	µg/L	MT
0	Dibromochloromethane	<5.0	µg/L	MT
0	Dichloromethane (Methylene chloride)	<5.0	µg/L	MT
0	Ethylbenzene	<5.0	µg/L	MT
0	Iron	43	µg/L	MT
0	Iron	27	µg/L	MT
0	Lead	5.1	µg/L	MT
0	Magnesium	791	µg/L	MT
0	Magnesium	747	µg/L	MT
0	Manganese	2.3	µg/L	MT
0	Manganese	<2.0	µg/L	MT
0	Mercury	<0.20	µg/L	MT
0	Mercury	<0.20	µg/L	MT
0	Nitrate as nitrogen	2200	µg/L	MT
0	Sodium	3320	µg/L	MT
0	Sodium	3150	µg/L	MT
0	Sulfate	<1000	µg/L	MT
0	Tetrachloroethylene	<5.0	µg/L	MT
0	Toluene	<5.0	µg/L	MT
1	Total organic halogens	18	µg/L	MT
0	Total phosphates	268	µg/L	MT
0	trans-1,2-Dichloroethene	<5.0	µg/L	MT
0	trans-1,3-Dichloropropene	<5.0	µg/L	MT
2	Trichloroethylene	4.0	µg/L	MT
0	Trichlorofluoromethane	<5.0	µg/L	MT
0	1,1-Dichloroethane	<5.0	µg/L	MT
0	1,1-Dichloroethylene	<5.0	µg/L	MT
0	1,1,1-Trichloroethane	<5.0	µg/L	MT
0	1,1,2-Trichloroethane	<5.0	µg/L	MT
0	1,1,2,2-Tetrachloroethane	<5.0	µg/L	MT
0	1,2-Dichloroethane	<5.0	µg/L	MT
0	1,2-Dichloropropane	<5.0	µg/L	MT
0	2-Chloroethyl vinyl ether	<5.0	µg/L	MT
0	Gross alpha	<3.0	pCi/L	MT
0	Nonvolatile beta	<5.0	pCi/L	MT
0	Total radium	<1.0	pCi/L	MT
2	Tritium	20 ± 2.0	pCi/mL	MT

WELL NBG 4

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/25/90
Depth to water: 91.71 ft (27.95 m) below TOC
Water elevation: 214.79 ft (65.47 m) msf
Sp. conductance: 31 µS/cm
Water evacuated before sampling: 9 gal
The well went dry during purging.

Time: 11:05
pH: 5.5
Alkalinity: 3 mg/L
Water temperature: 18.1°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.8	pH	MT
0	Specific conductance	24	µS/cm	MT
0	Barium	<5.0	µg/L	MT
0	Barium	<5.0	µg/L	MT
0	Benzene	<5.0	µg/L	MT
0	Bromodichloromethane	<5.0	µg/L	MT
0	Bromoform	<5.0	µg/L	MT
0	Bromomethane (Methyl bromide)	<10	µg/L	MT

ANALYTICAL RESULTS

WELL NBG 4 collected on 02/25/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Calcium	2010	µg/L	MT
0	Calcium	2210	µg/L	MT
0	Carbon tetrachloride	<5.0	µg/L	MT
0	Chlorobenzene	<5.0	µg/L	MT
0	Chloroethane	<10	µg/L	MT
0	Chloroform	<5.0	µg/L	MT
0	Chloromethane (Methyl chloride)	<10	µg/L	MT
0	cis-1,3-Dichloropropene	<5.0	µg/L	MT
0	Dibromochloromethane	<5.0	µg/L	MT
0	Dichloromethane (Methylene chloride)	<5.0	µg/L	MT
0	Ethylbenzene	<5.0	µg/L	MT
1	Iron	197	µg/L	MT
1	Iron	218	µg/L	MT
0	Lead	12	µg/L	MT
0	Magnesium	482	µg/L	MT
0	Magnesium	485	µg/L	MT
0	Manganese	7.0	µg/L	MT
0	Manganese	4.9	µg/L	MT
0	Mercury	<0.20	µg/L	MT
0	Nitrate as nitrogen	1300	µg/L	MT
0	Sodium	1850	µg/L	MT
0	Sodium	2040	µg/L	MT
0	Sulfate	<1000	µg/L	MT
0	Tetrachloroethylene	<5.0	µg/L	MT
0	Toluene	<5.0	µg/L	MT
0	Total organic halogens	<5.0	µg/L	MT
0	Total phosphates	173	µg/L	MT
0	trans-1,2-Dichloroethene	<5.0	µg/L	MT
0	trans-1,3-Dichloropropene	<5.0	µg/L	MT
2	Trichloroethylene	J 4.0	µg/L	MT
0	Trichlorofluoromethane	<5.0	µg/L	MT
0	1,1-Dichloroethane	<5.0	µg/L	MT
0	1,1-Dichloroethylene	<5.0	µg/L	MT
0	1,1,1-Trichloroethane	<5.0	µg/L	MT
0	1,1,2-Trichloroethane	<5.0	µg/L	MT
0	1,1,2,2-Tetrachloroethane	<5.0	µg/L	MT
0	1,2-Dichloroethane	<5.0	µg/L	MT
0	1,2-Dichloropropane	<5.0	µg/L	MT
0	2-Chloroethyl vinyl ether	<5.0	µg/L	MT
0	Gross alpha	<4.0	pCi/L	MT
0	Nonvolatile beta	<4.0	pCi/L	MT
0	Total radium	<1.0	pCi/L	MT
0	Tritium	6.8±0.70	pCi/mL	MT

WELL NBG 5

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/25/90
Depth to water: 88.15 ft (26.87 m) below TOC
Water elevation: 215.35 ft (65.84 m) msl
Sp. conductance: 44 µS/cm
Water evacuated before sampling: 13 gal
The well went dry during purging.

Time: 10:45
pH: 5.7
Alkalinity: 4 mg/L
Water temperature: 18.9°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.8	pH	MT
0	Specific conductance	31	µS/cm	MT
0	Barium	<8.0	µg/L	MT
0	Benzene	<5.0	µg/L	MT
0	Bromodichloromethane	<5.0	µg/L	MT
0	Bromoform	<5.0	µg/L	MT
0	Bromomethane (Methyl bromide)	<10	µg/L	MT
0	Calcium	3360	µg/L	MT
0	Carbon tetrachloride	<5.0	µg/L	MT
0	Chlorobenzene	<5.0	µg/L	MT
0	Chloroethane	<10	µg/L	MT
0	Chloroform	<5.0	µg/L	MT
0	Chloromethane (Methyl chloride)	<10	µg/L	MT
0	cis-1,3-Dichloropropene	<5.0	µg/L	MT
0	Dibromochloromethane	<5.0	µg/L	MT
0	Dichloromethane (Methylene chloride)	<5.0	µg/L	MT
0	Ethylbenzene	<5.0	µg/L	MT
1	Iron	292	µg/L	MT
0	Lead	13	µg/L	MT
0	Magnesium	590	µg/L	MT
0	Manganese	9.3	µg/L	MT
0	Mercury	<0.20	µg/L	MT
0	Nitrate as nitrogen	1200	µg/L	MT
0	Sodium	2200	µg/L	MT
0	Sulfate	<1000	µg/L	MT
0	Tetrachloroethylene	<5.0	µg/L	MT
0	Toluene	<5.0	µg/L	MT
0	Total organic halogens	6.3	µg/L	MT
0	Total phosphates	41	µg/L	MT

WELL NBG 5 collected on 02/25/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	trans-1,2-Dichloroethene	<5.0	µg/L	MT
0	trans-1,3-Dichloropropene	<5.0	µg/L	MT
0	Trichloroethylene	<5.0	µg/L	MT
0	Trichlorofluoromethane	<5.0	µg/L	MT
0	1,1-Dichloroethane	<5.0	µg/L	MT
0	1,1-Dichloroethylene	<5.0	µg/L	MT
0	1,1,1-Trichloroethane	<5.0	µg/L	MT
0	1,1,2-Trichloroethane	<5.0	µg/L	MT
0	1,1,2,2-Tetrachloroethane	<5.0	µg/L	MT
0	1,2-Dichloroethane	<5.0	µg/L	MT
0	1,2-Dichloropropane	<5.0	µg/L	MT
0	2-Chloroethyl vinyl ether	<5.0	µg/L	MT
0	Gross alpha	<2.0	pCi/L	MT
0	Nonvolatile beta	<4.0	pCi/L	MT
0	Total radium	1.6±0.40	pCi/L	MT
0	Tritium	8.6±0.90	pCi/mL	MT

WELL P 26A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/18/90
Depth to water: 35.49 ft (10.82 m) below TOC
Water elevation: 119.01 ft (36.27 m) msl
Sp. conductance: 40 µS/cm
Water evacuated before sampling: 325 gal

Time: 11:40
pH: 5.1
Alkalinity: 1 mg/L
Water temperature: 19.5°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.8	pH	GE
0	pH	5.8	pH	GE
0	Specific conductance	34	µS/cm	GE
0	Specific conductance	34	µS/cm	GE
0	Arsenic	<2.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	24	µg/L	GE
0	Barium	26	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	3360	µg/L	GE
0	Calcium	3630	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	1500	µg/L	GE
0	Chloride	1500	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethane (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroethane (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	Fluoride	<100	µg/L	GE
2	Iron	827	µg/L	GE
2	Iron	892	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	421	µg/L	GE
0	Magnesium	469	µg/L	GE
0	Manganese	19	µg/L	GE
0	Manganese	20	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Mercury	<0.20	µg/L	GE

ANALYTICAL RESULTS

WELL P 26A collected on 03/18/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Nitrate as nitrogen	<50	µg/L	GE
0	Nitrate as nitrogen	<50	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	1380	µg/L	GE
0	Potassium	1430	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Selenium	<2.0	µg/L	GE
1	Silica	25700	µg/L	GE
1	Silica	27800	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	1380	µg/L	GE
0	Sodium	1440	µg/L	GE
0	Sulfate	8900	µg/L	GE
0	Sulfate	8600	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	99000	µg/L	GE
0	Total dissolved solids	101000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
1	Total phosphates	2350	µg/L	GE
1	Total phosphates	2340	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Americium-241	<0.20	pCi/L	TE
0	Americium-243	<0.30	pCi/L	TE
0	Barium-140	<40	pCi/L	TE
0	Beryllium-7	<70	pCi/L	TE
0	Cerium-141	<20	pCi/L	TE
0	Cerium-144	<40	pCi/L	TE
0	Cesium-134	<5.0	pCi/L	TE
0	Cesium-137	<5.0	pCi/L	TE
0	Cobalt-58	<8.0	pCi/L	TE
0	Cobalt-60	<5.0	pCi/L	TE
1	Curium-242	0.70±0.32	pCi/L	TE
0	Curium-243/244	<0.50	pCi/L	TE
0	Curium-248	<0.30	pCi/L	TE
0	Gross alpha	<3.0	pCi/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Iodine-131	<200	pCi/L	TE
0	Iron-59	<20	pCi/L	TE
0	Manganese-54	<5.0	pCi/L	TE
0	Neptunium-237	<10	pCi/L	TE
0	Nonvolatile beta	2.8±3.5	pCi/L	GE
0	Nonvolatile beta	5.9±3.9	pCi/L	GE
0	Plutonium-238	<0.070	pCi/L	TE
0	Plutonium-239/240	<0.080	pCi/L	TE
0	Plutonium-242	<0.080	pCi/L	TE
0	Potassium-40	<80	pCi/L	TE
0	Radium-226	<100	pCi/L	TE
0	Radium-226	<1.0	pCi/L	TE
0	Radium-228	<2.0	pCi/L	TE
0	Ruthenium-103	<10	pCi/L	TE
0	Ruthenium-106	<50	pCi/L	TE
0	Strontium-89	<4.0	pCi/L	TE
0	Strontium-90	<1.0	pCi/L	TE
0	Thorium-228	<10	pCi/L	TE
0	Thorium-228	<0.020	pCi/L	TE
1	Thorium-230	3.7±0.70	pCi/L	TE
1	Thorium-232	0.24±0.18	pCi/L	TE
0	Total activity	±1.1	pCi/mL	EM

WELL P 26A collected on 03/18/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Total radium	1.8±3.3	pCi/L	GE
0	Total radium	<1.0	pCi/L	GE
0	Tritium	<0.70	pCi/mL	GE
0	Tritium	<0.70	pCi/mL	GE
1	Uranium-231	2.8±1.9	pCi/L	TE
0	Uranium-235	<0.50	pCi/L	TE
0	Uranium-238	<0.50	pCi/L	TE
0	Zinc-65	<10	pCi/L	TE
0	Zirconium-95	<6.0	pCi/L	TE

WELL P 26B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/18/90
 Depth to water: Not available
 Water elevation: Not available
 Sp. conductance: 84 µS/cm
 Water evacuated before sampling: 73 gal

Time: 12:35
 pH: 6.2
 Alkalinity: 39 mg/L
 Water temperature: 19.8°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	pH	6.7	pH	GE
0	Specific conductance	87	µS/cm	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	21	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
1	Calcium	14400	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	2100	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GF
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	Iron	<4.0	µg/L	GE
0	Lead	<8.0	µg/L	GE
0	Magnesium	558	µg/L	GE
0	Manganese	3.7	µg/L	GE
2	Mercury	1.7	µg/L	GE
0	Nitrate as nitrogen	610	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	940	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	6150	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	2380	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	104000	µg/L	GE
0	Total organic carbon	1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
1	Total phosphates	720	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
1	1,1,1-Trichloroethane	2.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Americium-241	<0.20	pCi/L	TE
1	Americium-243	0.54±0.45	pCi/L	TE
0	Barium-140	<10	pCi/L	TE
0	Beryllium-7	<10	pCi/L	TE
0	Cerium-141	<3.0	pCi/L	TE
0	Cerium-144	<8.0	pCi/L	TE
0	Cesium-134	<0.80	pCi/L	TE
0	Cesium-137	<0.80	pCi/L	TE
0	Cobalt-58	<1.0	pCi/L	TE

ANALYTICAL RESULTS

WELL P 26B collected on 03/18/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Cobalt-60	<0.90	pCi/L	TE
0	Curium-242	<0.30	pCi/L	TE
1	Curium-243/244	0.93 ± 0.81	pCi/L	TE
0	Curium-246	<0.20	pCi/L	TE
0	Gross alpha	<3.0	pCi/L	GE
0	Iodine-131	<30	pCi/L	TE
0	Iron-59	<3.0	pCi/L	TE
0	Manganese-54	<1.0	pCi/L	TE
0	Neptunium-237	<2.0	pCi/L	TE
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Plutonium-238	<0.090	pCi/L	TE
0	Plutonium-239/240	<0.060	pCi/L	TE
0	Plutonium-242	<0.040	pCi/L	TE
0	Potassium-40	<20	pCi/L	TE
0	Radium-226	<20	pCi/L	TE
0	Radium-228	<1.0	pCi/L	TE
0	Radium-228	<1.0	pCi/L	TE
0	Ruthenium-103	<2.0	pCi/L	TE
0	Ruthenium-106	<8.0	pCi/L	TE
0	Strontium-89	<5.0	pCi/L	TE
0	Strontium-90	<1.0	pCi/L	TE
0	Thorium-228	<1.0	pCi/L	TE
0	Thorium-228	<0.010	pCi/L	TE
1	Thorium-230	9.4 ± 0.90	pCi/L	TE
1	Thorium-232	0.44 ± 0.19	pCi/L	TE
1	Total activity	4.8 ± 1.2	pCi/mL	EM
1	Total radium	2.8 ± 3.5	pCi/L	GE
0	Tritium	4.1 ± 0.40	pCi/mL	GE
0	Uranium-234	<0.50	pCi/L	TE
0	Uranium-235	<0.30	pCi/L	TE
0	Uranium-238	<0.30	pCi/L	TE
0	Zinc-65	<2.0	pCi/L	TE
0	Zirconium-95	<1.0	pCi/L	TE

WELL P 26D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/18/90
Depth to water: Not available
Water elevation: Not available
Sp. conductance: 45 µS/cm
Water evacuated before sampling: 31 gal

Time: 13:00
pH: 5.4
Alkalinity: 6 mg/l
Water temperature: 19.5°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	8.1	pH	GE
0	Specific conductance	39	µS/cm	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	10	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	5220	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	2600	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	Iron	<4.0	µg/L	GE
0	Lead	<8.0	µg/L	GE
0	Magnesium	369	µg/L	GE
0	Manganese	<2.0	µg/L	GE
0	Mercury	0.25	µg/L	GE
0	Nitrate as nitrogen	550	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	621	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	8980	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	1890	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	232000	µg/L	GE

WELL P 26D collected on 03/18/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
1	Total phosphates	740	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
1	Americium-241	0.87 ± 0.55	pCi/L	TE
1	Americium-243	0.77 ± 0.56	pCi/L	TE
0	Barium-140	<20	pCi/L	TE
0	Beryllium-7	<40	pCi/L	TE
0	Cerium-141	<10	pCi/L	TE
0	Cerium-144	<20	pCi/L	TE
0	Cesium-134	<3.0	pCi/L	TE
0	Cesium-137	<4.0	pCi/L	TE
0	Cobalt-58	<4.0	pCi/L	TE
0	Cobalt-60	<2.0	pCi/L	TE
0	Curium-242	<0.20	pCi/L	TE
0	Curium-243/244	<0.40	pCi/L	TE
0	Curium-246	<0.20	pCi/L	TE
0	Gross alpha	<3.0	pCi/L	GE
0	Iodine-131	<100	pCi/L	TE
0	Iron-59	<10	pCi/L	TE
0	Manganese-54	<3.0	pCi/L	TE
0	Neptunium-237	<8.0	pCi/L	TE
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Plutonium-238	<0.10	pCi/L	TE
0	Plutonium-239/240	<0.070	pCi/L	TE
0	Plutonium-242	<0.040	pCi/L	TE
0	Potassium-40	<50	pCi/L	TE
0	Radium-226	<60	pCi/L	TE
0	Radium-226	<1.0	pCi/L	TE
0	Radium-228	<1.0	pCi/L	TE
0	Ruthenium-103	<6.0	pCi/L	TE
0	Ruthenium-106	<20	pCi/L	TE
0	Strontium-89	<4.0	pCi/L	TE
0	Strontium-90	<1.0	pCi/L	TE
0	Thorium-228	<8.0	pCi/L	TE
0	Thorium-228	<0.010	pCi/L	TE
1	Thorium-230	0.58 ± 0.24	pCi/L	TE
1	Thorium-232	0.20 ± 0.080	pCi/L	TE
1	Total activity	5.8 ± 1.3	pCi/mL	EM
0	Total radium	<1.0	pCi/L	GE
0	Tritium	4.2 ± 0.40	pCi/mL	GE
0	Uranium-234	<0.20	pCi/L	TE
0	Uranium-235	<0.20	pCi/L	TE
0	Uranium-238	<0.20	pCi/L	TE
0	Zinc-65	<7.0	pCi/L	TE
0	Zirconium-95	<4.0	pCi/L	TE

WELL PAC 1

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/07/90
Depth to water: 11.41 ft (3.48 m) below TOC
Water elevation: 284.49 ft (86.71 m) msl
Sp. conductance: 38 µS/cm
Water evacuated before sampling: 80 gal

Time: 11:10
pH: 5.2
Alkalinity: 5 mg/L
Water temperature: 18.5°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.5	pH	GE
1	pH	7.7	pH	GE
0	Specific conductance	38	µS/cm	GE
0	Specific conductance	38	µS/cm	GE
0	Turbidity	7.1	NTU	GE
0	Turbidity	7.1	NTU	GE
0	Arsenic	<2.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	26	µg/L	GE
0	Barium	26	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE

ANALYTICAL RESULTS

WELL PAC 1 collected on 02/07/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	918	µg/L	GE
0	Calcium	936	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	3600	µg/L	GE
0	Chloride	3400	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	Iron	87	µg/L	GE
0	Iron	84	µg/L	GE
0	Lead	9.4	µg/L	GE
0	Lead	11	µg/L	GE
0	Magnesium	323	µg/L	GE
0	Magnesium	322	µg/L	GE
0	Manganese	5.5	µg/L	GE
0	Manganese	5.7	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Nickel	5.3	µg/L	GE
0	Nickel	5.6	µg/L	GE
0	Nitrate as nitrogen	760	µg/L	GE
0	Nitrate as nitrogen	760	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	764	µg/L	GE
0	Potassium	740	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	4760	µg/L	GE
0	Silica	4610	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	5310	µg/L	GE
1	Sodium	5170	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	34000	µg/L	GE
0	Total dissolved solids	40000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE

WELL PAC 1 collected on 02/07/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	4.3±3.7	pCi/L	GE
0	Nonvolatile beta	2.5±4.0	pCi/L	GE
1	Total radium	2.7±3.6	pCi/L	GE
0	Total radium	<1.0	pCi/L	GE
1	Tritium	12±0.50	pCi/mL	GE
1	Tritium	11±0.50	pCi/mL	GE

WELL PAC 2

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/04/90
 Depth to water: 14.94 ft (4.55 m) below TOC
 Water elevation: 269.86 ft (82.25 m) msl
 Sp. conductance: 60 µS/cm
 Water evacuated before sampling: 57 gal

Time: 14:50
 pH: 5.9
 Alkalinity: 9 mg/L
 Water temperature: 17.9°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	6.0	pH	GE
0	Specific conductance	64	µS/cm	GE
0	Turbidity	12	NTU	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	26	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	4210	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	3700	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
2	Iron	1540	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	774	µg/L	GE
2	Manganese	54	µg/L	GE
0	Mercury	0.29	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	<50	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	676	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	6570	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	3170	µg/L	GE
0	Sulfate	7200	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	54000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
1	Total organic halogens	11	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE

ANALYTICAL RESULTS

WELL PAC 2 collected on 02/04/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	2.7 ± 2.2	pCi/L	GE
0	Total radium	<1.0	pCi/L	GE
0	Tritium	<0.70	pCi/mL	GE

WELL PAC 3

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/04/90
 Depth to water: 19.97 ft (6.09 m) below TOC
 Water elevation: 269.93 ft (82.28 m) msl
 Sp. conductance: 337 µS/cm
 Water evacuated before sampling: 45 gal

Time: 13:00
 pH: 6.1
 Alkalinity: 46 mg/L
 Water temperature: 19.9°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	6.4	pH	GE
1	Specific conductance	373	µS/cm	GE
0	Turbidity	17	NTU	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	49	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
1	Calcium	17600	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
1	Chloride	13400	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	120	µg/L	GE
0	Iron	99	µg/L	GE
0	Lead	<8.0	µg/L	GE
1	Magnesium	5140	µg/L	GE
0	Manganese	4.8	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Nickel	6.9	µg/L	GE
0	Nitrate as nitrogen	<50	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	1600	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	8660	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	39200	µg/L	GE
1	Sulfate	85100	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
1	Toluene	1.0	µg/L	GE
0	Total dissolved solids	212000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	6.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropene	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	2.9 ± 2.0	pCi/L	GE
0	Total radium	2.0 ± 2.4	pCi/L	GE
1	Tritium	15 ± 0.50	pCi/mL	GE

WELL PAC 4

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/04/90
 Depth to water: 7.19 ft (2.19 m) below TOC
 Water elevation: 284.41 ft (86.69 m) msl
 Sp. conductance: 192 µS/cm
 Water evacuated before sampling: 88 gal

Time: 15:35
 pH: 5.3
 Alkalinity: 4 mg/L
 Water temperature: 17.5°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.8	pH	MT
0	pH	5.0	pH	GE
1	Specific conductance	173	µS/cm	MT
1	Specific conductance	208	µS/cm	GE
0	Turbidity	4.2	NTU	MT
0	Turbidity	8.3	NTU	GE
0	Arsenic	<3.0	µg/L	MT
0	Arsenic	<2.0	µg/L	GE
0	Barium	18	µg/L	MT
0	Barium	17	µg/L	GE
0	Benzene	<5.0	µg/L	MT
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<5.0	µg/L	MT
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<5.0	µg/L	MT
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	MT
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<3.0	µg/L	MT
0	Cadmium	<2.0	µg/L	GE
0	Calcium	285	µg/L	MT
0	Calcium	294	µg/L	GE
0	Carbon tetrachloride	<5.0	µg/L	MT
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	6200	µg/L	MT
0	Chloride	6100	µg/L	GE
0	Chlorobenzene	<5.0	µg/L	MT
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	MT
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<5.0	µg/L	MT
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	MT
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<3.0	µg/L	MT
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<5.0	µg/L	MT
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Dibromochloromethane	<5.0	µg/L	MT
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<5.0	µg/L	MT
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<5.0	µg/L	MT
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<250	µg/L	MT
0	Fluoride	<100	µg/L	GE
0	Iron	28	µg/L	MT
0	Iron	47	µg/L	GE
0	Lead	<3.0	µg/L	MT
0	Lead	<8.0	µg/L	GE
0	Magnesium	317	µg/L	MT
0	Magnesium	273	µg/L	GE
0	Manganese	2.8	µg/L	MT
0	Manganese	2.3	µg/L	GE
0	Mercury	<0.20	µg/L	MT
0	Mercury	<0.20	µg/L	GE
0	Nickel	<5.2	µg/L	MT
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	930	µg/L	MT
0	Nitrate as nitrogen	680	µg/L	GE
0	Phenols	<5.0	µg/L	MT
0	Phenols	<5.0	µg/L	GE
0	Potassium	<1820	µg/L	MT
0	Potassium	557	µg/L	GE
1	Selenium	3.8	µg/L	MT
1	Selenium	3.1	µg/L	GE
0	Silica	5620	µg/L	MT
0	Silica	6040	µg/L	GE
0	Silver	<2.0	µg/L	MT
0	Silver	<2.0	µg/L	GE
1	Sodium	36000	µg/L	MT
1	Sodium	34100	µg/L	GE
1	Sulfate	67500	µg/L	MT
1	Sulfate	52100	µg/L	GE
0	Tetrachloroethylene	<5.0	µg/L	MT
0	Tetrachloroethylene	<1.0	µg/L	GE

ANALYTICAL RESULTS

WELL PAC 4 collected on 02/04/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Toluene	<5.0	µg/L	MT
1	Toluene	3.0	µg/L	GE
0	Total dissolved solids	131000	µg/L	MT
0	Total dissolved solids	119000	µg/L	GE
0	Total organic carbon	<1000	µg/L	MT
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	MT
1	Total organic halogens	14	µg/L	GE
0	Total phosphates	15	µg/L	MT
0	Total phosphates	<50	µg/L	GE
0	trans-1,2-Dichloroethene	<5.0	µg/L	MT
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<5.0	µg/L	MT
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<5.0	µg/L	MT
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<5.0	µg/L	MT
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<5.0	µg/L	MT
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<5.0	µg/L	MT
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<5.0	µg/L	MT
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<5.0	µg/L	MT
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<5.0	µg/L	MT
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<5.0	µg/L	MT
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<5.0	µg/L	MT
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<5.0	µg/L	MT
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Gross alpha	<2.0	pCi/L	MT
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	<5.0	pCi/L	MT
0	Nonvolatile beta	2.0 ± 2.1	pCi/L	GE
0	Total radium	<1.0	pCi/L	MT
0	Total radium	1.9 ± 2.3	pCi/L	GE
0	Tritium	8.6 ± 0.90	pCi/mL	MT
1	Tritium	11 ± 0.50	pCi/mL	GE

WELL PAC 4

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/04/90
Depth to water: 7.19 ft (2.19 m) below TOC
Water elevation: 284.41 ft (86.69 m) msl
Sp. conductance: 192 µS/cm
Water evacuated before sampling: 88 gal

Time: 15:35
pH: 5.3
Alkalinity: 4 mg/L
Water temperature: 17.5°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.8	pH	MT
0	pH	5.8	pH	GE
1	Specific conductance	170	µS/cm	MT
1	Specific conductance	208	µS/cm	GE
0	Turbidity	4.1	NTU	MT
0	Turbidity	5.7	NTU	GE
0	Arsenic	<3.0	µg/L	MT
0	Arsenic	<2.0	µg/L	GE
0	Barium	18	µg/L	MT
0	Barium	<4.0	µg/L	GE
0	Benzene	<5.0	µg/L	MT
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<5.0	µg/L	MT
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<5.0	µg/L	MT
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<10	µg/L	MT
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<3.0	µg/L	MT
0	Cadmium	<2.0	µg/L	GE
0	Calcium	277	µg/L	MT
0	Calcium	312	µg/L	GE
0	Carbon tetrachloride	<5.0	µg/L	MT
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	8200	µg/L	MT
0	Chloride	8900	µg/L	GE
0	Chlorobenzene	<5.0	µg/L	MT
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<10	µg/L	MT
0	Chloroethane	<1.0	µg/L	GE

WELL PAC 4 collected on 02/04/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<5.0	µg/L	MT
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<10	µg/L	MT
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<3.0	µg/L	MT
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<5.0	µg/L	MT
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Dibromochloromethane	<5.0	µg/L	MT
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<5.0	µg/L	MT
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<5.0	µg/L	MT
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<250	µg/L	MT
0	Fluoride	<100	µg/L	GE
0	Iron	44	µg/L	MT
0	Iron	80	µg/L	GE
0	Lead	<3.0	µg/L	MT
0	Lead	<8.0	µg/L	GE
0	Magnesium	316	µg/L	MT
0	Magnesium	247	µg/L	GE
0	Manganese	2.8	µg/L	MT
0	Manganese	2.8	µg/L	GE
0	Mercury	<0.20	µg/L	MT
0	Mercury	<0.20	µg/L	GE
0	Nickel	<5.2	µg/L	MT
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	900	µg/L	MT
0	Nitrate as nitrogen	890	µg/L	GE
0	Phenols	<5.0	µg/L	MT
0	Phenols	<5.0	µg/L	GE
0	Potassium	<1820	µg/L	MT
0	Potassium	588	µg/L	GE
2	Selenium	5.5	µg/L	MT
1	Selenium	3.4	µg/L	GE
0	Silica	6080	µg/L	GE
0	Silica	8070	µg/L	MT
0	Silver	<2.0	µg/L	MT
0	Silver	<2.0	µg/L	GE
1	Sodium	36300	µg/L	MT
1	Sodium	37500	µg/L	GE
1	Sulfate	87700	µg/L	MT
1	Sulfate	58600	µg/L	GE
0	Tetrachloroethylene	<5.0	µg/L	MT
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<5.0	µg/L	MT
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	138000	µg/L	MT
0	Total dissolved solids	111000	µg/L	GE
0	Total organic carbon	<1000	µg/L	MT
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	MT
0	Total organic halogens	<5.0	µg/L	GE
0	Total organic halogens	9.0	µg/L	MT
0	Total organic halogens	33	µg/L	GE
0	Total phosphates	<50	µg/L	MT
0	Total phosphates	<50	µg/L	GE
0	trans-1,2-Dichloroethene	<5.0	µg/L	MT
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<5.0	µg/L	MT
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<5.0	µg/L	MT
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<5.0	µg/L	MT
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<5.0	µg/L	MT
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<5.0	µg/L	MT
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<5.0	µg/L	MT
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<5.0	µg/L	MT
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<5.0	µg/L	MT
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<5.0	µg/L	MT
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<5.0	µg/L	MT
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<5.0	µg/L	MT
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Gross alpha	<3.0	pCi/L	MT
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	<5.0	pCi/L	MT
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Total radium	<1.0	pCi/L	MT
0	Total radium	<1.0	pCi/L	GE
0	Tritium	8.6 ± 0.90	pCi/mL	MT

ANALYTICAL RESULTS

WELL PAC 4 collected on 02/04/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
1	Tritium	11±0.50	pCi/mL	GE

WELL PAC 5

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/07/90
Depth to water: 15.02 ft (4.58 m) below TOC
Water elevation: 274.28 ft (83.60 m) msl
Sp. conductance: 465 µS/cm
Water evacuated before sampling: 12 gal
The well went dry during purging.

Time: 10:15
pH: 7.4
Alkalinity: 87 mg/L
Water temperature: 14.8°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	pH	7.7	pH	GE
1	Specific conductance	428	µS/cm	GE
0	Turbidity	2.8	NTU	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	38	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
1	Calcium	44800	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
1	Chloride	11700	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
1	Iron	230	µg/L	GE
0	Lead	<6.0	µg/L	GE
1	Magnesium	10200	µg/L	GE
2	Manganese	58	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	<50	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	1630	µg/L	GE
0	Selenium	<2.0	µg/L	GE
1	Silica	10200	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	44000	µg/L	GE
1	Sulfate	98300	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	284000	µg/L	GE
0	Total organic carbon	2000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	5.8±1.6	pCi/L	GE
0	Total radium	1.6±2.1	pCi/L	GE
1	Tritium	15±0.50	pCi/mL	GE

WELL PAC 6

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/07/90
Depth to water: 15.63 ft (4.76 m) below TOC
Water elevation: 273.77 ft (83.45 m) msl
Sp. conductance: 364 µS/cm
Water evacuated before sampling: 12 gal
The well went dry during purging.

Time: 10:35
pH: 6.8
Alkalinity: 80 mg/L
Water temperature: 14.7°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	pH	6.8	pH	GE
1	Specific conductance	325	µS/cm	GE
0	Turbidity	70	NTU	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	35	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
1	Calcium	22600	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	9200	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
2	Iron	1260	µg/L	GE
0	Lead	<6.0	µg/L	GE
1	Magnesium	7820	µg/L	GE
2	Manganese	320	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Nickel	5.0	µg/L	GE
0	Nitrate as nitrogen	<50	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	1340	µg/L	GE
0	Selenium	<2.0	µg/L	GE
1	Silica	18400	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	38300	µg/L	GE
1	Sulfate	64400	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	227000	µg/L	GE
0	Total organic carbon	4000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	50	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	6.2±1.7	pCi/L	GE
0	Total radium	1.4±2.1	pCi/L	GE
0	Tritium	8.5±0.50	pCi/mL	GE

ANALYTICAL RESULTS

WELL PCB 1A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/21/90
 Depth to water: 28.37 ft (8.04 m) below TOC
 Water elevation: 279.13 ft (85.08 m) msl
 Sp. conductance: 421 µS/cm
 Water evacuated before sampling: 51 gal

Time: 9:50
 pH: 3.9
 Alkalinity: 0 mg/L
 Water temperature: 19.1°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	pH	3.9	pH	GE
1	Specific conductance	335	µS/cm	GE
0	Benzene	<1.0	µg/L	GE
0	Beryllium	<5.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
1	Calcium	12900	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Copper	10	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	400	µg/L	GE
2	Iron	345	µg/L	GE
0	Lead	8.2	µg/L	GE
0	Magnesium	3170	µg/L	GE
2	Manganese	588	µg/L	GE
1	Nickel	48	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	6980	µg/L	GE
1	Sodium	8590	µg/L	GE
2	Sulfate	992000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
1	Total organic carbon	5000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
1	Total phosphates	580	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Zinc	177	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Total radium	<1.0	pCi/L	GE
1	Tritium	13±0.50	pCi/mL	GE

WELL PCB 2A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/21/90
 Depth to water: 26.93 ft (8.21 m) below TOC
 Water elevation: 277.87 ft (84.73 m) msl
 Sp. conductance: 57 µS/cm
 Water evacuated before sampling: 67 gal

Time: 10:20
 pH: 5.0
 Alkalinity: 0 mg/L
 Water temperature: 19.3°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.1	pH	GE
0	Specific conductance	42	µS/cm	GE
0	Benzene	<1.0	µg/L	GE
0	Beryllium	<5.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	1270	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE

WELL PCB 2A collected on 03/21/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Copper	12	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	Iron	12	µg/L	GE
0	Lead	10	µg/L	GE
0	Magnesium	453	µg/L	GE
0	Manganese	22	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	6480	µg/L	GE
1	Sodium	7490	µg/L	GE
0	Sulfate	9600	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total organic carbon	1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
1	Total phosphates	420	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Zinc	81	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Total radium	1.3±2.0	pCi/L	GE
1	Tritium	10±0.50	pCi/mL	GE

WELL PCB 3A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/21/90
 Depth to water: 18.32 ft (5.58 m) below TOC
 Water elevation: 288.28 ft (87.26 m) msl
 Sp. conductance: 828 µS/cm
 Water evacuated before sampling: 42 gal
 The well went dry during purging

Time: 10:40
 pH: 3.7
 Alkalinity: 0 mg/L
 Water temperature: 15.2°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	pH	3.6	pH	GE
1	Specific conductance	790	µS/cm	GE
0	Benzene	<1.0	µg/L	GE
1	Beryllium	7.8	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
2	Cadmium	7.1	µg/L	GE
1	Calcium	28600	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
2	Chromium	30	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
1	Copper	292	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
1	Fluoride	600	µg/L	GE
2	Iron	11100	µg/L	GE
2	Lead	68	µg/L	GE
1	Magnesium	8110	µg/L	GE
2	Manganese	1300	µg/L	GE
2	Nickel	187	µg/L	GE
2	Selenium	5.8	µg/L	GE
0	Selenium	<2	µg/L	GE
1	Silica	28300	µg/L	GE
0	Sodium	1920	µg/L	GE
2	Sulfate	3.39E±08	µg/L	GE

ANALYTICAL RESULTS

WELL PCB 3A collected on 03/21/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total organic carbon	3000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
1	Total phosphates	2230	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
1	Zinc	431	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropene	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Total radium	1.8±2.2	pCi/L	GE
0	Tritium	9.7±0.40	pCi/mL	GE

WELL PCB 4A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/21/90
 Depth to water: 31.91 ft (9.73 m) below TOC
 Water elevation: 277.69 ft (84.64 m) msl
 Sp. conductance: 839 µS/cm
 Water evacuated before sampling: 38 gal

Time: 9:00
 pH: 3.8
 Alkalinity: 0 mg/L
 Water temperature: 18.4°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	pH	3.8	pH	GE
1	Specific conductance	1000	µS/cm	GE
0	Benzene	<1.0	µg/L	GE
1	Beryllium	7.9	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
1	Cadmium	5.0	µg/L	GE
1	Calcium	28500	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
1	Copper	54	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
2	Fluoride	4200	µg/L	GE
1	Iron	196	µg/L	GE
2	Lead	34	µg/L	GE
1	Magnesium	21300	µg/L	GE
1	Magnesium	20000	µg/L	GE
2	Manganese	1960	µg/L	GE
2	Nickel	283	µg/L	GE
2	Selenium	22	µg/L	GE
2	Selenium	6	µg/L	GE
1	Silica	21100	µg/L	GE
1	Sodium	8490	µg/L	GE
2	Sulfate	4.25E±06	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total organic carbon	2000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
1	Total phosphates	1570	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
1	Zinc	992	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropene	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
2	Total radium	19±4.9	pCi/L	GE
2	Total radium	14.1±4.8	pCi/L	GE
1	Tritium	11±0.50	pCi/mL	GE

WELL PDB 2

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/13/90
 Depth to water: 44.89 ft (13.68 m) below TOC
 Water elevation: 274.61 ft (83.70 m) msl
 Sp. conductance: 85 µS/cm
 Water evacuated before sampling: 70 gal

Time: 18:40
 pH: 4.9
 Alkalinity: 1 mg/L
 Water temperature: 23.8°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Arsenic	<3.0	µg/L	MT
0	Cadmium	<3.0	µg/L	MT
2	Lead	27	µg/L	MT
0	Manganese	11	µg/L	MT
1	Nitrate as nitrogen	3300	µg/L	MT
0	Silica	3210	µg/L	MT
0	Sodium	3730	µg/L	MT
0	Nonvolatile beta	<5.0	pCi/L	MT
0	Nonvolatile beta	<5.0	pCi/L	MT
1	Total activity	828±5.7	pCi/mL	EM
0	Total radium	1.3±0.50	pCi/L	MT
0	Total radium	1.2±0.60	pCi/L	MT
2	Tritium	570±60	pCi/mL	MT

WELL PDB 3

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/13/90
 Depth to water: 44.57 ft (13.59 m) below TOC
 Water elevation: 274.93 ft (83.80 m) msl
 Sp. conductance: 87 µS/cm
 Water evacuated before sampling: 70 gal

Time: 18:05
 pH: 4.7
 Alkalinity: 0 mg/L
 Water temperature: 24.0°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Arsenic	<3.0	µg/L	MT
0	Cadmium	<3.0	µg/L	MT
2	Lead	66	µg/L	MT
0	Manganese	12	µg/L	MT
0	Nitrate as nitrogen	2200	µg/L	MT
0	Silica	5700	µg/L	MT
1	Sodium	7590	µg/L	MT
0	Nonvolatile beta	<5.0	pCi/L	MT
1	Total activity	112±2.7	pCi/mL	EM
0	Total radium	<1.0	pCi/L	MT
2	Tritium	97±10	pCi/mL	MT

WELL PRP 1A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/21/90
 Depth to water: 38.06 ft (10.99 m) below TOC
 Water elevation: 248.54 ft (75.76 m) msl
 Sp. conductance: 70 µS/cm
 Water evacuated before sampling: 41 gal

Time: 12:05
 pH: 4.9
 Alkalinity: 0 mg/L
 Water temperature: 19.9°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	Barium	109	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
1	Chloride	14400	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Copper	13	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
1	Ethylbenzene	1.0	µg/L	GE
0	Iron	115	µg/L	GE

ANALYTICAL RESULTS

WELL PRP 1A collected on 03/21/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
2	Lead	38	µg/L	GE
0	Manganese	7.4	µg/L	GE
1	Nickel	18	µg/L	GE
0	Silica	8810	µg/L	GE
1	Sodium	6070	µg/L	GE
2	Tetrachloroethylene	8.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total organic carbon	4000	µg/L	GE
1	Total organic halogens	17	µg/L	GE
1	Total phosphates	750	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
2	Trichloroethylene	14	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1,1-Trichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
2	Tritium	147 ± 1.3	pCi/mL	GE

WELL PRP 2

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/21/90 Time: 12:35
 Depth to water: 33.81 ft (10.24 m) below TOC pH: 5.1
 Water elevation: 252.79 ft (77.05 m) msl Alkalinity: 0 mg/L
 Sp. conductance: 23 µS/cm Water temperature: 20.8°C
 Water evacuated before sampling: 52 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Barium	17	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	2400	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Copper	10.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Iron	8.9	µg/L	GE
0	Lead	7.0	µg/L	GE
0	Manganese	2.7	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Silica	4340	µg/L	GE
0	Sodium	1200	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
1	Total phosphates	440	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Tritium	7.8 ± 0.40	pCi/mL	GE

WELL PRP 3

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/21/90 Time: 13:20
 Depth to water: 26.53 ft (8.09 m) below TOC pH: 4.9
 Water elevation: 254.17 ft (77.47 m) msl Alkalinity: 0 mg/L
 Sp. conductance: 98 µS/cm Water temperature: 20.8°C
 Water evacuated before sampling: 88 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	Barium	78	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
2	Carbon tetrachloride	8.0	µg/L	GE
1	Chloride	17200	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
1	Copper	21	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Iron	32	µg/L	GE
2	Lead	36	µg/L	GE
2	Manganese	85	µg/L	GE
0	Nickel	6.9	µg/L	GE
0	Silica	5320	µg/L	GE
1	Sodium	9390	µg/L	GE
2	Tetrachloroethylene	33	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total organic carbon	3000	µg/L	GE
2	Total organic halogens	234	µg/L	GE
1	Total phosphates	490	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
2	Trichloroethylene	43	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
1	1,1-Dichloroethane	188	µg/L	GE
1	1,1-Dichloroethylene	108	µg/L	GE
2	1,1,1-Trichloroethane	181	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
1	Tritium	17 ± 0.50	pCi/mL	GE

WELL PRP 4

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/21/90 Time: 13:45
 Depth to water: 28.90 ft (8.81 m) below TOC pH: 4.8
 Water elevation: 255.80 ft (77.97 m) msl Alkalinity: 0 mg/L
 Sp. conductance: 35 µS/cm Water temperature: 19.4°C
 Water evacuated before sampling: 60 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Barium	21	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	2500	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE

ANALYTICAL RESULTS

WELL PRP 4 collected on 03/21/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Iron	28	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Manganese	2.1	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Silica	8240	µg/L	GE
0	Sodium	1870	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total organic carbon	2000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
1	Total phosphates	520	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Trilium	8.2 ± 0.40	pCl/mL	GE

WELL PSB 1A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/13/90
Depth to water: 58.84 ft (17.33 m) below TOC
Water elevation: 272.26 ft (82.99 m) msl
Sp. conductance: 45 µS/cm
Water evacuated before sampling: 39 gal

Time: 11:15
pH: 8.3
Alkalinity: 8 mg/L
Water temperature: 22.1°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.3	pH	MT
0	Specific conductance	41	µS/cm	MT
0	Barium	<8.0	µg/L	MT
0	Cadmium	<3.0	µg/L	MT
1	Copper	72	µg/L	MT
0	Iron	41	µg/L	MT
0	Lead	12	µg/L	MT
0	Manganese	3.9	µg/L	MT
0	Nitrate as nitrogen	1500	µg/L	MT
0	Phenols	<5.0	µg/L	MT
0	Silica	8280	µg/L	MT
0	Sodium	4670	µg/L	MT
0	Total organic halogens	<5.0	µg/L	MT
0	Gross alpha	0.21 ± 0.40	pCi/L	EM
0	Nonvolatile beta	0.5 ± 3.5	pCi/L	MT
0	Nonvolatile beta	7.8 ± 3.8	pCi/L	MT
0	Nonvolatile beta	5.5 ± 1.4	pCi/L	EM
2	Trilium	1.80E5 ± 2.0E4	pCi/mL	MT
2	Trilium	2.39E5 ± 2.6E3	pCi/mL	EM

WELL PSB 2A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/13/90
Depth to water: 51.98 ft (15.84 m) below TOC
Water elevation: 271.74 ft (82.83 m) msl
Sp. conductance: 225 µS/cm
Water evacuated before sampling: 38 gal

Time: 10:25
pH: 4.9
Alkalinity: 0 mg/L
Water temperature: 19.2°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.2	pH	MT
1	Specific conductance	224	µS/cm	MT
1	Barium	105	µg/L	MT
0	Cadmium	<3.0	µg/L	MT
1	Copper	75	µg/L	MT
0	Iron	17	µg/L	MT
0	Lead	10	µg/L	MT
0	Lead	11	µg/L	MT
1	Manganese	28	µg/L	MT
2	Nitrate as nitrogen	23000	µg/L	MT
0	Phenols	<5.0	µg/L	MT
0	Silica	5830	µg/L	MT

WELL PSB 2A collected on 02/13/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
1	Sodium	30700	µg/L	MT
0	Total organic halogens	8.0	µg/L	MT
0	Gross alpha	2.4 ± 1.8	pCi/L	EM
0	Nonvolatile beta	<5.0	pCi/L	MT
0	Nonvolatile beta	3.8 ± 2.0	pCi/L	EM
2	Trilium	1.0E5 ± 1.0E4	pCi/mL	MT
2	Trilium	1.3E5 ± 1.2E3	pCi/mL	EM

WELL PSB 3A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/13/90
Depth to water: 48.22 ft (14.70 m) below TOC
Water elevation: 270.38 ft (82.41 m) msl
Sp. conductance: 45 µS/cm
Water evacuated before sampling: 38 gal

Time: 9:55
pH: 5.2
Alkalinity: 0 mg/L
Water temperature: 17.8°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.3	pH	MT
0	Specific conductance	44	µS/cm	MT
0	Barium	18	µg/L	MT
0	Barium	16	µg/L	MT
0	Cadmium	<3.0	µg/L	MT
0	Cadmium	<3.0	µg/L	MT
1	Copper	211	µg/L	MT
1	Copper	208	µg/L	MT
0	Iron	38	µg/L	MT
0	Iron	28	µg/L	MT
2	Lead	32	µg/L	MT
0	Manganese	15	µg/L	MT
0	Manganese	18	µg/L	MT
0	Nitrate as nitrogen	2800	µg/L	MT
0	Phenols	<5.0	µg/L	MT
0	Silica	5230	µg/L	MT
0	Silica	5130	µg/L	MT
0	Sodium	3220	µg/L	MT
0	Sodium	3090	µg/L	MT
0	Total organic halogens	<5.0	µg/L	MT
0	Gross alpha	2.3 ± 1.1	pCi/L	EM
0	Nonvolatile beta	<5.0	pCi/L	MT
0	Nonvolatile beta	2.8 ± 1.1	pCi/L	EM
2	Trilium	42000 ± 5000	pCi/mL	MT
2	Trilium	51300 ± 520	pCi/mL	EM

WELL PSB 4A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/13/90
Depth to water: 43.41 ft (13.23 m) below TOC
Water elevation: 269.09 ft (82.02 m) msl
Sp. conductance: 38 µS/cm
Water evacuated before sampling: 35 gal

Time: 9:35
pH: 5.2
Alkalinity: 0 mg/L
Water temperature: 19.1°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.3	pH	MT
0	Specific conductance	37	µS/cm	MT
0	Barium	26	µg/L	MT
0	Cadmium	<3.0	µg/L	MT
1	Copper	478	µg/L	MT
0	Iron	98	µg/L	MT
2	Lead	71	µg/L	MT
0	Manganese	5.3	µg/L	MT
0	Nitrate as nitrogen	2300	µg/L	MT
0	Phenols	<5.0	µg/L	MT
0	Silica	8560	µg/L	MT
0	Sodium	4240	µg/L	MT
0	Total organic halogens	<5.0	µg/L	MT
0	Gross alpha	1.8 ± 1.0	pCi/L	EM
0	Nonvolatile beta	<5.0	pCi/L	MT
0	Nonvolatile beta	2.2 ± 1.0	pCi/L	EM
2	Trilium	21000 ± 3000	pCi/mL	MT
2	Trilium	21000 ± 3000	pCi/mL	MT
2	Trilium	25200 ± 110	pCi/mL	EM

ANALYTICAL RESULTS

WELL PSB 5A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/13/90 Time: 12:25
 Depth to water: 48.58 ft (14.80 m) below TOC pH: 8.5
 Water elevation: 270.74 ft (82.52 m) msl Alkalinity: 1 mg/L
 Sp. conductance: 38 µS/cm Water temperature: 19.3°C
 Water evacuated before sampling: 9 gal
 The well went dry during purging.

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	8.9	pH	MT
0	Specific conductance	31	µS/cm	MT
0	Barium	<8.0	µg/L	MT
0	Cadmium	<3.0	µg/L	MT
2	Copper	844	µg/L	MT
2	Iron	728	µg/L	MT
2	Lead	54	µg/L	MT
0	Manganese	15	µg/L	MT
0	Nitrate as nitrogen	2000	µg/L	MT
0	Phenols	<5.0	µg/L	MT
0	Silica	5190	µg/L	MT
0	Sodium	2890	µg/L	MT
0	Total organic halogens	<5.0	µg/L	MT
0	Gross alpha	0.97 ± 0.88	pCi/L	EM
0	Nonvolatile beta	<4.0	pCi/L	MT
0	Nonvolatile beta	1.6 ± 0.92	pCi/L	EM
2	Tritium	29 ± 3.0	pCi/mL	MT
2	Tritium	39 ± 1.6	pCi/mL	EM

WELL PSB 6A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/13/90 Time: 12:10
 Depth to water: 51.82 ft (15.73 m) below TOC pH: 4.9
 Water elevation: 272.58 ft (83.08 m) msl Alkalinity: 1 mg/L
 Sp. conductance: 81 µS/cm Water temperature: 21.1°C
 Water evacuated before sampling: 29 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.2	pH	MT
0	Specific conductance	58	µS/cm	MT
0	Barium	<8.0	µg/L	MT
0	Cadmium	<3.0	µg/L	MT
1	Copper	175	µg/L	MT
0	Iron	21	µg/L	MT
0	Lead	18	µg/L	MT
0	Manganese	<2.0	µg/L	MT
1	Nitrate as nitrogen	4200	µg/L	MT
0	Phenols	<5.0	µg/L	MT
0	Silica	8150	µg/L	MT
1	Sodium	9490	µg/L	MT
0	Total organic halogens	8.3	µg/L	MT
0	Gross alpha	0.80 ± 0.72	pCi/L	EM
0	Nonvolatile beta	<5.0	pCi/L	MT
0	Nonvolatile beta	2.4 ± 1.0	pCi/L	EM
2	Tritium	77000 ± 8000	pCi/mL	MT
2	Tritium	1.02E5 ± 1.7E3	pCi/mL	EM
2	Tritium	86100 ± 1500	pCi/mL	EM

WELL PSB 7A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/13/90 Time: 11:40
 Depth to water: 58.01 ft (17.68 m) below TOC pH: 5.9
 Water elevation: 272.89 ft (83.12 m) msl Alkalinity: 11 mg/L
 Sp. conductance: 87 µS/cm Water temperature: 19.0°C
 Water evacuated before sampling: 30 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	8.3	pH	MT
0	Specific conductance	58	µS/cm	MT
0	Barium	18	µg/L	MT
0	Cadmium	<3.0	µg/L	MT
1	Copper	179	µg/L	MT
0	Iron	24	µg/L	MT

WELL PSB 7A collected on 02/13/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Lead	14	µg/L	MT
0	Manganese	4.8	µg/L	MT
0	Nitrate as nitrogen	2800	µg/L	MT
0	Phenols	<5.0	µg/L	MT
0	Silica	8410	µg/L	MT
1	Sodium	8080	µg/L	MT
0	Total organic halogens	<5.0	µg/L	MT
0	Gross alpha	1.3 ± 0.88	pCi/L	EM
0	Nonvolatile beta	<5.0	pCi/L	MT
0	Nonvolatile beta	1.4 ± 0.92	pCi/L	EM
2	Tritium	9600 ± 1000	pCi/mL	MT
2	Tritium	12300 ± 270	pCi/mL	EM

WELL PSS 1D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/04/90 Time: 15:15
 Depth to water: 18.25 ft (5.67 m) below TOC pH: 8.1
 Water elevation: 200.35 ft (61.07 m) msl Alkalinity: 1 mg/L
 Sp. conductance: 20 µS/cm Water temperature: 19.0°C
 Water evacuated before sampling: 58 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	8.9	pH	GE
0	Specific conductance	18	µS/cm	GE
1	Cadmium	4.4	µg/L	GE
0	Calcium	697	µg/L	GE
0	Chloride	1300	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Iron	53	µg/L	GE
0	Lead	8.4	µg/L	GE
0	Magnesium	312	µg/L	GE
0	Manganese	4.7	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	370	µg/L	GE
0	Nitrite as nitrogen	<10.0	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Silica	7620	µg/L	GE
0	Sodium	1390	µg/L	GE
0	Total dissolved solids	9600	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	80	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Total radium	<1.0	pCi/L	GE

WELL PSS 2D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/04/90 Time: 16:05
 Depth to water: 32.42 ft (9.88 m) below TOC pH: 5.0
 Water elevation: 198.28 ft (59.83 m) msl Alkalinity: 0 mg/L
 Sp. conductance: 20 µS/cm Water temperature: 19.2°C
 Water evacuated before sampling: 58 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.3	pH	MT
0	pH	5.2	pH	GE
0	Specific conductance	21	µS/cm	MT
0	Specific conductance	19	µS/cm	GE
0	Cadmium	<3.0	µg/L	MT
0	Cadmium	<2.0	µg/L	GE
0	Calcium	597	µg/L	MT
0	Calcium	572	µg/L	GE
0	Chloride	1500	µg/L	MT
0	Chloride	1400	µg/L	GE
0	Chromium	<3.0	µg/L	MT
0	Chromium	<4.0	µg/L	GE
0	Copper	<7.0	µg/L	MT
0	Copper	<4.0	µg/L	GE
2	Iron	391	µg/L	MT
0	Iron	27	µg/L	GE
0	Lead	<3.0	µg/L	MT
0	Lead	0.8	µg/L	GE
0	Magnesium	329	µg/L	MT
0	Magnesium	283	µg/L	GE

ANALYTICAL RESULTS

WELL PSS 2D collected on 03/04/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Manganese	0.1	µg/L	MT
0	Manganese	4.7	µg/L	GE
0	Nickel	<5.2	µg/L	MT
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	500	µg/L	MT
0	Nitrate as nitrogen	470	µg/L	GE
0	Nitrite as nitrogen	<800	µg/L	MT
0	Nitrite as nitrogen	<10.0	µg/L	GE
0	Phenols	<5.0	µg/L	MT
0	Phenols	<5.0	µg/L	GE
0	Potassium	<1020	µg/L	MT
0	Potassium	<500	µg/L	GE
0	Silica	5310	µg/L	GE
0	Silica	5370	µg/L	MT
0	Sodium	986	µg/L	MT
0	Sodium	1760	µg/L	GE
0	Total dissolved solids	24000	µg/L	MT
0	Total dissolved solids	8000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	MT
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	12	µg/L	MT
0	Total phosphates	11	µg/L	MT
0	Total phosphates	<50	µg/L	GE
0	Gross alpha	<2.0	pCi/L	MT
0	Gross alpha	<3.0	pCi/L	GE
0	Total radium	<1.0	pCi/L	MT
0	Total radium	<1.0	pCi/L	GE

WELL PSS 2D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/04/90
Depth to water: 32.42 ft (9.86 m) below TOC
Water elevation: 196.28 ft (59.83 m) msl
Sp. conductance: 20 µS/cm
Water evacuated before sampling: 58 gal

Time: 18:05
pH: 5.0
Alkalinity: 0 mg/L
Water temperature: 19.2°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	4.8	pH	MT
0	pH	5.2	pH	GE
0	Specific conductance	18	µS/cm	MT
0	Specific conductance	18	µS/cm	GE
0	Cadmium	<3.0	µg/L	MT
0	Cadmium	<2.0	µg/L	GE
0	Calcium	691	µg/L	MT
0	Calcium	623	µg/L	GE
0	Chloride	1500	µg/L	MT
0	Chloride	1500	µg/L	GE
0	Chromium	<3.0	µg/L	MT
0	Chromium	<4.0	µg/L	GE
0	Copper	<7.0	µg/L	MT
0	Copper	<4.0	µg/L	GE
0	Iron	47	µg/L	MT
0	Iron	23	µg/L	GE
0	Lead	<3.0	µg/L	MT
0	Lead	<5.0	µg/L	GE
0	Magnesium	344	µg/L	MT
0	Magnesium	307	µg/L	GE
0	Manganese	5.7	µg/L	MT
0	Manganese	4.9	µg/L	GE
0	Nickel	<5.2	µg/L	MT
0	Nickel	<5.2	µg/L	MT
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	500	µg/L	MT
0	Nitrate as nitrogen	480	µg/L	GE
0	Nitrite as nitrogen	<800	µg/L	MT
0	Nitrite as nitrogen	<10.0	µg/L	GE
0	Phenols	<5.0	µg/L	MT
0	Phenols	<5.0	µg/L	MT
0	Phenols	<5.0	µg/L	GE
0	Potassium	<1020	µg/L	MT
0	Potassium	<500	µg/L	GE
0	Silica	6740	µg/L	GE
0	Silica	5590	µg/L	MT
0	Sodium	1040	µg/L	MT
0	Sodium	1800	µg/L	GE
0	Total dissolved solids	25000	µg/L	MT
0	Total dissolved solids	19000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	MT
1	Total organic halogens	18	µg/L	GE
0	Total phosphates	13	µg/L	MT
0	Total phosphates	<50	µg/L	GE
0	Gross alpha	<2.0	pCi/L	MT

WELL PSS 2D collected on 03/04/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Gross alpha	<3.0	pCi/L	GE
0	Total radium	1.1 ± 0.40	pCi/L	MT
0	Total radium	<1.0	pCi/L	GE

WELL PSS 3D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/04/90
Depth to water: 37.47 ft (11.42 m) below TOC
Water elevation: 196.53 ft (59.90 m) msl
Sp. conductance: 17 µS/cm
Water evacuated before sampling: 13 gal
The well went dry during purging.

Time: 17:00
pH: 5.2
Alkalinity: 1 mg/L
Water temperature: 17.7°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.5	pH	GE
0	Specific conductance	16	µS/cm	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	1180	µg/L	GE
0	Chloride	1300	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Iron	29	µg/L	GE
2	Lead	31	µg/L	GE
0	Magnesium	145	µg/L	GE
1	Manganese	36	µg/L	GE
0	Nickel	4.2	µg/L	GE
0	Nitrate as nitrogen	140	µg/L	GE
0	Nitrite as nitrogen	<10.0	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Silica	5140	µg/L	GE
0	Sodium	1540	µg/L	GE
0	Total dissolved solids	13000	µg/L	GE
1	Total organic halogens	10	µg/L	GE
0	Total phosphates	<50	µg/L	GE
1	Gross alpha	5.0 ± 2.7	pCi/L	GE
0	Total radium	1.8 ± 3.4	pCi/L	GE

WELL RAC 1

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/07/90
Depth to water: 8.54 ft (2.61 m) below TOC
Water elevation: 274.06 ft (83.53 m) msl
Sp. conductance: 106 µS/cm
Water evacuated before sampling: 70 gal

Time: 14:05
pH: 4.7
Alkalinity: 0 mg/L
Water temperature: 17.0°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	Specific conductance	106	µS/cm	GE
0	Barium	28	µg/L	GE
0	Chloride	2000	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Iron	50	µg/L	GE
0	Lead	12	µg/L	GE
0	Manganese	22	µg/L	GE
1	Nitrate as nitrogen	3620	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Silica	5720	µg/L	GE
1	Sulfate	37700	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	3.2 ± 3.5	pCi/L	GE
0	Total radium	1.8 ± 3.3	pCi/L	GE

ANALYTICAL RESULTS

WELL RAC 2

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/07/90
Depth to water: 7.23 ft (2.20 m) below TOC
Water elevation: 273.17 ft (83.28 m) msl
Sp. conductance: 83 µS/cm
Water evacuated before sampling: 77 gal

Time: 14:35
pH: 4.4
Alkalinity: 0 mg/L
Water temperature: 14.1°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Specific conductance	83	µS/cm	GE
0	Barium	24	µg/L	GE
0	Chloride	1900	µg/L	GE
1	Copper	28	µg/L	GE
0	Iron	35	µg/L	GE
0	Lead	11	µg/L	GE
1	Manganese	27	µg/L	GE
1	Nitrate as nitrogen	3570	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Silica	4890	µg/L	GE
1	Sulfate	13900	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Total radium	<1.0	pCi/L	GE

WELL RAC 3

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/07/90
Depth to water: 8.60 ft (2.61 m) below TOC
Water elevation: 272.70 ft (83.12 m) msl
Sp. conductance: 37 µS/cm
Water evacuated before sampling: 79 gal

Time: 13:40
pH: 4.8
Alkalinity: 0 mg/L
Water temperature: 14.8°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Specific conductance	38	µS/cm	GE
0	Barium	45	µg/L	GE
0	Chloride	2200	µg/L	GE
0	Copper	12	µg/L	GE
0	Iron	24	µg/L	GE
0	Lead	16	µg/L	GE
1	Manganese	30	µg/L	GE
0	Nitrate as nitrogen	1070	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Silica	3990	µg/L	GE
0	Sulfate	5000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	<2.0	pCi/L	GE
2	Total radium	94 ± 10	pCi/L	GE
0	Total radium	1.2 ± 1.5	pCi/L	GE

WELL RAC 4

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/07/90
Depth to water: 7.32 ft (2.23 m) below TOC
Water elevation: 271.68 ft (82.81 m) msl
Sp. conductance: 46 µS/cm
Water evacuated before sampling: 87 gal

Time: 15:00
pH: 4.8
Alkalinity: 0 mg/L
Water temperature: 15.8°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Specific conductance	50	µS/cm	GE
0	Barium	25	µg/L	GE
0	Chloride	2000	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Iron	29	µg/L	GE
0	Lead	18	µg/L	GE
1	Manganese	26	µg/L	GE
0	Nitrate as nitrogen	2150	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Silica	5240	µg/L	GE

WELL RAC 4 collected on 03/07/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Sulfate	8400	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	<2.0	pCi/L	GE
2	Total radium	95 ± 10	pCi/L	GE
0	Total radium	<1.0	pCi/L	GE

WELL RDB 1D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/18/90
Depth to water: 7.07 ft (2.15 m) below TOC
Water elevation: 285.33 ft (86.97 m) msl
Sp. conductance: 185 µS/cm
Water evacuated before sampling: 25 gal
The well went dry during purging.

Time: 12:05
pH: 8.4
Alkalinity: 49 mg/L
Water temperature: 20.7°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	pH	8.8	pH	GE
1	Specific conductance	147	µS/cm	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	22	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
1	Calcium	14200	µg/L	GE
0	Chloride	2500	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	45	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	1230	µg/L	GE
2	Manganese	53	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nitrate as nitrogen	260	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	840	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	5650	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	12300	µg/L	GE
1	Sulfate	14200	µg/L	GE
0	Total dissolved solids	137000	µg/L	GE
0	Total organic carbon	4000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
1	Total phosphates	530	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	4.7 ± 3.6	pCi/L	GE
1	Total activity	3.7 ± 1.2	pCi/mL	EM
1	Total radium	4.6 ± 4.0	pCi/L	GE
0	Tritium	3.2 ± 0.40	pCi/mL	GE

WELL RDB 2D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/18/90
Depth to water: 8.51 ft (2.59 m) below TOC
Water elevation: 284.09 ft (86.59 m) msl
Sp. conductance: 210 µS/cm
Water evacuated before sampling: 49 gal

Time: 10:40
pH: 8.2
Alkalinity: 100 mg/L
Water temperature: 20.3°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	pH	8.5	pH	GE
1	Specific conductance	194	µS/cm	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	26	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
1	Calcium	20500	µg/L	GE
0	Chloride	1800	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE

ANALYTICAL RESULTS

WELL RDB 2D collected on 03/16/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
2	Iron	2780	µg/L	GE
0	Lead	<8.0	µg/L	GE
0	Magnesium	1480	µg/L	GE
2	Manganese	148	µg/L	GE
0	Mercury	0.25	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nitrate as nitrogen	90	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	1210	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	5830	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	2070	µg/L	GE
1	Sulfate	12500	µg/L	GE
0	Total dissolved solids	154000	µg/L	GE
1	Total organic carbon	5000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
1	Total phosphates	490	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
1	Nonvolatile beta	11±4.2	pCi/L	GE
1	Total activity	48±1.9	pCi/mL	EM
2	Total radium	5.4±4.2	pCi/L	GE
2	Tridium	58±0.80	pCi/mL	GE

WELL RDB 3D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/16/90 Time: 9:35
 Depth to water: 11.75 ft (3.58 m) below TOC pH: 8.2
 Sp. conductance: 133 µS/cm Water temperature: 21.4°C
 Water evacuated before sampling: 51 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	8.3	pH	GE
1	Specific conductance	112	µS/cm	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	27	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
1	Calcium	12400	µg/L	GE
0	Chloride	1700	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
2	Iron	4870	µg/L	GE
0	Lead	15	µg/L	GE
0	Magnesium	972	µg/L	GE
2	Manganese	278	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nitrate as nitrogen	60	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	1380	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	4290	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	2230	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Total dissolved solids	98000	µg/L	GE
0	Total organic carbon	3000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
1	Total phosphates	420	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	3.0±3.5	pCi/L	GE
1	Total activity	26±1.6	pCi/mL	EM
0	Total radium	<1.0	pCi/L	GE
2	Tridium	32±0.80	pCi/mL	GE

WELL RRP 1

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/07/90 Time: 11:50
 Depth to water: 19.87 ft (6.00 m) below TOC pH: 4.8
 Water elevation: 284.73 ft (80.60 m) msl Alkalinity: 0 mg/L
 Sp. conductance: 24 µS/cm Water temperature: 17.8°C
 Water evacuated before sampling: 58 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	2000	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Iron	119	µg/L	GE
0	Lead	18	µg/L	GE
0	Lead	12	µg/L	GE
0	Manganese	2.4	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Silica	5250	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE

WELL RRP 2

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/07/90 Time: 13:05
 Depth to water: 20.91 ft (6.37 m) below TOC pH: 4.4
 Water elevation: 263.59 ft (80.34 m) msl Alkalinity: 0 mg/L
 Sp. conductance: 43 µS/cm Water temperature: 18.7°C
 Water evacuated before sampling: 55 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	2400	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Copper	4.2	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Iron	33	µg/L	GE
0	Lead	12	µg/L	GE
0	Manganese	5.7	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Silica	4810	µg/L	GE

ANALYTICAL RESULTS

WELL RRP 2 collected on 03/07/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE

WELL RRP 3

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/07/90
 Depth to water: 17.27 ft (5.28 m) below TOC
 Water elevation: 262.83 ft (80.11 m) msl
 Sp. conductance: 12 µS/cm
 Water evacuated before sampling: 64 gal

Time: 12:15
 pH: 5.0
 Alkalinity: 0 mg/L
 Water temperature: 17.5°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoforn	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	<1000	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
1	Copper	22	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Iron	48	µg/L	GE
0	Lead	8.0	µg/L	GE
0	Manganese	2.7	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Silica	5020	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE

WELL RRP 4

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/07/90
 Depth to water: 17.30 ft (5.27 m) below TOC
 Water elevation: 262.90 ft (80.13 m) msl
 Sp. conductance: 16 µS/cm
 Water evacuated before sampling: 64 gal

Time: 12:40
 pH: 4.8
 Alkalinity: 0 mg/L
 Water temperature: 17.5°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoforn	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	2000	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Copper	14	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Iron	19	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Manganese	<2.0	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Silica	4770	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE

WELL RSA 7

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/14/90
 Depth to water: 29.70 ft (9.05 m) below TOC
 Water elevation: 282.70 ft (86.17 m) msl
 Sp. conductance: 32 µS/cm
 No water was evacuated before sampling.

Time: 11:10
 pH: 5.5
 Water temperature: 21.0°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Gross alpha	1.0±0.73	pCi/L	EM
0	Nonvolatile beta	1.5±0.96	pCi/L	EM
0	Tritium	3.3±0.70	pCi/mL	EM

ANALYTICAL RESULTS

WELL RSA 8

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/14/90
Depth to water: 30.80 ft (9.33 m) below TOC
Water elevation: 281.70 ft (85.86 m) msl
Sp. conductance: 30 μ S/cm
No water was evacuated before sampling.

Time: 11:15
pH: 5.5
Water temperature: 20.6°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Gross alpha	0.45 $\pm$ 0.52	pCi/L	EM
0	Nonvolatile beta	2.2 $\pm$ 1.0	pCi/L	EM
0	Tritium	2.8 $\pm$ 0.69	pCi/mL	EM

WELL RSA 9

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/14/90
Depth to water: 31.00 ft (9.45 m) below TOC
Water elevation: 280.70 ft (85.58 m) msl
Sp. conductance: 25 μ S/cm
No water was evacuated before sampling.

Time: 11:20
pH: 5.2
Water temperature: 20.3°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Gross alpha	0.88 $\pm$ 0.67	pCi/L	EM
0	Nonvolatile beta	2.4 $\pm$ 1.1	pCi/L	EM
0	Tritium	2.7 $\pm$ 0.68	pCi/mL	EM

WELL RSA 10

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/14/90
Depth to water: 32.50 ft (9.91 m) below TOC
Water elevation: 278.80 ft (84.98 m) msl
Sp. conductance: 31 μ S/cm
No water was evacuated before sampling.

Time: 11:25
pH: 5.1
Water temperature: 20.7°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Gross alpha	0.54 $\pm$ 0.55	pCi/L	EM
0	Nonvolatile beta	2.7 $\pm$ 1.1	pCi/L	EM
0	Tritium	2.8 $\pm$ 0.68	pCi/mL	EM

WELL RSB 7

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/12/90
Depth to water: 25.00 ft (7.62 m) below TOC
Water elevation: 284.00 ft (86.56 m) msl
Sp. conductance: 27 μ S/cm
No water was evacuated before sampling.

Time: 9:35
pH: 5.3
Water temperature: 21.0°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Gross alpha	0.43 $\pm$ 0.50	pCi/L	EM
0	Nonvolatile beta	1.5 $\pm$ 0.95	pCi/L	EM
0	Tritium	3.4 $\pm$ 0.70	pCi/mL	EM

WELL RSB 8

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/12/90
Depth to water: 20.00 ft (6.10 m) below TOC
Water elevation: 285.80 ft (87.11 m) msl
Sp. conductance: 27 μ S/cm
No water was evacuated before sampling.

Time: 9:30
pH: 6.0
Water temperature: 19.7°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Gross alpha	1.1 $\pm$ 0.76	pCi/L	EM
0	Nonvolatile beta	2.5 $\pm$ 1.1	pCi/L	EM
0	Tritium	3.1 $\pm$ 0.70	pCi/mL	EM

WELL RSB 9

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/12/90
Depth to water: 18.00 ft (4.88 m) below TOC
Water elevation: 289.80 ft (88.27 m) msl
Sp. conductance: 79 μ S/cm
No water was evacuated before sampling.

Time: 9:20
pH: 6.1
Water temperature: 23.6°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Gross alpha	$\pm$ 0.24	pCi/L	EM
0	Nonvolatile beta	1.6 $\pm$ 0.96	pCi/L	EM
0	Tritium	3.4 $\pm$ 0.71	pCi/mL	EM

WELL RSC 2

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/14/90
Depth to water: 25.20 ft (7.68 m) below TOC
Water elevation: 276.80 ft (84.37 m) msl
Sp. conductance: 28 μ S/cm
No water was evacuated before sampling.

Time: 14:45
pH: 5.5
Water temperature: 19.4°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Gross alpha	0.79 $\pm$ 0.68	pCi/L	EM
0	Nonvolatile beta	1.7 $\pm$ 0.98	pCi/L	EM
0	Tritium	5.1 $\pm$ 0.76	pCi/mL	EM

WELL RSC 3

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/14/90
Depth to water: 25.20 ft (7.68 m) below TOC
Water elevation: 276.10 ft (84.16 m) msl
Sp. conductance: 32 μ S/cm
No water was evacuated before sampling.

Time: 10:50
pH: 5.6
Water temperature: 19.0°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Gross alpha	0.86 $\pm$ 0.68	pCi/L	EM
0	Nonvolatile beta	1.0 $\pm$ 0.87	pCi/L	EM
0	Tritium	2.8 $\pm$ 0.68	pCi/mL	EM

ANALYTICAL RESULTS

WELL RSC 4

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/14/90
Depth to water: 20.80 ft (6.34 m) below TOC
Water elevation: 279.50 ft (85.19 m) msl
Sp. conductance: 53 μ S/cm
No water was evacuated before sampling.

Time: 14:30
pH: 5.3
Water temperature: 19.3°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Gross alpha	0.90 $\pm$ 0.70	pCi/L	EM
0	Nonvolatile beta	1.1 $\pm$ 0.89	pCi/L	EM
0	Tritium	3.5 $\pm$ 0.72	pCi/mL	EM

WELL RSC 5

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/14/90
Depth to water: 31.40 ft (9.57 m) below TOC
Water elevation: 273.50 ft (83.36 m) msl
Sp. conductance: 408 μ S/cm
No water was evacuated before sampling.

Time: 14:25
pH: 6.6
Water temperature: 20.1°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Gross alpha	0.74 $\pm$ 0.86	pCi/L	EM
0	Nonvolatile beta	3.1 $\pm$ 1.3	pCi/L	EM
0	Tritium	2.8 $\pm$ 0.68	pCi/mL	EM

WELL RSC 6

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/14/90
Depth to water: 24.50 ft (7.47 m) below TOC
Water elevation: 279.60 ft (85.22 m) msl
Sp. conductance: 52 μ S/cm
No water was evacuated before sampling.

Time: 10:55
pH: 5.3
Water temperature: 19.5°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Gross alpha	1.5 $\pm$ 0.91	pCi/L	EM
0	Nonvolatile beta	0.39 $\pm$ 0.78	pCi/L	EM
0	Tritium	2.9 $\pm$ 0.69	pCi/mL	EM

WELL RSC 7

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/14/90
Depth to water: 27.30 ft (8.32 m) below TOC
Water elevation: 280.50 ft (85.50 m) msl
Sp. conductance: 35 μ S/cm
No water was evacuated before sampling.

Time: 11:00
pH: 5.0
Water temperature: 18.8°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Gross alpha	1.3 $\pm$ 0.82	pCi/L	EM
0	Nonvolatile beta	3.3 $\pm$ 1.2	pCi/L	EM
0	Tritium	2.9 $\pm$ 0.70	pCi/mL	EM

WELL RSC 8

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/14/90
Depth to water: 15.00 ft (4.57 m) below TOC
Water elevation: 293.80 ft (89.55 m) msl
Sp. conductance: 31 μ S/cm
No water was evacuated before sampling.

Time: 11:05
pH: 5.5
Water temperature: 18.0°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Gross alpha	0.32 $\pm$ 0.45	pCi/L	EM
0	Nonvolatile beta	2.6 $\pm$ 1.1	pCi/L	EM
0	Tritium	2.4 $\pm$ 0.68	pCi/mL	EM

WELL RSC 9

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/12/90
Depth to water: 29.80 ft (9.08 m) below TOC
Water elevation: 272.00 ft (82.91 m) msl
Sp. conductance: 60 μ S/cm
No water was evacuated before sampling.

Time: 14:00
pH: 5.9
Water temperature: 20.6°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Gross alpha	0.35 $\pm$ 0.48	pCi/L	EM
0	Nonvolatile beta	2.2 $\pm$ 1.1	pCi/L	EM
0	Tritium	3.5 $\pm$ 0.71	pCi/mL	EM

WELL RSC 10

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/14/90
Depth to water: 25.80 ft (7.86 m) below TOC
Water elevation: 271.60 ft (82.78 m) msl
Sp. conductance: 31 μ S/cm
No water was evacuated before sampling.

Time: 14:10
pH: 5.9
Water temperature: 20.4°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Gross alpha	0.77 $\pm$ 0.64	pCi/L	EM
0	Nonvolatile beta	1.3 $\pm$ 0.91	pCi/L	EM
0	Tritium	3.1 $\pm$ 0.70	pCi/mL	EM

WELL RSD 1

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/12/90
Depth to water: 16.30 ft (4.97 m) below TOC
Water elevation: 284.20 ft (86.63 m) msl
Sp. conductance: 41 μ S/cm
No water was evacuated before sampling.

Time: 10:40
pH: 4.9
Water temperature: 19.1°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Gross alpha	1.3 $\pm$ 0.86	pCi/L	EM
1	Nonvolatile beta	40 $\pm$ 5.5	pCi/L	EM
0	Tritium	3.0 $\pm$ 0.69	pCi/mL	EM

ANALYTICAL RESULTS

WELL RSD 2A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/12/90
Depth to water: 15.20 ft (4.63 m) below TOC
Water elevation: 286.00 ft (87.17 m) msl
Sp. conductance: 47 μ S/cm
No water was evacuated before sampling.

Time: 11:00
pH: 6.3
Water temperature: 20.1°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Gross alpha	0.29 $\pm$ 0.79	pCi/L	EM
2	Nonvolatile beta	267 $\pm$ 30	pCi/L	EM
0	Tritium	3.6 $\pm$ 0.75	pCi/mL	EM

WELL RSD 2B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/12/90
The well was dry.

Time: 11:10

WELL RSD 2C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/12/90
Depth to water: 16.00 ft (4.88 m) below TOC
Water elevation: 285.70 ft (87.08 m) msl
Sp. conductance: 57 μ S/cm
No water was evacuated before sampling.

Time: 11:20
pH: 5.2
Water temperature: 20.6°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Gross alpha	$\pm$ 2.1	pCi/L	EM
2	Nonvolatile beta	2530 $\pm$ 280	pCi/L	EM
0	Tritium	4.2 $\pm$ 0.73	pCi/mL	EM

WELL RSD 3

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/12/90
Depth to water: 14.80 ft (4.51 m) below TOC
Water elevation: 286.00 ft (87.17 m) msl
Sp. conductance: 37 μ S/cm
No water was evacuated before sampling.

Time: 11:50
pH: 5.4
Water temperature: 20.8°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Gross alpha	0.89 $\pm$ 0.69	pCi/L	EM
0	Nonvolatile beta	2.3 $\pm$ 1.1	pCi/L	EM
0	Tritium	2.4 $\pm$ 0.66	pCi/mL	EM

WELL RSD 4

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/12/90
Depth to water: 14.80 ft (4.51 m) below TOC
Water elevation: 286.80 ft (87.42 m) msl
Sp. conductance: 21 μ S/cm
No water was evacuated before sampling.

Time: 19:55
pH: 5.0
Water temperature: 17.9°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Gross alpha	0.78 $\pm$ 0.86	pCi/L	EM
2	Nonvolatile beta	196 $\pm$ 20	pCi/L	EM
0	Tritium	2.8 $\pm$ 0.68	pCi/mL	EM

WELL RSD 5

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/12/90
Depth to water: 16.00 ft (4.88 m) below TOC
Water elevation: 285.70 ft (87.08 m) msl
Sp. conductance: 29 μ S/cm
No water was evacuated before sampling.

Time: 10:05
pH: 5.1
Water temperature: 19.3°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Gross alpha	1.9 $\pm$ 1.3	pCi/L	EM
2	Nonvolatile beta	490 $\pm$ 60	pCi/L	EM
0	Tritium	2.8 $\pm$ 0.68	pCi/mL	EM

WELL RSD 6

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/12/90
Depth to water: 16.20 ft (4.94 m) below TOC
Water elevation: 285.90 ft (87.14 m) msl
Sp. conductance: 38 μ S/cm
No water was evacuated before sampling.

Time: 10:15
pH: 5.5
Water temperature: 19.7°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Gross alpha	1.9 $\pm$ 1.1	pCi/L	EM
2	Nonvolatile beta	187 $\pm$ 20	pCi/L	EM
0	Tritium	2.9 $\pm$ 0.68	pCi/mL	EM

WELL RSD 7

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/12/90
Depth to water: 9.00 ft (2.74 m) below TOC
Water elevation: 284.40 ft (86.69 m) msl
Sp. conductance: 24 μ S/cm
No water was evacuated before sampling.

Time: 10:35
pH: 5.0
Water temperature: 17.6°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Gross alpha	0.020 $\pm$ 0.58	pCi/L	EM
2	Nonvolatile beta	188 $\pm$ 20	pCi/L	EM
0	Tritium	2.8 $\pm$ 0.68	pCi/mL	EM

WELL RSD 8

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/12/90
Depth to water: 9.20 ft (2.80 m) below TOC
Water elevation: 283.80 ft (86.50 m) msl
Sp. conductance: 33 μ S/cm
No water was evacuated before sampling.

Time: 10:25
pH: 5.5
Water temperature: 19.4°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	Gross alpha	7.5 $\pm$ 2.9	pCi/L	MT
1	Gross alpha	7.5 $\pm$ 2.9	pCi/L	MT
0	Gross alpha	<3.0	pCi/L	GE
0	Gross alpha	0.53 $\pm$ 1.3	pCi/L	EM
2	Nonvolatile beta	990 $\pm$ 100	pCi/L	MT
2	Nonvolatile beta	1000 $\pm$ 100	pCi/L	MT
2	Nonvolatile beta	1070 $\pm$ 10	pCi/L	GE
2	Nonvolatile beta	784 $\pm$ 90	pCi/L	EM
0	Tritium	2.6 $\pm$ 0.30	pCi/mL	MT
0	Tritium	3.1 $\pm$ 0.40	pCi/mL	GE
0	Tritium	3.6 $\pm$ 0.71	pCi/mL	EM

ANALYTICAL RESULTS

WELL RSD 9

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/12/90
Depth to water: 9.80 ft (2.99 m) below TOC
Water elevation: 282.80 ft (86.20 m) msl
Sp. conductance: 20 μ S/cm
No water was evacuated before sampling.

Time: 9:00
pH: 5.4
Water temperature: 21.6°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Gross alpha	0.78±0.84	pCi/L	EM
0	Nonvolatile beta	3.6±1.3	pCi/L	EM
0	Tritium	3.5±0.72	pCi/mL	EM

WELL RSD 10

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/12/90
Depth to water: 10.50 ft (3.20 m) below TOC
Water elevation: 282.00 ft (85.95 m) msl
Sp. conductance: 14 μ S/cm
No water was evacuated before sampling.

Time: 9:10
pH: 5.1
Water temperature: 23.8°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Gross alpha	1.2±0.84	pCi/L	EM
2	Nonvolatile beta	69±8.7	pCi/L	EM
0	Tritium	2.3±0.68	pCi/mL	EM

WELL RSD 11

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/12/90
Depth to water: 9.60 ft (2.93 m) below TOC
Water elevation: 282.70 ft (86.17 m) msl
Sp. conductance: 15 μ S/cm
No water was evacuated before sampling.

Time: 9:20
pH: 5.3
Water temperature: 26.3°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Gross alpha	0.45±0.54	pCi/L	EM
1	Nonvolatile beta	24±3.7	pCi/L	EM
0	Tritium	2.9±0.68	pCi/mL	EM

WELL RSE 1A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/12/90
Depth to water: 16.50 ft (5.03 m) below TOC
Water elevation: 287.70 ft (87.69 m) msl
Sp. conductance: 27 μ S/cm
No water was evacuated before sampling.

Time: 13:00
pH: 5.0
Water temperature: 23.3°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Gross alpha	1.1±0.77	pCi/L	EM
1	Nonvolatile beta	20±3.2	pCi/L	EM
0	Tritium	2.1±0.68	pCi/mL	EM

WELL RSE 1B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/12/90
Depth to water: 15.40 ft (4.69 m) below TOC
Water elevation: 287.90 ft (87.75 m) msl
Sp. conductance: 21 μ S/cm
No water was evacuated before sampling.

Time: 13:10
pH: 5.0
Water temperature: 22.0°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Gross alpha	0.84±0.68	pCi/L	EM
0	Nonvolatile beta	9.5±2.0	pCi/L	EM
0	Tritium	1.9±0.68	pCi/mL	EM

WELL RSE 1C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/12/90
Depth to water: 15.40 ft (4.69 m) below TOC
Water elevation: 287.90 ft (87.75 m) msl
Sp. conductance: 19 μ S/cm
No water was evacuated before sampling.

Time: 13:20
pH: 5.2
Water temperature: 21.5°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Gross alpha	0.66±0.60	pCi/L	EM
0	Nonvolatile beta	1.9±1.0	pCi/L	EM
0	Tritium	2.1±0.68	pCi/mL	EM

WELL RSE 2

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/12/90
Depth to water: 16.50 ft (5.03 m) below TOC
Water elevation: 286.00 ft (87.17 m) msl
Sp. conductance: 23 μ S/cm
No water was evacuated before sampling.

Time: 12:00
pH: 5.0
Water temperature: 22.7°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Gross alpha	0.62±0.58	pCi/L	EM
0	Nonvolatile beta	5.3±1.5	pCi/L	EM
0	Tritium	2.2±0.69	pCi/mL	EM

WELL RSE 3A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/12/90
Depth to water: 18.00 ft (5.49 m) below TOC
Water elevation: 283.00 ft (86.26 m) msl
Sp. conductance: 44 μ S/cm
No water was evacuated before sampling.

Time: 10:55
pH: 5.0
Water temperature: 20.2°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Gross alpha	2.4±1.1	pCi/L	EM
1	Nonvolatile beta	34±4.8	pCi/L	EM
0	Tritium	3.0±0.72	pCi/mL	EM

ANALYTICAL RESULTS

WELL RSE 4A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/12/90
Depth to water: 19.80 ft (5.97 m) below TOC
Water elevation: 285.00 ft (86.87 m) msl
Sp. conductance: 46 μ S/cm
No water was evacuated before sampling.

Time: 9:40
pH: 4.8
Water temperature: 20.7°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Gross alpha	0.76 $\pm$ 0.82	pCi/L	EM
0	Gross alpha	2.0 $\pm$ 1.1	pCi/L	EM
2	Nonvolatile beta	138 $\pm$ 20	pCi/L	EM
2	Nonvolatile beta	151 $\pm$ 20	pCi/L	EM
0	Tritium	3.5 $\pm$ 0.73	pCi/mL	EM

WELL RSE 4B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/12/90
The well was dry.

Time: 9:40

WELL RSE 4C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/12/90
Depth to water: 19.70 ft (6.00 m) below TOC
Water elevation: 285.00 ft (86.87 m) msl
Sp. conductance: 32 μ S/cm
No water was evacuated before sampling.

Time: 9:45
pH: 5.3
Water temperature: 21.6°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Gross alpha	$\pm$ 0.45	pCi/L	EM
2	Nonvolatile beta	187 $\pm$ 20	pCi/L	EM
0	Tritium	3.0 $\pm$ 0.71	pCi/mL	EM

WELL RSE 5

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/12/90
Depth to water: 22.00 ft (6.71 m) below TOC
Water elevation: 284.00 ft (86.56 m) msl
Sp. conductance: 39 μ S/cm
No water was evacuated before sampling.

Time: 11:30
pH: 5.4
Water temperature: 23.2°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Gross alpha	0.35 $\pm$ 0.50	pCi/L	EM
1	Nonvolatile beta	23 $\pm$ 3.6	pCi/L	EM
0	Tritium	9.0 $\pm$ 0.61	pCi/mL	EM

WELL RSE 6

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/12/90
The well was dry.

Time: 11:40

WELL RSE 7

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/14/90
Depth to water: 24.00 ft (7.32 m) below TOC
Water elevation: 278.40 ft (84.86 m) msl
Sp. conductance: 45 μ S/cm
No water was evacuated before sampling.

Time: 10:35
pH: 5.1
Water temperature: 20.9°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Gross alpha	1.3 $\pm$ 0.83	pCi/L	EM
0	Nonvolatile beta	5.6 $\pm$ 1.5	pCi/L	EM
0	Tritium	3.3 $\pm$ 0.72	pCi/mL	EM

WELL RSE 8

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/14/90
Depth to water: 21.80 ft (6.64 m) below TOC
Water elevation: 280.40 ft (85.47 m) msl
Sp. conductance: 58 μ S/cm
No water was evacuated before sampling.

Time: 10:40
pH: 4.9
Water temperature: 20.6°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Gross alpha	<3.0	pCi/L	MT
0	Gross alpha	<3.0	pCi/L	GE
0	Gross alpha	1.9 $\pm$ 0.98	pCi/L	EM
0	Nonvolatile beta	6.9 $\pm$ 2.9	pCi/L	MT
0	Nonvolatile beta	5.0 $\pm$ 1.1	pCi/L	GE
0	Nonvolatile beta	2.9 $\pm$ 1.2	pCi/L	EM
0	Tritium	2.8 $\pm$ 0.30	pCi/mL	MT
0	Tritium	3.9 $\pm$ 0.40	pCi/mL	GE
0	Tritium	3.3 $\pm$ 0.73	pCi/mL	EM

WELL RSE 9

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/14/90
Depth to water: 28.50 ft (8.69 m) below TOC
Water elevation: 277.50 ft (84.58 m) msl
Sp. conductance: 40 μ S/cm
No water was evacuated before sampling.

Time: 10:45
pH: 4.8
Water temperature: 22.2°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Gross alpha	0.88 $\pm$ 0.88	pCi/L	EM
0	Nonvolatile beta	0.73 $\pm$ 0.82	pCi/L	EM
0	Tritium	4.3 $\pm$ 0.76	pCi/mL	EM

WELL RSE 10

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/14/90
Depth to water: 27.50 ft (8.38 m) below TOC
Water elevation: 277.20 ft (84.49 m) msl
Sp. conductance: 36 μ S/cm
No water was evacuated before sampling.

Time: 10:30
pH: 5.1
Water temperature: 21.5°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Gross alpha	0.89 $\pm$ 0.70	pCi/L	EM
0	Nonvolatile beta	5.5 $\pm$ 1.5	pCi/L	EM
2	Tritium	447 $\pm$ 4.8	pCi/mL	EM

ANALYTICAL RESULTS

WELL RSE 11

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/14/90
Depth to water: 25.20 ft (7.68 m) below TOC
Water elevation: 278.60 ft (84.92 m) msl
Sp. conductance: 57 µS/cm
No water was evacuated before sampling.

Time: 10:25
pH: 5.3
Water temperature: 18.8°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Gross alpha	2.0 ± 1.3	pCi/L	EM
2	Nonvolatile beta	449 ± 50	pCi/L	EM
0	Tritium	4.4 ± 0.76	pCi/mL	EM

WELL RSE 12

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/12/90
Depth to water: 28.20 ft (8.60 m) below TOC
Water elevation: 277.60 ft (84.61 m) msl
Sp. conductance: 37 µS/cm
No water was evacuated before sampling.

Time: 13:50
pH: 5.1
Water temperature: 24.4°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Gross alpha	1.1 ± 0.94	pCi/L	EM
2	Nonvolatile beta	183 ± 20	pCi/L	EM
0	Tritium	3.7 ± 0.74	pCi/mL	EM

WELL RSE 13

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/12/90
Depth to water: 13.80 ft (4.21 m) below TOC
Water elevation: 287.40 ft (87.60 m) msl
Sp. conductance: 32 µS/cm
No water was evacuated before sampling.

Time: 9:50
pH: 5.0
Water temperature: 19.7°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Gross alpha	1.2 ± 0.88	pCi/L	EM
2	Nonvolatile beta	115 ± 10	pCi/L	EM
0	Tritium	2.8 ± 0.70	pCi/mL	EM

WELL RSE 18

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/12/90
Depth to water: 28.00 ft (8.64 m) below TOC
Water elevation: 278.10 ft (84.77 m) msl
Sp. conductance: 64 µS/cm
No water was evacuated before sampling.

Time: 13:30
pH: 5.9
Water temperature: 24.2°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Gross alpha	0.34 ± 0.47	pCi/L	EM
0	Nonvolatile beta	1.6 ± 0.97	pCi/L	EM
0	Tritium	0.11 ± 0.59	pCi/mL	EM

WELL RSE 19

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/14/90
Depth to water: 28.40 ft (8.05 m) below TOC
Water elevation: 278.40 ft (84.86 m) msl
Sp. conductance: 66 µS/cm
No water was evacuated before sampling.

Time: 10:20
pH: 5.3
Water temperature: 18.9°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Gross alpha	1.1 ± 0.82	pCi/L	EM
1	Nonvolatile beta	46 ± 6.2	pCi/L	EM
0	Tritium	4.9 ± 0.77	pCi/mL	EM

WELL RSE 24

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/07/90
Depth to water: 16.48 ft (5.02 m) below TOC
Water elevation: 277.82 ft (84.62 m) msl
Sp. conductance: 35 µS/cm
Water evacuated before sampling: 104 gal

Time: 11:30
pH: 5.2
Alkalinity: 1 mg/L
Water temperature: 18.8°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Iron	16	µg/L	MT
0	Nitrate as nitrogen	2600	µg/L	MT
0	Silica	5530	µg/L	MT
0	Sodium	3800	µg/L	MT
0	Total organic halogens	< 5.0	µg/L	MT

WELL RSE 25

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/07/90
Depth to water: 20.04 ft (6.11 m) below TOC
Water elevation: 273.86 ft (83.47 m) msl
Sp. conductance: 72 µS/cm
Water evacuated before sampling: 95 gal

Time: 10:40
pH: 5.4
Alkalinity: 7 mg/L
Water temperature: 17.6°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Iron	16	µg/L	MT
0	Iron	17	µg/L	MT
1	Nitrate as nitrogen	3800	µg/L	MT
0	Silica	6920	µg/L	MT
0	Silica	6740	µg/L	MT
1	Sodium	6750	µg/L	MT
1	Sodium	6670	µg/L	MT
0	Total organic halogens	< 5.0	µg/L	MT

WELL RSF 1

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/14/90
Depth to water: 27.03 ft (8.24 m) below TOC
Water elevation: 276.07 ft (84.15 m) msl
Sp. conductance: 115 µS/cm
Water evacuated before sampling: 123 gal

Time: 12:10
pH: 10.0
Alkalinity: 30 mg/L
Water temperature: 22.8°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
2	pH	10.0	pH	MT
0	Specific conductance	81	µS/cm	MT
0	Arsenic	< 3.0	µg/L	MT
0	Cadmium	< 3.0	µg/L	MT
1	Calcium	15800	µg/L	MT
1	Chromium	11	µg/L	MT
0	Iron	26	µg/L	MT
0	Nitrate as nitrogen	700	µg/L	MT
0	Silica	6830	µg/L	MT
0	Sodium	2030	µg/L	MT

ANALYTICAL RESULTS

WELL RSF 1 collected on 03/14/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Gross alpha	<2.0	pCi/L	MT
1	Tritium	18±2.0	pCi/mL	MT

WELL RSF 2

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/14/90
Depth to water: 28.58 ft (8.10 m) below TOC
Water elevation: 278.22 ft (84.19 m) msl
Sp. conductance: 50 µS/cm
Water evacuated before sampling: 134 gal

Time: 12:45
pH: 4.8
Alkalinity: 8 mg/L
Water temperature: 21.8°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.1	pH	MT
0	Specific conductance	52	µS/cm	MT
0	Arsenic	<3.0	µg/L	MT
0	Cadmium	<3.0	µg/L	MT
0	Calcium	2830	µg/L	MT
0	Chromium	<5.0	µg/L	MT
0	Iron	80	µg/L	MT
0	Nitrate as nitrogen	2500	µg/L	MT
0	Silica	7090	µg/L	MT
0	Sodium	3860	µg/L	MT
0	Gross alpha	<4.0	pCi/L	MT
0	Tritium	1.5±0.20	pCi/mL	MT

WELL RSF 3

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/14/90
Depth to water: 28.90 ft (8.81 m) below TOC
Water elevation: 278.20 ft (84.80 m) msl
Sp. conductance: 40 µS/cm
Water evacuated before sampling: 128 gal

Time: 11:15
pH: 5.9
Alkalinity: 12 mg/L
Water temperature: 23.6°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	6.3	pH	MT
0	Specific conductance	44	µS/cm	MT
0	Arsenic	<3.0	µg/L	MT
0	Cadmium	<3.0	µg/L	MT
0	Calcium	1090	µg/L	MT
0	Chromium	<5.0	µg/L	MT
1	Iron	164	µg/L	MT
0	Nitrate as nitrogen	<200	µg/L	MT
0	Silica	9820	µg/L	MT
1	Sodium	5850	µg/L	MT
0	Gross alpha	3.3±2.2	pCi/L	MT
0	Tritium	1.1±0.20	pCi/mL	MT

WELL RWM 1

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/12/90
Depth to water: 173.33 ft (52.83 m) below TOC
Water elevation: 191.37 ft (58.33 m) msl
Sp. conductance: 180 µS/cm
The well was continuously pumping.

Time: 11:30
pH: 4.5
Alkalinity: 0 mg/L
Water temperature: 17.4°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	<500	µg/L	MA
2	Tetrachloroethylene	21600	µg/L	MA
0	trans-1,2-Dichloroethene	<500	µg/L	MA
2	Trichloroethylene	45000	µg/L	MA
0	1,1-Dichloroethylene	<500	µg/L	MA
0	1,1,1-Trichloroethane	<500	µg/L	MA

WELL RWM 1

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/31/90
Depth to water: 173.73 ft (52.95 m) below TOC
Water elevation: 190.97 ft (58.21 m) msl
Sp. conductance: 157 µS/cm
The well was continuously pumping.

Time: 11:45
pH: 4.3
Alkalinity: 0 mg/L
Water temperature: 19.3°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	4.4	pH	GE
1	Specific conductance	145	µS/cm	GE
1	Aluminum	283	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
1	Barium	88	µg/L	GE
0	Benzene	<1.0	µg/L	GE
1	Bromodichloromethane	1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
1	Calcium	10400	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	3200	µg/L	GE
1	Chlorobenzene	2.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Cyanide	<6.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	Iron	25	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	4430	µg/L	GE
1	Manganese	38	µg/L	GE
0	Mercury	0.39	µg/L	GE
0	Nickel	<4.0	µg/L	GE
2	Nitrate as nitrogen	11200	µg/L	GE
0	Phenols	<6.0	µg/L	GE
0	Potassium	845	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	9670	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	6840	µg/L	GE
0	Sulfate	<5000	µg/L	GE
2	Tetrachloroethylene	6250	µg/L	GE
1	Toluene	2.0	µg/L	GE
2	Total organic halogens	20300	µg/L	GE
0	Total phosphates	<60	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
2	Trichloroethylene	17500	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Uranium	<1000	µg/L	GE
0	Zinc	8.4	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
1	1,1,2,2-Tetrachloroethane	7.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Gross alpha	3.9±1.9	pCi/L	GE
1	Nonvolatile beta	11±2.5	pCi/L	GE
2	Total radium	7.5±3.2	pCi/L	GE

ANALYTICAL RESULTS

WELL RWM 1

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/12/90
Depth to water: 178.23 ft (54.33 m) below TOC
Water elevation: 186.47 ft (56.84 m) msl
Sp. conductance: 148 µS/cm
The well was continuously pumping.

Time: 8:00
pH: 4.8
Alkalinity: 0 mg/L
Water temperature: 17.2°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	< 5000	µg/L	MA
2	Tetrachloroethylene	21400	µg/L	MA
0	trans-1,2-Dichloroethene	< 5000	µg/L	MA
2	Trichloroethylene	52800	µg/L	MA
0	1,1-Dichloroethylene	< 5000	µg/L	MA
0	1,1,1-Trichloroethane	< 5000	µg/L	MA

WELL RWM 1

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/12/90
Depth to water: 178.13 ft (54.29 m) below TOC
Water elevation: 186.57 ft (56.87 m) msl
Sp. conductance: 144 µS/cm
The well was continuously pumping.

Time: 7:55
pH: 4.3
Alkalinity: 0 mg/L
Water temperature: 17.3°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	< 500	µg/L	MA
2	Tetrachloroethylene	22600	µg/L	MA
0	trans-1,2-Dichloroethene	< 500	µg/L	MA
2	Trichloroethylene	45500	µg/L	MA
0	1,1-Dichloroethylene	< 500	µg/L	MA
0	1,1,1-Trichloroethane	< 500	µg/L	MA

WELL RWM 2

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/12/90
Depth to water: 191.33 ft (58.32 m) below TOC
Water elevation: 179.97 ft (54.86 m) msl
Sp. conductance: 72 µS/cm
The well was continuously pumping.

Time: 12:45
pH: 4.9
Alkalinity: 0 mg/L
Water temperature: 18.4°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	< 500	µg/L	MA
2	Tetrachloroethylene	7950	µg/L	MA
0	trans-1,2-Dichloroethene	< 500	µg/L	MA
2	Trichloroethylene	21900	µg/L	MA
0	1,1-Dichloroethylene	< 500	µg/L	MA
0	1,1,1-Trichloroethane	< 500	µg/L	MA

WELL RWM 2

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/12/90
Depth to water: 197.33 ft (60.15 m) below TOC
Water elevation: 173.97 ft (53.03 m) msl
Sp. conductance: 83 µS/cm
The well was continuously pumping.

Time: 8:45
pH: 5.0
Alkalinity: 0 mg/L
Water temperature: 17.8°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	< 5000	µg/L	MA
2	Tetrachloroethylene	8800	µg/L	MA
0	trans-1,2-Dichloroethene	< 5000	µg/L	MA
2	Trichloroethylene	30900	µg/L	MA
0	1,1-Dichloroethylene	< 5000	µg/L	MA
0	1,1,1-Trichloroethane	< 5000	µg/L	MA

WELL RWM 2

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/12/90
Depth to water: 203.92 ft (62.18 m) below TOC
Water elevation: 187.38 ft (57.02 m) msl
Sp. conductance: 82 µS/cm
The well was continuously pumping.

Time: 9:40
pH: 4.8
Alkalinity: 0 mg/L
Water temperature: 20.8°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	< 500	µg/L	MA
2	Tetrachloroethylene	10300	µg/L	MA
0	trans-1,2-Dichloroethene	< 500	µg/L	MA
2	Trichloroethylene	28100	µg/L	MA
0	1,1-Dichloroethylene	< 500	µg/L	MA
0	1,1,1-Trichloroethane	< 500	µg/L	MA

WELL RWM 3

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/12/90
Depth to water: 183.87 ft (49.95 m) below TOC
Water elevation: 213.13 ft (64.96 m) msl
Sp. conductance: 100 µS/cm
The well was continuously pumping.

Time: 12:35
pH: 4.8
Alkalinity: 0 mg/L
Water temperature: 18.5°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	< 500	µg/L	MA
2	Tetrachloroethylene	4030	µg/L	MA
0	trans-1,2-Dichloroethene	< 500	µg/L	MA
2	Trichloroethylene	19800	µg/L	MA
0	1,1-Dichloroethylene	< 500	µg/L	MA
0	1,1,1-Trichloroethane	< 500	µg/L	MA

WELL RWM 3

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/12/90
Depth to water: 185.24 ft (56.37 m) below TOC
Water elevation: 211.78 ft (64.55 m) msl
Sp. conductance: 80 µS/cm
The well was continuously pumping.

Time: 8:35
pH: 4.7
Alkalinity: 0 mg/L
Water temperature: 17.2°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	< 5000	µg/L	MA
0	Tetrachloroethylene	< 5000	µg/L	MA
0	trans-1,2-Dichloroethene	< 5000	µg/L	MA
2	Trichloroethylene	26200	µg/L	MA
0	1,1-Dichloroethylene	< 5000	µg/L	MA
0	1,1,1-Trichloroethane	< 5000	µg/L	MA

WELL RWM 3

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/12/90
Depth to water: 186.94 ft (56.88 m) below TOC
Water elevation: 210.06 ft (64.03 m) msl
Sp. conductance: 80 µS/cm
The well was continuously pumping.

Time: 9:30
pH: 4.5
Alkalinity: 0 mg/L
Water temperature: 20.4°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	< 500	µg/L	MA
2	Tetrachloroethylene	5390	µg/L	MA
0	trans-1,2-Dichloroethene	< 500	µg/L	MA
2	Trichloroethylene	21300	µg/L	MA
0	1,1-Dichloroethylene	< 500	µg/L	MA
0	1,1,1-Trichloroethane	< 500	µg/L	MA

ANALYTICAL RESULTS

WELL RWM 4

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/12/90
Depth to water: 154.04 ft (46.95 m) below TOC
Water elevation: 212.46 ft (64.76 m) msf
Sp. conductance: 43 µS/cm
The well was continuously pumping.

Time: 11:20
pH: 5.0
Alkalinity: 0 mg/L
Water temperature: 17.0°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	<100	µg/L	MA
2	Tetrachloroethylene	399	µg/L	MA
0	trans-1,2-Dichloroethene	<100	µg/L	MA
2	Trichloroethylene	6560	µg/L	MA
0	1,1-Dichloroethylene	<100	µg/L	MA
0	1,1,1-Trichloroethane	<100	µg/L	MA

WELL RWM 4

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/12/90
Depth to water: 156.35 ft (47.66 m) below TOC
Water elevation: 210.15 ft (64.05 m) msf
Sp. conductance: 21 µS/cm
The well was continuously pumping.

Time: 8:10
pH: 5.2
Alkalinity: 1 mg/L
Water temperature: 17.5°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	<1000	µg/L	MA
0	Tetrachloroethylene	<1000	µg/L	MA
0	trans-1,2-Dichloroethene	<1000	µg/L	MA
2	Trichloroethylene	7680	µg/L	MA
0	1,1-Dichloroethylene	<1000	µg/L	MA
0	1,1,1-Trichloroethane	<1000	µg/L	MA

WELL RWM 4

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/12/90
Depth to water: 154.94 ft (47.23 m) below TOC
Water elevation: 211.56 ft (64.48 m) msf
Sp. conductance: 22 µS/cm
The well was continuously pumping.

Time: 7:45
pH: 5.0
Alkalinity: 0 mg/L
Water temperature: 17.5°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	<100	µg/L	MA
2	Tetrachloroethylene	4240	µg/L	MA
0	trans-1,2-Dichloroethene	<100	µg/L	MA
2	Trichloroethylene	6500	µg/L	MA
0	1,1-Dichloroethylene	<100	µg/L	MA
0	1,1,1-Trichloroethane	<100	µg/L	MA

WELL RWM 5

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/12/90
Depth to water: 152.05 ft (46.35 m) below TOC
Water elevation: 214.85 ft (65.49 m) msf
Sp. conductance: 37 µS/cm
The well was continuously pumping.

Time: 12:55
pH: 4.9
Alkalinity: 0 mg/L
Water temperature: 17.8°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	<20	µg/L	MA
2	Tetrachloroethylene	1140	µg/L	MA
0	trans-1,2-Dichloroethene	<20	µg/L	MA
2	Trichloroethylene	1560	µg/L	MA
0	1,1-Dichloroethylene	<20	µg/L	MA
0	1,1,1-Trichloroethane	<20	µg/L	MA

WELL RWM 5

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/12/90
Depth to water: 147.75 ft (45.03 m) below TOC
Water elevation: 219.15 ft (66.80 m) msf
Sp. conductance: 33 µS/cm
The well was continuously pumping.

Time: 8:55
pH: 5.1
Alkalinity: 0 mg/L
Water temperature: 17.3°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	<200	µg/L	MA
2	Tetrachloroethylene	1580	µg/L	MA
0	trans-1,2-Dichloroethene	<200	µg/L	MA
2	Trichloroethylene	1940	µg/L	MA
0	1,1-Dichloroethylene	<200	µg/L	MA
0	1,1,1-Trichloroethane	<200	µg/L	MA

WELL RWM 5

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/12/90
Depth to water: 148.25 ft (44.58 m) below TOC
Water elevation: 220.65 ft (67.25 m) msf
Sp. conductance: 34 µS/cm
The well was continuously pumping.

Time: 9:50
pH: 4.8
Alkalinity: 0 mg/L
Water temperature: 20.6°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	<20	µg/L	MA
2	Tetrachloroethylene	1630	µg/L	MA
0	trans-1,2-Dichloroethene	<20	µg/L	MA
2	Trichloroethylene	1750	µg/L	MA
0	1,1-Dichloroethylene	<20	µg/L	MA
0	1,1,1-Trichloroethane	<20	µg/L	MA

WELL RWM 6

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/12/90
Depth to water: 155.35 ft (47.35 m) below TOC
Water elevation: 193.75 ft (59.06 m) msf
Sp. conductance: 56 µS/cm
The well was continuously pumping.

Time: 11:55
pH: 4.9
Alkalinity: 0 mg/L
Water temperature: 17.6°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	<500	µg/L	MA
2	Tetrachloroethylene	8210	µg/L	MA
0	trans-1,2-Dichloroethene	<500	µg/L	MA
2	Trichloroethylene	10700	µg/L	MA
0	1,1-Dichloroethylene	<500	µg/L	MA
0	1,1,1-Trichloroethane	<500	µg/L	MA

WELL RWM 6

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/12/90
Depth to water: 171.36 ft (52.23 m) below TOC
Water elevation: 177.74 ft (54.18 m) msf
Sp. conductance: 31 µS/cm
The well was continuously pumping.

Time: 7:40
pH: 5.1
Alkalinity: 1 mg/L
Water temperature: 17.3°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	<2500	µg/L	MA
2	Tetrachloroethylene	6630	µg/L	MA
0	trans-1,2-Dichloroethene	<2500	µg/L	MA
2	Trichloroethylene	8130	µg/L	MA
0	1,1-Dichloroethylene	<2500	µg/L	MA
0	1,1,1-Trichloroethane	<2500	µg/L	MA

ANALYTICAL RESULTS

WELL RWM 6

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/12/90
Depth to water: 177.23 ft (54.02 m) below TOC
Water elevation: 171.87 ft (52.39 m) msl
Sp. conductance: 32 µS/cm
The well was continuously pumping.

Time: 8:15
pH: 4.9
Alkalinity: 0 mg/L
Water temperature: 18.5°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	<250	µg/L	MA
2	Tetrachloroethylene	6810	µg/L	MA
0	trans-1,2-Dichloroethene	<250	µg/L	MA
2	Trichloroethylene	9040	µg/L	MA
0	1,1-Dichloroethylene	<250	µg/L	MA
0	1,1,1-Trichloroethane	<250	µg/L	MA

WELL RWM 7

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/12/90
Depth to water: 148.34 ft (45.21 m) below TOC
Water elevation: 200.88 ft (61.18 m) msl
Sp. conductance: 100 µS/cm
The well was continuously pumping.

Time: 12:05
pH: 4.7
Alkalinity: 0 mg/L
Water temperature: 17.9°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	<50	µg/L	MA
2	Tetrachloroethylene	3610	µg/L	MA
0	trans-1,2-Dichloroethene	<50	µg/L	MA
2	Trichloroethylene	3130	µg/L	MA
0	1,1-Dichloroethylene	<50	µg/L	MA
0	1,1,1-Trichloroethane	<50	µg/L	MA

WELL RWM 7

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/12/90
Depth to water: 134.14 ft (40.89 m) below TOC
Water elevation: 214.88 ft (65.49 m) msl
Sp. conductance: 71 µS/cm
The well was continuously pumping.

Time: 7:30
pH: 5.0
Alkalinity: 0 mg/L
Water temperature: 17.5°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Carbon tetrachloride	<1.0	µg/L	MT
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloroform	0.87	µg/L	MT
0	Chloroform	<1.0	µg/L	GE
0	Chloroform	<500	µg/L	MA
2	Tetrachloroethylene	3380	µg/L	MT
2	Tetrachloroethylene	715	µg/L	GE
2	Tetrachloroethylene	5220	µg/L	MA
0	trans-1,2-Dichloroethene	<500	µg/L	MA
2	Trichloroethylene	2060	µg/L	MT
2	Trichloroethylene	600	µg/L	GE
2	Trichloroethylene	2930	µg/L	MA
0	1,1-Dichloroethylene	<500	µg/L	MA
1	1,1,1-Trichloroethane	1.1	µg/L	MT
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<500	µg/L	MA

WELL RWM 7

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/12/90
Depth to water: 134.14 ft (40.89 m) below TOC
Water elevation: 214.88 ft (65.49 m) msl
Sp. conductance: 71 µS/cm
The well was continuously pumping.

Time: 7:30
pH: 5.0
Alkalinity: 0 mg/L
Water temperature: 17.5°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	<2000	µg/L	MA
2	Tetrachloroethylene	5440	µg/L	MA
0	trans-1,2-Dichloroethene	<2000	µg/L	MA
2	Trichloroethylene	3090	µg/L	MA
0	1,1-Dichloroethylene	<2000	µg/L	MA
0	1,1,1-Trichloroethane	<2000	µg/L	MA

WELL RWM 7

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/12/90
Depth to water: 134.15 ft (40.89 m) below TOC
Water elevation: 214.85 ft (65.48 m) msl
Sp. conductance: 74 µS/cm
The well was continuously pumping.

Time: 8:25
pH: 4.7
Alkalinity: 0 mg/L
Water temperature: 18.0°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	<50	µg/L	MA
2	Tetrachloroethylene	5090	µg/L	MA
0	trans-1,2-Dichloroethene	<50	µg/L	MA
2	Trichloroethylene	2900	µg/L	MA
0	1,1-Dichloroethylene	<50	µg/L	MA
0	1,1,1-Trichloroethane	<50	µg/L	MA

WELL RWM 8

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/12/90
Depth to water: 141.85 ft (43.24 m) below TOC
Water elevation: 208.45 ft (63.53 m) msl
Sp. conductance: 194 µS/cm
The well was continuously pumping.

Time: 11:10
pH: 4.9
Alkalinity: 0 mg/L
Water temperature: 17.8°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	<2.0	µg/L	MA
2	Tetrachloroethylene	112	µg/L	MA
1	trans-1,2-Dichloroethene	3.8	µg/L	MA
2	Trichloroethylene	189	µg/L	MA
1	1,1-Dichloroethylene	19	µg/L	MA
1	1,1,1-Trichloroethane	12	µg/L	MA

WELL RWM 8

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/12/90
Depth to water: 145.45 ft (44.33 m) below TOC
Water elevation: 202.85 ft (61.83 m) msl
Sp. conductance: 134 µS/cm
The well was continuously pumping.

Time: 8:20
pH: 5.2
Alkalinity: 1 mg/L
Water temperature: 17.6°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	<20	µg/L	MA
2	Tetrachloroethylene	119	µg/L	MA
0	trans-1,2-Dichloroethene	<20	µg/L	MA
2	Trichloroethylene	219	µg/L	MA
0	1,1-Dichloroethylene	<20	µg/L	MA
0	1,1,1-Trichloroethane	<20	µg/L	MA

ANALYTICAL RESULTS

WELL RWM 8

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/12/90
Depth to water: 140.95 ft (42.98 m) below TOC
Water elevation: 207.35 ft (63.20 m) msl
Sp. conductance: 235 µS/cm
The well was continuously pumping.

Time: 7:35
pH: 4.9
Alkalinity: 0 mg/L
Water temperature: 17.2°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	<2.0	µg/L	MA
0	Chloroform	<2.0	µg/L	MA
2	Tetrachloroethylene	213	µg/L	MA
2	Tetrachloroethylene	185	µg/L	MA
0	trans-1,2-Dichloroethene	<2.0	µg/L	MA
0	trans-1,2-Dichloroethene	<2.0	µg/L	MA
2	Trichloroethylene	323	µg/L	MA
2	Trichloroethylene	272	µg/L	MA
1	1,1-Dichloroethylene	21	µg/L	MA
0	1,1-Dichloroethylene	<2.0	µg/L	MA
1	1,1,1-Trichloroethane	18	µg/L	MA
1	1,1,1-Trichloroethane	14	µg/L	MA

WELL RWM 9

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/12/90
Depth to water: 156.36 ft (47.68 m) below TOC
Water elevation: 224.24 ft (68.35 m) msl
Sp. conductance: 42 µS/cm
The well was continuously pumping.

Time: 12:15
pH: 5.0
Alkalinity: 0 mg/L
Water temperature: 18.0°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	<10	µg/L	MA
0	Chloroform	<10	µg/L	MA
0	Tetrachloroethylene	<10	µg/L	MA
0	Tetrachloroethylene	<10	µg/L	MA
0	trans-1,2-Dichloroethene	<10	µg/L	MA
0	trans-1,2-Dichloroethene	<10	µg/L	MA
2	Trichloroethylene	180	µg/L	MA
2	Trichloroethylene	132	µg/L	MA
0	1,1-Dichloroethylene	<10	µg/L	MA
0	1,1-Dichloroethylene	<10	µg/L	MA
0	1,1,1-Trichloroethane	<10	µg/L	MA
0	1,1,1-Trichloroethane	<10	µg/L	MA

WELL RWM 9

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/12/90
Depth to water: 153.55 ft (46.80 m) below TOC
Water elevation: 227.05 ft (69.21 m) msl
Sp. conductance: 41 µS/cm
The well was continuously pumping.

Time: 7:15
pH: 5.2
Alkalinity: 1 mg/L
Water temperature: 17.5°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	<25	µg/L	MA
0	Tetrachloroethylene	<25	µg/L	MA
0	trans-1,2-Dichloroethene	<25	µg/L	MA
2	Trichloroethylene	174	µg/L	MA
0	1,1-Dichloroethylene	<25	µg/L	MA
0	1,1,1-Trichloroethane	<25	µg/L	MA

WELL RWM 9

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/12/90
Depth to water: 153.6 ft (46.85 m) below TOC
Water elevation: 227.56 ft (69.38 m) msl
Sp. conductance: 41 µS/cm
The well was continuously pumping.

Time: 8:35
pH: 5.0
Alkalinity: 0 mg/L
Water temperature: 18.5°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	<2.5	µg/L	MA
1	Tetrachloroethylene	3.5	µg/L	MA
0	trans-1,2-Dichloroethene	<2.5	µg/L	MA
2	Trichloroethylene	107	µg/L	MA
0	1,1-Dichloroethylene	<2.5	µg/L	MA
0	1,1,1-Trichloroethane	<2.5	µg/L	MA

WELL RWM 10

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/12/90
Depth to water: 153.64 ft (46.83 m) below TOC
Water elevation: 201.86 ft (61.53 m) msl
Sp. conductance: 145 µS/cm
The well was continuously pumping.

Time: 11:40
pH: 4.7
Alkalinity: 0 mg/L
Water temperature: 18.2°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	<250	µg/L	MA
2	Tetrachloroethylene	10200	µg/L	MA
0	trans-1,2-Dichloroethene	<250	µg/L	MA
2	Trichloroethylene	5010	µg/L	MA
0	1,1-Dichloroethylene	<250	µg/L	MA
0	1,1,1-Trichloroethane	<250	µg/L	MA

WELL RWM 10

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/12/90
Depth to water: 168.04 ft (50.81 m) below TOC
Water elevation: 189.48 ft (57.75 m) msl
Sp. conductance: 107 µS/cm
The well was continuously pumping.

Time: 7:50
pH: 4.9
Alkalinity: 0 mg/L
Water temperature: 17.7°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	<2500	µg/L	MA
2	Tetrachloroethylene	7890	µg/L	MA
0	trans-1,2-Dichloroethene	<2500	µg/L	MA
2	Trichloroethylene	3900	µg/L	MA
0	1,1-Dichloroethylene	<2500	µg/L	MA
0	1,1,1-Trichloroethane	<2500	µg/L	MA

WELL RWM 10

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/12/90
Depth to water: 170.04 ft (51.83 m) below TOC
Water elevation: 185.46 ft (56.53 m) msl
Sp. conductance: 95 µS/cm
The well was continuously pumping.

Time: 8:05
pH: 4.8
Alkalinity: 0 mg/L
Water temperature: 18.1°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	<250	µg/L	MA
2	Tetrachloroethylene	8090	µg/L	MA
0	trans-1,2-Dichloroethene	<250	µg/L	MA
2	Trichloroethylene	2530	µg/L	MA
0	1,1-Dichloroethylene	<250	µg/L	MA
0	1,1,1-Trichloroethane	<250	µg/L	MA

ANALYTICAL RESULTS

WELL RWM 11

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/12/90
Depth to water: 187.34 ft (51.01 m) below TOC
Water elevation: 215.96 ft (65.83 m) msl
Sp. conductance: 71 µS/cm
The well was continuously pumping.

Time: 12:25
pH: 4.5
Alkalinity: 0 mg/L
Water temperature: 18.2°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	< 100	µg/L	MA
2	Tetrachloroethylene	344	µg/L	MA
0	trans-1,2-Dichloroethene	< 100	µg/L	MA
2	Trichloroethylene	4360	µg/L	MA
0	1,1-Dichloroethylene	< 100	µg/L	MA
0	1,1,1-Trichloroethane	< 100	µg/L	MA

WELL RWM 11

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/12/90
Depth to water: 170.14 ft (51.86 m) below TOC
Water elevation: 213.16 ft (64.97 m) msl
Sp. conductance: 48 µS/cm
The well was continuously pumping.

Time: 7:05
pH: 4.7
Alkalinity: 0 mg/L
Water temperature: 17.2°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	< 1000	µg/L	MA
0	Tetrachloroethylene	< 1000	µg/L	MA
0	trans-1,2-Dichloroethene	< 1000	µg/L	MA
2	Trichloroethylene	6150	µg/L	MA
0	1,1-Dichloroethylene	< 1000	µg/L	MA
0	1,1,1-Trichloroethane	< 1000	µg/L	MA

WELL RWM 11

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/12/90
Depth to water: 171.48 ft (52.28 m) below TOC
Water elevation: 211.84 ft (64.57 m) msl
Sp. conductance: 48 µS/cm
The well was continuously pumping.

Time: 8:45
pH: 4.4
Alkalinity: 0 mg/L
Water temperature: 19.4°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	< 100	µg/L	MA
2	Tetrachloroethylene	518	µg/L	MA
0	trans-1,2-Dichloroethene	< 100	µg/L	MA
2	Trichloroethylene	5350	µg/L	MA
0	1,1-Dichloroethylene	< 100	µg/L	MA
0	1,1,1-Trichloroethane	< 100	µg/L	MA

WELL SBG 1

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/24/90
Depth to water: 25.83 ft (7.87 m) below TOC
Water elevation: 236.57 ft (72.11 m) msl
Sp. conductance: 38 µS/cm
Water evacuated before sampling: 124 gal

Time: 13:40
pH: 4.8
Alkalinity: 0 mg/L
Water temperature: 19.7°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	4.9	pH	GE
0	Benzene	< 1.0	µg/L	GE
0	Bromodichloromethane	< 1.0	µg/L	GE
0	Bromoform	< 1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	< 1.0	µg/L	GE
0	Carbon tetrachloride	< 1.0	µg/L	GE
0	Chloride	2800	µg/L	GE
0	Chlorobenzene	< 1.0	µg/L	GE
0	Chloroethane	< 1.0	µg/L	GE
0	Chloroethane (Vinyl chloride)	< 1.0	µg/L	GE
0	Chloroform	< 1.0	µg/L	GE

WELL SBG 1 collected on 02/24/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Chloromethane (Methyl chloride)	< 1.0	µg/L	GE
0	cis-1,3-Dichloropropene	< 1.0	µg/L	GE
0	Dibromochloromethane	< 1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	< 1.0	µg/L	GE
0	Ethylbenzene	< 1.0	µg/L	GE
0	Lead	< 6.0	µg/L	GE
0	Mercury	< 0.20	µg/L	GE
0	Silica	8370	µg/L	GE
0	Silver	< 2.0	µg/L	GE
0	Tetrachloroethylene	< 1.0	µg/L	GE
0	Toluene	< 1.0	µg/L	GE
0	Total organic carbon	3000	µg/L	GE
0	Total organic halogens	5.0	µg/L	GE
0	Total phosphates	< 50	µg/L	GE
0	trans-1,2-Dichloroethene	< 1.0	µg/L	GE
0	trans-1,3-Dichloropropene	< 1.0	µg/L	GE
0	Trichloroethylene	< 1.0	µg/L	GE
0	Trichlorofluoromethane	< 1.0	µg/L	GE
0	1,1-Dichloroethane	< 1.0	µg/L	GE
0	1,1-Dichloroethylene	< 1.0	µg/L	GE
0	1,1,1-Trichloroethane	< 1.0	µg/L	GE
0	1,1,2-Trichloroethane	< 1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	< 1.0	µg/L	GE
0	1,2-Dichloroethane	< 1.0	µg/L	GE
0	1,2-Dichloropropane	< 1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	< 1.0	µg/L	GE
0	Gross alpha	1.8 ± 0.80	pCi/L	EM
0	Nonvolatile beta	2.7 ± 0.99	pCi/L	EM
1	Total radium	2.7 ± 2.3	pCi/L	GE
1	Tritium	11 ± 0.50	pCi/mL	GE
2	Tritium	22 ± 1.2	pCi/mL	EM

WELL SBG 2

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/24/90
Depth to water: 54.21 ft (16.52 m) below TOC
Water elevation: 235.78 ft (71.87 m) msl
Sp. conductance: 19 µS/cm
Water evacuated before sampling: 78 gal

Time: 10:20
pH: 4.9
Alkalinity: 0 mg/L
Water temperature: 18.2°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.1	pH	GE
0	Benzene	< 1.0	µg/L	GE
0	Bromodichloromethane	< 1.0	µg/L	GE
0	Bromoform	< 1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	< 1.0	µg/L	GE
0	Carbon tetrachloride	< 1.0	µg/L	GE
0	Chloride	1600	µg/L	GE
0	Chlorobenzene	< 1.0	µg/L	GE
0	Chloroethane	< 1.0	µg/L	GE
0	Chloroethane (Vinyl chloride)	< 1.0	µg/L	GE
0	Chloroform	< 1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	< 1.0	µg/L	GE
0	cis-1,3-Dichloropropene	< 1.0	µg/L	GE
0	Dibromochloromethane	< 1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	< 1.0	µg/L	GE
0	Ethylbenzene	< 1.0	µg/L	GE
0	Lead	17	µg/L	GE
0	Mercury	< 0.20	µg/L	GE
0	Silica	7750	µg/L	GE
0	Silver	< 2.0	µg/L	GE
0	Tetrachloroethylene	< 1.0	µg/L	GE
0	Toluene	< 1.0	µg/L	GE
0	Total organic carbon	< 1000	µg/L	GE
1	Total organic halogens	12	µg/L	GE
0	Total phosphates	< 50	µg/L	GE
0	trans-1,2-Dichloroethene	< 1.0	µg/L	GE
0	trans-1,3-Dichloropropene	< 1.0	µg/L	GE
0	Trichloroethylene	< 1.0	µg/L	GE
0	Trichlorofluoromethane	< 1.0	µg/L	GE
0	1,1-Dichloroethane	< 1.0	µg/L	GE
0	1,1-Dichloroethylene	< 1.0	µg/L	GE
0	1,1,1-Trichloroethane	< 1.0	µg/L	GE
0	1,1,2-Trichloroethane	< 1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	< 1.0	µg/L	GE
0	1,2-Dichloroethane	< 1.0	µg/L	GE
0	1,2-Dichloropropane	< 1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	< 1.0	µg/L	GE
0	Gross alpha	1.1 ± 0.85	pCi/L	EM
0	Nonvolatile beta	1.9 ± 0.87	pCi/L	EM
2	Total radium	8.4 ± 3.3	pCi/L	GE
0	Tritium	8.4 ± 0.40	pCi/mL	GE

ANALYTICAL RESULTS

WELL SBG 2 collected on 02/24/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
1	Trillium	18 ± 1.1	pCi/mL	EM

WELL SBG 3

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/24/90 Time: 10:35
Inaccessibility or pump failure prevented sample collection.

WELL SBG 3

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/20/90 Time: 14:40
Depth to water: 50.40 ft (15.36 m) below TOC pH: 4.7
Water elevation: 236.20 ft (71.99 m) msf Alkalinity: 0 mg/L
Sp. conductance: 22 µS/cm Water temperature: 18.5°C
Water evacuated before sampling: 107 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.4	pH	GE
0	Benzene	< 1.0	µg/L	GE
0	Bromodichloromethane	< 1.0	µg/L	GE
0	Bromoform	< 1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	< 1.0	µg/L	GE
0	Carbon tetrachloride	< 1.0	µg/L	GE
0	Chloride	1700	µg/L	GE
0	Chlorobenzene	< 1.0	µg/L	GE
0	Chloroethane	< 1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	< 1.0	µg/L	GE
0	Chloroform	< 1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	< 1.0	µg/L	GE
0	cis-1,3-Dichloropropene	< 1.0	µg/L	GE
0	Dibromochloromethane	< 1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	< 1.0	µg/L	GE
0	Ethylbenzene	< 1.0	µg/L	GE
0	Lead	8.9	µg/L	GE
1	Mercury	0.46	µg/L	GE
0	Silica	5550	µg/L	GE
0	Silver	< 2.0	µg/L	GE
0	Tetrachloroethylene	< 1.0	µg/L	GE
0	Toluene	< 1.0	µg/L	GE
0	Total organic carbon	1000	µg/L	GE
0	Total organic halogens	< 5.0	µg/L	GE
1	Total phosphates	500	µg/L	GE
0	trans-1,2-Dichloroethene	< 1.0	µg/L	GE
0	trans-1,3-Dichloropropene	< 1.0	µg/L	GE
0	Trichloroethylene	< 1.0	µg/L	GE
0	Trichlorofluoromethane	< 1.0	µg/L	GE
0	1,1-Dichloroethane	< 1.0	µg/L	GE
0	1,1-Dichloroethylene	< 1.0	µg/L	GE
0	1,1,1-Trichloroethane	< 1.0	µg/L	GE
0	1,1,2-Trichloroethane	< 1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	< 1.0	µg/L	GE
0	1,2-Dichloroethane	< 1.0	µg/L	GE
0	1,2-Dichloropropane	< 1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	< 1.0	µg/L	GE
0	Total radium	1.8 ± 2.2	pCi/L	GE
1	Trillium	14 ± 0.50	pCi/mL	GE
1	Trillium	13 ± 1.0	pCi/mL	EM

WELL SBG 4

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/24/90 Time: 11:30
Depth to water: 33.17 ft (10.11 m) below TOC pH: 4.0
Water elevation: 236.93 ft (73.13 m) msf Alkalinity: 0 mg/L
Sp. conductance: 30 µS/cm Water temperature: 18.2°C
Water evacuated before sampling: 148 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	4.9	pH	GE
1	Benzene	2.0	µg/L	GE
0	Bromodichloromethane	< 1.0	µg/L	GE
0	Bromoform	< 1.0	µg/L	GE

WELL SBG 4 collected on 02/24/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Bromomethane (Methyl bromide)	< 1.0	µg/L	GE
0	Carbon tetrachloride	< 1.0	µg/L	GE
0	Chloride	2100	µg/L	GE
0	Chlorobenzene	< 1.0	µg/L	GE
0	Chloroethane	< 1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	< 1.0	µg/L	GE
0	Chloroform	< 1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	< 1.0	µg/L	GE
0	cis-1,3-Dichloropropene	< 1.0	µg/L	GE
0	Dibromochloromethane	< 1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	< 1.0	µg/L	GE
0	Ethylbenzene	< 1.0	µg/L	GE
0	Lead	7.3	µg/L	GE
0	Mercury	< 0.20	µg/L	GE
0	Silica	8340	µg/L	GE
0	Silver	< 2.0	µg/L	GE
2	Tetrachloroethylene	5.0	µg/L	GE
0	Toluene	< 1.0	µg/L	GE
0	Total organic carbon	1000	µg/L	GE
2	Total organic halogens	57	µg/L	GE
0	Total phosphates	< 50	µg/L	GE
0	trans-1,2-Dichloroethene	< 1.0	µg/L	GE
0	trans-1,3-Dichloropropene	< 1.0	µg/L	GE
2	Trichloroethylene	55	µg/L	GE
0	Trichlorofluoromethane	< 1.0	µg/L	GE
0	1,1-Dichloroethane	< 1.0	µg/L	GE
0	1,1-Dichloroethylene	< 1.0	µg/L	GE
0	1,1,1-Trichloroethane	< 1.0	µg/L	GE
0	1,1,2-Trichloroethane	< 1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	< 1.0	µg/L	GE
0	1,2-Dichloroethane	< 1.0	µg/L	GE
0	1,2-Dichloropropane	< 1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	< 1.0	µg/L	GE
0	Gross alpha	2.8 ± 1.0	pCi/L	EM
0	Nonvolatile beta	8.9 ± 1.8	pCi/L	EM
1	Total radium	2.7 ± 2.5	pCi/L	GE
1	Trillium	13 ± 0.50	pCi/mL	GE
2	Trillium	23 ± 1.2	pCi/mL	EM

WELL SBG 5

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/24/90 Time: 12:30
Depth to water: 36.13 ft (11.01 m) below TOC pH: 6.0
Water elevation: 248.37 ft (75.70 m) msf Alkalinity: 9 mg/L
Sp. conductance: 48 µS/cm Water temperature: 19.5°C
Water evacuated before sampling: 127 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	6.1	pH	GE
0	Benzene	< 1.0	µg/L	GE
0	Bromodichloromethane	< 1.0	µg/L	GE
0	Bromoform	< 1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	< 1.0	µg/L	GE
0	Carbon tetrachloride	< 1.0	µg/L	GE
0	Chloride	2100	µg/L	GE
0	Chlorobenzene	< 1.0	µg/L	GE
0	Chloroethane	< 1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	< 1.0	µg/L	GE
0	Chloroform	< 1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	< 1.0	µg/L	GE
0	cis-1,3-Dichloropropene	< 1.0	µg/L	GE
0	Dibromochloromethane	< 1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	< 1.0	µg/L	GE
0	Ethylbenzene	< 1.0	µg/L	GE
0	Lead	< 6.0	µg/L	GE
0	Mercury	< 0.20	µg/L	GE
0	Silica	8880	µg/L	GE
0	Silver	< 2.0	µg/L	GE
1	Tetrachloroethylene	2.0	µg/L	GE
0	Toluene	< 1.0	µg/L	GE
0	Total organic carbon	1000	µg/L	GE
0	Total organic halogens	< 5.0	µg/L	GE
0	Total phosphates	< 50	µg/L	GE
0	trans-1,2-Dichloroethene	< 1.0	µg/L	GE
0	trans-1,3-Dichloropropene	< 1.0	µg/L	GE
2	Trichloroethylene	3.0	µg/L	GE
0	Trichlorofluoromethane	< 1.0	µg/L	GE
0	1,1-Dichloroethane	< 1.0	µg/L	GE
0	1,1-Dichloroethylene	< 1.0	µg/L	GE
0	1,1,1-Trichloroethane	< 1.0	µg/L	GE
0	1,1,2-Trichloroethane	< 1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	< 1.0	µg/L	GE

ANALYTICAL RESULTS

WELL SBG 5 collected on 02/24/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Gross alpha	2.5±0.99	pCi/L	EM
0	Nonvolatile beta	3.2±1.1	pCi/L	EM
0	Total radium	2.1±2.2	pCi/L	GE
0	Tritium	<0.70	pCi/mL	GE
0	Tritium	4.6±0.80	pCi/mL	EM

WELL SBG 6

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/24/90
Depth to water: 38.93 ft (11.87 m) below TOC
Water elevation: 242.77 ft (74.00 m) msl
Sp. conductance: 29 µS/cm
Water evacuated before sampling: 90 gal

Time: 13:10
pH: 4.7
Alkalinity: 0 mg/L
Water temperature: 18.1°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.2	pH	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	3500	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethane (Vinyl chloride)	<1.0	µg/L	GE
1	Chloroform	3.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
1	Lead	20	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Silica	5880	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total organic carbon	2000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Gross alpha	2.8±1.0	pCi/L	EM
0	Nonvolatile beta	2.7±1.0	pCi/L	EM
0	Total radium	2.4±2.3	pCi/L	GE
0	Tritium	5.4±0.40	pCi/mL	GE
0	Tritium	9.6±0.94	pCi/mL	EM

WELL SCA 1

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/20/90
Depth to water: 48.78 ft (14.86 m) below TOC
Sp. conductance: 29 µS/cm
Water evacuated before sampling: 81 gal

Time: 16:25
pH: 5.9
Water temperature: 21.0°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	6.0	pH	GE
0	Specific conductance	25	µS/cm	CC
0	Arsenic	<2.0	µg/L	GE
0	Barium	21	µg/L	GE
0	Cadmium	<2.0	µg/L	GE

WELL SCA 1 collected on 03/20/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Calcium	2180	µg/L	GE
0	Chloride	1300	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	Iron	21	µg/L	GE
0	Lead	<8.0	µg/L	GE
0	Magnesium	422	µg/L	GE
2	Manganese	119	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Nitrate as nitrogen	900	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	519	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	5280	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	1550	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Total dissolved solids	62000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
1	Total phosphates	480	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Total radium	1.6±2.1	pCi/L	GE
1	Tritium	17±0.50	pCi/mL	GE

WELL SCA 1A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/20/90
The well was dry.

Time: 15:15

WELL SCA 2

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/20/90
Depth to water: 48.58 ft (14.81 m) below TOC
Water elevation: 240.32 ft (73.25 m) msl
Sp. conductance: 35 µS/cm
Water evacuated before sampling: 83 gal

Time: 16:10
pH: 5.7
Alkalinity: 10 mg/L
Water temperature: 19.5°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	6.3	pH	GE
0	Specific conductance	30	µS/cm	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	11	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	3750	µg/L	GE
0	Chloride	1100	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	Iron	<4.0	µg/L	GE
0	Lead	<8.0	µg/L	GE
0	Magnesium	594	µg/L	GE
0	Manganese	4.1	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Nitrate as nitrogen	870	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	6080	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	1310	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Total dissolved solids	79000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
1	Total phosphates	530	µg/L	GE
0	Gross alpha	<2.0	pCi/L	GE
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Total radium	1.2±2.0	pCi/L	GE
1	Tritium	17±0.50	pCi/mL	GE

ANALYTICAL RESULTS

WELL SCA 2A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/20/90 Time: 15:20
The well was dry.

WELL SLP 1

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/24/90 Time: 10:45
Depth to water: 41.23 ft (12.57 m) below TOC pH: 5.5
Water elevation: 243.57 ft (74.24 m) msl Alkalinity: 4 mg/L
Sp. conductance: 30 µS/cm Water temperature: 16.1°C
Water evacuated before sampling: 8 gal
The well went dry during purging.

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.6	pH	GE
0	Specific conductance	30	µS/cm	GE
0	Arsenic	<2.0	µg/L	GE
0	Calcium	1630	µg/L	GE
0	Chloride	4000	µg/L	GE
0	Iron	21	µg/L	GE
2	Manganese	51	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total radium	<1.0	pCi/L	GE
0	Tritium	3.6±0.40	pCi/mL	GE

WELL SLP 2

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/24/90 Time: 9:55
Depth to water: 40.41 ft (12.32 m) below TOC pH: 6.5
Water elevation: 243.39 ft (74.19 m) msl Alkalinity: 7 mg/L
Sp. conductance: 39 µS/cm Water temperature: 17.9°C
Water evacuated before sampling: 81 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	6.1	pH	GE
0	Specific conductance	40	µS/cm	GE
0	Arsenic	<2.0	µg/L	GE
0	Calcium	5810	µg/L	GE
0	Chloride	1400	µg/L	GE
0	Iron	138	µg/L	GE
0	Manganese	8.2	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total radium	<1.0	pCi/L	GE
0	Tritium	3.4±0.50	pCi/mL	GE

WELL SRW 1

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/17/90 Time: 17:05
The well was dry.

WELL SRW 2

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/18/90 Time: 10:20
Depth to water: 108.81 ft (33.17 m) below TOC pH: 4.8
Water elevation: 211.79 ft (64.55 m) msl Alkalinity: 0 mg/L
Sp. conductance: 48 µS/cm Water temperature: 18.9°C
Water evacuated before sampling: 34 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Arsenic	<2.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
1	Carbon tetrachloride	2.0	µg/L	GE
1	Carbon tetrachloride	2.0	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
1	Chloroform	17	µg/L	GE
1	Chloroform	17	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
1	Copper	30	µg/L	GE
1	Copper	31	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Iron	41	µg/L	GE
0	Iron	32	µg/L	GE
0	Lead	9.4	µg/L	GE
0	Lead	9.8	µg/L	GE
0	Manganese	5.8	µg/L	GE
0	Manganese	5.8	µg/L	GE
0	Nitrate as nitrogen	1540	µg/L	GE
0	Nitrate as nitrogen	1550	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Silica	7860	µg/L	GE
0	Silica	7340	µg/L	GE
0	Sodium	3640	µg/L	GE
0	Sodium	3440	µg/L	GE
1	Sulfate	19600	µg/L	GE
1	Sulfate	20900	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
1	Total organic halogens	23	µg/L	GE
1	Total organic halogens	22	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
1	Trichloroethylene	1.0	µg/L	GE
1	Trichloroethylene	1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Zinc	6.2	µg/L	GE
0	Zinc	6.4	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE

ANALYTICAL RESULTS

WELL SRW 2 collected on 02/18/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Total radium	1.8±2.7	pCi/L	GE
1	Total radium	3.3±3.0	pCi/L	GE

WELL SRW 2A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/18/90 Time: 10:35
 Depth to water: 118.08 ft (35.38 m) below TOC pH: 4.8
 Water elevation: 204.52 ft (62.34 m) msl Alkalinity: 0 mg/L
 Sp. conductance: 21 µS/cm Water temperature: 17.5°C
 Water evacuated before sampling: 313 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Arsenic	<2.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromofom	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethane (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
1	Copper	39	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Iron	25	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Manganese	2.7	µg/L	GE
0	Nitrate as nitrogen	360	µg/L	GE
0	Phenols	<5.0	µg/L	GE
1	Silica	12700	µg/L	GE
0	Sodium	1450	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<10	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	trans-1,2-Dichloroethane	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Zinc	17	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Total radium	1.0±1.7	pCi/L	GE

WELL SRW 2B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/18/90 Time: 10:05
 Depth to water: 114.89 ft (35.02 m) below TOC pH: 5.3
 Water elevation: 205.71 ft (62.70 m) msl Alkalinity: 1 mg/L
 Sp. conductance: 19 µS/cm Water temperature: 17.1°C
 Water evacuated before sampling: 138 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Arsenic	<2.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromofom	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethane (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Copper	7.9	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Iron	25	µg/L	GE
0	Lead	8.5	µg/L	GE
0	Manganese	6.8	µg/L	GE
0	Nitrate as nitrogen	560	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Silica	7540	µg/L	GE
0	Sodium	1630	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<10	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	trans-1,2-Dichloroethane	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Zinc	8.2	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Gross alpha	3.8±2.5	pCi/L	GE
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Total radium	1.9±3.4	pCi/L	GE

WELL SRW 3A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/17/90 Time: 14:15
 Depth to water: 120.97 ft (36.87 m) below TOC pH: 4.7
 Water elevation: 211.13 ft (64.35 m) msl Alkalinity: 0 mg/L
 Sp. conductance: 22 µS/cm Water temperature: 19.4°C
 Water evacuated before sampling: 125 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Arsenic	<2.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromofom	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethane (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE

ANALYTICAL RESULTS

WELL SRW 3A collected on 02/17/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Iron	37	µg/L	GE
0	Lead	<8.0	µg/L	GE
0	Manganese	5.5	µg/L	GE
0	Nitrate as nitrogen	590	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Silica	7930	µg/L	GE
0	Sodium	1420	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<10	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Zinc	5.1	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	<2.0	pCi/L	GE
1	Total radium	2.7 ± 2.4	pCi/L	GE

WELL SRW 4

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/17/90
The well was dry.

Time: 14:30

WELL SRW 5

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/17/90
Depth to water: 100.91 ft (30.78 m) below TOC
Water elevation: 208.49 ft (63.55 m) msl
Sp. conductance: 46 µS/cm
Water evacuated before sampling: 36 gal

Time: 14:50
pH: 5.3
Alkalinity: 3 mg/L
Water temperature: 20.6°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Arsenic	<2.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
1	Carbon tetrachloride	2.0	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
1	Chloroform	14	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
1	Copper	320	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Iron	<4.0	µg/L	GE
2	Lead	26	µg/L	GE
0	Manganese	8.1	µg/L	GE
0	Nitrate as nitrogen	720	µg/L	GE
0	Phenols	<5.0	µg/L	GE
1	Silica	13000	µg/L	GE
0	Sodium	2750	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE

WELL SRW 5 collected on 02/17/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Total organic carbon	<1000	µg/L	GE
1	Total organic halogens	20	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
1	Trichloroethylene	2.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Zinc	91	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Total radium	<1.0	pCi/L	GE

WELL SRW 6

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/17/90
Depth to water: 98.22 ft (29.94 m) below TOC
Water elevation: 209.48 ft (63.85 m) msl
Sp. conductance: 36 µS/cm
Water evacuated before sampling: 44 gal

Time: 15:25
pH: 5.3
Alkalinity: 2 mg/L
Water temperature: 19.7°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Arsenic	<2.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
1	Carbon tetrachloride	2.0	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
1	Chloroform	26	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Iron	48	µg/L	GE
0	Lead	7.1	µg/L	GE
0	Manganese	4.1	µg/L	GE
0	Nitrate as nitrogen	1670	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Silica	8080	µg/L	GE
0	Sodium	3810	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
2	Total organic halogens	28	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
1	Trichloroethylene	2.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Zinc	13	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	<2.0	pCi/L	GE
1	Total radium	2.7 ± 2.2	pCi/L	GE

ANALYTICAL RESULTS

WELL SRW 7

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/18/90
Depth to water: 90.88 ft (27.73 m) below TOC
Water elevation: 208.12 ft (63.44 m) msl
Sp. conductance: 33 µS/cm
Water evacuated before sampling: 2 gal
The well went dry during purging.

Time: 11:00
pH: 5.4
Alkalinity: 3 mg/L
Water temperature: 17.0°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Arsenic	<2.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
2	Carbon tetrachloride	7.0	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
1	Chloroform	11	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
2	Copper	1780	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
1	Dichloromethane (Methylene chloride)	22	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Iron	54	µg/L	GE
2	Lead	178	µg/L	GE
0	Manganese	2.7	µg/L	GE
0	Nitrate as nitrogen	990	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Silica	7690	µg/L	GE
0	Sodium	2350	µg/L	GE
0	Sulfate	<5000	µg/L	GE
1	Tetrachloroethylene	3.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
2	Total organic halogens	32	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
2	Trichloroethylene	7.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Zinc	228	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
1	1,2-Dichloroethane	58	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Gross alpha	3.2±2.3	pCi/L	GE
0	Nonvolatile beta	<2.0	pCi/L	GE
1	Total radium	3.6±3.5	pCi/L	GE

WELL SRW 8

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/17/90
Depth to water: 82.10 ft (25.02 m) below TOC
Water elevation: 208.00 ft (63.29 m) msl
Sp. conductance: 25 µS/cm
Water evacuated before sampling: 27 gal

Time: 11:00
pH: 5.0
Alkalinity: 1 mg/L
Water temperature: 19.6°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Arsenic	<2.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
1	Chloroform	2.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE

WELL SRW 8 collected on 02/17/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
1	Copper	33	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Iron	28	µg/L	GE
0	Lead	17	µg/L	GE
0	Manganese	2.7	µg/L	GE
0	Nitrate as nitrogen	740	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Silica	7540	µg/L	GE
0	Sodium	1980	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<10	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
1	Trichloroethylene	2.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Zinc	18	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	<2.0	pCi/L	GE
1	Total radium	2.7±3.3	pCi/L	GE

WELL SRW 9

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/17/90
Depth to water: 57.13 ft (17.41 m) below TOC
Water elevation: 196.27 ft (59.82 m) msl
Sp. conductance: 21 µS/cm
Water evacuated before sampling: 83 gal

Time: 13:35
pH: 5.0
Alkalinity: 1 mg/L
Water temperature: 18.6°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Arsenic	<2.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
1	Chloroform	2.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
2	Copper	8390	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Iron	21	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Manganese	<2.0	µg/L	GE
0	Nitrate as nitrogen	510	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Silica	8340	µg/L	GE
0	Sodium	1230	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<10	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
2	Trichloroethylene	3.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Zinc	5.9	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE

ANALYTICAL RESULTS

WELL SRW 9 collected on 02/17/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Total radium	1.2±3.0	pCi/L	GE

WELL SRW 9A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/17/90
 Depth to water: 56.44 ft (17.20 m) below TOC
 Water elevation: 196.66 ft (60.00 m) msl
 Sp. conductance: 22 µS/cm
 Water evacuated before sampling: 224 gal

Time: 13:20
 pH: 4.8
 Alkalinity: 1 mg/L
 Water temperature: 19.2°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Arsenic	<2.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Copper	23	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Iron	30	µg/L	GE
0	Lead	7.4	µg/L	GE
0	Manganese	2.1	µg/L	GE
0	Nitrate as nitrogen	890	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Silica	8300	µg/L	GE
0	Sodium	1550	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<10	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Zinc	17	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	2.4±3.5	pCi/L	GE
0	Total radium	<1.0	pCi/L	GE

WELL SRW 9B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/17/90
 Depth to water: 55.87 ft (17.03 m) below TOC
 Water elevation: 197.53 ft (60.21 m) msl
 Sp. conductance: 21 µS/cm
 Water evacuated before sampling: 117 gal

Time: 13:05
 pH: 5.1
 Alkalinity: 1 mg/L
 Water temperature: 19.5°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Arsenic	<2.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Copper	5.8	µg/L	GE
0	Copper	4.3	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Iron	28	µg/L	GE
0	Iron	28	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Manganese	4.5	µg/L	GE
0	Manganese	4.8	µg/L	GE
0	Nitrate as nitrogen	530	µg/L	GE
0	Nitrate as nitrogen	510	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Silica	7880	µg/L	GE
0	Silica	7430	µg/L	GE
0	Sodium	1710	µg/L	GE
0	Sodium	1570	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<10	µg/L	GE
0	Total organic halogens	<10	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Zinc	35	µg/L	GE
0	Zinc	35	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE

ANALYTICAL RESULTS

WELL SRW 9B collected on 02/17/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Total radium	1.3±1.6	pCi/L	GE
0	Total radium	1.6±1.5	pCi/L	GE

WELL SRW 10

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/17/90
 Depth to water: Not available
 Water elevation: Not available
 Sp. conductance: 23 µS/cm
 Water evacuated before sampling: 35 gal

Time: 18:05
 pH: 5.3
 Alkalinity: 1 mg/L
 Water temperature: 19.5°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Arsenic	<2.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethane (Vinyl chloride)	<1.0	µg/L	GE
1	Chloroform	2.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
1	Copper	42	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Iron	10	µg/L	GE
0	Lead	7.9	µg/L	GE
0	Manganese	<2.0	µg/L	GE
0	Nitrate as nitrogen	550	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Silica	4940	µg/L	GE
0	Sodium	2310	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
2	Total organic halogens	2000	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Zinc	10	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Total radium	<1.0	pCi/L	GE

WELL SRW 11

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/17/90
 Depth to water: 87.75 ft (26.75 m) below TOC
 Water elevation: 208.05 ft (63.41 m) msl
 Sp. conductance: 23 µS/cm
 Water evacuated before sampling: 45 gal

Time: 18:40
 pH: 4.8
 Alkalinity: 0 mg/L
 Water temperature: 19.4°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Arsenic	<2.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
2	Carbon tetrachloride	9.0	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethane (Vinyl chloride)	<1.0	µg/L	GE
1	Chloroform	7.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
1	Copper	77	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Iron	14	µg/L	GE
0	Lead	18	µg/L	GE
0	Manganese	<2.0	µg/L	GE
0	Nitrate as nitrogen	480	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Silica	6700	µg/L	GE
0	Sodium	1980	µg/L	GE
0	Sulfate	<5000	µg/L	GE
1	Tetrachloroethylene	3.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
1	Total organic halogens	23	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
2	Trichloroethylene	6.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Zinc	12	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Total radium	<1.0	pCi/L	GE

WELL SRW 12A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/17/90
 Depth to water: 43.47 ft (13.25 m) below TOC
 Water elevation: 192.83 ft (58.78 m) msl
 Sp. conductance: 22 µS/cm
 Water evacuated before sampling: 243 gal

Time: 11:50
 pH: 4.6
 Alkalinity: 0 mg/L
 Water temperature: 18.8°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Arsenic	<2.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	MT
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethane (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<0.4	µg/L	MT
0	Chloroform	<1.0	µg/L	GE

ANALYTICAL RESULTS

WELL SRW 12A collected on 02/17/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Chloroform	<1.0	µg/L	MA
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
1	Copper	24	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Iron	25	µg/L	GE
0	Lead	<8.0	µg/L	GE
0	Manganese	2.8	µg/L	GE
0	Nitrate as nitrogen	800	µg/L	GE
0	Phenols	<5.0	µg/L	GE
1	Silica	12800	µg/L	GE
0	Sodium	1390	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<0.40	µg/L	MT
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	MA
0	Toluene	<1.0	µg/L	GE
0	Total organic carbon	3000	µg/L	GE
0	Total organic halogens	<10	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	MA
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<0.40	µg/L	MT
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	MA
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Zinc	7.9	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	MA
0	1,1,1-Trichloroethane	<0.40	µg/L	MT
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	MA
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
2	Gross alpha	27 ± 5.7	pCi/L	GE
0	Nonvolatile beta	8.8 ± 4.5	pCi/L	GE
2	Total radium	81 ± 10	pCi/L	GE
2	Total radium	10 ± 3.7	pCi/L	GE

WELL SRW 12A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/17/90
 Depth to water: 43.47 ft (13.25 m) below TOC
 Water elevation: 192.83 ft (58.78 m) ms
 Sp. conductance: 22 µS/cm
 Water evacuated before sampling: 243 gal

Time: 11:50
 pH: 4.8
 Alkalinity: 0 mg/L
 Water temperature: 18.8°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloroform	<1.0	µg/L	MA
0	Tetrachloroethylene	<1.0	µg/L	MA
0	trans-1,2-Dichloroethene	<1.0	µg/L	MA
0	Trichloroethylene	<1.0	µg/L	MA
0	1,1-Dichloroethylene	<1.0	µg/L	MA
0	1,1,1-Trichloroethane	<1.0	µg/L	MA

WELL SRW 12B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/17/90
 Depth to water: 48.87 ft (14.83 m) below TOC
 Water elevation: 187.83 ft (57.19 m) ms
 Sp. conductance: 18 µS/cm
 Water evacuated before sampling: 111 gal

Time: 11:35
 pH: 5.3
 Alkalinity: 2 mg/L
 Water temperature: 19.8°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Arsenic	<2.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
1	Chloroform	1.0	µg/L	GE
1	Chloroform	1.8	µg/L	MA
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Copper	8.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Iron	57	µg/L	GE
0	Lead	8.0	µg/L	GE
0	Manganese	2.5	µg/L	GE
0	Nitrate as nitrogen	90	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Silica	6000	µg/L	GE
0	Sodium	1050	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	MA
0	Toluene	<1.0	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<10	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	MA
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	MA
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Zinc	51	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	MA
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	MA
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Total radium	1.8 ± 2.8	pCi/L	GE

WELL SRW 12C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/17/90
 Depth to water: 43.19 ft (13.18 m) below TOC
 Water elevation: 193.11 ft (58.86 m) ms
 Sp. conductance: 18 µS/cm
 Water evacuated before sampling: 38 gal

Time: 12:15
 pH: 5.0
 Alkalinity: 1 mg/L
 Water temperature: 18.6°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Arsenic	<2.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE

ANALYTICAL RESULTS

WELL SRW 12C collected on 02/17/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
1	Chloroform	1.0	µg/L	GE
1	Chloroform	1.8	µg/L	MA
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
1	Copper	37	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Iron	81	µg/L	GE
0	Lead	14	µg/L	GE
0	Manganese	3.5	µg/L	GE
0	Nitrate as nitrogen	90	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Silica	5510	µg/L	GE
0	Sodium	1110	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	MA
0	Toluene	<1.0	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<10	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	MA
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
1	Trichloroethylene	1.0	µg/L	GE
1	Trichloroethylene	1.4	µg/L	MA
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Zinc	138	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	MA
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	MA
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	<2.0	pCi/L	GE
1	Total radium	2.6 ± 2.2	pCi/L	GE

WELL SRW 13A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/17/90
 Depth to water: 98.47 ft (29.40 m) below TOC
 Water elevation: 201.23 ft (61.34 m) msl
 Sp. conductance: 21 µS/cm
 Water evacuated before sampling: 290 gal

Time: 10:30
 pH: 4.8
 Alkalinity: 0 mg/L
 Water temperature: 18.6°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Arsenic	<2.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	MA
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
1	Copper	24	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Iron	25	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Manganese	2.7	µg/L	GE
0	Nitrate as nitrogen	980	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Silica	8520	µg/L	GE
0	Sodium	1880	µg/L	GE

WELL SRW 13A collected on 02/17/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	MA
0	Toluene	<1.0	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<10	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	MA
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	MA
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Zinc	8.4	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	MA
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	MA
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Total radium	<1.0	pCi/L	GE

WELL SRW 13B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/17/90
 Depth to water: 98.49 ft (29.41 m) below TOC
 Water elevation: 201.21 ft (61.33 m) msl
 Sp. conductance: 20 µS/cm
 Water evacuated before sampling: 125 gal

Time: 10:10
 pH: 5.0
 Alkalinity: 1 mg/L
 Water temperature: 18.4°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Arsenic	<2.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	MA
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
1	Copper	75	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Iron	19	µg/L	GE
0	Lead	18	µg/L	GE
0	Manganese	7.1	µg/L	GE
0	Nitrate as nitrogen	620	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Silica	7840	µg/L	GE
0	Sodium	1410	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	MA
0	Toluene	<1.0	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<10	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	MA
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	MA
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Zinc	21	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	MA
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	MA

ANALYTICAL RESULTS

WELL SRW 13B collected on 02/17/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Total radium	<1.0	pCi/L	GE

WELL SRW 13C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/17/90 Time: 10:20
 Depth to water: 91.02 ft (27.74 m) below TOC pH: 6.2
 Water elevation: 206.68 ft (63.00 m) msl Alkalinity: 1 mg/L
 Sp. conductance: 25 µS/cm Water temperature: 18.2°C
 Water evacuated before sampling: 33 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Arsenic	<2.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	MA
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
1	Copper	123	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Iron	58	µg/L	GE
0	Lead	11	µg/L	GE
0	Manganese	15	µg/L	GE
0	Nitrate as nitrogen	1000	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Silica	8920	µg/L	GE
0	Sodium	1830	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	MA
0	Toluene	<1.0	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<10	µg/L	GE
0	Total phosphates	70	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	MA
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	MA
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Zinc	208	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	MA
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	MA
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Gross alpha	3.0 ± 2.3	pCi/L	GE
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Total radium	<1.0	pCi/L	GE

WELL SRW 14A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/17/90 Time: 9:15
 Depth to water: 125.46 ft (38.24 m) below TOC pH: 5.1
 Water elevation: 201.54 ft (61.43 m) msl Alkalinity: 1 mg/L
 Sp. conductance: 25 µS/cm Water temperature: 17.9°C
 Water evacuated before sampling: 228 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Arsenic	<2.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	MA
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
1	Copper	34	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Iron	18	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Manganese	3.8	µg/L	GE
0	Nitrate as nitrogen	1340	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Silica	8750	µg/L	GE
0	Sodium	1830	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	MA
0	Toluene	<1.0	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<10	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	MA
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
2	Trichloroethylene	12	µg/L	GE
2	Trichloroethylene	12	µg/L	MA
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Zinc	6.5	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	MA
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	MA
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
2	Gross alpha	49 ± 7.5	pCi/L	GE
0	Gross alpha	<2.0	pCi/L	GE
0	Nonvolatile beta	8.3 ± 3.9	pCi/L	GE
1	Total radium	2.9 ± 3.4	pCi/L	GE

WELL SRW 14B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/17/90 Time: 9:00
 Depth to water: 123.75 ft (37.72 m) below TOC pH: 5.3
 Water elevation: 203.15 ft (61.92 m) msl Alkalinity: 1 mg/L
 Sp. conductance: 24 µS/cm Water temperature: 17.9°C
 Water evacuated before sampling: 130 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Arsenic	<2.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE

ANALYTICAL RESULTS

WELL SRW 14B collected on 02/17/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Bromoform	< 1.0	µg/L	GE
0	Bromoform	< 1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	< 1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	< 1.0	µg/L	GE
0	Cadmium	< 2.0	µg/L	GE
0	Cadmium	< 2.0	µg/L	GE
0	Carbon tetrachloride	< 1.0	µg/L	GE
0	Carbon tetrachloride	< 1.0	µg/L	GE
0	Chlorobenzene	< 1.0	µg/L	GE
0	Chlorobenzene	< 1.0	µg/L	GE
0	Chloroethane	< 1.0	µg/L	GE
0	Chloroethane	< 1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	< 1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	< 1.0	µg/L	GE
0	Chloroform	< 1.0	µg/L	GE
0	Chloroform	< 1.0	µg/L	GE
0	Chloroform	< 1.0	µg/L	MA
0	Chloromethane (Methyl chloride)	< 1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	< 1.0	µg/L	GE
0	Chromium	< 4.0	µg/L	GE
0	Chromium	< 4.0	µg/L	GE
0	cis-1,3-Dichloropropene	< 1.0	µg/L	GE
0	cis-1,3-Dichloropropene	< 1.0	µg/L	GE
1	Copper	54	µg/L	GE
1	Copper	53	µg/L	GE
0	Dibromochloromethane	< 1.0	µg/L	GE
0	Dibromochloromethane	< 1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	< 1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	< 1.0	µg/L	GE
0	Ethylbenzene	< 1.0	µg/L	GE
0	Ethylbenzene	< 1.0	µg/L	GE
0	Iron	24	µg/L	GE
0	Iron	19	µg/L	GE
0	Lead	8.1	µg/L	GE
0	Lead	9.5	µg/L	GE
0	Manganese	7.8	µg/L	GE
0	Manganese	7.4	µg/L	GE
0	Nitrate as nitrogen	1110	µg/L	GE
0	Nitrate as nitrogen	1100	µg/L	GE
0	Phenols	< 5.0	µg/L	GE
0	Phenols	< 5.0	µg/L	GE
0	Silica	9510	µg/L	GE
0	Silica	9530	µg/L	GE
0	Sodium	1480	µg/L	GE
0	Sodium	1480	µg/L	GE
0	Sulfate	< 5000	µg/L	GE
0	Sulfate	< 5000	µg/L	GE
0	Tetrachloroethylene	< 1.0	µg/L	GE
0	Tetrachloroethylene	< 1.0	µg/L	MA
0	Tetrachloroethylene	< 1.0	µg/L	GE
0	Toluene	< 1.0	µg/L	GE
0	Toluene	< 1.0	µg/L	GE
0	Total organic carbon	< 1000	µg/L	GE
0	Total organic carbon	< 1000	µg/L	GE
2	Total organic halogens	28	µg/L	GE
2	Total organic halogens	27	µg/L	GE
0	Total phosphates	< 50	µg/L	GE
0	Total phosphates	< 50	µg/L	GE
0	trans-1,2-Dichloroethane	< 1.0	µg/L	GE
0	trans-1,2-Dichloroethane	< 1.0	µg/L	GE
0	trans-1,2-Dichloroethane	< 1.0	µg/L	MA
0	trans-1,3-Dichloropropene	< 1.0	µg/L	GE
0	trans-1,3-Dichloropropene	< 1.0	µg/L	GE
1	Trichloroethylene	2.0	µg/L	GE
1	Trichloroethylene	2.0	µg/L	GE
1	Trichloroethylene	1.9	µg/L	MA
0	Trichlorofluoromethane	< 1.0	µg/L	GE
0	Trichlorofluoromethane	< 1.0	µg/L	GE
0	Zinc	19	µg/L	GE
0	Zinc	18	µg/L	GE
0	1,1-Dichloroethane	< 1.0	µg/L	GE
0	1,1-Dichloroethane	< 1.0	µg/L	GE
0	1,1-Dichloroethylene	< 1.0	µg/L	GE
0	1,1-Dichloroethylene	< 1.0	µg/L	GE
0	1,1-Dichloroethylene	< 1.0	µg/L	MA
0	1,1,1-Trichloroethane	< 1.0	µg/L	GE
0	1,1,1-Trichloroethane	< 1.0	µg/L	GE
0	1,1,1-Trichloroethane	< 1.0	µg/L	MA
0	1,1,2-Trichloroethane	< 1.0	µg/L	GE
0	1,1,2-Trichloroethane	< 1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	< 1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	< 1.0	µg/L	GE
0	1,2-Dichloroethane	< 1.0	µg/L	GE
0	1,2-Dichloroethane	< 1.0	µg/L	GE
0	1,2-Dichloropropane	< 1.0	µg/L	GE
0	1,2-Dichloropropane	< 1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	< 1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	< 1.0	µg/L	GE
0	Gross alpha	< 3.0	pCi/L	GE

WELL SRW 14B collected on 02/17/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Gross alpha	< 3.0	pCi/L	GE
0	Nonvolatile beta	< 2.0	pCi/L	GE
0	Nonvolatile beta	< 2.0	pCi/L	GE
0	Total radium	1.4 ± 2.2	pCi/L	GE
0	Total radium	< 1.0	pCi/L	GE

WELL SRW 14C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/17/90
 Depth to water: Not available
 Water elevation: Not available
 Sp. conductance: 18 µS/cm
 Water evacuated before sampling: 70 gal

Time: 9:30
 pH: 8.0
 Alkalinity: 1 mg/L
 Water temperature: 17.8°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Arsenic	< 2.0	µg/L	GE
1	Benzene	1.0	µg/L	GE
0	Bromodichloromethane	< 1.0	µg/L	GE
0	Bromoform	< 1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	< 1.0	µg/L	GE
0	Cadmium	< 2.0	µg/L	GE
0	Carbon tetrachloride	< 1.0	µg/L	GE
0	Chlorobenzene	< 1.0	µg/L	GE
0	Chloroethane	< 1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	< 1.0	µg/L	GE
0	Chloroform	< 1.0	µg/L	GE
0	Chloroform	< 1.0	µg/L	MA
0	Chloromethane (Methyl chloride)	< 1.0	µg/L	GE
0	Chromium	< 4.0	µg/L	GE
0	cis-1,3-Dichloropropene	< 1.0	µg/L	GE
1	Copper	23	µg/L	GE
0	Dibromochloromethane	< 1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	< 1.0	µg/L	GE
0	Ethylbenzene	< 1.0	µg/L	GE
0	Iron	23	µg/L	GE
0	Lead	12	µg/L	GE
0	Manganese	15	µg/L	GE
0	Nitrate as nitrogen	280	µg/L	GE
0	Phenols	< 5.0	µg/L	GE
0	Silica	6980	µg/L	GE
0	Sodium	1470	µg/L	GE
0	Sulfate	< 5000	µg/L	GE
0	Tetrachloroethylene	< 1.0	µg/L	GE
0	Tetrachloroethylene	< 1.0	µg/L	MA
0	Toluene	< 1.0	µg/L	GE
0	Total organic carbon	< 1000	µg/L	GE
0	Total organic halogens	< 10	µg/L	GE
1	Total phosphates	590	µg/L	GE
0	trans-1,2-Dichloroethene	< 1.0	µg/L	GE
0	trans-1,2-Dichloroethene	< 1.0	µg/L	MA
0	trans-1,3-Dichloropropene	< 1.0	µg/L	GE
0	Trichloroethylene	< 1.0	µg/L	GE
0	Trichloroethylene	< 1.0	µg/L	MA
0	Trichlorofluoromethane	< 1.0	µg/L	GE
0	Zinc	137	µg/L	GE
0	1,1-Dichloroethane	< 1.0	µg/L	GE
0	1,1-Dichloroethylene	< 1.0	µg/L	GE
0	1,1-Dichloroethylene	< 1.0	µg/L	MA
0	1,1,1-Trichloroethane	< 1.0	µg/L	GE
0	1,1,1-Trichloroethane	< 1.0	µg/L	MA
0	1,1,2-Trichloroethane	< 1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	< 1.0	µg/L	GE
0	1,2-Dichloroethane	< 1.0	µg/L	GE
0	1,2-Dichloropropane	< 1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	< 1.0	µg/L	GE
0	Gross alpha	< 3.0	pCi/L	GE
0	Nonvolatile beta	< 2.0	pCi/L	GE
0	Total radium	< 1.0	pCi/L	GE

ANALYTICAL RESULTS

WELL SRW 15A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/18/90 Time: 9:05
 Depth to water: 111.69 ft (34.04 m) below TOC pH: 5.9
 Water elevation: 207.41 ft (63.22 m) msf Alkalinity: 3 mg/L
 Sp. conductance: 26 µS/cm Water temperature: 17.1°C
 Water evacuated before sampling: 293 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Arsenic	<2.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Copper	9.7	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Iron	46	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Manganese	8.3	µg/L	GE
0	Nitrate as nitrogen	1000	µg/L	GE
0	Phenols	<5.0	µg/L	GE
1	Silica	10400	µg/L	GE
0	Sodium	1750	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<10	µg/L	GE
1	Total phosphates	570	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Zinc	24	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	4.2 ± 1.7	pCi/L	GE
0	Total radium	1.0 ± 1.9	pCi/L	GE

WELL SRW 15B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/18/90 Time: 8:50
 Depth to water: 111.71 ft (34.05 m) below TOC pH: 5.4
 Water elevation: 207.39 ft (63.21 m) msf Alkalinity: 1 mg/L
 Sp. conductance: 17 µS/cm Water temperature: 16.9°C
 Water evacuated before sampling: 145 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Arsenic	<2.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE

WELL SRW 15B collected on 02/18/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Copper	7.3	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Iron	63	µg/L	GE
0	Lead	6.8	µg/L	GE
0	Manganese	4.4	µg/L	GE
0	Nitrate as nitrogen	<80	µg/L	GE
0	Phenols	<5.0	µg/L	GE
1	Silica	67800	µg/L	GE
0	Sodium	1500	µg/L	GE
0	Sulfate	<8000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<10	µg/L	GE
0	Total phosphates	250	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Zinc	9.9	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	3.1 ± 1.5	pCi/L	GE
0	Total radium	<1.0	pCi/L	GE

WELL SRW 15C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/18/90 Time: 9:25
 Depth to water: 109.00 ft (33.22 m) below TOC pH: 5.3
 Water elevation: 210.10 ft (64.04 m) msf Alkalinity: 1 mg/L
 Sp. conductance: 19 µS/cm Water temperature: 16.9°C
 Water evacuated before sampling: 58 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Arsenic	<2.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Copper	12	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Iron	6.5	µg/L	GE
0	Lead	6.8	µg/L	GE
0	Manganese	4.2	µg/L	GE
0	Nitrate as nitrogen	600	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Silica	6430	µg/L	GE
0	Sodium	1580	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<10	µg/L	GE
1	Total phosphates	370	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Zinc	11	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE

ANALYTICAL RESULTS

WELL SRW 160 collected on 02/18/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	4.9±1.8	pCi/L	GE
0	Total radium	1.4±2.0	pCi/L	GE

WELL SRW 16A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/18/90 Time: 11:30
 Depth to water: 134.85 ft (41.10 m) below TOC pH: 5.9
 Water elevation: 211.95 ft (64.60 m) msl Alkalinity: 37 mg/L
 Sp. conductance: 84 µS/cm Water temperature: 17.0°C
 Water evacuated before sampling: 27 gal
 The well went dry during purging.

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Arsenic	<2.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	MA
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Copper	7.1	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Iron	28	µg/L	GE
0	Iron	25	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Manganese	14	µg/L	GE
0	Nitrate as nitrogen	430	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Silica	8020	µg/L	GE
1	Sodium	10400	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	MA
0	Toluene	<1.0	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<10	µg/L	GE
1	Total phosphates	450	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	MA
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	MA
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Zinc	21	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	4.9±2.4	pCi/L	GE
0	Total radium	1.8±3.2	pCi/L	GE

WELL SRW 16B

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/18/90 Time: 11:45
 Depth to water: 134.40 ft (40.97 m) below TOC pH: 5.2
 Water elevation: 212.40 ft (64.74 m) msl Alkalinity: 1 mg/L
 Sp. conductance: 21 µS/cm Water temperature: 17.5°C
 Water evacuated before sampling: 136 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Arsenic	<2.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
1	Copper	45	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Iron	22	µg/L	GE
0	Lead	17	µg/L	GE
0	Manganese	13	µg/L	GE
0	Nitrate as nitrogen	850	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Silica	7280	µg/L	GE
0	Sodium	14	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<10	µg/L	GE
0	Total phosphates	210	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Zinc	21	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	5.4±2.5	pCi/L	GE
0	Total radium	1.7±3.1	pCi/L	GE

WELL SRW 16C

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/18/90 Time: 12:10
 Depth to water: 133.65 ft (40.74 m) below TOC pH: 5.2
 Water elevation: 212.95 ft (64.91 m) msl Alkalinity: 1 mg/L
 Sp. conductance: 20 µS/cm Water temperature: 16.9°C
 Water evacuated before sampling: 19 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Arsenic	<2.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE

ANALYTICAL RESULTS

WELL SFW 10C collected on 02/18/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	cis-1,3-Dichloropropene	< 1.0	µg/L	GE
1	Copper	57	µg/L	GE
0	Dibromochloromethane	< 1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	< 1.0	µg/L	GE
0	Ethylbenzene	< 1.0	µg/L	GE
0	Iron	29	µg/L	GE
2	Lead	30	µg/L	GE
0	Manganese	17	µg/L	GE
0	Nitrate as nitrogen	370	µg/L	GE
0	Phenols	< 5.0	µg/L	GE
0	Silica	7080	µg/L	GE
0	Sodium	1360	µg/L	GE
0	Sulfate	< 5000	µg/L	GE
0	Tetrachloroethylene	< 1.0	µg/L	GE
0	Toluene	< 1.0	µg/L	GE
0	Total organic carbon	< 1000	µg/L	GE
0	Total organic halogens	< 10	µg/L	GE
0	Total phosphates	< 50	µg/L	GE
0	trans-1,2-Dichloroethene	< 1.0	µg/L	GE
0	trans-1,3-Dichloropropene	< 1.0	µg/L	GE
0	Trichloroethylene	< 1.0	µg/L	GE
0	Trichlorofluoromethane	< 1.0	µg/L	GE
0	Zinc	38	µg/L	GE
0	1,1-Dichloroethane	< 1.0	µg/L	GE
0	1,1-Dichloroethylene	< 1.0	µg/L	GE
0	1,1,1-Trichloroethane	< 1.0	µg/L	GE
0	1,1,2-Trichloroethane	< 1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	< 1.0	µg/L	GE
0	1,2-Dichloroethane	< 1.0	µg/L	GE
0	1,2-Dichloropropane	< 1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	< 1.0	µg/L	GE
0	Gross alpha	< 3.0	pCi/L	GE
0	Nonvolatile beta	3.2 ± 1.5	pCi/L	GE
0	Total radium	< 1.0	pCi/L	GE

WELL SSS 1

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/24/90
Depth to water: 38.79 ft (11.21 m) below TOC
Water elevation: 158.11 ft (48.19 m) msl
Sp. conductance: 33 µS/cm
Water evacuated before sampling: 3 gal

Time: 9:45
pH: 4.9
Alkalinity: 1 mg/L
Water temperature: 16.7 °C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.3	pH	GE
0	pH	5.3	pH	GE
0	Specific conductance	23	µS/cm	GE
0	Specific conductance	23	µS/cm	GE
0	Arsenic	< 2.0	µg/L	GE
0	Arsenic	< 2.0	µg/L	GE
0	Barium	< 4.0	µg/L	GE
0	Barium	< 4.0	µg/L	GE
0	Cadmium	< 2.0	µg/L	GE
0	Cadmium	< 2.0	µg/L	GE
0	Calcium	1100	µg/L	GE
0	Calcium	988	µg/L	GE
0	Chloride	2400	µg/L	GE
0	Chloride	2400	µg/L	GE
0	Chromium	< 4.0	µg/L	GE
0	Chromium	< 4.0	µg/L	GE
0	Fluoride	< 100	µg/L	GE
0	Fluoride	< 100	µg/L	GE
0	Iron	14	µg/L	GE
0	Iron	14	µg/L	GE
0	Lead	< 8.0	µg/L	GE
0	Lead	< 8.0	µg/L	GE
0	Magnesium	304	µg/L	GE
0	Magnesium	288	µg/L	GE
0	Manganese	2.9	µg/L	GE
0	Manganese	2.4	µg/L	GE
0	Mercury	< 0.20	µg/L	GE
0	Mercury	< 0.20	µg/L	GE
0	Nitrate as nitrogen	1000	µg/L	GE
0	Nitrate as nitrogen	1100	µg/L	GE
0	Phenols	< 5.0	µg/L	GE
0	Phenols	< 5.0	µg/L	GE
0	Potassium	737	µg/L	GE
0	Potassium	875	µg/L	GE
0	Selenium	< 2.0	µg/L	GE
0	Selenium	< 2.0	µg/L	GE
0	Silica	8150	µg/L	GE
0	Silica	7260	µg/L	GE

WELL SSS 1 collected on 01/24/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Silver	< 2.0	µg/L	GE
0	Silver	< 2.0	µg/L	GE
0	Sodium	1820	µg/L	GE
0	Sodium	1430	µg/L	GE
0	Sulfate	< 5000	µg/L	GE
0	Sulfate	< 5000	µg/L	GE
0	Total dissolved solids	135000	µg/L	GE
0	Total dissolved solids	137000	µg/L	GE
1	Total organic carbon	5000	µg/L	GE
0	Total organic carbon	4000	µg/L	GE
0	Total organic halogens	< 5.0	µg/L	GE
0	Total organic halogens	< 5.0	µg/L	GE
0	Total phosphates	< 50	µg/L	GE
0	Total phosphates	< 50	µg/L	GE
0	Gross alpha	3.5 ± 1.5	pCi/L	GE
0	Gross alpha	4.1 ± 2.1	pCi/L	GE
0	Nonvolatile beta	8.7 ± 1.9	pCi/L	GE
1	Nonvolatile beta	12 ± 3.3	pCi/L	GE
0	Total radium	4.8 ± 5.2	pCi/L	GE
0	Total radium	2.2 ± 3.8	pCi/L	GE
0	Tritium	3.0 ± 0.40	pCi/mL	GE
0	Tritium	3.1 ± 0.40	pCi/mL	GE

WELL SSS 2

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/24/90
Depth to water: 11.87 ft (3.62 m) below TOC
Water elevation: 153.23 ft (46.71 m) msl
Sp. conductance: 38 µS/cm
Water evacuated before sampling: 7 gal

Time: 11:00
pH: 4.5
Alkalinity: 0 mg/L
Water temperature: 18.8 °C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.0	pH	GE
0	Specific conductance	27	µS/cm	GE
0	Arsenic	< 2.0	µg/L	GE
0	Barium	9.8	µg/L	GE
0	Cadmium	< 2.0	µg/L	GE
0	Calcium	888	µg/L	GE
0	Chloride	3600	µg/L	GE
0	Chromium	< 4.0	µg/L	GE
0	Fluoride	< 100	µg/L	GE
0	Iron	21	µg/L	GE
0	Lead	< 8.0	µg/L	GE
0	Magnesium	819	µg/L	GE
0	Manganese	< 2.0	µg/L	GE
0	Mercury	< 0.20	µg/L	GE
0	Nitrate as nitrogen	1100	µg/L	GE
0	Phenols	< 5.0	µg/L	GE
0	Potassium	889	µg/L	GE
0	Selenium	< 2.0	µg/L	GE
0	Silica	7430	µg/L	GE
0	Silver	< 2.0	µg/L	GE
0	Sodium	1980	µg/L	GE
0	Sulfate	< 5000	µg/L	GE
0	Total dissolved solids	35000	µg/L	GE
1	Total organic carbon	5000	µg/L	GE
0	Total organic halogens	< 5.0	µg/L	GE
0	Total phosphates	< 50	µg/L	GE
0	Gross alpha	< 3.0	pCi/L	GE
0	Nonvolatile beta	5.8 ± 2.3	pCi/L	GE
0	Total radium	< 1.0	pCi/L	GE
0	Tritium	4.9 ± 0.40	pCi/mL	GE

ANALYTICAL RESULTS

WELL SSS 3

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/24/90
Depth to water: 9.02 ft (2.75 m) below TOC
Water elevation: 154.58 ft (47.12 m) msl
Sp. conductance: 32 µS/cm
Water evacuated before sampling: 6 gal

Time: 10:20
pH: 4.7
Alkalinity: 1 mg/L
Water temperature: 15.5°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.0	pH	GE
0	Specific conductance	21	µS/cm	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	<4.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	1020	µg/L	GE
0	Chloride	1100	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	Iron	36	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	357	µg/L	GE
0	Manganese	12	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Nitrate as nitrogen	340	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Selenium	<2.0	µg/L	GE
1	Silica	29700	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	723	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Total dissolved solids	44000	µg/L	GE
1	Total organic carbon	12000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	60	µg/L	GE
0	Gross alpha	4.6±1.8	pCi/L	GE
0	Nonvolatile beta	7.8±2.0	pCi/L	GE
0	Total radium	1.5±2.4	pCi/L	GE
0	Tritium	3.0±0.40	pCi/mL	GE

WELL SSS 4

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/23/90
The well was dry.

Time: 8:55

WELL SSS 5

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/24/90
Depth to water: 53.22 ft (16.22 m) below TOC
Water elevation: 186.78 ft (56.93 m) msl
Sp. conductance: 25 µS/cm
Water evacuated before sampling: 1 gal
There was insufficient water to fill all or some sample bottles.

Time: 8:20
pH: 5.2
Alkalinity: 1 mg/L
Water temperature: 15.2°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	Total organic carbon	9000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE

WELL SSS 6

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/23/90
The well was dry.

Time: 8:30

WELL SSS 7

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/23/90
Depth to water: 64.01 ft (19.51 m) below TOC
Water elevation: 162.59 ft (49.56 m) msl
Sp. conductance: 43 µS/cm
Water evacuated before sampling: 2 gal

Time: 10:00
pH: 4.8
Alkalinity: 1 mg/L
Water temperature: 15.4°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.1	pH	GE
0	Specific conductance	27	µS/cm	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	<4.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	1110	µg/L	GE
0	Chloride	3400	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	Iron	39	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	491	µg/L	GE
0	Manganese	<2.0	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Nitrate as nitrogen	1300	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	2390	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	5380	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	2020	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Total dissolved solids	54000	µg/L	GE
1	Total organic carbon	10000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	90	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	6.5±1.9	pCi/L	GE
2	Total radium	14±5.9	pCi/L	GE
2	Total radium	5.1±3.2	pCi/L	GE
0	Tritium	3.5±0.40	pCi/mL	GE

WELL SSS 8

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/23/90
Depth to water: 49.01 ft (14.94 m) below TOC
Water elevation: 152.19 ft (46.39 m) msl
Sp. conductance: 25 µS/cm
Water evacuated before sampling: 2 gal

Time: 10:55
pH: 4.9
Alkalinity: 1 mg/L
Water temperature: 16.0°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	4.9	pH	GE
0	Specific conductance	20	µS/cm	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	<4.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	521	µg/L	GE
0	Chloride	1400	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	Iron	23	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	461	µg/L	GE
0	Manganese	<2.0	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Nitrate as nitrogen	930	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Selenium	<2.0	µg/L	GE
1	Silica	12500	µg/L	GE

ANALYTICAL RESULTS

WELL SSS 8 collected on 01/23/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Silver	<2.0	µg/L	GE
0	Sodium	1190	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Total dissolved solids	32000	µg/L	GE
1	Total organic carbon	10000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
1	Gross alpha	10±2.8	pCi/L	GE
1	Nonvolatile beta	14±2.7	pCi/L	GE
2	Total radium	5.5±3.6	pCi/L	GE
0	Tritium	4.6±0.40	pCi/mL	GE

WELL SSS 9

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/23/90 Time: 11:20
 Depth to water: 49.05 ft (14.85 m) below TOC
 Water elevation: 154.25 ft (47.02 m) msl
 Inaccessibility or pump failure prevented sample collection.

WELL SSS 10

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/23/90 Time: 18:45
 Depth to water: 75.66 ft (23.06 m) below TOC pH: 4.5
 Water elevation: 235.94 ft (71.92 m) msl Alkalinity: 0 mg/L
 Sp. conductance: 59 µS/cm Water temperature: 17.0°C
 Water evacuated before sampling: 2 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	4.8	pH	GE
0	Specific conductance	48	µS/cm	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	8.9	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	1410	µg/L	GE
0	Chloride	4600	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	Iron	23	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	879	µg/L	GE
0	Manganese	14	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Nitrate as nitrogen	2800	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	509	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	8130	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	4910	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Total dissolved solids	38000	µg/L	GE
1	Total organic carbon	17000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
1	Gross alpha	8.5±2.4	pCi/L	GE
0	Nonvolatile beta	8.9±2.1	pCi/L	GE
0	Total radium	1.0±1.5	pCi/L	GE
0	Tritium	2.4±0.40	pCi/mL	GE

WELL SSS 11

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/23/90 Time: 17:05
 The well was dry.

WELL SSS 12

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/23/90 Time: 17:15
 The well was dry.

WELL SSS 17

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/23/90 Time: 12:20
 Depth to water: 23.21 ft (7.07 m) below TOC pH: 4.5
 Water elevation: 199.49 ft (60.81 m) msl Alkalinity: 0 mg/L
 Sp. conductance: 22 µS/cm Water temperature: 18.1°C
 Water evacuated before sampling: 8 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	4.7	pH	GE
0	Specific conductance	20	µS/cm	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	248	µg/L	GE
0	Chloride	2900	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	Copper	<4.0	µg/L	GE
0	Iron	30	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	414	µg/L	GE
1	Manganese	30	µg/L	GE
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	420	µg/L	GE
0	Nitrite as nitrogen	10.0	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Silica	4530	µg/L	GE
0	Sodium	997	µg/L	GE
0	Total dissolved solids	12000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
2	Gross alpha	18±4.4	pCi/L	GE
2	Total radium	9.7±4.6	pCi/L	GE

WELL SSS 19

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/23/90 Time: 9:15
 The well was dry.

WELL SSS 20

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/24/90 Time: 8:55
 Depth to water: 74.93 ft (22.84 m) below TOC pH: 5.0
 Water elevation: 178.07 ft (54.28 m) msl Alkalinity: 1 mg/L
 Sp. conductance: 36 µS/cm Water temperature: 14.5°C
 Water evacuated before sampling: 1 gal
 There was insufficient water to fill all or some sample bottles.

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Arsenic	<2.0	µg/L	GE
0	Barium	5.3	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	1230	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	Iron	27	µg/L	GE
0	Lead	<6.0	µg/L	GE

ANALYTICAL RESULTS

WELL SSS 20 collected on 01/24/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Magnesium	1100	µg/L	GE
0	Manganese	18	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Nitrate as nitrogen	2000	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	<500	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	8990	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	1170	µg/L	GE
1	Total organic carbon	10000	µg/L	GE
1	Total organic halogens	11	µg/L	GE
0	Total phosphates	<50	µg/L	GE

WELL SSS 21

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/23/90
The well was dry.

Time: 9:35

WELL SSS 22

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/23/90
Depth to water: 52.25 ft (15.93 m) below TOC
Water elevation: 238.65 ft (72.74 m) msl
Sp. conductance: 33 µS/cm
Water evacuated before sampling: 10 gal

Time: 15:35
pH: 4.4
Alkalinity: 0 mg/L
Water temperature: 17.9°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.2	pH	GE
0	Specific conductance	30	µS/cm	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	7.5	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	1200	µg/L	GE
0	Chloride	1700	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	Iron	25	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	876	µg/L	GE
0	Manganese	18	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Nitrate as nitrogen	2000	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	1010	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	7000	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	2180	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Total dissolved solids	44000	µg/L	GE
0	Total organic carbon	1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	5.5±1.7	pCi/L	GE
2	Total radium	7.8±4.3	pCi/L	GE
0	Tritium	2.5±0.40	pCi/mL	GE

WELL SSS 23

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/23/90
Depth to water: 54.10 ft (16.49 m) below TOC
Water elevation: 248.90 ft (75.26 m) msl
Sp. conductance: 26 µS/cm
Water evacuated before sampling: 7 gal

Time: 18:05
pH: 5.2
Alkalinity: 1 mg/L
Water temperature: 17.3°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.3	pH	GE
0	Specific conductance	20	µS/cm	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	<4.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	896	µg/L	GE
0	Chloride	1800	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	Iron	23	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	290	µg/L	GE
0	Manganese	4.8	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Nitrate as nitrogen	720	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	1580	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	8860	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	1000	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Total dissolved solids	29000	µg/L	GE
1	Total organic carbon	5000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Gross alpha	3.5±2.0	pCi/L	GE
0	Nonvolatile beta	8.6±2.8	pCi/L	GE
0	Total radium	1.7±1.8	pCi/L	GE
0	Tritium	1.8±0.40	pCi/mL	GE

WELL SSS 24

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/23/90
The well was dry.

Time: 16:25

WELL SSS 25

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/23/90
Depth to water: 8.91 ft (2.11 m) below TOC
Water elevation: 198.29 ft (59.83 m) msl
Sp. conductance: 94 µS/cm
Water evacuated before sampling: 17 gal

Time: 13:55
pH: 8.0
Alkalinity: 24 mg/L
Water temperature: 19.2°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	8.2	pH	GE
0	Specific conductance	88	µS/cm	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	39	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	2000	µg/L	GE
0	Chloride	7700	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
2	Iron	6820	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	958	µg/L	GE
2	Manganese	538	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Nitrate as nitrogen	80	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	1240	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	8410	µg/L	GE
0	Silver	<2.0	µg/L	GE

ANALYTICAL RESULTS

WELL SSS 25 collected on 01/23/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
1	Sodium	7340	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Total dissolved solids	41000	µg/L	GE
0	Total organic carbon	2000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	7.8±2.6	pCi/L	GE
0	Total radium	1.1±1.6	pCi/L	GE
0	Tritium	5.4±0.40	pCi/mL	GE

WELL SSS 26

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/23/90
 Depth to water: 20.76 ft (6.33 m) below TOC
 Water elevation: 193.84 ft (59.08 m) msl
 Sp. conductance: 56 µS/cm
 Water evacuated before sampling: 10 gal

Time: 13:20
 pH: 4.7
 Alkalinity: 0 mg/L
 Water temperature: 18.9°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.0	pH	GE
0	Specific conductance	47	µS/cm	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	<4.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	268	µg/L	GE
0	Chloride	7300	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	Iron	35	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	353	µg/L	GE
0	Manganese	<2.0	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Nitrate as nitrogen	870	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	729	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	2020	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	6620	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Total dissolved solids	35000	µg/L	GE
0	Total organic carbon	1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	7.2±2.5	pCi/L	GE
0	Total radium	1.2±1.6	pCi/L	GE
0	Tritium	6.4±0.40	pCi/mL	GE

WELL SSS 27

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 01/23/90
 Depth to water: 39.37 ft (12.00 m) below TOC
 Water elevation: 174.43 ft (53.17 m) msl
 Sp. conductance: 36 µS/cm
 Water evacuated before sampling: 9 gal

Time: 14:40
 pH: 4.3
 Alkalinity: 0 mg/L
 Water temperature: 19.3°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	4.7	pH	GE
0	Specific conductance	25	µS/cm	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	4.2	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	316	µg/L	GE
0	Chloride	2100	µg/L	GE
0	Chromium	<4.0	µg/L	GF
0	Fluoride	<100	µg/L	GE
0	Iron	43	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	489	µg/L	GE
0	Manganese	4.2	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Nitrate as nitrogen	1300	µg/L	GE

WELL SSS 27 collected on 01/23/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Phenols	<5.0	µg/L	GE
0	Potassium	512	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	4270	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	1580	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Total dissolved solids	21000	µg/L	GE
0	Total organic carbon	1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Gross alpha	4.9±2.3	pCi/L	GE
0	Nonvolatile beta	7.2±2.6	pCi/L	GE
0	Total radium	1.6±1.9	pCi/L	GE
0	Tritium	1.5±0.30	pCi/mL	GE

WELL TBG 1

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/10/90
 Depth to water: 51.30 ft (15.64 m) below TOC
 Water elevation: 99.90 ft (30.45 m) msl
 Sp. conductance: 108 µS/cm
 Water evacuated before sampling: 29 gal

Time: 11:45
 pH: 5.1
 Alkalinity: 6 mg/L
 Water temperature: 21.8°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.6	pH	MT
1	Specific conductance	108	µS/cm	MT
0	Arsenic	<3.0	µg/L	MT
1	Barium	87	µg/L	MT
0	Benzene	<5.0	µg/L	MT
0	Bromodichloromethane	<5.0	µg/L	MT
0	Bromoform	<5.0	µg/L	MT
0	Bromomethane (Methyl bromide)	<10	µg/L	MT
0	Cadmium	<3.0	µg/L	MT
0	Calcium	2740	µg/L	MT
2	Carbon tetrachloride	14	µg/L	MT
0	Chloride	5300	µg/L	MT
0	Chlorobenzene	<5.0	µg/L	MT
0	Chloroethane	<10	µg/L	MT
0	Chloroform	<5.0	µg/L	MT
0	Chloromethane (Methyl chloride)	<10	µg/L	MT
2	Chromium	31	µg/L	MT
0	cis-1,3-Dichloropropene	<5.0	µg/L	MT
0	Dibromochloromethane	<5.0	µg/L	MT
0	Dichloromethane (Methylene chloride)	<5.0	µg/L	MT
0	Ethylbenzene	<5.0	µg/L	MT
0	Fluoride	<250	µg/L	MT
0	Iron	135	µg/L	MT
0	Lead	3.5	µg/L	MT
0	Magnesium	2090	µg/L	MT
2	Manganese	111	µg/L	MT
0	Mercury	<0.20	µg/L	MT
0	Phenols	<5.0	µg/L	MT
0	Potassium	2690	µg/L	MT
0	Selenium	<3.0	µg/L	MT
1	Silica	11500	µg/L	MT
0	Silver	<2.0	µg/L	MT
1	Sodium	7090	µg/L	MT
0	Sulfate	2300	µg/L	MT
0	Tetrachloroethylene	<5.0	µg/L	MT
0	Toluene	<5.0	µg/L	MT
0	Total dissolved solids	80000	µg/L	MT
0	Total organic carbon	<1000	µg/L	MT
2	Total organic halogens	45	µg/L	MT
2	Total organic halogens	36	µg/L	MT
0	Total phosphates	<10	µg/L	MT
0	trans-1,2-Dichloroethene	<5.0	µg/L	MT
0	trans-1,3-Dichloropropene	<5.0	µg/L	MT
0	Trichloroethylene	<5.0	µg/L	MT
0	Trichlorofluoromethane	<5.0	µg/L	MT
0	1,1-Dichloroethane	<5.0	µg/L	MT
0	1,1-Dichloroethylene	<5.0	µg/L	MT
0	1,1,1-Trichloroethane	<5.0	µg/L	MT
0	1,1,2-Trichloroethane	<5.0	µg/L	MT
0	1,1,2,2-Tetrachloroethane	<5.0	µg/L	MT
0	1,2-Dichloroethane	<5.0	µg/L	MT
0	1,2-Dichloropropane	<5.0	µg/L	MT
0	2-Chloroethyl vinyl ether	<5.0	µg/L	MT
0	Americium-241	<0.20	pCi/L	TE
1	Americium-243	1.9±0.70	pCi/L	TE
0	Barium-140	<10	pCi/L	TE
0	Beryllium-7	<30	pCi/L	TE

ANALYTICAL RESULTS

WELL TBG 1 collected on 03/10/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Cerium-141	<7.0	pCi/L	TE
0	Cerium-144	<20	pCi/L	TE
0	Cesium-134	<3.0	pCi/L	TE
0	Cesium-137	<3.0	pCi/L	TE
0	Cobalt-58	<3.0	pCi/L	TE
0	Cobalt-60	<3.0	pCi/L	TE
0	Curium-242	<0.20	pCi/L	TE
1	Curium-243/244	0.40±0.20	pCi/L	TE
1	Curium-248	5.0±1.1	pCi/L	TE
0	Gross alpha	4.1±2.1	pCi/L	MT
0	Iodine-131	<20	pCi/L	TE
0	Iron-59	<7.0	pCi/L	TE
0	Manganese-54	<3.0	pCi/L	TE
0	Nonvolatile beta	7.8±3.7	pCi/L	MT
0	Plutonium-238	<0.20	pCi/L	TE
0	Plutonium-239/240	<0.20	pCi/L	TE
0	Plutonium-242	<0.20	pCi/L	TE
0	Potassium-40	<40	pCi/L	TE
0	Radium-226	<80	pCi/L	TE
1	Radium-228	3.0±1.0	pCi/L	TE
0	Radium-228	<3.0	pCi/L	TE
0	Ruthenium-103	<4.0	pCi/L	TE
0	Ruthenium-108	<30	pCi/L	TE
0	Strontium-89	<3.0	pCi/L	TE
0	Strontium-90	<2.0	pCi/L	TE
0	Thorium-228	<5.0	pCi/L	TE
0	Thorium-228	<0.80	pCi/L	TE
1	Thorium-230	0.70±0.40	pCi/L	TE
0	Thorium-232	<0.10	pCi/L	TE
2	Total radium	5.8±0.60	pCi/L	MT
0	Tritium	2.8±0.30	pCi/mL	MT
1	Uranium-234	0.80±0.40	pCi/L	TE
0	Uranium-235	<0.10	pCi/L	TE
0	Uranium-238	<0.10	pCi/L	TE
0	Zinc-65	<8.0	pCi/L	TE
0	Zirconium-95	<4.0	pCi/L	TE

WELL TBG 3

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/11/90
 Depth to water: 49.08 ft (14.95 m) below TOC
 Water elevation: 102.14 ft (31.13 m) msl
 Sp. conductance: 250 µS/cm
 Water evacuated before sampling: 8 gal
 The well went dry during purging.

Time: 10:10
 pH: 4.1
 Alkalinity: 0 mg/L
 Water temperature: 21.2°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	4.5	pH	MT
1	Specific conductance	234	µS/cm	MT
0	Arsenic	<3.0	µg/L	MT
1	Barium	219	µg/L	MT
0	Benzene	<5.0	µg/L	MT
0	Bromodichloromethane	<5.0	µg/L	MT
0	Bromoform	<5.0	µg/L	MT
0	Bromomethane (Methyl bromide)	<10	µg/L	MT
0	Cadmium	<3.0	µg/L	MT
0	Calcium	6280	µg/L	MT
2	Carbon tetrachloride	330	µg/L	MT
0	Chloride	3500	µg/L	MT
0	Chlorobenzene	<5.0	µg/L	MT
0	Chloroethane	<10	µg/L	MT
1	Chloroform	6.0	µg/L	MT
0	Chloromethane (Methyl chloride)	<10	µg/L	MT
1	Chromium	22	µg/L	MT
0	cis-1,3-Dichloropropene	<5.0	µg/L	MT
0	Dibromochloromethane	<5.0	µg/L	MT
0	Dichloromethane (Methylene chloride)	<5.0	µg/L	MT
0	Ethylbenzene	<5.0	µg/L	MT
0	Fluoride	250	µg/L	MT
2	Iron	1010	µg/L	MT
0	Lead	<3.0	µg/L	MT
0	Magnesium	3970	µg/L	MT
2	Manganese	879	µg/L	MT
1	Mercury	0.60	µg/L	MT
1	Phenols	14	µg/L	MT
0	Potassium	3330	µg/L	MT
0	Selenium	<3.0	µg/L	MT
1	Silica	14200	µg/L	MT
0	Silver	<2.0	µg/L	MT
1	Sodium	22200	µg/L	MT
0	Sulfate	<1000	µg/L	MT
0	Tetrachloroethylene	<5.0	µg/L	MT
0	Toluene	<5.0	µg/L	MT

WELL TBG 3 collected on 03/11/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Total dissolved solids	122000	µg/L	MT
0	Total organic carbon	<1000	µg/L	MT
2	Total organic halogens	321	µg/L	MT
1	Total phosphates	370	µg/L	MT
0	trans-1,2-Dichloroethene	<5.0	µg/L	MT
0	trans-1,3-Dichloropropene	<5.0	µg/L	MT
2	Trichloroethylene	280	µg/L	MT
0	Trichlorofluoromethane	<5.0	µg/L	MT
0	1,1-Dichloroethane	<5.0	µg/L	MT
0	1,1-Dichloroethylene	<5.0	µg/L	MT
0	1,1,1-Trichloroethane	<5.0	µg/L	MT
0	1,1,2-Trichloroethane	<5.0	µg/L	MT
0	1,1,2,2-Tetrachloroethane	<5.0	µg/L	MT
0	1,2-Dichloroethane	<5.0	µg/L	MT
0	1,2-Dichloropropane	<5.0	µg/L	MT
0	2-Chloroethyl vinyl ether	<5.0	µg/L	MT
0	Americium-241	<0.40	pCi/L	TE
0	Americium-243	<0.20	pCi/L	TE
0	Barium-140	<10	pCi/L	TE
0	Beryllium-7	<50	pCi/L	TE
0	Cerium-141	<10	pCi/L	TE
0	Cerium-144	<40	pCi/L	TE
0	Cesium-134	<5.0	pCi/L	TE
0	Cesium-137	<5.0	pCi/L	TE
0	Cobalt-58	<5.0	pCi/L	TE
0	Cobalt-60	<5.0	pCi/L	TE
0	Curium-242	<0.10	pCi/L	TE
0	Curium-243/244	<0.40	pCi/L	TE
0	Curium-248	<0.10	pCi/L	TE
2	Gross alpha	21±4.0	pCi/L	MT
0	Iodine-131	<30	pCi/L	TE
0	Iron-59	<10	pCi/L	TE
0	Manganese-54	<4.0	pCi/L	TE
1	Nonvolatile beta	24±4.0	pCi/L	MT
0	Plutonium-238	<0.30	pCi/L	TE
0	Plutonium-239/240	<0.20	pCi/L	TE
0	Plutonium-242	<0.10	pCi/L	TE
0	Potassium-40	<80	pCi/L	TE
0	Radium-226	<100	pCi/L	TE
1	Radium-228	14±1.0	pCi/L	TE
0	Radium-228	<4.0	pCi/L	TE
0	Ruthenium-103	<8.0	pCi/L	TE
0	Ruthenium-108	<40	pCi/L	TE
0	Strontium-89	<5.0	pCi/L	TE
0	Strontium-90	<0.90	pCi/L	TE
1	Thorium-228	15±4.0	pCi/L	TE
0	Thorium-228	<10	pCi/L	TE
1	Thorium-230	1.1±1.0	pCi/L	TE
0	Thorium-232	<0.40	pCi/L	TE
2	Total radium	22±3.0	pCi/L	MT
0	Tritium	2.8±0.30	pCi/mL	MT
1	Uranium-234	1.4±0.50	pCi/L	TE
0	Uranium-235	<0.10	pCi/L	TE
1	Uranium-238	0.90±0.50	pCi/L	TE
0	Zinc-65	<9.0	pCi/L	TE
0	Zirconium-95	<5.0	pCi/L	TE

WELL TBG 4

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/10/90
 Depth to water: 49.61 ft (15.12 m) below TOC
 Water elevation: 101.69 ft (31.00 m) msl
 Sp. conductance: 445 µS/cm
 Water evacuated before sampling: 34 gal

Time: 12:45
 pH: 3.8
 Alkalinity: 0 mg/L
 Water temperature: 22.0°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	4.1	pH	MT
1	Specific conductance	441	µS/cm	MT
0	Arsenic	<3.0	µg/L	MT
1	Barium	374	µg/L	MT
0	Benzene	<5.0	µg/L	MT
0	Bromodichloromethane	<5.0	µg/L	MT
0	Bromoform	<5.0	µg/L	MT
0	Bromomethane (Methyl bromide)	<10	µg/L	MT
0	Cadmium	<3.0	µg/L	MT
0	Calcium	9880	µg/L	MT
2	Carbon tetrachloride	470	µg/L	MT
0	Chloride	4300	µg/L	MT
0	Chlorobenzene	<5.0	µg/L	MT
0	Chloroethane	<10	µg/L	MT
1	Chloroform	8.0	µg/L	MT
0	Chloromethane (Methyl chloride)	<10	µg/L	MT

ANALYTICAL RESULTS

WELL TBG 4 collected on 03/10/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Chromium	<3.0	µg/L	MT
0	cis-1,3-Dichloropropene	<5.0	µg/L	MT
0	Dibromochloromethane	<5.0	µg/L	MT
0	Dichloromethane (Methylene chloride)	<5.0	µg/L	MT
0	Ethylbenzene	<5.0	µg/L	MT
0	Fluoride	350	µg/L	MT
0	Iron	31	µg/L	MT
0	Lead	<3.0	µg/L	MT
1	Magnesium	7320	µg/L	MT
2	Manganese	588	µg/L	MT
2	Mercury	3.1	µg/L	MT
0	Phenols	<5.0	µg/L	MT
0	Potassium	3410	µg/L	MT
0	Selenium	<3.0	µg/L	MT
1	Silica	12200	µg/L	MT
0	Silver	<2.0	µg/L	MT
1	Sodium	42000	µg/L	MT
0	Sulfate	<1000	µg/L	MT
2	Tetrachloroethylene	32	µg/L	MT
0	Toluene	<5.0	µg/L	MT
0	Total dissolved solids	233000	µg/L	MT
0	Total organic carbon	<1000	µg/L	MT
2	Total organic halogens	881	µg/L	MT
0	Total phosphates	36	µg/L	MT
0	trans-1,2-Dichloroethene	<5.0	µg/L	MT
0	trans-1,3-Dichloropropene	<5.0	µg/L	MT
2	Trichloroethylene	590	µg/L	MT
0	Trichlorofluoromethane	<5.0	µg/L	MT
0	1,1-Dichloroethane	<5.0	µg/L	MT
0	1,1-Dichloroethylene	<5.0	µg/L	MT
0	1,1,1-Trichloroethane	<5.0	µg/L	MT
0	1,1,2-Trichloroethane	<5.0	µg/L	MT
0	1,1,2,2-Tetrachloroethane	<5.0	µg/L	MT
0	1,2-Dichloroethane	<5.0	µg/L	MT
0	1,2-Dichloropropane	<5.0	µg/L	MT
0	2-Chloroethyl vinyl ether	<5.0	µg/L	MT
0	Americium-241	<0.60	pCi/L	TE
0	Americium-243	<0.50	pCi/L	TE
0	Barium-140	<10	pCi/L	TE
0	Beryllium-7	<40	pCi/L	TE
0	Cerium-141	<10	pCi/L	TE
0	Cerium-144	<30	pCi/L	TE
0	Cesium-134	<4.0	pCi/L	TE
0	Cesium-137	<4.0	pCi/L	TE
0	Cobalt-58	<4.0	pCi/L	TE
0	Cobalt-60	<4.0	pCi/L	TE
0	Curium-242	<0.70	pCi/L	TE
0	Curium-243/244	<0.80	pCi/L	TE
0	Curium-246	<0.10	pCi/L	TE
2	Gross alpha	28±5.0	pCi/L	MT
0	Iodine-131	<30	pCi/L	TE
0	Iron-59	<9.0	pCi/L	TE
0	Manganese-54	<4.0	pCi/L	TE
1	Nonvolatile beta	32±5.0	pCi/L	MT
0	Plutonium-238	<0.90	pCi/L	TE
0	Plutonium-239/240	<0.60	pCi/L	TE
0	Plutonium-242	<0.30	pCi/L	TE
0	Potassium-40	<80	pCi/L	TE
0	Radium-226	<90	pCi/L	TE
1	Radium-228	20±2.0	pCi/L	TE
1	Radium-228	14±4.0	pCi/L	TE
0	Ruthenium-103	<5.0	pCi/L	TE
0	Ruthenium-106	<30	pCi/L	TE
0	Strontium-89	<5.0	pCi/L	TE
0	Strontium-90	<2.0	pCi/L	TE
0	Thorium-228	<7.0	pCi/L	TE
0	Thorium-232	<4.0	pCi/L	TE
1	Thorium-230	3.7±2.0	pCi/L	TE
0	Thorium-232	<0.40	pCi/L	TE
2	Total radium	43±5.0	pCi/L	MT
0	Tritium	2.7±0.30	pCi/mL	MT
1	Uranium-234	0.60±0.30	pCi/L	TE
0	Uranium-235	<0.20	pCi/L	TE
1	Uranium-238	1.1±0.40	pCi/L	TE
0	Zinc-65	<8.0	pCi/L	TE
0	Zirconium-95	<4.0	pCi/L	TE

WELL TBG 5

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/11/90
 Depth to water: 47.87 ft (14.53 m) below TOC
 Water elevation: 101.73 ft (31.01 m) msl
 Sp. conductance: 131 µS/cm
 Water evacuated before sampling: 8 gal
 The well went dry during purging.

Time: 9:50
 pH: 5.2
 Alkalinity: 3 mg/L
 Water temperature: 20.7°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.8	pH	MT
0	pH	5.8	pH	MT
1	Specific conductance	114	µS/cm	MT
1	Specific conductance	114	µS/cm	MT
0	Arsenic	<3.0	µg/L	MT
0	Barium	30	µg/L	MT
0	Benzene	<5.0	µg/L	MT
0	Bromodichloromethane	<5.0	µg/L	MT
0	Bromofom	<5.0	µg/L	MT
0	Bromomethane (Methyl bromide)	<10	µg/L	MT
0	Cadmium	<3.0	µg/L	MT
1	Calcium	11100	µg/L	MT
2	Carbon tetrachloride	J 4.0	µg/L	MT
0	Chloride	3900	µg/L	MT
0	Chlorobenzene	<5.0	µg/L	MT
0	Chloroethane	<10	µg/L	MT
1	Chloroform	J 2.0	µg/L	MT
0	Chloromethane (Methyl chloride)	<10	µg/L	MT
2	Chromium	105	µg/L	MT
0	cis-1,3-Dichloropropene	<5.0	µg/L	MT
0	Dibromochloromethane	<5.0	µg/L	MT
0	Dichloromethane (Methylene chloride)	<5.0	µg/L	MT
0	Ethylbenzene	<5.0	µg/L	MT
0	Fluoride	260	µg/L	MT
2	Iron	342	µg/L	MT
0	Lead	<3.0	µg/L	MT
0	Magnesium	1960	µg/L	MT
2	Manganese	114	µg/L	MT
0	Mercury	<0.20	µg/L	MT
0	Phenols	<5.0	µg/L	MT
0	Potassium	1820	µg/L	MT
0	Selenium	<3.0	µg/L	MT
1	Silica	11600	µg/L	MT
0	Silver	<2.0	µg/L	MT
1	Sodium	6850	µg/L	MT
0	Sulfate	8400	µg/L	MT
0	Tetrachloroethylene	<5.0	µg/L	MT
0	Toluene	<5.0	µg/L	MT
0	Total dissolved solids	78000	µg/L	MT
0	Total dissolved solids	75000	µg/L	MT
0	Total organic carbon	<1000	µg/L	MT
2	Total organic halogens	1770	µg/L	MT
1	Total phosphates	1370	µg/L	MT
0	trans-1,2-Dichloroethene	<5.0	µg/L	MT
0	trans-1,3-Dichloropropene	<5.0	µg/L	MT
2	Trichloroethylene	3500	µg/L	MT
0	Trichlorofluoromethane	<5.0	µg/L	MT
0	1,1-Dichloroethane	<5.0	µg/L	MT
0	1,1,1-Trichloroethane	J 3.0	µg/L	MT
0	1,1,2-Trichloroethane	<5.0	µg/L	MT
0	1,1,2,2-Tetrachloroethane	<5.0	µg/L	MT
0	1,2-Dichloroethane	<5.0	µg/L	MT
0	1,2-Dichloropropane	<5.0	µg/L	MT
0	2-Chloroethyl vinyl ether	<5.0	µg/L	MT
0	Americium-241	<0.60	pCi/L	TE
0	Americium-243	<0.70	pCi/L	TE
0	Barium-140	<9.0	pCi/L	TE
0	Beryllium-7	<30	pCi/L	TE
0	Cerium-141	<7.0	pCi/L	TE
0	Cerium-144	<20	pCi/L	TE
0	Cesium-134	<2.0	pCi/L	TE
0	Cesium-137	<3.0	pCi/L	TE
0	Cobalt-58	<3.0	pCi/L	TE
0	Cobalt-60	<3.0	pCi/L	TE
0	Curium-242	<0.30	pCi/L	TE
0	Curium-243/244	<0.70	pCi/L	TE
0	Curium-246	<0.20	pCi/L	TE
0	Gross alpha	<2.0	pCi/L	MT
0	Iodine-131	<10	pCi/L	TE
0	Iron-59	<7.0	pCi/L	TE
0	Manganese-54	<3.0	pCi/L	TE
0	Nonvolatile beta	5.3±3.3	pCi/L	MT
0	Plutonium-238	<0.20	pCi/L	TE
0	Plutonium-239/240	<0.20	pCi/L	TE
0	Plutonium-242	<0.10	pCi/L	TE
0	Potassium-40	<40	pCi/L	TE

ANALYTICAL RESULTS

WELL TBG 5 collected on 03/11/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Radium-226	<60	pCi/L	TE
1	Radium-226	2.4±0.90	pCi/L	TE
0	Radium-228	<3.0	pCi/L	TE
0	Ruthenium-103	<3.0	pCi/L	TE
0	Ruthenium-106	<20	pCi/L	TE
0	Strontium-89	<4.0	pCi/L	TE
0	Strontium-90	<1.0	pCi/L	TE
0	Thorium-228	<5.0	pCi/L	TE
1	Thorium-228	0.90±0.40	pCi/L	TE
1	Thorium-230	0.30±0.20	pCi/L	TE
0	Thorium-232	<0.10	pCi/L	TE
0	Total radium	1.6±0.30	pCi/L	MT
0	Total radium	2.2±0.50	pCi/L	MT
1	Tritium	12±2.0	pCi/mL	MT
0	Uranium-234	<0.10	pCi/L	TE
0	Uranium-235	<0.10	pCi/L	TE
0	Uranium-238	<0.10	pCi/L	TE
0	Zinc-65	<6.0	pCi/L	TE
0	Zirconium-95	<3.0	pCi/L	TE

WELL TBG 6

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/11/90 Time: 9:25
 Depth to water: 45.80 ft (13.96 m) below TOC pH: 4.9
 Water elevation: 102.30 ft (31.18 m) msl Alkalinity: 1 mg/L
 Sp. conductance: 204 µS/cm Water temperature: 20.2°C
 Water evacuated before sampling: 9 gal
 The well went dry during purging.

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.0	pH	MT
1	Specific conductance	207	µS/cm	MT
0	Arsenic	<3.0	µg/L	MT
1	Barium	80	µg/L	MT
0	Benzene	<5.0	µg/L	MT
0	Bromodichloromethane	<5.0	µg/L	MT
0	Bromoform	<5.0	µg/L	MT
0	Bromomethane (Methyl bromide)	<10	µg/L	MT
0	Cadmium	<3.0	µg/L	MT
1	Calcium	11300	µg/L	MT
2	Carbon tetrachloride	50	µg/L	MT
0	Chloride	8100	µg/L	MT
0	Chlorobenzene	<5.0	µg/L	MT
0	Chloroethane	<10	µg/L	MT
1	Chloroform	1.0	µg/L	MT
0	Chloromethane (Methyl chloride)	<10	µg/L	MT
2	Chromium	29	µg/L	MT
0	cis-1,3-Dichloropropene	<5.0	µg/L	MT
0	Dibromochloromethane	<5.0	µg/L	MT
0	Dichloromethane (Methylene chloride)	<5.0	µg/L	MT
0	Ethylbenzene	<5.0	µg/L	MT
0	Fluoride	300	µg/L	MT
2	Iron	848	µg/L	MT
0	Lead	<3.0	µg/L	MT
0	Magnesium	2540	µg/L	MT
2	Manganese	110	µg/L	MT
0	Mercury	<0.20	µg/L	MT
0	Phenols	<5.0	µg/L	MT
0	Potassium	2690	µg/L	MT
0	Selenium	<3.0	µg/L	MT
1	Silica	13700	µg/L	MT
0	Silver	<2.0	µg/L	MT
1	Sodium	16700	µg/L	MT
0	Sulfate	1500	µg/L	MT
0	Tetrachloroethylene	<5.0	µg/L	MT
0	Toluene	<5.0	µg/L	MT
0	Total dissolved solids	130000	µg/L	MT
0	Total organic carbon	<1000	µg/L	MT
2	Total organic halogens	258	µg/L	MT
1	Total phosphates	307	µg/L	MT
0	trans-1,2-Dichloroethene	<5.0	µg/L	MT
0	trans-1,3-Dichloropropene	<5.0	µg/L	MT
2	Trichloroethylene	350	µg/L	MT
0	Trichlorofluoromethane	<5.0	µg/L	MT
0	1,1-Dichloroethane	<5.0	µg/L	MT
0	1,1-Dichloroethylene	<5.0	µg/L	MT
0	1,1,1-Trichloroethane	<5.0	µg/L	MT
0	1,1,2-Trichloroethane	<5.0	µg/L	MT
0	1,1,2,2-Tetrachloroethane	<5.0	µg/L	MT
0	1,2-Dichloroethane	<5.0	µg/L	MT
0	1,2-Dichloropropane	<5.0	µg/L	MT
0	2-Chloroethyl vinyl ether	<5.0	µg/L	MT
1	Americium-241	1.5±0.50	pCi/L	TE

WELL TBG 6 collected on 03/11/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Americium-243	<0.40	pCi/L	TE
0	Barium-140	<10	pCi/L	TE
0	Beryllium-7	<30	pCi/L	TE
0	Cerium-141	<8.0	pCi/L	TE
0	Cerium-144	<30	pCi/L	TE
0	Cesium-134	<3.0	pCi/L	TE
0	Cesium-137	<3.0	pCi/L	TE
0	Cobalt-58	<3.0	pCi/L	TE
0	Cobalt-60	<3.0	pCi/L	TE
0	Curium-242	<0.20	pCi/L	TE
0	Curium-243/244	<0.50	pCi/L	TE
0	Curium-246	<0.10	pCi/L	TE
0	Gross alpha	<3.0	pCi/L	MT
0	Iodine-131	<20	pCi/L	TE
0	Iron-59	<8.0	pCi/L	TE
0	Manganese-54	<3.0	pCi/L	TE
1	Nonvolatile beta	11±4.0	pCi/L	MT
0	Plutonium-238	<0.10	pCi/L	TE
0	Plutonium-239/240	<0.090	pCi/L	TE
0	Plutonium-242	<0.000	pCi/L	TE
0	Potassium-40	<50	pCi/L	TE
0	Radium-226	<70	pCi/L	TE
1	Radium-226	5.9±1.4	pCi/L	TE
1	Radium-228	4.2±1.7	pCi/L	TE
0	Ruthenium-103	<4.0	pCi/L	TE
0	Ruthenium-106	<30	pCi/L	TE
0	Strontium-89	<5.0	pCi/L	TE
0	Strontium-90	<2.0	pCi/L	TE
0	Thorium-228	<6.0	pCi/L	TE
0	Thorium-226	<3.0	pCi/L	TE
1	Thorium-230	2.3±1.5	pCi/L	TE
0	Thorium-232	<0.10	pCi/L	TE
2	Total radium	7.9±0.80	pCi/L	MT
0	Tritium	4.3±0.50	pCi/mL	MT
1	Uranium-234	0.80±0.30	pCi/L	TE
0	Uranium-235	<0.10	pCi/L	TE
0	Uranium-238	<0.10	pCi/L	TE
0	Zinc-65	<6.0	pCi/L	TE
0	Zirconium-95	<4.0	pCi/L	TE

WELL TBG 7

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/10/90 Time: 9:40
 Depth to water: 42.62 ft (12.99 m) below TOC pH: 6.0
 Water elevation: 104.18 ft (31.75 m) msl Alkalinity: 13 mg/L
 Sp. conductance: 55 µS/cm Water temperature: 21.2°C
 Water evacuated before sampling: 66 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	6.2	pH	MT
0	pH	6.0	pH	GE
0	Specific conductance	56	µS/cm	MT
0	Specific conductance	55	µS/cm	GE
0	Arsenic	<3.0	µg/L	MT
0	Arsenic	<2.0	µg/L	GE
0	Barium	11	µg/L	MT
0	Barium	11	µg/L	GE
0	Benzene	<5.0	µg/L	MT
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<5.0	µg/L	MT
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<5.0	µg/L	MT
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<10	µg/L	MT
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<3.0	µg/L	MT
0	Cadmium	<2.0	µg/L	GE
0	Calcium	5680	µg/L	MT
0	Calcium	5910	µg/L	GE
0	Carbon tetrachloride	<5.0	µg/L	MT
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	1900	µg/L	MT
0	Chloride	1800	µg/L	GE
0	Chlorobenzene	<5.0	µg/L	MT
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<10	µg/L	MT
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<5.0	µg/L	MT
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<10	µg/L	MT
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE

ANALYTICAL RESULTS

WELL TBG 7 collected on 03/10/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
2	Chromium	156	µg/L	MT
1	Chromium	4.3	µg/L	GE
0	cis-1,3-Dichloropropene	<5.0	µg/L	MT
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Dibromochloromethane	<5.0	µg/L	MT
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<5.0	µg/L	MT
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<5.0	µg/L	MT
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<250	µg/L	MT
0	Fluoride	<100	µg/L	GE
2	Iron	549	µg/L	MT
0	Iron	34	µg/L	GE
0	Lead	<3.0	µg/L	MT
0	Lead	<6.0	µg/L	GE
0	Magnesium	519	µg/L	MT
0	Magnesium	478	µg/L	GE
0	Manganese	<2.0	µg/L	MT
0	Manganese	<2.0	µg/L	GE
0	Mercury	<0.20	µg/L	MT
0	Mercury	<0.20	µg/L	GE
0	Nitrate as nitrogen	800	µg/L	GE
0	Phenols	<5.0	µg/L	MT
0	Phenols	<5.0	µg/L	GE
0	Potassium	<1620	µg/L	MT
0	Potassium	883	µg/L	GE
0	Selenium	<3.0	µg/L	MT
0	Selenium	<2.0	µg/L	GE
0	Silica	8460	µg/L	GE
0	Silica	8650	µg/L	MT
0	Silver	<2.0	µg/L	MT
0	Silver	<2.0	µg/L	GE
0	Sodium	2750	µg/L	MT
0	Sodium	2940	µg/L	GE
0	Sulfate	3700	µg/L	MT
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<5.0	µg/L	MT
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<5.0	µg/L	MT
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	24000	µg/L	MT
0	Total dissolved solids	37000	µg/L	GE
0	Total organic carbon	<1000	µg/L	MT
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	MT
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	30	µg/L	MT
0	Total phosphates	<50	µg/L	GE
0	trans-1,2-Dichloroethene	<5.0	µg/L	MT
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<5.0	µg/L	MT
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<5.0	µg/L	MT
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<5.0	µg/L	MT
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<5.0	µg/L	MT
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<5.0	µg/L	MT
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<5.0	µg/L	MT
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<5.0	µg/L	MT
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<5.0	µg/L	MT
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<5.0	µg/L	MT
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<5.0	µg/L	MT
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<5.0	µg/L	MT
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<5.0	µg/L	MT
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Americium-241	0.20 ± 0.10	pCi/L	TE
0	Americium-243	<0.10	pCi/L	TE
0	Barium-140	<20	pCi/L	TE
0	Beryllium-7	<60	pCi/L	TE
0	Cerium-141	<20	pCi/L	TE
0	Cerium-144	<40	pCi/L	TE
0	Cesium-134	<6.0	pCi/L	TE
0	Cesium-137	<6.0	pCi/L	TE
0	Cobalt-58	<6.0	pCi/L	TE
0	Cobalt-60	<6.0	pCi/L	TE
0	Curium-242	<0.10	pCi/L	TE
0	Curium-243/244	<0.10	pCi/L	TE
1	Curium-246	0.50 ± 0.10	pCi/L	TE
0	Gross alpha	<2.0	pCi/L	MT
0	Gross alpha	<3.0	pCi/L	GE
0	Iodine-131	<50	pCi/L	TE

WELL TBG 7 collected on 03/10/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Iron-59	<10	pCi/L	TE
0	Manganese-54	<5.0	pCi/L	TE
0	Nonvolatile beta	<6.0	pCi/L	MT
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Plutonium-238	<0.10	pCi/L	TE
0	Plutonium-238/240	<0.050	pCi/L	TE
0	Plutonium-241	<0.050	pCi/L	TE
0	Potassium-41	<60	pCi/L	TE
0	Radium-226	<100	pCi/L	TE
0	Radium-228	<1.0	pCi/L	TE
0	Radium-228	<2.0	pCi/L	TE
0	Ruthenium-103	<6.0	pCi/L	TE
0	Ruthenium-106	<50	pCi/L	TE
0	Strontium-89	<3.0	pCi/L	TE
0	Strontium-90	<1.0	pCi/L	TE
0	Thorium-228	<10	pCi/L	TE
0	Thorium-228	<4.0	pCi/L	TE
1	Thorium-230	1.4 ± 1.0	pCi/L	TE
0	Thorium-232	<0.40	pCi/L	TE
0	Total radium	<1.0	pCi/L	MT
0	Total radium	1.5 ± 2.1	pCi/L	GE
0	Tritium	2.9 ± 0.30	pCi/mL	MT
0	Tritium	2.7 ± 0.30	pCi/mL	MT
0	Tritium	3.4 ± 0.40	pCi/mL	GE
0	Uranium-234	<0.10	pCi/L	TE
0	Uranium-235	<0.10	pCi/L	TE
0	Uranium-238	<0.10	pCi/L	TE
0	Zinc-65	<10	pCi/L	TE
0	Zirconium-95	<6.0	pCi/L	TE

WELL TBG 7

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/10/90 Time: 9:40
 Depth to water: 42.62 ft (12.99 m) below TOC pH: 6.0
 Water elevation: 104.18 ft (31.75 m) msl Alkalinity: 13 mg/L
 Sp. conductance: 55 µS/cm Water temperature: 21.2°C
 Water evacuated before sampling: 66 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	6.2	pH	MT
0	pH	5.7	pH	GE
0	Specific conductance	58	µS/cm	MT
0	Specific conductance	54	µS/cm	GE
0	Arsenic	<3.0	µg/L	MT
0	Arsenic	<2.0	µg/L	GE
0	Barium	13	µg/L	MT
0	Barium	11	µg/L	GE
0	Benzene	<5.0	µg/L	MT
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<5.0	µg/L	MT
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<5.0	µg/L	MT
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<10	µg/L	MT
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<3.0	µg/L	MT
0	Cadmium	<2.0	µg/L	GE
0	Calcium	5960	µg/L	MT
0	Calcium	5970	µg/L	GE
0	Carbon tetrachloride	<5.0	µg/L	MT
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	1900	µg/L	MT
0	Chloride	1900	µg/L	GE
0	Chlorobenzene	<5.0	µg/L	MT
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<10	µg/L	MT
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<5.0	µg/L	MT
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<10	µg/L	MT
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<3.0	µg/L	MT
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<5.0	µg/L	MT
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Dibromochloromethane	<5.0	µg/L	MT
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<5.0	µg/L	MT
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<5.0	µg/L	MT
0	Ethylbenzene	<1.0	µg/L	GE

ANALYTICAL RESULTS

WELL TBG 7 collected on 03/10/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Fluoride	<250	µg/L	MT
0	Fluoride	<100	µg/L	GE
0	Iron	38	µg/L	MT
0	Iron	25	µg/L	GE
0	Lead	<3.0	µg/L	MT
0	Lead	<6.0	µg/L	GE
0	Magnesium	549	µg/L	MT
0	Magnesium	486	µg/L	GE
0	Manganese	<2.0	µg/L	MT
0	Manganese	<2.0	µg/L	GE
0	Mercury	<0.20	µg/L	MT
0	Mercury	<0.20	µg/L	GE
0	Nitrate as nitrogen	890	µg/L	GE
0	Phenols	<5.0	µg/L	MT
0	Phenols	<5.0	µg/L	GE
0	Potassium	<1620	µg/L	MT
0	Potassium	908	µg/L	GE
0	Selenium	<3.0	µg/L	MT
0	Selenium	<2.0	µg/L	GE
0	Silica	9700	µg/L	GE
1	Silica	11100	µg/L	MT
0	Silver	<2.0	µg/L	MT
0	Silver	<2.0	µg/L	GE
0	Sodium	2900	µg/L	MT
0	Sodium	3090	µg/L	GE
0	Sulfate	3700	µg/L	MT
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<5.0	µg/L	MT
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<5.0	µg/L	MT
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	23000	µg/L	MT
0	Total dissolved solids	51000	µg/L	GE
0	Total organic carbon	<1000	µg/L	MT
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	5.6	µg/L	MT
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	28	µg/L	MT
0	Total phosphates	<50	µg/L	GE
0	trans-1,2-Dichloroethene	<5.0	µg/L	MT
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<5.0	µg/L	MT
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<5.0	µg/L	MT
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<5.0	µg/L	MT
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<5.0	µg/L	MT
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<5.0	µg/L	MT
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<5.0	µg/L	MT
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<5.0	µg/L	MT
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<5.0	µg/L	MT
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<5.0	µg/L	MT
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<5.0	µg/L	MT
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<5.0	µg/L	MT
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Gross alpha	<2.0	pCi/L	MT
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	<5.0	pCi/L	MT
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Total radium	<1.0	pCi/L	MT
0	Total radium	<1.0	pCi/L	GE
0	Tritium	2.6±0.30	pCi/mL	MT
0	Tritium	3.3±0.40	pCi/mL	GE

WELL TNX 1D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/06/90 Time: 14:35
 Depth to water: 58.99 ft (17.37 m) below TOC pH: 6.5
 Water elevation: 99.51 ft (30.33 m) msl Alkalinity: 31 mg/L
 Sp. conductance: 88 µS/cm Water temperature: 22.2°C
 Water evacuated before sampling: 57 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
1	pH	6.5	pH	GE
0	Specific conductance	88	µS/cm	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	7.8	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	3880	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	3200	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	31	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	280	µg/L	GE
1	Manganese	26	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nitrate as nitrogen	90	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	735	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	8170	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	8540	µg/L	GE
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	158000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	6.0	µg/L	GE
0	Total phosphates	210	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.080	µg/L	GE
0	Americium-241	<0.10	pCi/L	TE
0	Americium-243	<0.10	pCi/L	TE
0	Barium-140	<20	pCi/L	TE
0	Beryllium-7	<40	pCi/L	TE
0	Cerium-141	<10	pCi/L	TE
0	Cerium-144	<20	pCi/L	TE
0	Cesium-134	<4.0	pCi/L	TE
0	Cesium-137	<4.0	pCi/L	TE
0	Cobalt-58	<4.0	pCi/L	TE
0	Cobalt-60	<3.0	pCi/L	TE
1	Curium-242	0.62±0.27	pCi/L	TE
1	Curium-243/244	2.9±0.60	pCi/L	TE
0	Curium-246	<0.10	pCi/L	TE
0	Gross alpha	<3.0	pCi/L	GE
0	Iodine-131	<40	pCi/L	TE
0	Iron-59	<9.0	pCi/L	TE
0	Manganese-54	<3.0	pCi/L	TE

ANALYTICAL RESULTS

WELL TNX 1D collected on 03/06/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Neptunium-237	<7.0	pCi/L	TE
0	Nonvolatile beta	2.7 ± 3.5	pCi/L	GE
0	Plutonium-238	<0.10	pCi/L	TE
0	Plutonium-239/240	<0.070	pCi/L	TE
1	Plutonium-242	0.085 ± 0.055	pCi/L	TE
0	Potassium-40	<50	pCi/L	TE
0	Radium-226	<70	pCi/L	TE
0	Radium-228	<1.0	pCi/L	TE
0	Radium-228	<2.0	pCi/L	TE
0	Ruthenium-103	<5.0	pCi/L	TE
0	Ruthenium-106	<30	pCi/L	TE
0	Strontium-89	<4.0	pCi/L	TE
0	Strontium-90	<1.0	pCi/L	TE
0	Thorium-228	<7.0	pCi/L	TE
0	Thorium-228	<0.010	pCi/L	TE
1	Thorium-230	1.3 ± 0.20	pCi/L	TE
1	Thorium-232	0.24 ± 0.070	pCi/L	TE
1	Total activity	0.49 ± 1.0	pCi/mL	EM
0	Total radium	<1.0	pCi/L	GE
0	Tritium	<0.70	pCi/mL	GE
1	Uranium-234	1.2 ± 0.50	pCi/L	TE
0	Uranium-235	<0.090	pCi/L	TE
0	Uranium-238	<0.090	pCi/L	TE
0	Zinc-65	<8.0	pCi/L	TE
0	Zirconium-95	<5.0	pCi/L	TE

WELL TNX 2D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/07/90
 Depth to water: 56.45 ft (17.21 m) below TOC
 Water elevation: 96.65 ft (30.07 m) msl
 Sp. conductance: 100 µS/cm
 Water evacuated before sampling: 52 gal

Time: 12:20
 pH: 8.1
 Alkalinity: 27 mg/L
 Water temperature: 18.9°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	8.3	pH	GE
0	Specific conductance	92	µS/cm	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	10	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	4670	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	2900	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	47	µg/L	GE
0	Lead	<8.0	µg/L	GE
0	Magnesium	371	µg/L	GE
2	Manganese	67	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nitrate as nitrogen	390	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	1180	µg/L	GE
0	Selenium	<2.0	µg/L	GE
1	Silica	10100	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	12400	µg/L	GE
1	Sulfate	11800	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	84000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE

WELL TNX 2D collected on 03/07/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropene	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
1	Americium-241	0.56 ± 0.54	pCi/L	TE
0	Americium-243	<0.20	pCi/L	TE
0	Barium-140	<20	pCi/L	TE
0	Beryllium-7	<70	pCi/L	TE
0	Cerium-141	<20	pCi/L	TE
0	Cerium-144	<40	pCi/L	TE
0	Cesium-134	<8.0	pCi/L	TE
0	Cesium-137	<8.0	pCi/L	TE
0	Cobalt-58	<8.0	pCi/L	TE
0	Cobalt-60	<8.0	pCi/L	TE
1	Curium-242	0.55 ± 0.24	pCi/L	TE
0	Curium-243/244	<0.40	pCi/L	TE
0	Curium-246	<0.20	pCi/L	TE
0	Gross alpha	<3.0	pCi/L	GE
0	Iodine-131	<60	pCi/L	TE
0	Iron-59	<10	pCi/L	TE
0	Manganese-54	<5.0	pCi/L	TE
0	Neptunium-237	<10	pCi/L	TE
0	Nonvolatile beta	<2.0	pCi/L	GE
1	Plutonium-238	4.5 ± 0.30	pCi/L	TE
0	Plutonium-239/240	<0.050	pCi/L	TE
0	Plutonium-242	<0.050	pCi/L	TE
0	Potassium-40	<90	pCi/L	TE
0	Radium-226	<100	pCi/L	TE
0	Radium-228	<1.0	pCi/L	TE
0	Radium-228	<2.0	pCi/L	TE
0	Ruthenium-103	<8.0	pCi/L	TE
0	Ruthenium-106	<50	pCi/L	TE
0	Strontium-89	<3.0	pCi/L	TE
0	Strontium-90	<1.0	pCi/L	TE
0	Thorium-228	<10	pCi/L	TE
0	Thorium-228	<0.020	pCi/L	TE
0	Thorium-230	<0.020	pCi/L	TE
1	Thorium-232	0.38 ± 0.11	pCi/L	TE
1	Total activity	1.8 ± 1.0	pCi/mL	EM
0	Total radium	2.0 ± 3.5	pCi/L	GE
0	Tritium	<0.70	pCi/mL	GE
1	Uranium-234	0.59 ± 0.48	pCi/L	TE
0	Uranium-235	<0.10	pCi/L	TE
0	Uranium-238	<0.30	pCi/L	TE
0	Zinc-65	<10	pCi/L	TE
0	Zirconium-95	<7.0	pCi/L	TE

WELL TNX 3D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/07/90
 Depth to water: 55.05 ft (16.78 m) below TOC
 Water elevation: 99.25 ft (30.25 m) msl
 Sp. conductance: 140 µS/cm
 Water evacuated before sampling: 8 gal
 The well went dry during purging.

Time: 14:40
 pH: 8.2
 Alkalinity: 22 mg/L
 Water temperature: 12.1°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	8.9	pH	GE
0	Specific conductance	87	µS/cm	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	40	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	7980	µg/L	GE
2	Carbon tetrachloride	70	µg/L	GE
0	Chloride	3700	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
1	Chloroform	4.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE

ANALYTICAL RESULTS

WELL TNX 3D collected on 03/07/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dibromomethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	48	µg/L	GE
0	Lead	<8.0	µg/L	GE
0	Magnesium	617	µg/L	GE
2	Manganese	281	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
1	Nitrate as nitrogen	8640	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	2560	µg/L	GE
0	Selenium	<2.0	µg/L	GE
1	Silica	10900	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	12200	µg/L	GE
0	Sulfate	<5000	µg/L	GE
2	Tetrachloroethylene	12	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	104000	µg/L	GE
0	Total organic carbon	2000	µg/L	GE
2	Total organic halogens	143	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
2	Trichloroethylene	150	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Americium-241	<0.20	pCi/L	TE
0	Americium-243	<0.20	pCi/L	TE
0	Barium-140	<20	pCi/L	TE
0	Beryllium-7	<50	pCi/L	TE
0	Cerium-141	<10	pCi/L	TE
0	Cerium-144	<40	pCi/L	TE
0	Cesium-134	<4.0	pCi/L	TE
0	Cesium-137	<5.0	pCi/L	TE
0	Cobalt-58	<5.0	pCi/L	TE
0	Cobalt-60	<5.0	pCi/L	TE
0	Curium-242	<0.30	pCi/L	TE
0	Curium-243/244	<0.30	pCi/L	TE
0	Curium-246	<0.20	pCi/L	TE
0	Gross alpha	<3.0	pCi/L	GE
0	Iodine-131	<50	pCi/L	TE
0	Iron-59	<10	pCi/L	TE
0	Manganese-54	<4.0	pCi/L	TE
0	Neptunium-237	<10	pCi/L	TE
0	Nonvolatile beta	5.3±3.8	pCi/L	GE
0	Plutonium-238	<0.090	pCi/L	TE
0	Plutonium-239/240	<0.060	pCi/L	TE
1	Plutonium-242	0.063±0.049	pCi/L	TE
0	Potassium-40	<90	pCi/L	TE
0	Radium-226	<100	pCi/L	TE
0	Radium-228	<1.0	pCi/L	TE
0	Radium-228	<2.0	pCi/L	TE
0	Ruthenium-103	<7.0	pCi/L	TE
0	Ruthenium-106	<40	pCi/L	TE
0	Strontium-89	<8.0	pCi/L	TE
0	Strontium-90	<5.0	pCi/L	TE
0	Thorium-228	<9.0	pCi/L	TE
0	Thorium-230	<0.010	pCi/L	TE
1	Thorium-232	20±1.0	pCi/L	TE
1	Thorium-232	0.14±0.11	pCi/L	TE
1	Total activity	4.0±1.1	pCi/mL	EM
0	Total radium	2.0±2.3	pCi/L	GE
0	Tritium	3.4±0.40	pCi/mL	GE
1	Uranium-234	1.8±0.80	pCi/L	TE
0	Uranium-235	<0.10	pCi/L	TE
1	Uranium-238	1.1±0.50	pCi/L	TE
0	Zinc-65	<9.0	pCi/L	TE
0	Zirconium-95	<5.0	pCi/L	TE

WELL TNX 4D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/07/90 Time: 15:25
 Depth to water: 48.23 ft (14.70 m) below TOO pH: 5.1
 Water elevation: 101.57 ft (30.96 m) ms Alkalinity: 2 mg/L
 Sp. conductance: 107 µS/cm Water temperature: 17.5°C
 Water evacuated before sampling: 10 gal
 The well went dry during purging.

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.5	pH	GE
0	Specific conductance	90	µS/cm	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	19	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	8820	µg/L	GE
2	Carbon tetrachloride	26	µg/L	GE
0	Chloride	4400	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
1	Chloroform	2.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	200	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	100	µg/L	GE
0	Lead	<8.0	µg/L	GE
0	Magnesium	998	µg/L	GE
1	Manganese	40	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
1	Nitrate as nitrogen	8800	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	1800	µg/L	GE
0	Selenium	<2.0	µg/L	GE
1	Silica	11800	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	7160	µg/L	GE
0	Sulfate	<5000	µg/L	GE
2	Tetrachloroethylene	16	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	154000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
2	Total organic halogens	32	µg/L	GE
0	Total phosphates	150	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
1	Trichloroethylene	2.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
1	Americium-241	0.98±0.63	pCi/L	TE
0	Americium-243	<0.20	pCi/L	TE
0	Barium-140	<20	pCi/L	TE
0	Beryllium-7	<40	pCi/L	TE
0	Cerium-141	<10	pCi/L	TE
0	Cerium-144	<30	pCi/L	TE
0	Cesium-134	<3.0	pCi/L	TE
0	Cesium-137	<3.0	pCi/L	TE
0	Cobalt-58	<4.0	pCi/L	TE
0	Cobalt-60	<3.0	pCi/L	TE
0	Curium-242	<0.20	pCi/L	TE
0	Curium-243/244	<0.40	pCi/L	TE
0	Curium-246	<0.20	pCi/L	TE
0	Gross alpha	4.8±2.8	pCi/L	GE
0	Iodine-131	<40	pCi/L	TE
0	Iron-59	<8.0	pCi/L	TE
0	Manganese-54	<3.0	pCi/L	TE

ANALYTICAL RESULTS

WELL TNX 4D collected on 03/07/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Neptunium-237	<8.0	pCi/L	TE
0	Nonvolatile beta	5.9±3.9	pCi/L	GE
0	Plutonium-238	<0.10	pCi/L	TE
0	Plutonium-239/240	<0.070	pCi/L	TE
1	Plutonium-242	0.053±0.048	pCi/L	TE
0	Potassium-40	<50	pCi/L	TE
0	Radium-226	<70	pCi/L	TE
1	Radium-226	4.4±0.70	pCi/L	TE
0	Radium-228	<3.0	pCi/L	TE
0	Ruthenium-103	<5.0	pCi/L	TE
0	Ruthenium-106	<30	pCi/L	TE
0	Strontium-89	<3.0	pCi/L	TE
0	Strontium-90	<1.0	pCi/L	TE
0	Thorium-228	<6.0	pCi/L	TE
0	Thorium-232	<0.030	pCi/L	TE
1	Thorium-230	1.1±0.30	pCi/L	TE
1	Thorium-232	0.33±0.12	pCi/L	TE
1	Total activity	10±1.2	pCi/mL	EM
1	Total radium	4.6±2.9	pCi/L	GE
1	Tritium	12±0.50	pCi/mL	GE
1	Uranium-234	3.1±1.9	pCi/L	TE
0	Uranium-235	<0.50	pCi/L	TE
0	Uranium-238	<0.50	pCi/L	TE
0	Zinc-65	<8.0	pCi/L	TE
0	Zirconium-95	<4.0	pCi/L	TE

WELL TNX 5D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/07/90
Depth to water: 46.35 ft (14.13 m) below TOC
Water elevation: 102.95 ft (31.38 m) msl
Sp. conductance: 147 µS/cm
Water evacuated before sampling: 5 gal
The well went dry during purging.

Time: 14:15
pH: 6.2
Alkalinity: 21 mg/L
Water temperature: 17.1°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.5	pH	GE
1	Specific conductance	104	µS/cm	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	26	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
1	Calcium	12400	µg/L	GE
2	Carbon tetrachloride	3.0	µg/L	GE
0	Chloride	8700	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	130	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	82	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	1220	µg/L	GE
2	Manganese	77	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
1	Nitrate as nitrogen	3920	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	1830	µg/L	GE
0	Selenium	<2.0	µg/L	GE
1	Silica	11900	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	7290	µg/L	GE
1	Sulfate	18700	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	102000	µg/L	GE
0	Total organic carbon	1000	µg/L	GE
1	Total organic halogens	17	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE

WELL TNX 5D collected on 03/07/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Americium-241	<0.20	pCi/L	TE
0	Americium-243	<0.20	pCi/L	TE
0	Barium-140	<20	pCi/L	TE
0	Beryllium-7	<40	pCi/L	TE
0	Cerium-141	<10	pCi/L	TE
0	Cerium-144	<30	pCi/L	TE
0	Cesium-134	<4.0	pCi/L	TE
0	Cesium-137	<4.0	pCi/L	TE
0	Cobalt-58	<4.0	pCi/L	TE
0	Cobalt-60	<4.0	pCi/L	TE
0	Curium-242	<0.20	pCi/L	TE
0	Curium-243/244	<0.30	pCi/L	TE
0	Curium-246	<0.20	pCi/L	TE
0	Gross alpha	4.8±2.7	pCi/L	GE
0	Iodine-131	<40	pCi/L	TE
0	Iron-59	<8.0	pCi/L	TE
0	Manganese-54	<4.0	pCi/L	TE
0	Neptunium-237	<8.0	pCi/L	TE
0	Nonvolatile beta	3.0±3.8	pCi/L	GE
0	Plutonium-238	<0.10	pCi/L	TE
0	Plutonium-239/240	<0.080	pCi/L	TE
0	Plutonium-242	<0.090	pCi/L	TE
0	Potassium-40	<60	pCi/L	TE
0	Radium-226	<80	pCi/L	TE
1	Radium-226	1.5±0.80	pCi/L	TE
0	Radium-228	<2.0	pCi/L	TE
0	Ruthenium-103	<6.0	pCi/L	TE
0	Ruthenium-106	<30	pCi/L	TE
0	Strontium-89	<4.0	pCi/L	TE
0	Strontium-90	<1.0	pCi/L	TE
0	Thorium-228	<7.0	pCi/L	TE
1	Thorium-228	37±1.0	pCi/L	TE
1	Thorium-230	63±2.0	pCi/L	TE
1	Thorium-232	3.8±0.40	pCi/L	TE
1	Total activity	3.1±1.0	pCi/mL	EM
0	Total radium	2.1±2.3	pCi/L	GE
0	Tritium	1.7±0.30	pCi/mL	GE
1	Uranium-234	0.91±0.51	pCi/L	TE
0	Uranium-235	<0.10	pCi/L	TE
0	Uranium-238	<0.20	pCi/L	TE
0	Zinc-65	<7.0	pCi/L	TE
0	Zirconium-95	<4.0	pCi/L	TE

WELL TNX 6D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/07/90
Depth to water: 47.12 ft (14.38 m) below TOC
Water elevation: 103.38 ft (31.51 m) msl
Sp. conductance: 205 µS/cm
Water evacuated before sampling: 7 gal
The well went dry during purging.

Time: 15:05
pH: 6.2
Alkalinity: 35 mg/L
Water temperature: 18.2°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.8	pH	GE
1	Specific conductance	164	µS/cm	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	22	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
1	Calcium	17200	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	8600	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE

ANALYTICAL RESULTS

WELL TNX 8D collected on 03/07/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	120	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	<4.0	µg/L	GE
0	Lead	<8.0	µg/L	GE
0	Magnesium	1180	µg/L	GE
2	Manganese	100	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
1	Nitrate as nitrogen	7380	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	1350	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	9120	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	10300	µg/L	GE
1	Sulfate	38700	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	142000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	130	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Americium-241	<0.20	pCi/L	TE
0	Americium-243	<0.20	pCi/L	TE
0	Barium-140	<20	pCi/L	TE
0	Beryllium-7	<40	pCi/L	TE
0	Cerium-141	<10	pCi/L	TE
0	Cerium-144	<30	pCi/L	TE
0	Cesium-134	<3.0	pCi/L	TE
0	Cesium-137	<4.0	pCi/L	TE
0	Cobalt-58	<4.0	pCi/L	TE
0	Cobalt-60	<4.0	pCi/L	TE
0	Curium-242	<0.10	pCi/L	TE
1	Curium-243/244	1.6 ± 0.80	pCi/L	TE
0	Curium-248	<0.20	pCi/L	TE
0	Gross alpha	<3.0	pCi/L	GE
0	Iodine-131	<40	pCi/L	TE
0	Iron-59	<9.0	pCi/L	TE
0	Manganese-54	<4.0	pCi/L	TE
0	Neptunium-237	<8.0	pCi/L	TE
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Plutonium-238	<0.10	pCi/L	TE
0	Plutonium-239/240	<0.040	pCi/L	TE
1	Plutonium-242	0.097 ± 0.057	pCi/L	TE
0	Potassium-40	<50	pCi/L	TE
0	Radium-226	<8r	pCi/L	TE
0	Radium-228	<1.0	pCi/L	TE
1	Radium-228	1.6 ± 1.1	pCi/L	TE
0	Ruthenium-103	<5.0	pCi/L	TE
0	Ruthenium-106	<30	pCi/L	TE
0	Strontium-89	<3.0	pCi/L	TE
0	Strontium-90	<1.0	pCi/L	TE
0	Thorium-228	<7.0	pCi/L	TE
0	Thorium-228	<0.010	pCi/L	TE
1	Thorium-230	11 ± 1.0	pCi/L	TE
1	Thorium-232	0.23 ± 0.080	pCi/L	TE
1	Total activity	3.1 ± 1.0	pCi/mL	EM
1	Total radium	3.3 ± 2.6	pCi/L	GE
0	Tritium	2.5 ± 0.40	pCi/mL	GE
0	Uranium-234	<0.10	pCi/L	TE
0	Uranium-235	<0.070	pCi/L	TE
0	Uranium-238	<0.10	pCi/L	TE
0	Zinc-65	<7.0	pCi/L	TE
0	Zirconium-95	<5.0	pCi/L	TE

WELL TNX 7D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/08/90 Time: 15:35
 Depth to water: 50.82 ft (15.49 m) below TOC pH: 5.9
 Water elevation: 100.08 ft (30.50 m) msl Alkalinity: 24 mg/L
 Sp. conductance: 100 µS/cm Water temperature: 21.6°C
 Water evacuated before sampling: 43 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	8.2	pH	GE
0	Specific conductance	80	µS/cm	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	4.8	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	719	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	2500	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
1	Iron	177	µg/L	GE
0	Lead	<8.0	µg/L	GE
0	Magnesium	137	µg/L	GE
1	Manganese	32	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nitrate as nitrogen	90	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	813	µg/L	GE
0	Selenium	<2.0	µg/L	GE
1	Silica	12100	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	17100	µg/L	GE
1	Sulfate	10300	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	103000	µg/L	GE
0	Total organic carbon	1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Americium-241	<0.30	pCi/L	TE
0	Americium-243	<0.20	pCi/L	TE
0	Barium-140	<20	pCi/L	TE
0	Beryllium-7	<40	pCi/L	TE
0	Cerium-141	<10	pCi/L	TE
0	Cerium-144	<40	pCi/L	TE
0	Cesium-134	<4.0	pCi/L	TE
0	Cesium-137	<4.0	pCi/L	TE
0	Cobalt-58	<4.0	pCi/L	TE
0	Cobalt-60	<4.0	pCi/L	TE
0	Curium-242	<0.20	pCi/L	TE
1	Curium-243/244	1.6 ± 1.0	pCi/L	TE
0	Curium-248	<0.20	pCi/L	TE
0	Gross alpha	<3.0	pCi/L	GE
0	Iodine-131	<40	pCi/L	TE
0	Iron-59	<10	pCi/L	TE
0	Manganese-54	<3.0	pCi/L	TE

ANALYTICAL RESULTS

WELL TNX 7D collected on 03/06/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Neptunium-237	<8.0	pCi/L	TE
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Plutonium-238	<0.20	pCi/L	TE
0	Plutonium-239/240	<0.070	pCi/L	TE
0	Plutonium-242	<0.040	pCi/L	TE
0	Potassium-40	<80	pCi/L	TE
0	Radium-226	<100	pCi/L	TE
0	Radium-228	<1.0	pCi/L	TE
0	Radium-228	<2.0	pCi/L	TE
0	Ruthenium-103	<8.0	pCi/L	TE
0	Ruthenium-106	<30	pCi/L	TE
0	Strontium-89	<4.0	pCi/L	TE
0	Strontium-90	<1.0	pCi/L	TE
0	Thorium-228	<8.0	pCi/L	TE
0	Thorium-228	<0.010	pCi/L	TE
1	Thorium-230	7.7 ± 0.50	pCi/L	TE
1	Thorium-232	0.48 ± 0.13	pCi/L	TE
1	Total activity	0.55 ± 0.98	pCi/mL	EM
1	Total radium	4.2 ± 4.1	pCi/L	GE
0	Tritium	<0.70	pCi/mL	GE
0	Uranium-234	<0.080	pCi/L	TE
0	Uranium-235	<0.040	pCi/L	TE
0	Uranium-238	<0.070	pCi/L	TE
0	Zinc-65	<7.0	pCi/L	TE
0	Zirconium-95	<5.0	pCi/L	TE

WELL TNX 8D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/06/90
Depth to water: 5.06 ft (1.54 m) below TOC
Water elevation: 95.24 ft (29.03 m) msl
Sp. conductance: 165 µS/cm
Water evacuated before sampling: 56 gal

Time: 11:20
pH: 5.2
Alkalinity: 1 mg/L
Water temperature: 18.3°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.4	pH	GE
1	Specific conductance	159	µS/cm	GE
0	Arsenic	<2.0	µg/L	GE
1	Barium	89	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	7880	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	6600	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	40	µg/L	GE
0	Lead	<8.0	µg/L	GE
0	Magnesium	1810	µg/L	GE
1	Manganese	30	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
2	Nitrate as nitrogen	12400	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	1440	µg/L	GE
0	Selenium	<2.0	µg/L	GE
1	Silica	11400	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	14900	µg/L	GE
0	Sulfate	8800	µg/L	GE
2	Tetrachloroethylene	17	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	120000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
1	Total organic halogens	15	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE

WELL TNX 8D collected on 03/06/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
1	Americium-241	0.30 ± 0.27	pCi/L	TE
0	Americium-243	<0.20	pCi/L	TE
0	Barium-140	<30	pCi/L	TE
0	Beryllium-7	<80	pCi/L	TE
0	Cerium-141	<20	pCi/L	TE
0	Cerium-144	<60	pCi/L	TE
0	Cesium-134	<7.0	pCi/L	TE
0	Cesium-137	<7.0	pCi/L	TE
0	Cobalt-58	<8.0	pCi/L	TE
0	Cobalt-60	<8.0	pCi/L	TE
1	Curium-242	0.57 ± 0.49	pCi/L	TE
0	Curium-243/244	<0.50	pCi/L	TE
0	Curium-246	<0.20	pCi/L	TE
0	Gross alpha	<3.0	pCi/L	GE
0	Iodine-131	<80	pCi/L	TE
0	Iron-59	<20	pCi/L	TE
0	Manganese-54	<7.0	pCi/L	TE
0	Neptunium-237	<10	pCi/L	TE
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Plutonium-238	<0.10	pCi/L	TE
0	Plutonium-239/240	<0.080	pCi/L	TE
0	Plutonium-242	<0.050	pCi/L	TE
0	Potassium-40	<200	pCi/L	TE
0	Radium-226	<100	pCi/L	TE
0	Radium-228	<1.0	pCi/L	TE
0	Radium-228	<1.0	pCi/L	TE
0	Ruthenium-103	<10	pCi/L	TE
0	Ruthenium-106	<60	pCi/L	TE
0	Strontium-89	<4.0	pCi/L	TE
0	Strontium-90	<1.0	pCi/L	TE
0	Thorium-228	<10	pCi/L	TE
0	Thorium-228	<0.020	pCi/L	TE
1	Thorium-230	11 ± 1.0	pCi/L	TE
1	Thorium-232	0.17 ± 0.070	pCi/L	TE
1	Total activity	5.1 ± 1.1	pCi/mL	EM
0	Total radium	<1.0	pCi/L	GE
0	Tritium	4.7 ± 0.40	pCi/mL	GE
1	Uranium-234	1.1 ± 0.60	pCi/L	TE
0	Uranium-235	<0.20	pCi/L	TE
0	Uranium-238	<0.20	pCi/L	TE
0	Zinc-65	<10	pCi/L	TE
0	Zirconium-95	<9.0	pCi/L	TE

WELL TNX 9D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/06/90
Depth to water: 6.47 ft (1.97 m) below TOC
Water elevation: 95.23 ft (29.03 m) msl
Sp. conductance: 137 µS/cm
Water evacuated before sampling: 65 gal

Time: 11:55
pH: 5.0
Alkalinity: 0 mg/L
Water temperature: 18.4°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.2	pH	GE
1	Specific conductance	134	µS/cm	GE
1	Arsenic	2.9	µg/L	GE
0	Barium	46	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	8140	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	4300	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE

ANALYTICAL RESULTS

WELL TNX 9D collected on 03/06/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
2	Iron	708	µg/L	GE
0	Lead	<8.0	µg/L	GE
0	Magnesium	1200	µg/L	GE
1	Manganese	39	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nitrate as nitrogen	1290	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	1240	µg/L	GE
0	Selenium	<2.0	µg/L	GE
1	Silica	15500	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	8830	µg/L	GE
1	Sulfate	48400	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	131000	µg/L	GE
0	Total organic carbon	1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	70	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Americium-241	<0.40	pCi/L	TE
1	Americium-243	0.39±0.37	pCi/L	TE
0	Barium-140	<20	pCi/L	TE
0	Beryllium-7	<40	pCi/L	TE
0	Cerium-141	<8.0	pCi/L	TE
0	Cerium-144	<20	pCi/L	TE
0	Cesium-134	<4.0	pCi/L	TE
0	Cesium-137	<4.0	pCi/L	TE
0	Cobalt-58	<4.0	pCi/L	TE
0	Cobalt-60	<4.0	pCi/L	TE
0	Curium-242	<0.20	pCi/L	TE
0	Curium-243/244	<0.50	pCi/L	TE
0	Curium-246	<0.30	pCi/L	TE
2	Gross alpha	23±4.2	pCi/L	GE
0	Iodine-131	<40	pCi/L	TE
0	Iron-59	<10	pCi/L	TE
0	Manganese-54	<3.0	pCi/L	TE
0	Neptunium-237	<7.0	pCi/L	TE
0	Nonvolatile beta	5.3±2.8	pCi/L	GE
0	Plutonium-238	<0.10	pCi/L	TE
0	Plutonium-239/240	<0.050	pCi/L	TE
0	Plutonium-242	<0.030	pCi/L	TE
0	Potassium-40	<50	pCi/L	TE
0	Radium-226	<70	pCi/L	TE
0	Radium-226	<1.0	pCi/L	TE
0	Radium-228	<2.0	pCi/L	TE
0	Ruthenium-103	<5.0	pCi/L	TE
0	Ruthenium-106	<30	pCi/L	TE
0	Strontium-89	<4.0	pCi/L	TE
0	Strontium-90	<1.0	pCi/L	TE
0	Thorium-228	<8.0	pCi/L	TE
0	Thorium-228	<0.010	pCi/L	TE
1	Thorium-230	3.3±0.30	pCi/L	TE
1	Thorium-232	0.16±0.070	pCi/L	TE
1	Total activity	1.7±1.0	pCi/mL	EM
0	Total radium	<1.0	pCi/L	GE
0	Tritium	1.0±0.30	pCi/mL	GE
1	Uranium-234	0.65±0.58	pCi/L	TE
0	Uranium-235	<0.20	pCi/L	TE
0	Uranium-238	<0.20	pCi/L	TE
0	Zinc-65	<8.0	pCi/L	TE
0	Zirconium-95	<4.0	pCi/L	TE

WELL TNX 10D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/06/90
 Depth to water: 7.10 ft (2.16 m) below TOC
 Water elevation: 95.20 ft (29.02 m) msl
 Sp. conductance: 147 µS/cm
 Water evacuated before sampling: 48 gal

Time: 12:30
 pH: 4.3
 Alkalinity: 0 mg/L
 Water temperature: 18.7°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	4.5	pH	GE
1	Specific conductance	147	µS/cm	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	42	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	4180	µg/L	GE
2	Carbon tetrachloride	58	µg/L	GE
0	Chloride	5500	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
1	Chloroform	5.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	58	µg/L	GE
0	Lead	8.8	µg/L	GE
0	Magnesium	1280	µg/L	GE
2	Manganese	112	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
1	Nitrate as nitrogen	9200	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	969	µg/L	GE
0	Selenium	<2.0	µg/L	GE
1	Silica	10900	µg/L	GE
0	Silver	<2.0	µg/L	GE
1	Sodium	11900	µg/L	GE
1	Sulfate	13800	µg/L	GE
1	Tetrachloroethylene	4.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	294000	µg/L	GE
0	Total organic carbon	1000	µg/L	GE
2	Total organic halogens	332	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
2	Trichloroethylene	442	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Americium-241	<0.20	pCi/L	TE
0	Americium-243	<0.20	pCi/L	TE
0	Barium-140	<20	pCi/L	TE
0	Beryllium-7	<30	pCi/L	TE
0	Cerium-141	<8.0	pCi/L	TE
0	Cerium-144	<20	pCi/L	TE
0	Cesium-134	<3.0	pCi/L	TE
0	Cesium-137	<3.0	pCi/L	TE
0	Cobalt-58	<4.0	pCi/L	TE
0	Cobalt-60	<3.0	pCi/L	TE
0	Curium-242	<0.20	pCi/L	TE
0	Curium-243/244	<0.40	pCi/L	TE
0	Curium-246	<0.20	pCi/L	TE
0	Gross alpha	3.8±1.8	pCi/L	GE
0	Iodine-131	<40	pCi/L	TE
0	Iron-59	<8.0	pCi/L	TE
0	Manganese-54	<3.0	pCi/L	TE

ANALYTICAL RESULTS

WELL TNX 10D collected on 03/06/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Neptunium-237	<6.0	pCi/L	TE
0	Nonvolatile beta	5.2±2.5	pCi/L	GE
1	Plutonium-238	0.59±0.54	pCi/L	TE
0	Plutonium-239/240	<0.020	pCi/L	TE
0	Plutonium-242	<0.050	pCi/L	TE
0	Potassium-40	<40	pCi/L	TE
0	Radium-226	<80	pCi/L	TE
0	Radium-228	<1.0	pCi/L	TE
0	Radium-228	<2.0	pCi/L	TE
0	Ruthenium-103	<4.0	pCi/L	TE
0	Ruthenium-106	<30	pCi/L	TE
0	Strontium-89	<4.0	pCi/L	TE
0	Strontium-90	<1.0	pCi/L	TE
0	Thorium-228	<5.0	pCi/L	TE
0	Thorium-232	<0.010	pCi/L	TE
1	Thorium-230	2.3±0.50	pCi/L	TE
1	Thorium-232	0.16±0.10	pCi/L	TE
1	Total activity	5.0±1.1	pCi/mL	EM
0	Total radium	<1.0	pCi/L	GE
0	Tritium	4.4±0.40	pCi/mL	GE
1	Uranium-234	7.6±1.7	pCi/L	TE
0	Uranium-235	<0.20	pCi/L	TE
1	Uranium-238	2.4±1.0	pCi/L	TE
0	Zinc-65	<7.0	pCi/L	TE
0	Zirconium-95	<4.0	pCi/L	TE

WELL TNX 11D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/06/90
Depth to water: 4.48 ft (1.37 m) below TOC
Water elevation: 95.32 ft (29.05 m) msl
Sp. conductance: 65 µS/cm
Water evacuated before sampling: 59 gal

Time: 13:15
pH: 4.7
Alkalinity: 0 mg/L
Water temperature: 19.8°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	4.8	pH	GE
0	Specific conductance	48	µS/cm	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	28	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	3240	µg/L	GE
0	Carbon tetrachloride	1.0	µg/L	GE
0	Chloride	3600	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
1	Iron	185	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	608	µg/L	GE
1	Manganese	28	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nitrate as nitrogen	230	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	950	µg/L	GE
0	Selenium	<2.0	µg/L	GE
1	Silica	13500	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	3100	µg/L	GE
1	Sulfate	17500	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	68000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
1	Total organic halogens	11	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toraphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE

WELL TNX 11D collected on 03/06/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.090	µg/L	GE
0	Americium-241	<0.20	pCi/L	TE
0	Americium-243	<0.30	pCi/L	TE
0	Barium-140	<20	pCi/L	TE
0	Beryllium-7	<60	pCi/L	TE
0	Cerium-141	<10	pCi/L	TE
0	Cerium-144	<40	pCi/L	TE
0	Cesium-134	<5.0	pCi/L	TE
0	Cesium-137	<5.0	pCi/L	TE
0	Cobalt-58	<5.0	pCi/L	TE
0	Cobalt-60	<5.0	pCi/L	TE
0	Curium-242	<0.20	pCi/L	TE
0	Curium-243/244	<0.50	pCi/L	TE
0	Curium-248	<0.30	pCi/L	TE
0	Gross alpha	<3.0	pCi/L	GE
0	Iodine-131	<70	pCi/L	TE
0	Iron-59	<10	pCi/L	TE
0	Manganese-54	<4.0	pCi/L	TE
0	Neptunium-237	<10	pCi/L	TE
0	Nonvolatile beta	4.0±2.4	pCi/L	GE
0	Plutonium-238	<0.090	pCi/L	TE
0	Plutonium-239/240	<0.070	pCi/L	TE
1	Plutonium-242	0.085±0.079	pCi/L	TE
0	Potassium-40	<70	pCi/L	TE
0	Radium-226	<100	pCi/L	TE
0	Radium-228	<1.0	pCi/L	TE
0	Radium-228	<2.0	pCi/L	TE
0	Ruthenium-103	<8.0	pCi/L	TE
0	Ruthenium-106	<40	pCi/L	TE
0	Strontium-89	<4.0	pCi/L	TE
0	Strontium-90	<1.0	pCi/L	TE
0	Thorium-228	<10	pCi/L	TE
0	Thorium-228	<0.20	pCi/L	TE
1	Thorium-230	0.88±0.74	pCi/L	TE
0	Thorium-232	<0.10	pCi/L	TE
1	Total activity	2.5±1.0	pCi/mL	EM
0	Total radium	<1.0	pCi/L	GE
0	Tritium	2.6±0.40	pCi/mL	GE
1	Uranium-234	1.3±1.0	pCi/L	TE
0	Uranium-235	<0.40	pCi/L	TE
0	Uranium-238	<0.40	pCi/L	TE
0	Zinc-65	<9.0	pCi/L	TE
0	Zirconium-95	<8.0	pCi/L	TE

WELL TNX 12D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/06/90
Depth to water: 3.53 ft (1.08 m) below TOC
Water elevation: 95.67 ft (29.16 m) msl
Sp. conductance: 70 µS/cm
Water evacuated before sampling: 60 gal

Time: 13:50
pH: 5.8
Alkalinity: 11 mg/L
Water temperature: 18.5°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.8	pH	GE
0	Specific conductance	68	µS/cm	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	22	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Calcium	4740	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	2300	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE

ANALYTICAL RESULTS

WELL TNX 12D collected on 03/06/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Endrin	<0.10	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
0	Iron	82	µg/L	GE
0	Lead	<6.0	µg/L	GE
0	Magnesium	1200	µg/L	GE
0	Manganese	21	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	GE
0	Nitrate as nitrogen	80	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	1660	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	5190	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Sodium	2980	µg/L	GE
1	Sulfate	12300	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total dissolved solids	59000	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.080	µg/L	GE
0	Americium-241	<0.20	pCi/L	TE
0	Americium-243	<0.20	pCi/L	TE
0	Barium-140	<20	pCi/L	TE
0	Beryllium-7	<50	pCi/L	TE
0	Cerium-141	<10	pCi/L	TE
0	Cerium-144	<30	pCi/L	TE
0	Cesium-134	<4.0	pCi/L	TE
0	Cesium-137	<4.0	pCi/L	TE
0	Cobalt-58	<4.0	pCi/L	TE
0	Cobalt-60	<4.0	pCi/L	TE
0	Curium-242	<0.20	pCi/L	TE
0	Curium-243/244	<0.50	pCi/L	TE
0	Curium-246	<0.20	pCi/L	TE
0	Gross alpha	<3.0	pCi/L	GE
0	Iodine-131	<60	pCi/L	TE
0	Iron-59	<10	pCi/L	TE
0	Manganese-54	<3.0	pCi/L	TE
0	Neptunium-237	<8.0	pCi/L	TE
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Plutonium-238	<0.10	pCi/L	TE
0	Plutonium-239/240	<0.070	pCi/L	TE
0	Plutonium-242	<0.050	pCi/L	TE
0	Potassium-40	<70	pCi/L	TE
0	Radium-226	<90	pCi/L	TE
0	Radium-228	<1.0	pCi/L	TE
0	Radium-228	<1.0	pCi/L	TE
0	Ruthenium-103	<8.0	pCi/L	TE
0	Ruthenium-106	<30	pCi/L	TE
0	Strontium-89	<4.0	pCi/L	TE
0	Strontium-90	<1.0	pCi/L	TE
0	Thorium-228	<7.0	pCi/L	TE
0	Thorium-228	<0.020	pCi/L	TE
1	Thorium-230	0.74 ± 0.10	pCi/L	TE
1	Thorium-232	0.39 ± 0.22	pCi/L	TE
1	Total activity	0.32 ± 0.98	pCi/mL	EM
0	Total radium	<1.0	pCi/L	GE
0	Tritium	<0.70	pCi/mL	GE
0	Uranium-234	<0.50	pCi/L	TE
0	Uranium-235	<0.50	pCi/L	TE
0	Uranium-238	<0.50	pCi/L	TE
0	Zinc-65	<7.0	pCi/L	TE
0	Zirconium-95	<4.0	pCi/L	TE

WELL XSB 1D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/10/90
 Depth to water: 57.14 ft (17.42 m) below TOC
 Water elevation: 98.86 ft (30.13 m) msf
 Sp. conductance: 93 µS/cm
 Water evacuated before sampling: 257 gal

Time: 11:10
 pH: 4.8
 Alkalinity: 2 mg/L
 Water temperature: 21.6°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.2	pH	MT
0	Specific conductance	85	µS/cm	MT
0	Arsenic	<3.0	µg/L	MT
0	Barium	39	µg/L	MT
0	Benzene	<5.0	µg/L	MT
0	Bromodichloromethane	<5.0	µg/L	MT
0	Bromoform	<5.0	µg/L	MT
0	Bromomethane (Methyl bromide)	<10	µg/L	MT
0	Cadmium	<3.0	µg/L	MT
0	Calcium	8100	µg/L	MT
2	Carbon tetrachloride	34	µg/L	MT
0	Chloride	3800	µg/L	MT
0	Chlorobenzene	<5.0	µg/L	MT
0	Chloroethane	<10	µg/L	MT
0	Chloroform	<5.0	µg/L	MT
0	Chloromethane (Methyl chloride)	<10	µg/L	MT
0	Chromium	<3.0	µg/L	MT
0	cis-1,3-Dichloropropene	<5.0	µg/L	MT
0	Copper	<7.0	µg/L	MT
0	Dibromochloromethane	<5.0	µg/L	MT
0	Dichloromethane (Methylene chloride)	<5.0	µg/L	MT
0	Ethylbenzene	<5.0	µg/L	MT
0	Fluoride	<250	µg/L	MT
0	Iron	9.3	µg/L	MT
0	Lead	<3.0	µg/L	MT
0	Magnesium	1130	µg/L	MT
1	Manganese	34	µg/L	MT
0	Mercury	<0.20	µg/L	MT
0	Mercury	<0.20	µg/L	MT
0	Nickel	<5.2	µg/L	MT
1	Nitrate as nitrogen	8700	µg/L	MT
0	Phenols	<5.0	µg/L	MT
0	Potassium	<1620	µg/L	MT
0	Selenium	<3.0	µg/L	MT
1	Silica	10000	µg/L	MT
0	Silver	<2.0	µg/L	MT
1	Sodium	9110	µg/L	MT
0	Sulfate	<1000	µg/L	MT
0	Tetrachloroethylene	<5.0	µg/L	MT
0	Toluene	<5.0	µg/L	MT
0	Total organic carbon	<1000	µg/L	MT
2	Total organic halogens	97	µg/L	MT
0	Total phosphates	<10	µg/L	MT
0	trans-1,2-Dichloroethene	<5.0	µg/L	MT
0	trans-1,3-Dichloropropene	<5.0	µg/L	MT
2	Trichloroethylene	91	µg/L	MT
0	Trichlorofluoromethane	<5.0	µg/L	MT
0	1,1-Dichloroethane	<5.0	µg/L	MT
0	1,1-Dichloroethylene	<5.0	µg/L	MT
0	1,1,1-Trichloroethane	<5.0	µg/L	MT
0	1,1,2-Trichloroethane	<5.0	µg/L	MT
0	1,1,2,2-Tetrachloroethane	<5.0	µg/L	MT
0	1,2-Dichloroethane	<5.0	µg/L	MT
0	1,2-Dichloropropane	<5.0	µg/L	MT
0	2-Chloroethyl vinyl ether	<5.0	µg/L	MT
0	Americium-241	<0.20	pCi/L	TE
0	Americium-243	<0.20	pCi/L	TE
0	Barium-140	<20	pCi/L	TE
0	Beryllium-7	<50	pCi/L	TE
0	Cerium-141	<10	pCi/L	TE
0	Cerium-144	<40	pCi/L	TE
0	Cesium-134	<4.0	pCi/L	TE
0	Cesium-137	<4.0	pCi/L	TE
0	Cobalt-58	<5.0	pCi/L	TE
0	Cobalt-60	<4.0	pCi/L	TE
0	Curium-242	<0.20	pCi/L	TE
0	Curium-243/244	<0.10	pCi/L	TE
1	Curium-246	0.30 ± 0.20	pCi/L	TE
0	Gross alpha	<2.0	pCi/L	MT
0	Iodine-131	<40	pCi/L	TE
0	Iron-59	<10	pCi/L	TE
0	Manganese-54	<4.0	pCi/L	TE
0	Nonvolatile beta	<5.0	pCi/L	MT
0	Plutonium-238	<0.20	pCi/L	TE
0	Plutonium-239/240	<0.10	pCi/L	TE
0	Plutonium-242	<0.70	pCi/L	TE
0	Potassium-40	<90	pCi/L	TE

ANALYTICAL RESULTS

WELL XSB 1D collected on 03/10/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Radium-226	<100	pCi/L	TE
0	Radium-228	<1.0	pCi/L	TE
0	Radium-228	<2.0	pCi/L	TE
0	Ruthenium-103	<7.0	pCi/L	TE
0	Ruthenium-106	<40	pCi/L	TE
0	Strontium-89	<4.0	pCi/L	TE
0	Strontium-90	<3.0	pCi/L	TE
0	Thorium-228	<8.0	pCi/L	TE
0	Thorium-228	<2.0	pCi/L	TE
1	Thorium-230	0.70 ± 0.60	pCi/L	TE
0	Thorium-232	<0.10	pCi/L	TE
0	Total radium	2.1 ± 0.40	pCi/L	MT
0	Uranium-234	<0.10	pCi/L	TE
0	Uranium-235	<0.10	pCi/L	TE
0	Uranium-238	<0.10	pCi/L	TE
0	Zinc-65	<8.0	pCi/L	TE
0	Zirconium-95	<5.0	pCi/L	TE

WELL XSB 2D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/11/90
 Depth to water: Not available
 Water elevation: Not available
 Sp. conductance: 183 µS/cm
 Water evacuated before sampling: 8 gal
 The well went dry during purging.

Time: 10:40
 pH: 8.6
 Alkalinity: 68 mg/L
 Water temperature: 21.5°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
2	pH	8.6	pH	MT
1	Specific conductance	183	µS/cm	MT
0	Arsenic	<3.0	µg/L	MT
1	Barium	110	µg/L	MT
0	Benzene	<5.0	µg/L	MT
0	Bromodichloromethane	<5.0	µg/L	MT
0	Bromoform	<5.0	µg/L	MT
0	Bromomethane (Methyl bromide)	<10	µg/L	MT
0	Cadmium	<3.0	µg/L	MT
1	Calcium	32700	µg/L	MT
2	Carbon tetrachloride	25	µg/L	MT
0	Chloride	3300	µg/L	MT
0	Chlorobenzene	<5.0	µg/L	MT
0	Chloroethane	<10	µg/L	MT
1	Chloroform	4.0	µg/L	MT
0	Chloromethane (Methyl chloride)	<10	µg/L	MT
2	Chromium	187	µg/L	MT
0	cis-1,3-Dichloropropene	<5.0	µg/L	MT
0	Copper	<7.0	µg/L	MT
0	Dibromochloromethane	<5.0	µg/L	MT
0	Dichloromethane (Methylene chloride)	<5.0	µg/L	MT
0	Ethylbenzene	<5.0	µg/L	MT
0	Fluoride	<250	µg/L	MT
2	Iron	818	µg/L	MT
0	Lead	<3.0	µg/L	MT
0	Magnesium	820	µg/L	MT
0	Manganese	14	µg/L	MT
0	Mercury	<0.20	µg/L	MT
0	Nickel	<5.2	µg/L	MT
1	Nitrate as nitrogen	8700	µg/L	MT
0	Phenols	<5.0	µg/L	MT
0	Phenols	<5.0	µg/L	MT
0	Potassium	3880	µg/L	MT
0	Selenium	<3.0	µg/L	MT
0	Silica	8860	µg/L	MT
0	Silver	<2.0	µg/L	MT
1	Sodium	14800	µg/L	MT
0	Sulfate	3000	µg/L	MT
0	Tetrachloroethylene	<5.0	µg/L	MT
0	Toluene	<5.0	µg/L	MT
0	Total organic carbon	<1000	µg/L	MT
2	Total organic halogens	202	µg/L	MT
0	Total phosphates	38	µg/L	MT
0	trans-1,2-Dichloroethane	<5.0	µg/L	MT
0	trans-1,3-Dichloropropene	<5.0	µg/L	MT
2	Trichloroethylene	290	µg/L	MT
0	Trichlorofluoromethane	<5.0	µg/L	MT
0	1,1-Dichloroethane	<5.0	µg/L	MT
0	1,1-Dichloroethylene	<5.0	µg/L	MT
0	1,1,1-Trichloroethane	<5.0	µg/L	MT
0	1,1,2-Trichloroethane	<5.0	µg/L	MT
0	1,1,2,2-Tetrachloroethane	<5.0	µg/L	MT
0	1,2-Dichloroethane	<5.0	µg/L	MT
0	1,2-Dichloropropane	<5.0	µg/L	MT
0	2-Chloroethyl vinyl ether	<5.0	µg/L	MT

WELL XSB 2D collected on 03/11/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Americium-241	<0.40	pCi/L	TE
0	Americium-243	<0.10	pCi/L	TE
0	Barium-140	<10	pCi/L	TE
0	Beryllium-7	<40	pCi/L	TE
0	Cerium-141	<9.0	pCi/L	TE
0	Cerium-144	<30	pCi/L	TE
0	Cesium-134	<4.0	pCi/L	TE
0	Cesium-137	<3.0	pCi/L	TE
0	Cobalt-58	<3.0	pCi/L	TE
0	Cobalt-60	<4.0	pCi/L	TE
0	Curium-242	<0.40	pCi/L	TE
0	Curium-243/244	<0.40	pCi/L	TE
0	Curium-246	<0.10	pCi/L	TE
0	Gross alpha	<3.0	pCi/L	MT
0	Iodine-131	<20	pCi/L	TE
0	Iron-59	<8.0	pCi/L	TE
0	Manganese-54	<3.0	pCi/L	TE
0	Nonvolatile beta	8.8 ± 4.0	pCi/L	MT
0	Plutonium-238	<0.060	pCi/L	TE
0	Plutonium-239/240	<0.050	pCi/L	TE
0	Plutonium-242	<0.050	pCi/L	TE
0	Potassium-40	<50	pCi/L	TE
0	Radium-226	<70	pCi/L	TE
1	Radium-228	1.1 ± 0.50	pCi/L	TE
0	Radium-228	<2.0	pCi/L	TE
0	Ruthenium-103	<4.0	pCi/L	TE
0	Ruthenium-106	<30	pCi/L	TE
0	Strontium-89	<3.0	pCi/L	TE
0	Strontium-90	<1.0	pCi/L	TE
0	Thorium-228	<6.0	pCi/L	TE
0	Thorium-228	<3.0	pCi/L	TE
0	Thorium-230	<0.50	pCi/L	TE
0	Thorium-232	<0.50	pCi/L	TE
1	Total radium	3.0 ± 0.50	pCi/L	MT
1	Uranium-234	0.40 ± 0.20	pCi/L	TE
0	Uranium-235	<0.10	pCi/L	TE
1	Uranium-238	0.40 ± 0.20	pCi/L	TE
0	Zinc-65	<8.0	pCi/L	TE
0	Zirconium-95	<4.0	pCi/L	TE

WELL XSB 3A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/10/90
 Depth to water: 57.35 ft (17.48 m) below TOC
 Water elevation: 99.65 ft (30.37 m) msl
 Sp. conductance: 108 µS/cm
 Water evacuated before sampling: 100 gal

Time: 10:30
 pH: 5.4
 Alkalinity: 4 mg/L
 Water temperature: 20.8°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.5	pH	MT
1	Specific conductance	108	µS/cm	MT
0	Arsenic	<3.0	µg/L	MT
0	Barium	31	µg/L	MT
0	Benzene	<5.0	µg/L	MT
0	Bromodichloromethane	<5.0	µg/L	MT
0	Bromoform	<5.0	µg/L	MT
0	Bromomethane (Methyl bromide)	<10	µg/L	MT
0	Cadmium	<3.0	µg/L	MT
1	Calcium	11100	µg/L	MT
0	Carbon tetrachloride	<5.0	µg/L	MT
0	Chloride	4100	µg/L	MT
0	Chlorobenzene	<5.0	µg/L	MT
0	Chloroethane	<10	µg/L	MT
0	Chloroform	<5.0	µg/L	MT
0	Chloromethane (Methyl chloride)	<10	µg/L	MT
0	Chromium	<3.0	µg/L	MT
0	cis-1,3-Dichloropropene	<5.0	µg/L	MT
0	Copper	<7.0	µg/L	MT
0	Dibromochloromethane	<5.0	µg/L	MT
0	Dichloromethane (Methylene chloride)	<5.0	µg/L	MT
0	Ethylbenzene	<5.0	µg/L	MT
0	Fluoride	<250	µg/L	MT
0	Iron	105	µg/L	MT
0	Lead	4.6	µg/L	MT
0	Magnesium	1710	µg/L	MT
1	Manganese	39	µg/L	MT
1	Mercury	0.57	µg/L	MT
0	Nickel	<5.2	µg/L	MT
0	Nickel	5.3	µg/L	MT
1	Nitrate as nitrogen	7200	µg/L	MT
0	Phenols	<5.0	µg/L	MT
0	Potassium	1890	µg/L	MT

ANALYTICAL RESULTS

WELL XSB 3A collected on 03/10/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Selenium	<3.0	µg/L	MT
0	Silica	8810	µg/L	MT
0	Silver	<2.0	µg/L	MT
0	Silver	<2.0	µg/L	MT
1	Sodium	10700	µg/L	MT
0	Sulfate	3500	µg/L	MT
0	Tetrachloroethylene	<5.0	µg/L	MT
0	Toluene	<5.0	µg/L	MT
0	Total organic carbon	<1000	µg/L	MT
2	Total organic halogens	32	µg/L	MT
0	Total phosphates	30	µg/L	MT
0	Total phosphates	28	µg/L	MT
0	trans-1,2-Dichloroethane	<5.0	µg/L	MT
0	trans-1,3-Dichloropropene	<5.0	µg/L	MT
2	Trichloroethylene	38	µg/L	MT
0	Trichlorofluoromethane	<5.0	µg/L	MT
0	1,1-Dichloroethane	<5.0	µg/L	MT
0	1,1-Dichloroethylene	<5.0	µg/L	MT
0	1,1,1-Trichloroethane	<5.0	µg/L	MT
0	1,1,2-Trichloroethane	<5.0	µg/L	MT
0	1,1,2,2-Tetrachloroethane	<5.0	µg/L	MT
0	1,2-Dichloroethane	<5.0	µg/L	MT
0	1,2-Dichloropropane	<5.0	µg/L	MT
0	2-Chloroethyl vinyl ether	<5.0	µg/L	MT
1	Americium-241	0.20 ± 0.10	pCi/L	TE
0	Americium-243	<0.30	pCi/L	TE
0	Barium-140	<20	pCi/L	TE
0	Beryllium-7	<40	pCi/L	TE
0	Cerium-141	<10	pCi/L	TE
0	Cerium-144	<30	pCi/L	TE
0	Cesium-134	<4.0	pCi/L	TE
0	Cesium-137	<3.0	pCi/L	TE
0	Cobalt-58	<4.0	pCi/L	TE
0	Cobalt-60	<4.0	pCi/L	TE
0	Curium-242	<0.10	pCi/L	TE
1	Curium-243/244	0.20 ± 0.10	pCi/L	TE
0	Curium-246	<0.40	pCi/L	TE
0	Gross alpha	2.4 ± 1.8	pCi/L	MT
0	Iodine-131	<30	pCi/L	TE
0	Iron-59	<8.0	pCi/L	TE
0	Manganese-54	<3.0	pCi/L	TE
0	Nonvolatile beta	<8.0	pCi/L	MT
0	Plutonium-238	<0.30	pCi/L	TE
0	Plutonium-239/240	<0.10	pCi/L	TE
0	Plutonium-242	<0.10	pCi/L	TE
0	Potassium-40	<60	pCi/L	TE
0	Radium-226	<60	pCi/L	TE
0	Radium-226	<1.0	pCi/L	TE
0	Radium-228	<2.0	pCi/L	TE
0	Ruthenium-103	<8.0	pCi/L	TE
0	Ruthenium-106	<30	pCi/L	TE
0	Strontium-89	<3.0	pCi/L	TE
0	Strontium-90	<1.0	pCi/L	TE
0	Thorium-228	<7.0	pCi/L	TE
0	Thorium-228	<4.0	pCi/L	TE
0	Thorium-230	<0.10	pCi/L	TE
0	Thorium-232	<0.10	pCi/L	TE
1	Total radium	2.5 ± 0.50	pCi/L	MT
1	Uranium-234	2.5 ± 0.60	pCi/L	TE
0	Uranium-235	<0.10	pCi/L	TE
1	Uranium-238	2.2 ± 0.50	pCi/L	TE
0	Zinc-65	<8.0	pCi/L	TE
0	Zirconium-95	<4.0	pCi/L	TE

WELL XSB 4D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/10/90
 Depth to water: Not available
 Water elevation: Not available
 Sp. conductance: 108 µS/cm
 Water evacuated before sampling: 263 gal

Time: 13:40
 pH: 5.0
 Alkalinity: 5 mg/L
 Water temperature: 22.0°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.5	pH	MT
0	pH	5.3	pH	GE
0	Specific conductance	94	µS/cm	MT
1	Specific conductance	108	µS/cm	GE
0	Arsenic	<3.0	µg/L	MT
0	Arsenic	<2.0	µg/L	GE
0	Barium	28	µg/L	MT
0	Barium	27	µg/L	GE
0	Benzene	<5.0	µg/L	MT

WELL XSB 4D collected on 03/10/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<5.0	µg/L	MT
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<5.0	µg/L	MT
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<10	µg/L	MT
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<3.0	µg/L	MT
0	Cadmium	<2.0	µg/L	GE
0	Calcium	3280	µg/L	MT
0	Calcium	3550	µg/L	GE
0	Carbon tetrachloride	<5.0	µg/L	MT
1	Carbon tetrachloride	2.0	µg/L	GE
0	Chloride	8000	µg/L	MT
0	Chloride	5600	µg/L	GE
0	Chlorobenzene	<5.0	µg/L	MT
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<10	µg/L	MT
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<5.0	µg/L	MT
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<10	µg/L	MT
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<3.0	µg/L	MT
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<5.0	µg/L	MT
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Copper	<7.0	µg/L	MT
0	Copper	<4.0	µg/L	GE
0	Dibromochloromethane	<5.0	µg/L	MT
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<5.0	µg/L	MT
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<5.0	µg/L	MT
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<250	µg/L	MT
0	Fluoride	<100	µg/L	GE
0	Iron	11	µg/L	MT
0	Iron	30	µg/L	GE
0	Lead	<3.0	µg/L	MT
0	Lead	7.2	µg/L	GE
0	Magnesium	843	µg/L	MT
0	Magnesium	788	µg/L	GE
0	Manganese	23	µg/L	MT
0	Manganese	23	µg/L	GE
0	Mercury	<0.20	µg/L	MT
0	Mercury	<0.20	µg/L	GE
0	Nickel	<5.2	µg/L	MT
0	Nickel	<4.0	µg/L	GE
1	Nitrate as nitrogen	7200	µg/L	MT
1	Nitrate as nitrogen	8400	µg/L	GE
0	Phenols	<5.0	µg/L	MT
0	Phenols	<5.0	µg/L	GE
0	Potassium	<1820	µg/L	MT
0	Potassium	1220	µg/L	GE
0	Selenium	<3.0	µg/L	MT
0	Selenium	<2.0	µg/L	GE
0	Silica	9770	µg/L	GE
0	Silica	9260	µg/L	MT
0	Silver	<2.0	µg/L	MT
0	Silver	<2.0	µg/L	GE
1	Sodium	13700	µg/L	MT
1	Sodium	15200	µg/L	GE
0	Sulfate	5100	µg/L	MT
1	Sulfate	11000	µg/L	GE
0	Tetrachloroethylene	<5.0	µg/L	MT
1	Tetrachloroethylene	1.0	µg/L	GE
0	Toluene	<5.0	µg/L	MT
0	Toluene	<1.0	µg/L	GE
0	Total organic carbon	<1000	µg/L	MT
0	Total organic carbon	<1000	µg/L	GE
1	Total organic halogens	12	µg/L	MT
0	Total organic halogens	6.0	µg/L	GE
0	Total phosphates	<10	µg/L	MT
0	Total phosphates	<50	µg/L	GE
0	trans-1,2-Dichloroethane	<5.0	µg/L	MT
0	trans-1,2-Dichloroethane	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<5.0	µg/L	MT
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<5.0	µg/L	MT
2	Trichloroethylene	5.0	µg/L	GE
0	Trichlorofluoromethane	<5.0	µg/L	MT
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<5.0	µg/L	MT
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<5.0	µg/L	MT
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<5.0	µg/L	MT

ANALYTICAL RESULTS

WELL XSB 4D collected on 03/10/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<5.0	µg/L	MT
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<5.0	µg/L	MT
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<5.0	µg/L	MT
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<5.0	µg/L	MT
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<5.0	µg/L	MT
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Americium-241	<0.20	pCi/L	TE
0	Americium-243	<0.10	pCi/L	TE
0	Barium-140	<10	pCi/L	TE
0	Beryllium-7	<40	pCi/L	TE
0	Cerium-141	<10	pCi/L	TE
0	Cerium-144	<30	pCi/L	TE
0	Cesium-134	<3.0	pCi/L	TE
0	Cesium-137	<4.0	pCi/L	TE
0	Cobalt-58	<3.0	pCi/L	TE
0	Cobalt-60	<4.0	pCi/L	TE
0	Curium-242	<0.20	pCi/L	TE
1	Curium-243/244	0.30±0.20	pCi/L	TE
0	Curium-248	<0.50	pCi/L	TE
0	Gross alpha	<2.0	pCi/L	MT
0	Gross alpha	<3.0	pCi/L	GE
0	Iodine-131	<30	pCi/L	TE
0	Iron-59	<8.0	pCi/L	TE
0	Manganese-54	<3.0	pCi/L	TE
0	Nonvolatile beta	<5.0	pCi/L	MT
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Plutonium-238	<0.090	pCi/L	TE
0	Plutonium-239/240	<0.070	pCi/L	TE
0	Plutonium-242	<0.040	pCi/L	TE
0	Potassium-40	<50	pCi/L	TE
0	Radium-226	<80	pCi/L	TE
0	Radium-226	<1.0	pCi/L	TE
0	Radium-228	<2.0	pCi/L	TE
0	Ruthenium-103	<5.0	pCi/L	TE
0	Ruthenium-106	<30	pCi/L	TE
0	Strontium-89	<5.0	pCi/L	TE
1	Strontium-90	8.8±1.6	pCi/L	TE
0	Thorium-228	<7.0	pCi/L	TE
0	Thorium-228	<2.0	pCi/L	TE
1	Thorium-230	0.90±0.60	pCi/L	TE
0	Thorium-232	<0.10	pCi/L	TE
0	Total radium	1.2±0.30	pCi/L	MT
0	Total radium	2.1±2.3	pCi/L	GE
1	Uranium-234	0.50±0.40	pCi/L	TE
0	Uranium-235	<0.10	pCi/L	TE
0	Uranium-238	<0.30	pCi/L	TE
0	Zinc-65	<6.0	pCi/L	TE
0	Zirconium-95	<4.0	pCi/L	TE

WELL XSB 4D

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/10/90
 Depth to water: Not available
 Water elevation: Not available
 Sp. conductance: 108 µS/cm
 Water evacuated before sampling: 263 gal

Time: 13:40
 pH: 5.0
 Alkalinity: 5 mg/L
 Water temperature: 22.0°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.4	pH	MT
0	pH	5.4	pH	GE
1	Specific conductance	112	µS/cm	MT
1	Specific conductance	110	µS/cm	GE
0	Arsenic	<3.0	µg/L	MT
0	Arsenic	<2.0	µg/L	GE
0	Barium	28	µg/L	MT
0	Barium	27	µg/L	GE
0	Benzene	<5.0	µg/L	MT
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<5.0	µg/L	MT
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<5.0	µg/L	MT
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<10	µg/L	MT
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<3.0	µg/L	MT
0	Cadmium	<2.0	µg/L	GE
0	Calcium	3280	µg/L	MT

WELL XSB 4D collected on 03/10/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Calcium	3520	µg/L	GE
0	Carbon tetrachloride	<5.0	µg/L	MT
2	Carbon tetrachloride	8.0	µg/L	GE
0	Chloride	6000	µg/L	MT
0	Chloride	5500	µg/L	GE
0	Chlorobenzene	<5.0	µg/L	MT
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<10	µg/L	MT
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<5.0	µg/L	MT
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<10	µg/L	MT
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<3.0	µg/L	MT
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<5.0	µg/L	MT
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Copper	<7.0	µg/L	MT
0	Copper	<4.0	µg/L	GE
0	Dibromochloromethane	<5.0	µg/L	MT
0	Dibromochloromethane	<1.0	µg/L	GE
1	Dichloromethane (Methylene chloride)	J 2.0	µg/L	MT
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<5.0	µg/L	MT
0	Ethylbenzene	<1.0	µg/L	GE
0	Fluoride	<250	µg/L	MT
0	Fluoride	<100	µg/L	GE
0	Iron	10	µg/L	MT
0	Iron	13	µg/L	GE
0	Lead	<3.0	µg/L	MT
0	Lead	<6.0	µg/L	GE
0	Magnesium	844	µg/L	MT
0	Magnesium	772	µg/L	GE
0	Manganese	23	µg/L	MT
0	Manganese	23	µg/L	GE
0	Mercury	<0.20	µg/L	MT
0	Mercury	<0.20	µg/L	GE
0	Nickel	<5.2	µg/L	MT
0	Nickel	<4.0	µg/L	GE
1	Nitrate as nitrogen	7100	µg/L	MT
1	Nitrate as nitrogen	8010	µg/L	GE
0	Phenols	<5.0	µg/L	MT
0	Phenols	<5.0	µg/L	GE
0	Potassium	1630	µg/L	MT
0	Potassium	1200	µg/L	GE
0	Selenium	<3.0	µg/L	MT
0	Selenium	<2.0	µg/L	GE
0	Silica	9620	µg/L	GE
0	Silica	9410	µg/L	MT
0	Silver	<2.0	µg/L	MT
0	Silver	<2.0	µg/L	GE
1	Sodium	13900	µg/L	MT
1	Sodium	15600	µg/L	GE
0	Sulfate	4900	µg/L	MT
1	Sulfate	10900	µg/L	GE
0	Tetrachloroethylene	<5.0	µg/L	MT
1	Tetrachloroethylene	2.0	µg/L	GE
0	Toluene	<5.0	µg/L	MT
0	Toluene	<1.0	µg/L	GE
0	Total organic carbon	<1000	µg/L	MT
0	Total organic carbon	<1000	µg/L	GE
2	Total organic halogens	49	µg/L	MT
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<10	µg/L	MT
0	Total phosphates	<50	µg/L	GE
0	trans-1,2-Dichloroethene	<5.0	µg/L	MT
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<5.0	µg/L	MT
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
2	Trichloroethylene	J 4.0	µg/L	MT
2	Trichloroethylene	8.0	µg/L	GE
0	Trichlorofluoromethane	<5.0	µg/L	MT
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<5.0	µg/L	MT
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<5.0	µg/L	MT
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<5.0	µg/L	MT
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<5.0	µg/L	MT
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<5.0	µg/L	MT
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<5.0	µg/L	MT
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<5.0	µg/L	MT
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<5.0	µg/L	MT

ANALYTICAL RESULTS

WELL XSB 4D collected on 03/10/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Gross alpha	<2.0	pCi/L	MT
2	Gross alpha	21 ± 3.9	pCi/L	GE
0	Nonvolatile beta	<5.0	pCi/L	MT
0	Nonvolatile beta	2.4 ± 2.5	pCi/L	GE
0	Total radium	1.4 ± 0.30	pCi/L	MT
0	Total radium	1.4 ± 2.2	pCi/L	GE

WELL XSB 5A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/06/90
 Depth to water: 14.06 ft (4.29 m) below TOC
 Water elevation: 97.94 ft (29.85 m) msl
 Sp. conductance: 119 µS/cm
 Water evacuated before sampling: 52 gal

Time: 10:25
 pH: 4.5
 Alkalinity: 0 mg/L
 Water temperature: 17.7°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	4.6	pH	MT
0	pH	4.6	pH	MT
1	Specific conductance	118	µS/cm	MT
1	Specific conductance	121	µS/cm	MT
0	Antimony	<3.0	µg/L	MT
0	Arsenic	<3.0	µg/L	MT
0	Arsenic	<3.0	µg/L	MT
0	Barium	15	µg/L	MT
0	Benzene	<5.0	µg/L	MT
0	Bromodichloromethane	<5.0	µg/L	MT
0	Bromoform	<5.0	µg/L	MT
0	Bromomethane (Methyl bromide)	<10	µg/L	MT
0	Cadmium	<3.0	µg/L	MT
0	Calcium	3820	µg/L	MT
1	Carbon tetrachloride	1.0	µg/L	MT
0	Chloride	5300	µg/L	MT
0	Chloride	5300	µg/L	MT
0	Chlorobenzene	<5.0	µg/L	MT
0	Chloroethane	<10	µg/L	MT
0	Chloroform	<5.0	µg/L	MT
0	Chloromethane (Methyl chloride)	<10	µg/L	MT
0	Chromium	<3.0	µg/L	MT
0	cis-1,3-Dichloropropene	<5.0	µg/L	MT
1	Copper	108	µg/L	MT
0	Dibromochloromethane	<5.0	µg/L	MT
0	Dichloromethane (Methylene chloride)	<5.0	µg/L	MT
0	Ethylbenzene	<5.0	µg/L	MT
0	Fluoride	<250	µg/L	MT
0	Fluoride	<250	µg/L	MT
0	Iron	17	µg/L	MT
0	Lead	13	µg/L	MT
2	Lead	38	µg/L	MT
0	Magnesium	524	µg/L	MT
0	Manganese	13	µg/L	MT
0	Mercury	<0.20	µg/L	MT
0	Mercury	<0.20	µg/L	MT
0	Nickel	<5.2	µg/L	MT
1	Nitrate as nitrogen	8600	µg/L	MT
1	Nitrate as nitrogen	8500	µg/L	MT
0	Phenols	<5.0	µg/L	MT
0	Phenols	<5.0	µg/L	MT
0	Potassium	1650	µg/L	MT
0	Selenium	<3.0	µg/L	MT
0	Selenium	<3.0	µg/L	MT
0	Silica	7930	µg/L	MT
0	Silver	<2.0	µg/L	MT
1	Sodium	14900	µg/L	MT
0	Sulfate	4500	µg/L	MT
0	Sulfate	4400	µg/L	MT
0	Tetrachloroethylene	<5.0	µg/L	MT
0	Toluene	<5.0	µg/L	MT
0	Total organic carbon	<1000	µg/L	MT
0	Total organic halogens	9.7	µg/L	MT
0	Total phosphates	44	µg/L	MT
0	trans-1,2-Dichloroethene	<5.0	µg/L	MT
0	trans-1,3-Dichloropropene	<5.0	µg/L	MT
2	Trichloroethylene	5.0	µg/L	MT
0	Trichlorofluoromethane	<5.0	µg/L	MT
0	1,1-Dichloroethane	<5.0	µg/L	MT
0	1,1-Dichloroethylene	<5.0	µg/L	MT
0	1,1,1-Trichloroethane	<5.0	µg/L	MT
0	1,1,2-Trichloroethane	<5.0	µg/L	MT
0	1,1,2,2-Tetrachloroethane	<5.0	µg/L	MT
0	1,2-Dichloroethane	<5.0	µg/L	MT
0	1,2-Dichloropropane	<5.0	µg/L	MT

WELL XSB 5A collected on 03/06/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	2-Chloroethyl vinyl ether	<5.0	µg/L	MT
0	Amerlicium-241	<0.40	pCi/L	TE
0	Amerlicium-243	<0.40	pCi/L	TE
0	Barium-140	<20	pCi/L	TE
0	Beryllium-7	<50	pCi/L	TE
0	Cerium-141	<10	pCi/L	TE
0	Cerium-144	<40	pCi/L	TE
0	Cesium-134	<8.0	pCi/L	TE
0	Cesium-137	<5.0	pCi/L	TE
0	Cobalt-58	<5.0	pCi/L	TE
0	Cobalt-60	<5.0	pCi/L	TE
0	Curium-242	<0.10	pCi/L	TE
0	Curium-243/244	<0.20	pCi/L	TE
0	Curium-246	<0.30	pCi/L	TE
1	Gross alpha	5.6 ± 2.4	pCi/L	MT
0	Iodine-131	<40	pCi/L	TE
0	Iron-59	<10	pCi/L	TE
0	Manganese-54	<4.0	pCi/L	TE
0	Neptunium-237	<9.0	pCi/L	TE
0	Nonvolatile beta	<5.0	pCi/L	MT
0	Plutonium-238	<0.30	pCi/L	TE
0	Plutonium-239/240	<0.20	pCi/L	TE
0	Plutonium-241	<80	pCi/L	TE
0	Plutonium-242	<0.10	pCi/L	TE
0	Potassium-40	<70	pCi/L	TE
0	Radium-226	<90	pCi/L	TE
1	Radium-226	1.6 ± 0.50	pCi/L	TE
0	Radium-228	<2.0	pCi/L	TE
0	Ruthenium-103	<7.0	pCi/L	TE
0	Ruthenium-106	<40	pCi/L	TE
0	Strontium-89	<3.0	pCi/L	TE
0	Strontium-90	<1.0	pCi/L	TE
0	Thorium-228	<10	pCi/L	TE
0	Thorium-228	<0.10	pCi/L	TE
1	Thorium-230	0.85 ± 0.42	pCi/L	TE
1	Thorium-232	0.11 ± 0.10	pCi/L	TE
0	Total radium	2.2 ± 0.40	pCi/L	MT
0	Uranium-234	<1.0	pCi/L	TE
0	Uranium-235	<0.90	pCi/L	TE
0	Uranium-238	<2.0	pCi/L	TE
0	Zinc-65	<9.0	pCi/L	TE
0	Zirconium-95	<5.0	pCi/L	TE

WELL YSB 1A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/11/90
 Depth to water: 27.59 ft (8.41 m) below TOC
 Water elevation: 117.91 ft (35.94 m) msl
 Sp. conductance: 37 µS/cm
 Water evacuated before sampling: 51 gal

Time: 13:15
 pH: 5.4
 Alkalinity: 5 mg/L
 Water temperature: 22.4°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	6.0	pH	MT
0	Specific conductance	32	µS/cm	MT
0	Arsenic	<3.0	µg/L	MT
0	Barium	13	µg/L	MT
0	Cadmium	<3.0	µg/L	MT
0	Calcium	2360	µg/L	MT
0	Carbon tetrachloride	<1.0	µg/L	MT
0	Chloride	3400	µg/L	MT
0	Chloroform	<0.40	µg/L	MT
1	Chromium	5.4	µg/L	MT
0	Copper	<7.0	µg/L	MT
0	Endrin	<0.0060	µg/L	MT
0	Fluoride	<250	µg/L	MT
0	gamma-Benzene hexachloride (Lindane)	0.0068	µg/L	MT
0	Iron	93	µg/L	MT
0	Lead	<3.0	µg/L	MT
0	Magnesium	427	µg/L	MT
0	Manganese	<2.0	µg/L	MT
0	Mercury	<0.20	µg/L	MT
0	Methoxychlor	<0.50	µg/L	MT
0	Nickel	<5.2	µg/L	MT
0	Phenols	<5.0	µg/L	MT
0	Potassium	<1620	µg/L	MT
0	Selenium	<3.0	µg/L	MT
0	Silica	9240	µg/L	MT
0	Silver	<2.0	µg/L	MT
0	Sodium	2970	µg/L	MT
0	Sulfate	<1000	µg/L	MT
0	Tetrachloroethylene	<0.40	µg/L	MT
0	Total organic carbon	<1000	µg/L	MT

ANALYTICAL RESULTS

WELL YSB 1A collected on 03/11/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Total organic halogens	<5.0	µg/L	MT
0	Total phosphates	81	µg/L	MT
0	Toxaphene	<0.24	µg/L	MT
0	Trichloroethylene	<0.40	µg/L	MT
0	Zinc	<9.0	µg/L	MT
1	1,1,1-Trichloroethane	B 1.1	µg/L	MT
0	(2,4-Dichlorophenoxy)acetic acid	<0.48	µg/L	MT
0	2,4,5-TP (Silvex)	<0.070	µg/L	MT
0	Gross alpha	<2.0	pCi/L	MT
0	Nonvolatile beta	<5.0	pCi/L	MT
0	Total radium	1.0±0.40	pCi/L	MT
0	Tritium	3.3±0.40	pCi/mL	MT

WELL YSB 2A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/11/90
 Depth to water: 25.91 ft (7.90 m) below TOC
 Water elevation: 118.79 ft (36.21 m) msl
 Sp. conductance: 47 µS/cm
 Water evacuated before sampling: 55 gal

Time: 11:40
 pH: 5.2
 Alkalinity: 23 mg/L
 Water temperature: 20.1°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.8	pH	MT
0	pH	5.8	pH	GE
0	Specific conductance	48	µS/cm	MT
0	Specific conductance	47	µS/cm	GE
0	Arsenic	<3.0	µg/L	MT
0	Arsenic	<2.0	µg/L	GE
0	Barium	11	µg/L	MT
0	Barium	11	µg/L	GE
0	Cadmium	<3.0	µg/L	MT
0	Cadmium	<2.0	µg/L	GE
0	Calcium	2290	µg/L	MT
0	Calcium	2830	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	MT
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	4400	µg/L	MT
0	Chloride	4200	µg/L	GE
0	Chloroform	<0.40	µg/L	MT
0	Chloroform	<1.0	µg/L	GE
2	Chromium	87	µg/L	MT
0	Chromium	<4.0	µg/L	GE
0	Copper	<7.0	µg/L	MT
0	Copper	<4.0	µg/L	GE
0	Endrin	<0.0080	µg/L	MT
0	Endrin	<0.10	µg/L	GE
0	Fluoride	<250	µg/L	MT
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	<0.0050	µg/L	MT
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
2	Iron	483	µg/L	MT
0	Iron	87	µg/L	GE
0	Lead	3.4	µg/L	MT
0	Lead	<6.0	µg/L	GE
0	Magnesium	474	µg/L	MT
0	Magnesium	451	µg/L	GE
0	Manganese	9.7	µg/L	MT
0	Manganese	2.2	µg/L	GE
0	Mercury	<0.20	µg/L	MT
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	MT
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<5.2	µg/L	MT
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	930	µg/L	MT
0	Phenols	<5.0	µg/L	MT
0	Phenols	<5.0	µg/L	GE
0	Potassium	<1820	µg/L	MT
0	Potassium	986	µg/L	GE
0	Selenium	<3.0	µg/L	MT
0	Selenium	<2.0	µg/L	GE
0	Silica	38	µg/L	MT
0	Silica	6800	µg/L	GE
0	Silica	8330	µg/L	MT
0	Silver	<2.0	µg/L	MT
0	Silver	<2.0	µg/L	GE
0	Sodium	4800	µg/L	MT
1	Sodium	5600	µg/L	GE
0	Sulfate	2500	µg/L	MT
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<0.40	µg/L	MT
0	Tetrachloroethylene	<1.0	µg/L	GE

WELL YSB 2A collected on 03/11/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Total organic carbon	<1000	µg/L	MT
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	MT
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	24	µg/L	MT
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<0.24	µg/L	MT
0	Toxaphene	<1.0	µg/L	GE
0	Trichloroethylene	<0.40	µg/L	MT
0	Trichloroethylene	<1.0	µg/L	GE
0	Zinc	10	µg/L	MT
0	Zinc	8.7	µg/L	GE
1	1,1,1-Trichloroethane	1.2	µg/L	MT
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.48	µg/L	MT
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.070	µg/L	MT
0	2,4,5-TP (Silvex)	<0.080	µg/L	GE
0	Gross alpha	<2.0	pCi/L	MT
0	Gross alpha	<3.0	pCi/L	GE
0	Nonvolatile beta	<5.0	pCi/L	MT
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Total radium	<1.0	pCi/L	MT
0	Total radium	<1.0	pCi/L	GE
0	Tritium	B 3.8±0.40	pCi/mL	MT
0	Tritium	5.0±0.40	pCi/mL	GE

WELL YSB 2A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/11/90
 Depth to water: 25.91 ft (7.90 m) below TOC
 Water elevation: 118.79 ft (36.21 m) msl
 Sp. conductance: 47 µS/cm
 Water evacuated before sampling: 55 gal

Time: 11:40
 pH: 5.2
 Alkalinity: 23 mg/L
 Water temperature: 20.1°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.7	pH	MT
0	pH	5.8	pH	GE
0	Specific conductance	41	µS/cm	MT
0	Specific conductance	48	µS/cm	GE
0	Arsenic	<3.0	µg/L	MT
0	Arsenic	<2.0	µg/L	GE
0	Barium	13	µg/L	MT
0	Barium	10	µg/L	GE
0	Cadmium	<3.0	µg/L	MT
0	Cadmium	<2.0	µg/L	GE
0	Calcium	2510	µg/L	MT
0	Calcium	2460	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	MT
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chloride	4500	µg/L	MT
0	Chloride	4200	µg/L	GE
0	Chloroform	<0.40	µg/L	MT
0	Chloroform	<1.0	µg/L	GE
2	Chromium	148	µg/L	MT
0	Chromium	<4.0	µg/L	GE
0	Copper	<7.0	µg/L	MT
0	Copper	<4.0	µg/L	GE
0	Endrin	<0.0080	µg/L	MT
0	Endrin	<0.10	µg/L	GE
0	Fluoride	<250	µg/L	MT
0	Fluoride	<100	µg/L	GE
0	gamma-Benzene hexachloride (Lindane)	0.0078	µg/L	MT
0	gamma-Benzene hexachloride (Lindane)	<0.050	µg/L	GE
2	Iron	381	µg/L	MT
0	Iron	72	µg/L	GE
0	Lead	3.3	µg/L	MT
0	Lead	<6.0	µg/L	GE
0	Magnesium	515	µg/L	MT
0	Manganese	3.3	µg/L	MT
0	Manganese	2.1	µg/L	GE
0	Mercury	<0.20	µg/L	MT
0	Mercury	<0.20	µg/L	GE
0	Methoxychlor	<0.50	µg/L	MT
0	Methoxychlor	<0.50	µg/L	GE
0	Nickel	<5.2	µg/L	MT
0	Nickel	<4.0	µg/L	GE
0	Nitrate as nitrogen	940	µg/L	MT
0	Phenols	<5.0	µg/L	GE
0	Phenols	<5.0	µg/L	GE
0	Potassium	1870	µg/L	MT
0	Potassium	882	µg/L	GE

ANALYTICAL RESULTS

WELL YSB 2A collected on 03/11/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Selenium	<3.0	µg/L	MT
0	Selenium	<2.0	µg/L	GE
0	Silica	8550	µg/L	GE
0	Silica	8890	µg/L	MT
0	Silver	<2.0	µg/L	MT
0	Silver	<2.0	µg/L	GE
0	Sodium	4690	µg/L	MT
0	Sodium	4670	µg/L	GE
0	Sulfate	2500	µg/L	MT
0	Sulfate	<5000	µg/L	GE
0	Tetrachloroethylene	<0.40	µg/L	MT
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Total organic carbon	<1000	µg/L	MT
0	Total organic carbon	<1000	µg/L	GE
1	Total organic halogens	20	µg/L	MT
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	22	µg/L	MT
0	Total phosphates	<50	µg/L	GE
0	Toxaphene	<0.24	µg/L	MT
0	Toxaphene	<1.0	µg/L	GE
0	Trichloroethylene	<0.40	µg/L	MT
0	Trichloroethylene	<1.0	µg/L	GE
0	Zinc	12	µg/L	MT
0	Zinc	8.6	µg/L	GE
1	1,1,1-Trichloroethane	B 1.1	µg/L	MT
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	(2,4-Dichlorophenoxy)acetic acid	<0.48	µg/L	MT
0	(2,4-Dichlorophenoxy)acetic acid	<0.30	µg/L	GE
0	2,4,5-TP (Silvex)	<0.070	µg/L	MT
0	2,4,5-TP (Silvex)	<0.060	µg/L	GE
0	Gross alpha	<2.0	pCi/L	MT
2	Gross alpha	18±3.4	pCi/L	GE
0	Nonvolatile beta	<5.0	pCi/L	MT
0	Nonvolatile beta	4.4±2.7	pCi/L	GE
0	Total radium	<1.0	pCi/L	MT
0	Total radium	<1.0	pCi/L	MT
0	Total radium	<1.0	pCi/L	GE
0	Tritium	3.6±0.40	pCi/mL	MT
0	Tritium	5.4±0.40	pCi/mL	GE

WELL YSB 3A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/11/90
Depth to water: 25.48 ft (7.77 m) below TOC
Water elevation: 118.42 ft (36.09 m) msl
Sp. conductance: 384 µS/cm
Water evacuated before sampling: 56 gal

Time: 12:20
pH: 8.2
Alkalinity: 87 mg/L
Water temperature: 20.4°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	8.0	pH	MT
1	Specific conductance	353	µS/cm	MT
0	Arsenic	<3.0	µg/L	MT
0	Barium	<8.0	µg/L	MT
0	Cadmium	<3.0	µg/L	MT
0	Calcium	6100	µg/L	MT
0	Carbon tetrachloride	<1.0	µg/L	MT
1	Chloride	25200	µg/L	MT
1	Chloroform	18	µg/L	MT
2	Chromium	62	µg/L	MT
0	Copper	<7.0	µg/L	MT
0	Endrin	<0.0060	µg/L	MT
0	Fluoride	<250	µg/L	MT
0	gamma-Benzene hexachloride (Lindane)	0.0086	µg/L	MT
2	Iron	630	µg/L	MT
0	Lead	<3.0	µg/L	MT
0	Magnesium	431	µg/L	MT
0	Manganese	3.0	µg/L	MT
0	Mercury	<0.20	µg/L	MT
0	Methoxychlor	<0.50	µg/L	MT
1	Nickel	30	µg/L	MT
0	Phenols	<5.0	µg/L	MT
0	Potassium	<1620	µg/L	MT
0	Selenium	<3.0	µg/L	MT
0	Silica	5170	µg/L	MT
0	Silver	<2.0	µg/L	MT
1	Sodium	73200	µg/L	MT
1	Sulfate	16000	µg/L	MT
0	Tetrachloroethylene	<0.40	µg/L	MT
0	Total organic carbon	<1000	µg/L	MT
2	Total organic halogens	36	µg/L	MT
0	Total phosphates	149	µg/L	MT
0	Toxaphene	<0.24	µg/L	MT

WELL YSB 3A collected on 03/11/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	Trichloroethylene	<0.40	µg/L	MT
0	Zinc	<9.0	µg/L	MT
1	1,1,1-Trichloroethane	B 1.3	µg/L	MT
0	(2,4-Dichlorophenoxy)acetic acid	<0.48	µg/L	MT
0	2,4,5-TP (Silvex)	<0.070	µg/L	MT
0	Gross alpha	<3.0	pCi/L	MT
0	Nonvolatile beta	<5.0	pCi/L	MT
0	Total radium	<1.0	pCi/L	MT
0	Tritium	1.6±0.20	pCi/mL	MT

WELL YSB 4A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/11/90
Depth to water: 27.08 ft (8.25 m) below TOC
Water elevation: 117.52 ft (35.82 m) msl
Sp. conductance: 178 µS/cm
Water evacuated before sampling: 52 gal

Time: 12:50
pH: 8.0
Alkalinity: 34 mg/L
Water temperature: 22.0°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	8.5	pH	MT
1	Specific conductance	147	µS/cm	MT
0	Arsenic	<3.0	µg/L	MT
0	Barium	17	µg/L	MT
0	Cadmium	<3.0	µg/L	MT
0	Calcium	2370	µg/L	MT
0	Carbon tetrachloride	<1.0	µg/L	MT
1	Chloride	12100	µg/L	MT
0	Chloroform	<0.40	µg/L	MT
0	Chromium	3.4	µg/L	MT
0	Copper	<7.0	µg/L	MT
0	Endrin	<0.0060	µg/L	MT
0	Fluoride	<250	µg/L	MT
0	gamma-Benzene hexachloride (Lindane)	0.0052	µg/L	MT
2	Iron	1720	µg/L	MT
0	Lead	<3.0	µg/L	MT
0	Magnesium	634	µg/L	MT
0	Manganese	8.3	µg/L	MT
0	Mercury	<0.20	µg/L	MT
0	Methoxychlor	<0.50	µg/L	MT
1	Nickel	14	µg/L	MT
0	Phenols	<5.0	µg/L	MT
0	Potassium	<1620	µg/L	MT
0	Selenium	<3.0	µg/L	MT
1	Silica	11700	µg/L	MT
0	Silver	<2.0	µg/L	MT
1	Sodium	32500	µg/L	MT
0	Sulfate	3700	µg/L	MT
0	Tetrachloroethylene	0.090	µg/L	MT
0	Total organic carbon	<1000	µg/L	MT
1	Total organic halogens	23	µg/L	MT
1	Total phosphates	368	µg/L	MT
0	Toxaphene	<0.24	µg/L	MT
0	Trichloroethylene	<0.40	µg/L	MT
0	Zinc	27	µg/L	MT
0	1,1,1-Trichloroethane	B 0.89	µg/L	MT
0	(2,4-Dichlorophenoxy)acetic acid	<0.48	µg/L	MT
0	2,4,5-TP (Silvex)	<0.070	µg/L	MT
0	Gross alpha	<3.0	pCi/L	MT
0	Nonvolatile beta	9.6±3.8	pCi/L	MT
0	Total radium	2.4±6.0	pCi/L	MT
0	Tritium	3.2±0.40	pCi/mL	MT

WELL Z 9

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/14/90
Depth to water: 66.90 ft (20.39 m) below TOC
Water elevation: 212.60 ft (64.80 m) msl
Sp. conductance: 46 µS/cm
No water was evacuated before sampling.

Time: 9:30
pH: 5.2
Water temperature: 20.3°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Gross alpha	0.63±0.43	pCi/L	EM
0	Nonvolatile beta	1.2±0.94	pCi/L	EM
1	Tritium	10±0.93	pCi/mL	EM

ANALYTICAL RESULTS

WELL ZBG 1

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/08/90 Time: 15:20
 Depth to water: 59.24 ft (18.06 m) below TOC pH: 5.0
 Water elevation: 231.88 ft (70.67 m) msl Alkalinity: 1 mg/L
 Sp. conductance: 28 µS/cm Water temperature: 20.6°C
 Water evacuated before sampling: 31 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.5	pH	GE
0	pH	5.4	pH	GE
0	Aluminum	34	µg/L	GE
0	Aluminum	37	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	13	µg/L	GE
0	Barium	14	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Iron	31	µg/L	GE
0	Iron	33	µg/L	GE
0	Lead	14	µg/L	GE
0	Lead	11	µg/L	GE
0	Manganese	7.1	µg/L	GE
0	Manganese	7.2	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Nitrate as nitrogen	1360	µg/L	GE
0	Nitrate as nitrogen	1360	µg/L	GE
0	Nitrite as nitrogen	<10.0	µg/L	GE
0	Nitrite as nitrogen	<10.0	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	8440	µg/L	GE
0	Silica	8180	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE

WELL ZBG 1 collected on 03/08/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Barium-140	<10	pCi/L	TE
0	Beryllium-7	<40	pCi/L	TE
0	Cerium-141	<10	pCi/L	TE
0	Cerium-144	<30	pCi/L	TE
0	Cesium-134	<4.0	pCi/L	TE
0	Cesium-137	<4.0	pCi/L	TE
0	Cobalt-58	<4.0	pCi/L	TE
0	Cobalt-60	<4.0	pCi/L	TE
0	Gross alpha	<3.0	pCi/L	GE
0	Gross alpha	<3.0	pCi/L	GE
0	Iodine-131	<30	pCi/L	TE
0	Iron-59	<8.0	pCi/L	TE
0	Manganese-54	<4.0	pCi/L	TE
0	Neptunium-237	<8.0	pCi/L	TE
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Nonvolatile beta	<2.0	pCi/L	GE
0	Potassium-40	<70	pCi/L	TE
0	Radium-226	<80	pCi/L	TE
0	Ruthenium-103	<8.0	pCi/L	TE
0	Ruthenium-106	<30	pCi/L	TE
0	Technetium-99	<4.0	pCi/L	TE
0	Thorium-228	<7.0	pCi/L	TE
1	Total radium	4.1±3.8	pCi/L	GE
0	Total radium	1.5±3.2	pCi/L	GE
1	Tritium	19±0.50	pCi/mL	GE
1	Tritium	19±0.50	pCi/mL	GE
0	Zinc-65	<7.0	pCi/L	TE
0	Zirconium-95	<4.0	pCi/L	TE

WELL ZBG 1

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/08/90 Time: 15:20
 Depth to water: 59.24 ft (18.06 m) below TOC pH: 5.0
 Water elevation: 231.88 ft (70.67 m) msl Alkalinity: 1 mg/L
 Sp. conductance: 28 µS/cm Water temperature: 20.6°C
 Water evacuated before sampling: 31 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Barium-140	<10	pCi/L	TE
0	Beryllium-7	<30	pCi/L	TE
0	Cerium-141	<7.0	pCi/L	TE
0	Cerium-144	<20	pCi/L	TE
0	Cesium-134	<3.0	pCi/L	TE
0	Cesium-137	<3.0	pCi/L	TE
0	Cobalt-58	<3.0	pCi/L	TE
0	Cobalt-60	<3.0	pCi/L	TE
0	Iodine-131	<20	pCi/L	TE
0	Iron-59	<8.0	pCi/L	TE
0	Manganese-54	<2.0	pCi/L	TE
0	Neptunium-237	<5.0	pCi/L	TE
0	Potassium-40	<40	pCi/L	TE
0	Radium-226	<80	pCi/L	TE
0	Ruthenium-103	<4.0	pCi/L	TE
0	Ruthenium-106	<20	pCi/L	TE
0	Technetium-99	<2.0	pCi/L	TE
0	Thorium-228	<5.0	pCi/L	TE
0	Zinc-65	<8.0	pCi/L	TE
0	Zirconium-95	<3.0	pCi/L	TE

ANALYTICAL RESULTS

WELL ZBG 1A

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/06/90 Time: 15:35
The well was dry.

WELL ZBG 2

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/06/90 Time: 14:50
Depth to water: 59.82 ft (18.23 m) below TOC pH: 4.9
Water elevation: 218.18 ft (66.50 m) msl Alkalinity: 0 mg/L
Sp. conductance: 19 µS/cm Water temperature: 19.8°C
Water evacuated before sampling: 19 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	pH	5.3	pH	GE
0	Aluminum	<20	µg/L	GE
0	Antimony	<3.0	µg/L	GE
0	Arsenic	<2.0	µg/L	GE
0	Barium	8.5	µg/L	GE
0	Benzene	<1.0	µg/L	GE
0	Bromodichloromethane	<1.0	µg/L	GE
0	Bromoform	<1.0	µg/L	GE
0	Bromomethane (Methyl bromide)	<1.0	µg/L	GE
0	Cadmium	<2.0	µg/L	GE
0	Carbon tetrachloride	<1.0	µg/L	GE
0	Chlorobenzene	<1.0	µg/L	GE
0	Chloroethane	<1.0	µg/L	GE
0	Chloroethene (Vinyl chloride)	<1.0	µg/L	GE
0	Chloroform	<1.0	µg/L	GE
0	Chloromethane (Methyl chloride)	<1.0	µg/L	GE
0	Chromium	<4.0	µg/L	GE
0	cis-1,3-Dichloropropene	<1.0	µg/L	GE
0	Dibromochloromethane	<1.0	µg/L	GE
0	Dichloromethane (Methylene chloride)	<1.0	µg/L	GE
0	Ethylbenzene	<1.0	µg/L	GE
0	Iron	20	µg/L	GE
0	Lead	10	µg/L	GE
0	Manganese	4.9	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Nitrate as nitrogen	800	µg/L	GE
0	Nitrite as nitrogen	<10.0	µg/L	GE
0	Selenium	<2.0	µg/L	GE
0	Silica	5230	µg/L	GE
0	Silver	<2.0	µg/L	GE
0	Tetrachloroethylene	<1.0	µg/L	GE
0	Toluene	<1.0	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
0	Total phosphates	<50	µg/L	GE
0	trans-1,2-Dichloroethene	<1.0	µg/L	GE
0	trans-1,3-Dichloropropene	<1.0	µg/L	GE
0	Trichloroethylene	<1.0	µg/L	GE
0	Trichlorofluoromethane	<1.0	µg/L	GE
0	1,1-Dichloroethane	<1.0	µg/L	GE
0	1,1-Dichloroethylene	<1.0	µg/L	GE
0	1,1,1-Trichloroethane	<1.0	µg/L	GE
0	1,1,2-Trichloroethane	<1.0	µg/L	GE
0	1,1,2,2-Tetrachloroethane	<1.0	µg/L	GE
0	1,2-Dichloroethane	<1.0	µg/L	GE
0	1,2-Dichloropropane	<1.0	µg/L	GE
0	2-Chloroethyl vinyl ether	<1.0	µg/L	GE
0	Barium-140	<10	pCi/L	TE
0	Beryllium-7	<30	pCi/L	TE
0	Cesium-141	<9.0	pCi/L	TE
0	Cesium-144	<30	pCi/L	TE
0	Cesium-134	<3.0	pCi/L	TE
0	Cesium-137	<3.0	pCi/L	TE
0	Cobalt-58	<3.0	pCi/L	TE
0	Cobalt-60	<3.0	pCi/L	TE
0	Gross alpha	<3.0	pCi/L	GE
0	Iodine-131	<30	pCi/L	TE
0	Iron-59	<8.0	pCi/L	TE
0	Manganese-54	<3.0	pCi/L	TE
0	Neptunium-237	<7.0	pCi/L	TE
0	Nonvolatile beta	2.0±3.5	pCi/L	GE
0	Potassium-40	<50	pCi/L	TE
0	Radium-226	<70	pCi/L	TE
0	Ruthenium-103	<5.0	pCi/L	TE
0	Ruthenium-106	<30	pCi/L	TE
0	Technetium-99	<5.0	pCi/L	TE
0	Thorium-228	<8.0	pCi/L	TE
1	Total radium	3.8±3.8	pCi/L	GE

WELL ZBG 2 collected on 03/06/90, laboratory analyses (continued)

Flag	Analyte	Result	Unit	Lab
1	Tritium	13±0.50	pCi/mL	GE
0	Zinc-65	<6.0	pCi/L	TE
0	Zirconium-95	<3.0	pCi/L	TE

WELL ZDT 1

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/06/90 Time: 16:35
Depth to water: 25.62 ft (7.91 m) below TOC pH: 4.9
Water elevation: 239.48 ft (72.99 m) msl Alkalinity: 1 mg/L
Sp. conductance: 81 µS/cm Water temperature: 20.8°C
Water evacuated before sampling: 55 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloride	2800	µg/L	GE
0	Iron	28	µg/L	GE
0	Manganese	14	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Sodium	3070	µg/L	GE
0	Total organic carbon	<1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
2	Total radium	5.3±4.3	pCi/L	GE
2	Tritium	29±0.60	pCi/mL	GE

WELL ZDT 2

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/06/90 Time: 16:25
Depth to water: 24.07 ft (7.34 m) below TOC pH: 5.1
Water elevation: 240.93 ft (73.44 m) msl Alkalinity: 3 mg/L
Sp. conductance: 58 µS/cm Water temperature: 19.7°C
Water evacuated before sampling: 58 gal

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Chloride	2900	µg/L	GE
0	Iron	20	µg/L	GE
0	Iron	43	µg/L	GE
0	Manganese	18	µg/L	GE
0	Mercury	<0.20	µg/L	GE
0	Sodium	4040	µg/L	GE
0	Total organic carbon	1000	µg/L	GE
0	Total organic halogens	<5.0	µg/L	GE
1	Total radium	2.6±3.6	pCi/L	GE
2	Tritium	26±0.67	pCi/mL	GE

WELL ZW 5

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/14/90 Time: 9:50
Depth to water: 52.00 ft (15.85 m) below TOC pH: 6.3
Water elevation: 225.80 ft (68.82 m) msl
Sp. conductance: 113 µS/cm Water temperature: 19.8°C
No water was evacuated before sampling.

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Gross alpha	1.4±0.65	pCi/L	EM
0	Nonvolatile beta	2.9±1.3	pCi/L	EM
2	Tritium	57±1.8	pCi/mL	EM

ANALYTICAL RESULTS

WELL ZW 10

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 03/14/90
Depth to water: 53.70 ft (16.37 m) below TOC
Water elevation: 246.70 ft (75.20 m) msl
Sp. conductance: 81 μ S/cm
No water was evacuated before sampling.

Time: 10:00
pH: 5.9
Water temperature: 21.4°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
0	Gross alpha	3.9 $\pm$ 1.0	pCi/L	EM
0	Nonvolatile beta	6.1 $\pm$ 1.8	pCi/L	EM
2	Tritium	97 $\pm$ 2.3	pCi/mL	EM

WELL 241-H

MEASUREMENTS CONDUCTED IN THE FIELD

Sample date: 02/28/90
Depth to water: 10.00 ft (3.05 m) below TOC
Water elevation: 279.40 ft (83.33 m) msl
Sp. conductance: 110 μ S/cm
No water was evacuated before sampling.

Time: 14:00
pH: 7.6
Water temperature: 22.3°C

LABORATORY ANALYSES

Flag	Analyte	Result	Unit	Lab
2	Tritium	393 $\pm$ 4.3	pCi/mL	EM

WATER-LEVEL DATA

During first quarter 1990, water-level measurements were obtained for a special project on concurrent water elevations in the A/M Areas, which are used by site custodians in hydrogeologic interpretation. Only water levels were measured; no field measurements of water quality were done. Some wells that are not routinely monitored for the EPD/EMS Groundwater Monitoring Program are included in these data. These data were collected by Jeff Bullard, Bonnie Bullard, and Jack Bullard of Ge-Hy Sampling of New Ellenton, SC.

WELL ABP 1A

Sample date: 02/28/90 Time: 14:31
Depth to water: 140.81 ft (42.95 m) below TOC
Water elevation: 218.99 ft (66.75 m) msl

WELL ABP 1DD

Sample date: 02/28/90 Time: 14:31
Depth to water: 140.81 ft (42.92 m) below TOC
Water elevation: 218.29 ft (66.84 m) msl

WELL ABP 2A

Sample date: 02/28/90 Time: 15:08
Depth to water: 154.80 ft (47.18 m) below TOC
Water elevation: 217.10 ft (66.17 m) msl

WELL ABP 2DD

Sample date: 02/28/90 Time: 15:07
Depth to water: 153.48 ft (46.78 m) below TOC
Water elevation: 217.12 ft (66.18 m) msl

WELL ABP 3

Sample date: 02/28/90 Time: 15:13
Depth to water: 134.12 ft (40.88 m) below TOC
Water elevation: 218.58 ft (66.93 m) msl

WELL ABP 3C

Sample date: 02/28/90 Time: 15:13
Depth to water: 160.38 ft (48.88 m) below TOC
Water elevation: 194.12 ft (59.17 m) msl

WELL ABP 4

Sample date: 02/28/90 Time: 14:35
Depth to water: 147.69 ft (45.02 m) below TOC
Water elevation: 216.61 ft (66.02 m) msl

WELL ABP 4DD

Sample date: 02/28/90 Time: 14:36
Depth to water: 147.55 ft (44.97 m) below TOC
Water elevation: 217.45 ft (66.28 m) msl

WELL ABP 6D

Sample date: 02/28/90 Time: 14:58
Depth to water: 147.97 ft (45.10 m) below TOC
Water elevation: 217.33 ft (66.24 m) msl

WELL ABP 7D

Sample date: 02/28/90 Time: 14:41
Depth to water: 146.68 ft (44.71 m) below TOC
Water elevation: 217.52 ft (66.30 m) msl

WELL ABP 8C

Sample date: 02/28/90 Time: 15:03
Depth to water: 177.81 ft (54.20 m) below TOC
Water elevation: 194.29 ft (59.22 m) msl

WELL ABP 8D

Sample date: 02/28/90 Time: 15:02
Depth to water: 154.04 ft (46.95 m) below TOC
Water elevation: 216.86 ft (66.10 m) msl

WELL ABW 1

Sample date: 03/01/90 Time: 17:21
Depth to water: 101.57 ft (30.96 m) below TOC
Water elevation: 223.23 ft (68.04 m) msl

WELL AC 1A

Sample date: 02/28/90 Time: 15:40
Depth to water: 50.59 ft (15.42 m) below TOC
Water elevation: 211.51 ft (64.47 m) msl

WELL AC 1B

Sample date: 02/28/90 Time: Not available
The well was dry.

WELL AC 2A

Sample date: 02/27/90 Time: 15:41
Depth to water: 125.45 ft (38.24 m) below TOC
Water elevation: 219.25 ft (66.83 m) msl

WELL AC 2B

Sample date: 02/27/90 Time: Not available
The well was dry.

WATER-LEVEL DATA

WELL AC 3A

Sample date: 02/28/90 Time: 15:22
Depth to water: 95.23 ft (29.03 m) below TOC
Water elevation: 207.07 ft (63.12 m) msl

WELL AC 3B

Sample date: 02/28/90 Time: 15:22
Depth to water: 93.26 ft (28.43 m) below TOC
Water elevation: 209.24 ft (63.78 m) msl

WELL ACB 1A

Sample date: 03/01/90 Time: 16:03
Depth to water: 124.19 ft (37.85 m) below TOC
Water elevation: 235.41 ft (71.75 m) msl

WELL ACB 2A

Sample date: 03/01/90 Time: 16:06
Depth to water: 113.52 ft (34.60 m) below TOC
Water elevation: 236.28 ft (72.02 m) msl

WELL ACB 3A

Sample date: 03/01/90 Time: 16:26
Depth to water: 111.85 ft (34.09 m) below TOC
Water elevation: 236.45 ft (72.07 m) msl

WELL ACB 4A

Sample date: 03/01/90 Time: 16:29
Depth to water: 121.96 ft (37.17 m) below TOC
Water elevation: 237.14 ft (72.28 m) msl

WELL AMB 4

Sample date: 03/01/90 Time: 16:36
Depth to water: 147.69 ft (45.02 m) below TOC
Water elevation: 232.71 ft (70.93 m) msl

WELL AMB 5

Sample date: 03/01/90 Time: 16:34
Depth to water: 147.32 ft (44.90 m) below TOC
Water elevation: 232.28 ft (70.80 m) msl

WELL AMB 6

Sample date: 03/01/90 Time: 16:33
Depth to water: 144.50 ft (44.04 m) below TOC
Water elevation: 232.70 ft (70.93 m) msl

WELL AMB 7

Sample date: 03/01/90 Time: 16:40
Depth to water: 137.01 ft (41.76 m) below TOC
Water elevation: 232.89 ft (70.99 m) msl

WELL AOB 1

Sample date: 03/01/90 Time: 11:12
Depth to water: 106.40 ft (32.43 m) below TOC
Water elevation: 234.70 ft (71.54 m) msl

WELL AOB 2

Sample date: 03/01/90 Time: 11:09
Depth to water: 110.02 ft (33.53 m) below TOC
Water elevation: 235.38 ft (71.74 m) msl

WELL AOB 3

Sample date: 03/01/90 Time: 11:02
Depth to water: 116.41 ft (35.48 m) below TOC
Water elevation: 236.19 ft (71.99 m) msl

WELL ARP 1A

Sample date: 02/28/90 Time: Not available
The well was dry.

WELL ARP 2

Sample date: 02/28/90 Time: 14:20
Depth to water: 122.62 ft (37.38 m) below TOC
Water elevation: 214.68 ft (65.44 m) msl

WELL ARP 3

Sample date: 02/28/90 Time: 14:25
Depth to water: 124.09 ft (37.82 m) below TOC
Water elevation: 215.71 ft (65.75 m) msl

WELL ARP 4

Sample date: 02/28/90 Time: Not available
The well was dry.

WELL ASB 1A

Sample date: 03/01/90 Time: Not available
The well was dry.

WELL ASB 2A

Sample date: 03/01/90 Time: 14:10
Depth to water: 112.35 ft (34.24 m) below TOC
Water elevation: 236.65 ft (72.13 m) msl

WELL ASB 3A

Sample date: 03/01/90 Time: 14:07
Depth to water: 108.24 ft (32.99 m) below TOC
Water elevation: 236.76 ft (72.17 m) msl

WELL ASB 4

Sample date: 03/01/90 Time: 17:34
Depth to water: 89.83 ft (30.43 m) below TOC
Water elevation: 235.77 ft (71.86 m) msl

WELL ASB 5A

Sample date: 03/01/90 Time: 14:18
Depth to water: 109.32 ft (33.32 m) below TOC
Water elevation: 235.68 ft (71.84 m) msl

WELL ASB 6A

Sample date: 03/01/90 Time: 14:16
Depth to water: 115.18 ft (35.11 m) below TOC
Water elevation: 235.02 ft (71.63 m) msl

WELL ASB 6AA

Sample date: 03/01/90 Time: 14:15
Depth to water: 137.52 ft (41.92 m) below TOC
Water elevation: 216.68 ft (66.04 m) msl

WATER-LEVEL DATA

WELL ASB 7

Sample date: 03/01/90 Time: 14:14
Depth to water: 118.83 ft (36.52 m) below TOC
Water elevation: 233.57 ft (71.19 m) msl

WELL ASB 8

Sample date: 03/01/90 Time: 14:32
Depth to water: 118.58 ft (35.53 m) below TOC
Water elevation: 232.42 ft (70.84 m) msl

WELL ASB 8A

Sample date: 03/01/90 Time: 14:28
Depth to water: 131.79 ft (40.17 m) below TOC
Water elevation: 217.51 ft (66.30 m) msl

WELL ASB 8B

Sample date: 03/01/90 Time: 14:32
Depth to water: 131.30 ft (40.02 m) below TOC
Water elevation: 218.50 ft (66.60 m) msl

WELL ASB 8C

Sample date: 03/01/90 Time: 14:26
Depth to water: 127.83 ft (38.90 m) below TOC
Water elevation: 222.07 ft (67.69 m) msl

WELL ASB 8TA

Sample date: 03/01/90 Time: 14:30
Depth to water: 135.60 ft (41.33 m) below TOC
Water elevation: 214.00 ft (65.23 m) msl

WELL ASB 9

Sample date: 03/01/90 Time: 17:03
Depth to water: 70.47 ft (21.48 m) below TOC
Water elevation: 228.53 ft (72.70 m) msl

WELL ASB 9B

Sample date: 03/01/90 Time: 17:02
Depth to water: 90.90 ft (27.71 m) below TOC
Water elevation: 218.10 ft (66.48 m) msl

WELL ASB 9C

Sample date: 03/01/90 Time: 17:01
Depth to water: 91.60 ft (27.92 m) below TOC
Water elevation: 218.30 ft (66.54 m) msl

WELL KAC 1

Sample date: 02/04/90 Time: 15:21
Depth to water: 48.13 ft (14.67 m) below TOC
Water elevation: 217.87 ft (66.41 m) msl

WELL KAC 1

Sample date: 02/28/90 Time: 11:09
Depth to water: 48.13 ft (14.67 m) below TOC
Water elevation: 217.87 ft (66.41 m) msl

WELL KAC 1

Sample date: 03/22/90 Time: 10:49
Depth to water: 48.07 ft (14.65 m) below TOC
Water elevation: 217.93 ft (66.43 m) msl

WELL KAC 2

Sample date: 02/04/90 Time: 15:06
Depth to water: 36.85 ft (11.28 m) below TOC
Water elevation: 220.55 ft (67.22 m) msl

WELL KAC 2

Sample date: 02/28/90 Time: 11:13
Depth to water: 36.85 ft (11.23 m) below TOC
Water elevation: 220.65 ft (67.25 m) msl

WELL KAC 2

Sample date: 03/22/90 Time: 10:44
Depth to water: 36.74 ft (11.20 m) below TOC
Water elevation: 220.76 ft (67.29 m) msl

WELL KAC 3

Sample date: 02/04/90 Time: 15:09
Depth to water: 36.79 ft (11.21 m) below TOC
Water elevation: 221.01 ft (67.36 m) msl

WELL KAC 3

Sample date: 02/28/90 Time: 11:15
Depth to water: 36.77 ft (11.21 m) below TOC
Water elevation: 221.03 ft (67.37 m) msl

WELL KAC 3

Sample date: 03/22/90 Time: 10:41
Depth to water: 36.53 ft (11.13 m) below TOC
Water elevation: 221.27 ft (67.44 m) msl

WELL KAC 4

Sample date: 02/04/90 Time: 15:18
Depth to water: 43.27 ft (13.19 m) below TOC
Water elevation: 216.73 ft (66.06 m) msl

WELL KAC 4

Sample date: 02/28/90 Time: 11:21
Depth to water: 43.27 ft (13.19 m) below TOC
Water elevation: 216.73 ft (66.06 m) msl

WELL KAC 4

Sample date: 03/22/90 Time: 10:33
Depth to water: 43.18 ft (13.16 m) below TOC
Water elevation: 216.82 ft (66.09 m) msl

WELL KAC 5

Sample date: 02/04/90 Time: 15:12
Depth to water: 38.13 ft (11.62 m) below TOC
Water elevation: 220.87 ft (67.32 m) msl

WELL KAC 5

Sample date: 02/28/90 Time: 11:17
Depth to water: 38.12 ft (11.62 m) below TOC
Water elevation: 220.88 ft (67.33 m) msl

WELL KAC 5

Sample date: 03/22/90 Time: 10:38
Depth to water: 37.91 ft (11.56 m) below TOC
Water elevation: 221.09 ft (67.39 m) msl

WATER-LEVEL DATA

WELL KAC 6

Sample date: 02/04/90 Time: 15:15
Depth to water: 38.25 ft (11.66 m) below TOC
Water elevation: 220.75 ft (67.29 m) msl

WELL KAC 6

Sample date: 02/28/90 Time: 11:18
Depth to water: 38.26 ft (11.66 m) below TOC
Water elevation: 220.74 ft (67.28 m) msl

WELL KAC 6

Sample date: 03/22/90 Time: 10:38
Depth to water: 38.06 ft (11.60 m) below TOC
Water elevation: 220.94 ft (67.34 m) msl

WELL KAC 7

Sample date: 02/04/90 Time: 15:03
Depth to water: 47.01 ft (14.33 m) below TOC
Water elevation: 218.09 ft (66.47 m) msl

WELL KAC 7

Sample date: 02/28/90 Time: 11:11
Depth to water: 47.08 ft (14.35 m) below TOC
Water elevation: 218.01 ft (66.45 m) msl

WELL KAC 7

Sample date: 03/22/90 Time: 10:46
Depth to water: 47.06 ft (14.34 m) below TOC
Water elevation: 218.04 ft (66.46 m) msl

WELL MCB 2

Sample date: 02/28/90 Time: 13:58
Depth to water: 109.51 ft (33.38 m) below TOC
Water elevation: 218.89 ft (66.72 m) msl

WELL MCB 4

Sample date: 02/28/90 Time: 13:49
Depth to water: 130.66 ft (39.83 m) below TOC
Water elevation: 219.74 ft (66.98 m) msl

WELL MCB 5

Sample date: 02/28/90 Time: 13:32
Depth to water: 119.61 ft (36.46 m) below TOC
Water elevation: 219.99 ft (67.05 m) msl

WELL MCB 5C

Sample date: 02/28/90 Time: 13:41
Depth to water: 147.02 ft (44.81 m) below TOC
Water elevation: 192.08 ft (58.55 m) msl

WELL MCB 6

Sample date: 02/28/90 Time: 13:23
Depth to water: 118.83 ft (35.61 m) below TOC
Water elevation: 215.27 ft (65.62 m) msl

WELL MCB 6C

Sample date: 02/28/90 Time: 13:22
Depth to water: 137.38 ft (41.87 m) below TOC
Water elevation: 194.72 ft (59.35 m) msl

WELL MCB 7C

Sample date: 02/28/90 Time: 13:45
Depth to water: 145.63 ft (44.39 m) below TOC

WELL MCB 8D

Sample date: 02/28/90 Time: 13:53
Depth to water: 120.48 ft (36.72 m) below TOC
Water elevation: 220.22 ft (67.12 m) msl

WELL MCB 9D

Sample date: 02/28/90 Time: 13:27
Depth to water: 124.87 ft (38.00 m) below TOC
Water elevation: 218.23 ft (66.52 m) msl

WELL MSB 1A

Sample date: 02/27/90 Time: Not available
The well was dry.

WELL MSB 2A

Sample date: 02/27/90 Time: Not available
The well was dry.

WELL MSB 3A

Sample date: 02/27/90 Time: Not available
The well was dry.

WELL MSB 4A

Sample date: 02/27/90 Time: Not available
The well was dry.

WELL MSB 5A

Sample date: 02/27/90 Time: Not available
The well was dry.

WELL MSB 6A

Sample date: 02/27/90 Time: 17:02
Depth to water: 118.92 ft (36.25 m) below TOC
Water elevation: 224.98 ft (68.57 m) msl

WELL MSB 7A

Sample date: 02/27/90 Time: 10:58
Depth to water: 118.66 ft (36.23 m) below TOC
Water elevation: 225.64 ft (68.78 m) msl

WELL MSB 8A

Sample date: 02/27/90 Time: 10:52
Depth to water: 117.10 ft (35.69 m) below TOC
Water elevation: 227.10 ft (69.22 m) msl

WELL MSB 9A

Sample date: 02/27/90 Time: 14:22
Depth to water: 147.01 ft (44.81 m) below TOC
Water elevation: 212.39 ft (64.74 m) msl

WELL MSB 9B

Sample date: 02/27/90 Time: 14:23
Depth to water: 130.53 ft (39.79 m) below TOC
Water elevation: 229.07 ft (69.82 m) msl

WATER-LEVEL DATA

WELL MSB 9C

Sample date: 02/27/90 Time: Not available
The well was dry.

WELL MSB 10A

Sample date: 02/27/90 Time: 16:17
Depth to water: 148.01 ft (44.50 m) below TOC
Water elevation: 208.99 ft (63.70 m) msl

WELL MSB 10B

Sample date: 02/27/90 Time: 16:17
Depth to water: 144.50 ft (44.04 m) below TOC
Water elevation: 210.20 ft (64.07 m) msl

WELL MSB 10C

Sample date: 02/27/90 Time: 16:20
Depth to water: 128.94 ft (39.30 m) below TOC
Water elevation: 227.06 ft (69.21 m) msl

WELL MSB 11A

Sample date: 02/27/90 Time: 14:33
Depth to water: 152.28 ft (46.42 m) below TOC
Water elevation: 212.61 ft (64.80 m) msl

WELL MSB 11B

Sample date: 02/27/90 Time: 14:35
Depth to water: 145.04 ft (44.21 m) below TOC
Water elevation: 219.76 ft (66.98 m) msl

WELL MSB 11C

Sample date: 02/27/90 Time: 14:36
Depth to water: 143.24 ft (43.66 m) below TOC
Water elevation: 221.66 ft (67.56 m) msl

WELL MSB 11D

Sample date: 02/27/90 Time: 14:34
Depth to water: 138.62 ft (41.64 m) below TOC
Water elevation: 228.58 ft (69.67 m) msl

WELL MSB 11F

Sample date: 02/27/90 Time: Not available
The well was dry.

WELL MSB 12A

Sample date: 02/27/90 Time: 16:26
Depth to water: 140.94 ft (42.96 m) below TOC
Water elevation: 206.86 ft (63.05 m) msl

WELL MSB 12B

Sample date: 02/27/90 Time: 16:25
Depth to water: 133.38 ft (40.65 m) below TOC
Water elevation: 215.04 ft (65.54 m) msl

WELL MSB 12C

Sample date: 02/27/90 Time: 16:28
Depth to water: 127.12 ft (38.75 m) below TOC
Water elevation: 220.78 ft (67.29 m) msl

WELL MSB 12D

Sample date: 02/27/90 Time: Not available
The well was dry.

WELL MSB 12TA

Sample date: 02/27/90 Time: 16:30
Depth to water: 158.14 ft (48.20 m) below TOC
Water elevation: 190.36 ft (58.02 m) msl

WELL MSB 12TB

Sample date: 02/27/90 Time: 16:27
Depth to water: 158.34 ft (48.26 m) below TOC
Water elevation: 190.56 ft (58.08 m) msl

WELL MSB 13A

Sample date: 02/27/90 Time: 16:37
Depth to water: 139.54 ft (42.53 m) below TOC
Water elevation: 205.66 ft (62.69 m) msl

WELL MSB 13B

Sample date: 02/27/90 Time: 16:39
Depth to water: 150.88 ft (45.99 m) below TOC
Water elevation: 194.72 ft (59.35 m) msl

WELL MSB 13C

Sample date: 02/27/90 Time: Not available
The well was dry.

WELL MSB 14A

Sample date: 02/27/90 Time: 14:10
Depth to water: 132.59 ft (40.41 m) below TOC
Water elevation: 215.71 ft (65.75 m) msl

WELL MSB 14B

Sample date: 02/27/90 Time: 14:09
Depth to water: 131.47 ft (40.07 m) below TOC
Water elevation: 217.23 ft (66.21 m) msl

WELL MSB 14C

Sample date: 02/27/90 Time: Not available
The well was dry.

WELL MSB 15A

Sample date: 02/27/90 Time: 14:44
Depth to water: 148.43 ft (44.63 m) below TOC
Water elevation: 220.77 ft (67.29 m) msl

WELL MSB 15AA

Sample date: 02/27/90 Time: 14:48
Depth to water: 154.71 ft (47.16 m) below TOC
Water elevation: 214.79 ft (65.47 m) msl

WELL MSB 15D

Sample date: 02/27/90 Time: 14:46
Depth to water: 138.35 ft (42.17 m) below TOC
Water elevation: 230.45 ft (70.24 m) msl

WELL MSB 16A

Sample date: 02/27/90 Time: 14:51
Depth to water: 144.50 ft (44.04 m) below TOC
Water elevation: 222.20 ft (67.73 m) msl

WATER-LEVEL DATA

WELL MSB 16C

Sample date: 02/27/90
The well was dry.

Time: Not available

WELL MSB 17A

Sample date: 02/27/90
Depth to water: 144.88 ft (44.10 m) below TOC
Water elevation: 213.32 ft (65.02 m) msl

Time: 16:52

WELL MSB 17B

Sample date: 02/27/90
Depth to water: 135.20 ft (41.21 m) below TOC
Water elevation: 222.70 ft (67.88 m) msl

Time: 16:52

WELL MSB 17BB

Sample date: 02/27/90
Depth to water: 148.53 ft (45.27 m) below TOC
Water elevation: 210.77 ft (64.24 m) msl

Time: 16:50

WELL MSB 17C

Sample date: 02/27/90
The well was dry.

Time: Not available

WELL MSB 17D

Sample date: 02/27/90
Depth to water: 134.57 ft (41.02 m) below TOC
Water elevation: 225.63 ft (68.77 m) msl

Time: 16:49

WELL MSB 18A

Sample date: 02/27/90
Depth to water: 132.33 ft (40.33 m) below TOC
Water elevation: 207.87 ft (63.36 m) msl

Time: 17:08

WELL MSB 18B

Sample date: 02/27/90
Depth to water: 123.15 ft (37.54 m) below TOC
Water elevation: 217.15 ft (66.19 m) msl

Time: 17:10

WELL MSB 18C

Sample date: 02/27/90
Depth to water: 117.79 ft (35.90 m) below TOC
Water elevation: 222.81 ft (67.91 m) msl

Time: 17:16

WELL MSB 19A

Sample date: 03/01/90
Depth to water: 87.84 ft (26.77 m) below TOC
Water elevation: 211.86 ft (64.51 m) msl

Time: 16:11

WELL MSB 19B

Sample date: 03/01/90
Depth to water: 85.17 ft (25.96 m) below TOC
Water elevation: 214.73 ft (65.45 m) msl

Time: 16:11

WELL MSB 19C

Sample date: 03/01/90
Depth to water: 84.50 ft (25.85 m) below TOC
Water elevation: 235.70 ft (71.84 m) msl

Time: 16:13

WELL MSB 20A

Sample date: 02/27/90
Depth to water: 138.46 ft (42.20 m) below TOC
Water elevation: 215.54 ft (65.70 m) msl

Time: 16:01

WELL MSB 20C

Sample date: 02/27/90
The well was dry.

Time: Not available

WELL MSB 21A

Sample date: 02/27/90
Depth to water: 135.10 ft (41.18 m) below TOC
Water elevation: 218.30 ft (66.54 m) msl

Time: 16:09

WELL MSB 21B

Sample date: 02/27/90
Depth to water: 135.91 ft (41.43 m) below TOC
Water elevation: 219.39 ft (66.87 m) msl

Time: 16:11

WELL MSB 21C

Sample date: 02/27/90
Depth to water: 128.57 ft (38.98 m) below TOC
Water elevation: 226.83 ft (69.14 m) msl

Time: 16:08

WELL MSB 21TA

Sample date: 02/27/90
Depth to water: 162.16 ft (49.43 m) below TOC
Water elevation: 192.54 ft (58.69 m) msl

Time: 16:07

WELL MSB 22

Sample date: 02/27/90
The well was dry.

Time: Not available

WELL MSB 23

Sample date: 02/28/90
The well was dry.

Time: Not available

WELL MSB 23B

Sample date: 02/28/90
Depth to water: 149.76 ft (45.65 m) below TOC
Water elevation: 221.84 ft (67.62 m) msl

Time: 8:25

WELL MSB 23TA

Sample date: 02/28/90
Depth to water: 173.38 ft (52.85 m) below TOC
Water elevation: 199.52 ft (60.81 m) msl

Time: 8:28

WELL MSB 24

Sample date: 02/28/90
Depth to water: 145.08 ft (44.22 m) below TOC
Water elevation: 235.11 ft (71.66 m) msl

Time: 8:16

WELL MSB 24A

Sample date: 02/28/90
Depth to water: 157.39 ft (47.97 m) below TOC
Water elevation: 224.21 ft (68.34 m) msl

Time: 8:20

WELL MSB 25

Sample date: 02/28/90
The well was dry.

Time: Not available

WATER-LEVEL DATA

WELL MSB 25A

Sample date: 02/28/90
Depth to water: 149.33 ft (45.52 m) below TOC
Water elevation: 217.07 ft (66.18 m) msl
Time: 8:42

WELL MSB 26

Sample date: 02/27/90
The well was dry.
Time: Not available

WELL MSB 26A

Sample date: 02/27/90
Depth to water: 137.17 ft (41.81 m) below TOC
Water elevation: 223.73 ft (68.19 m) msl
Time: 14:57

WELL MSB 26B

Sample date: 02/27/90
Depth to water: 144.18 ft (43.95 m) below TOC
Water elevation: 219.02 ft (66.78 m) msl
Time: 14:57

WELL MSB 27

Sample date: 02/28/90
Depth to water: 137.41 ft (41.88 m) below TOC
Water elevation: 238.09 ft (72.57 m) msl
Time: 8:08

WELL MSB 27A

Sample date: 02/28/90
The well was dry.
Time: Not available

WELL MSB 27B

Sample date: 02/28/90
Depth to water: 152.57 ft (46.50 m) below TOC
Water elevation: 224.23 ft (68.35 m) msl
Time: 8:09

WELL MSB 27TA

Sample date: 02/28/90
Depth to water: 177.11 ft (53.98 m) below TOC
Water elevation: 199.49 ft (60.81 m) msl
Time: 8:11

WELL MSB 28

Sample date: 02/27/90
Depth to water: 125.15 ft (38.15 m) below TOC
Water elevation: 229.25 ft (69.88 m) msl
Time: 15:06

WELL MSB 28A

Sample date: 02/27/90
Depth to water: 131.78 ft (40.17 m) below TOC
Water elevation: 222.42 ft (67.79 m) msl
Time: 15:04

WELL MSB 29A

Sample date: 03/01/90
Depth to water: 148.47 ft (44.64 m) below TOC
Water elevation: 218.93 ft (66.73 m) msl
Time: 15:33

WELL MSB 29B

Sample date: 03/01/90
Depth to water: 141.86 ft (43.24 m) below TOC
Water elevation: 223.34 ft (68.07 m) msl
Time: 15:35

WELL MSB 29C

Sample date: 03/01/90
Depth to water: 135.38 ft (41.26 m) below TOC
Water elevation: 229.82 ft (70.05 m) msl
Time: 15:33

WELL MSB 29D

Sample date: 03/01/90
Depth to water: 133.12 ft (40.58 m) below TOC
Water elevation: 231.98 ft (70.71 m) msl
Time: 15:35

WELL MSB 29DD

Sample date: 03/01/90
Depth to water: 132.61 ft (40.42 m) below TOC
Water elevation: 231.99 ft (70.71 m) msl
Time: 15:31

WELL MSB 29TA

Sample date: 03/01/90
Depth to water: 154.20 ft (47.00 m) below TOC
Water elevation: 211.00 ft (64.31 m) msl
Time: 15:31

WELL MSB 30A

Sample date: 02/27/90
Depth to water: 158.22 ft (48.23 m) below TOC
Water elevation: 196.38 ft (59.86 m) msl
Time: 15:28

WELL MSB 30AA

Sample date: 02/27/90
Depth to water: 130.37 ft (39.74 m) below TOC
Water elevation: 222.23 ft (67.74 m) msl
Time: 15:28

WELL MSB 30B

Sample date: 02/27/90
Depth to water: 129.46 ft (39.46 m) below TOC
Water elevation: 223.64 ft (68.17 m) msl
Time: 15:30

WELL MSB 30C

Sample date: 02/27/90
Depth to water: 124.90 ft (38.07 m) below TOC
Water elevation: 230.00 ft (70.10 m) msl
Time: 15:31

WELL MSB 30CC

Sample date: 02/27/90
Depth to water: 129.51 ft (39.48 m) below TOC
Water elevation: 224.19 ft (68.33 m) msl
Time: 15:32

WELL MSB 31A

Sample date: 03/01/90
Depth to water: 151.77 ft (46.26 m) below TOC
Water elevation: 195.43 ft (59.57 m) msl
Time: 11:16

WELL MSB 31B

Sample date: 03/01/90
Depth to water: 135.98 ft (41.45 m) below TOC
Water elevation: 211.52 ft (64.47 m) msl
Time: 11:17

WELL MSB 31C

Sample date: 03/01/90
Depth to water: 114.95 ft (35.04 m) below TOC
Water elevation: 232.35 ft (70.82 m) msl
Time: 11:15

WATER-LEVEL DATA

WELL MSB 31CC

Sample date: 03/01/90 Time: 11:19
Depth to water: 135.94 ft (41.44 m) below TOC
Water elevation: 212.86 ft (64.88 m) msl

WELL MSB 32

Sample date: 03/01/90 Time: 18:19
Depth to water: 30.71 ft (9.38 m) below TOC
Water elevation: 224.59 ft (68.46 m) msl

WELL MSB 33

Sample date: 02/27/90 Time: 13:43
Depth to water: 38.72 ft (11.80 m) below TOC
Water elevation: 217.88 ft (66.41 m) msl

WELL MSB 33A

Sample date: 02/27/90 Time: 13:43
Depth to water: 52.51 ft (16.01 m) below TOC
Water elevation: 202.89 ft (61.84 m) msl

WELL MSB 33B

Sample date: 02/27/90 Time: 13:41
Depth to water: 48.12 ft (14.67 m) below TOC
Water elevation: 207.08 ft (63.12 m) msl

WELL MSB 33C

Sample date: 02/27/90 Time: 13:40
Depth to water: 45.53 ft (13.88 m) below TOC
Water elevation: 209.77 ft (63.94 m) msl

WELL MSB 33TA

Sample date: 02/27/90 Time: 13:40
Depth to water: 63.11 ft (19.24 m) below TOC
Water elevation: 192.39 ft (58.64 m) msl

WELL MSB 34A

Sample date: 03/01/90 Time: 10:43
Depth to water: 165.40 ft (50.41 m) below TOC
Water elevation: 217.80 ft (66.39 m) msl

WELL MSB 34B

Sample date: 03/01/90 Time: 10:40
Depth to water: 158.05 ft (48.17 m) below TOC
Water elevation: 225.05 ft (68.60 m) msl

WELL MSB 34C

Sample date: 03/01/90 Time: 10:40
The well was dry.

WELL MSB 34TA

Sample date: 03/01/90 Time: 10:38
Depth to water: 182.98 ft (55.77 m) below TOC
Water elevation: 199.52 ft (60.81 m) msl

WELL MSB 34TB

Sample date: 03/01/90 Time: 10:38
Depth to water: 182.12 ft (55.51 m) below TOC
Water elevation: 200.68 ft (61.17 m) msl

WELL MSB 35A

Sample date: 03/01/90 Time: 11:04
Depth to water: 138.13 ft (41.49 m) below TOC
Water elevation: 214.87 ft (65.52 m) msl

WELL MSB 35B

Sample date: 03/01/90 Time: 11:02
Depth to water: 133.40 ft (40.66 m) below TOC
Water elevation: 218.40 ft (66.57 m) msl

WELL MSB 35D

Sample date: 03/01/90 Time: Not available
The well was dry.

WELL MSB 35TA

Sample date: 03/01/90 Time: 11:05
Depth to water: 132.17 ft (40.38 m) below TOC
Water elevation: 198.23 ft (60.42 m) msl

WELL MSB 36A

Sample date: 02/27/90 Time: 13:59
Depth to water: 132.62 ft (40.42 m) below TOC
Water elevation: 207.98 ft (63.39 m) msl

WELL MSB 36B

Sample date: 02/27/90 Time: 13:58
Depth to water: 127.83 ft (38.96 m) below TOC
Water elevation: 212.87 ft (64.88 m) msl

WELL MSB 36C

Sample date: 02/27/90 Time: 13:58
Depth to water: 127.85 ft (38.97 m) below TOC
Water elevation: 212.95 ft (64.91 m) msl

WELL MSB 36D

Sample date: 02/27/90 Time: Not available
The well was dry.

WELL MSB 36TA

Sample date: 02/27/90 Time: 13:58
Depth to water: 148.04 ft (45.12 m) below TOC
Water elevation: 192.58 ft (58.69 m) msl

WELL MSB 37A

Sample date: 03/01/90 Time: 12:37
Depth to water: 177.48 ft (54.09 m) below TOC
Water elevation: 205.64 ft (62.68 m) msl

WELL MSB 37B

Sample date: 03/01/90 Time: 12:39
Depth to water: 184.60 ft (50.17 m) below TOC
Water elevation: 218.20 ft (66.51 m) msl

WELL MSB 37C

Sample date: 03/01/90 Time: 12:39
Depth to water: 155.81 ft (47.48 m) below TOC
Water elevation: 227.29 ft (69.28 m) msl

WATER-LEVEL DATA

WELL MSB 37D

Sample date: 03/01/90 Time: Not available
The well was dry.

WELL MSB 37TA

Sample date: 03/01/90 Time: 12:37
Depth to water: 178.66 ft (53.85 m) below TOC
Water elevation: 205.74 ft (62.71 m) msl

WELL MSB 38B

Sample date: 03/01/90 Time: 10:24
Depth to water: 144.49 ft (44.04 m) below TOC
Water elevation: 212.11 ft (64.65 m) msl

WELL MSB 38C

Sample date: 03/01/90 Time: 10:28
Depth to water: 141.17 ft (43.03 m) below TOC
Water elevation: 215.13 ft (65.57 m) msl

WELL MSB 38D

Sample date: 03/01/90 Time: Not available
The well was dry.

WELL MSB 38TA

Sample date: 03/01/90 Time: 10:23
Depth to water: 162.68 ft (49.59 m) below TOC
Water elevation: 194.02 ft (59.14 m) msl

WELL MSB 39A

Sample date: 02/27/90 Time: 12:50
Depth to water: 134.54 ft (41.01 m) below TOC
Water elevation: 207.06 ft (63.11 m) msl

WELL MSB 39B

Sample date: 02/27/90 Time: 12:52
Depth to water: 131.48 ft (40.07 m) below TOC
Water elevation: 210.34 ft (64.11 m) msl

WELL MSB 39C

Sample date: 02/27/90 Time: 12:50
Depth to water: 127.78 ft (38.95 m) below TOC
Water elevation: 213.72 ft (65.14 m) msl

WELL MSB 39D

Sample date: 02/27/90 Time: 12:47
Depth to water: 111.28 ft (33.92 m) below TOC
Water elevation: 230.42 ft (70.23 m) msl

WELL MSB 39TA

Sample date: 02/27/90 Time: 12:48
Depth to water: 151.31 ft (46.12 m) below TOC
Water elevation: 190.49 ft (58.06 m) msl

WELL MSB 40A

Sample date: 02/27/90 Time: 13:04
Depth to water: 120.57 ft (36.75 m) below TOC
Water elevation: 200.63 ft (61.15 m) msl

WELL MSB 40B

Sample date: 02/27/90 Time: 13:02
Depth to water: 119.52 ft (36.43 m) below TOC
Water elevation: 202.16 ft (61.63 m) msl

WELL MSB 40C

Sample date: 02/27/90 Time: Not available
The well was dry.

WELL MSB 40D

Sample date: 02/27/90 Time: Not available
The well was dry.

WELL MSB 40TA

Sample date: 02/27/90 Time: 13:02
Depth to water: 133.79 ft (40.78 m) below TOC
Water elevation: 187.01 ft (57.00 m) msl

WELL MSB 41A

Sample date: 03/01/90 Time: 16:52
Depth to water: 108.77 ft (33.15 m) below TOC
Water elevation: 215.03 ft (65.54 m) msl

WELL MSB 41B

Sample date: 03/01/90 Time: 16:53
Depth to water: 108.82 ft (33.11 m) below TOC
Water elevation: 215.38 ft (65.65 m) msl

WELL MSB 41C

Sample date: 03/01/90 Time: 16:51
Depth to water: 108.82 ft (33.11 m) below TOC
Water elevation: 215.98 ft (65.83 m) msl

WELL MSB 41D

Sample date: 03/01/90 Time: Not available
The well was dry.

WELL MSB 41TA

Sample date: 03/01/90 Time: 16:50
Depth to water: 119.66 ft (36.47 m) below TOC
Water elevation: 204.04 ft (62.19 m) msl

WELL MSB 42A

Sample date: 03/01/90 Time: 12:49
Depth to water: 159.15 ft (48.51 m) below TOC
Water elevation: 217.45 ft (66.28 m) msl

WELL MSB 42B

Sample date: 03/01/90 Time: 12:48
Depth to water: 151.50 ft (46.18 m) below TOC
Water elevation: 225.00 ft (68.58 m) msl

WELL MSB 42C

Sample date: 03/01/90 Time: 12:48
Depth to water: 146.01 ft (44.50 m) below TOC
Water elevation: 230.49 ft (70.25 m) msl

WATER-LEVEL DATA

WELL MSB 42D

Sample date: 03/01/90
The well was dry.

Time: Not available

WELL MSB 42TA

Sample date: 03/01/90
Depth to water: 172.62 ft (52.62 m) below TOC
Water elevation: 204.08 ft (62.20 m) msl

Time: 12:48

WELL MSB 43A

Sample date: 03/01/90
Depth to water: 129.42 ft (39.45 m) below TOC
Water elevation: 228.48 ft (69.64 m) msl

Time: 15:44

WELL MSB 43B

Sample date: 03/01/90
Depth to water: 129.09 ft (39.35 m) below TOC
Water elevation: 228.91 ft (69.77 m) msl

Time: 15:45

WELL MSB 43D

Sample date: 03/01/90
Depth to water: 126.93 ft (38.69 m) below TOC
Water elevation: 230.57 ft (70.28 m) msl

Time: 15:44

WELL MSB 43DD

Sample date: 03/01/90
Depth to water: 126.82 ft (38.66 m) below TOC
Water elevation: 231.28 ft (70.50 m) msl

Time: 15:42

WELL MSB 43TA

Sample date: 03/01/90
Depth to water: 155.98 ft (47.54 m) below TOC
Water elevation: 201.62 ft (61.45 m) msl

Time: 15:42

WELL MSB 44A

Sample date: 03/01/90
Depth to water: 160.34 ft (48.87 m) below TOC
Water elevation: 216.56 ft (66.01 m) msl

Time: 12:56

WELL MSB 44B

Sample date: 03/01/90
Depth to water: 153.54 ft (46.80 m) below TOC
Water elevation: 223.58 ft (68.14 m) msl

Time: 12:57

WELL MSB 44C

Sample date: 03/01/90
Depth to water: 143.33 ft (43.69 m) below TOC
Water elevation: 234.57 ft (71.50 m) msl

Time: 12:59

WELL MSB 45A

Sample date: 03/01/90
Depth to water: 165.75 ft (50.52 m) below TOC
Water elevation: 215.35 ft (65.64 m) msl

Time: 10:31

WELL MSB 45B

Sample date: 03/01/90
Depth to water: 155.73 ft (47.47 m) below TOC
Water elevation: 225.37 ft (68.69 m) msl

Time: 10:30

WELL MSB 45C

Sample date: 03/01/90
The well was dry.

Time: Not available

WELL MSB 46A

Sample date: 03/01/90
Depth to water: 158.18 ft (48.21 m) below TOC
Water elevation: 214.54 ft (65.39 m) msl

Time: Not available

WELL MSB 46B

Sample date: 03/01/90
The well was dry.

Time: Not available

WELL MSB 46C

Sample date: 03/01/90
The well was dry.

Time: Not available

WELL MSB 47B

Sample date: 03/01/90
Depth to water: 142.72 ft (43.50 m) below TOC
Water elevation: 226.28 ft (68.97 m) msl

Time: 13:47

WELL MSB 47C

Sample date: 03/01/90
Depth to water: 137.44 ft (41.89 m) below TOC
Water elevation: 231.88 ft (70.67 m) msl

Time: 13:46

WELL MSB 47D

Sample date: 03/01/90
Depth to water: 136.38 ft (41.57 m) below TOC
Water elevation: 232.81 ft (70.96 m) msl

Time: 13:43

WELL MSB 47TA

Sample date: 03/01/90
Depth to water: 153.95 ft (46.92 m) below TOC
Water elevation: 215.05 ft (65.55 m) msl

Time: 13:43

WELL MSB 48C

Sample date: 03/01/90
Depth to water: 139.78 ft (42.61 m) below TOC
Water elevation: 223.12 ft (68.01 m) msl

Time: 14:40

WELL MSB 48D

Sample date: 03/01/90
Depth to water: 132.37 ft (40.35 m) below TOC
Water elevation: 230.83 ft (70.36 m) msl

Time: 14:41

WELL MSB 49A

Sample date: 02/28/90
Depth to water: 139.01 ft (42.55 m) below TOC
Water elevation: 195.79 ft (59.68 m) msl

Time: 14:04

WELL MSB 49B

Sample date: 02/28/90
Depth to water: 133.83 ft (40.79 m) below TOC
Water elevation: 200.97 ft (61.26 m) msl

Time: 14:06

WATER-LEVEL DATA

WELL MSB 49D

Sample date: 02/28/90 Time: 14:04
Depth to water: 109.32 ft (33.32 m) below TOC
Water elevation: 224.88 ft (68.54 m) msl

WELL MSB 50B

Sample date: 03/01/90 Time: 8:20
Depth to water: 22.28 ft (6.78 m) below TOC
Water elevation: 201.74 ft (61.49 m) msl

WELL MSB 50D

Sample date: 03/01/90 Time: 8:20
Depth to water: 21.50 ft (6.55 m) below TOC
Water elevation: 202.00 ft (61.57 m) msl

WELL MSB 51B

Sample date: 03/01/90 Time: 8:07
Depth to water: 59.99 ft (18.29 m) below TOC
Water elevation: 203.51 ft (62.03 m) msl

WELL MSB 51D

Sample date: 03/01/90 Time: 8:07
Depth to water: 53.59 ft (16.33 m) below TOC
Water elevation: 208.91 ft (63.68 m) msl

WELL MSB 52B

Sample date: 03/01/90 Time: 16:45
Depth to water: 104.56 ft (31.87 m) below TOC
Water elevation: 217.34 ft (66.25 m) msl

WELL MSB 52D

Sample date: 03/01/90 Time: 16:48
Depth to water: 85.30 ft (26.00 m) below TOC
Water elevation: 236.50 ft (72.09 m) msl

WELL MSB 53B

Sample date: 03/01/90 Time: 17:15
Depth to water: 124.41 ft (37.92 m) below TOC
Water elevation: 220.19 ft (67.11 m) msl

WELL MSB 53C

Sample date: 03/01/90 Time: 17:15
Depth to water: 124.13 ft (37.84 m) below TOC
Water elevation: 221.37 ft (67.47 m) msl

WELL MSB 53D

Sample date: 03/01/90 Time: 17:17
Depth to water: 113.53 ft (34.60 m) below TOC
Water elevation: 231.57 ft (70.58 m) msl

WELL MSB 54B

Sample date: 03/01/90 Time: 15:05
Depth to water: 152.92 ft (46.61 m) below TOC
Water elevation: 220.78 ft (67.29 m) msl

WELL MSB 54C

Sample date: 03/01/90 Time: 15:02
Depth to water: 148.24 ft (45.18 m) below TOC
Water elevation: 225.46 ft (68.72 m) msl

WELL MSB 54D

Sample date: 03/01/90 Time: 15:07
Depth to water: 142.20 ft (43.34 m) below TOC
Water elevation: 231.80 ft (70.65 m) msl

WELL MSB 54TA

Sample date: 03/01/90 Time: 15:08
Depth to water: 155.59 ft (47.42 m) below TOC
Water elevation: 218.21 ft (66.51 m) msl

WELL MSB 55C

Sample date: 03/01/90 Time: 15:18
Depth to water: 141.09 ft (43.00 m) below TOC
Water elevation: 228.41 ft (69.62 m) msl

WELL MSB 55D

Sample date: 03/01/90 Time: 15:18
The well was dry.

WELL MSB 56D

Sample date: 03/01/90 Time: 15:52
Depth to water: 59.74 ft (18.21 m) below TOC
Water elevation: 220.06 ft (67.08 m) msl

WELL MSB 61C

Sample date: 03/01/90 Time: 17:25
Depth to water: 96.33 ft (29.36 m) below TOC
Water elevation: 221.27 ft (67.44 m) msl

WELL MSB 61D

Sample date: 03/01/90 Time: 17:25
Depth to water: 94.86 ft (28.91 m) below TOC
Water elevation: 223.24 ft (68.04 m) msl

WELL MSB 65D

Sample date: 02/27/90 Time: 10:48
Depth to water: 117.48 ft (35.81 m) below TOC
Water elevation: 232.02 ft (70.72 m) msl

WELL MSB 66B

Sample date: 03/01/90 Time: 13:12
Depth to water: 165.34 ft (50.40 m) below TOC
Water elevation: 218.16 ft (66.50 m) msl

WELL MSB 66C

Sample date: 03/01/90 Time: 13:10
Depth to water: 155.82 ft (47.43 m) below TOC
Water elevation: 227.88 ft (69.46 m) msl

WELL MSB 66D

Sample date: 03/01/90 Time: 13:10
Depth to water: 152.61 ft (46.52 m) below TOC
Water elevation: 230.69 ft (70.32 m) msl

WELL MSB 66TA

Sample date: 03/01/90 Time: 13:12
Depth to water: 178.08 ft (54.28 m) below TOC
Water elevation: 204.72 ft (62.40 m) msl

WATER-LEVEL DATA

WELL MSB 67B

Sample date: 03/01/90 Time: 13:28
Depth to water: 147.89 ft (45.08 m) below TOC
Water elevation: 217.21 ft (66.21 m) msl

WELL MSB 67C

Sample date: 03/01/90 Time: 13:31
Depth to water: 138.08 ft (42.09 m) below TOC
Water elevation: 228.72 ft (69.11 m) msl

WELL MSB 67D

Sample date: 03/01/90 Time: 13:28
Depth to water: 133.31 ft (40.63 m) below TOC
Water elevation: 231.69 ft (70.62 m) msl

WELL MSB 68B

Sample date: 03/01/90 Time: 13:22
Depth to water: 139.29 ft (42.48 m) below TOC
Water elevation: 217.61 ft (66.33 m) msl

WELL MSB 68C

Sample date: 03/01/90 Time: 13:22
Depth to water: 131.03 ft (39.94 m) below TOC
Water elevation: 225.67 ft (68.79 m) msl

WELL MSB 68D

Sample date: 03/01/90 Time: 13:24
Depth to water: 124.64 ft (37.99 m) below TOC
Water elevation: 232.36 ft (70.82 m) msl

WELL MSB 69B

Sample date: 03/01/90 Time: 14:52
Depth to water: 182.40 ft (49.50 m) below TOC
Water elevation: 219.30 ft (66.84 m) msl

WELL MSB 69C

Sample date: 03/01/90 Time: 14:55
Depth to water: 154.83 ft (47.19 m) below TOC
Water elevation: 226.97 ft (69.18 m) msl

WELL MSB 69D

Sample date: 03/01/90 Time: 14:55
Depth to water: 150.17 ft (45.77 m) below TOC
Water elevation: 232.03 ft (70.72 m) msl

WELL MSB 69TA

Sample date: 03/01/90 Time: 14:52
Depth to water: 187.64 ft (51.10 m) below TOC
Water elevation: 213.86 ft (65.19 m) msl

WELL MSB 70C

Sample date: 02/27/90 Time: 18:44
Depth to water: 148.45 ft (44.64 m) below TOC
Water elevation: 215.75 ft (65.78 m) msl

WELL MSB 71B

Sample date: 02/27/90 Time: 15:53
Depth to water: 129.54 ft (39.48 m) below TOC
Water elevation: 215.56 ft (65.70 m) msl

WELL MSB 72B

Sample date: 02/28/90 Time: 10:17
Depth to water: 130.30 ft (39.72 m) below TOC
Water elevation: 197.90 ft (60.32 m) msl

WELL MSB 73B

Sample date: 02/28/90 Time: 14:12
Depth to water: 140.64 ft (42.87 m) below TOC
Water elevation: 199.78 ft (60.89 m) msl

WELL MSB 82C

Sample date: 03/01/90 Time: 15:27
Depth to water: 148.01 ft (44.50 m) below TOC
Water elevation: 227.99 ft (69.49 m) msl

WELL MSB 83C

Sample date: 03/01/90 Time: 15:13
Depth to water: 144.80 ft (44.14 m) below TOC
Water elevation: 227.30 ft (69.28 m) msl

WELL MSB 84C

Sample date: 03/01/90 Time: 15:24
Depth to water: 133.43 ft (40.67 m) below TOC
Water elevation: 228.57 ft (69.67 m) msl

WELL MSB 85C

Sample date: 03/01/90 Time: 14:48
Depth to water: 157.63 ft (48.05 m) below TOC
Water elevation: 223.77 ft (68.21 m) msl

WELL SLW 1

Sample date: 02/28/90 Time: 11:43
Depth to water: 135.29 ft (41.24 m) below TOC
Water elevation: 168.81 ft (51.45 m) msl

WELL SLW 2

Sample date: 02/28/90 Time: 12:21
Depth to water: 124.94 ft (38.08 m) below TOC
Water elevation: 179.66 ft (54.78 m) msl

WELL SLW 3

Sample date: 02/28/90 Time: 12:17
Depth to water: 94.35 ft (28.78 m) below TOC
Water elevation: 184.35 ft (56.19 m) msl

WELL SLW 4

Sample date: 02/28/90 Time: 11:51
Depth to water: 106.61 ft (32.50 m) below TOC
Water elevation: 194.09 ft (59.18 m) msl

WELL SLW 5

Sample date: 02/28/90 Time: 11:57
Depth to water: 50.00 ft (15.24 m) below TOC
Water elevation: 192.00 ft (58.52 m) msl

WELL SLW 6

Sample date: 02/28/90 Time: 12:00
Depth to water: 54.67 ft (16.66 m) below TOC
Water elevation: 196.83 ft (59.99 m) msl

WATER-LEVEL DATA

WELL SLW 7

Sample date: 02/28/90
Depth to water: 59.48 ft (18.12 m) below TOC
Water elevation: 171.84 ft (52.32 m) msl

Time: 12:08

WELL SLW 8

Sample date: 02/28/90
Depth to water: 64.10 ft (19.54 m) below TOC
Water elevation: 183.40 ft (56.95 m) msl

Time: 12:11

WELL SRW 1

Sample date: 02/28/90
The well was dry.

Time: Not available

WELL SRW 2

Sample date: 02/28/90
Depth to water: 108.13 ft (32.96 m) below TOC
Water elevation: 212.47 ft (64.76 m) msl

Time: 18:38

WELL SRW 2A

Sample date: 02/28/90
Depth to water: 115.77 ft (35.29 m) below TOC
Water elevation: 204.83 ft (62.43 m) msl

Time: 18:34

WELL SRW 2B

Sample date: 02/28/90
Depth to water: 114.88 ft (35.01 m) below TOC
Water elevation: 205.74 ft (62.71 m) msl

Time: 18:34

WELL SRW 3A

Sample date: 02/28/90
Depth to water: 120.81 ft (36.78 m) below TOC
Water elevation: 211.49 ft (64.46 m) msl

Time: 18:31

WELL SRW 4

Sample date: 02/28/90
The well was dry.

Time: Not available

WELL SRW 5

Sample date: 02/28/90
Depth to water: 100.27 ft (30.56 m) below TOC
Water elevation: 208.13 ft (63.74 m) msl

Time: 18:51

WELL SRW 6

Sample date: 02/28/90
Depth to water: 97.87 ft (29.83 m) below TOC
Water elevation: 209.83 ft (63.96 m) msl

Time: 18:39

WELL SRW 7

Sample date: 02/28/90
Depth to water: 90.61 ft (27.62 m) below TOC
Water elevation: 208.48 ft (63.55 m) msl

Time: 18:48

WELL SRW 8

Sample date: 02/28/90
Depth to water: 81.89 ft (24.96 m) below TOC
Water elevation: 208.21 ft (63.45 m) msl

Time: 18:02

WELL SRW 9

Sample date: 02/28/90
Depth to water: 56.88 ft (17.33 m) below TOC
Water elevation: 196.54 ft (59.91 m) msl

Time: 18:14

WELL SRW 9A

Sample date: 02/28/90
Depth to water: 56.35 ft (17.18 m) below TOC
Water elevation: 196.95 ft (60.03 m) msl

Time: 18:18

WELL SRW 9B

Sample date: 02/28/90
Depth to water: 55.94 ft (17.05 m) below TOC
Water elevation: 197.46 ft (60.19 m) msl

Time: 18:15

WELL SRW 10

Sample date: 02/28/90
The well was dry.

Time: Not available

WELL SRW 11

Sample date: 02/28/90
The well was dry.

Time: 18:45

WELL SRW 12A

Sample date: 02/28/90
Depth to water: 43.60 ft (13.29 m) below TOC
Water elevation: 192.70 ft (58.74 m) msl

Time: 18:07

WELL SRW 12B

Sample date: 02/28/90
Depth to water: 48.48 ft (14.78 m) below TOC
Water elevation: 187.82 ft (57.25 m) msl

Time: 18:06

WELL SRW 12C

Sample date: 02/28/90
Depth to water: 42.81 ft (13.05 m) below TOC
Water elevation: 193.49 ft (58.98 m) msl

Time: 18:09

WELL SRW 13A

Sample date: 02/28/90
Depth to water: 98.13 ft (29.91 m) below TOC
Water elevation: 199.57 ft (60.83 m) msl

Time: 15:55

WELL SRW 13B

Sample date: 02/28/90
Depth to water: 98.31 ft (29.98 m) below TOC
Water elevation: 201.39 ft (61.38 m) msl

Time: 15:57

WELL SRW 13C

Sample date: 02/28/90
Depth to water: 90.68 ft (27.64 m) below TOC
Water elevation: 207.02 ft (63.10 m) msl

Time: 15:55

WELL SRW 14A

Sample date: 02/28/90
Depth to water: 125.50 ft (38.25 m) below TOC
Water elevation: 201.50 ft (61.42 m) msl

Time: 15:48

WATER-LEVEL DATA

WELL SRW 14B

Sample date: 02/28/90 Time: 15:48
Depth to water: 123.55 ft (37.66 m) below TOC
Water elevation: 203.35 ft (61.98 m) msl

WELL SRW 14C

Sample date: 02/28/90 Time: Not available
The well was dry.

WELL SRW 15A

Sample date: 02/28/90 Time: 16:25
Depth to water: 111.87 ft (34.04 m) below TOC
Water elevation: 207.43 ft (63.23 m) msl

WELL SRW 15B

Sample date: 02/28/90 Time: 16:25
Depth to water: 111.37 ft (33.95 m) below TOC
Water elevation: 207.73 ft (63.32 m) msl

WELL SRW 15C

Sample date: 02/28/90 Time: 16:27
Depth to water: 108.49 ft (33.07 m) below TOC
Water elevation: 210.61 ft (64.19 m) msl

WELL SRW 16A

Sample date: 02/28/90 Time: 15:30
Depth to water: 134.57 ft (41.02 m) below TOC
Water elevation: 212.23 ft (64.69 m) msl

WELL SRW 16B

Sample date: 02/28/90 Time: 15:31
Depth to water: 134.12 ft (40.88 m) below TOC
Water elevation: 212.68 ft (64.83 m) msl

WELL SRW 16C

Sample date: 02/28/90 Time: 15:33
Depth to water: 133.13 ft (40.58 m) below TOC
Water elevation: 213.47 ft (65.07 m) msl

LOCATION INDEX BY WELL SERIES

<u>Well Series</u>	<u>Location</u>
A	Swamp area southeast of H-Area Seepage Basins
ABP	A-Area Metals Burning Pit
ABW	A-Area Background Well near Firing Range
AC	A-Area Cluster Perimeter Wells M-Area Plume Definition Wells
ACB	A-Area Coal Pile Runoff Containment Basin
AMB	Metallurgical Laboratory Seepage Basin
AOB	Motor Shop Oil Basin
ARP	A-Area Burning/Rubble Pits
ASB	Savannah River Laboratory (SRL) Seepage Basins
ASP	Z Area
BG	Burial Grounds Burial Grounds Grid Wells Just north of the Burial Grounds Just outside the fence surrounding the Burial Grounds
BG-I Well	F Area
BGO	Burial Grounds Perimeter Wells
BH	S-Area Defense Waste Processing Facility (DWPF) Boreholes and Piezometers
BRD	Road A Chemical Basin (Baxley Road)
BRR	Burma Road Rubble Pit
BTP	Bentonite Test Pit Wells, across from the entrance to the Burial Grounds on Road E
CBR	Central Shops Burning/Rubble Pit south of the Ford Building Seepage Basin
CCB	C-Area Coal Pile Runoff Containment Basin
CDB	C-Area Disassembly Basin
CMP	Chemicals, Metals, and Pesticides (CMP) Pits
CRP	C-Area Burning/Rubble Pit
CSA	Hydrofluoric Acid Spill Area
CSB	C-Area Reactor Seepage Basins
CSD	Central Shops Diesel Spill Characterization and Remediation Wells
CSO	Fire Department Training Facility
CSR	Central Shops Burning/Rubble Pits
DBP	D-Area Burning/Rubble Pits
DCB	D-Area Coal Pile Runoff Containment Basin and Ash Basins

LOCATION INDEX BY WELL SERIES

<u>Well Series</u>	<u>Location</u>
DOB	D-Area Oil Disposal Basin
DRB	Deep Rock Borings
F	F-Area Seepage Basins
FAC	F-Area Acid/Caustic Basin
FAL	F-Area A Line
FBP	F-Area Burning/Rubble Pits
FC	F-Area Hydrology Cluster
FCA	F-Area Canyon Building
FCB	F-Area Coal Pile Runoff Containment Basin
FET	F-Area Effluent Treatment Cooling Water Basin
FMC	F-Area Seepage Basins Vertical Radionuclide Distribution Wells
FNB	Old F-Area Seepage Basin
FSB	F-Area Seepage Basins
FSB 1TA Well	F-Area Seepage Basins Production Well
FSS	F-Area Sludge Land Application Site
FTF	F-Area Tank Farm
GBW	Background Well near Hawthorne Fire Tower
GCD	Burial Grounds
H-Area Well	H Area
H	H-Area Seepage Basins
HAC	H-Area Acid/Caustic Basin
HAP	H-Area Auxiliary Pump Pit
HC	H-Area Hydrology Cluster
HCA	H-Area Canyon Building
HCB	H-Area Coal Pile Runoff Containment Basin
HCC	H-Area Canyon Building
HET	H-Area Effluent Treatment Cooling Water Basin
HP	Upper Tank Farm
HPM	Upper and Lower Tank Farm
HPT	Aquifer Characterization Test Wells in H Area between the Burial Grounds and Road 4
HR3	Old H-Area Retention Basin
HR8	H-Area Retention Basin
HSB	H-Area Seepage Basins
HSB 1TB Well	H-Area Seepage Basins Production Well
HSS	H-Area Sludge Land Application Site
HTF	H-Area Tank Farm
HWS	Hazardous Waste Storage Facility
HXB	Ford Building Seepage Basin
IDB	Interim Waste Technology Site Characterization Wells, Site B, two miles northeast of H Area
IDP	Interim Waste Technology Site Characterization Wells, Site P, adjacent to Site Q and located south of the TC-1 Area and north of Highway 125

LOCATION INDEX BY WELL SERIES

<u>Well Series</u>	<u>Location</u>
IDQ	Interim Waste Technology Site Characterization Wells, Site Q, adjacent to Site P and located south of the TC-1 Area and north of Highway 125
K Well	Mixed Waste Mangement Facility (MWMF) Borrow Pit
K	K-Area Wind Tower Piezometers at B-Road
KAB	K-Area Ash Basin
KAC	K-Area Acid/Caustic Basin
KCB	K-Area Coal Pile Runoff Containment Basin
KDB	K-Area Disassembly Basin
KDT	K-Area Water Table Well
KRB	K-Area Retention Basin
KRP	K-Area Burning/Rubble Pit
KSB	K-Area Reactor Seepage Basin
KSS	K-Area Sludge Land Application Site
LAC	L-Area Acid/Caustic Basin
LAW	L-Area Research Wells
LCO	L-Area Oil and Chemical Basin
LDB	L-Area Disassembly Basin
LFW	Sanitary Landfill
LRP	L-Area Burning/Rubble Pit
LSB	L-Area Reactor Seepage Basin
MCB	Miscellaneous Chemical Basin
MGA	Series A, Monitoring Grid Wells for Burial Grounds
MGC	Series C, Monitoring Grid Wells for Burial Grounds
MGE	Series E, Monitoring Grid Wells for Burial Grounds
MGG	Series G, Monitoring Grid Wells for Burial Grounds
MGI	Series I, Monitoring Grid Wells for Burial Grounds
MSB	M-Area Hazardous Waste Management Facility (HWMF) M-Area Plume Definition Wells M-Area Settling Basin (also used for plume definition)
MWD	Hazardous Waste/Mixed Waste Disposal Facility
NBG	Wells between the F-Area Canyon Building and the Naval Fuel Material Facility
NPM	Preliminary Hydrogeologic Evaluation of Potential New Production Reactor Site Characterization Wells
NPN	Preliminary Hydrogeologic Evaluation of Potential New Production Reactor Site Characterization Wells
NTN	Preliminary Hydrogeologic Evaluation of Potential New Production Reactor Site Characterization Wells
NTS	Preliminary Hydrogeologic Evaluation of Potential New Production Reactor Site Characterization Wells
NTW	Preliminary Hydrogeologic Evaluation of Potential New Production Reactor Site Characterization Wells
OBS	Z Area

LOCATION INDEX BY WELL SERIES

<u>Well Series</u>	<u>Location</u>
P	TNX-Area Pump Test Wells for the Congaree Formation (P 26AP) and for the Water Table (P 26DP)
PAC	P-Area Acid/Caustic Basin
PCB	P-Area Coal Pile Runoff Containment Basin
PDB	P-Area Disassembly Basin
PRP	P-Area Burning/Rubble Pit
PSB	P-Area Reactor Seepage Basins
PSS	Par Pond Sludge Land Application Site
PW	Z Area
PZ	Z-Area Piezometer Wells
RAC	R-Area Acid/Caustic Basin
RDB	R-Area Disassembly Basin
RRP	R-Area Burning/Rubble Pits
RSA	Series A, R-Area Reactor Seepage Basins
RSB	Series B, R-Area Reactor Seepage Basins
RSC	Series C, R-Area Reactor Seepage Basins
RSD	Series D, between R-Area Reactor Seepage Basins and R-Area Disassembly Basin
RSE	Series E, R-Area Reactor Seepage Basins
RSF	Series F, R-Area Reactor Seepage Basins
RSS	S-Area Defense Waste Processing Facility (DWPF)
RSW	Series DW, R-Area Reactor Seepage Basins Dry Monitoring Wells
RWM	M-Area Recovery Wells (also used for plume definition)
S Well	S Area
SB	Special Burial Wells in the Burial Grounds
SBG	S-Area Background Wells
SCA	S-Area Vitrification Building
SDS	Z-Area Saltstone Disposal Site Facility
SLP	S-Area Low Point Pump Pit
SLW	New Sanitary Landfill Piezometer Wells
SRW	Silverton Road Waste Site
SSS	Sewage Sludge Application Sites
TBG	TNX Burying Ground
TNX	TNX-Area Assessment Wells
TW	Upper Tank Farm
WW	Burial Grounds Expansion Wells
XSB	Old TNX Seepage Basin
YSB	New TNX Seepage Basin
YSC	Y-Area Waste Solidification and Disposal Facility

LOCATION INDEX BY WELL SERIES

<u>Well Series</u>	<u>Location</u>
Z Well	Z Area
Z	F Area
	H Area
ZBG	Z-Area Background Wells
ZDT	Z-Area Low Point Drain Tank
ZW	F Area
	H Area
241-F	F-Area Tank Farm
241-H	H-Area Tank Farm, between Tanks 9 and 11

This page was left blank intentionally.

GLOSSARY

2,4-D: 2,4-Dichlorophenoxyacetic acid

AERATE: Introducing air into a solution by spraying, stirring, or a similar method

B: An analytical modifier code used in analytical data tables to denote detection of the analyte at similar or higher levels in the accompanying laboratory blank

CFR: Code of Federal Regulations

CMP: Chemicals, metals, and pesticides

C.S.: Carbon steel

DL: Detection limit

DOE: United States Department of Energy

DPSOP: DuPont Standard Operating Procedure

DWPF: Defense Waste Processing Facility

DWS: Drinking water standard

E: A code in the data signifying exponential notation; e.g., 3.4E3 = 3400

EID: Environmental Information Document

EIS: Environmental Impact Statement

EM: Environmental Monitoring; used to refer to the laboratory operated by the Environmental Monitoring Section of the Environmental Protection Department

EMS: Environmental Monitoring Section

EMTC: Environmental Monitoring and Testing Corporation

EOC: Emergency Operations Center of SRS

EPA: United States Environmental Protection Agency

GLOSSARY

EPD: Environmental Protection Department of SRS

EPD/EMS: Environmental Protection Department's Environmental Monitoring Section

EPS: Environmental Protection Section of SRS

ERA: Environmental Resource Associates of Arvada, CO

GE: General Engineering Laboratories of Charleston, SC

Ge-Hy: Ge-Hy Sampling of New Ellenton, SC

GPM: Gallons per minute

GROUT: A fluid mixture of cement and water or a mixture of cement, sand, and water used to hold the well casing in place within a borehole and prevent caving and fluid migration between strata; also used to plug abandoned wells

HERB/PEST: Herbicides/pesticides, a suite of analyses (see **Sample Scheduling** section)

HPR: Health Protection Report

HWMF: Hazardous Waste Management Facility

IHA: EPA Interim Health Advisory

INTERLABORATORY: Comparisons conducted between two or more laboratories

INTRALABORATORY: Comparisons conducted between tests from within a single laboratory

IWP: Industrial Waste Permit

J: An analytical modifier code used in the analytical data to indicate that the result given is a result below the detection limit and therefore an estimation

MA: M Area; used to refer to the M-Area Laboratory at SRS

METATRACE: metaTRACE, Inc. of St. Louis, MO

MG: Milligrams

MG/L: Milligrams per liter

MRD: Mean Relative Difference

MSL: Mean sea level

MT: metaTRACE, Inc.

MTC: Monitor Testing Corporation, now Environmental Monitoring and Testing Corporation

MWMF: Mixed Waste Management Facility

NG/L: Nanograms per liter

NRDC: Natural Resources Defense Council

NTU: Nephelometric Turbidity Units

PCB: Polychlorinated Biphenyl

pCi: Picocurie

pCi/mL: Picocuries per milliliter

pCi/L: Picocuries per liter

pH: pH units

PIEZOMETER: An instrument for measuring fluid pressure, such as a gauge attached to a pipe containing a gas or liquid

PVC: Polyvinyl chloride

QA: Quality Assurance

(R): Replicate

RADIOISOTOPES: Nuclides of the same element (same number of protons in their nuclei) that differ in the number of neutrons and that spontaneously emit particles of electromagnetic radiation

RCRA: Resource Conservation and Recovery Act

RDL: Reference Detection Limit

RFI: Resource Conservation and Recovery Act Facility Investigation

SCDHEC: South Carolina Department of Health and Environmental Control

SCHWMR: South Carolina Hazardous Waste Management Regulations

SRL: Savannah River Laboratory

SRP: Savannah River Plant, now Savannah River Site

SRS: Savannah River Site

S.S.: Stainless steel

TE: Teledyne Isotopes of Westwood, NJ

GLOSSARY

Teledyne: Teledyne Isotopes

TOC: Top of Casing

TOC: Total Organic Carbon

TOH: Total Organic Halogens

(U): Unclassified

$\mu\text{G/L}$: Micrograms per liter

USDWS: United States Public Health drinking water standard

WEGS: Westinghouse Environmental and Geotechnical Services

WSRC: Westinghouse Savannah River Company

$\mu\text{S/cm}$: Microsiemens per centimeter (equivalent to micromhos per centimeter)

REFERENCES

- American Public Health Association, American Water Works Association, and Water Pollution Control Federation. 1985. *Standard Methods for the Examination of Water and Wastewater*, 16th edition. Washington, DC.
- Bledsoe, H. W. 1988. *SRP Baseline Hydrogeologic Investigation—Phase III*, DPST-88-627. Aiken, SC: E. I. du Pont de Nemours & Company, Savannah River Laboratory.
- Christensen, E. J., and D. E. Gordon, eds. 1983. *Technical Summary of Groundwater Quality Protection Program at Savannah River Plant, Volume I—Site Geohydrology, and Solid and Hazardous Wastes*, DPST-83-829. Aiken, SC: E. I. du Pont de Nemours & Company, Savannah River Laboratory.
- E. I. du Pont de Nemours & Company. 1987. *Hydrogeologic Data Collection*, DPSOP 254. Aiken, SC.
- Environmental Monitoring (Environmental and Health Protection Department) and Exploration Resources. 1989. *The Savannah River Site's Groundwater Monitoring Program Conducted by the Environmental and Health Protection Department for the First Quarter 1989*, ESH-EMS-890043. Aiken, SC: Westinghouse Savannah River Company, Savannah River Site.
- Environmental Monitoring (Environmental and Health Protection Department) and Exploration Resources. 1989. *The Savannah River Site's Groundwater Monitoring Program Conducted by the Environmental and Health Protection Department for the Second Quarter 1989*, ESH-EMS-890044. Aiken, SC: Westinghouse Savannah River Company, Savannah River Site.
- Environmental Monitoring (Environmental and Health Protection Department) and Exploration Resources. 1989. *The Savannah River Site's Groundwater Monitoring Program Conducted by the Environmental and Health Protection Department for the Third Quarter 1989*, ESH-EMS-890045. Aiken, SC: Westinghouse Savannah River Company, Savannah River Site.
- Environmental Monitoring (Environmental and Health Protection Department) and Exploration Resources. 1989. *The Savannah River Site's Groundwater Monitoring Program Conducted by the Environmental and Health Protection Department for the Fourth Quarter 1989*, ESH-EMS-890046. Aiken, SC: Westinghouse Savannah River Company, Savannah River Site.
- Environmental Monitoring (Environmental Protection Department) and Exploration Resources. Draft. *EPD/EMS Groundwater Monitoring Program 1990 Sampling Schedule*. Aiken, SC: Westinghouse Savannah River Company, Savannah River Site.

REFERENCES

- Environmental Monitoring (Environmental Protection Department) and Exploration Resources. Draft. *EMS Groundwater Monitoring Program Changes to the Database Log Book.* Aiken, SC: Westinghouse Savannah River Company, Savannah River Site.
- Environmental Monitoring (Health Protection Department) and Exploration Software. 1987. *The Savannah River Plant's Groundwater Monitoring Program Conducted by the Health Protection Department for the Second Quarter 1987*, HPR-87-286. Aiken, SC: E. I. du Pont de Nemours & Company, Savannah River Plant.
- Environmental Monitoring (Health Protection Department) and Exploration Software. 1987. *The Savannah River Plant's Groundwater Monitoring Program Conducted by the Health Protection Department for the Third Quarter 1987*, HPR-87-339. Aiken, SC: E. I. du Pont de Nemours & Company, Savannah River Plant.
- Environmental Monitoring (Health Protection Department) and Exploration Software. 1988. *The Savannah River Plant's Groundwater Monitoring Program Conducted by the Health Protection Department for the Fourth Quarter 1987*, HPR-88-098. Aiken, SC: E. I. du Pont de Nemours & Company, Savannah River Plant.
- Environmental Monitoring (Health Protection Department) and Exploration Software. 1988. *The Savannah River Plant's Groundwater Monitoring Program Conducted by the Health Protection Department for the First Quarter 1988*, HPR-88-238. Aiken, SC: E. I. du Pont de Nemours & Company, Savannah River Plant.
- Environmental Monitoring (Health Protection Department) and Exploration Software. 1988. *The Savannah River Plant's Groundwater Monitoring Program Conducted by the Health Protection Department for the Second Quarter 1988*, HPR-88-300. Aiken, SC: E. I. du Pont de Nemours & Company, Savannah River Plant.
- Environmental Monitoring (Health Protection Department) and Exploration Software. 1988. *The Savannah River Plant's Groundwater Monitoring Program Conducted by the Health Protection Department for the Third Quarter 1988*, HPR-88-489. Aiken, SC: E. I. du Pont de Nemours & Company, Savannah River Plant.
- Environmental Monitoring (Health Protection Department) and Exploration Software. 1989. *The Savannah River Site's Groundwater Monitoring Program Conducted by the Health Protection Department for the Fourth Quarter 1988*, HPR-89-193. Aiken, SC: Westinghouse Savannah River Company, Savannah River Site.
- Environmental Monitoring (Health Protection Department) and Exploration Software. 1987. *Time Versus Concentration Plots of Select Parameters from the Groundwater Monitoring Program*, HPR-88-058, July 1984-June 1987. Aiken, SC: E.I. du Pont de Nemours & Company, Savannah River Plant.
- Heath, E. M., L. B. Taus, C. M. Olson, and Exploration Software. 1986. *The Savannah River Plant's Waste-Site Groundwater Monitoring Program Conducted by the Health Protection Department for the Third Quarter 1986*, HPR-87-002. Aiken, SC: E. I. du Pont de Nemours & Company, Savannah River Plant.

REFERENCES

- Heath, E. M., L. B. Taus, C. M. Olson, and Exploration Software. 1987. *The Savannah River Plant's Groundwater Monitoring Program Conducted by the Health Protection Department for the Fourth Quarter 1986*, HPR-87-072. Aiken, SC: E. I. du Pont de Nemours & Company, Savannah River Plant.
- Heath, E. M., L. B. Taus, C. M. Olson, and Exploration Software. 1987. *The Savannah River Plant's Groundwater Monitoring Program Conducted by the Health Protection Department for the First Quarter 1987*, HPR-87-158. Aiken, SC: E. I. du Pont de Nemours & Company, Savannah River Plant.
- Janssen, J. L., and Exploration Resources. 1989. *Environmental and Health Protection Well Inventory*, Includes Current and Past Monitoring (as of April 26, 1989), ESH-EMS-890070. Aiken, SC: Westinghouse Savannah River Company, Savannah River Site.
- Janssen, J. L., and Exploration Resources. 1990. *Environmental Protection Well Inventory*, [Includes Current and Past Monitoring (Through the Fourth Quarter of 1989)], ESH-EMS-900037. Aiken, SC: Westinghouse Savannah River Company, Savannah River Site.
- Janssen, J. L., and Exploration Software. 1988. *Health Protection Well Inventory*, [Includes Current and Past Monitoring (as of September 30, 1988)], HPR-89-033. Aiken, SC: E. I. du Pont de Nemours & Company, Savannah River Plant.
- Los Alamos National Laboratory. 1983. *Manual of Methods for Radiobioassay*, LA-9763-M. Los Alamos, NM.
- Olson, C. M., and Exploration Software. 1986. *The Savannah River Plant's Waste-Site Groundwater Monitoring Program Conducted by the Health Protection Department for the First Quarter 1986*, HPR-86-158 (Revised). Aiken, SC: E. I. du Pont de Nemours & Company, Savannah River Plant.
- Olson, C. M., and Exploration Software. 1986. *The Savannah River Plant's Waste-Site Groundwater Monitoring Program Conducted by the Health Protection Department for the Second Quarter 1986*, HPR-86-226. Aiken, SC: E. I. du Pont de Nemours & Company, Savannah River Plant.
- South Carolina Department of Health and Environmental Control. 1986. *Construction Permit No. 12,683 [Z-Area Saltstone Manufacturing Facility]*, granted to U.S. Department of Energy, Savannah River Operations Office, Aiken, SC.
- South Carolina Department of Health and Environmental Control. 1986. *Industrial Waste Permit No. IWP-217* [for the operation of an industrial solid waste disposal facility located in Z Area at the Savannah River Plant, Aiken County], Office of Environmental Quality Control, Bureau of Solid & Hazardous Waste Management. Columbia, SC.
- South Carolina Department of Health and Environmental Control. 1989. *South Carolina Hazardous Waste Management Regulations, Amended June 23, 1989*, Promulgated Pursuant to Sections 44-56-10 through 44-56-140 of the 1976 South Carolina Code of Laws.
- South Carolina Hazardous Waste Management Regulations, General Program Requirements. 1986. South Carolina Code of Regulations, R.61-79.124-270, Subpart A. Columbia, SC.

REFERENCES

- Steel, R. G. D., and Torrie, J. H. 1980. *Principles and Procedures of Statistics*, 2nd edition. New York: McGraw-Hill Book Company.
- Stone, J. A., and E. J. Christensen, eds. 1983. *Technical Summary of Groundwater Quality Protection Program at Savannah River Plant, Volume II—Radioactive Waste*, DPST-83-829. Aiken, SC: E. I. du Pont de Nemours & Company, Savannah River Laboratory.
- U.S. Department of Energy. 1984. *Final Environmental Impact Statement: L-Reactor Operation, Savannah River Plant*, Volume 1, DOE-EIS-0108. Aiken, SC.
- U.S. Department of Energy. 1988. *Geohydrology Program Report*. Aiken, SC: Environmental Division, U.S. Department of Energy, Savannah River Operations Office.
- U.S. Department of Energy. 1989. *Geoscience Implementation Plan*. Aiken, SC: Environmental Division, U.S. Department of Energy, Savannah River Operations Office.
- U.S. Department of Energy. 1986. *Savannah River Plant Environmental Report for 1985*, Volumes I and II, DPSPU-86-30-1. Aiken, SC.
- U.S. Department of Energy. 1987. *Savannah River Plant Environmental Report for 1986*, Volumes I and II, DPSPU-87-30-1. Aiken, SC.
- U.S. Department of Energy. 1988. *Savannah River Plant Environmental Report for 1987*, Volumes I and II, DPSPU-88-30-1. Aiken, SC.
- U.S. Department of Energy. 1989. *Savannah River Site Environmental Report for 1988*, Volumes I and II, WSRC-RP-89-59-1. Aiken, SC.
- U.S. Department of Energy. 1990. *Savannah River Site Environmental Report for 1989*, Volumes I and II, WSRC-IM-90-60. Aiken, SC.
- U.S. Department of Health, Education, and Welfare. 1962. Reprinted 1969. *Public Health Service Drinking Water Standards*, Public Health Service Publication No. 956. Washington, DC.
- U.S. Environmental Protection Agency. 1976. National Primary Drinking Water Regulations. *Code of Federal Regulations*, Title 40, Part 141. Washington, DC.
- U.S. Environmental Protection Agency. 1977. *National Interim Primary Drinking Water Regulations*, EPA-570/9-76-003. Washington, DC.
- U.S. Environmental Protection Agency. 1979. *Methods for Chemical Analysis of Water and Wastes*, EPA-600/4-79-020. Cincinnati, OH: Office of Research and Development.
- U.S. Environmental Protection Agency. 1979. National Interim Primary Drinking Water Regulations. *Federal Register*, Volume 44, Number 231, Appendix, Part I, November 29, 1979. Washington, DC.
- U.S. Environmental Protection Agency. 1986a. National Primary Drinking Water Regulations, Radionuclides (Proposed). *Code of Federal Regulations*, Title 40, Part 141. Washington, DC.

REFERENCES

- U.S. Environmental Protection Agency. 1986b. National Secondary Drinking Water Regulations. *Code of Federal Regulations*, Title 40, Part 143. Washington, DC.
- U.S. Environmental Protection Agency. 1986. *Test Methods for Evaluating Solid Waste, Volume 1A: Laboratory Manual, Physical/Chemical Methods*, SW-846. Washington, DC.
- U.S. Environmental Protection Agency. 1987a. National Primary Drinking Water Regulations. *Code of Federal Regulations*, Title 40, Part 141. Washington, DC.
- U.S. Environmental Protection Agency. 1987b. National Primary Drinking Water Regulations; Volatile Synthetic Organic Chemicals, *Federal Register*, July 8, 1987. Washington, DC.

★U.S. GOVERNMENT PRINTING OFFICE: 1990-540-008/20013

END

**DATE
FILMED**

6 / 9 / 92