WSRC-TR-92-220

**H-AREA SEEPAGE BASINS GROUNDWATER MONITORING
REPORT (U) - FIRST QUARTER 1992**

by WSRC Contact - C. Y. Thompson
Westinghouse Savannah River Company
Savannah River Site
Aiken, South Carolina 29808

WSRC-TR--92-220

DE93 008621

Other Authors:

This paper was prepared in connection with work done under Contract No. DE-AC09-89SR18035 with the U. S. Department of Energy. By acceptance of this paper, the publisher and/or recipient acknowledges the U. S. Government's right to retain a nonexclusive, royalty-free license in and to any copyright covering this paper, along with the right to reproduce and to authorize others to reproduce all or part of the copyrighted paper.

MASTER

DISTRIBUTION OF THIS DOCUMENT IS UNLIMITED

RECEIVED
MAR 04 1983
OSTI

DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

This report has been reproduced directly from the best available copy.

Available to DOE and DOE contractors from the Office of Scientific and Technical Information, P. O. Box 62, Oak Ridge, TN 37831; prices available from (615) 576-8401.

Available to the public from the National Technical Information Service, U. S. Department of Commerce, 5285 Port Royal Rd., Springfield, VA 22161.

FIRST QUARTER 1992

H-AREA SEEPAGE BASINS GROUNDWATER MONITORING REPORT (U)

KEY WORDS

HASB
hazardous waste
HSB wells
nitrate
tritium

PUBLICATION DATE: JUNE 1992

Authorized Derivative Classifier:

M.A. Ebro 6/26/92

WESTINGHOUSE SAVANNAH RIVER COMPANY
SAVANNAH RIVER SITE
AIKEN, SC 29808

DISTRIBUTION OF THIS DOCUMENT IS UNLIMITED

Abstract

During first quarter 1992, tritium, nitrate, nonvolatile beta, total alpha-emitting radium (radium-224 and radium-226), gross alpha, antimony, mercury, lead, tetrachloroethylene, arsenic, and cadmium exceeded the U.S. Environmental Protection Agency Primary Drinking Water Standards (PDWS) in groundwater samples from monitoring wells at the H-Area Seepage Basins (HASB). Tritium and nitrate were the most widespread constituents; 89 (68%) of the 130 monitored wells exhibited elevated tritium activities and 43 (33%) wells exhibited elevated nitrate activities. These two constituents were found primarily in Aquifer Zone IIB₂ (Water Table) and in the upper portion of Aquifer Zone IIB₁ (Barnwell/McBean). Tritium activities exceeding the PDWS also occurred in several wells in the lower portion of Aquifer Zone IIB₁ (Barnwell/McBean) and Aquifer Unit IIA (Congaree). The highest tritium activity was found in Aquifer Zone IIB₂ (Water Table), and the highest nitrate concentration occurred in the upper portion of Aquifer Zone IIB₁ (Barnwell/McBean).

Eighty-seven downgradient wells screened in Aquifer Zone IIB₂ (Water Table), the upper portion of Aquifer Zone IIB₁ (Barnwell/McBean), and the lower portion of Aquifer Zone IIB₁ (Barnwell/McBean) contained levels of tritium, nitrate, nonvolatile beta, total alpha-emitting radium, gross alpha, antimony, mercury, lead, tetrachloroethylene, arsenic, or cadmium that exceeded the PDWS during first quarter 1992. Upgradient well HSB 65 exhibited tritium activities that exceeded the PDWS.

Contents

	Page
Abstract	iii
List of Figures	vii
List of Tables	ix
Executive Summary	1
Introduction	3
Description of Facilities	3
Hydrostratigraphic Units	4
Monitoring Well Nomenclature	4
Discussion	5
Integrity of the Monitoring Well Network	5
Groundwater Monitoring Data	6
Analytical Results Exceeding Standards	6
Tritium, Nitrate, and pH Time-Trend Data	8
Water Levels	9
Groundwater Flow Rates and Directions	9
Upgradient Versus Downgradient Results	11
Conclusions	12
Errata	14
References Cited	15
Appendix A—Primary Drinking Water Standards	A-1
Appendix B—Flagging Criteria	B-1
Appendix C—Figures	C-1
Appendix D—Groundwater Monitoring Results Tables	D-1
Appendix E—Time Series Plots	E-1
Appendix F—Hydrographs	F-1

List of Figures

	Page
1. Site-Specific Hydrostratigraphic Nomenclature	C-2
2. Regional Correlation of Hydrostratigraphic and Lithostratigraphic Nomenclatures	C-3
3. Location of the H-Area Seepage Basins at the Savannah River Site	C-4
4. Location of the Groundwater Monitoring Wells at the H-Area Seepage Basins	C-5
5. Location of Aquifer Zone IIB ₂ (Water Table) Groundwater Monitoring Well at the H-Area Seepage Basins	C-6
6. Location of Upper Portion Aquifer Zone IIB ₁ (Barnwell/McBean) Groundwater Monitoring Wells at the H-Area Seepage Basins	C-7
7. Location of Lower Portion Aquifer Zone IIB ₁ (Barnwell/McBean) Groundwater Monitoring Wells at the H-Area Seepage Basins	C-8
8. Location of Aquifer Unit IIA (Congaree) Groundwater Monitoring Wells at the H-Area Seepage Basins	C-9
9. Tritium Activities in Aquifer Zone IIB ₂ (Water Table) at the H-Area Seepage Basins, First Quarter 1992	C-10
10. Nitrate Concentrations in Aquifer Zone IIB ₂ (Water Table) at the H-Area Seepage Basins, First Quarter 1992	C-11
11. Gross Alpha Activities in Aquifer Zone IIB ₂ (Water Table) at the H-Area Seepage Basins, First Quarter 1992	C-12
12. Nonvolatile Beta Activities in Aquifer Zone IIB ₂ (Water Table) at the H-Area Seepage Basins, First Quarter 1992	C-13
13. Tritium Activities in Upper Portion of Aquifer Zone IIB ₁ (Barnwell/McBean) at the H-Area Seepage Basins, First Quarter 1992	C-14
14. Nitrate Concentrations in Upper Portion of Aquifer Zone IIB ₁ (Barnwell/McBean) at the H-Area Seepage Basins, First Quarter 1992	C-15
15. Gross Alpha Activities in Upper Portion of Aquifer Zone IIB ₁ (Barnwell/McBean) at the H-Area Seepage Basins, First Quarter 1992	C-16

16.	Nonvolatile Beta Activities in Upper Portion of Aquifer Zone IIB ₁ (Barnwell/McBean) at the H-Area Seepage Basins, First Quarter 1992	C-17
17.	Tritium Activities in Lower Portion of Aquifer Zone IIB ₁ (Barnwell/McBean) at the H-Area Seepage Basins, First Quarter 1992	C-18
18.	Nitrate Concentrations in Lower Portion of Aquifer Zone IIB ₁ (Barnwell/McBean) at the H-Area Seepage Basins, First Quarter 1992	C-19
19.	Gross Alpha Activities in Lower Portion of Aquifer Zone IIB ₁ (Barnwell/McBean) at the H-Area Seepage Basins, First Quarter 1992	C-20
20.	Nonvolatile Beta Activities in Lower Portion of Aquifer Zone IIB ₁ (Barnwell/McBean) at the H-Area Seepage Basins, First Quarter 1992	C-21
21.	Tritium Activities in Aquifer Unit IIA (Congaree) at the H-Area Seepage Basins, First Quarter 1992	C-22
22.	Nitrate Concentrations in Aquifer Unit IIA (Congaree) at the H-Area Seepage Basins, First Quarter 1992	C-23
23.	Gross Alpha Activities in Aquifer Unit IIA (Congaree) at the H-Area Seepage Basins, First Quarter 1992	C-24
24.	Nonvolatile Beta Activities in Aquifer Unit IIA (Congaree) at the H-Area Seepage Basins, First Quarter 1992	C-25
25.	Mercury Concentrations in Aquifer Zone IIB ₂ (Water Table) at the H-Area Seepage Basins, First Quarter 1992	C-26
26.	Mercury Concentrations in Upper Portion of Aquifer Zone IIB ₁ (Barnwell/McBean) at the H-Area Seepage Basins, First Quarter 1992	C-27
27.	Mercury Concentrations in Lower Portion of Aquifer Zone IIB ₁ (Barnwell/McBean) at the H-Area Seepage Basins, First Quarter 1992	C-28
28.	Mercury Concentrations in Aquifer Unit IIA (Congaree) at the H-Area Seepage Basins, First Quarter 1992	C-29
29.	pH Levels in Aquifer Zone IIB ₂ (Water Table) at the H-Area Seepage Basins, First Quarter 1992	C-30
30.	Specific Conductance in Aquifer Zone IIB ₂ (Water Table) at the H-Area Seepage Basins, First Quarter 1992	C-31
31.	pH Levels in Upper Portion of Aquifer Zone IIB ₁ (Barnwell/McBean) at the H-Area Seepage Basins, First Quarter 1992	C-32

32.	Specific Conductance in Upper Portion of Aquifer Zone IIB ₁ (Barnwell/McBean) at the H-Area Seepage Basins, First Quarter 1992	C-33
33.	pH Levels in Lower Portion of Aquifer Zone IIB ₁ (Barnwell/McBean) at the H-Area Seepage Basins, First Quarter 1992	C-34
34.	Specific Conductance in Lower Portion of Aquifer Zone IIB ₁ (Barnwell/McBean) at the H-Area Seepage Basins, First Quarter 1992	C-35
35.	pH Levels in Aquifer Unit IIA (Congaree) at the H-Area Seepage Basins, First Quarter 1992	C-36
36.	Specific Conductance in Aquifer Unit IIA (Congaree) at the H-Area Seepage Basins, First Quarter 1992	C-37
37.	Piezometric Surface Map of Aquifer Zone IIB ₂ (Water Table) at the H-Area Seepage Basins	C-38
38.	Potentiometric Surface Map of Upper Portion of Aquifer Zone IIB ₁ (Barnwell/McBean) at the H-Area Seepage Basins	C-39
39.	Potentiometric Surface Map of Lower Portion of Aquifer Zone IIB ₁ (Barnwell/McBean) at the H-Area Seepage Basins	C-40
40.	Potentiometric Surface Map of Aquifer Unit IIA (Congaree) at the H-Area Seepage Basins	C-41

List of Tables

	Page
1. Constituents Exceeding the Primary Drinking Water Standards	D-3
2. Constituents Exceeding Half the Primary Drinking Water Standards or Other Flag 1 or Flag 2 Criteria	D-11
3. Groundwater Monitoring Results for Individual Wells	D-19

Executive Summary

In 1955, three H-Area Seepage Basins (HASB), H-1, H-2, and H-3, were constructed to contain wastewater from the H-Area Separations Facility at the Savannah River Site (SRS). In 1962, another basin (H-4) was constructed to replace basin H-3 due to the slow seepage of wastewater from basin H-3. These unlined, hydraulically connected basins received wastewater, which typically contained elevated amounts of nitrate and tritium, until the basins were closed in November 1988 (Heffner and Exploration Resources, 1991). As a result of this operation, the groundwater at the HASB contains elevated levels of low-level radionuclides and chemicals. In December 1990, SRS submitted a revised Resource Conservation and Recovery Act (RCRA) Part B Post-Closure Care Permit application (WSRC, 1990), which includes an implementable plan for groundwater remediation, to the South Carolina Department of Health and Environmental Control (SCDHEC).

Currently, 130 wells of the HSB series monitor the groundwater in the uppermost aquifer beneath the HASB as required by South Carolina Hazardous Waste Management Regulations. The wells are sampled and analyzed quarterly for certain indicator parameters, heavy metals, radionuclides, and other constituents. This groundwater quality assessment report describes the monitoring results that exceeded the U.S. Environmental Protection Agency Primary Drinking Water Standards (PDWS) and the SRS flagging criteria for first quarter 1992. This report is prepared as required by RCRA and by Administrative Consent Order 85-70-SW and submitted to SCDHEC 90 days after the end of each quarter.

During first quarter 1992, tritium, nitrate, nonvolatile beta, total alpha-emitting radium (radium-224 and radium-226), gross alpha, antimony, mercury, lead, tetrachloroethylene, arsenic, and cadmium exceeded the PDWS at one or more wells at the HASB. As in previous quarters, tritium and nitrate were the primary constituents found in the groundwater. Of the 130 groundwater monitoring wells, 89 (68%) exhibited elevated tritium activities and 43 (33%) exhibited elevated nitrate activities. These two constituents were found primarily in Aquifer Zone IIB₂ (Water Table) and in the upper portion of Aquifer Zone IIB₁ (Barnwell/McBean). Tritium activities also exceeded the PDWS in several wells in the lower portion of Aquifer Zone IIB₁ (Barnwell/McBean) and Aquifer Unit IIA (Congaree). The highest tritium activity was found in Aquifer Zone IIB₂ (Water Table) well HSB112D (1.8E+04 pCi/mL). The highest nitrate concentration occurred in the upper portion of Aquifer Zone IIB₁ (Barnwell/McBean) in well HSB137C (90,000 µg/L).

Mercury, lead, and cadmium historically have been the primary heavy metals exhibiting elevated concentrations in the groundwater beneath the HASB. During first quarter 1992, mercury exceeded the PDWS in 8 wells in Aquifer Zone IIB₂ (Water Table) (HSB 68, 101D, 103D, 104D, 105D, 108D, 126D, and 127D), with the highest concentration at 4.6 µg/L in well HSB126D. Mercury did not exceed this standard in any of the lower water-bearing units. Lead was elevated in six wells in Aquifer Zone IIB₂ (Water Table) (HSB 68, 70, 102D, 112E, 115D, and 116D) and in well HSB 84B in the lower portion of Aquifer Zone IIB₁ (Barnwell/McBean). Cadmium exceeded the PDWS only in well HSB 86C in the upper portion of Aquifer Zone IIB₁ (Barnwell/McBean).

Tetrachloroethylene was elevated in three upper Aquifer Zone IIB₁ (Barnwell/McBean) wells (HSB106C, 139C, and 145C) during first quarter 1992. Levels of tetrachloroethylene above the PDWS previously have appeared consistently in well HSB139C. No other volatile organic compounds exceeded the PDWS at the HASB during this quarter.

Groundwater flow in Aquifer Zone IIB₂ (Water Table), upper Aquifer Zone IIB₁ (Barnwell/McBean), and lower Aquifer Zone IIB₁ (Barnwell/McBean) is generally to the southwest toward Four Mile Creek. Flow in Aquifer Unit IIA (Congaree) is northwest toward Upper Three Runs Creek. Flow rates are estimated as approximately 150, 150, 37, and 330 ft/yr in Aquifer Zone IIB₂ (Water Table), the upper portion of Aquifer Zone IIB₁ (Barnwell/McBean), the lower portion of Aquifer Zone IIB₁ (Barnwell/McBean), and Aquifer Unit IIA (Congaree), respectively.

At least one of 87 downgradient wells screened in Aquifer Zone IIB₂ (Water Table), the upper portion of Aquifer Zone IIB₁ (Barnwell/McBean), or the lower portion of Aquifer Zone IIB₁ (Barnwell/McBean) contained levels of tritium, nitrate, nonvolatile beta, total alpha-emitting radium, gross alpha, antimony, mercury, lead, tetrachloroethylene, arsenic, or cadmium that exceeded the PDWS during first quarter 1992. Elevated levels of these constituents were not found in upgradient wells HSB 65, 65B, 66, 85B, and 85C, except upgradient well HSB 65 exhibited tritium activities that exceeded the PDWS.

Introduction

Description of Facilities

In 1955, three H-Area Seepage Basins (HASB) (H-1, H-2, and H-3) were constructed at the Savannah River Site (SRS) to contain wastewater from the H-Area Separations Facility (Figure 3, Appendix C) at SRS. In 1962, another basin (H-4) was constructed to replace basin H-3 due to the slow seepage of wastewater from basin H-3. These unlined, hydraulically connected basins received wastewater containing elevated amounts of nitrate, tritium, and other constituents that also included low-level radionuclides and chemicals. Primary sources for this wastewater included the nitric acid recovery overheads, the general-purpose evaporator overheads, overheads from the two waste tank farm evaporators, cooling water from the tritium facilities, and retention basin transfers (Heffner and Exploration Resources, 1991).

The basins allowed the wastewater either to evaporate or to percolate into the underlying soils where some of the waste constituents were removed from the water by interaction with the soils. However, tritium does not interact with the soils but instead continues to migrate downward into the groundwater. Some of the tritium in groundwater decays before reaching surface water. The half-life of tritium is 12.26 years.

Use of the HASB was discontinued on November 7, 1988, and the basins were closed in 1988 as required by the South Carolina Hazardous Waste Management Regulations (SCDHEC, 1990). The Resource Conservation and Recovery Act (RCRA) Part B Post-Closure Care Permit application submitted by SRS in April 1988 proposed alternate concentration limits (ACL) for hazardous constituents in lieu of groundwater remediation. The original ACL demonstration was denied, and SRS conducted an extensive hydrogeologic investigation and research of remediation techniques in order to prepare a groundwater remediation program at the HASB. In December 1990, SRS submitted a RCRA Part B Post-Closure Care Permit application (WSRC, 1990), which includes an implementable plan for groundwater remediation, to the South Carolina Department of Health and Environmental Control (SCDHEC). A baseline risk assessment has been submitted with a feasibility study in the integrated RCRA/Comprehensive Environmental Response, Compensation, and Liability Act document.

A low-permeability cap has been constructed over the HASB. The activities for the cap consist of stabilizing basin sediments, backfilling the basin excavations with clean soils, compacting the filled areas, and installing a multilayer cap over each basin. A final cover has been constructed over each basin, which will minimize migration of liquids through the closed impoundment, function with minimum maintenance, promote drainage and minimize erosion or abrasion of the final cover, accommodate settling and subsidence so that cover integrity is maintained, and maintain a permeability less than or equal to the permeability of the natural soils.

The groundwater at the HASB contains elevated levels of low-level radionuclides and chemicals from 30 years of operation. Tritium and nitrate are the primary constituents and

are mainly exhibited in Aquifer Zones IIB₂ (Water Table) and IIB₁ (Barnwell/McBean). Since HASB use ceased and the basins were closed, overall tritium and nitrate levels have declined.

Hydrostratigraphic Units

Historically, groundwater quality assessment reports for the HASB have used the nomenclature "Water Table," "Barnwell," "McBean," and "Congaree" to identify hydrologic units. However, an interim alphanumeric system developed by Aadland (1990) (Figure 1, Appendix C) defines the aquifer and aquitard units at SRS by their hydraulic properties (hydraulic conductivity, transmissivity, specific storage, etc.) using hydrostratigraphic rather than lithostratigraphic designations. Figure 2 (Appendix C) shows a correlation of these designations. For clarity, this report uses the newer nomenclature and also includes the older names used in earlier reports. The HASB RCRA Part B Post-Closure Care Permit application, submitted December 1990 (WSRC, 1990), includes an in-depth explanation of the new nomenclature.

The HASB RCRA Part B Post-Closure Care Permit application also includes a detailed description of the geologic and hydrogeologic systems at the HASB. To summarize this description, the HASB well network monitors three distinct hydrostratigraphic units in the uppermost aquifer beneath the facility: Aquifer Zone IIB₂ (Water Table), which is supported by Confining Zone IIB₁-IIB₂ (Tan Clay); the poorly confined Aquifer Zone IIB₁ (Barnwell/McBean); and the semi-confined Aquifer Unit IIA (Congaree), which is separated from the overlying Aquifer Zone IIB₁ (Barnwell/McBean) by Confining Unit IIA-IIB (Green Clay). The base of the uppermost aquifer is defined as the uppermost bed of Confining System I-II (Ellenton Formation), which lies approximately 300 ft below the surface of the area.

Monitoring Well Nomenclature

Generally, groundwater monitoring wells are designated with a waste management unit abbreviation prefix (e.g., HSB), a number (1 through 999), and a suffix (A, B, C, D) designating the hydrostratigraphic unit being monitored. At the HASB, a "D" suffix following the groundwater monitoring well prefix and number indicates the well monitors Aquifer Zone IIB₂ (Water Table); a "B" or "C" suffix indicates the well monitors Aquifer Zone IIB₁ (Barnwell/McBean); an "A" suffix indicates the well monitors Aquifer Unit IIA (Congaree). An "R" designation following the "A," "B," "C," or "D" suffix indicates a replacement well.

There are exceptions to this nomenclature. For example, wells HSB 65, 66, 67, 68, 69, 70, and 71 and wells bearing the designating suffix "E" all monitor Aquifer Zone IIB₂ (Water Table).

Discussion

Integrity of the Monitoring Well Network

The HASB groundwater monitoring well network (Figure 4, Appendix C) provides groundwater samples from the three hydrologic units that make up the uppermost aquifer below the facility. A program is in place to rehabilitate and replace wells that do not produce representative samples from the units being monitored.

The standard practice at SRS is to purge a minimum of four well volumes from each well and ensure that the field parameters have stabilized before sample collection. A well that goes dry before purging is completed is allowed to recover and is then sampled without purging within 24 hours. Table 3 (Appendix D) lists the amount of water purged from each of the wells. Those wells that did not yield four well volumes prior to sampling are described below.

The 58 Aquifer Zone IIB₂ (Water Table) wells are HSB 65, 65C, 66, 67, 68, 69, 70, 71, 83D, 84D, 85C, 86D, 100D, 101D, 102D, 103D, 104D, 105D, 106D, 107D, 108D, 109D, 110D, 111D, 111E, 112D, 112E, 113D, 114D, 115D, 116D, 117D, 125D, 126D, 127D, 129D, 130D, 131D, 132D, 133D, 134D, 135D, 136D, 137D, 138D, 139D, 140D, 141D, 142D, 143D, 145D, 146D, 147D, 148D, 149D, 150D, 151D, and 152D (Figure 5, Appendix C). All of these wells were visited for sampling during first quarter 1992. Wells HSB102D, 112E, 115D, 126D, 141D, 147D, 148D, and 152D pumped dry before four well volumes were purged.

The 46 wells in the upper portion of Aquifer Zone IIB₁ (Barnwell/McBean) are HSB 68C, 70C, 71C, 83C, 84C, 86C, 100C, 101C, 102C, 103C, 104C, 105C, 106C, 107C, 108C, 109C, 110C, 111C, 112C, 113C, 114C, 115C, 116C, 117C, 125C, 126C, 127C, 129C, 130C, 131C, 132C, 133C, 134C, 135C, 136C, 137C, 139C, 140C, 141C, 142C, 143C, 145C, 146C, 148C, 151C, and 152C (Figure 6, Appendix C). All of these wells were visited for sampling during first quarter 1992. Wells HSB 68C, 70C, 71C, 84C, 139C, 141C, and 148C pumped dry before four well volumes were purged.

The six wells in the lower portion of Aquifer Zone IIB₁ (Barnwell/McBean) are HSB 65B, 68B, 83B, 84B, 85B, and 86B (Figure 7, Appendix C). All of these wells were visited for sampling during first quarter 1992. Well HSB 68B pumped dry before four well volumes were purged.

Twenty wells monitor Aquifer Unit IIA (Congaree), 12 in the upper part (HSB118A, 119A, 120A, 121A, 122A, 123A, 124AR, 139A, 140A, 141A, 144A, and 146A) and three in the lower part (HSB 65A, 84A, and 86A) (Figure 8, Appendix C). Well HSB 68A is of uncertain horizon, and wells HSB 69A, 83A, 85A, and 117A are located in the middle part of the Congaree. All of these wells were visited for sampling during first quarter 1992.

Wells HSB 68, 69, 86D, 102D, 104D, 105D, 109D, 113D, 114D, and 136D had field pH values equal to or less than 4; wells HSB 68B, 70C, 85B, 101D, 123A, 130C, 131C, 139A, 141A, 141C, 148C, and 148D had field pH values equal to or greater than 8.

Groundwater Monitoring Data

During first quarter 1992, samples from wells at the HASB were analyzed for certain indicator parameters, heavy metals, radionuclides, and other constituents. Monitoring results that exceeded the U.S. Environmental Protection Agency (EPA) Primary Drinking Water Standards (PDWS) (see Appendix A) or other SRS flagging criteria (see Appendix B) are discussed in this report.

The Environmental Monitoring Section of the Environmental Protection Department at SRS recently revised the flagging criteria for identifying constituents in high concentrations in groundwater. In general, the criteria are as follows:

- Flag 2 criteria are based on the PDWS; if constituents do not have a PDWS, Flag 2 criteria are based on the Secondary Drinking Water Standards (SDWS) or 10 times the method detection limits (MDL) as described in Appendix B. Constituent levels that equal or exceed Flag 2 criteria are described as *elevated*.
- Flag 1 criteria are based on half the PDWS; if constituents do not have a PDWS, Flag 1 criteria are based on half the SDWS or 5 times the MDL as described in Appendix B. Flag 1 levels for a constituent may reflect analytical error or may indicate the initial detection of a constituent. Thus, constituents exceeding Flag 1 criteria are included in this report and are described as *slightly elevated*.
- Flag 0 criteria are based on constituent levels below Flag 1.

Illustrations of the hydrostratigraphic units beneath the HASB at SRS (Figures 1 and 2), the monitored waste management unit (Figure 3), the individual monitoring wells (Figure 4), the monitoring wells in the different hydrostratigraphic zones and units (Figures 5 through 8), the lateral distributions of tritium, nitrate, gross alpha, nonvolatile beta, mercury, specific conductance, and pH (Figures 9 through 36), and the water-elevation contours of the different hydrostratigraphic zones and units and the groundwater flow directions (Figures 37 through 40) are in Appendix C; the monitoring results tables are in Appendix D; time series plots for tritium, nitrate, and pH are in Appendix E; and hydrographs are in Appendix F.

Analytical Results Exceeding Standards

Results for analytes that exceeded the PDWS (see Appendix A) during first quarter 1992 are summarized in Table 1 (Appendix D).

Fifty-one of the 58 Aquifer Zone IIB₂ (Water Table) wells contained levels of tritium, nonvolatile beta, nitrate, total alpha-emitting radium (radium-224 and radium-226), gross alpha, antimony, mercury, lead, or arsenic that exceeded the PDWS. Tritium was elevated in 49 wells, with activities up to 1.8E+04 pCi/mL in well HSB112D; nonvolatile beta was elevated in 29 wells, with activities up to 1.0E+04 pCi/L in well HSB116D; nitrate was elevated in 26 wells, with concentrations up to 53,600 µg/L in well HSB126D; total alpha-emitting radium was elevated in 23 wells, with activities up to 1.2E+02 pCi/L in well HSB116D; and gross alpha was elevated in 15 wells, with activities up to 8.0E+01 pCi/L in

well HSB102D. Antimony was elevated in 10 wells, mercury in 8 wells, lead in 6 wells, and arsenic in 1 well.

Thirty-five of the 46 wells that monitor the upper portion of Aquifer Zone IIB₁ (Barnwell/McBean) contained levels of tritium, nitrate, nonvolatile beta, total alpha-emitting radium, tetrachloroethylene, antimony, gross alpha, or cadmium that exceeded the PDWS. Tritium was elevated in 33 wells, with activities up to $1.7\text{E}+04$ pCi/mL in well HSB116C; nitrate was elevated in 17 wells, with concentrations up to $90,000$ $\mu\text{g/L}$ in well HSB137C; and nonvolatile beta was elevated in 13 wells, with activities up to $2.9\text{E}+02$ pCi/L in well HSB 86C. Total alpha-emitting radium was elevated in 5 wells, tetrachloroethylene in 3 wells, antimony in 2 wells, gross alpha in 2 wells, and cadmium in 1 well.

Two of the six wells that monitor the lower portion of Aquifer Zone IIB₁ (Barnwell/McBean) contained levels of tritium that exceeded the PDWS. Wells HSB 68B and HSB 84B exhibited $2.7\text{E}+01$ pCi/mL and $2.0\text{E}+01$ pCi/mL of tritium activity, respectively. Lead also exceeded the PDWS in well HSB 84B.

Three of the 12 wells in the upper portion of Aquifer Unit IIA (Congaree) contained elevated levels of tritium, with activities up to $2.1\text{E}+03$ pCi/mL in well HSB144A. Well HSB141A contained elevated concentrations of antimony. Wells HSB 65A and 84A in the lower portion of Aquifer Unit IIA (Congaree) contained tritium or nonvolatile beta activities exceeding the PDWS.

During first quarter 1992, mercury exceeded the PDWS in eight wells in Aquifer Zone IIB₂ (Water Table) (HSB 68, 101D, 103D, 104D, 105D, 108D, 126D, and 127D), with the highest concentration at 4.2 $\mu\text{g/L}$ in well HSB101D. Mercury did not exceed this standard in any of the lower water-bearing units. Lead was elevated in six wells in Aquifer Zone IIB₂ (Water Table) (HSB 68, 70, 102D, 112E, 115D, and 116D) and in well HSB 84B in the lower portion of Aquifer Zone IIB₁ (Barnwell/McBean). Arsenic was found only in Aquifer Zone IIB₂ (Water Table) well HSB101D. Cadmium at levels exceeding the PDWS was found only in the upper portion of Aquifer Zone IIB₁ (Barnwell/McBean) well HSB 86C.

Tetrachloroethylene was elevated in three upper Aquifer Zone IIB₁ (Barnwell/McBean) wells (HSB106C, 139C, and 145C) during first quarter 1992. Levels of tetrachloroethylene above the PDWS have appeared consistently in well HSB139C. No other volatile organic compounds exceeded the PDWS at the HASB during this quarter.

Results for analytes that exceeded other SRS flagging criteria (see Appendix B) during first quarter 1992 are summarized in Table 2 (Appendix D). The results for all constituents are presented in Table 3 (Appendix D). Table 3 also identifies any constituent whose analysis exceeded the EPA-approved holding time.

The lateral distributions of tritium, nitrate, gross alpha, nonvolatile beta, mercury, specific conductance, and pH in Aquifer Zone IIB₂ (Water Table), the upper portion of Aquifer Zone IIB₁ (Barnwell/McBean), the lower portion of Aquifer Zone IIB₁ (Barnwell/McBean), and Aquifer Unit IIA (Congaree) during first quarter 1992 are presented in Figures 9 through 36.

Tritium, Nitrate, and pH Time-Trend Data

Time series plots of tritium, nitrate, and pH from first quarter 1989 through first quarter 1992 for certain wells and well clusters at the HASB appear in Appendix E.

Tritium activities in wells HSB 68A, 85B, 85C, 85D, 86A, 86B, 100C, 125C, 130C, 130D, 131D, and 139A have been consistently below the PDWS when sampled for at least the past three years. Most of the other wells shown in Appendix E exhibit tritium in levels that have exceeded the PDWS since at least early 1989. The time series plots for wells HSB 69A, 84D, 100D, 101D, 102D, 104D, 105D, 107D, 108D, 109D, 110D, 112E, 113D, 114D, 115C, 115D, 116C, 125D, 129D, 133D, 134D, 136D, 137D, and 138D show declining tritium activities with time. The time series plots for wells HSB 65, 65A, 117C, 119A, 126D, and 137C indicate that tritium activities are increasing with time. Data from wells HSB118A, 142D, 144A, 147D, 149D, and 150D and from well clusters HSB140, 141, 143, 145, 146, 148, 151, and 152 are insufficient to detect general trends in tritium levels. The remaining HSB wells presented in Appendix E exhibit no detectable long-term patterns.

Well HSB131C, located on the south side of Four Mile Creek, has continuously exhibited elevated levels of tritium. It is believed that the upper portion of Aquifer Zone IIB₁ (Barnwell/McBean) discharges into Four Mile Creek from the south and north sides of the creek. The hypothesis that constituents can migrate south of Four Mile Creek and then discharge from the south will be tested by the two new upper Aquifer Zone IIB₁ (Barnwell/McBean) wells, HSB140C and 148C, installed during late 1990 south of Four Mile Creek. Tritium has been detected in these wells at levels below the PDWS, except during first quarter 1992 when elevated levels were detected in well HSB148C. It is possible that Four Mile Creek incises upper Aquifer Zone IIB₁ (Barnwell/McBean), creating a discharge area for that water-bearing unit so that tritium cannot migrate further within the groundwater system.

Nitrate concentrations in wells HSB 66, 68A, 68B, 70, 71, 83A, 83B, 83C, 84B, 101C, 104C, 105C, 106C, 120A, 125C, 126C, 130D, 131D, 134C, 135C, and 139A and in well clusters HSB 65, 85, 100, 109, 132, and 133 have been consistently below the PDWS for the past three years. Most of the remaining wells contain nitrate concentrations that have exceeded the PDWS since at least early 1989. The time series plots for wells HSB 71C, 83D, 84D, 86C, 101D, 102D, 103D, 104D, 105D, 107D, 108D, 111D, 117C, 126D, and 138D indicate declining nitrate concentrations with time. The plot for well HSB 70C shows increasing nitrate concentrations. Wells HSB110D, 112C, 112D, 113D, 114C, 115C, 115D, 116C, 116D, 118A, 119A, 127C, 129D, and 136C have what appear to be anomalously high results for fourth quarter 1991. Wells HSB118A, 121A, 144A, 147D, 149D, and 150D and well clusters HSB140, 141, 142, 143, 145, 146, 148, 151, and 152 have insufficient data to determine long-term trends.

Aquifer Zone IIB₂ (Water Table) well HSB 66 and well clusters HSB 69, 84, 104, 111, 116, 126, and 131 were used to characterize the pH levels for certain locations within the HASB. Well HSB 66, the only well that represents pH conditions upgradient of the HASB, is somewhat acidic. Aquifer Zone IIB₂ (Water Table) wells HSB 69 and 84D, located midway between Basin H-4 and Four Mile Creek, exhibit pH levels usually between pH 3 and 4. Aquifer Unit IIA (Congaree) well 69A exhibits a pH between 6 and 8. The other wells in the HSB 84 well cluster have pH levels ranging from 4 to near 10. The pH levels in well cluster

HSB 84 have become more consistent since first quarter 1990, with the range since that time between 6 and 8. Well cluster HSB104, located between Basin H-3 and Four Mile Creek, exhibits a pH range from approximately 7 to greater than 10 in the Aquifer Zone IIB₁ (Barnwell/McBean) well and an acidic pH (approximate pH 4) in the Aquifer Zone IIB₂ (Water Table) well. Well clusters HSB111 and HSB116, located directly downgradient of the edge of Basin H-4, exhibit acidic conditions generally between 4 and 6. Well clusters HSB126 and HSB131, located near Four Mile Creek, have pH levels fluctuating around neutral in the Aquifer Zone IIB₁ (Barnwell/McBean) wells and somewhat acidic in the Aquifer Zone IIB₂ (Water Table) wells.

Water Levels

Hydrographs showing the water elevations through time for well clusters at the HASB are provided in Appendix F. Water elevations in Aquifer Zones IIB₂ (Water Table) fell an average of 1.3 ft, and water elevations in the upper portion of Aquifer Zone IIB₁ (Barnwell/McBean) fell an average of 1.3 ft from third quarter to first quarter 1992. Water levels in the lower portion of Aquifer Zone IIB₁ (Barnwell/McBean) and Aquifer Unit IIA (Congaree) fell an average of 1.4 and 0.2 ft, respectively.

A consistent downward vertical head relationship exists between the hydrologic zones and units monitored at the HASB. Flow potential is downward from Aquifer Zone IIB₂ (Water Table) to the upper portion of Aquifer Zone IIB₁ (Barnwell/McBean) (although at several clusters, the head difference is very small), downward from the upper portion of Aquifer Zone IIB₁ (Barnwell/McBean) to the lower portion of Aquifer Zone IIB₁ (Barnwell/McBean), and downward from the lower portion of Aquifer Zone IIB₁ (Barnwell/McBean) to Aquifer Unit IIA (Congaree). These hydrologic zones have exhibited consistent head relationships since 1988. There are no wells screened in the lower portion of Aquifer Unit IIA (Congaree) to evaluate the head relationship in this unit.

Groundwater Flow Rates and Directions

Groundwater flow directions near the HASB in Aquifer Zone IIB₂ (Water Table), the upper portion of Aquifer Zone IIB₁ (Barnwell/McBean), the lower portion of Aquifer Zone IIB₁ (Barnwell/McBean), and Aquifer Unit IIA (Congaree) have remained relatively unchanged by closure activities. Piezometric surface maps (Figures 37 through 40) for these four monitored units illustrate groundwater flow patterns. Flow in Aquifer Zone IIB₂ (Water Table), the upper portion of Aquifer Zone IIB₁ (Barnwell/McBean), and the lower portion of Aquifer Zone IIB₁ (Barnwell/McBean) is generally to the southwest toward Four Mile Creek. Flow in Aquifer Unit IIA (Congaree) is northwest toward Upper Three Runs Creek. Flow directions in this report are presented according to SRS grid coordinates.

To estimate the maximum transport rate of any potential contamination originating from the HASB, the maximum horizontal flow rate of groundwater is estimated for each hydrostratigraphic unit. Flow rate calculations are approximations based on inferred or estimated parameters; the resulting rates should be considered order-of-magnitude estimates. The groundwater flow rate estimates for Aquifer Zone IIB₂ (Water Table), the upper portion of Aquifer Zone IIB₁ (Barnwell/McBean), the lower portion of Aquifer Zone IIB₁

(Barnwell/McBean), and Aquifer Unit IIA (Congaree) beneath the HASB are based on the following one-dimensional flow equation:

$$\text{Flow (ft/day)} = \frac{\text{Hydraulic Conductivity (ft/day)}}{\text{Porosity (unitless)}} \times \frac{dh \text{ (ft)}}{dl \text{ (ft)}}$$

The hydraulic conductivity (Kh) constants are 10.0 ft/day for Aquifer Zone IIB₂ (Water Table), 10.0 ft/day for the upper portion of Aquifer Zone IIB₁ (Barnwell/McBean), 5.3 ft/day for the lower portion of Aquifer Zone IIB₁ (Barnwell/McBean), and 65.0 ft/day for Aquifer Unit IIA (Congaree) (Geraghty & Miller, 1989). An effective porosity value of 20% is used for each hydrostratigraphic unit (Jaegge et al., 1987). This value is based on field and laboratory measurements of porosity and is assumed a conservative estimate. The gradient in each calculation represents the change in head (*dh*) divided by the horizontal distance (*dl*) along each flow direction arrow. Flow rate estimates vary depending upon the vertical gradient between wells, the size of the area under consideration, and the number of data points.

The maximum groundwater flow rate in Aquifer Zone IIB₂ (Water Table) is estimated as follows (using the right flow line in Figure 37, Appendix C):

$$\frac{10}{0.20} \times \frac{16}{2200} = 0.4 \text{ ft/day}$$

$$0.4 \text{ ft/day} \times 365 \text{ days} = 150 \text{ ft/yr}$$

The groundwater flow rate in the upper portion of Aquifer Zone IIB₁ (Barnwell/McBean) is estimated as follows (using the left flow line in Figure 38, Appendix C):

$$\frac{10}{0.20} \times \frac{12}{1470} = 0.4 \text{ ft/day}$$

$$0.4 \text{ ft/day} \times 365 \text{ days} = 150 \text{ ft/yr}$$

The groundwater flow rate in the lower portion of Aquifer Zone IIB₁ (Barnwell/McBean) is estimated as follows (using the left flow line in Figure 39, Appendix C):

$$\frac{5.3}{0.20} \times \frac{8}{1580} = 0.1 \text{ ft/day}$$

$$0.1 \text{ ft/day} \times 365 \text{ days} = 37 \text{ ft/yr}$$

The groundwater flow rate in Aquifer Unit IIA (Congaree) is estimated as follows (see Figure 40, Appendix C):

$$\frac{65}{0.20} \times \frac{7}{2490} = 0.9 \text{ ft/day}$$

$$0.9 \text{ ft/day} \times 365 \text{ days} = 330 \text{ ft/yr}$$

Upgradient Versus Downgradient Results

Groundwater flow in Aquifer Zone IIB₂ (Water Table) is to the south-southwest toward Four Mile Creek (see Figure 37, Appendix C). Wells HSB 65, 66, and 85C are designated upgradient wells for Aquifer Zone IIB₂ (Water Table). All remaining Aquifer Zone IIB₂ (Water Table) wells monitor downgradient water quality (see Figure 5, Appendix C). Flows in the upper and lower components of Aquifer Zone IIB₁ (Barnwell/McBean) are also to the south-southwest toward Four Mile Creek (see Figures 38 and 39, Appendix C). No wells monitor upgradient water quality in the upper portion of Aquifer Zone IIB₁ (Barnwell/McBean) (see Figure 6, Appendix C). Well HSB 65C is screened above Confining Zone IIB₁-IIB₂ (Tan Clay) and as such is a submerged Aquifer Zone IIB₂ (Water Table) well. The designated upgradient wells in the lower portion of Aquifer Zone IIB₁ (Barnwell/McBean) are HSB 65B and 85B (see Figure 7, Appendix C).

Flow in the Aquifer Unit IIA (Congaree) is to the northwest toward Upper Three Runs Creek. Unlike the shallower units, flow directions in Aquifer Unit IIA (Congaree) are affected by Upper Three Runs Creek (Figure 40, Appendix C). Aquifer Unit IIA (Congaree) wells between the HASB and the seepline are upgradient of the HASB but may not represent background water quality; thus, no upgradient versus downgradient comparisons are made in this report for this hydrostratigraphic unit.

At least one of 87 downgradient wells screened in Aquifer Zone IIB₂ (Water Table), the upper portion of Aquifer Zone IIB₁ (Barnwell/McBean), and the lower portion of Aquifer Zone IIB₁ (Barnwell/McBean) contained levels of tritium, nitrate, nonvolatile beta, total alpha-emitting radium, gross alpha, antimony, mercury, lead, tetrachloroethylene, arsenic, and cadmium that exceeded the PDWS during first quarter 1992. Levels of these constituents exceeding the PDWS were not found in upgradient wells HSB 65, 65B, 66, 85B, and 85C with the following exception: upgradient well HSB 65 exhibited tritium activities that exceeded the PDWS. Tritium values for well HSB 65 have historically been near the PDWS (20 pCi/mL).

Conclusions

The groundwater at the HASB contains elevated levels of low-level radionuclides and chemicals, resulting from 30 years of receiving wastewater from the H-Area Separations Facility. During first quarter 1992, tritium, nitrate, nonvolatile beta, total alpha-emitting radium, gross alpha, antimony, mercury, lead, tetrachloroethylene, arsenic, or cadmium exceeded the PDWS at one or more wells at the HASB.

As in previous quarters, tritium and nitrate were the primary constituents found in the groundwater at the HASB. Of the 130 groundwater monitoring wells, 89 (68%) exhibited elevated tritium activities and 43 (33%) exhibited elevated nitrate activities. These two constituents were found primarily in Aquifer Zone IIB₂ (Water Table) and in the upper portion of Aquifer Zone IIB₁ (Barnwell/McBean), suggesting that horizontal groundwater flow is dominant beneath this waste management unit. However, tritium activities exceeding the PDWS also occurred in several wells in the lower portion of Aquifer Zone IIB₁ (Barnwell/McBean) and Aquifer Unit IIA (Congaree). The presence of tritium and other constituents in the lower hydrostratigraphic units indicates that vertical pathways into the deeper water-bearing units exist at the HASB. A current groundwater flow model for the General Separations Area indicates that the vertical component beneath this area is important (GeoTrans, Inc., 1992). The highest tritium activity was found in Aquifer Zone IIB₂ (Water Table) well HSB112D (1.8E+04 pCi/mL). The highest nitrate concentration occurred in the upper portion of Aquifer Zone IIB₁ (Barnwell/McBean) in well HSB137C (90,000 µg/L). Tritium and nitrate levels appear to be decreasing over time since closure of the HASB, at least in Aquifer Zone IIB₂ (Water Table).

Mercury, lead, and cadmium historically have been the primary heavy metals exhibiting elevated concentrations at the HASB. During first quarter 1992, mercury exceeded the PDWS in 8 wells in Aquifer Zone IIB₂ (Water Table) (HSB 68, 101D, 103D, 104D, 105D, 108D, 126D, and 127D), with the highest concentration at 4.2 µg/L in well HSB101D. Mercury did not exceed this standard in any of the lower water-bearing units. Most of the water-table wells with elevated mercury lie south of the seepage basins; however, well HSB101D lies east of the basins. Lead was elevated in six wells in Aquifer Zone IIB₂ (Water Table) (HSB 68, 70, 102D, 112E, 115D, and 116D) and in well HSB 84B in the lower portion of Aquifer Zone IIB₁ (Barnwell/McBean). Cadmium at levels exceeding the PDWS was found only in well HSB 86C in the upper portion of Aquifer Zone IIB₁ (Barnwell/McBean). This well has consistently exhibited elevated levels of cadmium since the first quarter of 1989.

Tetrachloroethylene was elevated in three upper Aquifer Zone IIB₁ (Barnwell/McBean) wells (HSB106C, 139C, and 145C) during first quarter 1992. Levels of tetrachloroethylene above the PDWS previously have appeared consistently in well HSB139C. No other volatile organic compounds exceeded the PDWS at the HASB during this quarter. Historically, volatile organics compounds were not placed in the HASB; however, elevated levels of these constituents have occurred sporadically over the years.

At least one of 87 downgradient wells screened in Aquifer Zone IIB₂ (Water Table), the upper portion of Aquifer Zone IIB₁ (Barnwell/McBean), and the lower portion of Aquifer Zone IIB₁ (Barnwell/McBean) contained levels of tritium, nitrate, nonvolatile beta, total alpha-emitting radium, gross alpha, antimony, mercury, lead, tetrachloroethylene, arsenic, or cadmium that exceeded the PDWS during first quarter 1992. Elevated levels of these constituents were not found in upgradient wells HSB 65, 65B, 66, 85B, and 85C, except upgradient well HSB 65 exhibited tritium activities that exceeded the PDWS. Tritium values for well HSB 65 have historically been near the PDWS (20 pCi/mL). Generally, elevated levels of constituents found in downgradient wells but not in upgradient wells at a waste management unit are considered products of the waste management unit.

Errata

H-Area Seepage Basins Groundwater Monitoring Report, Fourth Quarter 1991:

- Page 11, Water Levels, paragraph 1, line 5: The measurement 0.36 ft should read "0.37 ft."
- Page 12, Upgradient Versus Downgradient Results: Well HSB 65C should be identified as an upgradient Aquifer Zone IIB₂ (Water Table) well.
- Page 2, paragraph 2, line 1; page 2, paragraph 5, line 4; page 13, paragraph 2, line 4; page 14, paragraph 5, line 1; page 15, line 4: "Trichloroethylene" should be "tetrachloroethylene."
- Pages C-6 and C-7: Well HSB 65C should be deleted from Figure 6 and added to Figure 5.

References Cited

Aadland, R. K., and H. W. Bledsoe, 1990. **Classification of Hydrostratigraphic Units at the Savannah River Site, South Carolina**, WSRC-RP-90-987. Westinghouse Savannah River Company, Savannah River Site, Aiken, SC.

Aucott, W. R., M. E. Davis and G. K. Speiran, 1987. **Geohydrologic Framework of the Coastal Plain Aquifers of South Carolina**, U.S. Geological Survey Water-Resources Investigations Report 85-4271.

GeoTrans, Inc., 1988. **A Numerical Model of the Hydrogeological System Underlying the Savannah River Plant**, Final Report submitted to Savannah River Laboratory.

GeoTrans, Inc., 1992. **Groundwater Flow Model for the General Separations Area, Savannah River Site**. Prepared for Westinghouse Savannah River Company, Environmental Restoration Department, Savannah River Site, Aiken, SC.

Geraghty & Miller, Inc., 1990. **Evaluation of Integrated Waste Facility Closure Capping on Ground-Water Flow and Solute Transport in General Separations Area, Savannah River Site: Flow Model and Particle-Tracking Analysis, Final Report**. Prepared by Geraghty & Miller Modeling Group for Westinghouse Savannah River Company, Waste Management Technology, Savannah River Site, Aiken, SC.

Heffner, J. D., and Exploration Resources, Inc., 1991. **Technical Summary of Groundwater Quality Protection Program at the Savannah River Site (1952-1986), Volume I—Site Geohydrology and Waste Sites**, DPSP-88-1002. Westinghouse Savannah River Company, Aiken, SC.

Jaegge, W. J., N. L. Kolb, B. B. Looney, I. W. Marine, O. A. Towler, and J. R. Cook, 1987. **Radioactive Waste Burial Grounds**, DPST-85-694. Savannah River Laboratory, E. I. du Pont de Nemours & Company, Aiken, SC.

E. I. du Pont de Nemours & Company, 1989. **Final Safety Analysis Report of the Defense Waste Processing Facility**, DPSTSA-200-10. Savannah River Plant, Aiken, SC.

SCDHEC (South Carolina Department of Health and Environmental Control), 1990. **South Carolina Hazardous Waste Management Regulations**; R.61-79.124, .260 through .266, .268, and .270; November 1990. Columbia, SC.

Siple, G. E., 1967. **Geology and Ground Water of the Savannah River Plant and Vicinity, South Carolina**. Geological Survey Water-Supply Paper 1841, Reston, VA.

WSRC (Westinghouse Savannah River Company), 1990. **Application for a Hazardous Waste Part B Post-Closure Care Permit. Volume IV. F-Area Hazardous Waste Management Facility**. Revision 2, December 3, 1990. Savannah River Site, Aiken, SC.

Appendix A – Primary Drinking Water Standards

Primary Drinking Water Standards

<u>Analyte</u>	<u>Unit</u>	<u>Level</u>	<u>Status</u>	<u>Reference</u>
Americium-241	pCi/L	6.34E + 00	Proposed	EPA, 1991
Americium-243	pCi/L	6.37E + 00	Proposed	EPA, 1991
Antimony	µg/L	5 ^a	Proposed	EPA, 1990
Antimony-125	pCi/L	3E + 02	Final	EPA, 1977
Arsenic	µg/L	50	Final	CFR, 1991
Barium	µg/L	2,000	Final	CFR, 1991
Barium-140	pCi/L	9E + 01	Final	EPA, 1977
Benzene	µg/L	5	Final	CFR, 1991
Benzo[a]anthracene	µg/L	0.1	Proposed	EPA, 1990
Benzo[b]fluoranthene	µg/L	0.2	Proposed	EPA, 1990
Benzo[k]fluoranthene	µg/L	0.2	Proposed	EPA, 1990
Benzo[a]pyrene	µg/L	0.2	Proposed	EPA, 1990
Beryllium	µg/L	1	Proposed	EPA, 1990
Beryllium-7	pCi/L	6E + 03	Final	EPA, 1977
Bromodichloromethane	µg/L	100	Final	CFR, 1991
Bromoform	µg/L	100	Final	CFR, 1991
2-sec-Butyl-4,6-dinitrophenol (Dinoseb)	µg/L	7	Proposed	EPA, 1990
Cadmium	µg/L	5	Final	CFR, 1991
Carbon-14	pCi/L	2E + 03	Final	EPA, 1977
Carbon tetrachloride	µg/L	5	Final	CFR, 1991
Cerium-141	pCi/L	3E + 02	Final	EPA, 1977
Cerium-144	pCi/L	2.61E + 02	Proposed	EPA, 1991
Cesium-134	pCi/L	8.13E + 02 ^b	Proposed	EPA, 1991
Cesium-137	pCi/L	2E + 02	Final	EPA, 1977
Chlordane	µg/L	2	Final	CFR, 1991
Chloroethene (Vinyl chloride)	µg/L	2	Final	CFR, 1991
Chloroform	µg/L	100	Final	CFR, 1991
Chromium	µg/L	100	Final	CFR, 1991
Chromium-51	pCi/L	6E + 03	Final	EPA, 1977
Chrysene	µg/L	0.2	Proposed	EPA, 1990
Cobalt-57	pCi/L	1E + 03	Final	EPA, 1977
Cobalt-58	pCi/L	9E + 03	Final	EPA, 1977
Cobalt-60	pCi/L	1E + 02	Final	EPA, 1977
Copper	µg/L	1,300	Final	CFR, 1991
Curium-242	pCi/L	1.33E + 02	Proposed	EPA, 1991
Curium-243	pCi/L	8.3E + 00	Proposed	EPA, 1991
Curium-244	pCi/L	9.84E + 00	Proposed	EPA, 1991
Curium-246	pCi/L	6.27E + 00	Proposed	EPA, 1991
Cyanide	µg/L	200	Proposed	EPA, 1990
Dibenz[a,h]anthracene	µg/L	0.3	Proposed	EPA, 1990
Dibromochloromethane	µg/L	100	Final	CFR, 1991
Dibromochloropropane	µg/L	0.2	Final	CFR, 1991
1,2-Dichlorobenzene	µg/L	600	Final	CFR, 1991
1,4-Dichlorobenzene	µg/L	75	Final	CFR, 1991
1,2-Dichloroethane	µg/L	5	Final	CFR, 1991
1,1-Dichloroethylene	µg/L	7	Final	CFR, 1991
cis-1,2-Dichloroethylene	µg/L	70	Final	CFR, 1991
trans-1,2-Dichloroethylene	µg/L	100	Final	CFR, 1991
Dichloromethane (Methylene chloride)	µg/L	5	Proposed	EPA, 1990
2,4-Dichlorophenoxyacetic acid	µg/L	70	Final	CFR, 1991
1,2-Dichloropropane	µg/L	5	Final	CFR, 1991
Endrin	µg/L	0.2	Final	CFR, 1991
Ethylbenzene	µg/L	700	Final	CFR, 1991
Europium-154	pCi/L	2E + 02	Final	EPA, 1977

<u>Analyte</u>	<u>Unit</u>	<u>Level</u>	<u>Status</u>	<u>Reference</u>
Europium-155	pCi/L	6E + 02	Final	EPA, 1977
Fluoride	µg/L	4,000	Final	CFR, 1991
Gross alpha ^c	pCi/L	1.5E + 01	Final	CFR, 1991
Heptachlor	µg/L	0.4	Final	CFR, 1991
Heptachlor epoxide	µg/L	0.2	Final	CFR, 1991
Hexachlorobenzene	µg/L	1	Proposed	EPA, 1990
Hexachlorocyclopentadiene	µg/L	50	Proposed	EPA, 1990
Iodine-129	pCi/L	1E + 00	Final	EPA, 1977
Iodine-131	pCi/L	3E + 00	Final	EPA, 1977
Iron-55	pCi/L	2E + 03	Final	EPA, 1977
Iron-59	pCi/L	2E + 02	Final	EPA, 1977
Lanthanum-140	pCi/L	6E + 01	Final	EPA, 1977
Lead	µg/L	15	Final	CFR, 1991
Lindane	µg/L	0.2	Final	CFR, 1991
Manganese-54	pCi/L	3E + 02	Final	EPA, 1977
Mercury	µg/L	2	Final	CFR, 1991
Methoxychlor	µg/L	40	Final	CFR, 1991
Neptunium-237	pCi/L	7.06E + 00	Proposed	EPA, 1991
Nickel	µg/L	100	Proposed	EPA, 1990
Nickel-59	pCi/L	3E + 02	Final	EPA, 1977
Nickel-63	pCi/L	5E + 01	Final	EPA, 1977
Niobium-95	pCi/L	3E + 02	Final	EPA, 1977
Nitrate as nitrogen	µg/L	10,000	Final	CFR, 1991
Nitrite as nitrogen	µg/L	1,000	Final	CFR, 1991
Nonvolatile beta	pCi/L	5E + 01	Proposed	EPA, 1986
PCBs ^d	µg/L	0.5	Final	CFR, 1991
Pentachlorophenol	µg/L	1	Final	CFR, 1991
Plutonium-238	pCi/L	7.02E + 00	Proposed	EPA, 1991
Plutonium-239	pCi/L	6.21E + 01	Proposed	EPA, 1991
Plutonium-239/240 ^e	pCi/L	6.21E + 01	Proposed	EPA, 1991
Plutonium-240	pCi/L	6.22E + 01	Proposed	EPA, 1991
Plutonium-241	pCi/L	6.26E + 01	Proposed	EPA, 1991
Plutonium-242	pCi/L	6.54E + 01	Proposed	EPA, 1991
Potassium-40	pCi/L	3E + 02	Proposed	EPA, 1986
Radium-226	pCi/L	1.57E + 01	Proposed	EPA, 1991
Radium-228	pCi/L	7.85E + 00	Proposed	EPA, 1991
Radon-222	pCi/L	3E + 02	Proposed	EPA, 1991
Ruthenium-103	pCi/L	2E + 02	Final	EPA, 1977
Ruthenium-106	pCi/L	3E + 01	Final	EPA, 1977
Selenium	µg/L	50	Final	CFR, 1991
Silver	µg/L	50	Final	CFR, 1991
Sodium-22	pCi/L	4.66E + 02	Proposed	EPA, 1991
Strontium-89	pCi/L	2E + 01 ^f	Final	EPA, 1977
Strontium-89/90 ^e	pCi/L	8E + 00	Final	CFR, 1991
Strontium-90	pCi/L	8E + 00	Final	CFR, 1991
Styrene	µg/L	100	Final	CFR, 1991
Sulfate	µg/L	400,000 ^a	Proposed	EPA, 1990
Technetium-99	pCi/L	9E + 02	Final	EPA, 1977
Tetrachloroethylene	µg/L	5	Final	CFR, 1991
Thallium	µg/L	1	Proposed	EPA, 1990
Thorium-228	pCi/L	1.25E + 02	Proposed	EPA, 1991
Thorium-230	pCi/L	7.92E + 01	Proposed	EPA, 1991
Thorium-232	pCi/L	8.8E + 01	Proposed	EPA, 1991
Thorium-234	pCi/L	4.01E + 02	Proposed	EPA, 1991
Tin-113	pCi/L	3E + 02	Final	EPA, 1977
Toluene	µg/L	1,000	Final	CFR, 1991

<u>Analyte</u>	<u>Unit</u>	<u>Level</u>	<u>Status</u>	<u>Reference</u>
Total radium	pCi/L	5E+00	Final	CFR, 1991
Toxaphene	µg/L	3	Final	CFR, 1991
2,4,5-TP (Silvex)	µg/L	50	Final	CFR, 1991
1,2,4-Trichlorobenzene	µg/L	9	Proposed	EPA, 1990
1,1,1-Trichloroethane	µg/L	200	Final	CFR, 1991
1,1,2-Trichloroethane	µg/L	5	Proposed	EPA, 1990
Trichloroethylene	µg/L	5	Final	CFR, 1991
Total trihalomethanes	µg/L	100	Final	CFR, 1991
Tritium	pCi/mL	2E+01	Final	CFR, 1991
Uranium	µg/L	20	Proposed	EPA, 1991
Uranium alpha activity	pCi/L	3E+01	Proposed	EPA, 1991
Uranium-233/234 ^a	pCi/L	1.38E+01	Proposed	EPA, 1991
Uranium-234	pCi/L	1.39E+01	Proposed	EPA, 1991
Uranium-235	pCi/L	1.45E+01	Proposed	EPA, 1991
Uranium-238	pCi/L	1.46E+01	Proposed	EPA, 1991
Xylenes	µg/L	10,000	Final	CFR, 1991
Zinc-65	pCi/L	3E+02	Final	EPA, 1977
Zirconium-95	pCi/L	2E+02	Final	EPA, 1977
Zirconium/Niobium-95 ^e	pCi/L	2E+02	Final	EPA, 1977

Note: Drinking water standards set by EPA (1977) correspond to the level at which each radionuclide contributes 4 mrem/yr of dose to an individual consuming 2 L of contaminated liquid a day. See EPA (1977) for details.

- ^a This value is the lower of two proposed levels.
- ^b EPD/EMS uses the proposed standard because it is a lower value; the final PDWS in 1977 may have been in error.
- ^c The standard given is for gross alpha including radium-226 but excluding radon and uranium.
- ^d Analyses were conducted in 1992 for the following: PCB 1016, PCB 1221, PCB 1232, PCB 1242, PCB 1248, PCB 1254, and PCB 1260.
- ^e For double radionuclide analyses where each separate radionuclide has its own standard, the more stringent standard is used.
- ^f This value is the lower of two levels given for strontium-89.

References

CFR (Code of Federal Regulations), 1991. *National Primary Drinking Water Regulations*, 40 CFR, Part 141, pp. 578–715. Washington, DC.

EPA (U.S. Environmental Protection Agency), 1977. *National Interim Primary Drinking Water Regulations*, EPA-570/9-76-003. Washington, DC.

EPA (U.S. Environmental Protection Agency), 1986. *Water Pollution Control; National Primary Drinking Water Regulations, Radionuclides (Proposed)*, Federal Register, September 30, 1986, pp. 34835–34862. Washington, DC.

EPA (U.S. Environmental Protection Agency), 1990. *National Primary and Secondary Drinking Water Regulations; Synthetic Organic Chemicals and Inorganic Chemicals; Proposed Rule*, Federal Register, July 25, 1990, pp. 30369–30448. Washington, DC.

EPA (U.S. Environmental Protection Agency), 1991. *National Primary Drinking Water Regulations; Radionuclides; Proposed Rule*, Federal Register, July 18, 1991, pp. 33052–33127. Washington, DC.

Appendix B – Flagging Criteria

Flagging Criteria

Beginning in 1991, the Environmental Monitoring Section of the Environmental Protection Department (EPD/EMS) modified its guidelines for flagging constituents in the Groundwater Monitoring Program. These flagging criteria are as follows:

- Flag 2 criteria for constituents equal the U.S. Environmental Protection Agency (EPA) Primary Drinking Water Standard, the EPA proposed Primary Drinking Water Standard, or the EPA Secondary Drinking Water Standard. If a constituent does not have a drinking water standard, the Flag 2 criterion equals 10 times the method detection limit (MDL) calculated as the 90th percentile detection limit obtained recently by one of the primary analytical laboratories.
- Flag 1 criteria for constituents equal one-half of the EPA Primary Drinking Water Standard, one-half the EPA proposed Primary Drinking Water Standard, or one-half the EPA Secondary Drinking Water Standard. If a constituent does not have an EPA drinking water standard, the Flag 1 criterion equals 5 times the MDL calculated as the 90th percentile detection limit obtained recently by one of the primary analytical laboratories.
- Analytical results for constituents below Flag 1 are classified as Flag 0.

The following parameters are not assigned flagging criteria: alkalinity, calcium, carbonate, color, corrosivity, magnesium, odor, potassium, Eh, silica, sodium, total dissolved solids, total phosphorus, total phosphates (as P), and turbidity. In addition, common laboratory contaminants and cleaners including phthalates, methylene chloride, ketones, and toluene are not assigned flagging criteria.

<u>Analyte</u>	<u>Unit</u>	<u>Flag 1</u>	<u>Flag 2</u>	<u>Source</u>
Acenaphthene	µg/L	50	100	EPA Method 8270
Acenaphthylene	µg/L	50	100	EPA Method 8270
Acetone	µg/L	50	100	EPA Method 8240
Acetonitrile (Methyl cyanide)	µg/L	500	1,000	EPA Method 8240
Acetophenone	µg/L	50	100	EPA Method 8270
2-Acetylaminofluorene	µg/L	50	100	EPA Method 8270
Acrolein	µg/L	100	200	EPA Method 8240
Acrylonitrile	µg/L	100	200	EPA Method 8240
Aldrin	µg/L	2.5	5	EPA Method 8080
Alkalinity (as CaCO ₃)		No flag	No flag	Set by EPD/EMS
Allyl chloride	µg/L	250	500	EPA Method 8240
Aluminum	µg/L	100	200	EPA Method 6010
Americium-241	pCi/L	3.17E+00	6.34E+00	Proposed DWS (EPA, 1991)
Americium-243	pCi/L	3.19E+00	6.37E+00	Proposed DWS (EPA, 1991)
4-Aminobiphenyl	µg/L	50	100	EPA Method 8270
Ammonia	µg/L	500	1,000	APHA Method 417B
Ammonia nitrogen	µg/L	50	100	EPA Method 350.1
Aniline	µg/L	50	100	EPA Method 8270
Anthracene	µg/L	50	100	EPA Method 8270
Antimony	µg/L	2.5	5	Proposed DWS (EPA, 1990)
Antimony-125	pCi/L	1.5E+02	3E+02	Final DWS (EPA, 1977)
Aramite	µg/L	50	100	EPA Method 8270

Analyte	Unit	Flag 1	Flag 2	Source
Arsenic	µg/L	25	50	Final DWS (CFR, 1991)
Azobenzene	µg/L	50	100	EPA Method 625
Barium	µg/L	1,000	2,000	Final DWS (CFR, 1991)
Barium-140	pCi/L	4.5E+01	9E+01	Final DWS (EPA, 1977)
Benzene	µg/L	2.5	5	Final DWS (CFR, 1991)
alpha-Benzene hexachloride	µg/L	2.5	5	EPA Method 8080
beta-Benzene hexachloride	µg/L	2.5	5	EPA Method 8080
delta-Benzene hexachloride	µg/L	2.5	5	EPA Method 8080
Benzidine	µg/L	250	500	EPA Method 8270
Benzo[a]anthracene	µg/L	0.05	0.1	Proposed DWS (EPA, 1990)
Benzo[b]fluoranthene	µg/L	0.1	0.2	Proposed DWS (EPA, 1990)
Benzo[k]fluoranthene	µg/L	0.1	0.2	Proposed DWS (EPA, 1990)
Benzo[g,h,i]perylene	µg/L	50	100	EPA Method 8270
Benzo[a]pyrene	µg/L	0.1	0.2	Proposed DWS (EPA, 1990)
Benzoic acid	µg/L	250	500	EPA Method 8270
1,4-Benzoquinone	µg/L	50	100	EPA Method 8270
Benzyl alcohol	µg/L	100	200	EPA Method 8270
Beryllium	µg/L	0.5	1	Proposed DWS (EPA, 1990)
Beryllium-7	pCi/L	3E+03	6E+03	Final DWS (EPA, 1977)
Bis(2-chloroethoxy) methane	µg/L	50	100	EPA Method 8270
Bis(2-chloroethyl) ether	µg/L	50	100	EPA Method 8270
Bis(2-chloroisopropyl) ether	µg/L	50	100	EPA Method 8270
Bis(chloromethyl)ether	µg/L	50	100	EPA Method 8270
Bis(2-ethylhexyl) phthalate		No flag	No flag	Set by EPD/EMS
Bromide	µg/L	5,000	10,000	EPA Method 300.0
Bromodichloromethane	µg/L	50	100	Final DWS (CFR, 1991)
Bromoform	µg/L	50	100	Final DWS (CFR, 1991)
Bromomethane (Methyl bromide)	µg/L	5	10	EPA Method 8240
4-Bromophenyl phenyl ether	µg/L	50	100	EPA Method 8270
2-sec-Butyl-4,6-dinitrophenol	µg/L	3.5	7	Proposed DWS (EPA, 1990)
Butylbenzyl phthalate		No flag	No flag	Set by EPD/EMS
Cadmium	µg/L	2.5	5	Final DWS (CFR, 1991)
Calcium		No flag	No flag	Set by EPD/EMS
Carbon disulfide	µg/L	5	10	EPA Method 8240
Carbon tetrachloride	µg/L	2.5	5	Final DWS (CFR, 1991)
Carbon 12-labeled 2,3,7,8-TCDD	µg/L	0.00225	0.0045	EPA Method 8280
Carbon 12-labeled 2,3,7,8-TCDF	µg/L	0.002	0.004	EPA Method 8280
Carbon-14	pCi/L	1E+03	2E+03	Final DWS (EPA, 1977)
Carbonate		No flag	No flag	Set by EPD/EMS
Cerium-141	pCi/L	1.5E+02	3E+02	Final DWS (EPA, 1977)
Cerium-144	pCi/L	1.31E+02	2.61E+02	Proposed DWS (EPA, 1991)
Cesium-134	pCi/L	4.07E+01	8.13E+01	Proposed DWS (EPA, 1991)
Cesium-137	pCi/L	1E+02	2E+02	Final DWS (EPA, 1977)
Chlordane	µg/L	1	2	Final DWS (CFR, 1991)
Chloride	µg/L	125,000	250,000	Secondary DWS (EPA, 1991a)
4-Chloroaniline	µg/L	50	100	EPA Method 8270
Chlorobenzene	µg/L	5	10	EPA Method 8240
Chlorobenzilate	µg/L	50	100	EPA Method 8270
Chloroethane	µg/L	5	10	EPA Method 8240
Chloroethene (Vinyl chloride)	µg/L	1	2	Final DWS (CFR, 1991)
Chloroethyl vinyl ether	µg/L	5	10	EPA Method 8240
2-Chloroethyl vinyl ether	µg/L	5	10	EPA Method 8240
Chloroform	µg/L	50	100	Final DWS (CFR, 1991)
para-Chloro-meta-cresol	µg/L	50	100	EPA Method 8270
Chloromethane (Methyl chloride)	µg/L	5	10	EPA Method 8240
2-Chloronaphthalene	µg/L	50	100	EPA Method 8240

<u>Analyte</u>	<u>Unit</u>	<u>Flag 1</u>	<u>Flag 2</u>	<u>Source</u>
2-Chlorophenol	µg/L	50	100	EPA Method 8270
4-Chlorophenyl phenyl ether	µg/L	50	100	EPA Method 8270
Chloroprene	µg/L	1,000	2,000	EPA Method 8240
Chromium	µg/L	50	100	Final DWS (CFR, 1991)
Chromium-51	pCi/L	3E+03	6E+03	Final DWS (EPA, 1977)
Chrysene	µg/L	0.1	0.2	Proposed DWS (EPA, 1990)
Cobalt	µg/L	20	40	EPA Method 6010
Cobalt-57	pCi/L	5E+02	1E+03	Final DWS (EPA, 1977)
Cobalt-58	pCi/L	4.5E+03	9E+03	Final DWS (EPA, 1977)
Cobalt-60	pCi/L	5E+01	1E+02	Final DWS (EPA, 1977)
Color		No flag	No flag	Set by EPD/EMS
Copper	µg/L	650	1,300	Final DWS (CFR, 1991)
Corrosivity		No flag	No flag	Set by EPD/EMS
m-Cresol (3-Methylphenol)	µg/L	50	100	EPA Method 8270
o-Cresol (2-Methylphenol)	µg/L	50	100	EPA Method 8270
p-Cresol (4-Methylphenol)	µg/L	50	100	EPA Method 8270
Curium-242	pCi/L	6.65E+01	1.33E+02	Proposed DWS (EPA, 1991)
Curium-243	pCi/L	4.15E+00	8.3E+00	Proposed DWS (EPA, 1991)
Curium-244	pCi/L	4.92E+00	9.84E+00	Proposed DWS (EPA, 1991)
Curium-246	pCi/L	3.14E+00	6.27E+00	Proposed DWS (EPA, 1991)
Cyanide	µg/L	100	200	Proposed DWS (EPA, 1990)
p,p'-DDD	µg/L	2.5	5	EPA Method 8080
p,p'-DDE	µg/L	2.5	5	EPA Method 8080
p,p'-DDT	µg/L	2.5	5	EPA Method 8080
Di-n-butyl phthalate		No flag	No flag	Set by EPD/EMS
Di-n-octyl phthalate		No flag	No flag	Set by EPD/EMS
Diallate	µg/L	50	100	EPA Method 8270
Dibenz[a,h]anthracene	µg/L	0.15	0.3	Proposed DWS (EPA, 1990)
Dibenzofuran	µg/L	50	100	EPA Method 8270
Dibromochloromethane	µg/L	50	100	Final DWS (CFR, 1991)
Dibromochloropropane	µg/L	0.1	0.2	Final DWS (CFR, 1991)
1,2-Dibromoethane	µg/L	100	200	EPA Method 8240
Dibromomethane (Methylene bromide)	µg/L	5	10	EPA Method 8240
1,2-Dichlorobenzene	µg/L	300	600	Final DWS (CFR, 1991)
1,3-Dichlorobenzene	µg/L	50	100	EPA Method 8270
1,4-Dichlorobenzene	µg/L	37.5	75	Final DWS (CFR, 1991)
3,3'-Dichlorobenzidine	µg/L	50	100	EPA Method 8270
trans-1,4-Dichloro-2-butene	µg/L	150	300	EPA Method 8240
Dichlorodifluoromethane	µg/L	5	10	EPA Method 8240
1,1-Dichloroethane	µg/L	5	10	EPA Method 8240
1,2-Dichloroethane	µg/L	2.5	5	Final DWS (CFR, 1991)
cis-1,2-Dichloroethene	µg/L	35	70	Final DWS (CFR, 1991)
1,1-Dichloroethylene	µg/L	3.5	7	Final DWS (CFR, 1991)
1,2-Dichloroethylene	µg/L	25	50	EPA Method 8240
trans-1,2-Dichloroethylene	µg/L	50	100	Final DWS (CFR, 1991)
Dichloromethane (Methylene chloride)		No flag	No flag	Set by EPD/EMS
2,4-Dichlorophenol	µg/L	50	100	EPA Method 8270
2,6-Dichlorophenol	µg/L	50	100	EPA Method 8270
2,4-Dichlorophenoxyacetic acid	µg/L	35	70	Final DWS (CFR, 1991)
1,2-Dichloropropane	µg/L	2.5	5	Final DWS (CFR, 1991)
cis-1,3-Dichloropropene	µg/L	5	10	EPA Method 8240
trans-1,3-Dichloropropene	µg/L	5	10	EPA Method 8240
Dieldrin	µg/L	2.5	5	EPA Method 8080
Diethyl phthalate		No flag	No flag	Set by EPD/EMS

Analyte	Unit	Flag 1	Flag 2	Source
Dimethoate	µg/L	50	100	EPA Method 8270
p-Dimethylaminoazobenzene	µg/L	50	100	EPA Method 8270
p-(Dimethylamino)ethylbenzene	µg/L	50	100	EPA Method 8270
7,12-Dimethylbenz[a]anthracene	µg/L	50	100	EPA Method 8270
3,3'-Dimethylbenzidine	µg/L	50	100	EPA Method 8270
a,a-Dimethylphenethylamine	µg/L	50	100	EPA Method 8270
2,4-Dimethyl phenol	µg/L	50	100	EPA Method 8270
Dimethyl phthalate		No flag	No flag	Set by EPD/EMS
1,3-Dinitrobenzene	µg/L	50	100	EPA Method 8270
4,6-Dinitro-ortho-cresol	µg/L	250	500	EPA Method 8270
2,4-Dinitrophenol	µg/L	250	500	EPA Method 8270
2,4-Dinitrotoluene	µg/L	50	100	EPA Method 8270
2,6-Dinitrotoluene	µg/L	50	100	EPA Method 8270
1,4-Dioxane	µg/L	50	100	EPA Method 8270
Diphenylamine	µg/L	50	100	EPA Method 8270
1,2-Diphenylhydrazine	µg/L	50	100	EPA Method 8270
Dissolved organic carbon	µg/L	5,000	10,000	EPA Method 9060
Disulfoton	µg/L	50	100	EPA Method 8270
Eh		No flag	No flag	Set by EPD/EMS
alpha-Endosulfan	µg/L	50	100	EPA Method 8270
beta-Endosulfan	µg/L	50	100	EPA Method 8270
Endosulfan I	µg/L	2.5	5	EPA Method 8080
Endosulfan II	µg/L	2.5	5	EPA Method 8080
Endosulfan sulfate	µg/L	2.5	5	EPA Method 8080
Endrin	µg/L	0.1	0.2	Final DWS (CFR, 1991)
Endrin aldehyde	µg/L	2.5	5	EPA Method 8080
Endrin ketone		No flag	No flag	Set by EPD/EMS
Ethyl methacrylate	µg/L	50	100	EPA Method 8270
Ethyl methanesulfonate	µg/L	50	100	EPA Method 8270
Ethylbenzene	µg/L	350	700	Final DWS (CFR, 1991)
Europium-154	pCi/L	1E+02	2E+02	Final DWS (EPA, 1977)
Europium-155	pCi/L	3E+02	6E+02	Final DWS (EPA, 1977)
Famphur	µg/L	50	100	EPA Method 8270
Fluoranthene	µg/L	50	100	EPA Method 8270
Fluorene	µg/L	50	100	EPA Method 8270
Fluoride	µg/L	2,000	4,000	Final DWS (CFR, 1991)
Gross alpha	pCi/L	7.5E+00	1.5E+01	Final DWS (CFR, 1991)
Heptachlor	µg/L	0.2	0.4	Final DWS (CFR, 1991)
Heptachlor epoxide	µg/L	0.1	0.2	Final DWS (CFR, 1991)
Heptachlorodibenzo-p-dioxin isomers	µg/L	0.00325	0.0065	EPA Method 8280
1,2,3,4,6,7,8-Heptachlorodibenzo-p-dioxin	µg/L	0.00325	0.0065	EPA Method 8280
Heptachlorodibenzo-p-furan isomers	µg/L	0.00225	0.0045	EPA Method 8280
1,2,3,4,6,7,8-Heptachlorodibenzo-p-furan	µg/L	0.00225	0.0045	EPA Method 8280
Hexachlorobenzene	µg/L	0.5	1	Proposed DWS (EPA, 1990)
Hexachlorobutadiene	µg/L	50	100	EPA Method 8270
Hexachlorocyclopentadiene	µg/L	25	50	Proposed DWS (EPA, 1990)
Hexachlorodibenzo-p-dioxin isomers	µg/L	0.00225	0.0045	EPA Method 8280
1,2,3,4,7,8-Hexachlorodibenzo-p-dioxin	µg/L	0.00225	0.0045	EPA Method 8280
Hexachlorodibenzo-p-furan isomers	µg/L	0.002	0.004	EPA Method 8280
1,2,3,4,7,8-Hexachlorodibenzo-p-furan	µg/L	0.002	0.004	EPA Method 8280

Analyte	Unit	Flag 1	Flag 2	Source
Hexachloroethane	µg/L	50	100	EPA Method 8270
Hexachlorophene	µg/L	250	500	EPA Method 8270
Hexachloropropene	µg/L	50	100	EPA Method 8270
2-Hexanone	µg/L	100	200	EPA Method 8240
Indeno[1,2,3-c,d]pyrene	µg/L	50	100	EPA Method 8270
Iodine	µg/L	500	1,000	EPA Method 415
Iodine-129	pCi/L	5E-01	1E+00	Final DWS (EPA, 1977)
Iodine-131	pCi/L	1.5E+00	3E+00	Final DWS (EPA, 1977)
Iodomethane (Methyl iodide)	µg/L	75	150	EPA Method 8240
Iron	µg/L	150	300	Secondary DWS (EPA, 1991a)
Iron-55	pCi/L	1E+03	2E+03	Final DWS (EPA, 1977)
Iron-59	pCi/L	1E+02	2E+02	Final DWS (EPA, 1977)
Isobutyl alcohol	µg/L	500	1,000	EPA Method 8240
Isodrin	µg/L	50	100	EPA Method 8270
Isophorone	µg/L	50	100	EPA Method 8270
Isosafrole	µg/L	50	100	EPA Method 8270
Kepone	µg/L	50	100	EPA Method 8270
Lanthanum-140	pCi/L	3E+01	6E+01	Final DWS (EPA, 1977)
Lead	µg/L	7.5	15	Final DWS (CFR, 1991)
Lindane	µg/L	0.1	0.2	Final DWS (CFR, 1991)
Lithium	µg/L	25	50	EPA Method 6010
Magnesium		No flag	No flag	Set by EPD/EMS
Manganese	µg/L	25	50	Secondary DWS (EPA, 1991a)
Manganese-54	pCi/L	1.5E+02	3E+02	Final DWS (EPA, 1977)
Mercury	µg/L	1	2	Final DWS (CFR, 1991)
Methacrylonitrile	µg/L	250	500	EPA Method 8240
Methapyrilene	µg/L	50	100	EPA Method 8270
Methoxychlor	µg/L	20	40	Final DWS (CFR, 1991)
3-Methylcholanthrene	µg/L	50	100	EPA Method 8270
2-Methyl-4,6-dinitrophenol	µg/L	250	500	EPA Method 8270
Methyl ethyl ketone		No flag	No flag	Set by EPD/EMS
Methyl isobutyl ketone		No flag	No flag	Set by EPD/EMS
Methyl methacrylate	µg/L	50	100	EPA Method 8270
Methyl methanesulfonate	µg/L	50	100	EPA Method 8270
2-Methylnaphthalene	µg/L	50	100	EPA Method 8270
Molybdenum	µg/L	250	500	EPA Method 6010
Naphthalene	µg/L	50	100	EPA Method 8270
1,4-Naphthoquinone	µg/L	50	100	EPA Method 8270
1-Naphthylamine	µg/L	50	100	EPA Method 8270
2-Naphthylamine	µg/L	50	100	EPA Method 8270
Neptunium-237	pCi/L	3.53E+00	7.06E+00	Proposed DWS (EPA, 1991)
Nickel	µg/L	50	100	Proposed DWS (EPA, 1990)
Nickel-59	pCi/L	1.5E+02	3E+02	Final DWS (EPA, 1977)
Nickel-63	pCi/L	2.5E+01	5E+01	Final DWS (EPA, 1977)
Niobium-95	pCi/L	1.5E+02	3E+02	Final DWS (EPA, 1977)
Nitrate as nitrogen	µg/L	5,000	10,000	Final DWS (CFR, 1991)
Nitrite as nitrogen	µg/L	500	1,000	Final DWS (CFR, 1991)
2-Nitroaniline	µg/L	50	100	EPA Method 8270
3-Nitroaniline	µg/L	50	100	EPA Method 8270
4-Nitroaniline	µg/L	50	100	EPA Method 8270
Nitrobenzene	µg/L	50	100	EPA Method 8270
Nitrogen by Kjeldahl method	µg/L	500	1,000	EPA Method 351.2
2-Nitrophenol	µg/L	50	100	EPA Method 8270
4-Nitrophenol	µg/L	50	100	EPA Method 8270
4-Nitroquinoline-1-oxide	µg/L	50	100	EPA Method 8270
N-Nitrosodi-n-butylamine	µg/L	50	100	EPA Method 8270

<u>Analyte</u>	<u>Unit</u>	<u>Flag 1</u>	<u>Flag 2</u>	<u>Source</u>
N-Nitrosodiethylamine	µg/L	50	100	EPA Method 8270
N-Nitrosodimethylamine	µg/L	50	100	EPA Method 8270
N-Nitrosodiphenylamine	µg/L	50	100	EPA Method 8270
N-Nitrosodi-propylamine	µg/L	50	100	EPA Method 8270
N-Nitrosomethylethylamine	µg/L	50	100	EPA Method 8270
N-Nitrosomorpholine	µg/L	50	100	EPA Method 8270
N-Nitrosopiperidine	µg/L	50	100	EPA Method 8270
N-Nitrosopyrrolidine	µg/L	50	100	EPA Method 8270
5-Nitro-o-toluidine	µg/L	50	100	EPA Method 8270
Nonvolatile beta	pCi/L	2.5E+01	5E+01	Proposed DWS (EPA, 1986)
Octachlorodibenzo-p-dioxin isomers	µg/L	0.005	0.01	EPA Method 8280
Octachlorodibenzo-p-furan isomers	µg/L	0.005	0.01	EPA Method 8280
Odor		No flag	No flag	Set by EPD/EMS
Oil & Grease	µg/L	5,000	10,000	EPA Method 413.1
Parathion	µg/L	2.5	5	EPA Method 8080
Parathion methyl	µg/L	2.5	5	EPA Method 8080
PCB 1016	µg/L	0.25	0.5	Final DWS (CFR, 1991)
PCB 1221	µg/L	0.25	0.5	Final DWS (CFR, 1991)
PCB 1232	µg/L	0.25	0.5	Final DWS (CFR, 1991)
PCB 1242	µg/L	0.25	0.5	Final DWS (CFR, 1991)
PCB 1248	µg/L	0.25	0.5	Final DWS (CFR, 1991)
PCB 1254	µg/L	0.25	0.5	Final DWS (CFR, 1991)
PCB 1260	µg/L	0.25	0.5	Final DWS (CFR, 1991)
PCB 1262	µg/L	0.25	0.5	Final DWS (CFR, 1991)
Pentachlorobenzene	µg/L	50	100	EPA Method 8270
Pentachlorodibenzo-p-dioxin isomers	µg/L	0.00275	0.0055	EPA Method 8280
1,2,3,7,8-Pentachlorodibenzo-p-dioxin	µg/L	0.00275	0.0055	EPA Method 8280
Pentachlorodibenzo-p-furan isomers	µg/L	0.00275	0.0055	EPA Method 8280
1,2,3,7,8-Pentachlorodibenzo-p-furan	µg/L	0.00275	0.0055	EPA Method 8280
Pentachloroethane	µg/L	50	100	EPA Method 8270
Pentachloronitrobenzene	µg/L	50	100	EPA Method 8270
Pentachlorophenol	µg/L	0.5	1	Final DWS (CFR, 1991)
pH	pH	8	10	Set by EPD/EMS
pH	pH	4	3	Set by EPD/EMS
Phenacetin	µg/L	50	100	EPA Method 8270
Phenanthrene	µg/L	50	100	EPA Method 8270
Phenol	µg/L	50	100	EPA Method 8270
Phenols	µg/L	25	50	EPA Method 420.2
p-Phenylenediamine	µg/L	50	100	EPA Method 8270
Phorate	µg/L	2.5	5	EPA Method 8080
2-Picoline	µg/L	50	100	EPA Method 8270
Plutonium-238	pCi/L	3.51E+00	7.02E+00	Proposed DWS (EPA, 1991)
Plutonium-239	pCi/L	3.11E+01	6.21E+01	Proposed DWS (EPA, 1991)
Plutonium-239/240 ^a	pCi/L	3.11E+01	6.21E+01	Proposed DWS (EPA, 1991)
Plutonium-240	pCi/L	3.11E+01	6.22E+01	Proposed DWS (EPA, 1991)
Plutonium-241	pCi/L	3.13E+01	6.26E+01	Proposed DWS (EPA, 1991)
Plutonium-242	pCi/L	3.27E+01	6.54E+01	Proposed DWS (EPA, 1991)
Potassium		No flag	No flag	Set by EPD/EMS
Potassium-40	pCi/L	1.5E+02	3E+02	Proposed DWS (EPA, 1986)
Pronamid	µg/L	50	100	EPA Method 8270
Propionitrile	µg/L	1,000	2,000	EPA Method 8240
Pyrene	µg/L	50	100	EPA Method 8270
Pyridine	µg/L	50	100	EPA Method 8270

<u>Analyte</u>	<u>Unit</u>	<u>Flag 1</u>	<u>Flag 2</u>	<u>Source</u>
Radium-226	pCi/L	7.85E+00	1.57E+01	Proposed DWS (EPA, 1991)
Radium-228	pCi/L	3.93E+00	7.85E+00	Proposed DWS (EPA, 1991)
Radon-222	pCi/L	1.5E+02	3E+02	Proposed DWS (EPA, 1991)
Ruthenium-103	pCi/L	1E+02	2E+02	Final DWS (EPA, 1977)
Ruthenium-106	pCi/L	1.5E+01	3E+01	Final DWS (EPA, 1977)
Safrole	µg/L	50	100	EPA Method 8270
Selenium	µg/L	25	50	Final DWS (CFR, 1991)
Silica		No flag	No flag	Set by EPD/EMS
Silver	µg/L	25	50	Final DWS (CFR, 1991)
Sodium		No flag	No flag	Set by EPD/EMS
Sodium-22	pCi/L	2.33E+02	4.66E+02	Proposed DWS (EPA, 1991)
Specific conductance	µS/cm	250	500	Set by EPD/EMS
Strontium-89	pCi/L	1E+01	2E+01	Final DWS (EPA, 1977)
Strontium-89/90 ^a	pCi/L	4E+00	8E+00	Final DWS (CFR, 1991)
Strontium-90	pCi/L	4E+00	8E+00	Final DWS (CFR, 1991)
Styrene	µg/L	50	100	Final DWS (CFR, 1991)
Sulfate	µg/L	200,000	400,000	Proposed DWS (EPA, 1990)
Sulfide	µg/L	5,000	10,000	EPA Method 9030
Sulfotep	µg/L	50	100	EPA Method 8270
Surfactants		No flag	No flag	Set by EPD/EMS
Technetium-99	pCi/L	4.5E+02	9E+02	Final DWS (EPA, 1977)
1,2,4,5-Tetrachlorobenzene	µg/L	50	100	EPA Method 8270
Tetrachlorodibenzo-p-dioxin isomers	µg/L	0.00225	0.0045	EPA Method 8280
Tetrachlorodibenzo-p-furan isomers	µg/L	0.002	0.004	EPA Method 8280
1,1,1,2-Tetrachloroethane	µg/L	5	10	EPA Method 8240
1,1,2,2-Tetrachloroethane	µg/L	5	10	EPA Method 8240
Tetrachloroethylene	µg/L	2.5	5	Final DWS (CFR, 1991)
2,3,4,6-Tetrachlorophenol	µg/L	50	100	EPA Method 8270
Tetraethyl dithiopyrophosphate	µg/L	50	100	EPA Method 8270
Thallium	µg/L	0.5	1	Proposed DWS (EPA, 1990)
Thionazin	µg/L	50	100	EPA Method 8270
Thorium-228	pCi/L	6.25E+01	1.25E+02	Proposed DWS (EPA, 1991)
Thorium-230	pCi/L	3.96E+01	7.92E+01	Proposed DWS (EPA, 1991)
Thorium-232	pCi/L	4.4E+01	8.8E+01	Proposed DWS (EPA, 1991)
Thorium-234	pCi/L	2E+02	4.01E+02	Proposed DWS (EPA, 1991)
Tin	µg/L	10	20	EPA Method 282.2
Tin-113	pCi/L	150	300	Final DWS (EPA, 1977)
Toluene	µg/L	500	1,000	Final DWS (CFR, 1991)
o-Toluidine	µg/L	50	100	EPA Method 8270
Total carbon	µg/L	5,000	10,000	EPA Method 9060
Total dissolved solids		No flag	No flag	Set by EPD/EMS
Total hydrocarbons	µg/L	5,000	10,000	EPA Method 418.1
Total inorganic carbon	µg/L	5,000	10,000	EPA Method 9060
Total organic carbon	µg/L	5,000	10,000	EPA Method 9060
Total organic halogens	µg/L	25	50	EPA Method 9020
Total organic nitrogen	µg/L	500	1,000	EPA Method 420
Total petroleum hydrocarbons	µg/L	5,000	10,000	EPA Method 418.1
Total phosphates (as P)		No flag	No flag	Set by EPD/EMS
Total phosphorus		No flag	No flag	Set by EPD/EMS
Total radium	pCi/L	2.5	5	Final DWS (CFR, 1991)
Total silica	µg/L	500	1,000	EPA Method 6010
Toxaphene	µg/L	1.5	3	Final DWS (CFR, 1991)
2,4,5-TP (Silvex)	µg/L	25	50	Final DWS (CFR, 1991)
Tributyl phosphate	µg/L	50	100	EPA Method 8270

<u>Analyte</u>	<u>Unit</u>	<u>Flag 1</u>	<u>Flag 2</u>	<u>Source</u>
1,2,4-Trichlorobenzene	µg/L	4.5	9	Proposed DWS (EPA, 1990)
1,1,1-Trichloroethane	µg/L	100	200	Final DWS (CFR, 1991)
1,1,2-Trichloroethane	µg/L	2.5	5	Proposed DWS (EPA, 1990)
Trichloroethylene	µg/L	2.5	5	Final DWS (CFR, 1991)
Trichlorofluoromethane	µg/L	5	10	EPA Method 8240
2,4,5-Trichlorophenol	µg/L	50	100	EPA Method 8270
2,4,6-Trichlorophenol	µg/L	50	100	EPA Method 8270
2,4,5-Trichlorophenoxyacetic acid	µg/L	2.5	5	EPA Method 8150
1,2,3-Trichloropropane	µg/L	5	10	EPA Method 8240
O,O,O-Triethyl phosphorothioate	µg/L	50	100	EPA Method 8270
1,3,5-Trinitrobenzene	µg/L	50	100	EPA Method 8270
Tritium	pCi/mL	1E+01	2E+01	Final DWS (CFR, 1991)
Turbidity		No flag	No flag	Set by EPD/EMS
Uranium	µg/L	10	20	Proposed DWS (EPA, 1991)
Uranium alpha activity	pCi/L	1.5E+01	3E+01	Proposed DWS (EPA, 1991)
Uranium-233/234 ^a	pCi/L	6.9E-01	1.38E+01	Proposed DWS (EPA, 1991)
Uranium-234	pCi/L	6.95E+00	1.39E+01	Proposed DWS (EPA, 1991)
Uranium-235	pCi/L	7.25E+00	1.45E+01	Proposed DWS (EPA, 1991)
Uranium-238	pCi/L	7.3E+00	1.46E+01	Proposed DWS (EPA, 1991)
Vanadium	µg/L	50	100	EPA Method 6010
Vinyl acetate	µg/L	5	10	EPA Method 8240
Xylenes	µg/L	5,000	10,000	Final DWS (CFR, 1991)
Zinc	µg/L	2,500	5,000	Secondary DWS (EPA, 1991a)
Zinc-65	pCi/L	1.5E+02	3E+02	Final DWS (EPA, 1977)
Zirconium-95	pCi/L	1E+02	2E+02	Final DWS (EPA, 1977)
Zirconium/Niobium-95 ^a	pCi/L	1E+02	2E+02	Final DWS (EPA, 1977)

^a For double radionuclide analyses where each separate radionuclide has its own standard, the more stringent standard is used.

References

APHA (American Public Health Association, American Water Works Association, and Water Pollution Control Federation), 1985. **Standard Methods for the Examination of Water and Wastewater**, 16th edition. Washington, DC.

CFR (Code of Federal Regulations), 1991. **National Primary Drinking Water Regulations**, 40 CFR, Part 141, pp. 578-715. Washington, DC.

EPA (U.S. Environmental Protection Agency), 1977. **National Interim Primary Drinking Water Regulations**, EPA-570/9-76-003. Washington, DC.

EPA (U.S. Environmental Protection Agency), 1986. **Water Pollution Control; National Primary Drinking Water Regulations, Radionuclides (Proposed)**. **Federal Register**, September 30, 1986, pp. 34836-34862. Washington, DC.

EPA (U.S. Environmental Protection Agency), 1990. **National Primary and Secondary Drinking Water Regulations; Synthetic Organic Chemicals and Inorganic Chemicals (Proposed Rule)**. **Federal Register**, July 25, 1990, pp. 30369-30448. Washington, DC.

EPA (U.S. Environmental Protection Agency), 1991. **National Primary Drinking Water Regulations; Radionuclides; Proposed Rule**. **Federal Register**, July 18, 1991, pp. 33052-33127. Washington, DC.

Appendix C – Figures

GEOLOGIC AGE	Lithostratigraphic Units		Hydrostratigraphic Units				
TERTIARY	Upland Unit		Regulatory "Uppermost Aquifer"	Aquifer Zone IIB2		Aquifer Unit IIB	Aquifer System II
		Tobacco Rd Formation		Confining Zone IIB1-IIB2			
		Dry Branch Formation					
	McBean Formation Green Clay			Aquifer Zone IIB1			
	Congaree			Confining Unit IIA-IIB			
				Aquifer Unit IIA			
	Williamsburg Formation		Confining System I-II				
	Ellenton Formation						

Figure 1. Site Specific Hydrostratigraphic Nomenclature

	SIPLE (1967)	SRP BASELINE HYDROGEOLOGIC STUDY	GEOTRANS (1988)	AUCOTT (1987)	DUPONT (1989)	AADLAND (1990)	
T E R T I A R Y	HAWTHORNE AQUIFER	UPLAND UNIT	AQUIFER 4	TERTIARY SAND AQUIFER	ZONE 8 ZONE 7 7a 7b 7c ZONE 6 ZONE 5 5b 5a	A Q U I F E R S Y S T E M I / I I	AQUIFER UNIT I/IC AQUIFER UNIT IIA AQUIFER UNIT IIB (1) AQUIFER UNIT IIB (2) AQUIFER UNIT IIA AQUIFER UNIT IIB (2) AQUIFER UNIT IIA AQUIFER UNIT IIB (2) AQUIFER UNIT IIA
	BARNWELL AQUIFER	B G R R N O W U D R Y P B R A N C H F M					
	McBEAN AQUITARD GREEN CLAY	McBEAN FORMATION GREEN CLAY					
	CONGAREE AQUIFER	CONGAREE	AQUIFER 3				
C R E T A C E O U S	ELLENTON AQUITARD	WILLIAMSBURG FORMATION ELLENTON FORMATION	AQUITARD 2	CONFINING UNIT	ZONE 4		CONFINING SYSTEM 1-II
	UPPER TUSCALOOSA AQUIFER	PEEDEE FORMATION	AQUIFER 2	BLACK CREEK AQUIFER	ZONE 3 3b 3a	CONFINING UNIT 1/IB-1/IC	AQUIFER UNIT 1/IB CONFINING UNIT 1/IA-1/IB
	MID TUSCALOOSA AQUITARD	BLACK CREEK FORMATION					
	LOWER TUSCALOOSA AQUIFER	MIDDENDORF FORMATION	AQUITARD 1	CONFINING UNIT	ZONE 2 2c 2b 2a		AQUIFER UNIT IA
	BASAL CLAY AQUITARD	CAPE FEAR FORMATION	BASE OF MODEL	CONFINING UNIT	ZONE 1		CONFINING SYSTEM I
TRIASSIC OR PALEOZOIC BASEMENT							CONFINING SYSTEM I
							PALEOZOIC - TRIASSIC BASEMENT HYDROLOGIC SYSTEM

Figure 2. Regional Correlation of Hydrostratigraphic and Lithostratigraphic Nomenclatures

Figure 3. Location of the H-Area Seepage Basins at the Savannah River Site

Figure 4. Location of the Groundwater Monitoring Wells at the H-Area Seepage Basins

HSB143C
△

Figure 6. Location of Upper Portion Aquifer Zone IIB₁ (Barnwell/McBean) Groundwater Monitoring Wells at the H-Area Seepage Basins

HSB 838
Δ

Figure 7. Location of Lower Portion Aquifer Zone IIB₁ (Barnwell/McBean) Groundwater Monitoring Wells at the H-Area Seepage Basins

Figure 8. Location of Aquifer Unit IIA (Congaree) Groundwater Monitoring Wells at the H-Area Seepage Basins

Figure 9. Tritium Activities in Aquifer Zone IIB₁ (Water Table) at the H-Area Seepage Basins, First Quarter 1992

Figure 10. Nitrate Concentrations in Aquifer Zone IIB₁ (Water Table) at the H-Area Seepage Basins, First Quarter 1992

Figure 11. Gross Alpha Activities in Aquifer Zone IIB₂ (Water Table) at the H-Area Seepage Basins, First Quarter 1992

350
Δ

Figure 14. Nitrate Concentrations in Upper Portion of Aquifer Zone IIB₁ (Barnwell/McBean) at the H-Area Seepage Basins, First Quarter 1992

2 Δ

Figure 15. Gross Alpha Activities in Upper Portion of Aquifer Zone IIB₁ (Barnwell/McBean) at the H-Area Seepage Basins, First Quarter 1992

0.7
Δ

Figure 17. Tritium Activities in Lower Portion of Aquifer Zone IIB₁ (Barnwell/McBean) at the H-Area Seepage Basins, First Quarter 1992

Figure 18. Nitrate Concentrations in Lower Portion of Aquifer Zone IIB₁ (Barnwell/McBean) at the H-Area Seepage Basins, First Quarter 1992

2 Δ

Figure 19. Gross Alpha Activities in Lower Portion of Aquifer Zone IIB₁ (Barnwell/McBean) at the H-Area Seepage Basins, First Quarter 1992

2 Δ

Figure 20. Nonvolatile Beta Activities in Lower Portion of Aquifer Zone IIB₁ (Barnwell/McBean) at the H-Area Seepage Basins, First Quarter 1992

Figure 23. Gross Alpha Activities in Aquifer Unit IIA (Congaree) at the H-Area Seepage Basins, First Quarter 1992

0.2
Δ

Figure 26. Mercury Concentrations in Upper Portion of Aquifer Zone IIB₁ (Barnwell/McBean) at the H-Area Seepage Basins, First Quarter 1992

0.2
Δ

Figure 27. Mercury Concentrations in Lower Portion of Aquifer Zone IIB₁ (Barnwell/McBean) at the H-Area Seepage Basins, First Quarter 1992

Figure 29. pH Levels in Aquifer Zone IIB, (Water Table) at the H-Area Seepage Basins, First Quarter 1992

Figure 30. Specific Conductance in Aquifer Zone IIB, (Water Table) at the H-Area Seepage Basins, First Quarter 1992

5.7
Δ

Figure 31. pH Levels in Upper Portion of Aquifer Zone HB₁ (Barnwell/McBean) at the H-Area Seepage Basins, First Quarter 1992

35
Δ

Figure 32. Specific Conductance in Upper Portion of Aquifer Zone IIB₁ (Barnwell/McBean) at the H-Area Seepage Basins, First Quarter 1992

9.4
Δ

Figure 33. pH Levels in Lower Portion of Aquifer Zone IIB₁ (Barnwell/McBean) at the H-Area Seepage Basins, First Quarter 1992

215
Δ

Figure 34. Specific Conductance in Lower Portion of Aquifer Zone IIB₁ (Barnwell/McBean) at the H-Area Seepage Basins, First Quarter 1992

Figure 35. pH Levels in Aquifer Unit IIA (Congaree) at the H-Area Seepage Basins, First Quarter 1992

Figure 36. Specific Conductance in Aquifer Unit IIA (Congaree) at the H-Area Seepage Basins, First Quarter 1992

Figure 37. Piezometric Surface Map of Aquifer Zone IIB₁ (Water Table) at the H-Area Seepage Basins

Figure 38. Potentiometric Surface Map of Upper Portion of Aquifer Zone IIB₁ (Barnwell/McBean) at the H-Area Seepage Basins

Figure 39. Potentiometric Surface Map of Lower Portion of Aquifer Zone IIB₁ (Barnwell/McBean) at the H-Area Seepage Basins

Figure 40. Potentiometric Surface Map of Aquifer Unit IIA (Congaree) at the H-Area Seepage Basins

Appendix D – Groundwater Monitoring Results Tables

Key to Reading the Tables

The following abbreviations may appear in the tabular data:

BA = Barringer Laboratories, Inc.
D = drinking water standard
E = exponential notation (e.g., $1.1\text{E}-09 = 1.1 \times 10^{-9} = 0.0000000011$)
EM = EPD/EMS Laboratory
GE = General Engineering Laboratories
H = holding time
1,2,3,4,6,7,8-HPCDD = 1,2,3,4,6,7,8-heptachlorodibenzo-p-dioxin
1,2,3,4,6,7,8-HPCDF = 1,2,3,4,6,7,8-heptachlorodibenzo-p-furan
1,2,3,4,7,8-HXCDD = 1,2,3,4,7,8-hexachlorodibenzo-p-dioxin
1,2,3,4,7,8-HXCDF = 1,2,3,4,7,8-heptachlorodibenzo-p-furan
Lindane = gamma-benzene hexachloride
MA = M-Area Laboratory
msl = mean sea level
MSL = million structures/liter
NTU = turbidity unit
pH = pH unit
pCi/L = picocuries per liter
pCi/mL = picocuries per milliliter
Sp. = specific
PVC = polyvinyl chloride
TCDD = tetrachlorodibenzo-p-dioxin
TCDF = tetrachlorodibenzo-p-furan
TE = Teledyne Isotopes, Inc.
TM = TMA/Eberline
TOC = top of casing
WA = Roy F. Weston, Inc.
 $\mu\text{g/L}$ = micrograms per liter
 $\mu\text{S/cm}$ = microsiemens per centimeter

Holding Times

Standard analytical methods include a limit, called holding time, on the maximum elapsed time between sample collection and extraction or analysis by the laboratory. In the data tables, a large dot (●) in the H (holding time) column indicates that holding time was exceeded. Analyses performed beyond holding time may not yield valid results.

South Carolina Department of Health and Environmental Control (SCDHEC) allows only 15 minutes to elapse between sampling and analysis for pH. Thus, laboratory pH analyses always exceed holding time.

Laboratory-initiated procedures for reducing the number of other analyses performed out of holding time include subcontracting analyses when difficulties with equipment, personnel, or work load would prevent timely analyses. Beginning fourth quarter 1991, SRS reduced the compensation to laboratories for analyses performed out of holding time.

Table 1. Constituents Exceeding the Primary Drinking Water Standards

Aquifer Zone IIB₂ (Water Table)

<u>Well</u>	<u>Constituent</u>	<u>Unit</u>	<u>1Q92</u>
HSB 65	Tritium	pCi/mL	3.8E+01
HSB 65C	Tritium	pCi/mL	2.8E+01
HSB 67	Nonvolatile beta	pCi/L	9.1E+02
	Total alpha-emitting radium ^a	pCi/L	2.2E+01
	Tritium	pCi/mL	4.1E+03
HSB 68	Gross alpha	pCi/L	3.9E+01
	Lead	µg/L	16
	Mercury	µg/L	2.6
	Nitrate as nitrogen	µg/L	39,200
	Nonvolatile beta	pCi/L	7.0E+03
	Total alpha-emitting radium	pCi/L	1.1E+02
	Tritium	pCi/mL	1.1E+04
HSB 69	Antimony	µg/L	8.1
	Gross alpha	pCi/L	3.6E+01
	Nitrate as nitrogen	µg/L	23,200
	Nonvolatile beta	pCi/L	3.9E+03
	Total alpha-emitting radium	pCi/L	3.8E+01
	Tritium	pCi/mL	1.5E+03
HSB 70	Lead	µg/L	38
	Tritium	pCi/mL	1.7E+02
HSB 71	Tritium	pCi/mL	1.3E+02
HSB 83D	Tritium	pCi/mL	1.0E+03
HSB 84D	Antimony	µg/L	6
	Gross alpha	pCi/L	1.5E+01
	Nitrate as nitrogen	µg/L	11,800 ^b
	Nitrate as nitrogen	µg/L	11,600 ^b
	Nonvolatile beta	pCi/L	1.8E+03
	Total alpha-emitting radium	pCi/L	2.0E+01
	Tritium	pCi/mL	1.3E+03
HSB 86D	Gross alpha	pCi/L	4.4E+01
	Nitrate as nitrogen	µg/L	37,800
	Nonvolatile beta	pCi/L	2.3E+03
	Total alpha-emitting radium	pCi/L	7.2E+01
	Tritium	pCi/mL	1.3E+04
HSB100D	Tritium	pCi/mL	5.0E+02
HSB101D	Arsenic	µg/L	81
	Mercury	µg/L	4.2
	Nitrate as nitrogen	µg/L	43,400

Aquifer Zone IIB₂ (Water Table)

<u>Well</u>	<u>Constituent</u>	<u>Unit</u>	<u>1Q92</u>
	Nonvolatile beta	pCi/L	9.0E+01
	Tritium	pCi/mL	1.0E+04
HSB102D	Gross alpha	pCi/L	8.0E+01
	Lead	µg/L	38
	Nitrate as nitrogen	µg/L	40,000
	Nonvolatile beta	pCi/L	4.2E+03
	Total alpha-emitting radium	pCi/L	7.3E+01
	Tritium	pCi/mL	1.0E+04
HSB103D	Mercury	µg/L	2.3
	Nitrate as nitrogen	µg/L	20,000
	Nonvolatile beta	pCi/L	4.3E+02
	Total alpha-emitting radium	pCi/L	1.9E+01
	Tritium	pCi/mL	5.2E+03
HSB104D	Gross alpha	pCi/L	2.3E+01
	Mercury	µg/L	3.6
	Nitrate as nitrogen	µg/L	22,800
	Nonvolatile beta	pCi/L	2.9E+03
	Total alpha-emitting radium	pCi/L	3.8E+01
	Tritium	pCi/mL	2.8E+03
HSB105D	Gross alpha	pCi/L	2.8E+01
	Mercury	µg/L	2.8
	Nitrate as nitrogen	µg/L	40,000
	Nonvolatile beta	pCi/L	4.6E+03
	Total alpha-emitting radium	pCi/L	5.4E+01
	Tritium	pCi/mL	5.1E+03
HSB106D	Nitrate as nitrogen	µg/L	11,400
	Nonvolatile beta	pCi/L	6.6E+02
	Total alpha-emitting radium	pCi/L	9.7E+00
	Tritium	pCi/mL	1.2E+03
HSB107D	Nonvolatile beta	pCi/L	2.0E+03
	Nitrate as nitrogen	µg/L	32,600
	Total alpha-emitting radium	pCi/L	3.4E+01
	Tritium	pCi/mL	6.4E+03
HSB108D	Gross alpha	pCi/L	3.1E+01
	Mercury	µg/L	4.1
	Nitrate as nitrogen	µg/L	29,000 ^b
	Nitrate as nitrogen	µg/L	29,400 ^b
	Nonvolatile beta	pCi/L	6.8E+03
	Total alpha-emitting radium	pCi/L	8.1E+01
	Tritium	pCi/mL	6.0E+03
HSB109D	Nonvolatile beta	pCi/L	1.1E+03
	Total alpha-emitting radium	pCi/L	1.6E+01
	Tritium	pCi/mL	5.3E+02

Aquifer Zone IIB₂ (Water Table)

<u>Well</u>	<u>Constituent</u>	<u>Unit</u>	<u>1Q92</u>
HSB110D	Nonvolatile beta	pCi/L	2.3E+02
	Total alpha-emitting radium	pCi/L	5.0E+00
	Tritium	pCi/mL	1.1E+02
HSB111D	Nitrate as nitrogen	µg/L	41,600
	Nonvolatile beta	pCi/L	9.9E+01
	Tritium	pCi/mL	1.4E+04
HSB111E	Gross alpha	pCi/L	3.6E+01
	Nonvolatile beta	pCi/L	1.1E+03
	Total alpha-emitting radium	pCi/L	1.5E+01
	Tritium	pCi/mL	7.5E+02
HSB112D	Nitrate as nitrogen	µg/L	48,800
	Nonvolatile beta	pCi/L	7.5E+01
	Tritium	pCi/mL	1.8E+04
HSB112E	Antimony	µg/L	13
	Lead	µg/L	20
	Nitrate as nitrogen	µg/L	42,400
	Nonvolatile beta	pCi/L	3.1E+02
	Total alpha-emitting radium	pCi/L	1.1E+01
	Tritium	pCi/mL	1.2E+04
HSB113D	Gross alpha	pCi/L	3.6E+01
	Nitrate as nitrogen	µg/L	42,000
	Nonvolatile beta	pCi/L	1.9E+03
	Total alpha-emitting radium	pCi/L	5.7E+01
	Tritium	pCi/mL	1.1E+04
HSB114D	Gross alpha	pCi/L	3.1E+01
	Nitrate as nitrogen	µg/L	26,600
	Nonvolatile beta	pCi/L	2.9E+03
	Total alpha-emitting radium	pCi/L	6.8E+01
	Tritium	pCi/mL	3.7E+03
HSB115D	Antimony	µg/L	9.8
	Gross alpha	pCi/L	2.1E+01
	Lead	µg/L	54
	Nitrate as nitrogen	µg/L	31,600
	Nonvolatile beta	pCi/L	1.4E+03
	Total alpha-emitting radium	pCi/L	3.9E+01
HSB116D	Tritium	pCi/mL	9.0E+03
	Gross alpha	pCi/L	4.4E+01
	Lead	µg/L	17
	Nitrate as nitrogen	µg/L	41,200
	Nonvolatile beta	pCi/L	1.0E+04
	Total alpha-emitting radium	pCi/L	1.2E+02
HSB117D	Tritium	pCi/mL	1.1E+04

Aquifer Zone IIB₂ (Water Table)

<u>Well</u>	<u>Constituent</u>	<u>Unit</u>	<u>1Q92</u>
HSB125D	Nitrate as nitrogen	μg/L	36,600
	Tritium	pCi/mL	5.9E + 03
HSB126D	Antimony	μg/L	5.8
	Mercury	μg/L	4.6
	Nitrate as nitrogen	μg/L	53,600
	Tritium	pCi/mL	5.5E + 03
HSB127D	Mercury	μg/L	2.6
	Nonvolatile beta	pCi/L	7.0E + 01
	Nitrate as nitrogen	μg/L	35,600
	Tritium	pCi/mL	1.1E + 04
HSB129D	Nitrate as nitrogen	μg/L	46,500
	Nonvolatile beta	pCi/L	1.2E + 02
	Total alpha-emitting radium	pCi/L	9.0E + 00
	Tritium	pCi/mL	7.2E + 03
HSB132D	Antimony	μg/L	5.8
HSB133D	Tritium	pCi/mL	3.5E + 01
HSB134D	Nitrate as nitrogen	μg/L	10,200
	Nonvolatile beta	pCi/L	2.6E + 02
	Tritium	pCi/mL	1.5E + 03
HSB135D	Antimony	μg/L	6.1
	Tritium	pCi/mL	2.8E + 02
HSB136D	Gross alpha	pCi/L	5.0E + 01
	Nitrate as nitrogen	μg/L	29,000
	Nonvolatile beta	pCi/L	2.1E + 03
	Total alpha-emitting radium	pCi/L	7.4E + 01
	Tritium	pCi/mL	8.8E + 03
HSB137D	Nonvolatile beta	pCi/L	1.0E + 02
	Tritium	pCi/mL	4.5E + 03
HSB138D	Tritium	pCi/mL	1.9E + 03
HSB139D	Antimony	μg/L	7.1
	Tritium	pCi/mL	1.0E + 02 ^c
	Tritium	pCi/mL	1.0E + 02 ^c
	Tritium	pCi/mL	1.0E + 02 ^c
	Tritium	pCi/mL	1.0E + 02 ^c
	Tritium	pCi/mL	1.1E + 02 ^c
	Tritium	pCi/mL	1.2E + 02 ^c
HSB141D	Antimony	μg/L	7.6
	Tritium	pCi/mL	2.3E + 01
HSB142D	Tritium	pCi/mL	4.3E + 02

Aquifer Zone IIB₂ (Water Table)

<u>Well</u>	<u>Constituent</u>	<u>Unit</u>	<u>1Q92</u>
HSB145D	Gross alpha	pCi/L	2.1E+01
	Nitrate as nitrogen	µg/L	36,800
	Nonvolatile beta	pCi/L	3.8E+02
	Total alpha-emitting radium	pCi/L	1.7E+01
	Tritium	pCi/mL	3.7E+03
HSB146D	Antimony	µg/L	8.3
HSB147D	Tritium	pCi/mL	2.4E+01
HSB149D	Tritium	pCi/mL	4.9E+01
HSB150D	Tritium	pCi/mL	4.1E+01
HSB151D	Tritium	pCi/mL	6.9E+02
HSB152D	Tritium	pCi/mL	5.6E+02

Aquifer Zone IIB₁ (Barnwell)

<u>Well</u>	<u>Constituent</u>	<u>Unit</u>	<u>1Q92</u>
HSB 68C	Tritium	pCi/mL	1.8E+03
HSB 70C	Nitrate as nitrogen	µg/L	32,400 ^b
	Nitrate as nitrogen	µg/L	32,600 ^b
	Nonvolatile beta	pCi/L	1.2E+02
	Tritium	pCi/mL	4.1E+03
HSB 71C	Nitrate as nitrogen	µg/L	50,500
	Nonvolatile beta	pCi/L	1.6E+02
	Total alpha-emitting radium	pCi/L	1.2E+01
	Tritium	pCi/mL	8.3E+02
HSB 84C	Tritium	pCi/mL	3.9E+02
HSB 86C	Cadmium	µg/L	9.8
	Gross alpha	pCi/L	2.0E+01
	Nitrate as nitrogen	µg/L	40,400
	Nonvolatile beta	pCi/L	2.9E+02
	Total alpha-emitting radium	pCi/L	1.6E+01
	Tritium	pCi/mL	1.5E+04
HSB102C	Nitrate as nitrogen	µg/L	13,400
	Tritium	pCi/mL	2.2E+02
HSB103C	Nitrate as nitrogen	µg/L	22,800
	Tritium	pCi/mL	8.2E+02
HSB104C	Tritium	pCi/mL	2.9E+02

Aquifer Zone IIB₁ (Barnwell)

<u>Well</u>	<u>Constituent</u>	<u>Unit</u>	<u>1Q92</u>
HSB105C	Tritium	pCi/mL	1.1E+02
HSB106C	Tetrachloroethylene	μg/L	5.2
	Tritium	pCi/mL	3.8E+02
HSB107C	Nonvolatile beta	pCi/L	1.2E+02
	Tritium	pCi/mL	4.4E+02
HSB108C	Tritium	pCi/mL	3.6E+02
HSB109C	Tritium	pCi/mL	7.4E+01 ^o
	Tritium	pCi/mL	7.4E+01 ^o
	Tritium	pCi/mL	7.4E+01 ^o
	Tritium	pCi/mL	7.4E+01 ^o
	Tritium	pCi/mL	7.8E+01 ^o
	Tritium	pCi/mL	7.8E+01 ^o
HSB110C	Tritium	pCi/mL	3.8E+01
HSB111C	Nitrate as nitrogen	μg/L	24,200
	Nonvolatile beta	pCi/L	9.1E+01
	Tritium	pCi/mL	3.6E+03
HSB112C	Nitrate as nitrogen	μg/L	15,400
	Nonvolatile beta	pCi/L	7.8E+01
	Tritium	pCi/mL	2.5E+03
HSB113C	Nitrate as nitrogen	μg/L	13,600
	Tritium	pCi/mL	1.6E+03
HSB114C	Nitrate as nitrogen	μg/L	54,400
	Nonvolatile beta	pCi/L	1.9E+02
	Total alpha-emitting radium	pCi/L	9.7E+00
	Tritium	pCi/mL	1.3E+04
HSB115C	Nitrate as nitrogen	μg/L	49,200
	Nonvolatile beta	pCi/L	1.5E+02
	Tritium	pCi/mL	1.6E+04
HSB116C	Gross alpha	pCi/L	1.7E+01
	Nitrate as nitrogen	μg/L	61,000 ^b
	Nitrate as nitrogen	μg/L	60,000 ^b
	Nonvolatile beta	pCi/L	1.2E+02
	Total alpha-emitting radium	pCi/L	6.1E+00
	Tritium	pCi/mL	1.7E+04
HSB117C	Nitrate as nitrogen	μg/L	38,000
	Nonvolatile beta	pCi/L	1.9E+02
	Total alpha-emitting radium	pCi/L	8.8E+00
	Tritium	pCi/mL	1.0E+04
HSB126C	Tritium	pCi/mL	2.9E+02

Aquifer Zone IIB₁ (Barnwell)

<u>Well</u>	<u>Constituent</u>	<u>Unit</u>	<u>1Q92</u>
HSB127C	Tritium	pCi/mL	1.1E+03
HSB129C	Nitrate as nitrogen	μg/L	21,000
	Nonvolatile beta	pCi/L	1.2E+02
	Tritium	pCi/mL	2.5E+03
HSB131C	Tritium	pCi/mL	1.8E+02
HSB132C	Antimony	μg/L	6.3
HSB134C	Tritium	pCi/mL	4.2E+01
HSB135C	Tritium	pCi/mL	4.7E+01
HSB136C	Nitrate as nitrogen	μg/L	41,500
	Nonvolatile beta	pCi/L	1.5E+02
	Tritium	pCi/mL	1.1E+04
HSB137C	Nitrate as nitrogen	μg/L	90,000
	Nonvolatile beta	pCi/L	1.4E+02
	Tritium	pCi/mL	1.2E+04
HSB139C	Nitrate as nitrogen	μg/L	43,000
	Tetrachloroethylene	μg/L	9.8
	Tritium	pCi/mL	3.3E+03
HSB141C	Antimony	μg/L	8.7
HSB145C	Nitrate as nitrogen	μg/L	33,600
	Tetrachloroethylene	μg/L	12
	Tritium	pCi/mL	1.9E+03
HSB151C	Tritium	pCi/mL	2.2E+03
HSB152C	Tritium	pCi/mL	1.2E+03

Aquifer Zone IIB₁ (McBean)

<u>Well</u>	<u>Constituent</u>	<u>Unit</u>	<u>1Q92</u>
HSB 68B	Tritium	pCi/mL	2.7E+01
HSB 84B	Lead	μg/L	20
	Tritium	pCi/mL	2.0E+01

Aquifer Unit IIA (Congaree)

<u>Well</u>	<u>Constituent</u>	<u>Unit</u>	<u>1Q92</u>
HSB 65A	Tritium	pCi/mL	3.0E+01
HSB 84A	Nonvolatile beta Tritium	pCi/L pCi/mL	1.8E+02 4.9E+01
HSB118A	Tritium Tritium	pCi/mL pCi/mL	6.6E+02 ^c 6.5E+02 ^c
HSB119A	Tritium	pCi/mL	2.5E+02
HSB141A	Antimony	μg/L	9.7
HSB144A	Tritium	pCi/mL	2.1E+03

^a The PDWS for total radium was applied to total alpha-emitting radium for 1Q92.

^b Duplicate samples of nitrate as nitrogen

^c Duplicate samples of tritium

Table 2. Constituents Exceeding Half the Primary Drinking Water Standards or Other Flag 1 or Flag 2 Criteria

Aquifer Zone IIB₂ (Water Table)

<u>Well</u>	<u>Constituent</u>	<u>Unit</u>	<u>1Q92</u>	<u>Flag</u>
HSB 65	<i>Lead</i>	µg/L	14	1
HSB 66	<i>Tritium</i>	pCi/mL	1.1E+01	1
HSB 67	Aluminum	µg/L	942	2
	<i>Gross alpha</i>	pCi/L	9.3E+00	1
	Manganese	µg/L	149	2
	<i>Mercury</i>	µg/L	1.8	1
	<i>Nitrate as nitrogen</i>	µg/L	9,800	1
HSB 68	Aluminum	µg/L	6,420	2
	Manganese	µg/L	1,020	2
	pH	pH	4.0	1
	Specific conductance	µS/cm	322	1
HSB 69	Aluminum	µg/L	5,690	2
	Manganese	µg/L	589	2
	pH	pH	3.9	1
HSB 70	Manganese	µg/L	31	1
HSB 71	Aluminum	µg/L	368	2
	Iron	µg/L	171	1
	<i>Lead</i>	µg/L	14	1
HSB 83D	Manganese	µg/L	32	1
HSB 84D	Aluminum	µg/L	2,410	2
	Manganese	µg/L	156	2
HSB 86D	Aluminum	µg/L	5,860	2
	Manganese	µg/L	393	2
	pH	pH	3.8	1
	Specific conductance	µS/cm	310	1
HSB100D	Manganese	µg/L	36	1
HSB101D	Aluminum	µg/L	360	2
	Manganese	µg/L	53	2
	pH	pH	9.3	1
	Specific conductance	µS/cm	610	2
	Vanadium	µg/L	323	2
HSB102D	Aluminum	µg/L	9,780	2
	Iron	µg/L	244	1
	Manganese	µg/L	551	2
	Specific conductance	µS/cm	260	1

Aquifer Zone IIB₂ (Water Table)

<u>Well</u>	<u>Constituent</u>	<u>Unit</u>	<u>1Q92</u>	<u>Flag</u>
HSB103D	Aluminum	µg/L	682	2
	Gross alpha	pCi/L	8.0E+00	1
	Manganese	µg/L	151	2
HSB104D	Aluminum	µg/L	7,720	2
	Iron	µg/L	221	1
	Manganese	µg/L	576	2
	pH	pH	4.0	1
HSB105D	Aluminum	µg/L	8,520	2
	Manganese	µg/L	528	2
	Specific conductance	µS/cm	315	1
HSB106D	Aluminum	µg/L	705	2
	Gross alpha	pCi/L	7.7E+00	1
	Iron	µg/L	168	1
	Manganese	µg/L	233	2
HSB107D	Aluminum	µg/L	358	2
	Gross alpha	pCi/L	9.0E+00	1
	Manganese	µg/L	190	2
	Mercury	µg/L	1.2	1
HSB108D	Aluminum	µg/L	1,830	2
	Manganese	µg/L	672	2
HSB109D	Aluminum	µg/L	603	2
	Manganese	µg/L	214	2
	Nitrate as nitrogen	µg/L	5,200	1
HSB110D	Aluminum	µg/L	912	2
	Gross alpha	pCi/L	8.2E+00	1
	Manganese	µg/L	72	2
HSB111D	Aluminum	µg/L	221	2
	Manganese	µg/L	53	2
	Specific conductance	µS/cm	405	1
HSB111E	Aluminum	µg/L	721	2
	Manganese	µg/L	51	2
	Nitrate as nitrogen	µg/L	6,800	1
HSB112D	Aluminum	µg/L	126	1
	Manganese	µg/L	196	2
	Specific conductance	µS/cm	340	1
	Total organic halogens	µg/L	71	2
HSB112E	Aluminum	µg/L	138	1
	Cadmium	µg/L	3.1	1
	Cobalt	µg/L	27	1
	Gross alpha	pCi/L	8.8E+00	1
	Manganese	µg/L	810	2
	Specific conductance	µS/cm	275	1

Aquifer Zone IIB₂ (Water Table)

<u>Well</u>	<u>Constituent</u>	<u>Unit</u>	<u>1092</u>	<u>Flag</u>
HSB113D	Aluminum	μg/L	9,630	2
	Iron	μg/L	289	1
	Manganese	μg/L	509	2
	pH	pH	3.8	1
	Specific conductance	μS/cm	340	1
HSB114D	Aluminum	μg/L	6,340	2
	<i>Lead</i>	μg/L	8.8	1
	Manganese	μg/L	380	2
	pH	pH	3.9	1
HSB115D	Aluminum	μg/L	2,310	2
	Cobalt	μg/L	36	1
	Manganese	μg/L	1,060	2
	<i>Nickel</i>	μg/L	54	1
HSB116D	Aluminum	μg/L	2,570	2
	Iron	μg/L	206	1
	Manganese	μg/L	774	2
	Specific conductance	μS/cm	305	1
	Total organic halogens	μg/L	86	2
HSB125D	Manganese	μg/L	252	2
	<i>Mercury</i>	μg/L	1.3	1
	<i>Nonvolatile beta</i>	pCi/L	4.7E+01	1
	Specific conductance	μS/cm	355	1
HSB126D	Aluminum	μg/L	420	2
	Manganese	μg/L	50	2
	<i>Nonvolatile beta</i>	pCi/L	3.7E+01	1
	Specific conductance	μS/cm	355	1
	Total alpha-emitting radium ^a	pCi/L	2.8E+00	1
	Total organic halogens	μg/L	47	1
HSB127D	Aluminum	μg/L	114	1
	Manganese	μg/L	262	2
	Total alpha-emitting radium	pCi/L	4.7E+00	1
HSB129D	Aluminum	μg/L	174	1
	<i>Gross alpha</i>	pCi/L	8.7E+00	1
	Specific conductance	μS/cm	325	1
HSB130D	<i>Tritium</i>	pCi/mL	1.0E+01	1
HSB131D	<i>Antimony</i>	μg/L	4.3	1
	Iron	μg/L	430	2
	Total alpha-emitting radium	pCi/L	2.8E+00	1
	<i>Tritium</i>	pCi/mL	1.1E+01	1
HSB132D	<i>Tritium</i>	pCi/mL	1.6E+01	1
HSB134D	Aluminum	μg/L	235	2
	Manganese	μg/L	66	2

Aquifer Zone IIB₂ (Water Table)

<u>Well</u>	<u>Constituent</u>	<u>Unit</u>	<u>1Q92</u>	<u>Flag</u>
	Total alpha-emitting radium	pCi/L	3.3E + 00	1
	Total organic halogens	µg/L	39	1
HSB136D	Aluminum	µg/L	4,740	2
	Manganese	µg/L	370	2
	Specific conductance	µS/cm	278	1
HSB137D	Lead	µg/L	7.9	1
	Manganese	µg/L	67	2
	Nitrate as nitrogen	µg/L	6,000	1
	Total alpha-emitting radium	pCi/L	2.9E + 00	1
HSB138D	Nonvolatile beta	pCi/L	2.9E + 01	1
	Nitrate as nitrogen	µg/L	8,900	1
HSB139D	Manganese	µg/L	31 ^b	1
	Manganese	µg/L	32 ^b	1
	Manganese	µg/L	27 ^b	1
	Manganese	µg/L	27 ^b	1
HSB140D	Tritium	pCi/mL	1.7E + 01	1
HSB142D	Aluminum	µg/L	154	1
HSB143D	Tritium	pCi/mL	1.3E + 01	1
HSB145D	Aluminum	µg/L	306	2
	Manganese	µg/L	807	2
	Mercury	µg/L	1.1	1
	Specific conductance	µS/cm	285	1
HSB146D	Tritium	pCi/mL	1.9E + 01	1
HSB148D	Aluminum	µg/L	1,310	2
	Carbonate	µg/L	25,200	2
	pH	pH	11	2
	Tritium	pCi/mL	1.5E + 01	1
HSB152D	Aluminum	µg/L	114	1
	Lead	µg/L	11	1
	Manganese	µg/L	35	1

Aquifer Zone IIB₁ (Barnwell)

<u>Well</u>	<u>Constituent</u>	<u>Unit</u>	<u>1Q92</u>	<u>Flag</u>
HSB 68C	Lead	µg/L	12	1
	Manganese	µg/L	37	1
	Nitrate as nitrogen	µg/L	8,400	1

Aquifer Zone IIB₁ (Barnwell)

<u>Well</u>	<u>Constituent</u>	<u>Unit</u>	<u>1Q92</u>	<u>Flag</u>
HSB114C	Aluminum	µg/L	502	2
	Manganese	µg/L	165	2
	Specific conductance	µS/cm	380	1
HSB115C	Aluminum	µg/L	107	1
	Manganese	µg/L	200	2
	Specific conductance	µS/cm	370	1
	Total alpha-emitting radium	pCi/L	3.3E + 00	1
HSB116C	Aluminum	µg/L	146	1
	Cobalt	µg/L	67	2
	Manganese	µg/L	931	2
	Specific conductance	µS/cm	550	2
HSB117C	Aluminum	µg/L	372	2
	<i>Gross alpha</i>	pCi/L	1.1E + 01	1
	Manganese	µg/L	100	2
	Specific conductance	µS/cm	380	1
	Total organic halogens	µg/L	99	2
HSB127C	<i>Nitrate as nitrogen</i>	µg/L	9,200	1
	Specific conductance	µS/cm	260	1
HSB129C	Manganese	µg/L	47	1
	Total alpha-emitting radium	pCi/L	3.4E + 00	1
HSB130C	pH	pH	8.0	1
HSB135C	<i>Antimony</i>	µg/L	3.4	1
	pH	pH	8.0	1
HSB136C	Manganese	µg/L	75	2
	Specific conductance	µS/cm	410	1
	Total alpha-emitting radium	pCi/L	2.9E + 00	1
HSB137C	Manganese	µg/L	65	2
	Specific conductance	µS/cm	490	1
HSB139C	Aluminum	µg/L	134	1
	<i>Nonvolatile beta</i>	pCi/L	3.7E + 01	1
	Manganese	µg/L	248	2
	<i>Mercury</i>	µg/L	1.6	1
	Specific conductance	µS/cm	335	1
HSB141C	Aluminum	µg/L	2,010	2
	pH	pH	12	2
	Specific conductance	µS/cm	440	1
HSB143C	<i>Tritium</i>	pCi/mL	1.1E + 01	1
HSB145C	Manganese	µg/L	88	2
	<i>Nonvolatile beta</i>	pCi/L	4.1E + 01	1
	Specific conductance	µS/cm	375	1

Aquifer Zone IIB₁ (Barnwell)

<u>Well</u>	<u>Constituent</u>	<u>Unit</u>	<u>1Q92</u>	<u>Flag</u>
HSB146C	<i>Tritium</i>	pCi/mL	1.0E+01	1
HSB148C	Aluminum	µg/L	1,040	2
	Carbonate	µg/L	23,200	2
	pH	pH	11	2
	Specific conductance	µS/cm	380	1
HSB151C	<i>Nitrate as nitrogen</i>	µg/L	8,000	1
	Total organic halogens	µg/L	43	1
HSB152C	Manganese	µg/L	39	1
	<i>Nitrate as nitrogen</i>	µg/L	8,100	1
	<i>Nonvolatile beta</i>	pCi/L	4.1E+01	1

Aquifer Zone IIB₁ (McBean)

<u>Well</u>	<u>Constituent</u>	<u>Unit</u>	<u>1Q92</u>	<u>Flag</u>
HSB 83B	Total organic halogens	µg/L	30	1
HSB 84B	<i>Antimony</i>	µg/L	3.8	1
HSB 85B	pH	pH	9.4	1

Aquifer Unit IIA (Congaree)

<u>Well</u>	<u>Constituent</u>	<u>Unit</u>	<u>1Q92</u>	<u>Flag</u>
HSB 68A	Specific conductance	µS/cm	1,400	2
HSB 69A	<i>Antimony</i>	µg/L	2.9	1
	Total organic halogens	µg/L	148	2
HSB 84A	Aluminum	µg/L	493	2
	Iron	µg/L	482	2
	Total organic halogens	µg/L	43	1
HSB117A	Manganese	µg/L	101	2
HSB118A	Manganese	µg/L	49	1
HSB123A	pH	pH	9.0	1
HSB124AR	Manganese	µg/L	32	1
	Total organic halogens	µg/L	44	1
HSB139A	Total organic carbon	µg/L	11,000	2

Aquifer Unit IIA (Congaree)

<u>Well</u>	<u>Constituent</u>	<u>Unit</u>	<u>1Q92</u>	<u>Flag</u>
HSB141A	Aluminum	µg/L	1,440	2
	Carbonate	µg/L	24,000	2
	pH	pH	11	2
HSB144A	Manganese	µg/L	52	2

^a Flagging criteria for total radium was applied to total alpha-emitting radium for 1Q92.

^b Duplicate samples for manganese

Table 3. Groundwater Monitoring Results for Individual Wells

WELL HSB 65

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N72425.6 E58432.0	33.281296 °N 81.653622 °W	242.4-212.4 ft msl	272.0 ft msl	4" PVC	Water Table (IIB ₂)

FIELD MEASUREMENTS

Sample date: 01/03/92
 Depth to water: 39.82 ft (12.14 m) below TOC
 Water elevation: 232.18 ft (70.77 m) msl
 Sp. conductance: 44 µS/cm
 Water evacuated before sampling: 52 gal

Time: 12:35
 pH: 4.8
 Alkalinity: 0 mg/L
 Water temperature: 17.9°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	4.5	pH	0	GE
		Specific conductance	40	µS/cm	0	GE
•		Turbidity	1.9	NTU	0	GE
		Acenaphthene	<10	µg/L	0	GE
		Acenaphthylene	<10	µg/L	0	GE
		Acetophenone	<10	µg/L	0	GE
		Aldrin	<10	µg/L	0	GE
		Aluminum	37	µg/L	0	GE
		Anthracene	<10	µg/L	0	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	8.6	µg/L	0	GE
		Benzene	<1.0	µg/L	0	GE
		alpha-Benzene hexachloride	<10	µg/L	0	GE
		beta-Benzene hexachloride	<10	µg/L	0	GE
		delta-Benzene hexachloride	<10	µg/L	0	GE
		Benzidine	<10	µg/L	0	GE
		Benzo[a]anthracene	<10	µg/L	0	GE
		Benzo[a]pyrene	<10	µg/L	0	GE
		Benzo[b]fluoranthene	<10	µg/L	0	GE
		Benzo[g,h,i]perylene	<10	µg/L	0	GE
		Benzo[k]fluoranthene	<10	µg/L	0	GE
		Bis(2-chloroethoxy) methane	<10	µg/L	0	GE
		Bis(2-chloroethyl) ether	<10	µg/L	0	GE
		Bis(2-chloroisopropyl) ether	<10	µg/L	0	GE
		Bis(2-ethylhexyl) phthalate	<10	µg/L	0	GE
		Bromodichloromethane	<1.0	µg/L	0	GE
		Bromoform	<1.0	µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0	µg/L	0	GE
		4-Bromophenyl phenyl ether	<10	µg/L	0	GE
		Butylbenzyl phthalate	<10	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	539	µg/L	0	GE
		Carbon tetrachloride	<1.0	µg/L	0	GE
		Chlordane	<10	µg/L	0	GE
		Chloride	3,920	µg/L	0	GE
		para-Chloro-meta-cresol	<10	µg/L	0	GE
		Chlorobenzene	<1.0	µg/L	0	GE
		Chloroethane	<1.0	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB 65 collected on 01/03/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Chloroethene (Vinyl chloride)	< 1.0	µg/L	0	GE
		2-Chloroethyl vinyl ether	< 1.0	µg/L	0	GE
		Chloroform	< 1.0	µg/L	0	GE
		Chloromethane (Methyl chloride)	< 1.0	µg/L	0	GE
		2-Chloronaphthalene	< 10	µg/L	0	GE
		2-Chlorophenol	< 10	µg/L	0	GE
		4-Chlorophenyl phenyl ether	< 10	µg/L	0	GE
		Chromium	< 4.0	µg/L	0	GE
		Chrysene	< 10	µg/L	0	GE
		Cobalt	< 4.0	µg/L	0	GE
		Copper	72	µg/L	0	GE
		Cyanide	< 5.0	µg/L	0	GE
		p,p'-DDD	< 10	µg/L	0	GE
		p,p'-DDE	< 10	µg/L	0	GE
		p,p'-DDT	< 10	µg/L	0	GE
		Di-n-butyl phthalate	< 10	µg/L	0	GE
		Di-n-octyl phthalate	< 10	µg/L	0	GE
		Dibenz[a,h]anthracene	< 10	µg/L	0	GE
		Dibromochloromethane	< 1.0	µg/L	0	GE
		3,3'-Dichlorobenzidine	< 10	µg/L	0	GE
		1,1-Dichloroethane	< 1.0	µg/L	0	GE
		1,2-Dichloroethane	< 1.0	µg/L	0	GE
		1,1-Dichloroethylene	< 1.0	µg/L	0	GE
		trans-1,2-Dichloroethylene	< 1.0	µg/L	0	GE
		Dichloromethane (Methylene chloride)	1.5	µg/L	0	GE
•		2,4-Dichlorophenol	< 10	µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	< 0.30	µg/L	0	GE
		1,2-Dichloropropane	< 1.0	µg/L	0	GE
		cis-1,3-Dichloropropene	< 1.0	µg/L	0	GE
		trans-1,3-Dichloropropene	< 1.0	µg/L	0	GE
		Dieldrin	< 10	µg/L	0	GE
		Diethyl phthalate	< 10	µg/L	0	GE
		2,4-Dimethyl phenol	< 10	µg/L	0	GE
		Dimethyl phthalate	< 10	µg/L	0	GE
		2,4-Dinitrophenol	< 45	µg/L	0	GE
		2,4-Dinitrotoluene	< 10	µg/L	0	GE
		2,6-Dinitrotoluene	< 10	µg/L	0	GE
		1,2-Diphenylhydrazine	< 10	µg/L	0	GE
		Endosulfan I	< 10	µg/L	0	GE
		Endosulfan II	< 10	µg/L	0	GE
		Endosulfan sulfate	< 10	µg/L	0	GE
		Endrin	< 10	µg/L	0	GE
		Endrin aldehyde	< 10	µg/L	0	GE
		Ethylbenzene	< 1.0	µg/L	0	GE
		Fluoranthene	< 10	µg/L	0	GE
		Fluorene	< 10	µg/L	0	GE
		Fluoride	< 100	µg/L	0	GE
		Heptachlor	< 10	µg/L	0	GE
		Heptachlor epoxide	< 10	µg/L	0	GE
		Hexachlorobenzene	< 10	µg/L	0	GE
		Hexachlorobutadiene	< 10	µg/L	0	GE
		Hexachlorocyclopentadiene	< 10	µg/L	0	GE
		Hexachloroethane	< 10	µg/L	0	GE
		Indeno[1,2,3-c,d]pyrene	< 10	µg/L	0	GE
		Iron	11	µg/L	0	GE
		Isophorone	< 10	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB 65 collected on 01/03/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Lead	14	µg/L	1	GE
		Lindane	<10	µg/L	0	GE
		Magnesium	902	µg/L	0	GE
		Manganese	<2.0	µg/L	0	GE
		Mercury	<0.20	µg/L	0	GE
		Methoxychlor	<0.50	µg/L	0	GE
		2-Methyl-4,6-dinitrophenol	<10	µg/L	0	GE
		N-Nitrosodimethylamine	<10	µg/L	0	GE
		N-Nitrosodiphenylamine	<10	µg/L	0	GE
		N-Nitrosodi-propylamine	<10	µg/L	0	GE
		Naphthalene	<10	µg/L	0	GE
		Nickel	<4.0	µg/L	0	GE
		Nitrate as nitrogen	2,750	µg/L	0	GE
		Nitrobenzene	<10	µg/L	0	GE
		2-Nitrophenol	<10	µg/L	0	GE
		4-Nitrophenol	<10	µg/L	0	GE
		PCB 1016	<150	µg/L	0	GE
		PCB 1221	<150	µg/L	0	GE
		PCB 1232	<150	µg/L	0	GE
		PCB 1242	<150	µg/L	0	GE
		PCB 1248	<150	µg/L	0	GE
		PCB 1254	<150	µg/L	0	GE
		PCB 1260	<150	µg/L	0	GE
		Pentachlorophenol	<10	µg/L	0	GE
		Phenanthrene	<10	µg/L	0	GE
		Phenol	<10	µg/L	0	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	<500	µg/L	0	GE
		Pyrene	<10	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	6,750	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	4,850	µg/L	0	GE
		Sulfate	2,010	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0	µg/L	0	GE
		Tetrachloroethylene	<1.0	µg/L	0	GE
		Tin	<2.0	µg/L	0	GE
		Toluene	<1.0	µg/L	0	GE
		Total dissolved solids	33,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	<5.0	µg/L	0	GE
		Total organic halogens	<5.0	µg/L	0	GE
		Total phosphates (as P)	<50	µg/L	0	GE
		Toxaphene	<10	µg/L	0	GE
●		2,4,5-TP (Silvex)	<0.090	µg/L	0	GE
		1,2,4-Trichlorobenzene	<10	µg/L	0	GE
		1,1,1-Trichloroethane	<1.0	µg/L	0	GE
		1,1,2-Trichloroethane	<1.0	µg/L	0	GE
		Trichloroethylene	<1.0	µg/L	0	GE
		Trichlorofluoromethane	<1.0	µg/L	0	GE
		2,4,6-Trichlorophenol	<10	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Xylenes	<2.0	µg/L	0	GE
		Zinc	12	µg/L	0	GE
		Gross alpha	3.4E+00 ± 6.6E-01	pCi/L	0	GE

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB 65 collected on 01/03/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Nonvolatile beta	2.5E+00 ± 4.8E-01	pCi/L	0	GE
		Total alpha-emitting radium	1.1E+00 ± 4.0E-01	pCi/L	0	GE
■		Tritium	3.8E+01 ± 5.0E-01	pCi/mL	2	GE

WELL HSB 65A

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N72436.2	33.281326 °N	73.2-62.5 ft msl	273.6 ft msl	4" PVC	L. Congaree (IIA)
E58436.0	81.653633 °W				

FIELD MEASUREMENTS

Sample date: 01/03/92
 Depth to water: 101.75 ft (31.01 m) below TOC
 Water elevation: 171.85 ft (52.38 m) msl
 Sp. conductance: 211 µS/cm
 Water evacuated before sampling: 287 gal

Time: 13:15
 pH: 7.5
 Alkalinity: 89 mg/L
 Water temperature: 18.7°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	7.5	pH	0	GE
		Specific conductance	190	µS/cm	0	GE
•		Turbidity	0.20	NTU	0	GE
		Acenaphthene	<10	µg/L	0	GE
		Acenaphthylene	<10	µg/L	0	GE
		Acetophenone	<10	µg/L	0	GE
		Aldrin	<10	µg/L	0	GE
		Aluminum	24	µg/L	0	GE
		Anthracene	<10	µg/L	0	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	44	µg/L	0	GE
		Benzene	<1.0	µg/L	0	GE
		alpha-Benzene hexachloride	<10	µg/L	0	GE
		beta-Benzene hexachloride	<10	µg/L	0	GE
		delta-Benzene hexachloride	<10	µg/L	0	GE
		Benzidine	<10	µg/L	0	GE
		Benzo[a]anthracene	<10	µg/L	0	GE
		Benzo[a]pyrene	<10	µg/L	0	GE
		Benzo[b]fluoranthene	<10	µg/L	0	GE
		Benzo[g,h,i]perylene	<10	µg/L	0	GE
		Benzo[k]fluoranthene	<10	µg/L	0	GE
		Bis(2-chloroethoxy) methane	<10	µg/L	0	GE
		Bis(2-chloroethyl) ether	<10	µg/L	0	GE
		Bis(2-chloroisopropyl) ether	<10	µg/L	0	GE
		Bis(2-ethylhexyl) phthalate	<10	µg/L	0	GE
		Bromodichloromethane	<1.0	µg/L	0	GE
		Bromoform	<1.0	µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0	µg/L	0	GE
		4-Bromophenyl phenyl ether	<10	µg/L	0	GE
		Butylbenzyl phthalate	<10	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB 65A collected on 01/03/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Cadmium	< 2.0	µg/L	0	GE
		Calcium	37,900	µg/L	0	GE
		Carbon tetrachloride	< 1.0	µg/L	0	GE
		Chlordane	< 10	µg/L	0	GE
		Chloride	2,580	µg/L	0	GE
		para-Chloro-meta-cresol	< 10	µg/L	0	GE
		Chlorobenzene	< 1.0	µg/L	0	GE
		Chloroethane	< 1.0	µg/L	0	GE
		Chloroethene (Vinyl chloride)	< 1.0	µg/L	0	GE
		2-Chloroethyl vinyl ether	< 1.0	µg/L	0	GE
		Chloroform	< 1.0	µg/L	0	GE
		Chloromethane (Methyl chloride)	< 1.0	µg/L	0	GE
		2-Chloronaphthalene	< 10	µg/L	0	GE
		2-Chlorophenol	< 10	µg/L	0	GE
		4-Chlorophenyl phenyl ether	< 10	µg/L	0	GE
		Chromium	< 4.0	µg/L	0	GE
		Chrysene	< 10	µg/L	0	GE
		Cobalt	< 4.0	µg/L	0	GE
		Copper	< 4.0	µg/L	0	GE
		Cyanide	< 5.0	µg/L	0	GE
		p,p'-DDD	< 10	µg/L	0	GE
		p,p'-DDE	< 10	µg/L	0	GE
		p,p'-DDT	< 10	µg/L	0	GE
		Di-n-butyl phthalate	< 10	µg/L	0	GE
		Di-n-octyl phthalate	< 10	µg/L	0	GE
		Dibenz[a,h]anthracene	< 10	µg/L	0	GE
		Dibromochloromethane	< 1.0	µg/L	0	GE
		3,3'-Dichlorobenzidine	< 10	µg/L	0	GE
		1,1-Dichloroethane	< 1.0	µg/L	0	GE
		1,2-Dichloroethane	< 1.0	µg/L	0	GE
		1,1-Dichloroethylene	< 1.0	µg/L	0	GE
		trans-1,2-Dichloroethylene	< 1.0	µg/L	0	GE
		Dichloromethane (Methylene chloride)	< 1.0	µg/L	0	GE
●		2,4-Dichlorophenol	< 10	µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	< 0.30	µg/L	0	GE
		1,2-Dichloropropane	< 1.0	µg/L	0	GE
		cis-1,3-Dichloropropene	< 1.0	µg/L	0	GE
		trans-1,3-Dichloropropene	< 1.0	µg/L	0	GE
		Dieldrin	< 10	µg/L	0	GE
		Diethyl phthalate	< 10	µg/L	0	GE
		2,4-Dimethyl phenol	< 10	µg/L	0	GE
		Dimethyl phthalate	< 10	µg/L	0	GE
		2,4-Dinitrophenol	< 45	µg/L	0	GE
		2,4-Dinitrotoluene	< 10	µg/L	0	GE
		2,6-Dinitrotoluene	< 10	µg/L	0	GE
		1,2-Diphenylhydrazine	< 10	µg/L	0	GE
		Endosulfan I	< 10	µg/L	0	GE
		Endosulfan II	< 10	µg/L	0	GE
		Endosulfan sulfate	< 10	µg/L	0	GE
		Endrin	< 10	µg/L	0	GE
		Endrin aldehyde	< 10	µg/L	0	GE
		Ethylbenzene	< 1.0	µg/L	0	GE
		Fluoranthene	< 10	µg/L	0	GE
		Fluorene	< 10	µg/L	0	GE
		Fluoride	< 100	µg/L	0	GE
		Heptachlor	< 10	µg/L	0	GE

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB 65A collected on 01/03/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Heptachlor epoxide	< 10	µg/L	0	GE
		Hexachlorobenzene	< 10	µg/L	0	GE
		Hexachlorobutadiene	< 10	µg/L	0	GE
		Hexachlorocyclopentadiene	< 10	µg/L	0	GE
		Hexachloroethane	< 10	µg/L	0	GE
		Indeno[1,2,3-c,d]pyrene	< 10	µg/L	0	GE
		Iron	< 4.0	µg/L	0	GE
		Isophorone	< 10	µg/L	0	GE
		Lead	< 3.0	µg/L	0	GE
		Lindane	< 10	µg/L	0	GE
		Magnesium	825	µg/L	0	GE
		Manganese	< 2.0	µg/L	0	GE
		Mercury	< 0.20	µg/L	0	GE
		Methoxychlor	< 0.50	µg/L	0	GE
		2-Methyl-4,6-dinitrophenol	< 10	µg/L	0	GE
		N-Nitrosodimethylamine	< 10	µg/L	0	GE
		N-Nitrosodiphenylamine	< 10	µg/L	0	GE
		N-Nitrosodi-propylamine	< 10	µg/L	0	GE
		Naphthalene	< 10	µg/L	0	GE
		Nickel	< 4.0	µg/L	0	GE
		Nitrate as nitrogen	360	µg/L	0	GE
		Nitrobenzene	< 10	µg/L	0	GE
		2-Nitrophenol	< 10	µg/L	0	GE
		4-Nitrophenol	< 10	µg/L	0	GE
		PCB 1016	< 150	µg/L	0	GE
		PCB 1221	< 150	µg/L	0	GE
		PCB 1232	< 150	µg/L	0	GE
		PCB 1242	< 150	µg/L	0	GE
		PCB 1248	< 150	µg/L	0	GE
		PCB 1254	< 150	µg/L	0	GE
		PCB 1260	< 150	µg/L	0	GE
		Pentachlorophenol	< 10	µg/L	0	GE
		Phenanthrene	< 10	µg/L	0	GE
		Phenol	< 10	µg/L	0	GE
		Phenols	< 5.0	µg/L	0	GE
		Potassium	1,050	µg/L	0	GE
		Pyrene	< 10	µg/L	0	GE
		Selenium	< 2.0	µg/L	0	GE
		Silica	27,900	µg/L	0	GE
		Silver	< 2.0	µg/L	0	GE
		Sodium	2,000	µg/L	0	GE
		Sulfate	4,720	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	< 1.0	µg/L	0	GE
		Tetrachloroethylene	< 1.0	µg/L	0	GE
		Tin	< 2.0	µg/L	0	GE
		Toluene	< 1.0	µg/L	0	GE
		Total dissolved solids	137,000	µg/L	0	GE
		Total organic carbon	< 1,000	µg/L	0	GE
		Total organic halogens	7.7	µg/L	0	GE
		Total phosphates (as P)	< 50	µg/L	0	GE
		Toxaphene	< 10	µg/L	0	GE
●		2,4,5-TP (Silvex)	< 0.090	µg/L	0	GE
		1,2,4-Trichlorobenzene	< 10	µg/L	0	GE
		1,1,1-Trichloroethane	< 1.0	µg/L	0	GE
		1,1,2-Trichloroethane	< 1.0	µg/L	0	GE
		Trichloroethylene	< 1.0	µg/L	0	GE

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB 65A collected on 01/03/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Trichlorofluoromethane	< 1.0	µg/L	0	GE
		2,4,6-Trichlorophenol	< 10	µg/L	0	GE
		Vanadium	< 8.0	µg/L	0	GE
		Xylenes	< 2.0	µg/L	0	GE
		Zinc	< 2.0	µg/L	0	GE
		Gross alpha	2.2E+00 ± 6.1E-01	pCi/L	0	GE
		Nonvolatile beta	3.0E+00 ± 4.4E-01	pCi/L	0	GE
		Total alpha-emitting radium	< 1.0E+00	pCi/L	0	GE
■		Tritium	3.0E+01 ± 4.0E-01	pCi/mL	2	GE

WELL HSB 65B

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N72445.6	33.281352 °N	133.3-123.3 ft msl	273.7 ft msl	4" PVC	McBean (IIB ₁)
E58439.4	81.653642 °W				

FIELD MEASUREMENTS

Sample date: 01/03/92
 Depth to water: 49.25 ft (15.01 m) below TOC
 Water elevation: 224.45 ft (68.41 m) msl
 Sp. conductance: 201 µS/cm
 Water evacuated before sampling: 265 gal

Time: 12:20
 pH: 7.9
 Alkalinity: 79 mg/L
 Water temperature: 18.6°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	7.5	pH	0	GE
		Specific conductance	190	µS/cm	0	GE
•		Turbidity	2.3	NTU	0	GE
		Acenaphthene	< 10	µg/L	0	GE
		Acenaphthylene	< 10	µg/L	0	GE
		Acetophenone	< 10	µg/L	0	GE
		Aldrin	< 10	µg/L	0	GE
		Aluminum	< 20	µg/L	0	GE
		Anthracene	< 10	µg/L	0	GE
		Antimony	< 2.0	µg/L	0	GE
		Arsenic	< 2.0	µg/L	0	GE
		Barium	11	µg/L	0	GE
		Benzene	< 1.0	µg/L	0	GE
		alpha-Benzene hexachloride	< 10	µg/L	0	GE
		beta-Benzene hexachloride	< 10	µg/L	0	GE
		delta-Benzene hexachloride	< 10	µg/L	0	GE
		Benzidine	< 10	µg/L	0	GE
		Benzo[a]anthracene	< 10	µg/L	0	GE
		Benzo[a]pyrene	< 10	µg/L	0	GE
		Benzo[b]fluoranthene	< 10	µg/L	0	GE
		Benzo[g,h,i]perylene	< 10	µg/L	0	GE
		Benzo[k]fluoranthene	< 10	µg/L	0	GE
		Bis(2-chloroethoxy) methane	< 10	µg/L	0	GE
		Bis(2-chloroethyl) ether	< 10	µg/L	0	GE
		Bis(2-chloroisopropyl) ether	< 10	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB 65B collected on 01/03/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Bis(2-ethylhexyl) phthalate	< 10	µg/L	0	GE
		Bromodichloromethane	< 1.0	µg/L	0	GE
		Bromoform	< 1.0	µg/L	0	GE
		Bromomethane (Methyl bromide)	< 1.0	µg/L	0	GE
		4-Bromophenyl phenyl ether	< 10	µg/L	0	GE
		Butylbenzyl phthalate	< 10	µg/L	0	GE
		Cadmium	< 2.0	µg/L	0	GE
		Calcium	38,500	µg/L	0	GE
		Carbon tetrachloride	< 1.0	µg/L	0	GE
		Chlordane	< 10	µg/L	0	GE
		Chloride	2,610	µg/L	0	GE
		para-Chloro-meta-cresol	< 10	µg/L	0	GE
		Chlorobenzene	< 1.0	µg/L	0	GE
		Chloroethane	< 1.0	µg/L	0	GE
		Chloroethene (Vinyl chloride)	< 1.0	µg/L	0	GE
		2-Chloroethyl vinyl ether	< 1.0	µg/L	0	GE
		Chloroform	< 1.0	µg/L	0	GE
		Chloromethane (Methyl chloride)	< 1.0	µg/L	0	GE
		2-Chloronaphthalene	< 10	µg/L	0	GE
		2-Chlorophenol	< 10	µg/L	0	GE
		4-Chlorophenyl phenyl ether	< 10	µg/L	0	GE
		Chromium	4.9	µg/L	0	GE
		Chrysene	< 10	µg/L	0	GE
		Cobalt	< 4.0	µg/L	0	GE
		Copper	< 4.0	µg/L	0	GE
		Cyanide	< 5.0	µg/L	0	GE
		p,p'-DDD	< 10	µg/L	0	GE
		p,p'-DDE	< 10	µg/L	0	GE
		p,p'-DDT	< 10	µg/L	0	GE
		Di-n-butyl phthalate	< 10	µg/L	0	GE
		Di-n-octyl phthalate	< 10	µg/L	0	GE
		Dibenz[a,h]anthracene	< 10	µg/L	0	GE
		Dibromochloromethane	< 1.0	µg/L	0	GE
		3,3'-Dichlorobenzidine	< 10	µg/L	0	GE
		1,1-Dichloroethane	< 1.0	µg/L	0	GE
		1,2-Dichloroethane	< 1.0	µg/L	0	GE
		1,1-Dichloroethylene	< 1.0	µg/L	0	GE
		trans-1,2-Dichloroethylene	< 1.0	µg/L	0	GE
		Dichloromethane (Methylene chloride)	< 1.0	µg/L	0	GE
		2,4-Dichlorophenol	< 10	µg/L	0	GE
●		2,4-Dichlorophenoxyacetic acid	< 0.30	µg/L	0	GE
		1,2-Dichloropropane	< 1.0	µg/L	0	GE
		cis-1,3-Dichloropropene	< 1.0	µg/L	0	GE
		trans-1,3-Dichloropropene	< 1.0	µg/L	0	GE
		Dieldrin	< 10	µg/L	0	GE
		Diethyl phthalate	< 10	µg/L	0	GE
		2,4-Dimethyl phenol	< 10	µg/L	0	GE
		Dimethyl phthalate	< 10	µg/L	0	GE
		2,4-Dinitrophenol	< 45	µg/L	0	GE
		2,4-Dinitrotoluene	< 10	µg/L	0	GE
		2,6-Dinitrotoluene	< 10	µg/L	0	GE
		1,2-Diphenylhydrazine	< 10	µg/L	0	GE
		Endosulfan I	< 10	µg/L	0	GE
		Endosulfan II	< 10	µg/L	0	GE
		Endosulfan sulfate	< 10	µg/L	0	GE
		Endrin	< 10	µg/L	0	GE

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB 65B collected on 01/03/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Endrin aldehyde	< 10	µg/L	0	GE
		Ethylbenzene	< 1.0	µg/L	0	GE
		Fluoranthene	< 10	µg/L	0	GE
		Fluorene	< 10	µg/L	0	GE
		Fluoride	< 100	µg/L	0	GE
		Heptachlor	< 10	µg/L	0	GE
		Heptachlor epoxide	< 10	µg/L	0	GE
		Hexachlorobenzene	< 10	µg/L	0	GE
		Hexachlorobutadiene	< 10	µg/L	0	GE
		Hexachlorocyclopentadiene	< 10	µg/L	0	GE
		Hexachloroethane	< 10	µg/L	0	GE
		Indeno[1,2,3-c,d]pyrene	< 10	µg/L	0	GE
		Iron	< 4.0	µg/L	0	GE
		Isophorone	< 10	µg/L	0	GE
		Lead	< 3.0	µg/L	0	GE
		Lindane	< 10	µg/L	0	GE
		Magnesium	837	µg/L	0	GE
		Manganese	< 2.0	µg/L	0	GE
		Mercury	< 0.20	µg/L	0	GE
		Methoxychlor	< 0.50	µg/L	0	GE
		2-Methyl-4,6-dinitrophenol	< 10	µg/L	0	GE
		N-Nitrosodimethylamine	< 10	µg/L	0	GE
		N-Nitrosodiphenylamine	< 10	µg/L	0	GE
		N-Nitrosodi-propylamine	< 10	µg/L	0	GE
		Naphthalene	< 10	µg/L	0	GE
		Nickel	< 4.0	µg/L	0	GE
		Nitrate as nitrogen	140	µg/L	0	GE
		Nitrobenzene	< 10	µg/L	0	GE
		2-Nitrophenol	< 10	µg/L	0	GE
		4-Nitrophenol	< 10	µg/L	0	GE
		PCB 1016	< 150	µg/L	0	GE
		PCB 1221	< 150	µg/L	0	GE
		PCB 1232	< 150	µg/L	0	GE
		PCB 1242	< 150	µg/L	0	GE
		PCB 1248	< 150	µg/L	0	GE
		PCB 1254	< 150	µg/L	0	GE
		PCB 1260	< 150	µg/L	0	GE
		Pentachlorophenol	< 10	µg/L	0	GE
		Phenanthrene	< 10	µg/L	0	GE
		Phenol	< 10	µg/L	0	GE
		Phenols	< 5.0	µg/L	0	GE
		Potassium	< 500	µg/L	0	GE
		Pyrene	< 10	µg/L	0	GE
		Selenium	< 2.0	µg/L	0	GE
		Silica	17,800	µg/L	0	GE
		Silver	< 2.0	µg/L	0	GE
		Sodium	1,850	µg/L	0	GE
		Sulfate	< 1,000	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	< 1.0	µg/L	0	GE
		Tetrachloroethylene	< 1.0	µg/L	0	GE
		Tin	< 2.0	µg/L	0	GE
		Toluene	< 1.0	µg/L	0	GE
		Total dissolved solids	123,000	µg/L	0	GE
		Total organic carbon	< 1,000	µg/L	0	GE
		Total organic halogens	12	µg/L	0	GE
		Total organic halogens	10	µg/L	0	GE

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB 65B collected on 01/03/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Total phosphates (as P)	< 50	µg/L	0	GE
		Toxaphene	< 10	µg/L	0	GE
•		2,4,5-TP (Silvex)	< 0.090	µg/L	0	GE
		1,2,4-Trichlorobenzene	< 10	µg/L	0	GE
		1,1,1-Trichloroethane	< 1.0	µg/L	0	GE
		1,1,2-Trichloroethane	< 1.0	µg/L	0	GE
		Trichloroethylene	< 1.0	µg/L	0	GE
		Trichlorofluoromethane	< 1.0	µg/L	0	GE
		2,4,6-Trichlorophenol	< 10	µg/L	0	GE
		Vanadium	< 8.0	µg/L	0	GE
		Xylenes	< 2.0	µg/L	0	GE
		Zinc	< 2.0	µg/L	0	GE
		Gross alpha	< 2.0E+00	pCi/L	0	GE
		Nonvolatile beta	< 2.0E+00	pCi/L	0	GE
		Total alpha emitting radium	< 1.0E+00	pCi/L	0	GE
		Tritium	< 7.0E-01	pCi/mL	0	GE

WELL HSB 65C

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N72439.6 E58447.1	33.281351 °N 81.653610 °W	218.6-207.8 ft msl	273.6 ft msl	4" PVC	Water Table (IIB ₂)

FIELD MEASUREMENTS

Sample date: 01/03/92

Depth to water: 41.15 ft (12.54 m) below TOC

Water elevation: 232.45 ft (70.85 m) msl

Sp. conductance: 61 µS/cm

Water evacuated before sampling: 65 gal

Time: 12:00

pH: 5.0

Alkalinity: 0 mg/L

Water temperature: 18.5°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	7.7	pH	0	GE
		Specific conductance	50	µS/cm	0	GE
•		Turbidity	2.4	NTU	0	GE
•		Turbidity	2.4	NTU	0	GE
		Acenaphthene	< 10	µg/L	0	GE
		Acenaphthylene	< 10	µg/L	0	GE
		Acetophenone	< 10	µg/L	0	GE
		Aldrin	< 10	µg/L	0	GE
		Aluminum	30	µg/L	0	GE
		Anthracene	< 10	µg/L	0	GE
		Antimony	< 2.0	µg/L	0	GE
		Arsenic	< 2.0	µg/L	0	GE
		Barium	7.0	µg/L	0	GE
		Benzene	< 1.0	µg/L	0	GE
		alpha-Benzene hexachloride	< 10	µg/L	0	GE
		beta-Benzene hexachloride	< 10	µg/L	0	GE
		delta-Benzene hexachloride	< 10	µg/L	0	GE
		Benzidine	< 10	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard

WELL HSB 65C collected on 01/03/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Benzo[a]anthracene	<10	µg/L	0	GE
		Benzo[a]pyrene	<10	µg/L	0	GE
		Benzo[b]fluoranthene	<10	µg/L	0	GE
		Benzo[g,h,i]perylene	<10	µg/L	0	GE
		Benzo[k]fluoranthene	<10	µg/L	0	GE
		Bis(2-chloroethoxy) methane	<10	µg/L	0	GE
		Bis(2-chloroethyl) ether	<10	µg/L	0	GE
		Bis(2-chloroisopropyl) ether	<10	µg/L	0	GE
		Bis(2-ethylhexyl) phthalate	<10	µg/L	0	GE
		Bromodichloromethane	<1.0	µg/L	0	GE
		Bromoform	<1.0	µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0	µg/L	0	GE
		4-Bromophenyl phenyl ether	<10	µg/L	0	GE
		Butylbenzyl phthalate	<10	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	1,250	µg/L	0	GE
		Carbon tetrachloride	<1.0	µg/L	0	GE
		Chlordane	<10	µg/L	0	GE
		Chloride	5,100	µg/L	0	GE
		para-Chloro-meta-cresol	<10	µg/L	0	GE
		Chlorobenzene	<1.0	µg/L	0	GE
		Chloroethane	<1.0	µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0	µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0	µg/L	0	GE
		Chloroform	<1.0	µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0	µg/L	0	GE
		2-Chloronaphthalene	<10	µg/L	0	GE
		2-Chlorophenol	<10	µg/L	0	GE
		4-Chlorophenyl phenyl ether	<10	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Chrysene	<10	µg/L	0	GE
		Cobalt	<4.0	µg/L	0	GE
		Copper	6.3	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		p,p'-DDD	<10	µg/L	0	GE
		p,p'-DDE	<10	µg/L	0	GE
		p,p'-DDT	<10	µg/L	0	GE
		Di-n-butyl phthalate	<10	µg/L	0	GE
		Di-n-octyl phthalate	<10	µg/L	0	GE
		Dibenz[a,h]anthracene	<10	µg/L	0	GE
		Dibromochloromethane	<1.0	µg/L	0	GE
		3,3'-Dichlorobenzidine	<10	µg/L	0	GE
		1,1-Dichloroethane	<1.0	µg/L	0	GE
		1,2-Dichloroethane	<1.0	µg/L	0	GE
		1,1-Dichloroethylene	<1.0	µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0	µg/L	0	GE
		Dichloromethane (Methylene chloride)	1.3	µg/L	0	GE
		2,4-Dichlorophenol	<10	µg/L	0	GE
•		2,4-Dichlorophenoxyacetic acid	<0.30	µg/L	0	GE
		1,2-Dichloropropane	<1.0	µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0	µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0	µg/L	0	GE
		Dieldrin	<10	µg/L	0	GE
		Diethyl phthalate	<10	µg/L	0	GE
		2,4-Dimethyl phenol	<10	µg/L	0	GE
		Dimethyl phthalate	<10	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB 65C collected on 01/03/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		2,4-Dinitrophenol	< 45	µg/L	0	GE
		2,4-Dinitrotoluene	< 10	µg/L	0	GE
		2,6-Dinitrotoluene	< 10	µg/L	0	GE
		1,2-Diphenylhydrazine	< 10	µg/L	0	GE
		Endosulfan I	< 10	µg/L	0	GE
		Endosulfan II	< 10	µg/L	0	GE
		Endosulfan sulfate	< 10	µg/L	0	GE
		Endrin	< 10	µg/L	0	GE
		Endrin aldehyde	< 10	µg/L	0	GE
		Ethylbenzene	< 1.0	µg/L	0	GE
		Fluoranthene	< 10	µg/L	0	GE
		Fluorene	< 10	µg/L	0	GE
		Fluoride	< 100	µg/L	0	GE
		Heptachlor	< 10	µg/L	0	GE
		Heptachlor epoxide	< 10	µg/L	0	GE
		Hexachlorobenzene	< 10	µg/L	0	GE
		Hexachlorobutadiene	< 10	µg/L	0	GE
		Hexachlorocyclopentadiene	< 10	µg/L	0	GE
		Hexachloroethane	< 10	µg/L	0	GE
		Indeno[1,2,3-c,d]pyrene	< 10	µg/L	0	GE
		Iron	56	µg/L	0	GE
		Isophorone	< 10	µg/L	0	GE
		Lead	< 3.0	µg/L	0	GE
		Lindane	< 10	µg/L	0	GE
		Magnesium	751	µg/L	0	GE
		Manganese	9.5	µg/L	0	GE
		Mercury	< 0.20	µg/L	0	GE
		Methoxychlor	< 0.50	µg/L	0	GE
		2-Methyl-4,6-dinitrophenol	< 10	µg/L	0	GE
		N-Nitrosodimethylamine	< 10	µg/L	0	GE
		N-Nitrosodiphenylamine	< 10	µg/L	0	GE
		N-Nitrosodi-propylamine	< 10	µg/L	0	GE
		Naphthalene	< 10	µg/L	0	GE
		Nickel	< 4.0	µg/L	0	GE
		Nitrate as nitrogen	3,500	µg/L	0	GE
		Nitrobenzene	< 10	µg/L	0	GE
		2-Nitrophenol	< 10	µg/L	0	GE
		4-Nitrophenol	< 10	µg/L	0	GE
		PCB 1016	< 150	µg/L	0	GE
		PCB 1221	< 150	µg/L	0	GE
		PCB 1232	< 150	µg/L	0	GE
		PCB 1242	< 150	µg/L	0	GE
		PCB 1248	< 150	µg/L	0	GE
		PCB 1254	< 150	µg/L	0	GE
		PCB 1260	< 150	µg/L	0	GE
		Pentachlorophenol	< 10	µg/L	0	GE
		Phenanthrene	< 10	µg/L	0	GE
		Phenol	< 10	µg/L	0	GE
		Phenols	< 5.0	µg/L	0	GE
		Potassium	< 500	µg/L	0	GE
		Pyrene	< 10	µg/L	0	GE
		Selenium	< 2.0	µg/L	0	GE
		Silica	7,560	µg/L	0	GE
		Silver	< 2.0	µg/L	0	GE
		Sodium	6,700	µg/L	0	GE
		Sulfate	< 1,000	µg/L	0	GE

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB 65C collected on 01/03/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		1,1,2,2-Tetrachloroethane	<1.0	µg/L	0	GE
		Tetrachloroethylene	<1.0	µg/L	0	GE
		Tin	<2.0	µg/L	0	GE
		Toluene	<1.0	µg/L	0	GE
		Total dissolved solids	42,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	<5.0	µg/L	0	GE
		Total organic halogens	<5.0	µg/L	0	GE
		Total phosphates (as P)	<50	µg/L	0	GE
		Toxaphene	<10	µg/L	0	GE
•		2,4,5-TP (Silvex)	<0.090	µg/L	0	GE
		1,2,4-Trichlorobenzene	<10	µg/L	0	GE
		1,1,1-Trichloroethane	<1.0	µg/L	0	GE
		1,1,2-Trichloroethane	<1.0	µg/L	0	GE
		Trichloroethylene	<1.0	µg/L	0	GE
		Trichlorofluoromethane	<1.0	µg/L	0	GE
		2,4,6-Trichlorophenol	<10	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Xylenes	<2.0	µg/L	0	GE
		Zinc	13	µg/L	0	GE
		Gross alpha	<2.0E+00	pCi/L	0	GE
		Nonvolatile beta	<2.0E+00	pCi/L	0	GE
		Total alpha-emitting radium	<1.0E+00	pCi/L	0	GE
■		Tritium	2.8E+01 ± 4.0E-01	pCi/mL	2	GE

WELL HSB 66

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N72429.2	33.278850 °N	228.1-198.1 ft msl	280.2 ft msl	4" PVC	Water Table (IIB ₂)
E56928.3	81.657589 °W				

FIELD MEASUREMENTS

Sample date: 01/03/92
 Depth to water: 55.26 ft (16.84 m) below TOC
 Water elevation: 224.94 ft (68.56 m) msl
 Sp. conductance: 29 µS/cm
 Water evacuated before sampling: 70 gal
 Time: 10:25
 pH: 5.1
 Alkalinity: 0 mg/L
 Water temperature: 18.1 °C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	4.9	pH	0	GE
		Specific conductance	30	µS/cm	0	GE
		Aluminum	37	µg/L	0	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	<3.0	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	971	µg/L	0	GE
		Chloride	2,640	µg/L	0	GE
		Chloride	2,630	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB 66 collected on 01/03/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Chromium	<4.0	µg/L	0	GE
		Cobalt	<4.0	µg/L	0	GE
		Copper	15	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Fluoride	<100	µg/L	0	GE
		Iron	7.7	µg/L	0	GE
		Lead	6.0	µg/L	0	GE
		Magnesium	415	µg/L	0	GE
		Manganese	6.4	µg/L	0	GE
		Mercury	<0.20	µg/L	0	GE
		Nickel	<4.0	µg/L	0	GE
		Nitrate as nitrogen	1,400	µg/L	0	GE
		Nitrate as nitrogen	1,460	µg/L	0	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	<500	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	9,640	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	2,150	µg/L	0	GE
		Sulfate	<1,000	µg/L	0	GE
		Sulfate	<1,000	µg/L	0	GE
		Total dissolved solids	29,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	<5.0	µg/L	0	GE
		Total phosphates (as P)	130	µg/L	0	GE
		Total phosphates (as P)	120	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	7.6	µg/L	0	GE
		Gross alpha	<2.0E+00	pCi/L	0	GE
		Nonvolatile beta	3.6E+00 ± 6.5E-01	pCi/L	0	GE
		Total alpha-emitting radium	<1.0E+00	pCi/L	0	GE
		Tritium	1.1E+01 ± 3.0E-01	pCi/mL	1	GE

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB 67

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N71505.0 E58424.3	33.279247 °N 81.651855 °W	230.7-200.7 ft msl	237.8 ft msl	4" PVC	Water Table (IIB ₂)

FIELD MEASUREMENTS

Sample date: 01/01/92
 Depth to water: 14.40 ft (4.39 m) below TOC
 Water elevation: 223.40 ft (68.09 m) msl
 Sp. conductance: 126 μ S/cm
 Water evacuated before sampling: 60 gal

Time: 12:30
 pH: 4.2
 Alkalinity: 0 mg/L
 Water temperature: 17.5°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	4.1	pH	0	GE
		Specific conductance	95	μ S/cm	0	GE
		Aluminum	942	μ g/L	2	GE
		Antimony	< 2.0	μ g/L	0	GE
		Arsenic	< 2.0	μ g/L	0	GE
		Barium	25	μ g/L	0	GE
		Cadmium	< 2.0	μ g/L	0	GE
		Calcium	946	μ g/L	0	GE
		Chloride	2,840	μ g/L	0	GE
		Chromium	< 4.0	μ g/L	0	GE
		Cobalt	< 4.0	μ g/L	0	GE
		Copper	20	μ g/L	0	GE
•		Cyanide	< 5.0	μ g/L	0	GE
		Fluoride	117	μ g/L	0	GE
		Iron	< 4.0	μ g/L	0	GE
		Lead	< 3.0	μ g/L	0	GE
		Magnesium	850	μ g/L	0	GE
		Manganese	149	μ g/L	2	GE
		Mercury	1.8	μ g/L	1	GE
		Nickel	< 4.0	μ g/L	0	GE
		Nitrate as nitrogen	9,800	μ g/L	1	GE
		Phenols	< 5.0	μ g/L	0	GE
		Potassium	< 500	μ g/L	0	GE
		Selenium	< 2.0	μ g/L	0	GE
		Silica	7,320	μ g/L	0	GE
		Silver	< 2.0	μ g/L	0	GE
		Sodium	12,000	μ g/L	0	GE
		Sulfate	12,100	μ g/L	0	GE
•		Total dissolved solids	77,000	μ g/L	0	GE
		Total organic carbon	< 1,000	μ g/L	0	GE
		Total organic halogens	< 5.0	μ g/L	0	GE
		Total organic halogens	< 5.0	μ g/L	0	GE
		Total phosphates (as P)	< 50	μ g/L	0	GE
		Vanadium	< 8.0	μ g/L	0	GE
		Zinc	7.4	μ g/L	0	GE
		Gross alpha	9.3E+00 $\pm$ 9.0E-01	pCi/L	1	GE
■		Nonvolatile beta	9.1E+02 $\pm$ 6.6E+00	pCi/L	2	GE
■		Total alpha-emitting radium	2.2E+01 $\pm$ 1.0E+00	pCi/L	2	GE
■		Tritium	4.1E+03 $\pm$ 5.0E+00	pCi/mL	2	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB 68

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N71528.0 E56901.0	33.276813 °N 81.655911 °W	243.3-213.3 ft msl	250.1 ft msl	4" PVC	Water Table (IIB ₂)

FIELD MEASUREMENTS

Sample date: 01/01/92
 Depth to water: 29.06 ft (8.86 m) below TOC
 Water elevation: 221.04 ft (67.37 m) msl
 Sp. conductance: 410 μ S/cm
 Water evacuated before sampling: 21 gal

Time: 15:40
 pH: 3.9
 Alkalinity: 0 mg/L
 Water temperature: 18.9°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	4.0	pH	1	GE
		Specific conductance	322	μ S/cm	1	GE
		Aluminum	6,420	μ g/L	2	GE
		Antimony	< 2.0	μ g/L	0	GE
		Arsenic	< 2.0	μ g/L	0	GE
		Barium	142	μ g/L	0	GE
		Cadmium	< 2.0	μ g/L	0	GE
		Calcium	3,650	μ g/L	0	GE
		Chloride	3,940	μ g/L	0	GE
		Chromium	< 4.0	μ g/L	0	GE
		Cobalt	15	μ g/L	0	GE
		Copper	49	μ g/L	0	GE
•		Cyanide	< 5.0	μ g/L	0	GE
		Fluoride	468	μ g/L	0	GE
		Iron	42	μ g/L	0	GE
	■	Lead	16	μ g/L	2	GE
		Magnesium	1,840	μ g/L	0	GE
		Manganese	1,020	μ g/L	2	GE
	■	Mercury	2.6	μ g/L	2	GE
		Nickel	31	μ g/L	0	GE
	■	Nitrate as nitrogen	39,200	μ g/L	2	GE
		Phenols	< 5.0	μ g/L	0	GE
		Potassium	1,710	μ g/L	0	GE
		Selenium	< 2.0	μ g/L	0	GE
		Silica	16,100	μ g/L	0	GE
		Silver	< 2.0	μ g/L	0	GE
		Sodium	32,500	μ g/L	0	GE
		Sulfate	8,140	μ g/L	0	GE
•		Total dissolved solids	282,000	μ g/L	0	GE
		Total organic carbon	< 1,000	μ g/L	0	GE
		Total organic halogens	< 5.0	μ g/L	0	GE
		Total phosphates (as P)	60	μ g/L	0	GE
		Vanadium	< 8.0	μ g/L	0	GE
		Zinc	80	μ g/L	0	GE
	■	Gross alpha	3.9E+01 $\pm$ 1.9E+00	pCi/L	2	GE
	■	Nonvolatile beta	7.0E+03 $\pm$ 1.9E+01	pCi/L	2	GE
	■	Total alpha-emitting radium	1.1E+02 $\pm$ 2.3E+00	pCi/L	2	GE
	■	Tritium	1.1E+04 $\pm$ 8.0E+00	pCi/mL	2	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB 68A

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N71526.9 E56892.1	33.276796 °N 81.655932 °W	58.0-47.5 ft msl	249.4 ft msl	4" PVC	Congaree (IIA)

FIELD MEASUREMENTS

Sample date: 01/01/92	Time: 16:40
Depth to water: 77.15 ft (23.52 m) below TOC	pH: 6.9
Water elevation: 172.25 ft (52.50 m) msl	Alkalinity: 50 mg/L
Sp. conductance: 141 µS/cm	Water temperature: 17.8°C
Water evacuated before sampling: 327 gal	

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	6.9	pH	0	GE
		Specific conductance	1,400	µS/cm	2	GE
		Aluminum	< 20	µg/L	0	GE
		Antimony	< 2.0	µg/L	0	GE
		Arsenic	< 2.0	µg/L	0	GE
		Barium	22	µg/L	0	GE
		Cadmium	< 2.0	µg/L	0	GE
		Calcium	24,400	µg/L	0	GE
		Chloride	2,600	µg/L	0	GE
		Chromium	< 4.0	µg/L	0	GE
		Cobalt	< 4.0	µg/L	0	GE
		Copper	< 4.0	µg/L	0	GE
		Cyanide	< 5.0	µg/L	0	GE
		Fluoride	< 100	µg/L	0	GE
		Iron	< 4.0	µg/L	0	GE
		Lead	< 3.0	µg/L	0	GE
		Magnesium	582	µg/L	0	GE
		Manganese	< 2.0	µg/L	0	GE
		Mercury	< 0.20	µg/L	0	GE
		Nickel	< 4.0	µg/L	0	GE
		Nitrate as nitrogen	< 50	µg/L	0	GE
		Phenols	< 5.0	µg/L	0	GE
		Potassium	917	µg/L	0	GE
		Selenium	< 2.0	µg/L	0	GE
		Silica	26,100	µg/L	0	GE
		Silver	< 2.0	µg/L	0	GE
		Sodium	1,680	µg/L	0	GE
		Sulfate	5,040	µg/L	0	GE
		Total dissolved solids	90,000	µg/L	0	GE
		Total organic carbon	< 1,000	µg/L	0	GE
		Total organic halogens	< 5.0	µg/L	0	GE
		Total organic halogens	< 5.0	µg/L	0	GE
		Total phosphates (as P)	190	µg/L	0	GE
		Vanadium	< 8.0	µg/L	0	GE
		Zinc	< 2.0	µg/L	0	GE
		Gross alpha	< 2.0E+00	pCi/L	0	GE
		Nonvolatile beta	5.5E+00 ± 5.7E-01	pCi/L	0	GE
		Total alpha-emitting radium	< 1.0E+00	pCi/L	0	GE
		Tritium	1.4E+00 ± 2.0E-01	pCi/mL	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB 68B

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N71525.5 E56882.1	33.276776 °N 81.655956 °W	134.5-123.5 ft msl	250.0 ft msl	4" PVC	McBean (IIB ₁)

FIELD MEASUREMENTS

Sample date: 01/02/92	Time: 8:50
Depth to water: 33.17 ft (10.11 m) below TOC	pH: 8.1
Water elevation: 216.83 ft (66.09 m) msl	Alkalinity: 109 mg/L
Sp. conductance: 237 µS/cm	Water temperature: 16.8°C
Water evacuated before sampling: 50 gal	
The well went dry during purging.	

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	7.9	pH	0	GE
		Specific conductance	240	µS/cm	0	GE
		Aluminum	< 20	µg/L	0	GE
		Antimony	< 2.0	µg/L	0	GE
		Arsenic	< 2.0	µg/L	0	GE
		Barium	15	µg/L	0	GE
		Cadmium	< 2.0	µg/L	0	GE
		Calcium	45,400	µg/L	0	GE
		Chloride	3,020	µg/L	0	GE
		Chromium	< 4.0	µg/L	0	GE
		Cobalt	< 4.0	µg/L	0	GE
		Copper	< 4.0	µg/L	0	GE
		Cyanide	< 5.0	µg/L	0	GE
		Fluoride	< 100	µg/L	0	GE
		Iron	< 4.0	µg/L	0	GE
		Lead	< 3.0	µg/L	0	GE
		Magnesium	823	µg/L	0	GE
		Manganese	< 2.0	µg/L	0	GE
		Mercury	< 0.20	µg/L	0	GE
		Nickel	< 4.0	µg/L	0	GE
		Nitrate as nitrogen	240	µg/L	0	GE
		Phenols	< 5.0	µg/L	0	GE
		Potassium	< 500	µg/L	0	GE
		Selenium	< 2.0	µg/L	0	GE
		Silica	21,700	µg/L	0	GE
		Silver	< 2.0	µg/L	0	GE
		Sodium	1,960	µg/L	0	GE
		Sulfate	1,300	µg/L	0	GE
		Total dissolved solids	146,000	µg/L	0	GE
		Total organic carbon	< 1,000	µg/L	0	GE
		Total organic halogens	< 5.0	µg/L	0	GE
		Total organic halogens	< 5.0	µg/L	0	GE
		Total phosphates (as P)	370	µg/L	0	GE
		Vanadium	< 8.0	µg/L	0	GE
		Zinc	17	µg/L	0	GE
		Gross alpha	2.2E+00 ± 6.2E-01	pCi/L	0	GE
		Nonvolatile beta	4.9E+00 ± 5.3E-01	pCi/L	0	GE
		Total alpha-emitting radium	2.0E+00 ± 4.0E-01	pCi/L	0	GE
■		Tritium	2.7E+01 ± 4.0E-01	pCi/mL	2	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB 68C

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N71524.1 E56872.7	33.276758 °N 81.655978 °W	179.5-168.4 ft msl	250.1 ft msl	4" PVC	Barnwell (IIB ₁)

FIELD MEASUREMENTS

Sample date: 01/02/92
 Depth to water: 32.49 ft (9.90 m) below TOC
 Water elevation: 217.61 ft (66.33 m) msl
 Sp. conductance: 105 μ S/cm
 Water evacuated before sampling: 21 gal
 The well went dry during purging.

Time: 9:05
 pH: 5.8
 Alkalinity: 4 mg/L
 Water temperature: 17.5°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.5	pH	0	GE
		Specific conductance	98	μ S/cm	0	GE
		Aluminum	22	μ g/L	0	GE
		Antimony	<2.0	μ g/L	0	GE
		Arsenic	<2.0	μ g/L	0	GE
		Barium	13	μ g/L	0	GE
		Cadmium	<2.0	μ g/L	0	GE
		Calcium	4,240	μ g/L	0	GE
		Chloride	3,340	μ g/L	0	GE
		Chloride	3,360	μ g/L	0	GE
		Chromium	<4.0	μ g/L	0	GE
		Cobalt	<4.0	μ g/L	0	GE
		Copper	152	μ g/L	0	GE
		Cyanide	<5.0	μ g/L	0	GE
		Fluoride	<100	μ g/L	0	GE
		Iron	68	μ g/L	0	GE
		Lead	12	μ g/L	1	GE
		Magnesium	950	μ g/L	0	GE
		Manganese	37	μ g/L	1	GE
		Mercury	<0.20	μ g/L	0	GE
		Nickel	<4.0	μ g/L	0	GE
		Nitrate as nitrogen	8,400	μ g/L	1	GE
		Phenols	<5.0	μ g/L	0	GE
		Potassium	<500	μ g/L	0	GE
		Selenium	<2.0	μ g/L	0	GE
		Silica	9,930	μ g/L	0	GE
		Silver	<2.0	μ g/L	0	GE
		Sodium	11,300	μ g/L	0	GE
		Sulfate	<1,000	μ g/L	0	GE
		Total dissolved solids	85,000	μ g/L	0	GE
		Total dissolved solids	85,000	μ g/L	0	GE
		Total organic carbon	4,000	μ g/L	0	GE
		Total organic halogens	<5.0	μ g/L	0	GE
		Total phosphates (as P)	<50	μ g/L	0	GE
		Vanadium	<8.0	μ g/L	0	GE
		Zinc	136	μ g/L	0	GE
		Gross alpha	<2.0E+00	pCi/L	0	GE
		Nonvolatile beta	9.5E+00 $\pm$ 7.7E-01	pCi/L	0	GE
		Total alpha-emitting radium	1.1E+00 $\pm$ 3.0E-01	pCi/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB 68C collected on 01/02/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
	■	Tritium	1.8E + 03 ± 3.3E + 00	pCi/mL	2	GE

WELL HSB 69

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N71546.9 E56475.1	33.276160 °N 81.657069 °W	229.0-199.0 ft msl	236.0 ft msl	4" PVC	Water Table (IIB ₂)

FIELD MEASUREMENTS

Sample date: 01/09/92
 Depth to water: 17.05 ft (5.20 m) below TOC
 Water elevation: 218.95 ft (66.74 m) msl
 Sp. conductance: 259 µS/cm
 Water evacuated before sampling: 52 gal

Time: 14:10
 pH: 3.7
 Alkalinity: 0 mg/L
 Water temperature: 19.5°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	3.9	pH	1	GE
		Specific conductance	230	µS/cm	0	GE
		Aluminum	5,690	µg/L	2	GE
■		Antimony	8.1	µg/L	2	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	118	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	4,020	µg/L	0	GE
		Chloride	2,500	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	12	µg/L	0	GE
		Copper	17	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Fluoride	676	µg/L	0	GE
		Iron	<4.0	µg/L	0	GE
		Lead	<3.0	µg/L	0	GE
		Magnesium	2,470	µg/L	0	GE
		Manganese	589	µg/L	2	GE
		Mercury	0.22	µg/L	0	GE
		Nickel	18	µg/L	0	GE
■		Nitrate as nitrogen	23,200	µg/L	2	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	1,410	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	19,800	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	9,700	µg/L	0	GE
		Sulfate	11,900	µg/L	0	GE
		Total dissolved solids	94,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	<5.0	µg/L	0	GE
		Total organic halogens	<5.0	µg/L	0	GE
		Total phosphates (as P)	<50	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB 69 collected on 01/09/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Vanadium	<8.0	µg/L	0	GE
		Zinc	58	µg/L	0	GE
	■	Gross alpha	3.6E+01 ± 1.9E+00	pCi/L	2	GE
	■	Nonvolatile beta	3.9E+03 ± 1.5E+01	pCi/L	2	GE
	■	Total alpha-emitting radium	3.8E+01 ± 1.4E+00	pCi/L	2	GE
	■	Tritium	1.5E+03 ± 3.0E+00	pCi/mL	2	GE

WELL HSB 69A

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N71549.4 E56465.1	33.276149 °N 81.657100 °W	93.1-83.1 ft msl	236.6 ft msl		M. Congaree (IIA)

FIELD MEASUREMENTS

Sample date: 01/09/92
 Depth to water: 64.07 ft (19.53 m) below TOC
 Water elevation: 172.53 ft (52.59 m) msl
 Sp. conductance: 170 µS/cm
 Water evacuated before sampling: 235 gal

Time: 14:25
 pH: 6.9
 Alkalinity: 55 mg/L
 Water temperature: 18.6°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	7.9	pH	0	GE
		Specific conductance	160	µS/cm	0	GE
		Aluminum	<20	µg/L	0	GE
		Antimony	2.9	µg/L	1	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	22	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	28,600	µg/L	0	GE
		Chloride	2,550	µg/L	0	GE
		Chloride	2,560	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	<4.0	µg/L	0	GE
		Copper	<4.0	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Fluoride	128	µg/L	0	GE
		Iron	7.9	µg/L	0	GE
		Lead	<3.0	µg/L	0	GE
		Magnesium	765	µg/L	0	GE
		Manganese	13	µg/L	0	GE
		Mercury	<0.20	µg/L	0	GE
		Nickel	<4.0	µg/L	0	GE
		Nitrate as nitrogen	<50	µg/L	0	GE
		Nitrate as nitrogen	<50	µg/L	0	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	684	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	29,300	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB 69A collected on 01/09/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Sodium	1,950	µg/L	0	GE
		Sulfate	5,380	µg/L	0	GE
		Sulfate	5,370	µg/L	0	GE
		Total dissolved solids	115,000	µg/L	0	GE
		Total organic carbon	< 1,000	µg/L	0	GE
		Total organic halogens	148	µg/L	2	GE
		Total phosphates (as P)	240	µg/L	0	GE
		Vanadium	< 8.0	µg/L	0	GE
		Zinc	4.9	µg/L	0	GE
		Gross alpha	< 2.0E+00	pCi/L	0	GE
		Nonvolatile beta	2.5E+00 ± 5.6E-01	pCi/L	0	GE
		Total alpha-emitting radium	< 1.0E+00	pCi/L	0	GE
		Tritium	< 7.0E-01	pCi/mL	0	GE

WELL HSB 70

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N72606.9	33.277336 °N	235.7-205.7 ft msl	242.8 ft msl	4" PVC	Water Table (IIB ₂)
E55758.9	81.661013 °W				

FIELD MEASUREMENTS

Sample date: 01/07/92
 Depth to water: 19.44 ft (5.93 m) below TOC
 Water elevation: 223.36 ft (68.08 m) msl
 Sp. conductance: 68 µS/cm
 Water evacuated before sampling: 46 gal

Time: 14:35
 pH: 5.2
 Alkalinity: 0 mg/L
 Water temperature: 19.4°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	4.8	pH	0	GE
		Specific conductance	58	µS/cm	0	GE
		Aluminum	< 20	µg/L	0	GE
		Antimony	< 2.0	µg/L	0	GE
		Arsenic	< 2.0	µg/L	0	GE
		Barium	79	µg/L	0	GE
		Cadmium	< 2.0	µg/L	0	GE
		Calcium	4,910	µg/L	0	GE
		Chloride	2,620	µg/L	0	GE
		Chromium	< 4.0	µg/L	0	GE
		Cobalt	< 4.0	µg/L	0	GE
		Copper	397	µg/L	0	GE
		Cyanide	< 5.0	µg/L	0	GE
		Fluoride	< 100	µg/L	0	GE
		Iron	28	µg/L	0	GE
■		Lead	38	µg/L	2	GE
		Magnesium	1,830	µg/L	0	GE
		Manganese	31	µg/L	1	GE
		Mercury	< 0.20	µg/L	0	GE
		Nickel	< 4.0	µg/L	0	GE
		Nitrate as nitrogen	1,000	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB 70 collected on 01/07/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Phenols	<5.0	µg/L	0	GE
		Potassium	681	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	6,480	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	2,030	µg/L	0	GE
		Sulfate	8,900	µg/L	0	GE
		Total dissolved solids	36,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	12	µg/L	0	GE
		Total phosphates (as P)	<50	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	71	µg/L	0	GE
		Gross alpha	<2.0E+00	pCi/L	0	GE
		Nonvolatile beta	1.7E+01 ± 9.6E-01	pCi/L	0	GE
		Total alpha-emitting radium	<1.0E+00	pCi/L	0	GE
■		Tritium	1.7E+02 ± 1.0E+00	pCi/mL	2	GE

WELL HSB 70C

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N72597.3	33.277311 °N	174.9-164.9 ft msl	243.1 ft msl	4" PVC	Barnwell (IB ₁)
E55757.1	81.660999 °W				

FIELD MEASUREMENTS

Sample date: 01/08/92
 Depth to water: 20.44 ft (6.23 m) below TOC
 Water elevation: 222.66 ft (67.87 m) msl
 Sp. conductance: 351 µS/cm
 Water evacuated before sampling: 28 gal
 The well went dry during purging.

Time: 9:20
 pH: 9.8
 Alkalinity: 18 mg/L
 Water temperature: 17.1°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	9.6	pH	1	GE
		Specific conductance	255	µS/cm	1	GE
		Aluminum	26	µg/L	0	GE
		Antimony	3.9	µg/L	1	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	98	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	23,200	µg/L	0	GE
		Chloride	3,900	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	<4.0	µg/L	0	GE
		Copper	<4.0	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Fluoride	<100	µg/L	0	GE
		Iron	<4.0	µg/L	0	GE
		Lead	<3.0	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB 70C collected on 01/08/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Magnesium	2,350	µg/L	0	GE
		Manganese	<2.0	µg/L	0	GE
		Mercury	<0.20	µg/L	0	GE
		Nickel	<4.0	µg/L	0	GE
•	■	Nitrate as nitrogen	32,400	µg/L	2	GE
•	■	Nitrate as nitrogen	32,600	µg/L	2	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	4,680	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	8,830	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	31,200	µg/L	0	GE
•		Sulfate	1,310	µg/L	0	GE
•		Total dissolved solids	267,000	µg/L	0	GE
•		Total dissolved solids	259,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	<5.0	µg/L	0	GE
		Total phosphates (as P)	50	µg/L	0	GE
		Total phosphates (as P)	<50	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	<2.0	µg/L	0	GE
		Gross alpha	<2.0E+00	pCi/L	0	GE
	■	Nonvolatile beta	1.2E+02 ± 3.7E+00	pCi/L	2	GE
		Total alpha-emitting radium	1.2E+00 ± 4.0E-01	pCi/L	0	GE
	■	Tritium	4.1E+03 ± 5.0E+00	pCi/mL	2	GE

WELL HSB 71

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N72875.9	53.277148 °N	234.8-204.8 ft msl	241.4 ft msl	4" PVC	Water Table (IIB ₂)
E55279.2	81.662799 °W				

FIELD MEASUREMENTS

Sample date: 01/14/92
 Depth to water: 12.05 ft (3.67 m) below TOC
 Water elevation: 229.35 ft (69.91 m) msl
 Sp. conductance: 25 µS/cm
 Water evacuated before sampling: 64 gal

Time: 13:50
 pH: 5.0
 Alkalinity: 1 mg/L
 Water temperature: 17.6°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.4	pH	0	GE
		Specific conductance	25	µS/cm	0	GE
		Aluminum	368	µg/L	2	GE
		Aluminum	369	µg/L	2	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	4.3	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	552	µg/L	0	GE
		Chloride	3,400	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB 71 collected on 01/14/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Chromium	<4.0	µg/L	0	GE
		Cobalt	<4.0	µg/L	0	GE
		Cobalt	<4.0	µg/L	0	GE
		Copper	353	µg/L	0	GE
		Iron	171	µg/L	1	GE
		Lead	14	µg/L	1	GE
		Magnesium	498	µg/L	0	GE
		Magnesium	498	µg/L	0	GE
		Manganese	<2.0	µg/L	0	GE
		Mercury	<0.20	µg/L	0	GE
		Nickel	<4.0	µg/L	0	GE
		Nitrate as nitrogen	200	µg/L	0	GE
		Phenols	<5.0	µg/L	0	GE
		Phenols	<5.0	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	6,650	µg/L	0	GE
		Silica	6,550	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	2,570	µg/L	0	GE
		Sulfate	2,650	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	<5.0	µg/L	0	GE
		Total phosphates (as P)	<50	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	68	µg/L	0	GE
		Gross alpha	<2.0E+00	pCi/L	0	GE
		Nonvolatile beta	3.9E+00 ± 6.5E-01	pCi/L	0	GE
		Total alpha-emitting radium	<1.0E+00	pCi/L	0	GE
■		Tritium	1.3E+02 ± 9.0E-01	pCi/mL	2	GE

WELL HSB 71C

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N72866.6	33.277131 °N	181.9-171.9 ft msl	241.6 ft msl	4" PVC	Barnwell (IIB ₁)
E55281.5	81.662775 °W				

FIELD MEASUREMENTS

Sample date: 01/15/92
 Depth to water: 18.96 ft (5.78 m) below TOC
 Water elevation: 222.64 ft (67.86 m) msl
 Sp. conductance: 573 µS/cm
 Water evacuated before sampling: 22 gal
 The well went dry during purging.

Time: 9:05
 pH: 7.7
 Alkalinity: 55 mg/L
 Water temperature: 16.4°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
●		pH	7.9	pH	0	GE
		Specific conductance	480	µS/cm	1	GE
		Aluminum	68	µg/L	0	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	91	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	23,500	µg/L	0	GE

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB 71C collected on 01/15/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Chloride	5,240	µg/L	0	GE
		Chromium	< 4.0	µg/L	0	GE
		Cobalt	< 4.0	µg/L	0	GE
		Copper	< 4.0	µg/L	0	GE
		Cyanide	< 5.0	µg/L	0	GE
		Fluoride	< 100	µg/L	0	GE
		Iron	< 4.0	µg/L	0	GE
		Lead	< 3.0	µg/L	0	GE
		Magnesium	8,710	µg/L	0	GE
		Manganese	27	µg/L	1	GE
		Mercury	< 0.20	µg/L	0	GE
		Nickel	< 4.0	µg/L	0	GE
	■	Nitrate as nitrogen	50,500	µg/L	2	GE
		Phenols	< 5.0	µg/L	0	GE
		Potassium	2,160	µg/L	0	GE
		Selenium	< 2.0	µg/L	0	GE
		Silica	7,520	µg/L	0	GE
		Silver	< 2.0	µg/L	0	GE
		Sodium	62,100	µg/L	0	GE
		Sulfate	< 1,000	µg/L	0	GE
•		Total dissolved solids	400,000	µg/L	0	GE
		Total organic carbon	< 1,000	µg/L	0	GE
		Total organic halogens	78	µg/L	2	GE
•		Total phosphates (as P)	< 50	µg/L	0	GE
		Vanadium	< 8.0	µg/L	0	GE
		Zinc	< 2.0	µg/L	0	GE
		Gross alpha	7.4E + 00 ± 1.4E + 00	pCi/L	0	GE
	■	Nonvolatile beta	1.6E + 02 ± 4.6E + 00	pCi/L	2	GE
	■	Total alpha-emitting radium	1.2E + 01 ± 9.0E - 01	pCi/L	2	GE
	■	Tritium	8.3E + 03 ± 7.2E + 00	pCi/mL	2	GE

WELL HSB 83A

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N71648.6 E58606.1	33.279861 °N 81.651655 °W	76.0-65.2 ft msl	237.3 ft msl	4" PVC	M. Congaree (IIA)

FIELD MEASUREMENTS

Sample date: 01/07/92
 Depth to water: 63.60 ft (19.39 m) below TOC
 Water elevation: 173.70 ft (52.94 m) msl
 Sp. conductance: 193 µS/cm
 Water evacuated before sampling: 286 gal

Time: 10:55
 pH: 7.2
 Alkalinity: 74 mg/L
 Water temperature: 17.6°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	6.7	pH	0	GE
		Specific conductance	170	µS/cm	0	GE
		Aluminum	< 20	µg/L	0	GE
		Antimony	< 2.0	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB 83A collected on 01/07/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Arsenic	<2.0	µg/L	0	GE
		Barium	25	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	34,500	µg/L	0	GE
		Chloride	2,630	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	<4.0	µg/L	0	GE
		Copper	<4.0	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Fluoride	<100	µg/L	0	GE
		Iron	<4.0	µg/L	0	GE
		Lead	<3.0	µg/L	0	GE
		Magnesium	759	µg/L	0	GE
		Manganese	<2.0	µg/L	0	GE
		Mercury	<0.20	µg/L	0	GE
		Nickel	<4.0	µg/L	0	GE
		Nitrate as nitrogen	<50	µg/L	0	GE
		Phenols	<5.0	µg/L	0	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	876	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	27,700	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	1,680	µg/L	0	GE
		Sulfate	4,940	µg/L	0	GE
		Total dissolved solids	119,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	<5.0	µg/L	0	GE
		Total organic halogens	<5.0	µg/L	0	GE
		Total phosphates (as P)	<50	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	<2.0	µg/L	0	GE
		Gross alpha	<2.0E+00	pCi/L	0	GE
		Nonvolatile beta	<2.0E+00	pCi/L	0	GE
		Total alpha-emitting radium	1.5E+00 ± 4.0E-01	pCi/L	0	GE
		Tritium	<7.0E-01	pCi/mL	0	GE

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB 83B

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N71639.6 E58594.9	33.279823 °N 81.651667 °W	132.1-121.2 ft msl	237.0 ft msl	4" PVC	McBean (IIB ₁)

FIELD MEASUREMENTS

Sample date: 01/07/92	Time: 11:15
Depth to water: 14.37 ft (4.38 m) below TOC	pH: 7.0
Water elevation: 222.63 ft (67.86 m) msl	Alkalinity: 40 mg/L
Sp. conductance: 118 µS/cm	Water temperature: 17.6°C
Water evacuated before sampling: 266 gal	

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	6.5	pH	0	GE
		Specific conductance	105	µS/cm	0	GE
		Aluminum	< 20	µg/L	0	GE
		Antimony	< 2.0	µg/L	0	GE
		Arsenic	< 2.0	µg/L	0	GE
		Barium	34	µg/L	0	GE
		Cadmium	< 2.0	µg/L	0	GE
		Calcium	18,400	µg/L	0	GE
		Chloride	2,730	µg/L	0	GE
		Chromium	4.3	µg/L	0	GE
		Cobalt	< 4.0	µg/L	0	GE
		Copper	< 4.0	µg/L	0	GE
		Cyanide	< 5.0	µg/L	0	GE
		Fluoride	152	µg/L	0	GE
		Iron	< 4.0	µg/L	0	GE
		Lead	< 3.0	µg/L	0	GE
		Magnesium	544	µg/L	0	GE
		Manganese	< 2.0	µg/L	0	GE
		Mercury	< 0.20	µg/L	0	GE
		Nickel	< 4.0	µg/L	0	GE
		Nitrate as nitrogen	< 50	µg/L	0	GE
		Phenols	< 5.0	µg/L	0	GE
		Potassium	702	µg/L	0	GE
		Selenium	< 2.0	µg/L	0	GE
		Silica	28,700	µg/L	0	GE
		Silver	< 2.0	µg/L	0	GE
		Sodium	3,290	µg/L	0	GE
		Sulfate	1,110	µg/L	0	GE
		Total dissolved solids	78,000	µg/L	0	GE
		Total organic carbon	< 1,000	µg/L	0	GE
		Total organic halogens	30	µg/L	1	GE
		Total phosphates (as P)	450	µg/L	0	GE
		Vanadium	< 8.0	µg/L	0	GE
		Zinc	9.3	µg/L	0	GE
		Gross alpha	< 2.0E+00	pCi/L	0	GE
		Nonvolatile beta	1.4E+01 ± 8.9E-01	pCi/L	0	GE
		Total alpha-emitting radium	< 1.0E+00	pCi/L	0	GE
		Tritium	3.3E+00 ± 2.0E-01	pCi/mL	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB 83C

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N71636.9 E58614.8	33.279849 °N 81.651609 °W	171.2-160.2 ft msl	237.1 ft msl	4" PVC	Barnwell (IIB ₁)

FIELD MEASUREMENTS

Sample date: 01/07/92
 Depth to water: 12.67 ft (3.86 m) below TOC
 Water elevation: 224.43 ft (68.41 m) msl
 Sp. conductance: 24 µS/cm
 Water evacuated before sampling: 169 gal

Time: 11:25
 pH: 5.4
 Alkalinity: 1 mg/L
 Water temperature: 18.1°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.1	pH	0	GE
		Specific conductance	20	µS/cm	0	GE
		Aluminum	< 20	µg/L	0	GE
		Antimony	< 2.0	µg/L	0	GE
		Arsenic	< 2.0	µg/L	0	GE
		Barium	< 3.0	µg/L	0	GE
		Cadmium	< 2.0	µg/L	0	GE
		Calcium	1,080	µg/L	0	GE
		Chloride	2,680	µg/L	0	GE
		Chromium	< 4.0	µg/L	0	GE
		Cobalt	< 4.0	µg/L	0	GE
		Copper	9.7	µg/L	0	GE
		Cyanide	< 5.0	µg/L	0	GE
		Fluoride	< 100	µg/L	0	GE
		Iron	5.3	µg/L	0	GE
		Lead	< 3.0	µg/L	0	GE
		Magnesium	447	µg/L	0	GE
		Manganese	6.6	µg/L	0	GE
		Mercury	< 0.20	µg/L	0	GE
		Nickel	< 4.0	µg/L	0	GE
		Nitrate as nitrogen	70	µg/L	0	GE
		Phenols	< 5.0	µg/L	0	GE
		Potassium	< 500	µg/L	0	GE
		Selenium	< 2.0	µg/L	0	GE
		Silica	14,400	µg/L	0	GE
		Silver	< 2.0	µg/L	0	GE
		Sodium	1,530	µg/L	0	GE
		Sulfate	< 1,000	µg/L	0	GE
		Total dissolved solids	20,000	µg/L	0	GE
		Total organic carbon	< 1,000	µg/L	0	GE
		Total organic halogens	< 5.0	µg/L	0	GE
		Total phosphates (as P)	140	µg/L	0	GE
		Vanadium	< 8.0	µg/L	0	GE
		Zinc	9.2	µg/L	0	GE
		Gross alpha	< 2.0E+00	pCi/L	0	GE
		Nonvolatile beta	< 2.0E+00	pCi/L	0	GE
		Total alpha-emitting radium	< 1.0E+00	pCi/L	0	GE
		Tritium	< 7.0E-01	pCi/mL	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB 83D

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N71628.1 E58601.7	33.279809 °N 81.651627 °W	228.7-198.7 ft msl	237.0 ft msl	4" PVC	Water Table (IIB ₂)

FIELD MEASUREMENTS

Sample date: 01/07/92	Time: 10:15
Depth to water: 12.88 ft (3.93 m) below TOC	pH: 5.5
Water elevation: 224.12 ft (68.31 m) msl	Alkalinity: 2 mg/L
Sp. conductance: 99 µS/cm	Water temperature: 18.0°C
Water evacuated before sampling: 67 gal	

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.5	pH	0	GE
		Specific conductance	100	µS/cm	0	GE
		Aluminum	23	µg/L	0	GE
		Antimony	< 2.0	µg/L	0	GE
		Arsenic	< 2.0	µg/L	0	GE
		Barium	41	µg/L	0	GE
		Cadmium	< 2.0	µg/L	0	GE
		Calcium	6,040	µg/L	0	GE
		Chloride	1,910	µg/L	0	GE
		Chloride	1,900	µg/L	0	GE
		Chromium	< 4.0	µg/L	0	GE
		Cobalt	< 4.0	µg/L	0	GE
		Copper	6.3	µg/L	0	GE
		Cyanide	< 5.0	µg/L	0	GE
		Fluoride	< 100	µg/L	0	GE
		Fluoride	< 100	µg/L	0	GE
		Iron	57	µg/L	0	GE
		Lead	< 3.0	µg/L	0	GE
		Magnesium	2,320	µg/L	0	GE
		Manganese	32	µg/L	1	GE
		Mercury	< 0.20	µg/L	0	GE
		Nickel	< 4.0	µg/L	0	GE
		Nitrate as nitrogen	4,000	µg/L	0	GE
		Nitrate as nitrogen	4,200	µg/L	0	GE
		Phenols	< 5.0	µg/L	0	GE
		Potassium	1,210	µg/L	0	GE
		Selenium	< 2.0	µg/L	0	GE
		Silica	6,650	µg/L	0	GE
		Silver	< 2.0	µg/L	0	GE
		Sodium	7,120	µg/L	0	GE
		Sulfate	5,080	µg/L	0	GE
		Sulfate	5,100	µg/L	0	GE
		Total dissolved solids	65,000	µg/L	0	GE
		Total organic carbon	3,000	µg/L	0	GE
		Total organic halogens	9.7	µg/L	0	GE
		Total phosphates (as P)	70	µg/L	0	GE
		Total phosphates (as P)	< 50	µg/L	0	GE
		Vanadium	< 8.0	µg/L	0	GE
		Zinc	13	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB 83D collected on 01/07/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Gross alpha	< 2.0E + 00	pCi/L	0	GE
		Nonvolatile beta	2.0E + 01 ± 1.0E + 00	pCi/L	0	GE
		Total alpha-emitting radium	< 1.0E + 00	pCi/L	0	GE
	■	Tritium	1.0E + 03 ± 2.5E + 00	pCi/mL	2	GE

WELL HSB 84A

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N71586.2	33.276057 °N	75.9-64.7 ft msl	228.7 ft msl	4" PVC	L. Congaree (IIA)
E56359.1	81.657450 °W				

FIELD MEASUREMENTS

Sample date: 01/09/92
 Depth to water: 54.40 ft (16.58 m) below TOC
 Water elevation: 174.30 ft (53.13 m) msl
 Sp. conductance: 113 µS/cm
 Water evacuated before sampling: 288 gal

Time: 10:15
 pH: 6.5
 Alkalinity: 35 mg/L
 Water temperature: 18.3°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
●		pH	6.7	pH	0	GE
		Specific conductance	110	µS/cm	0	GE
		Aluminum	493	µg/L	2	GE
		Antimony	< 2.0	µg/L	0	GE
		Arsenic	< 2.0	µg/L	0	GE
		Barium	27	µg/L	0	GE
		Cadmium	< 2.0	µg/L	0	GE
		Calcium	17,900	µg/L	0	GE
		Chloride	2,560	µg/L	0	GE
		Chromium	< 4.0	µg/L	0	GE
		Cobalt	< 4.0	µg/L	0	GE
		Copper	< 4.0	µg/L	0	GE
		Cyanide	< 5.0	µg/L	0	GE
		Fluoride	151	µg/L	0	GE
		Iron	482	µg/L	2	GE
		Iron	7.2	µg/L	0	GE
		Lead	< 3.0	µg/L	0	GE
		Magnesium	1,170	µg/L	0	GE
		Manganese	17	µg/L	0	GE
		Mercury	< 0.20	µg/L	0	GE
		Nickel	< 4.0	µg/L	0	GE
		Nitrate as nitrogen	95	µg/L	0	GE
		Phenols	< 5.0	µg/L	0	GE
		Potassium	851	µg/L	0	GE
		Selenium	< 2.0	µg/L	0	GE
		Silica	25,000	µg/L	0	GE
		Silver	< 2.0	µg/L	0	GE
		Sodium	2,100	µg/L	0	GE
		Sulfate	5,180	µg/L	0	GE
		Total dissolved solids	79,000	µg/L	0	GE

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB 84A collected on 01/09/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Total dissolved solids	77,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	43	µg/L	1	GE
		Total phosphates (as P)	430	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	2.4	µg/L	0	GE
		Gross alpha	<2.0E+00	pCi/L	0	GE
■		Nonvolatile beta	1.8E+02 ± 3.1E+00	pCi/L	2	GE
		Total alpha-emitting radium	2.4E+00 ± 5.0E-01	pCi/L	0	GE
■		Tritium	4.9E+01 ± 6.0E-01	pCi/mL	2	GE

WELL HSB 84B

<u>SPS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N71603.3	33.276084 °N	132.9-121.8 ft msl	228.9 ft msl	4" PVC	McBean (IIB ₁)
E56352.4	81.657501 °W				

FIELD MEASUREMENTS

Sample date: 01/09/92
 Depth to water: 18.31 ft (5.58 m) below TOC
 Water elevation: 210.59 ft (64.19 m) msl
 Sp. conductance: 203 µS/cm
 Water evacuated before sampling: 233 gal

Time: 13:50
 pH: 7.4
 Alkalinity: 73 mg/L
 Water temperature: 18.8°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
●		pH	7.5	pH	0	GE
		Specific conductance	200	µS/cm	0	GE
		Aluminum	<20	µg/L	0	GE
		Antimony	3.8	µg/L	1	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	50	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	35,800	µg/L	0	GE
		Chloride	2,710	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	<4.0	µg/L	0	GE
		Copper	<4.0	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Fluoride	<100	µg/L	0	GE
		Fluoride	<100	µg/L	0	GE
		Iron	<4.0	µg/L	0	GE
■		Lead	20	µg/L	2	GE
		Magnesium	809	µg/L	0	GE
		Manganese	<2.0	µg/L	0	GE
		Mercury	<0.20	µg/L	0	GE
		Nickel	<4.0	µg/L	0	GE
		Nitrate as nitrogen	260	µg/L	0	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	1,470	µg/L	0	GE

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB 84B collected on 01/09/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Selenium	< 2.0	µg/L	0	GE
		Silica	40,600	µg/L	0	GE
		Silver	< 2.0	µg/L	0	GE
		Sodium	2,640	µg/L	0	GE
		Sulfate	3,130	µg/L	0	GE
		Total dissolved solids	136,000	µg/L	0	GE
		Total dissolved solids	138,000	µg/L	0	GE
		Total organic carbon	< 1,000	µg/L	0	GE
		Total organic halogens	11	µg/L	0	GE
		Total phosphates (as P)	170	µg/L	0	GE
		Vanadium	< 8.0	µg/L	0	GE
		Zinc	< 2.0	µg/L	0	GE
		Gross alpha	< 2.0E + 00	pCi/L	0	GE
		Nonvolatile beta	3.5E + 00 ± 5.1E-01	pCi/L	0	GE
		Total alpha-emitting radium	< 1.0E + 00	pCi/L	0	GE
■		Tritium	2.0E + 01 ± 4.0E-01	pCi/mL	2	GE

WELL HSB 84C

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N71597.1	33.276083 °N	181.8-170.9 ft msl	229.1 ft msl	4" PVC	Barnwell (IIB ₁)
E56360.1	81.657469 °W				

FIELD MEASUREMENTS

Sample date: 01/09/92
 Depth to water: 15.64 ft (4.77 m) below TOC
 Water elevation: 213.46 ft (65.06 m) msl
 Sp. conductance: 90 µS/cm
 Water evacuated before sampling: 16 gal
 The well went dry during purging.

Time: 10:45
 pH: 7.3
 Alkalinity: 24 mg/L
 Water temperature: 18.6°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	7.4	pH	0	GE
		Specific conductance	80	µS/cm	0	GE
		Aluminum	31	µg/L	0	GE
		Antimony	2.9	µg/L	1	GE
		Arsenic	< 2.0	µg/L	0	GE
		Barium	14	µg/L	0	GE
		Cadmium	2.5	µg/L	1	GE
		Calcium	10,800	µg/L	0	GE
		Chloride	3,560	µg/L	0	GE
		Chromium	< 4.0	µg/L	0	GE
		Cobalt	< 4.0	µg/L	0	GE
		Copper	< 4.0	µg/L	0	GE
		Cyanide	< 5.0	µg/L	0	GE
		Fluoride	< 100	µg/L	0	GE
		Iron	196	µg/L	1	GE
		Lead	< 3.0	µg/L	0	GE
		Magnesium	768	µg/L	0	GE
		Manganese	3.9	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB 84C collected on 01/09/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Mercury	<0.20	µg/L	0	GE
		Nickel	<4.0	µg/L	0	GE
		Nitrate as nitrogen	1,800	µg/L	0	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	1,730	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	12,100	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	3,630	µg/L	0	GE
		Sulfate	<1,000	µg/L	0	GE
		Total dissolved solids	52,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	<5.0	µg/L	0	GE
		Total phosphates (as P)	<50	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	71	µg/L	0	GE
		Gross alpha	<2.0E+00	pCi/L	0	GE
		Nonvolatile beta	1.1E+01 ± 7.9E-01	pCi/L	0	GE
		Total alpha-emitting radium	<1.0E+00	pCi/L	0	GE
■		Tritium	3.9E+02 ± 1.5E+00	pCi/mL	2	GE

WELL HSB 84D

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N71583.9	33.276037 °N	219.5-199.5 ft msl	228.8 ft msl	4" PVC	Water Table (IIB ₂)
E56349.9	81.657470 °W				

FIELD MEASUREMENTS

Sample date: 01/09/92
 Depth to water: 10.31 ft (3.14 m) below TOC
 Water elevation: 218.49 ft (66.60 m) msl
 Sp. conductance: 147 µS/cm
 Water evacuated before sampling: 50 gal

Time: 10:30
 pH: 4.1
 Alkalinity: 0 mg/L
 Water temperature: 19.0°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
●		pH	4.2	pH	0	GE
		Specific conductance	130	µS/cm	0	GE
		Aluminum	2,410	µg/L	2	GE
■		Antimony	6.0	µg/L	2	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	36	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	1,980	µg/L	0	GE
		Chloride	3,740	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	<4.0	µg/L	0	GE
		Copper	<4.0	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB 84D collected on 01/09/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Fluoride	260	µg/L	0	GE
		Iron	6.3	µg/L	0	GE
		Lead	<3.0	µg/L	0	GE
		Magnesium	733	µg/L	0	GE
		Manganese	156	µg/L	2	GE
		Mercury	0.32	µg/L	0	GE
		Nickel	4.2	µg/L	0	GE
■		Nitrate as nitrogen	11,800	µg/L	2	GE
■		Nitrate as nitrogen	11,600	µg/L	2	GE
		Phenols	<5.0	µg/L	0	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	655	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	12,000	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	10,400	µg/L	0	GE
		Sulfate	22,900	µg/L	0	GE
		Total dissolved solids	63,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	<5.0	µg/L	0	GE
		Total phosphates (as P)	<50	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	37	µg/L	0	GE
■		Gross alpha	1.5E+01 ± 1.1E+00	pCi/L	2	GE
■		Nonvolatile beta	1.8E+03 ± 9.3E+00	pCi/L	2	GE
■		Total alpha-emitting radium	2.0E+01 ± 1.0E+00	pCi/L	2	GE
■		Tritium	1.3E+03 ± 2.8E+00	pCi/mL	2	GE

WELL HSB 85A

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N73791.9	33.285152 °N	71.1-61.1 ft msl	294.4 ft msl	4" PVC	Congaree (IIA)
E58943.4	81.654930 °W				

FIELD MEASUREMENTS

Sample date: 01/15/92
 Depth to water: 125.00 ft (38.10 m) below TOC
 Water elevation: 169.40 ft (51.63 m) msl
 Sp. conductance: 196 µS/cm
 Water evacuated before sampling: 284 gal

Time: 10:50
 pH: 7.0
 Alkalinity: 76 mg/L
 Water temperature: 18.5°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	7.1	pH	0	GE
		Specific conductance	210	µS/cm	0	GE
		Turbidity	<0.10	NTU	0	GE
•		Acenaphthene	<10	µg/L	0	GE
•		Acenaphthylene	<10	µg/L	0	GE
•		Acetophenone	<10	µg/L	0	GE
•		Aldrin	<10	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB 85A collected on 01/15/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Aluminum	<20	µg/L	0	GE
•		Anthracene	<10	µg/L	0	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	31	µg/L	0	GE
		Benzene	<1.0	µg/L	0	GE
•		alpha-Benzene hexachloride	<10	µg/L	0	GE
•		beta-Benzene hexachloride	<10	µg/L	0	GE
•		delta-Benzene hexachloride	<10	µg/L	0	GE
•		Benzidine	<10	µg/L	0	GE
•		Benzo[a]anthracene	<10	µg/L	0	GE
•		Benzo[a]pyrene	<10	µg/L	0	GE
•		Benzo[b]fluoranthene	<10	µg/L	0	GE
•		Benzo[g,h,i]perylene	<10	µg/L	0	GE
•		Benzo[k]fluoranthene	<10	µg/L	0	GE
•		Bis(2-chloroethoxy) methane	<10	µg/L	0	GE
•		Bis(2-chloroethyl) ether	<10	µg/L	0	GE
•		Bis(2-chloroisopropyl) ether	<10	µg/L	0	GE
•		Bis(2-ethylhexyl) phthalate	<10	µg/L	0	GE
		Bromodichloromethane	<1.0	µg/L	0	GE
		Bromoform	<1.0	µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0	µg/L	0	GE
•		4-Bromophenyl phenyl ether	<10	µg/L	0	GE
•		Butylbenzyl phthalate	<10	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	32,800	µg/L	0	GE
		Carbon tetrachloride	<1.0	µg/L	0	GE
•		Chlordane	<10	µg/L	0	GE
		Chloride	2,480	µg/L	0	GE
•		para-Chloro-meta-cresol	<10	µg/L	0	GE
		Chlorobenzene	<1.0	µg/L	0	GE
		Chloroethane	<1.0	µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0	µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0	µg/L	0	GE
		Chloroform	<1.0	µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0	µg/L	0	GE
•		2-Chloronaphthalene	<10	µg/L	0	GE
•		2-Chlorophenol	<10	µg/L	0	GE
•		4-Chlorophenyl phenyl ether	<10	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
•		Chrysene	<10	µg/L	0	GE
		Cobalt	<4.0	µg/L	0	GE
		Copper	<4.0	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
•		p,p'-DDD	<10	µg/L	0	GE
•		p,p'-DDE	<10	µg/L	0	GE
•		p,p'-DDT	<10	µg/L	0	GE
•		Di-n-butyl phthalate	<10	µg/L	0	GE
•		Di-n-octyl phthalate	<10	µg/L	0	GE
•		Dibenz[a,h]anthracene	<10	µg/L	0	GE
		Dibromochloromethane	<1.0	µg/L	0	GE
•		3,3'-Dichlorobenzidine	<10	µg/L	0	GE
		1,1-Dichloroethane	<1.0	µg/L	0	GE
		1,2-Dichloroethane	<1.0	µg/L	0	GE
		1,1-Dichloroethylene	<1.0	µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB 85A collected on 01/15/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Dichloromethane (Methylene chloride)	2.5	µg/L	0	GE
•		2,4-Dichlorophenol	<10	µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30	µg/L	0	GE
		1,2-Dichloropropane	<1.0	µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0	µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0	µg/L	0	GE
•		Dieldrin	<10	µg/L	0	GE
•		Diethyl phthalate	<10	µg/L	0	GE
•		2,4-Dimethyl phenol	<10	µg/L	0	GE
•		Dimethyl phthalate	<10	µg/L	0	GE
•		2,4-Dinitrophenol	<45	µg/L	0	GE
•		2,4-Dinitrotoluene	<10	µg/L	0	GE
•		2,6-Dinitrotoluene	<10	µg/L	0	GE
•		1,2-Diphenylhydrazine	<10	µg/L	0	GE
•		Endosulfan I	<10	µg/L	0	GE
•		Endosulfan II	<10	µg/L	0	GE
•		Endosulfan sulfate	<10	µg/L	0	GE
•		Endrin	<10	µg/L	0	GE
•		Endrin aldehyde	<10	µg/L	0	GE
		Ethylbenzene	<1.0	µg/L	0	GE
•		Fluoranthene	<10	µg/L	0	GE
•		Fluorene	<10	µg/L	0	GE
		Fluoride	<100	µg/L	0	GE
•		Heptachlor	<10	µg/L	0	GE
•		Heptachlor epoxide	<10	µg/L	0	GE
•		Hexachlorobenzene	<10	µg/L	0	GE
•		Hexachlorobutadiene	<10	µg/L	0	GE
•		Hexachlorocyclopentadiene	<10	µg/L	0	GE
•		Hexachloroethane	<10	µg/L	0	GE
•		Indeno[1,2,3-c,d]pyrene	<10	µg/L	0	GE
		Iron	<4.0	µg/L	0	GE
•		Isophorone	<10	µg/L	0	GE
		Lead	<3.0	µg/L	0	GE
•		Lindane	<10	µg/L	0	GE
		Magnesium	798	µg/L	0	GE
		Manganese	<2.0	µg/L	0	GE
		Mercury	<0.20	µg/L	0	GE
•		Methoxychlor	<0.50	µg/L	0	GE
•		2-Methyl-4,6-dinitrophenol	<10	µg/L	0	GE
•		N-Nitrosodimethylamine	<10	µg/L	0	GE
•		N-Nitrosodiphenylamine	<10	µg/L	0	GE
•		N-Nitrosodi-propylamine	<10	µg/L	0	GE
•		Naphthalene	<10	µg/L	0	GE
		Nickel	<4.0	µg/L	0	GE
		Nitrate as nitrogen	<50	µg/L	0	GE
•		Nitrobenzene	<10	µg/L	0	GE
•		2-Nitrophenol	<10	µg/L	0	GE
•		4-Nitrophenol	<10	µg/L	0	GE
•		PCB 1016	<150	µg/L	0	GE
•		PCB 1221	<150	µg/L	0	GE
•		PCB 1232	<150	µg/L	0	GE
•		PCB 1242	<150	µg/L	0	GE
•		PCB 1248	<150	µg/L	0	GE
•		PCB 1254	<150	µg/L	0	GE
•		PCB 1260	<150	µg/L	0	GE
•		Pentachlorophenol	<10	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB 85A collected on 01/15/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		Phenanthrene	< 10	µg/L	0	GE
•		Phenol	< 10	µg/L	0	GE
		Phenols	< 5.0	µg/L	0	GE
		Potassium	1,000	µg/L	0	GE
•		Pyrene	< 10	µg/L	0	GE
		Selenium	< 2.0	µg/L	0	GE
		Silica	29,600	µg/L	0	GE
		Silver	< 2.0	µg/L	0	GE
		Sodium	1,750	µg/L	0	GE
		Sulfate	5,390	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	< 1.0	µg/L	0	GE
		Tetrachloroethylene	< 1.0	µg/L	0	GE
		Tin	< 2.0	µg/L	0	GE
		Toluene	< 1.0	µg/L	0	GE
		Total dissolved solids	125,000	µg/L	0	GE
		Total organic carbon	< 1,000	µg/L	0	GE
		Total organic halogens	< 5.0	µg/L	0	GE
		Total phosphates (as P)	< 50	µg/L	0	GE
•		Toxaphene	< 10	µg/L	0	GE
		2,4,5-TP (Silvex)	< 0.090	µg/L	0	GE
•		1,2,4-Trichlorobenzene	< 10	µg/L	0	GE
		1,1,1-Trichloroethane	< 1.0	µg/L	0	GE
		1,1,2-Trichloroethane	< 1.0	µg/L	0	GE
		Trichloroethylene	< 1.0	µg/L	0	GE
		Trichlorofluoromethane	< 1.0	µg/L	0	GE
•		2,4,6-Trichlorophenol	< 10	µg/L	0	GE
		Vanadium	< 8.0	µg/L	0	GE
		Xylenes	< 2.0	µg/L	0	GE
		Zinc	< 2.0	µg/L	0	GE
		Gross alpha	3.0E+00 ± 5.0E-01	pCi/L	0	GE
		Nonvolatile beta	3.7E+00 ± 5.3E-01	pCi/L	0	GE
		Total alpha-emitting radium	< 1.0E+00	pCi/L	0	GE
		Tritium	< 7.0E-01	pCi/mL	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB 85B

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N73789.3 E58953.3	33.285162 °N 81.654898 °W	143.2-133.2 ft msl	294.5 ft msl	4" PVC	McBean (IIB ₁)

FIELD MEASUREMENTS

Sample date: 01/15/92
 Depth to water: 60.53 ft (18.45 m) below TOC
 Water elevation: 233.97 ft (71.31 m) msl
 Sp. conductance: 613 µS/cm
 Water evacuated before sampling: 50 gal
 The well went dry during purging.

Time: 10:20
 pH: 11.9
 Alkalinity: 139 mg/L
 Water temperature: 17.3°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	9.4	pH	1	GE
		Specific conductance	215	µS/cm	0	GE
		Turbidity	0.67	NTU	0	GE
•		Acenaphthene	< 10	µg/L	0	GE
•		Acenaphthylene	< 10	µg/L	0	GE
•		Acetophenone	< 10	µg/L	0	GE
•		Aldrin	< 10	µg/L	0	GE
		Aluminum	39	µg/L	0	GE
•		Anthracene	< 10	µg/L	0	GE
		Antimony	< 2.0	µg/L	0	GE
		Arsenic	< 2.0	µg/L	0	GE
		Barium	31	µg/L	0	GE
		Benzene	< 1.0	µg/L	0	GE
•		alpha-Benzene hexachloride	< 10	µg/L	0	GE
•		beta-Benzene hexachloride	< 10	µg/L	0	GE
•		delta-Benzene hexachloride	< 10	µg/L	0	GE
•		Benzidine	< 10	µg/L	0	GE
•		Benzo[a]anthracene	< 10	µg/L	0	GE
•		Benzo[a]pyrene	< 10	µg/L	0	GE
•		Benzo[b]fluoranthene	< 10	µg/L	0	GE
•		Benzo[g,h,i]perylene	< 10	µg/L	0	GE
•		Benzo[k]fluoranthene	< 10	µg/L	0	GE
•		Bis(2-chloroethoxy) methane	< 10	µg/L	0	GE
•		Bis(2-chloroethyl) ether	< 10	µg/L	0	GE
•		Bis(2-chloroisopropyl) ether	< 10	µg/L	0	GE
•		Bis(2-ethylhexyl) phthalate	< 10	µg/L	0	GE
		Bromodichloromethane	< 1.0	µg/L	0	GE
		Bromoform	< 1.0	µg/L	0	GE
		Bromomethane (Methyl bromide)	< 1.0	µg/L	0	GE
•		4-Bromophenyl phenyl ether	< 10	µg/L	0	GE
•		Butylbenzyl phthalate	< 10	µg/L	0	GE
		Cadmium	< 2.0	µg/L	0	GE
		Calcium	35,200	µg/L	0	GE
		Carbon tetrachloride	< 1.0	µg/L	0	GE
•		Chlordane	< 10	µg/L	0	GE
		Chloride	1,980	µg/L	0	GE
•		para-Chloro-meta-cresol	< 10	µg/L	0	GE
		Chlorobenzene	< 1.0	µg/L	0	GE
		Chloroethane	< 1.0	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB 85B collected on 01/15/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Chloroethene (Vinyl chloride)	< 1.0	µg/L	0	GE
		2-Chloroethyl vinyl ether	< 1.0	µg/L	0	GE
		Chloroform	< 1.0	µg/L	0	GE
		Chloromethane (Methyl chloride)	< 1.0	µg/L	0	GE
•		2-Chloronaphthalene	< 10	µg/L	0	GE
•		2-Chlorophenol	< 10	µg/L	0	GE
•		4-Chlorophenyl phenyl ether	< 10	µg/L	0	GE
		Chromium	< 4.0	µg/L	0	GE
•		Chrysene	< 10	µg/L	0	GE
		Cobalt	< 4.0	µg/L	0	GE
		Copper	< 4.0	µg/L	0	GE
		Cyanide	< 5.0	µg/L	0	GE
•		p,p'-DDD	< 10	µg/L	0	GE
•		p,p'-DDE	< 10	µg/L	0	GE
•		p,p'-DDT	< 10	µg/L	0	GE
•		Di-n-butyl phthalate	< 10	µg/L	0	GE
•		Di-n-octyl phthalate	< 10	µg/L	0	GE
•		Dibenz[a,h]anthracene	< 10	µg/L	0	GE
		Dibromochloromethane	< 1.0	µg/L	0	GE
•		3,3'-Dichlorobenzidine	< 10	µg/L	0	GE
		1,1-Dichloroethane	< 1.0	µg/L	0	GE
		1,2-Dichloroethane	< 1.0	µg/L	0	GE
		1,1-Dichloroethylene	< 1.0	µg/L	0	GE
		trans-1,2-Dichloroethylene	< 1.0	µg/L	0	GE
		Dichloromethane (Methylene chloride)	3.4	µg/L	0	GE
•		2,4-Dichlorophenol	< 10	µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	< 0.30	µg/L	0	GE
		1,2-Dichloropropane	< 1.0	µg/L	0	GE
		cis-1,3-Dichloropropene	< 1.0	µg/L	0	GE
		trans-1,3-Dichloropropene	< 1.0	µg/L	0	GE
•		Dieldrin	< 10	µg/L	0	GE
•		Diethyl phthalate	< 10	µg/L	0	GE
•		2,4-Dimethyl phenol	< 10	µg/L	0	GE
•		Dimethyl phthalate	< 10	µg/L	0	GE
•		2,4-Dinitrophenol	< 45	µg/L	0	GE
•		2,4-Dinitrotoluene	< 10	µg/L	0	GE
•		2,6-Dinitrotoluene	< 10	µg/L	0	GE
•		1,2-Diphenylhydrazine	< 10	µg/L	0	GE
•		Endosulfan I	< 10	µg/L	0	GE
•		Endosulfan II	< 10	µg/L	0	GE
•		Endosulfan sulfate	< 10	µg/L	0	GE
•		Endrin	< 10	µg/L	0	GE
•		Endrin aldehyde	< 10	µg/L	0	GE
		Ethylbenzene	< 1.0	µg/L	0	GE
•		Fluoranthene	< 10	µg/L	0	GE
•		Fluorene	< 10	µg/L	0	GE
		Fluoride	< 100	µg/L	0	GE
•		Heptachlor	< 10	µg/L	0	GE
•		Heptachlor epoxide	< 10	µg/L	0	GE
•		Hexachlorobenzene	< 10	µg/L	0	GE
•		Hexachlorobutadiene	< 10	µg/L	0	GE
•		Hexachlorocyclopentadiene	< 10	µg/L	0	GE
•		Hexachloroethane	< 10	µg/L	0	GE
•		Indeno[1,2,3-c,d]pyrene	< 10	µg/L	0	GE
		Iron	< 4.0	µg/L	0	GE
•		Isophorone	< 10	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB 85B collected on 01/15/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Lead	<3.0	µg/L	0	GE
•		Lindane	<10	µg/L	0	GE
		Magnesium	1,160	µg/L	0	GE
		Manganese	<2.0	µg/L	0	GE
		Mercury	<0.20	µg/L	0	GE
•		Methoxychlor	<0.50	µg/L	0	GE
•		2-Methyl-4,6-dinitrophenol	<10	µg/L	0	GE
•		N-Nitrosodimethylamine	<10	µg/L	0	GE
•		N-Nitrosodiphenylamine	<10	µg/L	0	GE
•		N-Nitrosodi-propylamine	<10	µg/L	0	GE
•		Naphthalene	<10	µg/L	0	GE
		Nickel	<4.0	µg/L	0	GE
		Nitrate as nitrogen	110	µg/L	0	GE
•		Nitrobenzene	<10	µg/L	0	GE
•		2-Nitrophenol	<10	µg/L	0	GE
•		4-Nitrophenol	<10	µg/L	0	GE
•		PCB 1016	<150	µg/L	0	GE
•		PCB 1221	<150	µg/L	0	GE
•		PCB 1232	<150	µg/L	0	GE
•		PCB 1242	<150	µg/L	0	GE
•		PCB 1248	<150	µg/L	0	GE
•		PCB 1254	<150	µg/L	0	GE
•		PCB 1260	<150	µg/L	0	GE
•		Pentachlorophenol	<10	µg/L	0	GE
•		Phenanthrene	<10	µg/L	0	GE
•		Phenol	<10	µg/L	0	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	884	µg/L	0	GE
•		Pyrene	<10	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	18,100	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	4,480	µg/L	0	GE
		Sulfate	1,770	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0	µg/L	0	GE
		Tetrachloroethylene	<1.0	µg/L	0	GE
		Tin	<2.0	µg/L	0	GE
		Toluene	<1.0	µg/L	0	GE
		Total dissolved solids	91,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	18	µg/L	0	GE
		Total phosphates (as P)	<50	µg/L	0	GE
•		Toxaphene	<10	µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090	µg/L	0	GE
•		1,2,4-Trichlorobenzene	<10	µg/L	0	GE
		1,1,1-Trichloroethane	<1.0	µg/L	0	GE
		1,1,2-Trichloroethane	<1.0	µg/L	0	GE
		Trichloroethylene	<1.0	µg/L	0	GE
		Trichlorofluoromethane	<1.0	µg/L	0	GE
•		2,4,6-Trichlorophenol	<10	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Xylenes	<2.0	µg/L	0	GE
		Zinc	<2.0	µg/L	0	GE
		Gross alpha	<2.0E+00	pCi/L	0	GE
		Nonvolatile beta	<2.0E+00	pCi/L	0	GE
		Total alpha-emitting radium	<1.0E+00	pCi/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB 85B collected on 01/15/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Tritium	<7.0E-01	pCi/mL	0	GE

WELL HSB 85C

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N73802.3	33.285182 °N	224.2-214.2 ft msl	294.1 ft msl	4" PVC	Water Table (IIB ₂)
E58947.4	81.654939 °W				

FIELD MEASUREMENTS

Sample date: 01/15/92
 Depth to water: 54.46 ft (16.60 m) below TOC
 Water elevation: 239.64 ft (73.04 m) msl
 Sp. conductance: 33 µS/cm
 Water evacuated before sampling: 67 gal

Time: 10:05
 pH: 4.8
 Alkalinity: 0 mg/L
 Water temperature: 18.1°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.1	pH	0	GE
		Specific conductance	42	µS/cm	0	GE
		Turbidity	<0.10	NTU	0	GE
•		Acenaphthene	<10	µg/L	0	GE
•		Acenaphthylene	<10	µg/L	0	GE
•		Acetophenone	<10	µg/L	0	GE
•		Aldrin	<10	µg/L	0	GE
		Aluminum	29	µg/L	0	GE
•		Anthracene	<10	µg/L	0	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	4.8	µg/L	0	GE
		Benzene	<1.0	µg/L	0	GE
•		alpha-Benzene hexachloride	<10	µg/L	0	GE
•		beta-Benzene hexachloride	<10	µg/L	0	GE
•		delta-Benzene hexachloride	<10	µg/L	0	GE
•		Benzidine	<10	µg/L	0	GE
•		Benzo[a]anthracene	<10	µg/L	0	GE
•		Benzo[a]pyrene	<10	µg/L	0	GE
•		Benzo[b]fluoranthene	<10	µg/L	0	GE
•		Benzo[g,h,i]perylene	<10	µg/L	0	GE
•		Benzo[k]fluoranthene	<10	µg/L	0	GE
•		Bis(2-chloroethoxy) methane	<10	µg/L	0	GE
•		Bis(2-chloroethyl) ether	<10	µg/L	0	GE
•		Bis(2-chloroisopropyl) ether	<10	µg/L	0	GE
•		Bis(2-ethylhexyl) phthalate	<10	µg/L	0	GE
		Bromodichloromethane	<1.0	µg/L	0	GE
		Bromoform	<1.0	µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0	µg/L	0	GE
•		4-Bromophenyl phenyl ether	<10	µg/L	0	GE
•		Butylbenzyl phthalate	<10	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	166	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB 85C collected on 01/15/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Carbon tetrachloride	< 1.0	µg/L	0	GE
•		Chlordane	< 10	µg/L	0	GE
		Chloride	2,100	µg/L	0	GE
		Chloride	2,210	µg/L	0	GE
•		para-Chloro-meta-cresol	< 10	µg/L	0	GE
		Chlorobenzene	< 1.0	µg/L	0	GE
		Chloroethane	< 1.0	µg/L	0	GE
		Chloroethene (Vinyl chloride)	< 1.0	µg/L	0	GE
		2-Chloroethyl vinyl ether	< 1.0	µg/L	0	GE
		Chloroform	< 1.0	µg/L	0	GE
		Chloromethane (Methyl chloride)	< 1.0	µg/L	0	GE
•		2-Chloronaphthalene	< 10	µg/L	0	GE
•		2-Chlorophenol	< 10	µg/L	0	GE
•		4-Chlorophenyl phenyl ether	< 10	µg/L	0	GE
		Chromium	< 4.0	µg/L	0	GE
•		Chrysene	< 10	µg/L	0	GE
		Cobalt	< 4.0	µg/L	0	GE
		Copper	23	µg/L	0	GE
		Cyanide	< 5.0	µg/L	0	GE
•		p,p'-DDD	< 10	µg/L	0	GE
•		p,p'-DDE	< 10	µg/L	0	GE
•		p,p'-DDT	< 10	µg/L	0	GE
•		Di-n-butyl phthalate	< 10	µg/L	0	GE
•		Di-n-octyl phthalate	< 10	µg/L	0	GE
•		Dibenz[a,h]anthracene	< 10	µg/L	0	GE
		Dibromochloromethane	< 1.0	µg/L	0	GE
•		3,3'-Dichlorobenzidine	< 10	µg/L	0	GE
		1,1-Dichloroethane	< 1.0	µg/L	0	GE
		1,2-Dichloroethane	< 1.0	µg/L	0	GE
		1,1-Dichloroethylene	< 1.0	µg/L	0	GE
		trans-1,2-Dichloroethylene	< 1.0	µg/L	0	GE
		Dichloromethane (Methylene chloride)	< 1.0	µg/L	0	GE
•		2,4-Dichlorophenol	< 10	µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	< 0.30	µg/L	0	GE
		1,2-Dichloropropane	< 1.0	µg/L	0	GE
		cis-1,3-Dichloropropene	< 1.0	µg/L	0	GE
		trans-1,3-Dichloropropene	< 1.0	µg/L	0	GE
•		Dieldrin	< 10	µg/L	0	GE
•		Diethyl phthalate	< 10	µg/L	0	GE
•		2,4-Dimethyl phenol	< 10	µg/L	0	GE
•		Dimethyl phthalate	< 10	µg/L	0	GE
•		2,4-Dinitrophenol	< 45	µg/L	0	GE
•		2,4-Dinitrotoluene	< 10	µg/L	0	GE
•		2,6-Dinitrotoluene	< 10	µg/L	0	GE
•		1,2-Diphenylhydrazine	< 10	µg/L	0	GE
•		Endosulfan I	< 10	µg/L	0	GE
•		Endosulfan II	< 10	µg/L	0	GE
•		Endosulfan sulfate	< 10	µg/L	0	GE
•		Endrin	< 10	µg/L	0	GE
•		Endrin aldehyde	< 10	µg/L	0	GE
		Ethylbenzene	< 1.0	µg/L	0	GE
•		Fluoranthene	< 10	µg/L	0	GE
•		Fluorene	< 10	µg/L	0	GE
		Fluoride	< 100	µg/L	0	GE
		Fluoride	< 100	µg/L	0	GE
•		Heptachlor	< 10	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB 85C collected on 01/15/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		Heptachlor epoxide	< 10	µg/L	0	GE
•		Hexachlorobenzene	< 10	µg/L	0	GE
•		Hexachlorobutadiene	< 10	µg/L	0	GE
•		Hexachlorocyclopentadiene	< 10	µg/L	0	GE
•		Hexachloroethane	< 10	µg/L	0	GE
•		Indeno[1,2,3-c,d]pyrene	< 10	µg/L	0	GE
		Iron	< 4.0	µg/L	0	GE
•		Isophorone	< 10	µg/L	0	GE
		Lead	< 3.0	µg/L	0	GE
•		Lindane	< 10	µg/L	0	GE
		Magnesium	102	µg/L	0	GE
		Manganese	2.4	µg/L	0	GE
		Mercury	< 0.20	µg/L	0	GE
•		Methoxychlor	< 0.50	µg/L	0	GE
•		2-Methyl-4,6-dinitrophenol	< 10	µg/L	0	GE
•		N-Nitrosodimethylamine	< 10	µg/L	0	GE
•		N-Nitrosodiphenylamine	< 10	µg/L	0	GE
•		N-Nitrosodi-propylamine	< 10	µg/L	0	GE
•		Naphthalene	< 10	µg/L	0	GE
		Nickel	< 4.0	µg/L	0	GE
		Nitrate as nitrogen	1,620	µg/L	0	GE
		Nitrate as nitrogen	1,620	µg/L	0	GE
•		Nitrobenzene	< 10	µg/L	0	GE
•		2-Nitrophenol	< 10	µg/L	0	GE
•		4-Nitrophenol	< 10	µg/L	0	GE
•		PCB 1016	< 150	µg/L	0	GE
•		PCB 1221	< 150	µg/L	0	GE
•		PCB 1232	< 150	µg/L	0	GE
•		PCB 1242	< 150	µg/L	0	GE
•		PCB 1248	< 150	µg/L	0	GE
•		PCB 1254	< 150	µg/L	0	GE
•		PCB 1260	< 150	µg/L	0	GE
•		Pentachlorophenol	< 10	µg/L	0	GE
•		Phenanthrene	< 10	µg/L	0	GE
•		Phenol	< 10	µg/L	0	GE
		Phenols	< 5.0	µg/L	0	GE
		Potassium	< 500	µg/L	0	GE
•		Pyrene	< 10	µg/L	0	GE
		Selenium	< 2.0	µg/L	0	GE
		Silica	6,930	µg/L	0	GE
		Silver	< 2.0	µg/L	0	GE
		Sodium	3,710	µg/L	0	GE
		Sulfate	< 1,000	µg/L	0	GE
		Sulfate	< 1,000	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	< 1.0	µg/L	0	GE
		Tetrachloroethylene	< 1.0	µg/L	0	GE
		Tin	< 2.0	µg/L	0	GE
		Toluene	< 1.0	µg/L	0	GE
		Total dissolved solids	18,000	µg/L	0	GE
		Total organic carbon	< 1,000	µg/L	0	GE
		Total organic halogens	< 5.0	µg/L	0	GE
		Total phosphates (as P)	< 50	µg/L	0	GE
•		Toxaphene	< 10	µg/L	0	GE
		2,4,5-TP (Silvex)	< 0.090	µg/L	0	GE
•		1,2,4-Trichlorobenzene	< 10	µg/L	0	GE
		1,1,1-Trichloroethane	< 1.0	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB 85C collected on 01/15/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		1,1,2-Trichloroethane	< 1.0	µg/L	0	GE
		Trichloroethylene	< 1.0	µg/L	0	GE
		Trichlorofluoromethane	< 1.0	µg/L	0	GE
•		2,4,6-Trichlorophenol	< 10	µg/L	0	GE
		Vanadium	< 8.0	µg/L	0	GE
		Xylenes	< 2.0	µg/L	0	GE
		Zinc	< 2.0	µg/L	0	GE
		Gross alpha	< 2.0E+00	pCi/L	0	GE
		Nonvolatile beta	< 2.0E+00	pCi/L	0	GE
		Total alpha-emitting radium	< 1.0E+00	pCi/L	0	GE
		Tritium	2.7E+00 ± 2.0E-01	pCi/mL	0	GE

WELL HSB 86A

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N72520.2	33.277514 °N	73.9-63.1 ft msl	262.4 ft msl	4" PVC	L. Congaree (IIA)
E55985.9	81.660247 °W				

FIELD MEASUREMENTS

Sample date: 01/08/92
 Depth to water: 93.27 ft (28.43 m) below TOC
 Water elevation: 169.13 ft (51.55 m) msl
 Sp. conductance: 136 µS/cm
 Water evacuated before sampling: 278 gal

Time: 11:00
 pH: 6.9
 Alkalinity: 38 mg/L
 Water temperature: 17.3°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	6.8	pH	0	GE
		Specific conductance	145	µS/cm	0	GE
		Aluminum	< 20	µg/L	0	GE
		Antimony	< 2.0	µg/L	0	GE
		Arsenic	< 2.0	µg/L	0	GE
		Barium	20	µg/L	0	GE
		Cadmium	< 2.0	µg/L	0	GE
		Calcium	21,700	µg/L	0	GE
		Chloride	2,520	µg/L	0	GE
		Chromium	< 4.0	µg/L	0	GE
		Cobalt	< 4.0	µg/L	0	GE
		Copper	< 4.0	µg/L	0	GE
		Cyanide	< 5.0	µg/L	0	GE
		Fluoride	118	µg/L	0	GE
		Fluoride	118	µg/L	0	GE
		Iron	< 4.0	µg/L	0	GE
		Lead	< 3.0	µg/L	0	GE
		Magnesium	714	µg/L	0	GE
		Manganese	< 2.0	µg/L	0	GE
		Mercury	< 0.20	µg/L	0	GE
		Nickel	< 4.0	µg/L	0	GE
		Nitrate as nitrogen	< 50	µg/L	0	GE
		Phenols	< 5.0	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB 86A collected on 01/08/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Potassium	836	µg/L	0	GE
		Selenium	< 2.0	µg/L	0	GE
		Silica	28,800	µg/L	0	GE
		Silver	< 2.0	µg/L	0	GE
		Sodium	1,600	µg/L	0	GE
		Sulfate	8,470	µg/L	0	GE
		Total dissolved solids	93,000	µg/L	0	GE
		Total organic carbon	< 1,000	µg/L	0	GE
		Total organic halogens	7.0	µg/L	0	GE
		Total phosphates (as P)	230	µg/L	0	GE
		Vanadium	< 8.0	µg/L	0	GE
		Zinc	< 2.0	µg/L	0	GE
		Gross alpha	< 2.0E + 00	pCi/L	0	GE
		Nonvolatile beta	2.3E + 00 ± 4.7E-01	pCi/L	0	GE
		Total alpha-emitting radium	1.5E + 00 ± 4.0E-01	pCi/L	0	GE
		Tritium	2.5E + 00 ± 2.0E-01	pCi/mL	0	GE

WELL HSB 86B

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N72519.0	33.277497 °N	124.0-113.8 ft msl	261.9 ft msl	4" PVC	McBean (IIB ₁)
E55976.9	81.660269 °W				

FIELD MEASUREMENTS

Sample date: 01/08/92
 Depth to water: 40.91 ft (12.47 m) below TOC
 Water elevation: 220.99 ft (67.36 m) msl
 Sp. conductance: 224 µS/cm
 Water evacuated before sampling: 281 gal

Time: 11:45
 pH: 7.6
 Alkalinity: 80 mg/L
 Water temperature: 19.5°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	7.5	pH	0	GE
		Specific conductance	215	µS/cm	0	GE
		Aluminum	< 20	µg/L	0	GE
		Antimony	< 2.0	µg/L	0	GE
		Arsenic	< 2.0	µg/L	0	GE
		Barium	33	µg/L	0	GE
		Cadmium	< 2.0	µg/L	0	GE
		Calcium	40,800	µg/L	0	GE
		Chloride	2,630	µg/L	0	GE
		Chromium	< 4.0	µg/L	0	GE
		Cobalt	< 4.0	µg/L	0	GE
		Copper	< 4.0	µg/L	0	GE
		Cyanide	< 5.0	µg/L	0	GE
		Fluoride	< 100	µg/L	0	GE
		Iron	< 4.0	µg/L	0	GE
		Lead	< 3.0	µg/L	0	GE
		Magnesium	833	µg/L	0	GE
		Manganese	< 2.0	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB 86B collected on 01/08/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Mercury	<0.20	µg/L	0	GE
		Nickel	<4.0	µg/L	0	GE
		Nitrate as nitrogen	<50	µg/L	0	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	500	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	37,800	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	2,060	µg/L	0	GE
		Sulfate	2,530	µg/L	0	GE
		Total dissolved solids	66,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	<5.0	µg/L	0	GE
		Total phosphates (as P)	150	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	<2.0	µg/L	0	GE
		Gross alpha	<2.0E+00	pCi/L	0	GE
		Nonvolatile beta	<2.0E+00	pCi/L	0	GE
		Total alpha-emitting radium	1.2E+00 ± 4.0E-01	pCi/L	0	GE
		Tritium	<7.0E-01	pCi/mL	0	GE

WELL HSB 86C

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N72529.7 E55984.6	33.277533 °N 81.660269 °W	199.4-189.4 ft msl	262.9 ft msl	4" PVC	Barnwell (IIB ₁)

FIELD MEASUREMENTS

Sample date: 01/08/92
 Depth to water: 40.23 ft (12.26 m) below TOC
 Water elevation: 222.67 ft (67.87 m) msl
 Sp. conductance: 380 µS/cm
 Water evacuated before sampling: 87 gal

Time: 11:20
 pH: 4.5
 Alkalinity: 0 mg/L
 Water temperature: 18.9°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	4.4	pH	0	GE
		Specific conductance	282	µS/cm	1	GE
		Aluminum	701	µg/L	2	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	76	µg/L	0	GE
■		Cadmium	9.8	µg/L	2	GE
		Calcium	8,890	µg/L	0	GE
		Chloride	2,520	µg/L	0	GE
		Chloride	2,620	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	53	µg/L	2	GE
		Copper	<4.0	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB 86C collected on 01/08/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Fluoride	258	µg/L	0	GE
		Iron	12	µg/L	0	GE
		Lead	<3.0	µg/L	0	GE
		Magnesium	3,340	µg/L	0	GE
		Manganese	2,510	µg/L	2	GE
		Mercury	<0.20	µg/L	0	GE
		Nickel	78	µg/L	1	GE
•	■	Nitrate as nitrogen	40,400	µg/L	2	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	1,720	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	18,900	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	38,600	µg/L	0	GE
•		Sulfate	24,500	µg/L	0	GE
•		Total dissolved solids	246,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	15	µg/L	0	GE
		Total phosphates (as P)	50	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	70	µg/L	0	GE
	■	Gross alpha	2.0E+01 ± 2.3E+00	pCi/L	2	GE
	■	Nonvolatile beta	2.9E+02 ± 5.8E+00	pCi/L	2	GE
	■	Total alpha-emitting radium	1.6E+01 ± 1.0E+00	pCi/L	2	GE
	■	Tritium	1.5E+04 ± 9.6E+00	pCi/mL	2	GE

WELL HSB 86D

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N72522.1 E55996.5	33.277536 °N 81.660223 °W	236.6-206.6 ft msl	263.0 ft msl	4" PVC	Water Table (IIB ₂)

FIELD MEASUREMENTS

Sample date: 01/08/92
Depth to water: 40.33 ft (12.29 m) below TOC
Water elevation: 222.67 ft (67.87 m) msl
Sp. conductance: 410 µS/cm
Water evacuated before sampling: 42 gal

Time: 11:35
pH: 3.9
Alkalinity: 0 mg/L
Water temperature: 19.2°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	3.8	pH	1	GE
		Specific conductance	310	µS/cm	1	GE
		Aluminum	5,860	µg/L	2	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	77	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	2,930	µg/L	0	GE
		Chloride	2,600	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB 86D collected on 01/08/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Chromium	<4.0	µg/L	0	GE
		Cobalt	12	µg/L	0	GE
		Copper	5.5	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Fluoride	552	µg/L	0	GE
		Iron	19	µg/L	0	GE
		Lead	<3.0	µg/L	0	GE
		Magnesium	946	µg/L	0	GE
		Manganese	393	µg/L	2	GE
		Mercury	<0.20	µg/L	0	GE
		Nickel	12	µg/L	0	GE
•	■	Nitrate as nitrogen	37,800	µg/L	2	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	1,280	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	29,700	µg/L	0	GE
		Silver	<2.0	µg/L	0	CE
		Sodium	31,300	µg/L	0	GE
•		Sulfate	4,500	µg/L	0	GE
•		Total dissolved solids	251,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	7.3	µg/L	0	GE
		Total phosphates (as P)	70	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	69	µg/L	0	GE
	■	Gross alpha	4.4E+01 ± 2.9E+00	pCi/L	2	GE
	■	Nonvolatile beta	2.3E+03 ± 1.6E+01	pCi/L	2	GE
	■	Total alpha-emitting radium	7.2E+01 ± 2.2E+00	pCi/L	2	GE
	■	Tritium	1.3E+04 ± 8.8E+00	pCi/mL	2	GE

WELL HSB100C

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N72077.2 E58806.5	33.281136 °N 81.651960 °W	163.0-153.0 ft msl	260.2 ft msl	4" PVC	Barnwell (IIB ₁)

FIELD MEASUREMENTS

Sample date: 01/01/92
 Depth to water: 33.79 ft (10.30 m) below TOC
 Water elevation: 226.41 ft (69.01 m) msl
 Sp. conductance: 34 µS/cm
 Water evacuated before sampling: 193 gal

Time: 9:40
 pH: 5.8
 Alkalinity: 4 mg/L
 Water temperature: 18.6°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.6	pH	0	GE
		Specific conductance	320	µS/cm	1	GE
		Aluminum	<20	µg/L	0	GE
		Antimony	<2.0	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB100C collected on 01/01/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Arsenic	<2.0	µg/L	0	GE
		Barium	<3.0	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	3,150	µg/L	0	GE
		Chloride	2,770	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	<4.0	µg/L	0	GE
		Copper	<4.0	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Fluoride	127	µg/L	0	GE
		Iron	<4.0	µg/L	0	GE
		Lead	<3.0	µg/L	0	GE
		Magnesium	412	µg/L	0	GE
		Manganese	2.6	µg/L	0	GE
		Mercury	<0.20	µg/L	0	GE
		Nickel	<4.0	µg/L	0	GE
		Nitrate as nitrogen	140	µg/L	0	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	<500	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	14,500	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	1,740	µg/L	0	GE
		Sulfate	<1,000	µg/L	0	GE
		Total dissolved solids	25,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	57	µg/L	2	GE
		Total phosphates (as P)	440	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	4.4	µg/L	0	GE
		Gross alpha	<2.0E+00	pCi/L	0	GE
		Nonvolatile beta	<2.0E+00	pCi/L	0	GE
		Total alpha-emitting radium	1.4E+00 ± 3.0E-01	pCi/L	0	GE
		Tritium	1.3E+00 ± 2.0E-01	pCi/mL	0	GE

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB100D

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Formation
N72073.8 E58796.9	33.281113 °N 81.651978 °W	236.9-216.9 ft msl	260.1 ft msl	4" PVC	Water Table (IIB ₂)

FIELD MEASUREMENTS

Sample date: 01/01/92	Time: 9:30
Depth to water: 27.03 ft (8.24 m) below TOC	pH: 5.3
Water elevation: 233.07 ft (71.04 m) msl	Alkalinity: 1 mg/L
Sp. conductance: 68 µS/cm	Water temperature: 19.4°C
Water evacuated before sampling: 42 gal	

LABORATORY ANALYSES

H	D	Analyte	Result	Unit	Flag	Lab
•		pH	6.2	pH	0	GE
		Specific conductance	60	µS/cm	0	GE
		Aluminum	< 20	µg/L	0	GE
		Antimony	< 2.0	µg/L	0	GE
		Arsenic	< 2.0	µg/L	0	GE
		Barium	25	µg/L	0	GE
		Cadmium	< 2.0	µg/L	0	GE
		Calcium	2,020	µg/L	0	GE
		Chloride	5,000	µg/L	0	GE
		Chloride	5,400	µg/L	0	GE
		Chromium	< 4.0	µg/L	0	GE
		Cobalt	< 4.0	µg/L	0	GE
		Copper	40	µg/L	0	GE
•		Cyanide	< 5.0	µg/L	0	GE
		Fluoride	< 100	µg/L	0	GE
		Fluoride	< 100	µg/L	0	GE
		Iron	73	µg/L	0	GE
		Lead	6.6	µg/L	0	GE
		Magnesium	759	µg/L	0	GE
		Manganese	36	µg/L	1	GE
		Mercury	0.26	µg/L	0	GE
		Nickel	7.9	µg/L	0	GE
		Nitrate as nitrogen	3,400	µg/L	0	GE
		Phenols	< 5.0	µg/L	0	GE
		Phenols	< 5.0	µg/L	0	GE
		Potassium	< 500	µg/L	0	GE
		Selenium	< 2.0	µg/L	0	GE
		Silica	8,170	µg/L	0	GE
		Silver	< 2.0	µg/L	0	GE
		Sodium	7,820	µg/L	0	GE
		Sulfate	< 1,000	µg/L	0	GE
•		Total dissolved solids	39,000	µg/L	0	GE
•		Total dissolved solids	47,000	µg/L	0	GE
		Total organic carbon	< 1,000	µg/L	0	GE
		Total organic halogens	18	µg/L	0	GE
		Total phosphates (as P)	< 50	µg/L	0	GE
		Vanadium	< 8.0	µg/L	0	GE
		Zinc	161	µg/L	0	GE
		Gross alpha	2.2E+00 ± 5.2E-01	pCi/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB100D collected on 01/01/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Nonvolatile beta	2.2E+01 ± 1.1E+00	pCi/L	0	GE
		Total alpha-emitting radium	1.2E+00 ± 3.0E-01	pCi/L	0	GE
	■	Tritium	5.0E+02 ± 1.8E+00	pCi/mL	2	GE

WELL HSB101C

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N72001.9	33.280640 °N	176.3-166.3 ft msl	258.5 ft msl	4" PVC	Barnwell (IB ₁)
E58604.4	81.652346 °W				

FIELD MEASUREMENTS

Sample date: 01/01/92
 Depth to water: 33.40 ft (10.18 m) below TOC
 Water elevation: 225.10 ft (68.61 m) msl
 Sp. conductance: 63 µS/cm
 Water evacuated before sampling: 154 gal

Time: 10:40
 pH: 6.4
 Alkalinity: 15 mg/L
 Water temperature: 17.9°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	6.1	pH	0	GE
		Specific conductance	580	µS/cm	2	GE
		Aluminum	<20	µg/L	0	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	11	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	6,770	µg/L	0	GE
		Chloride	2,740	µg/L	0	GE
		Chloride	2,710	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	<4.0	µg/L	0	GE
		Copper	<4.0	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Fluoride	112	µg/L	0	GE
		Iron	<4.0	µg/L	0	GE
		Lead	<3.0	µg/L	0	GE
		Magnesium	350	µg/L	0	GE
		Manganese	2.2	µg/L	0	GE
		Mercury	<0.20	µg/L	0	GE
		Nickel	<4.0	µg/L	0	GE
		Nitrate as nitrogen	630	µg/L	0	GE
		Nitrate as nitrogen	630	µg/L	0	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	1,380	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	13,200	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	2,520	µg/L	0	GE
		Sulfate	<1,000	µg/L	0	GE
		Sulfate	<1,000	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB101C collected on 01/01/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Total dissolved solids	39,000	µg/L	0	GE
		Total organic carbon	< 1,000	µg/L	0	GE
		Total organic halogens	< 5.0	µg/L	0	GE
		Total phosphates (as P)	350	µg/L	0	GE
		Vanadium	< 8.0	µg/L	0	GE
		Zinc	4.7	µg/L	0	GE
		Gross alpha	< 2.0E + 00	pCi/L	0	GE
		Nonvolatile beta	3.8E + 00 ± 5.0E-01	pCi/L	0	GE
		Total alpha-emitting radium	< 1.0E + 00	pCi/L	0	GE
		Tritium	1.2E + 01 ± 3.0E-01	pCi/mL	1	GE

WELL HSB101D

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N71997.5 E58594.8	33.280614 °N 81.652362 °W	236.1-216.1 ft msl	258.7 ft msl	4" PVC	Water Table (IIB ₂)

FIELD MEASUREMENTS

Sample date: 01/01/92
 Depth to water: 28.75 ft (8.76 m) below TOC
 Water elevation: 229.95 ft (70.09 m) msl
 Sp. conductance: 630 µS/cm
 Water evacuated before sampling: 45 gal

Time: 10:55
 pH: 10.0
 Alkalinity: 110 mg/L
 Water temperature: 19.9°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	9.3	pH	1	GE
		Specific conductance	610	µS/cm	2	GE
		Aluminum	360	µg/L	2	GE
		Antimony	< 2.0	µg/L	0	GE
■		Arsenic	81	µg/L	2	GE
		Barium	4.0	µg/L	0	GE
		Cadmium	< 2.0	µg/L	0	GE
		Calcium	350	µg/L	0	GE
		Chloride	2,370	µg/L	0	GE
		Chromium	< 4.0	µg/L	0	GE
		Cobalt	< 4.0	µg/L	0	GE
		Copper	< 4.0	µg/L	0	GE
•		Cyanide	5.0	µg/L	0	GE
		Fluoride	458	µg/L	0	GE
		Iron	13	µg/L	0	GE
		Lead	< 3.0	µg/L	0	GE
		Magnesium	276	µg/L	0	GE
		Manganese	53	µg/L	2	GE
■		Mercury	4.2	µg/L	2	GE
		Nickel	< 4.0	µg/L	0	GE
■		Nitrate as nitrogen	43,400	µg/L	2	GE
		Phenols	< 5.0	µg/L	0	GE
		Potassium	< 500	µg/L	0	GE
		Selenium	< 2.0	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB101D collected on 01/01/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Silica	4,830	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	115,000	µg/L	0	GE
		Sulfate	3,420	µg/L	0	GE
•		Total dissolved solids	430,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	8.0	µg/L	0	GE
		Total phosphates (as P)	2,280	µg/L	0	GE
		Vanadium	323	µg/L	2	GE
		Zinc	<2.0	µg/L	0	GE
		Gross alpha	4.4E+00 ± 5.7E-01	pCi/L	0	GE
■		Nonvolatile beta	9.0E+01 ± 1.8E+00	pCi/L	2	GE
		Total alpha-emitting radium	2.0E+00 ± 4.0E-01	pCi/L	0	GE
■		Tritium	1.0E+04 ± 7.8E+00	pCi/mL	2	GE

WELL HSB102C

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N71960.1	33.280213 °N	176.7-166.7 ft msl	259.0 ft msl	4" PVC	Barnwell (IIB ₁)
E58399.7	81.652803 °W				

FIELD MEASUREMENTS

Sample date: 01/01/92
 Depth to water: 34.72 ft (10.58 m) below TOC
 Water elevation: 224.28 ft (68.36 m) msl
 Sp. conductance: 178 µS/cm
 Water evacuated before sampling: 151 gal

Time: 11:35
 pH: 6.0
 Alkalinity: 10 mg/L
 Water temperature: 18.0°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.9	pH	0	GE
		Specific conductance	160	µS/cm	0	GE
		Aluminum	<20	µg/L	0	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	22	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	6,290	µg/L	0	GE
		Chloride	5,000	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	<4.0	µg/L	0	GE
		Copper	<4.0	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Fluoride	<100	µg/L	0	GE
		Iron	<4.0	µg/L	0	GE
		Lead	<3.0	µg/L	0	GE
		Magnesium	1,520	µg/L	0	GE
		Manganese	57	µg/L	2	GE
		Mercury	<0.20	µg/L	0	GE
		Nickel	<4.0	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB102C collected on 01/01/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
■		Nitrate as nitrogen	13,400	µg/L	2	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	2,950	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	10,300	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	17,900	µg/L	0	GE
		Sulfate	<1,000	µg/L	0	GE
		Sulfate	<1,000	µg/L	0	GE
		Total dissolved solids	130,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	<5.0	µg/L	0	GE
		Total phosphates (as P)	80	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	11	µg/L	0	GE
		Gross alpha	<2.0E+00	pCi/L	0	GE
		Nonvolatile beta	8.9E+00 ± 7.7E-01	pCi/L	0	GE
		Total alpha-emitting radium	<1.0E+00	pCi/L	0	GE
■		Tritium	2.2E+02 ± 1.2E+00	pCi/mL	2	GE

WELL HSB102D

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N71952.4 E58393.4	33.280186 °N 81.652805 °W	236.3-216.3 ft msl	258.6 ft msl	4" PVC	Water Table (IIB ₂)

FIELD MEASUREMENTS

Sample date: 01/01/92
 Depth to water: 29.64 ft (9.03 m) below TOC
 Water elevation: 228.96 ft (69.79 m) msl
 Sp. conductance: 363 µS/cm
 Water evacuated before sampling: 6 gal
 The well went dry during purging.

Time: 11:50
 pH: 4.0
 Alkalinity: 0 mg/L
 Water temperature: 18.0°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	4.0	pH	0	GE
		Specific conductance	260	µS/cm	1	GE
		Aluminum	9,780	µg/L	2	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	44	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	4,000	µg/L	0	GE
•		Chloride	2,920	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	<4.0	µg/L	0	GE
		Copper	13	µg/L	0	GE
•		Cyanide	<5.0	µg/L	0	GE
		Fluoride	230	µg/L	0	GE
		Iron	244	µg/L	1	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB102D collected on 01/01/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
■		Lead	38	µg/L	2	GE
		Magnesium	1,150	µg/L	0	GE
		Manganese	551	µg/L	2	GE
		Mercury	0.74	µg/L	0	GE
		Nickel	20	µg/L	0	GE
■		Nitrate as nitrogen	40,000	µg/L	2	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	1,590	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	13,100	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	10,100	µg/L	0	GE
●		Sulfate	5,360	µg/L	0	GE
●		Total dissolved solids	122,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	<5.0	µg/L	0	GE
		Total phosphates (as P)	350	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	74	µg/L	0	GE
■		Gross alpha	8.0E+01 ± 3.1E+00	pCi/L	2	GE
■		Nonvolatile beta	4.2E+03 ± 1.6E+01	pCi/L	2	GE
■		Total alpha-emitting radium	7.3E+01 ± 2.0E+00	pCi/L	2	GE
■		Tritium	1.0E+04 ± 7.9E+00	pCi/mL	2	GE

WELL HSB103C

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N71593.9	33.279279 °N	169.2-159.2 ft msl	247.4 ft msl	4" PVC	Barnwell (IIB ₁)
E58323.6	81.652293 °W				

FIELD MEASUREMENTS

Sample date: 01/06/92
 Depth to water: 25.03 ft (7.63 m) below TOC
 Water elevation: 222.37 ft (67.78 m) msl
 Sp. conductance: 223 µS/cm
 Water evacuated before sampling: 166 gal

Time: 12:30
 pH: 5.0
 Alkalinity: 0 mg/L
 Water temperature: 18.6°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
●		pH	5.2	pH	0	GE
		Specific conductance	225	µS/cm	0	GE
		Aluminum	169	µg/L	1	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	65	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	6,970	µg/L	0	GE
		Chloride	5,850	µg/L	0	GE
		Chloride	5,950	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB103C collected on 01/06/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Cobalt	10	µg/L	0	GE
		Copper	<4.0	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Fluoride	113	µg/L	0	GE
		Iron	<4.0	µg/L	0	GE
		Lead	<3.0	µg/L	0	GE
		Magnesium	5,290	µg/L	0	GE
		Manganese	441	µg/L	2	GE
		Mercury	0.92	µg/L	0	GE
		Nickel	5.2	µg/L	0	GE
■		Nitrate as nitrogen	22,800	µg/L	2	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	1,410	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	10,400	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	21,100	µg/L	0	GE
		Sulfate	<1,000	µg/L	0	GE
		Sulfate	<1,000	µg/L	0	GE
		Total dissolved solids	146,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	<5.0	µg/L	0	GE
		Total phosphates (as P)	<50	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	20	µg/L	0	GE
		Gross alpha	<2.0E+00	pCi/L	0	GE
		Nonvolatile beta	2.2E+01 ± 1.1E+00	pCi/L	0	GE
		Total alpha-emitting radium	1.5E+00 ± 4.0E-01	pCi/L	0	GE
■		Tritium	8.2E+02 ± 2.2E+00	pCi/mL	2	GE

WELL HSB103D

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N71588.1	33.279253 °N	233.7-213.7 ft msl	247.6 ft msl	4" PVC	Water Table (IIB ₂)
E58315.6	81.652302 °W				

FIELD MEASUREMENTS

Sample date: 01/06/92
 Depth to water: 22.86 ft (6.97 m) below TOC
 Water elevation: 224.74 ft (68.50 m) msl
 Sp. conductance: 206 µS/cm
 Water evacuated before sampling: 29 gal

Time: 12:45
 pH: 4.3
 Alkalinity: 0 mg/L
 Water temperature: 20.7 °C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	4.4	pH	0	GE
		Specific conductance	158	µS/cm	0	GE
		Aluminum	682	µg/L	2	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB103D collected on 01/06/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Barium	28	µg/L	0	GE
		Cadmium	< 2.0	µg/L	0	GE
		Calcium	924	µg/L	0	GE
		Chloride	4,920	µg/L	0	GE
		Chromium	< 4.0	µg/L	0	GE
		Cobalt	< 4.0	µg/L	0	GE
		Copper	< 4.0	µg/L	0	GE
•		Cyanide	5.0	µg/L	0	GE
		Fluoride	< 100	µg/L	0	GE
		Iron	11	µg/L	0	GE
		Lead	< 3.0	µg/L	0	GE
		Magnesium	1,320	µg/L	0	GE
		Manganese	151	µg/L	2	GE
■		Mercury	2.3	µg/L	2	GE
		Nickel	< 4.0	µg/L	0	GE
■		Nitrate as nitrogen	20,000	µg/L	2	GE
		Phenols	< 5.0	µg/L	0	GE
		Potassium	863	µg/L	0	GE
		Selenium	< 2.0	µg/L	0	GE
		Silica	7,950	µg/L	0	GE
		Silver	< 2.0	µg/L	0	GE
		Sodium	28,000	µg/L	0	GE
•		Sulfate	17,100	µg/L	0	GE
•		Total dissolved solids	142,000	µg/L	0	GE
		Total organic carbon	< 1,000	µg/L	0	GE
		Total organic halogens	21	µg/L	0	GE
		Total phosphates (as P)	< 50	µg/L	0	GE
		Vanadium	< 8.0	µg/L	0	GE
		Zinc	4.7	µg/L	0	GE
		Gross alpha	8.0E+00 ± 8.8E-01	pCi/L	1	GE
■		Nonvolatile beta	4.3E+02 ± 4.8E+00	pCi/L	2	GE
■		Total alpha-emitting radium	1.9E+01 ± 9.0E-01	pCi/L	2	GE
■		Tritium	5.2E+03 ± 5.6E+00	pCi/mL	2	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB104C

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N71376.8 E58082.6	33.278406 °N 81.652506 °W	173.5-163.5 ft msl	247.9 ft msl	4" PVC	Barnwell (IB ₁)

FIELD MEASUREMENTS

Sample date: 01/06/92
 Depth to water: 27.43 ft (8.36 m) below TOC
 Water elevation: 220.47 ft (67.20 m) msl
 Sp. conductance: 140 μ S/cm
 Water evacuated before sampling: 260 gal

Time: 10:55
 pH: 7.5
 Alkalinity: 32 mg/L
 Water temperature: 18.3°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	7.5	pH	0	GE
		Specific conductance	135	μ S/cm	0	GE
		Aluminum	204	μ g/L	2	GE
		Antimony	< 2.0	μ g/L	0	GE
		Arsenic	< 2.0	μ g/L	0	GE
		Barium	42	μ g/L	0	GE
		Cadmium	< 2.0	μ g/L	0	GE
		Calcium	11,300	μ g/L	0	GE
		Chloride	3,680	μ g/L	0	GE
		Chromium	< 4.0	μ g/L	0	GE
		Cobalt	< 4.0	μ g/L	0	GE
		Copper	< 4.0	μ g/L	0	GE
		Cyanide	< 5.0	μ g/L	0	GE
		Fluoride	< 100	μ g/L	0	GE
		Iron	< 4.0	μ g/L	0	GE
		Lead	< 3.0	μ g/L	0	GE
		Magnesium	946	μ g/L	0	GE
		Manganese	20	μ g/L	0	GE
		Mercury	< 0.20	μ g/L	0	GE
		Nickel	< 4.0	μ g/L	0	GE
		Nitrate as nitrogen	5,600	μ g/L	1	GE
		Phenols	< 5.0	μ g/L	0	GE
		Potassium	6,160	μ g/L	0	GE
		Selenium	< 2.0	μ g/L	0	GE
		Silica	12,400	μ g/L	0	GE
		Silver	< 2.0	μ g/L	0	GE
		Sodium	9,440	μ g/L	0	GE
		Sulfate	< 1,000	μ g/L	0	GE
		Total dissolved solids	87,000	μ g/L	0	GE
		Total organic carbon	< 1,000	μ g/L	0	GE
		Total organic halogens	< 5.0	μ g/L	0	GE
		Total organic halogens	< 5.0	μ g/L	0	GE
		Total phosphates (as P)	< 50	μ g/L	0	GE
		Vanadium	< 8.0	μ g/L	0	GE
		Zinc	2.9	μ g/L	0	GE
		Gross alpha	< 2.0E+00	pCi/L	0	GE
		Nonvolatile beta	2.9E+01 $\pm$ 1.4E+00	pCi/L	1	GE
		Total alpha-emitting radium	< 1.0E+00	pCi/L	0	GE
■		Tritium	2.9E+02 $\pm$ 1.3E+00	pCi/mL	2	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB104D

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N71370.2 E58075.8	33.278380 °N 81.652511 °W	230.6-210.6 ft msl	247.8 ft msl	4" PVC	Water Table (IIB ₂)

FIELD MEASUREMENTS

Sample date: 01/06/92
 Depth to water: 23.48 ft (7.16 m) below TOC
 Water elevation: 224.32 ft (68.37 m) msl
 Sp. conductance: 265 μ S/cm
 Water evacuated before sampling: 69 gal

Time: 10:10
 pH: 4.0
 Alkalinity: 0 mg/L
 Water temperature: 18.9°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	4.0	pH	1	GE
		Specific conductance	195	μ S/cm	0	GE
		Aluminum	7,720	μ g/L	2	GE
		Antimony	<2.0	μ g/L	0	GE
		Arsenic	<2.0	μ g/L	0	GE
		Barium	69	μ g/L	0	GE
		Cadmium	<2.0	μ g/L	0	GE
		Calcium	2,330	μ g/L	0	GE
		Chloride	2,160	μ g/L	0	GE
		Chromium	<4.0	μ g/L	0	GE
		Cobalt	9.2	μ g/L	0	GE
		Copper	12	μ g/L	0	GE
•		Cyanide	<5.0	μ g/L	0	GE
		Fluoride	312	μ g/L	0	GE
		Iron	221	μ g/L	1	GE
		Lead	<3.0	μ g/L	0	GE
		Magnesium	861	μ g/L	0	GE
		Manganese	576	μ g/L	2	GE
■		Mercury	3.6	μ g/L	2	GE
		Nickel	10	μ g/L	0	GE
■		Nitrate as nitrogen	22,800	μ g/L	2	GE
		Phenols	<5.0	μ g/L	0	GE
		Potassium	614	μ g/L	0	GE
		Selenium	<2.0	μ g/L	0	GE
		Silica	14,600	μ g/L	0	GE
		Silver	<2.0	μ g/L	0	GE
		Sodium	8,000	μ g/L	0	GE
•		Sulfate	67,400	μ g/L	0	GE
•		Total dissolved solids	101,000	μ g/L	0	GE
		Total organic carbon	<1,000	μ g/L	0	GE
		Total organic halogens	8.3	μ g/L	0	GE
		Total phosphates (as P)	50	μ g/L	0	GE
		Vanadium	<8.0	μ g/L	0	GE
		Zinc	38	μ g/L	0	GE
■		Gross alpha	2.3E+01 $\pm$ 1.5E+00	pCi/L	2	GE
■		Nonvolatile beta	2.9E+03 $\pm$ 1.2E+01	pCi/L	2	GE
■		Total alpha-emitting radium	3.8E+01 $\pm$ 1.3E+00	pCi/L	2	GE
■		Tritium	2.8E+03 $\pm$ 4.1E+00	pCi/mL	2	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB105C

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N71447.3 E57883.8	33.278237 °N 81.653166 °W	162.2-152.2 ft msl	249.5 ft msl	4" PVC	Barnwell (IIB ₁)

FIELD MEASUREMENTS

Sample date: 01/01/92
 Depth to water: 30.04 ft (9.16 m) below TOC
 Water elevation: 219.46 ft (66.89 m) msl
 Sp. conductance: 82 µS/cm
 Water evacuated before sampling: 176 gal

Time: 13:10
 pH: 6.2
 Alkalinity: 14 mg/L
 Water temperature: 17.8°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.8	pH	0	GE
		Specific conductance	780	µS/cm	2	GE
		Aluminum	< 20	µg/L	0	GE
		Antimony	< 2.0	µg/L	0	GE
		Arsenic	< 2.0	µg/L	0	GE
		Barium	4.6	µg/L	0	GE
		Cadmium	< 2.0	µg/L	0	GE
		Calcium	9,080	µg/L	0	GE
		Chloride	3,680	µg/L	0	GE
		Chromium	< 4.0	µg/L	0	GE
		Cobalt	< 4.0	µg/L	0	GE
		Copper	< 4.0	µg/L	0	GE
		Cyanide	< 5.0	µg/L	0	GE
		Fluoride	< 100	µg/L	0	GE
		Iron	< 4.0	µg/L	0	GE
		Lead	< 3.0	µg/L	0	GE
		Magnesium	833	µg/L	0	GE
		Manganese	3.1	µg/L	0	GE
		Mercury	< 0.20	µg/L	0	GE
		Nickel	< 4.0	µg/L	0	GE
		Nitrate as nitrogen	3,160	µg/L	0	GE
		Phenols	< 5.0	µg/L	0	GE
		Potassium	1,350	µg/L	0	GE
		Selenium	< 2.0	µg/L	0	GE
		Silica	12,500	µg/L	0	GE
		Silver	< 2.0	µg/L	0	GE
		Sodium	2,770	µg/L	0	GE
		Sulfate	< 1,000	µg/L	0	GE
		Total dissolved solids	51,000	µg/L	0	GE
		Total dissolved solids	51,000	µg/L	0	GE
		Total organic carbon	< 1,000	µg/L	0	GE
		Total organic halogens	18	µg/L	0	GE
		Total phosphates (as P)	130	µg/L	0	GE
		Vanadium	< 8.0	µg/L	0	GE
		Zinc	18	µg/L	0	GE
		Gross alpha	2.4E+00 ± 6.4E-01	pCi/L	0	GE
		Nonvolatile beta	3.0E+00 ± 5.0E-01	pCi/L	0	GE
		Total alpha-emitting radium	< 1.0E+00	pCi/L	0	GE
■		Tritium	1.1E+02 ± 8.0E-01	pCi/mL	2	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB105D

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N71454.8 E57877.4	33.278244 °N 81.653197 °W	231.8-211.8 ft msl	249.5 ft msl	4" PVC	Water Table (IIB ₂)

FIELD MEASUREMENTS

Sample date: 01/01/92
 Depth to water: 24.75 ft (7.54 m) below TOC
 Water elevation: 224.75 ft (68.50 m) msl
 Sp. conductance: 389 μ S/cm
 Water evacuated before sampling: 42 gal

Time: 12:55
 pH: 4.0
 Alkalinity: 0 mg/L
 Water temperature: 18.9°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	4.2	pH	0	GE
		Specific conductance	315	μ S/cm	1	GE
		Aluminum	8,520	μ g/L	2	GE
		Antimony	<2.0	μ g/L	0	GE
		Arsenic	<2.0	μ g/L	0	GE
		Barium	79	μ g/L	0	GE
		Cadmium	<2.0	μ g/L	0	GE
		Calcium	3,420	μ g/L	0	GE
		Chloride	2,500	μ g/L	0	GE
		Chromium	<4.0	μ g/L	0	GE
		Cobalt	13	μ g/L	0	GE
		Copper	<4.0	μ g/L	0	GE
•		Cyanide	<5.0	μ g/L	0	GE
		Fluoride	804	μ g/L	0	GE
		Iron	74	μ g/L	0	GE
		Lead	<3.0	μ g/L	0	GE
		Magnesium	1,430	μ g/L	0	GE
		Manganese	528	μ g/L	2	GE
■		Mercury	2.8	μ g/L	2	GE
		Nickel	11	μ g/L	0	GE
■		Nitrate as nitrogen	40,000	μ g/L	2	GE
		Phenols	<5.0	μ g/L	0	GE
		Potassium	1,150	μ g/L	0	GE
		Selenium	<2.0	μ g/L	0	GE
		Silica	7,520	μ g/L	0	GE
		Silver	<2.0	μ g/L	0	GE
		Sodium	22,600	μ g/L	0	GE
		Sulfate	20,600	μ g/L	0	GE
•		Total dissolved solids	157,000	μ g/L	0	GE
		Total organic carbon	<1,000	μ g/L	0	GE
		Total organic halogens	6.1	μ g/L	0	GE
		Total phosphates (as P)	<50	μ g/L	0	GE
		Vanadium	<8.0	μ g/L	0	GE
		Zinc	77	μ g/L	0	GE
■		Gross alpha	2.8E+01 $\pm$ 1.9E+00	pCi/L	2	GE
■		Nonvolatile beta	4.6E+03 $\pm$ 1.7E+01	pCi/L	2	GE
■		Total alpha-emitting radium	5.4E+01 $\pm$ 1.6E+00	pCi/L	2	GE
■		Tritium	5.1E+03 $\pm$ 5.5E+00	pCi/mL	2	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB106C

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N71720.9 E57651.5	33.278464 °N 81.654309 °W	168.7-158.7 ft msl	252.9 ft msl	4" PVC	Barnwell (IIB ₁)

FIELD MEASUREMENTS

Sample date: 01/01/92	Time: 14:00
Depth to water: 31.38 ft (9.56 m) below TOC	pH: 5.9
Water elevation: 221.52 ft (67.52 m) msl	Alkalinity: 4 mg/L
Sp. conductance: 95 µS/cm	Water temperature: 18.3°C
Water evacuated before sampling: 165 gal	

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.6	pH	0	GE
		Specific conductance	90	µS/cm	0	GE
		Aluminum	<20	µg/L	0	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	15	µg/L	0	GE
		Benzene	<1.0	µg/L	0	GE
		Bromodichloromethane	<1.0	µg/L	0	GE
		Bromoform	<1.0	µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	5,950	µg/L	0	GE
		Carbon tetrachloride	<1.0	µg/L	0	GE
		Chloride	3,860	µg/L	0	GE
		Chlorobenzene	<1.0	µg/L	0	GE
		Chloroethane	<1.0	µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0	µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0	µg/L	0	GE
		Chloroform	2.6	µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	<4.0	µg/L	0	GE
		Copper	<4.0	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Dibromochloromethane	<1.0	µg/L	0	GE
		1,1-Dichloroethane	<1.0	µg/L	0	GE
		1,2-Dichloroethane	<1.0	µg/L	0	GE
		1,1-Dichloroethylene	<1.0	µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0	µg/L	0	GE
		Dichloromethane (Methylene chloride)	1.1	µg/L	0	GE
•		2,4-Dichlorophenoxyacetic acid	<0.30	µg/L	0	GE
		1,2-Dichloropropane	<1.0	µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0	µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0	µg/L	0	GE
•		Endrin	<0.0060	µg/L	0	GE
		Ethylbenzene	<1.0	µg/L	0	GE
		Fluoride	<100	µg/L	0	GE
		Iron	<4.0	µg/L	0	GE
		Lead	<3.0	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB106C collected on 01/01/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		Lindane	<0.0050	µg/L	0	GE
		Magnesium	1,130	µg/L	0	GE
		Manganese	7.8	µg/L	0	GE
		Mercury	0.67	µg/L	0	GE
•		Methoxychlor	<0.50	µg/L	0	GE
		Nickel	<4.0	µg/L	0	GE
		Nitrate as nitrogen	7,000	µg/L	1	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	592	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	11,400	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	7,480	µg/L	0	GE
		Sulfate	<1,000	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0	µg/L	0	GE
	■	Tetrachloroethylene	5.2	µg/L	2	GE
		Toluene	<1.0	µg/L	0	GE
		Total dissolved solids	79,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	21	µg/L	0	GE
		Total phosphates (as P)	<50	µg/L	0	GE
•		Toxaphene	<0.24	µg/L	0	GE
•		2,4,5-TP (Silvex)	<0.090	µg/L	0	GE
		1,1,1-Trichloroethane	<1.0	µg/L	0	GE
		1,1,2-Trichloroethane	<1.0	µg/L	0	GE
		Trichloroethylene	<1.0	µg/L	0	GE
		Trichlorofluoromethane	<1.0	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	7.8	µg/L	0	GE
		Gross alpha	<2.0E+00	pCi/L	0	GE
		Nonvolatile beta	4.9E+00 ± 6.5E-01	pCi/L	0	GE
		Total alpha-emitting radium	<1.0E+00	pCi/L	0	GE
	■	Tritium	3.8E+02 ± 1.5E+00	pCi/mL	2	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB106D

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N71727.8 E57644.8	33.278468 °N 81.654340 °W	230.7-210.7 ft msl	252.9 ft msl	4" PVC	Water Table (IIB ₂)

FIELD MEASUREMENTS

Sample date: 01/01/92	Time: 13:45
Depth to water: 27.71 ft (8.45 m) below TOC	pH: 4.3
Water elevation: 225.19 ft (68.64 m) msl	Alkalinity: 0 mg/L
Sp. conductance: 124 µS/cm	Water temperature: 18.6°C
Water evacuated before sampling: 38 gal	

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	4.1	pH	0	GE
		Specific conductance	120	µS/cm	0	GE
		Aluminum	705	µg/L	2	GE
		Antimony	< 2.0	µg/L	0	GE
		Arsenic	< 2.0	µg/L	0	GE
		Barium	37	µg/L	0	GE
		Cadmium	< 2.0	µg/L	0	GE
		Calcium	1,740	µg/L	0	GE
		Chloride	2,270	µg/L	0	GE
		Chromium	< 4.0	µg/L	0	GE
		Cobalt	8.4	µg/L	0	GE
		Copper	5.3	µg/L	0	GE
		Cyanide	< 5.0	µg/L	0	GE
		Fluoride	125	µg/L	0	GE
		Iron	168	µg/L	1	GE
		Lead	< 3.0	µg/L	0	GE
		Magnesium	1,230	µg/L	0	GE
		Manganese	233	µg/L	2	GE
		Mercury	0.53	µg/L	0	GE
		Nickel	8.4	µg/L	0	GE
■		Nitrate as nitrogen	11,400	µg/L	2	GE
		Phenols	< 5.0	µg/L	0	GE
		Potassium	< 500	µg/L	0	GE
		Selenium	< 2.0	µg/L	0	GE
		Silica	10,000	µg/L	0	GE
		Silver	< 2.0	µg/L	0	GE
		Sodium	12,400	µg/L	0	GE
		Sulfate	8,680	µg/L	0	GE
		Total dissolved solids	77,000	µg/L	0	GE
		Total organic carbon	< 1,000	µg/L	0	GE
		Total organic halogens	< 5.0	µg/L	0	GE
		Total phosphates (as P)	70	µg/L	0	GE
		Vanadium	< 8.0	µg/L	0	GE
		Zinc	23	µg/L	0	GE
		Gross alpha	7.7E+00 ± 8.1E-01	pCi/L	1	GE
■		Nonvolatile beta	6.6E+02 ± 5.7E+00	pCi/L	2	GE
■		Total alpha-emitting radium	9.7E+00 ± 7.0E-01	pCi/L	2	GE
■		Tritium	1.2E+03 ± 2.7E+00	pCi/mL	2	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB107C

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N71698.5 E57432.0	33.278056 °N 81.654844 °W	169.3-159.3 ft msl	261.6 ft msl	4" PVC	Barnwell (IB ₁)

FIELD MEASUREMENTS

Sample date: 01/06/92	Time: 15:45
Depth to water: 42.56 ft (12.97 m) below TOC	pH: 6.9
Water elevation: 219.04 ft (66.76 m) msl	Alkalinity: 42 mg/L
Sp. conductance: 155 µS/cm	Water temperature: 18.9°C
Water evacuated before sampling: 157 gal	

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	7.2	pH	0	GE
		Specific conductance	150	µS/cm	0	GE
		Aluminum	< 20	µg/L	0	GE
		Antimony	< 2.0	µg/L	0	GE
		Arsenic	< 2.0	µg/L	0	GE
		Barium	44	µg/L	0	GE
		Cadmium	< 2.0	µg/L	0	GE
		Calcium	15,200	µg/L	0	GE
		Chloride	3,500	µg/L	0	GE
		Chromium	< 4.0	µg/L	0	GE
		Cobalt	< 4.0	µg/L	0	GE
		Copper	< 4.0	µg/L	0	GE
		Cyanide	< 5.0	µg/L	0	GE
		Fluoride	136	µg/L	0	GE
		Iron	293	µg/L	1	GE
		Lead	< 3.0	µg/L	0	GE
		Magnesium	858	µg/L	0	GE
		Manganese	421	µg/L	2	GE
		Mercury	< 0.20	µg/L	0	GE
		Nickel	< 4.0	µg/L	0	GE
		Nitrate as nitrogen	4,400	µg/L	0	GE
		Phenols	< 5.0	µg/L	0	GE
		Potassium	2,770	µg/L	0	GE
		Selenium	< 2.0	µg/L	0	GE
		Silica	10,900	µg/L	0	GE
		Silver	< 2.0	µg/L	0	GE
		Sodium	11,200	µg/L	0	GE
		Sulfate	< 1,000	µg/L	0	GE
		Total dissolved solids	90,000	µg/L	0	GE
		Total organic carbon	< 1,000	µg/L	0	GE
		Total organic halogens	< 5.0	µg/L	0	GE
		Total organic halogens	< 5.0	µg/L	0	GE
		Total phosphates (as P)	200	µg/L	0	GE
		Vanadium	< 8.0	µg/L	0	GE
		Zinc	4.5	µg/L	0	GE
		Gross alpha	< 2.0E+00	pCi/L	0	GE
■		Nonvolatile beta	1.2E+02 ± 8.9E+00	pCi/L	2	GE
		Total alpha-emitting radium	< 1.0E+00	pCi/L	0	GE
■		Tritium	4.4E+02 ± 1.6E+00	pCi/mL	2	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB107D

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N71696.6 E57412.2	33.278019 °N 81.654892 °W	235.1-215.1 ft msl	262.3 ft msl	4" PVC	Water Table (IIB ₂)

FIELD MEASUREMENTS

Sample date: 01/06/92
 Depth to water: 38.25 ft (11.66 m) below TOC
 Water elevation: 224.05 ft (68.29 m) msl
 Sp. conductance: 319 μ S/cm
 Water evacuated before sampling: 23 gal

Time: 14:55
 pH: 4.7
 Alkalinity: 0 mg/L
 Water temperature: 18.6°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.0	pH	0	GE
		Specific conductance	225	μ S/cm	0	GE
		Aluminum	358	μ g/L	2	GE
		Antimony	< 2.0	μ g/L	0	GE
		Arsenic	< 2.0	μ g/L	0	GE
		Barium	63	μ g/L	0	GE
		Cadmium	< 2.0	μ g/L	0	GE
		Calcium	4,290	μ g/L	0	GE
		Chloride	4,160	μ g/L	0	GE
		Chromium	< 4.0	μ g/L	0	GE
		Cobalt	< 4.0	μ g/L	0	GE
		Copper	< 4.0	μ g/L	0	GE
•		Cyanide	< 5.0	μ g/L	0	GE
		Fluoride	< 100	μ g/L	0	GE
		Iron	26	μ g/L	0	GE
		Lead	< 3.0	μ g/L	0	GE
		Magnesium	3,150	μ g/L	0	GE
		Manganese	190	μ g/L	2	GE
		Mercury	1.2	μ g/L	1	GE
		Nickel	5.0	μ g/L	0	GE
■		Nitrate as nitrogen	32,600	μ g/L	2	GE
		Phenols	< 5.0	μ g/L	0	GE
		Potassium	1,290	μ g/L	0	GE
		Selenium	< 2.0	μ g/L	0	GE
		Silica	9,370	μ g/L	0	GE
		Silver	< 2.0	μ g/L	0	GE
		Sodium	37,900	μ g/L	0	GE
		Sulfate	3,500	μ g/L	0	GE
•		Total dissolved solids	217,000	μ g/L	0	GE
		Total organic carbon	< 1,000	μ g/L	0	GE
		Total organic halogens	< 5.0	μ g/L	0	GE
		Total organic halogens	< 5.0	μ g/L	0	GE
		Total phosphates (as P)	50	μ g/L	0	GE
		Vanadium	< 8.0	μ g/L	0	GE
		Zinc	16	μ g/L	0	GE
		Gross alpha	9.0E+00 $\pm$ 9.1E-01	pCi/L	1	GE
■		Nonvolatile beta	2.0E+03 $\pm$ 1.0E+01	pCi/L	2	GE
■		Total alpha-emitting radium	3.4E+01 $\pm$ 1.2E+00	pCi/L	2	GE
■		Tritium	6.4E+03 $\pm$ 6.2E+00	pCi/mL	2	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB108C

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N71688.7 E57155.5	33.277583 °N 81.655553 °W	196.0-186.0 ft msl	266.2 ft msl	4" PVC	Barnwell (IIB ₁)

FIELD MEASUREMENTS

Sample date: 01/02/92
 Depth to water: 47.85 ft (14.58 m) below TOC
 Water elevation: 218.35 ft (66.55 m) msl
 Sp. conductance: 169 μ S/cm
 Water evacuated before sampling: 107 gal

Time: 10:20
 pH: 7.3
 Alkalinity: 54 mg/L
 Water temperature: 19.0°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	6.9	pH	0	GE
		Specific conductance	160	μ S/cm	0	GE
		Aluminum	<20	μ g/L	0	GE
		Antimony	<2.0	μ g/L	0	GE
		Arsenic	<2.0	μ g/L	0	GE
		Barium	3.3	μ g/L	0	GE
		Cadmium	<2.0	μ g/L	0	GE
		Calcium	27,300	μ g/L	0	GE
		Chloride	2,920	μ g/L	0	GE
		Chromium	<4.0	μ g/L	0	GE
		Cobalt	<4.0	μ g/L	0	GE
		Copper	<4.0	μ g/L	0	GE
		Cyanide	<5.0	μ g/L	0	GE
		Fluoride	207	μ g/L	0	GE
		Iron	<4.0	μ g/L	0	GE
		Lead	<3.0	μ g/L	0	GE
		Magnesium	2,050	μ g/L	0	GE
		Manganese	<2.0	μ g/L	0	GE
		Mercury	<0.20	μ g/L	0	GE
		Nickel	<4.0	μ g/L	0	GE
		Nitrate as nitrogen	2,400	μ g/L	0	GE
		Phenols	<5.0	μ g/L	0	GE
		Potassium	<500	μ g/L	0	GE
		Selenium	<2.0	μ g/L	0	GE
		Silica	12,300	μ g/L	0	GE
		Silver	<2.0	μ g/L	0	GE
		Sodium	2,960	μ g/L	0	GE
		Sulfate	<1,000	μ g/L	0	GE
		Total dissolved solids	107,000	μ g/L	0	GE
		Total organic carbon	<1,000	μ g/L	0	GE
		Total organic halogens	<5.0	μ g/L	0	GE
		Total phosphates (as P)	340	μ g/L	0	GE
		Vanadium	<8.0	μ g/L	0	GE
		Zinc	4.6	μ g/L	0	GE
		Gross alpha	<2.0E+00	pCi/L	0	GE
		Nonvolatile beta	5.8E+00 $\pm$ 7.0E-01	pCi/L	0	GE
		Total alpha-emitting radium	1.8E+00 $\pm$ 4.0E-01	pCi/L	0	GE
■		Tritium	3.6E+02 $\pm$ 1.5E+00	pCi/mL	2	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB108D

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N71688.0 E57145.6	33.277566 °N 81.655577 °W	232.0-212.0 ft msl	266.3 ft msl	4" PVC	Water Table (IIB ₂)

FIELD MEASUREMENTS

Sample date: 01/02/92	Time: 10:00
Depth to water: 43.44 ft (13.24 m) below TOC	pH: 4.5
Water elevation: 222.86 ft (67.93 m) msl	Alkalinity: 0 mg/L
Sp. conductance: 288 µS/cm	Water temperature: 18.6°C
Water evacuated before sampling: 28 gal	

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	4.7	pH	0	GE
		Specific conductance	210	µS/cm	0	GE
		Aluminum	1,830	µg/L	2	GE
		Antimony	< 2.0	µg/L	0	GE
		Arsenic	< 2.0	µg/L	0	GE
		Barium	105	µg/L	0	GE
		Cadmium	< 2.0	µg/L	0	GE
		Calcium	4,950	µg/L	0	GE
•		Chloride	2,160	µg/L	0	GE
•		Chloride	2,010	µg/L	0	GE
		Chromium	< 4.0	µg/L	0	GE
		Cobalt	10	µg/L	0	GE
		Copper	< 4.0	µg/L	0	GE
•		Cyanide	5.0	µg/L	0	GE
•		Cyanide	< 5.0	µg/L	0	GE
		Fluoride	313	µg/L	0	GE
		Fluoride	294	µg/L	0	GE
		Iron	71	µg/L	0	GE
		Lead	< 3.0	µg/L	0	GE
		Magnesium	1,710	µg/L	0	GE
		Manganese	672	µg/L	2	GE
■		Mercury	4.1	µg/L	2	GE
		Nickel	19	µg/L	0	GE
■		Nitrate as nitrogen	29,000	µg/L	2	GE
■		Nitrate as nitrogen	29,400	µg/L	2	GE
		Phenols	< 5.0	µg/L	0	GE
		Phenols	< 5.0	µg/L	0	GE
		Potassium	1,980	µg/L	0	GE
		Selenium	< 2.0	µg/L	0	GE
		Silica	8,670	µg/L	0	GE
		Silver	< 2.0	µg/L	0	GE
		Sodium	27,200	µg/L	0	GE
•		Sulfate	42,700	µg/L	0	GE
•		Total dissolved solids	190,000	µg/L	0	GE
•		Total dissolved solids	173,000	µg/L	0	GE
		Total organic carbon	< 1,000	µg/L	0	GE
		Total organic carbon	< 1,000	µg/L	0	GE
		Total organic halogens	15	µg/L	0	GE
		Total phosphates (as P)	< 50	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB108D collected on 01/02/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Total phosphates (as P)	<50	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	46	µg/L	0	GE
■		Gross alpha	3.1E+01 ± 1.8E+00	pCi/L	2	GE
■		Nonvolatile beta	6.8E+03 ± 2.1E+01	pCi/L	2	GE
■		Total alpha-emitting radium	8.1E+01 ± 1.9E+00	pCi/L	2	GE
■		Tritium	6.0E+03 ± 6.0E+00	pCi/mL	2	GE

WELL HSB109C

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N71684.8	33.277151 °N	178.4-168.4 ft msl	261.6 ft msl	4" PVC	Barnwell (IIB ₁)
E56895.6	81.656229 °W				

FIELD MEASUREMENTS

Sample date: 02/10/92
 Depth to water: 42.81 ft (13.05 m) below TOC
 Water elevation: 218.79 ft (66.69 m) msl
 Sp. conductance: 56 µS/cm
 Water evacuated before sampling: 132 gal

Time: 10:45
 pH: 5.1
 Alkalinity: 11 mg/L
 Water temperature: 19.0°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
●		pH	5.9	pH	0	WA
●		pH	6.0	pH	0	WA
●		pH	6.4	pH	0	GE
●		pH	6.4	pH	0	GE
		Specific conductance	43	µS/cm	0	WA
		Specific conductance	44	µS/cm	0	WA
		Specific conductance	50	µS/cm	0	GE
		Specific conductance	48	µS/cm	0	GE
		Aluminum	<14	µg/L	0	WA
		Aluminum	<14	µg/L	0	WA
		Aluminum	40	µg/L	0	WA
		Aluminum	<20	µg/L	0	GE
		Aluminum	<20	µg/L	0	GE
		Antimony	2.8	µg/L	1	WA
		Antimony	<2.6	µg/L	0	WA
		Antimony	<2.6	µg/L	0	WA
		Antimony	<2.0	µg/L	0	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	WA
		Arsenic	<2.0	µg/L	0	WA
		Arsenic	<2.0	µg/L	0	WA
		Arsenic	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	8.8	µg/L	0	WA
		Barium	8.6	µg/L	0	WA
		Barium	9.8	µg/L	0	WA
		Barium	9.0	µg/L	0	GE

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB109C collected on 02/10/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Barium	9.2	µg/L	0	GE
		Cadmium	<0.35	µg/L	0	WA
		Cadmium	<0.35	µg/L	0	WA
		Cadmium	<0.35	µg/L	0	WA
		Cadmium	<2.0	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	5,670	µg/L	0	WA
		Calcium	5,590	µg/L	0	WA
		Calcium	6,010	µg/L	0	WA
		Calcium	5,190	µg/L	0	GE
		Calcium	5,250	µg/L	0	GE
		Chloride	3,630	µg/L	0	WA
		Chloride	3,520	µg/L	0	WA
		Chloride	2,680	µg/L	0	GE
		Chloride	2,790	µg/L	0	GE
		Chloride	2,810	µg/L	0	GE
		Chromium	1.9	µg/L	0	WA
		Chromium	3.2	µg/L	0	WA
		Chromium	3.1	µg/L	0	WA
		Chromium	<4.0	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	<0.88	µg/L	0	WA
		Cobalt	<0.88	µg/L	0	WA
		Cobalt	<0.88	µg/L	0	WA
		Cobalt	<4.0	µg/L	0	GE
		Cobalt	<4.0	µg/L	0	GE
		Copper	<1.1	µg/L	0	WA
		Copper	<1.1	µg/L	0	WA
		Copper	<1.1	µg/L	0	WA
		Copper	<4.0	µg/L	0	GE
		Copper	<4.0	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	WA
		Cyanide	<5.0	µg/L	0	WA
		Cyanide	<5.0	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Fluoride	125	µg/L	0	WA
		Fluoride	108	µg/L	0	WA
		Fluoride	114	µg/L	0	GE
		Fluoride	118	µg/L	0	GE
		Iron	4.9	µg/L	0	WA
		Iron	5.6	µg/L	0	WA
		Iron	17	µg/L	0	WA
		Iron	<4.0	µg/L	0	GE
		Iron	<4.0	µg/L	0	GE
		Lead	<2.0	µg/L	0	WA
		Lead	<2.0	µg/L	0	WA
		Lead	<2.0	µg/L	0	WA
		Lead	<3.0	µg/L	0	GE
		Lead	<3.0	µg/L	0	GE
		Magnesium	328	µg/L	0	WA
		Magnesium	316	µg/L	0	WA
		Magnesium	373	µg/L	0	WA
		Magnesium	315	µg/L	0	GE
		Magnesium	315	µg/L	0	GE
		Manganese	2.6	µg/L	0	WA
		Manganese	2.7	µg/L	0	WA

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB109C collected on 02/10/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Manganese	2.9	µg/L	0	WA
		Manganese	2.2	µg/L	0	GE
		Manganese	2.3	µg/L	0	GE
		Mercury	<0.20	µg/L	0	WA
		Mercury	<0.20	µg/L	0	WA
		Mercury	<0.20	µg/L	0	GE
		Mercury	<0.20	µg/L	0	GE
		Nickel	<3.1	µg/L	0	WA
		Nickel	<3.1	µg/L	0	WA
		Nickel	<3.1	µg/L	0	WA
		Nickel	<4.0	µg/L	0	GE
		Nickel	<4.0	µg/L	0	GE
		Nitrate as nitrogen	1,570	µg/L	0	WA
		Nitrate as nitrogen	1,560	µg/L	0	WA
•		Nitrate as nitrogen	1,320	µg/L	0	GE
•		Nitrate as nitrogen	1,330	µg/L	0	GE
		Phenols	9.9	µg/L	0	WA
		Phenols	<5.0	µg/L	0	WA
		Phenols	<5.0	µg/L	0	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	407	µg/L	0	WA
		Potassium	518	µg/L	0	WA
		Potassium	475	µg/L	0	WA
		Potassium	553	µg/L	0	GE
		Potassium	510	µg/L	0	GE
		Selenium	<2.0	µg/L	0	WA
		Selenium	<2.0	µg/L	0	WA
		Selenium	<2.0	µg/L	0	WA
		Selenium	<2.0	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	11,400	µg/L	0	GE
		Silica	11,300	µg/L	0	GE
		Silicon	4,800	µg/L	0	WA
		Silicon	4,820	µg/L	0	WA
		Silicon	5,190	µg/L	0	WA
		Silver	<0.70	µg/L	0	WA
		Silver	<0.70	µg/L	0	WA
		Silver	<0.70	µg/L	0	WA
		Silver	<2.0	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	4,240	µg/L	0	WA
		Sodium	4,120	µg/L	0	WA
		Sodium	4,400	µg/L	0	WA
		Sodium	4,490	µg/L	0	GE
		Sodium	4,480	µg/L	0	GE
		Sulfate	<2,500	µg/L	0	WA
		Sulfate	<2,500	µg/L	0	WA
		Sulfate	<1,000	µg/L	0	GE
		Sulfate	<1,000	µg/L	0	GE
		Total dissolved solids	24,000	µg/L	0	WA
		Total dissolved solids	28,000	µg/L	0	WA
		Total dissolved solids	40,000	µg/L	0	GE
		Total dissolved solids	38,000	µg/L	0	GE
		Total organic carbon	932	µg/L	0	WA
		Total organic carbon	1,040	µg/L	0	WA
		Total organic carbon	<1,000	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB109C collected on 02/10/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Total organic carbon	< 1,000	µg/L	0	GE
		Total organic halogens	19	µg/L	0	WA
		Total organic halogens	37	µg/L	1	WA
		Total organic halogens	9.3	µg/L	0	GE
		Total organic halogens	8.3	µg/L	0	GE
		Total phosphates (as P)	373	µg/L	0	WA
		Total phosphates (as P)	393	µg/L	0	WA
		Total phosphates (as P)	378	µg/L	0	WA
		Total phosphates (as P)	300	µg/L	0	GE
		Total phosphates (as P)	280	µg/L	0	GE
		Total phosphates (as P)	300	µg/L	0	GE
		Vanadium	1.2	µg/L	0	WA
		Vanadium	< 0.88	µg/L	0	WA
		Vanadium	< 0.88	µg/L	0	WA
		Vanadium	< 8.0	µg/L	0	GE
		Vanadium	< 8.0	µg/L	0	GE
		Zinc	9.5	µg/L	0	WA
		Zinc	30	µg/L	0	WA
		Zinc	15	µg/L	0	WA
		Zinc	4.7	µg/L	0	GE
		Zinc	5.1	µg/L	0	GE
		Gross alpha	< 1.3E+00	pCi/L	0	BA
		Gross alpha	4.0E-01 ± 1.4E+00	pCi/L	0	BA
		Gross alpha	< 2.0E+00	pCi/L	0	GE
		Gross alpha	< 2.0E+00	pCi/L	0	GE
		Nonvolatile beta	3.3E+00 ± 1.7E+00	pCi/L	0	BA
		Nonvolatile beta	4.4E+00 ± 1.8E+00	pCi/L	0	BA
		Nonvolatile beta	< 2.0E+00	pCi/L	0	GE
		Nonvolatile beta	2.7E+00 ± 5.1E-01	pCi/L	0	GE
		Radium-226	2.0E-01 ± 3.0E-01	pCi/L	0	BA
		Radium-226	3.0E-01 ± 4.0E-01	pCi/L	0	BA
		Radium-228	9.0E-01 ± 1.8E+00	pCi/L	0	BA
		Radium-228	< 1.8E+00	pCi/L	0	BA
		Total alpha-emitting radium	< 1.0E+00	pCi/L	0	GE
		Total alpha-emitting radium	< 1.0E+00	pCi/L	0	GE
■		Tritium	7.4E+01 ± 1.0E+00	pCi/mL	2	BA
■		Tritium	7.4E+01 ± 1.0E+00	pCi/mL	2	BA
■		Tritium	7.4E+01 ± 1.0E+00	pCi/mL	2	BA
■		Tritium	7.4E+01 ± 1.0E+00	pCi/mL	2	BA
■		Tritium	7.8E+01 ± 7.0E-01	pCi/mL	2	GE
■		Tritium	7.8E+01 ± 7.0E-01	pCi/mL	2	GE

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB109D

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N71685.6 E56885.5	33.277136 °N 81.656257 °W	233.0-213.0 ft msl	261.2 ft msl	4" PVC	Water Table (IIB ₂)

FIELD MEASUREMENTS

Sample date: 02/10/92
 Depth to water: 38.92 ft (11.86 m) below TOC
 Water elevation: 222.28 ft (67.75 m) msl
 Sp. conductance: 76 μ S/cm
 Water evacuated before sampling: 24 gal

Time: 10:30
 pH: 3.5
 Alkalinity: 0 mg/L
 Water temperature: 18.8°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.1	pH	0	GE
		Specific conductance	60	μ S/cm	0	GE
		Aluminum	603	μ g/L	2	GE
		Antimony	<2.0	μ g/L	0	GE
		Arsenic	<2.0	μ g/L	0	GE
		Barium	37	μ g/L	0	GE
		Cadmium	<2.0	μ g/L	0	GE
		Calcium	1,050	μ g/L	0	GE
		Chloride	2,840	μ g/L	0	GE
		Chromium	<4.0	μ g/L	0	GE
		Cobalt	<4.0	μ g/L	0	GE
		Copper	4.3	μ g/L	0	GE
		Cyanide	<5.0	μ g/L	0	GE
		Fluoride	<100	μ g/L	0	GE
		Iron	7.3	μ g/L	0	GE
		Lead	<3.0	μ g/L	0	GE
		Magnesium	942	μ g/L	0	GE
		Manganese	214	μ g/L	2	GE
		Mercury	0.96	μ g/L	0	GE
		Nickel	5.3	μ g/L	0	GE
		Nitrate as nitrogen	5,200	μ g/L	1	GE
		Phenols	<5.0	μ g/L	0	GE
		Potassium	<500	μ g/L	0	GE
		Selenium	<2.0	μ g/L	0	GE
		Silica	8,820	μ g/L	0	GE
		Silver	<2.0	μ g/L	0	GE
		Sodium	5,540	μ g/L	0	GE
		Sulfate	1,640	μ g/L	0	GE
		Total dissolved solids	38,000	μ g/L	0	GE
		Total organic carbon	<1,000	μ g/L	0	GE
		Total organic carbon	<1,000	μ g/L	0	GE
		Total organic halogens	<5.0	μ g/L	0	GE
		Total phosphates (as P)	<50	μ g/L	0	GE
		Vanadium	<8.0	μ g/L	0	GE
		Zinc	19	μ g/L	0	GE
		Gross alpha	4.5E+00 $\pm$ 6.2E-01	pCi/L	0	GE
■		Nonvolatile beta	1.1E+03 $\pm$ 7.8E+00	pCi/L	2	GE
■		Total alpha-emitting radium	1.6E+01 $\pm$ 1.0E+00	pCi/L	2	GE
■		Tritium	5.3E+02 $\pm$ 1.8E+00	pCi/mL	2	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB110C

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N71779.3 E56680.7	33.277009 °N 81.656979 °W	181.4-171.4 ft msl	255.7 ft msl	4" PVC	Barnwell (IB ₁)

FIELD MEASUREMENTS

Sample date: 01/02/92
 Depth to water: 36.87 ft (11.24 m) below TOC
 Water elevation: 218.83 ft (66.70 m) msl
 Sp. conductance: 27 µS/cm
 Water evacuated before sampling: 124 gal

Time: 15:30
 pH: 5.4
 Alkalinity: 1 mg/L
 Water temperature: 18.2°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.5	pH	0	GE
		Specific conductance	28	µS/cm	0	GE
		Aluminum	< 20	µg/L	0	GE
		Antimony	< 2.0	µg/L	0	GE
		Arsenic	< 2.0	µg/L	0	GE
		Barium	4.7	µg/L	0	GE
		Cadmium	< 2.0	µg/L	0	GE
		Calcium	1,360	µg/L	0	GE
		Chloride	2,680	µg/L	0	GE
		Chromium	< 4.0	µg/L	0	GE
		Cobalt	< 4.0	µg/L	0	GE
		Copper	< 4.0	µg/L	0	GE
		Cyanide	< 5.0	µg/L	0	GE
		Fluoride	< 100	µg/L	0	GE
		Fluoride	< 100	µg/L	0	GE
		Iron	< 4.0	µg/L	0	GE
		Lead	< 3.0	µg/L	0	GE
		Magnesium	325	µg/L	0	GE
		Manganese	12	µg/L	0	GE
		Mercury	< 0.20	µg/L	0	GE
		Nickel	< 4.0	µg/L	0	GE
		Nitrate as nitrogen	630	µg/L	0	GE
		Phenols	< 5.0	µg/L	0	GE
		Potassium	< 500	µg/L	0	GE
		Selenium	< 2.0	µg/L	0	GE
		Silica	11,600	µg/L	0	GE
		Silver	< 2.0	µg/L	0	GE
		Sodium	2,180	µg/L	0	GE
		Sulfate	< 1,000	µg/L	0	GE
		Total dissolved solids	25,000	µg/L	0	GE
		Total organic carbon	< 1,000	µg/L	0	GE
		Total organic halogens	< 5.0	µg/L	0	GE
		Total organic halogens	< 5.0	µg/L	0	GE
		Total phosphates (as P)	80	µg/L	0	GE
		Vanadium	< 8.0	µg/L	0	GE
		Zinc	12	µg/L	0	GE
		Gross alpha	< 2.0E+00	pCi/L	0	GE
		Nonvolatile beta	< 2.0E+00	pCi/L	0	GE
		Total alpha-emitting radium	1.7E+00 ± 4.0E-01	pCi/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB110C collected on 01/02/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
■		Tritium	3.8E+01 ± 5.0E-01	pCi/mL	2	GE

WELL HSB110D

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N71785.2	33.277008 °N	231.4-211.4 ft msl	255.6 ft msl	4" PVC	Water Table (IIB ₂)
E56672.1	81.657013 °W				

FIELD MEASUREMENTS

Sample date: 01/02/92	Time: 14:35
Depth to water: 34.02 ft (10.37 m) below TOC	pH: 4.3
Water elevation: 221.58 ft (67.54 m) msl	Alkalinity: 0 mg/L
Sp. conductance: 97 µS/cm	Water temperature: 18.5°C
Water evacuated before sampling: 27 gal	

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
●		pH	4.2	pH	0	GE
		Specific conductance	70	µS/cm	0	GE
		Aluminum	912	µg/L	2	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	9.3	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	617	µg/L	0	GE
		Chloride	3,090	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	<4.0	µg/L	0	GE
		Copper	<4.0	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Fluoride	103	µg/L	0	GE
		Iron	5.9	µg/L	0	GE
		Lead	<3.0	µg/L	0	GE
		Magnesium	140	µg/L	0	GE
		Manganese	72	µg/L	2	GE
		Mercury	<0.20	µg/L	0	GE
		Nickel	4.6	µg/L	0	GE
		Nitrate as nitrogen	4,800	µg/L	0	GE
		Phenols	<5.0	µg/L	0	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	1,010	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	12,900	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	4,880	µg/L	0	GE
		Sulfate	41,900	µg/L	0	GE
		Total dissolved solids	47,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	13	µg/L	0	GE

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB110D collected on 01/02/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Total phosphates (as P)	< 50	µg/L	0	GE
		Total phosphates (as P)	< 50	µg/L	0	GE
		Vanadium	< 8.0	µg/L	0	GE
		Zinc	15	µg/L	0	GE
		Gross alpha	8.2E+00 ± 9.2E-01	pCi/L	1	GE
■		Nonvolatile beta	2.3E+02 ± 3.3E+00	pCi/L	2	GE
■		Total alpha-emitting radium	5.0E+00 ± 5.0E-01	pCi/L	2	GE
■		Tritium	1.1E+02 ± 9.0E-01	pCi/mL	2	GE

WELL HSB111C

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N71919.4	33.277027 °N	150.7-140.7 ft msl	256.0 ft msl	4" PVC	Barnwell (IB ₁)
E56501.9	81.657722 °W				

FIELD MEASUREMENTS

Sample date: 01/02/92
 Depth to water: 35.98 ft (10.97 m) below TOC
 Water elevation: 220.02 ft (67.06 m) msl
 Sp. conductance: 234 µS/cm
 Water evacuated before sampling: 208 gal

Time: 13:40
 pH: 4.8
 Alkalinity: 0 mg/L
 Water temperature: 18.8°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.0	pH	0	GE
		Specific conductance	185	µS/cm	0	GE
		Aluminum	203	µg/L	2	GE
		Antimony	< 2.0	µg/L	0	GE
		Arsenic	< 2.0	µg/L	0	GE
		Barium	21	µg/L	0	GE
		Cadmium	< 2.0	µg/L	0	GE
		Calcium	16,000	µg/L	0	GE
		Chloride	3,860	µg/L	0	GE
		Chromium	< 4.0	µg/L	0	GE
		Cobalt	< 4.0	µg/L	0	GE
		Copper	< 4.0	µg/L	0	GE
•		Cyanide	5.0	µg/L	0	GE
		Fluoride	138	µg/L	0	GE
		Iron	15	µg/L	0	GE
		Lead	< 3.0	µg/L	0	GE
		Magnesium	3,490	µg/L	0	GE
		Manganese	39	µg/L	1	GE
		Mercury	< 0.20	µg/L	0	GE
		Nickel	< 4.0	µg/L	0	GE
■		Nitrate as nitrogen	24,200	µg/L	2	GE
		Phenols	< 5.0	µg/L	0	GE
		Potassium	708	µg/L	0	GE
		Selenium	< 2.0	µg/L	0	GE
		Silica	10,900	µg/L	0	GE
		Silver	< 2.0	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB111C collected on 01/02/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Sodium	17,600	µg/L	0	GE
•		Sulfate	<1,000	µg/L	0	GE
•		Sulfate	<1,000	µg/L	0	GE
•		Total dissolved solids	186,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	<5.0	µg/L	0	GE
		Total phosphates (as P)	60	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	34	µg/L	0	GE
		Gross alpha	<2.0E+00	pCi/L	0	GE
■		Nonvolatile beta	9.1E+01 ± 2.4E+00	pCi/L	2	GE
		Total alpha-emitting radium	<1.0E+00	pCi/L	0	GE
■		Tritium	3.6E+03 ± 4.7E+00	pCi/mL	2	GE

WELL HSB111D

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N71926.2	33.277030 °N	195.7-185.7 ft msl	256.0 ft msl	4" PVC	Water Table (IIB ₂)
E56494.5	81.657754 °W				

FIELD MEASUREMENTS

Sample date: 01/02/92
 Depth to water: 34.65 ft (10.56 m) below TOC
 Water elevation: 221.35 ft (67.47 m) msl
 Sp. conductance: 508 µS/cm
 Water evacuated before sampling: 91 gal

Time: 14:05
 pH: 4.9
 Alkalinity: 0 mg/L
 Water temperature: 18.9°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.1	pH	0	GE
		Specific conductance	405	µS/cm	1	GE
		Aluminum	221	µg/L	2	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	44	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	5,840	µg/L	0	GE
		Chloride	3,500	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	<4.0	µg/L	0	GE
		Copper	<4.0	µg/L	0	GE
•		Cyanide	<5.0	µg/L	0	GE
		Fluoride	100	µg/L	0	GE
		Iron	<4.0	µg/L	0	GE
		Lead	<3.0	µg/L	0	GE
		Magnesium	2,540	µg/L	0	GE
		Manganese	53	µg/L	2	GE
		Mercury	<0.20	µg/L	0	GE
		Nickel	<4.0	µg/L	0	GE
■		Nitrate as nitrogen	41,600	µg/L	2	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB111D collected on 01/02/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Phenols	< 5.0	µg/L	0	GE
		Potassium	< 500	µg/L	0	GE
		Selenium	< 2.0	µg/L	0	GE
		Silica	8,960	µg/L	0	GE
		Silver	< 2.0	µg/L	0	GE
		Sodium	81,700	µg/L	0	GE
		Sulfate	4,820	µg/L	0	GE
•		Total dissolved solids	378,000	µg/L	0	GE
		Total organic carbon	< 1,000	µg/L	0	GE
		Total organic halogens	25	µg/L	0	GE
		Total phosphates (as P)	< 50	µg/L	0	GE
		Total phosphates (as P)	< 50	µg/L	0	GE
		Vanadium	< 8.0	µg/L	0	GE
		Zinc	14	µg/L	0	GE
		Gross alpha	2.3E+00 ± 6.7E-01	pCi/L	0	GE
■		Nonvolatile beta	9.9E+01 ± 2.3E+00	pCi/L	2	GE
		Total alpha-emitting radium	2.0E+00 ± 4.0E-01	pCi/L	0	GE
■		Tritium	1.4E+04 ± 9.3E+00	pCi/mL	2	GE

WELL HSB111E

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N71932.8 E56487.2	33.277033 °N 81.657786 °W	231.7-211.7 ft msl	255.9 ft msl	4" PVC	Water Table (IIB ₂)

FIELD MEASUREMENTS

Sample date: 01/02/92
 Depth to water: 34.35 ft (10.47 m) below TOC
 Water elevation: 221.55 ft (67.53 m) msl
 Sp. conductance: 88 µS/cm
 Water evacuated before sampling: 26 gal

Time: 13:55
 pH: 4.3
 Alkalinity: 0 mg/L
 Water temperature: 19.0°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	4.0	pH	0	GE
		Specific conductance	110	µS/cm	0	GE
		Aluminum	721	µg/L	2	GE
		Antimony	< 2.0	µg/L	0	GE
		Arsenic	< 2.0	µg/L	0	GE
		Barium	11	µg/L	0	GE
		Cadmium	< 2.0	µg/L	0	GE
		Calcium	612	µg/L	0	GE
		Chloride	2,700	µg/L	0	GE
		Chromium	< 4.0	µg/L	0	GE
		Cobalt	< 4.0	µg/L	0	GE
		Copper	< 4.0	µg/L	0	GE
		Cyanide	< 5.0	µg/L	0	GE
		Fluoride	211	µg/L	0	GE
		Iron	7.3	µg/L	0	GE
		Lead	< 3.0	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB111E collected on 01/02/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Magnesium	319	µg/L	0	GE
		Manganese	51	µg/L	2	GE
		Mercury	<0.20	µg/L	0	GE
		Nickel	<4.0	µg/L	0	GE
		Nitrate as nitrogen	6,800	µg/L	1	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	<500	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	7,360	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	5,740	µg/L	0	GE
		Sulfate	18,300	µg/L	0	GE
		Total dissolved solids	56,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	9.6	µg/L	0	GE
		Total phosphates (as P)	<50	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	9.6	µg/L	0	GE
■		Gross alpha	3.6E+01 ± 1.9E+00	pCi/L	2	GE
■		Nonvolatile beta	1.1E+03 ± 7.3E+00	pCi/L	2	GE
■		Total alpha-emitting radium	1.5E+01 ± 9.0E-01	pCi/L	2	GE
■		Tritium	7.5E+02 ± 2.1E+00	pCi/mL	2	GE

WELL HSB112C

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N72156.4	33.277413 °N	150.6-140.6 ft msl	254.9 ft msl	4" PVC	Barnwell (IIB ₁)
E56417.4	81.658404 °W				

FIELD MEASUREMENTS

Sample date: 01/07/92
 Depth to water: 33.77 ft (10.29 m) below TOC
 Water elevation: 221.13 ft (67.40 m) msl
 Sp. conductance: 192 µS/cm
 Water evacuated before sampling: 211 gal

Time: 15:55
 pH: 6.2
 Alkalinity: 14 mg/L
 Water temperature: 19.5°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
●		pH	6.3	pH	0	GE
		Specific conductance	140	µS/cm	0	GE
		Aluminum	30	µg/L	0	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	29	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	14,300	µg/L	0	GE
		Chloride	3,420	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	<4.0	µg/L	0	GE
		Copper	<4.0	µg/L	0	GE

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB112C collected on 01/07/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		Cyanide	<5.0	µg/L	0	GE
		Fluoride	175	µg/L	0	GE
		Iron	<4.0	µg/L	0	GE
		Lead	<3.0	µg/L	0	GE
		Magnesium	3,060	µg/L	0	GE
		Manganese	29	µg/L	1	GE
		Mercury	<0.20	µg/L	0	GE
		Nickel	<4.0	µg/L	0	GE
■		Nitrate as nitrogen	15,400	µg/L	2	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	614	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	12,000	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	13,400	µg/L	0	GE
•		Sulfate	<1,000	µg/L	0	GE
•		Total dissolved solids	158,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	<5.0	µg/L	0	GE
		Total phosphates (as P)	430	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	23	µg/L	0	GE
		Gross alpha	<2.0E+00	pCi/L	0	GE
■		Nonvolatile beta	7.8E+01 ± 2.3E+00	pCi/L	2	GE
		Total alpha-emitting radium	<1.0E+00	pCi/L	0	GE
■		Tritium	2.5E+03 ± 3.9E+00	pCi/mL	2	GE

WELL HSB112D

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N72161.6	33.277410 °N	198.3-188.3 ft msl	255.1 ft msl	4" PVC	Water Table (IIB ₂)
E56408.1	81.658439 °W				

FIELD MEASUREMENTS

Sample date: 01/07/92
 Depth to water: 33.11 ft (10.09 m) below TOC
 Water elevation: 221.99 ft (67.66 m) msl
 Sp. conductance: 437 µS/cm
 Water evacuated before sampling: 88 gal

Time: 16:05
 pH: 4.8
 Alkalinity: 0 mg/L
 Water temperature: 19.8°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	4.7	pH	0	GE
		Specific conductance	340	µS/cm	1	GE
		Aluminum	126	µg/L	1	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	18	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	1,620	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB112D collected on 01/07/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Chloride	2,680	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	5.2	µg/L	0	GE
		Copper	<4.0	µg/L	0	GE
•		Cyanide	<5.0	µg/L	0	GE
		Fluoride	<100	µg/L	0	GE
		Iron	<4.0	µg/L	0	GE
		Lead	<3.0	µg/L	0	GE
		Magnesium	1,090	µg/L	0	GE
		Manganese	196	µg/L	2	GE
		Mercury	<0.20	µg/L	0	GE
		Nickel	<4.0	µg/L	0	GE
	■	Nitrate as nitrogen	48,800	µg/L	2	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	730	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	8,800	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	72,700	µg/L	0	GE
•		Sulfate	10,500	µg/L	0	GE
•		Total dissolved solids	317,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	71	µg/L	2	GE
		Total phosphates (as P)	70	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	8.7	µg/L	0	GE
		Gross alpha	4.1E+00 ± 7.3E-01	pCi/L	0	GE
	■	Nonvolatile beta	7.5E+01 ± 2.0E+00	pCi/L	2	GE
		Total alpha-emitting radium	2.1E+00 ± 4.0E-01	pCi/L	0	GE
	■	Tritium	1.8E+04 ± 1.0E+01	pCi/mL	2	GE

WELL HSB112E

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N72166.6 E56399.5	33.277407 °N 81.658471 °W	231.7-211.7 ft msl	255.1 ft msl	4" PVC	Water Table (IIB ₂)

FIELD MEASUREMENTS

Sample date: 01/08/92
 Depth to water: 33.23 ft (10.13 m) below TOC
 Water elevation: 221.87 ft (67.63 m) msl
 Sp. conductance: 390 µS/cm
 Water evacuated before sampling: 1 gal
 The well went dry during purging.

Time: 14:25
 pH: 5.2
 Alkalinity: 1 mg/L
 Water temperature: 18.3°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.3	pH	0	GE
		Specific conductance	275	µS/cm	1	GE
		Aluminum	138	µg/L	1	GE
	■	Antimony	13	µg/L	2	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB112E collected on 01/08/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Arsenic	< 2.0	µg/L	0	GE
		Barium	78	µg/L	0	GE
		Cadmium	3.1	µg/L	1	GE
		Calcium	4,190	µg/L	0	GE
		Chloride	2,860	µg/L	0	GE
		Chromium	< 4.0	µg/L	0	GE
		Cobalt	27	µg/L	1	GE
		Copper	< 4.0	µg/L	0	GE
		Cyanide	< 5.0	µg/L	0	GE
		Fluoride	109	µg/L	0	GE
		Iron	39	µg/L	0	GE
	■	Lead	20	µg/L	2	GE
		Magnesium	2,130	µg/L	0	GE
		Manganese	810	µg/L	2	GE
		Mercury	< 0.20	µg/L	0	GE
		Nickel	32	µg/L	0	GE
●	■	Nitrate as nitrogen	42,400	µg/L	2	GE
		Phenols	< 5.0	µg/L	0	GE
		Potassium	1,430	µg/L	0	GE
		Selenium	< 2.0	µg/L	0	GE
		Silica	11,100	µg/L	0	GE
		Silver	< 2.0	µg/L	0	GE
		Sodium	55,700	µg/L	0	GE
		Sulfate	6,520	µg/L	0	GE
●		Total dissolved solids	247,000	µg/L	0	GE
		Total organic carbon	< 1,000	µg/L	0	GE
		Total organic halogens	< 5.0	µg/L	0	GE
		Total phosphates (as P)	160	µg/L	0	GE
		Vanadium	< 8.0	µg/L	0	GE
		Zinc	54	µg/L	0	GE
		Gross alpha	8.8E+00 ± 1.3E+00	pCi/L	1	GE
	■	Nonvolatile beta	3.1E+02 ± 6.0E+00	pCi/L	2	GE
	■	Total alpha-emitting radium	1.1E+01 ± 9.0E-01	pCi/L	2	GE
	■	Tritium	1.2E+04 ± 5.0E-01	pCi/mL	2	GE

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB113C

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N72312.3 E56160.4	33.277339 °N 81.659384 °W	161.7-151.7 ft msl	261.0 ft msl	4" PVC	Barnwell (IIB ₁)

FIELD MEASUREMENTS

Sample date: 01/08/92	Time: 14:05
Depth to water: 39.37 ft (12.00 m) below TOC	pH: 5.2
Water elevation: 221.63 ft (67.55 m) msl	Alkalinity: 0 mg/L
Sp. conductance: 145 µS/cm	Water temperature: 19.0°C
Water evacuated before sampling: 183 gal	

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.5	pH	0	GE
		Specific conductance	127	µS/cm	0	GE
		Aluminum	135	µg/L	1	GE
		Antimony	< 2.0	µg/L	0	GE
		Arsenic	< 2.0	µg/L	0	GE
		Barium	36	µg/L	0	GE
		Cadmium	< 2.0	µg/L	0	GE
		Calcium	8,230	µg/L	0	GE
		Chloride	3,440	µg/L	0	GE
		Chloride	3,340	µg/L	0	GE
		Chromium	< 4.0	µg/L	0	GE
		Cobalt	< 4.0	µg/L	0	GE
		Copper	< 4.0	µg/L	0	GE
		Cyanide	< 5.0	µg/L	0	GE
		Fluoride	108	µg/L	0	GE
		Iron	< 4.0	µg/L	0	GE
		Lead	< 3.0	µg/L	0	GE
		Magnesium	2,710	µg/L	0	GE
		Manganese	53	µg/L	2	GE
		Mercury	< 0.20	µg/L	0	GE
		Nickel	< 4.0	µg/L	0	GE
■		Nitrate as nitrogen	13,600	µg/L	2	GE
		Phenols	< 5.0	µg/L	0	GE
		Potassium	691	µg/L	0	GE
		Selenium	< 2.0	µg/L	0	GE
		Silica	10,300	µg/L	0	GE
		Silver	< 2.0	µg/L	0	GE
		Sodium	10,500	µg/L	0	GE
		Sulfate	2,690	µg/L	0	GE
•		Total dissolved solids	103,000	µg/L	0	GE
		Total organic carbon	< 1,000	µg/L	0	GE
		Total organic halogens	40	µg/L	1	GE
		Total phosphates (as P)	< 50	µg/L	0	GE
		Vanadium	< 8.0	µg/L	0	GE
		Zinc	37	µg/L	0	GE
		Gross alpha	2.1E+00 ± 4.3E-01	pCi/L	0	GE
		Nonvolatile beta	4.5E+01 ± 1.6E+00	pCi/L	1	GE
		Total alpha-emitting radium	3.8E+00 ± 5.0E-01	pCi/L	1	GE
■		Tritium	1.6E+03 ± 3.1E+00	pCi/mL	2	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB113D

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N72302.7 E56164.3	33.277324 °N 81.659355 °W	236.2-216.2 ft msl	260.9 ft msl	4" PVC	Water Table (IIB ₂)

FIELD MEASUREMENTS

Sample date: 01/08/92
 Depth to water: 38.99 ft (11.88 m) below TOC
 Water elevation: 221.91 ft (67.64 m) msl
 Sp. conductance: 448 µS/cm
 Water evacuated before sampling: 15 gal

Time: 13:30
 pH: 3.7
 Alkalinity: 0 mg/L
 Water temperature: 19.0°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	3.8	pH	1	GE
		Specific conductance	340	µS/cm	1	GE
		Aluminum	9,630	µg/L	2	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	94	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	5,650	µg/L	0	GE
		Chloride	4,340	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	8.4	µg/L	0	GE
		Copper	8.1	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Fluoride	580	µg/L	0	GE
		Iron	289	µg/L	1	GE
		Lead	7.1	µg/L	0	GE
		Magnesium	1,360	µg/L	0	GE
		Manganese	509	µg/L	2	GE
		Mercury	<0.20	µg/L	0	GE
		Nickel	13	µg/L	0	GE
•	■	Nitrate as nitrogen	42,000	µg/L	2	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	1,610	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	28,500	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	24,300	µg/L	0	GE
		Sulfate	5,840	µg/L	0	GE
•		Total dissolved solids	247,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	<5.0	µg/L	0	GE
		Total phosphates (as P)	70	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	83	µg/L	0	GE
	■	Gross alpha	3.6E+01 ± 2.7E+00	pCi/L	2	GE
	■	Nonvolatile beta	1.9E+03 ± 1.4E+01	pCi/L	2	GE
	■	Total alpha-emitting radium	5.7E+01 ± 1.9E+00	pCi/L	2	GE
	■	Tritium	1.1E+04 ± 8.3E+00	pCi/mL	2	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB114C

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N72464.6 E56107.0	33.277589 °N 81.659820 °W	195.6-185.6 ft msl	263.8 ft msl	4" PVC	Barnwell (IIB ₁)

FIELD MEASUREMENTS

Sample date: 01/08/92	Time: 12:40
Depth to water: 41.39 ft (12.62 m) below TOC	pH: 4.5
Water elevation: 222.41 ft (67.79 m) msl	Alkalinity: 0 mg/L
Sp. conductance: 498 µS/cm	Water temperature: 19.6°C
Water evacuated before sampling: 97 gal	

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	4.6	pH	0	GE
		Specific conductance	380	µS/cm	1	GE
		Aluminum	502	µg/L	2	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	73	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	12,300	µg/L	0	GE
		Chloride	5,440	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	6.2	µg/L	0	GE
		Copper	<4.0	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Fluoride	175	µg/L	0	GE
		Iron	6.6	µg/L	0	GE
		Lead	<3.0	µg/L	0	GE
		Magnesium	6,190	µg/L	0	GE
		Manganese	165	µg/L	2	GE
		Mercury	0.22	µg/L	0	GE
		Nickel	8.6	µg/L	0	GE
•	■	Nitrate as nitrogen	54,400	µg/L	2	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	594	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	10,100	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	61,800	µg/L	0	GE
		Sulfate	12,200	µg/L	0	GE
•		Total dissolved solids	394,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	<5.0	µg/L	0	GE
		Total phosphates (as P)	<50	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	37	µg/L	0	GE
		Gross alpha	7.1E+00 ± 1.3E+00	pCi/L	0	GE
	■	Nonvolatile beta	1.9E+02 ± 4.8E+01	pCi/L	2	GE
	■	Total alpha-emitting radium	9.7E+00 ± 8.0E-01	pCi/L	2	GE
	■	Tritium	1.3E+04 ± 8.9E+00	pCi/mL	2	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB114D

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N72474.2 E56104.6	33.277606 °N 81.659845 °W	232.8-212.8 ft msl	264.0 ft msl	4" PVC	Water Table (IIB ₂)

FIELD MEASUREMENTS

Sample date: 01/08/92
 Depth to water: 41.52 ft (12.66 m) below TOC
 Water elevation: 222.48 ft (67.81 m) msl
 Sp. conductance: 301 μ S/cm
 Water evacuated before sampling: 25 gal

Time: 13:05
 pH: 3.8
 Alkalinity: 0 mg/L
 Water temperature: 19.4°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	3.9	pH	1	GE
		Specific conductance	235	μ S/cm	0	GE
		Aluminum	6,340	μ g/L	2	GE
		Antimony	< 2.0	μ g/L	0	GE
		Arsenic	< 2.0	μ g/L	0	GE
		Barium	47	μ g/L	0	GE
		Cadmium	< 2.0	μ g/L	0	GE
		Calcium	4,040	μ g/L	0	GE
		Chloride	2,700	μ g/L	0	GE
		Chromium	< 4.0	μ g/L	0	GE
		Cobalt	8.3	μ g/L	0	GE
		Copper	9.0	μ g/L	0	GE
		Cyanide	< 5.0	μ g/L	0	GE
		Fluoride	707	μ g/L	0	GE
		Iron	33	μ g/L	0	GE
		Lead	8.8	μ g/L	1	GE
		Magnesium	934	μ g/L	0	GE
		Manganese	380	μ g/L	2	GE
		Mercury	< 0.20	μ g/L	0	GE
		Nickel	13	μ g/L	0	GE
•	■	Nitrate as nitrogen	26,600	μ g/L	2	GE
		Phenols	< 5.0	μ g/L	0	GE
		Potassium	1,660	μ g/L	0	GE
		Selenium	< 2.0	μ g/L	0	GE
		Silica	26,000	μ g/L	0	GE
		Silver	< 2.0	μ g/L	0	GE
		Sodium	12,900	μ g/L	0	GE
		Sulfate	24,600	μ g/L	0	GE
•		Total dissolved solids	164,000	μ g/L	0	GE
		Total organic carbon	< 1,000	μ g/L	0	GE
		Total organic halogens	7.9	μ g/L	0	GE
		Total phosphates (as P)	< 50	μ g/L	0	GE
		Vanadium	< 8.0	μ g/L	0	GE
		Zinc	90	μ g/L	0	GE
	■	Gross alpha	3.1E+01 $\pm$ 2.4E+00	pCi/L	2	GE
	■	Nonvolatile beta	2.9E+03 $\pm$ 1.9E+01	pCi/L	2	GE
	■	Total alpha-emitting radium	6.8E+01 $\pm$ 2.0E+00	pCi/L	2	GE
	■	Tritium	3.7E+03 $\pm$ 4.8E+00	pCi/mL	2	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB115C

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N72653.2 E56043.2	33.277902 °N 81.660355 °W	192.8-182.8 ft msl	269.3 ft msl	4" PVC	Barnwell (IB ₁)

FIELD MEASUREMENTS

Sample date: 01/07/92	Time: 15:15
Depth to water: 45.87 ft (13.98 m) below TOC	pH: 7.0
Water elevation: 223.43 ft (68.10 m) msl	Alkalinity: 19 mg/L
Sp. conductance: 474 µS/cm	Water temperature: 19.7°C
Water evacuated before sampling: 107 gal	

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	7.3	pH	0	GE
		Specific conductance	370	µS/cm	1	GE
		Aluminum	107	µg/L	1	GE
		Antimony	< 2.0	µg/L	0	GE
		Arsenic	< 2.0	µg/L	0	GE
		Barium	47	µg/L	0	GE
		Cadmium	< 2.0	µg/L	0	GE
		Calcium	16,600	µg/L	0	GE
		Chloride	2,400	µg/L	0	GE
		Chloride	2,320	µg/L	0	GE
		Chromium	< 4.0	µg/L	0	GE
		Cobalt	< 4.0	µg/L	0	GE
		Copper	< 4.0	µg/L	0	GE
•		Cyanide	5.0	µg/L	0	GE
		Fluoride	< 100	µg/L	0	GE
		Fluoride	< 100	µg/L	0	GE
		Iron	< 4.0	µg/L	0	GE
		Lead	< 3.0	µg/L	0	GE
		Magnesium	2,610	µg/L	0	GE
		Manganese	200	µg/L	2	GE
		Mercury	< 0.20	µg/L	0	GE
		Nickel	< 4.0	µg/L	0	GE
■		Nitrate as nitrogen	49,200	µg/L	2	GE
		Phenols	< 5.0	µg/L	0	GE
		Phenols	< 5.0	µg/L	0	GE
		Potassium	940	µg/L	0	GE
		Selenium	< 2.0	µg/L	0	GE
		Silica	9,770	µg/L	0	GE
		Silver	< 2.0	µg/L	0	GE
		Sodium	65,700	µg/L	0	GE
•		Sulfate	5,180	µg/L	0	GE
•		Total dissolved solids	358,000	µg/L	0	GE
		Total organic carbon	< 1,000	µg/L	0	GE
		Total organic halogens	9.2	µg/L	0	GE
		Total phosphates (as P)	80	µg/L	0	GE
		Vanadium	< 8.0	µg/L	0	GE
		Zinc	4.0	µg/L	0	GE
		Gross alpha	7.4E+00 ± 1.1E+00	pCi/L	0	GE
■		Nonvolatile beta	1.5E+02 ± 2.9E+00	pCi/L	2	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB115C collected on 01/07/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Total alpha-emitting radium	3.3E+00 ± 4.0E-01	pCi/L	1	GE
	■	Tritium	1.6E+04 ± 9.9E+00	pCi/mL	2	GE

WELL HSB115D

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N72662.3 E56039.8	33.277916 °N 81.660381 °W	233.9-213.9 ft msl	269.1 ft msl	4" PVC	Water Table (IIB ₂)

FIELD MEASUREMENTS

Sample date: 01/08/92
 Depth to water: 45.81 ft (13.96 m) below TOC
 Water elevation: 223.29 ft (68.06 m) msl
 Sp. conductance: 310 µS/cm
 Water evacuated before sampling: 7 gal
 The well went dry during purging.

Time: 9:45
 pH: 4.3
 Alkalinity: 0 mg/L
 Water temperature: 18.4°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	4.2	pH	0	GE
		Specific conductance	240	µS/cm	0	GE
		Aluminum	2,310	µg/L	2	GE
	■	Antimony	9.8	µg/L	2	GE
		Arsenic	< 2.0	µg/L	0	GE
		Barium	174	µg/L	0	GE
		Cadmium	< 2.0	µg/L	0	GE
		Calcium	12,500	µg/L	0	GE
		Chloride	2,500	µg/L	0	GE
		Chromium	< 4.0	µg/L	0	GE
		Cobalt	36	µg/L	1	GE
		Copper	17	µg/L	0	GE
		Cyanide	< 5.0	µg/L	0	GE
		Fluoride	585	µg/L	0	GE
		Iron	148	µg/L	0	GE
	■	Lead	54	µg/L	2	GE
		Magnesium	3,100	µg/L	0	GE
		Manganese	1,060	µg/L	2	GE
		Mercury	< 0.20	µg/L	0	GE
		Nickel	54	µg/L	1	GE
•	■	Nitrate as nitrogen	31,600	µg/L	2	GE
		Phenols	< 5.0	µg/L	0	GE
		Potassium	952	µg/L	0	GE
		Selenium	< 2.0	µg/L	0	GE
		Silica	24,700	µg/L	0	GE
		Silver	< 2.0	µg/L	0	GE
		Sodium	22,600	µg/L	0	GF
		Sulfate	8,360	µg/L	0	GE
•		Total dissolved solids	198,000	µg/L	0	GE
		Total organic carbon	< 1,000	µg/L	0	GE
		Total organic halogens	< 5.0	µg/L	0	GE
		Total organic halogens	< 5.0	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB115D collected on 01/08/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Total phosphates (as P)	100	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	178	µg/L	0	GE
	■	Gross alpha	2.1E+01 ± 2.1E+00	pCi/L	2	GE
	■	Nonvolatile beta	1.4E+03 ± 1.3E+01	pCi/L	2	GE
	■	Total alpha-emitting radium	3.9E+01 ± 1.8E+00	pCi/L	2	GE
	■	Tritium	9.0E+03 ± 7.5E+00	pCi/mL	2	GE

WELL HSB116C

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N72888.1	33.278333 °N	190.5-180.5 ft msl	257.5 ft msl	4" PVC	Barnwell (IIB ₁)
E55989.1	81.660953 °W				

FIELD MEASUREMENTS

Sample date: 01/02/92
 Depth to water: 33.87 ft (10.32 m) below TOC
 Water elevation: 223.63 ft (68.16 m) msl
 Sp. conductance: 547 µS/cm
 Water evacuated before sampling: 113 gal

Time: 11:00
 pH: 5.2
 Alkalinity: 0 mg/L
 Water temperature: 18.6°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
●		pH	5.0	pH	0	GE
		Specific conductance	550	µS/cm	2	GE
		Aluminum	146	µg/L	1	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	81	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	4,070	µg/L	0	GE
		Chloride	4,480	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	67	µg/L	2	GE
		Copper	<4.0	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Fluoride	<100	µg/L	0	GE
		Fluoride	<100	µg/L	0	GE
		Iron	<4.0	µg/L	0	GE
		Lead	<3.0	µg/L	0	GE
		Magnesium	2,080	µg/L	0	GE
		Manganese	931	µg/L	2	GE
		Mercury	<0.20	µg/L	0	GE
		Nickel	11	µg/L	0	GE
	■	Nitrate as nitrogen	61,000	µg/L	2	GE
	■	Nitrate as nitrogen	60,000	µg/L	2	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	832	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	8,520	µg/L	0	GE

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB116C collected on 01/02/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Silver	<2.0	µg/L	0	GE
		Sodium	86,700	µg/L	0	GE
		Sulfate	2,810	µg/L	0	GE
		Sulfate	3,170	µg/L	0	GE
		Total dissolved solids	401,000	µg/L	0	GE
		Total dissolved solids	388,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	21	µg/L	0	GE
		Total phosphates (as P)	<50	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	13	µg/L	0	GE
■		Gross alpha	1.7E+01 ± 1.9E+00	pCi/L	2	GE
■		Nonvolatile beta	1.2E+02 ± 2.6E+00	pCi/L	2	GE
■		Total alpha-emitting radium	6.1E+00 ± 6.0E-01	pCi/L	2	GE
■		Tritium	1.7E+04 ± 1.0E+01	pCi/mL	2	GE

WELL HSB116D

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N72898.1	33.278354 °N	234.5-214.5 ft msl	256.8 ft msl	4" PVC	Water Table (IIB ₂)
E55988.2	81.660975 °W				

FIELD MEASUREMENTS

Sample date: 01/02/92
 Depth to water: 32.11 ft (9.79 m) below TOC
 Water elevation: 224.69 ft (68.49 m) msl
 Sp. conductance: 393 µS/cm
 Water evacuated before sampling: 27 gal

Time: 11:25
 pH: 4.1
 Alkalinity: 0 mg/L
 Water temperature: 19.7°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	4.2	pH	0	GE
		Specific conductance	305	µS/cm	1	GE
		Aluminum	2,570	µg/L	2	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	247	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	7,370	µg/L	0	GE
		Chloride	2,720	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	9.5	µg/L	0	GE
		Copper	6.1	µg/L	0	GE
•		Cyanide	<5.0	µg/L	0	GE
		Fluoride	362	µg/L	0	GE
		Iron	206	µg/L	1	GE
■		Lead	17	µg/L	2	GE
		Magnesium	2,610	µg/L	0	GE
		Manganese	774	µg/L	2	GE
		Mercury	<0.20	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB116D collected on 01/02/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Nickel	17	µg/L	0	GE
■		Nitrate as nitrogen	41,200	µg/L	2	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	2,620	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	11,200	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	36,400	µg/L	0	GE
		Sulfate	12,600	µg/L	0	GE
●		Total dissolved solids	228,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	86	µg/L	2	GE
		Total phosphates (as P)	<50	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	79	µg/L	0	GE
■		Gross alpha	4.4E+01 ± 2.0E+00	pCi/L	2	GE
■		Nonvolatile beta	1.0E+04 ± 2.3E+01	pCi/L	2	GE
■		Total alpha-emitting radium	1.2E+02 ± 2.3E+00	pCi/L	2	GE
■		Tritium	1.1E+04 ± 8.2E+00	pCi/mL	2	GE

WELL HSB117A

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N72733.6	33.276655 °N	94.1-84.1 ft msl	236.3 ft msl		M. Congaree (IIA)
E55170.1	81.662810 °W				

FIELD MEASUREMENTS

Sample date: 01/14/92
 Depth to water: 69.40 ft (21.15 m) below TOC
 Water elevation: 166.90 ft (50.87 m) msl
 Sp. conductance: 142 µS/cm
 Water evacuated before sampling: 217 gal

Time: 10:25
 pH: 6.7
 Alkalinity: 47 mg/L
 Water temperature: 17.4°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
●		pH	6.8	pH	0	GE
		Specific conductance	148	µS/cm	0	GE
		Aluminum	<20	µg/L	0	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	31	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	23,900	µg/L	0	GE
		Chloride	4,800	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	<4.0	µg/L	0	GE
		Copper	<4.0	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Fluoride	128	µg/L	0	GE
		Iron	<4.0	µg/L	0	GE

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB117A collected on 01/14/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Lead	< 3.0	µg/L	0	GE
		Magnesium	814	µg/L	0	GE
		Manganese	101	µg/L	2	GE
		Mercury	< 0.20	µg/L	0	GE
		Nickel	< 4.0	µg/L	0	GE
		Nitrate as nitrogen	< 50	µg/L	0	GE
		Phenols	< 5.0	µg/L	0	GE
		Potassium	1,060	µg/L	0	GE
		Selenium	< 2.0	µg/L	0	GE
		Silica	29,300	µg/L	0	GE
		Silver	< 2.0	µg/L	0	GE
		Sodium	1,770	µg/L	0	GE
		Sulfate	5,630	µg/L	0	GE
		Sulfate	5,740	µg/L	0	GE
		Total dissolved solids	97,000	µg/L	0	GE
		Total organic carbon	< 1,000	µg/L	0	GE
		Total organic carbon	< 1,000	µg/L	0	GE
		Total organic halogens	11	µg/L	0	GE
		Total phosphates (as P)	70	µg/L	0	GE
		Vanadium	< 8.0	µg/L	0	GE
		Zinc	< 2.0	µg/L	0	GE
		Gross alpha	< 2.0E+00	pCi/L	0	GE
		Nonvolatile beta	< 2.0E+00	pCi/L	0	GE
		Total alpha-emitting radium	< 1.0E+00	pCi/L	0	GE
		Tritium	< 7.0E-01	pCi/mL	0	GE

WELL HSB117C

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N72740.7	33.276659 °N	174.0-164.0 ft msl	236.3 ft msl	4" PVC	Barnwell (IIB ₁)
E55162.9	81.662842 °W				

FIELD MEASUREMENTS

Sample date: 01/14/92
 Depth to water: 15.16 ft (4.62 m) below TOC
 Water elevation: 221.14 ft (67.40 m) msl
 Sp. conductance: 439 µS/cm
 Water evacuated before sampling: 150 gal

Time: 10:15
 pH: 4.8
 Alkalinity: 0 mg/L
 Water temperature: 17.0°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.1	pH	0	GE
		Specific conductance	380	µS/cm	1	GE
		Aluminum	372	µg/L	2	GE
		Antimony	< 2.0	µg/L	0	GE
		Arsenic	< 2.0	µg/L	0	GE
		Barium	64	µg/L	0	GE
		Cadmium	< 2.0	µg/L	0	GE
		Calcium	7,250	µg/L	0	GE
		Chloride	4,740	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB117C collected on 01/14/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Chromium	<4.0	µg/L	0	GE
		Cobalt	4.3	µg/L	0	GE
		Copper	<4.0	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Fluoride	<100	µg/L	0	GE
		Iron	<4.0	µg/L	0	GE
		Lead	<3.0	µg/L	0	GE
		Magnesium	4,570	µg/L	0	GE
		Manganese	100	µg/L	2	GE
		Mercury	<0.20	µg/L	0	GE
		Nickel	<4.0	µg/L	0	GE
	■	Nitrate as nitrogen	38,000	µg/L	2	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	505	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	8,210	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	62,900	µg/L	0	GE
		Sulfate	<1,000	µg/L	0	GE
•		Total dissolved solids	338,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
•		Total organic halogens	99	µg/L	2	GE
•		Total phosphates (as P)	<50	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	10	µg/L	0	GE
		Gross alpha	1.1E+01 ± 1.6E+00	pCi/L	1	GE
	■	Nonvolatile beta	1.9E+02 ± 5.1E+00	pCi/L	2	GE
	■	Total alpha-emitting radium	8.8E+00 ± 8.0E-01	pCi/L	2	GE
	■	Tritium	1.0E+04 ± 8.0E+00	pCi/mL	2	GE

WELL HSB117D

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N72747.6 E55155.6	33.276662 °N 81.662875 °W	219.1-199.1 ft msl	236.3 ft msl	4" PVC	Water Table (IIB ₂)

FIELD MEASUREMENTS

Sample date: 01/14/92
 Depth to water: 13.06 ft (3.98 m) below TOC
 Water elevation: 223.24 ft (68.04 m) msl
 Sp. conductance: 38 µS/cm
 Water evacuated before sampling: 63 gal

Time: 10:40
 pH: 4.9
 Alkalinity: 0 mg/L
 Water temperature: 17.5 °C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.3	pH	0	GE
		Specific conductance	40	µS/cm	0	GE
		Aluminum	<20	µg/L	0	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB117D collected on 01/14/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Barium	4.7	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	462	µg/L	0	GE
		Chloride	2,680	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	<4.0	µg/L	0	GE
		Copper	25	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Fluoride	<100	µg/L	0	GE
		Iron	<4.0	µg/L	0	GE
		Lead	<3.0	µg/L	0	GE
		Magnesium	472	µg/L	0	GE
		Manganese	2.6	µg/L	0	GE
		Mercury	<0.20	µg/L	0	GE
		Nickel	<4.0	µg/L	0	GE
		Nitrate as nitrogen	2,240	µg/L	0	GE
		Nitrate as nitrogen	2,240	µg/L	0	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	<500	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	6,340	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	4,990	µg/L	0	GE
		Sulfate	1,040	µg/L	0	GE
		Total dissolved solids	14,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	<5.0	µg/L	0	GE
		Total phosphates (as P)	<50	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	39	µg/L	0	GE
		Gross alpha	<2.0E+00	pCi/L	0	GE
		Nonvolatile beta	9.7E+00 ± 8.1E-01	pCi/L	0	GE
		Total alpha-emitting radium	<1.0E+00	pCi/L	0	GE
■		Tritium	2.7E+02 ± 1.3E+00	pCi/mL	2	GE

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB118A

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N72696.4 E55775.6	33.277561 °N 81.661143 °W	101.0-91.0 ft msl	247.3 ft msl		U. Congaree (IIA)

FIELD MEASUREMENTS

Sample date: 01/03/92	Time: 15:25
Depth to water: 79.12 ft (24.12 m) below TOC	pH: 6.9
Water elevation: 168.18 ft (51.26 m) msl	Alkalinity: 46 mg/L
Sp. conductance: 182 µS/cm	Water temperature: 18.8°C
Water evacuated before sampling: 203 gal	

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	6.5	pH	0	GE
		Specific conductance	170	µS/cm	0	GE
		Aluminum	<20	µg/L	0	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	41	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	29,600	µg/L	0	GE
		Chloride	2,500	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	<4.0	µg/L	0	GE
		Copper	<4.0	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Fluoride	124	µg/L	0	GE
		Iron	23	µg/L	0	GE
		Lead	<3.0	µg/L	0	GE
		Magnesium	771	µg/L	0	GE
		Manganese	49	µg/L	1	GE
		Mercury	<0.20	µg/L	0	GE
		Nickel	<4.0	µg/L	0	GE
		Nitrate as nitrogen	4,300	µg/L	0	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	2,200	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	31,200	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	2,570	µg/L	0	GE
		Sulfate	6,320	µg/L	0	GE
		Total dissolved solids	132,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	<5.0	µg/L	0	GE
		Total phosphates (as P)	210	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	<2.0	µg/L	0	GE
		Gross alpha	<2.0E+00	pCi/L	0	GE
		Nonvolatile beta	8.0E+00 ± 7.2E-01	pCi/L	0	GE
		Total alpha-emitting radium	1.1E+00 ± 4.0E-01	pCi/L	0	GE
■		Tritium	6.6E+02 ± 2.0E+00	pCi/mL	2	GE
■		Tritium	6.5E+02 ± 3.9E+00	pCi/mL	2	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB119A

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N73082.5 E56100.2	33.278944 °N 81.661038 °W	103.3-93.3 ft msl	257.1 ft msl		U. Congaree (IIA)

FIELD MEASUREMENTS

Sample date: 01/02/92
 Depth to water: 89.59 ft (27.31 m) below TOC
 Water elevation: 167.51 ft (51.06 m) msl
 Sp. conductance: 179 $\mu\text{S}/\text{cm}$
 Water evacuated before sampling: 195 gal

Time: 12:50
 pH: 7.3
 Alkalinity: 56 mg/L
 Water temperature: 19.4°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	7.1	pH	0	GE
		Specific conductance	165	$\mu\text{S}/\text{cm}$	0	GE
		Aluminum	< 20	$\mu\text{g}/\text{L}$	0	GE
		Antimony	< 2.0	$\mu\text{g}/\text{L}$	0	GE
		Arsenic	2.9	$\mu\text{g}/\text{L}$	0	GE
		Barium	18	$\mu\text{g}/\text{L}$	0	GE
		Cadmium	< 2.0	$\mu\text{g}/\text{L}$	0	GE
		Calcium	27,300	$\mu\text{g}/\text{L}$	0	GE
		Chloride	2,740	$\mu\text{g}/\text{L}$	0	GE
		Chromium	< 4.0	$\mu\text{g}/\text{L}$	0	GE
		Cobalt	< 4.0	$\mu\text{g}/\text{L}$	0	GE
		Copper	< 4.0	$\mu\text{g}/\text{L}$	0	GE
		Cyanide	< 5.0	$\mu\text{g}/\text{L}$	0	GE
		Fluoride	153	$\mu\text{g}/\text{L}$	0	GE
		Iron	< 4.0	$\mu\text{g}/\text{L}$	0	GE
		Lead	< 3.0	$\mu\text{g}/\text{L}$	0	GE
		Magnesium	1,410	$\mu\text{g}/\text{L}$	0	GE
		Manganese	11	$\mu\text{g}/\text{L}$	0	GE
		Mercury	< 0.20	$\mu\text{g}/\text{L}$	0	GE
		Nickel	< 4.0	$\mu\text{g}/\text{L}$	0	GE
		Nitrate as nitrogen	2,000	$\mu\text{g}/\text{L}$	0	GE
		Phenols	< 5.0	$\mu\text{g}/\text{L}$	0	GE
		Potassium	2,010	$\mu\text{g}/\text{L}$	0	GE
		Selenium	< 2.0	$\mu\text{g}/\text{L}$	0	GE
		Silica	34,300	$\mu\text{g}/\text{L}$	0	GE
		Silver	< 2.0	$\mu\text{g}/\text{L}$	0	GE
		Sodium	3,800	$\mu\text{g}/\text{L}$	0	GE
		Sulfate	3,340	$\mu\text{g}/\text{L}$	0	GE
		Total dissolved solids	134,000	$\mu\text{g}/\text{L}$	0	GE
		Total organic carbon	< 1,000	$\mu\text{g}/\text{L}$	0	GE
		Total organic halogens	20	$\mu\text{g}/\text{L}$	0	GE
		Total phosphates (as P)	400	$\mu\text{g}/\text{L}$	0	GE
		Vanadium	< 8.0	$\mu\text{g}/\text{L}$	0	GE
		Zinc	5.9	$\mu\text{g}/\text{L}$	0	GE
		Gross alpha	2.0E+00 $\pm$ 5.7E-01	pCi/L	0	GE
		Nonvolatile beta	1.4E+01 $\pm$ 9.7E-01	pCi/L	0	GE
		Total alpha-emitting radium	< 1.0E+00	pCi/L	0	GE
■		Tritium	2.5E+02 $\pm$ 1.2E+00	pCi/mL	2	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB120A

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N73395.1 E56431.9	33.280177 °N 81.660772 °W	101.0-91.0 ft msl	268.2 ft msl		U. Congaree (IIA)

FIELD MEASUREMENTS

Sample date: 01/03/92	Time: 9:50
Depth to water: 101.23 ft (30.86 m) below TOC	pH: 7.6
Water elevation: 166.97 ft (50.89 m) msl	Alkalinity: 78 mg/L
Sp. conductance: 211 µS/cm	Water temperature: 18.2°C
Water evacuated before sampling: 199 gal	

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	7.4	pH	0	GE
		Specific conductance	200	µS/cm	0	GE
		Aluminum	<20	µg/L	0	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	27	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	38,200	µg/L	0	GE
		Chloride	2,410	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	<4.0	µg/L	0	GE
		Copper	<4.0	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Fluoride	<100	µg/L	0	GE
		Iron	<4.0	µg/L	0	GE
		Lead	<3.0	µg/L	0	GE
		Magnesium	957	µg/L	0	GE
		Manganese	19	µg/L	0	GE
		Mercury	<0.20	µg/L	0	GE
		Nickel	<4.0	µg/L	0	GE
		Nitrate as nitrogen	70	µg/L	0	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	1,920	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	32,600	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	2,890	µg/L	0	GE
		Sulfate	5,470	µg/L	0	GE
		Total dissolved solids	138,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	<5.0	µg/L	0	GE
		Total phosphates (as P)	70	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	<2.0	µg/L	0	GE
		Gross alpha	<2.0E+00	pCi/L	0	GE
		Nonvolatile beta	<2.0E+00	pCi/L	0	GE
		Total alpha-emitting radium	<1.0E+00	pCi/L	0	GE
		Tritium	<7.0E-01	pCi/mL	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB121A

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N72024.8 E57389.6	33.278709 °N 81.655589 °W	98.3-88.3 ft msl	274.6 ft msl		U. Congaree (IIA)

FIELD MEASUREMENTS

Sample date: 02/17/92	Time: 10:00
Depth to water: 102.48 ft (31.24 m) below TOC	pH: 6.7
Water elevation: 172.12 ft (52.46 m) msl	Alkalinity: 82 mg/L
Sp. conductance: 231 µS/cm	Water temperature: 17.4°C
Water evacuated before sampling: 220 gal	

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	6.0	pH	0	WA
•		pH	6.1	pH	0	WA
•		pH	7.5	pH	0	GE
•		pH	7.6	pH	0	GE
		Specific conductance	187	µS/cm	0	WA
		Specific conductance	186	µS/cm	0	WA
		Specific conductance	170	µS/cm	0	GE
		Specific conductance	170	µS/cm	0	GE
		Aluminum	22	µg/L	0	WA
		Aluminum	< 14	µg/L	0	WA
		Aluminum	20	µg/L	0	WA
		Aluminum	< 20	µg/L	0	GE
		Aluminum	< 20	µg/L	0	GE
		Antimony	< 2.6	µg/L	0	WA
		Antimony	< 2.6	µg/L	0	WA
		Antimony	< 2.6	µg/L	0	WA
		Antimony	< 2.0	µg/L	0	GE
		Antimony	< 2.0	µg/L	0	GE
		Arsenic	< 2.0	µg/L	0	WA
		Arsenic	< 2.0	µg/L	0	WA
		Arsenic	< 2.0	µg/L	0	WA
		Arsenic	< 2.0	µg/L	0	GE
		Arsenic	< 2.0	µg/L	0	GE
		Barium	51	µg/L	0	WA
		Barium	52	µg/L	0	WA
		Barium	53	µg/L	0	WA
		Barium	55	µg/L	0	GE
		Barium	57	µg/L	0	GE
		Cadmium	< 0.35	µg/L	0	WA
		Cadmium	< 0.35	µg/L	0	WA
		Cadmium	< 0.35	µg/L	0	WA
		Cadmium	< 2.0	µg/L	0	GE
		Cadmium	< 2.0	µg/L	0	GE
		Calcium	38,600	µg/L	0	WA
		Calcium	39,900	µg/L	0	WA
		Calcium	40,100	µg/L	0	WA
		Calcium	40,600	µg/L	0	GE
		Calcium	41,500	µg/L	0	GE
		Chloride	3,510	µg/L	0	WA

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB121A collected on 02/17/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Chloride	3,400	µg/L	0	WA
		Chloride	2,580	µg/L	0	GE
		Chloride	2,510	µg/L	0	GE
		Chromium	1.1	µg/L	0	WA
		Chromium	<1.1	µg/L	0	WA
		Chromium	<1.1	µg/L	0	WA
		Chromium	<4.0	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	0.88	µg/L	0	WA
		Cobalt	<0.88	µg/L	0	WA
		Cobalt	1.3	µg/L	0	WA
		Cobalt	<4.0	µg/L	0	GE
		Cobalt	<4.0	µg/L	0	GE
		Copper	1.5	µg/L	0	WA
		Copper	<1.1	µg/L	0	WA
		Copper	<1.1	µg/L	0	WA
		Copper	<4.0	µg/L	0	GE
		Copper	<4.0	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	WA
		Cyanide	<5.0	µg/L	0	WA
		Cyanide	<5.0	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Fluoride	<100	µg/L	0	WA
		Fluoride	<100	µg/L	0	WA
		Fluoride	<100	µg/L	0	GE
		Fluoride	<100	µg/L	0	GE
		Iron	28	µg/L	0	WA
		Iron	45	µg/L	0	WA
		Iron	57	µg/L	0	WA
		Iron	20	µg/L	0	GE
		Iron	21	µg/L	0	GE
		Lead	<2.0	µg/L	0	WA
		Lead	<2.0	µg/L	0	WA
		Lead	<2.0	µg/L	0	WA
		Lead	<3.0	µg/L	0	GE
		Lead	<3.0	µg/L	0	GE
		Magnesium	788	µg/L	0	WA
		Magnesium	846	µg/L	0	WA
		Magnesium	827	µg/L	0	WA
		Magnesium	867	µg/L	0	GE
		Magnesium	889	µg/L	0	GE
		Manganese	8.7	µg/L	0	WA
		Manganese	9.2	µg/L	0	WA
		Manganese	9.0	µg/L	0	WA
		Manganese	8.5	µg/L	0	GE
		Manganese	8.7	µg/L	0	GE
		Mercury	<0.20	µg/L	0	WA
		Mercury	<0.20	µg/L	0	WA
		Mercury	<0.20	µg/L	0	GE
		Mercury	<0.20	µg/L	0	GE
		Nickel	<3.1	µg/L	0	WA
		Nickel	<3.1	µg/L	0	WA
		Nickel	<3.1	µg/L	0	WA
		Nickel	<4.0	µg/L	0	GE
		Nickel	<4.0	µg/L	0	GE
		Nitrate as nitrogen	122	µg/L	0	WA

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB121A collected on 02/17/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Nitrate as nitrogen	119	µg/L	0	WA
		Nitrate as nitrogen	< 50	µg/L	0	GE
		Nitrate as nitrogen	< 50	µg/L	0	GE
		Phenols	< 5.0	µg/L	0	WA
		Phenols	< 5.0	µg/L	0	WA
		Phenols	< 5.0	µg/L	0	WA
		Phenols	< 5.0	µg/L	0	GE
		Phenols	8.0	µg/L	0	GE
		Potassium	2,420	µg/L	0	WA
		Potassium	2,380	µg/L	0	WA
		Potassium	2,360	µg/L	0	WA
		Potassium	2,550	µg/L	0	GE
		Potassium	2,630	µg/L	0	GE
		Selenium	< 2.0	µg/L	0	WA
		Selenium	< 2.0	µg/L	0	WA
		Selenium	< 2.0	µg/L	0	WA
		Selenium	< 2.0	µg/L	0	GE
		Selenium	< 2.0	µg/L	0	GE
		Silica	44,800	µg/L	0	GE
		Silica	45,900	µg/L	0	GE
		Silicon	2,370	µg/L	0	WA
		Silicon	8,290	µg/L	0	WA
		Silicon	2,820	µg/L	0	WA
		Silver	< 0.70	µg/L	0	WA
		Silver	< 0.70	µg/L	0	WA
		Silver	< 0.70	µg/L	0	WA
		Silver	< 2.0	µg/L	0	GE
		Silver	< 2.0	µg/L	0	GE
		Sodium	2,780	µg/L	0	WA
		Sodium	2,960	µg/L	0	WA
		Sodium	2,920	µg/L	0	WA
		Sodium	3,030	µg/L	0	GE
		Sodium	3,090	µg/L	0	GE
		Sulfate	11,900	µg/L	0	WA
		Sulfate	11,500	µg/L	0	WA
		Sulfate	8,180	µg/L	0	GE
		Sulfate	8,160	µg/L	0	GE
		Total dissolved solids	176,000	µg/L	0	WA
		Total dissolved solids	171,000	µg/L	0	WA
		Total dissolved solids	161,000	µg/L	0	GE
		Total dissolved solids	161,000	µg/L	0	GE
		Total organic carbon	600	µg/L	0	WA
		Total organic carbon	893	µg/L	0	WA
		Total organic carbon	< 1,000	µg/L	0	GE
		Total organic carbon	< 1,000	µg/L	0	GE
		Total organic halogens	< 5.0	µg/L	0	WA
		Total organic halogens	< 5.0	µg/L	0	WA
		Total organic halogens	10	µg/L	0	GE
		Total organic halogens	11	µg/L	0	GE
		Total phosphates (as P)	38	µg/L	0	WA
		Total phosphates (as P)	45	µg/L	0	WA
		Total phosphates (as P)	64	µg/L	0	WA
		Total phosphates (as P)	< 50	µg/L	0	GE
		Total phosphates (as P)	< 50	µg/L	0	GE
		Total phosphates (as P)	< 50	µg/L	0	GE
		Vanadium	< 0.88	µg/L	0	WA

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB121A collected on 02/17/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Vanadium	<0.88	µg/L	0	WA
		Vanadium	<0.88	µg/L	0	WA
		Vanadium	<8.0	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	1.7	µg/L	0	WA
		Zinc	5.0	µg/L	0	WA
		Zinc	2.4	µg/L	0	WA
		Zinc	<2.0	µg/L	0	GE
		Zinc	<2.0	µg/L	0	GE
		Gross alpha	1.5E+00 ± 1.9E+00	pCi/L	0	BA
		Gross alpha	8.0E-01 ± 1.8E+00	pCi/L	0	BA
		Gross alpha	<2.0E+00	pCi/L	0	GE
		Gross alpha	<2.0E+00	pCi/L	0	GE
		Nonvolatile beta	5.5E+00 ± 1.9E+00	pCi/L	0	BA
		Nonvolatile beta	3.7E+00 ± 1.8E+00	pCi/L	0	BA
		Nonvolatile beta	6.6E+00 ± 8.6E-01	pCi/L	0	GE
		Nonvolatile beta	3.0E+00 ± 5.5E-01	pCi/L	0	GE
		Radium-226	3.0E-01 ± 7.0E-01	pCi/L	0	BA
		Radium-226	1.1E+00 ± 6.0E-01	pCi/L	0	BA
		Radium-226	2.0E-01 ± 6.0E-01	pCi/L	0	BA
		Radium-228	1.0E+00 ± 3.0E+00	pCi/L	0	BA
		Radium-228	<1.6E+00	pCi/L	0	BA
		Radium-228	6.0E-01 ± 3.2E+00	pCi/L	0	BA
		Total alpha-emitting radium	<1.0E+00	pCi/L	0	GE
		Total alpha-emitting radium	<1.0E+00	pCi/L	0	GE
		Tritium	<2.6E-01	pCi/mL	0	BA
		Tritium	<2.6E-01	pCi/mL	0	BA
		Tritium	<7.0E-01	pCi/mL	0	GE
		Tritium	<7.0E-01	pCi/mL	0	GE

WELL HSB122A

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N72195.9	33.279671 °N	95.4-85.4 ft msl	271.6 ft msl		U. Congaree (IIA)
E57747.4	81.654979 °W				

FIELD MEASUREMENTS

Sample date: 01/03/92
Depth to water: 99.49 ft (30.32 m) below TOC
Water elevation: 172.11 ft (52.46 m) msl
Sp. conductance: 223 µS/cm
Water evacuated before sampling: 228 gal

Time: 11:10
pH: 7.2
Alkalinity: 84 mg/L
Water temperature: 17.8°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	7.1	pH	0	GE
		Specific conductance	220	µS/cm	0	GE
		Aluminum	<20	µg/L	0	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB122A collected on 01/03/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Barium	17	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	43,100	µg/L	0	GE
		Chloride	2,680	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	<4.0	µg/L	0	GE
		Copper	<4.0	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Fluoride	<100	µg/L	0	GE
		Fluoride	<100	µg/L	0	GE
		Iron	18	µg/L	0	GE
		Lead	<3.0	µg/L	0	GE
		Magnesium	790	µg/L	0	GE
		Manganese	5.1	µg/L	0	GE
		Mercury	<0.20	µg/L	0	GE
		Nickel	<4.0	µg/L	0	GE
		Nitrate as nitrogen	<50	µg/L	0	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	738	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	39,800	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	1,800	µg/L	0	GE
		Sulfate	8,900	µg/L	0	GE
		Total dissolved solids	151,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	<5.0	µg/L	0	GE
		Total phosphates (as P)	50	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	<2.0	µg/L	0	GE
		Gross alpha	<2.0E+00	pCi/L	0	GE
		Nonvolatile beta	<2.0E+00	pCi/L	0	GE
		Total alpha-emitting radium	<1.0E+00	pCi/L	0	GE
		Tritium	<7.0E-01	pCi/mL	0	GE

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB123A

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N72189.8 E58124.8	33.280273 °N 81.653973 °W	102.3-92.3 ft msl	264.5 ft msl		U. Congaree (IIA)

FIELD MEASUREMENTS

Sample date: 01/14/92	Time: 16:30
Depth to water: 92.27 ft (28.12 m) below TOC	pH: 9.0
Water elevation: 172.23 ft (52.50 m) msl	Alkalinity: 92 mg/L
Sp. conductance: 215 μ S/cm	Water temperature: 17.6°C
Water evacuated before sampling: 210 gal	

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	9.0	pH	1	GE
		Specific conductance	239	μ S/cm	0	GE
		Aluminum	20	μ g/L	0	GE
		Antimony	<2.0	μ g/L	0	GE
		Arsenic	<2.0	μ g/L	0	GE
		Barium	69	μ g/L	0	GE
		Cadmium	<2.0	μ g/L	0	GE
		Calcium	39,900	μ g/L	0	GE
		Chloride	2,580	μ g/L	0	GE
		Chromium	<4.0	μ g/L	0	GE
		Cobalt	<4.0	μ g/L	0	GE
		Copper	<4.0	μ g/L	0	GE
		Cyanide	<5.0	μ g/L	0	GE
		Fluoride	<100	μ g/L	0	GE
		Iron	83	μ g/L	0	GE
		Lead	<3.0	μ g/L	0	GE
		Magnesium	767	μ g/L	0	GE
		Manganese	11	μ g/L	0	GE
		Mercury	<0.20	μ g/L	0	GE
		Nickel	<4.0	μ g/L	0	GE
		Nitrate as nitrogen	<50	μ g/L	0	GE
		Phenols	<5.0	μ g/L	0	GE
		Potassium	1,470	μ g/L	0	GE
		Selenium	<2.0	μ g/L	0	GE
		Silica	46,200	μ g/L	0	GE
		Silver	<2.0	μ g/L	0	GE
		Sodium	2,940	μ g/L	0	GE
		Sulfate	8,140	μ g/L	0	GE
		Total dissolved solids	169,000	μ g/L	0	GE
		Total organic carbon	<1,000	μ g/L	0	GE
		Total organic halogens	13	μ g/L	0	GE
		Total phosphates (as P)	70	μ g/L	0	GE
		Vanadium	<8.0	μ g/L	0	GE
		Zinc	<2.0	μ g/L	0	GE
		Gross alpha	<2.0E+00	pCi/L	0	GE
		Nonvolatile beta	3.4E+00 $\pm$ 6.1E-01	pCi/L	0	GE
		Total alpha-emitting radium	<1.0E+00	pCi/L	0	GE
		Tritium	<7.0E-01	pCi/mL	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB124A

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N72199.6 E58514.6	33.280931 °N 81.652966 °W	103.0-93.0 ft msl	266.2 ft msl		U. Congaree (IIA)

FIELD MEASUREMENTS

Sample date: 01/08/92 Time: 16:00
Inaccessibility or pump failure prevented sample collection.

WELL HSB124AR

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
-------------------	----------------------	------------------------------	----------------------	---------------	------------------

FIELD MEASUREMENTS

Sample date: 03/01/92 Time: 11:30
Depth to water: 94.71 ft (28.87 m) below TOC pH: 7.1
Sp. conductance: 243 μ S/cm Water temperature: 19.7°C
Water evacuated before sampling: 204 gal

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	7.3	pH	0	GE
		Specific conductance	200	μ S/cm	0	GE
		Aluminum	<20	μ g/L	0	GE
		Antimony	<2.0	μ g/L	0	GE
		Arsenic	<2.0	μ g/L	0	GE
		Barium	47	μ g/L	0	GE
		Benzene	<1.0	μ g/L	0	GE
		Bromodichloromethane	<1.0	μ g/L	0	GE
		Bromoform	<1.0	μ g/L	0	GE
		Bromomethane (Methyl bromide)	<1.0	μ g/L	0	GE
		Cadmium	<2.0	μ g/L	0	GE
		Calcium	39,000	μ g/L	0	GE
		Carbon tetrachloride	<1.0	μ g/L	0	GE
		Chloride	2,670	μ g/L	0	GE
		Chlorobenzene	<1.0	μ g/L	0	GE
		Chloroethane	<1.0	μ g/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0	μ g/L	0	GE
		2-Chloroethyl vinyl ether	<1.0	μ g/L	0	GE
		Chloroform	<1.0	μ g/L	0	GE
		Chloromethane (Methyl chloride)	<1.0	μ g/L	0	GE
		Chromium	<4.0	μ g/L	0	GE
		Cobalt	<4.0	μ g/L	0	GE
		Copper	<4.0	μ g/L	0	GE
		Cyanide	<5.0	μ g/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB124AR collected on 03/01/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Dibromochloromethane	< 1.0	µg/L	0	GE
		1,1-Dichloroethane	< 1.0	µg/L	0	GE
		1,2-Dichloroethane	< 1.0	µg/L	0	GE
		1,1-Dichloroethylene	< 1.0	µg/L	0	GE
		trans-1,2-Dichloroethylene	< 1.0	µg/L	0	GE
		Dichloromethane (Methylene chloride)	< 1.0	µg/L	0	GE
		1,2-Dichloropropane	< 1.0	µg/L	0	GE
		cis-1,3-Dichloropropene	< 1.0	µg/L	0	GE
		trans-1,3-Dichloropropene	< 1.0	µg/L	0	GE
		Ethylbenzene	< 1.0	µg/L	0	GE
		Fluoride	111	µg/L	0	GE
		Fluoride	111	µg/L	0	GE
		Iron	6.6	µg/L	0	GE
		Lead	< 3.0	µg/L	0	GE
		Magnesium	1,780	µg/L	0	GE
		Manganese	32	µg/L	1	GE
		Mercury	< 0.20	µg/L	0	GE
		Nickel	< 4.0	µg/L	0	GE
		Nitrate as nitrogen	< 50	µg/L	0	GE
		Phenols	< 5.0	µg/L	0	GE
		Potassium	1,240	µg/L	0	GE
		Selenium	< 2.0	µg/L	0	GE
		Silica	42,200	µg/L	0	GE
		Silver	< 2.0	µg/L	0	GE
		Sodium	9,110	µg/L	0	GE
		Sulfate	12,100	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	< 1.0	µg/L	0	GE
		Tetrachloroethylene	< 1.0	µg/L	0	GE
		Toluene	< 1.0	µg/L	0	GE
		Total dissolved solids	171,000	µg/L	0	GE
		Total organic carbon	< 1,000	µg/L	0	GE
		Total organic carbon	< 1,000	µg/L	0	GE
		Total organic halogens	44	µg/L	1	GE
		Total phosphates (as P)	90	µg/L	0	GE
		1,1,1-Trichloroethane	< 1.0	µg/L	0	GE
		1,1,2-Trichloroethane	< 1.0	µg/L	0	GE
		Trichloroethylene	1.7	µg/L	0	GE
		Trichlorofluoromethane	< 1.0	µg/L	0	GE
		Vanadium	< 8.0	µg/L	0	GE
		Zinc	< 2.0	µg/L	0	GE
		Gross alpha	2.2E + 00 ± 5.0E-01	pCi/L	0	GE
		Nonvolatile beta	< 2.0E + 00	pCi/L	0	GE
		Total alpha-emitting radium	1.6E + 00 ± 5.0E-01	pCi/L	0	GE
		Tritium	< 7.0E-01	pCi/mL	0	GE

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB125C

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N71503.6 E58592.8	33.279519 °N 81.651408 °W	155.6-145.6 ft msl	231.9 ft msl	4" PVC	Barnwell (IIB ₁)

FIELD MEASUREMENTS

Sample date: 01/07/92	Time: 12:30
Depth to water: 9.09 ft (2.77 m) below TOC	pH: 6.4
Water elevation: 222.81 ft (67.91 m) msl	Alkalinity: 25 mg/L
Sp. conductance: 75 µS/cm	Water temperature: 17.8°C
Water evacuated before sampling: 254 gal	

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	6.0	pH	0	GE
		Specific conductance	78	µS/cm	0	GE
		Aluminum	< 2.0	µg/L	0	GE
		Antimony	< 2.0	µg/L	0	GE
		Arsenic	< 2.0	µg/L	0	GE
		Barium	5.5	µg/L	0	GE
		Cadmium	< 2.0	µg/L	0	GE
		Calcium	9,580	µg/L	0	GE
		Chloride	2,760	µg/L	0	GE
		Chromium	4.5	µg/L	0	GE
		Cobalt	< 4.0	µg/L	0	GE
		Copper	< 4.0	µg/L	0	GE
		Cyanide	< 5.0	µg/L	0	GE
		Fluoride	167	µg/L	0	GE
		Iron	< 4.0	µg/L	0	GE
		Lead	< 3.0	µg/L	0	GE
		Magnesium	1,620	µg/L	0	GE
		Manganese	12	µg/L	0	GE
		Mercury	< 0.20	µg/L	0	GE
		Nickel	< 4.0	µg/L	0	GE
		Nitrate as nitrogen	80	µg/L	0	GE
		Phenols	< 5.0	µg/L	0	GE
		Potassium	< 500	µg/L	0	GE
		Selenium	< 2.0	µg/L	0	GE
		Silica	12,500	µg/L	0	GE
		Silver	< 2.0	µg/L	0	GE
		Sodium	1,840	µg/L	0	GE
		Sulfate	< 1,000	µg/L	0	GE
		Total dissolved solids	40,000	µg/L	0	GE
		Total organic carbon	< 1,000	µg/L	0	GE
		Total organic halogens	9.8	µg/L	0	GE
		Total phosphates (as P)	140	µg/L	0	GE
		Vanadium	< 8.0	µg/L	0	GE
		Zinc	9.2	µg/L	0	GE
		Gross alpha	< 2.0E+00	pCi/L	0	GE
		Nonvolatile beta	2.0E+00 ± 3.9E-01	pCi/L	0	GE
		Total alpha-emitting radium	< 1.0E+00	pCi/L	0	GE
		Tritium	2.5E+00 ± 2.0E-01	pCi/mL	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB125D

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N71498.2 E58584.1	33.279492 °N 81.651421 °W	219.4-199.4 ft msl	231.7 ft msl	4" PVC	Water Table (IIB ₂)

FIELD MEASUREMENTS

Sample date: 01/07/92	Time: 12:00
Depth to water: 11.02 ft (3.36 m) below TOC	pH: 5.1
Water elevation: 220.68 ft (67.26 m) msl	Alkalinity: 0 mg/L
Sp. conductance: 365 µS/cm	Water temperature: 17.1°C
Water evacuated before sampling: 56 gal	

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.1	pH	0	GE
		Specific conductance	355	µS/cm	1	GE
		Aluminum	82	µg/L	0	GE
		Antimony	< 2.0	µg/L	0	GE
		Arsenic	< 2.0	µg/L	0	GE
		Barium	15	µg/L	0	GE
		Cadmium	< 2.0	µg/L	0	GE
		Calcium	256	µg/L	0	GE
		Chloride	3,240	µg/L	0	GE
		Chromium	< 4.0	µg/L	0	GE
		Cobalt	< 4.0	µg/L	0	GE
		Copper	< 4.0	µg/L	0	GE
•		Cyanide	< 5.0	µg/L	0	GE
		Fluoride	< 100	µg/L	0	GE
		Iron	35	µg/L	0	GE
		Lead	< 3.0	µg/L	0	GE
		Magnesium	457	µg/L	0	GE
		Manganese	252	µg/L	2	GE
		Mercury	1.3	µg/L	1	GE
		Nickel	< 4.0	µg/L	0	GE
■		Nitrate as nitrogen	36,600	µg/L	2	GE
		Phenols	< 5.0	µg/L	0	GE
		Potassium	< 500	µg/L	0	GE
		Selenium	< 2.0	µg/L	0	GE
		Silica	6,070	µg/L	0	GE
		Silver	< 2.0	µg/L	0	GE
		Sodium	65,600	µg/L	0	GE
•		Sulfate	5,490	µg/L	0	GE
•		Total dissolved solids	251,000	µg/L	0	GE
		Total organic carbon	< 1,000	µg/L	0	GE
		Total organic halogens	9.3	µg/L	0	GE
		Total phosphates (as P)	< 50	µg/L	0	GE
		Vanadium	< 8.0	µg/L	0	GE
		Zinc	3.1	µg/L	0	GE
		Gross alpha	< 2.0E+00	pCi/L	0	GE
		Nonvolatile beta	4.7E+01 ± 1.7E+00	pCi/L	1	GE
		Total alpha-emitting radium	2.4E+00 ± 4.0E-01	pCi/L	0	GE
■		Tritium	5.9E+03 ± 6.0E+00	pCi/mL	2	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB126C

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N70627.7 E57178.2	33.275273 °N 81.653432 °W	181.3-176.3 ft msl	212.6 ft msl	4" PVC	Barnwell (IIB ₁)

FIELD MEASUREMENTS

Sample date: 01/06/92	Time: 14:30
Depth to water: 8.67 ft (2.64 m) below TOC	pH: 7.9
Water elevation: 203.93 ft (62.16 m) msl	Alkalinity: 65 mg/L
Sp. conductance: 212 µS/cm	Water temperature: 17.5°C
Water evacuated before sampling: 76 gal	

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	8.0	pH	0	GE
		Specific conductance	210	µS/cm	0	GE
		Aluminum	< 20	µg/L	0	GE
		Antimony	< 2.0	µg/L	0	GE
		Arsenic	< 2.0	µg/L	0	GE
		Barium	15	µg/L	0	GE
		Cadmium	< 2.0	µg/L	0	GE
		Calcium	34,500	µg/L	0	GE
		Chloride	2,760	µg/L	0	GE
		Chromium	4.6	µg/L	0	GE
		Cobalt	< 4.0	µg/L	0	GE
		Copper	< 4.0	µg/L	0	GE
		Cyanide	< 5.0	µg/L	0	GE
		Fluoride	< 100	µg/L	0	GE
		Iron	< 4.0	µg/L	0	GE
		Lead	< 3.0	µg/L	0	GE
		Magnesium	1,340	µg/L	0	GE
		Manganese	< 2.0	µg/L	0	GE
		Mercury	< 0.20	µg/L	0	GE
		Nickel	< 4.0	µg/L	0	GE
		Nitrate as nitrogen	4,400	µg/L	0	GE
		Phenols	< 5.0	µg/L	0	GE
		Potassium	609	µg/L	0	GE
		Selenium	< 2.0	µg/L	0	GE
		Silica	26,400	µg/L	0	GE
		Silver	< 2.0	µg/L	0	GE
		Sodium	5,680	µg/L	0	GE
		Sulfate	1,300	µg/L	0	GE
		Total dissolved solids	142,000	µg/L	0	GE
		Total organic carbon	< 1,000	µg/L	0	GE
		Total organic halogens	17	µg/L	0	GE
		Total phosphates (as P)	60	µg/L	0	GE
		Vanadium	< 8.0	µg/L	0	GE
		Zinc	< 2.0	µg/L	0	GE
		Gross alpha	< 2.0E+00	pCi/L	0	GE
		Nonvolatile beta	8.7E+00 ± 7.9E-01	pCi/L	0	GE
		Total alpha-emitting radium	< 1.0E+00	pCi/L	0	GE
■		Tritium	2.9E+02 ± 1.3E+00	pCi/mL	2	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB126D

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N70633.4 E57169.6	33.275272 °N 81.653466 °W	200.5-190.5 ft msl	212.7 ft msl	4" PVC	Water Table (IIB ₂)

FIELD MEASUREMENTS

Sample date: 01/07/92
Depth to water: 7.45 ft (2.27 m) below TOC
Water elevation: 205.25 ft (62.56 m) msl
Sp. conductance: 473 μ S/cm
Water evacuated before sampling: 8 gal
The well went dry during purging.

Time: 8:45
pH: 4.8
Alkalinity: 0 mg/L
Water temperature: 15.0°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	4.7	pH	0	GE
		Specific conductance	355	μ S/cm	1	GE
		Aluminum	420	μ g/L	2	GE
	■	Antimony	5.8	μ g/L	2	GE
		Arsenic	< 2.0	μ g/L	0	GE
		Barium	101	μ g/L	0	GE
		Cadmium	< 2.0	μ g/L	0	GE
		Calcium	7,980	μ g/L	0	GE
		Chloride	4,760	μ g/L	0	GE
		Chromium	< 4.0	μ g/L	0	GE
		Cobalt	< 4.0	μ g/L	0	GE
		Copper	< 4.0	μ g/L	0	GE
•		Cyanide	< 5.0	μ g/L	0	GE
		Fluoride	< 100	μ g/L	0	GE
		Iron	18	μ g/L	0	GE
		Lead	< 3.0	μ g/L	0	GE
		Magnesium	4,020	μ g/L	0	GE
		Manganese	50	μ g/L	2	GE
	■	Mercury	4.6	μ g/L	2	GE
		Nickel	5.4	μ g/L	0	GE
	■	Nitrate as nitrogen	53,600	μ g/L	2	GE
		Phenols	< 5.0	μ g/L	0	GE
		Potassium	719	μ g/L	0	GE
		Selenium	< 2.0	μ g/L	0	GE
		Silica	8,140	μ g/L	0	GE
		Silver	< 2.0	μ g/L	0	GE
		Sodium	66,900	μ g/L	0	GE
•		Sulfate	3,680	μ g/L	0	GE
•		Total dissolved solids	343,000	μ g/L	0	GE
		Total organic carbon	< 1,000	μ g/L	0	GE
		Total organic halogens	47	μ g/L	1	GE
		Total phosphates (as P)	50	μ g/L	0	GE
		Vanadium	< 8.0	μ g/L	0	GE
		Zinc	13	μ g/L	0	GE
		Gross alpha	< 2.0E+00	pCi/L	0	GE
		Nonvolatile beta	3.7E+01 $\pm$ 1.6E+00	pCi/L	1	GE
		Total alpha-emitting radium	2.8E+00 $\pm$ 4.0E-01	pCi/L	1	GE
	■	Tritium	5.5E+03 $\pm$ 5.8E+00	pCi/mL	2	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB127C

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N71210.1 E56792.1	33.275932 °N 81.655580 °W	158.4-148.4 ft msl	225.7 ft msl	4" PVC	Barnwell (IIB ₁)

FIELD MEASUREMENTS

Sample date: 01/01/92
 Depth to water: 15.46 ft (4.71 m) below TOC
 Water elevation: 210.24 ft (64.08 m) msl
 Sp. conductance: 274 μ S/cm
 Water evacuated before sampling: 162 gal

Time: 15:10
 pH: 7.8
 Alkalinity: 76 mg/L
 Water temperature: 17.9°C

LABORATORY ANALYSES

<u>H</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
●	pH	7.6	pH	0	GE
	Specific conductance	260	μ S/cm	1	GE
	Aluminum	<20	μ g/L	0	GE
	Antimony	<2.0	μ g/L	0	GE
	Arsenic	<2.0	μ g/L	0	GE
	Barium	9.8	μ g/L	0	GE
	Cadmium	<2.0	μ g/L	0	GE
	Calcium	46,700	μ g/L	0	GE
	Chloride	3,280	μ g/L	0	GE
	Chromium	<4.0	μ g/L	0	GE
	Cobalt	<4.0	μ g/L	0	GE
	Copper	<4.0	μ g/L	0	GE
	Cyanide	<5.0	μ g/L	0	GE
	Fluoride	<100	μ g/L	0	GE
	Iron	<4.0	μ g/L	0	GE
	Lead	<3.0	μ g/L	0	GE
	Magnesium	818	μ g/L	0	GE
	Manganese	<2.0	μ g/L	0	GE
	Mercury	<0.20	μ g/L	0	GE
	Nickel	<4.0	μ g/L	0	GE
	Nitrate as nitrogen	9,200	μ g/L	1	GE
	Phenols	<5.0	μ g/L	0	GE
	Potassium	<500	μ g/L	0	GE
	Selenium	<2.0	μ g/L	0	GE
	Silica	14,600	μ g/L	0	GE
	Silver	<2.0	μ g/L	0	GE
	Sodium	4,960	μ g/L	0	GE
	Sulfate	<1,000	μ g/L	0	GE
	Total dissolved solids	194,000	μ g/L	0	GE
	Total organic carbon	<1,000	μ g/L	0	GE
	Total organic halogens	<5.0	μ g/L	0	GE
	Total phosphates (as P)	<50	μ g/L	0	GE
	Vanadium	<8.0	μ g/L	0	GE
	Zinc	4.9	μ g/L	0	GE
	Gross alpha	<2.0E+00	pCi/L	0	GE
	Nonvolatile beta	5.5E+00 $\pm$ 6.4E-01	pCi/L	0	GE
	Total alpha-emitting radium	<1.0E+00	pCi/L	0	GE
■	Tritium	1.1E+03 $\pm$ 2.5E+00	pCi/mL	2	GE

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB127D

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N71218.9 E56788.0	33.275945 °N 81.655608 °W	217.8-197.8 ft msl	226.1 ft msl	4" PVC	Water Table (IIB ₂)

FIELD MEASUREMENTS

Sample date: 01/01/92	Time: 14:45
Depth to water: 8.23 ft (2.51 m) below TOC	pH: 4.7
Water elevation: 217.87 ft (66.41 m) msl	Alkalinity: 0 mg/L
Sp. conductance: 234 µS/cm	Water temperature: 18.1 °C
Water evacuated before sampling: 91 gal	

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	4.9	pH	0	GE
		Specific conductance	188	µS/cm	0	GE
		Aluminum	114	µg/L	1	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	15	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	1,330	µg/L	0	GE
		Chloride	2,240	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	<4.0	µg/L	0	GE
		Copper	<4.0	µg/L	0	GE
•		Cyanide	<5.0	µg/L	0	GE
		Fluoride	<100	µg/L	0	GE
		Iron	14	µg/L	0	GE
		Lead	<3.0	µg/L	0	GE
		Magnesium	1,240	µg/L	0	GE
		Manganese	262	µg/L	2	GE
	■	Mercury	2.6	µg/L	2	GE
	■	Nickel	<4.0	µg/L	0	GE
	■	Nitrate as nitrogen	35,600	µg/L	2	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	508	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	6,260	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	37,200	µg/L	0	GE
		Sulfate	25,400	µg/L	0	GE
•		Total dissolved solids	176,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	6.7	µg/L	0	GE
		Total phosphates (as P)	<50	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	5.2	µg/L	0	GE
		Gross alpha	4.4E+00 ± 6.6E-01	pCi/L	0	GE
	■	Nonvolatile beta	7.0E+01 ± 1.9E+00	pCi/L	2	GE
		Total alpha-emitting radium	4.7E+00 ± 5.0E-01	pCi/L	1	GE
	■	Tritium	1.1E+04 ± 8.2E+00	pCi/mL	2	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB129C

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N71830.4 E55110.0	33.274559 °N 81.661214 °W	157.8-147.8 ft msl	215.1 ft msl	4" PVC	Barnwell (IIB ₁)

FIELD MEASUREMENTS

Sample date: 01/13/92
 Depth to water: 9.27 ft (2.83 m) below TOC
 Water elevation: 205.83 ft (62.74 m) msl
 Sp. conductance: 209 μ S/cm
 Water evacuated before sampling: 152 gal

Time: 14:00
 pH: 5.2
 Alkalinity: 1 mg/L
 Water temperature: 17.6°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.6	pH	0	GE
		Specific conductance	205	μ S/cm	0	GE
		Aluminum	93	μ g/L	0	GE
		Antimony	< 2.0	μ g/L	0	GE
		Arsenic	< 2.0	μ g/L	0	GE
		Barium	57	μ g/L	0	GE
		Cadmium	< 2.0	μ g/L	0	GE
		Calcium	16,400	μ g/L	0	GE
		Chloride	4,240	μ g/L	0	GE
		Chromium	< 4.0	μ g/L	0	GE
		Cobalt	< 4.0	μ g/L	0	GE
		Copper	< 4.0	μ g/L	0	GE
		Cyanide	< 5.0	μ g/L	0	GE
		Fluoride	108	μ g/L	0	GE
		Iron	4.1	μ g/L	0	GE
		Lead	< 3.0	μ g/L	0	GE
		Magnesium	4,090	μ g/L	0	GE
		Manganese	47	μ g/L	1	GE
		Mercury	< 0.20	μ g/L	0	GE
		Nickel	6.8	μ g/L	0	GE
•	■	Nitrate as nitrogen	21,000	μ g/L	2	GE
		Phenols	< 5.0	μ g/L	0	GE
		Potassium	1,140	μ g/L	0	GE
		Selenium	< 2.0	μ g/L	0	GE
		Silica	10,800	μ g/L	0	GE
		Silver	< 2.0	μ g/L	0	GE
		Sodium	11,300	μ g/L	0	GE
		Sulfate	< 1,000	μ g/L	0	GE
		Total dissolved solids	173,000	μ g/L	0	GE
		Total organic carbon	< 1,000	μ g/L	0	GE
		Total organic halogens	< 5.0	μ g/L	0	GE
		Total phosphates (as P)	150	μ g/L	0	GE
		Vanadium	< 8.0	μ g/L	0	GE
		Zinc	92	μ g/L	0	GE
		Gross alpha	3.3E+00 $\pm$ 9.4E-01	pCi/L	0	GE
	■	Nonvolatile beta	1.2E+02 $\pm$ 4.0E+00	pCi/L	2	GE
		Total alpha-emitting radium	3.4E+00 $\pm$ 5.0E-01	pCi/L	1	GE
	■	Tritium	2.5E+03 $\pm$ 3.9E+00	pCi/mL	2	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB129D

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N71837.1 E55103.4	33.274563 °N 81.661244 °W	205.2-185.2 ft msl	214.7 ft msl	4" PVC	Water Table (IIB ₂)

FIELD MEASUREMENTS

Sample date: 01/13/92
 Depth to water: 5.81 ft (1.77 m) below TOC
 Water elevation: 208.89 ft (63.67 m) msl
 Sp. conductance: 332 μ S/cm
 Water evacuated before sampling: 62 gal

Time: 12:55
 pH: 4.5
 Alkalinity: 0 mg/L
 Water temperature: 17.0°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	4.8	pH	0	GE
		Specific conductance	325	μ S/cm	1	GE
		Aluminum	174	μ g/L	1	GE
		Antimony	<2.0	μ g/L	0	GE
		Arsenic	<2.0	μ g/L	0	GE
		Barium	45	μ g/L	0	GE
		Cadmium	<2.0	μ g/L	0	GE
		Calcium	3,890	μ g/L	0	GE
		Chloride	4,880	μ g/L	0	GE
		Chromium	<4.0	μ g/L	0	GE
		Cobalt	<4.0	μ g/L	0	GE
		Copper	<4.0	μ g/L	0	GE
		Cyanide	<5.0	μ g/L	0	GE
		Cyanide	<5.0	μ g/L	0	GE
		Fluoride	<100	μ g/L	0	GE
		Iron	4.8	μ g/L	0	GE
		Lead	<3.0	μ g/L	0	GE
		Magnesium	3,230	μ g/L	0	GE
		Manganese	17	μ g/L	0	GE
		Mercury	0.67	μ g/L	0	GE
		Nickel	<4.0	μ g/L	0	GE
•	■	Nitrate as nitrogen	46,500	μ g/L	2	GE
		Phenols	<5.0	μ g/L	0	GE
		Potassium	<500	μ g/L	0	GE
		Selenium	<2.0	μ g/L	0	GE
		Silica	7,250	μ g/L	0	GE
		Silver	<2.0	μ g/L	0	GE
		Sodium	60,300	μ g/L	0	GE
		Sulfate	3,160	μ g/L	0	GE
		Total dissolved solids	238,000	μ g/L	0	GE
		Total organic carbon	<1,000	μ g/L	0	GE
		Total organic halogens	<5.0	μ g/L	0	GE
		Total phosphates (as P)	<50	μ g/L	0	GE
		Total phosphates (as P)	<50	μ g/L	0	GE
		Vanadium	<8.0	μ g/L	0	GE
		Zinc	3.9	μ g/L	0	GE
		Gross alpha	8.7E+00 $\pm$ 1.4E+00	pCi/L	1	GE
	■	Nonvolatile beta	1.2E+02 $\pm$ 3.9E+00	pCi/L	2	GE
	■	Total alpha-emitting radium	9.0E+00 $\pm$ 8.0E-01	pCi/L	2	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB129D collected on 01/13/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
■		Tritium	7.2E+03 ± 6.6E+00	pCi/mL	2	GE

WELL HSB130C

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N70762.4 E54643.6	33.271436 °N 81.660367 °W	169.9-159.9 ft msl	218.3 ft msl	4" PVC	Barnwell (IIB ₁)

FIELD MEASUREMENTS

Sample date: 01/15/92
 Depth to water: 18.15 ft (5.53 m) below TOC
 Water elevation: 200.15 ft (61.01 m) msl
 Sp. conductance: 181 µS/cm
 Water evacuated before sampling: 106 gal

Time: 12:25
 pH: 8.1
 Alkalinity: 78 mg/L
 Water temperature: 17.1°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
●		pH	8.0	pH	1	GE
		Specific conductance	185	µS/cm	0	GE
		Aluminum	< 20	µg/L	0	GE
		Antimony	< 2.0	µg/L	0	GE
		Arsenic	< 2.0	µg/L	0	GE
		Barium	23	µg/L	0	GE
		Cadmium	< 2.0	µg/L	0	GE
		Calcium	30,100	µg/L	0	GE
		Chloride	2,160	µg/L	0	GE
		Chromium	< 4.0	µg/L	0	GE
		Cobalt	< 4.0	µg/L	0	GE
		Copper	< 4.0	µg/L	0	GE
		Cyanide	< 5.0	µg/L	0	GE
		Fluoride	< 100	µg/L	0	GE
		Iron	< 4.0	µg/L	0	GE
		Lead	< 3.0	µg/L	0	GE
		Magnesium	663	µg/L	0	GE
		Manganese	< 2.0	µg/L	0	GE
		Mercury	< 0.20	µg/L	0	GE
		Nickel	< 4.0	µg/L	0	GE
		Nitrate as nitrogen	180	µg/L	0	GE
		Phenols	< 5.0	µg/L	0	GE
		Potassium	602	µg/L	0	GE
		Selenium	< 2.0	µg/L	0	GE
		Silica	14,800	µg/L	0	GE
		Silver	< 2.0	µg/L	0	GE
		Sodium	2,110	µg/L	0	GE
		Sulfate	< 1,000	µg/L	0	GE
		Total dissolved solids	2,000	µg/L	0	GE
		Total organic carbon	< 1,000	µg/L	0	GE
		Total organic halogens	< 5.0	µg/L	0	GE
		Total organic halogens	< 5.0	µg/L	0	GE
		Total phosphates (as P)	< 50	µg/L	0	GE

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB130C collected on 01/15/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Vanadium	< 8.0	µg/L	0	GE
		Zinc	< 2.0	µg/L	0	GE
		Gross alpha	< 2.0E + 00	pCi/L	0	GE
		Nonvolatile beta	< 2.0E + 00	pCi/L	0	GE
		Total alpha-emitting radium	< 1.0E + 00	pCi/L	0	GE
		Tritium	< 7.0E-01	pCi/mL	0	GE

WELL HSB130D

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N70757.2	33.271438 °N	202.1-182.1 ft msl	218.6 ft msl	4" PVC	Water Table (IIB ₂)
E54651.7	81.660336 °W				

FIELD MEASUREMENTS

Sample date: 01/15/92
 Depth to water: 17.97 ft (5.48 m) below TOC
 Water elevation: 200.63 ft (61.15 m) msl
 Sp. conductance: 96 µS/cm
 Water evacuated before sampling: 49 gal

Time: 12:55
 pH: 6.7
 Alkalinity: 37 mg/L
 Water temperature: 17.3°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	6.7	pH	0	GE
		Specific conductance	90	µS/cm	0	GE
		Aluminum	< 20	µg/L	0	GE
		Antimony	< 2.0	µg/L	0	GE
		Arsenic	< 2.0	µg/L	0	GE
		Barium	9.1	µg/L	0	GE
		Cadmium	< 2.0	µg/L	0	GE
		Calcium	15,300	µg/L	0	GE
		Chloride	1,870	µg/L	0	GE
		Chromium	< 4.0	µg/L	0	GE
		Cobalt	< 4.0	µg/L	0	GE
		Copper	< 4.0	µg/L	0	GE
		Cyanide	< 5.0	µg/L	0	GE
		Fluoride	< 100	µg/L	0	GE
		Iron	< 4.0	µg/L	0	GE
		Lead	< 3.0	µg/L	0	GE
		Magnesium	727	µg/L	0	GE
		Manganese	3.1	µg/L	0	GE
		Mercury	< 0.20	µg/L	0	GE
		Nickel	< 4.0	µg/L	0	GE
		Nitrate as nitrogen	310	µg/L	0	GE
		Phenols	< 5.0	µg/L	0	GE
		Potassium	< 500	µg/L	0	GE
		Selenium	< 2.0	µg/L	0	GE
		Silica	8,600	µg/L	0	GE
		Silver	< 2.0	µg/L	0	GE
		Sodium	1,330	µg/L	0	GE
		Sulfate	< 1,000	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB130D collected on 01/15/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Total dissolved solids	60,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	<5.0	µg/L	0	GE
		Total phosphates (as P)	<50	µg/L	0	GE
		Total phosphates (as P)	<50	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	13	µg/L	0	GE
		Gross alpha	<2.0E+00	pCi/L	0	GE
		Nonvolatile beta	<2.0E+00	pCi/L	0	GE
		Total alpha-emitting radium	<1.0E+00	pCi/L	0	GE
		Tritium	1.0E+01 ± 3.0E-01	pCi/mL	1	GE

WELL HSB131C

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N70374.7	33.274252 °N	158.5-148.5 ft msl	211.7 ft msl	4" PVC	Barnwell (IIB ₁)
E56894.9	81.653687 °W				

FIELD MEASUREMENTS

Sample date: 01/10/92
 Depth to water: 8.14 ft (2.48 m) below TOC
 Water elevation: 203.56 ft (62.05 m) msl
 Sp. conductance: 222 µS/cm
 Water evacuated before sampling: 144 gal

Time: 14:45
 pH: 8.0
 Alkalinity: 85 mg/L
 Water temperature: 17.2°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	8.0	pH	0	GE
		Specific conductance	202	µS/cm	0	GE
		Aluminum	<20	µg/L	0	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	22	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	40,600	µg/L	0	GE
		Chloride	2,730	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	<4.0	µg/L	0	GE
		Copper	<4.0	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Fluoride	<100	µg/L	0	GE
		Iron	<4.0	µg/L	0	GE
		Lead	<3.0	µg/L	0	GE
		Magnesium	696	µg/L	0	GE
		Manganese	<2.0	µg/L	0	GE
		Mercury	<0.20	µg/L	0	GE
		Nickel	<4.0	µg/L	0	GE
		Nitrate as nitrogen	3,400	µg/L	0	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	654	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB131C collected on 01/10/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Selenium	<2.0	µg/L	0	GE
		Silica	16,400	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	3,480	µg/L	0	GE
		Sulfate	<1,000	µg/L	0	GE
		Total dissolved solids	133,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	<5.0	µg/L	0	GE
		Total phosphates (as P)	<50	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	<2.0	µg/L	0	GE
		Gross alpha	<2.0E+00	pCi/L	0	GE
		Nonvolatile beta	2.4E+00 ± 5.5E-01	pCi/L	0	GE
		Total alpha-emitting radium	<1.0E+00	pCi/L	0	GE
■		Tritium	1.8E+02 ± 1.0E+00	pCi/mL	2	GE

WELL HSB131D

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N70365.0	33.274224 °N	205.7-195.7 ft msl	212.1 ft msl	4" PVC	Water Table (IIB ₂)
E56891.1	81.653678 °W				

FIELD MEASUREMENTS

Sample date: 01/10/92
 Depth to water: 6.97 ft (2.12 m) below TOC
 Water elevation: 205.13 ft (62.52 m) msl
 Sp. conductance: 27 µS/cm
 Water evacuated before sampling: 32 gal

Time: 15:00
 pH: 5.2
 Alkalinity: 1 mg/L
 Water temperature: 15.1°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
●		pH	5.4	pH	0	GE
		Specific conductance	25	µS/cm	0	GE
		Aluminum	<20	µg/L	0	GE
		Antimony	4.3	µg/L	1	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	27	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	1,700	µg/L	0	GE
		Chloride	1,620	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	<4.0	µg/L	0	GE
		Copper	<4.0	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Fluoride	<100	µg/L	0	GE
		Iron	430	µg/L	2	GE
		Lead	<3.0	µg/L	0	GE
		Magnesium	705	µg/L	0	GE
		Manganese	16	µg/L	0	GE
		Mercury	<0.20	µg/L	0	GE

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB131D collected on 01/10/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Nickel	<4.0	µg/L	0	GE
		Nitrate as nitrogen	520	µg/L	0	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	<500	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	5,620	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	774	µg/L	0	GE
		Sulfate	2,630	µg/L	0	GE
		Total dissolved solids	17,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	<5.0	µg/L	0	GE
		Total phosphates (as P)	<50	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	<2.0	µg/L	0	GE
		Gross alpha	4.3E+00 ± 6.0E-01	pCi/L	0	GE
		Nonvolatile beta	7.7E+00 ± 7.7E-01	pCi/L	0	GE
		Total alpha-emitting radium	2.8E+00 ± 5.0E-01	pCi/L	1	GE
		Tritium	1.1E+01 ± 3.0E-01	pCi/mL	1	GE

WELL HSB132C

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N71472.4	33.279768 °N	178.6-168.6 ft msl	240.5 ft msl	4" PVC	Barnwell (IIB ₁)
E58787.7	81.650835 °W				

FIELD MEASUREMENTS

Sample date: 01/10/92
 Depth to water: 19.49 ft (5.94 m) below TOC
 Water elevation: 221.01 ft (67.36 m) msl
 Sp. conductance: 29 µS/cm
 Water evacuated before sampling: 138 gal

Time: 14:15
 pH: 5.4
 Alkalinity: 2 mg/L
 Water temperature: 18.0°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.6	pH	0	GE
		Specific conductance	29	µS/cm	0	GE
		Aluminum	47	µg/L	0	GE
■		Antimony	6.3	µg/L	2	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	3.8	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	762	µg/L	0	GE
		Chloride	2,700	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	<4.0	µg/L	0	GE
		Copper	<4.0	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Fluoride	<100	µg/L	0	GE
		Iron	14	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB132C collected on 01/10/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Lead	<3.0	µg/L	0	GE
		Magnesium	298	µg/L	0	GE
		Manganese	14	µg/L	0	GE
		Mercury	<0.20	µg/L	0	GE
		Nickel	<4.0	µg/L	0	GE
		Nitrate as nitrogen	90	µg/L	0	GE
		Phenols	<5.0	µg/L	0	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	583	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	9,620	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	3,470	µg/L	0	GE
		Sulfate	2,080	µg/L	0	GE
		Total dissolved solids	22,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	10	µg/L	0	GE
		Total phosphates (as P)	120	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	10	µg/L	0	GE
		Gross alpha	<2.0E+00	pCi/L	0	GE
		Nonvolatile beta	<2.0E+00	pCi/L	0	GE
		Total alpha-emitting radium	1.7E+00 ± 4.0E-01	pCi/L	0	GE
		Tritium	<7.0E-01	pCi/mL	0	GE

WELL HSB132D

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N71469.5	33.279780 °N	226.5-206.5 ft msl	240.7 ft msl	4" PVC	Water Table (IIB ₂)
E58799.3	81.650798 °W				

FIELD MEASUREMENTS

Sample date: 01/10/92
 Depth to water: 20.23 ft (6.17 m) below TOC
 Water elevation: 220.47 ft (67.20 m) msl
 Sp. conductance: 21 µS/cm
 Water evacuated before sampling: 37 gal

Time: 13:30
 pH: 5.1
 Alkalinity: 1 mg/L
 Water temperature: 18.4°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.4	pH	0	GE
		Specific conductance	20	µS/cm	0	GE
		Aluminum	<20	µg/L	0	GE
■		Antimony	5.8	µg/L	2	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	5.7	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	562	µg/L	0	GE
		Chloride	2,390	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB132D collected on 01/10/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Cobalt	<4.0	µg/L	0	GE
		Copper	4.7	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Fluoride	<100	µg/L	0	GE
		Iron	<4.0	µg/L	0	GE
		Lead	<3.0	µg/L	0	GE
		Magnesium	411	µg/L	0	GE
		Manganese	11	µg/L	0	GE
		Mercury	<0.20	µg/L	0	GE
		Nickel	<4.0	µg/L	0	GE
		Nitrate as nitrogen	860	µg/L	0	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	<500	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	6,830	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	1,930	µg/L	0	GE
		Sulfate	<1,000	µg/L	0	GE
		Total dissolved solids	11,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	<5.0	µg/L	0	GE
		Total phosphates (as P)	<50	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	9.1	µg/L	0	GE
		Gross alpha	<2.0E+00	pCi/L	0	GE
		Nonvolatile beta	<2.0E+00	pCi/L	0	GE
		Total alpha-emitting radium	<1.0E+00	pCi/L	0	GE
		Tritium	1.6E+01 ± 4.0E-01	pCi/mL	1	GE

WELL HSB133C

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N71949.5	33.281349 °N	183.3-173.3 ft msl	255.6 ft msl	4" PVC	Barnwell (IIB ₁)
E59110.3	81.650912 °W				

FIELD MEASUREMENTS

Sample date: 01/03/92
 Depth to water: 25.33 ft (7.72 m) below TOC
 Water elevation: 230.27 ft (70.19 m) msl
 Sp. conductance: 45 µS/cm
 Water evacuated before sampling: 149 gal

Time: 14:40
 pH: 6.0
 Alkalinity: 11 mg/L
 Water temperature: 18.0°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.9	pH	0	GE
		Specific conductance	45	µS/cm	0	GE
		Aluminum	<20	µg/L	0	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	5.0	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB133C collected on 01/03/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Cadmium	<2.0	µg/L	0	GE
		Calcium	4,150	µg/L	0	GE
		Chloride	2,630	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	<4.0	µg/L	0	GE
		Copper	<4.0	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Fluoride	120	µg/L	0	GE
		Iron	<4.0	µg/L	0	GE
		Lead	<3.0	µg/L	0	GE
		Magnesium	467	µg/L	0	GE
		Manganese	5.6	µg/L	0	GE
		Mercury	<0.20	µg/L	0	GE
		Nickel	<4.0	µg/L	0	GE
		Nitrate as nitrogen	70	µg/L	0	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	1,110	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	13,300	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	2,290	µg/L	0	GE
		Sulfate	<1,000	µg/L	0	GE
		Total dissolved solids	39,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	<5.0	µg/L	0	GE
		Total phosphates (as P)	230	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	4.7	µg/L	0	GE
		Gross alpha	<2.0E+00	pCi/L	0	GE
		Nonvolatile beta	<2.0E+00	pCi/L	0	GE
		Total alpha-emitting radium	<1.0E+00	pCi/L	0	GE
		Tritium	<7.0E-01	pCi/mL	0	GE

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB133D

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N71943.5 E59102.3	33.281323 °N 81.650921 °W	228.5-208.5 ft msl	255.3 ft msl	4" PVC	Water Table (IIB ₂)

FIELD MEASUREMENTS

Sample date: 01/03/92
 Depth to water: 20.55 ft (6.26 m) below TOC
 Water elevation: 234.75 ft (71.55 m) msl
 Sp. conductance: 72 µS/cm
 Water evacuated before sampling: 74 gal

Time: 14:00
 pH: 5.5
 Alkalinity: 5 mg/L
 Water temperature: 17.3°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.2	pH	0	GE
		Specific conductance	70	µS/cm	0	GE
		Aluminum	<20	µg/L	0	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	<3.0	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	1,780	µg/L	0	GE
		Chloride	6,100	µg/L	0	GE
		Chloride	6,050	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	<4.0	µg/L	0	GE
		Copper	<4.0	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Fluoride	<100	µg/L	0	GE
		Fluoride	<100	µg/L	0	GE
		Iron	8.7	µg/L	0	GE
		Lead	<3.0	µg/L	0	GE
		Magnesium	104	µg/L	0	GE
		Manganese	3.1	µg/L	0	GE
		Mercury	<0.20	µg/L	0	GE
		Nickel	<4.0	µg/L	0	GE
		Nitrate as nitrogen	480	µg/L	0	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	<500	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	6,970	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	10,600	µg/L	0	GE
		Sulfate	5,980	µg/L	0	GE
		Sulfate	6,090	µg/L	0	GE
		Total dissolved solids	46,000	µg/L	0	GE
		Total dissolved solids	48,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	6.3	µg/L	0	GE
		Total phosphates (as P)	<50	µg/L	0	GE
		Total phosphates (as P)	<50	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	<2.0	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB133D collected on 01/03/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Gross alpha	< 2.0E+00	pCi/L	0	GE
		Nonvolatile beta	< 2.0E+00	pCi/L	0	GE
		Total alpha-emitting radium	< 1.0E+00	pCi/L	0	GE
	■	Tritium	3.5E+01 ± 5.0E-01	pCi/mL	2	GE

WELL HSB134C

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N71210.3	33.278376 °N	159.1-149.1 ft msl	238.4 ft msl	4" PVC	Barnwell (IIB ₁)
E58289.9	81.651636 °W				

FIELD MEASUREMENTS

Sample date: 01/07/92
 Depth to water: 17.81 ft (5.43 m) below TOC
 Water elevation: 220.59 ft (67.24 m) msl
 Sp. conductance: 49 µS/cm
 Water evacuated before sampling: 188 gal

Time: 13:50
 pH: 5.8
 Alkalinity: 7 mg/L
 Water temperature: 18.0°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
●		pH	5.5	pH	0	GE
		Specific conductance	45	µS/cm	0	GE
		Aluminum	25	µg/L	0	GE
		Antimony	< 2.0	µg/L	0	GE
		Arsenic	< 2.0	µg/L	0	GE
		Barium	6.6	µg/L	0	GE
		Cadmium	< 2.0	µg/L	0	GE
		Calcium	4,400	µg/L	0	GE
		Chloride	3,000	µg/L	0	GE
		Chloride	3,020	µg/L	0	GE
		Chromium	< 4.0	µg/L	0	GE
		Cobalt	< 4.0	µg/L	0	GE
		Copper	< 4.0	µg/L	0	GE
		Cyanide	< 5.0	µg/L	0	GE
		Fluoride	< 100	µg/L	0	GE
		Fluoride	< 100	µg/L	0	GE
		Iron	< 4.0	µg/L	0	GE
		Lead	< 3.0	µg/L	0	GE
		Magnesium	1,000	µg/L	0	GE
		Manganese	18	µg/L	0	GE
		Mercury	< 0.20	µg/L	0	GE
		Nickel	< 4.0	µg/L	0	GE
		Nitrate as nitrogen	1,300	µg/L	0	GE
		Nitrate as nitrogen	1,300	µg/L	0	GE
		Phenols	< 5.0	µg/L	0	GE
		Potassium	508	µg/L	0	GE
		Selenium	< 2.0	µg/L	0	GE
		Silica	14,700	µg/L	0	GE
		Silver	< 2.0	µg/L	0	GE
		Sodium	2,030	µg/L	0	GE

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB134C collected on 01/07/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Sulfate	< 1,000	µg/L	0	GE
		Sulfate	< 1,000	µg/L	0	GE
		Total dissolved solids	38,000	µg/L	0	GE
		Total dissolved solids	38,000	µg/L	0	GE
		Total organic carbon	< 1,000	µg/L	0	GE
		Total organic halogens	< 5.0	µg/L	0	GE
		Total organic halogens	< 5.0	µg/L	0	GE
		Total phosphates (as P)	< 50	µg/L	0	GE
		Vanadium	< 8.0	µg/L	0	GE
		Zinc	4.5	µg/L	0	GE
		Gross alpha	< 2.0E+00	pCi/L	0	GE
		Nonvolatile beta	< 2.0E+00	pCi/L	0	GE
		Total alpha-emitting radium	< 1.0E+00	pCi/L	0	GE
■		Tritium	4.2E+01 ± 5.0E-01	pCi/mL	2	GE

WELL HSB134D

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N71217.3	33.278402 °N	225.8-205.8 ft msl	238.1 ft msl	4" PVC	Water Table (IIB ₂)
E58296.5	81.651633 °W				

FIELD MEASUREMENTS

Sample date: 01/07/92
 Depth to water: 16.78 ft (5.11 m) below TOC
 Water elevation: 221.32 ft (67.46 m) msl
 Sp. conductance: 114 µS/cm
 Water evacuated before sampling: 41 gal

Time: 13:30
 pH: 4.4
 Alkalinity: 0 mg/L
 Water temperature: 17.8°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
●		pH	4.6	pH	0	GE
		Specific conductance	110	µS/cm	0	GE
		Aluminum	235	µg/L	2	GE
		Antimony	< 2.0	µg/L	0	GE
		Arsenic	< 2.0	µg/L	0	GE
		Barium	24	µg/L	0	GE
		Cadmium	< 2.0	µg/L	0	GE
		Calcium	385	µg/L	0	GE
		Chloride	2,620	µg/L	0	GE
		Chromium	< 4.0	µg/L	0	GE
		Cobalt	< 4.0	µg/L	0	GE
		Copper	< 4.0	µg/L	0	GE
		Cyanide	< 5.0	µg/L	0	GE
		Fluoride	< 100	µg/L	0	GE
		Iron	8.3	µg/L	0	GE
		Lead	< 3.0	µg/L	0	GE
		Magnesium	751	µg/L	0	GE
		Manganese	66	µg/L	2	GE
		Mercury	0.60	µg/L	0	GE
		Nickel	< 4.0	µg/L	0	GE

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB134D collected on 01/07/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
■		Nitrate as nitrogen	10,200	µg/L	2	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	<500	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	6,570	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	13,500	µg/L	0	GE
		Sulfate	1,810	µg/L	0	GE
		Total dissolved solids	70,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	39	µg/L	1	GE
		Total phosphates (as P)	<50	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	2.6	µg/L	0	GE
		Gross alpha	2.3E+00 ± 4.7E-01	pCi/L	0	GE
■		Nonvolatile beta	2.6E+02 ± 3.7E+00	pCi/L	2	GE
		Total alpha-emitting radium	3.3E+00 ± 5.0E-01	pCi/L	1	GE
■		Tritium	1.5E+03 ± 3.0E+00	pCi/mL	2	GE

WELL HSB135C

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N71390.2	33.275953 °N	157.3-147.3 ft msl	232.0 ft msl	4" PVC	Barnwell (IIB ₁)
E56560.8	81.656539 °W				

FIELD MEASUREMENTS

Sample date: 01/09/92
 Depth to water: 25.35 ft (7.73 m) below TOC
 Water elevation: 206.65 ft (62.99 m) msl
 Sp. conductance: 208 µS/cm
 Water evacuated before sampling: 156 gal

Time: 14:55
 pH: 7.9
 Alkalinity: 99 mg/L
 Water temperature: 18.5°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
●		pH	8.0	pH	1	GE
		Specific conductance	201	µS/cm	0	GE
		Aluminum	<20	µg/L	0	GE
		Antimony	3.4	µg/L	1	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	11	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	38,600	µg/L	0	GE
		Chloride	2,750	µg/L	0	GE
		Chromium	4.0	µg/L	0	GE
		Cobalt	<4.0	µg/L	0	GE
		Copper	<4.0	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Fluoride	<100	µg/L	0	GE
		Iron	9.8	µg/L	0	GE

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB135C collected on 01/09/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Lead	< 3.0	µg/L	0	GE
		Magnesium	535	µg/L	0	GE
		Manganese	< 2.0	µg/L	0	GE
		Mercury	< 0.20	µg/L	0	GE
		Nickel	< 4.0	µg/L	0	GE
		Nitrate as nitrogen	650	µg/L	0	GE
		Phenols	6.0	µg/L	0	GE
		Potassium	< 500	µg/L	0	GE
		Selenium	< 2.0	µg/L	0	GE
		Silica	29,200	µg/L	0	GE
		Silver	< 2.0	µg/L	0	GE
		Sodium	1,690	µg/L	0	GE
		Sulfate	< 1,000	µg/L	0	GE
		Total dissolved solids	138,000	µg/L	0	GE
		Total organic carbon	< 1,000	µg/L	0	GE
		Total organic halogens	15	µg/L	0	GE
		Total phosphates (as P)	690	µg/L	0	GE
		Vanadium	< 8.0	µg/L	0	GE
		Zinc	< 2.0	µg/L	0	GE
		Gross alpha	< 2.0E+00	pCi/L	0	GE
		Nonvolatile beta	< 2.0E+00	pCi/L	0	GE
		Total alpha-emitting radium	< 1.0E+00	pCi/L	0	GE
■		Tritium	4.7E+01 ± 6.0E-01	pCi/mL	2	GE

WELL HSB135D

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N71396.7	33.275954 °N	219.9-199.9 ft msl	232.3 ft msl	4" PVC	Water Table (IIB ₂)
E56552.8	81.656572 °W				

FIELD MEASUREMENTS

Sample date: 01/09/92
 Depth to water: 14.47 ft (4.41 m) below TOC
 Water elevation: 217.83 ft (66.40 m) msl
 Sp. conductance: 53 µS/cm
 Water evacuated before sampling: 47 gal
 Time: 14:40
 pH: 5.1
 Alkalinity: 0 mg/L
 Water temperature: 18.4°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
●		pH	5.4	pH	0	GE
		Specific conductance	50	µS/cm	0	GE
		Aluminum	< 20	µg/L	0	GE
■		Antimony	6.1	µg/L	2	GE
		Arsenic	< 2.0	µg/L	0	GE
		Barium	< 3.0	µg/L	0	GE
		Cadmium	< 2.0	µg/L	0	GE
		Calcium	152	µg/L	0	GE
		Chloride	2,240	µg/L	0	GE
		Chromium	< 4.0	µg/L	0	GE
		Cobalt	< 4.0	µg/L	0	GE

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB135D collected on 01/09/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Copper	< 4.0	µg/L	0	GE
		Cyanide	< 5.0	µg/L	0	GE
		Fluoride	< 100	µg/L	0	GE
		Iron	48	µg/L	0	GE
		Lead	< 3.0	µg/L	0	GE
		Magnesium	230	µg/L	0	GE
		Manganese	8.3	µg/L	0	GE
		Mercury	< 0.20	µg/L	0	GE
		Nickel	< 4.0	µg/L	0	GE
•		Nitrate as nitrogen	3,860	µg/L	0	GE
		Phenols	< 5.0	µg/L	0	GE
		Potassium	< 500	µg/L	0	GE
		Selenium	< 2.0	µg/L	0	GE
		Silica	6,730	µg/L	0	GE
		Silver	< 2.0	µg/L	0	GE
		Sodium	8,100	µg/L	0	GE
		Sulfate	< 1,000	µg/L	0	GE
		Total dissolved solids	36,000	µg/L	0	GE
		Total organic carbon	< 1,000	µg/L	0	GE
		Total organic halogens	< 5.0	µg/L	0	GE
		Total phosphates (as P)	130	µg/L	0	GE
		Vanadium	< 8.0	µg/L	0	GE
		Zinc	4.4	µg/L	0	GE
		Gross alpha	< 2.0E + 00	pCi/L	0	GE
		Nonvolatile beta	1.7E + 01 ± 1.0E + 00	pCi/L	0	GE
		Total alpha-emitting radium	< 1.0E + 00	pCi/L	0	GE
■		Tritium	2.8E + 02 ± 1.3E + 00	pCi/mL	2	GE

WELL HSB136C

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N71900.3	33.276084 °N	170.5-160.5 ft msl	227.9 ft msl	4" PVC	Barnwell (IIB ₁)
E55949.6	81.659139 °W				

FIELD MEASUREMENTS

Sample date: 01/13/92
 Depth to water: 10.84 ft (3.30 m) below TOC
 Water elevation: 217.06 ft (66.16 m) msl
 Sp. conductance: 425 µS/cm
 Water evacuated before sampling: 148 gal

Time: 16:05
 pH: 6.0
 Alkalinity: 11 mg/L
 Water temperature: 19.3°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	6.2	pH	0	GE
		Specific conductance	410	µS/cm	1	GE
		Aluminum	50	µg/L	0	GE
		Antimony	< 2.0	µg/L	0	GE
		Arsenic	< 2.0	µg/L	0	GE
		Barium	75	µg/L	0	GE
		Cadmium	< 2.0	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB136C collected on 01/13/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Calcium	13,500	µg/L	0	GE
		Chloride	4,220	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	<4.0	µg/L	0	GE
		Copper	<4.0	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Fluoride	111	µg/L	0	GE
		Iron	<4.0	µg/L	0	GE
		Lead	<3.0	µg/L	0	GE
		Magnesium	4,450	µg/L	0	GE
		Manganese	75	µg/L	2	GE
		Mercury	<0.20	µg/L	0	GE
		Nickel	5.5	µg/L	0	GE
•	■	Nitrate as nitrogen	41,500	µg/L	2	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	2,090	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	11,300	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	56,500	µg/L	0	GE
		Sulfate	<1,000	µg/L	0	GE
		Total dissolved solids	344,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	6.3	µg/L	0	GE
•		Total phosphates (as P)	<50	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	18	µg/L	0	GE
		Gross alpha	7.3E+00 ± 1.4E+00	pCi/L	0	GE
	■	Nonvolatile beta	1.5E+02 ± 4.7E+00	pCi/L	2	GE
		Total alpha-emitting radium	2.9E+00 ± 5.0E-01	pCi/L	1	GE
	■	Tritium	1.1E+04 ± 8.4E+00	pCi/mL	2	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB136D

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N71906.0 E55941.7	33.276084 °N 81.659171 °W	220.2-200.2 ft msl	228.0 ft msl	4" PVC	Water Table (IIB ₂)

FIELD MEASUREMENTS

Sample date: 01/13/92
 Depth to water: 7.43 ft (2.26 m) below TOC
 Water elevation: 220.57 ft (67.23 m) msl
 Sp. conductance: 276 μ S/cm
 Water evacuated before sampling: 53 gal

Time: 14:25
 pH: 4.0
 Alkalinity: 0 mg/L
 Water temperature: 18.9°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	4.0	pH	0	GE
		Specific conductance	278	μ S/cm	1	GE
		Aluminum	4,740	μ g/L	2	GE
		Antimony	< 2.0	μ g/L	0	GE
		Arsenic	< 2.0	μ g/L	0	GE
		Barium	99	μ g/L	0	GE
		Cadmium	< 2.0	μ g/L	0	GE
		Calcium	3,040	μ g/L	0	GE
		Chloride	3,060	μ g/L	0	GE
		Chromium	< 4.0	μ g/L	0	GE
		Cobalt	8.1	μ g/L	0	GE
		Copper	< 4.0	μ g/L	0	GE
		Cyanide	< 5.0	μ g/L	0	GE
		Fluoride	474	μ g/L	0	GE
		Iron	6.9	μ g/L	0	GE
		Lead	< 3.0	μ g/L	0	GE
		Magnesium	1,170	μ g/L	0	GE
		Manganese	370	μ g/L	2	GE
		Mercury	< 0.20	μ g/L	0	GE
		Nickel	14	μ g/L	0	GE
•	■	Nitrate as nitrogen	29,000	μ g/L	2	GE
		Phenols	< 5.0	μ g/L	0	GE
		Potassium	1,230	μ g/L	0	GE
		Selenium	< 2.0	μ g/L	0	GE
		Silica	13,600	μ g/L	0	GE
		Silver	< 2.0	μ g/L	0	GE
		Sodium	23,800	μ g/L	0	GE
		Sulfate	19,300	μ g/L	0	GE
		Total dissolved solids	178,000	μ g/L	0	GE
		Total organic carbon	< 1,000	μ g/L	0	GE
		Total organic halogens	5.0	μ g/L	0	GE
•		Total phosphates (as P)	< 50	μ g/L	0	GE
		Vanadium	< 8.0	μ g/L	0	GE
		Zinc	45	μ g/L	0	GE
	■	Gross alpha	5.0E+01 $\pm$ 3.2E+00	pCi/L	2	GE
	■	Nonvolatile beta	2.1E+03 $\pm$ 1.6E+01	pCi/L	2	GE
	■	Total alpha-emitting radium	7.4E+01 $\pm$ 2.0E+00	pCi/L	2	GE
	■	Tritium	8.8E+03 $\pm$ 7.4E+00	pCi/mL	2	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB137C

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Formation
N72269.9 E55700.2	33.276494 °N 81.660513 °W	173.8-163.8 ft msl	236.0 ft msl	4" PVC	Barnwell (IIB ₁)

FIELD MEASUREMENTS

Sample date: 01/13/92	Time: 12:25
Depth to water: 16.15 ft (4.92 m) below TOC	pH: 5.6
Water elevation: 219.85 ft (67.01 m) msl	Alkalinity: 4 mg/L
Sp. conductance: 517 µS/cm	Water temperature: 19.4°C
Water evacuated before sampling: 147 gal	

LABORATORY ANALYSES

H	D	Analyte	Result	Unit	Flag	Lab
•		pH	5.8	pH	0	GE
		Specific conductance	490	µS/cm	1	GE
		Aluminum	65	µg/L	0	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	63	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	27,200	µg/L	0	GE
		Chloride	3,780	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	<4.0	µg/L	0	GE
		Copper	<4.0	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Fluoride	106	µg/L	0	GE
		Iron	<4.0	µg/L	0	GE
		Lead	<3.0	µg/L	0	GE
		Magnesium	4,880	µg/L	0	GE
		Manganese	65	µg/L	2	GE
		Mercury	<0.20	µg/L	0	GE
		Nickel	9.0	µg/L	0	GE
•	■	Nitrate as nitrogen	90,000	µg/L	2	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	1,070	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	11,200	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	60,500	µg/L	0	GE
		Sulfate	5,680	µg/L	0	GE
		Total dissolved solids	421,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	<5.0	µg/L	0	GE
•		Total phosphates (as P)	<50	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	39	µg/L	0	GE
		Gross alpha	4.3E+00 ± 1.0E+00	pCi/L	0	GE
	■	Nonvolatile beta	1.4E+02 ± 4.2E+00	pCi/L	2	GE
		Total alpha-emitting radium	1.6E+00 ± 3.0E-01	pCi/L	0	GE
	■	Tritium	1.2E+04 ± 8.7E+00	pCi/mL	2	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB137D

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N72278.9 E55696.1	33.276508 °N 81.660542 °W	225.3-205.3 ft msl	236.6 ft msl	4" PVC	Water Table (IIB ₂)

FIELD MEASUREMENTS

Sample date: 01/13/92	Time: 10:05
Depth to water: 15.03 ft (4.58 m) below TOC	pH: 4.9
Water elevation: 221.57 ft (67.54 m) msl	Alkalinity: 0 mg/L
Sp. conductance: 131 µS/cm	Water temperature: 18.0°C
Water evacuated before sampling: 54 gal	

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.1	pH	0	GE
		Specific conductance	125	µS/cm	0	GE
		Aluminum	75	µg/L	0	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	15	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	1,690	µg/L	0	GE
		Chloride	2,340	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	<4.0	µg/L	0	GE
		Copper	72	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Fluoride	<100	µg/L	0	GE
		Iron	7.0	µg/L	0	GE
		Lead	7.9	µg/L	1	GE
		Magnesium	1,360	µg/L	0	GE
		Manganese	67	µg/L	2	GE
		Mercury	<0.20	µg/L	0	GE
		Nickel	4.4	µg/L	0	GE
•		Nitrate as nitrogen	6,000	µg/L	1	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	512	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	8,200	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	17,400	µg/L	0	GE
		Sulfate	2,400	µg/L	0	GE
		Total dissolved solids	92,000	µg/L	0	GE
		Total dissolved solids	106,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	<5.0	µg/L	0	GE
•		Total phosphates (as P)	<50	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	121	µg/L	0	GE
		Gross alpha	4.1E+00 ± 9.3E-01	pCi/L	0	GE
■		Nonvolatile beta	1.0E+02 ± 3.4E+00	pCi/L	2	GE
		Total alpha-emitting radium	2.9E+00 ± 5.0E-01	pCi/L	1	GE
■		Tritium	4.5E+03 ± 5.3E+00	pCi/mL	2	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB138D

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N73160.2 E55260.7	33.277746 °N 81.663400 °W	228.1-208.1 ft msl	252.4 ft msl	4" PVC	Water Table (IIB ₂)

FIELD MEASUREMENTS

Sample date: 01/14/92
 Depth to water: 28.68 ft (8.74 m) below TOC
 Water elevation: 223.72 ft (68.19 m) msl
 Sp. conductance: 74 µS/cm
 Water evacuated before sampling: 41 gal

Time: 9:40
 pH: 5.3
 Alkalinity: 1 mg/L
 Water temperature: 18.2°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.7	pH	0	GE
		Specific conductance	95	µS/cm	0	GE
		Aluminum	< 20	µg/L	0	GE
		Antimony	< 2.0	µg/L	0	GE
		Arsenic	< 2.0	µg/L	0	GE
		Barium	8.0	µg/L	0	GE
		Cadmium	< 2.0	µg/L	0	GE
		Calcium	1,630	µg/L	0	GE
		Chloride	2,430	µg/L	0	GE
		Chloride	2,430	µg/L	0	GE
		Chromium	< 4.0	µg/L	0	GE
		Cobalt	< 4.0	µg/L	0	GE
		Copper	5.5	µg/L	0	GE
		Cyanide	< 5.0	µg/L	0	GE
		Cyanide	< 5.0	µg/L	0	GE
		Fluoride	< 100	µg/L	0	GE
		Fluoride	< 100	µg/L	0	GE
		Iron	< 4.0	µg/L	0	GE
		Lead	5.9	µg/L	0	GE
		Magnesium	403	µg/L	0	GE
		Manganese	5.3	µg/L	0	GE
		Mercury	< 0.20	µg/L	0	GE
		Nickel	< 4.0	µg/L	0	GE
		Nitrate as nitrogen	8,900	µg/L	1	GE
		Phenols	< 5.0	µg/L	0	GE
		Potassium	< 500	µg/L	0	GE
		Selenium	< 2.0	µg/L	0	GE
		Silica	5,800	µg/L	0	GE
		Silver	< 2.0	µg/L	0	GE
		Sodium	14,500	µg/L	0	GE
		Sulfate	< 1,000	µg/L	0	GE
		Sulfate	< 1,000	µg/L	0	GE
		Total dissolved solids	68,000	µg/L	0	GE
		Total organic carbon	< 1,000	µg/L	0	GE
		Total organic halogens	9.2	µg/L	0	GE
•		Total phosphates (as P)	< 50	µg/L	0	GE
		Vanadium	< 8.0	µg/L	0	GE
		Zinc	25	µg/L	0	GE
		Gross alpha	< 2.0E + 00	pCi/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB138D collected on 01/14/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Nonvolatile beta	2.9E+01 ± 1.4E+00	pCi/L	1	GE
		Total alpha-emitting radium	< 1.0E+00	pCi/L	0	GE
	■	Tritium	1.9E+03 ± 3.5E+00	pCi/mL	2	GE

WELL HSB139A

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N71127.4	33.276684 °N	97.6-87.6 ft msl	233.7 ft msl		U. Congaree (IIA)
E57365.4	81.653910 °W				

FIELD MEASUREMENTS

Sample date: 02/11/92
 Depth to water: 59.62 ft (18.17 m) below TOC
 Water elevation: 174.08 ft (53.06 m) msl
 Sp. conductance: 223 µS/cm
 Water evacuated before sampling: 227 gal

Time: 9:30
 pH: 8.0
 Alkalinity: 93 mg/L
 Water temperature: 17.4°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
●		pH	7.9	pH	0	GE
		Specific conductance	190	µS/cm	0	GE
		Aluminum	< 20	µg/L	0	GE
		Antimony	< 2.0	µg/L	0	GE
		Arsenic	< 2.0	µg/L	0	GE
		Barium	22	µg/L	0	GE
		Cadmium	< 2.0	µg/L	0	GE
		Calcium	40,700	µg/L	0	GE
		Chloride	2,540	µg/L	0	GE
		Chloride	2,480	µg/L	0	GE
		Chromium	< 4.0	µg/L	0	GE
		Cobalt	< 4.0	µg/L	0	GE
		Copper	< 4.0	µg/L	0	GE
		Cyanide	< 5.0	µg/L	0	GE
		Fluoride	< 100	µg/L	0	GE
		Iron	< 4.0	µg/L	0	GE
		Lead	< 3.0	µg/L	0	GE
		Magnesium	712	µg/L	0	GE
		Manganese	5.0	µg/L	0	GE
		Mercury	< 0.20	µg/L	0	GE
		Nickel	< 4.0	µg/L	0	GE
		Nitrate as nitrogen	< 50	µg/L	0	GE
		Phenols	< 5.0	µg/L	0	GE
		Potassium	1,540	µg/L	0	GE
		Selenium	< 2.0	µg/L	0	GE
		Silica	37,700	µg/L	0	GE
		Silver	< 2.0	µg/L	0	GE
		Sodium	2,830	µg/L	0	GE
		Sulfate	3,270	µg/L	0	GE
		Sulfate	3,240	µg/L	0	GE
		Total dissolved solids	151,000	µg/L	0	GE

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB139A collected on 02/11/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Total organic carbon	11,000	µg/L	2	GE
		Total organic halogens	<5.0	µg/L	0	GE
		Total phosphates (as P)	<50	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	<2.0	µg/L	0	GE
		Gross alpha	<2.0E+00	pCi/L	0	GE
		Nonvolatile beta	2.4E+00 ± 5.3E-01	pCi/L	0	GE
		Total alpha-emitting radium	1.1E+00 ± 4.0E-01	pCi/L	0	GE
		Tritium	<7.0E-01	pCi/mL	0	GE

WELL HSB139C

<u>SRS Coord.</u>	<u>Lat/Longit de</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N71129.8 E57374.5	33.276704 °N 81.653890 °W	158.5-148.5 ft msl	233.8 ft msl	4" PVC	Barnwell (IIB ₁)

FIELD MEASUREMENTS

Sample date: 02/11/92
 Depth to water: 19.37 ft (5.90 m) below TOC
 Water elevation: 214.43 ft (65.36 m) msl
 Sp. conductance: 412 µS/cm
 Water evacuated before sampling: 28 gal
 The well went dry during purging.

Time: 9:15
 pH: 5.5
 Alkalinity: 4 mg/L
 Water temperature: 17.3°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.5	pH	0	GE
		Specific conductance	335	µS/cm	1	GE
		Aluminum	134	µg/L	1	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	73	µg/L	0	GE
		Benzene	<1.0	µg/L	0	GE
		Bromodichloromethane	<1.0	µg/L	0	GE
		Bromoform	<1.0	µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	19,000	µg/L	0	GE
		Carbon tetrachloride	<1.0	µg/L	0	GE
		Chloride	4,800	µg/L	0	GE
		Chlorobenzene	<1.0	µg/L	0	GE
		Chloroethane	<1.0	µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0	µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0	µg/L	0	GE
		Chloroform	<1.0	µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	4.5	µg/L	0	GE
		Copper	<4.0	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Dibromochloromethane	<1.0	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB139C collected on 02/11/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		1,1-Dichloroethane	< 1.0	µg/L	0	GE
		1,2-Dichloroethane	< 1.0	µg/L	0	GE
		1,1-Dichloroethylene	< 1.0	µg/L	0	GE
		trans-1,2-Dichloroethylene	< 1.0	µg/L	0	GE
		Dichloromethane (Methylene chloride)	< 1.0	µg/L	0	GE
•		2,4-Dichlorophenoxyacetic acid	< 0.30	µg/L	0	GE
		1,2-Dichloropropane	< 1.0	µg/L	0	GE
		cis-1,3-Dichloropropene	< 1.0	µg/L	0	GE
		trans-1,3-Dichloropropene	< 1.0	µg/L	0	GE
•		Endrin	< 0.0060	µg/L	0	GE
		Ethylbenzene	< 1.0	µg/L	0	GE
		Fluoride	177	µg/L	0	GE
		Iron	17	µg/L	0	GE
		Lead	< 3.0	µg/L	0	GE
•		Lindane	< 0.0050	µg/L	0	GE
		Magnesium	6,610	µg/L	0	GE
		Manganese	248	µg/L	2	GE
		Mercury	1.6	µg/L	1	GE
•		Methoxychlor	< 0.50	µg/L	0	GE
		Nickel	11	µg/L	0	GE
■		Nitrate as nitrogen	43,000	µg/L	2	GE
		Phenols	< 5.0	µg/L	0	GE
		Potassium	1,490	µg/L	0	GE
		Selenium	< 2.0	µg/L	0	GE
		Silica	10,800	µg/L	0	GE
		Silver	< 2.0	µg/L	0	GE
		Sodium	43,700	µg/L	0	GE
		Sulfate	< 1,000	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	< 1.0	µg/L	0	GE
■		Tetrachloroethylene	9.8	µg/L	2	GE
		Toluene	< 1.0	µg/L	0	GE
•		Total dissolved solids	316,000	µg/L	0	GE
		Total organic carbon	< 1,000	µg/L	0	GE
		Total organic carbon	< 1,000	µg/L	0	GE
•		Total organic halogens	15	µg/L	0	GE
		Total phosphates (as P)	150	µg/L	0	GE
•		Toxaphene	< 0.24	µg/L	0	GE
•		2,4,5-TP (Silvex)	< 0.090	µg/L	0	GE
		1,1,1-Trichloroethane	< 1.0	µg/L	0	GE
		1,1,2-Trichloroethane	< 1.0	µg/L	0	GE
		Trichloroethylene	1.7	µg/L	0	GE
		Trichlorofluoromethane	< 1.0	µg/L	0	GE
		Vanadium	< 8.0	µg/L	0	GE
		Zinc	46	µg/L	0	GE
		Gross alpha	2.0E + 00 ± 1.0E + 00	pCi/L	0	GE
		Nonvolatile beta	3.7E + 01 ± 3.5E + 00	pCi/L	1	GE
		Total alpha-emitting radium	1.2E + 00 ± 4.0E - 01	pCi/L	0	GE
■		Tritium	3.3E + 03 ± 4.5E + 00	pCi/mL	2	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB139D

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N71133.2 E57384.4	33.276728 °N 81.653871 °W	226.7-206.7 ft msl	233.8 ft msl	4" PVC	Water Table (IIB ₂)

FIELD MEASUREMENTS

Sample date: 02/11/92
 Depth to water: 11.23 ft (3.42 m) below TOC
 Water elevation: 222.57 ft (67.84 m) msl
 Sp. conductance: 29 µS/cm
 Water evacuated before sampling: 42 gal

Time: 9:50
 pH: 4.9
 Alkalinity: 0 mg/L
 Water temperature: 17.6°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.1	pH	0	WA
•		pH	5.2	pH	0	WA
•		pH	5.2	pH	0	WA
•		pH	5.2	pH	0	GE
•		pH	5.2	pH	0	GE
		Specific conductance	22	µS/cm	0	WA
		Specific conductance	20	µS/cm	0	WA
		Specific conductance	25	µS/cm	0	GE
		Specific conductance	25	µS/cm	0	GE
		Aluminum	39	µg/L	0	WA
		Aluminum	32	µg/L	0	WA
		Aluminum	34	µg/L	0	GE
		Aluminum	33	µg/L	0	GE
	■	Antimony	7.1	µg/L	2	WA
		Antimony	< 2.6	µg/L	0	WA
		Antimony	< 2.0	µg/L	0	GE
		Antimony	< 2.0	µg/L	0	GE
		Arsenic	< 2.0	µg/L	0	WA
		Arsenic	< 2.0	µg/L	0	WA
		Arsenic	< 2.0	µg/L	0	GE
		Arsenic	< 2.0	µg/L	0	GE
		Barium	9.4	µg/L	0	WA
		Barium	9.7	µg/L	0	WA
		Barium	9.1	µg/L	0	GE
		Barium	9.2	µg/L	0	GE
		Cadmium	0.40	µg/L	0	WA
		Cadmium	< 0.35	µg/L	0	WA
		Cadmium	< 2.0	µg/L	0	GE
		Cadmium	< 2.0	µg/L	0	GE
		Calcium	1,130	µg/L	0	WA
		Calcium	1,150	µg/L	0	WA
		Calcium	909	µg/L	0	GE
		Calcium	913	µg/L	0	GE
		Chloride	3,720	µg/L	0	WA
		Chloride	2,390	µg/L	0	WA
		Chloride	2,390	µg/L	0	WA
		Chloride	2,300	µg/L	0	GE
		Chloride	2,290	µg/L	0	GE
		Chromium	2.2	µg/L	0	WA

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB139D collected on 02/11/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Chromium	1.2	µg/L	0	WA
		Chromium	<4.0	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	1.1	µg/L	0	WA
		Cobalt	<0.88	µg/L	0	WA
		Cobalt	<4.0	µg/L	0	GE
		Cobalt	<4.0	µg/L	0	GE
		Copper	28	µg/L	0	WA
		Copper	30	µg/L	0	WA
		Copper	28	µg/L	0	GE
		Copper	28	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	WA
		Cyanide	<5.0	µg/L	0	WA
		Cyanide	<5.0	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Fluoride	<100	µg/L	0	WA
		Fluoride	<100	µg/L	0	WA
		Fluoride	<100	µg/L	0	GE
		Fluoride	<100	µg/L	0	GE
		Iron	7.8	µg/L	0	WA
		Iron	7.4	µg/L	0	WA
		Iron	<4.0	µg/L	0	GE
		Iron	<4.0	µg/L	0	GE
		Lead	<2.0	µg/L	0	WA
		Lead	<2.0	µg/L	0	WA
		Lead	<3.0	µg/L	0	GE
		Lead	<3.0	µg/L	0	GE
		Magnesium	710	µg/L	0	WA
		Magnesium	736	µg/L	0	WA
		Magnesium	635	µg/L	0	GE
		Magnesium	638	µg/L	0	GE
		Manganese	31	µg/L	1	WA
		Manganese	32	µg/L	1	WA
		Manganese	27	µg/L	1	GE
		Manganese	27	µg/L	1	GE
		Mercury	<0.20	µg/L	0	WA
		Mercury	<0.20	µg/L	0	WA
		Mercury	<0.20	µg/L	0	GE
		Mercury	<0.20	µg/L	0	GE
		Nickel	<3.1	µg/L	0	WA
		Nickel	<3.1	µg/L	0	WA
		Nickel	<4.0	µg/L	0	GE
		Nickel	<4.0	µg/L	0	GE
		Nitrate as nitrogen	549	µg/L	0	WA
		Nitrate as nitrogen	542	µg/L	0	WA
		Nitrate as nitrogen	460	µg/L	0	GE
		Nitrate as nitrogen	430	µg/L	0	GE
		Phenols	<5.0	µg/L	0	WA
		Phenols	<5.0	µg/L	0	WA
		Phenols	<5.0	µg/L	0	GE
		Phenols	<5.0	µg/L	0	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	308	µg/L	0	WA
		Potassium	251	µg/L	0	WA
		Potassium	<500	µg/L	0	GE
		Potassium	<500	µg/L	0	GE

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB139D collected on 02/11/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Selenium	<2.0	µg/L	0	WA
		Selenium	<2.0	µg/L	0	WA
		Selenium	<2.0	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	5,820	µg/L	0	GE
		Silica	5,830	µg/L	0	GE
		Silicon	2,670	µg/L	0	WA
		Silicon	2,640	µg/L	0	WA
		Silver	<0.70	µg/L	0	WA
		Silver	<0.70	µg/L	0	WA
		Silver	<2.0	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	1,830	µg/L	0	WA
		Sodium	1,860	µg/L	0	WA
		Sodium	1,830	µg/L	0	GE
		Sodium	1,840	µg/L	0	GE
		Sulfate	<2,500	µg/L	0	WA
		Sulfate	<2,500	µg/L	0	WA
		Sulfate	<2,500	µg/L	0	WA
		Sulfate	<1,000	µg/L	0	GE
		Sulfate	<1,000	µg/L	0	GE
		Total dissolved solids	<1,000	µg/L	0	WA
		Total dissolved solids	25,000	µg/L	0	WA
		Total dissolved solids	25,000	µg/L	0	WA
		Total dissolved solids	20,000	µg/L	0	GE
		Total dissolved solids	22,000	µg/L	0	GE
		Total organic carbon	1,550	µg/L	0	WA
		Total organic carbon	624	µg/L	0	WA
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	<5.0	µg/L	0	WA
		Total organic halogens	<5.0	µg/L	0	WA
		Total organic halogens	13	µg/L	0	GE
		Total organic halogens	<5.0	µg/L	0	GE
		Total phosphates (as P)	20	µg/L	0	WA
		Total phosphates (as P)	<20	µg/L	0	WA
		Total phosphates (as P)	23	µg/L	0	WA
		Total phosphates (as P)	<50	µg/L	0	GE
		Total phosphates (as P)	<50	µg/L	0	GE
		Vanadium	<0.88	µg/L	0	WA
		Vanadium	<0.88	µg/L	0	WA
		Vanadium	<8.0	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	17	µg/L	0	WA
		Zinc	18	µg/L	0	WA
		Zinc	16	µg/L	0	GE
		Zinc	15	µg/L	0	GE
		Gross alpha	<1.2E+00	pCi/L	0	BA
		Gross alpha	<1.0E+00	pCi/L	0	BA
		Gross alpha	<1.2E+00	pCi/L	0	BA
		Gross alpha	<2.0E+00	pCi/L	0	GE
		Gross alpha	<2.0E+00	pCi/L	0	GE
		Nonvolatile beta	3.1E+00 ± 1.7E+00	pCi/L	0	BA
		Nonvolatile beta	2.5E+00 ± 1.7E+00	pCi/L	0	BA
		Nonvolatile beta	2.6E+00 ± 1.7E+00	pCi/L	0	BA
		Nonvolatile beta	<2.0E+00	pCi/L	0	GE

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB139D collected on 02/11/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Nonvolatile beta	< 2.0E+00	pCi/L	0	GE
		Radium-226	< 2.0E-01	pCi/L	0	BA
		Radium-226	1.0E-01 ± 3.0E-01	pCi/L	0	BA
		Radium-228	< 1.6E+00	pCi/L	0	BA
		Radium-228	4.0E-01 ± 1.6E+00	pCi/L	0	BA
		Total alpha-emitting radium	< 1.0E+00	pCi/L	0	GE
		Total alpha-emitting radium	< 1.0E+00	pCi/L	0	GE
■		Tritium	1.0E+02 ± 1.0E+00	pCi/mL	2	BA
■		Tritium	1.0E+02 ± 1.0E+00	pCi/mL	2	BA
■		Tritium	1.0E+02 ± 1.0E+00	pCi/mL	2	BA
■		Tritium	1.0E+02 ± 1.0E+00	pCi/mL	2	BA
■		Tritium	1.2E+02 ± 9.0E-01	pCi/mL	2	GE
■		Tritium	1.1E+02 ± 8.0E-01	pCi/mL	2	GE

WELL HSB140A

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N70050.3	33.272948 °N	91.0-81.0 ft msl	235.9 ft msl	4" PVC	U. Congaree (IIA)
E56535.4	81.654003 °W				

FIELD MEASUREMENTS

Sample date: 01/15/92
 Depth to water: 59.84 ft (18.24 m) below TOC
 Water elevation: 176.06 ft (53.66 m) msl
 Sp. conductance: 176 µS/cm
 Water evacuated before sampling: 249 gal

Time: 15:20
 pH: 7.4
 Alkalinity: 61 mg/L
 Water temperature: 18.8°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
●		pH	7.3	pH	0	GE
		Specific conductance	165	µS/cm	0	GE
		Aluminum	42	µg/L	0	GE
		Antimony	< 2.0	µg/L	0	GE
		Arsenic	4.3	µg/L	0	GE
		Barium	43	µg/L	0	GE
		Benzene	< 1.0	µg/L	0	GE
		Bromodichloromethane	< 1.0	µg/L	0	GE
		Bromoform	< 1.0	µg/L	0	GE
		Bromomethane (Methyl bromide)	< 1.0	µg/L	0	GE
		Cadmium	< 2.0	µg/L	0	GE
		Calcium	25,300	µg/L	0	GE
		Carbon tetrachloride	< 1.0	µg/L	0	GE
		Carbonate	< 1,000	µg/L	0	GE
		Chloride	2,440	µg/L	0	GE
		Chlorobenzene	< 1.0	µg/L	0	GE
		Chloroethane	< 1.0	µg/L	0	GE
		Chloroethene (Vinyl chloride)	< 1.0	µg/L	0	GE
		2-Chloroethyl vinyl ether	< 1.0	µg/L	0	GE
		Chloroform	< 1.0	µg/L	0	GE
		Chloromethane (Methyl chloride)	< 1.0	µg/L	0	GE

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB140A collected on 01/15/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Chromium	<4.0	µg/L	0	GE
		Cobalt	<4.0	µg/L	0	GE
		Copper	<4.0	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Dibromochloromethane	<1.0	µg/L	0	GE
		1,1-Dichloroethane	<1.0	µg/L	0	GE
		1,2-Dichloroethane	<1.0	µg/L	0	GE
		1,1-Dichloroethylene	<1.0	µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0	µg/L	0	GE
		Dichloromethane (Methylene chloride)	6.2	µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30	µg/L	0	GE
		1,2-Dichloropropane	<1.0	µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0	µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0	µg/L	0	GE
		Endrin	<0.0060	µg/L	0	GE
		Ethylbenzene	<1.0	µg/L	0	GE
		Fluoride	<100	µg/L	0	GE
		Iron	<4.0	µg/L	0	GE
		Lead	<3.0	µg/L	0	GE
		Lindane	<0.0050	µg/L	0	GE
		Magnesium	574	µg/L	0	GE
		Manganese	12	µg/L	0	GE
		Mercury	<0.20	µg/L	0	GE
		Methoxychlor	<0.50	µg/L	0	GE
		Nickel	<4.0	µg/L	0	GE
		Nitrate as nitrogen	<50	µg/L	0	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	3,520	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	29,700	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	3,790	µg/L	0	GE
		Sulfate	7,040	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0	µg/L	0	GE
		Tetrachloroethylene	<1.0	µg/L	0	GE
		Toluene	<1.0	µg/L	0	GE
		Total dissolved solids	104,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	<5.0	µg/L	0	GE
		Total phosphates (as P)	220	µg/L	0	GE
		Toxaphene	<0.24	µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090	µg/L	0	GE
		1,1,1-Trichloroethane	<1.0	µg/L	0	GE
		1,1,2-Trichloroethane	<1.0	µg/L	0	GE
		Trichloroethylene	<1.0	µg/L	0	GE
		Trichlorofluoromethane	<1.0	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	<2.0	µg/L	0	GE
		Gross alpha	<2.0E+00	pCi/L	0	GE
		Nonvolatile beta	3.1E+00 ± 5.4E-01	pCi/L	0	GE
		Total alpha-emitting radium	<1.0E+00	pCi/L	0	GE
		Tritium	<7.0E-01	pCi/mL	0	GE

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB140C

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N70049 2 E56551.8	33.272972 °N 81.653958 °W	171.6-161.6 ft msl	235.6 ft msl	4" PVC	Barnwell (IIB ₁)

FIELD MEASUREMENTS

Sample date: 01/15/92
 Depth to water: 29.82 ft (9.09 m) below TOC
 Water elevation: 205.78 ft (62.72 m) msl
 Sp. conductance: 26 μ S/cm
 Water evacuated before sampling: 116 gal

Time: 14:50
 pH: 5.6
 Alkalinity: 3 mg/L
 Water temperature: 17.5°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.8	pH	0	GE
		Specific conductance	28	μ S/cm	0	GE
		Aluminum	< 2.0	μ g/L	0	GE
		Antimony	< 2.0	μ g/L	0	GE
		Arsenic	< 2.0	μ g/L	0	GE
		Barium	7.6	μ g/L	0	GE
		Benzene	< 1.0	μ g/L	0	GE
		Bromodichloromethane	< 1.0	μ g/L	0	GE
		Bromoform	< 1.0	μ g/L	0	GE
		Bromomethane (Methyl bromide)	< 1.0	μ g/L	0	GE
		Cadmium	< 2.0	μ g/L	0	GE
		Calcium	1,510	μ g/L	0	GE
		Carbon tetrachloride	< 1.0	μ g/L	0	GE
		Carbonate	< 1,000	μ g/L	0	GE
		Chloride	2,030	μ g/L	0	GE
		Chlorobenzene	< 1.0	μ g/L	0	GE
		Chloroethane	< 1.0	μ g/L	0	GE
		Chloroethene (Vinyl chloride)	< 1.0	μ g/L	0	GE
		2-Chloroethyl vinyl ether	< 1.0	μ g/L	0	GE
		Chloroform	< 1.0	μ g/L	0	GE
		Chloromethane (Methyl chloride)	< 1.0	μ g/L	0	GE
		Chromium	< 4.0	μ g/L	0	GE
		Cobalt	< 4.0	μ g/L	0	GE
		Copper	< 4.0	μ g/L	0	GE
		Cyanide	< 5.0	μ g/L	0	GE
		Dibromochloromethane	< 1.0	μ g/L	0	GE
		1,1-Dichloroethane	< 1.0	μ g/L	0	GE
		1,2-Dichloroethane	< 1.0	μ g/L	0	GE
		1,1-Dichloroethylene	< 1.0	μ g/L	0	GE
		trans-1,2-Dichloroethylene	< 1.0	μ g/L	0	GE
		Dichloromethane (Methylene chloride)	6.2	μ g/L	0	GE
		2,4-Dichlorophenoxyacetic acid	< 0.30	μ g/L	0	GE
		1,2-Dichloropropane	< 1.0	μ g/L	0	GE
		cis-1,3-Dichloropropene	< 1.0	μ g/L	0	GE
		trans-1,3-Dichloropropene	< 1.0	μ g/L	0	GE
		Endrin	< 0.0060	μ g/L	0	GE
		Ethylbenzene	< 1.0	μ g/L	0	GE
		Fluoride	< 100	μ g/L	0	GE
		Iron	< 4.0	μ g/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB140C collected on 01/15/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Lead	< 3.0	µg/L	0	GE
		Lindane	< 0.0050	µg/L	0	GE
		Magnesium	350	µg/L	0	GE
		Manganese	6.9	µg/L	0	GE
		Mercury	< 0.20	µg/L	0	GE
		Methoxychlor	< 0.50	µg/L	0	GE
		Nickel	< 4.0	µg/L	0	GE
		Nitrate as nitrogen	460	µg/L	0	GE
		Phenols	< 5.0	µg/L	0	GE
		Potassium	< 500	µg/L	0	GE
		Selenium	< 2.0	µg/L	0	GE
		Silica	10,500	µg/L	0	GE
		Silver	< 2.0	µg/L	0	GE
		Sodium	1,550	µg/L	0	GE
		Sulfate	< 1,000	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	< 1.0	µg/L	0	GE
		Tetrachloroethylene	< 1.0	µg/L	0	GE
		Toluene	< 1.0	µg/L	0	GE
		Total dissolved solids	24,000	µg/L	0	GE
		Total dissolved solids	21,000	µg/L	0	GE
		Total organic carbon	< 1,000	µg/L	0	GE
		Total organic halogens	< 5.0	µg/L	0	GE
		Total organic halogens	< 5.0	µg/L	0	GE
		Total phosphates (as P)	80	µg/L	0	GE
		Toxaphene	< 0.24	µg/L	0	GE
		2,4,5-TP (Silvex)	< 0.090	µg/L	0	GE
		1,1,1-Trichloroethane	< 1.0	µg/L	0	GE
		1,1,2-Trichloroethane	< 1.0	µg/L	0	GE
		Trichloroethylene	< 1.0	µg/L	0	GE
		Trichlorofluoromethane	< 1.0	µg/L	0	GE
		Vanadium	< 8.0	µg/L	0	GE
		Zinc	10	µg/L	0	GE
		Gross alpha	< 2.0E + 00	pCi/L	0	GE
		Nonvolatile beta	< 2.0E + 00	pCi/L	0	GE
		Total alpha-emitting radium	< 1.0E + 00	pCi/L	0	GE
		Tritium	2.5E + 00 ± 2.0E-01	pCi/mL	0	GE

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB140D

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N70036.0 E56560.6	33.272957 °N 81.653909 °W	214.1-194.1 ft msl	236.2 ft msl	4" PVC	Water Table (IIB ₂)

FIELD MEASUREMENTS

Sample date: 01/15/92
Depth to water: 22.61 ft (6.89 m) below TOC
Water elevation: 213.59 ft (65.10 m, msl)
Sp. conductance: 20 μ S/cm
Water evacuated before sampling: 51 gal

Time: 15:10
pH: 4.9
Alkalinity: 0 mg/L
Water temperature: 18.5°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.0	pH	0	GE
		Specific conductance	20	μ S/cm	0	GE
		Aluminum	54	μ g/L	0	GE
		Antimony	< 2.0	μ g/L	0	GE
		Arsenic	< 2.0	μ g/L	0	GE
		Barium	4.1	μ g/L	0	GE
		Benzene	< 1.0	μ g/L	0	GE
		Bromodichloromethane	< 1.0	μ g/L	0	GE
		Bromoform	< 1.0	μ g/L	0	GE
		Bromomethane (Methyl bromide)	< 1.0	μ g/L	0	GE
		Cadmium	< 2.0	μ g/L	0	GE
		Calcium	359	μ g/L	0	GE
		Carbon tetrachloride	< 1.0	μ g/L	0	GE
		Carbonate	< 1,000	μ g/L	0	GE
		Chloride	1,670	μ g/L	0	GE
		Chlorobenzene	< 1.0	μ g/L	0	GE
		Chloroethane	< 1.0	μ g/L	0	GE
		Chloroethene (Vinyl chloride)	< 1.0	μ g/L	0	GE
		2-Chloroethyl vinyl ether	< 1.0	μ g/L	0	GE
		Chloroform	< 1.0	μ g/L	0	GE
		Chloromethane (Methyl chloride)	< 1.0	μ g/L	0	GE
		Chromium	< 4.0	μ g/L	0	GE
		Cobalt	< 4.0	μ g/L	0	GE
		Copper	< 4.0	μ g/L	0	GE
		Cyanide	< 5.0	μ g/L	0	GE
		Dibromochloromethane	< 1.0	μ g/L	0	GE
		1,1-Dichloroethane	< 1.0	μ g/L	0	GE
		1,2-Dichloroethane	< 1.0	μ g/L	0	GE
		1,1-Dichloroethylene	< 1.0	μ g/L	0	GE
		trans-1,2-Dichloroethylene	< 1.0	μ g/L	0	GE
		Dichloromethane (Methylene chloride)	7.1	μ g/L	0	GE
		2,4-Dichlorophenoxyacetic acid	< 0.30	μ g/L	0	GE
		1,2-Dichloropropane	< 1.0	μ g/L	0	GE
		cis-1,3-Dichloropropene	< 1.0	μ g/L	0	GE
		trans-1,3-Dichloropropene	< 1.0	μ g/L	0	GE
		Endrin	< 0.0060	μ g/L	0	GE
		Ethylbenzene	< 1.0	μ g/L	0	GE
		Fluoride	< 100	μ g/L	0	GE
		Iron	17	μ g/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB140D collected on 01/15/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Lead	< 3.0	µg/L	0	GE
		Lindane	< 0.0050	µg/L	0	GE
		Magnesium	403	µg/L	0	GE
		Manganese	3.0	µg/L	0	GE
		Mercury	< 0.20	µg/L	0	GE
		Methoxychlor	< 0.50	µg/L	0	GE
		Nickel	< 4.0	µg/L	0	GE
		Nitrate as nitrogen	450	µg/L	0	GE
		Phenols	< 5.0	µg/L	0	GE
		Potassium	< 500	µg/L	0	GE
		Selenium	< 2.0	µg/L	0	GE
		Silica	6,440	µg/L	0	GE
		Silver	< 2.0	µg/L	0	GE
		Sodium	975	µg/L	0	GE
		Sulfate	< 1,000	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	< 1.0	µg/L	0	GE
		Tetrachloroethylene	< 1.0	µg/L	0	GE
		Toluene	< 1.0	µg/L	0	GE
		Total dissolved solids	10,000	µg/L	0	GE
		Total organic carbon	< 1,000	µg/L	0	GE
		Total organic halogens	< 5.0	µg/L	0	GE
		Total organic halogens	< 5.0	µg/L	0	GE
		Total phosphates (as P)	< 50	µg/L	0	GE
		Total phosphates (as P)	< 50	µg/L	0	GE
		Toxaphene	< 0.24	µg/L	0	GE
		2,4,5-TP (Silvex)	< 0.090	µg/L	0	GE
		1,1,1-Trichloroethane	< 1.0	µg/L	0	GE
		1,1,2-Trichloroethane	< 1.0	µg/L	0	GE
		Trichloroethylene	< 1.0	µg/L	0	GE
		Trichlorofluoromethane	< 1.0	µg/L	0	GE
		Vanadium	< 8.0	µg/L	0	GE
		Zinc	3.5	µg/L	0	GE
		Gross alpha	< 2.0E+00	pCi/L	0	GE
		Nonvolatile beta	< 2.0E+00	pCi/L	0	GE
		Total alpha-emitting radium	< 1.0E+00	pCi/L	0	GE
		Tritium	1.7E+01 ± 4.0E-01	pCi/mL	1	GE

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB141A

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N71213.6 E59168.7	33.279817 °N 81.649329 °W	90.6-80.6 ft msl	254.6 ft msl	4" PVC	U. Congaree (IIA)

FIELD MEASUREMENTS

Sample date: 01/10/92
Depth to water: 79.52 ft (24.24 m) below TOC
Water elevation: 175.03 ft (53.37 m) msl
Sp. conductance: 258 µS/cm
Water evacuated before sampling: 744 gal

Time: 12:00
pH: 11.2
Alkalinity: 64 mg/L
Water temperature: 18.8°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
●		pH	11	pH	2	GE
		Specific conductance	199	µS/cm	0	GE
		Aluminum	1,440	µg/L	2	GE
	■	Antimony	9.7	µg/L	2	GE
		Arsenic	5.1	µg/L	0	GE
		Barium	21	µg/L	0	GE
		Benzene	<1.0	µg/L	0	GE
		Bromodichloromethane	<1.0	µg/L	0	GE
		Bromoform	<1.0	µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	29,200	µg/L	0	GE
		Carbon tetrachloride	<1.0	µg/L	0	GE
		Carbonate	24,000	µg/L	2	GE
		Chloride	2,450	µg/L	0	GE
		Chlorobenzene	<1.0	µg/L	0	GE
		Chloroethane	<1.0	µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0	µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0	µg/L	0	GE
		Chloroform	<1.0	µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	<4.0	µg/L	0	GE
		Copper	<4.0	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Dibromochloromethane	<1.0	µg/L	0	GE
		1,1-Dichloroethane	<1.0	µg/L	0	GE
		1,2-Dichloroethane	<1.0	µg/L	0	GE
		1,1-Dichloroethylene	<1.0	µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0	µg/L	0	GE
		Dichloromethane (Methylene chloride)	1.0	µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30	µg/L	0	GE
		1,2-Dichloropropane	<1.0	µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0	µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0	µg/L	0	GE
		Endrin	<0.0060	µg/L	0	GE
		Ethylbenzene	<1.0	µg/L	0	GE
		Fluoride	71	µg/L	0	GE
		Iron	7.3	µg/L	0	GE

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB141A collected on 01/10/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Lead	< 3.0	µg/L	0	GE
		Lindane	< 0.0050	µg/L	0	GE
		Magnesium	101	µg/L	0	GE
		Manganese	< 2.0	µg/L	0	GE
		Mercury	< 0.20	µg/L	0	GE
		Methoxychlor	< 0.50	µg/L	0	GE
		Nickel	< 4.0	µg/L	0	GE
		Nitrate as nitrogen	< 50	µg/L	0	GE
		Phenols	< 5.0	µg/L	0	GE
		Potassium	5,300	µg/L	0	GE
		Selenium	< 2.0	µg/L	0	GE
		Silica	9,610	µg/L	0	GE
		Silver	< 2.0	µg/L	0	GE
		Sodium	2,470	µg/L	0	GE
		Sulfate	4,740	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	< 1.0	µg/L	0	GE
		Tetrachloroethylene	< 1.0	µg/L	0	GE
		Toluene	< 1.0	µg/L	0	GE
		Total dissolved solids	77,000	µg/L	0	GE
		Total organic carbon	< 1,000	µg/L	0	GE
		Total organic halogens	< 5.0	µg/L	0	GE
		Total organic halogens	< 5.0	µg/L	0	GE
		Total phosphates (as P)	< 50	µg/L	0	GE
		Toxaphene	< 0.24	µg/L	0	GE
		2,4,5-TP (Silvex)	< 0.090	µg/L	0	GE
		1,1,1-Trichloroethane	< 1.0	µg/L	0	GE
		1,1,2-Trichloroethane	< 1.0	µg/L	0	GE
		Trichloroethylene	< 1.0	µg/L	0	GE
		Trichlorofluoromethane	< 1.0	µg/L	0	GE
		Vanadium	< 8.0	µg/L	0	GE
		Zinc	< 2.0	µg/L	0	GE
		Gross alpha	< 2.0E+00	pCi/L	0	GE
		Nonvolatile beta	5.0E+00 ± 6.9E-01	pCi/L	0	GE
		Total alpha-emitting radium	< 1.0E+00	pCi/L	0	GE
		Tritium	< 7.0E-01	pCi/mL	0	GE

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB141C

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N71196.7 E59170.2	33.279782 °N 81.649292 °W	164.7-154.7 ft msl	254.7 ft msl	4" PVC	Barnwell (IIB ₁)

FIELD MEASUREMENTS

Sample date: 01/10/92	Time: 10:35
Depth to water: 26.86 ft (8.19 m) below TOC	pH: 11.7
Water elevation: 227.84 ft (69.45 m) msl	Alkalinity: 124 mg/L
Sp. conductance: 601 µS/cm	Water temperature: 17.9°C
Water evacuated before sampling: 43 gal	
The well went dry during purging.	

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	12	pH	2	GE
		Specific conductance	440	µS/cm	1	GE
		Aluminum	2,010	µg/L	2	GE
■		Antimony	8.7	µg/L	2	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	46	µg/L	0	GE
		Benzene	<1.0	µg/L	0	GE
		Bromodichloromethane	<1.0	µg/L	0	GE
		Bromoform	<1.0	µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	14,300	µg/L	0	GE
		Carbon tetrachloride	<1.0	µg/L	0	GE
		Carbonate	35,300	µg/L	2	GE
		Chloride	2,100	µg/L	0	GE
		Chlorobenzene	<1.0	µg/L	0	GE
		Chloroethane	<1.0	µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0	µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0	µg/L	0	GE
		Chloroform	<1.0	µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	<4.0	µg/L	0	GE
		Copper	<4.0	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Dibromochloromethane	<1.0	µg/L	0	GE
		1,1-Dichloroethane	<1.0	µg/L	0	GE
		1,2-Dichloroethane	<1.0	µg/L	0	GE
		1,1-Dichloroethylene	<1.0	µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0	µg/L	0	GE
		Dichloromethane (Methylene chloride)	<1.0	µg/L	0	GE
•		2,4-Dichlorophenoxyacetic acid	<0.30	µg/L	0	GE
		1,2-Dichloropropane	<1.0	µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0	µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0	µg/L	0	GE
		Endrin	<0.0060	µg/L	0	GE
		Ethylbenzene	<1.0	µg/L	0	GE
		Fluoride	<100	µg/L	0	GE
		Iron	<4.0	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB141C collected on 01/10/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Lead	< 3.0	µg/L	0	GE
		Lindane	< 0.0050	µg/L	0	GE
		Magnesium	164	µg/L	0	GE
		Manganese	< 2.0	µg/L	0	GE
		Mercury	< 0.20	µg/L	0	GE
		Methoxychlor	< 0.50	µg/L	0	GE
		Nickel	< 4.0	µg/L	0	GE
		Nitrate as nitrogen	160	µg/L	0	GE
		Phenols	< 5.0	µg/L	0	GE
		Potassium	9,120	µg/L	0	GE
		Selenium	< 2.0	µg/L	0	GE
		Silica	10,500	µg/L	0	GE
		Silver	< 2.0	µg/L	0	GE
		Sodium	18,700	µg/L	0	GE
		Sulfate	15,200	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	< 1.0	µg/L	0	GE
		Tetrachloroethylene	< 1.0	µg/L	0	GE
		Toluene	< 1.0	µg/L	0	GE
		Total dissolved solids	147,000	µg/L	0	GE
		Total organic carbon	< 1,000	µg/L	0	GE
		Total organic halogens	8.7	µg/L	0	GE
		Total phosphates (as P)	50	µg/L	0	GE
		Toxaphene	< 0.24	µg/L	0	GE
•		2,4,5-TP (Silvex)	< 0.090	µg/L	0	GE
		1,1,1-Trichloroethane	< 1.0	µg/L	0	GE
		1,1,2-Trichloroethane	< 1.0	µg/L	0	GE
		Trichloroethylene	< 1.0	µg/L	0	GE
		Trichlorofluoromethane	< 1.0	µg/L	0	GE
		Vanadium	13	µg/L	0	GE
		Zinc	< 2.0	µg/L	0	GE
		Gross alpha	< 2.0E+00	pCi/L	0	GE
		Nonvolatile beta	1.1E+01 ± 8.8E-01	pCi/L	0	GE
		Total alpha-emitting radium	< 1.0E+00	pCi/L	0	GE
		Tritium	1.4E+00 ± 2.0E-01	pCi/mL	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB141D

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N71184.4 E59170.9	33.279756 °N 81.649266 °W	237.8-217.8 ft msl	254.8 ft msl	4" PVC	Water Table (IIB ₂)

FIELD MEASUREMENTS

Sample date: 01/10/92	Time: 10:20
Depth to water: 18.41 ft (5.61 m) below TOC	pH: 5.6
Water elevation: 236.39 ft (72.05 m) msl	Alkalinity: 1 mg/L
Sp. conductance: 21 µS/cm	Water temperature: 17.5°C
Water evacuated before sampling: 11 gal	
The well went dry during purging.	

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.5	pH	0	GE
		Specific conductance	19	µS/cm	0	GE
		Aluminum	43	µg/L	0	GE
	■	Antimony	7.6	µg/L	2	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	<3.0	µg/L	0	GE
		Benzene	<1.0	µg/L	0	GE
		Bromodichloromethane	<1.0	µg/L	0	GE
		Bromoform	<1.0	µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	324	µg/L	0	GE
		Carbon tetrachloride	<1.0	µg/L	0	GE
		Carbonate	<1,000	µg/L	0	GE
		Chloride	1,910	µg/L	0	GE
		Chlorobenzene	<1.0	µg/L	0	GE
		Chloroethane	<1.0	µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0	µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0	µg/L	0	GE
		Chloroform	<1.0	µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	<4.0	µg/L	0	GE
		Copper	<4.0	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Dibromochloromethane	<1.0	µg/L	0	GE
		1,1-Dichloroethane	<1.0	µg/L	0	GE
		1,2-Dichloroethane	<1.0	µg/L	0	GE
		1,1-Dichloroethylene	<1.0	µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0	µg/L	0	GE
		Dichloromethane (Methylene chloride)	1.5	µg/L	0	GE
•		2,4-Dichlorophenoxyacetic acid	<0.30	µg/L	0	GE
		1,2-Dichloropropane	<1.0	µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0	µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0	µg/L	0	GE
		Endrin	<0.0060	µg/L	0	GE
		Ethylbenzene	<1.0	µg/L	0	GE
		Fluoride	<100	µg/L	0	GE
		Iron	59	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB141D collected on 01/10/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Lead	<3.0	µg/L	0	GE
		Lindane	<0.0050	µg/L	0	GE
		Magnesium	289	µg/L	0	GE
		Manganese	9.3	µg/L	0	GE
		Mercury	<0.20	µg/L	0	GE
		Methoxychlor	<0.50	µg/L	0	GE
		Nickel	<4.0	µg/L	0	GE
		Nitrate as nitrogen	360	µg/L	0	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	<500	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	6,360	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	1,510	µg/L	0	GE
		Sulfate	<1,000	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0	µg/L	0	GE
		Tetrachloroethylene	<1.0	µg/L	0	GE
		Toluene	<1.0	µg/L	0	GE
		Total dissolved solids	<1,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	11	µg/L	0	GE
		Total phosphates (as P)	<50	µg/L	0	GE
		Toxaphene	<0.24	µg/L	0	GE
•		2,4,5-TP (Silvex)	<0.090	µg/L	0	GE
		1,1,1-Trichloroethane	<1.0	µg/L	0	GE
		1,1,2-Trichloroethane	<1.0	µg/L	0	GE
		Trichloroethylene	<1.0	µg/L	0	GE
		Trichlorofluoromethane	<1.0	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	3.7	µg/L	0	GE
		Gross alpha	<2.0E+00	pCi/L	0	GE
		Nonvolatile beta	<2.0E+00	pCi/L	0	GE
		Total alpha-emitting radium	<1.0E+00	pCi/L	0	GE
■		Tritium	2.3E+01 ± 4.0E-01	pCi/mL	2	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB142C

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N73119.0 E53505.3	33.274791 °N 81.667942 °W	171.6-161.6 ft msl	204.0 ft msl	4" PVC	Barnwell (IIB ₁)

FIELD MEASUREMENTS

Sample date: 01/14/92	Time: 12:55
Depth to water: 4.81 ft (1.47 m) below TOC	pH: 5.3
Water elevation: 199.19 ft (60.71 m) msl	Alkalinity: 1 mg/L
Sp. conductance: 24 µS/cm	Water temperature: 16.8°C
Water evacuated before sampling: 99 gal	

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.6	pH	0	GE
		Specific conductance	29	µS/cm	0	GE
		Aluminum	<20	µg/L	0	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	<3.0	µg/L	0	GE
		Benzene	<1.0	µg/L	0	GE
		Bromodichloromethane	<1.0	µg/L	0	GE
		Bromoform	<1.0	µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	1,590	µg/L	0	GE
		Carbon tetrachloride	<1.0	µg/L	0	GE
		Carbonate	<1,000	µg/L	0	GE
		Chloride	2,620	µg/L	0	GE
		Chlorobenzene	<1.0	µg/L	0	GE
		Chloroethane	<1.0	µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0	µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0	µg/L	0	GE
		Chloroform	<1.0	µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	<4.0	µg/L	0	GE
		Copper	<4.0	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Dibromochloromethane	<1.0	µg/L	0	GE
		1,1-Dichloroethane	<1.0	µg/L	0	GE
		1,2-Dichloroethane	<1.0	µg/L	0	GE
		1,1-Dichloroethylene	<1.0	µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0	µg/L	0	GE
		Dichloromethane (Methylene chloride)	<1.0	µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30	µg/L	0	GE
		1,2-Dichloropropane	<1.0	µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0	µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0	µg/L	0	GE
		Endrin	<0.0060	µg/L	0	GE
		Ethylbenzene	<1.0	µg/L	0	GE
		Fluoride	<100	µg/L	0	GE
		Iron	4.6	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB142C collected on 01/14/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Lead	<3.0	µg/L	0	GE
		Lindane	<0.0050	µg/L	0	GE
		Magnesium	375	µg/L	0	GE
		Manganese	4.2	µg/L	0	GE
		Mercury	<0.20	µg/L	0	GE
		Methoxychlor	<0.50	µg/L	0	GE
		Nickel	<4.0	µg/L	0	GE
		Nitrate as nitrogen	260	µg/L	0	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	<500	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	11,700	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	1,870	µg/L	0	GE
		Sulfate	<1,000	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0	µg/L	0	GE
		Tetrachloroethylene	<1.0	µg/L	0	GE
		Toluene	<1.0	µg/L	0	GE
		Total dissolved solids	30,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	<5.0	µg/L	0	GE
		Total phosphates (as P)	<50	µg/L	0	GE
		Toxaphene	<0.24	µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090	µg/L	0	GE
		1,1,1-Trichloroethane	<1.0	µg/L	0	GE
		1,1,2-Trichloroethane	<1.0	µg/L	0	GE
		Trichloroethylene	<1.0	µg/L	0	GE
		Trichlorofluoromethane	<1.0	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	7.3	µg/L	0	GE
		Gross alpha	<2.0E+00	pCi/L	0	GE
		Nonvolatile beta	<2.0E+00	pCi/L	0	GE
		Total alpha-emitting radium	1.0E+00 ± 4.0E-01	pCi/L	0	GE
		Tritium	<7.0E-01	pCi/mL	0	GE

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB142D

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N73113.0 E53493.1	33.274758 °N 81.667962 °W	199.7-189.7 ft msl	204.2 ft msl	4" PVC	Water Table (IIB ₂)

FIELD MEASUREMENTS

Sample date: 01/14/92
 Depth to water: 4.67 ft (1.42 m) below TOC
 Water elevation: 199.53 ft (60.82 m) msl
 Sp. conductance: 54 µS/cm
 Water evacuated before sampling: 26 gal

Time: 13:10
 pH: 4.8
 Alkalinity: 5 mg/L
 Water temperature: 15.2°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.3	pH	0	GE
		Specific conductance	49	µS/cm	0	GE
		Aluminum	154	µg/L	1	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	18	µg/L	0	GE
		Benzene	<1.0	µg/L	0	GE
		Bromodichloromethane	<1.0	µg/L	0	GE
		Bromoform	<1.0	µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	1,060	µg/L	0	GE
		Carbon tetrachloride	<1.0	µg/L	0	GE
•		Carbonate	<1,000	µg/L	0	GE
•		Carbonate	<1,000	µg/L	0	GE
		Chloride	4,680	µg/L	0	GE
		Chlorobenzene	<1.0	µg/L	0	GE
		Chloroethane	<1.0	µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0	µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0	µg/L	0	GE
		Chloroform	<1.0	µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	<4.0	µg/L	0	GE
		Copper	8.8	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Dibromochloromethane	<1.0	µg/L	0	GE
		1,1-Dichloroethane	<1.0	µg/L	0	GE
		1,2-Dichloroethane	<1.0	µg/L	0	GE
		1,1-Dichloroethylene	<1.0	µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0	µg/L	0	GE
		Dichloromethane (Methylene chloride)	2.9	µg/L	0	GE
•		2,4-Dichlorophenoxyacetic acid	<0.30	µg/L	0	GE
		1,2-Dichloropropane	<1.0	µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0	µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0	µg/L	0	GE
•		Endrin	<0.0060	µg/L	0	GE
		Ethylbenzene	<1.0	µg/L	0	GE
		Fluoride	<100	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB142D collected on 01/14/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Iron	24	µg/L	0	GE
		Lead	< 3.0	µg/L	0	GE
•		Lindane	< 0.0050	µg/L	0	GE
		Magnesium	566	µg/L	0	GE
		Manganese	16	µg/L	0	GE
		Mercury	< 0.20	µg/L	0	GE
•		Methoxychlor	< 0.50	µg/L	0	GE
		Nickel	< 4.0	µg/L	0	GE
		Nitrate as nitrogen	350	µg/L	0	GE
		Phenols	21	µg/L	0	GE
		Potassium	< 500	µg/L	0	GE
		Selenium	< 2.0	µg/L	0	GE
		Silica	7,840	µg/L	0	GE
		Silver	< 2.0	µg/L	0	GE
		Sodium	6,530	µg/L	0	GE
		Sulfate	7,380	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	< 1.0	µg/L	0	GE
		Tetrachloroethylene	< 1.0	µg/L	0	GE
		Toluene	< 1.0	µg/L	0	GE
		Total dissolved solids	39,000	µg/L	0	GE
		Total organic carbon	1,000	µg/L	0	GE
		Total organic halogens	23	µg/L	0	GE
•		Total phosphates (as P)	< 50	µg/L	0	GE
•		Toxaphene	< 0.24	µg/L	0	GE
•		2,4,5-TP (Silvex)	< 0.090	µg/L	0	GE
		1,1,1-Trichloroethane	< 1.0	µg/L	0	GE
		1,1,2-Trichloroethane	< 1.0	µg/L	0	GE
		Trichloroethylene	< 1.0	µg/L	0	GE
		Trichlorofluoromethane	< 1.0	µg/L	0	GE
		Vanadium	< 8.0	µg/L	0	GE
		Zinc	18	µg/L	0	GE
		Gross alpha	< 2.0E+00	pCi/L	0	GE
		Nonvolatile beta	2.0E+00 ± 5.5E-01	pCi/L	0	GE
		Total alpha-emitting radium	1.0E+00 ± 3.0E-01	pCi/L	0	GE
■		Tritium	4.3E+02 ± 1.6E+00	pCi/mL	2	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB143C

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N73738.2 E52773.2	33.274966 °N 81.671072 °W	179.1-169.1 ft msl	222.2 ft msl	4" PVC	Barnwell (IB ₁)

FIELD MEASUREMENTS

Sample date: 01/15/92	Time: 13:50
Depth to water: 12.69 ft (3.87 m) below TOC	pH: 5.5
Water elevation: 209.51 ft (63.86 m) msl	Alkalinity: 3 mg/L
Sp. conductance: 34 µS/cm	Water temperature: 17.7°C
Water evacuated before sampling: 106 gal	

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.7	pH	0	GE
		Specific conductance	35	µS/cm	0	GE
		Aluminum	< 20	µg/L	0	GE
		Antimony	< 2.0	µg/L	0	GE
		Arsenic	< 2.0	µg/L	0	GE
		Barium	6.6	µg/L	0	GE
		Benzene	< 1.0	µg/L	0	GE
		Bromodichloromethane	< 1.0	µg/L	0	GE
		Bromoform	< 1.0	µg/L	0	GE
		Bromomethane (Methyl bromide)	< 1.0	µg/L	0	GE
		Cadmium	< 2.0	µg/L	0	GE
		Calcium	1,400	µg/L	0	GE
		Carbon tetrachloride	< 1.0	µg/L	0	GE
		Carbonate	< 1,000	µg/L	0	GE
		Chloride	2,970	µg/L	0	GE
		Chlorobenzene	< 1.0	µg/L	0	GE
		Chloroethane	< 1.0	µg/L	0	GE
		Chloroethene (Vinyl chloride)	< 1.0	µg/L	0	GE
		2-Chloroethyl vinyl ether	< 1.0	µg/L	0	GE
		Chloroform	< 1.0	µg/L	0	GE
		Chloromethane (Methyl chloride)	< 1.0	µg/L	0	GE
		Chromium	< 4.0	µg/L	0	GE
		Cobalt	< 4.0	µg/L	0	GE
		Copper	< 4.0	µg/L	0	GE
		Cyanide	< 5.0	µg/L	0	GE
		Cyanide	< 5.0	µg/L	0	GE
		Dibromochloromethane	< 1.0	µg/L	0	GE
		1,1-Dichloroethane	< 1.0	µg/L	0	GE
		1,2-Dichloroethane	< 1.0	µg/L	0	GE
		1,1-Dichloroethylene	< 1.0	µg/L	0	GE
		trans-1,2-Dichloroethylene	< 1.0	µg/L	0	GE
		Dichloromethane (Methylene chloride)	6.6	µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	< 0.30	µg/L	0	GE
		1,2-Dichloropropane	< 1.0	µg/L	0	GE
		cis-1,3-Dichloropropene	< 1.0	µg/L	0	GE
		trans-1,3-Dichloropropene	< 1.0	µg/L	0	GE
		Endrin	< 0.0060	µg/L	0	GE
		Ethylbenzene	< 1.0	µg/L	0	GE
		Fluoride	< 100	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB143C collected on 01/15/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Iron	<4.0	µg/L	0	GE
		Lead	<3.0	µg/L	0	GE
		Lindane	<0.0050	µg/L	0	GE
		Magnesium	220	µg/L	0	GE
		Manganese	12	µg/L	0	GE
		Mercury	<0.20	µg/L	0	GE
		Methoxychlor	<0.50	µg/L	0	GE
		Nickel	<4.0	µg/L	0	GE
		Nitrate as nitrogen	350	µg/L	0	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	<500	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	7,040	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	3,210	µg/L	0	GE
		Sulfate	<1,000	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0	µg/L	0	GE
		Tetrachloroethylene	<1.0	µg/L	0	GE
		Toluene	<1.0	µg/L	0	GE
		Total dissolved solids	29,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	7.7	µg/L	0	GE
		Total phosphates (as P)	<50	µg/L	0	GE
		Toxaphene	<0.24	µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090	µg/L	0	GE
		1,1,1-Trichloroethane	<1.0	µg/L	0	GE
		1,1,2-Trichloroethane	<1.0	µg/L	0	GE
		Trichloroethylene	<1.0	µg/L	0	GE
		Trichlorofluoromethane	<1.0	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	3.1	µg/L	0	GE
		Gross alpha	<2.0E+00	pCi/L	0	GE
		Nonvolatile beta	<2.0E+00	pCi/L	0	GE
		Total alpha-emitting radium	<1.0E+00	pCi/L	0	GE
		Tritium	1.1E+01 ± 3.0E-01	pCi/mL	1	GE

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB143D

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N73754.0	33.275003 °N	216.9-196.9 ft msl	222.9 ft msl	4" PVC	Water Table (IIB ₂)
E52774.5	81.671099 °W				

FIELD MEASUREMENTS

Sample date: 01/15/92	Time: 14:10
Depth to water: 9.65 ft (2.94 m) below TOC	pH: 4.8
Water elevation: 213.25 ft (65.00 m) msl	Alkalinity: 0 mg/L
Sp. conductance: 20 µS/cm	Water temperature: 17.8°C
Water evacuated before sampling: 43 gal	

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.0	pH	0	GE
		Specific conductance	21	µS/cm	0	GE
		Aluminum	43	µg/L	0	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	6.1	µg/L	0	GE
		Benzene	<1.0	µg/L	0	GE
		Bromodichloromethane	<1.0	µg/L	0	GE
		Bromoform	<1.0	µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	235	µg/L	0	GE
		Carbon tetrachloride	<1.0	µg/L	0	GE
		Carbonate	<1,000	µg/L	0	GE
		Chloride	1,750	µg/L	0	GE
		Chlorobenzene	<1.0	µg/L	0	GE
		Chloroethane	<1.0	µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0	µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0	µg/L	0	GE
		Chloroform	<1.0	µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	<4.0	µg/L	0	GE
		Copper	<4.0	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Dibromochloromethane	<1.0	µg/L	0	GE
		1,1-Dichloroethane	<1.0	µg/L	0	GE
		1,2-Dichloroethane	<1.0	µg/L	0	GE
		1,1-Dichloroethylene	<1.0	µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0	µg/L	0	GE
		Dichloromethane (Methylene chloride)	2.4	µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30	µg/L	0	GE
		1,2-Dichloropropane	<1.0	µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0	µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0	µg/L	0	GE
		Endrin	<0.0060	µg/L	0	GE
		Ethylbenzene	<1.0	µg/L	0	GE
		Fluoride	<100	µg/L	0	GE
		Iron	6.5	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB143D collected on 01/15/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Lead	<3.0	µg/L	0	GE
		Lindane	<0.0050	µg/L	0	GE
		Magnesium	371	µg/L	0	GE
		Manganese	4.3	µg/L	0	GE
		Mercury	<0.20	µg/L	0	GE
		Methoxychlor	<0.50	µg/L	0	GE
		Nickel	<4.0	µg/L	0	GE
		Nitrate as nitrogen	400	µg/L	0	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	<500	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	6,370	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	1,200	µg/L	0	GE
		Sulfate	<1,000	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0	µg/L	0	GE
		Tetrachloroethylene	<1.0	µg/L	0	GE
		Toluene	<1.0	µg/L	0	GE
		Total dissolved solids	8,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	<5.0	µg/L	0	GE
		Total phosphates (as P)	<50	µg/L	0	GE
		Toxaphene	<0.24	µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090	µg/L	0	GE
		1,1,1-Trichloroethane	<1.0	µg/L	0	GE
		1,1,2-Trichloroethane	<1.0	µg/L	0	GE
		Trichloroethylene	<1.0	µg/L	0	GE
		Trichlorofluoromethane	<1.0	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	2.3	µg/L	0	GE
		Gross alpha	<2.0E+00	pCi/L	0	GE
		Nonvolatile beta	<2.0E+00	pCi/L	0	GE
		Total alpha-emitting radium	<1.0E+00	pCi/L	0	GE
		Tritium	1.3E+01 ± 3.0E-01	pCi/mL	1	GE

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB144A

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N71892.1 E56200.5	33.276475 °N 81.658462 °W	88.6-78.6 ft msl	235.6 ft msl	4" PVC	U. Congaree (IIA)

FIELD MEASUREMENTS

Sample date: 01/08/92	Time: 15:00
Depth to water: 64.56 ft (19.68 m) below TOC	pH: 6.9
Water elevation: 171.04 ft (52.13 m) msl	Alkalinity: 53 mg/L
Sp. conductance: 186 µS/cm	Water temperature: 19.0°C
Water evacuated before sampling: 243 gal	

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	7.1	pH	0	GE
		Specific conductance	138	µS/cm	0	GE
		Aluminum	<20	µg/L	0	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	37	µg/L	0	GE
		Benzene	<1.0	µg/L	0	GE
		Bromodichloromethane	<1.0	µg/L	0	GE
		Bromoform	<1.0	µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	25,400	µg/L	0	GE
		Carbon tetrachloride	<1.0	µg/L	0	GE
•		Carbonate	<1,000	µg/L	0	GE
		Chloride	3,120	µg/L	0	GE
		Chlorobenzene	<1.0	µg/L	0	GE
		Chloroethane	<1.0	µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0	µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0	µg/L	0	GE
		Chloroform	<1.0	µg/L	0	GE
		Chloromethane (Methyl chloride)	2.1	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	<4.0	µg/L	0	GE
		Copper	<4.0	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Dibromochloromethane	<1.0	µg/L	0	GE
		1,1-Dichloroethane	<1.0	µg/L	0	GE
		1,2-Dichloroethane	<1.0	µg/L	0	GE
		1,1-Dichloroethylene	<1.0	µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0	µg/L	0	GE
		Dichloromethane (Methylene chloride)	<1.0	µg/L	0	GE
•		2,4-Dichlorophenoxyacetic acid	<0.30	µg/L	0	GE
		1,2-Dichloropropane	<1.0	µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0	µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0	µg/L	0	GE
•		Endrin	<0.0060	µg/L	0	GE
		Ethylbenzene	<1.0	µg/L	0	GE
		Fluoride	122	µg/L	0	GE
		Fluoride	128	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB144A collected on 01/08/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Iron	< 4.0	µg/L	0	GE
		Lead	< 3.0	µg/L	0	GE
•		Lindane	< 0.0050	µg/L	0	GE
		Magnesium	716	µg/L	0	GE
		Manganese	52	µg/L	2	GE
		Mercury	< 0.20	µg/L	0	GE
•		Methoxychlor	< 0.50	µg/L	0	GE
		Nickel	< 4.0	µg/L	0	GE
•		Nitrate as nitrogen	3,000	µg/L	0	GE
		Phenols	< 5.0	µg/L	0	GE
		Phenols	< 5.0	µg/L	0	GE
		Potassium	2,700	µg/L	0	GE
		Selenium	< 2.0	µg/L	0	GE
		Silica	28,700	µg/L	0	GE
		Silver	< 2.0	µg/L	0	GE
		Sodium	6,260	µg/L	0	GE
		Sulfate	6,120	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	< 1.0	µg/L	0	GE
		Tetrachloroethylene	< 1.0	µg/L	0	GE
		Toluene	< 1.0	µg/L	0	GE
•		Total dissolved solids	138,000	µg/L	0	GE
•		Total dissolved solids	136,000	µg/L	0	GE
		Total organic carbon	< 1,000	µg/L	0	GE
		Total organic halogens	< 5.0	µg/L	0	GE
		Total phosphates (as P)	290	µg/L	0	GE
•		Toxaphene	< 0.24	µg/L	0	GE
•		2,4,5-TP (Silvex)	< 0.090	µg/L	0	GE
		1,1,1-Trichloroethane	< 1.0	µg/L	0	GE
		1,1,2-Trichloroethane	< 1.0	µg/L	0	GE
		Trichloroethylene	< 1.0	µg/L	0	GE
		Trichlorofluoromethane	< 1.0	µg/L	0	GE
		Vanadium	< 8.0	µg/L	0	GE
		Zinc	< 2.0	µg/L	0	GE
		Gross alpha	3.2E + 00 ± 7.6E - 01	pCi/L	0	GE
		Nonvolatile beta	1.4E + 01 ± 1.4E + 00	pCi/L	0	GE
		Total alpha-emitting radium	< 1.0E + 00	pCi/L	0	GE
■		Tritium	2.1E + 03 ± 3.6E + 00	pCi/mL	2	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB145C

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N71098.9 E57769.0	33.277280 °N 81.652792 °W	174.7-164.7 ft msl	235.7 ft msl	4" PVC	Barnwell (IIB ₁)

FIELD MEASUREMENTS

Sample date: 01/06/92
Depth to water: 22.38 ft (6.82 m) below TOC
Water elevation: 213.32 ft (65.02 m) msl
Sp. conductance: 345 μ S/cm
Water evacuated before sampling: 128 gal

Time: 13:55
pH: 6.2
Alkalinity: 18 mg/L
Water temperature: 19.2°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	6.4	pH	0	GE
		Specific conductance	375	μ S/cm	1	GE
		Aluminum	46	μ g/L	0	GE
		Antimony	<2.0	μ g/L	0	GE
		Arsenic	<2.0	μ g/L	0	GE
		Barium	88	μ g/L	0	GE
		Benzene	<1.0	μ g/L	0	GE
		Bromodichloromethane	<1.0	μ g/L	0	GE
		Bromoform	<1.0	μ g/L	0	GE
		Bromomethane (Methyl bromide)	<1.0	μ g/L	0	GE
		Cadmium	<2.0	μ g/L	0	GE
		Calcium	25,700	μ g/L	0	GE
		Carbon tetrachloride	<1.0	μ g/L	0	GE
		Carbonate	<1,000	μ g/L	0	GE
		Chloride	6,250	μ g/L	0	GE
		Chlorobenzene	<1.0	μ g/L	0	GE
		Chloroethane	<1.0	μ g/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0	μ g/L	0	GE
		2-Chloroethyl vinyl ether	<1.0	μ g/L	0	GE
		Chloroform	<1.0	μ g/L	0	GE
		Chloromethane (Methyl chloride)	<1.0	μ g/L	0	GE
		Chromium	<4.0	μ g/L	0	GE
		Cobalt	<4.0	μ g/L	0	GE
		Copper	<4.0	μ g/L	0	GE
		Cyanide	<5.0	μ g/L	0	GE
		Dibromochloromethane	<1.0	μ g/L	0	GE
		1,1-Dichloroethane	<1.0	μ g/L	0	GE
		1,2-Dichloroethane	<1.0	μ g/L	0	GE
		1,1-Dichloroethylene	<1.0	μ g/L	0	GE
		trans-1,2-Dichloroethylene	<1.0	μ g/L	0	GE
		Dichloromethane (Methylene chloride)	3.1	μ g/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30	μ g/L	0	GE
		1,2-Dichloropropane	<1.0	μ g/L	0	GE
		cis-1,3-Dichloropropene	<1.0	μ g/L	0	GE
		trans-1,3-Dichloropropene	<1.0	μ g/L	0	GE
		Endrin	<0.0060	μ g/L	0	GE
		Ethylbenzene	<1.0	μ g/L	0	GE
		Fluoride	<100	μ g/L	0	GE
		Iron	<4.0	μ g/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB145C collected on 01/06/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Lead	< 3.0	µg/L	0	GE
		Lindane	< 0.0050	µg/L	0	GE
		Magnesium	6,070	µg/L	0	GE
		Manganese	88	µg/L	2	GE
		Mercury	< 0.20	µg/L	0	GE
		Methoxychlor	< 0.50	µg/L	0	GE
		Nickel	4.1	µg/L	0	GE
■		Nitrate as nitrogen	33,600	µg/L	2	GE
		Phenols	< 5.0	µg/L	0	GE
		Potassium	2,900	µg/L	0	GE
		Selenium	< 2.0	µg/L	0	GE
		Silica	11,300	µg/L	0	GE
		Silver	< 2.0	µg/L	0	GE
		Sodium	27,300	µg/L	0	GE
		Sulfate	< 1,000	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	< 1.0	µg/L	0	GE
■		Tetrachloroethylene	12	µg/L	2	GE
		Toluene	< 1.0	µg/L	0	GE
		Total dissolved solids	238,000	µg/L	0	GE
		Total organic carbon	< 1,000	µg/L	0	GE
		Total organic halogens	6.4	µg/L	0	GE
		Total phosphates (as P)	< 50	µg/L	0	GE
		Toxaphene	< 0.24	µg/L	0	GE
		2,4,5-TP (Silvex)	< 0.090	µg/L	0	GE
		1,1,1-Trichloroethane	< 1.0	µg/L	0	GE
		1,1,2-Trichloroethane	< 1.0	µg/L	0	GE
		Trichloroethylene	1.8	µg/L	0	GE
		Trichlorofluoromethane	< 1.0	µg/L	0	GE
		Vanadium	< 8.0	µg/L	0	GE
		Zinc	21	µg/L	0	GE
		Gross alpha	< 2.0E+00	pCi/L	0	GE
		Nonvolatile beta	4.1E+01 ± 1.5E+00	pCi/L	1	GE
		Total alpha-emitting radium	1.4E+00 ± 4.0E-01	pCi/L	0	GE
■		Tritium	1.9E+03 ± 3.4E+00	pCi/mL	2	GE

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB145D

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N71088.0 E57753.9	33.277231 °N 81.652810 °W	194.2-184.2 ft msl	236.2 ft msl	4" PVC	Water Table (IIB ₂)

FIELD MEASUREMENTS

Sample date: 01/06/92
 Depth to water: 16.08 ft (4.90 m) below TOC
 Water elevation: 220.12 ft (67.09 m) msl
 Sp. conductance: 351 μ S/cm
 Water evacuated before sampling: 94 gal

Time: 13:35
 pH: 5.8
 Alkalinity: 14 mg/L
 Water temperature: 19.2°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.9	pH	0	GE
		Specific conductance	285	μ S/cm	1	GE
		Aluminum	306	μ g/L	2	GE
		Antimony	<2.0	μ g/L	0	GE
		Arsenic	<2.0	μ g/L	0	GE
		Barium	161	μ g/L	0	GE
		Benzene	<1.0	μ g/L	0	GE
		Bromodichloromethane	<1.0	μ g/L	0	GE
		Bromoform	<1.0	μ g/L	0	GE
		Bromomethane (Methyl bromide)	<1.0	μ g/L	0	GE
		Cadmium	<2.0	μ g/L	0	GE
		Calcium	12,900	μ g/L	0	GE
		Carbon tetrachloride	<1.0	μ g/L	0	GE
		Carbonate	<1,000	μ g/L	0	GE
		Carbonate	<1,000	μ g/L	0	GE
		Chloride	2,000	μ g/L	0	GE
		Chlorobenzene	<1.0	μ g/L	0	GE
		Chloroethane	<1.0	μ g/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0	μ g/L	0	GE
		2-Chloroethyl vinyl ether	<1.0	μ g/L	0	GE
		Chloroform	<1.0	μ g/L	0	GE
		Chloromethane (Methyl chloride)	1.5	μ g/L	0	GE
		Chromium	<4.0	μ g/L	0	GE
		Cobalt	15	μ g/L	0	GE
		Copper	<4.0	μ g/L	0	GE
•		Cyanide	<5.0	μ g/L	0	GE
		Dibromochloromethane	<1.0	μ g/L	0	GE
		1,1-Dichloroethane	<1.0	μ g/L	0	GE
		1,2-Dichloroethane	<1.0	μ g/L	0	GE
		1,1-Dichloroethylene	<1.0	μ g/L	0	GE
		trans-1,2-Dichloroethylene	<1.0	μ g/L	0	GE
		Dichloromethane (Methylene chloride)	<1.0	μ g/L	0	GE
•		2,4-Dichlorophenoxyacetic acid	<0.30	μ g/L	0	GE
		1,2-Dichloropropane	<1.0	μ g/L	0	GE
		cis-1,3-Dichloropropene	<1.0	μ g/L	0	GE
		trans-1,3-Dichloropropene	<1.0	μ g/L	0	GE
•		Endrin	<0.0060	μ g/L	0	GE
		Ethylbenzene	<1.0	μ g/L	0	GE
		Fluoride	147	μ g/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB145D collected on 01/06/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Iron	6.4	µg/L	0	GE
		Lead	< 3.0	µg/L	0	GE
•		Lindane	< 0.0050	µg/L	0	GE
		Magnesium	3,010	µg/L	0	GE
		Manganese	807	µg/L	2	GE
		Mercury	1.1	µg/L	1	GE
•		Methoxychlor	< 0.50	µg/L	0	GE
		Nickel	7.8	µg/L	0	GE
	■	Nitrate as nitrogen	36,800	µg/L	2	GE
		Phenols	< 5.0	µg/L	0	GE
		Potassium	3,800	µg/L	0	GE
		Selenium	< 2.0	µg/L	0	GE
		Silica	7,640	µg/L	0	GE
		Silver	< 2.0	µg/L	0	GE
		Sodium	40,800	µg/L	0	GE
•		Sulfate	< 1,000	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	< 1.0	µg/L	0	GE
		Tetrachloroethylene	< 1.0	µg/L	0	GE
		Toluene	< 1.0	µg/L	0	GE
•		Total dissolved solids	271,000	µg/L	0	GE
		Total organic carbon	< 1,000	µg/L	0	GE
		Total organic halogens	8.7	µg/L	0	GE
		Total phosphates (as P)	< 50	µg/L	0	GE
•		Toxaphene	< 0.24	µg/L	0	GE
•		2,4,5-TP (Silvex)	< 0.090	µg/L	0	GE
		1,1,1-Trichloroethane	< 1.0	µg/L	0	GE
		1,1,2-Trichloroethane	< 1.0	µg/L	0	GE
		Trichloroethylene	< 1.0	µg/L	0	GE
		Trichlorofluoromethane	< 1.0	µg/L	0	GE
		Vanadium	< 8.0	µg/L	0	GE
		Zinc	19	µg/L	0	GE
	■	Gross alpha	2.1E+01 ± 1.6E+00	pCi/L	2	GE
	■	Nonvolatile beta	3.8E+02 ± 4.4E+00	pCi/L	2	GE
	■	Total alpha-emitting radium	1.7E+01 ± 9.0E-01	pCi/L	2	GE
	■	Tritium	3.7E+03 ± 4.7E+00	pCi/mL	2	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB146A

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N70478.9 E58454.0	33.277026 °N 81.649784 °W	95.5-85.5 ft msl	251.6 ft msl	4" PVC	U. Congaree (IIA)

FIELD MEASUREMENTS

Sample date: 01/10/92	Time: 9:25
Depth to water: 75.43 ft (22.99 m) below TOC	pH: 7.3
Water elevation: 176.17 ft (53.70 m) msl	Alkalinity: 84 mg/L
Sp. conductance: 202 µS/cm	Water temperature: 17.7°C
Water evacuated before sampling: 239 gal	

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	7.7	pH	0	GE
		Specific conductance	191	µS/cm	0	GE
		Aluminum	< 20	µg/L	0	GE
		Antimony	< 2.0	µg/L	0	GE
		Arsenic	< 2.0	µg/L	0	GE
		Barium	35	µg/L	0	GE
		Benzene	< 1.0	µg/L	0	GE
		Bromodichloromethane	< 1.0	µg/L	0	GE
		Bromoform	< 1.0	µg/L	0	GE
		Bromomethane (Methyl bromide)	< 1.0	µg/L	0	GE
		Cadmium	< 2.0	µg/L	0	GE
		Calcium	37,200	µg/L	0	GE
		Carbon tetrachloride	< 1.0	µg/L	0	GE
		Carbonate	< 1,000	µg/L	0	GE
		Chloride	2,750	µg/L	0	GE
		Chlorobenzene	< 1.0	µg/L	0	GE
		Chloroethane	< 1.0	µg/L	0	GE
		Chloroethene (Vinyl chloride)	< 1.0	µg/L	0	GE
		2-Chloroethyl vinyl ether	< 1.0	µg/L	0	GE
		Chloroform	< 1.0	µg/L	0	GE
		Chloromethane (Methyl chloride)	< 1.0	µg/L	0	GE
		Chromium	< 4.0	µg/L	0	GE
		Cobalt	< 4.0	µg/L	0	GE
		Copper	< 4.0	µg/L	0	GE
		Cyanide	< 5.0	µg/L	0	GE
		Dibromochloromethane	< 1.0	µg/L	0	GE
		1,1-Dichloroethane	< 1.0	µg/L	0	GE
		1,2-Dichloroethane	< 1.0	µg/L	0	GE
		1,1-Dichloroethylene	< 1.0	µg/L	0	GE
		trans-1,2-Dichloroethylene	< 1.0	µg/L	0	GE
		Dichloromethane (Methylene chloride)	1.1	µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	< 0.30	µg/L	0	GE
		1,2-Dichloropropane	< 1.0	µg/L	0	GE
		cis-1,3-Dichloropropene	< 1.0	µg/L	0	GE
		trans-1,3-Dichloropropene	< 1.0	µg/L	0	GE
		Endrin	< 0.0060	µg/L	0	GE
		Ethylbenzene	< 1.0	µg/L	0	GE
		Fluoride	< 100	µg/L	0	GE
		Iron	< 4	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB146A collected on 01/10/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Lead	<3.0	µg/L	0	GE
		Lindane	<0.0050	µg/L	0	GE
		Magnesium	697	µg/L	0	GE
		Manganese	22	µg/L	0	GE
		Mercury	<0.20	µg/L	0	GE
		Methoxychlor	<0.50	µg/L	0	GE
		Nickel	<4.0	µg/L	0	GE
		Nitrate as nitrogen	<50	µg/L	0	GE
		Phenols	<5.0	µg/L	0	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	1,010	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	26,600	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	2,010	µg/L	0	GE
		Sulfate	4,130	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0	µg/L	0	GE
		Tetrachloroethylene	<1.0	µg/L	0	GE
		Toluene	<1.0	µg/L	0	GE
		Total dissolved solids	129,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	5.4	µg/L	0	GE
		Total phosphates (as P)	<50	µg/L	0	GE
		Toxaphene	<0.24	µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090	µg/L	0	GE
		1,1,1-Trichloroethane	<1.0	µg/L	0	GE
		1,1,2-Trichloroethane	<1.0	µg/L	0	GE
		Trichloroethylene	<1.0	µg/L	0	GE
		Trichlorofluoromethane	<1.0	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	<2.0	µg/L	0	GE
		Gross alpha	<2.0E+00	pCi/L	0	GE
		Nonvolatile beta	<2.0E+00	pCi/L	0	GE
		Total alpha-emitting radium	<1.0E+00	pCi/L	0	GE
		Tritium	<7.0E-01	pCi/mL	0	GE

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB146C

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N70471.6	33.277041 °N	162.3-152.3 ft msl	252.3 ft msl	4" PVC	Barnwell (IIB ₁)
E58473.1	81.649719 °W				

FIELD MEASUREMENTS

Sample date: 01/10/92	Time: 9:10
Depth to water: 42.52 ft (12.96 m) below TOC	pH: 7.2
Water elevation: 209.78 ft (63.94 m) msl	Alkalinity: 29 mg/L
Sp. conductance: 103 µS/cm	Water temperature: 17.7°C
Water evacuated before sampling: 151 gal	

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	7.6	pH	0	GE
		Specific conductance	102	µS/cm	0	GE
		Aluminum	< 20	µg/L	0	GE
		Antimony	2.4	µg/L	0	GE
		Arsenic	< 2.0	µg/L	0	GE
		Barium	34	µg/L	0	GE
		Benzene	< 1.0	µg/L	0	GE
		Bromodichloromethane	< 1.0	µg/L	0	GE
		Bromoform	< 1.0	µg/L	0	GE
		Bromomethane (Methyl bromide)	< 1.0	µg/L	0	GE
		Cadmium	< 2.0	µg/L	0	GE
		Calcium	8,630	µg/L	0	GE
		Carbon tetrachloride	< 1.0	µg/L	0	GE
		Carbonate	< 1,000	µg/L	0	GE
		Chloride	2,330	µg/L	0	GE
		Chlorobenzene	< 1.0	µg/L	0	GE
		Chloroethane	< 1.0	µg/L	0	GE
		Chloroethene (Vinyl chloride)	< 1.0	µg/L	0	GE
		2-Chloroethyl vinyl ether	< 1.0	µg/L	0	GE
		Chloroform	< 1.0	µg/L	0	GE
		Chloromethane (Methyl chloride)	< 1.0	µg/L	0	GE
		Chromium	< 4.0	µg/L	0	GE
		Cobalt	< 4.0	µg/L	0	GE
		Copper	< 4.0	µg/L	0	GE
		Cyanide	< 5.0	µg/L	0	GE
		Dibromochloromethane	< 1.0	µg/L	0	GE
		1,1-Dichloroethane	< 1.0	µg/L	0	GE
		1,2-Dichloroethane	< 1.0	µg/L	0	GE
		1,1-Dichloroethylene	< 1.0	µg/L	0	GE
		trans-1,2-Dichloroethylene	< 1.0	µg/L	0	GE
		Dichloromethane (Methylene chloride)	1.0	µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	< 0.30	µg/L	0	GE
		1,2-Dichloropropane	< 1.0	µg/L	0	GE
		cis-1,3-Dichloropropene	< 1.0	µg/L	0	GE
		trans-1,3-Dichloropropene	< 1.0	µg/L	0	GE
		Endrin	< 0.0060	µg/L	0	GE
		Ethylbenzene	< 1.0	µg/L	0	GE
		Fluoride	< 100	µg/L	0	GE
		Fluoride	< 100	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB146C collected on 01/10/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Iron	< 4.0	µg/L	0	GE
		Lead	< 3.0	µg/L	0	GE
		Lindane	< 0.0050	µg/L	0	GE
		Magnesium	353	µg/L	0	GE
		Manganese	< 2.0	µg/L	0	GE
		Mercury	< 0.20	µg/L	0	GE
		Methoxychlor	< 0.50	µg/L	0	GE
		Nickel	< 4.0	µg/L	0	GE
		Nitrate as nitrogen	550	µg/L	0	GE
		Phenols	< 5.0	µg/L	0	GE
		Potassium	6,020	µg/L	0	GE
		Selenium	< 2.0	µg/L	0	GE
		Silica	4,990	µg/L	0	GE
		Silver	< 2.0	µg/L	0	GE
		Sodium	8,410	µg/L	0	GE
		Sulfate	1,190	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	< 1.0	µg/L	0	GE
		Tetrachloroethylene	< 1.0	µg/L	0	GE
		Toluene	< 1.0	µg/L	0	GE
		Total dissolved solids	58,000	µg/L	0	GE
		Total organic carbon	< 1,000	µg/L	0	GE
		Total organic halogens	9.6	µg/L	0	GE
		Total phosphates (as P)	< 50	µg/L	0	GE
		Toxaphene	< 0.24	µg/L	0	GE
		2,4,5-TP (Silvex)	< 0.090	µg/L	0	GE
		1,1,1-Trichloroethane	< 1.0	µg/L	0	GE
		1,1,2-Trichloroethane	< 1.0	µg/L	0	GE
		Trichloroethylene	< 1.0	µg/L	0	GE
		Trichlorofluoromethane	< 1.0	µg/L	0	GE
		Vanadium	< 8.0	µg/L	0	GE
		Zinc	< 2.0	µg/L	0	GE
		Gross alpha	< 2.0E+00	pCi/L	0	GE
		Nonvolatile beta	7.1E+00 ± 7.5E-01	pCi/L	0	GE
		Total alpha-emitting radium	< 1.0E+00	pCi/L	0	GE
		Tritium	1.0E+01 ± 3.0E-01	pCi/mL	1	GE

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB146D

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N70469.7 E58493.0	33.277069 °N 81.649663 °W	224.1-204.0 ft msl	253.1 ft msl	4" PVC	Water Table (IIB ₂)

FIELD MEASUREMENTS

Sample date: 01/10/92	Time: 10:00
Depth to water: 31.02 ft (9.46 m) below TOC	pH: 5.4
Water elevation: 222.08 ft (67.69 m) msl	Alkalinity: 3 mg/L
Sp. conductance: 18 µS/cm	Water temperature: 18.3°C
Water evacuated before sampling: 47 gal	

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.9	pH	0	GE
		Specific conductance	20	µS/cm	0	GE
		Aluminum	<20	µg/L	0	GE
■		Antimony	8.3	µg/L	2	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	8.9	µg/L	0	GE
		Benzene	<1.0	µg/L	0	GE
		Bromodichloromethane	<1.0	µg/L	0	GE
		Bromoform	<1.0	µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	798	µg/L	0	GE
		Carbon tetrachloride	<1.0	µg/L	0	GE
		Carbonate	<1,000	µg/L	0	GE
		Chloride	1,250	µg/L	0	GE
		Chloride	1,320	µg/L	0	GE
		Chlorobenzene	<1.0	µg/L	0	GE
		Chloroethane	<1.0	µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0	µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0	µg/L	0	GE
		Chloroform	<1.0	µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	<4.0	µg/L	0	GE
		Copper	<4.0	µg/L	0	GE
•		Cyanide	<5.0	µg/L	0	GE
		Dibromochloromethane	<1.0	µg/L	0	GE
		1,1-Dichloroethane	<1.0	µg/L	0	GE
		1,2-Dichloroethane	<1.0	µg/L	0	GE
		1,1-Dichloroethylene	<1.0	µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0	µg/L	0	GE
		Dichloromethane (Methylene chloride)	1.3	µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30	µg/L	0	GE
		1,2-Dichloropropane	<1.0	µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0	µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0	µg/L	0	GE
		Endrin	<0.0060	µg/L	0	GE
		Ethylbenzene	<1.0	µg/L	0	GE
		Fluoride	<100	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB146D collected on 01/10/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Iron	13	µg/L	0	GE
		Lead	< 3.0	µg/L	0	GE
		Lindane	< 0.0050	µg/L	0	GE
		Magnesium	231	µg/L	0	GE
		Manganese	17	µg/L	0	GE
		Mercury	< 0.20	µg/L	0	GE
		Methoxychlor	< 0.50	µg/L	0	GE
		Nickel	< 4.0	µg/L	0	GE
		Nitrate as nitrogen	400	µg/L	0	GE
		Phenols	< 5.0	µg/L	0	GE
		Potassium	< 500	µg/L	0	GE
		Selenium	< 2.0	µg/L	0	GE
		Silica	5,850	µg/L	0	GE
		Silver	< 2.0	µg/L	0	GE
		Sodium	1,130	µg/L	0	GE
		Sulfate	< 1,000	µg/L	0	GE
		Sulfate	< 1,000	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	< 1.0	µg/L	0	GE
		Tetrachloroethylene	< 1.0	µg/L	0	GE
		Toluene	< 1.0	µg/L	0	GE
		Total dissolved solids	9,000	µg/L	0	GE
		Total organic carbon	< 1,000	µg/L	0	GE
		Total organic carbon	< 1,000	µg/L	0	GE
		Total organic halogens	< 5.0	µg/L	0	GE
		Total phosphates (as P)	60	µg/L	0	GE
		Toxaphene	< 0.24	µg/L	0	GE
		2,4,5-TP (Silvex)	< 0.090	µg/L	0	GE
		1,1,1-Trichloroethane	< 1.0	µg/L	0	GE
		1,1,2-Trichloroethane	< 1.0	µg/L	0	GE
		Trichloroethylene	< 1.0	µg/L	0	GE
		Trichlorofluoromethane	< 1.0	µg/L	0	GE
		Vanadium	< 8.0	µg/L	0	GE
		Zinc	7.5	µg/L	0	GE
		Gross alpha	< 2.0E+00	pCi/L	0	GE
		Nonvolatile beta	< 2.0E+00	pCi/L	0	GE
		Total alpha-emitting radium	1.1E+00 ± 3.0E-01	pCi/L	0	GE
		Tritium	1.9E+01 ± 4.0E-01	pCi/mL	1	GE

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB147D

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N73827.9 E55804.4	33.280110 °N 81.663265 °W	235.2-215.2 ft msl	267.3 ft msl	4" PVC	Water Table (IIB ₂)

FIELD MEASUREMENTS

Sample date: 01/15/92
 Depth to water: 35.31 ft (10.76 m) below TOC
 Water elevation: 231.99 ft (70.71 m) msl
 Sp. conductance: 37 µS/cm
 Water evacuated before sampling: 12 gal
 The well went dry during purging.

Time: 9:30
 pH: 5.7
 Alkalinity: 2 mg/L
 Water temperature: 14.9°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.8	pH	0	GE
		Specific conductance	34	µS/cm	0	GE
		Aluminum	<2.0	µg/L	0	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	9.2	µg/L	0	GE
		Benzene	<1.0	µg/L	0	GE
		Bromodichloromethane	<1.0	µg/L	0	GE
		Bromoform	<1.0	µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	1,070	µg/L	0	GE
		Carbon tetrachloride	<1.0	µg/L	0	GE
		Carbonate	<1,000	µg/L	0	GE
		Chloride	4,660	µg/L	0	GE
		Chlorobenzene	<1.0	µg/L	0	GE
		Chloroethane	<1.0	µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0	µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0	µg/L	0	GE
		Chloroform	<1.0	µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	<4.0	µg/L	0	GE
		Copper	<4.0	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Dibromochloromethane	<1.0	µg/L	0	GE
		1,1-Dichloroethane	<1.0	µg/L	0	GE
		1,2-Dichloroethane	<1.0	µg/L	0	GE
		1,1-Dichloroethylene	<1.0	µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0	µg/L	0	GE
		Dichloromethane (Methylene chloride)	3.0	µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30	µg/L	0	GE
		1,2-Dichloropropane	<1.0	µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0	µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0	µg/L	0	GE
		Endrin	<0.0060	µg/L	0	GE
		Ethylbenzene	<1.0	µg/L	0	GE
		Fluoride	<100	µg/L	0	GE
		Fluoride	<100	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB147D collected on 01/15/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Iron	9.8	µg/L	0	GE
		Lead	<3.0	µg/L	0	GE
		Lindane	<0.0050	µg/L	0	GE
		Magnesium	665	µg/L	0	GE
		Manganese	7.3	µg/L	0	GE
		Mercury	<0.20	µg/L	0	GE
		Methoxychlor	<0.50	µg/L	0	GE
		Nickel	<4.0	µg/L	0	GE
		Nitrate as nitrogen	470	µg/L	0	GE
		Nitrate as nitrogen	470	µg/L	0	GE
		Phenols	<5.0	µg/L	0	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	598	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	7,150	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	2,840	µg/L	0	GE
		Sulfate	<1,000	µg/L	0	GE
		Sulfate	<1,000	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0	µg/L	0	GE
		Tetrachloroethylene	<1.0	µg/L	0	GE
		Toluene	<1.0	µg/L	0	GE
		Total dissolved solids	26,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	<5.0	µg/L	0	GE
		Total phosphates (as P)	<50	µg/L	0	GE
		Toxaphene	<0.24	µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090	µg/L	0	GE
		1,1,1-Trichloroethane	<1.0	µg/L	0	GE
		1,1,2-Trichloroethane	<1.0	µg/L	0	GE
		Trichloroethylene	<1.0	µg/L	0	GE
		Trichlorofluoromethane	<1.0	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	23	µg/L	0	GE
		Gross alpha	<2.0E+00	pCi/L	0	GE
		Nonvolatile beta	<2.0E+00	pCi/L	0	GE
		Total alpha-emitting radium	<1.0E+00	pCi/L	0	GE
■		Tritium	2.4E+01 ± 4.0E-01	pCi/mL	2	GE

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB148C

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N70151.5 E55344.2	33.271228 °N 81.657336 °W	168.9-158.9 ft msl	250.9 ft msl	4" PVC	Barnwell (IIB ₁)

FIELD MEASUREMENTS

Sample date: 01/15/92	Time: 11:30
Depth to water: 49.05 ft (14.95 m) below TOC	pH: 11.7
Water elevation: 201.85 ft (61.52 m) msl	Alkalinity: 71 mg/L
Sp. conductance: 345 µS/cm	Water temperature: 16.3°C
Water evacuated before sampling: 25 gal	
The well went dry during purging.	

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	11	pH	2	GE
		Specific conductance	380	µS/cm	1	GE
		Aluminum	1,040	µg/L	2	GE
		Antimony	< 2.0	µg/L	0	GE
		Arsenic	< 2.0	µg/L	0	GE
		Barium	41	µg/L	0	GE
		Benzene	< 1.0	µg/L	0	GE
		Bromodichloromethane	< 1.0	µg/L	0	GE
		Bromoform	< 1.0	µg/L	0	GE
		Bromomethane (Methyl bromide)	< 1.0	µg/L	0	GE
		Cadmium	< 2.0	µg/L	0	GE
		Calcium	23,100	µg/L	0	GE
		Carbon tetrachloride	< 1.0	µg/L	0	GE
		Carbonate	23,200	µg/L	2	GE
		Chloride	1,690	µg/L	0	GE
		Chlorobenzene	< 1.0	µg/L	0	GE
		Chloroethane	< 1.0	µg/L	0	GE
		Chloroethene (Vinyl chloride)	< 1.0	µg/L	0	GE
		2-Chloroethyl vinyl ether	< 1.0	µg/L	0	GE
		Chloroform	< 1.0	µg/L	0	GE
		Chloromethane (Methyl chloride)	< 1.0	µg/L	0	GE
		Chromium	< 4.0	µg/L	0	GE
		Cobalt	< 4.0	µg/L	0	GE
		Copper	< 4.0	µg/L	0	GE
		Cyanide	5.7	µg/L	0	GE
		Dibromochloromethane	< 1.0	µg/L	0	GE
		1,1-Dichloroethane	< 1.0	µg/L	0	GE
		1,2-Dichloroethane	< 1.0	µg/L	0	GE
		1,1-Dichloroethylene	< 1.0	µg/L	0	GE
		trans-1,2-Dichloroethylene	< 1.0	µg/L	0	GE
		Dichloromethane (Methylene chloride)	< 1.0	µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	< 0.30	µg/L	0	GE
		1,2-Dichloropropane	< 1.0	µg/L	0	GE
		cis-1,3-Dichloropropene	< 1.0	µg/L	0	GE
		trans-1,3-Dichloropropene	< 1.0	µg/L	0	GE
		Endrin	< 0.0060	µg/L	0	GE
		Ethylbenzene	2.2	µg/L	0	GE
		Fluoride	122	µg/L	0	GE
		Iron	< 4.0	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB148C collected on 01/15/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Lead	< 3.0	µg/L	0	GE
		Lindane	< 0.0050	µg/L	0	GE
		Magnesium	72	µg/L	0	GE
		Manganese	< 2.0	µg/L	0	GE
		Mercury	< 0.20	µg/L	0	GE
		Methoxychlor	< 0.50	µg/L	0	GE
		Nickel	< 4.0	µg/L	0	GE
		Nitrate as nitrogen	360	µg/L	0	GE
		Phenols	< 5.0	µg/L	0	GE
		Potassium	6,570	µg/L	0	GE
		Selenium	< 2.0	µg/L	0	GE
		Silica	10,500	µg/L	0	GE
		Silver	< 2.0	µg/L	0	GE
		Sodium	8,660	µg/L	0	GE
		Sulfate	3,090	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	< 1.0	µg/L	0	GE
		Tetrachloroethylene	< 1.0	µg/L	0	GE
		Toluene	< 1.0	µg/L	0	GE
		Total dissolved solids	103,000	µg/L	0	GE
		Total organic carbon	< 1,000	µg/L	0	GE
		Total organic halogens	5.3	µg/L	0	GE
		Total phosphates (as P)	< 50	µg/L	0	GE
		Toxaphene	< 0.24	µg/L	0	GE
		2,4,5-TP (Silvex)	< 0.090	µg/L	0	GE
		1,1,1-Trichloroethane	< 1.0	µg/L	0	GE
		1,1,2-Trichloroethane	< 1.0	µg/L	0	GE
		Trichloroethylene	< 1.0	µg/L	0	GE
		Trichlorofluoromethane	< 1.0	µg/L	0	GE
		Vanadium	< 8.0	µg/L	0	GE
		Zinc	< 2.0	µg/L	0	GE
		Gross alpha	< 2.0E+00	pCi/L	0	GE
		Nonvolatile beta	6.0E+00 ± 6.3E-01	pCi/L	0	GE
		Total alpha-emitting radium	1.0E+00 ± 4.0E-01	pCi/L	0	GE
		Tritium	8.0E-01 ± 2.0E-01	pCi/mL	0	GE

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB148D

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N70160.9 E55355.7	33.271268 °N 81.657324 °W	218.1-198.1 ft msl	251.1 ft msl	4" PVC	Water Table (IIB ₂)

FIELD MEASUREMENTS

Sample date: 01/15/92
 Depth to water: 37.53 ft (11.44 m) below TOC
 Water elevation: 213.57 ft (65.10 m) msl
 Sp. conductance: 157 μ S/cm
 Water evacuated before sampling: 6 gal
 The well went dry during purging.

Time: 11:15
 pH: 11.3
 Alkalinity: 36 mg/L
 Water temperature: 16.4°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	11	pH	2	GE
		Specific conductance	180	μ S/cm	0	GE
		Aluminum	1,310	μ g/L	2	GE
		Antimony	<2.0	μ g/L	0	GE
		Arsenic	<2.0	μ g/L	0	GE
		Barium	25	μ g/L	0	GE
		Benzene	<1.0	μ g/L	0	GE
		Bromodichloromethane	<1.0	μ g/L	0	GE
		Bromoform	<1.0	μ g/L	0	GE
		Bromomethane (Methyl bromide)	<1.0	μ g/L	0	GE
		Cadmium	<2.0	μ g/L	0	GE
		Calcium	22,600	μ g/L	0	GE
		Carbon tetrachloride	<1.0	μ g/L	0	GE
		Carbonate	26,200	μ g/L	2	GE
		Carbonate	25,200	μ g/L	2	GE
		Chloride	2,010	μ g/L	0	GE
		Chlorobenzene	<1.0	μ g/L	0	GE
		Chloroethane	<1.0	μ g/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0	μ g/L	0	GE
		2-Chloroethyl vinyl ether	<1.0	μ g/L	0	GE
		Chloroform	1.3	μ g/L	0	GE
		Chloromethane (Methyl chloride)	<1.0	μ g/L	0	GE
		Chromium	<4.0	μ g/L	0	GE
		Cobalt	<4.0	μ g/L	0	GE
		Copper	<4.0	μ g/L	0	GE
		Cyanide	<5.0	μ g/L	0	GE
		Dibromochloromethane	<1.0	μ g/L	0	GE
		1,1-Dichloroethane	<1.0	μ g/L	0	GE
		1,2-Dichloroethane	<1.0	μ g/L	0	GE
		1,1-Dichloroethylene	<1.0	μ g/L	0	GE
		trans-1,2-Dichloroethylene	<1.0	μ g/L	0	GE
		Dichloromethane (Methylene chloride)	4.1	μ g/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30	μ g/L	0	GE
		1,2-Dichloropropane	<1.0	μ g/L	0	GE
		cis-1,3-Dichloropropene	<1.0	μ g/L	0	GE
		trans-1,3-Dichloropropene	<1.0	μ g/L	0	GE
•		Endrin	<0.0060	μ g/L	0	GE
		Ethylbenzene	<1.0	μ g/L	0	GE
		Fluoride	<100	μ g/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB148D collected on 01/15/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Iron	11	µg/L	0	GE
		Lead	<3.0	µg/L	0	GE
•		Lindane	<0.0050	µg/L	0	GE
		Magnesium	90	µg/L	0	GE
		Manganese	<2.0	µg/L	0	GE
		Mercury	<0.20	µg/L	0	GE
•		Methoxychlor	<0.50	µg/L	0	GE
		Nickel	<4.0	µg/L	0	GE
		Nitrate as nitrogen	<50	µg/L	0	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	1,760	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	9,670	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	1,970	µg/L	0	GE
		Sulfate	3,000	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0	µg/L	0	GE
		Tetrachloroethylene	<1.0	µg/L	0	GE
		Toluene	<1.0	µg/L	0	GE
		Total dissolved solids	57,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	<5.0	µg/L	0	GE
		Total phosphates (as P)	<50	µg/L	0	GE
•		Toxaphene	<0.24	µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090	µg/L	0	GE
		1,1,1-Trichloroethane	<1.0	µg/L	0	GE
		1,1,2-Trichloroethane	<1.0	µg/L	0	GE
		Trichloroethylene	<1.0	µg/L	0	GE
		Trichlorofluoromethane	<1.0	µg/L	0	GE
		Vanadium	12	µg/L	0	GE
		Zinc	<2.0	µg/L	0	GE
		Gross alpha	<2.0E+00	pCi/L	0	GE
		Nonvolatile beta	<2.0E+00	pCi/L	0	GE
		Total alpha-emitting radium	<1.0E+00	pCi/L	0	GE
		Tritium	1.5E+01 ± 3.0E-01	pCi/mL	1	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB149D

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N71338.8 E57286.3	33.277023 °N 81.654529 °W	227.0-207.0 ft msl	240.0 ft msl	4" PVC	Water Table (IIB ₂)

FIELD MEASUREMENTS

Sample date: 01/08/92
 Depth to water: 17.47 ft (5.32 m) below TOC
 Water elevation: 222.53 ft (67.83 m) msl
 Sp. conductance: 27 µS/cm
 Water evacuated before sampling: 41 gal

Time: 15:40
 pH: 4.7
 Alkalinity: 0 mg/L
 Water temperature: 19.2°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.0	pH	0	GE
		Specific conductance	25	µS/cm	0	GE
		Aluminum	61	µg/L	0	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	4.7	µg/L	0	GE
		Benzene	<1.0	µg/L	0	GE
		Bromodichloromethane	<1.0	µg/L	0	GE
		Bromoform	<1.0	µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	222	µg/L	0	GE
		Carbon tetrachloride	<1.0	µg/L	0	GE
		Carbonate	<1,000	µg/L	0	GE
		Chloride	2,090	µg/L	0	GE
		Chlorobenzene	<1.0	µg/L	0	GE
		Chloroethane	<1.0	µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0	µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0	µg/L	0	GE
		Chloroform	<1.0	µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	<4.0	µg/L	0	GE
		Copper	<4.0	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Dibromochloromethane	<1.0	µg/L	0	GE
		1,1-Dichloroethane	<1.0	µg/L	0	GE
		1,2-Dichloroethane	<1.0	µg/L	0	GE
		1,1-Dichloroethylene	<1.0	µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0	µg/L	0	GE
		Dichloromethane (Methylene chloride)	2.4	µg/L	0	GE
•		2,4-Dichlorophenoxyacetic acid	<0.30	µg/L	0	GE
		1,2-Dichloropropane	<1.0	µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0	µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0	µg/L	0	GE
		Endrin	<0.0060	µg/L	0	GE
		Ethylbenzene	<1.0	µg/L	0	GE
		Fluoride	<100	µg/L	0	GE
		Iron	40	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB149D collected on 01/08/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Lead	<3.0	µg/L	0	GE
		Lindane	<0.0050	µg/L	0	GE
		Magnesium	328	µg/L	0	GE
		Manganese	7.0	µg/L	0	GE
		Mercury	<0.20	µg/L	0	GE
		Methoxychlor	<0.50	µg/L	0	GE
		Nickel	7.0	µg/L	0	GE
		Nitrate as nitrogen	810	µg/L	0	GE
		Phenols	<5.0	µg/L	0	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	<500	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	6,050	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	2,460	µg/L	0	GE
		Sulfate	<1,000	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0	µg/L	0	GE
		Tetrachloroethylene	<1.0	µg/L	0	GE
		Toluene	<1.0	µg/L	0	GE
		Total dissolved solids	17,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	14	µg/L	0	GE
		Total phosphates (as P)	90	µg/L	0	GE
		Toxaphene	<0.24	µg/L	0	GE
•		2,4,5-TP (Silvex)	<0.090	µg/L	0	GE
		1,1,1-Trichloroethane	<1.0	µg/L	0	GE
		1,1,2-Trichloroethane	<1.0	µg/L	0	GE
		Trichloroethylene	<1.0	µg/L	0	GE
		Trichlorofluoromethane	<1.0	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	11	µg/L	0	GE
		Gross alpha	<2.0E+00	pCi/L	0	GE
		Nonvolatile beta	2.7E+00 ± 5.5E-01	pCi/L	0	GE
		Total alpha-emitting radium	<1.0E+00	pCi/L	0	GE
■		Tritium	4.9E+01 ± 6.0E-01	pCi/mL	2	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB150D

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N71692.6 E58692.8	33.280100 °N 81.651512 °W	226.9-206.9 ft msl	239.0 ft msl	4" PVC	Water Table (IIB ₂)

FIELD MEASUREMENTS

Sample date: 01/07/92
 Depth to water: 12.44 ft (3.79 m) below TOC
 Water elevation: 226.56 ft (69.06 m) msl
 Sp. conductance: 37 µS/cm
 Water evacuated before sampling: 52 gal

Time: 9:35
 pH: 5.4
 Alkalinity: 1 mg/L
 Water temperature: 17.1°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	4.8	pH	0	GE
		Specific conductance	30	µS/cm	0	GE
		Aluminum	< 2.0	µg/L	0	GE
		Antimony	< 2.0	µg/L	0	GE
		Arsenic	< 2.0	µg/L	0	GE
		Barium	3.3	µg/L	0	GE
		Benzene	< 1.0	µg/L	0	GE
		Bromodichloromethane	< 1.0	µg/L	0	GE
		Bromoform	< 1.0	µg/L	0	GE
		Bromomethane (Methyl bromide)	< 1.0	µg/L	0	GE
		Cadmium	< 2.0	µg/L	0	GE
		Calcium	482	µg/L	0	GE
		Carbon tetrachloride	< 1.0	µg/L	0	GE
		Carbonate	< 1,000	µg/L	0	GE
		Chloride	3,580	µg/L	0	GE
		Chlorobenzene	< 1.0	µg/L	0	GE
		Chloroethane	< 1.0	µg/L	0	GE
		Chloroethene (Vinyl chloride)	< 1.0	µg/L	0	GE
		2-Chloroethyl vinyl ether	< 1.0	µg/L	0	GE
		Chloroform	< 1.0	µg/L	0	GE
		Chloromethane (Methyl chloride)	< 1.0	µg/L	0	GE
		Chromium	< 4.0	µg/L	0	GE
		Cobalt	< 4.0	µg/L	0	GE
		Copper	< 4.0	µg/L	0	GE
		Cyanide	< 5.0	µg/L	0	GE
		Dibromochloromethane	< 1.0	µg/L	0	GE
		1,1-Dichloroethane	< 1.0	µg/L	0	GE
		1,2-Dichloroethane	< 1.0	µg/L	0	GE
		1,1-Dichloroethylene	< 1.0	µg/L	0	GE
		trans-1,2-Dichloroethylene	< 1.0	µg/L	0	GE
		Dichloromethane (Methylene chloride)	1.1	µg/L	0	GE
•		2,4-Dichlorophenoxyacetic acid	< 0.30	µg/L	0	GE
		1,2-Dichloropropane	< 1.0	µg/L	0	GE
		cis-1,3-Dichloropropene	< 1.0	µg/L	0	GE
		trans-1,3-Dichloropropene	< 1.0	µg/L	0	GE
		Endrin	< 0.0060	µg/L	0	GE
		Ethylbenzene	< 1.0	µg/L	0	GE
		Fluoride	< 100	µg/L	0	GE
		Iron	6.4	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB150D collected on 01/07/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Lead	<3.0	µg/L	0	GE
		Lindane	<0.0050	µg/L	0	GE
		Magnesium	350	µg/L	0	GE
		Manganese	3.5	µg/L	0	GE
		Mercury	<0.20	µg/L	0	GE
		Methoxychlor	<0.50	µg/L	0	GE
		Nickel	<4.0	µg/L	0	GE
		Nitrate as nitrogen	360	µg/L	0	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	<500	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	5,800	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	5,160	µg/L	0	GE
		Sulfate	2,630	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0	µg/L	0	GE
		Tetrachloroethylene	<1.0	µg/L	0	GE
		Toluene	<1.0	µg/L	0	GE
		Total dissolved solids	23,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	<5.0	µg/L	0	GE
		Total phosphates (as P)	<50	µg/L	0	GE
		Toxaphene	<0.24	µg/L	0	GE
●		2,4,5-TP (Silvex)	<0.090	µg/L	0	GE
		1,1,1-Trichloroethane	<1.0	µg/L	0	GE
		1,1,2-Trichloroethane	<1.0	µg/L	0	GE
		Trichloroethylene	<1.0	µg/L	0	GE
		Trichlorofluoromethane	<1.0	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	8.2	µg/L	0	GE
		Gross alpha	<2.0E+00	pCi/L	0	GE
		Nonvolatile beta	3.3E+00 ± 5.4E-01	pCi/L	0	GE
		Total alpha-emitting radium	<1.0E+00	pCi/L	0	GE
■		Tritium	4.1E+01 ± 5.0E-01	pCi/mL	2	GE

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB151C

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N72997.9 E54014.9	33.275355 °N 81.666365 °W	180.6-170.6 ft msl	213.6 ft msl	4" PVC	Barnwell (IIB ₁)

FIELD MEASUREMENTS

Sample date: 01/14/92
 Depth to water: 5.31 ft (1.62 m) below TOC
 Water elevation: 208.29 ft (63.49 m) msl
 Sp. conductance: 84 µS/cm
 Water evacuated before sampling: 99 gal

Time: 12:00
 pH: 4.6
 Alkalinity: 0 mg/L
 Water temperature: 17.0°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.0	pH	0	GE
		Specific conductance	65	µS/cm	0	GE
		Aluminum	92	µg/L	0	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	20	µg/L	0	GE
		Benzene	<1.0	µg/L	0	GE
		Bromodichloromethane	<1.0	µg/L	0	GE
		Bromoform	<1.0	µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	2,100	µg/L	0	GE
		Carbon tetrachloride	<1.0	µg/L	0	GE
•		Carbonate	<1,000	µg/L	0	GE
		Chloride	2,740	µg/L	0	GE
		Chlorobenzene	<1.0	µg/L	0	GE
		Chloroethane	<1.0	µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0	µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0	µg/L	0	GE
		Chloroform	1.3	µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	<4.0	µg/L	0	GE
		Copper	<4.0	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Dibromochloromethane	<1.0	µg/L	0	GE
		1,1-Dichloroethane	<1.0	µg/L	0	GE
		1,2-Dichloroethane	<1.0	µg/L	0	GE
		1,1-Dichloroethylene	<1.0	µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0	µg/L	0	GE
		Dichloromethane (Methylene chloride)	1.3	µg/L	0	GE
•		2,4-Dichlorophenoxyacetic acid	<0.30	µg/L	0	GE
		1,2-Dichloropropane	<1.0	µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0	µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0	µg/L	0	GE
•		Endrin	<0.0060	µg/L	0	GE
		Ethylbenzene	<1.0	µg/L	0	GE
		Fluoride	<100	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB151C collected on 01/14/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Iron	8.3	µg/L	0	GE
		Lead	< 3.0	µg/L	0	GE
•		Lindane	< 0.0050	µg/L	0	GE
		Magnesium	1,340	µg/L	0	GE
		Manganese	10	µg/L	0	GE
		Mercury	< 0.20	µg/L	0	GE
•		Methoxychlor	< 0.50	µg/L	0	GE
		Nickel	< 4.0	µg/L	0	GE
		Nitrate as nitrogen	8,000	µg/L	1	GE
		Phenols	< 5.0	µg/L	0	GE
		Phenols	< 5.0	µg/L	0	GE
		Potassium	< 500	µg/L	0	GE
		Selenium	< 2.0	µg/L	0	GE
		Silica	7,480	µg/L	0	GE
		Silver	< 2.0	µg/L	0	GE
		Sodium	9,420	µg/L	0	GE
		Sulfate	< 1,000	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	< 1.0	µg/L	0	GE
		Tetrachloroethylene	< 1.0	µg/L	0	GE
		Toluene	< 1.0	µg/L	0	GE
•		Total dissolved solids	72,000	µg/L	0	GE
		Total organic carbon	< 1,000	µg/L	0	GE
•		Total organic halogens	43	µg/L	1	GE
•		Total phosphates (as P)	< 50	µg/L	0	GE
•		Toxaphene	< 0.24	µg/L	0	GE
•		2,4,5-TP (Silvex)	< 0.090	µg/L	0	GE
		1,1,1-Trichloroethane	< 1.0	µg/L	0	GE
		1,1,2-Trichloroethane	< 1.0	µg/L	0	GE
		Trichloroethylene	< 1.0	µg/L	0	GE
		Trichlorofluoromethane	< 1.0	µg/L	0	GE
		Vanadium	< 8.0	µg/L	0	GE
		Zinc	3.5	µg/L	0	GE
		Gross alpha	< 2.0E+00	pCi/L	0	GE
		Nonvolatile beta	2.4E+01 ± 1.2E+00	pCi/L	0	GE
		Total alpha-emitting radium	1.7E+00 ± 4.0E-01	pCi/L	0	GE
■		Tritium	2.2E+03 ± 3.7E+00	pCi/mL	2	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB151D

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N72997.8 E54026.4	33.275373 °N 81.666334 °W	207.6-197.6 ft msl	213.6 ft msl	4" PVC	Water Table (IIB ₂)

FIELD MEASUREMENTS

Sample date: 01/14/92	Time: 11:40
Depth to water: 5.75 ft (1.75 m) below TOC	pH: 6.7
Water elevation: 207.85 ft (63.35 m) msl	Alkalinity: 0 mg/L
Sp. conductance: 29 µS/cm	Water temperature: 15.4°C
Water evacuated before sampling: 27 gal	

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.2	pH	0	GE
		Specific conductance	31	µS/cm	0	GE
		Aluminum	27	µg/L	0	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	6.0	µg/L	0	GE
		Benzene	<1.0	µg/L	0	GE
		Bromodichloromethane	<1.0	µg/L	0	GE
		Bromoform	<1.0	µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	512	µg/L	0	GE
		Carbon tetrachloride	<1.0	µg/L	0	GE
		Carbonate	<1,000	µg/L	0	GE
		Chloride	1,780	µg/L	0	GE
		Chlorobenzene	<1.0	µg/L	0	GE
		Chloroethane	<1.0	µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0	µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0	µg/L	0	GE
		Chloroform	<1.0	µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	<4.0	µg/L	0	GE
		Copper	8.3	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Dibromochloromethane	<1.0	µg/L	0	GE
		1,1-Dichloroethane	<1.0	µg/L	0	GE
		1,2-Dichloroethane	<1.0	µg/L	0	GE
		1,1-Dichloroethylene	<1.0	µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0	µg/L	0	GE
		Dichloromethane (Methylene chloride)	<1.0	µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30	µg/L	0	GE
		1,2-Dichloropropane	<1.0	µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0	µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0	µg/L	0	GE
		Endrin	<0.0060	µg/L	0	GE
		Ethylbenzene	<1.0	µg/L	0	GE
		Fluoride	<100	µg/L	0	GE
		Fluoride	<100	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB151D collected on 01/14/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Iron	7.2	µg/L	0	GE
		Lead	<3.0	µg/L	0	GE
		Lindane	<0.0050	µg/L	0	GE
		Magnesium	563	µg/L	0	GE
		Manganese	4.4	µg/L	0	GE
		Mercury	<0.20	µg/L	0	GE
		Methoxychlor	<0.50	µg/L	0	GE
		Nickel	<4.0	µg/L	0	GE
		Nitrate as nitrogen	1,860	µg/L	0	GE
		Phenols	8.5	µg/L	0	GE
		Potassium	<500	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	5,780	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	3,160	µg/L	0	GE
		Sulfate	<1,000	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0	µg/L	0	GE
		Tetrachloroethylene	<1.0	µg/L	0	GE
		Toluene	<1.0	µg/L	0	GE
		Total dissolved solids	25,000	µg/L	0	GE
		Total organic carbon	2,000	µg/L	0	GE
		Total organic halogens	15	µg/L	0	GE
		Total phosphates (as P)	<50	µg/L	0	GE
		Toxaphene	<0.24	µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090	µg/L	0	GE
		1,1,1-Trichloroethane	<1.0	µg/L	0	GE
		1,1,2-Trichloroethane	<1.0	µg/L	0	GE
		Trichloroethylene	<1.0	µg/L	0	GE
		Trichlorofluoromethane	<1.0	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	13	µg/L	0	GE
		Gross alpha	<2.0E+00	pCi/L	0	GE
		Nonvolatile beta	6.8E+00 ± 6.4E-01	pCi/L	0	GE
		Total alpha-emitting radium	<1.0E+00	pCi/L	0	GE
■		Tritium	6.9E+02 ± 2.1E+00	pCi/mL	2	GE

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB152C

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N72012.0 E54346.7	33.273716 °N 81.663576 °W	183.1-173.1 ft msl	214.1 ft msl	4" PVC	Barnwell (IB ₁)

FIELD MEASUREMENTS

Sample date: 01/14/92	Time: 11:05
Depth to water: 15.12 ft (4.61 m) below TOC	pH: 4.7
Water elevation: 198.98 ft (60.65 m) msl	Alkalinity: 0 mg/L
Sp. conductance: 90 µS/cm	Water temperature: 16.3°C
Water evacuated before sampling: 68 gal	

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.2	pH	0	GE
		Specific conductance	80	µS/cm	0	GE
		Aluminum	85	µg/L	0	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	29	µg/L	0	GE
		Benzene	<1.0	µg/L	0	GE
		Bromodichloromethane	<1.0	µg/L	0	GE
		Bromoform	<1.0	µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	3,590	µg/L	0	GE
		Carbon tetrachloride	<1.0	µg/L	0	GE
•		Carbonate	<1,000	µg/L	0	GE
		Chloride	3,360	µg/L	0	GE
		Chlorobenzene	<1.0	µg/L	0	GE
		Chloroethane	<1.0	µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0	µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0	µg/L	0	GE
		Chloroform	<1.0	µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	<4.0	µg/L	0	GE
		Copper	<4.0	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Dibromochloromethane	<1.0	µg/L	0	GE
		1,1-Dichloroethane	<1.0	µg/L	0	GE
		1,2-Dichloroethane	<1.0	µg/L	0	GE
		1,1-Dichloroethylene	<1.0	µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0	µg/L	0	GE
		Dichloromethane (Methylene chloride)	2.7	µg/L	0	GE
•		2,4-Dichlorophenoxyacetic acid	<0.30	µg/L	0	GE
		1,2-Dichloropropane	<1.0	µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0	µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0	µg/L	0	GE
•		Endrin	<0.0060	µg/L	0	GE
		Ethylbenzene	<1.0	µg/L	0	GE
		Fluoride	<100	µg/L	0	GE
		Iron	7.6	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB152C collected on 01/14/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Lead	< 3.0	µg/L	0	GE
•		Lindane	< 0.0050	µg/L	0	GE
		Magnesium	2,330	µg/L	0	GE
		Manganese	39	µg/L	1	GE
		Mercury	< 0.20	µg/L	0	GE
•		Methoxychlor	< 0.50	µg/L	0	GE
		Nickel	< 4.0	µg/L	0	GE
		Nitrate as nitrogen	8,100	µg/L	1	GE
		Phenols	< 5.0	µg/L	0	GE
		Potassium	558	µg/L	0	GE
		Selenium	< 2.0	µg/L	0	GE
		Silica	9,890	µg/L	0	GE
		Silver	< 2.0	µg/L	0	GE
		Sodium	6,710	µg/L	0	GE
		Sulfate	< 1,000	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	< 1.0	µg/L	0	GE
		Tetrachloroethylene	< 1.0	µg/L	0	GE
		Toluene	< 1.0	µg/L	0	GE
		Total dissolved solids	65,000	µg/L	0	GE
		Total organic carbon	< 1,000	µg/L	0	GE
		Total organic halogens	< 5.0	µg/L	0	GE
		Total organic halogens	< 5.0	µg/L	0	GE
•		Total phosphates (as P)	< 50	µg/L	0	GE
•		Toxaphene	< 0.24	µg/L	0	GE
•		2,4,5-TP (Silvex)	< 0.090	µg/L	0	GE
		1,1,1-Trichloroethane	< 1.0	µg/L	0	GE
		1,1,2-Trichloroethane	< 1.0	µg/L	0	GE
		Trichloroethylene	< 1.0	µg/L	0	GE
		Trichlorofluoromethane	< 1.0	µg/L	0	GE
		Vanadium	< 8.0	µg/L	0	GE
		Zinc	12	µg/L	0	GE
		Gross alpha	< 2.0E + 00	pCi/L	0	GE
		Nonvolatile beta	4.1E + 01 ± 1.6E + 00	pCi/L	1	GE
		Total alpha-emitting radium	< 1.0E + 00	pCi/L	0	GE
■		Tritium	1.2E + 03 ± 2.7E + 00	pCi/mL	2	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB152D

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N72011.7 E54362.1	33.273740 °N 81.663535 °W	207.0-197.0 ft msl	214.1 ft msl	4" PVC	Water Table (IIB ₂)

FIELD MEASUREMENTS

Sample date: 01/14/92	Time: 14:15
Depth to water: Not available	pH: 4.9
Water elevation: Not available	Alkalinity: 1 mg/L
Sp. conductance: 58 µS/cm	Water temperature: 13.6°C
Water evacuated before sampling: 3 gal	
The well went dry during purging.	

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.3	pH	0	GE
		Specific conductance	60	µS/cm	0	GE
		Aluminum	114	µg/L	1	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	32	µg/L	0	GE
		Benzene	<1.0	µg/L	0	GE
		Bromodichloromethane	<1.0	µg/L	0	GE
		Bromoform	<1.0	µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	1,340	µg/L	0	GE
		Carbon tetrachloride	<1.0	µg/L	0	GE
		Carbonate	<1,000	µg/L	0	GE
		Chloride	2,840	µg/L	0	GE
		Chloride	2,910	µg/L	0	GE
		Chlorobenzene	<1.0	µg/L	0	GE
		Chloroethane	<1.0	µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0	µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0	µg/L	0	GE
		Chloroform	<1.0	µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	<4.0	µg/L	0	GE
		Copper	74	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Dibromochloromethane	<1.0	µg/L	0	GE
		1,1-Dichloroethane	<1.0	µg/L	0	GE
		1,2-Dichloroethane	<1.0	µg/L	0	GE
		1,1-Dichloroethylene	<1.0	µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0	µg/L	0	GE
		Dichloromethane (Methylene chloride)	<1.0	µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30	µg/L	0	GE
		1,2-Dichloropropane	<1.0	µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0	µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0	µg/L	0	GE
		Endrin	<0.0060	µg/L	0	GE
		Ethylbenzene	<1.0	µg/L	0	GE
		Fluoride	432	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL HSB152D collected on 01/14/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Iron	92	µg/L	0	GE
		Lead	11	µg/L	1	GE
		Lindane	<0.0050	µg/L	0	GE
		Magnesium	735	µg/L	0	GE
		Manganese	35	µg/L	1	GE
		Mercury	<0.20	µg/L	0	GE
		Methoxychlor	<0.50	µg/L	0	GE
		Nickel	11	µg/L	0	GE
		Nitrate as nitrogen	3,460	µg/L	0	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	<500	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	6,800	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	6,650	µg/L	0	GE
		Sulfate	2,580	µg/L	0	GE
		Sulfate	2,970	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0	µg/L	0	GE
		Tetrachloroethylene	<1.0	µg/L	0	GE
		Toluene	<1.0	µg/L	0	GE
		Total dissolved solids	46,000	µg/L	0	GE
		Total organic carbon	2,000	µg/L	0	GE
		Total organic halogens	13	µg/L	0	GE
		Total phosphates (as P)	340	µg/L	0	GE
		Toxaphene	<0.24	µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090	µg/L	0	GE
		1,1,1-Trichloroethane	3.1	µg/L	0	GE
		1,1,2-Trichloroethane	<1.0	µg/L	0	GE
		Trichloroethylene	<1.0	µg/L	0	GE
		Trichlorofluoromethane	<1.0	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	128	µg/L	0	GE
		Gross alpha	3.3E+00 ± 5.8E-01	pCi/L	0	GE
		Nonvolatile beta	1.6E+01 ± 9.5E-01	pCi/L	0	GE
		Total alpha-emitting radium	2.0E+00 ± 6.0E-01	pCi/L	0	GE
■		Tritium	5.6E+02 ± 1.9E+00	pCi/mL	2	GE

● = exceeded holding time. ■ = exceeded primary drinking water standard.

Appendix E – Time Series Plots

CLUSTER - HSB 65

Nitrate

PDWS 10,000 µg/L
empty space denotes no data or dry well

HSB 66

Nitrate

PDWS 10,000 µg/L
empty space denotes no data or dry well

HSB 67

Nitrate

PDWS 10,000 µg/L
empty space denotes no data or dry well

CLUSTER - HSB 68

Nitrate

PDWS 10,000 µg/L
empty space denotes no data or dry well

CLUSTER - HSB 69

Nitrate

PDWS 10,000 µg/L
empty space denotes no data or dry well

CLUSTER - HSB 70

Nitrate

PDWS 10,000 µg/L
empty space denotes no data or dry well

CLUSTER - HSB 71

Nitrate

PDWS 10,000 µg/L
empty space denotes no data or dry well

CLUSTER - HSB 83

Nitrate

—●— WATER TABLE (IIB2) *— McBEAN (IIB1)
 —*— BARNWELL (IIB1) —△— CONGAREE (IIA)

PDWS 10,000 µg/L
empty space denotes no data or dry well

CLUSTER - HSB 84

Nitrate

— WATER TABLE (IIB2)

— BARNWELL (IIB1)

— McBEAN (IIB1)

— L. CONGAREE (IIA)

PDWS 10,000 µg/L
empty space denotes no data or dry well

CLUSTER - HSB 85

Nitrate

PDWS 10,000 µg/L
empty space denotes no data or dry well

CLUSTER - HSB 86

Nitrate

PDWS 10,000 µg/L
empty space denotes no data or dry well

CLUSTER - HSB 100

Nitrate

PDWS 10,000 $\mu\text{g/L}$
empty space denotes no data or dry well

CLUSTER - HSB 101

Nitrate

PDWS 10,000 µg/L
empty space denotes no data or dry well

CLUSTER - HSB 102

Nitrate

PDWS 10,000 µg/L
empty space denotes no data or dry well

CLUSTER - HSB 103

Nitrate

PDWS 10,000 µg/L
empty space denotes no data or dry well

CLUSTER - HSB 104

Nitrate

PDWS 10,000 µg/L
empty space denotes no data or dry well

CLUSTER - HSB 105

Nitrate

PDWS 10,000 µg/L
empty space denotes no data or dry well

CLUSTER - HSB 106

Nitrate

PDWS 10,000 µg/L
empty space denotes no data or dry well

CLUSTER - HSB 107

Nitrate

PDWS 10,000 µg/L
empty space denotes no data or dry well

CLUSTER - HSB 108

Nitrate

PDWS 10,000 µg/L
empty space denotes no data or dry well

CLUSTER - HSB 109

Nitrate

PDWS 10,000 µg/L
empty space denotes no data or dry well

CLUSTER - HSB 110

Nitrate

PDWS 10,000 $\mu\text{g/L}$
 empty space denotes no data or dry well

CLUSTER - HSB 111

Nitrate

PDWS 10,000 µg/L
 empty space denotes no data or dry well;
 (R) denotes a replacement well

CLUSTER - HSB 112

Nitrate

PDWS 10,000 $\mu\text{g/L}$
 empty space denotes no data or dry well;
 (R) denotes a replacement well

CLUSTER - HSB 113

Nitrate

—•— WATER TABLE (IIB2) —x— BARNWELL (IIB1)

PDWS 10,000 µg/L
empty space denotes no data or dry well

CLUSTER - HSB 114

Nitrate

—•— WATER TABLE (IIB2) —*— BARNWELL (IIB1)

PDWS 10,000 µg/L
empty space denotes no data or dry well

CLUSTER - HSB 115

Nitrate

PDWS 10,000 µg/L
empty space denotes no data or dry well

CLUSTER - HSB 116

Nitrate

—•— WATER TABLE (IIB2) —x— BARNWELL (IIB1)

PDWS 10,000 µg/L
empty space denotes no data or dry well

CLUSTER - HSB 117

Nitrate

PDWS 10,000 µg/L
empty space denotes no data or dry well

HSB 118A

Nitrate

PDWS 10,000 µg/L
empty space denotes no data or dry well

HSB 119A

Nitrate

△ U. CONGAREE (IIA)

PDWS 10,000 µg/L
empty space denotes no data or dry well

HSB 120A

Nitrate

PDWS 10,000 µg/L
empty space denotes no data or dry well

HSB 121A

Nitrate

PDWS 10,000 µg/L
empty space denotes no data or dry well

CLUSTER - HSB 125

Nitrate

PDWS 10,000 µg/L
empty space denotes no data or dry well

CLUSTER - HSB 126

Nitrate

PDWS 10,000 µg/L
empty space denotes no data or dry well

CLUSTER - HSB 127

Nitrate

PDWS 10,000 $\mu\text{g/L}$
empty space denotes no data or dry well

CLUSTER - HSB 129

Nitrate

PDWS 10,000 $\mu\text{g/L}$
empty space denotes no data or dry well

CLUSTER - HSB 130

Nitrate

PDWS 10,000 µg/L
empty space denotes no data or dry well

CLUSTER - HSB 131

Nitrate

PDWS 10,000 µg/L
empty space denotes no data or dry well

CLUSTER - HSB 132

Nitrate

—•— WATER TABLE (IIB2) -x- BARNWELL (IIB1)

PDWS 10,000 µg/L
empty space denotes no data or dry well

CLUSTER - HSB 133

Nitrate

PDWS 10,000 µg/L
empty space denotes no data or dry well

CLUSTER - HSB 134

Nitrate

PDWS 10,000 µg/L
empty space denotes no data or dry well

CLUSTER - HSB 135

Nitrate

PDWS 10,000 µg/L
empty space denotes no data or dry well

CLUSTER - HSB 136

Nitrate

PDWS 10,000 µg/L
empty space denotes no data or dry well

CLUSTER - HSB 137

Nitrate

PDWS 10,000 µg/L
empty space denotes no data or dry well

HSB 138D

Nitrate

PDWS 10,000 µg/L
empty space denotes no data or dry well

CLUSTER - HSB 139

Nitrate

PDWS 10,000 $\mu\text{g/L}$
empty space denotes no data or dry well

CLUSTER - HSB 140

Nitrate

PDWS 10,000 µg/L
empty space denotes no data or dry well

CLUSTER - HSB 141

Nitrate

PDWS 10,000 µg/L
empty space denotes no data or dry well

CLUSTER - HSB 142

Nitrate

—♦— WATER TABLE (IIB2) -x- BARNWELL (IIB1)d

PDWS 10,000 µg/L
empty space denotes no data or dry well

CLUSTER - HSB 143

Nitrate

PDWS 10,000 µg/L
empty space denotes no data or dry well

HSB 144A

Nitrate

△ U. CONGAREE (IIA)

PDWS 10,000 µg/L
empty space denotes no data or dry well

CLUSTER - HSB 145

Nitrate

PDWS 10,000 $\mu\text{g/L}$
empty space denotes no data or dry well

CLUSTER - HSB 146

Nitrate

PDWS 10,000 µg/L
empty space denotes no data or dry well

HSB 147D

Nitrate

PDWS 10,000 µg/L
empty space denotes no data or dry well

CLUSTER - HSB 148

Nitrate

PDWS 10,000 $\mu\text{g/L}$
 empty space denotes no data or dry well

HSB 149D

Nitrate

PDWS 10,000 µg/L
empty space denotes no data or dry well

HSB 150D

Nitrate

PDWS 10,000 µg/L
empty space denotes no data or dry well

CLUSTER - HSB 151

Nitrate

PDWS 10,000 $\mu\text{g/L}$
empty space denotes no data or dry well

CLUSTER - HSB 152

Nitrate

—♦— WATER TABLE (IIB2) —x— BARNWELL (IIB1)

PDWS 10,000 $\mu\text{g/L}$
empty space denotes no data or dry well

CLUSTER - HSB 65

Tritium

PDWS 20 pCi/mL
empty space denotes no data or dry well

HSB 66 Tritium

PDWS 20 pCi/mL
empty space denotes no data or dry well

HSB 67 Tritium

PDWS 20 pCi/mL
empty space denotes no data or dry well

CLUSTER - HSB 68

Tritium

PDWS 20 pCi/mL
empty space denotes no data or dry well

HSB 69A

Tritium

—△— CONGAREE (IIA)

PDWS 20 pCi/mL
empty space denotes no data or dry well

CLUSTER - HSB 70

Tritium

PDWS 20 pCi/mL
empty space denotes no data or dry well

CLUSTER - HSB 71

Tritium

PDWS 20 pCi/mL
empty space denotes no data or dry well

CLUSTER - HSB 83

Tritium

PDWS 20 pCi/mL
empty space denotes no data or dry well

CLUSTER - HSB 84

Tritium

PDWS 20 pCi/mL
empty space denotes no data or dry well

CLUSTER - HSB 85

Tritium

PDWS 20 pCi/mL
empty space denotes no data or dry well

CLUSTER - HSB 86

Tritium

—•— WATER TABLE (IIB2)
 —x— BARNWELL (IIB1)

—*— McBEAN (IIB1)
 —Z— L. CONGAREE (IIA)

PDWS 20 pCi/mL
 empty space denotes no data or dry well

CLUSTER - HSB 100

Tritium

PDWS 20 pCi/mL
empty space denotes no data or dry well

CLUSTER - HSB 101

Tritium

PDWS 20 pCi/mL
empty space denotes no data or dry well

CLUSTER - HSB 102

Tritium

PDWS 20 pCi/mL
 empty space denotes no data or dry well

CLUSTER - HSB 103

Tritium

PDWS 20 pCi/mL
empty space denotes no data or dry well

CLUSTER - HSB 104

Tritium

PDWS 20 pCi/mL
empty space denotes no data or dry well

CLUSTER - HSB 105

Tritium

PDWS 20 pCi/mL
empty space denotes no data or dry well

CLUSTER - HSB 106

Tritium

PDWS 20 pCi/mL
empty space denotes no data or dry well

CLUSTER - HSB 107

Tritium

PDWS 20 pCi/mL
empty space denotes no data or dry well

CLUSTER - HSB 108

Tritium

PDWS 20 pCi/mL
empty space denotes no data or dry well

CLUSTER - HSB 109

Tritium

PDWS 20 pCi/mL
 empty space denotes no data or dry well

CLUSTER - HSB 110

Tritium

PDWS 20 pCi/mL
 empty space denotes no data or dry well

CLUSTER - HSB 111

Tritium

PDWS 20 pCi/mL
empty space denotes no data or dry well

CLUSTER - HSB 112

Tritium

PDWS 20 pCi/mL
empty space denotes no data or dry well

CLUSTER - HSB 113

Tritium

PDWS 20 pCi/mL
empty space denotes no data or dry well

CLUSTER - HSB 114

Tritium

PDWS 20 pCi/mL
 empty space denotes no data or dry well

CLUSTER - HSB 115

Tritium

PDWS 20 pCi/mL
empty space denotes no data or dry well

CLUSTER - HSB 116

Tritium

PDWS 20 pCi/mL
empty space denotes no data or dry well

CLUSTER - HSB 117

Tritium

PDWS 20 pCi/mL
empty space denotes no data or dry well

HSB 118A

Tritium

U. CONGAREE (IIA)

PDWS 20 pCi/mL
empty space denotes no data or dry well

HSB 119A

Tritium

U. CONGAREE (IIA)

PDWS 20 pCi/mL
empty space denotes no data or dry well

CLUSTER - HSB 125

Tritium

PDWS 20 pCi/mL
empty space denotes no data or dry well

CLUSTER - HSB 126

Tritium

PDWS 20 pCi/mL
empty space denotes no data or dry well

CLUSTER - HSB 127

Tritium

PDWS 20 pCi/mL
 empty space denotes no data or dry well

CLUSTER - HSB 129

Tritium

PDWS 20 pCi/mL
empty space denotes no data or dry well

CLUSTER - HSB 130

Tritium

PDWS 20 pCi/mL
empty space denotes no data or dry well

CLUSTER - HSB 131

Tritium

PDWS 20 pCi/mL
empty space denotes no data or dry well

CLUSTER - HSB 132

Tritium

PDWS 20 pCi/mL
empty space denotes no data or dry well

CLUSTER - HSB 133

Tritium

PDWS 20 pCi/mL
empty space denotes no data or dry well

CLUSTER - HSB 134

Tritium

PDWS 20 pCi/mL
empty space denotes no data or dry well

CLUSTER - HSB 135

Tritium

PDWS 20 pCi/mL
empty space denotes no data or dry well

CLUSTER - HSB 136

Tritium

PDWS 20 pCi/mL
empty space denotes no data or dry well

CLUSTER - HSB 137

Tritium

PDWS 20 pCi/mL
empty space denotes no data or dry well

WATER TABLE (IIB2)

PDWS 20 pCi/mL
empty space denotes no data or dry well

CLUSTER - HSB 139

Tritium

PDWS 20 pCi/mL
empty space denotes no data or dry well

CLUSTER - HSB 140

Tritium

--- WATER TABLE (IIB2) * BARNWELL (IIB1) Δ U. CONGAREE (IIA)

PDWS 20 pCi/mL
empty space denotes no data or dry well

CLUSTER - HSB 141

Tritium

PDWS 20 pCi/mL
empty space denotes no data or dry well

HSB 142D Tritium

WATER TABLE (IIB2)

PDWS 20 pCi/mL
empty space denotes no data or dry well

CLUSTER - HSB 143

Tritium

PDWS 20 pCi/mL
empty space denotes no data or dry well

HSB 144A

Tritium

U. CONGAREE (IIA)

PDWS 20 pCi/mL
empty space denotes no data or dry well

CLUSTER - HSB 145

Tritium

PDWS 20 pCi/mL
empty space denotes no data or dry well

CLUSTER - HSB 146

Tritium

PDWS 20 pCi/mL
empty space denotes no data or dry well

PDWS 20 pCi/mL
empty space denotes no data or dry well

CLUSTER - HSB 148

Tritium

PDWS 20 pCi/mL
empty space denotes no data or dry well

HSB 149D Tritium

—•— WATER TABLE (IIB2)

PDWS 20 pCi/mL
empty space denotes no data or dry well

HSB 150D Tritium

—•— WATER TABLE (IIB2)

PDWS 20 pCi/mL
empty space denotes no data or dry well

CLUSTER - HSB 151

Tritium

PDWS 20 pCi/mL
empty space denotes no data or dry well

CLUSTER - HSB 152

Tritium

PDWS 20 pCi/mL
empty space denotes no data or dry well

HSB 66 (WATER TABLE, IIB2) pH

Note: Breaks in lines indicate no data available.

CLUSTER HSB 69 pH

Note: Breaks in lines indicate no data available.

CLUSTER HSB 84 pH

Note: Breaks in lines indicate no data available.

CLUSTER HSB104 pH

Note: Breaks in lines indicate no data available.

CLUSTER HSB111 pH

Note: Breaks in lines indicate no data available.

CLUSTER HSB116 pH

Note: Breaks in lines indicate no data available.

CLUSTER HSB126 pH

Note: Breaks in lines indicate no data available.

CLUSTER HSB131 pH

Note: Breaks in lines indicate no data available.

Appendix F – Hydrographs

CLUSTER - HSB 65

Water Elevations

empty space denotes no data or dry well

HSB 66

Water Elevations

--- WATER TABLE (IIB2)

empty space denotes no data or dry well

HSB 67

Water Elevations

—•— WATER TABLE (IIB2)

empty space denotes no data or dry well

CLUSTER - HSB 68

Water Elevations

empty space denotes no data or dry well

CLUSTER - HSB 69

Water Elevations

WATER TABLE (IIB2) CONGAREE (IIA)

empty space denotes no data or dry well

CLUSTER - HSB 70

Water Elevations

empty space denotes no data or dry well

CLUSTER - HSB 71

Water Elevations

• WATER TABLE (IIB2) • BARNWELL (IIB1)

empty space denotes no data or dry well

CLUSTER - HSB 83

Water Elevations

empty space denotes no data or dry well

CLUSTER - HSB 84

Water Elevations

CLUSTER - HSB 85

Water Elevations

empty space denotes no data or dry well

CLUSTER - HSB 86

Water Elevations

empty space denotes no data or dry well

CLUSTER - HSB 100

Water Elevations

empty space denotes no data or dry well

CLUSTER - HSB 101

Water Elevations

WATER TABLE (IIB1) BARNWELL (IIB1)

empty space denotes no data or dry well

CLUSTER - HSB 102

Water Elevations

empty space denotes no data or dry well

CLUSTER - HSB 103

Water Elevations

--- WATER TABLE (IIB2) --- BARNWELL (IIB1)

empty space denotes no data or dry well

CLUSTER - HSB 104

Water Elevations

--- WATER TABLE (IIB2) — BARNWELL (IIB1)

empty space denotes no data or dry well

CLUSTER - HSB 105

Water Elevations

CLUSTER - HSB 106

Water Elevations

empty space denotes no data or dry well

CLUSTER - HSB 107

Water Elevations

--- WATER TABLE (IIB2) - - - BARNWELL (IIB1)

empty space denotes no data or dry well

CLUSTER - HSB 108

Water Elevations

WATER TABLE (IIB2) BARNWELL (IIB1)

empty space denotes no data or dry well

CLUSTER - HSB 109

Water Elevations

empty space denotes no data or dry well

CLUSTER - HSB 110

Water Elevations

empty space denotes no data or dry well

CLUSTER - HSB 111

Water Elevations

empty space denotes no data or dry well

CLUSTER - HSB 112

Water Elevations

empty space denotes no data or dry well

CLUSTER - HSB 113

Water Elevations

empty space denotes no data or dry well

CLUSTER - HSB 114

Water Elevations

empty space denotes no data or dry well

CLUSTER - HSB 115

Water Elevations

empty space denotes no data or dry well

CLUSTER - HSB 116

Water Elevations

empty space denotes no data or dry well

CLUSTER - HSB 117

Water Elevations

HSB 118A

Water Elevations

△ U. CONGAREE (IIA)

empty space denotes no data or dry well

HSB 119A

Water Elevations

△ U. CONGAREE (IIA)

empty space denotes no data or dry well

HSB 120A

Water Elevations

empty space denotes no data or dry well

HSB 121A

Water Elevations

U. CONGAREE (IIA)

empty space denotes no data or dry well

HSB 122A

Water Elevations

△ U. CONGAREE (IIA)

empty space denotes no data or dry well

HSB 123A

Water Elevations

△ U. CONGAREE (IIA)

empty space denotes no data or dry well

HSB 124A

Water Elevations

△ U. CONGAREE (IIA)

empty space denotes no data or dry well

CLUSTER - HSB 125

Water Elevations

—•— WATER TABLE (IIB2) —•— BARNWELL (IIB1)

empty space denotes no data or dry well

CLUSTER - HSB 126

Water Elevations

empty space denotes no data or dry well

CLUSTER - HSB 127

Water Elevations

--- WATER TABLE (IIB2) --- BARNWELL (IIB1)

empty space denotes no data or dry well

CLUSTER - HSB 129

Water Elevations

empty space denotes no data or dry well

CLUSTER - HSB 130

Water Elevations

empty space denotes no data or dry well

CLUSTER - HSB 131

Water Elevations

--- WATER TABLE (IIB2) --- BARNWELL (IIB1)

empty space denotes no data or dry well

CLUSTER - HSB 132

Water Elevations

empty space denotes no data or dry well

CLUSTER - HSB 133

Water Elevations

empty space denotes no data or dry well

CLUSTER - HSB 134

Water Elevations

WATER TABLE (IIB2) BARNWELL (IIB1)

empty space denotes no data or dry well

CLUSTER - HSB 135

Water Elevations

empty space denotes no data or dry well

CLUSTER - HSB 136

Water Elevations

empty space denotes no data or dry well

CLUSTER - HSB 137

Water Elevations

empty space denotes no data or dry well

WATER TABLE (IIB2)

empty space denotes no data or dry well

CLUSTER - HSB 139

Water Elevations

empty space denotes no data or dry well

CLUSTER - HSB 140

Water Elevations

—•— WATER TABLE (IIB2) —x— BARNWELL (IIB1) —△— U. CONGAREE (IIA)

empty space denotes no data or dry well

CLUSTER - HSB 141

Water Elevations

empty space denotes no data or dry well

CLUSTER - HSB 142

Water Elevations

empty space denotes no data or dry well

CLUSTER - HSB 143

Water Elevations

—•— WATER TABLE (IIB2) —×— BARNWELL (IIB1)

empty space denotes no data or dry well

empty space denotes no data or dry well

CLUSTER - HSB 145

Water Elevations

empty space denotes no data or dry well

CLUSTER - HSB 146

Water Elevations

empty space denotes no data or dry well

WATER TABLE (IIB2)

empty space denotes no data or dry well

CLUSTER - HSB 148

Water Elevations

empty space denotes no data or dry well

HSB 149D Water Elevations

—•— WATER TABLE (IIB2)

empty space denotes no data or dry well

HSB 150D Water Elevations

WATER TABLE (IIB2)

empty space denotes no data or dry well

CLUSTER - HSB 151

Water Elevations

empty space denotes no data or dry well

CLUSTER - HSB 152

Water Elevations

empty space denotes no data or dry well

END

**DATE
FILMED**

4 / 29 / 93