EGO-CODP-10620 (3-93)

EXCHANGE

Vol. 3-93
March 1993

ISC INEL SUPERCOMPUTING CENTER

Computer Operations and Data Processing of EG&G Idaho

Prepared for the U.S. Department of Energy under DOE contract no. DE-AC07-76ID01570

DISTRIBUTION RESTRICTED TO U.S. ONLY

Computer Services Call List

Note: All numbers listed below can be called within Idaho (area code 208).

ACF2 SPECIAL SERVICES/OfficeVision ID-CRCS	526-9161
AI PROJECTS	526-9683
COMPUTER MANUALS/OfficeVision ID-KRS	526-8482
COMPUTER REGISTRATION/OfficeVision ID-CRCS	526-9949
Consulting (User Services)	
<i>Business (IBM 3090, HP 3000)/OfficeVision ID-BUS</i>	526-9355
<i>Microfilm (COM) (Business)</i>	526-9355
<i>Microfilm (COM) (Scientific)</i>	526-9440
<i>Network (6-COMM)</i>	526-2666
<i>Scientific (CRAY X-MP, WORKSTATION)/Email-consult@gem.inel.gov/ OfficeVision ID-SSUS</i>	526-9440
ISC Input/Output Area/OfficeVision ID-POP	526-9734
Computer Training (PC Training)	526-9033
Data Entry And Key punch Services/OfficeVision ID-TJE	526-1504
Field Support (Hardware Repair)	526-9311
Macintosh Support (6-6MAC)	526-6622
NRC Data Bank Support	526-9071
OfficeVision Hotline	526-0566
PC Applications Development/OfficeVision ID-KGK	526-8376
PC Systems Support (6-INFO)	526-4636
Remote Job Entry Terminals	
WCB	526-1710
Software Support/OfficeVision ID-MHJ	526-9340
System Status Information	
CRAY X-MP (Recording)	526-9560
Ilford (Recording)	526-9734
HP 3000 Ilford	526-9734
IBM 3090 MVS/IBS/VM/NOMAD/OfficeVision (Recording)	526-9561
Anacomp-fiche (Recording)	526-9734
Network (6-COMM)	526-2666
Printers	526-9734
Tape Management Library/OfficeVision ID-TAPE	526-9880
Tape Withdrawals/OfficeVision ID-KRS	526-8482
Terminals (Moves Or Acquisitions)	526-2666

EXCHANGE

VOL. 3-93

MARCH 1993

EXCHANGE is published monthly by the Idaho National Engineering Laboratory (INEL), a multi-disciplinary facility operated for the U.S. Department of Energy (DOE). The purpose of **EXCHANGE** is to inform computer users about recent changes and innovations in both the mainframe and personal computer environments and how these changes can affect work being performed at DOE facilities.

Computer information in **EXCHANGE** is divided into the following categories:

- *Of General Interest* — Information describing various INEL computing activities.
- *Education News* — Communication device between educators and INEL professionals.
- *Business News* — Information pertaining to the various business hardware and applications (e.g., ADoCS, AWOS, CAPS, HRS, IMMS, PECOS, OfficeVision, NOMAD, and SPMS).
- *Scientific News* — Information pertaining to the CRAY system and scientific computing.
- *Workstation News* — Information that pertains to UNIX-based workstations.
- *Visualization and Imaging* — Covers visualization tools that can enable users, in scientific/technology and in data processing of every discipline, to enhance their analyses with "added value" techniques.
- *Network News* — Information pertaining to data communications, [e.g., Ethernet, IBM SNA 3270, Local Terminal Network (LTN), and Dial In/Out].
- *PC News* — Information that pertains to personal computers.
- *Last Minute Items* — Last minute change information that could pertain to any of the categories above. All readers should refer to this section for information that possibly affects them.

We encourage readers to contribute articles, photos, graphics, and comments to

J. C. Boltz, **EXCHANGE** Editor
INEL Supercomputing Center
EG&G Idaho, Inc.
P.O. Box 1625
ISC MS-2602
Idaho Falls, Idaho 83415
Mail Stop 2602 or (208) 526-9449.

Prepared for the
U.S. Department of Energy
Under DOE Contract DE-AC07-76ID01570
by the Computer Operations and Data Processing Group
at EG&G Idaho, Inc.

MASTER

CONTENTS

OF GENERAL INTEREST	1
Releasing Computer Software Outside EG&G Idaho	1
Ilford Digital Photo Imager	1
Mandatory Upgrade of PC ORPS Software	2
ORPS Host Computer Upgrade	2
EROB Computer Users See Network Change	3
BUSINESS NEWS	4
Password Expiration Notice	4
SCIENTIFIC NEWS	6
Big Iron Still Has Place in HPC Market	6
Handy Scripts to Copy and Move Files	9
WORKSTATION NEWS	10
More on Workstation Password Expiration	10
Training Center Course Schedule for April 1993	11
PC NEWS	12
Microsoft Word Version 5.1a—Button Bar	12
File Attributes Can Provide You Greater Flexibility	13
Constructing a Personal WordPerfect Dictionary	13
Windows Shortcuts	14

OF GENERAL INTEREST

Releasing Computer Software Outside EG&G Idaho

Michelle Johnson, Software Support Office

The role of the Software Support (SS) Office is to help users comply with U.S. Department of Energy (DOE) orders concerning the disposition of software developed at EG&G Idaho, Inc.

As required by DOE Order 1360.4B, "Scientific and Technical Computer Software," most scientific and technical software developed under DOE contract, including classified and sensitive programs and Work For Others performed at DOE facilities, shall be sent to DOE's Energy Science and Technology Software Center (ESTSC).

The SS Office is EG&G Idaho's representative in the reciprocal exchange of approved software packages with ESTSC and specialized computer software centers, such as

the Radiation Shielding Information Center and the National Nuclear Data Center. Before any funds are expended to develop software, contact with the ESTSC software facility by way of the SS Office shall be made and a search performed to determine if such a program already exists (as required by DOE Order 1330.1D, "Computer Software Management").

As stated in the EG&G Idaho Resource Manual, (Section 10-17) "Export Control Requirements," and (Section 10-43) "Releasing Computer Software Outside EG&G Idaho," software may not be released outside EG&G Idaho except by the SS Office or with documented approval of the SS Office. The individual responsible for the software must contact the SS Office (208-526-9340) to ensure the requirements are met. As a DOE contractor, we have the responsibility to guard against releasing new technology that could contribute to the expansion of competition against U.S. industry or endanger national security. These considerations are addressed when reviewing software for release outside the Idaho National Engineering Laboratory (INEL).

Ensuring that the SS Office controls all software released outside EG&G Idaho benefits the Company and employees. We reduce the cost of doing business by using software already developed, receive notoriety and exposure for developing important software, and use taxpayer money more efficiently. If you have developed any software, including nonscientific or technical software, while working for EG&G Idaho, please contact Michelle Johnson at the INEL Supercomputing Center, (208) 526-9340, or send an OfficeVision note to user-ID MHJ.

Ilford Digital Photo Imager

Dirck Copeland, Operations Support Unit

Computer Operations and Data Processing has acquired the Ilford Digital Photo Imager (DPI) as a replacement system for the Dicomed Film Recorder. The DPI produces continuous-tone, computer-generated images. The system offers a resolution of 3,300 x 2,550 pixels per image on an 8.5 x 11-in. photo print or film transparency. For 35mm slides, the resolution is 3,500 x 2,333 pixels per image. Each pixel on the DPI can represent up to 256 levels of grey or 256 intensities of a primary color (red, green, or blue), giving the DPI the ability to produce over 16.7 million colors.

OF GENERAL INTEREST (continued)

The DPI is invoked through the graphics printer command, gpr, as the Dicommed used to be invoked. The following formats with the respective printer destinations are currently supported on the DPI.

<u>Format</u>	<u>Printer Destination</u>
Targa	ilftga
Encapsulated Postscript (EPS)	lfps
X Window Dump	ilfxwd
Sun Raster	ilfsun
Color Graphics Metafile (CGM)	ilfcgm

The following sizing options can be used to specify 35mm film, 8.5 x 11-in. paper, and 8.5 x 11-in. transparency.

<u>Media</u>	<u>Sizing Option</u>
8.5 x 11-in. paper	8x11p
8.5 x 11-in. transparency	8x11t
35mm slide	35mm

To send a graphic file in the format of Level 1 or Level 2 Postscript to a 35mm slide, enter the following:

```
gpr -B3145 -Cd12220000 -Pilfps -S35mm filename.ps
```

If the size option is left out, the output will default to 8.5 x 11-in. paper. It is recommended on the bin (-B) option that you use your mail stop and not a computer output bin, so you are ensured a reasonable delivery time regardless of your location. Other options also are available and can be reviewed through the on-line man page for gpr. The output produced by the DPI will be distributed by the Photo & Image Processing Unit at the Willow Creek Building.

Some limitations exist when sending postscript files that have been generated by using a Macintosh or personal computer (PC). In some cases, when the file is transferred using FTP or fetch, the end of line character (control M) is processed by the interpreter. Make sure you use binary mode when doing the file transfer (not Macintosh binary). The Dicommed is scheduled to be excessed on February 26, 1993.

For more information, please contact Scientific User Services at (208) 526-9940, OfficeVision SSUS, or email to consult@gem.inel.gov.

Mandatory Upgrade of PC ORPS Software

Carl Lovell, Management Information Systems

The U.S. Department of Energy (DOE) Order 5000.3B, "Occurrence Reporting and Processing of Operations Information," was signed by the Secretary of Energy, Admiral James D. Watkins, on January 19, 1993. The order has an effective date of February 22, 1993. DOE and contractor personnel will have until March 22, 1993, to implement the requirements of the order. Occurrence Reporting and Processing System (ORPS) changes required by DOE Order 5000.3B will occur on the weekend of March 20, 1993. A system message will be displayed on the ORPS host computer at system logon after the ORPS software has been fully implemented.

Facility managers, designees, and other occurrence report preparers should be aware that a mandatory upgrade to the personal computer (PC) ORPS Version 2.0 software will be required with the implementation of DOE Order 5000.3B. Occurrence reports prepared with earlier versions of the PC ORPS software will not be accepted by the ORPS host computer. Therefore, after March 20, all copies of PC ORPS must be updated before further occurrence reports are created or updated and transmitted to the ORPS host computer. For further information, please contact the ORPS Hotline at (208) 526-8900.

ORPS Host Computer Upgrade

James Lofthouse and Jeff Nebeker, Management Information Systems

Users will no longer have to wait when they retrieve and display information from the Occurrence Reporting and Processing System (ORPS). Personnel from the U.S. Department of Energy's Nuclear Operations and Analysis Division, and EG&G Idaho's Management Information Systems Unit have found a computer system that provides quick response to user requests for ORPS information. The

OF GENERAL INTEREST (continued)

procurement process is complete and the new system will soon arrive at the Idaho National Engineering Laboratory.

The new system is a Hewlett-Packard Series 992. The 992's design is based on technology that allows for faster access and processing of information. Performance testing of the 992 has rated it approximately five times faster than the present ORPS computer system. The 992 is compatible with industry standards for open systems and can be upgraded by simply adding processor cards to the system.

In addition to upgrading the computer system, hardware and software have been purchased that decrease the time it takes to perform system backups. System backups presently take approximately 8 hours, and users cannot access the system during the backup. The new backup system functions while the system is on-line and users are denied access to the system for only 10-15 minutes during the backup.

For more information, please contact the ORPS Hotline at (208) 526-8900.

EROB Computer Users See Network Change

Dick Asbell, Data Networks

The Engineering Research Office Building (EROB) is changing the way many network users access their IBM mainframe and Novell server applications. The EROB has been designated an "Ethernet Only" network facility. Network users are being converted from IBM 3270 direct connect and IBM PCNet broadband connections to Ethernet network access. Each system connected to the Ethernet network is required to have a registered "End-User-ID" associated with the system and an Internet registration (Form EG&G-1721) on file with EG&G Idaho Computer Registration and Computer Security (CRCS). As network

customers move to EROB, each system added to the network must be registered for access to the network.

If you have a current registered Idaho National Engineering Laboratory (INEL) computer user-ID (Form EG&G-1722) with CRCS and completed an "INEL Internet System Registration" (Form EG&G-1721), upon your move, you will receive a copy of an updated Form EG&G-1721 with new address information. This form should be retained for your records. Form EG&G-1721 contains important information required by EG&G Idaho Data Networks when you move to a new location or transfer the system to another person.

If your network connection has been changed because of your move to EROB and you have a registered user-ID, an updated or new Form EG&G-1721 will be completed by the network technician at the time of installation. A copy will be sent to you by Data Networks.

If you do not have a current registered user-ID, and have been using the IBM PCNet Network for access to a Novell server, you are required to complete Form EG&G-1722. At the time of installation, the network technician will leave this form. Failure to complete and return this form to CRCS within 1 week will result in termination of your network service until the required form(s) are completed. Should your network access not function, please contact EG&G Idaho Data Networks at 526-2666.

Some users were previously connected through the IBM PCNet for access to a Novell server, and the System Administrator of that server assigned you a user-ID. If you did not register that user-ID with CRCS, your requested user-ID for access to that system may not be available from the CRCS database. If your requested user-ID is not available, another will be assigned.

Registration forms can be obtained from CRCS located at the INEL Supercomputing Center, F-2. If you have any questions or concerns, please send an OfficeVision note to user-ID CRCS or call (208) 526-9949.

BUSINESS NEWS

Password Expiration Notice

Loretta Moses, Computer Registration and Computer Security

Last September, customers who access the Idaho National Engineering Laboratory (INEL) Integrated Business Systems (IBM 3090) were given the responsibility of generating their own passwords. To complete this transition, a schedule has been implemented that requires customers who have not changed their passwords to do so by April 15, 1993.

Once a password has been changed by the customer using the new password-generation method, it is valid for 6 months and the system will automatically notify the customer 2 weeks before it expires. Since the system automatically reminds customers to renew their passwords, Computer Registration and Computer Security (CRCS) will not longer send renewal notices to customers accessing the IBM 3090.

Until customers have used the new user-generated password method, the system will not notify them of their password expiration date. Customers who have not used this new method will receive an OfficeVision note or notification by mail specifying the date that their password will expire. Customers do not have to wait until their password expiration date or notification to change their passwords. CRCS would like to encourage customers to change their passwords as soon as possible to reduce administrative processing.

IBM 3090 users may change their passwords anytime. You do not have to wait for a password expiration notice.

For detailed information and instructions on how to change your password, read the following:

Methods to Change Your Password

1. ID: _____ (insert your user-ID)

PASSWORD: currpswd/newpswd (insert your current password followed by a / and then your new chosen password)

The message, "Please validate the new password by entering it here again," will appear.

Validate your new password by typing it again at this prompt.

Your password has now been updated and the next time you logon, you will be required to use your new selected password.

2. ID: _____ (insert your user-ID)

PASSWORD: currpswd/?
(insert your current password followed by a / and then a ?)

A choice of five passwords will be displayed.

Choose one of the displayed passwords and remember it by taking the appropriate steps to keep it confidential.

Tab to the password field, and type it after your current password:

PASSWORD: currpswd/newpswd

The message, "Please validate the new password by entering it here again," will appear.

Validate your new password by typing it again at this prompt.

Your password has now been updated and the next time you logon, you will be required to use your new selected password.

Caution

The five passwords are displayed in all capital letters. The password must be inserted in the computer in lower case. It is common to confuse alpha Zs for numeric 2s and alpha Os for numeric 0s.

BUSINESS NEWS (continued)

Please Note

If you do not like one of the five passwords displayed, you are allowed to repeat the (currpswd/?) command for another set of five passwords.

Do not request a show command of passwords (currpswd/?) more than five times before logging correctly into the system with a valid password. You are vulnerable after the fifth consecutive time of locking your terminal. You will be prompted to call for assistance if the terminal locks up.

Service ID Users that have an Assigned User-ID for Accessing a Service ID

To change your personal user-ID password, logon to the network director screen that you normally logon to with your service ID, except use your personal user-ID and password. Follow the directions given previously in Method 1 or Method 2. Once you have changed your password for your personal user-ID, access the service ID using your normal process.

Password Requirements

All passwords

- Must be at least six characters in length
- Must consist of alphabetic and numeric characters only
- Must contain an alphabetic first character
- Must contain at least one alphabetic and one numeric character in positions 2-5
- Cannot contain the user-ID for which it is the password
- Must differ from the four most previous passwords
- Cannot have any character that is the same as the preceding character.

Mandatory Password Management

In the event that a customer has forgotten their password, CRCS will assign a temporary password. This temporary

password will allow the customer to logon and select a new password using Method 1 or Method 2.

A customer is required to change their own password anytime they feel it may have been compromised. Computer security concerns should be reported to Doug Sonnenberg, Assistant Computer Protection Program Manager at (208) 526-9572.

Renewal Letters

CRCS will be sending renewal letters every 6 months to those customers who have access to NCC, NSFNET, HP3000/SPMS/ORPS, ERIS, or HP/PTI/Cognos. These renewal letters will be sent approximately 2 months before the password expires. Customers will be required to sign and return a portion of this renewal letter to CRCS. CRCS will change the passwords **only** for those systems specified on the renewal letter between 5 and 6 p.m. the day before the password expiration date indicated.

Multiple Access

If customers have access to the CRAY and/or workstation, they will be required to change their own passwords for these systems using CRAY and workstation instructions.

If you need assistance, please call CRCS at (208) 526-9949.

We welcome your
comments and
suggestions!
Call the **EXCHANGE**
Editor at
(208) 526-9449

SCIENTIFIC NEWS

Big Iron Still Has Place in HPC Market

Peter Gregory, Minnesota Supercomputing Center, Inc.

Editor's Note: The following article, appeared in the February 1993 issue of *High-Performance Computing Review*. It was written by Peter Gregory, Senior Vice President of Sales and Marketing for the Minnesota Supercomputing Center, Inc. The article is being reprinted with the author's permission. For more information, please contact Judie Boltz at (208) 526-9449.

I have interpreted "big iron" to include vector parallel supercomputers as well as massively parallel processor (MPP), and the issue here is whether large central computing systems can survive in their present form.

I have no issue with the excellence of workstations, or their progress in scalar performance, nor with the concept that clusters of workstations can become throughput factories (as long as we can solve a non-trivial list of shortcomings in the areas of scheduling, reliability, centralized high performance storage, etc.).

My issues are as follows:

1. Supercomputers are all about capability, and with the exception of scalar applications, workstations, clustered or not, aren't going to be competitive with either vector parallel or MPP supercomputers in capability, except in the most embarrassingly parallel of all scalar applications.
2. The cost of R&D and the cost of failure overwhelm the cost of supercomputing.
3. The tiny and endangered supercomputing industry is devoting too much of its scanty resources to its own self destruction.

Supercomputers are about capability

The July 1991 General Accounting Office report stated, "A supercomputer, by its most basic definition, is the most powerful computer available at a given time." By this definition, supercomputing moved to 10 gflops in 1991. Today there are six applications running at more than 10

gflops on the C90 alone, with 16 running at more than 6 gflops in chemistry, petroleum, CFD and physics. There are MPP applications that can be added to this class, some of them in economically important opportunities.

At the end of 1991, the corresponding speed for the fastest available workstation was about 50 mflops, a factor of 200:1 slower. Some of you may remember a conference on high-performance computing a few years ago during which the theme was that a factor of 200:1 would bring enormous advantage to high-performance computing. Then, it was being used to justify MPP technology against parallel-vector, but here it represents the ongoing difference in potential between today's supercomputers and the fastest of the workstations.

Note that this is not the workstation that Joe Scientist will have in his office, which is likely to be limited by budgetary considerations to lower performance than a top of the line system that typically starts at \$60,000.

Supercomputers have been parallel since 1984. Shame on all of us that we haven't put the effort into exploiting what the engineers delivered, and have effectively confined its use to single-processor applications, with multiple processors used for throughput only. We only put the effort into algorithm modernization when we had no option (i.e. for MPP). We then complained that single-processor performance was not progressing fast enough. In this respect, the development of compatible supercomputers has served the industry badly. We didn't update programs because we didn't have to, and the resulting difference in levels of optimization have led to misconceptions between MPP and parallel vector technology, and between supercomputer and workstation performance.

We hear a great deal about the rapid growth in workstation performance during the last five years. It is not often appreciated that capability computers have maintained a compound growth rate, as parallel computers, of 33 percent per year for 16 years from the Cray 1 to the C90. The growth rate from the YMP to the C90 has been close to 50 percent compound, and this will be maintained from the C90 to the next generation. This impressive growth rate for "big iron" did not include the latest Hitachi supercomputer at 32 gflops, nor did it include the even higher peaks of MPP systems.

It is no coincidence that the earliest cluster adopters are physics labs who have, for years, had many applications

renowned as ideal parallel candidates; the danger is that this narrow base is being parlayed into a generalization that clusters can easily evolve into parallel supercomputers. The guilty parties are not only the vendors, but we ourselves.

A panel at Supercomputing '92 was introduced with the following words: "It is our opinion that in the long run, cluster systems and massively parallel systems will converge with respect to their capabilities, and we will be dealing with one common and successful computing platform that offers both an effective solution for capacity as well as capability-oriented workloads."

The key words here are "in the long run." This is very dangerous. Years ago, expectations for MPP were hyped far ahead of the industry's ability to deliver. One result was to stall the market for parallel vector systems by making them seem a poor investment, in view of the imminence of a general replacement by MPP.

Now, while the MPP goose is preparing to lay its golden egg, it is clusters that are being represented as equivalent. They are everything to everybody; throughput engines, as well as heterogeneous, redundant, infinitely scalable parallel computers.

Their only drawbacks as parallel computers are "details" such as latency and bandwidth (and, of course, software). The solution is latency to backplane them, but then what happens to the greatest advantage of the cluster, its ability to be heterogeneously updated with new technology.

Once the backplane is in place, we once again have the inflexibility of a multi-million dollar investment that has to be written off over years. In the meantime we may have stalled the market for MPP, only to reinvent it five years later.

The users who pay our bills and whom we are supposed to support with their science are going to be subjected to a nightmare of counterproductive upgrades.

The supercomputer industry is the servant of science and engineering, and while all computing is expensive, the cost of being in business dwarfs it. The GAO report said, "One oil company representative estimated that over the last 10 years, supercomputer use has increased production of oil worth

between \$5 billion and \$10 billion from the two largest U.S. oil fields." That one example of the value of capability computing is probably worth more than the entire supercomputing industry has cost since its creation.

In engineering, success or failure swings on factors of two; success is measured in billions of dollars, and failure is catastrophic. A shuttle disaster, the failure of a single automotive company, or the loss of the aerospace industry has an economic effect that makes the cost of the entire supercomputer industry irrelevant.

Computer costs vs. R&D failure

- One very large supercomputer costs \$30 million.
- 20 departmental computers cost \$10 million.
- \$10,000 workstations for 1,000 users cost \$10 million.
- Maintenance, software, support, communications, power, facilities, storage, etc. can increase costs by two to three times.

But

- 1,000 users cost \$120 to \$350 million per year.
- The lifetime cost of an average worker is approximately \$11 million.
- One unproductive working day costs \$1 million.
- Three weeks lost in time to market on a \$1 billion, five-year project costs approximately \$30 million.

Computers all represent millions of dollars depreciating in value at 30 to 50 percent per year. Our ability to capitalize any of the technology is a serious issue, but the payoff is great, as you can see from the lower half of the comparison.

My point here is that it is R&D that is expensive, not just computing, and we focus not on reducing the cost of computing as much as on its ability to leverage R&D and, there by, business.

The gross annual expenditure on United States' industrial R&D is \$74 billion-government R&D is double that figure.

SCIENTIFIC NEWS (continued)

The entire supercomputing industry is less than 1 percent of the total cost of R&D, which is an interesting reflection on its perceived importance. It took a long time for data processing to emerge as 3 to 5 percent of the total revenue of the manufacturing and service industries. Surely capability computing should be similarly important as a percentage of R&D expenditure.

Of course, it's good to look for cheaper ways to deliver adequate computing, but clusters don't deliver capability. By saying clusters do deliver capability, we defocus management from the need to use capability computing as a critical weapon to win an economic war. We have all done a totally inadequate job of selling the value of capability computing, training management and building the economic value of our technology.

You may think that this is because of a reluctance to spend money on computing, but that's not so. IS budgets for just a few U.S. companies show that the annual cost of a very large C90 would be less than 10 percent, and in some cases less than 1 percent of their expenditure on IS alone.

The endangered supercomputer industry is devoting too much of its scant resources to its own destruction.

For lack of a rigorous terminology, we have allowed almost everything that computes to be self-defined as a supercomputer, and that confuses us. Never mind the confusion that it causes in the very important-but less sophisticated-outside world that is critical to the survival and success of the technology on which we depend.

One day at lunch, John Rollwagen told a story in which he referred to a group of CEOs who are a steering committee for the information industry. He commented that everyone in the group was trying to eat the lunch of one of their members, John Akers. But isn't that true of our own industry?

While everybody looks to diminish Cray Research instead of growing the market, the stock of the flagship of our industry is today selling below the book value of the company, and all of the other manufacturers are struggling.

The problem is not that any of these companies have bad products; it is that we spend so much energy, in a tiny market, trying to replace each new idea before it has reached its fruition. We should be concerned that this presents the users, who are the supposed beneficiaries, with constant

turmoil and unwelcome and unproductive diversion into computer science.

There is no need for an external enemy to divide and conquer us when we continue to divide ourselves. How large a part of our sparse resource is devoted to making systems work, rather than applying the ones that we have.

Let me take this to an alarming conclusion. Exaggerated expectations from MPP technology damaged the market for parallel vector systems; now in turn exaggerated expectations for clustered workstations may damage the success of the MPP market. But it doesn't end there, because the imminent generation of PCs may devastate the workstation market on whose technology both MPP and cluster depend.

In this scenario, Supercomputing '97 never happens. We will all be at Comdex as the symmetric-multiprocessing-in-NT birds-of-a-feather group, and the industry built on U.S. added value will have disappeared, leaving us to gain the best performance that we can out of commodity technology.

I am not trying to defend a theological position; the user should buy the best solution to do the job. My concern is that he or she is often not equipped to evaluate all of the issues involved, and what may seem inexpensive may end up being very expensive indeed.

Using less-expensive computers and putting your company out of business is not the low-cost solution. But many users are presented with decisions that may do just that, while they seem logical when seen from a local standpoint.

"Winning" is ambivalent, and the answer is in our own hands. If, as an industry, we further confuse and diminish the market for capability supercomputers, the victory of the workstation will be pyrrhic; we will have destroyed ourselves as an industry, and the loser will be the economy.

Isn't it better that we give leadership about the distinction between what is properly computer-science research, and what is production-strength supercomputing, and get on with our major challenge. That challenge is not to spend so much of our limited resource in systems work defining alternative ways of designing computers, but to spend it in growing the awareness and the value of capability computing.

CRAY/AID

Handy Scripts to Copy and Move Files

Jerry Litteer, Scientific Technical Support

It is often necessary to move (or copy) all files that end in a certain suffix (e.g., .f) to another suffix (e.g., .f.orig). The following script will accomplish that feat:

```
gemstone=>cpstar .f .f.orig
#!/bin/sh
#
# Usage: cpstar old_suffix new_suffix
#
if [ $# = 0 ]; then
    echo " 'basename $0' - Copy multiple files from one suffix to another"
    echo "Usage: cpstar old_suffix new_suffix"
```

```
echo " old_suffix => old suffix"
echo " new_suffix => new suffix"
exit 1
fi
for file in *${1}
do
    fn='basename $file ${1}'
    cp $file $fn${2}
done
```

The action taken by the script can be altered by changing the **cp** command to another command, for example **mv**.

For more information, please contact Scientific User Services at (208) 526-9440, send an OfficeVision note to SSUS, or send email to consult@inel.gov.

Deadline For Submitting April 1993 EXCHANGE Articles

The deadline for submitting articles for the April issue of **EXCHANGE** is March 10, 1993. Onsite contributors may submit their articles to MS 2602 or by sending a OfficeVision note or document to JUD. Offsite contributors may mail their contributions to EG&G Idaho, Inc., **EXCHANGE** Editor, P.O. Box 1625, Idaho Falls, ID, 83415-2602.

Every human mind is a great power until awakened by keen desire and by definite resolution to do.

—Edgar Roberts—

WORKSTATION NEWS

More on Workstation Password Expiration

Tom McKay, Scientific Systems

As indicated in the February **EXCHANGE**, automatic password expiration has been implemented on the workstations. Security requirements dictate that the password must be changed at least once every 6 months. These workstations are those for which the user-ID accounts are administered by Computer Registration and Computer Security (CRCS) (i.e., workstations that use the Network Information Service (NIS), formerly known as yellow pages). Passwords for the NIS are supplied from the CRAY, which is why the password must be changed on the CRAY, even if you are not registered as a CRAY user. This discussion does not apply to the IBM mainframe password or to passwords used on any systems that do not participate in the NIS service.

Starting approximately 1 month ahead of the scheduled expiration date, you will receive an email notice once a week informing you that your password is about to expire. There will not be any paper notice, so please read your email from time to time. If you receive the notice, it means that your user-ID has been registered with CRCS. It does not imply that you have a CRAY or NIS workstation account. If the workstation you use does not use NIS, simply disregard the notice. If you are not sure, contact your system administrator.

The notice will look something like the following:

From root@gemstone Thu Feb 11 16:10:51 1993

Return-Path: <root@gemstone>

Received: from gemstone.inel.gov (gem-vme) by
santa.inel.gov (4.1/

INEL-WKS-2.0)

id AA14115; Thu, 11 Feb 93 16:10:50 MST

Received: by gemstone.inel.gov (5.61/INEL-WKS-3.0)

id AA53197; Thu, 11 Feb 93 16:11:53 -0700

Date: Thu, 11 Feb 93 16:11:53 -0700

From: root@gemstone (UNICOS Root)

Message-Id: <9302112311.AA53197@gemstone.inel.gov>

To: gln@gemstone

Subject: Password Expiration Notice

Status: O

PASSWORD EXPIRATION NOTICE for CRAY /
Workstation systems

This applies only to the CRAY and to workstations running NIS. It does not apply to the IBM mainframe, workstations not running NIS, the NSFNET gateway (mica), or to personal computers or Macintoshes. Receipt of this notice means your user-ID is registered with CRCS. If your workstation is not served by NIS, please disregard this notice. If you are not sure, please contact your system administrator.

Your CRAY/(NIS) workstation password will expire on Wednesday, Mar 10, 1993.

To continue uninterrupted access to the CRAY and/or the workstation(s), login to the CRAY and use the passwd command to change your password.

Note when you change your password, the change is immediate on the CRAY, but does not take effect on the workstation(s) until the next day.

Please call Scientific User Services at (208) 526-9440 if you have any questions, or send email to consult@inel.gov. OfficeVision users may send a note to User-ID SSUS.

If you no longer need the computer account, please call CRCS at (208) 526-9949, send email to cracs@inel.gov, or OfficeVision note to CRCS.

To change your password, login to the CRAY using the same user-ID and password that you normally use on the workstation. To reach the CRAY, type **telnet cray** or **telnet gem**. If you are a CRAY user, use the **passwd** command. You will be prompted as required. If you are not a CRAY user, you can still login to the CRAY and either change your password or display the password expiration date, as indicated in the following example:

telnet cray

login:tkm (substitute your user-ID)

password:xxxxxx (tkm's old password—you would enter your password)

You are NOT registered to access this machine.

UN=tkm,UID=204,GID=204,NAME=Tom McKay

To register, call (208) 526-9949. You may however execute the following commands:

0 = exit

1 = passwd (change your password)

2 = whenx (check password expiration date)

Please enter your choice ==> 2

The password for tkm will expire on Wednesday, March 10, 1993.

WORSTATION NEWS (continued)

When you change your password, the change is immediate on the CRAY. However, the new password will not be in effect on the workstations until the following day. Therefore, **please avoid letting your password expire** because even though you can get onto the CRAY to change it after it has expired, you cannot login to the workstations until the new password takes effect! Plans are underway to update passwords between the CRAY and the workstations on a more frequent basis.

You may change your password any time on the CRAY, but not more than once per week.

We have noted that many registered workstation users have their email going to the CRAY. If you are one of these and you do not have an account on the CRAY, **you cannot read your mail**. If this is the case, please contact **J. A. Rich** at (208) 526-0505 or **Scientific User Services** at (208) 526-9440 to have your mail address moved to your workstation, otherwise you will not see the password expiration notice!

For more information, please see "User Specified Passwords on the Workstations" in the February 1993 issue of **EXCHANGE**. If you have questions, please notify Scientific User Services.

Training Center Course Schedule for April 1993

			1 WordPerfect Inter 8-5*** OfficeVision Intro 1-5 MS DOS Intro 8-12	2 Windows 8-12*** WordPerfect Intro 8-5 Windows 1-5***
5 DBASE IV Intro 8-5*** PC Concepts 8-12 MS DOD Intro 1-5	6 EITC Reserved	7 WordPerfect Inter 8-5 Virus Control 8-10* Virus Control 10-12*	8 ORPS 1-5 WordPerfect Intro 8-4 Virus Control 8-10 Virus Control 10-12 EITC Reserved	9 Freelance I (Charting) 8-5*** MS DOS Batch Files 1-5 MS DOS Inter 8-12
12 WordPerfect Inter 8-5 WP/Windows Intro 8-5***	13 PC Concepts 8-11:30* OfficeVision Intro 12-4* Windows 8-12*** WP/Windows Trans. 1-5***	14 DBASE IV Intro 8-5*** Office Vision Intro 8-12 Virus Control 1-3 Virus Control 3-5	15 PC Concepts 8-12 MS DOS Intro 1-5	16 DBASE IV Reports 8-5*** WP Tables 8-12 WP Graphics 1-5
19 WordPerfect Intro 8-5 Lotus Intro 8-5***	20 Excel Intro 8-5*** MS DOS Intro 8-12 MS DOS Inter 1-5	21 DBASE IV Inter 8-5*** MS DOS Batch Files 1-5	22 Windows 1-5*** PC Concepts 1-5 MS DOS Intro 8-11:30* MS DOS Inter 12-4*	23 WordPerfect Inter 8-5*** MS DOS Inter 8-12
26 Mac Intro 8-5 Virus Control 8-10* Virus Control 10-12* Freelance II Drawing 8-5***	27 WordPerfect Intro 8-5 WordPerfect Inter 8-4* Windows 8-12*** Windows 1-5***	28 WP Macros 8-12*** WP Merge 1-5*** MS DOS Batch Files 12-4*	29 Freelance III (Pres.) 1-5*** DBASE IV Intro 8-5 PC Concepts 8-12* Office Vision Intro 12-4* WP/Windows Trans. 8-12***	30 Instructor Meeting-No classes scheduled.

For enrollment or additional information, contact Computer Training Center on 526-9033.

Note: Classes are scheduled on an "as needed" basis and are subject to change. Classes also scheduled for groups upon request. Training centers available for special needs. Call 526-9033 for information.

* Classes will be held at CFA-606 Room 112.

*** Classes will be held at Eastern Idaho Technical College Room 146.

All other classes will be held at WCB Computer Training Center (WCB W2 F4).

Please note that the temporary reduction in the number of classes being offered is due to our support of and participation in the DOE LAN Project. We apologize for any inconvenience this may cause, and hope to resume our normal schedule next quarter.

PC NEWS

The articles in this section contain suggestions for more productive use of personal computers (PCs). Since articles for this section are collected and edited by EG&G Idaho, Inc., New Customer Applications Unit, but distributed within other companies and the U.S. Department of Energy, specific questions regarding the use of hardware and software should be directed to the PC Representative for your Company who is available to answer questions and help resolve problems. For example, the EG&G Idaho PC Hotline (526-INFO) is available to answer questions and resolve problems for the EG&G Idaho PC users. The WINCO IC Hotline (526-3359) performs the same function for Westinghouse Idaho Nuclear Company, Inc.

Microsoft Word Version 5.1a—Button Bar

Nyle Elison, Computer Training

Microsoft Word for the Macintosh has a new interim release, Version 5.1a. This release offers such added features as a toolbar, which can be customized, text annotations, drop cap fonts, and charts that can be created with MS Graph (comes with the interim release). Perhaps the nicest of the new features is the button bar.

The button bar allows you to save, retrieve, print, and open a new file with the simple click of a button. It also allows you to print on envelopes in 11 different sizes and save information so that you only have to type in the same name and address once.

To create an envelope, click on the envelope button from the toolbar. A window will appear with text boxes for the return and mailing address. After keying in the appropriate address, click on the print button. In the normal page setup window, there is a new option. In the bottom right corner, a list box appears with the choices for the eleven most commonly used envelope sizes. These sizes include

- C5 (162 x 229 mm)
- C6 (114 x 162 mm)
- C65 (114 x 229 mm)
- DL (110 x 220 mm)
- Italian (110 x 230 mm)
- Monarch (3 7/8 x 7 1/2 in.)
- Size 10 (4 1/8 x 9 1/2 in.)
- Size 11 (4 1/2 x 10 3/8 in.)
- Size 12 (4 3/4 x 11 in.)
- Size 6 3/4 (3 5/8 x 6 1/2 in.)
- Size 9 (3 7/8 x 8 7/8 in.)

Select the envelop size and then click the print button.

If you are going to use the address repeatedly, you may want to add it to a permanent list of addresses. To do this, click on the addresses button in the envelope window, key in the new address name with the complete name and address below. Click OK to save the name to the address list. If you have any questions, please contact Nyle Elison at (208) 526-6738 or send an OfficeVision note to NVE.

When You Move...

Please let us know your new mailing address. This will ensure your receiving **EXCHANGE** on a timely basis and also save us postage costs. Thank you.

DOS TIPS

File Attributes Can Provide You Greater Flexibility

Vera Honena, Computer Training

Do you have files you never want deleted? Do you share files with your coworkers and want to be sure that the file contents are not changed? If so, use the DOS **Attrib** command and make the file read-only. Once the file is read-only, you will still be allowed to retrieve and then edit the file in memory; however, you will not be allowed to save the file with the same filename or delete the file. Follow these steps to make your file read-only:

1. Change to the directory containing the file.
2. Type **attrib**
3. Press **spacebar**
4. Type **+r**
5. Press **spacebar**
6. Type the name of the file
7. Press **enter**.

To turn off the read-only file attribute, perform Steps 1 through 3, change Step 4 to a **-r**, and then complete Steps 5 through 7. The **attrib** command works in any version of DOS.

Steps to view the attributes for a file include the following:

1. Change to the directory containing the file.
2. Type **attrib**
3. Press **spacebar**
4. Type the name of the file
5. Press **enter**.

The **r** represents the read-only attribute.

For more information, please contact Vera Honena at (208) 526-0539 or send a note to OfficeVision VVH.

SOFTWARE TIPS

Constructing a Personal WordPerfect Dictionary

Teresa Gruen, Information Systems Development Team

There are many words not found in the WordPerfect Dictionary, even when spelled correctly. Examples of these are proper names, job-specific terminology, and acronyms. During a WordPerfect spell check, the spell utility will pause and offer suggestions for a word it cannot find in its dictionary. To avoid unnecessary pauses during a spell check, commonly used words can be stored into a personal WordPerfect dictionary.

Words can be added to the dictionary during a spell check by entering the [3] **Add** key when the speller stops on a word it cannot locate in the dictionary. This will add the word to the dictionary so that the next time the speller reaches the word, it will be acknowledged as correctly spelled.

To modify words in the dictionary, press [F5] **List Files** to retrieve a list of the WordPerfect program files.

Move to the WP51 directory and retrieve a file named WP{WP}US.SUP. If you are working on a network, there will be a personal dictionary file for each user on the network. The name will be formatted to appear as "WPXXX}US.Sup," with the XXX representing each different user-ID.

This file will contain an alphabetical listing of the words that have been added to the supplementary dictionary. The words in the file can be either added to, modified, or erased from the list.

After all your changes have been made, enter [F7] **Exit** and save the file. All your changes will be reflected the next time the spell check is operated.

If you have any further questions, please contact Teresa Gruen at (208) 526-8026, or send an OfficeVision note to TEG.

Windows Shortcuts

Nancy Cox, PC Hotline

The following list contains some shortcuts that can make running Windows a little easier and a lot faster:

- Alt or F10—Activates an applications menu bar.
- Alt + (Letter)—Drops down a menu with a corresponding underline letter. For example, Alt + F, activates the file.
- Enter—Selects a choice that is highlighted on a menu or in a dialog box.
- Esc—Closes dialog box or drop-down menu without taking an action.
- Alt + Esc—Switches to another application running under Windows in a round-robin fashion each time you press this combination.
- Ctrl + Esc—Brings up the task list dialog box.
- Alt + F4—Closes the current application. If this is the program manager, you can exit Windows after confirmation.
- Ctrl + F4—Closes a child window in Windows applications that support the multiple document interface.
- Alt + Hyphen—Pulls down an application's document control menu (not to be confused with the control menu).
- PrintScreen—Copies the entire screen to the clipboard.
- Alt + PrintScreen—Copies only the active window to the clipboard.
- Spacebar—Toggles a highlighted check box in a dialog box.
- Alt + Spacebar—Pulls down the control menu.
- Tab—Moves the highlight (a dotted rectangular box) to the next choice in a dialog box.
- Shift + Tab—Moves the selection cursor in reverse order.
- Alt + Tab—Switches to the open application you were in before the present application. Switches back when pressed again.
- Alt + Tab + Tab—Switches in turn to every open application (same as Alt + Esc) and displays the title bar only. Release Esc to redraw window.
- Ctrl + Tab—Jumps to the next child window in an application that supports the multiple document interface.

If you have any questions about these commands, or find that they are not working for you, contact PC Support at (208) 526-INFO (4636), Option 2, Selection 1.

**Contribute PC News articles to
Teresa Gruen at 526-8026,
OfficeVision user-ID TEG, or
MS 1602.**

**DATE
FILMED**

6 / 24 / 93