WSRC-TR--91-381

DE92 009645

WSRC-WASTE AND ENVIRONMENTAL ANALYTICAL METHODS (U)

by

W. A. Spencer

Westinghouse Savannah River Company
Savannah River Site
Aiken, South Carolina 29808

Received by OSTI
MAR 16 1992

A Technical Report for publication on
July 12, 1991

This paper was prepared in connection with work done under Contract No. DE-AC09-89SR18035 with the U.S. Department of Energy. By acceptance of this paper, the publisher and/or recipient acknowledges the U.S. Government's right to retain a nonexclusive, royalty-free license in and to any copyright covering this paper, along with the right to reproduce and to authorize others to reproduce all or part of the copyrighted paper.

MASTER

EB

ALL INFORMATION CONTAINED HEREIN IS UNCLASSIFIED

**Westinghouse Savannah River Company
Savannah River Site**

WSRC-TR-91-381

Keywords:
analytical methods
waste characterization
environmental analyses

Retention Period:
Permanent

May 22, 1991

To: J.L. Steele, WSRC, OTD Technical Program Manager

From: W.A. Spencer

WSRC Waste and Environmental Analytical Methods (U)

WSRC uses 491 analytical procedures to directly support waste and environmental analytical work. A list of WSRC analytical methods is attached. The list is available from the author as a lotus or excel spreadsheet file. Copies of the actual procedures may be obtained by onsite personnel through the procedure coordinators for each laboratory. Procedures may also be obtained from the WSRC Information Services Section. Offsite personnel should request procedures through the DOE-SR Waste Management Technology Branch.

Procedures primarily used for production support are not included in the list. WSRC maintains approximately 1000 analytical procedures for production support. The production procedures compliment the waste and environmental procedures. For example, most reagent preparations and many administrative procedures are provided in the production support analytical procedures. Procedures for facility operations, QA, accountability, safety, HP, property, and other management controls are not listed except if they specifically dealt with waste handling. Many of these other procedures cover basic lab services, building equipment, and systems that would be necessary to safely operate a laboratory. A comprehensive overview of WSRC procedures system can be obtained through the WSRC Management Integration Section.

The WM/EM procedures were sorted according to the following categories:

<u>Abbreviation</u>	<u>TYPE</u>	<u>NUMBER</u>
adm	administrative	30
em	environmental monitoring	100
eps	environmental process support	28
erd	environmental R&D	23
wch	waste characterization	67
wpk	waste packaging - lab wastes	22
wps	waste process support	125
wrd	waste R&D	96

AUTHORIZED DERIVATIVE CLASSIFIER:
unclassified

The data was sub-sorted by work group. The group indicates the primary WSRC user group. Because WSRC lab groups divide along process or environmental material lines, the group indicates whether the procedure is being used in a facility suitable for radioactive samples. The groups are identified below. The group indicates the mostly likely type of sample, high activity alpha (grams of Pu), beta or tritium (few curies/liter), or high gamma materials (needing shielded cells). For example SRL (-IWT, -DWPT, -ADS), DWPF, and the AL- Separations process labs all have access to high activity shielded cells. SRL-ADS and AL-Separations labs have glovebox access. Almost all ADS, DWPF, and AL labs have analytical instruments which are contained to measure radioactive materials where as most environmental labs have instruments suitable for only trace levels of radioactivity.

<u>Abbreviation</u>	<u>Group</u>	<u>Primary Materials</u>
AL 772D	Process Labs- AL Darea	Heavy Water w/Tritium Process Water Systems Reactor Non-rad
AL Prod	Process Labs - AL Separations	Actinide Production, High Alpha Samples Some High Gamma Moderate Tritium PE and QC samples
AL QC	Process Lab- AL QC	Low Beta Gamma
AL ETF	Process Lab - Effluent Treatment	
ALF-ALL	Process Lab - AL general	
ALF-APA	Process Lab - AL Accountability	High Alpha Samples
ALF-ENG	Process Lab - AL Lab Support	Lab Waste & Materials
ALF-SPC	Process Lab - Sep. Process Control	High Gamma, Alpha
ALF-PIL	Process Lab - Process Instrumentation	High Alpha
AL- Marea	Process Lab - AL Fuel Fabrication	High U, Effluent
DWPF	Process Lab -Defense Waste Process	High Gamma
EM	Environmental Monitoring	Little to no activity
SRL-ADS	SRL - Analytical Development	Mixed R&D High Gamma High Alpha Moderate Tritium
SRL-ETS	SRL - Environmental Technology	Little to no activity Ultratrace & Low Activity
SRL-IWTS	SRL - Interim Waste Technology	Mixed R&D High Activity Waste Contaminated Materials
SRL-DWPT	SRL - DW Glass Technology(773A) SRL - DW Process Technology(TNX)	High Gamma R&D Non-rad Process R&D

Many of the laboratories use similar procedures. In general a waste analysis procedure will first appear in the SRL-ADS group as an R&D procedure for both radioactive and non-radioactive samples. The procedure will be transferred to the SRL-DWPT group at TNX as a non-radioactive method. At TNX the procedure is modified to work in a process environment instead of an R&D one. The TNX lab must make the method efficient enough to support process time commitments. The final waste analyses procedure will be transferred to an AL or DWPF process laboratory where the lessons learned from the both the SRL R&D laboratory and the SRL Pilot operations are combined. The process laboratories primarily work with radioactive samples after "cold" test runs. DWPF laboratory is presently in the "cold" non-radioactive test phase of startup.

The details in a procedure tends to improve as a procedure moves from the R&D laboratory towards the process laboratory. For example in the R&D laboratory general use procedures allowing for many types

of matrices dominate where as in the process labs procedures tend to be specific for the process stream being analyzed.

An additive to process laboratory procedures will be the availability of lesson plans. Both the DWPF and the AL process control laboratories are required to follow the DOE 5480.18 order on accreditation and training of nuclear workers. These laboratories are actively identifying the key elements in their procedures and have already developed full comprehensive lesson plans and training programs to qualify technicians to perform many of the operations in the procedures. The R&D laboratories expect to have some of their technicians fall under the accreditation order. In these instances the R&D laboratories expect to follow the systems developed in the process control laboratories.

All of the WSRC laboratories place a major emphasis on QC programs. The process and environmental laboratories have full blind and double blind standards programs to verify that procedures and technicians are performing as expected. The R&D labs stress that controls must be added by the customer and have a simpler check standard requirement on use of procedures. Many of the procedures describing the QC programs are covered under the QA, production, and accountability procedures and were not identified in the attached list.

The Environmental Monitoring laboratories primarily follow the DOE order 5400.6 for environmental measurements and have not developed lesson plans for procedures at this time. Their procedures follow EPA and DOE-EMSL guidelines and tend to be performance based. The EM procedures are used to monitor the work of offsite contracted laboratories and follow state and EPA required analyses protocols. The "Interim" status of the EM procedures reflects that these procedures are being rewritten to comply with a new procedures format specified by WSRC. The actual procedure on hand follows the previous contractor's [DuPont] format. EM expects to have all procedures converted by fall of '91. Other site laboratories have converted their procedures to the newer formats. Most of the EM radiolytic methods are site versions of the HASL methods.

The SRL-ADS R&D analytical support laboratory is primarily designed for flexibility. This group will set up and use any of the other plant laboratory procedures as needed to backup plant operations. This group will readily use standard procedures developed by recognized offsite committees such as ASTM procedures and those in "Standard Methods for Waste and Water Analyses". Some adaptation is needed to adjust for different instrumentation.

For the most part all of the laboratories tend to have the same equipment. For example Canberra counting systems, HP GCs, and Dionex IC systems are common to R&D and process labs.

The SRL-ADS procedures are unique in that the individual procedures contain sections on training requirements and QC. Where as the process laboratories have external procedures covering training and QC requirements. A feature of many of the SRL-ADS procedures is that the training requirements are tiered to the functions of the user. For example a backup or overtime operator might be qualified to only run the instrument with preset conditions whereas the primary operator may, with special training that is described in the procedure, change the instrument conditions. Many ADS methods require testing and evaluation before use but the systems are not as formal as the process laboratories, at present.

A large number of waste characterization procedures were written as site clones of EPA procedures. This was done to have specific procedures on hand for local equipment and meet EPA guidelines for good laboratory practise. Many of the "EPA" procedures in the SRL-ADS group have had only limited testing on radioactive materials at this time. However this is an area of active research and all of the methods are expected to be fully checked out during the next three years.

The DWPF analytical procedures are designed to be used in highly radioactive environment. However the DWPF facility, which is the high activity glass vitrification facility, has not handled radioactive material at this time. The procedures are being thoroughly tested in cold runs using the hot cells and synthetic

samples. All of the DWPF procedures were run on radioactive R&D materials in SRL and are used as process support samples at TNX. Actual radioactive samples are expected in the next three years when DWPF starts processing real waste. The "DRAFT" status of a DWPF procedures indicates that the laboratory has a recommended procedure from SRL or has developed one themselves but that the procedure has not been accepted for process control use during startup runs.

The SRL - ETS procedures are primarily used to determine native backgrounds of non-contaminated areas. These analyses tend to be highly research oriented. The lab uses the best available technology and many of their methods would not be suitable for high volumes or routine use. Time of analyses is generally not a factor and very long analyses times can occur. For example a counting time of several weeks can occur with some of the ETS samples.

Several methods used in characterizing or monitoring WSRC materials are performed by offsite laboratories and their procedures are not listed. Chemical analyses in support of site environmental monitoring (EM) are primarily done by offsite laboratories. Analyses for characterizing non-radioactive hazardous wastes are done by offsite laboratories. These laboratories are required to follow standard EPA methods with the exception that they may request a deviation from us. The lab must have approval by the state for deviations to a method. For the most part the offsite analytical laboratories closely follow the EPA method for NPDES requirements as these are the ones primarily checked by the state. The offsite laboratories are monitored with a blind sample compliance program and procedures for these operations are listed.

WSRC will also send samples to offsite laboratories for special analyses such as corrosion testing or R&D analyses by specialized laboratories. Those analytical methods are not listed.

cc:

L.M. Papouchado, 773A
C.E. Coffey, 773A
J.G. Donnan, 772-3F
J.D. Heffner, 735A
R.H. Young, 735-11A
K. Andringa, 773-41A
P.F. Cloessner, 773A
J.E. Young, 773A
A.R. Jurgensen, 773A
J.S. Roberts, 742A
W.R. Jacobsen, 772-3F
E.L. Graf, 704S
H.A. Helms, 704A
M.A. Ebra, 704H
B. D. Helton, 773-41A
J.T. Coleman, 773-41A
D. Hiland, 773-41A
G. Street, 773-41A
D. Plung, MSD Woodside
SRL RECORDS (4)

M.G. O'Rear, DOE-SR
P. Jenkins, DOE-SR
T. Dyches, DOE-SR

offsite: Daniel Lillian, DOE-LMB
Barry Lesnick, DOE-LMB
Don Bogen, DOE-EML

Tom Gesell, DOE-RESL
Stan Morton, DOE-RESL

FAST TEAM:

Ernest Gladney, Los Alamos, HSE-9
Craig Leasure, Los Alamos HSE-9
Curtis Stroup, WHO
Peter Lindahl, Argonne
Jim Stokely, ORNL y12
Roy Morrow, ORNL k25
Janine Arvizu, INEL
Steven Brown, INEL
Herbert Sutter, SAIC

Page 1

A				B		C	D	E	F	G	
1	*Doc	*Index	*Rev	*Issued	*Owner	*Cat	*Title				
38	L3.9	4P 22.2	0	11/1/89	AL 772D	em	Water and Media: pH, Orion Model EA 940				
39	3Q1-4	2010	0	Interim	EM	em	PREPARATION AND RADIOCHEMICAL ANALYSIS OF STACK AIR SAMPLES				
40	3Q1-4	2020	0	Interim	EM	em	DETERMINATION OF AMERICIUM AND CURIUM IN STACK AIR FILTER SAMPLES				
41	3Q1-4	2030	0	Interim	EM	em	RADIOACTIVE PARTICULATE DETERMINATION OF AIR				
42	3Q1-4	2040	0	Interim	EM	em	PREPARATION OF AIR FILTERS FOR RADIOCHEMICAL ANALYSIS				
43	3Q1-4	2050	0	Interim	EM	em	DETERMINATION OF STRONTIUM IN AIR				
44	3Q1-4	2060	0	Interim	EM	em	DETERMINATION OF STRONTIUM IN STACK AIR FILTER SAMPLES				
45	3Q1-4	2070	0	Interim	EM	em	DETERMINATION OF TRITIUM (HTO) IN AIR				
46	3Q1-4	2080	0	Interim	EM	em	DETERMINATION OF URANIUM AND PLUTONIUM IN AIR (TIOA Extraction Method)				
47	3Q1-4	2090	0	Interim	EM	em	DETERMINATION OF PLUTONIUM (2-Inch Diameter Filter)				
48	3Q1-4	2100	0	Interim	EM	em	DETERMINATION OF URANIUM AND PLUTONIUM IN STACK AIR FILTER SAMPLES				
49	3Q1-4	2110	0	Interim	EM	em	DETERMINATION OF RADIOACTIVE STRONTIUM IN ENVIRONMENTAL SAMPLES				
50	3Q1-4	2115	0	Interim	EM	em	PREPARATION OF BIOLOGICAL SAMPLES FOR GAMMA ANALYSIS AND RADIOCHEMICAL ANALYSES				
51	3Q1-4	2120	0	Interim	EM	em	DETERMINATION OF TOTAL RADIOSTRONTIUM				
52	3Q1-4	2200	0	Interim	EM	em	GAMMA DETERMINATION (Spectrometry)				
53	3Q1-4	2220	0	Interim	EM	em	GAMMA DETERMINATION OF FOODS				
54	3Q1-4	2240	0	Interim	EM	em	DETERMINATION OF TRITIUM (HTO) IN FOOD				
55	3Q1-4	2260	0	Interim	EM	em	DETERMINATION OF URANIUM AND PLUTONIUM IN FOOD (TIOA Extraction Method)				
56	3Q1-4	2330	0	Interim	EM	em	STRONTIUM-90 DETERMINATION IN MILK				
57	3Q1-4	2340	0	Interim	EM	em	DETERMINATION OF TRITIUM (HTO) IN MILK				
58	3Q1-4	2350	0	Interim	EM	em	DETERMINATION OF GAMMA EMITTERS IN MILK				
59	3Q1-4	2360	0	Interim	EM	em	134, 137 Cs DETERMINATION IN MILK				
60	3Q1-4	2410	0	Interim	EM	em	PREPARATION OF SOIL SAMPLES FOR LABORATORY ANALYSIS				
61	3Q1-4	2412	0	Interim	EM	em	SOIL AND VEGETATION SAMPLE PREPARATION FOR STRONTIUM AND PLUTONIUM ANALYSIS FUSION METHOD				
62	3Q1-4	2420	0	Interim	EM	em	DETERMINATION OF PLUTONIUM IN SOIL				
63	3Q1-4	2430	0	Interim	EM	em	GAMMA EMITTERS AND PLUTONIUM IN SEDIMENT				
64	3Q1-4	2440	0	Interim	EM	em	STRONTIUM-90 IN SOIL				
65	3Q1-4	2510	0	Interim	EM	em	DETERMINATION OF GROSS ALPHA AND BETA ACTIVITY IN VEGETATION				
66	3Q1-4	2520	0	Interim	EM	em	DETERMINATION OF GROSS BETA ACTIVITY				
67	3Q1-4	2530	0	Interim	EM	em	DETERMINATION OF GAMMA EMITTERS IN VEGETATION				
68	3Q1-4	2535	0	Interim	EM	em	DETERMINATION OF GAMMA EMITTERS IN ALGAE				
69	3Q1-4	2540	0	Interim	EM	em	DETERMINATION OF URANIUM AND PLUTONIUM IN VEGETATION (TIOA Extraction Method)				
70	3Q1-4	2550	0	Interim	EM	em	Alternative Method of Vegetation and Sample Preparation for Strontium and Plutonium Analysis Leach Method				
71	3Q1-4	2570	0	Interim	EM	em	DETERMINATION OF TRITIUM (HTO) IN VEGETATION				
72	3Q1-4	2610	0	Interim	EM	em	GROSS NONVOLATILE ALPHA AND BETA DETERMINATIONS IN WATER				
73	3Q1-4	2620	0	Interim	EM	em	DETERMINATION OF TOTAL ACTIVITY IN WELL WATER				
74	3Q1-4	2630	0	Interim	EM	em	DETERMINATION OF GAMMA EMITTERS IN WATER				

A		B	C	D	E	F	G
1	*Doc	*Index	*Rev	*Issued	*Owner	*Cat	*Title
75	3Q1-4	2640	0	Interim	EM	em	ALPHA, BETA, AND GAMMA DETERMINATIONS IN RAINWATER
76	3Q1-4	2650	0	Interim	EM	em	PREPARATION OF RIVER WATER COMPOSITES FOR STRONTIUM AND PLUTONIUM ANALYSIS
77	3Q1-4	2660	0	Interim	EM	em	CHEMICAL SEPARATION OF PLUTONIUM FROM RAIN OR RIVER WATER
78	3Q1-4	2670	0	Interim	EM	em	DETERMINATION OF CESIUM-134, 137 IN WATER
79	3Q1-4	2680	0	Interim	EM	em	PROMETHIUM-147 DETERMINATION
80	3Q1-4	2690	0	Interim	EM	em	DETERMINATION OF PHOSPHORUS-32 IN WATER
81	3Q1-4	2750	0	Interim	EM	em	DETERMINATION OF SULFUR-35 IN WATER
82	3Q1-4	2760	0	Interim	EM	em	DETERMINATION OF TRITIUM (HTO) IN WATER
83	3Q1-4	2780	0	Interim	EM	em	DETERMINATION OF URANIUM AND PLUTONIUM IN WATER (TIOA Extraction Method)
84	3Q1-4	2790	0	Interim	EM	em	DETERMINATION OF URANIUM AND PLUTONIUM IN WATER (HEXONE EXTRACTION METHOD)
85	3Q1-4	2800	0	Interim	EM	em	DETERMINATION OF AMERICIUM AND CURIUM IN WATER
86	3Q1-4	2900	0	Interim	EM	em	NEUTRALIZATION OF ORGANIC WASTE
87	3Q1-4	3050	0	Interim	EM	em	PREPARATION OF NITRIC ACID SOLUTIONS
88	3Q1-4	3070	0	Interim	EM	em	NITRIC ACID - BORIC ACID SOLUTION
89	3Q1-4	3110	0	Interim	EM	em	PREPARATION OF HYDROCHLORIC ACID SOLUTION
90	3Q1-4	3120	0	Interim	EM	em	3N HYDROCHLORIC ACID - 0.1N HYDROFLUORIC ACID
91	3Q1-4	3180	0	Interim	EM	em	.05 M PHOSPHOTUNGSTIC ACID
92	3Q1-4	3250	0	Interim	EM	em	PREPARATION OF AMMONIUM HYDROXIDE SOLUTIONS
93	3Q1-4	3251	0	Interim	EM	em	1.99 AMMONIUM HYDROXIDE
94	3Q1-4	3270	0	Interim	EM	em	PREPARATION OF SODIUM HYDROXIDE
95	3Q1-4	3300	0	Interim	EM	em	PREPARATION OF SODIUM CARBONATE SOLUTION
96	3Q1-4	3360	0	Interim	EM	em	EDTA - SODIUM HYDROXIDE SOLUTION 0.242M EDTA IN 0.85M NaOH)
97	3Q1-4	3380	0	Interim	EM	em	PREPARATION OF 1M DTPA
98	3Q1-4	3400	0	Interim	EM	em	PREPARATION OF 15% HYDROGEN PEROXIDE REAGENT
99	3Q1-4	3410	0	Interim	EM	em	PREPARATION OF 10% TIOA SOLUTION 0% Trisocyclamine in Xylene)
100	3Q1-4	3430	0	Interim	EM	em	40% HEXANOL IN LIQUID SCINTILLATION COCKTAIL (READY SOLV NA OR EQUIVALENT)
101	3Q1-4	3450	0	Interim	EM	em	PREPARATION OF HDEHP SOLUTION
102	3Q1-4	3480	0	Interim	EM	em	PREPARATION OF 1M NITRIC ACID - 90% METHANOL
103	3Q1-4	3490	0	Interim	EM	em	PREPARATION OF 0.5M NITRIC ACID - 70% METHANOL
104	3Q1-4	3560	0	Interim	EM	em	PREPARATION OF AMMONIUM IODIDE 0.05 M REAGENT
105	3Q1-4	3600	0	Interim	EM	em	PREPARATION OF 10% AMMONIUM MOLYBDATE SOLUTION
106	3Q1-4	3700	0	Interim	EM	em	PREPARATION OF CERIUM CARRIER SOLUTION
107	3Q1-4	3710	0	Interim	EM	em	CESIUM CARRIER SOLUTION, 1 MG CS/M
108	3Q1-4	3720	0	Interim	EM	em	IRON CARRIER SOLUTION, 5 MG FE/M
109	3Q1-4	3730	0	Interim	EM	em	STRONTIUM CARRIER SOLUTION, 20 MG SR/M
110	3Q1-4	3740	0	Interim	EM	em	ZIRCONIUM CARRIER SOLUTION, 20 MG ZR/M
111	3Q1-4	3750	0	Interim	EM	em	SODIUM PHOSPHATE HEPTAHYDRATE CARRIER SOLUTION - 0.05 MG P/M

	A	B	C	D	E	F	G
	*Doc	*Index	*Rev	*Issued	*Owner	*Cat	*Title
1							
112	3Q1-4	3760	0	Interim	EM	em	AMMONIUM SULFATE CARRIER SOLUTION, 25 MG SO ₄ /ML
113	3Q1-4	3770	0	Interim	EM	em	BARIUM CHLORIDE SOLUTION, 50 MG/ML
114	3Q1-4	3800	0	Interim	EM	em	PREPARATION OF 1M SODIUM BROMATE
115	3Q1-4	3810	0	Interim	EM	em	PREPARATION OF 2.8M ALUMINUM NITRATE WITH 0.1% TPAH
116	3Q1-4	3900	0	Interim	EM	em	PREPARATION OF DISTILLED P-4A WATER
117	3Q1-4	3910	0	Interim	EM	em	PREPARATION OF 7.5 pH-ADJUSTED DISTILLED WATER
118	3Q1-4	4100	0	Interim	EM	em	OPERATION OF METTLER PE 3600 BALANCE
119	3Q1-4	4110	0	Interim	EM	em	OPERATION OF A MUFFLE FURNACE
120	3Q1-4	4610	0	Interim	EM	em	OPERATION OF PLUM PITTER
121	3Q1-4	5010	0	Interim	EM	em	RADIOACTIVE SPIKE AND STANDARDS PREPARATION
122	3Q1-4	5020	0	Interim	EM	em	Sr-90 STANDARDS PREPARATION
123	3Q1-4	5030	0	Interim	EM	em	I-131 STANDARDS PREPARATION
124	3Q1-4	5040	0	Interim	EM	em	Cs-137 STANDARDS PREPARATION
125	3Q1-4	5050	0	Interim	EM	em	Pu-238 STANDARDS PREPARATION
126	3Q1-4	5060	0	Interim	EM	em	U-235 STANDARDS PREPARATION
127	3Q1-4	5070	0	Interim	EM	em	Am-241 STANDARDS PREPARATION
128	3Q1-4	5080	0	Interim	EM	em	S-35 STANDARDS PREPARATION
129	3Q1-4	5310	0	Interim	EM	em	OPERATION OF THE GAS FLOW PROPORTIONAL COUNTER
130	3Q1-4	5340	0	Interim	EM	em	URANIUM IN WATER BY KINETIC PHOSPHORIMETRY
131	L3.9	4H 21.1	0	8/1/82	AL 772D	eps	Water: HARDNESS, Alternate Procedure for Highly Colored Samples of Water
132	L3.9	4O 21.0	1	9/1/82	AL 772D	eps	Water: OIL and Grease, Gravimetric, Separatory Funnel Extraction
133	L3.9	4O 82.1	0	7/1/83	AL 772D	eps	Waste Water: 5-Day Biochemical OXYGEN Demand
134	L3.9	4O 82.2	1	04/20/80	AL 772D	eps	Winkler Cross Check with Dissolved OXYGEN Meter
135	L3.9	4S 53.1	1	04/20/80	AL 772D	eps	SOLIDS: Non-Filterable and Volatile Non-Filterable
136	L3.2	7A 10.0	0	5/18/89	AL ETF	eps	ETF Nitric Acid: Total ACIDITY, Mettler DL40GP Memotitrator Method
137	L3.2	7A 15.0	0	5/18/89	AL ETF	eps	ETF Simultaneous Determination of Gross ALPHA, Beta, and Gamma Radioactivity in Aqueous Samples
138	L3.2	7A 40.0	0	5/18/89	AL ETF	eps	ETF Evaporator Bottoms and Overheads: AMMONIUM Analysis, ISE Method
139	L3.2	7A 45.0	0	5/25/89	AL ETF	eps	ETF ANION Determinations; Ion Chromatographic Method
140	L3.2	7C 40.0	0	5/25/89	AL ETF	eps	Reverse Osmosis Feed: Total Residual CHLORINE Analysis, ISE Method
141	L3.2	7C 41.0	0	9/19/89	AL ETF	eps	ETF Determination of CHLORIDE (CL-) Ion in Aqueous Samples Using the Ion Selective Electrode Technique
142	L3.2	7C 93.0	0	9/19/89	AL ETF	eps	ETF CONDUCTIVITY; Electrolytic Method
143	L3.2	7D 30.0	0	5/25/89	AL ETF	eps	F/H ETF Process Solution DENSITY: Digital Density Meter
144	L3.2	7H 50.0	0	5/25/89	AL ETF	eps	ETF Free HYDROXIDE and Aluminate Determination: Mettler DL40GP Memotitrator Method
145	L3.2	7M 25.0	0	5/18/89	AL ETF	eps	ETF Low Level MERCURY Determination; Cold Vapor Mercury Analyzer
146	L3.2	7M 26.0	0	5/18/89	AL ETF	eps	ETF Inductively Coupled Plasma - Atomic Emission Spectrometric METHOD
147	L3.2	7O 40.0	0	5/18/89	AL ETF	eps	F/H ETF Waste Water and Process Streams OIL/Grease Measurements
148	L3.2	7P 40.0	0	5/18/89	AL ETF	eps	F/H ETF Waste Water and Process Streams pH Measurements

A		B		C		D		E		F		G	
	*Doc	*Index	*Rev	*Issued	*Owner	*Cat	*Title						
1	L3.2	7S 40.0	0	5/18/89	AL ETF	eps	F/H ETF Filtration Permeate: SILT Density Index						
149	L3.2	7S 50.0	0	5/18/89	AL ETF	eps	ETF SODIUM Hydroxide, Aqueous: Mettler DL40GP Mamotitrator Method						
150	L3.2	7S 84.0	0	01/12/90	AL ETF	eps	ETF Total SOLIDS Determination						
151	L3.2	7S 85.0	0	5/18/89	AL ETF	eps	ETF Total Settleable SOLIDS Determinations; Volume Percent Centrifugal Method						
152	L3.2	7S 87.0	0	4/1/89	AL ETF	eps	F/H ETF Process Streams Total Suspended SOLIDS (mg/L and Weight Percent) Methods						
153	L3.2	7T 85.0	0	5/18/89	AL ETF	eps	F/H ETF Filtration Permeate: TURBIDITY; Turbidimetric Method						
154	L3.10	3A 10.0	0	9/12/89	AL Marea	eps	Purgeable AROMATICS: Gas Chromatographic Method						
155	L3.10	3A 40.0	0	04/24/90	AL Marea	eps	Chloride, Phosphate, Nitrate, Nitrite, and Sulfate in STPB and ST Ion Chromatography Method						
156	L3.7	3C 35.0	0	6/14/89	AL Marea	eps	Chloride, Phosphate, Nitrate and Sulfate in Waste Water: Ion CHROMATOGRAPHY Method						
157	L3.7	3H 10.0	0	6/19/89	AL Marea	eps	Purgeable HALOCARBONS: Gas Chromatographic Method						
158	677T-file	677T-70166	0	12/1/84	SRL-DWPT	erd	Procedure for Determining Total Suspended Solids-ETF Samples						
159	L15.10	-4			SRL-ETS	erd	Resin Bead Freeze Drying Procedure						
160	L15.10	-2			SRL-ETS	erd	Filament Electroplating Procedure						
161	L15.9	-20			SRL-ETS	erd	S-HPGe/1 Preparation of Charcoal Samples (I-129/I31) for Counting on HPGe						
162	L15.9	-19			SRL-ETS	erd	S-C14/1 Analysis of Mal-Co-Sorb Absorbant for Carbon-14						
163	L15.9	-18			SRL-ETS	erd	S-Tc99/1 Analysis of Stack Off-Gas Samples for Technetium-99						
164	L15.9	-17			SRL-ETS	erd	SI129/1 Analysis of Surface Water Samples for I-129						
165	L15.9	-16			SRL-ETS	erd	S-DWPF/1 Radiometric Analysis of DWPF Mercury						
166	L15.9	-15			SRL-ETS	erd	ETSP R-1 Radiometric Analysis of Solvent Waste Solution						
167	L15.9	-14			SRL-ETS	erd	S-WAT/3 Analysis of Well Water for Carbon-14						
168	L15.9	-13			SRL-ETS	erd	S-WMT/1 Total Activity Analysis of Mixed Liquid Waste						
169	L15.9	-12			SRL-ETS	erd	S-FILT/1 Uranium Analysis of Air Filters by Solvent Extraction, Electroplating, and Alpha Spectrometry						
170	L15.9	-11			SRL-ETS	erd	S-WAT/2a Uranium Determination for "Hard" Water						
171	L15.9	-10			SRL-ETS	erd	S-WAT/2 Uranium Concentration of Surface Water by Uranium/Laser Fluorescence						
172	L15.9	-9			SRL-ETS	erd	S-WAT/1 Analysis of Surface Water Samples by Electroplating/ Alpha Spectrometry for Uranium Content						
173	L15.9	-8			SRL-ETS	erd	ETSP R-1 Radiometric Analysis of Solvent Solution Waste						
174	L15.8	-6			SRL-ETS	erd	Preparation of Environmental Samples for Gamma Counting						
175	L15.9	-5			SRL-ETS	erd	Sample Collection and Preparation for River Samples						
176	L15.8	-5			SRL-ETS	erd	Preparation of U Samples for Mass Spectrometry						
177	L15.9	-5			SRL-ETS	erd	Preparation of Pu Samples for Mass Spectrometry						
178	L15.9	-4			SRL-ETS	erd	Analysis of Environmental Samples for Th						
179	L15.9	-3			SRL-ETS	erd	Analysis of Environmental Samples for U and Pu						
180	L15.9	-2			SRL-ETS	erd	Pu in soil or silt M/S sample preparation						
181	L15.9	-1			SRL-ETS	erd	Sampling Groundwater Wells in Burial Ground						
182	L12.1	IWT-OP-014	4	6/19/86	SRL-IWTS	erd	Oil: TRITIUM						
183	L3.8	4T 85.1	0	8/28/89	AL 772D	wch	Mixed-Liquid Hazardous Waste: Liquid SCINTILLATION Counting						
184	L3.2	BS 20.0	0	01/12/90	AL ETF	wch	Sonic Dismembrator: ULTRASONIC Break-Up of Solids						
185	L3.2	BU 40.0	0	01/12/90	AL ETF	wch							

A		B		C		D		E		F		G	
*Doc	*Index	*Rev	*Issued	*Owner	*Cat	*Title							
186	L4.1	ET 36.2	1	11/01/83	AL ETF	wdh	Flash Point TESTER: Pensky-Martens Closed Tester						
187	L3.7	3E 7.0	0	01/26/90	AL Marea	wdh	Photographic EFFLUENTS: Silver DCAP Atomic Emission Spectroscopy						
188	L3.7	3F 75.0	0	12/21/88	AL Marea	wdh	Waste Oil - FLASH Point: Closed Cup Method						
189	L3.3	8P 61.0	0	01/16/90	AL Prod	wdh	Measurement of Solid Waste in 5 Gallon Pails: Estimation of PLUTONIUM Content by Passive Neutron Coincidence Counting						
190	5Q3.1	2RC 232.3	2	10/01/87	ALF-ENG	wdh	TRU Solid Waste: Nondestructive Analysis by Gamma PHA						
191	L16.1	ADS - 2508	0	9/20/89	SRL-ADS	wdh	Acid Digestion of Aqueous Samples and Extracts for Total Metals for Analysis by FLAA or ICP Spect. -EPA method 3010						
192	L16.1	ADS - 2509	0	11/6/89	SRL-ADS	wdh	Acid Digestion of Aqueous Samples and Extracts for Total Metals for analyses by GFAA Spect. -EPA method 3020						
193	L16.1	ADS - 2510	0	10/13/89	SRL-ADS	wdh	DISSOLUTION PROCEDURE FOR OILS, GREASES, AND WAXES - EPA METHOD 3040						
194	L16.1	ADS - 2511	0	11/6/89	SRL-ADS	wdh	ACID DIGESTION OF SEDIMENTS, SLUDGES, AND SOILS - EPA METHOD 3050						
195	L16.1	ADS - 2512	0	12/18/89	SRL-ADS	wdh	TOXICITY CHARACTERISTIC LEACHING PROCEDURE (TCLP)						
196	L16.1	ADS - 2513	0	7/12/90	SRL-ADS	wdh	INDUCTIVELY COUPLED PLASMA ATOMIC EMISSION SPECTROSCOPY, EPA METHOD 6010						
197	L16.1	ADS - 2514	0	9/19/89	SRL-ADS	wdh	ANTIMONY (ATOMIC ABSORPTION, FURNACE TECHNIQUE), EPA METHOD 7041						
198	L16.1	ADS - 2515	0	9/26/89	SRL-ADS	wdh	ARSENIC (ATOMIC ABSORPTION, FURNACE TECHNIQUE) - EPA METHOD 7060						
199	L16.1	ADS - 2516	0	9/26/89	SRL-ADS	wdh	BARIUM (ATOMIC ABSORPTION, FURNACE TECHNIQUE) - EPA METHOD 7081						
200	L16.1	ADS - 2517	0	10/9/89	SRL-ADS	wdh	CADMIUM (ATOMIC ABSORPTION, FURNACE TECHNIQUE) - EPA METHOD 7131						
201	L16.1	ADS - 2518	0	10/9/89	SRL-ADS	wdh	CHROMIUM (ATOMIC ABSORPTION, FURNACE TECHNIQUE) - EPA METHOD 7191						
202	L16.1	ADS - 2519	0	10/9/89	SRL-ADS	wdh	LEAD (ATOMIC ABSORPTION, FURNACE TECHNIQUE) EPA METHOD 7421						
203	L16.1	ADS - 2521	0	10/9/89	SRL-ADS	wdh	SELENIUM (ATOMIC ABSORPTION, FURNACE TECHNIQUE) - EPA METHOD 7740						
204	L16.1	ADS - 2522	0	11/6/89	SRL-ADS	wdh	SILVER (ATOMIC ABSORPTION, FURNACE TECHNIQUE) - EPA METHOD 7761						
205	L16.1	ADS - 2523	0	10/9/89	SRL-ADS	wdh	THALLIUM (ATOMIC ABSORPTION, FURNACE TECHNIQUE) - EPA METHOD 7841						
206	L16.1	ADS - 2530	0	9/27/89	SRL-ADS	wdh	ALUMINUM (ATOMIC ABSORPTION, DIRECT ASPIRATION) EPA METHOD 7020						
207	L16.1	ADS - 2531	0	11/6/89	SRL-ADS	wdh	ANTIMONY (ATOMIC ABSORPTION, DIRECT ASPIRATION) EPA METHOD 7040						
208	L16.1	ADS - 2533	0	11/6/89	SRL-ADS	wdh	BARIUM (ATOMIC ABSORPTION, DIRECT ASPIRATION) EPA METHOD 7080						
209	L16.1	ADS - 2534	0	10/9/89	SRL-ADS	wdh	BERYLLIUM (ATOMIC ABSORPTION, DIRECT ASPIRATION) EPA METHOD 7090						
210	L16.1	ADS - 2535	0	10/9/89	SRL-ADS	wdh	CADMIUM (ATOMIC ABSORPTION, DIRECT ASPIRATION) EPA METHOD 7130						
211	L16.1	ADS - 2536	0	10/9/89	SRL-ADS	wdh	CALCIUM (ATOMIC ABSORPTION, DIRECT ASPIRATION) EPA METHOD 7140						
212	L16.1	ADS - 2537	0	10/9/89	SRL-ADS	wdh	CHROMIUM (ATOMIC ABSORPTION, DIRECT ASPIRATION) EPA METHOD 7190						
213	L16.1	ADS - 2538	0	10/9/89	SRL-ADS	wdh	COBALT (ATOMIC ABSORPTION, DIRECT ASPIRATION) EPA METHOD 7200						
214	L16.1	ADS - 2539	0	11/6/89	SRL-ADS	wdh	COPPER (ATOMIC ABSORPTION, DIRECT ASPIRATION) EPA METHOD 7210						
215	L16.1	ADS - 2540	0	11/6/89	SRL-ADS	wdh	IRON (ATOMIC ABSORPTION, DIRECT ASPIRATION) EPA METHOD 7380						
216	L16.1	ADS - 2541	0	11/6/89	SRL-ADS	wdh	LEAD (ATOMIC ABSORPTION, DIRECT ASPIRATION) EPA METHOD 7420						
217	L16.1	ADS - 2542	0	11/6/89	SRL-ADS	wdh	MAGNESIUM (ATOMIC ABSORPTION, DIRECT ASPIRATION) EPA METHOD 7450						
218	L16.1	ADS - 2543	0	11/6/89	SRL-ADS	wdh	MANGANESE (ATOMIC ABSORPTION, DIRECT ASPIRATION) EPA METHOD 7460						
219	L16.1	ADS - 2544	0	11/6/89	SRL-ADS	wdh	NICKEL (ATOMIC ABSORPTION, DIRECT ASPIRATION) EPA METHOD 7520						
220	L16.1	ADS - 2545	0	11/6/89	SRL-ADS	wdh	POTASSIUM (ATOMIC ABSORPTION, DIRECT ASPIRATION) EPA METHOD 7610						
221	L16.1	ADS - 2547	0	11/6/89	SRL-ADS	wdh	SILVER (ATOMIC ABSORPTION, DIRECT ASPIRATION) EPA METHOD 7760						
222	L16.1	ADS - 2548	0	10/9/89	SRL-ADS	wdh	SODIUM (ATOMIC ABSORPTION, DIRECT ASPIRATION) EPA METHOD 7770						

A		B		C		D		E		F		G	
Doc	Index	Rev	Issued	Owner	Title								
223	L16.1	ADS - 2549	0	11/6/89	SRL-ADS	wdh							THALLIUM(ATOMIC ABSORPTION, DIRECT ASPIRATION) EPA METHOD 7840
224	L16.1	ADS - 2550	0	11/6/89	SRL-ADS	wdh							VANADIUM(ATOMIC ABSORPTION, DIRECT ASPIRATION) EPA METHOD 7910
225	L16.1	ADS - 2551	0	11/6/89	SRL-ADS	wdh							ZINC(ATOMIC ABSORPTION, DIRECT ASPIRATION) EPA METHOD 7950
226	L16.1	ADS - 2555	0	10/9/89	SRL-ADS	wdh							TOTAL AND AMENABLE CYANIDE, EPA METHOD 9010
227	L16.1	ADS - 2556	0	11/20/89	SRL-ADS	wdh							MERCURY IN SOLID OR SEMI SOLID WASTE (MANUAL COLD-VAPOR TECHNIQUE) EPA METHOD 7471
228	L16.1	ADS - 2557	0	11/6/89	SRL-ADS	wdh							MERCURY IN LIQUID WASTE (MANUAL COLD-VAPOR TECHNIQUE) EPA METHOD 7470
229	L16.1	ADS - 2600	0	11/28/89	SRL-ADS	wdh							SEPERATORY FUNNEL LIQUID-LIQUID EXTRACTION, EPA METHOD 3510
230	L16.1	ADS - 2601	0	12/5/89	SRL-ADS	wdh							CONTINUOUS LIQUID-LIQUID EXTRACTION, EPA METHOD 3520
231	L16.1	ADS - 2602	0	12/5/89	SRL-ADS	wdh							WASTE DILUTION, EPA METHOD 3580
232	L16.1	ADS - 2603	0	11/28/89	SRL-ADS	wdh							SOXHLET EXTRACTION, EPA METHOD 3540
233	L16.1	ADS - 2604	0	12/5/89	SRL-ADS	wdh							SONICATION EXTRACTION, EPA METHOD 3550
234	L16.1	ADS - 2605	0	11/28/89	SRL-ADS	wdh							ALUMINA COLUMN CLEANUP, EPA METHOD 3610
235	L16.1	ADS - 2606	0	11/28/89	SRL-ADS	wdh							ALUMINA COLUMN CLEANUP AND SEPARATION OF PETROLEUM WASTES, EPA METHOD 3611
236	L16.1	ADS - 2607	0	11/28/89	SRL-ADS	wdh							FLORISIL COLUMN CLEANUP, EPA METHOD 3620
237	L16.1	ADS - 2608	0	12/5/89	SRL-ADS	wdh							SILICA GEL CLEANUP, EPA METHOD 3630
238	L16.1	ADS - 2609	0	11/28/89	SRL-ADS	wdh							GEL PERMATION CLEANUP, EPA METHOD 3640
239	L16.1	ADS - 2610	0	12/4/89	SRL-ADS	wdh							ACID-BASE PARTITION CLEANUP, EPA METHOD 3650
240	L16.1	ADS - 2611	0	12/4/89	SRL-ADS	wdh							SULFUR CLEANUP, EPA METHOD 3660
241	L16.1	ADS - 2651	0	3/7/90	SRL-ADS	wdh							GAS CHROM/MASS SPECTROMETRY FOR VOLATILE ORGANICS, EPA METHOD 8240
242	L16.1	ADS - 2653	0	5/23/90	SRL-ADS	wdh							GAS CHROM/MASS SPECTROMETRY FOR VOLATILE ORGANICS: CAPILLARY COLUMN, EPA METHOD 8260
243	L16.1	ADS - 2654	0	5/14/90	SRL-ADS	wdh							GAS CHROM/MASS SPECTROMETRY FOR SEMIVOLATILE ORGANICS: CAPILLARY COLUMN, EPA METHOD 8270
244	677T-file	677T-70140	1	4/17/85	SRL-DWPT	wdh							Operating Procedure for Model 701A, Digital pH/mV Meter
245	677T-file	677T-70141	1	4/17/85	SRL-DWPT	wdh							Operating Procedure for Model 811 Microprocessor pH/mV meter
246	L13.1	GTOT-3-025	0	5/15/90	SRL-DWPT	wdh							Nuclear Waste Glass Product Consistency Test (PCT) Method
247	L12.1	IWT-OP-039	0	11/4/86	SRL-IWTS	wdh							Procedure for the Use of the Perkin-Elmer Model 50B Mercury Analyzer
248	L12.1	IWT-OP-044	0	4/16/87	SRL-IWTS	wdh							Procedure for the Use of the Brinkman Model 2010 Particle Size Analyzer (U)
249	5Q3.1	4RC 910.0	0	03/03/85	AL 772D	wpk							Waste Calcium /Metal Disposal - Regulated Zone, 772-D Laboratory
250	5Q3.1	4RC 920.0	0	09/01/85	AL 772D	wpk							Waste D2O: Transfer to Drum, Sampling of Drum and Changing Drums, 772-D Laboratory
251	5Q3.1	4RC 990.0	0	08/16/84	AL 772D	wpk							Solid Waste Disposal - Regulated Area - 772-D Laboratory
252	5Q3.1	5Q3.1-P2000	0	10/05/90	AL 772D	wpk							PACKAGING and Handling RCA Waste for Burial Using B-25 Boxes
253	5Q3.1	2RC 233.0	0	5/1/82	AL F-ALL	wpk							Disposal of Radioactive Samples and Dilutions
254	5Q3.1	5Q3.1-W2000	0	10/05/90	AL F-ENG	wpk							Handling and Packaging Solid Waste for the Clean WASTE Program
255	5Q3.1	2RC 231.5	2	05/18/90	ALF-ALL	wpk							Packaging RZ Waste for Burial Using B-25 Boxes
256	5Q3.1	2RC 232.2	0	07/01/83	ALF-APA	wpk							Transfer of Solid Waste from Cell Entry Port into Cells
257	5Q3.1	2RC 231.5	1	1/2/85	ALF-APA,S	wpk							Packaging RZ Waste for Burial Using B-25 Boxes
258	5Q3.1	2RC 232.0	4	02/01/88	ALF-APA,S	wpk							Packaging of Solid Waste
259	5Q3.1	2RC 232.4	0	02/01/89	ALF-ENG	wpk							Packaging and Handling RZ Waste for Burial Using Construction Wooden Waste Boxes

	A	B	C	D	E	F	G
1	*Doc	*Index	*Rev	*Issued	*Owner	*Cat	*Title
240	5Q3.1	2RC 232.5	0	11/07/89	ALF-ENG	wpk	Handling and Packaging of Solid Waste for the Clean Waste Program
241	5Q3.1	2RC 308.0	0	09/06/89	ALF-ENG	wpk	TRU Waste Drum Deficiency Report
242	5Q3.1	5Q3.1-S7000	0	07/31/90	ALF-ENG	wpk	Spent Liquid SCINTILLATION Waste Disposal
243	5Q3.1	2RC 214.0	1	02/01/86	ALF-SPC	wpk	Intermediate Cell 772-F Disposal of Contaminated Waste
244	5Q3.1	2RC 232.1	4	02/01/88	ALF-SPC	wpk	Packaging of Transuranic Solid Waste
245	5Q3.1	2RC 232.6	0	11/07/89	ALF-SPC	wpk	Handling and Packaging of Solid Waste for the Waste Compactor Program
246	5Q3.1	2RC 301.0	0	09/01/79	ALF-SPC	wpk	Liquid Waste Removal from Radiobench
247	5Q3.1	2RC 308.1	0	02/01/89	ALF-SPC	wpk	Repackaging of TRU Waste Drums Returned from the Burial Ground
248	5Q3.1	2RC 519.0	0	09/06/89	ALF-SPC	wpk	Transfer of Solid Waste from Cell Entry Port Into Cells in 772-1F
249	5Q3.1	2RC 520.1	0	02/20/90	ALF-SPC	wpk	Disposal of Intermediate Cell Waste in 772-1F
270	L16.1	ADS - 0102	1	3/28/80	SRL-ADS	wpk	ANALYTICAL DEVELOPMENT SECTION WIPP WASTE PROCEDURE
271	L3.9	L3.9-B20002	0	08/11/80	AL 772D	wps	BIOCHEMICAL Oxygen Demand (BOD)
272	L3.2	L3.2-D20000	0	08/14/80	AL ETF	wps	F/H ETF DENSITY Measurement: Gravimetric Method
273	L3.7	3A 50.0	0	01/26/90	AL Maree	wps	The Determination of AROCLORS in Transformer Fluid and Waste Oils by Gas Chromatography
274	L3.7	3C 30.0	0	7/11/88	AL Maree	wps	Gas CHROMATOGRAPHIC Analysis for Organics on Carbon
275	L3.7	3D 23.0	0	11/14/89	AL Maree	wps	Trace Elemental Analysis: DCAP Atomic Emission Spectroscopy
276	L3.7	3P 21.1	0	6/14/89	AL Maree	wps	LETF Waste Water: Fisher Scientific pH Meter, Models 825 and 925
277	L3.8	4O 49.0	0	04/12/90	AL Maree	wps	Waste and Heavy Water: OIL, Observation Method
278	L4.1	ES 69.6	0	10/11/89	AL Maree	wps	Beckman Spectrospan VI DCAP Atomic Emission SPECTROMETER
279	L3.7	L3.7-120001	0	08/28/90	AL Maree	wps	Inductively Coupled Plasma - Atomic Emission Spectrometric Method for Trace Elemental Analysis of Water and Wastes
280	L3.3	8G 6.0	0	09/12/88	AL NSR	wps	New Special Recovery GAMMA Assay of Low-Level Plutonium Solutions
281	L3.5	2A 32.2	2	03/27/90	AL Prod	wps	Computerized ALPHA Pulse Height Analyses, 772-1F
282	L3.5	2A 34.0	0	3/1/85	AL Prod	wps	Computerized ALPHA Pulse Height Analysis
283	L3.5	2A 81.0	1	2/1/89	AL Prod	wps	ANION Determination by Dionex Ion Chromatography
284	L4.1	ES 68.4	0	02/01/79	AL Prod	wps	Atomic Absorption SPECTROPHOTOMETER: Using a Carbon Rod Atomizer
285	L3.5	L3.5-A20006	0	06/01/90	AL Prod	wps	Computerized Total ALPHA Counting
286	L3.5	L3.5-E20009	0	06/01/90	AL Prod	wps	ELEMENTAL Analysis: Non-Routine Samples, DCP Spectroscopic Method
287	L3.5	L3.5-G20005	0	06/01/90	AL Prod	wps	772-1F GAMMA Pulse Height Analyses
288	L3.6	2A 13.0	1	12/12/89	AL Sep	wps	High Activity Aqueous Waste: Total ACIDITY, Intermediate Cell Method
289	L3.6	2/ 30.1	1	4/6/90	AL Sep	wps	Total ALPHA Activity Counting Method in 772-1F
290	L3.6	2A 32.2	2	4/6/90	AL Sep	wps	Computerized ALPHA Pulse Height Analyses, 772-1F
291	L3.6	2P 54.01-NS0	0	12/12/89	AL Sep	wps	Det. of Pu by Pu (III) DAS: F-Area Tank 6.4-NSS and B-Line A6, C5 A-D, C6 A&B, and C7 A-C: Nuclear Safety Samples
292	L3.6	2P 54.2	2	2/2/89	AL Sep	wps	Determination of PLUTONIUM by Pu(III) Diode Array Spectrophotometry, Analytical Cell Method
293	L3.6	2P 62.0	2	6/1/87	AL Sep	wps	PLUTONIUM: TTA Method
294	L3.6	2P 62.4	1	12/1/87	AL Sep	wps	PLUTONIUM-TTA Intermediate Cell Method
295	L4.1	EA 49.0	0	07/01/83	AL Sep	wps	Schintex UA-3 Uranium ANALYZER
296	L3.5	L3.5-G20011	0	06/01/90	AL Sep	wps	Total GAMMA Activity Counting Method, 772-1F

G					
A	B	C	D	E	F
*Doc	*Index	*Rev	*Issued	*Owner	*Cat
1					*Title
297	L3.6-A20003	0	08/24/90	AL Sep	Low Activity Aqueous Waste Concentrate: Total Acidity, Volumetric Method
298	L3.6-A20017	0	6/5/90	AL Sep	Computerized Total ALPHA Counting, 772-1F
299	L3.6-P20011	0	6/5/90	AI Sep	PLUTONIUM In Waste Samples TTA Method with 8M Nitric Acid Strip
300	5Q3.1	2RC 520 2	0	02/20/90	ALF-APA,S
301	5Q3.1	2RC 215.1	0	02/01/89	ALF-APA,S
302	SW-4-2.1	221-S-6772	0	7/1/89	DWPF
303	SW-4-2.1	221-S-7001	0	5/1/91	DWPF
304	SW-4-2.1	221-S-7002	0	DRAFT	DWPF
305	SW-4-2.1	221-S-7003	0	DRAFT	DWPF
306	SW-4-2.1	221-S-7004	0	DRAFT	DWPF
307	SW-4-2.1	221-S-7005	0	DRAFT	DWPF
308	SW-4-2.1	221-S-7006	0	5/1/91	DWPF
309	SW-4-2.1	221-S-7007	0	DRAFT	DWPF
310	SW-4-2.1	221-S-7008	0	DRAFT	DWPF
311	SW-4-2.1	221-S-7009	0	DRAFT	DWPF
312	SW-4-2.1	221-S-7010	0	DRAFT	DWPF
313	SW-4-2.1	221-S-7011	0	1/1/90	DWPF
314	SW-4-2.1	221-S-7012	0	5/1/90	DWPF
315	SW-4-2.1	221-S-7013	0	9/1/90	DWPF
316	SW-4-2.1	221-S-7014	0	5/1/90	DWPF
317	SW-4-2.1	221-S-7015	0	5/1/91	DWPF
318	SW-4-2.1	221-S-7016	0	5/1/90	DWPF
319	SW-4-2.1	221-S-7017	0	DRAFT	DWPF
320	SW-4-2.1	221-S-7018	0	DRAFT	DWPF
321	SW-4-2.1	221-S-7019	0	9/1/90	DWPF
322	SW-4-2.1	221-S-7020	0	8/1/90	DWPF
323	SW-4-2.1	221-S-7021	0	8/1/90	DWPF
324	SW-4-2.1	221-S-7022	0	DRAFT	DWPF
325	SW-4-2.1	221-S-7023	0	3/1/91	DWPF
326	SW-4-2.1	221-S-7024	0	DRAFT	DWPF
327	SW-4-2.1	221-S-7025	0	DRAFT	DWPF
328	SW-4-2.1	221-S-7026	0	DRAFT	DWPF
329	SW-4-2.1	221-S-7027	0	DRAFT	DWPF
330	SW-4-2.1	221-S-7028	0	DRAFT	DWPF
331	SW-4-2.1	221-S-7029	0	DRAFT	DWPF
332	SW-4-2.1	221-S-7030	0	DRAFT	DWPF
333	SW-4-2.1	221-S-7031	0	5/1/91	DWPF

	A	B	C	D	E	F	G
1	*Doc	*Index	*Rev	*Issued	*Owner	*Cat	*Title
334	SW-4-2.1	221-S-7032	0	3/1/91	DWPF	wps	HAN IN PRECIPITATE REACTOR HEEL BY COLORIMETRIC
335	SW-4-2.1	221-S-7033	0	DRAFT	DWPF	wps	HAN IN HYDROLYSIS PRODUCT BY COLORIMETRIC
336	SW-4-2.1	221-S-7034	0	DRAFT	DWPF	wps	HAN IN COLD FEED BY COLORIMETRIC
337	SW-4-2.1	221-S-7035	0	DRAFT	DWPF	wps	FREE HYDROXIDE IN RECYCLE WASTE BY AUTOTITRATION
338	SW-4-2.1	221-S-7036	0	9/1/90	DWPF	wps	TOTAL BASIC NORMALITY IN CAUSTIC BY AUTOTITRATION
339	SW-4-2.1	221-S-7037	0	9/1/90	DWPF	wps	TOTAL BASIC NORMALITY IN POTASSIUM HYDROXIDE BY AUTOTITRATION
340	SW-4-2.1	221-S-7038	0	DRAFT	DWPF	wps	PH MEASUREMENT IN RADICACTIVE PROCESS SAMPLES BY METER
341	SW-4-2.1	221-S-7039	0	DRAFT	DWPF	wps	PH MEASUREMENT IN WASH WATER BY METER
342	SW-4-2.1	221-S-7040	0	DRAFT	DWPF	wps	PH MEASUREMENT IN FRIT BY METER
343	SW-4-2.1	221-S-7041	0	7/1/90	DWPF	wps	DENSITY
344	SW-4-2.1	221-S-7042	0	2/1/91	DWPF	wps	TOTAL ORGANIC CARBON
345	SW-4-2.1	221-S-7043	0	DRAFT	DWPF	wps	MERCURY IN PROCESS SAMPLE
346	SW-4-2.1	221-S-7044	0	DRAFT	DWPF	wps	FLUORIDE BY ION SELECTIVE ELECTRODE
347	SW-4-2.1	221-S-7045	0	DRAFT	DWPF	wps	CHLORIDE BY ION SELECTIVE ELECTRODE
348	SW-4-2.1	221-S-7046	0	10/1/90	DWPF	wps	ANION ANALYSIS BY -N CHROMATOGRAPHY
349	SW-4-2.1	221-S-7047	0	DRAFT	DWPF	wps	FLASH POINT MEASUREMENTS
350	SW-4-2.1	221-S-7048	0	5/1/91	DWPF	wps	BORIC ACID BY TITRATION
351	SW-4-2.1	221-S-7049	0	DRAFT	DWPF	wps	GAS CHROMATOGRAPHY
352	SW-4-2.1	221-S-7050	0	2/1/91	DWPF	wps	LIQUID CHROMATOGRAPHY
353	SW-4-2.1	221-S-7051	0	5/1/91	DWPF	wps	DILUTE FORMIC ACID IN COLD FEED SAMPLE BY AUTOTITRATION
354	SW-4-2.1	221-S-7052	0	7/1/90	DWPF	wps	PREPARATION OF PRECIPITATE REACTOR SAMPLE FOR COPPER ANALYSIS BY ICP-AES OR AAS
355	SW-4-2.1	221-S-7053	0	DRAFT	DWPF	wps	DIRECT ELEMENTAL ANALYSIS IN HYDROLYSIS PRODUCT
356	SW-4-2.1	221-S-7054	0	5/1/90	DWPF	wps	PREPARATION OF FORMATED SLUDGE FOR ANALYSIS OF SOLUBLE ELEMENTS BY ICP-AES OR AAS
357	SW-4-2.1	221-S-7055	0	7/1/90	DWPF	wps	PREPARATION OF COPPER CATALYST FOR ELEMENTAL ANALYSIS
358	SW-4-2.1	221-S-7056	0	2/1/90	DWPF	wps	pH MEASUREMENTS OF PROCESS WATER SAMPLES
359	SW-4-2.1	221-S-7057	0	3/1/90	DWPF	wps	CONDUCTIVITY MEASUREMENTS IN DWPF WATER USING EXTECH ELECTRODES
360	SW-4-2.1	221-S-7058	0	4/1/90	DWPF	wps	CARBON ANALYSIS IN LABORATORY WASTE WATER
361	SW-4-2.1	221-S-7059	0	DRAFT	DWPF	wps	GLASS MAKING
362	SW-4-2.1	221-S-7060	0	9/1/90	DWPF	wps	ICP ANALYSIS
363	SW-4-2.1	221-S-7061	0	7/1/90	DWPF	wps	REAGENT AND STANDARD MAKEUP FOR ICP ANALYSIS
364	SW-4-2.1	221-S-7061	0	7/1/90	DWPF	wps	Reagent Stock and Stds for ICP-AES
365	SW-4-2.1	221-S-7062	0	DRAFT	DWPF	wps	AA ANALYSIS
366	SW-4-2.1	221-S-7063	0	DRAFT	DWPF	wps	REAGENT AND STANDARD MAKEUP FOR AA ANALYSIS
367	SW-4-2.1	221-S-7064	1	5/1/91	DWPF	wps	Sample Preparation for the Determination of Titanium in the DWPF Precipitate Reactor Aqueous Product
368	SW-4-2.1	221-S-7065	0	8/1/90	DWPF	wps	SAMPLE PREPARATION FOR DWPF CARBON ANALYSIS
369	SW-4-2.1	221-S-7065	0	DRAFT	DWPF	wps	SAMPLE PREPARATION FOR DWPF CARBON ANALYSIS (U)
370	SW-4-2.1	221-S-7501	0	DRAFT	DWPF	wps	TOTAL ALPHA/BETA/GAMMA

A		B		C	D	E	F	G	
*Doc	*Index	*Rev	*Issued	*Owner	*Cat	*Title			
371	SW 4-2.1221-S-7502	0	DRAFT	DWPF	wps	CS-137 BY GAMMA PHA			
372	SW 4-2.1221-S-7503	0	DRAFT	DWPF	wps	GAMMA PHA OF DIRECT MOUNT			
373	SW 4-2.1221-S-7504	0	DRAFT	DWPF	wps	GAMMA ANALYSIS OF OTHER PROMINENT EMITTERS			
374	SW 4-2.1221-S-7505	0	DRAFT	DWPF	wps	GAMMA ANALYSIS OF TRACE GAMMA EMITTERS			
375	SW 4-2.1221-S-7506	0	DRAFT	DWPF	wps	U-235 BY GAMMA PHA			
376	SW 4-2.1221-S-7507	0	DRAFT	DWPF	wps	AM-241 BY GAMMA PHA			
377	SW 4-2.1221-S-7508	0	DRAFT	DWPF	wps	ALPHA PHA OF DIRECT MOUNT			
378	SW 4-2.1221-S-7509	0	DRAFT	DWPF	wps	ALPHA PHA FOR PU			
379	SW 4-2.1221-S-7510	0	DRAFT	DWPF	wps	ALPHA PHA FOR NP			
380	SW 4-2.1221-S-7511	0	DRAFT	DWPF	wps	ALPHA PHA FOR AM			
381	SW 4-2.1221-S-7512	0	DRAFT	DWPF	wps	ALPHA PHA FOR ACTINIDES/TRANSURANICS			
382	SW 4-2.1221-S-7513	0	DRAFT	DWPF	wps	SCINTILLATION COUNTING OF OTHER KEY BETAS			
383	SW 4-2.1221-S-7514	0	DRAFT	DWPF	wps	SCINTILLATION COUNTING OF TRACE BETAS			
384	SW 4-2.1221-S-7515	0	DRAFT	DWPF	wps	RADIOACTIVITY IN MERCURY			
385	SW 4-2.1221-S-7516	0	DRAFT	DWPF	wps	SR-90 BY LIQUID SCINTILLATION COUNTING			
386	SW 4-2.1221-S-7700	0	DRAFT	DWPF	wps	PU ISOTOPICS BY MASS SPECTROMETRY			
387	SW 4-2.1221-S-7701	0	DRAFT	DWPF	wps	U ISOTOPICS BY MASS SPECTROMETRY			
388	SW 4-2.1221-S-7702	0	DRAFT	DWPF	wps	GRAVIMETRIC DETERMINATION OF Z-AREA AIRBORNE PARTICLES			
389	SW 4-2.1221-S-7900	0	DRAFT	DWPF	wps	MERCURY PURIFICATION PROCESS in-CELL OPERATING PROCEDURE			
390	SW 4-2.1221-S-7901	0	DRAFT	DWPF	wps	MERCURY DISTILLATION PROCEDURE			
391	SW 4-2.1221-S-7902	0	DRAFT	DWPF	wps	MERCURY SAMPLING			
392	SW 4-2.1221-S-7903	0	DRAFT	DWPF	wps	HANDLING AND STORAGE OF MERCURY			
393	SW 4-2.1221-S-7904	0	DRAFT	DWPF	wps	TOTAL MERCURY DETERMINATION			
394	SW 4-2.1221-S-7905	0	DRAFT	DWPF	wps	MERCURY DETERMINATION IN MELTER OFF-GAS CONDENSATE			
395	SW 4-2.1221-S-7906	0	DRAFT	DWPF	wps	MERCURY QUALITY ASSURANCE PROCEDURE			
396	L16.1	ADS - 1500	1	10/9/89	SRL-ADS	INDUCTIVELY COUPLED PLASMA - ATOMIC EMISSION SPECTROMETER ARL 3580			
397	L16.1	ADS - 1502	0	11/28/89	SRL-ADS	ATOMIC ABSORPTION SPECTROMETRY VARIAN AA 475			
398	L16.1	ADS - 1504			SRL-ADS	ATOMIC ABSORPTION SPECTROMETRY SHIMADZU 670			
399	L16.1	ADS - 1505	0	2/14/90	SRL-ADS	OPERATING PROCEDURE FOR MERCURY DETERMINATION BY COLD VAPOR ATOMIC ABSORPTION			
400	L16.1	ADS - 1600	1	7/27/89	SRL-ADS	PROCEDURE FOR GAS CHROMATOGRAPHY			
401	L16.1	ADS - 1601			SRL-ADS	organics			
402	L16.1	ADS - 2201	1	6/12/89	SRL-ADS	OIC-700 TOTAL CARBON ANALYZER			
403	L16.1	ADS - 2204	0	9/7/89	SRL-ADS	PREPARATION OF STANDARDS FOR ANALYSIS OF SOLUTIONS BY ION CHROMATOGRAPHY			
404	L16.1	ADS - 2205	0	8/21/89	SRL-ADS	ELECTRICAL CONDUCTIVITY AND RESISTIVITY OF WATER			
405	L16.1	ADS - 2207	0	8/16/89	SRL-ADS	DETERMINATION OF Fe (II) / Fe (III) RATIO IN GLASS			
406	L16.1	ADS - 2208	0	5/31/89	SRL-ADS	Flash Point Det. of Liquids or Liquids with suspended Solids by Pensky-Martens Closed Cup Methods			
407	L16.1	ADS - 2213	1	10/9/89	SRL-ADS	MEASUREMENT OF OIL AND GREASE IN AQUEOUS SUSPENSION			

	A	B	C	D	E	F	G
	*Doc	*Index	*Rev	*Issued	*Owner	*Cat	*Title
1	L16.1	ADS - 2214			SRL-ADS	wrd	PROCEDURE FOR THE SCINTREX UA3 URANIUM ANALYZER
408	L16.1	ADS - 2215	1	6/20/89	SRL-ADS	wrd	PROCEDURE FOR MEASURING TOTAL SOLIDS BY MICROWAVE DRYING
409	L16.1	ADS - 2217	0	7/24/90	SRL-ADS	wrd	ORGANIC EXTRACTION OF AQUEOUS SAMPLES IN PREPARATION FOR ELECTROCHEMICAL ANALYSIS
410	L16.1	ADS - 2218	0	5/21/90	SRL-ADS	wrd	COLORIMETRIC DETERMINATION OF HIGH pH WITH AZO VIOLET INDICATOR
411	L16.1	ADS - 2219			SRL-ADS	wrd	SPECIFIC GRAVITY OF LIQUIDS
412	L16.1	ADS - 2221	0	1/30/90	SRL-ADS	wrd	PREPARATION OF SODIUM HYDROXIDE AND HYDROCHLORIC STANDARD SOLUTIONS
413	L16.1	ADS - 2222			SRL-ADS	wrd	DETERMINATION OF TETRAPHENYLBORON IN DWPF WASHED TPB PRECIPITATE
414	L16.1	ADS - 2224	0	6/22/89	SRL-ADS	wrd	DETERMINATION OF SODIUM TETRAPHENYLBORATE (NATPB)
415	L16.1	ADS - 2226	0	5/30/90	SRL-ADS	wrd	AQUA REGIA DISSOLUTION OF SLUDGE FOR ELEMENTAL ANALYSIS
416	L16.1	ADS - 2227	0	3/13/90	SRL-ADS	wrd	MICROWAVE ACID DISSOLUTION OF GLASS FOR ELEMENTAL ANALYSIS
417	L16.1	ADS - 2228 (HLC)			SRL-ADS	wrd	YIELD STRESS AND VISCOSITY BY HAAKE VISCOMETER MEASUREMENT
418	L16.1	ADS - 2230	0	5/30/90	SRL-ADS	wrd	EMPIRICAL pH METHOD FOR THE FORMIC ACID REQUIREMENTS OF THE DWPF SLUDGE RECEIPT ADJUSTMENT TANK
419	L16.1	ADS - 2231	0	5/30/90	SRL-ADS	wrd	SAMPLE PREP. FOR THE DETERMINATION OF TITANIUM IN THE DWPF PRECIPITATE REACTOR AQUEOUS PRODUCT
420	L16.1	ADS - 2233	0	4/12/90	SRL-ADS	wrd	DETERMINATION OF FE(II)/FE(TOTAL) IN GLASS
421	L16.1	ADS - 2300			SRL-ADS	wrd	SODIUM PEROXIDE FUSION OF WASTE GLASS, GLASS FRIT, AND SLUDGES FOR ANION ANALYSIS BY IC AND ISE
422	L16.1	ADS - 2302	1	6/12/89	SRL-ADS	wrd	Volumetric Det. of hydroxide, aluminate, and carbonate in dilute earth solutions of nuclear waste (Mettler Titrator)
423	L16.1	ADS - 2306	0	4/10/89	SRL-ADS	wrd	ANALYSIS OF SOLUTIONS BY ION CHROMATOGRAPHY
424	L16.1	ADS - 2308	0	3/8/89	SRL-ADS	wrd	DETERMINATION OF TOTAL HYDROXIDE BY AUTO TITRATOR
425	L16.1	ADS - 2309			SRL-ADS	wrd	pH MEASUREMENTS OF SAMPLES
426	L16.1	ADS - 2311	0		SRL-ADS	wrd	ANALYSIS FOR TRANSITION AND LANTHANIDE METALS IN CONCENTRATED SALT SOLUTIONS BY ION CHROM.
427	L16.1	ADS - 2312	0	2/23/89	SRL-ADS	wrd	Volumetric Det. of hydroxide, aluminate, and carbonate in alkaline earth solutions of nuclear waste (Viduetrator Titrator)
428	L16.1	ADS - 2313	1	6/5/90	SRL-ADS	wrd	ANALYSIS FOR ALKALI METALS AND ALKALINE EARTH IN SOLUTIONS BY ION CHROMATOGRAPHY
429	L16.1	ADS - 2314	1	12/14/89	SRL-ADS	wrd	ANALYSIS FOR TRANSITION AND LANTHANIDE METALS IN SOLUTIONS BY ION CHROMATOGRAPHY
430	L16.1	ADS - 2315	0		SRL-ADS	wrd	ANALYSIS OF TRACE STRONTIUM IN CONCENTRATED SODIUM SOLUTIONS BY ION CHROMATOGRAPHY
431	L16.1	ADS - 2316	0		SRL-ADS	wrd	PRECONCENTRATION PROCEDURE FOR TRACE CATION AND ANION ANALYSIS OF SOLUTIONS BY ION CHROM.
432	L16.1	ADS - 2317			SRL-ADS	wrd	ANALYSIS FOR TRANSITION METALS IN SOLUTIONS BY ION CHROMATOGRAPHY
433	L16.1	ADS - 2318	1	5/22/90	SRL-ADS	wrd	Electrochemical Analysis of Trace Metal Ions in Solutions by Differential Pulse Stripping Voltammetry
434	L16.1	ADS - 2319	1	5/22/90	SRL-ADS	wrd	Electrochemical Analysis of Trace Inorganic Ions in Solutions by Differential Pulse Stripping Voltammetry
435	L16.1	ADS - 2401	0	3/5/90	SRL-ADS	wrd	BETA LIQUID SCINTILLATION SAMPLE PREPARATION AND ANALYSIS
436	L16.1	ADS - 2402			SRL-ADS	wrd	ALPHA PULSE HEIGHT ANALYSES
437	L16.1	ADS - 2403			SRL-ADS	wrd	STRONTIUM-90 DETERMINATION BY CERENKOV RADIATION COUNTING
438	L16.1	ADS - 2405	0	8/31/89	SRL-ADS	wrd	ALPHA & BETA PLATE MAKING DIRECT MOUNT AND COUNT
439	L16.1	ADS - 2409			SRL-ADS	wrd	NEPTUNIUM TTA EXTRACTION AND ALPHA ANALYSIS
440	L16.1	ADS - 2411	0	6/19/89	SRL-ADS	wrd	DETERMINATION OF 79 SE BY DISTILLATION AND BETA COUNTING
441	L16.1	ADS - 2413	0	4/28/89	SRL-ADS	wrd	DETERMINATION OF 99-TECHNIUM BY EXTRACTION AND BETA COUNTING
442	L16.1	ADS - 2415			SRL-ADS	wrd	PREPARATION OF SELENIUM CARRIER SOLUTION
443	L16.1	ADS - 2416			SRL-ADS	wrd	ELECTRODEPOSITION OF ACTINIDES FROM AQUEOUS SOLUTION

	A	B	C	D	E	F	G
1	*Doc	*Index	*Rev	*Issued	*Owner	*Cat	*Title
445	L16.1	ADS - 2418			SRL-ADS	wrd	THE SEPERATION OF PROMETHIUM
446	L16.1	ADS - 2419	0	5/15/89	SRL-ADS	wrd	STRONTIUM PRECIPITATION PREPARATION FOR LIQUID SCINTILLATION COUNTING
447	L16.1	ADS - 2420	0	5/31/89	SRL-ADS	wrd	GAMMA SAMPLE PREPARATION AND ANALYSIS (GAMMA PHA)
448	L16.1	ADS - 2422	0	4/26/90	SRL-ADS	wrd	OPERATION OF THE 773-A TRU WASTE ASSAY SYSTEM
449	L16.1	ADS - 2500			SRL-ADS	wrd	DISSOLUTION OF GLASS IN HYDROFLUORIC AND HYDROCHLORIC ACID IN TEFLON LINED BOMB
450	L16.1	ADS - 2502	0	3/5/90	SRL-ADS	wrd	Sodium Peroxide/Sodium Hydroxide Dissolutions of Sludge and Glass for Elemental and Anion Analysis
451	L16.1	ADS - 2503	0	2/20/90	SRL-ADS	wrd	ALUQUOTING, DILUTING, SUSPENDING, OR STANDARD ADDITION
452	L16.1	ADS - 2505	0	10/13/89	SRL-ADS	wrd	Extraction Procedure (EP) Toxicity Test Method and Structural Integrity Test - EPA Method 1310
453	L16.1	ADS - 2507	0	9/20/89	SRL-ADS	wrd	Acid Digestion of Waters for Total Recoverable or Dissolved Metals for FLAA or ICP Spect - EPA Method 3005
454	677T-file	677T-70100	2	5/15/85	SRL-DWPT	wrd	Operating Procedure for the Heake Viscometer
455	677T-file	677T-70146	1	4/17/85	SRL-DWPT	wrd	Operating Procedure for Density Determination by Volume
456	677T-file	677T-70147	1	4/17/85	SRL-DWPT	wrd	Operating Procedure for AVC-80 Automatic Volatility Computer
457	677T-file	677T-70148	1	10/4/86	SRL-DWPT	wrd	Operating Procedure for the 700
458	677T-file	677T-70149	1	4/17/85	SRL-DWPT	wrd	Operating Procedure for Calcine Determination of Sludge Samples
459	677T-file	677T-70155	1	#####	SRL-DWPT	wrd	Operating Procedure for Mettler DL40 GP Memotitrator
460	677T-file	677T-70157	1	#####	SRL-DWPT	wrd	Operating Procedure for Ion 85, Ion Analyzer
461	677T-file	677T-70158	0	1/11/86	SRL-DWPT	wrd	Operating Procedure for 2110i
462	677T-file	677T-70162	2	#####	SRL-DWPT	wrd	Operating Procedure for the 5890
463	677T-file	677T-70164	1	10/4/86	SRL-DWPT	wrd	Operating Procedure for the 1090
464	677T-file	677T-70165	0	9/19/84	SRL-DWPT	wrd	Operating Procedure for the 8451A
465	677T-file	677T-70175	0	11/7/86	SRL-DWPT	wrd	Measurement of Iron (Fe) in Glass for Determining Fe+2/Fe+3 or Fe+2/Fe(total) Ratio's
466	677T-file	677T-70179	0	8/15/86	SRL-DWPT	wrd	Weight Percent Solids and Density of Slurry Material
467	677T-file	677T-70180	0	1/23/86	SRL-DWPT	wrd	Microwave Dissolution of Melted Feed and Glass for Elemental Analyses
468	677T-file	677T-70181	0	8/26/86	SRL-DWPT	wrd	Dissolution of Glass & Sludge using Hydrofluoric Acid & Hydrochloric Acid
469	677T-file	677T-70182	0	8/15/86	SRL-DWPT	wrd	Dissolution of Glass, Sludge, & Melted Feed using Na2O2/NaOH
470	772T-file	772T-70201	0	10/8/86	SRL-DWPT	wrd	Dissolution of Glass & Sludge using Aqua Regia for Elemental and Anion Analyses
471	772T-file	772T-70203	0	7/31/86	SRL-DWPT	wrd	Vitrification of Slurry Samples for Glass Composition Analysis
472	772T-file	772T-70206	0	7/31/86	SRL-DWPT	wrd	Determination of Total Acid Content of PHEF Samples
473	772T-file	772T-70207	0	7/31/86	SRL-DWPT	wrd	Hg in sludge
474	772T-file	772T-70209	0	#####	SRL-DWPT	wrd	Hg Determination in Aqueous Samples Using the Cold Vapor Flameless Technique
475	772T-file	772T-70211	0	9/30/86	SRL-DWPT	wrd	Operating Procedure for 4500i
476	L12.1	IWT-OP-001	5	6/19/86	SRL-IWTS	wrd	Lysimeter Effluent Water Transfer from Burial Ground to 211-F
477	L12.1	IWT-OP-005	1	12/2/86	SRL-IWTS	wrd	Gas Chromatograph Operating Procedure [for HNU Model 301]
478	L12.1	IWT-OP-006	1	12/2/86	SRL-IWTS	wrd	Gas Chromatograph Calibration Procedure [method 1 for HNU Model 301]
479	L12.1	IWT-OP-007	1	2/7/87	SRL-IWTS	wrd	Gas Chromatograph Calibration Procedure [method 2 for HNU Model 301]
480	L12.1	IWT-OP-013	4	6/19/86	SRL-IWTS	wrd	Sampling and Pumping Tank 24 Saltstone Lysimeter Sumps
481	L12.1	IWT-OP-016	1	3/14/87	SRL-IWTS	wrd	Normal Operating Procedure for the IWTS Gamma Counter

						G	
1	A	B	C	D	E	F	
	*Doc	*Index	*Rev	*Issued	*Owner	*Cat	*Title
482	L12.1	IWT-OP-020	2	3/14/87	SRL-IWTS	wrd	Collection of Tenth-Scale Lysimeter Leachate
483	L12.1	IWT-OP-021	1	3/14/87	SRL-IWTS	wrd	Collection of Soil Moisture Samples from Tenth-Scale Lysimeters
484	L12.1	IWT-OP-022	1	3/14/87	SRL-IWTS	wrd	Gas Chromatograph Operating Procedure [for Varian Model 3400]
485	L12.1	IWT-OP-025	1	3/14/87	SRL-IWTS	wrd	Collection of Operational Defense Waste Lysimeter Samples
486	L12.1	IWT-OP-028	1	3/14/87	SRL-IWTS	wrd	Collection of Samples from Mini-Lysimeters
487	L12.1	IWT-OP-033	0	6/14/86	SRL-IWTS	wrd	Determination of the Equilibrium Distribution Constant for Monosodium Titanate Samples
488	L12.1	IWT-OP-034	1	9/4/86	SRL-IWTS	wrd	Leach Saltstone Specimens to Study the Effects of Thermal History During Curing on Performance
489	L12.1	IWT-OP-035	0	7/23/86	SRL-IWTS	wrd	Preparation of Saltstone and Its Curing in the Thermal History During Curing on the Leach Index
490	L12.1	IWT-OP-036	0	7/18/86	SRL-IWTS	wrd	General Procedure for Preparing Saltstone Samples
491	L12.1	IWT-OP-037	0	7/23/86	SRL-IWTS	wrd	Calorimetric Measurement of Saltstone Temperature Rise
492							
493							
494							
495							
496							
497							
498							
499							
500							
501							
502							
503							
504							
505							
506							
507							
508							
509							
510							
511							
512							
513							
514							
515							
516							
517							
518							

END

**DATE
FILMED**

4 / 17 / 92