DE-FG22-91PC91295

A NOVEL, INTEGRATED TREATMENT SYSTEM FOR COAL WASTEWATERS:**QUARTERLY REPORT:****FOR THE PERIOD September 2, 1992 - December 1, 1992.**

PIs: Prof. Henry Y. Wang
Department of Chemical Engineering
The University of Michigan
Ann Arbor, MI 48109-2136. DOE/PC/91295--T5
DE93 011632

&
Dr. Keeran R. Srinivasan
Assoc. Research Scientist
Department of Chemical Engineering
The University of Michigan
Ann Arbor, MI 48109-2136.

Submitted To:

Pittsburgh Energy Technology Center
U. S. Department of Energy
Pittsburgh, PA.

ABSTRACT:

The aims of this study are to develop, characterize and optimize a novel treatment scheme that would be effective simultaneously against the toxic organics and the heavy metals present in coal conversion wastewaters. Hec-CBDA-DT, (HCDT), a modified hectorite containing a mixed bilayer of a cationic (CBDA) and a diamine (DT) type surfactants, has been shown to adsorb Cr (VI) strongly at pH below 5.0. A second kind of a modified clay, montmorillonite-DT, (MONT-DT), in which the protonated form of the diamine is directly attached to the negative sites of clay surface, has also been found to adsorb Cr(VI) as strongly as Hec-CBDA-DT at a pH of 4.5.

The adsorption of Cr (VI) onto these two modified-clays is strongly inhibited by an increase in the ionic strength of the medium. It is inferred that the main mechanism of adsorption of Cr(VI) onto these two clay complexes is of the counterion type.

Preliminary data on the partitioning of phenanthrene, a three-ringed polycyclic aromatic hydrocarbon (PAH), reveal that organic carbon located on the external surfaces of clay complexes is more effective in partitioning nonionic, toxic organic compounds.

MASTER

DISTRIBUTION OF THIS DOCUMENT IS UNLIMITED

DE-FG22-91PC91295

**A NOVEL, INTEGRATED TREATMENT SYSTEM FOR COAL
WASTEWATERS:**

QUARTERLY REPORT:

FOR THE PERIOD September 2, 1992 - December 1, 1992.

**PIs: Prof. Henry Y. Wang
Department of Chemical Engineering
The University of Michigan
Ann Arbor, MI 48109-2136.**

&

**Dr. Keeran R. Srinivasan
Assoc. Research Scientist
Department of Chemical Engineering
The University of Michigan
Ann Arbor, MI 48109-2136.**

Submitted To:

**Pittsburgh Energy Technology Center
U. S. Department of Energy
Pittsburgh, PA.**

ABSTRACT:

The aims of this study are to develop, characterize and optimize a novel treatment scheme that would be effective simultaneously against the toxic organics and the heavy metals present in coal conversion wastewaters. Hec-CBDA-DT, (HCDT), a modified hectorite containing a mixed bilayer of a cationic (CBDA) and a diamine (DT) type surfactants, has been shown to adsorb Cr (VI) strongly at pH below 5.0. A second kind of a modified clay, montmorillonite-DT, (MONT-DT), in which the protonated form of the diamine is directly attached to the negative sites of clay surface, has also been found to adsorb Cr(VI) as strongly as Hec-CBDA-DT at a pH of 4.5.

The adsorption of Cr (VI) onto these two modified-clays is strongly inhibited by an increase in the ionic strength of the medium. It is inferred that the main mechanism of adsorption of Cr(VI) onto these two clay complexes is of the counterion type.

Preliminary data on the partitioning of phenanthrene, a three-ringed polyaromatic hydrocarbon (PAH), reveal that organic carbon located on the external surfaces of clay complexes is more effective in partitioning nonionic, toxic organic compounds.

Fig. 1 Adsorption of Cr (VI) on Modified-Clays:
pH Effect

Fig. 2 Adsorption of Cr(VI) onto Modified-Clays:
pH Effect

Fig. 3 Adsorption of Cr(VI) onto HCDT and MONT-DT at pH 4.5

Fig. 4 Adsorption of Cr(VI) on Modified-Clays at pH 4.5: Ionic Strength Effect

Fig. 5 Adsorption of Cr(VI) onto Modified-Clays at pH 4.5:
Ionic Strength 50 mM

Fig. 6 Adsorption of Cr (VI) at pH 4.5:
Ionic Strength 200 mM

Fig. 7 Adsorption of Phenanthrene onto HCDT and MONT-DT

- (5) Akzo Chemie America: Bulletin 85-1, "Specification and Properties of DUOMEEN Diamines and Diamine Salts", An Armak Chemical Publication, (1985).
- (6) Susan K. Siegel and Dennis A. Clifford: U. S. EPA Publication. EPA/600/S2-88/007, April, 1988.
- (7) Keeran R. Srinivasan and H. Scott Fogler: " Use of Inorgano-organo-Clays in the Treatment of Coal Conversion Wastewaters " Proc. 1990 International Symposium on Dioxin and Other Pollutants, held at Bayereuth, Fed. Republic of Germany, September, 1990.

V. PRESENTATIONS:

- (1) On the Use of Modified-Clays for the Removal and Recovery of Heavy Metals From Wastewaters:

Keeran R. Srinivasan, Mike Moore, and Henry Y. Wang

The Annual Clay Minerals Society Meeting, Minneapolis, MN, November 1 - 5, 1992.

END

DATE
FILMED

5 / 10 / 93