Studies of the Role of Clouds in CO₂-Induced Climate Change

Progress Report

DOE/ER/69027--3

DE92 018648

for Period September 15, 1991 through September 14, 1992

David A. Randall
Principal Investigator

Colorado State University
Department of Atmospheric Science
Fort Collins, CO 80523

July 1992

Prepared for

THE U.S. DEPARTMENT OF ENERGY
AGREEMENT NO. DE-FG02-89ER69027

DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

MASTER

1. Introduction

Predictions of global change based on climate models are influencing both national and international policies on energy and the environment. Existing climate models show some skill in simulating the present climate, but suffer from many widely acknowledged deficiencies. Among the most serious problems is the need to apply "flux corrections" to prevent the models from drifting away from the observed climate in control runs that do not include external perturbing influences such as increased carbon dioxide (CO₂) concentrations. The flux corrections required to prevent climate drift are typically comparable in magnitude to the observed fluxes themselves.

Although there can be many contributing reasons for the climate drift problem, clouds and their effects on the surface energy budget are among the prime suspects. Cess et al. (1990) demonstrated that uncertainties in cloud feedback are capable of explaining much of the three-fold variation in climate sensitivity among the current generation of climate models. Randall et al. (1992) extended this study to investigate the surface energy budgets simulated by the models. Both of these studies are examples of "GCM intercomparisons" conducted under the auspices of the U. S. Department of Energy.

During the past three years, we have conducted a research program designed to investigate global air-sea interaction as it relates to the global warming problem, with special emphasizing the role of clouds. Our research includes model development efforts; application of models to simulation of present and future climates, with comparison to observations wherever possible; and vigorous participation in ongoing efforts to intercompare the present generation of atmospheric general circulation models.

2. Accomplishments

During the past three years, we have carried on several distinct research activities under the auspices of a "Quantitative Links" grant from the Department of Energy. The tasks to be carried out under that project, as stated in the original proposal, were:

1. *Participate in the GCM Intercomparison Project, including:*
 - a) *Lead a surface energy-budget intercomparison*
 - b) *Participate in a CO₂ forcing intercomparison*
 - c) *Cooperate with whatever additional intercomparisons the group decides to carry out.*
2. *Study the response of a one-dimensional coupled ocean-atmosphere model to changes in CO₂.*
3. *Analyze cloud forcing simulations made with the CSU GCM, and compare with observations.*
4. *Perform CO₂-sensitivity studies with a Q-flux version of the CSU GCM.*
5. *Begin a long-term project to couple the CSU GCM with a global ocean model.*

As outlined below, we have worked hard on this ambitious list of tasks, and some but not all have been completed. We have also carried out some additional research that was not anticipated when the proposal was written.

a) CO₂ forcing study.

The most significant accomplishment of the first year of this project was our study of the CO₂ forcing using the CSU GCM. This was the first time that a GCM has been used for such a calculation. We called the longwave radiation routine twice, to determine the radiative fluxes and heating rates for both 2 x CO₂ and 1 x CO₂. In the analysis of our results, we have concentrated on the effects of clouds on the CO₂ forcing. The results show that the clouds increase the CO₂ forcing of the troposphere in high latitudes, where low clouds predominate. On the other hand, the clouds reduce the CO₂ warming of the troposphere in the tropics and the middle latitudes of the summer hemisphere, where the prevalent high clouds block the upwelling longwave radiation. The clouds tend to reduce the CO₂ - induced warming in the tropical and summer-hemisphere troposphere, and to increase it in the middle and high-latitude troposphere. Christina Schmitt completed her Master's thesis on the effects of surface temperature and cloudiness on the CO₂ forcing. Results were presented at the AMS Global Change Symposium in New Orleans, in

January 1991. An article based on her thesis was published in the *Journal of Geophysical Research* (Schmitt and Randall, 1991). The FANGIO participants are now carrying out similar calculations.

b) Surface energy budget intercomparison.

We led a surface energy budget Intercomparison, which has now been accepted for publication in the *Journal of Geophysical Research* (Randall et al., 1992). In this study, we analyzed responses of the surface energy budgets and hydrologic cycles of 19 atmospheric general circulation models to an imposed, globally uniform sea surface temperature perturbation of 4 K. The responses of the simulated surface energy budgets are extremely diverse, and are closely linked to the responses of the simulated hydrologic cycles. Our results show that response of the net surface energy flux is not controlled by cloud effects; instead, it is determined primarily by the response of the latent heat flux. The prescribed warming of the oceans leads to major increases in the atmospheric water vapor content and the rates of evaporation and precipitation. The increased water vapor amount drastically alters the downwelling infrared radiation at the Earth's surface, but the amount of the change varies dramatically from one model to another. The precipitable water amount is highly correlated with the rate at which the atmosphere is cooled by infrared radiation; this is illustrated in Fig. 1.

c) Snow feedback study.

Snow feedback experiments based on perpetual-April runs were completed and included in the Intercomparison. Some results were published in *Science*, and a further analysis is underway. A second, longer publication on this work is anticipated.

d) Comparison of GCM simulations with observations

In addition, we performed an analysis of the seasonally varying cloud radiative forcing in the CSU GCM, including a comparison with ERBE data. The results are quite encouraging, and were published by Randall and Tjemkes (1991). An Intercomparison of the results of similar runs by many GCMs is now planned, under the auspices of FANGIO.

e) AMIP simulations.

A ten-year simulation with the CSU GCM, using observed sea surface temperatures and sea ice distributions for 1979 - 1989 was completed, as part of the Atmospheric Model Intercomparison Project (AMIP). Results have been analyzed to investigate the response of the tropical cloud radiative forcing and the clear-sky greenhouse effect to interannual variations in sea surface temperature, especially those associated with El Nino. Preliminary results will be presented at the AMIP meeting in February 1992.

f) One-dimensional model results.

We began one-dimensional CO₂-doubling experiments with the CSU GCM several years ago, but have not yet brought this study to conclusion, for two reasons. The first reason is straightforward and not particularly interesting: We discovered immediately that the cloud parameterization of the one-dimensional model will have to be changed before this sensitivity study can be meaningfully carried out. The reason is quite simple. At present, we have no parameterization of fractional cloudiness. Upper tropospheric clouds associated with deep convection occur persistently in the one-dimensional simulations, and these clouds are assumed to

Figure 1: The relationship between $\Delta(PW)$ and $[\Delta(LW_{\text{clr,sfc}}) - \Delta(LW_{\text{clr,top}})]$, which is the response of the net clear-sky longwave cooling of the atmosphere, as simulated by 19 GCMs. For a detailed discussion see Randall et al. (1992).

act as black bodies. An increase in the CO_2 concentration of the troposphere thus has practically no effect on the effective infrared opacity of the model's troposphere. Meaningful computations of this type will require a fractional cloudiness parameterization for upper tropospheric clouds. Of course, this problem would not occur in the three-dimensional GCM, since in a global and time-averaged sense the three-dimensional model does have "fractional cloudiness," even though the cloud amount at individual grid points on individual time steps is either zero or one.

Our second reason for not yet completing the one-dimensional studies of CO_2 doubling is much more interesting. We discovered, by accident, that our one-dimensional model undergoes spontaneous oscillations with a period of roughly 50 days. Experiments have shown that these oscillations are extremely robust, in the sense that their existence and basic features are quite insensitive to the details of the physical parameterizations in the model. Naturally, we are

investigating the possibility that these oscillations in our model are related to the observed intraseasonal oscillations of the tropical atmosphere. A dissertation on this subject has been successfully defended by Q. Hu.

Because we went off in "hot pursuit" of the intraseasonal oscillations in our one-dimensional model, we were distracted from further attempts to study the effects of increased CO₂. With the recent completion of Dr. Hu's dissertation, this distraction has come to an interesting and scientifically productive conclusion, and we are now planning to return to applications of the one-dimensional model to the global warming problem.

e) Q-flux ocean model.

We constructed and extensively tested a "Q-flux" ocean model, and coupled it with the CSU GCM. The model includes a prognostic equation for the sea surface temperature, with contributions from the surface fluxes, entrainment, and horizontal advection. The advective energy transports are prescribed on the basis of the surface energy budget simulated by the atmospheric GCM in a run with prescribed climatological sea surface temperatures. They thus guarantee that in a control run the sea surface temperatures of the coupled ocean-atmosphere model will stay close to the observed climatology. This approach is very similar to that adopted by J. Hansen's group at GISS (e.g., Hansen et al., 1984). The ocean model includes a simple sea ice parameterization following the work of Semtner (1976).

The ocean model was initially tested by driving it with the history tapes produced by the atmospheric model. Particular attention was paid to minimizing the secular drift of the model and to making the simulated distribution of sea ice as realistic as possible. A detailed technical report on this work has been completed (Jensen et al., 1992), and is attached as an Appendix to this proposal. We have also conducted an extended integration of the GCM coupled with the simple upper ocean. Results were presented at the AMS Conference on Climate Variations in Denver, and also at a scientific meeting of the Oceanography Society. A second integration with improved sea ice albedos is currently under way. Our plan is to use the coupled ocean atmosphere model to simulate the climatic effects of increased CO₂.

f) Development of "Model 2."

We have added thermodynamics to the layered ocean model developed by Jensen (1991a). This is intended to be an intermediate replacement for the Q-flux model described above, and so we call it "Model 2." The new version is currently being tested in a simple spherical domain. The major task is to include heat, salt and momentum exchange between different layers. The model has prognostic temperature and salinity in all layers, but the vertical exchange is still based on rather simple schemes. Presently, two different vertical diffusion and entrainment/detrainment schemes has been implemented and can be used separately or in combination. The parameterization by Pacanowski and Philander (1981) was developed for tropical circulation models with fixed layers. Such a formulation is adequate below the ocean mixed layer. For the mixed layer, we propose to use simple formulations as those used in layer models by McCreary and Kundu (1989), Bleck et al., 1989, Oberhuber (1990). These models are based on the early work with one-dimensional models reviewed by Niiler and Kraus (1977). Entrainment due to shear instability based on the Richardson number (Pollard et al., 1973; McCreary and Kundu, 1989) has been implemented in the model. In addition, entrainment / detrainment due to cooling / heating is included following for formulation of the Kraus and Turner (1967). Convection is included by simple convective adjustment.

The discretization is based on the Arakawa staggered C-grid. Time integration is done by the leap-frog scheme for most terms in the momentum and continuity equations. Friction and diffusion terms are computed by a forward scheme, which is also applied occasionally to filter out the computational mode associated with the leap-frog scheme. Advection of salt and temperature is computed using the two-step scheme by Takacs (1985). This scheme is superior to the classic leap-frog and Lax-Wendroff schemes with respect to dispersion errors, and to the upstream differencing scheme with respect to dissipation errors.

The model has been tested with up to 10 layers without thermodynamics (i.e. with a dynamically passive temperature). With 1 and 3 active layers, it was used to investigate the sensitivity of a low-latitude boundary western boundary current (an idealized East African Coastal Current) to the rate of vorticity transfer between the coast and the boundary current, sensitivity to non-linear effects and to the number of layers. Preliminary results (Jensen, 1991) was presented at the AGU Ocean Science Meeting, 1992. Test runs with active thermodynamics have also been accomplished. As an example, Fig. 2 shows the adjustment of an ocean at rest to an equatorial temperature anomaly.

g) Coupling with the Semtner-Chervin ocean model.

We have also completed an interface suitable for driving the Semtner-Chervin global ocean model with either an atmospheric GCM or the history tapes generated by an atmospheric GCM. We are now ready to drive the ocean model in a seasonal simulation with the history tapes produced by the CSU GCM.

h) Coupled one-dimensional model.

Finally, we have begun development of a one-dimensional coupled ocean-atmosphere boundary layer model, with parameterizations of sea ice and boundary-layer clouds. The vertical resolution and physical parameterizations of this model are considerably more detailed than those that can be included in climate models. We plan to use this model to investigate the physics of air sea interaction for two important climate regimes: the marine subtropical stratocumulus regimes, and the Arctic summer stratus. Both are characterized by persistent boundary-layer clouds, which drastically reduce the solar radiation reaching the sea surface. In the subtropics, the clouds help to keep the water cool, and the cool water is, in turn, favorable for the persistence of the low clouds. In the Arctic, the low clouds may help the sea ice to survive the summer insolation season. We suspect that multiple equilibria can occur in both regimes; one of the equilibria would be cloud free with a relatively warm surface, while the other is cloudy with a cool surface. Our experiments will be designed to test these hypotheses.

Summary

We have carried out a wide variety of research projects resulting in numerous publications and one completed Ph.D. thesis. The program of research supported by this project includes model development, model applications, and comparisons of model results with satellite observations. We have interacted closely with other members of the climate modeling community, notably through our strong participation in both FANGIO and AMIP.

Fig. 2. Temperature (top) and thermocline depth anomaly (bottom) after 10 days. Initial temperature and surface elevation is pyramidal. Current velocities are shown in both plots. Equatorial waves are generated by the warm perturbation. Note that temperature advection is very slow compared to the wave response.

Publications Resulting From This Project

- Cess, R. D., G. L. Potter, J. P. Blanchet, G. J. Boer, S. J. Ghan, J. T. Kiehl, H. Le Treut, Z.-X. Li, X.-Z. Liang, J. F. B. Mitchell, J.-J. Morcrette, D. A. Randall, M. Riches, E. Roeckner, U. Schlese, A. Slingo, K. E. Taylor, W. M. Washington, R. T. Wetherald, and I. Yagai, 1990: Interpretation of cloud-climate feedback as produced by 14 atmospheric general circulation models. *Science*, **245**, 513-516.
- Cess, R. D., G. L. Potter, J. P. Blanchet, G. J. Boer, A. D. Del Genio, M. Deque, V. Dymnikov, V. Galin, W. L. Gates, S. J. Ghan, J. T. Kiehl, A. Lacis, H. Le Treut, Z.-X. Li, X.-Z. Liang, B. J. McAvaney, V. P. Meleshko, J. F. B. Mitchell, J.-J. Morcrette, D. A. Randall, L. Rikus, E. Roeckner, J. F. Royer, U. Schlese, D. A. Sheinin, A. Slingo, A. P. Sokolov, K. E. Taylor, W. M. Washington, R. T. Wetherald, I. Yagai, and M.-H. Zhang, 1990: Intercomparison and interpretation of climate feedback processes in 19 atmospheric general circulation models. *J. Geophys. Res.*, **95**, 16601-16615.
- Randall, D. A., and S. Tjemkes, 1991: Clouds, the Earth's Radiation Budget, and the Hydrologic Cycle. *Paleoecology (Global and Planetary Change Section)*, **90**, 3-9.
- Intergovernmental Panel on Climate Change (D. A. Randall, Contributing Author), 1990: *Scientific Assessment of Climate Change*. WMO/UNEP, Cambridge University Press, 365 pp.
- Randall, D. A., 1990: Atmospheric and Surface Cloud Radiative Forcing: Results from Climate Models. Paper presented at the *Symposium on the Earth Observing System and Mission to Planet Earth of the Society of Photo-Optical Instrumentation Engineers*, April 17-18, 1990, Orlando, Florida (Invited paper).
- Randall, D. A., 1990: Simulation of Seasonal Cloud Forcing Anomalies. Paper Presented at the *Third International Summer Colloquium on Climate*, Beijing, China, August, 1990 (Invited paper).
- Randall, D. A., 1990: Numerical Studies of The Role of Clouds In the Present Climate. Paper Presented at the *Beijing International Symposium on Climate Change*, Beijing, China, August, 1990 (Invited paper).
- Randall, D. A., 1990: Cloud Parameterization For Climate Models. Paper Presented at the *Joint U.S. - Indian Seminar on Parameterization for Large-Scale Models*, Pune, India, August, 1990 (Invited paper).
- Schmitt, C., 1990: The effects of surface temperature and cloudiness on the CO₂ forcing. M. S. Thesis, Colorado State University.
- Schmitt, C. and D. A. Randall, 1991: The effects of surface temperature and cloudiness on the CO₂ forcing. Paper presented at the *Symposium on Global Change of the American Meteorological Society*, New Orleans.
- Schmitt, C., and D. A. Randall, 1991: The effects of surface temperature and clouds on the CO₂ forcing. *Journal of Geophysical Research*, **96**, 9159-9168.

- Hu, Q., and D. A. Randall, 1991: Low frequency oscillations in radiative convective models. Paper presented at the *5th Conference on Climate Variations of the American Meteorological Society*, Denver, Colorado.
- Cess, R. D., G. L. Potter, M.-H. Zhang, J.-P. Blanchet, S. Chalita, R. Coleman, D. Dazlich, A. D. Del Genio, V. Dymnikov, V. Galin, D. Jerrett, E. Keup, A. Lacis, H. Le Treut, X.-Z. Liang, J.-F. Mahfouf, B. J. McAvaney, V. P. Meleshko, J. F. B. Mitchell, J.-J. Morcrette, P. M. Norris, D. A. Randall, L. Rikus, E. Roeckner, J.-F. Royer, U. Schlese, D. A. Sheinin, J. M. Slingo, A. P. Sokolov, K. E. Taylor, W. M. Washington, R. T. Wetherald, and I. Yagai, 1991: Interpretation of Snow-Climate Feedback as Produced by 17 General Circulation Models. *Science*, **253**, 888-892.
- Jensen, T. G., D. A. Randall, and D. A. Dazlich, 1991: Coupling of a Simple Thermodynamic Ocean Mixed Layer and Sea Ice Model to the CSU General Circulation Model. Paper presented at the *5th Conference on Climate Variations of the American Meteorological Society*, Denver, Colorado.
- Randall, D. A., 1992: Global Climate Models: What and How. In *Global Warming: Physics and Facts*. B. G. Levi, D. Hafemeister, and R. Scribner, Eds. American Physical Society. pp. 24 - 35.
- Jensen, T. G., 1992: Equatorial Variability in a Wind-driven Indian Ocean Model. Submitted to *J. Geophys. Res. - Oceans*.
- Jensen, T. G., D. A. Randall, and D. A. Dazlich, 1992: Coupling of a Simple Thermodynamic Ocean Mixed Layer and Sea Ice Model to the CSU General Circulation Climate Model. Paper presented at the *Second Scientific Meeting of the Oceanography Society*, St. Petersburg.
- Hu, Q., 1992: Low frequency oscillations in radiative-convective models. Ph.D. thesis, Colorado State University.
- Randall, D. A., R. D. Cess, J. P. Blanchet, G. Boer, A. DelGenio, M. Deque, V. Dymnikov, V. Galin, W. L. Gates, S. J. Ghan, J. T. Kiehl, A. Lacis, H. Le Treut, Z.-X. Li, X.-S. Liang, B. J. McAvaney, V. P. Meleshko, J. F. B. Mitchell, J. J. Morcrette, G. L. Potter, L. Rikus, E. Roeckner, J. F. Royer, U. Schlese, D. A. Sheinin, A. Slingo, A. P. Sokolov, K. E. Taylor, W. M. Washington, R. T. Wetherald, I. Yagai, and M.H. Zhang, 1992: Intercomparison and Interpretation of Surface Energy Fluxes in Atmospheric General Circulation Models. *Journal of Geophysical Research*, **97**, 3711-3724.

References

- Bleck, R. H. P. Hanson, D. Hu and E. B. Kraus, 1989: Mixed layer-thermocline interaction in a three-dimensional isopycnic coordinate model. *J. Phys. Oceanogr.*, **19**, 1417-1439.
- Cess, R. D., G. L. Potter, J. P. Blanchet, G. J. Boer, A. D. Del Genio, M. Deque, V. Dymnikov, V. Galin, W. L. Gates, S. J. Ghan, J. T. Kiehl, A. Lacis, H. Le Treut, Z.-X. Li, X.-Z. Liang, B. J. McAvaney, V. P. Meleshko, J. F. B. Mitchell, J.-J. Morcrette, D. A. Randall, L. Rikus, E. Roeckner, J. F. Royer, U. Schlese, D. A. Sheinin, A. Slingo, A. P. Sokolov, K. E. Taylor, W. M. Washington, R. T. Wetherald, I. Yagai, and M.-H. Zhang, 1990: Intercomparison and interpretation of climate feedback processes in 19 atmospheric general circulation models. *J. Geophys. Res.*, **95**, 16601-16615.
- Hansen, J., A. Lacis, D. Rind, G. Russell, P. Stone, I. Fung, R. Ruedy, and J. Lerner, 1984: Climate sensitivity: Analysis of feedback mechanisms. *Climate process and climate sensitivity*, Maurice Ewing Series (5), J. E. Hansen and T. Takahashi, Eds., Amer. Geophys. Union, 130-163.
- Jensen, T. G., 1991: Numerical Modelling of the East African Coastal Current. EOS Trans., 72, no.51, Abstract, *AGU Ocean Science Meeting*.
- Jensen, T. G., D. A. Randall, and D. A. Dazlich, 1992: Coupling of a Simple Thermodynamic Ocean Mixed Layer and Sea Ice Model to the CSU General Circulation Climate Model. Paper presented at the *Second Scientific Meeting of the Oceanography Society*, St. Petersburg.
- Kraus, E. B. and J. S. Turner, 1967: A one-dimensional model of the seasonal thermocline, II, The general theory and its consequences. *Tellus*, **119**, 98-- 106.
- McCreary, J. P. and P. K. Kundu, 1989: A numerical investigation of sea surface temperature variability in the Arabian Sea. *J. Geophys. Res.*, **94**, 16097--16114.
- Niiler, P. P. and Kraus, E. B., 1977: One-dimensional models of the upper ocean. *Modelling and Prediction of the Upper Layers of the Ocean*. E. B. Kraus, Ed., Pergamon, 143-172.
- Oberhuber, J. M., 1990: Simulation of the Atlantic Circulation with a coupled sea ice - mixed layer - isopycnic general circulation model. Max-Planck-Institut für Meteorologie, *Rep. No. 59*, Hamburg.
- Pacanowski, R. C. and G. Philander, 1981: Parameterization of vertical mixing in numerical models of the tropical oceans. *J. Phys. Oceanogr.*, **11**, 1443-1451.
- Pollard, R. T., Rhines, P. B. and Thompson, R., 1973: The deepening of the wind-mixed layer. *Geophys. Fluid Dyn.*, **3**, 381-404.
- Randall, D. A., and S. Tjemkes, 1991: Clouds, the Earth's Radiation Budget, and the Hydrologic Cycle. *Paleoecology (Global and Planetary Change Section)*, **90**, 3-9.
- Randall, D. A., R. D. Cess, J. P. Blanchet, G. Boer, A. DelGenio, M. Deque, V. Dymnikov, V. Galin, W. L. Gates, S. J. Ghan, J. T. Kiehl, A. Lacis, H. Le Treut, Z.-X. Li, X.-S. Liang, B. J. McAvaney, V. P. Meleshko, J. F. B. Mitchell, J. J. Morcrette, G. L. Potter, L. Rikus, E.

Roeckner, J. F. Royer, U. Schlese, D. A. Sheinin, A. Slingo, A. P. Sokolov, K. E. Taylor, W. M. Washington, R. T. Wetherald, I. Yagai, and M.H. Zhang, 1992: Intercomparison and Interpretation of Surface Energy Fluxes in Atmospheric General Circulation Models. Accepted for publication in the *Journal of Geophysical Research*.

Schmitt, C., and D. A. Randall, 1991: The effects of surface temperature and clouds on the CO₂ forcing. *Journal of Geophysical Research*, **96**, 9159-9168.

Semtner, A. J., Jr., 1976: A model for the thermodynamic growth of sea ice in numerical investigations of climate. *J. Phys. Oceanogr.*, **6**, 379-389.

Takacs, L. L., 1985: A two-step scheme for the advection equation with minimized dissipation and dispersion errors. *Mon. Wea. Rev.*, **113**, p. 1050-1065.

List of Attachments

- Cess, R. D., G. L. Potter, J. P. Blanchet, G. J. Boer, S. J. Ghan, J. T. Kiehl, H. Le Treut, Z.-X. Li, X.-Z. Liang, J. F. B. Mitchell, J.-J. Morcrette, D. A. Randall, M. Riches, E. Roeckner, U. Schlese, A. Slingo, K. E. Taylor, W. M. Washington, R. T. Wetherald, and I. Yagai, 1990: Interpretation of cloud-climate feedback as produced by 14 atmospheric general circulation models. *Science*, **245**, 513-516.
- Cess, R. D., G. L. Potter, J. P. Blanchet, G. J. Boer, A. D. Del Genio, M. Deque, V. Dymnikov, V. Galin, W. L. Gates, S. J. Ghan, J. T. Kiehl, A. Lacis, H. Le Treut, Z.-X. Li, X.-Z. Liang, B. J. McAvaney, V. P. Meleshko, J. F. B. Mitchell, J.-J. Morcrette, D. A. Randall, L. Rikus, E. Roeckner, J. F. Royer, U. Schlese, D. A. Sheinin, A. Slingo, A. P. Sokolov, K. E. Taylor, W. M. Washington, R. T. Wetherald, I. Yagai, and M. H. Zhang, 1990: Intercomparison and interpretation of climate feedback processes in 19 atmospheric general circulation models. *J. Geophys. Res.*, **95**, 16601-16615.
- Randall, D. A., and S. Tjemkes, 1991: Clouds, the Earth's Radiation Budget, and the Hydrologic Cycle. *Paleoecology (Global and Planetary Change Section)*, **90**, 3-9.
- Randall, D. A., 1990: Atmospheric and Surface Cloud Radiative Forcing: Results from Climate Models. Paper presented at the *Symposium on the Earth Observing System and Mission to Planet Earth of the Society of Photo-Optical Instrumentation Engineers*, April 17-18, 1990, Orlando, Florida.
- Randall, D. A., 1990: Simulation of Seasonal Cloud Forcing Anomalies. Paper Presented at the *Third International Summer Colloquium on Climate*, Beijing, China, August, 1990.
- Randall, D. A., 1990: Numerical Studies of The Role of Clouds In the Present Climate. Paper Presented at the *Beijing International Symposium on Climate Change*, Beijing, China, August, 1990.
- Randall, D. A., 1990: Cloud Parameterization For Climate Models. Paper Presented at the *Joint U.S. - Indian Seminar on Parameterization for Large-Scale Models*, Pune, India, August, 1990.
- Schmitt, C., and D. A. Randall, 1991: The effects of surface temperature and clouds on the CO₂ forcing. *Journal of Geophysical Research*, **96**, 9159-9168.
- Hu, Q., and D. A. Randall, 1991: Low frequency oscillations in radiative convective models. Paper presented at the *5th Conference on Climate Variations of the American Meteorological Society*, Denver, Colorado.
- Cess, R. D., G. L. Potter, M.-H. Zhang, J.-P. Blanchet, S. Chalita, R. Coleman, D. Dazlich, A. D. Del Genio, V. Dymnikov, V. Galin, D. Jerrett, E. Keup, A. Lacis, H. Le Treut, X.-Z. Liang, J.-F. Mahfouf, B. J. McAvaney, V. P. Meleshko, J. F. B. Mitchell, J.-J. Morcrette, P. M. Norris, D. A. Randall, L. Rikus, E. Roeckner, J.-F. Royer, U. Schlese, D. A. Sheinin, J. M. Slingo, A. P. Sokolov, K. E. Taylor, W. M. Washington, R. T. Wetherald, and I. Yagai, 1991: Interpretation of Snow-Climate Feedback as Produced by 17 General Circulation Models. *Science*, **253**, 888-892.

- Jensen, T. G., D. A. Randall, and D. A. Dazlich, 1991: Coupling of a Simple Thermodynamic Ocean Mixed Layer and Sea Ice Model to the CSU General Circulation Model. Paper presented at the *5th Conference on Climate Variations of the American Meteorological Society*, Denver, Colorado.
- Randall, D. A., 1992: Global Climate Models: What and How. *In Global Warming: Physics and Facts*. B. G. Levi, D. Hafemeister, and R. Scribner, Eds. American Physical Society. pp. 24 - 35.
- Randall, D. A., R. D. Cess, J. P. Blanchet, G. Boer, A. DelGenio, M. Deque, V. Dymnikov, V. Galin, W. L. Gates, S. J. Ghan, J. T. Kiehl, A. Lacis, H. Le Treut, Z.-X. Li, X.-S. Liang, B. J. McAvaney, V. P. Meleshko, J. F. B. Mitchell, J. J. Morcrette, G. L. Potter, L. Rikus, E. Roeckner, J. F. Royer, U. Schlese, D. A. Sheinin, A. Slingo, A. P. Sokolov, K. E. Taylor, W. M. Washington, R. T. Wetherald, I. Yagai, and M.H. Zhang, 1992: Intercomparison and Interpretation of Surface Energy Fluxes in Atmospheric General Circulation Models. *Journal of Geophysical Research*, **97**, 3711-3724.

END

**DATE
FILMED
9/25/92**