AIM

Association for Information and Image Management

1100 Wayne Avenue, Suite 1100
Silver Spring, Maryland 20910
301/587-8202

Centimeter

Inches

MANUFACTURED TO AIM STANDARDS
BY APPLIED IMAGE, INC.

1 of 1

ANALYTICAL LABORATORY and MOBILE SAMPLING PLATFORM

PROGRESS REPORT
APRIL 1, 1993 to JUNE 30, 1993

DOE Cooperative Agreement
No. DE-FC 08-90NV10872

Klaus Stetzenbach

Harry Reid Center For Environmental Studies
University of Nevada - Las Vegas

DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

MASTER *1/2*

DISTRIBUTION OF THIS DOCUMENT IS UNLIMITED

EPA Proficiency Samples

During this reporting period the HRC laboratory received the results of its first EPA proficiency samples (WP029, WS031). The results as received from the Nevada State Health Laboratory are attached. The results for the metals show 6 not acceptable results, while the results for the anions show that only the high fluoride sample in WP029 was outside acceptable limits.

The analyses for the volatile organic compounds are for the most part not acceptable and we could not be certified to perform these analyses.

The latest EPA proficiency samples, WP030 and WS032, were analyzed and the results submitted in April and June. A copy of our results is attached. The analyses for the metals were performed by both ICP-MS and AA whenever possible, but only one result for each element was submitted. We also obtained new standards and modified our volatile organic analysis procedures in an attempt to improve our results.

USGS Proficiency Samples

Results from Fall 1992 proficiency samples are included. The HRC submitted results for metals by both AA and ICP-MS (196.1 and 196.2) and anions by ion chromatography. Both overall scores were between satisfactory and good. A copy of the values for the Spring 1993 reference samples that were submitted in June is enclosed. The results are expected in September or October.

Los Alamos Samples

Analyses of approximately 20 mineral and water samples received from the LANL were performed during this reporting period. About 300 measurements were requested. These samples had a high dissolved solids content that interfered with the ICP-MS analysis. The samples clogged the skimmer cones and produced enough deposit to cause the torch to crack. Partial results were sent to the LANL at the end of June. The remaining analyses will be performed in July when we will have access to an ICP-AES instrument in the chemistry department. We believe that this is a more appropriate way to analyze these samples. The time and cost for these samples was not budgeted in this project, therefore, this has reduced our effort in the Ground Water Fingerprinting project.

Planned for next Quarter

- USGS vapor tracer experiments
- EFAP for Ground Water monitoring
- Sandia Samples
- Finish LANL
- Caisson samples

EPA (STATE OF NEVADA) PERFORMANCE SAMPLES

1. Results from the WP029 Study.
2. Results from the WS031 Study.
3. Values submitted for the WP030 Study.
4. Values submitted for the WS032 Study.

DATE: 12/21/92

PERFORMANCE EVALUATION REPORT

WATER POLLUTION STUDY NUMBER WP029

LABORATORY: NV049

FLORIDA ROAD CENTER, GALT

ANALYTES	REPORT TRUE ACCEPTANCE		WARNING LIMITS		PERFORMANCE EVALUATION
	SAMPLE NUMBER	VALUE	VALUE*	LIMITS	

MINERALS IN MILLIGRAMS PER LITER: (EXCEPT AS NOTED)

CALCIUM	1	15.5	15.0	12.8- 15.9	13.2- 15.5	ACCEPTABLE
	2	48.8	49.0	44.7- 54.1	45.9- 53.0	ACCEPTABLE
MAGNESIUM	1	2.71	2.48	2.07- 2.90	2.17- 2.79	ACCEPTABLE
	2	24.6	24.0	21.0- 26.9	21.8- 26.2	ACCEPTABLE
SODIUM	1	9.64	9.68	8.19- 11.3	8.59- 10.9	ACCEPTABLE
	2	52.0	48.4	42.4- 55.2	44.0- 53.6	ACCEPTABLE
POTASSIUM	1	6.29	6.30	5.16- 7.32	5.44- 7.05	ACCEPTABLE
	2	34.9	34.0	29.1- 38.9	30.3- 37.6	ACCEPTABLE
CHLORIDE	1	32.2	33.3	28.8- 36.0	29.7- 35.1	ACCEPTABLE
	2	156	159	143- 171	146- 167	ACCEPTABLE
FLUORIDE	1	0.435	0.460	0.378-0.544	0.399-0.523	ACCEPTABLE
	2	1.35	1.80	1.55- 2.02	1.61- 1.96	NOT ACCEPTABLE
SULFATE	1	16.5	17.0	13.2- 20.2	14.1- 19.4	ACCEPTABLE
	2	82.6	84.0	70.1- 93.9	73.1- 90.9	ACCEPTABLE

NUTRIENTS IN MILLIGRAMS PER LITER:

NITRATE-NITROGEN	1	0.204	0.170	0.0849-0.256	0.105-0.235	ACCEPTABLE
	2	1.28	1.30	1.00- 1.59	1.07- 1.52	ACCEPTABLE
ORTHOPHOSPHATE	1	<.0300	0.030	0.116-0.0498	0.0162-0.0452	UNUSABLE DATA
	2	0.687	0.670	0.555-0.779	0.582-0.752	ACCEPTABLE

* BASED UPON THEORETICAL CALCULATIONS, OR A REFERENCE VALUE WHEN NECESSARY.

RECEIVED

FEB 10 1993

LABORATORY NV005 *Harry Reid Ctr.*

ANALYTES	SAMPLE NUMBER	REPORTED VALUE	TRUE VALUE*	ACCEPTANCE LIMITS	PERFORMANCE EVALUATIONS
ALUMINIUM	1	72.0	76.3	62.6- 93.2	ACCEPTABLE
	2	2.56	4.69	3.28- 6.10	NOT ACCEPTABLE
ANTIMONY	1	70.9	70.2	58.2- 80.2	ACCEPTABLE
	2	727	681	579- 783	ACCEPTABLE
ARSENIC	1	2.13	3.27	2.78- 3.76	NOT ACCEPTABLE
	2	931.6	720	652- 814	NOT ACCEPTABLE
BARIUM	1	13.7	12.8	10.2- 15.4	ACCEPTABLE
	2	46.4	91.6	69.4- 93.8	NOT ACCEPTABLE
BERYLLIUM	1	116.4	110	99.0- 121	ACCEPTABLE
	2	12.1	12.4	8.68- 16.1	ACCEPTABLE
BORON	1	17.2	17.0	13.8- 18.7	ACCEPTABLE
	2	1.3	0.908	0.636- 1.18	NOT ACCEPTABLE
CADMIUM	1	13.7	12.8	10.2- 15.4	ACCEPTABLE
	2	46.4	91.6	69.4- 93.8	NOT ACCEPTABLE
CHROMIUM	1	116.4	110	99.0- 121	ACCEPTABLE
	2	12.1	12.4	8.68- 16.1	ACCEPTABLE
COPPER	1	17.2	17.0	13.8- 18.7	ACCEPTABLE
	2	1.3	0.908	0.636- 1.18	NOT ACCEPTABLE
LEAD	1	13.7	12.8	10.2- 15.4	ACCEPTABLE
	2	46.4	91.6	69.4- 93.8	NOT ACCEPTABLE
MANGANESE	1	116.4	110	99.0- 121	ACCEPTABLE
	2	12.1	12.4	8.68- 16.1	ACCEPTABLE
MERCURY	1	17.2	17.0	13.8- 18.7	ACCEPTABLE
	2	1.3	0.908	0.636- 1.18	NOT ACCEPTABLE

TRACE METALS IN MICROGRAMS PER LITER:

ALUMINIUM

ANTIMONY

ARSENIC

BARIUM

BERYLLIUM

BORON

CADMIUM

CHROMIUM

COPPER

LEAD

MANGANESE

MERCURY

* BASED UPON THEORETICAL CALCULATIONS, OR A REFERENCE VALUE WHEN NECESSARY.
 ** SIGNIFICANT GENERAL METHOD BIAS IS ANTICIPATED FOR THIS RESULT.

ANALYTES	SAMPLE NUMBER	REPORTED VALUE	TRUE VALUE*	ACCEPTANCE LIMITS	PERFORMANCE EVALUATIONS
----------	------------------	-------------------	----------------	----------------------	----------------------------

TRACE METALS IN MICROGRAMS PER LITER:

MOLYBDENUM	2	40.2	42.3	29.2- 54.3	ACCEPTABLE
------------	---	------	------	------------	------------

NICKEL	1	68.4	68.0	57.8- 78.2	ACCEPTABLE
--------	---	------	------	------------	------------

SELENIUM	1	20.0	22.9	18.3- 27.5	NOT ACCEPTABLE
----------	---	------	------	------------	----------------

SILVER	2	105.4	109	92.4- 123	ACCEPTABLE
--------	---	-------	-----	-----------	------------

THALLIUM	2	1.55	1.48	0.822- 2.26	ACCEPTABLE
----------	---	------	------	-------------	------------

VANADIUM	1	24.6	24.2	20.2- 27.5	ACCEPTABLE
----------	---	------	------	------------	------------

ZINC	1	176.7	179	161- 190	ACCEPTABLE
------	---	-------	-----	----------	------------

NITRATE/NITRITE/FLUORIDE IN MILLIGRAMS PER LITER:

NITRATE AS N	1	6.33	6.50	5.85- 7.15	ACCEPTABLE
--------------	---	------	------	------------	------------

FLUORIDE	1	5.74	5.70	5.13- 6.27	ACCEPTABLE
----------	---	------	------	------------	------------

TRIALONYTHANES IN MICROGRAMS PER LITER:

BROMODICHLOROMETHANE	1	13.3	36.9	29.5- 44.3	NOT ACCEPTABLE
----------------------	---	------	------	------------	----------------

* BASED UPON THEORETICAL CALCULATIONS, OR A REFERENCE VALUE WHEN NECESSARY.

ANALYTES	SAMPLE NUMBER	REPORTED VALUE	TRUE VALUE*	ACCEPTANCE LIMITS	PERFORMANCE EVALUATIONS
TRIHALOMETHANES IN MICROGRAMS PER LITER:					
BROMOFORM	1	39.7	43.7	35.0- 52.4	ACCEPTABLE
CHLORODIBROMOMETHANE	1	19.1	31.8	25.4- 38.2	NOT ACCEPTABLE
CHLOROFORM	1	36.5	48.4	38.7- 58.1	NOT ACCEPTABLE
TOTAL TRIHALOMETHANE	1	113.6	160.8	129- 193	NOT ACCEPTABLE
VOLATILE ORGANIC COMPOUNDS IN MICROGRAMS PPR LITER:					
BENZENE	1	13.1	12.6	10.1- 15.1	ACCEPTABLE
CARBON TETRACHLORIDE	1	6.75	8.69	5.21- 12.2	ACCEPTABLE
CHLOROBENZENE	2	6.19	7.68	4.61- 10.8	ACCEPTABLE
1,2-DICHLOROBENZENE	2	12.0	16.3	13.0- 19.6	NOT ACCEPTABLE
1,4-DICHLOROBENZENE	1	10.2	9.40	5.64- 13.2	ACCEPTABLE
1,2-DICHLOROETHANE	1	4.79	9.25	5.55- 12.9	NOT ACCEPTABLE
C 1,2 DICHLOROETHYLENE	2	9.87	14.5	11.6- 17.4	NOT ACCEPTABLE

* BASED UPON THEORETICAL CALCULATIONS, OR A REFERENCE VALUE WHEN NECESSARY.

ANALYTES	SAMPLE NUMBER	REPORTED VALUE	TRUE VALUE*	ACCEPTANCE LIMITS	PERFORMANCE EVALUATIONS
----------	------------------	-------------------	----------------	----------------------	----------------------------

VOLATILE ORGANIC COMPOUNDS IN MICROGRAMS PER LITER:

T 1,2 DICHLOROETHYLENE	2	7.50	10.1	8.08- 12.1	NOT ACCEPTABLE
1,2 DICHLOROPROPANE	2	9.39	12.7	10.2- 15.2	NOT ACCEPTABLE
ETHYLBENZENE	2	9.13	9.27	5.56- 13.0	ACCEPTABLE
STYRENE	2	11.8	11.4	9.12- 13.7	ACCEPTABLE
TETRACHLOROETHYLENE	2	5.91	11.6	9.28- 13.9	NOT ACCEPTABLE
TOLUENE	2	11.4	15.3	12.2- 18.4	NOT ACCEPTABLE
1,1,1-TRICHLOROETHANE	1	11.4	13.0	10.4- 15.6	ACCEPTABLE
TRICHLOROETHYLENE	1	4.32	7.46	4.48- 10.4	NOT ACCEPTABLE
VINYL CHLORIDE	1	12.3	11.9	7.14- 16.7	ACCEPTABLE
TOTAL XYLENES	2	15.2	13.2	10.6- 15.8	NOT ACCEPTABLE
PERT-BUTYLBENZENE	3	2.37		D.L.- D.L.	NOT ACCEPTABLE
1,2DIHROMO3CHLOROPROPANE4		10.2	2.65	1.59- 3.71	NOT ACCEPTABLE

* BASED UPON THEORETICAL CALCULATIONS, OR A REFERENCE VALUE WHEN NECESSARY.
D.L. STANDS FOR DETECTION LIMIT

WATER SUPPLY STUDY NUMBER 45031

LABORATORY HV9005

ANALYTES	SAMPLE NUMBER	REPORTED VALUE	TRUE VALUE*	ACCEPTANCE LIMITS	PERFORMANCE EVALUATIONS
----------	---------------	----------------	-------------	-------------------	-------------------------

VOLATILE ORGANIC COMPOUNDS IN MICROGRAMS PER LITER:

2,2-DICHLOROPROPANE	3	10.6	15.7	12.6- 18.8	NOT ACCEPTABLE
1,1-DICHLOROPROPENE	3	7.38	7.31	4.39- 10.2	ACCEPTABLE
ETHYLENE DIBROMIDE (EDB) 4		16.8	0.637	0.392-0.892	NOT ACCEPTABLE
FLUOROTRICHLOROMETHANE	3	12.5	12.6	10.1- 15.1	ACCEPTABLE
N-PROPYLBENZENE	3		11.7	9.36- 14.0	NOT ACCEPTABLE
1,3,5-TRIMETHYLBENZENE	3	8.07	8.60	5.16- 12.0	ACCEPTABLE

MISCELLANEOUS ANALYTES:

SULFATE (MILLIGRAMS PER LITER)	1	8.34	8.60	6.40- 10.6	ACCEPTABLE
-----------------------------------	---	------	------	------------	------------

* BASED UPON THEORETICAL CALCULATIONS, OR A REFERENCE VALUE WHEN NECESSARY.

(4-27-93)
sent to

STAPLE
HERE

U.S. ENVIRONMENTAL PROTECTION AGENCY

OMB#2080-0021
(Exp. 7/94)

REPORT FORM PAGE 1

WATER POLLUTION LABORATORY PERFORMANCE EVALUATION STUDY

EPA LAB I.D.

STUDY NO.

0130049011

WP

1-3

4-8

TYPE OF LAB - PLACE AN "X" IN THE MOST APPROPRIATE BOX:

STATE

OTHER EPA OR

EPA FEDERAL EQUIVALENT

OTHER

LOCAL

INSTITUTIONAL
(NON-PROFIT)

COMMERCIAL INDUSTRIAL OTHER

13

14

15

16

17

18

19

20

21

EMSL USE ONLY

79-80

IF OTHER, SPECIFY _____

HARRY REID CENTER

LAB NAME

REPORT APPROVED BY:

Klaus STETZENBACH

NAME (Print)

4505 Maryland Parkway

STREET ADDRESS

Las Vegas

CITY

NV

STATE

89101

ZIP

Klaus J. Stetzenbach

SIGNATURE

Ph.D.

TITLE

101-895-3747

TELEPHONE

4/28/93

DATE

INTERNAL REVIEW RECORD:

LOCAL COORDINATOR

STATE COORDINATOR

REGIONAL COORDINATOR

EMSL COORDINATOR

NAME (Print)

SIGNATURE

DATE

This report is authorized by law (Public Law 92-500).

U.S. ENVIRONMENTAL PROTECTION AGENCY

WATER POLLUTION LABORATORY PERFORMANCE EVALUATION STUDY

STUDY NO. EPA LAB I.D.

1-3

4-8

TRACE METALS - RECOVERY IN MICROGRAMS PER LITER

1-3		4-8		ALUMINUM		ARSENIC	
MC	SAMPLE 1	SAMPLE 2	MC	SAMPLE 1	SAMPLE 2	MC	SAMPLE 1
02	18	19-23	15	35	36-40	33-34	41
9-10	24	25-29	33-34	35	42-46	33-34	42-46
1-8	BERYLLIUM	59-63	67-68	69	70-74	67-68	75
	SAMPLE 1	SAMPLE 2	67-68	69	70-74	67-68	75
	53-57	59-63	67-68	69	70-74	67-68	75
	58	59-63	67-68	69	70-74	67-68	75
	COBALT	59-63	67-68	69	70-74	67-68	75
	SAMPLE 1	SAMPLE 2	67-68	69	70-74	67-68	75
	19-23	25-29	67-68	69	70-74	67-68	75
	24	25-29	67-68	69	70-74	67-68	75
	COPPER	25-29	67-68	69	70-74	67-68	75
	SAMPLE 1	SAMPLE 2	67-68	69	70-74	67-68	75
	53-57	59-63	67-68	69	70-74	67-68	75
	58	59-63	67-68	69	70-74	67-68	75
	MERCURY	59-63	67-68	69	70-74	67-68	75
	SAMPLE 1	SAMPLE 2	67-68	69	70-74	67-68	75
	19-23	25-29	67-68	69	70-74	67-68	75
	24	25-29	67-68	69	70-74	67-68	75
	NICKEL	25-29	67-68	69	70-74	67-68	75
	SAMPLE 1	SAMPLE 2	67-68	69	70-74	67-68	75
	53-57	59-63	67-68	69	70-74	67-68	75
	58	59-63	67-68	69	70-74	67-68	75
	LEAD	59-63	67-68	69	70-74	67-68	75
	SAMPLE 1	SAMPLE 2	67-68	69	70-74	67-68	75
	53-57	59-63	67-68	69	70-74	67-68	75
	58	59-63	67-68	69	70-74	67-68	75
	CHROMIUM	59-63	67-68	69	70-74	67-68	75
	SAMPLE 1	SAMPLE 2	67-68	69	70-74	67-68	75
	19-23	25-29	67-68	69	70-74	67-68	75
	24	25-29	67-68	69	70-74	67-68	75
	IRON	25-29	67-68	69	70-74	67-68	75
	SAMPLE 1	SAMPLE 2	67-68	69	70-74	67-68	75
	53-57	59-63	67-68	69	70-74	67-68	75
	58	59-63	67-68	69	70-74	67-68	75
	MANGANESE	59-63	67-68	69	70-74	67-68	75
	SAMPLE 1	SAMPLE 2	67-68	69	70-74	67-68	75
	19-23	25-29	67-68	69	70-74	67-68	75
	24	25-29	67-68	69	70-74	67-68	75
	LEAD	25-29	67-68	69	70-74	67-68	75
	SAMPLE 1	SAMPLE 2	67-68	69	70-74	67-68	75
	53-57	59-63	67-68	69	70-74	67-68	75
	58	59-63	67-68	69	70-74	67-68	75
	CHROMIUM	59-63	67-68	69	70-74	67-68	75
	SAMPLE 1	SAMPLE 2	67-68	69	70-74	67-68	75
	19-23	25-29	67-68	69	70-74	67-68	75
	24	25-29	67-68	69	70-74	67-68	75
	IRON	25-29	67-68	69	70-74	67-68	75
	SAMPLE 1	SAMPLE 2	67-68	69	70-74	67-68	75
	53-57	59-63	67-68	69	70-74	67-68	

U.S. ENVIRONMENTAL PROTECTION AGENCY

WATER POLLUTION LABORATORY PERFORMANCE EVALUATION STUDY

STUDY NO. EPA LAB I.D.

1-3 4-8

TRACE METALS - RECOVERY IN MICROGRAMS PER LITER

[illegible]

0	6
---	---

1-8
DUPLICATE

0	7
---	---

DUPLICATE
1-8

U.S. ENVIRONMENTAL PROTECTION AGENCY

WATER POLLUTION LABORATORY PERFORMANCE EVALUATION STUDY

STUDY NO. EPA LAB I.D.

WP 1-3 4-8

AMMONIA-NITROGEN, as N		NITRATE-NITROGEN, as N	
SAMPLE 1	SAMPLE 2	SAMPLE 1	SAMPLE 2
111	34.3	6.90	
18	24	41	42-46
16-17	25-29	36-40	
MC	99	33-34	
50-51	53-57	67-68	75
52	58	70-74	76-80
18	59-63		
16-17	50-51		
MC	52		
18	53		
16-17	54		
MC	55		
18	56		
16-17	57		
MC	58		
18	59		
16-17	60		
MC	61		
18	62		
16-17	63		
MC	64		
18	65		
16-17	66		
MC	67		
18	68		
16-17	69		
MC	70		
18	71		
16-17	72		
MC	73		
18	74		
16-17	75		
MC	76		
18	77		
16-17	78		
MC	79		
18	80		
16-17	81		
MC	82		
18	83		
16-17	84		
MC	85		
18	86		
16-17	87		
MC	88		
18	89		
16-17	90		
MC	91		
18	92		
16-17	93		
MC	94		
18	95		
16-17	96		
MC	97		
18	98		
16-17	99		
MC	100		

TOTAL PHOSPHORUS, as P

SAMPLE 3

SAMPLE 4

SAMPLE 1

SAMPLE 2

SAMPLE 3

SAMPLE 4

SAMPLE 1

SAMPLE 2

SAMPLE 3

SAMPLE 4

SAMPLE 1

SAMPLE 2

SAMPLE 3

SAMPLE 4

SAMPLE 1

SAMPLE 2

SAMPLE 3

SAMPLE 4

SAMPLE 1

SAMPLE 2

SAMPLE 3

SAMPLE 4

SAMPLE 1

SAMPLE 2

SAMPLE 3

SAMPLE 4

SAMPLE 1

SAMPLE 2

SAMPLE 3

SAMPLE 4

SAMPLE 1

SAMPLE 2

SAMPLE 3

SAMPLE 4

SAMPLE 1

SAMPLE 2

SAMPLE 3

SAMPLE 4

SAMPLE 1

SAMPLE 2

SAMPLE 3

SAMPLE 4

SAMPLE 1

SAMPLE 2

SAMPLE 3

SAMPLE 4

SAMPLE 1

SAMPLE 2

SAMPLE 3

SAMPLE 4

SAMPLE 1

SAMPLE 2

SAMPLE 3

SAMPLE 4

SAMPLE 1

SAMPLE 2

SAMPLE 3

SAMPLE 4

SAMPLE 1

SAMPLE 2

SAMPLE 3

SAMPLE 4

SAMPLE 1

SAMPLE 2

SAMPLE 3

SAMPLE 4

SAMPLE 1

SAMPLE 2

SAMPLE 3

SAMPLE 4

SAMPLE 1

SAMPLE 2

SAMPLE 3

SAMPLE 4

SAMPLE 1

SAMPLE 2

SAMPLE 3

SAMPLE 4

SAMPLE 1

SAMPLE 2

SAMPLE 3

SAMPLE 4

SAMPLE 1

SAMPLE 2

SAMPLE 3

SAMPLE 4

SAMPLE 1

SAMPLE 2

SAMPLE 3

SAMPLE 4

SAMPLE 1

SAMPLE 2

SAMPLE 3

SAMPLE 4

SAMPLE 1

SAMPLE 2

SAMPLE 3

SAMPLE 4

SAMPLE 1

SAMPLE 2

SAMPLE 3

SAMPLE 4

SAMPLE 1

SAMPLE 2

SAMPLE 3

SAMPLE 4

SAMPLE 1

SAMPLE 2

SAMPLE 3

SAMPLE 4

SAMPLE 1

SAMPLE 2

SAMPLE 3

SAMPLE 4

SAMPLE 1

SAMPLE 2

SAMPLE 3

SAMPLE 4

SAMPLE 1

SAMPLE 2

SAMPLE 3

SAMPLE 4

SAMPLE 1

SAMPLE 2

SAMPLE 3

SAMPLE 4

SAMPLE 1

SAMPLE 2

SAMPLE 3

SAMPLE 4

SAMPLE 1

SAMPLE 2

SAMPLE 3

SAMPLE 4

SAMPLE 1

SAMPLE 2

SAMPLE 3

SAMPLE 4

SAMPLE 1

SAMPLE 2

SAMPLE 3

SAMPLE 4

SAMPLE 1

SAMPLE 2

SAMPLE 3

SAMPLE 4

SAMPLE 1

SAMPLE 2

SAMPLE 3

SAMPLE 4

SAMPLE 1

SAMPLE 2

SAMPLE 3

SAMPLE 4

SAMPLE 1

SAMPLE 2

SAMPLE 3

SAMPLE 4

SAMPLE 1

SAMPLE 2

SAMPLE 3

SAMPLE 4

SAMPLE 1

SAMPLE 2

SAMPLE 3

SAMPLE 4

SAMPLE 1

SAMPLE 2

SAMPLE 3

SAMPLE 4

SAMPLE 1

SAMPLE 2

SAMPLE 3

SAMPLE 4

SAMPLE 1

SAMPLE 2

SAMPLE 3

SAMPLE 4

SAMPLE 1

SAMPLE 2

SAMPLE 3

SAMPLE 4

SAMPLE 1

SAMPLE 2

SAMPLE 3

SAMPLE 4

SAMPLE 1

SAMPLE 2

SAMPLE 3

SAMPLE 4

SAMPLE 1

SAMPLE 2

SAMPLE 3

SAMPLE 4

SAMPLE 1

SAMPLE 2

SAMPLE 3

SAMPLE 4

SAMPLE 1

SAMPLE 2

SAMPLE 3

SAMPLE 4

SAMPLE 1

SAMPLE 2

SAMPLE 3

SAMPLE 4

SAMPLE 1

SAMPLE 2

SAMPLE 3

SAMPLE 4

SAMPLE 1

SAMPLE 2

SAMPLE 3

SAMPLE 4

SAMPLE 1

SAMPLE 2

SAMPLE 3

SAMPLE 4

SAMPLE 1

SAMPLE 2

SAMPLE 3

SAMPLE 4

SAMPLE 1

SAMPLE 2

SAMPLE 3

SAMPLE 4

SAMPLE 1

SAMPLE 2

SAMPLE 3

SAMPLE 4

SAMPLE 1

SAMPLE 2

SAMPLE 3

SAMPLE 4

SAMPLE 1

SAMPLE 2

SAMPLE 3

SAMPLE 4

SAMPLE 1

SAMPLE 2

SAMPLE 3

SAMPLE 4

SAMPLE 1

SAMPLE 2

SAMPLE 3

SAMPLE 4

SAMPLE 1

SAMPLE 2

SAMPLE 3

SAMPLE 4

SAMPLE 1

SAMPLE 2

SAMPLE 3

SAMPLE 4

SAMPLE 1

SAMPLE 2

SAMPLE 3

SAMPLE 4

SAMPLE 1

SAMPLE 2

SAMPLE 3

SAMPLE 4

SAMPLE 1

SAMPLE 2

SAMPLE 3

SAMPLE 4

SAMPLE 1

SAMPLE 2

SAMPLE 3

SAMPLE 4

SAMPLE 1

SAMPLE 2

SAMPLE 3

SAMPLE 4

SAMPLE 1

SAMPLE 2

SAMPLE 3

SAMPLE 4

SAMPLE 1

SAMPLE 2

SAMPLE 3

SAMPLE 4

SAMPLE 1

SAMPLE 2

SAMPLE 3

SAMPLE 4

SAMPLE 1

SAMPLE 2

SAMPLE 3

SAMPLE 4

SAMPLE 1

SAMPLE 2

SAMPLE 3

SAMPLE 4

SAMPLE 1

SAMPLE 2

SAMPLE 3

SAMPLE 4

SAMPLE 1

SAMPLE 2

SAMPLE 3

SAMPLE 4

SAMPLE 1

SAMPLE 2

STAPLE
HERE

EPA LAB I.D.

STUDY NO.

N	V	O	P	9
---	---	---	---	---

0	1
---	---

WP

1-3

TYPE OF LAB - PLACE AN "X" IN THE MOST APPROPRIATE BOX:

9-10

STATE

OTHER EPA OR

LOCAL

**INSTITUTIONAL
(NON-PROFIT)**

COMMERCIAL INDUSTRIAL OTHER

111

10

11

13 14

17

18

21

IF OTHER, SPECIFY

Henry Reid Center for Environmental Studies

TAB NAME

REPORT APPROVED BY:

Klaus Stetzenbach
NAME (Print)

TITLE

TELEPHONE

DATE _____

INTERNAL REVIEW RECORD:

LOCAL COORDINATOR

STATE COORDINATOR

REGIONAL COORDINATOR

FMSL COORDINATOR

SIGNATURE

NAME (Print)

DATE _____

This report is authorized by law (Public Law 92-500).

U.S. ENVIRONMENTAL PROTECTION AGENCY

REPORT FORM PAGE 4

WATER POLLUTION LABORATORY PERFORMANCE EVALUATION STUDY

STUDY NO. EPA LAB I.D.

WP 1-3 4-8

MINERALS - RECOVERY IN MG/L, EXCEPT AS NOTED

pH-UNITS		SPEC. COND.-UMHOS/CM AT 25 C	
DUPLICATE 1-8	08	MC 16-17	18
	9-10	MC 33-34	35
	1-3	MC 67-68	69
	4-8	MC 99	100
		MC 133	134
		MC 167	168
		MC 199	200
		MC 233	234
		MC 267	268
		MC 299	300
		MC 333	334
		MC 367	368
		MC 399	400
		MC 433	434
		MC 467	468
		MC 499	500
		MC 533	534
		MC 567	568
		MC 599	600
		MC 633	634
		MC 667	668
		MC 699	700
		MC 733	734
		MC 767	768
		MC 799	800
		MC 833	834
		MC 867	868
		MC 899	900
		MC 933	934
		MC 967	968
		MC 999	1000
		MC 1033	1034
		MC 1067	1068
		MC 1099	1100
		MC 1133	1134
		MC 1167	1168
		MC 1199	1200
		MC 1233	1234
		MC 1267	1268
		MC 1299	1300
		MC 1333	1334
		MC 1367	1368
		MC 1399	1400
		MC 1433	1434
		MC 1467	1468
		MC 1499	1500
		MC 1533	1534
		MC 1567	1568
		MC 1599	1600
		MC 1633	1634
		MC 1667	1668
		MC 1699	1700
		MC 1733	1734
		MC 1767	1768
		MC 1799	1800
		MC 1833	1834
		MC 1867	1868
		MC 1899	1900
		MC 1933	1934
		MC 1967	1968
		MC 1999	2000
		MC 2033	2034
		MC 2067	2068
		MC 2099	2100
		MC 2133	2134
		MC 2167	2168
		MC 2199	2200
		MC 2233	2234
		MC 2267	2268
		MC 2299	2300
		 

** EXPRESSED AS MG/L CALCIUM CARBONATE

U.S. ENVIRONMENTAL PROTECTION AGENCY

REPORT FORM PAGE 1

STAPLE
HERE

WATER SUPPLY LABORATORY PERFORMANCE EVALUATION STUDY

EPA LAB I.D.

STUDY NO.

011

11-12

032

1-2 3-5 6-10 11-12
TYPE OF LAB - PLACE AN "X" IN THE MOST APPROPRIATE BOX:

STATE
EPA OR
EPA FEDERAL EQUIVALENT

OTHER
FEDERAL EQUIVALENT

OTHER
STATE

INSTITUTIONAL
(NON-PROFIT)

COMMERCIAL INDUSTRIAL OTHER

13

14

15

16

17

18

19

20

21

13

14

15

16

17

18

19

20

21

EMSL USE ONLY 79-80

IF OTHER, SPECIFY

Harry Reid Center for
Environmental Studies
LAB NAME

4605 S. Maryland Parkway
STREET ADDRESS

Las Vegas NV 89154
CITY STATE ZIP

REPORT APPROVED BY:

NAME (Print)

SIGNATURE

TITLE

DATE

INTERNAL REVIEW RECORD:

LOCAL COORDINATOR

STATE COORDINATOR

REGIONAL COORDINATOR

EMSL COORDINATOR

NAME (Print)

SIGNATURE

DATE

This report is authorized by law (Public Laws 93-523 and 99-339). Successful annual participation in a water supply study or its equivalent is mandatory for every analyte or analyte group for which a drinking water laboratory is certified to conduct official analyses.

U.S. ENVIRONMENTAL PROTECTION AGENCY

WATER SUPPLY LABORATORY PERFORMANCE EVALUATION STUDY

REPORT FORM PAGE 2

REPORT ALL VALUES IN MICROGRAMS PER LITER, EXCEPT AS NOTED

* REPORT YOUR ROUTINE METHOD, WHICH SHOULD BE USED FOR SAMPLE 1 ANALYSIS. USE USEPA METHOD 200.9 FOR SAMPLE 3. IF YOU ANALYZED THE SPECIAL SAMPLE 3 FOR ARSENIC, AND YOU CONCENTRATED THE SAMPLE BEFORE ANALYSIS, PLEASE INDICATE THE CONCENTRATION FACTOR YOU USED _____.

STUDY NO.

EPA LAB I.D.

1-2 3-5

6-10

TRACE METALS:

ALUMINUM

MC 11-12 16-17 18

SAMPLE 1 19-23 24

ANTIMONY

MC 33-34 35 36-40 41 42-46

SAMPLE 2

ARSENIC

MC* 50-51 52

SAMPLE 1 53-57 58

BARIUM

MC 67-68 69 70-74 75 76-80

SAMPLE 2

BERYLLIUM

MC 11-12 16-17 18

SAMPLE 1 19-23 24

BORON

MC 33-34 35 36-40 41 42-46

SAMPLE 2

CADMIUM

MC 50-51 52

SAMPLE 1 53-57 58

CHROMIUM

MC 67-68 69 70-74 75 76-80

SAMPLE 1

COPPER

MC 11-12 16-17 18

SAMPLE 1 19-23 24

LEAD

MC 33-34 35 36-40 41 42-46

SAMPLE 1

MANGANESE

MC 50-51 52

SAMPLE 1 53-57 58

MERCURY

MC 67-68 69 70-74 75 76-80

SAMPLE 1

U.S. ENVIRONMENTAL PROTECTION AGENCY

WATER SUPPLY LABORATORY PERFORMANCE EVALUATION STUDY

REPORT FORM PAGE 3

REPORT ALL VALUES IN MICROGRAMS PER LITER, EXCEPT AS NOTED

STUDY NO.

EPA LAB I.D.

W S

0 3 2

11 10 4 9

1-2

3-5

6-10

DUPLICATE 1-10		MC		11-12		16-17		18		19-23		24		25-29		33-34		35		36-40		41		42-46	
05		17		05		17		18		19-23		24		25-29		33-34		35		36-40		41		42-46	
11-12		16-17		11-12		16-17		18		19-23		24		25-29		33-34		35		36-40		41		42-46	
11-12		16-17		11-12		16-17		18		19-23		24		25-29		33-34		35		36-40		41		42-46	

DUPLICATE 1-10		MC		11-12		16-17		18		19-23		24		25-29		33-34		35		36-40		41		42-46	
06		18		06		18		18		19-23		24		25-29		33-34		35		36-40		41		42-46	
11-12		16-17		11-12		16-17		18		19-23		24		25-29		33-34		35		36-40		41		42-46	
11-12		16-17		11-12		16-17		18		19-23		24		25-29		33-34		35		36-40		41		42-46	

DUPLICATE 1-10		MC		11-12		16-17		18		19-23		24		25-29		33-34		35		36-40		41		42-46	
07		55		07		55		18		19-23		24		25-29		33-34		35		36-40		41		42-46	
11-12		16-17		11-12		16-17		18		19-23		24		25-29		33-34		35		36-40		41		42-46	
11-12		16-17		11-12		16-17		18		19-23		24		25-29		33-34		35		36-40		41		42-46	

PESTICIDES:

DUPLICATE 1-10		MC		11-12		16-17		18		19-23		24		25-29		33-34		35		36-40		41		42-46	
07		55		07		55		18		19-23		24		25-29		33-34		35		36-40		41		42-46	
11-12		16-17		11-12		16-17		18		19-23		24		25-29		33-34		35		36-40		41		42-46	
11-12		16-17		11-12		16-17		18		19-23		24		25-29		33-34		35		36-40		41		42-46	

ALACHLOR

ATRAZINE

PESTICIDES:

DUPLICATE 1-10		MC		11-12		16-17		18		19-23		24		25-29		33-34		35		36-40		41		42-46	
07		55		07		55		18		19-23		24		25-29		33-34		35		36-40		41		42-46	
11-12		16-17		11-12		16-17		18		19-23		24		25-29		33-34		35		36-40		41		42-46	
11-12		16-17		11-12		16-17		18		19-23		24		25-29		33-34		35		36-40		41		42-46	

ALACHLOR

ATRAZINE

PESTICIDES:

DUPLICATE 1-10		MC		11-12		16-17		18		19-23		24		25-29		33-34		35		36-40		41		42-46	
07		55		07		55		18		19-23		24		25-29		33-34		35		36-40		41		42-46	
11-12		16-17		11-12		16-17		18		19-23		24		25-29		33-34		35		36-40		41		42-46	
11-12		16-17		11-12		16-17		18		19-23		24		25-29		33-34		35		36-40		41		42-46	

ALACHLOR

ATRAZINE

PESTICIDES:

WATER SUPPLY LABORATORY PERFORMANCE EVALUATION STUDY

REPORT ALL VALUES IN MICROGRAMS PER LITER, EXCEPT AS NOTED

REPORT FORM PAGE 8

EPA LAB I.D.

A	V	O	U	9
---	---	---	---	---

6-10

BIS(2-ETHYLHEXYL) PHTHALATE

4	PM T1100
---	----------

41 42-46

DI-n-BUTYL-PHTHALATE

SAMPLE I

75 76-80

DIMETHYL PHTHALATE

SAMPLE 1

41 42-46

DIQUAT

SAMPLE 1

75	76-80
----	-------

BROMODICHLOROMETHANE

SAMPLE I

41 42-46

BROMOTORM

SAMPLE 1

75 76-80

U.S. ENVIRONMENTAL PROTECTION AGENCY

WATER SUPPLY LABORATORY PERFORMANCE EVALUATION STUDY

REPORT FORM PAGE 10

REPORT ALL VALUES IN MICROGRAMS PER LITER, EXCEPT AS NOTED

STUDY NO.

EPA LAB I.D.

W S

0 3 2

1-2

A V 0 4 9

6-10

3-5

MC

2 7

DUPLICATE
1-10

11-12 16-17

18

STYRENE

</>

19-23

SAMPLE 2

8 . 4 1 6

25-29

MC

1 6

33-34

TETRACHLOROETHYLENE

</>

36-40

41

42-46

TOLUENE

</>

53-57

SAMPLE 2

5 . 3 7

59-63

MC

1 6

67-68

1,1,1-TRICHLOROETHANE

</>

70-74

75

76-80

TRICHLOROETHYLENE

</>

19-23

SAMPLE 1

9 . 7 2

25-29

MC

1 6

33-34

VINYL CHLORIDE

</>

36-40

41

42-46

DUPLICATE
1-10

2 8

11-12 16-17

18

XYLENES (TOTAL)

</>

53-57

SAMPLE 2

2 . 0 1

59-63

MC

1 6

67-68

BROMOBENZENE

</>

70-74

75

76-80

AS UNREGULATED VOC'S:

MC

2 9

DUPLICATE
1-10

11-12 16-17

18

BROMOCHLOROMETHANE

</>

19-23

SAMPLE 3

25-29

MC

1 6

33-34

BROMODICHLOROMETHANE

</>

36-40

41

42-46

BROMOMETHANE

</>

70-74

75

76-80

BROMOFORM

</>

53-57

SAMPLE 3

59-63

MC

1 6

67-68

WATER SUPPLY LABORATORY PERFORMANCE EVALUATION STUDY

REPORT FORM PAGE 11

REPORT ALL VALUES IN MICROGRAMS PER LITER, EXCEPT AS NOTED

BY METHOD 504

U.S. ENVIRONMENTAL PROTECTION AGENCY

WATER SUPPLY LABORATORY PERFORMANCE EVALUATION STUDY REPORT FORM PAGE 12

REPORT ALL VALUES IN MICROGRAMS PER LITER, EXCEPT AS NOTED

STUDY NO.

EPA LAB I.D.

W S 0 3 2

1 1 1 0 4 9

1-2 3-5

6-10

11-12 16-17 18 19-23 24 25-29 33-34 35 36-40 41 42-46

1,1-DICHLOROETHANE
SAMPLE 3 0.373

11-12 16-17 18 19-23 24 25-29 33-34 35 36-40 41 42-46

1,3-DICHLOROPROPANE
SAMPLE 3

11-12 16-17 18 19-23 24 25-29 33-34 35 36-40 41 42-46

1,1-DICHLOROPROPENE
SAMPLE 3

11-12 16-17 18 19-23 24 25-29 33-34 35 36-40 41 42-46

TRANS-1,3-DICHLOROPROPENE
SAMPLE 3

11-12 16-17 18 19-23 24 25-29 33-34 35 36-40 41 42-46

FLUOROTRICHLOROMETHANE
SAMPLE 3

11-12 16-17 18 19-23 24 25-29 33-34 35 36-40 41 42-46

ISOPROPYLBENZENE
SAMPLE 3

11-12 16-17 18 19-23 24 25-29 33-34 35 36-40 41 42-46

DICHLORODIFLUOROMETHANE
SAMPLE 3

11-12 16-17 18 19-23 24 25-29 33-34 35 36-40 41 42-46

DICHLOROMETHANE
SAMPLE 3

11-12 16-17 18 19-23 24 25-29 33-34 35 36-40 41 42-46

2,2-DICHLOROPROPANE
SAMPLE 3

11-12 16-17 18 19-23 24 25-29 33-34 35 36-40 41 42-46

CIS-1,3-DICHLOROPROPENE
SAMPLE 3

11-12 16-17 18 19-23 24 25-29 33-34 35 36-40 41 42-46

ETHYLENE DIBROMIDE (EDB)
BY METHOD 504

11-12 16-17 18 19-23 24 25-29 33-34 35 36-40 41 42-46

HEXACHLOROBUTADIENE
SAMPLE 3

U.S. ENVIRONMENTAL PROTECTION AGENCY

WATER SUPPLY LABORATORY PERFORMANCE EVALUATION STUDY REPORT FORM PAGE 13

REPORT ALL VALUES IN MICROGRAMS PER LITER, EXCEPT AS NOTED

STUDY NO.

EPA LAB I.D.

W S

0 3 2

X V 0 4 9

1-2

3-5

6-10

4-ISOPROPYLTOLUENE

</>

SAMPLE 3

7 . 7 6

SAMPLE 3

41 42-46

MC

33-34

36-40

75 76-80

DUPLICATE

11-12

16-17

18

19-23

24

35

36-40

41 42-46

1-10

11-12

16-17

18

19-23

24

35

36-40

41 42-46

1,1,1,2-TETRACHLOROETHANE

</>

SAMPLE 3

58 59-63

SAMPLE 3

75 76-80

MC

67-68

70-74

75 76-80

1-10

11-12

16-17

18

19-23

24

35

36-40

41 42-46

1-10

11-12

16-17

18

19-23

24

35

36-40

41 42-46

1,2,3-TRICHLOROETHANE

</>

SAMPLE 3

58 59-63

SAMPLE 3

75 76-80

MC

67-68

70-74

75 76-80

1-10

11-12

16-17

18

19-23

24

35

36-40

41 42-46

1-10

11-12

16-17

18

19-23

24

35

36-40

41 42-46

1-10

11-12

16-17

18

19-23

24

35

36-40

41 42-46

1-10

11-12

16-17

18

19-23

24

35

36-40

41 42-46

1,1,2-TRICHLOROETHANE

</>

SAMPLE 3

58 59-63

SAMPLE 3

75 76-80

MC

67-68

70-74

75 76-80

1-10

11-12

16-17

18

19-23

24

35

36-40

41 42-46

1-10

11-12

16-17

18

19-23

24

35

36-40

41 42-46

1-10

11-12

16-17

18

19-23

24

35

36-40

41 42-46

1,2,4-TRIMETHYLBENZENE

</>

SAMPLE 3

58 59-63

SAMPLE 3

75 76-80

MC

67-68

70-74

75 76-80

1-10

11-12

16-17

18

19-23

24

35

36-40

41 42-46

1-10

11-12

16-17

18

19-23

24

35

36-40

41 42-46

1-10

11-12

16-17

18

19-23

24

35

36-40

41 42-46

1-10

11-12

16-17

18

19-23

24

35

36-40

41 42-46

U.S. ENVIRONMENTAL PROTECTION AGENCY

WATER SUPPLY LABORATORY PERFORMANCE EVALUATION STUDY

REPORT FORM PAGE 15

REPORT ALL VALUES IN MICROGRAMS PER LITER, EXCEPT AS NOTED

STUDY NO.

EPA LAB I.D.

W S 0 3 2

A V O 4 9

1-2 3-5

6-10

MISCELLANEOUS:

RESIDUAL FREE CHLORINE (IN MG/L)

MC	</>	SAMPLE 1					
42	18	19-23	24	25-29	33-34	35	36-40
11-12	16-17	TOTAL FILTERABLE RESIDUE AT 180 C (IN MG/L)					

TURBIDITY (IN NTU'S)

MC	</>	SAMPLE 1					
33-34	35	36-40	41	42-46	CALCIUM HARDNESS (IN MG/L CaCO ₃)		

MC	</>	SAMPLE 1					
50-51	52	53-57	58	59-63	67-68	69	70-74

MC	</>	SAMPLE 1					
67-68	69	70-74	75	76-80	ALKALINITY (IN MG/L CaCO ₃)		

PH UNITS

MC	</>	SAMPLE 1					
43	18	19-23	24	25-29	33-34	35	36-40
11-12	16-17	CORROSIVITY (LANGLIER INDEX AT 20 C)					

ALKALINITY (IN MG/L CaCO₃)

MC	</>	SAMPLE 1					
33-34	35	36-40	41	42-46	CORROSIVITY (AGGRESSIVE INDEX AT 20 C)		

CORROSIVITY (LANGLIER INDEX AT 20 C)

MC	</>	SAMPLE 1					
50-51	52	53-57	58	59-63	67-68	69	70-74

MC	</>	SAMPLE 1					
67-68	69	70-74	75	76-80	SULFATE (IN MG/L)		

SODIUM (IN MG/L)

MC	</>	SAMPLE 1					
44	18	19-23	24	25-29	33-34	35	36-40
11-12	16-17	TOTAL CYANIDE (IN MG/L)					

SULFATE (IN MG/L)

MC	</>	SAMPLE 1					
33-34	35	36-40	41	42-46	ETHYLENE THIOUREA (ETU)		

TOTAL CYANIDE (IN MG/L)

MC	</>	SAMPLE 1					
50-51	52	53-57	58	59-63	67-68	69	70-74

MC	</>	SAMPLE 1					
67-68	69	70-74	75	76-80	ETHYLENE THIOUREA (ETU)		

USGS PERFORMANCE SAMPLES

1. Results from the Fall 1992 Performance Samples.
2. Values submitted for the Spring 1993 Performance Samples.

LABORATORY PERFORMANCE RATINGS

To facilitate interlaboratory performance comparisons, laboratory performance ratings, based on the analyses reported for each SRS, are included in tables 4 through 10 in this report. Averages of the analyte ratings and the number of analyte values reported for each SRS are given for each participating laboratory. Laboratory performance for each analyte is rated on a scale 4 to 0, based on the absolute Z-value, as listed below:

Rating	Absolute Z-value
4 (Excellent)	0.00 to 0.50
3 (Good)	0.51 to 1.00
2 (Satisfactory)	1.01 to 1.50
1 (Questionable)	1.51 to 2.00
0 (Poor)	Greater than 2.00

Overall laboratory performance ratings greater than 2.4 are considered satisfactory. Overall laboratory performance ratings between 2.0 and 2.35 are considered marginal; those less than 2.0 are considered poor.

STATISTICAL PRESENTATION OF DATA

Data in this report have been evaluated using nonparametric statistics as described by Hoaglin and others (1983). This statistical approach is a resistant statistic because the median is not influenced by outliers as is the mean in traditional statistics.

Analytical data for each analyte are presented in tabular and graphical forms in tables 11 through 17. Tabulated data for each analyte include the laboratory code number, reported values, analytical method, most probable value (MPV), number of reported values - excluding less than values (N), data range, Z-value, and the F-pseudosigma. (The Z-value is equivalent to the Z-score of traditional statistics, being the number of deviations the reported value is from the MPV. The F-pseudosigma is equivalent to the standard deviation (σ) of traditional statistics when the data has a Gaussian distribution.) If an analyte has a sufficient number of determinations by a given method, usually 10, the σ for that analytical method is reported in the block of data listed for each analyte.

The median value is considered the MPV. Reported values of "less than" are used to establish the median, but are not considered in determining the data range. The median (midpoint) divides the ordered data into halves and is designated the MPV. The hinges include the middle 50-percent of the data and are the mid-values of the upper and lower halves of the data. (The hinges are similar to quartiles, but are not mathematically equivalent.) The range of data between the upper hinge (H_u) and the lower hinge (H_l), the hinge spread (H-spr), is used to calculate the F-pseudosigma, the 95-percent confidence level MPV, the laboratory performance rating, the upper warning level (UWL) and lower warning level (LWL), the upper control level (UCL) and the lower control level (LCL). The F-pseudosigma is calculated by comparison of the H-spr value to the Gaussian distribution relation; 67.45 percent of the data "hinges" between plus and minus 1σ , resulting in a H-spr of $2 \times 0.6745 = 1.349\sigma$. This relation allows the calculation of the F-pseudosigma = $(H-spr)/1.349$. The 95-percent confidence level MPV is expressed as the median $\pm (1.96 \times F-pseudosigma)/\sqrt{N}$. Laboratories reporting "less than" values are not performance rated unless their reported "less than" values are greater than two Z-values from the MPV.

Table 4. --Overall laboratory performance ratings for standard reference water samples distributed in October 1992
 --continued

Standard Reference Sample			T-121		M-124		N-36		N-37		P-19		Hg-15	
Lab	WR	W/72	CLR	W/26	CLR	W/16	CLR	W/10	CLR	W/10	CLR	W/9	CLR	W/1
85.	3.2	37	3.8	14	3.5	13	3.8	5	3.4	5				
87.	2.6	38	2.6	15	2.8	12	2.8	5	3.0	5			3	1
88.	1.6	12					3.0	5	1.2	5				
89.	3.1	55	2.0	15	3.7	13	3.8	9	3.6	9	3.1	8	3	1
90.	2.2	27	1.9	13	2.8	5	3.5	4	3.8	4			1	1
91.	2.9	17	3.5	2	2.8	5	2.8	4	2.8	4			4	1
92.	2.4	44	2.4	14	2.3	12	2.8	5	3.4	5	1.5	8		
94.	3.2	38	3.2	13	2.4	12	3.3	4	2.8	4				
96.	3.3	33	3.5	15	2.7	7	3.4	5	3.4	5			4	1
97.	2.6	57	2.6	24	2.1	15	2.9	9	3.1	3			3	1
100.	2.7	53	2.3	16	3.1	15	2.8	5	3.0	5			3	1
101.	2.9	33	3.0	16	3.1	10					2.4	7		
102.	2.6	15			2.8	5	3.0	5	2.0	5				
103.	2.0	31	2.1	13	1.5	6								
104.	3.3	17	3.0	1	3.3	4	3.3	5	3.3	5				
105.	3.0	56	3.5	24	2.6	14	2.4	5	2.8	5	2.4	7	4	1
107.	2.6	25	2.9	15	1.8	6	2.8	4						
108.	2.1	16	2.1	8	4.0	1	1.3	3	2.0	3			2	1
109.	3.1	24	2.7	12	3.5	11							4	1
111.	2.7	26	3.7	10	2.2	10	2.0	3	1.7	3				
113.	2.7	42	2.6	18	3.4	14	2.0	4	2.0	5			4	1
114.	1.4	29	0.8	13	1.9	10	2.3	3	1.3	3				
116.	2.6	11	2.7	5	2.6	5								
118.	1.9	27	4.0	1	2.5	6	1.9	10	2.5	10				
119.	3.1	56	3.4	21	3.4	14	2.4	10	2.7	10			3	1
120.	2.6	41	2.1	20	3.1	11	3.0	5	3.4	4			4	1
121.	3.0	30	3.3	22	2.1	8								
122.	2.4	27	3.0	15	1.8	12								
123.	1.9	28	1.9	8	2.5	6	0.5	4	1.0	4	3.0	6		
126.	3.5	20	2.8	4	3.6	16								
127.	3.4	51	3.5	26	3.1	14	3.4	5	3.8	5			4	1
128.	1.0	1											1	1
129.	2.2	40	0.9	7	1.8	13	3.0	10	2.9	10				
131.	3.0	21	3.1	9	2.8	12								
133.	2.0	43	1.9	22	2.4	8	2.5	6	1.4	6			2	1
134.	3.3	69	2.9	24	3.6	16	3.5	10	3.6	10	3.3	8	3	1
136.	2.2	41	2.8	20	2.3	11					0.9	9	0	1
138.	3.4	49	3.6	24	3.2	14	3.2	5	3.2	5			4	1
139.	2.1	35	1.5	14	1.4	10	3.6	5	3.8	5			0	1
140.	2.9	33	2.9	12	3.2	11	2.0	5	3.2	5				
141.	3.1	58	3.2	25	3.1	16	3.4	5	3.8	5	2.0	6	4	1
144.	2.0	11	2.1	7	1.3	3							3	1
145.	2.3	57	1.8	16	1.8	15	3.2	10	3.1	10	1.7	6		
146.	2.2	41	2.1	24	2.0	12	3.5	2	3.0	2			2	1
149.	2.6	28	2.7	15	2.5	6	2.3	3	2.3	3			4	1
151.	3.3	21	3.5	8	3.4	11	4.0	1	0.0	1				
153.	2.4	21	3.2	10	1.7	11								
155.	2.4	25	2.0	4	2.3	8	3.6	5	2.6	5	1.0	3		
158.	2.5	25	1.6	5	3.0	6	2.5	4	2.0	4	3.2	6		
161.	1.8	27	1.8	9	1.7	11	2.0	3	2.0	4				
164.	2.3	10	2.8	4							2.0	6		
167.	3.0	45	2.5	16	3.2	13	3.5	6	3.5	6	2.7	3	1	1
179.	1.8	23	1.8	15	1.9	7							2	1
180.	3.0	39	2.9	16	2.9	13	3.6	5	3.2	5				
182.	1.0	50	0.7	19	1.3	14	0.5	8	1.1	8			3	1
183.	1.9	25	2.7	10	1.6	9	1.7	3	0.7	3				
185.	1.7	3	0.5	2			4.0	1						
191.	2.7	22	3.2	9	2.9	8	0.5	2	1.5	2	4.0	1		
193.	2.6	15	2.5	10	2.3	3	4.0	1	3.0	1				
196.1	2.5	34	2.9	18	0.9	7			1.0	2	4.0	6	0	1
196.2	2.8	6	2.8	6										
197.	2.7	15			2.6	5	1.3	3	2.7	3	4.0	4		
198.	2.4	10					2.8	5	2.0	5				
201.	1.4	25	1.0	9	1.9	9	0.0	3	2.3	4				
202.	2.6	40	2.9	18	2.9	9	2.0	5	1.8	5	1.7	3		
204.	1.6	34	1.6	18	1.6	11	1.6	5						

STANDARD REFERENCE WATER SAMPLE

M-126 MAJOR CONSTITUENTS

(with 5ppm chlorine)

LABORATORY # 196

VALUE		Analyte	Method
	m g/L	Alkalinity (as CaCO ₃)	
	μ g/L	B	
<u>3.48</u>	m g/L	Ca	<u>1 - AA direct air</u>
<u>19.4</u>	m g/L	Cl	<u>#7</u>
	m g/L	DSRD 180	
<u>0.931</u>	m g/L	F	<u>#7</u>
<u>2.88</u>	m g/L	K	<u>1 - AA direct air</u>
<u>1.72</u>	m g/L	Mg	<u>1 - AA direct air</u>
<u>14.82</u>	m g/L	Na	<u>1 - AA direct air</u>
	m g/L	total P	
	units	pH	
	m g/L	SiO ₂	
<u>5.90</u>	m g/L	SO ₄	<u>#7</u>
	μ S/cm	Sp Cond	
	μ g/L	Sr	
	μ g/L	V	

PARTICIPATING LABORATORY:

PLEASE SUBMIT M-126 DATA ON THIS FORM
and RETURN BY JUNE 15, 1993.

KEITH LONG/JERRY FARRAR
USGS WRD BQA
DENVER FEDERAL CENTER
PO BOX 25046 MS 401
DENVER, CO 80225

Prepared by:

Kathy Cao

Telephone: (303) 236-1490 or 236-1493

FAX: (303) 236-1420

We will be having fax number and telephone number changes in the near future.
We will contact you of these number changes as soon as possible.

STANDARD REFERENCE WATER SAMPLE

T-123 TRACE CONSTITUENTS

(pH 1.5 with HNO₃ and 5ppm chlorine)LABORATORY # 196

VALUE

Analyte

Method

<u>1.72</u>	μ g/L	Ag	<u># 3</u>
	μ g/L	Al	
	μ g/L	As	
	μ g/L	B	
	μ g/L	Ba	
	μ g/L	Be	
<u>10.08</u>	m g/L	Ca	<u># 1</u>
<u>5.50</u>	μ g/L	Cd	<u># 3</u>
	μ g/L	Co	
	μ g/L	total Cr	
	μ g/L	Cu	
	μ g/L	Fe	
<u>1.21</u>	m g/L	K	<u># 1</u>
	μ g/L	Li	
<u>1.84</u>	m g/L	Mg	<u># 1</u>
<u>13.77</u>	μ g/L	Mn	<u># 3</u>
	μ g/L	Mo	
<u>19.26</u>	m g/L	Na	<u># 1</u>
<u>5.85</u>	μ g/L	Ni	<u># 3</u>
<u>8.57</u>	μ g/L	Pb	<u># 3</u>
	μ g/L	Sb	
	μ g/L	Se	
	m g/L	SiO ₂	
	μ g/L	Sr	
	μ g/L	V	
	μ g/L	Zn	

PARTICIPATING LABORATORY:

PLEASE SUBMIT T-123 DATA ON THIS FORM
and RETURN BY JUNE 15, 1993.KEITH LONG/JERRY FARRAR
USGS WRD BQA
DENVER FEDERAL CENTER
PO BOX 25046 MS 401
DENVER, CO 80225

Prepared by:

Kathy Cao

Telephone: (303) 236-1490 or 236-1493

FAX: (303) 236-1420

We will be having fax number and telephone number changes in the near future.
We will contact you of these number changes as soon as possible.

STANDARD REFERENCE WATER SAMPLE

T-123 TRACE CONSTITUENTS

pH 1.5 with HNO₃ and 5 ppm chlorineLABORATORY # 196

VALUE	Unit	Analyte	Method
<u>1.46</u>	μg/L	Ag	# 6
<u>7.49</u>	μg/L	Al	# 6
<u>21.32</u>	μg/L	As	# 6
	μg/L	B	
<u>7.25</u>	μg/L	Ba	# 6
<u>8.05</u>	μg/L	Be	# 6
	mg/L	Ca	
<u>5.57</u>	μg/L	Cd	# 6
<u>5.32</u>	μg/L	Co	# 6
<u>10.56</u>	μg/L	total Cr	# 6
<u>10.88</u>	μg/L	Cu	# 6
	μg/L	Fe	
	mg/L	K	
<u>8.10</u>	μg/L	Li	# 6
	mg/L	Mg	
<u>12.82</u>	μg/L	Mn	# 6
<u>8.02</u>	μg/L	Mo	# 6
	mg/L	Na	
<u>4.29</u>	μg/L	Ni	# 6
<u>9.40</u>	μg/L	Pb	# 6
<u>6.78</u>	μg/L	Sb	# 6
<u>5.47</u>	μg/L	Se	# 6
	mg/L	SiO ₂	
<u>49.09</u>	μg/L	Sr	# 6
<u>3.94</u>	μg/L	V	# 6
<u>4.48</u>	μg/L	Zn	# 6

PARTICIPATING LABORATORY:

PLEASE SUBMIT T-123 DATA ON THIS FORM
and RETURN BY JUNE 15, 1993.

KEITH LONG/JERRY FARRAR
USGS WRD BQA
DENVER FEDERAL CENTER
PO BOX 25046 MS 401
DENVER, CO 80225

Prepared by:

Keith Long

Telephone: (303) 236-1490 or 236-1493

FAX: (303) 236-1420

We will be having fax number and telephone number changes in the near future.
We will contact you of these number changes as soon as possible.

STANDARD REFERENCE WATER SAMPLE

T-125 TRACE CONSTITUENTS

(pH 1.5 with HNO₃ and 5ppm chlorine)LABORATORY # 196

VALUE		Analyte	Method
<u>4.92</u>	μ g/L	Ag	<u># 3</u>
	μ g/L	Al	
	μ g/L	As	
	μ g/L	B	
	μ g/L	Ba	
	μ g/L	Be	
<u>10.75</u>	m g/L	Ca	<u># 1</u>
<u>6.73</u>	μ g/L	Cd	<u># 3</u>
	μ g/L	Co	
	μ g/L	total Cr	
	μ g/L	Cu	
	μ g/L	Fe	
<u>1.09</u>	m g/L	K	<u># 1</u>
	μ g/L	Li	
<u>2.05</u>	m g/L	Mg	<u># 1</u>
<u>17.49</u>	μ g/L	Mn	<u># 3</u>
	μ g/L	Mo	
<u>23.63</u>	m g/L	Na	<u># 1</u>
<u>13.25</u>	μ g/L	Ni	<u># 3</u>
<u>7.22</u>	μ g/L	Pb	<u># 3</u>
	μ g/L	Sb	
	μ g/L	Se	
	m g/L	SiO ₂	
	μ g/L	Sr	
	μ g/L	V	
	μ g/L	Zn	

PARTICIPATING LABORATORY:

PLEASE SUBMIT T-125 DATA ON THIS FORM
and RETURN BY JUNE 15, 1993.

KEITH LONG/JERRY FARRAR
USGS WRD BQA
DENVER FEDERAL CENTER
PO BOX 25046 MS 401
DENVER, CO 80225

Prepared by:

Kathy Cao

Telephone: (303) 236-1490 or 236-1493

FAX: (303) 236-1420

We will be having fax number and telephone number changes in the near future.
We will contact you of these number changes as soon as possible.

**STANDARD REFERENCE WATER SAMPLE
T-125 TRACE CONSTITUENTS**

LABORATORY # 196

(pH 1.5 with HNO₃ and 500m chlorine)

Value	Unit	Analyte	Method
<u>3.91</u>	μg/L	Ag	#6
<u>21.09</u>	μg/L	Al	#6
<u>10.65</u>	μg/L	As	#6
	μg/L	B	
<u>16.54</u>	μg/L	Ba	#6
<u>15.37</u>	μg/L	Be	#6
	mg/L	Ca	
<u>7.08</u>	μg/L	Cd	#6
<u>9.83</u>	μg/L	Co	#6
<u>4.00</u>	μg/L	total Cr	#6
<u>18.80</u>	μg/L	Cu	#6
	μg/L	Fe	
	mg/L	K	
<u>13.97</u>	μg/L	Li	#6
	mg/L	Mg	
<u>17.47</u>	μg/L	Mn	#6
<u>17.74</u>	μg/L	Mo	#6
	mg/L	Na	
<u>11.37</u>	μg/L	Ni	#6
<u>8.03</u>	μg/L	Pb	#6
<u>5.97</u>	μg/L	Sb	#6
<u>10.58</u>	μg/L	Se	
	mg/L	SiO ₂	
<u>47.09</u>	μg/L	Sr	#6
<u>6.72</u>	μg/L	V	#6
<u>4.07</u>	μg/L	Zn	#6

PARTICIPATING LABORATORY:

PLEASE SUBMIT T-125 DATA ON THIS FORM
and RETURN BY JUNE 15, 1993.

KEITH LONG/JERRY FARRAR
USGS WRD BQA
DENVER FEDERAL CENTER
PO BOX 25046 MS 401
DENVER, CO 80225

Prepared by:

Kathy Lao

Telephone: (303) 236-1490 or 236-1493

FAX: (303) 236-1420

We will be having fax number and telephone number changes in the near future.
We will contact you of these number changes as soon as possible.

**STANDARD REFERENCE WATER SAMPLE
P-20 LOW IONIC STRENGTH (Precipitation)
(non preserved snowmelt)**

LABORATORY # 196

VALUE	Analyte	Method
	Acidity (as CaCO ₃)	
<u>0.135</u> m g/L	Ca	<u>1 - AA direct air</u>
<u>0.113</u> m g/L	Cl	<u>#7</u>
<u>0.136</u> m g/L	F	<u>#7</u>
<u>0.0740</u> m g/L	K	<u>1 - AA direct air</u>
<u>0.0172</u> m g/L	Mg	<u>1 - AA direct air</u>
<u>0.17</u> m g/L	Na	<u>1 - AA direct air</u>
	pH	
<u>0.065</u> m g/L	PO ₄ as P	<u>#7</u>
<u>0.839</u> m g/L	SO ₄	<u>#7</u>
	Sp Cond	

PARTICIPATING LABORATORY:

PLEASE SUBMIT P-20 DATA ON THIS FORM
and RETURN BY JUNE 15, 1993.

KEITH LONG/JERRY FARRAR
USGS WRD BQA
DENVER FEDERAL CENTER
PO BOX 25046 MS 401
DENVER, CO 80225

Prepared by:

Kathy Lao

Telephone: (303) 236-1490 or 236-1493

FAX: (303) 236-1420

We will be having fax number and telephone number changes in the near future.
We will contact you of these changes as soon as possible.

STANDARD REFERENCE WATER SAMPLE

N-38 NUTRIENT

LABORATORY # 196

(Low level analyte concentrations; < 0.5 mg/L)

* surface water preserved w/ 50 mg HgCl₂ per liter

** nonpreserved surface water

Nutrient sample should be received chilled and refrigerated upon being received.

VALUE		Analyte	Method
* PRESERVED	** NONPRESERVED		
		m g/L NH ₃ as N	
		m g/L NH ₃ + Org N as N	
	<u>0.293</u>	m g/L NO ₃ + NO ₂ as N	# 7
		m g/L total P as P	
	<u>0.129</u>	m g/L PO ₄ as P	# 7

PARTICIPATING LABORATORY:

PLEASE SUBMIT N-38 DATA ON THIS FORM
and RETURN BY JUNE 15, 1993.KEITH LONG/JERRY FARRAR
USGS WRD BQA
DENVER FEDERAL CENTER
PO BOX 25046 MS 401
DENVER, CO 80225

Prepared by:

Kathy LaoTelephone: (303) 236-1490 or 236-1493
FAX: (303) 236-1420We will be having fax number and telephone number changes in
near future. We will contact you of these number changes as
soon as possible.

STANDARD REFERENCE WATER SAMPLE

N-39 NUTRIENT

LABORATORY # 196

(High level analyte concentrations; < 0.5 mg/L)

* surface water preserved w/ 50 mg HgCl₂ per liter

** nonpreserved surface water

Nutrient sample should be received chilled and refrigerated upon being received.

VALUE		Analyte	Method
* PRESERVED	** NONPRESERVED		
		m g/L NH ₃ as N	
		m g/L NH ₃ + Org N as N	
	<u>0.948</u>	m g/L NO ₃ + NO ₂ as N	# 7
		m g/L total P as P	
	<u>0.906</u>	m g/L PO ₄ as P	# 7

PARTICIPATING LABORATORY:

PLEASE SUBMIT N-39 DATA ON THIS FORM
and RETURN BY JUNE 15, 1993.KEITH LONG/JERRY FARRAR
USGS WRD BQA
DENVER FEDERAL CENTER
PO BOX 25046 MS 401
DENVER, CO 80225

Prepared by:

Kathy LaoTelephone: (303) 236-1490 or 236-1493
FAX: (303) 236-1420We will be having fax number and telephone number changes in
near future. We will contact you of these number changes as
soon as possible.

**DATE
FILMED**

8 / 30 / 93

END