AIIM

Association for Information and Image Management

1100 Wayne Avenue, Suite 1100
Silver Spring, Maryland 20910
301/587-8202

Centimeter

Inches

MANUFACTURED TO AIIM STANDARDS
BY APPLIED IMAGE, INC.

1 of 1

GENERAL ELECTRIC

HW-71344 RD

1

September 14, 1961

REF ID: A66666 DATA

TOE WORK SHEETS

OTHER OFFICIAL CLASSIFIED INFORMATION

J. C. L. Chatten

SIGNATURE AND DATE

507 16 1961

MASTER

DISTRIBUTION OF THIS DOCUMENT IS UNLIMITED

(CLASSIFICATION)

DECLASSIFIED

DECLASSIFIED

HW-71344 RD

September 14, 1961

DISTRIBUTION:

- 1. E. R. Astley
2. E. A. Smith
3. A. R. Maguire
4. J. L. Jaech
5. J. C. L. Chatten

This document consists of

18 Pages No. 1 of
2 Copies. [REDACTED]

TOE WORK SHEETS

BY: J. C. L. CHATTEN

Classification Cancelled and Changed To

DECLASSIFIED

By Authority of SE Gyden
PR-24, 3-2-94

By J. E. Savelly 3-25-94
Verified By DK Hansen 3-24-94

[REDACTED]
This document contains
no disclosure of information
as required by the
[REDACTED]

DECLASSIFIED

400 11/12/14 11/14

Change Production in C Reaction
number of steps per for
TSE loss

N+E (excluding 197)

DECLASSIFIED

Time / hour

1961

1962

1963

1964

1965

1966

1967

650-71344 R22

Change Distribution 500 Reactions
number of tubes per toe for

N+E (excluding DT)

33
29
28
27
26
25
24
23
22
21
20
19
18
17
16
15
14
13
12
11
10
9

tubes / beam

DECLASSIFIED

18

16

9.5

3.9

3.5

20

avg 3.6

cy 1961

cy 1962

cy 1963

1960

1964

1

44-11544 44 3

Change Diagram 2K Boston
75.2 km
75.2 km

31 30 29 28 27 26 25 24 23 22 21 20 19 18 17 16 15 14 13 12 11 10 9 8 7 6

Index / Item

DECLASSIFIED

28

26

53

5.1

4.0

cy 1961

cy 1962

1960

cy 1963

Long 226

Respiration Removal C
Gross per respiration

Reaction
-100-1000

SW-11344-824

DECLASSIFIED

Gross per respiration

20
15
10
5

Chas no buyers -

Top line

Cy 1961

Cy 1962

Cy 1963

7/1/62

7/1/63

783-6011

Revisions Required Sold Revisions
Lower per requirement 703.0000

DECLASSIFIED

Bump in H-D 62
Bump in all 63

cy 1961 | cy 1962 | cy 1963

7/1/62 | 7/1/63

703-600

Regulation Removal 2K'a Reactor
Losses per impartment

DECLASSIFIED

Losses per impartment

E Baynes only '62

2.0

cy 1961 | 74 1962 | 74 1963 | 74 1964

with leak C Reactor
time to locate leak & correct the leak
hours / leak 702 hrs

DECLASSIFIED

hours / leak

702 hrs

no leak present!

cy 1961

cy 1962

cy 1963

74 1962

24 1963

24. 713224 8

when leak 500 Reached
time to locate leak & correct it in leak
rooms / leak 7000 hours

DECLASSIFIED

rooms / leak

350 leaks

233 leaks

219 leaks

6.9

5.5

3.2

2.5

7000 hours

cy 1961

cy 1962

cy 1963

74 1962

74 1963

44-11344 RD 7

water / $2K$ / Boating
time the water / leaves & connect with the lake
rooms / leaves / 100% leaves

DECLASSIFIED

no leaks - no forecast

May 30/

Turner / Book

1966	cy 1961	cy 1962	cy 1963
------	---------	---------	---------

DECLASSIFIED

Long 201

49. 12. 1. 1. 1. 1.

how far take

1961/62	2961/62	2961/62	2961/62
---------	---------	---------	---------

DECLASSIFIED

Review/Note

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17

04/1961

04/1962

04/1963

04/1964

04/1964

4.6 ToS Loss

0.7 HES/7085

1.0 HES/7085

11.2 ToS Loss

1.4

no file replacement
probably came 7085

File Replaced - 2K's Replaced
Includes Replacing Time and Handling Time
from per file
12/2/64

Mo. 71344 RD

11/1/64

Maintenance C Reactor
 102 hrs

DECLASSIFIED

10
 9
 8
 7
 6
 5
 4
 3
 2
 1

1000

HW-71344 RD 14

Maintenance Sola Reaction

701000

DECLASSIFIED

cy 1963

cy 1962

cy 1963

cy 1961

cy 1962

Maintenance 2K'2 Reactor
tools

DECLASSIFIED

103-0

10 9 8 7 6 5 4 3 2 1

cy 1961	cy 1962	cy 1963
cy 1961	cy 1962	cy 1963
cy 1961	cy 1962	cy 1963

DECLASSIFIED

Atc. 71344 RD 16

Estimated FG Reduced

597.2
375.6

(1) Grand Total FG Reduced

7962
3913

C

(1) Grand Total FG Reduced
7962
3963

5004

(1) Grand Total FG Reduced
7962
3963

2K2

1810.5
1799.6

Total FG62 4413.8
FG63 4273.3

Grand Total FG Reduced

1197.7
507.6

2111.7
2138.7

1825.1
1876.5

Total FG62 4434.5
FG63 4522.8

(1) Actual Bond Values

Rgt-HW67952A
P9D W67952A
4796

DECLASSIFIED

C/O estimate	C/O amount	Rpt. in percent	Site estimate	Rpt. in percent	Rpt. in percent	Rpt. in percent	Rpt. in percent	Rpt. in percent	Rpt. in percent	Rpt. in percent	Rpt. in percent	Rpt. in percent
(1) 2000 7461 7462 7463	5.3 5.1 4.6	1.5 1.5 1.5	.3 .3 .3	(2) 1.5 1.5 1.5	1.5 1.5 1.5	1.5 1.5 1.5	1.5 1.5 1.5	1.5 1.5 1.5	1.5 1.5 1.5	1.5 1.5 1.5	1.5 1.5 1.5	1.5 1.5 1.5
(1) 2000 7461 7462 7463	5.3 4.5 3.9	1.8 1.0 1.2	.3 .3 .3	1.5 1.5 1.5	1.5 1.5 1.5	1.5 1.5 1.5	1.5 1.5 1.5	1.5 1.5 1.5	1.5 1.5 1.5	1.5 1.5 1.5	1.5 1.5 1.5	1.5 1.5 1.5
(1) 2000 7461 7462 7463	6.1 5.3 5.1	2.2 2.0 2.0	.3 .3 .3	1.5 1.5 1.5	1.5 1.5 1.5	1.5 1.5 1.5	1.5 1.5 1.5	1.5 1.5 1.5	1.5 1.5 1.5	1.5 1.5 1.5	1.5 1.5 1.5	1.5 1.5 1.5

(2) Included in maintenance in forecast
(1) Actual values

DATE

FILMED

11 / 01 / 94

END