AIM

Association for Information and Image Management

1100 Wayne Avenue, Suite 1100
Silver Spring, Maryland 20910
301/587-8202

Centimeter

Inches

MANUFACTURED TO AIM STANDARDS
BY APPLIED IMAGE, INC.

1 of 1

DECLASSIFIED

RL-REA-14 SUP B
Page 1

This document contains restricted data as defined in the Atomic Energy Act of 1954. It is to be controlled in accordance with the provisions of the Act and no person is permitted to reproduce or disseminate this information in any form or by any means without the express written authorization of the Commission. Any person who violates this prohibition is subject to the penalties provided in the Act.

This document consists of
5 pages.

This document classified by:

RH Heier

PRODUCTION TEST IP-725, SUPPLEMENT B
INCREASED GRAPHITE TEMPERATURE LIMIT
F REACTOR

Classification Cancelled and Changed To

DECLASSIFIED

By Authority of DS Lewis,
CG-NMP-1, 4-26-94
By DK Hanson, 5-13-94
Verified By John M. [unclear],
5-17-94

A. Russell

Research and Engineering Section
Irradiation Processing Department

June 18, 1965

HANFORD ATOMIC PRODUCTS OPERATION
RICHLAND, WASHINGTON

NOTICE

This report was prepared for use within General Electric Company in the course of work under Atomic Energy Commission Contract AT(45-1) - 1350, and any views or opinions expressed in the report are those of the author only. This report is subject to revision upon collection of additional data.

LEGAL NOTICE

This report was prepared as an account of Government sponsored work. Neither the United States, nor the Commission, nor any person acting on behalf of the Commission:

- A. Makes any warranty or representation, expressed or implied, with respect to the accuracy, completeness, or usefulness of the information contained in this report, or that the use of any information, apparatus, method, or process disclosed in this report may not infringe privately owned rights; or
- B. Assumes any liabilities with respect to the use of, or for damages resulting from the use of any information, apparatus, method, or process disclosed in this report.

As used in the above, "person acting on behalf of the Commission" includes any employee or contractor of the Commission, or employee of such contractor, to the extent that such employee or contractor of the Commission, or employee of such contractor prepares, disseminates, or provides access to, or in any way uses information pursuant to his employment or contract with the Commission, or his employment with such contractor.

DECLASSIFIED

DISTRIBUTION

1. RLOO-AEC: Attn: AT Gifford
2. RLOO-AEC: Attn: PM Midkiff
3. RLOO-AEC: Attn: CN Zangar
4. TW Ambrose
5. GF Bailey
6. JT Baker
7. JW Baker
8. RW Bown
9. HM Burton
10. MA Clinton
11. JP Cooke
12. RE Dunn
13. JH Ferguson
14. EJ Filip
15. G Fiorelli
16. GC Fullmer
17. DK George
18. SM Graves
19. AB Greninger
20. RS Hammond
21. AK Hardin
22. HW Heacock
23. DL Hovorka
24. RT Jessen
25. CG Lewis
26. GC Masche
27. WW McIntosh
28. SL Nelson
29. R Nilson
30. RE Nightingale - BNW
31. RW Reid
32. A Russell
33. BA Ryan - BNW
34. OC Schroeder
35. RE Spicka
36. FF Vlacil
37. WW Windsheimer
38. RW Wood
39. RE Woodley - BNW
40. Records Center
41. 700 Files

DECLASSIFIED

PRODUCTION TEST IP-725, SUPPLEMENT B
INCREASED GRAPHITE TEMPERATURE LIMIT
F REACTOR

OBJECTIVE

The objective of this supplement is to authorize an increase in the biological shield temperature limit at F Reactor to 180 C.

BASIS AND JUSTIFICATION

Production Test IP-725 and IP-725 Supplement A, which are currently in effect at F Reactor, are intended to investigate the graphite-carbon dioxide reaction rates at a graphite temperature limit 100 C higher than the current Process Standards limit of 650 C. To accomplish this temperature increase, the reactor gas composition has been changed to virtually 100 per cent carbon dioxide. In addition to increasing the graphite temperature, this change in gas composition has also significantly increased the biological shield temperature.

Process Standards permits continued operation of the biological shield below 110 C, recommends charging of fringe poison if temperatures are observed in the 110-160° range, and does not permit operation above 160°. Production Test IP-725 permitted operation up to 160°, because F Reactor was to be permanently shut down and the accelerated shield deterioration was considered acceptable during the remainder of reactor operation.

Shortly after initiation of the second phase of the test, as authorized by IP-725, Supplement A, it became apparent that the high carbon dioxide concentration necessary to achieve the desired graphite temperature would also drive the biological shield temperature beyond the 160° limit approved for the test. On May 12, 1965, a verbal supplement to the production test was approved to permit operation of the biological shield up to a temperature of 180°. This action was considered justified on the basis that the reactor was soon to be abandoned and there was no reason to try to preserve the shields. This written supplement will formalize the provisions of the verbal supplement.

TEST DETAILS

All provisions described in the parent Production Test and Supplement A, with regard to test details, hazards, and test duration, will remain unchanged except that the biological shield temperature limit will be increased to 180 C with the provision that the reactor should not be opened to atmosphere until the shield temperature is below 160 C.

A Russell

Reactor Engineering
Process and Reactor Development

A Russell:nmd

DECLASSIFIED

RESPONSIBILITIES

All responsibilities noted in the parent document shall remain unchanged.

DECLASSIFIED

APPROVALS

R. Nilson, Manager
Process and Reactor Development
Research and Engineering Section

R. E. Dunn, Manager
Production Subsection
Manufacturing Section

R. W. Reid, Manager
Process Technology
Research and Engineering Section

W. W. McIntosh, Manager
Manufacturing Engineering
Manufacturing Section

C. G. Lewis, Manager
Testing
Research and Engineering Section

O. C. Schroeder, Manager
MANUFACTURING SECTION

G. C. Fullmer, Manager
Operational Physics
Research and Engineering Section

D. L. Hovorka, Manager
Equipment Development
Facilities Engineering Section

T. W. Ambrose, Manager
RESEARCH AND ENGINEERING SECTION

R. T. Jessen, Manager
FACILITIES ENGINEERING SECTION

J. W. Baker, Manager
F Processing
Manufacturing Section

S. L. Nelson, Manager
F Reactor Subsection
Manufacturing Section

DECLASSIFIED

DATE

FILMED

8/15/94

END