AIIM

Association for Information and Image Management

1100 Wayne Avenue, Suite 1100
Silver Spring, Maryland 20910

301/587-8202

Centimeter

Inches

MANUFACTURED TO AIIM STANDARDS
BY APPLIED IMAGE, INC.

1 of 1

[redacted]

(CLASSIFICATION)

DECLASSIFIED

DOCUMENT NO.

RL-REA-681 8

HANFORD CODE C-65

SERIES AND COPY NO.

[redacted]

DATE

September 28, 1965

GENERAL ELECTRIC

HANFORD ATOMIC PRODUCTS OPERATION - RICHLAND, WASHINGTON

[redacted]

TITLE

STATUS OF PLANT ASSISTANCE IRRADIATIONS AS OF SEPTEMBER 10, 1965

[redacted]

OTHER OFFICIAL CLASSIFIED INFORMATION

THIS MATERIAL CONTAINS INFORMATION AFFECTING THE NATIONAL DEFENSE OF THE UNITED STATES WITHIN THE MEANING OF THE ESPIONAGE LAWS, TITLE 18, U.S.C., SECS. 793 AND 794, THE TRANSMISSION OR REVELATION OF WHICH IN ANY MANNER TO AN UNAUTHORIZED PERSON IS PROHIBITED BY LAW.

AUTHOR

J. H. Ferguson

ISSUING FILE

RETURN TO TECHNICAL INFORMATION FILES

[redacted]

ROUTE TO:	PAYROLL NO.	LOCATION	FILES ROUTE DATE	SIGNATURE AND DATE
T. K. Bierstein				

MASTER

DISTRIBUTION OF THIS DOCUMENT IS UNLIMITED

54-3000-340 (3-57) AEC-GE RICHLAND, WASH.

[redacted]

(CLASSIFICATION)

DECLASSIFIED

DECLASSIFIED

[redacted]

RL-REA-681 8

HANFORD CODE C-65
as specified in
M-3679

1. AEC-RLOO, Attn: PM Midkiff
2. AEC-RLOO, Attn: RL Plum

General Electric Company

3. GF Bailey/GC Fullmer
4. JT Baker
5. JW Baker
6. GD Baston
7. CE Bowers
8. HM Burton
9. RG Clough, Jr.
10. RA Dieterich
11. JH Ferguson
12. EJ Filip
13. GB Kuklinski
14. CG Lewis
15. T Prudich/RW Bown
16. RJ Pyzel
17. 700 Files
18. Records Center

Battelle-Northwest

19. AL Bement
20. TK Bierlein
21. FP Brauer/RA Schneider
22. JH Cox
23. WE Roake

This document classified by:

JH Ferguson

[redacted]

This d[redacted] contains restricted data as defi[redacted]. Its [redacted]ts con[redacted] person is prohi[redacted]ted.

This document consists of 15 pages, [redacted]

September 28, 1965

STATUS OF PLANT ASSISTANCE IRRADIATIONS AS OF SEPTEMBER 10, 1965

J. H. Ferguson

Classification Cancelled and Changed To
DECLASSIFIED
By Authority of DS Lewis, CG-nmp-1, 5-3-94
By DK Hanson, 5-25-94
Verified By RA Schmitt 5-31-94

HANFORD ATOMIC PRODUCTS OPERATION
RICHLAND, WASHINGTON

NOTICE

This report was prepared for use within General Electric Company in the course of work under Atomic Energy Commission Contract AT(45-1) - 1350, and any views or opinions expressed in the report are those of the author only. This report is subject to revision upon collection of additional data.

LEGAL NOTICE

This report was prepared as an account of Government sponsored work. Neither the United States, nor the Commission, nor any person acting on behalf of the Commission:

A. Makes any warranty or representation, expressed or implied, with respect to the accuracy, completeness, or usefulness of the information contained in this report, or that the use of any information, apparatus, method, or process disclosed in this report may not infringe privately owned rights; or

B. Assumes any liabilities with respect to the use of, or for damages resulting from the use of any information, apparatus, method, or process disclosed in this report.

As used in the above, "person acting on behalf of the Commission" includes any employee or contractor of the Commission, or employee of such contractor, to the extent that such employee or contractor of the Commission, or employee of such contractor prepares, disseminates, or provides access to, any information pursuant to his employment or contract with the Commission, or his employment with such contractor.

[redacted]

DECLASSIFIED

[redacted]

DISTRIBUTION OF THIS DOCUMENT IS UNLIMITED

This report covers the activities with regard to on-site customer irradiations as of the above date. The report covers the status of material undergoing irradiation, awaiting disposition, material shipped during the month, and current status of all reactor test holes.

The integrated exposure values are calculated in accordance with HW-62781, "Status Report Equations." The integrated exposure reported is the average exposure received by the surrounding uranium columns. Conversion to exposure received by the sample is left to the customer.

An explanation of the various columns in the report follows:

Identification

a. Request Number - This is the official number assigned to the test.

b. Material - The principal target element abbreviated or its chemical symbol in capital letters.

c. Production Test Number - The number of the production or development test authorizing the irradiation.

d. Piece Number - Sample number of the piece or assembly being irradiated.

Goal Exposure - The exposure time in MWD/AT (megawatt days per adjacent ton) or operating time requested by the customer.

CMK Absorbed - The total cmk absorbed as quoted from the applicable production or development test.

Charge Date - Date experiment was charged into the reactor.

Sample Length - Length of active portion of capsule or sample pieces (excludes leads).

Facility - Test facility or process tube and reactor area containing the experiment.

Test Hole Position - Indicates the position relative to a process tube of the test assembly.

Position Factor - The position of the facility or sample piece in relation to the front-to-rear cosine flux distribution.

Exposure to Date

a. MWD/AT - The exposure to date received by the surrounding uranium as calculated in accordance with HW-62781, "Status Report Equation."

b. nvt x 10^{19} - The total thermal neutrons exposure per square centimeter received by the surrounding uranium columns as calculated in accordance with HW-62781.

Discharge Date - Date the sample or assembly was removed from the reactor. (Estimated discharge dates are no longer calculated in this report. They may be obtained by contacting the author.)

Shipping Date - Date sample or assembly was shipped to the customer.

JH Ferguson
Supervisor
Irradiation Testing

JH Ferguson:mkc

BM-8172-022 (5-65)

[redacted]

IDENTIFICATION				OPERATING TIME (DAYS)	CMK ABSORBED	CHARGE DATE	SAMPLE LENGTH (INCHES)	LOCATION			EXPOSURE TO DATE		DISCHARGE DATE	SHIPPING DATE
REQUEST NUMBER	MAT'L	PRODUCTION TEST NUMBER	PIECE NUMBER					FACILITY	TEST HOLE POSITION	POSITION FACTOR	MWD / AT	NVTX10[19]		
THE FOLLOWING IRRADIATIONS ARE IN PROGRESS.														
HAPU-096-		IP-550-	1136	31.0		03-06-65	18.0	3461-B		1.000	388	10.3		
HAPU-096-		IP-550-	1137	31.0		03-06-65	18.0	3461-B		1.000	388	10.3		
HAPU-096-		IP-550-	1138	31.0		03-06-65	18.0	3461-B		1.000	388	10.3		
HAPU-096-		IP-550-	1139	31.0		03-06-65	18.0	3461-B		1.000	388	10.3		
HAPU-096-		IP-550-	1140	31.0		03-06-65	18.0	3461-B		1.000	388	10.3		
HAPU-096-		IP-550-	1141	31.0		03-06-65	18.0	3461-B		1.000	388	10.3		
HAPU-096-		IP-550-	1142	31.0		03-06-65	18.0	3461-B		1.000	388	10.3		
HAPU-096-		IP-550-	1143	31.0		03-06-65	18.0	3461-B		1.000	388	10.3		
HAPU-096-		IP-550-	1144	31.0		03-06-65	18.0	3461-B		1.000	388	10.3		
HAPU-096-		IP-550-	1145	31.0	12	03-06-65	18.0	3461-B		1.000	388	10.3		
HAPU-096-		IP-550-	2072	40.0		07-21-65	18.0	3479-D		1.000	504	13.4		
HAPU-096-		IP-550-	2073	40.0		07-21-65	18.0	3479-D		1.000	504	13.4		
HAPU-096-		IP-550-	2074	40.0		07-21-65	18.0	3479-D		1.000	504	13.4		
HAPU-096-		IP-550-	2075	40.0		07-21-65	18.0	3479-D		1.000	504	13.4		
HAPU-096-		IP-550-	2076	40.0		07-21-65	18.0	3479-D		1.000	504	13.4		
HAPU-096-		IP-550-	2077	40.0		07-21-65	18.0	3479-D		1.000	504	13.4		
HAPU-096-		IP-550-	2078	40.0		07-21-65	18.0	3479-D		1.000	504	13.4		
HAPU-096-		IP-550-	2079	40.0		07-21-65	18.0	3479-D		1.000	504	13.4		
HAPU-096-		IP-550-	2080	40.0		07-21-65	18.0	3479-D		1.000	504	13.4		
HAPU-096-		IP-550-	2081	40.0	12	07-21-65	18.0	3479-D		1.000	504	13.4		
HAPU-096-		IP-550-	6149	149.0		03-06-65	18.0	1880-C		1.000	2264	60.2		
HAPU-096-		IP-550-	6150	149.0		03-06-65	18.0	1880-C		1.000	2264	60.2		
HAPU-096-		IP-550-	6151	149.0		03-06-65	18.0	1880-C		1.000	2264	60.2		
HAPU-096-		IP-550-	6152	149.0		03-06-65	18.0	1880-C		1.000	2264	60.2		
HAPU-096-		IP-550-	6153	149.0		03-06-65	18.0	1880-C		1.000	2264	60.2		
HAPU-096-		IP-550-	6154	149.0		03-06-65	18.0	1880-C		1.000	2264	60.2		
HAPU-096-		IP-550-	6155	149.0		03-06-65	18.0	1880-C		1.000	2264	60.2		
HAPU-096-		IP-550-	6156	149.0		03-06-65	18.0	1880-C		1.000	2264	60.2		
HAPU-096-		IP-550-	6157	149.0		03-06-65	18.0	1880-C		1.000	2264	60.2		
HAPU-096-		IP-550-	6158	149.0	12	03-06-65	18.0	1880-C		1.000	2264	60.2		
HAPU-096-		IP-550-	6159	149.0		03-06-65	18.0	1960-C		1.000	2337	62.2		
HAPU-096-		IP-550-	6160	149.0		03-06-65	18.0	1960-C		1.000	2337	62.2		
HAPU-098-		IP-550-	6161	149.0		03-06-65	18.0	1960-C		1.000	2373	63.1		
HAPU-098-		IP-550-	6162	149.0		03-06-65	18.0	1960-C		1.000	2373	63.1		
HAPU-098-		IP-550-	6163	149.0		03-06-65	18.0	1960-C		1.000	2373	63.1		
HAPU-098-		IP-550-	6164	149.0		03-06-65	18.0	1960-C		1.000	2373	63.1		
HAPU-098-		IP-550-	6165	149.0		03-06-65	18.0	1960-C		1.000	2373	63.1		
HAPU-098-		IP-550-	6166	149.0		03-06-65	18.0	1960-C		1.000	2373	63.1		

[redacted]

BM-8172-022 (5-65)

[redacted]

IDENTIFICATION								LOCATION			EXPOSURE TO DATE			
REQUEST NUMBER	MAT'L	PRODUCTION TEST NUMBER	PIECE NUMBER	OPERATING TIME (DAYS)	CNK ABSORBED	CHARGE DATE	SAMPLE LENGTH (INCHES)	FACILITY	TEST HOLE POSITION	POSITION FACTOR	MWD/AT	NVTX10^{19}	DISCHARGE DATE	SHIPPING DATE
THE FOLLOWING IRRADIATIONS ARE IN PROGRESS.														
HAPO-098-	G	IP-550-	6167	149.0		03-06-65	18.0	1960-C		1.000	2373	63.1		
HAPO-098-	G	IP-550-	6168	149.0	12	03-06-65	18.0	1960-C		1.000	2373	63.1		
HAPO-177-	G	IP-501-D	00A6	320.6		07-20-64	22.0	YTH -C	0-3565	.987	4534	120.6		
HAPO-177-	G	IP-747-	00J2	23.2		08-16-65	22.0	BTH -C	0-2277	.987	388	10.3		
HAPO-177-	G	IP-747-	00J4	63.7		06-18-65	24.0	BTH -C	0-2274	.987	914	24.3		
HAPO-177-	G	IP-747-	00J5	23.2		08-16-65	22.0	BTH -C	0-2280	.987	381	10.1		
HAPO-177-	G	IP-747-	00J6	23.2		08-16-65	22.0	BTH -C	0-2283	.987	382	10.2		
HAPO-177-	G	IP-747-	00J8	23.2		08-16-65	22.0	BTH -C	0-2286	.987	381	10.1		
HAPO-177-	G	IP-747-	00K2	63.7		06-18-65	24.0	BTH -C	0-2271	.987	945	25.1		
HAPO-177-	G	IP-747-	00K3	63.7		06-18-65	24.0	BTH -C	0-2268	.987	976	26.0		
HAPO-177-	G	IP-747-	00K5	63.7		06-18-65	24.0	BTH -C	0-2262	.987	949	25.2		
HAPO-177-	G	IP-747-	00K6	63.7		06-18-65	24.0	BTH -C	0-2265	.987	976	26.0		
HAPO-177-	G	IP-747-	00K9	63.7		06-18-65	24.0	BTH -C	0-2259	.987	918	24.4		
HAPO-177-	G	IP-747-	000K	35.7		07-30-65	24.0	YTH -C	0-3562	.987	481	12.8		
HAPO-259-	HLY	IP-563-	TC-1	204.6		12-22-64	17.0	ETH -C	0-2281	.987	3485	92.7		
HAPO-259-	HLY	IP-563-	TC-2	204.6		12-22-64	17.0	ETH -C	0-2279	.987	3388	90.1		
HAPO-259-	HLY	IP-563-	000G	204.6		12-22-64	17.0	ETH -C	0-2277	.987	3515	93.5		
HAPO-259-	HLY	IP-563-	000H	204.6		12-22-64	17.0	ETH -C	0-2275	.987	3376	89.8		
HAPO-259-A	HLY	IP-563-D	000D	566.1		09-27-63	22.0	ATH -C	0-2160	.987	8931	237.6		
HAPO-288-B	PUO	IP-672-	0001	171.6		02-05-65	48.0	0678-C		1.000	2630	70.0		
HAPO-288-B	PUO	IP-672-	0004	171.6		02-05-65	48.0	0678-C		1.000	2630	70.0		
HAPO-288-B	PUO	IP-672-	0005	171.6		02-05-65	48.0	0678-C		1.000	2630	70.0		
HAPO-288-B	PUO	IP-672-	0012	171.6		02-05-65	48.0	0678-C		1.000	2630	70.0		
HAPO-288-C	PUO	IP-672-	0006	171.6		02-05-65	48.0	0663-C		1.000	2547	67.8		
HAPO-288-C	PUO	IP-672-	0007	171.6		02-05-65	48.0	0663-C		1.000	2547	67.8		
HAPO-288-C	PUO	IP-672-	0010	171.6		02-05-65	48.0	0663-C		1.000	2547	67.8		
HAPO-288-C	PUO	IP-672-	0011	171.6		02-05-65	48.0	0663-C		1.000	2547	67.8		
HAPO-298-	G	IP-550-	1742	33.2		08-10-65	18.0	1880-KW		1.000	604	16.1		
HAPO-298-	G	IP-550-	1743	33.2		08-10-65	18.0	1880-KW		1.000	604	16.1		
HAPO-298-	G	IP-550-	1744	33.2		08-10-65	18.0	1880-KW		1.000	604	16.1		
HAPO-298-	G	IP-550-	1745	33.2		08-10-65	18.0	1880-KW		1.000	604	16.1		
HAPO-298-	G	IP-550-	1746	33.2	12	08-10-65	18.0	1880-KW		1.000	604	16.1		
HAPO-298-	G	IP-550-	7136	33.2		08-10-65	18.0	1880-KW		1.000	604	16.1		
HAPO-298-	G	IP-550-	7137	33.2		08-10-65	18.0	1880-KW		1.000	604	16.1		
HAPO-298-	G	IP-550-	7138	33.2		08-10-65	18.0	1880-KW		1.000	604	16.1		
HAPO-298-	G	IP-550-	7139	33.2		08-10-65	18.0	1880-KW		1.000	604	16.1		
HAPO-298-	G	IP-550-	7140	33.2		08-10-65	18.0	1880-KW		1.000	604	16.1		
HAPO-298-	G	IP-550-	7141	33.2		08-10-65	18.0	1880-KW		1.000	604	16.1		

[redacted]

BM-8172-022 (5-65)

IDENTIFICATION				OPERATING TIME (DAYS)	CNK ABSORBED	CHARGE DATE	SAMPLE LENGTH (INCHES)	LOCATION			EXPOSURE TO DATE		DISCHARGE DATE	SHIPPING DATE
REQUEST NUMBER	MAT'L	PRODUCTION TEST NUMBER	PIECE NUMBER					FACILITY	TEST HOLE POSITION	POSITION FACTOR	MWD / AT	NVTX10^{19}		
THE FOLLOWING IRRADIATIONS ARE IN PROGRESS.														
HAPO-119-	G	IP-425-	A285	47.3		07-07-65	36.0	2ATH-KW	1-2267	.751	596	15.9		
HAPO-119-	G	IP-425-	A286	47.3		07-07-65	36.0	2ATH-KW	2-2272	.751	606	16.1		
HAPO-119-	G	IP-425-	A287	47.3		07-07-65	36.0	2ATH-KW	3-2272	.751	606	16.1		
HAPO-119-	G	IP-425-	A288	47.3		07-07-65	36.0	2ATH-KW	4-2272	.751	606	16.1		
HAPO-119-	G	IP-425-	A291	47.3		07-07-65	36.0	2ATH-KW	5-2272	.751	606	16.1		
HAPO-119-	G	IP-425-	A292	47.3		07-07-65	36.0	2ATH-KW	6-2272	.751	606	16.1		
HAPO-119-	G	IP-425-	A295	47.3		07-07-65	36.0	2ATH-KW	1-2272	.751	606	16.1		
HAPO-119-	G	IP-425-	A296	47.3		07-07-65	36.0	2ATH-KW	2-2276	.751	620	16.5		
HAPO-119-	G	IP-425-	A297	47.3		07-07-65	36.0	2ATH-KW	3-2276	.751	620	16.5		
HAPO-119-	G	IP-425-	A298	47.3		07-07-65	36.0	2ATH-KW	4-2276	.751	620	16.5		
HAPO-119-	G	IP-425-	A300	47.3		07-07-65	36.0	2ATH-KW	5-2276	.751	620	16.5		
HAPO-119-	G	IP-425-	A301	47.3		07-07-65	36.0	2ATH-KW	6-2276	.751	620	16.5		
HAPO-119-	G	IP-425-	A302	47.3		07-07-65	36.0	2ATH-KW	1-2276	.751	620	16.5		
HAPO-119-	G	IP-425-	A303	47.3		07-07-65	36.0	2ATH-KW	2-2281	.751	610	16.2		
HAPO-119-	G	IP-425-	A304	47.3		07-07-65	36.0	2ATH-KW	3-2281	.751	610	16.2		
HAPO-119-	G	IP-425-	A305	47.3		07-07-65	36.0	2ATH-KW	4-2281	.751	610	16.2		
HAPO-119-	G	IP-425-	A314	47.3		07-07-65	36.0	2ATH-KW	6-2267	.751	601	16.0		
HAPO-119-	G	IP-425-	A315	47.3		07-07-65	36.0	2ATH-KW	5-2267	.751	596	15.9		
HAPO-119-	G	IP-425-	A316	47.3		07-07-65	36.0	2ATH-KW	4-2267	.751	596	15.9		
HAPO-119-	G	IP-425-	A317	47.3		07-07-65	36.0	2ATH-KW	3-2267	.751	596	15.9		
HAPO-119-	G	IP-425-	A318	47.3		07-07-65	36.0	2ATH-KW	2-2267	.751	596	15.9		
HAPO-119-	G	IP-425-	A319	47.3		07-07-65	36.0	2ATH-KW	1-2262	.751	610	16.2		
HAPO-119-	G	IP-425-	A320	47.3		07-07-65	36.0	2ATH-KW	6-2262	.751	610	16.2		
HAPO-119-	G	IP-425-	A321	47.3		07-07-65	36.0	2ATH-KW	4-2262	.751	610	16.2		
HAPO-119-	G	IP-425-	A322	47.3		07-07-65	36.0	2ATH-KW	5-2262	.751	610	16.2		
HAPO-119-	G	IP-425-	A323	47.3		07-07-65	36.0	2ATH-KW	1-2258	.751	553	14.7		
HAPO-119-	G	IP-425-	A324	47.3		07-07-65	36.0	2ATH-KW	2-2262	.751	610	16.2		
HAPO-119-	G	IP-425-	A325	47.3		07-07-65	36.0	2ATH-KW	3-2262	.751	610	16.2		
HAPO-119-	G	IP-425-	P-02	47.3		07-07-65	36.0	2ATH-KW	1-2281	.751	610	16.2		
HAPO-119-	G	IP-425-	P-04	47.3		07-07-65	36.0	2ATH-KW	2-2266	.751	598	15.9		
HAPO-119-	G	IP-425-	P-60	47.3		07-07-65	36.0	2ATH-KW	1-2266	.751	598	15.9		
HAPO-119-	G	IP-425-	P-67	47.3		07-07-65	36.0	2ATH-KW	6-2281	.751	610	16.2		
HAPO-119-	G	IP-425-	P-96	47.3		07-07-65	36.0	2ATH-KW	5-2281	.751	610	16.2		
HAPO-119-	G	IP-425-	P115	47.3		07-07-65	36.0	2ATH-KW	3-2266	.751	598	15.9		
HAPO-119-	G	IP-425-	P116	47.3		07-07-65	36.0	2ATH-KW	4-2266	.751	598	15.9		
HAPO-119-	G	IP-425-	P117	47.3		07-07-65	36.0	2ATH-KW	5-2266	.751	598	15.9		
HAPO-119-	G	IP-425-	P118	47.3		07-07-65	36.0	2ATH-KW	6-2266	.751	598	15.9		
HAPO-177-	G	IP-501-	DSP1	274.3		08-27-64	22.0	3CTH-KW		.974		.0		

BM-8172-022 (5-65)

[redacted]

IDENTIFICATION				OPERATING TIME (DAYS)	CNK ABSORBED	CHARGE DATE	SAMPLE LENGTH (INCHES)	LOCATION			EXPOSURE TO DATE		DISCHARGE DATE	SHIPPING DATE
REQUEST NUMBER	MAT'L	PRODUCTION TEST NUMBER	PIECE NUMBER					FACILITY	TEST HOLE POSITION	POSITION FACTOR	MWD / AT	NVTX10^{19}		
THE FOLLOWING IRRADIATIONS ARE IN PROGRESS.														
HAPO-177-	G	IP-501-	0SP2	274.3		08-27-64	22.0	3CTH-KW		.974		.0		
HAPO-177-	G	IP-501-	0SP3	274.3		08-27-64	22.0	3CTH-KW		.974		.0		
HAPO-177-	G	IP-501-	0SP4	274.3		08-27-64	22.0	3CTH-KW		.974		.0		
HAPO-177-	G	IP-501-	0TC1	274.3		08-27-64	22.0	3CTH-KW	0-2954	.974	4178	111.1		
HAPO-223-	CO	IP-770-	000A	47.3		07-08-65	16.0	2BTH-KW		.974	787	20.9		
HAPO-223-	CO	IP-770-	0002	47.3		07-08-65	16.0	2BTH-KW		.974	787	20.9		
HAPO-223-	CO	IP-770-	0004	47.3		07-08-65	16.0	2BTH-KW		.974	787	20.9		
HAPO-223-	CO	IP-770-	0006	47.3		07-08-65	16.0	2BTH-KW		.974	787	20.9		
HAPO-236-	ZR	IP-575-	IV-7	47.3		07-12-65	24.0	3BTH-KW		.974	789	21.0		
HAPO-236-	SS	IP-575-	4-14	150.3		02-26-65	30.0	2CTH-KW		.974	2471	65.7		
HAPO-236-	SS	IP-575-	4-15	150.3		02-26-65	30.0	3DTH-KW		.974	2596	69.1		
HAPO-243-	VRS	IP-346-D	0094	159.9		09-09-64	03.0	4CTH-KW		.974	2919	77.6		
HAPO-243-	VRS	IP-346-	0115	42.8		05-07-65	03.0	4CTH-KW		.974	753	20.0		
HAPO-243-	VRS	IP-767-	0116	22.3		07-26-65	03.0	4CTH-KW		.974	367	9.8		
HAPO-243-	VRS	IP-767-	0117	22.3		07-26-65	03.0	4CTH-KW		.974	367	9.8		
HAPO-243-	VRS	IP-767-	0118	22.3		07-26-65	03.0	4CTH-KW		.974	367	9.8		
HAPO-243-	VRS	IP-767-	0119	22.3		07-26-65	03.0	4CTH-KW		.974	367	9.8		
HAPO-243-	VRS	IP-767-	0120	22.3		07-26-65	03.0	4CTH-KW		.974	367	9.8		
HAPO-243-	VRS	IP-767-	0121	22.5		07-26-65	03.0	4CTH-KW		.974	371	9.9		
HAPO-243-	VRS	IP-346-	097A	42.8		05-07-65	03.0	4CTH-KW		.974	753	20.0		
HAPO-304-	U	IP-677-	00P5	75.0		06-04-65	36.0	3865-KW		1.000	1189	31.6		
HAPO-304-	U	IP-677-	00P6	26.2		08-10-65	36.0	3674-KW		1.000	468	12.4		
HAPO-304-	U	IP-677-	00P8	26.2		08-10-65	36.0	3674-KW		1.000	468	12.4		
HAPO-307-	VRS	IP-698-D	0001	252.9		10-15-64	48.0	3BTH-KW		.974	3235	86.1		
HAPO-307-	VRS	IP-698-	0002	104.0		04-30-65	06.0	3DTH-KW		.751	1406	37.4		
HAPO-329-	DYS	IP-749-	G15N	150.3		02-26-65	04.0	4BTH-KW	0-4384	.974	2874	76.4		
HAPO-329-	DYS	IP-749-	H-75	150.3		02-26-65	04.0	4BTH-KW	0-4387	.974	2792	74.3		
HAPO-335-	ZR	IP-773-	007F	45.9		06-27-65	08.0	41 -KW		1.000		.0		
HAPO-335-	ZR	IP-773-	009F	45.9		06-27-65	08.0	41 -KW		1.000		.0		
HAPO-335-	ZR	IP-773-	012F	45.9		06-27-65	08.0	4370-KW		1.000		.0		
HAPO-335-	ZR	IP-773-	013F	45.9		06-27-65	08.0	4370-KW		1.000		.0		
HAPO-098-	G	IP-550-	8097	122.2		04-15-65	16.0	3066-KE		1.000	2038	54.2		
HAPO-098-	G	IP-550-	8098	122.2		04-15-65	16.0	3066-KE		1.000	2038	54.2		
HAPO-098-	G	IP-550-	8099	122.2		04-15-65	16.0	3066-KE		1.000	2038	54.2		
HAPO-098-	G	IP-550-	8100	122.2		04-15-65	16.0	3066-KE		1.000	2038	54.2		
HAPO-098-	G	IP-550-	8101	122.2		04-15-65	16.0	3066-KE		1.000	2038	54.2		
HAPO-098-	G	IP-550-	8102	122.2		04-15-65	16.0	3066-KE		1.000	2038	54.2		
HAPO-098-	G	IP-550-	8103	122.2		04-15-65	16.0	3066-KE		1.000	2038	54.2		

[redacted]

[redacted]

BM-8172-022 (5-65)

IDENTIFICATION				OPERATING TIME (DAYS)	CHK ABSORBED	CHARGE DATE	SAMPLE LENGTH (INCHES)	LOCATION			EXPOSURE TO DATE		DISCHARGE DATE	SHIPPING DATE
REQUEST NUMBER	MAT'L	PRODUCTION TEST NUMBER	PIECE NUMBER					FACILITY	TEST HOLE POSITION	POSITION FACTOR	MWD / AT	NVTX10[19]		
THE F[illegible]LLOW[illegible]NG IRRADIATI[illegible]S ARE IN PROGRESS.														
HAPU-98-	[illegible]	IP-550-	0[illegible]	122.2		04-15-65	16.0	3[illegible]66-KE		1.000	2038	54.2		
HAPU-98-	[illegible]	IP-550-	0[illegible]	122.2		04-15-65	16.0	3[illegible]66-KE		1.000	2038	54.2		
HAPU-98-	[illegible]	IP-550-	0[illegible]	122.2		04-15-65	16.0	3[illegible]66-KE		1.000	2038	54.2		
HAPU-98-	[illegible]	IP-550-	0[illegible]	122.2	12	04-15-65	16.0	3[illegible]66-KE		1.000	2038	54.2		
HAPU-177-	[illegible]	IP-501-D	0[illegible]	896.5		04-27-64	22.0	3[illegible]TH-KE	0-2[illegible]	.751	5018	133.5		
HAPU-177-	[illegible]	IP-501-	0[illegible]	122.9		04-12-65	22.0	3[illegible]TH-KE	0-2[illegible]	.974	2065	54.9		
HAPU-177-	[illegible]	IP-501-	0[illegible]	180.8		01-27-65	22.0	3[illegible]TH-KE	0-2[illegible]	.974	3170	84.3		
HAPU-177-	[illegible]	IP-501-	0[illegible]	180.8		01-27-65	22.0	3[illegible]TH-KE	0-2[illegible]	.974	2821	75.0		
HAPU-177-	[illegible]	IP-501-	0[illegible]	180.8		01-27-65	22.0	3[illegible]TH-KE	0-2[illegible]	.974	3207	85.3		
HAPU-177-	[illegible]	IP-501-	0[illegible]	180.8		01-27-65	22.0	3[illegible]TH-KE	0-2[illegible]	.974	3112	82.8		
HAPU-177-	[illegible]	IP-501-	0P10	180.8		01-27-65	22.0	3[illegible]TH-KE	0-2[illegible]	.974	2902	77.2		
HAPU-177-	[illegible]	IP-501-	0P11	180.8		01-27-65	22.0	3[illegible]TH-KE	0-2[illegible]	.974	3082	82.0		
HAPU-177-	[illegible]	IP-501-	0P12	180.8		01-27-65	22.0	3[illegible]TH-KE	0-2[illegible]	.974	3169	84.3		
HAPU-177-	[illegible]	IP-501-	0P13	180.8		01-27-65	22.0	3[illegible]TH-KE	0-2[illegible]	.974	3051	81.2		
HAPU-177-	[illegible]	IP-501-	0P14	154.4		03-14-65	22.0	3[illegible]TH-KE	[illegible]	.974	2604	69.3		
HAPU-177-	[illegible]	IP-501-	0P15	180.8		01-27-65	22.0	3[illegible]TH-KE	0-2[illegible]	.974	2876	76.5		
HAPU-177-	[illegible]	IP-501-D	0042	214.3		12-17-64	22.0	3[illegible]TH-KE	[illegible]	.751	2882	76.7		
HAPU-177-	[illegible]	IP-501-D	0043	214.3		12-17-64	22.0	3[illegible]TH-KE	[illegible]	.751	2721	72.4		
HAPU-177-	[illegible]	IP-501-	0047	180.8		01-26-65	22.0	3[illegible]TH-KE	[illegible]	.974	3199	85.1		
HAPU-177-	[illegible]	IP-501-D	0048	214.3		12-17-64	22.0	3[illegible]TH-KE	[illegible]	.751	2821	75.0		
HAPU-177-	[illegible]	IP-501-	0049	180.8		01-26-65	22.0	3[illegible]TH-KE	[illegible]	.974	3044	81.0		
HAPU-177-	[illegible]	IP-501-D	0081	214.3		12-17-64	22.0	3[illegible]TH-KE	[illegible]	.751	2775	73.8		
HAPU-177-	[illegible]	IP-501-D	0084	214.3		12-17-64	22.0	3[illegible]TH-KE	[illegible]	.751	2914	77.5		
HAPU-177-	[illegible]	IP-501-D	0085	214.3		12-17-64	22.0	3[illegible]TH-KE	[illegible]	.751	2569	68.3		
HAPU-177-	[illegible]	IP-501-D	0086	214.3		12-17-64	22.0	3[illegible]TH-KE	[illegible]	.751	2727	72.5		
HAPU-177-	[illegible]	IP-501-	00C4	122.9		04-12-65	22.0	3[illegible]TH-KE	0-2[illegible]	.974	2100	55.9		
HAPU-177-	[illegible]	IP-501-D	00C7	214.3		12-17-64	22.0	3[illegible]TH-KE	0-2[illegible]	.751	2748	73.1		
HAPU-177-	[illegible]	IP-501-	00C8	122.9		04-12-65	22.0	3[illegible]TH-KE	0-2[illegible]	.974	2055	54.7		
HAPU-177-	[illegible]	IP-501-D	0061	214.3		12-17-64	22.0	3[illegible]TH-KE	0-2[illegible]	.751	2847	75.7		
HAPU-177-	[illegible]	IP-501-D	0061	214.3		12-17-64	22.0	3[illegible]TH-KE	0-2[illegible]	.751	2766	73.6		
HAPU-177-	[illegible]	IP-501-	0070	180.8		01-26-65	22.0	3[illegible]TH-KE	0-2[illegible]	.974	2814	74.9		
HAPU-177-	[illegible]	IP-501-	0071	180.8		01-27-65	22.0	3[illegible]TH-KE	0-2[illegible]	.974	3066	81.6		
HAPU-177-	[illegible]	IP-501-	0080	180.8		01-26-65	22.0	3[illegible]TH-KE	0-2[illegible]	.974	3002	79.9		
HAPU-177-	[illegible]	IP-501-D	0091	551.4		09-10-63	22.0	3[illegible]TH-KE		.974	2285	60.8		
HAPU-177-	[illegible]	IP-501-	0091	180.8		01-26-65	22.0	3[illegible]TH-KE	[illegible]	.974		.0		
HAPU-177-	[illegible]	IP-501-D	0092	551.4		09-10-63	22.0	3[illegible]TH-KE	[illegible]	.974	2531	67.3		
HAPU-177-	[illegible]	IP-501-	0092	180.8		01-26-65	22.0	3[illegible]TH-KE	[illegible]	.974		.0		
HAPU-177-	[illegible]	IP-501-D	0093	551.4		09-10-63	22.0	3[illegible]TH-KE	[illegible]	.974	2649	70.5		

[redacted]

BM-172-022 (5-65)

[redacted]

IDENTIFICATION				OPERATING TIME (DAYS)	CMK ABSORBED	CHARGE DATE	SAMPLE LENGTH (INCHES)	LOCATION			EXPOSURE TO DATE		DISCHARGE DATE	SHIPPING DATE
REQUEST NUMBER	MAT'L	PRODUCTION TEST NUMBER	PIECE NUMBER					FACILITY	TEST HOLE POSITION	POSITION FACTOR	MWD/AT	NVT X10^19		
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]		[illegible]	[illegible]							
HAPO-177-	3	IP-501-	0003	140.-		01-26-65	22.9	3ATJ-KE	[illegible]	.974		.0		
HAPO-177-	3	IP-501-D	0004	551.4		09-10-63	22.9	3ATJ-KE	[illegible]	.974	2.15	74.8		
HAPO-177-	3	IP-501-	0004	140.3		01-26-65	22.9	3ATJ-KE	[illegible]	.974		.0		
HAPO-177-	3	IP-501-D	0005	551.4		09-10-63	22.9	3ATJ-KE	[illegible]	.974	2.29	79.3		
HAPO-177-	3	IP-501-	0005	140.5		01-26-65	22.9	3ATJ-KE	[illegible]	.974		.0		
HAPO-177-	3	IP-501-	0005	122.9		04-12-65	22.9	3ATJ-KE	[illegible]	.974	2.45	84.5		
HAPO-177-	3	IP-501-D	0140	396.5		04-27-64	22.9	3ATJ-KE	[illegible]	.751	4.77	127.1		
HAPO-177-	3	IP-501-D	0143	396.8		04-27-64	22.9	3ATJ-KE	[illegible]	.751	5.40	130.0		
HAPO-177-	3	IP-501-D	0190	396.8		04-27-64	22.9	3ATJ-KE	[illegible]	.751	5.42	130.6		
HAPO-177-	3	IP-501-D	0191	396.8		04-27-64	22.9	3ATJ-KE	[illegible]	.751	5.89	133.2		
HAPO-177-S	3	IP-501-D	A001	396.8		04-27-64	22.9	3ATJ-KE	[illegible]	.751		.0		
HAPO-177-S	3	IP-501-D	A002	396.8		04-27-64	22.9	3ATJ-KE	[illegible]	.751		.0		
HAPO-177-S	3	IP-501-D	A003	396.8		04-27-64	22.9	3ATJ-KE	[illegible]	.751		.0		
HAPO-177-S	3	IP-501-D	A004	396.8		04-27-64	22.9	3ATJ-KE	[illegible]	.751		.0		
HAPO-177-S	3	IP-501-D	A005	396.8		04-27-64	22.9	3ATJ-KE	[illegible]	.751		.0		
HAPO-177-S	3	IP-501-D	0001	396.8		04-27-64	22.9	3ATJ-KE	[illegible]	.751		.0		
HAPO-177-S	3	IP-501-D	0002	396.8		04-27-64	22.9	3ATJ-KE	[illegible]	.751		.0		
HAPO-177-S	3	IP-501-D	0003	396.8		04-27-64	22.9	3ATJ-KE	[illegible]	.751		.0		
HAPO-177-S	3	IP-501-D	0004	396.8		04-27-64	22.9	3ATJ-KE	[illegible]	.751		.0		
HAPO-177-S	3	IP-501-D	0005	396.8		04-27-64	22.9	3ATJ-KE	[illegible]	.751		.0		
HAPO-223-	30	IP-438-	0138	92.4		05-23-65	12.0	426B-KE		.908	1474	39.2		
HAPO-305-	30	IP-730-	0008	92.4		05-23-65	16.0	426B-KE		.994	1514	42.9		
HAPO-305-	30	IP-730-	0008	92.4		05-23-65	16.0	426B-KE		1.000	1524	43.2		
[illegible]	30	IP-730-	0007	92.4		05-23-65	16.0	426B-KE		.965	1568	41.7		
[illegible]	30	IP-730-	0008	92.4		05-23-65	16.0	426B-KE		.984	1581	42.0		
[illegible]	30	IP-730-	0001	92.4		05-23-65	16.0	426B-KE		.923	1497	39.6		
[illegible]	30	IP-730-	0012	92.4		05-23-65	16.0	426B-KE		.953	1547	41.2		
[illegible]	73	IP-773-	0J-1	63.2		06-25-65	18.0	258B-KE		1.000		.0		
[illegible]	73	IP-773-	0J-2	63.2		06-25-65	18.0	258B-KE		1.000		.0		
		Total CMK			72									

[redacted]

BM-8172-022 (5-65)

IDENTIFICATION				OPERATING TIME (DAYS)	CHK ABSORBED	CHARGE DATE	SAMPLE LENGTH (INCHES)	LOCATION			EXPOSURE TO DATE		DISCHARGE DATE	SHIPPING DATE
REQUEST NUMBER	MAT'L	PRODUCTION TEST NUMBER	PIECE NUMBER					FACILITY	TEST HOLE POSITION	POSITION FACTOR	MWD / AT	NVTX10[19]		
THE FOLLOWING MATERIAL IS AWAITING DISPOSITION.														
HAPO-303-	U	IP-743-	0001	159.6		02-27-65	15.0	0469-R		1.000	1514	40.3	09-07-65	
HAPO-303-	U	IP-743-	0002	159.6		02-27-65	15.0	0471-R		1.000	1486	39.5	09-07-65	
HAPO-303-	U	IP-743-	0003	159.6		02-27-65	15.0	0473-R		1.000	1489	39.6	09-07-65	
HAPO-303-	U	IP-743-	0004	159.6		02-27-65	15.0	0475-R		1.000	1505	40.0	09-07-65	
HAPO-177-	G	IP-747-	00J1	86.8		04-13-65	24.0	BTH -C	0-2286	.987	1422	37.8	08-16-65	
HAPO-177-	G	IP-747-	00J3	123.1		03-06-65	24.0	BTH -C	0-2289	.987	1980	52.7	08-16-65	
HAPO-177-	G	IP-747-	00J7	40.5		06-18-65	24.0	BTH -C	0-2280	.987	662	17.6	08-16-65	
HAPO-177-	G	IP-501-	00K4	51.7		04-13-65	22.0	BTH -C	0-2268	.987	929	24.7	08-16-65	
HAPO-177-	G	IP-747-	00K7	40.5		06-18-65	24.0	BTH -C	0-2277	.987	664	17.7	08-16-65	
HAPO-177-	G	IP-747-	00K8	40.5		06-18-65	24.0	BTH -C	0-2283	.987	642	17.1	08-16-65	
HAPO-288-A	PUO	IP-672-	0002	129.2		02-05-65	48.0	0672-C		1.000	1954	52.0	07-20-65	
HAPO-288-A	PUO	IP-672-	0003	129.2		02-05-65	48.0	0672-C		1.000	1954	52.0	07-20-65	
HAPO-288-A	PUO	IP-672-	0008	129.2		02-05-65	48.0	0672-C		1.000	1954	52.0	07-20-65	
HAPO-288-A	PUO	IP-672-	0009	129.2		02-05-65	48.0	0672-C		1.000	1954	52.0	07-20-65	
HAPO-330-	POL	IP-746-	0001	104.6		03-02-65	08.0	3067-C		1.000	1636	43.5	07-06-65	
HAPO-330-	POL	IP-746-	0002	95.5		03-25-65	08.0	3064-C		1.000	1580	42.0	07-28-65	
HAPO-222-	U	IP-687-	0031	38.1		01-07-65	24.0	3865-KW		1.000	703	16.7	02-26-65	
HAPO-223-	CO	IP-770-	0008	21.1		07-08-65	16.0	2RTH-KW		.974	356	9.5	08-10-65	
HAPO-223-	CO	IP-438-	0133	48.8		06-04-65	12.0	3674-KW		.999	881	23.4	08-10-65	
HAPO-223-	CO	IP-438-	0134	48.8		06-04-65	12.0	3674-KW		.999	881	23.4	08-10-65	
HAPO-223-	CO	IP-438-	0135	48.8		06-04-65	12.0	3674-KW		.988	872	23.2	08-10-65	
HAPO-223-	CO	IP-438-	0136	48.8		06-04-65	12.0	3674-KW		.965	851	22.6	08-10-65	
HAPO-223-	CO	IP-438-	0137	48.8		06-04-65	12.0	3674-KW		.933	824	21.9	08-10-65	
HAPO-243-	VRS	IP-346-D	0088	186.1		01-30-64	04.0	4CTH-KW		.974	2864	76.2	06-23-65	
HAPO-243-	VRS	IP-346-D	0089	186.1		01-30-64	04.0	4CTH-KW		.974	2864	76.2	06-23-65	
HAPO-243-	VRS	IP-346-D	0090	186.1		01-30-64	04.0	4CTH-KW		.974	2864	76.2	06-23-65	
HAPO-243-	VRS	IP-346-D	0091	186.1		01-30-64	04.0	4CTH-KW		.974	2864	76.2	06-23-65	
HAPO-243-	VRS	IP-346-D	0093	137.4		09-09-64	03.0	4CTH-KW		.974	2548	67.8	06-23-65	
HAPO-243-	VRS	IP-346-	0111	2.8		03-15-65	03.0	4CTH-KW		.974	54	1.4	03-18-65	
HAPO-243-	VRS	IP-346-	0112	8.0		03-15-65	03.0	4CTH-KW		.974	164	4.4	05-07-65	
HAPO-243-	VRS	IP-346-	0113	16.3		03-15-65	03.0	4CTH-KW		.974	337	9.0	05-16-65	
HAPO-243-	VRS	IP-346-	0114	28.3		03-15-65	03.0	4CTH-KW		.974	546	14.5	06-23-65	
HAPO-243-	VRS	IP-767-	0122	.0		07-26-65	03.0	4CTH-KW		.974		.0	07-26-65	
HAPO-243-	VRS	IP-767-	0123	.2		08-04-65	03.0	4CTH-KW		.974	4	.1	08-04-65	
HAPO-243-	VRS	IP-767-	0124	1.2		07-26-65	03.0	4CTH-KW		.974	20	.5	08-20-65	
HAPO-322-	TH	IP-733-	0001	48.8		06-04-65	09.0	3674-KW		.982	866	23.0	08-10-65	
HAPO-322-	TH	IP-733-	0002	48.8		06-04-65	09.0	3674-KW		.965	851	22.6	08-10-65	
HAPO-266-	U	IP-486-D	0001	135.7		11-17-62	01.8	3565-KE		.965	2090	55.6	05-12-63	

BM-8172-022 (5-65)

[redacted]

IDENTIFICATION								LOCATION			EXPOSURE TO DATE			
REQUEST NUMBER	MAT'L	PRODUCTION TEST NUMBER	PIECE NUMBER	OPERATING TIME (DAYS)	CMK ABSORBED	CHARGE DATE	SAMPLE LENGTH (INCHES)	FACILITY	TEST HOLE POSITION	POSITION FACTOR	MWD/AT	NVTX10[19]	DISCHARGE DATE	SHIPPING DATE
THE FOLLOWING MATERIAL IS AWAITING DISPOSITION.														
HAPO-266-	U	IP-486-D	0002	135.7		11-17-62	01.8	3565-KE		1.000	2150	57.2	05-12-63	
HAPO-266-	U	IP-486-D	0003	135.7		11-17-62	01.8	3565-KE		.965	2075	55.2	05-12-63	

[redacted]

BM-8172-022 (5-65)

[redacted]

IDENTIFICATION								LOCATION			EXPOSURE TO DATE				
REQUEST NUMBER	MAT'L	PRODUCTION TEST NUMBER	PIECE NUMBER	OPERATING TIME (DAYS)	CHK ABSORBED	CHARGE DATE	SAMPLE LENGTH (INCHES)	FACILITY	TEST HOLE POSITION	POSITION FACTOR	MWD / AT	NVTX10^{19}	DISCHARGE DATE	SHIPPING DATE	
THE FOLLOWING MATERIAL WAS SHIPPED DURING THE MONTH															
HAPO-303-	U	IP-743-	0005	105.2		02-27-65	15.0	0477-R		1.000	1069	28.4	06-30-65	0-82-56	5
HAPO-172-	VRS	IP-706-	0267	.0		09-02-65	08.0	1164-D		1.000	1	.0	09-02-65	09-03-65	
HAPO-172-	VRS	IP-741-	0263	2.0		09-01-65	02.0	2ATH-KW		.751	26	.7	09-03-65	09-13-65	
HAPO-172-	VRS	IP-741-	0264	2.0		09-01-65	02.0	2ATH-KW		.751	26	.7	09-03-65	09-13-65	
HAPO-172-	VRS	IP-741-	0265	2.0		09-01-65	02.0	2ATH-KW		.751	26	.7	09-03-65	09-13-65	
HAPO-172-	VRS	IP-741-	0266	2.0		09-01-65	02.0	2ATH-KW		.751	26	.7	09-03-65	09-13-65	
HAPO-184-	VRS	IP-731-	1683	.7		08-17-65	02.0	2ATH-KW		.751	9	.2	08-18-65	08-18-65	
HAPO-184-	VRS	IP-731-	1684	.7		08-17-65	02.0	2ATH-KW		.751	9	.2	08-18-65	08-18-65	
HAPO-184-	VRS	IP-731-	1685	.8		08-18-65	02.0	2ATH-KW		.751	11	.3	08-19-65	08-19-65	
HAPO-184-	VRS	IP-731-	1686	.8		08-18-65	02.0	2ATH-KW		.751	11	.3	08-19-65	08-19-65	
HAPO-184-	VRS	IP-731-	1687	.8		08-19-65	02.0	2ATH-KW		.751	11	.3	08-20-65	08-20-65	
HAPO-184-	VRS	IP-731-	1688	.8		08-19-65	02.0	2ATH-KW		.751	11	.3	08-20-65	08-20-65	
HAPO-172-	VRS	IP-741-	0261	.0		08-17-65	02.0	2DTH-KE		.751		.0	08-17-65	08-17-65	
HAPO-172-	VRS	IP-741-	0262	2.0		08-20-65	02.0	2DTH-KE		.751	25	.7	08-22-65	08-22-65	
HAPO-177-	G	IP-501-	OTC2	272.1		08-28-64	22.0	3ATH-KE	0-2983	.751	3532	94.0	08-12-65	0-81-86	5
HAPO-177-	G	IP-501-D	0188	371.0		04-27-64	22.0	3ATH-KE	0-2970	.751	4689	124.7	08-12-65	0-81-86	5
HAPO-177-	G	IP-501-D	0189	371.0		04-27-64	22.0	3ATH-KE	0-2973	.751	4735	126.0	08-12-65	0-81-86	5
HAPO-177-	G	IP-501-D	0192	371.0		04-27-64	22.0	3ATH-KE	0-2976	.751	4790	127.4	08-12-65	0-81-86	5
HAPO-177-	G	IP-501-D	0193	371.0		04-27-64	22.0	3ATH-KE	0-2979	.751	4519	120.2	08-12-65	0-81-86	5
HAPO-184-	VRS	IP-731-	1682	.9		08-15-65	02.0	2DTH-KE		.751	12	.3	08-16-65	08-16-65	
HAPO-184-	VRS	IP-731-	1689	.8		08-22-65	02.0	2DTH-KE		.751	10	.3	08-23-65	08-23-65	
HAPO-184-	VRS	IP-731-	1690	.8		08-22-65	02.0	2DTH-KE		.751	10	.3	08-23-65	08-23-65	
HAPO-184-	VRS	IP-731-	1691	.9		08-23-65	02.0	2DTH-KE		.751	13	.3	08-24-65	08-24-65	
HAPO-184-	VRS	IP-731-	1692	.9		08-23-65	02.0	2DTH-KE		.751	13	.3	08-24-65	08-24-65	
HAPO-184-	VRS	IP-731-	1693	.8		08-24-65	02.0	2DTH-KE		.751	12	.3	08-25-65	08-25-65	
HAPO-184-	VRS	IP-731-	1694	.8		08-24-65	02.0	2DTH-KE		.751	12	.3	08-25-65	08-25-65	
HAPO-184-	VRS	IP-731-	1695	.9		08-25-65	02.0	2DTH-KE		.751	13	.3	08-26-65	08-26-65	
HAPO-184-	VRS	IP-731-	1696	.9		08-25-65	02.0	2DTH-KE		.751	13	.3	08-26-65	08-26-65	
HAPO-184-	VRS	IP-731-	1697	.8		08-26-65	02.0	2DTH-KE		.751	11	.3	08-27-65	08-27-65	
HAPO-184-	VRS	IP-731-	1698	.8		08-26-65	02.0	2DTH-KE		.751	11	.3	08-27-65	08-27-65	
HAPO-184-	VRS	IP-731-	1699	.0		08-29-65	02.0	2DTH-KE		.751		.0	08-30-65	08-30-65	
HAPO-184-	VRS	IP-731-	1700	.0		08-29-65	02.0	2DTH-KE		.751		.0	08-30-65	08-30-65	
HAPO-184-	VRS	IP-731-	1701	.8		08-30-65	02.0	2DTH-KE		.751	12	.3	08-31-65	08-31-65	
HAPO-184-	VRS	IP-731-	1702	.8		08-30-65	02.0	2DTH-KE		.751	12	.3	08-31-65	08-31-65	
HAPO-184-	VRS	IP-731-	1703	.8		08-31-65	02.0	2DTH-KE		.751	11	.3	09-01-65	09-01-65	
HAPO-184-	VRS	IP-731-	1704	.8		08-31-65	02.0	2DTH-KE		.751	11	.3	09-01-65	09-01-65	
HAPO-184-	VRS	IP-731-	1705	.9		09-01-65	02.0	2DTH-KE		.751	14	.4	09-02-65	09-02-65	
HAPO-184-	VRS	IP-731-	1706	.9		09-01-65	02.0	2DTH-KE		.751	14	.4	09-02-65	09-02-65	

[redacted]

[redacted]

BM-8172-022 (5-65)

IDENTIFICATION				OPERATING TIME (DAYS)	CNK ABSORBED	CHARGE DATE	SAMPLE LENGTH (INCHES)	LOCATION			EXPOSURE TO DATE		DISCHARGE DATE	SHIPPING DATE
REQUEST NUMBER	MAT'L	PRODUCTION TEST NUMBER	PIECE NUMBER					FACILITY	TEST HOLE POSITION	POSITION FACTOR	MWD/AT	NVTX10^{19}		
THE FOLLOWING MATERIAL WAS SHIPPED DURING THE MONTH														
HAPO-184-	VRS	IP-731-	1707	7.0		09-01-65	12.0	2DTH-KE		.974	126	5.4	09-06-65	09-16-65
HAPO-184-	VRS	IP-731-	1708	.9		09-02-65	02.0	2DTH-KE		.751	13	.3	09-03-65	09-03-65
HAPO-184-	VRS	IP-731-	1709	.9		09-02-65	02.0	2DTH-KE		.751	13	.3	09-03-65	09-03-65
HAPO-184-	VRS	IP-731-	1710	.9		09-06-65	02.0	2DTH-KE		.751	12	.3	09-07-65	09-07-65
HAPO-184-	VRS	IP-731-	1711	.9		09-06-65	02.0	2DTH-KE		.751	12	.3	09-07-65	09-07-65
HAPO-184-	VRS	IP-731-	1712	.8		09-07-65	02.0	2DTH-KE		.751	11	.3	09-08-65	09-08-65
HAPO-184-	VRS	IP-731-	1713	.8		09-07-65	02.0	2DTH-KE		.751	11	.3	09-08-65	09-08-65
HAPO-184-	VRS	IP-731-	1714	.8		09-08-65	02.0	2DTH-KE		.751	11	.3	09-09-65	09-09-65
HAPO-184-	VRS	IP-731-	1715	.8		09-08-65	02.0	2DTH-KE		.751	11	.3	09-09-65	09-09-65
HAPO-184-	VRS	IP-731-	1716	.8		09-09-65	02.0	2DTH-KE		.751	11	.3	09-10-65	09-10-65
HAPO-184-	VRS	IP-731-	1717	.8		09-09-65	02.0	2DTH-KE		.751	11	.3	09-10-65	09-10-65
HAPO-184-	VRS	IP-731-	5093	.0		08-17-65	02.0	2DTH-KE		.751		.0	08-17-65	08-17-65
HAPO-184-	VRS	IP-731-	5094	.0		08-19-65	02.0	2DTH-KE		.751		.0	08-19-65	08-19-65
HAPO-184-	VRS	IP-731-	5095	.0		08-24-65	02.0	2DTH-KE		.751		.0	08-24-65	08-24-65
HAPO-184-	VRS	IP-731-	5096	.0		08-26-65	02.0	2DTH-KE		.751		.0	08-26-65	08-26-65
HAPO-184-	VRS	IP-731-	5097	.0		08-29-65	02.0	2DTH-KE		.751		.0	08-29-65	08-29-65
HAPO-184-	VRS	IP-731-	5098	.0		08-30-65	02.0	2DTH-KE		.751		.0	08-30-65	08-30-65
HAPO-184-	VRS	IP-731-	5099	.0		08-31-65	02.0	2DTH-KE		.751		.0	08-31-65	08-31-65
HAPO-184-	VRS	IP-731-	6000	.0		08-31-65	02.0	2DTH-KE		.751		.0	08-31-65	08-31-65
HAPO-184-	VRS	IP-731-	6001	.0		09-08-65	02.0	2DTH-KE		.751		.0	09-08-65	09-08-65
HAPO-184-	VRS	IP-731-	6002	.0		09-09-65	02.0	2DTH-KE		.751		.0	09-09-65	09-09-65
HAPO-223-	VRS	IP-706-	0139	.0		08-30-65	14.0	2DTH-KE		.974		.0	08-30-65	09-10-65
HAPO-223-	VRS	IP-741-	0140	.6		09-08-65	02.0	2DTH-KE		.751	9	.2	09-09-65	09-09-65
HAPO-254-	VRS	IP-741-	0249	.0		08-16-65	02.0	2DTH-KE		.751		.0	08-16-65	08-17-65
HAPO-254-	VRS	IP-741-	0250	1.0		08-15-65	02.0	2DTH-KE		.751	13	.3	08-16-65	08-17-65
HAPO-254-	VRS	IP-741-	0251	.0		08-16-65	02.0	2DTH-KE		.751		.0	08-16-65	08-17-65
HAPO-254-	VRS	IP-741-	0252	.5		08-23-65	02.0	2DTH-KE		.751	6	.2	08-24-65	08-25-65
HAPO-254-	VRS	IP-741-	0253	.0		09-07-65	02.0	2DTH-KE		.751		.0	09-07-65	09-08-65
HAPO-254-	VRS	IP-741-	0254	.3		09-07-65	02.0	2DTH-KE		.751	5	.1	09-08-65	09-08-65
HAPO-263-	VRS	IP-741-	0020	.3		09-08-65	02.0	2DTH-KE		.751	5	.1	09-08-65	09-08-65
HAPO-263-	VRS	IP-741-	0021	.0		08-16-65	02.0	2DTH-KE		.751		.0	08-16-65	08-16-65
HAPO-271-	VRS	IP-495-	0028	30.0		07-29-65	02.0	2DTH-KE		.751	405	10.8	08-29-65	08-29-65
HAPO-537-	PRO	IP-741-	0001	15.0		08-03-65	02.0	2DTH-KE		.751	202	5.4	08-20-65	08-20-65

[redacted]

TEST WELL STATUS

Location	Contents	Date Last Changed
100-B		
A	Subcritical monitor	7-15-59
B	Galvanometer chamber	7-15-59
C	Thermocouple stringer	1954
D	Subcritical monitor	7-15-59
E	Bare channel	Startup
F	Bare channel	Startup
100-C		
A	Bare channel, graphite sample block	6-6-53
B	Bare channel	Startup
C	C-1 Loop	11-11-63
D	Bare channel, graphite sample block	11-28-54
E	Bare channel	Startup
F	Bare channel	Startup
G	Subcritical monitor	8-15-59
H	Subcritical monitor	8-15-59
J	Bare channel	Startup
K	Bare channel	Startup
V	Bare channel	Startup
W	Bare channel	Startup
X	36" Shield Plug Facility	Startup
Y	Hot Graphite Facility - Neutron Beam Facility	9-5-55
Z	Bare channel	Startup
100-D		
A	Subcritical monitor	6-15-59
B	Subcritical monitor	8-15-59
C	Thermocouple stringer	12-52
D	Galvanometer chamber	1954
E	Bare channel	3-15-65
F	Bare channel	Startup
100-KE		
0065	General Purpose	1-30-56
0074	General Purpose	1-30-56
3565	Bare channel	9-63
4268	General Purpose	10-15-61
1B	Subcritical monitor	11-15-59
1C	Subcritical monitor	11-15-59
2A	General Purpose	2-4-59
2B	Snout Facility	6-29-65
2C	Bare channel	7-64
2D	Modified Magazine and Quickie Facility	5-24-65
3A	Hot Graphite Facility	10-21-63
3B	Hot Graphite Facility	1-65
3C	Hot Graphite Facility	9-9-63
3D	Hot Graphite Facility	9-9-63
4B	Beam Spectrometer	10-21-63
4C	Beam Spectrometer	4-15-58

Location	Contents	Date Last Changed
100-KW		
0065	General Purpose	7-64
0074	General Purpose	7-64
3674	General Purpose	3-25-56
3865	General Purpose	5-26-59
1B	Subcritical monitor	11-2-59
1C	Subcritical monitor	11-2-59
2A	Modified Magazine and Quickie Facility	9-20-62
2B	Snout Facility	2-24-64
2C	General Purpose	8-20-63
2D	General Purpose	11-10-61
3A	General Purpose	5-17-63
3B	General Purpose	1-15-62
3C	Hot Graphite Facility	3-64
3D	General Purpose	7-7-62
4B	Bare channel	2-65
4C	Snout Facility	5-20-59

DATE
FILMED
11/01/94

END