AIM

Association for Information and Image Management

1100 Wayne Avenue, Suite 1100
Silver Spring, Maryland 20910
301/587-8202

Centimeter

Inches

MANUFACTURED TO AIM STANDARDS
BY APPLIED IMAGE, INC.

1 of 1

DOE/PC/96258--T8

30/88

CHARACTERIZATION & SUPPLY of COAL BASED FUELS

Technical Progress Report
for the Period
August 1 through October 31, 1988

Performed under Prime Contract No. DE-AC22-86 PC90258

December 1988

MASTER

DISTRIBUTION OF THIS DOCUMENT IS UNLIMITED

Energy International, Inc.
135 William Pitt Way
Pittsburgh, PA 15238

DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

ACKNOWLEDGMENT

Contributors to this report include: Raymond M. Henry, Russell C. Maxwell and Ronald W. Genser of Energy International, Inc.

DISCLAIMER

This report was prepared as an account of work sponsored by the United States Government. Neither the United States nor the United States Department of Energy, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness or any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, mark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

PATENT STATUS

This technical report is being transmitted in advance of DOE patent clearance and no further dissemination or publication shall be made of the report without prior approval of the DOE Patent Counsel.

TECHNICAL STATUS

This technical report is being transmitted in advance of DOE review, and no further dissemination or publication shall be made of the report without prior approval from the DOE Program/Project Manager.

CHARACTERIZATION AND SUPPLY OF COAL-BASED FUELS

Quarterly Technical Report
for the Period
August 1, 1988 to October 31, 1988

TABLE OF CONTENTS

	Page No.
1.0 INTRODUCTION	1
2.0 OBJECTIVES AND SCOPE OF WORK	3
2.1 Contract Objectives	3
2.2 Contract Scope of Work	3
2.3 Task 1 Objectives	3
2.4 Task 2 Objectives	4
2.5 Task 3 Objectives	5
3.0 EXECUTIVE SUMMARY	6
4.0 TASK 1 - ANALYSIS OF FUEL NEEDS	8
4.1 Subtask 1.1 - Project Management, Administration, and Analysis of Fuel Needs	8
5.0 TASK 2 - FUEL CHARACTERIZATION	9
5.1 Preparation of Deep-Cleaned Coal	9
5.2 Washability of Upper Elkhorn #3 Coal	9
5.3 Chemical Deashing of North Dakota Lignite Coal	10
6.0 TASK 3 - FUEL SUPPLY	18
6.1 Delivery and Shipment of Washed Run-of-Mine Coal	18
6.2 Preparation and Delivery of Coal-Based Fuels	19
6.2.1 Dry Pulverized/Micronized Coal	19
6.2.2 Coal-Water Slurry Fuel	19
7.0 FUTURE PLANS	20

1.0 INTRODUCTION & BACKGROUND

Under the Department of Energy's Advanced Combustor Technology Program, approximately 11 combustor contractors are developing combustion systems (during 1987-1989) for use in residential, commercial, light industrial and industrial retrofit markets. Sufficient quantities of well-characterized, coal-based fuels possessing specific, appropriate specifications are required by the contractors for their developmental test programs. Fuels may be dry pulverized coal or coal liquid fuels. In support of these equipment development efforts, Energy International, Inc. is providing such fuels (under DOE Contract DE-AC22-86PC90258 within the PETC Alternate Energy Program).

Nearly a third of the total energy use in the U.S. is in the residential, commercial, and light industrial sectors. Of this, about half of the energy is supplied by the direct consumption (not including electricity) of conventional oil and gas resources. Thus, there is a significant energy use component for which coal is not currently a viable user option.

For coal to significantly penetrate this important market sector, it must be demonstrated that:

- Premium coal-based fuels can be made, combusted, and used in low maintenance, automatic use systems to which such users are accustomed, i.e., by a direct replacement for conventional fuels and require only simple installation changes.
- Advanced coal fuel combustion systems can effectively combust coal based fuels while meeting economic, environmental, and performance standards.
- Coal fuels, combustion systems and service support are well matched, reliable, cost effective, and are anticipated to be available over the projected lifetime of the installation.

The key to the development of fuel and combustor technologies for future application to the use of premium coal-based fuels in these market sectors is to make representative coal fuels available for developmental testing. Current coal cleaning and processing technologies in early development stages offer the promise to meet the market, the performance and the environmental acceptability that are expected to be required. They are not economically competitive now and production facilities are presently limited to experimental and pilot-scale operations which do not offer the economy of scale to reduce costs to the minimum. This is not likely to change with the current plentiful supplies of relatively low cost fuels.

The developmental testing of advanced combustion equipment systems requires fuels for testing. Test experience and performance measures are needed to identify cost competitiveness in the market and specific market niches for early commercialization; and, commercial market opportunities are needed to justify and specify the development and installation of advanced fuels facilities for supplying the developmental testing needs.

The capability to produce significant quantities of coal based fuels cannot be supported in the current economic and energy use situation. Once these pieces of experience and information begin to fall into place, the market driven needs will more clearly identify the suite of coals that will satisfy the markets and the performance requirements (i.e., cost, maintenance, energy efficiency, environmental). For now, it is important to provide sufficient quantities of surrogate fuels to enable development testing to proceed. To serve as surrogate fuels, the fuels should have chemical and physical characteristics (ash, sulfur, volatiles, fusion temperature, heat content, particle size distribution, slurry formulation, etc.) that are consistent with projected performance and environmental standards. In addition, these surrogates are to be produced using readily available conventional types of cleaning and processing so as to not promote a particular fuel technology or create a reliability on an uncertain fuel technology.

While the definitions of the market and performance are not finalized nor quantitatively fixed and the eventual, economically acceptable fuel processes are not yet determined, it is possible to make use of current understanding of coal resources, markets, combustor and environmental requirements and specific available coal properties and characteristics to make reasonable selections of coals for fuels representative of future advanced fuels. With selected coals, conventional beneficiation methods can be used to prepare current versions of advanced premium coal-based fuels. The associated excessive grinding, special processing, low energy recoveries, and process economics are not expected to be acceptable for eventual commercial operations. However, these current advanced premium fuels can at this time meet the needs of developmental testing with acceptable costs.

The analysis of fuel needs, the selection of candidate coals, the characterization and supply in this contract are to be accomplished with the above in mind. The best choices of those available have been made based upon the available information, coal and processes. This will at least provide the developmental test fuels that will enable the DOE-PETC advanced combustion and fuels program to move forward. Following the fuels and combustor development activities that this supply contract will support, it is expected that additional optional candidate coals will become evident based on the new experience. In the meantime, these coal fuels will enable the program to proceed.

During the eighth quarter of this contract (August 1, 1988 through October 31, 1988) the primary activities were involved with:

- Continuation of the coal procurement, fuel preparation and delivery activities.
- Continuation of interaction with combustion contractors to update their fuel specifications, fuel requirements and delivery schedules.

2.0 OBJECTIVES AND SCOPE OF WORK

2.1 Contract Objectives

Contract objectives are as follows:

- Develop fuel specifications to serve combustor requirements.
- Select coals having appropriate compositional and quality characteristics as well as an economically attractive reserve base.
- Provide quality assurance for both the parent coals and the fuel forms.
- Deliver premium coal-based fuels to combustor developers as needed for their contract work.

2.2 Contract Scope of Work

Energy International, Inc. will perform the following:

- From information obtained both from the combustor PRDA and from the combustor contractors, develop fuel specifications and schedule.
- Using published reports and databases, perform a market assessment and a resource assessment in order to identify acceptable coals within reasonable proximity to markets. In other words, determine the availability and applicability of a wide range of coals in order to produce premium coal-based fuels for specific markets.
- From all coal ranks and all domestic resources select coals which satisfy the requirements of combustion systems being developed.
- Procure premium coals having the ability to be processed to contain <0.8 lb ash per million Btu and <0.5 lbs sulfur per million Btu.
- Procure coals and produce coal liquid mixtures or dry pulverized coal and deliver these premium fuels to combustor contractors.

2.3 Task 1 Objectives

The objectives of Task 1, "Analysis of Fuel Needs", are as follows:

- To provide analyses, information and evaluation of coal resources, coal properties, and market opportunities to support the selection of coals for characterization, processing and supply.
- To assure that coals used in developmental testing are representative of future potential coal used in those applications and are:

- Available as U.S. domestic resource in sufficient quantity.
- Geographically proximate to the regional markets.
- Capable of being processed into premium coal-based fuels that have the properties to satisfy the combustor needs and market constraints (such as environmental).
- To evaluate, interpret and assess the available information on coal reserves, market opportunities, performance requirements, environmental acceptability, coal properties and specific characteristics to provide guidance in the selection of candidate coals for characterization and supply for developmental testing of advanced combustors for residential, commercial and light industrial applications.
- To collect, review and evaluate information about specific, currently available coals that can be procured from existing mining operations to provide contracted quantities of development test fuels that satisfy the reserves, market, geographic, property, performance and environmental criteria.
- To recommend candidate coals and then select specific coals to be purchased, processed into coal-based premium fuels, and supplied to DOE selected users.
- To coordinate the performance requirements of combustor developers under DOE-PETC contract and in-house efforts with the selection and supply of coals.

2.4 Task 2 Objectives

The objectives of Task 2, "Characterization of Coal Based Fuels", are as follows:

- To procure representative samples of the coals selected in Task 1 and prepare them for characterization studies.
- To obtain baseline analytical data for each of the parent coals.
- To carry out bench-scale froth flotation cleaning test on each of the candidate coals to determine the yield of specification coal attainable from each.
- To carry out detailed washability studies for each coal to determine the effect of particle size reduction on mineral matter liberation as well as the coal yield as a function of the specific gravity of the separation.
- Using the available results of the characterization studies, to select a coal or suit of coals suitable for the preparation of the fuels to meet the specifications of the combustor contractors.

2.5 Task 3 Objectives

The objectives of Task 3, "Fuel Supply", are as follows:

- To arrange for the capability, availability, and operation of suitable deep-cleaning coal wash circuit, coal/water slurry preparation plant, and micronizing/grinding facilities.
- To purchase and arrange for the delivery of the appropriate coals for fuel preparation.
- To clean the coals to meet the specifications necessary for the specific fuel needs, i.e., quality categories, such as slagging, non-slagging, industrial retrofit, residential/commercial.
- To prepare the coal based fuels according to the specifications of the PRDA and as modified or requested by the combustor contractors.
- To deliver the fuel to the combustor contractor on schedule.
- To characterize each fuel prior to shipment to assure that the specifications are being met.

3.0 EXECUTIVE SUMMARY

Under the Department of Energy's Combustor Technology Program, approximately 11 combustor contractors are developing combustor systems (during 1987-1989) for use in residential, commercial, light industrial and industrial retrofit markets. Sufficient quantities of well-characterized coal based fuels possessing appropriate specifications are required by the contractors for their developmental test programs. Fuels may be dry pulverized coal or coal-liquid fuels. In support of these equipment development efforts, Energy International is providing such fuels under DOE Contract No. DE-AC22-86PC90258.

During the eighth quarter of this contract (August 1, 1988 through October 31, 1988) the primary activities were involved with:

- Completion of the washability studies of the Upper Elkhorn #3 coal from the Westmoreland Coal Co.'s Wentz #1 mine and preparation plant.
- Chemical deashing of a North Dakota lignite coal for preparation of a low ash lignite fuel for Avco.
- Presentation of the contract activities at the Fourth Annual PETC Contractors Review Conference.
- Preparation of cost and labor plans for fiscal year 1989.
- Continuation of the coal procurement, fuel preparation and delivery activities.
- Continuation of the interaction with combustor contractors in order to update their fuel specifications, fuel requirements and delivery schedules.

A brief summary of these activities follows:

Because of the inconsistent washability data obtained last year on the minus 100 mesh and smaller particle sizes of the Upper Elkhorn #3 coal the centrifugal washabilities for these fractions (100x200, 200x270 and 270x400 mesh) were repeated. However, this time a dispersent (Aerosol OT) was used in the Certigrav liquids in order to better disperse the fine coal. With this change more consistent washability data was obtained and is reported in this quarterly.

As discussed in the last quarterly report, it was felt that the chemical deashing of the Buelah-Zap lignite with nitric acid, as recommended by the North Dakota University Energy and Material Research Center (UNDEMRC), was not appropriate because of the reactivity of lignite coals with nitric acid. Therefore, experiments were carried out using hydrochloric and/or formic acid to chemically clean the Beulah-Zap coal in order to prepare a low ash lignite fuel for use by Avco. The results of the work showed that a low ash (1.3-1.7%) lignite coal could readily be prepared by low temperature (<100°C) treatment with hydrochloric acid and that, with proper washing, no residual chlorine would remain in the treated coal. However, before further work could be undertaken PETC directed that the work

be discontinued as there was no further interest in the preparation of a low ash lignite based fuel.

Cost and labor plans for fiscal year 1989 were completed and submitted to PETC. The estimates were based on the known fuel requirements of the combustor contractors as of September 30, 1988 as well as the coal quantities now held in inventory. It now appears that from 15 to 20 additional tons of deep cleaned coal will be required to meet future fuel requirements. In anticipation of these needs, various companies and institutions having coal cleaning facilities have been contacted to determine if they could fulfill our needs. Samples of the Upper Elkhorn #3 coal from the Wentz preparation plant have been sent to selected companies for cleaning trials.

A paper was presented at the Fourth Annual PETC Contractors Review Conference which described the activities involved in this Fuel Supply contract. The conference also afforded an opportunity for contact and discussions with each of the combustor contractors to whom we furnish fuel to determine their present and future fuel needs. The information obtained was used in preparing the 1989 cost plan.

4.0 TASK 1 - ANALYSIS OF FUEL NEEDS

4.1 Subtask 1.1 - Project Management, Administration, & Analysis of Fuel Needs

The Fourth Annual PETC Contractors Review Conference was attended and a presentation of the activities and status of this fuel supply contract made. In addition, all the combustor contractors to whom we supply fuel that were present at the meeting were contacted to discuss and update their current schedule and fuel requirements. As a result of these meetings and other contacts a Cost and Labor Plan for the 1989 fiscal year was prepared and submitted to PETC.

The revised fuel requirements now indicate that it will be necessary to obtain an additional 15 to 20 tons of deep cleaned coal to meet the projected fuel needs for the next fiscal year. Therefore, preliminary contacts have been made both by telephone and at the recent Pittsburgh Coal Conference with various institutions concerning their coal cleaning capabilities. Among those contacted were Iowa State University, Ames, Iowa; Battelle Institute in Columbus, Ohio; EPRI's Coal Cleaning Test Facility in Homer City, PA; Process Technology Inc. in Calumet, Michigan; CoaLiquids, Inc. in Louisville, Kentucky; and Amax Coal Company in Golden, Colorado. Also the possibility of evaluating the Westinghouse/University of Pittsburgh's LICADO process is being explored. In order to achieve the 1.3-1.5% ash content, it is felt that froth flotation or chemical coal cleaning capabilities will be required. At the scale anticipated, it now seems that either the Amax process (froth flotation followed by chemical coal cleaning) or Battelle's froth flotation unit may be most appropriate. Discussions with potential clean coal suppliers are continuing.

At the direction of PETC our efforts to supply Avco with deep-cleaned lignite coal were stopped. Therefore further discussions with the University of North Dakota's Energy and Materials Research Center concerning the preparation of fuel from low ash lignite coal were discontinued. UNDEMRC was instructed to ship any remaining processed lignite coal to Energy International.

5.0 TASK 2 - FUEL CHARACTERIZATION

5.1 Preparation of Deep-Cleaned Coal

As discussed under Task 1, contacts with potential coal cleaners have been made to determine those best able to prepare the remainder of the low ash coal needed for this program. For this purpose samples of washed run-of-mine (2.5-3.0% nominal ash content) Upper Elkhorn #3 coal (UE3-210-WRM-E) have been sent to Battelle Institute, to the University of Pittsburgh, Coaliquids, Inc. and Process Technology Inc. for cleaning trials. Amax Coal Company has already demonstrated that it can produce the required low ash content coal from the Upper Elkhorn #3 coal. Along with the cleaning results the potential suppliers have been asked to submit cost estimates for producing the necessary coal. Preliminary results should be available within a month or so.

5.2 Washability of Upper Elkhorn #3 Coal

The most important part of Task 2 of the fuel supply contract was to carry out washability studies on coals selected in Task 1. This was to determine which of the selected coals could be cleaned to produce compliance fuels (low ash, low sulfur) for the DOE combustor program. It was necessary therefore, to carry out washability studies of the coals ground to different particle sizes to determine the effect of grinding upon mineral matter liberation. That is, could a particular coal yield a low ash, low sulfur product if ground to a small enough particle size before cleaning? It was decided to determine the washability of each coal at particle sizes of -1/8 inch, -28 mesh, -100 mesh, and -200 mesh. In addition, each of these fractions would be sieved to obtain fractions of 1/8"x 28 mesh, 28x100 mesh, 100x200 mesh, 200x270 mesh, 270x400 mesh and -400 mesh to determine in what, if any, particle size fraction the mineral matter would be concentrated. Therefore, the following matrix of samples was prepared.

	<u>1/8"x28</u>	<u>28x100</u>	<u>100x200</u>	<u>200x270</u>	<u>270x400</u>	<u>-400</u>
-1/8"	X	X	X	X	X	X
-28 mesh		X	X	X	X	X
-100 mesh			X	X	X	X
-200 mesh				X	X	X

Each sample (except the -400 mesh sample) was then sink/floated at specific gravities of 1.25, 1.275, and 1.3. Higher gravities were not used because we were looking for products with ash contents of 1.3% or less.

The sink/float testing of the larger particle size ranges (>100 mesh) can be carried out in laboratory glassware designed for this purpose. This technique depends upon gravitational forces to effect the separation. However, at particle sizes less than about 100 mesh, gravitational forces either take an inordinately long time or are ineffective in bringing about separations. To obtain separations of these small particles it is often necessary to subject the sample to centrifugal forces. Therefore,

washability studies of the 100x200, 200x270 and the 270x400 fractions were done with the aid of the centrifuge. As the work progressed it was noticed that very little float product was obtained for these fractions for the -1/8" and -28 mesh products. At that time it was felt that this was because the clays and other mineral matter were concentrated in the smaller particle size fractions which would result in less float product. However, when the 200x270 mesh fraction of the -200 mesh product for the Upper Elkhorn #3 coal gave almost 100% sink at 1.25 specific gravity it was realized that our technique was faulty and our results erroneous. At the present time there is no standard method for carrying out centrifugal washabilities nor even an industry wide consensus as to the best method. The same difficulties we encountered have been experienced by many investigators.

After a brief review of the literature and other publications it was decided to try a centrifugal method suggested by Amax Coal Company. In this method the fine coal is first placed into the centrifuge tubes and then the heavy liquid medium (Certigrav) of the selected specific gravity containing 500 ppm of the dispersant Aerosol OT is added. The coal is then dispersed by stirring with a brass rod followed by a 2 minute treatment in an ultrasonic bath before centrifugation. This method was used to repeat the washability studies on the 100x200, the 200x270, and the 270x400 fractions from each of the four grind sizes. The results of the washability tests are summarized in Table 5.0 and the washability curves for each of the four grind sizes are shown in Figures 5.0, 5.1, 5.2, and 5.3. This technique gave much more consistent and logical results. Surprisingly when comparing the yield and ash content of the 1.3 float fraction there is little or no improvement in ash liberation by grinding smaller than 1/8 inch topsize. The results indicate that ideally a 90% yield of a 1.0% ash product should be attainable. This completes the planned characterization studies of the Upper Elkhorn #3 coal.

5.3 Chemical Deashing of North Dakota Lignite Coal

Work began on the chemical deashing of North Dakota lignite coal (Buelah-Zap seam). This work is a continuation of our efforts to supply AVCO with a low ash lignite fuel for their combustion testing. We had contracted with the University of North Dakota's Energy and Materials Research Center to provide a powdered low ash micronized lignite coal and a low ash lignite-methanol-water slurry. As discussed in the last quarterly report it was felt that chemical deashing with nitric acid, as recommended by UNDEMRC, was not appropriate for lignite coals. This was based upon Energy International's extensive experience with the treatment of low rank coals with nitric acid. It was felt that the resulting coal was sufficiently altered so that it could not be considered a "typical" lignite coal. Therefore efforts were begun to examine alternate methods of treatment.

Experiments were carried out using both hydrochloric and formic acid and the run-of-mine, 1.4 and 1.3 specific gravity float fractions of the Buelah-Zap coal. With the exception of the nitric acid, the conditions chosen were those recommended by UNDEMRC for their nitric acid process. The experiments conducted and the resulting ash values obtained are shown in Table 5.1. It can be seen that a satisfactorily low ash (1.3-1.7%) coal can be obtained by substituting hydrochloric acid for nitric acid.

File: 10301
Update: 32947.49

Float /Sink Analysis

[illegible]

Float /Sink Analysis

[illegible]

Float /Sink Analysis

[illegible]

Float /Sink Analysis

[illegible]

TABLE 5.1
CHEMICAL REASONS OF LIGNITE COAL
SUSLAP-145 LIGNITE

Coal Sample	Weight Sample, gms	Volume Reactor, ml	Acid, %	Volume Reactor, ml	Reaction Time, hrs	Reaction Temp., °C	% Ash	EC No. B. Refs
10. Kappa-145 SUSLAP-145	50	200	100	10.0	1.5	50	7.0	100-100-17
	50	200	100	10.0	1.5	50	1.5	100-100-18
	50	100	100	10.0	1.5	50	7.0	100-100-19
11. Kappa-145 SUSLAP-145	50	200	100	10.0	1.5	50	7.0	100-100-20
	50	200	100	10.0	1.5	50	7.0	100-100-21
12. Kappa-145 SUSLAP-145	50	200	100	5.0	1.5	50	1.7	100-100-22
	50	200	100	5.0	1.5	50	1.7	100-100-23
13. Kappa-145 SUSLAP-145	50	200	100	5.0	1.5	50	1.7	100-100-24
	50	200	100	5.0	1.5	50	1.7	100-100-25
14. Kappa-145 SUSLAP-145	50	200	100	5.0	1.5	50	1.7	100-100-26
	50	200	100	5.0	1.5	50	1.7	100-100-27
15. Kappa-145 SUSLAP-145	50	200	100	5.0	1.5	50	1.7	100-100-28
	50	200	100	5.0	1.5	50	1.7	100-100-29
16. Kappa-145 SUSLAP-145	50	200	100	5.0	1.5	50	1.7	100-100-30
	50	200	100	5.0	1.5	50	1.7	100-100-31
17. Kappa-145 SUSLAP-145	50	200	100	5.0	1.5	50	1.7	100-100-32
	50	200	100	5.0	1.5	50	1.7	100-100-33
18. Kappa-145 SUSLAP-145	50	200	100	5.0	1.5	50	1.7	100-100-34
	50	200	100	5.0	1.5	50	1.7	100-100-35
19. Kappa-145 SUSLAP-145	50	200	100	5.0	1.5	50	1.7	100-100-36
	50	200	100	5.0	1.5	50	1.7	100-100-37
20. Kappa-145 SUSLAP-145	50	200	100	5.0	1.5	50	1.7	100-100-38
	50	200	100	5.0	1.5	50	1.7	100-100-39
21. Kappa-145 SUSLAP-145	50	200	100	5.0	1.5	50	1.7	100-100-40
	50	200	100	5.0	1.5	50	1.7	100-100-41
22. Kappa-145 SUSLAP-145	50	200	100	5.0	1.5	50	1.7	100-100-42
	50	200	100	5.0	1.5	50	1.7	100-100-43
23. Kappa-145 SUSLAP-145	50	200	100	5.0	1.5	50	1.7	100-100-44
	50	200	100	5.0	1.5	50	1.7	100-100-45
24. Kappa-145 SUSLAP-145	50	200	100	5.0	1.5	50	1.7	100-100-46
	50	200	100	5.0	1.5	50	1.7	100-100-47
25. Kappa-145 SUSLAP-145	50	200	100	5.0	1.5	50	1.7	100-100-48
	50	200	100	5.0	1.5	50	1.7	100-100-49
26. Kappa-145 SUSLAP-145	50	200	100	5.0	1.5	50	1.7	100-100-50
	50	200	100	5.0	1.5	50	1.7	100-100-51
27. Kappa-145 SUSLAP-145	50	200	100	5.0	1.5	50	1.7	100-100-52
	50	200	100	5.0	1.5	50	1.7	100-100-53
28. Kappa-145 SUSLAP-145	50	200	100	5.0	1.5	50	1.7	100-100-54
	50	200	100	5.0	1.5	50	1.7	100-100-55
29. Kappa-145 SUSLAP-145	50	200	100	5.0	1.5	50	1.7	100-100-56
	50	200	100	5.0	1.5	50	1.7	100-100-57
30. Kappa-145 SUSLAP-145	50	200	100	5.0	1.5	50	1.7	100-100-58
	50	200	100	5.0	1.5	50	1.7	100-100-59
31. Kappa-145 SUSLAP-145	50	200	100	5.0	1.5	50	1.7	100-100-60
	50	200	100	5.0	1.5	50	1.7	100-100-61
32. Kappa-145 SUSLAP-145	50	200	100	5.0	1.5	50	1.7	100-100-62
	50	200	100	5.0	1.5	50	1.7	100-100-63
33. Kappa-145 SUSLAP-145	50	200	100	5.0	1.5	50	1.7	100-100-64
	50	200	100	5.0	1.5	50	1.7	100-100-65
34. Kappa-145 SUSLAP-145	50	200	100	5.0	1.5	50	1.7	100-100-66
	50	200	100	5.0	1.5	50	1.7	100-100-67
35. Kappa-145 SUSLAP-145	50	200	100	5.0	1.5	50	1.7	100-100-68
	50	200	100	5.0	1.5	50	1.7	100-100-69
36. Kappa-145 SUSLAP-145	50	200	100	5.0	1.5	50	1.7	100-100-70
	50	200	100	5.0	1.5	50	1.7	100-100-71
37. Kappa-145 SUSLAP-145	50	200	100	5.0	1.5	50	1.7	100-100-72
	50	200	100	5.0	1.5	50	1.7	100-100-73
38. Kappa-145 SUSLAP-145	50	200	100	5.0	1.5	50	1.7	100-100-74
	50	200	100	5.0	1.5	50	1.7	100-100-75
39. Kappa-145 SUSLAP-145	50	200	100	5.0	1.5	50	1.7	100-100-76
	50	200	100	5.0	1.5	50	1.7	100-100-77
40. Kappa-145 SUSLAP-145	50	200	100	5.0	1.5	50	1.7	100-100-78
	50	200	100	5.0	1.5	50	1.7	100-100-79
41. Kappa-145 SUSLAP-145	50	200	100	5.0	1.5	50	1.7	100-100-80
	50	200	100	5.0	1.5	50	1.7	100-100-81
42. Kappa-145 SUSLAP-145	50	200	100	5.0	1.5	50	1.7	100-100-82
	50	200	100	5.0	1.5	50	1.7	100-100-83
43. Kappa-145 SUSLAP-145	50	200	100	5.0	1.5	50	1.7	100-100-84
	50	200	100	5.0	1.5	50	1.7	100-100-85
44. Kappa-145 SUSLAP-145	50	200	100	5.0	1.5	50	1.7	100-100-86
	50	200	100	5.0	1.5	50	1.7	100-100-87
45. Kappa-145 SUSLAP-145	50	200	100	5.0	1.5	50	1.7	100-100-88
	50	200	100	5.0	1.5	50	1.7	100-100-89
46. Kappa-145 SUSLAP-145	50	200	100	5.0	1.5	50	1.7	100-100-90
	50	200	100	5.0	1.5	50	1.7	100-100-91
47. Kappa-145 SUSLAP-145	50	200	100	5.0	1.5	50	1.7	100-100-92
	50	200	100	5.0	1.5	50	1.7	100-100-93
48. Kappa-145 SUSLAP-145	50	200	100	5.0	1.5	50	1.7	100-100-94
	50	200	100	5.0	1.5	50	1.7	100-100-95
49. Kappa-145 SUSLAP-145	50	200	100	5.0	1.5	50	1.7	100-100-96
	50	200	100	5.0	1.5	50	1.7	100-100-97
50. Kappa-145 SUSLAP-145	50	200	100	5.0	1.5	50	1.7	100-100-98
	50	200	100	5.0	1.5	50	1.7	100-100-99

Furthermore, the acid treated products were washed with deionized water until the wash water was chloride ion free as indicated by the silver nitrate test. The chlorine analyses given in Table 5.2 show that there was essentially no increase in chlorine in the treated coal over that of the starting coal (1.3 float fraction).

Table 5.2

ANALYSES OF LIGNITE COAL SAMPLES

	<u>1.3 Specific Gravity Float</u>	<u>Sample No. 002-025-3*</u>	<u>Sample No. 002-028-10*</u>
PROXIMATE ANALYSIS (Dry Basis, Wt%)			
% Ash	6.56	1.43	1.46
% Volatile	58.19	45.88	45.58
% Fixed Carbon	35.25	52.69	52.96
% Sulfur	0.71	0.71	0.72
Btu/lb	10,792	11,465	11,829
ULTIMATE ANALYSIS (Dry Basis, Wt%)			
% Carbon	65.38	69.26	69.94
% Hydrogen	4.31	4.43	4.47
% Nitrogen	1.03	1.19	1.21
% Chlorine	0.05	0.07	0.06
% Sulfur	0.71	0.71	0.72
% Oxygen (diff.)	21.96	22.86	22.14

*See Table 5.1 for details of sample treatment.

A meeting had been arranged with UNDEMRC to discuss these results and plan the best method for obtaining the desired fuel for AVCO. However, PETC requested that the work on the preparation of lignite fuels be discontinued since there was no longer any interest in testing lignite coals. Therefore UNDEMRC was notified to discontinue any work in progress and to send all the remaining nitric acid treated coal to EI.

FIGURE 5.0

WASHABILITY CURVES FOR UPPER ELKHORN #3 COAL

FIGURE 5.1

WASHABILITY CURVES FOR UPPER ELKHORN #3 COAL

FIGURE 5.2

WASHABILITY CURVES FOR UPPER ELKHORN #3 COAL

FIGURE 5.3

WASHABILITY CURVES FOR UPPER ELKHORN #3 COAL

6.0 TASK 3 - FUEL SUPPLY

6.1 Delivery and Shipment of Washed Run-of-Mine Coal

Twenty-three tons of a supposedly higher ash (>6%) Upper Elkhorn #3 coal was obtained for the preparation of high ash fuel, both powder and slurry, for combustors needing to test the effects of high ash coal on their combustion systems (University of Tennessee Space Institute, Tecogen and MTCI). The bulk coal was delivered to Energy International's storage facilities at Logans Ferry in New Kensington, PA. There the coal was transferred to polyethylene bags contained in 55 gal. steel drums. The polyethylene bags were tied shut and the drums sealed, labeled (UE3-201-WMR-A), placed on pallets and put into protective storage. Sampling and analysis of the coal showed it to contain only 4.6% ash. After conversations with the combustor contractors it was apparent that they all really wanted a higher ash fuel. However, UTSI agreed to test this intermediate ash fuel if at a later time a higher ash fuel would be provided. MTCI still requested the >6% ash coal. Therefore an additional 11 tons of Upper Elkhorn #3 coal was obtained and delivered to Energy International where it was again drummed, labeled (UE3-206-WRM-A) and placed in storage. The ash content of this shipment was determined to be 6.8%, which is satisfactory for all users.

Therefore the following shipments of washed run-of-mine coals were made.

UE3-201-WRM-A - Twenty-three tons of a 4.6% ash Upper Elkhorn #3 coal was shipped from Westmoreland Coal Company's Wentz preparation plant in Wise County, Virginia to Energy International's Logans Ferry Warehouse in New Kensington, PA for drumming and storage.

UE3-201-WRM-E - Twelve drums of UE3-201-WRM-E were sent to OXCE Fuel Company for slurry production for Tecogen and MTCI and 58 drums to Jacobson for production of micronized fuel for UTSI and pulverized fuel for MTCI. OXCE did not make slurry because of the lower than expected ash content of the coal. Twelve drums are in storage at OXCE.

UE3-206-WRM-A - 11.24 tons of Upper Elkhorn #3 coal containing 6.8% ash coal was delivered from Westmoreland Coal Company's Wentz preparation plant in Wise County, Virginia to Energy International's Logans Ferry's warehouse in New Kensington, PA for drumming and storage.

UE3-206-WRM-E - 44 drums (~7 tons) of UE3-206-WRM-E were shipped to Jacobson, Inc. for the production of pulverized fuel for MTCI and micronized fuel for UTSI; 16 drums (~2.7 tons) were shipped to OXCE Fuel Company for preparation of slurry fuel for MTCI and Tecogen.

UE3-210-WRM-A - 14.7 tons of washed run-of-mine Upper Elkhorn #3 coal (2.8% ash) was obtained and placed into storage in Energy International's warehouse for use in future fuel preparation.

UE3-210B-WRM-E - One drum (~315 lbs) of as received UE3-210-WRM-E was sent to Process Technology for cleaning trials.

UE3-211-WRM-E - Twenty pounds of as received UE3-210-WRM-E was sent to Battelle Institute for cleaning trials.

UE3-212-PCO-E - Five pounds of as received UE3-210-WRM-A ground to -200 mesh (under Argon) was sent to the University of Pittsburgh for cleaning trials using the LICADO process.

6.2 Preparation and Delivery of Coal-Based Fuels

6.2.1 Dry Pulverized/Micronized Coal

UE3-202-PCO-S - 2000 lbs of pulverized coal to be prepared from UE3-201-WRM-E for MTCI by Jacobson. The order was cancelled because of the low ash content of the parent coal. Eighteen drums remain in storage at Jacobson, Inc.

UE3-203-MCO-S - 13,733 lbs of micronized coal (100% minus 44 micron, 10 micron mean particle size) prepared from UE3-201-WRM-E by Jacobson, Inc. and delivered to the University of Tennessee Space Institute.

UE3-208-MCO-S - 4 tons of high ash micronized coal (100% minus 44 micron, 10 micron mean particle size) is being prepared from UE3-206-WRM-E by Jacobson for delivery to UTSI in early November.

UE3-209-PCO-S - 3 tons of a high ash pulverized coal (100% passing 149 microns, 30 micron mean particle size) is being prepared from UE3-206-WRM-E by Jacobson for delivery to MTCI in early November.

6.2.2 Coal-Water Slurry Fuel

UE3-204-CWF-F - 200 gallons to Tecogen, 200 gallons to EER and 5 gallons each to Atlantic Research and EI of a standard grind (100% minus 149 microns, 30 micron mean particle size) coal-water slurry made from deep cleaned 1.32% ash coal (UE3-180-DCC-D) by OXCE Fuel Company.

UE3-205-CWF-F - 600 gallons to MTCI, 55 gallons to Tecogen and 5 gallons to Energy International of a standard grind (100% minus 149 micron, 30 micron mean particle size) coal - water slurry prepared from a 6.8% ash coal (UE3-206-WRM-E) by OXCE Fuel Company.

The current fuel delivery schedule and sample shipment log are given in Appendices 8.1 and 8.2 respectively. The shipment log enables tracking the history of coal from the mine to the fuel.

7.0 FUTURE PLANS

Energy International will continue to respond to the fuel preparation and fuel delivery needs of the combustor contractors. Close contact with PETC and the contractors will be maintained in order to implement any changes in the fuel quantities, delivery schedules or specifications. Additionally, investigations will continue in an effort to better understand the relationship between fuel quality (i.e., coal analyses and fuel specifications) and combustion performance and/or combustion needs.

8.0 APPENDIX

8.1 Revised Fuel Delivery Schedule

COMMISSION CONTRACTOR (Application)		COAL WATER SLURRY PROPERTIES	Notes	ACTUAL DELIVERIES	October 1988	November 1988	December 1988	2nd Qtr FY89	2nd HALF FY89	FY 89	COMTRACTOR
AYCO Research Lab (Residential) (Pulse combustor)	lignite, WY88K, 30%W20 (1% ash, 0.3% S, hi AFT 10000 Btu, F045K, 70% solids, low vis, top 10u revised Jun 25, Nov 18 June 88	specs & schedule none in 1987 1987 above & 1988 below none yet in '88	UES-123-MCW-F Sept 11, 7500 gallons to be used at MIT 92K -5u to 20u UES-129-CWF-F Oct 27, 1200 gal to be used at MIT standard grind (-143u) CWF ----- 1987 above & 1988 below ----- UES-123-CWF-F July 8, 3500 gallons stabilized UES-126-CWF-F July 11, 12800 gallons unstabilized UES-184-MCW-F July 19, 18000 gallons lightly stabilized UES-125-CWF-F July 26, 7000 gallons stabilized June 88	deleted lignite slurry Oct 6	none	none confirmed by Rint 8-31-88 None thru 1988.	none	none	none	AYCO Acheson/Carson	
COMMISSION ENGINEERING (Industrial: retro)	3 to 6% ash, 150u 2600 AFT, 1% S, WY880800; 70% solids 30%W	UES-115-UCW-F, Jun 16, 55 gal UES-120-CWF-F(MCI) Nov 11, 1 drum UES-127-UCW-F(MCI) Nov 11, 1 drum ----- 1987 above & 1988 below ----- UES-214-MCW-F Sept 25, 250 gal w/1.1% ash	200 gallons fr/JES-100, similar to JES-116 low ash, low S fine grind But needs low (62%) solids content. Once to have 60% solids; see criteria per JES instruct crs.	none	200gal MCW -side	none	none	none	ESP Lambert		
ENERGY & ENVIRONMENTAL RESEARCH, INC. (Residential)	70% solids, 5u W20 400 top, vis 10000 1% ash, 0.5 S, 1% W	UES-115-UCW-F, Jun 16, 55 gal UES-120-CWF-F(MCI) Nov 11, 1 drum UES-127-UCW-F(MCI) Nov 11, 1 drum ----- 1987 above & 1988 below ----- UES-214-MCW-F Sept 25, 250 gal w/1.1% ash	200 gallons fr/JES-100, similar to JES-116 low ash, low S fine grind But needs low (62%) solids content. Once to have 60% solids; see criteria per JES instruct crs.	none	200gal MCW -side	none	none	none	ESP Lambert		
MCI (Residential)	4% ash micronized 10u meanst, 30u to 200u	UES-115-UCW-F, Jun 16, 55 gal UES-120-CWF-F(MCI) Nov 11, 1 drum UES-127-UCW-F(MCI) Nov 11, 1 drum ----- 1987 above & 1988 below ----- UES-214-MCW-F Sept 25, 250 gal w/1.1% ash	200 gallons fr/JES-100, similar to JES-116 low ash, low S fine grind But needs low (62%) solids content. Once to have 60% solids; see criteria per JES instruct crs.	none	200gal MCW -side	none	none	none	WCI Durat/Bailey		
(Industrial)	(1% ash, micronized 10u meanst, 30u to 200u)	UES-115-UCW-F, Jun 16, 55 gal UES-120-CWF-F(MCI) Nov 11, 1 drum UES-127-UCW-F(MCI) Nov 11, 1 drum ----- 1987 above & 1988 below ----- UES-214-MCW-F Sept 25, 250 gal w/1.1% ash	200 gallons fr/JES-100, similar to JES-116 low ash, low S fine grind But needs low (62%) solids content. Once to have 60% solids; see criteria per JES instruct crs.	none	200gal MCW -side	none	none	none	none	none	
(Residential)	(1% ash, pulverized 30u meanst, 143u to 200u)	UES-115-UCW-F, Jun 16, 55 gal UES-120-CWF-F(MCI) Nov 11, 1 drum UES-127-UCW-F(MCI) Nov 11, 1 drum ----- 1987 above & 1988 below ----- UES-214-MCW-F Sept 25, 250 gal w/1.1% ash	200 gallons fr/JES-100, similar to JES-116 low ash, low S fine grind But needs low (62%) solids content. Once to have 60% solids; see criteria per JES instruct crs.	none	200gal MCW -side	none	none	none	none	none	
NAVY at NCEL in CA (Commercial) (combustor dev't)	70% solids, (2600ccs @ 30 rev/s sec 1000 rev/s sec) ultrafine coal	UES-115-UCW-F, Jun 16, 55 gal UES-120-CWF-F(MCI) Nov 11, 1 drum UES-127-UCW-F(MCI) Nov 11, 1 drum ----- 1987 above & 1988 below ----- UES-214-MCW-F Sept 25, 250 gal w/1.1% ash	200 gallons fr/JES-100, similar to JES-116 low ash, low S fine grind But needs low (62%) solids content. Once to have 60% solids; see criteria per JES instruct crs.	none	200gal MCW -side	none	none	15 tons(2000 gal) WCF ~Jan 1, 1989 1001 -143u 1.5% ash & 0.5% S/WY88u	WCI Lambert		
NAVY at NCEL in CA (Commercial) (combustor dev't)	70% solids, (2600ccs @ 30 rev/s sec 1000 rev/s sec) ultrafine coal	UES-115-UCW-F, Jun 16, 55 gal UES-120-CWF-F(MCI) Nov 11, 1 drum UES-127-UCW-F(MCI) Nov 11, 1 drum ----- 1987 above & 1988 below ----- UES-214-MCW-F Sept 25, 250 gal w/1.1% ash	200 gallons fr/JES-100, similar to JES-116 low ash, low S fine grind But needs low (62%) solids content. Once to have 60% solids; see criteria per JES instruct crs.	none	200gal MCW -side	none	none	15 tons(2000 gal) WCF ~Jan 1, 1989 1001 -143u 1.5% ash & 0.5% S/WY88u	WCI Lambert		
NAVY at NCEL in CA (Commercial) (combustor dev't)	70% solids, (2600ccs @ 30 rev/s sec 1000 rev/s sec) ultrafine coal	UES-115-UCW-F, Jun 16, 55 gal UES-120-CWF-F(MCI) Nov 11, 1 drum UES-127-UCW-F(MCI) Nov 11, 1 drum ----- 1987 above & 1988 below ----- UES-214-MCW-F Sept 25, 250 gal w/1.1% ash	200 gallons fr/JES-100, similar to JES-116 low ash, low S fine grind But needs low (62%) solids content. Once to have 60% solids; see criteria per JES instruct crs.	none	200gal MCW -side	none	none	15 tons(2000 gal) WCF ~Jan 1, 1989 1001 -143u 1.5% ash & 0.5% S/WY88u	WCI Lambert		
NAVY at NCEL in CA (Commercial) (combustor dev't)	70% solids, (2600ccs @ 30 rev/s sec 1000 rev/s sec) ultrafine coal	UES-115-UCW-F, Jun 16, 55 gal UES-120-CWF-F(MCI) Nov 11, 1 drum UES-127-UCW-F(MCI) Nov 11, 1 drum ----- 1987 above & 1988 below ----- UES-214-MCW-F Sept 25, 250 gal w/1.1% ash	200 gallons fr/JES-100, similar to JES-116 low ash, low S fine grind But needs low (62%) solids content. Once to have 60% solids; see criteria per JES instruct crs.	none	200gal MCW -side	none	none	15 tons(2000 gal) WCF ~Jan 1, 1989 1001 -143u 1.5% ash & 0.5% S/WY88u	WCI Lambert		
NAVY at NCEL in CA (Commercial) (combustor dev't)	70% solids, (2600ccs @ 30 rev/s sec 1000 rev/s sec) ultrafine coal	UES-115-UCW-F, Jun 16, 55 gal UES-120-CWF-F(MCI) Nov 11, 1 drum UES-127-UCW-F(MCI) Nov 11, 1 drum ----- 1987 above & 1988 below ----- UES-214-MCW-F Sept 25, 250 gal w/1.1% ash	200 gallons fr/JES-100, similar to JES-116 low ash, low S fine grind But needs low (62%) solids content. Once to have 60% solids; see criteria per JES instruct crs.	none	200gal MCW -side	none	none	15 tons(2000 gal) WCF ~Jan 1, 1989 1001 -143u 1.5% ash & 0.5% S/WY88u	WCI Lambert		
NAVY at NCEL in CA (Commercial) (combustor dev't)	70% solids, (2600ccs @ 30 rev/s sec 1000 rev/s sec) ultrafine coal	UES-115-UCW-F, Jun 16, 55 gal UES-120-CWF-F(MCI) Nov 11, 1 drum UES-127-UCW-F(MCI) Nov 11, 1 drum ----- 1987 above & 1988 below ----- UES-214-MCW-F Sept 25, 250 gal w/1.1% ash	200 gallons fr/JES-100, similar to JES-116 low ash, low S fine grind But needs low (62%) solids content. Once to have 60% solids; see criteria per JES instruct crs.	none	200gal MCW -side	none	none	15 tons(2000 gal) WCF ~Jan 1, 1989 1001 -143u 1.5% ash & 0.5% S/WY88u	WCI Lambert		
NAVY at NCEL in CA (Commercial) (combustor dev't)	70% solids, (2600ccs @ 30 rev/s sec 1000 rev/s sec) ultrafine coal	UES-115-UCW-F, Jun 16, 55 gal UES-120-CWF-F(MCI) Nov 11, 1 drum UES-127-UCW-F(MCI) Nov 11, 1 drum ----- 1987 above & 1988 below ----- UES-214-MCW-F Sept 25, 250 gal w/1.1% ash	200 gallons fr/JES-100, similar to JES-116 low ash, low S fine grind But needs low (62%) solids content. Once to have 60% solids; see criteria per JES instruct crs.	none	200gal MCW -side	none	none	15 tons(2000 gal) WCF ~Jan 1, 1989 1001 -143u 1.5% ash & 0.5% S/WY88u	WCI Lambert		
NAVY at NCEL in CA (Commercial) (combustor dev't)	70% solids, (2600ccs @ 30 rev/s sec 1000 rev/s sec) ultrafine coal	UES-115-UCW-F, Jun 16, 55 gal UES-120-CWF-F(MCI) Nov 11, 1 drum UES-127-UCW-F(MCI) Nov 11, 1 drum ----- 1987 above & 1988 below ----- UES-214-MCW-F Sept 25, 250 gal w/1.1% ash	200 gallons fr/JES-100, similar to JES-116 low ash, low S fine grind But needs low (62%) solids content. Once to have 60% solids; see criteria per JES instruct crs.	none	200gal MCW -side	none	none	15 tons(2000 gal) WCF ~Jan 1, 1989 1001 -143u 1.5% ash & 0.5% S/WY88u	WCI Lambert		
NAVY at NCEL in CA (Commercial) (combustor dev't)	70% solids, (2600ccs @ 30 rev/s sec 1000 rev/s sec) ultrafine coal	UES-115-UCW-F, Jun 16, 55 gal UES-120-CWF-F(MCI) Nov 11, 1 drum UES-127-UCW-F(MCI) Nov 11, 1 drum ----- 1987 above & 1988 below ----- UES-214-MCW-F Sept 25, 250 gal w/1.1% ash	200 gallons fr/JES-100, similar to JES-116 low ash, low S fine grind But needs low (62%) solids content. Once to have 60% solids; see criteria per JES instruct crs.	none	200gal MCW -side	none	none	15 tons(2000 gal) WCF ~Jan 1, 1989 1001 -143u 1.5% ash & 0.5% S/WY88u	WCI Lambert		
NAVY at NCEL in CA (Commercial) (combustor dev't)	70% solids, (2600ccs @ 30 rev/s sec 1000 rev/s sec) ultrafine coal	UES-115-UCW-F, Jun 16, 55 gal UES-120-CWF-F(MCI) Nov 11, 1 drum UES-127-UCW-F(MCI) Nov 11, 1 drum ----- 1987 above & 1988 below ----- UES-214-MCW-F Sept 25, 250 gal w/1.1% ash	200 gallons fr/JES-100, similar to JES-116 low ash, low S fine grind But needs low (62%) solids content. Once to have 60% solids; see criteria per JES instruct crs.	none	200gal MCW -side	none	none	15 tons(2000 gal) WCF ~Jan 1, 1989 1001 -143u 1.5% ash & 0.5% S/WY88u	WCI Lambert		
NAVY at NCEL in CA (Commercial) (combustor dev't)	70% solids, (2600ccs @ 30 rev/s sec 1000 rev/s sec) ultrafine coal	UES-115-UCW-F, Jun 16, 55 gal UES-120-CWF-F(MCI) Nov 11, 1 drum UES-127-UCW-F(MCI) Nov 11, 1 drum ----- 1987 above & 1988 below ----- UES-214-MCW-F Sept 25, 250 gal w/1.1% ash	200 gallons fr/JES-100, similar to JES-116 low ash, low S fine grind But needs low (62%) solids content. Once to have 60% solids; see criteria per JES instruct crs.	none	200gal MCW -side	none	none	15 tons(2000 gal) WCF ~Jan 1, 1989 1001 -143u 1.5% ash & 0.5% S/WY88u	WCI Lambert		
NAVY at NCEL in CA (Commercial) (combustor dev't)	70% solids, (2600ccs @ 30 rev/s sec 1000 rev/s sec) ultrafine coal	UES-115-UCW-F, Jun 16, 55 gal UES-120-CWF-F(MCI) Nov 11, 1 drum UES-127-UCW-F(MCI) Nov 11, 1 drum ----- 1987 above & 1988 below ----- UES-214-MCW-F Sept 25, 250 gal w/1.1% ash	200 gallons fr/JES-100, similar to JES-116 low ash, low S fine grind But needs low (62%) solids content. Once to have 60% solids; see criteria per JES instruct crs.	none	200gal MCW -side	none	none	15 tons(2000 gal) WCF ~Jan 1, 1989 1001 -143u 1.5% ash & 0.5% S/WY88u	WCI Lambert		
NAVY at NCEL in CA (Commercial) (combustor dev't)	70% solids, (2600ccs @ 30 rev/s sec 1000 rev/s sec) ultrafine coal	UES-115-UCW-F, Jun 16, 55 gal UES-120-CWF-F(MCI) Nov 11, 1 drum UES-127-UCW-F(MCI) Nov 11, 1 drum ----- 1987 above & 1988 below ----- UES-214-MCW-F Sept 25, 250 gal w/1.1% ash	200 gallons fr/JES-100, similar to JES-116 low ash, low S fine grind But needs low (62%) solids content. Once to have 60% solids; see criteria per JES instruct crs.	none	200gal MCW -side	none	none	15 tons(2000 gal) WCF ~Jan 1, 1989 1001 -143u 1.5% ash & 0.5% S/WY88u	WCI Lambert		
NAVY at NCEL in CA (Commercial) (combustor dev't)	70% solids, (2600ccs @ 30 rev/s sec 1000 rev/s sec) ultrafine coal	UES-115-UCW-F, Jun 16, 55 gal UES-120-CWF-F(MCI) Nov 11, 1 drum UES-127-UCW-F(MCI) Nov 11, 1 drum ----- 1987 above & 1988 below ----- UES-214-MCW-F Sept 25, 250 gal w/1.1% ash	200 gallons fr/JES-100, similar to JES-116 low ash, low S fine grind But needs low (62%) solids content. Once to have 60% solids; see criteria per JES instruct crs.	none	200gal MCW -side	none	none	15 tons(2000 gal) WCF ~Jan 1, 1989 1001 -143u 1.5% ash & 0.5% S/WY88u	WCI Lambert		
NAVY at NCEL in CA (Commercial) (combustor dev't)	70% solids, (2600ccs @ 30 rev/s sec 1000 rev/s sec) ultrafine coal	UES-115-UCW-F, Jun 16, 55 gal UES-120-CWF-F(MCI) Nov 11, 1 drum UES-127-UCW-F(MCI) Nov 11, 1 drum ----- 1987 above & 1988 below ----- UES-214-MCW-F Sept 25, 250 gal w/1.1% ash	200 gallons fr/JES-100, similar to JES-116 low ash, low S fine grind But needs low (62%) solids content. Once to have 60% solids; see criteria per JES instruct crs.	none	200gal MCW -side	none	none	15 tons(2000 gal) WCF ~Jan 1, 1989 1001 -143u 1.5% ash & 0.5% S/WY88u	WCI Lambert		
NAVY at NCEL in CA (Commercial) (combustor dev't)	70% solids, (2600ccs @ 30 rev/s sec 1000 rev/s sec) ultrafine coal	UES-115-UCW-F, Jun 16, 55 gal UES-120-CWF-F(MCI) Nov 11, 1 drum UES-127-UCW-F(MCI) Nov 11, 1 drum ----- 1987 above & 1988 below ----- UES-214-MCW-F Sept 25, 250 gal w/1.1% ash	200 gallons fr/JES-100, similar to JES-116 low ash, low S fine grind But needs low (62%) solids content. Once to have 60% solids; see criteria per JES instruct crs.	none	200gal MCW -side	none	none	15 tons(2000 gal) WCF ~Jan 1, 1989 1001 -143u 1.5% ash & 0.5% S/WY88u	WCI Lambert		
NAVY at NCEL in CA (Commercial) (combustor dev't)	70% solids, (2600ccs @ 30 rev/s sec 1000 rev/s sec) ultrafine coal	UES-115-UCW-F, Jun 16, 55 gal UES-120-CWF-F(MCI) Nov 11, 1 drum UES-127-UCW-F(MCI) Nov 11, 1 drum ----- 1987 above & 1988 below ----- UES-214-MCW-F Sept 25, 250 gal w/1.1% ash	200 gallons fr/JES-100, similar to JES-116 low ash, low S fine grind But needs low (62%) solids content. Once to have 60% solids; see criteria per JES instruct crs.	none	200gal MCW -side	none	none	15 tons(2000 gal) WCF ~Jan 1, 1989 1001 -143u 1.5% ash & 0.5% S/WY88u	WCI Lambert		
NAVY at NCEL in CA (Commercial) (combustor dev't)	70% solids, (2600ccs @ 30 rev/s sec 1000 rev/s sec) ultrafine coal	UES-115-UCW-F, Jun 16, 55 gal UES-120-CWF-F(MCI) Nov 11, 1 drum UES-127-UCW-F(MCI) Nov 11, 1 drum ----- 1987 above & 1988 below ----- UES-214-MCW-F Sept 25, 250 gal w/1.1% ash	200 gallons fr/JES-100, similar to JES-116 low ash, low S fine grind But needs low (62%) solids content. Once to have 60% solids; see criteria per JES instruct crs.	none	200gal MCW -side	none	none	15 tons(2000 gal) WCF ~Jan 1, 1989 1001 -143u 1.5% ash & 0.5% S/WY88u	WCI Lambert		
NAVY at NCEL in CA (Commercial) (combustor dev't)	70% solids, (2600ccs @ 30 rev/s sec 1000 rev/s sec) ultrafine coal	UES-115-UCW-F, Jun 16, 55 gal UES-120-CWF-F(MCI) Nov 11, 1 drum UES-127-UCW-F(MCI) Nov 11, 1 drum ----- 1987 above & 1988 below ----- UES-214-MCW-F Sept 25, 250 gal w/1.1% ash	200 gallons fr/JES-100, similar to JES-116 low ash, low S fine grind But needs low (62%) solids content. Once to have 60% solids; see criteria per JES instruct crs.	none	200gal MCW -side	none	none	15 tons(2000 gal) WCF ~Jan 1, 1989 1001 -143u 1.5% ash & 0.5% S/WY88u	WCI Lambert		
NAVY at NCEL in CA (Commercial) (combustor dev't)	70% solids, (2600ccs @ 30 rev/s sec 1000 rev/s sec) ultrafine coal	UES-115-UCW-F, Jun 16, 55 gal UES-120-CWF-F(MCI) Nov 11, 1 drum UES-127-UCW-F(MCI) Nov 11, 1 drum ----- 1987 above & 1988 below ----- UES-214-MCW-F Sept 25, 250 gal w/1.1% ash	200 gallons fr/JES-100, similar to JES-116 low ash, low S fine grind But needs low (62%) solids content. Once to have 60% solids; see criteria per JES instruct crs.	none	200gal MCW -side	none	none	15 tons(2000 gal) WCF ~Jan 1, 1989 1001 -143u 1.5% ash & 0.5% S/WY88u	WCI Lambert		
NAVY at NCEL in CA (Commercial) (combustor dev't)	70% solids, (2600ccs @ 30 rev/s sec 1000 rev/s sec) ultrafine coal	UES-115-UCW-F, Jun 16, 55 gal UES-120-CWF-F(MCI) Nov 11, 1 drum UES-127-UCW-F(MCI) Nov 11, 1 drum ----- 1987 above & 1988 below ----- UES-214-MCW-F Sept 25, 250 gal w/1.1% ash	200 gallons fr/JES-100, similar to JES-116 low ash, low S fine grind But needs low (62%) solids content. Once to have 60% solids; see criteria per JES instruct crs.	none	200gal MCW -side	none	none	15 tons(2000 gal) WCF ~Jan 1, 1989 1001 -143u 1.5% ash & 0.5% S/WY88u	WCI Lambert		
NAVY at NCEL in CA (Commercial) (combustor dev't)	70% solids, (2600ccs @ 30 rev/s sec 1000 rev/s sec) ultrafine coal	UES-115-UCW-F, Jun 16, 55 gal UES-120-CWF-F(MCI) Nov 11, 1 drum UES-127-UCW-F(MCI) Nov 11, 1 drum ----- 1987 above & 1988 below ----- UES-214-MCW-F Sept 25, 250 gal w/1.1% ash	200 gallons fr/JES-100, similar to JES-116 low ash, low S fine grind But needs low (62%) solids content. Once to have 60% solids; see criteria per JES instruct crs.	none	200gal MCW -side	none	none	15 tons(2000 gal) WCF ~Jan 1, 1989 1001 -143u 1.5% ash & 0.5% S/WY88u	WCI Lambert		
NAVY at NCEL in CA (Commercial) (combustor dev't)	70% solids, (2600ccs @ 30 rev/s sec 1000 rev/s sec) ultrafine coal	UES-115-UCW-F, Jun 16, 55 gal UES-120-CWF-F(MCI) Nov 11, 1 drum UES-127-UCW-F(MCI) Nov 11, 1 drum ----- 1987 above & 1988 below ----- UES-214-MCW-F Sept 25, 250 gal w/1.1% ash	200 gallons fr/JES-100, similar to JES-116 low ash, low S fine grind But needs low (62%) solids content. Once to have 60% solids; see criteria per JES instruct crs.	none	200gal MCW -side	none	none	15 tons(2000 gal) WCF ~Jan 1, 1989 1001 -143u 1.5% ash & 0.5% S/WY88u	WCI Lambert		
NAVY at NCEL in CA (Commercial) (combustor dev't)	70% solids, (2600ccs @ 30 rev/s sec 1000 rev/s sec) ultrafine coal	UES-115-UCW-F, Jun 16, 55 gal UES-120-CWF-F(MCI) Nov 11, 1 drum UES-127-UCW-F(MCI) Nov 11, 1 drum ----- 1987 above & 1988 below ----- UES-214-MCW-F Sept 25, 250 gal w/1.1% ash	200 gallons fr/JES-100, similar to JES-116 low ash, low S fine grind But needs low (62%) solids content. Once to have 60% solids; see criteria per JES instruct crs.	none	200gal MCW -side	none	none	15 tons(2000 gal) WCF ~Jan 1, 1989 1001 -143u 1.5% ash & 0.5% S/WY88u	WCI Lambert		
NAVY at NCEL in CA (Commercial) (combustor dev't)	70% solids, (2600ccs @ 30 rev/s sec 1000 rev/s sec) ultrafine coal	UES-115-UCW-F, Jun 16, 55 gal UES-120-CWF-F(MCI) Nov 11, 1 drum UES-127-UCW-F(MCI) Nov 11, 1 drum ----- 1987 above & 1988 below ----- UES-214-MCW-F Sept 25, 250 gal w/1.1% ash	200 gallons fr/JES-100, similar to JES-116 low ash, low S fine grind But needs low (62%) solids content. Once to have 60% solids; see criteria per JES instruct crs.	none	200gal MCW -side	none	none	15 tons(2000 gal) WCF ~Jan 1, 1989 1001 -143u 1.5% ash & 0.5% S/WY88u	WCI Lambert		
NAVY at NCEL in CA (Commercial) (combustor dev't)	70% solids, (2600ccs @ 30 rev/s sec 1000 rev/s sec) ultrafine coal	UES-115-UCW-F, Jun 16, 55 gal UES-120-CWF-F(MCI) Nov 11, 1 drum UES-127-UCW-F(MCI) Nov 11, 1 drum ----- 1987 above & 1988 below ----- UES-214-MCW-F Sept 25, 250 gal w/1.1% ash	200 gallons fr/JES-100, similar to JES-116 low ash, low S fine grind But needs low (62%) solids content. Once to have 60% solids; see criteria per JES instruct crs.	none	200gal MCW -side	none	none	15 tons(2000 gal) WCF ~Jan 1, 1989 1001 -143u 1.5% ash & 0.5% S/WY88u	WCI Lambert		
NAVY at NCEL in CA (Commercial) (combustor dev't)	70% solids, (2600ccs @ 30 rev/s sec 1000 rev/s sec) ultrafine coal	UES-115-UCW-F, Jun 16, 55 gal UES-120-CWF-F(MCI) Nov 11, 1 drum UES-127-UCW-F(MCI) Nov 11, 1 drum ----- 1987 above & 1988 below ----- UES-214-MCW-F Sept 25, 250 gal w/1.1% ash	200 gallons fr/JES-100, similar to JES-116 low ash, low S fine grind But needs low (62%) solids content. Once to have 60% solids; see criteria per JES instruct crs.	none	200gal MCW -side	none	none	15 tons(2000 gal) WCF ~Jan 1, 1989 1001 -143u 1.5% ash & 0.5% S/WY88u	WCI Lambert		
NAVY at NCEL in CA (Commercial) (combustor dev't)	70% solids, (2600ccs @ 30 rev/s sec 1000 rev/s sec) ultrafine coal	UES-115-UCW-F, Jun 16, 55 gal UES-120-CWF-F(MCI) Nov 11, 1 drum UES-127-UCW-F(MCI) Nov 11, 1 drum ----- 1987 above & 1988 below ----- UES-214-MCW-F Sept 25, 250 gal w/1.1% ash	200 gallons fr/JES-100, similar to JES-116 low ash, low S fine grind But needs low (62%) solids content. Once to have 60% solids; see criteria per JES instruct crs.	none	200gal MCW -side	none	none	15 tons(2000 gal) WCF ~Jan 1, 1989 1001 -143u 1.5% ash & 0.5% S/WY88u	WCI Lambert		
NAVY at NCEL in CA (Commercial) (combustor dev't)	70% solids, (2600ccs @ 30 rev/s sec 1000 rev/s sec) ultrafine coal	UES-115-UCW-F, Jun 16, 55 gal UES-120-CWF-F(MCI) Nov 11, 1 drum UES-127-UCW-F(MCI) Nov 11, 1 drum ----- 1987 above & 1988 below ----- UES-214-MCW-F Sept 25, 250 gal w/1.1% ash	200 gallons fr/JES-100, similar to JES-116 low ash, low S fine grind But needs low (62%) solids content. Once to have 60% solids; see criteria per JES instruct crs.	none	200gal MCW -side	none	none	15 tons(2000 gal) WCF ~Jan 1, 1989 1001 -143u 1.5% ash & 0.5% S/WY88u	WCI Lambert		
NAVY at NCEL in CA (Commercial) (combustor dev't)	70% solids, (2600ccs @ 30 rev/s sec 1000 rev/s sec) ultrafine coal	UES-115-UCW-F, Jun 16, 55 gal UES-120-CWF-F(MCI) Nov 11, 1 drum UES-127-UCW-F(MCI) Nov 11, 1 drum									

SCHEDULE OF DELIVERIES of SUPPLIES
(Including quantity and properties as of 10-31-88)

RWG 12-31-88
F1515171031

CONSTRUCTION CONTRACTOR (Identification)	COAL WATER SLURRY PROPERTIES	Notes	ACTUAL DELIVERIES					FY 89		CONTRACTOR
			October 1988	November 1988	December 1988	2nd Qtr FY89	2nd HALF FY89			
PERC IN-DOUSE (GILBERT/COMMONWEALTH) (Industrial & commercial boilers) 1008-130 mesh	eastern bituminous (0.5% S, 25% solids 500-700pp commercial boilers) 1008-130 mesh		none	none	none	none	none			PERC/EC
			UES-108-CWF-F, April 16, 350 gal fr/ash							
			UES-117-CWF-F, May 27, 2000 gal fr/ash							
			UES-120-CWF-F, July 27, 110 gal fr/ash							
TECOSEN (Residential)	ash solids, (1% ash KHS, 5% Residual, 20u topaz 2550 APT		none	none	500 gal from balance of previous supply	500 gal??	550 gal??			TECOSEN Research Baltimore
			UES-116-CWF-F, Jun 18, 550 gal used at 1 gal/hr							
			1987 above & 1988 below							
			UES-174-WCW-F, Feb 22, 220 gal							
TRW (Industrial)	AC sludge at 311		none	none	none	none	none			TRW Aurora
			UES-158-CWF-F, Aug 2, 15 gallons							
			UES-204-WCW-F, Sept 25, 200 gal w/1.32% ash							
			UES-205-CWF-F, Oct 31, 55 gal w/1.32% ash							
Vortec Sub SRL (Industrial)	100 2% ash iron is concern		none	none	none	none	1000 gallons aid 1988			Vortec Benshi
			UES-174-WCW-F, Feb 22, 55 gal. (didn't rec'y it)							
			UES-204-WCW-F, Sept 25, 5 gal w/1.32% ash							
			UES-205-WCW-F, Oct 25, 2 gal with 1.32% ash							
Atlantic Research (Residential)			none	none	none	none	none			ARC Heston
			UES-174-WCW-F, Feb 22, 55 gal. (didn't rec'y it)							
			UES-204-WCW-F, Sept 25, 5 gal w/1.32% ash							
			UES-205-WCW-F, Oct 25, 2 gal with 1.32% ash							
J. J. Soren Co., Inc.	slurry same Tecogen's		none	none	none	none	none			J. J. Soren Co., Inc.
			UES-174-WCW-F, Feb 22, 55 gal. (didn't rec'y it)							
			UES-204-WCW-F, Sept 25, 5 gal w/1.32% ash							
			UES-205-WCW-F, Oct 25, 2 gal with 1.32% ash							

206:10-2'-23
file: 23:03

[illegible]

SCHEDULE OF DELIVERIES of COAL
Including quantity and properties as of October 31, 1993:

File:cc:\nrg\

COMBUSTION CONTRACTOR (Application)		COAL PROPERTIES	Notes	Actual deliveries	October 1989	November 1989	December 1989	2nd Qtr FY92	2nd Half FY92	Covers
P&C IN-HOUSE (GILBERT/COMWOWEALTH) (industrial boiler)	low ash	UE2 acceptable.	UE2-114-WCO-S May 4, 5 tons		none	none	none	none	none	none
	m-cronized bituminous	Sept. want same	UE2-125-WCO-S June 11, 5 tons							
		coal used by	UE2-125-WCO-S June 24, 5 tons							
		contract.	UE2-125-WCO-S Sept 2, 8.5 tons							
Science Applications IC (wet oxidation)			UE2-142-WCO-S Sept 3, 4.4 tons							
			1687 above / 1933 below							
			UE2-152-WCO-S Jan 12, 18135 lbs							
Reagen (residential)	lightest-subbituminous	2 ccals	UE2-147-WCO-S Aug 15, 1 ton		none	none	none	none	none	none
	PC (30% (200 mesh)		UE2-163-WCO-S Nov 11, 1 ton							
	M2 inerted in bags in drums		1987 above / 1933 below							
			none sent in 1989; retrieve 11 drums August							
TRP (industrial) (solvent injector)			UE2-144-WCO-S Sept 25, 240 lbs.		none	none	none	none	none	none
			UE2-170-WCO-S Dec 25, 500 lbs.							
			1987 above / 1933 below							
			none in '89 yet							
J. J. Term-Specialty (commercial) (fire-lake boiler)	eastern bituminous, 2.5 to 3% S, 1250-2700 to 200	awaiting writer	UE2-155-WCO-S Dec 5, 2 tons coal		none	none	none	none	none	none
	degrees, low to high starters	specs & schedule	for shipment on 15th Feb							
	low coals pulverized	1987 above / 1933 below	UE2-155-WCO-S July 16, 4500 lbs. coal							
			UE2-155-WCO-S Aug 2, 5000 lbs. coal							
J. J. Term-Specialty (commercial) (fire-lake boiler)	subbit's low ash 740 test	awaiting writer	UE2-155-WCO-S Dec 5, 2 tons coal		none	none	none	none	none	none
	degrees, low to high starters	specs & schedule	for shipment on 15th Feb							
	low coals pulverized	1987 above / 1933 below	UE2-155-WCO-S July 16, 4500 lbs. coal							
			UE2-155-WCO-S Aug 2, 5000 lbs. coal							
J. J. Term-Specialty (commercial) (fire-lake boiler)	subbit's low ash 740 test	awaiting writer	UE2-155-WCO-S Dec 5, 2 tons coal		none	none	none	none	none	none
	degrees, low to high starters	specs & schedule	for shipment on 15th Feb							
	low coals pulverized	1987 above / 1933 below	UE2-155-WCO-S July 16, 4500 lbs. coal							
			UE2-155-WCO-S Aug 2, 5000 lbs. coal							
J. J. Term-Specialty (commercial) (fire-lake boiler)	subbit's low ash 740 test	awaiting writer	UE2-155-WCO-S Dec 5, 2 tons coal		none	none	none	none	none	none
	degrees, low to high starters	specs & schedule	for shipment on 15th Feb							
	low coals pulverized	1987 above / 1933 below	UE2-155-WCO-S July 16, 4500 lbs. coal							
			UE2-155-WCO-S Aug 2, 5000 lbs. coal							
J. J. Term-Specialty (commercial) (fire-lake boiler)	subbit's low ash 740 test	awaiting writer	UE2-155-WCO-S Dec 5, 2 tons coal		none	none	none	none	none	none
	degrees, low to high starters	specs & schedule	for shipment on 15th Feb							
	low coals pulverized	1987 above / 1933 below	UE2-155-WCO-S July 16, 4500 lbs. coal							
			UE2-155-WCO-S Aug 2, 5000 lbs. coal							
J. J. Term-Specialty (commercial) (fire-lake boiler)	subbit's low ash 740 test	awaiting writer	UE2-155-WCO-S Dec 5, 2 tons coal		none	none	none	none	none	none
	degrees, low to high starters	specs & schedule	for shipment on 15th Feb							
	low coals pulverized	1987 above / 1933 below	UE2-155-WCO-S July 16, 4500 lbs. coal							
			UE2-155-WCO-S Aug 2, 5000 lbs. coal							
J. J. Term-Specialty (commercial) (fire-lake boiler)	subbit's low ash 740 test	awaiting writer	UE2-155-WCO-S Dec 5, 2 tons coal		none	none	none	none	none	none
	degrees, low to high starters	specs & schedule	for shipment on 15th Feb							
	low coals pulverized	1987 above / 1933 below	UE2-155-WCO-S July 16, 4500 lbs. coal							
			UE2-155-WCO-S Aug 2, 5000 lbs. coal							
J. J. Term-Specialty (commercial) (fire-lake boiler)	subbit's low ash 740 test	awaiting writer	UE2-155-WCO-S Dec 5, 2 tons coal		none	none	none	none	none	none
	degrees, low to high starters	specs & schedule	for shipment on 15th Feb							
	low coals pulverized	1987 above / 1933 below	UE2-155-WCO-S July 16, 4500 lbs. coal							
			UE2-155-WCO-S Aug 2, 5000 lbs. coal							
J. J. Term-Specialty (commercial) (fire-lake boiler)	subbit's low ash 740 test	awaiting writer	UE2-155-WCO-S Dec 5, 2 tons coal		none	none	none	none	none	none
	degrees, low to high starters	specs & schedule	for shipment on 15th Feb							
	low coals pulverized	1987 above / 1933 below	UE2-155-WCO-S July 16, 4500 lbs. coal							
			UE2-155-WCO-S Aug 2, 5000 lbs. coal							
J. J. Term-Specialty (commercial) (fire-lake boiler)	subbit's low ash 740 test	awaiting writer	UE2-155-WCO-S Dec 5, 2 tons coal		none	none	none	none	none	none
	degrees, low to high starters	specs & schedule	for shipment on 15th Feb							
	low coals pulverized	1987 above / 1933 below	UE2-155-WCO-S July 16, 4500 lbs. coal							
			UE2-155-WCO-S Aug 2, 5000 lbs. coal							
J. J. Term-Specialty (commercial) (fire-lake boiler)	subbit's low ash 740 test	awaiting writer	UE2-155-WCO-S Dec 5, 2 tons coal		none	none	none	none	none	none
	degrees, low to high starters	specs & schedule	for shipment on 15th Feb							
	low coals pulverized	1987 above / 1933 below	UE2-155-WCO-S July 16, 4500 lbs. coal							
			UE2-155-WCO-S Aug 2, 5000 lbs. coal							
J. J. Term-Specialty (commercial) (fire-lake boiler)	subbit's low ash 740 test	awaiting writer	UE2-155-WCO-S Dec 5, 2 tons coal		none	none	none	none	none	none
	degrees, low to high starters	specs & schedule	for shipment on 15th Feb							
	low coals pulverized	1987 above / 1933 below	UE2-155-WCO-S July 16, 4500 lbs. coal							
			UE2-155-WCO-S Aug 2, 5000 lbs. coal							
J. J. Term-Specialty (commercial) (fire-lake boiler)	subbit's low ash 740 test	awaiting writer	UE2-155-WCO-S Dec 5, 2 tons coal		none	none	none	none	none	none
	degrees, low to high starters	specs & schedule	for shipment on 15th Feb							
	low coals pulverized	1987 above / 1933 below	UE2-155-WCO-S July 16, 4500 lbs. coal							
			UE2-155-WCO-S Aug 2, 5000 lbs. coal							
J. J. Term-Specialty (commercial) (fire-lake boiler)	subbit's low ash 740 test	awaiting writer	UE2-155-WCO-S Dec 5, 2 tons coal		none	none	none	none	none	none
	degrees, low to high starters	specs & schedule	for shipment on 15th Feb							
	low coals pulverized	1987 above / 1933 below	UE2-155-WCO-S July 16, 4500 lbs. coal							
			UE2-155-WCO-S Aug 2, 5000 lbs. coal							
J. J. Term-Specialty (commercial) (fire-lake boiler)	subbit's low ash 740 test	awaiting writer	UE2-155-WCO-S Dec 5, 2 tons coal		none	none	none	none	none	none
	degrees, low to high starters	specs & schedule	for shipment on 15th Feb							
	low coals pulverized	1987 above / 1933 below	UE2-155-WCO-S July 16, 4500 lbs. coal							
			UE2-155-WCO-S Aug 2, 5000 lbs. coal							
J. J. Term-Specialty (commercial) (fire-lake boiler)	subbit's low ash 740 test	awaiting writer	UE2-155-WCO-S Dec 5, 2 tons coal		none	none	none	none	none	none
	degrees, low to high starters	specs & schedule	for shipment on 15th Feb							
	low coals pulverized	1987 above / 1933 below	UE2-155-WCO-S July 16, 4500 lbs. coal							
			UE2-155-WCO-S Aug 2, 5000 lbs. coal							
J. J. Term-Specialty (commercial) (fire-lake boiler)	subbit's low ash 740 test	awaiting writer	UE2-155-WCO-S Dec 5, 2 tons coal		none	none	none	none	none	none
	degrees, low to high starters	specs & schedule	for shipment on 15th Feb							
	low coals pulverized	1987 above / 1933 below	UE2-155-WCO-S July 16, 4500 lbs. coal							
			UE2-155-WCO-S Aug 2, 5000 lbs. coal							
J. J. Term-Specialty (commercial) (fire-lake boiler)	subbit's low ash 740 test	awaiting writer	UE2-155-WCO-S Dec 5, 2 tons coal		none	none	none	none	none	none
	degrees, low to high starters	specs & schedule	for shipment on 15th Feb							
	low coals pulverized	1987 above / 1933 below	UE2-155-WCO-S July 16, 4500 lbs. coal							
			UE2-155-WCO-S Aug 2, 5000 lbs. coal							
J. J. Term-Specialty (commercial) (fire-lake boiler)	subbit's low ash 740 test	awaiting writer	UE2-155-WCO-S Dec 5, 2 tons coal		none	none	none	none	none	none
	degrees, low to high starters	specs & schedule	for shipment on 15th Feb							
	low coals pulverized	1987 above / 1933 below	UE2-155-WCO-S July 16, 4500 lbs. coal							
			UE2-155-WCO-S Aug 2, 5000 lbs. coal							
J. J. Term-Specialty (commercial) (fire-lake boiler)	subbit's low ash 740 test	awaiting writer	UE2-155-WCO-S Dec 5, 2 tons coal		none	none	none	none	none	none
	degrees, low to high starters	specs & schedule	for shipment on 15th Feb							
	low coals pulverized	1987 above / 1933 below	UE2-155-WCO-S July 16, 4500 lbs. coal							
			UE2-155-WCO-S Aug 2, 5000 lbs. coal							
J. J. Term-Specialty (commercial) (fire-lake boiler)	subbit's low ash 740 test	awaiting writer	UE2-155-WCO-S Dec 5, 2 tons coal		none	none	none	none	none	none
	degrees, low to high starters	specs & schedule	for shipment on 15th Feb							
	low coals pulverized	1987 above / 1933 below	UE2-155-WCO-S July 16, 4500 lbs. coal							
			UE2-155-WCO-S Aug 2, 5000 lbs. coal							
J. J. Term-Specialty (commercial) (fire-lake boiler)	subbit's low ash 740 test	awaiting writer	UE2-155-WCO-S Dec 5, 2 tons coal		none	none	none	none	none	none
	degrees, low to high starters	specs & schedule	for shipment on 15th Feb							
	low coals pulverized	1987 above / 1933 below	UE2-155-WCO-S July 16, 4500 lbs. coal							
			UE2-155-WCO-S Aug 2, 5000 lbs. coal							
J. J. Term-Specialty (commercial) (fire-lake boiler)	subbit's low ash 740 test	awaiting writer	UE2-155-WCO-S Dec 5, 2 tons coal		none	none	none	none	none	none
	degrees, low to high starters	specs & schedule	for shipment on 15th Feb							
	low coals pulverized	1987 above / 1933 below	UE2-155-WCO-S July 16, 4500 lbs. coal							
			UE2-155-WCO-S Aug 2, 5000 lbs. coal							
J. J. Term-Specialty (commercial) (fire-lake boiler)	subbit's low ash 740 test	awaiting writer	UE2-155-WCO-S Dec 5, 2 tons coal		none	none	none	none	none	none
	degrees, low to high starters	specs & schedule	for shipment on 15th Feb							
	low coals pulverized	1987 above / 1933 below	UE2-155-WCO-S July 16, 4500 lbs. coal							
			UE2-155-WCO-S Aug 2, 5000 lbs. coal							
J. J. Term-Specialty (commercial) (fire-lake boiler)	subbit's low ash 740 test	awaiting writer	UE2-155-WCO-S Dec 5, 2 tons coal		none	none	none	none	none	none
	degrees, low to high starters	specs & schedule	for shipment on 15th Feb							
	low coals pulverized	1987 above / 1933 below	UE2-155-WCO-S July 16, 4500 lbs. coal							
			UE2-155-WCO-S Aug 2, 5000 lbs. coal							
J. J. Term-Specialty (commercial) (fire-lake boiler)	subbit's low ash 740 test	awaiting writer	UE2-155-WCO-S Dec 5, 2 tons coal		none	none	none	none	none	none
	degrees, low to high starters	specs & schedule	for shipment on 15th Feb							
	low coals pulverized	1987 above / 1933 below	UE2-155-WCO-S July 16, 4500 lbs. coal							
			UE2-155-WCO-S Aug 2, 5000 lbs. coal							
J. J. Term-Specialty (commercial) (fire-lake boiler)	subbit's low ash 740 test	awaiting writer	UE2-155-WCO-S Dec 5, 2 tons coal		none	none	none	none	none	none
	degrees, low to high starters	specs & schedule	for shipment on 15th Feb							
	low coals pulverized	1987 above / 1933 below	UE2-155-WCO-S July 16, 4500 lbs. coal							
			UE2-155-WCO-S Aug 2, 5000 lbs. coal							
J. J. Term-Specialty (commercial) (fire-lake boiler)	subbit's low ash 740 test	awaiting writer	UE2-155-WCO-S Dec 5, 2 tons coal		none	none	none	none	none	none
	degrees, low to high starters	specs & schedule	for shipment on 15th Feb							
	low coals pulverized	1987 above / 1933 below	UE2-155-WCO-S July 16, 4500 lbs. coal							
			UE2-155-WCO-S Aug 2, 5000 lbs. coal							
J. J. Term-Specialty (commercial) (fire-lake boiler)	subbit's low ash 740 test	awaiting writer	UE2-155-WCO-S Dec 5, 2 tons coal		none	none	none	none	none	none
	degrees, low to high starters	specs & schedule	for shipment on 15th Feb							
	low coals pulverized	1987 above / 1933 below	UE2-155-WCO-S July 16, 4500 lbs. coal							
			UE2-155-WCO-S Aug 2, 5000 lbs. coal							
J. J. Term-Specialty (commercial) (fire-lake boiler)	subbit's low ash 740 test	awaiting writer	UE2-155-WCO-S Dec 5, 2 tons coal		none	none	none	none	none	none
	degrees, low to high starters	specs & schedule	for shipment on 15th Feb							
	low coals pulverized	1987 above / 1933 below	UE2-155-WCO-S July 16, 4500 lbs. coal							
			UE2-155-WCO-S Aug 2, 5000 lbs. coal							
J. J. Term-Specialty (commercial) (fire-lake boiler)	subbit's low ash 740 test	awaiting writer	UE2-155-WCO-S Dec 5, 2 tons coal		none	none	none	none	none	none
	degrees, low to high starters	specs & schedule	for shipment on 15th Feb							
	low coals pulverized	1987 above / 1933 below	UE2-155-WCO-S July 16, 4500 lbs. coal							
			UE2-155-WCO-S Aug 2, 5000 lbs. coal							
J. J. Term-Specialty (commercial) (fire-lake boiler)	subbit's low ash 740 test	awaiting writer	UE2-155-WCO-S Dec 5, 2 tons coal		none	none	none	none	none	none
	degrees, low to high starters	specs & schedule	for shipment on 15th Feb							
	low coals pulverized	1987 above / 1933 below	UE2-155-WCO-S July 16, 4500 lbs. coal							
			UE2-155-WCO-S Aug 2, 5000 lbs. coal							
J. J. Term-Specialty (commercial) (fire-lake boiler)	subbit's low ash 740 test	awaiting writer	UE2-155-WCO-S Dec 5, 2 tons coal		none	none	none	none	none	none
	degrees, low to high starters	specs & schedule	for shipment on 15th Feb							
	low coals pulverized	1987 above / 1933 below	UE2-155-WCO-S July 16, 4500 lbs. coal							
			UE2-155-WCO-S Aug 2, 5000 lbs. coal							
J. J. Term-Specialty (commercial) (fire-lake boiler)	subbit's low ash 740 test	awaiting writer	UE2-155-WCO-S Dec 5							

8.2 Sample Shipment Log

SAMPLE SHIPMENT LOG

Serial Numbers 000 thru 108									
file: list4									
Update: 17-Nov-88									
Serial No.	Sample I.D.	Previous Sample I.D.	From	To	Quantity	Description	P.O.#	Date Shipped	Hauler
000-010	unassigned								
011	UE3-011-WRM-A	ROM coal	Westmoreland Coal Co.	EPRI	~20 tons	high ash ROM coal for cleaning trials at Hoer City	EL-282	10/20/87	Five Star
012	UE3-012-WRM-A	parent	Westmoreland Coal Co.	EPRI	~20 tons	cleaned coal from Wentz prep plant for cleaning trial.	EL-282	10/20/87	Five Star
013	UE3-013-WRM-H	UE3-012-WRM-A	EPRI	Dravo	small samp.	for analytical check			
014	UE3-014-WRM-H	UE3-012-WRM-A	EPRI	EL	small samp.	for analytical check			
015	UE3-015-DEC-D	UE3-011-ROM-A	EPRI	EL	18 drums	cleaned coal from EPRI (stored at Logans Ferry)			
016	UE3-016-DEC-D	UE3-012-WRM-A	EPRI	EL	58 drums	cleaned coal from EPRI (stored at Logans Ferry)			
017-088	unassigned								
089	UE2-089-WRM-A	parent	Central Coal Co.	Dravo	~11 tons	Off-spec, Lower Cedar Grove, Virginia Energy mine #1085	EL-125	2/19/87	
090	LEL-090-WRM-A	parent	MAPCO	Dravo	2 drums	Pond Creek Coal, Pontiki plant			
091	LEL-091-WRM-D	LEL-090-WRM-A	Dravo	E.I.	5 gal	Pond Creek Coal, Pontiki plant, 1/8x0 for washability studies			
092	CBD-092-WRM-A	parent	Westmoreland Coal	Dravo	3 drums	Colarado, Coal Bed D			
093	CBD-093-WRM-D	CBD-092-WRM-A	Dravo	E.I.	5 gal	Colarado, Coal Bed D, 1/8x0 for washability studies			
094	UE2-094-WRM-A	parent	Central Coal Co.	Dravo	11 ton	2x ash, Lower Cedar Grove, Virginia Energy mine #1085			
095-099	Unassigned								
100	UE3-100-WRM-A	parent	Westmoreland Coal	Dravo	2 drums	Taggart Seam			
101	UE3-101-WRM-D	UE3-100-WRM-A	Dravo	E.I.	5 gal	Taggart Seam, 1/8x0 for washability studies			
102	UE1-102-WRM-A	parent	Old Ben Coal Co.	Dravo	2 drums	Alsea Seam			
103	UE1-103-WRM-D	UE1-102-WRM-A	Dravo	E.I.	5 gal	Alsea Seam, 1/8x0 for washability studies			
104	UE2-104-WRM-A	parent	Beth Energy Coal Co.	Dravo	2 drums	Lower Cedar Grove			
105	UE2-105-WRM-D	UE2-104-WRM-A	Dravo	E.I.	5 gal	Lower Cedar Grove, 1/8x0 for washability studies			
106	UE3-106-WRM-A	parent	Westmoreland Coal	Dravo	20 ton	3.5% ash coal, Wentz plant, Taggart seam (list shipment)	EL-148	4/13/87	
107	ELC-107-WRM-F	parent				Elk Creek Coal from OICE			
108	ELC-108-WRM-F	ELC-107-WRM-F	OICE	PETC	350 gal	Std. grind slurry	EL-151	4/16/87	

SAMPLE SHIPMENT LOG

Serial Numbers 109 thru 132

Update: 17-Nov-88

file:lis4a

Serial No.	Sample I.D.	Previous Sample I.D.	From	To	Quantity	Description	P.O.#	Date Shipped	Hauler
109	UE3-109-WRM-A	parent	Westmoreland Coal	Dravo	23 tons	~3.5% ash, Taggart Seam, Wentz plant	EI-162	5/11/87	
110	UE3-110-WRM-A	parent	Westmoreland Coal	Dravo	26 tons	<6% ash, Taggart Seam, Holton Plant	EI-157	5/7/87	
111	UE3-111-WRM-D	UE3-110-WRM-D	Dravo	OYCE	26 tons	From UE3-110-WRM-A	EI-168	5/11/87	
112	UE3-112-DCC-D	UE3-106-WRM-A	Dravo	Penn Rilliton	2000 lbs	Deep cleaned UE3-106-WRM-A	Dravo	5/6/87	
113	UE3-113-PCD-C	UE3-112-DCC-D	Penn Rilliton	MTCI	2000 lbs	Pulverized UE3-112-DCC-D	EI-176	5/8/87	
114	UE2-114-MCD-C	UE2-094-WRM-A	PRS	PETC	5 ton	Micronized UE2-094-WRM-A	EI-158	5/4/87	
115	UE3-115-DCC-D	UE3-106-WRM-A	Dravo	OYCE	28 drums/5040 lbs	Filter cake from deep cleaned UE3-109-WRM-A	EI-179	5/13/87	
116	UE3-116-UCW-F	UE3-115-DCC-D	OYCE	EER, MTCI, Tec	6 drums	Ultrafine slurry from filter cake UE3-115-DCC-D	EI-175	6/22/87	
117	UE3-117-CWF-F	UE3-111-WRM-D	OYCE	PETC	2000 gal	Std grind slurry from UE3-111-WRM-D	EI-171	5/27/87	Lezan
118	UE3-118-WRM-A	parent	Westmoreland Coal	Dravo	23 tons	~3.5% ash, Taggart Seam, Wentz Plant	EI-182	5/22/87	
119	UE3-119-DCC-D	UE3-109-WRM-A	Dravo	OYCE	56 drums/10865 lbs	From UE3-109-WRM-A, 1.3-1.5% ash	EI-190	5/28/87	
120	UE3-120-CWF-F	UE3-119-DCC-D	OYCE	MTCI/PETC	600 gal/110 gal	Std. grind slurry, 1.2% ash, from UE3-119-DCC-D	EI-191	7/27/87	
121	UE3-121-UCW-F	UE3-119-DCC-D	OYCE	MTCI	600 gal/111 drums	Ultrafine slurry, 1.2% ash, from UE3-119-DCC-D	EI-192	6/23/87	
122	UE3-122-DCC-D	UE3-118-WRM-A	Dravo	PRS	15 drums	Cleaned to 1.75 to 2.25% ash, from UE3-118-WRM-A	EI-202	6/11/87	
123	UE3-123-MCO-C	UE3-122-DCC-D	PRS	MTCI	24 drs/5412 lbs	From UE3-122-DCC-D	EI-231	7/22/87	Preston
124	UE2-124-WRM-D	UE2-089-WRM-A	Dravo	PRS	70 drums	From UE2-089-WRM-A	EI-194	6/1/87	
125	UE2-125-MCO-C	UE2-124-WRM-D	PRS	PETC	5 tons	From UE2-124-WRM-D	EI-211	6/24/87	Carlucci
126	UE2-126-MCO-C	UE2-094-WRM-A	PRS	PETC	39 drums/9615 lbs	From UE2-094-WRM-A	EI-205	6/11/87	Carlucci
127	UE3-127-WRM-A	parent	Westmoreland Coal	Dravo	25 tons	Stoker Coal, Taggart seam, 3.5% ash, Wentz plant	EI-195	6/3/87	Five Star
128	UE2-128-MCO-C	UE2-089-WRM-D	PRS	EER	55 gal drum	Air freighted (from UE2-089-WRM-D) same as UE2-126-MCO-C	Dravo	6/8/87	
129	UE3-129-DCC-D	UE3-118 & 127	Dravo	PRS	13 drums	Blend of deep cleaned UE3-118 & UE3-127	EI-211	6/22/87	Carlucci
130	UE3-130-DCC-D	UE3-129-DCC-D	Dravo	OYCE	47 drums/9640 lbs	1.3-1.5% ash - same as UE3-129	EI-226	7/10/87	Preston
131	UE3-131-WRM-A	parent	Westmoreland Coal	OYCE	44 tons	Taggart Seam, Wentz plant	EI-212	6/26/87	Five Star
132	UE3-132-WRM-A	parent	Westmoreland Coal	Dravo	22 tons	Taggart Seam, Wentz plant	EI-212	6/25/87	Five Star

SAMPLE SHIPMENT LOG

file:114b

Update: 17-Nov-88

Serial numbers 133 thru 155

Serial No.	Sample I.D.	Previous Sample I.D.	From	To	Quantity	Description	P.O.#	Date Shipped	Hauler
133	UE3-133-MCO-C	UE3-122-DCC-D	PRS	EER	55 gal drum	Micronized from UE3-122	Dravo	6/24/87	Amer Air
134	UE3-134-DCC-D	UE3-127/132	Dravo	Penn Rilton	20 drums	Deep cleaned coal	EI-220	7/15/87	Carlucci
135	UE3-135-PCO-C	UE3-134-DCC-D	Penn Rilton	MTCI	20 drums/2 tons	Pulverized coal	EI-232	7/16/87	Preston
136	UE3-136-WRM-A	parent	Westoreland Coal Co.	Dravo	23 tons	Stoker Coal (*3.52 ash), Taggart Seam, Wentz Plant	EI-233	7/20/87	Five Star
137	UE3-137-CMF-F	UE3-130-DCC-D	DXCE	PETC	1870 gal	same spec as UE3-120-CMF-F, 600gal from UE3-144	EI-240	8/19/87	Leaan
138	UE3-138-CMF-F	UE3-131-WRM-A	DXCE	C-E	1200 gal	heatable to 150 deg. C	EI-238	9/11/87	
139	UE3-139-MCW-F	UE3-131-WRM-A	DXCE	C-E	7500 gal	heatable to 150 deg. C	EI-241	10/27/87	
140	LEL-140-MCO-E	LEL-091-WRM-A	EI	United Tech	one pound	Micronized "as received" Lower Elthorn	--	8/3/87	US Mail
141	LEL-141-MCO-E	LEL-140-MCO-E	EI	United Tech	one pound	Deep Cleaned LEL-140-MCO-E (froth flotation)	--	8/3/87	US Mail
142	UE3-142-DCC-D	UE3-132-WRM-A	Dravo	Schutz/D'Neil	46 drums/4.6 tons	Deep cleaned	EI 246	7/31/87	Seith
143(1)	UE3-143-MCO-C	UE3-142/145	Schutz/D'Neil	PETC	88 drums	Deep cleaned micronized coal	EI 265	9/1/87	Inway
143(2)	UE3-143-MCO-C	UE3-142/145	Schutz/D'Neil	PETC/FEER	44 drums/1 drum	Deep cleaned micronized coal	EI 268	9/9/87	Seith
144	UE3-144-DCC-D	UE3-132-WRM-A	Dravo	DXCE	21 drums	made 600 gal CMF & blended with UE3-137	EI-248	8/5/87	Seith
145	UE3-145-DCC-D	UE3-132/136	Dravo	Schutz/D'Neil	70 drums/7 tons	Deep cleaned dried filter cake	EI-251	8/24/87	Preston
146	BTP-146-WRM-N	parent	UNDERC	EI	10 gal	Western lignite coal	UNDERC	8/6/87	RPS
147	BTP-147-FCO-N	BTP-146-WRM-N	UNDERC	SMIC/EI	1 ton/5 gal	Pulverized Buelah Zap lignite coal	UNDERC	8/3/87	RPS
148	UE3-148-DCC-D	UE3-149-WRM-A	Dravo	Schutz/D'Neil	75 drums/7.5 tons	for 25 ton shipment of micronized coal for PETC	EI-267	9/8/87	Seith
149	UE3-149-WRM-A	parent	Westoreland Coal Co.	Dravo	23 tons	Taggart Seam, Wentz plant stoker coal	EI-261	8/24/87	Five Star
150	BTP-150-RON-N	parent	UNDERC	AMAX	**2000 lbs	Buelah-Zap lignite coal	EI 278		RPS
151	BTP-151-DCC-N	BTP-150-RON-N	AMAX	UNDERC	**2000 lbs	Deep cleaned lignite coal	EI 278		RPS
152	UE3-152-MCO-C	UE3-148-DCC-D	Schutz/D'Neil	PETC	10,135 lbs		EI 352	1/12/88	Yellow
153	UE3-153-DCC-D	UE3-149/156	Dravo	EI	**95 drums	Light industrial grade held in storage (for micronizing)	EI-397	3/1/88	Carlucci
154	UE3-154-MCO-S	UE3-153-DCC-D	Schutz/D'Neil	Tecogen	1 drum		Dravo	9/23/87	Yellow
155	UE3-155-MCO-S	UE3-153-DCC-D	Schutz/D'Neil	EER	3 drums		Dravo	9/23/87	Yellow

SAMPLE SHIPMENT LOG

Serial Numbers 156 thru 178

file:11st4c

Update: 17-Nov-88

Serial No.	Sample I.D.	Previous Sample I.D.	From	To	Quantity	Description	P.O.#	Date Shipped	Hauler
156	UE3-156-WRM-A	parent	Westmoreland Coal Co.	Dravo	23 tons	Dravo began using Oct 8, 1987	EI-272	9/25/87	Five Star
157	B7P-157-CNF-N	B7P-176-MCO-S	UNDERC	Avco/EI	1000 lbs/5 gal	Coal-methanol-water slurry prepared from lignite coal	EI-278	#CANCELED	
158	UE3-158-MCO-S	UE3-148-DCC-D	Schutz/O'Neill	UTSI	2 tons	85% minus 22 microns	EI-279	10/5/87	Yellow
159	KMR-159-RDM-N	parent	UNDERC	EI	10 gallons	western subbituminous coal	EI-262	11/16/87	
160	KMR-160-PCD-N	KMR-159-RDM-N	UNDERC	SAIC/EI	1 ton/5 gal	pulverized to 80% minus 200 mesh	EI-262	11/16/87	
161	UE3-161-WRM-A	parent	Westmoreland Coal Co.	Dravo	24 ton	Wentz plant stoker coal ~3.5% ash	EI-281	10/20/87	Five Star
162	UE3-162-DCC-D	UE3-161/164-WRM	Dravo	EI	90 drums	Residential grade coal held in storage for slurry	EI-397	3/2/88	Carlucci
163	UE3-163-DCC-D	UE3-161/164-WRM	Dravo	EI	53 drums	Residential grade coal held in storage for micronizing	EI-397	3/2/88	Carlucci
164	UE3-164-WRM-A	parent	Westmoreland Coal Co.	Dravo	25 ton	Wentz plant stoker coal ~3.5% ash	EI-285	10/27/87	Five Star
165	UE3-165-WRM-A	parent	Westmoreland Coal Co.	Dravo	25 ton	Wentz plant stoker coal ~3.5% ash	EI-297	11/3/87	Five Star
166	UE3-166-WRM-D	UE3-165-WRM-A	Dravo	ANAI	2 drums	for cleaning trials	EI-303	11/6/87	Smith
167	UE3-167-DCC-D	UE3-161/164-WRM	Dravo	Schutz/O	2 drums	for particle size reduction for AVCO	EI-312	11/17/87	Smith
168	UE3-168-DCC-D	UE3-161/164-WRM	Dravo	Schutz/O	2 drums	for particle size reduction for TECOGEN	EI-312	11/18/87	Smith
169	UE3-169-MCO-S	UE3-167-DCC-D	Schutz/O'Neill	Avco	2 drums	residential grade micronized coal	Dravo	12/18/87	Yellow
170	UE3-170-MCO-S	UE3-168-DCC-D	Schutz/O'Neill	Tecogen	2 drums	residential grade micronized coal	Dravo	12/18/87	Yellow
171	unassigned number								
172	UE3-172-DCC-D	UE3-164-WRM-A	Dravo	Cath. U.	3 drums	modeling studies for Navy	EI-369	1/25/88	AMR
173	UE3-173-DCC-D	UE3-164-WRM-A	Dravo	QACE	11 drums	for slurry prep for Tecogen	EI-374	1/9/88	Yellow
174	UE3-174-MCM-F	UE3-173-DCC-D	QACE	Tecogen/ARC	4/1 drums		EI 375	2/22/89	
175	B7P-175-DCC-N	B7P-151-DCC-M	UNDERC	Schutz/O	~2000 lbs	for micronizing for AVCO	EI 278		
176	B7P-176-MCO-S	B7P-175-DCC-N	Schutz/O'Neill	UNDERC/AVCO		UNDERC methanol-water slurry prep/AVCO combustion testing	EI 387	3/1/88	Carlucci
177	UE3-177-PCD-D	UE3-164-WRM-A	Dravo	EI	~4,000 lbs	ground to 1/8" topsize, stored in drums (approx. 20)	EI-387	3/2/88	Carlucci
178	UE3-178-PCD-D	UE3-165-WRM-A	Dravo	EI	23 tons	ground to 1/8" topsize inerted under nitrogen	EI-387	3/2/88	Carlucci

SAMPLE SHIPMENT LOG

Serial Numbers 179 thru 201

Update: 17-Nov-88

file:11st4d

Serial No.	Sample I.D.	Previous Sample I.D.	From	To	Quantity	Description	P.O.#	Date Shipped	Hauler
179	UE3-179-DCC-D	UE3-153-DCC-D	Dravo	DICE	11,279 lbs	DCC coal for slurry for MCI, 1.38% ash, residential grade	EI-397	3/1/88	Yellow
180	UE3-180-DCC-D	UE3-142-DCC-D	Dravo	DICE	5,738	DCC coal for slurry for Tecogen, 1.22% ash, residential grade	EI-397	3/1/88	Yellow
181	UE2-181-WRM-D	UE2-089-WRM-A	Dravo	EI	7 drums	minus 1/4"	EI-387	3/2/88	Carlucci
182	UE3-182-WRM-A	parent	Westmoreland Coal Co.	DICE	46 tons	Washed ROM coal, Wentz plant, ~2.5% ash	EI-416	3/25/88	Five Star
183	UE3-183-MCO-S	UE3-153-DCC-D	Shultz/D'Neill	EER	7 drums/1400 lbs	micronized coal	EI-420	6/2/88	Consol Frt.
184	UE3-184-MCM-F	UE3-182/187	DICE	CE	18,000 gal	micronized coal-water fuel	EI-427	6/20/88	in house
185/186	185 and 186 were for 750 gallons each of micronized and standard grind slurry for MCI. Both were cancelled.						EI-437	Cancelled	
187	UE3-187-WRM-A	Parent	Westmoreland Coal Co.	DICE	46 tons	washed run-of-mine nominal 2.5% ash coal	EI-470	5/20/88	Five Star
188	UE3-188-CMF-F	UE3-187-WRM-A	DICE	CE	3,500 gallons	standard grind slurry (CIE analyzed coal)	EI-473	7/8/88	in house
189	UE3-189-WRM-A	Parent	Westmoreland Coal Co.	DICE	24 tons	washed run-of-mine nominal 2.5% ash coal	EI-487	6/13/88	Five Star
190	UE3-190-PCO-E	UE3-PCO-177-D	Energy International	S/O	2 tons (18 drums)	nominal 1/8" topsize from inventory	EI-501	6/22/88	Carlucci
191	UE3-191-PCO-E	UE3-PCO-178-D	Energy International	S/O	23 tons (145 drums)	nominal 1/8" topsize from inventory	EI-501	6/22/88	Carlucci
192	UE3-192-WRM-A	Parent	Westmoreland Coal Co.	EI	25 tons	washed run-of-mine nominal 2.5% ash coal	EI-500	6/27/88	Five Star
193	UE3-193-WRM-E	UE3-192-WRM-A	Energy International	S/O	24 tons in drums for micronization for UTSI		EI-507	6/29/87	Carlucci
194	UE3-194-MCO-S	UE3-190/191	Schultz-D'Neill	UTSI	43,185 lbs	micronized coal, 10 micron mean particle size	EI-503	7/18/88	Yellow
195	UE3-195-MCO-S	UE3-193-WRM-E	Schultz-D'Neill	UTSI	42,761 lbs	micronized coal, 10 micron mean particle size	EI-503	7/29/88	Yellow
196	UE3-196-CMF-F	UE3-189-WRM-A	DICE	CE	13800 gallons	standard grind, unstabilized slurry	EI-473	7/11/88	in house
197	UE3-197-MCO-S	UE3-194-MCO-S	Schultz-D'Neill	Catholic U.	1600 lbs (8 drums)	nominal 10 micron mean particle size	EI-514	7/15/88	Yellow
198	UE3-198-CMF-F	UE3-189-WRM-A	DICE	CE/Tecogen	700 gal/15 gal	standard grind, lightly stabilized coal-water slurry	EI-473	7/26/88	in house
199	UE3-199-CMF-F	UE3-189-WRM-A	DICE	Catholic U.	300 gal	standard grind, lightly stabilized coal-water slurry	EI-473	7/26/88	truck(?)
200	B2P-200-DCC-M	B2P-151-DCC-M	UNDEMRC	AVCO	125 lbs	2% ash lignite coal (chemically cleaned)	EI-278	4/4/88	AMR
201	UE3-201-WRM-A	Parent	Westmoreland Coal Co.	EI	24 tons	4.6% ash (CIE & EI analysis) washed run-of-mine	EI-528	8/26/88	Five Star
201A	UE3-201-WRM-E	UE3-201-WRM-A	EI	DICE/S-O	12 drums/40 drums	12 drums being stored at DICE - did not make into slurry	EI-538	8/2/88	Yellow
201B	UE3-201-WRM-E	UE3-201-WRM-E	EI	S/O	18 drums	for micronizing for MCI	EI-550	9/21/88	Yellow

SAMPLE SHIPMENT LOG

Serial Numbers 202 thru 222

Update: 28-Nov-88

file: list4e

Serial No.	Sample I.D.	Previous Sample I.D.	From	To	Quantity	Description	P.O.#	Shipped	Hauler
202	EI-202-PCO-S	UE3-201-WRM-E	Shultz-O'Neill	MTCI	1000 lbs	1000 LOW ASH VALUE FOR MTCI (see UE3-208)	EI-539	--	--
203	EI-203-MCO-S	UE3-201-WRM-E	Shultz-O'Neill	UTSI	13,733 lbs	4.6% ash coal (all 40 drums micronized for UTSI)	EI-539	9/23/88	Yellow
204	UE3-204-MCO-F	UE3-180-DCC-D	OXCE	ARC/TEC./VEER/EI	5/200/200/S gal	slurry prepared from residential grade (1.3% ash) coal	EI-542	9/26/88	Yellow
205	UE3-205-CMF-F	UE3-206-WRM-E	OXCE	MTCI/TEC./EI	600/55/S gal	std grind slurry from high ash (6.8%) coal	EI-543	11/14/88	Yellow
206	UE3-206-WRM-A	parent	Westoreland Coal Co.	EI	11.24 tons	high ash coal, 6.8% ash	EI-560	9/30/88	Five Star
206A	UE3-206-WRM-E	UE3-206-WRM-A	EI	S-O/DYCE	44/16 drums	for processing into fuel for MTCI, Tecogen and UTSI	EI-558	10/3/88	Yellow
207	unassigned number								
208	UE3-208-MCO-S	UE3-206-WRM-E	Shultz-O'Neill	UTSI	9098 lbs	micronized (10u mean particle size) high ash (6.92%) coal	EI-563	11/10/88	Yellow
209	UE3-209-PCO-S	UE3-206-WRM-E	Shultz-O'Neill	MTCI	6,000 lbs	pulverized (30u mean particle size) high ash (6.82%) coal	EI-563	11/10/88	Yellow
210	UE3-210-WRM-A	parent	Westoreland Coal Co.	ARC/EI	7.65/14.7 tons	nominal 2.5% ash washed R-D-M coal delivered direct from mine	EI-561	10/4/88	Seaway
210A	UE3-210-WRM-E	UE3-210-WRM-A	EI	Storage	14.7 tons	nominal 2.5% ash washed R-D-M coal delivered direct from mine	--	--	--
210B	UE3-210-WRM-E	UE3-210-WRM-A	EI	Process Tech	1 drum/315 lbs	for coal cleaning studies	EI-585	11/3/88	Yellow
211	UE3-211-WRM-E	UE3-210-WRM-A	EI	Battelle	20 lbs	as received WRM UE3 for cleaning studies	none	10/17/88	Eaery
212	UE3-212-PCO-E	UE3-210-WRM-A	EI	Pitt/West.	5 lbs	-200 mesh coal, ground and stored under Argon	none	10/21/88	Pitt Van
213	UE3-213-MCO-S	UE3-153-DCC-E	Jacobson	Cath. U.	5465 lbs	micronized fuel (25 drums UE3-153 shipped to Jacobson 11/1/88)	EI-581	11/10/88	Yellow
214	UE3-214-MCO-F	UE3-180-DCC-D	OXCE Fuel Co.	Cath. U.	300 gal	micronized slurry	EI-583	11/30/88	?
215	UE3-215-DCC-E	UE3-163-DCC-D	EI	NOL-TEC	5 drums/1150 lbs	For calibration of Vortec furnace feed system (1.2% ash)	EI-591	11/15/88	Yellow
216	UE3-216-PCO-S	UE3-201-WRM-E	Jacobson	NOL-TEC	1000 lbs	For calibration of Vortec furnace feed system (4% ash)	EI-592		

217

218

219

220

221

222

**DATE
FILMED**

8 / 5 / 93

END