WSRC-TR--91-671

DE92 016894

AN ATMOSPHERIC TRITIUM RELEASE DATABASE FOR MODEL COMPARISONS (U)

by

C. E. Murphy and G. R. Wortham

Westinghouse Savannah River Company
Savannah River Laboratory
Aiken, South Carolina 29808

Received
JUL 10 1992

This report was prepared in connection with work done under Contract No. DE-AC09-89SR18035 with the U.S. Department of Energy. By acceptance of this paper, the publisher and/or recipient acknowledges the U.S. Government's right to retain a nonexclusive, royalty-free license in and to any copyright covering this paper, along with the right to reproduce and to authorize others to reproduce all or part of the copyrighted paper.

MASTER *ab*

DISTRIBUTION OF THIS DOCUMENT IS UNLIMITED

WSRC-TR-91-671

**AN ATMOSPHERIC TRITIUM RELEASE DATABASE FOR MODEL
COMPARISONS (U)**

Charles E. Murphy Jr.

**Westinghouse Savannah River Company
Savannah River Site
Aiken, SC 29808**

D.B. Moore-Shedrow

D.B. Moore-Shedrow, Manager
Authorized Derivative Classifier

AN ATMOSPHERIC TRITIUM RELEASE DATABASE FOR MODEL COMPARISONS(U)

Charles E. Murphy Jr. and G. R. Wortham

Publication Date: December 19, 1991

Approved By: D.B. Moore-Shedrow, Manager
Environmental Sciences Section
Savannah River Laboratory

Westinghouse Savannah River Company
Savannah River Site
Aiken, SC 29808

THIS DOCUMENT WAS PREPARED IN CONNECTION WITH WORK UNDER THE U.S.
DEPARTMENT OF ENERGY (CONTRACT DE-AC09-89SR18035).

WSRC-TR-91-671

**AN ATMOSPHERIC TRITIUM RELEASE DATABASE FOR MODEL
COMPARISONS (U)**

Charles E. Murphy Jr. and G. R. Wortham

DO NOT MICR FILM
THIS PAGE

Westinghouse Savannah River Company
Savannah River Site
Aiken, SC 29808

DISCLAIMER

This report was prepared by Westinghouse Savannah River Company (WSRC) for the United States Department of Energy under Contract No. DE-AC09-89SR18035 and is an account of work performed under that contract. Neither the United States Department of Energy, nor WSRC, nor any of their employees makes any warranty, expressed or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness, of any information, apparatus, or product or process disclosed herein or represents that its use will not infringe privately owned rights. Reference herein to any specific commercial product, process, , or service by trademark, name, manufacturer or otherwise does not necessarily constitute or imply endorsement, recommendation, or favoring of same by WSRC or by the United States Government or any agency thereof. The views and opinions of the authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

ABSTRACT

A database of vegetation, soil, and air tritium concentrations at gridded coordinate locations following nine accidental atmospheric releases is described. While none of the releases caused a significant dose to the public, the data collected is valuable for comparison with the results of tritium transport models used for risk assessment. The largest, potential, individual off-site dose from any of the releases was calculated to be 1.6 mrem. The population dose from this same release was 46 person-rem which represents 0.04% of the natural background radiation dose to the population in the path of the release.

CONTENTS

ABSTRACT	1
INTRODUCTION	1
DISCUSSION	2
Data Collection	2
Stack Measurements	2
Field Air Samples	2
Vegetation Samples	2
Other Samples	2
Description of Atmospheric Tritium Releases	3
May 2, 1974	3
December 31, 1975	3
March 27, 1981	3
July 16, 1983	4
March 23, 1984	4
September 2, 1984	4
January 31, 1988	8
March 27, 1988	8
July 31, 1987	8
RESULTS	7
Preliminary Data Analysis	7
Environmental Tritium Database	8
REFERENCES	9
APPENDIX A GRIDDED TRITIUM	
RELEASE DATA	10
APPENDIX B - BUSH FIELD METEOROLOGICAL	
DATA FOR THE RELEASE PERIODS	20

LIST OF FIGURES

1. The Maximum Tilted Water Content of Vegetation Leaves
Collected at Approximately 40 km from the Source
of the Release Compared to Estimates Calculated
from Exposure to Tilted Water for Each Release 8
2. Spatial Coverage of Sampled Vegetation and Air for the
Nine Tellurium Releases 19

LIST OF TABLES

1. Summary of Tellurium Release Characteristics 6
2. Maximum Environmental Concentrations Following
Tellurium Releases, pCi/ml 7

THE

1. The first group of people who are not in the labor force are those who are not in the labor force for any reason. This group is the largest and is made up of people who are not in the labor force for any reason. This group is the largest and is made up of people who are not in the labor force for any reason.

 

9. The ninth part of the document discusses the importance of customer relationship management (CRM) and the role of the sales department in building and maintaining strong relationships with customers.

10. The tenth part of the document focuses on the management of the organization's overall strategy, including the development of a clear vision and mission statement, the setting of strategic goals, and the implementation of a strategic plan.

THE UNIVERSITY OF CHICAGO

The influence on estimation of the top sample is due to the fact that the subject with a positive correlation is selected. The standard of inference for the subject is calculated by multiplying the α that is the α for the first sample by the influence on estimation due to the top sample of the subject.

In recent years the size of sampling by standard volumetric methods and measurement of the standard of burning hydrogen in a rebreaser. First Francis chamber was used. Francis chamber the modulator is removed from the all before measurement. In the other chamber this air is not dried. The amount of inhaled water in the rebreaser is measured by subtracting the volume calculating in the dried air from the total volume measured by the Francis chamber breathing inhaled air. Under 24/24 conditions most of the volume measured in the chamber is oxygen dry air is in the form of molecular hydrogen.

10/11/11 10:00 AM

The potential for informationally complete representation of the process is not obvious. It is not clear that a complete set of all qualitative information for a process can be found.

 

[illegible]

 

Little sampling was necessary directly and the value is controlled by input variations. Little sampling was needed only in those cases where the release of the photo-passes was a significant factor in the process. Sampling during sample collection.

Figure 1. The effect of the concentration of the *Agrobacterium* suspension on the transformation efficiency of *Agrobacterium* strains.

[illegible]

Figure 6

Figure 1. The effect of the concentration of the *Agrobacterium* suspension on the transformation efficiency of *Agrobacterium* strains. The *Agrobacterium* strains were grown in the medium containing 100 mg/l of tetracycline. The cell concentration of the *Agrobacterium* strains was adjusted to 10⁸ cells/ml. The cell suspension was mixed with the plant tissue and the transformation efficiency was determined. The results are the mean of three independent experiments. Error bars represent standard deviation.

1. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23. 24. 25. 26. 27. 28. 29. 30. 31. 32. 33. 34. 35. 36. 37. 38. 39. 40. 41. 42. 43. 44. 45. 46. 47. 48. 49. 50. 51. 52. 53. 54. 55. 56. 57. 58. 59. 60. 61. 62. 63. 64. 65. 66. 67. 68. 69. 70. 71. 72. 73. 74. 75. 76. 77. 78. 79. 80. 81. 82. 83. 84. 85. 86. 87. 88. 89. 90. 91. 92. 93. 94. 95. 96. 97. 98. 99. 100. 101. 102. 103. 104. 105. 106. 107. 108. 109. 110. 111. 112. 113. 114. 115. 116. 117. 118. 119. 120. 121. 122. 123. 124. 125. 126. 127. 128. 129. 130. 131. 132. 133. 134. 135. 136. 137. 138. 139. 140. 141. 142. 143. 144. 145. 146. 147. 148. 149. 150. 151. 152. 153. 154. 155. 156. 157. 158. 159. 160. 161. 162. 163. 164. 165. 166. 167. 168. 169. 170. 171. 172. 173. 174. 175. 176. 177. 178. 179. 180. 181. 182. 183. 184. 185. 186. 187. 188. 189. 190. 191. 192. 193. 194. 195. 196. 197. 198. 199. 200. 201. 202. 203. 204. 205. 206. 207. 208. 209. 210. 211. 212. 213. 214. 215. 216. 217. 218. 219. 220. 221. 222. 223. 224. 225. 226. 227. 228. 229. 230. 231. 232. 233. 234. 235. 236. 237. 238. 239. 240. 241. 242. 243. 244. 245. 246. 247. 248. 249. 250. 251. 252. 253. 254. 255. 256. 257. 258. 259. 260. 261. 262. 263. 264. 265. 266. 267. 268. 269. 270. 271. 272. 273. 274. 275. 276. 277. 278. 279. 280. 281. 282. 283. 284. 285. 286. 287. 288. 289. 290. 291. 292. 293. 294. 295. 296. 297. 298. 299. 300. 301. 302. 303. 304. 305. 306. 307. 308. 309. 310. 311. 312. 313. 314. 315. 316. 317. 318. 319. 320. 321. 322. 323. 324. 325. 326. 327. 328. 329. 330. 331. 332. 333. 334. 335. 336. 337. 338. 339. 340. 341. 342. 343. 344. 345. 346. 347. 348. 349. 350. 351. 352. 353. 354. 355. 356. 357. 358. 359. 360. 361. 362. 363. 364. 365. 366. 367. 368. 369. 370. 371. 372. 373. 374. 375. 376. 377. 378. 379. 380. 381. 382. 383. 384. 385. 386. 387. 388. 389. 390. 391. 392. 393. 394. 395. 396. 397. 398. 399. 400. 401. 402. 403. 404. 405. 406. 407. 408. 409. 410. 411. 412. 413. 414. 415. 416. 417. 418. 419. 420. 421. 422. 423. 424. 425. 426. 427. 428. 429. 430. 431. 432. 433. 434. 435. 436. 437. 438. 439. 440. 441. 442. 443. 444. 445. 446. 447. 448. 449. 450. 451. 452. 453. 454. 455. 456. 457. 458. 459. 460. 461. 462. 463. 464. 465. 466. 467. 468. 469. 470. 471. 472. 473. 474. 475. 476. 477. 478. 479. 480. 481. 482. 483. 484. 485. 486. 487. 488. 489. 490. 491. 492. 493. 494. 495. 496. 497. 498. 499. 500. 501. 502. 503. 504. 505. 506. 507. 508. 509. 510. 511. 512. 513. 514. 515. 516. 517. 518. 519. 520. 521. 522. 523. 524. 525. 526. 527. 528. 529. 530. 531. 532. 533. 534. 535. 536. 537. 538. 539. 540. 541. 542. 543. 544. 545. 546. 547. 548. 549. 550. 551. 552. 553. 554. 555. 556. 557. 558. 559. 560. 561. 562. 563. 564. 565. 566. 567. 568. 569. 570. 571. 572. 573. 574. 575. 576. 577. 578. 579. 580. 581. 582. 583. 584. 585. 586. 587. 588. 589. 590. 591. 592. 593. 594. 595. 596. 597. 598. 599. 600. 601. 602. 603. 604. 605. 606. 607. 608. 609. 610. 611. 612. 613. 614. 615. 616. 617. 618. 619. 620. 621. 622. 623. 624. 625. 626. 627. 628. 629. 630. 631. 632. 633. 634. 635. 636. 637. 638. 639. 640. 641. 642. 643. 644. 645. 646. 647. 648. 649. 650. 651. 652. 653. 654. 655. 656. 657. 658. 659. 660. 661. 662. 663. 664. 665. 666. 667. 668. 669. 670. 671. 672. 673. 674. 675. 676. 677. 678. 679. 680. 681. 682. 683. 684. 685. 686. 687. 688. 689. 690. 691. 692. 693. 694. 695. 696. 697. 698. 699. 700. 701. 702. 703. 704. 705. 706. 707. 708. 709. 710. 711. 712. 713. 714. 715. 716. 717. 718. 719. 720. 721. 722. 723. 724. 725. 726. 727. 728. 729. 730. 731. 732. 733. 734. 735. 736. 737. 738. 739. 740. 741. 742. 743. 744. 745. 746. 747. 748. 749. 750. 751. 752. 753. 754. 755. 756. 757. 758. 759. 760. 761. 762. 763. 764. 765. 766. 767. 768. 769. 770. 771. 772. 773. 774. 775. 776. 777. 778. 779. 780. 781. 782. 783. 784. 785. 786. 787. 788. 789. 790. 791. 792. 793. 794. 795. 796. 797. 798. 799. 800. 801. 802. 803. 804. 805. 806. 807. 808. 809. 810. 811. 812. 813. 814. 815. 816. 817. 818. 819. 820. 821. 822. 823. 824. 825. 826. 827. 828. 829. 830. 831. 832. 833. 834. 835. 836. 837. 838. 839. 840. 84

1. *Chlorophyll a* (Chl *a*)

[illegible]

Age Group	Gender	U.S. should take action (%)	U.S. should not take action (%)
18-29	Male	85	15
	Female	80	20
30-49	Male	75	25
	Female	70	30
50-69	Male	70	30
	Female	65	35
70+	Male	65	35
	Female	60	40

1. *Phragmites australis* (Cav.) Trin. ex Steud.

Age Group	Education Level	Percentage (%)
18-29	High School	~45
	Some College	~55
	Bachelor's	~65
	Master's/PhD	~75
30-49	High School	~55
	Some College	~65
	Bachelor's	~75
	Master's/PhD	~85
50-69	High School	~65
	Some College	~75
	Bachelor's	~85
	Master's/PhD	~95
70+	High School	~75
	Some College	~85
	Bachelor's	~95
	Master's/PhD	~100

[illegible]

Figure 1. The effect of the concentration of the *Agrobacterium* suspension on the transformation efficiency of *Agrobacterium* strains.

1000

Figure 1. The effect of the concentration of the *Agrobacterium* suspension on the transformation efficiency of *Agrobacterium* strains.

1000

Figure 1 is a line graph showing the percentage of total catch versus the number of hauls for various fish species. The x-axis is labeled 'Number of hauls' and ranges from 0 to 10. The y-axis is labeled 'Percentage of total catch' and ranges from 0 to 100. There are 20 data series, each represented by a different line style and marker. The series are numbered 1 through 20. The data points for each series are as follows:

Number of hauls	1	2	3	4	5	6	7	8	9	10
1	10	20	30	40	50	60	70	80	90	100
2	15	25	35	45	55	65	75	85	95	100
3	20	30	40	50	60	70	80	90	100	100
4	25	35	45	55	65	75	85	95	100	100
5	30	40	50	60	70	80	90	100	100	100
6	35	45	55	65	75	85	95	100	100	100
7	40	50	60	70	80	90	100	100	100	100
8	45	55	65	75	85	95	100	100	100	100
9	50	60	70	80	90	100	100	100	100	100
10	55	65	75	85	95	100	100	100	100	100

southwest of approximately the North Carolina-South Carolina boundary.

Maximum tritiated water concentrations were 491, 49, and 49 pCi/ml for vegetation, surface water, and soil water samples, respectively, collected outside the boundary of AFB. A vegetation sample inside the AFB boundary was found to have a tritiated water concentration of 4060 pCi/ml. Milk and bioassay samples were within the values measured at other times.

July 16, 1984

At 3:41 Central EST, 36,000 Ci of tritium were released from the Separations Area. The release took place over a period of approximately 3 min. Analysis of samples of the released gases indicated that about 1% of the release was tritiated water vapor and the remaining 99% was in the hydrogen form.

The sky was 75% to 100% covered with clouds at the time of the release, with rain and thunderstorms early in the evening. The cloud cover dissipated by 0200 hours of the following day. Surface winds were 18 km/hr around the time of the release, blowing toward the northeast. The trajectory carried the release offshore north of Charleston, SC.

Maximum vegetation, surface water, and rain-water tritium concentrations were 150, 23, and 18 pCi/ml, respectively. Milk and atmosphere samples were within the concentration range routinely measured in samples in the vicinity of SRS.

March 21, 1984

At 0410 EST, a leak in a process line led to a release of 7500 Ci from a stack in the Separation Area. The majority of the release occurred in the first 2 hr and 20 min. Approximately 70% of the release was in the tritiated water vapor form; the remaining 30% was in the hydrogen form.

During the morning of the release, the winds were blowing toward the east-southeast (azimuth of 280 deg) at 21 km/hr. Skies were clear with a 10% cloud cover. There was a low-level inversion at the time of the release, indicating stable atmospheric conditions. The inversion dissipated by 0930 hours, and unstable atmospheric conditions prevailed from that time forward. The release trajectory moved to the south-southeast for the first 2 hours then swung to the southeast for the next 8 hours before turning to the northeast and moving over the ocean near Charleston, SC.

Maximum vegetation and surface water tritiated water concentrations were 1380 and 120 pCi/ml, respectively. Two sampling teams measured tritium forms in atmospheric samples. The highest concentration was found to be 6170 pCi/m³, with about 90% of the sample in the water vapor form. The maximum tritium concentration in milk was 69 pCi/ml.

September 2, 1984

Beginning at 1900 hours EST, a release of 57,900 Ci of tritium occurred from a stack in the Separations Area. Approximately 43,800 Ci were released in the first 5 hours of the period, with the remainder slowly entering the environment over the next 5 days. The release consisted of 99% tritiated water vapor.

At the beginning of the release, the wind was blowing in the direction of Aiken, SC (azimuth 170 deg). The wind speed remained steady at 16 km/hr during the first 5 hours after the release. The wind later shifted toward the east carrying the tritium near Lexington, SC. Temperature profiles from the instruments on the WJBF television tower indicated an inversion existed, and the stable atmospheric conditions kept the plume in a narrow band as it moved away from the source.

Sampling teams measured atmospheric tritium along the path of the release. Because the

release path was narrow, it was difficult to obtain samples in the center of the release. The highest tritium concentration measured was 15,871 pCi/m³ at Blythewood, SC, about 124 km from the release source. Vegetation samples from this location indicated that this may have been very close to the center of the path. Vegetation and milk samples were collected by SRS and South Carolina Department of Health and Environmental Control (SCDHEC) sampling teams. The highest concentration of tritiated water in vegetation was 9800 pCi/mL, measured at a location 40 km from the release point. The highest concentration near the SRS boundary was 2500 pCi/mL. The highest concentration found in milk was 47 pCi/mL near Windsor, SC.

January 31, 1985

A total of 9285 Ci of tritium was released from a stack in the Separations Area. The release took place from 1400 to 1700 hours EST. The majority of the tritium, 7400 Ci, was released in the first 15 min. Of the total release, 54% was in the tritiated water form and the remaining 46% was in the hydrogen form.

At the time of the release, the wind was blowing toward the north-northeast at 21 km/hr. The cloud cover at Bush Field, Augusta, GA, was 100%. The atmospheric stability ranged from mildly unstable to neutral during the release period. The release trajectory passed Windsor, SC, and could be tracked, with substantially decreased concentration, to the southwest of Columbia, SC.

Measurements were taken of vegetation, surface water, and milk following the release. The highest concentrations were, respectively, 7600, 140, and 4.3 pCi/mL. Milk tritium concentrations were within the concentrations normally measured by the SRS Environmental Survey. The air tritiated water vapor content at Windsor was measured at 576 pCi/m³.

March 27, 1985

The release, from the Separations Area stack, began at 1353 hours EST and averaged about 90 Ci/minute until 1830 hours when the release ceased. Stack sampling indicated that of the 19,422 Ci in the release, 99.9% was tritiated water vapor.

Meteorological observations at Bush Field, Augusta, GA, showed that the cloud cover was 70% and the wind speed from 16 to 23 km/hr. The atmospheric stability varied from slightly unstable to neutral during the period when the release was passing through South Carolina. The trajectory of the release initially carried the tritium in a northeasterly direction, passing southeast of Columbia, SC. The release crossed into North Carolina before moving over the ocean.

The highest vegetation and surface water concentrations measured within the SRS boundary were 61,800 and 384 pCi/mL, respectively. These values had decreased to 971 and 1.4 pCi/mL by the time the tritium reached the SRS boundary. Milk samples collected after the release showed levels that were within the range normally measured by SRS surveys. Air sampling was done by the TRAC mobile laboratory and sampling teams with mobile tritium forms samplers. The highest concentration of tritium measured in the air was 21,689 pCi/m³. The tritium form of this sample was greater than 99% tritiated water vapor.

July 31, 1987

The release occurred from the Separations Area stack between 0817 and 0855 hours EST. The estimated total amount released, based on the tritium forms monitor, was 172,000 Ci. The oxide fraction, based on the stack air monitor, was 2.7%. The remaining 97.8% was in the hydrogen form.

The weather on July 31 was characterized by very weak wind (8 km/hr) blowing toward the northeast and very unstable atmospheric temperature stratification. The height of the atmospheric

mixing zone was 200 m at 0830 hours and 2200 m by midafternoon. Afternoon showers and the associated wind further dispersed the tritium as it moved beyond Blackville, SC. Traces of the tritium were found from Swansea to Orangeburg, SC.

SRS Environmental Monitoring teams collected vegetation, water, and milk samples on and off the site, while SCDHEC collected vegetation samples offsite. The highest concentrations were 5760 and 47 pCi/mL for vegetation and surface water, respectively. The concentration in milk was within the range normally found by SRS Environmental Surveys. Extensive measurements were made of the air concentration with tritium forms samplers. The highest concentration was about 12.4 million pCi/m³. Samples collected near the release point showed a fairly uniform concentration of tritiated water vapor, averaging around 3%. Farther from the SRS boundary, the fraction of

tritiated water vapor ranged from 0.3% to 84% (in a sample with a total tritium concentration of 3300 pCi/m³). The separation of the forms of tritium is thought to be the result of differences in uptake at the surface or from washout of tritium in the vicinity of the rain storms.

Table 1 summarizes the characteristics of the release and the meteorological conditions immediately after each releases described above. The releases have taken place under a wide range of meteorological conditions, during different seasons of the year and beginning at different times of the day.

Table 1. Summary of Tritium Release Characteristics.

| <u>Date</u> | <u>Time</u> | <u>Release
Curies</u> | <u>% HTO</u> | <u>HTO
Curies</u> | <u>Wind
Speed, m/s</u> | <u>Atmospheric
Stability Class</u> |
|-------------|-------------|---------------------------|--------------|-----------------------|----------------------------|--|
| 5/2/74 | 755 | 479000 | 1.0 | 4790 | 3 | Neutral |
| 12/31/75 | 2000 | 182000 | 0.6 | 1092 | 10 | Neutral |
| 3/27/81 | 845 | 32934 | 100.0 | 32934 | 7 | Unstable |
| 7/16/83 | 2013 | 56000 | 1.0 | 560 | 6 | Neutral |
| 3/23/84 | 440 | 7500 | 70.0 | 5250 | 5 | Stable |
| 9/2/84 | 1900 | 43800 | 100.0 | 43800 | 5 | Stable |
| 1/31/85 | 1400 | 9300 | 50.0 | 4650 | 5 | Neutral |
| 3/27/85 | 1353 | 19422 | 99.9 | 19403 | 7 | Neutral |
| 7/31/87 | 855 | 172000 | 2.7 | 4644 | 2 | Unstable |

RESULTS

Preliminary Data Analysis

A simple gaussian model was compared to the maximum vegetation concentration at each transect of the release plumes where enough data points existed to indicate the maximum location.⁶ The maximum concentrations in the vegetation, as well as other environmental media that were not associated with a location are shown in Table 2.

Figure 1 shows the relationship between the maximum tritiated water content at the 40 km transects and the predictions of the model. The results are very encouraging, in that they indicate that some of the variation in vegetation concentration is accounted for by the meteorology during the releases.

Figure 1. The Maximum Tritiated Water Content of Vegetation Leaves Collected at Approximately 40 km from the Source of the Release Compared to Estimates Calculated from Exposure to Tritiated Water Vapor for Each Release

Table 2. Maximum Environmental Concentrations Following Tritium Releases, pCi/mL.

| <u>Date</u> | <u>Vegetation</u> | | | | <u>Surface</u>
<u>Water</u> | <u>Data</u> | |
|-------------|-------------------|------------------|---------------|---------------|--------------------------------|-------------|---------------|
| | <u>On Site</u> | <u>Perimeter</u> | <u>~40 km</u> | <u>~80 km</u> | | <u>Milk</u> | <u>Source</u> |
| 5/2/74 | 25 | 4630 | 310 | 41 | 138 | 375 | 7 |
| 12/31/75 | 687 | 92 | 8 | | 3 | 9 | 8 |
| 3/27/81 | 4860 | 270 | | | 9 | 11 | 9 |
| 7/16/83 | 150 | 110 | 80 | 27 | 23 | 4 | 10 |
| 3/23/84 | 89 | 500 | 1380 | 190 | 120 | 69 | 11 |
| 9/2/84 | 500 | 2500 | 9900 | 240 | | 47 | 12 |
| 1/31/85 | 7600 | 450 | 380 | 180 | 140 | 2 | 13 |
| 3/27/85 | 61800 | 970 | 590 | 143 | 384 | 6 | 13 |
| 7/31/87 | 5760 | 4690 | 34 | 8 | 47 | 4 | 14 |

Environmental Tritium Database

The database is presented in Appendices A and B. Appendix A lists the tritium concentration in vegetation, soil, and/or air collected on the day of the release (unless otherwise indicated). Each concentration value is identified with a location. The location is a gridded distance from the point of release. The distances are increasing west to east and south to north. The units are meters. When available, the counting error of the measurements is included.

Appendix B lists the meteorological measurement from the U.S. NOAA weather station at Bushfield Airport in Augusta, GA, the nearest NOAA weather station to the release site. These databases are also available as IBM DOS, ASCII files.

REFERENCES

1. Burnham, C.D., R.M. Brown, G.L. Orgram, and F/S. Spencer. An Overview of Experiments at Chalk River. *Fusion Technology* 24, p 1159 (1988).
2. Murphy, C.E. Jr. *The Transport, Dispersion, and Cycling of Tritium in the Environment*. WSRC-RP-90-462. Westinghouse Savannah River Company, Aiken, SC, (1990)
3. Murphy, C.E.Jr., L.R. Bauer, D.W. Hayes, W.L. Marter, C.C. Zeigler, D.E. Stephenson, D.D. Hoel, D.M. Hamby *Tritium in the Savannah River Site Environment*. WSRC-RP-90-424-1. Westinghouse Savannah River Company. Aiken, SC 29808 (1990)
4. McFarlane, J.C., R.D. Rogers, and D.V. Bradley. Environmental Tritium Oxidation in Surface Soil, *Env. Sci. Technol.* p590 (1978).
5. Murphy, C.E., Jr., A.L. Boni, and S.P. Tucker. 1976. *The Conversion of Gaseous Molecular Tritium to Tritiated Water in Biological Systems*, DP-1422, E.I. du Pont de Nemours & Co., Savannah River Laboratory, Aiken, SC 29808 (1976).
6. Murphy, C.E.Jr., L.R. Bauer, and D. Hoel. Tritium atmospheric transport and deposition following acute releases - Comparisons with simple Transport Models. Accepted for publication in *Fusion Technology* (1992).
7. Marter, W.L. *Analysis of Effects of a Tritium Release from the Savannah River Plant, May 2, 1974*. DP-1369, E.I. du Pont de Nemours & Co., Savannah River Laboratory, Aiken, SC 29808 (1975).
8. Jacobsen, W. R. *Environmental Effects of a Tritium Gas Release From the Savannah River Plant on December 31, 1975*. DP-1415, E.I. du Pont de Nemours & Co., Inc., Savannah River Plant, Aiken, SC (1975).
9. Garrett, A.J., E.L. Wilhite, and M. R. Buckner. *Environmental Effects of a Tritium Release from the Savannah River Plant*. DP-1613. E. I. du Pont de Nemours & Company, Inc., Savannah River Plant, Aiken, SC 29808 (1981).
10. Garrett, A. J., C. C. Zeigler, D. R. Carver, and D.A. Stevenson *Environmental Aspects of a Tritium Release from the Savannah River Plant on July 16, 1983*. DP-1672, E.I. du Pont de Nemours & Co., Savannah River Plant, Aiken, SC 29808 (1983).
11. Evans, A.G., D.D. Hoel, and M.V. Kantelo. *Environmental Aspects of a Tritium Release from the Savannah River Plant on March 23, 1984*. DP-1695, E.I. du Pont de Nemours & Co., Savannah River Laboratory, Aiken, SC 29808 (1985).
12. Hoel, D. D., R. J. Kurzeja, and A. G. Evans. *Environmental Aspects of a Tritium Oxide Release from the Savannah River Site on September 2 and 3, 1984*. WSRC-RP-90-814, Westinghouse Savannah River Company, Aiken, SC 29808 (1984).
13. Zeigler, C.C., I. B. Lawrimore, E. M. Heath. *US Department of Energy Savannah River Plant Environmental Report for 1985*, DPSPU 86-30-1, E.I. du Pont de Nemours and Co., Aiken, SC 29808 (1985).
14. Kurzeja, R.J., R.W. Taylor, J. Sharma, and L.T. Burckhalter. *Environmental Effects of the July 31, 1987 Tritium Release from the Savannah River Plant*. DP-1758, E.I. du Pont de Nemours & Co., Inc., Savannah River Laboratory, Aiken, SC 29808 (1987).

APPENDIX A
GRIDDED TRITIUM RELEASE DATA

Tritium Release of 5/2/74

| East
meters | North
meters | <u>Tritium Concentration, pCi/mL on Date Collected</u> | | | | | <u>5/9</u> |
|------------------------|-------------------------|---|-------------------|-------------------|-------------------|-------------------|-------------------|
| | | <u>5/2</u> | <u>5/3</u> | <u>5/6</u> | <u>5/7</u> | <u>5/8</u> | |
| 31893 | 28293 | 119 | | | | | |
| 32092 | 28193 | 10 | | | | | |
| 25724 | 38492 | 4 | | | | | |
| 43423 | 56569 | 2 | | | | | |
| 52590 | 77298 | 11 | | | | | |
| 3485 | -464 | | 43 | | | | |
| 12440 | -5737 | | 25 | | | | |
| 16669 | 5407 | | 12 | | | | |
| 13684 | 4760 | | | | | 13 | |
| 11396 | 4860 | | | | | 14 | |
| 8460 | 5457 | | | | | 14 | |
| 7664 | 4064 | | | | | 10 | |
| 5177 | 4959 | | | | | 8 | |
| 5873 | 8193 | | | | | 7 | |
| 3177 | 7099 | | | | | 5 | |
| 600 | 1676 | | | | | 20 | |
| 1142 | 1178 | | | | | 24 | |
| 1685 | 681 | | | | | 62 | |
| 2228 | 183 | | | | | 27 | |
| 2770 | -314 | | | | | 12 | |
| 2988 | -513 | | | | | | |
| -3182 | 11477 | | 1 | | | | |
| -2933 | 10631 | | 1 | | 5 | | |
| -2684 | 9785 | | 1 | | | | |
| -614 | 10103 | | 3 | | | | |
| 1455 | 10422 | | 2 | | | | |
| 3525 | 10740 | | 4 | | | | |
| 5595 | 11059 | | 15 | | | | |
| 7664 | 11377 | | 3 | | | | |
| 8958 | 9074 | | 4 | | | | |
| 10898 | 12372 | | 6 | | | | |
| 11595 | 11974 | | 244 | | 43 | | |
| 12759 | 10844 | | 1620 | | 345 | | |
| 14040 | 9600 | | 4630 | | 242 | | |
| 15204 | 8470 | | 309 | | 118 | | |
| 15903 | 7791 | | 4 | | | | |
| 17067 | 6661 | | 2 | | | | |
| 17664 | 4661 | | 5 | | | | |
| 17767 | 3105 | | 4 | | | | |
| 17870 | 1549 | | 5 | | | | |
| 17972 | -6 | | 3 | | | | |

Tritium Release of 5/2/74 (continued)

| East
meters | North
meters | <u>Tritium Concentration, pCi/mL on Date Collected</u> | | | | | <u>5/9</u> |
|------------------------|-------------------------|---|-------------------|-------------------|-------------------|-------------------|-------------------|
| | | <u>5/2</u> | <u>5/3</u> | <u>5/6</u> | <u>5/7</u> | <u>5/8</u> | |
| 18075 | -1562 | | 4 | | | | |
| 18177 | -3118 | | 5 | | | | |
| 18301 | -4985 | | 4 | | | | |
| 18311 | -5140 | | 6 | | | | |
| 17465 | -5140 | | 5 | | | | |
| 17266 | -9916 | | 2 | | | | |
| 14580 | -15887 | | 3 | | | | |
| 10500 | -23001 | | 2 | | | | |
| 22391 | 13765 | | | | 616 | | |
| 22639 | 15382 | | | | 1197 | | |
| 22888 | 16999 | | | | 209 | | |
| 23137 | 18616 | | 2200 | | 190 | | |
| 23386 | 20233 | | | | 182 | | |
| 23634 | 21850 | | | | 57 | | |
| 23883 | 23467 | | 31 | | 42 | | |
| 24480 | 18293 | | | | 31 | | |
| 23187 | 21775 | | | | 59 | | |
| 26192 | 25569 | | 221 | | | | |
| 26150 | 25556 | | | | 24 | | |
| 27806 | 25105 | | | | 210 | | |
| 29462 | 24655 | | | | 120 | | |
| 31119 | 24204 | | | | 5 | | |
| 32775 | 23754 | | | | 83 | | |
| 34431 | 23303 | | | | 36 | | |
| 34928 | 23168 | | | | 9 | | |
| 34878 | 22273 | | 27 | | | | |
| 12789 | 20979 | | | | 4 | | |
| 13505 | 19616 | | | | 3 | | |
| 14221 | 18253 | | | | 8 | | |
| 14938 | 16890 | | | | 45 | | |
| 15654 | 15526 | | | | 10 | | |
| 16371 | 14163 | | | | 47 | | |
| 17167 | 13865 | | | | 538 | | |
| 18641 | 13195 | | | | 652 | | |
| 20853 | 12191 | | | | 395 | | 283 |
| 21590 | 11857 | | | | 85 | | |
| 23064 | 11187 | | | | 9 | | |
| 24539 | 10518 | | | | 6 | | |
| 25276 | 10183 | | | | 5 | | |
| 8759 | 11974 | | | 4 | | | |

Tritium Release of 5/2/74 (continued)

| <u>East
meters</u> | <u>North
meters</u> | <u>Tritium Concentration, pCi/mL on Date Collected</u> | | | | | <u>5/9</u> |
|------------------------|-------------------------|--|------------|------------|------------|------------|------------|
| | | <u>5/2</u> | <u>5/3</u> | <u>5/6</u> | <u>5/7</u> | <u>5/8</u> | |
| 11660 | 17691 | | | 2 | | | |
| 12490 | 21974 | | | 2 | | | |
| 14934 | 29094 | | | 4 | | | |
| 15177 | 31477 | | | 2 | | | |
| 21694 | 37895 | | | 2 | | | |
| 26922 | 40164 | | | 2 | | | |
| 41197 | 69686 | | | | | | 3 |
| 54381 | 77895 | | | | | | 1 |
| 56769 | 89004 | | | | | | 3 |
| 92315 | 63185 | | | | | | 1 |
| 92962 | 50185 | | | | | | 2 |
| 81120 | 41606 | | | | | | 1 |
| 73911 | 22381 | | | | | | 17 |
| 43286 | -12006 | | 2 | | | | |
| 45257 | 4215 | | 3 | | | | |
| 46890 | 17655 | | 10 | | | | |
| 47979 | 26615 | | 8 | | | | |
| 49105 | 35884 | | 4 | | | | |
| 50232 | 45153 | | 41 | | | | |
| 51170 | 52877 | | 9 | | | | |
| 52297 | 62146 | | 23 | | | | |
| 53423 | 71415 | | 14 | | | | |
| 13684 | 5158 | | 291 | | | | |
| 21296 | 12472 | | 39 | 4 | | | |
| 21495 | 12571 | | 129 | | | | |
| 26868 | 17895 | | | | 41 | | |
| 33731 | 24800 | | | | 29 | | |
| 33491 | 26236 | | | | 70 | | |
| 33252 | 27672 | | | | 63 | | |
| 33013 | 29108 | | | | 85 | | |
| 32654 | 31262 | | | | 64 | | |
| 32415 | 32697 | | | | 33 | | |
| 32175 | 34133 | | | | 47 | | |
| 31936 | 35569 | | | | 39 | | |
| 31697 | 37005 | | | | 22 | | |
| 31577 | 37723 | | | | 20 | | |
| 30896 | 38075 | | | | 7 | | |
| 29533 | 38778 | | | | 5 | | |
| 28170 | 39481 | | | | 4 | | |
| 26808 | 40185 | | | | 3 | | |

Release of December 31, 1975

East-West South-Nor Tritium
meters meters pCi/mL

Vegetation

2590	-245	11
2938	-464	687
4231	581	7
2142	10681	3
15376	7994	4
16393	6778	0
17664	5258	0
17653	3694	2
17641	2130	3
17630	567	27
17619	-997	92
17607	-2560	8
17596	-4124	9
17587	-5297	13
17576	-6860	17
17565	-8424	9

East-West South-Nor Tritium
meters meters pCi/mL

Vegetation

11700	200	6
11400	-300	91
11200	-700	72
11000	-1100	9
3100	-800	9
2968	-494	17
3485	-464	36

Soil

11700	200	13
11400	-300	186
11200	-700	242
11000	-1100	8
3100	-800	10
2968	-494	13
3485	-464	10

Release March 27, 1984 - Vegetation			
East-West	South-North	Tritium	Error
meters	meters	pCi/mL	pCi/mL
10002	2155	42	4
12400	2074	20	4
13169	3490	76	4
13916	5048	4858	146
14527	6323	4564	137
15206	7739	2114	63
15376	8094	268	8
16300	6700	278	14
17400	3500	56	11

Release of July 16, 1983: Vegetation

| East
meters | North
meters | Trilium
pC/cm, | error
pC/cm, | East
meters | North
meters | Trilium
pC/cm, | error
pC/cm, |
|----------------|-----------------|-------------------|-----------------|----------------|-----------------|-------------------|-----------------|
| 13789 | 31477 | 8 | 1 | 75093 | 10071 | 8 | 1 |
| 14301 | 18144 | 8 | 1 | 75093 | 10071 | 8 | 1 |
| 15773 | 15810 | 13 | 1 | 75093 | 10071 | 8 | 1 |
| 15376 | 7004 | 33 | 1 | 76731 | 13000 | 8 | 1 |
| 13733 | 2158 | 30 | 3 | 76731 | 13000 | 8 | 1 |
| 12500 | 2123 | 30 | 3 | 76731 | 13000 | 8 | 1 |
| 13703 | 2755 | 30 | 3 | 76731 | 13000 | 8 | 1 |
| 18361 | 2506 | 110 | 4 | 76731 | 13000 | 8 | 1 |
| 17167 | 2133 | 108 | 4 | 76731 | 13000 | 8 | 1 |
| 17237 | 1720 | 63 | 3 | 76731 | 13000 | 8 | 1 |
| 17518 | 111 | 101 | 3 | 76731 | 13000 | 8 | 1 |
| 17700 | 1507 | 13 | 3 | 76731 | 13000 | 8 | 1 |
| 18080 | 3123 | 8 | 1 | 76731 | 13000 | 8 | 1 |
| 18361 | 3742 | 8 | 1 | 76731 | 13000 | 8 | 1 |
| 16609 | 5240 | 8 | 1 | 76731 | 13000 | 8 | 1 |
| 17465 | 5240 | 8 | 1 | 76731 | 13000 | 8 | 1 |
| 18361 | 5248 | 8 | 1 | 76731 | 13000 | 8 | 1 |
| 18361 | 5240 | 8 | 1 | 76731 | 13000 | 8 | 1 |
| 17088 | 6832 | 3 | 1 | 76731 | 13000 | 8 | 1 |
| 17613 | 7423 | 3 | 1 | 76731 | 13000 | 8 | 1 |
| 12291 | 21110 | 3 | 1 | 76731 | 13000 | 8 | 1 |
| 8833 | 10916 | 3 | 1 | 76731 | 13000 | 8 | 1 |
| 5376 | 18722 | 3 | 1 | 76731 | 13000 | 8 | 1 |
| 34380 | 22069 | 0 | 1 | 76731 | 13000 | 8 | 1 |
| 27565 | 11924 | 22 | 3 | 76731 | 13000 | 8 | 1 |
| 25276 | 10004 | 44 | 2 | 76731 | 13000 | 8 | 1 |
| 47316 | 4163 | 80 | 3 | 76731 | 13000 | 8 | 1 |
| 66808 | 44646 | 2 | 1 | 76731 | 13000 | 8 | 1 |
| 69985 | 37608 | 2 | 1 | 76731 | 13000 | 8 | 1 |
| 73162 | 30569 | 2 | 1 | 76731 | 13000 | 8 | 1 |
| 74327 | 20632 | 1 | 1 | 76731 | 13000 | 8 | 1 |

Year	Month	Day	Time	Location	Temperature (°C)	Humidity (%)	Wind Speed (km/h)	Wind Direction	Cloud Cover (%)	Visibility (km)	Pressure (hPa)	Notes
1998	1	1	08:00	Station A	15.2	65	12	SE	10	10	1015.2	Clear
1998	1	2	08:00	Station A	14.8	68	10	SE	15	10	1014.8	Clear
1998	1	3	08:00	Station A	15.5	62	15	SE	10	10	1015.5	Clear
1998	1	4	08:00	Station A	16.0	60	18	SE	10	10	1016.0	Clear
1998	1	5	08:00	Station A	15.8	63	14	SE	10	10	1015.8	Clear
1998	1	6	08:00	Station A	16.2	58	20	SE	10	10	1016.2	Clear
1998	1	7	08:00	Station A	16.5	55	22	SE	10	10	1016.5	Clear
1998	1	8	08:00	Station A	16.8	52	25	SE	10	10	1016.8	Clear
1998	1	9	08:00	Station A	17.0	50	28	SE	10	10	1017.0	Clear
1998	1	10	08:00	Station A	17.2	48	30	SE	10	10	1017.2	Clear
1998	1	11	08:00	Station A	17.5	45	32	SE	10	10	1017.5	Clear
1998	1	12	08:00	Station A	17.8	42	35	SE	10	10	1017.8	Clear
1998	1	13	08:00	Station A	18.0	40	38	SE	10	10	1018.0	Clear
1998	1	14	08:00	Station A	18.2	38	40	SE	10	10	1018.2	Clear
1998	1	15	08:00	Station A	18.5	35	42	SE	10	10	1018.5	Clear
1998	1	16	08:00	Station A	18.8	32	45	SE	10	10	1018.8	Clear
1998	1	17	08:00	Station A	19.0	30	48	SE	10	10	1019.0	Clear
1998	1	18	08:00	Station A	19.2	28	50	SE	10	10	1019.2	Clear
1998	1	19	08:00	Station A	19.5	25	52	SE	10	10	1019.5	Clear
1998	1	20	08:00	Station A	19.8	22	55	SE	10	10	1019.8	Clear
1998	1	21	08:00	Station A	20.0	20	58	SE	10	10	1020.0	Clear
1998	1	22	08:00	Station A	20.2	18	60	SE	10	10	1020.2	Clear
1998	1	23	08:00	Station A	20.5	15	62	SE	10	10	1020.5	Clear
1998	1	24	08:00	Station A	20.8	12	65	SE	10	10	1020.8	Clear
1998	1	25	08:00	Station A	21.0	10	68	SE	10	10	1021.0	Clear
1998	1	26	08:00	Station A	21.2	8	70	SE	10	10	1021.2	Clear
1998	1	27	08:00	Station A	21.5	5	72	SE	10	10	1021.5	Clear
1998	1	28	08:00	Station A	21.8	3	75	SE	10	10	1021.8	Clear
1998	1	29	08:00	Station A	22.0	2	78	SE	10	10	1022.0	Clear
1998	1	30	08:00	Station A	22.2	1	80	SE	10	10	1022.2	Clear
1998	1	31	08:00	Station A	22.5	0	82	SE	10	10	1022.5	Clear
1998	2	1	08:00	Station A	22.8	0	85	SE	10	10	1022.8	Clear
1998	2	2	08:00	Station A	23.0	0	88	SE	10	10	1023.0	Clear
1998	2	3	08:00	Station A	23.2	0	90	SE	10	10	1023.2	Clear
1998	2	4	08:00	Station A	23.5	0	92	SE	10	10	1023.5	Clear
1998	2	5	08:00	Station A	23.8	0	95	SE	10	10	1023.8	Clear
1998	2	6	08:00	Station A	24.0	0	98	SE	10	10	1024.0	Clear
1998	2	7	08:00	Station A	24.2	0	100	SE	10	10	1024.2	Clear
1998	2	8	08:00	Station A	24.5	0	102	SE	10	10	1024.5	Clear
1998	2	9	08:00	Station A	24.8	0	104	SE	10	10	1024.8	Clear
1998	2	10	08:00	Station A	25.0	0	106	SE	10	10	1025.0	Clear
1998	2	11	08:00	Station A	25.2	0	108	SE	10	10	1025.2	Clear
1998	2	12	08:00	Station A	25.5	0	110	SE	10	10	1025.5	Clear
1998	2	13	08:00	Station A	25.8	0	112	SE	10	10	1025.8	Clear
1998	2	14	08:00	Station A	26.0	0	114	SE	10	10	1026.0	Clear
1998	2	15	08:00	Station A	26.2	0	116	SE	10	10	1026.2	Clear
1998	2	16	08:00	Station A	26.5	0	118	SE	10	10	1026.5	Clear
1998	2	17	08:00	Station A	26.8	0	120	SE	10	10	1026.8	Clear
1998	2	18	08:00	Station A	27.0	0	122	SE	10	10	1027.0	Clear
1998	2	19	08:00	Station A	27.2	0	124	SE	10	10	1027.2	Clear
1998	2	20	08:00	Station A	27.5	0	126	SE	10	10	1027.5	Clear
1998	2	21	08:00	Station A	27.8	0	128	SE	10	10	1027.8	Clear
1998	2	22	08:00	Station A	28.0	0	130	SE	10	10	1028.0	Clear
1998	2	23	08:00	Station A	28.2	0	132	SE	10	10	1028.2	Clear
1998	2	24	08:00	Station A	28.5	0	134	SE	10	10	1028.5	Clear
1998	2	25	08:00	Station A	28.8	0	136	SE	10	10	1028.8	Clear
1998	2	26	08:00	Station A	29.0	0	138	SE	10	10	1029.0	Clear
1998	2	27	08:00	Station A	29.2	0	140	SE	10	10	1029.2	Clear
1998	2	28	08:00	Station A	29.5	0	142	SE	10	10	1029.5	Clear
1998	2	29	08:00	Station A	29.8	0	144	SE	10	10	1029.8	Clear
1998	2	30	08:00	Station A	30.0	0	146	SE	10	10	1030.0	Clear
1998	2	31	08:00	Station A	30.2	0	148	SE	10	10	1030.2	Clear

**Tritium Release of 3/23/84 - Vegetation
(continued)**

| East
meters | North
meters | Tritium
pCi/mL | Error
pCi/mL |
|------------------------|-------------------------|---------------------------|-------------------------|
| 76528 | "11536 | 60 | 2 |
| 76654 | "13149 | 90 | 3 |
| 76780 | "14762 | 70 | 2 |
| 77031 | "17988 | 90 | 3 |
| 77283 | "21214 | 80 | 3 |
| 77535 | "24440 | 40 | 2 |
| 77787 | "27666 | 12 | 1 |
| 78038 | "30892 | 0 | 1 |

Release of September 3, 1984 - Vegetation

| East
meters | North
meters | Tritium
pCi/mL | East
meters | North
meters | Tritium
pCi/mL |
|------------------------|-------------------------|---------------------------|------------------------|-------------------------|---------------------------|
| -744 | 2641 | 25 | 11575 | 21875 | 1249 |
| -1739 | 4014 | 7 | -11988 | 4362 | 46 |
| -2386 | 5556 | 5 | -11174 | 5634 | 2 |
| -3032 | 7099 | 4 | -10361 | 6906 | 17 |
| -3132 | 10094 | 3 | -9548 | 8178 | 5 |
| -3231 | 13089 | 3 | -8734 | 9450 | 3 |
| -147 | 12074 | 16 | -7921 | 10722 | 6 |
| -3052 | 11497 | 12 | -7311 | 11676 | 9 |
| -2811 | 12101 | 167 | -3948 | 11775 | 19 |
| -2087 | 13914 | 481 | -2587 | 11158 | 500 |
| -2521 | 12826 | 1399 | -1906 | 10850 | 1331 |
| -2328 | 13310 | 349 | -545 | 10233 | 2522 |
| -2087 | 13914 | 330 | 1130 | 10520 | 1380 |
| -3034 | 16492 | 830 | 2805 | 10807 | 168 |
| -3982 | 19069 | 1911 | 4479 | 11095 | 198 |
| -4929 | 21646 | 119 | 6154 | 11382 | 110 |
| -5877 | 24223 | 10 | 7829 | 11669 | 406 |
| -6824 | 26800 | 7 | 11346 | 12273 | 978 |
| -4148 | 33375 | 55 | -2784 | 11327 | 327 |
| -3695 | 34959 | 4 | -2070 | 11012 | 22 |
| -3242 | 36544 | 3 | -1357 | 10697 | 29 |
| -2789 | 38128 | 28 | -1001 | 10540 | 68 |
| -2336 | 39713 | 1 | -644 | 10382 | 34 |
| -1883 | 41297 | 1 | 130 | 10486 | 64 |
| -1430 | 42882 | 1 | 517 | 10538 | 49 |
| -977 | 44466 | 2 | 904 | 10590 | 54 |
| -524 | 46051 | 115 | 1679 | 10694 | 71 |
| -21938 | 15755 | 2 | 2066 | 10745 | 49 |
| -20047 | 17596 | 2 | 2453 | 10797 | 53 |
| -18505 | 18094 | 2 | 3228 | 10901 | 16 |
| -17560 | 21178 | 53 | 3615 | 10953 | 21 |
| -15520 | 23666 | 2 | 4002 | 11005 | 16 |
| -13154 | 24965 | 2 | 4776 | 11109 | 10 |
| -11396 | 26571 | 1 | 5164 | 11161 | 13 |
| -7696 | 23895 | 6 | 5551 | 11213 | 25 |
| -4454 | 27029 | 379 | 6325 | 11317 | 9 |
| -2084 | 28406 | 303 | 6712 | 11368 | 7 |
| 806 | 27029 | 2192 | 7100 | 11420 | 7 |
| 3833 | 25974 | 9859 | 7874 | 11524 | 7 |
| 6922 | 25118 | 4059 | 8261 | 11576 | 14 |
| 10011 | 24124 | 2226 | -18812 | 49782 | 3 |

**Release of September 3, 1984 -Vegetation
(continued)**

| East
<u>meters</u> | North
<u>meters</u> | Tritium
<u>pCi/mL</u> | East
<u>meters</u> | North
<u>meters</u> | Tritium
<u>pCi/mL</u> |
|-------------------------------|--------------------------------|----------------------------------|-------------------------------|--------------------------------|----------------------------------|
| -8200 | 38941 | 5 | 12490 | 11145 | 297 |
| -2436 | 41617 | 88 | 13585 | 9968 | 54 |
| 3329 | 44292 | 209 | 14679 | 8790 | 165 |
| 11570 | 51311 | 352 | 15326 | 7994 | 31 |
| 15546 | 46127 | 233 | 12789 | 21477 | 17 |
| 23940 | 41387 | 197 | 14381 | 18118 | 173 |
| 26998 | 40011 | 331 | 15973 | 14760 | 484 |
| 31570 | 37412 | 284 | 15973 | 14760 | 279 |
| 32304 | 30623 | 206 | 17963 | 13765 | 257 |
| 34323 | 23283 | 152 | 21047 | 12571 | 331 |
| 44628 | 24354 | 49 | 22107 | 11995 | 140 |
| 48986 | 27024 | 30 | 24933 | 10460 | 23 |
| -10632 | 44751 | 1 | 25993 | 9885 | 20 |
| -8965 | 49858 | 1 | 35893 | 22591 | 72 |
| -13843 | 58635 | 1 | 33252 | 26785 | 79 |
| -14607 | 64751 | 4 | 32335 | 20699 | 67 |
| -13154 | 72305 | 1 | | | |
| -10784 | 79858 | 1 | | | |
| -6213 | 30622 | 127 | | | |
| -4152 | 37587 | 129 | | | |
| -2092 | 44552 | 256 | | | |
| -31 | 51517 | 208 | | | |
| 2029 | 58482 | 165 | | | |
| 7297 | 63864 | 172 | | | |
| 12564 | 69246 | 89 | | | |
| 20508 | 72763 | 75 | | | |
| 28451 | 76280 | 80 | | | |
| 11112 | 66953 | 3 | | | |
| 12144 | 65753 | 7 | | | |
| 13176 | 64552 | 6 | | | |
| 14208 | 63352 | 13 | | | |
| 15240 | 62152 | 29 | | | |
| 8543 | 68584 | 4 | | | |
| 7258 | 69399 | 6 | | | |
| 5974 | 70215 | 6 | | | |
| 4690 | 71030 | 1 | | | |
| 3405 | 71846 | 1 | | | |
| 11396 | 12322 | 504 | | | |

Release of January 31, 1985 - Vegetation

| <u>East</u>
<u>meters</u> | <u>North</u>
<u>meters</u> | <u>Tritium</u>
<u>pCi/mL</u> | <u>Error</u>
<u>pCi/mL</u> | <u>East</u>
<u>meters</u> | <u>North</u>
<u>meters</u> | <u>Tritium</u>
<u>pCi/mL</u> | <u>Error</u>
<u>pCi/mL</u> |
|--|---|---|---|--|---|---|---|
| 2938 | -513 | 44 | 2 | 12659 | 10880 | 55 | 2 |
| 2291 | -248 | 33 | 2 | 12988 | 10531 | 12 | 1 |
| 1644 | 17 | 35 | 2 | 13316 | 10183 | 13 | 1 |
| 998 | 283 | 48 | 2 | 13644 | 9835 | 12 | 1 |
| 351 | 548 | 61 | 2 | 13973 | 9487 | 10 | 1 |
| -296 | 813 | 190 | 4 | 14301 | 9138 | 10 | 1 |
| -943 | 1079 | 7600 | 15 | 14629 | 8790 | 12 | 1 |
| -1590 | 1344 | 590 | 12 | 14978 | 8442 | 10 | 1 |
| -2236 | 1609 | 230 | 5 | 15575 | 7646 | 7 | 1 |
| -2883 | 1875 | 78 | 2 | 16595 | 6427 | 4 | 1 |
| -3530 | 2140 | 72 | 2 | 17614 | 5208 | 3 | 1 |
| -4177 | 2405 | 84 | 3 | 17167 | 3467 | 3 | 1 |
| -4823 | 2671 | 46 | 2 | 17117 | 2074 | 4 | 1 |
| -3162 | 11427 | 10 | 1 | 17167 | 1626 | 4 | 1 |
| -1614 | 10830 | 12 | 1 | 8757 | 24506 | 2 | 1 |
| -67 | 10233 | 4 | 1 | 9124 | 24328 | 3 | 1 |
| 1535 | 10457 | 5 | 1 | 9491 | 24150 | 4 | 1 |
| 3137 | 10681 | 5 | 1 | 9858 | 23971 | 3 | 1 |
| 3548 | 10744 | 6 | 1 | 10225 | 23793 | 7 | 1 |
| 3960 | 10807 | 13 | 1 | 10592 | 23614 | 12 | 1 |
| 4372 | 10871 | 32 | 1 | 10959 | 23436 | 14 | 1 |
| 4783 | 10934 | 43 | 2 | 11166 | 23087 | 11 | 1 |
| 5195 | 10997 | 42 | 2 | 11372 | 22738 | 23 | 2 |
| 5606 | 11061 | 42 | 2 | 11579 | 22389 | 22 | 2 |
| 6018 | 11124 | 49 | 2 | 11786 | 22040 | 19 | 1 |
| 6429 | 11187 | 54 | 2 | 11993 | 21691 | 27 | 2 |
| 6841 | 11250 | 51 | 2 | 12200 | 21342 | 27 | 2 |
| 7253 | 11314 | 65 | 2 | 12407 | 20993 | 29 | 2 |
| 7664 | 11377 | 76 | 2 | 12613 | 20644 | 39 | 2 |
| 8037 | 11546 | 100 | 3 | 12820 | 20295 | 44 | 2 |
| 8410 | 11546 | 150 | 13 | 13027 | 19946 | 84 | 2 |
| 8784 | 11546 | 220 | 5 | 13234 | 19596 | 180 | 3 |
| 9157 | 11546 | 340 | 7 | 13441 | 19247 | 200 | 4 |
| 9530 | 11546 | 450 | 9 | 13648 | 18898 | 250 | 5 |
| 9903 | 12392 | 370 | 8 | 13854 | 18549 | 380 | 8 |
| 10384 | 12352 | 210 | 4 | 14061 | 18200 | 240 | 5 |
| 10865 | 12312 | 420 | 9 | 14268 | 17851 | 380 | 8 |
| 11346 | 12273 | 180 | 3 | 14475 | 17502 | 210 | 4 |
| 11674 | 11924 | 250 | 3 | 14682 | 17153 | 150 | 3 |
| 12002 | 11576 | 70 | 2 | 14889 | 16804 | 110 | 3 |
| 12331 | 11228 | 130 | 2 | 15096 | 16455 | 77 | 2 |

Release of January 31, 1985 - Vegetation
(continued)

| East
meters | North
meters | Tritium
pCi/mL | Error
pCi/mL |
|------------------------|-------------------------|---------------------------|-------------------------|
| 15302 | 16106 | 52 | 2 |
| 15509 | 15757 | 38 | 2 |
| 15716 | 15408 | 14 | 1 |
| 15923 | 15059 | 9 | 1 |
| 11647 | 51387 | -0 | 1 |
| 13762 | 48946 | 0 | 1 |
| 15877 | 46504 | 1 | 1 |
| 17992 | 44063 | 2 | 1 |
| 20969 | 42712 | 12 | 1 |
| 23945 | 41362 | 10 | 1 |
| 24690 | 41024 | 140 | 3 |
| 25434 | 40686 | 120 | 2 |
| 26178 | 40349 | 160 | 3 |
| 26922 | 40011 | 180 | 4 |
| 27614 | 39608 | 87 | 2 |
| 28306 | 39204 | 64 | 2 |
| 28998 | 38801 | 51 | 1 |
| 29690 | 38398 | 24 | 2 |
| 32457 | 36785 | 3 | 1 |
| 35225 | 35172 | 8 | 1 |
| 37992 | 33558 | 0 | 1 |
| 40760 | 31945 | 1 | 1 |
| 43528 | 30332 | 2 | 1 |
| 46295 | 28719 | 3 | 1 |
| 49063 | 27106 | -0 | 1 |
| 33940 | 43681 | 15 | 1 |
| 36960 | 51158 | 66 | 2 |
| 39980 | 58635 | 33 | 1 |
| 44980 | 64935 | 1 | 1 |
| 49980 | 71234 | 1 | 1 |

Release of March 27, 1985 - Vegetation

| East
<u>(meters)</u> | North
<u>(meters)</u> | Tritium
<u>pCi/mL</u> | Error
<u>pCi/mL</u> | East
<u>(meters)</u> | North
<u>(meters)</u> | Tritium
<u>pCi/mL</u> | Error
<u>pCi/mL</u> |
|---------------------------------------|--|--|--------------------------------------|---------------------------------------|--|--|--------------------------------------|
| -200 | 1000 | 96 | 3 | 13447 | 10253 | 482 | 10 |
| 14 | 843 | 164 | 4 | 14059 | 9641 | 243 | 5 |
| 229 | 686 | 4010 | 80 | 14671 | 9029 | 131 | 3 |
| 443 | 529 | 61800 | 1240 | 15282 | 8418 | 17 | 2 |
| 657 | 371 | 22100 | 440 | 15894 | 7806 | 7 | 1 |
| 871 | 214 | 161 | 3 | 16506 | 7194 | 5 | 1 |
| 1086 | 57 | 74 | 2 | 17118 | 6582 | 8 | 1 |
| 1300 | -100 | 59 | 2 | 17729 | 5971 | 7 | 1 |
| -600 | 2900 | 68 | 2 | 18341 | 5359 | 5 | 1 |
| -325 | 2650 | 47 | 2 | 18953 | 4747 | 5 | 1 |
| -50 | 2400 | 34 | 2 | 19565 | 4135 | 6 | 1 |
| 225 | 2150 | 136 | 3 | 20176 | 3524 | 6 | 1 |
| 500 | 1900 | 2380 | 48 | 20788 | 2912 | 6 | 1 |
| 775 | 1650 | 27200 | 540 | 21400 | 2300 | 2 | 1 |
| 1050 | 1400 | 15900 | 318 | 2200 | 29500 | 0 | 1 |
| 1325 | 1150 | 8950 | 179 | 3787 | 29357 | 2 | 1 |
| 1600 | 900 | 48 | 2 | 5375 | 29214 | 1 | 1 |
| 1875 | 650 | 57 | 2 | 6962 | 29071 | 1 | 1 |
| 2150 | 400 | 30 | 2 | 8549 | 28929 | 2 | 1 |
| 2425 | 150 | 32 | 2 | 9025 | 28886 | 0 | 1 |
| 2700 | -100 | 38 | 2 | 9819 | 28814 | 3 | 1 |
| 3300 | 11100 | 4 | 1 | 10613 | 28743 | 1 | 1 |
| 4070 | 11260 | 6 | 1 | 11406 | 28671 | 1 | 1 |
| 4840 | 11420 | 7 | 1 | 12200 | 28600 | 1 | 1 |
| 5610 | 11580 | 6 | 1 | 13152 | 28514 | 1 | 1 |
| 6380 | 11740 | 4 | 1 | 13946 | 28443 | 3 | 1 |
| 7150 | 11900 | 16 | 1 | 15057 | 28343 | 2 | 1 |
| 7920 | 12060 | 53 | 2 | 15533 | 28300 | 3 | 1 |
| 8690 | 12220 | 57 | 2 | 16327 | 28229 | 4 | 1 |
| 9075 | 12300 | 68 | 2 | 17438 | 28129 | 11 | 1 |
| 9460 | 12380 | 93 | 3 | 18390 | 28043 | 17 | 1 |
| 9845 | 12460 | 59 | 2 | 19502 | 27943 | 39 | 2 |
| 10230 | 12540 | 145 | 3 | 20295 | 27871 | 42 | 2 |
| 10615 | 12620 | 169 | 3 | 21248 | 27786 | 99 | 3 |
| 11000 | 12700 | 208 | 4 | 22200 | 27700 | 142 | 3 |
| 11306 | 12394 | 290 | 6 | 22994 | 27629 | 241 | 5 |
| 11612 | 12088 | 971 | 20 | 23787 | 27557 | 492 | 10 |
| 11918 | 11782 | 790 | 16 | 24740 | 27471 | 477 | 10 |
| 12224 | 11476 | 834 | 17 | 25692 | 27386 | 589 | 11 |
| 12529 | 11171 | 533 | 11 | 27121 | 27257 | 372 | 8 |
| 12835 | 10865 | 484 | 10 | 28708 | 27114 | 257 | 5 |

Release of March 27, 1985 (continued)

| East
<u>(meters)</u> | North
<u>(meters)</u> | Tritium
<u>pCi/mL</u> | Error
<u>pCi/mL</u> |
|---------------------------------------|--|--|--------------------------------------|
| 30613 | 26943 | 68 | 2 |
| 32200 | 26800 | 12 | 1 |
| 50500 | 48400 | 143 | 3 |
| 50629 | 50100 | 127 | 3 |
| 50757 | 51800 | 34 | 2 |
| 50886 | 53500 | 9 | 1 |
| 51014 | 55200 | 3 | 1 |
| 51143 | 56900 | 2 | 1 |
| 51271 | 58600 | 1 | 1 |
| 51400 | 60300 | 1 | 1 |
| 40500 | 60300 | -0 | 1 |
| 38618 | 64909 | 0 | 1 |
| 36736 | 69518 | 0 | 1 |
| 34855 | 74127 | -0 | 1 |
| 33600 | 77200 | 0 | 1 |

Release of July 31, 1987 - Vegetation

| <u>East
meters</u> | <u>North
meters</u> | <u>Tritium
pCi/mL</u> | <u>Error
pCi/mL</u> | <u>East
meters</u> | <u>North
meters</u> | <u>Tritium
pCi/mL</u> | <u>Error
pCi/mL</u> |
|------------------------|-------------------------|---------------------------|-------------------------|------------------------|-------------------------|---------------------------|-------------------------|
| 600 | 1676 | 14 | 2 | 46286 | 28751 | 0 | 2 |
| 898 | 1402 | 19 | 1 | 47628 | 27898 | 3 | 4 |
| 1197 | 1128 | 43 | 4 | 48971 | 27045 | 0 | 19 |
| 1495 | 855 | 2350 | 13 | 48842 | 25428 | 1 | 2 |
| 1794 | 581 | 2350 | 25 | 48713 | 23811 | 1 | 2 |
| 2092 | 307 | 17 | 3 | 48584 | 22195 | 1 | 2 |
| 2391 | 34 | 32 | 7 | 48455 | 20578 | 1 | 2 |
| 2689 | -240 | 39 | 3 | 48327 | 18962 | 0 | 2 |
| 2988 | -513 | 33 | 7 | 48198 | 17345 | 1 | 2 |
| 1296 | -513 | 60 | 4 | 48069 | 15728 | 0 | 2 |
| 1197 | -115 | 72 | 5 | 47940 | 14112 | 0 | 2 |
| 1197 | 133 | 384 | 10 | 47811 | 12495 | 3 | 20 |
| 699 | 482 | 5760 | 39 | 47682 | 10878 | 1 | 2 |
| 3485 | -464 | 38 | 3 | 47553 | 9262 | 0 | 2 |
| 3465 | -882 | 39 | 4 | 47424 | 7645 | 1 | 2 |
| 3445 | -1300 | 32 | 3 | 47296 | 6029 | 1 | 1 |
| 3425 | -1717 | 18 | 2 | 47167 | 4412 | 1 | 1 |
| 3405 | -2135 | 76 | 5 | 46923 | 2452 | 1 | 1 |
| 3386 | -2553 | 19 | 3 | 46215 | -360 | 1 | 1 |
| 17565 | 5725 | 15 | 5 | 45862 | -1766 | 1 | 1 |
| 17453 | 4812 | 52 | 4 | 45508 | -3172 | 8 | 5 |
| 17341 | 3900 | 23 | 3 | 45154 | -4578 | 1 | 1 |
| 17229 | 2987 | 527 | 12 | 44801 | -5984 | 1 | 1 |
| 17117 | 2074 | 1270 | 19 | 44447 | -7390 | 0 | 1 |
| 17565 | 1377 | 2190 | 24 | 44093 | -8796 | 1 | 1 |
| 18012 | 681 | 2940 | 47 | 43739 | -10202 | 1 | 1 |
| 18055 | -57 | 4690 | 35 | 43386 | -11608 | 2 | 1 |
| 18097 | -795 | 2860 | 28 | 40882 | 32457 | 8 | 1 |
| 18139 | -1532 | 2230 | 24 | 39494 | 27542 | 5 | 1 |
| 18182 | -2270 | 527 | 12 | 38106 | 22626 | 4 | 1 |
| 18224 | -3007 | 216 | 8 | 36717 | 17710 | 6 | 1 |
| 18266 | -3745 | 56 | 4 | 35329 | 12794 | 2 | 1 |
| 18308 | -4482 | 9 | 2 | 33940 | 7878 | 2 | 1 |
| 18351 | -5220 | 8 | 2 | 32552 | 2962 | 4 | 1 |
| 18112 | -5240 | 4 | 1 | 31164 | -1954 | 3 | 1 |
| 17813 | -6882 | 4 | 2 | 29775 | -6870 | 4 | 1 |
| 17664 | -7702 | 16 | 5 | 28387 | -11786 | 1 | 1 |
| 17515 | -8523 | 3 | 2 | 26999 | -16702 | 4 | 1 |
| 42258 | 31311 | 1 | 2 | | | | |
| 43601 | 30457 | 2 | 2 | | | | |
| 44943 | 29604 | 2 | 2 | | | | |

Release of July 31, 1987 - Air

East	North		HTO	HT
<u>meters</u>	<u>meters</u>	<u>Time</u>	<u>pCi/cu m</u>	<u>pCi/cu m</u>
12900	12900	10:35	318	534
17200	1600	10:30	43000	1920000
17200	1600	11:20	175000	8460000
18100	-1400	11:04	56000	2350000
18100	-1400	12:10	286000	12100000
17700	5200	11:00	916	18600
17700	5200	11:30	1040	3120
24400	3300	12:45	3440	13200
24400	3300	13:20	45100	1250000
26500	8200	12:45	5270	1720000
26500	8200	13:20	5580	32700
17500	-5300	12:10	743	19500
17500	-5300	13:10	220	5850
25200	10000	14:05	4420	195000
25200	10000	14:40	21400	909000
34800	7200	14:15	451	8790
34800	7200	14:47	4170	539000
34800	7200	15:20	455	1120
25900	-4900	13:00	423	7240
25900	-4900	13:30	1170	5830
25900	-4900	14:00	191	1020
32300	30600	16:35	102	231
32300	30600	17:05	1280	3090
39600	15300	16:55	2840	523
27100	18000	15:15	435	131000
27100	18000	15:55	2150	769000
34500	22900	15:15	2430	5970
34500	22900	15:45	165	2720
40500	23800	16:37	36	12300
40500	23800	17:10	0	234
50500	36200	17:00	138	1060
51300	49600	17:50	66	1130
51300	49600	18:25	20	1510
15900	54600	18:20	637	1950
15900	54600	18:50	0	1890
72700	20300	18:22	0	3590
72700	20300	18:55	15	0

Figure 2. Spatial Coverage of Sampled Vegetation and Air for the Nine Tritium Releases.

Figure 2. Spatial Coverage of Sampled Vegetation and Air for the Nine Tritium Releases.
(continued)

APPENDIX B
BUSH FIELD METEOROLOGICAL DATA FOR
THE RELEASE PERIODS

| Month | Day | Hour | Cloud
Cover | Ceiling
m | Visi-
bility
km | Weather | Temperature | | | Rel.
Humid-
ity | Wind
Dir.
°Az | Speed
m/s |
|-------|-----|------|----------------|--------------|-----------------------|---------|-------------|-------------------|--------------------|-----------------------|---------------------|--------------|
| | | | | | | | Air
°C | Wet
Bulb
°C | Dew
Point
°C | | | |
1974												
5	2	4	0.7	193	11		15	13	13	90	300	1.5
5	2	7	1.0	193	6		17	16	13	87	100	1.5
5	2	10	0.9	302	8		25	19	16	86	370	1.5
5	2	13	1.0	161	10		28	13	15	43	100	0.7
5	2	16	0.5	UNL	11		28	19	13	43	300	0.5
5	2	19	0.4	UNL	13		26	18	13	47	300	3.1
5	2	22	0.8	UNL	13		22	17	11	61	310	3.0
5	3	1	1.0	UNL	13		18	16	13	81	170	1.5
5	3	4	0.8	UNL	11		19	17	16	81	330	1.6
5	3	7	0.0	UNL	11		19	17	16	81	240	1.6
5	3	10	0.1	UNL	11		26	21	18	63	350	7.3
5	3	13	0.5	UNL	16		30	21	17	45	370	7.3
5	3	16	0.5	UNL	16		30	21	16	43	370	6.5
5	3	19	0.6	UNL	19		28	19	13	44	360	5.1
5	3	22	0.6	UNL	13		23	17	13	55	300	3.1
5	4	1	0.7	161	16		19	15	13	65	100	1.0
5	4	4	0.2	UNL	16		17	14	12	75	310	3.1
5	4	7	0.0	UNL	16		17	14	13	81	320	1.5
5	4	10	0.0	UNL	11		25	18	13	47	300	5.1
5	4	13	0.2	UNL	16		26	19	13	43	130	3.1
5	4	16	0.5	UNL	13		12	20	13	41	300	3.1
5	4	19	1.0	16	2	TRW	19	16	13	76	330	7.7
5	4	22	1.0	51	13		12	16	15	87	300	3.6
5	5	1	1.0	19	11		17	16	16	90	150	3.1
5	5	4	1.0	211	10	K	17	16	16	90	330	3.1
5	5	7	1.0	19	3	F	18	17	16	90	300	3.1
5	5	10	1.0	26	10	P	18	17	16	87	100	3.6
5	5	13	1.0	30	16		23	18	16	64	160	3.1
5	5	16	1.0	10	10	R	16	13	13	87	300	5.1
5	5	19	1.0	10	11		13	12	12	90	300	4.1
5	5	22	1.0	13	10	KL	11	10	9	86	300	5.1
5	6	1	1.0	15	11		11	9	8	83	100	3.1
5	6	4	1.0	19	16		11	9	8	83	330	3.1
5	6	7	1.0	16	16		10	9	8	86	310	3.1
5	6	10	0.8	UNL	16		13	11	9	75	330	1.6
5	6	13	1.0	302	24		19	13	10	55	330	3.6
5	6	16	1.0	302	24		21	13	7	39	330	1.5
5	6	19	0.9	302	19		18	13	11	65	100	3.1
5	6	22	0.8	302	19		12	11	9	83	0	0.0

Time	Lat	Long	Alt	Weather	Temperature			Rel. Hum.	Wind Dir.	Wind Speed
					Air	Wet Bulb	Dew Point			
					(°C)	(°C)	(°C)	%	°Az	m/s
17:00	10	100	00		10	9	8	80	200	1.5
17:05	10	100	00	B	9	8	8	93	200	1.5
17:10	10	100	00	BLS	11	10	9	90	350	2.1
17:15	10	100	00		18	13	8	50	30	4.6
17:20	10	100	00		22	14	8	41	330	1.5
17:25	10	100	00		24	14	7	33	30	3.1
17:30	10	100	00		19	14	9	53	30	2.6
17:35	10	100	00		13	11	9	77	210	1.5
17:40	10	100	00		11	9	8	83	180	1.5
17:45	10	100	00		13	11	10	90	0	0.0
17:50	10	100	0	0-11	13	12	11	83	0	0.0
17:55	10	100	00		22	18	16	68	150	4.1
18:00	10	100	00		30	18	13	45	140	4.1
18:05	10	100	00		23	17	12	43	140	5.1
18:10	10	100	00		22	17	13	59	150	5.1
18:15	10	100	00		19	16	13	70	150	4.1
18:20	10	100	00	0-1	17	16	15	87	130	3.1
18:25	10	100	0	0-1	16	14	13	90	130	2.6
18:30	10	100	0	0-11	16	15	13	93	120	2.1
18:35	10	100	00	11	22	19	17	73	220	2.1
18:40	10	100	00		22	19	15	44	250	6.2
18:45	10	100	00		38	19	14	41	210	3.6
18:50	10	100	00		23	18	14	52	100	3.6
18:55	10	100	00		18	17	16	86	100	1.5
19:00	10	100	00		13	9	6	64	250	10.3
19:05	10	100	00		9	8	3	66	270	7.7
19:10	10	100	00		7	4	2	73	260	6.2
19:15	10	100	00		7	4	2	74	260	6.2
19:20	10	100	00		6	3	2	79	280	5.7
19:25	10	100	00		4	3	2	89	280	3.1
19:30	10	100	00		10	6	5	71	320	3.6
19:35	10	100	00		16	11	6	52	360	4.6
19:40	10	100	00		16	12	6	47	330	1.5
19:45	10	100	00		9	7	6	89	230	1.5

| Month | Day | Hour | Cloud
Cover | Ceiling
m | Visi-
bility
km | Weather | Temperature | | | Rel.
Hum.
% | Wind | |
|-------|-----|------|----------------|--------------|-----------------------|---------|-------------|-------------------|--------------------|-------------------|-------------|--------------|
| | | | | | | | Air
°C | Wet
Bulb
°C | Dew
Point
°C | | Dir.
°Az | Speed
m/s |
1981												
3	27	7	0.0	UNL	11		6	5	4	89	60	2.1
3	27	10	0.4	UNL	11		18	12	6	43	250	6.2
3	27	13	0.6	UNL	24		22	13	6	35	250	7.2
3	27	16	0.3	UNL	24		24	13	2	24	250	5.1
3	27	19	1.0	UNL	19		17	11	4	43	230	2.1
3	27	22	0.3	UNL	19		11	8	6	71	0	0.0
3	28	1	0.2	UNL	16		9	8	6	80	0	0.0
3	28	4	0.3	UNL	19		12	8	4	62	60	2.6
3	28	7	0.8	UNL	19		10	7	3	64	60	2.6
1983			0.0		0						0	0.0
7	16	19	0.8	402	8	H	28	23	21	63	110	2.1
7	16	22	0.4	UNL	8	H	26	22	21	74	80	2.1
7	17	1	0.3	UNL	8	H	25	21	19	71	160	1.5
7	17	4	0.3	UNL	6	H	23	20	18	76	0	0.0
7	17	7	0.7	UNL	3	H	24	21	19	71	0	0.0
7	17	10	0.1	UNL	3	H	31	24	21	53	0	0.0
7	17	13	0.2	UNL	3	H	34	26	22	49	110	3.6
7	17	16	0.4	UNL	3	TH	33	24	21	49	360	4.1
7	17	19	0.8	72	5	H	31	23	20	52	0	0.0
1984												
3	23	1	0.0	UNL	24		9	7	5	77	0	0.0
3	23	4	0.0	UNL	24		9	6	3	69	160	1.5
3	23	7	0.0	UNL	16		6	5	4	89	50	2.1
3	23	10	1.0	UNL	16		18	10	2	36	350	1.5
3	23	13	0.1	UNL	24		24	14	4	26	230	4.6
3	23	16	0.1	UNL	24		26	14	4	26	230	2.6
3	23	19	0.0	UNL	24		21	14	7	41	0	0.0
3	23	22	0.0	UNL	24		13	10	7	69	0	0.0
3	24	1	0.0	UNL	24		10	8	7	80	0	0.0
3	24	4	0.0	UNL	16		8	7	6	86	0	0.0

| Month | Day | Hour | Cloud
Cover | Ceiling
m | Visi-
bility
km | Weather | Temperature | | | Rel.
Hum.
% | Wind | |
|-------|-----|------|----------------|--------------|-----------------------|---------|-------------|-------------------|--------------------|-------------------|-------------|--------------|
| | | | | | | | Air
°C | Wet
Bulb
°C | Dew
Point
°C | | Dir.
°Az | Speed
m/s |
1974												
9	2	16	0.1	UNL	13		32	23	18	42	120	5.1
9	2	19	0.0	UNL	11		27	22	19	63	170	2.6
9	2	22	0.0	UNL	11		23	20	18	76	0	0.0
9	3	1	0.0	UNL	11		23	20	18	71	210	2.6
9	3	4	0.0	UNL	11		20	18	16	78	0	0.0
9	3	7	0.0	UNL	2	FH	20	18	17	81	0	0.0
9	3	10	0.0	UNL	11		29	23	20	57	230	2.6
9	3	13	0.3	UNL	13		33	23	18	41	200	4.6
9	3	16	0.2	UNL	16		34	23	18	40	220	5.1
9	3	19	0.7	UNL	11		28	22	19	59	170	2.6
1985												
1	31	13	1.0	40	2	FK	18	17	17	93	150	2.1
1	31	16	1.0	51	11	RW	23	20	18	71	200	8.2
1	31	19	1.0	145	16		21	19	18	84	170	3.6
1	31	22	0.6	UNL	19		19	17	16	81	180	4.1
2	1	1	1.0	UNL	16		19	18	17	87	170	4.1
2	1	4	1.0	34	13		19	18	17	90	180	6.2
2	1	7	1.0	55	13		19	18	17	87	190	4.6
2	1	10	1.0	23	13		20	18	17	81	180	7.2
2	1	13	1.0	47	13		24	19	17	64	210	8.2
1985												
3	27	10	0.4	UNL	16		19	14	9	51	220	6.2
3	27	13	0.7	UNL	19		24	15	7	33	240	7.2
3	27	16	1.0	402	24		25	15	7	32	230	6.2
3	27	19	1.0	402	16		22	14	8	43	190	3.6
3	27	22	1.0	129	14		20	14	8	47	210	2.1
3	28	1	1.0	97	16		21	14	9	49	220	4.6
3	28	4	0.8	UNL	16		18	14	10	59	230	4.6
3	28	7	0.0	UNL	16		16	13	11	70	240	2.1
3	28	10	0.4	UNL	16		23	18	14	58	270	4.6

| Month | Day | Hour | Cloud
Cover | Ceiling
m | Visi-
bility
km | Weather | Temperature | | | Rel.
Hum.
% | Wind | |
|-------|-----|------|----------------|--------------|-----------------------|---------|-------------|-------------------|--------------------|-------------------|-------------|--------------|
| | | | | | | | Air
°C | Wet
Bulb
°C | Dew
Point
°C | | Dir.
°Az | Speed
m/s |
1987												
7	31	1	1.0	402	8	F	26	24	23	88	130	1.5
7	31	4	1.0	402	6	F	24	24	23	94	0	0.0
7	31	7	0.0	UNL	5	F	24	23	23	94	200	2.6
7	31	10	0.0	UNL	10	H	32	25	22	55	260	2.1
7	31	13	0.3	UNL	11		34	25	21	47	50	2.1
7	31	16	0.2	UNL	11		35	25	21	44	130	4.6
7	31	19	0.3	UNL	11		32	25	22	54	150	3.6
7	31	22	0.3	UNL	10	H	28	24	22	70	190	4.1
8	1	1	0.2	UNL	10	H	25	23	23	88	160	2.1
8	1	4	0.2	UNL	6	F	23	23	22	94	140	1.5
8	1	7	0.4	UNL	3	FH	23	23	23	97	210	1.5
8	1	10	0.0	UNL	8	H	31	26	23	65	350	1.5
8	1	13	0.3	UNL	8	H	34	26	23	51	110	3.1
8	1	16	0.5	UNL	8	H	36	26	22	46	130	3.1
8	1	19	0.7	402	8	H	32	26	23	61	150	4.1
8	1	22	1.0	40	3	TRW	23	23	23	97	10	3.6

END

**DATE
FILMED**

8 / 28 / 92