AIM

Association for Information and Image Management

1100 Wayne Avenue, Suite 1100
Silver Spring, Maryland 20910
301/587-8202

Centimeter

Inches

MANUFACTURED TO AIM STANDARDS
BY APPLIED IMAGE, INC.

1 of 1

FLSA

SERIES AND COPY NO.

DATE
July 23, 1965

GENERAL ELECTRIC

HANFORD ATOMIC PRODUCTS OPERATION - RICHLAND, WASHINGTON

X

THIS INFORMATION IS RESTRICTED TO PERSONS
DERIVED FROM THE INFORMATION
IT IS NOT TO BE DISCLOSED TO ANY
PERSONS OR PERSONS

TITLE

VERTICAL BOWING MEASUREMENTS, C REACTOR

☐ OTHER OFFICIAL CLASSIFIED INFORMATION

THIS MATERIAL CONTAINS INFORMATION AFFECTING THE NATIONAL DEFENSE OF THE UNITED STATES WITHIN THE MEANING OF THE ESPIONAGE LAWS, TITLE 18, U. S. C. , SECS. 793 AND 794, THE TRANSMISSION OR REVELATION OF WHICH IN ANY MANNER TO AN UNAUTHORIZED PERSON IS PROHIBITED BY LAW.

AUTHOR

A. E. DeMers

ISSUING FILE FILING UNIT
RECEIVED 300 AREA
JUN 11 1965
RETURN TO
TECHNICAL INFORMATION FILES

THIS DOCUMENT MUST NOT BE LEFT UNATTENDED OR WHERE AN UNAUTHORIZED PERSON MAY HAVE ACCESS TO IT. IN USE, IT MUST BE STORED IN AN APPROVED LOCKED CABINET OR IN AN APPROVED CONTAINER WHILE IN YOUR POSSESSION AND UNTIL YOU HAVE OBTAINED A RETURN RECEIPT FROM THE ISSUING OFFICE. IT IS YOUR RESPONSIBILITY TO KEEP IT AND ITS CONTENTS WITHIN THE LIMITS OF YOUR AUTHORITY. NO UNAUTHORIZED PERSON, ITS TRANSMITTAL, AND STORAGE AT YOUR PLACE OF WORK IS ALLOWED. THIS DOCUMENT IS DUAL-CLASSIFIED AND CONTAINS INFORMATION REQUIRED BY THE FEDERAL BUREAU OF INVESTIGATION. ALL PERSONS HANDLING THIS DOCUMENT ARE REQUESTED TO SIGN IN THE SPACE PROVIDED BELOW.

[illegible]

~~DISTRIBUTION OF THIS DOCUMENT IS UNLIMITED~~

54-3000-340 (3-57) AEC-98 RICHLAND, WASH.

(CLASSIFICATION)

PLSS

DECLASSIFIED

HANFORD CODE C-44

RL-REA-659 3

Page 1

DISTRIBUTION

General Electric Company

1. JH Ferguson/KW Powers
2. EJ Filip
3. CE Frantz
4. PH Hutton
5. CA Munro
6. A Russell
7. CC Steele
8. SA Wood
9. 700 Files
10. Records Center

Battelle-Northwest

11. WC Morgan ✓
12. GJ Rogers

This Document Classified By:

[Signature]

This document contains restricted data as defined in the Atomic Energy Act of 1954. Transmission or disclosure of its contents in any form to an unauthorized person is prohibited.

July 23, 1965

VERTICAL BOWING MEASUREMENTS, C REACTOR

A. E. DeMers

Classification Cancelled and Changed To

DECLASSIFIED

By Authority of DS Lewis

CG-NMP-1, 5-3-94

By DK Hanson, 5-20-94

Verified By [Signature] 5-31-94

This document consists of 2 pages,
[Redacted]

HANFORD ATOMIC PRODUCTS OPERATION
RICHLAND, WASHINGTON

NOTICE

This report was prepared for use within General Electric Company in the course of work under Atomic Energy Commission Contract AT(45-1) - 1350, and any views or opinions expressed in the report are those of the author only. This report is subject to revision upon collection of additional data.

LEGAL NOTICE

This report was prepared as an account of Government sponsored work. Neither the United States, nor the Commission, nor any person acting on behalf of the Commission:

A. Makes any warranty or representation, expressed or implied, with respect to the accuracy, completeness, or usefulness of the information contained in this report, or that the use of any information, apparatus, method, or process disclosed in this report may not infringe privately owned rights; or

B. Assumes any liabilities with respect to the use of, or for damages resulting from the use of any information, apparatus, method, or process disclosed in this report.

As used in the above, "person acting on behalf of the Commission" includes any employee or contractor of the Commission, or employee of such contractor, to the extent that such employee or contractor of the Commission, or employee of such contractor prepares, disseminates, or provides access to, any information pursuant to his employment or contract with the Commission, or his employment with such contractor.

DISTRIBUTION OF THIS DOCUMENT IS UNLIMITED

DECLASSIFIED

MASTER

VERTICAL BOWING MEASUREMENTS, C REACTOR

<u>Distance From</u> <u>Inlet Flange</u>	<u>ΔHeight</u> <u>Tube 4674</u>	<u>Distance From</u> <u>Inlet Flange</u>	<u>ΔHeight</u> <u>Tube 4674</u>
18"	.00	20'4"	- 4.24
2'	+ .03	20'6"	- 4.26
3'	+ .09	20'8"	- 4.27
4'	+ .15	20'10"	- 4.27
5'	+ .20	21'	- 4.27
6'	+ .24	21'4"	- 4.28
7'	+ .25	22'	- 4.23
8'	+ .23	23'	- 4.03
9'	+ .15	24'	- 3.80
10'	- .17	25'	- 3.57
11'	- .36	26'	- 3.20
12'	- .80	27'	- 2.52
13'	- 1.35	28'	- 1.82
14'	- 2.00	29'	- 1.17
15'	- 2.68	30'	- .65
16'	- 3.25	31'	- .25
17'	- 3.54	32'	- .01
18'	- 3.76	33'	+ .10
19'	- 4.01	34'	+ .14
19'8"	- 4.16	35'	+ .16
20'	- 4.21	36'	+ .15
20'2"	- 4.23		

These data were taken by N. W. Pike and K. W. Powers on July 21, 1965.

A. E. DeMers
Irradiation Testing

AE DeMers:KWP:smc

DECLASSIFIED

DATE

FILMED

8/17/94

END