Site Operator Program

Year 1
Fourth Quarter Report
April 1 - June 30
1 9 9 2

MASTER

DISTRIBUTION OF THIS DOCUMENT IS UNLIMITED

TABLE OF CONTENTS

INTRODUCTION	2
Kansas State University	2
College of Engineering	3
Kansas Electric Utilities Research Program	3
ICE Corporation	4
Hancock Electric Motor, Inc.	5
EHV Corp	5
PROGRAM PLAN	6
Statement of Objectives	6
Short Term Goals	6
Long Term Goals	6
SIGNIFICANT EVENTS/MEETINGS/PUBLICITY	7
PRESENTATIONS	7
First Quarter	7
Second Quarter	7
Third Quarter	8
Fourth Quarter	9
MEDIA EVENTS	10
First Quarter	10
Second Quarter	10
Third Quarter	10
Fourth Quarter	11
MEETINGS AND CONFERENCES	12
First Quarter	12
Second Quarter	12
Third Quarter	13
Fourth Quarter	13
VEHICLES/COMPONENTS/BATTERIES	15
Conceptor G-Van	15
OPERATIONS/ACTIVITIES	16
Conceptor G-Van	16
PROCUREMENT OF NEW VEHICLES	19
Soleq EVcort	19
SUMMARY/CONCLUSION	20
APPENDIX I	22
G-VAN DATA	22

INTRODUCTION

Kansas State University

Kansas State University was founded in February 1863 as a land-grant institution under the Morrill Act. It has evolved into an internationally recognized comprehensive university that offers excellent academic programs, a lively intellectual and cultural atmosphere, and a friendly campus to its community of approximately 17,500 undergraduate and 3,500 graduate students.

MANHATTAN (KANSAS STATE UNIVERSITY)

FIGURE 1:

The 668-acre main campus is in the northeastern Kansas community of Manhattan. Manhattan is approximately fifty miles to the west of the state's capitol of Topeka and eighty-five miles west of Kansas City. For reference purposes, a state map is provided as Figure 1. The university offers more than 200 undergraduate degree programs and options, 60 master's degree programs, and 42 doctoral programs within its eight colleges: agriculture, arts and sciences, architecture and design, business administration, education, engineering, human ecology, and veterinary medicine.

K-State accomplishments have had far-reaching effects: astronaut space gloves and the water-purifying system used on the NASA space shuttles were developed here; two Kansas Centers of Excellence, one in manufacturing and one in value added research are located on campus; the University has national hazardous substance and atomic physics research programs; the Konza Prairie Research Natural Area is used for a National Science Foundation ecological research study on erosion and prairie mammals; and a major national center for basic cancer research is at K-State.

Paul Harvey, in a special commentary, labeled Kansas State University the "student scholar capital of the world." This statement was made based on the number of Rhodes, Trumans, Fulbrights, Mellons, Goldwaters, Phi Beta Kappas, Rotary Internationals, Javits, Tilden-Snow, and Marshalls scholarships that have been awarded to K-State students over the past sixteen years.

College of Engineering

The College of Engineering at Kansas State University has excellent programs in every aspect of engineering. The college has an enrollment of 2,600 undergraduates and 300 graduate students. K-State offers degrees or options in almost every major field of engineering, including aerospace, agricultural, architectural, biomedical, chemical, civil, computer, construction science, electrical, engineering technology, industrial, manufacturing, mechanical, and nuclear.

Kansas State's College of Engineering is recognized nationally for the quality of both its students and faculty. Approximately half of all K-State's National Merit Scholarship finalists enroll in the college.

For six consecutive years, one or more K-State students have been selected for the Washington, D.C., Internships for Students in Engineering program. Each year WISE selects a group of only 14 to 16 engineering students from more than 200 engineering colleges across the nation to work on engineering and technology public policy issues.

Ray Dempsey, a senior in industrial engineering, was selected as the 1989-90 outstanding black engineer by the National Society of Black Engineers.

K-State's College of Engineering is one of only 10 colleges in the country to be cited twice by the National Society of Professional Engineers for its outstanding professional programs. The chapters of the departmental professional sectors have received national recognition. Most recently, agricultural engineering, civil engineering, and construction science have been designated as the outstanding student chapters in the nation.

Kansas Electric Utilities Research Program

KEURP

Formed on July 15, 1981, the goal of this program is to undertake applied research and development projects which may enhance reliability and minimize the cost of electric service in Kansas. The Kansas Electric Utilities Research Program (KEURP) is a contractual joint venture between six major electric utilities that serve the residents of the State of Kansas:

**KPL Gas Service, A Western Resources Company, Topeka, Kansas
Kansas City Power & Light Company, Kansas City, Missouri**

KG&E, A Western Resources Company, Wichita, Kansas
WestPlains - Kansas, Great Bend, Kansas
The Empire District Electric Company, Joplin, Missouri
Midwest Energy, Inc., Hays, Kansas

The establishment of KEURP was made possible by the Kansas Corporation Commission (KCC). The KCC allowed Kansas electric utilities to include their research and development (R&D) costs in their operating expenses, including dues to the Electric Power Research Institute (EPRI).

Kansas' universities play a unique role in KEURP with representation on the executive, technical and advisory committees of the program. The universities receive significant direct and indirect support from KEURP through direct funded projects as well as KEURP/EPRI co-funded projects. KEURP is working with EPRI researchers on projects to develop or expand Kansans' knowledge and expertise in the fields of high technology and economic development. KEURP is a major source of funding in the electric/hybrid vehicle demonstration program.

ICE Corporation

ICE Corporation is an original equipment electronics manufacturer. Seventeen employees produce solid state and microprocessor control systems for the aircraft, agriculture, and oil industries. Complete design and manufacturing facilities are located in Manhattan, Kansas.

Recently, ICE Corporation was one of seven Kansas companies that was awarded an SBIR grant. The grant, from the U.S. Army Small Business Innovation Research Program, was for \$436,000, earmarked to complete Phase II of ICE's research of high technology power switches.

Pat Connelly, president of ICE, said interest in the project is high. Connelly said that the new switches would be more compact and have a quicker switching time than those currently available. The switches may be used in anything from a computer to an automobile. As a member of KSU's team for the EHV demonstration program, ICE can demonstrate these new integrated circuit technology switches. ICE has provided KSU with a \$2,000.00 per year written commitment in support of KSU's EHV demonstration program. Further, ICE Corporation is working on several motor controllers that may prove applicable in electric vehicles.

DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

Hancock Electric Motor, Inc.

Hancock Electric Motor (HEM) is one of the largest electric motor repair facilities in the state of Kansas. The shop facilities in Lyons, Kansas, contain a welding shop (metalizing, welding, and chroming facilities), machine shop (500 ton horizontal press, 250 ton vertical press, horizontal boring machine, and a 60 inch engine lathe), dynamic balancing, vacuum pressure impregnation system, and capabilities to rewind electric motors with 13,200 volt 10,000 horsepower ratings. AC motors, DC motors, synchronous motors and generators, pumps, traction motors, locomotive main generators, alternators, generators, semihermetic motors, and haul truck wheel motors are all within the realm of HEM's repair capability. Further impedance testing can be done with the 750KVA core loss tester. Labor rates run \$40/hour with design and consulting costs at \$75/hour plus expenses. HEM is committed to helping KSU in EHV demonstration, research, testing, and evaluation and has provided a letter of commitment for \$2,000.00 per year for the life of DOE's contract.

EHV Corp

EHV Corp is a Kansas Company specializing in manufacturing infrastructure components for the electric vehicle industry. The offices of EHV Corp are located in Manhattan, Kansas. Manufacturing of electrical and mechanical parts are accomplished by other companies and EHV Corp is primarily concerned with the research and development of new products and the assembly of existing products. EHV Corp has received an economic development grant from the state of Kansas for development of its EDD-7 charging station. Further, EHV Corp has developed proposals to DOE and EPRI concerning its products. EHV Corp is hoping to establish a national demonstration program for curbside recharging within the next twelve months. EHV Corp has provided a letter of commitment for \$10,000.00 to establish this national demonstration program. EHV Corp has also entered discussions with a battery engineer. The idea is to look at developing battery technology both for infrastructure and charging station components.

PROGRAM PLAN

Statement of Objectives

Short Term Goals

1. Participate in the Department of Energy's Site Operator Program.
2. Evaluate Electric/Hybrid Vehicle technology through purchase of vehicles.
3. Collect EHV user data.
4. Provide reports to DOE and KEURP on EHV data collected.

Long Term Goals

1. Assist the nation in reversing environmental trends concerning air quality.
2. Assist Kansas City in reducing air pollution.
3. Apply and develop technological enhancements to EHV's.
4. Assist Kansas-based companies in developing EHV subsystem components for commercial use.

Kansas State University, with funding support from federal, state, public, and private companies, is participating in the Department of Energy's Electric Vehicle Site Operator Program. Through participation in this program, Kansas State is demonstrating, testing, and evaluating electric or hybrid vehicle technology. This participation will provide organizations the opportunity to examine the latest EHV prototypes under actual operating conditions. KSU proposes to purchase one (1) electric or hybrid van and four (4) electric cars during the first two years of this five-year program. KSU has purchased one G-Van built by Conceptor Industries, Toronto, Canada and has initiated a procurement order to purchase two (2) Soleq 1992 Ford EVcort station wagons.

The G-Van has been signed in order for the public to be aware that this is an electric drive vehicle. Financial participant's names have been stenciled on the back door of the van. Presently this vehicle is being lent to interested utilities and companies. When other vehicles are obtained, the G-Van will be maintained on K-State's campus.

SIGNIFICANT EVENTS/MEETINGS/PUBLICITY

PRESENTATIONS

First Quarter

- June 11 *Kansas City Manager's Office* *Kansas City, MO*
Provided information to the Kansas City, Missouri city manager's office on electric and hybrid vehicles and the application of these vehicles in the city's fleet.
- June 18 *Electric Rural Cooperatives* *Salina, KS*
Presented a one-hour slide show on electric and hybrid vehicles. The DOE's Site Operator Program was discussed. Electric Rural Cooperatives are interested in participating but financially constrained from being major participants.
- June 25 *Manhattan Kiwanis Club* *Manhattan, KS*
Presented a one-hour slide show on electric and hybrid vehicles. The DOE's Site Operator Program was discussed.
- September 27 *Energy Research Group* *Topeka, KS*
Presented a one-hour slide show on electric/hybrid vehicles and DOE's Site Operator Program.

Second Quarter

- October 4 *Utility Fleet Managers* *Kansas City, MO*
Professor Hague provided a slide-show concerning electric vehicles. The discussion covered historical elements, present day electric vehicles, and electric/hybrid vehicles that may become available in the near term (next five years). Fleet managers from Missouri, Kansas, Nebraska, Oklahoma, and Arkansas were present. Fleet managers recognize they must be prepared to adapt to the transportation changes that will affect transportation in their industry. Since that initial meeting, two additional meetings have been held in an attempt to discuss possible joint efforts in bringing the latest electric vehicle technologies to fleet users in this region.
- October 21 *Senator Bob Dole and CEO's of Kansas' Utilities* *Manhattan, KS*
Professor Hague provided a slide-show concerning electric vehicles. The discussion covered historical elements, today's electric vehicles, and electric/hybrid vehicles that may become available in the near term (next

five years). Information centered on Kansas State University's participation in the Department of Energy's Electric Vehicle Site Operator Program. Professor Hague said that DOE's Electric Vehicle Site Operator goals and objectives may change over the next five years to meet national goals.

October 22

Kansas State Engineering Technology Organization

Manhattan, KS

Royce Steinert provided a slide-show to Kansas State's student organization, KSET. KSET is the Kansas State Engineering Technology club and is comprised of students seeking degrees in Engineering Technology. This was an information oriented presentation to provide engineering technology students with first hand information on K-State's participation in the Department of Energy's Electric Vehicle Site Operator Program.

October 25

Kansas Corporation Commission

Topeka, KS

Professor Hague and Royce Steinert provided a slide-show concerning electric vehicles. The discussion covered historical elements, present day electric vehicles, and electric/hybrid vehicles that may become available in the near term (next five years). This presentation was to bring Kansas' governing body of utilities up-to-date on changing technology and how it will affect future utility operations in the state of Kansas.

October 28

Kansas State Engineering Honors Class

Manhattan, KS

Professor Hague and Royce Steinert provided a slide-show concerning electric vehicles. The discussion covered historical elements, present day electric vehicles, and electric/hybrid vehicles that may become available in the near term (next five years). The focus of this presentation attempted to demonstrate, to academically excellent students, the changes that are occurring in the transportation industry. Students were challenged to get involved and continue to excel in their chosen engineering careers.

Third Quarter

January 9

Manhattan Middle School

Manhattan, KS

Mr. Royce Steinert and Tammy Nissen-Pfrang presented Solar Electric's EV and Environment video to the eighth grade physical science students at Manhattan Middle School (six classes). The electric vehicle presentation was condensed and presented to the students. Questions regarding the G-Van were discussed. G-Van rides were given to four students out of each class. The "Evolution of the Electric Vehicle" display was provided for the classroom.

January 16

Empire Electric

Joplin, MO

Professor Hague presented a slide show concerning electric and hybrid

vehicles to the Missouri Society of Professional Engineers. Crowder Colleges success in the Solar Car races was discussed, technological changes occurring in the ICE industry were discussed, and infrastructure development for the support of electric vehicles was discussed. Further, during a question and answer period, the gasoline tax base which supports our federal highway system was discussed. The issue of how to support highway systems with a majority of electric vehicles was raised.

February 5

WestPlains Electric

Great Bend, KS

Mr. Royce Steinert presented a slide show concerning electric and hybrid vehicles at the WestPlains Electric Board of Directors meeting. The presentation covered electric vehicles with emphasis on existing vehicle and battery technology. Also Kansas State's involvement in the Site Operator Program was described to the Board of Directors to give them an idea about how the KEURP support money is being spent.

March 24

KEURP

Topeka, KS

Professor Hague presented a slide show explaining the structure and mission of the National EV User's Task Force. The basis of the meeting was to help KEURP decide if there was a need for a Midwest EV User's Task Force. The committee's decision was to remain an informal group until a more structured organization is required.

Fourth Quarter

May 15

Alternative Fuels Conference

Manhattan, KS

Professor Hague mediated the electric vehicle segment of the second annual Alternate Fuels Conference at Kansas State University. Presentations were given by Lee Miller, Director of Marketing at Eagle Picher Electronics Division; Bill Dawes, Professor of Engineering Technology at Kansas State University; and Wade Graves, Manager, R&D and Technical Operations, KPL Gas Service, A Western Resources Company.

June 9

Alternative Fuels Round-up

Topeka, KS

Professor Hague presented a slide show entitled "KSU's and DOE's EV Site Operator Program" at the Alternative Fuels Round-up in Topeka, Kansas. The presentation was given to senior executives of midwestern utilities and government officials. Royce Steinert presented a slide presentation entitled "Postal Vehicles: A Good Choice for Fleet Electric Vehicles." This presentation was made to the public. Professor Hague presented a slide show on EHV Corp's charging station system.

MEDIA EVENTS

First Quarter

The G-Van was unavailable for media events during the first quarter.

Second Quarter

- October 3 *Television coverage of the G-Van by WIBW* *Topeka, KS*
While Kansas State hosted the first DOE Site Operator Users Task Force meeting television coverage was arranged. The purpose here was to give a national perspective of this program. DOE representatives and DOE site operators were available for interviews about the electric vehicle program. WIBW provided coverage of this event on their "Earth Awareness" segment during regularly broadcasted programs.
- October 9-10 *State of Kansas Media Coverage of G-Van*
Kansas State supported the efforts of Kansas Power and Light Gas Service in a media blitz which displayed the G-Van. The G-Van was trailered and driven through five cities, Manhattan, Topeka, Lawrence, Olathe, and Kansas City as it traveled to the Earth Awareness Show in Kansas City, Missouri. Television and newspaper coverage was set up in each city to provide the maximum coverage of this event.
- October 11-13 *Environmental Show* *Kansas City, MO*
The G-Van was part of Kansas Power and Light Gas Service's booth at this three-day earth awareness event. KPL displayed the latest technology in alternative fuel vehicles with a natural gas and electric vehicle. Over 50,000 concerned citizens visited this show to find out what is being done in Kansas and Missouri to protect the environment.

Third Quarter

- Jan 31- Feb 9 *WestPlains Electric* *Great Bend, KS*
Kansas State provided the G-Van to WestPlains Electric, formerly Centel Electric, for its annual Board of Directors meeting. The G-Van was shown to several grade school classes throughout Barton County. Slides, displays, and video's were provided by Kansas State for this event. The G-Van was taken to Dodge City on February 6 and 7 to be displayed to that section of the WestPlains distribution region.
- February 20 *Governor Joan Finney* *Manhattan, KS*
Governor Joan Finney participated in a G-Van ride and drive. Governor Finney and her husband visited Manhattan as a guest speaker. They took this opportunity to experience a ride in K-State's electric vehicle.

Governor Finney offered her best wishes and future support for Kansas State University's Electric Vehicle Site Operator Program.

Fourth Quarter

- April 3-4 *Kansas State University Open House* *Manhattan, KS*
The G-Van was an entry in the Engineering Open House Parade. The parade marked the start of the Open House ceremonies. On Saturday of Open House the G-Van was on display in front of Seaton Hall and Royce Steinert was available for questions from the public.
- April 20 *Prospective Engineering Students* *Manhattan, KS*
Royce Steinert demonstrated the G-Van to a group of senior high school students interested in entering the field of Engineering. This event was sponsored by Dr. Herman Donnert a Nuclear Engineering professor at Kansas State University.
- May 4-5 *Western Resources Stock Holder Meeting* *Topeka, KS*
The Board of Directors and stockholders of Western Resources were given the opportunity to ride in K-State's G-Van. Further, the electric vehicle curbside recharger was displayed along with natural gas vehicles.
- May 18 *Gifted Children Program* *Manhattan, KS*
The G-Van was on display at an evening event for the Manhattan gifted children's program, grades K through sixth. The G-Van represented the automotive future, while a Mitsubishi 3000 represented the present, and a Model T represented the vehicles of the past.
- May 18-22 *Manhattan USD 383 Grade Schools* *Manhattan, KS*
The DOE Electric Vehicle Sign was displayed at Manhattan grade schools during this week.
- May 15 *Kansas State Alternative Fuel Conference* *Manhattan, KS*
The Honorable Jim Slattery, representative of the 2nd Kansas Congressional District, delivered the luncheon speech at the Kansas State Alternative Fuels Conference. His speech covered the pending alternative fuels legislation before the House of Representatives and the Senate. Following the luncheon Congressman Slattery drove the G-Van around the university campus.
- June 1-7 *DOE displayed at the Capitol Building* *Topeka, KS*
To broaden our local, state and government official's knowledge of electric vehicles, the DOE display was set up in the State Capitol building. The display was placed on the first floor to be viewed by all visitors.

June 8 - 9

Alternative Fuels Roundup

Topeka, KS

The G-Van was on display at Forbes Field in Topeka, Kansas as part of the Alternative Fuels Round-up. This two-day event, sponsored by the Kansas Corporation Commission, promoted four alternative fuels. The G-Van and the L.A. 301 represented the "electrics." Governor Joan Finney was present and expressed her support for the DOE Site Operator Program and Kansas State University's efforts in alternate fuel vehicle programs. Hugh O'Brien, Wyatt Earp, drove the G-Van and expressed his personal enthusiasm for electric vehicles.

June 17-18

Congressional Ride & Drive

Washington, D.C.

Professor Hague participated in a Congressional Ride & Drive held by the Electric Transportation Coalition (ETC) and Potomac Electric Power Company (PEPCO). This "By Invitation Only" event was established to educate Congressional Representatives and their staffers about electric vehicle technology. The Los Angeles Department of Water and Power and EHV Corp were participants in this event. PEPCO believes this event was so successful that they are planning on making this an annual event to be held by their company.

MEETINGS AND CONFERENCES

First Quarter

July 25-26

McKee Engineering and Soleq Corporation

Chicago, IL

Professor Hague visited Mr. Bob McKee and Mr. S. Ohba to discuss fabrication and production of electric vehicles, electric vehicle subsystems, and electric vehicle design.

August 14-16

South Central Electric Vehicle Consortium

Amarillo, TX

Two day meeting of the South Central Electric Vehicle Consortium, Electric Vehicle Development Corporation's G-Van User's Group and the Southwestern Public Service Companies Electric Van Demonstration Project.

Second Quarter

October 3

DOE Site Operator Program Kick-Off Meeting

Manhattan, KS

Hosted the DOE Site Operator Program Kick-Off Meeting. Nine of the eleven site operators participated in this meeting. DOE Washington, D.C. and DOE Idaho representatives attended this meeting and provided guidance and policy for the contract year.

December 11-13

EV User Group Task Force Conference

Tampa FL

Attended the second EV User Group Task Force Conference hosted by

Southern Florida. Highlights from this meeting included agreement on a mission statement and specific objectives to be accomplished by this task force. The next meeting is to be held in Phoenix, Arizona during the Solar and Electric Car Race, during the month of April.

Third Quarter

March 13

Harvard Graphics Seminar

Kansas City, MO

Royce Steinert and Tammy Nissen-Pfrang attended the Harvard Graphics Seminar in Kansas City, Missouri. The seminar included an overview of Harvard Graphics for Windows, Harvard Draw, Professional Write, and database operations. Royce and Tammy attended this seminar to gain additional knowledge on software packages. This training will be put to use in developing presentations for the Site Operator Program. K-State Site Operator Program has made large investments in equipment, at no cost to DOE, to produce quality presentations for both specific and public audiences. Royce's and Tammy's attendance at these seminars improves the quality of K-State's efforts for DOE's Site Operator Program.

Fourth Quarter

April 1

Autocad Seminar

Wichita, KS

Royce Steinert attended the Autocad Seminar in Wichita, Kansas. The seminar introduced Autocad for windows, Advanced Modeling Extension and Autodesk's Multimedia 3-D software packages.

April 22-23

EV User's Group Task Force Conference

Phoenix, AZ

Professor Hague, Royce Steinert, and Tammy Nissen-Pfrang attended the EV User's Group Task Force Conference hosted by Arizona Public Service (APS) in Phoenix, Arizona.

April 24-26

Solar and Electric 500

Phoenix, AZ

Professor Hague, Royce Steinert, and Tammy Nissen-Pfrang attended the three day Solar and Electric 500 race in Phoenix, Arizona.

May 4-5

Kansas Power and Light Stockholder Meeting

Topeka, KS

Professor Hague attended the annual meeting of KPL Gas Service's Stockholder meeting. The G-Van was provided as a shuttle service for stockholders. EHV Corp's patented charging station was displayed at this annual event. KPL, in looking to the future, has provided strong leadership and support to K-State's Site Operator Program.

June 23-25

Detroit Infrastructure Meeting

Detroit, MI

Professor Hague attended this meeting along with representatives from Federal and State Agencies, the Big Three Automobile Manufacturers, and

the Utility Industry. This was the sixth such meeting hosted by EPRI. The Goals and Objectives are to define and develop the infrastructure necessary to support the introduction of large scale electric vehicles into the marketplace. The next meeting will be held October 21 in San Francisco, California. Because of K-State's involvement in both the DOE Site Operator Program and in developing infrastructure components, it is necessary that Professor Hague attend these Infrastructure meetings to obtain firsthand knowledge and to affect the direction of infrastructure development for the electric vehicle.

VEHICLES/COMPONENTS/BATTERIES

Conceptor G-Van

Kansas State University's G-Van, VIN 29CGG35X1MN103048, was purchased in August 1991. The G-Van will be referred to by the Department of Energy's electric vehicle ID number 150 on all the maintenance reports, .

The G-Van (150) accumulated maintenance time for the period October 1, 1991 through June 30, 1992 is approximately 14.25 hours. Over the ten months that the G-Van has been operated at the K-State campus, the required maintenance for this vehicle has been approximately two hours of maintenance per thousand miles driven. This includes all required maintenance after initial equipment setup. Of the total 855 minutes required to maintain this EV, 49.7% of the maintenance time has been expended on battery watering.

This percentage may be deceptive, for the total time required to water the batteries is recorded. That is, the 425 minutes required to water the batteries is the amount of time that the van is actually connected to the water trolley. Each of the waterings require that the water trolley be attached to the van from 25 to 45 minutes, while the actual technician time required to make proper connections is approximately ten minutes per watering. The accumulated time represents seven hours and five minutes for required battery maintenance, but only 2.33 man-hours were required of the technician.

On June 10, 1992 the required six-month maintenance was completed on G-Van (150). The total time required to lower, clean, and inspect the batteries, check motor brush wear, install new flame arresters, and install a new air filter was 4.0 man-hours.

It was found that the watering hoses were all tightly connected with no sign of cracking. A few of the battery securing posts were loose, but easily tightened. The motor brushes, when inspected for wear, were found to have as the worst case only .3 mm of wear. At this wear rate the brushes would reach the minimum wear tolerance at approximately 225 thousand miles. The only problem found during this routine maintenance is that the motor's cooling air filter will require more frequent changing.

A new Chloride microprocessor circuit, the control card for the Chloride charger, was shipped to Kansas State University during June. It was to be installed in G-Van (150's) CEN charger. When this new control panel was installed, it was inoperable. When a charge was initiated, the charger would begin its test countdown, and somewhere between the beginning of the countdown and ten seconds into the charge cycle the charger would shutdown and then immediately begin a new countdown. This inoperative control panel was replaced with the original panel, and as of July 01, 1992 K-State was waiting for a new microprocessor circuit. Vehma's next shipment of controller components will replace the entire display portion of the charger.

OPERATIONS/ACTIVITIES

Conceptor G-Van

The Conceptor G-Van, DOE number 150, has been operated regularly since its procurement in August 1991. The van is used primarily as a demonstration vehicle. It is also used for errands for the Site Operator Project and for the Engineering Technology department at Kansas State University. The vehicle is used in normal everyday driving conditions around Manhattan, KS. The vehicle is operated in all types of weather and driving conditions.

The vehicle is charged indoors in a temperature controlled environment. The ambient charging temperature for this vehicle is 70 to 80 degrees Fahrenheit. The vehicle is occasionally charged in other, less controlled, environments while it is being shown around the state by various organizations. The vehicle is generally not driven extensively under these conditions, so little valuable data exists to make any decisions regarding these charging conditions.

CONTRACT YEAR ONE							
	DATE	MILES	DAILY MILES	NUMBER OF CHARGES	MILES PER CHARGES	KWH USED	KWH PER MILE
1st Quarter	09/30/91	407.6	9.70	15	27.17	584	1.43
2nd Quarter	12/31/91	2000.1	21.74	59	33.90	2467	1.23
3rd Quarter	03/31/92	1804.8	19.83	62	29.11	2283	1.26
4th Quarter	06/30/92	2790.4	30.33	74	37.71	2973	1.07
TOTAL	TO DATE	7002.9	22.09	210	33.35	8307	1.19

TABLE 1. G-VAN (150) OPERATION SUMMARY

NOTE: Assuming a price of \$.05/kWh for electricity 16 mpg for the internal combustion engine GMC Vandura, the cost of operating the G-Van on electricity equates to \$.95 per gallon of gasoline.

The preceding table gives a general review of the data collected on the Conceptor G-Van operated at K-State. This data is divided into a quarterly based summary. Daily and monthly summaries of the G-Van's operation are contained in Appendix 1. Review of

the quarterly and monthly data reveal some consistency. One of these regularities relating efficiency and usage was alluded to by EVAA in their MAINTENANCE AND OPERATION REPORT, dated January 1991 - March 1992. Just as our data portrays, EVAA's sample vehicles showed an inverse relationship between the average daily mileage of a vehicle and the efficiency in kWh per mile, or a direct relationship with the efficiency in miles per kWh. EVAA decided more controlled experiments were required to prove if efficiency and usage are related.

The EVAA summary looks at each vehicle individually, but only uses the values summed over the entire life of the vehicles. This efficiency versus usage hypothesis is supported by K-State's single G-Van usage if the data is broken down into monthly increments. During the ten months that the G-Van has been operated at K-State, operations have proven to be consistent with the hypothesis that vehicle usage is directly related to the vehicle efficiency in miles per kWh. These monthly comparisons are shown graphically in Appendix 1.

Another performance characteristic that K-State has been observing is the "appearance" that the chloride batteries perform more efficiently when the batteries are not allowed to reach the end of the CEN charger charge cycle. Over fourteen charge cycles the Conceptor G-Van (150) was not allowed to reach a fully charged state. During the fourteen charge cycles, which ran from June 22 through June 27, 1992, the G-Van received 593 kWh of energy and was driven 651.6 miles. This calculates to an efficiency of .91 kWh/mile.

The previous fourteen charge cycles which ran from June 02 through June 22, 1992 allowed twelve of the fourteen charges to reach a fully charged state. Over this time period the vehicle received 500 kWh of energy and was driven 482.9 miles. This calculates to an efficiency of 1.04 kWh/mile. These twenty-eight charge cycles were performed under similar driving conditions and similar ambient temperatures. Comparison shows an improvement of 12.5% in vehicle efficiency when the vehicle is not allowed to reach the fully charged state determined by the CEN charger. Again, further study and testing would be required to accurately pinpoint the reason and the validity of these events.

Besides the hypothesis that battery efficiency is related to usage, K-State has developed other hypotheses from the G-Van data. One such hypothesis is that the charger is overcharging the batteries and the excess energy is released as heat. A third hypothesis revolves around two factors: (1) energy is released from the Chloride lead/acid batteries while the vehicle is sitting dormant for any period, and (2) lead-acid batteries can "reclaim" electrical energy after they have been discharged. These two conditions may exist as the batteries attempt to reach some level of equilibrium. Possibly these batteries, when discharged, may attempt to use the internal heat energy to force a chemical breakdown of the electrolyte forcing a potential difference between the battery poles. This could also work in reverse on a charged battery as the hydrogen and oxygen recombine giving off heat energy as it attempts to maintain an equilibrium temperature.

These two conditions could account for the vehicles decreased range after the vehicle has reached the fully charged state. The vehicle batteries sat dormant for four hours between refresher charges. Therefore, the third hypothesis is that more power is lost over the four hours, dormant state, than is returned during the periodic "refresh" charges. This theory is supported by the relationship found between the length of time the vehicle is plugged in without active cycling of the batteries and vehicle range reduction.

These observations give the impression that the Chloride batteries self-discharge much faster than the 4 to 6 percent per month which EVAA claims is the average self-discharge rate for lead-acid batteries in their ELECTRIC VEHICLE PURCHASE GUIDELINES MANUAL Version 1.0. Possibly the most realistic assumption, based on the G-Van performance, is that the CEN charger overcharges the Chloride batteries giving them a false capacity. This false capacity is then quickly released to the environment as excess heat energy when charging is ended. Again, further technical studies and data are required to verify the validity of all of these conclusions.

PROCUREMENT OF NEW VEHICLES

Soleq EVcort

Procurement of two Soleq (Ford) EVcort wagons has been initiated by Kansas State University. The cost for both Soleq vehicles totaled \$116,330. Kansas State's budget included \$105,000 for the vehicle procurement. KEURP and DOE were contacted with a request to increase funding \$11,330. KEURP and DOE have provided written commitment to fund the additional money required for the purchase of these vehicles and ancillary equipment. A date of delivery has not been decided because Ford is between model years and Soleq has not provided any information. Mr. Ohba, President of Soleq, has claimed an additional delay of two months to receive the Ford vehicle gliders before his company can begin the conversion process. Soleq has, as of this report, begun construction of the vehicle's subsystem components.

One EVcort will be operated on and around campus. It will remain in the possession of the university with the option to be lent to interested organizations for short durations. The second EVcort will be delivered to the Kansas Electric Utilities Research Program (KEURP) in Topeka, Kansas. The vehicle will be owned by Kansas State but will be on long term loan to KEURP. KEURP plans to use the vehicle for demonstration purposes in Topeka, Kansas. K-State will act as the collection point for all data collected on these two vehicles and will include this information in our reports to DOE as the vehicles become available.

Topeka is the capital of Kansas. KEURP's EVcort will be immersed in the state's political arena. The EVcort is expected to demonstrate an alternative to the state's recent decision to convert large numbers of state vehicles to natural gas. This announcement, made by the Governor, has caused many companies to focus specifically on natural gas as "the" alternative fuel system. Having a quality electric vehicle in Topeka will allow senior government officials the opportunity to realize that other alternatives to natural gas exist for Kansas. Further, Kansas must recognize that converting from gasoline to natural gas may temporarily slowdown the increase in vehicle impact on the environment, but it does not solve the problem, and without quality conversions will not improve the situation at all.

The EVcorts have been ordered with all of Soleq's state-of-the-art electric vehicle technology. From the latest user-selectable controller, to electronic amenities, these vehicles will demonstrate the newest electric vehicle technology. The expectation is that these vehicles will far exceed the creature comfort and ride the G-Van can offer. Operator acceptance is a major concern for electric vehicles, considering the fact that initial estimates show the EVs will cost more than their internal combustion counterparts.

SUMMARY/CONCLUSION

This concludes Kansas State University's requirements for the first year of a five-year contract with the Department of Energy and the Kansas Electric Utility Research Program. K-State's electric vehicle program has developed quickly in this first year. Project funding was provided by DOE, KEURP, KPL, ICE Corporation, Hancock Electric, and AMI, A KTEC Center of Excellence. As with any research effort, people make the difference! Kansas State University's EV program is just such an example of effective teamwork. The following is a list of key individuals who "made it happen" during the past year: [Sincere thanks to all of them!]

Kansas Representatives

Senator Bob Dole
Senator Nancy Kassebaum
Congressman Jim Slattery
Governor Joan Finney

Kansas State University

President Jon Wefald
Dean Don Rathbone
Assoc Dean Gale Simons
Professor John Ulrich

KEURP

Mr. Pete Loux
Ms. Lois Tully-Gerber

KPL

President Bill Brown
Vice-President Norm Jackson
Mr. Wade Graves

KCPL

President Drue Jennings
Vice-President Jim Hogan
Mr. Alex Hapka

AMI

Dr. Farhad Azadivar

The U.S. Department of Energy

Mr. Dana O'Hara
Mr. Farley Warren
Ms. Peggy Brookshier
Mr. Dallas Hoffer

ICE Corporation

Mr. Patrick Connelly

Hancock Electric

Mr. Myron Hancock

K-State was assigned three tasks for Contract Year 1:

Task 1 was the purchase of electric vehicles. In accomplishing this task, K-State purchased a G-Van produced by Vehma International, Toronto, Canada. The G-Van has been shown throughout the state. Significant events involved key Kansas' political representatives. Governor Finney took a ride in the G-Van. Congressman Slattery drove the vehicle around K-State's campus, and Senator Dole visited K-State's Campus to see the G-Van and discuss DOE's Site Operator Program. Kansas political representatives were provided information on DOE's National Site Operator Program regularly. This information can only help in improving the decision process of Kansas' elected officials.

Two Soleq electric vehicles have been ordered and are awaiting delivery to Kansas State University. Delivery has been held up because of the changeover of Ford's production years. It is expected that both Soleq EVcorts will be delivered by early fall to campus. Kansas State University is already looking to Contract Year 2 to increase the number of electric vehicles being used on campus and throughout the state.

Task 2 was to demonstrate, operate, maintain, and collect data on the vehicles purchased under Task 1. As demonstrated in the Appendix, the G-Van has performed flawlessly. The G-Van is not seen as a viable means of transportation for any major sector of America's transportation system. Nevertheless, the G-Van represents the capabilities of the electric vehicle transportation industry in a most respectable manner. If the cost per vehicle can be brought down through mass production and if a battery pack can be produced that consistently gets one hundred miles of range, whatever the outside temperature, then and only then will the electric vehicle become a major success story. Considering the harm the internal combustion engine is doing to our environment and to the health of the world population, we must strive to solve the two remaining roadblocks to successful commercialization of electric transportation.

Task 3 required quarterly reporting requirements highlighting the experiences and significant events that occurred during the year. Without seeming boastful, it is left to the reader to compare the first and last quarterly report of Contract Year 1 to see the improvements K-State has made in its reporting requirements. Kansas State University has dedicated a tremendous amount of equipment resources, nearly \$30,000, to ensure that reports would be timely and attractive. Students involved in this program have benefitted greatly from the opportunity to make presentations, layout reports, and experiment with the creative process of improving the transfer of information from one source to another.

Besides these first year activities, Kansas State University recognized that infrastructure development would be a critical element in the success of electric vehicles. K-State helped in the formation of a company with a patent on recharging stations for electric vehicles. This activity would not have been possible if had not been for the vision of the State of Kansas and Kansas Power & Light (KPL). Through their financial support and constant encouragement, all major hurdles were cleared in establishing this "new industry" in Kansas. **A special thanks goes to Wade Graves, KPL's Manager of Research & Development, and to the Board of Directors at the Kansas Technology Enterprise Corporation, KTEC.** To quote a famous Kansas Basketball Coach, "it is surprising what a team can accomplish when the individual members don't worry about who is going to get the credit!" Today, EHV Corp is a reality thanks to Kansas' teamwork. EHV Corp will produce it first commercial product for electric vehicles by January 1993. Significant product interest has already been seen from the DOE National Site Operators and other major cities looking at setting up the necessary infrastructure to support electric vehicles.

Kansas State University looks forward to being part of the Department of Energy's National Electric Vehicle Demonstration team. Kansas State University will not be surprised by what DOE's team will accomplish in the next four years!

APPENDIX I

G-VAN DATA

DOE Vehicle #150

G-VAN (150) MAINTENANCE

14.3 TOTAL MAN-HOURS

NOTE: TOTAL MAINTENANCE TIME FROM SEPTEMBER 1, 1991 THRU JUNE 30, 1992

VEHICLE	150 [G-VAN]
MAINTENANCE PERFORMED	PS/PB UPFIT
DATE COMPLETED	10/16/91
TIME REQUIRED	2 hours

MAINTENANCE DESCRIPTION: PS/PB UPFIT TO G-VAN

The upfit was received by federal express from Conceptor on 10/01/91

first attempt to install upfit 10/02/91.

work approx. 1 hour

mailed instructions say to install pigtail into low speed motor cooling fan relay

determine low speed relay by 12-14 volt reading

both relay read the same

manual makes no reference to hi and low speed fan relays

call conceptor, receive answer 10/07/91

wait till van returns from KC to install

second attempt to install upfit 10/16/91

work approx. 1 hr.

Conceptor's verbal instructions

disconnect temp. sensor from motor to receive the different readings

disconnected temp. sensor

still both relays have identical voltage readings

one relay has four input wires

other relay has five input wires

assume five input wire relay for hi speed due to need of sensor

connect pigtail to four wire relay

VEHICLE	150 [G-Van]
MAINTENANCE PERFORMED	PS/PB UPFIT
DATE COMPLETED	12/23/91
TIME REQUIRED	30 min

MAINTENANCE DESCRIPTION: NEW PS/PB UPFIT KIT

The second PS/PB upfit kit was received from Conceptor on 12/09/91.

The notice from Conceptor said to replace the previous upfit and return it to them.

The old upfit was removed and the new upfit was installed on 12/23/91 with no difficulty

VEHICLE	150 [G-VAN 103048]
MAINTENANCE PERFORMED	BATTERY VENT LINE INSPECTION
DATE COMPLETED	04/15/92
TIME REQUIRED	15 min

MAINTENANCE DESCRIPTION: Inspection of vent lines to insure that they were not draining onto brake lines.

KSU was sent a fax from Conceptor Ind. describing some problems with vents being poked up onto the portion of the frame where the brake lines run across to the passenger side of the van. This condition had caused some brake lines to prematurely corrode and fail.

Inspection was made and the vents were found to be located correctly.

VEHICLE
MAINTENANCE PERFORMED

150 [G-VAN 103048]
BATTERYCHARGER
CONTROLLER BOARD
REPLACEMENT

DATE COMPLETED
TIME REQUIRED

06/03/92
90 min

MAINTENANCE DESCRIPTION: Install a new controller board in the present charger. The Board was sent to KSU by CEN.

KSU was sent a new controlling board for the Ferroresonant charger which was shipped for use with the G-Van. The board was installed but when the charger was reconnected to the vehicle the charger would count down and then shut-down. The charger would immediately begin a new count down sequence but it would again shut-down. The charger then would randomly shut-down between the beginning of the charger count down, and up to 15 seconds after the charger would begin to deliver power to the vehicle.

Chloride and Conceptor where contacted in connection with this problem. In the mean time the original control board was reinstalled in the charger. The original board continues to allow the charger to operate.

VEHICLE	150 [G-VAN 103048]
MAINTENANCE PERFORMED	SIX MONTH SCHEDULED MAINTENANCE
DATE COMPLETED	06/10/92
TIME REQUIRED	240 min

MAINTENANCE DESCRIPTION: Removal and inspection of battery pack and tray hardware. Replacement of air filter and flame arresters. Inspection of traction motor brushes for amount and uniformity of wear.

The G-Van battery tray was removed and inspected for cracking in the hoses used in the watering system, as well as loose connections in the battery tray and/or the pack itself. Several battery mounts were found to be loose, and were uniformly tightened. This portion required approximately 120 minutes.

The four ceramic flame arresters were then removed and replaced with new arresters. This required approximately 40 minutes.

A new motor cooling system air filter was then installed. This new filter required approximately 40 minutes to install.

Three of the four main traction motor brushes were removed and measured for wear. The three brush dimensions were

bottom:	31.8 mm
left:	32.0 mm
right:	31.7 mm

The top brush was not removed due to its inaccessibility and the fact that the other three brushes were similarly worn, and all were well above the required minimum 20 mm brush dimension. This inspection required 40 minutes.

G-VAN (150) MONTHLY RECORDS

G-VAN (150) MAINTENANCE AND DRIVING LOG

MAINTENANCE	DATE	TOTAL MILES	TRIP MILES	METER READING	TRIP KWH	KWH PER MILE	MAINTENANCE TIME
	09/14/91	184.20	104.20	ave 235.00	235.00	1.43	
	09/15/91	210.10	45.90	ave 86.00	86.00	1.44	
	09/20/91	248.80	38.70	56.00	56.00	1.45	
	09/21/91	274.80	25.80	106.00	50.00	1.94	
WATER	09/22/91		SS. 0		CS. 10		30 MIN
	09/22/91	315.30	40.70	149.00	43.00	1.06	
	09/24/91	345.00	29.70	191.00	42.00	1.41	
TIRE PRSSURE	09/25/91		70 TO 80 PSI				10 min
	09/26/91	360.40	15.40	208.00	17.00	1.10	
	09/26/91	381.50	21.10	235.00	27.00	1.28	
	09/27/91	407.60	26.10	283.00	48.00	1.84	

MAINTENANCE	DATE	TOTAL MILES	TRIP MILES	METER READING	TRIP KWH	KWH PER MILE	CHARGE PEAK KWH
DIGITAL METER	10/06/91						
	10/06/91	442.60	35.00	44.00	44.00	1.26	
WATER	10/08/91		SS. 8		CS. 8		25 min
	10/08/91	445.00	2.40	54.00	10.00	4.17	
	10/09/91	468.90	23.90	82.00	8.00	0.33	
	10/09/91	480.80	11.70	91.00	29.00	2.48	
	10/14/91	490.10	9.50	115.00	24.00	2.53	
	10/15/91	526.70	36.60	156.00	41.00	1.12	7.46
PS/PB UPFIT	10/16/91	526.70					150 min
	10/16/91	562.00	35.30	198.00	42.00	1.19	7.78
	10/17/91	608.40	46.40	250.00	52.00	1.12	7.93
	10/18/91	653.50	45.10	310.00	60.00	1.33	7.66
	10/20/91	694.80	41.10	380.00	50.00	1.22	7.63
	10/21/91	730.70	36.10	408.00	48.00	1.33	7.71
	10/23/91	761.50	30.80	450.00	42.00	1.36	7.57
	10/25/91	800.80	39.30	500.00	50.00	1.27	7.67
	10/26/91	857.10	56.30	549.00	49.00	0.87	7.67
	10/26/91	917.50	60.40	612.00	63.00	1.04	7.67
	10/27/91	973.30	55.80	625.00	13.00	0.23	7.71
	10/27/91	993.10	19.80	681.00	56.00	2.83	7.75
	10/27/91	1054.00	60.90	741.00	60.00	0.99	7.93
WATER	10/28/91		SS. 5		CS. 5.5		25 min
	10/28/91	1096.80	42.80	787.00	46.00	1.06	7.67
	10/29/91	1130.60	34.00	836.00	49.00	1.44	7.59
	10/30/91	1161.70	31.10	876.00	40.00	1.29	7.50
	11/01/91	1183.70	22.00	904.00	28.00	1.27	6.74
	11/02/91	1197.60	13.90	930.00	26.00	1.67	6.74
	11/03/91	1234.00	36.40	975.00	45.00	1.24	4.65
FUEL	11/04/91	1264.10		5.0 GAL.		\$5.75	
	11/04/91	1275.80	41.80	1023.00	48.00	1.15	7.65
	11/05/91	1305.90	30.10	1069.00	46.00	1.53	7.38
	11/09/91	1327.00	21.10	1105.00	36.00	1.71	7.00
	11/10/91	1364.10	37.10	1152.00	47.00	1.27	7.48
	11/11/91	1408.60	44.50	1200.00	48.00	1.08	7.52
	11/13/91	1444.50	35.90	1244.00	44.00	1.23	7.32
	11/15/91	1477.50	33.00	1280.00	36.00	1.09	7.13
WATER	11/15/91		SS. 9		CS. 8		25 min
	11/15/91	1525.40	47.90	1334.00	54.00	1.13	7.66
	11/17/91	1571.60	46.20	1363.00	59.00	1.28	7.51
	11/19/91	1613.70	42.10	1444.00	51.00	1.21	7.71
	11/21/91	1648.80	34.90	1495.00	51.00	1.46	7.57
	11/24/91	1671.60	23.20	1531.00	36.00	1.55	7.11
	11/25/91	1707.80	35.80	1578.00	47.00	1.31	7.47
	11/26/91	1751.20	43.60	1584.00	6.00	0.14	7.54
	11/26/91	1769.20	18.00	1636.00	54.00	3.00	7.79
	11/27/91	1818.30	47.10	1706.00	68.00	1.44	7.73
	12/02/91	1847.70	31.40	1744.00	38.00	1.21	7.09
	12/02/91	1881.30	33.60	1789.00	45.00	1.34	7.60
	12/05/91	1902.80	21.50	1830.00	41.00	1.91	6.89
	12/06/91	1935.60	32.80	1870.00	40.00	1.22	7.12
	12/10/91	1954.80	19.00	1909.00	39.00	2.05	7.02
	12/14/91	1976.10	21.50	1947.00	38.00	1.77	7.13
	12/15/91	2006.30	30.20	1968.00	41.00	1.36	7.54
	12/17/91	2030.20	23.90	2030.00	42.00	1.78	7.04
	12/20/91	2053.70	23.50	2065.00	35.00	1.49	6.98
	12/21/91	2083.90	30.20	2102.00	37.00	1.23	7.20
WATER	12/23/91		SS. 18		CS. 13.5		45 min
PS/PB UPFIT	12/23/91	2100.90					30 min
	12/23/91	2113.70	29.80	2143.00	41.00	1.36	7.60
	12/24/91	2147.60	33.90	2203.00	60.00	1.77	7.66
	12/29/91	2182.70	35.10	2226.00	25.00	0.71	7.74
	12/29/91	2221.00	38.30	2278.00	50.00	1.31	7.79
	12/30/91	2268.40	47.40	2295.00	17.00	0.36	7.62
	12/30/91	2290.50	22.10	2326.00	31.00	1.40	7.70
	12/30/91	2330.00	39.50	2364.00	56.00	1.47	7.80
	12/31/91	2373.00	43.00	2424.00	40.00	0.93	7.56
	12/31/91	2407.70	34.70	2467.00	43.00	1.24	7.54

MAINTENANCE	DATE	TOTAL MILES	TRIP MILES	METER READING	TRIP KWH	KWH PER MILE	CHARGE PEAK KWH
WATER	01/01/92		SS. 5		CS. 8.5		35 min
	01/03/92	2438.40	30.70	2510.00	43.00	1.40	7.43
	01/04/92	2472.70	34.30	2556.00	46.00	1.34	7.62
	01/05/92	2505.10	32.40	2588.00	32.00	0.99	7.62
	01/07/92	2537.80	32.70	2601.00	13.00	0.40	7.30
	01/07/92	2551.50	13.70	2632.00	31.00	2.26	7.52
	01/08/92	2584.50	33.00	2673.00	41.00	1.24	7.60
	01/08/92	2598.50	12.00	2689.00	16.00	1.33	7.08
	01/08/92	2627.70	31.20	2729.00	40.00	1.28	7.46
	01/10/92	2647.20	19.50	2762.00	33.00	1.69	6.99
	01/11/92	2678.50	31.30	2800.00	38.00	1.21	7.35
FUEL	01/11/92	2710.50		6.4 GAL.		\$7.25	
	01/11/92	2722.60	44.10	2853.00	53.00	1.20	7.74
	01/13/92	2750.30	27.70	2894.00	41.00	1.48	7.47
	01/15/92	2775.50	25.20	2910.00	16.00	0.63	7.05
	01/15/92	2791.00	15.50	2953.00	43.00	2.77	7.32
	01/16/92	2820.10	29.10	2988.00	35.00	1.20	7.21
	01/18/92	2860.90	40.80	3039.00	51.00	1.25	7.53
WATER	01/20/92		SS. 5		CS. 5		30 min
	01/20/92	2895.30	34.40	3081.00	42.00	1.22	7.53
	01/21/92	2929.40	34.10	3121.00	40.00	1.17	7.64
	01/23/92	2941.20	11.80	3142.00	21.00	1.78	6.48
	01/24/92	2965.10	23.90	3174.00	32.00	1.34	7.11
	01/24/92	3002.20	37.10	3227.00	53.00	1.43	7.66
	01/27/92	3042.00	39.80	3272.00	45.00	1.13	7.83
WATER	01/28/92		SS. 4		CS. 5		25 min
	01/28/92	3055.60	13.60	3290.00	18.00	1.32	7.27
	01/30/92	3084.00	28.40	3330.00	40.00	1.41	12.63
	02/02/92	3135.00	51.00	3332.00	2.00	0.04	
	02/03/92	3140.00	5.00	3396.00	64.00	12.80	12.13
	02/04/92	3158.60	18.60	3425.00	29.00	1.75	12.39
	02/06/92	3188.50	31.90	3468.00	43.00	1.35	12.39
	02/09/92	3214.20	25.70	3510.00	42.00	1.63	7.28
	02/12/92	3230.50	16.30	3538.00	28.00	1.72	6.89
	02/13/92	3266.00	35.50	3576.00	38.00	1.07	7.54
	02/14/92	3292.90	26.90	3609.00	33.00	1.23	7.19
	02/15/92	3325.20	32.30	3659.00	50.00	1.55	7.42
	02/18/92	3357.80	32.60	3704.00	45.00	1.38	7.23
	02/19/92	3360.00	2.20	3716.00	12.00	5.45	5.21
	02/21/92	3368.10	8.10	3728.00	12.00	1.97	5.98
	02/24/92	3378.20	12.10	3757.00	29.00	2.40	6.73
	02/26/92	3411.30	33.10	3792.00	35.00	1.06	7.29
	02/27/92	3441.50	30.20	3822.00	30.00	0.99	7.33
	02/28/92	3477.30	35.80	3869.00	47.00	1.31	7.51
	02/28/92	3500.90	23.60	3905.00	36.00	1.53	7.51
	03/04/92	3520.60	19.70	3953.00	48.00	2.44	6.91
WATER	03/09/92		SS. 6		CS. 6		25 min
	03/10/92	3542.10	21.50	3984.00	31.00	1.44	2.31
	03/10/92	3579.80	37.70	4028.00	44.00	1.17	7.44
	03/11/92	3620.90	41.10	4062.00	34.00	0.83	7.71
	03/11/92	3662.80	41.90	4099.00	37.00	0.88	7.79
	03/12/92	3709.40	46.60	4150.00	51.00	1.09	7.79
	03/12/92	3755.90	46.50	4197.00	47.00	1.01	7.69
	03/12/92	3806.40	50.50	4253.00	56.00	1.11	7.67
	03/13/92	3852.60	46.20	4294.00	41.00	0.89	7.65
	03/14/92	3887.00	34.40	4332.00	38.00	1.10	7.64
	03/14/92	3935.20	48.20	4384.00	52.00	1.08	7.69
	03/16/92	3974.40	39.20	4420.00	36.00	0.92	7.34
	03/16/92	4010.00	35.60	4465.00	45.00	1.26	7.63
	03/18/92	4029.80	19.60	4493.00	26.00	1.43	6.87
	03/19/92	4062.30	32.70	4533.00	40.00	1.22	7.21
	03/20/92	4087.40	25.10	4564.00	31.00	1.24	7.21
	03/22/92	4108.30	20.90	4607.00	43.00	2.06	6.82
	03/25/92	4143.40	35.10	4654.00	47.00	1.34	7.38
	03/27/92	4158.60	13.40	4677.00	23.00	1.72	6.82
	03/27/92	4190.50	33.70	4725.00	48.00	1.42	7.26
	03/30/92	4212.50	22.00	4750.00	25.00	1.14	7.04

MAINTENANCE	DATE	TOTAL MILES	TRIP MILES	METER READING	TRIP KWH	KWH PER MILE	CHARGE PEAK KWH
	04/01/92	4242.80	30.30	4797.00	47.00	1.55	7.18
	04/03/92	4253.10	10.30	4814.00	17.00	1.65	8.81
	04/06/92	4280.80	27.50	4849.00	35.00	1.27	7.39
WATER	04/06/92		SS. 10		CS. 11		25 min.
	04/07/92	4313.20	32.80	4884.00	35.00	1.07	7.23
	04/08/92	4331.50	18.30	4911.00	27.00	1.48	6.81
	04/09/92	4361.90	30.40	4943.00	32.00	1.05	7.33
	04/10/92	4400.40	38.50	4991.00	48.00	1.25	7.49
	04/11/92	4438.30	37.90	5042.00	51.00	1.35	7.50
	04/15/92	4471.80	33.50	5084.00	42.00	1.25	7.48
	04/16/92	4502.40	30.80	5123.00	39.00	1.27	7.15
	04/17/92	4531.30	28.90	5169.00	48.00	1.59	7.49
	04/19/92	4567.80	36.30	5209.00	40.00	1.10	7.54
	04/21/92	4580.20	12.80	5257.00	48.00	3.81	6.50
	04/26/92	4602.40	22.20	5287.00	30.00	1.35	7.00
	04/28/92	4634.10	31.70	5333.00	48.00	1.45	7.41
	04/29/92	4669.20	35.10	5377.00	44.00	1.25	7.62
	04/30/92	4703.20	34.00	5424.00	47.00	1.38	7.44
WATER	05/01/92		SS. 7		CS. 8		25 min.
	05/05/92	4726.20	23.00	5474.00	50.00	2.17	9.42
	05/07/92	4744.80	18.40	5482.00	8.00	0.43	7.15
	05/07/92	4759.20	14.80	5528.00	44.00	3.01	7.58
	05/08/92	4800.80	41.80	5574.00	48.00	1.15	7.37
	05/09/92	4840.00	39.20	5619.00	45.00	1.15	7.44
	05/10/92	4865.20	25.20	5647.00	28.00	1.11	7.10
	05/10/92	4914.80	49.40	5695.00	48.00	0.97	7.64
	05/11/92	4964.00	49.40	5735.00	40.00	0.81	7.45
	05/11/92	5014.50	50.50	5792.00	57.00	1.13	7.60
	05/13/92	5040.10	25.60	5830.00	38.00	1.48	7.03
	05/14/92	5072.10	32.00	5871.00	41.00	1.28	7.34
	05/15/92	5096.90	24.80	5898.00	27.00	1.09	7.17
	05/18/92	5121.80	24.70	5927.00	29.00	1.17	7.12
	05/19/92	5148.00	26.40	5954.00	27.00	1.02	7.25
	05/19/92	5188.00	40.00	5990.00	36.00	0.90	7.49
	05/20/92	5227.50	39.50	6034.00	44.00	1.11	7.37
	05/21/92	5282.50	35.00	6069.00	35.00	1.00	7.38
	05/22/92	5313.70	51.20	6105.00	36.00	0.70	7.45
	05/26/92	5346.80	33.10	6159.00	54.00	1.63	7.38
	05/27/92	5374.30	27.50	6197.00	38.00	1.38	7.39
	05/29/92	5400.20	25.90	6229.00	32.00	1.24	7.05
	05/30/92	5438.40	36.20	6275.00	48.00	1.27	7.45
WATER	05/31/92		SS. 13		CS. 13		45 min.
	06/01/92	5464.00	27.80	6317.00	42.00	1.52	7.27
	06/02/92	5492.50	28.50	6348.00	31.00	1.09	7.39
	06/03/92	5528.00	33.50	6384.00	36.00	1.07	7.39
	06/04/92	5567.70	41.70	6426.00	42.00	1.01	7.56
	06/04/92	5614.80	46.90	6466.00	40.00	0.85	7.64
	06/08/92	5637.40	22.80	6478.00	12.00	0.53	6.41
SCHEDULED MAI	06/10/92						240 min.
	06/10/92	5679.40	42.00	6585.00	87.00	2.07	7.14
	06/17/92	5726.10	48.70	6573.00	8.00	0.16	7.70
	06/17/92	5739.10	11.00	6620.00	47.00	4.27	7.47
WATER	06/17/92		SS. 4		CS. 4		25 min.
	06/17/92	5785.40	46.30	6671.00	51.00	1.10	7.58
	06/18/92	5817.30	31.90	6699.00	28.00	0.88	7.58
	06/18/92	5881.70	64.40	6755.00	56.00	0.87	7.76
	06/19/92	5921.20	39.50	6792.00	37.00	0.94	7.78
	06/21/92	5962.50	41.30	6836.00	44.00	1.07	7.48
	06/22/92	6008.90	46.40	6884.00	48.00	1.03	7.74
	06/22/92	6063.20	54.30	6925.00	41.00	0.78	7.38
	06/22/92	6118.80	55.40	6975.00	50.00	0.90	7.74
	06/23/92	6178.90	60.30	7003.00	28.00	0.46	7.48
	06/23/92	6219.50	40.80	7052.00	49.00	1.21	7.61
	06/24/92	6261.80	62.10	7101.00	49.00	0.79	7.83
	06/24/92	6335.40	53.80	7125.00	24.00	0.45	7.41
	06/24/92	6358.90	23.50	7167.00	42.00	1.79	7.49
WATER	06/24/92		SS. 7		CS. 10		40 min.
	06/25/92	6414.70	55.80	7216.00	49.00	0.88	7.66
	06/25/92	6468.50	53.80	7243.00	27.00	0.50	7.66
	06/25/92	6501.80	33.30	7292.00	49.00	1.47	7.69
	06/26/92	6560.70	58.90	7340.00	48.00	0.81	7.75
	06/26/92	6616.00	55.30	7367.00	27.00	0.49	7.45
	06/26/92	6653.70	37.70	7422.00	55.00	1.46	7.46
	06/27/92	6714.80	61.10	7477.00	55.00	0.90	7.58
	06/27/92	6766.60	71.80	7518.00	41.00	0.57	7.58
	06/27/92	6841.20	54.60	7576.00	58.00	1.06	7.66
	06/28/92	6903.10	61.90	7629.00	53.00	0.86	7.47
	06/28/92	6958.90	55.80	7680.00	51.00	0.91	7.68
	06/29/92	7002.90	44.00	7723.00	43.00	0.98	7.42

	DATE	MILES DRIVEN	AVERAGE DAILY MILES	TOTAL NUMBER OF CHARGES	AVERAGE MILES PER CHARGE	KWH USED	KWH PER MILE
1ST Quarter	09/30/91	407.00	9.70	15.00	27.17	584.00	1.43
2ND Quarter	12/31/91	2000.10	21.74	59.00	33.90	2467.00	1.23
3RD Quarter	03/31/92	1804.80	19.83	62.00	29.11	2263.00	1.26
4TH Quarter	06/30/92	2790.40	30.33	74.00	37.71	2973.00	1.07
TOTAL	TO DATE	7002.90	22.09	210.00	33.35	8307.00	1.19

G-VAN (150) RECORDS

G-VAN (150) MILES DRIVEN

G-VAN (150) MILES/KWH

NOTE: CHART SHOWS DIRECT RELATIONSHIP BETWEEN MILES DRIVEN AND MILES/KWH

KANSAS STATE UNIVERSITY

ELECTRIC VEHICLE SITE OPERATOR PROGRAM

Prepared by:

James R. Hague

Director, Electric/Hybrid Vehicle Program

Royce A. Steinert
Service Technician

Tammy Nissen-Pfrang
Student Assistant

Kansas State University
115 Seaton Hall
Manhattan, KS 66506
Phone: (913) 532-5617
Fax: (913) 532-5661

END

**DATE
FILMED**

9 / 17 / 92