NOTICE

**CERTAIN DATA
CONTAINED IN THIS
DOCUMENT MAY BE
DIFFICULT TO READ
IN MICROFICHE
PRODUCTS.**

(CLASSIFICATION)

DECLASSIFIED

GENERAL ELECTRIC

HANFORD ATOMIC PRODUCTS OPERATION - RICHLAND, WASHINGTON

DOCUMENT NO.

HW-47033

SERIES AND COPY NO.

DATE

November 30, 1956

☒

RESTRICTED DATA

THIS DOCUMENT CONTAINS RESTRICTED DATA AS DEFINED BY THE ATOMIC ENERGY ACT OF 1954. IT IS THE POLICY OF THE UNITED STATES GOVERNMENT THAT THE TRANSMITTAL OR THE DISCLOSURE OF SUCH DATA IN ANY MANNER TO AN UNAUTHORIZED PERSON IS PROHIBITED.

TITLE

PUREX PLANT L CELL PLUTONIUM
CONCENTRATION FLOWSHEET REVISION

☐

OTHER OFFICIAL CLASSIFIED INFORMATION

THIS MATERIAL CONTAINS INFORMATION AFFECTING THE NATIONAL DEFENSE OF THE UNITED STATES WITHIN THE MEANING OF THE ESPIONAGE LAWS, TITLE 18, U. S. C., SECS. 793 AND 794, THE TRANSMISSION OR REVELATION OF WHICH IN ANY MANNER TO AN UNAUTHORIZED PERSON IS PROHIBITED BY LAW.

AUTHOR

ER Irish/WH Swift

CIRCULATING COPY
RECEIVED 200E AREA

DEC 11 1956

RETURN TO

THIS DOCUMENT MUST NOT BE LEFT UNATTENDED OR WHERE AN UNAUTHORIZED PERSON MAY HAVE ACCESS TO IT. WHEN NOT IN USE, IT MUST BE STORED IN AN APPROVED LOCKED REPOSITORY WITHIN AN APPROVED GUARDED AREA. IF IT IS YOUR POSSESSION AND YOU HAVE OBTAINED A SIGNED RECEIPT FROM THE ISSUING OFFICE, IT IS YOUR RESPONSIBILITY TO KEEP IT AND ITS CONTENTS WITHIN THE LIMITS OF THIS RECEIPT AND FROM ANY UNAUTHORIZED PERSON. ITS TRANSMITTAL TO, OR DISCLOSURE AT YOUR PLACE OF WORK OR IN THEM FROM THE RELATING ISSUING FILE, ALL PERSONS READING THIS DOCUMENT ARE REQUESTED TO SIGN IN THE SPACE PROVIDED BELOW.

TECHNICAL INFORMATION FILES

ROUTE TO:

~~FILE COPY~~

~~Record Center Copy~~

RECORD CENTER FILE

PAYROLL NO.

LOCATION

FILES ROUTE
DATE

SIGNATURE AND DATE

DECLASSIFIED

Classification Cancelled and Changed To

DECLASSIFIED

By Authority of SE Gydesen

CG-PR-2 8-11-93

By J. E. Savely 8-17-93

Verified By PK Schulte 8-20-93

DECLASSIFIED

HW-47033

1. J. B. Fecht
2. O. F. Beaulieu
3. E. R. Irish
4. O. C. Schroeder
5. R. E. Tomlinson-W. G. Browne
6. L. L. Zahn-J. R. LeRiviere
7. File Copy
8. Record Center Copy

November 30, 1956

CONFIDENTIAL MA

J. B. Fecht, Manager
Process Design and Development
Facilities Engineering
CHEMICAL PROCESSING DEPARTMENT

**PUREX PLANT L CELL PLUTONIUM
CONCENTRATION FLOWSHEET REVISION**

Reference: HW-4639, "Purex Plant L Cell Plutonium Concentration Flowsheet", E. R. Irish, October 30, 1956.

The reference letter documented the plutonium concentration flowsheet in use at that time and proposed that this flowsheet be used for the scope design basis of replacement equipment. A study of the application of the reference flowsheet to the proposed remote package design⁽¹⁾ indicated that attainment of a plant capacity factor of four would be doubtful. This letter outlines a flowsheet reconciling process and equipment limitations and capable of a capacity factor of four.

The revised flowsheet presented below achieves the increase in capacity factor by use of both evaporative concentration and live steam in the Plutonium Stripper T-13.

(1) HW-45038 "Scope Design of Remote Equipment for Final Plutonium Product Concentration in the Purex Plant", H. G. Johnson, August 29, 1956.

DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

MASTER

DISTRIBUTION RESTRICTED TO U.S. ONLY

DECLASSIFIED

J. B. Fecht

- 2 -

IL-4033

November 30, 1956

<u>Stream</u>	<u>Flows (2)</u>	<u>M. H₂O₃</u>	<u>Pu, G./L. (3)</u>
2BX	6.0	0.01	-
2BP	6.0	0.25	4.4
2BP-H ₂ O ₃	0.2	13.0	
PSP	6.2	0.66	4.25
PSC	3.75	1.09	7.0
PSS	Variable (4)		
PSD	4.1	Tr	Tr
IPC	0.18	6.3	150
IPD	3.57	0.825	Tr

- (2) Flows relative to HAF of 750 gallons per ton U = 100
 (3) Based on HAF containing 765 g. Pu/ton U.
 (4) PSS (Plutonium Stripper Steam) will be varied with production rate in order to obtain optimum loading of the stripping section. At a capacity factor of 4.0, this flow shall not be less than 1.65 flows (condensed basis).

The recommendations presented in the reference document may be modified as follows:
 1) Item (5), instrumentation for relative recirculation rate in E-14 does not appear feasible and may be eliminated. 2) Provision for overflow operation of E-14, provided for in the initial scope, may be eliminated.

Manager, Purex Technology
 Research and Engineering
 CHEMICAL PROCESSING DEPARTMENT

EH Rich:WH Swift/ash
 202-A Bldg., 200 East
 Phone 2-7826

END

**DATE
FILMED**

11/02/93