**SOUTH CAROLINA DOE/EPSCoR ENERGY-RELATED
GRADUATE RESEARCH TRAINEESHIPS**

**Progress Performance Report
for period
September 30, 1991 - September 29, 1992**

James R. Durig

**University of South Carolina
Columbia, South Carolina 29208**

DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

**Prepared for
THE U.S. DEPARTMENT OF ENERGY
AGREEMENT No. DE-FG02-91ER75663**

MASTER

TABLE OF CONTENTS

A. SUMMARY OF PROGRESS	2
1. Recruitment/Response/Selection of Trainees	2
2. List of Graduate Research Trainees	4
3. Relevance to Traineeship Grant Goals	4
 B. FAVORABLE DEVELOPMENTS	 8
1. Infrastructure Development	8
2. Increased Institutional Interactions	10
 C. SUMMARY OF RESEARCH ACTIVITIES/EFFORTS TO BE PERFORMED	 12
 D. OTHER INFORMATION	 22
1. Workshops	22
2. Practicum Arrangements	22
3. Pro-Active Recruitment Plans	23
4. Cost-Sharing Considerations	24
 APPENDIX - Vita of Research Advisors	 26

A. SUMMARY OF PROGRESS

1. Recruitment/Response/Selection of Trainees

Notification of the DOE/EPSCoR Graduate Research Training Award was received in August 1991. Chairmen from the listed departments were immediately notified and applications were solicited from participating faculty. All graduate students in appropriate academic disciplines were made aware of the existence of the DOE/EPSCoR Traineeship Program but the students were not considered for a traineeship unless they had completed at least one academic semester of graduate school. Departmental chairmen formed committees composed of those faculty or a subset who have at least part of their research thrust in an energy-related project. These faculty were identified in the initial proposal and included not only those with active funding but also by past funding and significant publications in an energy-related area. These "key faculty" served to select one or two candidates for recommendation to the State EPSCoR committees, given below. The requested application material consisted of the student's undergraduate academic record; the student's graduate record; a description of the student's research being conducted; a letter of recommendation from the student's research advisor; and a letter of recommendation from one of the student's committee members. The participating departments were:

University of South Carolina Departments

Geological Sciences
Physics and Astronomy
Biological Sciences
Chemistry and Biochemistry
Mathematics
Chemical Engineering
Electrical and Computer Engineering
Mechanical Engineering

Clemson University Departments

Chemistry
Computer Science
Earth Sciences
Mathematics
Environmental Systems Engineering

Two committees composed of the following State EPSCoR committee members met at the University of South Carolina and Clemson to make a final selection of the graduate research trainees.

University of South Carolina Committee

Ron DeVore
Professor of Mathematics

James R. Durig
Dean, College of Science and Mathematics

Paul Huray
Vice-Provost for Research

Michael A. Sutton
Professor of Mechanical Engineering

Clemson University Committee

Lewis Duncan
Assoc. Dean, College of Sciences

Bob Gilliland
Special Asst. to President

Gil Proctor
Professor of Mathematics

Bobby Wixson
Dean, College of Sciences

Ten awards were granted out of a total of fifteen applications referred to the State Committee. Selection was based on criteria such as the relevance of the research project to DOE mission objectives; the student's academic record and aptitude; and the qualifications of the student's research director.

Special efforts were made to obtain nominations of minorities and women. In the final selection two of the graduate traineeships were awarded to women and one of these is a minority, i.e. Asian-American. The probability of some of the traineeships being awarded to black students is high based on the percent of minorities in the various science and engineering programs. In fact, the State of South Carolina is ideally poised to produce a significant number of black Ph.D.'s in the science and engineering fields based on the percentage (40%) of blacks graduating from the state's high schools. Only recently have a significant number of these students begun to major in the science and engineering fields. Currently 26% of the majors in the College of Science and Mathematics are black and 70 of these 450 students have grade point averages greater than 3.0 and therefore are probable candidates to pursue the Ph.D. degree. Currently, 7% of the students pursuing Ph.D. degrees in the College of Science and Mathematics are black and it is anticipated that this percentage will continue to increase as more science students have an opportunity to conduct research as part of the undergraduate educational experience. Similar enrollments are also present in the College of Science at Clemson University as well as the Colleges of Engineering at both universities.

2. List of Graduate Research Trainees

A list of the 1991 DOE/EPSCoR Graduate Research Traineeship Awardees is given in Table 1 along with their research area, anticipated Ph.D. degree date, thesis title, and practicum arrangements.

3. Relevance to Traineeship Grant Goals

The three primary objectives of the DOE/EPSCoR Traineeship Grant are to increase the number of U.S. graduates with training in energy-related disciplines; to provide training and research experience through active participation in on-going energy research programs; and to ensure that the trainees obtain a broader understanding of energy-related research and technology.

Goal 1: At this time it is difficult to quantitatively measure whether there will be an increase in the number of graduate students seeking training in energy-related disciplines, but there is at least one relevant, quantifiable measure: in the period between January 1991 - 1992, the program has experienced an 18% increase in the number of faculty who are interested in participating in the South Carolina DOE/EPSCoR Graduate Research Traineeship Program. More importantly, however, is the observation that new faculty additions comprise a part of this 18 % increase. For example, Dr. Michael Myrick, who was hired this past Fall in the University of South Carolina's Department of Chemistry, studies surface chemical reactions. Dr. Myrick has several on-going collaborations with DOE National Labs; one of his students will intern this summer with S. M. Angel at the Lawrence Livermore National Laboratory.

Goal 2: The graduate research trainees are gaining experience and training in relevant energy-related research fields. For example, Mr. Scott Reboul's research, under the supervision of Prof. R. Fjeld in Clemson University's Department of Environmental Systems Engineering, is being conducted with an instrument (ANABET, Bradtec, Inc.) that integrates high performance liquid chromatography with on-line scintillation counting. There are only two of these instruments in the United States; the other is in the Analytical Chemistry Division at the Savannah River Site (SRS). The work at SRS is focussing on beta emitters (principally

Table 1
1991 DOE/EPSCoR Graduate Research Trainees

NAME UG/GR GPA*	INSTITUTION/ DEPARTMENT	ADVISOR	RESEARCH AREA	Ph.D. DEGREE DATE	THESIS TITLE	PRACTICUM ARRANGEMENTS
Iyun Hsu 3.99/4.0	CU - Chemistry	J. Petersen	Transition Metal Photochemistry	Aug. 1993	"Photochemical Production of Molecular Hydrogen"	---
Walter Jones 3.3/3.82	CU - Mathematics	C. Cox	Numerical Modeling of Flow Through Porous Media	May 1994	"Moving Finite Element Solution of the Unsaturated Flow Problem"	Savannah River Site
Robin Lougee-Heimer 4.0/3.94	CU - Mathematics	W. Adams	Operations Research	Dec. 1993	"Integer and Network Optimization with Applications to Energy Problems"	SC Water Resources Commission
Edward Mason 3.48/4.0	USC - Geological Sciences	R. Ehrlich	Petrogeophysics	May 1994	"Petrogeophysics in the Western Canadian Basin"	---
Daniel N. Olson 3.53/3.51	USC - Mechanical Engr.	W. Peters	Power Production with Biogas	May 1994	"Effective Energy Production with Biogas from Animal Wastes"	---
Scott Reboul 3.35/3.74	CU - Environmental Systems Engr.	R. Fjeld	Radioassay of Environmental Samples	Dec. 1993	"Separation and Quantification of Actinides in Aqueous Samples by High Performance Liquid Chromatography and Alpha Scintillation"	Savannah River Site
Edward Stack 3.63/3.90	USC - Geological Sciences	A. Cohen	Environmental Geology	May 1993	"Remediation of Hydrocarbons, Heavy Metals and Radionuclides from Contaminated Water Using Peat-based Systems"	Argonne National Laboratory June-July 1992
Ray S. Williams 3.7/3.85	USC - Biological Sciences	D. Lincoln	Rising CO ₂ Effects on Plant/Insect Interactions	May 1994	"The Impact of Elevated Carbon Dioxide and Nutrient Limitation on Plant/Insect Interactions in Pine and Hardwood Forest Systems"	Oak Ridge National Laboratory June-August 1993
Donald A. Wingard 3.3/3.53	USC - Chemical Engr.	J. W. Van Zee	Electrochemistry	Dec. 1993	"Simultaneous Decomposition and Electrochemical Reactions in Porous Electrodes"	Savannah River Site
Wayne M. Zunic 3.15/3.9	USC - Chemistry	J. R. Durig	Pyrolysis GC/FT-IR and Pyrolysis GC/MS of Humic Acids, Lignite, and Coals	Aug. 1992	"Pyrolysis Gas Chromatography/Fourier Transform Infrared Spectroscopy and Pyrolysis Gas Chromatography/Mass Spectrometry of Humic Acids, Indonesian Lignites and Bituminous Coals"	---

*Student's undergraduate/graduate grade point average based on 4.0.

strontium-90) in high level samples. The research being performed under the traineeship is focussing on alpha emitters in environmental samples and complements the work at SRS.

The research effort of Ms. Lougee-Heimer has to this point been a valuable learning experience in that she has had the opportunity to gain an appreciation for the inherent difficulties associated with energy-related problems. The difficulties lie not only in gathering pertinent data and constructing and solving suitable mathematical models, but they also lie in communicating with individuals having different backgrounds and areas of expertise. While Ms. Lougee-Heimer is familiar with state-of-the-art mathematical programming techniques, she has not had extensive prior experience applying this knowledge to practical energy-related problems. In the same vein, most of the engineers, biologists and regulators at the South Carolina Water Resource Commission are not experts in the field of mathematical programming. Consequently, Ms. Lougee-Heimer has invested time with the professionals at the SCWRC explaining their respective areas of expertise and delineating goals and objectives. This time is well spent since the model Ms. Lougee-Heimer is constructing should prove to be a valuable decision-making tool for the State of South Carolina.

Goal 3: The third primary objective of the DOE/EPSCoR Traineeship Grant is to ensure that the trainees obtain a broader understanding of the development and application of energy-related research and technologies. The proximity of the Savannah River Site provides the trainees a unique and convenient location to broaden their energy-related research activities, and a number of the trainees have taken advantage of this facility.

Mr. Walter F. Jones has continued to work with a South Carolina Universities Research and Education Foundation, SCUREF (Task Order No. 22), research team which is studying the effects of heterogeneity and diffusion on the performance of a recovery well. The DOE contact for this research is John Haselow at the Savannah River Site. While a research assistant on this project, Mr. Jones used a finite element code called CFEST to simulate contaminate transport in a confined aquifer with uniform layers. Agreement was found between CFEST and Mr. Jones' analytical solution, so it has been concluded that CFEST accurately modeled contaminate

diffusion into low-conductivity layers. Mr. Jones' Ph.D. Advisory Committee includes a DOE research engineer from SRS.

Contact has been maintained with researchers at the Savannah River Site regarding various aspects of Mr. Scott Reboul's project. A contact person in the Interim Waste Technology Division has provided general information on new environmental monitoring requirements under DOE Order 5480 and specific information on actinide chemistry and on chemical/radiological characteristics of SRS groundwater and waste stream samples. A contact person in the Analytical Chemistry Division was briefed on the general direction of the research and confirmed its relevance to problems at SRS.

Mr. Donald A. Wingard is working in a research group that has contacts with Westinghouse SRS in two areas of Electrochemical Engineering: Aluminum Dissolution in Mercury Containing Nitric Acid Solutions and the Development of a Microarray Electrochemical Cell. In addition, his research advisor has contact with researchers in the US Navy in the area of aluminum/air batteries and he has exposure to advances in that area as well.

An appointment as a visiting research scientist at Argonne National Laboratory has been submitted for June-July 1992 for Mr. Edward Stack. The research will be conducted in their chemistry division and will involve using a Density Gradient Centrifugation Technique on peats and lignite. The microcomponents of the peats and lignite extracted during these experiments will then be analyzed for chemical composition and sorption potential.

Ms. Iyun Hsu attended the annual meeting of the Inter-America Photochemical Society in Clearwater Beach, Florida, January 1-5, 1992. At this meeting, she presented a poster of her work and listened to presentations of many eminent scientists in photochemistry. Some of the ideas for her new ligand and metal complex variations came from interactions with other scientists at the meeting. She is scheduled to make a poster presentation at the National American Chemical Society meeting in San Francisco in April. In addition, her work will be presented at the DOE Solar Photochemistry meeting in early June in order to solicit cooperation from the National Laboratories in making sophisticated transient-absorbance measurements.

Mr. Ray Williams' research site for addressing the impacts of rising atmospheric CO₂ levels on plant/insect interactions has been at Duke University where the growth of Loblolly Pine in open-topped environmental chambers is monitored. Experiments at Oak Ridge National Laboratory are planned for June of this year. Like the Duke University experiment, this site allows for examination of long term elevated CO₂ effects on woody plants, in this case hardwood tree species. The results of this summer's collaboration will form the basis for a practicum. Effects on larval performance, developmental rates, and fecundity will allow implications to be made regarding a different forest ecosystem and its associated herbivorous insect pest. Appraising future trends will require studies such as these to assess how different species of plants and insects will interact.

Ms. Robin Lougee-Heimer, under the supervision of her dissertation advisor, is working with the South Carolina Water Resources Commission to develop efficient and responsible strategies for generating hydroelectric power. The motivation for this research is the state's role in recommending to the Department of Energy conditions under which existing plants be awarded a renewal of their operating licenses. While Ms. Lougee-Heimer is familiar with state-of-the-art mathematical programming techniques, she has not had extensive prior experience applying this knowledge to practical energy-related problems.

B. FAVORABLE DEVELOPMENTS

Favorable results related to the South Carolina DOE/EPSCoR Graduate Research Traineeship Award include infrastructure development activities (facilities and faculty development) and increased institutional interactions.

1. Infrastructure Development

Clemson University has made a major commitment to environmental research in general, and to the Department of Environmental Systems Engineering (ESE) in particular, with the completion in the summer of 1991 of the Rich Environmental Laboratory. This is a modern, 42,000 square foot laboratory facility. It is fully equipped with a complete array of chemical

and nuclear analysis instrumentation. In addition, ESE recently entered into an unprecedented and unique partnership with Chemical Waste Management Inc. (CWM), the world's largest hazardous and radioactive waste management concern. A CWM corporate research facility has been constructed immediately adjacent to the ESE research laboratory to nurture interaction between the two entities. ESE essentially serves as the fundamental or basic research arm for CWM, developing technologies to be used for contaminant control and environmental restoration. Significant and frequent interactions and collaborations between personnel of the two entities give graduate students first-hand experience in solving energy related environmental problems.

Energy research has been, and will continue to be an integral part of both the educational and research efforts of the USC Mechanical Engineering Department. The spectrum of activities covered under the designation of energy is very broad. In an attempt to coalesce the energy-related efforts of the faculty within the Department, the faculty formed the Thermal Engineering Group which focuses their research efforts on the generic area of environmental energy issues. The research goal of the Thermal Engineering Group is the development of innovative thermal and fluid-based concepts. The scope ranges from research involving basic thermophysics and chemistry to applications which lead to the building of prototype hardware. The Group's activities involve the use of techniques ranging from computer-based simulations to experimental set-ups.

Almost half of the faculty in the Department of Chemistry at Clemson University and approximately the same percentage of graduate students are involved in energy-related research. Two new faculty members (J. D. Beckerle - Fall, 1991; Y. P. Sun - Fall, 1992) give the Department additional expertise in the preparation of energy-related materials, the analysis of chemically significant materials for energetic processes, modification of energy intensive processes, the modeling and monitoring of nuclear reactor processes, and environmental consequences of the nuclear reactor processes. In the next few years, over 50% of their graduate students will be in energy-related areas.

The Mathematical Sciences Department at Clemson University has used the Distinguished Visitor Colloquium Series (each visitor gives three lectures) to promote and attract outstanding graduate students to their two major areas of energy-related research: Health and Environmental Research (groundwater remediation of hazardous and radioactive wastes) and Analytical and Numerical Methods. This year the Colloquium Series featured Professor Mary Wheeler from Rice University on groundwater models, and Professor James Demmell from University of California-Berkeley/Argonne National Lab, on LAPACK, in addition to other leading scientists in computational mathematics.

2. Increased Institutional Interactions

A strong team of research mathematicians in the USC Department of Mathematics have focussed their efforts on the development of sophisticated mathematical models coupled with high-performance computing to understand the large-scale processes. Professors Bennett, DeVore, Dix, Meade, and Sharpley are collaborating with mathematicians, civil and chemical engineers, and computational scientists from several other academic institutions (Rice, SUNY-Stony Brook, Texas A&M, University of Tennessee) and national laboratories (Brookhaven, ONRL, Sandia, Ames) through the Partnerships in Computational Science (PICS) Consortium to address groundwater modeling from the basic physical principles through to the compression and visualization of the resulting large scale data sets. Departmental members are involved in all aspects of this research. Closely related to the PICS effort, Professor Robert Sharpley is directing two Westinghouse Savannah River Company - Savannah River Laboratory (WSRC-SRL) projects aimed at groundwater modeling using mixed finite elements and the modified method of characteristics in order to obtain accurate velocities for the flow and resolve sharp fronts of the contaminant plumes. This project has Professors Mike Celia (Civil Engineering, Princeton University) and Dick Ewing (Mathematics, Engineering, Texas A&M University) as principal consultants.

The University of South Carolina's Department of Chemistry and Biochemistry is working in collaboration with ESRI (Earth Sciences and Resource Institute) to analyze oil and

source rock samples from the Picora Basin region of northern Russia. The analyses, conducted in the Department's Gas Chromatography-Mass Spectrometry Laboratory, include GC/FID analysis of oils and source rock extracts, and high resolution GC/MS analysis for specific biomarkers. The analytical data are provided in disk format for evaluation and interpretation by ESRI staff geochemists. The instrumental capabilities of this laboratory are gradually expanding, and the mission of the laboratory is being oriented toward basic research. New instruments, to be acquired within the next two years, should permit development of new methods for analysis of petroleum products, including evaluation of supercritical fluid extraction of source rocks for GC/MS analysis and application of liquid chromatography-mass spectrometry for analysis of non-volatile products.

C. SUMMARY OF RESEARCH ACTIVITIES/EFFORTS TO BE PERFORMED

On the following pages are summaries of the students' research, their progress to date, and a summary of their efforts to be performed in succeeding funding periods.

IYUN HSU

Department of Chemistry
Clemson University

Dissertation Advisor: John D. Petersen

Research Area: Transition Metal Photochemistry

Photoreductive elimination of hydrogen, being one of the steps involved in metal catalyzed photoreduction of water, has been one of the focuses in the laboratory of Prof. John Petersen. They are interested in preparing bimetallic complexes such that one metal center serves as an energy absorber while a second metal center functions as the reactive fragment. The two metal centers are covalently bound through a polyazine ligand bridge.

The goal of the work is to prepare multi-metal complexes capable of converting light into usable chemical potential energy. This past grant period a series of bimetallic, metal dihydride complexes were prepared and evaluated. These involved cyanoferrate(II) or bipyridylruthenium(II) light-absorbing centers coupled to a cobalt(III) dihydride reaction center through a bi- or tridentate azine bridging ligand. The thermal instability of a number of these complexes have led to structural modifications of the bridging ligand currently planned for this next year.

In an attempt to thermally stabilize the cobalt(III) hydrides we have undergone a study using monodentate bridging ligands which would allow binding of an increased number of phosphines. Photochemistry of $[\text{Co}(\text{H})(\text{pz})(\text{PPh}_3)_4]^{2+}$ (IV) (where pz = pyrazine) in THF has been studied and the quantum yield for hydrogen production measured. Compound IV is thermally stable for several days although it is extremely air-sensitive. Communication between IV and the metal chromophores is currently under investigation. It is believed that the communication using a monodentate ligand should be poorer than using a bi- or tridentate ligand. In a parallel study they have synthesized $[\text{Co}(\text{H})(4,4'\text{-bpy})(\text{PPh}_3)_4]^{2+}$ (V) (where 4,4'-bpy = 4,4'-bipyridine) and studied its photochemical behavior. This complex shows photoactivity although the thermal loss of hydrogen is substantially larger than the photochemical loss. They are currently attempting synthesis using sterically less demanding phosphine ligands in order to increase thermal stability of the cobalt hydrides.

WALTER F. JONES

Department of Mathematical Sciences
Clemson University

Dissertation Advisor: Christopher L. Cox

Research Area: Numerical Modeling of Flow Through Porous Media

Mr. Walter Jones' dissertation research contains both applied and theoretical components. The first component of his research involves modeling preferential flow through porous cracks and channels. This work is being conducted jointly with Dr. Virgil Quisenberry of Clemson University's Department of Agronomy and Soils. The overall goal of this project is to categorize the soils of South Carolina by their flow characteristics. This requires one to develop an accurate and reliable numerical model of two-dimensional vertical flow. Mr. Jones is using the Moving Finite Element (MFE) method to model unsaturated flow, since he has shown that the MFE method is superior to conventional methods when applied to problems with fast moving fronts. The MFE solution of the one-dimensional flow equation agreed with the laboratory experiments of Dr. Quisenberry, and the code was successfully used to reproduce results for unsaturated flow into layered soil. Mr. Jones will extend this code to simulate two-dimensional flow and again the accuracy of the numerical solution will be confirmed using laboratory experiments. Finally, he will model two-dimensional flow into a heterogeneous soil which takes in account porous cracks and channels.

An analysis of the MFE method, especially with application to unsaturated flow problems, is the second component of Mr. Jones' research. This method, introduced by Keith Miller in 1980, was developed to handle nonlinear hyperbolic and parabolic problems which develop sharp moving fronts. Unsaturated flow falls into this class of problems. The method is more efficient than conventional methods such as standard finite difference or finite element methods. The MFE method requires the user to define two regularization parameters which are part of the terms that affect node movement. Choosing the optimal parameters is often difficult, since the method's performance is sensitive to small changes in the parameters. Mr. Jones is developing regularization terms with just one parameter in order to make the method more versatile. He will continue his analysis of the MFE method to acquire a better understanding of the regularization terms. The literature contains no detailed analysis of the regularization terms since most researchers ignore the regularization terms when analyzing the MFE method. His ultimate goal is to develop a MFE method that automatically finds the regularization parameters. It may be possible to vary the regularization parameters as the solution evolves. Once this effort is successful, a method will be produced that is fully-automatic and problem-independent. Thus we will have a robust solver for a wide class of problems of the sort that arise in modeling contaminant transport through unsaturated porous media.

ROBIN LOUGEE-HEIMER

Department of Mathematical Science
Clemson University

Dissertation Advisor: Warren P. Adams

Research Area: Operations Research

The goal of the graduate trainee, Ms. Robin Lougee-Heimer, is to develop an efficient management strategy for the hydroelectric power system on the Savannah River Basin that balances the competing demands on the available water supply. The Savannah River Basin is located in South Carolina and Georgia. On the basin, the hydroelectric power system of concern consists of five hydroelectric dams located in series: Keowee, Jocassee, Hartwell, Russell, and Thurmond. The reservoir system serves multiple purposes, providing hydroelectric power, flood control, recreation, a water supply for domestic needs, stream flow for diluting treated municipal and industrial waste, coolant for nuclear plants, and an environment for wildlife.

The problem confronting planners is to determine the exact times and quantities of water to be released at each facility. Currently, operations management is driven by the single objective of generating as much useable hydroelectric power as possible. While this is by no means a simple task, due to factors such as uncertain rainfall, varying consumer demand for electricity, and interactions between upstream and downstream dams, this single-objective approach neglects the multiple purposes that the system serves. The goal of the traineeship is to develop a multiple objective strategy for generating as much useable hydroelectric power as possible and at the same time optimizing the competing demands on the water usage. Hence, it is intended to provide a management policy that defines and balances the trade-offs between the conflicting demands on the reservoir system.

The problem described above is confronting the South Carolina Water Resources Commission (SCWRC). The investigators have requested the mathematical model of the single-criteria optimization problem currently being used by the South Carolina Water Resources Commission (SCURC). This model will serve as a starting point for their multicriteria analysis. The contact at SCWRC is currently in the process of gathering this information and obtaining clearance for our access. In the mean time, Ms. Lougee-Heimer has been conducting a literature review of the applications of multicriteria optimization to the management of hydroelectric power systems. In addition, they have solicited the assistance of Dr. Malgorzata Wiecek, a Clemson University professor, whose area of expertise is multicriteria optimization. Dr. Wiecek has graciously agreed to work with the investigators on this project.

EDWARD MASON
Department of Geological Sciences
University of South Carolina
Dissertation Advisor: Robert Ehrlich
Research Area: Petrogeophysics

Current petroleum exploration can be separated into two phases: (1) geophysically-driven operations which look for large fields in previously-undeveloped basins, and (2) the discovery of subtle hydrocarbon accumulations in "mature petroleum" provinces. Discovery of additional hydrocarbons in a mature province requires the development of new approaches, based on efficient evaluation of existing data. The object of this Ph.D. research is to utilize a broad variety of subsurface information, coupled with current knowledge of petroleum science to evaluate a mature basin for subtle traps.

The Western Canadian Basin was chosen as the area for investigation because it has one of the most complete databases in the world. Publicly-available data from several tens of thousands of wells include stratigraphic tops, wireline logs, production histories, core reports, and core samples. In addition, the dissertation will be supplemented with proprietary data from a leading Calgary-based oil company. Within the Western Canadian Basin, the study will focus on the Deep Basin of Alberta because the petroleum industry considers structural "folds and faults" to have had little influence on the Deep Basin's sedimentation and diagenesis. Preliminary work indicates this is not so.

Most of the analysis will be done on an MS-DOS computer using state-of-the-art mapping procedures. With these techniques, it can be shown that the Deep Basin is broken into a large number of fault-bounded blocks with displacements of up to 200 meters. These faults have influenced sedimentation from Middle Paleozoic to Late Cretaceous. Preliminary analysis of deep resistivity readings from wireline logs and other information suggests these faults were conduits for migration of hydrocarbons and diagenetically-active waters. The dissertation research is divided into three parts: (1) documenting the structural framework of the basin, (2) establishing the structural effects on sedimentation (i.e. isopach and lithofacies changes), and (3) determining the relationship between the structural setting and cementation distributions in the rocks.

DANIEL N. OLSON

**Department of Mechanical Engineering
University of South Carolina**

Dissertation Advisor: Dr. W. Peters

Research Area: Power Production with Biogas

The anaerobic production of methane has been studied in many projects over the last 50 years. Microbiologists understand most of the physiological and chemical processes that take place to produce the gas. Production rate data is empirical and varies with the material provided to the digester, feed rates, and other conditions. The effective use of the gas in an internal combustion engine has not been extensively studied. Preliminary search of scientific literature has uncovered few reports of burning gas produced from animal manure in an internal combustion engine. There is little information available regarding the characteristics of engines fueled with this type of gas.

The project is proceeding at an excellent pace with encouraging initial results. The digestion vessel, salvaged from a previous project, was modified to include feeding tubes that help to reduce oxygen inclusion at feeding. Two motorized stirrers were also added. Electric resistance heaters and a temperature controller were fitted to the digestion vessel and foam insulation was installed. The digester was then plumbed to two 1.9 m³ steel storage tanks salvaged from another project. An inexpensive automatic control system was designed and built to control the flow of the gas from the digester to the storage tanks. The digester was first loaded on December 20, 1991. Gas production started approximately 4 days later. The best production rate achieved so far has been just over one cubic foot of gas per hour. Although gas production data is not the primary focus of this investigation, a good production rate needs to be maintained so that gas is readily available for engine experiments. On January 14, 1992, a Briggs and Stratton lawn mower engine ran on the gas. The engine ran smoothly and restarted easily once correct fuel-air ratio settings were found. A one cylinder Briggs and Stratton engine was fitted to a dynamometer and has been tested using gasoline, propane, methane and biogas. Initial tests were completed on February 21, 1992. Preliminary data analysis agrees with predictions that power output is reduced with biogas as a fuel as compared to heavier hydrocarbons. Additionally, efficiency decreased significantly at higher engine speeds. This is probably due to the slower flame speed of burning biogas.

A power plant donated by Kohler Corporation will serve as the test engine. The engine was characterized with gasoline using the measured electrical power output of the plant as the parameter. The power plant as shipped was governed at 1800 R.P.M. and rated at 4.5 kilowatts. In order to determine the characteristics of the engine at its peak power, the governor was modified. An electrical circuit was designed and built to vary the voltage of the field windings of the alternator for output control.

Current emphasis is on gas production and on developing testing procedures and data collection methods. Initial calculations indicate that it will take a month to produce enough gas to run the engine for 30 minutes. Therefore each test must be well planned and executed. Data displays will be video taped and then read later. After specific fuel consumption data is gathered with gasoline, the Kohler will be converted to run on the biogas.

SCOTT REBOUL

Department of Environmental Systems Engineering
Clemson University

Dissertation Advisor: Robert Fjeld

Research Area: Radioassay of Environmental Samples

A critical need at many DOE facilities is the complete radiological characterization of environmental samples. For gamma emitting radionuclides, this can be accomplished effectively and efficiently by gamma spectroscopy. However, analysis for alpha emitters and pure beta emitters has traditionally been more time consuming and labor intensive, since it involves chemical separation of the elements from the sample. Recent application of High Performance Liquid Chromatography (HPLC), used in conjunction with a flow-through scintillation detector, has provided an effective and convenient means for separating and quantifying the following radionuclides in aqueous samples: Sr-90, Fe-55, Co-60, Ni-63, Pm-147, Y-90, C-14, and Tc-99. However, in its current configuration, the technology is ineffective for analysis of actinides. The goal of the research being performed under the traineeship is to develop an HPLC scheme for convenient separation and quantification of common actinides, such as U-234, U-235, U-238, Np-237, Pu-238, Pu-239, and Am-241.

The primary approach is to develop an elution program that will work with existing commercial HPLC columns. This involves two steps. The first includes the development and testing of eluents that we have previously identified for the selective removal of specific actinides. This will be accomplished through determinations of gradient elution profiles for the individual materials in question. The second step will be to make use of the elution profiles to develop a conglomerate program for the analysis of actinide mixtures. Thus far, a literature search has been conducted, related research reports have been reviewed, numerous actinide complexing agents have been identified, and preliminary experiments have been initiated.

The research is being conducted with an instrument (ANABET, Bradtec, Inc.) that integrates high performance liquid chromatography with on-line scintillation counting. There are only two of these instruments in the U.S.; the other is in the Analytical Chemistry Division at SRS. The work at SRS is focussing on beta emitters (principally strontium-90) in high level samples. The research being performed under the traineeship is focussing on alpha emitters in environmental samples and complements the work at SRS.

DONALD W. WINGARD

Department of Chemical Engineering
University of South Carolina

Dissertation Advisor: John W. Van Zee

Research Area: Decomposition/Electrochemical Reactions in Porous Electrodes

Mr. Donald Wingard is studying the fundamental behavior of liquid and gas phase reactions in porous electrodes. During this last year he has focussed on a high energy and power density cathode for aluminum/air batteries. He will complete this experimental and theoretical study during the next year and he will begin applying these results to the study of the second proposed application: the development of electrodes for the electrochemical oxidation of organic wastes. The study of hydrogen peroxide decomposition and electrochemical reduction will result in a description of a useful system in which simultaneous reactions can occur at an electrode. It provides a good starting point for the second application because a similar mechanism is suspected during the oxidation of organic wastes. That is, one of these reactions produces the desired product electrochemically and the other unwanted reactions are a result of spontaneous decomposition. Porous electrodes are required for these applications because they provide the high ratio of surface area to volume which allows for large reaction rates or current densities.

The experimental apparatus built for the hydrogen peroxide study will be slightly modified to study the organic oxidation during the next year. This apparatus will be used to characterize the porous electrode, experimentally, during the remainder of this year and this characterization will be useful in the study of the organic oxidation. The design of the apparatus required the development of the appropriate equations for the mass balances and for the analysis of the mass transfer limiting current density. These mass balances will be useful for both studies. It is expected that the development of the kinetic expressions for the reaction rates associated with the electrochemical reaction peroxide reaction will be completed and that the description of the oxidation reactions will begin during the next year. Experiments will be designed to investigate these descriptions. The experiments will be performed to produce data necessary to determine the kinetic and mass transfer parameters of the porous electrode. These parameters will be used to test the design equations that have been developed in this work. Deviations between the experiments and the equation predictions will lead to improvements in the design models of porous cathodes and anodes. This data will in turn provide a starting point for collaboration with researchers at SRS who are investigating the electrochemical oxidation reactions of organic wastes. Their current system destroys hazardous organic wastes through a low energy Ag(I)/Ag(II) catalyzed process. Since the mechanism is not fully understood, design of an industrial size electrolyzer will require the understanding of the fundamentals of two-phase flow with simultaneous reactions in porous electrodes. Here the application of the research involves the evolution of gas at the anode and the cathode.

EDWARD M. STACK

Department of Geological Sciences
University of South Carolina

Dissertation Advisor: Arthur D. Cohen

Research Area: Environmental Geology

A problem of national concern is the widespread dumping or leakage of contaminants into our water supply. The source of these contaminants comes from many areas including industrial plants, (i.e. nuclear plants, oil refineries), military installations, underground storage facilities and hazardous waste depositories. The focus of this research is to evaluate the potential of different peat types (i.e. physically and chemically) as an alternative, cost effective sorbent of organic and inorganic contaminants. Preliminary experiments, along with previous literature, indicates that peat has good ion exchange capacities for metals (i.e. radioactive elements) and sorption capacities for hydrocarbon, nitrates, septic waste, and industrial dyes.

This project began with a thorough literature search, acquiring approximately 195 articles, abstracts and books. Laboratory studies focused on characterization of 12-15 different peat types collected from widespread locations across the U.S. (i.e. Maine, Minnesota, Wisconsin, New York, North Carolina, South Carolina, Georgia and Florida). A number of these peats were then analyzed with respect to hydrocarbon sorption, microbial importance during hydrocarbon sorption, and denitrification. A 30-day hydrocarbon sorption study was conducted on six of the highly characterized peats.

These initial hydrocarbon sorption studies used saturated solutions that were well above contaminated ground water conditions. These studies represented the most severe loading problems the peats would undergo and the worst scenario conditions. The new experiments will employ hydrocarbon concentrations that closely correlate with contamination levels found in ground water. These experiments will focus on 6-12 peat types, lignite, and coal under different experimental conditions.

Also of importance at DOE Sites and industrial plants nationwide is the remediation of metals and radionuclides. Laboratory experiments will be conducted on 12-15 different peat types, lignite and coal. These studies will consist of single and multi-component batch slurry and column experiments under changing conditions (i.e. temperature, pH, contaminant concentration, etc.). Additional samples will be spiked with certain metals, thin sectioned according to Cohen (1983) and analyzed with a microprobe to determine specific sites of sorption and relate these sites to botanical composition. Analysis of the samples will include atomic absorption, XRD, microprobe, GC/FT-IR/FID and pyrolysis GC/MS.

RAY S. WILLIAMS

Department of Biological Sciences
University of South Carolina

Dissertation Advisor: David Lincoln

Research Area: Rising CO₂ Effects on Plant/Insect Interactions

Rising atmospheric carbon dioxide brought on by the burning of fossil fuels has been proposed to influence the biological components of ecosystems. For example, alterations in plant structure and function, such as increased photosynthetic productivity and changes in protein composition and secondary chemical production, may affect other members of complex forest communities. The increased growth of plants in an enriched CO₂ atmosphere may directly benefit many species, although the possibility of such advantages should be considered in light of the responses of animals which consume them. Mr. Ray S. Williams is currently conducting research in a plant/insect system, addressing the impacts of rising atmospheric CO₂ levels. Loblolly pine, an important commercial tree species in the southeastern U.S., is being grown in open-top environmental chambers under elevated CO₂ and different nutrient regimes. A principal pest of this species, Red-headed Pine Sawfly, is being used to measure plant-mediated CO₂ effects on an important herbivore. In a series of four experiments, Mr. Williams has fed needles to larvae and determined their growth, consumption, and utilization efficiencies of ingested food. These measurements will allow an assessment of plant responses to elevated CO₂ at various nutrient levels and consequent herbivore effects. The results indicate that pine trees growing in elevated CO₂ will be consumed to a greater extent by this principal herbivore. Because this may be due to reduced foliar nitrogen contents, he is measuring the nitrogen contents of leaves, larvae and grass.

The results obtained by Mr. Williams to date provide strong evidence that trees are modified by growth under elevated CO₂ atmospheres and subsequently alter the responses of a principle insect herbivore. Increased consumption of Loblolly Pine leaf biomass by larvae and more efficient utilization of reduced foliar nitrogen, brought on by enriched CO₂ conditions, suggest the Red Headed Pine Sawfly may be more successful under rising levels of carbon dioxide. However, plant foliar water contents have been found to decline as CO₂ rises and may also affect larval growth. Although these data provide a framework for examining the dynamics of this plant/insect system, critical questions regarding growth, mortality and fecundity remain to be answered. Any potential benefits to herbivorous insects relative to consumption and growth should be related to reproductive potential which provide insights into alterations at the population levels. Experiments planned for this summer will address potential changes in developmental rates, pupal biomass, and numbers of eggs laid for insects reared on plants under different CO₂ and nutrient conditions. The ability to extract implications of rising CO₂ should include data drawn from several ecosystems. Plans for experiments utilizing two deciduous hardwood tree species (White Oak and Tulip Poplar) and a Lepidopteran pest (Forest Tent Caterpillar) are underway. Although similar in focus to the pine system, these plants may show different responses to elevated CO₂, therefore affecting insect herbivores indifferently. Data of this sort will allow for a broader interpretation of CO₂ on different ecosystems.

WAYNE M. ZUNIC

Department of Chemistry and Biochemistry
University of South Carolina

Dissertation Advisor: James R. Durig

Research Area: Pyrolysis GC/FTIR and Pyrolysis GC/MS of Humic Acids, Lignite, and Coals

In order to investigate the changes that are occurring during coalification, a series of lignite and bituminous coals from southeast Kalimantan, Indonesia have been studied using pyrolysis GC/FTIR/FID, pyrolysis GC/MS, and FTIR spectroscopy. A number of degradation products resulting from the pyrolysis of lignite and coal at different sample depths have been monitored. The compounds are quantitatively monitored for each sample and the relative concentrations are then plotted versus increasing sample depth. This allows tracking of the downhole trends and enables generalizations to be made as to the depositional history of the deposit. These studies also provide a better understanding of the effect of the various coalification processes on both an individual compound and macromolecular (e.g. polysaccharides) level. Previous research in this laboratory has included pyrolysis GC/FTIR/FID and pyrolysis GC/MS studies of a series of woody peat samples from Jambi, South Sumatra, Indonesia and has led to some interesting results concerning the early stages of coalification. Results from this present research will be carefully compared to the previous studies and generalizations concerning the different processes involved as coalification proceeds from peat to coal will be made.

A project designed to determine the potential of peats in extracting hydrocarbons from groundwater has also been initiated. Before conducting any of the experiments using peat, it was first necessary to characterize (as fully as possible) several different types collected from a variety of settings. Replicates of these samples were characterized in great detail by numerous analytical procedures. These peat samples were slurried under controlled conditions in either saturated solutions or free-phase solutions of benzene, toluene, or m-xylene. All peats were characterized in order to determine the possible correlation between various parameters and extraction capacities.

All peats were found to be capable of extracting substantial amounts of either free-phase or dissolved hydrocarbons from water. Free-phase extraction ranged from 30-50% of the starting wet volume of the peats. Solution extraction produced reductions in concentrations of between 53 and 97%, depending on the peat type. In solution, toluene was found to be more slowly adsorbed than either benzene or m-xylene. In general, the best hydrocarbon adsorption from solution can be achieved by using peats that are low in fiber and birefringent organics and high in ash and guaiacyl lignin pyrolysis products.

Mr. Zunic is currently in the process of extracting humic acids from peat samples differing in depositional environments in order to better understand the chemistry of these complex substances. Once extraction of our samples is complete, the humic acids will be characterized using pyrolysis GC/FTIR, pyrolysis GC/MS, and FTIR spectroscopy followed by studies into how these substances affect the transport of organic and inorganic pollutants in waterways.

D. OTHER INFORMATION

1. Workshops

Tangentially related to the DOE/EPSCoR Graduate Traineeships are the scheduled DOE/EPSCoR "brainstorming" workshops. These types of interactive programs will be very beneficial in nurturing the development of research clusters and in expanding the array of energy-related research problems. Six workshops with an average of 20 participants each have been scheduled for April/May in the following research areas:

Groundwater Modeling/Groundwater Observations
Toxic/Radioactive Waste/Bioremediation
Energy Catalysts, Fuels, Conservation, Recycling
Health Physics/Health Sciences
Materials Science focused on Energy
Fossil Fuel Research

Interest in areas such as novel materials, robotics/automated manufacturing, and high energy physics was also expressed. Participants include faculty from Clemson University, Medical University of South Carolina, South Carolina State College, and the University of South Carolina, and represent a cross-section of disciplines from the Colleges of Health, Science and Mathematics, and Engineering. Graduate students have been encouraged to participate in these workshops as well. One or two outside speakers from DOE National Laboratories have also been invited to "stimulate" interdisciplinary involvement in energy-related research.

2. Practicum Arrangements

A key feature of the DOE/EPSCoR Graduate Research Traineeship Program is the opportunity for awardees to gain practical, state-of-the-art experience in energy-related fields by participating in a mandatory practicum at a DOE facility. The practicum will normally be scheduled for a continuous period of not less than twelve weeks, usually in the summer. It is critical that practicum arrangements are initiated in sufficient time, as some practicum sites require security clearance which can take from nine to twelve months.

The DOE/EPSCoR Project Coordinator will maintain contact with the Science/Engineering Education Division of the Oak Ridge Associated Universities (of which

Clemson University and the University of South Carolina are two of the fifty-five members) who will provide the DOE/EPSCoR graduate research trainees and their dissertation advisors an annual guide to active research areas at participating practicum centers. The graduate research trainee will then make tentative arrangements for a practicum, and complete a form "Request for Practicum Assignment" which will include instructions on forwarding to the practicum center coordinator appropriate file material relating to the student's background. The assignment must then be approved by the DOE/EPSCoR Project Coordinator, practicum center coordinator, and the student's dissertation advisor. The practicum is not primarily intended to be part of the student's thesis research, but may become so if proper endorsement has been received from and the necessary coordination maintained between, the student's dissertation advisor and practicum center coordinator. In such a case, the practicum center coordinator will serve on the student's dissertation advisory committee.

The South Carolina faculty members participating in the DOE/EPSCoR Graduate Research Traineeship program have affiliations with the following practicum centers:

Idaho National Engineering Laboratory
Los Alamos National Laboratory
Oak Ridge National Laboratory
Pacific Northwest Laboratories
Sandia National Laboratories
Savannah River Laboratory
Westinghouse Hanford Company
Argonne National Laboratory
Brookhaven National Laboratory

3. Pro-active Recruitment Plans

The South Carolina DOE/EPSCoR Program will take a pro-active approach in recruiting top quality candidates for consideration as graduate research traineeship awardees. Increased awareness of the DOE/EPSCoR Graduate Research Traineeship Program, particularly among first year graduate students, will result from

- DOE/EPSCoR Information Flyers
- Booklet of Energy-Related Research Activities

- **First Year Graduate Student Orientation Presentation**
- **Interactive Programs (seminars with discussion periods, workshops, informal visits of scientists and students from/to DOE laboratories)**

As a first step strategy, these programs will be developed "at home", but will then be expanded to create alliances with other institutions in the State.

Budget removed.
ds

END

**DATE
FILMED**

12 / 8 / 92