1 of 4

NUREG-0540
Vol. 15, No. 8

Title List of Documents Made Publicly Available

August 1-31, 1993

Date Published: October 1993

Division of Freedom of Information and Publications Services
Office of Administration
U.S. Nuclear Regulatory Commission
Washington, DC 20555

MASTER

rb

CONTENTS

Preface	v
Arrangement of Items by Docket Number	ix
Alphabetic Arrangement of Docket Items by Facility Name	xv
Docketed Items	1
Domestic Licensing of Source Material — Docket 40	1
Domestic Licensing of Production and Utilization Facilities — Docket 50	5
Standardized Nuclear Power Plant Design — Docket 52	160
Domestic Licensing of Special Nuclear Material — Docket 70	164
Packaging of Radioactive Material for Transport and Transportation of Radioactive Material Under Certain Conditions — Docket 71	173
Licensing of Independent Spent Fuel Storage — Docket 72	177
Nondocketed Items	181
10 CFR — Commission Meeting Records	181
ACNW — Advisory Committee on Nuclear Waste	181
ACRS — Advisory Committee on Reactor Safeguards	182
ADVCM — NRC Advisory Committee	183
COMMISSION — NRC Commissioners	184
CONTRACT — NRC Contracts and Modifications	187
FOIA — Freedom of Information Act Requests and Releases	190
GEN TECH IS — Generic Technical Issues	192
I&E — Inspection and Enforcement	193
MISC — Public Document Room Miscellaneous	195
NUREG — NUREG Reports and Related Correspondence	195
ORG — Correspondence with Other Organizations	198
PR — Proposed Rule	201
PROJ — Projects-Predocket Licensing	209
PT21 — Noncompliance Reports and Related Correspondence	210
QA999 — Quality Assurance Inspections	211
REGGD — Regulatory Guides	212
RES — Research and Technical Assistance Reports	212
REVIEW GROUP — NRC Research Review Groups	212
SECY — Position Papers Before the Commission	215
STATE PROG — State Programs	215
TOPREP — Vendor Reports and Related Correspondence	219
WASTE MGT — Nuclear Waste Management	223
XPORTLIC — Export and Import Licenses	227
Personal Author Index	229
Corporate Source Index	251
Report Number Index	269
Cross Reference of Enclosures to Principal Documents	271
Appendix A — Definitions of Docket 50 Categories	A-1
Appendix B — Definitions of Nondocketed Categories	B-1

The *Title List of Documents Made Publicly Available* is a monthly publication. It contains descriptions of the information received and generated by the U.S. Nuclear Regulatory Commission (NRC). This information includes (1) docketed material associated with civilian nuclear power plants and other uses of radioactive materials and (2) nondocketed material received and generated by NRC pertinent to its role as a regulatory agency. As used here, *docketed* does not refer to Court dockets; it refers to the system by which NRC maintains its regulatory records. This series of documents is indexed by a Personal Author Index, a Corporate Source Index, and a Report Number Index.

The docketed information contained in the *Title List* includes the information formerly issued through the Department of Energy publication *Power Reactor Docket Information*, last published in January 1979. NRC documents that are publicly available may be examined without charge at the NRC Public Document Room (PDR).

Duplicate copies may be obtained for a fee. Standing orders for certain categories of documents are also available. Clients may search for and order desired titles through the PDR computerized Bibliographic Retrieval System, which is accessible both at the PDR and remotely. The PDR is staffed by professional technical librarians, who provide reference assistance to users. See NOTES at the end of the preface for information about reaching the PDR. Microfiche of the docketed information listed in the *Title List* is available for sale on a subscription basis from the National Technical Information Service (NTIS). See NOTES at the end of the Preface for the complete NTIS address.

We encourage your comments, criticisms, and suggestions. In particular, if there are title descriptions that are not meaningful, please let us know so that we can correct the data base. Insofar as possible, we would like this document to be a valuable part of your reference material.

DOCKETED ITEMS

The listings within Docket 50 are divided into the categories used for filing and searching in the NRC Public Document Room. Those categories are

- A. Application/construction stage documents and correspondence
- B. Utility Preliminary Safety Analysis Reports (PSAR), amendments
- C. Utility Environmental Reports (ER), amendments, and correspondence
- D. NRC Draft and Final Environmental (Impact) Statements (DES and FES), supplements and correspondence
- E. NRC Safety Evaluation Reports (SER), supplements and correspondence
- F. Security, medical, emergency, and fire-protection plans
- G. Legal and adjudicatory correspondence
- H. General correspondence
- I. Financial information
- J. Insurance and indemnity information
- K. Utility Final Safety Analysis Reports (FSAR) and amendments
- L. Limited work authorizations (LWA) and related correspondence
- M. Antitrust reviews and antitrust correspondence
- N. Antitrust hearing transcripts, testimony, and briefings
- O. Advisory Committee on Reactor Safeguards (ACRS) reports and correspondence
- P. Operating license stage documents and correspondence
- Q. Inspection reports, IE Bulletins, Circulars and Information Notices, civil penalties, and related correspondence

- R. Periodic operating reports and related correspondence
- S. Reportable occurrences, PNOs, PNSs, and related correspondence
- T. Transcripts, testimony, and briefings on non-antitrust matters

- U. Congressional/executive correspondence
- V. Licensing of operators and related correspondence
- W. Decommissioning stage documents and correspondence
- X. Onsite storage of low-level waste
- Y. Independent spent fuel storage installations

Appendix A sets forth those categories and describes the materials available in each. Omission of a category in the listing for a docket indicates that no documents in

that category were filed in the time period of the report.

The principal elements of the entries in the list are

- ① P. Operating license stage documents & correspondence

② 8907070172 ③ Commends util for exemplary hospitality extended to visiting Soviet technical working group on 890608.

④ DENTON, H.R. ⑤ Office of Governmental & Public Affairs (Post 870413). ⑥ 89/06/27

⑦ CLARK, P.R. ⑧ General Public Utilities Corp.—GPU Service Corp. ⑨ 2 pp. ⑩ 50442:181-50442:182 ⑪ ⑫ ⑬

1. NRC/PDR Document category (see Appendix A).
2. NRC/PDR Accession Number (year, month, day, and sequence number of item).
3. Description of information contained in the document.
4. Personal author(s). An asterisk in this position indicates that there is no personal author.
5. Author affiliation (NRC, corporate, agency, or nonindividual source).
6. Date of document described.
7. Recipient of the document.
8. Recipient affiliation (NRC or corporate).
9. Pages in this document.
10. This five-digit number is the NRC 48X microfiche designation.

11. The three-digit portion of this entry is the number of the frame on which this document starts.
12. This five-digit number is the microfiche on which this document ends.
13. The three-digit portion of this entry is the number of the frame on which this document ends.

The Docketed Items list is arranged sequentially by Docket Number, category, and then by date of principal items. Entries indented and preceded by a dash are items that were submitted as enclosures to principal items. In general, indented items are not in accession number sequence. If the docketed document has a contract (FIN) number of a formal report number, it will appear in the last line of the item following entry 5.

The nondocketed items are divided into the categories used for filing and searching in the NRC Public Document Room. These categories and their symbols are:

10CFR—Commission Meeting Records
 ACRS—Advisory Committee on Reactor Safeguards
 ADVCM—NRC Advisory Committees
 COMMISSION—NRC Commissioners
 CONTRACT—NRC Contracts and Modifications
 FOIA—Freedom of Information Act Requests and Releases
 GEN TECH IS—Generic Technical Issues
 IE—Inspection and Enforcement Issuances
 MISC—Public Document Room Miscellaneous
 NUREG—NRC-Issued Formal Reports and Related Correspondence
 ORG—Organizational File
 PR—Proposed Rules
 PRM—Petitions for Rulemaking
 PROJ—Projects
 PT21—10 CFR Part 21 Deficiency Reports

QA999—Quality Assurance Inspections
 REGGD—Regulatory Guides
 RES—Research and Technical Assistance Reports
 REVIEW GRP—Research Review Groups
 RM—Rulemakings
 SECY—Staff Position Papers Before the Commission
 STATE PROG—State Programs
 TOPREP—Vendor Topical Reports and Correspondence
 WASH—AEC-Issued Formal Reports and Correspondence
 WM—Waste Management Documents
 WMRES—Waste Management Contract Documents
 XPORTLIC—Exports and Import Licenses

Appendix B sets forth these categories and describes the material available in each. Omission of a category in the listing for a docket indicates that no documents in that category were filed in the time period of the report.

The principal elements of the nondocketed items are

① NUREG—NRC-Issued Formal Reports and Related Correspondence

② ③ ④
 8910100307 NUREG/CR-5340 DATA SUMMARY REPORT FOR FISSION PRODUCT RELEASE
 TEST VI-2

⑤ ⑥
 OSBORNE, M.F., COLLINS, J.L., LORENZ, R.A. Oak Ridge National Laboratory.

⑦ ⑧ ⑨ ⑩ ⑪
 FIN B-0127. ORNL/TM-11105. 89/09/30. Division of Systems Research (Post 880717). 69 pp.

⑫ ⑬ ⑭ ⑮
 51409:065-51409:134.

1. Nondocket category.
2. NRC/PDR Accession Number (year, month, day, and sequence number of item).

-
3. NRC Report Number.
 4. Title and description of information contained in the document.
 5. Personal author(s). An asterisk in this position indicates that there is no personal author.
 6. Corporate, agency, or other nonindividual source.
 7. Contract or financial identification number (FIN), if any.
 8. Secondary report number, if any.
 9. Date of document described.
 10. NRC organizational recipient (or sponsor).

11. Pages in this document.
12. This five-digit number is the NRC 48X microfiche designation.
13. The three-digit portion of this entry is the number of the frame on which this document starts.
14. This five-digit number is the microfiche on which this document ends.
15. The three-digit portion of this entry is the number of the frame on which this document ends.

The Nondocketed Items list is arranged sequentially by Accession Number within category. Indented items preceded by a dash are enclosures to unindented items.

NOTES:

1. The address for GPO is
Superintendent of Documents
U.S. Government Printing Office
P.O. Box 37082
Washington, DC 20013-7082

To place orders, send check or money order payable to the Superintendent of Documents. GPO Deposit Account holders may charge their orders by calling 202-512-2249.

2. The address for NTIS is
National Technical Information Service
5285 Port Royal Road
Springfield, Virginia 22161

To place orders for or to obtain price information about NRC publications at NTIS, either write to NTIS or call the Sales Desk at (703) 487-4650. Specify the NRC report number and title when you place your order. Publications can be charged to American Express, Visa, or Mastercard credit cards; supply the charge card number when placing your order.

3. The location of the PDR is
2120 L Street, NW.
Washington, DC 20555

The mailing address is

U.S. Nuclear Regulatory Commission
Public Document Room
Mail Stop LL-6
Washington, DC 20555

Telefacsimile

202/634-3343

Telephone

202/634-3273

To place orders for documents or to arrange for training on the computer system, write, fax, or phone. When ordering documents listed in this publication, please identify the Document Accession Number for each citation. Reproduction charges and method of payment, based on the current reproduction contract, are obtainable from the PDR.

ARRANGEMENT OF ITEMS BY DOCKET NUMBER

Docket	Name	Page	Docket	Name	Page
Low Level Radwaste Disposal Sites - Docket 27			40-8866	NUCLEAR METALS, INC., CONCORD, MA	4
27-048	LOUISVILLE, KY, U.S. ECOLOGY, INC.	1	40-8905	QUIVIRA MINING CO., GRANTS, NM	4
Domestic Licensing of Source Material - Docket 40			40-8954	VALENTEC OLIVETTE, ST. LOUIS, MO	4
40-0341	GENERAL SERVICES ADMIN., WASHINGTON, DC	1	40-8968	HYDRO RESOURCES, INC., DALLAS, TX	4
40-0672	NUCLEAR METALS, INC., CONCORD, MA	1	40-8984	MAGNESIUM ELEKTRON, INC., FLEMINGTON, NJ	5
40-0791	UNITED TECHNOLOGIES CORP., EAST HARTFORD, CT	1	40-8989	ENVIROCARE OF UTAH, INC., SALT LAKE CITY, UT	5
40-1020	MINNESOTA MINING & MANUFACTURING CO., ST. PAUL, MN	1	Domestic Licensing of Production and Utilization Facilities - Docket 50		
40-1341	TENNESSEE VALLEY AUTHORITY, CHATTANOOGA, TN	2	50-2	FORD NUCLEAR REACTOR	5
40-1571	INTERIOR, DEPT. OF, RESTON, VA	2	50-3	INDIAN POINT STATION, UNIT 1	5
40-1650	WYMAN-GORDON CO., NORTH GRAFTON, MA	2	50-5	PENNSYLVANIA STATE UNIV. RESEARCH REACTOR	5
40-2061	KERR-MCGEE CHEMICAL CORP., OKLAHOMA CITY, OK	2	50-10	DRESDEN NUCLEAR POWER STATION, UNIT 1	5
40-2253	ARMY, DEPT. OF, WATERTOWN, MA	2	50-16	ENRICO FERMI ATOMIC POWER PLANT, UNIT 1	6
40-2259	PATHFINDER MINES CORP., RIVERTON, WY	2	50-27	WASHINGTON STATE UNIV. RESEARCH REACTOR (TRIGA)	6
40-2384	FIMI CO., ASHTABULA, OH	2	50-29	YANKEE-ROWE NUCLEAR POWER STATION	6
40-3392	ALLIED-SIGNAL, INC., METROPOLIS, IL	2	50-54	CINTICHEM	6
40-3453	ATLAS CORP., DENVER, CO	2	50-59	TEXAS A&M UNIV. RESEARCH REACTOR	6
40-6329	CATHOLIC UNIV. OF AMERICA, WASHINGTON, DC	3	50-62	UNIV. OF VIRGINIA RESEARCH REACTOR	6
40-6500	ENERGY, DEPT. OF, CANONSBURG, PA	3	50-73	GENERAL ELECTRIC NUCLEAR TEST REACTOR	7
40-6664	E.I. DU PONT DE NEMOURS & CO., WILMINGTON, DE	3	50-83	UNIV. OF FLORIDA TRAINING REACTOR	7
40-6940	CABOT CORP., BOYERTOWN, PA	3	50-89	GENERAL ATOMICS	7
40-7102	SHIELDALLOY METALLURGICAL CORP., NEWFIELD, NJ	3	50-116	IOWA STATE UNIV. RESEARCH REACTOR	7
40-7455	WHITTAKER CORP., LOS ANGELES, CA	3	50-123	UNIV. OF MISSOURI RESEARCH REACTOR-ROLLA	7
40-7580	FANSTEEL, INC., NORTH CHICAGO, IL	3	50-128	TEXAS A&M UNIV. RESEARCH REACTOR	7
40-8027	SEQUOYAH FUELS CORP., GORE, OK	3	50-133	HUMBOLDT BAY POWER PLANT, UNIT 3	7
40-8452	BEAR CREEK URANIUM CO., CASPER, WY	4	50-142	UCLA TRAINING REACTOR	8
40-8649	FLINCHBAUGH PRODUCTS, INC., RED LION, PA	4	50-146	SAXTON NUCLEAR EXPERIMENTAL FACILITY	8
40-8681	UMETCO MINERALS CORP., BLANDING, UT	4	50-150	OHIO STATE UNIV. RESEARCH REACTOR	8
40-8724	CHEMETRON CORP., PROVIDENCE, RI	4	50-151	UNIV. OF ILLINOIS RESEARCH REACTOR	8
40-8778	MOLYCORP, INC., LOS ANGELES, CA	4	50-155	BIG ROCK POINT NUCLEAR PLANT	8
40-8794	MOLYCORP, INC., LOS ANGELES, CA	4	50-156	UNIV. OF WISCONSIN RESEARCH REACTOR	9
40-8820	AMAX, INC., GOLDEN, CO	4	50-163	GENERAL ATOMICS	9
40-8837	TELEDYNE ENGINEERING SERVICES, WALTHAM, MA	4			

Docket	Name	Page	Docket	Name	Page
50-166	UNIV. OF MARYLAND RESEARCH REACTOR	9	50-272	SALEM NUCLEAR GENERATING STATION, UNIT 1	38
50-170	ARMED FORCES RADIOBIOLOGY RESEARCH INSTITUTE	10	50-275	DIABLO CANYON NUCLEAR POWER PLANT, UNIT 1	39
50-171	PEACH BOTTOM ATOMIC POWER STATION, UNIT 1	10	50-277	PEACH BOTTOM ATOMIC POWER STATION, UNIT 2	41
50-184	NATIONAL INSTITUTE OF STANDARDS & TECHNOLOGY REACTOR	10	50-278	PEACH BOTTOM ATOMIC POWER STATION, UNIT 3	42
50-186	UNIV. OF MISSOURI RESEARCH REACTOR-COLUMBIA	10	50-280	SURRY POWER STATION, UNIT 1	44
50-188	KANSAS STATE UNIV. RESEARCH REACTOR	10	50-281	SURRY POWER STATION, UNIT 2	45
50-201	WEST VALLEY REPROCESSING PLANT	11	50-282	PRAIRIE ISLAND NUCLEAR STATION, UNIT 1	46
50-206	SAN ONOFRE NUCLEAR STATION, UNIT 1	11	50-285	FORT CALHOUN STATION, UNIT 1	48
50-212	FUEL CRITICAL FACILITY	11	50-286	INDIAN POINT STATION, UNIT 3	49
50-213	HADDAM NECK PLANT	11	50-287	OCONEE NUCLEAR STATION, UNIT 3	51
50-219	OYSTER CREEK NUCLEAR POWER PLANT	13	50-289	THREE MILE ISLAND NUCLEAR STATION, UNIT 1	52
50-220	NINE MILE POINT NUCLEAR STATION, UNIT 1	14	50-293	PILGRIM NUCLEAR POWER STATION, UNIT 1	54
50-228	AEROTEST RADIOGRAPHY & RESEARCH REACTOR	14	50-295	ZION NUCLEAR POWER STATION, UNIT 1	55
50-237	DRESDEN NUCLEAR POWER STATION, UNIT 2	15	50-296	BROWNS FERRY NUCLEAR POWER STATION, UNIT 3	56
50-243	OREGON STATE UNIV. RESEARCH REACTOR	16	50-298	COOPER NUCLEAR STATION	58
50-244	ROBERT EMMET GINNA NUCLEAR PLANT, UNIT 1	16	50-301	POINT BEACH NUCLEAR PLANT, UNIT 2	59
50-245	MILLSTONE NUCLEAR POWER STATION, UNIT 1	17	50-302	CRYSTAL RIVER NUCLEAR PLANT, UNIT 3	60
50-247	INDIAN POINT STATION, UNIT 2	18	50-304	ZION NUCLEAR POWER STATION, UNIT 2	61
50-249	DRESDEN NUCLEAR POWER STATION, UNIT 3	19	50-305	KEWAUNEE NUCLEAR POWER PLANT	63
50-250	TURKEY POINT PLANT, UNIT 3	20	50-306	PRAIRIE ISLAND NUCLEAR STATION, UNIT 2	64
50-251	TURKEY POINT PLANT, UNIT 4	21	50-309	MAINE YANKEE ATOMIC POWER PLANT	65
50-254	QUAD-CITIES STATION, UNIT 1	23	50-311	SALEM NUCLEAR GENERATING STATION, UNIT 2	66
50-255	PALISADES NUCLEAR PLANT	24	50-312	RANCHO SECO NUCLEAR GENERATING STATION	67
50-259	BROWNS FERRY NUCLEAR POWER STATION, UNIT 1	25	50-313	ARKANSAS NUCLEAR ONE, UNIT 1	68
50-260	BROWNS FERRY NUCLEAR POWER STATION, UNIT 2	27	50-315	DONALD C. COOK NUCLEAR POWER PLANT, UNIT 1	69
50-261	H.B. ROBINSON PLANT, UNIT 2	28	50-316	DONALD C. COOK NUCLEAR POWER PLANT, UNIT 2	70
50-263	MONTICELLO NUCLEAR GENERATING PLANT	30	50-317	CALVERT CLIFFS NUCLEAR POWER PLANT, UNIT 1	71
50-265	QUAD-CITIES STATION, UNIT 2	30	50-318	CALVERT CLIFFS NUCLEAR POWER PLANT, UNIT 2	73
50-266	POINT BEACH NUCLEAR PLANT, UNIT 1	32	50-320	THREE MILE ISLAND NUCLEAR STATION, UNIT 2	75
50-267	FORT ST. VRAIN NUCLEAR GENERATING STATION	33	50-321	EDWIN I. HATCH NUCLEAR PLANT, UNIT 1	75
50-269	OCONEE NUCLEAR STATION, UNIT 1	34	50-322	SHOREHAM NUCLEAR POWER STATION	77
50-270	OCONEE NUCLEAR STATION, UNIT 2	35	50-323	DIABLO CANYON NUCLEAR POWER PLANT, UNIT 2	77
50-271	VERMONT YANKEE NUCLEAR POWER STATION	37			

Docket	Name	Page	Docket	Name	Page
50-324	BRUNSWICK STEAM ELECTRIC PLANT, UNIT 2	79	50-382	WATERFORD GENERATING STATION, UNIT 3	115
50-325	BRUNSWICK STEAM ELECTRIC PLANT, UNIT 1	81	50-387	SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 1	116
50-326	UNIV. OF CALIFORNIA AT IRVINE RESEARCH REACTOR	82	50-388	SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 2	118
50-327	SEQUOYAH NUCLEAR PLANT, UNIT 1	82	50-389	ST. LUCIE PLANT, UNIT 2	119
50-328	SEQUOYAH NUCLEAR PLANT, UNIT 2	85	50-390	WATTS BAR NUCLEAR PLANT, UNIT 1	120
50-329	MIDLAND PLANT, UNIT 1	87	50-391	WATTS BAR NUCLEAR PLANT, UNIT 2	122
50-330	MIDLAND PLANT, UNIT 2	87	50-395	VIRGIL C. SUMMER NUCLEAR STATION, UNIT 1	124
50-331	DUANE ARNOLD ENERGY CENTER	87	50-397	WPPSS NUCLEAR PROJECT, UNIT 2	125
50-333	JAMES A. FITZPATRICK NUCLEAR POWER PLANT	88	50-400	SHEARON HARRIS NUCLEAR POWER PLANT, UNIT 1	126
50-334	BEAVER VALLEY POWER STATION, UNIT 1	90	50-407	UNIV. OF UTAH RESEARCH REACTOR	127
50-335	ST. LUCIE PLANT, UNIT 1	91	50-409	LA CROSSE BOILING WATER REACTOR	127
50-336	MILLSTONE NUCLEAR POWER STATION, UNIT 2	92	50-410	NINE MILE POINT NUCLEAR STATION, UNIT 2	127
50-338	NORTH ANNA POWER STATION, UNIT 1	94	50-412	BEAVER VALLEY POWER STATION, UNIT 2	129
50-339	NORTH ANNA POWER STATION, UNIT 2	95	50-413	CATAWBA NUCLEAR STATION, UNIT 1	130
50-341	ENRICO FERMI ATOMIC POWER PLANT, UNIT 2	97	50-414	CATAWBA NUCLEAR STATION, UNIT 2	131
50-344	TROJAN NUCLEAR PLANT	98	50-416	GRAND GULF NUCLEAR STATION, UNIT 1	132
50-346	DAVIS-BESSE NUCLEAR POWER STATION, UNIT 1	99	50-417	GRAND GULF NUCLEAR STATION, UNIT 2	133
50-348	JOSEPH M. FARLEY NUCLEAR PLANT, UNIT 1	100	50-423	MILLSTONE NUCLEAR POWER STATION, UNIT 3	133
50-352	LIMERICK GENERATING STATION, UNIT 1	101	50-424	ALVIN W. VOGTLE NUCLEAR PLANT, UNIT 1	134
50-353	LIMERICK GENERATING STATION, UNIT 2	102	50-425	ALVIN W. VOGTLE NUCLEAR PLANT, UNIT 2	136
50-354	HOPE CREEK NUCLEAR STATION, UNIT 1	103	STN-50-437	FLOATING NUCLEAR PLANT	138
50-356	UNIV. OF ILLINOIS RESEARCH REACTOR	104	50-438	BELLEFONTE NUCLEAR PLANT, UNIT 1	138
50-358	WILLIAM H. ZIMMER NUCLEAR STATION, UNIT 1	105	50-439	BELLEFONTE NUCLEAR PLANT, UNIT 2	138
50-361	SAN ONOFRE NUCLEAR STATION, UNIT 2	105	50-440	PERRY NUCLEAR POWER PLANT, UNIT 1	139
50-362	SAN ONOFRE NUCLEAR STATION, UNIT 3	106	50-441	PERRY NUCLEAR POWER PLANT, UNIT 2	140
50-364	JOSEPH M. FARLEY NUCLEAR PLANT, UNIT 2	107	50-443	SEABROOK NUCLEAR STATION, UNIT 1	140
50-366	EDWIN I. HATCH NUCLEAR PLANT, UNIT 2	108	50-444	SEABROOK NUCLEAR STATION, UNIT 2	141
50-368	ARKANSAS NUCLEAR ONE, UNIT 2	109	50-445	COMANCHE PEAK STEAM ELECTRIC STATION, UNIT 1	141
50-369	WILLIAM B. MCGUIRE NUCLEAR STATION, UNIT 1	111	50-446	COMANCHE PEAK STEAM ELECTRIC STATION, UNIT 2	143
50-370	WILLIAM B. MCGUIRE NUCLEAR STATION, UNIT 2	112	STN-50-454	BYRON STATION, UNIT 1	144
50-373	LASALLE COUNTY STATION, UNIT 1	113	STN-50-455	BYRON STATION, UNIT 2	145
50-374	LASALLE COUNTY STATION, UNIT 2	114	STN-50-456	BRAIDWOOD STATION, UNIT 1	146

Docket	Name	Page	Docket	Name	Page
STN-50-457	BRAIDWOOD STATION, UNIT 2	147	70-0824	BABCOCK & WILCOX CO., LYNCHBURG, VA	169
50-458	RIVER BEND STATION, UNIT 1	148	70-0832	MINNESOTA MINING & MANUFACTURING CO., ST. PAUL, MN	169
50-459	RIVER BEND STATION, UNIT 2	150	70-0903	UNITED NUCLEAR CORP., ELMSFORD, NY	170
50-460	WPPSS NUCLEAR PROJECT, UNIT 1	150	70-0938	MASSACHUSETTS INSTITUTE OF TECHNOLOGY, CAMBRIDGE, MA	170
50-461	CLINTON POWER STATION, UNIT 1	150	70-1100	COMBUSTION ENGINEERING, INC., WINDSOR, CT	170
STN-50-482	WOLF CREEK GENERATING STATION	151	70-1113	GENERAL ELECTRIC CO., WILMINGTON, NC	170
STN-50-483	CALLAWAY PLANT, UNIT 1	151	70-1151	WESTINGHOUSE ELECTRIC CORP., PITTSBURGH, PA	171
STN-50-498	SOUTH TEXAS PROJECT, UNIT 1	152	70-1201	B&W FUEL CO., LYNCHBURG, VA	171
STN-50-499	SOUTH TEXAS PROJECT, UNIT 2	153	70-1220	GENERAL ELECTRIC CO., SAN JOSE, CA	171
STN-50-508	WPPSS NUCLEAR PROJECT, UNIT 3	155	70-1252	EDLOW INTERNATIONAL CO., WASHINGTON, DC	171
STN-50-528	PALO VERDE NUCLEAR STATION, UNIT 1	155	70-1257	SIEMENS NUCLEAR POWER CORP., RICHLAND, WA	171
STN-50-529	PALO VERDE NUCLEAR STATION, UNIT 2	157	70-1308	GENERAL ELECTRIC CO., SAN JOSE, CA	171
STN-50-530	PALO VERDE NUCLEAR STATION, UNIT 3	159	70-1331	VETERANS ADMIN. MEDICAL CENTER, BUFFALO, NY	172
52-001	GE ADVANCED BWR DESIGN, GENERAL ELECTRIC CO.	160	70-1374	IDAHO STATE UNIV., POCA TELLO, ID	172
52-002	SYSTEM 80+ STANDARDIZED NUCLEAR POWER PLANT DES.,	161	70-1403	NEWARK BETH ISRAEL MEDICAL CENTER, NEWARK, NJ	172
52-003	AP600 STANDARD PLANT DESIGN, WESTINGHOUSE ELECTRIC CORP.	162	70-1450	BERKSHIRE MEDICAL CENTER, PITTSFIELD, MA	172
52-004	GE SIMPLIFIED BWR (SBWR) DESIGN, GENERAL ELECTRIC CO.	164	70-1795	GEORGE WASHINGTON UNIV., WASHINGTON, DC	172
Domestic Licensing of Special Nuclear Material - Docket 70			70-2204	BLODGETT MEMORIAL MEDICAL CENTER, GRAND RAPIDS, MI	172
70-0008	BATTELLE COLUMBUS DIV. (BATTELLE MEMORIAL INSTITUTE),	164	70-3070	LOUISIANA ENERGY SERVICES, WASHINGTON, DC	172
70-0027	BABCOCK & WILCOX CO., LYNCHBURG, VA	164	70-3073	KERR-MCGEE CORP., OKLAHOMA CITY, OK	173
70-0036	COMBUSTION ENGINEERING, INC., HEMATITE, MO	165	70-3074	COLUMBIA UNIV., NEW YORK, NY	173
70-0113	PENNSYLVANIA STATE UNIV., UNIVERSITY PARK, PA	165	DOCKET	UNKNOWN	173
70-0135	BABCOCK & WILCOX CO., APOLLO, PA	165	Packaging of Radioactive Material for Transport and Transportation of Radioactive Material Under Certain Conditions - Docket 71		
70-0139	D.E. MAKEPEACE CO., ATTLEBORO, MA	165	71-0040	AMERSHAM CORP.	173
70-0143	NUCLEAR FUEL SERVICES, INC., ERWIN, TN	168	71-0090	COMBUSTION ENGINEERING, INC.	173
70-0364	BABCOCK & WILCOX CO., APOLLO, PA	169	71-0108	UNIV. OF MISSOURI	173
70-0398	COMMERCE, DEPT. OF, NATIONAL INSTITUTE OF STANDARDS &	169	71-0179	NUCLEAR CONTAINERS, INC.	173
70-0622	ARMY, DEPT. OF, DOVER, NJ	169	71-0220	GENERAL DYNAMICS CORP.	174
70-0687	CINTICHEM, INC., TUXEDO, NY	169	71-0231	CHEM-NUCLEAR SYSTEMS, INC.	174
70-0734	GENERAL ATOMICS, SAN DIEGO, CA	169	71-0242	LAW ENGINEERING TESTING CO.	174
70-0754	GENERAL ELECTRIC CO., PLEASANTON, CA	169	71-0348	MICHIGAN, UNIV. OF	174
			71-0354	ADVANCED MEDICAL SYSTEMS, INC.	174
			71-0361	MODEL: PAT-1, ENERGY, DEPT. OF	174

Docket	Name	Page	Docket	Name	Page
71-0396	RENSSELAER POLYTECHNIC INSTITUTE	174	71-9107	MODEL: 771, AMERSHAM CORP.	176
71-0468	EL PASO NATURAL GAS, INC.	174	71-9127	MODEL: 100, 100A, 200 & 200A, AMERSHAM CORP.	176
71-0496	SCIENTIFIC ECOLOGY GROUP, INC.	174	71-9128	MODEL: C-8, AMERSHAM CORP.	176
71-0503	PENN INSPECTION CO.	174	71-9133	MODEL: C-10, AMERSHAM CORP.	176
71-0598	WOLF CREEK NUCLEAR OPERATING CORP.	174	71-9135	MODEL: CENTURY S & SA, CENTURY UNIVERSAL S & SA,	176
71-0656	PROFESSIONAL WELDING ASSOCIATES, INC.	174	71-9137	MODEL: 820, AMERSHAM CORP.	176
71-0731	QUALITY INSPECTION & TESTING	174	71-9141	MODEL: 900, AMERSHAM CORP.	176
71-0739	HOUSTON INSPECTION, INC.	174	71-9143	MODEL: 920, AMERSHAM CORP.	176
71-0766	QUAD CITY TESTING LABORATORY, INC.	174	71-9156	MODEL: IR-50, INDUSTRIAL NUCLEAR CO.	176
71-0767	ALPHA QUALITY SERVICES	174	71-9157	MODEL: IR-100, INDUSTRIAL NUCLEAR CO.	176
71-3021	MODEL: 3300A, TRANSPORTATION, DEPT. OF	174	71-9159	MODEL: NUPAC 14/190H, L & M, LN-14-170H, L & M, NUPAC	176
71-4986	MODEL: RA-2, RA-3, GENERAL ELECTRIC CO.	174	71-9160	MODEL: 20-VS & 40-VS, AMERSHAM CORP.	176
71-5086	MODEL: UNC-2600, UNITED NUCLEAR CORP.	174	71-9165	MODEL: 855, AMERSHAM CORP.	177
71-5805	MODEL: CNS 3-55, CHEM-NUCLEAR SYSTEMS, INC.	175	71-9166	MODEL: 864, AMERSHAM CORP.	177
71-5957	MODEL: BMI-1, CINTICHEM, INC.	175	71-9167	MODEL: 3206B, 3227B & 3218, AMERSHAM CORP.	177
71-6078	MODEL: 927A1 & 927C1, COMBUSTION ENGINEERING, INC.	175	71-9185	MODEL: OP-100, INDUSTRIAL NUCLEAR CO.	177
71-6574	MODEL: 3-82B, SCIENTIFIC ECOLOGY GROUP, INC.	175	71-9187	MODEL: 865, AMERSHAM CORP.	177
71-6697	MODEL: GE-8500, ENERGY, DEPT. OF	175	71-9208	MODEL: 10-142, NUPAC SERVICES, INC.	177
71-6717	MODEL: 6717-B, AMERSHAM CORP.	175	71-9222	MODEL: 14-215, SCIENTIFIC ECOLOGY GROUP, INC.	177
71-9001	MODEL: IF-300, NUCLEAR PACKAGING, INC.	175	71-9228	MODEL: 2000, GENERAL ELECTRIC CO.	177
71-9006	MODEL: AI 500 SU, AMERSHAM CORP.	175	71-9230	MODEL: BR-100, B&W FUEL CO.	177
71-9007	MODEL: AI 520, AMERSHAM CORP.	175	71-9239	MODEL: MCC-3, WESTINGHOUSE ELECTRIC CORP.	177
71-9027	MODEL: 741 & 741E, AMERSHAM CORP.	175	71-9245	MODEL: RTS-420, RTS TECHNOLOGY, INC.	177
71-9032	MODEL: 650, AMERSHAM CORP.	175	71-9249	MODEL: CNS 14-170, SERIES III, CHEM-NUCLEAR SYSTEMS,	177
71-9033	MODEL: 660, 660A, 660AE, 660B, 660BE, 660E, AMERSHAM	175	71-9256	MODEL: YNPS STEAM GENERATOR, YANKEE ATOMIC ELECTRIC CO.	177
71-9035	MODEL: 680 & 680E, AMERSHAM CORP.	175	Licensing of Independent Spent Fuel Storage - Docket 72		
71-9036	MODEL: C-1, SOURCE PRODUCTION & EQUIPMENT CO., INC.	175	72-0001	GENERAL ELECTRIC CO., MORRIS OPERATIONS, 70-1308	177
71-9037	MODEL: 715, AMERSHAM CORP.	176	72-0002	VIRGINIA ELECTRIC & POWER CO., 50-280 & 50-281	177
71-9056	MODEL: SPEC 2-T, SOURCE PRODUCTION & EQUIPMENT CO.,	176	72-0003	CAROLINA POWER & LIGHT CO., 50-261	177
71-9071	MODEL: AP-101, ANEFCO, INC.	176	72-0004	DUKE POWER CO., 50-269, 50-270 & 50-287	177
71-9073	MODEL: LN-142, SCIENTIFIC ECOLOGY GROUP, INC.	176	72-0005	WISCONSIN ELECTRIC POWER CO., 50-266 & 50-301	178
71-9098	MODEL: CI-20WC-2 & CI-20WC-2A, CINTICHEM, INC.	176	72-0007	CONSUMERS POWER CO., 50-255	178
71-9099	MODEL: ATR, ENERGY, DEPT. OF	176	72-0008	BALTIMORE GAS & ELECTRIC CO., 50-317 & 50-318	178
71-9102	MODEL: NPI-20WC-6, NEUTRON PRODUCTS, INC.	176			
71-9103	MODEL: NLI-6502, NUCLEAR ASSURANCE CORP.	176			

Docket	Name	Page	Docket	Name	Page
72-0009	PUBLIC SERVICE CO. OF COLORADO, 50-267	178	72-1002	MODEL: NAC S/T, NUCLEAR ASSURANCE CORP.	179
72-1000	MODEL: CASTOR V/21, GENERAL NUCLEAR SYSTEMS, INC.	179	72-1003	MODEL: NAC-C28 S/T, NUCLEAR ASSURANCE CORP.	179
72-1001	MODEL: MC-10, WESTINGHOUSE ELECTRIC CORP.	179	72-1004	MODEL: NUHOMS-24P, PACIFIC NUCLEAR FUEL SERVICES, INC.	179
			72-1007	MODEL: VSC-24, PACIFIC SIERRA NUCLEAR ASSOCIATES	179

ALPHABETIC ARRANGEMENT OF DOCKET ITEMS BY FACILITY NAME

Name	Docket	Page	Name	Docket	Page
Low Level Radwaste Disposal Sites - Docket 27			UNITED TECHNOLOGIES CORP., EAST HARTFORD, CT	40-0791	1
LOUISVILLE, KY, U.S. ECOLOGY, INC.	27-048	1	VALENTEC OLIVETTE, ST. LOUIS, MO	40-8954	4
Domestic Licensing of Source Material - Docket 40			WHITTAKER CORP., LOS ANGELES, CA	40-7455	3
ALLIED-SIGNAL, INC., METROPOLIS, IL	40-3392	2	WYMAN-GORDON CO., NORTH GRAFTON, MA	40-1650	2
AMAX, INC., GOLDEN, CO	40-8820	4	Domestic Licensing of Production and Utilization Facilities - Docket 50		
ARMY, DEPT. OF, WATERTOWN, MA	40-2253	2	AEROTEST RADIOGRAPHY & RESEARCH REACTOR	50-228	14
ATLAS CORP., DENVER, CO	40-3453	2	ALVIN W. VOGTLE NUCLEAR PLANT, UNIT 1	50-424	134
BEAR CREEK URANIUM CO., CASPER, WY	40-8452	4	ALVIN W. VOGTLE NUCLEAR PLANT, UNIT 2	50-425	136
CABOT CORP., BOYERTOWN, PA	40-6940	3	ARKANSAS NUCLEAR ONE, UNIT 1	50-313	68
CATHOLIC UNIV. OF AMERICA, WASHINGTON, DC	40-6329	3	ARKANSAS NUCLEAR ONE, UNIT 2	50-368	109
CHEMETRON CORP., PROVIDENCE, RI	40-8724	4	ARMED FORCES RADIOBIOLOGY RESEARCH INSTITUTE	50-170	10
E.I. DU PONT DE NEMOURS & CO., WILMINGTON, DE	40-6664	3	BEAVER VALLEY POWER STATION, UNIT 1	50-334	90
ENERGY, DEPT. OF, CANONSBURG, PA	40-6500	3	BEAVER VALLEY POWER STATION, UNIT 2	50-412	129
ENVIROCARE OF UTAH, INC., SALT LAKE CITY, UT	40-8989	5	BELLEFONTE NUCLEAR PLANT, UNIT 1	50-438	138
FANSTEEL, INC., NORTH CHICAGO, IL	40-7580	3	BELLEFONTE NUCLEAR PLANT, UNIT 2	50-439	138
FLINCHBAUGH PRODUCTS, INC., RED LION, PA	40-8649	4	BIG ROCK POINT NUCLEAR PLANT	50-155	8
GENERAL SERVICES ADMIN., WASHINGTON, DC	40-0341	1	BRAIDWOOD STATION, UNIT 1	STN-50-456	146
HYDRO RESOURCES, INC., DALLAS, TX	40-8968	4	BRAIDWOOD STATION, UNIT 2	STN-50-457	147
INTERIOR, DEPT. OF, RESTON, VA	40-1571	2	BROWNS FERRY NUCLEAR POWER STATION, UNIT 1	50-259	25
KERR-MCGEE CHEMICAL CORP., OKLAHOMA CITY, OK	40-2061	2	BROWNS FERRY NUCLEAR POWER STATION, UNIT 2	50-260	27
MAGNESIUM ELEKTRON, INC., FLEMINGTON, NJ	40-8984	5	BROWNS FERRY NUCLEAR POWER STATION, UNIT 3	50-296	56
MINNESOTA MINING & MANUFACTURING CO., ST. PAUL, MN	40-1020	1	BRUNSWICK STEAM ELECTRIC PLANT, UNIT 1	50-325	81
MOLYCORP, INC., LOS ANGELES, CA	40-8794	4	BRUNSWICK STEAM ELECTRIC PLANT, UNIT 2	50-324	79
MOLYCORP, INC., LOS ANGELES, CA	40-8778	4	BYRON STATION, UNIT 1	STN-50-454	144
NUCLEAR METALS, INC., CONCORD, MA	40-8866	4	BYRON STATION, UNIT 2	STN-50-455	145
NUCLEAR METALS, INC., CONCORD, MA	40-0672	1	CALLAWAY PLANT, UNIT 1	STN-50-483	151
PATHFINDER MINES CORP., RIVERTON, WY	40-2259	2	CALVERT CLIFFS NUCLEAR POWER PLANT, UNIT 1	50-317	71
QUIVIRA MINING CO., GRANTS, NM	40-8905	4	CALVERT CLIFFS NUCLEAR POWER PLANT, UNIT 2	50-318	73
RMI CO., ASHTABULA, OH	40-2384	2	CATAWBA NUCLEAR STATION, UNIT 1	50-413	130
SEQUOYAH FUELS CORP., GORE, OK	40-8027	3	CATAWBA NUCLEAR STATION, UNIT 2	50-414	131
SHIELDALLOY METALLURGICAL CORP., NEWFIELD, NJ	40-7102	3	CINTICHEM	50-54	6
TELEDYNE ENGINEERING SERVICES, WALTHAM, MA	40-8837	4	CLINTON POWER STATION, UNIT 1	50-461	150
TENNESSEE VALLEY AUTHORITY, CHATTANOOGA, TN	40-1341	2	COMANCHE PEAK STEAM ELECTRIC STATION, UNIT 1	50-445	141
UMETCO MINERALS CORP., BLANDING, UT	40-8681	4			

Name	Docket	Page	Name	Docket	Page
COMANCHE PEAK STEAM ELECTRIC STATION, UNIT 2	50-446	143	JOSEPH M. FARLEY NUCLEAR PLANT, UNIT 2	50-364	107
COOPER NUCLEAR STATION	50-298	58	KANSAS STATE UNIV. RESEARCH REACTOR	50-188	10
CRYSTAL RIVER NUCLEAR PLANT, UNIT 3	50-302	60	KEWAUNEE NUCLEAR POWER PLANT	50-305	63
DAVIS-BESSE NUCLEAR POWER STATION, UNIT 1	50-346	99	LA CROSSE BOILING WATER REACTOR	50-409	127
DIABLO CANYON NUCLEAR POWER PLANT, UNIT 1	50-275	39	LASALLE COUNTY STATION, UNIT 1	50-373	113
DIABLO CANYON NUCLEAR POWER PLANT, UNIT 2	50-323	77	LASALLE COUNTY STATION, UNIT 2	50-374	114
DONALD C. COOK NUCLEAR POWER PLANT, UNIT 1	50-315	69	LIMERICK GENERATING STATION, UNIT 1	50-352	101
DONALD C. COOK NUCLEAR POWER PLANT, UNIT 2	50-316	70	LIMERICK GENERATING STATION, UNIT 2	50-353	102
DRESDEN NUCLEAR POWER STATION, UNIT 1	50-10	5	MAINE YANKEE ATOMIC POWER PLANT	50-309	65
DRESDEN NUCLEAR POWER STATION, UNIT 2	50-237	15	MIDLAND PLANT, UNIT 1	50-329	87
DRESDEN NUCLEAR POWER STATION, UNIT 3	50-249	19	MIDLAND PLANT, UNIT 2	50-330	87
DUANE ARNOLD ENERGY CENTER	50-331	87	MILLSTONE NUCLEAR POWER STATION, UNIT 1	50-245	17
EDWIN I. HATCH NUCLEAR PLANT, UNIT 1	50-321	75	MILLSTONE NUCLEAR POWER STATION, UNIT 2	50-336	92
EDWIN I. HATCH NUCLEAR PLANT, UNIT 2	50-366	108	MILLSTONE NUCLEAR POWER STATION, UNIT 3	50-423	133
ENRICO FERMI ATOMIC POWER PLANT, UNIT 1	50-16	6	MONTICELLO NUCLEAR GENERATING PLANT	50-263	30
ENRICO FERMI ATOMIC POWER PLANT, UNIT 2	50-341	97	NATIONAL INSTITUTE OF STANDARDS & TECHNOLOGY REACTOR	50-184	10
FLOATING NUCLEAR PLANT	STN-50-437	138	NINE MILE POINT NUCLEAR STATION, UNIT 1	50-220	14
FORD NUCLEAR REACTOR	50-2	5	NINE MILE POINT NUCLEAR STATION, UNIT 2	50-410	127
FORT CALHOUN STATION, UNIT 1	50-285	48	NORTH ANNA POWER STATION, UNIT 1	50-338	94
FORT ST. VRAIN NUCLEAR GENERATING STATION	50-267	33	NORTH ANNA POWER STATION, UNIT 2	50-339	95
FUEL CRITICAL FACILITY	50-212	11	OCONEE NUCLEAR STATION, UNIT 1	50-269	34
GENERAL ATOMICS	50-89	7	OCONEE NUCLEAR STATION, UNIT 2	50-270	35
GENERAL ATOMICS	50-163	9	OCONEE NUCLEAR STATION, UNIT 3	50-287	51
GENERAL ELECTRIC NUCLEAR TEST REACTOR	50-73	7	OHIO STATE UNIV. RESEARCH REACTOR	50-150	8
GRAND GULF NUCLEAR STATION, UNIT 1	50-416	132	OREGON STATE UNIV. RESEARCH REACTOR	50-243	16
GRAND GULF NUCLEAR STATION, UNIT 2	50-417	133	OYSTER CREEK NUCLEAR POWER PLANT	50-219	13
H.B. ROBINSON PLANT, UNIT 2	50-261	28	PALISADES NUCLEAR PLANT	50-255	24
HADDAM NECK PLANT	50-213	11	PALO VERDE NUCLEAR STATION, UNIT 1	STN-50-528	155
HOPE CREEK NUCLEAR STATION, UNIT 1	50-354	103	PALO VERDE NUCLEAR STATION, UNIT 2	STN-50-529	157
HUMBOLDT BAY POWER PLANT, UNIT 3	50-133	7	PALO VERDE NUCLEAR STATION, UNIT 3	STN-50-530	159
INDIAN POINT STATION, UNIT 1	50-3	5	PEACH BOTTOM ATOMIC POWER STATION, UNIT 1	50-171	10
INDIAN POINT STATION, UNIT 2	50-247	18	PEACH BOTTOM ATOMIC POWER STATION, UNIT 2	50-277	41
INDIAN POINT STATION, UNIT 3	50-286	49	PEACH BOTTOM ATOMIC POWER STATION, UNIT 3	50-278	42
IOWA STATE UNIV. RESEARCH REACTOR	50-116	7	PENNSYLVANIA STATE UNIV. RESEARCH REACTOR	50-5	5
JAMES A. FITZPATRICK NUCLEAR POWER PLANT	50-333	88	PERRY NUCLEAR POWER PLANT, UNIT 1	50-440	139
JOSEPH M. FARLEY NUCLEAR PLANT, UNIT 1	50-348	100	PERRY NUCLEAR POWER PLANT, UNIT 2	50-441	140

Name	Docket	Page	Name	Docket	Page
PILGRIM NUCLEAR POWER STATION, UNIT 1	50-293	54	TURKEY POINT PLANT, UNIT 4	50-251	21
POINT BEACH NUCLEAR PLANT, UNIT 1	50-266	32	UCLA TRAINING REACTOR	50-142	8
POINT BEACH NUCLEAR PLANT, UNIT 2	50-301	59	UNIV. OF CALIFORNIA AT IRVINE RESEARCH REACTOR	50-326	82
PRAIRIE ISLAND NUCLEAR STATION, UNIT 1	50-282	46	UNIV. OF FLORIDA TRAINING REACTOR	50-83	7
PRAIRIE ISLAND NUCLEAR STATION, UNIT 2	50-306	64	UNIV. OF ILLINOIS RESEARCH REACTOR	50-151	8
QUAD-CITIES STATION, UNIT 1	50-254	23	UNIV. OF ILLINOIS RESEARCH REACTOR	50-356	104
QUAD-CITIES STATION, UNIT 2	50-265	30	UNIV. OF MARYLAND RESEARCH REACTOR	50-166	9
RANCHO SECO NUCLEAR GENERATING STATION	50-312	67	UNIV. OF MISSOURI RESEARCH REACTOR-COLUMBIA	50-186	10
RIVER BEND STATION, UNIT 1	50-458	148	UNIV. OF MISSOURI RESEARCH REACTOR-ROLLA	50-123	7
RIVER BEND STATION, UNIT 2	50-459	150	UNIV. OF UTAH RESEARCH REACTOR	50-407	127
ROBERT EMMET GINNA NUCLEAR PLANT, UNIT 1	50-244	16	UNIV. OF VIRGINIA RESEARCH REACTOR	50-62	6
SALEM NUCLEAR GENERATING STATION, UNIT 1	50-272	38	UNIV. OF WISCONSIN RESEARCH REACTOR	50-156	9
SALEM NUCLEAR GENERATING STATION, UNIT 2	50-311	66	VERMONT YANKEE NUCLEAR POWER STATION	50-271	37
SAN ONOFRE NUCLEAR STATION, UNIT 1	50-206	11	VIRGIL C. SUMMER NUCLEAR STATION, UNIT 1	50-395	124
SAN ONOFRE NUCLEAR STATION, UNIT 2	50-361	105	WASHINGTON STATE UNIV. RESEARCH REACTOR (TRIGA)	50-27	6
SAN ONOFRE NUCLEAR STATION, UNIT 3	50-362	106	WATERFORD GENERATING STATION, UNIT 3	50-382	115
SAXTON NUCLEAR EXPERIMENTAL FACILITY	50-146	8	WATTS BAR NUCLEAR PLANT, UNIT 1	50-390	120
SEABROOK NUCLEAR STATION, UNIT 1	50-443	140	WATTS BAR NUCLEAR PLANT, UNIT 2	50-391	122
SEABROOK NUCLEAR STATION, UNIT 2	50-444	141	WEST VALLEY REPROCESSING PLANT	50-201	11
SEQUOYAH NUCLEAR PLANT, UNIT 1	50-327	82	WILLIAM B. MCGUIRE NUCLEAR STATION, UNIT 1	50-369	111
SEQUOYAH NUCLEAR PLANT, UNIT 2	50-328	85	WILLIAM B. MCGUIRE NUCLEAR STATION, UNIT 2	50-370	112
SHEARON HARRIS NUCLEAR POWER PLANT, UNIT 1	50-400	126	WILLIAM H. ZIMMER NUCLEAR STATION, UNIT 1	50-358	105
SHOREHAM NUCLEAR POWER STATION	50-322	77	WOLF CREEK GENERATING STATION	STN-50-482	151
SOUTH TEXAS PROJECT, UNIT 1	STN-50-498	152	WPPSS NUCLEAR PROJECT, UNIT 1	50-460	150
SOUTH TEXAS PROJECT, UNIT 2	STN-50-499	153	WPPSS NUCLEAR PROJECT, UNIT 2	50-397	125
ST. LUCIE PLANT, UNIT 1	50-335	91	WPPSS NUCLEAR PROJECT, UNIT 3	STN-50-508	155
ST. LUCIE PLANT, UNIT 2	50-389	119	YANKEE-ROWE NUCLEAR POWER STATION	50-29	6
SURRY POWER STATION, UNIT 1	50-280	44	ZION NUCLEAR POWER STATION, UNIT 1	50-295	55
SURRY POWER STATION, UNIT 2	50-281	45	ZION NUCLEAR POWER STATION, UNIT 2	50-304	61
SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 1	50-387	116	AP600 STANDARD PLANT DESIGN, WESTINGHOUSE ELECTRIC CORP.	52-003	162
SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 2	50-388	118	GE ADVANCED BWR DESIGN, GENERAL ELECTRIC CO.	52-001	160
TEXAS A&M UNIV. RESEARCH REACTOR	50-128	7	GE SIMPLIFIED BWR (SBWR) DESIGN, GENERAL ELECTRIC CO.	52-004	164
TEXAS A&M UNIV. RESEARCH REACTOR	50-59	6	SYSTEM 80+ STANDARDIZED NUCLEAR POWER PLANT DES.,	52-002	161
THREE MILE ISLAND NUCLEAR STATION, UNIT 1	50-289	52			
THREE MILE ISLAND NUCLEAR STATION, UNIT 2	50-320	75			
TROJAN NUCLEAR PLANT	50-344	98			
TURKEY POINT PLANT, UNIT 3	50-250	20			

Domestic Licensing of Special Nuclear Material - Docket 70

ARMY, DEPT. OF, DOVER, NJ 70-0622 169

Name	Docket	Page	Name	Docket	Page
B&W FUEL CO., LYNCHBURG, VA	70-1201	171	Packaging of Radioactive Material for Transport and Transportation of Radioactive Material Under Certain Conditions - Docket 71		
BABCOCK & WILCOX CO., APOLLO, PA	70-0135	165			
BABCOCK & WILCOX CO., APOLLO, PA	70-0364	169	ADVANCED MEDICAL SYSTEMS, INC.	71-0354	174
BABCOCK & WILCOX CO., LYNCHBURG, VA	70-0824	169	ALPHA QUALITY SERVICES	71-0767	174
BABCOCK & WILCOX CO., LYNCHBURG, VA	70-0027	164	AMERSHAM CORP.	71-0040	173
BATTELLE COLUMBUS DIV. (BATTELLE MEMORIAL INSTITUTE),	70-0008	164	CHEM-NUCLEAR SYSTEMS, INC.	71-0231	174
BERKSHIRE MEDICAL CENTER, PITTSFIELD, MA	70-1450	172	COMBUSTION ENGINEERING, INC.	71-0090	173
BLODGETT MEMORIAL MEDICAL CENTER, GRAND RAPIDS, MI	70-2204	172	EL PASO NATURAL GAS, INC.	71-0468	174
CINTICHEM, INC., TUXEDO, NY	70-0687	169	GENERAL DYNAMICS CORP.	71-0220	174
COLUMBIA UNIV., NEW YORK, NY	70-3074	173	HOUSTON INSPECTION, INC.	71-0739	174
COMBUSTION ENGINEERING, INC., HEMATITE, MO	70-0036	165	LAW ENGINEERING TESTING CO.	71-0242	174
COMBUSTION ENGINEERING, INC., WINDSOR, CT	70-1100	170	MICHIGAN, UNIV. OF	71-0348	174
COMMERCE, DEPT. OF, NATIONAL INSTITUTE OF STANDARDS &	70-0398	169	MODEL: 10-142, NUPAC SERVICES, INC.	71-9208	177
D.E. MAKEPEACE CO., ATTLEBORO, MA	70-0139	165	MODEL: 100, 100A, 200 & 200A, AMERSHAM CORP.	71-9127	176
EDLOW INTERNATIONAL CO., WASHINGTON, DC	70-1252	171	MODEL: 14-215, SCIENTIFIC ECOLOGY GROUP, INC.	71-9222	177
GENERAL ATOMICS, SAN DIEGO, CA	70-0734	169	MODEL: 20-VS & 40-VS, AMERSHAM CORP.	71-9160	176
GENERAL ELECTRIC CO., PLEASANTON, CA	70-0754	169	MODEL: 2000, GENERAL ELECTRIC CO.	71-9228	177
GENERAL ELECTRIC CO., SAN JOSE, CA	70-1220	171	MODEL: 3-82B, SCIENTIFIC ECOLOGY GROUP, INC.	71-6574	175
GENERAL ELECTRIC CO., SAN JOSE, CA	70-1308	171	MODEL: 3206B, 3227B & 3218, AMERSHAM CORP.	71-9167	177
GENERAL ELECTRIC CO., WILMINGTON, NC	70-1113	170	MODEL: 3300A, TRANSPORTATION, DEPT. OF	71-3021	174
GEORGE WASHINGTON UNIV., WASHINGTON, DC	70-1795	172	MODEL: 650, AMERSHAM CORP.	71-9032	175
IDAHO STATE UNIV., POCA TELLO, ID	70-1374	172	MODEL: 660, 660A, 660AE, 660B, 660BE, 660E, AMERSHAM	71-9033	175
KERR-MCGEE CORP., OKLAHOMA CITY, OK	70-3073	173	MODEL: 6717-B, AMERSHAM CORP.	71-6717	175
LOUISIANA ENERGY SERVICES, WASHINGTON, DC	70-3070	172	MODEL: 680 & 680E, AMERSHAM CORP.	71-9035	175
MASSACHUSETTS INSTITUTE OF TECHNOLOGY, CAMBRIDGE, MA	70-0938	170	MODEL: 715, AMERSHAM CORP.	71-9039	176
MINNESOTA MINING & MANUFACTURING CO., ST. PAUL, MN	70-0832	169	MODEL: 741 & 741E, AMERSHAM CORP.	71-9027	175
NEWARK BETH ISRAEL MEDICAL CENTER, NEWARK, NJ	70-1403	172	MODEL: 771, AMERSHAM CORP.	71-9107	176
NUCLEAR FUEL SERVICES, INC., ERWIN, TN	70-0143	168	MODEL: 820, AMERSHAM CORP.	71-9137	176
PENNSYLVANIA STATE UNIV., UNIVERSITY PARK, PA	70-0113	165	MODEL: 855, AMERSHAM CORP.	71-9165	177
SIEMENS NUCLEAR POWER CORP., RICHLAND, WA	70-1257	171	MODEL: 864, AMERSHAM CORP.	71-9166	177
UNITED NUCLEAR CORP., ELMSFORD, NY	70-0903	170	MODEL: 865, AMERSHAM CORP.	71-9187	177
VETERANS ADMIN. MEDICAL CENTER, BUFFALO, NY	70-1331	172	MODEL: 900, AMERSHAM CORP.	71-9141	176
WESTINGHOUSE ELECTRIC CORP., PITTSBURGH, PA	70-1151	171	MODEL: 920, AMERSHAM CORP.	71-9143	176
			MODEL: 927A1 & 927C1, COMBUSTION ENGINEERING, INC.	71-6078	175
			MODEL: AI 500 SU, AMERSHAM CORP.	71-9006	175
			MODEL: AI 520, AMERSHAM CORP.	71-9007	175
			MODEL: AP-101, ANEFCO, INC.	71-9071	176
			MODEL: ATR, ENERGY, DEPT. OF	71-9099	176
			MODEL: BMI-1, CINTICHEM, INC.	71-5957	175

MODEL: C-1, SOURCE PRODUCTION & EQUIPMENT CO., INC.	71-9036	175	PENN INSPECTION CO.	71-0503	174
MODEL: C-10, AMERSHAM CORP.	71-9133	176	PROFESSIONAL WELDING ASSOCIATES, INC.	71-0656	174
MODEL: C-8, AMERSHAM CORP.	71-9128	176	QUAD CITY TESTING LABORATORY, INC.	71-0766	174
MODEL: CENTURY S & SA, CENTURY UNIVERSAL S & SA,	71-9135	176	QUALITY INSPECTION & TESTING	71-0731	174
MODEL: CI-20WC-2 & CI-20WC-2A, CINTICHEM, INC.	71-9098	176	RENSSELAER POLYTECHNIC INSTITUTE	71-0396	174
MODEL: CNS 14-170, SERIES III, CHEM-NUCLEAR SYSTEMS,	71-9249	177	SCIENTIFIC ECOLOGY GROUP, INC.	71-0496	174
MODEL: CNS 3-55, CHEM-NUCLEAR SYSTEMS, INC.	71-5805	175	UNIV. OF MISSOURI	71-0108	173
MODEL: GE-8500, ENERGY, DEPT. OF	71-6697	175	WOLF CREEK NUCLEAR OPERATING CORP.	71-0598	174
MODEL: IF-300, NUCLEAR PACKAGING, INC.	71-9001	175	Licensing of Independent Spent Fuel Storage - Docket 72		
MODEL: IR-100, INDUSTRIAL NUCLEAR CO.	71-9157	176	BALTIMORE GAS & ELECTRIC CO., 50-317 & 50-318	72-0008	178
MODEL: IR-50, INDUSTRIAL NUCLEAR CO.	71-9156	176	CAROLINA POWER & LIGHT CO., 50-261	72-0003	177
MODEL: LN-142, SCIENTIFIC ECOLOGY GROUP, INC.	71-9073	176	CONSUMERS POWER CO., 50-255	72-0007	178
MODEL: MCC-3, WESTINGHOUSE ELECTRIC CORP.	71-9239	177	DUKE POWER CO., 50-269, 50-270 & 50-287	72-0004	177
MODEL: NLI-6502, NUCLEAR ASSURANCE CORP.	71-9103	176	GENERAL ELECTRIC CO., MORRIS OPERATIONS, 70-1308	72-0001	177
MODEL: NPI-20WC-6, NEUTRON PRODUCTS, INC.	71-9102	176	MODEL: CASTOR V/21, GENERAL NUCLEAR SYSTEMS, INC.	72-1000	179
MODEL: NUPAC 14/190H, L & M, LN-14-170H, L & M, NUPAC	71-9159	176	MODEL: MC-10, WESTINGHOUSE ELECTRIC CORP.	72-1001	179
MODEL: OP-100, INDUSTRIAL NUCLEAR CO.	71-9185	177	MODEL: NAC S/T, NUCLEAR ASSURANCE CORP.	72-1002	179
MODEL: PAT-1, ENERGY, DEPT. OF	71-0361	174	MODEL: NAC-C28 S/T, NUCLEAR ASSURANCE CORP.	72-1003	179
MODEL: RA-2, RA-3, GENERAL ELECTRIC CO.	71-4986	174	MODEL: NUHOMS-24P, PACIFIC NUCLEAR FUEL SERVICES, INC.	72-1004	179
MODEL: RTS-420, RTS TECHNOLOGY, INC.	71-9245	177	MODEL: VSC-24, PACIFIC SIERRA NUCLEAR ASSOCIATES	72-1007	179
MODEL: SPEC 2-T, SOURCE PRODUCTION & EQUIPMENT CO.,	71-9056	176	PUBLIC SERVICE CO. OF COLORADO, 50-267	72-0009	178
MODEL: UNC-2600, UNITED NUCLEAR CORP.	71-5086	174	VIRGINIA ELECTRIC & POWER CO., 50-280 & 50-281	72-0002	177
MODEL: YNPS STEAM GENERATOR, YANKEE ATOMIC ELECTRIC CO.	71-9256	177	WISCONSIN ELECTRIC POWER CO., 50-266 & 50-301	72-0005	178
			UNKNOWN	DOCKET	173

DOCKETED ITEMS

LOW LEVEL RADWASTE DISPOSAL SITES

DOCKET 27-048 LOUISVILLE, KY, U.S. ECOLOGY, INC.

93/8100271 Notification of 930806 meeting w/US Ecology, Inc in Rockville, MD to discuss needs, activities & schedule for renewal of SNM License 16-19204-01 for disposal of waste at Hanford.
HOGG, R.C. Low-Level Waste Management Branch (Post 901230). 93/08/02.
LOUIS, P.H. Low-Level Waste Management Branch (Post 901230). 2pp. 76078:208-76078:208.

DOMESTIC LICENSING OF SOURCE MATERIAL

DOCKET 40-0341 GENERAL SERVICES ADMIN., WASHINGTON, DC

9308100269 Forwards site decommissioning mgt plan annual update, in response to 930712 ltr requesting info on status & remediation plans for Defense Logistics Agency property in Anne Arundel County, MD. W/o encls.
ORLANDO, D.A. Decommissioning & Regulatory Issues Branch (Post 901230). 93/08/04. STILL, E.T. Kerr-McGee Corp. 1p. 76078:317-76078:317.

DOCKET 40-0672 NUCLEAR METALS, INC., CONCORD, MA

9308030253 Trip rept of 930420-21 Site visits to Watertown & Boston, MA to discuss licensing process & status of MA Site Decommissioning Mgt Plan sites. Meeting attendees & handouts encl.
JOHNSON, T.C. Decommissioning & Regulatory Issues Branch (Post 901230). 93/06/08. AUSTIN, J.H. Decommissioning & Regulatory Issues Branch (Post 901230). 18pp. 76015:339-76015:356.

DOCKET 40-0791 UNITED TECHNOLOGIES CORP., EAST HARTFORD, CT

9308030349 Mats licensing package for license SMB-151 for United Technologies Corp. Control: 113538.
KINNEMAN, J.D. Region 1 (Post 820201). 93/06/11. DOYLE, K.M. United Technologies Corp. 46pp. 75969:144-75969:188.

DOCKET 40-1020 MINNESOTA MINING & MANUFACTURING CO., ST. PAUL, MN

9308040038 Forwards documents received from 3M to be placed in PDR & distributed to listed individuals.
MILLER, J. Division of Systems Safety & Analysis (Post 921004). 93/07/15. Document Control Branch (Document Control Desk). 1p. 75998:002-76007:325.

-9308040054 Responds to questions noted in 930504 ltr & provides info intended to validate use of 3M Interam E-50 Series 1 h & 3 h fire protection sys.
LICHT, R. Minnesota Mining & Manufacturing Co. (3M Co.). 93/06/30. MCCracken, C.E. Division of Systems Safety & Analysis (Post 921004). 6pp. 75998:003-75998:007.

-9308040082 "3M Fire Test Rept 87-58."
* Minnesota Mining & Manufacturing Co. (3M Co.). 87-58. 87/05/21. 69pp. 75998:008-75998:076.

-9308040090 "60 Minute Fire Protection on Conduits W/3M Interam E-53A Mast & Fire Dam 150 Caulk."
* Minnesota Mining & Manufacturing Co. (3M Co.). 87-76. 87/06/25. 50pp. 75998:077-75998:120.

-9308040094 "3M Fire Test Rept 87-57 Test Date 870527 3M Chemolite Bldg 66 Large Scale Furnace."
* Minnesota Mining & Manufacturing Co. (3M Co.). 87-57. 87/05/27. 100pp. 75998:121-75998:188.

-9308040097 "3M Fire Test 87-40 1 H Fire Protection on Cable Tray W/ 3M Interam E-50 Series Mats."
* Minnesota Mining & Manufacturing Co. (3M Co.). 87-40. 92/04/03. 34pp. 75998:189-75998:222.

-9308040099 "3M Fire Test 92-141 1 H & 3 H Fire Protection on 1 sch 40 Steel Conduits Using 3M Interam E-54A Mats."
* Minnesota Mining & Manufacturing Co. (3M Co.). 92-141. 92/08/27. 74pp. 75998:223-75998:306.

-9308040101 "3M Fire Test 92-167, Rev 1 930625, 1 H Fire Protection on 1 Inch sch. 40 Steel Conduits Using 3M Interam E-53A Mats."
* Minnesota Mining & Manufacturing Co. (3M Co.). 92-167 R01. 92/10/08. 23pp. 75998:307-75998:330.

-9308040106 "3M Fire Test 87-79 3 H Fire Protection on Cable Tray W/ 3M Interam E-50 Series Mats."
* Minnesota Mining & Manufacturing Co. (3M Co.). 87-79. 92/07/24. 50pp. 75998:331-75998:023.

-9308040109 "3M Fire Test 87-82 3 H Fire Protection on Conduit W/3M Interam E-50 Series Mats."
* Minnesota Mining & Manufacturing Co. (3M Co.). 87-82. 87/07/29. 63pp. 75998:024-75998:093.

-9308040119 "3M Fire Test 92-115 3 H Fire Protection on Conduits W/3M Interam E-50 Series Mats."
* Minnesota Mining & Manufacturing Co. (3M Co.). 92-115. 92/08/06. 52pp. 75998:094-75998:146.

-9308040158 "3M Fire Test Rept 86-78."
* Minnesota Mining & Manufacturing Co. (3M Co.). 86-78. 86/06/30. 300pp. 75999:147-76000:207.

-9308040168 "3M Fire Test Rept 86-17."
* Minnesota Mining & Manufacturing Co. (3M Co.). 86-17. 86/02/05. 75pp. 76000:208-76000:305.

-9308040172 "3M Fire Test Rept 86-18."
* Minnesota Mining & Manufacturing Co. (3M Co.). 86-18. 86/02/06. 67pp. 76000:306-76001:014.

-9308040173 "3M Fire Test 86-19."
* Minnesota Mining & Manufacturing Co. (3M Co.). 86-19. 86/02/07. 48pp. 76001:015-76001:073.

-9308040186 "Nuclear Component Qualification Test Rept for Generic Seismic Qualification of 3M Interam E-50D 3 H Fire Protection Sys."
WILSON, S.K., FEY, T.A., BRIENT, R.D. Southwest Research Institute. SWRI-1208-001. 86/07/31. 97pp. 76001:074-76001:173.

-9308040189 "Nuclear Component Qualification Test Rept for Generic Seismic Qualification of 3M E-50A Electrical Raceway Protection Sys."
WILSON, S.K., FEY, T.A., GONZALEZ, M. Southwest Research Institute. SWRI-8554. 85/07/31. 140pp. 76001:174-76001:331.

-9308040224 "3M Interam E-50 Series One-Hour & Three Hour Flexible Wrap Fire Protection Sys."
* Minnesota Mining & Manufacturing Co. (3M Co.). 93/07/15. 70pp. 76001:332-76002:077.

-9308040228 "3M Interam E-54A Fire Protection Mat Three Hour Flexible Wrap Sys for Electrical Raceways Installation Booklet Including QA Guidelines & Typical Drawings."
* Minnesota Mining & Manufacturing Co. (3M Co.). 6350-AA-1 102. 87/10/27. 69pp. 76002:078-76002:151.

-9308040230 "3M Interam E-50 Series Fire Protection Mat One Hour Flexible Wrap Sys For Electrical Raceways Installation Booklet Including QA Guidelines & Typical Drawings."
* Minnesota Mining & Manufacturing Co. (3M Co.). 5500-AA-2 105. 87/06/19. 32pp. 76002:152-76002:203.

-9308040233 "Rept on Steel Columns Protected W/Mat Matl."
* Underwriters Laboratory, Inc. 85NK23080. 86/10/13. 77pp. 76002:204-76003:008.

-9308040234 "Ampacity Considerations When Using 3M Interam Fire Protection Matl."
KOZA, R.G. Minnesota Mining & Manufacturing Co. (3M Co.). 87/01/01. 35pp. 76003:009-76003:062.

-9308040243 "Qualification Fire Test of Protective Envelope Sys."
* Southwest Research Institute. SWRI01-7912. 84/06/30. 300pp. 76003:063-76004:015.

-9308040249 "Ampacity Derating of Fire-Protected Cables in Conduit/Cable Trays Using 3M Incorporated Passive Fire Protection Sys Identified as 3M Interam E-50A (Verification Tests)" final rept.
BEITEL, J.J. Southwest Research Institute. SWRI01-8818-208/209D. 86/10/06. 85pp. 76004:016-76004:099.

-9308040254 Revised final rept, "Qualification Fire Test of Protective Envelope Sys."
* Southwest Research Institute. SWRI01-7912(2). 85/06/30. 200pp. 76004:100-76005:030.

-9308040263 "Qualification Fire Test of Protective Envelope Sys" revised final rept.
BEITEL, J.J., MABRITO, B., LYLE, R.E. Southwest Research Institute. SWRI01-7912A(1). 85/02/28. 175pp. 76005:031-76005:222.

-9308040267 "Twin City Testing Corp Qualification Fire Tests of 3M Interam E-50D Fire Protection Mat for Three Hour Rated Electrical Raceways" revised final rept.
BLANDIN, W.A. Twin City Testing Corp. (formerly Twin City Testing & Engineering Laboratory, Inc. 414186-331. 86/02/07. 200pp. 76005:223-76006:059.

-9308040275 "Qualification Fire Tests of 3M Interam E-50 Series Fire Protection Mat For One Hour Rated Electrical Raceways" final rept.
* Twin City Testing Corp. (formerly Twin City Testing & Engineering Laboratory, Inc. 414186-969. 86/07/01. 150pp. 76006:060-76006:216.

-9308040280 "Ampacity Derating of Fire-Protected Cables in Conduit/Cable Trays Using 3M Incorporated Passive Fire Protection Sys Identified as 3M Interam E-50A, E-50D, E-53A & E-50D/E-53A."
BEITEL, J.J. Southwest Research Institute. SWRI01-8818-208/209. 86/09/30. 150pp. 76006:217-76007:052.

-9308040285 "Nuclear Training Manual For 3M E-50 Series Fire Protection Sys."
* Minnesota Mining & Manufacturing Co. (3M Co.). 91/12/19. 42pp. 76007:053-76007:095.

-9308040286 "3M Advanced Training Program 3M Interam E-50 Series Fire Protection Sys for Nuclear Industry."
* Minnesota Mining & Manufacturing Co. (3M Co.). 93/06/15. 100pp. 76007:096-76007:325.

9308120140 Informs that 3M will be providing complete document package for 3M Interam E-50 Series Mat, one & three-h sys, including fire test repts, per 10CFR50, App R. Advises also that Underwriters Lab, Inc engaged to provide analysis of repts.
COY, D.R. Minnesota Mining & Manufacturing Co. (3M Co.). 93/08/03. Minnesota Mining & Manufacturing Co. (3M Co.). 2pp. 76087:317-76087:318.

2 DOCKETED ITEMS

DOCKET 40-1341 TENNESSEE VALLEY AUTHORITY, CHATTANOOGA, TN

9308040061 Forwards insp rept 40-1341/93-01 on 930712.No violations noted. HALL,R.E. Uranium Recovery Field Ofc, R4. 93/07/29. Tennessee Valley Authority. 2pp. 75949:224-75949:229.

-9308040068 Insp rept 40-1341/93-01 on 930712.No violations noted.Major areas inspected:radwaste mgt. HAWKINS,E.F. Uranium Recovery Field Ofc, R4. 93/07/29. 4pp. 75949:226-75949:229.

DOCKET 40-1571 INTERIOR, DEPT. OF, RESTON, VA

9308300216 Mats licensing package for amend 7 to license SMB-237 for US Dept of Interior US Geological Survey Control:255112. COLLINS,D.J. Region 2 (Post 820201). 93/06/03. 31pp. 76272:258-76272:288.

DOCKET 40-1650 WYMAN-GORDON CO., NORTH GRAFTON, MA

9308030253 Trip rept of 930420-21 Site visits to Watertown & Boston,MA to discuss licensing process & status of MA Site Decommissioning Mgt Plan sites.Meeting attendees & handouts encl. JOHNSON,T.C. Decommissioning & Regulatory Issues Branch (Post 901230). 93/06/08. AUSTIN,J.H. Decommissioning & Regulatory Issues Branch (Post 901230). 18pp. 76015:339-76015:356.

9308120363 Informs that any past & future repts prepared by GZA for Wyman-Gordon Co & submitted to NRC can be copied by NRC to be available for informational purposes in PDR. MCBRIDE,G. GZA GeoEnvironmental, Inc. (formerly Goldberg-Zoino & Associates, Inc. & Goldber. 93/08/03. JOHNSON,T.C. Division of Low-Level Waste Management & Decommissioning (Post 870413). 1p. 76094:345-76094:345.

DOCKET 40-2061 KERR-MCGEE CHEMICAL CORP., OKLAHOMA CITY, OK

9308110086 Forwards "Status Rept & Motion to Continue to Hold Proceeding in Abeyance." ESTREICHER,H. Kerr-McGee Chemical Corp. ESTREICHER,H. Covington & Burling. #393 14188. 93/08/05. JULIAN,E.L. Docketing & Services Branch. 1p. 76056:244-76056:249.

-9308110091 Status rept & motion to continue to hold proceeding in abeyance.* Requests that Commission continue to hold proceeding in abeyance for addl 60-day period.W/Certificate of Svc. ESTREICHER,H. Kerr-McGee Chemical Corp. ESTREICHER,H. Covington & Burling. SEITH,W.D. Illinois. State of. 93/08/05. Commissioners (Post 750119). 5pp. 76056:245-76056:249.

9308110096 Order.* Commission will continue to hold proceeding in abeyance for addl period of time to allow parties time to reach negotiated settlement.W/Certificate of Svc.Served on 930809. CHILK,S.J. Office of the Secretary of the Commission. #393 14189. 93/08/09. Kerr-McGee Chemical Corp. 4pp. 76056:260-76056:263.

DOCKET 40-2253 ARMY, DEPT. OF, WATERTOWN, MA

9308120370 Forwards detailed radiological survey plan developed by Bolton & Galanek,Inc for Arsenal Apartments,Arsenal Condominiums & Harvard Community Health areas as followup to RD Reardon 920124 & 0403 ltrs. REARDON,R.D. Army, Dept. of, Corps of Engineers. 92/08/06. WATKINS,R. Massachusetts, Commonwealth of. 7pp. 76090:354-76090:360.

9308120259 Informs that Bolton & Galanek,Inc proposed Radiological Sampling Plan for Arsenal Apartments,Arsenal Condominiums & Harvard Community Health Property in Watertown,MA acceptable provided listed conditions met. WALDORF,H. Massachusetts, Commonwealth of. 92/09/17. REARDON,R.D. Army, Dept. of. 3pp. 76095:358-76095:360.

9308120268 Forwards radiological sampling plan developed by Bolton & Galanek,Inc for Harvard Community Health,Arsenal Apartments & Arsenal Condominiums areas for review.W/o encl. REARDON,R.D. Army, Dept. of, Corps of Engineers. 92/10/16. MCCABE,W.H. . 3pp. 76090:314-76090:316.

9308120279 Forwards Govt plan to conduct radiological sampling at grounds of Arsenal Condominiums for comments by 921028. REARDON,R.D. Army, Dept. of, Corps of Engineers. 92/10/21. SMITH,G. Affiliation Not Assigned. 7pp. 76090:317-76090:323.

9308120283 Forwards radiological sampling plan developed by Bolton & Galanek,Inc for Arsenal Apartments,Harvard Community Health & Arsenal Condominiums areas for review.W/o encl. REARDON,R.D. Army, Dept. of, Corps of Engineers. 92/10/22. GILBANE,R. 3pp. 76158:238-76158:240.

9308120290 Informs that as result of 921218 meeting re comments on scope of work in ref to radiological survey on grounds at Arsenal Apartments,scope of work will be modified by M Galanek to address pertinent comments. REARDON,R.D. Army, Dept. of, Corps of Engineers. 92/12/24. SMITH,G. Affiliation Not Assigned. 2pp. 76090:324-76090:325.

9308120296 Expresses concern & dissatisfaction in lack of testing on site of Arsenal Park Condominiums on behalf of Board of Trustees & residents of Arsenal Park Residential Condominiums. SMITH,G.V. . 93/06/23. MALEWICZ,A. Massachusetts, Commonwealth of. 2pp. 76090:326-76090:327.

9308120317 Ack receipt of 930623 ltr re testing at Arsenal Park Condominiums.Informs that testing of subj property will not be delayed by Dept due to work required at other Army Corps of Engineers project. WALDORF,H. Massachusetts, Commonwealth of. 93/07/12. SMITH,G. . 2pp. 76090:328-76090:329.

9308120322 Forwards Govt scope of work,dtd 930712 to conduct radiological survey & sampling at grounds of Arsenal Condominiums. REARDON,R.D. Army, Dept. of, Corps of Engineers. 93/07/21. SMITH,G. . 8pp. 76095:316-76095:323.

DOCKET 40-2259 PATHFINDER MINES CORP., RIVERTON, WY

9308020226 Forwards ALARA audit rept re 930416 meeting to review 1992 radiation safety program & to identify areas which require addl emphasis. VAN BRUNT,C.F. Pathfinder Mines Corp. 93/05/24. HALL,R.E. Uranium Recovery Field Ofc, R4. 10pp. 75936:324-75936:333.

9308020209 Forwards matl license amend to delete requirement for air particulate sampling downwind from Pond 2A by revising License Condition 32 as listed. HALL,R.E. Uranium Recovery Field Ofc, R4. 93/06/28. NUGENT,L. Pathfinder Mines Corp. 2pp. 75945:329-75945:345.

-9308020212 Amend 37 to license SUA-672 for Pathfinder Mines Corp. HALL,R.E. Uranium Recovery Field Ofc, R4. 93/06/28. 12pp. 75945:331-75945:342.

-9308020215 Discusses 330225 ltr re requested amend of license SUA-0672 to delete environ monitoring requirement which is no longer necessary due to status of tailings pond 2A. GARCIA,P.J. Uranium Recovery Field Ofc, R4. 93/06/28. Uranium Recovery Field Ofc, R4. 3pp. 75945:343-75945:345.

DOCKET 40-2384 RMI CO., ASHTABULA, OH

9308230054 Requests extension of time for submittal of site characterization plan from 930816 to 931022 for listed reasons,per 930812 conversation w/S Nalluswami. MARSH,E.P. RMI Co. 93/06/13. AUSTIN,J. Decommissioning & Regulatory Issues Branch (Post 901230). 2pp. 76207:054-76207:055.

DOCKET 40-3392 ALLIED-SIGNAL, INC., METROPOLIS, IL

9308030161 Informs that vendor evaluated addl process by which synthetic calcium fluoride may be recycled through steelmaking industry.Calculations for maximally exposed individual encl. KOSMIDER,M.D. Allied-Signal Corp. 93/07/21. LAMASTRA,M. Division of Industrial & Medical Nuclear Safety (Post 870729). 5pp. 75975:348-75975:352.

9308050283 Application for amend to license SUB-526 to recycle synthetic calcium fluoride to any commercial organization that would use synthetic calcium fluoride as substitute for natural fluorspar in commercial process. KOSMIDER,M.D. Allied-Signal Corp. 93/07/30. LAMASTRA,M. Licensing Branch. 4pp. 76028:024-76028:027.

9308090072 Forwards Amend 14 to License SUB-526, revising Condition 28 re scheduler exemption from requirements of 10CFR40.36(e). GREEVES,J.T. Division of Fuel Cycle Safety & Safeguards (Post 930207). 93/07/30. KOSMIDER,M.D. Allied Chemical Corp. 2pp. 76059:327-76059:334.

-9308090074 Amend 14 to license SUB-0526 for Allied-Signal,Inc, revising Condition 28 as listed. GREEVES,J.T. Division of Fuel Cycle Safety & Safeguards (Post 930207). 93/07/30. 4pp. 76059:329-76059:332.

-9308090078 SER accepting util 930611 application for amend to License SUB-526 re scheduler exemption from 10CFR40.36(e). * Office of Nuclear Material Safety & Safeguards. 93/07/30. 2pp. 76059:333-76059:334.

9308120052 Forwards safety insp rept 40-3392/93-01 on 930706-09.No violations noted. GROBE,J.A. Region 3 (Post 820201). 93/08/05. KOSMIDER,M. Allied-Signal Corp. 1p. 76063:065-76063:071.

-9308120057 Safety insp 40-3392/93-01 on 930706-09.No violations noted.Major areas inspected:operation review,radiation protection,review of internal QC audits,mgt & organization controls & review of maint on equipment. FRANCE,G.M., MCCANN,G.M. Region 3 (Post 820201). 93/08/05. 6pp. 76063:066-76063:071.

9308170443 Notifies of 930817 meeting in Bethesda,MD to present & discuss proposed approach for proceeding w/renewal of fuel cycle facility licenses,while NRC revises applicable regulations & develops SRP. TOKAR,M. Licensing Branch. 93/08/10. KOSMIDER,M.D. Allied-Signal Corp. OLSEN,A.F., ROSENTHAL,P.R. Babcock & Wilcox Co. 3pp. 76160:259-76160:261.

9308310178 Informs of 930817 meeting in Bethesda,MD re fuel cycle facility license renewals. PIERSON,R. Licensing Branch. 93/08/25. KOSMIDER,M.D. Allied-Signal Corp. OLSEN,A.F., ROSENTHAL,P.R. Babcock & Wilcox Co. 7pp. 76304:265-76304:271.

DOCKET 40-3453 ATLAS CORP., DENVER, CO

9308100135 Urges NRC to reconsider decision to leave Atlas tailings pond,in Grand County,UT,in place w/clay cap on top. MULLIGAN,S. . 93/07/20. MEYER,D.L. Rules & Directives Review Branch (Post 920323). 2pp. 76026:004-76026:005.

9308100133 Comment expressing concern re process that NRC will use to approve &/or disapprove Atlas proposal for reclamation of tailings pile north of Moab.Urges that NRC slow down on approval & complete adequate study answering all questions. SEIBERT,L. Affiliation Not Assigned. 93/07/30. MEYER,D.L. Regulatory Publications Branch (890205-920322). 2pp. 76026:002-76026:003.

9308170155 Comment opposing NRC FONSI to approve Atlas Corp Moab U Mill Site plan to reclaim tailings pile in place. HAZEN,G.A. Affiliation Not Assigned. 93/08/03. MEYER,D.L. Rules & Directives Review Branch (Post 920323). 2pp. 76110:131-76110:132.

9308240011 Comment opposing NRC plan to cap existing U mine tailing pond in Moab, UT.
ULERY, S.H., SIMMONS, S., ALLARDALE, M.J. Affiliation Not Assigned. 93/08/05. MEYER, D.L. Rules & Directives Review Branch (Post 920323). 2pp. 76181:001-76181:002.

9308170148 Comment opposing NRC draft decision to approve Atlas Minerals Corp plan to reclaim mill tailings in place.
HEDDEN, B. Utah, State of. 93/08/07. MEYER, D.L. Rules & Directives Review Branch (Post 920323). 9pp. 76110:083-76110:091.

9308170240 Comment opposing Atlas U Mill Tailings, Moab UT.
* Affiliation Not Assigned. 93/08/08. MEYER, D.L. Rules & Directives Review Branch (Post 920323). 2pp. 76110:325-76110:326.

9308200052 Comments on Atlas U Mill Tailings & advises that instead of placing concrete cap on tailings, they should be taken away & placed at radioactive waste dump.
SEVORRTE, J. Affiliation Not Assigned. 93/08/08. Uranium Recovery Field Ofc, R4. 1p. 76153:023-76153:023.

9308170160 Forwards revised pages 4-6, 4-7, 15-2 & 17-13 in response to open issues, final SER. Revised page 16-25 that has better resolution of Table 16.1, per Brummett request also encl.
HELLSTROM, G.W. Envirocare of Utah, Inc. 93/08/11. SURMEIER, J.J. Uranium Recovery Branch (Post 901230). 11pp. 76136:059-76136:069.

9308190002 Comment opposing environmental assessment & finding of no significant impact for proposed in situ containment of Atlas tailings dump in Moab, UT.
WARREN, J. Southern Utah Wilderness Alliance. 93/08/12. MEYER, D.L. Rules & Directives Review Branch (Post 920323). 9pp. 76136:001-76136:009.

9308190005 Comment on revised notice of intent to amend source mat'l license SUA-917. FONSI decision to amend source mat'l license inappropriate. EIS was wanted.
HANEY, P. Utah, State of. 93/08/13. MEYER, D.L. Rules & Directives Review Branch (Post 920323). 11pp. 76136:010-76136:020.

9308240038 Comment addressing NRC proposal to amend license SUA-917, Atlas Corp Moab Mill, Moab, UT.
SINCLAIR, W.J. Utah, State of. 93/08/17. MEYER, D.L. Rules & Directives Review Branch (Post 920323). 9pp. 76181:005-76181:013.

9308270003 Comment opposing issue of Atlas Mineral Tailings Pile near Moab, UT.
DMITRICH, M. Utah, State of. 93/08/17. MEYER, D.L. Rules & Directives Review Branch (Post 920323). 1p. 76217:010-76217:010.

9308240023 Comment proposing alternative plan available to Atlas that could greatly reduce impact on affected util & would potentially reduce overall costs associated w/ reclamation project.
CHERRINGTON, L. Affiliation Not Assigned. 93/08/18. MEYER, D.L. Rules & Directives Review Branch (Post 920323). 2pp. 76181:003-76181:004.

9308270005 Comment opposing NRC draft decision to approve reclamation plan for Atlas Minerals Corp of Moab, UT.
LEAVITT, M.O. Utah, State of. 93/08/19. MEYER, D.L. Rules & Directives Review Branch (Post 920323). 1p. 76217:011-76217:011.

9308270010 Comment requesting that comment period re reclamation of Atlas tailing pile be extended for period of 60 days to allow them w/ concerns adequate amount of time to gather necessary info & to respond.
WEST, J.W. Affiliation Not Assigned. 93/08/19. MEYER, D.L. Rules & Directives Review Branch (Post 920323). 1p. 76217:014-76217:014.

DOCKET 40-6329 CATHOLIC UNIV. OF AMERICA, WASHINGTON, DC

9308030293 Matis licensing package for amend 9 to license SUD-157 for The Catholic Univ of America. Control: 113803.
ULLRICH, E. Region 1 (Post 820201). 93/03/09. 127pp. 75970:001-75970:126.

DOCKET 40-6500 ENERGY, DEPT. OF, CANONSBURG, PA

9308310173 Forwards response to RAI re radioactive mat'l outside cell, Canonsburg UMTA site.
CHERNOFF, A.R. Energy, Dept. of. 93/08/26. SURMEIER, J.J. Uranium Recovery Branch (Post 901230). 3pp. 76321:334-76321:336.

DOCKET 40-6664 E.I. DU PONT DE NEMOURS & CO., WILMINGTON, DE

9308050194 Responds to 930413 ltr re remedial actions at El Du Pont Newport Superfund site in Newport, DE. Proposed post-closure controls submitted by Dow Co & "MOU Between Region VI of EPA Region IV of NRC for Remedial Action..." encl.
AUSTIN, J.H. Decommissioning & Regulatory Issues Branch (Post 901230). 93/06/09. STURGEON, R. Environmental Protection Agency. 7pp. 76034:296-76034:314.

-8809300177 MOU between NRC & EPA Region IV re Churchrock U Mill site in McKinley NM.
MARTIN, R.D. Region 4 (Post 820201). LAYTON, R.E. Environmental Protection Agency. 88/08/26. 12pp. 76034:303-76034:314.

DOCKET 40-6940 CABOT CORP., BOYERTOWN, PA

9308170304 Notification of 930818 meeting w/ Cabot Corp in Rockville, MD to discuss status of Boyertown site sludge processing & decommissioning plans for Reading & Revere sites.
PIERSON, R. Licensing Branch. 93/08/10. Licensing Branch. 1p. 76137:313-76137:313.

DOCKET 40-7102 SHIELDALLOY METALLURGICAL CORP., NEWFIELD, NJ

9308200292 Confirms 930809 telcon re resignation of RSO, C. Rieman, effective 930813. Alternate RSO, J.P. Valenti will temporarily assume RSO responsibilities. Search for permanent RSO already begun. NRC will be notified when search complete.
WAY, R.D. Shieldalloy Metallurgical Corp. 93/08/12. COMFORT, G. Division of Industrial & Medical Nuclear Safety (Post 870729). 1p. 76190:348-76190:348.

DOCKET 40-7455 WHITTAKER CORP., LOS ANGELES, CA

9308180280 Informs that NRC determined that if samples collected from surface in responsible way that it would be permissible to take slag. Requests that within 30 days request for amend of license to extend expiration date from 930930 be provided.
AUSTIN, J.H. Decommissioning & Regulatory Issues Branch (Post 901230). 93/08/09. MULLER, E.R. Whittaker Industries, Ltd. dba Whittaker Steel Strip (formerly Whittaker Corp.). 2pp. 76165:324-76165:325.

DOCKET 40-7580 FANSTEEL, INC., NORTH CHICAGO, IL

9308130150 Ack receipt of 930514 response to question re licensee schedule & plans for export of mills to Thailand. Addresses NRC questions about current export schedule & licensee contingency plan.
SPIRO, H. Decommissioning & Regulatory Issues Branch (Post 901230). 93/08/04. HUNTER, J.J. Fansteel, Inc. 4pp. 76143:146-76143:149.

DOCKET 40-8027 SEQUOYAH FUELS CORP., GORE, OK

9308040146 Application for amend to License SUB-1010, requesting exemption from contingency (emergency) plan requirements in Chapter 8 of license. Licensee terminated production activities & decommissioning facility.
ELLIS, J.H. Sequoyah Fuels Corp. 93/07/23. BERNERO, R.M. Office of Nuclear Material Safety & Safeguards. 9pp. 75997:210-75997:218.

9308030017 Documents impromptu meeting held on 930618 in Region IV ofc to formally introduce licensee newly selected President.
CALLAN, L.J. Region 4 (Post 820201). 93/07/26. DIETRICH, J.S. Sequoyah Fuels Corp. 4pp. 75935:070-75935:073.

9308030063 Ack receipt of 930621 ltr suppl 921217 ltr re underdrain operations & pond leakage mitigation. Info submitted in response to NRC insp rept 40-8027/93-06.
CALLAN, L.J. Region 4 (Post 820201). 93/07/26. DIETRICH, J.S. Sequoyah Fuels Corp. 4pp. 75935:288-75935:294.

9308090073 Native Americans for Clean Environ & Cherokee Nation opposition to Sequoyah Fuels Corp motion for withdrawal of application & termination of hearing & request for rehearing conference. * W/Certificate of Svc.
CURRAN, D., WILCOXEN, J.G. Cherokee Nation. CURRAN, D. Harmon, Curran, Gallagher & Spielberg (formerly Harmon, Curran & Tousley). #393 14146. 93/07/26. Atomic Safety & Licensing Board Panel. 25pp. 76021:095-76021:126.

9308090030 Memorandum & order (extension of time). * Two-day extension granted for filing answer to Sequoyah Fuels Corp motion for withdrawal, per OK Dept of Wildlife Conservation request. Served on 930727.
GLEASON, J.P. Atomic Safety & Licensing Board Panel. #393 14149. 93/07/27. Oklahoma, State of. 3pp. 76021:016-76021:018.

9308110112 Forwards corrected page 18 of "Native Americans for Clean Environ & Cherokee Nation Opposition to Sequoyah Fuels Corp Motion for Withdrawal of Application & Termination of Hearing & Request for Prehearing Conference."
CURRAN, D. Native Americans for a Clean Environment. CURRAN, D. Cherokee Nation. CURRAN, D. Harmon, Curran, Gallagher & Spielberg (formerly Harmon, Curran & Tousley). #393 14170. 93/07/28. GLEASON, J.P., KLINE, J.R. Atomic Safety & Licensing Board Panel. 1p. 76056:323-76056:325.

-9308110191 Corrected page 18 to Native Americans for Clean Environ & Cherokee Nation opposition to Sequoyah Fuels Corp motion for withdrawal of application & termination of hearing & request for prehearing conference. W/Certificate of Svc.
* Native Americans for a Clean Environment. * Cherokee Nation. * Harmon, Curran, Gallagher & Spielberg (formerly Harmon, Curran & Tousley). 93/07/28. Atomic Safety & Licensing Board Panel. 2pp. 76056:324-76056:325.

9308110068 Forwards rept of reportable events, per 920313 order modifying license for period ending 930730.
DIETRICH, J.S. Sequoyah Fuels Corp. 93/07/30. MILHOAN, J.L. Region 4 (Post 820201). 2pp. 76080:359-76080:360.

9308110092 Forwards motion from State of OK Dept of Wildlife Conservation that should have been addressed to author as Presiding Officer. Motion to be forwarded to those listed on licensee svc list. Served on 930804.
GLEASON, J.P. Atomic Safety & Licensing Board Panel. #393 14180. 93/08/03. JULIAN, E. Docketing & Services Branch. 1p. 76056:250-76056:259.

-9308110113 State of OK Dept of Wildlife Conservation request that conditions be placed on application to withdraw filed by Sequoyah Fuels Corp. * Dept requests that NRC require listed provisions for license withdrawal. W/Certificate of Svc.
CANTRELL, B.H. Oklahoma, State of. 93/08/03. Atomic Safety & Licensing Board Panel. 9pp. 76056:251-76056:259.

9308110294 Press release re Order on Consent entered in w/EPA to prepare & implement Corrective Action Plan for plant site under Resource Conservation & Recovery Act.
* Sequoyah Fuels Corp. 93/08/03. 1p. 76076:357-76076:357.

9308160166 NRC Staff answer to Sequoyah Fuels Corp motion for withdrawal of application & termination of hearing. * Board should allow licensee to withdraw license renewal application w/o prejudice. W/Certificate of Svc.
BACHMANN, R.G., DUNCAN, L.A. Office of the General Counsel (Post 860701). #393 14194. 93/08/09. Atomic Safety & Licensing Board Panel. 21pp. 76088:096-76088:116.

9308160146 Informs that Judge Gleason allowing parties in Sequoyah Fuels proceeding to comment on Staff request for add'l time for determining necessity for conditions on withdrawal. W/Certificate of svc. Served on 930811.
PIERCE, R. Atomic Safety & Licensing Board Panel. #393 14198. 93/08/11. Atomic Safety & Licensing Board Panel. 3pp. 76088:056-76088:058.

9308180011 Forwards insp rept 40-8027/93-10 on 930727-29. No violations noted. Inspector determined that storage, trucking & spreading of treated raffinate solution being conducted in accordance w/applicable procedures & license conditions.
CALLAN, L.J. Region 4 (Post 820201). 93/08/12. ELLIS, J. Sequoyah Fuels Corp. 4pp. 76131:147-76131:159.

4 DOCKETED ITEMS

—9308180016 Insp rept 40-8027/93-10 on 930727-29. No violations noted. Major areas inspected: environmental protection program, seepage recovery efforts, actions re leakage from treated raffinate storage ponds & spreading program. CAIN, C.L. Region 4 (Post 820201). 93/08/11. 9pp. 76131:151-76131:159.

9308180020 Responds to licensee 930713 request to rescind order modifying license dtd 920313 & confirmatory order modifying license dtd 920403. Determined that subj orders will be rescinded. MILHOAN, J.L. Region 4 (Post 820201). 93/08/12. ELLIS, J.H. Sequoyah Fuels Corp. 5pp. 76131:226-76131:235.

9308250132 Sequoyah Fuels Corp response to NRC Staff request for extension. * W/ Certificate of Svc. AXELRAD, M. Sequoyah Fuels Corp. #393 14215. 93/08/13. Atomic Safety & Licensing Board Panel. 4pp. 76189:339-76189:342.

9308250281 Forwards notice of withdrawal of NL Ranek in license renewal proceeding. W/Certificate of Svc. SILVERMAN, D.J. Newman & Holtzinger. #393 14222. 93/08/16. Docketing & Services Branch. 4pp. 76190:198-76190:201.

9308250164 Memorandum & order (request for addl time). * Staff grants licensee addl period of 7 days to respond specifically to addl pleading filed by Staff re motion to withdraw license renewal application. Served on 930819. W/Certificate of Svc. GLEASON, J.P. Atomic Safety & Licensing Appeal Panel (Pre 910701). #393 14228. 93/08/18. Sequoyah Fuels Corp. 3pp. 76189:356-76189:358.

9308260027 Response to Nace & Cherokee Nation opposition, to Oklahoma Dept of Wildlife Conservation request for conditions & to NRC Staff answer. * W/Certificate of Svc. AXELRAD, M. Sequoyah Fuels Corp. AXELRAD, M. Newman & Holtzinger. #393 14238. 93/08/23. Atomic Safety & Licensing Board Panel. 37pp. 76202:054-76202:091.

DOCKET 40-8452 BEAR CREEK URANIUM CO., CASPER, WY

9308230122 Forwards Insp Rept 40-8452/93-01 on 930727. Inspector found mill site being properly maintained & ground-water corrective actions proceeding as approved in license. HALL, R.E. Uranium Recovery Field Ofc, R4. 93/08/20. CHASE, G. Bear Creek Mining Co. (subs. of Kennecott Corp.). 3pp. 76184:331-76184:340.

—9308230126 Insp rept 40-8452/93-01 on 930727. No violations noted. Major areas inspected: mgt organization & controls, operations review, radwaste mgt, environ monitoring & emergency preparedness. HAWKINS, E.F. Uranium Recovery Field Ofc, R4. 93/08/19. 7pp. 76184:334-76184:340.

DOCKET 40-8649 FLINCHBAUGH PRODUCTS, INC., RED LION, PA

9308170096 Discusses insp rept 40-8649/93-01 on 930618. No violations noted. Understands that licensee will investigate use of shielding as means of reducing amount of exposure workers receive when working in core press/windshield press area. KINNEMAN, J.D. Region 1 (Post 820201). 93/07/28. MUELLER, R.J. General Defense Corp. 2pp. 76108:346-76108:347.

DOCKET 40-8681 UMETCO MINERALS CORP., BLANDING, UT

9308020203 Informs of withdrawal of listed license amend requests. SCHIEFMAN, S.L. UMETCO Minerals Corp. 93/06/22. HALL, R.E. Uranium Recovery Field Ofc, R4. 1p. 75938:349-75938:349.

9308110108 Order. * Extends time within which Commission may take review of presiding officer initial decision, LBP-93-07 dtd 930412 until 930903. W/Certificate of Svc. Served on 930803. CHILK, S.J. Office of the Secretary of the Commission. #393 14174. 93/08/03. UMETCO Minerals Corp. 3pp. 76056:315-76056:317.

9308110224 Forwards correspondence re recent request by Umetco-White Mesa to process matl other than natural ore. BANGART, R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 93/08/04. DARKE, J. Affiliation Not Assigned. 1p. 76082:327-76082:331.

DOCKET 40-8724 CHEMETRON CORP., PROVIDENCE, RI

9308030047 Forwards results of Oak Ridge Inst for Science & Educ analysis of ALCOA bldg 65 roofing matl sample. Informs of conclusion that activity is from depleted U. GROBE, J.A. Region 3 (Post 820201). 93/07/26. SARGENT, D.R. Chemetron Corp. 2pp. 75935:230-75935:233.

—9308030057 Forwards results of isotopic U analyses performed on roofing samples from Chemetron vicinity property. Concludes that contaminant is depleted U. BECK, W.L. Oak Ridge Associated Universities. 93/06/30. LAMBERT, K. Region 3 (Post 820201). 2pp. 75935:232-75935:233.

9308030125 Forwards corrected 930623 ltr transmitting insp rept 40-8724/93-01. Ltr stated incorrect insp rept. GROBE, J.A. Region 3 (Post 820201). 93/07/26. SARGENT, D.R. Chemetron Corp. 3pp. 75936:036-75936:050.

—9308030131 Forwards insp rept 40-8724/93-01 on 930504-07. Two unrestricted areas have been identified w/soil concentrations above unrestricted use release criteria. NORELIUS, C.E. Region 3 (Post 820201). 93/06/23. SARGENT, D.R. Chemetron Corp. 3pp. 75936:039-75936:041.

—9308030136 Insp rept 40-8724/93-01 on 930504-07. Surveys of rooftops & grounds did not indicate presence of U contamination in excess of NRC limits. Major areas inspected: radiological surveys of residential & public properties. LAMBERT, K.J., GLINSKI, R.L., ANDRE, K.E. Region 3 (Post 820201). 93/06/23. 9pp. 75936:042-75936:050.

9308110182 Summary of 930630 meeting w/Chemetron in Newburgh Heights, OH re discussions on licensees decommissioning issues among NRC & OH regulatory agencies. List of attendees encl. JOHNSON, T.C. Decommissioning & Regulatory Issues Branch (Post 901230). 93/08/03. AUSTIN, J.H. Decommissioning & Regulatory Issues Branch (Post 901230). 6pp. 76080:245-76080:252.

9308310202 Notification of significant licensee meeting w/Chemetron Corp, OH EPA & Dept of Health on 930831 in Rockville, MD re remediation plan development. JOHNSON, T.C. Decommissioning & Regulatory Issues Branch (Post 901230). 93/08/20. Decommissioning & Regulatory Issues Branch (Post 901230). 1p. 76321:311-76321:311.

DOCKET 40-8778 MOLYCORP, INC., LOS ANGELES, CA

9308110364 Forwards revised "Sub-surface Survey For Thorium Content at MolyCorp Plant Site in Washington, PA." W/two oversize encls. WRENN, M.E. Radiation Surveillance Associates, Inc. 93/08/09. GLENN, C. NRC - No Detailed Affiliation Given. 1p. 76124:062-76124:322.

—9308110370 Revised "Sub-Surface Survey For Thorium Content at MolyCorp Plant Site in Washington, PA." WRENN, M.E., DELANEY, B., PRATHER, J.G. Radiation Surveillance Associates, Inc. 93/08/04. 150pp. 76124:063-76124:322.

DOCKET 40-8794 MOLYCORP, INC., LOS ANGELES, CA

9308260169 Trip rept of 930803 site visit to MolyCorp facility in York, PA re status of site decommissioning & to tour facility. GLENN, C. Decommissioning & Regulatory Issues Branch (Post 901230). 93/08/20. AUSTIN, J. Decommissioning & Regulatory Issues Branch (Post 901230). 4pp. 76266:318-76266:321.

DOCKET 40-8820 AMAX, INC., GOLDEN, CO

9308180283 Responds to 930212 ltr requesting renewal of license SMB-1418 from 930331 through 930930. Advises that final actions by NRC to terminate license will take place when custody of site transferred to DOE. AUSTIN, J.H. Decommissioning & Regulatory Issues Branch (Post 901230). 93/08/10. KEPLER, P., HAIK, P. AMAX, Inc. HAIK, P. Popham, Haik, Schnobrich & Kaufman, Ltd. 3pp. 76165:326-76165:328.

9308180289 Discusses status of site transfer of 151(c) site. AMAX, Inc. to DOE, as advised on 930729. Informs that NRC will proceed to move AMAX site from Site Decommissioning Mgt Plan list, following transfer of title. BANGART, R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 93/08/12. LIGHTNER, R.G. Energy, Dept. of. 3pp. 76165:329-76165:331.

DOCKET 40-8837 TELEDYNE ENGINEERING SERVICES, WALTHAM, MA

9308090050 Discusses insp rept 40-8837/93-01 on 930629 & forwards notice of violation. KINNEMAN, J.D. Region 1 (Post 820201). 93/07/14. GREENO, R.C. Teledyne Engineering Services. 2pp. 76020:084-76020:086.

—9308090053 Notice of violation from insp on 930629. Violation noted: wipe tests for removable contamination not performed in production areas on monthly basis. * Region 1 (Post 820201). 93/07/14. 1p. 76020:086-76020:086.

DOCKET 40-8866 NUCLEAR METALS, INC., CONCORD, MA

9308030253 Trip rept of 930420-21 Site visits to Watertown & Boston, MA to discuss licensing process & status of MA Site Decommissioning Mgt Plan sites. Meeting attendees & handouts encl. JOHNSON, T.C. Decommissioning & Regulatory Issues Branch (Post 901230). 93/06/08. AUSTIN, J.H. Decommissioning & Regulatory Issues Branch (Post 901230). 18pp. 76015:339-76015:356.

DOCKET 40-8905 QUIVIRA MINING CO., GRANTS, NM

9308030167 Forwards Quivira Mining Co 870106 ltr & NRC 870428 response, in response to 930623 telcon requesting clarification on NRC 930621 response to 930414 FOIA request. Copy of draft Commission paper dtd 871231 not located. W/o encls. BRACH, E.W. Division of Low-Level Waste Management & Decommissioning (Post 870413). 93/07/26. DARKE, J. Affiliation Not Assigned. 3pp. 75995:350-75995:352.

DOCKET 40-8954 VALENTEC OLIVETTE, ST. LOUIS, MO

9308300260 Voided matls licensing action for license SUC-1517 for Natl Mfg Corp of Olivette. Control: 394485. PISKURA, D.A. Region 3 (Post 820201). 93/02/09. NRC - No Detailed Affiliation Given. 3pp. 76278:335-76278:337.

9308300165 Matls licensing package for amend 6 to license SUC-1517 for Natl Mfg Corp. Control: 394626. PISKURA, D.A. Region 3 (Post 820201). 93/04/06. 6pp. 76280:087-76280:092.

DOCKET 40-8968 HYDRO RESOURCES, INC., DALLAS, TX

9308300012 Forwards Crownpoint & Unit 1 proposed Wellfield & site layout for initial 5-7 mine unit. W/one oversize encl. PELIZZA, M.S. HRI, Inc. (Hydro Resources, Inc.). 93/07/26. GRIMM, J. Uranium Recovery Field Ofc, R4. 4pp. 76261:237-76261:241.

DOCKET 40-8984 MAGNESIUM ELEKTRON, INC., FLEMINGTON, NJ

9308050164 Forwards final IT/NS-92-117, "Work Plan For Identification of Radiological Constituents in Waste Sludge."
JAEGER,R.E. Magnesium Elektron, Inc. (formerly Melberk, Inc.). 93/07/26.
GASKIN,C. Division of Fuel Cycle Safety & Safeguards (Post 930207). 1p. 76019:163-76019:217.

-9308050170 "Work Plan For Identification of Radiological Constituents in Waste Sludge."
* International Technology Corp. * Magnesium Elektron, Inc. (formerly Melberk, Inc.). 93/07/20. 54pp. 76019:164-76019:217.

DOCKET 40-8989 ENVIROCARE OF UTAH, INC., SALT LAKE CITY, UT

9308020170 Forwards responses to Open Issues F1 to F13 from FSER, including comments to proposed license conditions.
HELLSTROM,G.W. Envirocare of Utah, Inc. 93/07/27. SURMEIER,J.J. Uranium Recovery Branch (Post 901230). 250pp. 75973:001-75973:157.

9308110249 Forwards summary of 930714 meeting w/NRC & Envirocare to provide opportunity to present resolutions to NRC staff open issues in FSER dtd 930818.
FLEGEL,M.H. Uranium Recovery Branch (Post 901230). 93/08/02. SEMNANI,K.B. Envirocare of Utah, Inc. 6pp. 76080:239-76080:244.

9308170167 Forwards App U-1, "Waste Cell Slope Stability Analysis:Rept of Results," replacing pages submitted last wk.
HELLSTROM,G.W. Envirocare of Utah, Inc. 93/08/03. SURMEIER,J.J. Uranium Recovery Branch (Post 901230). 21pp. 76136:070-76136:090.

9308180261 Ack receipt of 930708 ltr to Selin re Envirocare of Utah, Inc license application to dispose of 11e.(2) byproduct matl. Comments listed.
BANGART,R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 93/08/09. COLE,P., THOMPSON,A.J. U.S. Ecology, Inc. (formerly Nuclear Engineering, Inc.). 7pp. 76165:302-76165:308.

9308250328 Requests 930831 meeting to discuss Envirocare license application for by-product matl. Purpose to exchange regulatory info. Forwards draft license & SER.W/o encl.
FLEGEL,M.H. Uranium Recovery Branch (Post 901230). 93/08/18. SINCLAIR,W. Utah, State of. 3pp. 76219:008-76219:010.

9308250364 Record of telcon w/G Hellstrom on 930816-18 re FSER open issues.
WASTLER,S.L. NRC - No Detailed Affiliation Given. 93/08/18. 1p. 76260:282-76260:282.

9308200332 Forwards revised Pages 9-16 & App L-2 re FSER open issues.
HELLSTROM,G.W. Envirocare, Inc. 93/08/19. SURMEIER,J.J. Uranium Recovery Branch (Post 901230). 15pp. 76190:329-76190:343.

9308240074 Forwards revised review schedule per receipt of Envirocare of Utah, Inc response to open issues in NRC final SER on 930729. Schedule dtd 930413 called for receipt of info by 930712. Revised schedule reflects delays & general update.
FLEGEL,M.H. Uranium Recovery Branch (Post 901230). 93/08/19. SEMNANI,K.B. Envirocare of Utah, Inc. 6pp. 76213:342-76213:347.

DOMESTIC LICENSING OF PRODUCTION AND UTILIZATION FACILITIES**DOCKET 50-2 FORD NUCLEAR REACTOR****S. Reportable occurrences, LERs & related correspondence**

9308120003 PNO-III-93-048: on 930805, licensee reported that 7,600 gallons of water containing low levels of radioactivity had been released from pump to foundation drain tiles. Line secured, terminating release. State of MI informed.
COX,C., JORGENSEN,B. Region 3 (Post 820201). 93/08/06. 2pp. 76063:012-76063:013.

DOCKET 50-3 INDIAN POINT STATION, UNIT 1**F. Security, medical, emergency & fire protection plans**

9308270048 Forwards public version of rev to plant emergency plan.W/ 930811 release memo.
BRAM,S.B. Consolidated Edison Co. of New York, Inc. 93/07/23. Document Control Branch (Document Control Desk). 2pp. 76220:197-76220:237.

-9308270071 Public version of rev 7 to emergency procedure IP-1007, "Determination of Magnitude of Release & Exposure Rate."
* Consolidated Edison Co. of New York, Inc. 93/07/23. 39pp. 76220:199-76220:237.

9308190337 Forwards ltr from B LoPrete re impact of constructing commuter railroad station & related roadway interchange on evacuation plans for plant.
CONGEL,F.J. Division of Radiation Safety & Safeguards (Post 921004). 93/08/03. WINGO,C.S. Federal Emergency Management Agency. 1p. 76155:358-76155:360.

J. Insurance & indemnity information

9308200154 Forwards projection of ability to pay retrospective premium adjustment for period of 930801-940731 per 10CFR140.21.
BRAM,S.B. Consolidated Edison Co. of New York, Inc. 93/07/30. Document Control Branch (Document Control Desk). 2pp. 76199:001-76199:003.

P. Operating license stage documents & correspondence

9308100145 Responds to NRC 930625 ltr requesting info on training programs for nine specific categories of nuclear power plant personnel re exemption form training rule requirements under 10CFR50.120.
BRAM,S.B. Consolidated Edison Co. of New York, Inc. 93/07/31. Document Control Branch (Document Control Desk). 6pp. 76067:302-76067:307.

Q. Inspection reports, IE Bulletins & correspondence

9307190043 NRC Info Notice 93-057, "Software Problems Involving Digital Control Console Sys at Non-Power Reactors."
GRIMES,B.K. Division of Operating Reactor Support (Post 921004). 93/07/23. Consolidated Edison Co. of New York, Inc. 9pp. 76111:200-76111:208.

S. Reportable occurrences, LERs & related correspondence

9308030372 Potential Part 21 rept re Limitorque actuator motors. Utilis & other purchases listed in encl being advised of concern. Limitorque revising selection procedure for safety related actuators, motors & technical data packages.
TAYLOR,J.H. Babcock & Wilcox Co. 93/07/22. Document Control Branch (Document Control Desk). 8pp. 75976:349-75976:356.

DOCKET 50-5 PENNSYLVANIA STATE UNIV. RESEARCH REACTOR**Q. Inspection reports, IE Bulletins & correspondence**

9307190043 NRC Info Notice 93-057, "Software Problems Involving Digital Control Console Sys at Non-Power Reactors."
GRIMES,B.K. Division of Operating Reactor Support (Post 921004). 93/07/23. Consolidated Edison Co. of New York, Inc. 9pp. 76111:200-76111:208.

DOCKET 50-10 DRESDEN NUCLEAR POWER STATION, UNIT 1**F. Security, medical, emergency & fire protection plans**

9308050360 Corrected Emergency Preparedness & State Programs Corporate EPIPs (CEPIP) CEPIP-2000 Series: Corporate Emergency Response Organization Index.
* Commonwealth Edison Co. 93/07/14. 3pp. 76022:121-76022:123.

9308180006 Addresses potential confusion re recent issuance of Rev 47 & subsequent clarification submittal to Rev 43 of Dresden Nuclear Power Station security plan.
JOHNSON,I.M. Commonwealth Edison Co. 93/08/04. Document Control Branch (Document Control Desk). 1p. 76167:307-76167:307.

9308130127 Ack receipt of 930712 ltr transmitting changes dtd Apr 1993, identified as Rev 47 to Dresden Nuclear Power Station, units 1, 2 & 3 security plan. Changes consistent w/provisions of 10CFR50.54(p) & acceptable.
JORGENSEN,B.L. Region 3 (Post 820201). 93/08/05. SCHUSTER,T. Commonwealth Edison Co. 2pp. 76143:150-76143:151.

H. General correspondence

9308230031 Comment supporting proposed rules 10CFR2 & 72 re eliminating requirement for express Commission authorization before issuing license for ISFSI.
NAUGHTON,W.F. Commonwealth Edison Co. 93/08/09. CHILK,S.J. Office of the Secretary of the Commission. 1p. 76165:090-76165:090.

P. Operating license stage documents & correspondence

9308050286 Advises that exemption unnecessary for Dresden site given that Unit 1 CR physically joined to Units 2 & 3 CR w/single STA serving all three units, w/regard to implementation of Training Rule, 10CFR50.120.
DEPUTDT,M.B. Commonwealth Edison Co. 93/07/28. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 76028:028-76028:029.

9308230113 Forwards Rev 64 to Topical Rept CE-1-A, "Comm Ed QA Manual."
BAUER,J.A. Commonwealth Edison Co. 93/08/20. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 76179:001-76179:190.

-9308230114 Rev 64 to Topical Rept CE-1-A, "Comm Ed QA Manual."
* Commonwealth Edison Co. 93/08/17. 189pp. 76179:002-76179:190.

Q. Inspection reports, IE Bulletins & correspondence

9307190043 NRC Info Notice 93-057, "Software Problems Involving Digital Control Console Sys at Non-Power Reactors."
GRIMES,B.K. Division of Operating Reactor Support (Post 921004). 93/07/23. Consolidated Edison Co. of New York, Inc. 9pp. 76111:200-76111:208.

R. Periodic operating reports & related correspondence

9308090305 Forwards errata to Dresden Nuclear Power Station, units 1, 2 & 3 annual environ operating rept.
SCHUSTER,T. Commonwealth Edison Co. 93/07/26. MARTIN,J. Region 3 (Post 820201). 1p. 76062:203-76062:211.

-9308090313 Errata to Dresden Nuclear Power Station, units 1, 2 & 3 annual environ operating rept.
* Commonwealth Edison Co. 92/12/31. 8pp. 76062:204-76062:211.

6 DOCKETED ITEMS

9308310053 Forwards corrected radioactive effluent rept for Jul-Dec 1992 re updating of Sr-89,Sr-90,Fe-55,gross alpha & tritium data for Sept-Dec 1992 to reflect actual sample analysis.
SPEDL,G.F. Commonwealth Edison Co. 93/08/10. MARTIN,J.B. Region 3 (Post 820201). 10pp. 76288:278-76288:333.

-9308300229 "Dresden Nuclear Power Station Units 1,2 & 3 Effluent & Waste Disposal Semiannual Rept Jul-Dec 1992" w/corrections re updating of Sr-89,Sr-90,Fe-55,gross alpha & tritium for Sept-Dec 1992 to reflect actual sample analysis.
* Commonwealth Edison Co. 92/12/31. Region 3 (Post 820201). 46pp. 76288:288-76288:3

9308160051 Forwards DNPS Monthly Operating Summary Rept for July 1993. Starting this reporting period,10CFR50.59 info no longer reported on monthly basis.
SPEDL,G.F. Commonwealth Edison Co. 93/08/11. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 76125:259-76125:346.

-9308160055 Monthly operating repts for July 1993 for Dresden Nuclear Power Station.
* Commonwealth Edison Co. 93/07/31. 125pp. 76125:261-76125:346.

S. Reportable occurrences, LERs & related correspondence

9308300212 "Dresden Nuclear Power Station Units 1,2, & 3 Effluent & Waste Disposal Semiannual Rept Jan-Jun 1993." W/930819 ltr.
SPEDL,G.F. Commonwealth Edison Co. 93/06/30. MARTIN,J.B. Region 3 (Post 820201). 69pp. 76284:083-76284:151.

V. Operator Examinations

9308250381 Requests response to encl request for addl info re certified fuel handler training program for plant.
ERICKSON,P.B. Non-Power Reactor & Decommissioning Project Directorate. 93/08/09. KOVACH,T.J. Commonwealth Edison Co. 4pp. 76212:177-76212:180.

9308170283 Notifies that PJ Santorineos no longer requires to maintain an operating license,effective 930810.
SPEDL,G.R. Commonwealth Edison Co. 93/08/10. Document Control Branch (Document Control Desk). 1p. 76137:168-76137:168.

DOCKET 50-16 ENRICO FERMI ATOMIC POWER PLANT, UNIT 1

P. Operating license stage documents & correspondence

9308050291 Provides info re training programs associated w/facility,in response to NRC 930625 ltr re decommissioning process, "Implementation of Training Rule (10CFR50.120)" & "Training & Qualification of Personnel," Final Rule 58FR21904.
GIPSON,D.R. Detroit Edison Co. 93/07/30. Document Control Branch (Document Control Desk). 3pp. 76021:325-76021:346.

DOCKET 50-27 WASHINGTON STATE UNIV. RESEARCH REACTOR (TRIGA)

P. Operating license stage documents & correspondence

9308180184 Applies for exemption from annual fees recently imposed on univ.Summary of activities encl.
TRIPARD,G.E. Washington State Univ., Pullman, WA. 93/07/28. Ofc of the Executive Director for Operations. 39pp. 76167:309-76167:349.

R. Periodic operating reports & related correspondence

9308200093 "Annual Rept on Operation of Washington State Univ TRIGA Reactor for Jul 1992 - Jun 1993." W/930812 ltr.
TRIPARD,G.E. Washington State Univ., Pullman, WA. 93/06/30. 8pp. 76209:312-76209:319.

DOCKET 50-29 YANKEE-ROWE NUCLEAR POWER STATION

F. Security, medical, emergency & fire protection plans

9308180147 Forwards encl 8 to SECY-93-166 which describes proposed characteristics of design basis vehicle.W/o encl.
WEISS,S.H. Non-Power Reactor & Decommissioning Project Directorate. 93/07/28. SHETLER,J.R. Sacramento Municipal Utility District. GRANT,J.M. Yankee Atomic Electric Co. CROSS,J.E. Portland General Electric Co. 4pp. 76143:139-76143:142.

9308020265 Forwards Rev 1 to defueled security training & qualification plan as approved by NRC in ltr dtd 921013.Rev withheld.
GRANT,J.M. Yankee Atomic Electric Co. 93/07/29. Document Control Branch (Document Control Desk). 2pp. 75987:350-75987:351.

9308270228 Forwards Safety Insp Rept 50-029/93-05 on 930510-0731.No violations noted.
LINVILLE,J.C. Region 1 (Post 820201). 93/08/19. THAYER,J.K. Yankee Atomic Electric Co. 3pp. 76292:062-76292:073.

-9308270233 Insp Rept 50-029/93-05 on 930510-0731.No violations noted. Major areas inspected:operations,maint engineering & plant support,including radiological controls,security,fire protection & housekeeping & administration.
KELLY,E.M. Region 1 (Post 820201). 93/08/18. 9pp. 76292:065-76292:073.

9308270351 Requests replacement of Rev 01 of page 5-12 w/attached page 5-12.Part of existing sentence was deleted inadvertently.Encl withheld.
GRANT,J.M. Yankee Atomic Electric Co. 93/08/26. Document Control Branch (Document Control Desk). 1p. 76292:138-76292:138.

H. General correspondence

9308190139 Comments on Regulatory Review Group Rept.Suggests that removal of requirements for PASS be utilized as test case.
EDWARDS,D.W. Yankee Atomic Electric Co. 93/07/23. GILLESPIE,F.T. Ofc of the Executive Director for Operations. GILLESPIE,F.T. Regulatory Review Group. 43pp. 76152:165-76152:227.

-9308190152 Informs of intention to devote time reviewing comments in near future to be sure intent clear prior to forwarding final written response.
EDWARDS,D.W. Yankee Atomic Electric Co. 93/07/08. GILLESPIE,F.T. Ofc of the Executive Director for Operations. GILLESPIE,F.T. Regulatory Review Group. 8pp. 76152:208-76152:227.

P. Operating license stage documents & correspondence

9308030396 Discusses activities that have taken place prior to decommissioning plan approval.Activities consist of removal & shipment to low level waste disposal site of four steam generators,pressurizer & reactor vessel internals.
WEISS,S.H. Non-Power Reactor & Decommissioning Project Directorate. 93/07/15. THAYER,J.K. Yankee Atomic Electric Co. 5pp. 75952:136-75952:140.

9308030413 Forwards internal record of telcon on 930414.
FAIRTILE,N.B. Non-Power Reactor & Decommissioning Project Directorate. 93/07/15. KATZ,F. Citizens Awareness Network. 4pp. 75952:168-75952:171.

9308040102 Advises that licensee has evaluated training requirements of 10CFR50.120 in light of permanently defueled status & determined that category of Shift Technical Advisor should be exempt from requirements as applied to plant.
THAYER,J.K. Yankee Atomic Electric Co. 93/07/28. Document Control Branch (Document Control Desk). 2pp. 76009:336-76009:337.

9308090138 Forwards calculations for licensee use in response to 930514 request to transport SGs containing low levels of radioactive contamination from Yankee Nuclear Power Station, near Rowe,MA to disposal facility in Barnwell,SC.
HAUGHNEY,C.J. Transportation Branch (Post 930207). 93/08/04. HANNA,H.C. Transportation, Dept. of. 1p. 76061:356-76061:356.

Q. Inspection reports, IE Bulletins & correspondence

9308060301 Responds to 930201 ltr addressed to RH Vollmer re NRC insps conducted under temporary instruction 2515/118.NRC to initiate team insp to examine svc water sys based on large number of problems that have occurred in last 20 years.
GODY,A.T. Program Management, Policy Development & Analysis Staff (Post 870411). 93/05/26. EDWARDS,D. Yankee Atomic Electric Co. 5pp. 76009:303-76009:313.

9307190043 NRC Info Notice 93-057. "Software Problems Involving Digital Control Console Sys at Non-Power Reactors."
GRIMES,B.K. Division of Operating Reactor Support (Post 921004). 93/07/23. Consolidated Edison Co. of New York, Inc. 9pp. 76111:200-76111:208.

9308270228 Forwards Safety Insp Rept 50-029/93-05 on 930510-0731.No violations noted.
LINVILLE,J.C. Region 1 (Post 820201). 93/08/19. THAYER,J.K. Yankee Atomic Electric Co. 3pp. 76292:062-76292:073.

-9308270233 Insp Rept 50-029/93-05 on 930510-0731.No violations noted. Major areas inspected:operations,maint engineering & plant support,including radiological controls,security,fire protection & housekeeping & administration.
KELLY,E.M. Region 1 (Post 820201). 93/08/18. 9pp. 76292:065-76292:073.

DOCKET 50-54 CINTICHEM

Q. Inspection reports, IE Bulletins & correspondence

9308090239 Requests amend to decommissioning plan,Table 7.1 in response to recommendation in Insp Repts 50-054/93-01 & 70-0687/93-01.
MCGOVERN,J.J. Cintichem, Inc. 93/08/02. Document Control Branch (Document Control Desk). 1p. 76062:218-76062:218.

DOCKET 50-59 TEXAS A&M UNIV. RESEARCH REACTOR

V. Operator Examinations

9308240350 Requests response to encl ref matl requirements for requalification exams scheduled for wk of 931108.Info on administration of exams & rules & guidance also encl.
CALDWELL,J.L. Operator Licensing Branch. 93/08/09. POSTON,J.W. Texas A&M Univ., College Station, TX. 7pp. 76203:347-76203:353.

DOCKET 50-62 UNIV. OF VIRGINIA RESEARCH REACTOR

Q. Inspection reports, IE Bulletins & correspondence

9308060002 Provides summary of 930629 enforcement conference to discuss licensee operating reactor w/o required safety sys channels being operational.List of attendees encl.
STOHR,J.P. Division of Radiation Safety & Safeguards (Post 921004). 93/07/06. MULDER,R.U. Virginia, Univ. of, Charlottesville, VA. 21pp. 75992:018-75992:038.

9308050129 EN-93-073:on 930728,notice of proposed imposition of civil penalty in amount of \$2,000 issued to licensee.Action based on operation of UVAR for approximately 5 1/2 h w/o number of scram safety channels being operable.
LUEHMAN,J. LIEBERMAN,J. Ofc of Enforcement (Post 870413). 93/07/23. 1p. 75972:264-75972:264.

9308060063 Discusses insp rept 50-062/93-02 on 930503,0603 & 04 & forwards notice of violation & proposed imposition of civil penalty.
EBINETER,S.D. Region 2 (Post 820201). 93/07/28. MULDER,R.U. Virginia, Univ. of, Charlottesville, VA. 6pp. 75992:237-75992:244.

-9308060066 Notice of violation & proposed imposition of civil penalty in amount of \$2,000.Noncompliance noted:reactor operated for 5 5 h w/o required scram functions of listed safety sys channels being operable.
* Region 2 (Post 820201). 93/07/28. 2pp. 75992:243-75992:244.

9308310055 Accepts civil penalty proposed by NRC w/respect to two TS violations cited in Insp Rept 50-062/93-02.Fee paid.
MULDER,R.U. Virginia, Univ. of, Charlottesville, VA. 93/08/26. Ofc of Enforcement (Post 870413). 1p. 76322:299-76322:307.

-9308310060 Responds to NRC 930728 ltr re violations noted in Insp Rept 50-062/93-01.Corrective actions:complete review of console schematics & electronics performed & improved labelling sys adopted for modules in console.
MULDER,R.U. Virginia, Univ. of, Charlottesville, VA. 93/08/26. Ofc of Enforcement (Post 870413) 6pp. 76322:300-76322:307.

V. Operator Examinations

9308250393 Requests response to encl request for addl info re operator requalification program for facility within 30 days of ltr date.
ADAMS,A. Non-Power Reactor & Decommissioning Project Directorate. 93/08/05. MULDER,R.U. Virginia, Univ. of, Charlottesville, VA. 4pp. 76212:181-76212:184.

9308180223 Lists responses to 930805 RAI re 920604 submittal of new Operator Re-qualification Program.
FARRAR,J.P. Virginia, Univ. of, Charlottesville, VA. 93/08/13. ADAMS,A. Non-Power Reactor & Decommissioning Project Directorate. 11pp. 76165:337-76165:347.

DOCKET 50-73 GENERAL ELECTRIC NUCLEAR TEST REACTOR

S. Reportable occurrences, LERs & related correspondence

9308260119 PNO-V-93-015:on 930811,4.7 magnitude earthquake occurred.No damage reported at listed facilities.Aerotest reactor was operating & earthquake SCRAM not triggered.Concludes that since no motion detected,MMI probably less than I.
PATE,B., GARCIA,E. Region 5 (Post 820201). 93/08/11. 1p. 76247:360-76247:360.

DOCKET 50-83 UNIV. OF FLORIDA TRAINING REACTOR

F. Security, medical, emergency & fire protection plans

9308110162 Advises that 921210 rev 8 to research reactor emergency plan consistent w/provisions of 10CFR50,App E & acceptable.
MICHAELS,T.S. Non-Power Reactor & Decommissioning Project Directorate. 93/07/20. VERNETSON,W. Florida, Univ. of, Gainesville, FL. 3pp. 76063:294-76063:296.

H. General correspondence

9308060149 Informs of change in facility organization at level 3.
VERNETSON,W.G. Florida, Univ. of, Gainesville, FL. 93/07/30. Document Control Branch (Document Control Desk). 2pp. 76059:270-76059:271.

DOCKET 50-89 GENERAL ATOMICS

Q. Inspection reports, IE Bulletins & correspondence

9307190043 NRC Info Notice 93-057, "Software Problems Involving Digital Control Console Sys at Non-Power Reactors."
GRIMES,B.K. Division of Operating Reactor Support (Post 921004). 93/07/23. Consolidated Edison Co. of New York, Inc. 9pp. 76111:200-76111:208.

DOCKET 50-116 IOWA STATE UNIV. RESEARCH REACTOR

Q. Inspection reports, IE Bulletins & correspondence

9308110316 Forwards results for operator initial exam conducted at Iowa State Univ on 930623.
GALLO,R.M. Operator Licensing Branch. 93/07/22. DANOFISKY,R. Iowa State Univ., Ames, IA. 3pp. 76103:001-76103:045.

-9308130173 Exam rept 50-116/OL-93-01 on 930623.Exam results:all three candidates passed their respective portion of exams & issued appropriate license.
ISAAC,P., CALDWELL,J.L. Operator Licensing Branch. 93/07/08. 43pp. 76103:003-76103:045.

V. Operator Examinations

9308110316 Forwards results for operator initial exam conducted at Iowa State Univ on 930623.W/o encl.
GALLO,R.M. Operator Licensing Branch. 93/07/22. DANOFISKY,R. Iowa State Univ., Ames, IA. 1p. 76064:360-76064:360.

9308110316 Forwards results for operator initial exam conducted at Iowa State Univ on 930623.
GALLO,R.M. Operator Licensing Branch. 93/07/22. DANOFISKY,R. Iowa State Univ., Ames, IA. 3pp. 76103:001-76103:045.

-9308130173 Exam rept 50-116/OL-93-01 on 930623.Exam results:all three candidates passed their respective portion of exams & issued appropriate license.
ISAAC,P., CALDWELL,J.L. Operator Licensing Branch. 93/07/08. 43pp. 76103:003-76103:045.

9308250354 Forwards reactor/senior reactor operator license certificates for JO Ofelia,ML Trimpe & S Wendt,per Commission request.
BOGER,B.A. Division of Reactor Controls & Human Factors (Post 921004). 93/08/09. DANOFISKY,R. Iowa State Univ., Ames, IA. 1p. 76212:266-76212:266.

DOCKET 50-123 UNIV. OF MISSOURI RESEARCH REACTOR-ROLLA

P. Operating license stage documents & correspondence

9308060363 Requests that ltr dtd 930705 from WG Gajda,Vice Chancellor serve as initial correspondence to request for full license fee exemption for licensee.
BOLO*, E. Missouri, Univ. of, Rolla, MO. 93/07/28. Office of the Secretary of the Commission. 1p. 76038:357-76038:357.

9308190020 Forwards amend 12 to license R-79 & safety evaluation.Amend revises TS to allow extension of visual insp of shim & safety control rods up to year beyond current surveillance requirement due date.
MENDONCA,M.M. Non-Power Reactor & Decommissioning Project Directorate. 93/07/30. BOLAN,A.E. Missouri, Univ. of, Rolla, MO. 3pp. 76151:203-76151:211.

-9308190023 Amend 12 to license R-79,revising TS to allow extension of visual insp of shim & safety control rods up to year beyond current surveillance requirement due date.
WEISS,S.H. Non-Power Reactor & Decommissioning Project Directorate. 93/07/30. 4pp. 76151:206-76151:209.

-9308190026 Safety evaluation supporting amend 12 to license R-79.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 93/07/30. 2pp. 76151:210-76151:211.

Q. Inspection reports, IE Bulletins & correspondence

9308190020 Forwards amend 12 to license R-79 & safety evaluation.Amend revises TS to allow extension of visual insp of shim & safety control rods up to year beyond current surveillance requirement due date.
MENDONCA,M.M. Non-Power Reactor & Decommissioning Project Directorate. 93/07/30. BOLAN,A.E. Missouri, Univ. of, Rolla, MO. 3pp. 76151:203-76151:211.

-9308190023 Amend 12 to license R-79,revising TS to allow extension of visual insp of shim & safety control rods up to year beyond current surveillance requirement due date.
WEISS,S.H. Non-Power Reactor & Decommissioning Project Directorate. 93/07/30. 4pp. 76151:206-76151:209.

-9308190026 Safety evaluation supporting amend 12 to license R-79.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 93/07/30. 2pp. 76151:210-76151:211.

V. Operator Examinations

9308270100 Informs that Commission has directed that certificate suitable for framing be issued to each newly licensed operator in recognition of important role licensed operators fulfill in protecting health & safety of public.
BOGER,B.A. Division of Reactor Controls & Human Factors (Post 921004). 93/08/12. BOLAN,A.E. Missouri, Univ. of, Rolla, MO. 1p. 76220:147-76220:147.

DOCKET 50-128 TEXAS A&M UNIV. RESEARCH REACTOR

V. Operator Examinations

9308240344 Requests response to encl ref matl request for RO/SRO licensing exams scheduled for 931108.Info on administration of written exams & rules & guidelines also encl.
CALDWELL,J.L. Operator Licensing Branch. 93/08/09. HALL,K.R. Texas A&M Univ., College Station, TX. 9pp. 76211:001-76211:009.

DOCKET 50-133 HUMBOLDT BAY POWER PLANT, UNIT 3

F. Security, medical, emergency & fire protection plans

9308230210 Forwards Rev 3 to emergency plan to include local ltrs of agreements w/ local hosps,Humboldt County fire depts & local ambulance svcs.Informs that because plan incorporated into HBPP Plant Manuals,Vol 3,Rev 21 appears at top of each page.
SEXTON,J.A. Pacific Gas & Electric Co. 93/08/17. Document Control Branch (Document Control Desk). 1p. 76213:061-76213:153.

-9308230213 Rev 3 to emergency plan.
* Pacific Gas & Electric Co. 93/08/17. 91pp. 76213:062-76213:153.

P. Operating license stage documents & correspondence

9308040212 Forwards info for nine categories of nuclear plant personnel defined in Training Rule (10CFR50.120),requiring development of training programs based on Sys Approach to Training,in response to NRC 930625 ltr.
RUEGER,G.M. Pacific Gas & Electric Co. 93/07/28. Document Control Branch (Document Control Desk). 6pp. 75997:204-75997:209.

Q. Inspection reports, IE Bulletins & correspondence

9307190043 NRC Info Notice 93-057, "Software Problems Involving Digital Control Console Sys at Non-Power Reactors."
GRIMES,B.K. Division of Operating Reactor Support (Post 921004). 93/07/23. Consolidated Edison Co. of New York, Inc. 9pp. 76111:200-76111:208.

8 DOCKETED ITEMS

DOCKET 50-142 UCLA TRAINING REACTOR

W. Decommissioning Stage Documents & Correspondence

- 930806/344 "Final Decommissioning Rept for Boelter Reactor Facility Dismantlement & Final Decommissioning Project."
* California, Univ. of, Los Angeles, CA. 92/12/31. 59pp. 76023:208-76023:272.

DOCKET 50-146 SAXTON NUCLEAR EXPERIMENTAL FACILITY

P. Operating license stage documents & correspondence

- 9308170259 Advises that based on review of 930503 & 12 ltrs that submitted final re-dacted version of PENLEC/GPU Internal Affairs Rept, Williamsburg Incident Investigation 89-WM-2, contents protect info agreed to as proprietary.
ADAMS, A. Non-Power Reactor & Decommissioning Project Directorate. 93/07/27.
FORNICOLA, J.C. General Public Utilities Corp. - GPU Service Corp. 4pp. 76140:011-76140:014.

DOCKET 50-150 OHIO STATE UNIV. RESEARCH REACTOR

P. Operating license stage documents & correspondence

- 9308310035 Forwards amend 14 to license R-75 & SE. Amend revises TS to allow greater magnet holding currents in control rod magnet circuit before rod drops initiated.
MICHAELS, T.S. Non-Power Reactor & Decommissioning Project Directorate. 93/08/23. CRUZ, J.B. Ohio State Univ., Columbus, OH. 3 pp. 76274:154-76274:162.
- 9308310037 Amend 14 to license R-75, revising TS to allow greater magnet holding currents in control rod magnet circuit before rod drops initiated.
WEISS, S.H. Non-Power Reactor & Decommissioning Project Directorate. 93/08/23. 4pp. 76274:157-76274:160.
- 9308310038 Safety evaluation supporting amend 14 to license R-75.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 93/08/23. 2pp. 76274:161-76274:162.

Q. Inspection reports, IE Bulletins & correspondence

- 9308160322 Forwards requalification exam rept 50-150/OL-93-01 on 930628.
GALLO, R.M. Operator Licensing Branch. 93/08/11. WEISLOGEL, S. Ohio State Univ., Columbus, OH. 2pp. 76104:210-76104:213.
- 9308160325 Exam rept 50-150/OL-93-01 on 930628. Exam results: two operator requalification retake exams administered. Both operators passed exams.
ERESIAN, W.J., CALDWELL, J.L. Operator Licensing Branch. 93/08/04. 2pp. 76104:212-76104:213.

V. Operator Examinations

- 9308160322 Forwards requalification exam rept 50-150/OL-93-01 on 930628.
GALLO, R.M. Operator Licensing Branch. 93/08/11. WEISLOGEL, S. Ohio State Univ., Columbus, OH. 2pp. 76104:210-76104:213.
- 9308160325 Exam rept 50-150/OL-93-01 on 930628. Exam results: two operator requalification retake exams administered. Both operators passed exams.
ERESIAN, W.J., CALDWELL, J.L. Operator Licensing Branch. 93/08/04. 2pp. 76104:212-76104:213.
- 9308260271 Forwards results for operator requalification exam on 930628. W/o encl.
GALLO, R.M. Division of Operating Reactor Support (Post 921004). 93/08/11. WEISLOGEL, S. Ohio State Univ., Columbus, OH. 1p. 76214:280-76214:280.

DOCKET 50-151 UNIV. OF ILLINOIS RESEARCH REACTOR

H. General correspondence

- 9308160062 Requests response from Commission at earliest possible convenience in answer to listed question & forwards copy of 930728 ltr to CJ Holloway.
HOLM, R.L. Illinois, Univ. of, Urbana, IL. 93/08/03. Docketing & Services Branch. 1p. 76089:124-76089:125.
- 9308160210 Requests clarification on two listed issues re RIN 3150-AE4, "FY1991 & 1992 Final Rule Implementing US Court of Appeals Decision & Rev of Fee Schedules: 100% Fee Recovery, FY1993."
HOLM, R.L. Illinois, Univ. of, Urbana, IL. 93/07/28. HOLLOWAY, C.J. Office of the Controller (Post 890205). 1p. 76089:125-76089:125.

Q. Inspection reports, IE Bulletins & correspondence

- 9307300082 Forwards Insp Repts 50-151/93-01 & 50-356/93-01 on 930706. 08. No violations or deviations noted.
MCCORMICK-BARGE Region 3 (Post 820201). 93/07/21. JONES, B.G. Illinois, Univ. of, Urbana, IL. 2pp. 75932:351-75932:358.
- 9307300088 Insp repts 50-151/93-01 & 50-356/93-01 on 930706-08. No violations noted. Major areas inspected: organization, logs & records, review & audit functions, requalification training, procedures, experiments & emergency planning.
COX, C. Region 3 (Post 820201). 93/07/21. 6pp. 75932:353-75932:358.
- 9308100016 Forwards initial exam repts 50-151/OL-93-02 & 50-356/OL-93-02 administered during wk of 930726. W/o encls.
GALLO, R.M. Operator Licensing Branch. 93/08/03. JONES, B.G. Illinois, Univ. of, Urbana, IL. 1p. 76025:055-76025:055.

V. Operator Examinations

- 9308100016 Forwards initial exam repts 50-151/OL-93-02 & 50-356/OL-93-02 administered during wk of 930726. W/o encls.
GALLO, R.M. Operator Licensing Branch. 93/08/03. JONES, B.G. Illinois, Univ. of, Urbana, IL. 1p. 76025:055-76025:055.
- 9308190294 Forwards results for operator initial exam conducted on 930728. W/o encl.
GALLO, R.M. Operator Licensing Branch. 93/08/03. JONES, B.G. Illinois, Univ. of, Urbana, IL. 1p. 76155:352-76155:352.
- 9308230230 Forwards operator/senior operator license certificates for L Golchert & JH Romans, per Commission request. W/o encls.
BOGER, B.A. Division of Reactor Controls & Human Factors (Post 921004). 93/08/16. JONES, B.G. Illinois, Univ. of, Urbana, IL. 1p. 76178:217-76178:217.

DOCKET 50-155 BIG ROCK POINT NUCLEAR PLANT

F. Security, medical, emergency & fire protection plans

- 9308040150 Forwards encl 8 to SECY 93-166 which describes proposed characteristics of design basis vehicle. Encl withheld.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 93/07/15. DONNELLY, P.M. Consumers Power Co. 2pp. 75987:014-75987:015.
- 9308110040 Revised EPIPs, including rev 144 to Vol 9A Coversheet, "Site EPIP," Table of Contents & EPIP-6F, "Emergency Notifications."
WOOSTER, K.A. Consumers Power Co. 93/07/28. 16pp. 76082:283-76082:297.
- 9308170435 Forwards response to NRR assessment of plant emergency condenser & MSIVs, as result of Region III insp on util program developed in response to GL 89-10. Add response within 45 days of date of ltr will address current EOPs.
DONNELLY, P.M. Consumers Power Co. 93/08/12. Document Control Branch (Document Control Desk). 8pp. 76136:131-76136:138.
- 9308260001 Revised EPIPs, including Rev 145 to EPIPs table of contents/ effective pages, EPIP-5A-2, "Backup & Forecast Meteorology" & EPIP-6I, "Training & Drills." W/930819 ltr.
GIPPERICH, S.L. Consumers Power Co. 93/08/19. 18pp. 76257:343-76257:363.

H. General correspondence

- 9308160235 Forwards application for amend to License DPR-6, revising TS to implement reorganization of util staff change of Superintendent titles to Manager.
DONNELLY, P.M. Consumers Power Co. 93/08/06. Document Control Branch (Document Control Desk). 1p. 76141:262-76141:270.
- 9308160238 Application for amend to License DPR-6, revising TS to change Superintendent titles to Manager.
HOFFMAN, D.P. Consumers Power Co. 93/08/06. 2pp. 76141:263-76141:264.
- 9308160239 Proposed tech specs supporting change of Superintendent titles to Manager.
* Consumers Power Co. 93/08/06. 6pp. 76141:265-76141:270.

P. Operating license stage documents & correspondence

- 9308120314 Responds to encl 930507 ltr to Chairman Selin re staff recommendations contained in paper from staff to Commission.
MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 93/08/24. HOFFMAN, D.P. Consumers Power Co. 4pp. 76085:271-76085:279.
- 9308120337 Forwards copy of recent testimony to House Subcommittee on Energy re MHTGR program.
HOFFMAN, D.P. Consumers Power Co. 93/05/07. THE CHAIRMAN, SELIN Commissioners (Post 750119). 3pp. 76085:275-76085:279.
- 9308030144 Ack receipt of 10CFR50.54(a) submittal dtd 930614 re changes to QA program description topical rept.
RING, M.A. Region 3 (Post 820201). 93/07/27. HOFFMAN, D.P. Consumers Power Co. 1p. 75936:099-75936:099.
- 9308120107 Requests exemption from annual fee requirements of 10CFR171.15 for plant for listed reasons.
DONNELLY, P.M. Consumers Power Co. 93/08/04. Document Control Branch (Document Control Desk). 2pp. 76087:319-76087:320.
- 9308200247 Forwards corrected 930630 ltr superseding 930620 document re response to GL 92-01, rev 1.
OLSHAN, L.H. Project Directorate III-1. 93/08/04. DONNELLY, P.M. Consumers Power Co. 3pp. 76178:173-76178:175.
- 9308160235 Forwards application for amend to License DPR-6, revising TS to implement reorganization of util staff change of Superintendent titles to Manager.
DONNELLY, P.M. Consumers Power Co. 93/08/06. Document Control Branch (Document Control Desk). 1p. 76141:262-76141:270.
- 9308160238 Application for amend to License DPR-6, revising TS to change Superintendent titles to Manager.
HOFFMAN, D.P. Consumers Power Co. 93/08/06. 2pp. 76141:263-76141:264.
- 9308160239 Proposed tech specs supporting change of Superintendent titles to Manager.
* Consumers Power Co. 93/08/06. 6pp. 76141:265-76141:270.
- 9308130167 Updates response to GL 88-20, "IPE for Severe Accident Vulnerabilities." Informs that current schedule plan being revised for submittal by 940501. Summary of application of plant PRA performed encl.
DONNELLY, P.M. Consumers Power Co. 93/08/09. Document Control Branch (Document Control Desk). 7pp. 76113:330-76113:336.

9308170435 Forwards response to NRR assessment of plant emergency condenser & MSIVs, as result of Region III insp on util program developed in response to GL 89-10. Add response within 45 days of date of ltr will address current EOPs. DONNELLY, P.M. Consumers Power Co. 93/08/12. Document Control Branch (Document Control Desk). 8pp. 76136:131-76136:138.

9308200156 Forwards Amend 110 to License DPR-6 & safety evaluation. Amend clarifies TS re undervoltage breakers in RPS. OLSHAN, L.N. Project Directorate III-1. 93/08/16. DONNELLY, P.M. Consumers Power Co. 3pp. 76190:320-76190:328.

-9308200158 Amend 110 to License DPR-6, clarifying TS re undervoltage breakers in RPS. DEAN, W.M. Project Directorate III-1. 93/08/16. 4pp. 76190:323-76190:326.

-9308200159 Safety evaluation supporting Amend 110 to License DPR-6. Office of Nuclear Reactor Regulation, Director (Post 870411). 93/08/16. 2pp. 76190:327-76190:328.

9308300276 Discusses review of response to GL 88-20, suppl 4, "Individual Plant Exams for External Events." OLSHAN, L.N. Project Directorate III-1. 93/08/16. DONNELLY, P.M. Consumers Power Co. 2pp. 76266:204-76266:205.

Q. Inspection reports, IE Bulletins & correspondence

9307190043 NRC Info Notice 93-057, "Software Problems Involving Digital Control Console Sys at Non-Power Reactors." GRIMES, B.K. Division of Operating Reactor Support (Post 921004). 93/07/23. Consolidated Edison Co. of New York, Inc. 9pp. 76111:200-76111:208.

9308240082 Forwards technical review rept re, "Tardy Licensee Actions" initiated because of delayed replacement of batteries in uninterruptible power supplies at plant. ISRAEL, S.L. Reactor Operations Analysis Branch. 93/08/05. ROSENTHAL, J.E. Reactor Operations Analysis Branch. 2pp. 76218:177-76218:193.

-9308240165 Technical review rept, "Tardy Licensee Actions." ISRAEL, S.L. Reactor Operations Analysis Branch. 93/08/31. 13pp. 76218:179-76218:193.

9308170435 Forwards response to NRR assessment of plant emergency condenser & MSIVs, as result of Region III insp on util program developed in response to GL 89-10. Add response within 45 days of date of ltr will address current EOPs. DONNELLY, P.M. Consumers Power Co. 93/08/12. Document Control Branch (Document Control Desk). 8pp. 76136:131-76136:138.

9308270116 Provides response to violations noted in Insp Rept 50-155/93-07. Corrective actions: debris subsequently removed from reactor deck at beginning of refueling outage. DONNELLY, P.M. Consumers Power Co. 93/08/20. Document Control Branch (Document Control Desk). 5pp. 76291:296-76291:300.

9308310204 Provides response to violations noted in Insp Rept 50-155/93-07. Corrective actions: licensee failed to remove unnecessary tools or loose objects from around reactor cavity & fuel area w/reactor head off. DONNELLY, P.M. Consumers Power Co. 93/08/25. Document Control Branch (Document Control Desk). 5pp. 76288:356-76288:360.

R. Periodic operating reports & related correspondence

9308110001 Monthly operating rept for Jul 1993 for Big Rock Point Nuclear Plant. W/ 930802 ltr. JOHNSTON, J.R., DONNELLY, P.M. Consumers Power Co. 93/07/31. 6pp. 76072:356-76072:361.

9308170281 Forwards Semi-Annual fitness-for-duty program performance rept & data sheets for period of 930101-0630, for Big Rock Point Plant & Palisades Plant. SLADE, G.B. Consumers Power Co. 93/08/09. Document Control Branch (Document Control Desk). 17pp. 76150:261-76150:277.

S. Reportable occurrences, LERs & related correspondence

9308120130 Forwards LER 93-003 re reactor containment sensors being out-of-TS tolerance. Event reported on 930708 as 4-h reportable nonemergency event. Event now being reported per 10CFR50.73(a)(2)(i)(B) due to unanalyzed condition. DONNELLY, P.M. Consumers Power Co. 93/08/04. Document Control Branch (Document Control Desk). 1p. 76091:187-76091:192.

-9308120134 LER 93-003-00: on 930708, reactor containment high pressure sensors found out-of-TS tolerance due to increase in temp. Static-O-Ring representative recommended that housing vent plug be removed & switches recalibr. Action completed. BOURASSA, M.D. Consumers Power Co. 93/08/04. 5pp. 76091:188-76091:192.

9308110087 Forwards LER 93-004 re RWL & primary sys pressure sensors being out-of-TS tolerance. Event reported on 930709 as 4-hr reportable nonemergency event. Advises that unanalyzed or serious degradation of plant discovered while shutdown. DONNELLY, P.M. Consumers Power Co. 93/08/05. Document Control Branch (Document Control Desk). 1p. 76091:148-76091:152.

-9308110099 LER 93-004-00: on 930709, RWL & primary sys pressure found out-of-TS tolerance. Caused by diaphragm/spring failure & leaking sensing line valve respectively. Low RWL sensor LS-RE09G recalibr within TS required range. BOURASSA, M.D. Consumers Power Co. 93/08/06. 4pp. 76091:149-76091:152.

9308160251 LER 93-006-00: on 930715, high radiation area (HRA) found unposted & not barricaded during Managers shutdown/refueling hr due to insufficient degree of attention by contracted HP technician. Boundary chain w/HRA sign attached. W/930809 ltr. BOURASSA, M.D., DONNELLY, P.M. Consumers Power Co. 93/08/09. 4pp. 76158:328-76158:331.

9308170177 LER 93-005-00: on 930714, discovered that primary containment spray motor operator capability may have been insufficient to open MOV-7064 under degraded conditions. Torque switch will be reset & VOTES testing performed. W/930810 ltr. BOURASSA, M.D., DONNELLY, P.M. Consumers Power Co. 93/08/10. 5pp. 76158:350-76158:357.

9308170161 LER 93-007-00: on 930808, electric fire pump started during surveillance test as result of spurious signal generated when technician tried to reseat module board to get test light to drop out. Pump shut down. W/930812 ltr. BOURASSA, M.D., DONNELLY, P.M. Consumers Power Co. 93/08/12. 4pp. 76158:346-76158:349.

V. Operator Examinations

9308030302 Informs of NRC plans to administer generic fundamentals exam section written operator licensing exam on 931006. RING, M.A. Region 3 (Post 820201). 93/07/28. Consumers Power Co. 3pp. 75983:358-75983:360.

DOCKET 50-156 UNIV. OF WISCONSIN RESEARCH REACTOR

R. Periodic operating reports & related correspondence

9308260004 "Univ of WI Nuclear Reactor Lab 1992-93 Annual Operating Rept." W/ 930818 ltr. CASHWELL, R.J. Wisconsin, Univ. of, Madison, WI. 93/09/30. 26pp.

V. Operator Examinations

9308110211 Informs that NRC has directed that certificate suitable for framing be issued to each newly licensed operator in recognition of important role licensed operators fulfill in protecting health & safety of public. BOGER, B.A. Division of Reactor Controls & Human Factors (Post 921004). 93/07/20. CASHWELL, R.J. Wisconsin State Univ. 1p. 76141:135-76141:135.

DOCKET 50-163 GENERAL ATOMICS

Q. Inspection reports, IE Bulletins & correspondence

9307190043 NRC Info Notice 93-057, "Software Problems Involving Digital Control Console Sys at Non-Power Reactors." GRIMES, B.K. Division of Operating Reactor Support (Post 921004). 93/07/23. Consolidated Edison Co. of New York, Inc. 9pp. 76111:200-76111:208.

S. Reportable occurrences, LERs & related correspondence

9308160352 Forwards Figures showing updated results of continued surveillance from initial date of detection of radionuclides in reactor pool water & air surrounding facility, per vendor 921209 & 930209 ltrs. ASMUSSEN, K.E. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 93/08/10. Document Control Branch (Document Control Desk). 6pp. 76126:341-76126:346.

V. Operator Examinations

9308160076 Requests extension of payment due date for invoice XT0410-93 for purposes of appealing invoice amount. ASMUSSEN, K.E. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 93/08/10. TREMPER, L. License Fee & Debt Collection Branch (Post 890827). 2pp. 76143:292-76143:293.

DOCKET 50-166 UNIV. OF MARYLAND RESEARCH REACTOR

P. Operating license stage documents & correspondence

9308190187 Trip rept of 930621 visit to Univ of Maryland w/ representatives of Radiation Protection Ofc. Purpose of meeting to visit typical, small nonpower reactor to discuss status of implementation of new 10CFR20. Attendees listed. ADAMS, A. Non-Power Reactor & Decommissioning Project Directorate. 93/08/02. WEISS, S.H. Non-Power Reactor & Decommissioning Project Directorate. 4pp. 76156:354-76156:357.

9308180169 Request: waiver of licensee fees, w/regard to invoice for payment of FY93 fees, since licensee dedicated to education & training of students in nuclear engineering & radiation science & other listed reasons. DIETER, G.E. Maryland, Univ. of, College Park, MD. 93/08/03. Docketing & Services Branch. 3pp. 76153:309-76153:311.

V. Operator Examinations

9308260310 Discusses arrangements made for administration of operator licensing exam at Univ of MD reactor during wk of 930906. Add info encl. CALDWELL, J.L. Non-Power Reactors, Decommissioning & Environmental Proj. Dir. (920517-921003). 93/08/11. WUTTIG, M. Maryland, Univ. of, College Park, MD. 10pp. 76215:345-76215:354.

10 DOCKETED ITEMS

DOCKET 50-170 ARMED FORCES RADIOBIOLOGY RESEARCH INSTITUTE

F. Security, medical, emergency & fire protection plans

9308040184 Forwards changes to reactor facility physical security plan, per 10CFR50.54(p)(2). Plan withheld, per 10CFR2.790.
MOORE, M. Defense, Dept. of, Defense Nuclear Agency. 93/08/04. Document Control Branch (Document Control Desk). 1p. 76028:021-76028:021.

Q. Inspection reports, IE Bulletins & correspondence

9308230181 Forwards Safety Insp Rept 50-170/93-01 on 930720-22. No violations noted.
JOYNER, J.H. Region 1 (Post 820201). 93/08/17. BUMGARDNER, R.L. Armed Forces Radiobiological Research Institute. 3pp. 76204:230-76204:236.

-9308230184 Safety Insp Rept 50-170/93-01 on 930720-22. No violations noted. Major areas inspected: organization & staffing, status of implementation of revised 10CFR20 regulations, radiation monitoring & environmental monitoring.
DRAGOUN, T.F., BORES, R.J. Region 1 (Post 820201). 93/08/13. 4pp. 76204:233-76204:236.

V. Operator Examinations

9308100268 Requests to change approved reactor operator requalification program for AFRR TRIGA reactor facility, per 10CFR55.59(c).
MOORE, M. Defense, Dept. of, Defense Nuclear Agency. 93/08/06. Document Control Branch (Document Control Desk). 10pp. 76078:244-76078:254.

9308240356 Requests response to encl ref matl request for RO/SRO licensing exams scheduled for 940110. Info on administration of written exams & rules & guidelines also encl.
CALDWELL, J.L. Operator Licensing Branch. 93/08/06. Navy, Dept. of. 9pp. 76203:338-76203:346.

DOCKET 50-171 PEACH BOTTOM ATOMIC POWER STATION, UNIT 1

P. Operating license stage documents & correspondence

9306100199 Requests exemption from all requirements of 10CFR50.120 for PBAPS Unit 1 & supplies listed in support of issuance of exemption. Unit 1 decommissioning completed on 780217, as described in decommissioning plan & SAR dtd 740829.
HUNGER, G.A. Carolina Power & Light Co. 93/07/30. Document Control Branch (Document Control Desk). 2pp. 76078:282-76078:283.

Q. Inspection reports, IE Bulletins & correspondence

9307190043 NRC Info Notice 93-057, "Software Problems Involving Digital Control Console Sys at Non-Power Reactors."
GRIMES, B.K. Division of Operating Reactor Support (Post 921004). 93/07/23. Consolidated Edison Co. of New York, Inc. 9pp. 76111:200-76111:208.

DOCKET 50-184 NATIONAL INSTITUTE OF STANDARDS & TECHNOLOGY REACTOR

Q. Inspection reports, IE Bulletins & correspondence

9308030018 Forwards insp rept 50-184/93-01 on 930630-0702. No violations or safety concerns noted.
JOYNER, J.H. Region 1 (Post 820201). 93/07/21. ROWE, J.M. National Institute of Standards & Technology (formerly National Bureau of Standards). 3pp. 75935:074-75935:081.

-9308030020 Insp rept 50-184/93-01 on 930630-0702. No violations noted. Major areas inspected: maint & repair of reactor sys, recordkeeping, fuel movement, surveillances, operator requalification training & control of experiments.
DRAGOUN, T., BORES, R.J. Region 1 (Post 820201). 93/07/19. 5pp. 75935:077-75935:081.

9308240048 Forwards initial exam rept 50-184/OL-93-01 on 930713.
GALLO, R.M. Operator Licensing Branch. 93/08/03. ROWE, J.M. Commerce, Dept. of. ROWE, J.M. National Institute of Standards & Technology (formerly National Bureau of Standards). 3pp. 76183:163-76183:203.

-9308240053 Exam rept 50-184/OL-93-01 on 930713. Exam results: applicant passed both portions of licensing exam.
GUENTHER, S. Operator Licensing Branch. CALDWELL, J.L. Non-Power Reactor & Decommissioning Project Directorate. 93/07/26. 3pp. 76183:166-76183:203.

V. Operator Examinations

9308030018 Forwards insp rept 50-184/93-01 on 930630-0702. No violations or safety concerns noted.
JOYNER, J.H. Region 1 (Post 820201). 93/07/21. ROWE, J.M. National Institute of Standards & Technology (formerly National Bureau of Standards). 3pp. 75935:074-75935:081.

-9308030020 Insp rept 50-184/93-01 on 930630-0702. No violations noted. Major areas inspected: maint & repair of reactor sys, recordkeeping, fuel movement, surveillances, operator requalification training & control of experiments.
DRAGOUN, T., BORES, R.J. Region 1 (Post 820201). 93/07/19. 5pp. 75935:077-75935:081.

9308100005 Forwards initial exam rept 50-184/OL-93-01, exam & answer key. W/o encl.
GALLO, R.M. Operator Licensing Branch. 93/08/03. ROWE, J.M. National Institute of Standards & Technology (formerly National Bureau of Standards). 1p. 76025:007-76025:007.

9308190291 Forwards results for operator initial exam on 930713. W/o encl.
GALLO, R.M. Operator Licensing Branch. 93/08/03. ROWE, J.M. Commerce, Dept. of. ROWE, J.M. National Institute of Standards & Technology (formerly National Bureau of Standards). 1p. 76155:357-76155:357.

9308240048 Forwards initial exam rept 50-184/OL-93-01 on 930713.
GALLO, R.M. Operator Licensing Branch. 93/08/03. ROWE, J.M. Commerce, Dept. of. ROWE, J.M. National Institute of Standards & Technology (formerly National Bureau of Standards). 3pp. 76183:163-76183:203.

-9308240053 Exam rept 50-184/OL-93-01 on 930713. Exam results: applicant passed both portions of licensing exam.
GUENTHER, S. Operator Licensing Branch. CALDWELL, J.L. Non-Power Reactor & Decommissioning Project Directorate. 93/07/26. 3pp. 76183:166-76183:203.

9308300248 Forwards senior operator license certificate for EL Guarin in recognition of important role licensed operators fulfill in protecting health & safety of public.
BOGER, B.A. Division of Reactor Controls & Human Factors (Post 921004). 93/08/13. ROWE, J.M. Commerce, Dept. of. 1p. 76266:192-76266:192.

DOCKET 50-186 UNIV. OF MISSOURI RESEARCH REACTOR-COLUMBIA

P. Operating license stage documents & correspondence

9308110330 Forwards amend 24 to license R-103 & safety evaluation. Amend temporarily increases U-235 possession limit to 60 kg until 940531.
ADAMS, A. Non-Power Reactor & Decommissioning Project Directorate. 93/07/21. RHYNE, J.J. Missouri, Univ. of, Columbia, MO. 3pp. 76064:337-76064:343.

-9308110334 Amend 24 to license R-103, temporarily increasing U-235 possession limit to 60 kg until 940531.
WEISS, S.H. Non-Power Reactor & Decommissioning Project Directorate. 93/07/21. 2pp. 76064:340-76064:341.

-9308110338 Safety evaluation supporting amend 24 to license R-103.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 93/07/21. 2pp. 76064:342-76064:343.

Q. Inspection reports, IE Bulletins & correspondence

9308100159 Forwards insp rept 50-186/93-03 on 930714-16. No violations noted.
CREED, J.R. Region 3 (Post 820201). 93/08/02. RHYNE, J.J. Missouri, Univ. of, Columbia, MO. 2pp. 76026:020-76026:025.

-9308100163 Insp rept 50-186/93-03 on 930714-16. No violations noted. Major areas inspected: SNM control & accountability.
BELANGER, J.L., CREED, J.R. Region 3 (Post 820201). 93/08/03. 4pp. 76026:022-76026:025.

S. Reportable occurrences, LERs & related correspondence

9308160198 RO on 930712-26, reactor operated w/operability of automatically closing reactor containment isolation door in degraded condition. Caused by actuating cam maladjusted. Cam readjusted & tightened.
MEYER, W.A., MCKIBBEN, J.C. Missouri, Univ. of, Columbia, MO. 93/08/12. Document Control Branch (Document Control Desk). 6pp. 76160:262-76160:268.

V. Operator Examinations

9308270169 Forwards results of operator initial exam conducted on 930726-27. W/o encl.
GALLO, R.M. Operator Licensing Branch. 93/08/12. RHYNE, J.J. Missouri, Univ. of, Columbia, MO. 1p. 76220:238-76220:238.

9308310261 Forwards initial exam rept 50-186/OL-93-01 administered during wk of 930726. W/o encl.
GALLO, R.M. Operator Licensing Branch. 93/08/12. RHYNE, J.J. Missouri, Univ. of, Columbia, MO. 1p. 76296:360-76296:360.

DOCKET 50-188 KANSAS STATE UNIV. RESEARCH REACTOR

F. Security, medical, emergency & fire protection plans

9308110207 Forwards rev to Physical Security Plan for Univ TRIGA Mark II Reactor Facility. Withheld per 10CFR2.790.
FAW, R.E. Kansas State Univ., Manhattan, KS. 93/08/03. MICHAELS, T.S. NRC - No Detailed Affiliation Given. 2pp. 76080:357-76080:358.

P. Operating license stage documents & correspondence

9308110217 Forwards amend 8 to license R-88 & safety evaluation. Amend revises TS re interlock requirements for transient rod in steady state due to installation of US Geological Survey control console.
MICHAELS, T.S. Non-Power Reactor & Decommissioning Project Directorate. 93/07/20. FAW, R.E. Kansas State Univ. of Agriculture & Applied Science, Manhattan, KS. 2pp. 76063:309-76063:317.

-9308110227 Amend 8 to license R-88, revising TS to restate interlock requirements for transient rod in steady state mode due to installation of US Geological Survey control console.
WEISS, S.H. Non-Power Reactor & Decommissioning Project Directorate. 93/07/20. 4pp. 76063:311-76063:314.

-9308110229 Safety evaluation supporting amend 8 to license R-88.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 93/07/20. 3pp. 76063:315-76063:317.

9308180188 Requests individual exemption from payment of annual fees for FY93, per 10CFR171.11(b).
FAW,R.E. Kansas State Univ., Manhattan, KS. 93/07/27. SCROGGINS,R.M. Office of the Controller (Post 890205). 2pp. 76165:285-76165:286.

9308180164 Endorses 930727 request for exemption from payment of annual fees for FY93 for listed reasons, w/regard to invoice AT-0464-93.
RATHBONE,D.E. Kansas State Univ., Manhattan, KS. 93/08/02. Office of the Controller (Post 890205). 1p. 76165:292-76165:292.

9308180177 Requests exemption from payment of annual fees for TRIGA Mark II reactor.
COFFMAN,J.R. Kansas State Univ., Manhattan, KS. 93/08/04. SCROGGINS,R.M. NRC - No Detailed Affiliation Given. 1p. 76165:336-76165:336.

DOCKET 50-201 WEST VALLEY REPROCESSING PLANT

P. Operating license stage documents & correspondence

9308230101 Forwards deviation from regional dip in area between Springville & West Valley, NY.
VAUGHAN,R.C. Coalition on West Valley Nuclear Wastes. 93/08/14. ROWLAND,T. Energy, Dept. of. PICIULO New York, State of. NICHOLS,B. Science Applications International Corp. (formerly Science Applications, Inc.). 2pp. 76186:276-76186:289.

-9308230108 Discusses deviation from regional dip in area between Springville & West Valley, NY.
* NRC - No Detailed Affiliation Given. 93/08/14. VAUGHAN,R., MCGOLDRICK,K., CAIN,B. Coalition on West Valley Nuclear Wastes. 12pp. 76186:278-76186:289.

DOCKET 50-206 SAN ONOFRE NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9308160006 Forwards insp repts 50-206/93-11,50-361/93-11 & 50-362/93-11 on 930513-0623 & notice of violation.
VANDENBURGH,C. Region 5 (Post 820201). 93/07/21. RAY,H.B. Southern Nuclear Operating Co. 3pp. 76088:243-76088:276.

-9308160008 Notice of violation from insp on 930513-0623. Violation noted: listed examples were observed in which components were not properly restrained near safety-related equipment.
* Region 5 (Post 820201). 93/07/21. 3pp. 76088:246-76088:248.

-9308160010 Insp repts 50-206/93-11,50-361/93-11 & 50-362/93-11 on 930513-0623. Violations noted. Major areas inspected: operational safety verification, radiological protection, security & evaluation of plant trips & events.
WONG,H.J. Region 5 (Post 820201). 93/07/21. 28pp. 76088:249-76088:276.

9308050153 Rev 5.4 to "Emergency Plan for SONGS, Units 1,2 & 3." W/ 930802 ltr.
MARSH,W.C. Southern California Edison Co. 93/08/02. 25pp. 76022:210-76022:234.

9308240135 Forwards Security Insp Repts 50-206/93-22,50-361/93-22 & 50-363/93-22 on 930726-29. No violations or deviations noted. Repts withheld (ref 10CFR73.21).
PATE,R.J. Region 5 (Post 820201). 93/08/05. RAY,H.B. Southern California Edison Co. 3pp. 76213:308-76213:310.

9308260355 Forwards Rev 38A to NRC approved Aug 1983 "Physical Security Plan," Units 1 & 2 for review, per 10CFR50.54(2). Rev withheld (ref 10CFR73.21).
KRIEGER,R.W. Southern California Edison Co. 93/08/24. Document Control Branch (Document Control Desk). 2pp. 76266:300-76266:301.

9308310112 Forwards Rev 5.5 of SONGS, Units 1,2 & 3 emergency plan, revising classification criteria for SG tube leakage events as listed, per NUREG-0654.
MARSH,W.C. Southern California Edison Co. 93/08/27. Document Control Branch (Document Control Desk). 3pp. 76322:251-76322:266.

-9308310115 Rev 5.5 of SONGS, Units 1,2 & 3 emergency plan.
* Southern California Edison Co. 93/08/13. 13pp. 76322:254-76322:266.

P. Operating license stage documents & correspondence

9308040207 Provides approach for using NRC guidance for performing decommissioning activities at plant, prior to approval of facility proposed decommissioning plan.
MARSH,W.C. Southern California Edison Co. 93/07/30. Document Control Branch (Document Control Desk). 6pp. 75997:196-75997:201.

9308050132 Provides evaluation of need to implement sys approach to training for personnel categories listed in 10CFR50.120, based on site specific conditions at Unit 1.
MARSH,W.C. Southern California Edison Co. 93/08/02. Document Control Branch (Document Control Desk). 6pp. 76022:194-76022:199.

9308050302 Requests extension of payment period & review of portions of ref invoices. Extension & review requested because facility permanently shutdown since 921130 & no license exams administered after that date.
ROSENBLUM,R.M. Southern California Edison Co. 93/08/03. Document Control Branch (Document Control Desk). 1p. 76034:322-76034:322.

Q. Inspection reports, IE Bulletins & correspondence

9308160006 Forwards insp repts 50-206/93-11,50-361/93-11 & 50-362/93-11 on 930513-0623 & notice of violation.
VANDENBURGH,C. Region 5 (Post 820201). 93/07/21. RAY,H.B. Southern Nuclear Operating Co. 3pp. 76088:243-76088:276.

-9308160008 Notice of violation from insp on 930513-0623. Violation noted: listed examples were observed in which components were not properly restrained near safety-related equipment.
* Region 5 (Post 820201). 93/07/21. 3pp. 76088:246-76088:248.

-9308160010 Insp repts 50-206/93-11,50-361/93-11 & 50-362/93-11 on 930513-0623. Violations noted. Major areas inspected: operational safety verification, radiological protection, security & evaluation of plant trips & events.
WONG,H.J. Region 5 (Post 820201). 93/07/21. 28pp. 76088:249-76088:276.

9308030083 Ack receipt of 930707 ltr informing NRC of steps taken to correct violations noted in insp repts 50-206/93-14 & 50-206/93-06.
REESE,J.H. Region 5 (Post 820201). 93/07/22. RAY,H.B. Southern California Edison Co. 3pp. 75935:340-75935:349.

9307190043 NRC Info Notice 93-057, "Software Problems Involving Digital Control Console Sys at Non-Power Reactors."
GRIMES,B.K. Division of Operating Reactor Support (Post 921004). 93/07/23. Consolidated Edison Co. of New York, Inc. 9pp. 76111:200-76111:208.

9308240135 Forwards Security Insp Repts 50-206/93-22,50-361/93-22 & 50-363/93-22 on 930726-29. No violations or deviations noted. Repts withheld (ref 10CFR73.21).
PATE,R.J. Region 5 (Post 820201). 93/08/05. RAY,H.B. Southern California Edison Co. 3pp. 76213:308-76213:310.

9308240189 Forwards insp rept 50-206/93-18,50-361/93-18 & 50-362/93-18 on 930712-16 & notice of violation.
REESE,J.H. Region 5 (Post 820201). 93/08/05. RAY,H.B. Southern California Edison Co. 3pp. 76213:329-76213:341.

-9308240196 Notice of violation from insp on 930712-16. Violation noted: accessible area having radiation levels of 125 mrem/h, measured at 30 cm from reactor coolant pump P-001 drain line, not conspicuously posted as high radiation area.
* Region 5 (Post 820201). 93/08/05. 1p. 76213:332-76213:332.

-9308240201 Insp repts 50-206/93-18,50-361/93-18 & 50-362/93-18 on 930712-16. Violations noted. Major areas inspected: audits, ALARA & outage related radiological controls.
MAMISH,N., REESE,J.H. Region 5 (Post 820201). 93/08/05. 9pp. 76213:333-76213:341.

9308240160 Submits SALP schedule for FY94 per Mgt Directive 8.6.
FAULKENBERRY,B. Region 5 (Post 820201). 93/08/12. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 3pp. 76211:357-76211:359.

9308270093 Responds to NRC 930721 ltr re violation noted in Insp Repts 50-206/93-11,50-361/93-11 & 50-362/93-11 on 930513-0623. Corrective actions: housekeeping & scaffold deficiencies corrected & walkdown of applicable scaffolds performed.
ROSENBLUM,R.M. Southern California Edison Co. 93/08/23. Document Control Branch (Document Control Desk). 8pp. 76262:348-76262:355.

R. Periodic operating reports & related correspondence

9308170151 Monthly operating rept for Jul 1993 for San Onofre Nuclear Generating Station Unit 1. W/ 930813 ltr.
DARLING,J.L., MARSH,W.C. Southern California Edison Co. 93/07/31. 7pp. 76135:314-76135:320.

9308170353 Forwards semiannual fitness for duty program performance data on 930101-0630 w/summary of data & mgt actions.
MARSH,W.C. Southern California Edison Co. 93/08/11. Document Control Branch (Document Control Desk). 6pp. 76136:103-76136:108.

S. Reportable occurrences, LERs & related correspondence

9308170345 Part 21 rept re reportable defect-75 PSIG relief check valve 1" NPT, EMD 9521844, Kepner 416C-175.
GALEAZZI,D.D., NUDING,M. MKW Power Systems, Inc. 93/07/15. Office of Nuclear Reactor Regulation, Director (Post 870411). 10pp. 76139:010-76139:019.

DOCKET 50-212 FUEL CRITICAL FACILITY

Q. Inspection reports, IE Bulletins & correspondence

9308240082 Forwards technical review rept re, "Tardy Licensee Actions" initiated because of delayed replacement of batteries in uninterruptible power supplies at plant.
ISRAEL,S.L. Reactor Operations Analysis Branch. 93/08/05. ROSENTHAL,J.E. Reactor Operations Analysis Branch. 2pp. 76218:177-76218:193.

-9308240165 Technical review rept, "Tardy Licensee Actions."
ISRAEL,S.L. Reactor Operations Analysis Branch. 93/08/31. 13pp. 76218:179-76218:193.

DOCKET 50-213 HADDAM NECK PLANT

F. Security, medical, emergency & fire protection plans

9308060282 Forwards encl 8 to SECY 93-166 which describes proposed characteristics of design basis vehicle. Encl withheld.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 93/07/15. OPEKA,J.F. Connecticut Yankee Atomic Power Co. OPEKA,J.F. Northeast Nuclear Energy Co. 4pp. 76023:291-76023:294.

9308020261 Revised EIPs, including Rev 13 to EIP 1.5-9, "On-Site Emergency Radiological Surveys" & Rev 14 to EIP 1.5-10, "Off-Site Emergency Radiological Surveys."
BUCH,W. Connecticut Yankee Atomic Power Co. 93/07/26. 61pp. 75952:250-75952:310.

9308090234 Rev 14 to EIP 1.5-10, "ASP-1 Radiation Surveys."
* Connecticut Yankee Atomic Power Co. 93/07/26. 2pp. 76037:325-76037:326.

12 DOCKETED ITEMS

9308130096 Responds to 930706 ltr re Rev 26 to HNP physical security plan.Changes consistent w/provisions of 10CFR50.54(p) & acceptable.
JOYNER,J.H. Region 1 (Post 820201). 93/08/09. OPEKA,J.F. Northeast Nuclear Energy Co. 3pp. 76141:218-76141:220.

G. Adjudicatory correspondence

9307090113 Responds to petition dtd 921215 filed on behalf of NIRS w/ NRC re immediate suspension of all OLs & CPs using Thermo- Lag as fire barrier matl.
MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 93/05/23. MARIOTTE,M. Nuclear Information & Resource Service. 9pp. 75670:061-75670:150.

I. Financial information

9308060197 Forwards estimated 1993 cash flows for util & sponsor companies.
GARELUICK,B.F. Connecticut Yankee Atomic Power Co. 93/07/28. NRC - No Detailed Affiliation Given. 4pp. 76059:170-76059:173.

P. Operating license stage documents & correspondence

9308120014 AEOD/T604, "Events Resulting From Deficiencies in Labeling & Identification Sys" technical review rept.
TRAGER,E.A. NRC - No Detailed Affiliation Given. 86/05/07. 25pp. 76082:334-76082:358.

9308090244 Rev 12 to "Response to Loss of Secondary Heat Sink"
* Connecticut Yankee Atomic Power Co. 93/07/09. 32pp. 76075:217-76075:255.

9308040105 Forwards amend 161 to license DPR-61 & safety evaluation. Amend revises TS to reflect mods made to modernize steam generator feedwater control sys.
WANG,A.B. Project Directorate I-4. 93/07/14. OPEKA,J.F. Connecticut Yankee Atomic Power Co. OPEKA,J.F. Northeast Nuclear Energy Co. 4pp. 75987:059-75987:089.

-9308040107 Amend 161 to license DPR-61, revising TS to reflect mods made to modernize SG feedwater control sys.
STOLZ,J.F. Project Directorate I-4. 93/07/14. 13pp. 75987:063-75987:075.

-9308040111 Safety evaluation supporting amend 161 to license DPR-61.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 93/07/14. 12pp. 75987:076-75987:087.

-9308040113 Notice of issuance of amend 161 to license DPR-61. Amend modifies TS to upgrade feedwater control sys from analog to digital sys.
ANDERSEN,J.W. Project Directorate I-4. 93/07/14. 2pp. 75987:088-75987:089.

9308030350 Requests response to encl request for addl info re generic ltr 92-01, "Reactor Vessel Structural Integrity" within 60 days of ltr receipt.
WANG,A.B. Project Directorate I-4. 93/07/15. OPEKA,J.F. Connecticut Yankee Atomic Power Co. OPEKA,J.F. Northeast Nuclear Energy Co. 4pp. 75952:091-75952:094.

9308090328 Forwards SE authorizing relief request P-9 from vibration testing requirements of ASME section XI, paragraph IWP-4510, for svc water pumps P-37-1A,P-37-1B,P-37-1C & P-37-1D per util 930303 request.
STOLZ,J.F. Project Directorate I-4. 93/07/20. OPEKA,J.F. Connecticut Yankee Atomic Power Co. OPEKA,J.F. Northeast Nuclear Energy Co. 3pp. 76038:206-76038:212.

-9308090333 SE granting relief request P-9 from vibration testing requirements, based on determination that compliance w/ vibration amplitude measurement location requirements impractical.
* Project Directorate I-4. 93/07/20. 4pp. 76038:209-76038:212.

9308020242 Application for amend to license DPR-61, proposing changes to modify action statement "a" of TS section 3.5.1 & moving surveillance requirement 4.5.1.b from TS 3/4.5.1 to TS 3/4.5.2 as surveillance requirement 4.5.2.c.
OPEKA,J.P. Connecticut Yankee Atomic Power Co. OPEKA,J.P. Northeast Utilities. 93/07/26. Document Control Branch (Document Control Desk). 6pp. 75953:298-75953:321.

-9308020260 Proposed tech specs modifying action statement "a" of TS section 3.5.1 & moving surveillance requirement 4.5.1.b from TS section 3/4.5.1 to TS section 3/4.5.2 as surveillance requirement 4.5.2.c.
* Connecticut Yankee Atomic Power Co. 93/07/26. 18pp. 75953:304-75953:321.

9308170338 Forwards safety evaluation on systematic evaluation program (SEP) topic VI-4, "Containment Isolation Sys" for plant. All penetrations either meet provisions of or intent of GDCs 54-57 except for penetration 39.
WANG,A. Project Directorate I-4. 93/07/26. OPEKA,J.F. Connecticut Yankee Atomic Power Co. OPEKA,J.F. Northeast Nuclear Energy Co. 4pp. 76139:184-76139:201.

-9308170344 Safety evaluation on SEP VI-4 re containment isolation sys for plant. All penetrations either meet provisions of or intent of GDCs 54-57 except for penetration 39.
* Project Directorate I-4. 93/07/26. 14pp. 76139:188-76139:201.

9308160082 Application for amend to license DPR-61, revising TS bases for reactor coolant loops & coolant circulation in section 3/4.4.1.
OPEKA,J.F., ROMBERG,W.D. Connecticut Yankee Atomic Power Co. OPEKA,J.F. Northeast Utilities. 93/08/09. Document Control Branch (Document Control Desk). 3pp. 76124:343-76124:349.

-9308160085 Proposed tech spec 3/4.4.1 re reactor coolant loops & coolant circulation.
* Connecticut Yankee Atomic Power Co. 93/08/09. 4pp. 76124:346-76124:349.

9308160205 Forwards summary of addl substantive changes to Program Enhancement Program (PEP), per 920604 transmittal of Phase II Completion Rept for util PEP.
OPEKA,J.F. Connecticut Yankee Atomic Power Co. OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities. 93/08/10. WIGGINS,J.T. Region 1 (Post 820201). 8pp. 76143:216-76143:223.

9308260039 Forwards EA & findings of no significant impact re 930423 application for amend & 930617 supplemental info. Amend will revise TS to reflect transitioning from stainless steel clad core to one w/zircaloy cladding.
WANG,A.B. Project Directorate I-4. 93/08/10. OPEKA,J.F. Connecticut Yankee Atomic Power Co. 3pp. 76214:312-76214:317.

-9308260047 Notice of environ assessment & finding of no significant impact re 930423 application for amend to license DPR-61. Amend will revise TS to reflect transitioning of stainless steel clad core to one w/zircaloy cladding.
STOLZ,J.F. Project Directorate I-4. 93/08/10. 3pp. 76214:315-76214:317.

9308230194 Application for amend to license DPR-61, changing TS Sections to permanently remove ability of Plant to operate w/tree loops while in MODES 1 or 2.
OPEKA,J.F. Connecticut Yankee Atomic Power Co. 93/08/18. Document Control Branch (Document Control Desk). 9pp. 76206:185-76206:306.

-9308230198 Proposed tech specs permanently removing ability for Plant to operate w/ three loops while in MODES 1 or 2.
* Connecticut Yankee Atomic Power Co. 93/08/31. 113pp. 76206:194-76206:306.

9308240213 Forwards response to NRC 930706 RAI re addl atmospheric steam dump capability in ref to util 930504 proposed license amend changing TS to reflect replacement of four main steam valves w/new type of code safety valve.
OPEKA,J.F., DEBARBA,E.A. Connecticut Yankee Atomic Power Co. OPEKA,J.F. Northeast Utilities. 93/08/18. Document Control Branch (Document Control Desk). 6pp. 76213:323-76213:328.

9308240360 Application for amend to License DPR-61, proposing interim changes for incorporation of addl LCO for TS requiring that 480 volt ac MCC 5 & ABT scheme be operable during Modes 1, 2, 3 & 4. Permanent changes will be proposed later half of 1994.
OPEKA,J.F., DEBARBA,E.A. Connecticut Yankee Atomic Power Co. OPEKA,J.F. Northeast Utilities. 93/08/18. Document Control Branch (Document Control Desk). 7pp. 76215:304-76215:319.

-9308240361 Proposed tech specs re onsite power distribution.
* Connecticut Yankee Atomic Power Co. 93/08/18. 9pp. 76215:311-76215:319.

9308260283 Notices of change in level of approval required by utils for personnel to exceed specific provisions of overtime controls, per TS 6.2.2.g & GL 82-12.
OPEKA,J.F. Connecticut Yankee Atomic Power Co. OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities. 93/08/20. Document Control Branch (Document Control Desk). 4pp. 76258:345-76258:348.

9308260152 Provides NRC w/info to support review of systematic evaluation Topics III-2 & III-4.A. Info requested by staff in question & response format included as Attachment 1 also encl.
OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities. 93/08/23. Document Control Branch (Document Control Desk). 7pp. 76237:342-76237:348.

Q. Inspection reports, IE Bulletins & correspondence

9307190043 NRC Info Notice 93-057, "Software Problems Involving Digital Control Console Sys at Non-Power Reactors."
GRIMES,B.K. Division of Operating Reactor Support (Post 921004). 93/07/23. Consolidated Edison Co. of New York, Inc. 9pp. 76111:200-76111:208.

9308040013 Forwards insp rept 50-213/93-08 on 930509-0619 & notice of deviation.
BLOUGH,A.R. Region 1 (Post 820201). 93/07/26. OPEKA,J.F. Connecticut Yankee Atomic Power Co. 3pp. 75949:086-75949:113.

-9308040025 Notice of deviation from insp on 930509-0619. Deviation noted: during normal test run of emergency diesel generator, generator field was lost & diesel generator output breaker did not trip.
* Region 1 (Post 820201). 93/07/26. 1p. 75949:089-75949:089.

-9308040028 Insp rept 50-213/93-08 on 930509-0619. Deviation noted: Major areas inspected: plant operations, refuel outage activities, radiological controls, maint, surveillance, plant mod, licensee event repts & periodic repts.
DOERFLEIN,L.T. Region 1 (Post 820201). 93/07/26. 24pp. 75949:090-75949:113.

9308190253 Forwards AIT Insp Rept 50-213/93-80 on 930630-0709 re 930622 & 26 loss of offsite power events & 930627 failure of motor-control-ctr-5.
HODGES,M.W. Region 1 (Post 820201). 93/08/16. OPEKA,J.F. Connecticut Yankee Atomic Power Co. 4pp. 76168:253-76168:303.

-9308190258 AIT Insp Rept 50-213/93-80 on 930630-0709 re 930622 & 26 loss of offsite power events & 930627 failure of motor-control-ctr-5.
TRAPP,J.M., DURR,J.P. Region 1 (Post 820201). 93/08/11. 47pp. 76168:257-76168:303.

9308310028 Ack receipt of 930609 ltr informing NRC of steps taken to correct violations noted in insp rept 50-213/93-04.
DURR,J.P. Region 1 (Post 820201). 93/08/16. OPEKA,J.F. Connecticut Yankee Atomic Power Co. 2pp. 76263:074-76263:079.

9308240127 Responds to NRC ltr 930726 re deviations noted in insp rept 50-213/93-08. Corrective action: initiated engineering WR #93-MS099 to install standard loss of field relay & UFSAR change request will be issue prior to next annual rev.
OPEKA,J.F., ROMBERG,W.D. Connecticut Yankee Atomic Power Co. OPEKA,J.F. Northeast Utilities. 93/08/19. Document Control Branch (Document Control Desk). 4pp. 76208:349-76208:352.

9308270223 Forwards Safety Insp Rept 50-213/93-12 on 930620-0724. Violations noted.
BLOUGH,A.R. Region 1 (Post 820201). 93/08/20. OPEKA,J.F. Connecticut Yankee Atomic Power Co. 3pp. 76291:301-76291:338.

-9308270231 Safety Insp Rept 50-213/93-12 on 930620-0724. Violations noted. Major areas inspected: plant operations, outage activities, event response, maint, engineering & technical support & plant support activities.
DOERFLEIN,L.T. Region 1 (Post 820201). 93/08/18. 35pp. 76291:304-76291:338.

9308260280 Revises 930609 response to violation noted in Insp Rept 50-213/93-04. Informs that alternative test method identified & implemented per GL 89-04 for rapid acting valves. Stroke time test results for SVs CH-SOV-242 & CH-SOV-242B encl. OPEKA,J.F., ROMBERG,W.D. Connecticut Yankee Atomic Power Co. OPEKA,J.F. Northeast Utilities. 93/08/23. Document Control Branch (Document Control Desk). 6pp. 76258:349-76258:354.

9308310058 Forwards insp rept 50-213/93-14 on 930719-23. No violations noted. DURR,J.P. Region 1 (Post 820201). 93/08/25. OPEKA,J.F. Connecticut Yankee Atomic Power Co. 2pp. 76263:290-76263:299.

-9308310065 Insp rept 50-213/93-14 on 930719-23. No violations noted. Major areas inspected: determination of whether licensee design, installation & mod of safety-related dynamic pipe restraints & static pipe supports performed correctly. CARRASCO,J.E., GRAY,E.H. Region 1 (Post 820201). 93/08/03. 8pp. 76263:292-76263:299.

R. Periodic operating reports & related correspondence

9308190142 Monthly operating rept for Jul 1993 for Haddam Neck Plant. W/930815 ltr. EMMONS,K., BIGALBAL,M., STETZ,J.P. Connecticut Yankee Atomic Power Co. 93/07/31. 10pp. 76161:329-76161:338.

S. Reportable occurrences, LERs & related correspondence

9308060337 Special rept on 930715. Wide Range Noble Gas Stack Monitor RMS-14B, failed to operate in an attempt to return monitor to svc. Failure caused by faulty power isolation board. Monitor repaired & returned to svc 930727. STETZ,J.P. Connecticut Yankee Atomic Power Co. 93/07/30. Document Control Branch (Document Control Desk). 3pp. 76059:258-76059:260.

9308090152 LER 93-011-00 on 930706. ESF occurred due to loss of vital buses C & D during surveillance testing. Re-positioned auto retransfer switch to "on" position. W/930803 ltr. LEBARON,L.E., STETZ,J.P. Connecticut Yankee Atomic Power Co. 93/08/03. 5pp. 76059:085-76059:089.

9308110236 Special rept on 930707 & 08. plant experienced separate RCS pressure transients successfully mitigated by low limit overpressure protection sys spring-loaded relief valves. STETZ,J.P. Connecticut Yankee Atomic Power Co. 93/08/03. Document Control Branch (Document Control Desk). 3pp. 76077:301-76077:303.

9308200057 LER 93-012-00 on 930714. discovered four steam line flow transmitters isolated during routine leak check. Caused by inadequate administrative controls for valve lineups. Performs preventive maint. W/930811 ltr. LEGER,J.E., STETZ,J.P. Connecticut Yankee Atomic Power Co. 93/08/11. 5pp. 76200:003-76200:007.

9308000095 LER 93-013-00 on 930719. reactor inadvertently tripped during instrumentation testing due to inappropriate work practices. Change implemented to Procedure NOP 2.1-B & HPES evaluation will be conducted. W/930816 ltr. MCCracken,D.S., STETZ,J.P. Connecticut Yankee Atomic Power Co. 93/08/16. 4pp. 76200:013-76200:016.

9308207137 PNO-I. 93-043 on 930823. located steam leak from first stage high pressure turbine extraction steam line. Caused by valve body crack. Shutdown Unit to Mode 2 to initiate repairs. RAYMOND,W., DOERFLEIN,L., BLOUGH,R. Region 1 (Post 820201). 93/08/23. 2pp. 76266:340-76266:341.

V. Operator Examinations

9308200331 Informs that M White not longer needs to maintain SRO license at plant, effective immediately. STETZ,J.P. Connecticut Yankee Atomic Power Co. 93/08/11. Document Control Branch (Document Control Desk). 1p. 76190:297-76190:297.

9308230006 Informs that util has determined that need to maintain RO license for P Marin no longer required effective 930901. STETZ,J.P. Connecticut Yankee Atomic Power Co. 93/08/11. Document Control Branch (Document Control Desk). 1p. 76206:360-76206:360.

DOCKET 50-219 OYSTER CREEK NUCLEAR POWER PLANT

F. Security, medical, emergency & fire protection plans

9308060273 Forwards encl 8 to SECY 93-166 which describes proposed characteristics of design basis vehicle. Encl withheld. PARTLOW,J.G. Associate Director for Projects (Post 870411). 93/07/15. BARTON,J.J. General Public Utilities Corp. - GPU Service Corp. 3pp. 76023:295-76023:297.

9308050046 Emergency operating procedures for Oyster Creek, including Rev 1 to 2000-EMG-3200.01A, 01B, 04A, 04B, 08A, 08B, Rev 2 to 2000-EMG-3200.12, Rev 4 to 2000-EMG-3200.05, Rev 5 to 2000-EMG-3200.10, 11 & Rev 9 to 2000-EMG-3200.02. AGUADO,J. General Public Utilities Corp. - GPU Service Corp. 93/07/29. 200pp. 76017:054-76017:280.

9308160106 Informs of change to data point library for ERDS per NUREG-1394. Change adds point to indicate whether ERDS data is from Replica Simulator or actual plant & revise total feedwater flow description. BARTON,J.J. General Public Utilities Corp. - GPU Service Corp. 93/08/06. Document Control Branch (Document Control Desk). 4pp. 76124:352-76124:355.

K. Utility Final Safety Analysis Report (FSAR) & amends

9308300066 Update 8 to Oyster Creek Nuclear Generating Station FSAR. W/930729 ltr. BARTON,J.J. General Public Utilities Corp. - GPU Service Corp. 93/08/25. 1146pp. 76301:001-76304:054.

P. Operating license stage documents & correspondence

9308130051 Informs that addl info needed to continue review of util 930630 ltr re SEP Topic III-7B concerning shield wall temp. DROMERICK,A.W. Project Directorate I-4. 93/07/26. BARTON,J.J. General Public Utilities Corp. - GPU Service Corp. 3pp. 76094:152-76094:154.

9308030181 Addresses long term corrective actions in response to Generic Ltr 92-04. KEATEN,R.W. General Public Utilities Corp. - GPU Service Corp. 93/07/30. Document Control Branch (Document Control Desk). 2pp. 75975:333-75975:334.

9308190030 Forwards request for addl info to continue review of licensee 920814 submittal re GL 88-20. DROMERICK,A.W. Project Directorate I-4. 93/07/30. BARTON,J.J. General Public Utilities Corp. - GPU Service Corp. 8pp. 76151:230-76151:237.

9308120022 Forwards independent rept "Organizational & Programmatic Assessment of Radiation Work Practices Program at Oyster Creek Nuclear Generating Station." Rept withheld. BARTON,J.J. General Public Utilities Corp. - GPU Service Corp. 93/08/02. Document Control Branch (Document Control Desk). 1p. 76092:357-76092:357.

9308250309 Informs that based on subsequent discussions w/NRC, licensed operator training program being updated to identify listed info re isolation condenser sys, in response to GL 89-10. Training update will be implemented in Nov 1993. BARTON,J.J. General Public Utilities Corp. - GPU Service Corp. 93/08/18. Document Control Branch (Document Control Desk). 1p. 76219:046-76219:046.

Q. Inspection reports, IE Bulletins & correspondence

9308030355 Forwards safety evaluation accepting licensee progress made in meeting design criteria per NRC bulletins 79-02 & 79-14. DROMERICK,A.W. Project Directorate I-4. 93/07/13. BARTON,J.J. General Public Utilities Corp. - GPU Service Corp. 5pp. 75985:352-75985:358.

-9308030359 SER concluding that licensee pipe-support anchorages are in conformance w/requirements of NRC bulletin 79-02.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 93/07/13. 2pp. 75985:357-75985:358.

9307190043 NRC Info Notice 93-057, "Software Problems Involving Digital Control Console Sys at Non-Power Reactors."
GRIMES,B.K. Division of Operating Reactor Support (Post 921004). 93/07/23. Consolidated Edison Co. of New York, Inc. 9pp. 76111:200-76111:208.

9308190315 Forwards SE re util 930614 response to bulletin 93-03, "Resolution of Issues Related to Reactor Vessel Water Level Instrumentation in BWRs." Short term actions requested by bulletin do not apply to plant configuration & not needed. DROMERICK,A.W. Project Directorate I-4. 93/08/04. BARTON,J.J. General Public Utilities Corp. - GPU Service Corp. 3pp. 76156:315-76156:319.

-9308190321 SE re util 930614 response to bulletin 93-03, "Resolution of Issues Related to Reactor Vessel Water Level Instrumentation in BWRs." Util justification for not implementing addl short term actions acceptable.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 93/08/04. 2pp. 76156:318-76156:319.

9308250461 EN-93-081 on 930817, notice of proposed imposition of civil penalty in amount of \$75,000 issued to licensee. Action based on five radiological controls violations. LUEHMAN,J., LIEBERMAN,J. Ofc of Enforcement (Post 870413). 93/08/12. 1p. 76255:349-76255:349.

9308250055 Discusses insp rept 50-219/93-07 on 930517 & 18 & forwards notice of violation & proposed imposition of civil penalty in amount of \$75,000. MARTIN,T.T. Region 1 (Post 820201). 93/08/17. BARTON,J.J. General Public Utilities Corp. - GPU Service Corp. 10pp. 76187:134-76187:147.

-9308250093 Notice of violation & proposed imposition of civil penalty in amount of \$75,000. Noncompliance noted: RWP 930254 prepared for decontamination work scheduled for 930507 in radwaste bldg fill aisle, did not provide sufficient detail on task.
* Region 1 (Post 820201). 93/08/17. 4pp. 76187:144-76187:147.

9308310138 Forwards insp rept 50-219/93-13 on 930712-16. Two radioactive mail shipments identified to be in violation of regulatory requirements. JOYNER,J.H. Region 1 (Post 820201). 93/08/20. BARTON,J.J. General Public Utilities Corp. - GPU Service Corp. 3pp. 76264:138-76264:152.

-9308310140 Insp rept 50-219/93-13 on 930712-16. No violations noted. Major areas inspected: QA audits & surveillances, training & qualifications of personnel. ECKERT,L., PASCIAK,W. Region 1 (Post 820201). 93/08/17. 3pp. 76264:141-76264:152.

R. Periodic operating reports & related correspondence

9308190009 Monthly operating rept for Jul 1993 for Oyster Creek Nuclear Generating Station. W/930813 ltr. KRALL,J., EGAN,D., BARTON,J.J. General Public Utilities Corp. - GPU Service Corp. 93/07/31. 7pp. 76160:320-76160:326.

S. Reportable occurrences, LERs & related correspondence

9308170345 Part 21 rept re reportable defect-75 PSIG relief check valve 1" NPT, EMD 9521844, Kepner 416C-1.75. GALEAZZI,D.D., NUDING,M. MKW Power Systems, Inc. 93/07/15. Office of Nuclear Reactor Regulation, Director (Post 870411). 10pp. 76139:010-76139:019.

14 DOCKETED ITEMS

U. Congressional/Executive Correspondence

9308090315 Responds to 930618 ltr, including hand written message drafted by B Lucas re storing spent fuel onsite at Oyster Creek Nuclear Generating Station. Informs that NUHOMS casks already being used at listed ISFSIs.
BERNERO, R.M. Office of Nuclear Material Safety & Safeguards. 93/07/29. CONNORS, L.T., MORAN, J.W., CONNORS, C.J. New Jersey, State of. 2pp. 76072:328-76072:332.

-9308090321 Forwards B Lucas 930331 ltr expressing concerns re proposed interim fuel storage plan at Oyster Creek.
CONNORS, L.T., MORAN, J.W., CONNORS, C.J. New Jersey, State of. 93/06/18. THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). 3pp. 76072:330-76072:332.

V. Operator Examinations

9308250309 Informs that based on subsequent discussions w/NRC, licensed operator training program being updated to identify listed info re isolation condenser sys. in response to GL 89-10. Training update will be implemented in Nov 1993.
BARTON, J.J. General Public Utilities Corp. - GPU Service Corp. 93/08/18. Document Control Branch (Document Control Desk). 1p. 76219:046-76219:046.

DOCKET 50-220 NINE MILE POINT NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9308030373 Forwards encl 8 to SECY-93-166, describing proposed characteristics of design basis vehicle. Encl withheld.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 93/07/15. SYLVIA, B.R. Niagara Mohawk Power Corp. 3pp. 75950:354-75950:356.

9308040283 Rev 1 to EPIP-EPP-16, "Environ Monitoring." W/930726 ltr.
SYLVIA, B.R. Niagara Mohawk Power Corp. 93/07/26. 35pp. 76010:319-76010:353.

9308110008 Forwards insp repts 50-220/93-14 & 50-410/93-14 on 930621-22 & notice of violation. W/o notice of violation.
BETTENHAUSEN, L. Region 1 (Post 820201). 93/08/03. SYLVIA, B.R. Niagara Mohawk Power Corp. 3pp. 76039:033-76039:046.

-9308110009 Insp repts 50-220/93-14 & 50-410/93-14 on 930621-22. Violations noted. Major areas inspected: scram reduction program & followup on unresolved item dealing w/licensee event based emergency procedures.
SISCO, C., CONTE, R.J. Region 1 (Post 820201). 93/07/16. 11pp. 76039:036-76039:046.

9308170287 Forwards response to request for addl info re Generic Ltr 92-08, "Thermo-Lag 330-1 Fire Barriers."
TERRY, C.D. Niagara Mohawk Power Corp. 93/08/13. Document Control Branch (Document Control Desk). 7pp. 76137:154-76137:163.

P. Operating license stage documents & correspondence

9308110299 Requests that response to encl request for addl info re plant reactor vessel elastic-plastic fracture mechanics assessment be submitted within 30 days of ltr receipt.
BRINKMAN, D.S. Project Directorate I-1. 93/07/22. SYLVIA, B.R. Niagara Mohawk Power Corp. 6pp. 76074:345-76074:350.

9308020164 Informs that revs to NMPNS, Unit 1 ODCM has been completed as scheduled.
TERRY, C.D. Northern States Power Co. 93/07/23. Document Control Branch (Document Control Desk). 1p. 75954:207-75954:207.

9308170331 Forwards amend 143 to license DPR-63 & safety evaluation. Amend revises TS to utilize revised correlation for flow biased scram & average power range monitors rod block functions.
BRINKMAN, D.S. Project Directorate I-1. 93/07/26. SYLVIA, B.R. Niagara Mohawk Power Corp. 2pp. 76139:106-76139:139.

-9308170332 Amend 143 to license DPR-63, revising TS re average power range monitors rod block functions.
CAPRA, R.A. Project Directorate I-1. 93/07/26. 26pp. 76139:109-76139:134.

-9308170336 Safety evaluation supporting amend 143 to license DPR-63.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 93/07/26. 5pp. 76139:135-76139:139.

9308030002 Forwards "Nine Mile Point Nuclear Station Unit 1 Individual Plant Exam," per Generic Ltr 88-20.
TERRY, C.D. Niagara Mohawk Power Corp. 93/07/27. Document Control Branch (Document Control Desk). 1p. 76012:026-76012:027.

-9308030003 "Nine Mile Point Nuclear Station Unit 1 Individual Plant Exam."
KIRCHNER, R.F. Niagara Mohawk Power Corp. 93/07/31. 600pp. 76012:027-76012:027.

9308130009 "Nine Mile Point Unit 1 Startup Rept for Cycle 11 W/GE Fuel." W/930804 ltr.
DAHLBERG, K.A. Niagara Mohawk Power Corp. 93/08/04. 24pp. 76107:284-76107:307.

9308260095 Forwards amend 144 to license DPR-63 & safety evaluation. Amend revises TSs 6.8.2 & 6.8.3c to require approval of plant procedures & administrative policies by branch manager for functional area of procedure.
BRINKMAN, D.S. Project Directorate I-1. 93/08/09. SYLVIA, B.R. Niagara Mohawk Power Corp. 4pp. 76217:227-76217:237.

-9308260097 Amend 144 to license DPR-63, revising TSs 6.8.2 & 6.8.3c to require approval of plant procedures & administrative policies by branch manager for functional area of procedure.
CAPRA, R.A. Project Directorate I-1. 93/08/09. 5pp. 76217:230-76217:234.

-9308260099 Safety evaluation supporting amend 144 to license DPR-63.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 93/08/09. 2pp. 76217:235-76217:237.

9308260078 Advises that 920918 response to suppl 4 to GL 88-20 re IPEs for external events, acceptable.
CAPRA, R.A. Project Directorate I-1. 93/08/11. SYLVIA, B.R. Niagara Mohawk Power Corp. 3pp. 76214:359-76214:361.

9308170287 Forwards response to request for addl info re Generic Ltr 92-08, "Thermo-Lag 330-1 Fire Barriers."
TERRY, C.D. Niagara Mohawk Power Corp. 93/08/13. Document Control Branch (Document Control Desk). 7pp. 76137:154-76137:163.

9308190144 Informs of brief delay in submittal of addl info requested by NRC re Rev 1 to generic ltr 92-01. Requested info will be provided by 930909.
TERRY, C.D. Niagara Mohawk Power Corp. 93/08/13. Document Control Branch (Document Control Desk). 1p. 76183:356-76183:356.

Q. Inspection reports, IE Bulletins & correspondence

9307190043 NRC Info Notice 93-057, "Software Problems Involving Digital Control Console Sys at Non-Power Reactors."
GRIMES, B.K. Division of Operating Reactor Support (Post 921004). 93/07/23. Consolidated Edison Co. of New York, Inc. 9pp. 76111:200-76111:208.

9308030213 Forwards actions to ensure water level instrumentation sys design of high functional reliability for long-term operation re NRC Bulletin 93-003, "Resolution of Issues Related to Reactor Vessel Water Level Instrumentation in..."
TERRY, C.D. Niagara Mohawk Power Corp. 93/07/28. Document Control Branch (Document Control Desk). 9pp. 75983:324-75983:332.

9308110008 Forwards insp repts 50-220/93-14 & 50-410/93-14 on 930621-22 & notice of violation. W/o notice of violation.
BETTENHAUSEN, L. Region 1 (Post 820201). 93/08/03. SYLVIA, B.R. Niagara Mohawk Power Corp. 3pp. 76039:033-76039:046.

-9308110009 Insp repts 50-220/93-14 & 50-410/93-14 on 930621-22. Violations noted. Major areas inspected: scram reduction program & followup on unresolved item dealing w/licensee event based emergency procedures.
SISCO, C., CONTE, R.J. Region 1 (Post 820201). 93/07/16. 11pp. 76039:036-76039:046.

9308130005 Forwards insp repts 50-220/93-17 & 50-410/93-17 on 930726-30. Violation of minor safety significance identified by staff & prompt corrective action taken.
JOYNER, J.H. Region 1 (Post 820201). 93/08/04. SYLVIA, B.R. Niagara Mohawk Power Corp. 3pp. 76078:010-76078:019.

-9308130010 Insp repts 50-220/93-17 & 50-410/93-17 on 930726-30. Closed violation noted. Major areas inspected: mgt organization, water processing, PCP, transportation of radioactive matts & training.
FURIA, J., PASCIAK, W. Region 1 (Post 820201). 93/08/03. 7pp. 76078:013-76078:019.

9308170013 Forwards insp repts 50-220/93-16 & 50-410/93-16 on 930726-30. No violations noted.
JOYNER, J.H. Region 1 (Post 820201). 93/08/10. SYLVIA, B.R. Niagara Mohawk Power Corp. 3pp. 76108:053-76108:064.

-9308170014 Insp repts 50-220/93-16 & 50-410/93-16 on 930426-30. No violations noted. Major areas inspected: mgt controls, audits, calibration of effluent & process radiation monitoring sys, air cleaning sys & implementation of previous programs.
JANG, J.C., BORES, R.J. Region 1 (Post 820201). 93/08/04. 9pp. 76108:056-76108:064.

9308310134 Forwards insp repts 50-220/93-11 & 50-410/93-11 on 930620-0807. No violations noted.
COWGILL, C.J. Region 1 (Post 820201). 93/08/20. SYLVIA, B.R. Niagara Mohawk Power Corp. 3pp. 76264:119-76264:133.

-9308310143 Insp repts 50-220/93-11 & 50-410/93-11 on 930620-0807. No violations noted. Major areas inspected: plant operations, maint, engineering & plant support activities.
NICHOLSON, L.E. Region 1 (Post 820201). 93/08/19. 12pp. 76264:122-76264:133.

9308310049 Provides results of exams of FW nozzle A, in response to commitment made in 910111 ltr providing in part, results of ISIs performed on four NMPNS, Unit 1 FW nozzles during 1988 refueling outage, per NUREG-0619.
TERRY, C.D. Niagara Mohawk Power Corp. 93/08/25. Document Control Branch (Document Control Desk). 2pp. 76321:324-76321:325.

R. Periodic operating reports & related correspondence

9308300070 Forwards semi-annual fitness for duty rept for period of 930101-0630 per 10CFR26.71(d).
CHRISTENSEN, H. Niagara Mohawk Power Corp. 93/08/11. Document Control Branch (Document Control Desk). 9pp. 76283:324-76283:332.

S. Reportable occurrences, LERs & related correspondence

9308240365 NPDES/SPDES noncompliance notification: during period Jan- June 1993, station unable to meet requirements of SPDES Discharge Permit due to equipment calibr or equipment malfunction.
DAHLBERG, K.A., MUELLER, J.H. Niagara Mohawk Power Corp. 93/08/13. Document Control Branch (Document Control Desk). 14pp. 76211:331-76211:344.

DOCKET 50-228 AEROTEST RADIOGRAPHY & RESEARCH REACTOR

R. Periodic operating reports & related correspondence

9308230058 "Annual Summary of Changes, Tests & Experiments Performed at Aerotest Radiography & Research Reactor for Period Ending 930630." W/930702 ltr.
MEREN, A.W., TSUKIMURA, R.P. Aerotest Operations, Inc. 93/06/30. 6pp. 76186:308-76186:313.

S. Reportable occurrences, LERs & related correspondence

9308260119 PNO-V-93-015 on 930811, 4.7 magnitude earthquake occurred. No damage reported at listed facilities. Aerotest reactor was operating & earthquake SCRAM not triggered. Concludes that since no motion detected, MMI probably less than 1.
PATE, B., GARCIA, E. Region 5 (Post 820201). 93/08/11. 1p. 76247:360-76247:360

DOCKET 50-237 DRESDEN NUCLEAR POWER STATION, UNIT 2**F. Security, medical, emergency & fire protection plans**

9308050300 Corrected Emergency Preparedness & State Programs Corporate EPIPs (CEPIP) CEPIP-2000 Series Corporate Emergency Response Organization Index.
* Commonwealth Edison Co. 93/07/14. 3pp. 76022:121-76022:123.

9308040274 Forwards encl 8 to SECY 93-166 which describes proposed characteristics of design basis vehicle. W/o encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 93/07/15. FARRAR, D.L. Commonwealth Edison Co. 4pp. 75979:087-75979:090.

9308030142 Advises that scope & objectives of exercise scheduled for 930922 outlined in 930621 ltr acceptable.
MCCORMICK-BARGE Region 3 (Post 820201). 93/07/27. DELGEORGE, L.O. Commonwealth Edison Co. 2pp. 75936:097-75936:098.

9308100190 Provides addl info on fire barrier qualification, installation & ampacity derating margins for Thermo-Lag applications at facilities, in response to GL 92-08.
CHRZANOWSKI, D. Commonwealth Edison Co. 93/08/04. Office of Nuclear Reactor Regulation, Director (Post 870411). 6pp. 76067:249-76067:254.

9308180006 Addresses potential confusion re recent issuance of Rev 47 & subsequent clarification submitted to Rev 43 of Dresden Nuclear Power Station security plan.
JOHNSON, I.M. Commonwealth Edison Co. 93/08/04. Document Control Branch (Document Control Desk). 1p. 76167:307-76167:307.

9308130127 Ack receipt of 930812 ltr transmitting changes dtd Apr. 1993, identified as Rev 47 to Dresden Nuclear Power Station, units 1, 2 & 3 security plan. Changes consistent w/provisions of 10CFR50.54(p) & acceptable.
JORGENSEN, B.L. Region 3 (Post 820201). 93/08/05. SCHUSTER, T. Commonwealth Edison Co. 2pp. 76143:150-76143:151.

9308240072 Notification of 930817 meeting w/util in Rockville, MD to discuss number of security related issues & changes to security plans which impact all sites.
HICKMAN, J.B. Project Directorate III-2. 93/08/05. DYER, J.E. Project Directorate III-2. 5pp. 76199:329-76199:333.

9308310078 Summary of 930817 meeting w/util in Rockville, MD re security-related issues & proposed mods to security plans. List of attendees encl.
PICKETT, D.V. Project Directorate III-2. 93/08/24. Project Directorate III-2. 7pp. 76274:190-76274:196.

P. Operating license stage documents & correspondence

9308110174 Forwards request for addl info re licensee 920701 response to GL 92-01, rev 1, "Reactor Vessel Structural Integrity."
KENNEDY, J.L. Project Directorate III-2. 93/07/19. FARRAR, D.L. Commonwealth Edison Co. 7pp. 76063:301-76063:307.

9308030320 Ack receipt of 930630 & 0713 submittals, incorporating changes in QA program description topical rept. Anticipates 60 days to complete review of submittal.
RING, M.A. Region 3 (Post 820201). 93/07/27. DELGEORGE, L.O. Commonwealth Edison Co. 2pp. 75979:304-75979:305.

9308180220 Ack receipt of response to GL 92-04, "Resolution of Issues re Reactor Vessel Water Level Instrumentation in BWRs" & finds listed response acceptable.
STANG, J.F. Project Directorate III-2. 93/07/29. FARRAR, D.L. Commonwealth Edison Co. 6pp. 76143:133-76143:138.

9308100190 Provides addl info on fire barrier qualification, installation & ampacity derating margins for Thermo-Lag applications at facilities, in response to GL 92-08.
CHRZANOWSKI, D. Commonwealth Edison Co. 93/08/04. Office of Nuclear Reactor Regulation, Director (Post 870411). 6pp. 76067:249-76067:254.

9308260158 Advises that NRC has no technical objection to licensee 930521 request to change frequency of meetings w/fuel vendors from once per reload design to once yearly.
DYER, J.E. Project Directorate III-3. 93/08/09. FARRAR, D.L. Commonwealth Edison Co. 3pp. 76216:358-76216:360.

9308180110 Provides revised status for Generic Ltr 89-10, Suppl 3 re MOVs.
PIET, P.L. Commonwealth Edison Co. 93/08/11. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 76165:334-76165:335.

9308170032 Confirms plans as discussed to hold meeting at Dresden Station, Morris, IL on 930826.
GREENMAN, E.G. Region 3 (Post 820201). 93/08/12. DELGEORGE, L.O. Commonwealth Edison Co. 2pp. 76108:111-76108:114.

-9308170033 Notification of significant licensee meeting w./util on 930826 to discuss routine mgt meeting to review Dresden plant performance.
HILAND, P.L. Region 3 (Post 820201). 93/08/12. Region 3 (Post 820201). 2pp. 76108:113-76108:114.

9308200005 Notification of 930818 meeting w/util in Rockville, MD to discuss approach NRR taking to address cost beneficial licensing actions.
SIEGEL, B.L. Project Directorate III-2. 93/08/17. MURLEY, T.E., MIRAGLIA, F., RUSSEL, W. NRC - No Detailed Affiliation Given. 4pp. 76209:284-76209:287.

9308230136 Provides requested info on post-accident neutron monitoring sys configurations at utils re NEDO document.
CHRZANOWSKI, D. Commonwealth Edison Co. 93/08/17. Document Control Branch (Document Control Desk). 12pp. 76204:350-76204:361.

9308250469 "Dresden Unit 2 Cycle 14 Startup Test Rept." W/930818 ltr.
PIET, P.L. Commonwealth Edison Co. 93/08/18. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 13pp. 76219:065-76219:077.

9308230113 Forwards Rev 64 to Topical Rept CE-1-A, "Comm Ed QA Manual."
BAUER, J.A. Commonwealth Edison Co. 93/08/20. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 76179:001-76179:190.

-9308230114 Rev 64 to Topical Rept CE-1-A, "Comm Ed QA Manual."
* Commonwealth Edison Co. 93/08/17. 189pp. 76179:002-76179:190.

9308270098 Forwards "Dresden Nuclear Power Station, Unit 2 Reactor Containment Bldg ILRT, 930512-14." Test performed during 13 refueling outage for Unit 2. Understands that next Type A test to be reviewed & approved by Commission.
MASSIN, H.L. Commonwealth Edison Co. 93/08/20. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 76291:018-76291:106.

-9308270103 "Dresden Nuclear Power Station, Unit 2 Reactor Containment Bldg ILRT, 930512-14."
* Commonwealth Edison Co. 93/08/20. 87pp. 76291:019-76291:106.

G. Inspection reports, IE Bulletins & correspondence

9307190043 NRC Info Notice 93-057, "Software Problems Involving Digital Control Console Sys at Non-Power Reactors."
GRIMES, B.K. Division of Operating Reactor Support (Post 921004). 93/07/23. Consolidated Edison Co. of New York, Inc. 9pp. 76111:200-76111:208.

9308160368 Ack receipt of 930610 response to NRC Bulletin 93-002, "Debris Plugging of Emergency Core Cooling Suction Strainers." Util actions considered complete.
STANG, J.F. Project Directorate III-2. 93/07/27. FARRAR, D.L. Commonwealth Edison Co. 2pp. 76133:359-76133:360.

9308030103 Forwards revised insp rept cover ltr for insp repts 50-237/93-15 & 50-249/93-15 on 930510-28. Cover ltr does not accurately reflect rept contents. Number of weaknesses identified during insp & documented in body of rept.
MARTIN, T.O. Region 3 (Post 820201). 93/07/29. DELGEORGE, L.O. Commonwealth Edison Co. 2pp. 75936:031-75936:034.

-9308030115 Revised ltr forwarding insp repts 50-237/93-15 & 50-249/93-15 on 930510-28. Weaknesses noted.
MARTIN, T.O. Region 3 (Post 820201). 93/07/29. DELGEORGE, L.O. Commonwealth Edison Co. 2pp. 75936:033-75936:034.

9308040325 Responds to NRC Bulletin 93-003, "Resolution of issues Re RV Water Level Instrumentation in BWRs." Licensee has established monitoring of RPV level instruments during reactor shutdown activities.
DELGEORGE, L.O. Commonwealth Edison Co. 93/07/30. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 23pp. 75997:001-75997:026.

9308050162 Discusses max recycle bldg exhaust fan replacement re NRC Insp Repts 50-237/92-19 & 50-249/92-19.
PIET, P.L. Commonwealth Edison Co. 93/07/30. Document Control Branch (Document Control Desk). 2pp. 76022:245-76022:246.

9308180182 Informs that per discussion w/B Clayton, response to notice of violation & proposed imposition of civil penalty transmitted w/NRC 930715 ltr for Insp Repts 50-237/93-06 & 50-249/93-06 will be submitted on 930903. Fee paid.
FARRAR, D.L. Commonwealth Edison Co. 93/08/12. Document Control Branch (Document Control Desk). 1p. 76169:357-76169:357.

9308190007 Forwards Rev 2 to third 10-yr insp interval ISI plan, in response to NRR 921006 RAI re certain relief requests submitted w/Rev 0 & 1 of third 10-yr interval ISI. Set of isometric drawings also encl.
PIET, P.L. Commonwealth Edison Co. 93/08/13. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 45pp. 76166:001-76166:092.

9308260130 Forwards Safety Insp Repts 50-237/93-22 & 50-249/93-22 on 930719-29 & notice of violation.
NORELIUS, C.E. Region 3 (Post 820201). 93/08/18. DELGEORGE, L.O. Commonwealth Edison Co. 3pp. 76259:297-76259:340.

-9308260135 Notice of violation from insp on 930712-29. Violation noted: on 930719, radioactive matl labels on numerous bags in Bay 7 of radwaste bldg barrelling area did not contain max measured contact dose rate.
NORELIUS, C.E. Region 3 (Post 820201). 93/08/18. 1p. 76259:300-76259:300.

-9308260140 Insp Repts 50-237/93-22 & 50-249/93-22 on 930719-29. Violation noted. Major areas inspected: outage activities & ongoing problem w/low-level contamination events.
KUNOWSKI, M., MCCORMICK-BARGE, SNELL, W.G. Region 3 (Post 820201). 93/08/13. 40pp. 76259:301-76259:340.

9308300150 Submits final insp results from D2R13 & Q2R12 refueling outages re RWCU outboard piping insp plan for Units 2 & 3.
PIET, P.L. Commonwealth Edison Co. 93/08/20. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 7pp. 76282:272-76282:279.

R. Periodic operating reports & related correspondence

9308090305 Forwards errata to Dresden Nuclear Power Station, units 1, 2 & 3 annual environ operating rept.
SCHUSTER, T. Commonwealth Edison Co. 93/07/26. MARTIN, J. Region 3 (Post 820201). 1p. 76062:203-76062:211.

-9308090313 Errata to Dresden Nuclear Power Station, units 1, 2 & 3 annual environ operating rept.
* Commonwealth Edison Co. 92/12/31. 8pp. 76062:204-76062:211.

9308310053 Forwards corrected radioactive effluent rept for Jul-Dec 1992 re updating of Sr-89, Sr-90, Fe-55, gross alpha & tritium data for Sept-Dec 1992 to reflect actual sample analysis.
SPEDL, G.F. Commonwealth Edison Co. 93/08/10. MARTIN, J.B. Region 3 (Post 820201). 10pp. 76288:278-76288:333.

16 DOCKETED ITEMS

—9308300229 "Dresden Nuclear Power Station Units 1, 2 & 3 Effluent & Waste Disposal Semiannual Rept Jul-Dec 1992" w/corrections re updating of Sr-89, Sr-90, Fe-55, gross alpha & tritium for Sept-Dec 1992 to reflect actual sample analysis.
* Commonwealth Edison Co. 92/12/31. Region 3 (Post 820201). 46pp. 76288:288-76288:333.

9308160051 Forwards DNPS Monthly Operating Summary Rept for July 1993. Starting this reporting period, 10CFR50.53 into no longer reported on monthly basis.
SPEDL, G.F. Commonwealth Edison Co. 93/08/11. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 76125:259-76125:346.

—9308160055 Monthly operating repts for July 1993 for Dresden Nuclear Power Station.
* Commonwealth Edison Co. 93/07/31. 125pp. 76125:261-76125:346.

9308260021 Forwards fitness-for-duty program performance data for Braidwood, Byron, Dresden, LaSalle, Quad-Cities & Zion Stations for six month period ending 930630.
SIMPKIN, T.W. Commonwealth Edison Co. 93/08/20. Document Control Branch (Document Control Desk). 24pp. 76259:243-76259:266.

S. Reportable occurrences, LERs & related correspondence

9308300212 "Dresden Nuclear Power Station Units 1, 2, & 3 Effluent & Waste Disposal Semiannual Rept Jan-Jun 1993." W/930819 ltr.
SPEDL, G.F. Commonwealth Edison Co. 93/06/30. MARTIN, J.B. Region 3 (Post 820201). 69pp. 76284:083-76284:151.

9308020146 Forwards revised LER 93-003, identifying cause of failure, corrective actions & final leakage results for MSIVs 2-203-2A, 1C & 1D.
SPEDL, G.F. Commonwealth Edison Co. 93/07/20. Document Control Branch (Document Control Desk). 1p. 75978:045-75978:049.

—9308020149 LER 93-003-01: on 930119, outboard main steam line isolation valve 2-203-2A as found leakage rate exceeded TS limit of 11.5 scfh due to slightly worn pilot valve disc area. Main disc assembly, valve stem & pilot disc replaced.
ANDJELIC, M. Commonwealth Edison Co. 93/02/18. 4pp. 75978:046-75978:049.

9308060358 LER 93-014-00: on 930708, DWEDS pumps tripped thermally prior to reaching low level cutout point during pump evolution. Root cause cannot be determined until Unit 2 shutdown. Pumps will be pulled & DEWDS cleaned. W/930729 ltr.
MURPHY, T.R., SPEDL, G.F. Commonwealth Edison Co. 93/07/29. 4pp. 76091:018-76091:021.

9308100111 LER 93-008-00 on 930706, bus 29 feed breaker to motor control ctrs 29-2 & 29-4 tripped due to unknown cause. Restored tripped plant equipment. W/930805 ltr.
JOHNSON, E., SPEDL, G. Commonwealth Edison Co. 93/07/30. 9pp. 76067:293-76067:301.

9308260066 Final Part 21 rept re Rev 4 of BWROG emergency response guidelines. Initially reported on 930723. Appropriate changes made to operator training to ensure appropriate actions will be taken to address issue re alignment of CCSW.
JOHNSON, I.M. Commonwealth Edison Co. 93/08/20. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 4pp. 76260:165-76260:168.

V. Operator Examinations

9308030302 Informs of NRC plans to administer generic fundamentals exam section written operator licensing exam on 931006.
RING, M.A. Region 3 (Post 820201). 93/07/28. Consumers Power Co. 3pp. 75983:358-75983:360.

9308170283 Notifies that PJ Santorineos no longer requires to maintain an operating license, effective 930810.
SPEDL, G.R. Commonwealth Edison Co. 93/08/10. Document Control Branch (Document Control Desk). 1p. 76137:168-76137:168.

9308310110 Informs of individual exam results for applicants on initial exam conducted on 930726-0805.
RING, M.A. Region 3 (Post 820201). 93/08/26. WEIDNER, R.C. Commonwealth Edison Co. 1p. 76264:098-76264:098.

DOCKET 50-243 OREGON STATE UNIV. RESEARCH REACTOR

F. Security, medical, emergency & fire protection plans

9308100261 Forwards update to OSTR physical security plan, per 10CFR50.54(p). Plan withheld, per 10CFR2.790(d).
JOHNSON, A.G. Oregon State Univ., Corvallis, OR. 93/08/05. Document Control Branch (Document Control Desk). 2pp. 71792:158-71792:159.

P. Operating license stage documents & correspondence

9308200222 Requests response to request for addl info re 930201 application for amend to license R-106 within 30 days of ltr date.
ADAMS, A. Non-Power Reactor & Decommissioning Project Directorate. 93/08/03. JOHNSON, A.G. Oregon State Univ., Corvallis, OR. 4pp. 76178:169-76178:172.

DOCKET 50-244 ROBERT EMMET GINNA NUCLEAR PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9308040138 Forwards encl 8 to SECY 93-166, describing proposed characteristics of design basis vehicle. Encl withheld.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 93/07/15. MECREDDY, R.C. Rochester Gas & Electric Corp. 3pp. 75986:355-75986:357.

9308040231 Responds to NRC 930624 ltr re violations noted in insp rept 50-244/93-10 on 930423-0609. C/As: Site Fire Protection Engineer issued ltr to all shop foremen on 930611 to share w/personnel lessons learned from recent fire problems.
MECREDDY, R.C. Rochester Gas & Electric Corp. 93/07/26. JOHNSON, A.R. Project Directorate I-3. 3pp. 75997:086-75997:088.

9308130001 Ack receipt of 930726 ltr informing NRC of steps taken to correct violations noted in insp rept 50-244/93-10.
LINVILLE, J.C. Region 1 (Post 820201). 93/08/05. MECREDDY, R.C. Rochester Gas & Electric Corp. 2pp. 76106:329-76106:333.

9308170127 Forwards insp rept 50-244/93-15 on 930719-23 & notice of violation.
JOYNER, J.H. Region 1 (Post 820201). 93/08/06. MECREDDY, R.C. Rochester Gas & Electric Corp. 3pp. 76109:038-76109:050.

—9308170131 Notice of violation from insp on 930719-23. Violation noted: inspectors determined that packages not being appropriately searched by security officer at off-loading dock, prior to granting packages into protected area.
* Region 1 (Post 820201). 93/08/06. 2pp. 76109:041-76109:042.

—9308170138 Insp rept 50-244/93-15 on 930719-23. Violation noted. Major areas inspected: mgt support, security & FFU audits, protected & vital area physical barriers, detection & assessment aids, protected & vital area access control of personnel.
DELLA RATTA, A., KING, E.B., KEIMIG, R.R. Region 1 (Post 820201). 93/08/05. 8pp. 76109:043-76109:050.

9308130071 Revised EIPs, including Rev 7 to EPIP AP-IA.1, Rev 9 to EPIP AP-SW.1, Rev 12 to EPIP ECA-3.2 & Rev 4 to EPIP FR-1.1. W/ 930809 ltr.
MECREDDY, R.C. Rochester Gas & Electric Corp. 93/08/09. JOHNSON, A. Project Directorate I-3. 76pp. 76125:102-76125:177.

9308230190 Informs that representatives of four listed Eastern European govt nuclear regulatory bodies currently planned to visit plant during wk of 930914 to observe initial licensed operator exam. Requests that escorted access be afforded.
MCOSCAR, J.J. Region 1 (Post 820201). 93/08/17. MECREDDY, R.C. Rochester Gas & Electric Corp. 3pp. 76213:159-76213:161.

9308300074 Responds to NRC ltr re violations noted in insp rept 50-244/93-15 on 930719-23. Corrective actions: researched packages & retrained involved security officer.
MECREDDY, R.C. Rochester Gas & Electric Corp. 93/08/23. Document Control Branch (Document Control Desk). 3pp. 76284:159-76284:161.

P. Operating license stage documents & correspondence

9308110398 Forwards Rev 18 to "QA Program for Station Operation," for Dec 1992. Rev 18 includes changes in commitment for sets of responsibilities.
MECREDDY, R.C. Rochester Gas & Electric Corp. 93/08/05. JOHNSON, A.R. Project Directorate I-3. 6pp. 76075:256-76075:333.

—9308110400 Rev 18 to "QA Program for Station Operation."
* Rochester Gas & Electric Corp. 92/12/31. 72pp. 76075:262-76075:333.

9308130078 Responds to GL 93-04, "Rod Control Sys Failure & Withdrawal of Rod Cluster Assemblies."
MECREDDY, R.C. Rochester Gas & Electric Corp. 93/08/05. JOHNSON, R.C. NRC - No Detailed Affiliation Given. 8pp. 76106:340-76106:347.

9308130032 Responds to telcon on 930707 re previous administrative changes per application for amend to License DPR-18 on requirements for snubber visual insp intervals & Generic Ltr 90-09.
MECREDDY, R.C. Rochester Gas & Electric Corp. 93/08/06. JOHNSON, A.R. NRC - No Detailed Affiliation Given. 2pp. 76113:276-76113:289.

—9308130054 Proposed tech specs re alternative requirements for snubber visual insp intervals.
* Rochester Gas & Electric Corp. 93/08/06. 12pp. 76113:278-76113:289.

9308300024 Reviews licensee response to GL 88-20, "IPEs for External Events." NRC finds licensee response to be unacceptable due to inadequate supporting documentation.
JOHNSON, A.R. Project Directorate I-3. 93/08/11. MECREDDY, R.C. Rochester Gas & Electric Corp. 4pp. 76274:054-76274:057.

9308250382 Forwards revised page 5.1-1, correcting typo contained in paragraph 5.1.2 of 920320 application for rev of TS 5.1 & Figure 5.1-1. Word "released" should be changed to "leased".
MECREDDY, R.C. Rochester Gas & Electric Corp. 93/08/20. JOHNSON, A.R. Project Directorate I-3. 1p. 76219:032-76219:033.

—9308250386 Corrected proposed TS page 5.1-1, changing word "released" to "leased".
* Rochester Gas & Electric Corp. 93/08/20. 1p. 76219:033-76219:033.

Q. Inspection reports, IE Bulletins & correspondence

9308030042 Requests that listed matls be furnished in order to prepare for specific on-site insp during wk of 930920.
BETTENHAUSEN, L. Region 1 (Post 820201). 93/07/22. MECREDDY, R.C. Rochester Gas & Electric Corp. 2pp. 75935:227-75935:228.

9308050001 Forwards "Inservice Insp Rept for Third Interval (1990 - 1999) Second Period, First Outage (1993) at RE Ginna Nuclear Power Plant."
MECREDDY, R.C. Rochester Gas & Electric Corp. 93/07/22. JOHNSON, A.R. Project Directorate I-3. 1p. 76018:001-76018:181.

—9308050002 "Inservice Insp Rept for Third Interval (1990 - 1999) Second Period, First Outage (1993) at RE Ginna Nuclear Power Plant."
* Rochester Gas & Electric Corp. 93/06/07. 150pp. 76018:002-76018:181.

9307190043 NRC Info Notice 93-057, "Software Problems Involving Digital Control Console Sys at Non-Power Reactors."
GRIMES, B.K. Division of Operating Reactor Support (Post 921004). 93/07/23. Consolidated Edison Co. of New York, Inc. 9pp. 76111:200-76111:208.

9308040231 Responds to NRC 930624 ltr re violations noted in insp rept 50-244/93-10 on 930423-0609 C/As: Site Fire Protection Engineer issued ltr to all shop foremen, on 930611 to share w/personnel lessons learned from recent fire problems. MECREDY, R.C. Rochester Gas & Electric Corp. 93/07/26. JOHNSON, A.R. Project Directorate I-3. 3pp. 75997:086-75997:088.

9308090126 Provides response to NRC request for addl info re svc water sys. Responses, together w/commitments made & info provided throughout insp period provided sufficient detail to support closure of issues raised during insp. MECREDY, R.C. Rochester Gas & Electric Corp. 93/07/27. JOHNSON, A.R. Project Directorate I-3. 40pp. 76058:266-76058:307.

9308100179 Forwards safety insp rept 50-244/93-14 on 930712-16. No violations noted. JOYNER, J.H. Region 1 (Post 820201). 93/07/27. MECREDY, R.C. Rochester Gas & Electric Corp. 3pp. 76026:048-76026:059.

-9308100183 Safety insp rept 50-244/93-14 on 930712-16. No violations noted. Major areas inspected: air sampling, respiratory protection & internal dosimetry programs. NOGGLE, J. PASCIAK, W. Region 1 (Post 820201). 93/07/27. 9pp. 76026:051-76026:059.

9308130015 Ack receipt of 930714 ltr informing NRC of steps taken to correct violations noted in insp rept 50-244/93-06 on 930514. LINVILLE, J.C. Region 1 (Post 820201). 93/08/04. MECREDY, R.C. Rochester Gas & Electric Corp. 2pp. 76078:167-76078:171.

9308130001 Ack receipt of 930726 ltr informing NRC of steps taken to correct violations noted in insp rept 50-244/93-10. LINVILLE, J.C. Region 1 (Post 820201). 93/08/05. MECREDY, R.C. Rochester Gas & Electric Corp. 2pp. 76106:329-76106:333.

9308130032 Responds to telcon on 930707 re previous administrative changes per application for amend to License DPR-18 on requirements for snubber visual insp intervals & Generic Ltr 90-09. MECREDY, R.C. Rochester Gas & Electric Corp. 93/08/06. JOHNSON, A.R. NRC - No Detailed Affiliation Given. 2pp. 76113:276-76113:289.

-9308130054 Proposed tech specs re alternative requirements for snubber visual insp intervals. Rochester Gas & Electric Corp. 93/08/06. 12pp. 76113:278-76113:289.

9308170127 Forwards insp rept 50-244/93-15 on 930719-23 & notice of violation. JOYNER, J.H. Region 1 (Post 820201). 93/08/06. MECREDY, R.C. Rochester Gas & Electric Corp. 3pp. 76109:038-76109:050.

-9308170131 Notice of violation from insp on 930719-23. Violation noted: inspectors determined that packages not being appropriately searched by security officer at off-loading dock, prior to granting packages into protected area. * Region 1 (Post 820201). 93/08/06. 2pp. 76109:041-76109:042.

-9308170138 Insp rept 50-244/93-15 on 930719-23. Violation noted. Major areas inspected: mgt support, security & FFD audits, protected & vital area physical barriers, detection & assessment aids, protected & vital area access control of personnel. DELLA RATTA, A., KING, E.B., KEIMIG, R.R. Region 1 (Post 820201). 93/08/05. 8pp. 76109:043-76109:050.

9308230186 Forwards Insp Rept 50-244/93-12 on 930610-0731. Violations noted. LINVILLE, J.C. Region 1 (Post 820201). 93/08/16. MECREDY, R.C. Rochester Gas & Electric Corp. 3pp. 76204:330-76204:349.

-9308230187 Insp Rept 50-244/93-12 on 930610-0731. Violations noted. Major areas inspected: plant operations, maint, engineering & plant support. LAZARUS, W.J. Region 1 (Post 820201). 93/08/16. 17pp. 76204:333-76204:349.

9308300074 Responds to NRC ltr re violations noted in insp rept 50-244/93-15 on 930719-23. Corrective actions: researched packages & retrained involved security officer. MECREDY, R.C. Rochester Gas & Electric Corp. 93/08/23. Document Control Branch (Document Control Desk). 3pp. 76284:159-76284:161.

9308300134 Responds to violations noted in Insp Rept 50-244/93-08 & discussed in enforcement conference. Corrective actions: failed crane Model 101XU svc water valves were replaced w/ qualified spares. MECREDY, R.C. Rochester Gas & Electric Corp. 93/08/23. JOHNSON, A.R. Project Directorate I-3. 4pp. 76282:336-76282:339.

R. Periodic operating reports & related correspondence

9308170205 Monthly operating rept for Jul 1993 for RE Ginna Nuclear Power Plant. W/ 930811 ltr. DODGE, R.E., MECREDY, R.C. Rochester Gas & Electric Corp. 93/07/31. 5pp. 76136:309-76136:313.

9308230048 Forwards fitness for duty performance data per 10CFR2 & 10CFR26 for period of six months ending 930630. MECREDY, R.C., PETERS, J.W. Rochester Gas & Electric Corp. 93/08/10. BUSH, L. Office of Nuclear Reactor Regulation, Director (Post 870411). 5pp. 76204:201-76204:205.

S. Reportable occurrences, LERs & related correspondence

9308090327 Forwards Rev 1 to LER 92-006 re FW control perturbations due to secondary side transient, causing SG high level FW isolations. Rev provides update on root cause determination & further corrective actions as committed to LER 92-006-00. MECREDY, R.C. Rochester Gas & Electric Corp. 93/07/29. Document Control Branch (Document Control Desk). 1p. 76059:091-76059:102.

-9308090332 LER 92-006-01: on 920518, main FW isolations occurred on SG A due to overfeeding SG A while in manual control. Caused by heater drain tank level control sys problem. Administrative controls instituted to ensure valve not open. BACKUS, W.H. Rochester Gas & Electric Corp. 93/07/29. 11pp. 76059:092-76059:102.

9308120083 LER 93-004-00: on 930707, Main feedwater isolations occurred due to secondary side & condensate feedwater pressure transient. Returned feedwater regulating valves to pre-event controls configuration. W/930806 ltr. BACKUS, W.H., MECREDY, R.C. Rochester Gas & Electric Corp. 93/08/06. 10pp. 76091:168-76091:177.

V. Operator Examinations

9308030042 Requests that listed inatls be furnished in order to prepare for specific on-site insp during wk of 930920. BETTENHAUSEN, L. Region 1 (Post 820201). 93/07/22. MECREDY, R.C. Rochester Gas & Electric Corp. 2pp. 75935:227-75935:228.

9308230190 Informs that representatives of four listed Eastern European govt nuclear regulatory bodies currently planned to visit plant during wk of 930914 to observe initial licensed operator exam. Requests that escorted access be afforded. MCOSCAR, J.J. Region 1 (Post 820201). 93/08/17. MECREDY, R.C. Rochester Gas & Electric Corp. 3pp. 76213:159-76213:161.

DOCKET 50-245 MILLSTONE NUCLEAR POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9308060282 Forwards encl 8 to SECY 93-166 which describes proposed characteristics of design basis vehicle. Encl withheld. PARTLOW, J.G. Associate Director for Projects (Post 870411). 93/07/15. OPEKA, J.F. Connecticut Yankee Atomic Power Co. OPEKA, J.F. Northeast Nuclear Energy Co. 4pp. 76023:291-76023:294.

9308030008 Forwards insp repts 50-245/93-16, 50-336/93-11 & 50-423/93-13 on 930519-0629. Violations noted. Major areas inspected: plant operations, radiological controls, maint, surveillance, security, licensee self-assessment & periodic repts. BLOUGH, A.R. Region 1 (Post 820201). 93/07/22. OPEKA, J.F. Northeast Nuclear Energy Co. 5pp. 75935:003-75935:042.

-9308030015 Insp repts 50-245/93-16, 50-336/93-11 & 50-423/93-13 on 930519-0629. Violations noted. Major areas inspected: plant operations, radiological controls, maint, surveillance, security, licensee self-assessment & periodic repts. DOERFLEIN, L.T. Region 1 (Post 820201). 93/07/22. 32pp. 75935:011-75935:042.

9308060290 Provides update on revised plans & schedule for implementation of flow-chart-based EOP at Unit 1. OPEKA, J.F. Northeast Nuclear Energy Co. OPEKA, J.F. Northeast Utilities. 93/07/29. MARTIN, T.T. Region 1 (Post 820201). 2pp. 76059:276-76059:277.

9308060373 Rev 2 to EIP 4400, "Event Assessment, Classification & Reportability." W/ updated 4000 Series Emergency Plan Implementing/Operating Procedures index. SCACE, S. Northeast Nuclear Energy Co. 93/07/31. 66pp. 76036:206-76036:271.

9308170054 Forwards insp rept 50-245/93-17 on 930726-29. No violations noted. BETTENHAUSEN, L. Region 1 (Post 820201). 93/08/11. OPEKA, J.F. Northeast Nuclear Energy Co. 3pp. 76108:244-76108:257.

-9308170058 Insp rept 50-245/93-17 on 930726-29. No violations noted. Major areas inspected: licensed operator training program & conversion of EOPs from text to flow-chart format. SISCO, C., CONTE, R.J. Region 1 (Post 820201). 93/08/06. 11pp. 76108:247-76108:257.

G. Adjudicatory correspondence

9308160005 Forwards signed original of petition for director's decision for transmittal to o/c of FR. GRAY, J.R. O/c of Enforcement (Post 870413). 93/04/12. LESAR, M.T. NRC - No Detailed Affiliation Given. 1p. 76088:242-76088:242.

9308270326 Forwards petition for Directors Decision under 10CFR2.206. GRAY, J.R. O/c of Enforcement (Post 870413). 93/08/23. LESAR, M.T. Rules & Directives Review Branch (Post 920323). 1p. 76292:120-76292:123.

-9308270338 Notice of availability of 930802 10CFR2.206 petition for directors decision re violation of 10CFR50.7. GRAY, J.R. O/c of Enforcement (Post 870413). 93/08/23. Northeast Nuclear Energy Co. 3pp. 76292:121-76292:123.

I. Financial information

9308040226 Forwards estimated 1993 cash flow for Milestone, units 1, 2 & 3. GARELICK, B.F. Northeast Utilities. 93/07/28. DINITZ, I. NRC - No Detailed Affiliation Given. 2pp. 75991:273-75991:274.

P. Operating license stage documents & correspondence

9305200137 Forwards response to Generic Ltr 89-10, "Safety-Related Motor-Operated Valve Testing & Surveillance." RICHARDSON, J. Division of Engineering (Post 921004). 93/04/30. HODGES, M.W. Region 1 (Post 820201). 27pp. 74988:001-74988:028.

9308040063 Application for amend to license DPR-21, proposing changes to increase maximum stroke time for RWCU sys isolation valves CU-2, 3, 5 & 28 from 18 seconds to 20 seconds in table 3.7.1. OPEKA, J.F. Northeast Nuclear Energy Co. OPEKA, J.F. Northeast Utilities. 93/07/26. Document Control Branch (Document Control Desk). 4pp. 76009:341-76009:348.

-9308040085 Proposed TSs to increase max stroke time for RWCU sys isolation valves CU-2, 3, 5 & 28 from 18 to 20 seconds in table 3.7.1. OPEKA, J.F. Northeast Nuclear Energy Co. 93/07/26. 4pp. 76009:345-76009:348.

18 DOCKETED ITEMS

9308040127 Application for amend to License DPR-21, revising 1S to eliminate exemption granted on 850510 for air lock testing & require facility to meet paragraph III.D.2(b)(ii) of App J.
OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities. 93/07/27. Document Control Branch (Document Control Desk). 6pp. 75997:091-75997:108.

-9308040128 Proposed tech specs eliminating exemption granted on 850510 for air lock testing & requiring facility to meet paragraph III.D.2(b)(ii) of App J.
* Northeast Nuclear Energy Co. 93/07/27. 12pp. 75997:097-75997:108.

9308060298 Responds to Staff 930401 RAI, requesting util review instrumentation against criteria of NEDO-31558 to determine if alternative criteria met.
OPEKA,J.F. Northeast Nuclear Energy Co. 93/07/30. Document Control Branch (Document Control Desk). 5pp. 76037:022-76037:026.

9308160366 Forwards mod requests, per 921214 renewal of NPDES Permit CT0003263 for Millstone Nuclear Power Station, W/ three oversize drawings.
CHEVALIER,R.G. Northeast Utilities Service Co. 93/08/02. GRIER,J. Connecticut, State of. 96pp. 76182:250-76182:346.

9308120058 Forwards Quality Svcs Dept Audit Rept A30213, "MOV Program Assessment, Millstone Station," per GL 89-10, independent self-assessment performed on MOV program identified numerous strengths & weaknesses.
OPEKA,J.F., SCACE,S.E. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities. 93/08/06. MARTIN,T.T. Region 1 (Post 820201). 3pp. 76095:001-76095:114.

-9308120063 "MOV Program Assessment, Millstone Station."
* Northeast Nuclear Energy Co. A30213. 93/07/30. 100pp. 76095:004-76095:114.

9308160205 Forwards summary of addl substantive changes to Program Enhancement Program (PEP), per 920604 transmittal of Phase II Completion Rept for util PEP.
OPEKA,J.F. Connecticut Yankee Atomic Power Co. OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities. 93/08/10. WIGGINS,J.T. Region 1 (Post 820201). 8pp. 76143:216-76143:223.

9308260107 Advises that based on review of addl justification for completion date of second quarter of 1996 for performing IPEEE, schedule acceptable.
ANDERSEN,J.W. Project Directorate I-4. 93/08/10. OPEKA,J.F. Connecticut Yankee Atomic Power Co. OPEKA,J.F. Northeast Nuclear Energy Co. 3pp. 76217:242-76217:244.

9308200176 Forwards info providing resolution of outstanding items re rev 5 on unit 1 IST program.
OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities. 93/08/16. Document Control Branch (Document Control Desk). 13pp. 76184:240-76184:277.

-9308230002 Revised pages to Rev 5 to "Inservice Testing Program, Millstone Nuclear Power Station Unit 1."
* Northeast Utilities. 93/08/31. 25pp. 76184:253-76184:277.

9308200245 Provides staff w/info re results of recent internal audit conducted on unit 1 svc water sys, w/regard to discrepancy noted re util response to GL 89-13 w/respect to listed statement.
OPEKA,J.F., DEBARBA,E.A. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities. 93/08/17. Document Control Branch (Document Control Desk). 2pp. 76190:294-76190:295.

9308260283 Notices of change in level of approval required by utils for personnel to exceed specific provisions of overtime controls, per TS 6.2.2.g & GL 82-12.
OPEKA,J.F. Connecticut Yankee Atomic Power Co. OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities. 93/08/20. Document Control Branch (Document Control Desk). 4pp. 76258:345-76258:348.

Q. Inspection reports, IE Bulletins & correspondence

9308040095 Advises that 930610 response to NRC bulletin 93-02, "Debris Plugging of Emergency Core Cooling Suction Barriers" acceptable.
ANDERSEN,J.W. Project Directorate I-4. 93/07/15. OPEKA,J.F. Connecticut Yankee Atomic Power Co. OPEKA,J.F. Northeast Nuclear Energy Co. 3pp. 75986:339-75986:341.

9308030008 Forwards insp repts 50-245/93-16, 50-336/93-11 & 50-423/93-13 on 930519-0629 & notice of violation.
BLOUGH,A.R. Region 1 (Post 820201). 93/07/22. OPEKA,J.F. Northeast Nuclear Energy Co. 5pp. 75935:003-75935:042.

-9308030010 Notice of violation from insp on 930519-0629. Violation noted: during performance of Procedure SP-2404AW sample canister isolation valves on monitor RM-6038 were closed by instrumentation & controls personnel.
* Region 1 (Post 820201). 93/07/22. 3pp. 75935:008-75935:010.

-9308030015 Insp repts 50-245/93-16, 50-336/93-11 & 50-423/93-13 on 930519-0629. Violations noted: Major areas inspected: plant operations, radiological controls, maint, surveillance, security, licensee self-assessment & periodic repts.
DOERFLIN,L.T. Region 1 (Post 820201). 93/07/22. 32pp. 75935:011-75935:042.

9307190043 NRC Info Notice 93-057, "Software Problems Involving Digital Control Console Sys at Non-Power Reactors."
GRIMES,B.K. Division of Operating Reactor Support (Post 921004). 93/07/23. Consolidated Edison Co. of New York, Inc. 9pp. 76111:200-76111:208.

9308160042 Notification of significant licensee meeting 93-106 on on 930824 in Waterford, CT to discuss plant SALP.
DOERFLIN,L.T. Region 1 (Post 820201). 93/08/10. Region 1 (Post 820201). 3pp. 76089:009-76089:011.

9308170054 Forwards insp rept 50-245/93-17 on 930726-29. No violations noted.
BETTENHAUSEN,L. Region 1 (Post 820201). 93/08/11. OPEKA,J.F. Northeast Nuclear Energy Co. 3pp. 76108:244-76108:257.

-9308170058 Insp rept 50-245/93-17 on 930726-29. No violations noted. Major areas inspected: licensed operator training program & conversion of EOPs from text to flow-chart format.
SISCO,C., JONTER,J. Region 1 (Post 820201). 93/08/06. 11pp. 76108:247-76108:257.

R. Periodic operating reports & related correspondence

9308130170 Monthly operating rept for Jul 1993 for Millstone, unit 1. W/ 930809 ltr.
NEWBURGH,G., SCACE,S.E. Northeast Nuclear Energy Co. SCACE,S.E. Northeast Utilities. 93/07/31. 5pp. 76113:337-76113:341.

S. Reportable occurrences, LERs & related correspondence

9308030372 Potential Part 21 rept re Limitorque actuator motors. Utils & other purchases listed in encl being advised of concern. Limitorque revising selection procedure for safety related actuators, motors & technical data packages.
TAYLOR,J.H. Babcock & Wilcox Co. 93/07/22. Document Control Branch (Document Control Desk). 8pp. 75976:349-75976:356.

9308030013 LER 93-007-00: on 930623, TBSCCW sys pressure boundary integrity failed due to incomplete review of safety & non-safety-related sys interface. Isolation Valve (1-SC-184) 3/4" SC-105 closed. W/930723 ltr.
JAYCOX,N.B., DACIMO,F.R. Northeast Nuclear Energy Co. DACIMO,F.R. Northeast Utilities. 93/07/23. 5pp. 76022:001-76022:005.

9308130062 LER 93-009-00: on 930706, inoperability of LPCI sys due to outboard LPCI to recirculation loop valve 1-LP-9B failed to open electrically after being manually opened. Declutch fork & clutch repositioned. W/930805 ltr.
LOWETH,W.A., SCACE,S.E. Northeast Nuclear Energy Co. SCACE,S.E. Northeast Utilities. 93/08/05. 5pp. 76138:047-76138:051.

9308180118 Forwards updated LER 93-006-01 which was previously submitted w/o rev bars.
SCACE,S.E. Northeast Nuclear Energy Co. SCACE,S.E. Northeast Utilities. 93/08/10. Document Control Branch (Document Control Desk). 1p. 76177:044-76177:047.

-9308180123 LER 93-006-01: on 930604, discovered unsealed fire barrier penetration in TS fire wall due to lack of detailed guidance re procedure used in insp. Established fire watch to compensate for unsealed penetrations.
MURPHY,K.E. Northeast Utilities. 93/08/10. 3pp. 76177:045-76177:047.

9308170417 Update to 900827 rept of substantial safety hazard re GE Custom 8000 horizontal induction motors, reported per 10CFR21 for Unit 3. Util has determined, as part of review of IN 91-007 that subj GE motors also used at Units 1 & 2.
OPEKA,J.F., ROMBERG,W.D. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities. 93/08/11. Document Control Branch (Document Control Desk). 3pp. 76137:281-76137:283.

V. Operator Examinations

9308130164 Requests that during NRC-administered licensed operator requalification exams scheduled to begin during wk of 930913, each crew examined during dynamic simulator portion of exam be configured w/total of six individuals.
OPEKA,J.F., SCACE,S.E. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities. 93/08/06. BETTENHAUSEN,L. Region 1 (Post 820201). 3pp. 76105:331-76105:333.

DOCKET 50-247 INDIAN POINT STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9308030230 Forwards encl 8 to SECY 93-166 which describes proposed characteristics of design basis vehicle. Characteristics being provided to licensees in advance to facilitate more detailed comments on proposed rule. W/o encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 93/07/15. BRAM,S.B. Consolidated Edison Co. of New York, Inc. 3pp. 75948:349-75948:351.

9308060257 Informs that results of recent tests re Thermo-Lag barriers indicate that further actions necessary to address fire endurance & ampacity derating & compensatory measures for inoperable barriers will stay in place until operable.
WILLIAMS,F.J. Project Directorate I-1. 93/07/19. BRAM,S.B. Consolidated Edison Co. of New York, Inc. 4pp. 76023:301-76023:304.

9308270048 Forwards public version of rev to plant emergency plan. W/ 930811 release memo.
BRAM,S.B. Consolidated Edison Co. of New York, Inc. 93/07/23. Document Control Branch (Document Control Desk). 2pp. 76220:197-76220:237.

-9308270071 Public version of rev 7 to emergency procedure IP-1007, "Determination of Magnitude of Release & Exposure Rate."
* Consolidated Edison Co. of New York, Inc. 93/07/23. 39pp. 76220:199-76220:237.

9308180085 Responds to 930712 ltr to Chairman Selin expressing concerns re effect of associated roadway interchange on evacuation plans for radiological emergency at plant.
MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 93/07/29. LOPRETE,B. Affiliation Not Assigned. 4pp. 76150:322-76150:330.

-9308180088 Expresses concerns re effect of associated roadway interchange on evacuation plans for radiological emergency at plant.
LOPRETE,B. Affiliation Not Assigned. 93/07/12. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 5pp. 76150:326-76150:330.

9308200174 Forwards FEMA notification issued on 930803 re offsite emergency planning to be forwarded to responsible federal agency.
CAPRA,R.A. Project Directorate I-1. 93/08/04. LOPRETE,B. Affiliation Not Assigned. 2pp. 76164:264-76164:269.

9308190323 Rev 1 to notification of significant licensee meeting 93-091 w/util in King of Prussia, PA to discuss emergency preparedness program status update.
NICHOLSON,L.E. Region 1 (Post 820201). 93/08/10. Region 1 (Post 820201). 3pp. 76169:316-76169:318.

J. Insurance & indemnity information

9308200154 Forwards projection of ability to pay retrospective premium adjustment for period of 930801-940731 per 10CFR140.21. BRAM,S.B. Consolidated Edison Co. of New York, Inc. 93/07/30. Document Control Branch (Document Control Desk). 2pp. 76199:001-76199:003

P. Operating license stage documents & correspondence

9308030399 Forwards amend 164 to license DPR-26 & safety evaluation. Amend revises administrative controls section of TS. WILLIAMS,F.J. Project Directorate I-1. 93/07/13. BRAM,S.B. Commonwealth Edison Co. 4pp. 75952:141-75952:155.

-9308030402 Amend 164 to license DPR-26, revising administrative controls section of TS. CAPRA,R.A. Project Directorate I-1. 93/07/13. 8pp. 75952:144-75952:151.

-9308030403 Safety evaluation supporting amend 164 to license DPR-26. * Office of Nuclear Reactor Regulation, Director (Post 870411). 93/07/13. 3pp. 75952:152-75952:155.

9308040122 Responds to request for suppl info in support of application to amend TS re time relay for degraded voltage condition concurrent w/safety injection RHR pumps will start at T=30 seconds into event & water delivered & available for refill. BRAM,S.B. Consolidated Edison Co. of New York, Inc. 93/07/19. Document Control Branch (Document Control Desk). 2pp. 76009:325-76009:326.

9308060257 Informs that results of recent tests re Thermo-Lag barriers indicate that further actions necessary to address fire endurance & ampacity derating & compensatory measures for inoperable barriers will stay in place until operable. WILLIAMS,F.J. Project Directorate I-1. 93/07/19. BRAM,S.B. Consolidated Edison Co. of New York, Inc. 4pp. 76023:301-76023:304.

9308120018 Notification of 930812 meeting w/util in Rockville,MD to discuss planned licensing submittal schedule for loading of Vantage-Plus fuel in early 1995. WILLIAMS,F.J. Project Directorate I-1. 93/07/23. CAPRA,R.A. Project Directorate I-1. 4pp. 76075:160-76075:163.

9308130182 Forwards response to GL 93-04. "Rod Control Failure & Withdrawal of Rod Control Cluster Assemblies." BRAM,S.B. Consolidated Edison Co. of New York, Inc. 93/08/05. Document Control Branch (Document Control Desk). 5pp. 76104:347-76104:351.

9308240050 Forwards request for addl info re licensee 920706 response to GL 92-01, rev 1. "Reactor Vessel Structural Integrity." WILLIAMS,F.J. Project Directorate I-1. 93/08/09. BRAM,S.B. Consolidated Edison Co. of New York, Inc. 6pp. 76209:346-76209:351.

Q. Inspection reports, IE Bulletins & correspondence

9307190043 NRC Info Notice 93-057. "Software Problems Involving Digital Control Console Sys at Non-Power Reactors." GRIMES,B.K. Division of Operating Reactor Support (Post 921004). 93/07/23. Consolidated Edison Co. of New York, Inc. 9pp. 76111:200-76111:208.

9308100056 Forwards insp rept 50-247/93-13 on 930606-0717. No violations noted. COWGILL,C.J. Region 1 (Post 820201). 93/08/02. BRAM,S.B. Consolidated Edison Co. of New York, Inc. 3pp. 76025:211-76025:225.

-9308100060 Insp rept 50-247/93-13 on 930606-0717. No violations noted. Major areas inspected: plant activities & operations, maintenance, engineering & plant support. NICHOLSON,L.E. Region 1 (Post 820201). 93/07/29. 12pp. 76025:214-76025:225.

9308310156 Ack receipt of 930715 ltr informing NRC of steps taken to correct violations noted in insp rept 50-247/93-05. JOYNER,J.H. Region 1 (Post 820201). 93/08/23. BRAM,S.B. Consolidated Edison Co. of New York, Inc. 4pp. 76264:224-76264:236.

9308310071 Forwards insp rept 50-247/93-15 on 930628-0702 & 930712-16. No violations noted. DURR,J.P. Region 1 (Post 820201). 93/08/25. BRAM,S.B. Consolidated Edison Co. of New York, Inc. 2pp. 76263:329-76263:343.

-9308310080 Insp rept 50-247/93-15 on 930628-0702 & 930712-16. No violations noted. Major areas inspected: assessment of engineering & technical support, long-term erosion/corrosion monitoring program & review of inservice insp data. PATNAIK,P., GRAY,E.H. Region 1 (Post 820201). 93/08/18. 13pp. 76263:331-76263:343.

R. Periodic operating reports & related correspondence

9308260148 Monthly operating rept for Jul 1993 for Indian Point Unit 2. W/930815 ltr. REED,A., BRAM,S.B. Consolidated Edison Co. of New York, Inc. 93/07/31. 5pp. 76237:336-76237:341.

S. Reportable occurrences, LERs & related correspondence

9308190138 Summary of operating reactors events meeting 93-17 on 930512. CHAFFEE,A.E. Events Assessment Branch. 93/05/18. GRIMES,B.K. Division of Operating Reactor Support (Post 921004). 26pp. 76153:034-76153:059.

9308030372 Potential Part 21 rept re Limitorque actuator motors. Utilis & other purchases listed in encl being advised of concern. Limitorque revising selection procedure for safety related actuators, motors & technical data packages. TAYLOR,J.H. Babcock & Wilcox Co. 93/07/22. Document Control Branch (Document Control Desk). 8pp. 75976:349-75976:356.

9308230199 LER 93-008-00: on 930205, fan cooler Unit 21 damper failed SI test due to wiring error. Wiring error on Train B fan cooler Unit 21 normal outlet damper solenoid corrected & successfully tested on 930409. W/930809 ltr. MAYLATH,J., BRAM,S.B. Consolidated Edison Co. of New York, Inc. 93/08/09. 6pp. 76200:165-76200:170.

V. Operator Examinations

9308040006 Informs of individual exam results for licensee applicants on retake exam conducted on 930716. BETTENHAUSEN,L. Region 1 (Post 820201). 93/07/25. INZIRILLO,F. Consolidated Edison Co. of New York, Inc. 2pp. 75949:033-75949:034.

DOCKET 50-249 DRESDEN NUCLEAR POWER STATION, UNIT 3**F. Security, medical, emergency & fire protection plans**

9308050300 Corrected Emergency Preparedness & State Programs Corporate EPIPs (CEPIP) CEPIP-2000 Series: Corporate Emergency Response Organization Index. * Commonwealth Edison Co. 93/07/14. 3pp. 76022:121-76022:123.

9308040274 Forwards encl 8 to SECY 93-166 which describes proposed characteristics of design basis vehicle. W/o encl. PARTLOW,J.G. Associate Director for Projects (Post 870411). 93/07/15. FARRAR,D.L. Commonwealth Edison Co. 4pp. 75979:087-75979:090.

9308030142 Advises that scope & objectives of exercise scheduled for 930922 outlined in 930621 ltr acceptable. MCCORMICK-BARGE Region 3 (Post 820201). 93/07/27. DELGEORGE,L.O. Commonwealth Edison Co. 2pp. 75936:097-75936:098.

9308100190 Provides addl info on fire barrier qualification, installation & ampacity derating margins for Thermo-Lag applications at facilities, in response to GL 92-08. CHRZANOWSKI,D. Commonwealth Edison Co. 93/08/04. Office of Nuclear Reactor Regulation, Director (Post 870411). 6pp. 76067:249-76067:254.

9308180006 Addresses potential confusion re recent issuance of Rev 47 & subsequent clarification submittal to Rev 43 of Dresden Nuclear Power Station security plan. JOHNSON,I.M. Commonwealth Edison Co. 93/08/04. Document Control Branch (Document Control Desk). 1p. 76167:307-76167:307.

9308130127 Ack receipt of 930712 ltr transmitting changes dtd Apr 1993, identified as Rev 47 to Dresden Nuclear Power Station, units 1, 2 & 3 security plan. Changes consistent w/provisions of 10CFR50.54(p) & acceptable. JORGENSEN,B.L. Region 3 (Post 820201). 93/08/05. SCHUSTER,T. Commonwealth Edison Co. 2pp. 76143:150-76143:151.

9308240072 Notification of 930817 meeting w/util in Rockville,MD to discuss number of security related issues & changes to security plans which impact all sites. HICKMAN,J.B. Project Directorate III-2. 93/08/05. DYER,J.E. Project Directorate III-2. 5pp. 76199:329-76199:333.

9308310078 Summary of 930817 meeting w/util in Rockville,MD re security-related issues & proposed mods to security plans. List of attendees encl. PICKETT,D.V. Project Directorate III-2. 93/08/24. Project Directorate III-2. 7pp. 76274:190-76274:196.

P. Operating license stage documents & correspondence

9308110174 Forwards request for addl info re licensee 920701 response to GL 92-01, rev 1. "Reactor Vessel Structural Integrity." KENNEDY,J.L. Project Directorate III-2. 93/07/19. FARRAR,D.L. Commonwealth Edison Co. 7pp. 76063:301-76063:307.

9308030320 Ack receipt of 930630 & 0713 submittals, incorporating changes in QA program description topical rept. Anticipates 60 days to complete review of submittal. RING,M.A. Region 3 (Post 820201). 93/07/27. DELGEORGE,L.O. Commonwealth Edison Co. 2pp. 75979:304-75979:305.

9308180220 Ack receipt of response to GL 92-04. "Resolution of Issues re Reactor Vessel Water Level Instrumentation in BWRs" & finds listed response acceptable. STANG,J.F. Project Directorate III-2. 93/07/29. FARRAR,D.L. Commonwealth Edison Co. 6pp. 76143:133-76143:138.

9308100190 Provides addl info on fire barrier qualification, installation & ampacity derating margins for Thermo-Lag applications at facilities, in response to GL 92-08. CHRZANOWSKI,D. Commonwealth Edison Co. 93/08/04. Office of Nuclear Reactor Regulation, Director (Post 870411). 6pp. 76067:249-76067:254.

9308260158 Advises that NRC has no technical objection to licensee 930521 request to change frequency of meetings w/fuel vendors from once per reload design to once yearly. DYER,J.E. Project Directorate III-3. 93/08/09. FARRAR,D.L. Commonwealth Edison Co. 3pp. 76216:358-76216:360.

9308180110 Provides revised status for Generic Ltr 89-10, Suppl 3 re MOVs. PIET,P.L. Commonwealth Edison Co. 93/08/11. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 76165:334-76165:335.

9308170032 Confirms plans as discussed to hold meeting at Dresden Station, Morris, IL on 930826. GREENMAN,E.G. Region 3 (Post 820201). 93/08/12. DELGEORGE,L.O. Commonwealth Edison Co. 2pp. 76108:111-76108:114.

-9308170033 Notification of significant licensee meeting w/util on 930826 to discuss routine mgt meeting to review Dresden plant performance. HILAND,P.L. Region 3 (Post 820201). 93/08/12. Region 3 (Post 820201). 2pp. 76108:113-76108:114.

9308200005 Notification of 930818 meeting w/util in Rockville,MD to discuss approach NRR taking to address cost beneficial licensing actions. SIEGEL,B.L. Project Directorate III-2. 93/08/17. MURLEY,T., MIRAGLIA,F., RUSSEL,W. NRC - No Detailed Affiliation Given. 4pp. 76209:284-76209:287.

9308230136 Provides requested info on post-accident neutron monitoring sys configurations at util re NEDO document. CHRZANOWSKI,D. Commonwealth Edison Co. 93/08/17. Document Control Branch (Document Control Desk). 12pp. 76204:350-76204:361.

20 DOCKETED ITEMS

9308230113 Forwards Rev 64 to Topical Rept CE-1-A, "Comm Ed QA Manual." BAUER, J.A. Commonwealth Edison Co. 93/08/20. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 76179:001-76179:190.

-9308230114 Rev 64 to Topical Rept CE-1-A, "Comm Ed QA Manual." * Commonwealth Edison Co. 93/08/17. 189pp. 76179:002-76179:190.

Q. Inspection reports, IE Bulletins & correspondence

9307190043 NRC Info Notice 93-057, "Software Problems Involving Digital Control Console Sys at Non-Power Reactors." GRIMES, B.K. Division of Operating Reactor Support (Post 921004). 93/07/23. Consolidated Edison Co. of New York, Inc. 9pp. 76111:200-76111:208.

9308160368 Ack receipt of 930610 response to NRC Bulletin 93-002, "Debris Plugging of Emergency Core Cooling Suction Strainers." Util actions considered complete. STANG, J.F. Project Directorate III-2. 93/07/27. FARRAR, D.L. Commonwealth Edison Co. 2pp. 76133:359-76133:360.

9308030103 Forwards revised insp rept cover ltr for insp repts 50-237/93-15 & 50-249/93-15 on 930510-26. Cover ltr does not accurately reflect rept contents. Number of weaknesses identified during insp & documented in body of rept. MARTIN, T.O. Region 3 (Post 820201). 93/07/29. DELGEORGE, L.O. Commonwealth Edison Co. 2pp. 75936:031-75936:034.

-9308030115 Revised ltr forwarding insp repts 50-237/93-15 & 50-249/93-15 on 930510-26. Weaknesses noted. MARTIN, T.O. Region 3 (Post 820201). 93/07/29. DELGEORGE, L.O. Commonwealth Edison Co. 2pp. 75936:033-75936:034.

9308040325 Responds to NRC Bulletin 93-003, "Resolution of Issues Re RV Water Level Instrumentation in BWRs." Licensee has established monitoring of RPV level instruments during reactor shutdown activities. DELGEORGE, L.O. Commonwealth Edison Co. 93/07/30. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 23pp. 75997:001-75997:026.

9308050162 Discusses max recycle bldg exhaust fan replacement re NRC Insp Repts 50-237/92-19 & 50-249/92-19. PIET, P.L. Commonwealth Edison Co. 93/07/30. Document Control Branch (Document Control Desk). 2pp. 76022:245-76022:246.

9308180182 Informs that per discussion w/B Clayton, response to notice of violation & proposed imposition of civil penalty transmitted w/NRC 930715 ltr for Insp Repts 50-237/93-06 & 50-249/93-06 will be submitted on 930903. Fee paid. FARRAR, D.L. Commonwealth Edison Co. 93/08/12. Document Control Branch (Document Control Desk). 1p. 76169:357-76169:357.

9308190007 Forwards Rev 2 to third 10-yr insp interval ISI plan in response to NRR 921006. RAI re certain relief requests submitted w/Rev 0 & 1 of third 10-yr interval ISI Set of isometric drawings also encl. PIET, P.L. Commonwealth Edison Co. 93/08/13. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 456pp. 76166:001-76167:092.

9308260130 Forwards Safety Insp Repts 50-237/93-22 & 50-249/93-22 on 930719-29 & notice of violation. NORELIUS, C.E. Region 3 (Post 820201). 93/08/18. DELGEORGE, L.O. Commonwealth Edison Co. 3pp. 76259:297-76259:340.

-9308260135 Notice of violation from insp on 930712-29. Violation noted: on 930719, radioactive mat labels on numerous bags in Bay 7 of radwaste bldg barrelling area did not contain max measured contact dose rate. NORELIUS, C.E. Region 3 (Post 820201). 93/08/18. 1p. 76259:300-76259:300.

-9308260140 Insp Repts 50-237/93-22 & 50-249/93-22 on 930719-29. Violation noted. Major areas inspected: outage activities & ongoing problem w/low-level contamination events. KUNOWSKI, M., MCCORMICK-BARGE, SNELL, W.G. Region 3 (Post 820201). 93/08/13. 40pp. 76259:301-76259:340.

9308300150 Submits final insp results from D2R13 & Q2R12 refueling outages re RWCU outboard piping insp plan for Units 2 & 3. PIET, P.L. Commonwealth Edison Co. 93/08/20. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 7pp. 76282:272-76282:279.

R. Periodic operating reports & related correspondence

9308090305 Forwards errata to Dresden Nuclear Power Station, units 1,2 & 3 annual environ operating rept. SCHUSTER, T. Commonwealth Edison Co. 93/07/26. MARTIN, J. Region 3 (Post 820201). 1p. 76062:203-76062:211.

-9308090313 Errata to Dresden Nuclear Power Station, units 1,2 & 3 annual environ operating rept. * Commonwealth Edison Co. 92/12/31. 8pp. 76062:204-76062:211.

9308310053 Forwards corrected radioactive effluent rept for Jul-Dec 1992 re updating of Sr-89, Sr-90, Fe-55, gross alpha & tritium data for Sept-Dec 1992 to reflect actual sample analysis. SPEDL, G.F. Commonwealth Edison Co. 93/08/10. MARTIN, J.B. Region 3 (Post 820201). 10pp. 76288:278-76288:333.

-9308300229 "Dresden Nuclear Power Station Units 1,2 & 3 Effluent & Waste Disposal Semiannual Rept Jul-Dec 1992" w/corrections re updating of Sr-89, Sr-90, Fe-55, gross alpha & tritium for Sept-Dec 1992 to reflect actual sample analysis. * Commonwealth Edison Co. 92/12/31. Region 3 (Post 820201). 46pp. 76288:288-76288:333.

9308160051 Forwards DNPS Monthly Operating Summary Rept for July 1993. Starting this reporting period, 10CFR50.59 info no longer reported on monthly basis. SPEDL, G.F. Commonwealth Edison Co. 93/08/11. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 76125:259-76125:346.

-9308160055 Monthly operating repts for July 1993 for Dresden Nuclear Power Station. * Commonwealth Edison Co. 93/07/31. 125pp. 76125:261-76125:346.

9308260021 Forwards fitness-for-duty program performance data for Braidwood, Byron, Dresden, LaSalle, Quad-Cities & Zion Stations for six month period ending 930630. SIMPKIN, T.W. Commonwealth Edison Co. 93/08/20. Document Control Branch (Document Control Desk). 24pp. 76259:243-76259:266.

S. Reportable occurrences, LERs & related correspondence

9308300212 "Dresden Nuclear Power Station Units 1,2, & 3 Effluent & Waste Disposal Semiannual Rept Jan-Jun 1993." W/930819 ltr. SPEDL, G.F. Commonwealth Edison Co. 93/06/30. MARTIN, J.B. Region 3 (Post 820201). 69pp. 76284:083-76284:151.

9308090236 LER 93-009-00: on 930512, isolation valve for isolation condenser initiation pressure switch (PS 3-263-53C) found in closed position due to unknown cause. Isolation valve re-opened. W/930723 ltr. RIVERA, J., SPEDL, G. Commonwealth Edison Co. 93/07/28. 5pp. 76091:069-76091:073.

9308100184 LER 93-012-00: on 930710, spurious Group V primary containment isolation occurred while in shutdown mode due to flow spiking. Results from preliminary engineering evaluation being reviewed. W/930803 ltr. SPENCER, K., SPEDL, G.F. Commonwealth Edison Co. 93/08/03. 5pp. 76091:118-76091:122.

9308160120 LER 93-014-00: on 930710, reactor scrammed on main condenser low vacuum due to indeterminate causes. Caution added to warn operator that reversing condenser flow second time during vacuum transient should not be attempted. W/930809 ltr. VINEY, J.J., SPEDL, G.F. Commonwealth Edison Co. 93/08/04. 4pp. 76153:140-76153:143.

9308260066 Final Part 21 rept re Rev 4 of BWROG emergency response guidelines. Initially reported on 930723. Appropriate changes made to operator training to ensure appropriate actions will be taken to address issue re alignment of CCSW. JOHNSON, I.M. Commonwealth Edison Co. 93/08/20. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 4pp. 76260:165-76260:168.

V. Operator Examinations

9308030302 Informs of NRC plans to administer generic fundamentals exam section written operator licensing exam on 931006. RING, M.A. Region 3 (Post 820201). 93/07/28. Consumers Power Co. 3pp. 75983:358-75983:360.

9308170283 Notifies that PJ Santorineos no longer requires to maintain an operating license, effective 930810. SPEDL, G.R. Commonwealth Edison Co. 93/08/10. Document Control Branch (Document Control Desk). 1p. 76137:168-76137:168.

9308310110 Informs of individual exam results for applicants on initial exam conducted on 930726-0805. RING, M.A. Region 3 (Post 820201). 93/08/26. WEIDNER, R.C. Commonwealth Edison Co. 1p. 76264:098-76264:098.

DOCKET 50-250 TURKEY POINT PLANT, UNIT 3

F. Security, medical, emergency & fire protection plans

9308100078 Forwards insp repts 50-250/93-18 & 50-251/93-18 on 930607-11. No violations or deviations noted. CLINE, W.E. Region 2 (Post 820201). 93/07/09. GOLDBERG, J.H. Florida Power & Light Co. 3pp. 76025:301-76025:313.

-9308100079 Insp repts 50-250/93-18 & 50-251/93-18 on 930607-11. No violations or deviations noted. Major areas inspected: emergency preparedness & included review of listed programmatic elements. SALYERS, G.W., BARR, K.P. Region 2 (Post 820201). 93/07/09. 10pp. 76025:304-76025:313.

9308030289 Forwards encl 8 to SECY 93-166, which describes proposed characteristics of design basis vehicle. W/o encl. PARTLOW, J.G. Associate Director for Projects (Post 870411). 93/07/15. GOLDBERG, J.H. Florida Power & Light Co. 2pp. 75950:344-75950:345.

9308060032 Forwards insp repts 50-250/93-16 & 50-251/93-16 on 930607-11. No violations or deviations noted. CLINE, W.E. Region 2 (Post 820201). 93/07/28. GOLDBERG, J.H. Florida Power & Light Co. 3pp. 75992:140-75992:158.

-9308060035 Insp repts 50-250/93-16 & 50-251/93-16 on 930607-28. No violations noted. Major areas inspected: review of licensee radiation protection programs for meteorological & environ monitoring. KUZO, G.B., DECKER, T.R. Region 2 (Post 820201). 93/07/28. 16pp. 75992:143-75992:158.

9308300163 Application for amends to Licenses DPR-31 & DPR-41, revising License Conditions 3.G & 3.F respectively, to conform to std fire protection license proposed as stated in GL 86-10. PLUNKETT, T.F. Florida Power & Light Co. 93/08/17. Document Control Branch (Document Control Desk). 10pp. 76298:301-76298:349.

-9308300170 Proposed tech specs re fire protection. * Florida Power & Light Co. 93/08/17. 39pp. 76298:311-76298:349.

9308300337 Forwards physical security plan, Rev 5 suppl for Units 3 & 4 under 10CFR50.54(p) re temporary relocation of section of protected area barrier to facilitate central receiving facility reconstr efforts. Suppl withheld. PLUNKETT, T.F. Florida Power & Light Co. 93/08/20. Document Control Branch (Document Control Desk). 1p. 76307:304-76307:304.

9308300358 Revised EPIPs,20106, "Natural Emergencies" & 20111, "Re-entry." W/ 930824 ltr.
PLUNKETT,T.F. Florida Power & Light Co. 93/08/24. 77pp. 76282:189-76282:265.

H. General correspondence

9308190092 Requests mod of svc lists due to organizational changes.
BOHLKE,W.H. Florida Power & Light Co. 93/08/16. Document Control Branch (Document Control Desk). 1p. 76183:352-76183:352.

P. Operating license stage documents & correspondence

9308060160 Confirms 930628 telcon between J Holt & R Schin re meeting to be held in Atlanta on 930716. Purpose of meeting for util to make presentation on engineering initiatives. Proposed agenda encl.
MERSCHOFF,E.W. Region 2 (Post 820201). 93/07/02. GOLDBERG,J.H. Florida Power & Light Co. 5pp. 75994:060-75994:064.

9308060171 Notification of significant meeting w/util on 930716 in Atlanta,GA re licensee presentation on engineering initiatives at FPL.
LANDIS,K.D. Region 2 (Post 820201). 93/07/02. Region 2 (Post 820201). 2pp. 75994:098-75994:099.

9308100226 Notification of 930728 meeting w/util in Rockville,MD to discuss proposed cost beneficial licensing action initiatives at St Lucie & Turkey Point plants.
NORRIS,J.A., RAGHAVAN,L. Project Directorate II-2. 93/07/20. BERKOW,H.N. Project Directorate II-2. 3pp. 76071:273-76071:275.

9308060093 Discusses radiochemical analyses for liquid samples spiked w/beta emitting radionuclides & requests that analyses be completed as soon as practicable, but no later than 60 days from receipt of ltr.
CLINE,W.E. Region 2 (Post 820201). 93/07/28. GOLDBERG,J.H. Florida Power & Light Co. 3pp. 75993:123-75993:125.

9308200062 Summary of 930720 meeting w/util in Rockville,MD re proposed resolution of three programmatic issues re GL 87-02 noted during 930406 meeting. List of attendees encl.
NORRIS,J.A. Project Directorate II-2. 93/07/28. Project Directorate II-2. 4pp. 76163:356-76163:359.

9308190176 Requests addl info to continue review of util response to GL 92-01, "RV Structural Integrity." Rev 1 dtd 930701.
RAGHAVAN,L. Project Directorate II-2. 93/07/29. GOLDBERG,J.H. Florida Power & Light Co. 3pp. 76151:359-76151:361.

9308110262 Forwards amends 155 & 149 to licenses DPR-31 & DPR-41 & safety evaluation. Amends change TSs 6.2, "Organization," re operations manager qualifications.
RAGHAVAN,L. Project Directorate II-2. 93/08/04. GOLDBERG,J.H. Florida Power & Light Co. 3pp. 76064:273-76064:284.

-9308110266 Amends 155 & 149 to licenses DPR-31 & DPR-41, respectively, changing TS 6.2, "Organization," re operations manager qualifications.
BERKOW,H.N. Project Directorate II-2. 93/08/04. 6pp. 76064:276-76064:281.

-9308110267 Safety evaluation supporting amends 155 & 149 to licenses DPR-31 & DPR-41, respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 93/08/04. 3pp. 76064:282-76064:284.

9308120229 Responds to GL 93-04, "Rod Control Sys Failure & Withdrawal of Rod Control Cluster Assemblies." Cautions added to surveillance & preventative maint procedures.
PLUNKETT,T.F. Florida Power & Light Co. 93/08/04. Document Control Branch (Document Control Desk). 8pp. 76104:249-76104:256.

9308240191 Summary of 930728 meeting w/util in Rockville,MD re cost beneficial licensing actions. Attendance list encl.
RAGHAVAN,L., NORRIS,J.A. Project Directorate II-2. 93/08/05. Project Directorate II-2. 3pp. 76183:273-76183:275.

9308160160 Provides util response to NRC 930625 request for addl info re Topical Rept NTH-TR-01, "RETRAN Model Qualification - Decrease in Heat Removal by Secondary Sys."
BOHLKE,W.H. Florida Power & Light Co. 93/08/09. Document Control Branch (Document Control Desk). 2pp. 76107:356-76107:357.

9308160270 Forwards addl info on results of 20th yr tendon surveillance, in response to NRC 930125 RAI, per 930111 meeting w/NRC re 20th yr tendon surveillance program for Turkey Point Units 3 & 4.
PLUNKETT,T.F. Florida Power & Light Co. 93/08/10. Document Control Branch (Document Control Desk). 96pp. 76128:011-76128:107.

9308310093 Informs that changes addressed in 930602 topical quality assurance rept have been reviewed & found acceptable.
GIBSON,A.F. Region 2 (Post 820201). 93/08/11. GOLDBERG,J.H. Florida Power & Light Co. 4pp. 76263:357-76263:360.

9308230303 Provides response to Item 1 of TER App A re third-yr interval IST program.
PLUNKETT,T.F. Florida Power & Light Co. 93/08/16. Document Control Branch (Document Control Desk). 3pp. 76203:315-76203:317.

9308300163 Application for amends to Licenses DPR-31 & DPR-41, revising License Conditions 3.G & 3.F respectively, to conform to std fire protection license proposed as stated in GL 86-10.
PLUNKETT,T.F. Florida Power & Light Co. 93/08/17. Document Control Branch (Document Control Desk). 10pp. 76298:301-76298:349.

-9308300170 Proposed tech specs re fire protection.
* Florida Power & Light Co. 93/08/17. 39pp. 76298:311-76298:349.

9308300139 Requests exemption from certain requirements of 10CFR73.55, "Requirements for Physical Protection of Licensed Activities ..Against Radiological Sabotage," for Units 1 & 2.
BOHLKE,W.H. Florida Power & Light Co. 93/08/18. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 4pp. 76284:155-76284:158.

9308300181 Provides response to request for addl info re Rev 1 to GL 92-01, "Reactor Vessel Structural Integrity."
PLUNKETT,T.F. Florida Power & Light Co. 93/08/20. Document Control Branch (Document Control Desk). 4pp. 76278:352-76278:355.

Q. Inspection reports, IE Bulletins & correspondence

9308100078 Forwards insp repts 50-250/93-18 & 50-251/93-18 on 930607- 11. No violations or deviations noted.
CLINE,W.E. Region 2 (Post 820201). 93/07/09. GOLDBERG,J.H. Florida Power & Light Co. 3pp. 76025:301-76025:313.

-9308100079 Insp repts 50-250/93-18 & 50-251/93-18 on 930607-11. No violations or deviations noted. Major areas inspected: emergency preparedness & included review of listed programmatic elements.
SALYERS,G.W., BARR,K.P. Region 2 (Post 820201). 93/07/09. 10pp. 76025:304-76025:313.

9308050013 Forwards insp repts 50-250/93-17 & 50-251/93-17 on 930529- 0625. Non-cited violations noted.
SINKULE,M.V. Region 2 (Post 820201). 93/07/21. GOLDBERG,J.H. Florida Power & Light Co. 3pp. 75971:070-75971:101.

-9308050015 Insp repts 50-250/93-17 & 50-251/93-17 on 930529-0625. Non-cited violations noted. Major areas inspected: surveillance observations, maint observations, operational safety, plant events & mgt meetings.
BUTCHER,R.C., TROCINE,L., LANDIS,K.D. Region 2 (Post 820201). 93/07/21. 29pp. 75971:073-75971:101.

9307190043 NRC Info Notice 93-057, "Software Problems Involving Digital Control Console Sys at Non-Power Reactors."
GRIMES,B.K. Division of Operating Reactor Support (Post 921004). 93/07/23. Consolidated Edison Co. of New York, Inc. 9pp. 76111:200-76111:208.

9308060032 Forwards insp repts 50-250/93-16 & 50-251/93-16 on 930607-11. No violations or deviations noted.
CLINE,W.E. Region 2 (Post 820201). 93/07/28. GOLDBERG,J.H. Florida Power & Light Co. 3pp. 75992:140-75992:158.

-9308060035 Insp repts 50-250/93-16 & 50-251/93-16 on 930607-28. No violations noted. Major areas inspected: review of licensee radiation protection programs for meteorological & environ monitoring.
KUZO,G.B., DECKER,T.R. Region 2 (Post 820201). 93/07/28. 16pp. 75992:143-75992:158.

9308250023 Forwards insp repts 50-250/93-20 & 50-251/93-20 on 930712-16 & notice of violation.
JULIAN,C.A. Region 2 (Post 820201). 93/08/12. GOLDBERG,J.H. Florida Power & Light Co. 4pp. 76187:029-76187:041.

-9308250034 Notice of violation from insp on 930712-16. Violations noted: work procedure used for overhaul of 3B charging pump & pull of motor lead cables inadequate to assure important activities satisfactorily accomplished.
* Region 2 (Post 820201). 93/08/12. 2pp. 76187:033-76187:034.

-9308250038 Insp repts 50-250/93-20 & 50-251/93-20 on 930712-16. Violations noted. Major areas inspected: area of electrical maint.
MCORE,L.R., SHYMLOCK,M.B. Region 2 (Post 820201). 93/08/10. 7pp. 76187:035-76187:041.

9308250094 Notices of enforcement conference scheduled before Oct 1993 to discuss two cases of employee discrimination filed w/DOL under provisions of Section 210 of ERA of 1974. Attendance requested.
EBNETER,S.D. Region 2 (Post 820201). 93/08/13. GOLDBERG,J.H. Florida Power & Light Co. BELL,W.G. Bechtel Corp. 58pp. 76188:055-76188:112.

R. Periodic operating reports & related correspondence

9308170104 Monthly operating repts for Jul 1993 for Turkey Point, units 3 & 4. W/930812 ltr.
CALLANDER,R., PLUNKETT,T.F. Florida Power & Light Co. 93/07/31. 9pp. 76136:291-76136:299.

S. Reportable occurrences, LERs & related correspondence

9308170345 Part 21 rept re reportable defect-75 PSIG relief check valve 1" NPT, EMD 9521844, Kepner 416C-1-75.
GALEAZZI,D.D., NUDING,M. MKW Power Systems, Inc. 93/07/15. Office of Nuclear Reactor Regulation, Director (Post 870411). 10pp. 76139:010-76139:019.

DOCKET 50-251 TURKEY POINT PLANT, UNIT 4

F. Security, medical, emergency & fire protection plans

9308100078 Forwards insp repts 50-250/93-18 & 50-251/93-18 on 930607- 11. No violations or deviations noted.
CLINE,W.E. Region 2 (Post 820201). 93/07/09. GOLDBERG,J.H. Florida Power & Light Co. 3pp. 76025:301-76025:313.

-9308100079 Insp repts 50-250/93-18 & 50-251/93-18 on 930607-11. No violations or deviations noted. Major areas inspected: emergency preparedness & included review of listed programmatic elements.
SALYERS,G.W. Region 2 (Post 820201). 93/07/09. 10pp. 76025:304-76025:313.

9308030289 Forwards encl 8 to SECY 93-166, which describes proposed characteristics of design basis vehicle. W/o encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 93/07/15. GOLDBERG,J.H. Florida Power & Light Co. 2pp. 75950:344-75950:345.

22 DOCKETED ITEMS

9308060032 Forwards insp repts 50-250/93-16 & 50-251/93-16 on 930607-11. No violations or deviations noted.
CLINE, W.E. Region 2 (Post 820201). 93/07/28. GOLDBERG, J.H. Florida Power & Light Co. 3pp. 75992:140-75992:158.

-9308060035 Insp repts 50-250/93-16 & 50-251/93-16 on 930607-28. No violations noted. Major areas inspected: review of licensee radiation protection programs for meteorological & environ monitoring.
KUZO, G.B. Region 2 (Post 820201). 93/07/28. 16pp. 75992:143-75992:158.

9308300163 Application for amends to Licenses DPR-31 & DPR-41, revising License Conditions 3.G & 3.F respectively, to conform to std fire protection license proposed as stated in GL 86-10.
PLUNKETT, T.F. Florida Power & Light Co. 93/08/17. Document Control Branch (Document Control Desk). 10pp. 76298:301-76298:349.

-9308300170 Proposed tech specs re fire protection.
* Florida Power & Light Co. 93/08/17. 39pp. 76298:311-76298:349.

9308300337 Forwards physical security plan, Rev 5 suppl for Units 3 & 4 under 10CFR50.54(p) re temporary relocation of section of protected area barrier to facilitate central receiving facility reconstr efforts. Suppl withheld.
PLUNKETT, T.F. Florida Power & Light Co. 93/08/20. Document Control Branch (Document Control Desk). 1p. 76307:304-76307:304.

9308300358 Revised EPIPs, 20106, "Natural Emergencies" & 20111, "Re-entry." W/930824 ltr.
PLUNKETT, T.F. Florida Power & Light Co. 93/08/24. 77pp. 76282:189-76282:265.

H. General correspondence

9308190092 Requests mod of svc lists due to organizational changes.
BOHLKE, W.H. Florida Power & Light Co. 93/08/16. Document Control Branch (Document Control Desk). 1p. 76183:352-76183:352.

P. Operating license stage documents & correspondence

9308060160 Confirms 930628 telcon between J Holt & R Schin re meeting to be held in Atlanta on 930716. Purpose of meeting for util to make presentation on engineering initiatives. Proposed agenda encl.
MERSCHOFF, E.W. Region 2 (Post 820201). 93/07/02. GOLDBERG, J.H. Florida Power & Light Co. 5pp. 75994:060-75994:064.

9308060171 Notification of significant meeting w/util on 930716 in Atlanta, GA re licensee presentation on engineering initiatives at FPL.
LANDIS, K.D. Region 2 (Post 820201). 93/07/02. Region 2 (Post 820201). 2pp. 75994:098-75994:099.

9308100226 Notification of 930728 meeting w/util in Rockville, MD to discuss proposed cost beneficial licensing action initiatives at St Lucie & Turkey Point plants.
NORRIS, J.A., RAGHAVAN, L. Project Directorate II-2. 93/07/20. BERKOW, H.N. Project Directorate II-2. 3pp. 76071:273-76071:275.

9308060093 Discusses radiochemical analyses for liquid samples spiked w/beta emitting radionuclides & requests that analyses be completed as soon as practicable, but no later than 60 days from receipt of ltr.
CLINE, W.E. Region 2 (Post 820201). 93/07/28. GOLDBERG, J.H. Florida Power & Light Co. 3pp. 75993:123-75993:125.

9308200062 Summary of 930720 meeting w/util in Rockville, MD re proposed resolution of three programmatic issues re GL 87-02 noted during 930406 meeting. List of attendees encl.
NORRIS, J.A. Project Directorate II-2. 93/07/28. Project Directorate II-2. 4pp. 76163:356-76163:359.

9308190176 Requests addl info to continue review of util response to GL 92-01, "RV Structural Integrity." Rev 1 dtd 930701.
RAGHAVAN, L. Project Directorate II-2. 93/07/29. GOLDBERG, J.H. Florida Power & Light Co. 3pp. 76151:359-76151:361.

9308110262 Forwards amends 155 & 149 to licenses DPR-31 & DPR-41 & safety evaluation. Amends change TSs 6.2, "Organization," re operations manager qualifications.
RAGHAVAN, L. Project Directorate II-2. 93/08/04. GOLDBERG, J.H. Florida Power & Light Co. 3pp. 76064:273-76064:284.

-9308110266 Amends 155 & 149 to licenses DPR-31 & DPR-41, respectively, changing TS 6.2, "Organization" re operations manager qualifications.
BERKOW, H.N. Project Directorate II-2. 93/08/04. 6pp. 76064:276-76064:281.

-9308110267 Safety evaluation supporting amends 155 & 149 to licenses DPR-31 & DPR-41, respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 93/08/04. 3pp. 76064:282-76064:284.

9308120229 Responds to GL 93-04, "Rod Control Sys Failure & Withdrawal of Rod Control Cluster Assemblies." Cautions added to surveillance & preventative maint procedures.
PLUNKETT, T.F. Florida Power & Light Co. 93/08/04. Document Control Branch (Document Control Desk). 8pp. 76104:249-76104:256.

9308240191 Summary of 930728 meeting w/util in Rockville, MD re cost beneficial licensing actions. Attendance list encl.
RAGHAVAN, L., NORRIS, J.A. Project Directorate II-2. 93/08/05. Project Directorate II-2. 3pp. 76183:273-76183:275.

9308160160 Provides util response to NRC 930625 request for addl info re Topical Rept NTH-TR-01, "RETRAN Model Qualification - Decrease in Heat Removal by Secondary Sys."
BOHLKE, W.H. Florida Power & Light Co. 93/08/09. Document Control Branch (Document Control Desk). 2pp. 76107:356-76107:357.

9308160270 Forwards addl info on results of 20th yr tendon surveillance, in response to NRC 930125 RAI, per 930111 meeting w/NRC re 20th yr tendon surveillance program for Turkey Point Units 3 & 4.
PLUNKETT, T.F. Florida Power & Light Co. 93/08/10. Document Control Branch (Document Control Desk). 96pp. 76128:011-76128:107.

9308310093 Informs that changes addressed in 930602 topical quality assurance rept have been reviewed & found acceptable.
GIBSON, A.F. Region 2 (Post 820201). 93/08/11. GOLDBERG, J.H. Florida Power & Light Co. 4pp. 76263:357-76263:360.

9308230303 Provides response to Item 1 of TER App A re third-yr interval IST program.
PLUNKETT, T.F. Florida Power & Light Co. 93/08/16. Document Control Branch (Document Control Desk). 3pp. 76203:315-76203:317.

9308300163 Application for amends to Licenses DPR-31 & DPR-41, revising License Conditions 3.G & 3.F respectively, to conform to std fire protection license proposed as stated in GL 86-10.
PLUNKETT, T.F. Florida Power & Light Co. 93/08/17. Document Control Branch (Document Control Desk). 10pp. 76298:301-76298:349.

-9308300170 Proposed tech specs re fire protection.
* Florida Power & Light Co. 93/08/17. 39pp. 76298:311-76298:349.

9308300139 Requests exemption from certain requirements of 10CFR73.55, "Requirements for Physical Protection of Licensed Activities ... Against Radiological Sabotage," for Units 1 & 2.
BOHLKE, W.H. Florida Power & Light Co. 93/08/18. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 4pp. 76284:155-76284:158.

9308300181 Provides response to request for addl info re Rev 1 to GL 92-01, "Reactor Vessel Structural Integrity."
PLUNKETT, T.F. Florida Power & Light Co. 93/08/20. Document Control Branch (Document Control Desk). 4pp. 76278:352-76278:355.

9308300191 "Turkey Point Nuclear Plant Unit 4, Cycle XIV Startup Rept." W/930820 ltr.
PLUNKETT, T.F. Florida Power & Light Co. 93/08/20. 19pp. 76282:317-76282:335.

Q. Inspection reports, IE Bulletins & correspondence

9308100078 Forwards insp repts 50-250/93-18 & 50-251/93-18 on 930607-11. No violations or deviations noted.
CLINE, W.E. Region 2 (Post 820201). 93/07/09. GOLDBERG, J.H. Florida Power & Light Co. 3pp. 76025:301-76025:313.

-9308100079 Insp repts 50-250/93-18 & 50-251/93-18 on 930607-11. No violations or deviations noted. Major areas inspected: emergency preparedness & included review of listed programmatic elements.
SALYERS, G.W., BARR, K.P. Region 2 (Post 820201). 93/07/09. 10pp. 76025:304-76025:313.

9308050013 Forwards insp repts 50-250/93-17 & 50-251/93-17 on 930529-0625. Non-cited violations noted.
SINKULE, M.V. Region 2 (Post 820201). 93/07/21. GOLDBERG, J.H. Florida Power & Light Co. 3pp. 75971:070-75971:101.

-9308050015 Insp repts 50-250/93-17 & 50-251/93-17 on 930529-0625. Non-cited violations noted. Major areas inspected: surveillance observations, maint observations, operational safety, plant events & mgt meetings.
BUTCHER, R.C., TROCINE, L., LANDIS, K.D. Region 2 (Post 820201). 93/07/21. 29pp. 75971:073-75971:101.

9307190043 NRC Info Notice 93-057, "Software Problems Involving Digital Control Console Sys at Non-Power Reactors."
GRIMES, B.K. Division of Operating Reactor Support (Post 921004). 93/07/23. Consolidated Edison Co. of New York, Inc. 9pp. 76111:200-76111:208.

9308060032 Forwards insp repts 50-250/93-16 & 50-251/93-16 on 930607-11. No violations or deviations noted.
CLINE, W.E. Region 2 (Post 820201). 93/07/28. GOLDBERG, J.H. Florida Power & Light Co. 3pp. 75992:140-75992:158.

-9308060035 Insp repts 50-250/93-16 & 50-251/93-16 on 930607-28. No violations noted. Major areas inspected: review of licensee radiation protection programs for meteorological & environ monitoring.
KUZO, G.B., DECKER, T.R. Region 2 (Post 820201). 93/07/28. 16pp. 75992:143-75992:158.

9308250023 Forwards insp repts 50-250/93-20 & 50-251/93-20 on 930712-16 & notice of violation.
JULIAN, C.A. Region 2 (Post 820201). 93/08/12. GOLDBERG, J.H. Florida Power & Light Co. 4pp. 76187:029-76187:041.

-9308250038 Insp repts 50-250/93-20 & 50-251/93-20 on 930712-16. Violations noted. Major areas inspected: area of electrical maint.
MOORE, L.R., SHYMLOCK, M.B. Region 2 (Post 820201). 93/08/10. 7pp. 76187:035-76187:041.

9308250194 Notices of enforcement conference scheduled before Oct 1993 to discuss two cases of employee discrimination filed w/DOL under provisions of Section 210 of ERA of 1974. Attendance requested.
EBNETER, S.D. Region 2 (Post 820201). 93/08/13. GOLDBERG, J.H. Florida Power & Light Co. BELL, W.G. Bechtel Corp. 58pp. 76188:055-76188:112.

9308260306 Forwards "Turkey Point Plant Unit 4 1993 Inservice Insp Rept."
PLUNKETT, T.F. Florida Power & Light Co. 93/08/20. Document Control Branch (Document Control Desk). 1p. 76257:094-76257:342.

-9308260311 "Turkey Point Plant Unit 4 1993 Inservice Insp Rept."
* Florida Power & Light Co. 93/08/20. 175pp. 76257:095-76257:342.

R. Periodic operating reports & related correspondence

9308170104 Monthly operating repts for Jul 1993 for Turkey Point, units 3 & 4. W/930812 ltr.
CALLANDER, R., PLUNKETT, T.F. Florida Power & Light Co. 93/07/31. 9pp. 76136:291-76136:299.

S. Reportable occurrences, LERs & related correspondence

- 9308170345** Part 21 rept re reportable defect-75 PSIG relief check valve 1" NPT, EMD 9521844, Kepner 416C-1-75.
GALEAZZI, D.D. MKW Power Systems, Inc. 93/07/15. Office of Nuclear Reactor Regulation, Director (Post 870411). 10pp. 76139:010-76139:019.
- 9308250108** PNO-II-93-035: on 930812, unplanned shutdown for repair to RCS leak occurred. Resident inspectors on site & reviewing licensee shutdown, repair & restart activities.
LANDIS, K.D. Region 2 (Post 820201). 93/08/13. 1p. 76224:359-76224:359.

DOCKET 50-254 QUAD-CITIES STATION, UNIT 1**F. Security, medical, emergency & fire protection plans**

- 9308050300** Corrected Emergency Preparedness & State Programs Corporate EPIPs (CEPIP) CEPIP-2000 Series: Corporate Emergency Response Organization Index.
* Commonwealth Edison Co. 93/07/14. 3pp. 76022:121-76022:123.
- 9308040274** Forwards encl 8 to SECY 93-166 which describes proposed characteristics of design basis vehicle. W/o encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 93/07/15. FARRAR, D.L. Commonwealth Edison Co. 4pp. 75979:087-75979:090.
- 9308090283** Revised EPIPs, including Rev 8 to QEP 107-0, "Assistant Station Director" & Rev 5 to QEP 107-S3, "Assistant Station Director General Emergency Checklist."
* Commonwealth Edison Co. 93/07/31. 5pp. 76060:357-76060:361.

9308100102 Forwards partially withheld insp repts 50-254/93-20 & 50-265/93-20 on 930719-23 & NOV. Expresses concern for violation because design of barriers resulted in identification of degradation. NOV withheld.
JORGENSEN, B.L. Region 3 (Post 820201). 93/08/04. DELGEORGE, L.O. Commonwealth Edison Co. 2pp. 76025:349-76025:352.

-9308100103 Partially withheld insp repts 50-254/93-20 & 50-265/93-20 on 930719-23. Violations noted. Major areas inspected: physical security, including mgt support & power supply. Details withheld ref 10CFR73.21.
MADEDA, T.J., CREED, J.R. Region 3 (Post 820201). 93/08/03. 2pp. 76025:351-76025:352.

9308100190 Provides addl info on fire barrier qualification, installation & ampacity derating margins for Thermo-Lag applications at facilities, in response to GL 92-08.
CHYZANOWSKI, D. Commonwealth Edison Co. 93/08/04. Office of Nuclear Reactor Regulation, Director (Post 870411). 6pp. 76067:249-76067:254.

9308260076 Revised emergency procedures, including Rev 11 to QEP 720-0, "Drills & Exercises," Rev 8 to QEP 720-2, "Equipment & Communication Tests" & Rev 7 to QEP 720-S1, "Monthly Equipment & Communications Sys Test Checklist."
* Commonwealth Edison Co. 93/08/18. 36pp. 76237:290-76237:325.

9308310078 Summary of 930817 meeting w/util in Rockville, MD re security-related issues & proposed mods to security plans. List of attendees encl.
PICKETT, D.V. Project Directorate III-2. 93/08/24. Project Directorate III-2. 7pp. 76274:190-76274:196.

P. Operating license stage documents & correspondence

9308120014 AEOD/T604, "Events Resulting From Deficiencies in Labeling & Identification Sys" technical review rept.
TRAGER, E.A. NRC - No Detailed Affiliation Given. 86/05/07. 25pp. 76082:334-76082:358.

9308110174 Forwards request for addl info re licensee 920701 response to GL 92-01, rev 1, "Reactor Vessel Structural Integrity."
KENNEDY, J.L. Project Directorate III-2. 93/07/19. FARRAR, D.L. Commonwealth Edison Co. 7pp. 76063:301-76063:307.

9308030320 Ack receipt of 930630 & 0713 submittals, incorporating changes in QA program description topical rept. Anticipates 60 days to complete review of submittal.
RING, M.A. Region 3 (Post 820201). 93/07/27. DELGEORGE, L.O. Commonwealth Edison Co. 2pp. 75979:304-75979:305.

9308180220 Ack receipt of response to GL 92-04, "Resolution of Issues re Reactor Vessel Water Level Instrumentation in BWRs" & finds listed response acceptable.
STANG, J.F. Project Directorate III-2. 93/07/29. FARRAR, D.L. Commonwealth Edison Co. 6pp. 76143:133-76143:138.

9308200102 Forwards amends 143 & 138 to licenses DPR-29 & DPR-30 & safety evaluation. Amends would revise basis of scram & isolation setpoints for main steam-line radiation monitors.
PATEL, C.P. Project Directorate III-2. 93/08/03. FARRAR, D.L. Commonwealth Edison Co. 2pp. 76164:281-76164:291.

-9308200107 Amends 143 & 138 to licenses DPR-29 & DPR-30, respectively, revising basis of scram & isolation setpoints for main steamline radiation monitors.
DYER, J.E. Project Directorate III-2. 93/08/03. 4pp. 76164:283-76164:286.

-9308200112 Safety evaluation supporting amends 143 & 138 to licenses DPR-29 & DPR-30, respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 93/08/03. 5pp. 76164:287-76164:291.

9308100190 Provides addl info on fire barrier qualification, installation & ampacity derating margins for Thermo-Lag applications at facilities, in response to GL 92-08.
CHYZANOWSKI, D. Commonwealth Edison Co. 93/08/04. Office of Nuclear Reactor Regulation, Director (Post 870411). 6pp. 76067:249-76067:254.

9308260158 Advises that NRC has no technical objection to licensee 930521 request to change frequency of meetings w/fuel vendors from once per reload design to once yearly.
DYER, J.E. Project Directorate III-3. 93/08/09. FARRAR, D.L. Commonwealth Edison Co. 3pp. 76216:358-76216:360.

9308200005 Notification of 930818 meeting w/util in Rockville, MD to discuss approach NRR taking to address cost beneficial licensing actions.
SIEGEL, B.L. Project Directorate III-2. 93/08/17. MURLEY, T., MIRAGLIA, F., RUSSEL, W. NRC - No Detailed Affiliation Given. 4pp. 76209:284-76209:287.

9308230136 Provides requested info on post-accident neutron monitoring sys configurations at util re NEDO document.
CHYZANOWSKI, D. Commonwealth Edison Co. 93/08/17. Document Control Branch (Document Control Desk). 12pp. 76204:350-76204:361.

9308260010 Re-transmits Quad-Cities Station, Units 1 & 2 Cycle 12 startup test rept summaries, transmitted via 910719 & 920723 ltrs to correctly note values within startup test repts summaries incorrectly reported.
MORGAN, W.E. Commonwealth Edison Co. 93/08/19. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 76259:191-76259:210.

-9308260015 "Quad-Cities Nuclear Power Station, Unit 1 Cycle 12 Startup Test Results."
* Commonwealth Edison Co. 93/08/19. 9pp. 76259:193-76259:201.

-9308260016 "Quad-Cities Nuclear Power Station, Unit 2 Cycle 12 Startup Test Results."
* Commonwealth Edison Co. 93/08/19. 9pp. 76259:202-76259:210.

9308230113 Forwards Rev 64 to Topical Rept CE-1-A, "Comm Ed QA Manual."
BAUER, J.A. Commonwealth Edison Co. 93/08/20. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 76179:001-76179:190.

-9308230114 Rev 64 to Topical Rept CE-1-A, "Comm Ed QA Manual."
* Commonwealth Edison Co. 93/08/17. 189pp. 76179:002-76179:190.

Q. Inspection reports, IE Bulletins & correspondence

9307190043 NRC Info Notice 93-057, "Software Problems Involving Digital Control Console Sys at Non-Power Reactors."
GRIMES, B.K. Division of Operating Reactor Support (Post 921004). 93/07/23. Consolidated Edison Co. of New York, Inc. 9pp. 76111:200-76111:208.

9308040325 Responds to NRC Bulletin 93-003, "Resolution of Issues Re RV Water Level Instrumentation in BWRs." Licensee has established monitoring of RPV level instruments during reactor shutdown activities.
DELGEORGE, L.O. Commonwealth Edison Co. 93/07/30. MURLEY, T. Office of Nuclear Reactor Regulation, Director (Post 870411). 23pp. 75997:001-75997:026.

9308090127 Forwards insp repts 50-254/93-15 & 50-265/93-15 on 930518-0628. No violations noted. Concern re inability to implement long term corrective actions to eliminate causes for safety sys failures noted.
GREENMAN, E.G. Region 3 (Post 820201). 93/07/30. DELGEORGE, L.O. Commonwealth Edison Co. 2pp. 76020:162-76020:176.

-9308090131 Insp repts 50-254/93-15 & 50-265/93-15 on 930518-0628. No violations noted. Major areas inspected: licensee action on previously identified items, LER review, operational safety verification, monthly maint & surveillance observation.
HILAND, P.L. Region 3 (Post 820201). 93/07/19. 13pp. 76020:164-76020:176.

9308100083 EN-93-079: on 930806, notice of proposed imposition of civil penalty in amount of \$50,000 issued to licensee. Action based on number of violations identified in licensee fire protection program.
LUEHMAN, J., LIEBERMAN, J. Ofc of Enforcement (Post 870413). 93/08/03. 1p. 76025:331-76025:331.

9308200137 Ack receipt of 930610 response to NRC Bulletin 93-002. Licensee stated that no fibrous filter mat identified being used or stored in containment.
PATEL, C.P. Project Directorate III-2. 93/08/03. FARRAR, D.L. Commonwealth Edison Co. 2pp. 76162:360-76162:361.

9308100102 Forwards partially withheld insp repts 50-254/93-20 & 50-265/93-20 on 930719-23 & NOV. Expresses concern for violation because design of barriers resulted in identification of degradation. NOV withheld.
JORGENSEN, B.L. Region 3 (Post 820201). 93/08/04. DELGEORGE, L.O. Commonwealth Edison Co. 2pp. 76025:349-76025:352.

-9308100103 Partially withheld insp repts 50-254/93-20 & 50-265/93-20 on 930719-23. Violations noted. Major areas inspected: physical security, including mgt support & power supply. Details withheld ref 10CFR73.21.
MADEDA, T.J., CREED, J.R. Region 3 (Post 820201). 93/08/03. 2pp. 76025:351-76025:352.

9308240082 Forwards technical review rept re, "Tardy Licensee Actions" initiated because of delayed replacement of batteries in uninterruptible power supplies at plant.
ISRAEL, S.L. Reactor Operations Analysis Branch. 93/08/05. ROSENTHAL, J.E. Reactor Operations Analysis Branch. 2pp. 76218:177-76218:193.

-9308240165 Technical review rept, "Tardy Licensee Actions."
ISRAEL, S.L. Reactor Operations Analysis Branch. 93/08/31. 13pp. 76218:179-76218:193.

9308120001 Discusses safety insp repts 50-254/93-09 & 50-265/93-09 on 930224-26, 0419-23 & 0527 & forwards notice of violation & proposed imposition of civil penalty in amount of \$50,000. Enforcement conference held on 930621 to discuss violations.
MARTIN, J.B. Region 3 (Post 820201). 93/08/06. WALLACE, M.J. Commonwealth Edison Co. 6pp. 76063:001-76063:011.

-9308120002 Notice of violation & proposed imposition of civil penalty in amount of \$50,000. Noncompliance noted: procedures not established to track opposite unit/shared unit safe shutdown components when equipment taken out-of-svc.
* Region 3 (Post 820201). 93/08/06. 5pp. 76063:007-76063:011.

9308190003 Forwards insp repts 50-254/93-21 & 50-265/93-21 on 930719-27 & notice of violation.
SNELL, W. Region 3 (Post 820201). 93/08/13. DELGEORGE, L.O. Commonwealth Edison Co. 2pp. 76160:310-76160:319.

24 DOCKETED ITEMS

—9308190006 Notice of violation from insp on 930719-27. Violation noted: failure to conduct surveillance of SBTG sys iodine removal efficiency test.
SNELL, W. Region 3 (Post 820201). 93/08/13. 1p. 76160:312-76160:312.

—9308190014 Insp repts 50-254/93-21 & 50-265/93-21 on 930719-27. Violation noted: failure to conduct surveillance of SBTG sys iodine removal efficiency test. Major areas inspected: radiation protection & gaseous radioactive waste.
PAUL, R.A., SHAH, N. Region 3 (Post 820201). 93/08/06. 7pp. 76160:313-76160:319.

9308190062 Forwards insp repts 50-254/93-17 & 50-265/93-17 on 930609-0812. Violations noted: failure to follow procedures & inadequate procedures.
MARTIN, T.O. Region 3 (Post 820201). 93/08/13. DELGEORGE, L.O. Centerior Energy. 3pp. 76162:152-76162:177.

—9308190070 Insp repts 50-254/93-17 & 50-265/93-17 on 930609-0812. Violations noted: failure to follow procedures & inadequate procedures. Major areas inspected: root cause for disc failure & response to event.
GUZMAN, J., PRESCOTT, P., ZELIG, C. Region 3 (Post 820201). 93/08/13. 22pp. 76162:155-76162:177.

9308230024 Forwards insp repts 50-254/93-13 & 50-265/93-13 on 930628-0708. No violations noted.
MARTIN, T.O. Region 3 (Post 820201). 93/08/17. DELGEORGE, L.O. Commonwealth Edison Co. 3pp. 76165:063-76165:081.

—9308230028 Insp repts 50-254/93-13 & 50-265/93-13 on 930628-0708. No violations noted. Major areas inspected: implementation of licensee response to GL 89-10.
REPLOGLE, G.D., SMITH, J.F., GUZMAN, J.G. Region 3 (Post 820201). 93/08/16. 16pp. 76165:066-76165:081.

9308300150 Submits final insp results from D2R13 & Q2R12 refueling outages re RWCU outboard piping insp plan for Units 2 & 3.
PIET, P.L. Commonwealth Edison Co. 93/08/20. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 7pp. 76282:272-76282:279.

R. Periodic operating reports & related correspondence

9308060354 Forwards listing of facility & procedure changes, tests & experiments requiring safety evaluations completed during month of June 1993. Summary of SES being reported, per 10CFR50.59 & 10CFR50.71(e).
SCOTT, A.M. Commonwealth Edison Co. 93/07/07. Document Control Branch (Document Control Desk). 16pp. 76024:268-76024:283.

9308090330 Forwards errata to Quad Cities Nuclear Power Station, units 1 & 2 annual environ operating rept.
SCHUSTER, T. Commonwealth Edison Co. 93/07/26. MARTIN, J. Region 3 (Post 820201). 1p. 76037:229-76037:231.

—9308090337 Errata to Quad Cities Nuclear Power Station, units 1 & 2 annual environ operating rept.
* Commonwealth Edison Co. 92/12/31. 2pp. 76037:230-76037:231.

9308160219 Monthly operating repts for Jul 1993 for Quad-Cities Nuclear Station, units 1 & 2. W/930802 ltr.
BENSON, M., SCOTT, A.M. Commonwealth Edison Co. 93/07/31. 25pp. 76141:271-76141:295.

9308310197 Forwards Rev 5 to "Effluent & Waste Disposal Semi-Annual Rept, Gaseous Effluents - Summation of all Releases, Jan-June 1993."
BAX, R.L. Commonwealth Edison Co. 93/08/12. Document Control Branch (Document Control Desk). 4pp. 76300:333-76300:357.

—9308310201 Rev 5 to "Effluent & Waste Disposal Semi-Annual Rept, Gaseous Effluents - Summation of all Releases."
* Commonwealth Edison Co. 93/06/30. 21pp. 76300:337-76300:357.

9308260021 Forwards fitness-for-duty program performance data for Braidwood, Byron, Dresden, LaSalle, Quad-Cities & Zion Stations for six month period ending 930630.
SIMPKIN, T.W. Commonwealth Edison Co. 93/08/20. Document Control Branch (Document Control Desk). 24pp. 76259:243-76259:266.

S. Reportable occurrences, LERs & related correspondence

9308120305 Summary of 930616 operating reactors events meeting.
CHAFFEE, A.E. Events Assessment Branch. 93/06/22. GRIMES, B.K. Division of Operating Reactor Support (Post 921004). 13pp. 76087:197-76087:210.

9308170345 Part 21 rept re reportable defect-75 PSIG relief check valve 1" NPT, EMD 9521844, Kepner 416C-1-75.
GALEAZZI, D.D. MKW Power Systems, Inc. 93/07/15. Office of Nuclear Reactor Regulation, Director (Post 870411). 10pp. 76139:010-76139:019.

9308030372 Potential Part 21 rept re Limitorque actuator motors. Utilis & other purchases listed in encl being advised of concern. Limitorque revising selection procedure for safety related actuators, motors & technical data packages.
TAYLOR, J.H. Babcock & Wilcox Co. 93/07/22. Document Control Branch (Document Control Desk). 8pp. 75976:349-75976:356.

9308190153 LER 93-008-00: on 930709, reactor bldg ventilation radiation monitor set-points set non-conservatively four times in five yrs. Caused by instrument maint program error. New computer program developed. W/930805 ltr.
BRIDGES, M., BAX, R.L. Commonwealth Edison Co. 93/08/11. 5pp. 76178:047-76178:051.

9308180097 LER 93-009-00: on 930714, SBTG methyl iodide test failed due to age of charcoal combined w/ stringing test criteria. Replaced charcoal absorber in both trains of SBTG. W/930806 ltr.
LUEBE, R., BAX, R.L. Commonwealth Edison Co. 93/08/13. 5pp. 76177:033-76177:037.

9308240021 LER 93-011-00: on 930721, discovered that 4kV breaker 68 feeding CS 1B motor pump open & discharged, resulting in CS 1B being declared inoperable. WR written to investigate & repair. W/930813 ltr.
HUHN, M.L., BAX, R.L. Commonwealth Edison Co. 93/08/18. 7pp. 76200:175-76200:181.

9308240039 LER 93-010-00: on 930720, HPCI declared inoperable & HPCI Outage Rept QCOS 2300-2 initiated because IST flow rate fell in IST required action range due to new procedure. Surveillance procedure will be revised. W/930819 ltr.
RADLOFF, N., BAX, R.L. Commonwealth Edison Co. 93/08/19. 7pp. 76200:182-76200:188.

9308260066 Final Part 21 rept re Rev 4 of BWROG emergency response guidelines. Initially reported on 930723. Appropriate changes made to operator training to ensure appropriate actions will be taken to address issue re alignment of CCSW.
JOHNSON, J.M. Commonwealth Edison Co. 93/08/20. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 4pp. 76260:165-76260:168.

V. Operator Examinations

9308030302 Informs of NRC plans to administer generic fundamentals exam section written operator licensing exam on 931006.
RING, M.A. Region 3 (Post 820201). 93/07/28. Consumers Power Co. 3pp. 75983:358-75983:360.

DOCKET 50-255 PALISADES NUCLEAR PLANT

F. Security, medical, emergency & fire protection plans

9308040229 Rev 8 to EPIP EI-8, "Onsite Radiological Monitoring."
* Consumers Power Co. 93/06/16. 27pp. 75997:058-75997:085.

9308040157 Forwards encl 8 to SECY 93-166 which describes proposed characteristics of design basis vehicle. Encl withheld.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 93/07/15. SLADE, G.B. Consumers Power Co. 2pp. 75987:018-75987:019.

9308040240 Ack receipt of 930712 ltr transmitting temporary rev to Palisades security plan. Changes consistent w/provisions of 10CFR50.54(p) & acceptable.
JORGENSEN, B.L. Region 3 (Post 820201). 93/07/29. ROGERS, D.W. Consumers Power Co. 2pp. 75991:275-75991:276.

9308130095 Rev 6 to EPIP EI-6.7, "Plant Site Meteorological Sys."
* Consumers Power Co. 93/08/02. 2pp. 76141:216-76141:217.

9308130098 Rev 5 to EPIP EI-6.8, "Backup & Supplemental Meteorology."
* Consumers Power Co. 93/08/02. 2pp. 76141:226-76141:227.

9308130112 Rev 9 to Section 8, "Maintaining Emergency Preparedness" of "Palisades Nuclear Plant Site Emergency Plan."
* Consumers Power Co. 93/08/02. 14pp. 76113:221-76113:234.

9308130177 Rev 2 to EIP EI-15.3, "Post Accident Sample Monitoring Sys Operator Training." coversheet (applicability). W/undated ltr.
ZIELINSKI, K. Consumers Power Co. 93/08/02. 3pp. 76113:358-76113:360.

9308260166 Rev 5 to Procedure EI-7.2, "Emergency Post Accident Analysis."
* Consumers Power Co. 93/08/02. 12pp. 76236:337-76236:348.

9308310195 Ack receipt of 930723 Rev 31 to security plan. Rev consistent w/provisions of 10CFR50.54(p) & acceptable.
SNELL, W. Region 3 (Post 820201). 93/08/27. ROGERS, D.W. Consumers Power Co. 2pp. 76307:332-76307:333.

H. General correspondence

9308030039 Forwards motion to stay effectiveness, or in alternative, to rescind regulation published in 930407 FR re amend of 10CFR72.214 & use of storage device known as VSC-24 cask, submitted by atty general for State of MI.
GRAHAM, R.L. Jenner & Block. 93/05/21. JULIAN, E.L. Docketing & Services Branch. 1p. 75935:200-75935:226.

—9308030053 Motion to stay effectiveness, or in alternative, to rescind adoption of amend to 10CFR72.214 adding VSC-24 cask to approved list of casks.
SCHERBARTH, J.C., KEENAN, K.G. Michigan, State of. * Lake Michigan Federation. 93/05/21. Commissioners (Post 750119). 7pp. 75935:201-75935:207.

—9308030061 Affidavit of M Resnikoff to evaluate risk associated w/dry storage of irradiated nuclear fuel at plant & need for EIS before any storage permitted to take place.
RESNIKOFF, M. Michigan, State of. RESNIKOFF, M. Radioactive Waste Management Associates. 93/05/03. 19pp. 75935:208-75935:226.

9308030089 Forwards response to util motion filed by FJ Kelley to stay effectiveness, or to rescind adoption of amend to 10CFR72.214.
ROSS, M.S. Consumers Power Co. ROSS, M.S. Shaw, Pittman, Potts & Trowbridge. 93/05/26. JULIAN, E.L. Docketing & Services Branch. 1p. 75936:001-75936:020.

—9308030182 Response of util motion to stay effectiveness, or in alternative, or to rescind adoption of amend 10CFR72.214 adding VSC-24 cask to approved list of casks. Petition & request for stay of final rule should be denied.
BLAKE, E.L., MIKELONIS, D.A. Consumers Power Co. BLAKE, E.L. Shaw, Pittman, Potts & Trowbridge. 93/04/07. Commissioners (Post 750119). 19pp. 75936:002-75936:020.

9308030095 Denial of motion for stay of effectiveness of regulation. Petition will be held in abeyance for period stated & movants have until 930825 to suppl petition for rescission of rule.
TAYLOR, J.M. Ofc of the Executive Director for Operations. 93/05/26. Ofc of the Executive Director for Operations. 7pp. 75936:021-75936:027.

9308030170 Comment opposing proposed rule 10CFR72 re dry cask issue of LLRW storage problem.
WODTHE, H., WODTHE, S. Affiliation Not Assigned. 93/06/10. Docketing & Services Branch. 2pp. 75936:322-75936:323.

9308030126 Order terminating reconsideration of regulation per request for rescission.
TAYLOR, J.M. Ofc of the Executive Director for Operations. 93/07/01. KELLY, F.J. Michigan, State of. 2pp. 75936:051-75936:052.

9308030109 Comment opposing proposed rule 10CFR72 re permitting loading of irradiated spent reactor fuel into dry-cask storage containers. BENSON,E. Affiliation Not Assigned. 93/07/10. Docketing & Services Branch. 1p. 75936:035-75936:035.

9308170329 Responds to 930706 ltr, which encl ltr from constituent C Shier expressing concern re plans of CPC to store nuclear spent fuel in casks at Palisades Nuclear Plant. Copy of FR notice re approved VSC-24 cask, COC & SER encl. W/o encls. TAYLOR, J.M. Ofc of the Executive Director for Operations. 93/08/06. MOSELEY-BRAUN Senate. 2pp. 76137:302-76137:305.

-9308170333 Forwards inquiry received from constituent C Shier re CPC plans to store nuclear spent fuel in casks at Palisades Nuclear Plant. MOSELEY-BRAUN Senate. 93/07/06. RATHBUN, D.K. Office of Congressional Affairs (Post 911117). 2pp. 76137:304-76137:305.

9308160200 Responds to P Hanson 930709 ltr, forwarded by P Simon, expressing concerns re storing spent fuel onsite at Palisades Plant. Forwards SER & COC. W/o encl. BERNERO, R.M. Office of Nuclear Material Safety & Safeguards. 93/08/11. HANSON, P. Affiliation Not Assigned. 2pp. 76143:317-76143:320.

-9308160206 Forwards 930709 ltr of constituent, P Hanson, expressing concerns over storage of spent nuclear rods at Plant. SIMON, P. Senate. 93/07/28. RATHBUN, D. NRC - No Detailed Affiliation Given. 2pp. 76143:319-76143:320.

9308160225 Responds to M Roche 930709 ltr, forwarded by P Simon. Ltr expressed concerns re storing spent fuel onsite at Palisades Plant. FR Notice 58FR17948, COC & SER encl. W/o encls. BERNERO, R.M. Office of Nuclear Material Safety & Safeguards. 93/08/11. ROCHE, M. Affiliation Not Assigned. 2pp. 76141:319-76141:322.

-9308160241 Forwards constituent, M Roche, 930709 ltr expressing concern over storage of spent nuclear fuel rods at Plant. SIMON, P. Senate. 93/07/28. RATHBUN, D. NRC - No Detailed Affiliation Given. 2pp. 76141:321-76141:322.

9308240154 Comment opposing proposed rule 10CFR20 re radiological criteria for de-commissioning. SHEARER, V.M. Affiliation Not Assigned. 93/08/11. Docketing & Services Branch. 1p. 76181:084-76181:084.

9308300190 Responds to 930701 ltr w/regard to ltr from constituent B Johnson expressing concerns re storing spent fuel on site at Palisades & Point Beach nuclear power plants. TAYLOR, J.M. Ofc of the Executive Director for Operations. 93/08/23. ROTH, T. House of Rep. 3pp. 76282:107-76282:113.

-9308300197 Forwards ltr from constituent B Johnson expressing concerns re storing spent fuel on site at Palisades & Point Beach nuclear power plants. ROTH, T. House of Rep. 93/07/01. RATHBUN, D. Office of Congressional Affairs (Post 911117). 4pp. 76282:110-76282:113.

P. Operating license stage documents & correspondence

9308260210 Ltr contract awarding Task Order 15, "IPE Reviews - Internal Events - Human Factors Only (Palisades)," to contract NRC-04-91-069. MATTIA, M.J. Contract Administration Branch 2 (Post 900603). FIN L-1934. 93/04/14. HASS, P.M. Concord Associates, Inc. 8pp. 76214:259-76214:266.

9308260072 Ltr contract awarding Task Order 15, "IPE Reviews - Internal Events - Front End Only (Palisades)," to contract NRC-04-91-066. MATTIA, M.J. Contract Administration Branch 2 (Post 900603). FIN B-5787. 93/04/16. COLINA, J. Science & Engineering Associates, Inc. 9pp. 76214:344-76214:352.

9308120314 Responds to encl 930507 ltr to Chairman Selin re staff recommendations contained in paper from staff to Commission. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 93/06/24. HOFFMAN, D.P. Consumers Power Co. 4pp. 76085:271-76085:279.

-9308120337 Forwards copy of recent testimony to House Subcommittee on Energy re MHTGR program. HOFFMAN, D.P. Consumers Power Co. 93/05/07. THE CHAIRMAN, SELIN Commissioners (Post 750119). 3pp. 76085:275-76085:279.

9308040142 Forwards SE concluding that CEOG rept CEN-387-P, rev 1, "Pressurizer Surge Line Thermal Stratification Evaluation" adequately demonstrates that bounding surge line & nozzles meet ASME code stress & fatigue requirements. TRAN, L.N. Project Directorate V. 93/07/16. CONWAY, W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 75978:331-75978:338.

-9308040183 SE of CEN-387-P, Rev 0 & 1, "Pressurizer Surge Line Flow Stratification Evaluation." Rept acceptable. * Office of Nuclear Reactor Regulation, Director (Post 870411). 93/07/16. 4pp. 75978:335-75978:338.

9308030144 Ack receipt of 10CFR50.54(a) submittal dtd 930614 re changes to QA program description topical rept. RING, M.A. Region 3 (Post 820201). 93/07/27. HOFFMAN, D.P. Consumers Power Co. 1p. 75936:099-75936:099.

9308310142 Confirms plans to hold public meeting on 930909 in Benton Harbor, MI to discuss, prior to resumption of power operations, corrective actions & assessments re numerous problems experienced at plant during refueling. GREENMAN, E.G. Region 3 (Post 820201). 93/08/24. SLADE, G.B. Consumers Power Co. 1p. 76264:153-76264:153.

Q. Inspection reports, IE Bulletins & correspondence

9308040142 Forwards SE concluding that CEOG rept CEN-387-P, rev 1, "Pressurizer Surge Line Thermal Stratification Evaluation" adequately demonstrates that bounding surge line & nozzles meet ASME code stress & fatigue requirements. TRAN, L.N. Project Directorate V. 93/07/16. CONWAY, W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 75978:331-75978:338.

-9308040183 SE of CEN-387-P, Rev 0 & 1, "Pressurizer Surge Line Flow Stratification Evaluation." Rept acceptable. * Office of Nuclear Reactor Regulation, Director (Post 870411). 93/07/16. 4pp. 75978:335-75978:338.

9307190043 NRC Info Notice 93-057, "Software Problems Involving Digital Control Console Sys at Non-Power Reactors." GRIMES, B.K. Division of Operating Reactor Support (Post 921004). 93/07/23. Consolidated Edison Co. of New York, Inc. 9pp. 76111:200-76111:208.

9308030094 Ack receipt of 930625 ltr re steps taken to correct violations noted in insp rept 50-255/93-08. SHAFER, W.D. Region 3 (Post 820201). 93/07/27. SLADE, G.B. Consumers Power Co. 2pp. 75975:342-75975:343.

9308090005 Confirms plans discussed between E Schweibinz & D Rogers to hold meeting at 1 pm on 930810 to discuss apparent violations re failure to follow procedures or to establish procedures for disconnecting CR from drive mechanisms. GREENMAN, E.G. Region 3 (Post 820201). 93/07/30. SLADE, G.B. Consumers Power Co. 1p. 76020:008-76020:008.

9308240082 Forwards technical review rept re, "Tardy Licensee Actions" initiated because of delayed replacement of batteries in uninterruptible power supplies at plant. ISRAEL, S.L. Reactor Operations Analysis Branch. 93/08/05. ROSENTHAL, J.E. Reactor Operations Analysis Branch. 2pp. 76218:177-76218:193.

-9308240165 Technical review rept, "Tardy Licensee Actions." ISRAEL, S.L. Reactor Operations Analysis Branch. 93/08/31. 13pp. 76218:179-76218:193.

9308250268 Responds to NRC 930528 ltr re unresolved item noted in Rept 50-255/93-08. Corrective actions: field monitoring program being developed & emphasis on more than two communications & clarity of operator errors to be provided. SLADE, G.B. Consumers Power Co. 93/08/20. Document Control Branch (Document Control Desk). 6pp. 76221:356-76221:361.

9308310061 Forwards enforcement conference rept 50-255/93-22 on 930810. Decision re EA will be sent in separate correspondence. GREENMAN, E.G. Region 3 (Post 820201). 93/08/20. SLADE, G.B. Consumers Power Co. 4pp. 76263:301-76263:325.

-9308310064 Enforcement conference rept 50-255/93-22 on 930810. Areas discussed: apparent violations & areas of concern identified during insp & corrective actions taken or planned. JORGENSEN, B., SHAFER, W.D. Region 3 (Post 820201). 93/08/20. 21pp. 76263:305-76263:325.

R. Periodic operating reports & related correspondence

9308100222 Monthly operating rept for Jul 1993 for Palisades Nuclear Plant. W/930805 ltr. HANDLOVITS, S.M., KLUSKOWSKI, P.J. Consumers Power Co. 93/07/31. 5pp. 76065:326-76065:330.

9308170281 Forwards Semi-Annual fitness-for-duty program performance rept & data sheets for period of 930101-0630, for Big Rock Point Plant & Palisades Plant. SLADE, G.B. Consumers Power Co. 93/08/09. Document Control Branch (Document Control Desk). 17pp. 76150:261-76150:277.

S. Reportable occurrences, LERs & related correspondence

9308050191 LER 93-004-00: on 930630, failure of fuel rod & dislocation from fuel assembly w/cause undetermined at this time. Core reload plan developed. W/930730 ltr. HILLMAN, C.T., SLADE, G.B. Consumers Power Co. 93/07/30. 5pp. 76059:074-76059:078.

9308200083 Forwards request for addl info on plant re recent fuel failure event. HSIA, A.H. Project Directorate III-1. 93/08/03. SLADE, G.B. Consumers Power Co. 4pp. 76164:009-76164:012.

9308240327 Forwards proprietary & nonproprietary response to NRC 930803 RAI re recent fuel failure. Response documents info provided to NRC in 930803 telcon. Proprietary response withheld (ref 10CFR2.790(b)). SLADE, G.B. Consumers Power Co. 93/08/16. Document Control Branch (Document Control Desk). 42pp. 76215:335-76215:338.

9308240102 LER 93-005-00: on 930720, both EDGs started after receiving undervoltage signal due to de-energization of electrical Bus 1C. Caused by inadequate design info. Sys engineers will be trained on event. W/930819 ltr. HILLMAN, C.T., SLADE, G.B. Consumers Power Co. 93/08/19. 5pp. 76200:189-76200:193.

V. Operator Examinations

9308250324 Ltr contract awarding task 16, to "Individual Plant Exam Reviews, Internal Events-Back-End Only." MATTIA, M.J. Contract Administration Branch 2 (Post 900603). FIN L-1933. 93/05/17. MATTHEWSON, R.J. SCIENTECH, Inc. 10pp. 76203:125-76203:133.

9308030302 Informs of NRC plans to administer generic fundamentals exam section written operator licensing exam on 931006. RING, M.A. Region 3 (Post 820201). 93/07/28. Consumers Power Co. 3pp. 75983:358-75983:360.

DOCKET 50-259 BROWNS FERRY NUCLEAR POWER STATION, UNIT 1

26 DOCKETED ITEMS

F. Security, medical, emergency & fire protection plans

9308050237 Forwards encl 8 to SECY 93-166 which describes proposed characteristics of design basis vehicle. W/o encl. PARTLOW, J.G. Associate Director for Projects (Post 870411). 93/07/15. MEDFORD, M.O. Tennessee Valley Authority. 3pp. 75990:307-75990:309.

9308030175 Ack receipt of 930602 ltr transmitting rev 19 to plant training & qualification plans. Changes consistent w/ provisions of 10CFR50.54(p) & acceptable. COLLINS, D.M. Region 2 (Post 820201). 93/07/22. MEDFORD, M.O. Tennessee Valley Authority. 4pp. 75936:286-75936:289.

9308060200 Rev 8 to EPIP CECC EPIP-14, "Nuclear Emergency Public Info Org & Operations," & App A-G.W/930726 ltr. CARD, L.G., SCHOFIELD, B.S. Tennessee Valley Authority. 93/07/26. 35pp. 76034:323-76034:357.

9308050145 Submits daily highlights re meeting w/plant to discuss potential cost beneficial licensing actions re security requirements at plant. WILLIAMS, J.F. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 93/07/28. MURLEY, T., MIRAGLIA, F., RUSSELL, W. NRC - No Detailed Affiliation Given. 4pp. 75991:298-75991:301.

9308090038 Revised Central Emergency Control Ctr (CECC) EPIPs, including Rev 15 to CECC EPIP-1, "CECC Alert, Site Area Emergency & General Emergency & Rev 9 to CECC EPIP-6, "CECC Plant Assessment Staff Procedure..." W/930802 ltr. SCHOFIELD, B.S. Tennessee Valley Authority. 93/08/02. 66pp. 76060:230-76060:295.

9308260174 Informs that triannual plant performance review for Branch 4 facilities scheduled for 930817. Plant status repts & master insp plans for plants encl. Evaluation of licensee performance in assigned SALP functional area required. CRLENJAK, R.V. Region 2 (Post 820201). 93/08/05. JULIAN, C.A. Region 2 (Post 820201). 3pp. 76260:001-76260:144.

-9308260180 "Plant Status Rept, Browns Ferry Nuclear Plant, Units 1, 2 & 3." * Region 2 (Post 820201). 93/08/31. 92pp. 76260:053-76260:144.

P. Operating license stage documents & correspondence

9308120014 AEO/T604, "Events Resulting From Deficiencies in Labeling & Identification Sys," technical review rept. TRAGER, E.A. NRC - No Detailed Affiliation Given. 86/05/07. 25pp. 76082:334-76082:358.

9308060110 Forwards RII-93-A-0053 which documents info received during discussions between Region II personnel & concerned individual & requests that Region II initiate review of concern. Encl withheld per 10CFR2.790(a)(6)(7). MERSCHOFF, E.W. Region 2 (Post 820201). 93/07/16. MEDFORD, M.O. Tennessee Valley Authority. 3pp. 75993:214-75993:216.

9308050089 Requests that liquid samples spiked w/beta emitting radionuclides be analyzed for tritium, Fe-55, Sr-89 & Sr-90 concentrations. Analyses should be completed no later than 60 days from receipt of ltr. CLINE, W.E. Region 2 (Post 820201). 93/07/28. MEDFORD, M.O. Tennessee Valley Authority. 3pp. 75972:130-75972:132.

9308060376 Provides info re qualification of plant neutron monitoring instrumentation. Plant APRMs meet alternate criteria contained in NEDO-31558-A, Section 5.2 w/ listed exceptions. Comparison to criteria in BWROG Rept NEDO-31558-A encl. SALAS, P. Tennessee Valley Authority. 93/07/30. Document Control Branch (Document Control Desk). 12pp. 76036:272-76036:283.

9308190123 Summary of 930720 meeting w/util in Rockville, MD to discuss plans & schedule to implement improved STS at plant. Meeting attendees listed in encl 1. HEBDON, F.J. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 93/07/30. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 9pp. 76153:024-76153:033.

9308090281 Forwards response to GL 92-01, Rev 1 re RV structural integrity, w/respect to items 2.a & 2.b. SALAS, P. Tennessee Valley Authority. 93/08/02. Document Control Branch (Document Control Desk). 5pp. 76062:165-76062:169.

9308170411 Provides response to NRC request for addl info re LPCI operability w/ RHRS aligned for shutdown cooling. BARON, R.R. Tennessee Valley Authority. 93/08/12. Document Control Branch (Document Control Desk). 6pp. 76137:275-76137:280.

9308240352 Describes TVA current plans for compliance w/Generic SER, BWR scram discharge sys, included in NRC 801209 ltr. Discussion of background of issue, which includes description of long-term mods previously implemented on Unit 2 encl. ZERINGUE, O.J. Tennessee Valley Authority. 93/08/17. Document Control Branch (Document Control Desk). 11pp. 76211:320-76211:330.

9308250149 Forwards changes to TVA nuclear QA plan, rev 3. Changes in regard to organizational & functional realignments. Changes will also be submitted in TVA annual update of nuclear QA plan. SCHOFIELD, B.S. Tennessee Valley Authority. 93/08/20. Document Control Branch (Document Control Desk). 6pp. 76218:327-76218:332.

Q. Inspection reports, IE Bulletins & correspondence

9308060156 Ack receipt of 930601 ltr informing NRC of steps taken to correct violations noted in insp repts 50-259/93-12, 50-260/93-12 & 50-296/93-12. Request for reclassification of violation denied. MERSCHOFF, E.W. Region 2 (Post 820201). 93/06/30. MEDFORD, M.O. Tennessee Valley Authority. 5pp. 75993:353-75993:357.

9308060084 Forwards insp repts 50-259/93-24, 50-260/93-24 & 50-296/93-24 on 930607-11. No violations or deviations noted. CLINE, W.E. Region 2 (Post 820201). 93/07/09. MEDFORD, M.O. Tennessee Valley Authority. 3pp. 75993:042-75993:058.

-9308060087 Insp repts 50-259/93-24, 50-260/93-24 & 50-296/93-24 on 930607-11. No violations or deviations noted. Major areas inspected: organization & staffing, audits & appraisals, training, exposure control & internal exposure control. PHARR, E.B., RANKIN, W.H. Region 2 (Post 820201). 93/07/08. 14pp. 75993:045-75993:058.

9308050030 Forwards insp repts 50-259/93-23, 50-260/93-23 & 50-296/93-23 on 930515-0618 & notices of violation & deviation. CRLENJAK, R.V. Region 2 (Post 820201). 93/07/13. MEDFORD, M.O. Tennessee Valley Authority. 4pp. 75971:272-75971:297.

-9308050033 Notice of violation from insp on 930515-0618. Violation noted: configuration requirements of operating instruction O-OI-31 were not met for listed examples. * Region 2 (Post 820201). 93/07/13. 2pp. 75971:276-75971:277.

-9308050040 Notice of deviation from insp on 930515-0618. Deviation noted: written commitment re as-constructed drawings was not met for listed examples. * Region 2 (Post 820201). 93/07/13. 1p. 75971:278-75971:278.

-9308050042 Insp repts 50-259/93-23, 50-260/93-23 & 50-296/93-23 on 930515-0618. Violation & deviation noted. Major areas inspected: surveillance observation, maintenance observation, operational safety verification & ESF walkdown. PATTERSON, C.A., KELLOGG, P.J. Region 2 (Post 820201). 93/07/12. 19pp. 75971:279-75971:297.

9307190043 NRC Info Notice 93-057, "Software Problems Involving Digital Control Console Sys at Non-Power Reactors." GRIMES, B.K. Division of Operating Reactor Support (Post 921004). 93/07/23. Consolidated Edison Co. of New York, Inc. 9pp. 76111:200-76111:208.

9308060022 Forwards insp repts 50-259/93-25, 50-260/93-25 & 50-296/93-25 on 930619-0716 & notice of violation. CRLENJAK, R.V. Region 2 (Post 820201). 93/07/29. MEDFORD, M.O. Tennessee Valley Authority. 4pp. 75992:107-75992:128.

-9308060025 Notice of violation from insp on 930619-0716. Violation noted: TS not met in that licensee failed to trip channel inputting in A RPS trip sys within one hour w/ only three operable instrument channels for turbine stop valve. * Region 2 (Post 820201). 93/07/29. 1p. 75992:111-75992:111.

-9308060031 Insp repts 50-259/93-25, 50-260/93-25 & 50-296/93-25 on 930619-0716. Violations noted. Major areas inspected: maintenance observation, operational safety verification, engineered safety features walkdown & reportable occurrences. PATTERSON, C.A., KELLOGG, P.J. Region 2 (Post 820201). 93/07/26. 17pp. 75992:112-75992:128.

9308040195 Ack receipt of 930712 ltr informing NRC of steps taken to correct violations noted in insp repts 50-259/93-22, 50-260/93-22 & 50-296/93-22. Informs that response meets requirements of 10CFR2.201. COLLINS, D.M. Region 2 (Post 820201). 93/07/30. MEDFORD, M.O. Tennessee Valley Authority. 3pp. 76028:017-76028:020.

9308060321 Responds to NRC bulletin 93-003, resolution of issues related to RV water level instrumentation in BWR re reporting requirements 2(a) & 2(b). ZERINGUE, O.J. Tennessee Valley Authority. 93/07/30. Document Control Branch (Document Control Desk). 10pp. 76026:246-76026:255.

9308060377 Revises info provided in TVA 930223 response to GL 88-14 re design of drywell control air (DCA) sys & components supplied by DCA sys. Rev committed to on 930122, in response to deviation noted in listed insp rept. SALAS, P. Tennessee Valley Authority. 93/07/30. Document Control Branch (Document Control Desk). 2pp. 76059:252-76059:253.

9308240082 Forwards technical review rept re, "Tardy Licensee Actions" initiated because of delayed replacement of batteries in uninterruptible power supplies at plant. ISRAEL, S.L. Reactor Operations Analysis Branch. 93/08/05. ROSENTHAL, J.E. Reactor Operations Analysis Branch. 2pp. 76218:177-76218:193.

-9308240165 Technical review rept, "Tardy Licensee Actions." ISRAEL, S.L. Reactor Operations Analysis Branch. 93/08/31. 13pp. 76218:179-76218:193.

9308260174 Informs that triannual plant performance review for Branch 4 facilities scheduled for 930817. Plant status repts & master insp plans for plants encl. Evaluation of licensee performance in assigned SALP functional area required. CRLENJAK, R.V. Region 2 (Post 820201). 93/08/05. JULIAN, C.A., PEEBLES, T.A., CLINE, W.E. Region 2 (Post 820201). 3pp. 76260:001-76260:144.

-9308260178 "Plant Status Rept, Sequoyah Nuclear Plant, Units 1 & 2." * Region 2 (Post 820201). 93/08/31. 48pp. 76260:003-76260:052.

-9308260180 "Plant Status Rept, Browns Ferry Nuclear Plant, Units 1, 2 & 3." * Region 2 (Post 820201). 93/08/31. 92pp. 76260:053-76260:144.

9308110076 Responds to NRC 930323 ltr re violation & deviation noted in Insp Repts 50-259/93-23, 50-260/93-23 & 50-296/93-23. Corrective actions: identified valves placed in closed position & handles removed from valves. ZERINGUE, O.J. Tennessee Valley Authority. 93/08/06. Document Control Branch (Document Control Desk). 11pp. 76067:334-76067:344.

9308180126 Summary of 930708 meeting w/util in Rockville, MD re implementation of recommendations of Bulletin 93-03 at plant. List of attendees & handouts encl. HEBDON, F.J. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 93/08/10. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 15pp. 76143:019-76143:033.

9308250124 Forwards insp repts 50-259/93-26, 50-260/93-26 & 50-296/93-26 on 930712-16 & notice of violation. JULIAN, C.A. Region 2 (Post 820201). 93/08/12. MEDFORD, M.O. Tennessee Valley Authority. 4pp. 76188:191-76188:208.

-9308250130 Notice of violation from insp on 930712-16. Violations noted: TVA did not update & revise pipe support calculations CD-Q2074-894004 & -894005 for listed pipe supports to reflect latest revised stress loads. * Region 2 (Post 820201). 93/08/12. 2pp. 76188:195-76188:196.

-9308250138 Insp repts 50-259/93-26,50-260/93-26 & 50-296/93-26 on 930712-16. Violations noted. Major areas inspected: observation of work & work activities & review of completed records & evaluations & review of radiographic film. COLEY, J.L., CHOU, R.C., BLAKE, J.J. Region 2 (Post 820201). 93/08/09. 10pp. 76188:197-76188:208.

9308240030 Responds to NRC ltr re violation noted in insp rept 50-259/93-25,50-260/93-25 & 50-296/93-25. Corrective actions: initiated WR to investigate & repair limit switch for #1 turbine stop valve. ZERINGUE, O.J. Tennessee Valley Authority. 93/08/19. Document Control Branch (Document Control Desk). 6pp. 76213:354-76213:359.

R. Periodic operating reports & related correspondence

9308040317 "ADEM Discharge Monitoring Rept for June 1993."
* Tennessee Valley Authority. 93/06/30. 9pp. 76016:166-76016:175.

9308190359 Monthly operating repts for Jul 1993 for Brown Ferry Nuclear Plant, Units 1,2 & 3. W/930816 ltr. RATLIFF, S.A., ZERINGUE, O.J. Tennessee Valley Authority. 93/07/31. 13pp. 76169:342-76169:354.

9308190160 Forwards TVA fitness for duty program performance data for Jan-June 1993, containing trends & mgt initiatives & breakdown by process stage for specimens for which administrative action taken. SCHOFIELD, B.S. Tennessee Valley Authority. 93/08/16. Document Control Branch (Document Control Desk). 22pp. 76162:029-76162:050.

V. Operator Examinations

9308260174 Informs that triannual plant performance review for Branch 4 facilities scheduled for 930817. Plant status repts & master insp plans for plants encl. Evaluation of licensee performance in assigned SALP functional area required. CRLENJAK, R.V. Region 2 (Post 820201). 93/08/05. JULIAN, C.A. Region 2 (Post 820201). 3pp. 76260:001-76260:144.

-9308260180 "Plant Status Rept, Browns Ferry Nuclear Plant, Units 1,2 & 3."
* Region 2 (Post 820201). 93/08/31. 92pp. 76260:053-76260:144.

DOCKET 50-260 BROWNS FERRY NUCLEAR POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9308050237 Forwards encl 8 to SECY 93-166 which describes proposed characteristics of design basis vehicle. W/o encl. PARTLOW, J.G. Associate Director for Projects (Post 870411). 93/07/15. MEDFORD, M.O. Tennessee Valley Authority. 3pp. 75990:307-75990:309.

9308030175 Ack receipt of 930602 ltr transmitting rev 19 to plant training & qualification plans. Changes consistent w/ provisions of 10CFR50.54(p) & acceptable. COLLINS, D.M. Region 2 (Post 820201). 93/07/22. MEDFORD, M.O. Tennessee Valley Authority. 4pp. 75936:286-75936:289.

9308060200 Rev 8 to EPIP CECC EPIP-14, "Nuclear Emergency Public Info Org & Operations." & App A-G. W/930726 ltr. CARD, L.G., SCHOFIELD, B.S. Tennessee Valley Authority. 93/07/26. 35pp. 76034:323-76034:357.

9308050145 Submits daily highlights re meeting w/ plant to discuss potential cost beneficial licensing actions re security requirements at plant. WILLIAMS, J.F. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 93/07/28. MURLEY, T., MIRAGLIA, F., RUSSELL, W. NRC - No Detailed Affiliation Given. 4pp. 75991:298-75991:301.

9308090038 Revised Central Emergency Control Ctr (CECC) EPIPs, including Rev 15 to CECC EPIP-1, "CECC Alert, Site Area Emergency & General Emergency & Rev 9 to CECC EPIP-6, "CECC Plant Assessment Staff Procedure..." W/930802 ltr. SCHOFIELD, B.S. Tennessee Valley Authority. 93/08/02. 6pp. 76060:230-76060:295.

9308260174 Informs that triannual plant performance review for Branch 4 facilities scheduled for 930817. Plant status repts & master insp plans for plants encl. Evaluation of licensee performance in assigned SALP functional area required. CRLENJAK, R.V. Region 2 (Post 820201). 93/08/05. JULIAN, C.A. Region 2 (Post 820201). 3pp. 76260:001-76260:144.

-9308260180 "Plant Status Rept, Browns Ferry Nuclear Plant, Units 1,2 & 3."
* Region 2 (Post 820201). 93/08/31. 92pp. 76260:053-76260:144.

P. Operating license stage documents & correspondence

9308060110 Forwards RII-93-A-0053 which documents info received during discussions between Region II personnel & concerned individual & requests that Region II initiate review of concern. Encl withheld per 10CFR2.790(a)(6)(7). MERSCHOFF, E.W. Region 2 (Post 820201). 93/07/16. MEDFORD, M.O. Tennessee Valley Authority. 3pp. 75993:214-75993:216.

9308130093 Submits daily highlights re 930728 meeting w/ util in Rockville, MD to discuss licensee anticipated request for 30-day extension in implementation of RV water level instrumentation mod. TRIMBLE, F.J. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 93/07/26. MURLEY, T., MIRAGLIA, F., RUSSELL, W. NRC - No Detailed Affiliation Given. 4pp. 76094:178-76094:181.

9308050089 Requests that liquid samples spiked w/ beta emitting radionuclides be analyzed for tritium, Fe-55, Sr-89 & Sr-90 concentrations. Analyses should be completed no later than 60 days from receipt of ltr. CLINE, W.E. Region 2 (Post 820201). 93/07/28. MEDFORD, M.O. Tennessee Valley Authority. 3pp. 75972:130-75972:132.

9308060376 Provides info re qualification of plant neutron monitoring instrumentation. Plant APRMs meet alternate criteria contained in NEDO-31558-A, Section 5.2 w/ listed exceptions. Comparison to criteria in BWROG Rept NEDO-31558-A encl. SALAS, P. Tennessee Valley Authority. 93/07/30. Document Control Branch (Document Control Desk). 12pp. 76036:272-76036:283.

9308190123 Summary of 930720 meeting w/ util in Rockville, MD to discuss plans & schedule to implement improved STS at plant. Meeting attendees listed in encl 1. HEBDON, F.J. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 93/07/30. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 9pp. 76153:024-76153:033.

9308090281 Forwards response to GL 92-01, Rev 1 re RV structural integrity, w/ respect to Items 2.a & 2.b. SALAS, P. Tennessee Valley Authority. 93/08/02. Document Control Branch (Document Control Desk). 5pp. 76062:165-76062:169.

9308190326 Advises that TVA clarification re status of post-restart commitments included in 930622 ltr by ref acceptable. HEBDON, F.J. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 93/08/03. MEDFORD, M.O. Tennessee Valley Authority. 3pp. 76156:320-76156:322.

9308190288 Forwards request for addl info re plant individual plant exam. HEBDON, F.J. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 93/08/04. MEDFORD, M.O. Tennessee Valley Authority. 7pp. 76158:295-76158:301.

9308170411 Provides response to NRC request for addl info re LPCI operability w/ RHRS aligned for shutdown cooling. BARON, R.R. Tennessee Valley Authority. 93/08/12. Document Control Branch (Document Control Desk). 6pp. 76137:275-76137:280.

9308240352 Describes TVA current plans for compliance w/ Generic SER, BWR scram discharge sys, included in NRC 801209 ltr. Discussion of background of issue, which includes description of long-term mods previously implemented on Unit 2 encl. ZERINGUE, O.J. Tennessee Valley Authority. 93/08/17. Document Control Branch (Document Control Desk). 11pp. 76211:320-76211:330.

9308250149 Forwards changes to TVA nuclear QA plan, rev 3. Changes in regard to organizational & functional realignments. Changes will also be submitted in TVA annual update of nuclear QA plan. SCHOFIELD, B.S. Tennessee Valley Authority. 93/08/20. Document Control Branch (Document Control Desk). 6pp. 76218:327-76218:332.

Q. Inspection reports, IE Bulletins & correspondence

9308060156 Ack receipt of 930601 ltr informing NRC of steps taken to correct violations noted in insp repts 50-259/93-12, 50-260/93-12 & 50-296/93-12. Request for reclassification of violation denied. MERSCHOFF, E.W. Region 2 (Post 820201). 93/06/30. MEDFORD, M.O. Tennessee Valley Authority. 5pp. 75993:353-75993:357.

9308060084 Forwards insp repts 50-259/93-24,50-260/93-24 & 50-296/93-24 on 930607-11. No violations or deviations noted. CLINE, W.E. Region 2 (Post 820201). 93/07/09. MEDFORD, M.O. Tennessee Valley Authority. 3pp. 75993:042-75993:058.

-9308060087 Insp repts 50-259/93-24,50-260/93-24 & 50-296/93-24 on 930607-11. No violations or deviations noted. Major areas inspected: organization & staffing, audits & appraisals, training, exposure control & internal exposure control. PHARR, E.B., RANKIN, W.H. Region 2 (Post 820201). 93/07/08. 14pp. 75993:045-75993:058.

9308050030 Forwards insp repts 50-259/93-23,50-260/93-23 & 50-296/93-23 on 930515-0618 & notices of violation & deviation. CRLENJAK, R.V. Region 2 (Post 820201). 93/07/13. MEDFORD, M.O. Tennessee Valley Authority. 4pp. 75971:272-75971:297.

-9308050033 Notice of violation from insp on 930515-0618. Violation noted: configuration requirements of operating instruction O-OI-31 were not met for listed examples. * Region 2 (Post 820201). 93/07/13. 2pp. 75971:276-75971:277.

-9308050040 Notice of deviation from insp on 930515-0618. Deviation noted: written commitment re as-constructed drawings was not met for listed examples. * Region 2 (Post 820201). 93/07/13. 1p. 75971:278-75971:278.

-9308050042 Insp repts 50-259/93-23,50-260/93-23 & 50-296/93-23 on 930515-0618. Violation & deviation noted. Major areas inspected: surveillance observation, maint observation, operational safety verification & ESF walkdown. PATTERSON, C.A., KELLOGG, P.J. Region 2 (Post 820201). 93/07/12. 19pp. 75971:279-75971:297.

9307190043 NRC Info Notice 93-057, "Software Problems Involving Digital Control Console Sys at Non-Power Reactors." GRIMES, B.K. Division of Operating Reactor Support (Post 921004). 93/07/23. Consolidated Edison Co. of New York, Inc. 9pp. 76111:200-76111:208.

9308060022 Forwards insp repts 50-259/93-25,50-260/93-25 & 50-296/93-25 on 930619-0716 & notice of violation. CRLENJAK, R.V. Region 2 (Post 820201). 93/07/29. MEDFORD, M.O. Tennessee Valley Authority. 4pp. 75992:107-75992:128.

-9308060025 Notice of violation from insp on 930619-0716. Violation noted: TS not met in that licensee failed to trip channel inputting in A RPS trip sys within one hour w/ only three operable instrument channels for turbine stop valve. * Region 2 (Post 820201). 93/07/29. 1p. 75992:111-75992:111.

-9308060031 Insp repts 50-259/93-25,50-260/93-25 & 50-296/93-25 on 930619-0716. Violations noted. Major areas inspected: maint observation, operational safety verification, engineered safety features walkdown & reportable occurrences. PATTERSON, C.A., KELLOGG, P.J. Region 2 (Post 820201). 93/07/26. 17pp. 75992:112-75992:128.

28 DOCKETED ITEMS

9308040195 Ack receipt of 930712 ltr informing NRC of steps taken to correct violations noted in insp rept's 50-259/93-22, 50-260/93-22 & 50-296/93-22. Informs that response meets requirements of 10CFR2.201.
COLLINS, D.M. Region 2 (Post 820201). 93/07/30. MEDFORD, M.O. Tennessee Valley Authority. 3pp. 76028:017-76028:020.

9308050232 Notices of Unit 2, Cycle 6 ISI of inaccessible RHR penetration welds.
SALAS, P. Tennessee Valley Authority. 93/07/30. Document Control Branch (Document Control Desk). 2pp. 76015:357-76015:358.

9308060321 Responds to NRC bulletin 93-003, resolution of issues related to RV water level instrumentation in BWR re reporting requirements 2(a) & 2(b).
ZERLINGUE, O.J. Tennessee Valley Authority. 93/07/30. Document Control Branch (Document Control Desk). 10pp. 76026:246-76026:255.

9308060377 Revises info provided in TVA 930223 response to GL 88-14 re design of drywell control air (DCA) sys & components supplied by DCA sys. Rev committed to on 930122, in response to deviation noted in listed insp rept.
SALAS, P. Tennessee Valley Authority. 93/07/30. Document Control Branch (Document Control Desk). 2pp. 76059:252-76059:253.

9308260174 Informs that triannual plant performance review for Branch 4 facilities scheduled for 930817. Plant status repts & master insp plans for plants encl. Evaluation of licensee performance in assigned SALP functional area required.
CRLENJAK, R.V. Region 2 (Post 820201). 93/08/05. JULIAN, C.A., PEEBLES, T.A., CLINE, W.E. Region 2 (Post 820201). 3pp. 76260:001-76260:144.

-9308260180 "Plant Status Rept, Browns Ferry Nuclear Plant, Units 1, 2 & 3."
* Region 2 (Post 820201). 93/08/31. 92pp. 76260:053-76260:144.

9308110076 Responds to NRC 930323 ltr re violation & deviation noted in Insp Repts 50-259/93-23, 50-260/93-23 & 50-296/93-23. Corrective actions: identified valves placed in closed position & handles removed from valves.
ZERLINGUE, O.J. Tennessee Valley Authority. 93/08/06. Document Control Branch (Document Control Desk). 11pp. 76067:334-76067:344.

9308180126 Summary of 930708 meeting w/util in Rockville, MD re implementation of recommendations of Bulletin 93-03 at plant. List of attendees & handouts encl.
HEBDON, F.J. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 93/08/10. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 15pp. 76143:019-76143:033.

9308250124 Forwards insp repts 50-259/93-26, 50-260/93-26 & 50-296/93-26 on 930712-16 & notice of violation.
JULIAN, C.A. Region 2 (Post 820201). 93/08/12. MEDFORD, M.O. Tennessee Valley Authority. 4pp. 76188:191-76188:208.

-9308250130 Notice of violation from insp on 930712-16. Violations noted: TVA did not update & revise pipe support calculations CD-Q2074-894004 & -894005 for listed pipe supports to reflect latest revised stress loads.
* Region 2 (Post 820201). 93/08/12. 3pp. 76188:195-76188:196.

-9308250138 Insp repts 50-259/93-26, 50-260/93-26 & 50-296/93-26 on 930712-16. Violations noted. Major areas inspected: observation of work & work activities & review of completed records & evaluations & review of radiographic film.
COLEY, J.L., CHOU, R.C., BLAKE, J.J. Region 2 (Post 820201). 93/08/09. 10pp. 76188:197-76188:208.

9308240030 Responds to NRC ltr re violation noted in insp rept 50-259/93-25, 50-260/93-25 & 50-296/93-25. Corrective actions: initiated WR to investigate & repair limit switch for #1 turbine stop valve.
ZERLINGUE, O.J. Tennessee Valley Authority. 93/08/19. Document Control Branch (Document Control Desk). 6pp. 76213:354-76213:359.

9308310016 Forwards "Browns Ferry Nuclear Plant Unit 2, Cycle 6 Refueling Outage Owners Rept for ISI."
SALAS, P. Tennessee Valley Authority. 93/08/27. Document Control Branch (Document Control Desk). 2pp. 76299:001-76300:149.

-9308310023 "Browns Ferry Nuclear Plant, Unit 2, Cycle 6 Refueling Outage Owners Rept for ISI."
* Tennessee Valley Authority. 93/06/03. 450pp. 76299:003-76300:149.

R. Periodic operating reports & related correspondence

9308040317 "ADEM Discharge Monitoring Rept for June 1993."
* Tennessee Valley Authority. 93/06/30. 9pp. 76016:166-76016:175.

9308190359 Monthly operating repts for Jul 1993 for Brown Ferry Nuclear Plant, Units 1, 2 & 3. W/930816 ltr.
RATLIFF, S.A., ZERLINGUE, O.J. Tennessee Valley Authority. 93/07/31. 13pp. 76169:342-76169:354.

9308190160 Forwards TVA fitness for duty program performance data for Jan-June 1993, containing trends & mgt initiatives & breakdown by process stage for specimens for which administrative action taken.
SCHOFIELD, B.S. Tennessee Valley Authority. 93/08/16. Document Control Branch (Document Control Desk). 22pp. 76162:029-76162:050.

S. Reportable occurrences, LERs & related correspondence

9308180115 Summary of operator reactors event meeting 93-18 on 930519.
CHAFFEE, A.E. Events Assessment Branch. 93/05/26. GRIMES, B.K. Division of Operating Reactor Support (Post 921004). 20pp. 76152:018-76152:037.

9308230064 Forwards trip rept of "On-Site Analysis of Human Factors of Event at Browns Ferry 2 on May 11, 1993, ARI/RPT ESF Actuation Due to Shutdown Overpressurization."
ROSENTHAL, J.E. Reactor Operations Analysis Branch. 93/08/04. HOLAHAN, G.M. Division of Safety Programs (Post 870413). 4pp. 76183:021-76183:050.

-9308230074 "Trip Rept: On-Site Analysis of Human Factors of Event at Browns Ferry 2 on May 11, 1993, ARI/RPT ESF Actuation Due to Shutdown Overpressurization."
IBARRA, J., KAUFFMAN, J., HILL, S. EG&G Idaho, Inc. 93/07/31. NRC - No Detailed Affiliation Given. 26pp. 76183:025-76183:050.

V. Operator Examinations

9308260174 Informs that triannual plant performance review for Branch 4 facilities scheduled for 930817. Plant status repts & master insp plans for plants encl. Evaluation of licensee performance in assigned SALP functional area required.
CRLENJAK, R.V. Region 2 (Post 820201). 93/08/05. JULIAN, C.A. Region 2 (Post 820201). 3pp. 76260:001-76260:144.

-9308260180 "Plant Status Rept, Browns Ferry Nuclear Plant, Units 1, 2 & 3."
* Region 2 (Post 820201). 93/08/31. 92pp. 76260:053-76260:144.

DOCKET 50-261 H.B. ROBINSON PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9308040042 Forwards results & conclusions of operational safeguards response evaluation conducted 930607-10. Both strengths & weaknesses identified. Encl withheld.
VARGA, S.A. Division of Reactor Projects - I/II (Post 870411). 93/07/17. DIETZ, C.R. Carolina Power & Light Co. 2pp. 75979:098-75979:099.

9308090257 Rev 2 to Plant Emergency Procedure (PEP) PEP-001, "Emergency Preparedness Program & Emergency Response Organization Responsibilities." W/930728 ltr.
FLANAGAN, W.J. Carolina Power & Light Co. 93/07/28. 6pp. 76087:218-76087:223.

9308060006 Forwards insp rept 50-261/93-16 on 930628-0702. No violations noted.
CLINE, W.E. Region 2 (Post 820201). 93/07/30. DIETZ, C.R. Carolina Power & Light Co. 3pp. 75992:046-75992:069.

-9308060009 Insp rept 50-261/93-16 on 930628-0702. No violations noted. Major areas inspected: health physics activities including organization, staffing & training.
BOLAND, A.T., PHARR, E.B., RANKIN, W.H. Region 2 (Post 820201). 93/07/29. 21pp. 75992:049-75992:069.

9308180092 Responds to NRC ltr re violations noted in insp rept 50-261/93-14. Corrective actions: secured vital area door & searched area to confirm unauthorized access had not occurred.
DIETZ, C.R. Carolina Power & Light Co. 93/08/13. Document Control Branch (Document Control Desk). 5pp. 76154:307-76154:311.

I. Financial Information

9308160101 Confirms electronic transfer of payment of invoices for 10CFR50 application fees & 10CFR55 services.
PRUNTY, R.W. Carolina Power & Light Co. 93/08/06. Document Control Branch (Document Control Desk). 1p. 76143:307-76143:307.

P. Operating license stage documents & correspondence

9308120014 AEOD/T604, "Events Resulting From Deficiencies in Labeling & Identification Sys" technical review rept.
TRAGER, E.A. NRC - No Detailed Affiliation Given. 86/05/07. 25pp. 76082:334-76082:358.

9308030210 Forwards encl 8 to SECY 93-166 which describes proposed characteristics of design basis vehicle. Characteristics being provided to licensees in advance to facilitate more detailed comments on proposed rule. W/o encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 93/07/15. DIETZ, C.R. Carolina Power & Light Co. 2pp. 75945:356-75945:357.

9308030261 Confirms that \$93,112 electrically transferred to Dept of Treasury, NRC on 930714 in payment for Part 50 application fees for period of 920920-1226.
PRUNTY, R.W. Carolina Power & Light Co. 93/07/20. Document Control Branch (Document Control Desk). 1p. 75995:356-75995:356.

9308270191 Provides updated status of activities being performed at Auburn Steel Corporation facility in Auburn, NY.
GARNER, L.D. Chem-Nuclear Systems, Inc. 93/07/27. EBNETER, S.D. Region 2 (Post 820201). 2pp. 76266:349-76266:350.

9308050140 Forwards proposed alternative to requirement to perform biennial reviews of plant procedures in accordance w/ANSI Std N18.7-1976, Administrative Controls & QA Requirements for Operational Phase of Nuclear Power Plants.
DIETZ, C.R. Carolina Power & Light Co. 93/07/28. Document Control Branch (Document Control Desk). 7pp. 76034:287-76034:293.

9308060089 Discusses radiochemical analyses for liquid samples spiked w/beta emitting radionuclides & requests that analyses be completed as soon as practicable, but no later than 60 days from receipt of ltr.
CLINE, W.E. Region 2 (Post 820201). 93/07/28. DIETZ, C.R. Carolina Power & Light Co. 3pp. 75993:094-75993:096.

9308170289 Forwards safety evaluation approving use of demonstration assembly to high exposure exceeding current licensed limit of 62,000 MWD/MTU for facility cycle 16.
MOZAFARI, B. Project Directorate II-1. 93/07/28. DIETZ, C.R. Carolina Power & Light Co. 3pp. 76126:017-76126:021.

-9308170291 Safety evaluation approving use of demonstration assembly to high exposure exceeding current licensed limit of 62,000 MWD/MTU for facility cycle 16.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 93/07/28. 2pp. 76126:020-76126:021.

9308050279 Documents agreement between HO Christensen, NRC & JS Kozyra, CP&L on 930727 to delay submittal of license amend request re emergency diesels from 930728 to 0827, in response to violation noted in Insp Rept 50-261/93-07.
DIETZ, C.R. Carolina Power & Light Co. 93/07/29. Document Control Branch (Document Control Desk). 1p. 76034:318-76034:318.

9308100215 Application for amend to License DPR-23, providing clarification of EDG testing requirements as specified in TS 4.6.1.1 & 4.6.1.4.
DIETZ, C.R. Carolina Power & Light Co. 93/08/05. Document Control Branch (Document Control Desk). 11pp. 76065:298-76065:316.

-9308100217 Proposed tech specs 4.6.1.1 & 4.6.1.4 re EDG testing.
* Carolina Power & Light Co. 93/08/05. 8pp. 76065:309-76065:316.

9308230318 Confirms that \$104,064 electronically transferred to US Dept of Treasury, NRC on 930811.
PRUNTY, R.W. Carolina Power & Light Co. 93/08/13. Document Control Branch (Document Control Desk). 1p. 76203:322-76203:322.

9308310090 Confirms 930805 telcon re mgt meeting to be held in region II ofcs on 930826 to discuss shutdown risk assessment for upcoming plant refueling outage.
MERSCHOFF, E.W. Region 2 (Post 820201). 93/08/13. DIETZ, C.R. Carolina Power & Light Co. 3pp. 76263:354-76263:356.

9308200140 Concurs w/licensee conclusion that power cables in reactor auxiliary & containment bldgs have adequate ampacity ratings to carry sufficient loads to perform intended safety function, per review of 930317 submittal.
MOZAFARI, B. Project Directorate II-1. 93/08/17. DIETZ, C.R. Carolina Power & Light Co. 3pp. 76190:345-76190:347.

9308260327 Discusses status re bounding analysis for RV upper shelf energy.
WATERS, D.B. Carolina Power & Light Co. 93/08/19. Document Control Branch (Document Control Desk). 1p. 76265:358-76265:358.

Q. Inspection reports, IE Bulletins & correspondence

9308050091 Forwards insp rept 50-261/93-11 on 930515-0611 & notice of violation Concerned about violation involving erroneous deletion of procedural precaution due to similarity to non-cited violation noted in insp rept 50-261/93-05.
MERSCHOFF, E.W. Region 2 (Post 820201). 93/07/02. DIETZ, C.R. Carolina Power & Light Co. 4pp. 75972:149-75972:173.

-9308050093 Notice of violation from insp on 930515-0611. Violation noted: NRC not notified within 4 h of notification of SC Dept of Health & Environmental Control that weir discharge temp limits had been exceeded.
* Region 2 (Post 820201). 93/07/02. 3pp. 75972:153-75972:155.

-9308050101 Insp rept 50-261/93-11 on 930515-0611. Violations noted. Major areas inspected: operational safety verification, surveillance observation, maint observation, meetings w/local officials & followup.
ORDERS, W.T., CHRISTENSEN, H. Region 2 (Post 820201). 93/06/30. 18pp. 75972:156-75972:173.

9308060193 Ack receipt of 930701 ltr informing NRC of steps taken to correct violations noted in insp rept 50-261/93-10.
VERRELLI, D.M. Region 2 (Post 820201). 93/07/15. DIETZ, C.R. Carolina Power & Light Co. 3pp. 75994:154-75994:156.

9307190043 NRC Info Notice 93-057. "Software Problems Involving Digital Control Console Sys at Non-Power Reactors."
GRIMES, B.K. Division of Operating Reactor Support (Post 921004). 93/07/23. Consolidated Edison Co. of New York, Inc. 9pp. 76111:200-76111:208.

9308050064 Forwards insp rept 50-261/93-15 on 930612-0709. Weaknesses in calibration of heat trace recorder & calibration errors, noted.
VERRELLI, D.M. Region 2 (Post 820201). 93/07/23. DIETZ, C.R. Carolina Power & Light Co. 3pp. 75972:040-75972:050.

-9308050068 Insp rept 50-261/93-15 on 930612-0709. Weaknesses identified. Major areas inspected: operational safety verification, surveillance & maint observation, engineered safety feature sys walkdown & plant safety review committee activities.
ORDERS, W.T., OGLE, C.R., CHRISTENSEN, H. Region 2 (Post 820201). 93/07/23. 8pp. 75972:043-75972:050.

9308050279 Documents agreement between HO Christensen, NRC & JS Kozyra, CP&L on 930727 to delay submittal of license amend request re emergency desols from 930728 to 0827, in response to violation noted in Insp Rept 50-261/93-07.
DIETZ, C.R. Carolina Power & Light Co. 93/07/29. Document Control Branch (Document Control Desk). 1p. 76034:318-76034:318.

9308060006 Forwards insp rept 50-261/93-16 on 930628-0702. No violations noted.
CLINE, W.E. Region 2 (Post 820201). 93/07/30. DIETZ, C.R. Carolina Power & Light Co. 3pp. 75992:046-75992:069.

-9308060009 Insp rept 50-261/93-16 on 930628-0702. No violations noted. Major areas inspected: health physics activities including organization, staffing & training.
BOLAND, A.T., PHARR, E.B., RANKIN, W.H. Region 2 (Post 820201). 93/07/29. 21pp. 75992:049-75992:069.

9308060064 Forwards svc water sys operational performance insp rept 50-261/93-12 on 930614-0702 & notice of violation.
GIBSON, A.F. Region 2 (Post 820201). 93/07/30. DIETZ, C.R. Carolina Power & Light Co. 4pp. 75992:245-75992:276.

-9308060069 Notice of violation from insp on 930614-0702. Violation noted: activities affecting quality were not accomplished in accordance w/documented procedures.
* Region 2 (Post 820201). 93/07/30. 4pp. 75992:249-75992:252.

-9308060075 Svc water sys operational performance insp rept 50-261/93-12 on 930614-0702. Violations noted. Major areas inspected: review of svc water sys operational performance.
ROGERS, W.G., PEEBLES, T.A. Region 2 (Post 820201). 93/07/27. 24pp. 75992:253-75992:276.

9308100104 Provides response to violations noted in Insp Rept 50-261/93-11. Corrective actions: review conducted on expedited basis, evaluation completed & approved by plant mgt & corrective actions assignments accepted.
DIETZ, C.R. Carolina Power & Light Co. 93/08/02. Document Control Branch (Document Control Desk). 9pp. 76066:322-76066:330.

9308250016 Forwards insp rept 50-261/93-17 on 930719-23. No violations noted.
JULIAN, C.A. Region 2 (Post 820201). 93/08/12. DIETZ, C.R. Carolina Power & Light Co. 3pp. 76187:008-76187:016.

-9308250019 Insp rept 50-261/93-17 on 930719-23. No violations noted. Major areas inspected: electrical maint to assess scope & implementation of switchyard circuit breaker replacement mod.
RUDISAIL, S., SHYMLOCK, M. Region 2 (Post 820201). 93/08/10. 6pp. 76187:011-76187:016.

9308160092 Responds to NRC ltr re violations noted in insp rept 50-261/93-14. Corrective actions: secured vital area door & searched area to confirm unauthorized access had not occurred.
DIETZ, C.R. Carolina Power & Light Co. 93/08/13. Document Control Branch (Document Control Desk). 5pp. 76154:307-76154:311.

9308250067 Forwards exam rept 50-261/93-301 on 930719-23 & notice of violation.
PEEBLES, T.A. Region 2 (Post 820201). 93/08/17. DIETZ, C.R. Carolina Power & Light Co. 5pp. 76187:164-76187:163.

-9308250071 Notice of violation from insp on 930719-23. Violation noted: licensee failed to notify Commission of change in medical status of five operators eyesight.
* Region 2 (Post 820201). 93/08/17. 2pp. 76187:169-76187:170.

-9308250079 Exam rept 50-261/93-301 on 930719-23. Violations noted. Exam results: one senior reactor operator & six reactor operators received written & operating exams.
PAYNE, D.C., ERNSTES, M.E. Region 2 (Post 820201). 93/08/12. 150pp. 76187:171-76187:343.

9308260342 Confirms that payment for listed invoices for insp fees electronically transferred to NRC on 930818 for period 921227-930320.
PRUNTY, R.W. Carolina Power & Light Co. 93/08/23. Document Control Branch (Document Control Desk). 1p. 76265:360-76265:360.

9308310147 Ack receipt of 930813 ltr informing NRC of steps taken to correct violations noted in insp rept 50-261/93-14.
COLLINS, D.M. Region 2 (Post 820201). 93/08/23. DIETZ, C.R. Carolina Power & Light Co. 3pp. 76264:154-76264:156.

9308160303 AUXILIARY FEEDWATER SYSTEM RISK-BASED INSPECTION GUIDE FOR THE H.B. ROBINSON NUCLEAR POWER PLANT.
MOFFITT, N.E., LLOYD, R.C., GORE, B.F. Battelle Memorial Institute, Pacific Northwest Laboratory, FIN L-1310. NUREG/CR-5833. 93/08/31. Division of Systems Safety & Analysis (Post 921004). 37pp. 76119:293-76119:330.

R. Periodic operating reports & related correspondence

9308300316 Monthly operating rept for July 1993 for HB Robinson Steam Electric Plant, Unit 2 W/930820 ltr.
GROOMS, J., FLANAGAN, W.J. Carolina Power & Light Co. 93/07/31. 7pp. 76296:339-76296:345.

S. Reportable occurrences, LERs & related correspondence

9308180115 Summary of operator reactors event meeting 93-18 on 930519.
CHAFFEE, A.E. Events Assessment Branch. 93/05/26. GRIMES, B.K. Division of Operating Reactor Support (Post 921004). 20pp. 76152:018-76152:037.

9308030372 Potential Part 21 rept re Limitorque actuator motors. Utilis & other purchases listed in encl being advised of concern. Limitorque revising selection procedure for safety related actuators, motors & technical data packages.
TAYLOR, J.H. Babcock & Wilcox Co. 93/07/22. Document Control Branch (Document Control Desk). 8pp. 75976:349-75976:356.

9308100210 Forwards response to GL 93-04. "Rod Control Sys Failure & Withdrawal of Rod Control Cluster Assemblies," summarizing compensatory actions taken in response to Salem rod control sys failure event.
DIETZ, C.R. Carolina Power & Light Co. 93/08/05. Document Control Branch (Document Control Desk). 9pp. 76065:289-76065:297.

9308170102 LER 93-006-00 on 930712. EDG A ventilation sys air return damper discovered to have been mechanically positioned partially opened w/wooden wedge. Caused by personnel error. Wedge block removed. W/940813 ltr.
CHOOK, D., FLANAGAN, W.J. Carolina Power & Light Co. 93/08/13. 4pp. 76159:011-76159:014.

U. Congressional/Executive Correspondence

9308090315 Responds to 930618 ltr, including hand written message drafted by B Lucas re storing spent fuel onsite at Oyster Creek Nuclear Generating Station. Informs that NUHOMS casks already being used at listed ISFSIs.
BERNERO, R.M. Office of Nuclear Material Safety & Safeguards. 93/07/29. CONNORS, L.T., MORAN, J.W., CONNORS, C.J. New Jersey, State of. 2pp. 76072:328-76072:332.

V. Operator Examinations

9308250067 Forwards exam rept 50-261/93-301 on 930719-23 & notice of violation.
PEEBLES, T.A. Region 2 (Post 820201). 93/08/17. DIETZ, C.R. Carolina Power & Light Co. 5pp. 76187:164-76187:343.

-9308250071 Notice of violation from insp on 930719-23. Violation noted: licensee failed to notify Commission of change in medical status of five operators eyesight.
* Region 2 (Post 820201). 93/08/17. 2pp. 76187:169-76187:170.

-9308250079 Exam rept 50-261/93-301 on 930719-23. Violations noted. Exam results: one senior reactor operator & six reactor operators received written & operating exams.
PAYNE, D.C., ERNSTES, M.E. Region 2 (Post 820201). 93/08/12. 150pp. 76187:171-76187:343.

30 DOCKETED ITEMS

DOCKET 50-263 MONTICELLO NUCLEAR GENERATING PLANT

F. Security, medical, emergency & fire protection plans

- 9308040160** Forwards encl 8 to SECY 93-166 which describes proposed characteristics of design basis vehicle. Encl withheld.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 93/07/15. ANDERSON, R.O. Northern States Power Co. 2pp. 75987:020-75987:021.
- 9308030242** Forwards Initial SALP 11 Rept 50-263/93-01 for period 911201-930531. Seven functional area ratings Category 1. Ack significant efforts until made to address weaknesses discussed in previous assessment.
MARTIN, J.B. Region 3 (Post 820201). 93/07/26. ANTONY, D.D. Northern States Power Co. 4pp. 75979:328-75979:346.
- 9308030246** SALP Rept 50-263/93-01 for period 911201-930531.
* Region 3 (Post 820201). 93/06/27. 15pp. 75979:332-75979:346.
- 9308310001** Forwards public version of revised EIPs, including rev 53 to EIPs index & rev 2 to EIP A.2-701, "PANS Sys False Activation or Failure." W/930817 release memo.
FEY, F.L. Northern States Power Co. 93/08/09. Document Control Branch (Document Control Desk). 1p. 76278:094-76278:105.
- 9308310003** Public version of revised EIPs, including rev 53 to EIPs index & rev 2 to EIP A.2-701, "PANS Sys False Activation or Failure."
* Northern States Power Co. 93/08/09. 10pp. 76278:095-76278:105.
- 9308200193** Forwards Rev 10A to security training & qualification plan, per 10CFR50.54(p). Change responds to areas of NRC concern re Rev 10. Only revised pages submitted. Pages withheld, per 10CFR73.21.
ANDERSON, R.O. Northern States Power Co. 93/08/12. Document Control Branch (Document Control Desk). 1p. 76199:286-76199:286.

P. Operating license stage documents & correspondence

- 9308120014** AED/T604. "Events Resulting From Deficiencies in Labeling & Identification Sys" technical review rept.
TRAGER, E.A. NRC - No Detailed Affiliation Given. 86/05/07. 25pp. 76082:334-76082:358.
- 9308030340** Forwards amend 86 to license DPR-22 & safety evaluation. Amend revises TS re control rod drive testing requirements.
SAMWORTH, R.B. Project Directorate III-1. 93/07/12. ANDERSON, R.O. Northern States Power Co. 3pp. 75952:230-75952:240.
- 9308030343** Amend 86 to license DPR-22, revising TS re control rod drive testing requirements.
DEAN, W.M. Project Directorate III-1. 93/07/12. 4pp. 75952:234-75952:237.
- 9308030346** Safety evaluation supporting amend 86 to license DPR-22.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 93/07/12. 4pp. 75952:238-75952:240.
- 9308060267** Provides semiannual status repts to NRC on progress of configuration mgmt programs at facility.
ANDERSON, R.O. Northern States Power Co. 93/07/22. Document Control Branch (Document Control Desk). 8pp. 76026:256-76026:263.
- 9308060275** Forwards "Reactor Containment Bldg Integrated Leak Rate Test Completed Mar 1993."
ANDERSON, R.O. Northern States Power Co. 93/07/22. Document Control Branch (Document Control Desk). 1p. 76036:155-76036:205.
- 9308060278** "Reactor Containment Bldg Integrated Leak Rate Test Completed Mar 1993."
TOBIN, P.A. Northern States Power Co. 93/03/31. 50pp. 76036:156-76036:205.
- 9308020011** Ack receipt of inquiry addressed to MA Bies re conference of medical reviewers in Region III facilities. Advises that NRC would not be able to participate at conference & proposed listed alternative suggestions for licensee.
RING, M.A. Region 3 (Post 820201). 93/07/26. WOODBURN, J.D. Northern States Power Co. 3pp. 75972:343-75972:346.
- 9308020016** Notifies of possible Region III meeting of medical directors to discuss & further standardize licensees medical exams & decision making processes.
WOODBURN, J.D. Northern States Power Co. 93/07/16. BIES, M.A. Region 3 (Post 820201). 1p. 75972:346-75972:346.
- 9308090270** Forwards proposed changes to Rev 16 of "Operational QA Plan." Changes will not be implemented until Region III reviewed & approved changes.
ANDERSON, R.O. Northern States Power Co. 93/08/03. Document Control Branch (Document Control Desk). 20pp. 76062:170-76062:189.
- 9308200012** Forwards application for amend to License DPR-22, revising radiological effluents portion of TS.
ANDERSON, R.O. Northern States Power Co. 93/08/10. Document Control Branch (Document Control Desk). 2pp. 76190:246-76190:273.
- 9308200018** LAR to provide clarification of sampling & analysis requirements, update liquid effluent sampling & analysis requirements & to correct typographical errors in TS section for License DPR-22.
ANDERSON, R.O. Northern States Power Co. 93/08/10. 1p. 76190:248-76190:248.
- 9308200022** Proposed tech specs providing clarification of sampling & analysis requirements, updating liquid effluent sampling & requirements & correcting typographical errors in TS section.
* Northern States Power Co. 93/08/10. 25pp. 76190:249-76190:273.
- 9308250294** Provides addl info re importance of various initiating events used in development of individual plant exam per GL 88-20.
ANDERSON, R.O. Northern States Power Co. 93/08/17. Document Control Branch (Document Control Desk). 2pp. 76260:278-76260:279.

Q. Inspection reports, IE Bulletins & correspondence

- 9307190043** NRC Info Notice 93-057, "Software Problems Involving Digital Control Console Sys at Non-Power Reactors."
GRIMES, B.K. Division of Operating Reactor Support (Post 921004). 93/07/23. Consolidated Edison Co. of New York, Inc. 9pp. 76111:200-76111:208.
- 9308030242** Forwards Initial SALP 11 Rept 50-263/93-01 for period 911201-930531. Seven functional area ratings Category 1. Ack significant efforts until made to address weaknesses discussed in previous assessment.
MARTIN, J.B. Region 3 (Post 820201). 93/07/26. ANTONY, D.D. Northern States Power Co. 4pp. 75979:328-75979:346.
- 9308030246** SALP Rept 50-263/93-01 for period 911201-930531.
* Region 3 (Post 820201). 93/06/27. 15pp. 75979:332-75979:346.
- 9308030138** Confirms plans to hold meeting on 930813 in Monticello, MN re initial SALP II rept for plant.
GREENMAN, E.G. Region 3 (Post 820201). 93/07/28. ANTONY, D.D. Northern States Power Co. 2pp. 75936:086-75936:087.
- 9308030420** Forwards Rev 1 to "Monticello Nuclear Generating Plant, ISI Exam Plan, Third Interval, 920601-200531." Rev 1 submitted in response to comments provided by WO Long, NRC-NRR on 921027.
ANDERSON, R.O. Northern States Power Co. 93/07/29. Document Control Branch (Document Control Desk). 1p. 75976:001-75976:195.
- 9308030423** Rev 1 to "Monticello Nuclear Generating Plant, ISI Exam Plan, Third Interval, 920601-200531."
VIK, M., KINNEY, C., RICKER, J. Northern States Power Co. 93/07/23. 200pp. 75976:002-75976:195.
- 9308030106** Responds to NRC Bulletin 93-003, "Resolution of Issues Re RWL Instrumentation in BWRs." Plant process computer monitoring of RPV level has been enhanced & will continuously monitor & compare RPV level indication signals.
ANDERSON, R.O. Northern States Power Co. 93/07/30. Document Control Branch (Document Control Desk). 7pp. 75975:335-75975:341.
- 9308240082** Forwards technical review rept re, "Tardy Licensee Actions" initiated because of delayed replacement of batteries in uninterruptible power supplies at plant.
ISRAEL, S.L. Reactor Operations Analysis Branch. 93/08/05. ROSENTHAL, J.E. Reactor Operations Analysis Branch. 2pp. 76218:177-76218:193.
- 9308240165** Technical review rept, "Tardy Licensee Actions."
ISRAEL, S.L. Reactor Operations Analysis Branch. 93/08/31. 13pp. 76218:179-76218:193.
- 9308170314** Responds to NRC ltr re violation noted in insp rept 50-263/93-13. Corrective actions: initiated nonconformance rept NCR 92-072.
ANTONY, D.D. Northern States Power Co. 93/08/13. Document Control Branch (Document Control Desk). 8pp. 76135:306-76135:313.
- 9308170342** Responds to 930726 ltr per comments re SALP board initial rept on 911201-930531.
ANDERSON, R.O. Northern States Power Co. 93/08/13. Document Control Branch (Document Control Desk). 1p. 76137:312-76137:312.
- 9308250195** Forwards insp rept 50-263/93-14 on 930707-0811. No violations noted.
PHILLIPS, M.P. Region 3 (Post 820201). 93/08/17. ANTONY, D.D. Northern States Power Co. 3pp. 76189:062-76189:078.
- 9308250198** Insp rept 50-263/93-14 on 930707-0811. No violations noted. Major areas inspected: plant operations, maint, engineering & technical support, plant support & follow-up of previously identified items & licensee event repts.
PHILLIPS, M.P. Region 3 (Post 820201). 93/08/17. 14pp. 76189:065-76189:078.

R. Periodic operating reports & related correspondence

- 9308160351** Monthly operating rept for Jul 1993 for Monticello Nuclear Generating Plant W/930811 ltr.
PAUSTIAN, H.H., ANDERSON, R.O. Northern States Power Co. 93/07/31. 5pp. 76141:348-76141:352.
- 9308170406** Monthly operating rept for Jul 1993 for Monticello Nuclear Generating Plant W/930811 ltr.
PAUSTIAN, H.H., ANDERSON, R.O. Northern States Power Co. 93/07/31. 5pp. 76135:299-76135:303.

S. Reportable occurrences, LERs & related correspondence

- 9308310139** Summary of operating reactors events meeting 93-29 on 930804. List of attendees & viewgraphs encl.
CHAFFEE, A.E. Events Assessment Branch. 93/08/09. GRIMES, B.K. Division of Operating Reactor Support (Post 921004). 9pp. 76278:020-76278:028.

V. Operator Examinations

- 9308030302** Informs of NRC plans to administer generic fundamentals exam section written operator licensing exam on 931006.
RING, M.A. Region 3 (Post 820201). 93/07/28. Consumers Power Co. 3pp. 75983:358-75983:360.

DOCKET 50-265 QUAD-CITIES STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

- 9308050300** Corrected Emergency Preparedness & State Programs Corporate EIPs (CEPIP) CEPIP-2000 Series: Corporate Emergency Response Organization Index.
* Commonwealth Edison Co. 93/07/14. 3pp. 76022:121-76022:123.

9308040274 Forwards encl 8 to SECY 93-166 which describes proposed characteristics of design basis vehicle W/o encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 93/07/15. FARRAR,D.L. Commonwealth Edison Co. 4pp. 75979:087-75979:090.

9308090283 Revised EPIPs, including Rev 8 to QEP 107-0, "Assistant Station Director" & Rev 5 to QEP 107-S3, "Assistant Station Director General Emergency Checklist".
* Commonwealth Edison Co. 93/07/31. 5pp. 76060:357-76060:361.

9308100102 Forwards partially withheld insp repts 50-254/93-20 & 50-265/93-20 on 930719-23 & NOV. Expresses concern for violation because design of barriers resulted in identification of degradation NOV withheld.
JORGENSEN,B.L. Region 3 (Post 820201). 93/08/04. DELGEORGE,L.O. Commonwealth Edison Co. 2pp. 76025:349-76025:352.

-9308100103 Partially withheld insp repts 50-254/93-20 & 50-265/93-20 on 930719-23. Violations noted. Major areas inspected: physical security, including mgt support & power supply. Details withheld ref 10CFR73.21.
MADEDA,T.J. Region 3 (Post 820201). 93/08/03. 2pp. 76025:351-76025:352.

9308100190 Provides addl info on fire barrier qualification, installation & ampacity derating margins for Thermo-Lag applications at facilities, in response to GL 92-08.
CHYZANOWSKI,D. Commonwealth Edison Co. 93/08/04. Office of Nuclear Reactor Regulation, Director (Post 870411). 6pp. 76067:249-76067:254.

9308260076 Revised emergency procedures, including Rev 11 to QEP 720-0, "Drills & Exercises," Rev 8 to QEP 720-2, "Equipment & Communication Tests" & Rev 7 to QEP 720-S1, "Monthly Equipment & Communications Sys Test Checklist".
* Commonwealth Edison Co. 93/08/18. 36pp. 76237:290-76237:325.

9308310078 Summary of 930817 meeting w/util in Rockville, MD re security-related issues & proposed mods to security plans. List of attendees encl.
PICKETT,D.V. Project Directorate III-2. 93/08/24. Project Directorate III-2. 7pp. 76274:190-76274:196.

P. Operating license stage documents & correspondence

9308110174 Forwards request for addl info re licensee 920701 response to GL 92-01, rev 1, "Reactor Vessel Structural Integrity".
KENNEDY,J.L. Project Directorate III-2. 93/07/19. FARRAR,D.L. Commonwealth Edison Co. 7pp. 76063:301-76063:307.

9308050177 Forwards "Reactor Containment Bldg Integrated Leak Rate Test Quad-Cities Nuclear Power Station Unit 2," for period 930517-19.
BAX,R.L. Commonwealth Edison Co. 93/07/23. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 76021:228-76021:300.

-9308050180 "Reactor Containment Bldg Integrated Leak Rate Test Quad-Cities Nuclear Power Station."
* Commonwealth Edison Co. 93/05/19. 72pp. 76021:229-76021:300.

9308030320 Ack receipt of 930630 & 0713 submittals, incorporating changes in QA program description topical rept. Anticipates 60 days to complete review of submittal.
RING,M.A. Region 3 (Post 820201). 93/07/27. DELGEORGE,L.O. Commonwealth Edison Co. 2pp. 75979:304-75979:305.

9308180220 Ack receipt of response to GL 92-04, "Resolution of Issues re Reactor Vessel Water Level Instrumentation in BWRs" & finds listed response acceptable.
STANG,J.F. Project Directorate III-2. 93/07/29. FARRAR,D.L. Commonwealth Edison Co. 6pp. 76143:133-76143:138.

9308200102 Forwards amends 143 & 138 to licenses DPR-29 & DPR-30 & safety evaluation. Amends would revise basis of scram & isolation setpoints for main steamline radiation monitors.
PATEL,C.P. Project Directorate III-2. 93/08/03. FARRAR,D.L. Commonwealth Edison Co. 2pp. 76164:281-76164:291.

-9308200107 Amends 143 & 138 to licenses DPR-29 & DPR-30, respectively, revising basis of scram & isolation setpoints for main steamline radiation monitors.
DYER,J.E. Project Directorate III-2. 93/08/03. 4pp. 76164:283-76164:286.

-9308200112 Safety evaluation supporting amends 143 & 138 to licenses DPR-29 & DPR-30, respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 93/08/03. 5pp. 76164:287-76164:291.

9308100190 Provides addl info on fire barrier qualification, installation & ampacity derating margins for Thermo-Lag applications at facilities, in response to GL 92-08.
CHYZANOWSKI,D. Commonwealth Edison Co. 93/08/04. Office of Nuclear Reactor Regulation, Director (Post 870411). 6pp. 76067:249-76067:254.

9308260158 Advises that NRC has no technical objection to licensee 930521 request to change frequency of meetings w/fuel vendors from once per reload design to once yearly.
DYER,J.E. Project Directorate III-3. 93/08/09. FARRAR,D.L. Commonwealth Edison Co. 3pp. 76216:358-76216:360.

9308200005 Notification of 930818 meeting w/util in Rockville, MD to discuss approach NRR taking to address cost beneficial licensing actions.
SIEGEL,B. Project Directorate III-2. 93/08/17. MURLEY,T., PARTLOW,J., GILLESPIE,F. NRC - No Detailed Affiliation Given. 4pp. 76209:284-76209:287.

9308230136 Provides requested info on post-accident neutron monitoring sys configurations at units re NEDO document.
CHYZANOWSKI,D. Commonwealth Edison Co. 93/08/17. Document Control Branch (Document Control Desk). 12pp. 76204:350-76204:361.

9308260010 Re-transmits Quad-Cities Station, Units 1 & 2 Cycle 12 startup test summaries, transmitted via 910719 & 920723 ltrs to correctly note values within startup test repts summaries incorrectly reported.
MORGAN,W.E. Commonwealth Edison Co. 93/08/19. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 76259:191-76259:210.

-9308260016 "Quad-Cities Nuclear Power Station, Unit 2 Cycle 12 Startup Test Results."
* Commonwealth Edison Co. 93/08/19. 9pp. 76259:202-76259:210.

9308230113 Forwards Rev 64 to Topical Rept CE-1-A, "Comm Ed QA Manual".
BAUER,J.A. Commonwealth Edison Co. 93/08/20. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 76179:001-76179:190.

-9308230114 Rev 64 to Topical Rept CE-1-A, "Comm Ed QA Manual".
* Commonwealth Edison Co. 93/08/17. 189pp. 76179:002-76179:190.

9308300294 Forwards "Quad-Cities Nuclear Power Station, Unit 2 Cycle 13 Startup Test Results" rept. Notifies that core power distribution symmetry analysis (Test #4) not completed. Suppl to rept will be issued at end of Oct 1993.
MORGAN,W.E. Commonwealth Edison Co. 93/08/24. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 76280:347-76280:352.

-9308300297 "Quad-Cities Nuclear Power Station, Unit 2 Cycle 13 Startup Test Results" rept.
* Commonwealth Edison Co. 93/08/24. 5pp. 76280:348-76280:352.

9308310234 Forwards Rev 1 to COE-301-200, "Evaluation & Disposition of IGSCC-Susceptible Weldments at Quad Cities Nuclear Power Station Unit 2 1993 Outage".
MORGAN,W.E. Commonwealth Edison Co. 93/08/27. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 5pp. 76289:001-76289:147.

-9308310271 Rev 1 to COE-301-200, "Evaluation & Disposition of IGSCC-Susceptible Welding at Quad Cities Nuclear Power Station Unit 2 1993 Outage".
AXLINE,J.W., FROELICH,C.H., BROWN,J.A. Pacific Nuclear Systems, Inc. COE-301-200 R01. 93/08/23. 142pp. 76289:006-76289:147.

Q. Inspection reports, IE Bulletins & correspondence

9307190043 NRC Info Notice 93-057, "Software Problems Involving Digital Control Console Sys at Non-Power Reactors".
GRIMES,B.K. Division of Operating Reactor Support (Post 921004). 93/07/23. Consolidated Edison Co. of New York, Inc. 9pp. 76111:200-76111:208.

9308050144 EN-93-074 on 930730, notice of proposed imposition of civil penalty in amount of \$100,000 issued to licensee. Action based on two violations involving inoperability of emergency diesel generators.
TROSKOSKI,W., LIEBERMAN,J. Ofc of Enforcement (Post 870413). 93/07/27. 1p. 75971:360-75971:360.

9308040325 Responds to NRC Bulletin 93-003, "Resolution of Issues Re RV Water Level Instrumentation in BWRs." Licensee has established monitoring of RPV level instruments during reactor shutdown activities.
DELGEORGE,L.O. Commonwealth Edison Co. 93/07/30. MURLEY,T. Office of Nuclear Reactor Regulation, Director (Post 870411). 23pp. 75997:001-75997:026.

9308090127 Forwards insp repts 50-254/93-15 & 50-265/93-15 on 930518-0628. No violations noted. Concern re inability to implement long term corrective actions to eliminate causes for safety sys failures noted.
GREENMAN,E.G. Region 3 (Post 820201). 93/07/30. DELGEORGE,L.O. Commonwealth Edison Co. 2pp. 76020:162-76020:176.

-9308090131 Insp repts 50-254/93-15 & 50-265/93-15 on 930518-0628. No violations noted. Major areas inspected: licensee action on previously identified items, LER review, operational safety verification, monthly maint & surveillance observation.
HILAND,P.L. Region 3 (Post 820201). 93/07/19. 13pp. 76020:164-76020:176.

9308100072 Forwards notice of violation & proposed imposition of civil penalties in amount of \$100,000.
MARTIN,J.B. Region 3 (Post 820201). 93/07/30. WALLACE,M.J. Commonwealth Edison Co. 6pp. 76025:282-76025:291.

-9308100076 Notice of violation & proposed imposition of civil penalty in amount of \$100,000. Noncompliance noted: on numerous occasions Unit 1/2 diesel generator inoperable in relation to Unit 2 & Unit 2 made critical.
* Region 3 (Post 820201). 93/07/30. 4pp. 76025:288-76025:291.

9308100083 EN-93-079 on 930806, notice of proposed imposition of civil penalty in amount of \$50,000 issued to licensee. Action based on number of violations identified in licensee fire protection program.
LUEHMANN,J., LIEBERMAN,J. Ofc of Enforcement (Post 870413). 93/08/03. 1p. 76025:331-76025:331.

9308200137 Ack receipt of 930610 response to NRC Bulletin 93-002. Licensee stated that no fibrous filter mat identified being used or stored in containment.
PATEL,C.P. Project Directorate III-2. 93/08/03. FARRAR,D.L. Commonwealth Edison Co. 2pp. 76162:360-76162:361.

9308100102 Forwards partially withheld insp repts 50-254/93-20 & 50-265/93-20 on 930719-23 & NOV. Expresses concern for violation because design of barriers resulted in identification of degradation NOV withheld.
JORGENSEN,B.L. Region 3 (Post 820201). 93/08/04. DELGEORGE,L.O. Commonwealth Edison Co. 2pp. 76025:349-76025:352.

-9308100103 Partially withheld insp repts 50-254/93-20 & 50-265/93-20 on 930719-23. Violations noted. Major areas inspected: physical security, including mgt support & power supply. Details withheld ref 10CFR73.21.
MADEDA,T.J., CREED,J.R. Region 3 (Post 820201). 93/08/03. 2pp. 76025:351-76025:352.

9308120001 Discusses safety insp repts 50-254/93-09 & 50-265/93-09 on 930224-26, 0419-23 & 0527 & forwards notice of violation & proposed imposition of civil penalty in amount of \$50,000. Enforcement conference held on 930621 to discuss violations.
MARTIN,J.B. Region 3 (Post 820201). 93/08/06. WALLACE,M.J. Commonwealth Edison Co. 6pp. 76063:001-76063:011.

-9308120002 Notice of violation & proposed imposition of civil penalty in amount of \$50,000. Noncompliance noted: procedures not established to track opposite unit/shared unit safe shutdown components when equipment taken out-of-svc.
* Region 3 (Post 820201). 93/08/06. 5pp. 76063:007-76063:011.

32 DOCKETED ITEMS

9308190003 Forwards insp repts 50-254/93-21 & 50-265/93-21 on 930719-27 & notice of violation.
SNELL,W. Region 3 (Post 820201). 93/08/13. DELGEORGE,L.O. Commonwealth Edison Co. 2pp. 76160:310-76160:319.

-9308190006 Notice of violation from insp on 930719-27 Violation noted:failure to conduct surveillance of SBT sys iodide removal efficiency test.
SNELL,W. Region 3 (Post 820201). 93/08/13. 1p. 76160:312-76160:312.

-9308190014 Insp repts 50-254/93-21 & 50-265/93-21 on 930719-27. Violation noted:failure to conduct surveillance of SBT sys iodide removal efficiency test.Major areas inspected: radiation protection & gaseous radioactive waste.
PAUL,R.A., SHAH,N. Region 3 (Post 820201). 93/08/06. 7pp. 76160:313-76160:319.

9308190062 Forwards insp repts 50-254/93-17 & 50-265/93-17 on 930609-0812.Violations noted:failure to follow procedures & inadequate procedures.
MARTIN,T.O. Region 3 (Post 820201). 93/08/13. DELGEORGE,L.O. Centenor Energy. 3pp. 76162:152-76162:177.

-9308190070 Insp repts 50-254/93-17 & 50-265/93-17 on 930609-0812. Violations noted:failure to follow procedures & inadequate procedures.Major areas inspected:root cause for disc failure & response to event.
GUZMAN,J., PRESCOTT,P., ZELIG,C. Region 3 (Post 820201). 93/08/13. 22pp. 76162:155-76162:177.

9308230024 Forwards insp repts 50-254/93-13 & 50-265/93-13 on 930628-0708.No violations noted.
MARTIN,T.O. Region 3 (Post 820201). 93/08/17. DELGEORGE,L.O. Commonwealth Edison Co. 3pp. 76165:063-76165:081.

-9308230028 Insp repts 50-254/93-13 & 50-265/93-13 on 930628-0708.No violations noted.Major areas inspected:implementation of licensee response to GL 89-10.
REPLOGIE,G.D., SMITH,J.F., GUZMAN,J.G. Region 3 (Post 820201). 93/08/16. 16pp. 76165:066-76165:081.

9308300150 Submits final insp results from D2R13 & Q2R12 refueling outages re RWCU outboard piping insp plan for Units 2 & 3.
PIET,P.L. Commonwealth Edison Co. 93/08/20. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 7pp. 76282:272-76282:279.

R. Periodic operating reports & related correspondence

9308060354 Forwards listing of facility & procedure changes,tests & experiments requiring safety evaluations completed during month of June 1993.Summary of SEs being reported,per 10CFR50.59 & 10CFR50.71(e).
SCOTT,A.M. Commonwealth Edison Co. 93/07/07. Document Control Branch (Document Control Desk). 16pp. 76024:268-76024:283.

9308090330 Forwards errata to Quad Cities Nuclear Power Station,units 1 & 2 annual environ operating rept.
SCHUSTER,T. Commonwealth Edison Co. 93/07/26. MARTIN,J. Region 3 (Post 820201). 1p. 76037:229-76037:231.

-9308090337 Errata to Quad Cities Nuclear Power Station,units 1 & 2 annual environ operating rept.
Commonwealth Edison Co. 92/12/31. 2pp. 76037:230-76037:231.

9308160219 Monthly operating repts for Jul 1993 for Quad-Cities Nuclear Station,units 1 & 2.W/930802 ltr.
BENSON,M., SCOTT,A.M. Commonwealth Edison Co. 93/07/31. 25pp. 76141:271-76141:295.

9308310197 Forwards Rev 5 to "Effluent & Waste Disposal Semi-Annual Rept,Gaseous Effluents - Summation of all Releases,Jan-June 1993."
BAX,R.L. Commonwealth Edison Co. 93/08/12. Document Control Branch (Document Control Desk). 4pp. 76300:333-76300:357.

-9308310201 Rev 5 to "Effluent & Waste Disposal Semi-Annual Rept,Gaseous Effluents - Summation of all Releases."
Commonwealth Edison Co. 93/06/30. 21pp. 76300:337-76300:357.

9308260021 Forwards fitness-for-duty program performance data for Braidwood,Byron,Dresden,LaSalle,Quad-Cities & Zion Stations for six month period ending 930630.
SIMPKIN,T.W. Commonwealth Edison Co. 93/08/20. Document Control Branch (Document Control Desk). 24pp. 76259:243-76259:266.

S. Reportable occurrences, LERs & related correspondence

9308170345 Part 21 rept re reportable defect-75 PSIG relief check valve 1" NPT,EMD 9521844,Kepner 416C-1-75.
GALEAZZI,D.D. MKW Power Systems, Inc. 93/07/15. Office of Nuclear Reactor Regulation, Director (Post 870411). 10pp. 76139:010-76139:019.

9308030372 Potential Part 21 rept re Limitorque actuator motors.Utilis & other purchases listed in encl being advised of concern. Limitorque revising selection procedure for safety related actuators,motors & technical data packages.
TAYLOR,J.H. Babcock & Wilcox Co. 93/07/22. Document Control Branch (Document Control Desk). 8pp. 75976:349-75976:356.

9308260066 Final Part 21 rept re Rev 4 of BWROG emergency response guidelines.Initially reported on 930723.Appropriate changes made to operator training to ensure appropriate actions will be taken to address issue re alignment of CCSW.
JOHNSON,I.M. Commonwealth Edison Co. 93/08/20. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 4pp. 76260:165-76260:168.

V. Operator Examinations

9308030302 Informs of NRC plans to administer generic fundamentals exam section written operator licensing exam on 931006.
RING,M.A. Region 3 (Post 820201). 93/07/28. Consumers Power Co. 3pp. 75983:358-75983:360.

DOCKET 50-266 POINT BEACH NUCLEAR PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9308030271 Forwards encl 8 to SECY 93-166,which describes proposed characteristics of design basis vehicle.W/o encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 93/07/15. LINK,R.E. Wisconsin Electric Power Co. 2pp. 75950:336-75950:337.

9308130087 Requests for info re PBNPSP submitted under provisions of 10CFR 50.54.Two issues related to vital area policy were referred to NRR for review.
GODY,A.T. Project Directorate III-3. 93/07/26. LINK,R.E. Wisconsin Electric Power Co. 4pp. 76094:168-76094:171.

9308260133 Forwards security plan as identified in 930407 ltr.Plan withheld.
MAXFIELD,G. Wisconsin Electric Power Co. 93/08/10. Document Control Branch (Document Control Desk). 1p. 76265:359-76265:359.

9308230053 Forwards Public & Central Files version of revised EPIP for Point Beach Units 1 & 2.
LINK,B. Wisconsin Electric Power Co. 93/08/16. Document Control Branch (Document Control Desk). 1p. 76201:001-76201:117.

-9308230062 Revised EPIPs,including rev 17 to index,rev 18 to EPIP-1.1, rev 9 to EPIP 1.1.1,rev 13 to EPIP 6.2 & rev 14 to EPIP 6.6.
Wisconsin Electric Power Co. 93/08/13. 112pp. 76201:002-76201:117.

9308310212 Confirms info provided by util during 930726 telcon w/NRR & Region III re operator training & procedural requirements for timely restoration of AFW to unit following dual unit actuation.EOPS steps adequate to ensure appropriate action.
LINK,B. Wisconsin Electric Power Co. 93/08/24. Document Control Branch (Document Control Desk). 2pp. 76289:263-76289:264.

H. General correspondence

9308300190 Responds to 930701 ltr w/regard to ltr from constituent B Johnson expressing concerns re storing spent fuel on site at Palisades & Point Beach nuclear power plants.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 93/08/23. ROTH,T. House of Rep. 3pp. 76282:107-76282:113.

-9308300197 Forwards ltr from constituent B Johnson expressing concerns re storing spent fuel on site at Palisades & Point Beach nuclear power plants.
ROTH,T. House of Rep. 93/07/01. FIATBUN,D. Office of Congressional Affairs (Post 911117). 4pp. 76282:110-76282:113.

P. Operating license stage documents & correspondence

9308120167 Requests copy of rept re tech info per pressure vessel issue at Point Beach.
SMITH,L.L. Wisconsin, State of. 93/04/14. GODY,T. Document Control Branch (Document Control Desk). 1p. 76094:349-76094:349.

9308110283 Notification of 930727 meeting w/util in Rockville,MD to discuss general licensing issues.
HANSEN,A.G. Project Directorate III-3. 93/07/21. MURLEY,T. NRC - No Detailed Affiliation Given. 4pp. 76074:337-76074:340.

9308130028 Summary of 930630 licensee counterparts meeting at util corporate ofc re dry cask storage of spent fuel,SALP & other listed topics.
HANNON,J.N. Project Directorate III-3. 93/07/22. Project Directorate III-3. 200pp. 76133:001-76133:202.

9308130087 Requests for info re PBNPSP submitted under provisions of 10CFR 50.54.Two issues related to vital area policy were referred to NRR for review.
GODY,A.T. Project Directorate III-3. 93/07/26. LINK,R.E. Wisconsin Electric Power Co. 4pp. 76094:168-76094:171.

9308170383 Forwards amends 140 & 144 to licenses DPR-24 & DPR-27, respectively & SE.Amends modify TS to increase surveillance test intervals for reactor protection & safeguards circuits.
GODY,A.T. Project Directorate III-3. 93/07/28. LINK,R.E. Wisconsin Electric Power Co. 2pp. 76139:202-76139:224.

-9308170391 Amends 140 & 144 to licenses DPR-24 & DPR-27,respectively, revising TS to increase surveillance test intervals for reactor protection & safeguards circuits.
GODY,A.T. Project Directorate III-3. 93/07/28. 10pp. 76139:204-76139:213.

-9308170395 Safety evaluation supporting amends 140 & 144 to licenses DPR-24 & DPR-27,respectively.
Office of Nuclear Reactor Regulation, Director (Post 870411). 93/07/28. 4pp. 76139:214-76139:224.

9308110183 Responds to 930621 GL-93-04, "Rod Control Sys Failure & ...Cluster Assemblies." Ltr issued to licensees w/Westinghouse rod control sys re potential single failure.
LINK,B. Wisconsin Electric Power Co. 93/08/05. Document Control Branch (Document Control Desk). 8pp. 76082:270-76082:277.

9308270012 Provides summary of plant IPE submitted on 930630,per GL 88-20, "Individual Plant Exam for Severe Accident Vulnerabilities."
HANSEN,A.G. Project Directorate III-3. 93/08/10. HANNON,J.N. Project Directorate III-3. 2pp. 76220:122-76220:123.

9308300021 Forwards info on integrity of RVs at plant,per 930414 ltr. SECY-93-048 encl.
ROE,J.W. Division of Reactor Projects - III,IV,V (Post 901216). 93/08/11. SMITH,L.L. Wisconsin, State of. 7pp. 76266:106-76266:119.

9308270009 Informs that util 930305-14 ltr re use of gas turbine generator (G-05) as alternate AC power source, 10CFR50.63. "Loss of All Alternating Current Power" acceptable. GODY, A.T. Project Directorate III-3. 93/08/12. LINK, R.E. Wisconsin Electric Power Co. 2pp. 76220:124-76220:125.

9308310219 Summary of 930727 meeting w/util in Rockville, MD re outstanding licensing issues. List of participants encl. HANSEN, A.G. Project Directorate III-3. 93/08/16. Project Directorate III-3. 4pp. 76274:286-76274:289.

9308310212 Confirms info provided by util during 930726 telcon w/NRR & Region III re operator training & procedural requirements for timely restoration of AFW to unit following dual unit actuation. EOPs steps adequate to ensure appropriate action. LINK, B. Wisconsin Electric Power Co. 93/08/24. Document Control Branch (Document Control Desk). 2pp. 76289:263-76289:264.

9308310119 Comments of preliminary draft of NUREG/CR-4674, "Precursors to Potential Severe Core Damage Accidents: 1992 Status Rept." LINK, B. Wisconsin Electric Power Co. 93/08/26. Document Control Branch (Document Control Desk). 3pp. 76321:315-76321:317.

Q. Inspection reports, IE Bulletins & correspondence

9308130028 Summary of 930630 licensee counterparts meeting at util corporate ofc re dry cask storage of spent fuel, SALP & other listed topics. HANNON, J.N. Project Directorate III-3. 93/07/22. Project Directorate III-3. 200pp. 76133:001-76133:202.

9307190043 NRC Info Notice 93-057, "Software Problems Involving Digital Control Console Sys at Non-Power Reactors." GRIMES, B.K. Division of Operating Reactor Support (Post 921004). 93/07/23. Consolidated Edison Co. of New York, Inc. 9pp. 76111:200-76111:208.

9308090137 Ack receipt of 930712 ltr informin NRC of steps taken to correct violations noted in insp repts 50-266/93-09 & 50-301/93-09. Util will provide addl info describing clarifications to corrective action sys. GREGER, L.R. Region 3 (Post 820201). 93/07/30. LINK, R.E. Wisconsin Electric Power Co. 1p. 76020:187-76020:187.

9308250311 Discusses safety significance of corrective actions taken by licensee in response to IE bulletin 86-003. ROSENTHAL, J.E. Reactor Operations Analysis Branch. 93/08/09. HANNON, J.N. Project Directorate III-3. BUTLER, W.R. Project Directorate I-3. BERKOW, H.N. Project Directorate II-2. 3pp. 76203:257-76203:281.

9308310132 Forwards Relief Request RR-1-12, per NRC 920827 SE of util 901220 submittal of Third 10-yr interval ISI plan & associated requests for relief for PBNP, Unit 1. LINK, B. Wisconsin Electric Power Co. 93/08/26. Document Control Branch (Document Control Desk). 6pp. 76289:338-76289:343.

R. Periodic operating reports & related correspondence

9308130094 Monthly operating repts for Jul 1993 for PBNP, units 1 & 2. W/ 930805 ltr. ARNOLD, R.F., LINK, B. Wisconsin Electric Power Co. 93/07/31. 9pp. 76141:167-76141:175.

9308310213 Forwards fitness-for-duty performance data for six-month period ending June 1993. No events reportable under 10CFR26.73(a) occurred during period. LINK, B. Wisconsin Electric Power Co. 93/08/24. Document Control Branch (Document Control Desk). 3pp. 76307:329-76307:331.

9308310124 Forwards "Semiannual Monitoring Rept, Jan-June 1993 for PBNP, Units 1 & 2." Rept contains info re plant releases, solid waste shipments, new & spent fuel shipments, environ monitoring, CWS operations & leak testing of sources. LINK, B. Wisconsin Electric Power Co. 93/08/26. Document Control Branch (Document Control Desk). 1p. 76322:234-76322:250.

-9308310127 "Semiannual Monitoring Rept, Jan-June 1993 for PBNP, Units 1 & 2." * Wisconsin Electric Power Co. 93/06/30. 16pp. 76322:235-76322:250.

S. Reportable occurrences, LERs & related correspondence

9308030372 Potential Part 21 rept re Limitorque actuator motors. Util & other purchases listed in encl being advised of concern. Limitorque revising selection procedure for safety related actuators, motors & technical data packages. TAYLOR, J.H. Babcock & Wilcox Co. 93/07/22. Document Control Branch (Document Control Desk). 8pp. 75976:349-75976:356.

9308200162 Forwards ASP analysis of LER 50-266/92-010. Analysis will be part of NUREG/CR-4674. HANSEN, A.G. Project Directorate III-3. 93/08/04. LINK, R.E. Wisconsin Electric Power Co. 8pp. 76163:336-76163:347.

9308310241 LER 93-007-00: on 930726, EDG inadvertently started and station battery tripped off due to undervoltage signal. Caused by blown fuse as result of human error during calibr of 1A-06 voltmeter. Fuse replaced. W/930825 ltr. CASTELL, C.A., LINK, B. Wisconsin Electric Power Co. 93/08/25. 6pp. 76304:126-76304:132.

V. Operator Examinations

9308030302 Informs of NRC plans to administer generic fundamentals exam section written operator licensing exam on 931006. RING, M.A. Region 3 (Post 820201). 93/07/28. Consumers Power Co. 3pp. 75983:358-75983:360.

9308310212 Confirms info provided by util during 930726 telcon w/NRR & Region III re operator training & procedural requirements for timely restoration of AFW to unit following dual unit actuation. EOPs steps adequate to ensure appropriate action. LINK, B. Wisconsin Electric Power Co. 93/08/24. Document Control Branch (Document Control Desk). 2pp. 76289:263-76289:264.

Y. Dry Cask Independent Spent Fuel Storage Installations

9308130028 Summary of 930630 licensee counterparts meeting at util corporate ofc re dry cask storage of spent fuel, SALP & other listed topics. HANNON, J.N. Project Directorate III-3. 93/07/22. Project Directorate III-3. 200pp. 76133:001-76133:202.

DOCKET 50-267 FORT ST. VRAIN NUCLEAR GENERATING STATION

F. Security, medical, emergency & fire protection plans

9308050149 Forwards Issue 2 of Emergency Response Procedure (ERP) DPP 5.2.9, "ERP-Teams" & Issue 2 of ERP DPP 5.2.11, "ERP-TSC." WAREMBOURG, D.W. Public Service Co. of Colorado. 93/07/28. Document Control Branch (Document Control Desk). 1p. 76019:285-76019:330.

-9308050152 Issue 2 of Emergency Response Procedure (ERP) DPP 5.2.9, "ERP-Teams." * Public Service Co. of Colorado. 93/07/27. 16pp. 76019:286-76019:301.

-9308050155 Issue 2 of Emergency Response Procedure (ERP) DPP 5.2.11, "ERP-TSC." * Public Service Co. of Colorado. 93/07/27. 29pp. 76019:302-76019:330.

9308050142 Forwards Issue 2 of Emergency Response Procedure (ERP) DPP 5.2.4, "ERP-Dose Assessment." Ltr late because procedure temporarily lost within util internal procedure processing sys. WAREMBOURG, D.W. Public Service Co. of Colorado. 93/07/29. Document Control Branch (Document Control Desk). 1p. 76018:340-76018:347.

-9308050146 Issue 2 of Emergency Response Procedure (ERP) DPP 5.2.4, "ERP-Dose Assessment." * Public Service Co. of Colorado. 93/07/21. 7pp. 76018:341-76018:347.

9308240301 Submits comments on interim rule re fee for svcs to support FEMA offsite radiological emergency preparedness program (44CFR354). WAREMBOURG, D.W. Public Service Co. of Colorado. 93/08/16. Federal Emergency Management Agency. 2pp. 76215:320-76215:321.

H. General correspondence

9308030155 Comment on proposed rule 10CFR20 re radiological criteria for decommissioning NRC-licensed facilities. Endorses comments made by NUMARC. WAREMBOURG, D.W. Public Service Co. of Colorado. 93/06/28. Docketing & Services Branch. 6pp. 75936:106-75936:111.

P. Operating license stage documents & correspondence

9308040110 Forwards amend 1 to NPDES Permit CO-0001121, increasing pH limit for turbine bldg drain to 11.8 s.u. per 930616 request. WAREMBOURG, D.W. Public Service Co. of Colorado. 93/07/26. AUSTIN, J.H. Office of Nuclear Reactor Regulation, Director (Post 870411). 3pp. 76009:327-76009:335.

-9308040116 Amend 1 to NPDES permit CO-0001121, issued to FSV. * Public Service Co. of Colorado. 93/02/19. 6pp. 76009:330-76009:335.

Q. Inspection reports, IE Bulletins & correspondence

9307190043 NRC Info Notice 93-057, "Software Problems Involving Digital Control Console Sys at Non-Power Reactors." GRIMES, B.K. Division of Operating Reactor Support (Post 921004). 93/07/23. Consolidated Edison Co. of New York, Inc. 9pp. 76111:200-76111:208.

9308090265 Responds to NRC 930702 ltr re deviations noted in insp repts 50-267/93-02 & 72-0009/93-02.C/As: licensee will issue memo to all Westinghouse employee to reemphasize requirements for lifting & handling RB crane. WAREMBOURG, D.W. Public Service Co. of Colorado. 93/07/30. Document Control Branch (Document Control Desk). 6pp. 76059:348-76059:353.

W. Decommissioning Stage Documents & Correspondence

9308110329 Describes existing training programs at plant for positions covered in training rule (10CFR50.1200) & explains why, w/one exception, sys approach to training not necessary for current decommissioning conditions. WAREMBOURG, D.W. Public Service Co. of Colorado. 93/07/29. Document Control Branch (Document Control Desk). 3pp. 76077:269-76077:271.

9308110197 Provides addl info supporting revision to design features of FSV decommissioning TS allowing push rod device to remove seven core outlet thermocouple assemblies underwater. WAREMBOURG, D.W. Public Service Co. of Colorado. 93/08/04. AUSTIN, J.H. Document Control Branch (Document Control Desk). 3pp. 76080:277-76080:280.

9308170266 Resubmits info supporting exemption from new training rule, 10CFR50.120, during plant decommissioning. WAREMBOURG, D.W. Public Service Co. of Colorado. 93/08/09. Document Control Branch (Document Control Desk). 3pp. 76137:139-76137:141.

Y. Dry Cask Independent Spent Fuel Storage Installations

9308090265 Responds to NRC 930702 ltr re deviations noted in insp repts 50-267/93-02 & 72-0009/93-02.C/As: licensee will issue memo to all Westinghouse employee to reemphasize requirements for lifting & handling RB crane. WAREMBOURG, D.W. Public Service Co. of Colorado. 93/07/30. Document Control Branch (Document Control Desk). 6pp. 76059:348-76059:353.

34 DOCKETED ITEMS

9308310079 Submits results of review of util 10CFR72.48 SE of proposed new oil storage & treatment facilities near FSV ISFSI. STURZ,F.C. Division of Industrial & Medical Nuclear Safety (Post 870729). 93/08/27. WAREMBOURG,D.W. Public Service Co. of Colorado. 2pp. 76321:328-76321:329.

DOCKET 50-269 OCONEE NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9308100162 Forwards revs 93-04 & 93-09, Vols B & C to plant EIPs. W/930720 release memo. HAMPTON,J.W. Duke Power Co. 93/06/30. Document Control Branch (Document Control Desk). 2pp. 76064:001-76064:212.

-9308100170 Public version of rev 93-09 to EPIP, Vol C to "Oconee Nuclear Site EIPs".
* Duke Power Co. 93/06/30. 200pp. 76064:002-76064:212.

9308050083 Forwards initial SALP repts 50-269/93-11, 50-270/93-11 & 50-287/93-11 for period 920202-930501. Performance maintained at superior level in areas of radiological protection & security. EBNETER,S.D. Region 2 (Post 820201). 93/07/13. HAMPTON,J.W. Duke Power Co. 5pp. 75972:100-75972:127.

-9308050088 Initial SALP repts 50-269/93-11, 50-270/93-11 & 50-287/93-11 for period of 920202-930501. Performance maintained at superior level in areas of radiological protection & security.
* Region 2 (Post 820201). 93/07/13. 23pp. 75972:105-75972:127.

9308040139 Forwards encl 8 to SECY 93-166 which describes proposed characteristics of design basis vehicle. Encl withheld. PARTLOW,J.G. Associate Director for Projects (Post 870411). 93/07/15. TUCKMAN,M.S. Duke Power Co. 4pp. 75987:001-75987:004.

9308060116 Forwards insp repts 50-269/93-18, 50-270/93-18 & 50-287/93-18 on 930614-17. No violations or deviations noted. CLINE,W.E. Region 2 (Post 820201). 93/07/16. HAMPTON,J.W. Duke Power Co. 3pp. 75993:240-75993:268.

-9308060122 Insp repts 50-269/93-18, 50-270/93-18 & 50-287/93-18 on 930614-17. No violations noted. Major areas inspected: annual emergency preparedness exercise. WRIGHT,F.N. Region 2 (Post 820201). 93/06/13. 26pp. 75993:243-75993:268.

9308050122 Forwards corrections to Rev 93-3 of Vol A of emergency plan, replacing instruction Itr telling what to remove & Pages B-21 & B-22 w/ Pages B-20 & B-21. HAMPTON,J.W. Duke Power Co. 93/07/27. Document Control Branch (Document Control Desk). 1p. 76034:281-76034:286.

-9308050124 Corrected Rev 93-3 of Vol A of emergency plan.
* Duke Power Co. 93/07/31. 5pp. 76034:282-76034:286.

9308100262 Forwards corrected pages 27,28,29,102,103,104 & 171 of Data Point Library. New site directive, providing guidance re control of ERDS in process of being developed & will be in place by 931001. HAMPTON,J.W. Duke Power Co. 93/08/04. Document Control Branch (Document Control Desk). 10pp. 76065:343-76065:352.

9308250479 Submits change that affects transmitted data identified in ERDS data point library on 930721. HAMPTON,J.W. Duke Power Co. 93/08/18. Document Control Branch (Document Control Desk). 3pp. 76219:050-76219:052.

K. Utility Final Safety Analysis Report (FSAR) & amends

9308020120 Table 11-7, Pages 4 & 5 to Oconee Nuclear Station FSAR update dtd 921231.
* Duke Power Co. 92/12/31. 24pp. 75975:267-75975:290.

P. Operating license stage documents & correspondence

9308170373 Forwards SE re inservice testing program relief requests for pumps & valves & provide results of staff review of relief. MATTHEWS,D.B. Project Directorate II-3. 93/07/23. HAMPTON,J.W. Duke Power Co. 5pp. 76133:216-76133:299.

-9308170378 Safety evaluation re IST program requests for relief meets requirements regulation or GL 89-04 guidance.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 93/07/23. 40pp. 76133:221-76133:234.

-9308180140 "Technical Evaluation Rept: Pump & Valve Inservice Testing Program."
* Duke Power Co. 93/06/11. Division of Engineering (Post 921004). 59pp. 76133:235-76133:299.

9308050261 Forwards evaluation of TS requirements for SG overfill protection, in response to GL 89-19, requesting action re resolution of USI A-47, "Safety Implication of Control Sys in LWR Nuclear Power Plants." HAMPTON,J.W. Duke Power Co. 93/07/28. Document Control Branch (Document Control Desk). 4pp. 76017:350-76017:353.

9308060053 Discusses radiochemical analyses of liquid samples spiked w/ beta emitting radionuclides & requests that analyses be completed as soon as practicable, but no later than 60 days from receipt of Itr. CLINE,W.E. Region 2 (Post 820201). 93/07/28. HAMPTON,J.W. Duke Power Co. 3pp. 75992:201-75992:203.

9308170152 Forwards revs to Oconee Selected Licensee Commitments Manual. HAMPTON,J.W. Duke Power Co. 93/08/04. Document Control Branch (Document Control Desk). 15pp. 76135:321-76135:335.

9308240070 Informs that addl info needed re licensee 930323 response to GL 89-10. Response requested within 30 days from date of Itr. WIENS,L.A. Project Directorate II-3. 93/08/05. HAMPTON,J.W. Duke Power Co. 4pp. 76199:344-76199:347.

9308200046 Forwards rev to "No Significant Hazards Consideration Evaluation," re suppl to proposed TS amend on low pressure svc water sys. HAMPTON,J.W. Duke Power Co. 93/08/11. Document Control Branch (Document Control Desk). 4pp. 76209:331-76209:334.

9308250420 Forwards proprietary TR DPC-NE-3003-P, "Mass & Energy Release & Containment Response Methodology. Objective of rept is to describe new methods used to reanalyze FSAR containment response to LOCAs & SLBs. Rept withheld. TUCKMAN,M.S. Duke Power Co. 93/08/11. Document Control Branch (Document Control Desk). 6pp. 76219:095-76219:100.

9308310214 Submits info to support NRC review of 930714 proposed rev to TS re revised pressure/temp limits & LTOP. Informs that chemistry & limiting matl data provided in BAW-2166, "B&WOG Response to GL 92-01," submitted by B&WOG 920617 Itr. HAMPTON,J.W. Duke Power Co. 93/08/24. Document Control Branch (Document Control Desk). 1p. 76289:265-76289:265.

Q. Inspection reports, IE Bulletins & correspondence

9308060044 Confirms arrangements made to hold mgt meeting on 930728 at plant station to discuss SALP during period 920202-930501. MERSCHOFF,E.W. Region 2 (Post 820201). 93/06/30. HAMPTON,J.W. Duke Power Co. 3pp. 75992:170-75992:172.

9308060125 Notification of significant licensee meeting w/ util on 930728 to discuss performance of facility during SALP Cycle 10. LESSER,M.S. Region 2 (Post 820201). 93/06/30. Region 2 (Post 820201). 3pp. 75993:279-75993:281.

9308060182 Ack receipt of 930618 Itr informing NRC of steps taken to correct violations noted in insp repts 50-269/93-14, 50-270/93-14 & 50-287/93-14. CLINE,W.E. Region 2 (Post 820201). 93/06/30. HAMPTON,J.W. Duke Power Co. 3pp. 75994:129-75994:128.

9308060216 Ack receipt of 930621 Itr informing NRC of steps taken to correct violations noted in insp repts 50-269/93-13, 50-270/93-13 & 50-287/93-13. MERSCHOFF,E.W. Region 2 (Post 820201). 93/06/30. HAMPTON,J.W. Duke Power Co. 3pp. 75994:197-75994:199.

9308050083 Forwards initial SALP repts 50-269/93-11, 50-270/93-11 & 50-287/93-11 for period 920202-930501. Performance maintained at superior level in areas of radiological protection & security. EBNETER,S.D. Region 2 (Post 820201). 93/07/13. HAMPTON,J.W. Duke Power Co. 5pp. 75972:100-75972:127.

-9308050088 Initial SALP repts 50-269/93-11, 50-270/93-11 & 50-287/93-11 for period of 920202-930501. Performance maintained at superior level in areas of radiological protection & security.
* Region 2 (Post 820201). 93/07/13. 23pp. 75972:105-75972:127.

9308060121 Ack receipt of 930707 Itr informing NRC of steps taken to correct violations noted in insp repts 50-269/93-15, 50-270/93-15 & 50-287/93-15. JULIAN,C.A. Region 2 (Post 820201). 93/07/15. HAMPTON,J.W. Duke Power Co. 3pp. 75993:274-75993:276.

9308060116 Forwards insp repts 50-269/93-18, 50-270/93-18 & 50-287/93-18 on 930614-17. No violations or deviations noted. CLINE,W.E. Region 2 (Post 820201). 93/07/16. HAMPTON,J.W. Duke Power Co. 3pp. 75993:240-75993:268.

-9308060122 Insp repts 50-269/93-18, 50-270/93-18 & 50-287/93-18 on 930614-17. No violations noted. Major areas inspected: annual emergency preparedness exercise. WRIGHT,F.N., BARR,K.P. Region 2 (Post 820201). 93/06/13. 26pp. 75993:243-75993:268.

9308060090 Forwards insp repts 50-269/93-20, 50-270/93-20 & 50-287/93-20 on 930530-0626 & notice of violation. NRC concerned because violation indicates continued problems w/ mgt oversight of activities at Keowee Hydro Station. HERDT,A.R. Region 2 (Post 820201). 93/07/20. HAMPTON,J.W. Duke Power Co. 3pp. 75993:097-75993:120.

-9308060094 Notice of violation from insp on 930530-0626. Violation noted: requirements not met in that on 930602, max operational load requirements for Keowee changed & implemented by internal memo in lieu of approved change.
* Region 2 (Post 820201). 93/07/20. 1p. 75993:100-75993:100.

-9308060097 Insp repts 50-269/93-20, 50-270/93-20 & 50-287/93-20 on 930530-0626. Violations noted. Major areas inspected: plant operations, surveillance testing, maint activities, insp of open items & review of licensee event repts. HARMON,B.E., DESAI,B.B., POERTNER,W.K. Region 2 (Post 820201). 93/07/15. 20pp. 75993:101-75993:120.

9308040037 Informs NRC of licensee intent to use code allowance to extend second ten yr ISI interval for plant. HAMPTON,J.W. Duke Power Co. 93/07/21. Document Control Branch (Document Control Desk). 2pp. 76010:360-76010:361.

9307190043 NRC Info Notice 93-057, "Software Problems Involving Digital Control Console Sys at Non-Power Reactors." GRIMES,B.K. Division of Operating Reactor Support (Post 921004). 93/07/23. Consolidated Edison Co. of New York, Inc. 9pp. 76111:200-76111:208.

9308090310 Responds to unresolved items identified in insp repts 50-269/93-13, 50-270/93-13 & 50-287/93-13. Created selected licensee commitment to establish administration controls of various activities based on lake level. HAMPTON,J.W. Duke Power Co. 93/08/02. Document Control Branch (Document Control Desk). 8pp. 76037:205-76037:212.

9308240082 Forwards technical review rept re, "Tardy Licensee Actions" initiated because of delayed replacement of batteries in uninterruptible power supplies at plant. ISRAEL,S.L. Reactor Operations Analysis Branch. 93/08/05. ROSENTHAL,J.E. Reactor Operations Analysis Branch. 2pp. 76218:177-76218:193.

9308240165 Technical review rept, "Tardy Licensee Actions" ISRAEL,S.L. Reactor Operations Analysis Branch 93/08/31. 13pp. 76218:179-76218:193.

9308250169 Forwards exam rept 50-269/93-301 administered on 930712-22. PEEBLES,T.A. Region 2 (Post 820201). 93/08/06. HAMPTON,J.W. Duke Power Co. 3pp. 76188:310-76188:357.

9308250190 Exam rept 50-269/93-301 on 930712-22 Exam results:14 SROs & six ROs passed respective portions of exam. HOPPER,G.T., LAWYER,L.L. Region 2 (Post 820201). 93/08/04. 46pp. 76188:313-76188:357.

9308260204 Ack receipt of 930719 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-269/93-17, 50-270/93-17 & 50-287/93-17. Response meets requirements of 10CFR2.201. HERDT,A.R. Region 2 (Post 820201). 93/08/09. HAMPTON,J.W. Duke Power Co. 2pp. 76237:328-76237:329.

9308260122 Responds to IFI identified during insp repts 50-269/93-18, 50-270/93-18 & 50-287/93-18 on 930614-17. Corrective actions:reviewed activities,briefing areas & lay-outs. HAMPTON,J.W. Duke Power Co. 93/08/17. Document Control Branch (Document Control Desk). 7pp. 76218:221-76218:227.

9308240077 Responds to NRC 930720 ltr re violations noted in insp repts 50-269/93-20, 50-270/93-20, & 50-287/93-20. Corrective actions:incorporated margin of error into 75 MWe limit. HAMPTON,J.W. Duke Power Co. 93/08/18. Document Control Branch (Document Control Desk). 11pp. 76207:348-76207:358.

9308260043 Responds to NRC 930713 ltr re SALP Repts 50-269/93-11, 50-270/93-11 & 50-287/93-11 for period of 920201-930501. Requests that docket number assigned to ISFSI be added to final SALP rept. HAMPTON,J.W. Duke Power Co. 93/08/18. Document Control Branch (Document Control Desk). 6pp. 76259:341-76259:346.

9308250097 Responds to IEB 80-04 re analysis of PWR MSLB. Offsite dose consequences of MSLB inside containment bounded by current FSAR analysis. HAMPTON,J.W. Duke Power Co. 93/08/19. Document Control Branch (Document Control Desk). 6pp. 76218:333-76218:339.

9308310082 Ack receipt of 930607 & 930714 ltrs informing NRC of steps taken to correct violations noted in insp repts 50-269/93-02, 50-270/93-02 & 50-287/93-02. GIBSON,A.F. Region 2 (Post 820201). 93/08/25. HAMPTON,J.W. Duke Power Co. 3pp. 76263:348-76263:350.

9308300131 Forwards insp rept 72-1004/93-07 on 930518-20,0607-09 & 0719 & notice of nonconformance. HAUGHNEY,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 93/08/26. HAMPTON,J.W. Duke Power Co. 4pp. 76296:300-76296:338.

9308300142 Insp rept 72-1004/93-07 on 930518-20,0607-09,0719-21. Nonconformance noted. Major areas inspected:procedures for NRC-approved QA program. O'CONNER,S.C., REID,D.G., MATULA,T.O. Division of Industrial & Medical Nuclear Safety (Post 870729). 93/08/16. 27pp. 76296:304-76296:330.

9308300148 Notice of nonconformance from insp on 930518-20,0607-09 & 0719-21. Nonconformance noted:identified conflicting info in receiving insp files. * Division of Industrial & Medical Nuclear Safety (Post 870729). 93/08/20. 8pp. 76296:331-76296:338.

R. Periodic operating reports & related correspondence

9308120350 Informs that no changes,tests or experiments made to Oconee ISFSI during period 920701-1231,per 10CFR72.48(b)(2). Rept submitted for time period of six months to coincide annual rept w/annual update of ISFSI FSAR. HAMPTON,J.W. Duke Power Co. 93/07/15. EBNETER,S.D. Region 2 (Post 820201). 2pp. 76102:350-76102:351.

9308170437 Forwards monthly operating repts for Jul 1993 for Oconee Nuclear Station Units 1,2 & 3 & revised monthly operating status repts for June 1993 for Oconee Nuclear Station Units 1,2 & 3. MCCRAW,E.O. Duke Power Co. 93/08/13. Document Control Branch (Document Control Desk). 2pp. 76136:139-76136:156.

9308170440 Monthly operating repts for Jul 1993 for Oconee Nuclear Station Units 1,2 & 3. WILLIAMS,R.A., SIMMONS,N.C. Duke Power Co. 93/07/31. 15pp. 76136:141-76136:155.

9308170442 Revised monthly operating repts for June 1993 for Oconee Nuclear Station Units 1,2 & 3. * Duke Power Co. 93/06/30. 1p. 76136:156-76136:156.

S. Reportable occurrences, LERs & related correspondence

9308030372 Potential Part 21 rept re Limitorque actuator motors. Utis & other purchases listed in encl being advised of concern. Limitorque revis selection procedure for safety related actuators,motors & technical data packages. TAYLOR,J.H. Babcock & Wilcox Co. 93/07/22. Document Control Branch (Document Control Desk). 8pp. 75976:349-75976:356.

9308040153 Forwards quarterly update of status of commitments in response to 921019 loss of offsite power. HAMPTON,J.W. Duke Power Co. 93/07/28. Document Control Branch (Document Control Desk). 7pp. 75997:222-75997:228.

9308090228 LER 93-007-00:on 930701,determined that Unit 1 SSF RC makeup sys inoperable in past due to design deficiency. Operations procedures revised to reflect newly calculated operating limits for RC makeup pump,RCPs & RCS.W/930802 ltr. BENESOLE,S.G., HAMPTON,J.W. Duke Power Co. 93/08/02. 7pp. 76091:074-76091:080.

9308200166 Forwards preliminary ASP evaluation for Oconee event which occurred in December 1992 re inoperability of emergency power from Keowee hydrostation due to potential reduced dc voltages during loss of power scenarios. WIENS,L.A. Project Directorate II-3. 93/08/03. HAMPTON,J.W. Duke Power Co. 16pp. 76164:292-76164:316.

9308130120 LER 92-012-01:on 930929,recognized inconsistent info on LPSW pump requirements between TS & FSAR due to mgt & design deficiency. Issued operational guidelines for LPSW pumps. W/930805 ltr. BENESOLE,S.G., HAMPTON,J.W. Duke Power Co. 93/08/05. 13pp. 76138:066-76138:078.

U. Congressional/Executive Correspondence

9308090315 Responds to 930618 ltr,including hand written message drafted by B Lucas re storing spent fuel onsite at Oyster Creek Nuclear Generating Station. Informs that NUHOMS casks already being used at listed ISFSIs. BERNERO,R.M. Office of Nuclear Material Safety & Safeguards. 93/07/29. CONNORS,L.T., MORAN,J.W., CONNORS,C.J. New Jersey, State of. 2pp. 76072:328-76072:332.

V. Operator Examinations

9308250169 Forwards exam rept 50-269/93-301 administered on 930712-22. PEEBLES,T.A. Region 2 (Post 820201). 93/08/06. HAMPTON,J.W. Duke Power Co. 3pp. 76188:310-76188:357.

9308250190 Exam rept 50-269/93-301 on 930712-22 Exam results:14 SROs & six ROs passed respective portions of exam. HOPPER,G.T., LAWYER,L.L. Region 2 (Post 820201). 93/08/04. 46pp. 76188:313-76188:357.

Y. Dry Cask Independent Spent Fuel Storage Installations

9308260043 Responds to NRC 930713 ltr re SALP Repts 50-269/93-11, 50-270/93-11 & 50-287/93-11 for period of 920201-930501. Requests that docket number assigned to ISFSI be added to final SALP rept. HAMPTON,J.W. Duke Power Co. 93/08/18. Document Control Branch (Document Control Desk). 6pp. 76259:341-76259:346.

9308300131 Forwards insp rept 72-1004/93-07 on 930518-20,0607-09 & 0719 & notice of nonconformance. HAUGHNEY,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 93/08/26. HAMPTON,J.W. Duke Power Co. 4pp. 76296:300-76296:338.

9308300142 Insp rept 72-1004/93-07 on 930518-20,0607-09,0719-21. Nonconformance noted. Major areas inspected:procedures for NRC-approved QA program. O'CONNER,S.C. Division of Industrial & Medical Nuclear Safety (Post 870729). 93/08/16. 27pp. 76296:304-76296:330.

9308300148 Notice of nonconformance from insp on 930518-20,0607-09 & 0719-21. Nonconformance noted:identified conflicting info in receiving insp files. * Division of Industrial & Medical Nuclear Safety (Post 870729). 93/08/20. 8pp. 76296:331-76296:338.

DOCKET 50-270 OCONEE NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9308100162 Forwards revs 93-04 & 93-09,Vois B & C to plant EIPs. W/930720 release memo. HAMPTON,J.W. Duke Power Co. 93/06/30. Document Control Branch (Document Control Desk). 2pp. 76064:001-76064:212.

9308100170 Public version of rev 93-09 to EIP,Vol C to "Oconee Nuclear Site EIPs." * Duke Power Co. 93/06/30. 200pp. 76064:002-76064:212.

9308050083 Forwards initial SALP repts 50-269/93-11,50-270/93-11 & 50-287/93-11 for period 920202-930501. Performance maintained at superior level in areas of radiological protection & security. EBNETER,S.D. Region 2 (Post 820201). 93/07/13. HAMPTON,J.W. Duke Power Co. 5pp. 75972:100-75972:127.

9308050088 Initial SALP repts 50-269/93-11,50-270/93-11 & 50-287/93-11 for period of 920202-930501. Performance maintained at superior level in areas of radiological protection & security. * Region 2 (Post 820201). 93/07/13. 23pp. 75972:105-75972:127.

9308040139 Forwards encl 8 to SECY 93-166 which describes proposed characteristics of design basis vehicle. Encl withheld. PARTLOW,J.G. Associate Director for Projects (Post 870411). 93/07/15. TUCKMAN,M.S. Duke Power Co. 4pp. 75987:001-75987:004.

9308060116 Forwards insp repts 50-269/93-18,50-270/93-18 & 50-287/93-18 on 930614-17. No violations or deviations noted. CLINE,W.E. Region 2 (Post 820201). 93/07/16. HAMPTON,J.W. Duke Power Co. 3pp. 75993:240-75993:268.

9308060122 Insp repts 50-269/93-18,50-270/93-18 & 50-287/93-18 on 930614-17. No violations noted. Major areas inspected:annual emergency preparedness exercise. WRIGHT,F.N. Region 2 (Post 820201). 93/06/13. 26pp. 75993:243-75993:268.

9308050122 Forwards corrections to Rev 93-3 of Vol A of emergency plan, replacing instruction ltr telling what to remove & Pages B-21 & B-22 w/Pages B-20 & B-21. HAMPTON,J.W. Duke Power Co. 93/07/27. Document Control Branch (Document Control Desk). 1p. 76034:281-76034:286.

9308050124 Corrected Rev 93-3 of Vol A of emergency plan. * Duke Power Co. 93/07/31. 5pp. 76034:282-76034:286.

36 DOCKETED ITEMS

9308100262 Forwards corrected pages 27,28,29,102,103,104 & 171 of Data Point Library. New site directive, providing guidance re control of ERDS in process of being developed & will be in place by 931001.
HAMPTON, J.W. Duke Power Co. 93/08/04. Document Control Branch (Document Control Desk). 10pp. 76065:343-76065:352.

9308250479 Submits change that affects transmitted data identified in ERDS data point library on 930721.
HAMPTON, J.W. Duke Power Co. 93/08/18. Document Control Branch (Document Control Desk). 3pp. 76219:050-76219:052.

K. Utility Final Safety Analysis Report (FSAR) & amends

9308020120 Table 11-7, Pages 4 & 5 to Oconee Nuclear Station FSAR update dtd 921231.
* Duke Power Co. 92/12/31. 24pp. 75975:267-75975:290.

P. Operating license stage documents & correspondence

9308230088 "Oconee Nuclear Station, Unit 2 Reactor Containment Integrated Leakage Rate Test Rept." W/930817 ltr.
HUTCHESON, M.A., COYLE, D.B., HAMPTON, J.W. Duke Power Co. 93/06/30. 80pp. 76180:267-76180:346.

9308170373 Forwards SE re inservice testing program relief requests for pumps & valves & provide results of staff review of relief.
MATTHEWS, D.B. Project Directorate II-3. 93/07/23. HAMPTON, J.W. Duke Power Co. 5pp. 76133:216-76133:299.

-9308170378 Safety evaluation re IST program requests for relief meets requirements regulation or GL 89-04 guidance.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 93/07/23. 40pp. 76133:221-76133:234.

-9308180140 "Technical Evaluation Rept: Pump & Valve Inservice Testing Program."
* Duke Power Co. 93/06/11. Division of Engineering (Post 921004). 59pp. 76133:235-76133:299.

9308050261 Forwards evaluation of TS requirements for SG overfill protection, in response to GL 89-19, requesting action re resolution of USI A-47, "Safety Implication of Control Sys in LWR Nuclear Power Plants."
HAMPTON, J.W. Duke Power Co. 93/07/28. Document Control Branch (Document Control Desk). 4pp. 76017:350-76017:353.

9308060053 Discusses radiochemical analyses of liquid samples spiked w/ beta emitting radionuclides & requests that analyses be completed as soon as practicable, but no later than 60 days from receipt of ltr.
CLINE, W.E. Region 2 (Post 820201). 93/07/28. HAMPTON, J.W. Duke Power Co. 3pp. 75992:201-75992:203.

9308170152 Forwards revs to Oconee Selected Licensee Commitments Manual.
HAMPTON, J.W. Duke Power Co. 93/08/04. Document Control Branch (Document Control Desk). 15pp. 76135:321-76135:334.

9308240070 Informs that addl info needed re licensee 930323 response to GL 89-10. Response requested within 30 days from date of ltr.
WIENS, L.A. Project Directorate II-3. 93/08/05. HAMPTON, J.W. Duke Power Co. 4pp. 76199:344-76199:347.

9308170298 Informs of upgrading of power supply & position indication for valve 2LP-3 to safety grade implementation during recent unit 2 EOC13 refueling outage.
HAMPTON, J.W. Duke Power Co. 93/08/09. Document Control Branch (Document Control Desk). 2pp. 76135:304-76135:305.

9308250316 Informs NRC that last of Unit 2 mods w/ exception of items identified in 921118 ltr determined to be unnecessary, completed.
HAMPTON, J.W. Duke Power Co. 93/08/10. Document Control Branch (Document Control Desk). 2pp. 76219:011-76219:012.

9308200046 Forwards rev to "No Significant Hazards Consideration Evaluation," re suppl to proposed TS amend on low pressure svc water sys.
HAMPTON, J.W. Duke Power Co. 93/08/11. Document Control Branch (Document Control Desk). 4pp. 76209:331-76209:334.

9308250420 Forwards proprietary TR DPC-NE-3003-P. "Mass & Energy Release & Containment Response Methodology." Objective of rept is to describe new methods used to reanalyze FSAR containment response to LOCAs & SLBs. Rept withheld.
TUCKMAN, M.S. Duke Power Co. 3/08/11. Document Control Branch (Document Control Desk). 6pp. 76219:095-76219:100.

9308310214 Submits info to support NRC review of 930714 proposed rev to TS re revised pressure/temp limits & LTOP. Informs that chemistry & limiting matl data provided in BAW-2166. "B&WOG Response to GL 92-01," submitted by B&WOG 920617 ltr.
HAMPTON, J.W. Duke Power Co. 93/08/24. Document Control Branch (Document Control Desk). 1p. 76289:265-76289:265.

Q. Inspection reports, IE Bulletins & correspondence

9308060044 Confirms arrangements made to hold mgt meeting on 930728 at plant station to discuss SALP during period 920202-930501.
MERSCHOFF, E.W. Region 2 (Post 820201). 93/06/30. HAMPTON, J.W. Duke Power Co. 3pp. 75992:170-75992:172.

9308060125 Notification of significant licensee meeting w/ util on 930728 to discuss performance of facility during SALP Cycle 10.
LESSER, M.S. Region 2 (Post 820201). 93/06/30. Region 2 (Post 820201). 3pp. 75993:279-75993:281.

9308060182 Ack receipt of 930618 ltr informing NRC of steps taken to correct violations noted in insp repts 50-269/93-14, 50-270/93-14 & 50-287/93-14.
CLINE, W.E. Region 2 (Post 820201). 93/06/30. HAMPTON, J.W. Duke Power Co. 3pp. 75994:126-75994:128.

9308060216 Ack receipt of 930621 ltr informing NRC of steps taken to correct violations noted in insp repts 50-269/93-13, 50-270/93-13 & 50-287/93-13.
MERSCHOFF, E.W. Region 2 (Post 820201). 93/06/30. HAMPTON, J.W. Duke Power Co. 3pp. 75994:197-75994:199.

9308050083 Forwards initial SALP repts 50-269/93-11, 50-270/93-11 & 50-287/93-11 for period 920202-930501. Performance maintained at superior level in areas of radiological protection & security.
EBNETER, S.D. Region 2 (Post 820201). 93/07/13. HAMPTON, J.W. Duke Power Co. 5pp. 75972:100-75972:127.

-9308050088 Initial SALP repts 50-269/93-11, 50-270/93-11 & 50-287/93-11 for period of 920202-930501. Performance maintained at superior level in areas of radiological protection & security.
* Region 2 (Post 820201). 93/07/13. 23pp. 75972:105-75972:127.

9308060121 Ack receipt of 930707 ltr informing NRC of steps taken to correct violations noted in insp repts 50-269/93-15, 50-270/93-15 & 50-287/93-15.
JULIAN, C.A. Region 2 (Post 820201). 93/07/15. HAMPTON, J.W. Duke Power Co. 3pp. 75993:274-75993:276.

9308060116 Forwards insp repts 50-269/93-18, 50-270/93-18 & 50-287/93-18 on 930614-17. No violations or deviations noted.
CLINE, W.E. Region 2 (Post 820201). 93/07/16. HAMPTON, J.W. Duke Power Co. 3pp. 75993:240-75993:268.

-9308060122 Insp repts 50-269/93-18, 50-270/93-18 & 50-287/93-18 on 930614-17. No violations noted. Major areas inspected: annual emergency preparedness exercise.
WRIGHT, F.N., BARR, K.P. Region 2 (Post 820201). 93/06/13. 26pp. 75993:243-75993:268.

9308060090 Forwards insp repts 50-269/93-20, 50-270/93-20 & 50-287/93-20 on 930530-0626 & notice of violation. NRC concerned because violation indicates continued violations w/ mgt oversight of activities at Keowee Hydro Station.
HERDT, A.R. Region 2 (Post 820201). 93/07/20. HAMPTON, J.W. Duke Power Co. 3pp. 75993:097-75993:120.

-9308060094 Notice of violation from insp on 930530-0626. Violation noted: requirements not met in that on 930602, max operational load requirements for Keowee changed & implemented by internal memo in lieu of approved change.
* Region 2 (Post 820201). 93/07/20. 1p. 75993:100-75993:100.

-9308060097 Insp repts 50-269/93-20, 50-270/93-20 & 50-287/93-20 on 930530-0626. Violations noted. Major areas inspected: plant operations, surveillance testing, maint activities, insp of open items & review of licensee event repts.
HARMON, P.E., DESAI, B.B., POERTNER, W.K. Region 2 (Post 820201). 93/07/15. 20pp. 75993:101-75993:120.

9308040037 Informs NRC of licensee intent to use code allowance to extend second ten yr ISI interval for plant.
HAMPTON, J.W. Duke Power Co. 93/07/21. Document Control Branch (Document Control Desk). 2pp. 76010:360-76010:361.

9307190043 NRC Info Notice 93-057, "Software Problems Involving Digital Control Console Sys at Non-Power Reactors."
GRIMES, B.K. Division of Operating Reactor Support (Post 921004). 93/07/23. Consolidated Edison Co. of New York, Inc. 9pp. 76111:200-76111:208.

9308090310 Responds to unresolved items identified in insp repts 50-269/93-13, 50-270/93-13 & 50-287/93-13. Created selected licensee commitment to establish administration controls of various activities based on lake level.
HAMPTON, J.W. Duke Power Co. 93/08/02. Document Control Branch (Document Control Desk). 8pp. 76037:205-76037:212.

9308260204 Ack receipt of 930719 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-269/93-17, 50-270/93-17 & 50-287/93-17. Response meets requirements of 10CFR2.201.
HERDT, A.R. Region 2 (Post 820201). 93/08/09. HAMPTON, J.W. Duke Power Co. 2pp. 76237:328-76237:329.

9308250122 Responds to IFI identified during insp repts 50-269/93-18, 50-270/93-18 & 50-287/93-18 on 930614-17. Corrective actions: reviewed activities, briefing areas & layouts.
HAMPTON, J.W. Duke Power Co. 93/08/17. Document Control Branch (Document Control Desk). 7pp. 76218:221-76218:227.

9308240077 Responds to NRC 930720 ltr re violations noted in insp repts 50-269/93-20, 50-270/93-20, & 50-287/93-20. Corrective actions: incorporated margin of error into 75 MWe limit.
HAMPTON, J.W. Duke Power Co. 93/08/18. Document Control Branch (Document Control Desk). 11pp. 76207:348-76207:358.

9308260043 Responds to NRC 930713 ltr re SALP Repts 50-269/93-11, 50-270/93-11 & 50-287/93-11 for period of 920201-930501. Requests that docket number assigned to ISFSI be added to final SALP rept.
HAMPTON, J.W. Duke Power Co. 93/08/18. Document Control Branch (Document Control Desk). 6pp. 76259:341-76259:346.

9308250097 Responds to IEB 80-04 re analysis of PWR MSLB. Offsite dose consequences of MSLB inside containment bounded by current FSAR analysis.
HAMPTON, J.W. Duke Power Co. 93/08/19. Document Control Branch (Document Control Desk). 6pp. 76218:333-76218:339.

9308310082 Ack receipt of 930607 & 930714 ltrs informing NRC of steps taken to correct violations noted in insp repts 50-269/93-02, 50-270/93-02 & 50-287/93-02.
GIBSON, A.F. Region 2 (Post 820201). 93/08/25. HAMPTON, J.W. Duke Power Co. 3pp. 76263:348-76263:350.

9308300131 Forwards insp rept 72-1004/93-07 on 930518-20, 0607-09 & 0719 & notice of nonconformance.
HAUGHNEY, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 93/08/26. HAMPTON, J.W. Duke Power Co. 4pp. 76296:300-76296:338.

-9308300142 Insp rept 72-1004/93-07 on 930518-20, 0607-09, 0719-21. Nonconformance noted. Major areas inspected: procedures for NRC-approved QA program.
O'CONNER, S.C., REID, D.G., MATULA, T.O. Division of Industrial & Medical Nuclear Safety (Post 870729). 93/08/16. 27pp. 76296:304-76296:330.

-9308300148 Notice of nonconformance from insp on 930518-20,0607-09 & 0719-21. Nonconformance noted: identified conflicting info in receiving insp files.
* Division of Industrial & Medical Nuclear Safety (Post 870729). 93/08/20. 8pp. 76296:331-76296:338.

R. Periodic operating reports & related correspondence

9308120350 Informs that no changes, tests or experiments made to Oconee ISFSI during period 920701-1231, per 10CFR72.48(b)(2). Rept submitted for time period of six months to coincide annual rept w/annual update of ISFSI FSAR.
HAMPTON, J.W. Duke Power Co. 93/07/15. EBNETER, S.D. Region 2 (Post 820201). 2pp. 76102:350-76102:351.

9308170437 Forwards monthly operating repts for Jul 1993 for Oconee Nuclear Station Units 1, 2 & 3 & revised monthly operating status repts for June 1993 for Oconee Nuclear Station Units 1, 2 & 3.
MCCRAW, E.O. Duke Power Co. 93/08/13. Document Control Branch (Document Control Desk). 2pp. 76136:139-76136:156.

-9308170440 Monthly operating repts for Jul 1993 for Oconee Nuclear Station Units 1, 2 & 3.
WILLIAMS, R.A., SIMMONS, N.C. Duke Power Co. 93/07/31. 15pp. 76136:141-76136:155.

-9308170442 Revised monthly operating repts for June 1993 for Oconee Nuclear Station Units 1, 2 & 3.
* Duke Power Co. 93/06/30. 1p. 76136:156-76136:156.

S. Reportable occurrences, LERs & related correspondence

9308190138 Summary of operating reactors events meeting 93-17 on 930512.
CHAFFEE, A.E. Events Assessment Branch. 93/05/18. GRIMES, B.K. Division of Operating Reactor Support (Post 921004). 26pp. 76153:034-76153:059.

9308030372 Potential Part 21 rept re Limitorque actuator motors. Utills & other purchases listed in encl being advised of concern. Limitorque revising selection procedure for safety related actuators, motors & technical data packages.
TAYLOR, J.H. Babcock & Wilcox Co. 93/07/22. Document Control Branch (Document Control Desk). 8pp. 75976:349-75976:356.

9308040153 Forwards quarterly update of status of commitments in response to 921019 loss of offsite power.
HAMPTON, J.W. Duke Power Co. 93/07/28. Document Control Branch (Document Control Desk). 7pp. 75997:222-75997:228.

9308200166 Forwards preliminary ASP evaluation for Oconee event which occurred in December 1992 re inoperability of emergency power from Keowee hydrostation due to potential reduced dc voltages during loss of power scenarios.
WIENS, L.A. Project Directorate I-3. 93/08/03. HAMPTON, J.W. Duke Power Co. 16pp. 76164:292-76164:316.

9308180096 Special rept on 930630, valve packaging event occurred due to equipment failure. Leakage cleaned up, area decontaminated, studs on valve 2HP-64 replaced & valve vendor contacted for assessment of problem relative to 10CFR21 considerations.
HAMPTON, J.W. Duke Power Co. 93/08/09. Document Control Branch (Document Control Desk). 9pp. 76155:265-76155:274.

U. Congressional/Executive Correspondence

9308090315 Responds to 930618 ltr, including hand written message drafted by B Lucas re storing spent fuel onsite at Oyster Creek Nuclear Generating Station. Informs that NUHOMS casks already being used at listed ISFSIs.
BERNERO, R.M. Office of Nuclear Material Safety & Safeguards. 93/07/29. CONNORS, L.T. New Jersey, State of. 2pp. 76072:328-76072:332.

V. Dry Cask Independent Spent Fuel Storage Installations

9308260043 Responds to NRC 930713 ltr re SALP Repts 50-269/93-11, 50-270/93-11 & 50-287/93-11 for period of 920201-930501. Requests that docket number assigned to ISFSI be added to final SALP rept.
HAMPTON, J.W. Duke Power Co. 93/08/18. Document Control Branch (Document Control Desk). 6pp. 76259:341-76259:346.

9308300131 Forwards insp rept 72-1004/93-07 on 930518-20,0607-09 & 0719 & notice of nonconformance.
HAUGHNEY, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 93/08/26. HAMPTON, J.W. Duke Power Co. 4pp. 76296:300-76296:338.

-9308300142 Insp rept 72-1004/93-07 on 930518-20,0607-09, 0719-21. Nonconformance noted. Major areas inspected: procedures for NRC-approved QA program.
O'CONNOR, S.C. Division of Industrial & Medical Nuclear Safety (Post 870729). 93/08/16. 27pp. 76296:304-76296:330.

-9308300148 Notice of nonconformance from insp on 930518-20,0607-09 & 0719-21. Nonconformance noted: identified conflicting info in receiving insp files.
* Division of Industrial & Medical Nuclear Safety (Post 870729). 93/08/20. 8pp. 76296:331-76296:338.

DOCKET 50-271 VERMONT YANKEE NUCLEAR POWER STATION

F. Security, medical, emergency & fire protection plans

9308130090 Forwards plant objectives for annual EP exercise scheduled for wk starting 930418. Informs that exercise scenario will be submitted to NRC on or about 930118.
TREMBLAY, L.A. Vermont Yankee Nuclear Power Corp. 92/12/18. Document Control Branch (Document Control Desk). 6pp. 76094:172-76094:177.

9308120344 Forwards "Vermont Yankee Nuclear Power Station Emergency Response Preparedness Exercise: 1993 Plume Pathway Exercise Manual."
TREMBLAY, L.A. Vermont Yankee Nuclear Power Corp. 93/01/18. Document Control Branch (Document Control Desk). 2pp. 76084:001-76084:006.

-9308120348 "Vermont Yankee Nuclear Power Station Emergency Response Preparedness Exercise: 1993 Plume Pathway Exercise Manual."
* Vermont Yankee Nuclear Power Corp. 93/01/22. 362pp. 76084:003-76084:006.

9308040165 Forwards encl 8 to SECY 93-166 which describes proposed characteristics of design basis vehicle. Encl withheld.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 93/07/15. REID, D.A. Vermont Yankee Nuclear Power Corp. 3pp. 75987:025-75987:027.

9308160017 Notification of significant licensee meeting 93-103 on 930824 in King of Prussia, PA to discuss pending physical security plan rev.
KELLY, E. Region 1 (Post 820201). 93/08/06. Region 1 (Post 820201). 2pp. 76088:313-76088:314.

9308300011 Provides review of licensee response to Suppl 4 to GL 88-20, "IPEs for External Events." Licensee response re use of level 1 PRA for fire IPEE, acceptable.
DORMAN, D.H. Project Directorate I-3. 93/08/11. REID, D.A. Vermont Yankee Nuclear Power Corp. 4pp. 76274:041-76274:044.

G. Adjudicatory correspondence

9308090147 Forwards util 930309 ltr by which application for proposed change 166 has been withdrawn.
GAD, R.K. Ropes & Gray. GAD, R.K. Vermont Yankee Nuclear Power Corp. #393 14157. 93/03/09. COTTER, B.P. Atomic Safety & Licensing Board Panel. 1p. 76021:151-76021:152.

9308090139 Memorandum (termination of proceeding). Notes for adjudicatory record, termination of license amend proceeding. W/Certificate of Svc. Served on 930728.
SMITH, J.W., COLE, R.F., LAM, P.S. Atomic Safety & Licensing Board Panel. #393 14159. 93/07/28. 5pp. 76021:140-76021:144.

P. Operating license stage documents & correspondence

9308110347 Forwards request for addl info re licensee 920703 response to GL 92-01. Info requested within 60 days of receipt of ltr.
DORMAN, D.H. Project Directorate I-3. 93/07/21. REID, D.A. Vermont Yankee Nuclear Power Corp. 4pp. 76064:347-76064:350.

9308170258 Summary of 930722 meeting w/util in Rockville, MD re licensee plans for compliance w/SBO rule 10CFR50.61.
DORMAN, D.H. Project Directorate I-3. 93/07/27. Project Directorate I-3. 10pp. 76126:177-76126:186.

9308110088 Informs of proposed change 168, requesting to increase EDG reliability & availability by reducing number of fast start tests.
REID, D.A. Vermont Yankee Nuclear Power Corp. 93/08/04. Document Control Branch (Document Control Desk). 9pp. 76074:280-76074:291.

-9308110093 Proposed tech specs requesting to increase EDG reliability availability by reducing number of fast start tests.
* Vermont Yankee Nuclear Power Corp. 93/08/04. 3pp. 76074:289-76074:291.

9308300011 Provides review of licensee response to Suppl 4 to GL 88-20, "IPEs for External Events." Licensee response re use of level 1 PRA for fire IPEE, acceptable.
DORMAN, D.H. Project Directorate I-3. 93/08/11. REID, D.A. Vermont Yankee Nuclear Power Corp. 4pp. 76274:041-76274:044.

9308250210 Documents actions taken by util to evaluate, w/o immediate code repair, small leak in svc water piping & requests relief from requirement to perform immediate code repair, per GL 90-05.
TREMBLAY, L.A. Vermont Yankee Nuclear Power Corp. 93/08/18. Document Control Branch (Document Control Desk). 5pp. 76224:353-76224:357.

9308260358 Documents actions taken by util to evaluate, w/o immediate code repair, small leak in svc water piping & requests relief from requirement to perform immediate code repair, per GL 90-05 & 10CFR50.55a(g)(6)(i).
TREMBLAY, L.A. Vermont Yankee Nuclear Power Corp. 93/08/20. Document Control Branch (Document Control Desk). 3pp. 76247:314-76247:316.

Q. Inspection reports, IE Bulletins & correspondence

9307190043 NRC Info Notice 93-057, "Software Problems Involving Digital Control Console Sys at Non-Power Reactors."
GRIMES, B.K. Division of Operating Reactor Support (Post 921004). 93/07/23. Consolidated Edison Co. of New York, Inc. 9pp. 76111:200-76111:208.

9308040022 Confirms SWSOI on 931101-05 & 15-19 to assess design, operation, maint, surveillance & testing aspects of svc water sys at plant to determine whether sys capable of performing intended safety functions. Response to encl info requested.
DURR, J.P. Region 1 (Post 820201). 93/07/27. REID, D.A. Vermont Yankee Nuclear Power Corp. 7pp. 75949:129-75949:135.

9308100096 EN-93-075 on 930802, notice of proposed imposition of civil penalty in amount of \$50,000 issued to licensee. Action based on three violations associated w/ licensee failure to take corrective actions for out-of-specification scram time.
LUEHMANN, J., LIEBERMAN, J. Ofc of Enforcement (Post 870413). 93/07/28. 1p. 76025:345-76025:345.

9308050116 Responds to NRC Bulletin 93-003, "Resolution of Issues Related to RV Water Level Instrumentation in BWRs," w/ respect to short term compensatory actions & hardware mods.
PELLETIER, J.P. Vermont Yankee Nuclear Power Corp. 93/07/30. Document Control Branch (Document Control Desk). 3pp. 76019:346-76019:348.

9308090011 Forwards notice of violation inadvertently omitted from insp rept 50-271/93-13.
LINVILLE, J.C. Region 1 (Post 820201). 93/07/30. REID, D. Vermont Yankee Nuclear Power Corp. 3pp. 76020:046-76020:049.

38 DOCKETED ITEMS

9308120025 Discusses safety insp 50-271/93-09 on 930414-16 & forwards notice of violation & proposed imposition of civil penalty in amount of \$50,000. Enforcement conference held in region 1 on 930615 to discuss violations, causes & corrective actions. MARTIN, T.T. Region 1 (Post 820201). 93/08/02. REID, D.A. Vermont Yankee Nuclear Power Corp. 5pp. 76063:055-76063:063.

-9308120029 Notice of violation & proposed imposition of civil penalty in amount of \$50,000. Noncompliance noted: scram time testing of control rods test results not evaluated to adequately assure that test requirements have been satisfied. * Region 1 (Post 820201). 93/08/02. App. 76063:060-76063:063.

9308170011 Forwards insp rept 50-271/93-15 on 930712-16. No violations noted. JOYNER, J.H. Region 1 (Post 820201). 93/08/04. REID, D.A. Vermont Yankee Nuclear Power Corp. 3pp. 76108:039-76108:049.

-9308170016 Insp rept 50-271/93-15 on 930712-16. No violations noted. Major areas inspected: access authorization program & administration & organization, background investigation elements, psychological evaluations & behavioral observation. ALBERT, R.J., LIMROTH, D.F., KEIMIG, R.R. Region 1 (Post 820201). 93/08/04. 8pp. 76108:042-76108:049.

9308160023 Notification of significant licensee meeting 93-102 on 930826 in King of Prussia, PA to discuss svc water safety operational performance insp. KELLY, E. Region 1 (Post 820201). 93/08/05. Region 1 (Post 820201). 2pp. 76088:341-76088:342.

9308200006 Responds to insp rept 50-271/93-12 on 930604 re unresolved items identified in sections 3.2 & 3.3. REID, D.A. Vermont Yankee Nuclear Power Corp. 93/08/13. Document Control Branch (Document Control Desk). 2pp. 76190:292-76190:293.

9308190312 Ack receipt of 930611 ltr informing NRC of steps taken to correct violations noted in insp rept 50-271/93-10 on 930406-08. DURR, J.P. Region 1 (Post 820201). 93/08/16. REID, D.A. Vermont Yankee Nuclear Power Corp. 2pp. 76184:001-76184:024.

9308240087 Responds to NRC 930722 ltr re violation noted in Insp Rept 50-271/93-13. Corrective actions: interim administration setpoint of i.e.s than or equal 4 psid for sparger break detection sensors imposed by util mgt. PELLETIER, J.P. Vermont Yankee Nuclear Power Corp. 93/08/19. Document Control Branch (Document Control Desk). 5pp. 76207:317-76207:319.

9308300289 Responds to notice of violation & proposed imposition of civil penalty for Insp Rept 50-271/93-09 on 930414-16 & 0511. Corrective actions: controlling procedure OP-4424, "CR Scram Testing & Data Reduction" revised. PELLETIER, J.P. Vermont Yankee Nuclear Power Corp. 93/08/24. Document Control Branch (Document Control Desk). 5pp. 76280:353-76280:357.

R. Periodic operating reports & related correspondence

9308130085 Monthly operating rept for Jul 1993 for VYGS.W/930810 ltr. WALLIN, G.A., REID, D.A. Vermont Yankee Nuclear Power Corp. 93/07/31. 6pp. 76113:342-76113:347.

S. Reportable occurrences, LERs & related correspondence

9308190138 Summary of operating reactors events meeting 93-17 on 930512. CHAFFEE, A.E. Events Assessment Branch. 93/05/18. GRIMES, B.K. Division of Operating Reactor Support (Post 921004). 26pp. 76153:034-76153:059.

9308040281 LER 93-008-00: on 930701, discovered that during previous surveillance testing on 910515, pump differential pressure entered IST required action range due to personnel error. Plant Procedure AP 0164 will be revised. W/930730 ltr. WANCZYK, R.J. Vermont Yankee Nuclear Power Corp. 93/07/30. 5pp. 76022:078-76022:083.

9308190021 LER 93-009-00: on 930716, B Train of RHR sys declared inoperable. Caused by personnel error re failure to initiate rev to calibration procedure OP 4347. Instrument re-calibrated & OP 4347 revised. W/930813 ltr. WANCZYK, R.J. Vermont Yankee Nuclear Power Corp. 93/08/13. 4pp. 76178:016-76178:019.

9308190039 LER 93-005-01: on 930406, concluded control rod scram times not in compliance w/TS Section 3.3.C. Caused by faulty scram solenoid pilot valves. Solenoid valves rebuilt. W/930813 ltr. WANCZYK, R.J. Vermont Yankee Nuclear Power Corp. 93/08/13. 5pp. 76178:020-76178:024.

9308240014 LER 93-004-01: on 930225, discovered that surveillance for jet pumps not performed during single loop operations due to inadequate plant procedures. Procedures OP-4110 & OP-2428 revised. W/930819 ltr. WANCZYK, R.J. Vermont Yankee Nuclear Power Corp. 93/08/19. 4pp. 76200:171-76200:174.

DOCKET 50-272 SALEM NUCLEAR GENERATING STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9308040241 Forwards encl d to SECY-93-166, "Staff Recommendation For Protection Against Malevolent Use Of Vehicles At Nuclear Power Plants." Encl withheld (safeguards info). PARTLOW, J.G. Associate Director for Projects (Post 870411). 93/07/15. MILTENBERGER, S. Public Service Electric & Gas Co. of New Jersey. 4pp. 75978:348-75978:351.

9308100202 Revised EIPs, including rev 7 to EPIP-201H, "Operations Support Ctr (OSC) Activation & Operations," rev 11 to EPIP-202H, "TSC - Integrated Engineering Response," & rev 40 to EPIP-TOC-HC. * Public Service Electric & Gas Co. of New Jersey. 93/07/26. 38pp. 76065:228-76065:265.

9308110185 Forwards description of util position on spurious valve operation during App R fire, including methodology used & specific guidance cited from GL 86-10, in response to unresolved issue raised during App R insp on 930517-21. LABRUNA, S. Public Service Electric & Gas Co. of New Jersey. 93/08/02. Document Control Branch (Document Control Desk). 5pp. 76074:260-76074:264.

9308160021 Notification of significant licensee meeting 93-97 on 930806 in King of Prussia, PA to discuss non-declaration of terminated emergency issues. WHITE, J.R. Region 1 (Post 820201). 93/08/02. Region 1 (Post 820201). 2pp. 76088:339-76088:340.

9308190033 Forwards Insp Repts 50-272/93-19, 50-311/93-19 & 50-354/93-18 on 930606-0724. Findings documented in repts. WENZINGER, E.C. Region 1 (Post 820201). 93/08/12. MILTENBERGER, S. Public Service Electric & Gas Co. of New Jersey. 2pp. 76161:298-76161:328.

-9308190037 Insp Repts 50-272/93-19, 50-311/93-19 & 50-354/93-18 on 930606-0724. Overview of findings & conclusions provided. Major areas inspected: operations, radiological controls, maint & surveillance testing, EP & security. WHITE, J.R. Region 1 (Post 820201). 93/08/12. 28pp. 76161:301-76161:328.

9308200041 Responds to unresolved item noted in Insp Repts 50-272/93-13, 50-311/93-13 & 50-354/93-09 re NRC understanding of licensee practice of not declaring & reporting terminated emergencies. HAGAN, J.J. Public Service Electric & Gas Co. of New Jersey. 93/08/12. Document Control Branch (Document Control Desk). 5pp. 76190:280-76190:284.

9308230080 Revised EIPs, including rev 6 to EPIP 201S, "TSC, Integrated Engineering Response," & rev 39 to EPIP-TOC-Salem. * Public Service Electric & Gas Co. of New Jersey. 93/08/20. 25pp. 76186:232-76186:255.

P. Operating license stage documents & correspondence

9308120047 Informs of plans to improve plant performance at Salem & maintaining excellence at Hope Creek. MILTENBERGER, S. Public Service Electric & Gas Co. of New Jersey. 93/07/12. MARTIN, T.T. Region 1 (Post 820201). 5pp. 76087:321-76087:325.

9308120316 Provides listed comments re licensee 930226 request for approval of integrated schedule program for plant. BOYLE, M.L. Project Directorate I-2. 93/07/23. MILTENBERGER, S. Public Service Electric & Gas Co. of New Jersey. 5pp. 76085:280-76085:284.

9308100023 Confirms dates of 930816-20, 30 & 0903 for partial EDSFI at plant. Purpose of insp to determine whether electrical distribution sys capable of performing intended functions as designed, installed & configured during accident conditions. DURR, J.P. Region 1 (Post 820201). 93/07/28. MILTENBERGER, S. Public Service Electric & Gas Co. of New Jersey. 4pp. 76025:077-76025:080.

9308190065 Summary of 930719 meeting w/util to discuss installation of digital feed-water control sys at facility & removal of one reactor trip signal from sys. List of attendees encl. STONE, J.C. Project Directorate I-2. 93/07/28. Project Directorate I-2. 17pp. 76151:308-76151:324.

9308190077 Informs that 930505 submittal of WCAP-13569, "Technical Justification for Eliminating Large Primary Loop Pipe Rupture as Structural Design Basis," will be withheld from public disclosure, per 10CFR2.790. STONE, J.C. Project Directorate I-2. 93/07/28. LIPARULO, N.J. Westinghouse Electric Corp. 4pp. 76153:132-76153:135.

9308110245 Responds to GL 93-04 re rod control sys failure & withdrawal of rod control cluster assembly which occurred at Salem Unit 2 facility. Plan & schedule for long-term resolution of issue will be provided by 930920. LABRUNA, S. Public Service Electric & Gas Co. of New Jersey. 93/07/29. Document Control Branch (Document Control Desk). 3pp. 76080:236-76080:238.

9308060186 Forwards Individual Plant Exam Rept, including final assessments & recommendations re GL 88-20. Vulnerabilities noted during internal flooding & containment bypass analyses. LABRUNA, S. Public Service Electric & Gas Co. of New Jersey. 93/07/30. Document Control Branch (Document Control Desk). 4pp. 76031:001-76034:254.

-9308060307 "Salem Generating Station Individual Plant Exam" rept. SCOTT, J.F., HO, S.A., LAMBERT, C.W. Public Service Electric & Gas Co. of New Jersey. 93/07/31. 1,400pp. 76031:005-76034:254.

9308100157 Advises that NJ Dept of Environ Protection & Energy Bureau of Nuclear Engineering has reviewed License Change Request 92-12, per 10CFR50.91(b) & has no comments. TOSCH, K.W. New Jersey, State of. 93/08/03. Document Control Branch (Document Control Desk). 2pp. 76065:353-76065:354.

9308120013 Application for amendments to licenses DPR-70 & DPR-75, revising TS for consistency w/STSs & to keep Unit 1 & 2 TS similar by providing mathematical symbols for words "greater than or equal to." HAGAN, J.J. Public Service Electric & Gas Co. of New Jersey. 93/08/03. Document Control Branch (Document Control Desk). 3pp. 76087:330-76087:357.

-9308120028 Proposed tech specs revising TS consistent w/STS & to keep Units 1 & 2 TS similar by providing mathematical symbols for words "greater than or equal to." * Public Service Electric & Gas Co. of New Jersey. 93/08/03. 25pp. 76087:333-76087:357.

9308110209 Forwards responses to NRC 930607 RAI re util 920630 & 1230 responses to GL 92-01. Rev 1. "RV Structural Integrity." LABRUNA, S. Public Service Electric & Gas Co. of New Jersey. 93/08/04. Document Control Branch (Document Control Desk). 14pp. 76067:347-76067:360.

9308250415 Forwards amends 142 & 121 to licenses DPR-70 & DPR-75, respectively & SE. Amends modify RTS & ESFAS instrument sections & associated Bases for surveillance test intervals & AOT. STONE, J.C. Project Directorate I-2. 93/08/04. MILTENBERGER, S. Public Service Electric & Gas Co. of New Jersey. 4pp. 76212:201-76212:262.

-9308250422 Amends 142 & 121 to licenses DPR-70 & DPR-75, respectively, modifying RTS & ESFAS instrument sections & associated Bases for surveillance test intervals & AOT.
MILLER,C.L. Project Directorate I-2. 93/08/04. 44pp. 76212:205-76212:248.

-9308250425 Safety evaluation supporting amends 142 & 121 to licenses DPR-70 & DPR-75, respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 93/08/04. 14pp. 76212:249-76212:262.

9308110180 Informs of revised request for amend for licenses DPR-70 & DPR-75 re deletion of line item 9 of TS 3.3.3.7,PAMS, table 3.3-11 & 4.3-11 w/associated action 3 on both units.
HAGAN,J.J. Public Service Electric & Gas Co. of New Jersey. 93/08/05. Document Control Branch (Document Control Desk). 6pp. 76077:320-76077:325.

9308110195 Application for amends to licenses DPR-70 & DPR-75, modifying TS 3/4.5.1, "ECCS".
HAGAN,J.J. Public Service Electric & Gas Co. of New Jersey. 93/08/06. Document Control Branch (Document Control Desk). 8pp. 76071:343-76071:355.

-9308110204 Proposed tech specs modifying actions of TS 3/4.5.1,ECCS- accumulators.
* Public Service Electric & Gas Co. of New Jersey. 93/08/06. 5pp. 76071:351-76071:355.

9308130072 Application for amends to licenses DPR-70 & DPR-75, modifying section 4.2.1, "Aquatic Monitoring," of environ protection plan.
* Public Service Electric & Gas Co. of New Jersey. 93/08/06. 6pp. 76104:323-76104:334.

-9308130074 Proposed tech specs modifying section 4.2.1, "Aquatic Monitoring," of environ protection plan.
* Public Service Electric & Gas Co. of New Jersey. 93/08/06. 6pp. 76104:329-76104:334.

9308200051 Submits update to spent fuel pool rerack licensing rept contained in 930428 application for amends to Licenses DPR-70 & DPR-75, increasing SFP capacities from 1,170 to 1,632 & extending decay time for refueling operations.
LABRUNA,S. Public Service Electric & Gas Co. of New Jersey. 93/08/12. Document Control Branch (Document Control Desk). 2pp. 76190:303-76190:304.

9308310221 Confirms implementation of Amends 141/120 to Licenses DPR-70 & DPR-75, respectively, on 930715.
HAGAN,J.J. Public Service Electric & Gas Co. of New Jersey. 93/08/13. Document Control Branch (Document Control Desk). 2pp. 76288:354-76288:355.

Q. Inspection reports, IE Bulletins & correspondence

9307190043 NRC Info Notice 93-057, "Software Problems Involving Digital Control Console Sys at Non-Power Reactors."
GRIMES,B.K. Division of Operating Reactor Support (Post 921004). 93/07/23. Consolidated Edison Co. of New York, Inc. 9pp. 76111:200-76111:208.

9308040007 Forwards insp repts 50-272/93-14,50-311/93-14 & 50-354/93-10. Unresolved item updated.
DURR,J.P. Region 1 (Post 820201). 93/07/29. MILTENBERGER,S. Public Service Electric & Gas Co. of New Jersey. 3pp. 75949:035-75949:068.

-9308040011 Insp repts 50-272/93-14,50-311/93-14 & 50-354/93-10 on 930419-30. One unresolved item updated. Major areas inspected: engineering performance, staffing, training, procurement engineering & corrective actions.
CHEUNG,L.S., RULAND,W. Region 1 (Post 820201). 93/07/16. 30pp. 75949:038-75949:068.

9308110147 Informs that util will not implement any hardware mod to RHR sys to address NRC Bulletin 88-004 concerns on RHR pump interactions as stated in 900831 ltr, as result of conversations between NRC Salem Project Manager & util.
HAGAN,J.J. Public Service Electric & Gas Co. of New Jersey. 93/08/02. Document Control Branch (Document Control Desk). 3pp. 76082:267-76082:269.

9308110185 Forwards description of util position on spurious valve operation during App R fire, including methodology used & specific guidance cited from GL 86-10, in response to unresolved issue raised during App R insp on 930517-21.
LABRUNA,S. Public Service Electric & Gas Co. of New Jersey. 93/08/02. Document Control Branch (Document Control Desk). 5pp. 76074:260-76074:264.

9308170035 Forwards insp repts 50-272/93-81 & 50-311/93-81 on 930605-28. No violations noted.
HODGES,M.W. Region 1 (Post 820201). 93/08/11. MILTENBERGER,S. Public Service Electric & Gas Co. of New Jersey. 5pp. 76108:115-76108:183.

-9308170041 Insp repts 50-272/93-81 & 50-311/93-81 on 930606-28. No violations noted. Major areas inspected: areas necessary to ascertain facts & determine probable causes of numerous rod control sys electronic component failures.
RULAND,W.H., DURR,J.P. Region 1 (Post 820201). 93/08/06. 64pp. 76108:120-76108:183.

9308170146 Discusses plant mgt meeting w/util on 930718 re insp repts 50-272/93-81 & 50-311/93-81. Topics discussed included numerous rod control sys failures which occurred during May & June 1993. Attendees listed in encl 1.
HODGES,M.W. Region 1 (Post 820201). 93/08/11. MILTENBERGER,S. Public Service Electric & Gas Co. of New Jersey. 56pp. 76110:027-76110:082.

9308190033 Forwards Insp Repts 50-272/93-19,50-311/93-19 & 50-354/93-18 on 930606-0724. Findings documented in repts.
WENZINGER,E.C. Region 1 (Post 820201). 93/08/12. MILTENBERGER,S. Public Service Electric & Gas Co. of New Jersey. 2pp. 76161:298-76161:328.

-9308190037 Insp Repts 50-272/93-19,50-311/93-19 & 50-354/93-18 on 930606-0724. Overview of findings & conclusions provided. Major areas inspected: operations, radiological controls, maint & surveillance testing, EP & security.
WHITE,J.R. Region 1 (Post 820201). 93/08/12. 28pp. 76161:301-76161:328.

9308200041 Responds to unresolved item noted in Insp Repts 50-272/93-13,50-311/93-13 & 50-354/93-09 re NRC understanding of licensee practice of not declaring & reporting terminated emergencies.
HAGAN,J.J. Public Service Electric & Gas Co. of New Jersey. 93/08/12. Document Control Branch (Document Control Desk). 5pp. 76190:280-76190:284.

R. Periodic operating reports & related correspondence

9308020077 "NPDES Discharge Monitoring Rept for June 1993 for Salem Generating Station." W/930723 ltr.
VONDRA,C.A. Public Service Electric & Gas Co. of New Jersey. 93/06/30. CAPORALE,G. New Jersey, State of. 24pp. 75954:156-75954:179.

9308190206 Monthly operating rept for Jul 1993 for Salem, unit 1. W/ 930813 ltr.
SHEDLOCK,M., HELLER,R., VONDRA,C.A. Public Service Electric & Gas Co. of New Jersey. 93/07/31. 20pp. 76168:341-76168:360.

9308260336 Forwards semi-annual rept of fitness for duty performance data.
MILTENBERGER,S. Public Service Electric & Gas Co. of New Jersey. 93/08/18. Document Control Branch (Document Control Desk). 8pp. 76237:349-76237:357.

S. Reportable occurrences, LERs & related correspondence

9308120291 Summary of operating reactors events meeting 93-23 on 930623.
CHAFFEE,A.E. Events Assessment Branch. 93/07/06. GRIMES,B.K. Division of Operating Reactor Support (Post 921004). 16pp. 76085:245-76085:260.

9308020237 LER 89-031-02: on 931019, TS action statement entered due to oxygen concentration of 2.3% by volume in number 11 WDG. Caused by equipment failure. Transmitter & flow control valve recalibrated & valve lineup inspected. W/ 930722 ltr.
POLLACK,M.J., VONDRA,C.A. Public Service Electric & Gas Co. of New Jersey. 93/07/19. 6pp. 75978:060-75978:065.

9308030372 Potential Part 21 rept re Limitorque actuator motors. Utils & other purchases listed in encl being advised of concern. Limitorque revising selection procedure for safety related actuators, motors & technical data packages.
TAYLOR,J.H. Babcock & Wilcox Co. 93/07/22. Document Control Branch (Document Control Desk). 8pp. 75976:349-75976:356.

9308180194 Notices that on 930717, kemp ridley sea turtle recovered from trash rack 22a of CWS intake. Turtle recovered alive & undamaged. During June 1 through Sept 30, trash racks observed every two h & cleaned at least once per day.
MILTENBERGER,S. Public Service Electric & Gas Co. of New Jersey. 93/08/12. Document Control Branch (Document Control Desk). 5pp. 76154:339-76154:343.

9308190119 LER 93-013-00: on 930711, experienced reactor/turbine trip signal due to steam flow/feed flow mismatch. Caused by inattention to detail. Operations personnel disciplined. W/930812 ltr.
POLLACK,M.J., VONDRA,C.A. Public Service Electric & Gas Co. of New Jersey. 93/08/12. 7pp. 76178:040-76178:046.

9308300327 LER 93-014-00: on 930722, concern raised re 4 kV vital bus second level undervoltage protection dropout setpoint (both units). Caused by design, mfg, const/ installation, per NUREG-1022. Design changes will be implemented. W/930820 ltr.
PASTVA,M.J., VONDRA,C.A. Public Service Electric & Gas Co. of New Jersey. 93/08/20. 6pp. 76304:078-76304:083.

V. Operator Examinations

9308230177 Informs that arrangements made for administration of RO & SRO initial licensing exams during wk of 931213, per 930806 telcon between P Bissett & W Gott. Ref mail required for preparation of exams encl.
MEYER,G.W. Region 1 (Post 820201). 93/08/18. MILTENBERGER,S. Public Service Electric & Gas Co. of New Jersey. 4pp. 76213:155-76213:158.

DOCKET 50-275 DIABLO CANYON NUCLEAR POWER PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9308040147 Forwards encl 8 to SECY 93-166, describing proposed characteristics of design basis vehicle (DBV). Encl withheld.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 93/07/15. RUEGER,G.M. Pacific Gas & Electric Co. 3pp. 75986:358-75986:360.

9308200272 Forwards public version of rev to EPIPs, including Rev 12 to EP RB-15A, Rev 8 to EP RB-15B, Rev 15 to EP EF-1, Rev 14 to EP EF-2, Rev 3 to EP RB-10, Rev 1 to EP EF-3A & Rev 1 to EP EF-3B. W/930806 release memo.
SEXTON,J.A. Pacific Gas & Electric Co. 93/07/16. Document Control Branch (Document Control Desk). 5pp. 76168:001-76168:237.

-9308200277 Public version of rev to EPIPs, including Rev 12 to EP RB-15A, Rev 8 to EP RB-15B, Rev 15 to EP EF-1, Rev 14 to EP EF-2, Rev 3 to EP RB-10, Rev 1 to EP EF-3A & Rev 1 to EP EF-3B.
TOWSEND,J.D. Pacific Gas & Electric Co. 93/06/28. 232pp. 76168:006-76168:237.

9308110120 Forwards testimony of plant addressing contention I: maint & surveillance, exhibits & contention V: Thermo-Lag. Related correspondence.
WARNER,C.J. Pacific Gas & Electric Co. #393 14183. 93/08/02. BECHHOEFER,C. Atomic Safety & Licensing Board Panel. 4pp. 76056:329-76056:060.

-9308110130 Testimony of Plant addressing contention I: maint & surveillance. * Exhibits encl. Related correspondence.
GIFFIN,B.W., CROCKETT,W.G., ORTORE,S.R. Pacific Gas & Electric Co. 93/08/02. 494pp. 76056:333-76056:017.

-9308110138 Testimony of plant addressing contention V: Thermo-Lag compensatory measures. * Related correspondence.
COSGROVE,D.K. Pacific Gas & Electric Co. 93/08/02. 41pp. 76058:018-76058:060.

40 DOCKETED ITEMS

9308160050 Responds to 930722 ltr forwarding exercise scenario manuals for plant 1993 field exercise. Informs that exercise objectives appear appropriate to meet EP plan goals & requirements. Review of exercise scenario continuing. PATE, R.J. Region 5 (Post 820201). 93/08/05. TOWNSEND, J.D. Pacific Gas & Electric Co. 1p. 76089:017-76089:017.

9308160136 Forwards San Luis Obispo Mothers For Peace request for leave to conduct discovery on NRC inquiry into allegations re pressure to falsify fire watch logs, motion for postponement of hearing on thermo-lag contention. CURRAN, D. Harmon, Curran, Gallagher & Spielberg (formerly Harmon, Curran & Tousley). #393 14200. 93/08/11. BECHHOEFER, C., SHON, F.J., KLINE, J. Atomic Safety & Licensing Board Panel. 1p. 76088:042-76088:053.

9308160145 San Luis Obispo Mothers For Peace request for leave to conduct discovery on NRC inquiry into allegations re pressure to falsify fire watch logs, motion for postponement of hearing on thermo-lag contention. CURRAN, D. San Luis Obispo Mothers for Peace. CURRAN, D. Harmon, Curran, Gallagher & Spielberg (formerly Harmon, Curran & Tousley). 93/08/11. Atomic Safety & Licensing Board Panel. 11pp. 76088:043-76088:053.

9308170393 Forwards "Emergency Preparedness" rev 0 of PD 0M10. SEXTON, J.A. Pacific Gas & Electric Co. 93/08/11. Document Control Branch (Document Control Desk). 1p. 76136:091-76136:102.

9308170403 Rev 0 to Program Directive 0M10, "Emergency Preparedness." * Pacific Gas & Electric Co. 93/05/28. 11pp. 76136:092-76136:102.

9308180035 On-The-Spot Change, consisting of Rev 9 to EPIP EP RB-15:B, "Post-Accident Sampling Sys Stripped-Gas & Diluted RCS." W/ 930811 ltr. WESSELE, Pacific Gas & Electric Co. 93/08/11. 33pp. 76154:262-76154:294.

G. Adjudicatory correspondence

9308090020 PG&E request to defer briefing schedule on ref ruling re INPO documents. * Board erred as matter of law in ordering release of INPO evaluation & ref ruling should be reversed by Commission. * W/Certificate of Svc. REPKA, D.A. Pacific Gas & Electric Co. REPKA, D.A. Winston & Strawn. #393 14142. 93/07/22. Commissioners (Post 750119). 5pp. 76020:356-76020:360.

9308090059 Pacific Gas & Electric Co motion to require cross-exam plans. * Requests that Board require cross-examination plans from parties that intend to conduct cross-examination. W/Certificate of Svc. REPKA, D.A. Pacific Gas & Electric Co. REPKA, D.A. Winston & Strawn. #393 14147. 93/07/22. Atomic Safety & Licensing Board Panel. 7pp. 76021:085-76021:091.

9308090027 Order. * Commission grants in part util 930723 requested deferral & amends briefing schedule as stated. Util may file brief w/NRC no later than 930803 & intervenor & NRC may file reply brief by 930810. W/Certificate of Svc. Served on 930723. CHILK, S.J. Office of the Secretary of the Commission. #393 14141. 93/07/23. Office of the General Counsel (Post 860701). 5pp. 76021:011-76021:015.

9308090065 Informs of representing San Luis Obispo Mothers for Peace in const permit recapture case for plant. W/Certificate of Svc & notice of appearance. CURRAN, D. San Luis Obispo Mothers for Peace. CURRAN, D. Harmon, Curran, Gallagher & Spielberg (formerly Harmon, Curran & Tousley). #393 14165. 93/07/28. BECHHOEFER, C., SHON, F.J., KLINE, J. Atomic Safety & Licensing Board Panel. 3pp. 76021:092-76021:094.

9308090140 NRC Staff response supporting PG&E motion to require cross-examination plans. * NRC supports util motion & agrees w/util that 930809 telcon to discuss preliminary matters listed would be useful. W/Certificate of Svc. HODGDON, A.P. Office of the General Counsel (Post 860701). #393 14151. 93/07/28. Atomic Safety & Licensing Board Panel. 5pp. 76021:145-76021:150.

9308110110 Pacific Gas & Electric Co revised witness list. * Forwards revised witness list re two admitted contentions in proceeding W/Certificate of Svc. Related correspondence. REPKA, D.A. Pacific Gas & Electric Co. REPKA, D.A. Winston & Strawn. #393 14185. 93/07/28. 5pp. 76056:318-76056:322.

9308110121 Forwards draft protective order prepared by util to provide San Luis Obispo Mothers For Peace w/access to 1990 rept prepared by INPO. Draft affidavit of non-disclosure also encl. REPKA, D.A. Pacific Gas & Electric Co. REPKA, D.A. Winston & Strawn. #393 14175. 93/08/02. BECHHOEFER, C., KLINE, J.R., SHON, F.J. Atomic Safety & Licensing Board Panel. 10pp. 76058:061-76058:069.

9308110065 Memorandum & Order (telephone conference call, 930729). * Licensee agreed to confer w/San Luis Obispo Mothers for Peace prior to hearing & to work out stipulation re certain documents. W/Certificate of Svc. Served on 930804. BECHHOEFER, C., KLINE, J.R., SHON, F.J. Atomic Safety & Licensing Board Panel. #393 14177. 93/08/03. San Luis Obispo Mothers for Peace. 6pp. 76056:184-76056:189.

9308110080 Memorandum & order (protective order governing nondisclosure of INPO rept). * Rept prepared by INPO ordered to be made available under protective order to intervenor in proceeding W/Certificate of Svc. Served on 930803. BECHHOEFER, C., KLINE, J.R., SHON, F.J. Atomic Safety & Licensing Board Panel. #393 14179. 93/08/03. Pacific Gas & Electric Co. 9pp. 76056:234-76056:242.

9308110127 Notifies Commission that util will not be filing brief in response to ruling re construction period recovery for plant by close of business. REPKA, D.A. Pacific Gas & Electric Co. REPKA, D.A. Winston & Strawn. #393 14176. 93/08/03. CHILK, S.J. Office of the Secretary of the Commission. 2pp. 76058:073-76058:074.

9308110122 Order (mod of protective order). * Modifies protective order by replacing G Minor w/S Sholly, as person permitted access to rept. W/Certificate of Svc. Served 930805. BECHHOEFER, C. Atomic Safety & Licensing Board Panel. #393 14186. 93/08/04. San Luis Obispo Mothers for Peace. 3pp. 76058:070-76058:072.

9308160033 Pacific Gas & Electric Co response to supplemental requests for production of documents filed by San Luis Obispo Mothers for Peace. * W/Certificate of Svc. Related correspondence. WARNER, C.J. Pacific Gas & Electric Co. WARNER, C.J. Winston & Strawn. #393 14205. 93/08/09. Atomic Safety & Licensing Board Panel. 4pp. 76088:001-76088:004.

9308160136 Forwards San Luis Obispo Mothers For Peace request for leave to conduct discovery on NRC inquiry into allegations re pressure to falsify fire watch logs, motion for postponement of hearing on thermo-lag contention. CURRAN, D. Harmon, Curran, Gallagher & Spielberg (formerly Harmon, Curran & Tousley). #393 14200. 93/08/11. BECHHOEFER, C., SHON, F.J., KLINE, J. Atomic Safety & Licensing Board Panel. 1p. 76088:042-76088:053.

9308160145 San Luis Obispo Mothers For Peace request for leave to conduct discovery on NRC inquiry into allegations re pressure to falsify fire watch logs, motion for postponement of hearing on thermo-lag contention. CURRAN, D. San Luis Obispo Mothers for Peace. CURRAN, D. Harmon, Curran, Gallagher & Spielberg (formerly Harmon, Curran & Tousley). 93/08/11. Atomic Safety & Licensing Board Panel. 11pp. 76088:043-76088:053.

9308160126 Informs that encl ltrs re plant being placed on docket for proceeding. W/Certificate of Svc. Served on 930812. JULLAN, E.L. Docketing & Services Branch. #393 14202. 93/08/12. Atomic Safety & Licensing Board Panel. 20pp. 76088:022-76088:041.

9308250072 Memorandum & order (change in location for oral limited appearance statements). * Location at which oral statements will be heard changed as stated. W/Certificate of Svc. Served on 930813. BECHHOEFER, C. Atomic Safety & Licensing Board Panel. #393 14206. 93/08/12. 4pp. 76189:294-76189:297.

9308250125 PG&E response to San Luis Obispo Mothers for Peace motion for further discovery & for delay in hearing Thermo-Lag contention. * W/Certificate of Svc. REPKA, D.A. Pacific Gas & Electric Co. REPKA, D.A. Winston & Strawn. #393 14214. 93/08/12. Atomic Safety & Licensing Board Panel. 8pp. 76189:331-76189:338.

9308250185 NRC Staff opposition to San Luis Obispo Mothers for Peace leave to conduct discovery on NRC inquiry into allegations re pressure to falsify fire watch logs motion for postponement of hearing. * W/Certificate of Svc. REIS, E.J. Office of the General Counsel (Post 860701). #393 14211. 93/08/12. Atomic Safety & Licensing Board Panel. 7pp. 76190:125-76190:131.

9308250104 Memorandum & order (telephone conference call, 930813). * Directs that unsigned ltr be provided to San Luis Obispo Mothers for Peace to assist in cross-examination. Certificate of Svc encl. Served on 930816. BECHHOEFER, C. Atomic Safety & Licensing Board Panel. #393 14216. 93/08/13. Office of the General Counsel (Post 860701). 5pp. 76189:325-76189:330.

9308250270 Notice of appearance. * Submits atty name to appear in proceeding. REIS, E.J. Office of the General Counsel (Post 860701). #393 14224. 93/08/17. 1p. 76190:192-76190:192.

9308250274 Motion to amend protective order (governing non-disclosure of INPO rept). * NRC moves that Board add footnote to paragraph 3. Certificate of Svc encl. REIS, E.J. Office of the General Counsel (Post 860701). #393 14223. 93/08/17. Atomic Safety & Licensing Board Panel. 5pp. 76190:193-76190:197.

9308250134 Memorandum & order CLI-93-18. * Commission declines review of interlocutory discovery order that Board referred to NRC re LBP-93-13. Served on 930819. W/Certificate of Svc. CHILK, S.J. Office of the Secretary of the Commission. #393 14231. 93/08/19. Pacific Gas & Electric Co. 5pp. 76189:343-76189:347.

9308260040 Hearing schedule changes. * Addl session for ASLB in proceeding to hear oral limited appearance statements scheduled for 930823. W/Certificate of Svc. Served on 930823. BECHHOEFER, C. Atomic Safety & Licensing Board Panel. #393 14237. 93/08/19. 4pp. 76202:094-76202:097.

9308250028 Requests to speak to issue of util requesting 15-yr license extension at public hearings on 930818. Served on 930823. DIPEK, K. Affiliation Not Assigned. #393 14233. 93/08/31. NRC - No Detailed Affiliation Given. 1p. 76189:227-76189:232.

9308250039 Requests to speak at public hearing before ASLB on 930818. W/Certificate of Svc. Served on 930823. EVERED, J.B. Affiliation Not Assigned. 93/08/10. Docketing & Services Branch. 5pp. 76189:228-76189:232.

P. Operating license stage documents & correspondence

9308120014 AEOD/T604, "Events Resulting From Deficiencies in Labeling & Identification Sys" technical review rept. TRAGER, E.A. NRC - No Detailed Affiliation Given. 86/05/07. 25pp. 76082:334-76082:358.

9308060202 Advises of objection to environmental assessment & FONSI issued by NRC on 930203 re application to extend OL of plant. Thorough EIS should be prepared before any action taken on OL extension application. KRAUSE, A. Toward Utility Rate Normalization. 93/03/19. THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). 3pp. 76023:276-76023:278.

9308060332 Discusses NRC extending plant license for addl 13-15 yrs. Requests that NRC not ignore health & safety as well as financial well being of people of State of CA re issue. * California, State of. 93/03/22. THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). 2pp. 76009:314-76009:315.

9308110289 Notification of 930810 meeting w/util in Rockville, MD to discuss process of evaluating diversity as applied to Westinghouse Eagle 21 RPS & Westinghouse supplied anticipated transient w/o scram mitigation sys. PETERSON, S.R. Project Directorate V. 93/07/22. QUAY, T.R. Project Directorate V. 4pp. 76074:341-76074:344.

9308050118 Forwards amends 81 & 80 to licenses DPR-80 & DPR-82 & safety evaluation. Amends revise TS 3/4.4.4.RV & 3/4.4.9.3.OPS & associated bases to implement recommendations of GL 90-06. PETERSON, S.R. Project Directorate V. 93/07/23. RUEGER, G.M. Pacific Gas & Electric Co. 4pp. 75991:302-75991:331.

—9308050125 Amends 81 & 80 to licenses DPR-80 & DPR-82, respectively, revising TS 3/4.4.4, RV, 3/4.4.9.3, OPS & associated bases to implement recommendations of GL 90-06.
QUAY, T.R. Project Directorate V. 93/07/23. 17pp. 75991:306-75991:327.

—9308050135 Safety evaluation supporting amends 81 & 80 to licenses DPR-80 & DPR-82, respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 93/07/23. 4pp. 75991:328-75991:331.

9308130020 Summary of 930712 meeting w/utli in Rockville, MD to discuss licensee proposed Eagle 21 process protection sys upgrade & diversity of ATWS mitigation sys.
PETERSON, S.R. Project Directorate V. 93/07/26. Project Directorate V. 22pp. 76094:096-76094:117.

9308170271 Informs that licensee 930618 submittals of summary repts WCAP-12813-R3 & WCAP-13615-R2 will be withheld from public disclosure, per 10CFR2.790.
PETERSON, S.R. Project Directorate V. 93/07/27. LIPARULO, N.J. Westinghouse Electric Corp. 4pp. 76140:015-76140:018.

9308090216 Clarifies issues re insps performed, results obtained & conclusions reached re Unit 1 accumulator tanks, per NRC request in connection w/review of 930419 & 28 transmittal re evaluation of indications in Unit 2 accumulator tanks.
RUEGER, G.M. Pacific Gas & Electric Co. 93/08/02. Document Control Branch (Document Control Desk). 2pp. 76037:323-76037:324.

9308200129 Forwards request for addl info re GL 92-01, Rev 1 for plant. Requests response to RAI within 60 days of receipt of ltr.
PETERSON, S.R. Project Directorate V. 93/08/03. RUEGER, G.M. Pacific Gas & Electric Co. 4pp. 76163:352-76163:355.

9308100107 Forwards response to GL 93-04, "Rod Control Sys Failure & Withdrawal of Rod Control Cluster Assemblies."
FUJIMOTO, W.H. Pacific Gas & Electric Co. 93/08/05. Document Control Branch (Document Control Desk). 12pp. 76087:230-76087:241.

9308240058 Forwards corrected TS pages 3/4 4-9, B 3/4 4-1 & B 3/4 4-16 to amends 81 & 80 to licenses DPR-80 & DPR-82, respectively. Corrected pages do not have amends typed in lower right corner.
PETERSON, S.R. Project Directorate V. 93/08/05. RUEGER, G.M. Pacific Gas & Electric Co. 4pp. 76183:120-76183:129.

—9308240062 Corrected TS pages 3/4 4-9, B 3/4 4-1 & B 3/4 4-16 to amends 81 & 80 to licenses DPR-80 & DPR-82.
* Project Directorate V. 93/08/05. 6pp. 76183:124-76183:129.

9308170276 Forwards proprietary response to Item 3(a), including Tables 1 through 4. Encl withheld (ref 10CFR2.790).
FUJIMOTO, W.H. Pacific Gas & Electric Co. 93/08/11. Document Control Branch (Document Control Desk). 10pp. 76135:047-76135:056.

Q. Inspection reports, IE Bulletins & correspondence

9307190043 NRC Info Notice 93-057, "Software Problems Involving Digital Control Console Sys at Non-Power Reactors."
GRIMES, B.K. Division of Operating Reactor Support (Post 921004). 93/07/23. Consolidated Edison Co. of New York, Inc. 9pp. 76111:200-76111:208.

9308030141 Ack receipt of 930622 ltr informing NRC of steps taken to correct violations noted in insp repts 50-275/93-14 & 50-323/93-14.
REESE, J.H. Region 5 (Post 820201). 93/07/23. RUEGER, G.M. Pacific Gas & Electric Co. 3pp. 75936:088-75936:096.

9308160124 Forwards insp repts 50-275/93-16 & 50-323/93-16 on 930525-0706 & notice of violation.
VANDENBURGH, C. Region 5 (Post 820201). 93/07/30. RUEGER, G.M. Pacific Gas & Electric Co. 3pp. 76089:332-76089:351.

—9308160129 Notice of violation from insp on 930525-0706. Violation noted: resin bed in mixed bed demineralizer 2-2 replaced, but not saturated w/boron before being returned to svc on 930405 resulting in inadvertent boron dilution.
* Region 5 (Post 820201). 93/07/30. 2pp. 76089:335-76089:336.

—9308160142 Insp repts 50-275/93-16 & 50-323/93-16 on 930525-0706. Violations noted. Major areas inspected: plant operations, maint & surveillance activities, review of plant events, followup of onsite events & open items.
JOHNSON, P.H. Region 5 (Post 820201). 93/07/30. 15pp. 76089:337-76089:351.

9308090216 Clarifies issues re insps performed, results obtained & conclusions reached re Unit 1 accumulator tanks, per NRC request in connection w/review of 930419 & 28 transmittal re evaluation of indications in Unit 2 accumulator tanks.
RUEGER, G.M. Pacific Gas & Electric Co. 93/08/02. Document Control Branch (Document Control Desk). 2pp. 76037:323-76037:324.

9308240160 Submits SALP schedule for FY94 per Mgt Directive 8.6.
FAULKENBERRY, B. Region 5 (Post 820201). 93/08/12. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 3pp. 76211:357-76211:359.

R. Periodic operating reports & related correspondence

9308190145 Monthly operating repts for Jul 1993 for Diablo Canyon, Units 1 & 2/W/ 930813 ltr.
BOURGO, E., STIPICEVICH, J., TOWNSEND, J.D. Pacific Gas & Electric Co. 93/07/31. 10pp. 76161:339-76161:348.

S. Reportable occurrences, LERs & related correspondence

9308310256 LER 93-003-01: on 930108, LTOP setpoint analysis nonconservatism identified due to miscommunication on setting parameters for LTOP/RCP operation restricted to low temp. W/930813 ltr.
SOKOLSKY, D., RUEGER, G.M. Pacific Gas & Electric Co. 93/06/01. 7pp. 76304:133-76304:139.

9308040288 LER 84-047-00: on 840303, TS 3.0.4 not met due to inadequate inservice testing of safety injection pump discharge check valves. Performed testing demonstrating that SI pump discharge check valves were leaktight. W/930726 ltr.
SISK, D.P., RUEGER, G.M. Pacific Gas & Electric Co. 93/07/26. 10pp. 76022:084-76022:093.

9308230298 PNO-V-93-013: on 930809, during pre-announced anti-nuclear demonstration, 13 protestors illegally entered plant access gate & immediately taken into custody by sheriff deputies. Demonstration related to CP recapture hearings for plant.
JOHNSON, P., MILLER, M., CORPORANDY, D. Region 5 (Post 820201). 93/08/09. 1p. 76203:335-76203:335.

T. Hearing transcripts on non-antitrust matters

9308090033 Forwards NRC testimony for hearing to commence in San Luis Obispo, CA on 930817. Prof qualifications statement of P Maddon not available but will be provided on 930802. Related correspondence.
HOGDON, A.P. Office of the General Counsel (Post 860701). #393 14167. 93/07/30. BECHHOEFER, C., KLINE, J.R., SHON, F.J. Atomic Safety & Licensing Board Panel. 1p. 76021:019-76021:050.

—9308090039 NRC Staff testimony of PP Narbut, MH Miller & SR Peterson re contention 1: surveillance & maint program at plant. * Prof qualification statements encl. Related correspondence.
NARBUT, P.P., MILLER, M.H. Region 5 (Post 820201). PETERSON, S.R. Office of Nuclear Reactor Regulation, Director (Post 870411). 93/07/30. 18pp. 76021:020-76021:037.

—9308090046 NRC Staff testimony of PM Madden & MH Miller concerning contention 5: Thermo-Lag & fire watches at plant. Prof qualification statements encl. Related correspondence.
MADDEN, P.M. Office of Nuclear Reactor Regulation, Director (Post 870411). MILLER, M.H. Region 5 (Post 820201). 93/07/30. 13pp. 76021:038-76021:050.

9308110066 Forwards professional qualifications statement for PM Madden for inclusion in NRC testimony re matter of construction period recovery for plant. Related correspondence.
HOGDON, A.P. Office of the General Counsel (Post 860701). #393 14171. 93/08/02. BECHHOEFER, C., KLINE, J.R., SHON, F.J. Atomic Safety & Licensing Board Panel. 2pp. 76056:190-76056:191.

9308110120 Forwards testimony of plant addressing contention 1: maint & surveillance, exhibits & contention V: Thermo-Lag. Related correspondence.
WARNER, C.J. Pacific Gas & Electric Co. WARNER, C.J. Winston & Strawn. #393 14183. 93/08/02. BECHHOEFER, C., KLINE, J.R., SHON, F.J. Atomic Safety & Licensing Board Panel. 4pp. 76056:329-76056:060.

—9308110130 Testimony of Plant addressing contention 1: maint & surveillance. * Exhibits encl. Related correspondence.
GIFFIN, B.W., CROCKETT, W.G., ORTORE, S.R. Pacific Gas & Electric Co. 93/08/02. 494pp. 76056:333-76056:017.

—9308110138 Testimony of plant addressing contention V: Thermo-Lag compensatory measures. * Related correspondence.
COSGROVE, D.K. Pacific Gas & Electric Co. 93/08/02. 41pp. 76058:018-76058:060.

9308270058 Transcript of 930817 proceedings in San Luis Obispo, CA re PG&E (Diablo Canyon Nuclear Power Plant, Units 1 & 2). Pp 569-747.
* Atomic Safety & Licensing Board Panel. 93/08/17. 200pp. 76291:107-76291:289.

9308250002 Transcript of 930818 proceedings in San Luis Obispo, CA re PG&E (Diablo Canyon Nuclear Power Plant, Units 1 & 2). Pp 748-947.
* Atomic Safety & Licensing Board Panel. 93/08/18. 200pp. 76223:001-76223:205.

9308250003 Transcript of 930818 proceedings in San Luis Obispo, CA re PG&E (Diablo Canyon Nuclear Power Plant, Units 1 & 2), (limited appearances). Pp 948-1,052.
* Atomic Safety & Licensing Board Panel. 93/08/18. 100pp. 76223:206-76223:315.

9308240090 Transcript of 930819 proceedings in San Luis Obispo, CA re PG&E (Diablo Canyon Nuclear Power Plant, Units 1 & 2). Pp 1,053-1,265.
* Atomic Safety & Licensing Board Panel. 93/08/19. 200pp. 76210:001-76210:218.

9308240085 Transcript of 930820 proceedings in San Luis Obispo, CA re PG&E (Diablo Canyon Nuclear Power Plant, Units 1 & 2). Pp 1,266-1,497.
* Atomic Safety & Licensing Board Panel. 93/08/20. 200pp. 76208:001-76208:294.

9308240079 Transcript of 930821 proceedings in San Luis Obispo, CA re PG&E (Diablo Canyon Nuclear Power Plant, Units 1 & 2). Pp 1,498-1,705.
* Atomic Safety & Licensing Board Panel. 93/08/21. 200pp. 76209:001-76209:212.

9308260354 Transcript of 930823 proceedings in San Luis Obispo, CA re PG&E (Diablo Canyon Nuclear Power Plant, Units 1 & 2). Pp 1,706-1,924.
* Atomic Safety & Licensing Board Panel. 93/08/23. 200pp. 76237:001-76237:223.

9308300060 Transcript of 930824 meeting re Diablo Canyon Nuclear Power Plant Units 1 & 2. Pp 2,025-2,295. Related documentation encl.
* Atomic Safety & Licensing Board Panel. 93/08/24. 300pp. 76296:002-76296:296.

DOCKET 50-277 PEACH BOTTOM ATOMIC POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9308260263 Forwards public version of revised emergency response including rev 4 to index, rev 1 to ERP-C-1900, "Recovery Phase Implementation." W/930811 release memo.
HUNGER, G.A. Philadelphia Electric Co. 93/07/12. Document Control Branch (Document Control Desk). 3pp. 76215:026-76215:086.

—9308260272 Revised emergency response procedures including rev 4 to index, rev 1 to ERP-C-1900, "Recovery Phase Implementation."
* Philadelphia Electric Co. 93/07/12. 57pp. 76215:029-76215:086.

42 DOCKETED ITEMS

9308040245 Forwards encl 8 to SECY-93-166, "Staff Recommendation For Protection Against Malevolent Use Of Vehicles At Nuclear Power Plants." Encl withheld (safe-guards info).
PARTLOW,J.G. Associate Director for Projects (Post 870411). 93/07/15.
HUNGER,G.A. Philadelphia Electric Co. 4pp. 75978:352-75978:355.

9308040326 Revised ERPs,including Rev 5 to common emergency response procedure index & Rev 3 to ERP-C-1100, "EOF Staff Augmentation." W/930728 ltr.
HUNGER,G.A. Philadelphia Electric Co. 93/07/28. 6pp. 76009:355-76009:360.

9308160034 Notification of significant licensee meeting 93-104 on 930810 in region 1 to discuss Peach Bottom physical security plan.
ANDERSON,C.J. Region 1 (Post 820201). 93/08/09. Region 1 (Post 820201). 3pp. 76089:001-76089:003.

9308240016 Forwards Rev 0 of "Nuclear Emergency Plan" for LGS,Units 1 & 2 & PBAPS,Units 2 & 3,consolidating existing emergency plans for facilities into one common emergency plan for both facilities.Rev 1 to "...Emergency Plan," App E also encl.
HUNGER,G.A. Philadelphia Electric Co. 93/08/18. Document Control Branch (Docu-ment Control Desk). 2pp. 76256:127-76257:093.

-9308240017 Rev 0 of "Nuclear Emergency Plan." W/oversize maps.
* Philadelphia Electric Co. 93/08/06. 250pp. 76256:129-76257:088.

-9308240020 Rev 1 to "Nuclear Emergency Plan," App E, "Emergency Supplies & Equipment," clarifying location of equipment for use by field survey groups.W/four oversize encls.
* Philadelphia Electric Co. 93/08/16. 5pp. 76257:089-76257:093.

9308310163 Forwards insp repts 50-277/93-15 & 50-278/93-15 on 930615-0802.Viola-tions noted.
WENZINGER,E.C. Region 1 (Post 820201). 93/08/23. SMITH,D.M. Philadelphia Elec-tric Co. 3pp. 76264:256-76264:340.

-9308310170 Insp repts 50-277/93-15 & 50-278/93-15 on 930615-0802. Violations noted.Major areas inspected:plant operations, maint & surveillance,engineering & technical support,plant support & physical security.
ANDERSON,C.J. Region 1 (Post 820201). 93/08/19. 80pp. 76264:261-76264:340.

P. Operating license stage documents & correspondence

9308090331 Forwards amends 178 & 181 to licenses DPR-44 & DPR-56, respectively & SE.Amends change surveillance testing interval for LSFTs for PCIS,CSCS,control rod block actuation sys & radiation monitoring sys actuations.
SHEA,J.W. Project Directorate I-2. 93/07/15. HUNGER,G.A. Philadelphia Electric Co. 4pp. 76037:336-76037:360.

-9308090335 Amends 178 & 181 to licenses DPR-44 & DPR-56,respectively, revising surveillance testing interval for logic sys functional tests.
SHEA,J.W. Project Directorate I-2. 93/07/15. 8pp. 76037:340-76037:355.

-9308090340 Safety evaluation supporting amends 178 & 181 to licenses DPR-44 & DPR-56,respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 93/07/15. 4pp. 76037:356-76037:360.

9308130021 Forwards response to 930622 RAI re SAFER-GESTR loss of coolant acci-dent methodology.Response provided by GE. Response withheld ref 10CFR2.790.
HUNGER,G.A. Philadelphia Electric Co. 93/07/16. Document Control Branch (Docu-ment Control Desk). 5pp. 76104:312-76104:316.

9308040287 Forwards response to Rev 1 of GL 92-01, "RV Structural Integrity,10CFR50.54(f)," in response to NRC 930602 RAI.
HUNGER,G.A. Philadelphia Electric Co. 93/07/28. Document Control Branch (Docu-ment Control Desk). 3pp. 76010:354-76010:356.

9308050166 Notification of 930809 meeting w/util in Wayne,PA to discuss status of pending & future licensing actions related to plants.
SHEA,J.W., RINALDI,F. Project Directorate I-2. 93/07/29. BOYLE,M.L. Project Direc-torate I-2. 5pp. 75991:293-75991:297.

9308240306 Forwards amends 179 & 182 to licenses DPR-44 & DPR-56, respectively & SE.Amends extend interval for TS surveillance requirements to 24 months w/addl 25-percent grace period.
SHEA,J.W. Project Directorate I-2. 93/08/02. HUNGER,G.A. Philadelphia Electric Co. 5pp. 76211:062-76211:161.

-9308240315 Amends 179 & 182 to licenses DPR-44 & DPR-56,respectively, extending interval for certain TS surveillance requirements to 24 months w/addl 25-percent grace period.
BOYLE,M.L. Project Directorate I-2. 93/08/02. 54pp. 76211:067-76211:120.

-9308240320 Safety evaluation supporting amends 179 & 182 to licenses DPR-44 & DPR-56,respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 93/08/02. 40pp. 76211:121-76211:161.

9308110248 Forwards request for approval to change QAP description by transferring in-line reviews of procurement documents & specifications.
HUNGER,G.A. Philadelphia Electric Co. 93/08/04. Document Control Branch (Docu-ment Control Desk). 17pp. 76077:328-76077:344.

9308260295 Informs that licensee 920918 response to suppl 4 to GL 88-20 re IPEEE acceptable.
SHEA,J.W. Project Directorate I-2. 93/08/11. HUNGER,G.A. Philadelphia Electric Co. 4pp. 76215:119-76215:123.

9308190255 Notification of 930824 meeting w/util in Rockville,MD to discuss control & maint qualifications & license status for LSROs to fuel handling licensed at PBAPS,units 2 & 3 & LGS,units 1 & 2.
SHEA,J.W. Project Directorate I-2. 93/08/17. MURLEY,T., MIRALIGIA,F., RUSSELL,W. NRC - No Detailed Affiliation Given. 6pp. 76184:035-76184:040.

9308260194 TS Change Request 92-09 to Licenses DPR-44 & DPR-56,allowing mod to SGTs charcoal filter deluge sys to minimize risk of inadvertent operation of STGS charcoal filter deluge sys.
HUNGER,G.A. Philadelphia Electric Co. 93/08/20. Document Control Branch (Docu-ment Control Desk). 5pp. 76260:169-76260:176.

-9308260196 Proposed tech specs re STGS charcoal filter deluge sys.
* Philadelphia Electric Co. 93/08/20. 3pp. 76260:174-76260:176.

9308270047 Requests that 930401 submittal of TS Change Request 93-01, implement-ing expanded operating domain for PBAPS,Units 2 & 3 be revised to incorporate encl revised TS pages,per 930817 discussion w/J Shea (NRC).
HUNGER,G.A. Philadelphia Electric Co. 93/08/20. Document Control Branch (Docu-ment Control Desk). 3pp. 76292:139-76292:146.

-9308270051 Proposed tech specs,incorporating previously approved amends & reflect-ing minor administrative changes re implementation of expanded operating domain.
* Philadelphia Electric Co. 93/08/20. 5pp. 76292:142-76292:146.

Q. Inspection reports, IE Bulletins & correspondence

9308110032 Forwards insp repts 50-277/93-14 & 50-278/93-14 on 930621-25.No viola-tions identified.
BETTENHAUSEN,L. Region 1 (Post 820201). 93/07/13. SMITH,D.M. Philadelphia Electric Co. 3pp. 76039:204-76039:218.

-9308110037 Insp repts 50-277/93-14 & 50-278/93-14 on 930621-25.No violations noted.Major areas inspected:administrative procedures,control of minor maint & trou-ble-shooting activities & performance of maint activities.
BOWER,F.L., BLUMBERG,N.J. Region 1 (Post 820201). 93/07/12. 12pp. 76039:207-76039:218.

9307190043 NRC Info Notice 93-057, "Software Problems Involving Digital Control Con-sol Sys at Non-Power Reactors."
GRIMES,B.K. Division of Operating Reactor Support (Post 921004). 93/07/23. Con-solidated Edison Co. of New York, Inc. 9pp. 76111:200-76111:208.

9308040005 Forwards insp repts 50-277/93-13 & 50-278/93-13 on 930617 & 21-23.No radiological safety concerns or violations noted. Audit & radwaste programs well im-plemented.
BORES,R.J. Region 1 (Post 820201). 93/07/27. SMITH,D.M. Philadelphia Electric Co. 3pp. 75949:017-75949:032.

-9308040017 Insp repts 50-277/93-13 & 50-278/93-13 on 930617 & 21-23.No radiolog-ical safety concerns or violations noted.Major areas inspected:QA audits & surveillances,changes in radwaste organization & training & qualifications of person-nel.
ECKERT,L., PASCIAK,W. Region 1 (Post 820201). 93/07/26. 13pp. 75949:020-75949:032.

9308060328 Responds to NRC Bulletin 93-003, "Resolution of Issues Re Reactor Vessel Water Level Instrumentation in BWRs," for Peach Bottom Units 1 & 2 & Limer-ick Units 1 & 2.Bulletin discussed level indication errors.
HUNGER,G.A. Philadelphia Electric Co. 93/07/30. Document Control Branch (Docu-ment Control Desk). 5pp. 76059:247-76059:251.

9308230220 Forwards Insp Repts 50-277/93-16 & 50-278/93-16 on 930712-15 of ero-sion/corrosion monitoring program per GL 89-08.Actions taken to strengthen per-ceived weaknesses noted.
DURR,J.P. Region 1 (Post 820201). 93/08/10. SMITH,D.M. Philadelphia Electric Co. 3pp. 76207:086-76207:097.

-9308230229 Insp Repts 50-277/93-16 & 50-278/93-16 on 930712-15.Actions taken to strengthen perceived weaknesses noted.Major areas inspected:erosion/corrosion program,per GL 89-08.
MCBHEARTY,R.A., GRAY,E.H. Region 1 (Post 820201). 93/08/05. 9pp. 76207:089-76207:097.

9308310163 Forwards insp repts 50-277/93-15 & 50-278/93-15 on 930615-0802.Viola-tions noted.
WENZINGER,E.C. Region 1 (Post 820201). 93/08/23. SMITH,D.M. Philadelphia Elec-tric Co. 3pp. 76264:256-76264:340.

-9308310167 Notice of violation from insp on 930615-0802.Violation noted:licensee did not properly implement procedures while withdrawing control rod.
* Region 1 (Post 820201). 93/08/23. 2pp. 76264:259-76264:260.

-9308310170 Insp repts 50-277/93-15 & 50-278/93-15 on 930615-0802. Violations noted.Major areas inspected:plant operations, maint & surveillance,engineering & technical support,plant support & physical security.
ANDERSON,C.J. Region 1 (Post 820201). 93/08/19. 80pp. 76264:261-76264:340.

R. Periodic operating reports & related correspondence

9308160261 Monthly operating repts for Jul 1993 for PBAPS,units 2 & 3. W/930813 ltr.
HAMMOND,M.S. Philadelphia Electric Co. 93/07/31. 14pp. 76141:237-76141:250.

DOCKET 50-278 PEACH BOTTOM ATOMIC POWER STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

9308260263 Forwards public version of revised emergency response including rev 4 to index,rev 1 to ERP-C-1900, "Recovery Phase Implementation." W/930811 release memo.
HUNGER,G.A. Philadelphia Electric Co. 93/07/12. Document Control Branch (Docu-ment Control Desk). 3pp. 76215:026-76215:086.

9308040245 Forwards encl 8 to SECY-93-166, "Staff Recommendation For Protection Against Malevolent Use Of Vehicles At Nuclear Power Plants." Encl withheld (safe-guards info).
PARTLOW,J.G. Associate Director for Projects (Post 870411). 93/07/15.
HUNGER,G.A. Philadelphia Electric Co. 4pp. 75978:352-75978:355.

9308040326 Revised ERPs, including Rev 5 to common emergency response procedure index & Rev 3 to ERP-C-1100, "EOF Staff Augmentation." W/930728 ltr. HUNGER, G.A. Philadelphia Electric Co. 93/07/28. 6pp. 76009:355-76009:360.

9308160034 Notification of significant licensee meeting 93-104 on 930810 in region I to discuss Peach Bottom physical security plan. ANDERSON, E.C. Region 1 (Post 820201). 93/08/09. Region 1 (Post 820201). 3pp. 76089:001-76089:003.

9308240016 Forwards Rev 0 of "Nuclear Emergency Plan" for LGS, Units 1 & 2 & PBAPS, Units 2 & 3, consolidating existing emergency plans for facilities into one common emergency plan for both facilities. Rev 1 to "...Emergency Plan," App E also encl. HUNGER, G.A. Philadelphia Electric Co. 93/08/18. Document Control Branch (Document Control Desk). 2pp. 76256:127-76257:093.

-9308240017 Rev 0 of "Nuclear Emergency Plan." W/oversize maps. * Philadelphia Electric Co. 93/08/06. 250pp. 76256:129-76257:088.

-9308240020 Rev 1 to "Nuclear Emergency Plan," App E, "Emergency Supplies & Equipment," clarifying location of equipment for use by field survey groups. W/four oversize encls. * Philadelphia Electric Co. 93/08/16. 5pp. 76257:089-76257:093.

9308310163 Forwards insp repts 50-277/93-15 & 50-278/93-15 on 930615-0802. Violations noted. WENZINGER, E.C. Region 1 (Post 820201). 93/08/23. SMITH, D.M. Philadelphia Electric Co. 3pp. 76264:256-76264:340.

-9308310170 Insp repts 50-277/93-15 & 50-278/93-15 on 930615-0802. Violations noted. Major areas inspected: plant operations, maint & surveillance, engineering & technical support, plant support & physical security. ANDERSON, C.J. Region 1 (Post 820201). 93/08/19. 80pp. 76264:261-76264:340.

P. Operating license stage documents & correspondence

9308090331 Forwards amends 178 & 181 to licenses DPR-44 & DPR-56, respectively & SE. Amends change surveillance testing interval for LSFTs for PCIS, CPCS, control rod block actuation sys & radiation monitoring sys actuations. SHEA, J.W. Project Directorate I-2. 93/07/15. HUNGER, G.A. Philadelphia Electric Co. 4pp. 76037:336-76037:360.

-9308090335 Amends 178 & 181 to licenses DPR-44 & DPR-56, respectively, revising surveillance testing interval for logic sys functional tests. SHEA, J.W. Project Directorate I-2. 93/07/15. 8pp. 76037:340-76037:355.

-9308090340 Safety evaluation supporting amends 178 & 181 to licenses DPR-44 & DPR-56, respectively. * Office of Nuclear Reactor Regulation, Director (Post 870411). 93/07/15. 4pp. 76037:356-76037:360.

9308130021 Forwards response to 930622 RAI re SAFER-GESTR loss of coolant accident methodology. Response provided by GE. Response withheld ref 10CFR2.790. HUNGER, G.A. Philadelphia Electric Co. 93/07/16. Document Control Branch (Document Control Desk). 5pp. 76104:312-76104:316.

9308020266 Requests that listed surveillance test be added to list of surveillance tests included in Table 2 of Attachment 2 in util 930611 ltr requesting exemption from two yr test interval for Type B & C leak rate tests, per 10CFR50, App J. HUNGER, G.A. Philadelphia Electric Co. 93/07/26. Document Control Branch (Document Control Desk). 1p. 75954:203-75954:203.

9308040287 Forwards response to Rev 1 of GL 92-01, "RV Structural Integrity, 10CFR50.54(f)," in response to NRC 930602 RAI. HUNGER, G.A. Philadelphia Electric Co. 93/07/28. Document Control Branch (Document Control Desk). 3pp. 76010:354-76010:356.

9308050166 Notification of 930809 meeting w/util in Wayne, PA to discuss status of pending & future licensing actions related to plants. SHEA, J.W., RINALDI, F. Project Directorate I-2. 93/07/29. BOYLE, M.L. Project Directorate I-2. 5pp. 75991:293-75991:297.

9308240306 Forwards amends 179 & 182 to licenses DPR-44 & DPR-56, respectively & SE. Amends extend interval for TS surveillance requirements to 24 months w/addl 25-percent grace period. SHEA, J.W. Project Directorate I-2. 93/08/02. HUNGER, G.A. Philadelphia Electric Co. 5pp. 76211:062-76211:161.

-9308240315 Amends 179 & 182 to licenses DPR-44 & DPR-56, respectively, extending interval for certain TS surveillance requirements to 24 months w/addl 25-percent grace period. BOYLE, M.L. Project Directorate I-2. 93/08/02. 54pp. 76211:067-76211:120.

-9308240320 Safety evaluation supporting amends 179 & 182 to licenses DPR-44 & DPR-56, respectively. * Office of Nuclear Reactor Regulation, Director (Post 870411). 93/08/02. 40pp. 76211:121-76211:161.

9308100090 Informs that util plans to load four lead fuel assemblies into facility during ninth refueling outage scheduled to begin 930917. Siemens Power Corp proprietary Rept EMF-115(P) encl. Rept withheld (ref 10CFR2.790(b)). HUNGER, G.A. Philadelphia Electric Co. 93/08/03. Document Control Branch (Document Control Desk). 6pp. 76067:310-76067:314.

9308110248 Forwards request for approval to change QAP description by transferring in-line reviews of procurement documents & specifications. HUNGER, G.A. Philadelphia Electric Co. 93/08/04. Document Control Branch (Document Control Desk). 17pp. 76077:328-76077:344.

9308260295 Informs that licensee 920918 response to suppl 4 to GL 88-20 re IPEEE acceptable. SHEA, J.W. Project Directorate I-2. 93/08/11. HUNGER, G.A. Philadelphia Electric Co. 4pp. 76215:119-76215:123.

9308190255 Notification of 930824 meeting w/util in Rockville, MD to discuss control & maint qualifications & license status for LSROs to fuel handling licensed at PBAPS, units 2 & 3 & LGS, units 1 & 2. SHEA, J.W. Project Directorate I-2. 93/08/17. MURLEY, T., MIRALIGIA, F., RUSSELL, W. NRC - No Detailed Affiliation Given. 6pp. 76184:035-76184:040.

9308260194 TS Change Request 92-09 to Licenses DPR-44 & DPR-56, allowing mod to SGTS charcoal filter deluge sys to minimize risk of inadvertent operation of STGS charcoal filter deluge sys. HUNGER, G.A. Philadelphia Electric Co. 93/08/20. Document Control Branch (Document Control Desk). 5pp. 76260:169-76260:176.

-9308260196 Proposed tech specs re STGS charcoal filter deluge sys. * Philadelphia Electric Co. 93/08/20. 3pp. 76260:174-76260:176.

9308270047 Requests that 930401 submittal of TS Change Request 93-01, implementing expanded operating domain for PBAPS, Units 2 & 3 be revised to incorporate encl revised TS pages, per 930817 discussion w/J Shea (NRC). HUNGER, G.A. Philadelphia Electric Co. 93/08/20. Document Control Branch (Document Control Desk). 3pp. 76292:139-76292:146.

-9308270051 Proposed tech specs, incorporating previously approved amends & reflecting minor administrative changes re implementation of expanded operating domain. * Philadelphia Electric Co. 93/08/20. 5pp. 76292:142-76292:146.

Q. Inspection reports, IE Bulletins & correspondence

9308110032 Forwards insp repts 50-277/93-14 & 50-278/93-14 on 930621-25. No violations identified. BETTENHAUSEN, L. Region 1 (Post 820201). 93/07/13. SMITH, D.M. Philadelphia Electric Co. 3pp. 76039:204-76039:218.

-9308110037 Insp repts 50-277/93-14 & 50-278/93-14 on 930621-25. No violations noted. Major areas inspected: administrative procedures, control of minor maint & troubleshooting activities & performance of maint activities. BOWER, F.L., BLUMBERG, N.J. Region 1 (Post 820201). 93/07/12. 12pp. 76039:207-76039:218.

9307190043 NRC Info Notice 93-057, "Software Problems Involving Digital Control Console Sys at Non-Power Reactors." GRIMES, B.K. Division of Operating Reactor Support (Post 921004). 93/07/23. Consolidated Edison Co. of New York, Inc. 9pp. 76111:200-76111:208.

9308040005 Forwards insp repts 50-277/93-13 & 50-278/93-13 on 930617 & 21-23. No radiological safety concerns or violations noted. Audit & radwaste programs well implemented. BORES, R.J. Region 1 (Post 820201). 93/07/27. SMITH, D.M. Philadelphia Electric Co. 3pp. 75949:017-75949:032.

-9308040017 Insp repts 50-277/93-13 & 50-278/93-13 on 930617 & 21-23. No radiological safety concerns or violations noted. Major areas inspected: QA audits & surveillance, changes in radwaste organization & training & qualifications of personnel. ECKERT, L., PASCIAK, W. Region 1 (Post 820201). 93/07/26. 13pp. 75949:020-75949:032.

9308060328 Responds to NRC Bulletin 93-003, "Resolution of Issues Re Reactor Vessel Water Level Instrumentation in BWRs," for Peach Bottom Units 1 & 2 & Limerick Units 1 & 2. Bulletin discussed level indication errors. HUNGER, G.A. Philadelphia Electric Co. 93/07/30. Document Control Branch (Document Control Desk). 5pp. 76059:247-76059:251.

9308230220 Forwards Insp Repts 50-277/93-16 & 50-278/93-16 on 930712-15 of erosion/corrosion monitoring program per GL 89-08. Actions taken to strengthen perceived weaknesses noted. DURR, J.P. Region 1 (Post 820201). 93/08/10. SMITH, D.M. Philadelphia Electric Co. 3pp. 76207:086-76207:097.

-9308230229 Insp Repts 50-277/93-16 & 50-278/93-16 on 930712-15. Actions taken to strengthen perceived weaknesses noted. Major areas inspected: erosion/corrosion program per GL 89-08. MCBREARTY, R.A., GRAY, E.H. Region 1 (Post 820201). 93/08/05. 9pp. 76207:089-76207:097.

9308310163 Forwards insp repts 50-277/93-15 & 50-278/93-15 on 930615-0802. Violations noted. WENZINGER, E.C. Region 1 (Post 820201). 93/08/23. SMITH, D.M. Philadelphia Electric Co. 3pp. 76264:256-76264:340.

-9308310167 Notice of violation from insp on 930615-0802. Violation noted: licensee did not properly implement procedures while withdrawing control rod. * Region 1 (Post 820201). 93/08/23. 2pp. 76264:259-76264:260.

-9308310170 Insp repts 50-277/93-15 & 50-278/93-15 on 930615-0802. Violations noted. Major areas inspected: plant operations, maint & surveillance, engineering & technical support, plant support & physical security. ANDERSON, C.J. Region 1 (Post 820201). 93/08/19. 80pp. 76264:261-76264:340.

R. Periodic operating reports & related correspondence

9308160261 Monthly operating repts for Jul 1993 for PBAPS, units 2 & 3. W/930813 ltr. HAMMOND, M.S. Philadelphia Electric Co. 93/07/31. 14pp. 76141:237-76141:250.

S. Reportable occurrences, LERs & related correspondence

9308310139 Summary of operating reactors events meeting 93-29 on 930804. List of attendees & viewpoints encl. CHAFFEE, A.E. Events Assessment Branch. 93/08/09. GRIMES, B.K. Division of Operating Reactor Support (Post 921004). 9pp. 76278:020-76278:028.

44 DOCKETED ITEMS

DOCKET 50-280 SURRY POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9308060071 Forwards insp repts 50-280/93-14 & 50-281/93-14 on 930607-11. No violations or deviations noted.
CLINE, W.E. Region 2 (Post 820201). 93/07/09. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 3pp. 75992:321-75992:337.

-9308060077 Insp repts 50-280/93-14 & 50-281/93-14 on 930607-11. No violations or deviations noted. Major areas inspected: emergency plan & associated implementing procedures, facilities, equipment, instrumentation & supplies.
KREH, J.L., BARR, K.P. Region 2 (Post 820201). 93/07/09. 14pp. 75992:324-75992:337.

9308030284 Forwards encl 8 to SECY 93-166, which describes proposed characteristics of design basis vehicle. W/o encl
PARTLOW, J.G. Associate Director for Projects (Post 870411). 93/07/15. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 2pp. 75950:342-75950:343.

9308050069 Forwards corrected page 10 to insp repts 50-280/93-14 & 50-281/93-14 on 930607-11. Page contained incorrect docket numbers.
CLINE, W.E. Region 2 (Post 820201). 93/07/15. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 3pp. 75972:051-75972:054.

-9308050075 Corrected page 10, correcting docket numbers under paragraph entitled Licensee Action on Previous Insp Findings.
* Region 2 (Post 820201). 93/07/15. 1p. 75972:054-75972:054.

9308050127 Informs that plant emergency plan revs meet planning stds of 10CFR50.47(b), table B-1 of NUREG-0654 & acceptable.
CLINE, W.E. Region 2 (Post 820201). 93/07/22. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 3pp. 75972:261-75972:263.

9308060189 Forwards insp repts 50-280/93-18 & 50-281/93-18 on 930628-0702. No violations noted.
JULIAN, C.A. Region 2 (Post 820201). 93/07/27. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 4pp. 75994:141-75994:153.

-9308060194 Insp repts 50-280/93-18 & 50-281/93-18 on 930628-0702. No violations noted. Major areas inspected: implementation of fire protection/prevention program.
WISEMAN, G.R., JULIAN, C.A. Region 2 (Post 820201). 93/07/27. 9pp. 75994:145-75994:153.

9308060242 Rev 2 to EPIP-4.32, "Dose Assessment Team Procedure Mimic Laptop Computer." W/930729 ltr.
BOWLING, M.L. Virginia Power (Virginia Electric & Power Co.). 93/07/29. 23pp. 76026:334-76026:356.

9308250008 Discusses plant Emergency Plan Rev 35 review & concludes that changes meet planning standards of 10CFR50.47(b) & requirements of App E to 10CFR50.
CLINE, W.E. Region 2 (Post 820201). 93/08/16. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 3pp. 76187:001-76187:003.

9308250194 Informs that mods recently made to instrument ranges for containment sump level & hydrogen analyzer inputs to resolve recent emergency response facility problem repts. Updated ERDS data base files encl.
BOWLING, M.L. Virginia Power (Virginia Electric & Power Co.). 93/08/16. Document Control Branch (Document Control Desk). 17pp. 76291:001-76291:017.

9308260142 Forwards Rev 28A to ISFSI physical security plan. Plan withheld (ref 10CFR73.21).
STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 93/08/18. Document Control Branch (Document Control Desk). 2pp. 76266:302-76266:303.

H. General correspondence

9308160064 Comment on proposed rules 10CFR170 & 171, "FY91 & 92 Proposed Rule Implementing US Court of Appeals Decision & Rev of Fee Schedules; 100% Fee Recovery, FY93." Supports rule.
STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 93/07/26. Docketing & Services Branch. 2pp. 76089:129-76089:130.

P. Operating license stage documents & correspondence

9308120014 AEOD/T604, "Events Resulting From Deficiencies in Labeling & Identification Sys" technical review rept.
TRAGER, E.A. NRC - No Detailed Affiliation Given. 86/05/07. 25pp. 76082:334-76082:358.

9308060083 Notification of significant licensee meeting w/util on 930728 in Atlanta, GA to discuss results of self-assessment of electrical distribution sys at plant.
BELISLE, G.A. Region 2 (Post 820201). 93/07/20. Region 2 (Post 820201). 3pp. 75993:039-75993:041.

9308060091 Confirms arrangements made on 930708 for meeting to be held on 930728 in Atlanta, GA to discuss results of plant electrical self-assessment & corrective actions from assessment.
MERSCHOFF, E.W. Region 2 (Post 820201). 93/07/20. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 2pp. 75993:121-75993:122.

9308030401 Forwards updated "Operational QA Program Topical Rept, VEP 1-5A." Update reflects that Chapter 17 of facilities UFSAR will be used to distribute Operational QA Program Topical Rept VEP 1-5A.
STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 93/07/28. Document Control Branch (Document Control Desk). 48pp. 75983:276-75983:323.

9308050073 Requests that liquid samples spiked w/beta emitting radionuclides be analyzed for tritium, Fe-55, Sr-89 & Sr-90 concentrations. Analyses should be completed no later than 60 days from ltr receipt.
CLINE, W.E. Region 2 (Post 820201). 93/07/28. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 3pp. 75972:074-75972:076.

9308050230 Clarifies statement in Section 2.2 of NRC suppl SE on alternative ac power source. Alternate ac power can be manually started from alternate ac bldg not from CR.
STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 93/07/28. Document Control Branch (Document Control Desk). 2pp. 76028:032-76028:033.

9308100132 Forwards response to GL 93-04, "Rod Control Sys Failure & Withdrawal of Control Rod Assemblies."
STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 93/08/05. Document Control Branch (Document Control Desk). 10pp. 76078:217-76078:226.

9308230066 Notification of 930825 meeting w/util in Rockville, MD to discuss status of licensing issues on plants & power upgrade for Surry units 1 & 2.
BUCKLEY, B.C. Project Directorate II-2. 93/08/05. BERKOW, H.N. Project Directorate II-2. 3pp. 76176:343-76176:345.

9308240186 Summary of 930729 meeting w/util in Rockville, MD re status of top ten priority licensing activities. Meeting handout encl.
BUCKLEY, B.C. Project Directorate II-2. 93/08/05. Project Directorate II-2. 3pp. 76183:257-76183:259.

9308240157 Forwards amends 181 to licenses DPR-32 & DPR-37 & safety evaluation. Amends provide clarification of design response time of containment hydrogen analyzers & delete channel check for analyzers.
BUCKLEY, B.C. Project Directorate II-2. 93/08/08. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 3pp. 76183:231-76183:244.

-9308240158 Amends 181 to licenses DPR-32 & DPR-37, revising TS to provide clarification of design response time of containment hydrogen analyzers & deleting channel check for analyzers.
BERKOW, H.N. Project Directorate II-2. 93/08/06. 9pp. 76183:234-76183:242.

-9308240161 Safety evaluation supporting amends 181 to licenses DPR-32 & DPR-37.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 93/08/06. 2pp. 76183:243-76183:244.

9308190249 Corrects statement made in 930629 suppl response to GL 87-02 re implementation of USI A-46 program. GIP methodology will be used as alternate seismic verification method, as opposed to qualification method for stated equipment.
BOWLING, M.L. Virginia Power (Virginia Electric & Power Co.). 93/08/13. Document Control Branch (Document Control Desk). 2pp. 76204:016-76204:017.

9308270212 Ack receipt of 930728 request for changes in QA program requirements. Informs that request currently being reviewed & NRC will notify util of results of review at later date.
GIBSON, A.F. Region 2 (Post 820201). 93/08/19. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 3pp. 76271:337-76271:339.

Q. Inspection reports, IE Bulletins & correspondence

9308060062 Notification of significant licensee meeting w/util on 930914 in Surry, VA to discuss SALP Board assessment.
BELISLE, G.A. Region 2 (Post 820201). 93/07/08. Region 2 (Post 820201). 2pp. 75992:235-75992:236.

9308060228 Confirms arrangements for 930914 mgt meeting at facility. Purpose of meeting will be for NRC to present SALP of facility for period 920405-930703.
MERSCHOFF, E.W. Region 2 (Post 820201). 93/07/08. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 2pp. 75994:287-75994:288.

9308060071 Forwards insp repts 50-280/93-14 & 50-281/93-14 on 930607-11. No violations or deviations noted.
CLINE, W.E. Region 2 (Post 820201). 93/07/09. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 3pp. 75992:321-75992:337.

-9308060077 Insp repts 50-280/93-14 & 50-281/93-14 on 930607-11. No violations or deviations noted. Major areas inspected: emergency plan & associated implementing procedures, facilities, equipment, instrumentation & supplies.
KREH, J.L., BARR, K.P. Region 2 (Post 820201). 93/07/09. 14pp. 75992:324-75992:337.

9308060240 Ack receipt of 930702 ltr informing NRC of steps taken to correct violations noted in insp repts 50-280/93-12 & 50-281/93-12.
JULIAN, C.A. Region 2 (Post 820201). 93/07/12. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 2pp. 75994:315-75994:316.

9308050069 Forwards corrected page 10 to insp repts 50-280/93-14 & 50-281/93-14 on 930607-11. Page contained incorrect docket numbers.
CLINE, W.E. Region 2 (Post 820201). 93/07/15. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 3pp. 75972:051-75972:054.

-9308050075 Corrected page 10, correcting docket numbers under paragraph entitled Licensee Action on Previous Insp Findings.
* Region 2 (Post 820201). 93/07/15. 1p. 75972:054-75972:054.

9307190043 NRC Info Notice 93-057, "Software Problems Involving Digital Control Console Sys at Non-Power Reactors."
GRIMES, B.K. Division of Operating Reactor Support (Post 921004). 93/07/23. Consolidated Edison Co. of New York, Inc. 9pp. 76111:200-76111:208.

9308060189 Forwards insp repts 50-280/93-18 & 50-281/93-18 on 930628-0702. No violations noted.
JULIAN, C.A. Region 2 (Post 820201). 93/07/27. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 4pp. 75994:141-75994:153.

-9308060194 Insp repts 50-280/93-18 & 50-281/93-18 on 930628-0702. No violations noted. Major areas inspected: implementation of fire protection/prevention program.
WISEMAN, G.R., JULIAN, C.A. Region 2 (Post 820201). 93/07/27. 9pp. 75994:145-75994:153.

9308180084 Ack receipt of 930610 response to NRC Bulletin 93-002, "Debris Plugging of Emergency Core Cooling Suction Strainers" & requests that licensee retain any records re actions in response to bulletin.
BERKOW, H.N. Project Directorate II-2. 93/07/27. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 3pp. 76143:130-76143:132.

9308100035 Forwards insp repts 50-280/93-15 & 50-281/93-15 on 930606-0703. Two non-cited violations identified.
SINKULE, M.V. Region 2 (Post 820201). 93/07/30. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 3pp. 76025:157-76025:180.

-9308100037 Insp repts 50-280/93-15 & 50-281/93-15 on 930606-0703. Two non-cited violations identified. Major areas inspected: plant status, operational safety verification, maint insps, safety assessment & quality verification.
BRANCH, M.W., TINGEN, S.G., BELISLE, G.A. Region 2 (Post 820201). 93/07/30. 21pp.. 76025:160-76025:180.

9308130013 Forwards summaries of visit to plant during wk of 930628 & 930728 meeting in Atlanta, GA re EDSFI insp scheduled for wk of 930816, per 930603 ltr. List of attendees also encl.
GIBSON, A.F. Region 2 (Post 820201). 93/08/04. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 39pp. 76078:093-76078:161.

9308110173 Forwards reg guide 1.97 variable qualification status re status of engineering project. Review of variables determine intent of reg guide being met at Surry Station. Request NRC approval of exceptions to reg guide design criteria.
STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 93/08/05. Document Control Branch (Document Control Desk). 8pp. 76071:303-76071:310.

9308270118 Requests NRR assistance in determining acceptability of Surry main feed-water isolation sys, including AOT & reliance on operator action w/ respect to findings discussed in Insp Repts 50-280/93-15 & 50-281/93-15 on 930606-0703.
MERSCHOFF, E.W. Region 2 (Post 820201). 93/08/06. LAINAS, G.C. Assistant Director for Region I Reactors. 15pp. 76262:312-76262:334.

9308160212 Requests withdrawal of ISI Program Relief Request SR-005, submitted on 870416 & suppl on 890215, w/ respect to pressurizer weld exams.
STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 93/08/11. Document Control Branch (Document Control Desk). 12pp. 76143:204-76143:215.

9308160215 Forwards second 10-yr ISI interval Relief Requests 28, 29, 24, 25 & 26. Second interval insp requirements scheduled to be completed in refueling outages currently scheduled to start in Feb 1994 & Sept 1994 for Units 1 & 2, respectively.
STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 93/08/11. Document Control Branch (Document Control Desk). 18pp. 76135:267-76135:284.

9308300100 Forwards Insp Repts 50-280/93-19 & 50-281/93-19 on 930712-16 & 27 telcon. No violations or deviations noted.
CLINE, W.E. Region 2 (Post 820201). 93/08/13. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 3pp. 76283:333-76283:355.

-9308300116 Insp Repts 50-280/93-19 & 50-281/93-19 on 930712-16 & 27 telcon. No violations or deviations noted. Major areas inspected: areas of audits, confirmatory measurements w/ Region II mobile lab & containment atmosphere samples.
GLOERSEN, W.B., DECKER, T.R. Region 2 (Post 820201). 93/08/12. 20pp. 76283:336-76283:355.

R. Periodic operating reports & related correspondence

9308190175 Monthly operating repts for Jul 1993 for Surry Power Station, units 1 & 2. W/ 930810 ltr.
MASON, D., BOWLING, M.L. Virginia Power (Virginia Electric & Power Co.). 93/07/31. 22pp. 76162:001-76162:022.

S. Reportable occurrences, LERs & related correspondence

9308030372 Potential Part 21 rept re Limitorque actuator motors. Utilis & other purchases listed in encl being advised of concern. Limitorque revising selection procedure for safety related actuators, motors & technical data packages.
TAYLOR, J.H. Babcock & Wilcox Co. 93/07/22. Document Control Branch (Document Control Desk). 8pp. 75976:349-75976:356.

Y. Dry Cask Independent Spent Fuel Storage Installations

9308060327 Notification of 930812 meeting w/ Util in Rockville, MD to discuss General Nuclear Svcs, Inc & Transnuclear, Inc SF storage cask designs & planned use at Utilis Surry ISFSI.
STURZ, F.C. Transportation Branch (Post 930207). 93/07/28. HAUGHNEY, C.J. Transportation Branch (Post 930207). 2pp. 76059:182-76059:183.

9308260142 Forwards Rev 28A to ISFSI physical security plan. Plan withheld (ref 10CFR73.21).
STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 93/08/18. Document Control Branch (Document Control Desk). 2pp. 76266:302-76266:303.

DOCKET 50-281 SURRY POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9308060071 Forwards insp repts 50-280/93-14 & 50-281/93-14 on 930607-11. No violations or deviations noted.
CLINE, W.E. Region 2 (Post 820201). 93/07/09. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 3pp. 75992:321-75992:337.

-9308060077 Insp repts 50-280/93-14 & 50-281/93-14 on 930607-11. No violations or deviations noted. Major areas inspected: emergency plan & associated implementing procedures, facilities, equipment, instrumentation & supplies.
KREH, J.L. Region 2 (Post 820201). 93/07/09. 14pp. 75992:324-75992:337.

9308030284 Forwards encl 8 to SECY 93-166, which describes proposed characteristics of design basis vehicle. W/o encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 93/07/15. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 2pp. 75950:342-75950:343.

9308050069 Forwards corrected page 10 to insp repts 50-280/93-14 & 50-281/93-14 on 930607-11. Page contained incorrect docket numbers.
CLINE, W.E. Region 2 (Post 820201). 93/07/15. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 3pp. 75972:051-75972:054.

-9308050075 Corrected page 10, correcting docket numbers under paragraph entitled Licensee Action on Previous Insp Findings.
* Region 2 (Post 820201). 93/07/15. 1p. 75972:054-75972:054.

9308050127 Informs that plant emergency plan revs meet planning stds of 10CFR50.47(b), table B-1 of NUREG-0654 & acceptable.
CLINE, W.E. Region 2 (Post 820201). 93/07/22. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 3pp. 75972:261-75972:263.

9308060189 Forwards insp repts 50-280/93-18 & 50-281/93-18 on 930628-0702. No violations noted.
JULIAN, C.A. Region 2 (Post 820201). 93/07/27. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 4pp. 75994:141-75994:153.

-9308060194 Insp repts 50-280/93-18 & 50-281/93-18 on 930628-0702. No violations noted. Major areas inspected: implementation of fire protection/prevention program.
WISEMAN, G.R. Region 2 (Post 820201). 93/07/27. 9pp. 75994:145-75994:153.

9308060242 Rev 2 to EPIP-4.32, "Dose Assessment Team Procedure Mimic Laptop Computer." W/ 930729 ltr.
BOWLING, M.L. Virginia Power (Virginia Electric & Power Co.). 93/07/29. 23pp. 76026:334-76026:356.

9308250008 Discusses plant Emergency Plan Rev 35 review & concludes that changes meet planning standards of 10CFR50.47(b) & requirements of App E to 10CFR50.
CLINE, W.E. Region 2 (Post 820201). 93/08/16. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 3pp. 76187:001-76187:003.

9308250194 Informs that mods recently made to instrument ranges for containment sump level & hydrogen analyzer inputs to resolve recent emergency response facility problem repts. Updated ERDS data base files encl.
BOWLING, M.L. Virginia Power (Virginia Electric & Power Co.). 93/08/16. Document Control Branch (Document Control Desk). 17pp. 76291:001-76291:017.

9308260142 Forwards Rev 28A to ISFSI physical security plan. Plan withheld (ref 10CFR73.21).
STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 93/08/18. Document Control Branch (Document Control Desk). 2pp. 76266:302-76266:303.

P. Operating license stage documents & correspondence

9308060083 Notification of significant licensee meeting w/ util on 930728 in Atlanta, GA to discuss results of self-assessment of electrical distribution sys at plant.
BELISLE, G.A. Region 2 (Post 820201). 93/07/20. Region 2 (Post 820201). 3pp. 75993:039-75993:041.

9308060091 Confirms arrangements made on 930708 for meeting to be held on 930728 in Atlanta, GA to discuss results of plant electrical self-assessment & corrective actions from assessment.
MERSCHOFF, E.W. Region 2 (Post 820201). 93/07/20. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 2pp. 75993:121-75993:122.

9308030401 Forwards updated "Operational QA Program Topical Rept, VEP 1-5A." Update reflects that Chapter 17 of facilities UFSAR will be used to distribute Operational QA Program Topical Rept VEP 1-5A.
STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 93/07/28. Document Control Branch (Document Control Desk). 48pp. 75983:276-75983:323.

9308050073 Requests that liquid samples spiked w/ beta emitting radionuclides be analyzed for tritium, Fe-55, Sr-89 & Sr-90 concentrations. Analyses should be completed no later than 60 days from ltr receipt.
CLINE, W.E. Region 2 (Post 820201). 93/07/28. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 3pp. 75972:074-75972:076.

9308050230 Clarifies statement in Section 2.2 of NRC suppl SE on alternative ac power source. Alternate ac power can be manually started from alternate ac bldg not from CR.
STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 93/07/28. Document Control Branch (Document Control Desk). 2pp. 76028:032-76028:033.

9308100132 Forwards response to GL 93-04, "Rod Control Sys Failure & Withdrawal of Control Rod Assemblies."
STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 93/08/05. Document Control Branch (Document Control Desk). 10pp. 76078:217-76078:226.

9308230066 Notification of 930825 meeting w/ util in Rockville, MD to discuss status of licensing issues on plants & power upgrade for Surry units 1 & 2.
BUCKLEY, B.C. Project Directorate II-2. 93/08/05. BERKOW, H.N. Project Directorate II-2. 3pp. 76176:343-76176:345.

9308240186 Summary of 930729 meeting w/ util in Rockville, MD re status of top ten priority licensing activities. Meeting handout encl.
BUCKLEY, B.C. Project Directorate II-2. 93/08/05. Project Directorate II-2. 3pp. 76183:257-76183:259.

9308240157 Forwards amends 181 to licenses DPR-32 & DPR-37 & safety evaluation. Amends provide clarification of design response time of containment hydrogen analyzers & delete channel check for analyzers.
BUCKLEY, B.C. Project Directorate II-2. 93/08/06. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 3pp. 76183:231-76183:244.

-9308240158 Amends 181 to licenses DPR-32 & DPR-37, revising TS to provide clarification of design response time of containment hydrogen analyzers & deleting channel check for analyzers.
BERKOW, H.N. Project Directorate II-2. 93/08/06. 9pp. 76183:234-76183:242.

-9308240161 Safety evaluation supporting amends 181 to licenses DPR-32 & DPR-37.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 93/08/06. 2pp. 76183:243-76183:244.

9308190249 Corrects statement made in 930629 suppl response to GL 87-02 re implementation of USI A-46 program. GIP methodology will be used as alternate seismic verification method, as opposed to qualification method for stated equipment.
BOWLING, M.L. Virginia Power (Virginia Electric & Power Co.). 93/08/13. Document Control Branch (Document Control Desk). 2pp. 76204:016-76204:017.

46 DOCKETED ITEMS

9308270212 Ack receipt of 930728 request for changes in QA program requirements. Informants that request currently being reviewed & NRC will notify until results of review at later date.
GIBSON, A.F. Region 2 (Post 820201). 93/08/19. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 3pp. 76271:337-76271:339.

Q. Inspection reports, IE Bulletins & correspondence

9308060062 Notification of significant licensee meeting w/util on 930914 in Surry, VA to discuss SALP Board assessment.
BELISLE, G.A. Region 2 (Post 820201). 93/07/08. Region 2 (Post 820201). 2pp. 75992:235-75992:236.

9308060228 Confirms arrangements for 930914 mgt meeting at facility. Purpose of meeting will be for NRC to present SALP of facility for period 920405-930703.
MERSCHOFF, E.W. Region 2 (Post 820201). 93/07/08. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 2pp. 75994:287-75994:288.

9308060071 Forwards insp repts 50-280/93-14 & 50-281/93-14 on 930607-11. No violations or deviations noted.
CLINE, W.E. Region 2 (Post 820201). 93/07/09. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 3pp. 75992:321-75992:337.

-9308060077 Insp repts 50-280/93-14 & 50-281/93-14 on 930607-11. No violations or deviations noted. Major areas inspected: emergency plan & associated implementing procedures, facilities, equipment, instrumentation & supplies.
KREH, J.L., BARR, K.P. Region 2 (Post 820201). 93/07/09. 14pp. 75992:324-75992:337.

9308060240 Ack receipt of 930702 ltr informing NRC of steps taken to correct violations noted in insp repts 50-280/93-12 & 50-281/93-12.
JULIAN, C.A. Region 2 (Post 820201). 93/07/12. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 2pp. 75994:315-75994:316.

9308050069 Forwards corrected page 10 to insp repts 50-280/93-14 & 50-281/93-14 on 930607-11. Page contained incorrect docket numbers.
CLINE, W.E. Region 2 (Post 820201). 93/07/15. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 3pp. 75972:051-75972:054.

-9308050075 Corrected page 10, correcting docket numbers under paragraph entitled Licensee Action on Previous Insp Findings.
* Region 2 (Post 820201). 93/07/15. 1p. 75972:054-75972:054.

9307190043 NRC Info Notice 93-057, "Software Problems Involving Digital Control Console Sys at Non-Power Reactors."
GRIMES, B.K. Division of Operating Reactor Support (Post 921004). 93/07/23. Consolidated Edison Co. of New York, Inc. 9pp. 76111:200-76111:208.

9308060189 Forwards insp repts 50-280/93-18 & 50-281/93-18 on 930628-0702. No violations noted.
JULIAN, C.A. Region 2 (Post 820201). 93/07/27. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 4pp. 75994:141-75994:153.

-9308060194 Insp repts 50-280/93-18 & 50-281/93-18 on 930628-0702. No violations noted. Major areas inspected: implementation of fire protection/prevention program.
WISEMAN, G.R., JULIAN, C.A. Region 2 (Post 820201). 93/07/27. 9pp. 75994:145-75994:153.

9308180084 Ack receipt of 930610 response to NRC Bulletin 93-002, "Debris Plugging of Emergency Core Cooling Suction Strainers" & requests that licensee retain any records re actions in response to bulletin.
BERKOW, H.N. Project Directorate II-2. 93/07/27. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 3pp. 76143:130-76143:132.

9308090018 Forwards "Surry Power Station Unit 2 for 1993 Refueling Outage 2nd Interval, 3rd Period ISI."
BOWLING, M.L. Virginia Power (Virginia Electric & Power Co.). 93/07/29. Document Control Branch (Document Control Desk). 1p. 76060:001-76060:211.

-9308090028 "Surry Power Station Unit 2 1993 Refueling Outage 2nd Interval, 3rd Period ISI."
* Virginia Power (Virginia Electric & Power Co.). 93/05/06. 250pp. 76060:002-76060:211.

9308100035 Forwards insp repts 50-280/93-15 & 50-281/93-15 on 930606-0703. Two non-cited violations identified.
SINKULE, M.V. Region 2 (Post 820201). 93/07/30. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 3pp. 76025:157-76025:180.

-9308100037 Insp repts 50-280/93-15 & 50-281/93-15 on 930606-0703. Two non-cited violations identified. Major areas inspected: plant status, operational safety verification, maint insps, safety assessment & quality verification.
BRANCH, M.W., TINGEN, S.G., BELISLE, G.A. Region 2 (Post 820201). 93/07/30. 21pp. 76025:160-76025:180.

9308130013 Forwards summaries of visit to plant during wk of 930628 & 930728 meeting in Atlanta, GA re EDSFI insp scheduled for wk of 930816, per 930603 ltr. List of attendees also encl.
GIBSON, A.F. Region 2 (Post 820201). 93/08/04. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 3pp. 76078:093-76078:161.

9308110173 Forwards reg guide 1.97 variable qualification status re status of engineering project. Review of variables determine intent of reg guide being met at Surry Station. Request NRC approval of exceptions to reg guide design criteria.
STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 93/08/05. Document Control Branch (Document Control Desk). 8pp. 76071:303-76071:310.

9308270118 Requests NRR assistance in determining acceptability of Surry main feed-water isolation sys, including AOT & reliance on operator action w/respect to findings discussed in Insp Repts 50-280/93-15 & 50-281/93-15 on 930606-0703.
MERSCHOFF, E.W. Region 2 (Post 820201). 93/08/06. LAINAS, G.C. Assistant Director for Region I Reactors. 15pp. 76262:312-76262:334.

9308160212 Requests withdrawal of ISI Program Relief Request SR-005, submitted on 870416 & suppl on 890215, w/respect to pressurizer weld exams.
STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 93/08/11. Document Control Branch (Document Control Desk). 12pp. 76143:204-76143:215.

9308160215 Forwards second 10-yr ISI interval Relief Requests 28, 29, 24, 25 & 26. Second interval insp requirements scheduled to be completed in refueling outages currently scheduled to start in Feb 1994 & Sept 1994 for Units 1 & 2, respectively.
STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 93/08/11. Document Control Branch (Document Control Desk). 18pp. 76135:267-76135:284.

9308300100 Forwards Insp Repts 50-280/93-19 & 50-281/93-19 on 930712-16 & 27 telcon. No violations or deviations noted.
CLINE, W.E. Region 2 (Post 820201). 93/08/13. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 3pp. 76283:333-76283:355.

-9308300116 Insp Repts 50-280/93-19 & 50-281/93-19 on 930712-16 & 27 telcon. No violations or deviations noted. Major areas inspected: areas of audits, confirmatory measurements w/Region II mobile lab & containment atmosphere samples.
GLOERSEN, W.B., DECKER, T.R. Region 2 (Post 820201). 93/08/12. 20pp. 76283:336-76283:355.

R. Periodic operating reports & related correspondence

9308190175 Monthly operating repts for Jul 1993 for Surry Power Station, units 1 & 2 W/ 930810 ltr.
MASON, D., BOWLING, M.L. Virginia Power (Virginia Electric & Power Co.). 93/07/31. 22pp. 76162:001-76162:022.

S. Reportable occurrences, LERs & related correspondence

9308120291 Summary of operating reactors events meeting 93-23 on 930623.
CHAFFREE, A.E. Events Assessment Branch. 93/07/06. GRIMES, B.K. Division of Operating Reactor Support (Post 921004). 16pp. 76085:245-76085:260.

9308030372 Potential Part 21 rept re Limitorque actuator motors. Utilis & other purchases listed in encl being advised of concern. Limitorque revising selection procedure for safety related actuators, motors & technical data packages.
TAYLOR, J.H. Babcock & Wilcox Co. 93/07/22. Document Control Branch (Document Control Desk). 8pp. 75976:349-75976:356.

9308250280 PNO-II-93-034: on 930803, experienced reactor trip from 98% power when MFRV A closed. After C/As, unit restarted on 930806, but ramper off-line due to leakage on pressurizer SV A. Caused by lost loop seal for SV. SV piping modified.
BELISLE, A. Region 2 (Post 820201). 93/08/10. 1p. 76260:266-76260:266.

Y. Dry Cask Independent Spent Fuel Storage Installations

9308060327 Notification of 930812 meeting w/Util in Rockville, MD to discuss General Nuclear Svcs, Inc & Transnuclear, Inc SF storage cask designs & planned use at utility ISFSI.
STURZ, F.C. Transportation Branch (Post 930207). 93/07/28. HAUGHNEY, C.J. Transportation Branch (Post 930207). 2pp. 76059:182-76059:183.

9308260142 Forwards Rev 28A to ISFSI physical security plan. Plan withheld (ref 10CFR73.21).
STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 93/08/18. Document Control Branch (Document Control Desk). 2pp. 76266:302-76266:303.

DOCKET 50-282 PRAIRIE ISLAND NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9308040152 Forwards encl 8 to SECY 93-166 which describes proposed characteristics of design basis vehicle. Encl withheld.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 93/07/15. ANDERSON, R.O. Northern States Power Co. 2pp. 75987:016-75987:017.

9308160090 Ack receipt of 930723 ltr informing NRC of steps taken to correct violations noted in insp repts 50-282/90-19 & 50-306/93-20 re fitness-for-duty issue involving security officer at plant.
NOELIUS, C.E. Region 3 (Post 820201). 93/08/05. ANTONY, D.D. Northern States Power Co. 2pp. 76089:261-76089:262.

9308170094 Forwards insp repts 50-282/93-13 & 50-306/93-13 on 930719-27. No violations noted.
CREED, J.R. Region 3 (Post 820201). 93/08/11. ANTONY, D. Northern States Power Co. 2pp. 76108:342-76108:345.

-9308170100 Partially withheld insp repts 50-282/93-13 & 50-306/93-13 on 930719-27 (ref 10CFR73.21). Major areas inspected: physical security involving protected & vital access control of personnel & packages.
PIRTLE, G.L., CREED, J.R. Region 3 (Post 820201). 93/08/11. 2pp. 76108:344-76108:345.

9308200196 Forwards Rev 29B to security plan, per 10CFR50.54(p). Change responds to areas of NRC comment of Rev 29A, as well as items identified during Insp Repts 50-282/93-13 & 50-306/93-13. Only revised pages submitted. Pages withheld, per 10CFR73.21.
ANDERSON, R.O. Northern States Power Co. 93/08/13. Document Control Branch (Document Control Desk). 1p. 76199:289-76199:289.

9308200215 Forwards Rev 10a to security training & qualification plan, per 10CFR50.54(p). Change responds to areas of NRC concern of Rev 10. Only revised pages submitted. Pages withheld, per 10CFR73.21.
ANDERSON, R.O. Northern States Power Co. 93/08/13. Document Control Branch (Document Control Desk). 1p. 76199:290-76199:290.

9308230040 Informants that plants were chosen for operational safeguards response evaluations at nuclear power reactors conducted by NRC & requests that appropriate plant personnel support for team during scheduled evaluation be provided.
SNELL, W. Region 3 (Post 820201). 93/08/17. ANTONY, D.D. Northern States Power Co. 2pp. 76165:108-76165:109.

9308250148 Revised EIPs, including rev 77 to Table of Contents, rev 15 to F3-15, "Responsibilities of Radiation Survey Teams During Radioactive Airborne Release," & rev 12 to F3-16, "Responsibilities of Radiation Survey..." W/930818 ltr.
FEY, F.L. Northern States Power Co. 93/08/18. 63pp. 76224-075-76224:137.

P. Operating license stage documents & correspondence

9308040236 Forwards SE re plants distribution methodology.
GAMBERONI, M. Project Directorate III-1. 93/07/16. ANDERSON, R.O. Northern States Power Co. 2pp. 75978:343-75978:347.

-9308040239 Safety evaluation accepting w/listed requirements. NSP method for core power distribution control.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 93/07/16. 3pp. 75978:345-75978:347.

9308060267 Provides semiannual status repts to NRC on progress of configuration mgt programs at facility.
ANDERSON, R.O. Northern States Power Co. 93/07/22. Document Control Branch (Document Control Desk). 8pp. 76026:256-76026:263.

9308020011 Ack receipt of inquiry addressed to MA Bies re conference of medical reviewers in Region III facilities. Advises that NRC would not be able to participate at conference & proposed listed alternative suggestions for licensee.
RING, M.A. Region 3 (Post 820201). 93/07/26. WOODBURN, J.D. Northern States Power Co. 3pp. 75972:343-75972:346.

-9308020016 Notifies of possible Region III meeting of medical directors to discuss & further standardize licensee medical exams & decision making processes.
WOODBURN, J.D. Northern States Power Co. 93/07/16. BIES, M.A. Region 3 (Post 820201). 1p. 75972:346-75972:346.

9308020227 Ack receipt of 930604 submittal incorporating changes in QA Program description, per 10CFR50.54(a).
RING, M.A. Region 3 (Post 820201). 93/07/27. ANTONY, D.D. Northern States Power Co. 1p. 75954:208-75954:208.

9308050160 Forwards application for amend to Licenses DPR-42 & DPR-60, incorporating ref to revise methodologies described in WCAP-13677 & NSPNAD-93003 into TS.
ANDERSON, R.O. Northern States Power Co. 93/07/29. Document Control Branch (Document Control Desk). 2pp. 76022:235-76022:244.

-9308050168 Application for amends to licenses DPR-42 & DPR-60, incorporating ref to revised methodologies described in WCAP-13677 & NSPNAD-93003.
ANDERSON, R.O. Northern States Power Co. 93/07/29. 6pp. 76022:237-76022:242.

-9308050163 Proposed revised TS page 6.7-5 incorporating ref to revised methodologies described in WCAP-13677 & NSPNAD-93003.
* Northern States Power Co. 93/07/29. 2pp. 76022:243-76022:244.

9308050280 Forwards amends 107 & 100 to licenses DPR-42 & DPR-60 & safety evaluation. Amends relocate containment penetration list, changes section 3.6.c of TSs & deletes condensate cross-connect valve C-41-1 from section 3.4.B.1.g of TSs.
GAMBERONI, M. Project Directorate III-1. 93/07/29. ANDERSON, R.O. Northern States Power Co. 4pp. 76009:122-76009:150.

-9308050287 Amends 107 & 100 to licenses DPR-42 & DPR-60, respectively, relocating containment penetration list, changing section 3.6.c of TS & deleting condensate cross-connect valve C-41-1 from section 3.4.B.1.g of TS.
DEAN, W.M. Project Directorate III-1. 93/07/29. 27pp. 76009:125-76009:150.

-9308050289 Safety evaluation supporting amends 107 & 100 to licenses DPR-42 & DPR-60, respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 93/07/29. 4pp. 76009:151-76009:154.

9308090270 Forwards proposed changes to Rev 16 of "Operational QA Plan." Changes will not be implemented until Region III reviewed & approved changes.
ANDERSON, R.O. Northern States Power Co. 93/08/03. Document Control Branch (Document Control Desk). 20pp. 76062:170-76062:189.

9308270089 Informs that licensee 921013 response to suppl 4 to GL 88-20 re IEEE, acceptable.
GAMBERONI, M. Project Directorate III-1. 93/08/11. ANDERSON, R.O. Northern States Power Co. 2pp. 76220:145-76220:146.

Q. Inspection reports, IE Bulletins & correspondence

9307190043 NRC Info Notice 93-057, "Software Problems Involving Digital Control Console Sys at Non-Power Reactors."
GRIMES, B.K. Division of Operating Reactor Support (Post 921004). 93/07/23. Consolidated Edison Co. of New York, Inc. 9pp. 76111:200-76111:208.

9308030001 Ack receipt of 930712 ltr informing NRC of steps taken to correct violations noted in insp repts 50-282/93-08 & 50-306/93-08.
SHAFFER, W.D. Region 3 (Post 820201). 93/07/27. ANTONY, D.D. Northern States Power Co. 1p. 75996:095-75996:095.

9308100008 Forwards insp repts 50-282/93-10 & 50-306/93-10 on 930601-0719 & notice of violation.
SHAFFER, W.D. Region 3 (Post 820201). 93/08/04. ANTONY, D.D. Northern States Power Co. 3pp. 76025:010-76025:035.

-9308100011 Notice of violation from insp on 930601-0719. Violation noted: on 930212, licensee identified that mod made to units 1 & 2 main steam dump sys resulted in condition where steam flow capacity was less than that stated in USAR.
SHAFFER, W.D. Region 3 (Post 820201). 93/08/04. 2pp. 76025:013-76025:014.

-9308100012 Insp repts 50-282/93-10 & 50-306/93-10 on 930601-0719. Violations noted. Major areas inspected: plant operational safety, including onsite followup of events, maint, surveillance & engineering & technical support.
MCCABE, B.C. Region 3 (Post 820201). 93/08/04. 21pp. 76025:015-76025:035.

9308160070 Discusses results of hearing conducted on 930224-26 by ALJ of DOL into complaint filed on 921105 by individual formerly employed by Burns Intl Security Svc at plant. Recommended decision & order, dtd 930224 encl.
GREENMAN, E.G. Region 3 (Post 820201). 93/08/05. ANTONY, D.D. Northern States Power Co. 28pp. 76089:189-76089:216.

9308160090 Ack receipt of 930723 ltr informing NRC of steps taken to correct violations noted in insp repts 50-282/90-19 & 50-306/93-20 re fitness-for-duty issue involving security officer at plant.
NORELIUS, C.E. Region 3 (Post 820201). 93/08/05. ANTONY, D.D. Northern States Power Co. 2pp. 76089:261-76089:262.

9308160159 Responds to NRC 930611 ltr re violations noted in insp repts 50-282/93-07 & 50-306/93-07. C/As licensee placed associated damper in open position & will maintain each damper open during both units tornado season.
ANTONY, D.D. Northern States Power Co. 93/08/06. Document Control Branch (Document Control Desk). 2pp. 76107:354-76107:355.

9308170094 Forwards insp repts 50-282/93-13 & 50-306/93-13 on 930719-27. No violations noted.
CREED, J.R. Region 3 (Post 820201). 93/08/11. ANTONY, D.D. Northern States Power Co. 2pp. 76108:342-76108:345.

-9308170100 Partially withheld insp repts 50-282/93-13 & 50-306/93-13 on 930719-27 (ref 10CFR73.21). Major areas inspected: physical security involving protected & vital access control of personnel & packages.
PIRTLE, G.L., CREED, J.R. Region 3 (Post 820201). 93/08/11. 2pp. 76108:344-76108:345.

9308200196 Forwards Rev 29B to security plan, per 10CFR50.54, p). Change responds to areas of NRC comment of Rev 29A, as well as items identified during insp Repts 50-282/93-13 & 50-306/93-13. Only revised pages submitted. Pages withheld, per 10CFR73.21.
ANDERSON, R.O. Northern States Power Co. 93/08/13. Document Control Branch (Document Control Desk). 1p. 76199:289-76199:289.

9308230040 Informs that plants were chosen for operational safeguards response evaluations at nuclear power reactors conducted by NRC & requests that appropriate plant personnel support for team during scheduled evaluation be provided.
SNEEL, W. Region 3 (Post 820201). 93/08/17. ANTONY, D.D. Northern States Power Co. 2pp. 76165:108-76165:109.

9308310025 Informs of intent to perform GL 89-10 MOV insp on 930927-1008 & forwards insp documents for NRC review.
WRIGHT, G.C. Region 3 (Post 820201). 93/08/20. ANTONY, D.D. Northern States Power Co. 4pp. 76263:070-76263:073.

9308310137 Confirms discussion to have enforcement conference on 930901 in Glen Elyn, IL to discuss apparent violation involving employee discrimination.
GREENMAN, E.G. Region 3 (Post 820201). 93/08/24. ANTONY, D.D. Northern States Power Co. 3pp. 76264:134-76264:137.

-9308310141 Notification of significant licensee meeting w/utl on 930901 to discuss enforcement conference re employee discrimination concerns.
JORGENSEN, B.L. Region 3 (Post 820201). 93/08/24. Region 3 (Post 820201). 1p. 76264:137-76264:137.

R. Periodic operating reports & related correspondence

9308110139 Monthly operating repts for Jul 1993 for Prairie Island Nuclear Generating Plant. W/930805 ltr.
DUGSTAD, D., ANDERSON, R.O. Northern States Power Co. 93/07/31. 9pp. 76068:352-76068:360.

S. Reportable occurrences, LERs & related correspondence

9308020069 LER 93-008-00: on 930624, observed that valve CV-31740, instrument air to Unit 1 containment closed due to failure of coil in solenoid operated pilot valve. Valve reopened locally to restore instrument air. W/930723 ltr.
HUNSTAD, A.A., ANDERSON, R.O. Northern States Power Co. 93/07/23. 6pp. 75978:030-75978:035.

9308020086 Forwards suppl to LER 93-007 re discovery that certain valves should be subject to ASME Section XI testing because, in process of developing third interval ASME XI IST program, six more valves discovered that should have been in program.
ANDERSON, R.O. Northern States Power Co. 93/07/26. Document Control Branch (Document Control Desk). 1p. 75978:036-75978:044.

-9308020095 LER 93-007-01: on 930413, discovered that valves required to mitigate consequences of accident not included in Section XI ISI & Testing Program. On 930624, identified six addl valve inappropriately omitted from subj program. Valves included.
HUNSTAD, A.A. Northern States Power Co. 93/07/26. 8pp. 75978:037-75978:044.

9308120092 Forwards LER 93-009-00 re unplanned closure of containment isolation valve. Event determined to be reportable on 930721 after discussion w/Region III staff & that 4-hr ENS notification under 10CFR50, Section 50.72 not appropriate.
ANDERSON, R.O. Northern States Power Co. 93/08/05. Document Control Branch (Document Control Desk). 1p. 76091:178-76091:181.

-9308120100 LER 93-009-00: on 930715, receipt of annunciator Charging Pump 12 over-load trip observed by CR operators, resulting in unplanned closure of containment isolation valve. Standby charging pump started immediately.
HUNSTAD, A.A. Northern States Power Co. 93/08/05. 3pp. 76091:179-76091:181.

9308120103 Forwards response to GL 93-04, "Rod Control Sys Failure & Withdrawal of Rod Control Cluster Assemblies," summarizing compensatory actions taken in response to Salem rod control sys failure event.
ANDERSON, R.O. Northern States Power Co. 93/08/05. Document Control Branch (Document Control Desk). 9pp. 76094:330-76094:338.

48 DOCKETED ITEMS

9308170048 LER 91-005-02: on 910516, pressurizer safety valve lift setpoint found 2.5% low during test. Future testing of safety valves will be done using steam. W/930812 ltr. HUNSTAD, A.A., ANDERSON, R.O. Northern States Power Co. 93/08/09. 5pp. 76158:341-76158:345.

V. Operator Examinations

9308030302 Informs of NRC plans to administer generic fundamentals exam section written operator licensing exam on 931006.
RING, M.A. Region 3 (Post 820201). 93/07/28. Consumers Power Co. 3pp. 75983:358-75983:360.

9308100074 Forwards list of questions re licensed operator positive alcohol test reported on 930802 following fitness-for-duty test taken on 930802 for answer within 30 days of ltr. Requests that proprietary matl be appropriately marked.
MARTIN, T.O. Region 3 (Post 820201). 93/08/03. ANTONY, D.D. Northern States Power Co. 3pp. 76078:309-76078:311.

DOCKET 50-285 FORT CALHOUN STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9308120339 Forwards scope & objectives for plant 1993 EP exercise on 930629. Informs that complete scenario package will be submitted to NRC & FEMA by 930430.
JONES, W.C. Omaha Public Power District. 93/03/29. Document Control Branch (Document Control Desk). 17pp. 76085:225-76085:241.

9308120368 Forwards plant 1993 EP exercise manual containing description of exercise to be conducted on 930629.
JONES, W.C. Omaha Public Power District. 93/04/30. Document Control Branch (Document Control Desk). 1p. 76093:001-76094:095.

-9308120372 "Fort Calhoun Station 1993 EP Exercise Manual."
* Omaha Public Power District. 93/04/29. 600pp. 76093:002-76094:095.

9308120351 Forwards revs to plant 1993 EP exercise manual, incorporating changes submitted by util personnel & FEMA.
JONES, W.C. Omaha Public Power District. 93/06/11. Document Control Branch (Document Control Desk). 1p. 76087:138-76087:174.

-9308120354 Revs to 1993 EP exercise manual.
* Omaha Public Power District. 93/06/21. 36pp. 76087:139-76087:174.

9308040291 Forwards encl 8 to SECY 93-166 which describes proposed characteristics of design basis vehicle. W/o encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 93/07/15. PATTERSON, T.L. Omaha Public Power District. 3pp. 75979:073-75979:075.

9308050274 Responds to NRC 930719 telcon request for addl info on rev to plant QA program for procedure reviews, including EOPs, AOPs & EIPs.
GATES, W.G. Omaha Public Power District. 93/07/28. Document Control Branch (Document Control Desk). 3pp. 76017:357-76017:359.

9308160255 Responds to NRC 930713 ltr re weaknesses noted during 1993 annual emergency exercise Insp Rept 50-285/93-05. Corrective actions: addl training provided to command & control positions in Emergency Response Organization.
GATES, W.G. Omaha Public Power District. 93/08/13. Document Control Branch (Document Control Desk). 4pp. 76143:330-76143:333.

9308270196 Advises that 930720 ltr, transmitting changes to radiological emergency response plan acceptable & do not decrease effectiveness of emergency planning for plant.
CALLAN, L.J. Region 4 (Post 820201). 93/08/24. PATTERSON, T.L. Omaha Public Power District. 4pp. 76266:352-76266:355.

G. Adjudicatory correspondence

9308110381 Advises that HH Voigt of firm passed away. Requests that svc list for OPPD Fort Calhoun Station, Unit 1 proceeding be changed to included undersigned as counsel to OPPD instead of HH Voigt.
MCBRIDE, M.F., LeBoeuf, Lamb, Leiby & MacRae. 93/08/05. CHILK, S.J. Office of the Secretary of the Commission. 1p. 76076:359-76076:359.

I. Financial Information

9308030086 Forwards 1993-94 statement of cash flow from operations as guarantee of payment of deferred premiums for period of 930630-940630.
GATES, W.G. Omaha Public Power District. 93/07/26. Document Control Branch (Document Control Desk). 3pp. 75995:353-75995:355.

P. Operating license stage documents & correspondence

9308040142 Forwards SE concluding that CEOG rept CEN-387-P, rev 1, "Pressurizer Surge Line Thermal Stratification Evaluation" adequately demonstrates that bounding surge line & nozzles meet ASME code stress & fatigue requirements.
TRAN, L.N. Project Directorate IV-1. 93/07/16. CONWAY, W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 75978:331-75978:338.

-9308040183 SE of CEN-387-P, Rev 0 & 1, "Pressurizer Surge Line Flow Stratification Evaluation." Rept acceptable.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 93/07/16. 4pp. 75978:335-75978:338.

9308130047 Informs that Westinghouse rept OPPD-NA-8301-P, "Omaha Public District Nuclear Analysis Reload Core Analysis Methodology Overview" will be withheld from public disclosure, per 10CFR2.790.
BLOOM, S. Project Directorate IV-1. 93/07/26. PATTERSON, T.L. Omaha Public Power District. 5pp. 76094:142-76094:146.

9308170302 Forwards amend 153 to license DPR-40 & safety evaluation. Amend increases max bypass pressure for SG low-pressure signal trip setting from 550 psia to 600 psia.
BLOOM, S. Project Directorate IV-1. 93/07/26. PATTERSON, T.L. Omaha Public Power District. 3pp. 76139:171-76139:183.

-9308170306 Amend 153 to license DPR-40, increasing max bypass pressure for SG low-pressure signal trip setting from 550 psia to 600 psia.
ROOD, H. Project Directorate IV-1. 93/07/26. 8pp. 76139:174-76139:181.

-9308170315 Safety evaluation supporting amend 153 to license DPR-40.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 93/07/26. 2pp. 76139:182-76139:183.

9308030408 Notifies NRC of reduction in number of safety-related MOVs included in plant GL 89-10 program plan & that util intends to delete commitment in 880515 ltr to perform static testing of HPSI MOVs on refueling frequency, per NRC Bulletin 85-003.
GATES, W.G. Omaha Public Power District. 93/07/28. Document Control Branch (Document Control Desk). 6pp. 75979:322-75979:327.

9308050274 Responds to NRC 930719 telcon request for addl info on rev to plant QA program for procedure reviews, including EOPs, AOPs & EIPs.
GATES, W.G. Omaha Public Power District. 93/07/28. Document Control Branch (Document Control Desk). 3pp. 76017:357-76017:359.

9308190149 Forwards topical rept evaluation of OPPD-NA-8301, Rev 5, "Reload Core Analysis Methodology Overview." Proposed changes acceptable.
BLOOM, S.D. Project Directorate IV-1. 93/07/29. PATTERSON, T.L. Omaha Public Power District. 4pp. 76153:060-76153:065.

-9308190151 Topical rept evaluation of OPPD-NA-8301, Rev 5, "Reload Core Analysis Methodology Overview." Proposed changes in Rev 5 acceptable.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 93/07/29. 2pp. 76153:064-76153:065.

9308190269 Forwards environ assessment & finding of no significant impact re util 921207 license amend request to change TS to support proposed spent fuel pool rerack. Notice of issuance also encl.
BLOOM, S. Project Directorate IV-1. 93/07/29. PATTERSON, T.L. Omaha Public Power District. 5pp. 76152:248-76152:265.

-9308190271 Environ assessment re expansion of spent fuel pool. EIS unwarranted.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 93/07/29. 5pp. 76152:253-76152:261.

-9308190274 Notice of issuance of environ assessment & finding of no significant impact re rev to TS to increase storage of spent fuel pool to 1,083 fuel assemblies.
ROOD, H. Project Directorate IV-1. 93/07/29. 4pp. 76152:262-76152:265.

9308110003 Notification of significant licensee meeting w/util on 930909 to discuss safe shutdown risk & other issues associated w/scheduled Sept 1993 refueling outage.
BEACH, A.B. Region 4 (Post 820201). 93/08/02. Region 4 (Post 820201). 2pp. 76039:006-76039:007.

9308110021 Notification of significant licensee meeting w/util on 930819 to discuss 930624 plant trip due to switchyard activities.
BEACH, A.B. Region 4 (Post 820201). 93/08/02. Region 4 (Post 820201). 2pp. 76039:182-76039:183.

9308120024 Informs that CENTS Code review charges should be billed to ASEA Brown Boveri C-E, as noted in util 930708 ltr. Util will pay full amount of invoice XT0555-93 to avoid late payment penalty.
GATES, W.G. Omaha Public Power District. 93/08/03. DANDOIS, D.B. License Fee & Debt Collection Branch (Post 890827). 1p. 76094:352-76094:352.

9308130162 Responds to NRC 930721 RAI to complete review of relief request from weld exam of regenerative HX, submitted via util 921016 ltr. Requests that NRC approve relief request by 930826. Applicable drawings encl.
GATES, W.G. Omaha Public Power District. 93/08/06. Document Control Branch (Document Control Desk). 4pp. 76158:310-76158:313.

9308240222 Forwards amend 154 to license DPR-40 & safety evaluation. Amend changes TS 3.2 (Table 3-5) to require charcoal filter volumetric flow rate of between 4500 & 12000 cubic feet per minute.
BLOOM, S. Project Directorate IV-1. 93/08/10. PATTERSON, T.L. Omaha Public Power District. 3pp. 76210:271-76210:280.

-9308240224 Amend 154 to license DPR-40, changing TS 3.2 (table 3-5) to require charcoal filter volumetric flow rate of between 4500 & 12000 cubic feet per minute.
ROOD, H. Project Directorate IV-1. 93/08/10. 4pp. 76210:274-76210:277.

-9308240225 Safety evaluation supporting amend 154 to license DPR-40.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 93/08/10. 3pp. 76210:278-76210:280.

9308260151 Requests that util provide comparison between criteria in App F of USAR & ASCM to show that ASCM meets "median centered" definition.
BLOOM, S.D. Project Directorate IV-1. 93/08/10. PATTERSON, T.L. Omaha Public Power District. 3pp. 76217:248-76217:250.

9308160043 Provides updated assessment for reaching 10CFR50.61 PTS screening criterion for FCS re beltline matl.
GATES, W.G. Omaha Public Power District. 93/08/12. Document Control Branch (Document Control Desk). 3pp. 76124:358-76124:360.

9308160114 Forwards supplemental info to support extension of Fort Calhoun Station OL expiration date to 130809.
GATES, W.G. Omaha Public Power District. 93/08/12. Document Control Branch (Document Control Desk). 9pp. 76112:352-76112:360.

9308240229 Forwards amend 155 to license DPR-40 & safety evaluation. Amend changes TS to increase fuel storage capacity in spent fuel pool to 1083 fuel assemblies.
BLOOM, S. Project Directorate IV-1. 93/08/12. PATTERSON, T.L. Omaha Public Power District. 3pp. 76191:186-76191:217.

--9308240233 Amend 155 to license DPR-40, changing TS to increase fuel storage capacity in spent fuel pool to 1083 fuel assemblies
ROOD, H. Project Directorate IV-1 93/08/12 10pp 76191.189-76191.198

--9308240237 Safety evaluation supporting amend 155 to license DPR-40
* Office of Nuclear Reactor Regulation, Director (Post 870411) 93/08/12 19pp
76191.199-76191.217

9308270136 Forwards application for amend to OL DPR-40, incorporating changes to credit leak before break methodology to resolve unresolved safety issue A-2, "Asymmetrical Blowdown Loads On Reactor Primary Coolant Sys."
GATES, W.G. Omaha Public Power District, 93/08/20. Document Control Branch (Document Control Desk) 2pp. 76271.316-76271.322.

--9308270145 Application for amend to license DPR-40, incorporating changes to credit leak before break methodology to resolve unresolved safety issue A-2, "Asymmetrical Blowdown Loads On Reactor Primary Coolant Sys."
GATES, W.G. Omaha Public Power District, 93/08/20. 2pp. 76271.318-76271.319

--9308270151 Proposed tech specs incorporating changes to leak before break methodology to resolve unresolved safety issue A-2, "Asymmetrical Blowdown Loads On Reactor Primary Coolant Sys."
* Omaha Public Power District 93/08/20. 3pp 76271.320-76271.322

Q. Inspection reports, IE Bulletins & correspondence

9308040142 Forwards SE concluding that CEOG rept CEN-387-P, rev 1, "Pressurizer Surge Line Thermal Stratification Evaluation" adequately demonstrates that bounding surge line & nozzles meet ASME code stress & fatigue requirements.
TRAN, L.N. Project Directorate V, 93/07/16. CONWAY, W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project) 4pp 75978.331-75978.338

--9308040183 SE of CEN-387-P, Rev 0 & 1, "Pressurizer Surge Line Flow Stratification Evaluation." Rept acceptable
* Office of Nuclear Reactor Regulation, Director (Post 870411). 93/07/16 4pp
75978.335-75978.338

9307190043 NRC Info Notice 93-057, "Software Problems Involving Digital Control Console Sys at Non-Power Reactors."
GRIMES, B.K. Division of Operating Reactor Support (Post 921004). 93/07/23. Consolidated Edison Co. of New York, Inc. 9pp 76111.200-76111.208.

9308040237 Informs NRC of rev to commitment re appointment of individual responsible for maintaining traceability of M&TE usage in response to violation noted in Insp Rept 50-285/88-37
GATES, W.G. Omaha Public Power District, 93/07/26. Document Control Branch (Document Control Desk). 2pp 76009.323-76009.324.

9308030408 Notifies NRC of reduction in number of safety-related MOVs included in plant GL 89-10 program plan & that unit intends to delete commitment in 860515 ltr to perform static testing of NPSI MOVs on refueling frequency per NRC Bulletin 85-003
GATES, W.G. Omaha Public Power District, 93/07/28. Document Control Branch (Document Control Desk) 6pp 75979.322-75979.327.

9308040161 Informs NRC that licensee revising commitment made in response to violation in NRC Insp Rept 50-285/90-01 re calibr testing of 480 volt ac bus voltage & amperage instrumentation utilized for post-accident monitoring.
GATES, W.G. Toledo Edison Co. 93/07/28. Document Control Branch (Document Control Desk). 2pp 75997.229-75997.230.

9308110005 Discusses insp rept 50-285/93-12 on 930624-0716 & forwards notice of violation NRC concerned re unauthorized maint in switchyard info since extensive info provided by NRC to licensees re need to ensure that activities controlled.
BEACH, A.B. Region 4 (Post 820201). 93/08/04. PATTERSON, T.L. Omaha Public Power District. 4pp 76039.011-76039.032.

--9308110006 Notice of violation from insp on 930624-0716. Violation noted: two different work crews were performing work in switchyard & production operations division sys operator not informed of activity
* Region 4 (Post 820201). 93/08/04. 2pp. 76039.015-76039.016

--9308110007 Insp rept 50-285/93-12 on 930624-0716. Violations noted. Major areas inspected: plant trip caused by switchyard activities & subsequent anomalies associated w/ trip
HARRELL, R.H. Region 4 (Post 820201). 93/08/04. 16pp 76039.017-76039.032.

9308110161 Insp Rept 50-285/93-15 cancelled
COLLINS, S.J. Region 4 (Post 820201). 93/08/05. PATTERSON, T.L. Omaha Public Power District. 4pp 76056.066-76056.069.

9308180095 Forwards revised SALP program, stating that NRC will review & evaluate power reactor licensee that possesses OL on approx 18-month interval SALP assessment period revised for 930131. 940730
BEACH, A.B. Region 4 (Post 820201). 93/08/11. PATTERSON, T.L. Omaha Public Power District. 25pp 76131.319-76131.342.

9308180032 Forwards insp rept 50-285/93-11 on 930606-0717. No violations noted.
BEACH, A.B. Region 4 (Post 820201). 93/08/12. PATTERSON, T.L. Omaha Public Power District. 4pp 76131.254-76131.276.

--9308180034 Insp rept 50-285/93-11 on 930606-0717. No violations noted. Major areas inspected: followup of events, operational safety verification, maintenance & surveillance observations.
HARRELL, R.H. Region 4 (Post 820201). 93/08/11. 19pp. 76131.258-76131.276.

9308160255 Responds to NRC 930713 ltr re weaknesses noted during 1993 annual emergency exercise Insp Rept 50-285/93-05. Corrective actions add'l training provided to command & control positions in Emergency Response Organization.
GATES, W.G. Omaha Public Power District, 93/08/13. Document Control Branch (Document Control Desk). 4pp. 76143.330-76143.333.

R. Periodic operating reports & related correspondence

9308030062 Forwards FCS, unit 1 June 1993 Performance Indicators Rept
GATES, W.G. Omaha Public Power District, 93/07/26. Document Control Branch (Document Control Desk). 93pp. 75976.254-75976.348.

--9308030072 "FCS, Unit 1 Performance Indicators Rept, June 1993"
* Omaha Public Power District, 93/06/30. 92pp. 75976.255-75976.348

9308160377 Monthly operating rept for Jul 1993 for Fort Calhoun Station Unit 1 W/ 930813 ltr
HOWMAN, M.A., GATES, W.G. Omaha Public Power District, 93/07/31. 7pp
76126.329-76126.335

9308310222 Forwards fitness for duty program performance data for six month period ending 930630.
GATES, W.G. Omaha Public Power District, 93/08/24. Document Control Branch (Document Control Desk). 4pp 76307.318-76307.321

S. Reportable occurrences, LERs & related correspondence

9308030372 Potential Part 21 rept re Limitorque actuator motors. Utilis & other purchases listed in encl being advised of concern. Limitorque revising selection procedure for safety related actuators, motors & technical data packages.
TAYLOR, J.H. Babcock & Wilcox Co. 93/07/22. Document Control Branch (Document Control Desk). 8pp. 75976.349-75976.356

9308020039 LER 93-011-00 on 930624, experienced reactor trip due to loss of load. Caused by lack of proper job planning, lack of formal decision making process & incomplete communications. Training will be provided to Operations personnel W/ 930726 ltr
BOOTH, C.E., GATES, W.G. Omaha Public Power District, 93/07/26. 11pp 75978.019-75978.029.

9308030209 Special rept re inoperability of post-accident monitoring instrumentation due to number of operable channels being less than min. Preplanned alternate method for monitoring parameters in place
GATES, W.G. Omaha Public Power District, 93/07/29. Document Control Branch (Document Control Desk). 2pp. 75996.029-75996.030.

9308090344 Forwards Rev 1 to LER 93-004 re inoperability of power range nuclear instrumentation safety Channel D to correct editorial error in event description & updates status of corrective action
GATES, W.G. Omaha Public Power District, 93/07/30. Document Control Branch (Document Control Desk). 1p. 76059.103-76059.109.

--9308090347 LER 93-004-01 on 930301, confirmed that Channel D axial shape index (ASI) being calculated in reverse since 921031-930301 due to drawing discrepancies associated w/ Control Channel B. Temporary Mod 92-078 & Standing Order 0-25 revised
BLESSIE, W.J. Omaha Public Power District, 93/07/30. 6pp. 76059.104-76059.109

9308160001 Retracts LER 93-009 re automatic start of both backup charging pumps due to spurious signal & subsequent automatic isolation of letdown. Event did not involve train level ESF actuation & not reportable.
GATES, W.G. Omaha Public Power District, 93/08/12. Document Control Branch (Document Control Desk). 2pp. 76124.356-76124.357.

V. Operator Examinations

9308110045 Informs of NRC plan to administer GFES of written operator licensing exam at facility on 931006
COLLINS, S.J. Region 4 (Post 820201). 93/08/04. PATTERSON, T.L. Omaha Public Power District. 5pp. 76039.264-76039.268

DOCKET 50-286 INDIAN POINT STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

9308030171 Forwards encl 8 to SECY 93-166 which describes proposed characteristics of design basis vehicle Characteristics being provided to licensees in advance to facilitate more detailed comments on proposed rule W/o encl
PARTLOW, J.G. Associate Director for Projects (Post 870411). 93/07/15. BEEDLE, R.E. Power Authority of the State of New York (New York Power Authority) 3pp 75948.352-75948.354.

9308170433 "New York Power Authority Indian Point 3 Nuclear Power Plant 1993 NRC Observed Partial Participation Exercise," emergency response exercise in 930721.
* Power Authority of the State of New York (New York Power Authority) 93/07/21. 208pp. 76138.153-76138.360.

9308040030 Forwards insp rept 50-286/93-08 on 930413-0531. Non-cited violations identified.
COOPER, R.W. Region 1 (Post 820201). 93/07/23. GARRITY, J.H. Power Authority of the State of New York (New York Power Authority) 4pp. 75949.148-75949.190.

--9308040032 Insp rept 50-286/93-08 on 930413-0531. Non-cited violations identified. Major areas inspected: plant operations, maintenance, surveillance, engineering & technical support, security, emergency preparedness & safety assessment.
ESELGROTH, P.W. Region 1 (Post 820201). 93/07/02. 39pp. 75949.152-75949.190.

9308110335 Revised EIPs, including Rev 50 to Vol II - EIPs cover sheet & table of content, Rev 39 to CR section, Rev 37 to security section, Rev 79 Vol III - EIPs index & Rev 5 to IP-1052, "Hazardous Waste Emergency."
* Power Authority of the State of New York (New York Power Authority) 93/07/27. 45pp. 76076.179-76076.223.

9308200174 Forwards FEMA notification issued on 930803 re offsite emergency planning to be forwarded to responsible federal agency.
CAPRA, R.A. Project Directorate I-1. 93/08/04. LOPRETE, B. Affiliation Not Assigned. 2pp. 76164.264-76164.269.

9308260038 Summary of 930729 meeting w/ util in Rockville, MD re security measures for planned administration/security building. List of attendees encl.
CONICELLA, N.F. Project Directorate I-1. 93/08/10. Project Directorate I-1. 5pp. 76217.268-76217.272.

50 DOCKETED ITEMS

9308310276 Revised EPIPs, including rev 80 to Index, Rev 15 to IP-1011, Rev 5 to IP-1019, Rev 25 to IP-1070, Rev 15 to IP-1076 & Rev 12 to IP-1080, revised table of contents, App A index & Attachment 7.14 to IP-1001.
* Power Authority of the State of New York (New York Power Authority). 93/08/31. 125pp. 76305:001-76305:115.

P. Operating license stage documents & correspondence

9308100051 Forwards summary of 1993 Erosion/Corrosion Workshop on 930209 in King of Prussia, PA re performance of erosion/corrosion programs at US Nuclear Power Generating Stations.
HODGES, M.W. Region 1 (Post 820201). 93/04/27. PENNY, R. Power Authority of the State of New York (New York Power Authority). 24pp. 76078:255-76078:278.

9308050184 Forwards amend 135 to license DPR-64 & safety evaluation. Amend revises TS table 4.1-1 to change frequency of primary auxiliary bldg area temp sensor testing to accommodate operating on 24-month fuel cycle.
CONICELLA, N.F. Project Directorate I-1. 93/07/28. BEEDLE, R.E. Power Authority of the State of New York (New York Power Authority). 3pp. 75990:343-75990:353.

-9308050188 Amend 135 to license DPR-64, revising TS table 4.1-1 to change frequency of primary auxiliary bldg area temp sensor testing to accommodate operating on 24-month fuel cycle.
CAPRA, R.A. Project Directorate I-1. 93/07/28. 4pp. 75990:346-75990:349.

-9308050189 Safety evaluation supporting amend 135 to license DPR-64.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 93/07/28. 4pp. 75990:350-75990:353.

9308180057 Forwards amend 136 to license DPR-64 & safety evaluation. Amend revises TS 4.1-1 to change frequency of turbine building water level sensor testing.
CONICELLA, N.F. Project Directorate I-1. 93/07/28. BEEDLE, R.E. Power Authority of the State of New York (New York Power Authority). 3pp. 76137:315-76137:325.

-9308180058 Amend 136 to license DPR-64, revising TS 4.1-1 to change frequency of turbine building water level sensor testing.
CAPRA, R.A. Project Directorate I-1. 93/07/28. 4pp. 76137:318-76137:321.

-9308180061 Safety evaluation supporting amend 136 to license DPR-64.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 93/07/28. 3pp. 76137:322-76137:325.

9308160030 Notification of significant licensee meeting 93-100 on 930818 in Buchanan, NY to discuss unit 3 restart issues.
ESELGROTH, P.W. Region 1 (Post 820201). 93/08/02. Region 1 (Post 820201). 3pp. 76088:349-76088:351.

9308240212 Forwards amend 137 to license DPR-64 & safety evaluation. Amend revises TS & environ TS to incorporate listed changes, per guidance provided in GL 91-04.
CONICELLA, N.F. Project Directorate I-1. 93/08/04. BEEDLE, R.E. Power Authority of the State of New York (New York Power Authority). 4pp. 76210:296-76210:321.

-9308240214 Amend 137 to license DPR-64, revising TS & environ TS to incorporate listed changes, per guidance provided in GL 91-04.
CAPRA, R.A. Project Directorate I-1. 93/08/04. 16pp. 76210:300-76210:314.

-9308240216 Safety evaluation supporting amend 137 to license DPR-64.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 93/08/04. 5pp. 76210:315-76210:321.

9308120237 Forwards response to GL 93-04, "Rod Control Sys Failure & Withdrawal of Rod Control Cluster Assemblies," providing assessment re requirements for sys response to subj failure as stipulated in GDC 25, in light of info re Salem event.
BEEDLE, R.E. Power Authority of the State of New York (New York Power Authority). 93/08/05. Document Control Branch (Document Control Desk). 16pp. 76087:278-76087:293.

9308250338 Advises that revised plant second 10-yr inservice testing program acceptable for implementation.
CONICELLA, N.F. Project Directorate I-1. 93/08/10. BEEDLE, R.E. Power Authority of the State of New York (New York Power Authority). 3pp. 76212:263-76212:265.

9308170008 Discusses facility restart issues meeting scheduled for 930818 & requests that util review list of proposed restart issues & address any items that take exception to meeting.
COOPER, R.W. Region 1 (Post 820201). 93/08/11. BEEDLE, R.E. Power Authority of the State of New York (New York Power Authority). 7pp. 76108:030-76108:036.

9308260314 Accepts licensee schedule for IPEEE completion in response to Suppl 4 to GL-88-20, "IPEEE."
CONICELLA, N.F. Project Directorate I-1. 93/08/11. BEEDLE, R.E. Power Authority of the State of New York (New York Power Authority). 3pp. 76217:186-76217:188.

Q. Inspection reports, IE Bulletins & correspondence

9308050102 EN-93-036 on 930721, notice of proposed imposition of civil penalty in amount of \$300,000 issued to licensee. Action based on three Severity Level III violations or problems.
TROSOSKI, W., LIEBERMAN, J. Ofc of Enforcement (Post 870413). 93/07/21. 1p. 75972:183-75972:183.

9307190043 NRC Info Notice 93-057, "Software Problems Involving Digital Control Console Sys at Non-Power Reactors."
GRIMES, B.K. Division of Operating Reactor Support (Post 921004). 93/07/23. Consolidated Edison Co. of New York, Inc. 9pp. 76111:200-76111:208.

9308040030 Forwards insp rept 50-286/93-08 on 930413-0531. Non-cited violations identified.
COOPER, R.W. Region 1 (Post 820201). 93/07/23. GARRITY, J.H. Power Authority of the State of New York (New York Power Authority). 4pp. 75949:148-75949:190.

-9308040032 Insp rept 50-286/93-08 on 930413-0531. Non-cited violations identified. Major areas inspected: plant operations, maint, surveillance, engineering & technical support, security, emergency preparedness & safety assessment.
ESELGROTH, P.W. Region 1 (Post 820201). 93/07/02. 39pp. 75949:152-75949:190.

9308030012 Ack receipt of 930707 ltr informing NRC of steps taken to correct violations noted in insp rept 50-286/92-20.
COWGILL, C.J. Region 1 (Post 820201). 93/07/26. GARRITY, J.H. Power Authority of the State of New York (New York Power Authority). 4pp. 75935:063-75935:069.

9308060343 Requests NRC grant extension for submittal of description of process of developing IST program from 930810 to 1110.
BEEDLE, R.E. Power Authority of the State of New York (New York Power Authority). 93/07/30. Document Control Branch (Document Control Desk). 3pp. 76059:179-76059:181.

9308240082 Forwards technical review rept re, "Tardy Licensee Actions" initiated because of delayed replacement of batteries in uninterruptible power supplies at plant.
ISRAEL, S.L. Reactor Operations Analysis Branch. 93/08/05. ROSENTHAL, J.E. Reactor Operations Analysis Branch. 2pp. 76218:177-76218:193.

-9308240165 Technical review rept, "Tardy Licensee Actions."
ISRAEL, S.L. Reactor Operations Analysis Branch. 93/08/31. 13pp. 76218:179-76218:193.

9308170145 Forwards initial exam rept 50-286/93-14OL. No violations noted.
BETTENHAUSEN, L. Region 1 (Post 820201). 93/08/10. GARRITY, J.H. Power Authority of the State of New York (New York Power Authority). 3pp. 76109:069-76110:018.

-9308170154 Exam rept 50-286/93-14OL on 930712-16. Exam results: exams administered to four RO, four SRO upgrade & four SRO instant candidates. All candidates passed all portions of exam.
D'ANTONIO, J.M., MEYER, G.W. Region 1 (Post 820201). 93/07/29. 307pp. 76109:072-76110:018.

9308190322 Notification of significant licensee meeting 93-107 w/util on 930825 in King of Prussia, PA to conduct enforcement conference to discuss preventive maint program deficiencies & conditions adverse to quality.
ESELGROTH, P.W. Region 1 (Post 820201). 93/08/11. Region 1 (Post 820201). 3pp. 76169:313-76169:315.

9308270278 Forwards insp rept 50-286/93-15 on 930719-23. No violations noted.
JOYNER, J.H. Region 1 (Post 820201). 93/08/17. GARRITY, J.H. Power Authority of the State of New York (New York Power Authority). 3pp. 76292:085-76292:094.

-9308270285 Insp rept 50-286/93-15 on 930719-23. No violations noted. Major areas inspected: radioactive liquid & gaseous effluent control programs.
PELUSO, L.A., BORES, R.J. Region 1 (Post 820201). 93/08/13. 7pp. 76292:088-76292:094.

9308300168 Forwards restart action plan, developed using guidance in NRC Insp Manual Chapter 0350 to independently assess readiness of facility for restart.
COOPER, R.W. Region 1 (Post 820201). 93/08/17. BEEDLE, R.E. Power Authority of the State of New York (New York Power Authority). 24pp. 76282:114-76282:142.

-9308300176 Requests approval of encl restart action plan, developed by NRC NYPA Assessment Panel (NAP), using guidance in NRC Insp Manual Chapter 0350.
COOPER, R.W., CALVO, J.A. Region 1 (Post 820201). 93/07/20. MARTIN, T.T., PARTLOW, J.G. Region 1 (Post 820201). 5pp. 76282:138-76282:142.

9308310069 Forwards insp rept 50-286/93-13 on 930601-0719 & notice of violation.
COWGILL, C.J. Region 1 (Post 820201). 93/08/23. GARRITY, J.H. Power Authority of the State of New York (New York Power Authority). 4pp. 76264:001-76264:037.

-9308310072 Notice of violation from insp on 930601-0719. Violation noted: containment penetration R-R was not pressurized by weld channel & containment penetration pressurization sys from Dec 1990 to 930407.
* Region 1 (Post 820201). 93/08/23. 1p. 76264:005-76264:005.

-9308310083 Insp rept 50-286/93-13 on 930601-0719. Violations noted. Major areas inspected: plant operations, maint, engineering & plant support.
ESELGROTH, P.W. Region 1 (Post 820201). 93/08/09. 32pp. 76264:006-76264:037.

R. Periodic operating reports & related correspondence

9308200298 Monthly operating rept for Jul 1993 for Indian Point Nuclear Power Plant, Unit 3 W/930817 ltr.
ORLANDO, T., GARRITY, J.H. Power Authority of the State of New York (New York Power Authority). 93/07/31. 5pp. 76184:314-76184:318.

S. Reportable occurrences, LERs & related correspondence

9308180115 Summary of operator reactors event meeting 93-18 on 930519.
CHAFFEE, A.E. Events Assessment Branch. 93/05/26. GRIMES, B.K. Division of Operating Reactor Support (Post 921004). 20pp. 76152:018-76152:037.

9308200279 Summary of operating reactors events meeting 93-21 on 930609.
CHAFFEE, A.E. Events Assessment Branch. 93/06/15. GRIMES, B.K. Division of Operating Reactor Support (Post 921004). 19pp. 76178:150-76178:168.

9308120291 Summary of operating reactors events meeting 93-23 on 930623.
CHAFFEE, A.E. Events Assessment Branch. 93/07/06. GRIMES, B.K. Division of Operating Reactor Support (Post 921004). 16pp. 76085:245-76085:260.

9308030372 Potential Part 21 rept re Limitorque actuator motors. Utilis & other purchases listed in encl being advised of concern. Limitorque revising selection procedure for safety related actuators, motors & technical data packages.
TAYLOR, J.H. Babcock & Wilcox Co. 93/07/22. Document Control Branch (Document Control Desk). 8pp. 75976:349-75976:356.

9308190264 LER 93-005-03 on 921231, 40 second time delay in ATWS AMSAC logic failed to operate. Caused by improperly performed corrective maint. AMSAC sys will be restored to full compliance prior to criticality W/930812 ltr.
PERDOMO, F., GARRITY, J.H. Power Authority of the State of New York (New York Power Authority). 93/08/12. 12pp. 76178:055-76178:066.

9308260292 LER 93-028-00: on 920102, identified error in operability criteria for Surveillance Test 3PT-R032A, resulting in fuel storage bldg EVS being in condition prohibited by TS due to human error. Subj test & FSAR will be revised. W/930821 ltr.
PRUSSMAN, S., GARRITY, J.H. Power Authority of the State of New York (New York Power Authority). 93/08/21. 7pp. 76255:296-76255:302.

V. Operator Examinations

9308170030 Informs of individual exam results for applicants on initial exam conducted on 930712-16 & forwards licensing exam results summary, individual exam results & licenses & ltrs. W/o encl.
BETTENHAUSEN, L. Region 1 (Post 820201). 93/08/09. HANSLER, R. Power Authority of the State of New York (New York Power Authority). 2pp. 76108:105-76108:106.

9308170145 Forwards initial exam rept 50-286/93-14OL. No violations noted.
BETTENHAUSEN, L. Region 1 (Post 820201). 93/08/10. GARRITY, J.H. Power Authority of the State of New York (New York Power Authority). 3pp. 76109:069-76110:018.

9308170154 Exam rept 50-286/93-14OL on 930712-16. Exam results: exams administered to four RO, four SRO upgrade & four SRO instant candidates. All candidates passed all portions of exam.
D'ANTONIO, J.M., MEYER, G.W. Region 1 (Post 820201). 93/07/29. 307pp. 76109:072-76110:018.

DOCKET 50-287 OCONEE NUCLEAR STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

9308100162 Forwards revs 93-04 & 93-09, Vols B & C to plant EIPs. W/930720 release memo.
HAMPTON, J.W. Duke Power Co. 93/06/30. Document Control Branch (Document Control Desk). 2pp. 76064:001-76064:212.

9308100170 Public version of rev 93-09 to EIP, Vol C to "Oconee Nuclear Site EIPs."
* Duke Power Co. 93/06/30. 200pp. 76064:002-76064:212.

9308050083 Forwards initial SALP repts 50-269/93-11, 50-270/93-11 & 50-287/93-11 for period 920202-930501. Performance maintained at superior level in areas of radiological protection & security.
EBNETER, S.D. Region 2 (Post 820201). 93/07/13. HAMPTON, J.W. Duke Power Co. 5pp. 75972:100-75972:127.

9308050088 Initial SALP repts 50-269/93-11, 50-270/93-11 & 50-287/93-11 for period of 920202-930501. Performance maintained at superior level in areas of radiological protection & security.
* Region 2 (Post 820201). 93/07/13. 23pp. 75972:105-75972:127.

9308040139 Forwards encl 8 to SECY 93-166 which describes proposed characteristics of design basis vehicle. Encl withheld.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 93/07/15. TUCKMAN, M.S. Duke Power Co. 4pp. 75987:001-75987:004.

9308060116 Forwards insp repts 50-269/93-18, 50-270/93-18 & 50-287/93-18 on 930614-17. No violations or deviations noted.
CLINE, W.E. Region 2 (Post 820201). 93/07/16. HAMPTON, J.W. Duke Power Co. 3pp. 75993:240-75993:268.

9308060122 Insp repts 50-269/93-18, 50-270/93-18 & 50-287/93-18 on 930614-17. No violations noted. Major areas inspected: annual emergency preparedness exercise.
WRIGHT, F.N. Region 2 (Post 820201). 93/06/13. 26pp. 75993:243-75993:268.

9308050122 Forwards corrections to Rev 93-3 of Vol A of emergency plan, replacing instruction ltr telling what to remove & Pages B-21 & B-22 w/Pages B-20 & B-21.
HAMPTON, J.W. Duke Power Co. 93/07/27. Document Control Branch (Document Control Desk). 1p. 76034:281-76034:286.

9308050124 Corrected Rev 93-3 of Vol A of emergency plan.
* Duke Power Co. 93/07/31. 5pp. 76034:282-76034:286.

9308100262 Forwards corrected pages 27, 28, 29, 102, 103, 104 & 171 of Data Point Library. New site directive, providing guidance re control of ERDS in process of being developed & will be in place by 931001.
HAMPTON, J.W. Duke Power Co. 93/08/04. Document Control Branch (Document Control Desk). 10pp. 76065:343-76065:352.

9308250479 Submits change that affects transmitted data identified in ERDS data point library on 930721.
HAMPTON, J.W. Duke Power Co. 93/08/18. Document Control Branch (Document Control Desk). 3pp. 76219:050-76219:052.

K. Utility Final Safety Analysis Report (FSAR) & amends

9308020120 Table 11-7, Pages 4 & 5 to Oconee Nuclear Station FSAR update dtd 921231.
* Duke Power Co. 92/12/31. 24pp. 75975:267-75975:290.

P. Operating license stage documents & correspondence

9308170373 Forwards SE re inservice testing program relief requests for pumps & valves & provide results of staff review of relief.
MATTHEWS, D.B. Project Directorate II-3. 93/07/23. HAMPTON, J.W. Duke Power Co. 5pp. 76133:216-76133:299.

9308170378 Safety evaluation re IST program requests for relief meets requirements regulation or GL 89-04 guidance.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 93/07/23. 40pp. 76133:221-76133:234.

9308180140 "Technical Evaluation Rept: Pump & Valve Inservice Testing Program."
* Duke Power Co. 93/06/11. Division of Engineering (Post 921004). 59pp. 76133:235-76133:299.

9308050261 Forwards evaluation of TS requirements for SG overfill protection, in response to GL 89-19, requesting action re resolution of USI A-47, "Safety Implication of Control Sys in LWR Nuclear Power Plants."
HAMPTON, J.W. Duke Power Co. 93/07/28. Document Control Branch (Document Control Desk). 4pp. 76017:350-76017:353.

9308060053 Discusses radiochemical analyses of liquid samples spiked w/ beta emitting radionuclides & requests that analyses be completed as soon as practicable, but no later than 60 days from receipt of ltr.
CLINE, W.E. Region 2 (Post 820201). 93/07/28. HAMPTON, J.W. Duke Power Co. 3pp. 75992:201-75992:203.

9308170152 Forwards revs to Oconee Selected Licensee Commitments Manual.
HAMPTON, J.W. Duke Power Co. 93/08/04. Document Control Branch (Document Control Desk). 15pp. 76135:321-76135:335.

9308240070 Informs that addl info needed re licensee 930323 response to GL 89-10. Response requested within 30 days from date of ltr.
WIENS, L.A. Project Directorate II-3. 93/08/05. HAMPTON, J.W. Duke Power Co. 4pp. 76199:344-76199:347.

9308200046 Forwards rev to "No Significant Hazards Consideration Evaluation," re suppl to proposed TS amend on low pressure svc water sys.
HAMPTON, J.W. Duke Power Co. 93/08/11. Document Control Branch (Document Control Desk). 4pp. 76209:331-76209:334.

9308250420 Forwards proprietary TR DPC-NE-3003-P. "Mass & Energy Release & Containment Response Methodology." Objective of rept is to describe new methods used to reanalyze FSAR containment response to LOCAs & SLBs. Rept withheld.
TUCKMAN, M.S. Duke Power Co. 93/08/11. Document Control Branch (Document Control Desk). 6pp. 76219:095-76219:100.

9308310214 Submits info to support NRC review of 930714 proposed rev to TS re revised pressure/temp limits & LTOP. Informs that chemistry & limiting malt data provided in BAW-2166, "B&WOG Response to GL 92-01," submitted by B&WOG 920617 ltr.
HAMPTON, J.W. Duke Power Co. 93/08/24. Document Control Branch (Document Control Desk). 1p. 76289:265-76289:265.

Q. Inspection reports, IE Bulletins & correspondence

9308060044 Confirms arrangements made to hold mgt meeting on 930728 at plant station to discuss SALP during period 920202-930501.
MERSCHOFF, E.W. Region 2 (Post 820201). 93/06/30. HAMPTON, J.W. Duke Power Co. 3pp. 75992:170-75992:172.

9308060125 Notification of significant licensee meeting w/util on 930728 to discuss performance of facility during SALP Cycle 10.
LESSER, M.S. Region 2 (Post 820201). 93/06/30. Region 2 (Post 820201). 3pp. 75993:279-75993:281.

9308060182 Ack receipt of 930618 ltr informing NRC of steps taken to correct violations noted in insp repts 50-269/93-14, 50-270/93-14 & 50-287/93-14.
CLINE, W.E. Region 2 (Post 820201). 93/06/30. HAMPTON, J.W. Duke Power Co. 3pp. 75994:126-75994:128.

9308060216 Ack receipt of 930621 ltr informing NRC of steps taken to correct violations noted in insp repts 50-269/93-13, 50-270/93-13 & 50-287/93-13.
MERSCHOFF, E.W. Region 2 (Post 820201). 93/06/30. HAMPTON, J.W. Duke Power Co. 3pp. 75994:197-75994:199.

9308050083 Forwards initial SALP repts 50-269/93-11, 50-270/93-11 & 50-287/93-11 for period 920202-930501. Performance maintained at superior level in areas of radiological protection & security.
EBNETER, S.D. Region 2 (Post 820201). 93/07/13. HAMPTON, J.W. Duke Power Co. 5pp. 75972:100-75972:127.

9308050088 Initial SALP repts 50-269/93-11, 50-270/93-11 & 50-287/93-11 for period of 920202-930501. Performance maintained at superior level in areas of radiological protection & security.
* Region 2 (Post 820201). 93/07/13. 23pp. 75972:105-75972:127.

9308060121 Ack receipt of 930707 ltr informing NRC of steps taken to correct violations noted in insp repts 50-269/93-15, 50-270/93-15 & 50-287/93-15.
JULIAN, C.A. Region 2 (Post 820201). 93/07/15. HAMPTON, J.W. Duke Power Co. 3pp. 75993:274-75993:276.

9308060116 Forwards insp repts 50-269/93-18, 50-270/93-18 & 50-287/93-18 on 930614-17. No violations or deviations noted.
CLINE, W.E. Region 2 (Post 820201). 93/07/16. HAMPTON, J.W. Duke Power Co. 3pp. 75993:240-75993:268.

9308060122 Insp repts 50-269/93-18, 50-270/93-18 & 50-287/93-18 on 930614-17. No violations noted. Major areas inspected: annual emergency preparedness exercise.
WRIGHT, F.N., BARR, K.P. Region 2 (Post 820201). 93/06/13. 26pp. 75993:243-75993:268.

9308060090 Forwards insp repts 50-269/93-20, 50-270/93-20 & 50-287/93-20 on 930530-0626 & notice of violation. NRC concerned because violation indicates continuing problems w/mgt oversight of activities at Keowee Hydro Station.
HERDT, A.R. Region 2 (Post 820201). 93/07/20. HAMPTON, J.W. Duke Power Co. 3pp. 75993:097-75993:120.

9308060094 Notice of violation from insp on 930530-0626. Violation noted: requirements not met in that on 930602, max operational load requirements for Keowee changed & implemented by internal memo in lieu of approved change.
* Region 2 (Post 820201). 93/07/20. 1p. 75993:100-75993:100.

9308060097 Insp repts 50-269/93-20, 50-270/93-20 & 50-287/93-20 on 930530-0626. Violations noted. Major areas inspected: plant operations, surveillance testing, maint activities, insp of open items & review of licensee event repts.
HARMON, P.E., DESAI, B.B., POERTNER, W.K. Region 2 (Post 820201). 93/07/15. 20pp. 75993:101-75993:120.

52 DOCKETED ITEMS

9308040037 Informs NRC of licensee intent to use code allowance to extend second ten yr ISI interval for plant.
HAMPTON,J.W. Duke Power Co. 93/07/21. Document Control Branch (Document Control Desk). 2pp. 76010:360-76010:361.

9307190043 NRC Info Notice 93-057, "Software Problems Involving Digital Control Console Sys at Non-Power Reactors."
GRIMES,B.K. Division of Operating Reactor Support (Post 921004). 93/07/23. Consolidated Edison Co. of New York, Inc. 9pp. 76111:200-76111:208.

9308090310 Responds to unresolved items identified in insp repts 50-269/93-13,50-270/93-13 & 50-287/93-13.Created selected licensee commitment to establish administration controls of various activities based on lake level.
HAMPTON,J.W. Duke Power Co. 93/08/02. Document Control Branch (Document Control Desk). 8pp. 76037:205-76037:212.

9308260204 Ack receipt of 930719 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-269/93-17, 50-270/93-17 & 50-287/93-17.Response meets requirements of 10CFR2.201.
HERDT,A.R. Region 2 (Post 820201). 93/08/09. HAMPTON,J.W. Duke Power Co. 2pp. 76237:328-76237:329.

9308250122 Responds to IFI identified during insp repts 50-269/93-18, 50-270/93-18 & 50-287/93-18 on 930614-17.Corrective actions:reviewed activities,briefing areas & lay-outs.
HAMPTON,J.W. Duke Power Co. 93/08/17. Document Control Branch (Document Control Desk). 7pp. 76218:221-76218:227.

9308240077 Responds to NRC 930720 ltr re violations noted in insp repts 50-269/93-20,50-270/93-20, & 50-287/93-20.Corrective actions:incorporated margin of error into 75 MWe limit.
HAMPTON,J.W. Duke Power Co. 93/08/18. Document Control Branch (Document Control Desk). 11pp. 76207:348-76207:358.

9308260043 Responds to NRC 930713 ltr re SALP Repts 50-269/93-11, 50-270/93-11 & 50-287/93-11 for period of 920201-930501. Requests that docket number assigned to ISFSI be added to final SALP rept.
HAMPTON,J.W. Duke Power Co. 93/08/18. Document Control Branch (Document Control Desk). 6pp. 76259:341-76259:346.

9308250097 Responds to IEB 80-04 re analysis of PWR MSLB.Offsite dose consequences of MSLB inside containment bounded by current FSAR analysis.
HAMPTON,J.W. Duke Power Co. 93/08/19. Document Control Branch (Document Control Desk). 6pp. 76218:333-76218:339.

9308310082 Ack receipt of 930607 & 930714 ltrs informing NRC of steps taken to correct violations noted in insp repts 50-269/93-02,50-270/93-02 & 50-287/93-02.
GIBSON,A.F. Region 2 (Post 820201). 93/08/25. HAMPTON,J.W. Duke Power Co. 3pp. 76263:348-76263:350.

9308300131 Forwards insp rept 72-1004/93-07 on 930518-20,0607-09 & 0719 & notice of nonconformance.
HAUGHNEY,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 93/08/26. HAMPTON,J.W. Duke Power Co. 4pp. 76296:300-76296:338.

-9308300142 Insp rept 72-1004/93-07 on 930518-20,0607-09,0719-21. Nonconformance noted.Major areas inspected:procedures for NRC-approved QA program.
O'CONNOR,S.C., REID,D.G., MATULA,T.O. Division of Industrial & Medical Nuclear Safety (Post 870729). 93/08/16. 27pp. 76296:304-76296:330.

-9308300148 Notice of nonconformance from insp on 930518-20,0607-09 & 0719-21.Nonconformance noted:identified conflicting info in receiving insp files.
* Division of Industrial & Medical Nuclear Safety (Post 870729). 93/08/20. 8pp. 76296:331-76296:338.

R. Periodic operating reports & related correspondence

9308120350 Informs that no changes,tests or experiments made to Oconee ISFSI during period 920701-1231,per 10CFR72.48(b)(2).Rept submitted for time period of six months to coincide annual rept w/annual update of ISFSI FSAR.
HAMPTON,J.W. Duke Power Co. 93/07/15. EBNETER,S.D. Region 2 (Post 820201). 2pp. 76102:350-76102:351.

9308170437 Forwards monthly operating repts for Jul 1993 for Oconee Nuclear Station Units 1,2 & 3 & revised monthly operating status repts for June 1993 for Oconee Nuclear Station Units 1,2 & 3.
MCCRAW,E.O. Duke Power Co. 93/08/13. Document Control Branch (Document Control Desk). 2pp. 76136:139-76136:156.

-9308170440 Monthly operating repts for Jul 1993 for Oconee Nuclear Station Units 1,2 & 3.
WILLIAMS,R.A., SIMMONS,N.C. Duke Power Co. 93/07/31. 15pp. 76136:141-76136:155.

-9308170442 Revised monthly operating repts for June 1993 for Oconee Nuclear Station Units 1,2 & 3.
* Duke Power Co. 93/06/30. 1p. 76136:156-76136:156.

S. Reportable occurrences, LERs & related correspondence

9308030372 Potential Part 21 rept re Limitorque actuator motors.Utilis & other purchases listed in encl being advised of concern. Limitorque revising selection procedure for safety related actuators,motors & technical data packages.
TAYLOR,J.H. Babcock & Wilcox Co. 93/07/22. Document Control Branch (Document Control Desk). 6pp. 75976:349-75976:356.

9308040153 Forwards quarterly update of status of commitments in response to 921019 loss of offsite power.
HAMPTON,J.W. Duke Power Co. 93/07/28. Document Control Branch (Document Control Desk). 7pp. 75997:222-75997:228.

9308200166 Forwards preliminary ASP evaluation for Oconee event which occurred in December 1992 re inoperability of emergency power from Keowee hydrostation due to potential reduced dc voltages during loss of power scenarios.
WIENS,L.A. Project Directorate II-3. 93/08/03. HAMPTON,J.W. Duke Power Co. 16pp. 76164:292-76164:316.

U. Congressional/Executive Correspondence

9308090315 Responds to 930618 ltr,including hand written message drafted by B Lucas re storing spent fuel onsite at Oyster Creek Nuclear Generating Station.Informs that NUHOMS casks already being used at listed ISFSIs.
BERNERO,R.M. Office of Nuclear Material Safety & Safeguards. 93/07/29. CONNORS,L.T. New Jersey, State of. 2pp. 76072:328-76072:332.

Y. Dry Cask Independent Spent Fuel Storage Installations

9308260343 Responds to NRC 930713 ltr re SALP Repts 50-269/93-11, 50-270/93-11 & 50-287/93-11 for period of 920201-930501. Requests that docket number assigned to ISFSI be added to final SALP rept.
HAMPTON,J.W. Duke Power Co. 93/08/18. Document Control Branch (Document Control Desk). 6pp. 76259:341-76259:346.

9308300131 Forwards insp rept 72-1004/93-07 on 930518-20,0607-09 & 0719 & notice of nonconformance.
HAUGHNEY,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 93/08/26. HAMPTON,J.W. Duke Power Co. 4pp. 76296:300-76296:338.

-9308300142 Insp rept 72-1004/93-07 on 930518-20,0607-09,0719-21. Nonconformance noted.Major areas inspected:procedures for NRC-approved QA program.
O'CONNOR,S.C. Division of Industrial & Medical Nuclear Safety (Post 870729). 93/08/16. 27pp. 76296:304-76296:330.

-9308300148 Notice of nonconformance from insp on 930518-20,0607-09 & 0719-21.Nonconformance noted:identified conflicting info in receiving insp files.
* Division of Industrial & Medical Nuclear Safety (Post 870729). 93/08/20. 8pp. 76296:331-76296:338.

DOCKET 50-289 THREE MILE ISLAND NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9308060268 Forwards encl 8 to SECY 93-166 which describes proposed characteristics of design basis vehicle.Encl withheld.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 93/07/15. BROUGHTON,T.G. General Public Utilities Corp. - GPU Service Corp. 3pp. 76023:298-76023:300.

9308250456 Responds to 930718 ltr to Chairman Selin re status of 10CFR2.206 petition involving offsite emergency preparedness issues near plant.
MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 93/08/09. GARY,R. Pennsylvania Institute for Clean Air. 4pp. 76214:050-76214:055.

-9308250462 Expresses disappointment w/NRC due to lack of action re 920710 emergency 10CFR2.206 request.
GARY,R. Pennsylvania Institute for Clean Air. 93/08/09. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 2pp. 76214:054-76214:055.

9308250144 Revised EIPs,including Temporary Change Notice (TCN) 1-93-0047 to EIP-TMI-02,TCN 1-93-0048 to EIP-TMI-27 & TCN 1-93-0049 to EIP-28.
* General Public Utilities Corp. - GPU Service Corp. 93/08/10. 39pp. 76224:138-76224:176.

9308180265 Forwards EP insp rept 50-289/93-08 on 930607-11 & notice of violation.
HEHL,C.W. Region 1 (Post 820201). 93/08/11. BROUGHTON,T.G. General Public Utilities Corp. - GPU Service Corp. 4pp. 76158:202-76158:223.

-9308180271 Notice of violation from EP insp on 930607-11.Violations noted:fire doors C415 & C418 did not meet life safety criteria in that locks were not fitted w/simple releasing devices.
* Region 1 (Post 820201). 93/08/11. 2pp. 76158:206-76158:207.

-9308180277 Insp rept 50-289/93-08 on 930607-11.Violations noted.Major areas inspected:changes to EP & implementing procedures, emergency facilities,equipment,instrumentation & supplies, organization & mgt control & training effectiveness.
LAUGHLIN,J., MCCABE,E. Region 1 (Post 820201). 93/08/05. 16pp. 76158:208-76158:223.

9308270209 Forwards Safety Insp Rept 50-289/93-14 on 930622-0731 & notice of violation.
BLOUGH,A.R. Region 1 (Post 820201). 93/08/18. BROUGHTON,T.G. General Public Utilities Corp. - GPU Service Corp. 3pp. 76292:001-76292:061.

-9308270213 Notice of violation from insp on 930622-0731.Violation noted:licensee failed to adequately establish surveillance Procedure 1301-8.2, "Diesel Generator Annual Insp."
* Region 1 (Post 820201). 93/08/18. 1p. 76292:004-76292:004.

-9308270218 Safety Insp Rept 50-289/93-14 on 930622-0731.Violations noted.Major areas inspected:plant operations,maint, engineering,radiological control & security as related to plant safety.
ROGGE,J.F. Region 1 (Post 820201). 93/08/11. 47pp. 76292:005-76292:061.

9308250200 Revised EIPs,including rev 8 to EIP-TMI-03, "Emergency Off Site Notifications," rev 3 to EIP-TMI-29, "OSC Operations," & rev 3 to 6410-ADM-1300.04, "Administration of TMI-1 Initial Response & Emergency Support..."
* General Public Utilities Corp. - GPU Service Corp. 93/08/20. 69pp. 76222:199-76222:267.

9308260190 Rev 2 to EIP-TMI-02, "Emergency Direction"
BROWN,N. General Public Utilities Corp. - GPU Service Corp. 93/08/20. 45pp. 76237:245-76237:289.

G. Adjudicatory correspondence

9308250456 Responds to 930718 ltr to Chairman Selin re status of 10CFR2.206 petition involving offsite emergency preparedness issues near plant.
MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 93/08/09. GARY,R. Pennsylvania Institute for Clean Air. 4pp. 76214:050-76214:055.

-9308250462 Expresses disappointment w/NRC due to lack of action re 920710 emergency 10CFR2.206 request.
GARY,R. Pennsylvania Institute for Clean Air. 93/08/09. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 2pp. 76214:054-76214:055.

P. Operating license stage documents & correspondence

9308100134 Requests addl info re util response to GL 92-01,rev 1.
HERNAN,R.W. Project Directorate I-4. 93/07/19. BROUGHTON,T.G. General Public Utilities Corp. - GPU Service Corp. 4pp. 76027:357-76027:360.

9308100205 Discusses util response to GL 89-19 & finds that response meets intent of GL 89-19 recommendations & is acceptable.
HERNAN,R.W. Project Directorate I-4. 93/07/19. BROUGHTON,T.G. General Public Utilities Corp. - GPU Service Corp. 4pp. 76059:140-76059:143.

9308040148 Informs NRC of planned mod to provide drain line & drain valve (DH-V158A/B) for safety-related decay heat sys piping between reactor bldg containment wall & DH-V68A/B valves.
BROUGHTON,T.G. General Public Utilities Corp. - GPU Service Corp. 93/07/27. Document Control Branch (Document Control Desk). 3pp. 75997:219-75997:221.

9308060195 Concludes that establishment of SAT-based training program, per Training Rule (10CFR50.120) not warranted, based on listed training needs assessment.
LONG,R.L. General Public Utilities Corp. - GPU Service Corp. 93/07/29. Document Control Branch (Document Control Desk). 4pp. 76059:233-76059:236.

9308060289 Forwards Rev 3 to Topical Rept 083, "TMI Unit 1, Cycle 9 COLR," incorporating reload methodology refs currently listed in TS Section 6.9.5 to support TMI Unit 1 TS Change Request 225, submitted to NRC on 930607.
BROUGHTON,T.G. General Public Utilities Corp. - GPU Service Corp. 93/08/02. Document Control Branch (Document Control Desk). 1p. 76026:066-76026:100.

-9308060291 "TMI Unit 1, Cycle 9 COLR."
JAFFA,R. General Public Utilities Corp. - GPU Service Corp. TR 083 R03. 93/06/28. 34pp. 76026:067-76026:100.

9308200229 Forwards notice of consideration of issuance of amend to license, proposed NSHC determination & opportunity for hearing re 930607 request to revise TS to reflect inclusion of gadolinia-urania in fuel rod design description.
HERNAN,R.W. Project Directorate I-4. 93/08/02. BROUGHTON,T.G. General Public Utilities Corp. - GPU Service Corp. 3pp. 76163:325-76163:335.

-9308200235 Notice of consideration of issuance of amend to license DPR-50 & proposed NSHC determination & opportunity for hearing. Amend revises TS to reflect inclusion of gadolinia-urania in fuel rod design description.
HERNAN,R.W. Project Directorate I-4. 93/08/02. 8pp. 76163:328-76163:335.

9308170296 Forwards TS change request 229 to License DPR-50 to support compliance w/new requirements of 10CFR20 to be implemented on 940101.
BROUGHTON,T.G. General Public Utilities Corp. - GPU Service Corp. 93/08/09. Document Control Branch (Document Control Desk). 1p. 76154:238-76154:261.

-9308170316 Application for amend to license DPR-50, supporting compliance w/new requirements of 10CFR20 to be implemented on 940101.
BROUGHTON,T.G. General Public Utilities Corp. - GPU Service Corp. 93/08/09. 10pp. 76154:239-76154:248.

-9308170339 Proposed tech specs supporting compliance w/requirements of 10CFR20 by replacing existing pages w/pages 3-12,3-14,3-96, 3-100,3-106,3-110,3-111,3-119,3-119a,6-12a,6-20,6-21 & 6-22.
* General Public Utilities Corp. - GPU Service Corp. 93/08/09. 13pp. 76154:249-76154:261.

9308230208 Forwards Amend 176 to license DPR-50 & safety evaluation. Amend extends effectiveness of TS pressure vs temp limits until plant operation reached 15.2 EFPP.
HERNAN,R.W. Project Directorate I-4. 93/08/16. BROUGHTON,T.G. General Public Utilities Corp. - GPU Service Corp. 3pp. 76178:200-76178:216.

-9308230217 Amend 176 to license DPR-50, extending effectiveness of TS pressure vs temp limits until plant operation has reached 15.2 EFPP.
STOLZ,J.F. Project Directorate I-4. 93/08/16. 8pp. 76178:203-76178:210.

-9308230219 Safety evaluation supporting amend 176 to license DPR-50.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 93/08/16. 6pp. 76178:211-76178:216.

9308240305 Forwards Rev 1 of Rept 50097-R-001, "Conservative Design In-Structure Response Spectra for Resolution of USI A-46 for TMI, Unit 1," in response to Suppl 1 to GL-87-02.
KEATEN,R.W. General Public Utilities Corp. - GPU Service Corp. 93/08/19. Document Control Branch (Document Control Desk). 2pp. 76213:193-76213:307.

-9308240310 "Conservative Design In-Structure Response Spectra for Resolution of USI A-46 for TMI, Unit 1."
* EQE International. 50097-R-001 R01. 93/07/31. 112pp. 76213:195-76213:307.

9308270035 Forwards TS Change Request 231 to License DPR-50, adopting provision of STS which allows period of 24 h to complete SR upon discovery that surveillance missed.
BROUGHTON,T.G. General Public Utilities Corp. - GPU Service Corp. 93/08/24. Document Control Branch (Document Control Desk). 1p. 76292:147-76292:157.

-9308270041 TS Change Request 231 to License DPR-50, adopting provision of STS which allows period of 24 h to complete SR upon discovery that SR missed, per GL 87-09 & NUREG-1430, in response to violation noted in Insp Rept 50-289/92-20.
BROUGHTON,T.G. General Public Utilities Corp. - GPU Service Corp. 93/08/24. 5pp. 76292:148-76292:152.

-9308270042 Proposed tech specs adopting provision of STS which allows period of 24 h to complete SR upon discovery that SR missed.
* General Public Utilities Corp. - GPU Service Corp. 93/08/24. 5pp. 76292:153-76292:157.

9308310208 Forwards TS Change Request 232 to License DPR-50 to accommodate limited fuel reconstitution based on NRC-approved generic B&W Topical Rept BAW-2149, per GL 90-02, Suppl 1.
BROUGHTON,T.G. General Public Utilities Corp. - GPU Service Corp. 93/08/26. Document Control Branch (Document Control Desk). 2pp. 76289:252-76289:261.

-9308310209 TS Change Request 232 to License DPR-50, revising TS to accommodate limited fuel reconstitution based on NRC-approved generic B&W Topical Rept BAW-2149, per GL 90-02, Suppl 1.
BROUGHTON,T.G. General Public Utilities Corp. - GPU Service Corp. 93/08/26. 5pp. 76289:254-76289:258.

-9308310210 Proposed tech specs to accommodate limited fuel reconstitution based on NRC-approved generic B&W Topical Rept BAW-2149.
* General Public Utilities Corp. - GPU Service Corp. 93/08/26. 3pp. 76289:259-76289:261.

Q. Inspection reports, IE Bulletins & correspondence

9307190043 NRC Info Notice 93-057, "Software Problems Involving Digital Control Console Sys at Non-Power Reactors."
GRIMES,B.K. Division of Operating Reactor Support (Post 921004). 93/07/23. Consolidated Edison Co. of New York, Inc. 9pp. 76111:200-76111:208.

9308240082 Forwards technical review rept re, "Tardy Licensee Actions" initiated because of delayed replacement of batteries in uninterruptible power supplies at plant.
ISRAEL,S.L. Reactor Operations Analysis Branch. 93/08/05. ROSENTHAL,J.E. Reactor Operations Analysis Branch. 2pp. 76218:177-76218:193.

-9308240165 Technical review rept, "Tardy Licensee Actions."
ISRAEL,S.L. Reactor Operations Analysis Branch. 93/08/31. 13pp. 76218:179-76218:193.

9308180265 Forwards EP insp rept 50-289/93-08 on 930607-11 & notice of violation.
HEHL,C.W. Region 1 (Post 820201). 93/08/11. BROUGHTON,T.G. General Public Utilities Corp. - GPU Service Corp. 4pp. 76158:202-76158:223.

-9308180271 Notice of violation from EP insp on 930607-11. Violations noted: fire doors C415 & C418 did not meet life safety criteria in that locks were not fitted w/simple releasing devices.
* Region 1 (Post 820201). 93/08/11. 2pp. 76158:206-76158:207.

-9308180277 Insp rept 50-289/93-08 on 930607-11. Violations noted: Major areas inspected: changes to EP & implementing procedures, emergency facilities, equipment, instrumentation & supplies, organization & mgt control & training effectiveness.
LAUGHLIN,J., MCCABE,E. Region 1 (Post 820201). 93/08/05. 16pp. 76158:208-76158:223.

9308270209 Forwards Safety Insp Rept 50-289/93-14 on 930622-0731 & notice of violation.
BLOUGH,A.R. Region 1 (Post 820201). 93/08/18. BROUGHTON,T.G. General Public Utilities Corp. - GPU Service Corp. 3pp. 76292:001-76292:061.

-9308270213 Notice of violation from insp on 930622-0731. Violation noted: licensee failed to adequately establish surveillance Procedure 1301-8.2, "Diesel Generator Annual Insp."
* Region 1 (Post 820201). 93/08/18. 1p. 76292:004-76292:004.

-9308270218 Safety Insp Rept 50-289/93-14 on 930622-0731. Violations noted: Major areas inspected: plant operations, maint, engineering, radiological control & security as related to plant safety.
ROGGE,J.F. Region 1 (Post 820201). 93/08/11. 47pp. 76292:005-76292:061.

9308310047 Forwards insp rept 50-289/93-17 on 930802-06. No violations noted.
JOYNER,J.H. Region 1 (Post 820201). 93/08/18. BROUGHTON,T.G. General Public Utilities Corp. - GPU Service Corp. 3pp. 76263:256-76263:273.

-9308310050 Insp rept 50-289/93-17 on 930802-06. No violations noted. Major areas inspected: radiological & nonradiological chemistry programs.
MCNAMARA,N., KOTTAN,J., BORES,R. Region 1 (Post 820201). 93/08/17. 15pp. 76263:259-76263:273.

9308270035 Forwards TS Change Request 231 to License DPR-50, adopting provision of STS which allows period of 24 h to complete SR upon discovery that surveillance missed.
BROUGHTON,T.G. General Public Utilities Corp. - GPU Service Corp. 93/08/24. Document Control Branch (Document Control Desk). 1p. 76292:147-76292:157.

-9308270041 TS Change Request 231 to License DPR-50, adopting provision of STS which allows period of 24 h to complete SR upon discovery that SR missed, per GL 87-09 & NUREG-1430, in response to violation noted in Insp Rept 50-289/92-20.
BROUGHTON,T.G. General Public Utilities Corp. - GPU Service Corp. 93/08/24. 5pp. 76292:148-76292:152.

R. Periodic operating reports & related correspondence

9303200169 Monthly operating rept for Jul 1993 for TMI-1.W/930811 ltr.
HEYSEK,W.G., BROUGHTON,T.G. General Public Utilities Corp. - GPU Service Corp. 93/07/31. 8pp. 76190:349-76190:356.

S. Reportable occurrences, LERs & related correspondence

9308030372 Potential Part 21 rept re Limitorque actuator motors. Utils & other purchases listed in encl being advised of concern. Limitorque revising selection procedure for safety related actuators, motors & technical data packages.
TAYLOR,J.H. Babcock & Wilcox Co. 93/07/22. Document Control Branch (Document Control Desk). 8pp. 75976:349-75976:356.

54 DOCKETED ITEMS

9308090210 LER 93-006-00: on 930701, lube oil accumulation discovered on EDG EG-Y-1B due to inadequate maint. EDG removed from svc & leak repaired by retorquing filter housing bolts. W/930802 ltr. HEYSEK, W.G., BROUGHTON, T.G. General Public Utilities Corp. - GPU Service Corp. 93/08/02. 6pp. 76091:059-76091:064.

9308250362 Provides insp results & safety analysis re operational amplifiers discussed in 920917 & 23 ltrs as potential safety issue. Concludes that there are no safety concerns w/ respect to buffer amplifier module. Ltr not 10CFR21 notification. TAYLOR, J.H. Babcock & Wilcox Co. 93/08/19. Document Control Branch (Document Control Desk). 4pp. 76218:272-76218:275.

DOCKET 50-293 PILGRIM NUCLEAR POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9308040251 Forwards encl 8 to SECY-93-166, "Staff Recommendation For Protection Against Malevolent Use of Vehicles At Nuclear Power Plants." Encl withheld (safeguards info). PARTLOW, J.G. Associate Director for Projects (Post 870411). 93/07/15. BOULETTE, E.T. Boston Edison Co. 3pp. 75979:070-75979:072.

9308040123 Rev 12 to "Pilgrim Nuclear Power Station Emergency Plan." W/ 930726 ltr. BOULETTE, E.T. Boston Edison Co. 93/07/26. 100pp. 75996:099-75996:231.

9308090007 Forwards insp rept 50-293/93-13 on 930608-0712. Non-cited violation noted. LINVILLE, J. Region 1 (Post 820201). 93/07/30. BOULETTE, E.T. Boston Edison Co. 6pp. 76020:009-76020:031.

9308090009 Insp rept 50-293/93-13 on 930608-0712. Non-cited violation noted. Major areas inspected: plant operations, radiological controls, maint & surveillance, security, safety assessment & quality verification & engineering & technical support. KELLY, E. Region 1 (Post 820201). 93/07/27. 17pp. 76020:015-76020:031.

9308230275 Provides evaluation of 930727 response to NRC 930617 ltr re violations noted in Insp Rept 50-293/93-10 & presents significant issues discussed during 930804 meeting re HP issues presented in subj insp rept. HEHL, C.W. Region 1 (Post 820201). 93/08/12. BOULETTE, E.T. Boston Edison Co. 19pp. 76204:141-76204:164.

9308300239 Forwards 930615 ltr to Chairman Selin & J Taylor re concerns raised about SALP process, evaluations of EP area by NRC & FEMA & NRC conclusions contained in SALP rept. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 93/08/16. FLEMING, J. Affiliation Not Assigned. 1p. 76266:182-76266:191.

9308170279 Provides results of Emergency Preparedness Branch independent assessment of EP section of initial SALP rept for plant for period 910929-930313. Agrees w/ conclusions drawn in initial SALP rept. CONGEL, F.J. Division of Radiation Safety & Safeguards (Post 921004). 93/07/27. HEHL, C.W. Region 1 (Post 820201). 3pp. 76266:183-76266:191.

9308250202 Forwards initial status rept of efforts to establish replacement facility for Wellesley Reception Center, in response to NRC 930629 request. Info in rept primarily re actions undertaken in support of MA Emergency Mgt Agency. BOULETTE, E.T. Boston Edison Co. 93/08/18. Document Control Branch (Document Control Desk). 9pp. 76218:301-76218:309.

G. Adjudicatory correspondence

9308160048 Joint motion to extend date for filing petitioners contentions. * Parties jointly request that Board extend date for filing petitioner contentions from 930813 to 930827. W/Certificate of Svc. FULTON, J.M. Boston Edison Co. DEAN, G.B. Massachusetts, Commonwealth of. #393 14201. 93/08/11. Atomic Safety & Licensing Board Panel. 3pp. 76088:019-76088:021.

9308250059 Memorandum & order (extension of time). * Petitioner suppl w/ contentions should be filed by 930827 & licensee response to suppl should be filed within 10 days thereafter. W/Certificate of Svc. Served on 930813. GLEASON, J.P. Atomic Safety & Licensing Board Panel. #393 14208. 93/08/13. Office of the General Counsel (Post 860701). 2pp. 76189:289-76189:290.

P. Operating license stage documents & correspondence

9308260139 Ltr contract, awarding Task Order 13, "IPE Reviews - Internal Events - Human Factors Only (Pilgrim 1)." to contract NRC-04-91-069. MATTIA, M.J. Contract Administration Branch 2 (Post 900603). FIN L-1934. 93/04/14. HAAS, P.M. Concord Associates, Inc. 8pp. 76215:255-76215:262.

9308260050 Ltr contract, awarding Task Order 13, "IPE Reviews - Internal Events - Front End Only (Pilgrim 1)." to contract NRC-04-91-066. MATTIA, M.J. Contract Administration Branch 2 (Post 900603). FIN L-5787. 93/04/16. COLINA, I. Science & Engineering Associates, Inc. 9pp. 76214:322-76214:330.

9308250295 Ltr contract, awarding task order 14, "Individual Plant Exam Reviews, Internal Events - Back-End Only (Pilgrim 1)." MATTIA, M.J. Division of Contracts & Property Management (Post 890205). FIN L-1933. 93/05/17. MATTSON, R.J. SCIENTECH, Inc. 9pp. 76212:134-76212:142.

9308030031 Ack receipt of 930524 response to 930423 request for info re refueling activities at plant in Apr 1993. Response acceptable. COOPER, R.W. Region 1 (Post 820201). 93/07/22. BOULETTE, E.T. Boston Edison Co. 3pp. 75935:106-75935:112.

9308030045 Forwards thirty day response to concerns stated in encl to 930428 ltr re undervessel work at plant. Stated concerns could not be substantiated. BOULETTE, E.T. Boston Edison Co. 93/05/24. WIGGINS, J.T. Region 1 (Post 820201). 4pp. 75935:109-75935:112.

9308030034 Ack receipt of 10CFR50.54(a) submittal re QA program change review. Staff reviewed submittal & determined that changes to QA program acceptable. BETTENHAUSEN, L. Region 1 (Post 820201). 93/07/23. BOULETTE, E.T. Boston Edison Co. 3pp. 75935:113-75935:115.

9308160066 Application for amend to license DPR-35, proposing 24 month fuel cycle. BOULETTE, E.T. Boston Edison Co. 93/08/09. Document Control Branch (Document Control Desk). 5pp. 76124:323-76124:342.

9308160069 Proposed tech specs, proposing 24 month fuel cycle. * Boston Edison Co. 93/08/09. 15pp. 76124:328-76124:342.

9308300013 Forwards SE re licensee response to Reg Guide 1.97, "BWR Neutron Flux Monitoring." Criteria of NEDO-31558, acceptable for current BWR operating license & const permit holders. EATON, R.B. Project Directorate I-3. 93/08/11. BOULETTE, E.T. Boston Edison Co. 5pp. 76274:045-76274:053.

9308300015 Safety evaluation re licensee response to Reg Guide 1.97, "BWR Neutron Flux Monitoring." Criteria of NEDO-31558, acceptable for current BWR operating license & const permit holders. * Office of Nuclear Reactor Regulation, Director (Post 870411). 93/08/11. 5pp. 76274:049-76274:053.

9308200179 Forwards final "Pilgrim Nuclear Power Station Unit 1 Reactor Containment Bldg Integrated Leakage Rate Test Rept." for 930519. BOULETTE, E.T. Boston Edison Co. 93/08/13. Document Control Branch (Document Control Desk). 1p. 76184:065-76184:239.

9308200327 Final "Pilgrim Nuclear Power Station Unit 1 Reactor Containment Bldg Integrated Leakage Rate Test Rept." * General Physics Corp. 93/05/19. 175pp. 76184:066-76184:239.

Q. Inspection reports, IE Bulletins & correspondence

9307190043 NRC Info Notice 93-057, "Software Problems Involving Digital Control Console Sys at Non-Power Reactors." GRIMES, B.K. Division of Operating Reactor Support (Post 921004). 93/07/23. Consolidated Edison Co. of New York, Inc. 9pp. 76111:200-76111:208.

9308030195 Responds to NRC ltr re violations noted in insp rept 50-293/93-10, C/As: advanced radiation training will be implemented by Technical Training Div for Supervisors & selected contractor personnel that work in radiation area. BOULETTE, E.T. Boston Edison Co. 93/07/26. Document Control Branch (Document Control Desk). 5pp. 75977:350-75977:354.

9308090007 Forwards insp rept 50-293/93-13 on 930608-0712. Non-cited violation noted. LINVILLE, J. Region 1 (Post 820201). 93/07/30. BOULETTE, E.T. Boston Edison Co. 6pp. 76020:009-76020:031.

9308090009 Insp rept 50-293/93-13 on 930608-0712. Non-cited violation noted. Major areas inspected: plant operations, radiological controls, maint & surveillance, security, safety assessment & quality verification & engineering & technical support. KELLY, E. Region 1 (Post 820201). 93/07/27. 17pp. 76020:015-76020:031.

9308300252 Ack that licensee has completed all action items discussed in IEB-93-003, "Resolution Of Issues Related To RV Water Level Instrumentation In BWRs." Closes out TAC M86908. EATON, R.B. Project Directorate I-3. 93/08/11. BOULETTE, E.T. Boston Edison Co. 3pp. 76266:193-76266:195.

9308230275 Provides evaluation of 930727 response to NRC 930617 ltr re violations noted in Insp Rept 50-293/93-10 & presents significant issues discussed during 930804 meeting re HP issues presented in subj insp rept. HEHL, C.W. Region 1 (Post 820201). 93/08/12. BOULETTE, E.T. Boston Edison Co. 19pp. 76204:141-76204:164.

9308190085 Responds to NRC ltr re violations noted in insp rept 50-293/93-12 on 930618. Corrective actions: Accomplished lighting survey w/ calibrated light meter. BOULETTE, E.T. Boston Edison Co. 93/08/13. Document Control Branch (Document Control Desk). 3pp. 76160:298-76160:300.

9308230007 Forwards ISI repts conducted during Mid-Cycle Outage 9 & Refueling Outage 9. Repts encompass time period of Oct 1992 & May 1993. BOULETTE, E.T. Boston Edison Co. 93/08/13. Document Control Branch (Document Control Desk). 2pp. 76192:035-76192:357.

9308230016 "Pilgrim Nuclear Power Station Preservice Exam of Reactor Water Cleanup Sys Piping, Ninth Refueling & Insp Outage Rept of Exam Results by GE." * General Electric Co. 93/07/31. 138pp. 76192:037-76192:174.

9308230026 "Pilgrim Nuclear Power Station, BECO ISI, MCO 9, Oct-Nov 1992, Final Rept." LANGLEY, V. Stone & Webster Engineering Corp. 93/01/06. 495pp. 76192:175-76193:305.

9308230030 "ISI Summary Rept for Refuel Outage #9 at Pilgrim Nuclear Power Station." PARDEE, R. Boston Edison Co. 93/07/28. 164pp. 76193:306-76194:105.

9308230043 Vols 1-5 of "Pilgrim Nuclear Power Station, BECO ISI Refueling Outage 9 Mar-May 1993, Final Rept." LANCASTER, P. ASEA Brown Boveri, Inc. 93/07/14. 1708pp. 76194:106-76198:357.

9308300239 Forwards 930615 ltr to Chairman Selin & J Taylor re concerns raised about SALP process, evaluations of EP area by NRC & FEMA & NRC conclusions contained in SALP rept. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 93/08/16. FLEMING, J. Affiliation Not Assigned. 1p. 76266:182-76266:191.

9308170279 Provides results of Emergency Preparedness Branch independent assessment of EP section of initial SALP rept for plant for period 910929-930313. Agrees w/ conclusions drawn in initial SALP rept. CONGEL, F.J. Division of Radiation Safety & Safeguards (Post 921004). 93/07/27. HEHL, C.W. Region 1 (Post 820201). 3pp. 76266:183-76266:191.

9308310180 Requests that one copy of documents from encl SBO document list be sent in order to conduct insp at plant for wk of 930920-24. Purpose of insp, to verify adequacy of program, procedures, training, equipment & sys.
DURR, J.P. Region 1 (Post 820201). 93/08/25. BOULETTE, E.T. Boston Edison Co. 4pp. 76265:004-76265:007.

R. Periodic operating reports & related correspondence

9308020073 Forwards fitness-for-duty program performance data sheets for period of 930101-0630 for Pilgrim Nuclear Power Station, per 10CFR26.71(d).
BOULETTE, E.T. Boston Edison Co. 93/07/23. Document Control Branch (Document Control Desk). 4pp. 75954:192-75954:195.

9308190183 Monthly operating rept for Jul 1993 for Pilgrim Nuclear Power Station. W/ 930813 ltr.
MUNRO, W., KRAFT, E.S. Boston Edison Co. 93/07/31. 8pp. 76168:304-76168:311.

9308250206 "Discharge Monitoring Rept for Jul 1993 for Pilgrim Nuclear Power Station." W/930819 ltr.
SCHMELING, L.L., ROTHERT, W.C. Boston Edison Co. 93/07/31. 9pp. 76218:239-76218:247.

S. Reportable occurrences, LERs & related correspondence

9308120291 Summary of operating reactors events meeting 93-23 on 930623.
CHAFREE, A.E. Events Assessment Branch. 93/07/06. GRIMES, B.K. Division of Operating Reactor Support (Post 921004). 16pp. 76085:245-76085:260.

9308050021 LER 93-007-01: on 930317, automatic closing of RCIC sys turbine steam supply isolation valves occurred due to high steam flow signal. Increased frequency of valve testing from monthly to weekly. W/930726 ltr.
CANNON, R.L., BOULETTE, E.T. Boston Edison Co. 93/07/26. 7pp. 76059:001-76059:007.

9308100126 LER 93-015-00: on 930630, HPCI sys declared inoperable due to indicated flow during surveillance. Caused by foreign matl that plugged portion of restricting orifice. Restricting orifice removed, cleaned & reinstalled. W/930728 ltr.
ELLIS, D.W., BOULETTE, E.T. Boston Edison Co. 93/07/28. 8pp. 76091:098-76091:105.

9308200068 LER 93-017-00: on 930721, HPCI sys declared inoperable due to turbine steam supply valves closure during surveillance testing. HPCI logic test procedures reviewed. Procedure 8.M.2-1.5.10 being revised. W/930813 ltr.
GAY, R.A., BOULETTE, E.T. Boston Edison Co. 93/08/13. 5pp. 76200:008-76200:012.

9308250322 LER 93-016-00: on 930719, HPCI sys declared inoperable. Caused by depiction & description of field common connections on Panalarm Co drawing. Field common for alarm circuit re-established & tested. W/930818 ltr.
ELLIS, D.W., BOULETTE, E.T. Boston Edison Co. 93/08/18. 6pp. 76255:333-76255:338.

9308260002 LER 93-018-00: on 930721, planned shutdown initiated due to unidentified leakage of 3 gpm. On 930722, planned shutdown became TS required shutdown when insp revealed leakage to be RC pressure boundary leakage. Leakage repaired. W/930818 ltr.
ELLIS, D.W., BOULETTE, E.T. Boston Edison Co. 93/08/18. 8pp. 76255:070-76255:077.

9308300151 LER 93-020-00: on 930726, plant personnel found anticipated transient without scram Div 1 pressure transmitters valved out of svc. Caused by lack of procedural clarity. Personnel revised procedure. W/930823 ltr.
CALFA, J.P., BOULETTE, E.T. Boston Edison Co. 93/08/23. 7pp. 76304:061-76304:066.

9308300158 LER 93-019-00: on 930722, automatic actuation of RHR sys portion of PCIS occurred. Caused by momentary pressure transient that actuated protective high pressure switches. Calibr performed. W/930823 ltr.
BASILESCO, G.J., BOULETTE, E.T. Boston Edison Co. 93/08/23. 6pp. 76304:067-76304:072.

U. Congressional/Executive Correspondence

9308240326 Responds to 930629 ltr raising questions re instrumentation for RV water level & cracks on disks of low pressure turbines at plant. Staff analysis encl.
THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). 93/08/04. STUDDS, G.E., KERRY, J.F., KENNEDY, E.M. House of Rep. 8pp. 76211:010-76211:061.

-9307200017 Discusses problems existing at plant re ref leg of BWR water level instrumentation which can lead to false high level indications after rapid depressurization event & issue of operability determinations.
STUDDS, G.E. House of Rep. KENNEDY, E.M., KERRY, J.F. Senate. 93/06/29. THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). 2pp. 76211:060-76211:061.

DOCKET 50-295 ZION NUCLEAR POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9306300288 Requests Commissions approval of proposed relocation of backup emergency operations facility for Zion Nuclear Station from Edison Bldg in Chicago to corporate EOF in Downers Grove, IL.
TAYLOR, J.M. Ofc of the Executive Director for Operations. SECY-93-175. 93/06/22. 171pp. 75986:034-75986:212.

9308030383 Staff requirements memo re SECY-93-175, "Location Of Backup EOF For Zion Nuclear Station."
CHILK, S.J. Office of the Secretary of the Commission. 93/07/13. TAYLOR, J.M. Ofc of the Executive Director for Operations. 1p. 76154:225-76154:225.

9308050300 Corrected Emergency Preparedness & State Programs Corporate EPIPs (CEPIP) CEPIP-2000 Series: Corporate Emergency Response Organization Index.
* Commonwealth Edison Co. 93/07/14. 3pp. 76022:121-76022:123.

9308040274 Forwards encl 8 to SECY 93-166 which describes proposed characteristics of design basis vehicle. W/o encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 93/07/15. FARRAR, D.L. Commonwealth Edison Co. 4pp. 75979:087-75979:090.

9308120273 Informs that NRC has approved licensee 930331 change request to designate licensee corporate emergency operations facility as backup emergency operations facility.
SHIRAKI, C.Y. Project Directorate III-2. 93/07/26. FARRAR, D.L. Commonwealth Edison Co. 3pp. 76085:349-76085:351.

9308100190 Provides addl info on fire barrier qualification, installation & ampacity derating margins for Thermo-Lag applications at facilities, in response to GL 92-08.
CHRZANOWSKI, D. Commonwealth Edison Co. 93/08/04. Office of Nuclear Reactor Regulation, Director (Post 870411). 6pp. 76067:249-76067:254.

9308240072 Notification of 930817 meeting w/util in Rockville, MD to discuss number of security related issues & changes to security plans which impact all sites.
HICKMAN, J.B. Project Directorate III-2. 93/08/05. DYER, J.E. Project Directorate III-2. 5pp. 76199:329-76199:333.

9308190147 Forwards insp rept 50-295/93-12 & 50-304/93-12 on 930726-30. No violations noted. Major areas inspected: review of exercise scenario & follow-up on licensee actions on previously identified items.
MCCORMICK, J.W. Region 3 (Post 820201). 93/08/11. DELGEORGE, L.C. Commonwealth Edison Co. 2pp. 76162:062-76162:066.

-9308190159 Insp repts 50-295/93-12 & 50-304/93-12 on 930726-30. No violations noted. Major areas inspected: review of exercise scenario & follow-up on licensee actions on previously identified items.
PLOSKE, T., SIMONS, H., COX, C. Region 3 (Post 820201). 93/08/11. 23pp. 76162:064-76162:086.

9308300071 Forwards Amend 2 to Rev 2 to "Zion Fire Protection Rept" & change log.
SIMPKIN, T.W. Commonwealth Edison Co. 93/08/23. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 16pp. 76298:070-76298:228.

-9308300075 Amend 2 to Rev 2 to "Zion Fire Protection Rept."
* Commonwealth Edison Co. 93/08/05. 100pp. 76298:086-76298:228.

9308310078 Summary of 930817 meeting w/util in Rockville, MD re security-related issues & proposed mods to security plans. List of attendees encl.
PICKETT, D.V. Project Directorate III-2. 93/08/24. Project Directorate III-2. 7pp. 76274:190-76274:196.

J. Insurance & indemnity information

9308270067 Concludes that financial info submitted for 1993 in 930421 ltr satisfies requirements of Section 140.21 of 10CFR140 that each licensee maintain approved guarantee of payment of deferred premiums for each operating reactor over 100 MWe.
WOOD, R.S. Inspection & Licensing Policy Branch (Post 920712). 93/04/29. PENNOCK, J.B. Commonwealth Edison Co. 2pp. 76248:218-76248:219.

K. Utility Final Safety Analysis Report (FSAR) & amends

9308250277 Forwards "Zion Station Units 1 & 2 Updated FSAR 1993 Annual Update" & "Zion Nuclear Power Station 10CFR50.59 Summary Rept 920101-930222."
SIMPKIN, T.W. Commonwealth Edison Co. 93/08/19. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 76251:001-76251:069.

-9308250283 "Zion Nuclear Power Station, 10CFR50.59 Summary Rept, 920101-930222."
* Commonwealth Edison Co. 93/02/22. 160pp. 76251:004-76251:348.

-9308250293 "Zion Station Units 1 & 2 Updated FSAR 1993 Annual Update."
* Commonwealth Edison Co. 93/07/31. 1100pp. 76251:349-76251:069.

P. Operating license stage documents & correspondence

9308160104 Forwards info on P-T limits from discussion at April OG meeting re pressure temp limit rept in administrative controls section of STS.
GRIMES, C.I. Technical Specifications Branch. 93/05/18. BUSH, L. Westinghouse Operating Plants Owners Group. ROBERTSON, J.L. BWR Owners Group. WOODS, B. C-E Operating Plants Owners Group. 2pp. 76102:352-76102:356.

9308260238 "Response to Request for Technical Assistant re Auxiliary Bldg Ventilation Sys at Zion Nuclear Power Station."
* Office of Nuclear Reactor Regulation, Director (Post 870411). 93/06/23. 1p. 76266:322-76266:328.

-9308260244 Forwards responses to questions asked in 930423 TAR re auxiliary bldg ventilation sys at Zion Nuclear Power Station.
ZWOLINSKI, J.A. Assistant Director for Region III Reactors (Post 901216). 93/06/23. GREENMAN, E.G. Region 3 (Post 820201). 6pp. 76266:323-76266:328.

9308300056 Forwards lists & table 5.7.2.13 re proposed administrative control for SG tube surveillance program, also intended to be implemented by lead plants during conversion to improved STS.
RUSSELL, W.T. Associate Director for Inspection & Technical Assessment (Post 870411). 93/06/25. BUSH, L. Westinghouse Operating Plants Owners Group. WUNDERLY, B. Babcock & Wilcox Operating Plants Owners Group. WOODS, B. C-E Operating Plants Owners Group. 8pp. 76266:140-76266:147.

9308090286 Discusses 930625 meeting between AVN & NRC re request that NRC provide AVN w/copy of approved Westinghouse software verification & validation plan for plant. Document can not be released by NRC.
WERMEL, J.S. Instrumentation & Controls Branch. 93/07/19. ASHLEY, R. Affiliation Not Assigned. 1p. 76074:296-76074:296.

56 DOCKETED ITEMS

9308030320 Ack receipt of 930630 & 0713 submittals, incorporating changes in QA program description topical report. Anticipates 60 days to complete review of submittal. RING, M.A. Region 3 (Post 820201). 93/07/27. DELGEORGE, L.O. Commonwealth Edison Co. 2pp. 75979:304-75979:305.

9308050282 Forwards response to NRC 930623 RAI re BAW-2148P, "Low Upper-Shelf Toughness Fracture Mechanics Analysis of RVs of Zion, Units 1 & 2 for Load Level A & B Conditions," dtd 1992. SIMPKIN, T.W. Commonwealth Edison Co. 93/07/29. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 21pp. 76017:329-76017:349.

9308100156 Provides response to Generic Ltr 93-04, "Rod Control Sys Failure & Withdrawal of Rod Control Cluster Assemblies." CHRZANOWSKI, D. Commonwealth Edison Co. 93/08/04. Document Control Branch (Document Control Desk). 9pp. 76078:235-76078:243.

9308100190 Provides addl info on fire barrier qualification, installation & ampacity derating margins for Thermo-Lag applications at facilities, in response to GL 92-08. CHRZANOWSKI, D. Commonwealth Edison Co. 93/08/04. Office of Nuclear Reactor Regulation, Director (Post 870411). 6pp. 76067:249-76067:254.

9308260158 Advises that NRC has no technical objection to licensee 930521 request to change frequency of meetings w/fuel vendors from once per reload design to once yearly. DYER, J.E. Project Directorate III-3. 93/08/09. FARRAR, D.L. Commonwealth Edison Co. 3pp. 76216:358-76216:360.

9308200005 Notification of 930818 meeting w/util in Rockville, MD to discuss approach NRR taking to address cost beneficial licensing actions. SIEGEL, B.L. Project Directorate III-2. 93/08/17. MURLEY, T., PARTLOW, J., GILLESPIE, F. NRC - No Detailed Affiliation Given. 4pp. 76209:284-76209:287.

9308230113 Forwards Rev 64 to Topical Rept CE-1-A, "Comm Ed QA Manual." BAUER, J.A. Commonwealth Edison Co. 93/08/20. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 76179:001-76179:190.

-9308230114 Rev 64 to Topical Rept CE-1-A, "Comm Ed QA Manual." * Commonwealth Edison Co. 93/08/17. 18pp. 76179:002-76179:190.

9308300310 LAR 93-08 to Licenses DPR-39 & DPR-48, revising TS Sections 1.6 & bases for Section 3/4.11 & 3/4.12 for implementation of latest rev to 10CFR20. SIMPKIN, T.W. Commonwealth Edison Co. 93/08/23. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 8pp. 76284:166-76284:192.

-9308300314 Proposed tech specs for implementation of latest rev to 10CFR20, "Stds for Protection Against Radiation." * Commonwealth Edison Co. 93/08/23. 19pp. 76284:174-76284:192.

Q. Inspection reports, IE Bulletins & correspondence

9307190043 NRC Info Notice 93-057, "Software Problems Involving Digital Control Console Sys at Non-Power Reactors." GRIMES, B.K. Division of Operating Reactor Support (Post 921004). 93/07/23. Consolidated Edison Co. of New York, Inc. 9pp. 76111:200-76111:208.

9308040232 Informs that BIT removal mod (M22-192)-88-021) completed & Unit 1 declared operable, per 900619 commitment in response to NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." SIMPKIN, T.W. Commonwealth Edison Co. 93/07/29. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 75997:089-75997:090.

9308090319 Forwards "Third 10-Yr Insp Interval ISI Plan for Zion Nuclear Power Station, Units 1 & 2." SIMPKIN, T.W. Commonwealth Edison Co. 93/08/03. MURLEY, T.E., DENTON Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 76037:113-76037:187.

-9308090320 Rev 0 to "Third 10-Yr Insp Interval ISI Plan for Zion Nuclear Power Station, Units 1 & 2." * Commonwealth Edison Co. 93/06/14. 74pp. 76037:114-76037:187.

9308100168 Forwards safety insp repts 50-295/93-14 & 50-304/93-14 on 930610-0720. Violations self-identified & not cited. FARBER, M.J. Region 3 (Post 820201). 93/08/05. DELGEORGE, L.O. Commonwealth Edison Co. 2pp. 76026:031-76026:047.

-9308100173 Safety insp repts 50-295/93-14 & 50-304/93-14 on 930610-0720. Violations self-identified & not cited. Major areas inspected: action on previous findings, summary of operations, operational safety verification & ESF Sys walkdown. FARBER, M.J. Region 3 (Post 820201). 93/08/05. 15pp. 76026:033-76026:047.

9308190147 Forwards insp rept 50-295/93-12 & 50-304/93-12 on 930726-30. No violations noted. Major areas inspected: review of exercise scenario & follow-up on licensee actions on previously identified items. MCCORMICK, J.W. Region 3 (Post 820201). 93/08/11. DELGEORGE, L.O. Commonwealth Edison Co. 2pp. 76162:062-76162:086.

-9308190159 Insp repts 50-295/93-12 & 50-304/93-12 on 930726-30. No violations noted. Major areas inspected: review of exercise scenario & follow-up on licensee actions on previously identified items. PLOSKI, T., SIMONS, H., COX, C. Region 3 (Post 820201). 93/08/11. 23pp. 76162:064-76162:086.

9308250238 Forwards exam rept 50-295/OL-93-02 for wks of 930712 & 19. RING, M.A. Region 3 (Post 820201). 93/08/18. DELGEORGE, L.O. Commonwealth Edison Co. 2pp. 76189:147-76189:162.

-9308250265 Exam rept 50-295/OL-93-02 for wks of 930712 & 19. Exam results: four RO passed exams. HANSEN, J., EHRHARDT, F., LENNARTZ, J. Region 3 (Post 820201). 93/08/18. 13pp. 76189:149-76189:162.

9308250477 Forwards Hydro Relief Requests 11, 12, 13, 14 & 15 & technical approach & Position 11. SIMPKIN, T.W. Commonwealth Edison Co. 93/08/19. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 12pp. 76219:053-76219:064.

9308310174 Forwards safety insp repts 50-295/93-16 & 50-304/93-16 on 930802-06. No violations noted. SNELL, W. Region 3 (Post 820201). 93/08/24. DELGEORGE, L.O. Commonwealth Edison Co. 2pp. 76264:353-76264:359.

-9308310183 Safety insp repts 50-295/93-16 & 50-304/93-16 on 930802-06. No violations noted. Major areas inspected: radiation protection program. LOUDEN, P.L., SNELL, W. Region 3 (Post 820201). 93/08/23. 5pp. 76264:355-76264:359.

R. Periodic operating reports & related correspondence

9308090295 Forwards errata to Zion Nuclear Power Station, units 1 & 2 annual environment operating rept. SCHUSTER, T. Commonwealth Edison Co. 93/07/26. MARTIN, J. Region 3 (Post 820201). 1p. 76059:357-76059:359.

-9308090299 Errata to Zion Nuclear Power Station, units 1 & 2 annual environment operating rept. * Commonwealth Edison Co. 92/12/31. 2pp. 76059:358-76059:359.

9308170324 Monthly operating repts for Jul 1993 for Zion Generating Station, units 1 & 2. W/930812 ltr. CYGAN, J., BROCCOLO, E.A. Commonwealth Edison Co. 93/07/31. 14pp. 76137:217-76137:230.

9308250277 Forwards "Zion Station Units 1 & 2 Updated FSAR 1993 Annual Update" & "Zion Nuclear Power Station 10CFR50.59 Summary Rept 920101-930222." SIMPKIN, T.W. Commonwealth Edison Co. 93/08/19. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 76251:001-76251:069.

-9308250283 "Zion Nuclear Power Station, 10CFR50.59 Summary Rept, 920101-930222." * Commonwealth Edison Co. 93/02/22. 160pp. 76251:004-76251:348.

9308260021 Forwards fitness-for-duty program performance data for Braidwood, Byron, Dresden, LaSalle, Quad-Cities & Zion Stations for six month period ending 930630. SIMPKIN, T.W. Commonwealth Edison Co. 93/08/20. Document Control Branch (Document Control Desk). 24pp. 76259:243-76259:266.

S. Reportable occurrences, LERs & related correspondence

9308030372 Potential Part 21 rept re Limitorque actuator motors. Utilis & other purchases listed in encl being advised of concern. Limitorque revising selection procedure for safety related actuators, motors & technical data packages. TAYLOR, J.H. Babcock & Wilcox Co. 93/07/22. Document Control Branch (Document Control Desk). 8pp. 75976:349-75976:356.

9308090225 LER 93-007-00 on 930707 reactor tripped due to shorted terminal on loop stop isolation valve limit switch. Shorted lug on 1MOV-RC8001D limit switch repaired & 1MOV-RC8002B limit switch housing dried out. W/930803 ltr. CAMPOS, A.R., JOYCE, T.P. Commonwealth Edison Co. 93/08/03. 4pp. 76091:065-76091:068.

V. Operator Examinations

9308030302 Informs of NRC plans to administer generic fundamentals exam section written operator licensing exam on 931006. RING, M.A. Region 3 (Post 820201). 93/07/28. Consumers Power Co. 3pp. 75983:358-75983:360.

9308230067 Informs of individual exam results for applicants on initial exam conducted on 930713-20 by NRC staff & forwards info re exam. W/o encl. RING, M.A. Region 3 (Post 820201). 93/08/17. LASPISA, L.J. Commonwealth Edison Co. 1p. 76165:136-76165:136.

9308250258 Forwards exam rept 50-295/OL-93-02 for wks of 930712 & 19. RING, M.A. Region 3 (Post 820201). 93/08/18. DELGEORGE, L.O. Commonwealth Edison Co. 2pp. 76189:147-76189:162.

-9308250265 Exam rept 50-295/OL-93-02 for wks of 930712 & 19. Exam results: four RO passed exams. HANSEN, J., EHRHARDT, F., LENNARTZ, J. Region 3 (Post 820201). 93/08/18. 13pp. 76189:149-76189:162.

DOCKET 50-296 BROWNS FERRY NUCLEAR POWER STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

9308050237 Forwards encl 8 to SECY 93-166 which describes proposed characteristics of design basis vehicle. W/o encl. PARTLOW, J.G. Associate Director for Projects (Post 870411). 93/07/15. MEDFORD, M.O. Tennessee Valley Authority. 3pp. 75990:307-75990:309.

9308030175 Ack receipt of 930602 ltr transmitting rev 19 to plant training & qualification plans. Changes consistent w/ provisions of 10CFR50.54(p) & acceptable. COLLINS, D.M. Region 2 (Post 820201). 93/07/22. MEDFORD, M.O. Tennessee Valley Authority. 4pp. 75936:286-75936:289.

9308060200 Rev 8 to EPIP CECC EPIP-14, "Nuclear Emergency Public Info Org & Operations," & App A-G. W/930726 ltr. CARD, L.G., SCHOFIELD, B.S. Tennessee Valley Authority. 93/07/26. 35pp. 76034:323-76034:357.

9308050145 Submits daily highlights re meeting w/plant to discuss potential cost beneficial licensing actions re security requirements at plant. WILLIAMS, J.F. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 93/07/28. MURLEY, T., MIRAGLIA, F., RUSSELL, W. NRC - No Detailed Affiliation Given. 4pp. 75991:298-75991:301.

9308090038 Revised Central Emergency Control Ctr (CECC) EIPs, including Rev 15 to CECC EPIP-1, "CECC Alert, Site Area Emergency & General Emergency & Rev 9 to CECC EPIP-6, "CECC Plant Assessment Staff Procedure...." W/930802 ltr. SCHOFIELD, B.S. Tennessee Valley Authority. 93/08/02. 66pp. 76060:230-76060:295.

9308260174 Informs that triannual plant performance review for Branch 4 facilities scheduled for 930817. Plant status repts & master insp plans for plants encl. Evaluation of licensee performance in assigned SALP functional area required. CRLINJAK, R.V. Region 2 (Post 820201). 93/08/05. JULIAN, C.A. Region 2 (Post 820201). 3pp. 76260:001-76260:144.

-9308260180 "Plant Status Rept, Browns Ferry Nuclear Plant, Units 1, 2 & 3." * Region 2 (Post 820201). 93/08/31. 92pp. 76260:053-76260:144.

P. Operating license stage documents & correspondence

9308060110 Forwards RII-93-A-0053 which documents info received during discussions between Region II personnel & concerned individual & requests that Region II initiate review of concern. Encl withheld per 10CFR2.790(a)(6)(7). MERSCHOFF, E.W. Region 2 (Post 820201). 93/07/16. MEDFORD, M.O. Tennessee Valley Authority. 3pp. 75993:214-75993:216.

9308050089 Requests that liquid samples spiked w/beta emitting radionuclides be analyzed for tritium, Fe-55, Sr-89 & Sr-90 concentrations. Analyses should be completed no later than 60 days from receipt of ltr. CLINE, W.E. Region 2 (Post 820201). 93/07/28. MEDFORD, M.O. Tennessee Valley Authority. 3pp. 75972:130-75972:132.

9308060376 Provides info re qualification of plant neutron monitoring instrumentation. Plant APRMs meet alternate criteria contained in NEDO-31558-A, Section 5.2 w/ listed exceptions. Comparison to criteria in BWROG Rept NEDO-31558-A encl. SALAS, P. Tennessee Valley Authority. 93/07/30. Document Control Branch (Document Control Desk). 12pp. 76036:272-76036:283.

9308190123 Summary of 930720 meeting w/util in Rockville, MD to discuss plans & schedule to implement improved STS at plant. Meeting attendees listed in encl 1. HEBDON, F.J. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 93/07/30. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 9pp. 76153:024-76153:033.

9308090281 Forwards response to GL 92-01, Rev 1 re RV structural integrity, w/respect to Items 2.a & 2.b. SALAS, P. Tennessee Valley Authority. 93/08/02. Document Control Branch (Document Control Desk). 5pp. 76062:165-76062:169.

9308170411 Provides response to NRC request for addl info re LPCI operability w/ RHRS aligned for shutdown cooling. BARON, R.R. Tennessee Valley Authority. 93/08/12. Document Control Branch (Document Control Desk). 6pp. 76137:275-76137:280.

9308240352 Describes TVA current plans for compliance w/Generic SER, BWR scram discharge sys, included in NRC 901209 ltr. Discussion of background of issue, which includes description of long-term mods previously implemented on Unit 2 encl. ZERINGUE, O.J. Tennessee Valley Authority. 93/08/17. Document Control Branch (Document Control Desk). 11pp. 76211:320-76211:330.

9308250149 Forwards changes to TVA nuclear QA plan, rev 3. Changes in regard to organizational & functional realignments. Changes will also be submitted in TVA annual update of nuclear QA plan. SCHOFIELD, B.S. Tennessee Valley Authority. 93/08/20. Document Control Branch (Document Control Desk). 6pp. 76218:327-76218:332.

Q. Inspection reports, IE Bulletins & correspondence

9308060156 Ack receipt of 930601 ltr informing NRC of steps taken to correct violations noted in insp repts 50-259/93-12, 50-260/93-12 & 50-296/93-12. Request for reclassification of violation denied. MERSCHOFF, E.W. Region 2 (Post 820201). 93/06/30. MEDFORD, M.O. Tennessee Valley Authority. 5pp. 75993:353-75993:357.

9308060084 Forwards insp repts 50-259/93-24, 50-260/93-24 & 50-296/93-24 on 930607-11. No violations or deviations noted. CLINE, W.E. Region 2 (Post 820201). 93/07/09. MEDFORD, M.O. Tennessee Valley Authority. 3pp. 75993:042-75993:058.

-9308060087 Insp repts 50-259/93-24, 50-260/93-24 & 50-296/93-24 on 930607-11. No violations or deviations noted. Major areas inspected: organization & staffing, audits & appraisals, training, exposure control & internal exposure control. PHARR, E.B., RANKIN, W.H. Region 2 (Post 820201). 93/07/08. 14pp. 75993:045-75993:058.

9308050030 Forwards insp repts 50-259/93-23, 50-260/93-23 & 50-296/93-23 on 930515-0618 & notices of violation & deviation. CRLINJAK, R.V. Region 2 (Post 820201). 93/07/13. MEDFORD, M.O. Tennessee Valley Authority. 4pp. 75971:272-75971:297.

-9308050033 Notice of violation from insp on 930515-0618. Violation noted: configuration requirements of operating instruction O-OI-31 were not met for listed examples. * Region 2 (Post 820201). 93/07/13. 2pp. 75971:276-75971:277.

-9308050040 Notice of deviation from insp on 930515-0618. Deviation noted: written commitment re as-constructed drawings was not met for listed examples. * Region 2 (Post 820201). 93/07/13. 1p. 75971:278-75971:278.

-9308050042 Insp repts 50-259/93-23, 50-260/93-23 & 50-296/93-23 on 930515-0618. Violation & deviation noted. Major areas inspected: surveillance observation, maint observation, operational safety verification & ESF walkdown. PATTERSON, C.A., KELLOGG, P.J. Region 2 (Post 820201). 93/07/12. 19pp. 75971:279-75971:297.

9307190043 NRC Info Notice 93-057, "Software Problems Involving Digital Control Console Sys at Non-Power Reactors." GRIMES, B.K. Division of Operating Reactor Support (Post 921004). 93/07/23. Consolidated Edison Co. of New York, Inc. 9pp. 76111:200-76111:208.

9308060022 Forwards insp repts 50-259/93-25, 50-260/93-25 & 50-296/93-25 on 930619-0716 & notice of violation. CRLINJAK, R.V. Region 2 (Post 820201). 93/07/29. MEDFORD, M.O. Tennessee Valley Authority. 4pp. 75992:107-75992:128.

-9308060025 Notice of violation from insp on 930619-0716. Violation noted: TS not met in that licensee failed to trip channel inputting in A RPS trip sys within one hour w/ only three operable instrument channels for turbine stop valve. * Region 2 (Post 820201). 93/07/29. 1p. 75992:111-75992:111.

-9308060031 Insp repts 50-259/93-25, 50-260/93-25 & 50-296/93-25 on 930619-0716. Violations noted. Major areas inspected: maint observation, operational safety verification, engineered safety features walkdown & reportable occurrences. PATTERSON, C.A., KELLOGG, P.J. Region 2 (Post 820201). 93/07/26. 17pp. 75992:112-75992:128.

9308040195 Ack receipt of 930712 ltr informing NRC of steps taken to correct violations noted in insp repts 50-259/93-22, 50-260/93-22 & 50-296/93-22. Informs that response meets requirements of 10CFR2.201. COLLINS, D.M. Region 2 (Post 820201). 93/07/30. MEDFORD, M.O. Tennessee Valley Authority. 3pp. 76028:017-76028:020.

9308060321 Responds to NRC bulletin 93-003, resolution of issues related to RV water level instrumentation in BWR re reporting requirements 2(a) & 2(b). ZERINGUE, O.J. Tennessee Valley Authority. 93/07/30. Document Control Branch (Document Control Desk). 10pp. 76026:246-76026:255.

9308060377 Revises info provided in TVA 930223 response to GL 88-14 re design of drywell control air (DCA) sys & components supplied by DCA sys. Rev committed to on 930122, in response to deviation noted in listed insp repts. SALAS, P. Tennessee Valley Authority. 93/07/30. Document Control Branch (Document Control Desk). 2pp. 76059:252-76059:253.

9308260174 Informs that triannual plant performance review for Branch 4 facilities scheduled for 930817. Plant status repts & master insp plans for plants encl. Evaluation of licensee performance in assigned SALP functional area required. CRLINJAK, R.V. Region 2 (Post 820201). 93/08/05. JULIAN, C.A., PEEBLES, T.A., CLINE, W.E. Region 2 (Post 820201). 3pp. 76260:001-76260:144.

-9308260180 "Plant Status Rept, Browns Ferry Nuclear Plant, Units 1, 2 & 3." * Region 2 (Post 820201). 93/08/31. 92pp. 76260:053-76260:144.

9308110076 Responds to NRC 930323 ltr re violation & deviation noted in Insp Repts 50-259/93-23, 50-260/93-23 & 50-296/93-23. Corrective actions identified valves placed in closed position & handles removed from valves. ZERINGUE, O.J. Tennessee Valley Authority. 93/08/06. Document Control Branch (Document Control Desk). 11pp. 76067:334-76067:344.

9308180126 Summary of 930708 meeting w/util in Rockville, MD re implementation of recommendations of Bulletin 93-03 at plant. List of attendees & handouts encl. HEBDON, F.J. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 93/08/10. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 15pp. 76143:019-76143:033.

9308250124 Forwards insp repts 50-259/93-26, 50-260/93-26 & 50-296/93-26 on 930712-16 & notice of violation. JULIAN, C.A. Region 2 (Post 820201). 93/08/12. MEDFORD, M.O. Tennessee Valley Authority. 4pp. 76188:191-76188:208.

-9308250130 Notice of violation from insp on 930712-16. Violations noted: TVA did not update & revise pipe support calculations CD-Q2074-894004 & -894005 for listed pipe supports to reflect latest revised stress loads. * Region 2 (Post 820201). 93/08/12. 2pp. 76188:195-76188:196.

-9308250138 Insp repts 50-259/93-26, 50-260/93-26 & 50-296/93-26 on 930712-16. Violations noted. Major areas inspected: observation of work & work activities & review of completed records & evaluations & review of radiographic film. COLEY, J.L., CHOU, R.C., BLAKE, J.J. Region 2 (Post 820201). 93/08/09. 10pp. 76188:197-76188:208.

9308240030 Responds to NRC ltr re violation noted in insp repts 50-259/93-25, 50-260/93-25 & 50-296/93-25. Corrective actions: initiated WR to investigate & repair limit switch for #1 turbine stop valve. ZERINGUE, O.J. Tennessee Valley Authority. 93/08/19. Document Control Branch (Document Control Desk). 6pp. 76213:354-76213:359.

R. Periodic operating reports & related correspondence

9308040317 "ADEM Discharge Monitoring Rept for June 1993." * Tennessee Valley Authority. 93/06/30. 9pp. 76016:166-76016:175.

9308190359 Monthly operating repts for Jul 1993 for Brown Ferry Nuclear Plant, Units 1, 2 & 3. W/930816 ltr. RATLIFF, S.A., ZERINGUE, O.J. Tennessee Valley Authority. 93/07/31. 13pp. 76169:342-76169:354.

9308190160 Forwards TVA fitness for duty program performance data for Jan-June 1993, containing trends & mgt initiatives & breakdown by process stage for specimens for which administrative action taken. SCHOFIELD, B.S. Tennessee Valley Authority. 93/08/16. Document Control Branch (Document Control Desk). 22pp. 76162:029-76162:050.

V. Operator Examinations

9308260174 Informs that triannual plant performance review for Branch 4 facilities scheduled for 930817. Plant status repts & master insp plans for plants encl. Evaluation of licensee performance in assigned SALP functional area required. CRLINJAK, R.V. Region 2 (Post 820201). 93/08/05. JULIAN, C.A. Region 2 (Post 820201). 3pp. 76260:001-76260:144.

-9308260180 "Plant Status Rept, Browns Ferry Nuclear Plant, Units 1, 2 & 3." * Region 2 (Post 820201). 93/08/31. 92pp. 76260:053-76260:144.

58 DOCKETED ITEMS

DOCKET 50-298 COOPER NUCLEAR STATION

F. Security, medical, emergency & fire protection plans

9308040126 Forwards encl 8 to SECY-93-166 which describes proposed characteristics of design basis vehicle. Encl withheld.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 93/07/15. HORN, G.R. Nebraska Public Power District. 3pp. 75986:345-75986:347.

9308130040 Discusses util 930723 decision to shut plant down after several evacuation routes to facility were closed due to flooding. NRC expects licensee to restart after local offsite conditions improve.
CONGEL, F.J. Division of Systems Safety & Analysis (Post 921004). 93/07/23. WINGO, C.S. Federal Emergency Management Agency. 1p. 76094:141-76094:141.

9308030021 Confirms that 1993 emergency preparedness exercise for plant has been rescheduled from 930817 to 931212. Rescheduling due to ongoing severe storm & flooding disaster.
MILHOAN, J.L. Region 4 (Post 820201). 93/07/27. HORN, G.R. Nebraska Public Power District. 4pp. 75935:089-75935:092.

9308090266 Rev 23 to emergency plan, revising list of effective pages 8, title page, Section 5.0, page 5-23 & Section 7.0, page 7-11. W/930804 ltr.
HORN, G.R., KRUMLAND, K.M., GARDNER, R.L. Nebraska Public Power District. 93/08/04. 14pp. 76062:282-76062:292.

9308120293 Requests emergency preparedness exercise info submitted by 930617 ltr be withheld from release to PDR until 931215, per NRC 930727 ltr informing that 1993 emergency preparedness exercise rescheduled from 930817 to wk of 931212.
HORN, G.R. Nebraska Public Power District. 93/08/06. Document Control Branch (Document Control Desk). 1p. 76094:346-76094:346.

9308170224 Rev 9 to EPIP 5.7.25, "Recovery Operations." W/930811 ltr.
KRUMLAND, K.M., MACE, E.M., HORN, G.R. Nebraska Public Power District. 93/08/11. 6pp. 76136:053-76136:058.

9308190069 Provides comments on SALP Rept 50-298/93-99 for period 920119-930424 in addition comments made at 930712 public SALP meeting.
HORN, G.R. Nebraska Public Power District. 93/08/11. Document Control Branch (Document Control Desk). 10pp. 76161:230-76161:239.

9308310030 Informs that changes described in rev 23 to plant emergency plan dtd 930804, acceptable.
CALLAN, L.J. Region 4 (Post 820201). 93/08/24. HORN, G.R. Nebraska Public Power District. 4pp. 76263:080-76263:083.

H. General correspondence

9308250068 Informs of GR Horn new title of Vice-President Nuclear effective 930815. New address as of 930831 listed.
HORN, G.R. Nebraska Public Power District. 93/08/18. MILHOAN, J.L. Region 4 (Post 820201). 1p. 76223:349-76223:349.

J. Insurance & indemnity information

9308040300 Forwards Credit Agreement w/American Natl Bank & Trust Co of Chicago. Agreement indicates util ability to pay public liability claims arising from nuclear accidents.
HORN, G.R. Nebraska Public Power District. 93/07/27. DINITZ, I. NRC - No Detailed Affiliation Given. 120pp. 75991:167-75991:272.

P. Operating license stage documents & correspondence

9308100232 Forwards amend 165 to license DPR-46 & safety evaluation. Amend revises TSs for plant to increase min amount of diesel fuel oil capacity required to be available in on-site diesel storage tanks.
ROOD, H. Project Directorate IV-1. 93/07/16. HORN, G.R. Nebraska Public Power District. 3pp. 76038:317-76038:337.

-9308100237 Amend 165 to license DPR-46, revising TSs for plant to increase min amount of diesel fuel oil capacity required to be available in on-site diesel fuel oil storage tanks & update std to which fuel oil quality is tested.
CHAN, T.L. Project Directorate IV-1. 93/07/16. 14pp. 76038:320-76038:333.

-9308100239 Safety evaluation supporting amend 165 to license DPR-46.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 93/07/16. 4pp. 76038:334-76038:337.

9308110304 Informs that KA Connaughton has been appointed project manager for plant, effective 930726.
ADENSAM, E.G. Assistant Director for Region IV/V Reactors (Post 901216). 93/07/21. HORN, G.R. Nebraska Public Power District. 3pp. 76064:254-76064:256.

9308130106 Discusses evaluation of licensee supplemental response to suppl 1 to GL 87-02, "Verification of Seismic Adequacy of Mechanical & Electrical Equipment in Operating Reactors. USI A-46."
CONNAUGHTON, K. Project Directorate IV-1. 93/07/26. HORN, G.R. Nebraska Public Power District. 3pp. 76094:256-76094:258.

9308120373 Submits listed design modifications completed prior to startup during 1993 refueling outage.
HORN, G.R. Nebraska Public Power District. 93/08/06. Document Control Branch (Document Control Desk). 3pp. 76087:358-76087:360.

9308300228 Ack receipt of notice of delinquent debt dtd 930810 for invoice XT0546-93. Attached funds transfer confirmation provided as proof of payment. Invoice paid in full prior to due date.
HORN, G.R. Nebraska Public Power District. 93/08/20. License Fee & Debt Collection Branch (Post 890827). 4pp. 76297:355-76297:358.

9308260388 Proposed Change 121 to License DPR-46, changing TS 6.0, "Administrative Controls" to modify organizational structure by creating mgt position of Vice President - Nuclear.
HORN, G.R. Nebraska Public Power District. 93/08/23. Document Control Branch (Document Control Desk). 6pp. 76247:344-76247:359.

-9308260390 Proposed tech specs 6.0, "Administrative Controls," reflecting creation of mgt position of Vice President - Nuclear.
* Nebraska Public Power District. 93/08/23. 10pp. 76247:350-76247:359.

Q. Inspection reports, IE Bulletins & correspondence

9307190043 NRC Info Notice 93-057, "Software Problems Involving Digital Control Console Sys at Non-Power Reactors."
GRIMES, B.K. Division of Operating Reactor Support (Post 921004). 93/07/23. Consolidated Edison Co. of New York, Inc. 9pp. 76111:200-76111:208.

9308050078 Responds to NRC 930629 ltr re violations noted in insp rept 50-298/93-20. Corrective actions initiated procedural editorial change.
HORN, G.R. Nebraska Public Power District. 93/07/26. Document Control Branch (Document Control Desk). 2pp. 76019:358-76019:359.

9308050066 Responds to NRC bulletin 93-003, "Resolution of Issues Related to Reactor Vessel Water Level Instrumentation in BWRs" per GL 92-04.
HORN, G.R. Nebraska Public Power District. 93/07/29. Document Control Branch (Document Control Desk). 7pp. 76021:354-76021:360.

9308110023 Ack receipt of 930709 ltr informing NRC of steps taken to correct violations noted in insp rept 50-298/93-18.
COLLINS, S.J. Region 4 (Post 820201). 93/08/02. HORN, G.R. Nebraska Public Power District. 4pp. 76039:188-76039:191.

9308110004 Notification of significant licensee meeting w/util in Arlington, TX on 930813 to discuss apparent violations noted in insp rept 50-289/93-17.
BEACH, A.B. Region 4 (Post 820201). 93/08/04. Region 4 (Post 820201). 3pp. 76039:008-76039:010.

9308120081 Responds to violations noted in Insp Rept 50-298/93-19 on 930425-0605. Corrective actions: both 250 volt dc batteries declared inoperable & fuel movement suspended & Procedure 10.21, "SNM's & Accountability Instructions" will be revised.
HORN, G.R. Nebraska Public Power District. 93/08/05. Document Control Branch (Document Control Desk). 5pp. 76094:325-76094:329.

9308240082 Forwards technical review rept re, "Tardy Licensee Actions" initiated because of delayed replacement of batteries in uninterruptible power supplies at plant.
ISRAEL, S.L. Reactor Operations Analysis Branch. 93/08/05. ROSENTHAL, J.E. Reactor Operations Analysis Branch. 2pp. 76218:177-76218:193.

-9308240165 Technical review rept, "Tardy Licensee Actions."
ISRAEL, S.L. Reactor Operations Analysis Branch. 93/08/31. 13pp. 76218:179-76218:193.

9308130064 Acks response to 930629 NOV re NRC insp rept 50-298/93-20.
COLLINS, S.J. Region 4 (Post 820201). 93/08/08. HORN, G.R. Nebraska Public Power District. 3pp. 76104:317-76104:322.

9308160208 Informs of completion of actions requested by NRC Bulletin 93-002, "Debris Plugging of ECC Suction Strainers."
HORN, G.R. Nebraska Public Power District. 93/08/09. Document Control Branch (Document Control Desk). 2pp. 76141:337-76141:338.

9308180098 Forwards revised SALP program, stating that NRC will review & evaluate power reactor license that possesses OL on approx 18-month interval. SALP assessment period revised for 930425-941022.
BEACH, A.B. Region 4 (Post 820201). 93/08/11. HORN, G.R. Nebraska Public Power District. 24pp. 76132:001-76132:024.

9308190069 Provides comments on SALP Rept 50-298/93-99 for period 920119-930424 in addition comments made at 930712 public SALP meeting.
HORN, G.R. Nebraska Public Power District. 93/08/11. Document Control Branch (Document Control Desk). 10pp. 76161:230-76161:239.

9308250273 Responds to violations noted in Insp Rept 50-298/93-21. Corrective actions: in-processing questionnaire used for all future employees & contractors towards granting unescorted access revised.
HORN, G.R. Nebraska Public Power District. 93/08/12. MILHOAN, J.L. Region 4 (Post 820201). 3pp. 76260:287-76260:289.

9308250192 Forwards insp rept 50-298/93-22 on 930606-0717 & forwards notice of violation. Violation of concern because implementation of corrective action process was not effective in identifying & correcting degraded piping.
BEACH, A.B. Region 4 (Post 820201). 93/08/20. HORN, G.R. Nebraska Public Power District. 5pp. 76189:038-76189:061.

-9308250199 Notice of violation from insp on 930606-0717. Violations noted: through-wall leak was discovered in service water return piping, significant adverse to quality & measures had not been taken to correct first event.
* Region 4 (Post 820201). 93/08/20. 2pp. 76189:043-76189:044.

-9308250204 Insp rept 50-298/93-22 on 930606-0717. Violations noted. Major areas inspected: operational safety verification, surveillance observation, maintenance observation & review of LERs.
GAGLIARDO, J.E. Region 4 (Post 820201). 93/08/12. 17pp. 76189:045-76189:061.

R. Periodic operating reports & related correspondence

9308160354 Monthly operating rept for Jul 1993 for Cooper Nuclear Plant. W/930809 ltr.
SULLIVAN, E.A., GARDNER, R.L. Nebraska Public Power District. 93/07/31. 5pp. 76141:343-76141:347.

S. Reportable occurrences, LERs & related correspondence

9308030050 PNO-IV-93-020C, updating previous notifications re unusual event resulting from high Missouri River water level. Station remains in cold shutdown & licensee has been developing plant recovery & restart plan.
JONES, W.B. Region 4 (Post 820201). 93/07/28. 1p. 75935:234-75935:234.

9308040279 LER 93-026-00: on 930630, two potentially valves were inoperable due to inadequate design of valve operators by manufacturer. Modified valve operators. W/ 930730 ltr. MYERS, J.R., GARDNER, R.L. Nebraska Public Power District. 93/07/30. 4pp. 76138:079-76138:082.

9308130125 LER 93-029-00: on 930708, partially withdrawn control rod 26-31 scrambled. Caused by RPS scram signal from two of four reactor pressure scram switches. Scram reset & pressure testing completed. W/ 930806 ltr. MYERS, J.R., GARDNER, R.L. Nebraska Public Power District. 93/08/06. 4pp. 76138:079-76138:082.

9308160098 LER 93-030-00: on 930708, discovered inadequate inservice testing of svc water sys check valves due to flow instrument calibr error & personnel error in specifying sys flow requirement. Revised calibr factor developed. W/ 930809 ltr. REEVES, D.L., GARDNER, R.L. Nebraska Public Power District. 93/08/09. 4pp. 76153:136-76153:139.

V. Operator Examinations

9308110051 Informs that NRC plan to administer GFES of written operator licensing exam on 931006. GALLO, R.M. Region 4 (Post 820201). 93/08/04. HORN, G.R. Nebraska Public Power District. 5pp. 76039:297-76039:301.

DOCKET 50-301 POINT BEACH NUCLEAR PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9308030271 Forwards encl 8 to SECY 93-166, which describes proposed characteristics of design basis vehicle. W/o encl. PARTLOW, J.G. Associate Director for Projects (Post 870411). 93/07/15. LINK, R.E. Wisconsin Electric Power Co. 2pp. 75950:336-75950:337.

9308130087 Requests for info re PBNPSP submitted under provisions of 10CFR 50.54. Two issues related to vital area policy were referred to NRR for review. GODY, A.T. Project Directorate III-3. 93/07/26. LINK, R.E. Wisconsin Electric Power Co. 4pp. 76094:168-76094:171.

9308260133 Forwards security plan as identified in 930407 ltr. Plan withheld. MAXFIELD, G. Wisconsin Electric Power Co. 93/08/10. Document Control Branch (Document Control Desk). 1p. 76265:359-76265:359.

9308230053 Forwards Public & Central Files version of revised EPIP for Point Beach Units 1 & 2. LINK, B. Wisconsin Electric Power Co. 93/08/16. Document Control Branch (Document Control Desk). 1p. 76201:001-76201:117.

-9308230062 Revised EPIPs, including rev 17 to index, rev 18 to EPIP-1.1, rev 9 to EPIP 1.1.1, rev 13 to EPIP 6.2 & rev 14 to EPIP 6.6. * Wisconsin Electric Power Co. 93/08/13. 112pp. 76201:002-76201:117.

9308310212 Confirms info provided by util during 930726 telcon w/ NRR & Region III re operator training & procedural requirements for timely restoration of AFW to unit following dual unit actuation. EOPs steps adequate to ensure appropriate action. LINK, B. Wisconsin Electric Power Co. 93/08/24. Document Control Branch (Document Control Desk). 2pp. 76289:263-76289:264.

H. General correspondence

9308300190 Responds to 930701 ltr w/ regard to ltr from constituent B Johnson expressing concerns re storing spent fuel on site at Palisades & Point Beach nuclear power plants. TAYLOR, J.M. Ofc of the Executive Director for Operations. 93/08/23. ROTH, T. House of Rep. 3pp. 76282:107-76282:113.

-9308300197 Forwards ltr from constituent B Johnson expressing concerns re storing spent fuel on site at Palisades & Point Beach nuclear power plants. ROTH, T. House of Rep. 93/07/01. RATHBUN, D. Office of Congressional Affairs (Post 911117). 4pp. 76282:110-76282:113.

P. Operating license stage documents & correspondence

9308120167 Requests copy of rept re tech info per pressure vessel issue at Point Beach. SMITH, L.L. Wisconsin, State of. 93/04/14. GODY, T. Document Control Branch (Document Control Desk). 1p. 76094:349-76094:349.

9308110283 Notification of 930727 meeting w/ util in Rockville, MD to discuss general licensing issues. HANSEN, A.G. Project Directorate III-3. 93/07/21. MURLEY, T. NRC - No Detailed Affiliation Given. 4pp. 76074:337-76074:340.

9308130028 Summary of 930630 licensee counterparts meeting at util corporate ofc re dry cask storage of spent fuel, SALP & other listed topics. HANNON, J.N. Project Directorate III-3. 93/07/22. Project Directorate III-3. 200pp. 76133:001-76133:202.

9308130087 Requests for info re PBNPSP submitted under provisions of 10CFR 50.54. Two issues related to vital area policy were referred to NRR for review. GODY, A.T. Project Directorate III-3. 93/07/26. LINK, R.E. Wisconsin Electric Power Co. 4pp. 76094:168-76094:171.

9308170383 Forwards amends 140 & 144 to licenses DPR-24 & DPR-27, respectively & SE. Amends modify TS to increase surveillance test intervals for reactor protection & safeguards circuits. GODY, A.T. Project Directorate III-3. 93/07/28. LINK, R.E. Wisconsin Electric Power Co. 2pp. 76139:202-76139:224.

-9308170391 Amends 140 & 144 to licenses DPR-24 & DPR-27, respectively, revising TS to increase surveillance test intervals for reactor protection & safeguards circuits. GODY, A.T. Project Directorate III-3. 93/07/28. 10pp. 76139:204-76139:213.

-9308170395 Safety evaluation supporting amends 140 & 144 to licenses DPR-24 & DPR-27, respectively. * Office of Nuclear Reactor Regulation, Director (Post 870411). 93/07/28. 4pp. 76139:214-76139:224.

9308110183 Responds to 930621 GL-93-04, "Rod Control Sys Failure & ... Cluster Assemblies." Ltr issued to licensees w/ Westinghouse rod control sys re potential single failure. LINK, B. Wisconsin Electric Power Co. 93/08/05. Document Control Branch (Document Control Desk). 8pp. 76082:270-76082:277.

9308270012 Provides summary of plant IPE submitted on 930630, per GL 88-20, "Individual Plant Exam for Severe Accident Vulnerabilities." HANSEN, A.G. Project Directorate III-3. 93/08/10. HANNON, J.N. Project Directorate III-3. 2pp. 76220:122-76220:123.

9308300021 Forwards info on integrity of RVs at plant, per 930414 ltr. SECY-93-048 encl. ROE, J.W. Division of Reactor Projects - III, IV, V (Post 901216). 93/08/11. SMITH, L.L. Wisconsin, State of. 7pp. 76266:106-76266:119.

9308270009 Informs that util 930305-14 ltrs re use of gas turbine generator (G-05) as alternate AC power source, 10CFR 50.63, "Loss of All Alternating Current Power" acceptable. GODY, A.T. Project Directorate III-3. 93/08/12. LINK, R.E. Wisconsin Electric Power Co. 2pp. 76220:124-76220:125.

9308310219 Summary of 930727 meeting w/ util in Rockville, MD re outstanding licensing issues. List of participants encl. HANSEN, A.G. Project Directorate III-3. 93/08/16. Project Directorate III-3. 4pp. 76274:286-76274:289.

9308310212 Confirms info provided by util during 930726 telcon w/ NRR & Region III re operator training & procedural requirements for timely restoration of AFW to unit following dual unit actuation. EOPs steps adequate to ensure appropriate action. LINK, B. Wisconsin Electric Power Co. 93/08/24. Document Control Branch (Document Control Desk). 2pp. 76289:263-76289:264.

9308310119 Comments of preliminary draft of NUREG/CR-4674, "Precursors to Potential Severe Core Damage Accidents: 1992 Status Rept." LINK, B. Wisconsin Electric Power Co. 93/08/26. Document Control Branch (Document Control Desk). 3pp. 76321:315-76321:317.

Q. Inspection reports, IE Bulletins & correspondence

9308130028 Summary of 930630 licensee counterparts meeting at util corporate ofc re dry cask storage of spent fuel, SALP & other listed topics. HANNON, J.N. Project Directorate III-3. 93/07/22. Project Directorate III-3. 200pp. 76133:001-76133:202.

9307190043 NRC Info Notice 93-057, "Software Problems Involving Digital Control Console Sys at Non-Power Reactors." GRIMES, B.K. Division of Operating Reactor Support (Post 921004). 93/07/23. Consolidated Edison Co. of New York, Inc. 9pp. 76111:200-76111:208.

9308090137 Ack receipt of 930712 ltr informing NRC of steps taken to correct violations noted in insp repts 50-266/93-09 & 50-301/93-09. Util will provide addl info describing clarifications to corrective action sys. GREGER, L.R. Region 3 (Post 820201). 93/07/30. LINK, R.E. Wisconsin Electric Power Co. 1p. 76020:187-76020:187.

9308090311 Forwards "Unit 1 Refueling 20 ISI Summary Rept for Form NIS-1" & "Unit 1 Refueling 20 Repair/Replacement Summary Rept for Form NIS-2." Repts reflect ISI activities during third outage of first period of third 10-yr interval. LINK, B. Wisconsin Electric Power Co. 93/08/02. Document Control Branch (Document Control Desk). 1p. 76061:162-76061:237.

-9308090314 "Unit 1 Refueling 20 ISI Summary Rept for Form NIS-1." BRANDER, J.B., STASKAL, T.G. Wisconsin Electric Power Co. 93/07/09. 43pp. 76061:165-76061:207.

-9308090316 "Unit 1 Refueling 20 Repair/Replacement Summary Rept for Form NIS-2." BRANDER, J.B., STASKAL, T.G. Wisconsin Electric Power Co. 93/07/26. 30pp. 76061:208-76061:237.

9308250311 Discusses safety significance of corrective actions taken by licensee in response to IE bulletin 86-003. ROSENTHAL, J.E. Reactor Operations Analysis Branch. 93/08/09. HANNON, J.N. Project Directorate III-3. BUTLER, W.R. Project Directorate I-3. BERKOW, H.N. Project Directorate II-2. 3pp. 76203:257-76203:281.

R. Periodic operating reports & related correspondence

9308130094 Monthly operating repts for Jul 1993 for PBNP, units 1 & 2. W/ 930805 ltr. ARNOLD, R.F., LINK, B. Wisconsin Electric Power Co. 93/07/31. 9pp. 76141:167-76141:175.

9308310213 Forwards fitness-for-duty performance data for six-month period ending June 1993. No events reportable under 10CFR 26.73(a) occurred during period. LINK, B. Wisconsin Electric Power Co. 93/08/24. Document Control Branch (Document Control Desk). 3pp. 76307:329-76307:331.

9308310124 Forwards "Semiannual Monitoring Rept, Jan-June 1993 for PBNP, Units 1 & 2." Rept contains info re plant releases, solid waste shipments, new & spent fuel shipments, environ monitoring, CWS operations & leak testing of sources. LINK, B. Wisconsin Electric Power Co. 93/08/26. Document Control Branch (Document Control Desk). 1p. 76322:234-76322:250.

-9308310127 "Semiannual Monitoring Rept, Jan-June 1993 for PBNP, Units 1 & 2." * Wisconsin Electric Power Co. 93/06/30. 16pp. 76322:235-76322:250.

60 DOCKETED ITEMS

S. Reportable occurrences, LERs & related correspondence

9308030372 Potential Part 21 rept re Limitorque actuator motors. Utilis & other purchases listed in encl being advised of concern. Limitorque revising selection procedure for safety related actuators, motors & technical data packages.
TAYLOR, J.H. Babcock & Wilcox Co. 93/07/22. Document Control Branch (Document Control Desk). 8pp. 75976:349-75976:356.

9308200162 Forwards ASP analysis of LER 50-266/92-010. Analysis will be part of NUREG/CR-4674.
HANSEN, A.G. Project Directorate III-3. 93/08/04. LINK, R.E. Wisconsin Electric Power Co. 8pp. 76163:336-76163:347.

V. Operator Examinations

9308030302 Informs of NRC plans to administer generic fundamentals exam section written operator licensing exam on 931006.
RING, M.A. Region 3 (Post 820201). 93/07/28. Consumers Power Co. 3pp. 75983:358-75983:360.

9308310212 Confirms info provided by util during 930726 telcon w/NRR & Region III re operator training & procedural requirements for timely restoration of AFW to unit following dual unit actuation. EOPs steps adequate to ensure appropriate action.
LINK, B. Wisconsin Electric Power Co. 93/08/24. Document Control Branch (Document Control Desk). 2pp. 76289:263-76289:264.

Y. Dry Cask Independent Spent Fuel Storage Installations

9308130028 Summary of 930630 licensee counterparts meeting at util corporate ofc re dry cask storage of spent fuel. SALP & other listed topics.
HANNON, J.N. Project Directorate III-3. 93/07/22. Project Directorate III-3. 200pp. 76133:001-76133:202.

DOCKET 50-302 CRYSTAL RIVER NUCLEAR PLANT, UNIT 3

C. Utility Environmental Report (ER), amends & correspondence

9308160104 Forwards info on P-T limits from discussion at April OG meeting re pressure temp limit rept in administrative controls section of STS.
GRIMES, C.I. Technical Specifications Branch. 93/05/18. BUSH, L. Westinghouse Operating Plants Owners Group. 2pp. 76102:352-76102:356.

F. Security, medical, emergency & fire protection plans

9308060218 Forwards insp rept 50-302/93-13 on 930502-0605 & notice of violation. W/o notice of violation.
SINKULE, M.V. Region 2 (Post 820201). 93/07/01. BEARD, P.M. Florida Power Corp. 3pp. 75994:200-75994:215.

-9308060223 Insp rept 50-302/93-13 on 930502-0605. Violations noted. Major areas inspected: plant operations, radiological controls, security, maint & surveillance activities.
HOLMES-RAY, P., FREUDENBERGER, LANDIS, K. Region 2 (Post 820201). 93/07/01. 13pp. 75994:203-75994:215.

9308310182 Advises that changes to plant radiological emergency response plan meet planning stds of 10CFR50.47(b) & requirements of app E to 10CFR50.
CLINE, W.E. Region 2 (Post 820201). 93/07/02. BEARD, P.M. Florida Power Corp. 3pp. 76265:011-76265:013.

9308030006 Rev 19 to Annunciator Response AR-403, "PSA H Annunciator Response."
MARSHALL, W. Florida Power Corp. 93/07/13. 150pp. 75977:001-75977:199.

9308030294 Forwards encl 8 to SECY 93-166, which describes proposed characteristics of design basis vehicle. W/o encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 93/07/15. BEARD, P.M. Florida Power Corp. 2pp. 75950:346-75950:347.

9308300325 Public version of Rev 43 to emergency procedure REP-02, "Radiological Emergency Planning Department Procedure." W/ 930816 release memo.
STEPHENSON, J.D. Florida Power Corp. 93/07/19. 55pp. 76266:244-76266:299.

9308030250 Rev 16 to EPIP AR-303, "ESC Annunciator Response."
* Florida Power Corp. 93/07/26. 80pp. 75979:108-75979:197.

9308030005 Revised EOPs, including Rev 0 to EOP-02, EOP-03, EOP-04, EOP-05, EOP-06, EOP-07, EOP-08, EOP-09, EOP-10, EOP-11, EOP-12, EOP-13 & EOP-14.
* Florida Power Corp. 93/07/29. 200pp. 75984:001-75984:039.

9308250121 Rev 14 to Annunciator Response (AR) AR-701, "SSF P Annunciator Response."
* Florida Power Corp. 93/08/06. 132pp. 76221:176-76221:307.

9308250429 Rev 14 to Annunciator Response (AR) AR-302, "ESB Annunciator Response."
GALLION, E. Florida Power Corp. 93/08/06. 65pp. 76222:268-76222:332.

9308250433 Rev 17 to Annunciator Response (AR) AR-303, "ECS Annunciator Response."
GALLION, E. Florida Power Corp. 93/08/06. 89pp. 76260:177-76260:265.

9308250436 Rev 20 to Annunciator Response (AR) AR-403, "PSA H Annunciator Response."
GALLION, E. Florida Power Corp. 93/08/06. 198pp. 76222:001-76222:198.

9308250376 Forwards Insp Rept 50-302/93-17 on 930606-0710 & notice of violation.
SINKULE, M.V. Region 2 (Post 820201). 93/08/09. BEARD, P.M. Florida Power Corp. 3pp. 76218:248-76218:268.

-9308250384 Insp rept 50-302/93-17 on 930606-0710. Violations noted. Major areas inspected: plant operations, security, radiological controls, LER & action on previous insp items.
HOLMES-RAY, P., FREUDENBERGER, LANDIS, K. Region 2 (Post 820201). 93/08/09. 3pp. 76218:252-76218:268.

9308260057 Rev 19 to Annunciator Response (AR) AR-305, "ES E Annunciator Response."
GALLION, E. Florida Power Corp. 93/08/10. 56pp. 76220:260-76220:315.

9308170430 Forwards insp rept 50-302/93-19 on 930719-21. No violations or deviations noted. Rept partially withheld, per 10CFR2.790(d) & 10CFR73.21.
COLLINS, D.M. Region 2 (Post 820201). 93/08/11. BEARD, P.M. Florida Power & Light Co. 3pp. 76199:276-76199:279.

-9308170436 Insp rept 50-302/93-19 on 930719-21. No violations or deviations noted. Major areas inspected: matl control & accountability to determine adequacy of licensee's program. Partially withheld, per 10CFR2.790(d) & 10CFR73.21.
TODD, G.A., MCGUIRE, D.R. Region 2 (Post 820201). 93/08/10. 1p. 76199:279-76199:279.

9308200181 Proposes to change conditions for entry into site area emergency under EAL for natural phenomena, hurricane warning, as outlined in encl, as result of review of hurricane preparedness.
BEARD, P.M. Florida Power Corp. 93/08/13. Document Control Branch (Document Control Desk). 3pp. 76184:278-76184:280.

H. General correspondence

9308310189 Requests to update svc list to reflect recent address & zip code change. Attached name & address list provided for info.
WIDELL, R.C. Florida Power & Light Co. 93/08/25. Document Control Branch (Document Control Desk). 2pp. 76321:313-76321:314.

P. Operating license stage documents & correspondence

9308300056 Forwards lists & table 5.7.2.13 re proposed administrative control for SG tube surveillance program, also intended to be implemented by lead plants during conversion to improved STS.

RUSSELL, W.T. Associate Director for Inspection & Technical Assessment (Post 870411). 93/06/25. BUSH, L. Westinghouse Operating Plants Owners Group. WUNDERLY, B. Babcock & Wilcox Operating Plants Owners Group. WOODS, B. C-E Operating Plants Owners Group. 8pp. 76266:140-76266:147.

9308160249 Summary of 930709 meeting w/util to discuss status & schedule for implementation of plant new TS & NRC enforcement policy during initial phase of implementation.
GRIMES, C.I. Technical Specifications Branch. 93/07/21. GRIMES, B.K. Division of Operating Reactor Support (Post 921004). 6pp. 76104:047-76104:052.

9308120227 Notification of 930805 meeting w/util in Rockville, MD to discuss facility shutdown sys surveillances (STS 3.3.18).
SILVER, H. Project Directorate II-2. 93/07/23. BERKOW, H.N. Project Directorate II-2. 3pp. 76083:348-76083:350.

9308310206 Accepts changes to operational quality assurance program for facility.
GIBSON, A.F. Region 2 (Post 820201). 93/07/23. BEARD, P.M. Florida Power Corp. 4pp. 76265:022-76265:025.

9308170400 Notification of 930811 meeting w/util in Rockville, MD to discuss justification for non-Appendix G methodology for LTOP protection at CR-3.
SILVER, H. Project Directorate II-2. 93/07/27. BERKOW, H.N. Project Directorate II-2. 3pp. 76126:220-76126:222.

9308060095 Discusses radiochemical analyses for liquid samples spiked w/beta emitting radionuclides & requests that analyses be completed as soon as practicable, but no later than 60 days from receipt of ltr.
CLINE, W.E. Region 2 (Post 820201). 93/07/28. BEARD, P.M. Florida Power Corp. 3pp. 75993:126-75993:128.

9308050193 Forwards SG tube pull results. Recommends meeting w/NRC to discuss results & util plans for Refuel 9.
BEARD, P.M. Florida Power Corp. 93/07/29. Document Control Branch (Document Control Desk). 48pp. 76017:281-76017:328.

9308180042 Submits description of unsatisfactory chemical testing results. Follow-up lab investigation revealed that error due to failure of instrument to pick up correct amount of urine specimen, causing low creatinine value & negative results.
BEARD, P.M. Florida Power Corp. 93/08/09. Document Control Branch (Document Control Desk). 4pp. 76153:345-76153:348.

Q. Inspection reports, IE Bulletins & correspondence

9308060167 Ack receipt of 930610 ltr informing NRC of steps taken to correct violations noted in insp rept 50-302/93-11 on 930517.
SINKULE, M.V. Region 2 (Post 820201). 93/06/30. BEARD, P.M. Florida Power Corp. 2pp. 75994:071-75994:072.

9308060218 Forwards insp rept 50-302/93-13 on 930502-0605 & notice of violation. W/o notice of violation.
SINKULE, M.V. Region 2 (Post 820201). 93/07/01. BEARD, P.M. Florida Power Corp. 3pp. 75994:200-75994:215.

-9308060223 Insp rept 50-302/93-13 on 930502-0605. Violations noted. Major areas inspected: plant operations, radiological controls, security, maint & surveillance activities.
HOLMES-RAY, P., FREUDENBERGER, LANDIS, K. Region 2 (Post 820201). 93/07/01. 13pp. 75994:203-75994:215.

9308030163 Ack receipt of 930712 ltr informing NRC of steps taken to correct violations noted in insp rept 50-302/93-15.
COLLINS, D.M. Region 2 (Post 820201). 93/07/21. BEARD, P.M. Florida Power Corp. 3pp. 75936:317-75936:319.

9308050130 Ack receipt of 930701 ltr informing NRC of steps taken to correct violations noted in insp rept 50-302/93-08.
CLINE, W.E. Region 2 (Post 820201). 93/07/22. BEARD, P.M. Florida Power Corp. 3pp. 75972:265-75972:267.

9307190043 NRC Info Notice 93-057, "Software Problems Involving Digital Control Console Sys at Non-Power Reactors."
GRIMES,B.K. Division of Operating Reactor Support (Post 921004). 93/07/23. Consolidated Edison Co. of New York, Inc. 9pp. 76111:200-76111:208.

9308020196 Discusses issue of reviewing locally posted operating procedures stated in NRC 930524 ltr re violation noted in Insp Rept 50-302/93-09. Issues inadvertently omitted in util 930622 response.
BEARD,P.M. Florida Power Corp. 93/07/23. Document Control Branch (Document Control Desk). 1p. 75954:204-75954:204

9308050071 Ack receipt of 930622 & 0723 ltrs informing NRC of steps taken to correct violations noted in insp rept 50-302/93-09.
SINKULE,M.V. Region 2 (Post 820201). 93/07/28. BEARD,P.M. Florida Power Corp. 2pp. 75972:055-75972:056

9308090325 Responds to NRC 930701 ltr re violations noted in insp rept 50-302/93-13.C/As:quality programs nonconformance rept has been issued to address general concern of inadequate sys configuration control.
BEARD,P.M. Florida Power Corp. 93/07/30. Document Control Branch (Document Control Desk). 3pp. 76037:213-76037:215.

9308100117 Ack receipt of 930723 ltr informing NRC of steps taken to correct concerns noted in exam rept 50-302/93-300.
PEEBLES,T.A. Region 2 (Post 820201). 93/08/02. BEARD,P.M. Florida Power Corp. 3pp. 76025:356-76025:358.

9308100081 Informs that insp rept number on 930721 ack ltr should have been 50-302/93-07 instead of 50-302/93-15. Corrected ack ltr encl.
COLLINS,D.M. Region 2 (Post 820201). 93/08/06. BEARD,P.M. Florida Power Corp. 3pp. 76025:316-76025:321.

-9308100086 Ack receipt of 930712 ltr informing NRC of steps taken to correct violations noted in insp rept 50-302/93-07.
COLLINS,D.M. Region 2 (Post 820201). 93/08/06. BEARD,P.M. Florida Power Corp. 3pp. 76025:319-76025:321.

9308250376 Forwards Insp Rept 50-302/93-17 on 930606-0710 & notice of violation.
SINKULE,M.V. Region 2 (Post 820201). 93/08/09. BEARD,P.M. Florida Power Corp. 3pp. 76218:248-76218:268.

-9308250380 Notice of violation from insp on 930606-0710. Violation noted: MUT hydrogen regulator adjusted w/o required safety evaluation being performed.
Region 2 (Post 820201). 93/08/09. 1p. 76218:251-76218:251.

-9308250384 Insp rept 50-302/93-17 on 930606-0710. Violations noted. Major areas inspected: plant operations, security, radiological controls, LER & action on previous insp items.
HOLMES-RAY,P., FREUDENBERGER, LANDIS,K. Region 2 (Post 820201). 93/08/09. 3pp. 76218:252-76218:268.

9308170430 Forwards insp rept 50-302/93-19 on 930719-21. No violations or deviations noted. Rept partially withheld, per 10CFR2.790(d) & 10CFR73.21.
COLLINS,D.M. Region 2 (Post 820201). 93/08/11. BEARD,P.M. Florida Power & Light Co. 3pp. 76199:276-76199:279.

-9308170436 Insp rept 50-302/93-19 on 930719-21. No violations or deviations noted. Major areas inspected: matl control & accountability to determine adequacy of licensee's program. Partially withheld, per 10CFR2.790(d) & 10CFR73.21.
TODD,G.A., MCGUIRE,D.R. Region 2 (Post 820201). 93/08/10. 1p. 76199:279-76199:279.

9308270216 Ack receipt of 930730 ltr informing NRC of steps taken to correct violations noted in Insp Rept 50-302/93-13.
SINKULE,M.V. Region 2 (Post 820201). 93/08/13. BEARD,P.M. Florida Power Corp. 3pp. 76291:352-76291:354.

R. Periodic operating reports & related correspondence

9308180117 Monthly operating rept for Jul 1993 for Crystal River, unit 3.W/930811 ltr.
SMITH,R., BOLDT,G.L. Florida Power Corp. 93/07/31. 5pp. 76155:337-76155:341.

9308180037 Forwards fitness-for-duty program performance data for period of Jan-June 1993, per 10CFR26.
BEARD,P.M. Florida Power Corp. 93/08/09. Document Control Branch (Document Control Desk). 7pp. 76153:349-76153:355.

S. Reportable occurrences, LERs & related correspondence

9308030372 Potential Part 21 rept re Limitorque actuator motors. Utilis & other purchases listed in encl being advised of concern. Limitorque revising selection procedure for safety related actuators, motors & technical data packages.
TAYLOR,J.H. Babcock & Wilcox Co. 93/07/22. Document Control Branch (Document Control Desk). 8pp. 75976:349-75976:356.

9308040176 LER 93-007-00: on 930628, noticed that hydrogen pressure setpoint found to be set above 10 psig. Caused by personnel error. Mod design package developed to raise pressure regulator setpoint.W/930728 ltr.
FROATS,E.E., BOLDT,G.L. Florida Power Corp. 93/07/28. 4pp. 76022:116-76022:119.

9308110149 LER 93-008-00: on 930706, possibility of MOV w/brakes failing to perform safety function under degraded voltage conditions due to lack of engineering review. Identified & reviewed MOV w/motor brakes for safety significance.W/930804 ltr.
FROATS,E.E., BOLDT,G.L. Florida Power & Light Co. 93/08/04. 5pp. 76091:163-76091:167.

V. Operator Examinations

9308100117 Ack receipt of 930723 ltr informing NRC of steps taken to correct concerns noted in exam rept 50-302/93-300.
PEEBLES,T.A. Region 2 (Post 820201). 93/08/02. BEARD,P.M. Florida Power Corp. 3pp. 76025:356-76025:358.

DOCKET 50-304 ZION NUCLEAR POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9306300288 Requests Commissions approval of proposed relocation of backup emergency operations facility for Zion Nuclear Station from Edison Bldg in Chicago to corporate EOF in Downers Grove, IL.
TAYLOR,J.M. Ofc of the Executive Director for Operations. SECY-93-175. 93/06/22. 171pp. 75986:034-75986:212

9308030383 Staff requirements memo re SECY-93-175, "Location Of Backup EOF For Zion Nuclear Station."
CHILK,S.J. Office of the Secretary of the Commission. 93/07/13. TAYLOR,J.M. Ofc of the Executive Director for Operations. 1p. 76154:225-76154:225.

9308050300 Corrected Emergency Preparedness & State Programs Corporate EPIPs (CEPIP) CEPIP-2000 Series: Corporate Emergency Response Organization Index.
Commonwealth Edison Co. 93/07/14. 3pp. 76022:121-76022:123.

9308040274 Forwards encl 8 to SECY 93-166 which describes proposed characteristics of design basis vehicle.W/o encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 93/07/15. FARRAR,D.L. Commonwealth Edison Co. 4pp. 75979:087-75979:090.

9308120273 Informs that NRC has approved licensee 930331 change request to designate licensee corporate emergency operations facility as backup emergency operations facility.
SHIRAKI,C.Y. Project Directorate III-2. 93/07/26. FARRAR,D.L. Commonwealth Edison Co. 3pp. 76085:349-76085:351.

9308100190 Provides addl info on fire barrier qualification, installation & ampacity derating margins for Thermo-Lag applications at facilities, in response to GL 92-08.
CHYZANOWSKI,D. Commonwealth Edison Co. 93/08/04. Office of Nuclear Reactor Regulation, Director (Post 870411). 6pp. 76067:249-76067:254.

9308240072 Notification of 930817 meeting w/util in Rockville, MD to discuss number of security related issues & changes to security plans which impact all sites.
HICKMAN,J.B. Project Directorate III-2. 93/08/05. DYER,J.E. Project Directorate III-2. 5pp. 76199:329-76199:333.

9308190147 Forwards insp rept 50-295/93-12 & 50-304/93-12 on 930726-30. No violations noted. Major areas inspected: review of exercise scenario & follow-up on licensee actions on previously identified items.
MCCORMICK,J.W. Region 3 (Post 820201). 93/08/11. DELGEORGE,L.O. Commonwealth Edison Co. 2pp. 76162:062-76162:086.

-9308190159 Insp repts 50-295/93-12 & 50-304/93-12 on 930726-30. No violations noted. Major areas inspected: review of exercise scenario & follow-up on licensee actions on previously identified items.
PLOSKE,T., REIDLINGER,T., JICKLING,R. Region 3 (Post 820201). 93/08/11. 23pp. 76162:064-76162:086.

9308300071 Forwards Amend 2 to Rev 2 to "Zion Fire Protection Rept" & change log.
SIMPSON,T.W. Commonwealth Edison Co. 93/08/23. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 16pp. 76298:070-76298:228.

-9308300075 Amend 2 to Rev 2 to "Zion Fire Protection Rept"
Commonwealth Edison Co. 93/08/05. 100pp. 76298:086-76298:228.

9308310078 Summary of 930817 meeting w/util in Rockville, MD re security-related issues & proposed mods to security plans. List of attendees encl.
PICKETT,D.V. Project Directorate III-2. 93/08/24. Project Directorate III-2. 7pp. 76274:190-76274:196.

J. Insurance & indemnity information

9308270067 Concludes that financial info submitted for 1993 in 930421 ltr satisfies requirements of Section 140.21 of 10CFR140 that each licensee maintain approved guarantee of payment of deferred premiums for each operating reactor over 100 MWe.
WOOD,R.S. Inspection & Licensing Policy Branch (Post 920712). 93/04/29. PENNOCK,J.B. Commonwealth Edison Co. 2pp. 76248:218-76248:219.

K. Utility Final Safety Analysis Report (FSAR) & amends

9308250277 Forwards "Zion Station Units 1 & 2 Updated FSAR 1993 Annual Update" & "Zion Nuclear Power Station 10CFR50.59 Summary Rept 920101-930222."
SIMPSON,T.W. Commonwealth Edison Co. 93/08/19. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 76251:001-76251:003.

-9308250293 "Zion Station Units 1 & 2 Updated FSAR 1993 Annual Update."
Commonwealth Edison Co. 93/07/31. 1100pp. 76251:349-76251:069.

P. Operating license stage documents & correspondence

9308160104 Forwards info on P-T limits from discussion at April OG meeting re pressure temp limit rept in administrative controls section of STS.
GRIMES,C.I. Technical Specifications Branch. 93/05/18. BUSH,L. Wer"ghouse Operating Plants Owners Group. ROBERTSON,J.L. BWR Owners Group. FROATS,E.E. Operating Plants Owners Group. 2pp. 76102:352-76102:356.

9308260238 "Response to Request for Technical Assistant re Auxiliary Bldg Ventilation Sys at Zion Nuclear Power Station."
Office of Nuclear Reactor Regulation, Director (Post 870411). 93/06/23. 1p. 76266:322-76266:328.

-9308260244 Forwards responses to questions asked in 930423 TAR re auxiliary bldg ventilation sys at Zion Nuclear Power Station.
ZWOLINSKI,J.A. Assistant Director for Region III Reactors (Post 901216). 93/06/23. GREENMAN,E.G. Region 3 (Post 820201). 6pp. 76266:323-76266:328.

62 DOCKETED ITEMS

9308300056 Forwards lists & table 5.7.2.13 re proposed administrative control for SG tube surveillance program, also intended to be implemented by lead plants during conversion to improved STS.
RUSSELL, W.T. Associate Director for Inspection & Technical Assessment (Post 870411). 93/06/25. BUSH, L. Westinghouse Operating Plants Owners Group. WUNDERLY, B. Babcock & Wilcox Operating Plants Owners Group. WOODS, B. C-E Operating Plants Owners Group. 8pp. 76266-140-76266-147.

9308090286 Discusses 930625 meeting between AVN & NRC re request that NRC provide AVN w/copy of approved Westinghouse software verification & validation plan for plant. Document can not be released by NRC.
WERMIEL, J.S. Instrumentation & Controls Branch. 93/07/19. ASHLEY, R. Affiliation Not Assigned. 1p. 76074-296-76074-296.

9308030320 Ack receipt of 930630 & 0713 submittals, incorporating changes in QA program description topical rept. Anticipates 60 days to complete review of submittal.
RING, M.A. Region 3 (Post 820201). 93/07/27. DELGEORGE, L.O. Commonwealth Edison Co. 2pp. 75979-304-75979-305.

9308050282 Forwards response to NRC 930623 RAI re BAW-2148P, "Low Upper-Shell Toughness Fracture Mechanics Analysis of RVs of Zion, Units 1 & 2 for Load Level A & B Conditions," dtd 1992.
SIMPKIN, T.W. Commonwealth Edison Co. 93/07/29. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 21pp. 76017-329-76017-349.

9308100156 Provides response to Generic Ltr 93-04, "Rod Control Sys Failure & Withdrawal of Rod Control Cluster Assemblies."
CHYZANOWSKI, D. Commonwealth Edison Co. 93/08/04. Document Control Branch (Document Control Desk). 9pp. 76078-235-76078-243.

9308100190 Provides addl info on fire barrier qualification, installation & ampacity derating margins for Thermo-Lag applications at facilities in response to GL 92-08.
CHYZANOWSKI, D. Commonwealth Edison Co. 93/08/04. Office of Nuclear Reactor Regulation, Director (Post 870411). 6pp. 76067-249-76067-254.

9308260158 Advises that NRC has no technical objection to licensee 930521 request to change frequency of meetings w/fuel vendors from once per reload design to once yearly.
DYER, J.E. Project Directorate III-3. 93/08/09. FARRAR, D.L. Commonwealth Edison Co. 3pp. 76216-358-76216-360.

9308200005 Notification of 930818 meeting w/util in Rockville, MD to discuss approach NRR taking to address cost beneficial licensing actions.
SIEGEL, B.L. Project Directorate III-2. 93/08/17. MURLEY, T.E., VARGA, S., CALVO, J. NRC - No Detailed Affiliation Given. 4pp. 76209-284-76209-287.

9308230113 Forwards Rev 64 to Topical Rept CE-1-A, "Comm Ed QA Manual."
BAUER, J.A. Commonwealth Edison Co. 93/08/20. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 76179-001-76179-190.

-9308230114 Rev 64 to Topical Rept CE-1-A, "Comm Ed QA Manual."
* Commonwealth Edison Co. 93/08/17. 189pp. 76179-002-76179-190.

9308300081 Requests scheduler exemption from 10CFR50, App J, Type A, test frequency re containment leakage testing.
SIMPKIN, T.W. Commonwealth Edison Co. 93/08/23. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 6p. 76282-342-76282-347.

9308300310 LAR 93-08 to Licenses DPR-39 & DPR-48, revising TS Sections 1.6 & bases for Section 3/4.11 & 3/4.12 for implementation of latest rev to 10CFR20.
SIMPKIN, T.W. Commonwealth Edison Co. 93/08/23. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 8pp. 76284-166-76284-192.

-9308300314 Proposed tech specs for implementation of latest rev to 10CFR20, "Guids for Protection Against Radiation."
* Commonwealth Edison Co. 93/08/23. 19pp. 76284-174-76284-192.

Q. Inspection reports, IE Bulletins & correspondence

9307190043 NRC Info Notice 93-057, "Software Problems Involving Digital Control Console Sys at Non-Power Reactors."
GRIMES, B.K. Division of Operating Reactor Support (Post 921004). 93/07/23. Consolidated Edison Co. of New York, Inc. 9pp. 76111-200-76111-208.

9308040232 Informs that BIT removal mod (M22-192)-88-021 completed & Unit 1 declared operable, per 900619 commitment in response to NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS."
SIMPKIN, T.W. Commonwealth Edison Co. 93/07/29. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 75997-089-75997-090.

9308090319 Forwards "Third 10-Yr Insp Interval ISI Plan for Zion Nuclear Power Station, Units 1 & 2."
SIMPKIN, T.W. Commonwealth Edison Co. 93/08/03. MURLEY, T.E., DENTON Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 76037-113-76037-187.

-9308090320 Rev 0 to "Third 10-Yr Insp Interval ISI Plan for Zion Nuclear Power Station, Units 1 & 2."
* Commonwealth Edison Co. 93/06/14. 74pp. 76037-114-76037-187.

9308100168 Forwards safety insp repts 50-295/93-14 & 50-304/93-14 on 930610-0720. Violations self-identified & not cited.
FARBER, M.J. Region 3 (Post 820201). 93/08/05. DELGEORGE, L.O. Commonwealth Edison Co. 2pp. 76026-031-76026-047.

-9308100173 Safety insp repts 50-295/93-14 & 50-304/93-14 on 930610-0720. Violations self-identified & not cited. Major areas inspected: action on previous findings, summary of operations, operational safety verification & ESF Sys walkdown.
FARBER, M.J. Region 3 (Post 820201). 93/08/05. 15pp. 76026-033-76026-047.

9308190147 Forwards insp rept 50-295/93-12 & 50-304/93-12 on 930726-30. No violations noted. Major areas inspected: review of exercise scenario & follow-up on licensee actions on previously identified items.
MCCORMICK, J.W. Region 3 (Post 820201). 93/08/11. DELGEORGE, L.O. Commonwealth Edison Co. 2pp. 76162-062-76162-086.

-9308190159 Insp repts 50-295/93-12 & 50-304/93-12 on 930726-30. No violations noted. Major areas inspected: review of exercise scenario & follow-up on licensee actions on previously identified items.
PLOSKE, T., SIMONS, H., COX, C. Region 3 (Post 820201). 93/08/11. 23pp. 76162-064-76162-086.

9308250258 Forwards exam rept 50-295/OL-93-02 for wks of 930712 & 19.
RING, M.A. Region 3 (Post 820201). 93/08/18. DELGEORGE, L.O. Commonwealth Edison Co. 2pp. 76189-147-76189-162.

-9308250265 Exam rept 50-295/OL-93-02 for wks of 930712 & 19. Exam results: four RO passed exams.
HANSEN, J., BURDICK, T. Region 3 (Post 820201). 93/08/18. 13pp. 76189-149-76189-162.

9308250477 Forwards Hydro Relief Requests 11, 12, 13, 14 & 15 & technical approach & Position 11.
SIMPKIN, T.W. Commonwealth Edison Co. 93/08/19. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 12pp. 76219-053-76219-064.

9308310174 Forwards safety insp repts 50-295/93-16 & 50-304/93-16 on 930802-06. No violations noted.
SNELL, W. Region 3 (Post 820201). 93/08/24. DELGEORGE, L.O. Commonwealth Edison Co. 2pp. 76264-353-76264-359.

-9308310183 Safety insp repts 50-295/93-16 & 50-304/93-16 on 930802-06. No violations noted. Major areas inspected: radiation protection program.
LOUDEN, P.L., SNELL, W. Region 3 (Post 820201). 93/08/23. 5pp. 76264-355-76264-359.

R. Periodic operating reports & related correspondence

9308090295 Forwards errata to Zion Nuclear Power Station, units 1 & 2 annual environ operating rept.
SCHUSTER, T. Commonwealth Edison Co. 93/07/26. MARTIN, J. Region 3 (Post 820201). 1p. 76059-357-76059-359.

-9308090299 Errata to Zion Nuclear Power Station, units 1 & 2 annual environ operating rept.
* Commonwealth Edison Co. 92/12/31. 2pp. 76059-358-76059-359.

9308170324 Monthly operating repts for Jul 1993 for Zion Generating Station, units 1 & 2.
CYGAN, J., BROCCOLO, E.A. Commonwealth Edison Co. 93/07/31. 14pp. 76137-217-76137-230.

9308120033 Forwards "Eagle 21 Process Protection Sys Periodic Sys Performance Rept."
SIMPKIN, T.W. Commonwealth Edison Co. 93/08/06. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 76087-326-76087-327.

9308250277 Forwards "Zion Station Units 1 & 2 Updated FSAR 1993 Annual Update" & "Zion Nuclear Power Station 10CFR50.59 Summary Rept 920101-930222."
SIMPKIN, T.W. Commonwealth Edison Co. 93/08/19. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 76251-001-76251-069.

-9308250283 "Zion Nuclear Power Station, 10CFR50.59 Summary Rept, 920101-930222."
* Commonwealth Edison Co. 93/02/22. 160pp. 76251-004-76251-348.

9308260021 Forwards fitness-for-duty program performance data for Braidwood, Byron, Dresden, LaSalle, Quad-Cities & Zion Stations for six month period ending 930630.
SIMPKIN, T.W. Commonwealth Edison Co. 93/08/20. Document Control Branch (Document Control Desk). 24pp. 76259-243-76259-266.

S. Reportable occurrences, LERs & related correspondence

9308030372 Potential Part 21 rept re Limitorque actuator motors. Utilis & other purchases listed in encl being advised of concern. Limitorque revising selection procedure for safety related actuators, motors & technical data packages.
TAYLOR, J.H. Babcock & Wilcox Co. 93/07/22. Document Control Branch (Document Control Desk). 8pp. 75976-349-75976-356.

9308310228 LER 92-019-01 on 921008, autostart of ESF components occurred during safeguards testing. Caused by procedural deficiency. Incorrect switch replaced w/correct configuration. W/930826 ltr.
HEIM, M.L., JOYCE, T.P. Commonwealth Edison Co. 93/08/13. 5pp. 76304-104-76304-108.

V. Operator Examinations

9308030302 Informs of NRC plans to administer generic fundamentals exam section written operator licensing exam on 931006.
RING, M.A. Region 3 (Post 820201). 93/07/28. Consumers Power Co. 3pp. 75983-358-75983-360.

9308230067 Informs of individual exam results for applicants on initial exam conducted on 930713-20 by NRC staff & forwards info re exam. W/o encl.
RING, M.A. Region 3 (Post 820201). 93/08/17. LASPISA, L.J. Commonwealth Edison Co. 1p. 76165-136-76165-136.

9308250258 Forwards exam rept 50-295/OL-93-02 for wks of 930712 & 19.
RING, M.A. Region 3 (Post 820201). 93/08/18. DELGEORGE, L.O. Commonwealth Edison Co. 2pp. 76189-147-76189-162.

-9308250265 Exam rept 50-295/OL-93-02 for wks of 930712 & 19. Exam results: four RO passed exams.
HANSEN, J., EHRHARDT, F., LENNARTZ, J. Region 3 (Post 820201). 93/08/18. 13pp. 76189-149-76189-162.

DOCKET 50-305 KEWAUNEE NUCLEAR POWER PLANT

F. Security, medical, emergency & fire protection plans

9308030275 Forwards encl 8 to SECY 93-166, which describes proposed characteristics of design basis vehicle. W/o encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 93/07/15. SCHROCK, C.A. Wisconsin Public Service Corp. 2pp. 75950:340-75950:341.

9308060313 Revised RERP Implementing Procedures, including index. Rev R to EP-AD-3, Rev S to EP-AD-4, Rev Q to RP-EOF-3, Rev U to EP-EOF-4, Rev I to EP-TSC-1, Rev L to EP-TSC-2, Rev P to EP-TSC-3 & Rev F to EP-TSC-4 W/930802 ltr.
SCHROCK, C.A. Wisconsin Public Service Corp. 93/08/02. 97pp. 76024:145-76024:241.

9308170184 Ack receipt of rev to plant emergency plan transmitted by 930623 ltr. Changes acceptable.
BARGER, J.W. Region 3 (Post 820201). 93/08/11. SCHROCK, C.A. Wisconsin Public Service Corp. 2pp. 76110:136-76110:137.

9308230203 Responds to NRC 930715 ltr re violation noted in Insp Rept 50-305/93-13. Corrective actions: QA staff involved counseled on importance of following listed procedures & QA Directive 3.2. "Emergency Preparedness Program Audit" will be revised.
SCHROCK, C.A. Wisconsin Public Service Corp. 93/08/16. Document Control Branch (Document Control Desk). 6pp. 76207:005-76207:010.

H. General correspondence

9308170147 Notifies that prior to end of 1993, Superintendent - QA & Superintendent - Plant Quality Programs will exchange responsibilities & titles. Description of both positions listed.
SCHROCK, C.A. Wisconsin Public Service Corp. 93/08/13. Document Control Branch (Document Control Desk). 2pp. 76136:300-76136:301.

J. Insurance & indemnity information

9308250119 Forwards Endorsement 113 to NELIA Policy NF-204 & Endorsement 97 to MAELU Policy MF-71.
SCHROCK, C.A. Wisconsin Public Service Corp. 93/08/18. Document Control Branch (Document Control Desk). 3pp. 76223:341-76223:343.

P. Operating license stage documents & correspondence

9308260136 Ltr contract, awarding Task Order 16, "IPE Reviews - Internal Events - Front End Only (Kewaunee)," to contract NRC-04-91-066.
MATTIA, M.J. Contract Administration Branch 2 (Post 900603). FIN B-5787. 93/04/16. COLINA, I. Science & Engineering Associates, Inc. 9pp. 76215:246-76215:254.

9308130028 Summary of 930630 licensee counterparts meeting at util corporate ofc re dry cask storage of spent fuel, SALP & other listed topics.
HANNON, J.N. Project Directorate III-3. 93/07/22. Project Directorate III-3. 200pp. 76133:001-76133:202.

9308020230 Ack receipt of 930610 submittal, incorporating changes in QA Program description, per 10CFR50.54(a).
RING, M.A. Region 3 (Post 820201). 93/07/27. SCHROCK, C.A. Wisconsin Public Service Corp. 1p. 75954:209-75954:209.

9308030100 Forwards comments on Vol 4 of Regulatory Review Group Rept re change in regulatory process.
SCHROCK, C.A. Wisconsin Public Service Corp. 93/07/28. GILLESPIE, F.P. Document Control Branch (Document Control Desk). 6pp. 75977:355-75977:360.

9308060293 Informs that util determined that scheduled upgrade of analog radiation monitoring sys to digital sys not safety-related mod that requires prior staff review & approval. Util proceeding w/mod, per 10CFR50.59.
SCHROCK, C.A. Wisconsin Public Service Corp. 93/08/02. Document Control Branch (Document Control Desk). 4pp. 76037:027-76037:030.

9308060360 Informs that listed recently revised drawings being sent to Region III for file, in ref to 800320 request for Piping & Instrumentation Diagrams for Region III Incident Response Ctr ref library.
SCHROCK, C.A. Wisconsin Public Service Corp. 93/08/02. Document Control Branch (Document Control Desk). 1p. 76059:178-76059:178.

9308120375 Submits response to Generic Ltr 93-04, "Rod Control Sys Failure & Withdrawal of Rod Control Cluster Assemblies."
STEINHARDT, C. Wisconsin Public Service Corp. 93/08/05. Document Control Branch (Document Control Desk). 12pp. 76090:340-76090:351.

9308160196 Forwards summary of generic safety analysis program conducted by WOG, incorporating words inadvertently from page 4 of Attachment 2 of util 930805 response to GL 93-04, "Rod Control Sys Failure & Withdrawal of Rod Control..."
STEINHARDT, C.R. Wisconsin Public Service Corp. 93/08/10. Document Control Branch (Document Control Desk). 8pp. 76143:196-76143:203.

Q. Inspection reports, IE Bulletins & correspondence

9308130028 Summary of 930630 licensee counterparts meeting at util corporate ofc re dry cask storage of spent fuel, SALP & other listed topics.
HANNON, J.N. Project Directorate III-3. 93/07/22. Project Directorate III-3. 200pp. 76133:001-76133:202.

9307190043 NRC Info Notice 93-057, "Software Problems Involving Digital Control Console Sys at Non-Power Reactors."
GRIMES, B.K. Division of Operating Reactor Support (Post 921004). 93/07/23. Consolidated Edison Co. of New York, Inc. 9pp. 76111:200-76111:208.

9308030011 Forwards insp rept 50-305/93-14 on 930713-15 & notice of violation.
JORGENSEN, B.L. Region 3 (Post 820201). 93/07/26. SCHROCK, C.A. Wisconsin Public Service Corp. 2pp. 75935:053-75935:062.

-9308030027 Notice of violation from insp on 930713-15. Violation noted: unsecured & unattended gate allowing access to radwaste drumming area room, which had radiation levels such that body could receive dose greater than 1,000 mrem in 1 h.
JORGENSEN, B.L. Region 3 (Post 820201). 93/07/26. 1p. 75935:055-75935:055.

-9308030032 Insp rept 50-305/93-14 on 930713-15. Violation noted: Major areas inspected: licensee radiation protection program, including audits & appraisals, external exposure controls, event repts & liquid radioactive effluent releases.
LOUDEN, P.L., SNELL, W. Region 3 (Post 820201). 93/07/23. 7pp. 75935:056-75935:062.

9308100082 Forwards special electrical distribution sys followup insp rept 50-305/93-15 on 930719-23. No violations noted. Written response to unresolved item requested.
WRIGHT, G.C. Region 3 (Post 820201). 93/08/03. SCHROCK, C.A. Washington Public Power Supply System. 2pp. 76025:322-76025:330.

-9308100091 Special EDSFI rept 50-305/93-15 on 930719-23. No violations noted. Major areas inspected: previously identified EDSFI findings & review of selected electrical mods.
FALEVITS, Z., LEE, S.S., GARDNER, R.N. Region 3 (Post 820201). 93/08/03. 7pp. 76025:324-76025:330.

9308100131 Provides response to violations noted in Insp Rept 50-305/93-08. Corrective actions: as-found static testing performed to determine thrust & torque values of valve actuator.
SCHROCK, C.A. Wisconsin Public Service Corp. 93/08/04. Document Control Branch (Document Control Desk). 11pp. 76067:235-76067:245.

9308230203 Responds to NRC 930715 ltr re violation noted in Insp Rept 50-305/93-13. Corrective actions: QA staff involved counseled on importance of following listed procedures & QA Directive 3.2. "Emergency Preparedness Program Audit" will be revised.
SCHROCK, C.A. Wisconsin Public Service Corp. 93/08/16. Document Control Branch (Document Control Desk). 6pp. 76207:005-76207:010.

9308250175 Forwards insp rept 50-305/93-11 on 930614-0701 & forwards notice of violation.
RING, M.A. Region 3 (Post 820201). 93/08/18. SCHROCK, C.A. Wisconsin Public Service Corp. 2pp. 76189:013-76189:029.

-9308250182 Notice of violation from insp on 930614-0701. Violation noted: temporary change requests 87-21, 87-22 & 90-15 installed 870903 & 900705 not subject to design control measures commensurate w/applied to original design.
RING, M.A. Region 3 (Post 820201). 93/08/18. 1p. 76189:015-76189:015.

-9308250187 Insp rept 50-305/93-11 on 930614-0701. Violations noted: Major areas inspected: design changes & temporary mod program & resolution to previously identified weaknesses.
LANGSTAFF, R., MAURA, F., YIN, J. Region 3 (Post 820201). 93/08/18. 14pp. 76189:016-76189:029.

9308310007 Ack receipt of 930804 ltr informing NRC of steps taken to correct violations noted in insp rept 50-305/93-08.
GREGER, L.R. Region 3 (Post 820201). 93/08/20. SCHROCK, C.A. Wisconsin Public Service Corp. 2pp. 76263:019-76263:020.

R. Periodic operating reports & related correspondence

9308160374 Monthly operating rept for Jul 1993 for Kewaunee Nuclear Plant. W/930810 ltr.
ANDERSON, M.L., SCHROCK, C.A. Wisconsin Public Service Corp. 93/07/31. 5pp. 76126:336-76126:340.

S. Reportable occurrences, LERs & related correspondence

9308170120 LER 93-016-00: on 930709, SG blowdown isolation valves inadvertently closed due to spurious radiation monitor output signal. Cause of high radiation monitor output undetermined. Printed Circuit Board R-19 replaced. W/930809 ltr.
SCHOMMER, K., SCHROCK, C.A. Wisconsin Public Service Corp. 93/08/09. 5pp. 76159:015-76159:019.

V. Operator Examinations

9308260022 Ltr contract NRC-04-91-069, task order 16, to "IPE Reviews, Internal Events - Human Reliability Analysis Only (Kewaunee)."
MATTIA, M.J. Contract Administration Branch 2 (Post 900603). NRC-04-91-069. 93/04/14. HAAS, P.M. Concord Associates, Inc. 9pp. 76214:288-76214:295.

9308250335 Ltr contract, awarding task 17, to "Individual Plant Exam Reviews, Internal Events-Back-End Only."
MATTIA, M.J. Contract Administration Branch 2 (Post 900603). FIN L-1933. 93/05/25. MATTSON, R.J. SCIENTECH, Inc. 10pp. 76203:116-76203:124.

9308250346 Ltr contract, Mod 1 to task 17, providing incremental funding in listed amount & increasing obligated amount to "Individual Plant Exam Reviews, Internal Events - Back End Only."
MATTIA, M.J. Contract Administration Branch 2 (Post 900603). FIN L-1933. 93/06/22. MATTSON, R.J. SCIENTECH, Inc. 3pp. 76201:358-76201:359.

9308030302 Informs of NRC plans to administer generic fundamentals exam section written operator licensing exam on 931006.
RING, M.A. Region 3 (Post 820201). 93/07/28. Consumers Power Co. 3pp. 75983:358-75983:360.

Y. Dry Cask Independent Spent Fuel Storage Installations

9308130028 Summary of 930630 licensee counterparts meeting at util corporate ofc re dry cask storage of spent fuel, SALP & other listed topics.
HANNON, J.N. Project Directorate III-3. 93/07/22. Project Directorate III-3. 200pp. 76133:001-76133:202.

64 DOCKETED ITEMS

DOCKET 50-306 PRAIRIE ISLAND NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9308040152 Forwards encl 8 to SECY 93-166 which describes proposed characteristics of design basis vehicle. Encl withheld.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 93/07/15. ANDERSON, R.O. Northern States Power Co. 2pp. 75987:016-75987:017.

9308160090 Ack receipt of 930723 ltr informing NRC of steps taken to correct violations noted in insp repts 50-282/90-19 & 50-306/93-20 re fitness-for-duty issue involving security officer at plant.
NORELIUS, C.E. Region 3 (Post 820201). 93/08/05. ANTONY, D.D. Northern States Power Co. 2pp. 76089:261-76089:262.

9308170094 Forwards insp repts 50-282/93-13 & 50-306/93-13 on 930719-27. No violations noted.
CREED, J.R. Region 3 (Post 820201). 93/08/11. ANTONY, D.D. Northern States Power Co. 2pp. 76108:342-76108:345.

-9308170100 Partially withheld insp repts 50-282/93-13 & 50-306/93-13 on 930719-27 (ref 10CFR73.21). Major areas inspected: physical security involving protected & vital access control of personnel & packages.
PIRTLE, G.L. Region 3 (Post 820201). 93/08/11. 2pp. 76108:344-76108:345.

9308200196 Forwards Rev 29B to security plan, per 10CFR50.54(p). Change responds to areas of NRC comment of Rev 29A, as well as items identified during insp Repts 50-282/93-13 & 50-306/93-13. Only revised pages submitted. Pages withheld, per 10CFR73.21.
ANDERSON, R.O. Northern States Power Co. 93/08/13. Document Control Branch (Document Control Desk). 1p. 76199:289-76199:289.

9308200215 Forwards Rev 10a to security training & qualification plan, per 10CFR50.54(p). Change responds to areas of NRC concern of Rev 10. Only revised pages submitted. Pages withheld, per 10CFR73.21.
ANDERSON, R.O. Northern States Power Co. 93/08/13. Document Control Branch (Document Control Desk). 1p. 76199:290-76199:290.

9308230040 Informs that plants were chosen for operational safeguards response evaluations at nuclear power reactors conducted by NRC & requests that appropriate plant personnel support for team during scheduled evaluation be provided.
SNELL, W. Region 3 (Post 820201). 93/08/17. ANTONY, D.D. Northern States Power Co. 2pp. 76165:108-76165:109.

9308250148 Revised EIPs, including rev 77 to Table of Contents, rev 15 to F3-15, "Responsibilities of Radiation Survey Teams During Radioactive Airborne Release," & rev 12 to F3-16, "Responsibilities of Radiation Survey..." W/930818 ltr.
FEY, F.L. Northern States Power Co. 93/08/18. 63pp. 76224:075-76224:137.

P. Operating license stage documents & correspondence

9308040236 Forwards SE re plants distribution methodology.
GAMBERONI, M. Project Directorate III-1. 93/07/16. ANDERSON, R.O. Northern States Power Co. 2pp. 75978:343-75978:347.

-9308040239 Safety evaluation accepting w/listed requirements, NSP method for core power distribution control.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 93/07/16. 3pp. 75978:345-75978:347.

9308060267 Provides semiannual status repts to NRC on progress of configuration mgt programs at facility.
ANDERSON, R.O. Northern States Power Co. 93/07/22. Document Control Branch (Document Control Desk). 8pp. 76026:256-76026:263.

9308020011 Ack receipt of inquiry addressed to MA Bies re conference of medical reviewers in Region III facilities. Advises that NRC would not be able to participate at conference & proposed listed alternative suggestions for licensee.
RING, M.A. Region 3 (Post 820201). 93/07/26. WOODBURN, J.D. Northern States Power Co. 3pp. 75972:343-75972:346.

-9308020016 Notices of possible Region III meeting of medical directors to discuss & further standardize licensee medical exams & decision making processes.
WOODBURN, J.D. Northern States Power Co. 93/07/16. BIES, M.A. Region 3 (Post 820201). 1p. 75972:346-75972:346.

9308020227 Ack receipt of 930604 submittal incorporating changes in QA Program description, per 10CFR50.54(a).
RING, M.A. Region 3 (Post 820201). 93/07/27. ANTONY, D.D. Northern States Power Co. 1p. 75954:208-75954:208.

9308050160 Forwards application for amend to Licenses DPR-42 & DPR-60, incorporating ref to revise methodologies described in WCAP-13677 & NSPNAD-93003 into TS.
ANDERSON, R.O. Northern States Power Co. 93/07/29. Document Control Branch (Document Control Desk). 2pp. 76022:235-76022:244.

-9308050168 Application for amends to licenses DPR-42 & DPR-60, incorporating ref to revised methodologies described in WCAP-13677 & NSPNAD-93003.
ANDERSON, R.O. Northern States Power Co. 93/07/29. 6pp. 76022:237-76022:242.

-9308050183 Proposed revised TS page 6.7-5 incorporating ref to revised methodologies described in WCAP-13677 & NSPNAD-93003.
* Northern States Power Co. 93/07/29. 2pp. 76022:243-76022:244.

9308050280 Forwards amends 107 & 100 to licenses DPR-42 & DPR-60 & safety evaluation. Amends relocate containment penetration list, changes section 3.6.c of TSs & deletes condensate cross-connect valve C-41-1 from section 3.4.B.1.g of TSs.
GAMBERONI, M. Project Directorate III-1. 93/07/29. ANDERSON, R.O. Northern States Power Co. 4pp. 76009:122-76009:150.

-9308050287 Amends 107 & 100 to licenses DPR-42 & DPR-60, respectively, relocating containment penetration list, changing section 3.6.c of TS & deleting condensate cross-connect valve C-41-1 from section 3.4.B.1.g of TS.
DEAN, W.M. Project Directorate III-1. 93/07/29. 27pp. 76009:125-76009:150.

-9308050289 Safety evaluation supporting amends 107 & 100 to licenses DPR-42 & DPR-60, respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 93/07/29. 4pp. 76009:151-76009:154.

9308090270 Forwards proposed changes to Rev 16 of "Operational QA Plan." Changes will not be implemented until Region III reviewed & approved changes.
ANDERSON, R.O. Northern States Power Co. 93/08/03. Document Control Branch (Document Control Desk). 20pp. 76062:170-76062:189.

9308270089 Informs that licensee 921013 response to suppl 4 to GL 88-20 re IEEE acceptable.
GAMBERONI, M. Project Directorate III-1. 93/08/11. ANDERSON, R.O. Northern States Power Co. 2pp. 76220:145-76220:146.

Q. Inspection reports, IE Bulletins & correspondence

9307190043 NRC Info Notice 93-057, "Software Problems Involving Digital Control Console Sys at Non-Power Reactors."
GRIMES, B.K. Division of Operating Reactor Support (Post 921004). 93/07/23. Consolidated Edison Co. of New York, Inc. 9pp. 76111:200-76111:208.

9308030001 Ack receipt of 930712 ltr informing NRC of steps taken to correct violations noted in insp repts 50-282/93-08 & 50-306/93-08.
SHAFER, W.D. Region 3 (Post 820201). 93/07/27. ANTONY, D.D. Northern States Power Co. 1p. 75996:095-75996:095.

9308100008 Forwards insp repts 50-282/93-10 & 50-306/93-10 on 930601-0719 & notice of violation.
SHAFER, W.D. Region 3 (Post 820201). 93/08/04. ANTONY, D.D. Northern States Power Co. 3pp. 76025:010-76025:035.

-9308100011 Notice of violation from insp on 930601-0719. Violation noted: on 930212, licensee identified that mod made to units 1 & 2 main steam dump sys resulted in condition where steam flow capacity was less than that stated in USAR.
SHAFER, W.D. Region 3 (Post 820201). 93/08/04. 2pp. 76025:013-76025:014.

-9308100012 Insp repts 50-282/93-10 & 50-306/93-10 on 930601-0719. Violations noted: Major areas inspected: plant operational safety, including onsite followup of events, maint, surveillance & engineering & technical support.
MCCABE, B.C. Region 3 (Post 820201). 93/08/04. 21pp. 76025:015-76025:035.

9308160070 Discusses results of hearing conducted on 930224-26 by ALJ of DOL into complaint filed on 921105 by individual formerly employed by Burns Intl Security Svc at plant. Recommended decision & order, dtd 930224 encl.
GREENMAN, E.G. Region 3 (Post 820201). 93/08/05. ANTONY, D.D. Northern States Power Co. 28pp. 76089:189-76089:216.

9308160090 Ack receipt of 930723 ltr informing NRC of steps taken to correct violations noted in insp repts 50-282/90-19 & 50-306/93-20 re fitness-for-duty issue involving security officer at plant.
NORELIUS, C.E. Region 3 (Post 820201). 93/08/05. ANTONY, D.D. Northern States Power Co. 2pp. 76089:261-76089:262.

9308160159 Responds to NRC 930611 ltr re violations noted in insp repts 50-282/93-07 & 50-306/93-07. C/As: licensee placed associated damper in open position & will maintain each damper open during both units tornado season.
ANTONY, D.D. Northern States Power Co. 93/08/06. Document Control Branch (Document Control Desk). 2pp. 76107:354-76107:355.

9308170094 Forwards insp repts 50-282/93-13 & 50-306/93-13 on 930719-27. No violations noted.
CREED, J.R. Region 3 (Post 820201). 93/08/11. ANTONY, D.D. Northern States Power Co. 2pp. 76108:342-76108:345.

-9308170100 Partially withheld insp repts 50-282/93-13 & 50-306/93-13 on 930719-27 (ref 10CFR73.21). Major areas inspected: physical security involving protected & vital access control of personnel & packages.
PIRTLE, G.L., CREED, J.R. Region 3 (Post 820201). 93/08/11. 2pp. 76108:344-76108:345.

9308200196 Forwards Rev 29B to security plan, per 10CFR50.54(p). Change responds to areas of NRC comment of Rev 29A, as well as items identified during insp Repts 50-282/93-13 & 50-306/93-13. Only revised pages submitted. Pages withheld, per 10CFR73.21.
ANDERSON, R.O. Northern States Power Co. 93/08/13. Document Control Branch (Document Control Desk). 1p. 76199:289-76199:289.

9308230040 Informs that plants were chosen for operational safeguards response evaluations at nuclear power reactors conducted by NRC & requests that appropriate plant personnel support for team during scheduled evaluation be provided.
SNELL, W. Region 3 (Post 820201). 93/08/17. ANTONY, D.D. Northern States Power Co. 2pp. 76165:108-76165:109.

9308310002 Forwards insp rept 50-306/93-15 on 930719-30 & notice of violation.
GREENMAN, E.G. Region 3 (Post 820201). 93/08/19. ANTONY, D.D. Northern States Power Co. 4pp. 76263:001-76263:018.

-9308310004 Notice of violation from insp on 930719-30. Violations noted: both trains of D5/D6 building HVAC sys secured for approx 1 1/2 hours & respective TS limiting conditions for operation not applied & followed.
GREENMAN, E.G. Region 3 (Post 820201). 93/08/19. 1p. 76263:005-76263:005.

-9308310005 Insp rept 50-306/93-15 on 930719-30. Violations noted: Major areas inspected: compliance issues re securing of D5/D6 building safety-related emergency equipment switchgear areas ventilation sys for approx 15 1/2 hours.
JORGENSEN, B.L. Region 3 (Post 820201). 93/08/12. 13pp. 76263:006-76263:018.

9308310025 Informs of intent to perform GL 89-10 MOV insp on 930927-1008 & forwards insp documents for NRC review.
WRIGHT, G.C. Region 3 (Post 820201). 93/08/20. ANTONY, D.D. Northern States Power Co. 4pp. 76263:070-76263:073.

9308310137 Confirms discussion to have enforcement conference on 930901 in Glen Ellyn, IL to discuss apparent violation involving employee discrimination. GREENMAN, E.G. Region 3 (Post 820201). 93/08/24. ANTONY, D.D. Northern States Power Co. 3pp. 76264:134-76264:137.

-9308310141 Notification of significant licensee meeting w/util on 930901 to discuss enforcement conference re employee discrimination concerns. JOHNSON, B.L. Region 3 (Post 820201). 93/08/24. Region 3 (Post 820201). 1p. 76264:137-76264:137.

R. Periodic operating reports & related correspondence

9308110139 Monthly operating reports for Jul 1993 for Prairie Island Nuclear Generating Plant. W/930805 ltr. DUGSTAD, D., ANDERSON, R.O. Northern States Power Co. 93/07/31. 9pp. 76068:352-76068:360.

S. Reportable occurrences, LERs & related correspondence

9308120103 Forwards response to GL 93-04, "Rod Control Sys Failure & Withdrawal of Rod Control Cluster Assemblies," summarizing compensatory actions taken in response to Salem rod control sys failure event. ANDERSON, R.O. Northern States Power Co. 93/08/05. Document Control Branch (Document Control Desk). 9pp. 76094:330-76094:338.

V. Operator Examinations

9308030302 Informs of NRC plans to administer generic fundamentals exam section written operator licensing exam on 931006. RING, M.A. Region 3 (Post 820201). 93/07/28. Consumers Power Co. 3pp. 75983:358-75983:360.

9308100074 Forwards list of questions re licensed operator positive alcohol test reported on 930802 following fitness-for-duty test taken on 930802 for answer within 30 days of ltr. Requests that proprietary mail be appropriately marked. MARTIN, T.O. Region 3 (Post 820201). 93/08/03. ANTONY, D.D. Northern States Power Co. 3pp. 76078:309-76078:311.

DOCKET 50-309 MAINE YANKEE ATOMIC POWER PLANT

F. Security, medical, emergency & fire protection plans

9308040140 Forwards encl 8 to SECY 93-166 describing proposed characteristics of design basis vehicle. Encl withheld. PARTLOW, J.G. Associate Director for Projects (Post 870411). 93/07/15. FRIZZLE, C.D. Maine Yankee Atomic Power Co. 3pp. 75987:005-75987:007.

9308020272 Forwards temporary change to security plan. Encl withheld. HEBERT, J.R. Maine Yankee Atomic Power Co. 93/07/29. Document Control Branch (Document Control Desk). 1p. 75987:352-75987:352.

P. Operating license stage documents & correspondence

9308040142 Forwards SE concluding that CEOG rept CEN-387-P, rev 1, "Pressurizer Surge Line Thermal Stratification Evaluation" adequately demonstrates that bounding surge line & nozzles meet ASME code stress & fatigue requirements. TRAN, L.N. Project Directorate V. 93/07/16. CONWAY, W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 75978:331-75978:338.

-9308040183 SE of CEN-387-P, Rev 0 & 1, "Pressurizer Surge Line Flow Stratification Evaluation." Rept acceptable. * Office of Nuclear Reactor Regulation, Director (Post 870411). 93/07/16. 4pp. 75978:335-75978:338.

9308090269 Forwards amend 140 to license DPR-36 & safety evaluation. Amend increases min fuel storage requirements for EDGs, revises monthly EDG load testing requirement & makes minor editorial changes. TROTTER, E.H. Project Directorate I-3. 93/08/03. FRIZZLE, C.D. Maine Yankee Atomic Power Co. 4pp. 76024:001-76024:016.

-9308090278 Amend 140 to license DPR-36, increasing min fuel storage requirements for EDGs, revising alternate train testing requirements for EDG & revising monthly EDG load testing requirement. BUTLER, W.R. Project Directorate I-3. 93/08/03. 7pp. 76024:005-76024:011.

-9308090282 Safety evaluation supporting amend 140 to license DPR-36. * Office of Nuclear Reactor Regulation, Director (Post 870411). 93/08/03. 5pp. 76024:012-76024:016.

9308130011 Forwards viewgraph presentation matl that util staff presented to Region I on 930630 re erosion/corrosion & SG tube programs & insp planned for refuel outage planned to start in Aug 1993. List of attendees encl. DURR, J.P. Region 1 (Post 820201). 93/08/03. FRIZZLE, C.D. Maine Yankee Atomic Power Co. 50pp. 76078:040-76078:089.

9308200202 Forwards Amend 141 to license DPR-36 & SE. Amend deletes five-page list of safety-related shock suppressors from TS 3.2.0, while providing addl applicability statement. TROTTER, E.H. Project Directorate I-3. 93/08/16. FRIZZLE, C.D. Maine Yankee Atomic Power Co. 3pp. 76163:313-76163:324.

-9308200204 Amend 141 to license DPR-36, deleting five-page list of safety-related shock suppressors from TS 3.2.0, while providing addl applicability statement. BUTLER, W.R. Project Directorate I-3. 93/08/16. 7pp. 76163:316-76163:322.

-9308200205 Safety evaluation supporting amend 141 to license DPR-36. * Office of Nuclear Reactor Regulation, Director (Post 870411). 93/08/16. 2pp. 76163:323-76163:324.

9308250288 Informs that State of ME has no objections to licensee Proposed Change 190, removing list of snubbers from TS, but found second statement of revised applicability section of TS 3.2.0 to be confusing. DOSTIE, P.J. Maine, State of. 93/08/18. Document Control Branch (Document Control Desk). 1p. 76260:277-76260:277.

9308310062 Forwards amend 142 to license DPR-36 & safety evaluation. Amend deletes surveillance requirement for environ monitors from TS. TROTTER, E.H. Project Directorate I-3. 93/08/23. FRIZZLE, C.D. Maine Yankee Atomic Power Co. 3pp. 76274:178-76274:186.

-9308310063 Amend 142 to license DPR-36, deleting surveillance requirements for environ monitors from TS. BUTLER, W.R. Project Directorate I-3. 93/08/23. 4pp. 76274:181-76274:184.

-9308310066 Safety evaluation supporting amend 142 to license DPR-36. * Office of Nuclear Reactor Regulation, Director (Post 870411). 93/08/23. 2pp. 76274:185-76274:186.

9308310172 Forwards Rev 0 of "Maine Yankee Cycle 14 COLR" & YAE-1864, "Maine Yankee Cycle 14 Core Performance Analysis." HEBERT, J.R. Maine Yankee Atomic Power Co. 93/08/25. Document Control Branch (Document Control Desk). 1p. 76300:150-76300:332.

-9308310175 Rev of "Maine Yankee Cycle 14 COLR." * Maine Yankee Atomic Power Co. 93/08/12. 29pp. 76300:151-76300:179.

-9308310184 "Maine Yankee Cycle 14 Core Performance Analysis." ROUSSEAU, K.R., SCOTT, M.W., BERGERON, P.A. Yankee Atomic Electric Co. YAE-1864. 93/04/30. 152pp. 76300:180-76300:332.

Q. Inspection reports, IE Bulletins & correspondence

9308040142 Forwards SE concluding that CEOG rept CEN-387-P, rev 1, "Pressurizer Surge Line Thermal Stratification Evaluation" adequately demonstrates that bounding surge line & nozzles meet ASME code stress & fatigue requirements. TRAN, L.N. Project Directorate V. 93/07/16. CONWAY, W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 75978:331-75978:338.

-9308040183 SE of CEN-387-P, Rev 0 & 1, "Pressurizer Surge Line Flow Stratification Evaluation." Rept acceptable. * Office of Nuclear Reactor Regulation, Director (Post 870411). 93/07/16. 4pp. 75978:335-75978:338.

9307190043 NRC Info Notice 93-057, "Software Problems Involving Digital Control Console Sys at Non-Power Reactors." GRIMES, B.K. Division of Operating Reactor Support (Post 921004). 93/07/23. Consolidated Edison Co. of New York, Inc. 9pp. 76111:200-76111:208.

9308130011 Forwards viewgraph presentation matl that util staff presented to Region I on 930630 re erosion/corrosion & SG tube programs & insp planned for refuel outage planned to start in Aug 1993. List of attendees encl. DURR, J.P. Region 1 (Post 820201). 93/08/03. FRIZZLE, C.D. Maine Yankee Atomic Power Co. 50pp. 76078:040-76078:089.

190295 Forwards Safety Insp Rept 50-309/93-13 on 930628-0702 of IST program implementation, per GL 89-04. Minor discrepancies noted. J.P. Region 1 (Post 820201). 93/08/11. FRIZZLE, C.D. Maine Yankee Atomic Power Co. 3pp. 76162:137-76162:151.

190298 Insp Rept 50-309/93-13 on 930628-0702. Minor discrepancies noted. Major areas inspected: licensee IST program & IST implementation, per GL 89-04. KENNY, T.J., EAPEN, P.K. Region 1 (Post 820201). 93/07/27. 12pp. 76162:140-76162:151.

9308310022 Forwards insp rept 50-309/93-14 on 930610-0727. No violations noted. Minor example of improper implementation of locked valve program noted. LINVILLE, J.C. Region 1 (Post 820201). 93/08/18. FRIZZLE, C.D. Maine Yankee Atomic Power Co. 3pp. 76263:056-76263:069.

-9308310026 Insp rept 50-309/93-14 on 930610-0727. No violations noted. Major areas inspected: operations, maint & surveillance, engineering & technical & plant support. LAZARUS, W.J. Region 1 (Post 820201). 93/08/17. 11pp. 76263:059-76263:069.

9308310044 Forwards insp rept 50-309/93-19 on 930809-13 & notice of violation. JOYNER, J.H. Region 1 (Post 820201). 93/08/18. FRIZZLE, C.D. Maine Yankee Atomic Power Co. 3pp. 76263:219-76263:255.

-9308310045 Insp rept 50-309/93-19 on 930809-13. No violations noted. Major areas inspected: mgt organization, ALARA, control of radiological work during refueling outage & QA & training. FURIA, J., PASCIAK, W. Region 1 (Post 820201). 93/08/17. 34pp. 76263:222-76263:255.

R. Periodic operating reports & related correspondence

9308190148 Monthly operating rept for Jul 1993 for Maine Yankee. W/ 930809 ltr. BAILEY, S.J., HEBERT, J.R. Maine Yankee Atomic Power Co. 93/07/31. 6pp. 76162:023-76162:028.

9308180160 Forwards fitness-for-duty program performance data for 930101-0630. HEBERT, J.R. Maine Yankee Atomic Power Co. 93/08/12. Document Control Branch (Document Control Desk). 11pp. 76153:334-76153:344.

S. Reportable occurrences, LERs & related correspondence

9308190263 LER 93-015-00: on 930716, ECCS valves found unlocked. Caused by result of design final phase of comprehensive review detailing ECCS design requirements for proper alignment. Valves locked & controlling procedures revised. W/ 930816 ltr. MCDOUGOLD, D.P., HEBERT, J.R. Maine Yankee Atomic Power Co. 93/07/16. 3pp. 76178:052-76178:054.

66 DOCKETED ITEMS

9308030254 LER 93-014-00: on 930701, inoperable ECCS during pump recirculation valve stroke test due to failure of original TS license submittal & current regulatory positions. Changed frequency of valve test. W/930728 ltr.
EMERY, K., HEBERT, J.R. Maine Yankee Atomic Power Co. 93/08/01. 3pp. 76022:030-76022:032.

9308250048 Initial Part 21 rept re GE AK-25 circuit breakers w/RMS-9 overcurrent trip devices. On 930731, three spurious trips of subj breakers experienced while in refueling shutdown. Addl info re issue will be provided within 30 days.
HEBERT, J.R. Maine Yankee Atomic Power Co. 93/08/20. Document Control Branch (Document Control Desk). 2pp. 76218:340-76218:341.

V. Operator Examinations

9308030096 Advises that arrangements made for administration of licensing exams during wk of 931115, per 930719 telcon. Util requested to furnish ref matts identified in attachment 2 of ES-201 by 930915.
MEYER, G.W. Region 1 (Post 820201). 93/07/23. FRIZZLE, C.D. Maine Yankee Atomic Power Co. 3pp. 75936:028-75936:030.

DOCKET 50-311 SALEM NUCLEAR GENERATING STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9308040241 Forwards encl 8 to SECY-93-166, "Staff Recommendation For Protection Against Malevolent Use Of Vehicles At Nuclear Power Plants." Encl withheld (safe-guards info).
PARTLOW, J.G. Associate Director for Projects (Post 870411). 93/07/15. MILTENBERGER, S. Public Service Electric & Gas Co. of New Jersey. 4pp. 75978:348-75978:351.

9308100202 Revised EPIPs, including rev 7 to EPIP-201H, "Operations Support Ctr (OSC) Activation & Operations," rev 11 to EPIP-202H, "TSC - Integrated Engineering Response," & rev 40 to EPIP-TOC-HC.
* Public Service Electric & Gas Co. of New Jersey. 93/07/26. 38pp. 76065:228-76065:255.

9308110185 Forwards description of util position on spurious valve operation during App R fire, including methodology used & specific guidance cited from GL 86-10, in response to unresolved issue raised during App R insp on 930517-21.
LABRUNA, S. Public Service Electric & Gas Co. of New Jersey. 93/08/02. Document Control Branch (Document Control Desk). 5pp. 76074:260-76074:264.

9308160021 Notification of significant licensee meeting 93-97 on 930806 in King of Prussia, PA to discuss non-declaration of terminated emergency issues.
WHITE, J.R. Region 1 (Post 820201). 93/08/02. Region 1 (Post 820201). 2pp. 76088:339-76088:340.

9308190033 Forwards Insp Repts 50-272/93-19, 50-311/93-19 & 50-354/93-18 on 930606-0724. Findings documented in repts.
WENZINGER, E.C. Region 1 (Post 820201). 93/08/12. MILTENBERGER, S. Public Service Electric & Gas Co. of New Jersey. 2pp. 76161:298-76161:328.

-9308190037 Insp Repts 50-272/93-19, 50-311/93-19 & 50-354/93-18 on 930606-0724. Overview of findings & conclusions provided. Major areas inspected: operations, radiological controls, maint & surveillance testing, EP & security.
WHITE, J.R. Region 1 (Post 820201). 93/08/12. 28pp. 76161:301-76161:328.

9308200041 Responds to unresolved item noted in Insp Repts 50-272/93-13, 50-311/93-13 & 50-354/93-09 re NRC understanding of licensee practice of not declaring & reporting terminated emergencies.
HAGAN, J.J. Public Service Electric & Gas Co. of New Jersey. 93/08/12. Document Control Branch (Document Control Desk). 5pp. 76190:280-76190:284.

9308230080 Revised EPIPs, including rev 6 to EPIP 201S, "TSC, Integrated Engineering Response," & rev 39 to EPIP-TOC-Salem.
* Public Service Electric & Gas Co. of New Jersey. 93/08/20. 25pp. 76186:232-76186:255.

P. Operating license stage documents & correspondence

9308120047 Informs of plans to improve plant performance at Salem & maintaining excellence at Hope Creek.
MILTENBERGER, S. Public Service Electric & Gas Co. of New Jersey. 93/07/12. MARTIN, T.T. Region 1 (Post 820201). 5pp. 76087:321-76087:325.

9308120316 Provides listed comments re licensee 930226 request for approval of integrated schedule program for plant.
BOYLE, M.L. Project Directorate I-2. 93/07/23. MILTENBERGER, S. Public Service Electric & Gas Co. of New Jersey. 5pp. 76085:280-76085:284.

9308100023 Confirms dates of 930816-20, 30 & 0903 for partial EDSFI at plant. Purpose of insp to determine whether electrical distribution sys capable of performing intended functions as designed, installed & configured during accident conditions.
DURR, J.P. Region 1 (Post 820201). 93/07/28. MILTENBERGER, S. Public Service Electric & Gas Co. of New Jersey. 4pp. 76025:077-76025:080.

9308190065 Summary of 930719 meeting w/util to discuss installation of digital feed-water control sys at facility & removal of one reactor trip signal from sys. List of attendees encl.
STONE, J.C. Project Directorate I-2. 93/07/28. Project Directorate I-2. 17pp. 76151:308-76151:324.

9308190077 Informs that 930505 submittal of WCAP-13569, "Technical Justification for Eliminating Large Primary Loop Pipe Rupture as Structural Design Basis," will be withheld from public disclosure, per 10CFR2.790.
STONE, J.C. Project Directorate I-2. 93/07/28. LIPARULO, N.J. Westinghouse Electric Corp. 4pp. 76153:132-76153:135.

9308050186 Responds to NJ State comments re TS page 3/4 4-28. Encl graph contains three limitation curves, including leak test limit, heatup limit & criticality limit.
LABRUNA, S. Public Service Electric & Gas Co. of New Jersey. 93/07/29. Document Control Branch (Document Control Desk). 3pp. 76022:343-76022:345.

9308110245 Responds to GL 93-04 re rod control sys failure & withdrawal of rod control cluster assembly which occurred at Salem Unit 2 facility. Plan & schedule for long-term resolution of issue will be provided by 930920.
LABRUNA, S. Public Service Electric & Gas Co. of New Jersey. 93/07/29. Document Control Branch (Document Control Desk). 3pp. 76080:236-76080:238.

9308060186 Forwards Individual Plant Exam Rept, including final assessments & recommendations re GL 88-20. Vulnerabilities noted during internal flooding & containment bypass analyses.
LABRUNA, S. Public Service Electric & Gas Co. of New Jersey. 93/07/30. Document Control Branch (Document Control Desk). 4pp. 76031:001-76031:254.

-9308060307 "Salem Generating Station Individual Plant Exam" rept.
SCOTT, J.F., HO, S.A., LAMBERT, C.W. Public Service Electric & Gas Co. of New Jersey. 93/07/31. 1,400pp. 76031:005-76031:254.

9308100157 Advises that NJ Dept of Environ Protection & Energy Bureau of Nuclear Engineering has reviewed License Change Request 92-12, per 10CFR50.91(b) & has no comments.
TOSCH, K.W. New Jersey, State of. 93/08/03. Document Control Branch (Document Control Desk). 2pp. 76065:353-76065:354.

9308120013 Application for amends to licenses DPR-70 & DPR-75, revising TS for consistency w/STSs & to keep Unit 1 & 2 TS similar by providing mathematical symbols for words "greater than or equal to."
HAGAN, J.J. Public Service Electric & Gas Co. of New Jersey. 93/08/03. Document Control Branch (Document Control Desk). 3pp. 76087:330-76087:357.

-9308120024 Proposed tech specs revising TS consistent w/STS & to keep Units 1 & 2 TS similar by providing mathematical symbols for words "greater than or equal to."
* Public Service Electric & Gas Co. of New Jersey. 93/08/03. 25pp. 76087:333-76087:357.

9308110132 Application for amend to License DPR-75, modifying TS for ac power sources on one time basis to allow connection of two 500/13.8 kV transformer bus sections as part of Salem switchyard project.
HAGAN, J.J. Public Service Electric & Gas Co. of New Jersey. 93/08/04. Document Control Branch (Document Control Desk). 11p. 76072:333-76072:347.

-9308110134 Proposed tech specs for ac power requirements during switchyard mods.
* Public Service Electric & Gas Co. of New Jersey. 93/08/04. 4pp. 76072:344-76072:347.

9308110209 Forwards responses to NRC 930607 RAI re util 920630 & 1230 responses to GL 92-01, Rev 1, "RV Structural Integrity."
LABRUNA, S. Public Service Electric & Gas Co. of New Jersey. 93/08/04. Document Control Branch (Document Control Desk). 14pp. 76067:347-76067:360.

9308250415 Forwards amends 142 & 121 to licenses DPR-70 & DPR-75, respectively & SE Amends modify RTS & ESFAS instrument sections & associated Bases for surveillance test intervals & AOT.
STONE, J.C. Project Directorate I-2. 93/08/04. MILTENBERGER, S. Public Service Electric & Gas Co. of New Jersey. 4pp. 76212:201-76212:262.

-9308250422 Amends 142 & 121 to licenses DPR-70 & DPR-75, respectively, modifying RTS & ESFAS instrument sections & associated Bases for surveillance test intervals & AOT.
MILLER, C.L. Project Directorate I-2. 93/08/04. 44pp. 76212:205-76212:248.

-9308250425 Safety evaluation supporting amends 142 & 121 to licenses DPR-70 & DPR-75, respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 93/08/04. 14pp. 76212:249-76212:262.

9308110180 Informs of revised request for amend for licenses DPR-70 & DPR-75 re deletion of line item 9 of TS 3.3.3.7, PAMS, table 3.3-11 & 4.3-11 w/associated action 3 on both units.
HAGAN, J.J. Public Service Electric & Gas Co. of New Jersey. 93/08/05. Document Control Branch (Document Control Desk). 6pp. 76077:320-76077:325.

9308110195 Application for amends to licenses DPR-70 & DPR-75, modifying TS 3/4.5.1, "ECCS."
HAGAN, J.J. Public Service Electric & Gas Co. of New Jersey. 93/08/06. Document Control Branch (Document Control Desk). 8pp. 76071:343-76071:355.

-9308110204 Proposed tech specs modifying actions of TS 3/4.5.1, ECCS - accumulators.
* Public Service Electric & Gas Co. of New Jersey. 93/08/06. 5pp. 76071:351-76071:355.

9308130072 Application for amends to licenses DPR-70 & DPR-75, modifying section 4.2.1, "Aquatic Monitoring," of environ protection plan.
* Public Service Electric & Gas Co. of New Jersey. 93/08/06. 6pp. 76104:323-76104:334.

-9308130074 Proposed tech specs modifying section 4.2.1, "Aquatic Monitoring," of environ protection plan.
* Public Service Electric & Gas Co. of New Jersey. 93/08/06. 6pp. 76104:329-76104:334.

9308200051 Submits update to spent fuel pool rerack licensing rept contained in 930428 application for amends to Licenses DPR-70 & DPR-75, increasing SFP capacities from 1,170 to 1,632 & extending decay time for refueling operations.
LABRUNA, S. Public Service Electric & Gas Co. of New Jersey. 93/08/12. Document Control Branch (Document Control Desk). 2pp. 76190:303-76190:304.

9308310221 Confirms implementation of Amends 141/120 to Licenses DPR-70 & DPR-75, respectively, on 930715.
HAGAN, J.J. Public Service Electric & Gas Co. of New Jersey. 93/08/13. Document Control Branch (Document Control Desk). 2pp. 76288:354-76288:355.

Q. Inspection reports, IE Bulletins & correspondence

9307190043 NRC Info Notice 93-057, "Software Problems Involving Digital Control Console Sys at Non-Power Reactors." GRIMES,B.K. Division of Operating Reactor Support (Post 921004). 93/07/23. Consolidated Edison Co. of New York, Inc. 9pp. 76111:200-76111:208.

9308040007 Forwards insp repts 50-272/93-14,50-311/93-14 & 50-354/93-10.Unresolved item updated. DURR,J.P. Region 1 (Post 820201). 93/07/29. MILTENBERGER,S. Public Service Electric & Gas Co. of New Jersey. 3pp. 75949:035-75949:068.

-9308040011 Insp repts 50-272/93-14,50-311/93-14 & 50-354/93-10 on 930419-30.One unresolved item updated.Major areas inspected: engineering performance,staffing,training,procurement engineering & corrective actions. CHEUNG,L.S., RULAND,W. Region 1 (Post 820201). 93/07/16. 30pp. 75949:038-75949:068.

9308110185 Forwards description of util position on spurious valve operation during App R fire,including methodology used & specific guidance cited from GL 86-10,in response to unresolved issue raised during App R insp on 930517-21. LABRUNA,S. Public Service Electric & Gas Co. of New Jersey. 93/08/02. Document Control Branch (Document Control Desk). 5pp. 76074:260-76074:264.

9308240082 Forwards technical review rept re, "Tardy Licensee Actions" initiated because of delayed replacement of batteries in uninterruptible power supplies at plant. ISRAEL,S.L. Reactor Operations Analysis Branch. 93/08/05. ROSENTHAL,J.E. Reactor Operations Analysis Branch. 2pp. 76218:177-76218:193.

-9308240165 Technical review rept, "Tardy Licensee Actions." ISRAEL,S.L. Reactor Operations Analysis Branch. 93/08/31. 13pp. 76218:179-76218:193.

9308170035 Forwards insp repts 50-272/93-81 & 50-311/93-81 on 930605-28.No violations noted. HODGES,M.W. Region 1 (Post 820201). 93/08/11. MILTENBERGER,S. Public Service Electric & Gas Co. of New Jersey. 5pp. 76108:115-76108:183.

-9308170041 Insp repts 50-272/93-81 & 50-311/93-81 on 930606-28.No violations noted.Major areas inspected:areas necessary to ascertain facts & determine probable causes of numerous rod control sys electronic component failures. RULAND,W.H., DURR,J.P. Region 1 (Post 820201). 93/08/06. 64pp. 76108:120-76108:183.

9308170146 Discusses plant mgt meeting w/util on 930718 re insp repts 50-272/93-81 & 50-311/93-81.Topics discussed included numerous rod control sys failures which occurred during May & June 1993.Attendees in encl 1. HODGES,M.W. Region 1 (Post 820201). 93/08/11. MILTENBERGER,S. Public Service Electric & Gas Co. of New Jersey. 56pp. 76110:027-76110:082.

9308190033 Forwards Insp Repts 50-272/93-19,50-311/93-19 & 50-354/93-18 on 930606-0724.Findings documented in repts. WENZINGER,E.C. Region 1 (Post 820201). 93/08/12. MILTENBERGER,S. Public Service Electric & Gas Co. of New Jersey. 2pp. 76161:298-76161:328.

-9308190037 Insp Repts 50-272/93-19,50-311/93-19 & 50-354/93-18 on 930606-0724.Overview of findings & conclusions provided. Major areas inspected:operations,radiological controls, maint & surveillance testing,EP & security. WHITE,J.R. Region 1 (Post 820201). 93/08/12. 28pp. 76161:301-76161:328.

9308200041 Responds to unresolved item noted in Insp Repts 50-272/93-13,50-311/93-13 & 50-354/93-09 re NRC understanding of licensee practice of not declaring & reporting terminated emergencies. HAGAN,J.J. Public Service Electric & Gas Co. of New Jersey. 93/08/12. Document Control Branch (Document Control Desk). 5pp. 76190:280-76190:284.

R. Periodic operating reports & related correspondence

9308020077 "NPDES Discharge Monitoring Rept for June 1993 for Salem Generating Station." W/930723 ltr. VONDRA,C.A. Public Service Electric & Gas Co. of New Jersey. 93/06/30. CAPOREALE,G. New Jersey. State of. 24pp. 75954:156-75954:179.

9308190202 Monthly operating rept for Jul 1993 for Salem,unit 2.W/ 930813 ltr. HELLER,R., SHEDLOCK,M. Public Service Electric & Gas Co. of New Jersey. 93/07/31. 8pp. 76168:333-76168:340.

9308260336 Forwards semi-annual rept of fitness for duty performance data. MILTENBERGER,S. Public Service Electric & Gas Co. of New Jersey. 93/08/18. Document Control Branch (Document Control Desk). 8pp. 76237:349-76237:357.

S. Reportable occurrences, LERs & related correspondence

9308200279 Summary of operating reactors events meeting 93-21 on 930609. CHAFFEE,A.E. Events Assessment Branch. 93/06/15. GRIMES,B.K. Division of Operating Reactor Support (Post 921004). 19pp. 76178:150-76178:168.

9308120291 Summary of operating reactors events meeting 93-23 on 930623. CHAFFEE,A.E. Events Assessment Branch. 93/07/06. GRIMES,B.K. Division of Operating Reactor Support (Post 921004). 16pp. 76085:245-76085:260.

9308030372 Potential Part 21 rept re Limitorque actuator motors.Utilis & other purchases listed in encl being advised of concern. Limitorque revising selection procedure for safety related actuators,motors & technical data packages. TAYLOR,J.H. Babcock & Wilcox Co. 93/07/22. Document Control Branch (Document Control Desk). 8pp. 75976:349-75976:356.

9308180194 Notifies that on 930717,kemp ridley sea turtle recovered from trash rack 22a of CWS intake.Turtle recovered alive & undamaged.During June 1 through Sept 30,trash racks observed every two h & cleaned at least once per day. MILTENBERGER,S. Public Service Electric & Gas Co. of New Jersey. 93/08/12. Document Control Branch (Document Control Desk). 5pp. 76154:339-76154:343.

V. Operator Examinations

9308230177 Informs that arrangements made for administration of RO & SRO initial licensing exams during wk of 931213,per 930806 telcon between P Bissett & W Gott.Refr matl required for preparation of exams encl. MEYER,G.W. Region 1 (Post 820201). 93/08/18. MILTENBERGER,S. Public Service Electric & Gas Co. of New Jersey. 4pp. 76213:155-76213:158.

DOCKET 50-312 RANCHO SECO NUCLEAR GENERATING STATION**F. Security, medical, emergency & fire protection plans**

9308180147 Forwards encl 8 to SECY-93-166 which describes proposed characteristics of design basis vehicle.W/o encl. WEISS,S.H. Non-Power Reactor & Decommissioning Project Directorate. 93/07/28. SHETLER,J.R. Sacramento Municipal Utility District. GRANT,J.M. Yankee Atomic Electric Co. CROSS,J.E. Portland General Electric Co. 4pp. 76143:139-76143:142.

9308180263 Forwards for info,encl 8 to SECY-93-166 which describes proposed characteristics of design basis vehicle.Encl withheld. WEISS,S.H. Non-Power Reactor & Decommissioning Project Directorate. 93/07/28. SHETLER,J.R. Sacramento Municipal Utility District. 4pp. 76150:331-76150:334.

9308250389 Forwards mgt meeting rept 50-312/93-04 on 930727. VANDENBURGH,C. Region 5 (Post 820201). 93/08/11. SHETLER,J. Sacramento Municipal Utility District. 3pp. 76218:276-76218:300.

-9308250419 Mgt meeting rept 50-312 on 930727.Major areas discussed: status of activities,including maint of plant equipment, fire protection equipment & plant personnel morale. WONG,H.J. Region 5 (Post 820201). 93/08/11. 22pp. 76218:279-76218:300.

G. Adjudicatory correspondence

9308090167 Forwards copy of util 930719 ltr DAGM/NUC 93-146 re implementation of training rule 10CFR50.120.W/Svc list. Related correspondence. LEWIS,D.R. Sacramento Municipal Utility District. LEWIS,D.R. Shaw, Pittman, Potts & Trowbridge. #393 14154. 93/07/27. MCGRANNERY,J.P. McGranery, J.P., Jr. 2pp. 76021:176-76021:177.

9308090173 Licensee answer to ECO contentions on Staff environ assessment,findings of no significant impact & SE * W/Certificate of Svc & Svc list. BAXTER,T.A., SCHORI,J. Sacramento Municipal Utility District. BAXTER,T.A. Shaw, Pittman, Potts & Trowbridge. #393 14153. 93/07/27. Atomic Safety & Licensing Board Panel. 34pp. 76021:178-76021:211.

9308110102 NRC Staff response to ECO contentions on Staff EA,finding of no significant impact & SE * W/Certificate of Svc & notice of appearance. CLARK,L.B. Office of the General Counsel (Post 860701). #393 14169. 93/08/02. Atomic Safety & Licensing Board Panel. 27pp. 76056:272-76056:298.

9308160138 Forwards util 930729 ltr re supplemental response to NRC 930625 ltr concerning implementation of training rule, 10CFR50.120.W/svc list.Related correspondence.W/o encl. BAXTER,T.A. Shaw, Pittman, Potts & Trowbridge. #393 14199. 93/08/09. MCGRANNERY,J.P. McGranery, J.P., Jr. 2pp. 76088:054-76088:055.

P. Operating license stage documents & correspondence

9308130171 Informs that util continues to re-evaluate enduring & recurring commitments to determine applicability to plant during permanently defueled mode & POL.Commitment tracking sys general CTS repts encl. SHETLER,J.R. Sacramento Municipal Utility District. 93/07/15. FAULKENBERRY,B. Region 5 (Post 820201). 41pp. 76113:235-76113:275.

Q. Inspection reports, IE Bulletins & correspondence

9307190043 NRC Info Notice 93-057, "Software Problems Involving Digital Control Console Sys at Non-Power Reactors." GRIMES,B.K. Division of Operating Reactor Support (Post 921004). 93/07/23. Consolidated Edison Co. of New York, Inc. 9pp. 76111:200-76111:208.

9308160002 Forwards insp rept 50-312/93-03 on 930712-16 & notice of violation. REESE,J.H. Region 5 (Post 820201). 93/07/30. SHETLER,J. Sacramento Municipal Utility District. 3pp. 76088:227-76088:241.

-9308160003 Notice of violation from insp on 930712-16.Violation noted: radwaste container B9U-592-0113 was filled on 920721 & licensee failed to complete radwaste container ID worksheet. * Region 5 (Post 820201). 93/07/30. 2pp. 76088:230-76088:231.

-9308160004 Insp rept 50-312/93-03 on 930712-16.Violations noted.Major areas inspected:licensee radiation protection & radwaste mgt programs. CARSON,L.C., REESE,J.H. Region 5 (Post 820201). 93/07/30. 10pp. 76088:232-76088:241.

9308240082 Forwards technical review rept re, "Tardy Licensee Actions" initiated because of delayed replacement of batteries in uninterruptible power supplies at plant. ISRAEL,S.L. Reactor Operations Analysis Branch. 93/08/05. ROSENTHAL,J.E. Reactor Operations Analysis Branch. 2pp. 76218:177-76218:193.

-9308240165 Technical review rept, "Tardy Licensee Actions." ISRAEL,S.L. Reactor Operations Analysis Branch. 93/08/31. 13pp. 76218:179-76218:193.

9308250389 Forwards mgt meeting rept 50-312/93-04 on 930727. VANDENBURGH,C. Region 5 (Post 820201). 93/08/11. SHETLER,J. Sacramento Municipal Utility District. 3pp. 76218:276-76218:300.

68 DOCKETED ITEMS

—9308250419 Mgt meeting rept 50-312 on 930727. Major areas discussed: status of activities, including maint of plant equipment, fire protection equipment & plant personnel morale.
WONG, H.J. Region 5 (Post 820201). 93/08/11. 22pp. 76218:279-76218:300.

9308230269 Responds to NRC 930730 ltr re violation noted in Insp Rept 50-312/93-03. Corrective actions: Radiation Protection has verified all containers currently stored in Interim Onsite Storage Bldg have completed RAD-099 forms on file.
SHETLER, J.R. Sacramento Municipal Utility District. 93/08/19. Document Control Branch (Document Control Desk). 5pp. 76204:128-76204:132.

U. Congressional/Executive Correspondence

9308090136 Discusses info re Environ & Resources Conservation Organization v. NRC, 92-70202 (9th Cir., June 30, 1993). Petitioner has 90 days to seek Supreme Court review.
CORDES, J.F. Solicitor (Post 860701). 93/07/19. LIEBERMAN, J.I. Senate, Environment & Public Works. SHARP, P. House of Rep., Energy & Commerce. LEHMAN, R.H. House of Rep. 5pp. 76087:224-76087:229.

V. Operator Examinations

9308060019 Responds to NRC 930625 ltr re implementation of training rule (10CFR50.120).
SHELTER, J.R. Sacramento Municipal Utility District. 93/07/29. WEISS, S. Document Control Branch (Document Control Desk). 3pp. 76059:230-76059:232.

DOCKET 50-313 ARKANSAS NUCLEAR ONE, UNIT 1

F. Security, medical, emergency & fire protection plans

9308090153 Rev 30 to EPIP OP-1903.010, "Emergency Action Level Classification."
* Entergy Operations, Inc. 92/10/29. 5pp. 76037:306-76037:310.

9308090196 Change PC-2 to Rev 27 of EPIP 1903.023, "Personnel Emergency."
* Entergy Operations, Inc. 93/03/16. 4pp. 76037:290-76037:293.

9308120332 Forwards objectives to be demonstrated by util during plant 1993 radiological emergency exercise (REX-93).
BEMENT, R.S. Entergy Operations, Inc. 93/03/19. MILHOAN, J.L. Region 4 (Post 820201). 14pp. 76085:211-76085:224.

9308120358 Forwards scenario package for 1993 radiological EP exercise at plant (REX-93), per pre-exercise schedule specified by FEMA GM EX-3.
BEMENT, R.S. Entergy Operations, Inc. 93/04/16. SPITZBERG, D.B. Region 4 (Post 830201). 56pp. 76086:305-76087:056.

9308040297 Forwards encl 8 to SECY 93-166 which describes proposed characteristics of design basis vehicle. W/o encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 93/07/15. YELVERTON, J.W. Entergy Operations, Inc. 3pp. 75979:076-75979:078.

9308050113 Rev 1 to "ANO Fire Hazards Analysis."
MOLNAR, W. Entergy Operations, Inc. 93/07/15. 350pp. 76035:001-76036:018.

9308250209 Rev 18 to EPIP OP-1903.011, "Emergency Response/ Notification."
* Entergy Operations, Inc. 93/08/06. 85pp. 76224:191-76224:275.

9308300288 Forwards comments on GL 86-10, Suppl 1, "Fire Endurance Acceptance Criteria for Fire Barrier Sys Used to Separate Redundant Safe Shutdown Trains Within Same Fire Area."
FISICARO, J.J. Entergy Operations, Inc. 93/08/20. Rules & Directives Review Branch (Post 920323). 4pp. 76280:358-76280:361.

H. General correspondence

9308050004 Informs that executive vice president & chief operating officer positions have been filled by H Keiser.
FISICARO, J.J. Entergy Operations, Inc. 93/07/30. Document Control Branch (Document Control Desk). 2pp. 76061:354-76061:355.

9308270016 Comment opposing NRC draft GL 89-10, suppl 6.
MCGAHA, J.R. Entergy Operations, Inc. 93/08/23. CHILK, S.J. Office of the Secretary of the Commission. 4pp. 76217:021-76217:024.

P. Operating license stage documents & correspondence

9308120050 Forwards responses to NUREG-1465 per request.
ADER, C. Division of Safety Issue Resolution (Post 880717). 93/07/22. Document Control Branch (Document Control Desk). 2pp. 76087:093-76087:137.

—9308120070 Provides comments on draft NUREG-1465, "Accident Source Terms for Light Water Nuclear Power Plants."
MCGAHA, J.R. Entergy Operations, Inc. 92/10/28. SOFFER, L. Division of Safety Issue Resolution (Post 880717). 7pp. 76087:109-76087:115.

9308050050 Application for amends to licenses DPR-51 & NPF-6, revising ANO unit 1, limiting conditions for operation, surveillance requirements, bases for ECP & ANO unit 2 surveillance requirements & bases for ECP.
YELVERTON, J.W. Entergy Operations, Inc. 93/07/28. Document Control Branch (Document Control Desk). 10pp. 76021:301-76021:324.

—9308050059 Proposed TS, revising ANO Unit 1 limiting conditions for operations, surveillance requirements, bases for ECP & ANO Unit 2 surveillance requirements & bases for ECP.
* Entergy Operations, Inc. 93/07/28. 14pp. 76021:311-76021:324.

9308190310 Forwards amend 167 to license DPR-51 & safety evaluation. Amend updates reactor coolant sys leakage test pressure TSs to agree w/requirements of 1980 Edition of ASME Boiler & Pressure Vessel Code, Section XI.
BEVAN, R.B. Project Directorate IV-1. 93/08/02. YELVERTON, J.W. Entergy Operations, Inc. 3pp. 76156:306-76156:314.

—9308190319 Amend 167 to license DPR-51, updating reactor coolant sys leakage test pressure TSs to agree w/requirements of 1980 Edition of ASME Boiler & Pressure Vessel Code, Section XI.
ROOD, H. Project Directorate IV-1. 93/08/02. 4pp. 76156:309-76156:312.

—9308190320 Safety evaluation supporting amend 167 to license DPR-51.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 93/08/02. 2pp. 76156:313-76156:314.

9308110202 Forwards summary of 930719 meeting re refueling outage scheduled to begin Sept 1993. Attendance list & licensee presentation also encl.
BEACH, A.B. Region 4 (Post 820201). 93/08/03. YELVERTON, J.W. Entergy Operations, Inc. 7pp. 76056:094-76056:181.

—9308110208 Rev 0 to "Arkansas Nuclear One Unit One Shutdown Operations Protection Plan."
* Entergy Operations, Inc. 93/02/02. 80pp. 76056:101-76056:181.

9308200109 Provides licensee evaluation of concern re manual use of electromechanical relief valve for transient mitigation in response to 930613 feedwater transient. Add details of transient documented in Insp Rept 50-313/93-06.
FISICARO, J.J. Entergy Operations, Inc. 93/08/16. Document Control Branch (Document Control Desk). 13pp. 76209:298-76209:310.

9308240355 Requests granting of relief permitting temporary non-code repair of affected svc water piping as alternative to requirements of ASME Boiler & Pressure Vessel Code, Section XI, per GL 90-05.
FISICARO, J.J. Entergy Operations, Inc. 93/08/20. Document Control Branch (Document Control Desk). 5pp. 76211:352-76211:356.

9308300288 Forwards comments on GL 86-10, Suppl 1, "Fire Endurance Acceptance Criteria for Fire Barrier Sys Used to Separate Redundant Safe Shutdown Trains Within Same Fire Area."
FISICARO, J.J. Entergy Operations, Inc. 93/08/20. Rules & Directives Review Branch (Post 920323). 4pp. 76280:358-76280:361.

9308310225 Requests exemption from 10CFR26, "Fitness-for-Duty Programs." Detailed description of exemption & justification encl.
MCGAHA, J.H. Entergy Operations, Inc. 93/08/20. Document Control Branch (Document Control Desk). 19pp. 76304:305-76304:323.

Q. Inspection reports, IE Bulletins & correspondence

9307190043 NRC Info Notice 93-057, "Software Problems Involving Digital Control Console Sys at Non-Power Reactors."
GRIMES, B.K. Division of Operating Reactor Support (Post 921004). 93/07/23. Consolidated Edison Co. of New York, Inc. 9pp. 76111:200-76111:208.

9308020081 Forwards insp repts 50-313/93-23 & 50-368/93-23 on 930628-0702. Violations noted but not cited.
COLLINS, S.J. Region 4 (Post 820201). 93/07/23. YELVERTON, J.W. Entergy Corp. 5pp. 75954:141-75954:155.

—9308020089 Insp repts 50-313/93-23 & 50-368/93-23 on 930628-0702. Violations noted but not cited. Major areas inspected: 10CFR50.59 safety evaluation program.
WESTERMAN, T.F. Region 4 (Post 820201). 93/07/19. 10pp. 75954:146-75954:155.

—93040009 Forwards insp repts 50-313/93-24 & 50-368/93-24 on 930712-16.
COLLINS, S.J. Region 4 (Post 820201). 93/07/30. YELVERTON, J.W. Entergy Operations, Inc. 5pp. 75949:072-75949:085.

—9308040012 Insp repts 50-313/93-24 & 50-368/93-24 on 930712-16. No violations noted. Major areas inspected: erosion/corrosion monitoring program & associated activities.
POWERS, D.A. Region 4 (Post 820201). 93/07/29. 9pp. 75949:077-75949:085.

9308110028 Advises that special insp entitled FIRS has been scheduled for facility during refueling outage. Insp scheduled for 930907-24.
COLLINS, S.J. Region 4 (Post 820201). 93/08/03. YELVERTON, J.W. Entergy Operations, Inc. 7pp. 76039:196-76039:202.

9308110100 Forwards insp repts 50-313/93-06 & 50-368/93-06 on 930530-0710 & notice of violation. Violation of concern because failure to maintain unit 1 valve alignments in accordance to procedures led to degraded emergency pump.
BEACH, A.B. Region 4 (Post 820201). 93/08/05. YELVERTON, J.W. Entergy Operations, Inc. 6pp. 76056:027-76056:060.

—9308110104 Notice of violation from insp on 930530-0710. Violation noted: valve FO-92A1 found to be in open position, valve CS-1197 found to be throttled 2-1/2 turns open & valves MU-51 & MU-52 not closed upon test completion.
* Region 4 (Post 820201). 93/08/05. 2pp. 76056:033-76056:034.

—9308110107 Insp repts 50-313/93-06 & 50-368/93-06 on 930530-0710. Violations noted. Major areas inspected: onsite event follow up, operational safety verification, engineered safety feature sys walkdown & observation of monthly maint activities.
STETKA, T.F. Region 4 (Post 820201). 93/08/03. 26pp. 76056:035-76056:060.

9308110203 Informs that commitment contained in ltr dtd 911220, revised to reflect deferral of permanent repair & evaluation of pressurizer upper level instrumentation nozzle to satisfactory nondestructive exams results.
FISICARO, J.J. Entergy Operations, Inc. 93/08/05. Document Control Branch (Document Control Desk). 2pp. 76076:283-76076:284.

9308200109 Provides licensee evaluation of concern re manual use of electromechanical relief valve for transient mitigation in response to 930613 feedwater transient. Add details of transient documented in Insp Rept 50-313/93-06.
FISICARO, J.J. Entergy Operations, Inc. 93/08/16. Document Control Branch (Document Control Desk). 13pp. 76209:298-76209:310.

9308250110 Notification of significant licensee meeting w/util on 930927 to discuss results of systematic assessment of licensee performance repts 50-313/93-99 & 50-368/93-99.
BEACH, A.B. Region 4 (Post 820201). 93/08/18. Region 4 (Post 820201). 3pp. 76188:140-76188:142.

R. Periodic operating reports & related correspondence

- 9308230246** "ANO 1992 Annual 10CFR50.59 Rept." W/930820 ltr. FISICARO,J.J. Entergy Operations, Inc. 92/12/31. 397pp. 76205:001-76206:051.
- 9308310205** "ANO,Units 1 & 2 Semiannual Radioactive Effluent Release Rept.,Jan-June 1993." W/930827 ltr. FISICARO,J.J. Entergy Operations, Inc. 93/06/30. 30pp. 76288:248-76288:277.
- 9308190352** Forwards monthly operating rept for Jul 1993 for ANO,Unit 1 & revised page 1 data sheet of operating data repts for Apr, May & June 1993,correcting calculational errors. FISICARO,J.J. Entergy Operations, Inc. 93/08/13. Document Control Branch (Document Control Desk). 2pp. 76168:240-76168:249.
- 9308190354** Monthly operating rept for Jul 1993 for ANO,Unit 1. HAYES,K.R. Entergy Operations, Inc. 93/07/31. 5pp. 76168:242-76168:246.
- 9308190355** Revised page 1 sheet of operating data rept for Apr 1993 for ANO,Unit 1. HAYES,K.R. Entergy Operations, Inc. 93/04/30. 1p. 76168:247-76168:247.
- 9308190357** Revised page 1 sheet of operating data rept for May 1993 for ANO,Unit 1. HAYES,K.R. Entergy Operations, Inc. 93/05/31. 1p. 76168:248-76168:248.
- 9308190358** Revised page 1 sheet of operating data rept for June 1993 for ANO,Unit 1. HAYES,K.R. Entergy Operations, Inc. 93/06/30. 1p. 76168:249-76168:249.
- 9308240025** Forwards fitness-for-duty program performance data for period of Jan-June 1993 per 10CFR26.71(d). FISICARO,J.J. Entergy Operations, Inc. 93/08/19. Document Control Branch (Document Control Desk). 5pp. 76207:334-76207:338.

S. Reportable occurrences, LERs & related correspondence

- 9308030372** Potential Part 21 rept re Limitorque actuator motors.Utilis & other purchases listed in encl being advised of concern. Limitorque revising selection procedure for safety related actuators,motors & technical data packages. TAYLOR,J.H. Babcock & Wilcox Co. 93/07/22. Document Control Branch (Document Control Desk). 8pp. 75976:349-75976:356.

V. Operator Examinations

- 9308110038** Informs that arrangements made for administration of licensing exams scheduled for 931206 & 13.Ref matl listed in encl 1 should be furnished 90 days prior to exam date. COLLINS,S.J. Region 4 (Post 820201). 93/08/04. YELVERTON,J.W. Entergy Operations, Inc. 13pp. 76039:237-76039:249.

DOCKET 50-315 DONALD C. COOK NUCLEAR POWER PLANT, UNIT 1**F. Security, medical, emergency & fire protection plans**

- 9308040135** Forwards encl 8 to SECY 93-166 which describes proposed characteristics of design basis vehicle.Encl withheld. PARTLOW,J.G. Associate Director for Projects (Post 870411). 93/07/15. FITZPATRICK,E. Indiana Michigan Power Co. 2pp. 75986:351-75986:352.
- 9308020256** Responds to initial SALP 11 rept.Ack that util 1992 emergency preparedness exercise performance did not meet util high stds.Util 1993 exercise performance demonstrated that util has taken appropriate corrective actions. FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 93/07/27. Document Control Branch (Document Control Desk). 6pp. 75975:291-75975:296.
- 9308030158** Forwards safety insp repts 50-315/93-17 & 50-316/93-17 on 930629-0701 & 0707-08.No violations noted. MCCORMICK-BARGE Region 3 (Post 820201). 93/07/27. FITZPATRICK,E. Indiana Michigan Power Co. 2pp. 75936:294-75936:316.
- 9308030160** Insp repts 50-315/93-17 & 50-316/93-17 on 930629-0701 & 0707-08.No violations noted.Major areas inspected:plant emergency preparedness exercise involving review of exercise scenario & observations. SIMONS,H., PAUL,R., MARKLEY,A. Region 3 (Post 820201). 93/07/27. 21pp. 75936:296-75936:316.
- 9308130068** Rev 19 to Emergency Response Procedure (ERP) ERP 5.01, "Emergency Response Organization & Notification Phone Numbers," including Rev 20 to table of content.W/930806 ltr. FITZPATRICK,E. American Electric Power Service Corp. 93/08/06. 10pp. 76104:335-76104:344.
- 9308130069** Rev 14 to "Emergency Response Manual." W/930809 ltr. FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 93/08/09. 40pp. 76113:071-76113:110.
- 9308230044** Forwards details of security concern at plants & requests that results of review of subj matter be submitted to Region III within 30 days of ltr date.W/o encl. NORELIUS,C.E. Region 3 (Post 820201). 93/08/17. FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 2pp. 76165:110-76165:111.

H. General correspondence

- 9308240154** Comment opposing proposed rule 10CFR20 re radiological criteria for de-commissioning. SHEARER,V.M. Affiliation Not Assigned. 93/08/11. Docketing & Services Branch. 1p. 76181:084-76181:084.

- 9308200033** Submits comments on draft NUREG-1477, "Voltage-Based Interim Plugging Criteria for SG Tubes-Task Group Rept." NUREG recommendations do not take into consideration plants that are operating w/interim plugging criteria. FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 93/08/16. Division of Freedom of Information & Publications Services (Post 890205). 2pp. 76153:009-76153:010.

P. Operating license stage documents & correspondence

- 9308020003** Forwards amends 173 & 156 to licenses DPR-58 & DPR-74, respectively.Amends change TS per GL 90-09 re snubber visual insp surveillance requirements. WETZEL,B.A. Project Directorate III-1. 93/07/09. FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 2pp. 75931:209-75931:272.
- 9308020008** Amends 173 & 156 to licenses DPR-58 & DPR-74, respectively, changing TS per GL 90-09 re snubber visual insp surveillance requirements. DEAN,W.M. Project Directorate III-1. 93/07/09. 58pp. 75931:211-75931:268.
- 9308020018** Safety evaluation supporting amends 173 & 156 to licenses DPR-58 & DPR-74, respectively. * Office of Nuclear Reactor Regulation, Director (Post 870411). 93/07/09. 4pp. 75931:269-75931:272.
- 9308040117** Forwards exemption from requirement of 10CFR50 app J, III.D.2(b)(ii) for plant,per 921221 request. DEAN,W.M. Project Directorate III-1. 93/07/16. FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 3pp. 75978:323-75978:329.
- 9308040149** Exemption from requirements of 10CFR50 App J,III.D.2(b)(ii) re containment air lock pressure leakage test. ZWOLINSKI,J.A. Assistant Director for Region III Reactors (Post 901216). 93/07/16. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 4pp. 75978:326-75978:329.
- 9308020133** Informs that util intends to invoke ASME Code Case N-481 for exam of primary loop pump casings at plant,per conditions of NRC 930413 ltr to LA Walsh (WOG) Rev 3 of "Pump Inservice Test Program" encl. FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 93/07/27. MURLEY,T.E. Document Control Branch (Document Control Desk). 3pp. 75954:196-75954:202.
- 9308020136** Rev 3 of "Pump Inservice Test Program." * Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 93/04/02. 4pp. 75954:199-75954:202.
- 9308190042** Forwards corrected exemption from requirement of 10CFR50,App J,III.D.2(b) re air lock leakage test.Exemption contains two listed typos. HALL,J.R. Project Directorate IV-1. 93/07/30. FITZPATRICK,E. Indiana Michigan Power Co. FITZPATRICK,E. American Electric Power Service Corp. 3pp. 76151:244-76151:250.
- 9308190047** Corrected exemption from requirement of 10CFR50,App J, III.D.2(b) re air lock leakage test.Typos corrected in Section III,page 2,paragraph 2 & page 3,paragraph 2,line 3 re correct value & NRC regulation,respectively. ZWOLINSKI,J.A. Division of Reactor Projects - III,IV,V (Post 901216). 93/07/30. Indiana Michigan Power Co. 4pp. 76151:247-76151:250.
- 9308240197** Forwards amends 174 & 154 to licenses DPR-58 & DPR-74, respectively & safety evaluation.Amends revise TS to extend radioactive effluent release rept submittal frequency from semiannual to annual. WETZEL,B.A. Project Directorate III-1. 93/08/04. FITZPATRICK,E. Indiana Michigan Power Co. FITZPATRICK,E. American Electric Power Service Corp. 3pp. 76183:278-76183:298.
- 9308240198** Amends 174 & 154 to licenses DPR-58 & DPR-74, respectively, revising TS to extend radioactive effluent release rept submittal frequency from semiannual to annual. DEAN,W.M. Project Directorate III-1. 93/08/04. 16pp. 76183:281-76183:296.
- 9308240200** Safety evaluation supporting amends 174 & 154 to licenses DPR-58 & DPR-74, respectively. * Office of Nuclear Reactor Regulation, Director (Post 870411). 93/08/04. 2pp. 76183:297-76183:298.

Q. Inspection reports, IE Bulletins & correspondence

- 9308020003** Forwards amends 173 & 156 to licenses DPR-58 & DPR-74, respectively.Amends change TS per GL 90-09 re snubber visual insp surveillance requirements. WETZEL,B.A. Project Directorate III-1. 93/07/09. FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 2pp. 75931:209-75931:272.
- 9308020008** Amends 173 & 156 to licenses DPR-58 & DPR-74, respectively, changing TS per GL 90-09 re snubber visual insp surveillance requirements. DEAN,W.M. Project Directorate III-1. 93/07/09. 58pp. 75931:211-75931:268.
- 9307190043** NRC Info Notice 93-057, "Software Problems Involving Digital Control Console Sys at Non-Power Reactors." GRIMES,B.K. Division of Operating Reactor Support (Post 921004). 93/07/23. Consolidated Edison Co. of New York, Inc. 9pp. 76111:200-76111:208.
- 9308020256** Responds to initial SALP 11 rept.Ack that util 1992 emergency preparedness exercise performance did not meet util high stds.Util 1993 exercise performance demonstrated that util has taken appropriate corrective actions. FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 93/07/27. Document Control Branch (Document Control Desk). 6pp. 75975:291-75975:296.
- 9308030158** Forwards safety insp repts 50-315/93-17 & 50-316/93-17 on 930629-0701 & 0707-08.No violations noted. MCCORMICK-BARGE Region 3 (Post 820201). 93/07/27. FITZPATRICK,E. Indiana Michigan Power Co. 2pp. 75936:294-75936:316.

70 DOCKETED ITEMS

—9308030160 Insp repts 50-315/93-17 & 50-316/93-17 on 930629-0701 & 0707-08.No violations noted.Major areas inspected:plant emergency preparedness exercise involving review of exercise scenario & observations.
SIMONS,H., PAUL,R., MARKLEY,A. Region 3 (Post 820201). 93/07/27. 21pp. 75936:296-75936:316.

9308090081 Forwards final SALP repts 50-315/93-01 & 50-316/93-01 on Jan 1992 - Apr 1993.
MARTIN,J.B. Region 3 (Post 820201). 93/07/30. FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 2pp. 76020:272-76020:281.

—9308090097 Final SALP repts 50-315/93-01 & 50-316/93-01 for Jan 1992 - Apr 1993.
* Region 3 (Post 820201). 93/04/30. 2pp. 76020:274-76020:281.

9308100063 EN-93-078:on 930802,notice of proposed imposition of civil penalty in amount of \$25,000 issued to licensee.Action based on Severity Level III violation re termination of subcontractor employee.
COBLENTZ,L., LIEBERMAN,J. Ofc of Enforcement (Post 870413). 93/08/02. 1p. 76025:251-76025:251.

9308110256 Provides update to 930611 initial response to NRC Bulletin 93-002.Analysis confirming that subj roughing filters will remain confined within kidney fans in event of LOCA inside containment encl.
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 93/08/06. MURLEY Document Control Branch (Document Control Desk). 45pp. 76076:224-76076:268.

9308120010 Forwards insp repts 50-315/93-15 & 50-316/93-15 on 930607-18 & notice of violation.
WRIGHT,G.C. Region 3 (Post 820201). 93/08/09. FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 2pp. 76063:041-76063:054.

—9308120011 Notice of violation from insp on 930607-18.Violation noted: preventive maint task intervals based on date when maint work package closed rather than date preventive maint task last performed.
WRIGHT,G.C. Region 3 (Post 820201). 93/08/09. 2pp. 76063:043-76063:044.

—9308120012 Insp repts 50-315/93-15 & 50-316/93-15 on 930607-18. Violations noted.Major areas inspected:maint of activities using selected portions of NRC insp module 62700 to ascertain whether maint effectively accomplished.
WALKER,H.A., KHANNA,M.K., PEGG,W.D. Region 3 (Post 820201). 93/08/06. 10pp. 76063:045-76063:054.

9308250287 Forwards insp repts 50-315/93-16 & 50-316/93-16 on 930616-0727 & NOV.Concern reinforced due to prolonged inaction to repair minor leak.
SHAFFER,W.D. Region 3 (Post 820201). 93/08/17. FITZPATRICK,E. Indiana Michigan Power Co. 3pp. 76189:203-76189:226.

—9308250291 Notice of violation from insp on 930616-0727.Violation noted:licensee failed to initiate temporary mod prior to de-energizing in open position.
* Region 3 (Post 820201). 93/08/17. 1p. 76189:206-76189:206.

—9308250296 Insp repts 50-315/93-16 & 50-316/93-16 on 930616-0727. Violations noted.Major areas inspected:plant operations, maint & surveillance,engineering & technical support.
JORGENSEN,B.L. Region 3 (Post 820201). 93/08/17. 20pp. 76189:207-76189:226.

R. Periodic operating reports & related correspondence

9308170277 Monthly operating rept for Jul 1993 for DC Cook Nuclear Plant.W/930805 ltr.
JANISSE,J.D., BLIND,A.A. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 93/07/31. 6pp. 76136:021-76136:026.

S. Reportable occurrences, LERs & related correspondence

9308100001 LER 93-003-00:on 930702,discovered fire watch patrols not established per TSs.Caused by personnel error.Fire detector monitor switch returned to on position.Investigation ongoing.W/930802 ltr.
WIEBE,J.S., BLIND,A.A. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 93/08/02. 2pp. 76091:083-76091:084.

9308120224 Forwards response to GL 93-04, "Rod Control Sys Failure & Withdrawal of Rod Control Cluster Assemblies," summarizing evaluations & compensatory actions taken in response to Salem rod control sys failure event.
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 93/08/05. MURLEY,T.E. Document Control Branch (Document Control Desk). 12pp. 76087:294-76087:305.

9308200066 Retracts LER 92-010 dtd 921223.Util has determined that cable need not have been protected (wrapped) or surveilled.
BLIND,A.A. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 93/08/13. Document Control Branch (Document Control Desk). 2pp. 76190:305-76190:306.

9308200131 LER 90-010-01:on 900824,discovered that routing cable associated w/Unit 1 low shutdown indication panels not in compliance w/10CFR50,App R.Minor plant mod initiated to provide encl (wrapped) around subj conduit.W/930813 ltr.
BREWER,S.J., BLIND,A.A. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 93/08/13. 6pp. 76200:022-76200:027.

V. Operator Examinations

9308030302 Informs of NRC plans to administer generic fundamentals exam section written operator licensing exam on 931006.
RING,M.A. Region 3 (Post 820201). 93/07/28. Consumers Power Co. 3pp. 75983:358-75983:360.

DOCKET 50-316 DONALD C. COOK NUCLEAR POWER PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9308040135 Forwards encl 8 to SECY 93-166 which describes proposed characteristics of design basis vehicle.Encl withheld.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 93/07/15. FITZPATRICK,E. Indiana Michigan Power Co. 2pp. 75986:351-75986:352.

9308020256 Responds to initial SALP 11 rept.Ack that util 1992 emergency preparedness exercise performance did not meet util high stds.Util 1993 exercise performance demonstrated that util has taken appropriate corrective actions.
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 93/07/27. Document Control Branch (Document Control Desk). 6pp. 75975:291-75975:296.

9308030158 Forwards safety insp repts 50-315/93-17 & 50-316/93-17 on 930629-0701 & 0707-08.No violations noted.
MCCORMICK-BARGE Region 3 (Post 820201). 93/07/27. FITZPATRICK,E. Indiana Michigan Power Co. 2pp. 75936:294-75936:316.

—9308030160 Insp repts 50-315/93-17 & 50-316/93-17 on 930629-0701 & 0707-08.No violations noted.Major areas inspected:plant emergency preparedness exercise involving review of exercise scenario & observations.
SIMONS,H., MCCORMICK-BARGE Region 3 (Post 820201). 93/07/27. 21pp. 75936:296-75936:316.

9308130068 Rev 19 to Emergency Response Procedure (ERP) ERP 5.01, "Emergency Response Organization & Notification Phone Numbers," including Rev 20 to table of content.W/930806 ltr.
FITZPATRICK,E. American Electric Power Service Corp. 93/08/06. 10pp. 76104:335-76104:344.

9308130069 Rev 14 to "Emergency Response Manual." W/930809 ltr.
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 93/08/09. 40pp. 76113:071-76113:110.

9308230044 Forwards details of security concern at plants & requests that results of review of subj matter be submitted to Region III within 30 days of ltr date.W/o encl.
NORELIUS,C.E. Region 3 (Post 820201). 93/08/17. FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 2pp. 76165:110-76165:111.

H. General correspondence

9308240154 Comment opposing proposed rule 10CFR20 re radiological criteria for decommissioning.
SHEARER,V.M. Affiliation Not Assigned. 93/08/11. Docketing & Services Branch. 1p. 76181:084-76181:084.

9308200033 Submits comments on draft NUREG-1477, "Voltage-Based Interim Plugging Criteria for SG Tubes-Task Group Rept." NUREG recommendations do not take into consideration plants that are operating w/interim plugging criteria.
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 93/08/16. Division of Freedom of Information & Publications Services (Post 890205). 2pp. 76153:009-76153:010.

P. Operating license stage documents & correspondence

9308020003 Forwards amends 173 & 156 to licenses DPR-58 & DPR-74, respectively.Amends change TS per GL 90-09 re snubber visual insp surveillance requirements.
WETZEL,B.A. Project Directorate III-1. 93/07/09. FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 2pp. 75931:209-75931:222.

—9308020008 Amends 173 & 156 to licenses DPR-58 & DPR-74, respectively, changing TS per GL 90-09 re snubber visual insp surveillance requirements.
DEAN,W.M. Project Directorate III-1. 93/07/09. 58pp. 75931:211-75931:268.

—9308020018 Safety evaluation supporting amends 173 & 156 to licenses DPR-58 & DPR-74, respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 93/07/09. 4pp. 75931:269-75931:272.

9308040117 Forwards exemption from requirement of 10CFR50 app J, III.D.2(b)(ii) for plant,per 921221 request.
DEAN,W.M. Project Directorate III-1. 93/07/16. FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 3pp. 75978:323-75978:329.

—9308040149 Exemption from requirements of 10CFR50 App J,III.D.2(b)(ii) re containment air lock pressure leakage test.
ZWOLINSKI,J.A. Assistant Director for Region III Reactors (Post 901216). 93/07/16. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 4pp. 75978:326-75978:329.

9308020133 Informs that util intends to invoke ASME Code Case N-481 for exam of primary loop pump casings at plant,per conditions of NRC 930413 ltr to LA Walsh (WOG).Rev 3 of "Pump Inservice Test Program" encl.
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 93/07/27. MURLEY,T.E. Document Control Branch (Document Control Desk). 3pp. 75954:196-75954:202.

—9308020136 Rev 3 of "Pump Inservice Test Program."
* Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 93/04/02. 4pp. 75954:199-75954:202.

9308190042 Forwards corrected exemption from requirement of 10CFR50,App J,III.D.2(b) re air lock leakage test.Exemption contains two listed typos.
HALL,J.R. Project Directorate IV-1. 93/07/30. FITZPATRICK,E. Indiana Michigan Power Co. FITZPATRICK,E. American Electric Power Service Corp. 3pp. 76151:244-76151:250.

--9308190047 Corrected exemption from requirement of 10CFR50, App J, III.D.2(b) re air lock leakage test. Typos corrected in Section III, page 2, paragraph 2 & page 3, paragraph 2, line 3 re correct value & NRC regulation, respectively. ZWOLINSKI, J.A. Division of Reactor Projects - III, IV, V (Post 901216). 93/07/30. Indiana Michigan Power Co. 4pp. 76151:247-76151:250.

9308240197 Forwards amends 174 & 154 to licenses DPR-58 & DPR-74, respectively & safety evaluation. Amends revise TS to extend radioactive effluent release rept submittal frequency from semiannual to annual. WETZEL, B.A. Project Directorate III-1. 93/08/04. FITZPATRICK, E. Indiana Michigan Power Co. FITPATRICK, E. American Electric Power Service Corp. 3pp. 76183:278-76183:298.

--9308240198 Amends 174 & 154 to licenses DPR-58 & DPR-74, respectively, revising TS to extend radioactive effluent release rept submittal frequency from semiannual to annual. DEAN, W.M. Project Directorate III-1. 93/08/04. 16pp. 76183:281-76183:296.

--9308240200 Safety evaluation supporting amends 174 & 154 to licenses DPR-58 & DPR-74, respectively. * Office of Nuclear Reactor Regulation, Director (Post 870411). 93/08/04. 2pp. 76183:297-76183:298

Q. Inspection reports, IE Bulletins & correspondence

9308020003 Forwards amends 173 & 156 to licenses DPR-58 & DPR-74, respectively. Amends change TS per GL 90-09 re snubber visual insp surveillance requirements. WETZEL, B.A. Project Directorate III-1. 93/07/09. FITZPATRICK, E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 2pp. 75931:209-75931:272.

--9308020008 Amends 173 & 156 to licenses DPR-58 & DPR-74, respectively, changing TS per GL 90-09 re snubber visual insp surveillance requirements. DEAN, W.M. Project Directorate III-1. 93/07/09. 58pp. 75931:211-75931:268.

9307190043 NRC Info Notice 93-057, "Software Problems Involving Digital Control Console Sys at Non-Power Reactors." GRIMES, B.K. Division of Operating Reactor Support (Post 921004). 93/07/23. Consolidated Edison Co. of New York, Inc. 9pp. 76111:200-76111:208.

9308020256 Responds to initial SALP 11 rept. Ack that until 1992 emergency preparedness exercise performance did not meet util high stds. Util 1993 exercise performance demonstrated that util has taken appropriate corrective actions. FITZPATRICK, E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 93/07/27. Document Control Branch (Document Control Desk). 6pp. 75975:291-75975:296.

9308030158 Forwards safety insp repts 50-315/93-17 & 50-316/93-17 on 930629-0701 & 0707-08. No violations noted. MCCORMICK-BARGE Region 3 (Post 820201). 93/07/27. FITZPATRICK, E. Indiana Michigan Power Co. 2pp. 75936:294-75936:316.

--9308030160 Insp repts 50-315/93-17 & 50-316/93-17 on 930629-0701 & 0707-08. No violations noted. Major areas inspected: plant emergency preparedness exercise involving review of exercise scenario & observations. SIMONS, H., PAUL, R., MARKLEY, A. Region 3 (Post 820201). 93/07/27. 21pp. 75936:296-75936:316.

9308090081 Forwards final SALP repts 50-315/93-01 & 50-316/93-01 on Jan 1992 - Apr 1993. MARTIN, J.B. Region 3 (Post 820201). 93/07/30. FITZPATRICK, E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 2pp. 76020:272-76020:281.

--9308090097 Final SALP repts 50-315/93-01 & 50-316/93-01 for Jan 1992 - Apr 1993. * Region 3 (Post 820201). 93/04/30. 2pp. 76020:274-76020:281.

9308100063 EN-93-078: on 930802, notice of proposed imposition of civil penalty in amount of \$25,000 issued to licensee. Action based on Severity Level III violation re termination of subcontractor employee. COBLENTZ, L., LIEBERMAN, J. Ofc of Enforcement (Post 870413). 93/08/02. 1p. 76025:251-76025:251.

9308110256 Provides update to 930611 initial response to NRC Bulletin 93-002. Analysis confirming that subj roughing filters will remain confined within kidney fans in event of LOCA inside containment encl. FITZPATRICK, E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 93/08/06. MURLEY Document Control Branch (Document Control Desk). 45pp. 76076:224-76076:268.

9308120010 Forwards insp repts 50-315/93-15 & 50-316/93-15 on 930607-18 & notice of violation. WRIGHT, G.C. Region 3 (Post 820201). 93/08/09. FITZPATRICK, E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 2pp. 76063:041-76063:054.

--9308120011 Notice of violation from insp on 930607-18. Violation noted: preventive maint task intervals based on date when maint work package closed rather than date preventive maint task last performed. WRIGHT, G.C. Region 3 (Post 820201). 93/08/09. 2pp. 76063:043-76063:044.

--9308120012 Insp repts 50-315/93-15 & 50-316/93-15 on 930607-18. Violations noted. Major areas inspected: maint of activities using selected portions of NRC insp module 62700 to ascertain whether maint effectively accomplished. WALKER, H.A., KHANNA, M.K., PEGG, W.D. Region 3 (Post 820201). 93/08/06. 10pp. 76063:045-76063:054.

9308250287 Forwards insp repts 50-315/93-16 & 50-316/93-16 on 930616-0727 & NOV Concern reinforced due to prolonged inaction to repair minor leak. SHAFER, W.D. Region 3 (Post 820201). 93/08/17. FITZPATRICK, E. Indiana Michigan Power Co. 3pp. 76189:203-76189:226.

--9308250291 Notice of violation from insp on 930616-0727. Violation noted: licensee failed to initiate temporary mod prior to de-energizing in open position. * Region 3 (Post 820201). 93/08/17. 1p. 76189:206-76189:206.

--9308250296 Insp repts 50-315/93-16 & 50-316/93-16 on 930616-0727. Violations noted. Major areas inspected: plant operations, maint & surveillance, engineering & technical support. JORGENSEN, B.L. Region 3 (Post 820201). 93/08/17. 20pp. 76189:207-76189:226.

S. Reportable occurrences, LERs & related correspondence

9308110012 PNO-III-93-047: on 930802, Unit 2 reactor tripped from 70% power as result of turbine trip. Cause of turbine trip still under investigation. Insp identified leak from instrument penetration on reactor vessel head. MCCABE, B., SHAFER, W. Region 3 (Post 820201). 93/08/04. 1p. 76039:050-76039:050.

9308120224 Forwards response to GL 93-04, "Rod Control Sys Failure & Withdrawal of Rod Control Cluster Assemblies," summarizing evaluations & compensatory actions taken in response to Salem rod control sys failure event. FITZPATRICK, E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 93/08/05. MURLEY, T.E. Document Control Branch (Document Control Desk). 12pp. 76087:294-76087:305.

9308160318 LER 93-006-00: on 930709, TS 72 h LCO action statement exceeded due to time required for repair of charging pump. Charging pump rotor assembly removed & rebuilt assembly installed. W/930809 ltr. WEBER, G.A., BLIND, A.A. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 93/08/09. 5pp. 76158:332-76158:336.

V. Operator Examinations

9308030302 Informs of NRC plans to administer generic fundamentals exam section written operator licensing exam on 931006. RING, M.A. Region 3 (Post 820201). 93/07/28. Consumers Power Co. 3pp. 75983:358-75983:360.

DOCKET 50-317 CALVERT CLIFFS NUCLEAR POWER PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9308030387 Forwards encl 8 to SECY-93-166, describing proposed characteristics of design basis vehicle. Encl withheld. PARTLOW, J.G. Associate Director for Projects (Post 870411). 93/07/15. DENTON, R.E. Baltimore Gas & Electric Co. pp. 75950:357-75950:359.

9308030382 Forwards Safety Insp Repts 50-317/93-16 & 50-318/93-16 on 930530-0703. Violations noted, but not cited. COWGILL, C.J. Region 1 (Post 820201). 93/07/22. DENTON, R.E. Baltimore Gas & Electric Co. 3pp. 75979:279-75979:303.

--9308030390 Insp repts 50-317/93-16 & 50-318/93-16 on 930530-0703. Violations noted, but not cited. Major areas inspected: plant operations, radiological protection, surveillance & maintenance, emergency preparedness & security. NICHOLSON, L.E. Region 1 (Post 820201). 93/07/22. 22pp. 75979:282-75979:303.

9308030009 Forwards insp repts 50-317/93-19 & 50-318/93-19 on 930628-0702. Physical security program effective & directed toward assuring public health & safety. No safety concerns or violations noted. JOYNER, J.H. Region 1 (Post 820201). 93/07/23. DENTON, R.E. Baltimore Gas & Electric Co. 4pp. 75935:043-75935:052.

--9308030014 Insp repts 50-317/93-19 & 50-318/93-19 on 930628-0702. No violations noted. Major areas inspected: ISFSI, audits, vital area physical & detection aids, protected & vital area access control of personnel & vehicles. ALBERT, R.J., KEIMIG, R.R. Region 1 (Post 820201). 93/07/22. 6pp. 75935:047-75935:052.

9308030140 Notifies that Nuclear Security Facility SAS activated & declared operational on 930717 & all alarm monitoring & assessment activities for ISFSI now conducted from station. DENTON, R.E. Baltimore Gas & Electric Co. 93/07/28. Office of Nuclear Material Safety & Safeguards. 2pp. 75975:344-75975:345.

G. Adjudicatory correspondence

9308240228 Forwards Director Decision DD-93-14 denying 921221 petition requesting that NRC institute proceeding per 10CFR2.206, w/ regard to ISFSI at Calvert Cliffs Nuclear Power Plant. FR notice also encl. BERNERO, R.M. Office of Nuclear Material Safety & Safeguards. 93/08/16. OCHS, R. Maryland Safe Energy Coalition. 6pp. 76211:294-76211:319.

--9308240236 Director Decision DD-93-14, denying Maryland Safe Energy Coalition 921221 petition requesting that NRC institute proceeding per 10CFR2.206, w/ regard to ISFSI at Calvert Cliffs Nuclear Power Plant. BERNERO, R.M. Office of Nuclear Material Safety & Safeguards. 93/08/16. 16pp. 76211:300-76211:316.

--9308240249 FR notice re denial of Maryland Safe Energy Coalition 921221 petition requesting that NRC institute proceeding per 10CFR2.206 w/ regard to ISFSI at Calvert Cliffs Nuclear Power Plant. BERNERO, R.M. Office of Nuclear Material Safety & Safeguards. 93/08/16. 3pp. 76211:317-76211:319.

I. Financial Information

9308050202 Submits guarantee of payment of deferred premiums for plant reactors. Exhibits I, II, III & IV & "BG&E Annual Rept 1992." DENTON, R.E. Baltimore Gas & Electric Co. 93/07/30. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 76019:218-76019:284.

--9308050203 "Baltimore Gas & Electric Co. Annual Rept 1992." * Baltimore Gas & Electric Co. 92/12/31. 65pp. 76019:220-76019:284.

72 DOCKETED ITEMS

P. Operating license stage documents & correspondence

- 9308020068** Summary of 930617 meeting w/util re BG&E life cycle mgt program & efforts re license renewal.
NEASE,R.L. License Renewal & Environmental Review Project Directorate (Post 921004). 93/07/15. License Renewal & Environmental Review Project Directorate (Post 921004). 4pp. 75931:205-75931:208.
- 9308040142** Forwards SE concluding that CEOG rept CEN-387-P,rev 1, "Pressurizer Surge Line Thermal Stratification Evaluation" adequately demonstrates that bounding surge line & nozzles meet ASME code stress & fatigue requirements.
TRAN,L.N. Project Directorate V. 93/07/16. CONWAY,W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 75978:331-75978:338.
- 9308040183** SE of CEN-387-P,rev 0 & 1, "Pressurizer Surge Line Flow Stratification Evaluation." Rept acceptable.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 93/07/16. 4pp. 75978:335-75978:338.
- 9308100015** Advises that 930719 proposed change to QAP for plant, acceptable per 10CFR50.54(a), in that QAP continues to satisfy criteria of app B of 10CFR50.
BETTENHAUSEN,L. Region 1 (Post 820201). 93/07/21. DENTON,R.E. Baltimore Gas & Electric Co. 2pp. 76025:053-76025:054.
- 9308030179** Forwards Rev 0 to "Electrical Engineering Design Rept,EDG Project," in response to SBC rule.
DENTON,R.E. Baltimore Gas & Electric Co. 93/07/26. Document Control Branch (Document Control Desk). 2pp. 75977:293-75977:349.
- 9308030184** Rev 0 to "Electrical Engineering Design Rept,EDG Project."
* Baltimore Gas & Electric Co. 93/07/26. 5pp. 75977:295-75977:349.
- 9308030295** Responds to NRC request for addl info re relief request from ASME Code,section II,Article 9 to allow stop valve to remain installed downstream of thermal overpressure relief device for regenerative HXs of both units.
DENTON,R.E. Baltimore Gas & Electric Co. 93/07/26. Document Control Branch (Document Control Desk). 8pp. 76011:160-76011:167.
- 9308120247** Provides summary & status of licensing actions worked on during 1993 re-fueling outage & implementation of actions associated w/TAC numbers M85370,M56110,M56111,M79912 & M82749 for plant.
MCDONALD,D.G. Project Directorate I-1. 93/07/26. DENTON,R.E. Baltimore Gas & Electric Co. 5pp. 76085:344-76085:348.
- 9308050096** Submits leak-before-break analysis to allow licensees to exclude rupture of primary reactor coolant piping from design basis.Description of permanent neutron shield/pool seal encl.
DENTON,R.E. Baltimore Gas & Electric Co. 93/07/29. Document Control Branch (Document Control Desk). 10pp. 76019:336-76019:345.
- 9308050176** Summary of 930722 meeting w/util re civil engineering design rept for new EDG seismic category 1 bldg which will house class 1E which is being added to site.
MCDONALD,D.G. Project Directorate I-1. 93/07/29. Project Directorate I-1. 5pp. 75990:356-75990:360.
- 9308090144** Provides request for addl info re various aspects of methodology & procedures for determining sys,structures & components important to license renewal.
DENTON,R.E. Baltimore Gas & Electric Co. 93/07/30. Document Control Branch (Document Control Desk). 32pp. 76037:258-76037:289.
- 9308090150** Forwards request for addl info re civil engineering design rept & diesel generator project.
DENTON,R.E. Baltimore Gas & Electric Co. 93/07/30. Document Control Branch (Document Control Desk). 3pp. 76037:311-76037:313.
- 9308100185** Notification of significant licensee meeting 93-98 w/util on 930805 to discuss program & results of svc water assessment.
NICHOLSON,L.E. Region 1 (Post 820201). 93/07/30. Region 1 (Post 820201). 3pp. 76026:063-76026:065.
- 9308120214** Informs that util will perform independent performance insp of SWS operation performance at plant.Proposes that self-assessment be accepted as alternative to NRC staff conducting team insp of same subj area.
DENTON,R.E. Baltimore Gas & Electric Co. 93/08/06. Document Control Branch (Document Control Desk). 54pp. 76095:171-76095:224.
- 9308250399** Forwards request for addl info needed to complete review of licensee response to rev 1 to GL 92-01, "Reactor Vessel Structural Integrity."
MCDONALD,D.G. Project Directorate I-1. 93/08/09. DENTON,R.E. Baltimore Gas & Electric Co. 6pp. 76212:352-76212:357.
- 9308260122** Summary of 930729 meeting w/util in Rockville,MD re program & activities of nuclear engineering dept.List of attendees & viewgraphs encl.
MCDONALD,D.G. Project Directorate I-1. 93/08/09. Project Directorate I-1. 44pp. 76215:189-76215:232.
- 9308190044** Denies request that util self-assessment be use as alternative to NRC SWS operational performance insp.Informs that proposed request does not meet all requirements for NRC pilot program for acceptance.
HODGES,M.W. Region 1 (Post 820201). 93/08/12. DENTON,R.E. Baltimore Gas & Electric Co. 3pp. 76160:333-76160:335.
- 9308230204** Requests concurrence w/testing program by 940115, to support outage schedule re EDG upgrade project.
DENTON,R.E. Baltimore Gas & Electric Co. 93/08/17. Document Control Branch (Document Control Desk). 6pp. 76206:354-76206:359.
- 9308300082** Forwards "Effluent & Waste Disposal Semiannual Rept for First Half of 1993" & Rev 0,Change 1 to "ODCM."
CRUSE,C.H. Baltimore Gas & Electric Co. 93/08/26. Document Control Branch (Document Control Desk). 1p. 76281:179-76282:082.
- 9308300085** Rev 0 to Change 1 to "ODCM."
* Baltimore Gas & Electric Co. 93/02/18. 200pp. 76281:203-76282:082.

Q. Inspection reports, IE Bulletins & correspondence

- 9308040142** Forwards SE concluding that CEOG rept CEN-387-P,rev 1, "Pressurizer Surge Line Thermal Stratification Evaluation" adequately demonstrates that bounding surge line & nozzles meet ASME code stress & fatigue requirements.
TRAN,L.N. Project Directorate V. 93/07/16. CONWAY,W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 75978:331-75978:338.
- 9308040183** SE of CEN-387-P,rev 0 & 1, "Pressurizer Surge Line Flow Stratification Evaluation." Rept acceptable.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 93/07/16. 4pp. 75978:335-75978:338.
- 9308030382** Forwards Safety Insp Repts 50-317/93-16 & 50-318/93-16 on 930530-0703.Violations noted,but not cited.
COWGILL,C.J. Region 1 (Post 820201). 93/07/22. DENTON,R.E. Baltimore Gas & Electric Co. 3pp. 75979:279-75979:303.
- 9308030390** Insp repts 50-317/93-16 & 50-318/93-16 on 930530-0703. Violations noted,but not cited.Major areas inspected: plant operations,radiological protection,surveillance & maintenance,emergency preparedness & security.
NICHOLSON,L.E. Region 1 (Post 820201). 93/07/22. 22pp. 75979:282-75979:303.
- 9307190043** NRC Info Notice 93-057, "Software Problems Involving Digital Control Console Sys at Non-Power Reactors."
GRIMES,B.K. Division of Operating Reactor Support (Post 921004). 93/07/23. Consolidated Edison Co. of New York, Inc. 9pp. 76111:200-76111:208.
- 9308030009** Forwards insp repts 50-317/93-19 & 50-318/93-19 on 930628-0702.Physical security program effective & directed toward assuring public health & safety.No safety concerns or violations noted.
JOYNER,J.H. Region 1 (Post 820201). 93/07/23. DENTON,R.E. Baltimore Gas & Electric Co. 4pp. 75935:043-75935:052.
- 9308030014** Insp repts 50-317/93-19 & 50-318/93-19 on 930628-0702.No violations noted.Major areas inspected:ISFSI,audits,vital area physical & detection aids,protected & vital area access control of personnel & vehicles.
ALBERT,R.J., KEIMIG,R.R. Region 1 (Post 820201). 93/07/22. 6pp. 75935:047-75935:052.
- 9308030070** Forwards insp repts 50-317/93-14 & 50-318/93-14 on 930510-0604.Two apparent violations identified & being considered for escalated EA.
HODGES,M.W. Region 1 (Post 820201). 93/07/23. DENTON,R.E. Baltimore Gas & Electric Co. 3pp. 75935:296-75935:312.
- 9308030081** Insp repts 50-317/93-14 & 50-318/93-14 on 930510-0604.Two apparent violations identified.Major areas inspected: licensee program 5 nondestructive exam procedures used for ASME Code,Section XI required exams.
KAPLAN,H., CHAUDHARY,S., MCBREARTY,R. Region 1 (Post 820201). 93/07/23. 14pp. 75935:299-75935:312.
- 9308100181** Notification of significant licensee meeting 93-96 w/util on 930805 to discuss enforcement conference for repetitive overtime & non-destructive exam procedure problems.
NICHOLSON,L.E. Region 1 (Post 820201). 93/07/26. Region 1 (Post 820201). 3pp. 76026:060-76026:062.
- 9308120214** Informs that util will perform independent performance insp of SWS operation performance at plant.Proposes that self-assessment be accepted as alternative to NRC staff conducting team insp of same subj area.
DENTON,R.E. Baltimore Gas & Electric Co. 93/08/06. Document Control Branch (Document Control Desk). 54pp. 76095:171-76095:224.
- 9308160095** Forwards insp repts 50-317/93-17 & 50-318/93-17 on 930614-18 & 0712-16.No violations noted.
DURR,J.P. Region 1 (Post 820201). 93/08/10. DENTON,R.E. Baltimore Gas & Electric Co. 3pp. 76089:263-76089:276.
- 9308160102** Insp repts 50-317/93-17 & 50-318/93-17 on 930614-18 & 930712-16.No violations noted.Major areas inspected: engineering organization focus & responsibility,performance trends in nuclear engineering & plant engineering divs.
LOHMEIER,A., GRAY,E.H. Region 1 (Post 820201). 93/08/02. 11pp. 76089:266-76089:276.
- 9308170049** Discusses enforcement conference insp repts 50-317/93-14 & 50-318/93-14 on 930805 & forwards notice of violation. Violation of concern because it represents two examples of failure to take effective & timely corrective action.
HODGES,M.W. Region 1 (Post 820201). 93/08/11. DENTON,R.E. Baltimore Gas & Electric Co. 3pp. 76108:212-76108:236.
- 9308170057** Notice of violation from insp on 930510-21.Violations noted:overtime limits required by TS 6.8.1.g were exceeded w/o prior written authorization & several nondestructive exam inspectors worked overtime in excess of limits.
* Region 1 (Post 820201). 93/08/11. 21pp. 76108:215-76108:236.
- 9308190044** Denies request that util self-assessment be use as alternative to NRC SWS operational performance insp.Informs that proposed request does not meet all requirements for NRC pilot program for acceptance.
HODGES,M.W. Region 1 (Post 820201). 93/08/12. DENTON,R.E. Baltimore Gas & Electric Co. 3pp. 76160:333-76160:335.
- 9308200307** Responds to NRC 930819 ltr re violations noted in insp repts 50-317/93-18 & 50-318/93-18.C/As:drop off areas for safety-related & augmented quality mats will be controlled under applicable CCI-162 requirements & run by personnel.
DENTON,R.E. Baltimore Gas & Electric Co. 93/08/18. Document Control Branch (Document Control Desk). 3pp. 76184:319-76184:321.
- 9308310162** Forwards insp repts 50-317/93-22 & 50-318/93-22 on 930704-0807.No violations noted.
COWGILL,C.J. Region 1 (Post 820201). 93/08/20. DENTON,R.E. Baltimore Gas & Electric Co. 3pp. 76264:237-76264:255.
- 9308310164** Insp repts 50-317/93-22 & 50-318/93-22 on 930704-0807.No violations noted.Major areas inspected:plant operations, maint,engineering & plant support.
NICHOLSON,L.E. Region 1 (Post 820201). 93/08/13. 16pp. 76264:240-76264:255.

R. Periodic operating reports & related correspondence

- 9308170446** Forwards semiannual fitness for duty program performance data for period of Jan-June 1993, per 10CFR26.71(d). GUARNIERI, S.R. Baltimore Gas & Electric Co. 93/08/03. Document Control Branch (Document Control Desk). 5pp. 76137:297-76137:301.
- 9308180149** Forwards monthly operating repts for Jul 1993 for CCNPP, units 1 & 2 & revised operating rept for May & June 1993. CRUSE, C.H. Baltimore Gas & Electric Co. 93/08/12. Document Control Branch (Document Control Desk). 1p. 76154:324-76154:338.
- 9308180171** Monthly operating repts for Jul 1993 for CCNPP, units 1 & 2. PIAZZA, F. Baltimore Gas & Electric Co. 93/07/31. 10pp. 76154:325-76154:334.
- 9308180172** Revised monthly operating repts for May 1993 for CCNPP, units 1 & 2. PIAZZA, F. Baltimore Gas & Electric Co. 93/05/31. 2pp. 76154:335-76154:336.
- 9308180174** Revised monthly operating repts for June 1993 for CCNPP, units 1 & 2. PIAZZA, F. Baltimore Gas & Electric Co. 93/06/30. 2pp. 76154:337-76154:338.
- 9308300082** Forwards "Effluent & Waste Disposal Semiannual Rept for First Half of 1993" & Rev 0, Change 1 to "ODCM." CRUSE, C.H. Baltimore Gas & Electric Co. 93/08/26. Document Control Branch (Document Control Desk). 1p. 76281:179-76282:082.
- 9308300084** "Effluent & Waste Disposal Semiannual Rept for First Half of 1993." * Baltimore Gas & Electric Co. 93/06/30. 23pp. 76281:180-76281:202.
- 9308300085** Rev 0 to Change 1 to "ODCM." * Baltimore Gas & Electric Co. 93/02/18. 200pp. 76281:203-76282:082.

S. Reportable occurrences, LERs & related correspondence

- 9308030372** Potential Part 21 rept re Limitorque actuator motors. Utilis & other purchases listed in encl being advised of concern. Limitorque revising selection procedure for safety related actuators, motors & technical data packages. TAYLOR, J.H. Babcock & Wilcox Co. 93/07/22. Document Control Branch (Document Control Desk). 8pp. 75976:349-75976:356.
- 9308040253** LER 93-005-00 on 930630, TS 3.0.3 entered due to both containment spray sys inoperable. Replaced CCW outlet valve actuator connecting link assembly from number 11 SDC heat exchanger. W/930730 ltr. GRAZLE, R.C., CRUSE, C.H. Baltimore Gas & Electric Co. 93/07/30. 8pp. 76022:061-76022:068.

U. Congressional/Executive Correspondence

- 9308090315** Responds to 930618 ltr, including hand written message drafted by B Lucas re storing spent fuel onsite at Oyster Creek Nuclear Generating Station. Informs that NUHOMS casks already being used at listed ISFSIs. BERNERO, R.M. Office of Nuclear Material Safety & Safeguards. 93/07/29. CONNORS, L.T. New Jersey, State of. 2pp. 76072:328-76072:332.

Y. Dry Cask Independent Spent Fuel Storage Installations

- 9308030009** Forwards insp repts 50-317/93-19 & 50-318/93-19 on 930628-0702. Physical security program effective & directed toward assuring public health & safety. No safety concerns or violations noted. JOYNER, J.H. Region 1 (Post 820201). 93/07/23. DENTON, R.E. Baltimore Gas & Electric Co. 4pp. 75935:043-75935:052.
- 9308030014** Insp repts 50-317/93-19 & 50-318/93-19 on 930628-0702. No violations noted. Major areas inspected: ISFSI, audits, vital area physical & detection aids, protected & vital area access control of personnel & vehicles. ALBERT, R.J. Region 1 (Post 820201). 93/07/22. 6pp. 75935:047-75935:052.
- 9308040133** Discusses licensee responses to Maryland Safe Energy Coalition 921221 petition, requesting that all safety questions re ISFSI at plant be studied completely before any spent fuel transferred to vaults. OCHS, R. Maryland Safe Energy Coalition. 93/07/27. BERNERO, R.M. Office of Nuclear Material Safety & Safeguards. 3pp. 75997:109-75997:111.
- 9308030140** Notifies that Nuclear Security Facility SAS activated & declared operational on 930717 & all alarm monitoring & assessment activities for ISFSI now conducted from station. DENTON, R.E. Baltimore Gas & Electric Co. 93/07/28. Office of Nuclear Material Safety & Safeguards. 2pp. 75975:344-75975:345.
- 9308240228** Forwards Director Decision DD-93-14 denying 921221 petition requesting that NRC institute proceeding per 10CFR2.206, w/ regard to ISFSI at Calvert Cliffs Nuclear Power Plant. FR notice also encl. BERNERO, R.M. Office of Nuclear Material Safety & Safeguards. 93/08/16. OCHS, R. Maryland Safe Energy Coalition. 6pp. 76211:294-76211:319.
- 9308240236** Director Decision DD-93-14, denying Maryland Safe Energy Coalition 921221 petition requesting that NRC institute proceeding per 10CFR2.206, w/ regard to ISFSI at Calvert Cliffs Nuclear Power Plant. BERNERO, R.M. Office of Nuclear Material Safety & Safeguards. 93/08/16. 16pp. 76211:300-76211:316.

DOCKET 50-318 CALVERT CLIFFS NUCLEAR POWER PLANT, UNIT 2**F. Security, medical, emergency & fire protection plans**

- 9308030387** Forwards encl 8 to SECY-93-166, describing proposed characteristics of design basis vehicle Encl withheld. PARTLOW, J.G. Associate Director for Projects (Post 870411). 93/07/15. DENTON, R.E. Baltimore Gas & Electric Co. pp. 75950:357-75950:359.

9308030382 Forwards Safety Insp Repts 50-317/93-16 & 50-318/93-16 on 930530-0703. Violations noted, but not cited. COWGILL, C.J. Region 1 (Post 820201). 93/07/22. DENTON, R.E. Baltimore Gas & Electric Co. 3pp. 75979:279-75979:303.

-9308030390 Insp repts 50-317/93-16 & 50-318/93-16 on 930530-0703. Violations noted, but not cited. Major areas inspected: plant operations, radiological protection, surveillance & maintenance, emergency preparedness & security. NICHOLSON, L.E. Region 1 (Post 820201). 93/07/22. 22pp. 75979:282-75979:303.

9308030009 Forwards insp repts 50-317/93-19 & 50-318/93-19 on 930628-0702. Physical security program effective & directed toward assuring public health & safety. No safety concerns or violations noted. JOYNER, J.H. Region 1 (Post 820201). 93/07/23. DENTON, R.E. Baltimore Gas & Electric Co. 4pp. 75935:043-75935:052.

-9308030014 Insp repts 50-317/93-19 & 50-318/93-19 on 930628-0702. No violations noted. Major areas inspected: ISFSI, audits, vital area physical & detection aids, protected & vital area access control of personnel & vehicles. ALBERT, R.J. Region 1 (Post 820201). 93/07/22. 6pp. 75935:047-75935:052.

9308030 * 0 Notifies that Nuclear Security Facility SAS activated & declared operational on 930. 17 & all alarm monitoring & assessment activities for ISFSI now conducted from station. DENTON, R.E. Baltimore Gas & Electric Co. 93/07/28. Office of Nuclear Material Safety & Safeguards. 2pp. 75975:344-75975:345.

G. Adjudicatory correspondence

9308240228 Forwards Director Decision DD-93-14 denying 921221 petition requesting that NRC institute proceeding per 10CFR2.206, w/ regard to ISFSI at Calvert Cliffs Nuclear Power Plant. FR notice also encl. BERNERO, R.M. Office of Nuclear Material Safety & Safeguards. 93/08/16. OCHS, R. Maryland Safe Energy Coalition. 6pp. 76211:294-76211:319.

-9308240236 Director Decision DD-93-14, denying Maryland Safe Energy Coalition 921221 petition requesting that NRC institute proceeding per 10CFR2.206, w/ regard to ISFSI at Calvert Cliffs Nuclear Power Plant. BERNERO, R.M. Office of Nuclear Material Safety & Safeguards. 93/08/16. 16pp. 76211:300-76211:316.

-9308240249 FR notice re denial of Maryland Safe Energy Coalition 921221 petition requesting that NRC institute proceeding per 10CFR2.206 w/ regard to ISFSI at Calvert Cliffs Nuclear Power Plant. BERNERO, R.M. Office of Nuclear Material Safety & Safeguards. 93/08/16. 3pp. 76211:317-76211:319.

I. Financial information

9308050202 Submits guarantee of payment of deferred premiums for plant reactors Exhibits I, II, III & IV & "BG&E Annual Rept 1992." DENTON, R.E. Baltimore Gas & Electric Co. 93/07/30. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 76019:218-76019:284.

-9308050203 "Baltimore Gas & Electric Co. Annual Rept 1992." * Baltimore Gas & Electric Co. 92/12/31. 65pp. 76019:220-76019:284.

P. Operating license stage documents & correspondence

9308020068 Summary of 930617 meeting w/ util re BG&E life cycle mgt program & efforts re license renewal. NEASE, R.L. License Renewal & Environmental Review Project Directorate (Post 921004). 93/07/15. License Renewal & Environmental Review Project Directorate (Post 921004). 4pp. 75931:205-75931:208.

9308040142 Forwards SE concluding that CEOG rept CEN-387-P, rev 1, "Pressurizer Surge Line Thermal Stratification Evaluation" adequately demonstrates that bounding surge line & nozzles meet ASME code stress & fatigue requirements. TRAN, L.N. Project Directorate V. 93/07/16. CONWAY, W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 75978:331-75978:338.

-9308040183 SE of CEN-387-P, Rev 0 & 1, "Pressurizer Surge Line Flow Stratification Evaluation." Rept acceptable. * Office of Nuclear Reactor Regulation, Director (Post 870411). 93/07/16. 4pp. 75978:335-75978:338.

9308130058 Forwards notice of consideration of issuance of amend to license DPR-69 & proposed NSHC determination & opportunity for hearing. Amend revises TS 3/4.2, "Power Distribution Limits." MCDONALD, D.G. Project Directorate I-1. 93/07/19. DENTON, R.E. Baltimore Gas & Electric Co. 3pp. 76094:155-76094:167.

-9308130060 Notice of consideration of issuance of amend to license DPR-69 & proposed NSHC determination & opportunity for hearing. Amend revises TS 3/4.2, "Power Distribution Limits." MCDONALD, D.G. Project Directorate I-1. 93/07/19. 10pp. 76094:158-76094:167.

9308100015 Advises that 930719 proposed change to QAP for plant, acceptable per 10CFR50.54(a), in that QAP continues to satisfy criteria of app B of 10CFR50. BETTENHAUSEN, L. Region 1 (Post 820201). 93/07/21. DENTON, R.E. Baltimore Gas & Electric Co. 2pp. 76025:053-76025:054.

9308030179 Forwards Rev 0 to "Electrical Engineering Design Rept, EDG Project," in response to SBO rule. DENTON, R.E. Baltimore Gas & Electric Co. 93/07/26. Document Control Branch (Document Control Desk). 2pp. 75977:293-75977:349.

-9308030184 Rev 0 to "Electrical Engineering Design Rept, EDG Project." * Baltimore Gas & Electric Co. 93/07/26. 55pp. 75977:295-75977:349.

74 DOCKETED ITEMS

9308030295 Responds to NRC request for addl info re relief request from ASME Code, section II, Article 9 to allow stop valve to remain installed downstream of thermal overpressure relief device for regenerative HXs of both units.
DENTON, R.E. Baltimore Gas & Electric Co. 93/07/26. Document Control Branch (Document Control Desk). 8pp. 76011:160-76011:167

9308120247 Provides summary & status of licensing actions worked on during 1993 refueling outage & implementation of actions associated w/TAC numbers M85370, M56110, M56111, M79912 & M82749 for plant.
MCDONALD, D.G. Project Directorate I-1. 93/07/26. DENTON, R.E. Baltimore Gas & Electric Co. 5pp. 76085:344-76085:348

9308050096 Submits leak-before-break analysis to allow licensees to exclude rupture of primary reactor coolant piping from design basis. Description of permanent neutron shield/pool seal encl.
DENTON, R.E. Baltimore Gas & Electric Co. 93/07/29. Document Control Branch (Document Control Desk). 10pp. 76019:336-76019:345

9308050176 Summary of 930722 meeting w/util re civil engineering design rept for new EDG seismic category 1 bldg which will house class 1E which is being added to site.
MCDONALD, D.G. Project Directorate I-1. 93/07/29. Project Directorate I-1. 5pp. 75990:356-75990:360

9308090144 Provides request for addl info re various aspects of methodology & procedures for determining sys. structures & components important to license renewal.
DENTON, R.E. Baltimore Gas & Electric Co. 93/07/30. Document Control Branch (Document Control Desk). 32pp. 76037:258-76037:289

9308090150 Forwards request for addl info re civil engineering design rept & diesel generator project.
DENTON, R.E. Baltimore Gas & Electric Co. 93/07/30. Document Control Branch (Document Control Desk). 3pp. 76037:311-76037:313

9308100185 Notification of significant licensee meeting 93-98 w/util on 930805 to discuss program & results of svc water assessment.
NICHOLSON, L.E. Region 1 (Post 820201). 93/07/30. Region 1 (Post 820201). 3pp. 76026:063-76026:065

9308120214 Informs that util will perform independent performance insp of SWS operation performance at plant. Proposes that self-assessment be accepted as alternative to NRC staff conducting team insp of same subj area.
DENTON, R.E. Baltimore Gas & Electric Co. 93/08/06. Document Control Branch (Document Control Desk). 54pp. 76095:171-76095:224

9308250399 Forwards request for addl info needed to complete review of licensee response to rev 1 to GL 92-01, "Reactor Vessel Structural Integrity."
MCDONALD, D.G. Project Directorate I-1. 93/08/09. DENTON, R.E. Baltimore Gas & Electric Co. 6pp. 76212:352-76212:357

9308260122 Summary of 930729 meeting w/util in Rockville, MD re program & activities of nuclear engineering dept. List of attendees & viewgraphs encl.
MCDONALD, D.G. Project Directorate I-1. 93/08/09. Project Directorate I-1. 44pp. 76215:189-76215:232

9308190044 Denies request that util self-assessment be use as alternative to NRC SWS operational performance insp. Informs that proposed request does not meet all requirements for NRC pilot program for acceptance.
HODGES, M.W. Region 1 (Post 820201). 93/08/12. DENTON, R.E. Baltimore Gas & Electric Co. 3pp. 76160:333-76160:335

9308190196 Forwards "Calvert Cliffs Nuclear Power Plant Unit 2, Cycle 10 Summary of Startup Testing."
CRUSE, C.H. Baltimore Gas & Electric Co. 93/08/13. Document Control Branch (Document Control Desk). 1p. 76162:051-76162:061

-9308190200 "Calvert Cliffs Nuclear Power Plant Unit 2 Cycle 10 Summary of Startup Testing."
* Baltimore Gas & Electric Co. 93/08/13. 10pp. 76162:052-76162:061

9308230204 Requests concurrence w/testing program by 940115, to support outage schedule re EDG upgrade project.
DENTON, R.E. Baltimore Gas & Electric Co. 93/08/17. Document Control Branch (Document Control Desk). 6pp. 76206:354-76206:359

9308300082 Forwards "Effluent & Waste Disposal Semiannual Rept for First Half of 1993" & Rev 0, Change 1 to "ODCM."
CRUSE, C.H. Baltimore Gas & Electric Co. 93/08/26. Document Control Branch (Document Control Desk). 1p. 76281:179-76282:082

-9308300085 Rev 0 to Change 1 to "ODCM."
* Baltimore Gas & Electric Co. 93/02/18. 200pp. 76281:203-76282:082

Q. Insp. on reports, IE Bulletins & correspondence

9308040142 Forwards SE concluding that CEOG rept CEN-387-P, rev 1, "Pressurizer Surge Line Thermal Stratification Evaluation" adequately demonstrates that bounding surge line & nozzles meet ASME code stress & fatigue requirements.
TRAN, L.N. Project Directorate V. 93/07/16. CONWAY, W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 75978:331-75978:338

-9308040183 SE of CEN-387-P, Rev 0 & 1, "Pressurizer Surge Line Flow Stratification Evaluation." Rept acceptable.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 93/07/16. 4pp. 75978:335-75978:338

9308030382 Forwards Safety Insp Repts 50-317/93-16 & 50-318/93-16 on 930530-0703. Violations noted, but not cited.
COWGILL, C.J. Region 1 (Post 820201). 93/07/22. DENTON, R.E. Baltimore Gas & Electric Co. 3pp. 75979:279-75979:303

-9308030390 Insp repts 50-317/93-16 & 50-318/93-16 on 930530-0703. Violations noted, but not cited. Major areas inspected: plant operations, radiological protection, surveillance & maintenance, emergency preparedness & security.
NICHOLSON, L.E. Region 1 (Post 820201). 93/07/22. 22pp. 75979:282-75979:303

9307190043 NRC Info Notice 93-057, "Software Problems Involving Digital Control Console Sys at Non-Power Reactors."
GRIMES, B.K. Division of Operating Reactor Support (Post 921004). 93/07/23. Consolidated Edison Co. of New York, Inc. 9pp. 76111:200-76111:208

9308030009 Forwards insp repts 50-317/93-19 & 50-318/93-19 on 930628-0702. Physical security program effective & directed toward assuring public health & safety. No safety concerns or violations noted.
JOYNEF, J.H. Region 1 (Post 820201). 93/07/23. DENTON, R.E. Baltimore Gas & Electric Co. 4pp. 75935:043-75935:052

-9308030014 Insp repts 50-317/93-19 & 50-318/93-19 on 930628-0702. No violations noted. Major areas inspected: ISFSI, audits, vital area physical & detection aids, protected & vital area access control of personnel & vehicles.
ALBERT, R.J., KEIMIG, R.R. Region 1 (Post 820201). 93/07/22. 6pp. 75935:047-75935:052

9308030070 Forwards insp repts 50-317/93-14 & 50-318/93-14 on 930510-0604. Two apparent violations identified & being considered for escalated EA.
HODGES, M.W. Region 1 (Post 820201). 93/07/23. DENTON, R.E. Baltimore Gas & Electric Co. 3pp. 75935:296-75935:312

-9308030081 Insp repts 50-317/93-14 & 50-318/93-14 on 930510-0604. Two apparent violations identified. Major areas inspected: licensee program 5 nondestructive exam procedures used for ASME Code, Section XI required exams.
KAPLAN, H., CHAUDHARY, S., MCBREARTY, R. Region 1 (Post 820201). 93/07/23. 14pp. 75935:299-75935:312

9308100181 Notification of significant licensee meeting 93-96 w/util on 930805 to discuss enforcement conference for repetitive overtime & non-destructive exam procedure problems.
NICHOLSON, L.E. Region 1 (Post 820201). 93/07/26. Region 1 (Post 820201). 3pp. 76026:060-76026:062

9308120214 Informs that util will perform independent performance insp of SWS operation performance at plant. Proposes that self-assessment be accepted as alternative to NRC staff conducting team insp of same subj area.
DENTON, R.E. Baltimore Gas & Electric Co. 93/08/06. Document Control Branch (Document Control Desk). 54pp. 76095:171-76095:224

9308160095 Forwards insp repts 50-317/93-17 & 50-318/93-17 on 930614-18 & 0712-16. No violations noted.
DURR, J.P. Region 1 (Post 820201). 93/08/10. DENTON, R.E. Baltimore Gas & Electric Co. 3pp. 76089:263-76089:276

-9308160102 Insp repts 50-317/93-17 & 50-318/93-17 on 930614-18 & 930712-16. No violations noted. Major areas inspected: engineering organization focus & responsibility, performance trends in nuclear engineering & plant engineering divs.
LOHMEIER, A., GRAY, E.H. Region 1 (Post 820201). 93/08/02. 11pp. 76089:266-76089:276

9308170049 Discusses enforcement conference insp repts 50-317/93-14 & 50-318/93-14 on 930805 & forwards notice of violation. Violation of concern because it represents two examples of failure to take effective & timely corrective action.
HODGES, M.W. Region 1 (Post 820201). 93/08/11. DENTON, R.E. Baltimore Gas & Electric Co. 3pp. 76108:212-76108:236

-9308170057 Notice of violation from insp on 930510-21. Violations noted: overtime limits required by TS 6.8.1.g were exceeded w/o prior written authorization & several nondestructive exam inspectors worked overtime in excess of limits.
* Region 1 (Post 820201). 93/08/11. 21pp. 76108:215-76108:236

9308190044 Denies request that util self-assessment be use as alternative to NRC SWS operational performance insp. Informs that proposed request does not meet all requirements for NRC pilot program for acceptance.
HODGES, M.W. Region 1 (Post 820201). 93/08/12. DENTON, R.E. Baltimore Gas & Electric Co. 3pp. 76160:333-76160:335

9308200307 Responds to NRC 930819 ltr re violations noted in insp repts 50-317/93-18 & 50-318/93-18. C/As: drop off areas for safety-related & augmented quality mats will be controlled under applicable COL-162 requirements & run by personnel.
DENTON, R.E. Baltimore Gas & Electric Co. 93/08/18. Document Control Branch (Document Control Desk). 3pp. 76184:319-76184:321

9308310162 Forwards insp repts 50-317/93-22 & 50-318/93-22 on 930704-0807. No violations noted.
COWGILL, C.J. Region 1 (Post 820201). 93/08/20. DENTON, R.E. Baltimore Gas & Electric Co. 3pp. 76264:237-76264:255

-9308310164 Insp repts 50-317/93-22 & 50-318/93-22 on 930704-0807. No violations noted. Major areas inspected: plant operations, maint, engineering & plant support.
NICHOLSON, L.E. Region 1 (Post 820201). 93/08/13. 16pp. 76264:240-76264:255

R. Periodic operating reports & related correspondence

9308170446 Forwards semiannual fitness for duty program performance data for period of Jan-June 1993, per 10CFR26.71(d).
GUARNIERI, S.R. Baltimore Gas & Electric Co. 93/08/03. Document Control Branch (Document Control Desk). 5pp. 76137:297-76137:301

9308180149 Forwards monthly operating repts for Jul 1993 for CCNPP, units 1 & 2 & revised operating rept for May & June 1993.
CRUSE, C.H. Baltimore Gas & Electric Co. 93/08/12. Document Control Branch (Document Control Desk). 1p. 76154:324-76154:338

-9308180171 Monthly operating repts for Jul 1993 for CCNPP, units 1 & 2.
PIAZZA, F. Baltimore Gas & Electric Co. 93/07/31. 10pp. 76154:325-76154:334

-9308180172 Revised monthly operating repts for May 1993 for CCNPP, units 1 & 2.
PIAZZA, F. Baltimore Gas & Electric Co. 93/05/31. 2pp. 76154:335-76154:336

-9308180174 Revised monthly operating repts for June 1993 for CCNPP, units 1 & 2.
PIAZZA, F. Baltimore Gas & Electric Co. 93/06/30. 2pp. 76154:337-76154:338

9308300082 Forwards "Effluent & Waste Disposal Semiannual Rept for First Half of 1993" & Rev 0, Change 1 to "ODCM."
CRUSE, C.H. Baltimore Gas & Electric Co. 93/08/26. Document Control Branch (Document Control Desk). 1p. 76281:179-76282:082.

-9308300084 "Effluent & Waste Disposal Semiannual Rept for First Half of 1993."
* Baltimore Gas & Electric Co. 93/06/30. 22pp. 76281:180-76281:202.

S. Reportable occurrences, LERs & related correspondence

9308030372 Potential Part 21 rept re Limitorque actuator motors. Utilis & other purchases listed in encl being advised of concern. Limitorque revising selection procedure for safety related actuators, motors & technical data packages.
TAYLOR, J.H. Babcock & Wilcox Co. 93/07/22. Document Control Branch (Document Control Desk). 8pp. 75976:349-75976:356.

U. Congressional/Executive Correspondence

9308090315 Responds to 930618 ltr, including hand written message drafted by B Lucas re storing spent fuel onsite at Oyster Creek Nuclear Generating Station. Informs that NUHOMS casks already being used at listed ISFSIs.
BERNERO, R.M. Office of Nuclear Material Safety & Safeguards. 93/07/29. CONNORS, I.T. New Jersey, State of. 2pp. 76072:328-76072:332.

Y. Dry Cask Independent Spent Fuel Storage Installations

9308030009 Forwards insp repts 50-317/93-19 & 50-318/93-19 on 930628-0702 Physical security program effective & directed toward assuring public health & safety. No safety concerns or violations noted.
JOYNER, J.H. Region 1 (Post 820201). 93/07/23. DENTON, R.E. Baltimore Gas & Electric Co. 4pp. 75935:043-75935:052.

-9308030014 Insp repts 50-317/93-19 & 50-318/93-19 on 930628-0702. No violations noted. Major areas inspected: ISFSI, audits, vital area physical & detection aids, protected & vital area access control of personnel & vehicles.
ALBERT, R.J. Region 1 (Post 820201). 93/07/22. 6pp. 75935:047-75935:052.

9308040133 Discusses licensee responses to Maryland Safe Energy Coalition 921221 petition, requesting that all safety questions re ISFSI at plant be studied completely before any spent fuel transferred to vaults.
OCHS, R. Maryland Safe Energy Coalition. 93/07/27. BERNERO, R.M. Office of Nuclear Material Safety & Safeguards. 3pp. 75997:109-75997:111.

9308030140 Notifies that Nuclear Security Facility SAS activated & declared operational on 930717 & all alarm monitoring & assessment activities for ISFSI now conducted from station.
DENTON, R.E. Baltimore Gas & Electric Co. 93/07/28. Office of Nuclear Material Safety & Safeguards. 2pp. 75975:344-75975:345.

9308240228 Forwards Director Decision DD-93-14 denying 921221 petition requesting that NRC institute proceeding per 10CFR2.206.w/ regard to ISFSI at Calvert Cliffs Nuclear Power Plant. FR notice also encl.
BERNERO, R.M. Office of Nuclear Material Safety & Safeguards. 93/08/16. OCHS, R. Maryland Safe Energy Coalition. 6pp. 76211:294-76211:319.

-9308240236 Director Decision DD-93-14, denying Maryland Safe Energy Coalition 921221 petition requesting that NRC institute proceeding per: 10CFR2.206.w/ regard to ISFSI at Calvert Cliffs Nuclear Power Plant.
BERNERO, R.M. Office of Nuclear Material Safety & Safeguards. 93/08/16. 16pp. 76211:300-76211:316.

DOCKET 50-320 THREE MILE ISLAND NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9308250200 Revised EIPs, including rev 8 to EIP-TMI-03, "Emergency Off Site Notifications," rev 3 to EIP-TMI-29, "OSC Operations," & rev 3 to 6410-ADM-1300.04, "Administration of TMI-1 Initial Response & Emergency Support..."
* General Public Utilities Corp. - GPU Service Corp. 93/08/20. 69pp. 76222:199-76222:267.

G. Adjudicatory correspondence

9308160187 GPC motion to compel NRC Staff production of documents.* NRC production of tapes & documents should be compelled. W/ Certificate of Svc & svc list.
LAMBERSKI, J. Georgia Power Co. LAMBERSKI, J. Troutman Sanders (formerly Troutman, Sanders, Lockerman & Ashmore). #393 14197. 93/08/09. Atomic Safety & Licensing Board Panel. 36pp. 76088:141-76088:225.

-9308160190 Affidavit of RA Meeks re safety concerns at plant.
MEEKS, R.A. General Public Utilities Corp. - GPU Service Corp. MEEKS, R.A. Region 5 (Post 820201). #393 14197. 87/03/03. 40pp. 76088:175-76088:225.

P. Operating license stage documents & correspondence

9308060195 Concludes that establishment of SAT-based training program, per Training Rule 10CFR50.120) not warranted, based on listed training needs assessment.
LONG, R.L. General Public Utilities Corp. - GPU Service Corp. 93/07/29. Document Control Branch (Document Control Desk). 4pp. 76059:233-76059:236.

9308160083 Forwards TS change request 69 requesting amend to OL DPR-73 deleting accident generated water requirements.
LONG, R.L. General Public Utilities Corp. - GPU Service Corp. 93/08/05. Document Control Branch (Document Control Desk). 2pp. 76107:308-76107:341.

-9308160093 Application for amend to license DPR-73, deleting accident generated water requirements from TS.
LONG, R.L. General Public Utilities Corp. - GPU Service Corp. 93/08/05. 8pp. 76107:310-76107:317.

-9308160103 Proposed tech specs Table 3/4.9 & page B 3/4 9-1, deleting accident generated water requirements.
* General Public Utilities Corp. - GPU Service Corp. 93/08/05. 2pp. 76107:318-76107:319.

-9308160109 "Accident Generated Water Disposal Completion Rept."
* General Public Utilities Corp. - GPU Service Corp. 93/08/05. 22pp. 76107:320-76107:341.

9308250398 Forwards safety evaluation accepting proposed deletion of items I.10 & J.7 of 930115 list of PDMS requirements & commitments based on commitment by util to update PDMS SAR.
MANIK, M.T. Non-Power Reactor & Decommissioning Project Directorate. 93/08/05. LONG, R.L. General Public Utilities Corp. - GPU Service Corp. 3pp. 76212:185-76212:200.

-9308250407 Safety evaluation accepting proposed changes to PDMS requirements & commitments list of 930115.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 93/08/05. 13pp. 76212:188-76212:200.

9308260089 Informs Staff of completion of AGW Disposal by evaporation is complete. Estimated total vol disposed, 2.23 million gallons.
LONG, R.L. General Public Utilities Corp. - GPU Service Corp. 93/08/17. Document Control Branch (Document Control Desk). 2pp. 76247:312-76247:313.

Q. Inspection reports, IE Bulletins & correspondence

9308260231 Forwards documentation in response to OMB bulletin on termination of Federal Advisory Committee.
MASNIK, M.T. Non-Power Reactor & Decommissioning Project Directorate. 93/04/22. WILSON, V.H. Assistant for Operations (Post 890205). 5pp. 76219:351-76219:355.

9307190043 NRC Info Notice 93-057. "Software Problems Involving Digital Control Console Sys at Non-Power Reactors."
GRIMES, B.K. Division of Operating Reactor Support (Post 921004). 93/07/23. Consolidated Edison Co. of New York, Inc. 9pp. 76111:200-76111:208.

9308260074 Responds to NRC 930409 ltr re violations noted in revised insp rept 50-320/93-02. Corrective actions: abstained from using Fluid Tech Inc. Aquaset II or Petro-set solidification media until tests completed.
LONG, R.L. General Public Utilities Corp. - GPU Service Corp. 93/08/17. Document Control Branch (Document Control Desk). 2pp. 76247:310-76247:311.

DOCKET 50-321 EDWIN I. HATCH NUCLEAR PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9308030180 Forwards encl 8 to SECY 93-166 which describes proposed characteristics of design basis vehicle. Characteristics being provided to licensees in advance to facilitate more detailed comments on proposed rule. W/o encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 93/07/15. WOODARD, J.D. Georgia Power Co. 4pp. 75948:358-75950:335.

9308030232 Requests that encl documents received from Thermal Ceramics, Inc be placed in PDR & copies distributed to listed individuals.
MILLER, J. Plant Systems Branch. 93/07/15. Document Control Branch (Document Control Desk). 1p. 76129:266-76130:277.

-9308030239 Responds to 930427 ltr re FP60 sys supplied to NRC reactor licensees.
MAXWELL, J.A. Affiliation Not Assigned. 93/07/13. MCCracken, C.E. Plant Systems Branch. 4pp. 76129:267-76129:270.

9308300284 Temporary Change 93-180 to Rev 5 of Emergency Implementation Procedure 73EP-EIP-063-05, "TSC Activation." W/930823 ltr.
BECKHAM, J.T. Georgia Power Co. 93/08/23. 3pp. 76282:314-76282:316.

G. Adjudicatory correspondence

9308160169 Informs of change in address & firm name as stated.
DOMBY, A.H. Georgia Power Co. DOMBY, A.H. Troutman Sanders (formerly Troutman, Sanders, Lockerman & Ashmore). #393 14192. 93/06/23. CHILK, S.J. Office of the Secretary of the Commission. 1p. 76088:117-76088:117.

H. General correspondence

9308020029 Comment on proposed rules 10CFR170 & 171, "FY91 & 92 Proposed Rule Implementing US Court of Appeals Decision & Rev of Fee Schedules; 100% Fee Recovery, FY93." Opposes rule.
MCCOY, C.K. Georgia Power Co. 93/07/16. CHILK, S.J. Office of the Secretary of the Commission. 2pp. 75921:036-75921:037.

9308310009 Comments on Regulatory Review Group rept which appeared in 930518 FR. Util in agreement w/NUMARC comments to be provided to NRC.
MCCOY, C.K. Georgia Power Co. 93/07/29. CHILK, S.J. Office of the Secretary of the Commission. 2pp. 76278:092-76278:093.

P. Operating license stage documents & correspondence

9308050055 Confirms arrangements made to hold mgt meeting on 930803 in Atlanta, GA to discuss recent actions by util in response to recent increase in events at plant. Proposed agenda encl.
MERSCHOFF, E.W. Region 2 (Post 820201). 93/07/14. WOODARD, J.D. Georgia Power Co. 4pp. 75971:356-75971:359.

9308060042 Notice of significant meeting on 930803 in Atlanta, GA to discuss actions by licensee in response to recent increase in events at plant.
SKINNER, P.H. Region 2 (Post 820201). 93/07/14. Region 2 (Post 820201). 2pp. 75992:166-75992:167.

76 DOCKETED ITEMS

9308030232 Requests that encl documents received from Thermal Ceramics, Inc be placed in PDR & copies distributed to listed individuals.
MILLER, I. Plant Systems Branch. 93/07/15. Document Control Branch (Document Control Desk). 1p. 76129:266-76130:277.

9308030239 Responds to 930427 ltr re FP60 sys supplied to NRC reactor licensees. MAXWELL, J.A. Affiliation Not Assigned. 93/07/13. MCCracken, C.E. Plant Systems Branch. 4pp. 76129:267-76129:270.

9308030249 Direct testimony of GA Harrison, BM Cohn & RB Barnes re Contention 17, Kaowool as fire barrier for cable trays.
HARRISON, G.A. NRC - No Detailed Affiliation Given. 79/10/30. 23pp. 76129:271-76129:293.

9308170275 "Rept on Electrical Circuit Protective Mats."
* Underwriters Laboratory, Inc. 85/03/22. 120pp. 76129:294-76130:277.

9308160107 Forwards safety evaluation re intergranular stress corrosion cracking exams & weld overlay repairs, per GL 88-01 & NUREG-0313, Rev 2. Util adequately addressed IGSCC issue.
JABBOUR, K.N. Project Directorate II-3. 93/07/22. BECKHAM, J.T. Georgia Power Co. 4pp. 76143:349-76143:356.

9308160112 Safety evaluation re IGSCC exams & weld overlay repairs. IGSCC issue adequately addressed.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 93/07/22. 4pp. 76143:353-76143:356.

9308040203 Responds to NRC 930527 ltr requesting addl info re GL 92-01 rev 1, "Reactor Vessel Structural Integrity."
BECKHAM, J.T. Georgia Power Co. 93/07/27. Document Control Branch (Document Control Desk). 6pp. 75997:190-75997:195.

9308050136 Forwards TS pages showing original proposed changes & changes made by unrelated amends re NRC request for clarification on main steamline radiation.
BECKHAM, J.T. Georgia Power Co. 93/07/27. Document Control Branch (Document Control Desk). 3pp. 76022:200-76022:209.

9308050147 Proposed tech specs showing original & unrelated changes re removal of main steam line radiation monitor trips.
* Georgia Power Co. 93/07/27. 7pp. 76022:203-76022:209.

9308060072 Requests that licud samples spiked w/beta emitting radionuclides be analyzed as soon as practicable, but no later than 60 days from receipt of ltr.
CLINE, W.E. Region 2 (Post 820201). 93/07/27. BECKMAN, J.T. Georgia Power Co. 3pp. 75992:338-75992:340.

9308050219 Forwards requested addl info re util 921014, 930115 & 0326 license amend requests addressing implementation of new 10CFR20 requirements, in response to NRC 930610 ltr. Revised TS pages also encl.
BECKHAM, J.T. Georgia Power Co. 93/07/30. Document Control Branch (Document Control Desk). 5pp. 76022:124-76022:150.

9308050224 Proposed tech specs for implementation of new 10CFR20 requirements.
* Georgia Power Co. 93/07/30. 22pp. 76022:129-76022:150.

9308230243 Forwards summary of 930803 mgt meeting in Atlanta, GA re actions by util in response to recent increase in events at plant. List of attendees also encl. Effectiveness of licensee actions will be evaluated during future insps.
MERSCHOFF, E.W. Region 2 (Post 820201). 93/08/06. BECKHAM, J.T. Georgia Power Co. 25pp. 76207:098-76207:122.

9308310171 Informs that proposed changes to section 13.5.1 for unit 2 & section 13.7 for unit 1 of FSAR provides acceptable alternative & operational quality assurance program will continue to meet requirements of 10CFR50, app B.
GIBSON, A.F. Region 2 (Post 820201). 93/08/11. BECKHAM, J.T. Georgia Power Co. 3pp. 76264:350-76264:352.

9308200055 Forwards results of review of plant neutron monitoring instrumentation against criteria of NEDO-31558, "Position on NRC RG 1.97, Rev 3 Requirements for Post-Accident Neutron Monitoring Sys."
BECKHAM, J.T. Georgia Power Co. 93/08/13. Document Control Branch (Document Control Desk). 8pp. 76209:323-76209:330.

9308310102 Notification of 930908-09 meeting w/util in Rockville, MD to discuss status of current licensing issues & safety initiatives for plants.
HOOD, D.S. Project Directorate II-3. 93/08/24. MATTHEWS, D.B. Project Directorate II-3. 6pp. 76274:204-76274:209.

Q. Inspection reports, IE Bulletins & correspondence

9308060085 Forwards insp repts 50-321/93-08 & 50-366/93-08 on 930509-0605 & notice of violation.
HERDT, A.R. Region 2 (Post 820201). 93/06/28. WOODARD, J.D. Georgia Power Co. 4pp. 75993:059-75993:090.

9308060130 Notice of violation from insp on 930509-0605. Violation noted: during month of May 1993, adequate functional testing not performed following extensive maint activities on limit switch circuitry.
* Region 2 (Post 820201). 93/06/28. 3pp. 75993:063-75993:065.

9308060140 Insp repts 50-321/93-08 & 50-366/93-08 on 930509-0605. Violations noted. Major areas inspected: operations including review of two reactor scrams & period of close monitoring of control room activities & surveillance testing.
WERT, L.D., CHRISTNOT, E.F., SKINNER, P.H. Region 2 (Post 820201). 93/06/28. 25pp. 75993:066-75993:090.

9308060166 Ack receipt of 930628 ltr informing NRC of steps taken to correct violations noted in insp repts 50-321/93-06 & 50-366/93-06. Meeting scheduled for 930803 to discuss overall awareness & responsibilities of personnel.
HERDT, A.R. Region 2 (Post 820201). 93/07/06. WOODARD, J.D. Georgia Power Co. 3pp. 75994:068-75994:070.

9308100018 Forwards insp repts 50-321/93-10 & 50-366/93-10 on 930608-11. No violations or deviations identified.
CLINE, W.E. Region 2 (Post 820201). 93/07/09. WOODARD, J.D. Georgia Power Co. 3pp. 76025:067-76025:076.

9308100022 Insp repts 50-321/93-10 & 50-366/93-10 on 930608-11. No violations noted. Major areas inspected: potential effects of licensee leaking fuel issue upon rad-waste sys & impact upon public health & safety during power ascension to 100%.
CARRIGN, R.P., DECKER, T.R. Region 2 (Post 820201). 93/07/09. 7pp. 76025:070-76025:076.

9308060239 Ack receipt of 930628 ltr informing NRC of steps taken to correct violations noted in insp repts 50-321/93-07 & 50-366/93-07.
CLINE, W.E. Region 2 (Post 820201). 93/07/16. WOODARD, J.D. Georgia Power Co. 4pp. 75994:311-75994:314.

9307190043 NRC Info Notice 93-057, "Software Problems Involving Digital Control Console Sys at Non-Power Reactors."
GRIMES, B.K. Division of Operating Reactor Support (Post 921004). 93/07/23. Consolidated Edison Co. of New York, Inc. 9pp. 76111:200-76111:208.

9308050006 Forwards insp repts 50-321/93-11 & 50-366/93-11 on 930606-0703 & notice of violation.
HERDT, A.R. Region 2 (Post 820201). 93/07/23. BECKHAM, J.T. Georgia Power Co. 3pp. 75971:001-75971:029.

9308050008 Notice of violation from insp on 930606-0703. Violation noted: 1B standby gas treatment train inoperable on 930502 until 930505.
* Region 2 (Post 820201). 93/07/23. 2pp. 75971:004-75971:005.

9308050010 Insp repts 50-321/93-11 & 50-366/93-11 on 930606-0703. Violations noted. Major areas inspected: operations, maint activities, surveillance testing, review of standby gas treatment sys operability issue & review of open items.
WERT, L.D., CHRISTNOT, E.F., SKINNER, P.H. Region 2 (Post 820201). 93/07/23. 24pp. 75971:006-75971:029.

9308030201 Responds to NRC 930628 ltr re violations noted in insp repts 50-321/93-08 & 50-366/93-08. C/As: preventive & maint procedures for both units Turbine Stop Valve limit switches will be reviewed & revised.
BECKHAM, J.T. Georgia Power Co. 93/07/27. Document Control Branch (Document Control Desk). 8pp. 75975:353-75975:360.

9308030308 Responds to IEB-93-003 re "Resolution of Issues Related to Reactor Vessel Water Level Instrumentation in BWRs."
BECKHAM, J.T. Georgia Power Co. 93/07/27. Document Control Branch (Document Control Desk). 9pp. 75996:020-75996:028.

9308240082 Forwards technical review rept re, "Tardy Licensee Actions" initiated because of delayed replacement of batteries in uninterruptible power supplies at plant.
ISRAEL, S.L. Reactor Operations Analysis Branch. 93/08/05. ROSENTHAL, J.E. Reactor Operations Analysis Branch. 2pp. 76218:177-76218:193.

9308240165 Technical review rept, "Tardy Licensee Actions."
ISRAEL, S.L. Reactor Operations Analysis Branch. 93/08/31. 13pp. 76218:179-76218:193.

9308270236 Ack receipt of 930727 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-321/93-08 & 50-366/93-08. Response meets requirements of 10CFR2.201.
HERDT, A.R. Region 2 (Post 820201). 93/08/05. BECKHAM, J.T. Georgia Power Co. 3pp. 76292:074-76292:076.

9308230243 Forwards summary of 930803 mgt meeting in Atlanta, GA re actions by util in response to recent increase in events at plant. List of attendees also encl. Effectiveness of licensee actions will be evaluated during future insps.
MERSCHOFF, E.W. Region 2 (Post 820201). 93/08/06. BECKHAM, J.T. Georgia Power Co. 25pp. 76207:098-76207:122.

9308160379 Forwards "Owners Data Rept for ISI, E Hatch Nuclear Plant, Unit 1, Mar-May 1993." Code & augmented insps performed not specifically required by ASME Code on selected Class 1, 2 & 3 components listed.
BECKHAM, J.T. Georgia Power Co. 93/08/10. Document Control Branch (Document Control Desk). 2pp. 76136:162-76136:264.

9308160381 "Owners Data Rept for ISI, E Hatch Nuclear Plant, Unit 1, Mar-May 1993."
* Georgia Power Co. 93/05/31. 97pp. 76136:165-76136:264.

9308170399 Provides notification of change in mods to spent fuel pool level instruments, in response to Insp Repts 50-321/92-18 & 50-366/92-18. Description of new mod provided.
BECKHAM, J.T. Georgia Power Co. 93/08/12. Document Control Branch (Document Control Desk). 2pp. 76137:273-76137:274.

9308200278 Responds to NRC 930723 ltr re violation noted in Insp Repts 50-321/93-11 & 50-366/93-11. Corrective actions: Calibr Procedure 57CP-CAL-041-1S temporarily revised & Calibr Procedure 57CP-T46-002-2S reviewed.
BECKHAM, J.T. Georgia Power Co. 93/08/16. Document Control Branch (Document Control Desk). 5pp. 76184:309-76184:313.

R. Periodic operating reports & related correspondence

9308300261 "Plant EI Hatch, Units 1 & 2 Semiannual Radioactive Effluent Release Rept, Jan-June 1993." W/930824 ltr.
BECKHAM, J.T. Georgia Power Co. 93/06/30. 61pp. 76307:243-76307:303.

9308160232 Monthly operating repts for Jul 1993 for EI Hatch Nuclear Plant, units 1 & 2. W/930809 ltr.
BEARD, R.M., BECKHAM, J.T. Georgia Power Co. 93/07/31. 12pp. 76126:347-76126:358.

9308190114 Forwards fitness for duty performance data for six month period, Jan-June 1993.
BECKHAM, J.T. Georgia Power Co. 93/08/12. Document Control Branch (Document Control Desk). 4pp. 76161:294-76161:297.

S. Reportable occurrences, LERs & related correspondence

9308120291 Summary of operating reactors events meeting 93-23 on 930623. CHAFFEE, A.E. Events Assessment Branch. 93/07/06. GRIMES, B.K. Division of Operating Reactor Support (Post 921004). 16pp. 76085:245-76085:260.

DOCKET 50-322 SHOREHAM NUCLEAR POWER STATION**F. Security, medical, emergency & fire protection plans**

9308060029 Responds to NRC 930707 ltr re security concern at SNPS unit 1. HILL, L.M. Long Island Power Authority. 93/08/02. HEHL, C.W. NRC - No Detailed Affiliation Given. 2pp. 76071:247-76071:248.

J. Insurance & indemnity information

9308060037 Requests exemption from onsite property damage insurance requirements of 10CFR50.54(w). HILL, L.M. Long Island Power Authority. 93/08/02. Document Control Branch (Document Control Desk). 7pp. 76026:208-76026:214.

P. Operating license stage documents & correspondence

9308040112 Forwards draft rept "Confirmatory Survey of Turbine Internal Components SNPS Brookhaven, NY." VITKUS, T.J. Oak Ridge Associated Universities. 93/05/11. FAUVER, D. Division of Low-Level Waste Management & Decommissioning (Post 870413). 1p. 75996:232-75996:315.

-9308040118 Draft rept entitled "Confirmatory Survey of Turbine Internal Components SNPS Brookhaven, NY." VITKUS, T.J. Oak Ridge Associated Universities. 93/05/31. 83pp. 75996:233-75996:315.

Q. Inspection reports, IE Bulletins & correspondence

9307190043 NRC Info Notice 93-057, "Software Problems Involving Digital Control Console Sys at Non-Power Reactors." GRIMES, B.K. Division of Operating Reactor Support (Post 921004). 93/07/23. Consolidated Edison Co. of New York, Inc. 9pp. 76111:200-76111:208.

9308270079 Ack receipt of 930716 ltr informing NRC of steps taken to correct violations noted in insp rept 50-322/93-02. DURR, J.P. Region 1 (Post 820201). 93/08/16. HILL, L.M. Long Island Power Authority. 5pp. 76271:271-76271:281.

R. Periodic operating reports & related correspondence

9308130097 Forwards fitness-for-duty program performance data for reporting period Jan-June 1993. HILL, L.M. Long Island Power Authority. 93/07/29. Document Control Branch (Document Control Desk). 4pp. 76141:221-76141:225.

S. Reportable occurrences, LERs & related correspondence

9308130026 PNO-I-93-040: on 930803, pressure "dump" line kicked out of floor drain & sprayed front trunk of hydro-lazer operator. Licensee immediately suspended all hydro-lazer work, performed review of event & improved control of discharge line. NIMITZ, R.L., JOYNER, J.H. Region 1 (Post 820201). 93/08/06. 2pp. 76078:194-76078:195.

9308270096 PNO-1-93-042: on 930823, GE IF 300 fuel shipping cask used to transport Shoreham fuel to Limerick Station arrived at Shoreham site by barge. Media invited to observe cask. States of Pennsylvania, New York, New Jersey & Delaware notified. NIMITZ, R.L., JOYNER, J.H. Region 1 (Post 820201). 93/08/23. 2pp. 76266:338-76266:339.

9308310051 Discusses 930608 & 930721 correspondence which provides detailed root cause analysis of 930429 incident involving jib crane used on refuel floor of plant & summary of corrective actions taken. HEHL, C.W. Region 1 (Post 820201). 93/08/24. HILL, L.M. Long Island Power Authority. 7pp. 76263:274-76263:286.

-9308310057 Notifies that licensee completed actions specified in CAL & believes that root causes of jib crane drop incident has been adequately evaluated. HILL, L.M. Long Island Power Authority. 93/07/21. COOPER, R.W. Region 1 (Post 820201). 4pp. 76263:283-76263:286.

W. Decommissioning Stage Documents & Correspondence

9308250271 Contract "Acquisition of Shoreham Simulator," awarded to Long Island Lighting Co. MCCAFFREY, B.R. Long Island Lighting Co. MACE, M.H. Division of Contracts & Property Management (Post 890205). 93/06/25. 28pp. 76203:169-76203:196.

9308090076 Responds to NRC 930625 ltr requesting licensees of plants in decommissioning process to evaluate needed training, considering specific conditions at facilities for nine categories of nuclear power plant personnel. HILL, L.M. Long Island Power Authority. 93/08/02. Document Control Branch (Document Control Desk). 12pp. 76020:260-76020:271.

DOCKET 50-323 DIABLO CANYON NUCLEAR POWER PLANT, UNIT 2**F. Security, medical, emergency & fire protection plans**

9308040147 Forwards encl 8 to SECY 93-166, describing proposed characteristics of design basis vehicle (DBV). Encl withheld. PARTLOW, J.G. Associate Director for Projects (Post 870411). 93/07/15. RUEGER, G.M. Pacific Gas & Electric Co. 3pp. 75986:358-75986:360.

9308200272 Forwards public version of rev to EPIPs, including Rev 12 to EP RB-15A, Rev 8 to EP RB-15B, Rev 15 to EP EF-1, Rev 14 to EP EF-2, Rev 3 to EP RB-10, Rev 1 to EP EF-3A & Rev 1 to EP EF-3B. W/930806 release memo. SEXTON, J.A. Pacific Gas & Electric Co. 93/07/16. Document Control Branch (Document Control Desk). 5pp. 76168:001-76168:237.

-9308200277 Public version of rev to EPIPs, including Rev 12 to EP RB-15A, Rev 8 to EP RB-15B, Rev 15 to EP EF-1, Rev 14 to EP EF-2, Rev 3 to EP RB-10, Rev 1 to EP EF-3A & Rev 1 to EP EF-3B. TOWSEND, J.D. Pacific Gas & Electric Co. 93/06/28. 232pp. 76168:006-76168:237.

9308110120 Forwards testimony of plant addressing contention I: maint & surveillance, exhibits & contention V: Thermo-Lag. Related correspondence. WARNER, C.J. Pacific Gas & Electric Co. WARNER, C.J. Winston & Strawn. #393 14183. 93/08/02. BECHHOEFER, C., KLINE, J.R., SHON, F.J. Atomic Safety & Licensing Board Panel. 4pp. 76056:329-76056:060.

-9308110130 Testimony of Plant addressing contention I: maint & surveillance. Exhibits encl. Related correspondence. GIFFIN, B.W., VOSBURG, D.A., DILLARD, T.A. Pacific Gas & Electric Co. 93/08/02. 494pp. 76056:333-76056:017.

-9308110138 Testimony of plant addressing contention V: Thermo-Lag compensatory measures. Related correspondence. COSGROVE, D.K. Pacific Gas & Electric Co. 93/08/02. 41pp. 76058:018-76058:060.

9308160050 Responds to 930722 ltr forwarding exercise scenario manuals for plant 1993 field exercise. Informs that exercise objectives appear appropriate to meet EP plan goals & requirements. Review of exercise scenario continuing. PATE, R.J. Region 5 (Post 820201). 93/08/05. TOWSEND, J.D. Pacific Gas & Electric Co. 1p. 76089:017-76089:017.

9308160136 Forwards San Luis Obispo Mothers For Peace request for leave to conduct discovery on NRC inquiry into allegations re pressure to falsify fire watch logs, motion for postponement of hearing on thermo-lag contention. CURRAN, D. Harmon, Curran, Gallagher & Spielberg (formerly Harmon, Curran & Tousey). #393 14200. 93/08/11. BECHHOEFER, C. Atomic Safety & Licensing Board Panel. 1p. 76088:042-76088:053.

-9308160145 San Luis Obispo Mothers For Peace request for leave to conduct discovery on NRC inquiry into allegations re pressure to falsify fire watch logs, motion for postponement of hearing on thermo-lag contention. CURRAN, D. San Luis Obispo Mothers For Peace. 93/08/11. Atomic Safety & Licensing Board Panel. 11pp. 76088:043-76088:053.

9308170393 Forwards "Emergency Preparedness" rev 0 of PD 0M10. SEXTON, J.A. Pacific Gas & Electric Co. 93/08/11. Document Control Branch (Document Control Desk). 1p. 76136:091-76136:102.

-9308170403 Rev 0 to Program Directive 0M10, "Emergency Preparedness." Pacific Gas & Electric Co. 93/05/28. 11pp. 76136:092-76136:102.

9308180035 On-The-Spot Change, consisting of Rev 9 to EPIP EP RB-15B, "Post-Accident Sampling Sys Stripped-Gas & Diluted RCS." W/ 930811 ltr. WESSELE, E. Pacific Gas & Electric Co. 93/08/11. 33pp. 76154:262-76154:294.

G. Adjudicatory correspondence

9308090020 PG&E request to defer briefing schedule on ref ruling re INPO documents. Board erred as matter of law in ordering release of INPO evaluation & ref ruling should be reversed by Commission. W/ Certificate of Svc. REPKA, D.A. Pacific Gas & Electric Co. REPKA, D.A. Winston & Strawn. #393 14142. 93/07/22. Commissioners (Post 750119). 5pp. 76020:356-76020:360.

9308090059 Pacific Gas & Electric Co motion to require cross-exam plans. Requests that Board require cross-examination plans from parties that intend to conduct cross-examination. W/ Certificate of Svc. REPKA, D.A. Pacific Gas & Electric Co. REPKA, D.A. Winston & Strawn. #393 14147. 93/07/22. Atomic Safety & Licensing Board Panel. 7pp. 76021:085-76021:091.

9308090027 Order. Commission grants in part until 930723 requested deferral & amends briefing schedule as stated. Util may file brief w/ NRC no later than 930801 & intervenor & NRC may file reply brief by 930810. W/ Certificate of Svc. Served on 930723. CHILK, S.J. Office of the Secretary of the Commission. #393 14141. 93/07/23. Office of the General Counsel (Post 860701). 5pp. 76021:011-76021:015.

9308090065 Informs of representing San Luis Obispo Mothers for Peace in const permit recapture case for plant. W/ Certificate of Svc & notice of appearance. CURRAN, D. San Luis Obispo Mothers for Peace. CURRAN, D. Harmon, Curran, Gallagher & Spielberg (formerly Harmon, Curran & Tousey). #393 14165. 93/07/28. BECHHOEFER, C., SHON, F.J., KLINE, J. Atomic Safety & Licensing Board Panel. 3pp. 76021:092-76021:094.

9308090140 NRC Staff response supporting PG&E motion to require cross-examination plans. NRC supports util motion & agrees w/ util that 930809 telcon to discuss preliminary matters listed would be useful. W/ Certificate of Svc. HODGDON, A.P. Office of the General Counsel (Post 860701). #393 14151. 93/07/28. Atomic Safety & Licensing Board Panel. 5pp. 76021:145-76021:150.

9308110110 Pacific Gas & Electric Co revised witness list. Forwards revised witness list re two admitted contentions in proceeding. W/ Certificate of Svc. Related correspondence. REPKA, D.A. Pacific Gas & Electric Co. REPKA, D.A. Winston & Strawn. #393 14185. 93/07/28. 5pp. 76056:318-76056:322.

78 DOCKETED ITEMS

9308110066 Forwards professional qualifications statement for PM Madden for inclusion in NRC testimony re matter of construction period recovery for plant. Related correspondence. HOGDON, A.P. Office of the General Counsel (Post 860701). #393 14171. 93/08/02. BECHHOEFER, C. Atomic Safety & Licensing Board Panel. 2pp. 76056:190-76056:191.

9308110121 Forwards draft protective order prepared by util to provide San Luis Obispo Mothers For Peace w/access to 1990 rept prepared by INPO. Draft affidavit of non-disclosure also encl. REPKA, D.A. Pacific Gas & Electric Co. REPKA, D.A. Winston & Strawn. #393 14175. 93/08/02. BECHHOEFER, C., KLINE, J.R., SHON, F.J. Atomic Safety & Licensing Board Panel. 10pp. 76058:061-76058:069.

9308110065 Memorandum & Order (telephone conference call, 930729). * Licensee agreed to confer w/San Luis Obispo Mothers for Peace prior to hearing & to work out stipulation re certain documents W/Certificate of Svc. Served on 930804. BECHHOEFER, C., KLINE, J.R., SHON, F.J. Atomic Safety & Licensing Board Panel. #393 14177. 93/08/03. San Luis Obispo Mothers for Peace. 6pp. 76056:184-76056:189.

9308110080 Memorandum & order (protective order governing nondisclosure of INPO rept). * Rept prepared by INPO ordered to be made available under protective order to intervenor in proceeding W/Certificate of Svc. Served on 930803. BECHHOEFER, C., KLINE, J.R., SHON, F.J. Atomic Safety & Licensing Board Panel. #393 14179. 93/08/03. Pacific Gas & Electric Co. 9pp. 76056:234-76056:242.

9308110127 Notices Commission that util will not be filing brief in response to ruling re construction period recovery for plant by close of business. REPKA, D.A. Pacific Gas & Electric Co. REPKA, D.A. Winston & Strawn. #393 14176. 93/08/03. CHILK, S.J. Office of the Secretary of the Commission. 2pp. 76058:073-76058:074.

9308110122 Order (mod of protective order). * Modifies protective order by replacing G Minor w/S Sholly, as person permitted access to rept. W/Certificate of Svc. Served 930805. BECHHOEFER, C. Atomic Safety & Licensing Board Panel. #393 14186. 93/08/04. San Luis Obispo Mothers for Peace. 3pp. 76058:070-76058:072.

9308160033 Pacific Gas & Electric Co response to supplemental requests for production of documents filed by San Luis Obispo Mothers for Peace. * W/Certificate of Svc. Related correspondence. WARNER, C.J. Pacific Gas & Electric Co. WARNER, C.J. Winston & Strawn. #393 14205. 93/08/09. Atomic Safety & Licensing Board Panel. 4pp. 76088:001-76088:004.

9308160136 Forwards San Luis Obispo Mothers For Peace request for leave to conduct discovery on NRC inquiry into allegations re pressure to falsify fire watch logs, motion for postponement of hearing on thermo-lag contention. CURRAN, D. Harmon, Curran, Gallagher & Spielberg (formerly Harmon, Curran & Tausley). #393 14200. 93/08/11. BECHHOEFER, C., SHON, F.J., KLINE, J. Atomic Safety & Licensing Board Panel. 1p. 76088:042-76088:053.

-9308160145 San Luis Obispo Mothers For Peace request for leave to conduct discovery on NRC inquiry into allegations re pressure to falsify fire watch logs, motion for postponement of hearing on thermo-lag contention. * CURRAN, D. San Luis Obispo Mothers for Peace. CURRAN, D. Harmon, Curran, Gallagher & Spielberg (formerly Harmon, Curran & Tausley). 93/08/11. Atomic Safety & Licensing Board Panel. 11pp. 76088:043-76088:053.

9308160126 Informs that encl ltrs re plant being placed on docket for proceeding. W/Certificate of Svc. Served on 930812. JULLAN, E.L. Docketing & Services Branch. #393 14202. 93/08/12. Atomic Safety & Licensing Board Panel. 20pp. 76088:022-76088:041.

9308250072 Memorandum & order (change in location for oral limited appearance statements). * Location at which oral statements will be heard changed as stated. W/Certificate of Svc. Served on 930813. BECHHOEFER, C. Atomic Safety & Licensing Board Panel. #393 14206. 93/08/12. 4pp. 76189:294-76189:297.

9308250125 PG&E response to San Luis Obispo Mothers for Peace motion for further discovery & for delay in hearing Thermo-Lag contention. * W/Certificate of Svc. REPKA, D.A. Pacific Gas & Electric Co. REPKA, D.A. Winston & Strawn. #393 14214. 93/08/12. Atomic Safety & Licensing Board Panel. 8pp. 76189:331-76189:338.

9308250185 NRC Staff opposition to San Luis Obispo Mothers for Peace leave to conduct discovery on NRC inquiry into allegations re pressure to falsify fire watch logs motion for postponement of hearing.... * W/Certificate of Svc. REIS, E.J. Office of the General Counsel (Post 860701). #393 14211. 93/08/12. Atomic Safety & Licensing Board Panel. 7pp. 76190:125-76190:131.

9308250104 Memorandum & order (telephone conference call, 930813). * Directs that unsigned ltr be provided to San Luis Obispo Mothers for Peace to assist in cross-examination Certificate of Svc encl. Served on 930816. BECHHOEFER, C. Atomic Safety & Licensing Board Panel. #393 14216. 93/08/13. Office of the General Counsel (Post 860701). 5pp. 76189:326-76189:330.

9308250270 Notice of appearance. * Submits atty name to appear in proceeding. REIS, E.J. Office of the General Counsel (Post 860701). #393 14224. 93/08/17. 1p. 76190:192-76190:192.

9308250274 Motion to amend protective order (governing non-disclosure of INPO rept). * NRC moves that Board add footnote to paragraph 3. Certificate of Svc encl. REIS, E.J. Office of the General Counsel (Post 860701). #393 14223. 93/08/17. Atomic Safety & Licensing Board Panel. 5pp. 76190:193-76190:197.

9308250134 Memorandum & order CLI-93-18. * Commission declines review of interlocutory discovery order that Board referred to NRC re LBP-93-13. Served on 930819. W/Certificate of Svc. CHILK, S.J. Office of the Secretary of the Commission. #393 14231. 93/08/19. Pacific Gas & Electric Co. 5pp. 76189:343-76189:347.

9308260040 Hearing schedule changes. * Add session for ASLB in proceeding to hear oral limited appearance statements scheduled for 930923. W/Certificate of Svc. Served on 930823. BECHHOEFER, C. Atomic Safety & Licensing Board Panel. #393 14237. 93/08/19. 4pp. 76202:094-76202:097.

9308250028 Requests to speak to issue of util requesting 15-yr license extension at public hearings on 930818. Served on 930823. DIPEKI, K. Affiliation Not Assigned. #393 14233. 93/08/31. NRC - No Detailed Affiliation Given. 1p. 76189:227-76189:232.

-9308250039 Requests to speak at public hearing before ASLB on 930818. W/Certificate of Svc. Served on 930823. EVERED, J.B. Affiliation Not Assigned. 93/08/10. Docketing & Services Branch. 5pp. 76189:228-76189:232.

P. Operating license stage documents & correspondence

9308060202 Advises of objection to environmental assessment & FONSI issued by NRC on 930203 re application to extend OL of plant. Thorough EIS should be prepared before any action taken on OL extension application. KRAUSE, A. Toward Utility Rate Normalization. 93/03/19. THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). 3pp. 76023:276-76023:278.

9308060332 Discusses NRC extending plant license for addl 13-15 yrs. Requests that NRC not ignore health & safety as well as financial well being of people of State of CA re issue. * California, State of. 93/03/22. THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). 2pp. 76009:314-76009:315.

9308110289 Notification of 930810 meeting w/util in Rockville, MD to discuss process of evaluating diversity as applied to Westinghouse Eagle 21 RPS & Westinghouse supplied anticipated transient w/o scram mitigation sys. PETERSON, S.R. Project Directorate V. 93/07/22. QUAY, T.R. Project Directorate V. 4pp. 76074:341-76074:344.

9308050118 Forwards amends 81 & 80 to licenses DPR-80 & DPR-82 & safety evaluation. Amends revise TS 3/4.4.9.3. OPS & associated bases to implement recommendations of GL 90-06. PETERSON, S.R. Project Directorate V. 93/07/23. RUEGER, G.M. Pacific Gas & Electric Co. 4pp. 75991:302-75991:331.

-9308050125 Amends 81 & 80 to licenses DPR-80 & DPR-82, respectively, revising TS 3/4.4.9.3. OPS & associated bases to implement recommendations of GL 90-06. QUAY, T.R. Project Directorate V. 93/07/23. 17pp. 75991:306-75991:327.

-9308050135 Safety evaluation supporting amends 81 & 80 to licenses DPR-80 & DPR-82, respectively. * Office of Nuclear Reactor Regulation, Director (Post 870411). 93/07/23. 4pp. 75991:328-75991:331.

9308130020 Summary of 930712 meeting w/util in Rockville, MD to discuss licensee proposed Eagle 21 process protection sys upgrade & diversity of ATWS mitigation sys. PETERSON, S.R. Project Directorate V. 93/07/26. Project Directorate V. 22pp. 76094:096-76094:117.

9308170271 Informs that licensee 930618 submittals of summary repts WCAP-12813-R3 & WCAP-13615-R2 will be withheld from public disclosure, per 10CFR2.790. PETERSON, S.R. Project Directorate V. 93/07/27. LIPARULO, N.J. Westinghouse Electric Corp. 4pp. 76140:015-76140:018.

9308090216 Clarifies issues re insps performed, results obtained & conclusions reached re Unit 1 accumulator tanks, per NRC request in connection w/review of 930419 & 28 transmittal re evaluation of indications in Unit 2 accumulator tanks. RUEGER, G.M. Pacific Gas & Electric Co. 93/08/02. Document Control Branch (Document Control Desk). 2pp. 76037:323-76037:324.

9308200129 Forwards request for addl info re GL 92-01, Rev 1 for plant. Requests response to RAI within 60 days of receipt of ltr. PETERSON, S.R. Project Directorate V. 93/08/03. RUEGER, G.M. Pacific Gas & Electric Co. 4pp. 76163:352-76163:355.

9308100107 Forwards response to GL 93-04, "Rod Control Sys Failure & Withdrawal of Rod Control Cluster Assemblies." FUJIMOTO, W.H. Pacific Gas & Electric Co. 93/08/05. Document Control Branch (Document Control Desk). 12pp. 76087:230-76087:241.

9308240053 Forwards corrected TS pages 3/4.4.9.B 3/4.4.1 & B 3/4.4.16 to amends 81 & 80 to licenses DPR-80 & DPR-82, respectively. Corrected pages do not have amends typed in lower right corner. PETERSON, S.R. Project Directorate V. 93/08/05. RUEGER, G.M. Pacific Gas & Electric Co. 4pp. 76183:120-76183:129.

-9308240062 Corrected TS pages 3/4.4.9.B 3/4.4.1 & B 3/4.4.16 to amends 81 & 80 to licenses DPR-80 & DPR-82. * Project Directorate V. 93/08/05. 6pp. 76183:124-76183:129.

9308130135 Forwards "Diablo Canyon Power Plant, Unit 2 Reactor C Containment Bldg ILRT" conducted in Apr 1993 during Unit 2 fifth refueling outage. Test verified leak-tight integrity of containment. RUEGER, G.M. Pacific Gas & Electric Co. 93/08/06. Document Control Branch (Document Control Desk). 1p. 76125:178-76125:258.

-9308130137 "Diablo Canyon Power Plant, Unit 2 Reactor Containment Bldg ILRT." * Pacific Gas & Electric Co. 93/07/31. 80pp. 76125:179-76125:258.

9308170276 Forwards proprietary response to Item 3 (a), including Tables 1 through 4. Encl withheld (ref 10CFR2.790). FUJIMOTO, W.H. Pacific Gas & Electric Co. 93/08/11. Document Control Branch (Document Control Desk). 10pp. 76135:047-76135:056.

Q. Inspection reports, IE Bulletins & correspondence

9307190043 NRC Info Notice 93-057, "Software Problems Involving Digital Control Console Sys at Non-Power Reactors." GRIMES, B.K. Division of Operating Reactor Support (Post 921004). 93/07/23. Consolidated Edison Co. of New York, Inc. 9pp. 76111:200-76111:208.

2 of 4

9308030141 Ack receipt of 930622 ltr informing NRC of steps taken to correct violations noted in insp repts 50-275/93-14 & 50-323/93-14.
REESE, J.H. Region 5 (Post 820201). 93/07/23. RUEGER, G.M. Pacific Gas & Electric Co. 3pp. 75936:088-75936:096.

9308160124 Forwards insp repts 50-275/93-16 & 50-323/93-16 on 930525-0706 & notice of violation.
VANDENBURGH, C. Region 5 (Post 820201). 93/07/30. RUEGER, G.M. Pacific Gas & Electric Co. 3pp. 76089:332-76089:351.

-9308160129 Notice of violation from insp on 930525-0706. Violation noted: resin bed in mixed bed demineralizer 2.2 replaced but not saturated w/boron before being returned to svc on 930405 resulting in inadvertent boron dilution.
* Region 5 (Post 820201). 93/07/30. 2pp. 76089:335-76089:336.

-9308160142 Insp repts 50-275/93-16 & 50-323/93-16 on 930525-0706. Violations noted. Major areas inspected: plant operations, maint & surveillance activities, review of plant events, followup of onsite events & open items.
JOHNSON, P.H. Region 5 (Post 820201). 93/07/30. 15pp. 76089:337-76089:351.

9308090216 Clarifies issues re insps performed, results obtained & conclusions reached re Unit 1 accumulator tanks per NRC request in connection w/review of 930419 & 28 transmittal re evaluation of indications in Unit 2 accumulator tanks.
RUEGER, G.M. Pacific Gas & Electric Co. 93/08/02. Document Control Branch (Document Control Desk). 2pp. 76037:323-76037:324.

9308240160 Submits SALP schedule for FY94 per Mgt Directive 8.6.
FAULKENBERRY, B. Region 5 (Post 820201). 93/08/12. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 3pp. 76211:357-76211:359.

R. Periodic operating reports & related correspondence

9308190145 Monthly operating repts for Jul 1993 for Diablo Canyon, Units 1 & 2.W/ 930813 ltr.
BOURGO, E., STIPICEVICH, J., TOWNSEND, J.D. Pacific Gas & Electric Co. 93/07/31. 10pp. 76161:339-76161:348.

S. Reportable occurrences, LERs & related correspondence

9308100178 LER 93-006-00: on 930310, dowel pins flushed w/bonnet surface upon opening valve due to pins manufactured to insufficient length. Returned all similar unit 2 A/D check valves to correct design requirements. W/930728 ltr.
SISK, D.P., RUEGER, G.M. Pacific Gas & Electric Co. 93/07/28. 10pp. 76091:108-76091:117.

9308230298 PNO-V-93-013: on 930809, during pre-announced anti-nuclear demonstration, 13 protestors illegally entered plant access gate & immediately taken into custody by sheriff deputies. Demonstration related to CP recapture hearings for plant.
JOHNSON, P., MILLER, M., CORPORANDY, D. Region 5 (Post 820201). 93/08/09. 1p. 76203:335-76203:335.

T. Hearing transcripts on non-antitrust matters

9308090033 Forwards NRC testimony for hearing to commence in San Luis Obispo, CA on 930817. Prof qualifications statement of P Madden not available but will be provided on 930802. Related correspondence.
HODGDON, A.P. Office of the General Counsel (Post 860701). #393 14167. 93/07/30. BECHHOEFER, C., KLINE, J.R., SHON, F.J. Atomic Safety & Licensing Board Panel. 1p. 76021:019-76021:050.

-9308090039 NRC Staff testimony of PP Narbut, MH Miller & SR Peterson re contention 1: surveillance & maint program at plant. * Prof qualification statements encl. Related correspondence.
NARBUT, P.P., MILLER, M.H. Region 5 (Post 820201). PETERSON, S.R. Office of Nuclear Reactor Regulation, Director (Post 870411). 93/07/30. 18pp. 76021:020-76021:037.

-9308090046 NRC Staff testimony of PM Madden & MH Miller concerning contention 5: Thermo-Lag & fire watches at plant. Prof qualification statements encl. Related correspondence.
MADDEN, P.M. Office of Nuclear Reactor Regulation, Director (Post 870411). MILLER, M.H. Region 5 (Post 820201). 93/07/30. 13pp. 76021:038-76021:050.

9308110066 Forwards professional qualifications statement for PM Madden for inclusion in NRC testimony re matter of construction period recovery for plant. Related correspondence.
HODGDON, A.P. Office of the General Counsel (Post 860701). #393 14171. 93/08/02. BECHHOEFER, C., KLINE, J.R., SHON, F.J. Atomic Safety & Licensing Board Panel. 2pp. 76056:190-76056:191.

9308110120 Forwards testimony of plant addressing contention 1: maint & surveillance, exhibits & contention V: Thermo-Lag. Related correspondence.
WARNER, C.J. Pacific Gas & Electric Co. WARNER, C.J. Winston & Strawn. #393 14183. 93/08/02. BECHHOEFER, C., KLINE, J.R., SHON, F.J. Atomic Safety & Licensing Board Panel. 4pp. 76056:329-76056:060.

-9308110130 Testimony of Plant addressing contention 1: maint & surveillance. * Exhibits encl. Related correspondence.
GIFFIN, B.W., CROCKETT, W.G., ORTORE, S.R. Pacific Gas & Electric Co. 93/08/02. 494pp. 76056:333-76058:017.

-9308110138 Testimony of plant addressing contention V: Thermo-Lag compensatory measures. * Related correspondence.
COSGROVE, D.K. Pacific Gas & Electric Co. 93/08/02. 41pp. 76058:018-76058:060.

9308270058 Transcript of 930817 proceedings in San Luis Obispo, CA re PG&E (Diablo Canyon Nuclear Power Plant, Units 1 & 2). Pp 569-747.
* Atomic Safety & Licensing Board Panel. 93/08/17. 200pp. 76291:107-76291:289.

9308250002 Transcript of 930818 proceedings in San Luis Obispo, CA re PG&E (Diablo Canyon Nuclear Power Plant, Units 1 & 2). Pp 748-947.
* Atomic Safety & Licensing Board Panel. 93/08/18. 200pp. 76223:001-76223:205.

9308250003 Transcript of 930818 proceedings in San Luis Obispo, CA re PG&E (Diablo Canyon Nuclear Power Plant, Units 1 & 2). (limited appearances). Pp 948-1,052.
* Atomic Safety & Licensing Board Panel. 93/08/18. 100pp. 76223:206-76223:315.

9308240090 Transcript of 930819 proceedings in San Luis Obispo, CA re PG&E (Diablo Canyon Nuclear Power Plant, Units 1 & 2). Pp 1,053-1,265.
* Atomic Safety & Licensing Board Panel. 93/08/19. 200pp. 76210:001-76210:218.

9308240085 Transcript of 930820 proceedings in San Luis Obispo, CA re PG&E (Diablo Canyon Nuclear Power Plant, Units 1 & 2). Pp 1,266-1,497.
* Atomic Safety & Licensing Board Panel. 93/08/20. 200pp. 76208:001-76208:294.

9308240079 Transcript of 930821 proceedings in San Luis Obispo, CA re PG&E (Diablo Canyon Nuclear Power Plant, Units 1 & 2). Pp 1,498-1,705.
* Atomic Safety & Licensing Board Panel. 93/08/21. 200pp. 76209:001-76209:212.

9308260354 Transcript of 930823 proceedings in San Luis Obispo, CA re PG&E (Diablo Canyon Nuclear Power Plant, Units 1 & 2). Pp 1,706-1,924.
* Atomic Safety & Licensing Board Panel. 93/08/23. 200pp. 76237:001-76237:223.

9308300060 Transcript of 930824 meeting re Diablo Canyon Nuclear Power Plant Units 1 & 2. Pp 2,025-2,295. Related documentation encl.
* Atomic Safety & Licensing Board Panel. 93/08/24. 300pp. 76296:002-76296:296.

DOCKET 50-324 BRUNSWICK STEAM ELECTRIC PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9308100115 "Carolina Power & Light Co Plan for Brunswick Steam Electric Plant Emergency Exercise."
Carolina Power & Light Co. 93/05/25. 125pp. 76067:001-76067:234.

9308250267 Forwards insp repts 50-324/93-26 & 50-325/93-26 on 930524-25. No violations or deviations noted.
CLINE, W.E. Region 2 (Post 820201). 93/06/16. ANDERSON, R.A. Carolina Power & Light Co. 3pp. 76189:131-76189:146.

-9308250272 Insp repts 50-324/93-26 & 50-325/93-26 on 930524-28. No violations noted. Major areas inspected: observation & evaluation of annual emergency preparedness exercise.
SARTOR, W.M., BARR, K.P. Region 2 (Post 820201). 93/06/17. 15pp. 76189:134-76189:146.

9308030227 Forwards encl 8 to SECY 93-166 which describes proposed characteristics of design basis vehicle. Characteristics being provided to licensees in advance to facilitate more detailed comments on proposed rule. W/o encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 93/07/15. ANDERSON, R.A. Carolina Power & Light Co. 2pp. 75948:347-75948:348.

9308170308 Forwards safety evaluation concluding that based on alternative shutdown capability, interior masonry walls in each unit control building cable access ways may be downgraded to non-fire related.
MILANO, P.D. Project Directorate II-1. 93/07/28. ANDERSON, R.A. Carolina Power & Light Co. 3pp. 76154:230-76154:234.

-9308170310 Safety evaluation concluding that interior masonry walls may be downgraded to non-fire related.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 93/07/28. 2pp. 76154:233-76154:234.

9308120267 Ack receipt of 930714 ltr transmitting Rev 6 to Brunswick training & qualification plan changes consistent w/ provisions of 10CFR50.54(p) & acceptable.
COLLINS, D.M. Region 2 (Post 820201). 93/08/06. ANDERSON, R.A. Carolina Power & Light Co. 3pp. 76104:297-76104:299.

I. Financial information

9308160101 Confirms electronic transfer of payment of invoices for 10CFR50 application fees & 10CFR55 services.
PRUNTY, R.W. Carolina Power & Light Co. 93/08/06. Document Control Branch (Document Control Desk). 1p. 76143:307-76143:307.

P. Operating license stage documents & correspondence

9308130012 Documents 930603 telcon in which NRC concurred w/util determination that licensee had successfully completed power ascension program for unit 2.
EBNETER, S.D. Region 2 (Post 820201). 93/06/16. ANDERSON, R.A. Carolina Power & Light Co. 3pp. 76078:090-76078:092.

9308060059 Notification of significant licensee meeting w/util on 930804 in Atlanta, GA to discuss self-assessment of facility.
CHRISTENSEN, H. Region 2 (Post 820201). 93/07/12. Region 2 (Post 820201). 2pp. 75992:230-75992:231.

9308060265 Confirms 930706 telcon between T Jones & R Carroll re mgt meeting to be conducted in Region II ofc on 930804 to present self-assessment of facility.
MERSCHOFF, E.W. Region 2 (Post 820201). 93/07/12. ANDERSON, R.A. Carolina Power & Light Co. 3pp. 75994:334-75994:336.

9308030261 Confirms that \$93,112 electrically transferred to Dept of Treasury, NRC on 930714 in payment for Part 50 application fees for period of 920920-1226.
PRUNTY, R.W. Carolina Power & Light Co. 93/07/20. Document Control Branch (Document Control Desk). 1p. 75995:356-75995:356.

9308060065 Discusses radiochemical analyses for liquid samples spiked w/beta emitting radionuclides & requests that analyses be completed as soon as practicable, but no later than 60 days from receipt of ltr.
CLINE, W.E. Region 2 (Post 820201). 93/07/28. ANDERSON, R.A. Carolina Power & Light Co. 3pp. 75992:277-75992:279.

9308170308 Forwards safety evaluation concluding that based on alternative shutdown capability, interior masonry walls in each unit control building cable access ways may be downgraded to non-fire related.
MILANO, P.D. Project Directorate II-1. 93/07/28. ANDERSON, R.A. Carolina Power & Light Co. 3pp. 76154:230-76154:234.

80 DOCKETED ITEMS

—9308170310 Safety evaluation concluding that interior masonry walls may be down-graded to non-fire related.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 93/07/28. 2pp. 76154:233-76154:234.

9308190282 Notification of 930817 meeting w/util in Rockville,MD to discuss technical issues on restart readiness.
MILANO,P.D. Project Directorate II-1. 93/08/02. BAJWA,S.S. Project Directorate II-1. 2pp. 76153:121-76153:122.

9308200122 Forwards request for addl info re service water sys TS amend request & lists what amend request proposes.
MILANO,P.D. Project Directorate II-1. 93/08/03. ANDERSON,R.A. Carolina Power & Light Co. 4pp. 76163:348-76163:351.

9308170116 Forwards response to NRC 930803 RAI re SWS license amend request submitted on 921231 & suppl by 930720 ltr.
ANDERSON,R.A. Carolina Power & Light Co. 93/08/09. Document Control Branch (Document Control Desk). 4pp. 76134:001-76135:046.

—9308170125 Rev 0 to Engineering Evaluation Rept 91-0039, "Evaluation of Svc Water Design Basis Capability."
WRIGHT,P., BISHOP,S., WATSON,P. Carolina Power & Light Co. 91-0039 R00. 91/02/06. 109pp. 76134:005-76134:113.

—9308170130 Rev 0 to Engineering Evaluation Rept 91-0450, "Unit 2 Svc Operability."
PRATER,G.W., CASEY,M.G., BISHOP,S. Carolina Power & Light Co. 91-0450 R00. 91/12/03. 31pp. 76134:114-76134:204.

—9308170137 Rev 1 to Performance Test Procedure 1-PT-24.6.4, "SWS Hydraulic Performance Test" for BSEP, Unit 1.
HELME,F. Carolina Power & Light Co. 91/01/25. 130pp. 76134:205-76134:335.

—9308170141 Rev 2 to Performance Test Procedure 2-PT-24.6.4, "SWS Hydraulic Performance Test" for BSEP, Unit 2.
* Carolina Power & Light Co. 91/11/19. 50pp. 76134:336-76135:046.

9308260332 Informs that licensee 921015 response to suppl 4 to GL 88-20 re IEEE acceptable.
MILANO,P.D. Project Directorate II-1. 93/08/12. ANDERSON,R.A. Carolina Power & Light Co. 3pp. 76215:128-76215:130.

9308190233 Notification of 930829 meeting w/util in Rockville,MD to discuss technical issues re Unit 1 restart readiness. Meeting rescheduled.
CARPENTER,C.E. Project Directorate II-1. 93/08/13. BAJWA,S.S. Project Directorate II-1. 3pp. 76152:228-76152:230.

9308230318 Confirms that \$104,064 electronically transferred to US Dept of Treasury,NRC on 930811.
PRUNTY,R.W. Carolina Power & Light Co. 93/08/13. Document Control Branch (Document Control Desk). 1p. 76203:322-76203:322.

9308310130 Application for amends to Licenses DPR-71 & DPR-62, requesting definition of core alterations & use of terminology w/respect to Tech Spec 3.9.3.
ANDERSON,R.A. Carolina Power & Light Co. 93/08/23. Document Control Branch (Document Control Desk). 2pp. 76316:348-76316:357.

—9308310135 Proposed Tech Specs 3.9.3 re definition of core alterations & use of terminology.
* Carolina Power & Light Co. 93/08/23. 8pp. 76316:350-76316:357.

9308310218 Forwards addl info re SWS license amend request submitted on 921231 & suppl by 930720 & 0809 ltrs,per request in 930812 telcon.
ANDERSON,R.A. Carolina Power & Light Co. 93/08/27. Document Control Branch (Document Control Desk). 15pp. 76289:344-76289:358.

O. Inspection reports, IE Bulletins & correspondence

9308270181 Responds to info requested in insp repts 50-324/93-06 & 50-325/93-06.
HINNANT,C.S. Carolina Power & Light Co. 93/06/14. EBNETER,S.D. Region 2 (Post 820201). 2pp. 76266:344-76266:345.

9308250267 Forwards insp repts 50-324/93-26 & 50-325/93-26 on 930524-25.No violations or deviations noted.
CLINE,W.E. Region 2 (Post 820201). 93/06/16. ANDERSON,R.A. Carolina Power & Light Co. 3pp. 76189:131-76189:146.

—9308250272 Insp repts 50-324/93-26 & 50-325/93-26 on 930524-28.No violations noted.Major areas inspected:observation & evaluation of annual emergency preparedness exercise.
SARTOR,W.M., BARR,K.P. Region 2 (Post 820201). 93/06/17. 15pp. 76189:134-76189:146.

9308050044 Forwards insp repts 50-324/93-28 & 50-325/93-28 on 930601-04 & notice of violation.Violations indicate weakness in controlling use of personnel monitoring equipment & in training on purposes & functions for protective devices.
STOHR,J.P. Region 2 (Post 820201). 93/07/02. ANDERSON,R.A. Carolina Power & Light Co. 3pp. 75971:331-75971:341.

—9308050047 Notice of violation from insp on 930601-04.Violations noted: auxiliary operator assigned alarming dosimeter to another individual for use in accessing posted high radiation areas.
* Region 2 (Post 820201). 93/07/02. 2pp. 75971:334-75971:335.

—9308050051 Insp repts 50-324/93-28 & 50-325/93-28 on 930601-04. Violations noted.Major areas inspected:review circumstances surrounding method of issuing of digital alarming dosimeters to persons entering high radiation areas.
SHORTRIDG,E.R.B., RANKIN,W.H. Region 2 (Post 820201). 93/07/02. 6pp. 75971:336-75971:341.

9308060107 Ack receipt of 930708 ltr informing NRC of steps taken to correct violations noted in insp repts 50-324/93-19 & 50-325/93-19.
MERSCHOFF,E.W. Region 2 (Post 820201). 93/07/08. ANDERSON,R.A. Carolina Power & Light Co. 3pp. 75993:198-75993:200.

9308060109 Forwards insp repts 50-324/93-29 & 50-325/93-29 on 930614-18 & notice of violation.
GIBSON,A.F. Region 2 (Post 820201). 93/07/15. Carolina Power & Light Co. 3pp. 75993:201-75993:213.

—9308060114 Notice of violation from insp on 930614-18.Violation noted: cable trays 54M/DB & 56M/DA did not meet requirements of electrical specs 048-004.
* Region 2 (Post 820201). 93/07/15. 2pp. 75993:204-75993:205.

—9308060118 Insp repts 50-324/93-29 & 50-325/93-29 on 930614-18. Violations noted.Major areas inspected:licensee performance improvement program short term items.
MILLER,M., JULIAN,C. Region 2 (Post 820201). 93/07/15. 8pp. 75993:206-75993:213.

9307190043 NRC Info Notice 93-057, "Software Problems Involving Digital Control Console Sys at Non-Power Reactors."
GRIMES,B.K. Division of Operating Reactor Support (Post 921004). 93/07/23. Consolidated Edison Co. of New York, Inc. 9pp. 76111:200-76111:208.

9308060088 Advises of special initiative being performed at facility re licensed operator requalification program.Initiative will include insp to verify that requalification program for licensed operators incorporates 10CFR55 requirements.
PEEBLES,T.A. Region 2 (Post 820201). 93/07/27. ANDERSON,R.A. Carolina Power & Light Co. 3pp. 75993:091-75993:093.

9308050133 Forwards insp repts 50-324/93-27 & 50-325/93-27 on 930605-0702 & notice of violation.
MERSCHOFF,E.W. Region 2 (Post 820201). 93/07/29. ANDERSON,R.A. Carolina Power & Light Co. 3pp. 75972:268-75972:293.

—9308050137 Notice of violation from insp on 930605-0702.Violation noted:fork truck operator failed to obtain shift supervisor approval prior to entry w/fork truck vehicle loaded w/ equipment into transformer yards.
* Region 2 (Post 820201). 93/07/29. 2pp. 75972:271-75972:272.

—9308050141 Insp repts 50-324/93-27 & 50-325/93-27 on 930605-0702. Violations noted.Major areas inspected:maint observation, surveillance observation,operational safety verification & onsite review committee.
PREVATTE,R.L., CHRISTENSEN,H. Region 2 (Post 820201). 93/07/27. 21pp. 75972:273-75972:293.

9308050104 Responds to NRC ltr re violations noted in insp repts 50-324/93-28 & 50-325/93-28.Corrective actions:suspended practice of permitting operations personnel to self-issue Alnor dosimeters indefinitely.
HINNANT,C.S. Carolina Power & Light Co. 93/07/30. Document Control Branch (Document Control Desk). 4pp. 76019:332-76019:335.

9308100092 Ack receipt of 930614 ltr informing NRC of steps taken to correct violations noted in insp repts 50-324/93-06 & 50-325/93-06.
GIBSON,A.F. Region 2 (Post 820201). 93/07/30. ANDERSON,R.A. Carolina Power & Light Co. 3pp. 76025:336-76025:338.

9308120380 Ack receipt of 930719 ltr informing NRC of steps taken to correct violation & deviation noted in insp repts 50-324/93-25 & 50-325/93-25.Corrective actions meets requirements of 10CFR2.201.
GIBSON,A.F. Region 2 (Post 820201). 93/08/05. ANDERSON,R.A. Carolina Power & Light Co. 3pp. 76090:337-76090:339.

9308240082 Forwards technical review rept re, "Tardy Licensee Actions" initiated because of delayed replacement of batteries in uninterruptible power supplies at plant.
ISRAEL,S.L. Reactor Operations Analysis Branch. 93/08/05. ROSENTHAL,J.E. Reactor Operations Analysis Branch. 2pp. 76218:177-76218:193.

—9308240165 Technical review rept, "Tardy Licensee Actions."
ISRAEL,S.L. Reactor Operations Analysis Branch. 93/08/31. 13pp. 76218:179-76218:193.

9308230112 Ack receipt of 930610 response to NRC Bulletin 93-002, "Debris Plugging of Emergency Core Cooling Suction Strainers." Util actions considered complete.
MILANO,P.D. Project Directorate II-1. 93/08/06. ANDERSON,R.A. Carolina Power & Light Co. 2pp. 76182:359-76182:360.

9308260385 Ack receipt of 930723 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-324/93-201 & 50-325/93-201.Response meets requirements of 10CFR2.201.
MERSCHOFF,E.W. Region 2 (Post 820201). 93/08/06. ANDERSON,R.A. Carolina Power & Light Co. 3pp. 76247:341-76247:343.

9308270244 Ack receipt of 930730 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-324/93-28 & 50-325/93-28.Response meets requirements of 10CFR2.201.
CLINE,W.E. Region 2 (Post 820201). 93/08/09. ANDERSON,R.A. Carolina Power & Light Co. 3pp. 76288:105-76288:107.

9308240006 Understands that 930804 meeting w/util in Atlanta,GA for util to present self-assessment of plant beneficial in that meeting provided better understanding of established goals & actions taken w/respect to weaknesses noted in SALP rept.
MERSCHOFF,E.W. Region 2 (Post 820201). 93/08/10. ANDERSON,R.A. Carolina Power & Light Co. 44pp. 76207:249-76207:292.

9308250286 Forwards corrected insp repts 50-324/93-26 & 50-325/93-26, correcting insp rept number 50-324/93-29 on summary page.
CLINE,W.E. Region 2 (Post 820201). 93/08/13. ANDERSON,R.A. Carolina Power & Light Co. 3pp. 76189:185-76189:188.

—9308250289 Corrected insp repts 50-324/93-26 & 50-325/93-26 on 930524-28,changing insp rept number from 50-324/93-29 to 50-324/93-26.
SARTOR,W.M., BARR,K.P. Region 2 (Post 820201). 93/06/16. 1p. 76189:188-76189:188.

9308190247 Forwards response to violations noted in Insp Repts 50-324/93-29 & 50-325/93-29.Corrective actions:cable tray spatial separation,divisional separation & cable tray cover deficiencies evaluated & acceptable.
HINNANT,C.S. Carolina Power & Light Co. 93/08/16. Document Control Branch (Document Control Desk). 4pp. 76160:267-76160:290.

9308260342 Confirms that payment for listed invoices for insp fees electronically transferred to NRC on 930818 for period 921227-930320.
PRUNTY,R.W. Carolina Power & Light Co. 93/08/23. Document Control Branch (Document Control Desk). 1p. 76265:360-76265:360.

R. Periodic operating reports & related correspondence

9308170432 Monthly operating reports for Jul 1993 for BSEP, Units 1 & 2. W/ 930804 ltr. RUMPLE, R., BROWN, J.M. Carolina Power & Light Co. 93/07/31. 6pp. 76136:125-76136:130.

S. Reportable occurrences, LERs & related correspondence

9308050159 LER 92-004-01 on 920730, RWCU sys isolated during Substation E7 de-energization due to personnel error. Preparation of project plan for development of electrical load list using plant staff resources underway. W/930730 ltr. TABOR, S.F., HINNANT, C.S. Carolina Power & Light Co. 93/7/30. 5pp. 76059:069-76059:073.

9308170190 LER 91-019-01 on 911112, LLRT failure of two MSL inboard & outboard isolation valves resulted in condition outside design basis. Root cause analysis in process. MSLs C & D inboard & outboard MSIVs repairs complete. W/930812 ltr. JONES, T.M., BROWN, J.M. Carolina Power & Light Co. 93/08/12. 6pp. 76158:355-76158:360.

9308170204 LER 92-010-01 on 921207, penetration leakage exceeded TS allowable limit due to actuator-to-valve alignment & disk-to-seat alignment problems. Line bored valve to achieve concentricity. W/930812 ltr. JONES, T.M., BROWN, J.M. Carolina Power & Light Co. 93/08/12. 5pp. 76159:020-76159:024.

9308170089 LER 93-008-00 on 930714, core rated thermal power exceeded allowable amount due to feedwater flow inaccuracy. Cause believed to be due to erosion/corrosion of FW flow elements. FW instrumentation recalibr. W/930812 ltr. MCGOWAN, J.F., BROWN, J.M. Carolina Power & Light Co. 93/08/13. 5pp. 76159:006-76159:010.

V. Operator Examinations

9308060088 Advises of special initiative being performed at facility re licensed operator requalification program. Initiative will include insp to verify that requalification program for licensed operators incorporates 10CFR55 requirements. PEEBLES, T.A. Region 2 (Post 820201). 93/07/27. ANDERSON, R.A. Carolina Power & Light Co. 3pp. 75993:091-75993:093.

DOCKET 50-325 BRUNSWICK STEAM ELECTRIC PLANT, UNIT 1**F. Security, medical, emergency & fire protection plans**

9308100115 "Carolina Power & Light Co Plan for Brunswick Steam Electric Plant Emergency Exercise." Carolina Power & Light Co. 93/05/25. 125pp. 76067:001-76067:234.

9308250267 Forwards insp reports 50-324/93-26 & 50-325/93-26 on 930524-25. No violations or deviations noted. CLINE, W.E. Region 2 (Post 820201). 93/06/16. ANDERSON, R.A. Carolina Power & Light Co. 3pp. 76189:131-76189:146.

-9308250272 Insp reports 50-324/93-26 & 50-325/93-26 on 930524-25. No violations noted. Major areas inspected: observation & evaluation of annual emergency preparedness exercise. SARTOR, W.M. Region 2 (Post 820201). 93/06/17. 15pp. 76189:134-76189:146.

9308030227 Forwards encl 8 to SECY 93-166 which describes proposed characteristics of design basis vehicle. Characteristics being provided to licensees in advance to facilitate more detailed comments on proposed rule. W/o encl. PARTLOW, J.G. Associate Director for Projects (Post 870411). 93/07/15. ANDERSON, R.A. Carolina Power & Light Co. 2pp. 75948:347-75948:348.

9308170308 Forwards safety evaluation concluding that based on alternative shutdown capability, interior masonry walls in each unit control building cable access ways may be downgraded to non-fire related. MILANO, P.D. Project Directorate II-1. 93/07/28. ANDERSON, R.A. Carolina Power & Light Co. 3pp. 76154:230-76154:234.

9308120267 Ack receipt of 930714 ltr transmitting Rev 6 to Brunswick training & qualification plan. Changes consistent w/ provisions of 10CFR50.54(p) & acceptable. COLLINS, D.M. Region 2 (Post 820201). 93/08/06. ANDERSON, R.A. Carolina Power & Light Co. 3pp. 76104:297-76104:299.

I. Financial information

9308160101 Confirms electronic transfer of payment of invoices for 10CFR50 application fees & 10CFR55 services. PRUNTY, R.W. Carolina Power & Light Co. 93/08/06. Document Control Branch (Document Control Desk). 1p. 76143:307-76143:307.

P. Operating license stage documents & correspondence

9308060059 Notification of significant licensee meeting w/util on 930804 in Atlanta, GA to discuss self-assessment of facility. CHRISTENSEN, H. Region 2 (Post 820201). 93/07/12. Region 2 (Post 820201). 2pp. 75992:230-75992:231.

9308060265 Confirms 930706 telcon between T Jones & R Carroll re mgt meeting to be conducted in Region II ofc on 930804 to present self-assessment of facility. MERSCHOFF, E.W. Region 2 (Post 820201). 93/07/12. ANDERSON, R.A. Carolina Power & Light Co. 3pp. 75994:334-75994:336.

9308060198 Notification of significant meeting w/util in South Port, North Carolina on 930819 to discuss restart status of plant. CHRISTENSEN, H. Region 2 (Post 820201). 93/07/15. Region 2 (Post 820201). 2pp. 75994:160-75994:161.

9308060205 Confirms 930712 telcon between RA Anderson & EW Merschhoff re mgt meeting to be conducted in Region II ofc on 930729. Meeting requested to discuss current technical issues potentially impacting restart of plant. Proposed agenda encl. MERSCHOFF, E.W. Region 2 (Post 820201). 93/07/15. ANDERSON, R.A. Carolina Power & Light Co. 4pp. 75994:165-75994:168.

9308060211 Notification of significant meeting w/util in Atlanta, GA on 930729 to discuss current technical issues potentially impacting restart of plant. CHRISTENSEN, H. Region 2 (Post 820201). 93/07/15. Region 2 (Post 820201). 2pp. 75994:195-75994:196.

9308060281 Confirms 930713 telcon re 930819 mgt meeting to be conducted at Brunswick Media Ctr to discuss restart status of facility. MERSCHOFF, E.W. Region 2 (Post 820201). 93/07/15. ANDERSON, R.A. Carolina Power & Light Co. 3pp. 75994:355-75994:357.

9308030261 Confirms that \$93,112 electrically transferred to Dept of Treasury, NRC on 930714 in payment for Part 50 application fees for period of 920920-1226. PRUNTY, R.W. Carolina Power & Light Co. 93/07/20. Document Control Branch (Document Control Desk). 1p. 75995:356-75995:356.

9308060065 Discusses radiochemical analyses for liquid samples spiked w/beta emitting radionuclides & requests that analyses be completed as soon as practicable, but no later than 60 days from receipt of ltr. CLINE, W.E. Region 2 (Post 820201). 93/07/28. ANDERSON, R.A. Carolina Power & Light Co. 3pp. 75992:277-75992:279.

9308170308 Forwards safety evaluation concluding that based on alternative shutdown capability, interior masonry walls in each unit control building cable access ways may be downgraded to non-fire related. MILANO, P.D. Project Directorate II-1. 93/07/28. ANDERSON, R.A. Carolina Power & Light Co. 3pp. 76154:230-76154:234.

-9308170310 Safety evaluation concluding that interior masonry walls may be downgraded to non-fire related. Office of Nuclear Reactor Regulation, Director (Post 870411). 93/07/28. 2pp. 76154:233-76154:234.

9308190282 Notification of 930817 meeting w/util in Rockville, MD to discuss technical issues on restart readiness. MILANO, P.D. Project Directorate II-1. 93/08/02. BAJWA, S.S. Project Directorate II-1. 2pp. 76153:121-76153:122.

9308200122 Forwards request for addl info re service water sys TS amend request & lists what amend request proposes. MILANO, P.D. Project Directorate II-1. 93/08/03. ANDERSON, R.A. Carolina Power & Light Co. 4pp. 76163:348-76163:351.

9308170116 Forwards response to NRC 930803 RAI re SWS license amend request submitted on 921231 & suppl by 930720 ltr. ANDERSON, R.A. Carolina Power & Light Co. 93/08/09. Document Control Branch (Document Control Desk). 4pp. 76134:001-76135:046.

-9308170125 Rev 0 to Engineering Evaluation Rept 91-0039, "Evaluation of Svc Water Design Basis Capability." WRIGHT, P., BISHOP, S., WATSON, P. Carolina Power & Light Co. 91-0039 R00. 91/02/06. 109pp. 76134:005-76134:113.

-9308170137 Rev 1 to Performance Test Procedure 1-PT-24.6.4, "SWS Hydraulic Performance Test" for BSEP, Unit 1. HELME, R. Carolina Power & Light Co. 91/01/25. 130pp. 76134:205-76134:335.

9308260332 Informs th. licensee 921015 response to suppl 4 to GL 88-20 re iPEEE, acceptable. MILANO, P.D. Project Directorate II-1. 93/08/12. ANDERSON, R.A. Carolina Power & Light Co. 3pp. 76215:128-76215:130.

9308190233 Notification of 930829 meeting w/util in Rockville, MD to discuss technical issues re Unit 1 restart readiness. Meeting rescheduled. CARPENTER, C.E. Project Directorate II-1. 93/08/13. BAJWA, S.S. Project Directorate II-1. 3pp. 76152:228-76152:230.

9308230318 Confirms that \$104,064 electronically transferred to US Dept of Treasury, NRC on 930811. PRUNTY, R.W. Carolina Power & Light Co. 93/08/13. Document Control Branch (Document Control Desk). 1p. 76203:322-76203:322.

9308300278 Requests relief for temporary non-code repair to SWS for BSEP, Unit 1, per GL 90-05. Alternate requirements provided in Engineering Evaluation Rept 93-0502, "Operability Assessment of Pinhole Leak in 6" Vital SW Header." LEVIS, W. Carolina Power & Light Co. 93/08/23. Document Control Branch (Document Control Desk). 4pp. 76280:284-76280:328.

-9308300280 "Operability Assessment of Pinhole Leak in 6" Vital SW Header." Carolina Power & Light Co. EER 93-0502 R02. 93/08/18. 41pp. 76280:288-76280:328.

9308310130 Application for amends to Licenses DPR-71 & DPR-62, requesting definition of core alterations & use of terminology w/respect to Tech Spec 3.9.3. ANDERSON, R.A. Carolina Power & Light Co. 93/08/23. Document Control Branch (Document Control Desk). 2pp. 76316:348-76316:357.

-9308310135 Proposed Tech Specs 3.9.3 re definition of core alterations & use of terminology. Carolina Power & Light Co. 93/08/23. 8pp. 76316:350-76316:357.

9308310218 Forwards addl info re SWS license amend request submitted on 921231 & suppl by 930720 & 0809 ltrs, per request in 930812 telcon. ANDERSON, R.A. Carolina Power & Light Co. 93/08/27. Document Control Branch (Document Control Desk). 15pp. 76289:344-76289:358.

82 DOCKETED ITEMS

Q. Inspection reports, IE Bulletins & correspondence

9308270181 Responds to info requested in insp repts 50-324/93-06 & 50-325/93-06. HINNANT,C.S. Carolina Power & Light Co. 93/06/14. EBNETER,S.D. Region 2 (Post 820201). 2pp. 76266:344-76266:345.

9308250267 Forwards insp repts 50-324/93-26 & 50-325/93-26 on 930524-25.No violations or deviations noted. CLINE,W.E. Region 2 (Post 820201). 93/06/16. ANDERSON,R.A. Carolina Power & Light Co. 3pp. 76189:131-76189:146.

-9308250272 Insp repts 50-324/93-26 & 50-325/93-26 on 930524-28.No violations noted.Major areas inspected:observation & evaluation of annual emergency preparedness exercise. SARTOR,W.M., BARR,K.P. Region 2 (Post 820201). 93/06/17. 15pp. 76189:134-76189:146.

9308050044 Forwards insp repts 50-324/93-28 & 50-325/93-28 on 930601-04 & notice of violation.Violations indicate weakness in controlling use of personnel monitoring equipment & in training on purposes & functions for protective devices. STOHR,J.P. Region 2 (Post 820201). 93/07/02. ANDERSON,R.A. Carolina Power & Light Co. 3pp. 75971:331-75971:341.

-9308050047 Notice of violation from insp on 930601-04.Violations noted: auxiliary operator assigned alarming dosimeter to another individual for use in accessing posted high radiation areas. * Region 2 (Post 820201). 93/07/02. 2pp. 75971:334-75971:335.

-9308050051 Insp repts 50-324/93-28 & 50-325/93-28 on 930601-04. Violations noted.Major areas inspected:review circumstances surrounding method of issuing of digital alarming dosimeters to persons entering high radiation areas. SHORTRIDGE,R.B., RANKIN,W.H. Region 2 (Post 820201). 93/07/02. 6pp. 75971:336-75971:341.

9308060107 Ack receipt of 930708 ltr informing NRC of steps taken to correct violations noted in insp repts 50-324/93-19 & 50-325/93-19. MERSCHOFF,E.W. Region 2 (Post 820201). 93/07/08. ANDERSON,R.A. Carolina Power & Light Co. 3pp. 75993:198-75993:200.

9308060109 Forwards insp repts 50-324/93-29 & 50-325/93-29 on 930614-18 & notice of violation. GIBSON,A.F. Region 2 (Post 820201). 93/07/15. Carolina Power & Light Co. 3pp. 75993:201-75993:213.

-9308060114 Notice of violation from insp on 930614-18.Violation noted: cable trays 54M/DB & 56M/DA did not meet requirements of electrical specs 048-004. * Region 2 (Post 820201). 93/07/15. 2pp. 75993:204-75993:205.

-9308060118 Insp repts 50-324/93-29 & 50-325/93-29 on 930614-18. Violations noted.Major areas inspected:licensee performance improvement program short term items. MILLER,M., JULIAN,C. Region 2 (Post 820201). 93/07/15. 8pp. 75993:206-75993:213.

9307190043 NRC Info Notice 93-057. "Software Problems Involving Digital Control Console Sys at Non-Power Reactors." GRIMES,B.K. Division of Operating Reactor Support (Post 921004). 93/07/23. Consolidated Edison Co. of New York, Inc. 9pp. 76111:200-76111:208.

9308100227 Forwards analysis of cracking indications found in Unit 1 core spray sparger piping.in response to NRC Bulletin 80-13. Concludes that Unit 1 core spray piping acceptable in as- found condition for next operating cycle. HINNANT,C.S. Carolina Power & Light Co. 93/07/26. EBNETER,S.D. Region 2 (Post 820201). 3pp. 76066:226-76066:299.

-9308100234 "Core Spray Crack Analysis for BSEP,Unit 1." STEVENS,G.L., FUJIKAWA,K.K., RANGANATH,S. General Electric Co. GE-NE-523-97-0793. 93/07/31. 71pp. 76066:229-76066:299.

9308060088 Advises of special initiative being performed at facility re licensed operator requalification program.Initiative will include insp to verify that requalification program for licensed operators incorporates 10CFR55 requirements. PEEBLES,T.A. Region 2 (Post 820201). 93/07/27. ANDERSON,R.A. Carolina Power & Light Co. 3pp. 75993:091-75993:093.

9308050133 Forwards insp repts 50-324/93-27 & 50-325/93-27 on 930605-0702 & notice of violation. MERSCHOFF,E.W. Region 2 (Post 820201). 93/07/29. ANDERSON,R.A. Carolina Power & Light Co. 3pp. 75972:268-75972:293.

-9308050137 Notice of violation from insp on 930605-0702.Violation noted:fork truck operator failed to obtain shift supervisor approval prior to entry w/fork truck vehicle loaded w/ equipment into transformer yards. * Region 2 (Post 820201). 93/07/29. 2pp. 75972:271-75972:272.

-9308050141 Insp repts 50-324/93-27 & 50-325/93-27 on 930605-0702. Violations noted.Major areas inspected:maint observation, surveillance observation,operational safety verification & onsite review committee. PREVATTE,R.L., CHRISTENSEN,H. Region 2 (Post 820201). 93/07/27. 21pp. 75972:273-75972:293.

9308050104 Responds to NRC ltr re violations noted in insp repts 50-324/93-28 & 50-325/93-28.Corrective actions:suspended practice of permitting operations personnel to self-issue Alnor dosimeters indefinitely. HINNANT,C.S. Carolina Power & Light Co. 93/07/30. Document Control Branch (Document Control Desk). 4pp. 76019:332-76019:335.

9308100092 Ack receipt of 930614 ltr informing NRC of steps taken to correct violations noted in insp repts 50-324/93-06 & 50-325/93-06. GIBSON,A.F. Region 2 (Post 820201). 93/07/30. ANDERSON,R.A. Carolina Power & Light Co. 3pp. 76025:336-76025:338.

9308120380 Ack receipt of 930719 ltr informing NRC of steps taken to correct violation & deviation noted in insp repts 50-324/93-25 & 50-325/93-25.Corrective actions meets requirements of 10CFR2.201. GIBSON,A.F. Region 2 (Post 820201). 93/08/05. ANDERSON,R.A. Carolina Power & Light Co. 3pp. 76090:337-76090:339.

9308230112 Ack receipt of 930610 response to NRC Bulletin 93-002. "Debris Plugging of Emergency Core Cooling Suction Strainers." Util actions consider complete. MILANO,P.D. Project Directorate II-1. 93/08/06. ANDERSON,R.A. Carolina Power & Light Co. 2pp. 76182:359-76182:360.

9308260385 Ack receipt of 930723 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-324/93-201 & 50-325/93-201.Response meets requirements of 10CFR2.201. MERSCHOFF,E.W. Region 2 (Post 820201). 93/08/06. ANDERSON,R.A. Carolina Power & Light Co. 3pp. 76247:341-76247:343.

9308270244 Ack receipt of 930730 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-324/93-28 & 50-325/93-28.Response meets requirements 10CFR2.201. CLINE,W.E. Region 2 (Post 820201). 93/08/09. ANDERSON,R.A. Carolina Power & Light Co. 3pp. 76288:105-76288:107.

9308240006 Understands that 930804 meeting w/util in Atlanta,GA for util to present self-assessment of plant beneficial in that meeting provided better understanding of established goals & actions taken w/respect to weaknesses noted in SALP rept. MERSCHOFF,E.W. Region 2 (Post 820201). 93/08/10. ANDERSON,R.A. Carolina Power & Light Co. 44pp. 76207:249-76207:292.

9308250286 Forwards corrected insp repts 50-324/93-26 & 50-325/93-26, correcting insp rept number from 50-324/93-29 on summary page. CLINE,W.E. Region 2 (Post 820201). 93/08/13. ANDERSON,R.A. Carolina Power & Light Co. 3pp. 76189:185-76189:188.

-9308250289 Corrected insp repts 50-324/93-26 & 50-325/93-26 on 930524-28,changing insp rept number from 50-324/93-29 to 50-324/93-26. SARTOR,W.M., BARR,K.P. Region 2 (Post 820201). 93/06/16. 1p. 76189:188-76189:188.

9308190247 Forwards response to violations noted in Insp Repts 50-324/93-29 & 50-325/93-29.Corrective actions:cable tray spatial separation,divisional separation & cable tray cover deficiencies evaluated & acceptable. HINNANT,C.S. Carolina Power & Light Co. 93/08/16. Document Control Branch (Document Control Desk). 4pp. 76160:287-76160:290.

9308260342 Confirms that payment for listed invoices for insp fees electronically transferred to NRC on 930818 for period 921227-930320. PRUNTY,R.W. Carolina Power & Light Co. 93/08/23. Document Control Branch (Document Control Desk). 1p. 76265:360-76265:360.

R. Periodic operating reports & related correspondence

9308170432 Monthly operating repts for Jul 1993 for BSEP.Units 1 & 2.W/ 930804 ltr. RUMPLE,R., BROWN,J.M. Carolina Power & Light Co. 93/07/31. 6pp. 76136:125-76136:130.

S. Reportable occurrences, LERs & related correspondence

9308050109 Special rept SR 1-93-010:on 930623,LCO A2-93-F0517 initiated on fire seal DG-2-083.Caused by welding lead routed through seal resulting in inoperability.Fire sealed restored & LCO cancelled on 930723. WARREN,C.C. Carolina Power & Light Co. 93/07/30. 1p. 76019:331-76019:331.

9308160089 Special rept SR 1-93-001:on 930706,fire protection LCOs A1-93-F0553,A1-93-F0554 & A1-93-F0555 initiated on fire seals R1-2-037,R1-2-038 & R1-2-039,respectively.Caused by discovery of improper sealant.Firewatches established. WARREN,C.C. Carolina Power & Light Co. 93/08/09. Document Control Branch (Document Control Desk). 2pp. 76124:350-76124:351.

V. Operator Examinations

9308060088 Advises of special initiative being performed at facility re licensed operator requalification program.Initiative will include insp to verify that requalification program for licensed operators incorporates 10CFR55 requirements. PEEBLES,T.A. Region 2 (Post 820201). 93/07/27. ANDERSON,R.A. Carolina Power & Light Co. 3pp. 75993:091-75993:093.

DOCKET 50-326 UNIV. OF CALIFORNIA AT IRVINE RESEARCH REACTOR

R. Periodic operating reports & related correspondence

9308100191 "Univ of California Irvine Nuclear Reactor Facility Annual Rept for Jul 1992- June 1993." W/930730 ltr. MILLER,G.E. California, Univ. of, Irvine, CA. 93/06/30. 10pp. 76066:345-76066:354.

DOCKET 50-327 SEQUOYAH NUCLEAR PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9308100100 Forwards goals & objectives for June 1993 radiological emergency plan exercise.Exercise currently scheduled for wk of 930627. BURZYNSKI,M.J. Tennessee Valley Authority. 93/04/16. Region 2 (Post 820201). 160pp. 76076:001-76076:178.

9308060168 Forwards insp repts 50-327/93-21 & 50-328/93-21 on 930607-08.No violations or deviations noted. COLLINS,D.M. Region 2 (Post 820201). 93/06/25. MEDFORD,M.O. Tennessee Valley Authority. 3pp. 75994:073-75994:079.

-9308060173 Insp repts 50-327/93-21 & 50-328/93-21 on 930608-09.No violations or deviations noted.Major areas inspected: implementation of safeguards info program. MASNYK,O.M., MCGUIRE,D.R. Region 2 (Post 820201). 93/06/24. 4pp. 75994:076-75994:079.

9308060082 Forwards insp repts 50-327/93-18 & 50-328/93-18 on 930524-0611.No violations noted.
JULIAN,C.A. Region 2 (Post 820201). 93/07/09. MEDFORD,M.O. Tennessee Valley Authority. 3pp. 75993:027-75993:038.

-9308060092 Insp repts 50-327/93-18 & 50-328/93-18 on 930524-0611.No violations noted.Major areas inspected:review of fire protection sys leakage problems & review of mgt oversight.
WHITENER,H.L., WISEMAN,G.R., JULIAN,C.A. Region 2 (Post 820201). 93/07/09. 9pp. 75993:030-75993:038.

9308050237 Forwards encl 8 to SECY 93-166 which describes proposed characteristics of design basis vehicle.W/o encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 93/07/15. MEDFORD,M.O. Tennessee Valley Authority. 3pp. 75990:307-75990:309.

9308030175 Ack receipt of 930602 ltr transmitting rev 19 to plant training & qualification plans.Changes consistent w/ provisions of 10CFR50.54(p) & acceptable.
COLLINS,D.M. Region 2 (Post 820201). 93/07/22. MEDFORD,M.O. Tennessee Valley Authority. 4pp. 75936:286-75936:289.

9308050082 Advises that rev 12 to nuclear poser radiological emergency plan meets planning stds of 10CFR50.47(b) & requirements of app E to 10CFR50.
CLINE,W.E. Region 2 (Post 820201). 93/07/22. MEDFORD,M.O. Tennessee Valley Authority. 3pp. 75972:097-75972:099.

9308100026 Forwards insp repts 50-327/93-25 & 50-328/93-25 on 930629-0702.No violations or deviations identified.
CLINE,W.E. Region 2 (Post 820201). 93/07/29. MEDFORD,M.O. Tennessee Valley Authority. 3pp. 76025:138-76025:149.

-9308100028 Insp repts 50-327/93-25 & 50-328/93-25 on 930629-0702.No violations noted.Major areas inspected:observation of evaluation of annual emergency preparedness exercise.
SARTOR,W.M., BARR,K.P. Region 2 (Post 820201). 93/07/29. 9pp. 76025:141-76025:149.

9308260174 Informs that triannual plant performance review for Branch 4 facilities scheduled for 930817.Plant status repts & master insp plans for plants encl.Evaluation of licensee performance in assigned SALP functional area required.
CRLENJAK,R.V. Region 2 (Post 820201). 93/08/05. JULIAN,C.A. Region 2 (Post 820201). 3pp. 76260:001-76260:144.

-9308260178 "Plant Status Rept,Sequoyah Nuclear Plant,Units 1 & 2."
* Region 2 (Post 820201). 93/08/31. 48pp. 76260:003-76260:052.

9308120213 Ack receipt of 930720 ltr transmitting Rev 32 to Sequoyah physical security plan.Changes consistent w/provisions of 10CFR50.54(p) & acceptable.
COLLINS,D.M. Region 2 (Post 820201). 93/08/06. MEDFORD,M.O. Tennessee Valley Authority. 3pp. 76087:308-76087:310.

9308180130 Forwards corrected pages to Rev 31 & 32 to Sequoyah Nuclear Plant physical security/contingency plan dtd 930405 & 0607. Plan withheld,per 10CFR73.21.
SCHOFIELD,B.S. Tennessee Valley Authority. 93/08/11. Document Control Branch (Document Control Desk). 2pp. 76199:282-76199:283.

9308230145 Forwards insp rept 50-327/93-34 & 50-328/93-34 on 930712-16 & notice of violation.
COLLINS,D.M. Region 2 (Post 820201). 93/08/12. MEDFORD,M.O. Tennessee Valley Authority. 3pp. 76207:011-76207:027.

-9308230149 Notice of violation from insp on 930712-16.Violation noted: licensee granted 80 individuals unescorted access w/o FBI fingerprint check being conducted & failed to re-fingerprint 12 individuals deemed non-classifiable by FBI.
* Region 2 (Post 820201). 93/08/12. 2pp. 76207:014-76207:015.

-9308230155 Insp repts 50-327/93-34 & 50-328/93-34 on 930712-16. Violations noted.Major areas inspected:access authorization program.
TOBIN,W.J., MCGUIRE,D.R. Region 2 (Post 820201). 93/08/12. 12pp. 76207:016-76207:027.

P. Operating license stage documents & correspondence

9308310166 Expresses satisfaction that exercise of enforcement discretion to not enforce compliance w/TS 3.9.6 warranted from public health & safety perspective.
EBNETER,S.D. Region 2 (Post 820201). 93/06/23. MEDFORD,M.O. Tennessee Valley Authority. 5pp. 76264:341-76264:345.

9308060248 Confirms arrangements made for meeting on 930701 to discuss planned & completed activities re restart of plant.
CRLENJAK,R.V. Region 2 (Post 820201). 93/06/29. MEDFORD,M.O. Tennessee Valley Authority. 3pp. 75994:321-75994:323.

9308060250 Notification of significant meeting w/util in Region II office on 930701 to discuss activities associated w/restart of facilities.
KELLOGG,P.J. Region 2 (Post 820201). 93/06/29. Region 2 (Post 820201). 2pp. 75994:324-75994:325.

9308060058 Notice of significant meeting on 930715 in Region II ofc to discuss activities associated w/restart of units 1 & 2.
KELLOGG,P.J. Region 2 (Post 820201). 93/07/09. Region 2 (Post 820201). 2pp. 75992:226-75992:229.

9308060100 Confirms arrangements for 930715 meeting w/util in region II ofc to discuss planned & completed activities re restart of plant.
CRLENJAK,R.V. Region 2 (Post 820201). 93/07/09. MEDFORD,M.O. Tennessee Valley Authority. 3pp. 75993:136-75993:138.

9308060230 Forwards RII-93-A-0059 that documents info received by NRC, provided for review & appropriate action.W/o encl.
MERSCHOFF,E.W. Region 2 (Post 820201). 93/07/15. MEDFORD,M.O. Tennessee Valley Authority. 3pp. 75994:289-75994:291.

9308100220 Requests that util provide schedule for completion of original CAP since util withdrew deviation & described actions that have been taken to address CATD,per 930707 ltr.
LABARGE,D.E. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 93/07/20. MEDFORD,M.O. Tennessee Valley Authority. 3pp. 76071:270-76071:272.

9308060101 Summary of 930715 meeting w/util in Region II ofc to discuss activities re restart of plants.List of attendees & presentation notes encl.
CRLENJAK,R.V. Region 2 (Post 820201). 93/07/21. MEDFORD,M.O. Tennessee Valley Authority. 46pp. 75993:139-75993:183.

9308060018 Confirms plans for mgt meeting to be held at site on 930805 to discuss activities re restart of units 1 & 2 including prioritization of post-restart activities.
MERSCHOFF,E.W. Region 2 (Post 820201). 93/07/23. MEDFORD,M.O. Tennessee Valley Authority. 3pp. 75992:100-75992:102.

9308060023 Notification of significant licensee meeting w/util on 930805 to discuss activities associated w/restart of units 1 & 2.
KELLOGG,P.J. Region 2 (Post 820201). 93/07/23. Region 2 (Post 820201). 2pp. 75992:129-75992:130.

9308160266 Forwards request for addl info re util response to GL 92-01, Rev 1, "Reactor Vessel Structural Integrity," for plant.
LABARGE,D.E. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 93/07/27. MEDFORD,M.O. Tennessee Valley Authority. 4pp. 76104:053-76104:056.

9308050016 Requests that liquid samples spiked w/beta emitting radionuclides be analyzed for tritium,Fe-55,Sr-89 & Sr-90 concentrations.Analyses should be completed no later than 60 days from receipt of ltr.
CLINE,W.E. Region 2 (Post 820201). 93/07/28. MEDFORD,M.O. Tennessee Valley Authority. 3pp. 75971:102-75971:104.

9308190164 Forwards amends 169 & 159 to licenses DPR-77 & DPR-79, respectively & SEAmends incorporate changes necessary to decrease frequency for submitting radioactive effluent release rept from semiannual to annual.
LABARGE,D.E. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 93/08/02. MEDFORD,M.O. Tennessee Valley Authority. 3pp. 76156:333-76156:353.

-9308190172 Amends 169 & 159 to licenses DPR-77 & DPR-79,respectively, incorporating changes necessary to decrease frequency for submitting radioactive effluent release rept from semiannual to annual.
HEBDON,F.J. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 93/08/02. 14pp. 76156:336-76156:349.

-9308190174 Safety evaluation supporting amends 169 & 159 to licenses DPR-77 & DPR-79,respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 93/08/02. 2pp. 76156:350-76156:351.

-9308190178 Requests FR publication of notice of issuance of amends 169 & 159 to licenses DPR-77 & DPR-79.Amends incorporate changes necessary to decrease frequency of radioactive effluent release rept from semiannual to annual.
LABARGE,D.E. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 93/08/02. NRC - No Detailed Affiliation Given. 2pp. 76156:352-76156:353.

9308090031 Forwards response to NRC 930415 ltr re restart issues.Six focus areas listed,including balance of plant,operations, backlogs,programs,people/organization/ culture & corporate/ site interface.
MEDFORD,M.O. Tennessee Valley Authority. 93/08/03. Document Control Branch (Document Control Desk). 17pp. 76060:337-76060:353.

9308090025 Responds to Generic Ltr 93-04, "Rod Control Sys Failure & Withdrawal of Rod Cluster Assemblies." No short term compensatory actions required.
SCHOFIELD,B.S. Tennessee Valley Authority. 93/08/05. Document Control Branch (Document Control Desk). 9pp. 76059:335-76059:344.

9308120342 Forwards addl info on use of single data logger connected to four protection sets for RCS RTD calibrs.
FENECH,R.A. Tennessee Valley Authority. 93/08/09. Document Control Branch (Document Control Desk). 8pp. 76094:353-76094:360.

9308260118 Advises that schedule for completion of IPEEE acceptable,per 920918 ltr.
LABARGE,D.E. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 93/08/09. MEDFORD,M.O. Tennessee Valley Authority. 3pp. 76217:245-76217:247.

9308250149 Forwards changes to TVA nuclear QA plan,rev 3.Changes in regard to organizational & functional realignments.Changes will also be submitted in TVA annual update of nuclear QA plan.
SCHOFIELD,B.S. Tennessee Valley Authority. 93/08/20. Document Control Branch (Document Control Desk). 6pp. 76218:327-76218:332.

9308260364 Forwards "Post-Restart Plan," outlining process that will ensure proper identification,prioritization,funding & mgt of post-restart improvement activities.
FENECH,R.A. Tennessee Valley Authority. 93/08/20. EBNETER,S.D. Region 2 (Post 820201). 2pp. 76258:243-76258:322.

-9308260366 Rev 0 of "Post-Restart Plan."
FENECH,R.A. Tennessee Valley Authority. 93/08/20. 77pp. 76258:246-76258:322.

Q. Inspection reports, IE Bulletins & correspondence

9308060168 Forwards insp repts 50-327/93-21 & 50-328/93-21 on 930607-08.No violations or deviations noted.
COLLINS,D.M. Region 2 (Post 820201). 93/06/25. MEDFORD,M.O. Tennessee Valley Authority. 3pp. 75994:073-75994:079.

-9308060173 Insp repts 50-327/93-21 & 50-328/93-21 on 930608-09.No violations or deviations noted.Major areas inspected: implementation of safeguards info program.
MASNYK,O.M., MCGUIRE,D.R. Region 2 (Post 820201). 93/06/24. 4pp. 75994:076-75994:079.

84 DOCKETED ITEMS

- 9308060055** Forwards insp repts 50-327/93-16 & 50-328/93-16 on 930502-0605.No violations or deviations noted.
CRLENJAK,R.V. Region 2 (Post 820201). 93/06/28. MEDFORD,M.O. Tennessee Valley Authority. 3pp. 75992:204-75992:226.
- 9308060061** Insp repts 50-327/93-16 & 50-328/93-16 on 930502-0605.No violations or deviations noted.Major areas inspected:plant operations,plant maint,plant surveillance,evaluation of self-assessment capability & LER closeout.
HOLLAND,W.E., KELLOGG,P.J. Region 2 (Post 820201). 93/06/18. 20pp. 75992:207-75992:226.
- 9308060082** Forwards insp repts 50-327/93-18 & 50-328/93-18 on 930524-0611.No violations noted.
JULIAN,C.A. Region 2 (Post 820201). 93/07/09. MEDFORD,M.O. Tennessee Valley Authority. 3pp. 75993:027-75993:038.
- 9308060092** Insp repts 50-327/93-18 & 50-328/93-18 on 930524-0611.No violations noted.Major areas inspected:review of fire protection sys leakage problems & review of mgt oversight.
WHITENER,H.L., WISEMAN,G.R. JULIAN,C.A. Region 2 (Post 820201). 93/07/09. 9pp. 75993:030-75993:038.
- 9308050017** Forwards insp repts 50-327/93-26 & 50-328/93-26 on 930614-23.No violations or deviations identified.
JULIAN,C.A. Region 2 (Post 820201). 93/07/21. MEDFORD,M.O. Tennessee Valley Authority. 3pp. 75971:105-75971:119.
- 9308050019** Insp repts 50-327/93-26 & 50-328/93-26 on 930614-25.No violations noted.Major areas inspected:review of main feedwater control,main generator,switchyard & transformers & 6900 & 480 volt electrical distribution.
MACDONALD,G., SHYMLOCK,M.B. Region 2 (Post 820201). 93/07/21. 12pp. 75971:108-75971:119.
- 9308050022** Forwards insp repts 50-327/93-23 & 50-328/93-23 on 930606-0710 & notice of violation.NRC concerned about safety attitude licensed operator exhibited during evolutions involving recovery of tilted fuel assembly.
CRLENJAK,R.V. Region 2 (Post 820201). 93/07/21. MEDFORD,M.O. Tennessee Valley Authority. 4pp. 75971:139-75971:197.
- 9308050025** Notice of violation from insp on 930606-0710.Violations noted:fuel handling supervisor did not perform evolutions of FHI-3A,recovery of leaning fuel assembly H64.
* Region 2 (Post 820201). 93/07/21. 2pp. 75971:143-75971:144.
- 9308050034** Insp repts 50-327/93-23 & 50-328/93-23 on 930606-0710. Violations noted.Major areas inspected:plant operations, plant maint,plant surveillance,evaluation of licensee self-assessment capability & LER closeout.
HOLLAND,W.E., KELLOGG,P.J. Region 2 (Post 820201). 93/07/21. 39pp. 75971:145-75971:197.
- 9308060206** Forwards insp repts 50-327/93-22 & 50-328/93-22 on 930607-25.No violations noted.
JULIAN,C.A. Region 2 (Post 820201). 93/07/22. MEDFORD,M.O. Tennessee Valley Authority. 4pp. 75994:170-75994:185.
- 9308060210** Insp repts 50-327/93-22 & 50-328/93-22 on 930607-25.No violations noted.Major areas inspected:licensee balance of plant equipment & sys.
THOMAS,M., JULIAN,C. Region 2 (Post 820201). 93/07/21. 12pp. 75994:174-75994:185.
- 9307190043** NRC Info Notice 93-057. "Software Problems Involving Digital Control Console Sys at Non-Power Reactors."
GRIMES,B.K. Division of Operating Reactor Support (Post 921004). 93/07/23. Consolidated Edison Co. of New York, Inc. 9pp. 76111:200-76111:208.
- 9308050023** Forwards insp repts 50-327/93-28 & 50-328/93-28 on 930621-25 & notice of violation.Violations indicate several instances of failure to adhere to approved procedures.
STOHR,J.P. Region 2 (Post 820201). 93/07/23. MEDFORD,M.O. Tennessee Valley Authority. 4pp. 75971:198-75971:214.
- 9308050024** Notice of violation from insp on 930621-25.Violations noted:on 930428,worker received portal contamination monitor alarm & failed to report event to Radcon Field Operations Shift supervisor.
* Region 2 (Post 820201). 93/07/23. 2pp. 75971:202-75971:203.
- 9308050026** Insp repts 50-327/93-28 & 50-328/93-28 on 930621-25. Violations noted.Major areas inspected:occupational radiation safety,audits & assessments,organization & mgt controls & training & qualification.
SHORTRIDGE,R.B., RANKIN,W.H. Region 2 (Post 820201). 93/07/23. 11pp. 75971:204-75971:214.
- 9308050056** Forwards insp repts 50-327/93-29 & 50-328/93-29 on 930621-25.No violations or deviations identified.
CLINE,W.E. Region 2 (Post 820201). 93/07/23. MEDFORD,M.O. Tennessee Valley Authority. 3pp. 75972:029-75972:039.
- 9308050060** Insp repts 50-327/93-29 & 50-328/93-29 on 930621-25.No violations noted.Major areas inspected:effluent monitor calibration & setpoints,water chemistry & post-accident sampling sys.
JONES,D.W., DECKER,T.R. Region 2 (Post 820201). 93/07/23. 8pp. 75972:032-75972:039.
- 9308050179** Requests approval of encl ISI program Relief Request ISI-2 re visual exam of valve body internal pressure boundary surfaces.
FENECH,R.A. Tennessee Valley Authority. 93/07/28. Document Control Branch (Document Control Desk). 9pp. 76022:181-76022:189.
- 9308170194** Ack receipt of util 930609 response to NRC Bulletin 93-002, "Debris Plugging of ECCS Strainers." Response acceptable.
LABARGE,D.E. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 93/07/28. MEDFORD,M.O. Tennessee Valley Authority. 3pp. 76125:347-76125:349.
- 9308100026** Forwards insp repts 50-327/93-25 & 50-328/93-25 on 930629-0702.No violations or deviations identified.
CLINE,W.E. Region 2 (Post 820201). 93/07/29. MEDFORD,M.O. Tennessee Valley Authority. 3pp. 76025:138-76025:149.
- 9308100028** Insp repts 50-327/93-25 & 50-328/93-25 on 930629-0702.No violations noted.Major areas inspected:observation of evaluation of annual emergency preparedness exercise.
SARTOR,W.M., BARR,K.P. Region 2 (Post 820201). 93/07/29. 9pp. 76025:141-76025:149.
- 9308130007** Acks response of 930715 to NOV & exam rept issued on 930615 per Insp Repts 50-327/93-300 & 50-328/93-300.
PEEBLES,T.A. Region 2 (Post 820201). 93/08/03. MEDFORD,M.O. Tennessee Valley Authority. 3pp. 76104:359-76104:361.
- 9308260174** Informs that triannual plant performance review for Branch 4 facilities scheduled for 930817.Plant status repts & master insp plans for plants encl.Evaluation of licensee performance in assigned SALP functional area required.
CRLENJAK,R.V. Region 2 (Post 820201). 93/08/05. JULIAN,C.A., COLLINS,D.M. Region 2 (Post 820201). HEDDON,F.J. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 3pp. 76260:001-76260:144.
- 9308260178** "Plant Status Rept,Sequoyah Nuclear Plant,Units 1 & 2."
* Region 2 (Post 820201). 93/08/31. 48pp. 76260:003-76260:052.
- 9308100200** Responds to NRC 930707 ltr re violations noted in insp repts 50-327/93-24 & 50-328/93-24.C/As:licensee has established site Technical Programs & Performance organization as single owner for ASME Section XI program at plant.
FENECH,R.A. Tennessee Valley Authority. 93/08/06. Document Control Branch (Document Control Desk). 4pp. 76065:274-76065:277.
- 9308230145** Forwards insp rept 50-327/93-34 & 50-328/93-34 on 930712-16 & notice of violation.
COLLINS,D.M. Region 2 (Post 820201). 93/08/12. MEDFORD,M.O. Tennessee Valley Authority. 3pp. 76207:011-76207:027.
- 9308230149** Notice of violation from insp on 930712-16.Violation noted: licensee granted 80 individuals unescorted access w/o FBI fingerprint check being conducted & failed to re-fingerprint 12 individuals deemed non-classifiable by FBI.
* Region 2 (Post 820201). 93/08/12. 2pp. 76207:014-76207:015.
- 9308230155** Insp repts 50-327/93-34 & 50-328/93-34 on 930712-16. Violations noted.Major areas inspected:access authorization program.
TOBIN,W.J., MCGUIRE,D.R. Region 2 (Post 820201). 93/08/12. 12pp. 76207:016-76207:027.
- 9308250098** Forwards insp repts 50-327/93-27 & 50-328/93-27.No violations or deviations noted.W/o encl.
JULIAN,C.A. Region 2 (Post 820201). 93/08/12. MEDFORD,M.O. Tennessee Valley Authority. 1p. 76188:113-76188:113.
- 9308250229** Ack receipt of 930806 ltr informing NRC of steps taken to correct violations noted in insp repts 50-327/93-24 & 50-328/93-24.
JULIAN,C.A. Region 2 (Post 820201). 93/08/12. MEDFORD,M.O. Tennessee Valley Authority. 3pp. 76189:110-76189:112.
- 9308250284** Forwards insp rept 50-327/93-31 & 50-328/93-31 on 930712-23.No violations or deviations noted.
JULIAN,C.A. Region 2 (Post 820201). 93/08/12. MEDFORD,M.O. Tennessee Valley Authority. 3pp. 76189:189-76189:202.
- 9308250285** Insp repts 50-327/93-31 & 50-328/93-31 on 930712-23.No violations or deviations noted.Major areas inspected: licensee balance of plant equipment & sys.
MACDONALD,G., SHYMLOCK,M.B. Region 2 (Post 820201). 93/08/12. 11pp. 76189:192-76189:202.
- 9308270358** Advises that NRC scheduled insp of licensed operator requalification program for requalification cycle beginning 931101.
PEEBLES,T.A. Region 2 (Post 820201). 93/08/12. MEDFORD,M.O. Tennessee Valley Authority. 3pp. 76292:135-76292:137.
- 9308250128** Forwards insp repts 50-327/93-30 & 50-328/93-30 on 930713-16 & 19-23.No violations or deviations noted.
JULIAN,C.A. Region 2 (Post 820201). 93/08/13. MEDFORD,M.O. Tennessee Valley Authority. 3pp. 76188:220-76188:251.
- 9308250135** Insp repts 50-327/93-30 & 50-328/93-30 on 930713-16 & 19-23. No violations noted.Major areas inspected:corrective actions for CAL,status of technical programs & performance dept & review of corrective actions for previous insp findings.
CROWLEY,B.R., HUNT,M.D., BLAKE,J.J. Region 2 (Post 820201). 93/08/12. 29pp. 76188:223-76188:251.
- 9308240068** Responds to NRC 930721 ltr re violations noted in insp rept 50-327/93-23 & 50-328/93-23.Corrective actions:assigned new individual to refueling SRO position & second SRO assigned test director duties.
FENECH,R.A. Tennessee Valley Authority. 93/08/17. Document Control Branch (Document Control Desk). 9pp. 76209:213-76209:221.
- 9308260005** Forwards Rev 2 of MEM-MNA-296(93), "Evaluation of Ultrasonic Test Results From 1993 ISI on Underclad Flaw Indications in Sequoyah,Unit 1 RV Nozzles." Commitments for performing exam of Unit 1 RPV at end of second 10-yr ISI interval also encl.
FENECH,R.A. Tennessee Valley Authority. 93/08/18. Document Control Branch (Document Control Desk). 4pp. 76260:145-76260:164.
- 9308260007** "Evaluation of Ultrasonic Test Results From 1993 ISI on Underclad Flaw Indications in Sequoyah,Unit 1 RV Nozzles."
RISHEL,R.D., BAMFORD,W.H., KUREK,D. Westinghouse Electric Corp. MEM-MNA-296(93) R02. 93/07/19. 16pp. 76260:149-76260:164.
- 9308250334** Responds to NRC 930723 ltr re violations noted in insp rept 50-327/93-28 & 50-328/93-28.Corrective actions:identified & removed aerosol cleaner from RCA.
FENECH,R.A. Tennessee Valley Authority. 93/08/23. Document Control Branch (Document Control Desk). 7pp. 76219:001-76219:007.
- 9308310670** Notification of 930902 ORAT insp meeting w/util in Soddy Daisy,TN to present findings & conclusions resulting from insp conducted at plant on 930823-0901.
LABARGE,D.E. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 93/08/25. HEDDON,F.J. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 3pp. 76274:187-76274:189.

R. Periodic operating reports & related correspondence

- 9308090032** Forwards documentation containing recent changes to ECCS evaluation model & effect on peak fuel cladding temp during reporting period 920729-930729, per 10CFR50.46.
FENECH,R.A. Tennessee Valley Authority. 93/07/28. Document Control Branch (Document Control Desk). 13pp. 76062:255-76062:267.
- 9308170210** Monthly operating repts for Jul 1993 for Sequoyah Nuclear Plant, units 1 & 2. W/930812 ltr.
HOLLOMON,T.J., FENECH,R.A. Tennessee Valley Authority. 93/07/31. 10pp. 76136:314-76136:323.
- 9308190160** Forwards TVA fitness for duty program performance data for Jan-June 1993, containing trends & mgt initiatives & breakdown by process stage for specimens for which administrative action taken.
SCHOFIELD,B.S. Tennessee Valley Authority. 93/08/16. Document Control Branch (Document Control Desk). 22pp. 76162:029-76162:050.

S. Reportable occurrences, LERs & related correspondence

- 9308170345** Part 21 rept re reportable defect-75 PSIG relief check valve 1" NPT, EMD 9521844, Kepner 416C-1-75.
GALEAZZI,D.D. MKW Power Systems, Inc. 93/07/15. Office of Nuclear Reactor Regulation, Director (Post 870411). 10pp. 76139:010-76139:019.
- 9308040159** Special Rept 93-13 on 930715, fire header in auxiliary bldg removed from svc as result of maint activities in process of repairing & replacing leaking lines. Fire watches & backup fire suppression water sys established.
FENECH,R.A. Tennessee Valley Authority. 93/07/28. Document Control Branch (Document Control Desk). 3pp. 75997:231-75997:233.
- 9308060308** LER 93-018-00 on 930704, DG started due to improper WO planning. Restored power to 1BB shutdown board & stopped running DGs. W/930730 ltr.
FENECH,R.A., MEADE,K.E. Tennessee Valley Authority. 93/07/30. 7pp. 76063:095-76063:101.
- 9308180015** LER 93-019-00 on 930713, containment isolation occurred due to inaccurate drawing used to develop clearance boundary. Returned valves to normal positions & restored sys air pressure. W/930811 ltr.
MEADE,K.E., FENECH,R.A. Tennessee Valley Authority. 93/08/11. 6pp. 76177:001-76177:006.
- 9308230068** LER 93-020-00 on 930719, Train B of auxiliary bldg gas treatment sys manually initiated as result of fire in general supply fan room. SG wet layup recirculation pump bearing & motor replaced. W/930817 ltr.
PROFFITT,J.W., FENECH,R.A. Tennessee Valley Authority. 93/08/17. 6pp. 76200:159-76200:164.
- 9308250168** LER 93-021-00 on 930720, discovered that boron analysis of refueling canal not performed, as required by TS 3.9.1 due to miscommunication. LCO 3.9.1 entered. Chemistry surveillance instruction will be revised. W/930818 ltr.
PROFFITT,J.W., FENECH,R.A. Tennessee Valley Authority. 93/08/18. 7pp. 76255:326-76255:332.

V. Operator Examinations

- 9308060174** Informs that triannual plant performance review for Branch 4 facilities scheduled for 930817. Plant status repts & master insp plans for plants encl. Evaluation of licensee performance in assigned SALP functional area required.
CRLENJAK,R.V. Region 2 (Post 820201). 93/08/05. JULIAN,C.A. Region 2 (Post 820201). 3pp. 76260:001-76260:144.
- 9308260178** "Plant Status Rept, Sequoyah Nuclear Plant, Units 1 & 2."
* Region 2 (Post 820201). 93/08/31. 48pp. 76260:003-76260:052.
- 9308270358** Advises that NRC scheduled insp of licensed operator requalification program for requalification cycle beginning 931101.
PEEBLES,T.A. Region 2 (Post 820201). 93/08/12. MEDFORD,M.O. Tennessee Valley Authority. 3pp. 76292:135-76292:137.

DOCKET 50-328 SEQUOYAH NUCLEAR PLANT, UNIT 2**F. Security, medical, emergency & fire protection plans**

- 9308100100** Forwards goals & objectives for June 1993 radiological emergency plan exercise. Exercise currently scheduled for wk of 930627.
BURZYNSKI,M.J. Tennessee Valley Authority. 93/04/16. Region 2 (Post 820201). 160pp. 76076:001-76076:178.
- 9308060168** Forwards insp repts 50-327/93-21 & 50-328/93-21 on 930607-08. No violations or deviations noted.
COLLINS,D.M. Region 2 (Post 820201). 93/06/25. MEDFORD,M.O. Tennessee Valley Authority. 3pp. 75994:073-75994:079.
- 9308060173** Insp repts 50-327/93-21 & 50-328/93-21 on 930608-09. No violations or deviations noted. Major areas inspected: implementation of safeguards info program.
MASNYK,O.M. Region 2 (Post 820201). 93/06/24. 4pp. 75994:076-75994:079.
- 9308060082** Forwards insp repts 50-327/93-18 & 50-328/93-18 on 930524-0611. No violations noted.
JULIAN,C.A. Region 2 (Post 820201). 93/07/09. MEDFORD,M.O. Tennessee Valley Authority. 3pp. 75993:027-75993:038.
- 9308060092** Insp repts 50-327/93-18 & 50-328/93-18 on 930524-0611. No violations noted. Major areas inspected: review of fire protection sys leakage problems & review of mgt oversight.
WHITENER,H.L. Region 2 (Post 820201). 93/07/09. 9pp. 75993:030-75993:038.
- 9308050237** Forwards encl 8 to SECY 93-166 which describes proposed characteristics of design basis vehicle. W/o encl.
FARTLOW,J.G. Associate Director for Projects (Post 870411). 93/07/15. MEDFORD,M.O. Tennessee Valley Authority. 3pp. 75990:307-75990:309.

9308030175 Ack receipt of 930602 ltr transmitting rev 19 to plant training & qualification plans. Changes consistent w/ provisions of 10CFR50.54(p) & acceptable.
COLLINS,D.M. Region 2 (Post 820201). 93/07/22. MEDFORD,M.O. Tennessee Valley Authority. 4pp. 75936:286-75936:289.

9308050082 Advises that rev 12 to nuclear poser radiological emergency plan meets planning stds of 10CFR50.47(b) & requirements of app E to 10CFR50.
CLINE,W.E. Region 2 (Post 820201). 93/07/22. MEDFORD,M.O. Tennessee Valley Authority. 3pp. 75972:097-75972:099.

9308100026 Forwards insp repts 50-327/93-25 & 50-328/93-25 on 930629-0702. No violations or deviations identified.
CLINE,W.E. Region 2 (Post 820201). 93/07/29. MEDFORD,M.O. Tennessee Valley Authority. 3pp. 76025:138-76025:149.

-9308100028 Insp repts 50-327/93-25 & 50-328/93-25 on 930629-0702. No violations noted. Major areas inspected: observation of evaluation of annual emergency preparedness exercise.
SARTOR,W.M. Region 2 (Post 820201). 93/07/29. 9pp. 76025:141-76025:149.

9308260174 Informs that triannual plant performance review for Branch 4 facilities scheduled for 930817. Plant status repts & master insp plans for plants encl. Evaluation of licensee performance in assigned SALP functional area required.
CRLENJAK,R.V. Region 2 (Post 820201). 93/08/05. JULIAN,C.A. Region 2 (Post 820201). 3pp. 76260:001-76260:144.

-9308260178 "Plant Status Rept, Sequoyah Nuclear Plant, Units 1 & 2."
* Region 2 (Post 820201). 93/08/31. 48pp. 76260:003-76260:052.

9308120213 Ack receipt of 930720 ltr transmitting Rev 32 to Sequoyah physical security plan. Changes consistent w/ provisions of 10CFR50.54(p) & acceptable.
COLLINS,D.M. Region 2 (Post 820201). 93/08/06. MEDFORD,M.O. Tennessee Valley Authority. 3pp. 76087:308-76087:310.

9308180130 Forwards corrected pages to Rev 31 & 32 to Sequoyah Nuclear Plant physical security/contingency plan dtd 930405 & 0607. Plan withheld, per 10CFR73.21.
SCHOFIELD,B.S. Tennessee Valley Authority. 93/08/11. Document Control Branch (Document Control Desk). 2pp. 76199:282-76199:283.

9308230145 Forwards insp rept 50-327/93-34 & 50-328/93-34 on 930712-16 & notice of violation.
COLLINS,D.M. Region 2 (Post 820201). 93/08/12. MEDFORD,M.O. Tennessee Valley Authority. 3pp. 76207:011-76207:027.

-9308230149 Notice of violation from insp on 930712-16. Violation noted: licensee granted 80 individuals unescorted access w/o FBI fingerprint check being conducted & failed to re-fingerprint 12 individuals deemed non-classifiable by FBI.
* Region 2 (Post 820201). 93/08/12. 2pp. 76207:014-76207:015.

-9308230155 Insp repts 50-327/93-34 & 50-328/93-34 on 930712-16. Violations noted. Major areas inspected: access authorization program.
TOBIN,W.J. Region 2 (Post 820201). 93/08/12. 12pp. 76207:016-76207:027.

P. Operating license stage documents & correspondence

9308060248 Confirms arrangements made for meeting on 930701 to discuss planned & completed activities re restart of plant.
CRLENJAK,R.V. Region 2 (Post 820201). 93/06/29. MEDFORD,M.O. Tennessee Valley Authority. 3pp. 75994:321-75994:323.

9308060250 Notification of significant meeting w/util in Region II office on 930701 to discuss activities associated w/restart of facilities.
KELLOGG,P.J. Region 2 (Post 820201). 93/06/29. Region 2 (Post 820201). 2pp. 75994:324-75994:325.

9308060058 Notice of significant meeting on 930715 in Region II ofc to discuss activities associated w/restart of units 1 & 2.
KELLOGG,P.J. Region 2 (Post 820201). 93/07/09. Region 2 (Post 820201). 2pp. 75992:228-75992:229.

9308060100 Confirms arrangements for 930715 meeting w/util in region II ofc to discuss planned & completed activities re restart of plant.
CRLENJAK,R.V. Region 2 (Post 820201). 93/07/09. MEDFORD,M.O. Tennessee Valley Authority. 3pp. 75993:136-75993:138.

9308060230 Forwards RII-93-A-0059 that documents info received by NRC, provided for review & appropriate action. W/o encl.
MERSCHOFF,E.W. Region 2 (Post 820201). 93/07/15. MEDFORD,M.O. Tennessee Valley Authority. 3pp. 75994:289-75994:291.

9308100220 Requests that util provide schedule for completion of original CAP since util withdrew deviation & described actions that have been taken to address CATD, per 930707 ltr.
LABARGE,D.E. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 93/07/20. MEDFORD,M.O. Tennessee Valley Authority. 3pp. 76071:270-76071:272.

9308060101 Summary of 930715 meeting w/util in Region II ofc to discuss activities re restart of plants. List of attendees & presentation notes encl.
CRLENJAK,R.V. Region 2 (Post 820201). 93/07/21. MEDFORD,M.O. Tennessee Valley Authority. 46pp. 75993:139-75993:183.

9308060018 Confirms plans for mgt meeting to be held at site on 930805 to discuss activities re restart of units 1 & 2 including prioritization of post-restart activities.
MERSCHOFF,E.W. Region 2 (Post 820201). 93/07/23. MEDFORD,M.O. Tennessee Valley Authority. 3pp. 75992:100-75992:102.

9308060023 Notification of significant licensee meeting w/util on 930805 to discuss activities associated w/restart of units 1 & 2.
KELLOGG,P.J. Region 2 (Post 820201). 93/07/23. Region 2 (Post 820201). 2pp. 75992:129-75992:130.

86 DOCKETED ITEMS

9308110350 Forwards exemption from requirements in section III.A.6(b) of app J to 10CFR50 re accelerated test frequency following Type A test failure. HEBDON,F.J. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 93/07/23. MEDFORD,M.O. Tennessee Valley Authority. 3pp. 76064:351-76064:359.

-9308110356 Exemption from requirements in section III.A.6(b) of app J to 10CFR50 re accelerated test frequency. VARGA,S.A. Division of Reactor Projects - I/II (Post 870411). 93/07/23. Tennessee Valley Authority. 6pp. 76064:354-76064:359.

9308160266 Forwards request for addl info re util response to GL 92-01, Rev 1, "Reactor Vessel Structural Integrity," for plant. LABARGE,D.E. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 93/07/27. MEDFORD,M.O. Tennessee Valley Authority. 4pp. 76104:053-76104:056.

9308050016 Requests that liquid samples spiked w/beta emitting radionuclides be analyzed for tritium, Fe-55, Sr-89 & Sr-90 concentrations. Analyses should be completed no later than 60 days from receipt of ltr. CLINE,W.E. Region 2 (Post 820201). 93/07/28. MEDFORD,M.O. Tennessee Valley Authority. 3pp. 75971:102-75971:104.

9308190164 Forwards amends 169 & 159 to licenses DPR-77 & DPR-79, respectively & SE Amends incorporate changes necessary to decrease frequency for submitting radioactive effluent release rept from semiannual to annual. LABARGE,D.E. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 93/08/02. MEDFORD,M.O. Tennessee Valley Authority. 3pp. 76156:333-76156:353.

-9308190172 Amends 169 & 159 to licenses DPR-77 & DPR-79, respectively, incorporating changes necessary to decrease frequency for submitting radioactive effluent release rept from semiannual to annual. HEBDON,F.J. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 93/08/02. 14pp. 76156:336-76156:349.

-9308190174 Safety evaluation supporting amends 169 & 159 to licenses DPR-77 & DPR-79, respectively. * Office of Nuclear Reactor Regulation, Director (Post 870411). 93/08/02. 2pp. 76156:350-76156:351.

-9308190178 Requests FR publication of notice of issuance of amends 169 & 159 to licenses DPR-77 & DPR-79. Amends incorporate changes necessary to decrease frequency of radioactive effluent release rept from semiannual to annual. LABARGE,D.E. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 93/08/02. NRC - No Detailed Affiliation Given. 2pp. 76156:352-76156:353.

9308090031 Forwards response to NRC 930415 ltr re restart issues. Six focus areas listed, including balance of plant, operations, backlogs, programs, people/organization/culture & corporate/site interface. MEDFORD,M.O. Tennessee Valley Authority. 93/08/03. Document Control Branch (Document Control Desk). 17pp. 76060:337-76060:353.

9308090025 Responds to Generic Ltr 93-04, "Rod Control Sys Failure & Withdrawal of Rod Cluster Assemblies." No short term compensatory actions required. SCHOFIELD,B.S. Tennessee Valley Authority. 93/08/05. Document Control Branch (Document Control Desk). 9pp. 76059:335-76059:344.

9308120342 Forwards addl info on use of single data logger connected to four protection sets for RCS RTD calibr. FENECH,R.A. Tennessee Valley Authority. 93/08/09. Document Control Branch (Document Control Desk). 8pp. 76094:353-76094:360.

9308260118 Advises that schedule for completion of IPEEE acceptable, per 920918 ltr. LABARGE,D.E. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 93/08/09. MEDFORD,M.O. Tennessee Valley Authority. 3pp. 76217:245-76217:247.

9308250149 Forwards changes to TVA nuclear QA plan, rev 3. Changes in regard to organizational & functional realignments. Changes will also be submitted in TVA annual update of nuclear QA plan. SCHOFIELD,B.S. Tennessee Valley Authority. 93/08/20. Document Control Branch (Document Control Desk). 6pp. 76218:327-76218:332.

9308260364 Forwards "Post-Restart Plan," outlining process that will ensure proper identification, prioritization, funding & mgt of post-restart improvement activities. FENECH,R.A. Tennessee Valley Authority. 93/08/20. EBNETER,S.D. Region 2 (Post 820201). 2pp. 76258:243-76258:322.

-9308260366 Rev 0 of "Post-Restart Plan." FENECH,R.A. Tennessee Valley Authority. 93/08/20. 77pp. 76258:246-76258:322.

Q. Inspection reports, IE Bulletins & correspondence

9308060168 Forwards insp repts 50-327/93-21 & 50-328/93-21 on 930607-08. No violations or deviations noted. COLLINS,D.M. Region 2 (Post 820201). 93/06/25. MEDFORD,M.O. Tennessee Valley Authority. 3pp. 75994:073-75994:079.

-9308060173 Insp repts 50-327/93-21 & 50-328/93-21 on 930608-09. No violations or deviations noted. Major areas inspected: implementation of safeguards info program. MASNYK,O.M., MCGUIRE,D.R. Region 2 (Post 820201). 93/06/24. 4pp. 75994:076-75994:079.

9308060055 Forwards insp repts 50-327/93-16 & 50-328/93-16 on 930502-0605. No violations or deviations noted. CRLENJAK,R.V. Region 2 (Post 820201). 93/06/28. MEDFORD,M.O. Tennessee Valley Authority. 3pp. 75992:204-75992:226.

-9308060061 Insp repts 50-327/93-16 & 50-328/93-16 on 930502-0605. No violations or deviations noted. Major areas inspected: plant operations, plant maint, plant surveillance, evaluation of self-assessment capability & LER closeout. HOLLAND,W.E., KELLOGG,P.J. Region 2 (Post 820201). 93/06/18. 20pp. 75992:207-75992:226.

9308060082 Forwards insp repts 50-327/93-18 & 50-328/93-18 on 930524-0611. No violations noted. JULIAN,C.A. Region 2 (Post 820201). 93/07/09. MEDFORD,M.O. Tennessee Valley Authority. 3pp. 75993:027-75993:038.

-9308060092 Insp repts 50-327/93-18 & 50-328/93-18 on 930524-0611. No violations noted. Major areas inspected: review of fire protection sys leakage problems & review of mgt oversight. WHITENER,H.L., WISEMAN,G.R., JULIAN,C.A. Region 2 (Post 820201). 93/07/09. 9pp. 75993:030-75993:038.

9308050017 Forwards insp repts 50-327/93-26 & 50-328/93-26 on 930614-23. No violations or deviations identified. JULIAN,C.A. Region 2 (Post 820201). 93/07/21. MEDFORD,M.O. Tennessee Valley Authority. 3pp. 75971:105-75971:119.

-9308050019 Insp repts 50-327/93-26 & 50-328/93-26 on 930614-25. No violations noted. Major areas inspected: review of main feedwater control, main generator, switchyard & transformers & 6900 & 480 volt electrical distribution. MACDONALD,G., SHYMLOCK,M.B. Region 2 (Post 820201). 93/07/21. 12pp. 75971:108-75971:119.

9308050022 Forwards insp repts 50-327/93-23 & 50-328/93-23 on 930606-0710 & notice of violation. NRC concerned about safety attitude licensed operator exhibited during evolutions involving recovery of tilted fuel assembly. CRLENJAK,R.V. Region 2 (Post 820201). 93/07/21. MEDFORD,M.O. Tennessee Valley Authority. 4pp. 75971:139-75971:197.

-9308050025 Notice of violation from insp on 930606-0710. Violations noted: fuel handling supervisor did not perform evolutions of FHI-3A, recovery of leaning fuel assembly H64. * Region 2 (Post 820201). 93/07/21. 2pp. 75971:143-75971:144.

-9308050034 Insp repts 50-327/93-23 & 50-328/93-23 on 930606-0710. Violations noted. Major areas inspected: plant operations, plant maint, plant surveillance, evaluation of licensee self-assessment capability & LER closeout. HOLLAND,W.E., KELLOGG,P.J. Region 2 (Post 820201). 93/07/21. 39pp. 75971:145-75971:197.

9308060206 Forwards insp repts 50-327/93-22 & 50-328/93-22 on 930607-25. No violations noted. JULIAN,C.A. Region 2 (Post 820201). 93/07/22. MEDFORD,M.O. Tennessee Valley Authority. 4pp. 75994:170-75994:185.

-9308060210 Insp repts 50-327/93-22 & 50-328/93-22 on 930607-25. No violations noted. Major areas inspected: licensee balance of plant equipment & sys. THOMAS,M., JULIAN,C. Region 2 (Post 820201). 93/07/21. 12pp. 75994:174-75994:185.

9307190043 NRC Info Notice 93-057, "Software Problems Involving Digital Control Console Sys at Non-Power Reactors." GRIMES,B.K. Division of Operating Reactor Support (Post 921004). 93/07/23. Consolidated Edison Co. of New York, Inc. 9pp. 76111:200-76111:208.

9308050023 Forwards insp repts 50-327/93-28 & 50-328/93-28 on 930621-25 & notice of violation. Violations indicate several instances of failure to adhere to approved procedures. STOHJR,J.P. Region 2 (Post 820201). 93/07/23. MEDFORD,M.O. Tennessee Valley Authority. 4pp. 75971:198-75971:214.

-9308050024 Notice of violation from insp on 930621-25. Violations noted: on 930428, worker received portal contamination monitor alarm & failed to rept event to Radcon Field Operations shift supervisor. * Region 2 (Post 820201). 93/07/23. 2pp. 75971:202-75971:203.

-9308050026 Insp repts 50-327/93-28 & 50-328/93-28 on 930621-25. Violations noted. Major areas inspected: occupational radiation safety, audits & assessments, organization & mgt controls & training & qualification. SHORTRIDGE,R.B., RANKIN,W.H. Region 2 (Post 820201). 93/07/23. 11pp. 75971:204-75971:214.

9308050056 Forwards insp repts 50-327/93-29 & 50-328/93-29 on 930621-25. No violations or deviations identified. CLINE,W.E. Region 2 (Post 820201). 93/07/23. MEDFORD,M.O. Tennessee Valley Authority. 3pp. 75972:029-75972:039.

-9308050060 Insp repts 50-327/93-29 & 50-328/93-29 on 930621-25. No violations noted. Major areas inspected: effluent monitor calibration & setpoints, water chemistry & post-accident sampling sys. JONES,D.W., DECKER,T.R. Region 2 (Post 820201). 93/07/23. 8pp. 75972:032-75972:039.

9308050179 Requests approval of encl ISI program Relief Request ISI-2 re visual exam of valve body internal pressure boundary surfaces. FENECH,R.A. Tennessee Valley Authority. 93/07/28. Document Control Branch (Document Control Desk). 9pp. 76022:181-76022:189.

9308170194 Ack receipt of util 930609 response to NRC Bulletin 93-002, "Debris Plugging of ECCS Strainers." Response acceptable. LABARGE,D.E. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 93/07/28. MEDFORD,M.O. Tennessee Valley Authority. 3pp. 76125:347-76125:349.

9308100026 Forwards insp repts 50-327/93-25 & 50-328/93-25 on 930629-0702. No violations or deviations identified. CLINE,W.E. Region 2 (Post 820201). 93/07/29. MEDFORD,M.O. Tennessee Valley Authority. 3pp. 76025:138-76025:149.

-9308100028 Insp repts 50-327/93-25 & 50-328/93-25 on 930629-0702. No violations noted. Major areas inspected: observation of evaluation of annual emergency preparedness exercise. SARTOR,W.M., BARR,K.P. Region 2 (Post 820201). 93/07/29. 9pp. 76025:141-76025:149.

9308130007 Ack response of 930715 to NOV & exam rept issued on 930615 per Insp Repts 50-327/93-300 & 50-328/93-300. PEEBLES,T.A. Region 2 (Post 820201). 93/08/03. MEDFORD,M.O. Tennessee Valley Authority. 3pp. 76104:359-76104:361.

9308260174 Informs that triannual plant performance review for Branch 4 facilities scheduled for 930817. Plant status repts & master insp plans for plants encl. Evaluation of licensee performance in assigned SALP functional area required. CRLENJAK,R.V. Region 2 (Post 820201). 93/08/05. JULIAN,C.A., COLLINS,D.M. Region 2 (Post 820201). HEBDON,F.J. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 3pp. 76260:001-76260:144.

-9308260178 "Plant Status Rept, Sequoyah Nuclear Plant, Units 1 & 2."
* Region 2 (Post 820201). 93/08/31. 48pp. 76260:003-76260:052.

9308100200 Responds to NRC 930707 ltr re violations noted in insp repts 50-327/93-24 & 50-328/93-24. C/As: licensee has established site Technical Programs & Performance organization as single owner for ASME Section XI program at plant. FENECH,R.A. Tennessee Valley Authority. 93/08/06. Document Control Branch (Document Control Desk). 4pp. 76065:274-76065:277.

9308230145 Forwards insp rept 50-327/93-34 & 50-328/93-34 on 930712-16 & notice of violation. COLLINS,D.M. Region 2 (Post 820201). 93/08/12. MEDFORD,M.O. Tennessee Valley Authority. 3pp. 76207:011-76207:027.

-9308230149 Notice of violation from insp on 930712-16. Violation noted: licensee granted 80 individuals unescorted access w/o FBI fingerprint check being conducted & failed to re-fingerprint 12 individuals deemed non-classifiable by FBI.
* Region 2 (Post 820201). 93/08/12. 2pp. 76207:014-76207:015.

-9308230155 Insp repts 50-327/93-34 & 50-328/93-34 on 930712-16. Violations noted. Major areas inspected: access authorization program. TOBIN,W.J., MCGUIRE,D.R. Region 2 (Post 820201). 93/08/12. 12pp. 76207:016-76207:027.

9308250098 Forwards insp repts 50-327/93-27 & 50-328/93-27. No violations or deviations noted. W/o encl. JULIAN,C.A. Region 2 (Post 820201). 93/08/12. MEDFORD,M.O. Tennessee Valley Authority. 1p. 76188:113-76188:113.

9308250229 Ack receipt of 930806 ltr informing NRC of steps taken to correct violations noted in insp repts 50-327/93-24 & 50-328/93-24. JULIAN,C.A. Region 2 (Post 820201). 93/08/12. MEDFORD,M.O. Tennessee Valley Authority. 3pp. 76189:110-76189:112.

9308250284 Forwards insp rept 50-327/93-31 & 50-328/93-31 on 930712-23. No violations or deviations noted. JULIAN,C.A. Region 2 (Post 820201). 93/08/12. MEDFORD,M.O. Tennessee Valley Authority. 3pp. 76189:189-76189:202.

-9308250285 Insp repts 50-327/93-31 & 50-328/93-31 on 930712-23. No violations or deviations noted. Major areas inspected: licensee balance of plant equipment & sys. MACDONALD,G., SHYMLOCK,M.B. Region 2 (Post 820201). 93/08/12. 11pp. 76189:192-76189:202.

9308270358 Advises that NRC scheduled insp of licensed operator requalification program for requalification cycle beginning 931101. PEEBLES,T.A. Region 2 (Post 820201). 93/08/12. MEDFORD,M.O. Tennessee Valley Authority. 3pp. 76292:135-76292:137.

9308250128 Forwards insp repts 50-327/93-30 & 50-328/93-30 on 930713-16 & 19-23. No violations or deviations noted. JULIAN,C.A. Region 2 (Post 820201). 93/08/13. MEDFORD,M.O. Tennessee Valley Authority. 3pp. 76188:220-76188:251.

-9308250135 Insp repts 50-327/93-30 & 50-328/93-30 on 930713-16 & 19-23. No violations noted. Major areas inspected: corrective actions for CAL, status of technical programs & performance dept & review of corrective actions for previous insp findings. CROWLEY,B.R., HUNT,M.D., BLAKE,J.J. Region 2 (Post 820201). 93/08/12. 29pp. 76188:223-76188:251.

9308240068 Responds to NRC 930721 ltr re violations noted in insp rept 50-327/93-23 & 50-328/93-23. Corrective actions: assigned new individual to refueling SRO position & second SRO assigned test director duties. FENECH,R.A. Tennessee Valley Authority. 93/08/17. Document Control Branch (Document Control Desk). 9pp. 76209:213-76209:221.

9308250334 Responds to NRC 930723 ltr re violations noted in insp rept 50-327/93-28 & 50-328/93-28. Corrective actions: identified & removed aerosol cleaner from RCA. FENECH,R.A. Tennessee Valley Authority. 93/08/23. Document Control Branch (Document Control Desk). 7pp. 76219:001-76219:007.

9308310070 Notification of 930902 ORAT insp meeting w/util in Soddy Daisy, TN to present findings & conclusions resulting from insp conducted at plant on 930823-0901. LABARGE,D.E. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 93/08/25. HEBDON,F.J. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 3pp. 76274:187-76274:199.

R. Periodic operating reports & related correspondence

9308090032 Forwards documentation containing recent changes to ECCS evaluation model & effect on peak fuel cladding temp during reporting period 920729-930729, per 10CFR50.46. FENECH,R.A. Tennessee Valley Authority. 93/07/28. Document Control Branch (Document Control Desk). 13pp. 76062:255-76062:267.

9308170210 Monthly operating repts for Jul 1993 for Sequoyah Nuclear Plant, units 1 & 2. W/930812 ltr. HOLLOMON,T.J., FENECH,R.A. Tennessee Valley Authority. 93/07/31. 10pp. 76136:314-76136:323.

9308190160 Forwards TVA fitness for duty program performance data for Jan-June 1993, containing trends & mgt initiatives & breakdown by process stage for specimens for which administrative action taken. SCHOFIELD,B.S. Tennessee Valley Authority. 93/08/16. Document Control Branch (Document Control Desk). 22pp. 76162:029-76162:050.

S. Reportable occurrences, LERs & related correspondence

9308170345 Part 21 rept re reportable defect-75 PSIG relief check valve 1" NPT, EMD 9521844, Kepner 416C-1-75. GALEAZZI,D.D. MKW Power Systems, Inc. 93/07/15. Office of Nuclear Reactor Regulation, Director (Post 870411). 10pp. 76139:010-76139:019.

9308060285 LER 93-017-00: on 930621, discovered 24-hour telephone notification had not been carried out as required by TS LCO 3.7.11.1 action statement (b)(2)(a) due to personnel error. NRC informed of missed notification. W/930730 ltr. WHITTEMORE,C.H., FENECH,R.A. Tennessee Valley Authority. 93/07/30. 7pp. 76091:011-76091:017.

9308170252 Special Rept 93-14, fire barriers nonfunctional for period that exceeded allowable TS timeframe, after being intentionally breached. Fire detectors on one side of breaches verified operable & roving fire watches established. FENECH,R.A. Tennessee Valley Authority. 93/08/12. Document Control Branch (Document Control Desk). 3pp. 76137:136-76137:138.

9308310274 Forwards Rev 1 of LER 93-002, providing addl info & revised C/As re five containment boundary isolation 1/2 inch drain valves found improperly configured. Event originally reported by 930419 ltr, as operation prohibited by TS. FENECH,R.A. Tennessee Valley Authority. 93/08/25. Document Control Branch (Document Control Desk). 2pp. 76304:140-76304:148.

-9308310278 LER 93-002-01: on 930318, containment boundary isolation valves discovered misconfigured. Caused by valves being unlocked & open approx one turn. Appropriate engineering drawings will be revised. WHITTEMORE,C.H. Tennessee Valley Authority. 93/08/25. 7pp. 76304:142-76304:148.

V. Operator Examinations

9308260174 Informs that triannual plant performance review for Branch 4 facilities scheduled for 930817. Plant status repts & master insp plans for plants encl. Evaluation of licensee performance in assigned SALP functional area required. CRLENJAK,R.V. Region 2 (Post 820201). 93/08/05. JULIAN,C.A. Region 2 (Post 820201). 3pp. 76260:001-76260:144.

-9308260178 "Plant Status Rept, Sequoyah Nuclear Plant, Units 1 & 2."
* Region 2 (Post 820201). 93/08/31. 48pp. 76260:003-76260:052.

9308270358 Advises that NRC scheduled insp of licensed operator requalification program for requalification cycle beginning 931101. PEEBLES,T.A. Region 2 (Post 820201). 93/08/12. MEDFORD,M.O. Tennessee Valley Authority. 3pp. 76292:135-76292:137.

DOCKET 50-329 MIDLAND PLANT, UNIT 1

Q. Inspection reports, IE Bulletins & correspondence

9307190043 NRC Info Notice 93-057, "Software Problems Involving Digital Control Console Sys at Non-Power Reactors." GRIMES,B.K. Division of Operating Reactor Support (Post 921004). 93/07/23. Consolidated Edison Co. of New York, Inc. 9pp. 76111:200-76111:208.

DOCKET 50-330 MIDLAND PLANT, UNIT 2

Q. Inspection reports, IE Bulletins & correspondence

9307190043 NRC Info Notice 93-057, "Software Problems Involving Digital Control Console Sys at Non-Power Reactors." GRIMES,B.K. Division of Operating Reactor Support (Post 921004). 93/07/23. Consolidated Edison Co. of New York, Inc. 9pp. 76111:200-76111:208.

DOCKET 50-331 DUANE ARNOLD ENERGY CENTER

F. Security, medical, emergency & fire protection plans

9308040049 Forwards encl 8 to SECY-93-166 which describes proposed characteristics of design basis vehicle. Characteristics being provided to licensees in advance to facilitate detailed comments on proposed rule. W/o encl. PARTLOW,J.G. Associate Director for Projects (Post 870411). 93/07/15. ILLI. Iowa Electric Light & Power Co. 2pp. 75979:103-75979:104.

9308060138 Rev 13 to emergency plan table of contents.
* Iowa Electric Light & Power Co. 93/07/28. 3pp. 76059:144-76059:148.

9308090349 Informs that security sys upgrades as described in addendum have been completed & fully functional. YOUNG,K.D. Iowa Electric Light & Power Co. 93/08/02. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 76037:244-76037:245.

9308230037 Submits results of review of Rev 14 to emergency plan & lists info provided in plan. Rev 14 acceptable. MCCORMICK-BARGE Region 3 (Post 820201). 93/08/17. LIU,L. Iowa Electric Light & Power Co. 2pp. 76165:099-76165:100.

H. General correspondence

9308300044 Comment supporting proposed rule 10CFR55 re operators licenses. YOUNG,K.D. Iowa Electric Light & Power Co. 93/08/12. CHILK,S.J. Office of the Secretary of the Commission. 2pp. 76236:025-76236:026.

88 DOCKETED ITEMS

P. Operating license stage documents & correspondence

- 9308260143** Ltr contract,awarding Task Order 14, "IPE Review - Internal Events - Human Factors Only (Duane Arnold)," to contract NRC-04-91-069. MATTIA,M.J. Contract Administration Branch 2 (Post 900603). FIN L-1934. 93/04/14. HAAS,P.M. Concord Associates, Inc. 8pp. 76215:263-76215:270.
- 9308260067** Ltr contract,awarding Task Order 14, "IPE Reviews - Internal Events - Front End Only (Duane Arnold)," to contract NRC-04-91-066. MATTIA,M.J. Contract Administration Branch 2 (Post 900603). FIN B-5787. 93/04/16. COLINA,I. Science & Engineering Associates, Inc. 9pp. 76215:001-76215:009.
- 9308250290** Ltr contract,awarding task order 15, "IPE Reviews,Internal Events - Back-End Only (Duane Arnold)." MATTIA,M.J. Division of Contracts & Property Management (Post 890205). FIN L-1933. 93/05/25. MATTSON,R.J. SCIENTECH, Inc. 9pp. 76212:125-76212:133.
- 9308100147** Forwards SE which provides NRC evaluations of relief requests VR-003,VR-004 & VR-005 for plant IST program.Staff found that relief not required,per 10CFR50.55a(f)(4)(iv). HANNON,J.N. Project Directorate III-3. 93/07/16. LIU,L. Iowa Electric Light & Power Co. 3pp. 76028:001-76028:011.
- 9308100165** Safety evaluation approving alternatives to code requirements.Relief not required because testing will meet requirements of later editions of code.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 93/07/16. 8pp. 76028:004-76028:011.
- 9308130028** Summary of 930630 licensee counterparts meeting at util corporate ofc re dry cask storage of spent fuel,SALP & other listed topics. HANNON,J.N. Project Directorate III-3. 93/07/22. Project Directorate III-3. 200pp. 76133:001-76133:202.
- 9308130109** Forwards notice of consideration of issuance of amend to license DPR-49 & NSHC determination & opportunity for hearing.Amend would revise TS 5.5 to address planned rerack of SFP at plant. PULSIFER,R.M. Project Directorate III-3. 93/07/26. LIU,L. Iowa Electric Light & Power Co. 3pp. 76094:259-76094:275.
- 9308130115** Notice of consideration of issuance of amend to license DPR-49 & proposed NSHC determination & opportunity for hearing.Amend would revise TS 5.5, to address planned rerack of SFP at plant. HOPKINS,J.B. Project Directorate III-1. 93/07/26. 13pp. 76094:262-76094:275.
- 9308030323** Ack receipt of 930630 submittal incorporating changes in QA program description.Anticipates 60 days to complete review of submittal. RING,M.A. Region 3 (Post 820201). 93/07/27. LIU,L. Iowa Electric Light & Power Co. 1p. 75979:306-75979:306.
- 9308050171** Application for amend to License DPR-49,incorporating requirements of 10CFR20 requirements. FRANZ,J.F. Iowa Electric Light & Power Co. 93/07/28. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 13pp. 76022:160-76022:180.
- 9308050178** Proposed tech specs re rev for TS change (RTS-258) re incorporation of new 10CFR20 requirements.
* Iowa Electric Light & Power Co. 93/07/28. 8pp. 76022:173-76022:180.
- 9308090336** Requests for TS Change RTS-259 to License DPR-49, revising TS to change reporting frequency of radioactive matl release rept to annual & facility changes, test & experiments to match reporting frequency of FSAR update, per 10CFR50. FRANZ,J.F. Iowa Electric Light & Power Co. 93/07/28. Document Control Branch (Document Control Desk). 9pp. 76062:190-76062:202.
- 9308090341** Proposed tech specs changing reporting frequency of radioactive matl release rept to annual & facility changes, tests & experiments to match reporting frequency of FSAR update.
* Iowa Electric Light & Power Co. 93/07/28. 4pp. 76062:199-76062:202.
- 9308180132** Submits request for addl info re SFP reracking amend & requests that responses be provided within 45 days from receipt of ltr. PULSIFER,R.M. Project Directorate III-3. 93/07/29. LIU,L. Iowa Electric Light & Power Co. 3pp. 76143:127-76143:129.
- 9308200067** Forwards listed changes made to correct discrepancies found in NRC copy of TS. PULSIFER,R.M. Project Directorate III-3. 93/08/04. LIU,L. Iowa Electric Light & Power Co. 5pp. 76199:291-76199:302.
- 9308230307** Corrected amend 174 to license DPR-49, inserting "B" removed from LCO 3.4.B.
* Project Directorate III-3. 93/08/04. 1p. 76199:296-76199:296.
- 9308230310** Corrected TS page 3.5-13 to amend 15 to license DPR-49.TS page originally issued w/o amend number.
* Project Directorate III-3. 93/08/04. 2pp. 76199:297-76199:298.
- 9308240002** Corrected TS page 3.8-6a to amend 10 to license DPR-49.TS page issued w/o amend number.
* Project Directorate III-3. 93/08/04. 2pp. 76199:299-76199:300.
- 9308240004** Corrected TS page 3.8-13 to amend 179 to license DPR-49, correcting spelling of word "results."
* Project Directorate III-3. 93/08/04. 1p. 76199:301-76199:301.
- 9308240057** Corrected TS page 6.11-2 to amend 114 to license DPR-49, inserting DAEC-1 in heading of page & "****" in text & footnote at bottom of page.
* Project Directorate III-3. 93/08/04. 1p. 76199:302-76199:302.
- 9308200099** Forwards SSER re implementation of reg guide 1.97,rev 2. Licensee either conforms to, or justified in deviating from, guidance of reg guide for each post-accident monitoring variable. PULSIFER,R.M. Project Directorate III-3. 93/08/04. LIU,L. Iowa Electric Light & Power Co. 3pp. 76164:150-76164:156.

-9308200104 Supplemental SE re conformance to reg guide 1.97,rev 2.Plant design either in conformance w/,or justified in deviating from, guidance of reg guide for each post-accident monitoring variable.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 93/08/04. 4pp. 76164:153-76164:156.

9308190013 Provides addl clarification re 930326 application for amend to License DPR-49,allowing reracking spent fuel pool to increase storage capacity from 2,050 to 3,152 spent fuel bundles,in response to issues raised,per 930708 meeting. YOUNG,K.D. Iowa Electric Light & Power Co. 93/08/09. PULSIFER,R. Document Control Branch (Document Control Desk). 2pp. 76160:327-76160:328.

9308170379 Informs that recommendations of GE Svc Info Ltr (SIL) incorporated into util surveillance procedures,as stipulated in NRC 930211 SE approving IST Relief Request VR-017.Refs to SIL & NRC Info Notice 85-084 being added to IST program. YOUNG,K.D. Iowa Electric Light & Power Co. 93/08/11. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 76137:271-76137:272.

Q. Inspection reports, IE Bulletins & correspondence

9308130028 Summary of 930630 licensee counterparts meeting at util corporate ofc re dry cask storage of spent fuel,SALP & other listed topics. HANNON,J.N. Project Directorate III-3. 93/07/22. Project Directorate III-3. 200pp. 76133:001-76133:202.

9307190043 NRC Info Notice 93-057, "Software Problems Involving Digital Control Console Sys at Non-Power Reactors." GRIMES,B.K. Division of Operating Reactor Support (Post 921004). 93/07/23. Consolidated Edison Co. of New York, Inc. 9pp. 76111:200-76111:208.

9308030059 Forwards insp rept 50-331/93-09 on 930522-0707.Violations noted. HOPKINS,J.A. Region 3 (Post 820201). 93/07/23. LIU,L. Iowa Electric Light & Power Co. 4pp. 75977:261-75977:292.

-9308030075 Insp rept 50-331/93-09 on 930522-0707.Major areas inspected:followup of events,operational safety,maint, surveillance,temporary instruction & rept review. HOPKINS,J.A. Region 3 (Post 820201). 93/07/23. 28pp. 75977:265-75977:292.

9308090023 Responds to request for addl info re response to GL 92-01, Rev 1, "Reactor Vessel Structural Integrity." FRANZ,J.F. Iowa Electric Light & Power Co. 93/07/30. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 4pp. 76061:357-76061:360.

9308110218 Forwards response provided in 930728 telcon w/NRR re RAI on ISI Relief Requests NDE-005,Rev 1,NDE-011 & RR-001. YOUNG,K.D. Iowa Electric Light & Power Co. 93/08/05. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 7pp. 76074:273-76074:279.

9308160111 Forwards Enforcement Conference rept 50-331/93-13 on 930729 & notice of violation from insp on 930522-0707 & 930722 event. GREENMAN,E.G. Region 3 (Post 820201). 93/08/06. LIU,L. Iowa Electric Light & Power Co. 4pp. 76090:001-76090:047.

-9308160115 Notice of violation from insp on 930522-0707.Violation noted:"A" diesel generator became inoperable,not restored to operable condition within seven days & reactor not taken to hot shutdown within next 12 h.
* Region 3 (Post 820201). 93/08/06. 2pp. 76090:005-76090:006.

-9308160122 Enforcement Conference rept 50-331/93-13 on 930729.Major areas inspected:violations noted during insp on 930522-0707. LANKSBURY,R.D. Region 3 (Post 820201). 93/08/06. 41pp. 76090:007-76090:047.

9308170379 Informs that recommendations of GE Svc Info Ltr (SIL) incorporated into util surveillance procedures,as stipulated in NRC 930211 SE approving IST Relief Request VR-017.Refs to SIL & NRC Info Notice 85-084 being added to IST program. YOUNG,K.D. Iowa Electric Light & Power Co. 93/08/11. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 76137:271-76137:272.

R. Periodic operating reports & related correspondence

9308240281 Monthly operating rept for Jul 1993 for DAEC.W/930813 ltr. WOODWARD,R., WILSON,D. Iowa Electric Light & Power Co. 93/07/31. MARTIN,J.B. Region 3 (Post 820201). 6pp. 76215:288-76215:293.

V. Operator Examinations

9308030134 Discusses 930726 telcon between F Van Etten & M Bielby re requalification program evaluation & requests that at least one employee be designated to be member of joint NRC- facility exam team.W/related encl. RING,M.A. Region 3 (Post 820201). 93/07/28. LIU,L. Iowa Electric Light & Power Co. 11pp. 75936:067-75936:077.

9308030302 Informs of NRC plans to administer generic fundamentals exam section written operator licensing exam on 931006. RING,M.A. Region 3 (Post 820201). 93/07/28. Consumers Power Co. 3pp. 75983:358-75983:360.

Y. Dry Cask Independent Spent Fuel Storage Installations

9308130028 Summary of 930630 licensee counterparts meeting at util corporate ofc re dry cask storage of spent fuel,SALP & other listed topics. HANNON,J.N. Project Directorate III-3. 93/07/22. Project Directorate III-3. 200pp. 76133:001-76133:202.

DOCKET 50-333 JAMES A. FITZPATRICK NUCLEAR POWER PLANT

F. Security, medical, emergency & fire protection plans

9308050269 Forwards, "James A Fitzpatrick Nuclear Power Plant 1992 Partial Participation Emergency Exercise Dec 2, 1992 Scenario."
SALMON, H.P. Power Authority of the State of New York (New York Power Authority). 92/09/30. MCCABE, E.C. Region 1 (Post 820201). 1p. 76008:001-76009:065.

9308030171 Forwards encl 8 to SECY 93-166 which describes proposed characteristics of design basis vehicle. Characteristics being provided to licensees in advance to facilitate more detailed comments on proposed rule. W/o encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 93/07/15. BEEDLE, R.E. Power Authority of the State of New York (New York Power Authority). 3pp. 75948:352-75948:354.

9308030232 Requests that encl documents received from Thermal Ceramics, Inc be placed in PDR & copies distributed to listed individuals.
MILLER, J. Plant Systems Branch. 93/07/15. Document Control Branch (Document Control Desk). 1p. 76129:266-76130:277.

-9308030239 Responds to 930427 ltr re FP60 sys supplied to NRC reactor licensees. MAXWELL, J.A. Affiliation Not Assigned. 93/07/13. MCCracken, C.E. Plant Systems Branch. 4pp. 76129:267-76129:270.

9308120226 Revised EIPs, including rev 5 to EAP-13, rev 54 to EAP-17, rev 19 to EAP-43, rev 36 to SAP-3, Vol 2 & 3 update list encl.
* Power Authority of the State of New York (New York Power Authority). 93/08/06. 36pp. 76095:225-76095:260.

9308190170 Responds to NRC 930707 ltr re weaknesses noted in Initial SALP Rept 50-333/92-99 for period of 920419-930417. Util will use recommendations from INPO assist visit team to enhance ALARA program which maintains worker radiation exposure.
BEEDLE, R.E. Power Authority of the State of New York (New York Power Authority). 93/08/16. MARTIN, T.T. Region 1 (Post 820201). 6pp. 76161:355-76161:360.

9308250111 Forwards Rev 22 to Section 5, "Organization" of emergency plan & revised EIPs, including Rev 25 to EAP-1.1, Rev 13 to EAP-2, Rev 20 to EAP-4, Rev 10 to EAP-6, Rev 12 to EAP-7.1, Rev 11 to EAP-14.1 & Rev 11 to EAP-19.
* Power Authority of the State of New York (New York Power Authority). 93/08/16. Document Control Branch (Document Control Desk). 2pp. 76219:251-76219:317.

-9308250112 Rev 22 to Section 5, "Organization" of emergency plan.
* Power Authority of the State of New York (New York Power Authority). 93/07/30. 11pp. 76219:253-76219:266.

-9308250116 Revised EIPs, including Rev 25 to EAP-1.1, Rev 13 to EAP-2, Rev 20 to EAP-4, Rev 10 to EAP-6, Rev 12 to EAP-7.1, Rev 11 to EAP-14.1 & Rev 11 to EAP-19.
* Power Authority of the State of New York (New York Power Authority). 93/08/16. 46pp. 76219:267-76219:317.

P. Operating license stage documents & correspondence

9308020140 Forwards Rev 7 of "JA FitzPatrick IST Program for Pumps & Valves" for second interval, reflecting addition of two valves to Note V29 which lists "fast-acting" valves exempt from stroke time trending requirements, per GL 89-04.
BEEDLE, R.E. Power Authority of the State of New York (New York Power Authority). 93/07/13. Document Control Branch (Document Control Desk). 3pp. 75952:345-75952:361.

-9308020144 Rev 7 of "JA FitzPatrick IST Program for Pumps & Valves."
* Power Authority of the State of New York (New York Power Authority). 93/04/06. 14pp. 75952:348-75952:361.

9308030232 Requests that encl documents received from Thermal Ceramics, Inc be placed in PDR & copies distributed to listed individuals.
MILLER, J. Plant Systems Branch. 93/07/15. Document Control Branch (Document Control Desk). 1p. 76129:266-76130:277.

-9308030239 Responds to 930427 ltr re FP60 sys supplied to NRC reactor licensees. MAXWELL, J.A. Affiliation Not Assigned. 93/07/13. MCCracken, C.E. Plant Systems Branch. 4pp. 76129:267-76129:270.

9308100226 Notification of 930728 meeting w/util in Rockville, MD to discuss proposed cost beneficial licensing action initiatives at St Lucie & Turkey Point plants.
NORRIS, J.A., RAGHAVAN, L. Project Directorate II-2. 93/07/20. BERKOW, H.N. Project Directorate II-2. 3pp. 76071:273-76071:275.

9308160217 Forwards amend 193 to license DPR-59 & safety evaluation. Amend revises TS 4.3.B.1 & associated bases to require verification of control rod coupling integrity each time rod withdrawn to full out position.
MENNING, J.E. Project Directorate I-1. 93/07/23. BEEDLE, R.E. Power Authority of the State of New York (New York Power Authority). 3pp. 76103:347-76103:358.

-9308160228 Amend 193 to license DPR-59, revising TS 4.3.B.1 & associated bases to require verification of control rod coupling integrity each time control rod withdrawn to full out position.
CAPRA, R.A. Project Directorate I-1. 93/07/23. 6pp. 76103:350-76103:355.

-9308160231 Safety evaluation supporting amend 193 to license DPR-59.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 93/07/23. 3pp. 76103:356-76103:358.

9308090194 Forwards amend 194 to license DPR-59 & safety evaluation. Amend makes changes to table 4.7-2, "Exception to Type C Tests."
MENNING, J.E. Project Directorate I-1. 93/07/29. BEEDLE, R.E. Power Authority of the State of New York (New York Power Authority). 3pp. 76023:345-76023:357.

-9308090207 Amend 194 to license DPR-59, making several changes to table 4.7-2, "Exception to Type C Tests."
CAPRA, R.A. Project Directorate I-1. 93/07/29. 6pp. 76023:348-76023:353.

-9308090209 Safety evaluation supporting amend 194 to license DPR-59.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 93/07/29. 3pp. 76023:354-76023:357.

9308190181 Forwards notice of environ assessment & finding of no significant impact re util 930628 request for exemption from requirements of 10CFR50, App J, Section IV.A. CAPRA, R.A. Project Directorate I-1. 93/07/29. BEEDLE, R.E. Power Authority of the State of New York (New York Power Authority). 3pp. 76153:066-76153:072.

-9308190186 Notice of environ assessment & finding of no significant impact re exemption from requirements of 10CFR50, app J, section IV.A.
CAPRA, R.A. Project Directorate I-1. 93/07/29. 4pp. 76153:069-76153:072.

9308050032 Responds to NRC request for addl info re proposed TS change for one-time extension to various surveillance intervals.
BEEDLE, R.E. Power Authority of the State of New York (New York Power Authority). 93/07/30. Document Control Branch (Document Control Desk). 9pp. 76019:349-76019:357.

9308250363 Advises that based on review of addl justification for completion date, scheduled completion date re closure of severe accident issue by mid-1994 acceptable, per GL 88-20.
MENNING, J.E. Project Directorate I-1. 93/08/10. BEEDLE, R.E. Power Authority of the State of New York (New York Power Authority). 3pp. 76212:174-76212:176.

9308300006 Forwards amend 195 to license DPR-59 & safety evaluation. Amend extends current intervals for certain surveillances required to be performed once each operating cycle until end of next refueling outage, scheduled to start in Jan 1995.
MENNING, J.E. Project Directorate I-1. 93/08/11. BEEDLE, R.E. Power Authority of the State of New York (New York Power Authority). 3pp. 76274:025-76274:040.

-9308300008 Amend 195 to license DPR-59, extending current intervals for certain surveillances required to be performed once each operating cycle until end of next refueling outage, scheduled to start in Jan 1995.
CAPRA, R.A. Project Directorate I-1. 93/08/11. 6pp. 76274:029-76274:034.

-9308300009 Safety evaluation supporting amend 195 to license DPR-59.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 93/08/11. 7pp. 76274:035-76274:040.

9308230171 Application for amend to license DPR-59, increasing authorized maximum power level by 4.1 percent to 2536 megawatts thermal. Forwards Central Files version of LOCA, "JAFNPP SAFER/GESTR-LOCA," withheld re 10CFR2.790.
BEEDLE, R.E. Power Authority of the State of New York (New York Power Authority). 93/08/17. Document Control Branch (Document Control Desk). 7pp. 76204:041-76204:047.

9308300159 Forwards proprietary Rev 1 to NEDC-32016P-1, "Power Uprate Safety Analysis for JA FitzPatrick Nuclear Power Plant," per 920605 proposed changes to TS re power uprate. Safety analysis withheld, per 10CFR2.790.
BEEDLE, R.E. Power Authority of the State of New York (New York Power Authority). 93/08/18. Document Control Branch (Document Control Desk). 8pp. 76337:326-76337:333.

9308240045 Withdraws snubber portion of 930616 TS amend application for one-time extension to surveillance interval contained in TS 4.6.1.3 for functionally testing 10% of each snubber type.
BEEDLE, R.E. Power Authority of the State of New York (New York Power Authority). 93/08/19. Document Control Branch (Document Control Desk). 2pp. 76207:293-76207:294.

9308300076 Forwards application for amend to license DPR-59, requesting extension to surveillance interval for turbine control valve fast closure pressure switch.
BEEDLE, R.E. Power Authority of the State of New York (New York Power Authority). 93/08/26. Document Control Branch (Document Control Desk). 2pp. 76282:348-76282:359.

-9308300083 Application for amend to license DPR-59, requesting extension to surveillance interval for turbine control valve fast closure pressure switch.
BEEDLE, R.E. Power Authority of the State of New York (New York Power Authority). 93/08/26. 1p. 76282:350-76282:350.

-9308300086 Proposed tech specs requesting extension to surveillance interval for turbine control valve fast closure pressure switch.
* Power Authority of the State of New York (New York Power Authority). 93/08/26. 9pp. 76282:351-76282:359.

Q. Inspection reports, IE Bulletins & correspondence

9308030087 Forwards insp rept 50-333/93-15 on 930712-16. No violations noted.
JOYNER, J.H. Region 1 (Post 820201). 93/07/22. SALMON, H.P. Power Authority of the State of New York (New York Power Authority). 3pp. 75935:350-75935:358.

-9308030093 Insp rept 50-333/93-15 on 930712-16. No violations noted. Major areas inspected: radiation protection program including mgmt organization, radiation protection during normal operations, ALARA, work control & RWPs.
FURIA, J., RAGLAND, R., PASCIAK, W. Region 1 (Post 820201). 93/07/21. 6pp. 75935:353-75935:358.

9307190043 NRC Info Notice 93-057, "Software Problems Involving Digital Control Console Sys at Non-Power Reactors."
GRIMES, B.K. Division of Operating Reactor Support (Post 921004). 93/07/23. Consolidated Edison Co. of New York, Inc. 9pp. 76111:200-76111:208.

9308050167 Provides response to NRC Bulletin 93-003, "Resolution of Issues Related to Reactor Vessel Water Level Instrumentation in BWRs."
BEEDLE, R.E. Power Authority of the State of New York (New York Power Authority). 93/07/30. Document Control Branch (Document Control Desk). 15pp. 76015:323-76015:338.

9308090218 Requests relief from ASME Section XI Code requirement to examine all portions of one longitudinal weld & one circumferential weld in RV bellline region during current 10 yr insp interval. Relief request encl. W/o one oversize drawing.
BEEDLE, R.E. Power Authority of the State of New York (New York Power Authority). 93/07/30. Document Control Branch (Document Control Desk). 9pp. 76111:305-76111:313.

90 DOCKETED ITEMS

9308130016 Forwards insp rept 50-333/93-13 on 930712-16.No violations noted. JOYNER,J.H. Region 1 (Post 820201). 93/08/04. SALMON,H.P. Power Authority of the State of New York (New York Power Authority). 3pp. 76078:172-76078:183.

-9308130019 Insp rept 50-333/93-13 on 930712-16.No violations noted. Major areas inspected:confirmatory measurements- radiochemistry,audits & surveillances & lab QA/QC. PELUSO,L., MCNAMARA,N.T., BORES,R.J. Region 1 (Post 820201). 93/07/30. 9pp. 76078:175-76078:183.

9308240082 Forwards technical review rept re. "Tardy Licensee Actions" initiated because of delayed replacement of batteries in uninterruptible power supplies at plant. ISRAEL,S.L. Reactor Operations Analysis Branch. 93/08/05. ROSENTHAL,J.E. Reactor Operations Analysis Branch. 2pp. 76218:177-76218:193.

-9308240165 Technical review rept. "Tardy Licensee Actions." ISRAEL,S.L. Reactor Operations Analysis Branch. 93/08/31. 13pp. 76218:179-76218:193.

9308190170 Responds to NRC 930707 ltr re weaknesses noted in Initial SALP Rept 50-333/92-99 for period of 920419-930417.Utl will use recommendations from INPO assist visit team to enhance ALARA program which maintains worker radiation exposure. BEEDLE,R.E. Power Authority of the State of New York (New York Power Authority). 93/08/16. MARTIN,T.T. Region 1 (Post 820201). 6pp. 76161:355-76161:360.

9308310149 Forwards insp rept 50-333/93-14 on 930627-0731.No violations noted. COWGILL,C.J. Region 1 (Post 820201). 93/08/24. SALMON,H.P. Power Authority of the State of New York (New York Power Authority). 3pp. 76264:158-76264:172.

-9308310151 Insp rept 50-333/93-14 on 930627-0731.No violations noted. Major areas inspected:plant operations,maint,engineering & plant support. ESELGROTH,P.W. Region 1 (Post 820201). 93/08/27. 12pp. 76264:161-76264:172.

R. Periodic operating reports & related correspondence

9308130118 Forwards revised Tables 3 of Jan-June 1992 & Jul-Dec 1992 effluent & waste disposal semiannual reports,containing data not provided in original repts.Add info describes number, vol,class & source of waste shipped in period. SALMON,H.P. Power Authority of the State of New York (New York Power Authority). 93/07/22. MARTIN,T.T. Region 1 (Post 820201). 2pp. 76113:312-76113:318.

-9308130121 Revised Tables 3A & 3B of "JA FitzPatrick Nuclear Power Plant Effluent & Waste Disposal Semiannual Rept,Jan-June 1992." Power Authority of the State of New York (New York Power Authority). 92/06/30. 3pp. 76113:313-76113:315.

-9308130123 Revised Tables 3A & 3B of "JA FitzPatrick Nuclear Power Plant Effluent & Waste Disposal Semiannual Rept,Jul-Dec 1992." Power Authority of the State of New York (New York Power Authority). 92/12/31. 3pp. 76113:316-76113:318.

9308160343 Monthly operating rept for Jul 1993 for JA FitzPatrick Nuclear Plant.W/ 930813 ltr. HLADIK,R., SALMON,H.P. Power Authority of the State of New York (New York Power Authority). 93/07/31. 5pp. 76141:353-76141:357.

S. Reportable occurrences, LERs & related correspondence

9308170345 Part 21 rept re reportable defect-75 PSIG relief check valve 1" NPT,EMD 9521844,Keppner 416C-1-75. GALEAZZI,D.D. MKW Power Systems, Inc. 93/07/15. Office of Nuclear Reactor Regulation, Director (Post 870411). 10pp. 76139:010-76139:019.

9308030372 Potential Part 21 rept re Limitorque actuator motors.Utilis & other purchases listed in encl being advised of concern. Limitorque revising selection procedure for safety related actuators,motors & technical data packages. TAYLOR,J.H. Babcock & Wilcox Co. 93/07/22. Document Control Branch (Document Control Desk). 8pp. 75976:349-75976:356.

9308310040 LER 93-016-00 on 930722,missed source check of radwaste discharge monitor prior to discharge of waste sample tank A due to failure to follow procedures.Performed source check & counseled involved individuals.W/930823 ltr. MULCAHEY,E., SALMON,H.P. Power Authority of the State of New York (New York Power Authority). 93/08/23. 5pp. 76379:033-76379:037.

DOCKET 50-334 BEAVER VALLEY POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9308040145 Forwards encl 8 to SECY 93-166 describing proposed characteristics of design basis vehicle.Encl withheld. PARTLOW,J.G. Associate Director for Projects (Post 870411). 93/07/15. SIEBER,J.D. Duquesne Light Co. 3pp. 75987:011-75987:013.

9308100062 Forwards insp repts 50-334/93-14 & 50-412/93-15 on 930719-23.No violations noted. BETTENHAUSEN,L. Region 1 (Post 820201). 93/08/02. SIEBER,J.D. Duquesne Light Co. 2pp. 76025:238-76025:250.

-9308100067 Insp repts 50-334/93-14 & 50-412/93-15 on 930719-23.No violations noted.Major areas inspected:licensee corrective actions taken to address NRC insp findings re fire loading calculations. FINKEL,A., BLUMBERG,N.J. Region 1 (Post 820201). 93/07/30. 2pp. 76025:240-76025:250.

H. General correspondence

9308260009 Informs Util of four Eastern European govt nuclear regulatory bodies visiting Region 1 for training as nuclear power industry regulator. MCSOAR,J.J. Region 1 (Post 822021). 93/08/17. SIEBER,J.D. Duquesne Light Co. 3pp. 76259:358-76259:360.

K. Utility Final Safety Analysis Report (FSAR) & amends

9308030392 Forwards Rev 11 to "Beaver Valley Power Station,Unit 1 Updated FSAR," including changes identified in annual rept of facility changes,tests & experiments,per 10CFR50.59 & change of QA Category from Category 1 to Category 2. SIEBER,J.D. Duquesne Light Co. 93/07/23. Document Control Branch (Document Control Desk). 3pp. 75974:001-75975:266.

-9308030394 Rev 11 to "Beaver Valley Power Station,Unit 1 Updated FSAR." * Duquesne Light Co. 93/01/31. 800pp. 75974:004-75975:266.

P. Operating license stage documents & correspondence

9308030352 Requests that response to encl request for addl info re change to TS to permit increase in spent fuel pool capacity be submitted within 30 days of ltr receipt. EDISON,G.E. Project Directorate I-3. 93/07/13. SIEBER,J.D. Duquesne Light Co. 5pp. 75952:101-75952:105.

9308020168 Provides notification of completion of mods implemented to address regulatory issues.Ninth refueling outage (1R9) status of outage commitments encl. SIEBER,J.D. Duquesne Light Co. 93/07/23. Document Control Branch (Document Control Desk). 6pp. 75969:355-75969:360.

9308130053 Requests that encl correspondence from util be placed in docket file 50-334 & 50-412. EDISON,G.E. Project Directorate I-3. 93/07/26. Project Directorate I-3. 1p. 76125:084-76125:089.

-9308130056 Forwards vol control tank rupture pressure calculation,per request. TONET,N.R. Duquesne Light Co. 93/07/13. EDISON,G.E. NRC - No Detailed Affiliation Given. 5pp. 76125:085-76125:089.

9308130116 Forwards request for addl info re licensee 921102 application to amend app A TS for facility. EDISON,G.E. Project Directorate I-3. 93/07/26. SIEBER,J.D. Duquesne Light Co. 4pp. 76094:276-76094:279.

9308130057 Responds to NRC 930621 GL-93-04, "Rod Control Sys Failure & Withdrawal of Rod Control Cluster Assemblies, 10CFR50.54(f)." Ltr requires licensee to provide within 45 days assessment of sys response to control rod failure. THOMAS,G.S. Duquesne Light Co. 93/08/06. Document Control Branch (Document Control Desk). 11pp. 76113:319-76113:329.

9308130077 Requests discretionary enforcement re requirements of LCO 3.6.1.3 Action Statement a.1 for period of seven days to allow repairs to be performed on inner air lock door & to perform necessary repairs on plant equipment inside CB. SIEBER,J.D. Duquesne Light Co. 93/08/11. Document Control Branch (Document Control Desk). 6pp. 76105:355-76105:360.

9308180179 Forwards nonproprietary & proprietary addl info re WCAP-13811 & WCAP-13707, "BVPS unit 1 30% SG Tube Plugging Analysis Program Engineering & Licensing Rept." Affidavit for withholding encl.Proprietary rept withheld. SIEBER,J.D. Duquesne Light Co. 93/08/11. Document Control Branch (Document Control Desk). 4pp. 76154:001-76154:225.

-9308180183 Request that proprietary WCAP-13707, "BVPS Unit 1 30% SG Tube Plugging Analysis Program Engineering & Licensing Rept." be withheld. LIPARULO,N.J. Westinghouse Electric Corp. 93/08/12. MURLEY,T. Office of Nuclear Reactor Regulation, Director (Post 870411). 6pp. 76154:005-76154:010.

-9308180185 Nonproprietary WCAP-13811, "BVPS Unit 1 30% SG Tube Plugging Analysis Program Engineering & Licensing Rept." GERLOWSKI,T.J. Westinghouse Electric Corp. WCAP-13811. 93/08/31. 214pp. 76154:011-76154:224.

9308190058 Forwards amends 174 & 54 to licenses DPR-66 & NPF-73, respectively & SE.Amends revises TS re containment recirculation spray sys. EDISON,G.E. Project Directorate I-3. 93/08/11. SIEBER,J.D. Duquesne Light Co. 3pp. 76151:286-76151:305.

-9308190067 Amends 174 & 54 to licenses DPR-66 & NPF-73,respectively, adding TS coverage to address failure of more subsystems than currently covered in TS. BUTLER,W.R. Project Directorate I-3. 93/08/11. 14pp. 76151:289-76151:302.

-9308190101 Safety evaluation supporting amends 174 & 54 to licenses DPR-66 & NPF-73,respectively. * Office of Nuclear Reactor Regulation, Director (Post 870411). 93/08/11. 3pp. 76151:303-76151:305.

9308300306 Confirms that on 930810 NRC orally granted request to exercise discretionary enforcement of TS 3.6.1.3 action statement a.1. CALVO,J.A. Assistant Director for Region 1 Reactors. 93/08/13. SIEBER,J.D. Duquesne Light Co. 5pp. 76266:233-76266:243.

9308230308 Provides response to addl info request dtd 930726 re TS Change Request 202.Concerns re diver operations & rack decontamination during replacement of spent fuel pool storage racks discussed. THOMAS,G.S. Duquesne Light Co. 93/08/16. Document Control Branch (Document Control Desk). 3pp. 76203:332-76203:334.

9308230313 Provides response to addl info request dtd 930713 re TS Change Request 202.Concerns re heavy loads & thermal/ hydraulic parameters during replacement of spent fuel pool storage racks discussed. THOMAS,G.S. Duquesne Light Co. 93/08/16. Document Control Branch (Document Control Desk). 13pp. 76213:164-76213:176.

9308170401 Submits addl info in response to NRC 930713 request for schedule for reanalysis of several limiting LOCA or clarification justifying compliance w/requirements of 10CFR50.46(a). SIEBER,J.D. Duquesne Light Co. 93/08/17. Document Control Branch (Document Control Desk). 1p. 76136:308-76136:308.

9308270291 Forwards amends 175 & 55 to license DPR-66 & NPF-73, respectively & SE. Amends revise TS re alternate source range neutron flux monitors & allow installation of reactor core upper internals when one monitor available.
EDISON, G.E. Project Directorate I-3. 93/08/20. SIEBER, J.D. Duquesne Light Co. 3pp. 76248:239-76248:261.

-9308270298 Amends 175 & 55 to licenses DPR-66 & NPF-73, respectively, revising TS re alternate source range neutron flux monitors & allowing installation of reactor core upper internals when only one monitor open.
BUTLER, W.R. Project Directorate I-3. 93/08/20. 17pp. 76248:242-76248:258.

-9308270305 Safety evaluation supporting amends 175 & 55 to licenses DPR-66 & NPF-73, respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 93/08/20. 3pp. 76248:259-76248:261.

9308300342 Forwards "Reactor Containment Bldg ILRT, Beaver Valley Power Station, Unit 1, May 1993" rept, providing summary of ILRT conducted during ninth refueling outage & summary of results for local leakage rate tests performed since previous ILRT.
THOMAS, G.S. Duquesne Light Co. 93/08/20. Document Control Branch (Document Control Desk). 1p. 76283:238-76283:302.

-9308300343 "Reactor Containment Bldg ILRT, Beaver Valley Power Station, Unit 1, May 1993."
PATTERSON, J.S., SHILDT, G.L., FENNER, S.C. Duquesne Light Co. 93/08/10. 64pp. 76283:239-76283:302.

9308310242 Notifies NRC of proposed changes to scheduled commitments & forwards description of schedule extensions for valve testing & setting switches per Generic Ltr 89-10.
THOMAS, G.S. Duquesne Light Co. 93/08/24. Document Control Branch (Document Control Desk). 7pp. 76288:241-76288:247.

Q. Inspection reports, IE Bulletins & correspondence

9308030051 Ack receipt of 930702 ltr informing NRC of steps taken to correct violations noted in insp repts 50-334/93-09 & 50-412/93-09.
LINVILLE, J.C. Region 1 (Post 820201). 93/07/22. SIEBER, J.D. Duquesne Light Co. 3pp. 75935:235-75935:242.

9307190043 NRC Info Notice 93-057, "Software Problems Involving Digital Control Console Sys at Non-Power Reactors."
GRIMES, B.K. Division of Operating Reactor Support (Post 921004). 93/07/23. Consolidated Edison Co. of New York, Inc. 9pp. 76111:200-76111:208.

9308040093 Forwards safety insp repts 50-334/93-11 & 50-412/93-12 on 930517-21, 25-28, 0607 & 0713 & NOV. Lack of test control evident.
DURR, J.P. Region 1 (Post 820201). 93/07/28. SIEBER, J.D. Duquesne Light Co. 3pp. 75949:240-75949:252.

-9308040096 Notice of violation from insp on 930517-21, 25-28, 0607 & 0713. Violations noted: motor operated valve testing not performed in accordance w/ written test procedures.
* Region 1 (Post 820201). 93/07/28. 2pp. 75949:243-75949:244.

-9308040104 Safety insp repts 50-334/93-11 & 50-412/93-12 on 930517-21, 25-28, 0607 & 0713. Violations noted: Major areas inspected: development & implementation of licensee actions in response to GL 89-10.
BUCKLEY, M., EAPEN, P.K. Region 1 (Post 820201). 93/07/19. 8pp. 75949:245-75949:252.

9308100065 Forwards insp repts 50-334/93-13 & 50-412/93-14 on 930615-0720. Violation noted but not cited.
LINVILLE, J.C. Region 1 (Post 820201). 93/07/30. SIEBER, J.D. Duquesne Light Co. 3pp. 76025:252-76025:274.

-9308100071 Insp repts 50-334/93-13 & 50-412/93-14 on 930615-0720. No violations noted. Major areas inspected: plant operations, maintenance & surveillance, engineering, plant support & safety assessment/quality verification.
LAZARUS, W.J. Region 1 (Post 820201). 93/07/30. 20pp. 76025:255-76025:274.

9308100062 Forwards insp repts 50-334/93-14 & 50-412/93-15 on 930719-23. No violations noted.
BETTENHAUSEN, L. Region 1 (Post 820201). 93/08/02. SIEBER, J.D. Duquesne Light Co. 2pp. 76025:238-76025:250.

-9308100067 Insp repts 50-334/93-14 & 50-412/93-15 on 930719-23. No violations noted. Major areas inspected: licensee corrective actions taken to address NRC insp findings re fire loading calculations.
FINKE, A., BLUMBERG, N.J. Region 1 (Post 820201). 93/07/30. 2pp. 76025:240-76025:250.

9308130061 Forwards revised response to NRC Bulletin 93-002, "Debris Plugging of Emergency Core Cooling Suction Strainers." Response corrects volumes of fibrous air filter in Units 1 & 2 containments.
SIEBER, J.D. Duquesne Light Co. 93/08/06. Document Control Branch (Document Control Desk). 7pp. 76113:348-76113:354.

9308170018 Forwards insp repts 50-334/93-15 & 50-412/93-16 on 930726-30. One non-cited violation identified.
JOYNER, J.H. Region 1 (Post 820201). 93/08/06. SIEBER, J.D. Duquesne Light Co. 3pp. 76108:071-76108:082.

-9308170020 Insp repts 50-334/93-15 & 50-412/93-16 on 930726-30. No violations noted. Major areas inspected: transportation of radioactive mats, radwaste processing, staffing levels, staff qualifications, training & quality assurance.
NICK, J., PASCIAK, W. Region 1 (Post 820201). 93/08/06. 9pp. 76108:074-76108:082.

9308160194 Responds to violation & deviation noted in Insp Repts 50-334/93-12 & 50-412/93-13, respectively. Corrective actions: correct rev of Unit 1 heat-up curve immediately placed on RO console & Plant Problem Rept (2-93-027) written.
SIEBER, J.D. Duquesne Light Co. 93/08/10. Document Control Branch (Document Control Desk). 4pp. 76143:303-76143:306.

9308170209 Confirms SBO implementation insp on 930830-0903. SBO document listed.
DURR, J.P. Region 1 (Post 820201). 93/08/11. SIEBER, J.D. Duquesne Light Co. 3pp. 76110:314-76110:316.

9308310120 Forwards insp repts 50-334/93-17 & 50-412/93-18 on 930809-13. No violations noted.
JOYNER, J.H. Region 1 (Post 820201). 93/08/20. SIEBER, J.D. Duquesne Light Co. 3pp. 76264:105-76264:117.

-9308310125 Insp repts 50-334/93-17 & 50-412/93-18 on 930809-13. No violations noted. Major areas inspected: mgt controls, audits, calibration of effluent & process radiation monitoring sys, air cleaning sys & implementation of above programs.
JANG, J.C., BÖRES, R.J. Region 1 (Post 820201). 93/08/19. 10pp. 76264:108-76264:117.

R. Periodic operating reports & related correspondence

9308050128 NPDES Discharge Monitoring Repts for June 1993 for Beaver Valley Power Station, Units 1 & 2. W/930721 ltr.
SPOERRY, D.E. Duquesne Light Co. 93/06/30. 39pp. 76022:252-76022:290.

9308100276 Monthly operating repts for Jul 1993 for Beaver Valley Power Station Units 1 & 2. W/930806 ltr.
JONES, D.T., SPOERRY, D.E. Duquesne Light Co. 93/07/31. 9pp. 76065:317-76065:325.

9308250394 "NPDES Discharge Monitoring Rept for Jul 1993 for Beaver Valley Power Station, Units 1 & 2." W/930820 ltr.
DULICK, A.M., SPOERRY, D.E. Duquesne Light Co. 93/07/31. 36pp. 76221:308-76221:343.

9308300357 Forwards fitness-for-duty program six month rept for period Jan-June 1993.
SIEBER, J.D. Duquesne Light Co. 93/08/23. Document Control Branch (Document Control Desk). 4pp. 76284:162-76284:165.

S. Reportable occurrences, LERs & related correspondence

9308120291 Summary of operating reactors events meeting 93-23 on 930623.
CHAFFEE, A.E. Events Assessment Branch. 93/07/06. GRIMES, B.K. Division of Operating Reactor Support (Post 921004). 16pp. 76085:245-76085:260.

9308030149 Interim Part 21 rept re decreases in MOV motor starting torques resulting from increasing motor temp. Valves mfg by Limitorque Corp. Mfg in process of revising recommended torque degradation calculation at degraded voltage.
SIEBER, J.D. Duquesne Light Co. 93/07/23. Document Control Branch (Document Control Desk). 2pp. 75975:346-75975:347.

9308050126 LER 93-012-00 on 930702, discovered that Hydrogen Analyzer inoperable during quarterly performance of calibration procedure. Test personnel contributed to cause of event. Test & calibration procedures will be revised. W/930730 ltr.
FREELAND, L.R. Duquesne Light Co. 93/07/30. 8pp. 76059:061-76059:068.

DOCKET 50-335 ST. LUCIE PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9308030289 Forwards encl 8 to SECY 93-166, which describes proposed characteristics of design basis vehicle. W/o encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 93/07/15. GOLDBERG, J.H. Florida Power & Light Co. 2pp. 75950:344-75950:345.

9308050028 Forwards insp repts 50-335/93-16 & 50-389/93-16 on 930621-25. No violations or deviations identified.
CLINE, W.E. Region 2 (Post 820201). 93/07/22. GOLDBERG, J.H. Florida Power & Light Co. 4pp. 75971:215-75971:242.

-9308050035 Insp repts 50-335/93-16 & 50-389/93-16 on 930621-25. No violations noted. Major areas inspected: observations & evaluation of annual emergency preparedness exercise conducted on 930623 between local & State ER organizations.
KREH, J.L., BARR, K.P. Region 2 (Post 820201). 93/07/21. 24pp. 75971:219-75971:242.

9308120087 Rev 22 to EPIP 3100022E, "Classification of Emergencies." W/ undated ltr.
SAGER, D.A. Florida Power & Light Co. 93/07/26. 25pp. 76119:331-76119:355.

9308090242 Rev 24 to Radiological Emergency Plan for St Lucie Plant. W/ 930803 ltr.
SAGER, D.A. Florida Power & Light Co. 93/08/03. 8pp. 76062:273-76062:281.

9308310087 Discusses review of rev 23 to radiological emergency plan for plant. Changes approved.
CLINE, W.E. Region 2 (Post 820201). 93/08/03. GOLDBERG, J.H. Florida Power & Light Co. 3pp. 76263:351-76263:353.

9308120260 Ack receipt of 930721 ltr transmitting Rev 9 to St Lucie safeguards contingency plan. Changes consistent w/provisions of 10CFR50.54(p) & acceptable.
COLLINS, D.M. Region 2 (Post 820201). 93/08/06. GOLDBERG, J.H. Florida Power & Light Co. 3pp. 76104:300-76104:302.

9308130169 Rev 9 to EPIP HP-203, "Personnel Access Control During Emergencies." W/930810 ltr.
SAGER, D.A., BARROW, J.H., BOISSY, J.J. Florida Power & Light Co. 93/08/10. 33pp. 76105:298-76105:330.

9308260081 Comments on Suppl to GL 86-10, "Fire Endurance Acceptance Criteria for Fire Barrier Sys Used to Separate Redundant Safe Shutdown Trains Within Same Fire Area."
BOHLKE, W.H. Florida Power & Light Co. 93/08/23. Rules & Directives Review Branch (Post 920323). 6pp. 76237:330-76237:335.

92 DOCKETED ITEMS

H. General correspondence

9308190092 Requests mod of svc lists due to organizational changes. BOHLKE, W.H. Florida Power & Light Co. 93/08/16. Document Control Branch (Document Control Desk). 1p. 76183:352-76183:352.

P. Operating license stage documents & correspondence

9308060160 Confirms 930628 telcon between J Holt & R Schin re meeting to be held in Atlanta on 930715. Purpose of meeting for util to make presentation on engineering initiatives. Proposed agenda encl. MERSCHOFF, E.W. Region 2 (Post 820201). 93/07/02. GOLDBERG, J.H. Florida Power & Light Co. 5pp. 75994:060-75994:064.

9308060171 Notification of significant meeting w/util on 930716 in Atlanta, GA re licensee presentation on engineering initiatives at FPL. LANDIS, K.D. Region 2 (Post 820201). 93/07/02. Region 2 (Post 820201). 2pp. 75994:098-75994:099.

9308040142 Forwards SE concluding that CEOG rept CEN-387-P, rev 1, "Pressurizer Surge Line Thermal Stratification Evaluation" adequately demonstrates that bounding surge line & nozzles meet ASME code stress & fatigue requirements. TRAN, L.N. Project Directorate V. 93/07/16. CONWAY, W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 75978:331-75978:338.

-9308040183 SE of CEN-387-P, Rev 0 & 1, "Pressurizer Surge Line Flow Stratification Evaluation." Rept acceptable. * Office of Nuclear Reactor Regulation, Director (Post 870411). 93/07/16. 4pp. 75978:335-75978:338.

9308060096 Notification of significant licensee meeting w/util on 930727 in Atlanta, GA to discuss plant self-assessment. LANDIS, K.D. Region 2 (Post 820201). 93/07/20. Region 2 (Post 820201). 2pp. 75993:129-75993:130.

9308060098 Confirms 930715 telcon re meeting to be held on 930727 in Atlanta, GA to discuss plant self-assessment. Proposed agenda encl. MERSCHOFF, E.W. Region 2 (Post 820201). 93/07/20. GOLDBERG, J.H. Florida Power & Light Co. 5pp. 75993:131-75993:135.

9308020154 Application for amends to Licenses DPR-67 & NPF-16, revising TS to support implementation of new stds for protection against radiation, 10CFR20.1001 through 20.2401. SAGER, D.A. Florida Power & Light Co. 93/07/23. Document Control Branch (Document Control Desk). 3pp. 75954:039-75954:079.

-9308020158 Proposed tech specs supporting implementation of new stds for protection against radiation. * Florida Power & Light Co. 93/07/23. 38pp. 75954:042-75954:079.

9308060040 Discusses radiochemical analyses of liquid samples spiked w/ beta emitting radionuclides & requests that analyses be completed as soon as practicable, but no later than 60 days from receipt of ltr. CLINE, W.E. Region 2 (Post 820201). 93/07/28. GOLDBERG, J.H. Florida Power & Light Co. 3pp. 75992:163-75992:165.

9308170416 Requests addl info re GL 92-01, rev 1 within 60 days of ltr date in order to maintain review schedule. NORRIS, J.A. Project Directorate II-2. 93/07/28. GOLDBERG, J.H. Florida Power & Light Co. 5pp. 76140:006-76140:010.

9308200062 Summary of 930720 meeting w/util in Rockville, MD re proposed resolution of three programmatic issues re GL 87-02 noted during 930406 meeting. List of attendees encl. NORRIS, J.A. Project Directorate II-2. 93/07/28. Project Directorate II-2. 4pp. 76163:356-76163:359.

9308250045 Discusses 930727 meeting w/util in Atlanta to allow util to make presentation on plant self-assessment. List of attendees & presentation summary encl. MERSCHOFF, E.W. Region 2 (Post 820201). 93/08/04. GOLDBERG, J.H. Florida Power & Light Co. 55pp. 76187:065-76187:119.

9308240191 Summary of 930728 meeting w/util in Rockville, MD re cost beneficial licensing actions. Attendance list encl. RAGHAVAN, L. NORRIS, J.A. Project Directorate II-2. 93/08/05. Project Directorate II-2. 3pp. 76183:273-76183:275.

9308160160 Provides util response to NRC 930625 request for addl info re Topical Rept NTH-TR-01, "RETRAN Model Qualification - Decrease in Heat Removal by Secondary Sys." BOHLKE, W.H. Florida Power & Light Co. 93/08/09. Document Control Branch (Document Control Desk). 2pp. 76107:356-76107:357.

9308310093 Informs that changes addressed in 930602 topical quality assurance rept have been reviewed & found acceptable. GIBSON, A.F. Region 2 (Post 820201). 93/08/11. GOLDBERG, J.H. Florida Power & Light Co. 4pp. 76263:357-76263:360.

9308300139 Requests exemption from certain requirements of 10CFR73.55, "Requirements for Physical Protection of Licensed Activities ... Against Radiological Sabotage," for Units 1 & 2. BOHLKE, W.H. Florida Power & Light Co. 93/08/18. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 4pp. 76284:155-76284:158.

9308260371 Forwards "St Lucie Nuclear Plant, Unit 1 Reactor Containment Bldg ILRT" rept, documenting results of Type A leakage rate testing & including suppl controlled leakage rate test method utilized for verification. Test completed on 930520. SAGER, D.A. Florida Power & Light Co. 93/08/23. Document Control Branch (Document Control Desk). 1p. 76247:225-76247:309.

-9308260374 "St Lucie Nuclear Plant, Unit 1 Reactor Containment Bldg ILRT" rept. HARTRANFT, K., DILLON, P.B. Ebasco Services, Inc. 93/05/20. 64pp. 76247:226-76247:309.

Q. Inspection reports, IE Bulletins & correspondence

9308040142 Forwards SE concluding that CEOG rept CEN-387-P, rev 1, "Pressurizer Surge Line Thermal Stratification Evaluation" adequately demonstrates that bounding surge line & nozzles meet ASME code stress & fatigue requirements. TRAN, L.N. Project Directorate V. 93/07/16. CONWAY, W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 75978:331-75978:338.

-9308040183 SE of CEN-387-P, Rev 0 & 1, "Pressurizer Surge Line Flow Stratification Evaluation." Rept acceptable. * Office of Nuclear Reactor Regulation, Director (Post 870411). 93/07/16. 4pp. 75978:335-75978:338.

9308050028 Forwards insp repts 50-335/93-16 & 50-389/93-16 on 930621-25. No violations or deviations identified. CLINE, W.E. Region 2 (Post 820201). 93/07/22. GOLDBERG, J.H. Florida Power & Light Co. 4pp. 75971:215-75971:242.

-9308050035 Insp repts 50-335/93-16 & 50-389/93-16 on 930621-25. No violations noted. Major areas inspected: observations & evaluation of annual emergency preparedness exercise conducted on 930623 between local & State ER organizations. KREH, J.L., BARR, K.P. Region 2 (Post 820201). 93/07/21. 24pp. 75971:219-75971:242.

9307190043 NRC Info Notice 93-057, "Software Problems Involving Digital Control Console Sys at Non-Power Reactors." GRIMES, B.K. Division of Operating Reactor Support (Post 921004). 93/07/23. Consolidated Edison Co. of New York, Inc. 9pp. 76111:200-76111:208.

9308050012 Forwards insp repts 50-335/93-15 & 50-389/93-15 on 930523-0626. No violations or deviations identified. SINKULE, M.V. Region 2 (Post 820201). 93/07/26. GOLDBERG, J.H. Florida Power & Light Co. 3pp. 75971:045-75971:069.

-9308050014 Insp repts 50-335/93-15 & 50-389/93-15 on 930523-0626. No violations noted. Major areas inspected: plant operations review, maint & surveillance observations, safety sys insp & review of special repts. ELROD, S.A., SCOTT, M.A., LANDIS, K.D. Region 2 (Post 820201). 93/07/26. 22pp. 75971:048-75971:069.

9308060325 Forwards Relief Request 13, "Repair Requirements for Class 2 Tank" for temporary non-code repair to Unit 1 RWT bottom for approval. Rev 1 to SE JPN-PSL-SEN-93-035, "Evaluation of Inventory Loss from RWT." St Lucie, Unit 1 also encl. SAGER, D.A. Florida Power & Light Co. 93/07/30. Document Control Branch (Document Control Desk). 5pp. 76037:001-76037:021.

-9308060330 Rev 1 to SE JPN-PSL-SEN-93-035, "Evaluation of Inventory Loss From RWT." * Florida Power & Light Co. JPN-PSL-SEN-93-035. 93/07/15. 16pp. 76037:006-76037:021.

9308120355 Forwards Insp Repts 50-335/93-17 & 50-389/93-17 on 930712-16. No violations or deviation noted. CLINE, W.E. Region 2 (Post 820201). 93/08/03. GOLDBERG, J.H. Florida Power & Light Co. 3pp. 76095:296-76095:315.

-9308120359 Insp Repts 50-335/93-17 & 50-389/93-17 on 930712-16. No violations or deviations noted. Major areas inspected: organization of Chemistry Dept & Radwaste Group, primary water chemistry & effluent release permits. CARRION, R.P., DECKER, T.R. Region 2 (Post 820201). 93/08/03. 17pp. 76095:299-76095:315.

9308130025 Acks response of 930720 to NOV issued on 930621 per Insp Repts 50-335/93-12 & 50-389/93-12. SINKULE, M.V. Region 2 (Post 820201). 93/08/03. GOLDBERG, J.H. Florida Power & Light Co. 2pp. 76113:356-76113:357.

R. Periodic operating reports & related correspondence

9308310229 "Combined Semiannual Radioactive Release Rept for Jan-June 1993 for St Lucie Plant, Units 1 & 2." W/930826 ltr. SAGER, D.A. Florida Power & Light Co. 93/06/30. 100pp. 76306:007-76306:131.

9308160176 Monthly operating repts for Jul 1993 for St Lucie, units 1 & 2. W/930811 ltr. WHITE, C.D., SAGER, D.A. Florida Power & Light Co. 93/07/31. 9pp. 76107:342-76107:350.

DOCKET 50-336 MILLSTONE NUCLEAR POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9308060282 Forwards encl 8 to SECY 93-166 which describes proposed characteristics of design basis vehicle. Encl withheld. PARTLOW, J.G. Associate Director for Projects (Post 870411). 93/07/15. OPEKA, J.F. Connecticut Yankee Atomic Power Co. OPEKA, J.F. Northeast Nuclear Energy Co. 4pp. 76023:291-76023:294.

9308030008 Forwards insp repts 50-245/93-16, 50-336/93-11 & 50-423/93-13 on 930519-0629 & notice of violation. BLOUGH, A.R. Region 1 (Post 820201). 93/07/22. OPEKA, J.F. Northeast Nuclear Energy Co. 5pp. 75935:003-75935:042.

-9308030015 Insp repts 50-245/93-16, 50-336/93-11 & 50-423/93-13 on 930519-0629. Violations noted. Major areas inspected: plant operations, radiological controls, maint, surveillance, security, licensee self-assessment & periodic repts. DOERFLIN, L.T. Region 1 (Post 820201). 93/07/22. 32pp. 75935:011-75935:042.

9308060373 Rev 2 to EPIP 4400, "Event Assessment, Classification & Reportability." W/ updated 4000 Series Emergency Plan Implementing/Operating Procedures index. SCACE, S. Northeast Nuclear Energy Co. 93/07/31. 66pp. 76036:206-76036:271.

G. Adjudicatory correspondence

- 9308160005** Forwards signed original of petition for director's decision for transmittal to otc of FR.
GRAY,J.R. Otc of Enforcement (Post 870413). 93/04/12. LESAR,M.T. NRC - No Detailed Affiliation Given. 1p. 76088:242-76088:242.
- 9308060347** Forwards results of ASLB proceedings re adequacy of criticality calculations performed for unit 2 license amend 158 on spent fuel pool design.
TAYLOR,J.M. Otc of the Executive Director for Operations. 93/07/23. DODD,C.J. Senate. 2pp. 76036:332-76036:346.
- 9308060361** Decision & order terminating proceeding by summary disposition.All issues raised in Contention 1 & contention itself decided in util favor.
SMITH,I.W., KELBER,C.N., KLINE,J.R. Atomic Safety & Licensing Board Panel. 93/07/09. 12pp. 76036:334-76036:346.
- 9308250244** Order.* Extends time within which Commission may on own motion grant review of ASLB order LBP-93-12,dtd 930709 until 930908.W/Certificate of Svc.Served on 930816.
CHILK,S.J. Office of the Secretary of the Commission. #393 14218. 93/08/16. Office of the General Counsel (Post 860701). 3pp. 76190:189-76190:191.
- 9308270326** Forwards petition for Directors Decision under 10CFR2.206.
GRAY,J.R. Otc of Enforcement (Post 870413). 93/08/23. LESAR,M.T. Rules & Directives Review Branch (Post 920323). 1p. 76292:120-76292:123.
- 9308270338** Notice of availability of 930802 10CFR2.206 petition for directors decision re violation of 10CFR50.7.
GRAY,J.R. Otc of Enforcement (Post 870413). 93/08/23. Northeast Nuclear Energy Co. 3pp. 76292:121-76292:123.

H. General correspondence

- 9308110297** Provides status rept on issues raised by ME Marucci re license amend.Decision & order of 930709 terminating proceeding encl.
TAYLOR,J.M. Otc of the Executive Director for Operations. 93/07/23. LIEBERMAN,J.I. Senate. 1p. 76080:261-76080:276.
- 9308110300** Requests status rept re issues raised by ME Marucci re license amend.
LIEBERMAN,J.I. Senate. 93/07/02. TAYLOR,J.M. Otc of the Executive Director for Operations. 2pp. 76080:262-76080:276.

I. Financial information

- 9308040226** Forwards estimated 1993 cash flow for Milestone,units 1,2 & 3.
GARELUCK,B.F. Northeast Utilities. 93/07/28. DINITZ,I. NRC - No Detailed Affiliation Given. 2pp. 75991:273-75991:274.

P. Operating license stage documents & correspondence

- 9308040142** Forwards SE concluding that CEOG rept CEN-387-P,rev 1, "Pressurizer Surge Line Thermal Stratification Evaluation" adequately demonstrates that bounding surge line & nozzles meet ASME code stress & fatigue requirements.
TRAN,L.N. Project Directorate V. 93/07/16. CONWAY,W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 75978:331-75978:338.
- 9308040183** SE of CEN-387-P,Rev 0 & 1, "Pressurizer Surge Line Flow Stratification Evaluation." Rept acceptable.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 93/07/16. 4pp. 75978:335-75978:338.
- 9308160366** Forwards mod requests,per 921214 renewal of NPDES Permit CT0003263 for Millstone Nuclear Power Station.W/three oversize drawings.
CHEVALIER,R.G. Northeast Utilities Service Co. 93/08/02. GRIER,J. Connecticut, State of. 96pp. 76182:250-76182:346.
- 9308110016** Discusses proposed rev to TS re addition of requirement 4.8.1.1.2.C.8.items a,b, & c, to EDG surveillance requirements section to TS section 3/4.8, "Electrical Power Sys."
OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities. 93/08/04. Document Control Branch (Document Control Desk). 4pp. 76072:348-76072:355.
- 9308110030** Proposed tech specs adding requirement 4.8.1.1.2.C.8.items a,b, & c to EDG surveillance requirements section to TS section 3/4.8, "Electrical Power Sys."
* Northeast Utilities. * Northeast Nuclear Energy Co. 93/08/04. 4pp. 76072:352-76072:355.
- 9308230093** Forwards notice of consideration of issuance of amend to license DPR-65 & proposed NSHC determination & opportunity for hearing on 930514 request to modify spent fuel storage pool.
VISSING,G.S. Project Directorate I-4. 93/08/04. OPEKA,J.F. Connecticut Yankee Atomic Power Co. OPEKA,J.F. Northeast Nuclear Energy Co. 3pp. 76179:308-76179:321.
- 9308230099** Notice of consideration of issuance of amend to license DPR-65 & proposed NSHC determination & opportunity for hearing.Amend revises TS to accommodate proposed mod in Region C of spent fuel storage pool.
VISSING,G.S. Project Directorate I-4. 93/08/04. 11pp. 76179:311-76179:321.
- 9308120058** Forwards Quality Svcs Dept Audit Rept A30213, "MOV Program Assessment,Millstone Station," per GL 89-10.Independent self-assessment performed on MOV program identified numerous strengths & weaknesses.
OPEKA,J.F. SCACE,S.E. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities. 93/08/06. MARTIN,T.T. Region 1 (Post 820201). 3pp. 76095:001-76095:114.
- 9308120063** "MOV Program Assessment,Millstone Station."
* Northeast Nuclear Energy Co. A30213. 93/07/30. 100pp. 76095:004-76095:114.
- 9308160205** Forwards summary of addl substantive changes to Program Enhancement Program (PEP),per 920604 transmittal of Phase II Completion Rept for util PEP.
OPEKA,J.F. Connecticut Yankee Atomic Power Co. OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities. 93/08/10. WIGGINS,J.T. Region 1 (Post 820201). 8pp. 76143:216-76143:223.

- 9308260102** Requests for addl info to complete review re pressure/temp limit curves.
VISSING,G.S. Project Directorate I-4. 93/08/10. OPEKA,J.F. Connecticut Yankee Atomic Power Co. OPEKA,J.F. Northeast Nuclear Energy Co. 4pp. 76217:238-76217:241.

- 9308260283** Notices of change in level of approval required by utils for personnel to exceed specific provisions of overtime controls,per TS 6.2.2.g & GL 82-12.
OPEKA,J.F. Connecticut Yankee Atomic Power Co. OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities. 93/08/20. Document Control Branch (Document Control Desk). 4pp. 76258:345-76258:348.

Q. Inspection reports, IE Bulletins & correspondence

- 9308040142** Forwards SE concluding that CEOG rept CEN-387-P,rev 1, "Pressurizer Surge Line Thermal Stratification Evaluation" adequately demonstrates that bounding surge line & nozzles meet ASME code stress & fatigue requirements.
TRAN,L.N. Project Directorate V. 93/07/16. CONWAY,W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 75978:331-75978:338.
- 9308040183** SE of CEN-387-P,Rev 0 & 1, "Pressurizer Surge Line Flow Stratification Evaluation." Rept acceptable.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 93/07/16. 4pp. 75978:335-75978:338.
- 9308030008** Forwards insp repts 50-245/93-16,50-336/93-11 & 50-423/93-13 on 930519-0629 & notice of violation.
BLOUGH,A.R. Region 1 (Post 820201). 93/07/22. OPEKA,J.F. Northeast Nuclear Energy Co. 5pp. 75935:003-75935:042.
- 9308030010** Notice of violation from insp on 930519-0629.Violation noted:during performance of Procedure SP-2404AW sample canister isolation valves on monitor RM-6038 were closed by instrumentation & controls personnel.
* Region 1 (Post 820201). 93/07/22. 3pp. 75935:008-75935:010.
- 9308030015** Insp repts 50-245/93-16,50-336/93-11 & 50-423/93-13 on 930519-0629.Violations noted.Major areas inspected:plant operations,radiological controls,maint,surveillance, security,licensee self-assessment & periodic repts.
DOERFLIEN,L.T. Region 1 (Post 820201). 93/07/22. 32pp. 75935:011-75935:042.
- 9307190043** NRC Info Notice 93-057, "Software Problems Involving Digital Control Console Sys at Non-Power Reactors."
GRIMES,B.K. Division of Operating Reactor Support (Post 921004). 93/07/23. Consolidated Edison Co. of New York, Inc. 9pp. 76111:200-76111:208.
- 9308040056** Responds to NRC 930625 ltr re violations noted in insp rept 50-336/93-81 on 930314-0402.Corrective actions:developed lessons learned presentation.
OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities. 93/07/26. Document Control Branch (Document Control Desk). 6pp. 76009:349-76009:354.
- 9308160042** Notification of significant licensee meeting 93-106 on on 930824 in Waterford,CT to discuss plant SALP.
DOERFLIEN,L.T. Region 1 (Post 820201). 93/08/10. Region 1 (Post 820201). 3pp. 76089:009-76089:011.
- 9308230240** Concludes that escalated action for util failure to take prompt C/A in response to partial loss of normal electrical power & SFP draindown event on 920706 not warranted,per review of mail presented at 930622 enforcement conference.
HODGES,M.W. Region 1 (Post 820201). 93/08/17. OPEKA,J.F. Northeast Nuclear Energy Co. 5pp. 76204:048-76204:097.
- 9308300359** Forwards schedule for resolution of 13 unresolved items noted in Electrical Distribution Sys Functional Insp Rept 50-336/93-81 on 930315-0402.
OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities. 93/08/24. Document Control Branch (Document Control Desk). 4pp. 76283:315-76283:318.

R. Periodic operating reports & related correspondence

- 9308160242** Forwards monthly operating rept for Jul 1993 for Millstone, unit 2 & revised rept for June 1993.
HAYNES,H.F., SCACE,S.E. Northeast Nuclear Energy Co. HAYNES,H.F. Northeast Utilities. 93/08/10. Document Control Branch (Document Control Desk). 1p. 76141:251-76141:256.
- 9308160246** Revised monthly operating rept for June 1992 for Millstone, unit 2.
DOBOE,S. Northeast Nuclear Energy Co. 93/06/30. 1p. 76141:252-76141:252.
- 9308160248** Monthly operating rept for Jul 1993 for Millstone,unit 2.
DOBOE,S. Northeast Nuclear Energy Co. 93/07/31. 4pp. 76141:253-76141:256.

S. Reportable occurrences, LERs & related correspondence

- 9308030372** Potential Part 21 rept re Limitorque actuator motors.Utilis & other purchases listed in encl being advised of concern. Limitorque revising selection procedure for safety related actuators,motors & technical data packages.
TAYLOR,J.H. Babcock & Wilcox Co. 93/07/22. Document Control Branch (Document Control Desk). 8pp. 75976:349-75976:356.
- 9308030024** LER 93-012-01:on 930524,turbine & reactor tripped during mussel cook (thermal backwash) due to lack of heat removal capabilities from main generator stator water cooling sys. Installed thermoconductivity filler.W/930723 ltr.
HOAGLAND,Z., HAYNES,H.F. Northeast Nuclear Energy Co. HAYNES,H.F. Northeast Utilities. 93/07/23. 6pp. 76022:006-76022:011.
- 9308100003** LER 93-017-00:on 930701,possible inoperability of power operated relief valve blocking valves caused by original design basis.Changed designs & performed tests.W/930803 ltr.
NICHOLS,D.L., SCACE,S.E. Northeast Nuclear Energy Co. SCACE,S.E. Northeast Utilities. 93/08/03. 5pp. 76091:085-76091:089.

94 DOCKETED ITEMS

9308170417 Update to 900827 rept of substantial safety hazard re GE Custom 8000 horizontal induction motors, reported per 10CFR21 for Unit 3. Util has determined, as part of review of IN 91-007 that sub) GE motors also used at Units 1 & 2. OPEKA, J.F., ROMBERG, W.D. Northeast Nuclear Energy Co. OPEKA, J.F. Northeast Utilities. 93/08/11. Document Control Branch (Document Control Desk). 3pp. 76137:281-76137:283.

9308180109 LER 93-014-00: on 930714, discovered surveillances procedures had not been performed within specified time intervals due to insufficient planning. Missed surveillances immediately performed. W/930813 ltr. CRISCONE, J.L., SCACE, S.E. Northeast Nuclear Energy Co. SCACE, S.E. Northeast Utilities. 93/08/13. 4pp. 76177:040-76177:043.

U. Congressional/Executive Correspondence

9308060347 Forwards results of ASLB proceedings re adequacy of criticality calculations performed for unit 2 license amend 158 on spent fuel pool design. TAYLOR, J.M. Ofc of the Executive Director for Operations. 93/07/23. DODD, C.J. Senate. 2pp. 76036:332-76036:346.

-9308060361 Decision & order terminating proceeding by summary disposition. All issues raised in Contention 1 & contention itself decided in util favor. SMITH, I.W., KELBER, C.N., KLINE, J.R. Atomic Safety & Licensing Board Panel. 93/07/09. 12pp. 76036:334-76036:346.

V. Operator Examinations

9308190061 Informs that per 930809 telcon, arrangements made for administration of RO initial licensing exams & requalification retake exam at facility during wk of 931213. Advises that encl ref matts needed by 930927. MEYER, G.W. Region 1 (Post 820201). 93/08/11. OPEKA, J.F. Northeast Nuclear Energy Co. 4pp. 76161:349-76161:352.

DOCKET 50-338 NORTH ANNA POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9308030284 Forwards encl 8 to SECY 93-166, which describes proposed characteristics of design basis vehicle. W/o encl. PARTLOW, J.G. Associate Director for Projects (Post 870411). 93/07/15. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 2pp. 75950:342-75950:343.

9308050127 Informs that plant emergency plan revs meet planning stds of 10CFR50.47(b), table B-1 of NUREG-0654 & acceptable. CLINE, W.E. Region 2 (Post 820201). 93/07/22. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 3pp. 75972:261-75972:263.

9308120062 Forwards "Environ Assessment & Finding of No Significant Impact" re 930618 request for one-time exemption from requirements of 10CFR50, app E, section IV.F.2. ENGLE, L.B. Project Directorate II-2. 93/07/23. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 2pp. 76087:191-76087:196.

-9308120068 Environmental assessment & finding of no significant impact re proposed exemption allowing temporary relief from requirements of 10CFR50, app E, section IV.F.2. BUCKLEY, B.C. Project Directorate II-2. 93/07/23. 4pp. 76087:193-76087:196.

9308060352 Revised EIPs, including Rev 23 to EIP-1.01, "Emergency Manager Controlling Procedure," Rev 8 to EIP-4.25, "Liquid Effluent Sampling During Emergency" & Rev 3 to EIP-4.32, "Dose Assessment Team...Mimic Computer." W/930802 ltr. BOWLING, M.L. Virginia Power (Virginia Electric & Power Co.). 93/08/02. 94pp. 76026:101-76026:194.

9308200152 Confirms plans to escort five representatives of GOSATOMNADZOR of Russia on visit to plant on 930916-17 re implementation of EOPs & training of reactor operators in use of EOPs. BERKOW, H. Project Directorate IV-2. 93/08/04. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 5pp. 76164:162-76164:166.

9308270220 Provides results of review of Rev 14 to emergency plan. Concludes that one EAL changes reduced effectiveness of EAL by deletion of indicator to assist CR operators in determining in emergency should be declared. CLINE, W.E. Region 2 (Post 820201). 93/08/09. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 4pp. 76291:355-76291:358.

9308310153 Forwards insp repts 50-338/93-22 & 50-339/93-22 on 930726-30. No violations noted. COLLINS, D.M. Region 2 (Post 820201). 93/08/11. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 3pp. 76264:220-76264:223.

-9308310161 Partially withheld in repts 50-338/93-22 & 50-339/93-22 on 930726-30. Details withheld ref 10CFR73.1. Major areas inspected: physical security program for power reactors. STANSBERRY, W.W., MCGUIRE, D.R. Region 2 (Post 820201). 93/08/11. 1p. 76264:223-76264:223.

P. Operating license stage documents & correspondence

9308120050 Forwards responses to NUREG-1465, per request. ADER, C. Division of Safety Issue Resolution (Post 880717). 93/07/22. Document Control Branch (Document Control Desk). 2pp. 76087:093-76087:137.

-9308120111 Provides comments on draft NUREG-1465, "Accident Source Terms for Light Water Nuclear Power Plants." STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 92/11/10. Docketing & Services Branch. 1p. 76087:134-76087:134.

9308120062 Forwards "Environ Assessment & Finding of No Significant Impact" re 930618 request for one-time exemption from requirements of 10CFR50, app E, section IV.F.2. ENGLE, L.B. Project Directorate II-2. 93/07/23. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 2pp. 76087:191-76087:196.

-9308120068 Environmental assessment & finding of no significant impact re proposed exemption allowing temporary relief from requirements of 10CFR50, app E, section IV.F.2. BUCKLEY, B.C. Project Directorate II-2. 93/07/23. 4pp. 76087:193-76087:196.

9308030186 Discusses suppl info re proposed changes revising current TS requirements per high head safety injection sys flow balance testing. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 93/07/28. Document Control Branch (Document Control Desk). 48pp. 75979:311-75979:313.

9308030401 Forwards updated "Operational QA Program Topical Rept, VEP 1-5A." Update reflects that Chapter 17 of facilities UFSAR will be used to distribute Operational QA Program Topical Rept VEP 1-5A. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 93/07/28. Document Control Branch (Document Control Desk). 3pp. 75983:276-75983:283.

9308050114 Requests that liquid samples spiked w/beta emitting radionuclides recently forwarded to facility for radiochemical analyses be completed as soon as practicable. CLINE, W.E. Region 2 (Post 820201). 93/07/28. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 3pp. 75972:214-75972:216.

9308030118 Forwards revised pages for preface, event trees in Chapter 3 & event trees in App B for NAPS, units 1 & 2 IPE, per generic ltr 88-20. BOWLING, M.L. Virginia Power (Virginia Electric & Power Co.). 93/07/29. Document Control Branch (Document Control Desk). 62pp. 75996:031-75996:094.

9308190027 Informs that addl info needed to continue review of licensee 920629 submittal re GL 92-01. ENGLE, L.B. Project Directorate II-2. 93/07/29. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 5pp. 76151:225-76151:229.

9308060365 Provides description & justification for temporary exemption from requirements of GDC-2 for Units 1 & 2 re svc water sys restoration project, Phase 1, Stage 4. W/2 oversize drawings. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 93/07/30. Document Control Branch (Document Control Desk). 43pp. 76083:001-76083:231.

-9308060367 "SE 93-SE-OT-061, Phase I, Stage 4, Svc Water Sys Restoration Project, North Anna Power Station Units 1 & 2." * Virginia Power (Virginia Electric & Power Co.). 93/07/30. 31pp. 76083:045-76083:075.

-9308060372 Rev 4 to "Loss of Svc Water." * Virginia Power (Virginia Electric & Power Co.). 93/05/19. 49pp. 76083:076-76083:231.

9308200152 Confirms plans to escort five representatives of GOSATOMNADZOR of Russia on visit to plant on 930916-17 re implementation of EOPs & training of reactor operators in use of EOPs. BERKOW, H. Project Directorate IV-2. 93/08/04. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 5pp. 76164:162-76164:166.

9308240108 Forwards amends 171 & 151 to licenses NPF-4 & NPF-7 & safety evaluation. Amends revise TS requirements pertaining to high head safety injection flow balance tests by removing uncertainty of flow measurements. ENGLE, L.B. Project Directorate II-2. 93/08/04. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 3pp. 76183:207-76183:224.

-9308240111 Amends 171 & 151 to licenses NPF-04 & NPF-07, respectively, revising TS requirements re high head safety injection flow balance tests by removing uncertainty of flow measurements caused by instrument inaccuracies. BERKOW, H.N. Project Directorate II-2. 93/08/04. 10pp. 76183:210-76183:219.

-9308240115 Safety evaluation supporting amends 171 & 151 to licenses NPF-4 & NPF-7, respectively. * Office of Nuclear Reactor Regulation, Director (Post 870411). 93/08/04. 5pp. 76183:220-76183:224.

9308100132 Forwards response to GL 93-04, "Rod Control Sys Failure & Withdrawal of Control Rod Assemblies." STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 93/08/05. Document Control Branch (Document Control Desk). 10pp. 76078:217-76078:226.

9308230066 Notification of 930825 meeting w/util in Rockville, MD to discuss status of licensing issues on plants & power upgrade for Surry units 1 & 2. BUCKLEY, B.C. Project Directorate II-2. 93/08/05. BERKOW, H.N. Project Directorate II-2. 3pp. 76176:343-76176:345.

9308160221 Forwards "Virginia Power Sys Transient Analysis Using Version 1 of North Anna RETRAN Model," describing both updates to model & model qualification process. BOWLING, M.L. Virginia Power (Virginia Electric & Power Co.). 93/08/10. Document Control Branch (Document Control Desk). 2pp. 76127:251-76128:010.

-9308160223 "Virginia Power Sys Transient Analysis Using Version 1 of North Anna RETRAN Model." * Virginia Power (Virginia Electric & Power Co.). 93/02/28. 100pp. 76127:253-76128:010.

9308190249 Corrects statement made in 930629 suppl response to GL 87-02 re implementation of USI A-46 program. GIP methodology will be used as alternate seismic verification method, as opposed to qualification method for stated equipment. BOWLING, M.L. Virginia Power (Virginia Electric & Power Co.). 93/08/13. Document Control Branch (Document Control Desk). 2pp. 76204:016-76204:017.

9308270212 Ack receipt of 930728 request for changes in QA program requirements. Informs that request currently being reviewed & NRC will notify util of results of review at later date.

GIBSON, A.F. Region 2 (Post 820201). 93/08/19. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 3pp. 76271:337-76271:339.

Q. Inspection reports, IE Bulletins & correspondence

- 9308050038** Forwards insp repts 50-338/93-18 & 50-339/93-18 on 930509-0619 & notice of violation. Violations represent another example of undesirable trend by I&C personnel in performing activities. SINKULE, M.V. Region 2 (Post 820201). 93/07/13. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 3pp. 75971:301-75971:315.
- 9308050043** Notice of violation from insp on 930509-0619. Violation noted: hydrogen analyzer determined to be inoperable from 930209 to 0509 w/o implementing requirements of action statement. * Region 2 (Post 820201). 93/07/13. 2pp. 75971:304-75971:305.
- 9308050053** Insp repts 50-338/93-18 & 50-339/93-18 on 930509-0619. Violations noted. Major areas inspected: examinations of procedures & representative records, interviews w/personnel & observation of activities in progress. YORK, J., BELISLE, G.A. Region 2 (Post 820201). 93/07/13. 10pp. 75971:306-75971:315.
- 9308060220** Forwards licensee comments re concern expressed that insp repts 50-338/93-17 & 50-339/93-17 contained several inaccuracies & NRC evaluation & conclusions confirming some inaccuracies exist. MERSCHOFF, E.W. Region 2 (Post 820201). 93/07/15. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 13pp. 75994:216-75994:228.
- 9307190043** NRC Info Notice 93-057, "Software Problems Involving Digital Control Console Sys at Non-Power Reactors." GRIMES, B.K. Division of Operating Reactor Support (Post 921004). 93/07/23. Consolidated Edison Co. of New York, Inc. 9pp. 76111:200-76111:208.
- 9308050039** Ack receipt of 930702 ltr informing NRC of steps taken to correct violations noted in insp repts 50-338/93-14 & 50-339/93-14. SINKULE, M.V. Region 2 (Post 820201). 93/07/26. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 2pp. 75971:316-75971:317.
- 9308060012** Ack receipt of 930720 telcon requesting extension to delay response to notice of violation for insp repts 50-338/93-17 & 50-339/93-17. Extension granted. MERSCHOFF, E.W. Region 2 (Post 820201). 93/07/27. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 2pp. 75992:075-75992:076.
- 9308180084** Ack receipt of 930610 response to NRC Bulletin 93-002, "Debris Plugging of Emergency Core Cooling Suction Strainers" & requests that licensee retain any records re actions in response to bulletin. BERKOW, H.N. Project Directorate II-2. 93/07/27. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 3pp. 76143:130-76143:132.
- 9308100137** Forwards ISI program second 10-yr Relief Requests NDE-20 & SPT-12 for Unit 1 & SPT-15 for Unit 2 from requirements of ASME Section XI Code associated w/partial exams for Unit 1 & hydrostatic testing for Units 1 & 2. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 93/08/05. Document Control Branch (Document Control Desk). 26pp. 76067:255-76067:280.
- 9308240082** Forwards technical review rept re, "Tardy Licensee Actions" initiated because of delayed replacement of batteries in uninterruptible power supplies at plant. ISRAEL, S.L. Reactor Operations Analysis Branch. 93/08/05. ROSENTHAL, J.E. Reactor Operations Analysis Branch. 2pp. 76218:177-76218:193.
- 9308240165** Technical review rept, "Tardy Licensee Actions." ISRAEL, S.L. Reactor Operations Analysis Branch. 93/08/31. 13pp. 76218:179-76218:193.
- 9308250216** Forwards insp repts 50-338/93-19 & 50-339/93-19 on 930620-0717 & notice of violation. SINKULE, M.V. Region 2 (Post 820201). 93/08/05. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 3pp. 76189:090-76189:104.
- 9308250232** Notice of violation from insp on 930620-0717. Violation noted: operating procedure 1-OP-6.5.A not implemented properly, in that while performing step 5.3.4.e, operator failed to fully open EDG exhaust muffler bypass valve. * Region 2 (Post 820201). 93/08/05. 1p. 76189:093-76189:093.
- 9308250246** Insp repts 50-338/93-19 & 50-339/93-19 on 930620-0717. Violations noted. Major areas inspected: operational safety verification, maint observation, plant status & surveillance observation. YORK, J., TAYLOR, D.R., BELISLE, G.A. Region 2 (Post 820201). 93/08/04. 11pp. 76189:094-76189:104.
- 9308160172** Responds to NRC 930713 ltr re violations noted in insp repts 50-338/93-18 & 50-339/93-18 on 930509-0619. C/As: instrument technicians have been counseled on importance of completing all actions required by procedures. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 93/08/09. Document Control Branch (Document Control Desk). 5pp. 76106:357-76106:361.
- 9308310153** Forwards insp repts 50-338/93-22 & 50-339/93-22 on 930726-30. No violations noted. COLLINS, D.M. Region 2 (Post 820201). 93/08/11. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 3pp. 76264:220-76264:223.
- 9308310161** Partially withheld insp repts 50-338/93-22 & 50-339/93-22 on 930726-30. Details withheld ref 10CFR73.21. Major areas inspected: physical security program for power reactors. STANSBERRY, W.W., MCGUIRE, D.R. Region 2 (Post 820201). 93/08/11. 1p. 76264:223-76264:223.
- 9308270349** Ack receipt of 930728 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-338/93-17 & 50-339/93-17. Response meets requirements of 10CFR2.01. MERSCHOFF, E.W. Region 2 (Post 820201). 93/08/12. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 2pp. 76292:129-76292:130.
- 9308310041** Forwards summary of 930701 meeting re SALP rept, SALP presentation slides, licensee SALP response/comments dtd 930715, rev sheet & final SALP rept for period 911103-930403. EBNETER, S.D. Region 2 (Post 820201). 93/08/18. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 29pp. 76263:160-76263:218.

R. Periodic operating reports & related correspondence

- 9308170272** Monthly operating repts for Jul 1993 for NAPS, units 1 & 2. W/ 930810 ltr. KANE, G.E., BOWLING, M.L. Virginia Power (Virginia Electric & Power Co.). 93/07/31. 12pp. 76137:142-76137:153.

S. Reportable occurrences, LERs & related correspondence

- 9308030372** Potential Part 21 rept re Limitorque actuator motors. Utils & other purchases listed in encl being advised of concern. Limitorque revising selection procedure for safety related actuators, motors & technical data packages. TAYLOR, J.H. Babcock & Wilcox Co. 93/07/22. Document Control Branch (Document Control Desk). 8pp. 75976:349-75976:356.
- 9308030415** Retracts four h rept made on 930624 re 1H EDG exhaust muffler bypass valve, required to be fully open being discovered partially open. Based on engineering evaluation, EDG ability to perform safety function not affected. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 93/07/28. Document Control Branch (Document Control Desk). 2pp. 75985:040-75985:041.
- 9308100189** Special rept on 930629, seven blackout type penetration fire barriers & on 930713, six sleeve type penetration fire barriers determined to be nonfunctional. Repairs completed & fire barriers restored to functional status. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 93/08/05. Document Control Branch (Document Control Desk). 2pp. 76067:308-76067:309.

V. Operator Examinations

- 9308200152** Confirms plans to escort five representatives of GOSATOMNADZOR of Russia on visit to plant on 930916-17 re implementation of EOPs & training of reactor operators in use of EOPs. BERKOW, H. Project Directorate IV-2. 93/08/04. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 5pp. 76164:162-76164:166.

DOCKET 50-339 NORTH ANNA POWER STATION, UNIT 2**F. Security, medical, emergency & fire protection plans**

- 9308030284** Forwards encl 8 to SECY 93-166, which describes proposed characteristics of design basis vehicle. W/o encl. PARTLOW, J.G. Associate Director for Projects (Post 870411). 93/07/15. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 2pp. 75950:342-75950:343.
- 9308050127** Informs that plant emergency plan revs meet planning stds of 10CFR50.47(b), table B-1 of NUREG-0654 & acceptable. CLINE, W.E. Region 2 (Post 820201). 93/07/22. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 3pp. 75972:261-75972:263.
- 9308120062** Forwards "Environ Assessment & Finding of No Significant Impact" re 930618 request for one-time exemption from requirements of 10CFR50, app E, section IV.F.2. ENGLE, L.B. Project Directorate II-2. 93/07/23. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 2pp. 76087:191-76087:196.
- 9308120068** Environmental assessment & finding of no significant impact re proposed exemption allowing temporary relief from requirements of 10CFR50, app E, section IV.F.2. BUCKLEY, B.C. Project Directorate II-2. 93/07/23. 4pp. 76087:193-76087:196.
- 9308060352** Revised EIPs including Rev 23 to EIP-1.01, "Emergency Manager Controlling Procedure," Rev 8 to EIP-4.25, "Liquid Effluent Sampling During Emergency" & Rev 3 to EIP-4.32, "Dose Assessment Team...Mimic Computer." W/930802 ltr. BOWLING, M.L. Virginia Power (Virginia Electric & Power Co.). 93/08/02. 94pp. 76026:101-76026:194.
- 9308200152** Confirms plans to escort five representatives of GOSATOMNADZOR of Russia on visit to plant on 930916-17 re implementation of EOPs & training of reactor operators in use of EOPs. BERKOW, H. Project Directorate IV-2. 93/08/04. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 5pp. 76164:162-76164:166.
- 9308270220** Provides results of review of Rev 14 to emergency plan. Concludes that one EAL changes reduced effectiveness of EAL by deletion of indicator to assist CR operators in determining in emergency should be declared. CLINE, W.E. Region 2 (Post 820201). 93/08/09. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 4pp. 76291:355-76291:358.
- 9308310153** Forwards insp repts 50-338/93-22 & 50-339/93-22 on 930726-30. No violations noted. COLLINS, D.M. Region 2 (Post 820201). 93/08/11. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 3pp. 76264:220-76264:223.
- 9308310161** Partially withheld insp repts 50-338/93-22 & 50-339/93-22 on 930726-30. Details withheld ref 10CFR73.21. Major areas inspected: physical security program for power reactors. STANSBERRY, W.W. Region 2 (Post 820201). 93/08/11. 1p. 76264:223-76264:223.

P. Operating license stage documents & correspondence

- 9308120050** Forwards responses to NUREG-1465, per request. ADER, C. Division of Safety Issue Resolution (Post 880717). 93/07/22. Document Control Branch (Document Control Desk). 2pp. 76087:093-76087:137.
- 9308120111** Provides comments on draft NUREG-1465, "Accident Source Terms for Light Water Nuclear Power Plants." STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 92/11/10. Docketing & Services Branch. 1p. 76087:134-76087:134.

96 DOCKETED ITEMS

9308120062 Forwards "Environ Assessment & Finding of No Significant Impact" re 930618 request for one-time exemption from requirements of 10CFR50, app E, section IV.F.2.
ENGLE, L.B. Project Directorate II-2. 93/07/23. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 2pp. 76087:191-76087:196.

-9308120068 Environmental assessment & finding of no significant impact re proposed exemption allowing temporary relief from requirements of 10CFR50, app E, section IV.F.2.
BUCKLEY, B.C. Project Directorate II-2. 93/07/23. 4pp. 76087:193-76087:196.

9308030186 Discusses suppl info re proposed changes revising current TS requirements per high head safety injection sys flow balance testing.
STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 93/07/28. Document Control Branch (Document Control Desk). 3pp. 75979:311-75979:313.

9308030401 Forwards updated "Operational QA Program Topical Rept, VEP 1-5A." Update reflects that Chapter 17 of facilities UFSAR will be used to distribute Operational QA Program Topical Rept VEP 1-5A.
STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 93/07/28. Document Control Branch (Document Control Desk). 48pp. 75983:276-75983:323.

9308040197 Forwards suppl to proposed TS changes for Unit 2 re SG tube repair using laser welded sleeves per discussion w/NRC.
STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 93/07/28. Document Control Branch (Document Control Desk). 20pp. 76010:085-76010:310.

-9308040205 Proposed tech specs changes modifying TS 4.4.5 to allow laser welded sleeving in tube support plate & tube sheet regions per mfg process.
* Virginia Power (Virginia Electric & Power Co.). 93/07/28. 8pp. 76010:105-76010:113.

-9308040215 Requests withholding Proprietary WCAP-13088, Rev 2, "Westinghouse Series 44 & 51 SG Sleeving Rept, Laser Welded Sleeves," per 10CFR2.790(b)(4).
LIPARULO, N.J. Westinghouse Electric Corp. 93/07/14. MURLEY, T. Office of Nuclear Reactor Regulation, Director (Post 870411). 10pp. 76010:114-76010:123.

-9308040217 Requests withholding Proprietary WCAP-13619, Rev 1, "Specific Application of Laser Welded Sleeves for North Anna Unit 2 SG," per 10CFR2.790(b)(4).
LIPARULO, N.J. Westinghouse Electric Corp. 93/07/14. MURLEY, T. Office of Nuclear Reactor Regulation, Director (Post 870411). 25pp. 76010:124-76010:147.

-9308040222 Rev 1 to Non-Proprietary "Specific Application of Laser Welded Sleeves for North Anna Unit 2 SG."
* Westinghouse Electric Corp. WCAP-13620 R01. 93/07/31. 16pp. 76010:149-76010:165.

-9308040255 Rev 2 to Non-Proprietary "Westinghouse Series 44 & 51 SG Generic Sleeving Rept."
* Westinghouse Electric Corp. WCAP-13089 R02. 93/07/31. 150pp. 76010:166-76010:310.

9308050114 Requests that liquid samples spiked w/beta emitting radionuclides recently forwarded to facility for radiochemical analyses be completed as soon as practicable.
CLINE, W.E. Region 2 (Post 820201). 93/07/28. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 3pp. 75972:214-75972:216.

9308190027 Informs that addl info needed to continue review of licensee 920629 submittal re GL 92-01.
ENGLE, L.B. Project Directorate II-2. 93/07/29. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 5pp. 76151:225-76151:229.

9308060365 Provides description & justification for temporary exemption from requirements of GDC-2 for Units 1 & 2 re svc water sys restoration project, Phase 1, Stage 4, W/2 oversize drawings.
STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 93/07/30. Document Control Branch (Document Control Desk). 43pp. 76083:001-76083:231.

-9308060367 "SE 93-SE-OT-061, Phase I, Stage 4, Svc Water Sys Restoration Project, North Anna Power Station Units 1 & 2."
* Virginia Power (Virginia Electric & Power Co.). 93/07/30. 31pp. 76083:045-76083:075.

-9308060372 Rev 4 to "Loss of Svc Water."
* Virginia Power (Virginia Electric & Power Co.). 93/05/19. 49pp. 76083:076-76083:231.

9308200152 Confirms plans to escort five representatives of GOSATOMNADZOR of Russia on visit to plant on 930916-17 re implementation of EOPs & training of reactor operators in use of EOPs.
BERKOW, H.N. Project Directorate IV-2. 93/08/04. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 5pp. 76164:162-76164:166.

9308240108 Forwards amends 171 & 151 to licenses NPF-4 & NPF-7 & safety evaluation. Amends revise TS requirements pertaining to high head safety injection flow balance tests by removing uncertainty of flow measurements.
ENGLE, L.B. Project Directorate II-2. 93/08/04. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 3pp. 76183:207-76183:224.

-9308240111 Amends 171 & 151 to licenses NPF-04 & NPF-07, respectively, revising TS requirements re high head safety injection flow balance tests by removing uncertainty of flow measurements caused by instrument inaccuracies.
BERKOW, H.N. Project Directorate II-2. 93/08/04. 10pp. 76183:210-76183:219.

-9308240115 Safety evaluation supporting amends 171 & 151 to licenses NPF-4 & NPF-7, respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 93/08/04. 5pp. 76183:220-76183:224.

9308100132 Forwards response to GL 93-04, "Rod Control Sys Failure & Withdrawal of Control Rod Assemblies."
STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 93/08/05. Document Control Branch (Document Control Desk). 10pp. 76078:217-76078:226.

9308230066 Notification of 930825 meeting w/util in Rockville, MD to discuss status of licensing issues on plants & power upgrade for Surry units 1 & 2.
BUCKLEY, B.C. Project Directorate II-2. 93/08/05. BERKOW, H.N. Project Directorate II-2. 3pp. 76176:343-76176:345.

9308160221 Forwards "Virginia Power Sys Transient Analysis Using Version 1 of North Anna RETRAN Model," describing both updates to model & model qualification process.
BOWLING, M.L. Virginia Power (Virginia Electric & Power Co.). 93/08/10. Document Control Branch (Document Control Desk). 2pp. 76127:251-76128:010.

-9308160223 "Virginia Power Sys Transient Analysis Using Version 1 of North Anna RETRAN Model."
* Virginia Power (Virginia Electric & Power Co.). 93/02/28. 100pp. 76127:253-76128:010.

9308190249 Corrects statement made in 930629 suppl response to GL 87-02 re implementation of USI A-46 program. GIP methodology will be used as alternate seismic verification method, as opposed to qualification method for stated equipment.
BOWLING, M.L. Virginia Power (Virginia Electric & Power Co.). 93/08/13. Document Control Branch (Document Control Desk). 2pp. 76204:016-76204:017.

9308270212 Ack receipt of 930728 request for changes in QA program requirements. Informs that request currently being reviewed & NRC will notify util of results of review at later date.
GIBSON, A.F. Region 2 (Post 820201). 93/08/19. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 3pp. 76271:337-76271:339.

Q. Inspection reports, IE Bulletins & correspondence

9308050038 Forwards insp repts 50-338/93-18 & 50-339/93-18 on 930509-0619 & notice of violation. Violations represent another example of undesirable trend by I&C personnel in performing activities.
SINKULE, M.V. Region 2 (Post 820201). 93/07/13. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 3pp. 75971:301-75971:315.

-9308050053 Insp repts 50-338/93-18 & 50-339/93-18 on 930509-0619. Violations noted. Major areas inspected: examinations of procedures & representative records, interviews w/personnel & observation of activities in progress.
YORK, J., BELISLE, G.A. Region 2 (Post 820201). 93/07/13. 10pp. 75971:306-75971:315.

9308060220 Forwards licensee comments re concern expressed that insp repts 50-338/93-17 & 50-339/93-17 contained several inaccuracies & NRC evaluation & conclusions confirming some inaccuracies exist.
MERSCHOFF, E.W. Region 2 (Post 820201). 93/07/15. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 13pp. 75994:216-75994:228.

9307190043 NRC Info Notice 93-057, "Software Problems Involving Digital Control Console Sys at Non-Power Reactors."
GRIMES, B.K. Division of Operating Reactor Support (Post 921004). 93/07/23. Consolidated Edison Co. of New York, Inc. 9pp. 76111:200-76111:208.

9308050039 Ack receipt of 930702 ltr informing NRC of steps taken to correct violations noted in insp repts 50-338/93-14 & 50-339/93-14.
SINKULE, M.V. Region 2 (Post 820201). 93/07/26. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 2pp. 75971:316-75971:317.

9308060012 Ack receipt of 930720 telcon requesting extension to delay response to notice of violation for insp repts 50-338/93-17 & 50-339/93-17. Extension granted.
MERSCHOFF, E.W. Region 2 (Post 820201). 93/07/27. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 2pp. 75992:075-75992:076.

9308180084 Ack receipt of 930610 response to NRC Bulletin 93-002, "Debris Plugging of Emergency Core Cooling Suction Strainers" & requests that licensee retain any records re actions in response to bulletin.
BERKOW, H.N. Project Directorate II-2. 93/07/27. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 3pp. 76143:130-76143:132.

9308040051 Responds to NRC 930621 ltr re violations noted in insp rept 50-339/93-17. Corrective actions: enrolled individuals in extensive remedial training program.
STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 93/07/28. Document Control Branch (Document Control Desk). 8pp. 76010:311-76010:318.

9308060322 Forwards second ten yr interval relief request SPT-14 rev, replacing 930216 submission. SPT-14 revised to limit bolting removal to situations where boric acid waste could be factor.
STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 93/07/30. Document Control Branch (Document Control Desk). 4pp. 76059:254-76059:257.

9308100137 Forwards ISI program second 10-yr Relief Requests NDE-20 & SPT-12 for Unit 1 & SPT-15 for Unit 2 from requirements of ASME Section XI Code associated w/partial exams for Unit 1 & hydrostatic testing for Units 1 & 2.
STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 93/08/05. Document Control Branch (Document Control Desk). 26pp. 76067:255-76067:280.

9308250216 Forwards insp repts 50-338/93-19 & 50-339/93-19 on 930620-0717 & notice of violation.
SINKULE, M.V. Region 2 (Post 820201). 93/08/05. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 3pp. 76189:090-76189:104.

-9308250232 Notice of violation from insp on 930620-0717. Violation noted: operating procedure 1-OP-6.5.A not implemented properly in that while performing step 5.3.4.e, operator failed to fully open EDG exhaust muffler bypass valve.
* Region 2 (Post 820201). 93/03/05. 1p. 76189:093-76189:093.

-9308250246 Insp repts 50-338/93-19 & 50-339/93-19 on 930620-0717. Violations noted. Major areas inspected: operational safety verification, maint observation, plant status & surveillance observation.
YORK, J., TAYLOR, D.R., BELISLE, G.A. Region 2 (Post 820201). 93/08/04. 11pp. 76189:094-76189:104.

9308160172 Responds to NRC 930713 ltr re violations noted in insp repts 50-338/93-18 & 50-339/93-18 on 930509-0619. C/As: instrument technicians have been counseled on importance of completing all actions required by procedures.
STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 93/08/09. Document Control Branch (Document Control Desk). 5pp. 76106:357-76106:361.

9308310153 Forwards insp repts 50-338/93-22 & 50-339/93-22 on 930726-30. No violations noted.
COLLINS, D.M. Region 2 (Post 820201). 93/08/11. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 3pp. 76264:220-76264:223.

-9308310161 Partially withheld insp repts 50-338/93-22 & 50-339/93-22 on 930726-30. Details withheld ref 10CFR73.21. Major areas inspected: physical security program for power reactors.
STANSBERRY, W.W., MCGUIRE, D.R. Region 2 (Post 820201). 93/08/11. 1p. 76264:223-76264:223.

9308270349 Ack receipt of 930728 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-338/93-17 & 50-339/93-17. Response meets requirements of 10CFR2.201.
MERSCHOFF, E.W. Region 2 (Post 820201). 93/08/12. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 2pp. 76292:129-76292:130.

9308310041 Forwards summary of 930701 meeting re SALP rept, SALP presentation slides, licensee SALP response/comments dtd 930715, rev sheet & final SALP rept for period 911103-930403.
EBNETER, S.D. Region 2 (Post 820201). 93/08/18. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 29pp. 76263:160-76263:218.

R. Periodic operating reports & related correspondence

9308170272 Monthly operating repts for Jul 1993 for NAPS, units 1 & 2. W/ 930810 ltr.
KANE, G.E., BOWLING, M.L. Virginia Power (Virginia Electric & Power Co.). 93/07/31. 12pp. 76137:142-76137:153.

S. Reportable occurrences, LERs & related correspondence

9308030372 Potential Part 21 rept re Limitorque actuator motors. Utilis & other purchases listed in encl being advised of concern. Limitorque revising selection procedure for safety related actuators, motors & technical data packages.
TAYLOR, J.H., Babcock & Wilcox Co. 93/07/22. Document Control Branch (Document Control Desk). 8pp. 75976:349-75976:356.

9308100189 Special rept on 930629, seven blackout type penetration fire barriers & on 930713, six sleeve type penetration fire barriers determined to be nonfunctional. Repairs completed & fire barriers restored to functional status.
STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 93/08/05. Document Control Branch (Document Control Desk). 2pp. 76067:308-76067:309.

9308190098 LER 93-002-01 on 930416, automatic trip occurred due to malfunction in main generator voltage regulator circuitry. Performed insp of turbine/generator. W/ 930812 ltr.
KANE, G.E. Virginia Power (Virginia Electric & Power Co.). 93/08/12. 5pp. 76178:029-76178:033.

V. Operator Examinations

9308200152 Confirms plans to escort five representatives of GOSATOMNADZOR of Russia on visit to plant on 930916-17 re implementation of EOPs & training of reactor operators in use of EOPs.
BERKOW, H. Project Directorate IV-2. 93/08/04. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 5pp. 76164:162-76164:166.

DOCKET 50-341 ENRICO FERMI ATOMIC POWER PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9308040137 Forwards encl 8 to SECY 93-166 which describes proposed characteristics of design basis vehicle. Encl withheld.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 93/07/15. GIPSON, D.R. Detroit Edison Co. 2pp. 75986:353-75986:354.

9308090276 Rev 12 to RERP Plan Implementing Procedure EP-402, "Responsibilities of Recovery Organization," incorporating Change 93-1254.
TROUTEN, C.K. Detroit Edison Co. 93/07/29. 12pp. 76062:153-76062:164.

9308090110 Forwards insp rept 50-341/93-13 on 930622-0727. No violations noted. Util demonstrated excellent teamwork among various depts in response to div II control ctr HVAC makeup air supply fan failure on 930706.
PHILLIPS, M.P. Region 3 (Post 820201). 93/07/30. GIPSON, D.R. Detroit Edison Co. 3pp. 76020:282-76020:298.

-9308090113 Insp rept 50-341/93-13 on 930622-0727. No violations noted. Major areas inspected: operational safety verification, engineered safety feature sys, current condition, housekeeping & plant cleanliness, radiological controls & security.
PHILLIPS, M.P. Region 3 (Post 820201). 93/07/30. 14pp. 76020:285-76020:298.

9308160079 Forwards insp rept 50-341/93-09 on 930713-16. Licensee identified violation re failure to notify NRC within 1 h of declaring unusual event. One exercise weakness noted.
JORGENSEN, B.L. Region 3 (Post 820201). 93/08/06. GIPSON, D.R. Detroit Edison Co. 3pp. 76089:238-76089:254.

-9308160086 Insp rept 50-341/93-09 on 930713-16. Noncited violation noted. Major areas inspected: exercise scenario observations & locations during emergency preparedness exercise.
SIMONS, H., JICKLING, R., ORTH, S. Region 3 (Post 820201). 93/08/05. 14pp. 76089:241-76089:254.

9308190087 Rev 18 to EPIP EP-101, "Classification of Emergencies."
* Detroit Edison Co. 93/08/09. 11pp. 76170:227-76170:337.

9308180137 Forwards Rev 22 to Fermi 2 physical security plan, per 10CFR50.54(p)(2). Plan withheld.
GIPSON, D.R. Detroit Edison Co. 93/08/13. Document Control Branch (Document Control Desk). 1p. 76199:280-76199:280.

9308180142 Submits Rev 10 to Fermi 2 security personnel training & qualification plan, per 10CFR50.54(f)(2). Plan withheld.
GIPSON, D.R. Detroit Edison Co. 93/08/13. Document Control Branch (Document Control Desk). 1p. 76199:281-76199:281.

9308200125 Discusses insp rept 50-341/93-12 on 930524-0608 & forwards notice of violation re problem w/ Div 2 post accident monitoring sys recorder for wide range drywell pressure. Insp also found that EOPs had not been properly revised.
MARTIN, J.B. Region 3 (Post 820201). 93/08/13. GIPSON, D.R. Detroit Edison Co. 5pp. 76190:285-76190:291.

9308230014 Forwards insp rept 50-341/93-17 on 930802-10. Non-cited violations identified.
CREED, J.R. Region 3 (Post 820201). 93/08/17. GIPSON, D. Detroit Edison Co. 2pp. 76165:044-76165:056.

-9308230020 Insp rept 50-341/93-17 on 930802-10. Non-cited violations identified. Major areas inspected: physical security insp involving: alarm stations & communications, power supply, testing & maint, security training & qualification.
PIRTLE, G.L., CREED, J.R. Region 3 (Post 820201). 93/08/17. 11pp. 76165:046-76165:056.

P. Operating license stage documents & correspondence

9308170359 Summary of 930428 periodic mgt meeting in Rockville, MD to discuss recent independent verification program at facility. Attendees listed in encl.
COLBURN, T.G. Project Directorate III-1. 93/05/21. DEAN, W. Project Directorate III-1. 27pp. 76139:141-76139:167.

9308110278 Forwards request for addl info to complete review of util response to GL 92-01, rev 1.
COLBURN, T.G. Project Directorate III-1. 93/07/21. GIPSON, D.R. Detroit Edison Co. 3pp. 76064:248-76064:250.

9308120172 Requests that licensee specifically identify any Priority III HEDs which were evaluated & dispositioned differently from HEDs identified in DCRDR summary rept. Info requested within 30 days of receipt of ltr.
COLBURN, T.G. Project Directorate III-1. 93/07/22. GIPSON, D.R. Detroit Edison Co. 3pp. 76083:323-76083:325.

9308030204 Application for amend to license NPF-43, changing TS 6.8.5.e to provide proper refs to 10CFR20 as result of new section numbers.
GIPSON, D.R. Detroit Edison Co. 93/07/29. Document Control Branch (Document Control Desk). 10pp. 75976:196-75976:216.

-9308030211 Proposed tech specs 6.8.5.e, reflecting proper refs to 10CFR20.
* Detroit Edison Co. 93/07/29. 11pp. 75976:206-75976:216.

9308030421 Application for amend to License NPF-43, revising TS to extend instrument calibr intervals to 36 months for selected instrumentation, per BWROG Licensing Topical Rept NEDC-32160P, Dec 1992 GE proprietary rept encl. Rept withheld.
GIPSON, D.R. Detroit Edison Co. 93/07/29. Document Control Branch (Document Control Desk). 14pp. 75990:161-75990:192.

-9308030422 Proposed tech specs extending instrument calibr intervals to 36 months for selected instrumentation.
* Detroit Edison Co. 93/07/29. 18pp. 75990:175-75990:192.

9308060146 Application for amend to license NPF-43. Amend provides updated lab testing standard for surveillance testing of activated charcoal samples from Control Room Emergency Filtration Sys.
GIPSON, D.R. Detroit Edison Co. 93/07/29. Document Control Branch (Document Control Desk). 8pp. 76024:342-76024:352.

-9308060162 Proposed tech specs 4.6.5.3.b, 2.4.6.5.3.c for SGTS & TS 4.7.2.1.c, 2 & 4.7.2.1.d for CREFS incorporating changes for charcoal testing standards for control room emergency filtration sys & standby gas treatment sys.
* Detroit Edison Co. 93/07/29. 3pp. 76024:350-76024:352.

9308100182 Comments on NRC Regulatory Review Group on unnecessary regulations & guidance being burden to licensees. Suggests flexibility within regulations.
GIPSON, D.R. Detroit Edison Co. 93/08/03. Document Control Branch (Document Control Desk). 3pp. 76065:358-76065:360.

9308310193 Responds to NRC 930722 request for identification of any Priority III HEDs which were evaluated & dispositioned differently from HEDs identified in DCRDR summary rept & two suppl.
GIPSON, D.R. Detroit Edison Co. 93/08/27. Document Control Branch (Document Control Desk). 2pp. 76321:330-76321:331.

Q. Inspection reports, IE Bulletins & correspondence

9307190043 NRC Info Notice 93-057, "Software Problems Involving Digital Control Console Sys at Non-Power Reactors."
GRIMES, B.K. Division of Operating Reactor Support (Post 921004). 93/07/23. Consolidated Edison Co. of New York, Inc. 9pp. 76111:200-76111:208.

9308030237 Forwards response to notice of violations from Insp Rept 50-341/93-10. Corrective actions: surveillance procedure 24.139.03, did not identify acceptance criteria for TS Surveillance Requirement 4.1.5.d.2.
GIPSON, D.R. Detroit Edison Co. 93/07/28. Document Control Branch (Document Control Desk). 11pp. 75983:333-75983:343.

9308050294 Forwards response to NRC Bulletin 93-003, "Resolution of Issues Related to RV Water Level Instrumentation in BWRs."
GIPSON, D.R. Detroit Edison Co. 93/07/30. Document Control Branch (Document Control Desk). 6pp. 76018:351-76018:356.

9308090090 Forwards safety insp rept 50-341/93-15 on 930719-23. Noncited violation noted.
MCCORMICK-BARGE Region 3 (Post 820201). 93/07/30. GIPSON, D.R. Detroit Edison Co. 2pp. 76020:133-76020:144.

98 DOCKETED ITEMS

9308090092 Insp rept 50-341/93-15 on 930719-23. Noncited violation noted. Major areas inspected: chemistry program including, organization, reactor sys water QA programs, QA/QC program in lab, PASS & nonradiological confirmatory measurements. ORTH, S.K., MCCORMICK-BARGE Region 3 (Post 820201). 93/07/30. 10pp. 76020:135-76020:144.

9308090110 Forwards insp rept 50-341/93-13 on 930622-0727. No violations noted. Util demonstrated excellent teamwork among various depts in response to div II control ctr HVAC makeup air supply fan failure on 930706. PHILLIPS, M.P. Region 3 (Post 820201). 93/07/30. GIPSON, D.R. Detroit Edison Co. 3pp. 76020:282-76020:298.

9308090113 Insp rept 50-341/93-13 on 930622-0727. No violations noted. Major areas inspected: operational safety verification, engineered safety feature sys, current condition, housekeeping & plant cleanliness, radiological controls & security. PHILLIPS, M.P. Region 3 (Post 820201). 93/07/30. 14pp. 76020:285-76020:298.

9308090212 Responds to NRC 930702 ltr re violations noted in Insp Rept 50-341/93-11. Corrective actions: Administration Procedure FIP-OP1-07 developed & review of selected I&C surveillance procedures performed. GIPSON, D.R. Detroit Edison Co. 93/08/02. Document Control Branch (Document Control Desk). 18pp. 76062:237-76062:254.

9308160079 Forwards insp rept 50-341/93-09 on 930713-16. Licensee identified violation re failure to notify NRC within 1 h of declaring unusual event. One exercise weakness noted. JORGENSEN, B.L. Region 3 (Post 820201). 93/08/06. GIPSON, D.R. Detroit Edison Co. 3pp. 76089:238-76089:254.

9308160086 Insp rept 50-341/93-09 on 930713-16. Noncited violation noted. Major areas inspected: exercise scenario observations & locations during, emergency preparedness exercise. SIMONS, H., JICKLING, R., ORTH, S. Region 3 (Post 820201). 93/08/05. 14pp. 76089:241-76089:254.

9308200125 Discusses insp rept 50-341/93-12 on 930524-0608 & forwards notice of violation re problem w/Div 2 post accident monitoring sys recorder for wide range drywell pressure. Insp also found that EOPs had not been properly revised. MARTIN, J.B. Region 3 (Post 820201). 93/08/13. GIPSON, D.R. Detroit Edison Co. 5pp. 76190:285-76190:291.

9308200133 Notice of violation from insp on 930524-0608. Violation noted: two channels of wide range drywell pressure post accident monitoring instrumentation sys inoperable from 921104 until 930107. * Region 3 (Post 820201). 93/08/13. 2pp. 76190:290-76190:291.

9308230014 Forwards insp rept 50-341/93-17 on 930802-10. Non-cited violations identified. CREED, J.R. Region 3 (Post 820201). 93/08/17. GIPSON, D. Detroit Edison Co. 2pp. 76165:044-76165:056.

9308230020 Insp rept 50-341/93-17 on 930802-10. Non-cited violations identified. Major areas inspected: physical security insp involving alarm stations & communications, power supply, testing & maint, security training & qualification. FIRTLE, G.L., CREED, J.R. Region 3 (Post 820201). 93/08/17. 11pp. 76165:046-76165:056.

9308310148 Ack receipt of 930802 ltr informing NRC of steps taken to correct violations noted in insp rept 50-341/93-11. Response to unresolved item also reviewed. JORGENSEN, B.L. Region 3 (Post 820201). 93/08/24. GIPSON, D.R. Detroit Edison Co. 1p. 76264:157-76264:157.

R. Periodic operating reports & related correspondence

9308180024 Monthly operating rept for Jul 1993 for Fermi 2. W/930813 ltr. STONE, B.J., GIPSON, D.R. Detroit Edison Co. 93/07/31. 4pp. 76155:275-76155:278.

9308310188 Forwards semiannual fitness for duty rept for period Jan- June 1993. GIPSON, D.R. Detroit Edison Co. 93/08/27. Document Control Branch (Document Control Desk). 4pp. 76321:320-76321:323.

S. Reportable occurrences, LERs & related correspondence

9308310133 LER 93-009-00 on 930726, emergency equipment cooling water start during svc water temperature transient due to lack of clear labelling of control switch. Switch labelled & valve deenergized to prevent unintentional operation. W/930825 ltr. CONEN, J.E., GIPSON, D. Detroit Edison Co. 93/08/25. 5pp. 76304:098-76304:103.

V. Operator Examinations

9308030302 Informs of NRC plans to administer generic fundamentals exam section written operator licensing exam on 931006. RING, M.A. Region 3 (Post 820201). 93/07/28. Consumers Power Co. 3pp. 75983:358-75983:360.

DOCKET 50-344 TROJAN NUCLEAR PLANT

F. Security, medical, emergency & fire protection plans

9308180147 Forwards encl 8 to SECY-93-166 which describes proposed characteristics of design basis vehicle. W/o encl. WEISS, S.H. Non-Power Reactor & Decommissioning Project Directorate. 93/07/28. SHETLER, J.R. Sacramento Municipal Utility District. GRANT, J.M. Yankee Atomic Electric Co. CROSS, J.E. Portland General Electric Co. 4pp. 76143:139-76143:142.

9308040292 Responds to NRC observations of Trojan Nuclear Plant Security Plan, (defueled condition), PGE Topical Rept 1058. CROSS, J.E. Portland General Electric Co. 93/07/29. Document Control Branch (Document Control Desk). 2pp. 76028:022-76028:023.

9308060232 Rev 6 to EPIP EP-501, "Drills & Exercises." * Portland General Electric Co. 93/07/29. 31pp. 76026:215-76026:245.

9308090163 Forwards Rev 39 to security plan, PGE-1017. Rev revised provisions of plan re authority to suspend safeguards measures during emergency. Rev withheld (ref 10CFR73.21). CROSS, J.E., QUENNOZ, S.M. Portland General Electric Co. 93/08/03. Document Control Branch (Document Control Desk). 1p. 76024:353-76024:353.

9308100273 Amend 13 to PGE-1012, "Trojan Nuclear Plant Fire Protection Plan." CHERNOFF, H.K. Portland General Electric Co. PGE-1012 A 13. 93/08/04. 54pp. 76063:232-76063:283.

9308250021 Forwards "Permanently Defueled EAL Bases Document" & revised "Trojan Nuclear Plant Permanently Defueled Emergency Plan." Revis increase scope of EALS. CROSS, J.E., QUENNOZ, S.M. Portland General Electric Co. 93/08/18. Document Control Branch (Document Control Desk). 3pp. 76224:276-76224:347.

9308250026 "Permanently Defueled EAL Bases Document." * Portland General Electric Co. 93/08/31. 32pp. 76224:279-76224:312.

9308250030 Revised "Trojan Nuclear Plant Permanently Defueled Emergency Plan." * Portland General Electric Co. 93/08/31. 35pp. 76224:313-76224:347.

P. Operating license stage documents & correspondence

9308030240 Requests update of controlled copy PGE-1004, "Analysis of Pipe Sys Breaks Outside Containment." CHERNOFF, H.K. Portland General Electric Co. 93/07/27. Document Control Branch (Document Control Desk). 2pp. 75979:359-75979:360.

9308090182 License Change Application 234 to License NPF-1, proposing revised TS to reflect permanently defueled status of plant. CROSS, J.E., QUENNOZ, S.M. Portland General Electric Co. 93/07/31. Document Control Branch (Document Control Desk). 95pp. 76061:001-76061:161.

9308090185 Proposed tech specs reflecting permanently defueled status of plant. * Portland General Electric Co. 93/07/31. 68pp. 76061:096-76061:161.

9308100160 Provides response to Generic Ltr 93-04, "Rod Control Sys Failure & Withdrawal of Rod Control Cluster Assemblies." Rod control sys deenergized as part of permanent shutdown process & no longer operable. QUENNOZ, S.M. Portland General Electric Co. 93/08/04. Document Control Branch (Document Control Desk). 3pp. 76087:267-76087:269.

9308090197 Suppl 1 to License Change Application 232 to License NPF-1, removing RETS from Tech Specs, relocate to ODCM & process control program, per Generic Ltr 89-01. CROSS, J.E. Portland General Electric Co. 93/08/05. Document Control Branch (Document Control Desk). 5pp. 76062:212-76062:217.

9308090205 Proposed tech specs re RETS, per Generic Ltr 89-01. * Portland General Electric Co. 93/08/05. 1p. 76062:217-76062:217.

9308090227 Forwards App A to "Seismic Margin Earthquake Study for Trojan Site." CROSS, J.E. Portland General Electric Co. 93/08/05. Document Control Branch (Document Control Desk). 1p. 76062:001-76062:036.

9308090230 App A to "Seismic Margin Earthquake Study for Trojan Site." * Portland General Electric Co. 93/08/05. 35pp. 76062:002-76062:036.

9308240054 Notices of 930812 meeting w/util in Rockville, MD for presentation on plant decommissioned TS. MASNIK, M.T. Non-Power Reactor & Decommissioning Project Directorate. 93/08/06. MURLEY, T., MIRAGLIA, F., RUSSELL, W. NRC - No Detailed Affiliation Given. 4pp. 76199:340-76199:343.

9308160186 Provides response to NRC ltr dtd 930625 re implementation of training rule 10CFR50.120 & request for exemption from 10CFR50.120. CROSS, J.E. Portland General Electric Co. 93/08/10. Document Control Branch (Document Control Desk). 9pp. 76143:294-76143:302.

9308300154 Forwards initial series of preliminary proposals involving various reactor plant component aging studies which staff would like to conduct at plant. Requests meeting w/util on 930901 to discuss feasibility of performing studies. MASNIK, M.T. Non-Power Reactors, Decommissioning & Environmental Proj. Dir. (920517-921003). 93/08/13. CROSS, J.E. Portland General Electric Co. 27pp. 76266:148-76266:175.

9308240217 Notification of 930901 mtg w/util & state of OR in Rainier, OR to discuss proposed studies of plant sys at plant. MASNIK, M.T. Non-Power Reactor & Decommissioning Project Directorate. 93/08/16. WEISS, S.H. Non-Power Reactor & Decommissioning Project Directorate. 4pp. 76210:267-76210:270.

Q. Inspection reports, IE Bulletins & correspondence

9308030080 Ack receipt of 930614 ltr informing NRC of steps taken to correct violations noted in insp rept 50-344/93-06. VANDENBURGH, C.A. Region 5 (Post 820201). 93/07/20. CROSS, J.E. Portland General Electric Co. 2pp. 75935:335-75935:339.

9307190043 NRC Info Notice 93-057, "Software Problems Involving Digital Control Console Sys at Non-Power Reactors." GRIMES, B.K. Division of Operating Reactor Support (Post 921004). 93/07/23. Consolidated Edison Co. of New York, Inc. 9pp. 76111:200-76111:208.

9308160155 Forwards insp rept 50-344/93-09 on 930601-0705. No violations noted. VANDENBURGH, C. Region 5 (Post 820201). 93/07/27. CROSS, J.E. Portland General Electric Co. 3pp. 76090:105-76090:117.

9308160156 Insp rept 50-344/93-09 on 930601-0705. No violations noted. Major areas inspected: resident insp of operational safety verification, maint, surveillance & followup of previously identified items. JOHNSON, P.H. Region 5 (Post 820201). 93/07/27. 10pp. 76090:108-76090:117.

9308240082 Forwards technical review rept re, "Tardy Licensee Actions" initiated because of delayed replacement of batteries in uninterruptible power supplies at plant. ISRAEL,S.L. Reactor Operations Analysis Branch. 93/08/05. ROSENTHAL,J.E. Reactor Operations Analysis Branch. 2pp. 76218:177-76218:193.

-9308240165 Technical review rept, "Tardy Licensee Actions." ISRAEL,S.L. Reactor Operations Analysis Branch. 93/08/31. 13pp. 76218:179-76218:193.

9308240024 Forwards Insp Rept 50-344/93-10 on 930706-08.No violations noted. REESE,J.H. Region 5 (Post 820201). 93/08/12. CROSS,J.E. Portland General Electric Co. 3pp. 76207:339-76207:347.

-9308240027 Insp rept 50-344/93-10 on 930706-08.No violations noted. Major areas inspected:chemistry & radiation protection program organization & staffing & solid rad-waste storage. CHANEY,H., REESE,J.H. Region 5 (Post 820201). 93/08/12. 6pp. 76207:342-76207:347.

9308300277 Forwards comments on Info Notice 93-025, "Electrical Penetration Assembly Degradation" for clarification. CROSS,J.E. Portland General Electric Co. 93/08/18. Document Control Branch (Document Control Desk). 4pp. 76278:358-76278:361.

R. Periodic operating reports & related correspondence

9308130082 Monthly operating rept for Jul 1993 for TNP.W/930809 ltr. HUGO,B.R., QUENNOZ,S.M. Portland General Electric Co. 93/07/31. 5pp. 76120:355-76120:359.

9308310282 Forwards fitness for duty program performance data rept for period Jan-June 1993. CROSS,J.E. Portland General Electric Co. 93/08/26. Document Control Branch (Document Control Desk). 4pp. 76307:312-76307:315.

S. Reportable occurrences, LERs & related correspondence

9308030372 Potential Part 21 rept re Limitorque actuator motors.Utilis & other purchases listed in encl being advised of concern. Limitorque revising selection procedure for safety related actuators,motors & technical data packages. TAYLOR,J.H. Babcock & Wilcox Co. 93/07/22. Document Control Branch (Document Control Desk). 8pp. 75976:349-75976:356.

DOCKET 50-346 DAVIS-BESSE NUCLEAR POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9308030300 Forwards encl 8 to SECY 93-166,which describes proposed characteristics of design basis vehicle.W/o encl. PARTLOW,J.G. Associate Director for Projects (Post 870411). 93/07/15. STORZ,L.F. Centenor Service Co. STORZ,L.F. Toledo Edison Co. 2pp. 75950:350-75950:351.

9308130129 Change C93-1696 to Rev 4 to EPIP HS-EP-02260, "Radiological Controls in DBAB." BORLAND,I.M. Toledo Edison Co. 93/07/28. 23pp. 76113:048-76113:070.

9308260351 Rev 3 to Emergency Plan Off Normal (EPON) Occurrence Procedure HS-EP-02820, "Earthquake." W/Rev 23 to EPON occurrence procedures manual table of contents. GORDON,D.J. Centenor Energy. 93/08/08. 15pp. 76237:224-76237:238.

H. General correspondence

9308020147 Comment on proposed rules 10CFR170 & 171, "FY91 & 92 Proposed Rule Implementing US Court of Appeals Decision & Rev of Fee Schedules;100% Fee Recovery.FY93." STORZ,L.F. Centenor Energy. 93/07/19. CHILK,S.J. Office of the Secretary of the Commission. 4pp. 75921:283-75921:286.

M. Antitrust correspondence

9308110131 Memorandum.* Informs parties that time provided by Commission regulations to act on pending petitions for review of Board Order LBP-92-32 expired.Petitions,therefore, deemed denied.W/Certificate of Svc.Served on 930804. CHILK,S.J. Office of the Secretary of the Commission. #393 14182. 93/08/04. 3pp. 76058:075-76058:077.

P. Operating license stage documents & correspondence

9308120288 Submits daily highlight re forthcoming meeting w/util on 930729 in Rockville,MD to discuss plant response to GL 90-06 on PORV TS. HOPKINS,J.B. Project Directorate III-3. 93/07/22. MURLEY,T., MIRAGLIA,F., RUSSELL,W. NRC - No Detailed Affiliation Given. 3pp. 76085:242-76085:244.

9308130028 Summary of 930630 licensee counterparts meeting at util corporate ofc re dry cask storage of spent fuel,SALP & other listed topics. HANNON,J.N. Project Directorate III-3. 93/07/22. Project Directorate III-3. 200pp. 76133:001-76133:202.

9308060150 Provides comments on regulatory review group rept.Util strongly supports NRC & industry efforts to identify & eliminate regulatory requirements & commitments that are economically burdensome yet provide little safety value. STORZ,L.F. Centenor Energy. 93/07/29. GILLESPIE,F.P. Office of Nuclear Reactor Regulation, Director (Post 870411). 3pp. 76034:358-76034:361.

9308200258 Summary of 930729 meeting w/util in Rockville,MD re response to GL 90-06 involving TS for PORV,List of attendees & handouts encl. HOPKINS,J.B. Project Directorate III-3. 93/08/03. Project Directorate III-3. 22pp. 76178:176-76178:198.

9308110124 Requests review & approval of proposed changes to QA program as described in Unit 1 USAR.Lists structure currently in place w/exception of changes identified by TOED as reducing commitments currently contained in USAR,Chapter 17.2. STORZ,L.F. Centenor Energy. 93/08/05. Document Control Branch (Document Control Desk). 32pp. 76071:311-76071:342.

9308170235 Provides suppl info addressing issues in areas of quality assessment section responsibilities,quality svcs section responsibilities & independent safety engineering reporting structure.supporting review of 930805 changes to QA program. STORZ,L.F. Centenor Energy. 93/08/10. Document Control Branch (Document Control Desk). 16pp. 76137:113-76137:128.

9308200170 Responds to GL 89-19 "Request for Action Related to Resolution of Unresolved Safety Issue A-47" re safety implication of control sys in LWR nuclear power plants. STORZ,L.F. Centenor Energy. 93/08/12. Document Control Branch (Document Control Desk). 3pp. 76190:358-76190:360.

9308190018 Advises that 930709 changes to QA program description continue to meet requirements of 10CFR50,App B & acceptable. MARTIN,T.O. Region 3 (Post 820201). 93/08/13. STORZ,L.R. Centenor Energy. 2pp. 76160:329-76160:330.

9308310154 Provides written confirmation of util electronic transfer of listed payment of Invoice XT054893 for NRC fees for review of Part 50 applications for period 921227-930320. STORZ,L.F. Centenor Energy. 93/08/23. Division of Accounting & Finance (Post 890205). 1p. 76307:310-76307:310.

9308310168 Informs of plans for expanding on-site spent fuel storage capacity at plant & util recently contracted w/Pacific Nuclear to provide certified NUHOMS dry fuel storage modules for use,per 10CFR72. STORZ,L.F. Centenor Energy. 93/08/25. Document Control Branch (Document Control Desk). 2pp. 76322:278-76322:279.

Q. Inspection reports, IE Bulletins & correspondence

9308130028 Summary of 930630 licensee counterparts meeting at util corporate ofc re dry cask storage of spent fuel,SALP & other listed topics. HANNON,J.N. Project Directorate III-3. 93/07/22. Project Directorate III-3. 200pp. 76133:001-76133:202.

9307190043 NRC Info Notice 93-057, "Software Problems Involving Digital Control Console Sys at Non-Power Reactors." GRIMES,B.K. Division of Operating Reactor Support (Post 921004). 93/07/23. Consolidated Edison Co. of New York, Inc. 9pp. 76111:200-76111:208.

9308050074 Forwards "Eighth Refueling Outage Inservice Insp Summary Rept." STORZ,L.F. Centenor Energy. 93/07/29. Document Control Branch (Document Control Desk). 1p. 76019:001-76019:162.

-9308050077 "Eighth Refueling Outage Inservice Insp Summary Rept." * Centenor Energy. 93/06/16. 100pp. 76019:002-76019:162.

9308200050 Notification of 930923 meeting w/util in Rockville,MD to discuss plant ISI Program. HOPKINS,J.B. Project Directorate III-3. 93/08/12. HANNON,J.N. Project Directorate III-3. 4pp. 76164:001-76164:004.

9308310165 Provides written confirmation of util electronic transfer of listed payment of Invoice SM0557-93 on 930817,covering NRC fees for Part 170 facility insps for period 921227-930320. STORZ,L.F. Centenor Energy. 93/08/23. Division of Accounting & Finance (Post 890205). 1p. 76322:277-76322:277.

R. Periodic operating reports & related correspondence

9308200233 "July 1993 Wastewater Rept for Davis-Besse Nuclear Power Station,Unit 1." W/930811 ltr. MCCLOSKEY,P.J., WOOD,J.K. Toledo Edison Co. 93/07/31. 7pp. 76178:355-76178:361.

9308190129 Monthly operating rept for Jul 1993 for DBNPS,unit 1.W/ 930806 ltr. DAVIS,B., WOOD,J.K. Toledo Edison Co. 93/08/06. 5pp. 76160:356-76160:360.

9308200032 Forwards Semiannual Fitness-For-Duty Rept for Jan-June 1993 for Unit 1. STORZ,L.F. Centenor Energy. 93/08/12. Document Control Branch (Document Control Desk). 5pp. 76209:335-76209:339.

9308260183 Forwards "Davis-Besse Nuclear Power Station Semiannual Radioactive Effluent & Waste Disposal Rept for Jan-June 1993." Dose to public associated w/radioactivity released in gaseous & liquid effluents remained within limits of ODCM. WOOD,J.K. Toledo Edison Co. 93/08/23. Document Control Branch (Document Control Desk). 2pp. 76259:267-76259:296.

-9308260184 "Davis-Besse Nuclear Power Station Semiannual Radioactive Effluent & Waste Disposal Rept for Jan-June 1993." * Toledo Edison Co. 93/06/30. 28pp. 76259:269-76259:296.

9308310146 Forwards semiannual fitness-for-duty rept for Jan-June 1993, including summary of mgt actions taken based on positive fitness-for-duty results,presumptive positive & list of fitness-for-duty event repts. STORZ,L.F. Centenor Energy. 93/08/23. Document Control Branch (Document Control Desk). 5pp. 76307:305-76307:309.

S. Reportable occurrences, LERs & related correspondence

9308030372 Potential Part 21 rept re Limitorque actuator motors.Utilis & other purchases listed in encl being advised of concern. Limitorque revising selection procedure for safety related actuators,motors & technical data packages. TAYLOR,J.H. Babcock & Wilcox Co. 93/07/22. Document Control Branch (Document Control Desk). 8pp. 75976:349-75976:356.

100 DOCKETED ITEMS

9308050217 LER 93-004-00: on 930428, plant entered Mode 2 w/AFW pump turbine main steam line crossover check valve MS735 in open position. Caused by inappropriate use of engineering judgement. Valve MS735 closed. W/930726 ltr. ANTRASSIAN, A.V., WOOD, J.K. Toledo Edison Co. 93/07/26. 6pp. 76059:079-76059:084.

9308090171 LER 92-009-01: on 920910, deficiencies discovered during dynamic testing of motor operated valves in response to Generic Ltr 89-10. MOVs w/deficiencies modified or repaired. W/930730 ltr. PETERSON, N.K., WOOD, J.K. Toledo Edison Co. 93/07/30. 5pp. 76091:037-76091:041.

V. Operator Examinations

9308030302 Informs of NRC plans to administer generic fundamentals exam section written operator licensing exam on 931006. RING, M.A. Region 3 (Post 820201). 93/07/28. Consumers Power Co. 3pp. 75983:358-75983:360.

9308031059 Provides written confirmation of util electronic transfer of listed payment of Invoice XT0361-93, covering NRC fees for review of Part 55 svcs & contractual costs for period from 920920-1226. STORZ, L.F. Centenor Energy. 93/08/23. Division of Accounting & Finance (Post 890205). 1p. 76321:333-76321:333.

Y. Dry Cask Independent Spent Fuel Storage Installations

9308130028 Summary of 930630 licensee counterparts meeting at util corporate otc re dry cask storage of spent fuel, SALP & other listed topics. HANNON, J.N. Project Directorate III-3. 93/07/22. Project Directorate III-3. 200pp. 76133:001-76133:202.

DOCKET 50-348 JOSEPH M. FARLEY NUCLEAR PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9308030221 Forwards encl 8 to SECY 93-166 which describes proposed characteristics of design basis vehicle. Characteristics being provided to licensees in advance to facilitate more detailed comments on proposed rule. W/o encl. PARTLOW, J.G. Associate Director for Projects (Post 870411). 93/07/15. WOODARD, J.D. Southern Nuclear Operating Co. 2pp. 75945:360-75945:361.

9308030232 Requests that encl documents received from Thermal Ceramics, Inc be placed in PDR & copies distributed to listed individuals. MILLER, J. Plant Systems Branch. 93/07/15. Document Control Branch (Document Control Desk). 1p. 76129:266-76130:277.

9308030239 Responds to 930427 ltr re FP60 sys supplied to NRC reactor licensees. MAXWELL, J.A. Affiliation Not Assigned. 93/07/13. MCCracken, C.E. Plant Systems Branch. 4pp. 76129:267-76129:270.

9308060015 Advises that rev 24 to plant emergency plan consistent w/ provisions of 10CFR50.47(b) & acceptable. CLINE, W.E. Region 2 (Post 820201). 93/07/22. HAIRSTON, W.G. Southern Nuclear Operating Co. 2pp. 75992:098-75992:099.

9308040046 Forwards insp repts 50-348/93-18 & 50-364/93-18 on 930706-09. COLLINS, D.M. Region 2 (Post 820201). 93/07/28. HAIRSTON, W.G. Southern Nuclear Operating Co. 3pp. 75949:219-75949:222.

9308040048 Partially withheld insp repts 50-348/93-18 & 50-364/93-18 on 930706-09 (ref 10CFR73.21). Violation noted: Major areas inspected: mgt support, alarm stations, communications, detection & assessment aids & security training. THOMPSON, D., MCGUIRE, D. Region 2 (Post 820201). 93/07/28. 1p. 75949:222-75949:222.

9308040244 Discusses info re fire barriers manufactured by Thermal Ceramics, Inc. Subj fire barriers not installed at facility. MOREY, D. Southern Nuclear Operating Co. 93/07/29. Document Control Branch (Document Control Desk). 1p. 75991:280-75991:280.

9308300164 Ack receipt of 930630 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-348/93-05 & 50-364/93-05. Requests statement describing steps to be taken to correct violations C & D, denied in subj response. STOHR, J.P. Region 2 (Post 820201). 93/08/06. HAIRSTON, W.G. Southern Nuclear Operating Co. 8pp. 76280:276-76280:283.

9308170292 Ack receipt of 930721 ltr transmitting Revs 3 & 24, respectively to Farley safeguards contingency & physical security plans. Changes consistent w/provisions of 10CFR50.54(p) & acceptable for inclusion into plan. COLLINS, D.M. Region 2 (Post 820201). 93/08/09. HAIRSTON, W.G. Southern Nuclear Operating Co. 4pp. 76137:164-76137:167.

H. General correspondence

9308020054 Comment on proposed rules 10CFR170 & 171, "FY91 & 92 Proposed Rule Implementing US Court of Appeals Decision & Rev of Fee Schedules; 100% Fee Recovery, FY93." Opposes rule. WOODARD, J.D. Southern Nuclear Operating Co. 93/07/16. CHILK, S.J. Office of the Secretary of the Commission. 2pp. 75921:069-75921:070.

9308040227 Notices of organizational change & change in distribution for correspondence as listed. WOODWARD, J.D. Southern Nuclear Operating Co. 93/07/26. Document Control Branch (Document Control Desk). 2pp. 75997:056-75997:057.

P. Operating license stage documents & correspondence

9308200321 Comments on Regulatory Review Group rept to EDO published in FR on 930518. Agrees w/comments made by NUMARC. MOREY, D. Southern Nuclear Operating Co. 93/07/30. CHILK, S.J. Office of the Secretary of the Commission. 2pp. 76169:288-76169:289.

9308060067 Confirms telcon between BL Moore & FS Cantrell re mgt meeting to be held in region II otc on 930715 to discuss STAR program, motor operated valve test program & configuration mgt program for Farley facility. Proposed agenda encl. MERSCHOFF, E.W. Region 2 (Post 820201). 93/07/09. HAIRSTON, W.G. Southern Nuclear Operating Co. 3pp. 75992:280-75992:282.

9308060261 Notification of significant meeting w/util in Atlanta, GA on 930715 to discuss "STAR" MOV testing & configuration control program. CANTRELL, F.S. Region 2 (Post 820201). 93/07/09. Region 2 (Post 820201). 2pp. 75994:332-75994:333.

9308030232 Requests that encl documents received from Thermal Ceramics, Inc be placed in PDR & copies distributed to listed individuals. MILLER, J. Plant Systems Branch. 93/07/15. Document Control Branch (Document Control Desk). 1p. 76129:266-76130:277.

9308030239 Responds to 930427 ltr re FP60 sys supplied to NRC reactor licensees. MAXWELL, J.A. Affiliation Not Assigned. 93/07/13. MCCracken, C.E. Plant Systems Branch. 4pp. 76129:267-76129:270.

9308060233 Provides summary of 930715 meeting w/util in Atlanta, GA re personnel error reduction program, configuration mgt program & MOV program overview as identified in attachments to ltr. MERSCHOFF, E.W. Region 2 (Post 820201). 93/07/23. HAIRSTON, W.G. Southern Nuclear Operating Co. 17pp. 75994:292-75994:308.

9308100158 Forwards response to GL 93-04, "Rod Control Failure & Withdrawal of Rod Control Cluster Assemblies." Util participating w/WOG to evaluate significance of Salem event. Util expects to complete response by end of 90-day period. MOREY, D. Southern Nuclear Operating Co. 93/08/04. Document Control Branch (Document Control Desk). 4pp. 76087:270-76087:273.

9308190102 Informs that util has reviewed draft NUREG-1477, dtd 930601, noticed in FR on 930702 & in agreement w/comments provided by EPRI/SG Mgt Program provided to NRC. MOREY, D. Southern Nuclear Operating Co. 93/08/13. Rules & Directives Review Branch (Post 920323). 45pp. 76162:087-76162:136.

Q. Inspection reports, IE Bulletins & correspondence

9308060106 Forwards insp repts 50-348/93-11 & 50-364/93-11 on 930521-0629. No violations or deviations noted. VERRELLI, D.M. Region 2 (Post 820201). 93/07/15. HAIRSTON, W.G. Southern Nuclear Operating Co. 2pp. 75993:185-75993:197.

9308060111 Insp repts 50-348/93-11 & 50-364/93-11 on 930521-0629. No violations noted. Major areas inspected: operations, maint, surveillance, licensee self-assessment, industry technical issues & event repts & follow-up of plant events. MAXWELL, G.F., MORGAN, M.J., CANTRELL, F.S. Region 2 (Post 820201). 93/07/15. 11pp. 75993:187-75993:197.

9307190043 NRC Info Notice 93-057, "Software Problems Involving Digital Control Console Sys at Non-Power Reactors." GRIMES, B.K. Division of Operating Reactor Support (Post 921004). 93/07/23. Consolidated Edison Co. of New York, Inc. 9pp. 76111:200-76111:208.

9308050090 Forwards insp repts 50-348/93-12 & 50-364/93-12 on 930621-25 & notice of violation. CLINE, W.E. Region 2 (Post 820201). 93/07/23. HAIRSTON, W.G. Southern Nuclear Operating Co. 3pp. 75972:133-75972:148.

9308050094 Notice of violation from insp on 930621-25. Violation noted: licensee issued liquid waste release permit for batch release of liquid waste monitor tank which failed to identify particulate nuclides. * Region 2 (Post 820201). 93/07/23. 1p. 75972:136-75972:136.

9308050099 Insp repts 50-348/93-12 & 50-364/93-12 on 930621-25. Violations noted. Major areas inspected: personnel training & qualification, plant water chemistry & process & effluent monitors. MCNEILL, N.G., DECKER, T.R. Region 2 (Post 820201). 93/07/23. 12pp. 75972:137-75972:143.

9308040046 Forwards insp repts 50-348/93-18 & 50-364/93-18 on 930706-09. COLLINS, D.M. Region 2 (Post 820201). 93/07/28. HAIRSTON, W.G. Southern Nuclear Operating Co. 3pp. 75949:219-75949:222.

9308040048 Partially withheld insp repts 50-348/93-18 & 50-364/93-18 on 930706-09 (ref 10CFR73.21). Violation noted: Major areas inspected: mgt support, alarm stations, communications, detection & assessment aids & security training. THOMPSON, D., MCGUIRE, D. Region 2 (Post 820201). 93/07/28. 1p. 75949:222-75949:222.

9308050018 Forwards insp repts 50-348/93-15 & 50-364/93-15 on 930628-0702 & 0712-13. No violations or deviations noted. JULIAN, C.A. Region 2 (Post 820201). 93/07/29. HAIRSTON, W.G. Southern Nuclear Operating Co. 3pp. 75971:120-75971:138.

9308050020 Insp repts 50-348/93-15 & 50-364/93-15 on 930628 & 0712-13. No violations or deviations noted. Major areas inspected: engineering mods, design changes & technical support activities. HUNT, M.D., KLEINSORGE, W.P., WHITENER, H.L. Region 2 (Post 820201). 93/07/29. 16pp. 75971:123-75971:138.

9308240022 Requests written inputs on performance of Farley facilities during completed SALP Cycle 11 during period 920531-930925 using encl feeder forms. SALP Board meeting for Farley scheduled for 931013. MERSCHOFF, E.W. Region 2 (Post 820201). 93/08/06. GIBSON, A.F. Region 2 (Post 820201). STOHR, J.P. Division of Radiation Safety & Safeguards (Post 921004). VARGA, S.A. Division of Reactor Projects - I/II (Post 870411). 54pp. 76208:295-76208:348.

9308300164 Ack receipt of 930630 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-348/93-05 & 50-364/93-05. Requests statement describing steps to be taken to correct violations C & D denied in subj response.
STOHR, J.P. Region 2 (Post 820201). 93/08/06. HAIRSTON, W.G. Southern Nuclear Operating Co. 8pp. 76280:276-76280:283.

9308230174 Forwards Insp Rept 50-348/93-16 & 50-364/93-16 on 930712-16 & forwards notice of violation.
CLINE, W.O. Region 2 (Post 820201). 93/08/12. HAIRSTON, W.G. Southern Nuclear Operating Co. 3pp. 76206:052-76206:073.

-9308230176 Notice of violation from insp on 930712-16. Violation noted: NRC identified multiple examples of containers of radioactive mail that were not labeled as required by licensee procedure.
* Region 2 (Post 820201). 93/08/12. 2pp. 76206:055-76206:056.

-9308230178 Insp repts 50-348/93-16 & 50-364/93-16 on 930712-16. Violations noted. Major areas inspected: occupational radiation exposure.
FORBES, D.B., BOLAND, A.T., RANKIN, W.H. Region 2 (Post 820201). 93/08/09. 17pp. 76206:057-76206:073.

9308240259 Responds to violation noted in Insp Repts 50-348/93-12 & 50-364/93-12. Corrective actions: correct gamma spectrum us. 3 to re-calculate Liquid Waste Release Permit (LWRP) & revised LWRP reviewed against actual release data.
MOREY, D. Southern Nuclear Operating Co. 93/08/20. Document Control Branch (Document Control Desk). 4pp. 76215:300-76215:303.

R. Periodic operating reports & related correspondence

9308260105 "Semiannual Radioactive Effluent Release Rept Jan-June 1993." W/930818 ltr.
MOREY, D. Southern Nuclear Operating Co. 93/06/30. 200pp. 76236:079-76236:218.

9308170374 Monthly operating repts for Jul 1993 for JM Farley Nuclear Plant, units 1 & 2. W/930811 ltr.
HILL, R.D., MOREY, D. Southern Nuclear Operating Co. 93/07/31. 10pp. 76137:261-76137:270.

9308230317 Forwards fitness for duty performance data for period Jan- June 1993.
MOREY, D. Southern Nuclear Operating Co. 93/08/16. Document Control Branch (Document Control Desk). 4pp. 76203:318-76203:321.

DOCKET 50-352 LIMERICK GENERATING STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9308160280 Forwards public version of Rev 25 to emergency response procedures for plant, including rev 4 to index & Rev 1 to ERP-C-1900, "Recovery Phase Implementation." W/o rev 25 to index & rev 5 to ERP-400. W/930728 release memo.
HUNGER, G.A. Philadelphia Electric Co. 93/07/12. Document Control Branch (Document Control Desk). 3pp. 76135:090-76135:121.

-9308160293 Public version of Rev 1 to Emergency Response Procedure ERP-C-1900, "Recovery Phase Implementation."
* Philadelphia Electric Co. 93/06/28. 30pp. 76135:093-76135:121.

9308260263 Forwards public version of revised emergency response including rev 4 to index, rev 1 to ERP-C-1900, "Recovery Phase Implementation." W/930811 release memo.
HUNGER, G.A. Philadelphia Electric Co. 93/07/12. Document Control Branch (Document Control Desk). 3pp. 76215:026-76215:086.

-9308260272 Revised emergency response procedures including rev 4 to index, rev 1 to ERP-C-1900, "Recovery Phase Implementation."
* Philadelphia Electric Co. 93/07/12. 57pp. 76215:029-76215:086.

9308040245 Forwards encl 8 to SECY-93-166, "Staff Recommendation For Protection Against Malevolent Use Of Vehicles At Nuclear Power Plants." Encl withheld (safeguards info).
PARTLOW, J.G. Associate Director for Projects (Post 870411). 93/07/15. HUNGER, G.A. Philadelphia Electric Co. 4pp. 75978:352-75978:355.

9308110136 Forwards physical security plan & changes including title changes within security organization & protection of vital area openings. Encl withheld (ref 10CFR73.21).
HELVIG, D.R. Philadelphia Electric Co. 93/07/20. Document Control Branch (Document Control Desk). 1p. 76074:358-76074:358.

9308030071 Forwards insp repts 50-352/93-14 & 50-353/93-14 on 930525-0706 & notice of violation. Violations should have been prevented by prior corrective actions & corrective actions not timely.
WENZINGER, E.C. Region 1 (Post 820201). 93/07/23. SMITH, D.M. Philadelphia Electric Co. 3pp. 75935:313-75935:333.

-9308030084 Insp repts 50-352/93-14 & 50-353/93-14 on 930525-0706. Violations noted. Major areas inspected: operations, maint, plant support & miscellaneous.
ANDERSON, C.J. Region 1 (Post 820201). 93/07/20. 16pp. 75935:318-75935:333.

9308040326 Revised ERPs, including Rev 5 to common emergency response procedure index & Rev 3 to ERP-C-1100, "EOF Staff Augmentation." W/930728 ltr.
HUNGER, G.A. Philadelphia Electric Co. 93/07/28. 6pp. 76009:355-76009:360.

9308060280 Forwards Limerick Station 1993 Annual Emergency Preparedness Exercise scenario. Scenario provides objectives, schedules, exercise rules & controller contingency info. W/o encl.
HUNGER, G.A. Philadelphia Electric Co. 93/07/28. Document Control Branch (Document Control Desk). 2pp. 76059:211-76059:212.

9308180034 Notification of significant licensee meeting 93-104 on 930810 in region 1 to discuss Peach Bottom physical security plan.
ANDERSON, E.C. Region 1 (Post 820201). 93/08/09. Region 1 (Post 820201). 3pp. 76089:001-76089:003.

9308190301 Forwards erratum to Insp Repts 50-352/93-10 & 50-353/93-10, revising portion of text on page 6, w/regard to NRC new rule, "Personnel Access Authorization Requirements for Nuclear Power Plants" for clarity, per 930520 transmittal.
JOYNER, J.H. Region 1 (Post 820201). 93/08/13. SMITH, D.M. Philadelphia Electric Co. 3pp. 76160:294-76160:297.

-9308190304 Erratum to Insp Repts 50-352/93-10 & 50-353/93-10.
* Region 1 (Post 820201). 93/08/13. 1p. 76160:297-76160:297.

9308240016 Forwards Rev 0 of "Nuclear Emergency Plan" for LGS, Units 1 & 2 & PBAPS, Units 2 & 3, consolidating existing emergency plans for facilities into one common emergency plan for both facilities. Rev 1 to "...Emergency Plan." App E also encl.
HUNGER, G.A. Philadelphia Electric Co. 93/08/18. Document Control Branch (Document Control Desk). 2pp. 76256:127-76257:093.

-9308240017 Rev 0 of "Nuclear Emergency Plan." W/oversize maps.
* Philadelphia Electric Co. 93/08/06. 250pp. 76256:129-76257:088.

-9308240020 Rev 1 to "Nuclear Emergency Plan." App E, "Emergency Supplies & Equipment," clarifying location of equipment for use by field survey groups. W/oversize encls.
* Philadelphia Electric Co. 93/08/16. 5pp. 76257:089-76257:093.

P. Operating license stage documents & correspondence

9308040287 Forwards response to Rev 1 of GL 92-01, "RV Structural Integrity, 10CFR50.54(f)," in response to NRC 930602 RAI.
HUNGER, G.A. Philadelphia Electric Co. 93/07/28. Document Control Branch (Document Control Desk). 3pp. 76010:354-76010:356.

9308060243 Requests that NPDES Permit PA0051926 be amended to allow for use of biocide Betz 3625 as alternative to Betz CT-1 for routine biological control at plant. Favorable response requested by 930901.
MORLEY, G.M. Philadelphia Electric Co. 93/07/28. NEWBOLD, J. Pennsylvania, Commonwealth of. 26pp. 76024:242-76024:267.

9308060255 Forwards response to NRC RAI re TS change request 92-03 re 24-month operating cycle instrumentation surveillance requirements.
HUNGER, G.A. Philadelphia Electric Co. 93/07/28. Document Control Branch (Document Control Desk). 42pp. 76024:284-76024:325.

9308050166 Notification of 930809 meeting w/util in Wayne, PA to discuss status of pending & future licensing actions related to plants.
SHEA, J.W., RINALDI, F. Project Directorate I-2. 93/07/29. BOYLE, M.L. Project Directorate I-2. 5pp. 75991:293-75991:297.

9308120177 Application for amend to license NPF-39, removing remote shutdown sys control valves & primary containment isolation valves from TS 3.3.7.4-1 & 3.6.3-1.
HUNGER, G.A. Philadelphia Electric Co. 93/08/03. Document Control Branch (Document Control Desk). 8pp. 76104:257-76104:268.

-9308120184 Proposed tech specs 3/4 3-80, 3/4 6-29 & 3/4 6-30 removing control sys shutdown sys control valves.
* Philadelphia Electric Co. 93/08/03. 3pp. 76104:265-76104:268.

9308110248 Forwards request for approval to change QAP description by transferring in-line reviews of procurement documents & specifications.
HUNGER, G.A. Philadelphia Electric Co. 93/08/04. Document Control Branch (Document Control Desk). 17pp. 76077:328-76077:344.

9308260295 Informs that licensee 920918 response to suppl 4 to GL 88-20 re IEEE acceptable.
SHEA, J.W. Project Directorate I-2. 93/08/11. HUNGER, G.A. Philadelphia Electric Co. 4pp. 76215:119-76215:123.

9308190255 Notification of 930824 meeting w/util in Rockville, MD to discuss control & maint qualifications & license status for LSROs to fuel handling licensed at PBAPS, units 2 & 3 & LGS, units 1 & 2.
SHEA, J.W. Project Directorate I-2. 93/08/17. MURLEY, T., MIRALIGIA, F., RUSSELL, W. NRC - No Detailed Affiliation Given. 6pp. 76184:035-76184:040.

9308250004 Notices of changes to NPDES Permit PA 0052221, authorizing discharge of water from Bradshaw Reservoir to East Branch Perkiomen Creek to support operation of LGS, Units 1 & 2. State of PA 930729 ltr & renewed NPDES permit encl.
HUNGER, G.A. Philadelphia Electric Co. 93/08/18. Document Control Branch (Document Control Desk). 24pp. 76219:101-76219:124.

Q. Inspection reports, IE Bulletins & correspondence

9307190043 NRC Info Notice 93-057, "Software Problems Involving Digital Control Console Sys at Non-Power Reactors."
GRIMES, B.K. Division of Operating Reactor Support (Post 921004). 93/07/23. Consolidated Edison Co. of New York, Inc. 9pp. 76111:200-76111:208.

9308030071 Forwards insp repts 50-352/93-14 & 50-353/93-14 on 930525-0706 & notice of violation. Violations should have been prevented by prior corrective actions & corrective actions not timely.
WENZINGER, E.C. Region 1 (Post 820201). 93/07/23. SMITH, D.M. Philadelphia Electric Co. 3pp. 75935:313-75935:333.

-9308030077 Notice of violation from insp on 930525-0706. Violation noted: physical configuration of breaker side thermal overload relay wires in valves 480 volt circuit breaker reversed.
* Region 1 (Post 820201). 93/07/23. 2pp. 75935:316-75935:317.

-9308030084 Insp repts 50-352/93-14 & 50-353/93-14 on 930525-0706. Violations noted. Major areas inspected: operations, maint, plant support & miscellaneous.
ANDERSON, C.J. Region 1 (Post 820201). 93/07/20. 16pp. 75935:318-75935:333.

102 DOCKETED ITEMS

9308040272 Forwards insp repts 50-352/93-04 & 50-353/93-04 re "Evaluation of Potential Internal Radiation Exposures Associated w/Containment Events in Handling Traversing In-Core Probe (TIP) Tubing." HELWIG,D.R. Philadelphia Electric Co. 93/07/30. Document Control Branch (Document Control Desk). 2pp. 75991:001-75991:095.

-9308040295 "Evaluation of Potential Internal Radiation Exposures Associated W/Contamination Events in Handling Traversing In-Core Probe (TIP) Tubing at Limerick Nuclear Generating Station & Recommendations For Evaluation & Control of" SKRABLE,K.W. Philadelphia Electric Co. 93/06/27. 96pp. 75991:004-75991:095.

9308060328 Responds to NRC Bulletin 93-003, "Resolution of Issues Re Reactor Vessel Water Level Instrumentation in BWRs." for Peach Bottom Units 1 & 2 & Limerick Units 1 & 2. Bulletin discussed level indication errors. HUNGER,G.A. Philadelphia Electric Co. 93/07/30. Document Control Branch (Document Control Desk). 5pp. 76059:247-76059:251.

9308170004 Forwards insp repts 50-352/93-17 & 50-353/93-17 on 930706-09. Two unresolved items identified. JOYNER,J.H. Region 1 (Post 820201). 93/08/05. SMITH,D.M. Philadelphia Electric Co. 3pp. 76108:014-76108:025.

-9308170006 Insp repts 50-352/93-17 & 50-353/93-17 on 930706-09. Two unresolved items identified. Major areas inspected: storage, radioactive waste handling, processing & transportation programs. NIMITZ,R.L., PASCIAK,W. Region 1 (Post 820201). 93/08/02. 9pp. 76108:017-76108:025.

9308190301 Forwards erratum to Insp Repts 50-352/93-10 & 50-353/93-10, revising portion of text on page 6, w/regard to NRC new rule, "Personnel Access Authorization Requirements for Nuclear Power Plants" for clarity, per 930520 transmittal. JOYNER,J.H. Region 1 (Post 820201). 93/08/13. SMITH,D.M. Philadelphia Electric Co. 3pp. 76160:294-76160:297.

-9308190304 Erratum to Insp Repts 50-352/93-10 & 50-353/93-10. * Region 1 (Post 820201). 93/08/13. 1p. 76160:297-76160:297.

9308310088 Forwards insp repts 50-352/93-15 & 50-353/93-15 on 930628-0702. No violations noted. DURR,J.P. Region 1 (Post 820201). 93/08/24. SMITH,D.M. Philadelphia Electric Co. 3pp. 76264:038-76264:055.

-9308310092 Insp repts 50-352/93-15 & 50-353/93-15 on 930628-0702. No violations noted. Major areas inspected: adequacy of licensee selected programs for engineering & technical support of plant operations. CARRASCO,J.E., LOHMEIER,A., GRAY,E.H. Region 1 (Post 820201). 93/08/03. 15pp. 76264:041-76264:055.

9308310097 Forwards insp repts 50-352/93-16 & 50-353/93-16 on 930707-0816. No violations noted. WENZINGER,E.C. Region 1 (Post 820201). 93/08/24. SMITH,D.M. Philadelphia Electric Co. 3pp. 76264:058-76264:073.

-9308310103 Insp repts 50-352/93-16 & 50-353/93-16 on 930707-0816. No violations noted. Major areas inspected: plant operations, maint, surveillance & engineering & technical support. ANDERSON,C.J. Region 1 (Post 820201). 93/08/19. 13pp. 76264:061-76264:073.

R. Periodic operating reports & related correspondence

9308170320 Monthly operating repts for Jul 1993 for Limerick Generating Station, units 1 & 2. W/930811 ltr. MECK,K., HELWIG,D.R. Philadelphia Electric Co. 93/07/31. 11pp. 76137:191-76137:201.

S. Reportable occurrences, LERs & related correspondence

9308060238 NPDES noncompliance notification on 930618, 20 & 27, water processing facility temp exceeded permitted max limitation of 74 degrees F. Caused by lack of training & written instructions. Training provided & add'l instruction issued. BOYCE,R.W. Philadelphia Electric Co. 93/07/29. NOLL,P.G. Pennsylvania, Commonwealth of. 5pp. 76059:225-76059:229.

9308040290 LER 93-008-00: on 930627, MCR annunciator alarmed indicating that outside atmosphere reactor encl (RE) negative differential pressure decayed due to failure of normal RE ventilation fan motor. Subj fan replaced. W/930730 ltr. KANTNER,J.L., BOYCE,R.W. Philadelphia Electric Co. 93/07/30. 4pp. 76022:094-76022:097.

9308100254 Forwards Rev 1 of LER 92-011 re Channel B of Unit 1 main steam line radiation monitoring sys being inoperable due to inadequate physical electrical separation between cables. Rev revises corrective action to prevent recurrence. BOYCE,R.W. Philadelphia Electric Co. 93/07/30. Document Control Branch (Document Control Desk). 1p. 76091:131-76091:135.

-9308100258 LER 92-011-01: on 920605, discovered potential physical electrical separation deficiency in panel 10C790. Plant electrical maint I&C technicians received training on electrical separation requirements. KANTNER,J.L. Philadelphia Electric Co. 93/07/30. 4pp. 76091:132-76091:135.

9308250373 NPDES noncompliance notification re Perkiomen storage tank overflow to Possum Hollow Run. Application for amend to Permit PA0051926 submitted. MORLEY,G.M. Philadelphia Electric Co. 93/08/19. NEWBOLD,J. Pennsylvania, Commonwealth of. 1p. 76260:290-76260:294.

V. Operator Examinations

9308260368 Confirms individual exam results for applicants on initial exam conducted on 930719-23 by staff at facility. Encl 1 completed ES-501-2, power licensing exam results summary & summary of overall exam results. W/o encl. BETTENHAUSEN,H. Region 1 (Post 820201). 93/08/20. CWIETNIEWICZ,V. Philadelphia Electric Co. 2pp. 76266:306-76266:307.

DOCKET 50-353 LIMERICK GENERATING STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9308160280 Forwards public version of Rev 25 to emergency response procedures for plant, including rev 4 to index & Rev 1 to ERP-C-1900, "Recovery Phase Implementation." W/o rev 25 to index & rev 5 to ERP-400. W/930728 release memo. HUNGER,G.A. Philadelphia Electric Co. 93/07/12. Document Control Branch (Document Control Desk). 3pp. 76135:090-76135:121.

-9308160293 Public version of Rev 1 to Emergency Response Procedure ERP-C-1900, "Recovery Phase Implementation." * Philadelphia Electric Co. 93/06/28. 30pp. 76135:093-76135:121.

9308260263 Forwards public version of revised emergency response including rev 4 to index, rev 1 to ERP-C-1900, "Recovery Phase Implementation." W/930811 release memo. HUNGER,G.A. Philadelphia Electric Co. 93/07/12. Document Control Branch (Document Control Desk). 3pp. 76215:026-76215:066.

-9308260272 Revised emergency response procedures including rev 4 to index, rev 1 to ERP-C-1900, "Recovery Phase Implementation." * Philadelphia Electric Co. 93/07/12. 57pp. 76215:029-76215:086.

9308040245 Forwards encl 8 to SECY-93-166, "Staff Recommendation For Protection Against Malevolent Use Of Vehicles At Nuclear Power Plants." Encl withheld (safeguards info). PARTLOW,J.G. Associate Director for Projects (Post 870411). 93/07/15. HUNGER,G.A. Philadelphia Electric Co. 4pp. 75978:352-75978:355.

9308110136 Forwards physical security plan & changes including title changes within security organization & protection of vital area openings. Encl withheld (ref 10CFR73.21). HELWIG,D.R. Philadelphia Electric Co. 93/07/20. Document Control Branch (Document Control Desk). 1p. 76074:358-76074:358.

9308030071 Forwards insp repts 50-352/93-14 & 50-353/93-14 on 930525-0706 & notice of violation. Violations should have been prevented by prior corrective actions & corrective actions not timely. WENZINGER,E.C. Region 1 (Post 820201). 93/07/23. SMITH,D.M. Philadelphia Electric Co. 3pp. 75935:313-75935:333.

-9308030084 Insp repts 50-352/93-14 & 50-353/93-14 on 930525-0706. Violations noted. Major areas inspected: operations, maint, plant support & miscellaneous. ANDERSON,C.J. Region 1 (Post 820201). 93/07/20. 16pp. 75935:318-75935:333.

9308040328 Revised ERPs, including Rev 5 to common emergency response procedure index & Rev 3 to ERP-C-1100, "EOF Staff Augmentation." W/930728 ltr. HUNGER,G.A. Philadelphia Electric Co. 93/07/28. 6pp. 76009:355-76009:360.

9308060280 Forwards Limerick Station 1993 Annual Emergency Preparedness Exercise scenario. Scenario provides objectives, schedules, exercise rules & controller contingency info. W/o encl. HUNGER,G.A. Philadelphia Electric Co. 93/07/28. Document Control Branch (Document Control Desk). 2pp. 76059:211-76059:212.

9308160034 Notification of significant licensee meeting 93-104 on 930810 in region I to discuss Peach Bottom physical security plan. ANDERSON,E.C. Region 1 (Post 820201). 93/08/09. Region 1 (Post 820201). 3pp. 76089:001-76089:003.

9308190301 Forwards erratum to Insp Repts 50-352/93-10 & 50-353/93-10, revising portion of text on page 6, w/regard to NRC new rule, "Personnel Access Authorization Requirements for Nuclear Power Plants" for clarity, per 930520 transmittal. JOYNER,J.H. Region 1 (Post 820201). 93/08/13. SMITH,D.M. Philadelphia Electric Co. 3pp. 76160:294-76160:297.

-9308190304 Erratum to Insp Repts 50-352/93-10 & 50-353/93-10. * Region 1 (Post 820201). 93/08/13. 1p. 76160:297-76160:297.

9308240016 Forwards Rev 0 of "Nuclear Emergency Plan" for LGS, Units 1 & 2 & PBAPS, Units 2 & 3, consolidating existing emergency plans for facilities into one common emergency plan for both facilities. Rev 1 to "...Emergency Plan." App E also encl. HUNGER,G.A. Philadelphia Electric Co. 93/08/18. Document Control Branch (Document Control Desk). 2pp. 76256:127-76257:093.

-9308240017 Rev 0 of "Nuclear Emergency Plan." W/oversize maps. * Philadelphia Electric Co. 93/08/06. 250pp. 76256:129-76257:088.

-9308240020 Rev 1 to "Nuclear Emergency Plan." App E, "Emergency Supplies & Equipment," clarifying location of equipment for use by field survey groups. W/four oversize encls. * Philadelphia Electric Co. 93/08/16. 5pp. 76257:089-76257:093.

P. Operating license stage documents & correspondence

9308040287 Forwards response to Rev 1 of GL 92-01, "RV Structural Integrity, 10CFR50.54(f)," in response to NRC 930602 RAI. HUNGER,G.A. Philadelphia Electric Co. 93/07/28. Document Control Branch (Document Control Desk). 3pp. 76010:354-76010:356.

9308060243 Requests that NPDES Permit PA0051926 be amended to allow for use of biocide Betz 3625 as alternative to Betz CT-1 for routine biological control at plant. Favorable response requested by 930901. MORLEY,G.M. Philadelphia Electric Co. 93/07/28. NEWBOLD,J. Pennsylvania, Commonwealth of. 26pp. 76024:242-76024:267.

9308060255 Forwards response to NRC RAI re TS change request 92-03 re 24-mcnth operating cycle instrumentation surveillance requirements. HUNGER,G.A. Philadelphia Electric Co. 93/07/28. Document Control Branch (Document Control Desk). 42pp. 76024:284-76024:325.

9308050166 Notification of 930809 meeting w/util in Wayne, PA to discuss status of pending & future licensing actions related to plants.
SHEA, J.W. Project Directorate I-2. 93/07/29. BOYLE, M.L. Project Directorate I-2. 5pp. 75991:293-75991:297.

9308110248 Forwards request for approval to change QAP description by transferring in-line reviews of procurement documents & specifications.
HUNGER, G.A. Philadelphia Electric Co. 93/08/04. Document Control Branch (Document Control Desk). 17pp. 76077:326-76077:344.

9308260295 Informs that licensee 920918 response to suppl 4 to GL 88-20 re IPSEE acceptable.
SHEA, J.W. Project Directorate I-2. 93/08/11. HUNGER, G.A. Philadelphia Electric Co. 4pp. 76215:119-76215:123.

9308190255 Notification of 930824 meeting w/util in Rockville, MD to discuss control & maint qualifications & license status for LSROs to fuel handling licensed at PBAPS, units 2 & 3 & LGS, units 1 & 2.
SHEA, J.W. Project Directorate I-2. 93/08/17. MURLEY, T. NRC - No Detailed Affiliation Given. 6pp. 76184:035-76184:040.

9308250004 Notifies of changes to NPDES Permit PA 0052221, authorizing discharge of water from Bradshaw Reservoir to East Branch Perkiomen Creek to support operation of LGS, Units 1 & 2. State of PA 930729 ltr & renewed NPDES permit encl.
HUNGER, G.A. Philadelphia Electric Co. 93/08/18. Document Control Branch (Document Control Desk). 24pp. 76219:101-76219:124.

Q. Inspection reports, IE Bulletins & correspondence

9307190043 NRC Info Notice 93-057, "Software Problems Involving Digital Control Console Sys at Non-Power Reactors."
GRIMES, B.K. Division of Operating Reactor Support (Post 921004). 93/07/23. Consolidated Edison Co. of New York, Inc. 9pp. 76111:200-76111:208.

9308030071 Forwards insp repts 50-352/93-14 & 50-353/93-14 on 930525-0706 & notice of violation. Violations should have been prevented by prior corrective actions & corrective actions not timely.
WENZINGER, E.C. Region 1 (Post 820201). 93/07/23. SMITH, D.M. Philadelphia Electric Co. 3pp. 75935:313-75935:333.

9308030077 Notice of violation from insp on 930525-0706. Violation noted: physical configuration of breaker side thermal overload relay wires in valves 480 volt circuit breaker reversed.
* Region 1 (Post 820201). 93/07/23. 2pp. 75935:316-75935:317.

9308030084 Insp repts 50-352/93-14 & 50-353/93-14 on 930525-0706. Violations noted. Major areas inspected: operations, maint, plant support & miscellaneous.
ANDERSON, C.J. Region 1 (Post 820201). 93/07/20. 16pp. 75935:318-75935:333.

9308090019 Ack receipt of 930711 ltr informing NRC of steps taken to correct violations noted in insp rept 50-353/93-12.
JOYNER, J.H. Region 1 (Post 820201). 93/07/27. SMITH, D.M. Philadelphia Electric Co. 2pp. 76020:050-76020:056.

9308040272 Forwards insp repts 50-352/93-04 & 50-353/93-04 re "Evaluation of Potential Internal Radiation Exposures Associated w/Containment Events in Handling Traversing In-Core Probe (TIP) Tubing."
HELWIG, D.R. Philadelphia Electric Co. 93/07/30. Document Control Branch (Document Control Desk). 2pp. 75991:001-75991:095.

9308040295 "Evaluation of Potential Internal Radiation Exposures Associated w/Contamination Events in Handling Traversing In-Core Probe (TIP) Tubing at Limerick Nuclear Generating Station & Recommendations For Evaluation & Control of ..."
SKRABLE, K.W. Philadelphia Electric Co. 93/06/27. 96pp. 75991:004-75991:095.

9308060328 Responds to NRC Bulletin 93-003, "Resolution of Issues Re Reactor Vessel Water Level Instrumentation in BWRs," for Peach Bottom Units 1 & 2 & Limerick Units 1 & 2. Bulletin discussed level indication errors.
HUNGER, G.A. Philadelphia Electric Co. 93/07/30. Document Control Branch (Document Control Desk). 5pp. 76059:247-76059:251.

9308170004 Forwards insp repts 50-352/93-17 & 50-353/93-17 on 930706-09. Two unresolved items identified.
JOYNER, J.H. Region 1 (Post 820201). 93/08/05. SMITH, D.M. Philadelphia Electric Co. 3pp. 76108:014-76108:025.

9308170006 Insp repts 50-352/93-17 & 50-353/93-17 on 930706-09. Two unresolved items identified. Major areas inspected: storage, radioactive waste handling, processing & transportation programs.
NIMITZ, R.L., PASCIAK, W. Region 1 (Post 820201). 93/08/02. 9pp. 76108:017-76108:025.

9308190301 Forwards erratum to Insp Repts 50-352/93-10 & 50-353/93-10, revising portion of text on page 6, w/regard to NRC new rule, "Personnel Access Authorization Requirements for Nuclear Power Plants" for clarity, per 930520 transmittal.
JOYNER, J.H. Region 1 (Post 820201). 93/08/13. SMITH, D.M. Philadelphia Electric Co. 3pp. 76160:294-76160:297.

9308190304 Erratum to Insp Repts 50-352/93-10 & 50-353/93-10.
* Region 1 (Post 820201). 93/08/13. 1p. 76160:297-76160:297.

9308310088 Forwards insp repts 50-352/93-15 & 50-353/93-15 on 930628-0702. No violations noted.
DURR, J.P. Region 1 (Post 820201). 93/08/24. SMITH, D.M. Philadelphia Electric Co. 3pp. 76264:038-76264:055.

9308310092 Insp repts 50-352/93-15 & 50-353/93-15 on 930628-0702. No violations noted. Major areas inspected: adequacy of licensee selected programs for engineering & technical support of plant operations.
CARRASCO, J.E., LOHMEIER, A., GRAY, E.H. Region 1 (Post 820201). 93/08/03. 15pp. 76264:041-76264:055.

9308310097 Forwards insp repts 50-352/93-16 & 50-353/93-16 on 930707-0816. No violations noted.
WENZINGER, E.C. Region 1 (Post 820201). 93/08/24. SMITH, D.M. Philadelphia Electric Co. 3pp. 76264:058-76264:073.

9308310103 Insp repts 50-352/93-16 & 50-353/93-16 on 930707-0816. No violations noted. Major areas inspected: plant operations, maint, surveillance & engineering & technical support.
ANDERSON, C.J. Region 1 (Post 820201). 93/08/19. 13pp. 76264:061-76264:073.

R. Periodic operating reports & related correspondence

9308170320 Monthly operating repts for Jul 1993 for Limerick Generating Station, units 1 & 2. W/930811 ltr.
MECK, K., HELWIG, D.R. Philadelphia Electric Co. 93/07/31. 11pp. 76137:191-76137:201.

S. Reportable occurrences, LERs & related correspondence

9308060238 NPDES noncompliance notification on 930618, 20 & 27, water processing facility temp exceeded permitted max limitation of 74 degrees F. Caused by lack of training & written instructions. Training provided & addl instruction issued.
BOYCE, R.W. Philadelphia Electric Co. 93/07/29. NOLL, P.G. Pennsylvania, Commonwealth of. 5pp. 76059:225-76059:229.

9308040294 LER 93-008-00 on 930630, determined that TS SR on fire rated assemblies not satisfied due to personnel error during procedure preparation. Surveillance Test Procedure ST-7-022-922-0 will be revised. W/930730 ltr.
KANTNER, J.L., BOYCE, R.W. Philadelphia Electric Co. 93/07/30. 4pp. 76022:098-76022:101.

9308040301 LER 91-015-01 on 910912, HPCI sys discovered to be in degraded condition when HPCI turbine steam supply valve failed to fully open. Recommendations of EPRI Improved MOV Lubricant Program implemented. W/930730 ltr.
KANTNER, J.L., BOYCE, R.W. Philadelphia Electric Co. 93/07/30. 5pp. 76022:102-76022:106.

9308190078 LER 93-009-00 on 930716, ESF actuation occurred due to unexpected failure of Rosemount transmitter. Replaced transmitter. W/930813 ltr.
KANTNER, J.L., BOYCE, R.W. Philadelphia Electric Co. 93/08/13. 4pp. 76178:025-76178:028.

9308250373 NPDES noncompliance notification re Perkiomen storage tank overflow to Possum Hollow Run. Application for amend to Permit PA0051926 submitted.
MORLEY, G.M. Philadelphia Electric Co. 93/08/19. NEWBOLD, J. Pennsylvania, Commonwealth of. 1p. 76260:290-76260:294.

V. Operator Examinations

9308260368 Confirms individual exam results for applicants on initial exam conducted on 930719-23, by staff at facility. Encl 1 completed ES-501-2, power licensing exam results summary & summary of overall exam results. W/o encl.
BETTENHAUSEN, H. Region 1 (Post 820201). 93/08/20. CWIETNIEWICZ, V. Philadelphia Electric Co. 2pp. 76266:306-76266:307.

DOCKET 50-354 HOPE CREEK NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9308040241 Forwards encl 8 to SECY-93-166, "Staff Recommendation For Protection Against Malevolent Use Of Vehicles At Nuclear Power Plants." Encl withheld (safeguards info).
PARTLOW, J.G. Associate Director for Projects (Post 870411). 93/07/15. MILTENBERGER, S. Public Service Electric & Gas Co. of New Jersey. 4pp. 75978:348-75978:351.

9308100202 Revised EIPs, including rev 7 to EPIP-201H, "Operations Support Ctr (OSC) Activation & Operations," rev 11 to EPIP-202H, "TSC - Integrated Engineering Response," & rev 40 to EPIP-TOC-HC.
* Public Service Electric & Gas Co. of New Jersey. 93/07/26. 38pp. 76065:228-76065:265.

9308180027 Rev 3 to Section 7, Page 3 of "Hope Creek Event Classification Guide," Rev 28.
* Public Service Electric & Gas Co. of New Jersey. 93/08/09. 3pp. 76165:293-76165:295.

9308190033 Forwards Insp Repts 50-272/93-19, 50-311/93-19 & 50-354/93-18 on 930606-0724. Findings documented in repts.
WENZINGER, E.C. Region 1 (Post 820201). 93/08/12. MILTENBERGER, S. Public Service Electric & Gas Co. of New Jersey. 2pp. 76161:298-76161:328.

9308190037 Insp Repts 50-272/93-19, 50-311/93-19 & 50-354/93-18 on 930606-0724. Overview of findings & conclusions provided. Major areas inspected: operations, radiological controls, maint & surveillance testing, EP & security.
WHITE, J.R. Region 1 (Post 820201). 93/08/12. 28pp. 76161:301-76161:328.

9308200041 Responds to unresolved item noted in Insp Repts 50-272/93-13, 50-311/93-13 & 50-354/93-09 re NRC understanding of licensee practice of not declaring & reporting terminated emergencies.
HAGAN, J.J. Public Service Electric & Gas Co. of New Jersey. 93/08/12. Document Control Branch (Document Control Desk). 5pp. 76190:280-76190:284.

P. Operating license stage documents & correspondence

9308120047 Informs of plans to improve plant performance at Salem & maintaining excellence at Hope Creek.
MILTENBERGER, S. Public Service Electric & Gas Co. of New Jersey. 93/07/12. MARTIN, T.T. Region 1 (Post 820201). 5pp. 76087:321-76087:325.

9308110302 Advises that portion of rev 1 to RE-018, "TS Improvement for Hope Creek Station" will be withheld (ref 10CFR2.790) per util 930401 request.
DEMBEK, S. Project Directorate I-2. 93/07/22. MILTENBERGER, S. Public Service Electric & Gas Co. of New Jersey. 4pp. 76074:351-76074:354.

104 DOCKETED ITEMS

9308030054 Ack receipt of 10CFR50.71(e) submittal,transmitting rev 5 to updated final safety analysis & QA program for plant.Changes acceptable.
BETTENHAUSEN,L. Region 1 (Post 820201). 93/07/23. MILTENBERGER,S. Public Service Electric & Gas Co. of New Jersey. 3pp. 75935:247-75935:273.

-9308030064 Submits Rev 5 to Hope Creek Generating Station UFSAR which contains text,table & figure changes required to accurately reflect current plant configuration.
LABRUNA,S. Public Service Electric & Gas Co. of New Jersey. 93/05/06. Document Control Branch (Document Control Desk). 25pp. 75935:250-75935:273.

9308120316 Provides listed comments re licensee 930226 request for approval of integrated schedule program for plant.
BOYLE,M.L. Project Directorate I-2. 93/07/23. MILTENBERGER Public Service Electric & Gas Co. of New Jersey. 5pp. 76085:280-76085:284.

9308110179 Informs that date for submittal of IPE changes from Jul 1993 to Apr 1994,per 930712 discussion w/R Clark,NRR & util 891101 response to GL 88-20.Requests extension of IPEEE completion date from May 1995 to Feb 1996.
LABRUNA,S. Public Service Electric & Gas Co. of New Jersey. 93/07/30. Document Control Branch (Document Control Desk). 2pp. 76067:345-76067:346.

9308200223 Requests that response to addl info re proposed changes to UFSAR for plant be provided within 30 days of ltr date.
DEMBEK,S. Project Directorate I-2. 93/08/03. MILTENBERGER,S. Public Service Electric & Gas Co. of New Jersey. 5pp. 76164:157-76164:161.

9308200267 Informs that MJ Davis has been assigned acting project manager for plant effective 930924.
BOYLE,S.E. Project Directorate I-2. 93/08/04. MILTENBERGER,S. Public Service Electric & Gas Co. of New Jersey. 3pp. 76164:146-76164:148.

9308230214 Concludes that post-accident neutron flux monitoring instrumentation meets criteria in NEDO-31558 & is therefore acceptable alternative to guidance in reg guide 1.97,Rev 3.
DEMBEK,S. Project Directorate I-2. 93/08/04. MILTENBERGER,S. Public Service Electric & Gas Co. of New Jersey. 3pp. 76183:073-76183:075.

9308310032 Confirms 930518 ltr re license change request 93-13 revising TS surveillance requirements for reactor coolant recirculation jet pumps.
TOSCH,K. New Jersey. State of. 93/08/20. Document Control Branch (Document Control Desk). 2pp. 76321:326-76321:327.

9308300133 Responds to question posed in NRC review of License Change Request 91-03 re increased voltage limit for load rejection test.Svc life of components will not be decreased as result of performing tests every 18 months.
THOMSON,F.X. Public Service Electric & Gas Co. of New Jersey. 93/08/23. Document Control Branch (Document Control Desk). 2pp. 76282:340-76282:341.

Q. Inspection reports, IE Bulletins & correspondence

9307190043 NRC Info Notice 93-057, "Software Problems Involving Digital Control Console Sys at Non-Power Reactors."
GRIMES,B.K. Division of Operating Reactor Support (Post 921004). 93/07/23. Consolidated Edison Co. of New York, Inc. 9pp. 76111:200-76111:208.

9308100014 Forwards insp rept 50-354/93-19 on 930615-17.No violations noted.
JOYNER,J.H. Region 1 (Post 820201). 93/07/28. MILTENBERGER,S. Public Service Electric & Gas Co. of New Jersey. 4pp. 76025:042-76025:052.

-9308100019 Insp rept 50-354/93-19 on 930615-17.No violations noted. Major areas inspected:organization,staffing,audits & assessments,ALARA controls & performance.
NIMITZ,R.L., PASCIAK,W. Region 1 (Post 820201). 93/07/27. 7pp. 76025:046-76025:052.

9308040007 Forwards insp repts 50-272/93-14,50-311/93-14 & 50-354/93-10.Unresolved item updated.
DURR,J.P. Region 1 (Post 820201). 93/07/29. MILTENBERGER,S. Public Service Electric & Gas Co. of New Jersey. 3pp. 75949:035-75949:068.

-9308040011 Insp repts 50-272/93-14,50-311/93-14 & 50-354/93-10 on 930419-30.One unresolved item updated.Major areas inspected: engineering performance,staffing,training,procurement engineering & corrective actions.
CHEUNG,L.S., RULAND,W. Region 1 (Post 820201). 93/07/16. 30pp. 75949:038-75949:068.

9308110206 Forwards response to NRC Bulletin 93-003, "Resolution of Issues Related to RV Water Level Instrumentation in BWRs" & info necessary to allow closure of GL 92-04 for facility.
LABRUNA,S. Public Service Electric & Gas Co. of New Jersey. 93/07/30. Document Control Branch (Document Control Desk). 5pp. 76071:356-76071:360.

9308110156 Forwards corrected page,citing monthly rCV surveillance test that produces half-scam signal that verifies bypass status of RPS bypass circuit,per 930222 response to NRC Bulletin 90-001,Suppl 1.
HAGAN,J.J. Public Service Electric & Gas Co. of New Jersey. 93/08/02. Document Control Branch (Document Control Desk). 4pp. 76071:299-76071:302.

9308190033 Forwards Insp Repts 50-272/93-19,50-311/93-19 & 50-354/93-18 on 930606-0724.Findings documented in repts.
WENZINGER,E.C. Region 1 (Post 820201). 93/08/12. MILTENBERGER,S. Public Service Electric & Gas Co. of New Jersey. 2pp. 76161:298-76161:328.

-9308190037 Insp Repts 50-272/93-19,50-311/93-19 & 50-354/93-18 on 930606-0724.Overview of findings & conclusions provided. Major areas inspected:operations,radiological controls, maint & surveillance testing,EP & security.
WHITE,J.R. Region 1 (Post 820201). 93/08/12. 28pp. 76161:301-76161:328.

9308200041 Responds to unresolved item noted in Insp Repts 50-272/93-13,50-311/93-13 & 50-354/93-09 re NRC understanding of licensee practice of not declaring & reporting terminated emergencies.
HAGAN,J.J. Public Service Electric & Gas Co. of New Jersey. 93/08/12. Document Control Branch (Document Control Desk). 5pp. 76190:280-76190:284.

R. Periodic operating reports & related correspondence

9308190193 Monthly operating rept for Jul 1993 for HCGS,unit 1.W/930813 ltr.
ZABIELSKI,V., HOVER,R.J. Public Service Electric & Gas Co. of New Jersey. 93/07/31. 12pp. 76168:312-76168:323.

9308300245 "NPDES Discharge Monitoring Rept for Jul 1993 for Hope Creek Generating Station." W/930820 ltr.
HOVEY,R.J. Public Service Electric & Gas Co. of New Jersey. 93/07/31. CORPORALE,G. New Jersey, State of. 25pp. 76282:143-76282:168.

9308260336 Forwards semi-annual rept of fitness for duty performance data.
MILTENBERGER,S. Public Service Electric & Gas Co. of New Jersey. 93/08/18. Document Control Branch (Document Control Desk). 8pp. 76237:349-76237:357.

S. Reportable occurrences, LERs & related correspondence

9308190011 Informs that event reported in 930106 ltr from plant to licensee,not considered as substantial safety hazard or Part 21.Advises that series of check valves were installed to prevent reverse flow,discharge feeding intake described.
HORINKA,M.S. Coltec Industries, Inc. 93/07/20. WRAY,D. Public Service Electric & Gas Co. of New Jersey. 1p. 76151:353-76151:353.

9308030372 Potential Part 21 rept re Limitorque actuator motors.Utilis & other purchases listed in encl being advised of concern. Limitorque revising selection procedure for safety related actuators,motors & technical data packages.
TAYLOR,J.H. Babcock & Wilcox Co. 93/07/22. Document Control Branch (Document Control Desk). 6pp. 75976:349-75976:356.

9308060351 NPDES noncompliance 5 day rept re exceedance of daily max limit for total residual chlorine in cooling tower blowdown discharge to Delaware River.Caused by rupture of sodium hypochlorite injection line.Injection line isolated.
THOMSON,F.X. Public Service Electric & Gas Co. of New Jersey. 93/07/30. New Jersey, State of. 22pp. 76036:130-76036:154.

9308110315 Part 21 rept on 930429,deficiency identified re heat damage to COMSIP Series PTW-5300 dc powered microswitches.Initially reported on 930709.Safety-related dc microswitches will be replaced prior to 931230.
HAGAN,J.J. Public Service Electric & Gas Co. of New Jersey. 93/08/05. Document Control Branch (Document Control Desk). 3pp. 76077:272-76077:278.

V. Operator Examinations

9308170124 Informs of arrangements which were made for administration of licensing exams at facility,per 930804 telcon.Exams scheduled for wk of 931213.
CONTE,R.J. Region 1 (Post 820201). 93/08/06. MILTENBERGER,S. Public Service Electric & Gas Co. of New Jersey. 3pp. 76109:035-76109:037.

DOCKET 50-356 UNIV. OF ILLINOIS RESEARCH REACTOR

H. General correspondence

9308160062 Requests response from Commission at earliest possible convenience in answer to listed question & forwards copy of 930728 ltr to CJ Holloway.
HOLM,R.L. Illinois, Univ. of, Urbana, IL. 93/08/03. Docketing & Services Branch. 1p. 76089:124-76089:125.

-9308160210 Requests clarification on two listed issues re RIN 3150-AE4, "FY1991 & 1992 Final Rule Implementing US Court of Appeals Decision & Rev of Fee Schedules:100% Fee Recovery,FY1993."
HOLM,R.L. Illinois, Univ. of, Urbana, IL. 93/07/28. HOLLOWAY,C.J. Office of the Controller (Post 890205). 1p. 76089:125-76089:125.

Q. Inspection reports, IE Bulletins & correspondence

9308100016 Forwards initial exam repts 50-151/OL-93-02 & 50-356/OL-93-02 administered during wk of 930726.W/o encls.
GALLO,R.M. Operator Licensing Branch. 93/08/03. JONES,B.G. Illinois, Univ. of, Urbana, IL. 1p. 76025:055-76025:055.

V. Operator Examinations

9307300082 Forwards Insp Repts 50-151/93-01 & 50-356/93-01 on 930706-08.No violations or deviations noted.
MCCORMICK-BARGE Region 3 (Post 820201). 93/07/21. JONES,B.G. Illinois, Univ. of, Urbana, IL. 2pp. 75932:351-75932:358.

-9307300088 Insp repts 50-151/93-01 & 50-356/93-01 on 930706-08.No violations noted.Major areas inspected:organization,logs & records,review & audit functions,qualification training, procedures,experiments & emergency planning.
COX,C. Region 3 (Post 820201). 93/07/21. 6pp. 75932:353-75932:358.

9308100016 Forwards initial exam repts 50-151/OL-93-02 & 50-356/OL-93-02 administered during wk of 930726.W/o encls.
GALLO,R.M. Operator Licensing Branch. 93/08/03. JONES,B.G. Illinois, Univ. of, Urbana, IL. 1p. 76025:055-76025:055.

9308190294 Forwards results for operator initial exam conducted on 930728.W/o encl.
GALLO,R.M. Operator Licensing Branch. 93/08/03. JONES,B.G. Illinois, Univ. of, Urbana, IL. 1p. 76155:352-76155:352.

9308230230 Forwards operator/senior operator license certificates for L Golchert & JH Romans,per Commission request.W/o encls.
BOGER,B.A. Division of Reactor Controls & Human Factors (Post 921004). 93/08/16. JONES,B.G. Illinois, Univ. of, Urbana, IL. 1p. 76178:217-76178:217.

DOCKET 50-358 WILLIAM H. ZIMMER NUCLEAR STATION, UNIT 1**F. Security, medical, emergency & fire protection plans**

9308030232 Requests that encl documents received from Thermal Ceramics, Inc be placed in PDR & copies distributed to listed individuals.
MILLER, I. Plant Systems Branch. 93/07/15. Document Control Branch (Document Control Desk). 1p. 76129:266-76130:277.

-9308030249 Direct testimony of GA Harrison, BM Cohn & RB Barnes re Contention 17, Kaowool as fire barrier for cable trays.
HARRISON, G.A. NRC - No Detailed Affiliation Given. 79/10/30. 23pp. 76129:271-76129:293.

H. General correspondence

9308240154 Comment opposing proposed rule 10CFR20 re radiological criteria for de-commissioning.
SHEARER, V.M. Affiliation Not Assigned. 93/08/11. Docketing & Services Branch. 1p. 76181:084-76181:084.

T. Hearing transcripts on non-antitrust matters

9308030232 Requests that encl documents received from Thermal Ceramics, Inc be placed in PDR & copies distributed to listed individuals.
MILLER, I. Plant Systems Branch. 93/07/15. Document Control Branch (Document Control Desk). 1p. 76129:266-76130:277.

-9308030249 Direct testimony of GA Harrison, BM Cohn & RB Barnes re Contention 17, Kaowool as fire barrier for cable trays.
HARRISON, G.A. NRC - No Detailed Affiliation Given. 79/10/30. 23pp. 76129:271-76129:293.

DOCKET 50-361 SAN ONOFRE NUCLEAR STATION, UNIT 2**F. Security, medical, emergency & fire protection plans**

9308040162 Forwards encl 8 to SECY 93-166 which describes proposed characteristics of design basis vehicle. Encl withheld.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 93/07/15. RAY, H.B. Southern California Edison Co. 2pp. 75987:022-75987:024.

9308160006 Forwards insp repts 50-206/93-11, 50-361/93-11 & 50-362/93-11 on 930513-0623 & notice of violation.
VANDENBURGH, C. Region 5 (Post 820201). 93/07/21. RAY, H.B. Southern Nuclear Operating Co. 3pp. 76088:243-76088:276.

-9308160008 Notice of violation from insp on 930513-0623. Violation noted: listed examples were observed in which components were not properly restrained near safety-related equipment.
* Region 5 (Post 820201). 93/07/21. 3pp. 76088:246-76088:248.

-9308160010 Insp repts 50-206/93-11, 50-361/93-11 & 50-362/93-11 on 930513-0623. Violations noted. Major areas inspected: operational safety verification, radiological protection, security & evaluation of plant trips & events.
WONG, H.J. Region 5 (Post 820201). 93/07/21. 28pp. 76088:249-76088:276.

9308050153 Rev 5.4 to "Emergency Plan for SONGS, Units 1, 2 & 3." W/ 930802 ltr.
MARSH, W.C. Southern California Edison Co. 93/08/02. 25pp. 76022:210-76022:234.

9308240135 Forwards Security Insp Repts 50-206/93-22, 50-361/93-22 & 50-363/93-22 on 930726-29. No violations or deviations noted. Repts withheld (ref 10CFR73.21).
PATE, R.J. Region 5 (Post 820201). 93/08/05. RAY, H.B. Southern California Edison Co. 3pp. 76213:308-76213:310.

9308260355 Forwards Rev 38A to NRC approved Aug 1983 "Physical Security Plan," Units 1 & 2 for review, per 10CFR50.54(2). Rev withheld (ref 10CFR73.21).
KRIEGER, R.W. Southern California Edison Co. 93/08/24. Document Control Branch (Document Control Desk). 2pp. 76266:300-76266:301.

9308310112 Forwards Rev 5.5 of SONGS, Units 1, 2 & 3 emergency plan, revising classification criteria for SG tube leakage events as listed, per NUREG-0654.
MARSH, W.C. Southern California Edison Co. 93/08/27. Document Control Branch (Document Control Desk). 3pp. 76322:251-76322:266.

-9308310115 Rev 5.5 of SONGS, Units 1, 2 & 3 emergency plan.
* Southern California Edison Co. 93/08/13. 13pp. 76322:254-76322:266.

H. General correspondence

9308020099 Comment on proposed rules 10CFR170 & 171 re NRC fee policy. Opposes rule.
MARSH, H. Southern California Edison Co. 93/07/19. Docketing & Services Branch. 4pp. 75921:199-75921:202.

P. Operating license stage documents & correspondence

9308160104 Forwards info on P-T limits from discussion at April OG meeting re pressure temp limit reprinted in administrative controls section of STS.
GRIMES, C.I. Technical Specifications Branch. 93/05/18. BUSH, L. Westinghouse Operating Plants Owners Group. 2pp. 76102:352-76102:356.

9308040142 Forwards SE concluding that CEOG rept CEN-387-P, rev 1, "Pressurizer Surge Line Thermal Stratification Evaluation" adequately demonstrates that bounding surge line & nozzles meet ASME code stress & fatigue requirements.
TRAN, L.N. Project Directorate V. 93/07/16. CONWAY, W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 75978:331-75978:338.

-9308040163 SE of CEN-387-P, Rev 0 & 1, "Pressurizer Surge Line Flow Stratification Evaluation." Rept acceptable.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 93/07/16. 4pp. 75978:335-75978:338.

9308170241 Forwards SE approving licensee 930305 inservice insp relief requests B-10, B-11 & Code Case N-496.
QUAY, T.R. Project Directorate V. 93/07/27. RAY, H.B. Southern California Edison Co. GUILLES, E.A. San Diego Gas & Electric Co. 3pp. 76139:001-76139:009.

-9308170244 SER approving licensee 930305 relief requests B-10, B-11 & Code Case N-496.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 93/07/27. 6pp. 76139:004-76139:009.

9308230050 Forwards amends 108 & 97 to licenses NPF-10 & NPF-15, respectively & safety evaluation. Amends revise TS 3/4.4.5, "RCS Leakage" to allow required water inventory balance to be performed within 120 h of previous balance.
FIELDS, M.B. Project Directorate V. 93/08/03. RAY, H.B. Southern California Edison Co. GUILLES, E.A. San Diego Gas & Electric Co. 3pp. 76179:293-76179:307.

-9308230055 Amends 108 & 97 to licenses NPF-10 & NPF-15, respectively, revising TS 3/4.4.5, "RCS Leakage" to allow required water inventory balance to be performed within 120 h of previous balance.
QUAY, T.R. Project Directorate V. 93/08/03. 10pp. 76179:296-76179:303.

-9308230057 Safety evaluation supporting amends 108 & 97 to licenses NPF-10 & NPF-15, respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 93/08/03. 4pp. 76179:304-76179:307.

9308180195 Notification of 930818 meeting w/util in Rockville, MD to discuss effects of non-leak-tight covers in safety-related battery jars.
FIELDS, M.B. Project Directorate V. 93/08/11. MURLEY, T., MIRAGLIA, F., RUSSELL, W. NRC - No Detailed Affiliation Given. 5pp. 76143:034-76143:038.

9308200111 Forwards draft Rev 6 to Engineering Procedure S023-V-3.4, "IST of Pumps Program" & draft Rev 8 to Engineering Procedure S023-V-3.5, "IST of Valves Program." Procedures to be finalized & issued when second 10-yr interval begins.
MARSH, W.C. Southern California Edison Co. 93/08/17. Document Control Branch (Document Control Desk). 217pp. 76182:033-76182:249.

Q. Inspection reports, IE Bulletins & correspondence

9308040142 Forwards SE concluding that CEOG rept CEN-387-P, rev 1, "Pressurizer Surge Line Thermal Stratification Evaluation" adequately demonstrates that bounding surge line & nozzles meet ASME code stress & fatigue requirements.
TRAN, L.N. Project Directorate V. 93/07/16. CONWAY, W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 75978:331-75978:338.

-9308040163 SE of CEN-387-P, Rev 0 & 1, "Pressurizer Surge Line Flow Stratification Evaluation." Rept acceptable.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 93/07/16. 4pp. 75978:335-75978:338.

9308300254 Forwards nonproprietary & proprietary versions of "Root Cause Evaluation for CPC Axial Shape Anomaly for SONGS, Units 2 & 3." in ref to open item noted in Insp Rept 50-361/93-05. Proprietary version withheld, per 10CFR2.790.
MARSH, W.C. Southern California Edison Co. 93/07/19. Document Control Branch (Document Control Desk). 2pp. 76284:001-76284:082.

-9308300262 Nonproprietary "Root Cause Evaluation for CPC Axial Shape Anomaly for SONGS, Units 2 & 3."
HAZARETH, V.F., SWOOPE, S.W., THOMSEN, O.J. Southern California Edison Co. 93/06/30. 80pp. 76284:003-76284:082.

9308160006 Forwards insp repts 50-206/93-11, 50-361/93-11 & 50-362/93-11 on 930513-0623 & notice of violation.
VANDENBURGH, C. Region 5 (Post 820201). 93/07/21. RAY, H.B. Southern Nuclear Operating Co. 3pp. 76088:243-76088:276.

-9308160008 Notice of violation from insp on 930513-0623. Violation noted: listed examples were observed in which components were not properly restrained near safety-related equipment.
* Region 5 (Post 820201). 93/07/21. 3pp. 76088:246-76088:248.

-9308160010 Insp repts 50-206/93-11, 50-361/93-11 & 50-362/93-11 on 930513-0623. Violations noted. Major areas inspected: operational safety verification, radiological protection, security & evaluation of plant trips & events.
WONG, H.J. Region 5 (Post 820201). 93/07/21. 28pp. 76088:249-76088:276.

9307190043 NRC Info Notice 93-057, "Software Problems Involving Digital Control Console Sys at Non-Power Reactors."
GRIMES, B.K. Division of Operating Reactor Support (Post 921004). 93/07/23. Consolidated Edison Co. of New York, Inc. 9pp. 76111:200-76111:208.

9308160148 Forwards insp repts 50-361/93-16 & 50-362/93-16. No violation noted.
MILLER, L.F. Region 5 (Post 820201). 93/07/30. RAY, H.B. Southern California Edison Co. 3pp. 76090:048-76090:065.

-9308160152 Insp repts 50-361/93-16 & 50-362/93-16 on 930607-0702. No violations noted. Major areas inspected: review of ISI & E/C monitoring activities during current Unit 2 cycle seven refueling outage.
ANG, W.P. Region 5 (Post 820201). 93/07/30. 15pp. 76090:051-76090:065.

9308120221 Submits results of ISI of SG tubes at SONGS, Unit 2, per 4.4.4.5(a). Eddy current insp of SG tubing completed on 930720. Complete results of recently completed ISI will be provided to NRC by 940720, per SR 4.4.4.5(b).
MARSH, W.C. Southern California Edison Co. 93/08/02. Document Control Branch (Document Control Desk). 2pp. 76087:306-76087:307.

106 DOCKETED ITEMS

9308190309 Forwards SE accepting licensee 890308,910301 & 911217 responses to NRC Bulletin 88-011, "Pressurizer Surge Line Thermal Stratification Evaluation." Utis should verify applicability of bounding analysis in CEN-387-P, Rev 1. FIELDS, M.B. Project Directorate V. 93/08/02. RAY, H.B. Southern California Edison Co. GUILLES, E.A. San Diego Gas & Electric Co. 3pp. 76156:298-76156:305.

-9308190314 Safety evaluation accepting licensee 890308,910301 & 911217 responses to NRC Bulletin 88-011 re C-E Owners Group program for evaluation of pressurizer surge line thermal stratification.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 93/08/02. 5pp. 76156:302-76156:305.

9308240135 Forwards Security Insp Repts 50-206/93-22,50-361/93-22 & 50-363/93-22 on 930726-29.No violations or deviations noted. Repts withheld (ref 10CFR73.21). PATE,R.J. Region 5 (Post 820201). 93/08/05. RAY,H.B. Southern California Edison Co. 3pp. 76213:308-76213:310.

9308240189 Forwards insp rept 50-206/93-18,50-361/93-18 & 50-362/93-18 on 930712-16 & notice of violation.
REESE,J.H. Region 5 (Post 820201). 93/08/05. RAY,H.B. Southern California Edison Co. 3pp. 76213:329-76213:341.

-9308240196 Notice of violation from insp on 930712-16.Violation noted:accessible area having radiation levels of 125 mrem/h, measured at 30 cm from reactor coolant pump P-001 drain line,not conspicuously posted as high radiation area.
* Region 5 (Post 820201). 93/08/05. 1p. 76213:332-76213:332.

-9308240201 Insp repts 50-206/93-18,50-361/93-18 & 50-362/93-18 on 930712-16.Violations noted.Major areas inspected:audits, ALARA & outage related radiological controls.
MAMISH,N., REESE,J.H. Region 5 (Post 820201). 93/08/05. 9pp. 76213:333-76213:341.

9308100196 Provides rev to SONGS,Units 2 & 3 ISI program for number of welds to be inspected during first 10-yr interval.Relief Request B-8,approved by NRC 921203 ltr encl.
MARSH,W.C. Southern California Edison Co. 93/08/06. Document Control Branch (Document Control Desk). 11pp. 76065:278-76065:288.

9308240160 Submits SALP schedule for FY94 per Mgt Directive 8.6.
FAULKENBERRY,B. Region 5 (Post 820201). 93/08/12. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). BERNERO,R.M. Office of Nuclear Material Safety & Safeguards. 3pp. 76211:357-76211:359.

9308180009 Informs that SONGS,Units 2 & 3 ISI Program for first 10-yr being extended by approx nine months.Advises that util plans to end second interval on 000818,as originally scheduled.
MARSH,W.C. Southern California Edison Co. 93/08/16. Document Control Branch (Document Control Desk). 2pp. 76155:330-76155:331.

9308270093 Responds to NRC 930721 ltr re violation noted in Insp Repts 50-206/93-11,50-361/93-11 & 50-362/93-11 on 930513-0623. Corrective actions:housekeeping & scaffold deficiencies corrected & walkdown of applicable scaffolds performed.
ROSENBLUM,R.M. Southern California Edison Co. 93/08/23. Document Control Branch (Document Control Desk). 8pp. 76262:348-76262:355.

R. Periodic operating reports & related correspondence

9308170353 Forwards semiannual fitness for duty program performance data on 930101-0630 w/summary of data & mgt actions.
MARSH,W.C. Southern California Edison Co. 93/08/11. Document Control Branch (Document Control Desk). 6pp. 76136:103-76136:108.

9308170176 Forwards monthly operating repts for Jul 1993 for SONGS, Units 2 & 3 & revised monthly operating status sheet for June 1993 monthly operating rept to correct gross thermal energy generated values.
MARSH,W.C. Southern California Edison Co. 93/08/13. Document Control Branch (Document Control Desk). 1p. 76135:336-76135:350.

-9308170181 Monthly operating repts for Jul 1993 for SONGS,Units 2 & 3.
DARLING,J.L. Southern California Edison Co. 93/07/31. 12pp. 76135:337-76135:348.

-9308170185 Revised monthly operating rept for June 1993 for San Onofre Nuclear Generating Station Unit 2.
DARLING,J.L. Southern California Edison Co. 93/06/30. 2pp. 76135:349-76135:350.

S. Reportable occurrences, LERs & related correspondence

9308170345 Part 21 rept re reportable defect-75 PSIG relief check valve 1" NPT,EMD 9521844,Kepner 416C-1-75.
GALEAZZI,D.D. MKW Power Systems, Inc. 93/07/15. Office of Nuclear Reactor Regulation, Director (Post 870411). 10pp. 76139:010-76139:019

DOCKET 50-362 SAN ONOFRE NUCLEAR STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

9308040162 Forwards encl 8 to SECY 93-166 which describes proposed characteristics of design basis vehicle.Encl withheld.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 93/07/15. RAY,H.B. Southern California Edison Co. 2pp. 75987:022-75987:024.

9308160006 Forwards insp repts 50-206/93-11,50-361/93-11 & 50-362/93-11 on 930513-0623 & notice of violation.
VANDENBURGH,C. Region 5 (Post 820201). 93/07/21. RAY,H.B. Southern Nuclear Operating Co. 3pp. 76088:243-76088:276.

-9308160008 Notice of violation from insp on 930513-0623.Violation noted:listed examples were observed in which components were not properly restrained near safety-related equipment.
* Region 5 (Post 820201). 93/07/21. 3pp. 76088:246-76088:248.

-9308160010 Insp repts 50-206/93-11,50-361/93-11 & 50-362/93-11 on 930513-0623.Violations noted.Major areas inspected: operational safety verification,radiological protection, security & evaluation of plant trips & events.
WONG,H.J. Region 5 (Post 820201). 93/07/21. 28pp. 76088:249-76088:276.

9308050153 Rev 5.4 to "Emergency Plan for SONGS,Units 1,2 & 3." W/ 930802 ltr.
MARSH,W.C. Southern California Edison Co. 93/08/02. 25pp. 76022:210-76022:234.

9308240135 Forwards Security Insp Repts 50-206/93-22,50-361/93-22 & 50-363/93-22 on 930726-29.No violations or deviations noted. Repts withheld (ref 10CFR73.21). PATE,R.J. Region 5 (Post 820201). 93/08/05. RAY,H.B. Southern California Edison Co. 3pp. 76213:308-76213:310.

9308260355 Forwards Rev 38A to NRC approved Aug 1983 "Physical Security Plan," Units 1 & 2 for review,per 10CFR50.54(2).Rev withheld (ref 10CFR73.21).
KRIEGER,R.W. Southern California Edison Co. 93/08/24. Document Control Branch (Document Control Desk). 2pp. 76266:300-76266:301.

9308310112 Forwards Rev 5.5 of SONGS,Units 1,2 & 3 emergency plan, revising classification criteria for SG tube leakage events as listed,per NUREG-0654.
MARSH,W.C. Southern California Edison Co. 93/08/27. Document Control Branch (Document Control Desk). 3pp. 76322:251-76322:266.

-9308310115 Rev 5.5 of SONGS,Units 1,2 & 3 emergency plan.
* Southern California Edison Co. 93/08/13. 13pp. 76322:254-76322:266.

H. General correspondence

9308020099 Comment on proposed rules 10CFR170 & 171 re NRC fee policy. Opposes rule.
MARSH,H. Southern California Edison Co. 93/07/19. Docketing & Services Branch. 4pp. 75921:199-75921:202.

P. Operating license stage documents & correspondence

9308160104 Forwards info on P-T limits from discussion at April OG meeting re pressure temp limit rept in administrative controls section of STS.
GRIMES,C.I. Technical Specifications Branch. 93/05/18. BUSH,L. Westinghouse Operating Plants Owners Group. 2pp. 76102:352-76102:356.

9308040142 Forwards SE concluding that CEOG rept CEN-387-P,rev 1, "Pressurizer Surge Line Thermal Stratification Evaluation" adequately demonstrates that bounding surge line & nozzles meet ASME code stress & fatigue requirements.
TRAN,L.N. Project Directorate V. 93/07/16. CONWAY,W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 75978:331-75978:338.

-9308040183 SE of CEN-387-P,Rev 0 & 1, "Pressurizer Surge Line Flow Stratification Evaluation." Rept acceptable.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 93/07/16. 4pp. 75978:335-75978:338.

9308170241 Forwards SE approving licensee 930305 inservice insp relief requests B-10,B-11 & Code Case N-496.
QUAY,T.R. Project Directorate V. 93/07/27. RAY,H.B. Southern California Edison Co. GUILLES,E.A. San Diego Gas & Electric Co. 3pp. 76139:001-76139:009.

-9308170244 SER approving licensee 930305 relief requests B-10,B-11 & Code Case N-496.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 93/07/27. 6pp. 76139:004-76139:009.

9308230050 Forwards amends 108 & 97 to licenses NPF-10 & NPF-15, respectively & safety evaluation.Amends revise TS 3/4.4.5, "RCS Leakage" to allow required water inventory balance to be performed within 120 h of previous balance.
FIELDS,M.B. Project Directorate V. 93/08/03. RAY,H.B. Southern California Edison Co. GUILLES,E.A. San Diego Gas & Electric Co. 3pp. 76179:293-76179:307.

-9308230055 Amends 108 & 97 to licenses NPF-10 & NPF-15, respectively, revising TS 3/4.4.5, "RCS Leakage" to allow required water inventory balance to be performed within 120 h of previous balance.
QUAY,T.R. Project Directorate V. 93/08/03. 10pp. 76179:296-76179:303.

-9308230057 Safety evaluation supporting amends 108 & 97 to licenses NPF-10 & NPF-15, respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 93/08/03. 4pp. 76179:304-76179:307.

9308180195 Notification of 930818 meeting w/util in Rockville,MD to discuss effects of non-leak-tight covers in safety-related battery jars.
FIELDS,M.B. Project Directorate V. 93/08/11. MURLEY,T., MIRAGLIA,F., RUSSELL,W. NRC - No Detailed Affiliation Given. 5pp. 76143:034-76143:038.

9308200111 Forwards draft Rev 6 to Engineering Procedure S023-V-3.4, "IST of Pumps Program" & draft Rev 8 to Engineering Procedure S023-V-3.5, "IST of Valves Program." Procedures to be finalized & issued when second 10-yr interval begins.
MARSH,W.C. Southern California Edison Co. 93/08/17. Document Control Branch (Document Control Desk). 217pp. 76182:033-76182:249.

Q. Inspection reports, IE Bulletins & correspondence

9308040142 Forwards SE concluding that CEOG rept CEN-387-P,rev 1, "Pressurizer Surge Line Thermal Stratification Evaluation" adequately demonstrates that bounding surge line & nozzles meet ASME code stress & fatigue requirements.
TRAN,L.N. Project Directorate V. 93/07/16. CONWAY,W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 75978:331-75978:338.

-9308040183 SE of CEN-387-P,Rev 0 & 1, "Pressurizer Surge Line Flow Stratification Evaluation." Rept acceptable.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 93/07/16. 4pp. 75978:335-75978:338.

9308300254 Forwards nonproprietary & proprietary versions of "Root Cause Evaluation for CPC Axial Shape Anomaly for SONGS, Units 2 & 3," in ref to open item noted in Insp Rept 50-361/93-05. Proprietary version withheld, per 10CFR2.790. MARSH, W.C. Southern California Edison Co. 93/07/19. Document Control Branch (Document Control Desk). 2pp. 76284:001-76284:082.

-9308300262 Nonproprietary "Root Cause Evaluation for CPC Axial Shape Anomaly for SONGS, Units 2 & 3." NAZARETH, V.F., SWOOPE, S.W., THOMSEN, O.J. Southern California Edison Co. 93/06/30. 80pp. 76284:003-76284:082.

9308160006 Forwards insp repts 50-206/93-11, 50-361/93-11 & 50-362/93-11 on 930513-0623 & notice of violation. VANDENBURGH, C. Region 5 (Post 820201). 93/07/21. RAY, H.B. Southern Nuclear Operating Co. 3pp. 76088:243-76088:276.

-9308160008 Notice of violation from insp on 930513-0623. Violation noted: listed examples were observed in which components were not properly restrained near safety-related equipment. * Region 5 (Post 820201). 93/07/21. 3pp. 76088:246-76088:248.

-9308160010 Insp repts 50-206/93-11, 50-361/93-11 & 50-362/93-11 on 930513-0623. Violations noted: Major areas inspected: operational safety verification, radiological protection, security & evaluation of plant trips & events. WONG, H.J. Region 5 (Post 820201). 93/07/21. 2pp. 76088:249-76088:276.

9307190043 NRC Info Notice 93-057. "Software Problems Involving Digital Control Console Sys at Non-Power Reactors." GRIMES, B.K. Division of Operating Reactor Support (Post 921004). 93/07/23. Consolidated Edison Co. of New York, Inc. 9pp. 76111:200-76111:208.

9308160148 Forwards insp repts 50-361/93-16 & 50-362/93-16. No violation noted. MILLER, L.F. Region 5 (Post 820201). 93/07/30. RAY, H.B. Southern California Edison Co. 3pp. 76090:048-76090:065.

-9308160152 Insp repts 50-361/93-16 & 50-362/93-16 on 930607-0702. No violations noted. Major areas inspected: review of ISI & E/C monitoring activities during current Unit 2 cycle seven refueling outage. ANG, W.P. Region 5 (Post 820201). 93/07/30. 15pp. 76090:051-76090:065.

9308190309 Forwards SE accepting licensee 890308, 910301 & 911217 responses to NRC Bulletin 88-011. "Pressurizer Surge Line Thermal Stratification Evaluation." Utis should verify applicability of bounding analysis in CEN-387-P, Rev 1. FIELDS, M.B. Project Directorate V. 93/08/02. RAY, H.B. Southern California Edison Co. GUILLES, E.A. San Diego Gas & Electric Co. 3pp. 76156:298-76156:305.

-9308190314 Safety evaluation accepting licensee 890308, 910301 & 911217 responses to NRC Bulletin 88-011 re C-E Owners Group program for evaluation of pressurizer surge line thermal stratification. * Office of Nuclear Reactor Regulation, Director (Post 870411). 93/08/02. 5pp. 76156:302-76156:305.

9308240135 Forwards Security Insp Repts 50-206/93-22, 50-361/93-22 & 50-363/93-22 on 930726-29. No violations or deviations noted. Repts withheld (ref 10CFR73.21). PATE, R.J. Region 5 (Post 820201). 93/08/05. RAY, H.B. Southern California Edison Co. 3pp. 76213:308-76213:310.

9308240189 Forwards insp rept 50-206/93-18, 50-361/93-18 & 50-362/93-18 on 930712-16 & notice of violation. REESE, J.H. Region 5 (Post 820201). 93/08/05. RAY, H.B. Southern California Edison Co. 3pp. 76213:329-76213:341.

-9308240201 Insp repts 50-206/93-18, 50-361/93-18 & 50-362/93-18 on 930712-16. Violations noted. Major areas inspected: audits, ALARA & outage related radiological controls. MAMISH, N., REESE, J.H. Region 5 (Post 820201). 93/08/05. 9pp. 76213:333-76213:341.

9308100196 Provides rev to SONGS, Units 2 & 3 ISI program for number of welds to be inspected during first 10-yr interval. Relief Request B-8, approved by NRC 921203 ltr encl. MARSH, W.C. Southern California Edison Co. 93/08/06. Document Control Branch (Document Control Desk). 11pp. 76065:278-76065:288.

9308240160 Submits SALP schedule for FY94 per Mgt Directive 8.6. FAULKENBERRY, B. Region 5 (Post 820201). 93/08/12. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). BERNERO, R.M. Office of Nuclear Material Safety & Safeguards. 3pp. 76211:357-76211:359.

9308180009 Informs that SONGS, Units 2 & 3 ISI Program for first 10-yr being extended by approx nine months. Advises that util plans to end second interval on 000818, as originally scheduled. MARSH, W.C. Southern California Edison Co. 93/08/16. Document Control Branch (Document Control Desk). 2pp. 76155:330-76155:331.

9308270093 Responds to NRC 930721 ltr re violation noted in Insp Repts 50-206/93-11, 50-361/93-11 & 50-362/93-11 on 930513-0623. Corrective actions: housekeeping & scaffold deficiencies corrected & walkdown of applicable scaffolds performed. ROSENBLUM, R.M. Southern California Edison Co. 93/08/23. Document Control Branch (Document Control Desk). 8pp. 76262:348-76262:355.

R. Periodic operating reports & related correspondence

9308170353 Forwards semiannual fitness for duty program performance data on 930101-0630 w/summary of data & mgt actions. MARSH, W.C. Southern California Edison Co. 93/08/11. Document Control Branch (Document Control Desk). 6pp. 76136:103-76136:108.

9308170176 Forwards monthly operating repts for Jul 1993 for SONGS, Units 2 & 3 & revised monthly operating status sheet for June 1993 monthly operating rept to correct gross thermal energy generated values. MARSH, W.C. Southern California Edison Co. 93/08/13. Document Control Branch (Document Control Desk). 1p. 76135:336-76135:350.

-9308170181 Monthly operating repts for Jul 1993 for SONGS, Units 2 & 3. DARLING, J.L. Southern California Edison Co. 93/07/31. 12pp. 76135:337-76135:348.

S. Reportable occurrences, LERs & related correspondence

9308170345 Part 21 rept re reportable defect-75 PSIG relief check valve 1" NPT, EMD 9521844, Kepner 416C-1-75. GALEAZZI, D.D. MKW Power Systems, Inc. 93/07/15. Office of Nuclear Reactor Regulation, Director (Post 870411). 10pp. 76139:010-76139:019.

9308110133 LER 93-004-00 on 930705, reactor tripped due to loss of vacuum. Replaced failed instrument air tubing & inspected tubing for units 2 & 3. W/930803 ltr. KRIEGER, R.W. Southern California Edison Co. 93/08/03. 4pp. 76091:159-76091:162.

DOCKET 50-364 JOSEPH M. FARLEY NUCLEAR PLANT, UNIT 2

C. Utility Environmental Report (ER), amends & correspondence

9308160027 Notification of significant licensee meeting 93-99 on 930831 in Monroeville, PA to discuss status of decommissioning of former B&W nuclear fuel fabrication facility in Apollo & operations at Parks Township site. ROTH, J. Region 1 (Post 820201). 93/08/02. Region 1 (Post 820201). 4pp. 76088:345-76088:348.

F. Security, medical, emergency & fire protection plans

9308030221 Forwards encl 8 to SECY 93-166 which describes proposed characteristics of design basis vehicle. Characteristics being provided to licensees in advance to facilitate more detailed comments on proposed rule. W/o encl. PARTLOW, J.G. Associate Director for Projects (Post 870411). 93/07/15. WOODARD, J.D. Southern Nuclear Operating Co. 2pp. 75945:360-75945:361.

9308030232 Requests that encl documents received from Thermal Ceramics, Inc be placed in PDR & copies distributed to listed individuals. MILLER, J. Plant Systems Branch. 93/07/15. Document Control Branch (Document Control Desk). 1p. 76129:266-76130:277.

-9308030239 Responds to 930427 ltr re FP60 sys supplied to NRC reactor licensees. MAXWELL, J.A. Affiliation Not Assigned. 93/07/13. MCCracken, C.E. Plant Systems Branch. 4pp. 76129:267-76129:270.

9308060015 Advises that rev 24 to plant emergency plan consistent w/ provisions of 10CFR50.47(b) & acceptable. CLINE, W.E. Region 2 (Post 820201). 93/07/22. HAIRSTON, W.G. Southern Nuclear Operating Co. 2pp. 75992:098-75992:099.

9308040046 Forwards insp repts 50-348/93-18 & 50-364/93-18 on 930706-09. COLLINS, D.M. Region 2 (Post 820201). 93/07/28. HAIRSTON, W.G. Southern Nuclear Operating Co. 3pp. 75949:219-75949:222.

-9308040048 Partially withheld insp repts 50-348/93-18 & 50-364/93-18 on 930706-09 (ref 10CFR73.21). Violation noted. Major areas inspected: mgt support, alarm stations, communications, detection & assessment aids & security training. THOMPSON, D. Region 2 (Post 820201). 93/07/28. 1p. 75949:222-75949:222.

9308040244 Discusses info re fire barriers manufactured by Thermal Ceramics, Inc. Subj fire barriers not installed at facility. MOREY, D. Southern Nuclear Operating Co. 93/07/29. Document Control Branch (Document Control Desk). 1p. 75991:280-75991:280.

9308300164 Ack receipt of 930630 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-348/93-05 & 50-364/93-05. Requests statement describing steps to be taken to correct violations C & D, denied in subj response. STOHR, J.P. Region 2 (Post 820201). 93/08/06. HAIRSTON, W.G. Southern Nuclear Operating Co. 8pp. 76280:276-76280:283.

9308170292 Ack receipt of 930721 ltr transmitting Revs 3 & 24, respectively to Farley safeguards contingency & physical security plans. Changes consistent w/provisions of 10CFR50.54(p) & acceptable for inclusion into plan. COLLINS, D.M. Region 2 (Post 820201). 93/08/09. HAIRSTON, W.G. Southern Nuclear Operating Co. 4pp. 76137:164-76137:167.

H. General correspondence

9308020054 Comment on proposed rules 10CFR170 & 171. "FY91 & 92 Proposed Rule Implementing US Court of Appeals Decision & Rev of Fee Schedules; 100% Fee Recovery, FY93." Opposes rule. WOODARD, J.D. Southern Nuclear Operating Co. 93/07/16. CHILK, S.J. Office of the Secretary of the Commission. 2pp. 75921:069-75921:070.

9308040227 Notices of organizational change & change in distribution for correspondence as listed. WOODWARD, J.D. Southern Nuclear Operating Co. 93/07/26. Document Control Branch (Document Control Desk). 2pp. 75997:056-75997:057.

P. Operating license stage documents & correspondence

9308060067 Confirms telcon between BL Moore & FS Cantrell re mgt meeting to be held in region II ofc on 930715 to discuss STAR program, motor operated valve test program & configuration mgt program for Farley facility. Proposed agenda encl. MERSCHOFF, E.W. Region 2 (Post 820201). 93/07/09. HAIRSTON, W.G. Southern Nuclear Operating Co. 3pp. 75992:280-75992:282.

9308060261 Notification of significant meeting w/util in Atlanta, GA on 930715 to discuss "STAR" MOV testing & configuration control program. CANTRELL, F.S. Region 2 (Post 820201). 93/07/09. Region 2 (Post 820201). 2pp. 75994:332-75994:333.

9308030232 Requests that encl documents received from Thermal Ceramics, Inc be placed in PDR & copies distributed to listed individuals. MILLER, J. Plant Systems Branch. 93/07/15. Document Control Branch (Document Control Desk). 1p. 76129:266-76130:277.

108 DOCKETED ITEMS

—9308030239 Responds to 930427 ltr re FP60 sys supplied to NRC reactor licensees. MAXWELL,J.A. Affiliation Not Assigned. 93/07/13. MCCracken,C.E. Plant Systems Branch. 4pp. 76129:267-76129:270.

9308060233 Provides summary of 930715 meeting w/util in Atlanta,GA re personnel error reduction program,configuration mgt program & MOV program overview as identified in attachments to ltr. MERSCHOFF,E.W. Region 2 (Post 820201). 93/07/23. HAIRSTON,W.G. Southern Nuclear Operating Co. 17pp. 75994:292-75994:308.

9308040193 Application for amend to license NPF-8,modifying TS 3/4.4.6 SG & associated bases,TS 3/4.4.7, "Reactor Coolant Sys Leakage" & TS 3/4.4.9, "Specific Activity" & associated bases. MOREY,D. Southern Nuclear Operating Co. 93/07/29. Document Control Branch (Document Control Desk). 7pp. 75997:289-75997:320.

—9308040198 Proposed tech specs modifying TS 3/4.4.6 "SG" & bases, TS 3/4.4.7 "Reactor Coolant Sys Leakage,TS 3/4.4.9, "Specific Activity" & associated bases. * Southern Nuclear Operating Co. 93/07/29. 25pp. 75997:296-75997:320.

9308200321 Comments on Regulatory Review Group rept to EDO published in FR on 930518,Agrees w/comments made by NUMARC. MOREY,D. Southern Nuclear Operating Co. 93/07/30. CHILK,S.J. Office of the Secretary of the Commission. 2pp. 76169:288-76169:289.

9308100158 Forwards response to GL 93-04, "Rod Control Failure & Withdrawal of Rod Control Cluster Assemblies." Util participating w/WOG to evaluate significance of Salem event. Util expects to complete response by end of 90-day period. MOREY,D. Southern Nuclear Operating Co. 93/08/04. Document Control Branch (Document Control Desk). 4pp. 76087:270-76087:273.

9308190102 Informs that util has reviewed draft NUREG-1477,dtd 930601, noticed in FR on 930702 & in agreement w/comments provided by EPRI/SG Mgt Program provided to NRC. MOREY,D. Southern Nuclear Operating Co. 93/08/13. Rules & Directives Review Branch (Post 920323). 45pp. 76162:087-76162:136.

Q. Inspection reports, IE Bulletins & correspondence

9308060106 Forwards insp repts 50-348/93-11 & 50-364/93-11 on 930521- 0629.No violations or deviations noted. VERRELLI,D.M. Region 2 (Post 820201). 93/07/15. HAIRSTON,W.G. Southern Nuclear Operating Co. 2pp. 75993:185-75993:197.

—9308060111 Insp repts 50-348/93-11 & 50-364/93-11 on 930521-0629.No violations noted.Major areas inspected:operations,maint, surveillance,licensee self-assessment,industry technical issues & event repts & follow-up of plant events. MAXWELL,G.F., MORGAN,M.J., CANTRELL,F.S. Region 2 (Post 820201). 93/07/15. 11pp. 75993:187-75993:197.

9307190043 NRC Info Notice 93-057, "Software Problems Involving Digital Control Console Sys at Non-Power Reactors." GRIMES,B.K. Division of Operating Reactor Support (Post 921004). 93/07/23. Consolidated Edison Co. of New York, Inc. 9pp. 76111:200-76111:208.

9308050090 Forwards insp repts 50-348/93-12 & 50-364/93-12 on 930621-25 & notice of violation. CLINE,W.E. Region 2 (Post 820201). 93/07/23. HAIRSTON,W.G. Southern Nuclear Operating Co. 3pp. 75972:133-75972:148.

—9308050094 Notice of violation from insp on 930621-25.Violation noted: licensee issued liquid waste release permit for batch release of liquid waste monitor tank which failed to identify particulate nuclides. * Region 2 (Post 820201). 93/07/23. 1p. 75972:136-75972:136.

—9308050099 Insp repts 50-348/93-12 & 50-364/93-12 on 930621-25. Violations noted.Major areas inspected:personnel training & qualification,plant water chemistry & process & effluent monitors. MCNEILL,N.G., DECKER,T.R. Region 2 (Post 820201). 93/07/23. 12pp. 75972:137-75972:148.

9308040046 Forwards insp repts 50-348/93-18 & 50-364/93-18 on 930706- 09. COLLINS,D.M. Region 2 (Post 820201). 93/07/28. HAIRSTON,W.G. Southern Nuclear Operating Co. 3pp. 75949:219-75949:222.

—9308040048 Partially withheld insp repts 50-348/93-18 & 50-364/93-18 on 930706-09 (ref 10CFR73.21).Violation noted.Major areas inspected:mgt support,alarm stations,communications, detection & assessment aids & security training. THOMPSON,D., MCGUIRE,D. Region 2 (Post 820201). 93/07/28. 1p. 75949:222-75949:222.

9308050018 Forwards insp repts 50-348/93-15 & 50-364/93-15 on 930628- 0702 & 0712-13.No violations or deviations noted. JULIAN,C.A. Region 2 (Post 820201). 93/07/29. HAIRSTON,W.G. Southern Nuclear Operating Co. 3pp. 75971:120-75971:138.

—9308050020 Insp repts 50-348/93-15 & 50-364/93-15 on 930628 & 0712-13. No violations or deviations noted.Major areas inspected: engineering mods,design changes & technical support activities. HUNT,M.D., KLEINSORGE,W.P., WHITENER,H.L. Region 2 (Post 820201). 93/07/29. 16pp. 75971:123-75971:138.

9308240022 Requests written inputs on performance of Farley facilities during completed S&LP Cycle 11 during period 920531-930925 using encl feeder forms.S&LP Board meeting for Farley scheduled for 931013. MERSCHOFF,E.W. Region 2 (Post 820201). 93/08/06. GIBSON,A.F. Region 2 (Post 820201). STOHR,J.P. Division of Radiation Safety & Safeguards (Post 921004). VARGA,S.A. Division of Reactor Projects - I/II (Post 870411). 54pp. 76208:295-76208:348.

9308300164 Ack receipt of 930630 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-348/93-05 & 50-364/93-05.Requests statement describing steps to be taken to correct violations C & D.denied in subj response. STOHR,J.P. Region 2 (Post 820201). 93/08/06. HAIRSTON,W.G. Southern Nuclear Operating Co. 8pp. 76280:276-76280:283.

9308230174 Forwards Insp Rept 50-348/93-16 & 50-364/93-16 on 930712-16 & forwards notice of violation. CLINE,W.O. Region 2 (Post 820201). 93/08/12. HAIRSTON,W.G. Southern Nuclear Operating Co. 3pp. 76206:052-76206:073.

—9308230176 Notice of violation from insp on 930712-16.Violation noted: NRC identified multiple examples of containers of radioactive matl that were not labeled as required by licensee procedure. * Region 2 (Post 820201). 93/08/12. 2pp. 76206:055-76206:056.

—9308230178 Insp repts 50-348/93-16 & 50-364/93-16 on 930712-16. Violations noted.Major areas inspected:occupational radiation exposure. FORBES,D.B., BOLAND,A.T., RANKIN,W.H. Region 2 (Post 820201). 93/08/09. 17pp. 76206:057-76206:073.

9308240259 Responds to violation noted in Insp Repts 50-348/93-12 & 50-364/93-12.Corrective actions:correct gamma spectrum used to re-calculate Liquid Waste Release Permit (LWRP) & revised LWRP reviewed against actual release data. MOREY,D. Southern Nuclear Operating Co. 93/08/20. Document Control Branch (Document Control Desk). 4pp. 76215:300-76215:303.

R. Periodic operating reports & related correspondence

9308260105 "Semiannual Radioactive Effluent Release Rept Jan-June 1993." W/ 930818 ltr. MOREY,D. Southern Nuclear Operating Co. 93/06/30. 200pp. 76236:079-76236:218.

9308170374 Monthly operating repts for Jul 1993 for JM Farley Nuclear Plant,units 1 & 2.W/930811 ltr. HILL,R.D., MOREY,D. Southern Nuclear Operating Co. 93/07/31. 10pp. 76137:261-76137:270.

9308230317 Forwards fitness for duty performance data for period Jan- June 1993. MOREY,D. Southern Nuclear Operating Co. 93/08/16. Document Control Branch (Document Control Desk). 4pp. 76203:318-76203:321.

S. Reportable occurrences, LERs & related correspondence

9308170301 Summary of operating reactors events briefing 93-19 on 930526. CHAFFEE,A.E. Events Assessment Branch. 93/06/01. GRIMES,B.K. Division of Operating Reactor Support (Post 921004). 22pp. 76139:061-76139:085.

DOCKET 50-366 EDWIN I. HATCH NUCLEAR PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9308030180 Forwards encl 8 to SECY 93-166 which describes proposed characteristics of design basis vehicle.Characteristics being provided to licensees in advance to facilitate more detailed comments on proposed rule.W/o encl. PARTLOW,J.G. Associate Director for Projects (Post 870411). 93/07/15. WOODARD,J.D. Georgia Power Co. 4pp. 75948:358-75950:335.

9308030232 Requests that encl documents received from Thermal Ceramics, Inc be placed in PDR & copies distributed to listed individuals. MILLER,I. Plant Systems Branch. 93/07/15. Document Control Branch (Document Control Desk). 1p. 76129:266-76130:277.

—9308030239 Responds to 930427 ltr re FP60 sys supplied to NRC reactor licensees. MAXWELL,J.A. Affiliation Not Assigned. 93/07/13. MCCracken,C.E. Plant Systems Branch. 4pp. 76129:267-76129:270.

9308030284 Temporary Change 93-180 to Rev 5 of Emergency Implementation Procedure 73EP-EIP-063-05, "TSC Activation." W/930823 ltr. BECKHAM,J.T. Georgia Power Co. 93/08/23. 3pp. 76282:314-76282:316.

G. Adjudicatory correspondence

9308160169 Informs of change in address & firm name as stated. DOMBY,A.H. Georgia Power Co. DOMBY,A.H. TroutmanSanders (formerly Troutman, Sanders, Lockerman & Ashmore). #393 14192. 93/06/23. CHILK,S.J. Office of the Secretary of the Commission. 1p. 76088:117-76088:117.

H. General correspondence

9308020029 Comment on proposed rules 10CFR170 & 171. "FY91 & 92 Proposed Rule Implementing US Court of Appeals Decision & Rev of Fee Schedules;100% Fee Recovery,FY93." Opposes rule. MCCOY,C.K. Georgia Power Co. 93/07/16. CHILK,S.J. Office of the Secretary of the Commission. 2pp. 75921:036-75921:037.

9308310009 Comments on Regulatory Review Group rept which appeared in 930518 FR.Util in agreement w/NUMARC comments to be provided to NRC. MCCOY,C.K. Georgia Power Co. 93/07/29. CHILK,S.J. Office of the Secretary of the Commission. 2pp. 76278:092-76278:093.

P. Operating license stage documents & correspondence

9308050055 Confirms arrangements made to hold mgt meeting on 930803 in Atlanta,GA to discuss recent actions by util in response to recent increase in events at plant.Proposed agenda encl. MERSCHOFF,E.W. Region 2 (Post 820201). 93/07/14. WOODARD,J.D. Georgia Power Co. 4pp. 75971:356-75971:359.

9308060042 Notice of significant meeting on 930803 in Atlanta,GA to discuss actions by licensee in response to recent increase in events at plant. SKINNER,P.H. Region 2 (Post 820201). 93/07/14. Region 2 (Post 820201). 2pp. 75992:166-75992:167.

9308030232 Requests that encl documents received from Thermal Ceramics, Inc be placed in PDR & copies distributed to listed individuals.
MILLER, J. Plant Systems Branch. 93/07/15. Document Control Branch (Document Control Desk). 1p. 76129:266-76130:277.

-9308030239 Responds to 930427 ltr re FP60 sys supplied to NRC reactor licensees. MAXWELL, J.A. Affiliation Not Assigned. 93/07/13. MCCracken, C.E. Plant Systems Branch. 4pp. 76129:267-76129:270.

9308040211 Responds to suppl response to request for info re weld overlay activities. BECKHAM, J.T. Georgia Power Co. 93/07/26. Document Control Branch (Document Control Desk). 2pp. 75997:202-75997:203.

9308040203 Responds to NRC 930527 ltr requesting addl info re GL 92-01 rev 1, "Reactor Vessel Structural Integrity." BECKHAM, J.T. Georgia Power Co. 93/07/27. Document Control Branch (Document Control Desk). 6pp. 75997:190-75997:195.

9308050136 Forwards TS pages showing original proposed changes & changes made by unrelated amends re NRC request for clarification on main steamline radiation. BECKHAM, J.T. Georgia Power Co. 93/07/27. Document Control Branch (Document Control Desk). 3pp. 76022:200-76022:209.

-9308050147 Proposed tech specs showing original & unrelated changes re removal of main steam line radiation monitor trips.
* Georgia Power Co. 93/07/27. 7pp. 76022:203-76022:209.

9308060072 Requests that liquid samples spiked w/beta emitting radionuclides be analyzed as soon as practicable, but no later than 60 days from receipt of ltr. CLINE, W.E. Region 2 (Post 820201). 93/07/27. BECKMAN, J.T. Georgia Power Co. 3pp. 75992:338-75992:340.

9308050219 Forwards requested addl info re util 921014, 930115 & 0326 license amend requests addressing implementation of new 10CFR20 requirements, in response to NRC 930610 ltr. Revised TS pages also encl. BECKHAM, J.T. Georgia Power Co. 93/07/30. Document Control Branch (Document Control Desk). 5pp. 76022:124-76022:150.

-9308050224 Proposed tech specs for implementation of new 10CFR20 requirements.
* Georgia Power Co. 93/07/30. 22pp. 76022:129-76022:150.

9308240139 Forwards SE concluding that overlay design for repair of flaws in weld were performed in conformance w/GL 88-01 & NUREG-0313, rev 2 & that integrity of repaired component will be maintained during future operation. JABBOUR, K.N. Project Directorate II-3. 93/08/05. BECKHAM, J.T. Georgia Power Co. 4pp. 76183:225-76183:230.

-9308240145 Safety evaluation concluding that overlay design for repair of flaws in weld performed in conformance w/GL 88-01 & NUREG-0313, rev 2 & that integrity of repaired component assured during future operation.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 93/08/05. 3pp. 76183:229-76183:230.

9308230243 Forwards summary of 930803 mgt meeting in Atlanta, GA re actions by util in response to recent increase in events at plant. List of attendees also encl. Effectiveness of licensee actions will be evaluated during future insps. MERSCHOFF, E.W. Region 2 (Post 820201). 93/08/06. BECKHAM, J.T. Georgia Power Co. 25pp. 76207:098-76207:122.

9308310171 Informs that proposed changes to section 13.5.1 for unit 2 & section 13.7 for unit 1 of FSAR provides acceptable alternative & operational quality assurance program will continue to meet requirements of 10CFR50, app B. GIBSON, A.F. Region 2 (Post 820201). 93/08/11. BECKHAM, J.T. Georgia Power Co. 3pp. 76264:350-76264:352.

9308200055 Forwards results of review of plant neutron monitoring instrumentation against criteria of NEDO-31558, "Position on NRC RG 1.97, Rev 3 Requirements for Post-Accident Neutron Monitoring Sys." BECKHAM, J.T. Georgia Power Co. 93/08/13. Document Control Branch (Document Control Desk). 8pp. 76209:323-76209:330.

9308310102 Notification of 930908-09 meeting w/util in Rockville, MD to discuss status of current licensing issues & safety initiatives for plants. HOOD, D.S. Project Directorate II-3. 93/08/24. MATTHEWS, D.B. Project Directorate II-3. 6pp. 76274:204-76274:209.

Q. Inspection reports, IE Bulletins & correspondence

9308060085 Forwards insp repts 50-321/93-08 & 50-366/93-08 on 930509-0605 & notice of violation. HERDT, A.R. Region 2 (Post 820201). 93/06/28. WOODARD, J.D. Georgia Power Co. 4pp. 75993:059-75993:090.

-9308060130 Notice of violation from insp on 930509-0605. Violation noted: during month of May 1993, adequate functional testing not performed following extensive maint activities on limit switch circuitry.
* Region 2 (Post 820201). 93/06/28. 3pp. 75993:063-75993:065.

-9308060140 Insp repts 50-321/93-08 & 50-366/93-08 on 930509-0605. Violations noted. Major areas inspected: operations including review of two reactor scrams & period of close monitoring of control room activities & surveillance testing. WERT, L.D., CHRISTNOT, E.F., SKINNER, P.H. Region 2 (Post 820201). 93/06/28. 25pp. 75993:066-75993:090.

9308060166 Ack receipt of 930628 ltr informing NRC of steps taken to correct violations noted in insp repts 50-321/93-06 & 50-366/93-06. Meeting scheduled for 930803 to discuss overall awareness & responsibilities of personnel. HERDT, A.R. Region 2 (Post 820201). 93/07/06. WOODARD, J.D. Georgia Power Co. 3pp. 75994:068-75994:070.

9308100018 Forwards insp repts 50-321/93-10 & 50-366/93-10 on 930608-11. No violations or deviations identified. CLINE, W.E. Region 2 (Post 820201). 93/07/09. WOODARD, J.D. Georgia Power Co. 3pp. 76025:067-76025:076.

-9308100022 Insp repts 50-321/93-10 & 50-366/93-10 on 930608-11. No violations noted. Major areas inspected: potential effects of licensee leaking fuel issue upon radioactive waste sys & impact upon public health & safety during power ascension to 100%. CARRION, R.P., DECKER, T.R. Region 2 (Post 820201). 93/07/09. 7pp. 76025:070-76025:076.

9308060239 Ack receipt of 930628 ltr informing NRC of steps taken to correct violations noted in insp repts 50-321/93-07 & 50-366/93-07. CLINE, W.E. Region 2 (Post 820201). 93/07/16. WOODARD, J.D. Georgia Power Co. 4pp. 75994:311-75994:314.

9307190043 NRC Info Notice 93-057, "Software Problems Involving Digital Control Console Sys at Non-Power Reactors." GRIMES, B.K. Division of Operating Reactor Support (Post 921004). 93/07/23. Consolidated Edison Co. of New York, Inc. 9pp. 76111:200-76111:208.

9308050006 Forwards insp repts 50-321/93-11 & 50-366/93-11 on 930606-0703 & notice of violation. HERDT, A.R. Region 2 (Post 820201). 93/07/23. BECKHAM, J.T. Georgia Power Co. 3pp. 75971:001-75971:029.

-9308050008 Notice of violation from insp on 930606-0703. Violation noted: 1B standby gas treatment train inoperable on 930502 until 930505.
* Region 2 (Post 820201). 93/07/23. 2pp. 75971:004-75971:005.

-9308050010 Insp repts 50-321/93-11 & 50-366/93-11 on 930606-0703. Violations noted. Major areas inspected: operations, maint activities, surveillance testing, review of standby gas treatment sys operability issue & review of open items. WERT, L.D., CHRISTNOT, E.F., SKINNER, P.H. Region 2 (Post 820201). 93/07/23. 24pp. 75971:006-75971:029.

9308030201 Responds to NRC 930628 ltr re violations noted in insp repts 50-321/93-08 & 50-366/93-08. C/As: preventive & maint procedures for both units Turbine Stop Valve limit switches will be reviewed & revised. BECKHAM, J.T. Georgia Power Co. 93/07/27. Document Control Branch (Document Control Desk). 8pp. 75975:353-75975:360.

9308030308 Responds to IEB-93-003 re "Resolution of Issues Related to Reactor Vessel Water Level Instrumentation in BWRs." BECKHAM, J.T. Georgia Power Co. 93/07/27. Document Control Branch (Document Control Desk). 9pp. 75996:020-75996:028.

9308270236 Ack receipt of 930727 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-321/93-08 & 50-366/93-08. Response meets requirements of 10CFR2.01. HERDT, A.R. Region 2 (Post 820201). 93/08/05. BECKHAM, J.T. Georgia Power Co. 3pp. 76292:074-76292:076.

9308230243 Forwards summary of 930803 mgt meeting in Atlanta, GA re actions by util in response to recent increase in events at plant. List of attendees also encl. Effectiveness of licensee actions will be evaluated during future insps. MERSCHOFF, E.W. Region 2 (Post 820201). 93/08/06. BECKHAM, J.T. Georgia Power Co. 25pp. 76207:098-76207:122.

9308170399 Provides notification of change in mods to spent fuel pool level instruments, in response to Insp Repts 50-321/92-18 & 50-366/92-18. Description of new mod provided. BECKHAM, J.T. Georgia Power Co. 93/08/12. Document Control Branch (Document Control Desk). 2pp. 76137:273-76137:274.

9308200278 Responds to NRC 930723 ltr re violation noted in Insp Repts 50-321/93-11 & 50-366/93-11. Corrective actions: Calibr Procedure 57CP-CAL-041-1S temporarily revised & Calibr Procedure 57CP-T46-002-2S reviewed. BECKHAM, J.T. Georgia Power Co. 93/08/16. Document Control Branch (Document Control Desk). 5pp. 76184:309-76184:313.

R. Periodic operating reports & related correspondence

9308300261 "Plant El Hatch, Units 1 & 2 Semiannual Radioactive Effluent Release Rept, Jan-June 1993." W/930824 ltr. BECKHAM, J.T. Georgia Power Co. 93/06/30. 61pp. 76307:243-76307:303.

9308160232 Monthly operating repts for Jul 1993 for El Hatch Nuclear Plant, units 1 & 2. W/930809 ltr. BEARD, R.M., BECKHAM, J.T. Georgia Power Co. 93/07/31. 12pp. 76126:347-76126:358.

9308190114 Forwards fitness for duty performance data for six month period, Jan-June 1993. BECKHAM, J.T. Georgia Power Co. 93/08/12. Document Control Branch (Document Control Desk). 4pp. 76161:294-76161:297.

S. Reportable occurrences, LERs & related correspondence

9308130022 PNO-I-93-039 on 930805, leak occurred during ongoing leak sealing process for letdown sys valve body to bonnet leak inside containment. Caused by bonnet misalignment by 90 degrees. Licensee plans to place freeze seal on letdown line. DOERFLEIN, L. Region 1 (Post 820201). 93/08/06. 2pp. 76078:185-76078:186.

9308250035 LER 93-006-00 on 930721, determined that valves could not be closed by use of normal motive power due to inadequate procedural controls resulting in valve actuators being set up improperly. Isolated affected penetration. W/930818 ltr. TIPPS, S.B., BECKHAM, J.T. Georgia Power Co. 93/08/18. 7pp. 76255:312-76255:318.

DOCKET 50-368 ARKANSAS NUCLEAR ONE, UNIT 2

F. Security, medical, emergency & fire protection plans

9308090153 Rev 30 to EPIP OP-1903.010, "Emergency Action Level Classification."
* Entergy Operations, Inc. 92/10/29. 5pp. 76037:306-76037:310.

110 DOCKETED ITEMS

9308090196 Change PC-2 to Rev 27 of EPIP 1903.023, "Personnel Emergency."
* Entergy Operations, Inc. 93/03/16. 4pp. 76037:290-76037:293.

9308120332 Forwards objectives to be demonstrated by util during plant 1993 radiological emergency exercise (REX-93).
BEMENT, R.S. Entergy Operations, Inc. 93/03/19. MILHOAN, J.L. Region 4 (Post 820201). 14pp. 76085:211-76085:224.

9308120358 Forwards scenario package for 1993 radiological EP exercise at plant (REX-93), per pre-exercise schedule specified by FEMA GM EX-3.
BEMENT, R.S. Entergy Operations, Inc. 93/04/16. SPITZBERG, D.B. Region 4 (Post 820201). 56pp. 76086:305-76087:056.

9308040297 Forwards encl 8 to SECY 93-166 which describes proposed characteristics of design basis vehicle W/O encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 93/07/15. YELVERTON, J.W. Entergy Operations, Inc. 3pp. 75979:076-75979:078.

9308050113 Rev 1 to "ANO Fire Hazards Analysis."
MOLNAR, W. Entergy Operations, Inc. 93/07/15. 350pp. 76035:001-76036:018.

9308250209 Rev 18 to EPIP OP-1903.011, "Emergency Response/ Notification."
* Entergy Operations, Inc. 93/08/06. 85pp. 76224:191-76224:275.

9308300288 Forwards comments on GL 86-10, Suppl 1, "Fire Endurance Acceptance Criteria for Fire Barrier Sys Used to Separate Redundant Safe Shutdown Trains Within Same Fire Area."
FISICARO, J.J. Entergy Operations, Inc. 93/08/20. Rules & Directives Review Branch (Post 920323). 4pp. 76280:358-76280:361.

H. General correspondence

9308090004 Informs that executive vice president & chief operating officer positions have been filled by H Keiser.
FISICARO, J.J. Entergy Operations, Inc. 93/07/30. Document Control Branch (Document Control Desk). 2pp. 76061:354-76061:355.

9308270016 Comment opposing NRC draft GL 89-10, suppl 6.
MCGAHA, J.R. Entergy Operations, Inc. 93/08/23. CHILK, S.J. Office of the Secretary of the Commission. 4pp. 76217:021-76217:024.

P. Operating license stage documents & correspondence

9308040142 Forwards SE concluding that CEOG rept CEN-387-P, rev 1, "Pressurizer Surge Line Thermal Stratification Evaluation" adequately demonstrates that bounding surge line & nozzles meet ASME code stress & fatigue requirements.
TRAN, L.N. Project Directorate V. 93/07/16. CONWAY, W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 75978:331-75978:338.

-9308040183 SE of CEN-387-P, Rev 0 & 1, "Pressurizer Surge Line Flow Stratification Evaluation." Rept acceptable.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 93/07/16. 4pp. 75978:335-75978:338.

9308110390 Application for amend to license NPF-6, extending operation w/one plant protection sys channel in bypass.
YELVERTON, J.W. Entergy Operations, Inc. 93/07/22. Document Control Branch (Document Control Desk). 3pp. 76081:001-76082:237.

-9308110393 Proposed tech specs, extending operation w/one plant protection sys channel in bypass.
* Entergy Operations, Inc. 93/07/22. 54pp. 76081:004-76081:057.

-9308110396 "Analysis Allowing Extended Operation W/One PPS Channel in Bypass for ANO Unit 2."
MASON, T.L., BROWN, J.W., WEBSTER, S.A. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 6370-ICE-3316 R00. 93/01/29. 600pp. 76081:058-76082:237.

9308120050 Forwards responses to NUREG-1465, per request.
ADER, C. Division of Safety Issue Resolution (Post 880712). 93/07/22. Document Control Branch (Document Control Desk). 2pp. 76087:093-76087:137.

-9308120070 Provides comments on draft NUREG-1465, "Accident Source Terms for Light Water Nuclear Power Plants."
MCGAHA, J.R. Entergy Operations, Inc. 92/10/28. SOFFER, L. Division of Safety Issue Resolution (Post 880717). 7pp. 76087:109-76087:115.

9308170346 Forwards amend 149 to license NPF-6 & safety evaluation. Amend corrects typos introduced in original TS & in subsequent amends.
ALEXION, T.W. Project Directorate IV-1. 93/07/26. YELVERTON, J.W. Entergy Operations, Inc. 4pp. 76138:112-76138:152.

-9308170348 Amend 149 to license NPF-6, correcting typos introduced in original TS & in subsequent amends.
ROOD, H. Project Directorate IV-1. 93/07/26. 35pp. 76138:116-76138:150.

-9308170351 Safety evaluation supporting amend 149 to license NPF-6.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 93/07/26. 2pp. 76138:151-76138:152.

9308050050 Application for amends to licenses DPR-51 & NPF-6, revising ANO unit 1, limiting conditions for operation, surveillance requirements, bases for ECP & ANO unit 2 surveillance requirements & bases for ECP.
YELVERTON, J.W. Entergy Operations, Inc. 93/07/28. Document Control Branch (Document Control Desk). 10pp. 76021:301-76021:324.

-9308050059 Proposed TS, revising ANO Unit 1 limiting conditions for operations, surveillance requirements, bases for ECP & ANO Unit 2 surveillance requirements & bases for ECP.
* Entergy Operations, Inc. 93/07/28. 14pp. 76021:311-76021:324.

9308110202 Forwards summary of 930719 meeting re refueling outage scheduled to begin Sept 1993. Attendance list & licensee presentation also encl.
BEACH, A.B. Region 4 (Post 820201). 93/08/03. YELVERTON, J.W. Entergy Operations, Inc. 7pp. 76056:094-76056:181.

9308110290 Summary of 930715 meeting w/util re eddy current methodologies used at plant.
ALEXION, T.W. Project Directorate IV-1. 93/08/06. Project Directorate IV-1. 50pp. 76064:285-76064:336.

9308200259 Forwards info to support 930715 SG meeting w/NRC to discuss eddy current methodologies used at facility.
FISICARO, J.J. Entergy Operations, Inc. 93/08/17. Document Control Branch (Document Control Desk). 11pp. 76181:088-76181:192.

-9308230008 "ANO-2 SG Degraded Tube Analysis Per Reg Guide 1.121."
* Entergy Operations, Inc. 92-R-2025-01 R01. 93/08/17. 94pp. 76181:098-76181:192.

9308230009 Provides voluntary info on results of monitoring ANO Unit 2 shutdown cooling suction piping to detect if thermal stratification phenomenon induced by direct RCS interface existed w/o valve leakage, per NRC Bulletin 88-008.
FISICARO, J.J. Entergy Operations, Inc. 93/08/17. Document Control Branch (Document Control Desk). 5pp. 76179:191-76179:292.

-9308230010 "Evaluation of Thermal Stratification Effects on Shutdown Cooling Line for ANO Unit 2."
* ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.).
* ASEA Brown Boveri, Inc. A-MECH-ER-009 R00. 93/08/31. 100pp. 76179:196-76179:292.

9308300288 Forwards comments on GL 86-10, Suppl 1, "Fire Endurance Acceptance Criteria for Fire Barrier Sys Used to Separate Redundant Safe Shutdown Trains Within Same Fire Area."
FISICARO, J.J. Entergy Operations, Inc. 93/08/20. Rules & Directives Review Branch (Post 920323). 4pp. 76280:358-76280:361.

9308310225 Requests exemption from 10CFR26, "Fitness-for-Duty Programs." Detailed description of exemption & justification encl.
MCGAHA, J.H. Entergy Operations, Inc. 93/08/20. Document Control Branch (Document Control Desk). 19pp. 76304:305-76304:323.

Q. Inspection reports, IE Bulletins & correspondence

9308260069 Ltr contract NRC-03-90-031, task order 43, to "Electrical Distribution Sys Functional Insp - ANO 2."
SCOTT, M.L. Contract Administration Branch 1 (Post 900603). 93/01/22. ZOLKIEWICZ, W.J. AECL Technologies. 3pp. 76214:342-76214:343.

9308040142 Forwards SE concluding that CEOG rept CEN-387-P, rev 1, "Pressurizer Surge Line Thermal Stratification Evaluation" adequately demonstrates that bounding surge line & nozzles meet ASME code stress & fatigue requirements.
TRAN, L.N. Project Directorate V. 93/07/16. CONWAY, W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 75978:331-75978:338.

-9308040183 SE of CEN-387-P, Rev 0 & 1, "Pressurizer Surge Line Flow Stratification Evaluation." Rept acceptable.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 93/07/16. 4pp. 75978:335-75978:338.

9308100224 Ack receipt of 930610 response to IEB 93-02 issued on 930511 requesting licensee to identify fibrous matl in primary containment. Licensee response stated no fibrous matl identified in containment.
ALEXION, T.W. Project Directorate IV-1. 93/07/19. YELVERTON, J.W. Entergy Operations, Inc. 3pp. 76038:314-76038:316.

9307190043 NRC Info Notice 93-057, "Software Problems Involving Digital Control Console Sys at Non-Power Reactors."
GRIMES, B.K. Division of Operating Reactor Support (Post 921004). 93/07/23. Consolidated Edison Co. of New York, Inc. 9pp. 76111:200-76111:208.

9308020081 Forwards insp repts 50-313/93-23 & 50-368/93-23 on 930628-0702. Violations noted but not cited.
COLLINS, S.J. Region 4 (Post 820201). 93/07/23. YELVERTON, J.W. Entergy Corp. 5pp. 75954:141-75954:155.

-9308020089 Insp repts 50-313/93-23 & 50-368/93-23 on 930628-0702. Violations noted but not cited. Major areas inspected: 10CFR50.59 safety evaluation program.
WESTERMAN, T.F. Region 4 (Post 820201). 93/07/19. 10pp. 75954:146-75954:155.

9308120278 Forwards SE accepting licensee 890303.0816 & 911029 responses to NRC Bulletin 88-011 re pressurizer surge line thermal stratification.
ALEXION, T.W. Project Directorate IV-1. 93/07/23. YELVERTON, J.W. Entergy Operations, Inc. 3pp. 76085:352-76085:359.

-9308120282 Safety evaluation accepting licensee responses to IEB-88-011 re pressurizer surge line thermal stratification.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 93/07/23. 4pp. 76085:356-76085:359.

9308040009 Forwards insp repts 50-313/93-24 & 50-368/93-24 on 930712-16.
COLLINS, S.J. Region 4 (Post 820201). 93/07/30. YELVERTON, J.W. Entergy Operations, Inc. 5pp. 75949:072-75949:085.

-9308040012 Insp repts 50-313/93-24 & 50-368/93-24 on 930712-16. No violations noted. Major areas inspected: erosion/corrosion monitoring program & associated activities.
POWERS, D.A. Region 4 (Post 820201). 93/07/29. 9pp. 75949:077-75949:085.

9308110028 Advises that special insp entitled FIRS has been scheduled for facility during refueling outage. Insp scheduled for 930907-24.
COLLINS, S.J. Region 4 (Post 820201). 93/08/03. YELVERTON, J.W. Entergy Operations, Inc. 7pp. 76039:196-76039:202.

9308110100 Forwards insp repts 50-313/93-06 & 50-368/93-06 on 930530-0710 & notice of violation. Violation of concern because failure to maintain unit 1 valve alignments in accordance to procedures led to degraded emergency pump.
BEACH, A.B. Region 4 (Post 820201). 93/08/05. YELVERTON, J.W. Entergy Operations, Inc. 6pp. 76056:027-76056:060.

-9308110104 Notice of violation from insp on 930530-0710. Violation noted: valve FO-92A1 found to be in open position, valve CS-1197 found to be throttled 2-1/2 turns open & valves MU-51 & MU-52 not closed upon test completion.
* Region 4 (Post 820201). 93/08/05. 2pp. 76056:033-76056:034.

-9308110107 Insp repts 50-313/93-06 & 50-368/93-06 on 930530-0710. Violations noted: Major areas inspected: onsite event follow up, operational safety verification, engineered safety feature sys walkdown & observation of monthly maint activities.
STETKA, T.F. Region 4 (Post 820201). 93/08/03. 26pp. 76056:035-76056:060.

9308230009 Provides voluntary info on results of monitoring ANO, Unit 2 shutdown cooling suction piping to detect if thermal stratification phenomenon induced by direct RCS interface existed w/o valve leakage, per NRC Bulletin 88-008.
FISICARO, J.J. Entergy Operations, Inc. 93/08/17. Document Control Branch (Document Control Desk). 5pp. 76179:191-76179:292.

-9308230010 "Evaluation of Thermal Stratification Effects on Shutdown Cooling Line for ANO, Unit 2."
* ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.).
* ASEA Brown Boveri, Inc. A-MECH-ER-009 R00. 93/08/31. 100pp. 76179:196-76179:292.

9308250110 Notification of significant licensee meeting w/util on 930927 to discuss results of systematic assessment of licensee performance repts 50-313/93-99 & 50-368/93-99.
SEACH, A.B. Region 4 (Post 820201). 93/08/18. Region 4 (Post 820201). 3pp. 76188:140-76188:142.

9308230121 Forwards response to NRC 930226 RAI re concern of containment penetration overcurrent protection devices noted during electrical distribution sys functional insp on 930504-0605. Rev to Calculation 85-E-0118-01 also encl.
FISICARO, J.J. Entergy Operations, Inc. 93/08/20. Document Control Branch (Document Control Desk). 6pp. 76180:001-76180:266.

-9308230124 "RB Penetration Overcurrent Protection Study."
MILLER, E., OTT, T. Entergy Operations, Inc. 85-E-0118-01 R02. 93/08/13. 260pp. 76180:007-76180:266.

R. Periodic operating reports & related correspondence

9308230246 "ANO 1992 Annual 10CFR50.59 Rept." W/930820 ltr.
FISICARO, J.J. Entergy Operations, Inc. 92/12/31. 397pp. 76205:001-76206:051.

9308310205 "ANO, Units 1 & 2 Semiannual Radioactive Effluent Release Rept, Jan-June 1993." W/930827 ltr.
FISICARO, J.J. Entergy Operations, Inc. 93/06/30. 30pp. 76288:248-76288:277.

9308190341 Monthly operating rept for Jul 1993 for Arkansas Nuclear One Unit 2. W/930813 ltr.
WHITT, M.S., FISICARO, J.J. Centenor Energy. 93/07/31. 7pp. 76169:330-76169:336.

9308240025 Forwards fitness-for-duty program performance data for period of Jan-June 1993 per 10CFR26.71(d).
FISICARO, J.J. Entergy Operations, Inc. 93/08/19. Document Control Branch (Document Control Desk). 5pp. 76207:334-76207:338.

S. Reportable occurrences, LERs & related correspondence

9308170301 Summary of operating reactors events briefing 93-19 on 930526.
CHAFFEE, A.E. Events Assessment Branch. 93/06/01. GRIMES, B.K. Division of Operating Reactor Support (Post 921004). 22pp. 76139:061-76139:085.

9308030372 Potential Part 21 rept re Limitorque actuator motors. Utilis & other purchases listed in encl being advised of concern. Limitorque revising selection procedure for safety related actuators, motors & technical data packages.
TAYLOR, J.H. Babcock & Wilcox Co. 93/07/22. Document Control Branch (Document Control Desk). 8pp. 75976:349-75976:356.

V. Operator Examinations

9308110038 Informs that arrangements made for administration of licensing exams scheduled for 931206 & 13. Ref matl listed in encl 1 should be furnished 90 days prior to exam date.
COLLINS, S.J. Region 4 (Post 820201). 93/08/04. YELVERTON, J.W. Entergy Operations, Inc. 13pp. 76039:237-76039:249.

DOCKET 50-369 WILLIAM B. MCGUIRE NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9308160224 Forwards Public version of change 0 to EPIP RP/0/A/5700/10, "NRC Immediate Notification Requirements." W/930728 release memo.
MCMEEKIN, T.C. Duke Power Co. 93/07/14. Document Control Branch (Document Control Desk). 3pp. 76135:064-76135:089.

-9308160234 Public version of change 0 to EPIP RP/0/A/5700/10, "NRC Immediate Notification Requirements."
GILBERT, G. Duke Power Co. 93/07/13. 23pp. 76135:067-76135:089.

9308040139 Forwards encl 8 to SECY 93-166 which describes proposed characteristics of design basis vehicle. Encl withheld.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 93/07/15. TUCKMAN, M.S. Duke Power Co. 4pp. 75987:001-75987:004.

9308020148 Forwards Rev 48 to McGuire Nuclear Station Physical Security Plan that addresses devitalization of designated vital area & potential use of rifles in contingency response program. Plan withheld, per 10CFR73.21.
MCMEEKIN, T.C. Duke Power Co. 93/07/28. Document Control Branch (Document Control Desk). 2pp. 75945:327-75945:328.

9308230170 Forwards Insp Repts 50-369/93-11 & 50-370/93-11 on stated date & notice of violation.
HERDT, A.R. Region 2 (Post 820201). 93/08/09. MCMEEKIN, T.C. Duke Power Co. 4pp. 76206:307-76206:318.

-9308230172 Notice of violation from insp on stated date. Violation noted: licensee had no specific procedure in place nor any preventative maint schedule developed for lake level instrumentation for purpose of entering emergency plan.
* Region 2 (Post 820201). 93/08/09. 1p. 76206:311-76206:311.

9308310227 Rev 2 to EPIP OP/0/B/6200/90, "PALSS Operation for Accident Sampling." W/930819 ltr.
BARROW, M.C., GILBERT, G., MCMEEKIN, T.C. Duke Power Co. 93/08/19. 44pp. 76290:247-76290:290.

P. Operating license stage documents & correspondence

9308040180 Informs that two-person team will visit McGuire site on 930728 to perform two day IPE audit. Agenda for audit encl.
NERSES, V. Project Directorate II-3. 93/07/16. MCMEEKIN, T.C. Duke Power Co. 4pp. 75978:339-75978:342.

9308030301 Forwards notice of consideration of issuance of amendments to licenses NPF-9 & NPF-17. Amendments would revise boron concentration limits within refueling water storage tank & within cold leg accumulators.
NERSES, V. Project Directorate II-3. 93/07/19. MCMEEKIN, T.C. Duke Power Co. 3pp. 75968:008-75968:020.

-9308030337 Notice of consideration of issuance of amendments to licenses NPF-9 & NPF-17, proposed NSHC determination & opportunity for hearing. Amendments would revise boron concentration limits within refueling water storage tank & CLA.
MATTHEWS, D.B. Project Directorate II-3. 93/07/19. 10pp. 75968:011-75968:020.

9308120299 Forwards SE granting licensee 930429 request to use alternative weld matl in fabrication & installation of replacement SGs for plant.
MATTHEWS, D.B. Project Directorate II-3. 93/07/20. GRIER, G. Duke Power Co. 5pp. 76085:261-76085:268.

-9308120303 Safety evaluation granting licensee 930429 request to use alternative matls in fabrication & installation of SGs at plant.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 93/07/20. 3pp. 76085:266-76085:268.

9308100009 Discusses radiochemical analyses for liquid samples spiked w/beta emitting radionuclides & requests that analyses be completed as soon as practicable, but no later than 60 days from receipt of ltr.
CLINE, W.E. Region 2 (Post 820201). 93/07/28. MCMEEKIN, T.C. Duke Power Co. 3pp. 76025:036-76025:038.

9308120190 Responds to GL 93-04, "Rod Control Sys Failure & Withdrawal of Rod Cluster Assemblies."
TUCKMAN, M.S. Duke Power Co. 93/08/05. Document Control Branch (Document Control Desk). 9pp. 76104:303-76104:311.

9308130184 Forwards rev 16 to rept, "Analysis of Hydrogen Control Measures at McGuire Station," incorporating NRC 930526 SER which closes subj issue for plants. Rept also applicable to Catawba Nuclear Station as noted in Rev 9. W/o rept.
TUCKMAN, M.S. Duke Power Co. 93/08/05. Document Control Branch (Document Control Desk). 1p. 76113:303-76113:311.

9308190073 Forwards "McGuire Nuclear Station, Unit 1, Cycle 9 Startup Rept" for criticality, zero power physics testing & power escalation testing, per TS Section 6.9.1.1. Rept submitted due to use of both Westinghouse & B&W fuel in core reload.
MCMEEKIN, T.C. Duke Power Co. 93/08/05. Document Control Branch (Document Control Desk). 1p. 76161:240-76161:269.

-9308190075 "McGuire Nuclear Station, Unit 1 Cycle 9 Startup Rept."
* Duke Power Co. 93/08/03. 29pp. 76161:241-76161:269.

9308260053 Forwards corrected TS page 3/4 8-5 to amendments 135 & 117 to licenses NPF-9 & NPF-17, respectively. Page erroneously contained sentence removed by previous amend.
NERSES, V. Project Directorate II-3. 93/08/09. MCMEEKIN, T.C. Duke Power Co. 3pp. 76214:333-76214:336.

-9308260060 Corrected amendments 135 and 117 to licenses NPF-9 & NPF-17, respectively.
* Project Directorate II-3. 93/08/09. 1p. 76214:336-76214:336.

9308240330 Discusses info re request for enforcement discretion from TS 4.8.1.1.2.e to avoid unnecessary shutdown of unit 1.
MCMEEKIN, T.C. Duke Power Co. 93/08/17. Document Control Branch (Document Control Desk). 7pp. 76215:322-76215:328.

Q. Inspection reports, IE Bulletins & correspondence

9308060115 Forwards insp repts 50-369/93-09 & 50-370/93-09 on 930516-0612. Non-cited violations noted.
HERDT, A.R. Region 2 (Post 820201). 93/07/08. MCMEEKIN, T.C. Duke Power Co. 3pp. 75993:221-75993:239.

-9308060128 Insp repts 50-369/93-09 & 50-370/93-09 on 930516-0612. No violations noted. Major areas inspected: plant operations, surveillance testing, maint observations, LER followup, follow up on previous insp findings & operating experience program.
VAN DOORN, P.K., COOPER, T.A., COLEY, J.L. Region 2 (Post 820201). 93/07/08. 16pp. 75993:224-75993:239.

9307190043 NRC Info Notice 93-057, "Software Problems Involving Digital Control Console Sys at Non-Power Reactors."
GRIMES, B.K. Division of Operating Reactor Support (Post 921004). 93/07/23. Consolidated Edison Co. of New York, Inc. 9pp. 76111:200-76111:208.

112 DOCKETED ITEMS

9308100024 Ack receipt of 930715 ltr informing NRC of steps taken to correct violations noted in insp repts 50-369/93-08 & 50-370/93-08.
CLINE,W.E. Region 2 (Post 820201). 93/08/02. MCMEKIN,T.C. Duke Power Co. 2pp. 76025:081-76025:082.

9308230170 Forwards Insp Repts 50-369/93-11 & 50-370/93-11 on stated date & notice of violation.
HERDT,A.R. Region 2 (Post 820201). 93/08/09. MCMEKIN,T.C. Duke Power Co. 4pp. 76206:307-76206:318.

-9308230172 Notice of violation from insp on stated date.Violation noted:licensee had no specific procedure in place nor any preventative maint schedule developed for lake level instrumentation,for purpose of entering emergency plan.
* Region 2 (Post 820201). 93/08/09. 1p. 76206:311-76206:311.

-9308230175 Insp Repts 50-369/93-11 & 50-370/93-11 on stated date. Violation noted.Major areas inspected:plant operations, surveillance testing,maint observations & LER followup on previous insp findings.
VAN DOORN,P.K., COOPER,T.A., LESSER,M.S. Region 2 (Post 820201). 93/08/06. 7pp. 76206:312-76206:318.

9308240089 Forwards exam repts 50-369/93-300 & 50-370/93-300 on 930628-0702 & 930712-16 & notice of violation.
PEEBLES,T.A. Region 2 (Post 820201). 93/08/12. MCMEKIN,T.C. Duke Power Co. 4pp. 76207:123-76207:248.

-9308240107 Notice of violation from insp on 930628-0702 & 930712-16. Violation noted:licensee failed to notify NRC of change in medical status of licensed operators within 30 days as required,per 10CFR55.25 & 10CFR50.74.
* Region 2 (Post 820201). 93/08/12. 2pp. 76207:127-76207:128.

-9308240124 Exam Repts 50-369/93-300 & 50-370/93-300 on 930628-0702 & 0712-16.Exam results:requalification program judged satisfactorily.
AIELLO,R.F., LAWYER,L.L. Region 2 (Post 820201). 93/08/09. 150pp. 76207:129-76207:248.

R. Periodic operating reports & related correspondence

9308170444 Forwards monthly operating repts for Jul 1993 for McGuire Nuclear Station Units 1 & 2 & revised monthly operating status repts for June 1993 for McGuire Nuclear Station Units 1 & 2.
MCCRAW,E.O. Duke Power Co. 93/08/13. Document Control Branch (Document Control Desk). 2pp. 76137:284-76137:296.

-9308170445 Monthly operating repts for Jul 1993 for McGuire Nuclear Station Units 1 & 2.
WILLIAMS,R.A., SIMMONS,N.C. Duke Power Co. 93/07/31. 10pp. 76137:286-76137:295.

-9308170447 Revised monthly operating repts for June 1993 for McGuire Nuclear Station Units 1 & 2.
* Duke Power Co. 93/06/30. 1p. 76137:296-76137:296.

S. Reportable occurrences, LERs & related correspondence

9308170301 Summary of operating reactors events briefing 93-19 on 930526.
CHAFFEE,A.E. Events Assessment Branch. 93/06/01. GRIMES,B.K. Division of Operating Reactor Support (Post 921004). 22pp. 76139:061-76139:085.

9308050027 LER 93-007-00:on 930705,TS required surveillance was not performed because of inappropriate action because of lack of attention to detail.Generated WO 93047633 to perform required surveillance on unit 1 IPE CA 9010.W/930729 ltr.
PEDERSON,T.L., MCMEKIN,T.C. Duke Power Co. 93/08/04. 8pp. 76059:008-76059:015.

9308160358 Followup to NPDES noncompliance notification:on 930721, notified of failure of chronic toxicity test on combined samples collected from Waste Water Collection Basin,Outfall 005 on 930713 & 19.Unwatering process initiated on 930717.
ATHERTON,N.G. Duke Power Co. 93/08/04. GLEASON,R. North Carolina, State of. 4pp. 76141:339-76141:342.

930810215 Special Rept 93-06:on 930405,discovered debris on Unit 1 lower core plate.Four other unidentified objects noted during video insp of lower core plate.
MCMEKIN,T.C. Duke Power Co. 93/08/23. Document Control Branch (Document Control Desk). 20pp. 76288:334-76288:353.

V. Operator Examinations

9308250359 Ltr contract,awarding task 17,to "Individual Plant Exam Reviews,Internal Events-Back-End Only."
MATTIA,M.J. Contract Administration Branch 2 (Post 900603). FIN L-1934. 93/06/10. HAAS,P.M. Concord Associates, Inc. 10pp. 76203:107-76203:115.

9308130004 Informs that NRC received ltr dtd 930714 from util informing NRC of recipient confirmed positive test for alcohol on 930615.NRC has decided to take no action w/respect to license based on actions taken by licensee.
GIBSON,A.F. Region 2 (Post 820201). 93/08/04. PHILLIPS,J.D. Affiliation Not Assigned. 3pp. 76078:007-76078:009.

9308240089 Forwards exam repts 50-369/93-300 & 50-370/93-300 on 930628-0702 & 930712-16 & notice of violation.
PEEBLES,T.A. Region 2 (Post 820201). 93/08/12. MCMEKIN,T.C. Duke Power Co. 4pp. 76207:123-76207:248.

-9308240107 Notice of violation from insp on 930628-0702 & 930712-16. Violation noted:licensee failed to notify NRC of change in medical status of licensed operators within 30 days as required,per 10CFR55.25 & 10CFR50.74.
* Region 2 (Post 820201). 93/08/12. 2pp. 76207:127-76207:128.

-9308240124 Exam Repts 50-369/93-300 & 50-370/93-300 on 930628-0702 & 0712-16.Exam results:requalification program judged satisfactorily.
AIELLO,R.F., LAWYER,L.L. Region 2 (Post 820201). 93/08/09. 150pp. 76207:129-76207:248.

DOCKET 50-370 WILLIAM B. MCGUIRE NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9308160224 Forwards Public version of change 0 to EPIP RP/0/A/5700/10. "NRC Immediate Notification Requirements." W/930728 release memo.
MCMEKIN,T.C. Duke Power Co. 93/07/14. Document Control Branch (Document Control Desk). 3pp. 76135:064-76135:089.

-9308160234 Public version of change 0 to EPIP RP/0/A/5700/10. "NRC Immediate Notification Requirements."
GILBERT,G. Duke Power Co. 93/07/13. 23pp. 76135:067-76135:089.

9308040139 Forwards encl 8 to SECY 93-166 which describes proposed characteristics of design basis vehicle.Encl withheld.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 93/07/15. TUCKMAN,M.S. Duke Power Co. 4pp. 75987:001-75987:004.

9308020148 Forwards Rev 48 to McGuire Nuclear Station Physical Security Plan that addresses deactivation of designated vital area & potential use of rifles in contingency response program. Plan withheld,per 10CFR73.21.
MCMEKIN,T.C. Duke Power Co. 93/07/28. Document Control Branch (Document Control Desk). 2pp. 75945:327-75945:328.

9308230170 Forwards Insp Repts 50-369/93-11 & 50-370/93-11 on stated date & notice of violation.
HERDT,A.R. Region 2 (Post 820201). 93/08/09. MCMEKIN,T.C. Duke Power Co. 4pp. 76206:307-76206:318.

-9308230172 Notice of violation from insp on stated date.Violation noted:licensee had no specific procedure in place nor any preventative maint schedule developed for lake level instrumentation,for purpose of entering emergency plan.
* Region 2 (Post 820201). 93/08/09. 1p. 76206:311-76206:311.

9308310227 Rev 2 to EPIP OP/0/B/6200/90. "PALSS Operation for Accident Sampling." W/930819 ltr.
BARROW,M.C., GILBERT,G., MCMEKIN,T.C. Duke Power Co. 93/08/19. 44pp. 76290:247-76290:290.

P. Operating license stage documents & correspondence

9308040180 Informs that two-person team will visit McGuire site on 930728 to perform two day IPE audit.Agenda for audit encl.
NERSES,V. Project Directorate II-3. 93/07/16. MCMEKIN,T.C. Duke Power Co. 4pp. 75978:339-75978:342.

9308030301 Forwards notice of consideration of issuance of amends to licenses NPF-9 & NPF-17.Amends would revise boron concentration limits within refueling water storage tank & within cold leg accumulators.
NERSES,V. Project Directorate II-3. 93/07/19. MCMEKIN,T.C. Duke Power Co. 3pp. 75968:008-75968:020.

-9308030337 Notice of consideration of issuance of amends to licenses NPF-9 & NPF-17,proposed NSHC determination & opportunity for hearing.Amends would revise boron concentration limits within refueling water storage tank & CLA.
MATTHEWS,D.B. Project Directorate II-3. 93/07/19. 10pp. 75968:011-75968:020.

9308120299 Forwards SE granting licensee 930429 request to use alternative weld matl in fabrication & installation of replacement SGs for plant.
MATTHEWS,D.B. Project Directorate II-3. 93/07/20. GRIER,G. Duke Power Co. 5pp. 76085:261-76085:268.

-9308120303 Safety evaluation granting licensee 930429 request to use alternative matls in fabrication & installation of SGs at plant.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 93/07/20. 3pp. 76085:266-76085:268.

9308100009 Discusses radiochemical analyses for liquid samples spiked w/beta emitting radionuclides & requests that analyses be completed as soon as practicable,but no later than 60 days from receipt of ltr.
CLINE,W.E. Region 2 (Post 820201). 93/07/28. MCMEKIN,T.C. Duke Power Co. 3pp. 76025:036-76025:038.

9308120190 Responds to GL 93-04, "Rod Control Sys Failure & Withdrawal of Rod Cluster Assemblies."
TUCKMAN,M.S. Duke Power Co. 93/08/05. Document Control Branch (Document Control Desk). 9pp. 76104:303-76104:311.

9308130184 Forwards rev 16 to rept. "Analysis of Hydrogen Control Measures at McGuire Station," incorporating NRC 930526 SER which closes subj issue for plants.Rept also applicable to Catawba Nuclear Station as noted in Rev 9.W/o rept. TUCKMAN,M.S. Duke Power Co. 93/08/05. Document Control Branch (Document Control Desk). 1p. 76113:303-76113:311.

9308260053 Forwards corrected TS page 3/4 8-5 to amends 135 & 117 to licenses NPF-9 & NPF-17,respectively.Page erroneously contained sentence removed by previous amend.
NERSES,V. Project Directorate II-3. 93/08/09. MCMEKIN,T.C. Duke Power Co. 3pp. 76214:333-76214:336.

-9308260060 Corrected amends 135 and 117 to licenses NPF-9 & NPF-17, respectively.
* Project Directorate II-3. 93/08/09. 1p. 76214:336-76214:336.

9308260230 Forwards Rev 0 to "Evaluation of Reactor Vessel OD Flaw (PIP 2-M93-0717)," per GL 91-18 & "Ultrasonic Exam Results of Lower Head-to-Bottom Head Weld (2RRV-W01) for McGuire Unit II Jul 1993 Reactor Pressure Vessel Exam." W/ drawing.
MCMEKIN,T.C. Duke Power Co. 93/08/18. Document Control Branch (Document Control Desk). 4pp. 76278:106-76278:183.

-9308260321 "Evaluation of Reactor Vessel OD Flaw (PIP 2-M93-0717)."
* Duke Power Co. PIP 2-M93-0717 R00. 93/08/16. 44pp. 76278:110-76278:145.

-9308260330 "Ultrasonic Exam Results of Lower Head-to-Bottom Head Weld (2RRV-W01) for McGuire Unit II Jul 1993 Reactor Pressure Vessel Exam." MARTIN,C.E., STOPPELMANN,H, FAIRBROTHER,D. Duke Power Co. 93/08/12. 25pp. 76278:146-76278:183.

9308300331 Forwards revised Pump & Valve IST Program Relief Request 92-01,changing implementation schedule for mods for Unit 2 valves located on control air headers for DGs,per util 920708 submittal. MCMEKIN,T.C. Duke Power Co. 93/08/24. Document Control Branch (Document Control Desk). 5pp. 76296:346-76296:351.

Q. Inspection reports, IE Bulletins & correspondence

9308060115 Forwards insp repts 50-369/93-09 & 50-370/93-09 on 930516-0612. Non-cited violations noted. HERDT,A.R. Region 2 (Post 820201). 93/07/08. MCMEKIN,T.C. Duke Power Co. 3pp. 75993:221-75993:239.

-9308060128 Insp repts 50-369/93-09 & 50-370/93-09 on 930516-0612. No violations noted. Major areas inspected: plant operations, surveillance testing, maint observations, LER followup, follow up on previous insp findings & operating experience program. VAN DOORN,P.K., COOPER,T.A., COLEY,J.L. Region 2 (Post 820201). 93/07/08. 16pp. 75993:224-75993:239.

9307190043 NRC Info Notice 93-057, "Software Problems Involving Digital Control Console Sys at Non-Power Reactors." GRIMES,B.K. Division of Operating Reactor Support (Post 921004). 93/07/23. Consolidated Edison Co. of New York, Inc. 9pp. 76111:200-76111:208.

9308100024 Ack receipt of 930715 ltr informing NRC of steps taken to correct violations noted in insp repts 50-369/93-08 & 50-370/93-08. CLINE,W.E. Region 2 (Post 820201). 93/08/02. MCMEKIN,T.C. Duke Power Co. 2pp. 76025:081-76025:082.

9308230170 Forwards Insp Repts 50-369/93-11 & 50-370/93-11 on stated date & notice of violation. HERDT,A.R. Region 2 (Post 820201). 93/08/09. MCMEKIN,T.C. Duke Power Co. 4pp. 76206:307-76206:318.

-9308230172 Notice of violation from insp on stated date. Violation noted: licensee had no specific procedure in place nor any preventative maint schedule developed for lake level instrumentation, for purpose of entering emergency plan. * Region 2 (Post 820201). 93/08/09. 1p. 76208:311-76208:311.

-9308230175 Insp Repts 50-369/93-11 & 50-370/93-11 on stated date. Violation noted: Major areas inspected: plant operations, surveillance testing, maint observations & LER followup on previous insp findings. VAN DOORN,P.K., COOPER,T.A., LESSER,M.S. Region 2 (Post 820201). 93/08/06. 7pp. 76206:312-76206:318.

9308240089 Forwards exam repts 50-369/93-300 & 50-370/93-300 on 930628-0702 & 930712-16 & notice of violation. PEEBLES,T.A. Region 2 (Post 820201). 93/08/12. MCMEKIN,T.C. Duke Power Co. 4pp. 76207:123-76207:248.

-9308240107 Notice of violation from insp on 930628-0702 & 930712-16. Violation noted: licensee failed to notify NRC of change in medical status of licensed operators within 30 days as required, per 10CFR55.25 & 10CFR50.74. * Region 2 (Post 820201). 93/08/12. 2pp. 76207:127-76207:128.

-9308240124 Exam Repts 50-369/93-300 & 50-370/93-300 on 930628-0702 & 0712-16. Exam results: requalification program judged satisfactorily. AIELLO,R.F. Region 2 (Post 820201). 93/08/09. 150pp. 76207:129-76207:248.

9308260230 Forwards Rev 0 to "Evaluation of Reactor Vessel OD Flaw (PIP 2-M93-0717)," per GL 91-18 & "Ultrasonic Exam Results of Lower Head-to-Bottom Head Weld (2RRV-W01) for McGuire Unit II Jul 1993 Reactor Pressure Vessel Exam." W/ drawing. MCMEKIN,T.C. Duke Power Co. 93/08/18. Document Control Branch (Document Control Desk). 4pp. 76278:106-76278:183.

-9308260321 "Evaluation of Reactor Vessel OD Flaw (PIP 2-M93-0717)." * Duke Power Co. PIP 2-M93-0717 R00. 93/08/16. 44pp. 76278:110-76278:145.

-9308260330 "Ultrasonic Exam Results of Lower Head-to-Bottom Head Weld (2RRV-W01) for McGuire Unit II Jul 1993 Reactor Pressure Vessel Exam." MARTIN,C.E., STOPPELMANN,H, FAIRBROTHER,D. Duke Power Co. 93/08/12. 25pp. 76278:146-76278:183.

9308310224 Submits SG insp info for McGuire Unit 2 EOC-8 refueling outage, per Tech Spec 4.4.5.5a) & c). Quantities of tubes removed from svc or repaired listed. MCMEKIN,T.C. Duke Power Co. 93/08/23. Document Control Branch (Document Control Desk). 10pp. 76304:272-76304:281.

R. Periodic operating reports & related correspondence

9308170444 Forwards monthly operating repts for Jul 1993 for McGuire Nuclear Station Units 1 & 2 & revised monthly operating status repts for June 1993 for McGuire Nuclear Station Units 1 & 2. MCCRAW,E.O. Duke Power Co. 93/08/13. Document Control Branch (Document Control Desk). 2pp. 76137:284-76137:296.

-9308170445 Monthly operating repts for Jul 1993 for McGuire Nuclear Station Units 1 & 2. WILLIAMS,R.A., SIMMONS,N.C. Duke Power Co. 93/07/31. 10pp. 76137:286-76137:295.

-9308170447 Revised monthly operating repts for June 1993 for McGuire Nuclear Station Units 1 & 2. * Duke Power Co. 93/08/30. 1p. 76137:296-76137:296.

S. Reportable occurrences, LERs & related correspondence

9308170301 Summary of operating reactors events briefing 93-19 on 930526. CHAFFEE,A.E. Events Assessment Branch. 93/06/01. GRIMES,B.K. Division of Operating Reactor Support (Post 921004). 22pp. 76139:061-76139:085.

9308160358 Followup to NPDES noncompliance notification on 930721, notified of failure of chronic toxicity test on combined samples collected from Waste Water Collection Basin, Outfall 005 on 930713 & 19. Unwasting process initiated on 930717. ATHERTON,N.G. Duke Power Co. 93/08/04. GLEASON,R. North Carolina, State of. 4pp. 76141:339-76141:342.

9308300341 LER 93-004-00 on 930725, discovered that TS violated as result of past inoperability of valve 2RV-80B due to inappropriate action. Sys engineering personnel will evaluate placing stem cap on valve 2RV-80B. W/930824 ltr. PEDERSEN,T.L., MCMEKIN,T.C. Duke Power Co. 93/08/24. 8pp. 76304:084-76304:091.

V. Operator Examinations

9308250359 Ltr contract, awarding task 17, to "Individual Plant Exam Reviews, Internal Events-Back-End Only." MATTIA,M.J. Contract Administration Branch 2 (Post 900603). FIN L-1934. 93/06/10. HAAS,P.M. Concord Associates, Inc. 10pp. 76203:107-76203:115.

9308130004 Informs that NRC received ltr dtd 930714 from util informing NRC of recipient confirmed positive test for alcohol on 930615. NRC has decided to take no action w/ respect to license based on actions taken by licensee. GIBSON,A.F. Region 2 (Post 820201). 93/08/04. PHILLIPS,J.D. Affiliation Not Assigned. 3pp. 76078:007-76078:009.

9308240089 Forwards exam repts 50-369/93-300 & 50-370/93-300 on 930628-0702 & 930712-16 & notice of violation. PEEBLES,T.A. Region 2 (Post 820201). 93/08/12. MCMEKIN,T.C. Duke Power Co. 4pp. 76207:123-76207:248.

-9308240107 Notice of violation from insp on 930628-0702 & 930712-16. Violation noted: licensee failed to notify NRC of change in medical status of licensed operators within 30 days as required, per 10CFR55.25 & 10CFR50.74. * Region 2 (Post 820201). 93/08/12. 2pp. 76207:127-76207:128.

-9308240124 Exam Repts 50-369/93-300 & 50-370/93-300 on 930628-0702 & 0712-16. Exam results: requalification program judged satisfactorily. AIELLO,R.F., LAWYER,L.L. Region 2 (Post 820201). 93/08/09. 150pp. 76207:129-76207:248.

DOCKET 50-373 LASALLE COUNTY STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9308090289 Rev 11 to EPIP L2P-1200-1, "Classification of GSEP Conditions." W/updated index. * Commonwealth Edison Co. 93/07/12. 82pp. 76037:031-76037:112.

9308050300 Corrected Emergency Preparedness & State Programs Corporate EPIPs (CEPIP) CEPIP-2000 Series: Corporate Emergency Response Organization Index. * Commonwealth Edison Co. 93/07/14. 3pp. 76022:121-76022:123.

9308040274 Forwards encl 8 to SECY 93-166 which describes proposed characteristics of design basis vehicle. W/o encl. PARTLOW,J.G. Associate Director for Projects (Post 870411). 93/07/15. FARRAR,D.L. Commonwealth Edison Co. 4pp. 75979:087-75979:090.

9308100190 Provides addl info on fire barrier qualification, installation & ampacity derating margins for Thermo-Lag applications at facilities, in response to GL 92-08. CHRZANOWSKI,D. Commonwealth Edison Co. 93/08/04. Office of Nuclear Reactor Regulation, Director (Post 870411). 6pp. 76067:249-76067:254.

9308240072 Notification of 930817 meeting w/ util in Rockville, MD to discuss number of security related issues & changes to security plans which impact all sites. HICKMAN,J.B. Project Directorate III-2. 93/08/05. DYER,J.E. Project Directorate III-2. 5pp. 76199:329-76199:333.

9308170081 Ack receipt of 930709 ltr in response to NRC 930611 ltr re violations noted in insp repts 50-373/93-16 & 50-374/93-16. Informs that procedures did not satisfy criteria of NUREG-0899. MARTIN,T.O. Region 3 (Post 820201). 93/08/10. DELGEORGE,L.O. Commonwealth Edison Co. 2pp. 76108:321-76108:322.

9308310078 Summary of 930817 meeting w/ util in Rockville, MD re security-related issues & proposed mods to security plans. List of attendees encl. PICKETT,D.V. Project Directorate III-2. 93/08/24. Project Directorate III-2. 7pp. 76274:190-76274:196.

J. Insurance & indemnity information

9308270067 Concludes that financial info submitted for 1993 in 930421 ltr satisfies requirements of Section 140.21 of 10CFR140 that each licensee maintain approved guarantee of payment of deferred premiums for each operating reactor over 100 MWe. WOOD,R.S. Inspection & Licensing Policy Branch (Post 920712). 93/04/29. PENNOCK,J.B. Commonwealth Edison Co. 2pp. 76248:218-76248:219.

P. Operating license stage documents & correspondence

9308110174 Forwards request for addl info re licensee 920701 response to GL 92-01, rev 1, "Reactor Vessel Structural Integrity." KENNEDY,J.L. Project Directorate III-2. 93/07/19. FARRAR,D.L. Commonwealth Edison Co. 7pp. 76063:301-76063:307.

114 DOCKETED ITEMS

9308030320 Ack receipt of 930630 & 0713 submittals, incorporating changes in QA program description topical report. Anticipates 60 days to complete review of submittal. RING, M.A. Region 3 (Post 820201). 93/07/27. DELGEORGE, L.O. Commonwealth Edison Co. 2pp. 75979:304-75979:305.

9308170425 Summary of 930617 meeting w/util to discuss steps being taken by licensee to resolve reactor vessel water level instrumentation degassing issue. List of attendees encl. KENNEDY, J. Project Directorate III-2. 93/07/27. Project Directorate III-2. 20pp. 76139:086-76139:105.

9308180220 Ack receipt of response to GL 92-04. "Resolution of Issues re Reactor Vessel Water Level Instrumentation in BWRs" & finds listed response acceptable. STANG, J.F. Project Directorate III-2. 93/07/29. FARRAR, D.L. Commonwealth Edison Co. 6pp. 76143:133-76143:138.

9308200165 Discusses plants post-accident sampling sys containment isolation valves. Staff currently considering potential generic backfit re isolation requirements for PASS H2/O2 monitoring sys. KENNEDY, J.L. Project Directorate III-2. 93/08/03. FARRAR, D.L. Commonwealth Edison Co. 2pp. 76163:360-76163:361.

9308100190 Provides addl info on fire barrier qualification, installation & ampacity derating margins for Thermo-Lag applications at facilities, in response to GL 92-08. CHRZANOWSKI, D. Commonwealth Edison Co. 93/08/04. Office of Nuclear Reactor Regulation, Director (Post 870411). 6pp. 76067:249-76067:254.

9308260158 Advises that NRC has no technical objection to licensee 930521 request to change frequency of meetings w/fuel vendors from once per reload design to once yearly. DYER, J.E. Project Directorate III-3. 93/08/09. FARRAR, D.L. Commonwealth Edison Co. 3pp. 76216:358-76216:360.

9308180122 Forwards corrected submittal of Relief Request RI-29. PIET, P.L. Commonwealth Edison Co. 93/08/13. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 3pp. 76155:279-76155:281.

9308230042 Forwards suppl info to application for amends to Licenses NPF-11 & NPF-18 re change in allowed-outage time from 72 h to 7 days for EDG 0. PIET, P.L. Commonwealth Edison Co. 93/08/16. MURLEY, T.T. Office of Nuclear Reactor Regulation, Director (Post 870411). 10pp. 76186:266-76186:275.

9308200005 Notification of 930818 meeting w/util in Rockville, MD to discuss approach NRR taking to address cost beneficial licensing actions. SIEGEL, B.L. Project Directorate III-2. 93/08/17. VARGAS, S., CALVO, J. NRC - No Detailed Affiliation Given. 4pp. 76209:284-76209:287.

9308230136 Provides requested info on post-accident neutron monitoring sys configurations at utility re NEDO document. CHRZANOWSKI, D. Commonwealth Edison Co. 93/08/17. Document Control Branch (Document Control Desk). 12pp. 76204:350-76204:361.

9308230153 Application for amends to Licenses NPF-11 & NPF-18, changing TS Sections 1.5 & 6 & bases for Section 3/4.11 re implement revs to 10CFR20 & 10CFR50.36a. SACCOMANDO, D. Commonwealth Edison Co. 93/08/17. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 8pp. 76206:076-76206:171.

9308230164 Proposed TS Sections 1.5 & 6 bases for Section 3/4.11 re implement revs to 10CFR20 & 10CFR50.36a. * Commonwealth Edison Co. 93/08/17. 86pp. 76206:084-76206:171.

9308230113 Forwards Rev 64 to Topical Rept CE-1-A, "Comm Ed QA Manual." BAUER, J.A. Commonwealth Edison Co. 93/08/20. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 76179:001-76179:190.

9308230114 Rev 64 to Topical Rept CE-1-A, "Comm Ed QA Manual." * Commonwealth Edison Co. 93/08/17. 189pp. 76179:002-76179:190.

Q. Inspection reports, IE Bulletins & correspondence

9308250314 Ltr contract, awarding task order 5, to "Emergency Operating Procedure Insp - LaSalle." SCOTT, M.L. Division of Contracts & Property Management (Post 890205). 93/04/29. COLINA, I. Science & Engineering Associates, Inc. 6pp. 76212:159-76212:164.

9307190043 NRC Info Notice 93-057, "Software Problems Involving Digital Control Console Sys at Non-Power Reactors." GRIMES, B.K. Division of Operating Reactor Support (Post 921004). 93/07/23. Consolidated Edison Co. of New York, Inc. 9pp. 76111:200-76111:208.

9308090015 Ack receipt of 930702 ltr informing NRC of steps taken to correct violations noted in insp repts 50-373/93-13 & 50-374/93-13. CLAYTON, B. Region 3 (Post 820201). 93/07/27. DELGEORGE, L.O. Commonwealth Edison Co. 2pp. 76020:237-76020:238.

9308040325 Responds to NRC Bulletin 93-003, "Resolution of Issues Re RV Water Level Instrumentation in BWRs." Licensee has established monitoring of RPV level instruments during reactor shutdown activities. DELGEORGE, L.O. Commonwealth Edison Co. 93/07/30. MURLEY, T. Office of Nuclear Reactor Regulation, Director (Post 870411). 23pp. 75997:001-75997:026.

9308100122 Forwards Relief Requests RI-24, -25, -26, -27 & -28 from ASME Code Section XI in-service insp program. PIET, P.L. Commonwealth Edison Co. 93/08/04. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 12pp. 76067:281-76067:292.

9308170081 Ack receipt of 930709 ltr in response to NRC 930611 ltr re violations noted in insp repts 50-373/93-16 & 50-374/93-16. Informs that procedures did not satisfy criteria of NUREG-0899. MARTIN, T.O. Region 3 (Post 820201). 93/08/10. DELGEORGE, L.O. Commonwealth Edison Co. 2pp. 76108:321-76108:322.

R. Periodic operating reports & related correspondence

9308090343 Forwards errata to LaSalle Nuclear Power Station, units 1 & 2 annual environment operating rept. SCHUSTER, T. Commonwealth Edison Co. 93/07/26. MARTIN, J. Region 3 (Post 820201). 1p. 76037:232-76037:233.

9308090345 Errata to LaSalle Nuclear Power Station, units 1 & 2 annual environment operating rept. * Commonwealth Edison Co. 92/12/31. 1p. 76037:233-76037:233.

9308160380 Monthly operating repts for Jul 1993 for LaSalle County Nuclear Power Station Units 1 & 2. W/930809 ltr. CIALKOWSKI, M., SCHMELTZ, J.V. Commonwealth Edison Co. 93/07/31. 20pp. 76128:177-76128:196.

9308260021 Forwards fitness-for-duty program performance data for Braidwood, Byron, Dresden, LaSalle, Quad-Cities & Zion Stations for six month period ending 930630. SIMPKIN, T.W. Commonwealth Edison Co. 93/08/20. Document Control Branch (Document Control Desk). 24pp. 76259:243-76259:266.

S. Reportable occurrences, LERs & related correspondence

9308030372 Potential Part 21 rept re Limitorque actuator motors. Utilis & other purchases listed in encl being advised of concern. Limitorque revising selection procedure for safety related actuators, motors & technical data packages. TAYLOR, J.H. Babcock & Wilcox Co. 93/07/22. Document Control Branch (Document Control Desk). 8pp. 75976:349-75976:356.

9308030176 LER 93-012-00: on 930702, reactor core isolation cooling sys declared inoperable due to associated bus voltage dropping below TS limits. Sent operator to cycle timer which caused affected contact to reclose. W/930730 ltr. SHARKO, D., SCHMELTZ, J.V. Commonwealth Edison Co. 93/07/30. 4pp. 76022:019-76022:023.

9308200110 LER 93-013-00: on 930727, received partial Group 7 isolation. Caused by failure of coil in relay 1B21H-K78. Work Request L23678 written to troubleshoot Group 7 isolation. Subj relay problem identified & relay replaced. W/930816 ltr. BRYANT, J.E., SCHMELTZ, J.V. Commonwealth Edison Co. 93/08/16. 5pp. 76200:017-76200:021.

V. Operator Examinations

9308030302 Informs of NRC plans to administer generic fundamentals exam section written operator licensing exam on 931006. RING, M.A. Region 3 (Post 820201). 93/07/28. Consumers Power Co. 3pp. 75983:358-75983:360.

DOCKET 50-374 LASALLE COUNTY STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9308090289 Rev 11 to EPIP L2P-1200-1, "Classification of GSEP Conditions." W/updated index. * Commonwealth Edison Co. 93/07/12. 82pp. 76037:031-76037:112.

9308050300 Corrected Emergency Preparedness & State Programs Corporate EPIPs (CEPIP) CEPIP-2000 Series: Corporate Emergency Response Organization Index. * Commonwealth Edison Co. 93/07/14. 3pp. 76022:121-76022:123.

9308040274 Forwards encl 8 to SECY 93-166 which describes proposed characteristics of design basis vehicle. W/o encl. PARTLOW, J.G. Associate Director for Projects (Post 870411). 93/07/15. FARRAR, D.L. Commonwealth Edison Co. 4pp. 75979:087-75979:090.

9308100190 Provides addl info on fire barrier qualification, installation & ampacity derating margins for Thermo-Lag applications at facilities, in response to GL 92-08. CHRZANOWSKI, D. Commonwealth Edison Co. 93/08/04. Office of Nuclear Reactor Regulation, Director (Post 870411). 6pp. 76067:249-76067:254.

9308240072 Notification of 930817 meeting w/util in Rockville, MD to discuss number of security related issues & changes to security plans which impact all sites. HICKMAN, J.B. Project Directorate III-2. 93/08/05. DYER, J.E. Project Directorate III-2. 5pp. 76199:329-76199:333.

9308170081 Ack receipt of 930709 ltr in response to NRC 930611 ltr re violations noted in insp repts 50-373/93-16 & 50-374/93-16. Informs that procedures did not satisfy criteria of NUREG-0899. MARTIN, T.O. Region 3 (Post 820201). 93/08/10. DELGEORGE, L.O. Commonwealth Edison Co. 2pp. 76108:321-76108:322.

9308310078 Summary of 930817 meeting w/util in Rockville, MD re security-related issues & proposed mods to security plans. List of attendees encl. PICKETT, D.V. Project Directorate III-2. 93/08/24. Project Directorate III-2. 7pp. 76274:190-76274:196.

J. Insurance & indemnity information

9308270067 Concludes that financial info submitted for 1993 in 930421 ltr satisfies requirements of Section 140.21 of 10CFR140 that each licensee maintain approved guarantee of payment of deferred premiums for each operating reactor over 100 MWe. WOOD, R.S. Inspection & Licensing Policy Branch (Post 920712). 93/04/29. PENNOCK, J.B. Commonwealth Edison Co. 2pp. 76248:218-76248:219.

P. Operating license stage documents & correspondence

9308110174 Forwards request for addl info re licensee 920701 response to GL 92-01, rev 1, "Reactor Vessel Structural Integrity." KENNEDY, J.L. Project Directorate III-2. 93/07/19. FARRAR, D.L. Commonwealth Edison Co. 7pp. 76063:301-76063:307.

9308030320 Ack receipt of 930630 & 0713 submittals, incorporating changes in QA program description topical rept. Anticipates 60 days to complete review of submittal. RING, M.A. Region 3 (Post 820201). 93/07/27. DELGEORGE, L.O. Commonwealth Edison Co. 2pp. 75979:304-75979:305.

9308170425 Summary of 930617 meeting w/util to discuss steps being taken by licensee to resolve reactor vessel water level instrumentation degassing issue. List of attendees encl. KENNEDY, J. Project Directorate III-2. 93/07/27. Project Directorate III-2. 20pp. 76139:086-76139:105.

9308180220 Ack receipt of response to GL 92-04, "Resolution of Issues re Reactor Vessel Water Level Instrumentation in BWRs" & finds listed response acceptable. STANG, J.F. Project Directorate III-2. 93/07/29. FARRAR, D.L. Commonwealth Edison Co. 6pp. 76143:133-76143:138.

9308200165 Discusses plants post-accident sampling sys containment isolation valves. Staff currently considering potential generic backfit re isolation requirements for PASS H2/O2 monitoring sys. KENNEDY, J.L. Project Directorate III-2. 93/08/03. FARRAR, D.L. Commonwealth Edison Co. 2pp. 76163:360-76163:361.

9308100190 Provides addl info on fire barrier qualification, installation & ampacity derating margins for Thermo-Lag applications at facilities, in response to GL 92-08. CHRZANOWSKI, D. Commonwealth Edison Co. 93/08/04. Office of Nuclear Reactor Regulation, Director (Post 870411). 6pp. 76067:249-76067:254.

9308260158 Advises that NRC has no technical objection to licensee 930521 request to change frequency of meetings w/fuel vendors from once per reload design to once yearly. DYER, J.E. Project Directorate III-3. 93/08/09. FARRAR, D.L. Commonwealth Edison Co. 3pp. 76216:358-76216:360.

9308180122 Forwards corrected submittal of Relief Request RI-29. PIET, P.L. Commonwealth Edison Co. 93/08/13. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 3pp. 76155:279-76155:281.

9308230042 Forwards suppl info to application for amends to Licenses NPF-11 & NPF-18 re change in allowed-outage time from 72 h to 7 days for EDG 0. PIET, P.L. Commonwealth Edison Co. 93/08/16. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 10pp. 76186:266-76186:275.

9308200005 Notification of 930818 meeting w/util in Rockville, MD to discuss approach NRR taking to address cost beneficial licensing actions. SIEGEL, B.L. Project Directorate III-2. 93/08/17. MURLEY, T., LAINAS, G., BOGER, B. NRC - No Detailed Affiliation Given. 4pp. 76209:284-76209:287.

9308230136 Provides requested info on post-accident neutron monitoring sys configurations at utilities re NEDO document. CHRZANOWSKI, D. Commonwealth Edison Co. 93/08/17. Document Control Branch (Document Control Desk). 12pp. 76204:350-76204:361.

9308230153 Application for amends to Licenses NPF-11 & NPF-18, changing TS Sections 1.5 & 6 & bases for Section 3/4.11 re implement revs to 10CFR20 & 10CFR50.36a. SACCOMANDO, D. Commonwealth Edison Co. 93/08/17. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 8pp. 76206:076-76206:171.

-9308230164 Proposed TS Sections 1.5 & 6 bases for Section 3/4.11 re implement revs to 10CFR20 & 10CFR50.36a. * Commonwealth Edison Co. 93/08/17. 86pp. 76206:084-76206:171.

9308230113 Forwards Rev 64 to Topical Rept CE-1-A, "Comm Ed QA Manual." BAUER, J.A. Commonwealth Edison Co. 93/08/20. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 76179:001-76179:190.

-9308230114 Rev 64 to Topical Rept CE-1-A, "Comm Ed QA Manual." * Commonwealth Edison Co. 93/08/17. 189pp. 76179:002-76179:190.

Q. Inspection reports, IE Bulletins & correspondence

9308250314 Ltr contract, awarding task order 5, to "Emergency Operating Procedure Insp - LaSalle." SCOTT, M.L. Division of Contracts & Property Management (Post 890205). 93/04/29. COLINA, I. Science & Engineering Associates, Inc. 6pp. 76212:159-76212:164.

9307190043 NRC Info Notice 93-057, "Software Problems Involving Digital Control Console Sys at Non-Power Reactors." GRIMES, B.K. Division of Operating Reactor Support (Post 921004). 93/07/23. Consolidated Edison Co. of New York, Inc. 9pp. 76111:200-76111:208.

9308090015 Ack receipt of 930702 ltr informing NRC of steps taken to correct violations noted in insp repts 50-373/93-13 & 50-374/93-13. CLAYTON, B. Region 3 (Post 820201). 93/07/27. DELGEORGE, L.O. Commonwealth Edison Co. 2pp. 76020:237-76020:238.

9308040325 Responds to NRC Bulletin 93-003, "Resolution of Issues Re RV Water Level Instrumentation in BWRs." Licensee has established monitoring of RPV level instruments during reactor shutdown activities. DELGEORGE, L.O. Commonwealth Edison Co. 93/07/30. MURLEY, T. Office of Nuclear Reactor Regulation, Director (Post 870411). 23pp. 75997:001-75997:026.

9308100122 Forwards Relief Requests RI-24, -25, -26, -27 & -28 from ASME Code Section XI in-service insp program. PIET, P.L. Commonwealth Edison Co. 93/08/04. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 12pp. 76067:281-76067:292.

9308170061 Ack receipt of 930709 ltr in response to NRC 930611 ltr re violations noted in insp repts 50-373/93-16 & 50-374/93-16. Informs that procedures did not satisfy criteria of NUREG-0899. MARTIN, T.O. Region 3 (Post 820201). 93/08/10. DELGEORGE, L.O. Commonwealth Edison Co. 2pp. 76108:321-76108:322.

R. Periodic operating reports & related correspondence

9308090343 Forwards errata to LaSalle Nuclear Power Station, units 1 & 2 annual environment operating rept. SCHUSTER, T. Commonwealth Edison Co. 93/07/26. MARTIN, J. Region 3 (Post 820201). 1p. 76037:232-76037:233.

-9308090345 Errata to LaSalle Nuclear Power Station, units 1 & 2 annual environment operating rept. * Commonwealth Edison Co. 92/12/31. 1p. 76037:233-76037:233.

9308160380 Monthly operating repts for Jul 1993 for LaSalle County Nuclear Power Station Units 1 & 2. W/930809 ltr. CIALKOWSKI, M., SCHMELTZ, J.V. Commonwealth Edison Co. 93/07/31. 20pp. 76128:177-76128:196.

9308260021 Forwards fitness-for-duty program performance data for Bradwood, Byron, Dresden, LaSalle, Quad-Cities & Zion Stations for six month period ending 930630. SIMPKIN, T.W. Commonwealth Edison Co. 93/08/20. Document Control Branch (Document Control Desk). 24pp. 76259:243-76259:266.

S. Reportable occurrences, LERs & related correspondence

9308030372 Potential Part 21 rept re Limitorque actuator motors. Utilis & other purchases listed in encl being advised of concern. Limitorque revising selection procedure for safety related actuators, motors & technical data packages. TAYLOR, J.H. Babcock & Wilcox Co. 93/07/22. Document Control Branch (Document Control Desk). 8pp. 75976:349-75976:356.

V. Operator Examinations

9308030302 Informs of NRC plans to administer generic fundamentals exam section written operator licensing exam on 931006. RING, M.A. Region 3 (Post 820201). 93/07/28. Consumers Power Co. 3pp. 75983:358-75983:360.

DOCKET 50-382 WATERFORD GENERATING STATION, UNIT 3**F. Security, medical, emergency & fire protection plans**

9308040130 Forwards encl 8 to SECY-93-166 which describes proposed characteristics of design basis vehicle. Encl withheld. PARTLOW, J.G. Associate Director for Projects (Post 870411). 93/07/15. BARKHURST, R.P. Entergy Operations, Inc. 3pp. 75986:348-75986:350.

9308270176 Ack receipt of 930722 ltr, transmitting objectives for upcoming emergency preparedness exercise. Objectives evaluated by staff using NRC Insp Procedure 82302.

CALLAN, L.J. Region 4 (Post 820201). 93/08/24. BARKHURST, R.P. Entergy Operations, Inc. 4pp. 76271:353-76271:356.

H. General correspondence

9308270016 Comment opposing NRC draft GL 89-10, suppl 6. MCGAHA, J.R. Entergy Operations, Inc. 93/08/23. CHILK, S.J. Office of the Secretary of the Commission. 4pp. 76217:021-76217:024.

P. Operating license stage documents & correspondence

9308040142 Forwards SE concluding that CEGP rept CEN-387-P, rev 1, "Pressurizer Surge Line Thermal Stratification Evaluation" adequately demonstrates that bounding surge line & nozzles meet ASME code stress & fatigue requirements. TRAN, L.N. Project Directorate V. 93/07/16. CONWAY, W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 75978:331-75978:338.

-9308040183 SE of CEN-387-P, Rev 0 & 1, "Pressurizer Surge Line Flow Stratification Evaluation." Rept acceptable. * Office of Nuclear Reactor Regulation, Director (Post 870411). 93/07/16. 4pp. 75978:335-75978:338.

9308160214 Provides comments on NRC Regulatory Review Group draft rept re review of power reactor regulations. MCGAHA, J.R. Entergy Operations, Inc. 93/07/21. GILLESPIE, F.P. NRC - No Detailed Affiliation Given. 11pp. 76104:001-76104:011.

9308170356 Forwards amend 83 to license NPF-38 & safety evaluation. Amend deletes App A TS re ISEG & creates new section on independent technical reviews. WIGGINGTON, D.L. Project Directorate IV-1. 93/07/26. BARKHURST, R.P. Entergy Operations, Inc. 3pp. 76139:031-76139:041.

-9308170360 Amend 83 to license NPF-38, deleting App A TS re ISEG & creating new section on independent technical reviews. ROOD, H. Project Directorate IV-1. 93/07/26. 5pp. 76139:034-76139:038.

-9308170362 Safety evaluation supporting amend 83 to license NPF-38. * Office of Nuclear Reactor Regulation, Director (Post 870411). 93/07/26. 3pp. 76139:039-76139:041.

116 DOCKETED ITEMS

9308190252 Forwards Amend 84 to License NPF-38 & safety evaluation. Amend revises TS by removing ref to radioactive effluent release repts being issued on semiannual basis.
WIGGINTON,D.L. Project Directorate IV-1. 93/07/29. BARKHURST,R.P. Entergy Operations, Inc. 3pp. 76152:231-76152:247.

-9308190254 Amend 84 to license NPF-38, revising TS by removing ref to radioactive effluent release repts being issued on semiannual basis.
ROOD,H. Project Directorate IV-1. 93/07/29. 12pp. 76152:234-76152:245.

-9308190257 Safety evaluation supporting amend 84 to license NPF-38.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 93/07/29. 2pp. 76152:246-76152:247.

9308190146 Summary of 930715 meeting w/util re shutdown cooling alternatives during next refueling outage. Attendance list & handouts encl.
WIGGINTON,D.L. Project Directorate IV-1. 93/08/02. Project Directorate IV-1. 23pp. 76153:085-76153:108.

9308200148 Forwards staff positions in SECY paper & requests advise for plans for next refueling outage & response within next 30 days. W/o encl.
ROOD,H. Project Directorate IV-1. 93/08/03. BARKHURST,R.P. Entergy Operations, Inc. 3pp. 76164:255-76164:257.

9308090326 Forwards corrected 6.2.3.4 of TS page 6-6 to amend 83 to license NPF-38. Amend changed app A TS to reflect organizational change which consolidated assessments, operating experience reviews & ISEG functions.
WIGGINTON,D.L. Project Directorate IV-1. 93/08/04. BARKHURST,R.P. Entergy Operations, Inc. 3pp. 76027:218-76027:222.

-93080100192 Corrected 6.2.3.4 of TS page 6-6 to amend 83 to license NPF-38.
* Project Directorate IV-1. 93/08/04. 2pp. 76027:221-76027:222.

9308110011 Notification of significant licensee meeting w/util re 930816 to discuss status of plant activities.
BEACH,A.B. Region 4 (Post 820201). 93/08/04. Region 4 (Post 820201). 2pp. 76039:048-76039:049.

9308110150 TS Change Request NPF-38-136 to License NPF-38, revising Surveillance Requirement 4.1.3.1.2 for control element assembly freedom of movement testing to decrease frequency of testing per recommendations of NUREG-1366 & NUREG-1432.
BARKHURST,R.P. Entergy Operations, Inc. 93/08/05. Document Control Branch (Document Control Desk). 8pp. 76071:288-76071:298.

-9308110153 Proposed tech specs re Surveillance Requirements 4.1.3.1.2.
* Entergy Operations, Inc. 93/08/05. 3pp. 76071:296-76071:298.

9308110170 TS Change Request NPF-38-137 to License NPF-38, modifying TS 3/4.6.2, "Depressurization & Cooling Sys - Containment Spray Sys," to clarify requirements for applicability in Mode 4.
BARKHURST,R.P. Entergy Operations, Inc. 93/08/05. Document Control Branch (Document Control Desk). 8pp. 76077:305-76077:319.

-9308110175 Proposed Tech Spec 3/4.6.2 re depressurization & cooling sys containment spray sys.
* Entergy Operations, Inc. 93/08/05. 7pp. 76077:313-76077:319.

9308110184 TS Change Request NPF-38-138 to License NPF-38, removing requirements associated w/loose-part detection instrumentation from TS to further goal of TS improvements as delineated in NRC policy statements.
BARKHURST,R.P. Entergy Operations, Inc. 93/08/05. Document Control Branch (Document Control Desk). 9pp. 76076:323-76076:342.

-9308110188 Proposed tech specs to remove requirements associated w/ loose-part detection instrumentation.
* Entergy Operations, Inc. 93/08/05. 11pp. 76076:332-76076:342.

9308250320 Informs that licensee 920827 response to GL 88-20, suppl 4 re individual plant exams for external events acceptable.
WIGGINTON,D.L. Project Directorate IV-1. 93/08/09. BARKHURST,R.P. Entergy Operations, Inc. 4pp. 76203:253-76203:256.

9308200207 Forwards amend 85 to license NPF-38 & safety evaluation. Amend changes TS by allowing third type A containment integrated leakage rate test in first 10-yr svc period to be conducted at refuel 7.
WIGGINTON,D.L. Project Directorate IV-1. 93/08/12. BARKHURST,R.P. Entergy Operations, Inc. 3pp. 76163:299-76163:312.

-9308200209 Amend 85 to license NPF-38, changing TS by allowing third type A containment integrated leakage rate test in first 10-yr svc period to be conducted at refuel 7.
ROOD,H. Project Directorate IV-1. 93/08/12. 9pp. 76163:302-76163:310.

-9308200210 Safety evaluation supporting amend 85 to license NPF-38.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 93/08/12. 2pp. 76163:311-76163:312.

9308300275 Forwards exemption removing requirement that third Type A Test for first 10-yr svc period be performed at regular interval. Exemption would extend third svc period by approx four months within normal 10-yr svc period.
WIGGINTON,D.L. Project Directorate IV-1. 93/08/12. BARKHURST,R.P. Entergy Operations, Inc. 3pp. 76266:196-76266:203.

-9308300283 Exemption from requirement in App J to 10CFR50 that set of three Type A tests be performed at approx equal intervals during each 10-yr svc period.
ROE,J.W. Division of Reactor Projects - III, IV, V (Post 901216). 93/08/12. Entergy Operations, Inc. 5pp. 76266:199-76266:203.

9308250115 Summary of 930816 meeting w/util re status of site activities at facility. Attendance list & meeting summary w/attachments encl.
BEACH,A.B. Region 4 (Post 820201). 93/08/18. BARKHURST,R.P. Entergy Operations, Inc. 40pp. 76188:149-76188:188.

9308260179 Forwards Rev 7, Change 4 of "Waterford Unit 3 IST Plan for Pumps & Valves," consisting of revised relief requests in response to NRC SE of Rev 7, Change 1 of IST plan, dtd 920819.
BURSKI,R.F. Entergy Operations, Inc. 93/08/19. Document Control Branch (Document Control Desk). 5pp. 76258:001-76258:242.

-9308260182 Rev 7, Change 4 of "Waterford Unit 3 IST Plan for Pumps & Valves."
* Entergy Operations, Inc. 93/08/19. 200pp. 76258:006-76258:242.

9308310225 Requests exemption from 10CFR26, "Fitness-for-Duty Programs." Detailed description of exemption & justification encl.
MCGAHA,J.H. Entergy Operations, Inc. 93/08/20. Document Control Branch (Document Control Desk). 19pp. 76304:305-76304:323.

Q. Inspection reports, IE Bulletins & correspondence

9308040142 Forwards SE concluding that CEOG rept CEN-387-P, rev 1, "Pressurizer Surge Line Thermal Stratification Evaluation" adequately demonstrates that bounding surge line & nozzles meet ASME code stress & fatigue requirements.
TRAN,L.N. Project Directorate V. 93/07/16. CONWAY,W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 75978:331-75978:338.

-9308040183 SE of CEN-387-P, Rev 0 & 1, "Pressurizer Surge Line Flow Stratification Evaluation." Rept acceptable.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 93/07/16. 4pp. 75978:335-75978:338.

9307190043 NRC Info Notice 93-057 "Software Problems Involving Digital Control Console Sys at Non-Power Reactors."
GRIMES,B.K. Division of Operating Reactor Support (Post 921004). 93/07/23. Consolidated Edison Co. of New York, Inc. 9pp. 76111:200-76111:208.

9308030025 Forwards insp rept 50-382/93-24 on 930706-09. No violations noted.
COLLINS,S.J. Region 4 (Post 820201). 93/07/27. BARKHURST,R.P. Entergy Operations, Inc. 4pp. 75935:093-75935:103.

-9308030030 Insp rept 50-382/93-24 on 930706-09. No violations noted. Major areas inspected: effectiveness of licensee activities taken in response to NRC audit of safety-related check valve program.
POWERS,D.A. Region 4 (Post 820201). 93/07/26. 7pp. 75935:098-75935:103.

9308180029 Ack receipt of 930723 ltr informing NRC of steps taken to correct violations noted in insp rept 50-382/93-22.
CALLAN,L.J. Region 4 (Post 820201). 93/08/13. BARKHURST,R.P. Entergy Operations, Inc. 4pp. 76131:243-76131:249.

9308230205 Responds to violation noted in Insp Rept 50-382/93-19 on 930516-0626. Corrective actions: Outlet Isolation Valve EGA-152B verified locked open, per Administrative Procedure OP-100-009.
BURSKI,R.F. Entergy Operations, Inc. 93/08/19. Document Control Branch (Document Control Desk). 4pp. 76207:001-76207:004.

R. Periodic operating reports & related correspondence

9308170274 Monthly operating rept for July 1993 for Waterford 3.W/ 930812 ltr.
WIEGERT,E.G., BURSKI,R.F. Entergy Operations, Inc. 93/07/31. 7pp. 76135:351-76135:357.

S. Reportable occurrences, LERs & related correspondence

9308120291 Summary of operating reactors events meeting 93-23 on 930623.
CHAFFEE,A.E. Events Assessment Branch. 93/07/06. GRIMES,B.K. Division of Operating Reactor Support (Post 921004). 16pp. 76085:245-76085:260.

9308180288 Special rept SR-91-002-03 on 910318, EDG A experienced overpressurization. Caused by gross cylinder to cylinder load imbalance. Event classified as failure per Reg Guide 1.108. Pulled & replaced cylinders.
PACKER,D.F. Entergy Operations, Inc. 93/08/10. Document Control Branch (Document Control Desk). 11pp. 76167:350-76167:360.

V. Operator Examinations

9308110053 Informs of NRC plan to administer GFES of written operator licensing exam at facility on 931006.
COLLINS,S.J. Region 4 (Post 820201). 93/08/04. BARKHURST,R.P. Entergy Operations, Inc. 5pp. 76039:302-76039:306.

DOCKET 50-387 SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9308040247 Forwards encl 8 to SECY-93-166, "Staff Recommendations For Protection Against Malevolent Use Of Vehicles At Nuclear Power Plants." Encl withheld (safeguards info).
PARTLOW,J.G. Associate Director for Projects (Post 870411). 93/07/15. BYRAM,R.G. Pennsylvania Power & Light Co. 3pp. 75978:356-75978:358.

9308020001 Forwards Insp Repts 50-387/93-09 & 50-388/93-09 on 930511-0628. One non-cited violation identified.
WENZINGER,E.C. Region 1 (Post 820201). 93/07/23. BYRAM,R.G. Pennsylvania Power & Light Co. 3pp. 75954:080-75954:107.

-9308020002 Insp repts 50-387/93-09 & 50-388/93-09 on 930511-0628. One non-cited violation noted re inoperable fire doors. Major areas inspected: plant operations, radiation protection, surveillance & maint & safety assessment.
WHITE,J. Region 1 (Post 820201). 93/07/20. 25pp. 75954:083-75954:107.

9308090024 Forwards insp repts 50-387/93-12 & 50-388/93-12 on 930712-16. No violations noted.
JOYNER,J.H. Region 1 (Post 820201). 93/07/27. BYRAM,R.G. Pennsylvania Power & Light Co. 3pp. 76020:057-76020:068.

—9308090034 Insp repts 50-387/93-12 & 50-388/93-12 on 930712-16. No violations noted. Major areas inspected: insp of REMP, mgt controls, audits, ODCM, meteorological monitoring program, lab QA/QC & implementation of listed programs.
JANG, J.C., BORES, R.J. Region 1 (Post 820201). 93/07/22. 9pp. 76020:060-76020:068.

H. General correspondence

9308020139 Comment on proposed rules 10CFR170 & 171, "FY91 & 92 Proposed Rule Implementing US Court of Appeals Decision & Rev of Fee Schedules; 100% Fee Recovery, FY93." Opposes rule.
BYRAM, R.G. Pennsylvania Power & Light Co. 93/07/20. CHILK, S.J. Office of the Secretary of the Commission. 3pp. 75921:301-75921:303.

P. Operating license stage documents & correspondence

9308030365 Forwards request for addl info to conclude review of licensee 920708 response to NRC GL 92-01, "RV Structural Integrity."
CLARK, R.J. Project Directorate I-2. 93/07/14. BYRAM, R.G. Pennsylvania Power & Light Co. 5pp. 75952:131-75952:135.

9308040257 Discusses evaluation of util proposed courses of action re facility feedwater sys erosion/corrosion repair.
CLARK, R.J. Project Directorate I-2. 93/07/19. BYRAM, R.G. Pennsylvania Power & Light Co. 4pp. 75979:091-75979:094.

9308020061 Provides clarification to util Relief Request 1RR-24 to perform sys leakage test at normal operating pressure instead of hydrostatic test at 110% of normal operating pressure. Revised Relief Request 1RR-24 encl.
BYRAM, R.G. Pennsylvania Power & Light Co. 93/07/26. MILLER, C.L. Project Directorate I-2. 3pp. 75972:358-75972:360.

9308200224 Forwards meeting summary, including transcript of meeting & slides presented by util & util 930708 ltr re effects of loss of spent fuel pool cooling following loss of coolant accident & loss of offsite power.
BOYLE, M.L. Project Directorate I-2. 93/08/04. LOCHBAUM, D.A., PREVATTE, D.C. Affiliation Not Assigned. 5pp. 76164:013-76164:134.

9308250340 Forwards amends 126 & 95 to licenses NPF-14 & NPF-22, respectively & SE. Amends change TSs to remove cycle-specific parameter limits per GL 88-16 & modify section 5.3.1 per GL 90-02.
CLARK, R.J. Project Directorate I-2. 93/08/04. BYRAM, R.G. Pennsylvania Power & Light Co. 3pp. 76212:267-76212:351.

—9308250352 Amends 126 & 95 to licenses NPF-14 & NPF-22, respectively, changing TSs to remove cycle-specific parameter limits per GL 88-16 & modify section 5.3.1 per GL 90-02.
BOYLE, M.L. Project Directorate I-2. 93/08/04. 37pp. 76212:270-76212:344.

—9308250357 Safety evaluation supporting amends 126 & 95 to licenses NPF-14 & NPF-22, respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 93/08/04. 7pp. 76212:345-76212:351.

9308250402 Forwards amends 127 & 96 to licenses NPF-14 & NPF-22 & safety evaluation. Amends revise TS to delete temp leak detection sys isolation function in RHR pump rooms.
CLARK, R.J. Project Directorate I-2. 93/08/04. BYRAM, R.G. Pennsylvania Power & Light Co. 3pp. 76203:057-76203:085.

—9308250405 Amends 127 & 96 to licenses NPF-14 & NPF-22, respectively, revising TS to delete temp leak detection sys isolation function in RHR pump rooms.
BOYLE, M.L. Project Directorate I-2. 93/08/04. 21pp. 76203:060-76203:081.

—9308250409 Safety evaluation supporting amends 127 & 96 to licenses NPF-14 & NPF-22, respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 93/08/04. 4pp. 76203:082-76203:085.

9308170212 Responds to request for clarification of certain items in 920615 ltr re power update.
BYRAM, R.G. Pennsylvania Power & Light Co. 93/08/05. MILLER, C.L. Project Directorate I-2. 2pp. 76136:324-76136:325.

9308160337 Forwards rept on unsatisfactory performance testing by HHS- Certified lab.
BYRAM, R.G. Pennsylvania Power & Light Co. 93/08/10. MILLER, C.L. Project Directorate I-2. 8pp. 76143:309-76143:316.

9308300287 Forwards amends 129 & 98 to licenses NPF-14 & NPF-22 & SE. Amends change TSs to decrease test frequency of drywell-to- suppression chamber bypass test to coincide w/ test frequency for primary containment integrator leak rate test.
CLARK, R.J. Project Directorate I-2. 93/08/11. BYRAM, R.G. Pennsylvania Power & Light Co. 3pp. 76266:206-76266:232.

—9308300308 Amends 129 & 98 to licenses NPF-14 & NPF-22, respectively, changing TSs to decrease test frequency of drywell-to- suppression chamber bypass test to coincide w/ test frequency for primary containment integrator leak rate test.
BOYLE, M.L. Project Directorate I-2. 93/08/11. 17pp. 76266:209-76266:224.

—9308300313 Safety evaluation supporting amends 129 & 98 to licenses NPF-14 & NPF-22, respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 93/08/11. 9pp. 76266:225-76266:232.

9308190351 Provides response to NRC request for addl info re power update containment response evaluation.
BYRAM, R.G. Pennsylvania Power & Light Co. 93/08/12. MILLER, C.L. Project Directorate I-2. 2pp. 76168:238-76168:239.

9308170354 Forwards rept entitled, "PP&L Response to NRC Concerns re Loss of Spent Fuel Pool Cooling Following LOCA, SSES, Units 1 & 2," per 930708 meeting.
BYRAM, R.G. Pennsylvania Power & Light Co. 93/08/16. MILLER, C.L. Project Directorate I-2. 3pp. 76137:231-76137:260.

—9308170357 "PP&L Response to NRC Concerns re Loss of Spent Fuel Pool Cooling Following LOCA, SSES, Units 1 & 2."
* Pennsylvania Power & Light Co. 93/08/16. 27pp. 76137:234-76137:260.

9308190342 Forwards concerns related to activities at plant for evaluation & resolution. Requests that response, including proposed C/As be developed w/o personal privacy, proprietary or safeguards info & provided within 60 days. Encls withheld.
COOPER, R.W. Region 1 (Post 820201). 93/08/16. BYRAM, R.G. Pennsylvania Power & Light Co. 3pp. 76183:346-76183:348.

Q. Inspection reports, IE Bulletins & correspondence

9307190043 NRC Info Notice 93-057, "Software Problems Involving Digital Control Console Sys at Non-Power Reactors."
GRIMES, B.K. Division of Operating Reactor Support (Post 921004). 93/07/23. Consolidated Edison Co. of New York, Inc. 9pp. 76111:200-76111:208.

9308020001 Forwards Insp Repts 50-387/93-09 & 50-388/93-09 on 930511-0628. One non-cited violation identified.
WENZINGER, E.C. Region 1 (Post 820201). 93/07/23. BYRAM, R.G. Pennsylvania Power & Light Co. 3pp. 75954:080-75954:107.

—9308020002 Insp repts 50-387/93-09 & 50-388/93-09 on 930511-0628. One non-cited violation noted re inoperable fire doors. Major areas inspected: plant operations, radiation protection, surveillance & maint & safety assessment.
WHITE, J. Region 1 (Post 820201). 93/07/20. 25pp. 75954:083-75954:107.

9308090024 Forwards insp repts 50-387/93-12 & 50-388/93-12 on 930712-16. No violations noted.
JOYNER, J.H. Region 1 (Post 820201). 93/07/27. BYRAM, R.G. Pennsylvania Power & Light Co. 3pp. 76020:057-76020:068.

—9308090034 Insp repts 50-387/93-12 & 50-388/93-12 on 930712-16. No violations noted. Major areas inspected: insp of REMP, mgt controls, audits, ODCM, meteorological monitoring program, lab QA/QC & implementation of listed programs.
JANG, J.C., BORES, R.J. Region 1 (Post 820201). 93/07/22. 9pp. 76020:060-76020:068.

9308030311 Responds to NRC Bulletin 93-003, "Resolution of Issues Re RV Water Level Instrumentation in BWRs." Licensees procedures have been revised to incorporate instrument checks that will ensure early detection of level anomalies.
BYRAM, R.G. Pennsylvania Power & Light Co. 93/07/29. MILLER, C.L. Project Directorate I-2. 5pp. 75976:357-75976:361.

9308160081 Ack receipt of 930319 ltr informing NRC of steps taken to correct violations noted in insp repts 50-387/92-29 & 50-388/92-29.
WENZINGER, E.C. Region 1 (Post 820201). 93/08/10. BYRAM, R.G. Pennsylvania Power & Light Co. 2pp. 76089:255-76089:258.

9308190052 Forwards PA LLRW Shipment Insp Repts 50-387/PA-93-02 & 50-388/PA-93-02 on 930722. No violations or deviations noted.
JOYNER, J.H. Region 1 (Post 820201). 93/08/10. BYRAM, R.G. Pennsylvania Power & Light Co. 3pp. 76160:276-76160:286.

—9308190054 Forwards PA LLRW Shipment Insp Repts 50-387/PA-93-02 & 50-388/PA-93-02 on 940722. No violations or deviations noted.
DORNSIFE, W.P. Pennsylvania, Commonwealth of. 93/07/30. HEHL, C.W. Region 1 (Post 820201). 9pp. 76160:279-76160:286.

R. Periodic operating reports & related correspondence

9308190198 Monthly operating repts for Jul 1993 for Susquehanna Steam Electric Station, W/930816 ltr.
YOUNG, K.A., BYRAM, R.G. Pennsylvania Power & Light Co. 93/07/31. 9pp. 76168:324-76168:332.

9308130147 Forwards semi-annual fitness-for-duty performance rept for period of 930101-0830 for Susquehanna Steam Electric Station, units 1 & 2.
BYRAM, R.G. Pennsylvania Power & Light Co. 93/08/09. MILLER, C.L. Project Directorate I-2. 4pp. 76141:228-76141:231.

9308230147 Forwards "NPDES Discharge Monitoring Rept for Jul 1993..." & PA Dept of Environ Resources monthly facility rept. Informs that during month of Jul, sewage treatment plant Outfall 079 total suspended solid sample exceeded monthly average.
FIELDS, J.S. Pennsylvania Power & Light Co. 93/08/16. CROWLEY, K. Pennsylvania, Commonwealth of. 2pp. 76207:028-76207:039.

—9308230161 "NPDES Discharge Monitoring Rept for Jul 1993 for SSES, Units 1 & 2."
* Pennsylvania Power & Light Co. 93/07/31. 10pp. 76207:031-76207:039.

S. Reportable occurrences, LERs & related correspondence

9308170069 LER 93-008-00: on 930712, reactor scram occurred due to turbine control valve fast closure which resulted from turbine master actuation. Repaired damaged turbine diaphragms & low pressure condenser. W/930810 ltr.
WEHRY, R.R., STANLEY, H.G. Pennsylvania Power & Light Co. 93/08/10. 5pp. 76159:001-76159:005.

T. Hearing transcripts on non-antitrust matters

9308200034 Summary of 930708 meeting w/util re effects resulting from loss-of-spent-fuel-pool cooling following LOCA. List of attendees, transcript of meeting & slides used for presentation encl.
CLARK, R.J. Project Directorate I-2. 93/08/04. Project Directorate I-2. 4pp. 76163:187-76163:298.

—9308200114 Transcript of 930708 public meeting in Rockville, MD re spent fuel pool cooling. Pp. 1-94. Supporting documentation encl.
* NRC - No Detailed Affiliation Given. 93/07/08. 107pp. 76163:191-76163:298.

118 DOCKETED ITEMS

DOCKET 50-388 SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

- 9308040247** Forwards encl 8 to SECY-93-166, "Staff Recommendations For Protection Against Malevolent Use Of Vehicles A: Nuclear Power Plants." Encl withheld (safeguards info).
PARTLOW,J.G. Associate Director for Projects (Post 870411). 93/07/15. BYRAM,R.G. Pennsylvania Power & Light Co. 3pp. 75978:356-75978:358.
- 9308020001** Forwards Insp Repts 50-387/93-09 & 50-388/93-09 on 930511-0628. One non-cited violation identified.
WENZINGER,E.C. Region 1 (Post 820201). 93/07/23. BYRAM,R.G. Pennsylvania Power & Light Co. 3pp. 75954:080-75954:107.
- 9308020002** Insp repts 50-387/93-09 & 50-388/93-09 on 930511-0628. One non-cited violation noted re inoperable fire doors. Major areas inspected: plant operations, radiation protection, surveillance & maint & safety assessment.
WHITE,J. Region 1 (Post 820201). 93/07/20. 25pp. 75954:083-75954:107.
- 9308090024** Forwards insp rept: 50-387/93-12 & 50-388/93-12 on 930712-16. No violations noted.
JOYNER,J.H. Region 1 (Post 820201). 93/07/27. BYRAM,R.G. Pennsylvania Power & Light Co. 3pp. 76020:057-76020:068.
- 9308090034** Insp repts 50-387/93-12 & 50-388/93-12 on 930712-16. No violations noted. Major areas inspected: insp of REMP, mgt controls, audits, ODCM, meteorological monitoring program, lab QA/QC & implementation of listed programs.
JANG,J.C. Region 1 (Post 820201). 93/07/22. 9pp. 76020:060-76020:068.

H. General correspondence

- 9308020139** Comment on proposed rules 10CFR170 & 171, "FY91 & 92 Proposed Rule Implementing US Court of Appeals Decision & Rev of Fee Schedules; 100% Fee Recovery, FY93." Opposes rule.
BYRAM,R.G. Pennsylvania Power & Light Co. 93/07/20. CHILK,S.J. Office of the Secretary of the Commission. 3pp. 75921:301-75921:303.

P. Operating license stage documents & correspondence

- 9308030365** Forwards request for addl info to conclude review of licensee 920708 response to NRC GL 92-01, "RV Structural Integrity."
CLARK,R.J. Project Directorate I-2. 93/07/14. BYRAM,R.G. Pennsylvania Power & Light Co. 5pp. 75952:131-75952:135.
- 9308020061** Provides clarification to util Relief Request 1RR-24 to perform sys leakage test at normal operating pressure instead of hydrostatic test at 110% of normal operating pressure. Revised Relief Request 1RR-24 encl.
BYRAM,R.G. Pennsylvania Power & Light Co. 93/07/26. MILLER,C.L. Project Directorate I-2. 3pp. 75972:358-75972:360.
- 9308020024** Forwards meeting summary, including transcript of meeting & slides presented by util & util 930706 ltr re effects of loss of spent fuel pool cooling following loss of coolant accident & loss of offsite power.
BOYLE,M.L. Project Directorate I-2. 93/08/04. LOCHBAUM,D.A., PREVATTE,D.C. Affiliation Not Assigned. 5pp. 76164:013-76164:134.
- 9308250340** Forwards amends 126 & 95 to licenses NPF-14 & NPF-22, respectively & SE. Amends change TSs to remove cycle-specific parameter limits per GL 88-16 & modify section 5.3.1 per GL 90-02.
CLARK,R.J. Project Directorate I-2. 93/08/04. BYRAM,R.G. Pennsylvania Power & Light Co. 3pp. 76212:267-76212:351.
- 9308250352** Amends 126 & 95 to licenses NPF-14 & NPF-22, respectively, changing TSs to remove cycle-specific parameter limits per GL 88-16 & modify section 5.3.1 per GL 90-02.
BOYLE,M.L. Project Directorate I-2. 93/08/04. 37pp. 76212:270-76212:344.
- 9308250357** Safety evaluation supporting amends 126 & 95 to licenses NPF-14 & NPF-22, respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 93/08/04. 7pp. 76212:345-76212:351.
- 9308250402** Forwards amends 127 & 96 to licenses NPF-14 & NPF-22 & safety evaluation. Amends revise TS to delete temp leak detection sys isolation function in RHR pump rooms.
CLARK,R.J. Project Directorate I-2. 93/08/04. BYRAM,R.G. Pennsylvania Power & Light Co. 3pp. 76203:057-76203:085.
- 9308250405** Amends 127 & 96 to licenses NPF-14 & NPF-22, respectively, revising TS to delete temp leak detection sys isolation function in RHR pump rooms.
BOYLE,M.L. Project Directorate I-2. 93/08/04. 21pp. 76203:060-76203:081.
- 9308250409** Safety evaluation supporting amends 127 & 96 to licenses NPF-14 & NPF-22, respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 93/08/04. 4pp. 76203:082-76203:085.
- 9308170212** Responds to request for clarification of certain items in 920615 ltr re power uprate.
BYRAM,R.G. Pennsylvania Power & Light Co. 93/08/05. MILLER,C.L. Project Directorate I-2. 2pp. 76136:324-76136:325.
- 9308160337** Forwards rept on unsatisfactory performance testing by HHS-Certified lab.
BYRAM,R.G. Pennsylvania Power & Light Co. 93/08/10. MILLER,C.L. Project Directorate I-2. 8pp. 76143:309-76143:316.
- 9308300287** Forwards amends 129 & 98 to licenses NPF-14 & NPF-22 & SE. Amends change TSs to decrease test frequency of drywell-to- suppression chamber bypass test to coincide w/test frequency for primary containment integrated leak rate test.
CLARK,R.J. Project Directorate I-2. 93/08/11. BYRAM,R.G. Pennsylvania Power & Light Co. 3pp. 76266:206-76266:232.

-9308300308 Amends 129 & 98 to licenses NPF-14 & NPF-22, respectively, changing TSs to decrease test frequency of drywell-to- suppression chamber bypass test to coincide w/test frequency for primary containment integrated leak rate test.
BOYLE,M.L. Project Directorate I-2. 93/08/11. 17pp. 76266:209-76266:224.

-9308300313 Safety evaluation supporting amends 129 & 98 to licenses NPF-14 & NPF-22, respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 93/08/11. 9pp. 76266:225-76266:232.

9308190351 Provides response to NRC request for addl info re power uprate containment response evaluation.
BYRAM,R.G. Pennsylvania Power & Light Co. 93/08/12. MILLER,C.L. Project Directorate I-2. 2pp. 76168:238-76168:239.

9308170354 Forwards rept entitled, "PP&L Response to NRC Concerns re Loss of Spent Fuel Pool Cooling Following LOCA, SSES, Units 1 & 2," per 930708 meeting.
BYRAM,R.G. Pennsylvania Power & Light Co. 93/08/16. MILLER,C.L. Project Directorate I-2. 3pp. 76137:231-76137:260.

-9308170357 "PP&L Response to NRC Concerns re Loss of Spent Fuel Pool Cooling Following LOCA, SSES, Units 1 & 2."
* Pennsylvania Power & Light Co. 93/08/16. 27pp. 76137:234-76137:260.

9308190342 Forwards concerns related to activities at plant for evaluation & resolution. Requests that response, including proposed C/As be developed w/o personal privacy, proprietary or safeguards info & provided within 60 days. Encls withheld.
COOPER,R.W. Region 1 (Post 820201). 93/08/16. BYRAM,R.G. Pennsylvania Power & Light Co. 3pp. 76183:346-76183:348.

Q. Inspection reports, IE Bulletins & correspondence

9307190043 NRC Info Notice 93-057, "Software Problems Involving Digital Control Console Sys at Non-Power Reactors."
GRIMES,B.K. Division of Operating Reactor Support (Post 921004). 93/07/23. Consolidated Edison Co. of New York, Inc. 9pp. 76111:200-76111:208.

9308020001 Forwards Insp Repts 50-387/93-09 & 50-388/93-09 on 930511-0628. One non-cited violation identified.
WENZINGER,E.C. Region 1 (Post 820201). 93/07/23. BYRAM,R.G. Pennsylvania Power & Light Co. 3pp. 75954:080-75954:107.

-9308020002 Insp repts 50-387/93-09 & 50-388/93-09 on 930511-0628. One non-cited violation noted re inoperable fire doors. Major areas inspected: plant operations, radiation protection, surveillance & maint & safety assessment.
WHITE,J. Region 1 (Post 820201). 93/07/20. 25pp. 75954:083-75954:107.

9308090024 Forwards insp repts 50-387/93-12 & 50-388/93-12 on 930712-16. No violations noted.
JOYNER,J.H. Region 1 (Post 820201). 93/07/27. BYRAM,R.G. Pennsylvania Power & Light Co. 3pp. 76020:057-76020:068.

-9308090034 Insp repts 50-387/93-12 & 50-388/93-12 on 930712-16. No violations noted. Major areas inspected: insp of REMP, mgt controls, audits, ODCM, meteorological monitoring program, lab QA/QC & implementation of listed programs.
JANG,J.C., BORES,R.J. Region 1 (Post 820201). 93/07/22. 9pp. 76020:060-76020:068.

9308030311 Responds to NRC Bulletin 93-003, "Resolution of Issues Re RV Water Level Instrumentation in BWRs." Licensees procedures have been revised to incorporate instrument checks that will ensure early detection of level anomalies.
BYRAM,R.G. Pennsylvania Power & Light Co. 93/07/29. MILLER,C.L. Project Directorate I-2. 5pp. 75976:357-75976:361.

9308160081 Ack receipt of 930319 ltr informing NRC of steps taken to correct violations noted in insp repts 50-387/92-29 & 50-388/92-29.
WENZINGER,E.C. Region 1 (Post 820201). 93/08/10. BYRAM,R.G. Pennsylvania Power & Light Co. 2pp. 76089:255-76089:258.

9308190052 Forwards PA LLRW Shipment Insp Repts 50-387/PA-93-02 & 50-388/PA-93-02 on 930722. No violations or deviations noted.
JOYNER,J.H. Region 1 (Post 820201). 93/08/10. BYRAM,R.G. Pennsylvania Power & Light Co. 3pp. 76160:276-76160:286.

-9308190054 Forwards PA LLRW Shipment Insp Repts 50-387/PA-93-02 & 50-388/PA-93-02 on 940722. No violations or deviations noted.
DORNSIFE,W.P. Pennsylvania, Commonwealth of. 93/07/30. HEHL,C.W. Region 1 (Post 820201). 9pp. 76160:279-76160:286.

R. Periodic operating reports & related correspondence

9308190198 Monthly operating repts for Jul 1993 for Susquehanna Steam Electric Station. W/930816 ltr.
YOUNG,K.A., BYRAM,R.G. Pennsylvania Power & Light Co. 93/07/31. 9pp. 76168:324-76168:332.

9308130147 Forwards semi-annual fitness-for-duty performance rept for period of 930101-0630 for Susquehanna Steam Electric Station, units 1 & 2.
BYRAM,R.G. Pennsylvania Power & Light Co. 93/08/09. MILLER,C.L. Project Directorate I-2. 4pp. 76141:228-76141:231.

9308230147 Forwards "NPDES Discharge Monitoring Rept for Jul 1993..." & PA Dept of Environ Resources monthly facility rept. Inform that during month of Jul, sewage treatment plant Outfall 079 total suspended solid sample exceeded monthly average.
FIELDS,J.S. Pennsylvania Power & Light Co. 93/08/16. CROWLEY,K. Pennsylvania, Commonwealth of. 2pp. 76207:028-76207:039.

-9308230161 "NPDES Discharge Monitoring Rept for Jul 1993 for SSES, Units 1 & 2."
* Pennsylvania Power & Light Co. 93/07/31. 10pp. 76207:031-76207:039.

T. Hearing transcripts on non-antitrust matters

9308200034 Summary of 930708 meeting w/util re effects resulting from loss-of-spent-fuel-pool cooling following LOCA. List of attendees, transcript of meeting & slides used for presentation encl.
CLARK, R.J. Project Directorate I-2. 93/08/04. Project Directorate I-2. 4pp. 76163:187-76163:298.

-9308200114 Transcript of 930708 public meeting in Rockville, MD re spent fuel pool cooling. Pp. 1-94. Supporting documentation encl.
* NRC - No Detailed Affiliation Given. 93/07/08. 107pp. 76163:191-76163:298.

DOCKET 50-389 ST. LUCIE PLANT, UNIT 2**F. Security, medical, emergency & fire protection plans**

9308030289 Forwards encl 8 to SECY 93-166, which describes proposed characteristics of design basis vehicle. W/o encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 93/07/15. GOLDBERG, J.H. Florida Power & Light Co. 2pp. 75950:344-75950:345.

9308050028 Forwards insp repts 50-335/93-16 & 50-389/93-16 on 930621-25. No violations or deviations identified.
CLINE, W.E. Region 2 (Post 820201). 93/07/22. GOLDBERG, J.H. Florida Power & Light Co. 4pp. 75971:215-75971:242.

-9308050035 Insp repts 50-335/93-16 & 50-389/93-16 on 930621-25. No violations noted. Major areas inspected: observations & evaluation of annual emergency preparedness exercise conducted on 930623 between local & State ER organizations.
KREH, J.L. Region 2 (Post 820201). 93/07/21. 24pp. 75971:219-75971:242.

9308120087 Rev 22 to EPIP 3100022E, "Classification of Emergencies." W/ undated ltr.
SAGER, D.A. Florida Power & Light Co. 93/07/26. 25pp. 76119:331-76119:355.

9308090242 Rev 24 to Radiological Emergency Plan for St Lucie Plant. W/ 930803 ltr.
SAGER, D.A. Florida Power & Light Co. 93/08/03. 8pp. 76062:273-76062:281.

9308310087 Discusses review of rev 23 to radiological emergency plan for plant. Changes approved.
CLINE, W.E. Region 2 (Post 820201). 93/08/03. GOLDBERG, J.H. Florida Power & Light Co. 3pp. 76263:351-76263:353.

9308120260 Ack receipt of 930721 ltr transmitting Rev 9 to St Lucie safeguards contingency plan. Changes consistent w/provisions of 10CFR50.54(p) & acceptable.
COLLINS, D.M. Region 2 (Post 820201). 93/08/06. GOLDBERG, J.H. Florida Power & Light Co. 3pp. 76104:300-76104:302.

9308130169 Rev 9 to EPIP HP-203, "Personnel Access Control During Emergencies." W/ 930810 ltr.
SAGER, D.A., BARROW, J.H., BOISSY, G.J. Florida Power & Light Co. 93/08/10. 33pp. 76105:298-76105:330.

9308260081 Comments on Suppl to GL 86-10, "Fire Endurance Acceptance Criteria for Fire Barrier Sys Used to Separate Redundant Safe Shutdown Trains Within Same Fire Area."
BOHLKE, W.H. Florida Power & Light Co. 93/08/23. Rules & Directives Review Branch (Post 920323). 6pp. 76237:330-76237:335.

H. General correspondence

9308190092 Requests mod of svc lists due to organizational changes.
BOHLKE, W.H. Florida Power & Light Co. 93/08/16. Document Control Branch (Document Control Desk). 1p. 76183:352-76183:352.

P. Operating license stage documents & correspondence

9308060160 Confirms 930628 telcon between J Holt & R Schin re meeting to be held in Atlanta on 930716. Purpose of meeting for util to make presentation on engineering initiatives. Proposed agenda encl.
MERSCHOFF, E.W. Region 2 (Post 820201). 93/07/02. GOLDBERG, J.H. Florida Power & Light Co. 5pp. 75994:060-75994:064.

9308060171 Notification of significant meeting w/util on 930716 in Atlanta, GA re licensee presentation on engineering initiatives at FPL.
LANDIS, K.D. Region 2 (Post 820201). 93/07/02. Region 2 (Post 820201). 2pp. 75994:098-75994:099.

9308040142 Forwards SE concluding that CEOG rept CEN-387-P, rev 1, "Pressurizer Surge Line Thermal Stratification Evaluation" adequately demonstrates that bounding surge line & nozzles meet ASME code stress & fatigue requirements.
TRAN, L.N. Project Directorate V. 93/07/16. CONWAY, W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 75978:331-75978:338.

-9308040183 SE of CEN-387-P, Rev 0 & 1, "Pressurizer Surge Line Flow Stratification Evaluation." Rept acceptable.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 93/07/16. 4pp. 75978:335-75978:338.

9308060096 Notification of significant licensee meeting w/util on 930727 in Atlanta, GA to discuss plant self-assessment.
LANDIS, K.D. Region 2 (Post 820201). 93/07/20. Region 2 (Post 820201). 2pp. 75993:129-75993:130.

9308060098 Confirms 930715 telcon re meeting to be held on 930727 in Atlanta, GA to discuss plant self-assessment. Proposed agenda encl.
MERSCHOFF, E.W. Region 2 (Post 820201). 93/07/20. GOLDBERG, J.H. Florida Power & Light Co. 5pp. 75993:131-75993:135.

9308020154 Application for amendments to Licenses DPR-67 & NPF-16, revising TS to support implementation of new stds for protection against radiation, 10CFR20.1001 through 20.2401.
SAGER, D.A. Florida Power & Light Co. 93/07/23. Document Control Branch (Document Control Desk). 3pp. 75954:039-75954:079.

-9308020158 Proposed tech specs supporting implementation of new stds for protection against radiation.
* Florida Power & Light Co. 93/07/23. 38pp. 75954:042-75954:079.

9308060040 Discusses radiochemical analyses of liquid samples spiked w/ beta emitting radionuclides & requests that analyses be completed as soon as practicable, but no later than 60 days from receipt of ltr.
CLINE, W.E. Region 2 (Post 820201). 93/07/28. GOLDBERG, J.H. Florida Power & Light Co. 3pp. 75992:163-75992:165.

9308170416 Requests addl info re GL 92-01, rev 1 within 60 days of ltr date in order to maintain review schedule.
NORRIS, J.A. Project Directorate II-2. 93/07/28. GOLDBERG, J.H. Florida Power & Light Co. 5pp. 76140:006-76140:010.

9308250045 Discusses 930727 meeting w/util in Atlanta to allow util to make presentation on plant self-assessment. List of attendees & presentation summary encl.
MERSCHOFF, E.W. Region 2 (Post 820201). 93/08/04. GOLDBERG, J.H. Florida Power & Light Co. 55pp. 76187:065-76187:119.

9308240191 Summary of 930728 meeting w/util in Rockville, MD re cost beneficial licensing actions. Attendance list encl.
RAGHAVAN, L. Project Directorate II-2. 93/08/05. Project Directorate II-2. 3pp. 76183:273-76183:275.

9308160160 Provides util response to NRC 930625 request for addl info re Topical Rept NTH-TR-01, "RETRAN Model Qualification - Decrease in Heat Removal by Secondary Sys."
BOHLKE, W.H. Florida Power & Light Co. 93/08/09. Document Control Branch (Document Control Desk). 2pp. 76107:356-76107:357.

9308310093 Informs that changes addressed in 930602 topical quality assurance rept have been reviewed & found acceptable.
GIBSON, A.F. Region 2 (Post 820201). 93/08/11. GOLDBERG, J.H. Florida Power & Light Co. 4pp. 76263:357-76263:360.

9308300139 Requests exemption from certain requirements of 10CFR73.55, "Requirements for Physical Protection of Licensed Activities ... Against Radiological Sabotage," for Units 1 & 2.
BOHLKE, W.H. Florida Power & Light Co. 93/08/18. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 4pp. 76284:155-76284:158.

9308300106 Application for amend to license NPF-16, deleting option of using movable incore detector to determine incore instrumentation sys operability from TS 3.3.3.2.
SAGER, D.A. Florida Power & Light Co. 93/08/23. Document Control Branch (Document Control Desk). 3pp. 76282:169-76282:180.

-9308300109 Proposed tech specs 3.3.3.2 re incore detector.
* Florida Power & Light Co. 93/08/23. 9pp. 76282:172-76282:180.

Q. Inspection reports, IE Bulletins & correspondence

9308040142 Forwards SE concluding that CEOG rept CEN-387-P, rev 1, "Pressurizer Surge Line Thermal Stratification Evaluation" adequately demonstrates that bounding surge line & nozzles meet ASME code stress & fatigue requirements.
TRAN, L.N. Project Directorate V. 93/07/16. CONWAY, W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 75978:331-75978:338.

-9308040183 SE of CEN-387-P, Rev 0 & 1, "Pressurizer Surge Line Flow Stratification Evaluation." Rept acceptable.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 93/07/16. 4pp. 75978:335-75978:338.

9308050028 Forwards insp repts 50-335/93-16 & 50-389/93-16 on 930621-25. No violations or deviations identified.
CLINE, W.E. Region 2 (Post 820201). 93/07/22. GOLDBERG, J.H. Florida Power & Light Co. 4pp. 75971:215-75971:242.

-9308050035 Insp repts 50-335/93-16 & 50-389/93-16 on 930621-25. No violations noted. Major areas inspected: observations & evaluation of annual emergency preparedness exercise conducted on 930623 between local & State ER organizations.
KREH, J.L., BARR, K.P. Region 2 (Post 820201). 93/07/21. 24pp. 75971:219-75971:242.

9307190043 NRC Info Notice 93-057, "Software Problems Involving Digital Control Console Sys at Non-Power Reactors."
GRIMES, B.K. Division of Operating Reactor Support (Post 921004). 93/07/23. Consolidated Edison Co. of New York, Inc. 9pp. 76111:200-76111:208.

9308050012 Forwards insp repts 50-335/93-15 & 50-389/93-15 on 930523-0626. No violations or deviations identified.
SINKULE, M.V. Region 2 (Post 820201). 93/07/26. GOLDBERG, J.H. Florida Power & Light Co. 3pp. 75971:045-75971:069.

-9308050014 Insp repts 50-335/93-15 & 50-389/93-15 on 930523-0626. No violations noted. Major areas inspected: plant operations review, maint & surveillance observations, safety sys insp & review of special repts.
ELROD, S.A., SCOTT, M.A., LANDIS, K.D. Region 2 (Post 820201). 93/07/26. 22pp. 75971:048-75971:069.

9308100124 Forwards "Second Ten Yr Inservice Insp Interval Inservice Testing Program."
SAGER, D.A. Florida Power & Light Co. 93/08/03. Document Control Branch (Document Control Desk). 64pp. 76066:001-76066:225.

-9308100130 "Second Ten Yr Inservice Insp Interval Inservice Testing Program."
* Florida Power & Light Co. 93/07/21. 100pp. 76066:065-76066:225.

9308120355 Forwards Insp Repts 50-335/93-17 & 50-389/93-17 on 930712-16. No violations or deviation noted.
CLINE, W.E. Region 2 (Post 820201). 93/08/03. GOLDBERG, J.H. Florida Power & Light Co. 3pp. 76095:296-76095:315.

120 DOCKETED ITEMS

—9308120359 Insp Repts 50-335/93-17 & 50-389/93-17 on 930712-16.No violations or deviations noted.Major areas inspected: organization of Chemistry Dept & Radwaste Group,primary water chemistry & effluent release permits.
CARRION,R.P., DECKER,T.R. Region 2 (Post 820201). 93/08/03. 17pp. 76095:299-76095:315.

9308130025 Acks response of 930720 to NOV issued on 930621 per Insp Repts 50-335/93-12 & 50-389/93-12.
SINKULE,M.V. Region 2 (Post 820201). 93/08/03. GOLDBERG,J.H. Florida Power & Light Co. 2pp. 76113:356-76113:357.

9308110237 Forwards Rev 0 of PSL-200, "St Lucie...Unit 2 Second ISI Interval Program Plan & Schedule" & Rev 0 of PSL-201, "St Lucie...Unit 2 Second ISI Interval ISI Selected Component Schedule." Subj interval begins on 930808-200803.
SAGER,D.A. Florida Power & Light Co. 93/08/04. Document Control Branch (Document Control Desk). 1p. 76097:001-76099:047.

—9308110239 Rev 0 of PSL-200, "St Lucie Nuclear Power Plant,Unit 2 Second ISI Interval Program Plan & Schedule" from 930808- 200808.
ANDERSON,E.L. Florida Power & Light Co. 93/07/24. 300pp. 76097:002-76098:039.

—9308110242 Rev 0 of PSL-201, "St Lucie Nuclear Power Plant,Unit 2 Second ISI Interval ISI Selected Component Schedule."
ANDERSON,E.L. Florida Power & Light Co. 93/07/24. 300pp. 76098:040-76099:047.

R. Periodic operating reports & related correspondence

9308310229 "Combined Semiannual Radioactive Release Rept for Jan-June 1993 for St Lucie Plant,Units 1 & 2." W/930826 ltr.
SAGER,D.A. Florida Power & Light Co. 93/06/30. 100pp. 76306:007-76306:131.

9308050242 Forwards replacement page for environ operating rept for 1992.
SAGER,D.A. Florida Power & Light Co. 93/07/29. Document Control Branch (Document Control Desk). 2pp. 76034:272-76034:273.

9308160176 Monthly operating repts for Jul 1993 for St Lucie,units 1 & 2.W/930811 ltr.
WHITE,C.D., SAGER,D.A. Florida Power & Light Co. 93/07/31. 9pp. 76107:342-76107:350.

DOCKET 50-390 WATTS BAR NUCLEAR PLANT, UNIT 1

A. Application/construction stage documents & correspondence

9308250191 Ltr contract,mod 1,providing incremental funding in stated amount,to task order 39, "Review of Watts Bar Open Items, CDR & Employee Concerns."
SCOTT,M.L. Contract Administration Branch 1 (Post 900603). NRC-03-89-027. 93/06/11. LOFY,R.A. PARAMETER, Inc. 2pp. 76214:028-76214:029.

9308060145 Confirms 930701 telcon between J Vorees & P Fredrickson re meeting to be held in Atlanta,GA on 930713 to discuss effectiveness of concerns resolution staff & contractor employee concerns programs.
MERSCHOFF,E.W. Region 2 (Post 820201). 93/07/02. MEDFORD,M.O. Tennessee Valley Authority. 3pp. 75993:345-75993:347.

9308060153 Notification of significant meeting w/util on 930713 to discuss effectiveness of Employee Concerns Program & activities of Program for Assurance of Completion & Assurance of Quality.
FREDRICKSON,P. Region 2 (Post 820201). 93/07/02. Region 2 (Post 820201). 2pp. 75993:351-75993:352.

9308060001 Summary of 930713 meeting w/util in Atlanta,GA re current status of program for assurance of completion & assurance of quality.List of attendees encl.
MERSCHOFF,E.W. Region 2 (Post 820201). 93/07/20. MEDFORD,M.O. Tennessee Valley Authority. 17pp. 75992:001-75992:017.

9308020030 Summary of 930720 meeting w/util telephonically re status, needed actions,priorities & schedules of various licensing issues.
TAM,P.S. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 93/07/21. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 8pp. 75938:353-75938:360.

9308060030 Confirms arrangements for 930810 meeting to be held in Atlanta,GA to discuss effectiveness of concerns resolution staff & contractor employee concerns programs.
MERSCHOFF,E.W. Region 2 (Post 820201). 93/07/23. MEDFORD,M.O. Tennessee Valley Authority. 3pp. 75992:137-75992:139.

9308060159 Notification of significant licensee meeting w/util on 930810 to discuss effectiveness of employee concerns program.
FREDRICKSON,P. Region 2 (Post 820201). 93/07/23. Region 2 (Post 820201). 2pp. 75993:358-75993:359.

9308060175 Confirms arrangements for 930806 meeting w/util at plant to discuss status of ongoing & planned activities at plant.
MERSCHOFF,E.W. Region 2 (Post 820201). 93/07/23. MEDFORD,M.O. Tennessee Valley Authority. 3pp. 7599 : 100-75994:102.

9308060187 Notification of significant licensee meeting w/util on 930806 to discuss status of ongoing & planned activities.
FREDRICKSON,P. Region 2 (Post 820201). 93/07/23. Region 2 (Post 820201). 2pp. 75994:139-75994:140.

9308020169 Withdraws TVA 860915 request for authorization under 10CFR50.55a(a)(3)(ii) to waive ASME Section XI hydrostatic test requirements.
MUSELER,W.J. Tennessee Valley Authority. 93/07/24. Document Control Branch (Document Control Desk). 2pp. 75954:185-75954:186.

9308130027 Requests addl info on util response to GL 92-01, "Reactor Vessel Structural Integrity."
TAM,P.S. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 93/07/27. MEDFORD,M.O. Tennessee Valley Authority. 3pp. 76094:118-76094:120.

9308050065 Forwards revised response to util NUREG-0612 program re control of heavy loads per Generic Ltr 81-07.Rev 0 to Nuclear Power Std STD-6.6 & Engineering Spec N3M-940,Rev 0 encl.W/12 oversize drawings.
MUSELER,W.J. Tennessee Valley Authority. 93/07/28. Document Control Branch (Document Control Desk). 53pp. 76036:019-76036:121.

—9308050067 Rev 0 to Nuclear Power Std STD-6.6, "Safe Practices for Operation of Overhead Handling Equipment."
MCCOY,E.N. Tennessee Valley Authority. 91/04/02. 39pp. 76036:061-76036:099.

—9308050070 "Watts Bar Nuclear Plant Engineering Spec N3M-940 for Design & Procurement of Lifting Devices."
LALL,S.C. Tennessee Valley Authority. N3M-940 R00. 91/02/27. 22pp. 76036:100-76036:121.

9308060356 Provides schedule for reanalysis of large-break LOCA for plant as requested in NRC 930519 ltr,in ref to ECCS evaluation model changes.List of commitments encl.
MUSELER,W.J. Tennessee Valley Authority. 93/07/28. Document Control Branch (Document Control Desk). 4pp. 76059:174-76059:177.

9308060362 Discusses status of addl DG unit at facility as replacement for any one of four EDGs.
MUSELER,W.J. Tennessee Valley Authority. 93/07/28. Document Control Branch (Document Control Desk). 3pp. 76038:354-76038:356.

9308170198 Informs that licensee 930308 submittal of Westinghouse Topical Rept WCAP-11627 re uplow conversion mod to plant reactor internals,acceptable.
TAM,P.S. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 93/07/28. MEDFORD,M.O. Tennessee Valley Authority. 3pp. 76125:350-76125:352.

9308170203 Informs that licensee 881020 & 890512 submittals re use of inside-containment isolation valve instead of outside- containment isolation valve as second piping penetration barrier,acceptable.
TAM,P.S. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 93/07/28. MEDFORD,M.O. Tennessee Valley Authority. 3pp. 76125:353-76125:355.

9308170328 Notices of 930803 meeting w/util in Rockville,MD to discuss status,needed actions & technical issues re use of U-bolts at plant.
TAM,P.S. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 93/07/28. HEBDON,F.J. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 3pp. 76140:046-76140:048.

9308190022 Informs that licensee 930416-0702 commitments to perform SI 4.0.5.0 (revised) acceptable.
TAM,P.S. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 93/07/30. MEDFORD,M.O. Tennessee Valley Authority. 3pp. 76151:354-76151:356.

9308160339 Provides addl info as followup to 930614 telcon re TVA 930414 submittal concerning accumulator tank qualification.
MUSELER,W.J. Tennessee Valley Authority. 93/08/03. Document Control Branch (Document Control Desk). 3pp. 76141:358-76141:360.

9308090069 Notification of 930810 meeting w/util in Rockville,MD to discuss generic changes in STS affect draft of plant TS.
TAM,F.J. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 93/08/04. MURLEY,T. MIRAGLIA,F., RUSSELL,W. NRC - No Detailed Affiliation Given. 4pp. 76024:139-76024:142.

9308090025 Responds to Generic Ltr 93-04, "Rod Control Sys Failure & Withdrawal of Rod Cluster Assemblies." No short term compensatory actions required.
SCHOFIELD,B.S. Tennessee Valley Authority. 93/08/05. Document Control Branch (Document Control Desk). 9pp. 76059:335-76059:344.

9308160321 Provides addl info re design provisions for testing DG in parallel w/offsite power to suppl description provided in Chapter 8 of FSAR.
MUSELER,W.J. Tennessee Valley Authority. 93/08/05. Document Control Branch (Document Control Desk). 4pp. 76143:277-76143:280.

9308160329 Forwards NUS Corp study entitled, "Watts Bar Nuclear Plant Mgt Assessment QA," summarizing mgt assessment of QA at plant during period 930510-21.Study discussed during NRC Region II mgt meeting at plant.
MUSELER,W.J. Tennessee Valley Authority. 93/08/05. Document Control Branch (Document Control Desk). 3pp. 76143:224-76143:260.

—9308160335 "Watts Bar Nuclear Plant Mgt Assessment QA."
CUTTER,A.B., DIDESCH,D.S., HENCEY,T.R. NUS Corp. 93/05/21. 34pp. 76143:227-76143:260.

9308260155 Notification of 930903 meeting w/util in Spring City,TN to discuss status,needed actions,schedules & priorities of various licensing issues.
TAM,P.S. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 93/08/09. HEBDON,F.J. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 3pp. 76217:251-76217:253.

9308270077 Informs that staff considers plant condensate storage tank to be primary success path for mitigating accidents & transients & therefore,tank LCO should be retained in TS based on Criterion 3 of final Commission policy statement.
HEBDON,F.J. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 93/08/11. MEDFORD,M.O. Tennessee Valley Authority. 4pp. 76220:138-76220:141.

9308270069 Forwards brief chronology of pertinent meeting & correspondence concerning NRC concerns of degree of mtl traceability provided for safety-related structures at facility.
HEBDON,F.J. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 93/08/12. MEDFORD,M.O. Tennessee Valley Authority. 4pp. 76220:134-76220:137.

9308200020 Summary of 930719-22 meeting w/util in Rockville,MD to discuss proof & review TS for Watts Bar,Unit 1.Participant list,Spec 5.5.2, "Onsite Review & Audit" & background section of LCO 3.6.8 encl.
TAM,P.S. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 93/08/17. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 7pp. 76209:288-76209:294.

9308250149 Forwards changes to TVA nuclear QA plan, rev 3. Changes in regard to organizational & functional realignments. Changes will also be submitted in TVA annual update of nuclear QA plan.
SCHOFIELD, B.S. Tennessee Valley Authority. 93/08/20. Document Control Branch (Document Control Desk). 6pp. 76218:327-76218:332.

9308310118 Summary of 930804 meeting w/ util at TVA Rockville of re generic issues raised from review of proof & review version of Watts Bar Unit 1 TS. List of attendees encl.
TAM, P.S. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 93/08/20. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 5pp. 76274:213-76274:217.

F. Security, medical, emergency & fire protection plans

9308050237 Forwards encl 8 to SECY 93-166 which describes proposed characteristics of design basis vehicle. W/o encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 93/07/15. MEDFORD, M.O. Tennessee Valley Authority. 3pp. 75990:307-75990:309.

9308090038 Revised Central Emergency Control Ctr (CECC) EPIPs, including Rev 15 to CECC EPIP-1, "CECC Alert, Site Area Emergency & General Emergency & Rev 9 to CECC EPIP-6, "CECC Plant Assessment Staff Procedure...." W/930802 ltr.
SCHOFIELD, B.S. Tennessee Valley Authority. 93/08/02. 66pp. 76060:230-76060:295.

9308240296 Forwards Insp Repts 50-390/93-47 & 50-391/93-47 on 930721-23. No violations or deviations noted. Repts withheld (ref 10CFR2.790).
STOHR, J.P. Region 2 (Post 820201). 93/08/11. MEDFORD, M.O. Tennessee Valley Authority. 4pp. 76265:349-76265:352.

K. Utility Final Safety Analysis Report (FSAR) & amends

9308050009 Amend 76 to FSAR for Watts Bar Nuclear Plant. W/930731 ltr.
MUSELER, W.J. Tennessee Valley Authority. 93/07/31. 120pp. 76011:248-76012:025.

9308050057 Forwards affidavit certifying that Amend 76 to FSAR for Watts Bar Nuclear Plant served on individuals identified.
MUSELER, W.J. Tennessee Valley Authority. 93/07/31. Document Control Branch (Document Control Desk). 3pp. 76018:348-76018:350.

9308120077 Forwards affidavit certifying that Amend 77 to Watts Bar Plant FSAR served upon individuals identified in affidavit by depositing into US Mail all charges prepaid.
MUSELER, W.J. Tennessee Valley Authority. 93/08/06. Document Control Branch (Document Control Desk). 3pp. 76094:322-76094:324.

9308120248 Forwards Amend 77 to "Watts Bar Nuclear Plant FSAR," incorporating changes into Chapter 11 as result of general review of chapter to ensure reflection of current design.
MUSELER, W.J. Tennessee Valley Authority. 93/08/06. Document Control Branch (Document Control Desk). 2pp. 76105:001-76105:233.

-9308120252 Amend 77 to "Watts Bar Nuclear Plant FSAR."
* Tennessee Valley Authority. 93/08/06. 200pp. 76105:003-76105:233.

Q. Inspection reports, IE Bulletins & correspondence

9308060196 Ack receipt of 930618 ltr informing NRC of steps taken to correct violations noted in insp repts 50-390/93-30 & 50-391/93-30.
GIBSON, A.F. Region 2 (Post 820201). 93/06/28. MEDFORD, M.O. Tennessee Valley Authority. 3pp. 75994:157-75994:159.

9308060176 Ack receipt of 930614 ltr informing NRC of steps taken to correct violations noted in insp repts 50-390/93-29 & 50-391/93-29.
MERSCHOFF, E.W. Region 2 (Post 820201). 93/07/06. MEDFORD, M.O. Tennessee Valley Authority. 3pp. 75994:103-75994:105.

9308050076 Forwards insp repts 50-390/93-41 & 50-391/93-41 on 930607-11. No violations noted.
STOHR, J.P. Region 2 (Post 820201). 93/07/09. MEDFORD, M.O. Tennessee Valley Authority. 3pp. 75972:077-75972:096.

-9308050079 Insp repts 50-390/93-41 & 50-391/93-41 on 930606-11. No violations noted. Major areas inspected: organization & mgt controls, training & requalification & facilities & equipment.
BOLAND, A.T., SHORTRIDGE, R.B., RANKIN, W.H. Region 2 (Post 820201). 93/07/09. 17pp. 75972:080-75972:096.

9308060227 Forwards insp repts 50-390/93-44 & 50-391/93-44 on 930607-12 & 21-25. No violations noted or deviations noted.
GIBSON, A.F. Region 2 (Post 820201). 93/07/09. MEDFORD, M.O. Tennessee Valley Authority. 3pp. 75994:275-75994:286.

-9308060229 Insp repts 50-390/93-44 & 50-391/93-44 on 930607-12 & 21-25. No violations or deviations noted. Major areas inspected: preoperational tests & followup on licensee corrective actions for previously identified insp findings.
SMITH, C., JULIAN, C. Region 2 (Post 820201). 93/07/08. 9pp. 75994:278-75994:286.

9308060045 Forwards insp repts 50-390/93-39 & 50-391/93-39 on 930614-18 & 22-25. No violations or deviations noted.
GIBSON, A.F. Region 2 (Post 820201). 93/07/14. MEDFORD, M.O. Tennessee Valley Authority. 4pp. 75992:173-75992:185.

-9308060052 Insp repts 50-390/93-39 & 50-391/93-39 on 930614-18 & 22-25. No violations or deviations noted. Major areas inspected: preoperational test procedure review & followup on previous insp findings.
MERRIWEATHER, N., JULIAN, C.A. Region 2 (Post 820201). 93/07/12. 9pp. 75992:177-75992:185.

9308060155 Forwards insp repts 50-390/93-40 & 50-391/93-40 on 930522-0618 & notice of violation. Violation reveals problem w/ implementation of training program & ability to correct identified training problems. W/o notice of violation.
MERSCHOFF, E.W. Region 2 (Post 820201). 93/07/15. MEDFORD, M.O. Tennessee Valley Authority. 4pp. 75994:041-75994:059.

-9308060158 Insp repts 50-390/93-40 & 50-391/93-40 on 930522-0618. Violation noted. Major areas inspected: const work activities, preoperational testing, administration of procedures, review of maint processes & review of vertical slice findings.
WALTON, G.A., FREDERICKSON, P. Region 2 (Post 820201). 93/07/15. 15pp. 75994:045-75994:059.

9308060119 Ack receipt of 930115 & 930517 ltrs informing NRC of steps taken to correct violations noted in insp repts 50-390/93-201 & 50-391/92-201.
MERSCHOFF, E.W. Region 2 (Post 820201). 93/07/16. MEDFORD, M.O. Tennessee Valley Authority. 5pp. 75993:269-75993:273.

9308060132 Forwards insp repts 50-390/93-45 & 50-391/93-45 on 930607-21 & notice of violation.
MERSCHOFF, E.W. Region 2 (Post 820201). 93/07/20. MEDFORD, M.O. Tennessee Valley Authority. 4pp. 75993:289-75993:325.

-9308060134 Notice of violation from insp on 930607-21. Violation noted: length of welds were not correctly measured & check marked on as-built drawing for pipe support 1-63-458 as required.
* Region 2 (Post 820201). 93/07/20. 2pp. 75993:293-75993:294.

-9308060141 Insp repts 50-390/93-45 & 50-391/93-45 on 930607-21. Violations noted. Major areas inspected: licensee implementation of hanger & analysis update program.
GLASMAN, M.M., FREDERICKSON, P. Region 2 (Post 820201). 93/07/20. 31pp. 75993:295-75993:325.

9307190043 NRC Info Notice 93-057, "Software Problems Involving Digital Control Console Sys at Non-Power Reactors."
GRIMES, B.K. Division of Operating Reactor Support (Post 921004). 93/07/23. Consolidated Edison Co. of New York, Inc. 9pp. 76111:200-76111:208.

9308060178 Forwards insp repts 50-390/93-43 & 50-391/93-43 on 930601-30 & notices of violation & deviation. Violation A of concern due to lack of plan to test design features & functions contained in FSAR chapter 14.
GIBSON, A.F. Region 2 (Post 820201). 93/07/23. MEDFORD, M.O. Tennessee Valley Authority. 5pp. 75994:106-75994:125.

-9308060185 Notice of violation from insp on 930601-30. Violation noted: Preoperational Test Instruction 32.01, "Control & Auxiliary Air Sys," did not contain test methods, test conditions & acceptance criteria to provide clean & oil free air.
* Region 2 (Post 820201). 93/07/23. 3pp. 75994:111-75994:113.

-9308060192 Notice of deviation from insp on 930601-30. Deviation noted: test scoping document, TVA-27, "Control Air Sys" deleted commitment to perform differential pressure testing across air dryer units as specified by Regulatory Position C.3.
* Region 2 (Post 820201). 93/07/23. 1p. 75994:114-75994:114.

-9308060203 Insp repts 50-390/93-43 & 50-391/93-43 on 930601-30. Violations & deviation noted. Major areas inspected: preoperational test instruction review & preoperational test witnessing.
TAYLOR, P., JULIAN, C. Region 2 (Post 820201). 93/07/23. 11pp. 75994:115-75994:125.

9308020185 Provides corrections to TVA 841004 ltr documenting results of resolution of licensing condition LC-24 & insp time intervals per NUREG-0737, Item III.D.1.1, Position 2.
MUSELER, W.J. Tennessee Valley Authority. 93/07/24. Document Control Branch (Document Control Desk). 2pp. 75994:190-75994:191.

9308020204 Responds to NRC ltr re violations noted in insp rept 50-390/93-38 & 50-391/93-38 on 930624. Corrective actions: weld map change request completed & weld operation sheet constructed.
MUSELER, W.J. Tennessee Valley Authority. 93/07/26. Document Control Branch (Document Control Desk). 2pp. 75972:352-75972:357.

9308050029 Forwards insp repts 50-390/93-42 & 50-391/93-42 on 930601-30. No violations or deviations noted.
MERSCHOFF, E.W. Region 2 (Post 820201). 93/07/27. MEDFORD, M.O. Tennessee Valley Authority. 3pp. 75971:243-75971:271.

-9308050036 Insp repts 50-390/93-42 & 50-391/93-42 on 930601-30. No violations noted. Major areas inspected: follow-up of 10CFR50.55(e) repts, CATDs, Sargent & Lundy VSR DR & actions on previous insp findings.
WALTON, G.A., FREDERICKSON, P. Region 2 (Post 820201). 93/07/23. 26pp. 75971:246-75971:271.

9308190109 Informs that first insp will take place during 930830-0903. Insp will concentrate on translation of commitments into PAC/AQ database & on assessing incorporation of commitments into implementing documentation.
TAM, P.S. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 93/07/30. MEDFORD, M.O. Tennessee Valley Authority. 3pp. 76153:082-76153:084.

9308120371 Forwards insp repts 50-390/93-49 & 50-391/93-49 on 930703-13. No violations or deviations noted.
GIBSON, A.F. Region 2 (Post 820201). 93/08/02. MEDFORD, M.O. Tennessee Valley Authority. 4pp. 76095:324-76095:332.

-9308120376 Insp repts 50-390/93-49 & 50-391/93-49 on 930706-13. No violations or deviations noted. Major areas inspected: review of Preoperational Test Instruction, PTI-070.01 CCS Pump/Valve Logic Test, Rev 1.
SMITH, C., JULIAN, C. Region 2 (Post 820201). 93/07/28. 4pp. 76095:328-76095:332.

9308240296 Forwards Insp Repts 50-390/93-47 & 50-391/93-47 on 930721-23. No violations or deviations noted. Repts withheld (ref 10CFR2.790).
STOHR, J.P. Region 2 (Post 820201). 93/08/11. MEDFORD, M.O. Tennessee Valley Authority. 4pp. 76265:349-76265:352.

9308250365 Discusses Insp Rept 50-390/93-202 on 930405-23 & forwards notice of violation.
MERSCHOFF, E.W. Region 2 (Post 820201). 93/08/11. MEDFORD, M.O. Tennessee Valley Authority. 4pp. 76219:037-76219:042.

-9308250367 Notice of violation from insp on 930405-23. Violation noted: motor bearing cooling line slope deficiencies not corrected as of 930423 & corrective actions for SCAR WBP900084SCA failed to address freeze protection.
* Region 2 (Post 820201). 93/08/11. 2pp. 76219:041-76219:042.

122 DOCKETED ITEMS

9308250024 Confirms 930723 telcon re meeting to be held on 930827 to discuss SALP of plant.
MERSCHOFF,E.W. Region 2 (Post 820201). 93/08/13. MEDFORD,M.O. Tennessee Valley Authority. 3pp. 76187:042-76187:044.

9308250086 Notification of significant licensee meeting w/util on 930827 to present plant SALP.
FREDRICKSON,P. Region 2 (Post 820201). 93/08/13. Region 2 (Post 820201). 2pp. 76188:290-76188:291.

9308240219 Responds to NRC 930715 ltr re violations noted in Insp Repts 50-390/93-40 & 50-391/93-40. Corrective actions:util currently publishing weekly training delinquency statistics to focus addl mgt attention to training.
MUSELER,W.J. Tennessee Valley Authority. 93/08/18. Document Control Branch (Document Control Desk). 11pp. 76211:283-76211:293.

9308240215 Responds to NRC 930720 ltr re violation noted in Insp Rept 50-390/93-45. TVA basis for disputing violation encl.
MUSELER,W.J. Tennessee Valley Authority. 93/08/19. Document Control Branch (Document Control Desk). 5pp. 76211:278-76211:282.

9308310263 Responds to violations noted in Insp Repts 50-390/93-24 & 50-391/93-24. Corrective actions:ECSP process developed & proceduralized to effectively resolve concerns.
MUSELER,W.J. Tennessee Valley Authority. 93/08/20. Document Control Branch (Document Control Desk). 10pp. 76290:348-76290:358.

9308310076 Ack receipt of 930726 ltr informing NRC of steps taken to correct violations noted in insp rept 50-390/93-38.
GIBSON,A.F. Region 2 (Post 820201). 93/08/25. MEDFORD,M.O. Tennessee Valley Authority. 3pp. 76263:345-76263:347.

9308310096 Forwards insp repts 50-390/93-52 & 50-391/93-52 on 930712-16 & 0719-27. No violations or deviations noted. Numerous administrative & technical errors noted during review of preoperational test instruction PTI-74-01, rev 0 re RHR sys.
GIBSON,A.F. Region 2 (Post 820201). 93/08/26. MEDFORD,M.O. Tennessee Valley Authority. 5pp. 76264:074-76264:091.

-9308310098 Insp repts 50-390/93-52 & 50-391/93-52 on 930712-16 & 0719-27. No violations noted. Major areas inspected: preoperational test procedure review.
MERRIWEATHER,N., JULIAN,C.A. Region 2 (Post 820201). 93/08/20. 13pp. 76264:079-76264:091.

R. Periodic operating reports & related correspondence

9308190160 Forwards TVA fitness for duty program performance data for Jan-June 1993, containing trends & mgt initiatives & breakdown by process stage for specimens for which administrative action taken.
SCHOFIELD,B.S. Tennessee Valley Authority. 93/08/16. Document Control Branch (Document Control Desk). 22pp. 76162:029-76162:050.

S. Reportable occurrences, LERs & related correspondence

9308240267 Final deficiency rept re loose flexible conduit fittings. Initially reported on 930722. TVA will implement work documents to tighten six fittings & Significant C/A Rept WBSA930071 will be discussed w/appropriate craft workers.
MUSELER,W.J. Tennessee Valley Authority. CDR-50-390/93-02. 93/08/19. Document Control Branch (Document Control Desk). 6pp. 76215:294-76215:299.

V. Operator Examinations

9308130024 Informs that walkthrough portion of reactor operator exams scheduled for wks of 930712 & 19 delayed until Jan 1994 due to errors noted in sys operating instructions.
GIBSON,A.F. Region 2 (Post 820201). 93/07/15. MEDFORD,M.O. Tennessee Valley Authority. 3pp. 76078:191-76078:193.

DOCKET 50-391 WATTS BAR NUCLEAR PLANT, UNIT 2

A. Application/construction stage documents & correspondence

9308250191 Ltr contract, mod 1, providing incremental funding in stated amount, to task order 39, "Review of Watts Bar Open Items, CDR & Employee Concerns."
SCOTT,M.L. Contract Administration Branch 1 (Post 900603). NRC-03-89-027. 93/06/11. LOFY,R.A. PARAMETER, Inc. 2pp. 76214:028-76214:029.

9308060145 Confirms 930701 telcon between J Vorees & P Fredrickson re meeting to be held in Atlanta, GA on 930713 to discuss effectiveness of concerns resolution staff & contractor employee concerns programs.
MERSCHOFF,E.W. Region 2 (Post 820201). 93/07/02. MEDFORD,M.O. Tennessee Valley Authority. 3pp. 75993:345-75993:347.

9308060153 Notification of significant meeting w/util on 930713 to discuss effectiveness of Employee Concerns Program & activities of Program for Assurance of Completion & Assurance of Quality.
FREDRICKSON,P. Region 2 (Post 820201). 93/07/02. Region 2 (Post 820201). 2pp. 75993:351-75993:352.

9308060001 Summary of 930713 meeting w/util in Atlanta, GA re current status of program for assurance of completion & assurance of quality. List of attendees encl.
MERSCHOFF,E.W. Region 2 (Post 820201). 93/07/20. MEDFORD,M.O. Tennessee Valley Authority. 17pp. 75992:001-75992:017.

9308020030 Summary of 930720 meeting w/util telephonically re status, needed actions, priorities & schedules of various licensing issues.
TAM,P.S. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 93/07/21. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 8pp. 75938:353-75938:360.

9308060030 Confirms arrangements for 930810 meeting to be held in Atlanta, GA to discuss effectiveness of concerns resolution staff & contractor employee concerns programs.
MERSCHOFF,E.W. Region 2 (Post 820201). 93/07/23. MEDFORD,M.O. Tennessee Valley Authority. 3pp. 75992:137-75992:139.

9308060159 Notification of significant licensee meeting w/util on 930810 to discuss effectiveness of employee concerns program.
FREDRICKSON,P. Region 2 (Post 820201). 93/07/23. Region 2 (Post 820201). 2pp. 75993:358-75993:359.

9308060175 Confirms arrangements for 930806 meeting w/util at plant to discuss status of ongoing & planned activities at plant.
MERSCHOFF,E.W. Region 2 (Post 820201). 93/07/23. MEDFORD,M.O. Tennessee Valley Authority. 3pp. 75994:100-75994:102.

9308060187 Notification of significant licensee meeting w/util on 930806 to discuss status of ongoing & planned activities.
FREDRICKSON,P. Region 2 (Post 820201). 93/07/23. Region 2 (Post 820201). 2pp. 75994:139-75994:140.

9308020169 Withdraws TVA 860915 request for authorization under 10CFR50.55a(a)(3)(ii) to waive ASME Section XI hydrostatic test requirements.
MUSELER,W.J. Tennessee Valley Authority. 93/07/24. Document Control Branch (Document Control Desk). 2pp. 75954:185-75954:186.

9308050065 Forwards revised response to util NUREG-0612 program re control of heavy loads per Generic Ltr 81-07, Rev 0 to Nuclear Power Std STD-6.6 & Engineering Spec N3M-940, Rev 0 encl. W/12 oversize drawings.
MUSELER,W.J. Tennessee Valley Authority. 93/07/28. Document Control Branch (Document Control Desk). 53pp. 76036:019-76036:121.

-9308050067 Rev 0 to Nuclear Power Std STD-6.6, "Safe Practices for Operation of Overhead Handling Equipment."
MCCOY,E.N. Tennessee Valley Authority. 91/04/02. 39pp. 76036:061-76036:099.

-9308050070 "Watts Bar Nuclear Plant Engineering Spec N3M-940 for Design & Procurement of Lifting Devices."
LALL,S.C. Tennessee Valley Authority. N3M-940 R00. 91/02/27. 22pp. 76036:100-76036:121.

9308060356 Provides schedule for reanalysis of large-break LOCA for plant as requested in NRC 930519 ltr, in ref to ECCS evaluation model changes. List of commitments encl.
MUSELER,W.J. Tennessee Valley Authority. 93/07/28. Document Control Branch (Document Control Desk). 4pp. 76059:174-76059:177.

9308170198 Informs that licensee 930308 submittal of Westinghouse Topical Rept WCAP-11627 re upflow conversion mod to plant reactor internals, acceptable.
TAM,P.S. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 93/07/28. MEDFORD,M.O. Tennessee Valley Authority. 3pp. 76125:350-76125:352.

9308170203 Informs that licensee 881020 & 890512 submittals re use of inside-containment isolation valve instead of outside-containment isolation valve as second piping penetration barrier, acceptable.
TAM,P.S. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 93/07/28. MEDFORD,M.O. Tennessee Valley Authority. 3pp. 76125:353-76125:355.

9308170328 Notices of 930803 meeting w/util in Rockville, MD to discuss status, needed actions & technical issues re use of U-bolts at plant.
TAM,P.S. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 93/07/28. HEBDON,F.J. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 3pp. 76140:046-76140:048.

9308160339 Provides addl info as followup to 930614 telcon re TVA 930414 submittal concerning accumulator tank qualification.
MUSELER,W.J. Tennessee Valley Authority. 93/08/03. Document Control Branch (Document Control Desk). 3pp. 76141:358-76141:360.

9308090025 Responds to Generic Ltr 93-04, "Rod Control Sys Failure & Withdrawal of Rod Cluster Assemblies." No short term compensatory actions required.
SCHOFIELD,B.S. Tennessee Valley Authority. 93/08/05. Document Control Branch (Document Control Desk). 9pp. 76059:335-76059:344.

9308160321 Provides addl info re design provisions for testing DG in parallel w/offsite power to suppl description provided in Chapter 8 of FSAR.
MUSELER,W.J. Tennessee Valley Authority. 93/08/05. Document Control Branch (Document Control Desk). 4pp. 76143:277-76143:280.

9308160329 Forwards NUS Corp study entitled, "Watts Bar Nuclear Plant Mgt Assessment QA," summarizing mgt assessment of QA at plant during period 930510-21. Study discussed during NRC Region II mgt meeting at plant.
MUSELER,W.J. Tennessee Valley Authority. 93/08/05. Document Control Branch (Document Control Desk). 3pp. 76143:224-76143:260.

-9308160335 "Watts Bar Nuclear Plant Mgt Assessment QA."
CUTTER,A.B., DIDESCH,D.S., HENCEY,T.R. NUS Corp. 93/05/21. 34pp. 76143:227-76143:260.

9308260155 Notification of 930903 meeting w/util in Spring City, TN to discuss status, needed actions, schedules & priorities of various licensing issues.
TAM,P.S. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 93/08/09. HEBDON,F.J. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 3pp. 76217:251-76217:253.

9308270069 Forwards brief chronology of pertinent meeting & correspondence concerning NRC concerns of degree of matl traceability provided for safety-related structures at facility.
HEBDON,F.J. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 93/08/12. MEDFORD,M.O. Tennessee Valley Authority. 4pp. 76220:134-76220:137.

9308250149 Forwards changes to TVA nuclear QA plan, rev 3. Changes in regard to organizational & functional realignments. Changes will also be submitted in TVA annual update of nuclear QA plan.
SCHOFIELD,B.S. Tennessee Valley Authority. 93/08/20. Document Control Branch (Document Control Desk). 6pp. 76218:327-76218:332.

F. Security, medical, emergency & fire protection plans

9308050237 Forwards encl 8 to SECY 93-166 which describes proposed characteristics of design basis vehicle W/o encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 93/07/15. MEDFORD,M.O. Tennessee Valley Authority. 3pp. 75990:307-75990:309.

9308090038 Revised Central Emergency Control Ctr (CECC) EIPs,including Rev 15 to CECC EPIP-1, "CECC Alert,Site Area Emergency & General Emergency & Rev 9 to CECC EPIP-6, "CECC Plant Assessment Staff Procedure..." W/930802 ltr.
SCHOFIELD,B.S. Tennessee Valley Authority. 93/08/02. 66pp. 76060:230-76060:295.

9308240296 Forwards Insp Repts 50-390/93-47 & 50-391/93-47 on 930721- 23.No violations or deviations noted.Repts withheld (rel 10CFR2.790).
STOHR,J.P. Region 2 (Post 820201). 93/08/11. MEDFORD,M.O. Tennessee Valley Authority. 4pp. 76265:349-76265:352.

K. Utility Final Safety Analysis Report (FSAR) & amends

9308050009 Amend 76 to FSAR for Watt Bar Nuclear Plant.W/930731 ltr.
MUSELER,W.J. Tennessee Valley Authority. 93/07/31. 120pp. 76011:248-76012:025.

9308050057 Forwards affidavit certifying that Amend 76 to FSAR for Watts Bar Nuclear Plant served on individuals identified.
MUSELER,W.J. Tennessee Valley Authority. 93/07/31. Document Control Branch (Document Control Desk). 3pp. 76018:348-76018:350.

9308120077 Forwards affidavit certifying that Amend 77 to Watts Bar Plant FSAR served upon individuals identified in affidavit by depositing into US Mail all charges prepaid.
MUSELER,W.J. Tennessee Valley Authority. 93/08/06. Document Control Branch (Document Control Desk). 3pp. 76094:322-76094:324.

9308120248 Forwards Amend 77 to "Watts Bar Nuclear Plant FSAR," incorporating changes into Chapter 11 as result of general review of chapter to ensure reflection of current design.
MUSELER,W.J. Tennessee Valley Authority. 93/08/06. Document Control Branch (Document Control Desk). 2pp. 76105:001-76105:233.

-9308120252 Amend 77 to "Watts Bar Nuclear Plant FSAR."
* Tennessee Valley Authority. 93/08/06. 200pp. 76105:003-76105:233.

Q. Inspection reports, IE Bulletins & correspondence

9308060196 Ack receipt of 930618 ltr informing NRC of steps taken to correct violations noted in insp repts 50-390/93-30 & 50-391/93-30.
GIBSON,A.F. Region 2 (Post 820201). 93/06/28. MEDFORD,M.O. Tennessee Valley Authority. 3pp. 75994:157-75994:159.

9308060176 Ack receipt of 930614 ltr informing NRC of steps taken to correct violations noted in insp repts 50-390/93-29 & 50-391/93-29.
MERSCHOFF,E.W. Region 2 (Post 820201). 93/07/06. MEDFORD,M.O. Tennessee Valley Authority. 3pp. 75994:103-75994:105.

9308050076 Forwards insp repts 50-390/93-41 & 50-391/93-41 on 930607-11.No violations noted.
STOHR,J.P. Region 2 (Post 820201). 93/07/09. MEDFORD,M.O. Tennessee Valley Authority. 3pp. 75972:077-75972:096.

-9308050079 Insp repts 50-390/93-41 & 50-391/93-41 on 930606-11.No violations noted.Major areas inspected:organization & mgt controls,training & requalification & facilities & equipment.
BOLAND,A.T., SHORTRIDGE,R.B., RANKIN,W.H. Region 2 (Post 820201). 93/07/09. 17pp. 75972:080-75972:096.

9308060227 Forwards insp repts 50-390/93-44 & 50-391/93-44 on 930607-12 & 21-25.No violations noted or deviations noted.
GIBSON,A.F. Region 2 (Post 820201). 93/07/09. MEDFORD,M.O. Tennessee Valley Authority. 3pp. 75994:275-75994:286.

-9308060229 Insp repts 50-390/93-44 & 50-391/93-44 on 930607-12 & 21-25.No violations or deviations noted.Major areas inspected:preoperational tests & followup on licensee corrective actions for previously identified insp findings.
SMITH,C., JULIAN,C. Region 2 (Post 820201). 93/07/08. 9pp. 75994:278-75994:286.

9308060045 Forwards insp repts 50-390/93-39 & 50-391/93-39 on 930614-18 & 22-25.No violations or deviations noted.
GIBSON,A.F. Region 2 (Post 820201). 93/07/14. MEDFORD,M.O. Tennessee Valley Authority. 4pp. 75992:173-75992:185.

-9308060052 Insp repts 50-390/93-39 & 50-391/93-39 on 930614-18 & 22-25. No violations or deviations noted.Major areas inspected: preoperational test procedure review & followup on previous insp findings.
MERRIWEATHER,N., JULIAN,C.A. Region 2 (Post 820201). 93/07/12. 9pp. 75992:177-75992:185.

9308060155 Forwards insp repts 50-390/93-40 & 50-391/93-40 on 930522- 0618 & notice of violation Violation reveals problem w/ implementation of training program & ability to correct identified training problems.W/o notice of violation.
MERSCHOFF,E.W. Region 2 (Post 820201). 93/07/15. MEDFORD,M.O. Tennessee Valley Authority. 4pp. 75994:041-75994:059.

-9308060158 Insp repts 50-390/93-40 & 50-391/93-40 on 930522-0618. Violation noted.Major areas inspected:const work activities, preoperational testing,administration of procedures,review of maint processes & review of vertical slice findings.
WALTON,G.A., FREDERICKSON,P. Region 2 (Post 820201). 93/07/15. 15pp. 75994:045-75994:059.

9308060119 Ack receipt of 930115 & 930517 ltrs informing NRC of steps taken to correct violations noted in insp repts 50-390/93-201 & 50-391/92-201.
MERSCHOFF,E.W. Region 2 (Post 820201). 93/07/16. MEDFORD,M.O. Tennessee Valley Authority. 5pp. 75993:269-75993:273.

9308060132 Forwards insp repts 50-390/93-45 & 50-391/93-45 on 930607-21 & notice of violation.
MERSCHOFF,E.W. Region 2 (Post 820201). 93/07/20. MEDFORD,M.O. Tennessee Valley Authority. 4pp. 75993:289-75993:325.

-9308060141 Insp repts 50-390/93-45 & 50-391/93-45 on 930607-21. Violations noted.Major areas inspected licensee implementation of hanger & analysis update program.
GLASMAN,M.M., FREDRICKSON,P. Region 2 (Post 820201). 93/07/20. 31pp. 75993:295-75993:325.

9307190043 NRC Info Notice 93-057, "Software Problems Involving Digital Control Console Sys at Non-Power Reactors."
GRIMES,B.K. Division of Operating Reactor Support (Post 921004). 93/07/23. Consolidated Edison Co. of New York, Inc. 9pp. 76111:200-76111:208.

9308060178 Forwards insp repts 50-390/93-43 & 50-391/93-43 on 930601-30 & notices of violation & deviation.Violation A of concern due to lack of plan to test design features & functions contained in FSAR chapter 14.
GIBSON,A.F. Region 2 (Post 820201). 93/07/23. MEDFORD,M.O. Tennessee Valley Authority. 5pp. 75994:106-75994:125.

-9308060185 Notice of violation from insp on 930601-30.Violation noted: Preoperational Test Instruction 32.01, "Control & Auxiliary Air Sys," did not contain test methods,test conditions & acceptance criteria to provide clean & oil free air.
* Region 2 (Post 820201). 93/07/23. 3pp. 75994:111-75994:113.

-9308060192 Notice of deviation from insp on 930601-30.Deviation noted: test scoping document,TVA-27, "Control Air Sys" deleted commitment to perform differential pressure testing across air dryer units as specified by Regulatory Position C.3.
* Region 2 (Post 820201). 93/07/23. 1p. 75994:114-75994:114.

-9308060203 Insp repts 50-390/93-43 & 50-391/93-43 on 930601-30. Violations & deviation noted.Major areas inspected: preoperational test instruction review & preoperational test witnessing.
TAYLOR,P., JULIAN,C. Region 2 (Post 820201). 93/07/23. 11pp. 75994:115-75994:125.

9308020185 Provides corrections to TVA 841004 ltr documenting results of resolution of licensing condition LC-24 & insp time intervals per NUREG-0737,Item III.D.1.1,Position 2.
MUSELER,W.J. Tennessee Valley Authority. 93/07/24. Document Control Branch (Document Control Desk). 2pp. 75954:190-75954:191.

9308020204 Responds to NRC ltr re violations noted in insp rept 50-390/93-38 & 50-391/93-38 on 930624.Corrective actions: weld map change request completed & weld operation sheet constructed.
MUSELER,W.J. Tennessee Valley Authority. 93/07/26. Document Control Branch (Document Control Desk). 2pp. 75972:352-75972:357.

9308050029 Forwards insp repts 50-390/93-42 & 50-391/93-42 on 930601-30.No violations or deviations noted.
MERSCHOFF,E.W. Region 2 (Post 820201). 93/07/27. MEDFORD,M.O. Tennessee Valley Authority. 3pp. 75971:243-75971:271.

-9308050036 Insp repts 50-390/93-42 & 50-391/93-42 on 930601-30.No violations noted.Major areas inspected:follow-up of 10CFR50.55(e) repts,CATDs,Sargent & Lundy VSR DR & actions on previous insp findings.
WALTON,G.A., FREDERICKSON,P. Region 2 (Post 820201). 93/07/23. 26pp. 75971:246-75971:271.

9308120371 Forwards insp repts 50-390/93-49 & 50-391/93-49 on 930703-13.No violations or deviations noted.
GIBSON,A.F. Region 2 (Post 820201). 93/08/02. MEDFORD,M.O. Tennessee Valley Authority. 4pp. 76095:324-76095:332.

-9308120376 Insp repts 50-390/93-49 & 50-391/93-49 on 930706-13.No violations or deviations noted.Major areas inspected:review of Preoperational Test Instruction,PTI-070.01 CCS Pump/Valve Logic Test,Rev 1.
SMITH,C., JULIAN,C. Region 2 (Post 820201). 93/07/28. 4pp. 76095:328-76095:332.

9308240296 Forwards Insp Repts 50-390/93-47 & 50-391/93-47 on 930721- 23.No violations or deviations noted.Repts withheld (rel 10CFR2.790).
STOHR,J.P. Region 2 (Post 820201). 93/08/11. MEDFORD,M.O. Tennessee Valley Authority. 4pp. 76265:349-76265:352.

9308250024 Confirms 930723 telcon re meeting to be held on 930827 to discuss SALP of plant.
MERSCHOFF,E.W. Region 2 (Post 820201). 93/08/13. MEDFORD,M.O. Tennessee Valley Authority. 3pp. 76187:042-76187:044.

9308250086 Notification of significant licensee meeting w/util on 930827 to present plant SALP.
FREDRICKSON,P. Region 2 (Post 820201). 93/08/13. Region 2 (Post 820201). 2pp. 76188:290-76188:291.

9308240219 Responds to NRC 930715 ltr re violations noted in Insp Repts 50-390/93-40 & 50-391/93-40.Corrective actions:util currently publishing weekly training delinquency statistics to focus addl mgt attention to training.
MUSELER,W.J. Tennessee Valley Authority. 93/08/18. Document Control Branch (Document Control Desk). 11pp. 76211:283-76211:293.

9308310263 Responds to violations noted in Insp Repts 50-390/93-24 & 50-391/93-24.Corrective actions:ECSP process developed & proceduralized to effectively resolve concerns.
MUSELER,W.J. Tennessee Valley Authority. 93/08/20. Document Control Branch (Document Control Desk). 10pp. 76290:348-76290:358.

9308310096 Forwards insp repts 50-390/93-52 & 50-391/93-52 on 930712-16 & 0719-27.No violations or deviations noted.Numerous administrative & technical errors noted during review of preoperational test instruction PTI-74-01,rev 0 r RHR sys.
GIBSON,A.F. Region 2 (Post 820201). 93/08/26. MEDFORD,M.O. Tennessee Valley Authority. 5pp. 76264:074-76264:091.

-9308310098 Insp repts 50-390/93-52 & 50-391/93-52 on 930712-16 & 0719-27.Nc violations noted.Major areas inspected: preoperational test procedure review.
MERRIWEATHER,N., JULIAN,C.A. Region 2 (Post 820201). 93/08/20. 13pp. 76264:079-76264:091.

124 DOCKETED ITEMS

R. Periodic operating reports & related correspondence

9308190160 Forwards TVA fitness for duty program performance data for Jan-June 1993, containing trends & mgt initiatives & breakdown by process stage for specimens for which administrative action taken.
SCHOFIELD, B.S. Tennessee Valley Authority. 93/08/16. Document Control Branch (Document Control Desk). 22pp. 76162:029-76162:050.

S. Reportable occurrences, LERs & related correspondence

9308240267 Final deficiency rept re loose flexible conduit fittings. Initially reported on 930722.TVA will implement work documents to tighten six fittings & Significant C/A Rept WBSA930071 will be discussed w/appropriate craft workers.
MUSELER, W.J. Tennessee Valley Authority. CDR-50-390/93-02. 93/08/19. Document Control Branch (Document Control Desk). 6pp. 76215:294-76215:299.

V. Operator Examinations

9308130024 Informs that walkthrough portion of reactor operator exams scheduled for wks of 930712 & 19 delayed until Jan 1994 due to errors noted in sys operating instructions.
GIBSON, A.F. Region 2 (Post 820201). 93/07/15. MEDFORD, M.O. Tennessee Valley Authority. 3pp. 76078:191-76078:193.

DOCKET 50-395 VIRGIL C. SUMMER NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9308030189 Forwards encl 8 to SECY 93-166 which describes proposed characteristics of design basis vehicle. Characteristics being provided to licensees in advance to facilitate more detailed comments on proposed rule. W/o encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 93/07/15. SKOLDS, J.L. South Carolina Electric & Gas Co. 2pp. 75945:354-75945:355.

9308060013 Forwards info re security practices. Encl withheld (ref 10CFR2.790).
MERSCHOFF, E.W. Region 2 (Post 820201). 93/07/19. SKOLDS, J.L. South Carolina Electric & Gas Co. 4pp. 75992:077-75992:080.

9308130014 Discusses offsite emergency preparedness deficiency identified during 930714 exercise at plant. Urges that util assist State of South Carolina & local officials to correct deficiency & support efforts in remedial drill.
CLINE, W.E. Region 2 (Post 820201). 93/08/03. SKOLDS, J.L. Southern California Edison Co. 5pp. 76078:162-76078:166.

9308250356 Forwards Insp Rept 50-395/93-20 on 930712-16. Attention directed to resolution of exercise weaknesses.
CLINE, W.E. Region 2 (Post 820201). 93/08/11. SKOLDS, J.L. South Carolina Electric & Gas Co. 3pp. 76222:333-76222:360.

-9308250360 Insp rept 50-395/93-20 on 930712-16. Weaknesses noted. Major areas inspected: annual emergency preparedness exercise.
WRIGHT, F.N., BARR, K.P. Region 2 (Post 820201). 93/08/11. 25pp. 76222:336-76222:360.

9308300347 Revised emergency plan procedures (EPP) including Change C to Rev 21 to EPP-001, Change C to Rev 12 to EPP-018, Rev 0 to EPP-102 & Change C to Rev 0 to EPP-103. W/930825 ltr.
NETTLES, K.W. South Carolina Electric & Gas Co. 93/08/25. 100pp. 76297:229-76297:354.

H. General correspondence

9308270006 Comment concurring w/NUMARC comments on draft NRC insp procedure 38703, "Commercial Grade Procurement Insp."
SKOLDS, J.L. South Carolina Electric & Gas Co. 93/05/21. MEYER, D.L. Rules & Directives Review Branch (Post 920323). 1p. 76217:012-76217:012.

9308230022 Comment supporting proposed rule 10CFR55 re proposed amend to 10CFR55.
SKOLDS, J.L. South Carolina Electric & Gas Co. 93/07/30. CHILK, S.J. Office of the Secretary of the Commission. 2pp. 76165:061-76165:062.

K. Utility Final Safety Analysis Report (FSAR) & amends

9308090160 Amend 93-06 to FSAR for VC Summer Nuclear Station. W/930722 ltr.
SKOLDS, J.L. South Carolina Electric & Gas Co. 93/07/31. 41pp. 76063:178-76063:231.

P. Operating license stage documents & correspondence

9308060070 Discusses radiochemical analyses for liquid samples spiked w/beta emitting radionuclides & requests that analyses be completed as soon as practicable, but no later than 60 days from receipt of ltr.
CLINE, W.E. Region 2 (Post 820201). 93/07/28. SKOLDS, J.L. South Carolina Electric & Gas Co. 2pp. 75992:319-75992:320.

9308170330 Forwards amend 113 to license NPF-12 & safety evaluation. Amend modifies figures 3.4-2 & 3.4-3 of TS 3/4.4.9 & removes table 4.4-5.
WUNDER, G.F. Project Directorate II-1. 93/07/28. SKOLDS, J.L. Southern Nuclear Operating Co. 3pp. 76139:042-76139:053.

-9308170334 Amend 113 to license NPF-12, modifying figures 3.4-2 & 3.4-3 of TS 3/4.4.9 & removing table 4.4-5.
BAJWA, S.S. Project Directorate II-1. 93/07/28. 7pp. 76139:045-76139:051.

-9308170335 Safety evaluation supporting amend 113 to license NPF-12.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 93/07/28. 2pp. 76139:052-76139:053.

9308100139 Forwards response to GL 93-04 re rod control sys failure & withdrawal of rod control cluster assemblies.
SKOLDS, J.L. South Carolina Electric & Gas Co. 93/08/05. Document Control Branch (Document Control Desk). 2pp. 76078:298-76078:299.

9308160162 Withdraws relief request dtd 921130 involving reactor nozzle surface exam. Licensee will resubmit request in future when results of demonstration evidence becomes available.
SKOLDS, J.L. South Carolina Electric & Gas Co. 93/08/10. Document Control Branch (Document Control Desk). 1p. 76143:308-76143:308.

9308190360 Withdraws relief request dtd 921023, involving Class 3 pipe repair, per Generic Ltr 90-05.
SKOLDS, J.L. South Carolina Electric & Gas Co. 93/08/10. Document Control Branch (Document Control Desk). 1p. 76183:349-76183:349.

9308260383 Responds to Suppl 5 of GL 89-10, "Inaccuracy of MOV Diagnostic Equipment."
SKOLDS, J.L. South Carolina Electric & Gas Co. 93/08/17. Document Control Branch (Document Control Desk). 2pp. 76247:339-76247:340.

9308250474 Forwards amend 114 to license NPF-12 & safety evaluation. Amend changes TS by reducing min secondary pressure at which surveillance testing of steam driven emergency feedwater pump allowed to "...greater than 865 psig."
WUNDER, G.F. Project Directorate II-1. 93/08/19. SKOLDS, J.L. South Carolina Electric & Gas Co. 3pp. 76212:001-76212:009.

-9308250475 Amend 114 to license NPF-12, changing TS by reducing min secondary pressure at which surveillance testing of steam driven emergency feedwater pump allowed to "...greater than 865 psig."
BAJWA, S.S. Project Directorate II-1. 93/08/19. 4pp. 76212:004-76212:007.

-9308250476 Safety evaluation supporting amend 114 to license NPF-12.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 93/08/19. 2pp. 76212:008-76212:009.

9308310084 Forwards rev to VCSNS TS basis 3/4 7.1.2 re emergency feedwater per 10CFR50.59.
SKOLDS, J.L. South Carolina Electric & Gas Co. 93/08/24. WUNDER, G.F. Document Control Branch (Document Control Desk). 1p. 76321:318-76321:319.

-9308310095 Proposed revised TS re emergency feedwater per 10CFR50.59.
* South Carolina Electric & Gas Co. 93/08/24. 1p. 76321:319-76321:319.

9308310251 Forwards nonproprietary & proprietary "VC Summer Nuclear Station SG Pulled Tube Exam Results Presentation Matrix From NRC/SCE&G/Westinghouse Meeting on 930727." Proprietary matl withheld, per 10CFR2.790.
LIPARULO, N.J. Westinghouse Electric Corp. 93/08/26. NORBERG, J. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 76289:148-76289:249.

-9308310259 Requests that proprietary WCAP-13823, "VC Summer Nuclear Station SG Pulled Results Presentation Matrix From NRC/SCE&G/Westinghouse Meeting on 930727," be withheld, per 10CFR2.790(b)(4).
LIPARULO, N.J. Westinghouse Electric Corp. 93/08/26. MURLEY, T. Document Control Branch (Document Control Desk). 7pp. 76289:150-76289:156.

-9308310260 Nonproprietary "VC Summer Nuclear Station SG Pulled Tube Exam Results Presentation Matrix From NRC/SCE&G/Westinghouse Meeting on 930727."
MCINERNEY, J. Westinghouse Electric Corp. WCAP-13824. 93/08/31. 100pp. 76289:157-76289:249.

Q. Inspection reports, IE Bulletins & correspondence

9308060204 Informs that, after further review of 930325 response to NOV, violation occurred as stated in NOV based on listed reasons.
MERSCHOFF, E.W. Region 2 (Post 820201). 93/06/29. SKOLDS, J.L. South Carolina Electric & Gas Co. 3pp. 75994:162-75994:164.

9308050110 Forwards insp rept 50-395/93-17 on 930511-0615 & NOV. Violation of concern because first example of violations A & B appear to be addl examples where reliance on "skill of craft" in lieu of written instructions inappropriate.
VERRELLI, D.M. Region 2 (Post 820201). 93/07/07. SKOLDS, J.L. South Carolina Electric & Gas Co. 3pp. 75972:190-75972:213.

-9308050115 Notice of violation from insp on 930511-0615. Violation noted: on 930607, procedure for MDEFWP bearing oil change inadequate.
* Region 2 (Post 820201). 93/07/07. 2pp. 75972:193-75972:194.

-9308050121 Insp rept 50-395/93-17 on 930511-0615. Violations noted. Major areas inspected: monthly surveillance observations, monthly maint observations, operational safety verification, review of nonconformance conditions & info meetings w/local officials.
HAAG, R.C., KELLER, L.A., CANTRELL, F.S. Region 2 (Post 820201). 93/07/02. 19pp. 75972:195-75972:213.

9307190043 NRC Info Notice 93-057, "Software Problems Involving Digital Control Console Sys at Non-Power Reactors."
GRIMES, B.K. Division of Operating Reactor Support (Post 921004). 93/07/23. Consolidated Edison Co. of New York, Inc. 9pp. 76111:200-76111:208.

9308040252 Requests that submittal date for response to violations noted in insp rept 50-395/93-03 & 50-395/93-17.
SKOLDS, J.L. South Carolina Electric & Gas Co. 93/07/29. Document Control Branch (Document Control Desk). 1p. 75991:281-75991:281.

9308100070 Ack receipt of 930723 ltr informing NRC of steps taken to correct violations noted in insp rept 50-395/93-09.
VERRILLI, D.M. Region 2 (Post 820201). 93/08/02. SKOLDS, J.L. South Carolina Electric & Gas Co. 2pp. 76025:280-76025:281.

9308110192 Forwards response to violations noted in Insp Repts 50-395/93-03 & 50-395/93-17, including response to NRC 930629 ltr re util denial of Violation 93-03-02. Corrective actions: Mechanical Maint Procedure (MNP-300.033) developed.
SKOLDS, J.L. South Carolina Electric & Gas Co. 93/08/06. Document Control Branch (Document Control Desk). 8pp. 76074:265-76074:272.

9308250120 Ack receipt of 930715 ltr informing NRC of steps taken to correct deviations noted in insp rept 50-395/93-16 on 930618.
JULIAN,C.A. Region 2 (Post 820201). 93/08/10. SKOLDS,J.L. South Carolina Electric & Gas Co. 3pp. 76188:189-76188:190.

9308250356 Forwards Insp Rept 50-395/93-20 on 930712-16. Attention directed to resolution of exercise weaknesses.
CLINE,W.E. Region 2 (Post 820201). 93/08/11. SKOLDS,J.L. South Carolina Electric & Gas Co. 3pp. 76222:333-76222:360.

-9308250360 Insp rept 50-395/93-20 on 930712-16. Weaknesses noted. Major areas inspected: annual emergency preparedness exercise.
WRIGHT,F.N., BARR,K.P. Region 2 (Post 820201). 93/08/11. 25pp. 76222:336-76222:360.

9308230160 Forwards insp rept 50-395/93-21 on 930719-23. No violations or deviations noted.
CLINE,W.E. Region 2 (Post 820201). 93/08/12. SKOLDS,J.L. South Carolina Electric & Gas Co. 3pp. 76207:040-76207:053.

-9308230165 Insp rept 50-395/93-21 on 930719-23. No violations noted. Major areas inspected: audits performed by licensee, TS chemistry parameters, dose calculations, semiannual radioactive effluents rept & organizational changes.
MCNEILL,N.G., DECKER,T.R. Region 2 (Post 820201). 93/08/12. 11pp. 76207:043-76207:053.

9308300136 Forwards Insp Rept 50-395/93-19 on 930716-31 & notice of violation.
VERRELLI,D.M. Region 2 (Post 820201). 93/08/12. SKOLDS,J.L. South Carolina Electric & Gas Co. 3pp. 76280:329-76280:346.

-9308300141 Notice of violation from insp on 930716-31. Violation noted: six inch containment purge supply valves opened for containment pressure while RM-A2 out of svc.
* Region 2 (Post 820201). 93/08/12. 1p. 76280:332-76280:332.

-9308300144 Insp Rept 50-395/93-19 on 930716-31. Violations noted. Major areas inspected: monthly surveillance observations, monthly maint observations, operational safety verification & review of licensee self-assessment capabilities.
HAGG,R.C., KELLER,L.A., WRIGHT,R.W. Region 2 (Post 820201). 93/08/10. 14pp. 76280:333-76280:346.

R. Periodic operating reports & related correspondence

9308130092 Monthly operating rept for Jul 1993 for VC Summer Nuclear Station, unit 1 W/930806 ltr.
HALTIWANGER,J., SKOLDS,J.L. South Carolina Electric & Gas Co. 93/07/31. 5pp. 76141:211-76141:215.

9308180279 Forwards semi-annual Fitness for Duty rept for period Jan- June 1993. Rept includes test results & data analysis.
SKOLDS,J.L. South Carolina Electric & Gas Co. 93/08/11. Document Control Branch (Document Control Desk). 6pp. 76165:318-76165:323.

S. Reportable occurrences, LERs & related correspondence

9308030199 LER 93-003-00: on 930628, TS violation occurred due to personnel error re non-licensed operator performing evolution w/o consulting governing procedure. Reactor bldg purge supply valves closed. W/930728 ltr.
PROPER,J.R., SKOLDS,J.L. South Carolina Electric & Gas Co. 93/07/28. 4pp. 76022:024-76022:027.

9308040164 LER 93-004-00: on 930629, identified noncompliance w/SRs of TS 4.3.2.1, Table 3.3-3.8.b. Caused by personnel error. Retest successfully performed & personnel involved have taken part in discussion of importance of review process. W/930728 ltr.
PROPER,J.R., SKOLDS,J.L. South Carolina Electric & Gas Co. 93/07/28. 4pp. 76022:112-76022:115.

9308100142 Part 21 rept re failure of 27N undervoltage relay mfg by ASEA Brown Boveri. Subsequent evaluation by licensee, following insp by vendor, determined item not reportable, per 10CFR21.
SKOLDS,J.L. South Carolina Electric & Gas Co. 93/07/28. Document Control Branch (Document Control Desk). 1p. 76078:207-76078:207.

9308110318 Follow-up to 930226 Interim Part 21 rept. Part 21 evaluations for reportability for Nonconformances NCN 452 & NCN 4555 completed w/determination that neither nonconformance reportable.
SKOLDS,J.L. South Carolina Electric & Gas Co. 93/08/05. Document Control Branch (Document Control Desk). 1p. 76078:358-76078:358.

DOCKET 50-397 WPPSS NUCLEAR PROJECT, UNIT 2

F. Security, medical, emergency & fire protection plans

9308100201 Notifies that MOU for emergency preparedness between util & state of WA finalized & signed. Copy of MOU encl.
PARRISH,J.V. Washington Public Power Supply System. 93/06/29. PATE,R.J. Region 5 (Post 820201). 8pp. 76065:266-76065:273.

9308040289 Forwards encl 8 to SECY 93-166 which describes proposed characteristics of design basis vehicle. W/o encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 93/07/15. PARRISH,J.V. Washington Public Power Supply System. 3pp. 75979:079-75979:081.

9308170423 Advises addl info submitted in response to GL 92-08 re suppl 1 to NRC bulletin 92-01. "Failure of Thermo-Lag 330 Fire Barrier Sys" completes response.
CLIFFORD,J.W. Project Directorate V. 93/07/28. PARRISH,J.V. Washington Public Power Supply System. 3pp. 76140:037-76140:039.

9308050299 Submits special notice of change to Washington Nuclear Plant Units 1 & 2 emergency preparedness plan (EPP). Change deletes Crisis Mgt Ctr & administrative support staff listed in Section 10.4.1 of EPP.
PARRISH,J.V. Washington Public Power Supply System. 93/07/29. Document Control Branch (Document Control Desk). 2pp. 76028:030-76028:031.

9308120125 Responds to NRC concerns re plant specific deviation from generic BWROG DWL Spray Initiation Limit curve (Design Deviation 17), per EOPs.
PARRISH,J.V. Washington Public Power Supply System. 93/08/05. Document Control Branch (Document Control Desk). 3pp. 76092:358-76092:360.

H. General correspondence

9308050134 Informs that effective 930625, JH Swailes assumed responsibilities of Plant Manager at facility. Requests that NRC distribution list for facility correspondence be revised to show JH Swailes as Plant Manager.
PARRISH,J.V. Washington Public Power Supply System. 93/07/29. Document Control Branch (Document Control Desk). 1p. 76034:271-76034:271.

P. Operating license stage documents & correspondence

9308030058 Advises that rev 15 to operational QA program description WPPSS-QA-004, submitted on 930520, acceptable.
PERKINS,K.E. Region 5 (Post 820201). 93/07/21. PARRISH,J.V. Washington Public Power Supply System. 2pp. 75935:274-75935:275.

9308110281 Requests response to encl request for addl info re GL 92-01, "Reactor Vessel Structural Integrity" within 60 days of ltr date.
CLIFFORD,J.W. Project Directorate V. 93/07/21. PARRISH,J.V. Washington Public Power Supply System. 4pp. 76077:345-76077:348.

9308110355 Advises that until 930702 request to change reactor vessel matl surveillance withdrawal schedule acceptable.
QUAY,T.R. Project Directorate V. 93/07/21. PARRISH,J.V. Washington Public Power Supply System. 3pp. 76141:136-76141:138.

9308160009 Advises that further review of rev 16 to operational quality assurance program description will be deferred until NRR completed evaluation & TS changes have been approved.
PERKINS,K.E. Region 5 (Post 820201). 93/07/21. PARRISH,J.V. Washington Public Power Supply System. 2pp. 76088:279-76088:280.

9308050131 Advises of changes util made in schedule to improve corrective action program. Description of commitments & corresponding revised completion date or completion status listed in encl.
PARRISH,J.V. Washington Public Power Supply System. 93/07/29. Document Control Branch (Document Control Desk). 4pp. 76022:190-76022:193.

9308050148 Application for amend to license NPF-21, requesting change to refueling platform load limits by adding new values resulting from installation of upgraded refueling mast (GE model NF500).
PARRISH,J.V. Washington Public Power Supply System. 93/07/29. Document Control Branch (Document Control Desk). 12pp. 76022:291-76022:303.

-9308050154 Proposed tech specs re changes to refueling platform load limits by adding new values resulting from installation of upgraded refueling mast (GE model NF500).
* Washington Public Power Supply System. 93/07/29. 1p. 76022:303-76022:303.

9308170243 Forwards revised response to GL 89-10, Suppl 3, "Safety Related MOV Testing & Surveillance." Response to GL 89-10, Suppl 5 & summary of activities initiated & completed since NRC Insp Rept 50-397/91-16 also encl.
PARRISH,J.V. Washington Public Power Supply System. 93/08/09. Document Control Branch (Document Control Desk). 7pp. 76137:129-76137:135.

Q. Inspection reports, IE Bulletins & correspondence

9308030129 Forwards insp rept 50-397/93-22 on 930607-11. No violations noted.
REESE,J.H. Region 5 (Post 820201). 93/07/15. SORESEN,G.C. Washington Public Power Supply System. 3pp. 75936:053-75936:066.

-9308030132 Insp rept 50-397/93-22 on 930607-11. No violations or deviations noted. Major areas inspected: corrective actions extended outages & tours of licensee facility.
CILLIS,M., REESE,J.H. Region 5 (Post 820201). 93/07/15. 11pp. 75936:056-75936:066.

9307190043 NRC Info Notice 93-057, "Software Problems Involving Digital Control Console Sys at Non-Power Reactors."
GRIMES,B.K. Division of Operating Reactor Support (Post 921004). 93/07/23. Consolidated Edison Co. of New York, Inc. 9pp. 76111:200-76111:208.

9308020229 Responds to NRC 930625 ltr re violations noted in insp rept 50-397/93-19. C/As: PPM 1.3.18 will be revised to provide consistent directions on how to log items in sufficient detail for purposes of identification.
PARRISH,J.V. Washington Public Power Supply System. 93/07/26. Document Control Branch (Document Control Desk). 5pp. 75972:347-75972:351.

9308040035 Responds to NRC Bulletin 93-003. Requests that scheduled date for implementation of bulletin be extended from 930730-0915.
PARRISH,J.V. Washington Public Power Supply System. 93/07/26. Document Control Branch (Document Control Desk). 4pp. 76011:001-76011:004.

9308160056 Forwards insp rept 50-397/93-18 & 50-460/93-01 on 930511-0621. Eleven examples of apparent violations noted & are being considered for escalated enforcement.
PERKINS,K.E. Region 5 (Post 820201). 93/07/27. PARRISH,J.V. Washington Public Power Supply System. 4pp. 76089:019-76089:115.

-9308160059 Insp rept 50-397/93-18 & 50-460/93-01 on 930511-0621. Violations noted. Major areas inspected: CR operations, operational safety verification, surveillance program, maint program, LERs & special insp topics.
JOHNSON,P.H. Region 5 (Post 820201). 93/07/21. 102pp. 76089:023-76089:115.

9308170423 Advises addl info submitted in response to GL 92-08 re suppl 1 to NRC bulletin 92-01. "Failure of Thermo-Lag 330 Fire Barrier Sys" completes response.
CLIFFORD,J.W. Project Directorate V. 93/07/28. PARRISH,J.V. Washington Public Power Supply System. 3pp. 76140:037-76140:039.

126 DOCKETED ITEMS

9308090245 Amends 930426 response to violation noted in Insp Rept 50-397/92-41 re disposal of cooling tower sediments. Util denies violation. Clarification of corrective actions stated in 930426 ltr listed.
PARRISH, J.V. Washington Public Power Supply System. 93/07/30. Document Control Branch (Document Control Desk). 2pp. 76059:360-76059:361.

9308240082 Forwards technical review rept re, "Tardy Licensee Actions" initiated because of delayed replacement of batteries in uninterruptible power supplies at plant. ISRAEL, S.L. Reactor Operations Analysis Branch. 93/08/05. ROSENTHAL, J.E. Reactor Operations Analysis Branch. 2pp. 76218:177-76218:193.

9308240165 Technical review rept, "Tardy Licensee Actions."
ISRAEL, S.L. Reactor Operations Analysis Branch. 93/08/31. 13pp. 76218:179-76218:193.

9308170243 Forwards revised response to GL 89-10, Suppl 3, "Safety Related MOV Testing & Surveillance." Response to GL 89-10, Suppl 5 & summary of activities initiated & completed since NRC Insp Rept 50-397/91-16 also encl.
PARRISH, J.V. Washington Public Power Supply System. 93/08/09. Document Control Branch (Document Control Desk). 7pp. 76137:129-76137:135.

9308230265 Discusses insp rept 50-397/93-20 on 930402-0517 & forwards notice of violation re atmospheric control sys tests exceeding TS limits.
PERKINS, K.E. Region 5 (Post 820201). 93/08/12. COUNSIL, W.C. Washington Public Power Supply System. 3pp. 76204:136-76204:140.

9308230268 Notice of violation from insp on 930402-0517. Violation noted: corrective actions in response to Mar 1992 NOV involving deficiencies in test procedures, did not preclude repetition.
* Region 5 (Post 820201). 93/08/12. 2pp. 76204:139-76204:140.

9308240160 Submits SALP schedule for FY94 per Mgt Directive 8.6.
FAULKENBERRY, B. Region 5 (Post 820201). 93/08/12. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 3pp. 76211:357-76211:359.

9308250143 Forwards insp rept 50-397/93-26 on 930628-0702. No violations noted.
REESE, J.H. Region 5 (Post 820201). 93/08/12. PARRISH, J.V. Washington Public Power Supply System. 3pp. 76218:228-76218:238.

9308250157 Insp rept 50-397/93-26 on 930628-0702. No violations noted. Major areas inspected: radiation protection program, organization, staff qualifications & occupational exposure controls.
CHANEY, H., REESE, J.H. Region 5 (Post 820201). 93/08/12. 8pp. 76218:231-76218:238.

9308230255 Forwards Insp Rept 50-397/93-25 on 930712-23 & notice of violation.
MILLER, L.F. Region 5 (Post 820201). 93/08/13. PARRISH, J.V. Washington Public Power Supply System. 2pp. 76204:098-76204:115.

9308230257 Notice of violation from insp on 930712-23. Violations noted: PMR package checklist for design basis changes 88-0442-0A, 93-0024-0A & 91-0222-0A were checked that SMS data input sheet required but contained no signature.
* Region 5 (Post 820201). 93/08/13. 2pp. 76204:100-76204:101.

9308230260 Insp rept 50-397/93-25 on 930712-23. Violation noted. Major areas inspected: selected design changes & previously identified items.
MILLER, L.F. Region 5 (Post 820201). 93/08/13. 14pp. 76204:102-76204:115.

R. Periodic operating reports & related correspondence

9308190338 Monthly operating rept for Jul 1993 for WNP-2, W/undated ltr.
EMBREE, D.G., PARRISH, J.V. Washington Public Power Supply System. 93/07/31. 4pp. 76169:326-76169:329.

9308310011 Forwards supply sys fitness for duty semiannual performance data rept for 930101-0630 per 10CFR26.71(d).
PARRISH, J.V. Washington Public Power Supply System. 93/08/26. Document Control Branch (Document Control Desk). 13pp. 76322:286-76322:298.

S. Reportable occurrences, LERs & related correspondence

9308160165 PNO-V-93-012: on 930803, all eight main steam isolation valves closed, initiating reactor scram. Shift manager declared unusual event because of uncertainty about cause of MSIV closure.
BARR, R.C., JOHNSON, K.E., JOHNSON, P.H. Region 5 (Post 820201). 93/08/03. 1p. 76090:118-76090:118.

9308130143 LER 93-010-04: on 930709, identified condition of noncompliance w/TS due to less than adequate mgt control surveillance test program. Entered TS action statements & made changes to designs & TS W/930806 ltr.
MACKAMAN, C.D., PARRISH, J.V. Washington Public Power Supply System. 93/08/09. 23pp. 76138:083-76138:105.

V. Operator Examinations

9308100052 Requests that items listed in encl 1 be furnished in order for NRC to adequately prepare for requalification program evaluation scheduled for 931206-10.
MILLER, L.F. Region 5 (Post 820201). 93/07/26. SORESEN, G.C. Washington Public Power Supply System. 11pp. 76025:198-76025:208.

9308100058 Discusses NRC review of eight licensed operators requests for license renewals forwarded to region on 930708. Informs that license renewals have been issued for operators.
MILLER, L.F. Region 5 (Post 820201). 93/07/26. SWALES, J.H. Washington Public Power Supply System. 2pp. 76025:230-76025:231.

DOCKET 50-400 SHEARON HARRIS NUCLEAR POWER PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9308050058 Forwards insp rept 50-400/93-12 on 930515-0618 & notice of violation.
VERRELLI, D.M. Region 2 (Post 820201). 93/07/02. ROBINSON, W.R. Carolina Power & Light Co. 3pp. 75972:001-75972:024.

9308050063 Insp rept 50-400/93-12 on 930515-0618. Violation noted. Major areas inspected: plant operations, radiological controls, security & fire protection.
TEDROW, J., ROBERTS, D., CHRISTENSEN, H. Region 2 (Post 820201). 93/07/02. 18pp. 75972:007-75972:024.

9308030218 Forwards encl 8 to SECY 93-166 which describes proposed characteristics of design basis vehicle. Characteristics being provided to licensees in advance to facilitate more detailed comments on proposed rule. W/o encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 93/07/15. ROBINSON, W.R. Carolina Power & Light Co. 2pp. 75945:358-75945:359.

9308050007 Forwards insp rept 50-400/93-14 on 930619-0716. Noncited violations noted.
VERRELLI, D.M. Region 2 (Post 820201). 93/07/23. ROBINSON, W.R. Carolina Power & Light Co. 3pp. 75971:030-75971:044.

9308050011 Insp rept 50-400/93-14 on 930619-0716. Noncited violations noted. Major areas inspected: plant operations, radiological controls, security, fire protection, surveillance observation, maint observation & design changes & mods.
TEDROW, J., ROBERTS, D., CHRISTENSEN, H. Region 2 (Post 820201). 93/07/23. 12pp. 75971:033-75971:044.

9308050255 Rev 4 to Plant Emergency Procedure PEP-104, "Protective Action Recommendations." W/930729 ltr.
ROBINSON, W.R. Carolina Power & Light Co. 93/07/29. 12pp. 76018:327-76018:339.

I. Financial information

9308160101 Confirms electronic transfer of payment of invoices for 10CFR50 application fees & 10CFR55 services.
PRUNTY, R.W. Carolina Power & Light Co. 93/08/06. Document Control Branch (Document Control Desk). 1p. 76143:307-76143:307.

P. Operating license stage documents & correspondence

9308030261 Confirms that \$93,112 electrically transferred to Dept of Treasury. NRC on 930714 in payment for Part 50 application fees for period of 920920-1226.
PRUNTY, R.W. Carolina Power & Light Co. 93/07/20. Document Control Branch (Document Control Desk). 1p. 75995:356-75995:356.

9308040084 Forwards annual rept providing margin Utilization Tables that show effects of permanent assessment of PCT margin for various issues for large & small break LOCA analyses of records, for period of June 1992 to May 1993, per 10CFR50.46.
MCCARTHY, D.C. Carolina Power & Light Co. 93/07/23. Document Control Branch (Document Control Desk). 3pp. 76009:338-76009:340.

9308040169 Application for amend to license NPF-63, proposing changes incorporating AFW sys TS 3.7.1.2 surveillance subparagraph b.1 revised capabilities of AFW initiation signal.
ROBINSON, W.R. Carolina Power & Light Co. 93/07/26. Document Control Branch (Document Control Desk). 10pp. 75997:234-75997:252.

9308040174 Proposed tech specs incorporating changes into AFW sys TS 3.7.1.2, surveillance sub-paragraph b.1 revised capabilities of AFW sys design.
* Carolina Power & Light Co. 93/07/26. 8pp. 75997:244-75997:252.

9308020220 Suppls 930226 application for amend to License NPF-63 re RCS pressure-temp limits.
ROBINSON, W.R. Carolina Power & Light Co. 93/07/27. Document Control Branch (Document Control Desk). 3pp. 75954:187-75954:189.

9308060078 Discusses radiochemical analyses for liquid samples spiked w/beta emitting radionuclides & requests that analyses be completed as soon as practicable, but no later than 60 days from receipt of ltr.
CLINE, W.E. Region 2 (Post 820201). 93/07/28. VAUGHN, G.E. Carolina Power & Light Co. 3pp. 75992:346-75992:348.

9308270265 Accepts licensee schedule noted in 921015 ltr in response to GL 88-20, Suppl 4, "IEEE."
LE, N.B. Project Directorate II-1. 93/08/12. ORSER, W.S. Carolina Power & Light Co. 3pp. 76220:257-76220:259.

9308230318 Confirms that \$104,064 electronically transferred to US Dept of Treasury. NRC on 930811.
PRUNTY, R.W. Carolina Power & Light Co. 93/08/13. Document Control Branch (Document Control Desk). 1p. 76203:322-76203:322.

9308250421 Forwards amend 38 to license NPF-63 & safety evaluation. Amend revises TS 3/4.4.9 by replacing current 5 yr heatup & cooldown limitations w/revised limitations based on predicted reactor vessel neutron exposure at 11 EFYPs.
LE, N.B. Project Directorate II-1. 93/08/20. ORSER, W.S. Carolina Power & Light Co. 3pp. 76212:010-76212:033.

9308250431 Amend 38 to license NPF-63, changing TS 3/4.4.9 by replacing current 5 yr heatup & cooldown limitation w/revised limitations based on predicted reactor vessel neutron exposure at 11 EFYPs.
BAJWA, S.S. Project Directorate II-1. 93/08/20. 16pp. 76212:013-76212:028.

9308250434 Safety evaluation supporting amend 38 to license NPF-63.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 93/08/20. 5pp. 76212:029-76212:033.

9308260316 Application for amend to license NPF-63, modifying TS 3/4.4.5 "SG," to add alternative to tube plugging, repair of SG tubes that have indications of degradation.
ROBINSON, W.R. Carolina Power & Light Co. 93/08/20. Document Control Branch (Document Control Desk). 10pp. 76236:219-76236:247.

9308260322 Proposed tech specs modifying TS 3/4.4.5, "SG," to add alternative to tube plugging, repair of SG tubes that have indications of degradation.
* Carolina Power & Light Co. 93/08/20. 19pp. 76236:229-76236:247.

9308300354 Forwards Rev 8 of ISI Program ISI-203, "ASME Section XI Pump & Valve Program Plan."
ROBINSON, W.R. Carolina Power & Light Co. 93/08/20. Document Control Branch (Document Control Desk). 1p. 76297:001-76297:228.

-9308300356 Rev 8 of ISI Program ISI-203, "ASME Section XI Pump & Valve Program Plan."
WOODS, L.J. Carolina Power & Light Co. 93/07/07. 228pp. 76297:002-76297:228.

9308310105 Forwards "Semiannual Radioactive Effluent Release Rept Jan- June 1993" & Rev 3 to "ODCM."
ROBINSON, W.R. Carolina Power & Light Co. 93/08/20. Document Control Branch (Document Control Desk). 2pp. 76288:177-76288:240.

-9308310136 Rev 3 to "ODCM."
* Carolina Power & Light Co. 93/01/06. 35pp. 76288:206-76288:240.

Q. Inspection reports, IE Bulletins & correspondence

9308050058 Forwards insp rept 50-400/93-12 on 930515-0618 & notice of violation.
VERRELLI, D.M. Region 2 (Post 820201). 93/07/02. ROBINSON, W.R. Carolina Power & Light Co. 3pp. 75972:001-75972:024.

-9308050061 Notice of violation from insp on 930515-0618. Violation noted: procedure OP-156.02 was found to be improperly implemented in that fork on breaker 122 was not aligned w/ mechanism operated cell.
* Region 2 (Post 820201). 93/07/02. 3pp. 75972:004-75972:006.

-9308050063 Insp rept 50-400/93-12 on 930515-0618. Violation noted: Major areas inspected: plant operations, radiological controls, security & fire protection.
TEDROW, J., ROBERTS, D., CHRISTENSEN, H. Region 2 (Post 820201). 93/07/02. 18pp. 75972:007-75972:024.

9307190043 NRC Info Notice 93-057, "Software Problems Involving Digital Control Console Sys at Non-Power Reactors."
GRIMES, B.K. Division of Operating Reactor Support (Post 921004). 93/07/23. Consolidated Edison Co. of New York, Inc. 9pp. 76111:200-76111:208.

9308050007 Forwards insp rept 50-400/93-14 on 930619-0716. Noncited violations noted.
VERRELLI, D.M. Region 2 (Post 820201). 93/07/23. ROBINSON, W.R. Carolina Power & Light Co. 3pp. 75971:030-75971:044.

-9308050011 Insp rept 50-400/93-14 on 930619-0716. Noncited violations noted. Major areas inspected: plant operations, radiological controls, security, fire protection, surveillance observation, maint observation & design changes & mods.
TEDROW, J., ROBERTS, D., CHRISTENSEN, H. Region 2 (Post 820201). 93/07/23. 12pp. 75971:033-75971:044.

9308060209 Forwards insp rept 50-400/93-15 on 930628-0702. No violations or deviations noted.
JULIAN, C.A. Region 2 (Post 820201). 93/07/26. ROBINSON, W.R. Carolina Power & Light Co. 4pp. 75994:186-75994:194.

-9308060213 Insp rept 50-400/93-15 on 930628-0702. No violations or deviations noted. Major areas inspected: electrical maint to assess adequacy of corrective action for 480V Brown Boveri LK circuit breaker failures.
RUDISAIL, S., SHYMLOCK, M. Region 2 (Post 820201). 93/07/20. 5pp. 75994:190-75994:194.

9308050181 Responds to NRC 930702 ltr re violations noted in insp rept 50-400/93-12. Corrective actions: turned operable breaker off.
ROBINSON, W.R. Carolina Power & Light Co. 93/07/30. Document Control Branch (Document Control Desk). 8pp. 76022:335-76022:342.

9308100085 Ack receipt of 930716 ltr informing NRC of steps taken to correct violations noted in insp rept 50-400/93-11.
CLINE, W.E. Region 2 (Post 820201). 93/08/02. VAUGHN, G.E. Carolina Power & Light Co. 2pp. 76025:332-76025:333.

9308130018 Acks response of 930709 to NOV issued on 930225 per Insp Rept 50-400/93-03.
CLINE, W.E. Region 2 (Post 820201). 93/08/03. VAUGHN, G.E. Carolina Power & Light Co. 2pp. 76105:334-76105:335.

9308270275 Ack receipt of 930730 ltr informing NRC of steps taken to correct violations noted in Insp Rept 50-400/93-12. Response meets requirements of 10CFR2.201.
VERRELLI, D.M. Region 2 (Post 820201). 93/08/06. ROBINSON, W.R. Carolina Power & Light Co. 2pp. 76291:359-76291:360.

9308300354 Forwards Rev 8 of ISI Program ISI-203, "ASME Section XI Pump & Valve Program Plan."
ROBINSON, W.R. Carolina Power & Light Co. 93/08/20. Document Control Branch (Document Control Desk). 1p. 76297:001-76297:228.

-9308300356 Rev 8 of ISI Program ISI-203, "ASME Section XI Pump & Valve Program Plan."
WOODS, L.J. Carolina Power & Light Co. 93/07/07. 228pp. 76297:002-76297:228.

9308260342 Confirms that payment for listed invoices for insp fees electronically transferred to NRC on 930818 for period 921227-930320.
FRUNTY, R.W. Carolina Power & Light Co. 93/08/23. Document Control Branch (Document Control Desk). 1p. 76285:360-76285:360.

R. Periodic operating reports & related correspondence

9308160182 Monthly operating rept for Jul 1993 for Harris Nuclear Plant, unit 1.W/930809 ltr.
CRENSHAW, A., ROBINSON, W.R. Carolina Power & Light Co. 93/07/31. 4pp. 76106:348-76106:351.

9308310105 Forwards "Semiannual Radioactive Effluent Release Rept Jan- June 1993" & Rev 3 to "ODCM."
ROBINSON, W.R. Carolina Power & Light Co. 93/08/20. Document Control Branch (Document Control Desk). 2pp. 76288:177-76288:240.

-9308310126 "Semiannual Radioactive Effluent Release Rept Jan-June 1993."
BARNES, H.E., WHITE, B., ROBINSON, W.R. Carolina Power & Light Co. 93/06/30. 27pp. 76288:179-76288:205.

-9308310136 Rev 3 to "ODCM."
* Carolina Power & Light Co. 93/01/06. 35pp. 76288:206-76288:240.

S. Reportable occurrences, LERs & related correspondence

9308100213 Forwards response to GL 93-04, "Rod Control Sys Failure & Withdrawal of Rod Control Cluster Assemblies," summarizing compensatory actions taken in response to Salem rod control sys failure event.
ROBINSON, W.R. Carolina Power & Light Co. 93/08/04. Document Control Branch (Document Control Desk). 8pp. 76078:227-76078:234.

DOCKET 50-407 UNIV. OF UTAH RESEARCH REACTOR

F. Security, medical, emergency & fire protection plans

9308190161 Informs that licensee 930623 proposed changes to plant emergency plan meets requirements of 10CFR50, App E & therefore acceptable. Addl info requested re listed issues.
MENDONCA, M.M. Non-Power Reactor & Decommissioning Project Directorate. 93/07/30. GEMMICH, D.K. Utah, Univ. of, Salt Lake City, UT. 5pp. 76156:328-76156:332.

R. Periodic operating reports & related correspondence

9308300111 "Univ of UT TRIGA Reactor Annual Operating Rept for Jul 1992-June 1993." W/930827 ltr.
GEMMICH, D.K. Utah, Univ. of, Salt Lake City, UT. 93/06/30. 8pp. 76283:307-76283:314.

DOCKET 50-409 LA CROSSE BOILING WATER REACTOR

F. Security, medical, emergency & fire protection plans

9308170297 Issue 17 to Emergency Plan Procedure EPP-5, "Estimate of Offsite Dose."
* Dairyland Power Cooperative. 93/07/08. 22pp. 76137:169-76137:190.

P. Operating license stage documents & correspondence

9308050192 Responds to request for addl info on implementation of recently issued training rule at LACBWR.
BERG, W.L. Dairyland Power Cooperative. 93/07/26. Document Control Branch (Document Control Desk). 3pp. 76034:315-76034:317.

9308230091 Forwards nonproprietary & proprietary version of "Analysis of Potential Blast Effects on LACBWR Reactor Bldg Due to 16 Inch Natural Gas Pipeline Failure, Suppl Analysis for Fast Closing Valve." Proprietary version withheld.
BERG, W.L. Dairyland Power Cooperative. 93/08/12. Document Control Branch (Document Control Desk). 5pp. 76213:001-76213:060.

-9308230096 Nonproprietary "Analysis of Potential Blast Effects on LACBWR Reactor Bldg Due to 16 Inch Natural Gas Pipeline Failure, Suppl Analysis for Fast Closing Valve."
* Westinghouse Electric Corp. 93/07/31. 25pp. 76213:006-76213:040.

-9308230097 "LACBWR Containment Bldg Structural Analysis." W/one oversize drawing.
RAFFETY, S.J., RYBARIK, D.L., THORPE, D.P. Dairyland Power Cooperative. 93/08/10. 11pp. 76213:041-76213:050.

-9308230102 Requests that proprietary "Analysis of Potential Blast Effects on LACBWR Reactor Bldg Due to 16 Inch Natural Gas Pipeline Failure, Suppl Analysis for Fast Closing Valve" be withheld, per 10CFR2.790(b)(4).
LIPARULO, N.J. Westinghouse Electric Corp. 93/05/11. MURLEY, T. Document Control Branch (Document Control Desk). 9pp. 76213:051-76213:060.

Q. Inspection reports, IE Bulletins & correspondence

9307190043 NRC Info Notice 93-057, "Software Problems Involving Digital Control Console Sys at Non-Power Reactors."
GRIMES, B.K. Division of Operating Reactor Support (Post 921004). 93/07/23. Consolidated Edison Co. of New York, Inc. 9pp. 76111:200-76111:208.

W. Decommissioning Stage Documents & Correspondence

9308160047 Notice of intent to relocate local public document room collection for La Crosse Boiling Water Reactor.
GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (Post 890205). 93/04/12. 3pp. 76143:339-76143:341.

DOCKET 50-410 NINE MILE POINT NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9308190245 "EP Exercise Scenario 27 For EP Ingestion Pathway Exercise To Be Conducted On 930713."
KAMINSKI, J.J., WARE, C.T., SMITH, R.G. Niagara Mohawk Power Corp. 93/06/17. 250pp. 76149:001-76150:085.

128 DOCKETED ITEMS

9308030373 Forwards encl 8 to SECY-93-166, describing proposed characteristics of design basis vehicle. Encl withheld.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 93/07/15. SYLVIA, B.R. Niagara Mohawk Power Corp. 3pp. 75950:354-75950:356.

9308040283 Rev 1 to EPIP-EPP-16, "Environ Monitoring" W/930726 ltr.
SYLVIA, B.R. Niagara Mohawk Power Corp. 93/07/26. 35pp. 76010:319-76010:353.

9308110008 Forwards insp repts 50-220/93-14 & 50-410/93-14 on 930621-22 & notice of violation. W/o notice of violation.
BETTENHAUSEN, L. Region 1 (Post 820201). 93/08/03. SYLVIA, B.R. Niagara Mohawk Power Corp. 3pp. 76039:033-76039:046.

-9308110009 Insp repts 50-220/93-14 & 50-410/93-14 on 930621-22. Violations noted. Major areas inspected: scram reduction program & followup on unresolved item dealing w/ licensee event based emergency procedures.
SISCO, C. Region 1 (Post 820201). 93/07/16. 11pp. 76039:036-76039:046.

9308300137 Responds to request for addl info re Generic Ltr 92-08, "Thermo-Lag 330-1 Fire Barriers."
TERRY, C.D. Niagara Mohawk Power Corp. 93/08/19. Document Control Branch (Document Control Desk). 200pp. 76281:001-76281:178.

P. Operating license stage documents & correspondence

9308030407 Forwards amend 43 to license NPF-69 & safety evaluation. Amend revises TS 4.6.1.2.a to provide one-time extension of required test interval for overall integrated containment leak rate tests.
MENNING, J.E. Project Directorate I-1. 93/07/12. SYLVIA, B.R. Niagara Mohawk Power Corp. 4pp. 75952:156-75952:167.

-9308030409 Amend 43 to license NPF-69, revising TS 4.6.1.2.a to provide one-time extension of required test interval for overall integrated containment leak rate tests.
CAPRA, R.A. Project Directorate I-1. 93/07/12. 4pp. 75952:159-75952:162.

-9308030412 Safety evaluation supporting amend 43 to license NPF-69.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 93/07/12. 4pp. 75952:163-75952:167.

9308110371 Forwards amend 44 to license NPF-69 & safety evaluation. Amend revises TS 3.4.3.1, 3.4.3.2 & 4.4.3.2.1.b & associated Bases to incorporate NRC positions on RCS leakage detection delineated in GL 88-01.
MENNING, J.E. Project Directorate I-1. 93/07/21. SYLVIA, B.R. Niagara Mohawk Power Corp. 3pp. 76074:307-76074:326.

-9308110375 Amend 44 to license NPF-69, revising 3.4.3.1, 3.4.3.2 & 4.4.3.2.1.b & associated Bases to incorporate NRC staff positions on RCS leakage detection delineated in GL 88-01, "NRC Position on IGSC in BWR Austenitic Stainless..."
CAPRA, R.A. Project Directorate I-1. 93/07/21. 10pp. 76074:310-76074:319.

-9308110377 Safety evaluation supporting amend 44 to license NPF-69.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 93/07/21. 7pp. 76074:320-76074:326.

9308020175 Application for amend to license NPF-69, changing TS to allow operation at an uprated power of 3467 MWt & proprietary NEDC-31994P, Rev 1 to "Power Uprate Licensing Evaluation For NMPNS, Unit 2." Proprietary rept withheld.
SYLVIA, B.R. Niagara Mohawk Power Corp. 93/07/22. Document Control Branch (Document Control Desk). 7pp. 75990:237-75990:287.

-9308020201 Proposed TS amending license NPF-69, to allow operation at uprated power of 3467 MWt.
* Niagara Mohawk Power Corp. 93/07/22. 25pp. 75990:263-75990:287.

9308090294 Summary of 930716 meeting w/ util in Rockville, MD re extension of schedule for implementation of GL 89-10 program for MOVs at plant.
MENNING, J.E. Project Directorate I-1. 93/08/03. Project Directorate I-1. 71pp. 76027:223-76027:302.

9308190209 Requests enforcement discretion to provide relief from requirements of Tech Spec LCO 3.6.3, primary containment isolation valves, Action a.2 for hydrogen recombiner sys inboard valves 2HCS* MOV 4A.B & 6A.B.
SYLVIA, B.R. Niagara Mohawk Power Corp. 93/08/05. Document Control Branch (Document Control Desk). 8pp. 76170:346-76170:353.

9308240220 Informs of intention to exercise discretion not to enforce compliance w/ LCO 3.6.3, ACTION a.2 for hydrogen recombiner sys inboard valves, per licensee 930805 request.
CALVO, J.A. Division of Reactor Projects - I/II (Post 870411). 93/08/06. SYLVIA, B.R. Niagara Mohawk Power Corp. 5pp. 76210:322-76210:326.

9308130063 Submits response to NRC 930629 RAI for estimation method for USE values for beltline matts re reactor vessel structural integrity per GL 92-01.
TERRY, C.D. Niagara Mohawk Power Corp. 93/08/09. Document Control Branch (Document Control Desk). 1p. 76143:144-76143:144.

9308260086 Forwards amend 45 to license NPF-69 & safety evaluation. Amend revises TSs 6.8.2 & 6.8.3c to require approval of plant procedures by branch manager for functional area.
MENNING, J.E. Project Directorate I-1. 93/08/09. SYLVIA, B.R. Niagara Mohawk Power Corp. 3pp. 76217:277-76217:286.

-9308260088 Amend 45 to license NPF-69, revising TSs 6.8.2 & 6.8.3c to require approval of plant procedures by branch manager for functional area of procedure rather than requiring approval of procedures by plant manager.
CAPRA, R.A. Project Directorate I-1. 93/08/09. 4pp. 76217:280-76217:283.

-9308260090 Safety evaluation supporting amend 45 to license NPF-69.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 93/08/09. 3pp. 76217:284-76217:286.

9308260078 Advises that 920918 response to suppl 4 to GL 88-20 re IPEs for external events, acceptable.
CAPRA, R.A. Project Directorate I-1. 93/08/11. SYLVIA, B.R. Niagara Mohawk Power Corp. 3pp. 76214:359-76214:361.

9308300137 Responds to request for addl info re Generic Ltr 92-08, "Thermo-Lag 330-1 Fire Barriers."
TERRY, C.D. Niagara Mohawk Power Corp. 93/08/19. Document Control Branch (Document Control Desk). 200pp. 76281:001-76281:178.

Q. Inspection reports, IE Bulletins & correspondence

9307190043 NRC Info Notice 93-057, "Software Problems Involving Digital Control Console Sys at Non-Power Reactors."
GRIMES, B.K. Division of Operating Reactor Support (Post 921004). 93/07/23. Consolidated Edison Co. of New York, Inc. 9pp. 76111:200-76111:208.

9308030207 Forwards actions to ensure water level instrumentation sys design of high functional reliability for long-term operation re NRC Bulletin 93-003, "Resolution of Issues to Reactor Vessel Water Level Instrumentation in..."
TERRY, C.D. Niagara Mohawk Power Corp. 93/07/28. Document Control Branch (Document Control Desk). 8pp. 75979:347-75979:354.

9308110008 Forwards insp repts 50-220/93-14 & 50-410/93-14 on 930621-22 & notice of violation. W/o notice of violation.
BETTENHAUSEN, L. Region 1 (Post 820201). 93/08/03. SYLVIA, B.R. Niagara Mohawk Power Corp. 3pp. 76039:033-76039:046.

-9308110009 Insp repts 50-220/93-14 & 50-410/93-14 on 930621-22. Violations noted. Major areas inspected: scram reduction program & followup on unresolved item dealing w/ licensee event based emergency procedures.
SISCO, C. CONTE, R.J. Region 1 (Post 820201). 93/07/16. 11pp. 76039:036-76039:046.

9308130005 Forwards insp repts 50-220/93-17 & 50-410/93-17 on 930726-30. Violation of minor safety significance identified by staff & prompt corrective action taken.
JOYNER, J.H. Region 1 (Post 820201). 93/08/04. SYLVIA, B.R. Niagara Mohawk Power Corp. 3pp. 76078:010-76078:019.

-9308130010 Insp repts 50-220/93-17 & 50-410/93-17 on 930726-30. Closed violation noted. Major areas inspected: mgt organization, water processing, PCP, transportation of radioactive matts & training.
FURIA, J., PASCIAK, W. Region 1 (Post 820201). 93/08/03. 7pp. 76078:013-76078:019.

9308240082 Forwards technical review rept re, "Tardy Licensee Actions" initiated because of delayed replacement of batteries in uninterruptible power supplies at plant.
ISRAEL, S.L. Reactor Operations Analysis Branch. 93/08/05. ROSENTHAL, J.E. Reactor Operations Analysis Branch. 2pp. 76218:177-76218:193.

-9308240165 Technical review rept, "Tardy Licensee Actions."
ISRAEL, S.L. Reactor Operations Analysis Branch. 93/08/31. 13pp. 76218:179-76218:193.

9308170013 Forwards insp repts 50-220/93-16 & 50-410/93-16 on 930726-30. No violations noted.
JOYNER, J.H. Region 1 (Post 820201). 93/08/10. SYLVIA, B.R. Niagara Mohawk Power Corp. 3pp. 76108:053-76108:064.

-9308170014 Insp repts 50-220/93-16 & 50-410/93-16 on 930426-30. No violations noted. Major areas inspected: mgt controls, audits, calibration of effluent & process radiation monitoring sys, air cleaning sys & implementation of previous programs.
JANG, J.C., BORES, R.J. Region 1 (Post 820201). 93/08/04. 9pp. 76108:056-76108:064.

9308310134 Forwards insp repts 50-220/93-11 & 50-410/93-11 on 930620-0807. No violations noted.
COWGILL, C.J. Region 1 (Post 820201). 93/08/20. SYLVIA, B.R. Niagara Mohawk Power Corp. 3pp. 76264:119-76264:133.

-9308310143 Insp repts 50-220/93-11 & 50-410/93-11 on 930620-0807. No violations noted. Major areas inspected: plant operations, maint, engineering & plant support activities.
NICHOLSON, L.E. Region 1 (Post 820201). 93/08/19. 12pp. 76264:122-76264:133.

R. Periodic operating reports & related correspondence

9308300070 Forwards semi-annual fitness for duty rept for period of 930101-0630 per 10CFR26.71(d).
CHRISTENSEN, H. Niagara Mohawk Power Corp. 93/08/11. Document Control Branch (Document Control Desk). 9pp. 76283:324-76283:332.

9308180282 Forwards monthly operating rept for Jul 1993 for Nine Mile Point Unit 2 & revised monthly operating rept for June 1993 for Nine Mile Point Unit 2.
MUELLER, J.H. Niagara Mohawk Power Corp. 93/08/13. Document Control Branch (Document Control Desk). 1p. 76158:224-76158:229.

-9308180285 Monthly operating rept for Jul 1993 for Nine Mile Point Unit 2.
SAUNDERSON, R. Niagara Mohawk Power Corp. 93/07/31. 4pp. 76158:225-76158:228.

-9308180286 Revised monthly operating rept for June 1993 for Nine Mile Point Unit 2.
* Niagara Mohawk Power Corp. 93/06/30. 1p. 76158:229-76158:229.

S. Reportable occurrences, LERs & related correspondence

9308130029 PNO-1-93-038 on 930726, licensee noted elevated temps in offgas sys charcoal filter beds indicating combustion taking place inside charcoal filter bed sys. Cause of event under investigation. State of NY notified.
* Region 1 (Post 820201). 93/08/06. 2pp. 76078:196-76078:197.

9308160168 LER 93-003-00 on 930709, Unit 2 operated outside of Tech Spec Surveillance Requirement 4.6.1.1.b from initial plant startup. Caused by inadequate technical review. Technical review process for procedures revised. W/930809 ltr.
CONWAY, J.T., MUELLER, J.H. Niagara Mohawk Power Corp. 93/08/09. 7pp. 76158:314-76158:321.

9308170415 Responds to 930806 ltr re notice of enforcement discretion for primary containment inboard isolation valves. 2HCS*MOV4A, B & 6A,B declared inoperable, requiring entry into LCO 3.6.3, Action a.2.
SYLVIA, B.R. Niagara Mohawk Power Corp. 93/08/11. Document Control Branch (Document Control Desk). 2pp. 76135:358-76135:359.

9308240365 NPDES/SPDES noncompliance notification during period Jan- June 1993, station unable to meet requirements of SPDES Discharge Permit due to equipment calibr or equipment malfunction.
DAHLBERG, K.A., MUELLER, J.H. Niagara Mohawk Power Corp. 93/08/13. Document Control Branch (Document Control Desk). 14pp. 76211:331-76211:344.

9308250347 Special rept. on 930803, declared VENT GEMS inoperable due to leaking diaphragm caused by degradation. Rebuilt first stage dilution pump & replaced diaphragm.
MUELLER, J.H. Niagara Mohawk Power Corp. 93/08/20. Document Control Branch (Document Control Desk). 2pp. 76218:342-76218:343.

V. Operator Examinations

9308310207 Informs that biennial requalification exam will be administered during last two wks of Sept 1993 to licensed operators vice month of Nov, due to rescheduling of Unit 2 refueling outage.
SMITH, R.G. Niagara Mohawk Power Corp. 93/07/30. MARTIN, T.T. Region 1 (Post 820201). 2pp. 76289:250-76289:251.

DOCKET 50-412 BEAVER VALLEY POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9308040145 Forwards encl 8 to SECY 93-166 describing proposed characteristics of design basis vehicle. Encl withheld.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 93/07/15. SIEBER, J.D. Duquesne Light Co. 3pp. 75987:011-75987:013.

9308100062 Forwards insp repts 50-334/93-14 & 50-412/93-15 on 930719-23. No violations noted.
BETTENHAUSEN, L. Region 1 (Post 820201). 93/08/02. SIEBER, J.D. Duquesne Light Co. 2pp. 76025:238-76025:250.

-9308100067 Insp repts 50-334/93-14 & 50-412/93-15 on 930719-23. No violations noted. Major areas inspected: licensee corrective actions taken to address NRC insp findings re fire loading calculations.
FINKEL, A. Region 1 (Post 820201). 93/07/30. 2pp. 76025:240-76025:250.

H. General correspondence

9308260009 Informs Util of four Eastern European govt nuclear regulatory bodies visiting Region I for training as nuclear power industry regulator.
MCOSCAR, J.J. Region 1 (Post 820201). 93/08/17. SIEBER, J.D. Duquesne Light Co. 3pp. 76259:358-76259:360.

P. Operating license stage documents & correspondence

9308030304 Forwards amend 53 to license NPF-73 & safety evaluation. Amend revises app A TS re turbine valve testing.
EDISON, G.E. Project Directorate I-3. 93/07/13. SIEBER, J.D. Duquesne Light Co. 3pp. 75952:217-75952:229.

-9308030306 Amend 53 to license NPF-73, revising app A to TS re turbine valve testing.
BUTLER, W.R. Project Directorate I-3. 93/07/13. 5pp. 75952:220-75952:224.

-9308030307 Safety evaluation supporting amend 53 to license NPF-73.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 93/07/13. 5pp. 75952:225-75952:229.

9308130053 Requests that encl correspondence from util be placed in docket file 50-334 & 50-412.
EDISON, G.E. Project Directorate I-3. 93/07/26. Project Directorate I-3. 1p. 76125:084-76125:089.

-9308130056 Forwards vol control tank rupture pressure calculation, per request.
TONET, N.R. Duquesne Light Co. 93/07/13. EDISON, G.E. NRC - No Detailed Affiliation Given. 5pp. 76125:085-76125:089.

9308130057 Responds to NRC 930621 GL-93-04, "Rod Control Sys Failure & Withdrawal of Rod Control Cluster Assemblies, 10CFR50.54(f)." Ltr requires licensee to provide within 45 days assessment of sys response to control rod failure.
THOMAS, G.S. Duquesne Light Co. 93/08/06. Document Control Branch (Document Control Desk). 11pp. 76113:319-76113:329.

9308190058 Forwards amends 174 & 54 to licenses DPR-66 & NPF-73, respectively & SE. Amends revises TS re containment recirculation spray sys.
EDISON, G.E. Project Directorate I-3. 93/08/11. SIEBER, J.D. Duquesne Light Co. 3pp. 76151:286-76151:305.

-9308190067 Amends 174 & 54 to licenses DPR-66 & NPF-73, respectively, adding TS coverage to address failure of more subsystems than currently covered in TS.
BUTLER, W.R. Project Directorate I-3. 93/08/11. 14pp. 76151:289-76151:302.

-9308190101 Safety evaluation supporting amends 174 & 54 to licenses DPR-66 & NPF-73, respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 93/08/11. 3pp. 76151:303-76151:305.

9308270023 Forwards SE granting licensee 930607 request for relief from certain ASME code requirements for temporary repairs to svc water sys.
BUTLER, W.R. Project Directorate I-3. 93/08/12. SIEBER, J.D. Duquesne Light Co. 4pp. 76220:126-76220:133.

-9308270024 Safety evaluation granting licensee 930607 request for relief from certain ASME code requirements for temporary repairs to svc water sys.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 93/08/12. 4pp. 76220:130-76220:133.

9308170401 Submits addl info in response to NRC 930713 request for schedule for reanalysis of several limiting LOCA or clarification justifying compliance w/requirements of 10CFR50.46(a).
SIEBER, J.D. Duquesne Light Co. 93/08/17. Document Control Branch (Document Control Desk). 1p. 76136:308-76136:308.

9308270291 Forwards amends 175 & 55 to license DPR-66 & NPF-73, respectively & SE. Amends revise TS re alternate source range neutron flux monitors & allow installation of reactor core upper internals when one monitor available.
EDISON, G.E. Project Directorate I-3. 93/08/20. SIEBER, J.D. Duquesne Light Co. 3pp. 76248:239-76248:261.

-9308270298 Amends 175 & 55 to licenses DPR-66 & NPF-73, respectively, revising TS re alternate source range neutron flux monitors & allowing installation of reactor core upper internals when only one monitor open.
BUTLER, W.R. Project Directorate I-3. 93/08/20. 17pp. 76248:242-76248:258.

-9308270305 Safety evaluation supporting amends 175 & 55 to licenses DPR-66 & NPF-73, respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 93/08/20. 3pp. 76248:259-76248:261.

9308310242 Notifies NRC of proposed changes to scheduled commitments & forwards description of schedule extensions for valve testing & setting switches per Generic Ltr 89-10.
THOMAS, G.S. Duquesne Light Co. 93/08/24. Document Control Branch (Document Control Desk). 7pp. 76288:241-76288:247.

Q. Inspection reports, IE Bulletins & correspondence

9308110018 Forwards exam rept 50-412/93-10OL w/attachments 1-3. Three of six individuals passed all portions of exam & given licenses.
BETTENHAUSEN, L. Region 1 (Post 820201). 93/07/07. SIEBER, J.D. Duquesne Light Co. 3pp. 76039:064-76039:168.

-9308110025 Exam rept 50-412/93-10OL on 930524-27. Exam results: Six RO candidates evaluated. Three failed simulator portion of exam w/one candidate failing plant walk-through portion & written exam. Other candidates passed entire exam & issued licenses.
SILK, D.M., MEYER, G.W. Region 1 (Post 820201). 93/07/02. 102pp. 76039:067-76039:168.

9308030051 Ack receipt of 930702 ltr informing NRC of steps taken to correct violations noted in insp repts 50-334/93-09 & 50-412/93-09.
LINVILLE, J.C. Region 1 (Post 820201). 93/07/22. SIEBER, J.D. Duquesne Light Co. 3pp. 75935:235-75935:242.

9307190043 NRC Info Notice 93-057, "Software Problems Involving Digital Control Console Sys at Non-Power Reactors."
GRIMES, B.K. Division of Operating Reactor Support (Post 921004). 93/07/23. Consolidated Edison Co. of New York, Inc. 9pp. 76111:200-76111:208.

9308040093 Forwards safety insp repts 50-334/93-11 & 50-412/93-12 on 930517-21, 25-28, 0607 & 0713 & NOV. Lack of test control evident.
DURR, J.P. Region 1 (Post 820201). 93/07/28. SIEBER, J.D. Duquesne Light Co. 3pp. 75949:240-75949:252.

-9308040096 Notice of violation from insp on 930517-21, 25-28, 0607 & 0713. Violations noted: motor operated valve testing not performed in accordance w/written test procedures.
* Region 1 (Post 820201). 93/07/28. 2pp. 75949:243-75949:244.

-9308040104 Safety insp repts 50-334/93-11 & 50-412/93-12 on 930517-21, 25-28, 0607 & 0713. Violations noted. Major areas inspected: development & implementation of licensee actions in response to GL 89-10.
BUCKLEY, M., EAPEN, P.K. Region 1 (Post 820201). 93/07/19. 8pp. 75949:245-75949:252.

9308100065 Forwards insp repts 50-334/93-13 & 50-412/93-14 on 930615-0720. Violation noted but not cited.
LINVILLE, J.C. Region 1 (Post 820201). 93/07/30. SIEBER, J.D. Duquesne Light Co. 3pp. 76025:252-76025:274.

-9308100071 Insp repts 50-334/93-13 & 50-412/93-14 on 930615-0720. No violations noted. Major areas inspected: plant operations, maintenance & surveillance, engineering, plant support & safety assessment/quality verification.
LAZARUS, W.J. Region 1 (Post 820201). 93/07/30. 20pp. 76025:255-76025:274.

9308100062 Forwards insp repts 50-334/93-14 & 50-412/93-15 on 930719-23. No violations noted.
BETTENHAUSEN, L. Region 1 (Post 820201). 93/08/02. SIEBER, J.D. Duquesne Light Co. 2pp. 76025:238-76025:250.

-9308100067 Insp repts 50-334/93-14 & 50-412/93-15 on 930719-23. No violations noted. Major areas inspected: licensee corrective actions taken to address NRC insp findings re fire loading calculations.
FINKEL, A., BLUMBERG, N.J. Region 1 (Post 820201). 93/07/30. 2pp. 76025:240-76025:250.

9308130061 Forwards revised response to NRC Bulletin 93-002, "Debris Plugging of Emergency Core Cooling Suction Strainers." Response corrects volumes of fibrous air filters in Units 1 & 2 containments.
SIEBER, J.D. Duquesne Light Co. 93/08/06. Document Control Branch (Document Control Desk). 7pp. 76113:348-76113:354.

9308170018 Forwards insp repts 50-334/93-15 & 50-412/93-16 on 930726-30. One non-cited violation identified.
JOYNER, J.H. Region 1 (Post 820201). 93/08/06. SIEBER, J.D. Duquesne Light Co. 3pp. 76108:071-76108:082.

-9308170020 Insp repts 50-334/93-15 & 50-412/93-16 on 930726-30. No violations noted. Major areas inspected: transportation of radioactive materials, radwaste processing, staffing levels, staff qualifications, training & quality assurance.
NICK, J., PASCIAK, W. Region 1 (Post 820201). 93/08/06. 9pp. 76108:074-76108:082.

130 DOCKETED ITEMS

9308160194 Responds to violation & deviation noted in Insp Repts 50-334/93-12 & 50-412/93-13, respectively. Corrective actions: correct rev of Unit 1 heat-up curve immediately placed on RO console & Plant Problem Rept (2-93-027) written. SIEBER, J.D. Duquesne Light Co. 93/08/10. Document Control Branch (Document Control Desk). 4pp. 76143:303-76143:306.

9308170209 Confirms SBO implementation insp on 930830-0903 SBO document listed DARR, J.P. Region 1 (Post 820201). 93/08/11. SIEBER, J.D. Duquesne Light Co. 3pp. 76110:314-76110:316.

9308310120 Forwards insp repts 50-334/93-17 & 50-412/93-18 on 930809-13. No violations noted. JOYNER, J.H. Region 1 (Post 820201). 93/08/20. SIEBER, J.D. Duquesne Light Co. 3pp. 76264:105-76264:117.

-9308310125 Insp repts 50-334/93-17 & 50-412/93-18 on 930809-13. No violations noted. Major areas inspected: mgt controls, audits, calibration of effluent & process radiation monitoring sys, air cleaning sys & implementation of above programs. JANG, J.C., BORES, R.J. Region 1 (Post 820201). 93/08/19. 10pp. 76264:108-76264:117.

R. Periodic operating reports & related correspondence

9308050128 NPDES Discharge Monitoring Repts for June 1993 for Beaver Valley Power Station, Units 1 & 2. W/930721 ltr. SPOERRY, D.E. Duquesne Light Co. 93/06/30. 39pp. 76022:252-76022:290.

9308100276 Monthly operating repts for Jul 1993 for Beaver Valley Power Station Units 1 & 2. W/930806 ltr. JONES, D.T., SPOERRY, D.E. Duquesne Light Co. 93/07/31. 9pp. 76065:317-76065:325.

9308250394 "NPDES Discharge Monitoring Rept for Jul 1993 for Beaver Valley Power Station, Units 1 & 2." W/930820 ltr. DULICK, A.M., SPOERRY, D.E. Duquesne Light Co. 93/07/31. 36pp. 76221:308-76221:343.

9308300357 Forwards fitness-for-duty program six month rept for period Jan-June 1993. SIEBER, J.D. Duquesne Light Co. 93/08/23. Document Control Branch (Document Control Desk). 4pp. 76284:162-76284:165.

S. Reportable occurrences, LERs & related correspondence

9308030149 Interim Part 21 rept re decreases in MOV motor starting torques resulting from increasing motor temp. Valves mfg by Limitorque Corp. Mfg in process of revising recommended torque degradation calculation at degraded voltage. SIEBER, J.D. Duquesne Light Co. 93/07/23. Document Control Branch (Document Control Desk). 2pp. 75975:346-75975:347.

V. Operator Examinations

9308110018 Forwards exam rept 50-412/93-100L w/attachments 1-3. Three of six individuals passed all portions of exam & given licenses. BETTENHAUSEN, L. Region 1 (Post 820201). 93/07/07. SIEBER, J.D. Duquesne Light Co. 3pp. 76039:064-76039:158.

-9308110025 Exam rept 50-412/93-100L on 930524-27. Exam results: Six RO candidates evaluated. Three failed simulator portion of exam w/one candidate failing plant walk-through portion & written exam. Other candidates passed entire exam & issued licenses. SILK, D.M., MEYER, G.W. Region 1 (Post 820201). 93/07/02. 102pp. 76039:067-76039:168.

DOCKET 50-413 CATAWBA NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9308060170 Forwards insp repts 50-413/93-17 & 50-414/93-17 on 930509-0605. No violations noted. HERDT, A.R. Region 2 (Post 820201). 93/07/02. REHN, D.L. Duke Power Co. 3pp. 75994:080-75994:097.

-9308060181 Insp repts 50-413/93-17 & 50-414/93-17 on 930509-0605. No violations noted. Major areas inspected: plant operations, surveillance observations, maint observations & emergency drill exercise. HOPKINS, P.C., ZEILER, J., LESSER, M.S. Region 2 (Post 820201). 93/07/02. 15pp. 75994:083-75994:097.

9308040139 Forwards encl 8 to SECY 93-166 which describes proposed characteristics of design basis vehicle. Encl withheld. PARTLOW, J.G. Associate Director for Projects (Post 870411). 93/07/15. TUCKMAN, M.S. Duke Power Co. 4pp. 75987:001-75987:004.

9308100073 Forwards insp repts 50-413/93-19 & 50-414/93-19 on 930712-16. No violations or deviations noted. COLLINS, D.M. Region 2 (Post 820201). 93/07/29. REHN, D.L. Duke Power Co. 3pp. 76025:292-76025:295.

-9308100077 Partially withheld insp repts 50-413/93-19 & 50-414/93-19 on 930712-16 (ref 10CFR73.21). No violations noted. Major areas inspected: physical security program for power reactors. STANSBERRY, W.W., MCGUIRE, D.R. Region 2 (Post 820201). 93/08/03. 1p. 76025:295-76025:295.

9308110212 Revised EIPs, including emergency plan implementing procedures index, Change 0 to Retype 39 to HP/O/B/1000/106 & Change 0 to Rev 39 to OP/O/A/6200/21/W/930729 ltr. REHN, D.L. Duke Power Co. 93/07/29. 100pp. 76080:125-76080:233.

9308110193 Responds to NRC 930624 ltr re exercise weakness noted in insp repts 50-413/93-15 & 50-414/93-15. C/As: discussion of weakness will be incorporated into annual emergency planning training segment of operations requalification program. REHN, D.L. Duke Power Co. 93/08/05. Document Control Branch (Document Control Desk). 2pp. 76076:285-76076:286.

9308250181 Forwards pages documenting revs to emergency response data sys data point library for Units 1 & 2. REHN, D.L. Duke Power Co. 93/08/13. Document Control Branch (Document Control Desk). 8pp. 76223:350-76223:357.

P. Operating license stage documents & correspondence

9308120299 Forwards SE granting licensee 930429 request to use alternative weld matl in fabrication & installation of replacement SGs for plant. MATTHEWS, D.B. Project Directorate II-3. 93/07/20. GRIER, G. Duke Power Co. 5pp. 76085:261-76085:268.

9308090300 Forwards revs to Catawba Station Selected Licensee Commitments Manual, list of effective pages 1 & 5 & Chapter 16.11, page 16.11-33, Table 16.11-6 re radioactive gaseous effluent monitoring instrumentation SRs. NICHOLSON, K.E. Duke Power Co. 93/07/21. Duke Power Co. 4pp. 76058:356-76058:359.

9308120050 Forwards responses to NUREG-1465, per request. ADER, C. Division of Safety Issue Resolution (Post 880717). 93/07/22. Document Control Branch (Document Control Desk). 2pp. 76087:093-76087:137.

-9308120065 Responds to request for comments on draft NUREG-1465. Believes that revised source terms unlikely to provide any significant relief in dose calculations. TUCKER, H.B. Georgia Power Co. 92/10/26. Docketing & Services Branch. 7pp. 76087:102-76087:108.

9308060226 Forwards approval from South Carolina Dept of Health & environ control to modify sanitary waste sys by constructing sys to dechlorinate effluent prior to release to Lake Wylie. REHN, D.L. Duke Power Co. 93/07/26. Document Control Branch (Document Control Desk). 5pp. 76059:237-76059:241.

9308100059 Requests that analyses of liquid samples spiked w/beta emitting radionuclides be completed as soon as practicable but no later than 60 days from receipt of ltr. CLINE, W.E. Region 2 (Post 820201). 93/07/28. REHN, D.L. Duke Power Co. 3pp. 76025:232-76025:234.

9308120190 Responds to GL 93-04, "Rod Control Sys Failure & Withdrawal of Rod Cluster Assemblies." TUCKMAN, M.S. Duke Power Co. 93/08/05. Document Control Branch (Document Control Desk). 9pp. 76104:303-76104:311.

9308130184 Forwards rev 16 to rept, "Analysis of Hydrogen Control Measures at McGuire Station," incorporating NRC 930526 SER which closes subj issue for plants. Rept also applicable to Catawba Nuclear Station as noted in Rev 9. W/o rept. TUCKMAN, M.S. Duke Power Co. 93/08/05. Document Control Branch (Document Control Desk). 1p. 76113:303-76113:311.

9308170027 Forwards comments on draft NUREG-1477, "Voltage-Based Interim Plugging Criteria for SG Tubes," per NRC publication in FR (58FR35985) on 930702. Util plans to submit addl info beginning of Sept. REHN, D.L. Duke Power Co. 93/08/11. Document Control Branch (Document Control Desk). 5pp. 76136:157-76136:161.

9308190223 Suppl 930520 application for amends to Licenses NPF-35 & NPF-52, revising frequency of radiological effluent rept. GRIER, G.W. Duke Power Co. 93/08/11. Document Control Branch (Document Control Desk). 2pp. 76160:271-76160:275.

-9308190231 Proposed tech specs re frequency of radiological effluent rept. * Duke Power Co. 93/08/11. 3pp. 76160:273-76160:275.

9308170034 Forwards nonproprietary WCAP-13720, "Analysis of Capsule From...Unit 1 RV Radiation Surveillance Program" & nonproprietary WCAP-13763, "Evaluation of PTS for Catawba Unit 1." REHN, D.L. Duke Power Co. 93/08/12. Document Control Branch (Document Control Desk). 1p. 76150:086-76150:260.

-9308170039 Nonproprietary "Evaluation of PTS for Catawba Unit 1." PETER, P.A., MEYER, T.A. Westinghouse Electric Corp. WCAP-13763. 93/08/21. 17pp. 76150:087-76150:104.

-9308170038 Nonproprietary "Analysis of Capsule From Duke Power Co Catawba Unit 1 RV Radiation Surveillance Program." CHICOTS, J.M., ANDERSON, S.L., MYER, T.A. Westinghouse Electric Corp. WCAP-13720. 93/08/30. 160pp. 76150:105-76150:260.

9308260319 Request update on status of util listed implementation activities. MARTIN, R.E. Project Directorate II-3. 93/08/12. REHN, D.L. Duke Power Co. 4pp. 76215:124-76215:127.

Q. Inspection reports, IE Bulletins & correspondence

9308060170 Forwards insp repts 50-413/93-17 & 50-414/93-17 on 930509-0605. No violations noted. HERDT, A.R. Region 2 (Post 820201). 93/07/02. REHN, D.L. Duke Power Co. 3pp. 75994:080-75994:097.

-9308060181 Insp repts 50-413/93-17 & 50-414/93-17 on 930509-0605. No violations noted. Major areas inspected: plant operations, surveillance observations, maint observations & emergency drill exercise. HOPKINS, P.C., ZEILER, J., LESSER, M.S. Region 2 (Post 820201). 93/07/02. 15pp. 75994:083-75994:097.

9307190043 NRC Info Notice 93-057, "Software Problems Involving Digital Control Console Sys at Non-Power Reactors." GRIMES, B.K. Division of Operating Reactor Support (Post 921004). 93/07/23. Consolidated Edison Co. of New York, Inc. 9pp. 76111:200-76111:208.

9308050072 Forwards insp repts 50-413/93-18 & 50-414/93-18 on 930606-0703.No violations or deviations identified.
HERDT,A.R. Region 2 (Post 820201). 93/07/26. REHN,D.L. Duke Power Co. 3pp. 75972:057-75972:073.

-9308050080 Insp repts 50-413/93-18 & 50-414/93-18 on 930606-0703.No violations noted.Major areas inspected:review of plant operations,engineered safety features walkdown,surveillance & maint observations.
FRUDENBERGER,R., HOPKINS,P.C., ZEILER,J. Region 2 (Post 820201). 93/07/26. 14pp. 75972:060-75972:073.

9308100073 Forwards insp repts 50-413/93-19 & 50-414/93-19 on 930712-16.No violations or deviations noted.
COLLINS,D.M. Region 2 (Post 820201). 93/07/29. REHN,D.L. Duke Power Co. 3pp. 76025:292-76025:295.

-9308100077 Partially withheld insp repts 50-413/93-19 & 50-414/93-19 on 930712-16 (ref 10CFR73.21).No violations noted.Major areas inspected:physical security program for power reactors.
STANSBERRY,W.W., MCGUIRE,D.R. Region 2 (Post 820201). 93/08/03. 1p. 76025:295-76025:295.

9308190081 Forwards SE accepting licensee 930325-0429 submittals of technical info to support continued operation of facility for remainder of fuel cycle 7.
MARTIN,R.E. Project Directorate II-3. 93/07/30. REHN,D.L. Duke Power Co. 3pp. 76152:307-76152:320.

-9308190082 SER accepting licensee 930325-0429 submittals of technical info to support continued operation of facility for remainder of fuel cycle 7.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 93/07/30. 11pp. 76152:310-76152:320.

9308110193 Responds to NRC 930624 ltr re exercise weakness noted in insp repts 50-413/93-15 & 50-414/93-15.C/As:discussion of weakness will be incorporated into annual emergency planning training segment of operations requalification program.
REHN,D.L. Duke Power Co. 93/08/05. Document Control Branch (Document Control Desk). 2pp. 76076:285-76076:286.

9308250103 Forwards insp repts 50-413/93-22 & 50-414/93-22 on 930719-23.No violations or deviations noted.
JULIAN,C.A. Region 2 (Post 820201). 93/08/11. REHN,D.L. Duke Power Co. 4pp. 76188:119-76188:133.

-9308250117 Insp repts 50-413/93-22 & 50-414/93-22 on 930719-23.No violations noted.Major areas inspected:RHR sys pipe failure, emergency diesel generator cooling water heat exchanger failure & engineering backlog.
KLEINSORGE,W.P., BLAKE,J.J. Region 2 (Post 820201). 93/08/10. 11pp. 76188:123-76188:133.

9308270205 Ack receipt of 930707 ltr informing NRC of steps taken to correct violations noted in Exam Rept 50-413/93-300.
GIBSON,A.F. Region 2 (Post 820201). 93/08/11. REHN,D.L. Duke Power Co. 3pp. 76271:340-76271:342.

9308160373 Provides 12 month SG insp rept special rept,including number of tubes inspected from either side of SGs A,B,C & D & identification of tubes w/ imperfections,imperfection location & size of imperfection for subj SGs for EOC 6.
REHN,D.L. Duke Power Co. 93/08/12. Document Control Branch (Document Control Desk). 200pp. 76127:001-76127:250.

R. Periodic operating reports & related correspondence

9308180197 Forwards monthly operating repts for Jul 1993 for Catawba Nuclear Station Units 1 & 2 & monthly operating status repts for June 1993 for Catawba Nuclear Station Units 1 & 2.
MCCRAW,E.O. Duke Power Co. 93/08/13. Document Control Branch (Document Control Desk). 2pp. 76154:346-76154:358.

-9308180203 Monthly operating repts for Jul 1993 for Catawba Nuclear Station Units 1 & 2.
WILLIAMS,R.A., SIMMONS,N.C. Duke Power Co. 93/07/31. 10pp. 76154:348-76154:357.

-9308180212 Revised monthly operating repts for June 1993 for Catawba Nuclear Station Units 1 & 2.
* Duke Power Co. 93/06/30. 1p. 76154:358-76154:358.

S. Reportable occurrences, LERs & related correspondence

9308250013 LER 93-008-00:on 930718,reactor tripped & auxiliary feedwater sys automatic start due to low-low-level in SG 1A. Developed general troubleshooting procedure.W/930817 ltr.
FUTRELL,R.C., REHN,D.L. Duke Power Co. 93/08/17. 9pp. 76255:303-76255:311.

V. Operator Examinations

9308260077 Ltr contract NRC-03-89-031,task order 196, to "Reactor Operator Licensing Requalification Exam at Catawba."
SCOTT,M.L. Contract Administration Branch 1 (Post 900603). FIN L-1289-3. 93/04/16. PETERSEN,L.R. Sonalysts, Inc. 5pp. 76214:355-76214:358.

9308270205 Ack receipt of 930707 ltr informing NRC of steps taken to correct violations noted in Exam Rept 50-413/93-300.
GIBSON,A.F. Region 2 (Post 820201). 93/08/11. REHN,D.L. Duke Power Co. 3pp. 76271:340-76271:342.

DOCKET 50-414 CATAWBA NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9308060170 Forwards insp repts 50-413/93-17 & 50-414/93-17 on 930509-0605.No violations noted.
HERDT,A.R. Region 2 (Post 820201). 93/07/02. REHN,D.L. Duke Power Co. 3pp. 75994:080-75994:097.

-9308060181 Insp repts 50-413/93-17 & 50-414/93-17 on 930509-0605.No violations noted.Major areas inspected:plant operations, surveillance observations,maint observations & emergency drill exercise.
HOPKINS,P.C. Region 2 (Post 820201). 93/07/02. 15pp. 75994:083-75994:097.

9308040139 Forwards encl 8 to SECY 93-166 which describes proposed characteristics of design basis vehicle.Encl withheld.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 93/07/15. TUCKMAN,M.S. Duke Power Co. 4pp. 75987:001-75987:004.

9308100073 Forwards insp repts 50-413/93-19 & 50-414/93-19 on 930712-16.No violations or deviations noted.
COLLINS,D.M. Region 2 (Post 820201). 93/07/29. REHN,D.L. Duke Power Co. 3pp. 76025:292-76025:295.

-9308100077 Partially withheld insp repts 50-413/93-19 & 50-414/93-19 on 930712-16 (ref 10CFR73.21).No violations noted.Major areas inspected:physical security program for power reactors.
STANSBERRY,W.W. Region 2 (Post 820201). 93/08/03. 1p. 76025:295-76025:295.

9308110212 Revised EIPs,including emergency plan implementing procedures index,Change 0 to Retype 39 to HP/O/B/1000/106 & Change 0 to Rev 39 to OP/O/A/6200/21.W/930729 ltr.
REHN,D.L. Duke Power Co. 93/07/29. 100pp. 76080:125-76080:233.

9308110193 Responds to NRC 930624 ltr re exercise weakness noted in insp repts 50-413/93-15 & 50-414/93-15.C/As:discussion of weakness will be incorporated into annual emergency planning training segment of operations requalification program.
REHN,D.L. Duke Power Co. 93/08/05. Document Control Branch (Document Control Desk). 2pp. 76076:285-76076:286.

9308250181 Forwards pages documenting revs to emergency response data sys data point library for Units 1 & 2.
REHN,D.L. Duke Power Co. 93/08/13. Document Control Branch (Document Control Desk). 8pp. 76223:350-76223:357.

P. Operating license stage documents & correspondence

9308090300 Forwards revs to Catawba Station Selected Licensee Commitments Manual,list of effective pages 1 & 5 & Chapter 16.11,page 16.11-33,Table 16.11-6 re radioactive gaseous effluent monitoring instrumentation SRs.
NICHOLSON,K.E. Duke Power Co. 93/07/21. Duke Power Co. 4pp. 76058:356-76058:359.

9308120050 Forwards responses to NUREG-1465,per request.
ADER,C. Division of Safety Issue Resolution (Post 880717). 93/07/22. Document Control Branch (Document Control Desk). 2pp. 76087:093-76087:137.

-9308120065 Responds to request for comments on draft NUREG-1465. Believes that revised source terms unlikely to provide any significant relief in dose calculations.
TUCKER,H.B. Georgia Power Co. 92/10/26. Docketing & Services Branch. 7pp. 76087:102-76087:108.

9308060226 Forwards approval from South Carolina Dept of Health & environ control to modify sanitary waste sys by constructing sys to dechlorinate effluent prior to release to Lake Wylie.
REHN,D.L. Duke Power Co. 93/07/26. Document Control Branch (Document Control Desk). 5pp. 76059:237-76059:241.

9308100059 Requests that analyses of liquid samples spiked w/beta emitting radionuclides be completed as soon as practicable but no later than 60 days from receipt of ltr.
CLINE,W.E. Region 2 (Post 820201). 93/07/28. REHN,D.L. Duke Power Co. 3pp. 76025:232-76025:234.

9308120190 Responds to GL 93-04, "Rod Control Sys Failure & Withdrawal of Rod Cluster Assemblies."
TUCKMAN,M.S. Duke Power Co. 93/08/05. Document Control Branch (Document Control Desk). 9pp. 76104:303-76104:311.

9308130184 Forwards rev 16 to rept, "Analysis of Hydrogen Control Measures at McGuire Station," incorporating NRC 930526 SER which closes subj issue for plants.Rept also applicable to Catawba Nuclear Station as noted in Rev 9.W/o rept.
TUCKMAN,M.S. Duke Power Co. 93/08/05. Document Control Branch (Document Control Desk). 1p. 76113:303-76113:311.

9308170027 Forwards comments on draft NUREG-1477, "Voltage-Based Interim Plug-ging Criteria for SG Tubes," per NRC publication in FR (58FR35985) on 930702.Util plans to submit addl info beginning of Sept.
REHN,D.L. Duke Power Co. 93/08/11. Document Control Branch (Document Control Desk). 5pp. 76136:157-76136:161.

9308190223 Suppl 930520 application for amends to Licenses NPF-35 & NPF-52, revising frequency of radiological effluent rept.
GRIER,G.W. Duke Power Co. 93/08/11. Document Control Branch (Document Control Desk). 2pp. 76160:271-76160:275.

-9308190231 Proposed tech specs re frequency of radiological effluent rept.
* Duke Power Co. 93/08/11. 3pp. 76160:273-76160:275.

9308260319 Request update on status of util listed implementation activities.
MARTIN,R.E. Project Directorate II-3. 93/08/12. REHN,D.L. Duke Power Co. 4pp. 76215:124-76215:127.

Q. Inspection reports, IE Bulletins & correspondence

9308060170 Forwards insp repts 50-413/93-17 & 50-414/93-17 on 930509-0605.No violations noted.
HERDT,A.R. Region 2 (Post 820201). 93/07/02. REHN,D.L. Duke Power Co. 3pp. 75994:080-75994:097.

132 DOCKETED ITEMS

—9308060181 Insp repts 50-413/93-17 & 50-414/93-17 on 930509-0605. No violations noted. Major areas inspected: plant operations, surveillance observations, maint observations & emergency drill exercise.
HOPKINS, P.C., ZEILER, J., LESSER, M.S. Region 2 (Post 820201). 93/07/02. 15pp. 75994:083-75994:097.

9307190043 NRC Info Notice 93-057, "Software Problems Involving Digital Control Console Sys at Non-Power Reactors."
GRIMES, B.K. Division of Operating Reactor Support (Post 921004). 93/07/23. Consolidated Edison Co. of New York, Inc. 9pp. 76111:200-76111:208.

9308050072 Forwards insp repts 50-413/93-18 & 50-414/93-18 on 930606-0703. No violations or deviations identified.
HERDT, A.R. Region 2 (Post 820201). 93/07/26. REHN, D.L. Duke Power Co. 3pp. 75972:057-75972:073.

—9308050080 Insp repts 50-413/93-18 & 50-414/93-18 on 930606-0703. No violations noted. Major areas inspected: review of plant operations, engineered safety features walkdown, surveillance & maint observations.
FRUDENBERGER, R., HOPKINS, P.C., ZEILER, J. Region 2 (Post 820201). 93/07/26. 14pp. 75972:060-75972:073.

9308100073 Forwards insp repts 50-413/93-19 & 50-414/93-19 on 930712-16. No violations or deviations noted.
COLLINS, D.M. Region 2 (Post 820201). 93/07/29. REHN, D.L. Duke Power Co. 3pp. 76025:292-76025:295.

—9308100077 Partially withheld insp repts 50-413/93-19 & 50-414/93-19 on 930712-16 (ref 10CFR73.21). No violations noted. Major areas inspected: physical security program for power reactors.
STANSBERRY, W.W., MCGUIRE, D.R. Region 2 (Post 820201). 93/08/03. 1p. 76025:295-76025:295.

9308110193 Responds to NRC 930624 ltr re exercise weakness noted in insp repts 50-413/93-15 & 50-414/93-15. C/As: discussion of weakness will be incorporated into annual emergency planning training segment of operations requalification program.
REHN, D.L. Duke Power Co. 93/08/05. Document Control Branch (Document Control Desk). 2pp. 76076:265-76076:266.

9308250103 Forwards insp repts 50-413/93-22 & 50-414/93-22 on 930719-23. No violations or deviations noted.
JULIAN, C.A. Region 2 (Post 820201). 93/08/11. REHN, D.L. Duke Power Co. 4pp. 76188:119-76188:133.

—9308250117 Insp repts 50-413/93-22 & 50-414/93-22 on 930719-23. No violations noted. Major areas inspected: RHR sys pipe failure, emergency diesel generator cooling water heat exchanger failure & engineering backlog.
KLEINSORGE, W.P., BLAKE, J.J. Region 2 (Post 820201). 93/08/10. 11pp. 76188:123-76188:133.

R. Periodic operating reports & related correspondence

9308180197 Forwards monthly operating repts for Jul 1993 for Catawba Nuclear Station Units 1 & 2 & monthly operating status repts for June 1993 for Catawba Nuclear Station Units 1 & 2.
MCCRAW, E.O. Duke Power Co. 93/08/13. Document Control Branch (Document Control Desk). 2pp. 76154:346-76154:358.

—9308180203 Monthly operating repts for Jul 1993 for Catawba Nuclear Station Units 1 & 2.
WILLIAMS, R.A., SIMMONS, N.C. Duke Power Co. 93/07/31. 10pp. 76154:348-76154:357.

—9308180212 Revised monthly operating repts for June 1993 for Catawba Nuclear Station Units 1 & 2.
* Duke Power Co. 93/06/30. 1p. 76154:358-76154:358.

V. Operator Examinations

9308260077 Ltr contract NRC-03-89-031, task order 196, to "Reactor Operator Licensing Requalification Exam at Catawba."
SCOTT, M.L. Contract Administration Branch 1 (Post 900603). FIN L-1289-3. 93/04/16. PETERSEN, L.R. Sonalysts, Inc. 5pp. 76214:355-76214:358.

DOCKET 50-416 GRAND GULF NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9308120159 Rev 2 to EPIP 10-S-01-34, "Public Info & ENMC EIC Operations." W/ 930805 ltr.
HUTCHINSON, C.R. Entergy Operations, Inc. 93/07/09. 28pp. 76104:269-76104:296.

9308040087 Notification of 930817 meeting w/ Entergy Operations, Inc. in Rockville, MD to discuss three cost-beneficial licensing actions re security issues that have been identified that may reduce regulatory burden.
O'CONNOR, P.W. Project Directorate IV-1. 93/07/15. CHAN, T.L. Project Directorate IV-1. 4pp. 75986:335-75986:338.

9308040293 Forwards encl 8 to SECY 93-166 which describes proposed characteristics of design basis vehicle. W/o encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 93/07/15. HUTCHINSON, C.R. Entergy Operations, Inc. 3pp. 75979:082-75979:084.

9308130002 Advises that revs 23 & 24 & changes 23-001-92, 23-001-93, 23-002-93 & 23-003-93 to plant emergency plan meets planning stds of 10CFR50.47(b) & acceptable.
CLINE, W.E. Region 2 (Post 820201). 93/08/04. HUTCHINSON, C.R. Entergy Operations, Inc. 3pp. 76078:001-76078:003.

9308250090 Ack receipt of 930625 ltr transmitting scenario/controller package for annual emergency preparedness exercise.
CLINES, W.E. Region 2 (Post 820201). 93/08/13. HUTCHINSON, C.R. Entergy Operations, Inc. 3pp. 76188:035-76188:037.

9308310275 Rev 3 to EPIP 10-S-01-33, "Emergency Operations Facility (EOF) Operations Safety Related." W/930827 ltr.
HUTCHINSON, C. Entergy Operations, Inc. 93/08/27. 57pp. 76290:291-76290:347.

H. General correspondence

9308270016 Comment opposing NRC draft GL 89-10, suppl 6.
MCGAHA, J.R. Entergy Operations, Inc. 93/08/23. CHILK, S.J. Office of the Secretary of the Commission. 4pp. 76217:021-76217:024.

P. Operating license stage documents & correspondence

9308160104 Forwards info on P-T limits from discussion at April OG meeting re pressure temp limit rept in administrative controls section of STS.
GRIMES, C.I. Technical Specifications Branch. 93/05/18. BUSH, L. Westinghouse Operating Plants Owners Group. 2pp. 76102:352-76102:356.

9308260262 "Region II TAR on Venting of Turbine Bldg at Grand Gulf Nuclear Station."
* Radiation Protection Branch. 93/06/23. 1p. 76266:313-76266:317.

—9308260265 Forwards response to 921022 TAR re venting turbine bldg at Grand Gulf.
CUNNINGHAM, L.J. Radiation Protection Branch. 93/06/23. ADENSAM, E.G. Assistant Director for Region IV/V Reactors (Post 901216). 4pp. 76266:314-76266:317.

9307270153 Forwards "GGNS GL 89-10 MOV Program," per 930420 meeting w/ NRC Attachment A2 withheld (ref 10CFR2.790).
HUTCHINSON, C.R. Entergy Operations, Inc. 93/07/23. Document Control Branch (Document Control Desk). 6pp. 76178:078-76178:129.

—9307270155 "GGNS GL 89-10 MOV Program."
* Entergy Operations, Inc. 93/06/30. 46pp. 76178:084-76178:129.

9308060060 Discusses radiochemical analyses for liquid samples spiked w/beta emitting radionuclides & requests that analyses be completed as soon as practicable, but no later than 60 days from receipt of ltr.
CLINE, W.E. Region 2 (Post 820201). 93/07/28. HUTCHINSON, C.R. Entergy Operations, Inc. 3pp. 75992:232-75992:234.

9308200008 Forwards supplemental SE of topical rept HGN-112-NP, "Generic Hydrogen Control Info for BWR/6 Mark III Containments."
O'CONNOR, P.W. Project Directorate IV-2. 93/08/05. HUTCHINSON, C.R. Entergy Operations, Inc. 3pp. 76162:344-76162:350.

—9308200013 Supplemental SE for topical rept HGN-112-NP, "Generic Hydrogen Control Info for BWR/6 Mark III Containments." Hydrogen Control Owners Group change requests consistent & compatible w/10CFR50.44 & acceptable.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 93/06/26. 4pp. 76162:347-76162:350.

9308160281 Proposed Change to OL (PCOL-93/06) to License NPF-29, revising TS to support compliance w/new requirements of 10CFR20 & 10CFR50.36a.
HUTCHINSON, C.R. Entergy Operations, Inc. 93/08/11. Document Control Branch (Document Control Desk). 13pp. 76128:134-76128:176.

—9308160288 Proposed tech specs supporting compliance w/new requirements of 10CFR20 & 10CFR50.36a.
* Entergy Operations, Inc. 93/08/11. 30pp. 76128:147-76128:176.

9308160315 Proposed Change to OL (PCOL-93/07) to License NPF-29, amending TS Section 3/4.3.7.10, "Loose Part Detection Sys" by relocating locating loose part detection instrumentation from TS to administrative controls, per NUREG-1434, Rev 0.
HUTCHINSON, C.R. Entergy Operations, Inc. 93/08/11. Document Control Branch (Document Control Desk). 10pp. 76141:301-76141:318.

—9308160330 Proposed tech specs Section 3/4.3.7.10, "Loose Part Detection Sys," relocating loose part detection instrumentation from TS to administrative control.
* Entergy Operations, Inc. 93/08/11. 6pp. 76141:311-76141:318.

9308170051 Proposed Change to OL (PCOL-93/09) to License NPF-29, amending TS Section 3/4.3.7.5 by relocating certain accident monitoring instrumentation from TS to administrative control, per NUREG-1434, Rev 0, w/respect to RG 1.97.
HUTCHINSON, C.R. Entergy Operations, Inc. 93/08/11. Document Control Branch (Document Control Desk). 13pp. 76136:267-76136:290.

—9308170076 Proposed tech specs Section 3/4.3.7.5 reflecting relocation of certain accident monitoring instrumentation to administrative control.
* Entergy Operations, Inc. 93/08/11. 11pp. 76136:280-76136:290.

9308230109 Forwards application for amend to license NPF-29, proposing change to TS section 3/4.3.7.10, "Loose Part Detection Sys" by relocating loose part detection instrumentation to administrative controls.
HUTCHINSON, C.R. Entergy Operations, Inc. 93/08/11. Document Control Branch (Document Control Desk). 3pp. 76186:290-76186:307.

—9308230135 Application for amend to license NPF-29, proposing changes to amend TS section 3/4.3.7.10, "Loose Part Detection Sys" by relocating loose part detection instrumentation to administrative controls.
HUTCHINSON, C.R. Entergy Operations, Inc. 93/08/17. 7pp. 76186:293-76186:307.

9308230191 Corrected ltr, including affirmation re application for amend to License NPF-29, revising TS section 3/4.3.7.5, "Accident Monitoring Instrumentation."
HUTCHINSON, C.R. Entergy Operations, Inc. 93/08/11. Document Control Branch (Document Control Desk). 3pp. 76204:206-76204:229.

9308310101 Accepts changes to operational quality assurance program as implemented in manual.
GIBSON, A.F. Region 2 (Post 820201). 93/08/11. HUTCHINSON, C.R. Entergy Operations, Inc. 3pp. 76264:092-76264:094.

9308240036 Forwards application for exemption from 10CFR50 App J & proposed amend to OL PCOL-93/1010 re local leak rate & integrated leak testing intervals & TS changes to implement exemption.
HUTCHINSON, C.R. Entergy Operations, Inc. 93/08/13. Document Control Branch (Document Control Desk). 75pp. 76211:187-76211:272.

9308240065 Proposed tech specs 3/4 6-3,6-4,6-4a,6-6,6-12 re exemption to 10CFR50, App J, "Primary Reactor Containment..." for local leak rate.
* Entergy Operations, Inc. 93/08/12. 11pp. 76211:262-76211:272.

9308310039 Forwards amend 108 to license NPF-29 & safety evaluation. Amend removes from TS operability requirements for autotest feature at load shedding & sequencing (LSS) sys & increases allowed outage time in TS for inoperable LSS from 8 to 12 h.
O'CONNOR, P.W. Project Directorate IV-1. 93/08/16. HUTCHINSON, C.R. Entergy Operations, Inc. 4pp. 76274:163-76274:177.

9308310043 Amend 108 to license NPF-29, removing from TS operability requirements for autotest features of load shedding & sequencing (LSS) sys & increasing allowed outage time in TS for inoperable LSS from 8 to 12 h.
ROOD, H. Project Directorate IV-1. 93/08/16. 7pp. 76274:167-76274:173.

9308310046 Safety evaluation supporting amend 108 to license NPF-29.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 93/08/16. 4pp. 76274:174-76274:177.

9308190268 Notification of 930830 mgt-level meeting w/util in Rockville, MD to discuss how long ANO unit 2 should continue to operate before next SG insp.
ALEXION, T.W. Project Directorate IV-1. 93/08/18. ROOD, H. Project Directorate IV-1. 5pp. 76184:060-76184:064.

9308250099 Notification of 930831 meeting w/BWR-6 Owners Group in Rockville, MD to discuss pending amend submissions to adopt improved standardized TS.
BAKER, E.T. Project Directorate IV-2. 93/08/19. BLACK, S.C. Project Directorate IV-2. 6pp. 76201:149-76201:154.

9308250388 Notification of 930902 meeting w/Entergy Operations, Inc in Rockville, MD to discuss 930813 app J exemption request. Exemption seeks to establish type B & C testing intervals based on component performance history.
O'CONNOR, P.W. Project Directorate IV-1. 93/08/19. ROOD, H. Project Directorate IV-1. 5pp. 76203:200-76203:204.

9308310225 Requests exemption from 10CFR26, "Fitness-for-Duty Programs." Detailed description of exemption & justification request.
MCGAHA, J.H. Entergy Operations, Inc. 93/08/20. Document Control Branch (Document Control Desk). 19pp. 76304:305-76304:323.

9308310111 Notification of 930802 meeting w/util in Rockville, MD to discuss 930813 app J exemption request, establishing type B & C testing intervals. Notification reissued to correct concurrence page.
O'CONNOR, P.W. Project Directorate IV-1. 93/08/24. ROOD, H. Project Directorate IV-1. 3pp. 76274:210-76274:212.

Q. Inspection reports, IE Bulletins & correspondence

9308060183 Forwards insp rept 50-416/93-09 on 930516-0619. No violations noted.
VERRELLI, D.M. Region 2 (Post 820201). 93/07/14. HUTCHINSON, C.R. Entergy Operations, Inc. 3pp. 75994:129-75994:138.

9308060188 Insp rept 50-416/93-09 on 930516-0619. No violations noted. Major areas inspected: operational safety verification, maint & surveillance observation, action on previous insp findings & reportable occurrences.
BERNHARD, R.H., HUGHEY, C.A., CANTRELL, F.S. Region 2 (Post 820201). 93/07/15. 7pp. 75994:132-75994:138.

9307190043 NRC Info Notice 93-057, "Software Problems Involving Digital Control Console Sys at Non-Power Reactors."
GRIMES, B.K. Division of Operating Reactor Support (Post 921004). 93/07/23. Consolidated Edison Co. of New York, Inc. 9pp. 76111:200-76111:208.

9308060375 Responds to NRC Bulletin 93-003 & GL 92-04 re reliability of BWR vessel level instrumentation under rapid depressurization conditions, per NRC 930427 RAI.
HUTCHINSON, C.R. Entergy Operations, Inc. 93/07/30. Document Control Branch (Document Control Desk). 6pp. 76024:326-76024:331.

9308270025 Forwards insp rept 50-416/93-11 on 930620-0717 & notice of violation.
VERRELLI, D.M. Region 2 (Post 820201). 93/08/06. HUTCHINSON, C.R. Entergy Operations, Inc. 4pp. 76262:335-76262:347.

9308270030 Notice of violation from insp on 930620-0717. Violation noted: RO directed scrambling of rod 28-53 from original position of notch 08 prior to full withdrawal.
* Region 2 (Post 820201). 93/08/06. 1p. 76262:339-76262:339.

9308270037 Insp rept 50-416/93-11 on 930620-0717. Violations noted. Major areas inspected: operational safety verification, maint observation & surveillance observation.
BERNHARD, R.H., HUGHEY, C.A., WRIGHT, R.W. Region 2 (Post 820201). 93/08/03. 6pp. 76262:340-76262:347.

R. Periodic operating reports & related correspondence

9308310286 "Grand Gulf Nuclear Station Semiannual Radioactive Effluent Release Rept, Jan-June 1993." W/930826 ltr.
HUTCHINSON, C.R. Entergy Operations, Inc. 93/06/30. 60pp. 76289:278-76289:337.

9308160236 Monthly operating rept for Jul 1993 for Grand Gulf Nuclear Station, unit 1. W/930810 ltr.
DAUGHTERY, L.F., HUTCHINSON, C.R. Entergy Operations, Inc. 93/07/31. 5pp. 76141:257-76141:261.

9308310277 Forwards fitness for duty program performance six-month rept for period Jan-June 1993.
HUTCHINSON, C. Entergy Operations, Inc. 93/08/27. Document Control Branch (Document Control Desk). 6pp. 76322:280-76322:285.

S. Reportable occurrences, LERs & related correspondence

9308100265 LER 92-009-01: on 920509, observed that some of fuel rod compression springs compressed more than expected for assembly exposure achieved. Max envelope size of lower tie plate will be reduced. W/930806 ltr.
JONES, M., HUTCHINSON, C.R. Entergy Operations, Inc. 93/08/06. 5pp. 76091:136-76091:140.

9308160346 LER 93-003-01: on 930324, SSW C sys pump motor failed due to movement of motor stator end windings during motor start-ups. SSW C pump replaced & failed motor refurbished by GE & being receipt-inspected. W/930812 ltr.
BURKE, B.A., HUTCHINSON, C.R. Entergy Operations, Inc. 93/08/12. 4pp. 76158:337-76158:340.

9308240130 LER 93-006-00: on 930720 & 21, annunciator, specifying high temp in RHR sys equipment room received in CR, causing RCIC sys isolation. Caused by failure of equipment room differential temp switch. Switch replaced. W/930820 ltr.
RUFFIN, R., HUTCHINSON, C.R. Entergy Operations, Inc. 93/08/20. 4pp. 76200:194-76200:197.

V. Operator Examinations

9308310279 Informs that licensee has no candidates scheduled to participate in generic fundamentals section of written operator licensing exam to be given in Oct 1993.
HUTCHINSON, C. Entergy Operations, Inc. 93/08/27. EBNETER, S.D. Region 2 (Post 820201). 2pp. 76307:316-76307:317.

DOCKET 50-417 GRAND GULF NUCLEAR STATION, UNIT 2

A. Application/construction stage documents & correspondence

9308160104 Forwards info on P-T limits from discussion at April OG meeting re pressure temp limit rept in administrative controls section of STS.
GRIMES, C.I. Technical Specifications Branch. 93/05/18. BUSH, L. Westinghouse Operating Plants Owners Group. 2pp. 76102:352-76102:356.

H. General correspondence

9308270016 Comment opposing NRC draft GL 89-10, suppl 6.
MCGAHA, J.R. Entergy Operations, Inc. 93/08/23. CHILK, S.J. Office of the Secretary of the Commission. 4pp. 76217:021-76217:024.

DOCKET 50-423 MILLSTONE NUCLEAR POWER STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

9308060282 Forwards encl 8 to SECY 93-166 which describes proposed characteristics of design basis vehicle. Encl withheld.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 93/07/15. OPEKA, J.F. Connecticut Yankee Atomic Power Co. 4pp. 76023:291-76023:294.

9308030008 Forwards insp repts 50-245/93-16, 50-336/93-11 & 50-423/93-13 on 930519-0623 & notice of violation.
BLOUGH, A.R. Region 1 (Post 820201). 93/07/22. OPEKA, J.F. Northeast Nuclear Energy Co. 5pp. 75935:003-75935:042.

9308030015 Insp repts 50-245/93-16, 50-336/93-11 & 50-423/93-13 on 930519-0623. Violations noted. Major areas inspected: plant operations, radiological controls, maint, surveillance, security, licensee self-assessment & periodic repts.
DOERFLEIN, L.T. Region 1 (Post 820201). 93/07/22. 32pp. 75935:011-75935:042.

9308060373 Rev 2 to EPIP 4400, "Event Assessment, Classification & Reportability." W/ updated 4000 Series Emergency Plan Implementing/Operating Procedures index.
SCACE, S. Northeast Nuclear Energy Co. 93/07/31. 66pp. 76036:206-76036:271.

G. Adjudicatory correspondence

9308270326 Forwards petition for Directors Decision under 10CFR2.206.
GRAY, J.R. Ofc of Enforcement (Post 870413). 93/08/23. LESAR, M.T. Rules & Directives Review Branch (Post 920323). 1p. 76292:120-76292:123.

9308270338 Notice of availability of 930802 10CFR2.206 petition for directors decision re violation of 10CFR50.7.
GRAY, J.R. Ofc of Enforcement (Post 870413). 93/08/23. Northeast Nuclear Energy Co. 3pp. 76292:121-76292:123.

I. Financial information

9308040226 Forwards estimated 1993 cash flow for Milestone, units 1, 2 & 3.
GARELICK, B.F. Northeast Utilities. 93/07/28. DINITZ, I. NRC - No Detailed Affiliation Given. 2pp. 75991:273-75991:274.

P. Operating license stage documents & correspondence

9308110303 Forwards SE accepting proposed repair as alternative to Code repair during scheduled outage beginning 930731.
STOLZ, J.F. Project Directorate I-4. 93/07/21. OPEKA, J.F. Northeast Nuclear Energy Co. OPEKA, J.F. Connecticut Yankee Atomic Power Co. 3pp. 76077:349-76077:353.

9308110307 Safety evaluation accepting util 930421 request to use alternative to ASME Boiler & Pressure Vessel Code, section XI requirements.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 93/07/21. 2pp. 76077:352-76077:353.

9308120195 Forwards amend 81 to license NPF-49 & safety evaluation. Amend allows use of ZIRLO fuel & use of three new approved analytical methods for facility.
ROONEY, V.L. Project Directorate I-4. 93/07/26. OPEKA, J.F. Connecticut Yankee Atomic Power Co. OPEKA, J.F. Northeast Nuclear Energy Co. 3pp. 76083:326-76083:337.

9308120196 Amend 81 to license NPF-49, allowing use of ZIRLO fuel & use of three new approved analytical methods for facility.
STOLZ, J.F. Project Directorate I-4. 93/07/26. 6pp. 76083:329-76083:334.

134 DOCKETED ITEMS

9308120199 Safety evaluation supporting amend 81 to license NPF-49.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 93/07/26. 3pp. 76083:335-76083:337.

9308040321 Application for amend to License NPF-49, revising TS to clarify locations where negative pressure of 0.25 inch WG must be obtained & delineating equipment required to comprise operable SLCRS, in response to IN 88-076.
OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities. 93/07/29. Document Control Branch (Document Control Desk). 11pp. 75996:321-75996:356.

9308040323 Proposed tech specs clarifying locations where negative pressure of 0.25 inch WG must be obtained & delineating equipment required to comprise operable SLCRS & denoting equipment required to comprise operable ABFS.
* Northeast Nuclear Energy Co. 93/07/29. 25pp. 75996:332-75996:356.

9308090010 Application for amend to license NPF-49 by increasing volume requirements of boric acid storage sys of TS 3.1.2.6 in order to meet requirements of redesigned core for cycle 5 operation.
OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities. 93/07/30. Document Control Branch (Document Control Desk). 5pp. 76058:308-76058:355.

9308090012 Proposed tech specs increasing volume requirements of boric acid storage sys of TS 3.1.2.6 in order to meet requirements of redesigned core for cycle 5 operation.
* Northeast Nuclear Energy Co. 93/07/30. 8pp. 76058:313-76058:321.

9308090016 "Millstone Unit 3 Cycle 5 Redesign Reload Safety Evaluation."
SLAGLE,W.H. Westinghouse Electric Corp. 93/07/31. 36pp. 76058:322-76058:355.

9308090224 Summarizes findings of SSFI of AFW sys & actions underway to address results of AFW SSFI. Listing of SSFI findings encl.
OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities. 93/07/30. Document Control Branch (Document Control Desk). 8pp. 76062:219-76062:226.

9308190236 Forwards corrected page 3/4 4-39 incorporating changes issued w/amend 80 to license NPF-49 & corrected Page 2 to safety evaluation deleting ref to Mode 4.
ROONEY,V.L. Project Directorate I-4. 93/07/30. OPEKA,J.F. Connecticut Yankee Atomic Power Co. OPEKA,J.F. Northeast Nuclear Energy Co. 3pp. 76158:302-76158:306.

9308190243 Corrected amend 80 to license NPF-49, consisting of revised page 3/4 4-39 of TS.
* Project Directorate I-4. 93/07/30. 1p. 76158:305-76158:305.

9308190248 Corrected page 2 of SE deleting ref to mode 4 re amend 80 to license NPF-49.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 93/07/30. 1p. 76158:306-76158:306.

9308160366 Forwards mod requests, per 921214 renewal of NPDES Permit CT0003263 for Millstone Nuclear Power Station W/three oversize drawings.
CHEVALIER,R.G. Northeast Utilities Service Co. 93/08/02. GRIER,J. Connecticut, State of. 96pp. 76182:250-76182:346.

9308100110 Submits response to Generic Ltr 93-04, "Rod Control Sys Failure & Withdrawal of Rod Control Cluster Assemblies."
OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities. 93/08/04. Document Control Branch (Document Control Desk). 11pp. 76087:246-76087:256.

9308100129 Responds to 930713 telcon w/NRC requesting addl justification re proposed rev to TS per deletion of requirement to depressurize & vent RCS w/less than minimum power sources operable in mode 5 & 6.
OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities. 93/08/04. Document Control Branch (Document Control Desk). 3pp. 76067:246-76067:248.

9308120058 Forwards Quality Svcs Dept Audit Rept A30213, "MOV Program Assessment, Millstone Station," per GL 89-10. Independent self-assessment performed on MOV program identified numerous strengths & weaknesses.
OPEKA,J.F. SCACE,S.E. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities. 93/08/06. MARTIN,T.T. Region 1 (Post 820201). 3pp. 76095:001-76095:114.

9308120063 "MOV Program Assessment, Millstone Station."
* Northeast Nuclear Energy Co. A30213. 93/07/30. 100pp. 76095:004-76095:114.

9308160205 Forwards summary of addl substantive changes to Program Enhancement Program (PEP), per 920604 transmittal of Phase II Completion Rept for util PEP.
OPEKA,J.F., ROMBERG,W.D. Connecticut Yankee Atomic Power Co. 93/08/10. WIGGINS,J.T. Region 1 (Post 820201). 8pp. 76143:216-76143:223.

9308260283 Notifies of change in level of approval required by utils for personnel to exceed specific provisions of overtime controls, per TS 6.2.2.g & GL 82-12.
OPEKA,J.F. Connecticut Yankee Atomic Power Co. 93/08/20. Document Control Branch (Document Control Desk). 4pp. 76258:345-76258:348.

Q. Inspection reports, IE Bulletins & correspondence

9308030008 Forwards insp repts 50-245/93-16, 50-336/93-11 & 50-423/93-13 on 930519-0629 & notice of violation.
BLOUGH,A.R. Region 1 (Post 820201). 93/07/22. OPEKA,J.F. Northeast Nuclear Energy Co. 5pp. 75935:003-75935:042.

9308030015 Insp repts 50-245/93-16, 50-336/93-11 & 50-423/93-13 on 930519-0629. Violations noted. Major areas inspected: plant operations, radiological controls, maint, surveillance, security, licensee self-assessment & periodic repts.
DOERFLEIN,L.T. Region 1 (Post 820201). 93/07/22. 32pp. 75935:011-75935:042.

9307190043 NRC Info Notice 93-057, "Software Problems Involving Digital Control Console Sys at Non-Power Reactors."
GRIMES,B.K. Division of Operating Reactor Support (Post 921004). 93/07/23. Consolidated Edison Co. of New York, Inc. 9pp. 76111:200-76111:208.

9308040321 Application for amend to License NPF-49, revising TS to clarify locations where negative pressure of 0.25 inch WG must be obtained & delineating equipment required to comprise operable SLCRS, in response to IN 88-076.
OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities. 93/07/29. Document Control Branch (Document Control Desk). 11pp. 75996:321-75996:356.

9308090224 Summarizes findings of SSFI of AFW sys & actions underway to address results of AFW SSFI. Listing of SSFI findings encl.
OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities. 93/07/30. Document Control Branch (Document Control Desk). 8pp. 76062:219-76062:226.

9308160042 Notification of significant licensee meeting 93-106 on on 930824 in Waterford, CT to discuss plant SALP.
DOERFLEIN,L.T. Region 1 (Post 820201). 93/08/10. Region 1 (Post 820201). 3pp. 76089:009-76089:011.

R. Periodic operating reports & related correspondence

9308170384 Monthly operating rept for Jul 1993 for Millstone Nuclear Power Station, unit 3.W/930811 ltr.
DOBOE,L.C., HAYNES,H.F. Northeast Nuclear Energy Co. HAYNES,H.F. Northeast Utilities. 93/07/31. 6pp. 76135:289-76135:293.

S. Reportable occurrences, LERs & related correspondence

9308030372 Potential Part 21 rept re Limitorque actuator motors. Utils & other purchases listed in encl being advised of concern. Limitorque revising selection procedure for safety related actuators, motors & technical data packages.
TAYLOR,J.H. Babcock & Wilcox Co. 93/07/22. Document Control Branch (Document Control Desk). 8pp. 75976:349-75976:356.

9308120095 LER 93-010-00 on 930707, reactor trip input to turbine trip portion of ESFAS declared inoperable due to inadequate surveillance testing. Test to verify operability written & performed W/930806 ltr.
YOUNG,J.S., SCACE,S.E. Northeast Nuclear Energy Co. SCACE,S.E. Northeast Utilities. 93/08/06. 5pp. 76091:182-76091:186.

9308170417 Update to 900827 rept of substantial safety hazard re GE Custom 8000 horizontal induction motors, reported per 10CFR21 for Unit 3. Util has determined, as part of review of IN 91-007 that subj GE motors also used at Units 1 & 2.
OPEKA,J.F., ROMBERG,W.D. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities. 93/08/11. Document Control Branch (Document Control Desk). 3pp. 76137:281-76137:283.

DOCKET 50-424 ALVIN W. VOGTLE NUCLEAR PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9308030180 Forwards encl 8 to SECY 93-166 which describes proposed characteristics of design basis vehicle. Characteristics being provided to licensees in advance to facilitate more detailed comments on proposed rule. W/o encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 93/07/15. WOODARD,J.D. Georgia Power Co. 4pp. 75948:358-75950:335.

9308040216 Submits safeguards event log for second quarter of 1993. Log reviewed & determined not to contain safeguards info & can be placed in PDR.
MCCOY,C.K. Georgia Power Co. 93/07/24. Document Control Branch (Document Control Desk). 7pp. 75997:267-75997:274.

G. Adjudicatory correspondence

9308160169 Informs of change in address & firm name as stated.
DOMBY,A.H. Georgia Power Co. DOMBY,A.H. Troutman Sanders (formerly Troutman, Sanders, Lockerman & Ashmore). #393 14192. 93/06/23. CHILK,S.J. Office of the Secretary of the Commission. 1p. 76088:117-76088:117.

9308110260 Denies util request for access to all of individual oral & written statements to NRC which are relevant to SONOPCO & diesel generator issues. Info will be made available consistent w/NRC practice in enforcement proceedings.
BARTH,C.A. NRC - No Detailed Affiliation Given. 93/07/21 LAMBERSKI,J. Troutman Sanders (formerly Troutman, Sanders, Lockerman & Ashmore). LAMBERSKI,J. Georgia Power Co. 3pp. 76064:237-76064:239.

9308090014 Intervenor motion to compel production of affidavits in possession of util.* Requests Board to compel util to produce signed affidavits of J Aufdenkampe, T Webb, J Stringfellow & H Hairston. W/Certificate of Svc.
KOHN,M.D. Affiliation Not Assigned. KOHN,M.D. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). #393 14145. 93/07/23. Atomic Safety & Licensing Board Panel. 10pp. 76021:001-76021:010.

9308090052 GPC second set of interrogatories & request for documents to AL Mosbaugh.* W/Certificate of Svc. Related correspondence.
LAMBERSKI,J. Georgia Power Co. LAMBERSKI,J. Troutman Sanders (formerly Troutman, Sanders, Lockerman & Ashmore). #393 14148. 93/07/26. MOSBAUGH,A.L. Affiliation Not Assigned. 32pp. 76021:053-76021:084.

9308090105 Forwards twenty-five pages of util second set of interrogatories & request for documents to AL Mosbaugh which may have been inadvertently omitted from recipients copy of document. W/Svc list. Related correspondence.
LAMBERSKI,J. Troutman Sanders (formerly Troutman, Sanders, Lockerman & Ashmore). LAMBERSKI,J. Georgia Power Co. #393 14161. 93/07/27. BLOCH,P.B., CARPENTER,J.H., MURPHY,T.D. Atomic Safety & Licensing Board Panel. 3pp. 76021:129-76021:131.

9308090154 Confirms Reis statement at 930727 meeting to discuss discovery in proceeding CLI-93-15. Related correspondence.
BARTH,C.A. Office of the General Counsel (Post 860701). #393 14156. 93/07/28. KOHN,M.D. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). KOHN,M.D. Georgia Power Co. 1p. 76021:153-76021:153.

9308090161 Confirms 930727 telcon to inform that counsel for util & NRC Staff met to negotiate differences re discovery.
BARTH,C.A. Office of the General Counsel (Post 860701). #393 14155. 93/07/28. BLOCH,P.B. Atomic Safety & Licensing Board Panel. 1p. 76021:154-76021:154.

9308110101 Clarifies ambiguity which may have been caused by use of word "allowed" in item 5 of page 6 of intervenors motion to compel production of affidavits in possession of util.W/ Certificate of Svc.Related correspondence.
KOHNS,M. Georgia Power Co. KOHN,S.M. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). #393 14184. 93/07/30. BLAKE,E.L. Shaw, Pittman, Potts & Trowbridge. LAMBERSKI,J. TroutmanSanders (formerly Troutman, Sanders, Lockerman & Ashmore). 3pp. 76056:269-76056:271.

9308110101 Clarifies ambiguity which may have been caused by use of word "allowed" in item 5 of page 6 of intervenors motion to compel production of affidavits in possession of util.W/ Certificate of Svc.Related correspondence.
KOHNS,M. Georgia Power Co. #393 14184. 93/07/30. BLAKE,E.L. Shaw, Pittman, Potts & Trowbridge. 3pp. 76056:269-76056:271.

9308110074 Georgia Power Co response to intervenor motion to compel production of affidavits. * Licensee respectfully requests that Board deny intervenor motion to compel production of affidavits.W/Certificate of Svc & Svc list.
LAMBERSKI,J. Georgia Power Co. LAMBERSKI,J. TroutmanSanders (formerly Troutman, Sanders, Lockerman & Ashmore). #393 14178. 93/08/02. Atomic Safety & Licensing Board Panel. 29pp. 76056:205-76056:233.

9308110097 Requests copies of written presentation by util to US Attorney ofc in Atlanta,GA setting forth position re LER 90-06.Related Correspondence.
BARTH,C.A. Office of the General Counsel (Post 860701). #393 14173. 93/08/02. LAMBERSKI,J. TroutmanSanders (formerly Troutman, Sanders, Lockerman & Ashmore). 1p. 76056:264-76056:264.

9308110081 Requests that recipient immediately identify & forward copies of every document presented,shown or otherwise relied upon during discussions w/util had w/US atty ofc.Related correspondence.
KOHNS,M.D. Georgia Power Co. KOHN,M.D. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). #393 14187. 93/08/05. LAMBERSKI,J. TroutmanSanders (formerly Troutman, Sanders, Lockerman & Ashmore). 1p. 76056:243-76056:243.

9308110098 NRC Staff rept on outstanding discovery matters. * W/ Certificate of Svc. YOUNG,M.A. Office of the General Counsel (Post 860701). #393 14190. 93/08/09. 4pp. 76056:265-76056:268.

9308110103 NRC Staff response to motion to compel answers to intervenor first discovery requests. * Motion to compel discovery from NRC should be denied.W/Certificate of Svc & notice of appearance.
YOUNG,M.A. Office of the General Counsel (Post 860701). #393 14191. 93/08/09. Atomic Safety & Licensing Board Panel. 16pp. 76056:299-76056:314.

9308160149 Intervenor rept on status of discovery. * Requests that Board issue order requiring release of transcripts reviewed &/or signed by interviewees.W/Certificate of Svc.
KOHNS,M.D. Georgia Power Co. KOHN,M.D. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). #393 14195. 93/08/09. 7pp. 76088:059-76088:065.

9308160151 GPC response to NRC Staff first set of interrogatories. * W/Certificate of Svc.Related correspondence.
LAMBERSKI,J. Georgia Power Co. LAMBERSKI,J. TroutmanSanders (formerly Troutman, Sanders, Lockerman & Ashmore). #393 14196. 93/08/09. Office of the General Counsel (Post 860701). 23pp. 76088:066-76088:090.

9308160187 GPC motion to compel NRC Staff production of documents. * NRC production of tapes & documents should be compelled.W/ Certificate of Svc & Svc list.
LAMBERSKI,J. Georgia Power Co. LAMBERSKI,J. TroutmanSanders (formerly Troutman, Sanders, Lockerman & Ashmore). #393 14197. 93/08/09. Atomic Safety & Licensing Board Panel. 36pp. 76088:141-76088:225.

-9308160190 Affidavit of RA Meeks re safety concerns at plant.
MEEKS,R.A. General Public Utilities Corp. - GPU Service Corp. MEEKS,R.A. Region 5 (Post 820201). #393 14197. 87/03/03. 40pp. 76088:175-76088:225.

9308250054 Memorandum & order (clarification of scope of discovery). * Scope of discovery in phase I shall be limited to scope of admitted contention but shall extend to all bases advanced by AL Mosbaugh.W/Certificate of Svc.Served on 930813.
CARPENTER,J.H., MURPHY,T.D., BLOCH,P.B. Atomic Safety & Licensing Board Panel. #393 14209. 93/08/12. Affiliation Not Assigned. 6pp. 76189:283-76189:288.

9308250049 Intervenor response to second set of interrogatories of Georgia Power Co. * W/Certificate of Svc.Related correspondence.
KOHNS,M.D. Affiliation Not Assigned. KOHN,M.D. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). #393 14210. 93/08/13. Georgia Power Co. 48pp. 76189:235-76189:282.

9308250263 Errata to intervenor response to second set of interrogatories of Georgia Power Co. * W/Certificate of Svc. Related correspondence.
KOHNS,M.D. Affiliation Not Assigned. KOHN,M.D. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). #393 14225. 93/08/13. Georgia Power Co. 3pp. 76189:353-76189:355.

9308250159 Memorandum & order CLI-93-16. * Denies licensee appeal & Board order in LBP-93-5 admitting AL Mosbaugh as party & admitting consolidated contention is affirmed.Served on 930819.W/Certificate of Svc.
CHILK,S.J. Office of the Secretary of the Commission. #393 14229. 93/08/19. Georgia Power Co. 32pp. 76190:051-76190:082.

H. General correspondence

9308020029 Comment on proposed rules 10CFR170 & 171, "FY91 & 92 Proposed Rule Implementing US Court of Appeals Decision & Rev of Fee Schedules;100% Fee Recovery,FY93." Opposes rule.
MCCOY,C.K. Georgia Power Co. 93/07/16. CHILK,S.J. Office of the Secretary of the Commission. 2pp. 75921:036-75921:037.

9308310009 Comments on Regulatory Review Group rept which appeared in 930518 FR.Util in agreement w/NUMARC comments to be provided to NRC.
MCCOY,C.K. Georgia Power Co. 93/07/29. CHILK,S.J. Office of the Secretary of the Commission. 2pp. 76278:092-76278:093.

P. Operating license stage documents & correspondence

8706040188 Informs Commission of lessons learned from util pilot program of readiness reviews at facility & NRC participation in reviews.
STELLO,V. Ofc of the Executive Director for Operations. SECY-87-114. 87/05/05. 34pp. 76129:001-76129:034.

9308110264 Requests addl info re emergency action levels & discrepancies due to proposed EALs appearing to depart from NUMARC/NESP-007.
HOOD,D.S. Project Directorate II-3. 93/07/21. MCCOY,C.K. Georgia Power Co. 10pp. 76074:327-76074:336.

9308120331 Notices of 930831 meeting w/util in Rockville,MD to discuss util plans to run underground,nonsafety-related electrical line from Plant Wilson to plant.
HOOD,D.S. Project Directorate II-3. 93/07/22. MATTHEWS,D.B. Project Directorate II-3. 4pp. 76085:285-76085:288.

9308030133 Forwards proprietary & non-proprietary drawings in response to 930610 RAI re Rev 2 to WCAP-13376. "Bypass Test Instrumentation for Vogtle Electric Generating Plant..." w/respect to 930301 LAR,Proprietary drawings withheld.
MCCOY,C.K. Georgia Power Co. 93/07/26. Document Control Branch (Document Control Desk). 8pp. 76027:154-76027:170.

-9308030150 Requests withholding of proprietary drawing 4D33747,Rev 2, of 7300 BOP bypass test instrumentation panel,per 10CFR2,790.W/one oversize drawing.
LIPARULO,N.J. Westinghouse Electric Corp. 93/07/21. MURLEY,T. Document Control Branch (Document Control Desk). 9pp. 76027:162-76027:170.

9308040268 Forwards rev to TS change re feedwater isolation systems suggested by NRC during 930701 telcon.
MCCOY,C.K. Georgia Power Co. 93/07/27. Document Control Branch (Document Control Desk). 2pp. 76010:357-76010:359.

-9308040271 Rev to proposed tech specs re feedwater isolation systems.
* Georgia Power Co. 93/07/27. 1p. 76010:359-76010:359.

9308050106 Requests that radiochemical analyses of liquid samples spiked w/beta emitting radionuclides recently forwarded to facility be completed as soon as possible.
CLINE,W.E. Region 2 (Post 820201). 93/07/28. MCCOY,C.K. Georgia Power Co. 3pp. 75972:184-75972:186.

9308250142 Confirms arrangements made between S Chestnut & PH Skinner re 930827 mgt meeting in Atlanta,GA to discuss operational activities & recent changes to plant organization.
MERSCHOFF,E.W. Region 2 (Post 820201). 93/08/02. WOODARD,J.D. Georgia Power Co. 4pp. 76188:279-76188:282.

9308270214 Notification of 930827 meeting w/util in Atlanta,GA to discuss recent changes to plant mgt.
SKINNER,P.H. Region 2 (Post 820201). 93/08/02. Region 2 (Post 820201). 2pp. 76266:359-76266:360.

9308090214 Summarizes compensatory actions taken in response to Generic Ltr 93-04, "Rod Control Sys Failure & Withdrawal of RCCAs."
MCCOY,C.K. Georgia Power Co. 93/08/03. Document Control Branch (Document Control Desk). 4pp. 76037:332-76037:335.

9308100153 Forwards notice of consideration of issuance of amends to licenses NPF-68 & NPF-81 & proposed NSHC determination & opportunity for hearing.Amend re rev to TS 3/4.3.3 & 3/4.3.2 to relax surveillance test intervals & AOT for ESFAS.
HOOD,D.S. Project Directorate II-3. 93/08/03. MCCOY,C.K. Georgia Power Co. 3pp. 76027:340-76027:354.

-9308100166 Notice of consideration of issuance of amend to licenses NPF-68 & NPF-81 & proposed NSHC determination & opportunity for hearing.Amend revises TS 3/4.3.3 & 3/4.3.2 & associated bases.
HOOD,D.S. Project Directorate II-3. 93/08/03. 12pp. 76027:343-76027:354.

9308110254 Clarifies that proprietary drawings submitted by GPC in ltr dtd 930726 should be withheld.
LIPARULO,N.J. Westinghouse Electric Corp. 93/08/03. MURLEY,T. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 76076:351-76076:351.

9308110226 Informs that addl sentence included w/util 930122 proposed amend to TS for load sequencer should be added as footnote applicable to Table 3.3-2 functional units 1.b.6.d & 8 instead of change to Action statements,per NRC 930607 RAI.
MCCOY,C.K. Georgia Power Co. 93/08/06. Document Control Branch (Document Control Desk). 7pp. 76077:285-76077:300.

-9308110232 Proposed tech specs,reflecting addition of footnote applicable to Table 3.3-2 functional units 1.b.6.d & 8.
* Georgia Power Co. 93/08/06. 9pp. 76077:292-76077:300.

9308100267 Board notification 93-020:responses to stated senate committee requests for info re one-party taping of NRC licensee employee conversations encl.
VARGA,S.A. Division of Reactor Projects - I/II (Post 870411). 93/08/10. THE CHAIRMAN, SELIN, ROGERS Commissioners (Post 750119). 5pp. 76152:001-76152:017.

9308310102 Notification of 930908-09 meeting w/util in Rockville,MD to discuss status of current licensing issues & safety initiatives for plants.
HOOD,D.S. Project Directorate II-3. 93/08/24. MATTHEWS,D.B. Project Directorate II-3. 6pp. 76274:204-76274:209.

Q. Inspection reports, IE Bulletins & correspondence

9308060151 Ack receipt of 930603 ltr informing NRC of steps taken to correct violations noted in insp repts 50-424/93-09 & 50-425/93-09 on 930517.
HERDT,A.R. Region 2 (Post 820201). 93/06/22. HAIRSTON,W.G. Georgia Power Co. 3pp. 75993:348-75993:350.

9308060161 Ack receipt of 930616 ltr informing NRC of steps taken to correct violations noted in insp repts 50-424/93-07 & 50-425/93-07 on 930525.Based on 930629 telcon,understand that implementing C/As will be completed by 930901.
HERDT,A.R. Region 2 (Post 820201). 93/07/01. WOODARD,J.D. Georgia Power Co. 3pp. 75994:065-75994:067.

136 DOCKETED ITEMS

9308060137 Forwards insp repts 50-424/93-15 & 50-425/93-15 on 930614-18.No violations or deviations noted.
CLINE,W.E. Region 2 (Post 820201). 93/07/12. WOODARD,J.D. Georgia Power Co. 3pp. 75993:326-75993:340.

-9308060144 Insp repts 50-424/93-15 & 50-425/93-15 on 930614-18.No violations or deviations noted.Major areas inspected: occupational radiation safety & included exam of organization & staffing.
PARKER,B.A., FORBES,D.B., RANKIN,W.H. Region 2 (Post 820201). 93/07/12. 12pp. 75993:329-75993:340.

9308050049 Forwards insp repts 50-424/93-14 & 50-425/93-14 on 930530-0626.Violations noted will not be subj to enforcement action because of licensee efforts in identifying & correcting violation.
HERDT,A.R. Region 2 (Post 820201). 93/07/14. MCCOY,C.K. Georgia Power Co. 3pp. 75971:342-75971:355.

-9308050054 Insp repts 50-424/93-14 & 50-425/93-14 on 930530-0626. Violations noted.Major areas inspected:plant operations, surveillance,maint & followup of open items.
BONSER,B.R., STARKEY,R.D., BALMAIN,P.A. Region 2 (Post 820201). 93/07/14. 11pp. 75971:345-75971:355.

9307190043 NRC Info Notice 93-057, "Software Problems Involving Digital Control Console Sys at Non-Power Reactors."
GRIMES,B.K. Division of Operating Reactor Support (Post 921004). 93/07/23. Consolidated Edison Co. of New York, Inc. 9pp. 76111:200-76111:208.

9308060222 Forwards insp repts 50-424/93-11 & 50-425/93-11 on 930510-0611 & notice of violation.Concerned because of large number of failures in similar non-class 1E transformers.
JULIAN,C.A. Region 2 (Post 820201). 93/07/23. MCCOY,C.K. Georgia Power Co. 4pp. 75994:229-75994:274.

-9308060225 Notice of violation from insp on 930510-0611.Violation noted:licensee design control measures did not assure accuracy of design calculation,equipment qualifications & FSAR design info.
* Region 2 (Post 820201). 93/07/23. 3pp. 75994:233-75994:235.

-9308060231 Insp repts 50-424/93-11 & 50-425/93-11 on 930510-0611. Violations noted.Major areas inspected:capacity of EDS to perform intended functions & adequacy of engineering & technical support provided to maintain EDS operability.
GIRARD,E., JULIAN,C. Region 2 (Post 820201). 93/07/21. 39pp. 75994:236-75994:274.

9308190015 Ack receipt of 930603 response to NRC Bulletin 93-002, "Debris Plugging of Emergency Core Cooling Section Strainers." Util actions considered complete.
HOOD,D.S. Project Directorate II-3. 93/08/02. MCCOY,C.K. Georgia Power Co. 2pp. 76151:357-76151:358.

9308270226 Advises of special initiative, "Licensed Operator Requalification Program Evaluation" insp being performed at operating reactors.Insp scheduled for requalification cycle beginning 931101.
PEEBLES,T.A. Region 2 (Post 820201). 93/08/06. MCCOY,C.K. Georgia Power Co. 3pp. 76291:339-76291:341.

9308260028 Responds to violations noted in Insp Repts 50-424/93-11 & 50-425/93-11 on 930510-0611.Corrective actions:audit conducted & determined that existing procedures & design criteria adequate.Project engineers will also be counseled.
MCCOY,C.K. Georgia Power Co. 93/08/19. Document Control Branch (Document Control Desk). 12pp. 76236:321-76236:332.

R. Periodic operating reports & related correspondence

9308170228 Monthly operating repts for Jul 1993 for Vogtle Electric Generating Plant,units 1 & 2.W/930811 ltr.
HOOPER,G.L., MCCOY,C.K. Georgia Power Co. 93/07/31. 13pp. 76136:347-76136:359.

9308200024 Forwards Fitness for Duty Performance Data for Jan-June 1993 per 10CFR26.71(d).
MCCOY,C.K. Georgia Power Co. 93/08/16. Document Control Branch (Document Control Desk). 4pp. 76209:340-76209:343.

S. Reportable occurrences, LERs & related correspondence

9308190138 Summary of operating reactors events meeting 93-17 on 930512.
CHAFFEE,A.E. Events Assessment Branch. 93/05/18. GRIMES,B.K. Division of Operating Reactor Support (Post 921004). 26pp. 76153:034-76153:059.

9308310139 Summary of operating reactors events meeting 93-29 on 930804.List of attendees & viewgraphs encl.
CHAFFEE,A.E. Events Assessment Branch. 93/08/09. GRIMES,B.K. Division of Operating Reactor Support (Post 921004). 9pp. 76278:020-76278:028.

9308300305 LER 93-009-00:on 930728,reactor tripped during maint due to low pressure signal.Caused by cognitive personnel error. Personnel involved disciplined & reminded of importance of procedural compliance.W/930823 ltr.
SHEIBANI,M., MCCOY,C.K. Georgia Power Co. 93/08/23. 5pp. 76304:073-76304:077.

T. Hearing transcripts on non-antitrust matters

9308250049 Intervenor response to second set of interrogatories of Georgia Power Co.* W/Certificate of Svc.Related correspondence.
KOHN,M.D. Affiliation Not Assigned. KOHN,M.D. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). #393 14210. 93/08/13. Georgia Power Co. 48pp. 76189:235-76189:282.

V. Operator Examinations

9308270226 Advises of special initiative, "Licensed Operator Requalification Program Evaluation" insp being performed at operating reactors.Insp scheduled for requalification cycle beginning 931101.
PEEBLES,T.A. Region 2 (Post 820201). 93/08/06. MCCOY,C.K. Georgia Power Co. 3pp. 76291:339-76291:341.

Y. Dry Cask Independent Spent Fuel Storage Installations

9308300291 Requests registration as user of model 14/190H cask.
MCCOY,C.K. Georgia Power Co. 93/08/23. Office of Nuclear Material Safety & Safeguards. 1p. 76296:354-76296:354.

DOCKET 50-425 ALVIN W. VOGTLE NUCLEAR PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9308030180 Forwards encl 8 to SECY 93-166 which describes proposed characteristics of design basis vehicle.Characteristics being provided to licensees in advance to facilitate more detailed comments on proposed rule.W/o encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 93/07/15. WOODARD,J.D. Georgia Power Co. 4pp. 75948:358-75950:335.

9308040216 Submits safeguards event log for second quarter of 1993.Log reviewed & determined not to contain safeguards info & can be placed in PDR.
MCCOY,C.K. Georgia Power Co. 93/07/24. Document Control Branch (Document Control Desk). 7pp. 75997:267-75997:274.

G. Adjudicatory correspondence

9308160169 Informs of change in address & firm name as stated.
DOMBY,A.H. Georgia Power Co. #393 14192. 93/06/23. CHILK,S.J. Office of the Secretary of the Commission. 1p. 76088:117-76088:117.

9308110260 Denies util request for access to all of individual oral & written statements to NRC which are relevant to SONOPCO & diesel generator issues.Info will be made available consistent w/NRC practice in enforcement proceedings.
BARTH,C.A. NRC - No Detailed Affiliation Given. 93/07/21. LAMBERSKI,J. Troutman-Sanders (formerly Troutman, Sanders, Lockerman & Ashmore). LAMBERSKI,J. Georgia Power Co. 3pp. 76064:237-76064:239.

9308090014 Intervenor motion to compel production of affidavits in possession of util.* Requests Board to compel util to produce signed affidavits of J Aufdenkampe,T Webb, J Stringfellow & H Hairston.W/Certificate of Svc.
KOHN,M.D. Affiliation Not Assigned. KOHN,M.D. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). #393 14145. 93/07/23. Atomic Safety & Licensing Board Panel. 10pp. 76021:001-76021:010.

9308090052 GPC second set of interrogatories & request for documents to AL Mosbaugh. * W/Certificate of Svc.Related correspondence.
LAMBERSKI,J. Georgia Power Co. LAMBERSKI,J. Troutman-Sanders (formerly Troutman, Sanders, Lockerman & Ashmore). #393 14148. 93/07/26. MOSBAUGH,A.L. Affiliation Not Assigned. 32pp. 76021:053-76021:084.

9308090105 Forwards twenty-five pages of util second set of interrogatories & request for documents to AL Mosbaugh which may have been inadvertently omitted from recipients copy of document W/Svc list.Related correspondence.
LAMBERSKI,J. Troutman-Sanders (formerly Troutman, Sanders, Lockerman & Ashmore). LAMBERSKI,J. Georgia Power Co. #393 14161. 93/07/27. BLOCH,P.B., CARPENTER,J.H., MURPHY,T.D. Atomic Safety & Licensing Board Panel. 3pp. 76021:129-76021:131.

9308090154 Confirms Reis statement at 930727 meeting to discuss discovery in proceeding CL-93-15.Related correspondence.
BARTH,C.A. Office of the General Counsel (Post 860701). #393 14156. 93/07/28. KOHN,M.D. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). KOHN,M.D. Georgia Power Co. 1p. 76021:153-76021:153.

9308090161 Confirms 930727 telcon to inform that counsel for util & NRC Staff met to negotiate differences re discovery.
BARTH,C.A. Office of the General Counsel (Post 860701). #393 14155. 93/07/28. BLOCH,P.B. Atomic Safety & Licensing Board Panel. 1p. 76021:154-76021:154.

9308110101 Clarifies ambiguity which may have been caused by use of word "allowed" in item 5 of page 6 of intervenors motion to compel production of affidavits in possession of util.W/ Certificate of Svc.Related correspondence.
KOHN,S.M. Georgia Power Co. KOHN,S.M. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). #393 14184. 93/07/30. BLAKE,E.L. Shaw, Pittman, Potts & Trowbridge. LAMBERSKI,J. Troutman-Sanders (formerly Troutman, Sanders, Lockerman & Ashmore). 3pp. 76056:269-76056:271.

9308110074 Georgia Power Co response to intervenor motion to compel production of affidavits.* Licensee respectfully requests that Board deny intervenor motion to compel production of affidavits.W/Certificate of Svc & Svc list.
LAMBERSKI,J. Georgia Power Co. LAMBERSKI,J. Troutman-Sanders (formerly Troutman, Sanders, Lockerman & Ashmore). #393 14178. 93/08/02. Atomic Safety & Licensing Board Panel. 29pp. 76056:205-76056:233.

9308110097 Requests copies of written presentation by util to US Attorney ofc in Atlanta,GA setting forth position re LER 90-06.Related Correspondence.
BARTH,C.A. Office of the General Counsel (Post 860701). #393 14173. 93/08/02. LAMBERSKI,J. Troutman-Sanders (formerly Troutman, Sanders, Lockerman & Ashmore). 1p. 76056:264-76056:264.

9308110081 Requests that recipient immediately identify & forward copies of every document presented,shown or otherwise relied upon during discussions w/util had w/US atty ofc.Related correspondence.
KOHN,M.D. Georgia Power Co. KOHN,M.D. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). #393 14187. 93/08/05. LAMBERSKI,J. Troutman-Sanders (formerly Troutman, Sanders, Lockerman & Ashmore). 1p. 76056:243-76056:243.

9308110098 NRC Staff rept on outstanding discovery matters.* W/ Certificate of Svc. YOUNG,M.A. Office of the General Counsel (Post 860701). #393 14190. 93/08/09. 4pp. 76056:265-76056:268.

9308110103 NRC Staff response to motion to compel answers to intervenor first discovery requests.* Motion to compel discovery from NRC should be denied.W/Certificate of Svc & notice of appearance. YOUNG,M.A. Office of the General Counsel (Post 860701). #393 14191. 93/08/09. Atomic Safety & Licensing Board Panel. 16pp. 76056:299-76056:314.

9308160149 Intervenor rept on status of discovery.* Requests that Board issue order requiring release of transcripts reviewed &/or signed by interviewees.W/Certificate of Svc. KOHN,M.D. Georgia Power Co. KOHN,M.D. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). #393 14195. 93/08/09. 7pp. 76088:059-76088:065.

9308160151 GPC response to NRC Staff first set of interrogatories.* W/Certificate of Svc.Related correspondence. LAMBERSKI,J. Georgia Power Co. LAMBERSKI,J. TroutmanSanders (formerly Troutman, Sanders, Lockerman & Ashmore). #393 14196. 93/08/09. Office of the General Counsel (Post 860701). 23pp. 76088:066-76088:090.

9308160187 GPC motion to compel NRC Staff production of documents.* NRC production of tapes & documents should be compelled.W/ Certificate of Svc & svc list. LAMBERSKI,J. Georgia Power Co. LAMBERSKI,J. TroutmanSanders (formerly Troutman, Sanders, Lockerman & Ashmore). #393 14197. 93/08/09. Atomic Safety & Licensing Board Panel. 36pp. 76088:141-76088:225.

9308250054 Memorandum & order (clarification of scope of discovery).* Scope of discovery in phase I shall be limited to scope of admitted contention but shall extend to all bases advanced by AL Mosbaugh.W/Certificate of Svc.Served on 930813. CARPENTER,J.H., MURPHY,T.D., BLOCH,P.B. Atomic Safety & Licensing Board Panel. #393 14209. 93/08/12. Affiliation Not Assigned. 6pp. 76189:283-76189:288.

9308250049 Intervenor response to second set of interrogatories of Georgia Power Co.* W/Certificate of Svc.Related correspondence. KOHN,M.D. Affiliation Not Assigned. KOHN,M.D. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). #393 14210. 93/08/13. Georgia Power Co. 48pp. 76189:235-76189:282.

9308250263 Errata to intervenor response to second set of interrogatories of Georgia Power Co.* W/Certificate of Svc. Related correspondence. KOHN,M.D. Affiliation Not Assigned. KOHN,M.D. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). #393 14225. 93/08/13. Georgia Power Co. 3pp. 76189:353-76189:355.

9308250159 Memorandum & order CLI-93-16.* Denies licensee appeal & Board order in LBP-93-5 admitting AL Mosbaugh as party & admitting consolidated contention is affirmed.Served on 930819.W/Certificate of Svc. CHILK,S.J. Office of the Secretary of the Commission. #393 14229. 93/08/19. Georgia Power Co. 32pp. 76190:051-76190:082.

H. General correspondence

9308020029 Comment on proposed rules 10CFR170 & 171, "FY91 & 92 Proposed Rule Implementing US Court of Appeals Decision & Rev of Fee Schedules;100% Fee Recovery,FY93." Opposes rule. MCCOY,C.K. Georgia Power Co. 93/07/16. CHILK,S.J. Office of the Secretary of the Commission. 2pp. 75921:036-75921:037.

9308310009 Comments on Regulatory Review Group rept which appeared in 930518 FR.Util in agreement w/NUMARC comments to be provided to NRC. MCCOY,C.K. Georgia Power Co. 93/07/29. CHILK,S.J. Office of the Secretary of the Commission. 2pp. 76278:092-76278:093.

P. Operating license stage documents & correspondence

9308110264 Requests addl info re emergency action levels & discrepancies due to proposed EALs appearing to depart from NUMARC/NESP-007. HOOD,D.S. Project Directorate II-3. 93/07/21. MCCOY,C.K. Georgia Power Co. 10pp. 76074:327-76074:336.

9308120331 Notices of 930831 meeting w/utl in Rockville,MD to discuss util plans to run underground,nonsafety-related electrical line from Plant Wilson to plant. HOOD,D.S. Project Directorate II-3. 93/07/22. MATTHEWS,D.B. Project Directorate II-3. 4pp. 76085:285-76085:288.

9308030133 Forwards proprietary & non-proprietary drawings in response to 930610 RAI re Rev 2 to WCAP-13376, "Bypass Test Instrumentation for Vogtle Electric Generating Plant..." w/respect to 930301 LAR.Proprietary drawings withheld. MCCOY,C.K. Georgia Power Co. 93/07/26. Document Control Branch (Document Control Desk). 8pp. 76027:154-76027:170.

-9308030150 Requests withholding of proprietary drawing 4D33747,Rev 2, of 7300 BOP bypass test instrumentation panel,per 10CFR2.790.W/one oversize drawing. LIPARULO,N.J. Westinghouse Electric Corp. 93/07/21. MURLEY,T. Document Control Branch (Document Control Desk). 9pp. 76027:162-76027:170.

9308040268 Forwards rev to TS change re feedwater isolation systems suggested by NRC during 930701 telcon. MCCOY,C.K. Georgia Power Co. 93/07/27. Document Control Branch (Document Control Desk). 2pp. 76010:357-76010:359.

-9308040271 Rev to proposed tech specs re feedwater isolation systems. * Georgia Power Co. 93/07/27. 1p. 76010:359-76010:359.

9308050106 Requests that radiochemical analyses of liquid samples spiked w/beta emitting radionuclides recently forwarded to facility be completed as soon as possible. CLINE,W.E. Region 2 (Post 820201). 93/07/28. MCCOY,C.K. Georgia Power Co. 3pp. 75972:184-75972:186.

9308250142 Confirms arrangements made between S Chestnut & PH Skinner re 930827 mgt meeting in Atlanta,GA to discuss operational activities & recent changes to plant organization. MERSCHOFF,E.W. Region 2 (Post 820201). 93/08/02. WOODARD,J.D. Georgia Power Co. 4pp. 76188:279-76188:282.

9308270214 Notification of 930827 meeting w/utl in Atlanta,GA to discuss recent changes to plant mgt. SKINNER,P.H. Region 2 (Post 820201). 93/08/02. Region 2 (Post 820201). 2pp. 76266:359-76266:360.

9308090214 Summarizes compensatory actions taken in response to Generic Ltr 93-04, "Rod Control Sys Failure & Withdrawal of RCCAs." MCCOY,C.K. Georgia Power Co. 93/08/03. Document Control Branch (Document Control Desk). 4pp. 76037:332-76037:335.

9308100153 Forwards notice of consideration of issuance of amends to licenses NPF-68 & NPF-81 & proposed NSHC determination & opportunity for hearing.Amend re rev to TS 3/4.3.3 & 3/4.3.2 to relax surveillance test intervals & AOT for ESFAS. HOOD,D.S. Project Directorate II-3. 93/08/03. MCCOY,C.K. Georgia Power Co. 3pp. 76027:340-76027:354.

-9308100166 Notice of consideration of issuance of amend to licenses NPF-68 & NPF-81 & proposed NSHC determination & opportunity for hearing.Amend revises TS 3/4.3.3 & 3/4.3.2 & associated bases. HOOD,D.S. Project Directorate II-3. 93/08/03. 12pp. 76027:343-76027:354.

9308110254 Clarifies that proprietary drawings submitted by GPC in ltr dtd 930726 should be withheld. LIPARULO,N.J. Westinghouse Electric Corp. 93/08/03. MURLEY,T. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 76076:351-76076:351.

9308110226 Informs that addl sentence included w/utl 930122 proposed amend to TS for load sequencer should be added as footnote applicable to Table 3.3-2 functional units 1.b.6.d & 8 instead of change to Action statements,per NRC 930607 RAI. MCCOY,C.K. Georgia Power Co. 93/08/06. Document Control Branch (Document Control Desk). 7pp. 76077:285-76077:300.

-9308110232 Proposed tech specs,reflecting addition of footnote applicable to Table 3.3-2 functional units 1.b.6.d & 8. * Georgia Power Co. 93/08/06. 9pp. 76077:292-76077:300.

9308100267 Board notification 93-020:responses to stated senate committee requests for info re one-party taping of NRC licensee employee conversations encl. VARGA,S.A. Division of Reactor Projects - I/II (Post 870411). 93/08/10. THE CHAIRMAN, SELIN, ROGERS Commissioners (Post 750119). 5pp. 76152:001-76152:017.

9308310102 Notification of 930908-09 meeting w/utl in Rockville,MD to discuss status of current licensing issues & safety initiatives for plants. HOOD,D.S. Project Directorate II-3. 93/08/24. MATTHEWS,D.B. Project Directorate II-3. 6pp. 76274:204-76274:209.

Q. Inspection reports, IE Bulletins & correspondence

9308060151 Ack receipt of 930603 ltr informing NRC of steps taken to correct violations noted in insp repts 50-424/93-09 & 50-425/93-09 on 930517. HERDT,A.R. Region 2 (Post 820201). 93/06/22. HAIRSTON,W.G. Georgia Power Co. 3pp. 75993:348-75993:350.

9308060161 Ack receipt of 930616 ltr informing NRC of steps taken to correct violations noted in insp repts 50-424/93-07 & 50-425/93-07 on 930525.Based on 930629 telcon,understand that implementing C/As will be completed by 930901. HERDT,A.R. Region 2 (Post 820201). 93/07/01. WOODARD,J.D. Georgia Power Co. 3pp. 75994:065-75994:067.

9308060137 Forwards insp repts 50-424/93-15 & 50-425/93-15 on 930614-18.No violations or deviations noted. CLINE,W.E. Region 2 (Post 820201). 93/07/12. WOODARD,J.D. Georgia Power Co. 3pp. 75993:326-75993:340.

-9308060144 Insp repts 50-424/93-15 & 50-425/93-15 on 930614-18.No violations or deviations noted.Major areas inspected: occupational radiation safety & included exam of organization & staffing. PARKER,B.A., FORBES,D.B., RANKIN,W.H. Region 2 (Post 820201). 93/07/12. 12pp. 75993:329-75993:340.

9308050049 Forwards insp repts 50-424/93-14 & 50-425/93-14 on 930530- 0626.Violations noted.Major areas inspected:plant operations, surveillance,maint & followup of open items. HERDT,A.R. Region 2 (Post 820201). 93/07/14. MCCOY,C.K. Georgia Power Co. 3pp. 75971:342-75971:355.

-9308050054 Insp repts 50-424/93-14 & 50-425/93-14 on 930530-0626. Violations noted.Major areas inspected:plant operations, surveillance,maint & followup of open items. BONSER,B.R., STARKEY,R.D., BALMAIN,P.A. Region 2 (Post 820201). 93/07/14. 11pp. 75971:345-75971:355.

9307190043 NRC Info Notice 93-057, "Software Problems Involving Digital Control Console Sys at Non-Power Reactors." GRIMES,B.K. Division of Operating Reactor Support (Post 921004). 93/07/23. Consolidated Edison Co. of New York, Inc. 9pp. 76111:200-76111:208.

9308060222 Forwards insp repts 50-424/93-11 & 50-425/93-11 on 930510- 0611 & notice of violation.Concerned because of large number of failures in similar non-class 1E transformers. JULIAN,C.A. Region 2 (Post 820201). 93/07/23. MCCOY,C.K. Georgia Power Co. 4pp. 75994:229-75994:274.

-9308060225 Notice of violation from insp on 930510-0611.Violation noted:licensee design control measures did not assure accuracy of design calculation,equipment qualifications & FSAR design info. * Region 2 (Post 820201). 93/07/23. 3pp. 75994:233-75994:235.

-9308060231 Insp repts 50-424/93-11 & 50-425/93-11 on 930510-0611. Violations noted.Major areas inspected:capacity of EDS to perform intended functions & adequacy of engineering & technical support provided to maintain EDS operability. GIRARD,E., JULIAN,C. Region 2 (Post 820201). 93/07/21. 39pp. 75994:236-75994:274.

138 DOCKETED ITEMS

9308190015 Ack receipt of 930603 response to NRC Bulletin 93-002, "Debris Plugging of Emergency Core Cooling Suction Strainers." Util actions considered complete. HOOD,D.S. Project Directorate II-3. 93/08/02. MCCOY,C.K. Georgia Power Co. 2pp. 76151:357-76151:358.

9308270226 Advises of special initiative, "Licensed Operator Requalification Program Evaluation" insp being performed at operating reactors.Insp scheduled for requalification cycle beginning 931101. PEEBLES,T.A. Region 2 (Post 820201). 93/08/06. MCCOY,C.K. Georgia Power Co. 3pp. 76291:339-76291:341.

9308260028 Responds to violations noted in Insp Repts 50-424/93-11 & 50-425/93-11 on 930510-0611. Corrective actions: audit conducted & determined that existing procedures & design criteria adequate. Project engineers will also be counseled. MCCOY,C.K. Georgia Power Co. 93/08/19. Document Control Branch (Document Control Desk). 12pp. 76236:321-76236:332.

R. Periodic operating reports & related correspondence

9308170228 Monthly operating repts for Jul 1993 for Vogtle Electric Generating Plant, units 1 & 2 W/930811 ltr. HOOPER,G.L., MCCOY,C.K. Georgia Power Co. 93/07/31. 13pp. 76136:347-76136:359.

9308200024 Forwards Fitness for Duty Performance Data for Jan-June 1993 per 10CFR26.71(d). MCCOY,C.K. Georgia Power Co. 93/08/16. Document Control Branch (Document Control Desk). 4pp. 76209:340-76209:343.

S. Reportable occurrences, LERs & related correspondence

9308190138 Summary of operating reactors events meeting 93-17 on 930512. CHAFFEE,A.E. Events Assessment Branch. 93/05/18. GRIMES,B.K. Division of Operating Reactor Support (Post 921004). 26pp. 76153:034-76153:059.

T. Hearing transcripts on non-antitrust matters

9308250049 Intervenor response to second set of interrogatories of Georgia Power Co. W/Certificate of Svc. Related correspondence. KOHN,M.D. Affiliation Not Assigned. #393 14210. 93/08/13. Georgia Power Co. 48pp. 76189:235-76189:282.

V. Operator Examinations

9308270226 Advises of special initiative, "Licensed Operator Requalification Program Evaluation" insp being performed at operating reactors.Insp scheduled for requalification cycle beginning 931101. PEEBLES,T.A. Region 2 (Post 820201). 93/08/06. MCCOY,C.K. Georgia Power Co. 3pp. 76291:339-76291:341.

Y. Dry Cask Independent Spent Fuel Storage Installations

9308300291 Requests registration as user of model 14/190H cask. MCCOY,C.K. Georgia Power Co. 93/08/23. Office of Nuclear Material Safety & Safeguards. 1p. 76296:354-76296:354.

DOCKET STN-50-437 FLOATING NUCLEAR PLANT

Q. Inspection reports, IE Bulletins & correspondence

9307190043 NRC Info Notice 93-057, "Software Problems Involving Digital Control Console Sys at Non-Power Reactors." GRIMES,B.K. Division of Operating Reactor Support (Post 921004). 93/07/23. Consolidated Edison Co. of New York, Inc. 9pp. 76111:200-76111:208.

DOCKET 50-438 BELLEFONTE NUCLEAR PLANT, UNIT 1

A. Application/construction stage documents & correspondence

9308190300 Notifies NRC of plans to resume unrestricted completion activities at BLN 120 days from date of ltr. KINGSLEY,O.D. Tennessee Valley Authority. 93/03/23. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 36pp. 76158:259-76158:294.

9308020274 Informs that State of AL Emergency Mgt Agency would like to be included in list of offsite organizations receiving future minutes of meetings re facility. BOWDEN,R.L. Alabama, State of. 93/07/20. THADANI,M.C. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 1p. 75954:205-75954:205.

9308250149 Forwards changes to TVA nuclear QA plan, rev 3. Changes in regard to organizational & functional realignments. Changes will also be submitted in TVA annual update of nuclear QA plan. SCHOFIELD,B.S. Tennessee Valley Authority. 93/08/20. Document Control Branch (Document Control Desk). 6pp. 76218:327-76218:332.

F. Security, medical, emergency & fire protection plans

9308050237 Forwards encl 8 to SECY 93-166 which describes proposed characteristics of design basis vehicle. W/o encl. PARTLOW,J.G. Associate Director for Projects (Post 870411). 93/07/15. MEDFORD,M.O. Tennessee Valley Authority. 3pp. 75990:307-75990:309.

H. General correspondence

9308040238 Responds to 930406 ltr to Chairman I Selin re opposition to completion of Bellefonte facility & submits reasons of opposition. HEBDON,F.J. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 93/05/21. ROBINSON,M.G. Affiliation Not Assigned. 2pp. 75986:331-75986:334.

-9308040242 Informs of opposition to completion of Bellefonte facility. ROBINSON,M.G. Affiliation Not Assigned. 93/04/06. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 2pp. 75986:333-75986:334.

Q. Inspection reports, IE Bulletins & correspondence

9308060133 Forwards insp repts 50-438/93-02 & 50-439/93-02 on 930601- 11. Non-cited violation noted for failure to implement trend rept requirements sys in wet layup. CRLINJAK,R.V. Region 2 (Post 820201). 93/07/09. MEDFORD,M.O. Tennessee Valley Authority. 4pp. 75994:001-75994:040.

-9308060142 Insp repts 50-438/93-02 & 50-439/93-02 on 930709. Non-cited violation noted for failure to implement trend rept requirements sys in wet layup. CRLINJAK,R.V. Region 2 (Post 820201). 93/07/09. MEDFORD,M.O. Tennessee Valley Authority. 4pp. 75994:001-75994:040.

9307190043 NRC Info Notice 93-057, "Software Problems Involving Digital Control Console Sys at Non-Power Reactors." GRIMES,B.K. Division of Operating Reactor Support (Post 921004). 93/07/23. Consolidated Edison Co. of New York, Inc. 9pp. 76111:200-76111:208.

R. Periodic operating reports & related correspondence

9308190160 Forwards TVA fitness for duty program performance data for Jan-June 1993, containing trends & mgt initiatives & breakdown by process stage for specimens for which administrative action taken. SCHOFIELD,B.S. Tennessee Valley Authority. 93/08/16. Document Control Branch (Document Control Desk). 22pp. 76162:029-76162:050.

S. Reportable occurrences, LERs & related correspondence

9308030372 Potential Part 21 rept re Limitorque actuator motors. Utilis & other purchases listed in encl being advised of concern. Limitorque revising selection procedure for safety related actuators, motors & technical data packages. TAYLOR,J.H. Babcock & Wilcox Co. 93/07/22. Document Control Branch (Document Control Desk). 8pp. 75976:349-75976:356.

DOCKET 50-439 BELLEFONTE NUCLEAR PLANT, UNIT 2

A. Application/construction stage documents & correspondence

9308190300 Notifies NRC of plans to resume unrestricted completion activities at BLN 120 days from date of ltr. KINGSLEY,O.D. Tennessee Valley Authority. 93/03/23. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 36pp. 76158:259-76158:294.

9308020274 Informs that State of AL Emergency Mgt Agency would like to be included in list of offsite organizations receiving future minutes of meetings re facility. BOWDEN,R.L. Alabama, State of. 93/07/20. THADANI,M.C. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 1p. 75954:205-75954:205.

9308250149 Forwards changes to TVA nuclear QA plan, rev 3. Changes in regard to organizational & functional realignments. Changes will also be submitted in TVA annual update of nuclear QA plan. SCHOFIELD,B.S. Tennessee Valley Authority. 93/08/20. Document Control Branch (Document Control Desk). 6pp. 76218:327-76218:332.

F. Security, medical, emergency & fire protection plans

9308050237 Forwards encl 8 to SECY 93-166 which describes proposed characteristics of design basis vehicle. W/o encl. PARTLOW,J.G. Associate Director for Projects (Post 870411). 93/07/15. MEDFORD,M.O. Tennessee Valley Authority. 3pp. 75990:307-75990:309.

H. General correspondence

9308040238 Responds to 930406 ltr to Chairman I Selin re opposition to completion of Bellefonte facility & submits reasons of opposition. HEBDON,F.J. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 93/05/21. ROBINSON,M.G. Affiliation Not Assigned. 2pp. 75986:331-75986:334.

-9308040242 Informs of opposition to completion of Bellefonte facility. ROBINSON,M.G. Affiliation Not Assigned. 93/04/06. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 2pp. 75986:333-75986:334.

Q. Inspection reports, IE Bulletins & correspondence

9308060133 Forwards insp repts 50-438/93-02 & 50-439/93-02 on 930601- 11. Non-cited violation noted for failure to implement trend rept requirements sys in wet layup. CRLINJAK,R.V. Region 2 (Post 820201). 93/07/09. MEDFORD,M.O. Tennessee Valley Authority. 4pp. 75994:001-75994:040.

9308060142 Insp repts 50-438/93-02 & 50-439/93-02 on 930709. Non-cited violation noted. Major areas inspected: plant readiness for restart of const/completion activities in response to util submittal dtd 930323.
LITTLE, W.S., FREDRICKSON, P. Region 2 (Post 820201). 93/07/09. 36pp. 75994:005-75994:040.

9307190043 NRC Info Notice 93-057, "Software Problems Involving Digital Control Console Sys at Non-Power Reactors."
GRIMES, B.K. Division of Operating Reactor Support (Post 921004). 93/07/23. Consolidated Edison Co. of New York, Inc. 9pp. 76111:200-76111:208.

R. Periodic operating reports & related correspondence

9308190160 Forwards TVA fitness for duty program performance data for Jan-June 1993, containing trends & mgt initiatives & breakdown by process stage for specimens for which administrative action taken.
SCHOFIELD, B.S. Tennessee Valley Authority. 93/08/16. Document Control Branch (Document Control Desk). 22pp. 76162:029-76162:050.

S. Reportable occurrences, LERs & related correspondence

9308030372 Potential Part 21 rept re Limitorque actuator motors. Utilis & other purchases listed in encl being advised of concern. Limitorque revising selection procedure for safety related actuators, motors & technical data packages.
TAYLOR, J.H. Babcock & Wilcox Co. 93/07/22. Document Control Branch (Document Control Desk). 8pp. 75976:349-75976:355.

DOCKET 50-440 PERRY NUCLEAR POWER PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9308040071 Forwards encl 8 to SECY-93-166 which describes proposed characteristics of design basis vehicle. Characteristics being provided to licensees in advance to facilitate more detailed comments on proposed rule W/o encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 93/07/15. STRATMAN, R.A. Centenor Service Co. 3pp. 75979:105-75979:107.

9308030417 Forwards suppl rev to emergency plan to incorporate EALs developed per NUMARC/NESP-007 Rev 2, "Methodology for Development of EALs," dtd Jan 1992.
STRATMAN, R.A. Centenor Energy. 93/07/28. Document Control Branch (Document Control Desk). 2pp. 75979:198-75979:278.

9308030418 Suppl to Rev 11 to emergency plan, incorporating EALs developed per NUMARC/NESP-007 Rev 2, dtd Jan 1992.
* Centenor Energy. 93/07/28. 79pp. 75979:200-75979:278.

9308110326 Responds to NRC 930623 ltr re violations & open & unresolved items noted in Insp Rept 50-440/93-07 on 930510-21. Corrective actions: EOP Improvement Program initiated to assess, revise & implement revs to EOP program.
STRATMAN, R.A. Centenor Energy. 93/08/06. Document Control Branch (Document Control Desk). 8pp. 76075:353-76075:360.

9308250222 Temporary change 2 to EPIP EPI-C4 pages ii, 1, 2, 2a, 4, 5, 7, 8, 20 & 21, to "Development & Rev of Perry Plant Emergency Action Levels."
MITCHELL, G.J. Centenor Energy. 93/08/10. 18pp. 76223:317-76223:334.

9308190036 Ack receipt of 930806 ltr informing NRC of steps taken to correct violations noted in insp rept 50-440/93-07.
MARTIN, T.O. Region 3 (Post 820201). 93/08/13. STRATMAN, R.A. Centenor Energy. 2pp. 76160:331-76160:332.

G. Adjudicatory correspondence

9308260030 Order. * Extending time within which Commission may act to take review of Directors Decision DD-93-05 dtd 930328 until 930922. W/Certificate of Svc. Served on 930823.
CHILK, S.J. Office of the Secretary of the Commission. #393 14236. 93/08/23. Office of the General Counsel (Post 860701). 2pp. 76202:092-76202:093.

M. Antitrust correspondence

9308110131 Memorandum. * Informs parties that time provided by Commission regulations to act on pending petitions for review of Board Order LBP-92-32 expired. Petitions, therefore, deemed denied. W/Certificate of Svc. Served on 930804.
CHILK, S.J. Office of the Secretary of the Commission. #393 14182. 93/08/04. 3pp. 76058:075-76058:077.

P. Operating license stage documents & correspondence

9308130028 Summary of 930630 licensee counterparts meeting at util corporate ofc re dry cask storage of spent fuel, SALP & other listed topics.
HANNON, J.N. Project Directorate III-3. 93/07/22. Project Directorate III-3. 200pp. 76133:001-76133:202.

9308090221 Forwards Temporary Change 4 to Rev 1 of PDB-F0001, "COLR for Perry Nuclear Power Plant, Unit 1 Cycle 4 (Reload 3)." Change incorporates TS Amend 48, which transfers simulated thermal power time constant from TS to COLR.
STRATMAN, R.A. Centenor Energy. 93/08/03. Document Control Branch (Document Control Desk). 1p. 76061:238-76061:265.

9308090222 Temporary Change 4 to Rev 1 of "COLR for Perry Nuclear Power Plant, Unit 1 Cycle 4 (Reload 3)." RINCKEL, J.M. Centenor Energy. 93/07/09. 27pp. 76061:239-76061:265.

9308200073 Forwards corrected TS page 6-21 to amend 49 to license NPF-58 re changes to submittal frequency for radioactive effluent release rept from semiannually to annually. W/o encl.
STRANSKY, R.J. Project Directorate III-3. 93/08/03. STRATMAN, R.A. Centenor Service Co. 4pp. 76164:270-76164:273.

9308200085 Forwards supplemental SE for topical rept HGN-112-NP, "Generic Hydrogen Control Info for BWR/6 Mark III Containments."
STRANSKY, R.J. Project Directorate III-3. 93/08/04. STRATMAN, R.A. Centenor Service Co. 4pp. 76164:274-76164:280.

9308200087 Supplemental SE for topical rept HGN-112-NP, "Generic Hydrogen Control Info for BWR/6 Mark III Containments." Hydrogen Control Owners Group change requests consistent w/ 10CFR50.44 & acceptable.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 93/08/04. 3pp. 76164:278-76164:280.

9308270017 Forwards amend 50 to license NPF-58 & safety evaluation. Amend revises TS 3.3.2-1 to clarify logic for instrumentation used to isolate HPCS test return valve.
STRANSKY, R.J. Project Directorate III-3. 93/08/11. STRATMAN, R.A. Cleveland Electric Illuminating Co. 3pp. 76220:105-76220:121.

9308270019 Amend 50 to license NPF-58, clarifying logic for instrumentation used to isolate HPCS test return valve.
STRANSKY, R.J. Project Directorate III-3. 93/08/11. 11pp. 76220:108-76220:118.

9308270022 Safety evaluation supporting amend 50 to license NPF-58.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 93/08/11. 3pp. 76220:119-76220:121.

9308230142 Forwards unsatisfactory blind performance test result investigative summary, including details of incident & corrective actions taken by util. Test performed by CPF MetPath Lab.
STRATMAN, R.A. Centenor Energy. 93/08/16. Document Control Branch (Document Control Desk). 3pp. 76213:180-76213:182.

9308310232 Discusses plant drywell temp conditions & activation energy for Brand-Rex cable. NRC reviewed info provided & found approach acceptable.
STRANSKY, R.J. Project Directorate III-3. 93/08/16. STRATMAN, R.A. Centenor Service Co. 5pp. 76274:290-76274:294.

9308250099 Notification of 930831 meeting w/ BWR-6 Owners Group in Rockville, MD to discuss pending amend submittals to adopt improved standardized TS.
BAKER, E.T. Project Directorate IV-2. 93/08/19. BLACK, S.C. Project Directorate IV-2. 6pp. 76201:149-76201:154.

Q. Inspection reports, IE Bulletins & correspondence

9308250310 Ltr contract, awarding task order 6, to "Emergency Operating Procedure Insp - Perry."
MATTIA, M.L. Division of Contracts & Property Management (Post 890205). 93/05/12. COLINA, I. Science & Engineering Associates, Inc. 2pp. 76212:157-76212:158.

9308130028 Summary of 930630 licensee counterparts meeting at util corporate ofc re dry cask storage of spent fuel, SALP & other listed topics.
HANNON, J.N. Project Directorate III-3. 93/07/22. Project Directorate III-3. 200pp. 76133:001-76133:202.

9307190043 NRC Info Notice 93-057, "Software Problems Involving Digital Control Console Sys at Non-Power Reactors."
GRIMES, B.K. Division of Operating Reactor Support (Post 921004). 93/07/23. Consolidated Edison Co. of New York, Inc. 9pp. 76111:200-76111:208.

9308030314 Forwards Enforcement Conference Rept 50-440/93-15 on 930720.
GREENMAN, E.G. Region 3 (Post 820201). 93/07/26. STRATMAN, R.A. Centenor Energy. 2pp. 75976:217-75976:253.

9308030319 Enforcement Conference Rept 50-440/93-15 on 930720. Areas discussed: apparent violations involving failure to adequately identify & correct conditions in drywell, containment & suppression pool to preclude fouling.
LANKSBURY, R.D. Region 3 (Post 820201). 93/07/23. 33pp. 75976:219-75976:253.

9308040270 Forwards response to NRC Bulletin 93-003, "Resolution of Issues Related to RV Water Level Instrumentation in BWRs." Info also responds to NRC 930520 RAI re proposed C/As & implementation schedule required by GL 92-04.
STRATMAN, R.A. Centenor Energy. 93/07/30. Document Control Branch (Document Control Desk). 4pp. 75996:357-75996:360.

9308110326 Responds to NRC 930623 ltr re violations & open & unresolved items noted in Insp Rept 50-440/93-07 on 930510-21. Corrective actions: EOP Improvement Program initiated to assess, revise & implement revs to EOP program.
STRATMAN, R.A. Centenor Energy. 93/08/06. Document Control Branch (Document Control Desk). 8pp. 76075:353-76075:360.

9308190036 Ack receipt of 930806 ltr informing NRC of steps taken to correct violations noted in insp rept 50-440/93-07.
MARTIN, T.O. Region 3 (Post 820201). 93/08/13. STRATMAN, R.A. Centenor Energy. 2pp. 76160:331-76160:332.

9308250343 Submits addl info re RHR strainer fouling, per info presented at 930720 enforcement conference. Info further substantiates conclusion that inadequate attention to containment housekeeping & SP cleanliness conditions contributing cause.
STRATMAN, R.A. Centenor Energy. 93/08/16. Document Control Branch (Document Control Desk). 1p. 76219:044-76219:044.

9308310152 Forwards insp rept 50-440/93-14 on 930623-0730. Violations self-identified & will not be subj to EA.
GREGER, L.R. Region 3 (Post 820201). 93/08/20. STRATMAN, R.A. Centenor Energy. 3pp. 76264:196-76264:219.

9308310160 Insp rept 50-440/93-14 on 930623-0730. Violations noted but not cited. Major areas inspected: LER followup, surveillance observations, maint observations, operational safety verification & event followup.
LANKSBURY, R.D. Region 3 (Post 820201). 93/08/20. 20pp. 76264:199-76264:219.

R. Periodic operating reports & related correspondence

9308170201 Monthly operating rept for Jul 1993 for PNPP, unit 1, W/930813 ltr.
HEGRAT, H.L., STRATMAN, R.A. Centenor Energy. 93/07/31. 6pp. 76136:302-76136:307.

140 DOCKETED ITEMS

9308190356 "NPDES Discharge Monitoring Repts for Jul 1993 for Perry Nuclear Power Plant Units 1 & 2." W/930811 ltr. STRATMAN,R.A. Centenor Energy. 93/07/31. 5pp. 76169:337-76169:341.

S. Reportable occurrences, LERs & related correspondence

9308190138 Summary of operating reactors events meeting 93-17 on 930512. CHAFFEE,A.E. Events Assessment Branch. 93/05/18. GRIMES,B.K. Division of Operating Reactor Support (Post 921004). 26pp. 76153:034-76153:059.

9308120291 Summary of operating reactors events meeting 93-23 on 930623. CHAFFEE,A.E. Events Assessment Branch. 93/07/06. GRIMES,B.K. Division of Operating Reactor Support (Post 921004). 16pp. 76085:245-76085:260.

9308170345 Part 21 rept re reportable defect-75 PSIG relief check valve 1" NPT,EMD 9521844,Kepner 416C-1-75. GALEAZZI,D.D. MKW Power Systems, Inc. 93/07/15. Office of Nuclear Reactor Regulation, Director (Post 870411). 10pp. 76139:010-76139:019.

9308060201 LER 93-014-00: on 930703,TS 3.0,3 entered due to failure of RACS power supply.Replaced 5 volt power supply in RACS cabinet.W/930802 ltr. ROUTZAHN,L.K., STRATMAN,R.A. Centenor Energy. 93/08/02. 5pp. 76091:001-76091:005.

9308110168 LER 93-015-00: on 930709,unexpected RRP fast to slow speed shutdown occurred due to failure of both RRP suction temp RTD.Replaced & returned RTD to mtg for failure analysis. W/930806 ltr. LAMBACHER,A., STRATMAN,R.A. Centenor Energy. 93/08/06. 6pp. 76111:209-76111:214.

9308190108 LER 93-003-01: on 930113-14,LLRT of three MSL penetrations determined leaked in excess of TS.Caused by defective gaskets.Valves & flanges replaced & retested.W/930813 ltr. GASTON,R.W., STRATMAN,R.A. Centenor Energy. 93/08/13. 6pp. 76178:034-76178:039.

V. Operator Examinations

9308030272 Withdraws OL application of DL Mauck. STRATMAN,R.A. Centenor Energy. 93/07/26. Document Control Branch (Document Control Desk). 1p. 75996:098-75996:098.

9308030302 Informs of NRC plans to administer generic fundamentals exam section written operator licensing exam on 931006. RING,M.A. Region 3 (Post 820201). 93/07/28. Consumers Power Co. 3pp. 75983:358-75983:360.

Y. Dry Cask Independent Spent Fuel Storage Installations

9308130028 Summary of 930630 licensee counterparts meeting at util corporate ofc re dry cask storage of spent fuel,SALP & other listed topics. HANNON,J.N. Project Directorate III-3. 93/07/22. Project Directorate III-3. 200pp. 76133:001-76133:202.

DOCKET 50-441 PERRY NUCLEAR POWER PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9308030417 Forwards suppl rev to emergency plan to incorporate EALs developed per NUMARC/NESP-007,Rev 2, "Methodology for Development of EALs," dtd Jan 1992. STRATMAN,R.A. Centenor Energy. 93/07/28. Document Control Branch (Document Control Desk). 2pp. 75979:198-75979:278.

-9308030418 Suppl to Rev 11 to emergency plan,incorporating EALs developed per NUMARC/NESP-007,Rev 2,dtd Jan 1992. * Centenor Energy. 93/07/28. 79pp. 75979:200-75979:278.

9308250222 Temporary change 2 to EPIP EPI-C4 pages ii,1,2,2a,4,5,7,8, 20 & 21, to "Development & Rev of Perry Plant Emergency Action Levels." MITCHELL,G.J. Centenor Energy. 93/08/10. 18pp. 76223:317-76223:334.

Q. Inspection reports, IE Bulletins & correspondence

9308250310 Ltr contract,awarding task order 6,to "Emergency Operating Procedure Insp - Perry." MATTIA,M.L. Division of Contracts & Property Management (Post 890205). 93/05/12. COLINA,I. Science & Engineering Associates, Inc. 2pp. 76212:157-76212:158.

9307190043 NRC Info Notice 93-057. "Software Problems Involving Digital Control Console Sys at Non-Power Reactors." GRIMES,B.K. Division of Operating Reactor Support (Post 921004). 93/07/23. Consolidated Edison Co. of New York, Inc. 9pp. 76111:200-76111:208.

R. Periodic operating reports & related correspondence

9308190356 "NPDES Discharge Monitoring Repts for Jul 1993 for Perry Nuclear Power Plant Units 1 & 2." W/930811 ltr. STRATMAN,R.A. Centenor Energy. 93/07/31. 5pp. 76169:337-76169:341.

S. Reportable occurrences, LERs & related correspondence

9308190138 Summary of operating reactors events meeting 93-17 on 930512. CHAFFEE,A.E. Events Assessment Branch. 93/05/18. GRIMES,B.K. Division of Operating Reactor Support (Post 921004). 26pp. 76153:034-76153:059.

9308170345 Part 21 rept re reportable defect-75 PSIG relief check valve 1" NPT,EMD 9521844,Kepner 416C-1-75. GALEAZZI,D.D. MKW Power Systems, Inc. 93/07/15. Office of Nuclear Reactor Regulation, Director (Post 870411). 10pp. 76139:010-76139:019.

DOCKET 50-443 SEABROOK NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9308110244 Forwards encl 8 to SECY 93-166 which describes proposed characteristics of design basis vehicle.Characteristics being provided to licensees in advance to facilitate more detailed comments on proposed rule.W/o encl. PARTLOW,J.G. Associate Director for Projects (Post 870411). 93/07/15. FEIGENBAUM,T.C. Public Service Co. of New Hampshire 3pp. 76063:348-76063:350.

9308100105 Forwards State of MA 930607 ltr notifying of completion of review of transfer of emergency planning responsibilities for radiological emergency preparedness for portion of facility emergency planning zone in MA. FEIGENBAUM,T.C. North Atlantic Energy Service Corp. (NAESCO). 93/07/23. Document Control Branch (Document Control Desk). 3pp. 76087:242-76087:244.

9308110109 Forwards Rev 67 to "Station Emergency Response (ER) Manual," including Rev 13 to ER 2.1,Rev 18 to ER 3.1 & Rev 14 to ER 3.2 & Rev 11 to "Seabrook Station REP. FEIGENBAUM,T.C. North Atlantic Energy Service Corp. (NAESCO). 93/08/10. Document Control Branch (Document Control Desk). 2pp. 76086:001-76086:088.

-9308110114 Rev 67 to "Station Emergency Response (ER) Manual," including Rev 13 to ER 2.1,Rev 18 to ER 3.1 & Rev 14 to ER 3.2. YOUNG,D.L., TAILLEART,D.R., DIPROFIO,W.A. North Atlantic Energy Service Corp. (NAESCO). 93/07/29. 47pp. 76086:003-76086:049.

-9308110115 Rev 11 to "Seabrook Station REP." YOUNG,D.L. North Atlantic Energy Service Corp. (NAESCO). 93/07/29. 39pp. 76086:050-76086:088.

9308170108 Forwards physical security insp rept 50-443/93-15 on 930726-30.No safety concerns or violations noted. JOYNER,J.H. Region 1 (Post 820201). 93/08/10. FEIGENBAUM,T.C. North Atlantic Energy Service Corp. (NAESCO). 5pp. 76109:004-76109:014.

-9308170114 Partially withheld physical security insp rept 50-443/93-15 on 930726-30 (ref 10CFR73.21).Major areas inspected:security program plans & audits & protected & vital area physical barriers. ALBERT,R.J., KEIMIG,R.R. Region 1 (Post 820201). 93/08/09. 6pp. 76109:009-76109:014.

H. General correspondence

9308050288 Forwards updated svc list re NDFC 93-1,Nuclear Decommissioning Finance Committee. KALINSKI,A.J. New Hampshire, State of. 93/07/23. MURLEY,T. Office of Nuclear Reactor Regulation, Director (Post 870411). 3pp. 76017:354-76017:356.

9308130091 Informs that in order to update mailing list,correction as indicated as listed. IVERSON,G.L. New Hampshire, State of. 93/07/26. DE AGAZIO,A.W. Project Directorate I-4. 1p. 76141:208-76141:208.

P. Operating license stage documents & correspondence

9308130157 Informs that YAEC-1849P,YAEC-1854P & YAEC-1856P will be withheld from public disclosure per 10CFR2.790. DUDLEY,N.F. Project Directorate I-4. 93/07/26. FEIGENBAUM,T.C. North Atlantic Energy Service Corp. (NAESCO). 4pp. 76094:291-76094:294.

9308170340 Informs that rept YAEC-1855P will be withheld from public disclosure,per 10CFR2.790 & licensee 921115 request. DUDLEY,N.F. Project Directorate I-4. 93/07/26. FEIGENBAUM,T.C. North Atlantic Energy Service Corp. (NAESCO). 4pp. 76140:019-76140:022.

9308170313 Forwards environ assessment & finding of no significant impact re 930514 application for license amend for plant. Proposed change would change name of licensee. DUDLEY,N.F. Project Directorate I-4. 93/07/28. FEIGENBAUM,T.C. North Atlantic Energy Service Corp. (NAESCO). 3pp. 76140:031-76140:036.

-9308170318 Environ assessment & finding of no significant impact re proposed amend to change name of licensee. STOLZ,J.F. Project Directorate I-4. 93/07/28. 3pp. 76140:034-76140:036.

9308100244 Provides response to second Part of Required Response 1.(b) of GL 93-04, "Rod Control Sys Failure & Withdrawal of Rod Control Cluster Assemblies." Summary of generic safety analysis program encl. DRAWBRIDGE,B.L. North Atlantic Energy Service Corp. (NAESCO). 93/08/05. Document Control Branch (Document Control Desk). 10pp. 76087:257-76087:266.

9308190318 Notification of significant licensee meeting 93-108 w/util on 930820 in King of Prussia,PA to discuss cost control & procedure adherence. ROGGE,J. Region 1 (Post 820201). 93/08/11. Region 1 (Post 820201). 3pp. 76169:310-76169:312.

9308250336 "Joint Public Notice NH-022-93 of Draft of NPDES Permit to Discharge Into Waters of US Under Sections 301 & 402 of Clean Water Act (The "Act"),as Amended,Request for State Certification Under Section 401 of The Act...." SCHMIDT,E.J. New Hampshire, State of. FIERRA,D.A. Environmental Protection Agency. 93/08/20. 100pp. 76261:001-76261:236.

9308310014 Forwards LAR 93-10 requesting exercise of enforcement discretion from requirement to perform channel check on narrow range RWST low-low level transmitters. FEIGENBAUM,T.C. North Atlantic Energy Service Corp. (NAESCO). 93/08/26. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 10pp. 76321:337-76321:360.

-9308310021 LAR requesting exercise of enforcement discretion from requirement to perform channel check on narrow range RWST low-low level transmitters. DELOACH,R.J. North Atlantic Energy Service Corp. (NAESCO). 93/08/26. 3pp. 76321:347-76321:350.

9308310027 Proposed tech specs requesting exercise of enforcement discretion from requirement to perform channel check on narrow range RWST low-low level transmitters.
* North Atlantic Energy Service Corp. (NAESCO). 93/08/26. 10pp. 76321:351-76321:360.

Q. Inspection reports, IE Bulletins & correspondence

9308250412 Ltr contract, awarding task order 82, "Electrical Distribution Sys Functional Insp - Seabrook."
SCOTT, M.L. Contract Administration Branch 1 (Post 900603). FIN L-1527-3. 93/04/16. HINK, A.D. AECL Technologies. 2pp. 76203:207-76203:208.

9308110047 Forwards insp rept 50-443/93-11 on 930607-11. No violations noted.
JOYNER, J.H. Region 1 (Post 820201). 93/07/14. FEIGENBAUM, T.C. Public Service Co. of New Hampshire. 6pp. 76039:272-76039:291.

9308110052 Insp rept 50-443/93-11 on 930607-11. No violations noted. Major areas inspected: ROR, maint radiation exposures ALARA, staffing, source control, overtime control, counting lab, whole body counting quality control & instrumentation.
ECKERT, L., PASCIAK, W. Region 1 (Post 820201). 93/07/12. 14pp. 76039:278-76039:291.

9307190043 NRC Info Notice 93-057, "Software Problems Involving Digital Control Console Sys at Non-Power Reactors."
GRIMES, B.K. Division of Operating Reactor Support (Post 921004). 93/07/23. Consolidated Edison Co. of New York, Inc. 9pp. 76111:200-76111:208.

9308040027 Forwards safety insp rept 50-443/93-09 on 930621-25. Program for design, implementation & closeout of plant changes effective.
DURR, J.P. Region 1 (Post 820201). 93/07/27. FEIGENBAUM, T.C. North Atlantic Energy Service Corp. (NAESCO). 4pp. 75949:136-75949:147.

9308040031 Insp rept 50-443/93-09 on 930621-25. No violations or deviations noted. Major areas inspected: program for design, implementation & closeout of plant mods.
TRAPP, J.M., DURR, J.P. Region 1 (Post 820201). 93/07/27. 8pp. 75949:140-75949:147.

9308170108 Forwards physical security insp rept 50-443/93-15 on 930726-30. No safety concerns or violations noted.
JOYNER, J.H. Region 1 (Post 820201). 93/08/10. FEIGENBAUM, T.C. North Atlantic Energy Service Corp. (NAESCO). 5pp. 76109:004-76109:014.

9308170114 Partially withheld physical security insp rept 50-443/93-15 on 930726-30 (ref 10CFR73.21). Major areas inspected: security program plans & audits & protected & vital area physical barriers.
ALBERT, R.J., KEIMIG, R.R. Region 1 (Post 820201). 93/08/09. 6pp. 76109:009-76109:014.

9308270234 Forwards Electrical Distribution Sys Functional Insp Rept 50-443/93-80 on 930426-0521 & notice of violation.
HODGES, M.W. Region 1 (Post 820201). 93/08/16. FEIGENBAUM, T.C. North Atlantic Energy Service Corp. (NAESCO). 5pp. 76262:258-76262:311.

9308270235 Notice of violation from insp on 930426-0521. Violation noted: no written SE performed for change to plant as described in FSAR in that, in Mar 1991, loss-of-charger output current computer alarm deleted w/o written SE.
* Region 1 (Post 820201). 93/08/16. 2pp. 76262:263-76262:264.

9308270237 Insp Rept 50-443/93-80 on 930426-0521. Violations noted. Major areas inspected: functionality of electrical distribution sys.
MATTHEW, R.K., RULAND, W.H. Region 1 (Post 820201). 93/08/19. 47pp. 76262:265-76262:311.

9308230231 Forwards Insp Rept 50-443/93-12 on 930622-23 & 0726-28 in response to intentions to seek new licenses for three operators whose licenses were previously terminated after problems identified w/auxiliary operator insp rounds.
HODGES, M.W. Region 1 (Post 820201). 93/08/17. FEIGENBAUM, T.C. North Atlantic Energy Service Corp. (NAESCO). 3pp. 76206:172-76206:184.

9308230236 Insp rept 50-443/93-12 on 930622-23 & 0726-28. No violations noted. Major areas inspected: adequacy of auxiliary operator remedial training program & modified operator requalification training program.
PRELL, J.A., BETTENHAUSEN, L. Region 1 (Post 820201). 93/08/12. 10pp. 76206:175-76206:184.

9308200035 Responds to NRC 930714 ltr re violations noted in Insp Rept 50-443/93-11. Corrective actions: improvements to radiological occurrence rept (ROR) program. C/A program recently revised. ROR Procedure RP 2.2 will also be revised.
FEIGENBAUM, T.C. North Atlantic Energy Service Corp. (NAESCO). 93/08/18. Document Control Branch (Document Control Desk). 6pp. 76190:274-76190:279.

R. Periodic operating reports & related correspondence

9308100116 Forwards "Semiannual Fitness for Duty Rept for Jan-June 1993," per 10CFR26.71(d).
FEIGENBAUM, T.C. North Atlantic Energy Service Corp. (NAESCO). 93/07/23. Document Control Branch (Document Control Desk). 1p. 76066:331-76066:344.

9308100120 "Semiannual Fitness for Duty Rept for Jan-June 1993."
* North Atlantic Energy Service Corp. (NAESCO). 93/06/30. 13pp. 76066:332-76066:344.

9308180112 Monthly operating rept for Jul 1993 for Seabrook Station, unit 1. W/930812 ltr.
NARDONE, P.E., FEIGENBAUM, T.C. North Atlantic Energy Service Corp. (NAESCO). 93/07/31. 5pp. 76155:332-76155:336.

S. Reportable occurrences, LERs & related correspondence

9308060380 Forwards Rev 1 of LER 93-008 re control air not being analyzed to function during seismic event, providing suppl info re previous occurrences of event, root cause determination & corrective actions.
FEIGENBAUM, T.C. North Atlantic Energy Service Corp. (NAESCO). 93/07/30. Document Control Branch (Document Control Desk). 2pp. 76063:102-76063:108.

9308060381 LER 93-008-01 on 930518, determined that control air not analyzed to function during seismic event due to lack of understanding significance of control air availability for long term DG operation UFSAR will be updated.
PESCHEL, J.M., North Atlantic Energy Service Corp. (NAESCO). 93/07/30. 5pp. 76063:104-76063:108.

9308060382 LER 93-011-00 on 921219, 930209 & 0415, SW Pumps SW-P-41B, SW-P-41B & SW-P-41D declared inoperable, respectively due high vibration. Caused by excessive abrasive particles in ocean water Pumps replaced. W/930730 ltr.
PESCHEL, J.M., FEIGENBAUM, T.C. North Atlantic Energy Service Corp. (NAESCO). 93/07/30. 6pp. 760:3109-76063:114.

9308310139 Summary of operating reactors events meeting 93-29 on 930804. List of attendees & viewgraphs encl.
CHAFFEE, A.E. Events Assessment Branch. 93/08/09. GRIMES, B.K. Division of Operating Reactor Support (Post 921004). 9pp. 76278:020-76278:028.

9308310073 LER 93-012-00 on 930727, RT due to electrical fault in solid state protection sys cabinet. Replaced lamp test socket & circuit driver card. W/930826 ltr.
PESCHEL, J.M., FEIGENBAUM, T.C. North Atlantic Energy Service Corp. (NAESCO). 93/08/26. 5pp. 76379:038-76379:042.

V. Operator Examinations

9308230231 Forwards Insp Rept 50-443/93-12 on 930622-23 & 0726-28 in response to intentions to seek new licenses for three operators whose licenses were previously terminated after problems identified w/auxiliary operator insp rounds.
HODGES, M.W. Region 1 (Post 820201). 93/08/17. FEIGENBAUM, T.C. North Atlantic Energy Service Corp. (NAESCO). 3pp. 76206:172-76206:184.

9308230236 Insp rept 50-443/93-12 on 930622-23 & 0726-28. No violations noted. Major areas inspected: adequacy of auxiliary operator remedial training program & modified operator requalification training program.
PRELL, J.A., BETTENHAUSEN, L. Region 1 (Post 820201). 93/08/12. 10pp. 76206:175-76206:184.

DOCKET 50-444 SEABROOK NUCLEAR STATION, UNIT 2

A. Application/construction stage documents & correspondence

9308250336 "Joint Public Notice NH-022-93 of Draft of NPDES Permit to Discharge Into Waters of US Under Sections 301 & 402 of Clean Water Act (The "Act"), as Amended, Request for State Certification Under Section 401 of The Act..."
SCHMIDT, E.J., New Hampshire, State of, FIERRA, D.A. Environmental Protection Agency. 93/08/20. 100pp. 76261:001-76261:236.

Q. Inspection reports, IE Bulletins & correspondence

9308250412 Ltr contract, awarding task order 82, "Electrical Distribution Sys Functional Insp - Seabrook."
SCOTT, M.L. Contract Administration Branch 1 (Post 900603). FIN L-1527-3. 93/04/16. HINK, A.D. AECL Technologies. 2pp. 76203:207-76203:208.

9307190043 NRC Info Notice 93-057, "Software Problems Involving Digital Control Console Sys at Non-Power Reactors."
GRIMES, B.K. Division of Operating Reactor Support (Post 921004). 93/07/23. Consolidated Edison Co. of New York, Inc. 9pp. 76111:200-76111:208.

DOCKET 50-445 COMANCHE PEAK STEAM ELECTRIC STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9308130122 Notifies of NRC 930128 meeting w/NUMARC to discuss NUMARC plans to co-fund performance of ampacity derating tests of fire barrier configurations assembled by util at Omega Point Labs. List of attendees encl.
MCCRACKEN, C.E. Division of Systems Safety & Analysis (Post 921004). 93/02/18. THADANI, A.C. Division of Systems Safety & Analysis (Post 921004). 2pp. 76094:280-76094:281.

9308130037 Forwards public version of "CPSES Emergency Preparedness Exercise Scenario Manual for 930728 Graded Exercise."
CAHILL, W.J., WOODLAND, D.R. Texas Utilities Electric Co. (TU Electric). 93/06/01. Document Control Branch (Document Control Desk). 1p. 76096:011-76096:253.

9308130039 Public version of "CPSES Emergency Preparedness Exercise Scenario Manual for 930728 Graded Exercise."
* Texas Utilities Electric Co. (TU Electric). 93/07/28. 15pp. 76096:012-76096:253.

9308050246 Forwards encl 8 to SECY 93-166 which describes proposed characteristics of design basis vehicle W/o encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 93/07/15. CAHILL, W.J. Texas Utilities Electric Co. (TU Electric). 2pp. 75990:302-75990:303.

9308020042 Forwards Initial SALP Repts 50-445/93-99 & 50-446/93-99 for performance period of 930203-0529. Performance declined in security area & continued to be superior in areas of emergency preparedness & engineering/technical support.
MILHOAN, J.L. Region 4 (Post 820201). 93/07/23. CAHILL, W.J. Texas Utilities Electric Co. (TU Electric). 6pp. 75954:001-75954:038.

9308020052 SALP repts 50-445/93-99 & 50-446/93-99 for performance period 930203-0529. Major areas assessed: plant operations, radiological controls, maint/surveillance, emergency preparedness, security & engineering/technical support.
* Region 4 (Post 820201). 93/07/23. 32pp. 75954:007-75954:038.

9308110043 Forwards insp repts 50-445/93-29 & 50-446/93-29 on 930712-16. No violations noted.
CALLAN, L.J. Region 4 (Post 820201). 93/08/05. CAHILL, W.J. Texas Utilities Electric Co. (TU Electric). 4pp. 76039:259-76039:263.

142 DOCKETED ITEMS

9308250220 Advises that 930604 Rev 4 to safeguards contingency plan consistent w/ provisions of 10CFR50.54(p) & acceptable for inclusion into plan.
CALLAN,L.J. Region 4 (Post 820201). 93/08/18. CAHILL,W.J. Texas Utilities Electric Co. (TU Electric). 4pp. 76223:335-76223:340.

9308230154 Revised EPIPs including rev 176 to Procedure Index, "Emergency Plan Manual, rev 79 to Form Index, "Emergency Plan Manual," & PCN EPP-201-R8-4, changing page 16, Chart 8. W/930820 ltr.
WOODLAN,D.R. Texas Utilities Electric Co. (TU Electric). 93/08/20. 11pp. 76206:343-76206:353.

9308250091 Forwards insp repts 50-445/93-25 & 50-446/93-25 on 930726-30. No violations noted. One weakness re improper classification made at alert level identified.
CALLAN,L.J. Region 4 (Post 820201). 93/08/20. CAHILL,W.J. Texas Utilities Electric Co. (TU Electric). 5pp. 76188:038-76188:053.

-9308250095 Insp repts 50-445/93-25 & 50-446/93-25 on 930726-30. No violations noted. Major areas inspected: licensee performance & capabilities during annual exercise of emergency plan & implementing procedures.
MURRAY,B. Region 4 (Post 820201). 93/08/13. 11pp. 76188:043-76188:053.

K. Utility Final Safety Analysis Report (FSAR) & amendments

9308250240 Forwards line-by-line description of changes in Amend 89 to FSAR.
CAHILL,W.J. Texas Utilities Electric Co. (TU Electric). 93/08/20. Document Control Branch (Document Control Desk). 64pp. 76224:001-76224:074.

9308250257 Amend 89 to FSAR for CPSES. W/930820 ltr.
CAHILL,W.J. Texas Utilities Electric Co. (TU Electric). 93/08/20. 500pp. 76249:001-76250:353.

P. Operating license stage documents & correspondence

9308130122 Notices of NRC 930128 meeting w/NUMARC to discuss NUMARC plans to co-fund performance of ampacity derating tests of fire barrier configurations assembled by util at Omega Point Labs. List of attendees encl.
MCCRACKEN,C.E. Division of Systems Safety & Analysis (Post 921004). 93/02/18. THADANI,A.C. Division of Systems Safety & Analysis (Post 921004). 2pp. 76094:280-76094:281.

9308020251 Forwards corrected amendments 16 & 2 to licenses NPF-87 & NPF-89 revising TS to extend period for removal of operability requirements of boron dilution mitigation sys. Line deleted from bottom of page 3/4 3-6.
BERGMAN,T.A. Project Directorate IV-2. 93/07/12. CAHILL,W.J. Texas Utilities Electric Co. (TU Electric). 2pp. 75945:348-75945:351.

-9308020254 Corrected tech spec pages 3/4 3-6 to amendments 16 & 2 to licenses NPF-87 & NPF-89, inserting line to bottom of page.
BERGMAN,T.A. Project Directorate IV-2. 93/07/12. 2pp. 75945:350-75945:351.

9308050258 Forwards safety evaluation re utils revised & supplemented topical rept, "Transient Analysis Methods for Comanche Peak Steam Electric Station Licensing Applications."
BERGMAN,T.A. Project Directorate IV-2. 93/07/16. CAHILL,W.J. Texas Utilities Electric Co. (TU Electric). 2pp. 76009:105-76009:120.

-9308050262 Safety evaluation of transient analysis methodology as presented in RXE-91-001, "Transient Analysis Methods..." Methodology acceptable for performing plant transient analyses.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 93/07/16. 14pp. 76009:107-76009:120.

9308040235 Responds to NRC 930715 RAI re util 930430 License Amend Request 93-001 concerning reanalysis of inadvertent boron dilution event.
CAHILL,W.J., WALKER,R.D. Texas Utilities Electric Co. (TU Electric). 93/07/30. Document Control Branch (Document Control Desk). 3pp. 75991:277-75991:279.

9308240018 Advises that topical rept RXE-90-006-P, "Power Distribution Control Analysis & Overtemp N-16 & Overpower N-16 Trip Setpoint Methodology" will be withheld (ref 10CFR2.790), per 930528 request.
BLACK,S.C. Project Directorate IV-2. 93/08/03. COPELAND,R.A. Siemens Corp. 3pp. 76183:204-76183:206.

9308240143 Forwards ECCS operating experience info obtained from licensee event repts to help assure that utils will remain aware of operating experience info.
PADOVAN,L.M. Reactor Operations Analysis Branch. 93/08/04. MEYER,J. Texas Utilities Electric Co. (TU Electric). 28pp. 76183:135-76183:162.

9308090346 Submits response to Generic Ltr 93-03, "Rod Control Sys Failure & Withdrawal of Control Cluster Assemblies." Attachment 2 summarizes compensatory actions taken in response to rod control sys failure event.
CAHILL,W.J. Texas Utilities Electric Co. (TU Electric). 93/08/05. Document Control Branch (Document Control Desk). 8pp. 76037:234-76037:241.

9308230083 Corrected safety evaluation for topical rept RXE-91-001, "Transient Analysis Methods for Comanche Peak Steam Electric Station Licensing Applications." Corrections made to second sentence of second full paragraph on page two.
BERGMAN,T.A. Project Directorate IV-2. 93/08/05. CAHILL,W.J. Texas Utilities Electric Co. (TU Electric). 2pp. 76183:051-76183:052.

9308230280 Forwards safety evaluation re topical rept RXE-89-002, "VIPRE-01 Core Thermal-Hydraulic Analysis Methods for Plants Licensing Applications." Methodology found acceptable for use by util.
BERGMAN,T.A. Project Directorate IV-2. 93/08/05. CAHILL,W.J. Texas Utilities Electric Co. (TU Electric). 2pp. 76183:076-76183:093.

-9308230285 Safety evaluation of RXE-89-002, "VIPRE-01 Core Thermal-Hydraulic Analysis Methods for Comanche Peak Steam Electric Station Licensing Applications." Rept is acceptable for ref in CPSES core thermal-hydraulic analyses.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 93/08/05. 3pp. 76183:078-76183:093.

9308230294 Forwards safety evaluation of topical rept RXE-90-006-P, "Power Distribution Control Analysis & Overtemperature N-16 & N-16 Trip Setpoint Methodology." Methodology acceptable for use by util for plant.
BERGMAN,T.A. Project Directorate IV-2. 93/08/05. CAHILL,W.J. Texas Utilities Electric Co. (TU Electric). 2pp. 76179:341-76179:346.

-9308230306 Safety evaluation of RXE-90-006-P, "Power Distribution Control Analysis & Overtemperature N-16 & Overpower N-16 Trip Setpoint Methodology." Methodology acceptable.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 93/08/05. 4pp. 76179:343-76179:346.

9308110292 Provides info requested by NRC in 930729 telcon re addl info concerning increase in RWST & accumulator boron concentration for LAR 92-06.
CAHILL,W.J. Texas Utilities Co. 93/08/06. Document Control Branch (Document Control Desk). 9pp. 76075:334-76075:342.

9308240211 Responds to Suppl 5 of GL 89-10, Inaccuracy of MOV Diagnostic Equipment.
CAHILL,W.J. Texas Utilities Electric Co. (TU Electric). 93/08/18. Document Control Branch (Document Control Desk). 4pp. 76213:319-76213:322.

Q. Inspection reports, IE Bulletins & correspondence

9307190043 NRC Info Notice 93-057, "Software Problems Involving Digital Control Console Sys at Non-Power Reactors."
GRIMES,B.K. Division of Operating Reactor Support (Post 921004). 93/07/23. Consolidated Edison Co. of New York, Inc. 9pp. 76111:200-76111:208.

9308020042 Forwards Initial SALP Repts 50-445/93-99 & 50-446/93-99 for performance period of 930203-0529. Performance declined in security area & continued to be superior in areas of emergency preparedness & engineering/technical support.
MILHOAN,J.L. Region 4 (Post 820201). 93/07/23. CAHILL,W.J. Texas Utilities Electric Co. (TU Electric). 6pp. 75954:001-75954:038.

-9308020052 SALP repts 50-445/93-99 & 50-446/93-99 for performance period 930203-0529. Major areas assessed: plant operations, radiological controls, maint/ surveillance, emergency preparedness, security & engineering/technical support.
* Region 4 (Post 820201). 93/07/23. 32pp. 75954:007-75954:038.

9308110034 Ack receipt of 930618 ltr informing NRC of steps taken to correct violations noted in insp rept 50-446/92-20. Although reduction in personnel errors & associated mispositionings evident, issue not satisfactorily resolved.
BEACH,A.B. Region 4 (Post 820201). 93/08/03. CAHILL,W.J. Texas Utilities Electric Co. (TU Electric). 5pp. 76039:220-76039:233.

9308110059 Forwards insp repts 50-445/93-26 & 50-446/93-26 on 930530-0710 & notice of violation. Violation resulted in safety-related pump mechanical configuration differing from previously approved configuration.
BEACH,A.B. Region 4 (Post 820201). 93/08/03. CAHILL,W.J. Texas Utilities Electric Co. (TU Electric). 4pp. 76039:318-76039:344.

-9308110062 Notice of violation from insp on 930530-0710. Violation noted: installation of packing gland follower for auxiliary feedwater pump 2-01 not in accordance w/ design change authorization contained within maint work order.
* Region 4 (Post 820201). 93/08/03. 2pp. 76039:323-76039:324.

-9308110082 Insp repts 50-445/93-26 & 50-446/93-26 on 930530-0710. Violations noted. Major areas inspected: onsite followup of events, operational safety verification, maint & surveillance observations.
YANDELL,L.A. Region 4 (Post 820201). 93/07/29. 20pp. 76039:325-76039:344.

9308110094 Notification of significant licensee meeting w/util on 930818 to discuss results of SALP repts 50-445/93-99 & 50-446/93-99.
BEACH,A.B. Region 4 (Post 820201). 93/08/04. Region 4 (Post 820201). 3pp. 76056:024-76056:026.

9308110043 Forwards insp repts 50-445/93-29 & 50-446/93-29 on 930712-16. No violations noted.
CALLAN,L.J. Region 4 (Post 820201). 93/08/05. CAHILL,W.J. Texas Utilities Electric Co. (TU Electric). 4pp. 76039:259-76039:263.

-9308110048 Partially withheld insp repts 50-445/93-29 & 50-446/93-29 on 930712-16 (ref 10CFR73.21). No violations noted. Major areas inspected: physical security program.
MURRAY,B. Region 4 (Post 820201). 93/08/02. 3pp. 76039:262-76039:263.

9308240082 Forwards technical review rept re, "Tardy Licensee Actions" initiated because of delayed replacement of batteries in uninterruptible power supplies at plant.
ISRAEL,S.L. Reactor Operations Analysis Branch. 93/08/05. ROSENTHAL,J.E. Reactor Operations Analysis Branch. 2pp. 76218:177-76218:193.

-9308240165 Technical review rept, "Tardy Licensee Actions."
ISRAEL,S.L. Reactor Operations Analysis Branch. 93/08/31. 13pp. 76218:179-76218:193.

9308170078 Ack receipt of 930723 ltr informing NRC of steps taken to correct violations noted in insp repts 50-445/93-22 & 50-446/93-22.
BEACH,A.B. Region 4 (Post 820201). 93/08/10. CAHILL,W.J. Texas Utilities Electric Co. (TU Electric). 4pp. 76108:306-76108:313.

9308180002 Forwards copy of revised SALP program, mgt directive 8.6.
BEACH,A.B. Region 4 (Post 820201). 93/08/11. CAHILL,W.J. Texas Utilities Electric Co. (TU Electric). 5pp. 76131:002-76131:026.

-9308180054 "SALP Directive 8.6."
* Region 4 (Post 820201). CAHILL,W.J. Texas Utilities Electric Co. (TU Electric). 93/08/11. 20pp. 76131:007-76131:026.

9308180010 Forwards insp repts 50-445/93-28 & 50-446/93-28 on 930712-16. No violations noted.
CALLAN,L.J. Region 4 (Post 820201). 93/08/13. CAHILL,W.J. Texas Utilities Electric Co. (TU Electric). 5pp. 76131:133-76131:146.

-9308180014 Insp repts 50-445/93-28 & 50-446/93-28 on 930712-16. No violations noted. Major areas inspected: insp of Unit 2 startup radiation survey results including audits, program changes, appraisals, training & surveying & monitoring.
MURRAY,B. Region 4 (Post 820201). 93/08/12. 9pp. 76131:138-76131:146.

9308250129 Forwards insp repts 50-445/93-27 & 50-446/93-27 on 930614-0730 No violations noted.
COLLINS,S.J. Region 4 (Post 820201). 93/08/18. CAHILL,W.J. Texas Utilities Electric Co. (TU Electric). 5pp. 76188:252-76188:263

-9308250133 Insp repts 50-445/93-27 & 50-446/93-27 on 930614-0730.No violations noted.Major areas inspected:startup test results evaluations & followup on previous insp findings.
CONSTABLE,G.L. Region 4 (Post 820201). 93/08/10. 7pp. 76188:257-76188:263

9308250091 Forwards insp repts 50-445/93-25 & 50-446/93-25 on 930726-30.No violations noted.One weakness re improper classification made at alert level identified.
CALLAN,L.J. Region 4 (Post 820201). 93/08/20. CAHILL,W.J. Texas Utilities Electric Co. (TU Electric). 5pp. 76188:038-76188:053

-9308250095 Insp repts 50-445/93-25 & 50-446/93-25 on 930726-30.No violations noted.Major areas inspected:licensee performance & capabilities during annual exercise of emergency plan & implementing procedures.
MURRAY,B. Region 4 (Post 820201). 93/08/13. 11pp. 76188:043-76188:053

R. Periodic operating reports & related correspondence

9308100230 Forwards Fitness for Duty Program Performance Data for 930101-0630.
WOODLAN,D.R. Texas Utilities Co. 93/08/04. Document Control Branch (Document Control Desk). 4pp. 76065:335-76065:338

9308180028 Forwards MOR for July 1993,per TS 6.9.1.5 & revs to Jan,May & June 1993 MOR.
CAHILL,W.J. Texas Utilities Electric Co. (TU Electric). WALKER,R.D. Texas Utilities Co. 93/08/13. Document Control Branch (Document Control Desk). 1p. 76154:295-76154:306

-9308180152 Monthly operating repts for Jul 1993 for CPSES Units 1 & 2.
* Texas Utilities Electric Co. (TU Electric). 93/07/31. 8pp. 76154:296-76154:303

-9308180157 Rev 3 to MOR for Jan 1993 for CPSES,Unit 1.
* Texas Utilities Co. 93/01/31. 1p. 76154:304-76154:304

-9308180165 Rev 2 to MOR for May 1993 for CPSES,Unit 2.
* Texas Utilities Co. 93/05/31. 1p. 76154:305-76154:305

-9308180166 Rev 1 to MOR for June 1993 for CPSES,Unit 2.
* Texas Utilities Co. 93/06/30. 1p. 76154:306-76154:306

S. Reportable occurrences, LERs & related correspondence

9308190138 Summary of operating reactors events meeting 93-17 on 930512.
CHAFFEE,A.E. Events Assessment Branch. 93/05/18. GRIMES,B.K. Division of Operating Reactor Support (Post 921004). 26pp. 76153:034-76153:059

9308040098 Requests response to encl request for addl info re reanalysis of inadvertent boron dilution event,within 14 days of ltr receipt.
BERGMAN,T.A. Project Directorate IV-2. 93/07/15. CAHILL,W.J. Texas Utilities Electric Co. (TU Electric). 3pp. 75986:342-75986:344

9308030372 Potential Part 21 rept re Limitorque actuator motors.Utilis & other purchases listed in encl being advised of concern. Limitorque revising selection procedure for safety related actuators,motors & technical data packages.
TAYLOR,J.H. Babcock & Wilcox Co. 93/07/22. Document Control Branch (Document Control Desk). 8pp. 75976:349-75976:356

9308250009 Part 21 rept re potential problem w/installation of bushing in gear-type,3 GPM,oil pump used in refrigerant compressors, mfg by Dunham-Bush,CVI will call for hold point in fabrication process where bushing installed.
GREGOROFF,T. CVI Corp. (subs. of Pennwalt Corp.). 93/08/19. Document Control Branch (Document Control Desk). 2pp. 76260:295-76260:296

V. Operator Examinations

9308020224 Notices that JD Stone operator license Number OP-42437 will no longer be performing license duties & request that license be discontinued.
MARSHALL,J.S. Texas Utilities Electric Co. (TU Electric). 93/07/26. Document Control Branch (Document Control Desk). 1p. 75954:206-75954:206

9308110042 Informs of NRC plan to administer GFES of written operator licensing exam at facility on 931006.
COLLINS,S.J. Region 4 (Post 820201). 93/08/04. CAHILL,W.J. Texas Utilities Electric Co. (TU Electric). 6pp. 76039:254-76039:258

DOCKET 50-446 COMANCHE PEAK STEAM ELECTRIC STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9308130122 Notices of NRC 930128 meeting w/NUMARC to discuss NUMARC plans to co-fund performance of ampacity derating tests of fire barrier configurations assembled by util at Omega Point Labs.List of attendees encl.
MCCRACKEN,C.E. Division of Systems Safety & Analysis (Post 921004). 93/02/18. THADANI,A.C. Division of Systems Safety & Analysis (Post 921004). 2pp. 76094:280-76094:281

9308130037 Forwards public version of "CPSES Emergency Preparedness Exercise Scenario Manual for 930728 Graded Exercise."
CAHILL,W.J., WOODLAN,D.R. Texas Utilities Electric Co. (TU Electric). 93/08/01. Document Control Branch (Document Control Desk). 1p. 76096:011-76096:253

-9308130039 Public version of "CPSES Emergency Preparedness Exercise Scenario Manual for 930728 Graded Exercise."
* Texas Utilities Electric Co. (TU Electric). 93/07/28. 150pp. 76096:012-76096:253

9308050246 Forwards encl 8 to SECY 93-166 which describes proposed characteristics of design basis vehicle.W/o encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 93/07/15. CAHILL,W.J. Texas Utilities Electric Co. (TU Electric). 2pp. 75997:302-75990:303

9308020042 Forwards Initial SALP Repts 50-445/93-99 & 50-446/93-99 for performance period of 930203-0529 Performance declined in security area & continued to be superior in areas of emergency preparedness & engineering/technical support.
MILHOAN,J.L. Region 4 (Post 820201). 93/07/23. CAHILL,W.J. Texas Utilities Electric Co. (TU Electric). 6pp. 75954:001-75954:038

-9308020052 SALP repts 50-445/93-99 & 50-446/93-99 for performance period 930203-0529.Major areas assessed:plant operations, radiological controls,maint/surveillance,emergency preparedness,security & engineering/technical support.
* Region 4 (Post 820201). 93/07/23. 32pp. 75954:007-75954:038

9308110043 Forwards insp repts 50-445/93-29 & 50-446/93-29 on 930712-16.No violations noted.
CALLAN,L.J. Region 4 (Post 820201). 93/08/05. CAHILL,W.J. Texas Utilities Electric Co. (TU Electric). 4pp. 76039:259-76039:263

-9308110048 Partially withheld insp repts 50-445/93-29 & 50-446/93-29 on 930712-16 (ref 10CFR73.21).No violations noted.Major areas inspected:physical security program.
MURRAY,B. Region 4 (Post 820201). 93/08/02. 3pp. 76039:262-76039:263

9308250220 Advises that 930604 Rev 4 to safeguards contingency plan consistent w/provisions of 10CFR50.54(p) & acceptable for inclusion into plan.
CALLAN,L.J. Region 4 (Post 820201). 93/08/18. CAHILL,W.J. Texas Utilities Electric Co. (TU Electric). 4pp. 76223:335-76223:340

9308230154 Revised EPIPs,including rev 176 to Procedure Index, "Emergency Plan Manual,rev 79 to Form Index, "Emergency Plan Manual," & PCN EPP-201-RB-4,changing page 16,Chart 8. W/930820 ltr
WOODLAN,D.R. Texas Utilities Electric Co. (TU Electric). 93/08/20. 11pp. 76206:343-76206:353

9308250091 Forwards insp repts 50-445/93-25 & 50-446/93-25 on 930726-30.No violations noted.One weakness re improper classification made at alert level identified.
CALLAN,L.J. Region 4 (Post 820201). 93/08/20. CAHILL,W.J. Texas Utilities Electric Co. (TU Electric). 5pp. 76188:038-76188:053

-9308250095 Insp repts 50-445/93-25 & 50-446/93-25 on 930726-30.No violations noted.Major areas inspected:licensee performance & capabilities during annual exercise of emergency plan & implementing procedures.
MURRAY,B. Region 4 (Post 820201). 93/08/13. 11pp. 76188:043-76188:053

K. Utility Final Safety Analysis Report (FSAR) & amends

9308250240 Forwards line-by-line description of changes in Amend 89 to FSAR.
CAHILL,W.J. Texas Utilities Electric Co. (TU Electric). 93/08/20. Document Control Branch (Document Control Desk). 64pp. 76224:001-76224:074

9308250257 Amend 89 to FSAR for CPSES,W/930820 ltr.
CAHILL,W.J. Texas Utilities Electric Co. (TU Electric). 93/08/20. 500pp. 76249:001-76250:353

P. Operating license stage documents & correspondence

9308130122 Notices of NRC 930128 meeting w/NUMARC to discuss NUMARC plans to co-fund performance of ampacity derating tests of fire barrier configurations assembled by util at Omega Point Labs.List of attendees encl.
MCCRACKEN,C.E. Division of Systems Safety & Analysis (Post 921004). 93/02/18. THADANI,A.C. Division of Systems Safety & Analysis (Post 921004). 2pp. 76094:280-76094:281

9308020251 Forwards corrected amends 16 & 2 to licenses NPF-87 & NPF-89 revising TS to extend period for removal of operability requirements of boron dilution mitigation sys.Line deleted from bottom of page 3/4 3-6.
BERGMAN,T.A. Project Directorate IV-2. 93/07/12. CAHILL,W.J. Texas Utilities Electric Co. (TU Electric). 2pp. 75945:348-75945:351

-9308020254 Corrected tech spec pages 3/4 3-6 to amends 16 & 2 to licenses NPF-87 & NPF-89,inserting line to bottom of page.
BERGMAN,T.A. Project Directorate IV-2. 93/07/12. 2pp. 75945:350-75945:351

9308050258 Forwards safety evaluation re utils revised & supplemented topical rept, "Transient Analysis Methods for Comanche Peak Steam Electric Station Licensing Applications."
BERGMAN,T.A. Project Directorate IV-2. 93/07/16. CAHILL,W.J. Texas Utilities Electric Co. (TU Electric). 2pp. 76009:105-76009:120

-9308050262 Safety evaluation of transient analysis methodology as presented in RXE-91-001, "Transient Analysis Methods...." Methodology acceptable for performing plant transient analyses.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 93/07/16. 14pp. 76009:107-76009:120

9308040235 Responds to NRC 930715 RAI re util 930430 License Amend Request 93-001 concerning reanalysis of inadvertent boron dilution event.
CAHILL,W.J., WALKER,R.D. Texas Utilities Electric Co. (TU Electric). 93/07/30. Document Control Branch (Document Control Desk). 3pp. 75991:277-75991:279

9308240018 Advises that topical rept RXE-90-006-P, "Power Distribution Control Analysis & Overtemp N-16 & Overpower N-16 Trip Setpoint Methodology" will be withheld (ref 10CFR2.790),per 930528 request.
BLACK,S.C. Project Directorate IV-2. 93/08/03. COPELAND,R.A. Siemens Corp. 3pp. 76183:204-76183:206

9308090346 Submits response to Generic Ltr 93-03, "Rod Control Sys Failure & Withdrawal of Control Cluster Assemblies." Attachment 2 summarizes compensatory actions taken in response to rod control sys failure event.
CAHILL,W.J. Texas Utilities Electric Co. (TU Electric). 93/08/05. Document Control Branch (Document Control Desk). 8pp. 76037:234-76037:241

9308230083 Corrected safety evaluation for topical rept RXE-91-001, "Transient Analysis Methods for Comanche Peak Steam Electric Station Licensing Applications." Corrections made to second sentence of second full paragraph on page two.
BERGMAN,T.A. Project Directorate IV-2. 93/08/05. CAHILL,W.J. Texas Utilities Electric Co. (TU Electric). 2pp. 76183:051-76183:052

144 DOCKETED ITEMS

9308230280 Forwards safety evaluation re topical rept RXE-89-002, "VIPRE-01 Core Thermal-Hydraulic Analysis Methods for Plants Licensing Applications." Methodology found acceptable for use by util.
BERGMAN,T.A. Project Directorate IV-2. 93/08/05. CAHILL,W.J. Texas Utilities Electric Co. (TU Electric). 2pp. 76183:076-76183:093.

-9308230285 Safety evaluation of RXE-89-002, "Vipre-01 Core Thermal- Hydraulic Analysis Methods for Comanche Peak Steam Electric Station Licensing Applications." Rept is acceptable for ref in CPSES core thermal-hydraulic analyses.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 93/08/05. 3pp. 76183:078-76183:093.

9308230294 Forwards safety evaluation of topical rept RXE-90-006-P, "Power Distribution Control Analysis & Overtemperature N-16 & N-16 Trip Setpoint Methodology." Methodology acceptable for use by util for plant.
BERGMAN,T.A. Project Directorate IV-2. 93/08/05. CAHILL,W.J. Texas Utilities Electric Co. (TU Electric). 2pp. 76179:341-76179:346.

-9308230306 Safety evaluation of RXE-90-006-P, "Power Distribution Control Analysis & Overtemperature N-16 & Overpower N-16 Trip Setpoint Methodology." Methodology acceptable.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 93/08/05. 4pp. 76179:343-76179:346.

9308110292 Provides info requested by NRC in 930729 telcon re addl info concerning increase in RWST & accumulator boron concentration for LAR 92-06.
CAHILL,W.J. Texas Utilities Co. 93/08/06. Document Control Branch (Document Control Desk). 9pp. 76075:334-76075:342.

9308240211 Responds to Suppl 5 of GL 89-10, Inaccuracy of MOV Diagnostic Equipment.
CAHILL,W.J. Texas Utilities Electric Co. (TU Electric). 93/08/18. Document Control Branch (Document Control Desk). 4pp. 76213:319-76213:322.

Q. Inspection reports, IE Bulletins & correspondence

9307190043 NRC Info Notice 93-057, "Software Problems Involving Digital Control Console Sys at Non-Power Reactors."
GRIMES,B.K. Division of Operating Reactor Support (Post 921004). 93/07/23. Consolidated Edison Co. of New York, Inc. 9pp. 76111:200-76111:208.

9308020042 Forwards initial SALP Repts 50-445/93-99 & 50-446/93-99 for performance period of 930203-0529. Performance declined in security area & continued to be superior in areas of emergency preparedness & engineering/technical support.
MILHOAN,J.L. Region 4 (Post 820201). 93/07/23. CAHILL,W.J. Texas Utilities Electric Co. (TU Electric). 6pp. 75954:001-75954:038.

-9308020052 SALP repts 50-445/93-99 & 50-446/93-99 for performance period 930203-0529. Major areas assessed: plant operations, radiological controls, maint/ surveillance, emergency preparedness, security & engineering/technical support.
* Region 4 (Post 820201). 93/07/23. 32pp. 75954:007-75954:038.

9308110034 Ack receipt of 930618 ltr informing NRC of steps taken to correct violations noted in insp rept 50-446/92-20. Although reduction in personnel errors & associated mispositionings evident, issue not satisfactorily resolved.
BEACH,A.B. Region 4 (Post 820201). 93/08/03. CAHILL,W.J. Texas Utilities Electric Co. (TU Electric). 5pp. 76039:220-76039:233.

9308110059 Forwards insp repts 50-445/93-26 & 50-446/93-26 on 930530-0710 & notice of violation. Violation resulted in safety-related pump mechanical configuration differing from previously approved configuration.
BEACH,A.B. Region 4 (Post 820201). 93/08/03. CAHILL,W.J. Texas Utilities Electric Co. (TU Electric). 4pp. 76039:318-76039:344.

-9308110062 Notice of violation from insp on 930530-0710. Violation noted: installation of packing gland follower for auxiliary feedwater pump 2-01 not in accordance w/ design change authorization contained within maint work order.
* Region 4 (Post 820201). 93/08/03. 2pp. 76039:323-76039:324.

-9308110082 Insp repts 50-445/93-26 & 50-446/93-26 on 930530-0710. Violations noted: Major areas inspected: onsite followup of events, operational safety verification, maint & surveillance observations.
YANDELL,L.A. Region 4 (Post 820201). 93/07/29. 20pp. 76039:325-76039:344.

9308110094 Notification of significant licensee meeting w/util on 930818 to discuss results of SALP repts 50-445/93-99 & 50-446/93-99.
BEACH,A.B. Region 4 (Post 820201). 93/08/04. Region 4 (Post 820201). 3pp. 76056:024-76056:026.

9308110043 Forwards insp repts 50-445/93-29 & 50-446/93-29 on 930712-16. No violations noted.
CALLAN,L.J. Region 4 (Post 820201). 93/08/05. CAHILL,W.J. Texas Utilities Electric Co. (TU Electric). 4pp. 76039:259-76039:263.

-9308110048 Partially withheld insp repts 50-445/93-29 & 50-446/93-29 on 930712-16 (ref 10CFR73.21). No violations noted. Major areas inspected: physical security program.
MURRAY,B. Region 4 (Post 820201). 93/08/02. 3pp. 76039:262-76039:263.

9308170078 Ack receipt of 930723 ltr informing NRC of steps taken to correct violations noted in insp repts 50-445/93-22 & 50-446/93-22.
BEACH,A.B. Region 4 (Post 820201). 93/08/10. CAHILL,W.J. Texas Utilities Electric Co. (TU Electric). 4pp. 76108:306-76108:313.

9308180002 Forwards copy of revised SALP program, mgt directive 8.6.
BEACH,A.B. Region 4 (Post 820201). 93/08/11. CAHILL,W.J. Texas Utilities Electric Co. (TU Electric). 5pp. 76131:002-76131:026.

-9308180054 "SALP Directive 8.6."
* Region 4 (Post 820201). CAHILL,W.J. Texas Utilities Electric Co. (TU Electric). 93/08/11. 20pp. 76131:007-76131:026.

9308180010 Forwards insp repts 50-445/93-28 & 50-446/93-28 on 930712-16. No violations noted.
CALLAN,L.J. Region 4 (Post 820201). 93/08/13. CAHILL,W.J. Texas Utilities Electric Co. (TU Electric). 5pp. 76131:133-76131:146.

-9308180014 Insp repts 50-445/93-28 & 50-446/93-28 on 930712-16. No violations noted. Major areas inspected: insp of Unit 2 startup radiation survey results including audits, program changes, appraisals, training & surveying & monitoring.
MURRAY,B. Region 4 (Post 820201). 93/08/12. 9pp. 76131:138-76131:146.

9308250129 Forwards insp repts 50-445/93-27 & 50-446/93-27 on 930614-0730. No violations noted.
COLLINS,S.J. Region 4 (Post 820201). 93/08/18. CAHILL,W.J. Texas Utilities Electric Co. (TU Electric). 5pp. 76188:252-76188:263.

-9308250133 Insp repts 50-445/93-27 & 50-446/93-27 on 930614-0730. No violations noted. Major areas inspected: startup test results evaluations & followup on previous insp findings.
CONSTABLE,G.L. Region 4 (Post 820201). 93/08/10. 7pp. 76188:257-76188:263.

9308250091 Forwards insp repts 50-445/93-25 & 50-446/93-25 on 930726-30. No violations noted. One weakness re improper classification made at alert level identified.
CALLAN,L.J. Region 4 (Post 820201). 93/08/20. CAHILL,W.J. Texas Utilities Electric Co. (TU Electric). 5pp. 76188:038-76188:053.

-9308250095 Insp repts 50-445/93-25 & 50-446/93-25 on 930726-30. No violations noted. Major areas inspected: licensee performance & capabilities during annual exercise of emergency plan & implementing procedures.
MURRAY,B. Region 4 (Post 820201). 93/08/13. 11pp. 76188:043-76188:053.

R. Periodic operating reports & related correspondence

9308100230 Forwards Fitness for Duty Program Performance Data for 930101-0630.
WOODLAN,D.R. Texas Utilities Co. 93/08/04. Document Control Branch (Document Control Desk). 4pp. 76065:335-76065:338.

9308180028 Forwards MOR for July 1993, per TS 6.9.1.5 & revs to Jan, May & June 1993 MOR.
CAHILL,W.J. Texas Utilities Electric Co. (TU Electric). WALKER,R.D. Texas Utilities Co. 93/08/13. Document Control Branch (Document Control Desk). 1p. 76154:295-76154:306.

-9308180152 Monthly operating repts for Jul 1993 for CPSES Units 1 & 2.
* Texas Utilities Electric Co. (TU Electric). 93/07/31. 8pp. 76154:296-76154:303.

-9308180165 Rev 2 to MOR for May 1993 for CPSES, Unit 2.
* Texas Utilities Co. 93/05/31. 1p. 76154:305-76154:305.

-9308180166 Rev 1 to MOR for June 1993 for CPSES, Unit 2.
* Texas Utilities Co. 93/06/30. 1p. 76154:306-76154:306.

S. Reportable occurrences, LERs & related correspondence

9308190138 Summary of operating reactors events meeting 93-17 on 930512.
CHAFFEE,A.E. Events Assessment Branch. 93/05/18. GRIMES,B.K. Division of Operating Reactor Support (Post 921004). 26pp. 76153:034-76153:059.

9308040098 Requests response to encl request for addl info re reanalysis of inadvertent boron dilution event, within 14 days of ltr receipt.
BERGMAN,T.A. Project Directorate IV-2. 93/07/15. CAHILL,W.J. Texas Utilities Electric Co. (TU Electric). 3pp. 75986:342-75986:344.

9308030372 Potential Part 21 rept re Limitorque actuator motors. Utilis & other purchases listed in encl being advised of concern. Limitorque revising selection procedure for safety related actuators, motors & technical data packages.
TAYLOR,J.H. Babcock & Wilcox Co. 93/07/22. Document Control Branch (Document Control Desk). 8pp. 75976:349-75976:356.

9308040273 LER 93-006-00 on 930703, auxiliary feedwater signal inadvertently actuated due to personnel error. Equipment reset to normal lineup & fuses removed for reinstallation prior to reactor startup. W/930730 ltr.
FLORES,R. CAHILL,W.J., WALKER,R.D. Texas Utilities Electric Co. (TU Electric). 93/07/30. 5pp. 76022:069-76022:073.

9308250009 Part 21 rept re potential problem w/ installation of bushing in gear-type, 3 GPM oil pump used in refrigerant compressors, mfg by Dunham-Bush. CVI will call for hold point in fabrication process where bushing installed.
GREGOROFF,T. CVI Corp. (subs. of Pennwalt Corp.). 93/08/19. Document Control Branch (Document Control Desk). 2pp. 76260:295-76260:296.

V. Operator Examinations

9308020224 Notifies that JD Stone operator license Number OP-42437 will no longer be performing license duties & request that license be discontinued.
MARSHALL,J.S. Texas Utilities Electric Co. (TU Electric). 93/07/26. Document Control Branch (Document Control Desk). 1p. 75954:206-75954:206.

9308110042 Informs of NRC plan to administer GFES of written operator licensing exam at facility on 931006.

COLLINS,S.J. Region 4 (Post 820201). 93/08/04. CAHILL,W.J. Texas Utilities Electric Co. (TU Electric). 6pp. 76039:254-76039:258.

DOCKET STN-50-454 BYRON STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9308170066 Forwards initial SALP 11 repts 50-454/93-01 & 50-455/93-01 for period 910901-930228.
DAVIS,A.B. Region 3 (Post 820201). 93/04/27. DELGEORGE,L.O. Commonwealth Edison Co. 3pp. 76108:278-76108:294.

-9308170073 Initial SALP 11 repts 50-454/93-01 & 50-455/93-01 for period of 910901-930228.
* Region 3 (Post 820201). 93/04/27. 14pp. 76108:281-76108:294.

9308050300 Corrected Emergency Preparedness & State Programs Corporate EPIPs (CEPIP) CEPIP-2000 Series: Corporate Emergency Response Organization Index.
* Commonwealth Edison Co. 93/07/14. 3pp. 76022:121-76022:123.

9308040274 Forwards encl 8 to SECY 93-166 which describes proposed characteristics of design basis vehicle.W/o encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 93/07/15. FARRAR,D.L. Commonwealth Edison Co. 4pp. 75979:087-75979:090.

9308100190 Provides addl info on fire barrier qualification, installation & ampacity derating margins for Thermo-Lag applications at facilities, in response to GL 92-08.
CHYZANOWSKI,D. Commonwealth Edison Co. 93/08/04. Office of Nuclear Reactor Regulation, Director (Post 870411). 6pp. 76067:249-76067:254.

9308240072 Notification of 930817 meeting w/util in Rockville,MD to discuss number of security related issues & changes to security plans which impact all sites.
HICKMAN,J.B. Project Directorate III-2. 93/08/05. DYER,J.E. Project Directorate III-2. 5pp. 76199:329-76199:333.

9308180071 Forwards Rev 38 of Byron Nuclear Power Station, Units 1 & 2 security plan, incorporating corrected Page 8-1 to include Section 8.1.1.2 as part of initial submittal of Rev 38, Sept 1992. Encls withheld (ref 10CFR73.21).
JOHNSON,I.M. Commonwealth Edison Co. 93/08/09. Document Control Branch (Document Control Desk). 1p. 76199:285-76199:285.

9308310078 Summary of 930817 meeting w/util in Rockville,MD re security-related issues & proposed mods to security plans. List of attendees encl.
PICKETT,D.V. Project Directorate III-2. 93/08/24. Project Directorate III-2. 7pp. 76274:190-76274:196.

J. Insurance & Indemnity Information

9308270067 Concludes that financial info submitted for 1993 in 930421 ltr satisfies requirements of Section 140.21 of 10CFR140 that each licensee maintain approved guarantee of payment of deferred premiums for each operating reactor over 100 MWe.
WOOD,R.S. Inspection & Licensing Policy Branch (Post 920712). 93/04/29. PENNOCK,J.B. Commonwealth Edison Co. 2pp. 76248:218-76248:219.

P. Operating license stage documents & correspondence

9308030320 Ack receipt of 930630 & 0713 submittals, incorporating changes in QA program description topical rept. Anticipates 60 days to complete review of submittal.
RING,M.A. Region 3 (Post 820201). 93/07/27. DELGEORGE,L.O. Commonwealth Edison Co. 2pp. 75979:304-75979:305.

9308160372 Forwards SE re util 930316 transmittal of reload safety evaluation process for substitution of single stainless steel filler rod for failed fuel rod in one fuel assembly. Proposed approach acceptable.
HICKMAN,J.B. Project Directorate III-2. 93/07/27. FARRAR,D.L. Commonwealth Edison Co. 2pp. 76135:057-76135:061.

-9308160375 Safety evaluation re fuel reconstitution.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 93/07/27. 3pp. 76135:059-76135:061.

9308100156 Provides response to Generic Ltr 93-04, "Rod Control Sys Failure & Withdrawal of Rod Control Cluster Assemblies."
CHYZANOWSKI,D. Commonwealth Edison Co. 93/08/04. Document Control Branch (Document Control Desk). 9pp. 76078:235-76078:243.

9308100190 Provides addl info on fire barrier qualification, installation & ampacity derating margins for Thermo-Lag applications at facilities, in response to GL 92-08.
CHYZANOWSKI,D. Commonwealth Edison Co. 93/08/04. Office of Nuclear Reactor Regulation, Director (Post 870411). 6pp. 76067:249-76067:254.

9308260158 Advises that NRC has no technical objection to licensee 930521 request to change frequency of meetings w/fuel vendors from once per reload design to once yearly.
DYER,J.E. Project Directorate III-3. 93/08/09. FARRAR,D.L. Commonwealth Edison Co. 3pp. 76216:358-76216:360.

9308180215 Application for amends to licenses NPF-37,NPF-66,NPF-72 & NPF-77, revising TS 3/4.4.5, Table 4.4-1 & Table 4.4-2, to provide SG SRs for sample selection, insp, insp frequency, acceptance criteria & required repts to NRC.
BAUER,J.A. Commonwealth Edison Co. 93/08/13. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 10pp. 76155:001-76155:264.

-9308180226 Proposed TS 3/4.4.5 Tables 4.4-1 & 4.4-2, to provide SG SRs for sample selection, insp, insp frequency, acceptance criteria & required repts to NRC.
* Commonwealth Edison Co. 93/08/13. 49pp. 76155:011-76155:060.

-9308180234 Requests that proprietary Rev 1 to WCAP-13698, "Laser Welded Sleeves For 3/4 Inch Diameter Tube Feeding-Type & Westinghouse Preheater SGs," be withheld, per 10CFR2.790.
LIPARULO,N.J. Westinghouse Electric Corp. 93/05/27. MURLEY,T.E. Document Control Branch (Document Control Desk). 11pp. 76155:061-76155:071.

-9308180237 Nonproprietary Rev 1 to WCAP-13699, "Laser Welded Sleeves For 3/4 Inch Diameter Tube Feeding Type & Westinghouse Preheater SGs."
* Westinghouse Electric Corp. WCAP-13699 R01. 93/05/31. 193pp. 76155:072-76155:264.

9308200005 Notification of 930818 meeting w/util in Rockville,MD to discuss approach NRR taking to address cost beneficial licensing actions.
SIEGEL,B.L. Project Directorate III-2. 93/08/17. MURLEY,T.E., LAINAS,G., BOGER,B. NRC - No Detailed Affiliation Given. 4pp. 76209:284-76209:287.

9308230113 Forwards Rev 64 to Topical Rept CE-1-A, "Comm Ed QA Manual."
BAUER,J.A. Commonwealth Edison Co. 93/08/20. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 76179:001-76179:190.

-9308230114 Rev 64 to Topical Rept CE-1-A, "Comm Ed QA Manual."
* Commonwealth Edison Co. 93/08/17. 189pp. 76179:002-76179:190.

Q. Inspection reports, IE Bulletins & correspondence

9308170066 Forwards initial SALP 11 repts 50-454/93-01 & 50-455/93-01 for period 910901 - 930228.
DAVIS,A.B. Region 3 (Post 820201). 93/04/27. DELGEORGE,L.O. Commonwealth Edison Co. 3pp. 76108:278-76108:294.

-9308170073 Initial SALP 11 repts 50-454/93-01 & 50-455/93-01 for period of 910901-930228.
* Region 3 (Post 820201). 93/04/27. 14pp. 76108:281-76108:294.

9307190043 NRC Info Notice 93-057, "Software Problems Involving Digital Control Console Sys at Non-Power Reactors."
GRIMES,B.K. Division of Operating Reactor Support (Post 921004). 93/07/23. Consolidated Edison Co. of New York, Inc. 9pp. 76111:200-76111:208.

9308090084 Corrected insp repts 50-454/93-04 & 50-455/93-04 on 930222-26. Insp repts originally issued w/incorrect numbers, 50-454/93-03 & 50-455/93-03.
SNELL,W. Region 3 (Post 820201). 93/07/30. DELGEORGE,L.O. Commonwealth Edison Co. 2pp. 76020:111-76020:112.

9308170149 Forwards electrical distribution sys functional insp repts 50-454/93-06, 50-455/93-06, 50-456/93-09 & 50-457/93-09 on 930601-0716.
MARTIN,T.O. Region 3 (Post 820201). 93/08/12. DELGEORGE,L.O. Commonwealth Edison Co. 3pp. 76110:092-76110:120.

-9308170159 Insp repts 50-454/93-06, 50-455/93-06 & 50-456/93-09 & 50-457/93-09 on 930601-0716. No violations noted. Major areas inspected: stations electrical distribution sys design & operation.
BUTLER,D.S., GARDNER,D.S. Region 3 (Post 820201). 93/08/10. 29pp. 76110:095-76110:120.

R. Periodic operating reports & related correspondence

9308170221 Monthly operating repts for Jul 1993 for Byron Nuclear Power Station, units 1 & 2.W/930806 ltr.
COLGLAZIER,R., SCHWARTZ,G.K. Commonwealth Edison Co. 93/07/31. 14pp. 76136:333-76136:346.

9308260021 Forwards fitness-for-duty program performance data for Braidwood, Byron, Dresden, LaSalle, Quad-Cities & Zion Stations for six month period ending 930630.
SIMPSON,T.W. Commonwealth Edison Co. 93/08/20. Document Control Branch (Document Control Desk). 24pp. 76259:243-76259:266.

S. Reportable occurrences, LERs & related correspondence

9308170260 LER 85-102-01: on 851231, determined that FW 1D preheater bypass valve 1FW039D in svc 18 days w/o proper operational testing. Caused by procedural deficiency. Byron Administrative Procedure BAP 330-1 will be revised. W/930806 ltr.
FRANTZ,G., SCHWARTZ,G.K. Commonwealth Edison Co. 93/08/04. 5pp. 76159:043-76159:047.

V. Operator Examinations

9308260079 Ltr contract NRC-03-89-031, task order 195, to "Reactor Operator Licensing Recertification Exam at Byron."
SCOTT,M.L. Contract Administration Branch 1 (Post 900603). FIN L-1289-3. 93/04/20. PETERSON,L.R. Sonalysts, Inc. 5pp. 76215:136-76215:139.

9308030302 Informs of NRC plans to administer generic fundamentals exam section written operator licensing exam on 931006.
RING,M.A. Region 3 (Post 820201). 93/07/28. Consumers Power Co. 3pp. 75983:358-75983:360.

DOCKET STN-50-455 BYRON STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9308170066 Forwards initial SALP 11 repts 50-454/93-01 & 50-455/93-01 for period 910901 - 930228.
DAVIS,A.B. Region 3 (Post 820201). 93/04/27. DELGEORGE,L.O. Commonwealth Edison Co. 3pp. 76108:278-76108:294.

-9308170073 Initial SALP 11 repts 50-454/93-01 & 50-455/93-01 for period of 910901-930228.
* Region 3 (Post 820201). 93/04/27. 14pp. 76108:281-76108:294.

9308050300 Corrected Emergency Preparedness & State Programs Corporate EPIPs (CEPIP) CEPIP-2000 Series: Corporate Emergency Response Organization Index.
* Commonwealth Edison Co. 93/07/14. 3pp. 76022:121-76022:123.

9308040274 Forwards encl 8 to SECY 93-166 which describes proposed characteristics of design basis vehicle.W/o encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 93/07/15. FARRAR,D.L. Commonwealth Edison Co. 4pp. 75979:087-75979:090.

9308100190 Provides addl info on fire barrier qualification, installation & ampacity derating margins for Thermo-Lag applications at facilities, in response to GL 92-08.
CHYZANOWSKI,D. Commonwealth Edison Co. 93/08/04. Office of Nuclear Reactor Regulation, Director (Post 870411). 6pp. 76067:249-76067:254.

9308240072 Notification of 930817 meeting w/util in Rockville,MD to discuss number of security related issues & changes to security plans which impact all sites.
HICKMAN,J.B. Project Directorate III-2. 93/08/05. DYER,J.E. Project Directorate III-2. 5pp. 76199:329-76199:333.

146 DOCKETED ITEMS

9308180071 Forwards Rev 38 of Byron Nuclear Power Station, Units 1 & 2 security plan, incorporating corrected Page 8-1 to include Section 8.1.1.2 as part of initial submittal of Rev 38, Sept 1992. Encls withheld (ref 10CFR73.21).
JOHNSON, I.M. Commonwealth Edison Co. 93/08/09. Document Control Branch (Document Control Desk). 1p. 76199:285-76199:285.

9308310078 Summary of 930817 meeting w/util in Rockville, MD re security-related issues & proposed mods to security plans. List of attendees encl.
PICKETT, D.V. Project Directorate III-2. 93/08/24. Project Directorate III-2. 7pp. 76274:190-76274:196.

J. Insurance & indemnity information

9308270067 Concludes that financial info submitted for 1993 in 930421 ltr satisfies requirements of Section 140.21 of 10CFR140 that each licensee maintain approved guarantee of payment of deferred premiums for each operating reactor over 100 MWe.
WOOD, R.S. Inspection & Licensing Policy Branch (Post 920712). 93/04/29. PENNOCK, J.B. Commonwealth Edison Co. 2pp. 76248:218-76248:219.

P. Operating license stage documents & correspondence

9308030320 Ack receipt of 930630 & 0713 submittals, incorporating changes in QA program description topical rept. Anticipates 60 days to complete review of submittal.
RING, M.A. Region 3 (Post 820201). 93/07/27. DELGEORGE, L.O. Commonwealth Edison Co. 2pp. 75979:304-75979:305.

9308100156 Provides response to Generic Ltr 93-04, "Rod Control Sys Failure & Withdrawal of Rod Control Cluster Assemblies."
CHRZANOWSKI, D. Commonwealth Edison Co. 93/08/04. Document Control Branch (Document Control Desk). 9pp. 76078:235-76078:243.

9308100190 Provides addl info on fire barrier qualification, installation & ampacity derating margins for Thermo-Lag applications at facilities in response to GL 92-08.
CHRZANOWSKI, D. Commonwealth Edison Co. 93/08/04. Office of Nuclear Reactor Regulation, Director (Post 870411). 6pp. 76067:249-76067:254.

9308260158 Advises that NRC has no technical objection to licensee 930521 request to change frequency of meetings w/fuel vendors from once per reload design to once yearly.
DYER, J.E. Project Directorate III-3. 93/08/09. FARRAR, D.L. Commonwealth Edison Co. 3pp. 76216:358-76216:360.

9308180215 Application for amends to licenses NPF-37, NPF-66, NPF-72 & NPF-77, revising TS 3/4.4.5, Table 4.4-1 & Table 4.4-2 to provide SG SRs for sample selection, insp, insp frequency, acceptance criteria & required repts to NRC.
BAUER, J.A. Commonwealth Edison Co. 93/08/13. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 10pp. 76155:001-76155:264.

-9308180226 Proposed TS 3/4.4.5 Tables 4.4-1 & 4.4-2, to provide SG SRs for sample selection, insp, insp frequency, acceptance criteria & required repts to NRC.
* Commonwealth Edison Co. 93/08/13. 49pp. 76155:011-76155:060.

-9308180234 Requests that proprietary Rev 1 to WCAP-13698, "Laser Welded Sleeves For 3/4 Inch Diameter Tube Feeding-Type & Westinghouse Preheater SGs," be withheld, per 10CFR2.790.
LIPARULO, N.J. Westinghouse Electric Corp. 93/05/27. MURLEY, T. Document Control Branch (Document Control Desk). 11pp. 76155:061-76155:071.

-9308180237 Nonproprietary Rev 1 to WCAP-13699, "Laser Welded Sleeves For 3/4 Inch Diameter Tube Feeding Type & Westinghouse Preheater SGs."
* Westinghouse Electric Corp. WCAP-13699 R01. 93/05/31. 193pp. 76155:072-76155:264.

9308200005 Notification of 930818 meeting w/util in Rockville, MD to discuss approach NRR taking to address cost beneficial licensing actions.
SIEGEL, B.L. Project Directorate III-2. 93/08/17. MURLEY, T., ZWOLINSKI, J., VIRGILIO, M. NRC - No Detailed Affiliation Given. App. 76209:284-76209:287.

9308230113 Forwards Rev 64 to Topical Rept CE-1-A, "Comm Ed QA Manual."
BAUER, J.A. Commonwealth Edison Co. 93/08/20. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 76179:001-76179:190.

-9308230114 Rev 64 to Topical Rept CE-1-A, "Comm Ed QA Manual."
* Commonwealth Edison Co. 93/08/17. 189pp. 76179:002-76179:190.

Q. Inspection reports, IE Bulletins & correspondence

9308170066 Forwards initial SALP 11 repts 50-454/93-01 & 50-455/93-01 for period 910901 - 930228.
DAVIS, A.B. Region 3 (Post 820201). 93/04/27. DELGEORGE, L.O. Commonwealth Edison Co. 3pp. 76108:278-76108:294.

-9308170073 Initial SALP 11 repts 50-454/93-01 & 50-455/93-01 for period of 910901 - 930228.
* Region 3 (Post 820201). 93/04/27. 14pp. 76108:281-76108:294.

9307190043 NRC Info Notice 93-057, "Software Problems Involving Digital Control Console Sys at Non-Power Reactors."
GRIMES, B.K. Division of Operating Reactor Support (Post 921004). 93/07/23. Consolidated Edison Co. of New York, Inc. 9pp. 76111:200-76111:208.

9308090084 Corrected insp repts 50-454/93-04 & 50-455/93-04 on 930222-26. Insp repts originally issued w/incorrect numbers, 50-454/93-03 & 50-455/93-03.
SNELL, W. Region 3 (Post 820201). 93/07/30. DELGEORGE, L.O. Commonwealth Edison Co. 2pp. 76020:111-76020:112.

9308170149 Forwards electrical distribution sys functional insp repts 50-454/93-06, 50-455/93-06, 50-456/93-09 & 50-457/93-09 on 930601-0716.
MARTIN, T.O. Region 3 (Post 820201). 93/08/12. DELGEORGE, L.O. Commonwealth Edison Co. 3pp. 76110:092-76110:120.

-9308170159 Insp repts 50-454/93-06, 50-455/93-06 & 50-456/93-09 & 50-457/93-09 on 930601-0716. No violations noted. Major areas inspected: stations electrical distribution sys design & operation.
BUTLER, D.S., GARDNER, D.S. Region 3 (Post 820201). 93/08/10. 29pp. 76110:095-76110:120.

R. Periodic operating reports & related correspondence

9308170221 Monthly operating repts for Jul 1993 for Byron Nuclear Power Station, units 1 & 2. W/930806 ltr.
COLGLAZIER, R., SCHWARTZ, G.K. Commonwealth Edison Co. 93/07/31. 14pp. 76136:333-76136:346.

9308260021 Forwards fitness-for-duty program performance data for Braidwood, Byron, Dresden, LaSalle, Quad-Cities & Zion Stations for six month period ending 930630.
SIMPKIN, T.W. Commonwealth Edison Co. 93/08/20. Document Control Branch (Document Control Desk). 24pp. 76259:243-76259:266.

V. Operator Examinations

9308260079 Ltr contract NRC-03-89-031, task order 195, to "Reactor Operator Licensing Requalification Exam at Byron."
SCOTT, M.L. Contract Administration Branch 1 (Post 900603). FIN L-1289-3. 93/04/20. PETERSON, L.R. Sonalysts, Inc. 5pp. 76215:136-76215:139.

9308030302 Informs of NRC plans to administer generic fundamentals exam section written operator licensing exam on 931006.
RING, M.A. Region 3 (Post 820201). 93/07/28. Consumers Power Co. 3pp. 75983:358-75983:360.

DOCKET STN-50-456 BRAIDWOOD STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9308040190 Rev 20 to BWZP 600-1A2, "Staff Augmentation Call Tree."
* Commonwealth Edison Co. 93/04/01. 2pp. 75991:282-75991:283.

9308050300 Corrected Emergency Preparedness & State Programs Corporate EPIPs (CEPIP) CEPIP-2000 Series: Corporate Emergency Response Organization Index.
* Commonwealth Edison Co. 93/07/14. 3pp. 76022:121-76022:123.

9308040274 Forwards encl 8 to SECY 93-166 which describes proposed characteristics of design basis vehicle. W/o encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 93/07/15. FARRAR, D.L. Commonwealth Edison Co. 4pp. 75979:087-75979:090.

9308100190 Provides addl info on fire barrier qualification, installation & ampacity derating margins for Thermo-Lag applications at facilities in response to GL 92-08.
CHRZANOWSKI, D. Commonwealth Edison Co. 93/08/04. Office of Nuclear Reactor Regulation, Director (Post 870411). 6pp. 76067:249-76067:254.

9308180075 Forwards Rev 29 of Braidwood Nuclear Power Station security plan, implementing "Limbo" designation in security computer software, eliminating potential use of key card by unauthorized individual. Encls withheld (ref 10CFR73.21).
JOHNSON, I.M. Commonwealth Edison Co. 93/08/05. Document Control Branch (Document Control Desk). 1p. 76199:284-76199:284.

9308240072 Notification of 930817 meeting w/util in Rockville, MD to discuss number of security related issues & changes to security plans which impact all sites.
HICKMAN, J.B. Project Directorate III-2. 93/08/05. DYER, J.E. Project Directorate III-2. 5pp. 76199:329-76199:333.

9308230120 Controlled procedure manual update notification 206 deleting listed procedures BWZP 500-1 through BWZP 550-1A3.
* Commonwealth Edison Co. 93/08/13. 5pp. 76207:081-76207:085.

9308230105 Rev 5 to BWZP 100-2, "Operations Director Implementing Procedure," rev 5 to "App A, Operations Director Checklist," & "App B, Diesel Oil Info."
* Commonwealth Edison Co. 93/08/17. 8pp. 76184:322-76184:330.

9308310078 Summary of 930817 meeting w/util in Rockville, MD re security-related issues & proposed mods to security plans. List of attendees encl.
PICKETT, D.V. Project Directorate III-2. 93/08/24. Project Directorate III-2. 7pp. 76274:190-76274:196.

J. Insurance & indemnity information

9308270067 Concludes that financial info submitted for 1993 in 930421 ltr satisfies requirements of Section 140.21 of 10CFR140 that each licensee maintain approved guarantee of payment of deferred premiums for each operating reactor over 100 MWe.
WOOD, R.S. Inspection & Licensing Policy Branch (Post 920712). 93/04/29. PENNOCK, J.B. Commonwealth Edison Co. 2pp. 76248:218-76248:219.

P. Operating license stage documents & correspondence

9308120144 "IDNS Map Monitoring Point ID for Braidwood Station," Tables H & I.
* Commonwealth Edison Co. 93/06/25. 4pp. 76087:313-76087:316.

9308030320 Ack receipt of 930630 & 0713 submittals, incorporating changes in QA program description topical rept. Anticipates 60 days to complete review of submittal.
RING, M.A. Region 3 (Post 820201). 93/07/27. DELGEORGE, L.O. Commonwealth Edison Co. 2pp. 75979:304-75979:305.

9308100156 Provides response to Generic Ltr 93-04, "Rod Control Sys Failure & Withdrawal of Rod Control Cluster Assemblies."
CHRZANOWSKI, D. Commonwealth Edison Co. 93/08/04. Document Control Branch (Document Control Desk). 9pp. 76078:235-76078:243.

9308100190 Provides addl info on fire barrier qualification, installation & ampacity derating margins for Thermo-Lag applications at facilities, in response to GL 92-08. CHRZANOWSKI, D. Commonwealth Edison Co. 93/08/04. Office of Nuclear Reactor Regulation, Director (Post 870411). 6pp. 76067:249-76067:254.

9308260158 Advises that NRC has no technical objection to licensee 930521 request to change frequency of meetings w/fuel vendors from once per reload design to once yearly. DYER, J.E. Project Directorate III-3. 93/08/09. FARRAR, D.L. Commonwealth Edison Co. 3pp. 76216:358-76216:360.

9308180215 Application for amends to licenses NPF-37, NPF-66, NPF-72 & NPF-77, revising TS 3/4.4.5, Table 4.4-1 & Table 4.4-2, to provide SG SRs for sample selection, insp, insp frequency, acceptance criteria & required repts to NRC. BAUER, J.A. Commonwealth Edison Co. 93/08/13. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 10pp. 76155:001-76155:264.

9308180226 Proposed TS 3/4.4.5 Tables 4.4-1 & 4.4-2 to provide SG SRs for sample selection, insp, insp frequency, acceptance criteria & required repts to NRC. * Commonwealth Edison Co. 93/08/13. 49pp. 76155:011-76155:060.

9308180234 Requests that proprietary Rev 1 to WCAP-13698, "Laser Welded Sleeves For 3/4 inch Diameter Tube Feeding-Type & Westinghouse Preheater SGs," be withheld, per 10CFR2.790. LIPARULO, N.J. Westinghouse Electric Corp. 93/05/27. MURLEY, T. Document Control Branch (Document Control Desk). 11pp. 76155:061-76155:071.

9308180237 Nonproprietary Rev 1 to WCAP-13699, "Laser Welded Sleeves For 3/4 inch Diameter Tube Feeding Type & Westinghouse Preheater SGs." * Westinghouse Electric Corp. WCAP-13699 R01. 93/05/31. 193pp. 76155:072-76155:264.

9308200005 Notification of 930818 meeting w/util in Rockville, MD to discuss approach NRR taking to address cost beneficial licensing actions. SIEGEL, B.L. Project Directorate III-2. 93/08/17. MURLEY, T., ZWOLINSKI, J., VIRGILIO, M. NRC - No Detailed Affiliation Given. 4pp. 76209:284-76209:287.

9308230113 Forwards Rev 64 to Topical Rept CE-1-A, "Comm Ed QA Manual." BAUER, J.A. Commonwealth Edison Co. 93/08/20. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 76179:001-76179:190.

9308230114 Rev 64 to Topical Rept CE-1-A, "Comm Ed QA Manual." * Commonwealth Edison Co. 93/08/17. 189pp. 76179:002-76179:190.

Q. Inspection reports, IE Bulletins & correspondence

9307190043 NRC Info Notice 93-057, "Software Problems Involving Digital Control Console Sys at Non-Power Reactors." GRIMES, B.K. Division of Operating Reactor Support (Post 921004). 93/07/23. Consolidated Edison Co. of New York, Inc. 9pp. 76111:200-76111:208.

9308090080 Ack receipt of 930706 ltr informing NRC of steps taken to correct violations noted in insp repts 50-456/93-14 & 50-457/93-14. JORGENSEN, B.L. Region 3 (Post 820201). 93/07/30. DELGEORGE, L.O. Commonwealth Edison Co. 2pp. 76020:107-76020:108.

9308090348 Responds to unresolved item noted in insp repts 50-456/93-11 & 50-457/93-11, C/As: each power operated valve in program will be reviewed to determine safety function in both directions. FARRAR, D.L. Commonwealth Edison Co. 93/08/03. Document Control Branch (Document Control Desk). 1p. 76037:242-76037:243.

9308240082 Forwards technical review rept re. "Tardy Licensee Actions" initiated because of delayed replacement of batteries in uninterruptible power supplies at plant. ISRAEL, S.L. Reactor Operations Analysis Branch. 93/08/05. ROSENTHAL, J.E. Reactor Operations Analysis Branch. 2pp. 76218:177-76218:193.

9308240165 Technical review rept, "Tardy Licensee Actions." ISRAEL, S.L. Reactor Operations Analysis Branch. 93/08/31. 13pp. 76218:179-76218:193.

9308170149 Forwards electrical distribution sys functional insp repts 50-454/93-06, 50-455/93-06, 50-456/93-09 & 50-457/93-09 on 930601-0716. MARTIN, T.O. Region 3 (Post 820201). 93/08/12. DELGEORGE, L.O. Commonwealth Edison Co. 3pp. 76110:092-76110:120.

9308170159 Insp repts 50-454/93-06, 50-455/93-06 & 50-456/93-09 & 50-457/93-09 on 930601-0716. No violations noted. Major areas inspected: stations electrical distribution sys design & operation. BUTLER, D.S., GARDNER, D.S. Region 3 (Post 820201). 93/08/10. 29pp. 76110:095-76110:120.

R. Periodic operating reports & related correspondence

9308160369 Monthly operating repts for Jul 1993 for Braidwood Nuclear Generating Station Units 1 & 2 W/930810 ltr. STANCZAK, P., KOFRON, K.L. Commonwealth Edison Co. 93/07/31. 13pp. 76141:323-76141:336.

9308260021 Forwards fitness-for-duty program performance data for Braidwood, Byron, Dresden, LaSalle, Quad-Cities & Zion Stations for six month period ending 930630. SIMPKIN, T.W. Commonwealth Edison Co. 93/08/20. Document Control Branch (Document Control Desk). 24pp. 76259:243-76259:266.

V. Operator Examinations

9308030302 Informs of NRC plans to administer generic fundamentals exam section written operator licensing exam on 931006. RING, M.A. Region 3 (Post 820201). 93/07/28. Consumers Power Co. 3pp. 75983:358-75983:360.

9308310211 Informs that G. Vanderheyden no longer requires operator license at plant. BERG, S.M. Commonwealth Edison Co. 93/08/19. Document Control Branch (Document Control Desk). 1p. 76289:262-76289:262.

DOCKET STN-50-457 BRAIDWOOD STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9308040190 Rev 20 to BWZP 600-1A2, "Staff Augmentation Call Tree." * Commonwealth Edison Co. 93/04/01. 2pp. 75991:282-75991:283.

9308050300 Corrected Emergency Preparedness & State Programs Corporate EPIPs (CEPIP) CEPIP-2000 Series: Corporate Emergency Response Organization Index. * Commonwealth Edison Co. 93/07/14. 3pp. 76022:121-76022:123.

9308040274 Forwards encl 8 to SECY 93-166 which describes proposed characteristics of design basis vehicle W/o encl. PARTLOW, J.G. Associate Director for Projects (Post 870411). 93/07/15. FARRAR, D.L. Commonwealth Edison Co. 4pp. 75979:087-75979:090.

9308100190 Provides addl info on fire barrier qualification, installation & ampacity derating margins for Thermo-Lag applications at facilities, in response to GL 92-08. CHRZANOWSKI, D. Commonwealth Edison Co. 93/08/04. Office of Nuclear Reactor Regulation, Director (Post 870411). 6pp. 76067:249-76067:254.

9308180075 Forwards Rev 29 of Braidwood Nuclear Power Station security plan, implementing "Limbo" designation in security computer software, eliminating potential use of key card by unauthorized individual. Encls withheld (ref 10CFR73.21). JOHNSON, I.M. Commonwealth Edison Co. 93/08/05. Document Control Branch (Document Control Desk). 1p. 76199:284-76199:284.

9308240072 Notification of 930817 meeting w/util in Rockville, MD to discuss number of security related issues & changes to security plans which impact all sites. HICKMAN, J.B. Project Directorate III-2. 93/08/05. DYER, J.E. Project Directorate III-2. 5pp. 76199:329-76199:333.

9308230120 Controlled procedure manual update notification 206 deleting listed procedures BwZP 500-1 through BwZP 550-1A3. * Commonwealth Edison Co. 93/08/13. 5pp. 76207:081-76207:085.

9308230105 Rev 5 to BWZP 100-2, "Operations Director Implementing Procedure," rev 5 to "App A, Operations Director Checklist," & "App B, Diesel Oil Info." * Commonwealth Edison Co. 93/08/17. 8pp. 76184:322-76184:330.

9308310078 Summary of 930817 meeting w/util in Rockville, MD re security-related issues & proposed mods to security plans. List of attendees encl. PICKETT, D.V. Project Directorate III-2. 93/08/24. Project Directorate III-2. 7pp. 76274:190-76274:196.

J. Insurance & indemnity information

9308270067 Concludes that financial info submitted for 1993 in 930421 ltr satisfies requirements of Section 140.21 of 10CFR140 that each licensee maintain approved guarantee of payment of deferred premiums for each operating reactor over 100 MWe. WOOD, R.S. Inspection & Licensing Policy Branch (Post 920712). 93/04/29. PENNOCK, J.B. Commonwealth Edison Co. 2pp. 76248:218-76248:219.

P. Operating license stage documents & correspondence

9308120144 "IDNS Map Monitoring Point ID for Braidwood Station," Tables H & I. * Commonwealth Edison Co. 93/06/25. 4pp. 76087:313-76087:316.

9308030320 Ack receipt of 930630 & 0713 submittals, incorporating changes in QA program description topical rept. Anticipates 60 days to complete review of submittal. RING, M.A. Region 3 (Post 820201). 93/07/27. DELGEORGE, L.O. Commonwealth Edison Co. 2pp. 75979:304-75979:305.

9308100156 Provides response to Generic Ltr 93-04, "Rod Control Sys Failure & Withdrawal of Rod Control Cluster Assemblies." CHRZANOWSKI, D. Commonwealth Edison Co. 93/08/04. Document Control Branch (Document Control Desk). 9pp. 76078:235-76078:243.

9308100190 Provides addl info on fire barrier qualification, installation & ampacity derating margins for Thermo-Lag applications at facilities, in response to GL 92-08. CHRZANOWSKI, D. Commonwealth Edison Co. 93/08/04. Office of Nuclear Reactor Regulation, Director (Post 870411). 6pp. 76067:249-76067:254.

9308260158 Advises that NRC has no technical objection to licensee 930521 request to change frequency of meetings w/fuel vendors from once per reload design to once yearly. DYER, J.E. Project Directorate III-3. 93/08/09. FARRAR, D.L. Commonwealth Edison Co. 3pp. 76216:358-76216:360.

9308180215 Application for amends to licenses NPF-37, NPF-66, NPF-72 & NPF-77, revising TS 3/4.4.5, Table 4.4-1 & Table 4.4-2, to provide SG SRs for sample selection, insp, insp frequency, acceptance criteria & required repts to NRC. BAUER, J.A. Commonwealth Edison Co. 93/08/13. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 10pp. 76155:001-76155:264.

9308180226 Proposed TS 3/4.4.5 Tables 4.4-1 & 4.4-2 to provide SG SRs for sample selection, insp, insp frequency, acceptance criteria & required repts to NRC. * Commonwealth Edison Co. 93/08/13. 49pp. 76155:011-76155:060.

9308180234 Requests that proprietary Rev 1 to WCAP-13698, "Laser Welded Sleeves For 3/4 inch Diameter Tube Feeding-Type & Westinghouse Preheater SGs," be withheld, per 10CFR2.790. LIPARULO, N.J. Westinghouse Electric Corp. 93/05/27. MURLEY, T. Document Control Branch (Document Control Desk). 11pp. 76155:061-76155:071.

9308180237 Nonproprietary Rev 1 to WCAP-13699, "Laser Welded Sleeves For 3/4 inch Diameter Tube Feeding Type & Westinghouse Preheater SGs." * Westinghouse Electric Corp. WCAP-13699 R01. 93/05/31. 193pp. 76155:072-76155:264.

148 DOCKETED ITEMS

9308200005 Notification of 930818 meeting w/util in Rockville, MD to discuss approach NRR taking to address cost beneficial licensing actions.
SIEGEL, B.L. Project Directorate III-2. 93/08/17. MURLEY, T., CRUTCHFIELD, D., TRAVERS, W. NRC - No Detailed Affiliation Given. 4pp. 76209:284-76209:287.

9308230113 Forwards Rev 64 to Topical Rept CE-1-A, "Comm Ed QA Manual."
BAUER, J.A. Commonwealth Edison Co. 93/08/20. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 76179:001-76179:190.

9308230114 Rev 64 to Topical Rept CE-1-A, "Comm Ed QA Manual."
* Commonwealth Edison Co. 93/08/17. 189pp. 76179:002-76179:190.

Q. Inspection reports, IE Bulletins & correspondence

9307190043 NRC Info Notice 93-057, "Software Problems Involving Digital Control Console Sys at Non-Power Reactors."
GRIMES, B.K. Division of Operating Reactor Support (Post 921004). 93/07/23. Consolidated Edison Co. of New York, Inc. 9pp. 76111:200-76111:208.

9308090080 Ack receipt of 930706 ltr informing NRC of steps taken to correct violations noted in insp repts 50-456/93-14 & 50-457/93-14.
JORGENSEN, B.L. Region 3 (Post 820201). 93/07/30. DELGEORGE, L.O. Commonwealth Edison Co. 2pp. 76020:107-76020:108.

9308090348 Responds to unresolved item noted in insp repts 50-456/93-11 & 50-457/93-11.C/As: each power operated valve in program will be reviewed to determine safety function in both directions.
FARRAR, D.L. Commonwealth Edison Co. 93/08/03. Document Control Branch (Document Control Desk). 1p. 76037:242-76037:243.

9308170149 Forwards electrical distribution sys functional insp repts 50-454/93-06, 50-455/93-06, 50-456/93-09 & 50-457/93-09 on 930601-0716.
MARTIN, T.O. Region 3 (Post 820201). 93/08/12. DELGEORGE, L.O. Commonwealth Edison Co. 3pp. 76110:092-76110:120.

9308170159 Insp repts 50-454/93-06, 50-455/93-06 & 50-456/93-09 & 50-457/93-09 on 930601-0716. No violations noted. Major areas inspected: stations electrical distribution sys design & operation.
BUTLER, D.S. Region 3 (Post 820201). 93/08/10. 29pp. 76110:095-76110:120.

R. Periodic operating reports & related correspondence

9308160369 Monthly operating repts for Jul 1993 for Braidwood Nuclear Generating Station Units 1 & 2.W/930810 ltr.
STANCZAK, P., KOFRON, K.L. Commonwealth Edison Co. 93/07/31. 13pp. 76141:323-76141:336.

9308260021 Forwards fitness-for-duty program performance data for Braidwood, Byron, Dresden, LaSalle, Quad-Cities & Zion Stations for six month period ending 930630.
SIMPKIN, T.W. Commonwealth Edison Co. 93/08/20. Document Control Branch (Document Control Desk). 24pp. 76259:243-76259:266.

S. Reportable occurrences, LERs & related correspondence

9308160233 LER 93-004-00: on 930712, time frame for performing core normalization surveillance exceeded due to personnel error. Commenced performance of required surveillance. Surveillance Procedure BWVS 1.1.1.2-1 will be revised.W/930811 ltr.
SANCHEZ, J., KOFRON, K.L. Commonwealth Edison Co. 93/08/11. 6pp. 76158:322-76158:327.

9308250062 LER 93-005-00: on 930720, missed surveillance on containment isolation valve occurred due to personnel error & mgt deficiency. Enhanced procedures, training & counseling. W/930819 ltr.
LAU, P., KOFRON, K.L. Commonwealth Edison Co. 93/08/19. 7pp. 76255:319-76255:325.

V. Operator Examinations

9308030302 Informs of NRC plans to administer generic fundamentals exam section written operator licensing exam on 931006.
RING, M.A. Region 3 (Post 820201). 93/07/28. Consumers Power Co. 3pp. 75983:358-75983:360.

9308310211 Informs that G Vanderheyden no longer requires operator license at plant.
BERG, S.M. Commonwealth Edison Co. 93/08/19. Document Control Branch (Document Control Desk). 1p. 76289:262-76289:262.

DOCKET 50-458 RIVER BEND STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9308050256 Forwards encl 8 to SECY 93-166 which describes proposed characteristics of design basis vehicle.W/o encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 93/07/15. GRAHAM, P.D. Gulf States Utilities Co. 2pp. 75990:295-75990:296.

9308120016 Forwards Rev 9 to emergency plan. Rev required due to changes to EIP-2-001, "Classification of Emergencies."
BOOKER, J.E. Gulf States Utilities Co. 93/08/05. Document Control Branch (Document Control Desk). 1p. 76095:115-76095:170.

9308120017 Rev 9 to emergency plan.
* Gulf States Utilities Co. 93/08/05. 55pp. 76095:116-76095:170.

9308170118 Ack receipt of 930625 ltr informing NRC of steps taken to correct violations noted in insp rept 50-458/93-15 on 930510-14.
CALLAN, L.J. Region 4 (Post 820201). 93/08/09. GRAHAM, P.D. Gulf States Utilities Co. 4pp. 76109:023-76109:031.

9308200163 Forwards Rev 7 to safeguard contingency plan. Changes reflect current activities of security program. Rev withheld (ref 10CFR73.21).
GRAHAM, P.D. Gulf States Utilities Co. 93/08/12. Office of Nuclear Material Safety & Safeguards. 2pp. 76199:287-76199:288.

G. Adjudicatory correspondence

9308250084 Cajun Electric Power Cooperative, Inc amend to previously filed comments, petition for leave to intervene & request for hearing & conditions on notice of consideration of issuance of amend to OL proposed NSHC.... W/Certificate of Svc.
PEMBROKE, J.D. Cajun Electric Power Cooperative, Inc. PEMBROKE, J.D. Duncan, Weinberg, Miller & Pembroke, P.C. (formerly Duncan, Weinberg & Miller). #393 14232. 93/08/17. Commissioners (Post 750119). 28pp. 76189:298-76189:325.

9308250173 Forwards petition to intervene dtd 930806 & submitted by licensee in response to notice of proposed issuance by NRC of amend to license for unit 1.
CHILK, S.J. Office of the Secretary of the Commission. #393 14227. 93/08/17. COTTER, B.P. Atomic Safety & Licensing Board Panel. 1p. 76190:083-76190:124.

9308250183 Cajun Electric Power Cooperative, Inc comments, petition for leave to intervene & request for hearing & conditions on notice of consideration of issuance of amend to OL & proposed NSHC determination.... W/Certificate of Svc.
PEMBROKE, J.D. Cajun Electric Power Cooperative, Inc. PEMBROKE, J.D., LOWER, J.L. Duncan, Brown, Weinberg & Palmer. 93/08/06. Commissioners (Post 750119). 41pp. 76190:084-76190:124.

9308260014 Establishment of ASLB.* Informs that ASLB currently being established in listed proceeding to rule on petitions for leave to intervene &/or requests for hearing & to preside over proceeding.W/Certificate of Svc.Served on 930823.
COTTER, B.P. Atomic Safety & Licensing Board Panel. #393 14235. 93/08/19. 4pp. 76202:001-76202:004.

9308260019 Opposition of Gulf States Util Co to petition to intervene & request for hearing of Cajun Electric Power Cooperative, Inc.W/Certificate of Svc & Notices of Appearance.
KNOTTS, J.B., SOUDERS, D.M. Gulf Power Co. WETTERHAN, M.J. Winston & Strawn. #393 14239. 93/08/23. Atomic Safety & Licensing Board Panel. 49pp. 76202:005-76202:053.

9308270063 Comment discussing proposed determination that requested amends do not involve significant hazards consideration within meaning of 10CFR50.92 for filing.
WETTERHAN, M.J. Gulf States Utilities Co. WETTERHAN, M.J. Winston & Strawn. 93/08/23. Rules & Directives Review Branch (Post 920323). 11pp. 76217:067-76217:077.

M. Antitrust correspondence

9308090248 Responds to 930716 request for extension of time in responding to staff 930707-09 data requests. NRC believes extension until close of business 930802 will allow time to fully respond.
GRANT, G.E. Inspection & Licensing Policy Branch (Post 920712). 93/07/20. BEENY, S.T. Brand, Beeny, Berger & Whittier. 2pp. 76024:017-76024:018.

9308020034 Provides response on behalf of Occidental Chemical Corp (OCC) to questions raised in NRC 930707 ltr re OCC activities in electric bulk power market.
O'DONNELL, E.H. Occidental Chemical Corp. O'DONNELL, E.H. Dewey Ballantine. 93/07/22. GRANT, G.E. Inspection & Licensing Policy Branch (Post 920712). 2pp. 75954:111-75954:112.

9308020126 Ack receipt of 930707 RAI re wholesale power transactions presently underway or being negotiated w/regard to proposed transfer of ownership of River Bend Station from GSU to Entergy. Summary of svc agreements encl.
WILSON, Z.D. Wilson, Z.D., P.A. 93/07/22. GRANT, G.E. Inspection & Licensing Policy Branch (Post 920712). 26pp. 75953:330-75953:355.

9308060016 Responds to ltr of inquiry dtd 930707 re proposed transfer of control of ownership of River Bend Station from GSU to Entergy Corp.
MCDIARMID, R.C. Spiegel & McDiarmid. 93/08/02. GRANT, G.E. Inspection & Licensing Policy Branch (Post 920712). 10pp. 76024:332-76024:341.

9308060336 Submits Terrebonne Parish Consolidated Govt & Louisiana Energy & Power Authority response to questions in NRC 930707 ltr w/regard to GSU commitments limit enforcement proceedings brought before AEC now NRC. 39FR12376 (740405).
BRAND, W.E. Terrebonne Parish, LA. BRAND, W.E. Affiliation Not Assigned. BRAND, W.E. Brand, Beeny, Berger & Whittier. 93/08/02. GRANT, G.E. Inspection & Licensing Policy Branch (Post 920712). 8pp. 76036:122-76036:129.

9308060366 Responds to NRC 930707 request for info re certain concerns of South Mississippi Electric Power Assoc concerning proposed transfer of ownership of River Bend Station from GSU to Entergy Corp.
WEINBERG, R. South Mississippi Electric Power Association. WEINBERG, R. Duncan, Weinberg, Miller & Pembroke, P.C. (formerly Duncan, Weinberg & Miller). 93/08/02. GRANT, G.E. Inspection & Licensing Policy Branch (Post 920712). 1p. 76062:360-76062:360.

9308090177 Responds to question in NRC 930707 ltr w/respect to GSU/ Entergy Corp & transfer of ownership of facility.
PEMBROKE, J.D. Cajun Electric Power Cooperative, Inc. PEMBROKE, J.D. Duncan, Weinberg, Miller & Pembroke, P.C. (formerly Duncan, Weinberg & Miller). 93/08/02. GRANT, G.E. Inspection & Licensing Policy Branch (Post 920712). 6pp. 76037:300-76037:305.

9308090183 Submits response to questions posed to Brazos in 930707 ltr. Cited proposal not acceptable for series of reasons listed.
O'NEIL, R.A. Miller, Balis & O'Neil. 93/08/02. GRANT, G.E. Program Management, Policy Development & Analysis Staff (Post 870411). 4pp. 76037:296-76037:299.

P. Operating license stage documents & correspondence

- 9308100186** Forwards notices of consideration of issuance of amend, proposed NSHC determination & opportunity for hearing re 930702 request for change to TS to indicate that for cycle 5 impact on OLMCPR need not be considered. BAKER,E.T. Project Directorate IV-2. 93/07/19. GRAHAM,P.D. Gulf States Utilities Co. 2pp. 76071:252-76071:269.
- 9308100187** Notice of consideration of issuance of amend to license NPF-47 & proposed NSHC determination & opportunity for hearing. Amend changes TS to indicate that for Cycle 5 impact on OLMCPR from misoriented fuel bundle not necessary. BAKER,E.T. Project Directorate IV-2. 93/07/19. 8pp. 76071:254-76071:261.
- 9308100209** Notice of consideration of issuance of amend to license NPF-47 & proposed NSHC determination & opportunity for hearing. Amend changes TS to extend radioactive effluent release rept submittal frequency to annual. BAKER,E.T. Project Directorate IV-2. 93/07/19. 8pp. 76071:262-76071:269.
- 9308100180** Notification of 930727 meeting w/util in Rockville,MD to discuss of plant plans on BWR level mods. BAKER,E.T. Project Directorate IV-2. 93/07/20. MURLEY,T., MIRAGLIA,F., RUSSELL,W. NRC - No Detailed Affiliation Given. 3pp. 76071:249-76071:251.
- 9308110157** Discusses NRC testing of plant feedwater nozzle & whether util would release nozzle removed from reactor vessel during last refueling outage to NRC,per 930606 telcon. BAKER,E.T. Project Directorate IV-2. 93/07/21. GRAHAM,P.D. Gulf States Utilities Co. 3pp. 76063:291-76063:293.
- 9308160218** Provides comments on rept of regulatory review group to Executive Director. Supports group efforts to identify regulatory requirements. ENGLAND,L.A. BWR Owners Group. 93/07/22. GILLESPIE,F.P. NRC - No Detailed Affiliation Given. 2pp. 76103:359-76103:360.
- 9308110225** Summary of 930513 meeting w/util to discuss status of licensee efforts to implement mod to RV level instrumentation. BAKER,E.T. Project Directorate IV-2. 93/08/04. Project Directorate IV-2. 16pp. 76064:257-76064:272.
- 9308240088** Forwards supplemental safety evaluation for topical rept HGN-112-NP, "Generic Hydrogen Control Info for BWR/6 Mark III Containments." BAKER,E.T. Project Directorate IV-2. 93/08/05. GRAHAM,P.D. Gulf States Utilities Co. 2pp. 76183:130-76183:134.
- 9308240093** Supplemental safety evaluation for topical rept HGN-112-NP, "Generic Hydrogen Control Info for BWR/6 Mark III Containments." Change requests consistent & compatible w/ 10CFR50.44 & acceptable. * Office of Nuclear Reactor Regulation, Director (Post 870411). 93/08/05. 3pp. 76183:132-76183:134.
- 9308250099** Notification of 930831 meeting w/BWR-6 Owners Group in Rockville,MD to discuss pending amend submittals to adopt improved standardized TS. BAKER,E.T. Project Directorate IV-2. 93/08/19. BLACK,S.C. Project Directorate IV-2. 6pp. 76201:149-76201:154.

Q. Inspection reports, IE Bulletins & correspondence

- 9308050163** Responds to insp rept 50-458/93-15 on 930510-14 re follow-up item & weakness. GRAHAM,P.D. Gulf States Utilities Co. 93/06/25. Region 4 (Post 820201). 5pp. 76022:247-76022:251.
- 9307190043** NRC Info Notice 93-057, "Software Problems Involving Digital Control Console Sys at Non-Power Reactors." GRIMES,B.K. Division of Operating Reactor Support (Post 921004). 93/07/23. Consolidated Edison Co. of New York, Inc. 9pp. 76111:200-76111:208.
- 9308040002** Ack receipt of 930604 ltr informing NRC of steps taken to correct violations noted in insp rept 50-458/93-12 on 930329-0402. CALLAN,L.J. Region 4 (Post 820201). 93/07/29. GRAHAM,P.D. Gulf States Utilities Co. 4pp. 75949:001-75949:012.
- 9308090006** Responds to NRC Bulletin 93-003, "Resolution of Issues Re Vessel Water Level Instrumentation in BWR;" & GL-92-04, "Resolution of Issues...Per 10CFR50.54(f)." Lists completed actions. BOOKER,J.E. Gulf States Utilities Co. 93/07/30. Document Control Branch (Document Control Desk). 6pp. 76060:214-76060:219.
- 9308100089** EN-93-077: on 930805, notice of proposed imposition of civil penalty in amount of \$100,000 issued to licensee. Action based on severity level III problem involving June 1992 failure to verify post-maint internal clearances. COBLENTZ,L., LIEBERMAN,J. Dir of Enforcement (Post 870413). 93/08/02. 1p. 76025:335-76025:335.
- 9308110166** Discusses insp rept 50-458/93-18 on 930421-0622 & forwards notice of violation & proposed imposition of civil penalty in amount of \$100,000. MILHOAN,J.L. Region 4 (Post 820201). 93/08/05. GRAHAM,P.D. Gulf States Utilities Co. 8pp. 76056:075-76056:085.
- 9308110172** Notice of violation & proposed imposition of civil penalty in amount of \$100,000. Noncompliance noted: program for insp of activities affecting quality not established or executed. * Region 4 (Post 820201). 93/08/05. 4pp. 76056:082-76056:085.
- 9308240082** Forwards technical review rept re, "Tardy Licensee Actions" initiated because of delayed replacement of batteries in uninterruptible power supplies at plant. ISRAEL,S.L. Reactor Operations Analysis Branch. 93/08/05. ROSENTHAL,J.E. Reactor Operations Analysis Branch. 2pp. 76218:177-76218:193.
- 9308240165** Technical review rept, "Tardy Licensee Actions." ISRAEL,S.L. Reactor Operations Analysis Branch. 93/08/31. 13pp. 76218:179-76218:193.
- 9308170118** Ack receipt of 930625 ltr informing NRC of steps taken to correct violations noted in insp rept 50-458/93-15 on 930510-14. CALLAN,L.J. Region 4 (Post 820201). 93/08/09. GRAHAM,P.D. Gulf States Utilities Co. 4pp. 76109:023-76109:031.

9308180043 Forwards insp rept 50-458/93-21 on 930621-0716. No violations noted. COLLINS,S.J. Region 4 (Post 820201). 93/08/11. GRAHAM,P.D. Gulf States Utilities Co. 5pp. 76131:296-76131:316.

-9308180048 Insp rept 50-458/93-21 on 930621-0716. No violations noted. Major areas inspected: licensee self-assessment capability, licensee feedback of operational experience info & followup on previous insp items. CONSTABLE,G.L. Region 4 (Post 820201). 93/08/03. 16pp. 76131:301-76131:316.

9308180102 Forwards revised SALP program, stating that NRC will review & evaluate power reactor license that possesses OL on approx 18-month interval. SALP assessment period revised for 920927-940129. BEACH,A.B. Region 4 (Post 820201). 93/08/11. GRAHAM,P.D. Gulf States Utilities Co. 24pp. 76132:050-76132:073.

9308230001 Forwards insp rept 50-458/93-20 on 930606-0717 & notice of violation. BEACH,A.B. Region 4 (Post 820201). 93/08/17. GRAHAM,P.D. Gulf States Utilities Co. 5pp. 76165:001-76165:035.

-9308230003 Notice of violation from insp on 930606-0717. Violation noted: while plant in operational condition 1, residual heat removal pump A declared inoperable while high pressure core spray inoperable. * Region 4 (Post 820201). 93/08/17. 3pp. 76165:006-76165:008.

-9308230004 Insp rept 50-458/93-20 on 930606-0717. Violations noted. Major areas inspected: plant status, onsite response to events, operational safety verification, engineered safety feature sys walkdown & maint & surveillance observations. GAGLIARDO,J.E. Region 4 (Post 820201). 93/08/12. 27pp. 76165:009-76165:035.

9308300114 Responds to violations noted in Insp Rept 50-458/93-05. Corrective actions: review of technical section procedures will be performed to identify procedures that may be required after maint. GRAHAM,P.D. Gulf States Utilities Co. 93/08/23. Document Control Branch (Document Control Desk). 4pp. 76283:303-76283:306.

9308300130 Responds to violations noted in Insp Rept 50-458/93-17. Corrective actions: CR 93-0319 written on 930526 upon notification of potential violation of TSs & License Amend Request 93-07 generated & submitted to NRC for approval. GRAHAM,P.D. Gulf States Utilities Co. 93/08/23. Document Control Branch (Document Control Desk). 4pp. 76282:185-76282:188.

R. Periodic operating reports & related correspondence

9308090246 Forwards semi-annual rept on fitness-for-duty program performance data for period 930101-0630. BOOKER,J.E. Gulf States Utilities Co. 93/07/30. Document Control Branch (Document Control Desk). 4pp. 76037:327-76037:330.

9308190155 Monthly operating rept for Jul 1993 RBS, unit 1.W/930813 ltr. HENDL,G.F., BOOKER,J.E. Gulf States Utilities Co. 93/07/31. 5pp. 76184:025-76184:029.

S. Reportable occurrences, LERs & related correspondence

9308090001 LER 93-013-00: on 930629, high pressure core spray pump failed to start & run during surveillance test due to failed overfrequency relay. Relay tested & installed in switchgear. W/930729 ltr. LORFING,D.N., BOOKER,J.E. Gulf States Utilities Co. 93/07/29. 5pp. 76091:022-76091:027.

9308100240 LER 93-014-00: on 930701, installed sprinkler sys as substitute for passive fire-rated barrier due to deficiency identified in fire barrier separation requirements. Declared fire barriers surrounding valves degraded. W/930802 ltr. LORFING,D.N., BOOKER,J.E. Gulf States Utilities Co. 93/08/02. 6pp. 76091:123-76091:130.

9308180090 PNO-IV-93-023: on 930810, reactor SCRAM occurred due to MSIVs going closed. Licensee initiated task team to review event & develop action plan to address turbine control problems. State of Louisiana informed. GAGLIARDO,G. Region 4 (Post 820201). 93/08/12. 2pp. 76131:317-76131:318.

9308250443 LER 93-010-01: on 930514, SDC loss for three minutes when SDC suction valves closed. Caused by failure to identify need for compensatory measures. Revised procedural guidance clarifying valve isolation. W/930816 ltr. LORFING,D.N., BOOKER,J.E. Gulf States Utilities Co. 93/08/16. 5pp. 76255:339-76255:345.

9308260302 Special rept: on 930715, invalid failure on div II standby DG occurred due to trip signal. New switch bench calibrated. W/930816 ltr. BOOKER,J.E. Gulf States Utilities Co. 93/08/16. Document Control Branch (Document Control Desk). 5pp. 76236:248-76236:252.

9308300127 LER 93-015-00: on 930723, discovered time response testing of isolation instrumentation for RWCU & RCIC sys not performed at intervals required by TSs. Caused by scheduling error & misinterpretation of TS. Schedule revised. W/930824 ltr. LORFING,D.N., BOOKER,J.E. Gulf States Utilities Co. 93/08/23. 6pp. 76304:055-76304:060.

V. Operator Examinations

9308110050 Informs of NRC plan to administer GFES of written operator licensing exam at facility on 931006. COLLINS,S.J. Region 4 (Post 820201). 93/08/04. GRAHAM,P.D. Gulf States Utilities Co. 5pp. 76039:292-76039:296.

150 DOCKETED ITEMS

DOCKET 50-459 RIVER BEND STATION, UNIT 2

P. Operating license stage documents & correspondence

9308160218 Provides comments on rept of regulatory review group to Executive Director. Supports group efforts to identify regulatory requirements.
ENGLAND, L.A. BWR Owners Group. 93/07/22. GILLESPIE, F.P. NRC - No Detailed Affiliation Given. 2pp. 76103:359-76103:360.

DOCKET 50-460 WPPSS NUCLEAR PROJECT, UNIT 1

F. Security, medical, emergency & fire protection plans

9308050299 Submits special notice of change to Washington Nuclear Plant Units 1 & 2 emergency preparedness plan (EPP). Change deletes Crisis Mgt Ctr & administrative support staff listed in Section 10.4.1 of EPP.
PARRISH, J.V. Washington Public Power Supply System. 93/07/29. Document Control Branch (Document Control Desk). 2pp. 76028:030-76028:031.

Q. Inspection reports, IE Bulletins & correspondence

9308160056 Forwards insp repts 50-397/93-18 & 50-460/93-01 on 930511-0621. Eleven examples of apparent violations noted & are being considered for escalated enforcement.
PERKINS, K.E. Region 5 (Post 820201). 93/07/27. PARRISH, J.V. Washington Public Power Supply System. 4pp. 76089:019-76089:115.

-9308160059 Insp repts 50-397/93-18 & 50-460/93-01 on 930511-0621. Violations noted. Major areas inspected: CR operations, operational safety verification, surveillance program, maint program, LERs & special insp topics.
JOHNSON, P.H. Region 5 (Post 820201). 93/07/21. 102pp. 76089:023-76089:115.

S. Reportable occurrences, LERs & related correspondence

9308030372 Potential Part 21 rept re Limitorque actuator motors. Utils & other purchases listed in encl being advised of concern. Limitorque revising selection procedure for safety related actuators, motors & technical data packages.
TAYLOR, J.H. Babcock & Wilcox Co. 93/07/22. Document Control Branch (Document Control Desk). 8pp. 75976:349-75976:356.

DOCKET 50-461 CLINTON POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9308110352 Advanced Change Notice 10/2 to Rev 9 of "Clinton Power Station Emergency Plan," reflecting organizational changes due to re-engineering & changes to JPIC Organization suggested during recent drills.
* Illinois Power Co. 93/06/29. 14pp. 76076:269-76076:282.

9308040284 Forwards encl 8 to SECY 93-166 which describes proposed characteristics of design basis vehicle. W/o encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 93/07/15. PHARES, R.F. Illinois Power Co. 2pp. 75979:085-75979:086.

9308060136 Forwards Rev 15 to Clinton Power Station physical security plan, per 10CFR50.54(p). Plan withheld, per 10CFR73.2(c)(2).
PHARES, R.F. Illinois Power Co. 93/07/26. Document Control Branch (Document Control Desk). 1p. 76074:355-76074:355.

9308250162 Forwards insp rept 50-461/93-16 on 930709-13. No violations noted.
CREED, J.R. Region 3 (Post 820201). 93/08/19. PERRY, J.S. Illinois Power Co. 2pp. 76188:306-76188:309.

-9308250167 Partially deleted insp rept 50-461/93-16 on 930709-13, ref 10CFR73.21(c)(2). No violations noted. Major areas inspected: mgt support & effectiveness, protected & vital area physical barriers & detection & assessments aids.
KNICELEY, J.R., CREED, J.R. Region 3 (Post 820201). 93/08/19. 2pp. 76188:308-76188:309.

H. General correspondence

9308300119 Advises that S. Zabel should be removed from carbon copy list for correspondence directed to util effective immediately.
PHARES, R.F. Illinois Power Co. 93/08/23. Document Control Branch (Document Control Desk). 1p. 76296:299-76296:299.

9308260226 Undated ltr providing comments on recommendations of Regulatory Review Group in rept made available on 930528. Agrees w/proposed changes identified.
PHARES, R.F. Illinois Power Co. 93/08/26. GILLESPIE, F.P. Regulatory Review Group. 2pp. 76214:277-76214:279.

I. Financial information

9308030299 "1992 Annual Rept," for Clinton Power Station, unit 1. W/ 930721 ltr.
PHARES, R.F., HAAB, L.D. Illinois Power Co. 92/12/31. 52pp. 75995:276-75995:332.

P. Operating license stage documents & correspondence

9308090285 Forwards amend 79 to license NPF-62 & safety evaluation. Amend clarifies startup surveillance requirements & establishes plant conditions to perform surveillances associated w/plant operational conditions.
PICKETT, D.V. Project Directorate III-2. 93/07/15. PHARES, R.F. Illinois Power Co. 3pp. 76023:308-76023:341.

-9308090290 Amend 79 to license NPF-62, clarifying startup surveillance requirements & establishing plant conditions to perform surveillances associated w/change of plant operational conditions.
DYER, J.E. Project Directorate III-2. 93/07/15. 23pp. 76023:311-76023:333.

-9308090293 Safety evaluation supporting amend 79 to license NPF-62.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 93/07/15. 8pp. 76023:334-76023:341.

9308110169 Notices of 930728 meeting w/util in Rockville, MD to discuss proposed mods to reactor vessel level instrumentation for plant.
PICKETT, D.V. Project Directorate III-2. 93/07/20. Dyer, J.E. Project Directorate III-2. 3pp. 76063:296-76063:300.

9308250379 Forwards amend 82 to license NPF-62 & SE. Amend modifies TS 3/4.7.2, "Control Room Ventilation Sys," by revising action statement b.1 to provide alternative where operable CR ventilation sys does not have to be operated in high mode.
PICKETT, D.V. Project Directorate III-2. 93/08/05. PHARES, R.F. Illinois Power Co. 5pp. 76203:086-76203:106.

-9308250383 Amend 82 to license NPF-62, modifying TS 3/4.7.2, "Control Room Ventilation Sys," by revising action statement b.1 to provide alternative where operable control room ventilation sys does not have to be operated in high radiation mode.
DYER, J.E. Project Directorate III-2. 93/08/05. 11pp. 76203:091-76203:102.

-9308250387 Safety evaluation supporting amend 82 to license NPF-62.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 93/08/05. 4pp. 76203:103-76203:106.

9308250341 Forwards SSER re topical rept HGN-112-NP, "Generic Hydrogen Control Info for BWR/6 Mark III Containment Hydrogen Control."
PICKETT, D.V. Project Directorate III-2. 93/08/06. PHARES, R.F. Illinois Power Co. 3pp. 76203:247-76203:252.

-9308250351 SSER re topical rept HGN-112-NP, "Generic Hydrogen Control Info for BWR/6 Mark III Containment Hydrogen Control."
* Office of Nuclear Reactor Regulation, Director (Post 870411). 93/08/06. 3pp. 76203:250-76203:252.

9308270085 Notices of 930830 meeting w/util in Rockville, MD to discuss licensee GL 89-10 valve testing program schedule.
BRUSH, F.L. Project Directorate III-2. 93/08/12. Dyer, J.E. Project Directorate III-2. 3pp. 76220:142-76220:144.

9308250099 Notification of 930831 meeting w/BWR-6 Owners Group in Rockville, MD to discuss pending amend submittals to adopt improved standardized TS.
BAKER, E.T. Project Directorate IV-2. 93/08/19. BLACK, S.C. Project Directorate IV-2. 6pp. 76201:149-76201:154.

Q. Inspection reports, IE Bulletins & correspondence

9308250327 Ltr contract, awarding task order 2, to "Emergency Operating Procedure Insp - Clinton."
SCOTT, M.L. Division of Contracts & Property Management (Post 890205). 93/04/23. COLINA, I. Science & Engineering Associates, Inc. 2pp. 76212:170-76212:171.

9308040023 Ack receipt of licensee 930609 response to NRC bulletin 93-002, "Debris Plugging of Emergency Core Cooling Suction Strainers" & considers util actions complete.
PICKETT, D.V. Project Directorate III-2. 93/07/15. PHARES, R.F. Illinois Power Co. 3pp. 75979:095-75979:097.

9307190043 NRC Info Notice 93-057, "Software Problems Involving Digital Control Console Sys at Non-Power Reactors."
GRIMES, B.K. Division of Operating Reactor Support (Post 921004). 93/07/23. Consolidated Edison Co. of New York, Inc. 9pp. 76111:200-76111:208.

9308060294 Responds to NRC Bulletin 93-003, "Resolution of Issues Related to RV Water Level Instrumentation in BWRs."
PERRY, J.S. Illinois Power Co. 93/07/30. Document Control Branch (Document Control Desk). 5pp. 76038:349-76038:353.

9308250361 Summary of 930728 meeting w/util in Rockville, MD to discuss proposed mods to reactor vessel water level instrumentation, per NRC bulletin 93-03. List of attendees encl.
PICKETT, D.V. Project Directorate III-2. 93/08/09. Project Directorate III-2. 25pp. 76203:222-76203:246.

9308250248 Forwards insp rept 50-461/93-13 on 930629-0809. No violations noted. Self identified violations not cited.
HAGUE, R.L. Region 3 (Post 820201). 93/08/18. PERRY, J.S. Illinois Power Co. 2pp. 76189:163-76189:178.

-9308250253 Insp rept 50-461/93-13 on 930629-0809. No violations noted. Major areas inspected: licensee actions on plant operations.
HAGUE, R.L. Region 3 (Post 820201). 93/08/18. 14pp. 76189:165-76189:178.

9308250162 Forwards insp rept 50-461/93-16 on 930709-13. No violations noted.
CREED, J.R. Region 3 (Post 820201). 93/08/19. PERRY, J.S. Illinois Power Co. 2pp. 76188:306-76188:309.

-9308250167 Partially deleted insp rept 50-461/93-16 on 930709-13, ref 10CFR73.21(c)(2). No violations noted. Major areas inspected: mgt support & effectiveness, protected & vital area physical barriers & detection & assessments aids.
KNICELEY, J.R., CREED, J.R. Region 3 (Post 820201). 93/08/19. 2pp. 76188:308-76188:309.

R. Periodic operating reports & related correspondence

9308170396 Monthly operating rept for Jul 1993 for Clinton Power Station, unit 1. W/ 930809 ltr.
HOLLON, M.C., PHARES, R.F. Illinois Power Co. 93/07/31. 5pp. 76135:294-76135:298.

9308100149 Forwards Clinton Power Station Semi-Annual fitness-for-duty rept for period ending 930630.
PHARES,R.F. Illinois Power Co. 93/08/10. Document Control Branch (Document Control Desk). 4pp. 76154:226-76154:229.

S. Reportable occurrences, LERs & related correspondence

9308250178 Special rept: on 930721 & 0803, valid test failures of Div I DG occurred due to problem w/contacts within breaker control switch & failed coil in B-C phase under-voltage relay, respectively. Subj parts will be replaced during DG outage.
PHARES,R.F. Illinois Power Co. 93/08/20. Document Control Branch (Document Control Desk). 5pp. 76224:348-76224:352.

V. Operator Examinations

9308030302 Informs of NRC plans to administer generic fundamentals exam section written operator licensing exam on 931006.
RING,M.A. Region 3 (Post 820201). 93/07/28. Consumers Power Co. 3pp. 75983:358-75983:360.

DOCKET STN-50-482 WOLF CREEK GENERATING STATION

F. Security, medical, emergency & fire protection plans

9308050236 Forwards encl to SECY 93-166 which describes proposed characteristics of design basis vehicle. Encl withheld.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 93/07/15. CARNS,N.S. Wolf Creek Nuclear Operating Corp. 2pp. 75997:359-75997:360.

9308200149 Informs of change of schedule for annual radiological emergency preparedness exercise for 1993 due to flooding conditions. Exercise scheduled to be conducted 921201 as opposed to previous scheduled date of 930901.
HAGAN,R.C. Wolf Creek Nuclear Operating Corp. 93/08/16. Document Control Branch (Document Control Desk). 1p. 76209:311-76209:311.

9308230089 Advises that 930720 rev 36 to plant radiological emergency response plan consistent w/provisions of 10CFR50.54(a) & acceptable.
CALLAN,L.J. Region 4 (Post 820201). 93/08/17. CARNS,N.S. Wolf Creek Nuclear Operating Corp. 5pp. 76165:145-76165:149.

P. Operating license stage documents & correspondence

9308030351 Responds to 920311 request & informs that rept, "Reload SE Methodology for Plant" will be withheld from public disclosure, per 10CFR2.790.
BLACK,S.C. Project Directorate IV-2. 93/07/12. LIPARULO,N.J. Westinghouse Electric Corp. 6pp. 75952:095-75952:100.

9308030363 Informs that document entitled, "Wolf Creek Nuclear Operating Corp Reload Safety Evaluation Methodology," & suppl documents marked as proprietary will be withheld from public disclosure per 10CFR2.790(b)(5).
BLACK,S.C. Project Directorate IV-2. 93/07/12. RHODES,F.T. Wolf Creek Nuclear Operating Corp. 4pp. 75952:127-75952:130.

9308230152 Forwards amend 65 to license NPF-42 & safety evaluation. Amend revises TS section 6.9.1.7, "Semiannual Radiological Effluent Release Rept" & associated reporting requirements in TS sections 3.11 & 6.14, to extend reporting period.
RECKLEY,W.D. Project Directorate IV-2. 93/08/04. CARNS,N.S. Wolf Creek Nuclear Operating Corp. 2pp. 76179:322-76179:340.

-9308230162 Amend 65 to license NPF-42, revising TS Section 6.9.1.7 re semiannual radioactive effluent release rept & associated reporting requirements in TS sections 3.11 & 6.14 to extend reporting period to annually.
BLACK,S.C. Project Directorate IV-2. 93/08/04. 15pp. 76179:324-76179:338.

-9308230168 Safety evaluation supporting amend 65 to license NPF-42.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 93/08/04. 2pp. 76179:339-76179:340.

9308100143 Forwards response to GL 93-04, "Rod Control Sys Failure & Withdrawal of Rod Control Cluster Assemblies," per 10CFR50.54(f).
RHODES,F.T. Wolf Creek Nuclear Operating Corp. 93/08/05. Document Control Branch (Document Control Desk). 5pp. 76078:304-76078:308.

Q. Inspection reports, IE Bulletins & correspondence

9307190043 NRC Info Notice 93-057, "Software Problems Involving Digital Control Console Sys at Non-Power Reactors."
GRIMES,B.K. Division of Operating Reactor Support (Post 921004). 93/07/23. Consolidated Edison Co. of New York, Inc. 9pp. 76111:200-76111:208.

9308030052 Insp rept 50-482/93-15 cancelled.
COLLINS,S.J. Region 4 (Post 820201). 93/07/26. CARNS,N.S. Wolf Creek Nuclear Operating Corp. 4pp. 75935:243-75935:246.

9308240082 Forwards technical review rept re, "Tardy Licensee Actions" initiated because of delayed replacement of batteries in uninterruptible power supplies at plant.
ISRAEL,S.L. Reactor Operations Analysis Branch. 93/08/05. ROSENTHAL,J.E. Reactor Operations Analysis Branch. 2pp. 76218:177-76218:193.

-9308240165 Technical review rept, "Tardy Licensee Actions."
ISRAEL,S.L. Reactor Operations Analysis Branch. 93/08/31. 13pp. 76218:179-76218:193.

9308160197 Submits response to NRC insp of erosion/corrosion monitoring program re NRC Insp Rept 50-482/93-18 conducted on 930607-11 & 21-25, per Generic Ltr 89-08.
RHODES,F. Wolf Creek Nuclear Operating Corp. 93/08/09. Document Control Branch (Document Control Desk). 3pp. 76107:351-76107:353.

9308120037 Ack receipt of electronic transfer on 930722 for civil penalty payment in amount of \$50,000.
GRAY,J.R. Region 4 (Post 820201). 93/08/10. WITHERS,B.D. Wolf Creek Nuclear Operating Corp. 1p. 76063:064-76063:064.

9308130176 Forwards ISI summary rept for sixth refueling outage at WCGS.
CARNS,N.S. Wolf Creek Nuclear Operating Corp. 93/08/11. Document Control Branch (Document Control Desk). 2pp. 76106:246-76106:328.

-9308130178 "WCGS ISI Rept Refueling Outage 6, Interval 1, Period 3."
* Wolf Creek Nuclear Operating Corp. 93/08/11. 81pp. 76106:248-76106:328.

9308180003 Forwards revised SALP program, stating that NRC will review & evaluate power reactor licensee that possesses OL on approx 18-month interval SALP assessment period revised for 921011-940409.
BEACH,A.B. Region 4 (Post 820201). 93/08/11. CARNS,N.S. Wolf Creek Nuclear Operating Corp. 24pp. 76131:027-76131:050.

9308200044 Responds to NRC ltr re violations noted in insp rept 50-482/93-14. Corrective actions initiated WR & computer software request.
CARNS,N.S. Wolf Creek Nuclear Operating Corp. 93/08/13. Document Control Branch (Document Control Desk). 5pp. 76190:298-76190:302.

9308230095 Forwards insp rept 50-482/93-19 on 930620-0731 & notice of violation.
BEACH,A.B. Region 4 (Post 820201). 93/08/16. CARNS,N.S. Wolf Creek Nuclear Operating Corp. 4pp. 76165:169-76165:197.

-9308230103 Notice of violation from insp on 930620-0731. Violation noted: on 930713, workers removed posting sign that identified radiation area in radiological restricted area.
* Region 4 (Post 820201). 93/08/16. 2pp. 76165:174-76165:175.

-9308230110 Insp rept 50-482/93-19 on 930620-0731. Violations noted. Major areas inspected: plant status, operational safety verification, maint observations, surveillance observations & followup.
JOHNSON,W.D. Region 4 (Post 820201). 93/08/13. 22pp. 76165:176-76165:197.

9308250085 Ack receipt of 930813 ltr informing NRC of steps taken to correct violations noted in insp rept 50-482/93-14.
BEACH,A.B. Region 4 (Post 820201). 93/08/19. CARNS,N.S. Wolf Creek Nuclear Operating Corp. 4pp. 76188:026-76188:034.

R. Periodic operating reports & related correspondence

9308170215 Monthly operating rept for Jul 1993 for WCGS, W/930811 ltr.
WILLIAMS,M., MAYNARD,O.L. Wolf Creek Nuclear Operating Corp. 93/07/31. 7pp. 76136:326-76136:332.

9308180273 Forwards semi-annual Fitness for Duty Program Performance Data Rept for six month period 930101-0630.
MAYNARD,O.L. Wolf Creek Nuclear Operating Corp. 93/08/11. Document Control Branch (Document Control Desk). 4pp. 76165:314-76165:317.

S. Reportable occurrences, LERs & related correspondence

9308180115 Summary of operator reactors event meeting 93-18 on 930519.
CHAFFEE,A.E. Events Assessment Branch. 93/05/26. GRIMES,B.K. Division of Operating Reactor Support (Post 921004). 20pp. 76152:018-76152:037.

9308120291 Summary of operating reactors events meeting 93-23 on 930623.
CHAFFEE,A.E. Events Assessment Branch. 93/07/06. GRIMES,B.K. Division of Operating Reactor Support (Post 921004). 16pp. 76085:245-76085:260.

9308030372 Potential Part 21 rept re Limitorque actuator motors. Utilis & other purchases listed in encl being advised of concern. Limitorque revising selection procedure for safety related actuators, motors & technical data packages.
TAYLOR,J.H. Babcock & Wilcox Co. 93/07/22. Document Control Branch (Document Control Desk). 8pp. 75976:349-75976:356.

9308090184 LER 93-012-00: on 930510, reported unusual noise due to small frictional force release in RCS during heat-up. Developed & implemented enhanced thermal expansion monitoring program. W/930803 ltr.
MOLES,K.J., MAYNARD,O.L. Wolf Creek Nuclear Operating Corp. 93/08/03. 17pp. 76091:042-76091:058.

9308170231 LER 93-004-01: on 930316, discovered that broken fuel rod segment protruding out of fuel assembly F67 at core position H-6 due to grid-to-rod fretting. Detailed remote visual insp conducted. W/930812 ltr.
MOLES,K.J., MAYNARD,O.L. Wolf Creek Nuclear Operating Corp. 93/08/12. 18pp. 76159:025-76159:042.

V. Operator Examinations

9308110054 Informs of NRC plan to administer GFES of written operator licensing exam at facility on 931006.
COLLINS,S.J. Region 4 (Post 820201). 93/08/04. CARNS,N.S. Wolf Creek Nuclear Operating Corp. 4pp. 76039:307-76039:311.

DOCKET STN-50-483 CALLAWAY PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9308020122 Rev 93C to Callaway Plant emergency telephone directory facilities.
* Union Electric Co. 93/07/02. 28pp. 75954:113-75954:140.

9308030296 Forwards encl 8 to SECY 93-166, which describes proposed characteristics of design basis vehicle. W/o encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 93/07/15. SCHNELL,D.F. Union Electric Co. 2pp. 75950:348-75950:349.

152 DOCKETED ITEMS

9308300293 Forwards 930715 petition from residents of Callaway County, MI requesting assistance in addressing concerns about flooding of County Road 469, for consideration.
CONGEL,F.J. Division of Radiation Safety & Safeguards (Post 921004). 93/08/12.
WINGO,C.S. Federal Emergency Management Agency. 1p. 76274:013-76274:015.

P. Operating license stage documents & correspondence

9308130028 Summary of 930630 licensee counterparts meeting at util corporate ofc re dry cask storage of spent fuel, SALP & other listed topics.
HANNON,J.N. Project Directorate III-3. 93/07/22. Project Directorate III-3. 200pp. 76133:001-76133:202.

9308030326 Ack receipt of 930609 submittal of changes to QA program description. Anticipates 60 days to complete review of submittal.
RING,M.A. Region 3 (Post 820201). 93/07/27. SCHNELL,D.F. Union Electric Co. 1p. 75996:096-75996:096.

9308110055 Forwards amend 83 to license NPF-30 & safety evaluation. Amend revises TSs 3/4.4.4 & associated bases & 3.4.9.3 to address changes as recommended in GL 90-06. "Resolution of GI-70, 'PORV & Block Valve Reliability' & GI 94,..."
WHARTON,L.R. Project Directorate III-3. 93/08/05. SCHNELL,D.F. Union Electric Co. 3pp. 76068:333-76068:351.

-9308110061 Amend 83 to license NPF-30, revising TS 3/4.4.4 & associated bases & 3.4.9.3 to address changes recommended in GL 90-06, "Resolution of GI 70, 'PORV & Block Valve Reliability' & GI 94, 'Add'l Low-Temp Overpressure Protection for LWRs...'".
WHARTON,L.R. Project Directorate III-3. 93/08/05. 13pp. 76068:336-76068:348.

-9308110063 Safety evaluation supporting amend 83 to license NPF-30.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 93/08/05. 3pp. 76068:349-76068:351.

9308160189 Submits response to Generic Ltr 93-04, "Rod Control Sys Failure & Withdrawal of Rod Control Cluster Assemblies." Licensee 90 days response will be submitted by 930920.
SCHNELL,D.F. Union Electric Co. 93/08/05. Document Control Branch (Document Control Desk). 11pp. 76143:185-76143:195.

9308240122 Forwards revised justification & basis for Relief Request BB-12 to test on fuel basis in support of Rev 13 of Pump & Valve IST Program. Requests NRC approval of Rev 13 to IST so changes can be implemented for Refuel 6 to begin 931001.
SCHNELL,D.F. Union Electric Co. 93/08/20. Document Control Branch (Document Control Desk). 5pp. 76208:353-76208:357.

Q. Inspection reports, IE Bulletins & correspondence

9308130028 Summary of 930630 licensee counterparts meeting at util corporate ofc re dry cask storage of spent fuel, SALP & other listed topics.
HANNON,J.N. Project Directorate III-3. 93/07/22. Project Directorate III-3. 200pp. 76133:001-76133:202.

9307190043 NRC Info Notice 93-057, "Software Problems Involving Digital Control Console Sys at Non-Power Reactors."
GRIMES,B.K. Division of Operating Reactor Support (Post 921004). 93/07/23. Consolidated Edison Co. of New York, Inc. 9pp. 76111:200-76111:208.

9308090267 Responds to NRC 930607 ltr re open item noted in Insp Rept 50-483/93-06. Corrective actions: revised Training Dept procedure to clarify definition of licensed operator participation in required plant manipulations.
SCHNELL,D.F. Union Electric Co. 93/08/02. Document Control Branch (Document Control Desk). 3pp. 76059:345-76059:347.

9308310150 Forwards insp rept 50-483/93-10 on 930601-0731 & notice of violation. Violation involved failure to properly control design process to ensure that mod scheduled for next refueling outage properly designed & implemented.
GREGER,L.R. Region 3 (Post 820201). 93/08/25. SCHNELL,D.F. Union Electric Co. 3pp. 76264:173-76264:195.

-9308310155 Notice of violation from insp on 930601-0731. Violation noted: design basis not correctly translated into drawings & measures did not provide for verifying & checking adequacy of design.
GREGER,L.R. Region 3 (Post 820201). 93/08/25. 2pp. 76264:176-76264:177.

-9308310158 Insp rept 50-483/93-10 on 930601-0731. Violations noted. Major areas inspected: onsite followup of events, piping mod package, maint & surveillance, plant operations & followup on previous insp findings.
JACKIW,I.N. Region 3 (Post 820201). 93/08/25. 19pp. 76264:178-76264:195.

R. Periodic operating reports & related correspondence

9308170337 Monthly operating rept for Jul 1993 for Callaway Plant, unit 1. W/930809 ltr.
MCINVALE,J.B., BLOSSER,J.D. Union Electric Co. 93/07/31. 6pp. 76137:306-76137:311.

9308310220 Forwards fitness for duty program performance data for six month period ending June 1993.
PEEVY,J.R. Union Electric Co. 93/08/25. Document Control Branch (Document Control Desk). 5pp. 76307:324-76307:328.

V. Operator Examinations

9308030302 Informs of NRC plans to administer generic fundamentals exam section written operator licensing exam on 931006.
RING,M.A. Region 3 (Post 820201). 93/07/28. Consumers Power Co. 3pp. 75983:358-75983:360.

9308090267 Responds to NRC 930607 ltr re open item noted in Insp Rept 50-483/93-06. Corrective actions: revised Training Dept procedure to clarify definition of licensed operator participation in required plant manipulations.
SCHNELL,D.F. Union Electric Co. 93/08/02. Document Control Branch (Document Control Desk). 3pp. 76059:345-76059:347.

Y. Dry Cask Independent Spent Fuel Storage Installations

9308130028 Summary of 930630 licensee counterparts meeting at util corporate ofc re dry cask storage of spent fuel, SALP & other listed topics.
HANNON,J.N. Project Directorate III-3. 93/07/22. Project Directorate III-3. 200pp. 76133:001-76133:202.

DOCKET STN-50-498 SOUTH TEXAS PROJECT, UNIT 1

F. Security, medical, emergency & fire protection plans

9308130043 Forwards public version of "1993 Graded Exercise Scenario Manual" for emergency preparedness exercise scheduled for wk of 930607.
KINSEY,W.H. Houston Lighting & Power Co. 93/04/01. Document Control Branch (Document Control Desk). 2pp. 76096:254-76096:349.

-9308130046 "1993 Graded Exercise Scenario Manual."
BROWN,R.J., COVELL,M.A. Houston Lighting & Power Co. 93/04/01. 94pp. 76096:256-76096:349.

9308050249 Forwards encl 8 to SECY 93-166 which describes proposed characteristics of design basis vehicle. W/o encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 93/07/15. COTTLE,W. Houston Lighting & Power Co. 2pp. 75990:300-75990:301.

9308130146 Requests NRC authorization to allow two former util employees & counsel pursuing whistleblower claims against company & DOL ALJ hearing proceeding to have access to safeguards info as needed for conduct of legal proceeding.
COTTLE,W.T. Houston Lighting & Power Co. 93/07/15. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 76096:350-76096:351.

9308040108 Forwards responses to emergency preparedness exercise weaknesses per 10CFR50. Responses include description of corrective measures & schedule completion.
GROTH,J.F. Houston Lighting & Power Co. 93/07/27. Document Control Branch (Document Control Desk). 6pp. 75991:287-75991:292.

9308110178 Forwards insp repts 50-498/93-23 & 50-499/93-23 on 930712-16. No violations noted. Several concerns identified.
CALLAN,L.J. Region 4 (Post 820201). 93/08/05. COTTLE,W.T. Houston Lighting & Power Co. 4pp. 76056:086-76056:092.

-9308110186 Insp repts 50-498/93-23 & 50-499/93-23 on 930712-16 (ref 10CFR73.21). No violations noted. Major areas inspected: physical security program including records & repts, security sys power supply, testing & maint & assessment aids.
MURRAY,B. Region 4 (Post 820201). 93/08/03. 3pp. 76056:091-76056:092.

9308160183 Informs that licensee decided to return to practice of sending rev to emergency plan directly to Document Control desk via transmittal ltr. Regional ofc & resident inspector copies will continue to be distributed.
KINSEY,W.H. Houston Lighting & Power Co. 93/08/10. Document Control Branch (Document Control Desk). 2pp. 76143:275-76143:276.

9308270163 Confirms 930901 mgt meeting to be held in Region IV ofc to discuss security program at facility. Proposed meeting agenda encl.
CALLAN,L.J. Region 4 (Post 820201). 93/08/23. COTTLE,W.T. Houston Lighting & Power Co. 5pp. 76271:357-76271:361.

9308270119 Forwards Insp Repts 50-498/93-25 & 50-499/93-25 on 930802-06 & notice violation.
CALLAN,L.J. Region 4 (Post 820201). 93/08/24. COTTLE,W.T. Houston Lighting & Power Co. 6pp. 76271:292-76271:315.

-9308270130 Notice of violation from insp on 930802-06. Violation noted: large number of personnel requalified by acting as evaluator or controller in emergency drill or exercise without having to successfully demonstrate position duties.
* Region 4 (Post 820201). 93/08/24. 2pp. 76271:298-76271:299.

-9308270148 Insp Repts 50-498/93-25 & 50-499/93-25 on 930802-06. Violations noted. Major areas inspected: insp of operational status of emergency preparedness program, including changes to emergency plan & implementing procedures.
MURRAY,B. Region 4 (Post 820201). 93/08/23. 16pp. 76271:300-76271:315.

9308270188 Ack receipt of 930727 ltr in response to emergency exercise weaknesses identified in NRC Insp Repts 50-498/93-17 & 50-499/93-17 dtd 930625.
CALLAN,L.J. Region 4 (Post 820201). 93/08/24. COTTLE,W.T. Houston Lighting & Power Co. 4pp. 76271:343-76271:352.

G. Adjudicatory correspondence

9306020329 Submits request that NRC institute show cause proceeding, per 10CFR2.202, to modify, suspend or revoke licensee NRC operational licenses authorizing operation of plant.
SAPORITO,T.J. Saporito, T.J. 93/05/05. Ofc of the Executive Director for Operations. 3pp. 76133:207-76133:209.

I. Financial information

9308180213 Forwards current annual financial repts for licensees for South Texas Project, per 10CFR50.71(b).
CLONINGER,T.H. Houston Lighting & Power Co. 93/08/10. Document Control Branch (Document Control Desk). 2pp. 76157:001-76158:183.

-9308180219 "Houston Industries Inc 1992 Annual Rept." W/US Securities & Exchange Commission Form 10-K for FY92 & City of Austin, TX comprehensive annual financial rept for FY ended Sept 1992.
JORDAN,D.D. Houston Industries, Inc. 92/12/31. 178pp. 76157:003-76157:180.

-9308180230 "Central Power & Light Co Annual Rept, 1992." W/Form 10-K, Securities & Exchange Commission annual rept for FY92.
CAREY,R.R. Central Power & Light. 92/12/31. 333pp. 76157:181-76158:149.

--9308180233 "City Public Service 1992-93 Annual Rept."
BRYAN, F., ROSENBERG, A.V. Affiliation Not Assigned. 93/12/31. 34pp. 76158:150-76158:183.

P. Operating license stage documents & correspondence

9308160306 Informs of withdrawal of 921012 proposed amends to licenses NPF-76 & NPF-80 for UFSAR re rev to LOCA analysis. Proposed amend will be reevaluated & submitted at future date.
CLONINGER, T.H. Houston Lighting & Power Co. 93/07/01. Document Control Branch (Document Control Desk). 2pp. 76133:355-76133:356.

9308050248 Ack receipt of 930505 petition requesting that NRC institute show cause proceeding to modify, suspend or revoke licenses. Plant will not be taken critical until NRC briefed on results of licensee efforts to correct deficiencies.
MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 93/07/08. Saporito, T.J. Saporito, T.J. 4pp. 75997:352-75997:358.

--9308050254 Notice of receipt of petition for director's decision under 10CFR2.206 re plant.
MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 93/07/08. 3pp. 75997:356-75997:358.

9308030037 Forwards summary of 930716 meeting re progress in addressing current issues. List of attendees & presentation slides also encl.
BEACH, A.B. Region 4 (Post 820201). 93/07/26. COTTLE, W.T. Houston Lighting & Power Co. 70pp. 75935:120-75935:188.

9308190086 Forwards environ assessment & finding of no significant impact re licensee 911219 request for exemption from requirements of app A to 10CFR20.
KOKAJKO, L.E. Project Directorate IV-2. 93/07/30. COTTLE, W. Houston Lighting & Power Co. 2pp. 76152:321-76152:326.

--9308190118 Environ assessment & finding of no significant impact re issuance of exemption from requirements of app A to 10CFR20 in response to licensee request.
BLACK, S.C. Project Directorate IV-2. 93/07/30. 4pp. 76152:323-76152:326.

9308100164 Requests enforcement discretion from requirements of TS 3.7.1.2, Action b, applying to turbine driven (TD) AFW pump. Proposes that AOT in Mode 3 for Train D TD AFW pump be increased by addl 72 h on one-time basis for Unit 1.
GROTH, J.F. Houston Lighting & Power Co. 93/08/04. Document Control Branch (Document Control Desk). 7pp. 76066:355-76066:361.

9308100154 Forwards response to GL 93-04, summarizing current compensatory actions taken by util in response to Salem rod control sys failure event.
CLONINGER, T.H. Houston Lighting & Power Co. 93/08/05. Document Control Branch (Document Control Desk). 7pp. 76078:210-76078:216.

9308100169 Application for amend to License NPF-76, changing TS re RWST & SI accumulators allowable boron concentrations ranges. Amend change implementation from Unit fifth refueling outage to prior to Unit 1 restart from current outage.
CLONINGER, T.H. Houston Lighting & Power Co. 93/08/05. Document Control Branch (Document Control Desk). 9pp. 76066:300-76066:317.

--9308100174 Proposed tech specs re RWST & SI accumulators allowable boron concentration ranges.
* Houston Lighting & Power Co. 93/08/05. 9pp. 76066:309-76066:317.

9308110105 Responds to SGTR overfill scenario on STP simulator. Revised operating procedures to reduce response times & increase existing margin to initiation of overfill.
GROTH, J.F. Houston Lighting & Power Co. 93/08/06. Document Control Branch (Document Control Desk). 4pp. 76074:292-76074:295.

9308160074 Advises that changes to operational quality assurance program for plant submitted in 930629 ltr meet requirements of 10CFR50, app B & acceptable.
COLLINS, S.J. Region 4 (Post 820201). 93/08/09. COTTLE, W.T. Houston Lighting & Power Co. 4pp. 76089:223-76089:226.

9308180007 Summary of 930730 meeting in Region IV otc re main feedwater isolation bypass valve, motor operated valve T-drain & spent fuel pool cooling issues. Attachments encl.
BEACH, A.B. Region 4 (Post 820201). 93/08/12. COTTLE, W.T. Houston Lighting & Power Co. 49pp. 76131:084-76131:132.

9308190116 Forwards Vols 1, 2 & 3 of "STP Electric Generating Station Risk-Based Evaluation of TS," in response to NRC 930519 RAI re review of proposed changes to TS & to update risk-based evaluation of TS submitted in Feb 1990.
CLONINGER, T.H. Houston Lighting & Power Co. 93/08/16. Document Control Branch (Document Control Desk). 3pp. 76171:001-76171:065.

--9308190120 "STP Electric Generating Station Risk-Based Evaluation of TS."
* Houston Lighting & Power Co. 93/08/31. 1882pp. 76171:004-76171:065.

9308230076 Discusses alleged discrimination against util employee for engaging in protected activities.
MILHOAN, J.L. Region 4 (Post 820201). 93/08/16. COTTLE, W.T. Houston Lighting & Power Co. 4pp. 76165:137-76165:140.

9308250247 Notification of significant licensee meeting in Bay City, TX on 930908 to discuss licensee progress in addressing current issues.
BEACH, A.B. Region 4 (Post 820201). 93/08/18. Region 4 (Post 820201). 2pp. 76189:115-76189:118.

Q. Inspection reports, IE Bulletins & correspondence

9307190043 NRC Info Notice 93-057, "Software Problems Involving Digital Control Console Sys at Non-Power Reactors."
GRIMES, B.K. Division of Operating Reactor Support (Post 921004). 93/07/23. Consolidated Edison Co. of New York, Inc. 9pp. 76111:200-76111:208.

9308040036 Forwards insp repts 50-498/93-20 & 50-499/93-20 on 930523-0703 & notice of violation. Violation involved failure to include active field change in surveillance test procedure rev.
BEACH, A.B. Region 4 (Post 820201). 93/07/30. COTTLE, W.T. Houston Lighting & Power Co. 5pp. 75949:191-75949:218.

--9308040041 Notice of violation from insp on 930523-0703. Violation noted: surveillance test procedure IPSP03-SP-0009C revised on 920915 but did not include change implemented by field change 92-0424.
* Region 4 (Post 820201). 93/07/30. 1p. 75949:196-75949:196.

--9308040043 Insp repts 50-498/93-20 & 50-499/93-20 on 930523-0703. Violations noted. Major areas inspected: plant status, onsite followup of events, operational safety verification, monthly maint observations & refueling activities.
JOHNSON, W.D. Region 4 (Post 820201). 93/07/29. 22pp. 75949:197-75949:218.

9308110089 Informs of results of an investigation conducted by NRC OI to determine whether HL&P officials intentionally violated station problem reporting procedures at STP on 920518-19. Investigation case 4-92-018 considered closed.
MILHOAN, J.L. Region 4 (Post 820201). 93/08/05. COTTLE, W.T. Houston Lighting & Power Co. 4pp. 76056:012-76056:015.

9308110178 Forwards insp repts 50-498/93-23 & 50-499/93-23 on 930712-16. No violations noted. Several concerns identified.
CALLAN, L.J. Region 4 (Post 820201). 93/08/05. COTTLE, W.T. Houston Lighting & Power Co. 4pp. 76056:086-76056:092.

--9308110186 Insp repts 50-498/93-23 & 50-499/93-23 on 930712-16 (ref 10CFR73.21). No violations noted. Major areas inspected: physical security program including records & repts, security sys power supply, testing & maint & assessment aids.
MURRAY, B. Region 4 (Post 820201). 93/08/03. 3pp. 76056:091-76056:092.

9308180099 Forwards revised SALP program consisting of revised date of assessment period from 920802 to 940702.
BEACH, A.B. Region 4 (Post 820201). 93/08/11. COTTLE, W.T. Houston Lighting & Power Co. 5pp. 76132:025-76132:049.

9308180039 Discusses licensee 930804 ltr requesting that NRC exercise discretion not to enforce compliance w/required actions in TS LCO 3.7.1.2.b re plant. NRC intends to exercise discretion not to enforce compliance w/TS 3.7.1.2.b.
MILHOAN, J.L. Region 4 (Post 820201). 93/08/13. COTTLE, W.T. Houston Lighting & Power Co. 5pp. 76131:288-76131:292.

9308300099 Responds to violations noted in Insp Repts 50-498/93-01 & 50-499/93-01. Corrective actions: station mgt emphasized need for control board awareness in meetings w/all active shift supervisors.
GROTH, J.F. Houston Lighting & Power Co. 93/08/23. Document Control Branch (Document Control Desk). 6pp. 76282:266-76282:271.

9308270119 Forwards Insp Repts 50-498/93-25 & 50-499/93-25 on 930802-06 & notice violation.
CALLAN, L.J. Region 4 (Post 820201). 93/08/24. COTTLE, W.T. Houston Lighting & Power Co. 6pp. 76271:292-76271:315.

--9308270130 Notice of violation from insp on 930802-06. Violation noted: large number of personnel requalified by acting as evaluator or controller in emergency drill or exercise without having to successfully demonstrate position duties.
* Region 4 (Post 820201). 93/08/24. 2pp. 76271:298-76271:299.

--9308270148 Insp Repts 50-498/93-25 & 50-499/93-25 on 930802-06. Violations noted. Major areas inspected: insp of operational status of emergency preparedness program, including changes to emergency plan & implementing procedures.
MURRAY, B. Region 4 (Post 820201). 93/08/23. 16pp. 76271:300-76271:315.

9308270188 Ack receipt of 930727 ltr in response to emergency exercise weaknesses identified in NRC Insp Repts 50-498/93-17 & 50-499/93-17 dtd 930625.
CALLAN, L.J. Region 4 (Post 820201). 93/08/24. COTTLE, W.T. Houston Lighting & Power Co. 4pp. 76271:343-76271:352.

R. Periodic operating reports & related correspondence

9308170421 Monthly operating repts for Jul 1993 for STP, units 1 & 2. W/ 930813 ltr.
KENT, A.P., GROTH, J.F. Houston Lighting & Power Co. 93/07/31. 14pp. 76136:111-76136:124.

9308160167 Forwards semiannual fitness-for-duty program performance rept for period of 930101-0630.
CLONINGER, T.H. Houston Lighting & Power Co. 93/08/10. Document Control Branch (Document Control Desk). 5pp. 76106:352-76106:356.

S. Reportable occurrences, LERs & related correspondence

9308110073 LER 93-019-00: on 930709, determined that TS requirement of MSIV was not met due to inadequate design of field change to testing function of solid state protection sys. Corrected missing jumpers & overlap testing discrepancy. W/930805 ltr.
PINZON, J., CLONINGER, T.H. Houston Lighting & Power Co. 93/08/05. 7pp. 76091:141-76091:147.

9308110126 LER 93-018-00: on 930707, discovered remote position indication verification test for SI sys accumulator vent & header valves had not been performed in 2 yrs due to change to IST plan. W/930806 ltr.
PINZON, J., CLONINGER, T.H. Houston Lighting & Power Co. 93/08/06. 6pp. 76091:153-76091:158.

V. Operator Examinations

9308110002 Discusses plan to administer GFES of written operator licensing examination at facility on 931006.
GALLOR, R.M. Region 4 (Post 820201). 93/08/04. COTTLE, W.T. Houston Lighting & Power Co. 5pp. 76039:001-76039:005.

DOCKET STN-50-499 SOUTH TEXAS PROJECT, UNIT 2

154 DOCKETED ITEMS

F. Security, medical, emergency & fire protection plans

9308130043 Forwards public version of "1993 Graded Exercise Scenario Manual" for emergency preparedness exercise scheduled for wk of 930607.
KINSEY, W.H. Houston Lighting & Power Co. 93/04/01. Document Control Branch (Document Control Desk). 2pp. 76096:254-76096:349.

—**9308130046** "1993 Graded Exercise Scenario Manual."
BROWN, R.J., COVELL, M.A. Houston Lighting & Power Co. 93/04/01. 94pp. 76096:256-76096:349.

9308050249 Forwards encl 8 to SECY 93-166 which describes proposed characteristics of design basis vehicle. W/o encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 93/07/15. COTTLE, W.T. Houston Lighting & Power Co. 2pp. 75990:300-75990:301.

9308130146 Requests NRC authorization to allow two former util employees & counsel pursuing whistleblower claims against company & DOL ALJ hearing proceeding to have access to safeguards info as needed for conduct of legal proceeding.
COTTLE, W.T. Houston Lighting & Power Co. 93/07/15. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 76096:350-76096:351.

9308040108 Forwards responses to emergency preparedness exercise weaknesses per 10CFR50. Responses include description of corrective measures & schedule completion.
GROTH, J.F. Houston Lighting & Power Co. 93/07/27. Document Control Branch (Document Control Desk). 6pp. 75991:287-75991:292.

9308110178 Forwards insp repts 50-498/93-23 & 50-499/93-23 on 930712-16. No violations noted. Several concerns identified.
CALLAN, L.J. Region 4 (Post 820201). 93/08/05. COTTLE, W.T. Houston Lighting & Power Co. 4pp. 76056:086-76056:092.

—**9308110186** Insp repts 50-498/93-23 & 50-499/93-23 on 930712-16 (ref 10CFR73.21). No violations noted. Major areas inspected: physical security program including records & repts, security sys power supply, testing & maint & assessment aids.
MURRAY, B. Region 4 (Post 820201). 93/08/03. 3pp. 76056:091-76056:092.

9308160183 Informs that licensee decided to return to practice of sending rev to emergency plan directly to Document Control desk via transmittal ltr. Regional ofc & resident inspector copies will continue to be distributed.
KINSEY, W.H. Houston Lighting & Power Co. 93/08/10. Document Control Branch (Document Control Desk). 2pp. 76143:275-76143:276.

9308270163 Confirms 930901 mgt meeting to be held in Region IV ofc to discuss security program at facility. Proposed meeting agenda encl.
CALLAN, L.J. Region 4 (Post 820201). 93/08/23. COTTLE, W.T. Houston Lighting & Power Co. 5pp. 76271:357-76271:361.

9308270119 Forwards Insp Repts 50-498/93-25 & 50-499/93-25 on 930802-06 & notice violation.
CALLAN, L.J. Region 4 (Post 820201). 93/08/24. COTTLE, W.T. Houston Lighting & Power Co. 6pp. 76271:292-76271:315.

—**9308270130** Notice of violation from insp on 930802-06. Violation noted: large number of personnel requalified by acting as evaluator or controller in emergency drill or exercise without having to successfully demonstrate position duties.
* Region 4 (Post 820201). 93/08/24. 2pp. 76271:298-76271:299.

—**9308270148** Insp Repts 50-498/93-25 & 50-499/93-25 on 930802-06. Violations noted. Major areas inspected: insp of operational status of emergency preparedness program, including changes to emergency plan & implementing procedures.
MURRAY, B. Region 4 (Post 820201). 93/08/23. 16pp. 76271:300-76271:315.

9308270188 Ack receipt of 930727 ltr in response to emergency exercise weaknesses identified in NRC Insp Repts 50-498/93-17 & 50-499/93-17 dtd 930625.
CALLAN, L.J. Region 4 (Post 820201). 93/08/24. COTTLE, W.T. Houston Lighting & Power Co. 4pp. 76271:343-76271:352.

G. Adjudicatory correspondence

9308020329 Submits request that NRC institute show cause proceeding per 10CFR2.202 to modify, suspend or revoke licensee NRC operational licenses authorizing operation of plant.
SAPORITO, T.J. Saporito, T.J. 93/05/05. Ofc of the Executive Director for Operations. 3pp. 76133:207-76133:209.

I. Financial information

9308180213 Forwards current annual financial repts for licensees for South Texas Project, per 10CFR50.71(b).
CLONINGER, T.H. Houston Lighting & Power Co. 93/08/10. Document Control Branch (Document Control Desk). 2pp. 76157:001-76158:183.

—**9308180219** "Houston Industries Inc 1992 Annual Rept." W/US Securities & Exchange Commission Form 10-K for FY92 & City of Austin, TX comprehensive annual financial report for FY ended Sept 1992.
JORDAN, D.D. Houston Industries, Inc. 92/12/31. 178pp. 76157:003-76157:180.

—**9308180230** "Central Power & Light Co Annual Rept, 1992." W/Form 10-K, Securities & Exchange Commission annual report for FY92.
CAREY, R.R. Central Power & Light. 92/12/31. 333pp. 76157:181-76158:149.

—**9308180233** "City Public Service 1992-93 Annual Rept."
BRYAN, F., ROSENBERG, A.V. Affiliation Not Assigned. 93/12/31. 34pp. 76158:150-76158:183.

P. Operating license stage documents & correspondence

9308160306 Informs of withdrawal of 921012 proposed amends to licenses NPF-76 & NPF-80 for UFSAR re rev to LOCA analysis. Proposed amend will be reevaluated & submitted at future date.
CLONINGER, T.H. Houston Lighting & Power Co. 93/07/01. Document Control Branch (Document Control Desk). 2pp. 76133:355-76133:356.

9308050248 Ack receipt of 930505 petition requesting that NRC institute show cause proceeding to modify, suspend or revoke licenses. Plant will not be taken critical until NRC briefed on results of licensee efforts to correct deficiencies.
MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 93/07/08. SAPORITO, T.J. Saporito, T.J. 4pp. 75997:352-75997:358.

—**9308050254** Notice of receipt of petition for director's decision under 10CFR2.206 re plant.
MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 93/07/08. 3pp. 75997:356-75997:358.

9308030037 Forwards summary of 930716 meeting re progress in addressing current issues. List of attendees & presentation slides also encl.
BEACH, A.B. Region 4 (Post 820201). 93/07/26. COTTLE, W.T. Houston Lighting & Power Co. 70pp. 75935:120-75935:188.

9308190086 Forwards environ assessment & finding of no significant impact re licensee 911219 request for exemption from requirements of app A to 10CFR20.
KOKAJKO, L.E. Project Directorate IV-2. 93/07/30. COTTLE, W.T. Houston Lighting & Power Co. 2pp. 76152:321-76152:326.

—**9308190118** Environ assessment & finding of no significant impact re issuance of exemption from requirements of app A to 10CFR20 in response to licensee request.
BLACK, S.C. Project Directorate IV-2. 93/07/30. 4pp. 76152:323-76152:326.

9308100154 Forwards response to GL 93-04, summarizing current compensatory actions taken by util in response to Salem rod control sys failure event.
CLONINGER, T.H. Houston Lighting & Power Co. 93/08/05. Document Control Branch (Document Control Desk). 7pp. 76078:210-76078:216.

9308110105 Responds to SGTR overfill scenario on STP simulator. Revised operating procedures to reduce response times & increase existing margin to initiation of overfill.
GROTH, J.F. Houston Lighting & Power Co. 93/08/06. Document Control Branch (Document Control Desk). 4pp. 76074:292-76074:295.

9308160074 Advises that changes to operational quality assurance program for plant submitted in 930629 ltr meet requirements of 10CFR50, app B & acceptable.
COLLINS, S.J. Region 4 (Post 820201). 93/08/09. COTTLE, W.T. Houston Lighting & Power Co. 4pp. 76089:223-76089:226.

9308180007 Summary of 930730 meeting in Region IV ofc re main feedwater isolation bypass valve, motor operated valve T-drain & spent fuel pool cooling issues. Attachments encl.
BEACH, A.B. Region 4 (Post 820201). 93/08/12. COTTLE, W.T. Houston Lighting & Power Co. 49pp. 76131:084-76131:132.

9308190116 Forwards Vols 1, 2 & 3 of "STP Electric Generating Station Risk-Based Evaluation of TS," in response to NRC 930519 RAI re review of proposed changes to TS & to update risk-based evaluation of TS submitted in Feb 1990.
CLONINGER, T.H. Houston Lighting & Power Co. 93/08/16. Document Control Branch (Document Control Desk). 3pp. 76171:001-76171:065.

—**9308190120** "STP Electric Generating Station Risk-Based Evaluation of TS."
* Houston Lighting & Power Co. 93/08/31. 1882pp. 76171:004-76171:065.

9308230076 Discusses alleged discrimination against util employee for engaging in protected activities.
MILHOAN, J.L. Region 4 (Post 820201). 93/08/16. COTTLE, W.T. Houston Lighting & Power Co. 4pp. 76165:137-76165:140.

9308250247 Notification of significant licensee meeting in Bay City, TX on 930908 to discuss licensee progress in addressing current issues.
BEACH, A.B. Region 4 (Post 820201). 93/08/18. Region 4 (Post 820201). 2pp. 76189:115-76189:116.

Q. Inspection reports, IE Bulletins & correspondence

9307190043 NRC Info Notice 93-057, "Software Problems Involving Digital Control Console Sys at Non-Power Reactors."
GRIMES, B.K. Division of Operating Reactor Support (Post 921004). 93/07/23. Consolidated Edison Co. of New York, Inc. 9pp. 76111:200-76111:208.

9308040036 Forwards insp repts 50-498/93-20 & 50-499/93-20 on 930523-0703 & notice of violation. Violation involved failure to include active field change in surveillance test procedure rev.
BEACH, A.B. Region 4 (Post 820201). 93/07/30. COTTLE, W.T. Houston Lighting & Power Co. 5pp. 75949:191-75949:218.

—**9308040041** Notice of violation from insp on 930523-0703. Violation noted: surveillance test procedure IPSP03-SP-0009C revised on 920915 but did not include change implemented by field change 92-0424.
* Region 4 (Post 820201). 93/07/30. 1p. 75949:196-75949:196.

—**9308040043** Insp repts 50-498/93-20 & 50-499/93-20 on 930523-0703. Violations noted. Major areas inspected: plant status, onsite followup of events, operational safety verification, monthly maint observations & relieving activities.
JOHNSON, W.D. Region 4 (Post 820201). 93/07/29. 22pp. 75949:197-75949:218.

9308110089 Informs of results of an investigation conducted by NRC OI to determine whether HL&P officials intentionally violated station problem reporting procedures at STP on 920518-19. Investigation case 4-92-018 considered closed.
MILHOAN, J.L. Region 4 (Post 820201). 93/08/05. COTTLE, W.T. Houston Lighting & Power Co. 4pp. 76056:012-76056:015.

9308110178 Forwards insp repts 50-498/93-23 & 50-499/93-23 on 930712-16. No violations noted. Several concerns identified.
CALLAN, L.J. Region 4 (Post 820201). 93/08/05. COTTLE, W.T. Houston Lighting & Power Co. 4pp. 76056:086-76056:092.

—**9308110186** Insp repts 50-498/93-23 & 50-499/93-23 on 930712-16 (ref 10CFR73.21). No violations noted. Major areas inspected: physical security program including records & repts, security sys power supply, testing & maint & assessment aids.
MURRAY, B. Region 4 (Post 820201). 93/08/03. 3pp. 76056:091-76056:092.

9308180099 Forwards revised SALP program consisting of revised date of assessment period from 920802 to 940702.
BEACH,A.B. Region 4 (Post 820201). 93/08/11. COTTLE,W.T. Houston Lighting & Power Co. 5pp. 76132:025-76132:049.

9308180039 Discusses licensee 930804 ltr requesting that NRC exercise discretion not to enforce compliance w/required actions in TS LCO 3.7.1.2.b re plant.NRC intends to exercise discretion not to enforce compliance w/TS 3.7.1.2.b.
MILHOAN,J.L. Region 4 (Post 820201). 93/08/13. COTTLE,W.T. Houston Lighting & Power Co. 5pp. 76131:288-76131:292.

9308300099 Responds to violations noted in Insp Repts 50-498/93-01 & 50-499/93-01. Corrective actions: station mgt emphasized need for control board awareness in meetings w/all active shift supervisors.
GROTH,J.F. Houston Lighting & Power Co. 93/08/23. Document Control Branch (Document Control Desk). 6pp. 76282:266-76282:271.

9308270119 Forwards Insp Repts 50-498/93-25 & 50-499/93-25 on 930802-06 & notice violation.
CALLAN,L.J. Region 4 (Post 820201). 93/08/24. COTTLE,W.T. Houston Lighting & Power Co. 6pp. 76271:292-76271:315.

-930827013C Notice of violation from insp on 930802-06. Violation noted: large number of personnel requalified by acting as evaluator or controller in emergency drill or exercise without having to successfully demonstrate position duties.
* Region 4 (Post 820201). 93/08/24. 2pp. 76271:298-76271:299.

-9308270148 Insp Repts 50-498/93-25 & 50-499/93-25 on 930802-06. Violations noted. Major areas inspected: insp of operational status of emergency preparedness program, including changes to emergency plan & implementing procedures.
MURRAY,B. Region 4 (Post 820201). 93/08/23. 16pp. 76271:300-76271:315.

9308270188 Ack receipt of 930727 ltr in response to emergency exercise weaknesses identified in NRC Insp Repts 50-498/93-17 & 50-499/93-17 dtd 930625.
CALLAN,L.J. Region 4 (Post 820201). 93/08/24. COTTLE,W.T. Houston Lighting & Power Co. 4pp. 76271:343-76271:352.

R. Periodic operating reports & related correspondence

9308170421 Monthly operating repts for Jul 1993 for STP, units 1 & 2.W/ 930813 ltr.
KENT,A.P., GROTH,J.F. Houston Lighting & Power Co. 93/07/31. 14pp. 76136:111-76136:124.

9308160167 Forwards semiannual fitness-for-duty program performance rept for period of 930101-0630.
CLONINGER,T.H. Houston Lighting & Power Co. 93/08/10. Document Control Branch (Document Control Desk). 5pp. 76106:352-76106:356.

S. Reportable occurrences, LERs & related correspondence

9308030143 LER 93-012-00: on 930614, lost spent fuel pool cooling for approx 13 hours due to insufficient control board awareness. Design change to install annunciator in control room to inform of loss of spent fuel cooling.W/930729 ltr.
PINZON,J., GROTH,J.F. Houston Lighting & Power Co. 93/07/29. 7pp. 76022:012-76022:018.

9308200303 LER 93-013-00: on 930719, Train B CCW pump 2B received automatic actuation signal from non-nuclear supply header low pressure signal due to less than adequate plant impact review.MOV-0236 repaired.W/930817 ltr.
PINZON,J., GROTH,J.F. Houston Lighting & Power Co. 93/08/17. 6pp. 76200:153-76200:158.

V. Operator Examinations

9308110002 Discusses plan to administer GFES of written operator licensing examination at facility on 931006.
GALLO,R.M. Region 4 (Post 820201). 93/08/04. COTTLE,W.T. Houston Lighting & Power Co. 5pp. 76039:001-76039:005.

DOCKET STN-50-508 WPPSS NUCLEAR PROJECT, UNIT 3

Q. Inspection reports, IE Bulletins & correspondence

9307190043 NRC info Notice 93-057, "Software Problems Involving Digital Control Console Sys at Non-Power Reactors."
GRIMES,B.K. Division of Operating Reactor Support (Post 921004). 93/07/23. Consolidated Edison Co. of New York, Inc. 9pp. 76111:200-76111:208.

DOCKET STN-50-528 PALO VERDE NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9308040134 Forwards encl 8 to SECY 93-166, describing proposed characteristics of design basis vehicle. Encl withheld.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 93/07/15. CONWAY,W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 3pp. 75987:008-75987:010.

9308020104 Revised EPIPs, including Procedure Change Number (PCN) 2 to Rev 9 to EPIP-02, PCN 1 to Rev 4 to EPIP-14 & PCN 0 to Rev 7 to EPIP-27.W/930720 ltr.
STEVENS,R.J. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 93/07/20. 110pp. 75953:180-75953:289.

9308110148 Forwards request for addl info re licensee 930416 response to GL 92-08, "Thermo-Lag 330-1 Fire Barriers."
TRAMMELL,C.M. Project Directorate V. 93/07/21. CONWAY,W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 7pp. 76063:284-76063:290.

9308160013 Forwards SALP repts 50-528/93-19, 50-529/93-19 & 50-530/93-19 for period 920301-930531. Overall, SALP Board found performance of licensed activities at plant to be acceptable & directed toward safe facility operation.
FAULKENBERRY,B. Region 5 (Post 820201). 93/07/21. CONWAY,W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 3pp. 76088:282-76088:310.

-9308160014 SALP repts 50-528/93-19, 50-529/93-19 & 50-530/93-19 for period 920301-930531.
* Region 5 (Post 820201). 93/05/31. 26pp. 76088:285-76088:310.

9308170424 Summary of 930720 meeting w/util to discuss fire protection program at plant. Attendance list & viewgraphs encl.
TRAN,L.N. Project Directorate V. 93/07/27. Project Directorate V. 34pp. 76126:187-76126:219.

9308090156 Forwards Insp Repts 50-528/93-31, 50-529/93-31 & 50-530/93-31 on 930628-0709. Violations noted. Unresolved item noted in security program. Insp repts & notice of violation withheld (ref 10CFR73.21).
PATE,R.J. Region 5 (Post 820201). 93/07/29. CONWAY,W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 3pp. 76024:354-76024:356.

9308110078 Rev 10 to EPIP-02, "Emergency Classification." W/930805 ltr.
STEVENS,R.J. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 93/08/05. 17pp. 76082:250-76082:266.

9308130103 Forwards Rev 04.01 to Procedure 41AO-1ZZ08, "SG Tube Leak." Rev 00.07 to Procedure 41EP-1R004, "Excess Steam Demand." revised Figure 2.1.5-1 & revised pages 23,26 & 27 from encl to 930723 ltr, in response to NRC request per 930804 telcon.
BRADISH,T.R. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 93/08/09. Document Control Branch (Document Control Desk). 3pp. 76107:001-76107:283.

-9308130110 Rev 00.07 to Procedure 41EP-1R004, "Excess Steam Demand," consisting of CRS actions & details on emergency notification & support.
* Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 93/06/16. 234pp. 76107:038-76107:283.

G. Adjudicatory correspondence

9308030309 Forwards 930512 & 28 ltrs from TJ Saporito re docketing of designated originals for NUDOS.
FOSTER-CURSEEN Office of Nuclear Reactor Regulation, Director (Post 870411). 93/07/16. LANHAM,D. Office of Information Resources Management (Post 890205). 1p. 75949:345-75949:361.

P. Operating license stage documents & correspondence

9308040223 Requests that NRC institute show cause proceeding, per 10CFR2.202 to modify, suspend or revoke licensee OLS NPF-41, NPF-51 & NPF-74 relevant to PVNGS, per 10CFR2.206.
SAPORITO,T.J. Saporito, T.J. 93/01/04. Ofc of the Executive Director for Operations. 21pp. 75997:168-75997:189.

9304230146 Requests transfer of lead responsibility to NRR for review of licensee evaluation of battery seismic qualification (MNCR 93-PK-1003).
PERKINS,K.E. Region 5 (Post 820201). 93/04/12. VIRGILIO,M.J. Assistant Director for Region IV/V Reactors (Post 901216). 2pp. 76067:315-76067:316.

9308250083 Ltr contract, awarding task order 24, "Nondestructive Exam Support at Palo Verde Generating Station."
SCOTT,M.L. Contract Administration Branch 1 (Post 900603). NRC-03-90-028. 93/04/28. GLOVER,C. TET, Inc. 2pp. 76214:010-76214:011.

9308040142 Forwards SE concluding that CEOG rept CEN-387-P, rev 1, "Pressurizer Surge Line Thermal Stratification Evaluation" adequately demonstrates that bounding surge line & nozzles meet ASME code stress & fatigue requirements.
TRAN,L.N. Project Directorate V. 93/07/16. CONWAY,W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 75978:331-75978:338.

-9308040183 SE of CEN-387-P, Rev 0 & 1, "Pressurizer Surge Line Flow Stratification Evaluation." Rept acceptable.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 93/07/16. 4pp. 75978:335-75978:338.

9308250006 Forwards proprietary rept CEN-421(V)-P, "Impact of Improved Inlet Flow Distribution on Typical CPC Overall Uncertainty Factor," in response to NRC request re util 930330 submittal of suppl 1 to encl 1-P to LD-92-054. Rept withheld.
CONWAY,W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 93/07/19. Document Control Branch (Document Control Desk). 9pp. 76248:350-76248:358.

9308110148 Forwards request for addl info re licensee 930416 response to GL 92-08, "Thermo-Lag 330-1 Fire Barriers."
TRAMMELL,C.M. Project Directorate V. 93/07/21. CONWAY,W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 7pp. 76063:284-76063:290.

9308130174 Informs that sample plan described in TS 4.7.9.e.1 will be selected for facilities for future snubber functional testing, beginning w/upcoming test period in Unit 1. Sample plan described in TS 4.7.9.e.2 used previously.
CONWAY,W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 93/07/22. FAULKENBERRY,B. Region 5 (Post 820201). 1p. 76113:355-76113:355.

9308040218 Forwards safety assessment for continued operation of Units 1 & 3 w/potentially degraded tubes, containing results of SG tube evaluation of Units 1 & 3, per 930314 SG tube rupture experience at Unit 2.
CONWAY,W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 93/07/25. Document Control Branch (Document Control Desk). 56pp. 75997:112-75997:167.

156 DOCKETED ITEMS

9308130134 Application for amends to Licenses NPF-41,NPF-51 & NPF-65, changing surveillance frequency from monthly to quarterly for channel functional tests for RPS & ESFAS instrumentation.
CONWAY,W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 93/08/05. Document Control Branch (Document Control Desk). 12pp. 76106:201-76106:245.

-9308130140 Proposed tech specs changing surveillance frequency from monthly to quarterly for channel functional tests for RPS & ESFAS instrumentation.
* Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 93/08/05. 33pp. 76106:213-76106:245.

9308130141 Informs that util adopted administrative controls on operation of Units 1 & 3 & that sub; administrative controls will be applied to operation of Unit 2 prior to achieving criticality following current refueling outage.
CONWAY,W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 93/08/05. Document Control Branch (Document Control Desk). 2pp. 76122:356-76122:357.

9308130143 Application for amends to Licenses NPF-41,NPF-51 & NPF-65, requesting change to word pressurizer to RCS for item 4 in tables 3.3-10 & 4.3-7.
CONWAY,W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 93/08/05. Document Control Branch (Document Control Desk). 7pp. 76113:290-76113:302.

-9308130159 Proposed tech specs requesting to change word "pressurizer" to "RCS" for item #4 in both tables 3.3-10 & 4.3-7.
* Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 93/08/05. 6pp. 76113:297-76113:302.

9308130103 Forwards Rev 04.01 to Procedure 41AO-1ZZ08, "SG Tube Leak," Rev 00.07 to Procedure 41EP-1R004, "Excess Steam Demand," revised Figure 2.1.5-1 & revised pages 23,26 & 27 from encl to 930723 ltr, in response to NRC request per 930804 telcon.
BRADISH,T.R. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 93/08/09. Document Control Branch (Document Control Desk). 3pp. 76107:001-76107:283.

-9308130105 Rev 04.01 to Procedure 41AO-1ZZ08, "SG Tube Leak."
* Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 93/08/09. 34pp. 76107:004-76107:037.

-9308130110 Rev 00.07 to Procedure 41EP-1R004, "Excess Steam Demand," consisting of CRS actions & details on emergency notification & support.
* Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 93/06/16. 234pp. 76107:038-76107:283.

9308250005 Informs that as alternative to commitment in 910329 ltr, responding to GL 89-06,util installing,as part of video displays,continuously visible indicators that flash red when critical safety function in jeopardy,per NUREG-0536.
CONWAY,W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 93/08/20. Document Control Branch (Document Control Desk). 2pp. 76223:344-76223:345.

Q. Inspection reports, IE Bulletins & correspondence

9308160068 Forwards enforcement conference repts 50-528/93-20, 50-529/93-20 & 50-530/93-20 on 930510 in Phoenix,AZ.
SCARANO,R.A. Region 5 (Post 820201). 93/07/12. CONWAY,W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 3pp. 76089:152-76089:188.

-9308160072 Enforcement conference repts 50-528/93-20,50-529/93-20 & 50-530/93-20 on 930510.Major areas discussed:description of violations associated w/three investigations conducted by OI from 910722-930226 at plant.
PATE,R.J. Region 5 (Post 820201). 93/06/08. 34pp. 76089:155-76089:188.

9308040142 Forwards SE concluding that CEOG rept CEN-387-P,rev 1, "Pressurizer Surge Line Thermal Stratification Evaluation" adequately demonstrates that bounding surge line & nozzles meet ASME code stress & fatigue requirements.
TRAN,L.N. Project Directorate V. 93/07/16. CONWAY,W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 75978:331-75978:338.

-9308040183 SE of CEN-387-P,Rev 0 & 1, "Pressurizer Surge Line Flow Stratification Evaluation." Rept acceptable.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 93/07/16. 4pp. 75978:335-75978:338.

9308160013 Forwards SALP repts 50-528/93-19,50-529/93-19 & 50-530/93-19 for period 920301-930531.Overall,SALP Board found performance of licensed activities at plant to be acceptable & directed toward safe facility operation.
FAULKENBERRY,B. Region 5 (Post 820201). 93/07/21. CONWAY,W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 3pp. 76088:282-76088:310.

-9308160014 SALP repts 50-528/93-19,50-529/93-19 & 50-530/93-19 for per dc 920301-930531.
* Region 5 (Post 820201). 93/05/31. 26pp. 76088:285-76088:310.

9308160018 Forwards insp repts 50-528/93-17,50-529/93-17 & 50-530/93-17 on 930607-11 & 0621-25 & notice of violation.
PARKINS,K.E. Region 5 (Post 820201). 93/07/21. CONWAY,W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 76088:315-76088:334.

-9308160022 Notice of violation from insp on 930607-25.Deviation noted: as of 930625,testing which demonstrated thermal performance & heat transfer capability had not been performed.
* Region 5 (Post 820201). 93/07/21. 1p. 76088:319-76088:319.

-9308160028 Insp repts 50-528/93-17,50-529/93-17 & 50-530/93-17 on 930607-11 & 0621-25.Deviations noted.Major areas inspected: effectiveness of QA organization.
MILLER,L.F. Region 5 (Post 820201). 93/07/21. 15pp. 76088:320-76088:334.

9308160063 Notification of significant licensee meeting w/util on 930805 to discuss NRC SALP rept for plant.
PERKINS,K. Region 5 (Post 820201). 93/07/22. Region 5 (Post 820201). 3pp. 76089:126-76089:128.

9307190043 NRC Info Notice 93-057, "Software Problems Involving Digital Control Console Sys at Non-Power Reactors".
GRIMES,B.K. Division of Operating Reactor Support (Post 921004). 93/07/23. Consolidated Edison Co. of New York, Inc. 9pp. 76111:200-76111:208.

9308160118 Ack receipt of 930726 ltr informing NRC of steps taken to correct violations noted in insp repts 50-528/93-11, 50-529/93-11 & 50-530/93-11 on 930528.
VANDENBURGH,C. Region 5 (Post 820201). 93/07/26. CONWAY,W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 76089:317-76089:331.

9308170350 Ack receipt of 930617 response to NRC Bulletin 93-002.NRC considers license response complete.
TRAN,L.N. Project Directorate V. 93/07/27. CONWAY,W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 3pp. 76140:043-76140:045.

9308060355 Responds to NRC 930701 ltr re violations noted in insp repts 50-528/93-12,50-529/93-12 & 50-530/93-12.C/As:utils snubber testing program will be revised to correctly implement TS requirements prior to commencing next testing cycle.
CONWAY,W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 93/07/29. Document Control Branch (Document Control Desk). 7pp. 76036:354-76036:359.

9308090156 Forwards Insp Repts 50-528/93-31,50-529/93-31 & 50-530/93-31 on 930628-0709.Violations noted.Unresolved item noted in security program.insp repts & notice of violation withheld (ref 10CFR73.21).
PATE,R.J. Region 5 (Post 820201). 93/07/29. CONWAY,W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 3pp. 76024:354-76024:356.

9308160100 Forwards insp repts 50-528/93-26,50-529/93-26 & 50-530/93-26 on 930628-0712 & notices of violations & deviations.
VANDENBURGH,C. Region 5 (Post 820201). 93/07/30. CONWAY,W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 3pp. 76089:279-76089:315.

-9308160108 Notice of violation from insp on 930601-0712.Violation noted:during performance of surveillance test 36ST-9SB02 in Unit 1,workers noted that pre-trip indication failed to illuminate as required by procedure,but failed to mark step.
* Region 5 (Post 820201). 93/07/30. 3pp. 76089:282-76089:284.

-9308160113 Notice of deviation from insp on 930601-0712.Deviation noted:licensee reorganized engineering dept such that managers of technical support did not have Bachelor Degree in engineering or physical sciences.
* Region 5 (Post 820201). 93/07/30. 1p. 76089:285-76089:285.

-9308160119 Insp repts 50-528/93-26,50-529/93-26 & 50-530/93-26 on 930601-0712.Violations & deviations noted.Major areas inspected:review of plant activities,surveillance tests, plant maint & steam generator activities.
WONG,H. Region 5 (Post 820201). 93/07/30. 30pp. 76089:286-76089:315.

9308230244 Forwards insp repts 50-528/93-24,50-529/93-24 & 50-530/93-24 during wks of 930524,0607 & 28.No violations or deviations noted.
MILLER,L.F. Region 5 (Post 820201). 93/07/30. CONWAY,W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 3pp. 76204:165-76204:200.

-9308230249 Insp repts 50-528/93-24,50-529/93-24 & 50-530/93-24 during wks of 930524,0607 & 28.No violations noted.Major areas inspected:corrective actions for previously identified followup & enforcement items & LER followup.
ANG,W.P. Region 5 (Post 820201). 93/07/29. 33pp. 76204:168-76204:200.

9308060262 Responds to notice of violation & proposed imposition of civil penalties,transmitted via NRC 920930 ltr,w/regard to Violation B.APS denies violation.Answer to part of proposed civil penalty re Violation B encl.Answer withheld.
CONWAY,W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 93/07/31. Ofc of Enforcement (Post 870413). 10pp. 76034:255-76034:264.

9308230267 Ack receipt of 930627 ltr informing NRC of steps taken to correct violations noted in requalification program evaluation.Exam Rept 50-528/OL-93-01,dtid 930513.Corrective actions & addl clarifications appear reasonable.
MILLER,L.F. Region 5 (Post 820201). 93/08/06. LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 3pp. 76204:133-76204:135.

9308240166 Forwards page 27,inadvertently omitted from NRC Insp Repts 50-528/93-24,50-529/93-24 & 50-530/93-24.
MILLER,L.F. Region 5 (Post 820201). 93/08/06. CONWAY,W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 3pp. 76218:218-76218:220.

-9308250105 Page 27 inadvertently omitted from NRC Inspection Repts 50-528/93-24,50-529/93-24 & 50-530/93-24.
MILLER,L.F. Region 5 (Post 820201). 93/08/06. 1p. 76218:220-76218:220.

9308240160 Submits SALP schedule for FY94 per Mgt Directive 8.6.
FAULKENBERRY,B. Region 5 (Post 820201). 93/08/12. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 3pp. 76211:357-76211:359.

R. Periodic operating reports & related correspondence

9308190115 Forwards monthly operating repts for Jul 1993 for Palo Verde Nuclear Generating Station Units 1,2 & 3 & revised monthly operating repts for Jan 1993 for Palo Verde Nuclear Generating Station Unit 1.
LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 93/08/12. Document Control Branch (Document Control Desk). 3pp. 76160:336-76160:355.

-9308190122 Monthly operating repts for Jul 1993 for Palo Verde Nuclear Generating Station Units 1,2 & 3.
ECKLUND,B.S. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 93/07/31. 16pp. 76160:339-76160:354.

-9308190126 Revised monthly operating rept for Jan 1993 for Palo Verde Nuclear Generating Station Unit 1.
ECKLUND,B.S. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 93/01/31. 1p. 76160:355-76160:355.

S. Reportable occurrences, LERs & related correspondence

- 9308020166 LER 93-007-01: on 930512, concluded that TS SR 4.7.9.e re snubber testing incorrectly interpreted due to personnel error. PVNGS snubber testing program will be revised to correctly implement TS requirements W/930715 ltr. BRADISH, T.R., LEVINE, J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 93/07/15. 10pp. 75978:050-75978:059.
- 9308030372 Potential Part 21 rept re Limitorque actuator motors. Utils & other purchases listed in encl being advised of concern. Limitorque revising selection procedure for safety related actuators, motors & technical data packages. TAYLOR, J.H. Babcock & Wilcox Co. 93/07/22. Document Control Branch (Document Control Desk). 8pp. 75976:349-75976:356.
- 9308040024 LER 87-020-01: on 870416, inadvertent ESF actuation occurred. Caused by parity error on byte of data between microprocessor & remote indication controller. Mod to install time delay relays developed W/930722 ltr. BRADISH, T.R., LEVINE, J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 93/07/23. 5pp. 76022:045-76022:049.
- 9308040015 LER 89-012-02: on 890510, emergency lighting sys deficiencies identified due to inadequate verification of lighting requirements. Emergency lighting sys upgraded W/930723 ltr. BRADISH, T.R., LEVINE, J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 93/07/23. 12pp. 76022:033-76022:044.
- 9308060300 Forwards Rev 2 of LER 93-007 re snubber testing not being in accordance w/TS. Rev changes corrective action due date to coincide w/reply to notice of violation 50-528/93-12-04. LEVINE, J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 93/07/28. Document Control Branch (Document Control Desk). 1p. 76063:085-76063:094.
- 9308060303 LER 93-007-02: on 930512, concluded that TS SR 4.7.9.e incorrectly interpreted. PVNGS snubber testing program will be revised to correctly implement TS requirements prior to commencing next testing cycle. BRADISH, T.R. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 93/07/28. 9pp. 76063:086-76063:094.
- 9308100042 Corrected ltr forwarding LER 93-007-02, changing corrective action due date to coincide w/reply to notice of violation 50-528/93-12-04. W/o encl. LEVINE, J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 93/07/28. Document Control Branch (Document Control Desk). 1p. 76065:331-76065:332.
- 9308100004 LER 93-008-00: on 930224, gaseous radwaste sys oxygen monitor out of svc for 18 days due to random component failure. Updated GRS explosive gas monitoring sys. W/930729 ltr. BRADISH, T.R., LEVINE, J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 93/07/29. 8pp. 76091:090-76091:097.
- 9308170438 Special Rept 1-SR-93-003: on 930806, NOUE declared when Unit 1 CR received verification that meteorological instrumentation unavailable due to loss of power to meteorological tower. Caused by severe weather. Instrumentation repaired. LEVINE, J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 93/08/11. Document Control Branch (Document Control Desk). 4pp. 76135:285-76135:288.

V. Operator Examinations

- 9308230267 Ack receipt of 930627 ltr informing NRC of steps taken to correct violations noted in requalification program evaluation. Exam Rept 50-528/OL-93-01, dtd 930513. Corrective actions & addl clarifications appear reasonable. MILLER, L.F. Region 5 (Post 820201). 93/08/06. LEVINE, J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 3pp. 76204:133-76204:135.

DOCKET STN-50-529 PALO VERDE NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

- 9308040134 Forwards encl 8 to SECY 93-166, describing proposed characteristics of design basis vehicle. Encl withheld. PARTLOW, J.G. Associate Director for Projects (Post 870411). 93/07/15. CONWAY, W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 3pp. 75987:008-75987:010.
- 9308020104 Revised EIPs, including Procedure Change Number (PCN) 2 to Rev 9 to EIP-02, PCN 1 to Rev 4 to EIP-14 & PCN 0 to Rev 7 to EIP-27. W/930720 ltr. STEVENS, R.J. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 93/07/20. 110pp. 75953:180-75953:289.
- 9308110148 Forwards request for addl info re licensee 930416 response to GL 92-08, "Thermo-Lag 330-1 Fire Barriers." TRAMMELL, C.M. Project Directorate V. 93/07/21. CONWAY, W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 7pp. 76063:284-76063:290.
- 9308160013 Forwards SALP repts 50-528/93-19, 50-529/93-19 & 50-530/93-19 for period 920301-930531. Overall, SALP Board found performance of licensed activities at plant to be acceptable & directed toward safe facility operation. FAULKENBERRY, B. Region 5 (Post 820201). 93/07/21. CONWAY, W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 3pp. 76088:282-76088:310.
- 9308160014 SALP repts 50-528/93-19, 50-529/93-19 & 50-530/93-19 for period 920301-930531. * Region 5 (Post 820201). 93/05/31. 26pp. 76088:285-76088:310.
- 9308170424 Summary of 930720 meeting w/util to discuss fire protection program at plant. Attendance list & viewgraphs encl. TRAN, L.N. Project Directorate V. 93/07/27. Project Directorate V. 34pp. 76126:187-76126:219.
- 9308090156 Forwards Insp Repts 50-528/93-31, 50-529/93-31 & 50-530/93-31 on 930628-0709 Violations noted Unresolved item noted in security program. Insp repts & notice of violation withheld (ref 10CFR73.21). PATE, R.J. Region 5 (Post 820201). 93/07/29. CONWAY, W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 3pp. 76024:354-76024:356.
- 9308110078 Rev 10 to EIP-02, "Emergency Classification." W/930805 ltr. STEVENS, R.J. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 93/08/05. 17pp. 76082:250-76082:266.
- 9308130103 Forwards Rev 04.01 to Procedure 41AO-12Z08, "SG Tube Leak." Rev 00.07 to Procedure 41EP-1R004, "Excess Steam Demand," revised Figure 2.1.5-1 & revised pages 23.26 & 27 from encl to 930723 ltr, in response to NRC request per 930804 telcon. BRADISH, T.R. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 93/08/09. Document Control Branch (Document Control Desk). 3pp. 76107:001-76107:283.
- 9308130110 Rev 00.07 to Procedure 41EP-1R004, "Excess Steam Demand," consisting of CRS actions & details on emergency notification & support. * Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 93/06/16. 234pp. 76107:038-76107:283.

P. Operating license stage documents & correspondence

- 9308040223 Requests that NRC institute show cause proceeding, per 10CFR2.202 to modify, suspend or revoke licensee OLS NPF-41, NPF-51 & NPF-74 relevant to PVNGS, per 10CFR2.206. SAPIRO, T.J. Sapiro, T.J. 93/01/04. Ofc of the Executive Director for Operations. 21pp. 75997:168-75997:189.
- 9304230146 Requests transfer of lead responsibility to NRR for review of licensee evaluation of battery seismic qualification (MNCR 93-PK-1003). PERKINS, K.E. Region 5 (Post 820201). 93/04/12. VIRGILIO, M.J. Assistant Director for Region IV/V Reactors (Post 901216). 2pp. 76067:315-76067:316.
- 9308250083 Ltr contract, awarding task order 24, "Nondestructive Exam Support at Palo Verde Generating Station." SCOTT, M.L. Contract Administration Branch 1 (Post 900603). NRC-03-90-028. 93/04/28. GLOVER, C. TET, Inc. 2pp. 76214:010-76214:011.
- 9308040142 Forwards SE concluding that CEGG rept CEN-387-P, rev 1, "Pressurizer Surge Line Thermal Stratification Evaluation" adequately demonstrates that bounding surge line & nozzles meet ASME code stress & fatigue requirements. TRAN, L.N. Project Directorate V. 93/07/16. CONWAY, W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 75978:331-75978:338.
- 9308040183 SE of CEN-387-P, Rev 0 & 1, "Pressurizer Surge Line Flow Stratification Evaluation." Rept acceptable. * Office of Nuclear Reactor Regulation, Director (Post 870411). 93/07/16. 4pp. 75978:335-75978:338.
- 9308030194 Submits daily highlights re meeting w/util in Rockville, MD to discuss basis for restart & return to operation of plant following steam generator tube rupture of 930314. TRAMMELL, C.M. Project Directorate V. 93/07/19. MURLEY, T., MIRAGLIA, F., RUSSELL, W. NRC - No Detailed Affiliation Given. 5pp. 75968:035-75968:039.
- 9308250006 Forwards proprietary rept CEN-421(V)-P, "Impact of Improved Inlet Flow Distribution on Typical CPC Overall Uncertainty Factor," in response to NRC request re util 130330 submittal of suppl 1 to encl 1-P to LD-92-054. Rept withheld. CONWAY, W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 93/07/19. Document Control Branch (Document Control Desk). 9pp. 76248:350-76248:358.
- 9308110148 Forwards request for addl info re licensee 930416 response to GL 92-08, "Thermo-Lag 330-1 Fire Barriers." TRAMMELL, C.M. Project Directorate V. 93/07/21. CONWAY, W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 7pp. 76063:284-76063:290.
- 9308130174 Informs that sample plan described in TS 4.7.9.e.1 will be selected for facilities for future snubber functional testing, beginning w/upcoming test period in Unit 1. Sample plan described in TS 4.7.9.e.2 used previously. CONWAY, W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 93/07/22. FAULKENBERRY, B. Region 5 (Post 820201). 1p. 76113:355-76113:355.
- 9308040218 Forwards safety assessment for continued operation of Units 1 & 3 w/potentially degraded tubes, containing results of SG tube evaluation of Units 1 & 3, per 930314 SG tube rupture experience at Unit 2. CONWAY, W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 93/07/25. Document Control Branch (Document Control Desk). 56pp. 75997:112-75997:167.
- 9308060349 Summary of 930726 meeting w/util to discuss basis for restart & return to operation of plant following SGTR event which occurred on 930314. TRAMMELL, C.M. Project Directorate V. 93/08/02. Project Directorate V. 84pp. 76010:001-76010:084.
- 9308190348 Advises that color contour plots labeled "DEPOSIT PARAMETER" in encl to 102-02540-TRB/JRP, dtd 930618 will be withheld (ref 10CFR2.790), per Combustion Engineering, Inc. 930617 request. TRAMMELL, C.M. Project Directorate V. 93/08/02. CONWAY, W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 5pp. 76156:323-76156:327.
- 9308130134 Application for amends to Licenses NPF-41, NPF-51 & NPF-65, changing surveillance frequency from monthly to quarterly for channel functional tests for RPS & ESFAS instrumentation. CONWAY, W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 93/08/05. Document Control Branch (Document Control Desk). 12pp. 76106:201-76106:245.
- 9308130140 Proposed tech specs changing surveillance frequency from monthly to quarterly for channel functional tests for RPS & ESFAS instrumentation. * Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 93/08/05. 33pp. 76106:213-76106:245.

158 DOCKETED ITEMS

9308130141 Informs that util adopted administrative controls on operation of Units 1 & 3 & that subj administrative controls will be applied to operation of Unit 2 prior to achieving criticality following current refueling outage.
CONWAY,W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project) 93/08/05 Document Control Branch (Document Control Desk) 2pp 76122:356-76122:357

9308130151 Application for amends to Licenses NPF-41,NPF-51 & NPF-65, requesting change to word pressurizer to RCS for item 4 in tables 3-3-10 & 4-3-7
CONWAY,W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project) 93/08/05 Document Control Branch (Document Control Desk) 7pp 76113:290-76113:302

-9308130159 Proposed tech specs requesting to change word "pressurizer" to "RCS" for item #4 in both tables 3-3-10 & 4-3-7
* Arizona Public Service Co. (formerly Arizona Nuclear Power Project) 93/08/05 6pp 76113:297-76113:302

9308160125 Forwards Rev 0 to "Core Operating Limits Rept for PVNGS,Unit 2 Cycle 5"
STEVENSON,R.J. Arizona Public Service Co. (formerly Arizona Nuclear Power Project) 93/08/05 Document Control Branch (Document Control Desk) 2pp 76128:108-76128:133

-9308160130 Rev 0 to "Core Operating Limits Rept for PVNGS,Unit 2 Cycle 5"
* Arizona Public Service Co. (formerly Arizona Nuclear Power Project) 93/08/05 24pp 76128:110-76128:133

9308130103 Forwards Rev 04.01 to Procedure 41AO-1ZZ08, "SG Tube Leak." Rev 00.07 to Procedure 41EP-1R004, "Excess Steam Demand," revised Figure 2.1 5-1 & revised pages 23,26 & 27 from encl to 930723 ltr.in response to NRC request per 930804 telcon.
BRADISH,T.R. Arizona Public Service Co. (formerly Arizona Nuclear Power Project) 93/08/09 Document Control Branch (Document Control Desk) 3pp 76107:001-76107:283

-9308130105 Rev 04.01 to Procedure 41AO-1ZZ08, "SG Tube Leak."
* Arizona Public Service Co. (formerly Arizona Nuclear Power Project) 93/08/09 34pp 76107:004-76107:037

-9308130110 Rev 00.07 to Procedure 41EP-1R004, "Excess Steam Demand," consisting of CRS actions & details on emergency notification & support.
* Arizona Public Service Co. (formerly Arizona Nuclear Power Project) 93/06/16 234pp 76107:038-76107:283

9308250005 Informs that as alternative to commitment in 910329 ltr, responding to GL 89-06,util installing,as part of video displays,continuously visible indicators that flash red when critical safety function in jeopardy,per NUREG-0696
CONWAY,W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project) 93/08/20 Document Control Branch (Document Control Desk) 2pp 76223:344-76223:345

Q. Inspection reports, IE Bulletins & correspondence

9308160068 Forwards enforcement conference repts 50-528/93-20, 50-529/93-20 & 50-530/93-20 on 930510 in Phoenix,AZ.
SCARANO,R.A. Region 5 (Post 820201) 93/07/12 CONWAY,W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project) 3pp 76089:152-76089:188

-9308160072 Enforcement conference repts 50-528/93-20,50-529/93-20 & 50-530/93-20 on 930510 Major areas discussed:description of violations associated w/three investigations conducted by OI from 910722-930226 at plant.
PATE,R.J. Region 5 (Post 820201) 93/06/08 34pp 76089:155-76089:188

9308040142 Forwards SE concluding that CEOG rept CEN-387-P,rev 1, "Pressurizer Surge Line Thermal Stratification Evaluation" adequately demonstrates that bounding surge line & nozzles meet ASME code stress & fatigue requirements.
TRAN,L.N. Project Directorate V 93/07/16 CONWAY,W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project) 4pp 75978:331-75978:338

-9308040183 SE of CEN-387-P,Rev 0 & 1, "Pressurizer Surge Line Flow Stratification Evaluation." Rept acceptable
* Office of Nuclear Reactor Regulation, Director (Post 870411) 93/07/16 4pp 75978:335-75978:338

9308160013 Forwards SALP repts 50-528/93-19,50-529/93-19 & 50-530/93-19 for period 920301-930531.Overall,SALP Board found performance of licensed activities at plant to be acceptable & directed toward safe facility operation.
FAULKENBERRY,B. Region 5 (Post 820201) 93/07/21 CONWAY,W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project) 3pp 76088:282-76088:310

-9308160014 SALP repts 50-528/93-19,50-529/93-19 & 50-530/93-19 for period 920301-930531
* Region 5 (Post 820201) 93/05/31 26pp 76088:285-76088:310

9308160018 Forwards insp repts 50-528/93-17,50-529/93-17 & 50-530/93-17 on 930607:11 & 0621-25 & notice of violation
PARKINS,K.E. Region 5 (Post 820201) 93/07/21 CONWAY,W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project) 4pp 76088:315-76088:334

-9308160022 Notice of violation from insp on 930607:25 Deviation noted: as of 930625,testing which demonstrated thermal performance & heat transfer capability had not been performed
* Region 5 (Post 820201) 93/07/21 1p 76088:319-76088:319

-9308160028 Insp repts 50-528/93-17,50-529/93-17 & 50-530/93-17 on 930607:11 & 0621-25 Deviations noted.Major areas inspected: effectiveness of QA organization
MILLER,L.F. Region 5 (Post 820201) 93/07/21 15pp 76088:320-76088:334

9308160063 Notification of significant licensee meeting w/util on 930805 to discuss NRC SALP rept for plant.
PERKINS,K. Region 5 (Post 820201) 93/07/22 Region 5 (Post 820201) 3pp 76089:126-76089:128

9307190043 NRC Info Notice 93-057, "Software Problems Involving Digital Control Console Sys at Non-Power Reactors"
GRIMES,B.K. Division of Operating Reactor Support (Post 921004) 93/07/23 Consolidated Edition Co. of New York, Inc 9pp 76111:200-76111:208

9308160118 Ack receipt of 930726 ltr informing NRC of steps taken to correct violations noted in insp repts 50-528/93-11, 50-529/93-11 & 50-530/93-11 on 930528
VANDENBURGH,C. Region 5 (Post 820201) 93/07/26 CONWAY,W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project) 4pp 76089:317-76089:331

9308170350 Ack receipt of 930617 response to NRC Bulletin 93-002 NRC considers licensee response complete
TRAN,L.N. Project Directorate V 93/07/27 CONWAY,W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project) 3pp 76140:043-76140:045

9308060355 Responds to NRC 930701 ltr re violations noted in insp repts 50-528/93-12,50-529/93-12 & 50-530/93-12 C/As,util snubber testing program will be revised to correctly implement TS requirements prior to commencing next testing cycle
CONWAY,W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project) 93/07/29 Document Control Branch (Document Control Desk) 7pp 76036:354-76036:359

9308090156 Forwards Insp Repts 50-528/93-31,50-529/93-31 & 50-530/93-31 on 930628-0709 Violations noted Unresolved item noted in security program Insp repts & notice of violation withheld (ref 10CFR73.21)
PATE,R.J. Region 5 (Post 820201) 93/07/29 CONWAY,W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project) 3pp 76024:354-76024:356

9308060359 Responds to NRC 930701 ltr re violations noted in insp rept 50-529/93-22 C/As,util & Sept will be utilized to train Operations staff,Emergency Coordinators & Emergency Directors through annual requalification process.
CONWAY,W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project) 93/07/30 Document Control Branch (Document Control Desk) 16pp 76059:184-76059:189

9308100036 Corrected ltr re response to NRC 930701 ltr concerning violations noted in Insp Rept 50-529/93-22
CONWAY,W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project) 93/07/30 Document Control Branch (Document Control Desk) 1p 76065:333-76065:334

9308120186 Second corrected ltr re response to NRC 930701 ltr re violations noted in insp rept 50-529/93-22
CONWAY,W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project) 93/07/30 Document Control Branch (Document Control Desk) 1p 76094:348-76094:348

9308160100 Forwards insp repts 50-528/93-26,50-529/93-26 & 50-530/93-26 on 930601-0712 & notices of violations & deviations.
VANDENBURGH,C. Region 5 (Post 820201) 93/07/30 CONWAY,W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project) 3pp 76089:279-76089:315

-9308160108 Notice of violation from insp on 930601-0712.Violation noted:during performance of surveillance test 36ST-9SB02 in Unit 1,workers noted that pre-trip indication failed to illuminate as required by procedure,but failed to mark step.
* Region 5 (Post 820201) 93/07/30 3pp 76089:282-76089:284

-9308160113 Notice of deviation from insp on 930601-0712.Deviation noted:licensee reorganized engineering dept such that managers of technical support did not have Bachelor Degree in engineering or physical sciences
* Region 5 (Post 820201) 93/07/30 1p 76089:285-76089:285

-9308160119 Insp repts 50-528/93-26,50-529/93-26 & 50-530/93-26 on 930601-0712 Violations & deviations noted.Major areas inspected:review of plant activities,surveillance tests, plant maint & steam generator activities.
WONG,H. Region 5 (Post 820201) 93/07/30 30pp 76089:286-76089:315

9308230244 Forwards insp repts 50-528/93-24,50-529/93-24 & 50-530/93-24 during wks of 930524,0607 & 28.No violations or deviations noted.
MILLER,L.F. Region 5 (Post 820201) 93/07/30 CONWAY,W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project) 3pp 76204:165-76204:200

-9308230249 Insp repts 50-528/93-24,50-529/93-24 & 50-530/93-24 during wks of 930524,0607 & 28.No violations noted.Major areas inspected:corrective actions for previously identified followup & enforcement items & LER followup.
ANG,W.P. Region 5 (Post 820201) 93/07/29 33pp 76204:168-76204:200

9308060262 Responds to notice of violation & proposed imposition of civil penalties,transmitted via NRC 920930 ltr,w/regard to Violation B.APS denies violation Answer to part of proposed civil penalty re Violation B encl,Answer withheld.
CONWAY,W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project) 93/07/31 Ofc of Enforcement (Post 870413) 10pp 76034:255-76034:264

9308240166 Forwards page 27,inadvertently omitted from NRC Insp Repts 50-528/93-24,50-529/93-24 & 50-530/93-24
MILLER,L.F. Region 5 (Post 820201) 93/08/06 CONWAY,W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project) 3pp 76218:218-76218:220

-9308250105 Page 27 inadvertently omitted from NRC Inspection Repts 50-528/93-24,50-529/93-24 & 50-530/93-24.
MILLER,L.F. Region 5 (Post 820201) 93/08/06 1p 76218:220-76218:220

9308240160 Submits SALP schedule for FY94 per Mgt Directive 8.6.
FAULKENBERRY,B. Region 5 (Post 820201) 93/08/12 MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411) 3pp 76211:357-76211:359

R. Periodic operating reports & related correspondence

9308190115 Forwards monthly operating repts for Jul 1993 for Palo Verde Nuclear Generating Station Units 1, 2 & 3 & revised monthly operating repts for Jan 1993 for Palo Verde Nuclear Generating Station Unit 1.
LEVINE, J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 93/08/12. Document Control Branch (Document Control Desk). 3pp. 76160:336-76160:355.

9308190122 Monthly operating repts for Jul 1993 for Palo Verde Nuclear Generating Station Units 1, 2 & 3.
ECKLUND, B.S. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 93/07/31. 16pp. 76160:339-76160:354.

S. Reportable occurrences, LERs & related correspondence

9308200256 Summary of operating reactors events meeting 93-20 on 930602.
CHAFFEE, A.E. Events Assessment Branch. 93/06/15. GRIMES, B.K. Division of Operating Reactor Support (Post 921004). 20pp. 76178:130-76178:149.

9308040179 Forwards NRC rept re normal occurrences at licensed facilities for quarter FY93. W/o encl.
THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). 93/07/09. GORE, A.J. Senate. FOLEY, T.S. House of Rep., Speaker of the House. 2pp. 75987:028-75987:029.

9308030372 Potential Part 21 rept re Limitorque actuator motors. Utilis & other purchases listed in encl being advised of concern. Limitorque revising selection procedure for safety related actuators, motors & technical data packages.
TAYLOR, J.H. Babcock & Wilcox Co. 93/07/22. Document Control Branch (Document Control Desk). 8pp. 75976:349-75976:356.

9308090298 Special Rept 2-SR-93-002 on 930722. Unit 2 in Mode 5, Cold Shutdown during refueling outage when ISI of both SGs completed. Insp resulted in plugging of 74 tubes in SG 1 & 175 tubes in SG 2.
LEVINE, J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 93/08/02. Document Control Branch (Document Control Desk). 2pp. 76059:355-76059:356.

9308170438 Special Rept 1-SR-93-003 on 930806. NOUE declared when Unit 1 CR received verification that meteorological instrumentation unavailable due to loss of power to meteorological tower. Caused by severe weather. Instrumentation repaired.
LEVINE, J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 93/08/11. Document Control Branch (Document Control Desk). 4pp. 76135:285-76135:288.

9308310239 LER 93-001-02 on 930314. SG tube ruptured in SG 2. Caused by IGA/ISGCC occurring as result of tube to tube crevice formation. Implemented changes to EOP W/930814 ltr.
BRADISH, T.R., LEVINE, J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 93/08/14. 17pp. 76304:109-76304:125.

DOCKET STN-50-530 PALO VERDE NUCLEAR STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

9308040134 Forwards encl 8 to SECY 93-166, describing proposed characteristics of design basis vehicle. Encl withheld.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 93/07/15. CONWAY, W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 3pp. 75987:008-75987:010.

9308020104 Revised EPIPs, including Procedure Change Number (PCN) 2 to Rev 9 to EPIP-02, PCN 1 to Rev 4 to EPIP-14 & PCN 0 to Rev 7 to EPIP-27. W/930720 ltr.
STEVENS, R.J. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 93/07/20. 110pp. 75953:180-75953:289.

9308110148 Forwards request for addl info re licensee 930416 response to GL 92-08, "Thermo-Lag 330-1 Fire Barriers."
TRAMMELL, C.M. Project Directorate V. 93/07/21. CONWAY, W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 7pp. 76063:284-76063:290.

9308160013 Forwards SALP repts 50-528/93-19, 50-529/93-19 & 50-530/93-19 for period 920301-930531. Overall, SALP Board found performance of licensed activities at plant to be acceptable & directed toward safe facility operation.
FAULKENBERRY, B. Region 5 (Post 820201). 93/07/21. CONWAY, W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 3pp. 76088:282-76088:310.

9308160014 SALP repts 50-528/93-19, 50-529/93-19 & 50-530/93-19 for period 920301-930531.
* Region 5 (Post 820201). 93/05/31. 26pp. 76088:285-76088:310.

9308170424 Summary of 930720 meeting w/util to discuss fire protection program at plant. Attendance list & viewgraphs encl.
TRAN, L.N. Project Directorate V. 93/07/27. Project Directorate V. 34pp. 76126:187-76126:219.

9308090156 Forwards Insp Repts 50-528/93-31, 50-529/93-31 & 50-530/93-31 on 930628-0709. Violations noted. Unresolved item noted in security program. Insp repts & notice of violation withheld (ref 10CFR73.21).
PATE, R.J. Region 5 (Post 820201). 93/07/29. CONWAY, W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 3pp. 76024:354-76024:356.

9308110078 Rev 10 to EPIP-02, "Emergency Classification." W/930805 ltr.
STEVENS, R.J. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 93/08/05. 17pp. 76082:250-76082:266.

9308130103 Forwards Rev 04.01 to Procedure 41AO-1ZZ08, "SG Tube Leak," Rev 00.07 to Procedure 41EP-1R004, "Excess Steam Demand," revised Figure 2.1.5-1 & revised pages 23, 26 & 27 from encl to 930723 ltr. in response to NRC request per 930804 telcon.
BRADISH, T.R. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 93/08/09. Document Control Branch (Document Control Desk). 3pp. 76107:001-76107:283.

9308130110 Rev 00.07 to Procedure 41EP-1R004, "Excess Steam Demand," consisting of CRS actions & details on emergency notification & support.
* Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 93/06/16. 234pp. 76107:038-76107:283.

P. Operating license stage documents & correspondence

9308040223 Requests that NRC institute show cause proceeding, per 10CFR2.202 to modify, suspend or revoke licensee OLS NPF-41, NPF-51 & NPF-74 relevant to PVNGS, per 10CFR2.206.
SAPORITO, T.J. Saporito, T.J. 93/01/04. Ofc of the Executive Director for Operations. 21pp. 75997:168-75997:189.

9304230146 Requests transfer of lead responsibility to NRR for review of licensee evaluation of battery seismic qualification (MNCR 93-PK-1003).
PERKINS, K.E. Region 5 (Post 820201). 93/04/12. VIRGILIO, M.J. Assistant Director for Region IV/V Reactors (Post 901216). 2pp. 76067:315-76067:316.

9308250083 Ltr contract, awarding task order 24, "Nondestructive Exam Support at Palo Verde Generating Station."
SCOTT, M.L. Contract Administration Branch 1 (Post 900603). NRC-03-90-028. 93/04/28. GLOVER, C. TET, Inc. 2pp. 76214:010-76214:011.

9308040142 Forwards SE concluding that CEOG rept CEN-387-P, rev 1, "Pressurizer Surge Line Thermal Stratification Evaluation," adequately demonstrates that bounding surge line & nozzles meet ASME code stress & fatigue requirements.
TRAN, L.N. Project Directorate V. 93/07/16. CONWAY, W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 75978:331-75978:338.

9308040183 SE of CEN-387-P, Rev 0 & 1, "Pressurizer Surge Line Flow Stratification Evaluation." Rept acceptable.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 93/07/16. 4pp. 75978:335-75978:338.

9308250006 Forwards proprietary rept CEN-421(V)-P, "Impact of Improved Inlet Flow Distribution on Typical CPC Overall Uncertainty Factor." In response to NRC request re util 930330 submittal of suppl 1 to encl 1-P to LD-92-054. Rept withheld.
CONWAY, W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 93/07/19. Document Control Branch (Document Control Desk). 9pp. 76248:350-76248:358.

9308110148 Forwards request for addl info re licensee 930416 response to GL 92-08, "Thermo-Lag 330-1 Fire Barriers."
TRAMMELL, C.M. Project Directorate V. 93/07/21. CONWAY, W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 7pp. 76063:284-76063:290.

9308130174 Informs that sample plan described in TS 4.7.9.e.1 will be selected for facilities for future snubber functional testing, beginning w/upcoming test period in Unit 1. Sample plan described in TS 4.7.9.e.2 used previously.
CONWAY, W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 93/07/22. FAULKENBERRY, B. Region 5 (Post 820201). 1p. 76113:355-76113:355.

9308040218 Forwards safety assessment for continued operation of Units 1 & 3 w/potentially degraded tubes, containing results of SG tube evaluation of Units 1 & 3, per 930314 SG tube rupture experience at Unit 2.
CONWAY, W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 93/07/25. Document Control Branch (Document Control Desk). 56pp. 75997:112-75997:167.

9308130134 Application for amends to Licenses NPF-41, NPF-51 & NPF-65, changing surveillance frequency from monthly to quarterly for channel functional tests for RPS & ESFAS instrumentation.
CONWAY, W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 93/08/05. Document Control Branch (Document Control Desk). 12pp. 76106:201-76106:245.

9308130140 Proposed tech specs changing surveillance frequency from monthly to quarterly for channel functional tests for RPS & ESFAS instrumentation.
* Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 93/08/05. 33pp. 76106:213-76106:245.

9308130141 Informs that util adopted administrative controls on operation of Units 1 & 3 & that sub administrative controls will be applied to operation of Unit 2 prior to achieving criticality following current refueling outage.
CONWAY, W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 93/08/05. Document Control Branch (Document Control Desk). 2pp. 76122:356-76122:357.

9308130151 Application for amends to Licenses NPF-41, NPF-51 & NPF-65, requesting change to word pressurizer to RCS for item 4 in tables 3.3-10 & 4.3-7.
CONWAY, W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 93/08/05. Document Control Branch (Document Control Desk). 7pp. 76113:290-76113:302.

9308130159 Proposed tech specs requesting to change word "pressurizer" to "RCS" for item #4 in both tables 3.3-10 & 4.3-7.
* Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 93/08/05. 6pp. 76113:297-76113:302.

9308130103 Forwards Rev 04.01 to Procedure 41AO-1ZZ08, "SG Tube Leak," Rev 00.07 to Procedure 41EP-1R004, "Excess Steam Demand," revised Figure 2.1.5-1 & revised pages 23, 26 & 27 from encl to 930723 ltr. in response to NRC request per 930804 telcon.
BRADISH, T.R. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 93/08/09. Document Control Branch (Document Control Desk). 3pp. 76107:001-76107:283.

9308130105 Rev 04.01 to Procedure 41AO-1ZZ08, "SG Tube Leak."
* Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 93/08/09. 34pp. 76107:004-76107:037.

9308130110 Rev 00.07 to Procedure 41EP-1R004, "Excess Steam Demand," consisting of CRS actions & details on emergency notification & support.
* Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 93/06/16. 234pp. 76107:038-76107:283.

160 DOCKETED ITEMS

9308250005 Informs that as alternative to commitment in 910329 ltr, responding to GL 89-06,util installing,as part of video displays,continuously visible indicators that flash red when critical safety function in jeopardy,per NUREG-0696.
CONWAY,W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 93/08/20. Document Control Branch (Document Control Desk). 2pp. 76223:344-76223:345.

Q. Inspection reports, IE Bulletins & correspondence

9308160068 Forwards enforcement conference repts 50-528/93-20, 50-529/93-20 & 50-530/93-20 on 930510 in Phoenix,AZ.
SCARANO,R.A. Region 5 (Post 820201). 93/07/12. CONWAY,W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 3pp. 76089:152-76089:188.

-9308160072 Enforcement conference repts 50-528/93-20,50-529/93-20 & 50-530/93-20 on 930510.Major areas discussed:description of violations associated w/three investigations conducted by OI from 910722-930226 at plant.
PATE,R.J. Region 5 (Post 820201). 93/06/08. 34pp. 76089:155-76089:188.

9308040142 Forwards SE concluding that CEOG rept CEN-387-P,rev 1, "Pressurizer Surge Line Thermal Stratification Evaluation" adequately demonstrates that bounding surge line & nozzles meet ASME code stress & fatigue requirements.
TRAN,L.N. Project Directorate V. 93/07/16. CONWAY,W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 75978:331-75978:338.

-9308040183 SE of CEN-387-P,Rev 0 & 1, "Pressurizer Surge Line Flow Stratification Evaluation." Rept acceptable.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 93/07/16. 4pp. 75978:335-75978:338.

9308160013 Forwards SALP repts 50-528/93-19,50-529/93-19 & 50-530/93-19 for period 920301-930531.Overall,SALP Board found performance of licensed activities at plant to be acceptable & directed toward safe facility operation.
FAULKENBERRY,B. Region 5 (Post 820201). 93/07/21. CONWAY,W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 3pp. 76088:282-76088:310.

-9308160014 SALP repts 50-528/93-19,50-529/93-19 & 50-530/93-19 for period 920301-930531.
* Region 5 (Post 820201). 93/05/31. 26pp. 76088:285-76088:310.

9308160018 Forwards insp repts 50-528/93-17,50-529/93-17 & 50-530/93-17 on 930607-11 & 0621-25 & notice of violation.
PARKINS,K.E. Region 5 (Post 820201). 93/07/21. CONWAY,W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 76088:315-76088:334.

-9308160022 Notice of violation from insp on 930607-25.Deviation noted: as of 930625,testing which demonstrated thermal performance & heat transfer capability had not been performed.
* Region 5 (Post 820201). 93/07/21. 1p. 76088:319-76088:319.

-9308160028 Insp repts 50-528/93-17,50-529/93-17 & 50-530/93-17 on 930607-11 & 0621-25.Deviations noted.Major areas inspected: effectiveness of QA organization.
MILLER,L.F. Region 5 (Post 820201). 93/07/21. 15pp. 76088:320-76088:334.

9308160063 Notification of significant licensee meeting w/util on 930805 to discuss NRC SALP rept for plant.
PERKINS,K. Region 5 (Post 820201). 93/07/22. Region 5 (Post 820201). 3pp. 76089:126-76089:128.

9308160118 Ack receipt of 930726 ltr informing NRC of steps taken to correct violation noted in insp repts 50-528/93-11, 50-529/93-11 & 50-530/93-11 on 930528.
VANDENBURGH,C. Region 5 (Post 820201). 93/07/26. CONWAY,W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 76089:317-76089:331.

9308170350 Ack receipt of 930617 response to NRC Bulletin 93-002.NRC considers licensee response complete.
TRAN,L.N. Project Directorate V. 93/07/27. CONWAY,W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 3pp. 76140:043-76140:045.

9308060355 Responds to NRC 930701 ltr re violations noted in insp repts 50-528/93-12,50-529/93-12 & 50-530/93-12.C/As:utils snubber testing program will be revised to correctly implement TS requirements prior to commencing next testing cycle.
CONWAY,W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 93/07/29. Document Control Branch (Document Control Desk). 7pp. 76036:354-76036:359.

9308090156 Forwards Insp Repts 50-528/93-31,50-529/93-31 & 50-530/93-31 on 930628-0709.Violations noted.Unresolved item noted in security program.Insp repts & notice of violation withheld (ref 10CFR73.21).
PATE,R.J. Region 5 (Post 820201). 93/07/29. CONWAY,W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 3pp. 76024:354-76024:356.

9308160100 Forwards insp repts 50-528/93-26,50-529/93-26 & 50-530/93-26 on 930601-0712 & notices of violations & deviations.
VANDENBURGH,C. Region 5 (Post 820201). 93/07/30. CONWAY,W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 3pp. 76089:279-76089:315.

-9308160108 Notice of violation from insp on 930601-0712.Violation noted:during performance of surveillance test 36ST-9SB02 in Unit 1,workers noted that pre-trip indication failed to illuminate as required by procedure,but failed to mark step.
* Region 5 (Post 820201). 93/07/30. 3pp. 76089:282-76089:284.

-9308160113 Notice of deviation from insp on 930601-0712.Deviation noted:licensee reorganized engineering dept such that managers of technical support did not have Bachelor Degree in engineering or physical sciences.
* Region 5 (Post 820201). 93/07/30. 1p. 76089:285-76089:285.

-9308160119 Insp repts 50-528/93-26,50-529/93-26 & 50-530/93-26 on 930601-0712.Violations & deviations noted.Major areas inspected:review of plant activities,surveillance tests, plant maint & steam generator activities.
WONG,H. Region 5 (Post 820201). 93/07/30. 30pp. 76089:286-76089:315.

9308230244 Forwards insp repts 50-528/93-24,50-529/93-24 & 50-530/93-24 during wks of 930524,0607 & 28.No violations or deviations noted.
MILLER,L.F. Region 5 (Post 820201). 93/07/30. CONWAY,W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 3pp. 76204:165-76204:200.

-9308230249 Insp repts 50-528/93-24,50-529/93-24 & 50-530/93-24 during wks of 930524,0607 & 28.No violations noted.Major areas inspected:corrective actions for previously identified followup & enforcement items & LER followup.
ANG,W.P. Region 5 (Post 820201). 93/07/29. 33pp. 76204:168-76204:200.

9308060262 Responds to notice of violation & proposed imposition of civil penalties,transmitted via NRC 920930 ltr,w/regard to Violation B.APS denies violation.Answer to part of proposed civil penalty re Violation B encl.Answer withheld.
CONWAY,W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 93/07/31. Ofc of Enforcement (Post 870413). 10pp. 76034:255-76034:264.

9308240166 Forwards page 27,inadvertently omitted from NRC Insp Repts 50-528/93-24,50-529/93-24 & 50-530/93-24.
MILLER,L.F. Region 5 (Post 820201). 93/08/06. CONWAY,W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 3pp. 76218:218-76218:220.

-9308250105 Page 27 inadvertently omitted from NRC Inspection Repts 50-528/93-24,50-529/93-24 & 50-530/93-24.
MILLER,L.F. Region 5 (Post 820201). 93/08/06. 1p. 76218:220-76218:220.

9308240160 Submits SALP schedule for FY94 per Mgt Directive 8.6.
FAULKENBERRY,B. Region 5 (Post 820201). 93/08/12. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 3pp. 76211:357-76211:359.

R. Periodic operating reports & related correspondence

9308190115 Forwards monthly operating repts for Jul 1993 for Palo Verde Nuclear Generating Station Units 1,2 & 3 & revised monthly operating repts for Jan 1993 for Palo Verde Nuclear Generating Station Unit 1.
LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 93/08/12. Document Control Branch (Document Control Desk). 3pp. 76160:336-76160:355.

-9308190122 Monthly operating repts for Jul 1993 for Palo Verde Nuclear Generating Station Units 1,2 & 3.
ECKLUND,B.S. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 93/07/31. 16pp. 76160:339-76160:354.

S. Reportable occurrences, LERs & related correspondence

9308040039 LER 93-002-00:on 930402,reactor power excursion occurred due to spurious opening steam bypass control valves.Operations procedures revised.W/930720 ltr.
BRADISH,T.R., LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 93/07/20. 11pp. 76022:050-76022:060.

9308030372 Potential Part 21 rept re Limitorque actuator motors.Utilis & other purchases listed in encl being advised of concern. Limitorque revising selection procedure for safety related actuators,motors & technical data packages.
TAYLOR,J.H. Babcock & Wilcox Co. 93/07/22. Document Control Branch (Document Control Desk). 6pp. 75976:349-75976:356.

93070438 Special Rept 1-SR-93-003:on 930806,NOUE declared when Unit 1 CR required verification that meteorological instrumentation unavailable due to loss of power to meteorological tower. Caused by severe weather.Instrumentation repaired.
LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 93/08/11. Document Control Branch (Document Control Desk). 4pp. 76135:285-76135:288.

DOCKET 52-001 GE ADVANCED BWR DESIGN, GENERAL ELECTRIC CO.

9308110177 Forwards preliminary drafts of low power & shutdown TS proposed for BWR current designs.
GRIMES,C.I. Technical Specifications Branch. 93/06/16. MARRIOTT,P.W. General Electric Co. 78pp. 76075:001-76075:156.

9308110259 Forwards preliminary draft BWR STS for low power & shutdown conditions.
GRIMES,C.I. Office of Nuclear Reactor Regulation, Director (Post 870411). 93/06/16. MARRIOTT,P.W. General Electric Co. 6pp. 76063:356-76063:360.

9308030360 Summary of 930621-24 meeting w/GE in Livermore,CA to write proof & review instrumentation sys TS for GE ABWR.Meeting attendees listed in encl 1.
POSUSNY,C. Standardization Project Directorate (Post 920517). 93/07/15. Standardization Project Directorate (Post 920517). 14pp. 75952:113-75952:126.

9308100219 Forwards proof & review ABWR TSs & bases for listed sections.
CRUTCHFIELD,D. Associate Director for Advanced Reactors & License Renewal (Post 910918). 93/07/15. MARRIOTT,P.W. General Electric Co. 99pp. 76038:215-76038:313.

9308030178 Submits daily highlights re meeting w/GE in San Jose,CA to discuss ITAAC for ABWR.
BOYCE,T.H. Standardization Project Directorate (Post 920517). 93/07/19. MURLEY,T., MIRAGLIA,F., RUSSELL,W. NRC - No Detailed Affiliation Given. 4pp. 75968:031-75968:034.

9308050197 Informs that operator action histories for three different postulated LOCAs,previously evaluated in GE 930618 ltr, requiring operator action within twenty minutes developed to close out operator time line aspect.
FOX,J. General Electric Co. 93/07/21. POSUSNY,C. Standardization Project Directorate (Post 920517). 5pp. 76022:155-76022:159.

9308050199 Forwards shutdown electrical TS 3.8.2,3.8.5,3.8.8 & 3.8.10 & associated bases.
FOX,J. General Electric Co. 93/07/21. POSUSNY,C. Standardization Project Directorate (Post 920517). 1p. 76022:304-76022:334.

-9308050200 Proposed tech specs 3.8.2,3.8.5,3.8.8 & 3.8.10 & associated bases re electrical power sys.
* General Electric Co. 93/07/21. 30pp. 76022:305-76022:334.

9308120019 Forwards draft safety issues index, generic issue review assignments, status of ABWR USI-GSI review & staff comments provided during conference calls.
WILSON, J.N. Standardization Project Directorate (Post 920517). 93/07/21. MARRIOTT, P.W. General Electric Co. 21pp. 76075:164-76075:184.

9308160300 Forwards proof & review ABWR TS & bases for sections 3.4 RCS, 3.5 ECCS & 5.0 administrative controls (no bases).
CRUTCHFIELD, D. Associate Director for Advanced Reactors & License Renewal (Post 910918). 93/07/23. MARRIOTT, P.W. General Electric Co. 172pp. 76104:057-76104:208.

9308040120 Forwards listed items addressing M Malloy 930702 fax re USIs & GSIs, w/ regard to accelerated ABWR schedule.
FOX, J. General Electric Co. 93/07/26. POSLUSNY, C. Standardization Project Directorate (Post 920517). 29pp. 75997:027-75997:055.

9308030191 Forwards tabulation documents results of sensitivity analyses performed to determine impact of removal of ESF equipment from svc.
FOX, J. General Electric Co. 93/07/27. POSLUSNY, C. Standardization Project Directorate (Post 920517). 4pp. 75979:355-75979:358.

9308040020 Forwards Rev 1 to 23A6100, "ABWR SSAR," Chapters 1-21. Listed sections contain proprietary info & will be submitted under separate cover.
MITCHELL, R.C. General Electric Co. 93/07/28. WILSON, J.N. Standardization Project Directorate (Post 920517). 2pp. 76040:001-76056:011.

-9308040033 Rev 1 to Nonproprietary "ABWR SSAR," W/659 oversize drawings.
* General Electric Co. 23A6100 R01. 93/07/31. 2,800pp. 76040:003-76056:011.

9308040057 Forwards Proprietary Rev 1 to 23A6100, "ABWR SSAR" Chapters 19 & 20, W/600 oversize drawings.
MITCHELL, R.C. General Electric Co. 93/07/28. WILSON, J.N. Document Control Branch (Document Control Desk). 2pp. 75998:001-75998:001.

9308090329 Forwards revised shutdown Tech Spec LCO 3.8.y & associated bases.
FOX, J. General Electric Co. 93/07/28. POSLUSNY, C. Standardization Project Directorate (Post 920517). 1p. 76037:216-76037:228.

-9308090338 Proposed tech specs 3.8.y re LCO.
* General Electric Co. 93/07/28. 12pp. 76037:217-76037:228.

9308040327 Responds to 930728 ltr re staff review of licensee 930709 ISLOCA ltr.
FOX, J. General Electric Co. 93/07/30. POSLUSNY, C. Standardization Project Directorate (Post 920517). 4pp. 76011:005-76011:008.

9308190035 Notification of 930823-26 meeting w/GE to discuss instrumentation & control TS for ABWR.
NINH, S.Q. Standardization Project Directorate (Post 920517). 93/07/30. WILSON, J.N. Standardization Project Directorate (Post 920517). 2pp. 76151:345-76151:346.

9308190041 Summary of 930707-08 meeting w/BNL & GE in San Jose, CA re review of ABWR TS. Meeting attendees listed.
POSLUSNY, C. Standardization Project Directorate (Post 920517). 93/07/30. Standardization Project Directorate (Post 920517). 4pp. 76151:347-76151:350.

9308090096 Notification of 930812 meeting w/NSSS owners groups on new TS improvements.
GRIMES, C.I. Technical Specifications Branch. 93/08/03. GRIMES, B.K. Division of Operating Reactor Support (Post 921004). 2pp. 76024:137-76024:138.

9308090111 Notification of 930819-20 meeting w/GE in Rockville, MD to discuss section 3.8, "Electrical Power Sys.," of draft proof & review TSs for ABWR.
GRIMES, C.I. Technical Specifications Branch. 93/08/03. GRIMES, B.K. Division of Operating Reactor Support (Post 921004). 3pp. 76024:134-76024:136.

9308110367 Forwards SSAR markups addressing Generic Fuel Licensing Item 17 & proprietary App 4D, demonstrating that Chapters 4 & 15 meet proprietary acceptance criteria of App 4B. Vendor plan to include info in Amend 32 due by 930831. App 4D withheld.
FOX, J. General Electric Co. 93/08/03. POSLUSNY, C. Standardization Project Directorate (Post 920517). 2pp. 76080:234-76080:235.

9308110247 Forwards SSAR markup addressing fuel bundle mis-orientation Item 4. Inform that GE plan to include info in Amend 32 scheduled to be transmitted to NRC on 930831.
FOX, J. General Electric Co. 93/08/04. POSLUSNY, C. Standardization Project Directorate (Post 920517). 10pp. 76075:343-76075:352.

9308110252 Forwards updated TS sensitivity runs, as result of error discovered in modeling made to assess impact on CDF resulting from removal of ESF equipment from svc, per 930727 transmittal.
FOX, J. General Electric Co. 93/08/04. POSLUSNY, C. Standardization Project Directorate (Post 920517). 2pp. 76077:264-76077:267.

9308240192 Summary of meeting w/GE in Rockville, MD on 930727 to discuss Tier 1 submittal for bldg designs & primary containment design.
POSLUSNY, C. Standardization Project Directorate (Post 920517). 93/08/05. Standardization Project Directorate (Post 920517). 154pp. 76218:028-76218:176.

9308110376 Forwards background & GE response to Equipment/ Instrumentation Survivability Issue 29. Concludes that SSAR adequately addresses issue & no further consideration of issue required.
FOX, J. General Electric Co. 93/08/06. POSLUSNY, C. Standardization Project Directorate (Post 920517). 2pp. 76082:325-76082:326.

9308110380 Forwards new SSAR Section 3H.5, structural analysis repts. Section will be included in Amend 32 scheduled for transmittal on 930831.
FOX, J. General Electric Co. 93/08/06. POSLUSNY, C. Standardization Project Directorate (Post 920517). 5pp. 76077:264-76077:263.

9308110388 Forwards draft analysis demonstrating that containment pressure can be controlled by venting early in sequence preventing pressure increasing to high drywell pressure containment isolation setpoint.
FOX, J. General Electric Co. 93/08/06. POSLUSNY, C. Document Control Branch (Document Control Desk). 13pp. 76076:310-76076:322.

9308110394 Forwards revised TS 3.5.1, ECCS-operating TS is LCO 3.5.1 for previously transmitted bases for TS 3.5.1.
TANG, C.K. General Electric Co. 93/08/06. POSLUSNY, C. NRC - No Detailed Affiliation Given. 1p. 76082:316-76082:324.

-9308110395 Proposed tech specs 3.5.1, ECCS-operating.
* General Electric Co. 93/08/06. 8pp. 76082:317-76082:324.

9308110397 Forwards revised LCO 3.5.1 & bases, based on LOCA analyses requested by G Thomas & PRA analyses requested by M Wohl & BNL.
TANG, C.K. General Electric Co. 93/08/06. POSLUSNY, C. NRC - No Detailed Affiliation Given. 1p. 76076:287-76076:309.

-9308110399 Proposed tech specs LCO 3.5.1 & bases re ECCS.
* General Electric Co. 93/08/06. 22pp. 76076:288-76076:309.

9308160191 Forwards updated list of PRA insights.
KELLY, G. Probabilistic Safety Assessment Branch. 93/08/09. POSLUSNY, C. Office of Nuclear Reactor Regulation, Director (Post 870411). 14pp. 76143:261-76143:274.

9308270317 Forwards proof & review of ABWR TSs & bases for sections 3.6, "Containment Sys.," & 3.7, "Plant Sys."
CRUTCHFIELD, D. Associate Director for Advanced Reactors & License Renewal (Post 910918). 93/08/10. MARRIOTT, P.W. Northeast Nuclear Energy Co. 120pp. 7C24R, 0N6-76248:189.

9308270195 Provides staff review comments on GSIs re ABWR design. Advises that GE has not sufficiently addressed, in revised SSAR mark-ups, all comments & concerns previously provided by staff.
BORCHARDT, R.W. Standardization Project Directorate (Post 920517). 93/08/12. MARRIOTT, P.W. General Electric Co. 15pp. 76220:241-76220:255.

9308190180 Forwards drafts of revised Sections 11.2, 11.3, 11.4 & associated drawings that will be incorporated in Amend 32 as non-proprietary. Proprietary versions of 11.2, 11.3 & 11.4 will be retained in GE design record files. W/16 figures.
FOX, J. General Electric Co. 93/08/16. POSLUSNY, C. Standardization Project Directorate (Post 920517). 51pp. 76183:299-76183:345.

9308190328 Notification of 931005 mgmt meeting w/DOE in Rockville, MD to discuss status of design certification reviews.
BOYCE, T.H. Standardization Project Directorate (Post 920517). 93/08/16. BORCHARDT, R.W. Standardization Project Directorate (Post 920517). 5pp. 76184:041-76184:045.

9308190334 Notification of 930819 & 20 meeting w/GE in Rockville, MD to discuss status of development of TSs for ABWR.
POSLUSNY, C. Standardization Project Directorate (Post 920517). 93/08/17. MURLEY, T., MIRAGLIA, F., RUSSELL, W. NRC - No Detailed Affiliation Given. 3pp. 76184:046-76184:048.

9308200124 Summary of 930802 meeting w/GE, C-E & Westinghouse in Rockville, MD re status of design certification reviews for each revolutionary & passive reactor design. List of attendees & handout encl.
MAGRUDER, S.L. Standardization Project Directorate (Post 920517). 93/08/17. Standardization Project Directorate (Post 920517). 44pp. 76190:202-76190:245.

9308260325 Forwards comparative mark up of insights list showing differences between 930723 version & 930810 version.
KELLY, G. Probabilistic Safety Assessment Branch. 93/08/17. DUNCAN, J. General Electric Co. 20pp. 76247:317-76247:335.

9308260305 Forwards final SSAR markup of changes to App 18E. Changes will be included in Amend 32 to ABWR.
FOX, J. General Electric Co. 93/08/18. POSLUSNY, C. Standardization Project Directorate (Post 920517). 16pp. 76236:273-76236:288.

9308260312 Forwards Subsection 13.5, "Plant Procedures." Section will be included in Amend 32 to ABWR.
FOX, J. General Electric Co. 93/08/18. POSLUSNY, C. Standardization Project Directorate (Post 920517). 6pp. 76258:355-76258:360.

9308260352 Forwards proposed SSAR markup adopting NRC position on App B to ACI349.
FOX, J. General Electric Co. 93/08/19. CHENG, T. NRC - No Detailed Affiliation Given. 7pp. 76237:239-76237:244.

9308260296 Forwards SSAR markup providing resolution of several severe accident issues raised by NRC. Markup will be included in next amend for corresponding chapters of ABWR.
FOX, J. General Electric Co. 93/08/23. POSLUSNY, C. Standardization Project Directorate (Post 920517). 32pp. 76236:289-76236:320.

9308260341 Forwards ABWR PRA/SA/DBA punch list, per 930812 telcon.
DUNCAN, J. General Electric Co. 93/08/23. POSLUSNY, C. NRC - No Detailed Affiliation Given. 16pp. 76283:223-76283:237.

9308310085 Forwards proposed addition to SSAR Chapter 19 addressing issue of design certification matl rept contents, reflecting GE understanding of disposition of road map issues discussed during GE/NRC meetings 930727-29 in San Jose.
FOX, J.N. General Electric Co. 93/08/25. POSLUSNY, C. Standardization Project Directorate (Post 920517). 56pp. 76304:213-76304:264.

DOCKET 52-002 SYSTEM 80 + STANDARDIZED NUCLEAR POWER PLANT DES..

9308020050 Summary of 930513-14 public meeting w/ABB-CE in Windsor, CT re design features reviews, alarm coding scheme, suppl 1 to NUREG-0737 requirements for safety parameter display sys. List of attendees & related info encl.
MAGRUDER, S.L. Standardization Project Directorate (Post 920517). 93/07/15. Standardization Project Directorate (Post 920517). 91pp. 75931:112-75931:204.

9308040086 Forwards two technical repts requested by C-E technical staff during recent meetings w/NRC technical staff members.
MAGRUDER, S.L. Standardization Project Directorate (Post 920517). 93/07/15. BRINKMAN, C.B. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 2pp. 75979:001-75979:069.

162 DOCKETED ITEMS

-9308040115 "Session 3.7: Review Of SG Tube Rupture Procedure At Borssele Nuclear Power Station." VAYSSIER, G. Netherlands, Govt. of 93/07/15. 15pp. 75979:003-75979:017.

-9006220253 "Seminar on Use of Unusual Event Repts for Improving Nuclear Power Plant Safety." International Atomic Energy Agency. IAEA-SR-169/ 90/05/18. 53pp. 75979:018-75979:069.

9308110322 Summary of 930608-10 meeting w/ABB-CE re structural methodology audit for ABB-CE sys 80+. MAGRUDER, S.L. Standardization Project Directorate (Post 920517). 93/07/20. Standardization Project Directorate (Post 920517). 183pp. 76065:001-76065:181.

9308030004 Forwards mail to close follow-on questions to DSER responses. BRINKMAN, C.B. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). BRINKMAN, C.B. ASEA Brown Boveri, Inc. 93/07/23. Document Control Branch (Document Control Desk). 400pp. 75988:001-75990:021.

9308040154 Forwards response to NRC 930517 & 0608 RAIs on CESSAR - Design Certification. BRINKMAN, C.B. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). BRINKMAN, C.B. ASEA Brown Boveri, Inc. 93/07/23. Document Control Branch (Document Control Desk). 72pp. 75991:096-75991:166.

9308110337 Responds to 930624 request for status of NRC review & general assessment of Nuplex 80+ - advanced control complex design for Sys 80+. Staff continuing integrated multi-disciplined review of Nuplex 80+. CRUTCHFIELD, D. Associate Director for Advanced Reactors & License Renewal (Post 910918). 93/07/23. BRINKMAN, C.B. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 3pp. 76064:344-76064:346.

9308120152 Summary of 930617 public meeting w/ABB-CE in Charlotte, NC re licensee progress on resolving hydrogen issues for compliance w/10CFR50.34 requirements. List of attendees encl. FRANOVICH, M.X. Associate Director for Advanced Reactors & License Renewal (Post 910918). 93/07/26. Associate Director for Advanced Reactors & License Renewal (Post 910918). 18pp. 76085:326-76085:343.

9308170355 Notification of 930728 meeting w/ABB-CE in Rockville, MD to discuss & review calculations for resistance to sliding & overturning of steel containment & internals under seismic event conditions. WAMBACH, T.V. Standardization Project Directorate (Post 920517). 93/07/27. MURLEY, T., MIRAGLIA, F., RUSSELL, W. NRC - No Detailed Affiliation Given. 3pp. 76140:040-76140:042.

9308050244 Submits daily highlights re meeting w/ABB-CE in Rockville, MD to discuss ABB-CE evaluation of potential design alternatives to cope w/component bypass event during SGTR. FRANOVICH, M.X. Standardization Project Directorate (Post 920517). 93/07/29. MURLEY, T., MIRAGLIA, F., RUSSELL, W. NRC - No Detailed Affiliation Given. 3pp. 75990:304-75990:306.

9308050253 Submits daily highlights re meeting w/ABB-CE in Windsor, CT to discuss status of severe accident issues for sys 80+ - std design. Specific discussions related to hydrogen generation & removal post accident will be conducted. FRANOVICH, M.X. Standardization Project Directorate (Post 920517). 93/07/29. MURLEY, T., MIRAGLIA, F., RUSSELL, W. NRC - No Detailed Affiliation Given. 3pp. 75990:297-75990:299.

9308100099 Forwards info for closure of Sys 80+ - draft SER open issues, in response to 930614-15 & 0707-08 meetings w/NRC & response to RAI 440.230. BRINKMAN, C.B. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). BRINKMAN, C.B. ASEA Brown Boveri, Inc. 93/07/29. Document Control Branch (Document Control Desk). 200pp. 76073:001-76073:192.

9308230312 Submits daily highlights re rescheduled 930809 meeting to 930816 in Rockville, MD to discuss ABB-CE evaluation of potential design alternatives to cope w/containment bypass event during SGTR. FRANOVICH, M.X. Standardization Project Directorate (Post 920517). 93/07/29. MURLEY, T., MIRAGLIA, F., RUSSELL, W. NRC - No Detailed Affiliation Given. 3pp. 76180:349-76180:351.

9308190043 Forwards preliminary comments on TS sys 80+ (Chapter 16 CESSAR-DC) submitted in App K. Status sheet also encl. WAMBACH, T.V. Standardization Project Directorate (Post 920517). 93/07/30. BRINKMAN, C.B. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 35pp. 76151:251-76151:285.

9308190306 Summary of 930614 meeting w/ABB-CE & BNL in Upton, NY re Sys 80+ human factors engineering verification & validation plan. Attendance list, agenda, NRC comments & ABB-CE responses encl. MAGRUDER, S.L. Standardization Project Directorate (Post 920517). 93/07/30. Standardization Project Directorate (Post 920517). 71pp. 76156:227-76156:297.

9308200240 Summary of 930715 meeting w/ABB-CE in Windsor, CT re differences between Palo Verde steam generators & Sys 80+ steam generators in connection w/SGTR event at Palo Verde. List of attendees & viewgraphs encl. WAMBACH, T.V. Standardization Project Directorate (Post 920517). 93/07/30. Standardization Project Directorate (Post 920517). 39pp. 76178:299-76178:354.

9308060326 Submits daily highlights re meeting w/ABB-CE in Rockville, MD to reach agreement on process for resolution of sys 80+. MAGRUDER, S.L. Standardization Project Directorate (Post 920517). 93/08/03. MURLEY, T., MIRAGLIA, F., RUSSELL, W. NRC - No Detailed Affiliation Given. 3pp. 76009:316-76009:318.

9308060333 Submits daily highlights re 930809 meeting w/ABB-CE in Rockville, MD to discuss progress on issue closure for PRA. WAMBACH, T.V. Standardization Project Directorate (Post 920517). 93/08/03. MURLEY, T., MIRAGLIA, F., RUSSELL, W. NRC - No Detailed Affiliation Given. 3pp. 76009:319-76009:321.

9308090121 Submits daily highlights re meeting w/ABB-CE in Windsor, CT to discuss status of steel containment design verification for ABB-CE sys 80+. MAGRUDER, S.L. Standardization Project Directorate (Post 920517). 93/08/04. MURLEY, T., MIRAGLIA, F., RUSSELL, W. NRC - No Detailed Affiliation Given. 4pp. 76024:130-76024:133.

9308240202 Submits daily highlight re 930812 meeting w/ABB-CE in Rockville, MD to review staff comments re ABB-CE Nuplex 80+ - stds. MAGRUDER, S.L. Standardization Project Directorate (Post 920517). 93/08/05. MURLEY, T., MIRAGLIA, F., RUSSELL, W. NRC - No Detailed Affiliation Given. 4pp. 76210:292-76210:295.

9308110223 Submits daily highlights re 930810 meeting w/ABB-CE in Rockville, MD re AAB-CE Nuplex 80+ standards, guidelines & bases document. MAGRUDER, S.L. Standardization Project Directorate (Post 920517). 93/08/06. MURLEY, T., MIRAGLIA, F., RUSSELL, W. NRC - No Detailed Affiliation Given. 4pp. 76065:182-76065:185.

9308180046 Forwards ABWR STS 3.1.7, "Standby Liquid Control Sys." TANG, C.K. General Electric Co. 93/08/11. POSLUSNY, C. NRC - No Detailed Affiliation Given. 1p. 76154:312-76154:323.

-9308180049 Proposed STS 3.1.7, "Standby Liquid Control Sys." General Electric Co. 93/08/11. 11pp. 76154:313-76154:323.

9308180114 Notification of 930812 meeting w/ABB-CE in Rockville, MD to discuss ABB-CE hydrogen mitigation sys & provide guidance on approach to resolve hydrogen requirements under 10CFR50.34(f). FRANOVICH, M.X. Standardization Project Directorate (Post 920517). 93/08/11. MURLEY, T., MIRAGLIA, F., RUSSELL, W. NRC - No Detailed Affiliation Given. 3pp. 76143:039-76143:041.

9308270065 Requests that ABB-CE comprehensively & systematically evaluate potential design alternatives proposed to reduce probability of SGTR containment bypass accident sequences. CRUTCHFIELD, D. Associate Director for Advanced Reactors & License Renewal (Post 910918). 93/08/12. MATZIE, R.A. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 2pp. 76220:239-76220:240.

9308200058 Notification of senior mgt meeting w/ABB-CE on 930816 in Rockville, MD to discuss certification review of Sys 80+ & ITAAC topics. WAMBACH, T.V. Standardization Project Directorate (Post 920517). 93/08/13. MURLEY, T., MIRAGLIA, F., RUSSELL, W. NRC - No Detailed Affiliation Given. 4pp. 76164:005-76164:008.

9308230173 Submits assessment of potential for changes to Tier 1 design descriptions & insps, tests, analysis & acceptance criteria (DD/ITAAC), submitted from 930430-0630. BRINKMAN, C.B. ABB Atom, Inc. (formerly ASEA Atom, Inc.). BRINKMAN, C.B. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 93/08/13. CRUTCHFIELD, D. Associate Director for Advanced Reactors & License Renewal (Post 910918). 24pp. 76206:319-76206:342.

9308190328 Notification of 931005 mgt meeting w/DOE in Rockville, MD to discuss status of design certification reviews. BOYCE, T.H. Standardization Project Directorate (Post 920517). 93/08/16. BORCHARDT, R.W. Standardization Project Directorate (Post 920517). 5pp. 76184:041-76184:045.

9308190340 Notification of 930818 meeting w/C-E in Rockville, MD to review status of safeguards review for Sys 80+. Proposed meeting agenda encl. MAGRUDER, S.L. Standardization Project Directorate (Post 920517). 93/08/17. MURLEY, T., MIRAGLIA, F., RUSSELL, W. NRC - No Detailed Affiliation Given. 4pp. 76184:052-76184:055.

9308200124 Summary of 930802 meeting w/GE, C-E & Westinghouse in Rockville, MD re status of design certification reviews for each revolutionary & passive reactor design. List of attendees & handout encl. MAGRUDER, S.L. Standardization Project Directorate (Post 920517). 93/08/17. Standardization Project Directorate (Post 920517). 44pp. 76190:202-76190:245.

9308310113 Summary of 930621-25 public meeting w/ABB-CE in Windsor, CT re structural, piping, mechanical & matts open items for ABB-CE sys 80+. Listed info encl. MAGRUDER, S.L. Standardization Project Directorate (Post 920517). 93/08/19. Standardization Project Directorate (Post 920517). 400pp. 76275:001-76276:038.

9308200240 Summary of 930715 meeting w/ABB-CE in Windsor, CT re differences between Palo Verde steam generators & Sys 80+ steam generators in connection w/SGTR event at Palo Verde. List of attendees & viewgraphs encl. WAMBACH, T.V. Standardization Project Directorate (Post 920517). 93/07/30. Standardization Project Directorate (Post 920517). 39pp. 76178:299-76178:354.

DOCKET 52-003 AP600 STANDARD PLANT DESIGN, WESTINGHOUSE ELECTRIC CORP.

9308120027 Requests response to encl request for addl info re areas of containment sys, testing & severe accident mitigation, within 90 days of ltr receipt. KENYON, T.J. Standardization Project Directorate (Post 920517). 93/07/01. LIPARULO, N.J. Westinghouse Electric Corp. 11pp. 76087:175-76087:185.

9308120036 Requests response to encl request for addl info re human factors within 90 days of ltr receipt, in order to complete review of June 1992 application for design certification of AP600. KENYON, T.J. Standardization Project Directorate (Post 920517). 93/07/08. LIPARULO, N.J. Westinghouse Electric Corp. 5pp. 76087:186-76087:190.

9308190053 Forwards request for addl info on AP600 design, NRC in process of coupling together RELAP & CONTAIN computer codes to provide w/capability to analyze behavior of AP600 under design basis accident conditions. KENYON, T.J. Standardization Project Directorate (Post 920517). 93/07/14. LIPARULO, N.J. Westinghouse Electric Corp. 4pp. 76151:333-76151:336.

9308040047 Responds to Westinghouse request for formal staff approval of proposed testing plans in support of AP600 design certification application. Informal that several important details re test program remain to be addressed. CRUTCHFIELD, D. Associate Director for Projects (Post 870411). 93/07/15. LIPARULO, N.J. Westinghouse Electric Corp. 3pp. 75979:100-75979:102.

- 9308190072** Forwards request for addl info on Westinghouse AP600 design in area of PRA, as result of review of June 1992 application. Response requested within 90 days of ltr receipt.
KENYON, T.J. Standardization Project Directorate (Post 920517). 93/07/19. LIPARULO, N.J. Westinghouse Electric Corp. 41pp. 76152:266-76152:306.
- 9308190130** Forwards request for addl info to continue review of licensee June 1992 application for design certification of AP600. Response requested within 90 days of date of receipt of ltr.
KENYON, T.J. Standardization Project Directorate (Post 920517). 93/07/20. LIPARULO, N.J. Westinghouse Electric Corp. 5pp. 76153:073-76153:077.
- 9308110231** Responds to 930623 ltr which provided comments on SECY-93-097.
CRUTCHFIELD, D. Associate Director for Advanced Reactors & License Renewal (Post 910918). 93/07/22. BRUSCHI, H.J. Westinghouse Electric Corp. 3pp. 76063:342-76063:347.
- 9308110235** Provides comments on SECY-93-097, "Integrated Review Schedules For Evolutionary & Advanced Light Water Reactor Projects."
BRUSCHI, H.J. Westinghouse Electric Corp. 93/06/23. CHILK, S.J. Office of the Secretary of the Commission. 3pp. 76063:345-76063:347.
- 9308030159** Forwards nonproprietary WCAP-13634 & proprietary WCAP-13633, "AP600 I&C Defense-In-Depth & Diversity Rept." Affidavit for withholding encl. Proprietary rept withheld per 10CFR2.790.
LIPARULO, N.J. Westinghouse Electric Corp. 93/07/26. WILSON, J.N. Document Control Branch (Document Control Desk). 2pp. 75995:135-75995:275.
- 9308030162** Requests that proprietary WCAP-13633, "AP600 I&C Defense-In-Depth & Diversity Rept." be withheld, per 10CFR2.790.
LIPARULO, N.J. Westinghouse Electric Corp. 93/07/26. WILSON, J.N. Document Control Branch (Document Control Desk). 9pp. 75995:137-75995:145.
- 9308030165** Nonproprietary Rev 0 to WCAP-13634, "AP600 I&C Defense-In-Depth & Diversity Rept."
Westinghouse Electric Corp. WCAP-13634 R00. 93/06/30. 122pp. 75995:146-75995:275.
- 9308030235** Advises that Westinghouse review of NRC "RAIs on AP600," dtd 930719 & 20 indicates that RAIs contain no proprietary info.
LIPARULO, N.J. Westinghouse Electric Corp. 93/07/26. WILSON, J.N. Document Control Branch (Document Control Desk). 1p. 75996:097-75996:097.
- 9308030029** Forwards proprietary draft "Scaling Analysis for OSU AP600 Integral Sys & Long Term Cooling Test Facility" & application for withholding. Encl Withheld (ref 10CFR2.790).
LIPARULO, N.J. Westinghouse Electric Corp. 93/07/28. WILSON, J.N. Document Control Branch (Document Control Desk). 2pp. 75990:193-75990:205.
- 9308030056** Requests proprietary "Scaling Analysis for OSU AP600 Integral Sys & Long Term Cooling Test Facility," be withheld per 10CFR2.790.
LIPARULO, N.J. Westinghouse Electric Corp. 93/07/28. WILSON, J.N. Document Control Branch (Document Control Desk). 9pp. 75990:195-75990:205.
- 9308050195** Forwards proprietary draft notebook documenting RELAP5/MOD3 input files for listed OSU/AP600 components. Draft notebook withheld, per 10CFR2.790.
LIPARULO, N.J. Westinghouse Electric Corp. 93/07/28. WILSON, J.N. Document Control Branch (Document Control Desk). 2pp. 76038:338-76038:348.
- 9308050198** Requests that proprietary draft notebook documenting RELAP5/MOD3 input files for OSU/AP600 components be withheld, per 10CFR2.790.
LIPARULO, N.J. Westinghouse Electric Corp. 93/07/28. WILSON, J.N. Document Control Branch (Document Control Desk). 9pp. 76038:340-76038:348.
- 9308310269** Requests addl info in order to complete review of June 1992 application for design certification of AP600.
KENYON, T.J. Standardization Project Directorate (Post 920517). 93/07/28. LIPARULO, N.J. Westinghouse Electric Corp. 4pp. 76296:356-76296:359.
- 9308200116** Notification of NRC staff & contractor visits to licensee test facilities during Aug 1993, to observe AP600 test program activities.
HASSELBERG, F.W. Standardization Project Directorate (Post 920517). 93/08/03. BORCHARDT, R.W. Standardization Project Directorate (Post 920517). 3pp. 76164:252-76164:254.
- 9308090129** Submits daily highlights re meeting w/Westinghouse to discuss status of NRC requests for addl info re AP600 I&C sys.
HASSELBERG, F.W. Standardization Project Directorate (Post 920517). 93/08/04. MURLEY, T., MIRAGLIA, F., RUSSELL, W. NRC - No Detailed Affiliation Given. 5pp. 76024:125-76024:129.
- 9308110251** Notifies that Westinghouse has reviewed NRC request for addl info on AP600 dtd 930728. Westinghouse review indicates that matl contains no proprietary info.
LIPARULO, N.J. Westinghouse Electric Corp. 93/08/05. WILSON, J.N. Document Control Branch (Document Control Desk). 1p. 76076:360-76076:360.
- 9308120356** Informs that Westinghouse review of request for addl info on AP600 dtd 930805 contain no info that licensee considers proprietary.
LIPARULO, N.J. Westinghouse Electric Corp. 93/08/09. BORCHARDT, R.W. Document Control Branch (Document Control Desk). 1p. 76094:344-76094:344.
- 9308130131** Forwards responses to NRC 930413 ltr requesting addl info on AP600 & revs to responses previously transmitted.
LIPARULO, N.J. Westinghouse Electric Corp. 93/08/09. BORCHARDT, R.W. Document Control Branch (Document Control Desk). 22pp. 76113:026-76113:047.
- 9308260042** Summary of 930714 meeting w/Westinghouse representatives in Rockville, MD re AP600 main control room & technical support habitability. List of attendees encl.
HASSELBERG, F.W. Standardization Project Directorate (Post 920517). 93/08/09. Standardization Project Directorate (Post 920517). 4pp. 76217:273-76217:276.
- 9308170115** Responds to INEL 930628 request for info on AP600 SPES-2 test facility. Rev 0 to SIET-NT/54, "SPES Pump Characterization" Rev 1 to SIET-NT/032, "SPES Sys Description" encl.
LIPARULO, N.J. Westinghouse Electric Corp. 93/08/13. BORCHARDT, R.W. Document Control Branch (Document Control Desk). 19pp. 76160:015-76160:246.
- 9308170132** "SPES Pump Characterization."
RIGAMONTI, M., VESCOVI, O. Affiliation Not Assigned. SIET - NT/54 R00. 87/12/30. 25pp. 76160:034-76160:058.
- 9308170156** "SPES Sys Description."
CATTADORI, G., RIGAMONTI, M. Affiliation Not Assigned. SIET NT-032 R01. 86/12/17. 188pp. 76160:059-76160:246.
- 9308190328** Notification of 931005 mgt meeting w/DOE in Rockville, MD to discuss status of design certification reviews.
BOYCE, T.H. Standardization Project Directorate (Post 920517). 93/08/16. BORCHARDT, R.W. Standardization Project Directorate (Post 920517). 5pp. 76184:041-76184:045.
- 9308200192** Forwards proprietary drawings, providing details of steam distributor assembly being used in AP600 core makeup tank test facility. Drawings withheld (ref 10CFR2.790).
LIPARULO, N.J. Westinghouse Electric Corp. 93/08/16. BORCHARDT, R.W. Document Control Branch (Document Control Desk). 4pp. 76181:193-76181:203.
- 9308200194** Requests that proprietary drawings of steam distributor for AP600 core makeup tank test facility be withheld (ref 10CFR2.790).
LIPARULO, N.J. Westinghouse Electric Corp. 93/08/16. BORCHARDT, R.W. Document Control Branch (Document Control Desk). 7pp. 76181:197-76181:203.
- 9308200227** Forwards nonproprietary & proprietary refs for basic research tests on condensation performed at Univ of WI at Madison in support of AP600 design. Affidavit for withholding encl. Proprietary rept withheld, per 10CFR2.790.
LIPARULO, N.J. Westinghouse Electric Corp. 93/08/16. BORCHARDT, R.W. Document Control Branch (Document Control Desk). 4pp. 76185:001-76185:115.
- 9308200244** Requests that proprietary "Condensation in Presence of Noncondensable Gas: Effect of Surface Orientation," be withheld, per 10CFR2.790.
LIPARULO, N.J. Westinghouse Electric Corp. 93/08/16. BORCHARDT, R.W. Document Control Branch (Document Control Desk). 9pp. 76185:005-76185:013.
- 9308200251** Nonproprietary "Modelling of Condensation Heat Transfer in Reactor Containment."
KIM, M.H. Wisconsin, Univ. of, Madison, WI. 85/01/01. 253pp. 76185:014-76185:140.
- 9308200255** Nonproprietary "Condensation in Presence of Noncondensable Gas: Effect of Surface Orientation."
HUHTINIEMI, I. Wisconsin, Univ. of, Madison, WI. 90/03/23. 64pp. 76185:141-76185:205.
- 9308200257** Nonproprietary "Effects of Interfacial Structure on Film Condensation."
BARRY, J.J. Wisconsin, Univ. of, Madison, WI. 87/12/31. 269pp. 76185:206-76185:115.
- 9308250403** Forwards AP600 test program general outline for quick look repts. Repts will be provided to NRC for 1/8th scale heat transfer tests, cores makeup tank tests, SPES-2 integral sys tests, OSU low pressure integral sys tests & ADS tests.
LIPARULO, N.J. Westinghouse Electric Corp. 93/08/16. BORCHARDT, R.W. Document Control Branch (Document Control Desk). 3pp. 76218:269-76218:271.
- 930800124** Summary of 930802 meeting w/GE, C-E & Westinghouse in Rockville, MD re status of design certification reviews for each evolutionary & passive reactor design. List of attendees & handout encl.
MAGRUDER, S.L. Standardization Project Directorate (Post 920517). 93/08/17. Standardization Project Directorate (Post 920517). 44pp. 76190:202-76190:245.
- 9308230224** Forwards proprietary piping diagrams for AP600 automatic depressurization sys, in containment RWST & core makeup tank, in response to 930402 & 0728 requests for addl info re AP600 design. Diagrams withheld, per 10CFR2.790.
LIPARULO, N.J. Westinghouse Electric Corp. 93/08/18. BORCHARDT, R.W. Document Control Branch (Document Control Desk). 4pp. 76215:276-76215:287.
- 9308230227** Requests that proprietary piping diagrams for AP600 automatic depressurization sys, in containment RWST & core makeup tank be withheld, per 10CFR2.790. W/19 oversize drawings.
LIPARULO, N.J. Westinghouse Electric Corp. 93/08/18. BORCHARDT, R.W. Document Control Branch (Document Control Desk). 8pp. 76215:280-76215:287.
- 9308240010** Forwards Rev 3 of "AP600 Design & Design Certification Test Program Overview." Westinghouse currently plan to provide updates of document on monthly basis. Bulk of matl previously supplied to NRC & has been discussed during meetings.
LIPARULO, N.J. Westinghouse Electric Corp. 93/08/18. BORCHARDT, R.W. Document Control Branch (Document Control Desk). 1p. 76199:004-76199:072.
- 9308240013** Rev 3 of "AP600 Design & Design Certification Test Program Overview."
Westinghouse Electric Corp. 93/08/13. 68pp. 76199:005-76199:072.
- 9308250218** Determines that RAIs dtd 930813 on AP600 contain no info Westinghouse considers proprietary.
LIPARULO, N.J. Westinghouse Electric Corp. 93/08/19. BORCHARDT, R.W. Document Control Branch (Document Control Desk). 1p. 76224:358-76224:358.
- 9308250223** Forwards nonproprietary & proprietary versions of rept entitled, "Phase 3 Passive Containment Cooling Sys Distribution Test." Proprietary version withheld, per 10CFR2.790.
LIPARULO, N.J. Westinghouse Electric Corp. 93/08/19. BORCHARDT, R.W. Document Control Branch (Document Control Desk). 2pp. 76219:078-76219:094.
- 9308250227** Requests that proprietary rept WCAP-13816, "Phase 3 Passive Containment Cooling Sys Water Distribution Test" be withheld, per 10CFR2.790.
LIPARULO, N.J. Westinghouse Electric Corp. 93/08/19. BORCHARDT, R.W. Document Control Branch (Document Control Desk). 9pp. 76219:080-76219:088.
- 9308250230** Nonproprietary "Phase 3 Passive Containment Cooling Sys Water Distribution Test."
Westinghouse Electric Corp. WCAP-13817. 93/08/19. 7pp. 76219:089-76219:094.

164 DOCKETED ITEMS

DOCKET 52-004 GE SIMPLIFIED BWR (SBWR) DESIGN, GENERAL ELECTRIC CO.

- 9308110187** Discusses need to reproduce & transfer certain proprietary documents re SBWR between NRC technical assistance contractors.
WILSON,J.N. Standardization Project Directorate (Post 920517). 93/07/21. MARRIOTT,P.W. General Electric Co. App. 76074:303-76074:306.
- 9308030344** Forwards listed proprietary documents,in response to request for QA documentation re SBWR GIST testing,per 930726 telcon. Documents withheld.
MITCHELL,R.C. General Electric Co. 93/07/28. WILSON,J.N. Standardization Project Directorate (Post 920517). 4pp. 75990:206-75990:209.
- 9308050223** Summary of 930708 meeting w/GE in San Jose,CA to discuss computerized info mgt sys for SBWR design.
NINH,S.Q. Standardization Project Directorate (Post 920517). 93/07/28. Standardization Project Directorate (Post 920517). 26pp. 75990:310-75990:335.
- 9308200124** Summary of 930802 meeting w/GE,C-E & Westinghouse in Rockville,MD re status of design certification reviews for each revolutionary & passive reactor design.List of attendees & handout encl.
MAGRUDER,S.L. Standardization Project Directorate (Post 920517). 93/08/17. Standardization Project Directorate (Post 920517). 44pp. 76190:202-76190:245.
- 9308090193** Informs of organizational & staffing changes & requests updating of svc list of addresses under 52-004.
NEGUS,P.T. General Electric Co. 93/08/02. Docketing & Services Branch. 1p. 76061:336-76061:336.
- 9308190074** Informs that NRR will conduct insp at GE Nuclear Energy ofcs in San Jose,CA on 930809-13.Insp will review QA programs & controls implemented during tests conducted at gravity-driven cooling sys integral sys test facility.
WILSON,J.N. Standardization Project Directorate (Post 920517). 93/07/29. MARRIOTT,P.W. General Electric Co. 3pp. 76153:129-76153:131.

DOMESTIC LICENSING OF SPECIAL NUCLEAR MATERIAL

DOCKET 70-0008 BATTELLE COLUMBUS DIV. (BATTELLE MEMORIAL INSTITUTE),

- 9308250027** Forwards "Decontamination Work Plan for Bldg 7A" & "Decontamination Rept for Bldg 7A." Issues from last months meeting which merit reiteration listed.
LAYENDECKER,S. Battelle Memorial Institute, Columbus Laboratories. 93/08/18. PIERSON,R. Licensing Branch. 6pp. 76221:001-76221:175.
- 9308250041** Rev 0 to DD-WP-002, "Decontamination Work Plan for Bldg 7A," decontamination & decommissioning operations
ROMINE,D. Battelle Memorial Institute, Columbus Laboratories. 93/01/31. 130pp. 76221:007-76221:103.
- 9308250060** "Decontamination Rept for Bldg 7A."
LAYENDECKER,S., CASTLEBERRY,E., CARLSON,R. Battelle Memorial Institute, Columbus Laboratories. 93/03/31. 72pp. 76221:104-76221:175.
- 9308110325** Responds to 930601 ltr re implementation of revised 10CFR20.
PIERSON,R. Licensing Branch. 93/07/20. FESS,G.H. Battelle Memorial Institute, Columbus Laboratories. 1p. 76077:354-76077:354.
- 9308090255** Overview of decommissioning plan for Battelle Memorial Institute Columbus Operations.
* Battelle Memorial Institute, Columbus Laboratories. 93/07/29. 34pp. 76062:037-76062:070.

DOCKET 70-0027 BABCOCK & WILCOX CO., LYNCHBURG, VA

- 9308270184** Forwards info re annual emergency response exercise scheduled to take place on 930716.
WARD,D.C. Babcock & Wilcox Co. 93/06/23. Region 2 (Post 820201). 3pp. 76266:346-76266:348.
- 9308050062** Ack receipt of 930504 ltr informing NRC of steps taken to correct violations noted in insp rept 70-0027/93-05. Violation occurred as stated in NOV.
STOHR,J.P. Region 2 (Post 820201). 93/07/06. CONNER,J.A. Babcock & Wilcox Co. 4pp. 75972:025-75972:028.
- 9308050092** Forwards insp rept 70-0027/93-13 on 930522-0625 & notice of violation.
COLLINS,D.M. Region 2 (Post 820201). 93/07/13. CONNER,J.A. Babcock & Wilcox Co. 3pp. 75972:174-75972:182.
- 9308050095** Notice of violation from insp on 930522-0625.Violation noted:crystal vol in drum dryer fill station was greater than 2.5 liters.
* Region 2 (Post 820201). 93/07/13. 1p. 75972:177-75972:177.
- 9308050100** Insp rept 70-0027/93-13 on 930522-0625.Violation noted.Major areas inspected:facility operations,radiation protection, security & safeguards.
ELLIOTT,M.P., MCALPINE,E.J. Region 2 (Post 820201). 93/07/13. 5pp. 75972:178-75972:182.
- 9308110382** Responds to 930609 ltr re exemption request from 10CFR73.46(d)(9).Addl info needed before final action can be taken on request.
PIERSON,R. Confidential Service. 93/07/14. OLSEN,A.F. Babcock & Wilcox Co. 1p. 76077:359-76077:359.
- 9308060131** Forwards insp rept 70-0027/93-15 on 930621-25.No violations noted.
COLLINS,D.M. Region 2 (Post 820201). 93/07/20. CONNER,J.A. Babcock & Wilcox Co. 2pp. 75993:282-75993:288.
- 9308060135** Insp rept 70-0027/93-15 on 930621-25.No violations noted. Major areas inspected:nuclear criticality safety,operations & maint,review of selected records & documents & discussions w/personnel.
TROUP,G.L., MCALPINE,E.J. Region 2 (Post 820201). 93/07/26. 5pp. 75993:284-75993:288.

- 9308040214** Requests one time extension to twelve month time limit specified in 10CFR74.59(h)(4),to perform independent assessments of performance & review effectiveness of MC&A sys.
OLSEN,A.F. Babcock & Wilcox Co. 93/07/29. PIERSON,R.C. Licensing Branch. 2pp. 75997:265-75997:266.
- 9308060033** Ack receipt of 930715 ltr informing NRC of steps taken to correct violations noted in insp rept 70-0027/93-12. Corrective actions did not provide sufficient detail to determine if actions were adequate.
CLINE,W.E. Region 2 (Post 820201). 93/07/29. CONNER,J.A. Babcock & Wilcox Co. 2pp. 75992:159-75992:160.
- 9308060179** Submits new completion dates for listed items w/regard to commitments made in 930706 response to resolve weaknesses noted during review of Violations A & B from Insp Rept 70-0027/93-09.
LEE,T.D. Babcock & Wilcox Co. 93/07/30. Document Control Branch (Document Control Desk). 2pp. 76059:268-76059:269.
- 9308250224** Ack receipt of 930715 ltr informing NRC of steps taken to correct violations noted in insp rept 70-0027/93-11.
COLLINS,D.M. Region 2 (Post 820201). 93/08/04. CONNER,J.A. Babcock & Wilcox Co. 2pp. 76189:181-76189:182.
- 9308100188** Forwards summaries of events occurring on 930702,04 & 05 at Naval Nuclear Fuel Div involving failure of Criticality Monitoring & security sys.
OLSEN,A.F. Babcock & Wilcox Co. 93/08/05. Document Control Branch (Document Control Desk). 3pp. 76065:355-76065:357.
- 9308120209** Ack receipt of 930129 & 0329 ltrs transmitting Rev 17 & 19, respectively to B&W,Naval Nuclear Fuel Div physical security plan.Changes consistent w/provisions of 10CFR70.32(e) & acceptable.
COLLINS,D.M. Region 2 (Post 820201). 93/08/06. CONNER,J.A. Babcock & Wilcox Co. 2pp. 76087:311-76087:312.
- 9308190240** Submits licensee description approach for maintaining Vault 1 provisions in physical security plan in standby status.
OLSEN,A.F. Babcock & Wilcox Co. 93/08/09. PIERSON,R.C. Licensing Branch. 1p. 76183:350-76183:350.
- 9308160134** Suppl response to NRC ltr re violations noted in insp rept 70-0027/93-05.C/As:appropriate personnel will be instructed by 930901 re requirements for use of administrative sys for procedure deviations & temporary changes.
CONNER,J.A. Babcock & Wilcox Co. 93/08/10. Document Control Branch (Document Control Desk). 2pp. 76107:358-76107:359.
- 9308170443** Notices of 930817 meeting in Bethesda,MD to present & discuss proposed approach for proceeding w/renewal of fuel cycle facility licenses,while NRC revises applicable regulations & develops SRP.
TOKAR,M. Licensing Branch. 93/08/10. KOSMIDER,M.D. Allied-Signal Corp. OLSEN,A.F., ROSENTHAL,P.R. Babcock & Wilcox Co. 3pp. 76160:259-76160:261.
- 9308260237** Forwards corrected page to insp rept 70-0027/93-12 due to incorrect insp rept number given on summary of rept.
CLINE,W.E. Region 2 (Post 820201). 93/08/10. CONNER,J.A. Babcock & Wilcox Co. 2pp. 76259:161-76259:160.
- 9308260252** Forwards insp rept 70-0027/93-12 on 930517-21 & notice of violation.
CLINE,W.E. Region 2 (Post 820201). 93/06/18. CONNER,J.A. Babcock & Wilcox Co. 3pp. 76259:163-76259:165.
- 9308260291** Notice of violation from insp on 930517-21.Violation noted: licensee failed to follow procedures associated w/packaging/ transportation activities.
* Region 2 (Post 820201). 93/06/18. 2pp. 76259:166-76259:167.
- 9308260294** Insp rept 70-0027/93-12 on 930517-21.Violations noted. Major areas inspected:licensee RP programs for waste mgt, transportation,liquid & airborne effluent control & monitoring.
KUZO,G.B., DECKER,T.R. Region 2 (Post 820201). 93/06/18. 19pp. 76259:168-76259:190.
- 9308160286** Informs that licensee will be extending commitment date for completion of training for engineers,managers & supervisors to 930831.
LEE,T.D. Babcock & Wilcox Co. 93/08/11. Document Control Branch (Document Control Desk). 1p. 76143:338-76143:338.
- 9308170285** Responds to NRC ltr re violations noted in insp rept 70-0027/93-13.C/ As:licensee modified procedure to instruct operators to shut down drum dryer when process cannot operate as stated in procedure.
CONNER,J.A. Babcock & Wilcox Co. 93/08/11. Document Control Branch (Document Control Desk). 3pp. 76154:235-76154:237.
- 9308250344** Forwards Insp Rept 70-0027/93-16 on 930715-16.No violations or deviations noted.
CLINE,W.E. Region 2 (Post 820201). 93/08/11. CONNER,J.A. Babcock & Wilcox Co. 2pp. 76218:344-76218:354.
- 9308250348** Insp rept 70-0027/93-16 on 930715-16.No violations noted. Major areas inspected:annual emergency response exercise on 930716.
SARTOR,W.M., BARR,K.P. Region 2 (Post 820201). 93/08/11. 7pp. 76218:346-76218:352.
- 9308250353** Advises that annual emergency response exercise scheduled for 930716.Addl details of exercise also provided.
WARD,D.C. Babcock & Wilcox Co. 93/06/01. Region 2 (Post 820201). 2pp. 76218:353-76218:354.
- 9308170202** Informs that addl info needed before final action re revised radiological contingency & emergency plan dtd 930226 can be taken.Comments encl.
EMEIGH,C.W. Licensing Branch. 93/08/12. OLSEN,A.F. Babcock & Wilcox Co. 12pp. 76136:041-76136:052.
- 9308270207** Forwards Insp Rept 70-0027/93-17 on 930626-0727.Violations noted but will not be subj to enforcement action since licensee efforts in identifying &/or correcting violations meet criteria in Section VII.B of enforcement policy.
COLLINS,D.M. Region 2 (Post 820201). 93/08/12. CONNER,J.A. Babcock & Wilcox Co. 2pp. 76271:329-76271:336.

—9308270210 Insp Rept 70-0027/93-17 on 930626-0727. Violations noted. Major areas inspected: operations, radiation protection, nuclear criticality safety, security & safeguards & mail control & accountability.
ELLIOTT, M.P., MCALPINE, E.J. Region 2 (Post 820201). 93/08/12. 6pp. 76271:331-76271:336.

9308200097 Forwards Amend 51 to License SNM-42 & SER. Amend authorizes changes to MC&A program annual assessment & physical inventory activities.
PIERSON, R. Licensing Branch. 93/08/18. OLSEN, A.F. Babcock & Wilcox Co. 1p. 76190:307-76190:319.

—9308200100 Amend 51 to License SNM-42, authorizing changes to MC&A program annual assessment & physical inventory activities.
PIERSON, R.C. Division of Fuel Cycle Safety & Safeguards (Post 930207). 93/08/18. 10pp. 76190:308-76190:317.

—9308200105 SER recommending approval of Amend 51 to License SNM-42.
* NRC - No Detailed Affiliation Given. 93/08/18. 2pp. 76190:318-76190:319.

9308250369 Informs that on 930717, NOUE declared due to loss of criticality accident monitoring circuits. Caused by pavement sawing operation. Eight criticality monitors replaced w/ spare units & damaged monitors repaired & reinstalled.
OLSEN, A.F. Babcock & Wilcox Co. 93/08/18. Document Control Branch (Document Control Desk). 3pp. 76260:283-76260:285.

9308230069 Forwards order imposing civil monetary penalty for \$37,500 due to ten violations identified during 921201-930115 & 930116-0205 insp.
LIEBERMAN, J. Ofc of Enforcement (Post 870413). 93/08/20. CONNER, J.A. Babcock & Wilcox Co. 2pp. 76184:341-76184:358.

—9308230081 Order imposing civil monetary penalty in amount of \$ 37,500 due to 10 violations identified during insp on 921201-930115 & 0116-0205.
LIEBERMAN, J. Ofc of Enforcement (Post 870413). 93/08/20. Babcock & Wilcox Co. 16pp. 76184:343-76184:358.

9308250450 EN-93-030A on 930820, notice of proposed imposition of civil penalty in amount of \$37,500 issued to licensee. Action based on violations involving failure to establish or adhere to nuclear criticality safety limits & controls.
TROSKOSKI, W., LIEBERMAN, J. Ofc of Enforcement (Post 870413). 93/08/20. 1p. 76255:346-76255:346.

9308270084 Informs that recent internal audit revealed that one of four procedures, E41-42, "Storage inventory (SNM)" had been revised but was in approval process at time 930715 response to violation noted in Insp Rept 70-0027/93-11 sent.
LEE, T.D. Babcock & Wilcox Co. 93/08/23. Document Control Branch (Document Control Desk). 1p. 76266:357-76266:357.

9308310178 Informs of 930817 meeting in Bethesda, MD re fuel cycle facility license renewals.
PIERSON, R. Licensing Branch. 93/08/25. KOSMIDER, M.D. Allied-Signal Corp. OLSEN, A.F., ROSENTHAL, P.R. Babcock & Wilcox Co. 7pp. 76304:265-76304:271.

DOCKET 70-0036 COMBUSTION ENGINEERING, INC., HEMATITE, MO

9308300019 Forwards insp rept 70-0036/93-02 on 930624-25. No violations noted.
GROBE, J.A. Region 3 (Post 820201). 93/07/26. RODE, J.A. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 2pp. 75935:082-75935:088.

—9308300022 Insp rept 70-0036/93-02 on 930624-25. No violations noted. Major areas inspected: air sampling, removable wipe surveys, criticality safety, training, postings, interviews w/ personnel & independent measurements.
LAMBERT, K.J., MCCANN, G.M. Region 3 (Post 820201). 93/07/22. 5pp. 75935:084-75935:088.

9308170443 Notifies of 930817 meeting in Bethesda, MD to present & discuss proposed approach for proceeding w/ renewal of fuel cycle facility licenses, while NRC revises applicable regulations & develops SRP.
TOKAR, M. Licensing Branch. 93/08/10. KOSMIDER, M.D. Allied-Signal Corp. KERSTEEN, G.C. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). ASMUSSEN, K.E. General Atomics (formerly GA Technologies, Inc./ General Atomic Co.). 3pp. 76160:259-76160:261.

9308310178 Informs of 930817 meeting in Bethesda, MD re fuel cycle facility license renewals.
PIERSON, R. Licensing Branch. 93/08/25. KOSMIDER, M.D. Allied-Signal Corp. 7pp. 76304:265-76304:271.

DOCKET 70-0113 PENNSYLVANIA STATE UNIV., UNIVERSITY PARK, PA

9308200286 Application for rev to License SNM-95, requesting that item 6A of license be changed from 100 g to 132 g as soon as possible.
SHIRLEY, D.A. Pennsylvania State Univ., University Park, PA. 93/08/05. KLASKY, M. Division of Fuel Cycle Safety & Safeguards (Post 930207). 1p. 76190:357-76190:357.

DOCKET 70-0135 BABCOCK & WILCOX CO., APOLLO, PA

9308300123 "Gaseous & Liquid Effluent Release Rept for Jan-June 1993." W/930823 ltr.
HAERTJENS, B.L. Babcock & Wilcox Co. 93/06/30. MARTIN, T.T. Region 1 (Post 820201). 3pp. 76284:152-76284:154.

9308190208 Forwards Feb-June 1992 radiological survey of Kiskiminetas River east riverbank sediments from Apollo bridge to Vandergrift bridge.
HAERTJENS, B.L. Babcock & Wilcox Co. 93/07/13. MCDANIEL, K.K. Division of Fuel Cycle Safety & Safeguards (Post 930207). 8pp. 76170:338-76170:345.

9308090058 Requests written response by 930813, describing future remediation plans & explanation of how plans will prevent further discrepancies between final survey results & confirmatory survey results.
PIERSON, R.C. Licensing Branch. 93/07/29. CEPICKA, J.J. Babcock & Wilcox Co. 2pp. 76060:212-76060:213.

9308160027 Notification of significant licensee meeting 93-99 on 930831 in Monroeville, PA to discuss status of decommissioning of former B&W nuclear fuel fabrication facility in Apollo & operations at Parks Township site.
ROTH, J. Region 1 (Post 820201). 93/08/02. Region 1 (Post 820201). 4pp. 76088:345-76088:348.

9308170443 Notifies of 930817 meeting in Bethesda, MD to present & discuss proposed approach for proceeding w/ renewal of fuel cycle facility licenses, while NRC revises applicable regulations & develops SRP.
TOKAR, M. Licensing Branch. 93/08/10. KOSMIDER, M.D. Allied-Signal Corp. KNAPP, K.S. B&W Fuel Co. RODE, J.A. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 3pp. 76160:259-76160:261.

9308180059 Forwards description of workscope planned for characterization, decontamination & possible decommissioning of Apollo Ofc Bldg located in Apollo, PA.
HAERTJENS, B.L. Babcock & Wilcox Co. 93/08/10. MCDANIEL, K.K. Division of Fuel Cycle Safety & Safeguards (Post 930207). 6pp. 76155:346-76155:351.

9308200304 Forwards suppl final sampling & remediation protocol, response to 930729 request & submittal of results of NRC confirmatory survey.
HAERTJENS, B.L. Babcock & Wilcox Co. 93/08/13. PIERSON, R.C. Licensing Branch. 9pp. 76186:319-76186:327.

9308200317 Forwards short form trip rept w/ map showing sampling points re Babcock & Wilcox Site, Apollo, PA.
EASTON, M. Environmental Protection Agency. 93/08/17. MCDANIEL, K. NRC - No Detailed Affiliation Given. 26pp. 76184:284-76184:308.

9308310178 Informs of 930817 meeting in Bethesda, MD re fuel cycle facility license renewals.
PIERSON, R. Licensing Branch. 93/08/25. KOSMIDER, M.D. Allied-Signal Corp. 7pp. 76304:265-76304:271.

DOCKET 70-0139 D.E. MAKEPEACE CO., ATTLEBORO, MA

9307010122 Partial response to FOIA request for documents. Forwards documents listed in App C. Documents also available in PDR. App D documents partially withheld (ref FOIA exemption 5) & App E documents completely withheld (ref FOIA exemption 6). GRIMESLY, D.H. Division of Freedom of Information & Publications Services (Post 890205). 93/02/16. MURPHY, L.R. Cahill, Gordon & Reindel. 24pp. 76349:001-76351:050.

—9308120053 Discusses 591102 request for amend to license SNM-185.
JOHNSON, L. Atomic Energy Commission (Pre 750119). 59/11/13. BECK, C.K. Atomic Energy Commission (Pre 750119). 1p. 76350:015-76350:015.

—9308120072 Discusses 591030 ltr re termination of nuclear activities.
DURANT, J.H. Engelhard Corp. 59/11/05. MCCALLUM, C.P. Atomic Energy Commission (Pre 750119). 1p. 76350:011-76350:011.

—9308120135 Discusses 590923 & 1014 suppl requests for amend to license SNM-185.
MCCALLUM, C. Atomic Energy Commission (Pre 750119). 59/10/16. Atomic Energy Commission (Pre 750119). 1p. 76350:004-76350:006.

—9308120148 Application for amend to license SNM-185, permitting receipt & processing of addl 300 kg U-235 to be used in fabrication of Power Reactor Development Corp fuel elements.
* Engelhard Corp. 59/09/23. MCCALLUM, C.P. Atomic Energy Commission (Pre 750119). 1p. 76349:333-76349:333.

—9308120157 Forwards amended license SNM-185.
DELANEY, J.C. Atomic Energy Commission (Pre 750119). 59/08/18. Engelhard Corp. 1p. 76349:330-76349:330.

—9308120162 Amended license SNM-185 for Engelhard Industries, Inc.
* Atomic Energy Commission (Pre 750119). 59/08/12. 1p. 76349:331-76349:331.

—9308120241 Discusses licensee compliance w/ section 70.24.
JOHNSON, L. Atomic Energy Commission (Pre 750119). 59/08/20. BECK, C.K. Atomic Energy Commission (Pre 750119). 1p. 76349:332-76349:332.

—9308120249 Discusses 590814 application submitting info on proposed alarm sys & emergency plan.
BECK, C.K. Atomic Energy Commission (Pre 750119). 59/10/07. JOHNSON, L.E. Atomic Energy Commission (Pre 750119). 1p. 76349:329-76349:329.

—9308120300 Submits further info on three pickling processes.
BECK, C.K. Atomic Energy Commission (Pre 750119). 59/07/27. JOHNSON, L. Atomic Energy Commission (Pre 750119). 1p. 76349:310-76349:310.

—9308120312 Discusses 590803 request for amend to license SNM-185.
DELANEY, J.C. Atomic Energy Commission (Pre 750119). 59/08/14. MCCALLUM, C.P. Atomic Energy Commission (Pre 750119). 1p. 76349:323-76349:323.

—9308120324 Discusses amend of license SNM-185.
* Atomic Energy Commission (Pre 750119). 59/08/11. Engelhard Corp. 1p. 76349:322-76349:322.

—9308120330 Discusses buildup of U-235.
MCCALLUM, C.P. Atomic Energy Commission (Pre 750119). 59/05/29. Engelhard Corp. 1p. 76349:300-76349:300.

—9308120340 Requests addl info re license SNM-185.
* Atomic Energy Commission (Pre 750119). 59/07/27. Engelhard Corp. 2pp. 76349:311-76349:312.

—9308200056 Discusses 590417 application for amend to license SNM-185.
DELANEY, J.C. Atomic Energy Commission (Pre 750119). 59/05/18. DURANT, J.H. Engelhard Corp. 1p. 76349:294-76349:294.

—9308200061 Discusses 590417 ltr from Engelhard submitting further info on proposed procedures.
BECK, C.K. Atomic Energy Commission (Pre 750119). 59/05/22. JOHNSON, L.E. Atomic Energy Commission (Pre 750119). 1p. 76349:295-76349:295.

166 DOCKETED ITEMS

- 9308200071 Discusses 580324 memo re observations, conclusions & findings resulting from review of application.
MCCALLUM, G.P. Atomic Energy Commission (Pre 750119). 59/04/03. Atomic Energy Commission (Pre 750119). 1p. 76349:282-76349:282.
- 9308200077 Discusses amended license.
* Atomic Energy Commission (Pre 750119). 59/04/01. Engelhard Corp. 1p. 76349:281-76349:281.
- 9308200084 Discusses classification review of SNM application suppl.
FLEURY, E.R. Atomic Energy Commission (Pre 750119). 59/03/06. STRAUSSER, W.A. Atomic Energy Commission (Pre 750119). 1p. 76349:275-76349:275.
- 9308200091 Discusses 590303 application requesting approval of proposed procedures. Add info requested.
BECK, C.K. Atomic Energy Commission (Pre 750119). 59/03/16. JOHNSON, L.E. Atomic Energy Commission (Pre 750119). 1p. 76349:277-76349:277.
- 9308200103 Discusses 590130 application requesting approval of procedures re fabrication & assembly of fuel elements.
BECK, C.K. Atomic Energy Commission (Pre 750119). 59/03/30. JOHNSON, L.E. Atomic Energy Commission (Pre 750119). 1p. 76349:278-76349:278.
- 9308200113 Approves 590113 application requesting approval of storage procedures.
BECK, C.K. Atomic Energy Commission (Pre 750119). 59/03/30. JOHNSON, L.E. Atomic Energy Commission (Pre 750119). 1p. 76349:279-76349:279.
- 9308200119 Discusses classification review of SNM application suppl.
FLEURY, E.R. Atomic Energy Commission (Pre 750119). 59/02/02. STRAUSSER, W.A. Atomic Energy Commission (Pre 750119). 1p. 76349:151-76349:151.
- 9308200126 Advises that U-235 will be used for SRE.
DURANT, J. Engelhard Corp. 58/12/04. DELANEY, J.C. Atomic Energy Commission (Pre 750119). 1p. 76349:111-76349:111.
- 9308200147 Confirms conversation w/EL Ferulle re WF Mittendorf.
LANE, E.F. Atomic Energy Commission (Pre 750119). 58/02/10. PRICE, H.L. Atomic Energy Commission (Pre 750119). 1p. 76349:043-76349:043.
- 9308200157 Discusses analysis & findings of 570730 application.
MCCALLUM, C.P. Atomic Energy Commission (Pre 750119). 58/03/24. Atomic Energy Commission (Pre 750119). 1p. 76349:072-76349:072.
- 9308200182 Discusses licensee insurance coverage.
CAMPBELL, W.E. Atomic Energy Commission (Pre 750119). 58/03/26. JOHNSON, L. Atomic Energy Commission (Pre 750119). 1p. 76349:073-76349:073.
- 9308200221 Discusses analysis & findings of 591008 application for amend to license.
MCCALLUM, C.P. Atomic Energy Commission (Pre 750119). 59/11/17. Atomic Energy Commission (Pre 750119). 1p. 76350:031-76350:031.
- 9308200230 Discusses 590925 request for amend to license.
JOHNSON, L. Atomic Energy Commission (Pre 750119). 59/11/18. Atomic Energy Commission (Pre 750119). 1p. 76350:032-76350:032.
- 9308200241 Discusses 591113 request for amend to license.
JOHNSON, L. Atomic Energy Commission (Pre 750119). 59/11/18. Atomic Energy Commission (Pre 750119). 2pp. 76350:033-76350:033.
- 9308200249 Discusses license amend.
DELANEY, J.C. Atomic Energy Commission (Pre 750119). 59/11/19. Engelhard Corp. 1p. 76350:034-76350:034.
- 9308200260 License SNM-185 for Engelhard Industries.
* Atomic Energy Commission (Pre 750119). 59/11/19. 1p. 76350:035-76350:035.
- 9308200270 Discusses amend request to license.
DURANT, J.H. Engelhard Corp. 59/11/20. MCCALLUM, C. Atomic Energy Commission (Pre 750119). 1p. 76350:036-76350:036.
- 9308200274 Discusses 591215 request for amend to license.
JOHNSON, L. Atomic Energy Commission (Pre 750119). 59/12/28. BECK, C.K. Atomic Energy Commission (Pre 750119). 1p. 76350:045-76350:045.
- 9308200282 Approves 590925 & 1106 applications.
BECK, C.K. Atomic Energy Commission (Pre 750119). 59/12/22. JOHNSON, L. Atomic Energy Commission (Pre 750119). 1p. 76350:043-76350:043.
- 9308200289 Discusses pending actions re pickle load.
DURANT, J.H. Engelhard Corp. 59/12/23. MCCALLUM, C. Atomic Energy Commission (Pre 750119). 1p. 76350:044-76350:044.
- 9308200318 Discusses 591113 application & feasibility rept DEM-9.
BECK, C.K. Atomic Energy Commission (Pre 750119). 59/12/21. JOHNSON, L.E. Atomic Energy Commission (Pre 750119). 1p. 76350:042-76350:042.
- 9308200286 Discusses 591102 application requesting approval of revised container & birdcage for shipping primary extrusions, canned slugs & secondary coextrusions.
BECK, C.K. Atomic Energy Commission (Pre 750119). 59/12/21. JOHNSON, L.E. Atomic Energy Commission (Pre 750119). 1p. 76350:041-76350:041.
- 9308200296 Discusses analysis & findings of 590925, 1102, 06, 1228 & 600106 requests for amend to license.
MCCALLUM, C.P. Atomic Energy Commission (Pre 750119). 60/01/19. Atomic Energy Commission (Pre 750119). 1p. 76350:054-76350:057.
- 9308200174 Discusses request for amend to license.
BROBST, W.A. Atomic Energy Commission (Pre 750119). 60/01/04. MCCALLUM, J. Atomic Energy Commission (Pre 750119). 2pp. 76350:052-76350:053.
- 9308200179 Requests more info re amend to license.
MCCALLUM, C.F. Atomic Energy Commission (Pre 750119). 60/01/04. Engelhard Corp. 1p. 76350:050-76350:050.
- 9308200242 Discusses 591228 ltr re pin storage following clarification.
DURANT, J.H. Engelhard Corp. 60/01/06. MCCALLUM, L. Atomic Energy Commission (Pre 750119). 1p. 76350:051-76350:051.
- 9308200254 Discusses 591215 & 600122 ltrs requesting amend to permit incineration of radwaste. Add info requested.
ROGERS, L.R. Atomic Energy Commission (Pre 750119). 60/02/15. JOHNSON, L. Atomic Energy Commission (Pre 750119). 2pp. 76350:066-76350:067.
- 9308200269 Requests addl info re applications for amend to license.
BECK, C.K. Atomic Energy Commission (Pre 750119). 60/02/12. JOHNSON, L. Atomic Energy Commission (Pre 750119). 2pp. 76350:064-76350:065.
- 9308200282 Discusses two requests for amend to SNM-185.
JOHNSON, L. Atomic Energy Commission (Pre 750119). 60/02/03. BECK, C.K. Atomic Energy Commission (Pre 750119). 1p. 76350:062-76350:062.
- 9308200290 Discusses 591215 & 600122 requests for amend to license.
JOHNSON, L. Atomic Energy Commission (Pre 750119). 60/02/03. ROGERS, L.R. Atomic Energy Commission (Pre 750119). 1p. 76350:063-76350:063.
- 9308200309 License SNM-185 for Engelhard Industries, Inc.
* Atomic Energy Commission (Pre 750119). 60/03/02. 1p. 76350:091-76350:092.
- 9308200319 Discusses 600219 request for amend to license.
JOHNSON, L. Atomic Energy Commission (Pre 750119). 60/02/25. BECK, C.K. Atomic Energy Commission (Pre 750119). 1p. 76350:087-76350:087.
- 9308200423 Discusses 591215 application as supplemented 600122.
MCCALLUM, C.P. Atomic Energy Commission (Pre 750119). 60/02/25. Engelhard Corp. 1p. 76350:088-76350:088.
- 9308200438 Discusses amend request dtd 600216.
MCCALLUM, C.P. Atomic Energy Commission (Pre 750119). 60/02/29. Atomic Energy Commission (Pre 750119). 1p. 76350:089-76350:089.
- 9308200452 Discusses pending licensing actions.
DURANT, J.H. Engelhard Corp. 60/02/29. DELANEY, J.C. Atomic Energy Commission (Pre 750119). 1p. 76350:090-76350:090.
- 9308200463 Approves proposed procedures for storing scrap, fuel element components & finished components.
BECK, C.K. Atomic Energy Commission (Pre 750119). 60/03/07. JOHNSON, L. Atomic Energy Commission (Pre 750119). 1p. 76350:093-76350:093.
- 9308200472 Discusses 600311 amend request.
JOHNSON, L. Atomic Energy Commission (Pre 750119). 60/03/21. BECK, C.K. Atomic Energy Commission (Pre 750119). 1p. 76350:102-76350:102.
- 9308200554 Recommends approval of proposed procedures for fabricating & shipping of WTR elements.
BECK, C.K. Atomic Energy Commission (Pre 750119). 60/03/18. JOHNSON, L.E. Atomic Energy Commission (Pre 750119). 1p. 76350:101-76350:101.
- 9308200559 Discusses amend to license.
* Atomic Energy Commission (Pre 750119). 60/03/18. Engelhard Corp. 1p. 76350:100-76350:100.
- 9308200585 Discusses 591215, 600122 & 0308 requests for amend to license.
DELANEY, J.C. Atomic Energy Commission (Pre 750119). 60/03/17. Atomic Energy Commission (Pre 750119). 1p. 76350:099-76350:099.
- 9308200612 Discusses meeting re status of license amends.
DURANT, J.H. Engelhard Corp. 60/03/14. DELANEY, J.C. Atomic Energy Commission (Pre 750119). 1p. 76350:098-76350:098.
- 9308200614 Discusses 600324 request for amend to license.
JOHNSON, L. Atomic Energy Commission (Pre 750119). 60/03/30. BECK, C.K. Atomic Energy Commission (Pre 750119). 1p. 76350:105-76350:105.
- 9308200619 Discusses amended application.
DURANT, J.K. Engelhard Corp. 60/04/25. DELANEY, J.C. Atomic Energy Commission (Pre 750119). 1p. 76350:107-76350:107.
- 9308200620 Discusses storage of PRDC fuel pins.
BECK, C.K. Atomic Energy Commission (Pre 750119). 60/04/28. JOHNSON, L. Atomic Energy Commission (Pre 750119). 1p. 76350:108-76350:108.
- 9308200628 Discusses 600219, 0311 & 24 requests for amend to license.
LANE, J.J. Atomic Energy Commission (Pre 750119). 60/05/03. Atomic Energy Commission (Pre 750119). 1p. 76350:109-76350:109.
- 9308200635 Discusses amended license SNM-185.
* Atomic Energy Commission (Pre 750119). 60/05/09. Engelhard Corp. 2pp. 76350:110-76350:111.
- 9308200655 Discusses application for amend to license.
BECK, C.K. Atomic Energy Commission (Pre 750119). 60/06/10. JOHNSON, L.E. Atomic Energy Commission (Pre 750119). 1p. 76350:126-76350:126.
- 9308200679 Discusses 600421, 0505 & 26 requests for amend to license.
MCCRELESS, T.G. Atomic Energy Commission (Pre 750119). 60/06/15. Atomic Energy Commission (Pre 750119). 2pp. 76350:127-76350:129.
- 93082006308 Discusses 600517 request for amend to license.
JOHNSON, L. Atomic Energy Commission (Pre 750119). 60/05/24. CASE, E. Atomic Energy Commission (Pre 750119). 1p. 76350:123-76350:123.
- 93082006317 Discusses transfer of part of Engelhard.
JOHNSON, L. Atomic Energy Commission (Pre 750119). 60/05/27. Engelhard Corp. 1p. 76350:124-76350:124.
- 93082006340 Discusses amended license.
* Atomic Energy Commission (Pre 750119). 60/05/17. Engelhard Corp. 2pp. 76350:121-76350:122.
- 93082006357 Requests approval of 1,180 kg U, per 920311 application for amend to license.
DURANT, J.H. Engelhard Corp. 60/05/11. DELANEY, J.C. Atomic Energy Commission (Pre 750119). 1p. 76350:116-76350:116.

- 9308270123 Discusses feasibility rept DEM-10. WEISS,N. Engelhard Corp. 60/07/26. DELANEY,J.C. Atomic Energy Commission (Pre 750119). 1p. 76350:135-76350:135.
- 9308270132 Discusses transfer of operations. DELANEY,J.C. Atomic Energy Commission (Pre 750119). 60/07/15. Engelhard Corp. 2pp. 76350:133-76350:134.
- 9308270143 Discusses financial analysis of Engelhard Industries,Inc. CAMPBELL,W.E. Atomic Energy Commission (Pre 750119). 60/07/14. JOHNSON,L.E. Atomic Energy Commission (Pre 750119). 2pp. 76350:131-76350:132.
- 9308270149 Discusses 600726 teletype. BECK,C.K. Atomic Energy Commission (Pre 750119). 60/08/08. Atomic Energy Commission (Pre 750119). 1p. 76350:141-76350:141.
- 9308270158 Discusses 600913 application for amend. LANE,J.J. Atomic Energy Commission (Pre 750119). 60/10/24. Atomic Energy Commission (Pre 750119). 1p. 76350:154-76350:158.
- 9308270250 Discusses 600913 application for amend. BECK,C.K. Atomic Energy Commission (Pre 750119). 60/10/20. JOHNSON,L. Atomic Energy Commission (Pre 750119). 2pp. 76350:152-76350:153.
- 9308270320 Discusses 600913 application for amend to license. JOHNSON,L. Atomic Energy Commission (Pre 750119). 60/09/16. BECK,C.K. Atomic Energy Commission (Pre 750119). 1p. 76350:150-76350:150.
- 9308270331 Discusses carrier certifications. DELANEY,J.C. Atomic Energy Commission (Pre 750119). 60/12/23. Atomic Energy Commission (Pre 750119). 1p. 76350:167-76350:167.
- 9308300182 Discusses high film badge readings for two employees. WELTY,C.G. Atomic Energy Commission (Pre 750119). 61/01/30. Atomic Energy Commission (Pre 750119). 1p. 76350:191-76350:191.
- 9308300193 Discusses 610210 telcon.Stated addl info should be included in 601223 application for amend to license. WEISS,N.M. Engelhard Corp. 61/02/10. LANE,J. Atomic Energy Commission (Pre 750119). 3pp. 76350:194-76350:196.
- 9308300194 Forwards application requesting approval of shipping procedures. NUSSBAUMER,R.A. Atomic Energy Commission (Pre 750119). 61/12/26. LUKE,C.D. Atomic Energy Commission (Pre 750119). 1p. 76350:263-76350:263.
- 9308300198 Forwards 620209 application for approval of shipping & processing procedures. NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 62/02/13. LUKE,C.D. Atomic Energy Commission (Pre 750119). 1p. 76350:274-76350:275.
- 9308300200 Responds to 610109 memo re license amend for fabrication of plates. LUKE,C.D. Atomic Energy Commission (Pre 750119). 60/02/10. DELANEY,J. Atomic Energy Commission (Pre 750119). 2pp. 76350:192-76350:193.
- 9308300204 Discusses authorization to ship. * Atomic Energy Commission (Pre 750119). 62/01/18. Engelhard Corp. 1p. 76350:271-76350:271.
- 9308300206 Discusses Engelhard Industries,Inc application requesting approval of shipping procedures. LUKE,C.D. Atomic Energy Commission (Pre 750119). 62/01/15. NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 2pp. 76350:269-76350:270.
- 9308300208 Discusses adequacy of application procedures. DELANEY,J.C. Atomic Energy Commission (Pre 750119). 61/01/09. LUKE,C. Atomic Energy Commission (Pre 750119). 1p. 76350:189-76350:189.
- 9308300210 Forwards for review,620105 request for shipping procedure approval. NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 62/01/10. LUKE,C. Atomic Energy Commission (Pre 750119). 1p. 76350:268-76350:268.
- 9308300215 Discusses review of application procedures to avoid condition of accidental criticality. DELANEY,J.C. Atomic Energy Commission (Pre 750119). 61/02/20. LUKE,C. Atomic Energy Commission (Pre 750119). 1p. 76350:202-76350:202.
- 9308300220 Comments on 620209 application,per 620125 & 0213 memos. LUKE,C.D. Atomic Energy Commission (Pre 750119). 62/02/19. NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 2pp. 76350:276-76350:277.
- 9308300221 Discusses 610210 telegram re shipping container for okura fast neutron converter assembly. WEISS,N. Engelhard Corp. 61/02/17. LANE,J. Atomic Energy Commission (Pre 750119). 1p. 76350:201-76350:201.
- 9308300223 Discusses alleged deficiencies in waste disposal sys. DUBINSKI,L. Atomic Energy Commission (Pre 750119). 62/05/11. PRICE,E.R. Atomic Energy Commission (Pre 750119). 3pp. 76350:282-76350:284.
- 9308300226 Discusses review of application for adequacy. DELANEY,J.C. Atomic Energy Commission (Pre 750119). 61/02/15. LUKE,C. Atomic Energy Commission (Pre 750119). 1p. 76350:200-76350:200.
- 9308300230 Insp findings & licensee ack.Insp findings:no items of noncompliance noted. KLEVIN,P.B. Atomic Energy Commission (Pre 750119). * Engelhard Corp. 62/04/25. 1p. 76350:285-76350:285.
- 9308300231 Requests statement from airline which will carry Okura elements to Seattle that matl will not be comingled w/other U while in transit. WEISS,N. Engelhard Corp. 60/02/23. LANE,J. Atomic Energy Commission (Pre 750119). 1p. 76350:208-76350:209.
- 9308300232 Discusses allocation of U. NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 62/04/05. * Engelhard Corp. 2pp. 76350:280-76350:281.
- 9308300235 Discusses renewal of license SNM-185. NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 62/08/15. WEISS Engelhard Corp. 2pp. 76350:290-76350:291.
- 9308300236 Discusses amended license SNM-185. NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 62/09/27. Engelhard Corp. 2pp. 76350:300-76350:300.
- 9308300240 Requests 60-day extension of SNM license in order to accumulate & submit info re decontamination survey results. WEISS,N.M. Engelhard Corp. 62/09/25. NUSSBAUMER,D. Atomic Energy Commission (Pre 750119). 1p. 76350:298-76350:299.
- 9308300243 Discusses cancellation of licenses. NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 62/09/10. Engelhard Corp. 1p. 76350:297-76350:297.
- 9308300246 Discusses 620827 request for cancellation of licenses SNM-185 & SUB-172. NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 62/09/10. DUBINSKI Atomic Energy Commission (Pre 750119). 1p. 76350:296-76350:296.
- 9308300247 Forwards memo rept re cancellation of license SNM-185 & SUB-172. DUBINSKI,L. Atomic Energy Commission (Pre 750119). 62/12/28. NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 2pp. 76350:311-76350:311.
- 9308300249 Discusses amended license SNM-185. NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 63/04/26. Engelhard Corp. 1p. 76350:342-76350:342.
- 9308300250 Discusses request for cancellation of license. * Atomic Energy Commission (Pre 750119). 62/12/21. DUBINSKI,L. Atomic Energy Commission (Pre 750119). 27pp. 76350:312-76350:336.
- 9308300251 Requests addl 90-day extension of license SNM-185 to complete decontamination of former nuclear area.New expiration date will be 630731. WEISS,N.M. Engelhard Corp. 63/04/25. NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 2pp. 76350:340-76350:341.
- 9308300255 Discusses amended license. NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 63/01/23. Engelhard Corp. 2pp. 76350:339-76350:339.
- 9308300256 Requests for 60-day extension of license SNM-185 in order to complete decontamination of nuclear area & submit survey result. WEISS,N.M. Engelhard Corp. 62/11/26. NUSSBAUMER,D. Atomic Energy Commission (Pre 750119). 3pp. 76350:306-76350:310.
- 9308300258 Requests further 90-day extension of license SNM-185 to allow completion of decontamination program in former nuclear area.New expiration date will be 630430. WEISS,N.M. Engelhard Corp. 63/01/21. NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 1p. 76350:337-76350:338.
- 9308300265 Advises of cancellation of license & close out insp of facility. NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 63/07/16. DUBINSKI,L. Atomic Energy Commission (Pre 750119). 1p. 76350:349-76350:349.
- 9308300268 Submits comments re 610210 memo which commented on Englehard Industries application of 601223. LUKE,C.D. Atomic Energy Commission (Pre 750119). 61/02/21. DELANEY,J. Atomic Energy Commission (Pre 750119). 2pp. 76350:206-76350:207.
- 9308300269 Responds to 630718 memo re close out insp. LORENZ,W.R. Atomic Energy Commission (Pre 750119). 63/08/13. CHITWOOD,R.B. Atomic Energy Commission (Pre 750119). 1p. 76350:350-76350:350.
- 9308300272 Recommends that 610301 application be approved. LUKE,C.D. Atomic Energy Commission (Pre 750119). 61/03/14. DELANEY,J. Atomic Energy Commission (Pre 750119). 1p. 76350:224-76350:225.
- 9308300274 Discusses termination of licenses SNM-185 & SUB-172. LANE,J.J. Atomic Energy Commission (Pre 750119). 63/09/19. Atomic Energy Commission (Pre 750119). 5pp. 76350:351-76350:355.
- 9308300279 Requests that subject request for adequacy of applicant procedures to avoid condition of accidental criticality be reviewed. DELANEY,J.C. Atomic Energy Commission (Pre 750119). 61/03/06. LUKE,C. Atomic Energy Commission (Pre 750119). 1p. 76350:223-76350:223.
- 9308300281 Discusses 610418 request for approval of shipping procedures & requests that procedures be reviewed. NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 61/04/21. LUKE,C.D. Atomic Energy Commission (Pre 750119). 1p. 76350:228-76350:228.
- 9308300282 "Liquid Waste Disposal System." * Nuclear Science & Engineering Corp. 57/02/06. 100pp. 76349:193-76349:274.
- 9308300285 Grants approval in reply to 610525 memo forwarding Englehard Industries,Inc application. LUKE,C.D. Atomic Energy Commission (Pre 750119). 61/05/29. NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 2pp. 76350:239-76350:239.
- 9308300286 Undated note discussing Engelhard Corp RCRA site containing AEC regulated waste. PARROTT,J. Atomic Energy Commission (Pre 750119). 93/08/30. JOHNSON,T. Atomic Energy Commission (Pre 750119). 11pp. 76351:006-76351:017.
- 9308300292 Requests that request for amend dtd 610518 be submitted for review & comments re adequacy of proposed procedures to avoid condition of accidental criticality. NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 61/05/25. LUKE,C.D. Atomic Energy Commission (Pre 750119). 1p. 76350:237-76350:238.
- 9308300296 Partially withheld, "Rept of Apparent Radiation Overexposure from 600613-25." WEISS,N.M., CANHAM,C.A. Engelhard Corp. 60/06/25. 22pp. 76351:019-76351:042.

168 DOCKETED ITEMS

- 9308300298 Requests info which needs to be added to amend.
WEISS,N. Engelhard Corp. 61/05/25. NUSSBAUMER Atomic Energy Commission (Pre 750119). 2pp. 76350:235-76350:236.
- 9308300300 Discusses 610922 memo re alleged deficiencies in waste disposal sys.
KIRKMAN,R.W. Atomic Energy Commission (Pre 750119). 61/10/03. DUBINSKI,L. Atomic Energy Commission (Pre 750119). 1p. 76350:249-76350:250.
- 9308300301 Partially withheld ltr re insp on 601212-13.
* Atomic Energy Commission (Pre 750119). 61/08/04. Atomic Energy Commission (Pre 750119). 2pp. 76351:046-76351:047.
- 9308300302 Discusses 610823 memo re alleged deficiencies in waste disposal sys.
DUBINSKI,L. Atomic Energy Commission (Pre 750119). 61/09/22. PRICE,E.R. Atomic Energy Commission (Pre 750119). 2pp. 76350:248-76350:248.
- 9308300304 Rev A to "Fabrication of 164 Enriched (10%) Fuel Pins for SRE Test Program." feasibility rept.
WEISS,N., BARNEY,G.H. Engelhard Corp. DEM-6 RA. 59/09/04. 15pp. 76349:347-76350:003.
- 9308300307 Informs that full review of licensee waste disposal sys & occurrence re 610909 memo will be reviewed during course of next scheduled insp.
KIRKMAN,R.W. Atomic Energy Commission (Pre 750119). 61/09/19. DUBINSKI,L. Atomic Energy Commission (Pre 750119). 2pp. 76350:245-76350:247.
- 9308300309 Forwards copy of 610809 ltr alleging deficiencies in liquid waste disposal sys of firm.
LOWENSTEIN,R. Atomic Energy Commission (Pre 750119). 61/08/23. LOW,L.D. Atomic Energy Commission (Pre 750119). 2pp. 76350:244-76350:244.
- 9308300311 Informs licensees under Section 20.105 that failure to limit exposure of malt operator to 10% of permissible weekly dose following excessive 13 wk exposure will not be cited.
CUNNINGHAM,R.K. Atomic Energy Commission (Pre 750119). 61/07/26. DUBINSKI,L. Atomic Energy Commission (Pre 750119). 1p. 76350:242-76350:243.
- 9308300315 Informs that Englehard Industries has requested that application be withdrawn.
LUKE,C.D. Atomic Energy Commission (Pre 750119). 61/06/20. NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 1p. 76350:241-76350:241.
- 9308300317 Forwards application for authorization to ship enriched scrap.
NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 61/10/26. LUKE,C.D. Atomic Energy Commission (Pre 750119). 1p. 76350:253-76350:253.
- 9308300321 Submits procedures to assist Englehard re proposal that 50 units be shipped at one time.
LUKE,C.D. Atomic Energy Commission (Pre 750119). 61/11/15. NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 1p. 76350:254-76350:254.
- 9308300323 Discusses rev to application for amend to license.
WEISS,N.M. Engelhard Corp. 61/11/20. Atomic Energy Commission (Pre 750119). 1p. 76350:255-76350:255.
- 9308300326 Forwards application & addl data as requested during 611115 telcon.
NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 61/11/21. LUKE,C.D. Atomic Energy Commission (Pre 750119). 1p. 76350:256-76350:256.
- 9308300329 Informs that Engelhard procedures re application for authorization to ship enriched scrap acceptable & application approved.
LUKE,C.D. Atomic Energy Commission (Pre 750119). 61/11/22. NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 1p. 76350:257-76350:258.
- 9308310100 Forwards N Weiss rept addressing questions raised in 610808 ltr.
MITTENDORF,W.F. Engelhard Corp. 61/08/30. PRICE,E.R. Atomic Energy Commission (Pre 750119). 1p. 76351:048-76351:048.
- 9308030253 Trip rept of 930420-21 Site visits to Watertown & Boston,MA to discuss licensing process & status of MA Site Decommissioning Mgt Plan sites.Meeting attendees & handouts encl.
JOHNSON,T.C. Decommissioning & Regulatory Issues Branch (Post 901230). 93/06/08. AUSTIN,J.H. Decommissioning & Regulatory Issues Branch (Post 901230). 18pp. 76015:339-76015:356.
- 9308050295 Informs that documents submitted by licensee to NRC now available for public review & comment.
CHABOT,D. Engelhard Corp. 93/07/28. PARROT,J. NRC - No Detailed Affiliation Given. 1p. 76034:270-76034:270.
- 9308230018 Expresses concern re elevated levels of certain volatile organic compounds & metals detected on property,attributed to Englehard operations.Requests that vendor contact author to further discuss situation.
CACCIAPAGLIA,M., CACCIAPAGLIA,T. Affiliation Not Assigned. 93/08/10. CHABOT,D. Engelhard Corp. 2pp. 76206:074-76206:075.

DOCKET 70-0143 NUCLEAR FUEL SERVICES, INC., ERWIN, TN

- 9308060279 Notification of significant meeting w/Nuclear Fuel Svcs,Inc on 930713 in Atlanta,GA to discuss failures to establish adequate nuclear criticality safety controls.
COLLINS,D.M. Region 2 (Post 820201). 93/06/25. Region 2 (Post 820201). 3pp. 75994:352-75994:354.
- 9308100007 Confirms arrangements made between K Hensley & B Mallett on 930621 re enforcement conference to be conducted in Region II ofc on 930713 to discuss NRC findings documented in insp rept 70-0143/93-13.
STOHR,J.P. Region 2 (Post 820201). 93/06/25. FERGUSON,D.B. Nuclear Fuel Services, Inc. 2pp. 76025:008-76025:009.
- 9308060287 Forwards overheads utilized during enforcement action meeting in Atlanta on 930713.
MAXIN,A.M. Nuclear Fuel Services, Inc. 93/07/14. EBNETER,S.C. Region 2 (Post 820201). 70pp. 76026:264-76026:333.
- 9308030097 Advises that CR Johnson,Chairman,has retired effective 930701 & DB Ferguson,President now repts directly to PF Schutt,Chief Executive Officer.
MAXIN,A.M. Nuclear Fuel Services, Inc. 93/07/23. PIERSON,R. Division of Fuel Cycle Safety & Safeguards (Post 930207). 1p. 75996:018-75996:018.

- 9308050041 Forwards insp rept 70-0143/93-14 on 930605-0706.Violation noted.
COLLINS,D.M. Region 2 (Post 820201). 93/07/23. FERGUSON,D.B. Nuclear Fuel Services, Inc. 3pp. 75971:318-75971:330.
- 9308050045 Notice of violation from insp on 930605-0706.Violation noted:licensee personnel failed to adhere to procedural requirements in that,on 930616-30,licensee personnel were observed to exit facility w/o surveying themselves.
* Region 2 (Post 820201). 93/07/22. 2pp. 75971:321-75971:322.
- 9308050048 Insp rept 70-0143/93-14 on 930605-0706.Violations noted. Major areas inspected:facility operations & maint activities,nuclear criticality safety & decommissioning activities & followup on events.
BURRIS,S.P., KASNICKI,D.A., MCALPINE,E.J. Region 2 (Post 820201). 93/07/22. 4pp. 75971:323-75971:330.
- 9308040163 Forwards EA & FONSI prepared to support amend to License SNM-124 for authorization to process HEU from malt containing HEU & thorium carbide.
COX,T.H. Licensing Branch. 93/07/27. MAXIN,A.M. Nuclear Fuel Services, Inc. 1p. 75997:277-75997:288.
- 9308040175 FR notice of FONSI & opportunity for hearing re amend to License SNM-124 for authorization to process HEU from malt containing HEU & thorium carbide.
PIERSON,R. Licensing Branch. 93/07/27. 6pp. 75997:278-75997:283.
- 9308040187 EA supporting licensee 920814 application for amend to License SNM-124 re recovery of HEU.
* Office of Nuclear Material Safety & Safeguards. 93/07/27. 5pp. 75997:284-75997:288.
- 9308040204 Forwards EA & FONSI prepared to support amend to License SNM-124 for research & development lab project.
COX,T.H. Licensing Branch. 93/07/28. MAXIN,A.M. Nuclear Fuel Services, Inc. 1p. 75997:253-75997:264.
- 9308040206 FR notice of FONSI & opportunity for hearing on amend to License SNM-124 authorizing possession & use of 200 gm of Pu & 250 gm U-235 for research & development projects.
PIERSON,R. Licensing Branch. 93/07/28. 6pp. 75997:254-75997:259.
- 9308040210 EA supporting 920520 application for amend to License SNM-124,authorizing possession & use of 200 gm of Pu & 250 gm of U-235 for research & development projects.
* NRC - No Detailed Affiliation Given. 93/07/28. 5pp. 75997:260-75997:264.
- 9308090047 Application for amend to License SNM-124, revising membership of safety review committee & to incorporate requirements of four license conditions.
MAXIN,A.M. Nuclear Fuel Services, Inc. 93/07/30. PIERSON,R.C. Licensing Branch. 41pp. 76060:296-76060:336.
- 9308090201 Forwards Amend 8 to License SNM-124 & SER.Amend authorizes recovery of HEU from unirradiated fuel elements,in response to 920814 application & suppl info submitted on 930408 & 0601.
PIERSON,R. Licensing Branch. 93/08/04. MAXIN,A.M. Nuclear Fuel Services, Inc. 2pp. 76061:266-76061:292.
- 9308090204 SER approving Amend 8 to License SNM-124,authorizing recovery of HEU from fuel elements.
* NRC - No Detailed Affiliation Given. 93/08/04. 6pp. 76061:268-76061:273.
- 9308090206 Amend 8 to License SNM-124.
PIERSON,R. Division of Fuel Cycle Safety & Safeguards (Post 930207). 93/08/04. 19pp. 76061:274-76061:292.
- 9308120035 Forwards Amend 9 to License SNM-124 & nonproprietary & proprietary version of SER.Amend allows conditional six-month HEU physical inventory frequency & shipment of unopened receipt matl.Proprietary SER withheld.
PIERSON,R.C. Licensing Branch. 93/08/09. MAXIN,A.M. Nuclear Fuel Services, Inc. 4pp. 76094:297-76094:321.
- 9308120041 Amend 9 to License SNM-124,allowing conditional six-month HEU physical inventory frequency & shipment of unopened receipt matl on basis of original receipt values.
PIERSON,R. Division of Fuel Cycle Safety & Safeguards (Post 930207). 93/08/09. 19pp. 76094:301-76094:319.
- 9308120042 Nonproprietary SER supporting Amend 9 to License SNM-124.
* NRC - No Detailed Affiliation Given. 93/08/09. 2pp. 76094:320-76094:321.
- 9308170443 Notices of 930817 meeting in Bethesda,MD to present & discuss proposed approach for proceeding w/renewal of fuel cycle facility licenses,while NRC revises applicable regulations & develops SRP.
TOKAR,M. Licensing Branch. 93/08/10. KOSMIDER,M.D. Allied-Signal Corp. MAXIN,A.M. Nuclear Fuel Services, Inc. MAAS,L.J. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 3pp. 76160:255-76160:261).
- 9308190317 Forwards monthly status rept for NCS PIP at NFS.Most open items covered under license conditions.Requests discontinuance of monthly status repts & semiannual meetings.
MAXIN,A.M. Nuclear Fuel Services, Inc. 93/08/10. Document Control Branch (Document Control Desk). 18pp. 76169:292-76169:309.
- 9308230138 Forwards Insp Rept 70-0143/93-15 on stated date.No violations or deviations noted.
COLLINS,D.M. Region 2 (Post 820201). 93/08/12. FERGUSON,D. Nuclear Fuel Services, Inc. 2pp. 76213:183-76213:189.
- 9308230140 Insp Rept 70-0143/93-15 on stated date.No violations noted. Major areas inspected:facility operations & maint activities,nuclear criticality safety & decommissioning activities.
BURRIS,S.P., MCALPINE,E.J. Region 2 (Post 820201). 93/08/12. 5pp. 76213:185-76213:189.
- 9308230086 Forwards Amend 10 to License SNM-124,increasing concentration limits in UNH blend/hold tanks in Bldg 111.
PIERSON,R.C. Licensing Branch. 93/08/18. MAXIN,A.M. Nuclear Fuel Services, Inc. 2pp. 76207:056-76207:080.

-9308230094 Amend 10 to license SNM-124, increasing concentration limits in UNH blend/hold tanks in Bldg 111.
PIERSON, R. Division of Fuel Cycle Safety & Safeguards (Post 930207). 93/08/18. 23pp. 76207:059-76207:080.

9308250375 Responds to NRC 930723 & 0812 ltr re violations noted in Insp Repts 70-0143/93-14 & 70-0143/93-15, respectively. Corrective actions: employees re-instructed as to containment control requirements for 300 Complex.
MAXIN, A.M. Nuclear Fuel Services, Inc. 93/08/20. Document Control Branch (Document Control Desk). 6pp. 76218:355-76218:360.

9308310031 Discusses insp rept 70-143/93-13 on 930504-0604 & forwards notice of violation. Concerned that violations represent failure to establish adequate NCS control when facility or process changes occur.
STOHR, J.P. Region 2 (Post 820201). 93/08/20. FERGUSON, D.B. Nuclear Fuel Services, Inc. 4pp. 76263:084-76263:159.

-9308310034 Notice of violation from insp on 930504-0604. Violation noted: adequate nuclear criticality safety controls not implemented to ensure that 200-g Pu mass limit not exceeded.
* Region 2 (Post 820201). 93/08/20. 64pp. 76263:088-76263:159.

9308310178 Informs of 930817 meeting in Bethesda, MD re fuel cycle facility license renewals.
PIERSON, R. Licensing Branch. 93/08/25. KOSMIDER, M.D. Allied-Signal Corp. 7pp. 76304:265-76304:271.

DOCKET 70-0364 BABCOCK & WILCOX CO., APOLLO, PA

9308300123 "Gaseous & Liquid Effluent Release Rept for Jan-June 1993." W/930823 ltr.
HAERTJENS, B.L. Babcock & Wilcox Co. 93/06/30. MARTIN, T.T. Region 1 (Post 820201). 3pp. 76284:152-76284:154.

9308020036 Approves leachate sampling at Parks Township Shallow Land Disposal Facility (SLDF) in order to better characterize SLDF in response to 930713 ltr.
MCDANIEL, K.K. Licensing Branch. 93/07/27. ROSENTHAL, P.R. Babcock & Wilcox Co. 1p. 75954:108-75954:108.

9308170443 Notifies of 930817 meeting in Bethesda, MD to present & discuss proposed approach for proceeding w/renewal of fuel cycle facility licenses, while NRC revises applicable regulations & develops SRP.
TOKAR, M. Licensing Branch. 93/08/10. KOSMIDER, M.D. Allied-Signal Corp. OLSEN, A.F., ROSENTHAL, P.R. Babcock & Wilcox Co. 3pp. 76160:259-76160:261.

9308310178 Informs of 930817 meeting in Bethesda, MD re fuel cycle facility license renewals.
PIERSON, R. Licensing Branch. 93/08/25. KOSMIDER, M.D. Allied-Signal Corp. OLSEN, A.F., ROSENTHAL, P.R. Babcock & Wilcox Co. 7pp. 76304:265-76304:271.

DOCKET 70-0398 COMMERCE, DEPT. OF, NATIONAL INSTITUTE OF STANDARDS &

9308260344 Trip rept of 930701-02 visit to MIT re possession of special nuclear matl under license SNM-986 & to discuss renewal w/staff.
ADAMS, M. Licensing Branch. 93/08/24. PIERSON, R. Licensing Branch. 3pp. 76266:334-76266:336.

DOCKET 70-0622 ARMY, DEPT. OF, DOVER, NJ

9308030361 Forwards Safeguards Insp Rept 70-0622/93-02 on 930629-30. No safety concerns or violations noted.
JOYNER, J.H. Region 1 (Post 820201). 93/07/21. CLUNE, M.F. Army, Dept. of, Armament Research, Development & Engineering Center. 4pp. 75979:314-75979:321.

-9308030368 Insp rept 70-0622/93-02 on 930629-30. No violations noted. Major areas inspected: nuclear matl control, accounting & physical security.
RATTA, A.D., KEIMIG, R.R. Region 1 (Post 820201). 93/07/19. 4pp. 75979:318-75979:321.

DOCKET 70-0687 CINTICHEM, INC., TUXEDO, NY

9308090239 Requests amend to decommissioning plan, Table 7.1 in response to recommendation in Insp Repts 50-054/93-01 & 70-0687/93-01.
MCGOVERN, J.J. Cintichem, Inc. 93/08/02. Document Control Branch (Document Control Desk). 1p. 76062:218-76062:218.

DOCKET 70-0734 GENERAL ATOMICS, SAN DIEGO, CA

9308160065 Forwards insp rept 70-0734/93-03 on 930621-25 & notices of violation & deviation.
REESE, J.H. Region 5 (Post 820201). 93/07/26. RADEMACHER, R.N. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 4pp. 76089:131-76089:150.

-9308160071 Notice of violation from insp on 930621-25. Violations noted: two emergency use self-contained breathing apparatus at Building 37 not tested & inspected for month of May 1993.
* Region 5 (Post 820201). 93/07/26. 1p. 76089:135-76089:135.

-9308160075 Notice of deviation from insp on 930621-25. Deviation noted: actions committed to by licensee to strengthen respiratory protection program were either late being completed or still incomplete as of 930625, as evidenced by listed examples.
* Region 5 (Post 820201). 93/07/26. 2pp. 76089:136-76089:137.

-9308160094 Insp rept 70-0734/93-03 on 930621-25. Violations & deviations noted. Major areas inspected: previous insp findings, radiation protection, transportation of radioactive materials, & generator requirements.
CILLIS, M., BREWER, K., REESE, J.H. Region 5 (Post 820201). 93/07/26. 13pp. 76089:138-76089:150.

9308100218 Forwards Cleveland Wrecking Co revised Baseline Schedule for SVA Decommissioning Project. Schedule reflects project data current as of 930712. W/one oversize drawing.
SMITH, S.H. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 93/07/28. WILSON, R.E. Licensing Branch. 2pp. 76110:356-76110:357.

9308170442 Notifies of 930817 meeting in Bethesda, MD to present & discuss proposed approach for proceeding w/renewal of fuel cycle facility licenses, while NRC revises applicable regulations & develops SRP.
TOKAR, M. Licensing Branch. 93/08/10. KOSMIDER, M.D. Allied-Signal Corp. WINSLOW, T.P. General Electric Co. ARNOLD, W.H. Louisiana Energy Services. 3pp. 76160:259-76160:261.

9308260338 Forwards "Soil Sampling Plan for Phase II of SVA Decommissioning Project."
ASMUSSEN, K.E. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 93/08/23. EMEIGH, C.W. Licensing Branch. 3pp. 76258:323-76258:344.

-9308260345 "Soil Sampling Plan for Phase II of SVA Decommissioning Project."
* General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 93/08/20. 18pp. 76258:327-76258:344.

9308260221 Forwards response to NRC ltr re violations noted in insp rept 70-0734/93-03 on 930726. Emergency Svc Procedure ES-2 also encl.
ASMUSSEN, K.E. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 93/08/24. Document Control Branch (Document Control Desk). 12pp. 76259:211-76259:242.

-9308270018 General Atomics Emergency Svc Procedure ES-2, Issue A.
BROCK, J. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 93/07/20. 20pp. 76259:223-76259:242.

9308310178 Informs of 930817 meeting in Bethesda, MD re fuel cycle facility license renewals.
PIERSON, R. Licensing Branch. 93/08/25. KOSMIDER, M.D. Allied-Signal Corp. 7pp. 76304:265-76304:271.

DOCKET 70-0754 GENERAL ELECTRIC CO., PLEASANTON, CA

9308160031 Forwards insp rept 70-0754/93-02 on 930707-09 & 12. No violations or deviations noted.
REESE, J.H. Region 5 (Post 820201). 93/07/23. STIMMEL, G.L. General Electric Co. 2pp. 76088:352-76088:360.

-9308160032 Insp rept 70-0754/93-02 on 930707-09 & 12. No violations or deviations noted. Major areas inspected: mgt & organization, criticality safety, operator training, operations review, maint/surveillance testing & transportation.
HOOKER, C.A., REESE, J.H. Region 5 (Post 820201). 93/07/23. 7pp. 76088:354-76088:360.

DOCKET 70-0824 BABCOCK & WILCOX CO., LYNCHBURG, VA

9308060076 Forwards insp rept 70-0824/93-01 on 930621-24 & notice of violation.
CLINE, W.E. Region 2 (Post 820201). 93/07/23. CARLSON, R.V. Babcock & Wilcox Co. 3pp. 75993:001-75993:026.

-9308060081 Notice of violation from insp on 930621-24. Violation noted: licensee failed to meet requirements for DOT shipping paper descriptions as listed.
* Region 2 (Post 820201). 93/07/23. 2pp. 75993:004-75993:005.

-9308060086 Insp rept 70-0824/93-01 on 930621-24. Violations noted. Major areas inspected: review of radiation protection programs for waste mgt, transportation & environmental monitoring.
KUZO, G.B., DECKER, T.R. Region 2 (Post 820201). 93/07/23. 21pp. 75993:006-75993:026.

9308270307 Forwards Insp Rept 70-0824/93-02 on 930719-20. Violations noted.
CLINE, W.E. Region 2 (Post 820201). 93/08/10. CARLSON, R.V. Babcock & Wilcox Co. 2pp. 76292:105-76292:119.

-9308270321 Insp Rept 70-0824/93-02 on 930719-22. Violations noted. Major areas inspected: exam of organization, mgt controls, audits, appraisals, training, external & internal exposure controls.
PHARR, W.H. Region 2 (Post 820201). 93/08/09. 13pp. 76292:107-76292:119.

9308240364 Responds to NRC 930723 ltr re violations noted in Insp Rept 70-0824/93-01. Corrective actions: Procedure TP-409 will be revised to change applicable checklist to include Bill of Lading w/radioactive shipment manifests as page 1.
ROSENTHAL, P.R. Babcock & Wilcox Co. 93/08/20. Document Control Branch (Document Control Desk). 3pp. 76215:332-76215:334.

DOCKET 70-0832 MINNESOTA MINING & MANUFACTURING CO., ST. PAUL, MN

9308040038 Forwards documents received from 3M to be placed in PDR & distributed to listed individuals.
MILLER, J. Division of Systems Safety & Analysis (Post 921004). 93/07/15. Document Control Branch (Document Control Desk). 1p. 75998:002-76007:325.

-9308040054 Responds to questions noted in 930504 ltr & provides info intended to validate use of 3M Interam E-50 Series 1 h & 3 h fire protection sys.
LICHT, R. Minnesota Mining & Manufacturing Co. (3M Co.). 93/06/30. MCCracken, C.E. Division of Systems Safety & Analysis (Post 921004). 6pp. 75998:003-75998:007.

-9308040082 "3M Fire Test Rept 87-58."
* Minnesota Mining & Manufacturing Co. (3M Co.). 87-58. 87/05/21. 69pp. 75998:008-75998:076.

-9308040090 "60 Minute Fire Protection on Conduits W/3M Interam E-53A Mast & Fire Dam 150 Caulk."
* Minnesota Mining & Manufacturing Co. (3M Co.). 87-76. 87/06/25. 50pp. 75998:077-75998:120.

170 DOCKETED ITEMS

- 9308040094 "3M Fire Test Rept 87-57 Test Date 870527 3M Chemolite Bldg 66 Large Scale Furnace."
* Minnesota Mining & Manufacturing Co. (3M Co.). 87-57. 87/05/27. 100pp. 75998:121-75998:188.
- 9308040097 "3M Fire Test 87-40 1 H Fire Protection on Cable Tray W/ 3M Interam E-50 Series Mats."
* Minnesota Mining & Manufacturing Co. (3M Co.). 87-40. 92/04/03. 34pp. 75998:189-75998:222.
- 9308040099 "3M Fire Test 92-141 1 H & 3 H Fire Protection on 1 sch 40 Steel Conduits Using 3M Interam E-54A Mats."
* Minnesota Mining & Manufacturing Co. (3M Co.). 92-141. 92/08/27. 74pp. 75998:223-75998:306.
- 9308040101 "3M Fire Test 92-167 Rev 1 930625 1 H Fire Protection on 1 Inch sch. 40 Steel Conduits Using 3M Interam E-53A Mats."
* Minnesota Mining & Manufacturing Co. (3M Co.). 92-167 R01. 92/10/08. 23pp. 75998:307-75998:330.
- 9308040106 "3M Fire Test 87-79 3 H Fire Protection on Cable Tray W/ 3M Interam E-50 Series Mats."
* Minnesota Mining & Manufacturing Co. (3M Co.). 87-79. 92/07/24. 50pp. 75998:331-75998:023.
- 9308040109 "3M Fire Test 87-82 3 H Fire Protection on Conduit W/3M Interam E-50 Series Mats."
* Minnesota Mining & Manufacturing Co. (3M Co.). 87-82. 87/07/29. 63pp. 75999:024-75999:093.
- 9308040119 "3M Fire Test 92-115 3 H Fire Protection on Conduits W/3M Interam E-50 Series Mats."
* Minnesota Mining & Manufacturing Co. (3M Co.). 92-115. 92/08/06. 52pp. 75999:094-75999:146.
- 9308040158 "3M Fire Test Rept 86-78."
* Minnesota Mining & Manufacturing Co. (3M Co.). 86-78. 86/06/30. 300pp. 75999:147-76000:207.
- 9308040168 "3M Fire Test Rept 86-17."
* Minnesota Mining & Manufacturing Co. (3M Co.). 86-17. 86/02/05. 75pp. 76000:208-76000:305.
- 9308040172 "3M Fire Test Rept 86-18."
* Minnesota Mining & Manufacturing Co. (3M Co.). 86-18. 86/02/06. 67pp. 76000:306-76001:014.
- 9308040173 "3M Fire Test 86-19."
* Minnesota Mining & Manufacturing Co. (3M Co.). 86-19. 86/02/07. 48pp. 76001:015-76001:073.
- 9308040188 "Nuclear Component Qualification Test Rept for Generic Seismic Qualification of 3M Interam E-50D 3 H Fire Protection Sys."
WILSON,S.K., FEY,T.A., BRIENT,R.D. Southwest Research Institute. SWRI-1208-001. 86/07/31. 97pp. 76001:074-76001:173.
- 9308040189 "Nuclear Component Qualification Test Rept for Generic Seismic Qualification of 3M E-50A Electrical Raceway Protection Sys."
WILSON,S.K., FEY,T.A., GONZALEZ,M. Southwest Research Institute. SWRI-8554. 85/07/31. 140pp. 76001:174-76001:331.
- 9308040224 "3M Interam E-50 Series One-Hour & Three Hour Flexible Wrap Fire Protection Sys."
* Minnesota Mining & Manufacturing Co. (3M Co.). 93/07/15. 70pp. 76001:332-76002:077.
- 9308040228 "3M Interam E-54A Fire Protection Mat Three Hour Flexible Wrap Sys for Electrical Raceways Installation Booklet Including QA Guidelines & Typical Drawings."
* Minnesota Mining & Manufacturing Co. (3M Co.). 6350-AA-1 102. 87/10/27. 69pp. 76002:078-76002:151.
- 9308040230 "3M Interam E-50 Series Fire Protection Mat One Hour Flexible Wrap Sys For Electrical Raceways Installation Booklet Including QA Guidelines & Typical Drawings."
* Minnesota Mining & Manufacturing Co. (3M Co.). 5500-AA-2 105. 87/06/19. 32pp. 76002:152-76002:203.
- 9308040233 "Rept on Steel Columns Protected W/Mat Matl."
* Underwriters Laboratory, Inc. 85NK23080. 86/10/13. 77pp. 76002:204-76003:008.
- 9308040234 "Ampacity Considerations When Using 3M Interam Fire Protection Matl."
KOZA,R.G. Minnesota Mining & Manufacturing Co. (3M Co.). 87/01/01. 35pp. 76003:009-76003:062.
- 9308040243 "Qualification Fire Test of Protective Envelope Sys."
* Southwest Research Institute. SWRI01-7912. 84/06/30. 300pp. 76003:063-76004:015.
- 9308040249 "Ampacity Derating of Fire-Protected Cables in Conduit/Cable Trays Using 3M Incorporated Passive Fire Protection Sys Identified as 3M Interam E-50A (Verification Tests)" final rept.
BEITEL,J.J. Southwest Research Institute. SWRI01-8818-208/209D. 86/10/06. 85pp. 76004:016-76004:099.
- 9308040254 Revised final rept, "Qualification Fire Test of Protective Envelope Sys."
* Southwest Research Institute. SWRI01-7912(2). 85/06/30. 200pp. 76004:100-76005:030.
- 9308040263 "Qualification Fire Test of Protective Envelope Sys" revised final rept.
BEITEL,J.J., MABRITO,B., LYLE,R.E. Southwest Research Institute. SWRI01-7912A(1). 85/02/28. 175pp. 76005:031-76005:222.
- 9308040267 "Twin City Testing Corp Qualification Fire Tests of 3M Interam E-50D Fire Protection Mat for Three Hour Rated Electrical Raceways" revised final rept.
BLANDIN,W.A. Twin City Testing Corp. (formerly Twin City Testing & Engineering Laboratory, Inc. 414186-331. 86/02/07. 200pp. 76005:223-76006:059.

—9308040275 "Qualification Fire Tests of 3M Interam E-50 Series Fire Protection Mat For One Hour Rated Electrical Raceways" final rept.
* Twin City Testing Corp. (formerly Twin City Testing & Engineering Laboratory, Inc. 414186-969. 86/07/01. 150pp. 76006:060-76006:216.

—9308040280 "Ampacity Derating of Fire-Protected Cables in Conduit/Cable Trays Using 3M Incorporated Passive Fire Protection Sys Identified as 3M Interam E-50A, E-50D, E-53A & E-50D/E-53A."
BEITEL,J.J. Southwest Research Institute. SWRI01-8818-208/209. 86/09/30. 150pp. 76006:217-76007:052.

—9308040285 "Nuclear Training Manual For 3M E-50 Series Fire Protection Sys."
* Minnesota Mining & Manufacturing Co. (3M Co.). 91/12/19. 42pp. 76007:053-76007:095.

—9308040286 "3M Advanced Training Program 3M Interam E-50 Series Fire Protection Sys for Nuclear Industry."
* Minnesota Mining & Manufacturing Co. (3M Co.). 93/06/15. 100pp. 76007:096-76007:325.

DOCKET 70-0903 UNITED NUCLEAR CORP., ELMSFORD, NY

9308260215 Ack receipt of 930729 ltr providing advance notification re confirmatory survey at Pawling (Nuclear Lake) site. Arrangements for performing confirmatory survey will be made when Chevron final verification survey rept received.
BERNERO,R.M. Office of Nuclear Material Safety & Safeguards. 93/08/20. WOLFF,J.D. Chevron U.S.A., Inc. 1p. 76265:357-76265:357.

DOCKET 70-0938 MASSACHUSETTS INSTITUTE OF TECHNOLOGY, CAMBRIDGE, MA

9308200117 Forwards RAI re 901025 request for renewal of License SNM-986. Addl info should be submitted in form of revised application within 45 days of date of ltr.
ADAMS,M.T. Licensing Branch. 93/08/19. MASSE,F.X. Massachusetts Institute of Technology, Cambridge, MA. 2pp. 76209:344-76209:345.

DOCKET 70-1100 COMBUSTION ENGINEERING, INC., WINDSOR, CT

9308090203 Forwards request for addl info re 930702 ltr transmitting decommissioning funding plan. Addl info requested in encl should be provided 30 days from date of NRC ltr.
TOKAR,M. Licensing Branch. 93/08/02. KERSTEEN,G.C. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 6pp. 76037:317-76037:322.

9308190169 Requests withdrawal to bifurcate license SNM-1067. Purpose was to bifurcate license to cover manufacturing & lab operations which have been discontinued.
CONANT,J.F. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). CONANT,J.F. ABB Atom, Inc. (formerly ASEA Atom, Inc.). 93/08/03. PIERSON,R.C. Licensing Branch. 2pp. 76161:353-76161:354.

9308110196 Responds to NRC 930708 ltr re violations noted in insp rept 70-1100/93-01. Corrective actions not encl.
FREEMAN,R.S. ASEA Brown Boveri, Inc. 93/08/05. Document Control Branch (Document Control Desk). 1p. 76076:352-76076:352.

9308170323 Forwards Amend 26 to License SNM-1067 & SER. Amend authorizes revs to emergency plan, per 910627 application & suppl dtd 930610.
PIERSON,R. Licensing Branch. 93/08/10. KERSTEEN,G.C. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 2pp. 76137:202-76137:216.

—9308170325 Amend 26 to License SNM-1067, authorizing revs to emergency plan.
PIERSON,R. Division of Fuel Cycle Safety & Safeguards (Post 930207). 93/08/10. 7pp. 76137:204-76137:214.

—9308170326 SER recommending approval of Amend 26 to License SNM-1067.
* NRC - No Detailed Affiliation Given. 93/08/10. 2pp. 76137:215-76137:216.

9308170443 Notices of 930817 meeting in Bethesda, MD to present & discuss proposed approach for proceeding w/renewal of fuel cycle facility licenses, while NRC revises applicable regulations & develops SRP.
TOKAR,M. Licensing Branch. 93/08/10. KOSMIDER,M.D. Allied-Signal Corp. KERSTEEN,G.C. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). ASMUSSEN,K.E. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 3pp. 76160:259-76160:261.

9308180196 Ack receipt of 930803 ltr re withdrawal of application dtd 930615 & 0716, requesting license SNM-1076 be separated into two licenses. All action re application has been terminated.
TOKAR,M. Licensing Branch. 93/08/17. KERSTEEN,G.C. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 1p. 76165:287-76165:287.

9308310178 Informs of 930817 meeting in Bethesda, MD re fuel cycle facility license renewals.
PIERSON,R. Licensing Branch. 93/08/25. KOSMIDER,M.D. Allied-Signal Corp. 7pp. 76304:265-76304:271.

DOCKET 70-1113 GENERAL ELECTRIC CO., WILMINGTON, NC

9308060312 "GE Wilmington, NC Semiannual Effluent Rept for Jan-June 1993." W/ 930726 ltr.
WINSLOW,T.P. General Electric Co. 93/06/30. EBNETER,S.D. Region 2 (Post 820201). 2pp. 76059:272-76059:273.

9308170443 Notices of 930817 meeting in Bethesda, MD to present & discuss proposed approach for proceeding w/renewal of fuel cycle facility licenses, while NRC revises applicable regulations & develops SRP.
TOKAR,M. Licensing Branch. 93/08/10. KOSMIDER,M.D. Allied-Signal Corp. WINSLOW,T.P. General Electric Co. ARNOLD,W.H. Louisiana Energy Services. 3pp. 76160:259-76160:261.

9308270046 Forwards insp rept 70-1113/93-05 on 930712-16.No violations noted.
CLINE,W.E. Region 2 (Post 820201). 93/08/10. SILVERTHORNE,D. General Electric Co. 2pp. 76292:158-76292:170.

-9308270055 Insp rept 70-1113/93-05 on 930712-16.No violations noted. Major areas inspected:radioactive effluents,envirom protection & transportation of radioactive matl.
JONES,D.W., DECKER,T.R. Region 2 (Post 820201). 93/08/10. 11pp. 76292:160-76292:170.

9308230128 Forwards Insp Rept 70-1113/93-06 on 930726-30.No violations or deviations noted.
COLLINS,D.M. Region 2 (Post 820201). 93/08/12. SILVERTHORNE,D. General Electric Co. 2pp. 76186:256-76186:265.

-9308230134 Insp rept 70-1113/93-06 on 930726-30.No violations noted. Major areas inspected:mgt controls,nuclear criticality safety,maint & fire protection.
TROUP,G.L., MCALPINE,E.J. Region 2 (Post 820201). 93/08/12. 8pp. 76186:258-76186:265.

9308310178 Informs of 930817 meeting in Bethesda,MD re fuel cycle facility license renewals.
PIERSON,R. Licensing Branch. 93/08/25. KOSMIDER,M.D. Allied-Signal Corp. 7pp. 76304:265-76304:271.

DOCKET 70-1151 WESTINGHOUSE ELECTRIC CORP., PITTSBURGH, PA

9308060014 Forwards insp rept 70-1151/93-04 on 930614-17.No violations noted.
CLINE,W.E. Region 2 (Post 820201). 93/07/13. FICI,J.A. Westinghouse Electric Corp. 2pp. 75992:081-75992:097.

-9308060017 Insp rept 70-1151/93-04 on 930614-17.No violations noted. Major areas inspected:radiochemical liquid & gaseous effluents,solid radiological waste disposal & transportation & radioactive matl transportation activities.
GLOERSEN,W.B., DECKER,T.R. Region 2 (Post 820201). 93/07/12. 15pp. 75992:083-75992:097.

9308060105 Ack receipt of 930712 ltr informing NRC of steps taken to correct violations noted in insp rept 70-1151/93-03.
COLLINS,D.M. Region 2 (Post 820201). 93/07/21. FICI,J.A. Westinghouse Electric Corp. 1p. 75993:184-75993:184.

9308230118 Application for amend to License SNM-1107, revising site emergency plan into existing license effective 930930. Summary of significant changes in site emergency plan encl.
REITLER,E. Westinghouse Electric Corp. 93/07/21. WENCK,T. Licensing Branch. 6pp. 76256:001-76256:126.

-9308230123 "Site Emergency Plan," for Apr 1993.W/three oversize encls.
* Westinghouse Electric Corp. 93/04/30. 135pp. 76256:007-76256:126.

9308060320 Forwards "SNM & Source Matl Physical Inventory Summary Rept" repts for matl balance period ending 930701 at facility, containing LEU summary data & HEU summary data,respectively.
SANDERS,C.F. Westinghouse Electric Corp. 93/07/27. Licensing Branch. 3pp. 76038:365-76038:360.

9308170443 Notifies of 930817 meeting in Bethesda,MD to present & discuss proposed approach for proceeding w/renewal of fuel cycle facility licenses,while NRC revises applicable regulations & develops SRP.
TOKAR,M. Licensing Branch. 93/08/10. KOSMIDER,M.D. Allied-Signal Corp. NARDI,A.J. Westinghouse Electric Corp. ADAMS,J. United States Enrichment Corp. (USEC). 3pp. 76160:259-76160:261.

9308310178 Informs of 930817 meeting in Bethesda,MD re fuel cycle facility license renewals.
PIERSON,R. Licensing Branch. 93/08/25. KOSMIDER,M.D. Allied-Signal Corp. 7pp. 76304:265-76304:271.

DOCKET 70-1201 B&W FUEL CO., LYNCHBURG, VA

9308090251 Requests that licensee submit appropriate changes to Fundamental Nuclear Matl Control Plan within 60 days, including list of effective pages,listing each page,date of each page & page rev number.
MILSTEIN,R. Licensing Branch. 93/08/04. KNAPP,K.S. Babcock & Wilcox Co. 1p. 76037:331-76037:331.

9308170443 Notifies of 930817 meeting in Bethesda,MD to present & discuss proposed approach for proceeding w/renewal of fuel cycle facility licenses,while NRC revises applicable regulations & develops SRP.
TOKAR,M. Licensing Branch. 93/08/10. KOSMIDER,M.D. Allied-Signal Corp. KNAPP,K.S. B&W Fuel Co. RODE,J.A. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 3pp. 76160:259-76160:261.

9308310178 Informs of 930817 meeting in Bethesda,MD re fuel cycle facility license renewals.
PIERSON,R. Licensing Branch. 93/08/25. KOSMIDER,M.D. Allied-Signal Corp. 7pp. 76304:265-76304:271.

DOCKET 70-1220 GENERAL ELECTRIC CO., SAN JOSE, CA

9308230253 Forwards Insp Rept 70-1220/93-01 of safeguards & irradiated fuel transportation activities on 930408.No violations or deviations noted.Rept withheld (ref 10CFR2.790).
PATE,R.J. Region 5 (Post 820201). 93/05/05. STIMMELL,G.L. General Electric Co. 3pp. 76213:190-76213:192.

DOCKET 70-1252 EDLOW INTERNATIONAL CO., WASHINGTON, DC

9308110163 Requests NRC route approval for Port of Oakland,CA per 10CFR73.37.
OSHINOWO,F. Edlow International Co. FIN L-21829. 93/07/12. CHAPPELL,R. Office of Nuclear Material Safety & Safeguards. 1p. 76063:297-76063:297.

DOCKET 70-1257 SIEMENS NUCLEAR POWER CORP., RICHLAND, WA

9308050240 Forwards response to NRC 930604 RAI re amend request for gadolinia scrap recovery process mods, revised Figure 1 showing eight raffinate tanks w/50 gallon capacity & revised pages to license & 920826 renewal application.
EDGAR,J.B. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 93/07/23. Division of Industrial & Medical Nuclear Safety (Post 870729). 7pp. 76027:171-76027:217.

-9308050245 Revised pages to 920826 application for renewal of License SNM-1227.
* Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 93/07/23. 38pp. 76027:178-76027:217.

9308090041 Forwards Amend 17 to License SNM-1227, revising membership of Health & Safety Council to replace Vice President, Operations Div & allowing manual operation of alpha air monitoring sys during maint.
PIERSON,R. Licensing Branch. 93/07/26. MAAS,L.J. Exxon Technology Holding Corp. 2pp. 76060:220-76060:229.

-9308090043 Amend 17 to License SNM-1227 for Siemens Power Corp.
PIERSON,R. Division of Fuel Cycle Safety & Safeguards (Post 930207). 93/07/26. 5pp. 76060:222-76060:226.

-9308090049 SER accepting 930429 application for amend to License SNM-1227.
* Office of Nuclear Material Safety & Safeguards. 93/07/26. 3pp. 76060:227-76060:229.

9308250278 Forwards insp rept 70-1257/93-08 on 930628-0702.No violations or deviations noted.
PATE,R.J. Region 5 (Post 820201). 93/08/04. FEMREITE,B.N. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 3pp. 76189:123-76189:130.

-9308250279 Insp rept 70-1257/93-08 on 930628-0702.No violations noted. Major areas inspected:review licensee emergency preparedness program & followup on open items.
QUALLS,P.M., PATE,R.J. Region 5 (Post 820201). 93/08/04. 5pp. 76189:126-76189:130.

9308240001 Forwards Insp Rept 70-1257/93-09 on 930726-30.Violations noted but not cited.
REESE,J.H. Region 5 (Post 820201). 93/08/08. FEMREITE,B.N. Exxon Technology Holding Corp. 2pp. 76207:320-76207:333.

-9308240003 Insp rept 70-1257/93-09 on 930726-30.Violations noted but not cited.Major areas inspected:maint/surveillance testing, radiation protection,criticality safety/operations review, environ/waste mgt & followup on open items.
HOOKER,C.A., BREWER,K., REESE,J.H. Region 5 (Post 820201). 93/08/08. 12pp. 76207:322-76207:333.

9308170443 Notifies of 930817 meeting in Bethesda,MD to present & discuss proposed approach for proceeding w/renewal of fuel cycle facility licenses,while NRC revises applicable regulations & develops SRP.
TOKAR,M. Licensing Branch. 93/08/10. KOSMIDER,M.D. Allied-Signal Corp. NARDI,A.J. Westinghouse Electric Corp. ADAMS,J. United States Enrichment Corp. (USEC). 3pp. 76160:259-76160:261.

9308170309 Notification of 930908 significant meeting w/Siemens Power Corp in Rockville,MD to discuss expansion of dry conversion facility at Richland Manufacturing Plant & status of Criticality Safety Analysis update program.
PIERSON,R. Licensing Branch. 93/08/11. Licensing Branch. 1p. 76137:314-76137:314.

9308180051 Forwards insp rept 70-1257/93-201 on 930712-16.No violations noted.Details withheld (ref 10CFR2.790).
SMITH,C.N. Operations Branch. 93/08/13. VAUGHN,R.E. Siemens Corp. 2pp. 76165:276-76165:278.

-9308180081 Partially withheld insp rept 70-1257/93-201 on 930712-16. Details withheld (ref 10CFR2.790).
LIGHT,C.S., CASSANO,R.F., YARDUMIAN,J. Operations Branch. 93/08/12. 1p. 76165:278-76165:278.

9308170311 Responds to 930308 ltr describing plans to relocate & upgrade UF-6 cylinder storage & handling facility Informs that listed add info needed.
TOKAR,M. Licensing Branch. 93/08/16. MAAS,L.J. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 4pp. 76137:110-76137:112.

9308250251 Responds to NRC 930702 ltr re NOV which resulted from incident that occurred on 930207 involving inadvertent discharge of approx 124 kg of LEU powder from process sys into lexan encl.Fee for civil penalty submitted separately.
FRAIN,R.G. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 93/08/17. Ofc of Enforcement (Post 870413). 12pp. 76221:344-76221:355.

9308250262 Remits fee in amount of \$12,500 in response to NRC imposition of civil penalty in ltr dtd 930702.Responses to violations noted in Insp Repts 70-1257/93-02 & 70-1257/93-07 provided under separate cover.
FRAIN,R.G. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 93/08/17. Ofc of Enforcement (Post 870413). 1p. 76260:286-76260:286.

9308310178 Informs of 930817 meeting in Bethesda,MD re fuel cycle facility license renewals.
PIERSON,R. Licensing Branch. 93/08/25. KOSMIDER,M.D. Allied-Signal Corp. 7pp. 76304:265-76304:271.

DOCKET 70-1308 GENERAL ELECTRIC CO., SAN JOSE, CA

9308310255 Acks receipt of 930624 ltr transmitting changes identified as Rev NEDS-14507-D3 to Morris Operation Physical Plan per 10CFR72.186(b).Changes consistent w/provisions of 10CFR72.186(b) & acceptable.
SNELL,W. Region 3 (Post 820201). 93/08/23. DENIO,L.L. General Electric Co. 2pp. 76307:334-76307:335.

172 DOCKETED ITEMS

DOCKET 70-1331 VETERANS ADMIN. MEDICAL CENTER, BUFFALO, NY

9308310056 Safety insp on 930803 of license SNM-1305. Insp findings: no violations noted.
* Region 1 (Post 820201). * Veterans Admin. Medical Center, Buffalo, NY. 93/08/09. 1p. 76263:289-76263:289.

DOCKET 70-1374 IDAHO STATE UNIV., POCA TELLO, ID

9308250318 Informs Staff of Univ intent to file for exemption status for license R-110 & SNM-1374 before Nov 1993 deadline.
CHARYULU, H. Idaho State Univ., Pocatello, ID. 93/08/19. DANDOIS, D., JACKSON, G. License Fee & Debt Collection Branch (Post 890827). 2pp. 76219:048-76219:049.

DOCKET 70-1403 NEWARK BETH ISRAEL MEDICAL CENTER, NEWARK, NJ

9308090141 Ack receipt of 930430 ltr informing NRC of steps taken to correct violations noted in insp rept 70-1403/93-01.
JOHANSEN, J.M. Region 1 (Post 820201). 93/07/09. PARSONNET, V. Beth Israel Medical Center, New York, NY. 2pp. 76020:190-76020:193.

-9308090141 Responds to NRC ltr re violations noted in insp rept 70-1403/93-01. Corrective actions: NRC will be notified in writing within 10 days of any loss of contact.
PARSONNET, V. Beth Israel Medical Center, New York, NY. 93/04/30. JOHANSEN, J.M. Region 1 (Post 820201). 2pp. 76020:192-76020:193.

DOCKET 70-1450 BERKSHIRE MEDICAL CENTER, PITTSFIELD, MA

9308250454 EN-93-080: on 930809, notice of proposed imposition of civil penalty in amount of \$7,500 issued to licensee. Action based on failure to implement quality mgmt program & 10 violations of radiation safety program.
HOLODY, D., MARTIN, T. Region 1 (Post 820201). 93/08/04. 2pp. 76255:347-76255:348.

DOCKET 70-1795 GEORGE WASHINGTON UNIV., WASHINGTON, DC

9308030128 Matls licensing package for amend 10 to license SNM-1499 for The George Washington Univ Medical Ctr. Control: 117891.
COSTELLO, F.M. Region 1 (Post 820201). 93/06/11. 11pp. 75947:350-75947:360.

DOCKET 70-2204 BLODGETT MEMORIAL MEDICAL CENTER, GRAND RAPIDS, MI

9308300242 Voided matls licensing action for license SNM-1614 for Blodgett Memorial Medical Ctr. Control: 394515.
HUETER, L.J. Region 3 (Post 820201). 93/02/24. NRC - No Detailed Affiliation Given. 6pp. 76278:329-76278:334.

DOCKET 70-3070 LOUISIANA ENERGY SERVICES, WASHINGTON, DC

9308060102 Forwards Rev 14 to SAR, Rev 11 to Environ Rept, Rev 6 to license application & Rev 5 to criticality safety engineering rept.
LEROY, P.G. Louisiana Energy Services. 93/07/30. HICKEY, J.W. Fuel Cycle Safety Branch (870729-930206). 3pp. 76028:034-76030:363.

-9308060104 Rev 14 to "SAR."
* Louisiana Energy Services. 93/07/30. 750pp. 76028:037-76029:352.

-9308060108 Rev 11 to "Environ Rept."
* Louisiana Energy Services. 93/07/30. 250pp. 76029:353-76030:241.

-9308060117 Rev 6 to license application.
* Louisiana Energy Services. 93/07/30. 23pp. 76030:242-76030:264.

-9308060120 Rev 5 to "Criticality Safety Engineering Rept."
* Louisiana Energy Services. 93/07/30. 100pp. 76030:265-76030:363.

9308030028 Discusses appropriate meteorological site for Homer.
HILLIS, B. Science Applications International Corp. (formerly Science Applications, Inc.). 92/04/23. Science Applications International Corp. (formerly Science Applications, Inc.). 2pp. 75996:003-75996:004.

9308030016 Provides reconfirmation of best meteorological site for Homer & wind speed data, in response to inquiry re wind that occurred in LA due to Hurricane Andrew.
HILLIS, B. Science Applications International Corp. (formerly Science Applications, Inc.). 92/10/14. Science Applications International Corp. (formerly Science Applications, Inc.). 2pp. 75996:006-75996:007.

9308030102 Discusses telcon w/B Moreland, Claiborne Parish Sheriff of re subjects of Homer current public safety resources & impact of Claiborne Enrichment Center facility.
SANCHEZ, G. Science Applications International Corp. (formerly Science Applications, Inc.). 92/10/22. ZEITOUN, A. Science Applications International Corp. (formerly Science Applications, Inc.). 1p. 75996:008-75996:008.

9308030105 Discusses telcon w/L Featherston, Homer Police Dept on subjects of Homer current public safety resources & impact of Claiborne Enrichment Center facility.
SANCHEZ, G. Science Applications International Corp. (formerly Science Applications, Inc.). 92/10/22. ZEITOUN, A. Science Applications International Corp. (formerly Science Applications, Inc.). 1p. 75995:333-75995:333.

9308030111 Discusses telcon w/D Rivet, Div of Archeology, Ofc of Cultural Development, Dept of Culture, Recreation & Tourism, State of LA re confirmation that Claiborne Enrichment Center facility would have no adverse archeological impact.
SANCHEZ, G. Science Applications International Corp. (formerly Science Applications, Inc.). 92/10/22. ZEITOUN, A. Science Applications International Corp. (formerly Science Applications, Inc.). 1p. 75996:002-75996:002.

9308030119 Discusses telcon w/M Walker, Haynesville Police Dept re current public safety resources & impact of Claiborne Enrichment Center facility.
SANCHEZ, G. Science Applications International Corp. (formerly Science Applications, Inc.). 92/10/23. ZEITOUN, A. Science Applications International Corp. (formerly Science Applications, Inc.). 1p. 75995:360-75995:360.

9308030122 Discusses telcon w/J Moek, Homer Light & Water Dept re current water supply in Homer & impact of potential increased consumption by Claiborne Enrichment Center.
SANCHEZ, G. Science Applications International Corp. (formerly Science Applications, Inc.). 92/10/25. ZEITOUN, A. Science Applications International Corp. (formerly Science Applications, Inc.). 1p. 75995:359-75995:359.

9308030116 Summarizes 920506 telcon w/JR Michael, Louisiana Tech re Louisiana Energy Services claim that 85% of const workers would come from 24-Parish labor pool surrounding Claiborne Enrichment Center.
CHERNOFF, H. Science Applications International Corp. (formerly Science Applications, Inc.). 92/10/30. ZEITOUN, A. Science Applications International Corp. (formerly Science Applications, Inc.). 1p. 75996:001-75996:001.

9308030049 Discusses telcon w/L Toggles, Homer Memorial Hosp re current health svcs situation in Claiborne Parish.
SANCHEZ, G. Science Applications International Corp. (formerly Science Applications, Inc.). 92/11/02. ZEITOUN, A. Science Applications International Corp. (formerly Science Applications, Inc.). 1p. 75995:357-75995:357.

9308030065 Discusses telcon w/J Nogle, Homer Aviation Airport re characteristics of Homer Aviation Airport & possibility of airport being expanded in future.
SANCHEZ, G. Science Applications International Corp. (formerly Science Applications, Inc.). 92/11/02. ZEITOUN, A. Science Applications International Corp. (formerly Science Applications, Inc.). 1p. 75996:017-75996:017.

9308030069 Discusses telcon w/T Johnson, Johnson Real Estate, Homer, LA re current housing situation in Homer & area adjacent to Louisiana Energy Services site.
SANCHEZ, G. Science Applications International Corp. (formerly Science Applications, Inc.). 92/11/03. ZEITOUN, A. Science Applications International Corp. (formerly Science Applications, Inc.). 1p. 75996:016-75996:016.

9308020222 Forwards 1991 traffic map showing motor vehicle traffic on principal roads for state of LA & map of 1990 average daily traffic count Claiborne Parish LA.
* Louisiana, State of. 92/11/04. SANCHEZ, G. Science Applications International Corp. (formerly Science Applications, Inc.). 3pp. 75953:322-75953:324.

9308030035 Discusses telcon w/P Lee, State of LA DOT & Development, Homer, LA re current road traffic volume situation in Homer, LA & area adjacent to Louisiana Energy Services site.
SANCHEZ, G. Science Applications International Corp. (formerly Science Applications, Inc.). 92/11/04. ZEITOUN, A. Science Applications International Corp. (formerly Science Applications, Inc.). 1p. 75995:358-75995:358.

9308030088 Discusses telcon w/G White, LA & Northwest Railroad, Homer, LA re current situation of railroad in Claiborne Parish.
SANCHEZ, G. Science Applications International Corp. (formerly Science Applications, Inc.). 92/11/04. ZEITOUN, A. Science Applications International Corp. (formerly Science Applications, Inc.). 1p. 75996:012-75996:012.

9308030092 Discusses telcon w/T Crocker, Haynesville, LA re Haynesville Airport.
SANCHEZ, G. Science Applications International Corp. (formerly Science Applications, Inc.). 92/11/04. ZEITOUN, A. Science Applications International Corp. (formerly Science Applications, Inc.). 1p. 75996:010-75996:010.

9308030098 Discusses telcon w/W Reed, LA State DOT & Development, Shreveport, LA re updating road traffic figures obtained in 1991 by SAIC. No current data published since 1991.
SANCHEZ, G. Science Applications International Corp. (formerly Science Applications, Inc.). 92/11/04. ZEITOUN, A. Science Applications International Corp. (formerly Science Applications, Inc.). 1p. 75996:009-75996:009.

9308020267 Verifies that Section 106 compliance process for proposed U enrichment facility, Homer Vicinity, Claiborne Parish, LA completed to state of LA satisfaction.
HOBBY, G. Louisiana, State of. 92/11/06. ZEITOUN, A. Science Applications International Corp. (formerly Science Applications, Inc.). 1p. 75954:110-75954:110.

9308020271 Informs that personnel of Natural Heritage Program reviewed captioned project & found that no records of rare, threatened or endangered species or unique community known to occur at Louisiana Energy Svcs U Enrichment Facility near Arizona, LA.
LESTER, G.D. Louisiana, State of. 92/11/17. SANCHEZ, G. Science Applications International Corp. (formerly Science Applications, Inc.). 1p. 75954:109-75954:109.

9308030043 Requests computer search for federally-listed endangered & threatened species, as well as state-listed endangered & rare species, occurring at projected site of Louisiana Energy Svcs U Enrichment facility in Claiborne Parish. Maps of site encl.
SANCHEZ, G. Science Applications International Corp. (formerly Science Applications, Inc.). 92/11/17. KROTOG, B., LEFTER, G. Interior, Dept. of, Fish & Wildlife Service. 1p. 75996:019-75996:019.

9308020273 Lists info provided by S Hargrove re motor vehicle registrations in Claiborne Parish & State of LA, per B Hillis contact w/LA Dept of Public Safety.
HILLIS, B. Science Applications International Corp. (formerly Science Applications, Inc.). 92/11/18. Science Applications International Corp. (formerly Science Applications, Inc.). 2pp. 75953:358-75953:359.

9308020216 Requests listed info on Claiborne Parish School Sys to be used in on-going effort to revise Impact Assessment of Claiborne Enrichment Center, as followup to recent telcon.
SANCHEZ, G. Science Applications International Corp. (formerly Science Applications, Inc.). 92/12/08. SPEER, J. Claiborne Parish, LA. 2pp. 75953:360-75953:361.

9308030085 Discusses telcon w/M Brakefield, Claiborne Parish Chamber of Commerce, Homer, LA re changes to Social Groups list obtained by SAIC one yr ago. Updated Table 3.6-1 reflecting changes in point of contact column encl.
SANCHEZ, G. Science Applications International Corp. (formerly Science Applications, Inc.). 92/12/18. ZEITOUN, A. Science Applications International Corp. (formerly Science Applications, Inc.). 2pp. 75996:013-75996:014.

9308030023 Discusses air & noise regulations affecting Louisiana Energy Services on local level. Informants that state handles all air pollution problems & that county currently does not have any noise ordinances in effect & none anticipated. HILLIS, B. Science Applications International Corp. (formerly Science Applications, Inc.). 93/02/03. Science Applications International Corp. (formerly Science Applications, Inc.). 1p. 75996:005-75996:005.

9308030076 Discusses telcon w/G Herrell, El Dorado Airport, El Dorado, AR re airline that services Louisiana Energy Services facility. SANCHEZ, G. Science Applications International Corp. (formerly Science Applications, Inc.). 93/02/08. ZEITOUN, A. Science Applications International Corp. (formerly Science Applications, Inc.). 1p. 75996:015-75996:015.

9308050292 Opposes const of U enrichment plant in Homer, LA. NRC should deny Louisiana Energy Svcs application to construct facility. DOLLAR, L. Affiliation Not Assigned. 93/06/25. THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). 1p. 76009:155-76009:155.

9308100225 Urges NRC to not support deregulation of radwaste. Requests that NRC not succumb to pressures from nuclear industry lobby. FIASIER, C. Affiliation Not Assigned. 93/07/04. NRC - No Detailed Affiliation Given. 2pp. 76074:299-76074:300.

9308100175 Urges that NRC not provide unsafe storage at plant. BREDEWEG, BREDEWEG, J. Affiliation Not Assigned. 93/07/17. NRC - No Detailed Affiliation Given. 2pp. 76074:297-76074:298.

9308110368 Summary of 930721 meeting w/SAIC & licensee re licensing schedule. ROCHE, L.A. Division of Fuel Cycle Safety & Safeguards (Post 930207). 93/07/22. HICKEY, J.W. Division of Fuel Cycle Safety & Safeguards (Post 930207). 1p. 76141:139-76141:139.

9308110221 Forwards completed EPA Form 2F w/accompanying site drainage map for stormwater discharges associated w/industrial activity from proposed Claiborne Enrichment Ctr. LEROY, P.G. Louisiana Energy Services. 93/07/23. Environmental Protection Agency. 8pp. 76076:343-76076:350.

9308190272 Comments on Louisiana Energy Svcs application to build U enrichment plant in Homer, LA. Opposes licensing. KOPP, M. Affiliation Not Assigned. 93/07/26. THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). 1p. 76156:359-76156:359.

9308100204 Forwards water quality data in tabulated format, per NRC request. LEROY, P.G. Louisiana Energy Services. 93/07/28. AYDELL, G. Louisiana, State of. 4pp. 76078:312-76078:315.

9308060143 Comments on Louisiana Energy Svcs application to build U enrichment plant in Homer, LA. Opposes licensing. COLLINS, K. Affiliation Not Assigned. 93/08/06. THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). 2pp. 76023:274-76023:275.

9308060157 Comments on Louisiana Energy Svcs application to build U enrichment plant in Homer, LA. Opposes licensing. DUFFIELD, E. Affiliation Not Assigned. 93/08/06. THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). 1p. 76023:273-76023:273.

9308130079 Notification of 930816 meeting w/SAIC & LA Energy Svcs in Rockville, MD to discuss first rev of licensee proposed license condition. ROCHE, L.A. Enrichment Branch. 93/08/10. HICKEY, J.W. Enrichment Branch. 2pp. 76150:278-76150:279.

9308170443 Notices of 930817 meeting in Bethesda, MD to present & discuss proposed approach for proceeding w/renewal of fuel cycle facility licenses, while NRC revises applicable regulations & develops SRP. TOKAR, M. Licensing Branch. 93/08/10. KOSMIDER, M.D. Allied-Signal Corp. MAXIN, A.M. Nuclear Fuel Services, Inc. MAAS, L.J. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel). 3pp. 76160:259-76160:261.

9308160192 Lists comments on 930618 version of proposed license conditions re deletion of descriptive matl. Commitment to treat gaseous effluent & descriptive info needs to be reinserted into license conditions. HICKEY, J.W. Enrichment Branch. 93/08/11. ARNOLD, W.H. Louisiana Energy Services. 21pp. 76128:197-76128:217.

9308190265 Comments on Louisiana Energy Svcs application to build U enrichment plant in Homer, LA. Opposes licensing. PORTER, R.C. Affiliation Not Assigned. 93/08/19. THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). 1p. 76155:358-76155:358.

9308190267 Comments on Louisiana Energy Svcs application to build U enrichment plant in Homer, LA. Opposes licensing. WHITFORD, R. Affiliation Not Assigned. 93/08/19. THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). 1p. 76156:360-76156:360.

9308300233 Forwards Rev 5 of emergency plan, committing LA Energy Svcs to use bio-assay collection methods for assessing possible internal radiation exposures. LEROY, P.G. Louisiana Energy Services. 93/08/20. HICKEY, J.W. Division of Industrial & Medical Nuclear Safety (Post 870729). 2pp. 76282:083-76282:106.

-9308300237 Rev 5 of emergency plan. LEROY, P.G. Louisiana Energy Services. 93/08/20. 22pp. 76282:085-76282:106.

9308310268 Forwards revised Staff comments on cS proposed license conditions. Comment numbers 35a, 38a, b, c, 99a & 116a are new. HICKEY, J.W. Enrichment Branch. 93/08/24. LEROY, P.G. Duke Engineering & Services. 23pp. 76304:282-76304:304.

9308310178 Informants of 930817 meeting in Bethesda, MD re fuel cycle facility license renewals. PIERSON, R. Licensing Branch. 93/08/25. KOSMIDER, M.D. Allied-Signal Corp. 7pp. 76304:265-76304:271.

DOCKET 70-3073 KERR-MCGEE CORP., OKLAHOMA CITY, OK

9308040202 Submits results of 930706 request to mow contaminated area on Cushing site & release portion of Cushing site for unrestricted use. Requests that final survey plan containing info recommended in NUREG/CR-5849 be submitted. AUSTIN, J.H. Decommissioning & Regulatory Issues Branch (Post 901230). 93/07/29. STAUTER, J.C. Kerr-McGee Corp. 3pp. 75996:318-75996:320.

DOCKET 70-3074 COLUMBIA UNIV., NEW YORK, NY

9308090060 Discusses insp rept 70-3074/93-01 on 930610 & forwards notice of violation. KINNEMAN, J.D. Region 1 (Post 820201). 93/07/14. GREENHOLTZ, L.A. Columbia Univ., New York, NY. 2pp. 76020:091-76020:094.

-9308090067 Notice of violation from insp on 930610. Violation noted: licensee possessed 4 g of U 233, special nuclear matl not authorized in license SNM-1995, w/o valid license. * Region 1 (Post 820201). 93/07/14. 2pp. 76020:093-76020:094.

DOCKET DOCKET UNKNOWN

9308110343 Forwards Rev 1 of PL-NRS-1191-002, "RUST Remedial Services, Inc Nuclear Remedial Services QA Program" for approval in support of NRC license application being submitted by RUST. Fee paid. CHRISTIAN, J. Affiliation Not Assigned. 93/07/30. McDONALD, C.E. Office of Nuclear Material Safety & Safeguards. 1p. 76090:123-76090:245.

-9308110348 "RUST Remedial Services, Inc Nuclear Remedial Services QA Program." KNOLES, S. Affiliation Not Assigned. 93/07/08. 100pp. 76090:124-76090:245.

9308130089 Requests registration as user of radioactive material packages on encl list. RUMRILL, D.A. Law Engineering. 93/08/05. HAUGHNEY, C.J. Office of Nuclear Material Safety & Safeguards. 2pp. 76141:209-76141:210.

PACKAGING OF RADIOACTIVE MATERIAL FOR TRANSPORT AND TRANSPORTATION OF RADIOACTIVE MATERIAL UNDER CERTAIN CONDITIONS

DOCKET 71-0040 AMERSHAM CORP.

9308160253 Forwards info to clarify items presented during post insp closed-out meeting on 930723. Virtually everyone in facility worked very hard to address NRC concerns from results of June 1992 insp & continues to do so as ongoing improvement. McDANIEL, W.M. Amersham Corp. 93/08/06. MATULA, T. Division of Safeguards & Transportation (870413-930206). 7pp. 76143:321-76143:327.

DOCKET 71-0090 COMBUSTION ENGINEERING, INC.

9308110275 Forwards revised functional structure of QA/QC organization. CONANT, J.F. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). CONANT, J.F. ASEA Brown Boveri, Inc. 93/08/02. Division of Industrial & Medical Nuclear Safety (Post 870729). 3pp. 76080:258-76080:260.

9308250301 Recommends licensee request amend to QA Program re organizational change in order for QA approval to remain intact. JANKOVICH, J.P. Source Containment & Devices Branch (Post 911213). 93/08/18. CONANT, J.F. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 1p. 76219:047-76219:047.

DOCKET 71-0108 UNIV. OF MISSOURI

9308180178 Application for amend to QA program approval for radioactive matl package: 0108, Rev 3. Proposed Amend 1 to QA program encl. MEYER, W.A. Missouri, Univ. of, Columbia, MO. 93/08/12. HAUGHNEY, C.J. Source Containment & Devices Branch (Post 911213). 2pp. 76153:312-76153:333.

-9308180181 Proposed Amend 1 to "Univ of MO Research Reactor Facility QA Program for Shipping Casks as Required by 10CFR71." Missouri, Univ. of, Columbia, MO. 93/08/12. 20pp. 76153:314-76153:333.

DOCKET 71-0179 NUCLEAR CONTAINERS, INC.

9308020202 Forwards Rev 3 of "Nuclear Containers, Inc QA Manual QA-3," incorporating corrections which needed further clarification as indicated by NRC 930614 ltr. ARNOLD, W.M. Nuclear Containers, Inc. 93/07/21. JANKOVICH, J.P. Source Containment & Devices Branch (Post 911213). 1p. 75952:311-75952:344.

-9308020213 Rev 3 of "Nuclear Containers, Inc QA Manual QA-3." ARNOLD, W.M. Nuclear Containers, Inc. 93/07/22. 33pp. 75952:312-75952:344.

9308060296 Forwards Rev 4 to QA program approval for radioactive matl package: 0179. HAUGHNEY, C.J. Source Containment & Devices Branch (Post 911213). 93/08/04. HOUSEHOLDER, W.R. Nuclear Containers, Inc. 1p. 76059:217-76059:218.

-9308060297 QA program approval for radioactive matl package: 0179, Rev 4. JANKOVICH, J.P. Transportation Branch (Post 930207). 93/08/04. 1p. 76059:218-76059:218.

9308160355 Corrects typographical error in ltr dtd 930804 re certificate of compliance 0179 for Model NCI-21PF-1. HAUGHNEY, C.J. Source Containment & Devices Branch (Post 911213). 93/08/11. HOUSEHOLDER, W. Nuclear Containers, Inc. 1p. 76143:337-76143:337.

3 of 4

174 DOCKETED ITEMS

DOCKET 71-0220 GENERAL DYNAMICS CORP.

9308190284 Requests renewal of approved QA program.Fee paid.
CAMERON,A.C. General Dynamics Corp. 93/08/11. JANKOVICH,J.P. Source Containment & Devices Branch. (Post 911213). 1p. 76184:056-76184:059.

-9308190347 "QA Program for Transport Packages for Industrial Radiography."
* General Dynamics Corp. 93/08/11. 3pp. 76184:057-76184:059.

DOCKET 71-0231 CHEM-NUCLEAR SYSTEMS, INC.

9308180012 Informs that vendor will provide detailed written response by 930914,in response to NRC 930714 RAI re Rev 4 to General Nuclear Sys,Inc QA Plan.
COLE,M.J. General Nuclear Systems, Inc. 93/08/09. HAUGHNEY,C.J. Source Containment & Devices Branch (Post 911213). 1p. 76160:269-76160:269.

DOCKET 71-0242 LAW ENGINEERING TESTING CO.

9308130165 Responds to telcon re clarification of approved QAP for radioactive matl package 0242.
RUMRILL,D.A. Law Engineering. 93/08/05. HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 2pp. 76104:345-76104:346.

DOCKET 71-0348 MICHIGAN, UNIV. OF

9308190349 Requests NRC review of encl invoice AM00447-93,Page 38,700 of NRC final rule appearing in 930720 FR (relevant section highlighted) & QA program approval for radioactive matl package:0348,Rev 3 also encl.
KELLY,W.C. Michigan, Univ. of, Ann Arbor, MI. 93/08/11. License Fee & Debt Collection Branch (Post 890827). 3pp. 76184:030-76184:034.

9308240126 Forwards QA approval for radioactive matl packages:0348,Rev 4.
JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 93/08/19. KELLY,W.C. Michigan, Univ. of, Ann Arbor, MI. 1p. 76213:311-76213:312.

-9308240133 QA program approval for radioactive matl package:0348,Rev 4.
JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 93/08/19. 1p. 76213:312-76213:312.

DOCKET 71-0354 ADVANCED MEDICAL SYSTEMS, INC.

9308130168 Responds to NRC 930618 ltr re violations noted in insp rept 71-0354/93-06.C/A:new organizational chart has been prepared & made part of QA 2000 1.0.
STEIN,S.J. Advanced Medical Testing Systems, St. Louis, MO. 93/07/08. MACDONALD,C.E. Transportation Branch (Post 930207). 3pp. 76104:356-76104:358.

9308160312 Forwards QA procedures designated as confidential by licensee in ltr dtd 930708,Notice of violation & nonconformance noted in insp rept 71-0354/93-06,currently under review.W/o encls.
HAUGHNEY,C.J. Source Containment & Devices Branch (Post 911213). 93/08/05. STEIN,S. Advanced Medical Systems, Inc. 1p. 76143:334-76143:334.

DOCKET 71-0361 MODEL: PAT-1, ENERGY, DEPT. OF

9308110240 Application for renewal of certificate of compliance 0361 for Model PAT-1 packaging.
WANGLER,M.E. Energy, Dept. of. 93/07/30. CHAPPELL,C.R. Transportation Branch (Post 930207). 1p. 76077:304-76077:304.

DOCKET 71-0396 RENSSSLAER POLYTECHNIC INSTITUTE

9308160150 Requests termination of QA program approval for radioactive matl package:0396 for Westinghouse container Model MO-1.
RYAN,R.M. Rensselaer Polytechnic Institute, Troy, NY. 93/08/10. JANKOVICH,J. Transportation Branch (Post 930207). 3pp. 76143:289-76143:291.

9308190046 Requests termination of QAP for radioactive waste packages 0396 for W container model MO-1.
RYAN,R.M. Rensselaer Polytechnic Institute, Troy, NY. 93/08/10. JANKOVICH,J. NRC - No Detailed Affiliation Given. 1p. 76183:351-76183:351.

9308180108 Terminates QA Program Approval 0396,per 930810 request. Records required by 10CFR71.91 are to be retained 3 yrs.
JANKOVICH,J.P. Transportation Branch (Post 930207). 93/08/13. RYAN,R.M. Rensselaer Polytechnic Institute, Troy, NY. 1p. 76160:270-76160:270.

DOCKET 71-0468 EL PASO NATURAL GAS, INC.

9308040124 Forwards QA program approval for radioactive matl package: 0468,Rev 3.
JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 93/07/29. MARCOUX,E.J. El Paso Natural Gas. 1p. 75997:275-75997:276.

-9308040143 QA program approval for radioactive matl package:0468,Rev 3.
JANKOVICH,J.P. Transportation Branch (Post 930207). 93/07/29. 1p. 75997:276-75997:276.

DOCKET 71-0496 SCIENTIFIC ECOLOGY GROUP, INC.

9308040261 Application for renewal of QA program for radioactive matl package:0496.Fee paid.
HEDGES,D. Scientific Ecology Group, Inc. 93/07/27. HAUGHNEY,C.J. Source Containment & Devices Branch (Post 911213). 1p. 76011:009-76011:111.

-9308040266 Rev 3 to "QA Program."
MOONEY,J.L., ANOWSMITH,H.W. Scientific Ecology Group, Inc. 90/03/31. 100pp. 76011:010-76011:111.

DOCKET 71-0503 PENN INSPECTION CO.

9308180241 Forwards info in support of renewal of QA Program for Radioactive Matl 0503 which expires 931031.
HIXON,E. Penn Inspection Co. 93/08/13. MACDONALD,C.E. Division of Safeguards & Transportation (870413-930206). 11pp. 76165:348-76165:359.

DOCKET 71-0598 WOLF CREEK NUCLEAR OPERATING CORP.

9308090021 Requests registration as user of model 660B exposure device.
HAGAN,R.C. Wolf Creek Nuclear Operating Corp. 93/07/29. MACDONALD,C.E. Transportation Branch (Post 930207). 1p. 76059:354-76059:354.

DOCKET 71-0656 PROFESSIONAL WELDING ASSOCIATES, INC.

9308030215 Application for renewal of QA program approval for radioactive matl package:0656.
RETZLAFF,P.M. Professional Welding Associates, Inc. 93/07/28. HAUGHNEY,C.J. Transportation Branch (Post 930207). 48pp. 76011:112-76011:159.

DOCKET 71-0731 QUALITY INSPECTION & TESTING

9308130114 Informs that licensee relocated place of business from Intl Way to Davis Road,Fairbanks,AK.Requests to register as users of Certificate USA/0095/S,USA/9056/B/(U),USA/9036/B(U) & USA/6717/B(U),per 10CFR71.101.Fee paid.
GRASS,C. Quality Inspection & Testing. 93/07/27. HAUGHNEY,C. Office of Nuclear Material Safety & Safeguards. 1p. 76143:143-76143:143.

9308270161 Forwards QA program approval for radioactive matl package: 0731,Rev 1.
JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 93/08/24. GRASS,C. Quality Inspection & Testing. 1p. 76266:342-76266:343.

-9308270164 QA program approval for radioactive matl package:0731,Rev 1.
JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 93/08/24. 1p. 76266:343-76266:343.

DOCKET 71-0739 HOUSTON INSPECTION, INC.

9308240119 Informs that in absence of required info,to base NRC approval of QA program for transport containers,per 10CFR71.12(b),vendor application dtd 920610 denied.Hearing w/respect to denial may be requested within 20 days.
JANKOVICH,J.P. Transportation Branch (870413-930206). 93/08/23. SPENCER,G. Houston Inspection, Inc. (formerly Houston Insp. Services & Houston Insp. Labs.). 1p. 76213:313-76213:313.

DOCKET 71-0766 QUAD CITY TESTING LABORATORY, INC.

9308050156 Forwards revised "10CFR71 QA Program For Industrial Radiography Licenses."
BLACK,S.P. Quad City Testing Laboratory, Inc. 93/07/16. MATULA,T. NRC - No Detailed Affiliation Given. 5pp. 76034:274-76034:278.

9308020049 Forwards Rev 0 to QA program approval for radioactive matl package:0766.
JANKOVICH,J.P. Transportation Branch (Post 930207). 93/07/28. BLACKS,P. Quad City Testing Laboratory, Inc. 1p. 75953:356-75953:357.

-9308020055 QA program approval for radioactive matl package:0766,Rev 0.
JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 93/07/28. 1p. 75953:357-75953:357.

DOCKET 71-0767 ALPHA QUALITY SERVICES

9308020035 Responds to NRC 930621 ltr re violations noted in insp repts 71-0767/93-01 & 71-9056/93-01.C/As:DOT regulations involving transport indexes have been reviewed & copy placed in file.
FOSTER,R. Alpha Quality Services. 93/07/12. YUHAS,G.P. Region 5 (Post 820201). 2pp. 75953:328-75953:329.

DOCKET 71-3021 MODEL: 3300A, TRANSPORTATION, DEPT. OF

9308270174 Informs that NRC need application showing that package design meets requirements of IAEA Safety Series 6 for Type B(U) packages,in connection w/review of 930628 request for assistance in reviewing Model 3300A package.
CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 93/08/24. BOYLE,R. Transportation, Dept. of. 1p. 76266:358-76266:358.

DOCKET 71-4986 MODEL: RA-2, RA-3, GENERAL ELECTRIC CO.

9308100272 Forwards Rev 31 to certificate of compliance 4986 for Model RA-2 & RA-3 packages.
CHAPPELL,C.R. Transportation Branch (Post 930207). 93/08/09. WINSLOW,T.P. General Electric Co. 1p. 76078:284-76078:289.

-9308100274 Certificate of compliance 4986,Rev 31,for Model RA-2 & RA-3.
CHAPPELL,C.R. Transportation Branch (Post 930207). 93/08/09. 5pp. 76078:285-76078:289.

DOCKET 71-5086 MODEL: UNC-2600, UNITED NUCLEAR CORP.

9308160359 Forwards request for addl info re renewal of certificate of compliance 5086 for Model UNC-2600 package. Requested info should be provided within 30 days from date of NRC ltr. CHAPPELL, C.R. Transportation Branch (Post 930207). 93/08/12. OLSEN, A.F. Babcock & Wilcox Co. 2pp. 76143:328-76143:325.

DOCKET 71-5805 MODEL: CNS 3-55, CHEM-NUCLEAR SYSTEMS, INC.

9308100177 Requests registration as user of Chem-Nuclear Sys, Inc CNS 3-55 radioactive mats shipping cask USA/5805/B(.). DENTON, R.E. Baltimore Gas & Electric Co. 93/08/03. Office of Nuclear Material Safety & Safeguards. 1p. 76078:316-76078:316.

DOCKET 71-5957 MODEL: BMI-1, CINTICHEM, INC.

9308050185 Requests withdrawal of univ 930713 proposal re requested dispensation of vertical spacers in BMI-1 cask, per 930722 telcon w/B Towell, DOE & N Osgood, HRC. Points agreed upon in telcon listed. DOYLE, T.E. Virginia Univ. of Charlottesville, VA. 93/07/22. WANGLER, M.E. Energy, Dept. of. 2pp. 76034:294-76034:295.

DOCKET 71-6078 MODEL: 927A1 & 927C1, COMBUSTION ENGINEERING, INC.

9308050481 Forwards Certificate of Compliance 6078, Rev 18 for Models 927A1 & 927C1 packages. CHAPPELL, C.R. Transportation Branch (Post 930207). 93/08/03. CONANT, J.F. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 1p. 76021:347-76021:351.

-9308050087 Certificate of compliance 6078, rev 18, for model 927A1 & 927C1. CHAPPELL, C.R. Transportation Branch (Post 930207). 93/08/03. 4pp. 76021:348-76021:351.

DOCKET 71-6574 MODEL: 3-82B, SCIENTIFIC ECOLOGY GROUP, INC.

9308200063 Requests registration as user of models LN-142 & 3-82B. BLOSSER, J.D. Union Electric Co. 93/08/11. BENERO, R.M. Office of Nuclear Material Safety & Safeguards. 3pp. 76209:320-76209:322.

DOCKET 71-6697 MODEL: GE-8500, ENERGY, DEPT. OF

9308120343 Notification of registration as user of COCs 6697,6717,9006, 9007,9032,9033,9035,9036,9039,9056,9098,9127,9137,9141,9143, 9156,9157,9165,9166,9185 & 9245. Notices that COCs 9133,9135 & 9160 expired. CHAPPELL, C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 93/08/06. SALLEE, R. Industrial Nuclear Co. 1p. 76094:347-76094:347.

DOCKET 71-6717 MODEL: 6717-B, AMERSHAM CORP.

9308050222 Requests registration as user of Models 6717-B, AI 500 SU, 650,660,660A,660AE,660B,660BE,660E,680,680E,715,771,100,100, 200,200A,C-8,IR-50,C-1 & SPEC 2-T. JOHNSTON, D.R. Met-Chem Testing Laboratories of Utah, Inc. 93/07/29. Office of Nuclear Material Safety & Safeguards. 1p. 76034:320-76034:320.

9308120343 Notification of registration as user of COCs 6697,6717,9006, 9007,9032,9033,9035,9036,9039,9056,9098,9127,9137,9141,9143, 9156,9157,9165,9166,9185 & 9245. Notices that COCs 9133,9135 & 9160 expired. CHAPPELL, C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 93/08/06. SALLEE, R. Industrial Nuclear Co. 1p. 76094:347-76094:347.

DOCKET 71-9001 MODEL: IF-300, NUCLEAR PACKAGING, INC.

9308050270 Application for rev to certificate of compliance 9001 for model IF-300, authorizing shipment of Shoreham natural U bundles w/zircalloy flow channels within Shoreham BWR Fuel Basket SAR addendums encl. QUINN, R.D. Pacific Nuclear Systems, Inc. 93/07/29. HAUGHNEY, C.J. Transportation Branch (Post 930207). 3pp. 76011:168-76011:247.

-9308050273 Rev 0 of "IF-300 Cask Shoreham BWR Fuel Basket SAR Addendum - Tarp Over Cask Encl." * Pacific Nuclear Systems, Inc. 93/07/31. 19pp. 76011:171-76011:188.

-9308050275 Rev 0 of "IF-300 Cask Shoreham BWR Fuel Basket SAR Addendum - Naturally Enriched Channelled Fuel." * Pacific Nuclear Systems, Inc. 93/07/31. 60pp. 76011:189-76011:247.

9308200175 Suppl to 930729 application for rev to COC 9001 for Model IF-300, informing that oversize stainless steel channels to be used to ship Shoreham fuel have nominal length of 167 inches. QUINN, R.D. Pacific Nuclear Systems, Inc. 93/08/10. HAUGHNEY, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 1p. 76190:296-76190:296.

9308270147 Forwards COC 9001, Rev 28, for Model IF-300, per 930729 application, as suppl on 930810. CHAPPELL, C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 93/08/19. QUINN, R.D. Pacific Nuclear Systems, Inc. 1p. 76291:342-76291:351.

-9308270152 Certificate of Compliance 9001, Rev 28, for Model IF-300. CHAPPELL, C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 93/08/19. 9pp. 76291:343-76291:351.

DOCKET 71-9006 MODEL: AI 500 SU, AMERSHAM CORP.

9308050222 Requests registration as user of Models 6717-B, AI 500 SU, 650,660,660A,660AE,660B,660BE,660E,680,680E,715,771,100,100, 200,200A,C-8,IR-50,C-1 & SPEC 2-T. JOHNSTON, D.R. Met-Chem Testing Laboratories of Utah, Inc. 93/07/29. Office of Nuclear Material Safety & Safeguards. 1p. 76034:320-76034:320.

9308120343 Notification of registration as user of COCs 6697,6717,9006, 9007,9032,9033,9035,9036,9039,9056,9098,9127,9137,9141,9143, 9156,9157,9165,9166,9185 & 9245. Notices that COCs 9133,9135 & 9160 expired. CHAPPELL, C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 93/08/06. SALLEE, R. Industrial Nuclear Co. 1p. 76094:347-76094:347.

DOCKET 71-9007 MODEL: AI 520, AMERSHAM CORP.

9308120343 Notification of registration as user of COCs 6697,6717,9006, 9007,9032,9033,9035,9036,9039,9056,9098,9127,9137,9141,9143, 9156,9157,9165,9166,9185 & 9245. Notices that COCs 9133,9135 & 9160 expired. CHAPPELL, C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 93/08/06. SALLEE, R. Industrial Nuclear Co. 1p. 76094:347-76094:347.

DOCKET 71-9027 MODEL: 741 & 741E, AMERSHAM CORP.

9308240331 Lists info provided as specified in 10CFR71.12(a) 3. DELKER, R.R. Tampa Power Corp. (formerly Tampa Keeler). 93/08/06. BERNERO, R.M. Office of Nuclear Material Safety & Safeguards. 2pp. 76211:274-76211:275.

DOCKET 71-9032 MODEL: 650, AMERSHAM CORP.

9308050222 Requests registration as user of Models 6717-B, AI 500 SU, 650,660,660A,660AE,660B,660BE,660E,680,680E,715,771,100,100, 200,200A,C-8,IR-50,C-1 & SPEC 2-T. JOHNSTON, D.R. Met-Chem Testing Laboratories of Utah, Inc. 93/07/29. Office of Nuclear Material Safety & Safeguards. 1p. 76034:320-76034:320.

9308120343 Notification of registration as user of COCs 6697,6717,9006, 9007,9032,9033,9035,9036,9039,9056,9098,9127,9137,9141,9143, 9156,9157,9165,9166,9185 & 9245. Notices that COCs 9133,9135 & 9160 expired. CHAPPELL, C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 93/08/06. SALLEE, R. Industrial Nuclear Co. 1p. 76094:347-76094:347.

DOCKET 71-9033 MODEL: 660, 660A, 660AE, 660B, 660BE, 660E, AMERSHAM

9308050222 Requests registration as user of Models 6717-B, AI 500 SU, 650,660,660A,660AE,660B,660BE,660E,680,680E,715,771,100,100, 200,200A,C-8,IR-50,C-1 & SPEC 2-T. JOHNSTON, D.R. Met-Chem Testing Laboratories of Utah, Inc. 93/07/29. Office of Nuclear Material Safety & Safeguards. 1p. 76034:320-76034:320.

9308110199 Notification of registration as user of certificates of compliance 9033 & 9036, in response to 930301 request. CHAPPELL, C.R. Transportation Branch (Post 930207). 93/08/06. BIGHAM, E.K. Law Engineering. 1p. 76076:353-76076:353.

9308120343 Notification of registration as user of COCs 6697,6717,9006, 9007,9032,9033,9035,9036,9039,9056,9098,9127,9137,9141,9143, 9156,9157,9165,9166,9185 & 9245. Notices that COCs 9133,9135 & 9160 expired. CHAPPELL, C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 93/08/06. SALLEE, R. Industrial Nuclear Co. 1p. 76094:347-76094:347.

9308240331 Lists info provided as specified in 10CFR71.12(a) 3. DELKER, R.R. Tampa Power Corp. (formerly Tampa Keeler). 93/08/06. BERNERO, R.M. Office of Nuclear Material Safety & Safeguards. 2pp. 76211:274-76211:275.

DOCKET 71-9035 MODEL: 680 & 680E, AMERSHAM CORP.

9308050222 Requests registration as user of Models 6717-B, AI 500 SU, 650,660,660A,660AE,660B,660BE,660E,680,680E,715,771,100,100, 200,200A,C-8,IR-50,C-1 & SPEC 2-T. JOHNSTON, D.R. Met-Chem Testing Laboratories of Utah, Inc. 93/07/29. Office of Nuclear Material Safety & Safeguards. 1p. 76034:320-76034:320.

9308120343 Notification of registration as user of COCs 6697,6717,9006, 9007,9032,9033,9035,9036,9039,9056,9098,9127,9137,9141,9143, 9156,9157,9165,9166,9185 & 9245. Notices that COCs 9133,9135 & 9160 expired. CHAPPELL, C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 93/08/06. SALLEE, R. Industrial Nuclear Co. 1p. 76094:347-76094:347.

DOCKET 71-9036 MODEL: C-1, SOURCE PRODUCTION & EQUIPMENT CO., INC.

9308050222 Requests registration as user of Models 6717-B, AI 500 SU, 650,660,660A,660AE,660B,660BE,660E,680,680E,715,771,100,100, 200,200A,C-8,IR-50,C-1 & SPEC 2-T. JOHNSTON, D.R. Met-Chem Testing Laboratories of Utah, Inc. 93/07/29. Office of Nuclear Material Safety & Safeguards. 1p. 76034:320-76034:320.

9308110199 Notification of registration as user of certificates of compliance 9033 & 9036, in response to 930301 request. CHAPPELL, C.R. Transportation Branch (Post 930207). 93/08/06. BIGHAM, E.K. Law Engineering. 1p. 76076:353-76076:353.

9308120343 Notification of registration as user of COCs 6697,6717,9006, 9007,9032,9033,9035,9036,9039,9056,9098,9127,9137,9141,9143, 9156,9157,9165,9166,9185 & 9245. Notices that COCs 9133,9135 & 9160 expired. CHAPPELL, C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 93/08/06. SALLEE, R. Industrial Nuclear Co. 1p. 76094:347-76094:347.

176 DOCKETED ITEMS

DOCKET 71-9039 MODEL: 715, AMERSHAM CORP.

9308050222 Requests registration as user of Models 6717-B,Al 500 SU, 650,660,660A,660AE,660B,660BE,660E,680,680E,715,771,100,100, 200,200A,C-8,IR-50,C-1 & SPEC 2-T.
JOHNSTON,D.R. Met-Chem Testing Laboratories of Utah, Inc. 93/07/29. Office of Nuclear Material Safety & Safeguards. 1p. 76034:320-76034:320.

9308120343 Notification of registration as user of COCs 6697,6717,9006, 9007,9032,9033,9035,9036,9039,9056,9098,9127,9137,9141,9143, 9156,9157,9165,9166,9185 & 9245. Notifies that COCs 9133,9135 & 9160 expired.
CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 93/08/06. SALLEE,R. Industrial Nuclear Co. 1p. 76094:347-76094:347.

DOCKET 71-9056 MODEL: SPEC 2-T, SOURCE PRODUCTION & EQUIPMENT CO.,

9308020035 Responds to NRC 930621 ltr re violations noted in insp repts 71-0767/93-01 & 71-9056/93-01.C/As:DOT regulations involving transport indexes have been reviewed & copy placed in file.
FOSTER,R. Alpha Quality Services. 93/07/12. YUHAS,G.P. Region 5 (Post 820201). 2pp. 75953:328-75953:329.

9308050222 Requests registration as user of Models 6717-B,Al 500 SU, 650,660,660A,660AE,660B,660BE,660E,680,680E,715,771,100,100, 200,200A,C-8,IR-50,C-1 & SPEC 2-T.
JOHNSTON,D.R. Met-Chem Testing Laboratories of Utah, Inc. 93/07/29. Office of Nuclear Material Safety & Safeguards. 1p. 76034:320-76034:320.

9308120343 Notification of registration as user of COCs 6697,6717,9006, 9007,9032,9033,9035,9036,9039,9056,9098,9127,9137,9141,9143, 9156,9157,9165,9166,9185 & 9245. Notifies that COCs 9133,9135 & 9160 expired.
CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 93/08/06. SALLEE,R. Industrial Nuclear Co. 1p. 76094:347-76094:347.

DOCKET 71-9071 MODEL: AP-101, ANEFCO, INC.

9308110205 Notification of registration as user of certificate of compliance 9071, in response to 930701 request.
CHAPPELL,C.R. Transportation Branch (Post 930207). 93/08/06. BECKHAM,J.T. Georgia Power Co. 1p. 76076:355-76076:355.

DOCKET 71-9073 MODEL: LN-142, SCIENTIFIC ECOLOGY GROUP, INC.

9308200063 Requests registration as user of models LN-142 & 3-82B.
BLOSSER,J.D. Union Electric Co. 93/08/11. BENERO,R.M. Office of Nuclear Material Safety & Safeguards. 3pp. 76209:320-76209:322.

DOCKET 71-9098 MODEL: CI-20WC-2 & CI-20WC-2A, CINTICHEM, INC.

9308120343 Notification of registration as user of COCs 6697,6717,9006, 9007,9032,9033,9035,9036,9039,9056,9098,9127,9137,9141,9143, 9156,9157,9165,9166,9185 & 9245. Notifies that COCs 9133,9135 & 9160 expired.
CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 93/08/06. SALLEE,R. Industrial Nuclear Co. 1p. 76094:347-76094:347.

DOCKET 71-9099 MODEL: ATR, ENERGY, DEPT. OF

9308050117 Forwards request for addl info re 930611 application requesting reinstatement of certificate of compliance 9099, for Model ATR Fresh Fuel shipping container. NRC must be notified within 30 days when info will be provided.
CHAPPELL,C.R. Transportation Branch (Post 930207). 93/07/30. WANGLER,M.E. Energy, Dept. of. 2pp. 76034:279-76034:280.

DOCKET 71-9102 MODEL: NPI-20WC-6, NEUTRON PRODUCTS, INC.

9308160348 Advises that certificate of compliance 9102 for Model NPI-20WC-6 packaging has an expiration date of 931031. Application for renewal of certificate of compliance must be submitted at least 30 days prior to expiration date.
CHAPPELL,C.R. Transportation Branch (Post 930207). 93/08/12. SCHWOERER,F. Neutron Products, Inc. 1p. 76143:336-76143:336.

DOCKET 71-9103 MODEL: NLI-6502, NUCLEAR ASSURANCE CORP.

9308160331 Advises that certificate of compliance 9103 for Model NLI-6502 packaging has an expiration date of 931031. Requests that consolidated application should be submitted at least 30 days prior to expiration date of certificate.
CHAPPELL,C.R. Transportation Branch (Post 930207). 93/08/12. LESSER,T. Nuclear Assurance Corp. 1p. 76143:335-76143:335.

DOCKET 71-9107 MODEL: 771, AMERSHAM CORP.

9308050222 Requests registration as user of Models 6717-B,Al 500 SU, 650,660,660A,660AE,660B,660BE,660E,680,680E,715,771,100,100, 200,200A,C-8,IR-50,C-1 & SPEC 2-T.
JOHNSTON,D.R. Met-Chem Testing Laboratories of Utah, Inc. 93/07/29. Office of Nuclear Material Safety & Safeguards. 1p. 76034:320-76034:320.

DOCKET 71-9127 MODEL: 100, 100A, 200 & 200A, AMERSHAM CORP.

9308050222 Requests registration as user of Models 6717-B,Al 500 SU, 650,660,660A,660AE,660B,660BE,660E,680,680E,715,771,100,100, 200,200A,C-8,IR-50,C-1 & SPEC 2-T.
JOHNSTON,D.R. Met-Chem Testing Laboratories of Utah, Inc. 93/07/29. Office of Nuclear Material Safety & Safeguards. 1p. 76034:320-76034:320.

9308120121 Responds to 930607 ltr re obtaining a modified certificate of compliance for Model 100,100A,200 & 200A packages.
CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 93/08/06. HUDDLESTONE,E.W. Industrial Nuclear Co. 1p. 76094:350-76094:350.

9308120343 Notification of registration as user of COCs 6697,6717,9006, 9007,9032,9033,9035,9036,9039,9056,9098,9127,9137,9141,9143, 9156,9157,9165,9166,9185 & 9245. Notifies that COCs 9133,9135 & 9160 expired.
CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 93/08/06. SALLEE,R. Industrial Nuclear Co. 1p. 76094:347-76094:347.

9308300318 Requests registration as user of model 100A.
MALINOSKI,J.W. Navy, Dept. of. 93/08/24. Transportation Branch (Post 930207). 1p. 76296:353-76296:353.

DOCKET 71-9128 MODEL: C-8, AMERSHAM CORP.

9308050222 Requests registration as user of Models 6717-B,Al 500 SU, 650,660,660A,660AE,660B,660BE,660E,680,680E,715,771,100,100, 200,200A,C-8,IR-50,C-1 & SPEC 2-T.
JOHNSTON,D.R. Met-Chem Testing Laboratories of Utah, Inc. 93/07/29. Office of Nuclear Material Safety & Safeguards. 1p. 76034:320-76034:320.

DOCKET 71-9133 MODEL: C-10, AMERSHAM CORP.

9308120343 Notification of registration as user of COCs 6697,6717,9006, 9007,9032,9033,9035,9036,9039,9056,9098,9127,9137,9141,9143, 9156,9157,9165,9166,9185 & 9245. Notifies that COCs 9133,9135 & 9160 expired.
CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 93/08/06. SALLEE,R. Industrial Nuclear Co. 1p. 76094:347-76094:347.

DOCKET 71-9135 MODEL: CENTURY S & SA, CENTURY UNIVERSAL S & SA,

9308120343 Notification of registration as user of COCs 6697,6717,9006, 9007,9032,9033,9035,9036,9039,9056,9098,9127,9137,9141,9143, 9156,9157,9165,9166,9185 & 9245. Notifies that COCs 9133,9135 & 9160 expired.
CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 93/08/06. SALLEE,R. Industrial Nuclear Co. 1p. 76094:347-76094:347.

DOCKET 71-9137 MODEL: 820, AMERSHAM CORP.

9308120343 Notification of registration as user of COCs 6697,6717,9006, 9007,9032,9033,9035,9036,9039,9056,9098,9127,9137,9141,9143, 9156,9157,9165,9166,9185 & 9245. Notifies that COCs 9133,9135 & 9160 expired.
CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 93/08/06. SALLEE,R. Industrial Nuclear Co. 1p. 76094:347-76094:347.

DOCKET 71-9141 MODEL: 900, AMERSHAM CORP.

9308120343 Notification of registration as user of COCs 6697,6717,9006, 9007,9032,9033,9035,9036,9039,9056,9098,9127,9137,9141,9143, 9156,9157,9165,9166,9185 & 9245. Notifies that COCs 9133,9135 & 9160 expired.
CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 93/08/06. SALLEE,R. Industrial Nuclear Co. 1p. 76094:347-76094:347.

DOCKET 71-9143 MODEL: 920, AMERSHAM CORP.

9308120343 Notification of registration as user of COCs 6697,6717,9006, 9007,9032,9033,9035,9036,9039,9056,9098,9127,9137,9141,9143, 9156,9157,9165,9166,9185 & 9245. Notifies that COCs 9133,9135 & 9160 expired.
CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 93/08/06. SALLEE,R. Industrial Nuclear Co. 1p. 76094:347-76094:347.

DOCKET 71-9156 MODEL: IR-50, INDUSTRIAL NUCLEAR CO.

9308120343 Notification of registration as user of COCs 6697,6717,9006, 9007,9032,9033,9035,9036,9039,9056,9098,9127,9137,9141,9143, 9156,9157,9165,9166,9185 & 9245. Notifies that COCs 9133,9135 & 9160 expired.
CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 93/08/06. SALLEE,R. Industrial Nuclear Co. 1p. 76094:347-76094:347.

DOCKET 71-9157 MODEL: IR-100, INDUSTRIAL NUCLEAR CO.

9308120343 Notification of registration as user of COCs 6697,6717,9006, 9007,9032,9033,9035,9036,9039,9056,9098,9127,9137,9141,9143, 9156,9157,9165,9166,9185 & 9245. Notifies that COCs 9133,9135 & 9160 expired.
CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 93/08/06. SALLEE,R. Industrial Nuclear Co. 1p. 76094:347-76094:347.

DOCKET 71-9159 MODEL: NUPAC 14/190H, L & M, LN-14-170H, L & M, NUPAC

9308300291 Requests registration as user of model 14/190H cask.
MCCOY,C.K. Georgia Power Co. 93/08/23. Office of Nuclear Material Safety & Safeguards. 1p. 76296:354-76296:354.

DOCKET 71-9160 MODEL: 20-VS & 40-VS, AMERSHAM CORP.

9308120343 Notification of registration as user of COCs 6697,6717,9006, 9007,9032,9033,9035,9036,9039,9056,9098,9127,9137,9141,9143, 9156,9157,9165,9166,9185 & 9245. Notifies that COCs 9133,9135 & 9160 expired.
CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 93/08/06. SALLEE,R. Industrial Nuclear Co. 1p. 76094:347-76094:347.

DOCKET 71-9165 MODEL: 855, AMERSHAM CORP.

9308120343 Notification of registration as user of COCs 6697,6717,9006, 9007,9032,9033,9035,9036,9039,9056,9098,9127,9137,9141,9143, 9156,9157,9165,9166,9185 & 9245. Notices that COCs 9133,9135 & 9160 expired. CHAPPELL, C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 93/08/06. SALLEE, R. Industrial Nuclear Co. 1p. 76094:347-76094:347.

9308250282 Requests renewal of Certificate of Compliance 9165 for Model 855 shipping container. PODOLAK, L. Amersham Corp. 93/08/16. MACDONALD, C.E. Transportation Branch (Post 930207). 9pp. 76260:267-76260:276.

DOCKET 71-9166 MODEL: 864, AMERSHAM CORP.

9308120343 Notification of registration as user of COCs 6697,6717,9006, 9007,9032,9033,9035,9036,9039,9056,9098,9127,9137,9141,9143, 9156,9157,9165,9166,9185 & 9245. Notices that COCs 9133,9135 & 9160 expired. CHAPPELL, C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 93/08/06. SALLEE, R. Industrial Nuclear Co. 1p. 76094:347-76094:347.

DOCKET 71-9167 MODEL: 3206B, 3227B & 3218, AMERSHAM CORP.

9308090029 Forwards revs to Sections 7 & 8 of SAR for Model 3206B, 3227B & 2118 shipping packages, incorporating info requested in NRC 930602 ltr. PODOLAK, L. Amersham Corp. 93/07/30. MACDONALD, C.E. Transportation Branch (Post 930207). 7pp. 76037:246-76037:252.

9308190177 Forwards 910801 & 0919 ltrs re transfer of COC 9167 for Models 3206B, 3227B & 3218 from Amersham Corp, Arlington Heights, IL to Amersham Corp, Burlington, MA, in response to C Withee 930806 request. PODOLAK, L. Amersham Corp. 93/08/10. MACDONALD, C.E. Transportation Branch (Post 930207). 1p. 76183:357-76183:360.

DOCKET 71-9185 MODEL: OP-100, INDUSTRIAL NUCLEAR CO.

9308120343 Notification of registration as user of COCs 6697,6717,9006, 9007,9032,9033,9035,9036,9039,9056,9098,9127,9137,9141,9143, 9156,9157,9165,9166,9185 & 9245. Notices that COCs 9133,9135 & 9160 expired. CHAPPELL, C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 93/08/06. SALLEE, R. Industrial Nuclear Co. 1p. 76094:347-76094:347.

DOCKET 71-9187 MODEL: 865, AMERSHAM CORP.

9308260073 Requests renewal of Certificate of Compliance USA/9187/B(U) for Model 865 shipping container. PODOLAK, L. Amersham Corp. 93/08/16. MACDONALD, C.E. Transportation Branch (Post 930207). 10pp. 76259:347-76259:355.

DOCKET 71-9208 MODEL: 10-142, NUPAC SERVICES, INC.

9308110201 Notification of registration as user of certificate of compliance 9208, in response to 930709 request. CHAPPELL, C.R. Transportation Branch (Post 930207). 93/08/06. HARDER, L. Toledo Edison Co. 1p. 76076:354-76076:354.

DOCKET 71-9222 MODEL: 14-215, SCIENTIFIC ECOLOGY GROUP, INC.

9308250471 Requests registration as user of Scientific Ecology Group, Inc Model 14-215 radioactive matls shipping cask. BOWLING, M.L. Virginia Power (Virginia Electric & Power Co.). 93/08/13. BERNERO, R.M. Office of Nuclear Material Safety & Safeguards. 3pp. 76265:355-76265:356.

DOCKET 71-9228 MODEL: 2000, GENERAL ELECTRIC CO.

9308100206 Forwards NEDO-32229, "Model 2000 Radioactive Matl Transport Package HFIR Fuel Basket & Liner SAR." CUNNINGHAM, G.E. General Electric Co. 93/08/04. HAUGHNEY, C.J. Transportation Branch (Post 930207). 1p. 76077:001-76077:263.

-9308100208 "Model 2000 Radioactive Matl Transport Package HFIR Fuel Basket & Liner SAR." DURLIOFSKY, H., CUNNINGHAM, G.E., POMARES, R.J. General Electric Co. NEDO-32225. 93/07/31. 200pp. 76077:002-76077:263.

9308270168 Forwards COC 9228, Rev 4, for Model 2000, per 930608 & 0727 applications. CHAPPELL, C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 93/08/24. CUNNINGHAM, G.E. General Electric Co. 1p. 76291:290-76291:295.

-9308270171 Certificate of Compliance 9228, Rev 1, for Model 2000. CHAPPELL, C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 93/08/24. 5pp. 76291:291-76291:295.

DOCKET 71-9230 MODEL: BR-100, B&W FUEL CO.

9308030190 Summary of 930715 meeting w/B&W Fuel Co in Rockville, MD re Model BR-100 package, w/respect to changes in cask design & some structural analyses. WITHEE, C.J. Transportation Branch (Post 930207). 93/07/28. Transportation Branch (Post 930207). 61pp. 75977:200-75977:260.

DOCKET 71-9239 MODEL: MCC-3, WESTINGHOUSE ELECTRIC CORP.

9308200001 Forwards Rev 3 to application for approval of COC 9239 for fissile radioactive matl MCC shipping containers. SANDERS, C.F. Westinghouse Electric Corp. 93/08/18. HAUGHNEY, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 2pp. 76181:204-76182:032.

-9308200002 Rev 3 to application for COC 9239 for fissile radioactive matl MCC shipping containers w/six oversize drawings. Westinghouse Electric Corp. 93/08/18. 191pp. 76181:206-76182:032.

9308260011 Requests registration as user of models MCC-3 & MCC-4 per 10CFR71.12(c)(3). GROTH, J.F. Houston Lighting & Power Co. 93/08/18. BERNERO, R.M. Office of Nuclear Material Safety & Safeguards. 2pp. 76266:304-76266:305.

DOCKET 71-9245 MODEL: RTS-420, RTS TECHNOLOGY, INC.

9308120343 Notification of registration as user of COCs 6697,6717,9006, 9007,9032,9033,9035,9036,9039,9056,9098,9127,9137,9141,9143, 9156,9157,9165,9166,9185 & 9245. Notices that COCs 9133,9135 & 9160 expired. CHAPPELL, C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 93/08/06. SALLEE, R. Industrial Nuclear Co. 1p. 76094:347-76094:347.

DOCKET 71-9249 MODEL: CNS 14-170, SERIES III, & EM-NUCLEAR SYSTEMS,

9308100275 Forwards Rev 1 to certificate of compliance 9249 for Model CNS 14-170, Series III package. CHAPPELL, C.R. Transportation Branch (Post 930207). 93/08/06. PAQUIN, P.L. Chem-Nuclear Systems, Inc. 1p. 76078:318-76078:322.

-9308100278 Certificate of compliance 9249, Rev 01, for Model CNS 14-170, Series III package. CHAPPELL, C.R. Transportation Branch (Post 930207). 93/08/06. 4pp. 76078:319-76078:322.

DOCKET 71-9256 MODEL: YNPS STEAM GENERATOR, YANKEE ATOMIC ELECTRIC CO.

9308050003 Forwards info responsive to NRC 930412 request for addl info re Certificate of Compliance 9256, including Rev 0 to Calculation YRC-1027, Rev 1 to Calculation YRC-1011 & GEI Consultants, Inc ltr re river road stability. MELLOR, R.A. Yankee Atomic Electric Co. 93/08/02. CHAPPELL, C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 5pp. 76016:176-76017:053.

-9308050004 Rev 0 to Calculation YRC-1027, "Evaluation of River Road Transport of Heavy Loads from Component Removal Project." DUFFY, W.J. Yankee Atomic Electric Co. YRC-1027 R00. 93/08/02. 110pp. 76016:181-76016:358.

-9308050005 Rev 1 to Calculation YRC-1011, "Sherman Dam Spillway Bridge - Analysis of Temporary Bridge for Transport of Steam Generator Packages." PHILLEY, G.H. Yankee Atomic Electric Co. YRC-1011 R01. 93/08/02. 52pp. 76017:001-76017:053.

9308060277 Forwards response to NRC request for addl info re util application for transportation cask certificate of compliance 9256. THAYER, J.K. Yankee Atomic Electric Co. 93/07/30. Document Control Branch (Document Control Desk). 47pp. 76036:284-76036:331.

LICENSING OF INDEPENDENT SPENT FUEL STORAGE**DOCKET 72-0001 GENERAL ELECTRIC CO., MORRIS OPERATIONS, 70-1308**

9308310255 Acks receipt of 930624 ltr transmitting changes identified as Rev NEDS-14507-D3 to Morris Operation Physical Plan per 10CFR72.186(b). Changes consistent w/provisions of 10CFR72.186(b) & acceptable. SNELL, W. Region 3 (Post 820201). 93/08/23. DENIO, L.L. General Electric Co. 2pp. 76307:334-76307:335.

DOCKET 72-0002 VIRGINIA ELECTRIC & POWER CO., 50-280 & 50-281

9308060327 Notification of 930812 meeting w/Util in Rockville, MD to discuss General Nuclear Svcs, Inc & Transnuclear, Inc SF storage cask designs & planned use at utility Surry ISFSI. STURZ, F.C. Transportation Branch (Post 930207). 93/07/28. HAUGHNEY, C.J. Transportation Branch (Post 930207). 2pp. 76059:182-76059:183.

9308260142 Forwards Rev 28A to ISFSI physical security plan. Plan withheld (ref 10CFR73.21). STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 93/08/18. Document Control Branch (Document Control Desk). 2pp. 76266:302-76266:303.

DOCKET 72-0003 CAROLINA POWER & LIGHT CO., 50-261

9308090315 Responds to 930618 ltr, including hand written message drafted by B Lucas re storing spent fuel onsite at Oyster Creek Nuclear Generating Station. Informs that NUHOMS casks already being used at listed ISFSIs. BERNERO, R.M. Office of Nuclear Material Safety & Safeguards. 93/07/29. CONNORS, L.T. New Jersey, State of. 2pp. 76072:328-76072:332.

DOCKET 72-0004 DUKE POWER CO., 50-269, 50-270 & 50-287

9308120350 Informs that no changes, tests or experiments made to Oconee ISFSI during period 920701-1231, per 10CFR72.48(b)(2). Rept submitted for time period of six months to coincide annual rept w/annual update of ISFSI FSAR. HAMPTON, J.W. Duke Power Co. 93/07/15. EBNETER, S.D. Region 2 (Post 820201). 2pp. 76102:350-76102:351.

178 DOCKETED ITEMS

9308060090 Forwards insp repts 50-269/93-20,50-270/93-20 & 50-287/93-20 on 930530-0626 & notice of violation.NRC concerned because violation indicates continued problems w/mgt oversight of activities at Keowee Hydro Station.
HERDT,A.R. Region 2 (Post 820201). 93/07/20. HAMPTON,J.W. Duke Power Co. 3pp. 75993:097-75993:120.

9308090315 Responds to 930618 ltr,including hand written message drafted by B Lucas re storing spent fuel onsite at Oyster Creek Nuclear Generating Station.Informs that NUHOMS casks already being used at listed ISFSIs.
BERNERO,R.M. Office of Nuclear Material Safety & Safeguards. 93/07/29. CONNORS,L.T. New Jersey, State of. 2pp. 76072:328-76072:332.

9308260043 Responds to NRC 930713 ltr re SALP Repts 50-269/93-11, 50-270/93-11 & 50-287/93-11 for period of 920201-930501. Requests that docket number assigned to ISFSI be added to final SALP rept.
HAMPTON,J.W. Duke Power Co. 93/08/18. Document Control Branch (Document Control Desk). 6pp. 76259:341-76259:346.

9308300131 Forwards insp rept 72-1004/93-07 on 930518-20,0607-09 & 0719 & notice of nonconformance.
HAUGHNEY,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 93/08/26. HAMPTON,J.W. Duke Power Co. 4pp. 76296:300-76296:338.

-9308300142 Insp rept 72-1004/93-07 on 930518-20,0607-09,0719-21. Nonconformance noted.Major areas inspected:procedures for NRC-approved QA program.
O'CONNER,S.C. Division of Industrial & Medical Nuclear Safety (Post 870729). 93/08/16. 27pp. 76296:304-76296:330.

-9308300148 Notice of nonconformance from insp on 930518-20,0607-09 & 0719-21.Nonconformance noted:identified conflicting info in receiving insp files.
* Division of Industrial & Medical Nuclear Safety (Post 870729). 93/08/20. 8pp. 76296:331-76296:338.

DOCKET 72-0005 WISCONSIN ELECTRIC POWER CO., 50-266 & 50-301

9308130028 Summary of 930630 licensee counterparts meeting at util corporate ofc re dry cask storage of spent fuel,SALP & other listed topics.
HANNON,J.N. Project Directorate III-3. 93/07/22. Project Directorate III-3. 200pp. 76133:001-76133:202.

9308300190 Responds to 930701 ltr w/regard to ltr from constituent B Johnson expressing concerns re storing spent fuel on site at Palisades & Point Beach nuclear power plants.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 93/08/23. ROTH,T. House of Rep. 3pp. 76282:107-76282:113.

-9308300197 Forwards ltr from constituent B Johnson expressing concerns re storing spent fuel on site at Palisades & Point Beach nuclear power plants.
ROTH,T. House of Rep. 93/07/01. RATHBUN,D. Office of Congressional Affairs (Post 911117). 4pp. 76282:110-76282:113.

DOCKET 72-0007 CONSUMERS POWER CO., 50-255

9308030039 Forwards motion to stay effectiveness,or in alternative,to rescind regulation published in 930407 FR re amend of 10CFR72.214 & use of storage device known as VSC-24 cask, submitted by atty general for State of MI.
GRAHAM,R.L. Jenner & Block. 93/05/21. JULIAN,E.L. Docketing & Services Branch. 1p. 75935:200-75935:226.

-9308030053 Motion to stay effectiveness,or in alternative,to rescind adoption of amend to 10CFR72.214 adding VSC-24 cask to approved list of casks.
SCHERBARTH,J.C. KEENAN,K.G. Michigan, State of. * Lake Michigan Federation. 93/05/21. Commissioners (Post 750119). 7pp. 75935:201-75935:207.

-9308030061 Affidavit of M Resnikoff to evaluate risk associated w/dry storage of irradiated nuclear fuel at plant & need for EIS before any storage permitted to take place.
RESNIKOFF,M. Michigan, State of. RESNIKOFF,M. Radioactive Waste Management Associates. 93/05/03. 19pp. 75935:208-75935:226.

9308030089 Forwards response of util to motion filed by FJ Kelley to stay effectiveness,or to rescind adoption of amend to 10CFR72.214.
ROSS,M.S. Consumers Power Co. ROSS,M.S. Shaw, Pittman, Potts & Trowbridge. 93/05/26. JULIAN,E.L. Docketing & Services Branch. 1p. 75936:001-75936:020.

-9308030182 Response of util motion to stay effectiveness,or in alternative,or to rescind adoption of amend 10CFR72.214 adding VSC-24 cask to approved list of casks.Petition & request for stay of final rule should be denied.
BLAKE,E.L., MIKELONIS,D.A. Consumers Power Co. BLAKE,E.L. Shaw, Pittman, Potts & Trowbridge. 93/04/07. Commissioners (Post 750119). 19pp. 75936:002-75936:020.

9308030095 Denial of motion for stay of effectiveness of regulation. Petition will be held in abeyance for period stated & movants have until 930825 to suppl petition for rescission of rule.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 93/05/26. Ofc of the Executive Director for Operations. 7pp. 75936:021-75936:027.

9308030170 Comment opposing proposed rule 10CFR72 re dry cask issue of LLRW storage problem.
WODTHE,H., WODTHE,S. Affiliation Not Assigned. 93/06/10. Docketing & Services Branch. 2pp. 75936:322-75936:323.

9308030126 Order terminating reconsideration of regulation per request for rescission.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 93/07/01. KELLY,F.J. Michigan, State of. 2pp. 75936:051-75936:052.

9308030109 Comment opposing proposed rule 10CFR72 re permitting loading of irradiated spent reactor fuel into dry-cask storage containers.
BENSON,E. Affiliation Not Assigned. 93/07/10. Docketing & Services Branch. 1p. 75936:035-75936:035.

9308170329 Responds to 930706 ltr,which incl ltr from constituent C Shier expressing concern re plans of CPC to store nuclear spent fuel in casks at Palisades Nuclear Plant.Copy of FR notice re approved VSC-24 cask,COC & SER encl w/o encls.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 93/08/06. MOSELEY-BRAUN Senate. 2pp. 76137:302-76137:305.

-9308170333 Forwards inquiry received from constituent C Shier re CPC plans to store nuclear spent fuel in casks at Palisades Nuclear Plant.
MOSELEY-BRAUN Senate. 93/07/06. RATHBUN,D.K. Office of Congressional Affairs (Post 911117). 2pp. 76137:304-76137:305.

9308160200 Responds to P Hanson 930709 ltr,forwarded by P Simon, expressing concerns re storing spent fuel onsite at Palisades Plant.Forwards SER & COC w/o encl.
BERNERO,R.M. Office of Nuclear Material Safety & Safeguards. 93/08/11. HANSON,P. Affiliation Not Assigned. 2pp. 76143:317-76143:320.

-9308160206 Forwards 930709 ltr of constituent,P Hanson,expressing concerns over storage of spent nuclear rods at Plant.
SIMON,P. Senate. 93/07/28. RATHBUN,D. NRC - No Detailed Affiliation Given. 2pp. 76143:319-76143:320.

9308160225 Responds to M Roche 930709 ltr,forwarded by P Simon.Ltr expressed concerns re storing spent fuel onsite at Palisades Plant.FR Notice 58FR17948,COC & SER encl w/o encls.
BERNERO,R.M. Office of Nuclear Material Safety & Safeguards. 93/08/11. ROCHE,M. Affiliation Not Assigned. 2pp. 76141:319-76141:322.

-9308160241 Forwards constituent,M Roche,930709 ltr expressing concern over storage of spent nuclear fuel rods at Plant.
SIMON,P. Senate. 93/07/28. RATHBUN,D. NRC - No Detailed Affiliation Given. 2pp. 76141:321-76141:322.

9308300190 Responds to 930701 ltr w/regard to ltr from constituent B Johnson expressing concerns re storing spent fuel on site at Palisades & Point Beach nuclear power plants.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 93/08/23. ROTH,T. House of Rep. 3pp. 76282:107-76282:113.

-9308300197 Forwards ltr from constituent B Johnson expressing concerns re storing spent fuel on site at Palisades & Point Beach nuclear power plants.
ROTH,T. House of Rep. 93/07/01. RATHBUN,D. Office of Congressional Affairs (Post 911117). 4pp. 76282:110-76282:113.

DOCKET 72-0008 BALTIMORE GAS & ELECTRIC CO., 50-317 & 50-318

9308040133 Discusses licensee responses to Maryland Safe Energy Coalition 921221 petition,requesting that all safety questions re ISFSI at plant be studied completely before any spent fuel transferred to vaults.
OCHS,R. Maryland Safe Energy Coalition. 93/07/27. BERNERO,R.M. Office of Nuclear Material Safety & Safeguards. 3pp. 75997:109-75997:111.

9308030140 Notifies that Nuclear Security Facility SAS activated & declared operational on 930717 & all alarm monitoring & assessment activities for ISFSI now conducted from station.
DENTON,R.E. Baltimore Gas & Electric Co. 93/07/28. Office of Nuclear Material Safety & Safeguards. 2pp. 75975:344-75975:345.

9308090315 Responds to 930618 ltr,including hand written message drafted by B Lucas re storing spent fuel onsite at Oyster Creek Nuclear Generating Station.Informs that NUHOMS casks already being used at listed ISFSIs.
BERNERO,R.M. Office of Nuclear Material Safety & Safeguards. 93/07/29. CONNORS,L.T. New Jersey, State of. 2pp. 76072:328-76072:332.

9308240228 Forwards Director Decision DD-93-14 denying 921221 petition requesting that NRC institute proceeding per 10CFR2.206,w/ regard to ISFSI at Calvert Cliffs Nuclear Power Plant.FR notice also encl.
BERNERO,R.M. Office of Nuclear Material Safety & Safeguards. 93/08/16. OCHS,R. Maryland Safe Energy Coalition. 6pp. 76211:294-76211:319.

-9308240236 Director Decision DD-93-14,denying Maryland Safe Energy Coalition 921221 petition requesting that NRC institute proceeding per 10CFR2.206,w/regard to ISFSI at Calvert Cliffs Nuclear Power Plant.
BERNERO,R.M. Office of Nuclear Material Safety & Safeguards. 93/08/16. 16pp. 76211:300-76211:316.

-9308240249 FR notice re denial of Maryland Safe Energy Coalition 921221 petition requesting that NRC institute proceeding per 10CFR2.206 w/regard to ISFSI at Calvert Cliffs Nuclear Power Plant.
BERNERO,R.M. Office of Nuclear Material Safety & Safeguards. 93/08/16. 3pp. 76211:317-76211:319.

DOCKET 72-0009 PUBLIC SERVICE CO. OF COLORADO, 50-267

9308050149 Forwards Issue 2 of Emergency Response Procedure (ERP) DPP 5.2.9, "ERP-Teams" & Issue 2 of ERP DPP 5.2.11, "ERP-TSC".
WAREMBOURG,D.W. Public Service Co. of Colorado. 93/07/28. Document Control Branch (Document Control Desk). 1p. 76019:285-76019:330.

-9308050152 Issue 2 of Emergency Response Procedure (ERP) DPP 5.2.9, "ERP-Teams."
* Public Service Co. of Colorado. 93/07/27. 16pp. 76019:286-76019:301.

-9308050155 Issue 2 of Emergency Response Procedure (ERP) DPP 5.2.11, "ERP-TSC."
* Public Service Co. of Colorado. 93/07/27. 29pp. 76019:302-76019:330.

9308050142 Forwards Issue 2 of Emergency Response Procedure (ERP) DPP 5.2.4, "ERP-Dose Assessment." Ltr late because procedure temporarily lost within util internal procedure processing sys.
WAREMBOURG,D.W. Public Service Co. of Colorado. 93/07/29. Document Control Branch (Document Control Desk). 1p. 76018:340-76018:347.

-9308050146 Issue 2 of Emergency Response Procedure (ERP) DPP 5.2.4, "ERP-Dose Assessment."
* Public Service Co. of Colorado. 93/07/21. 7pp. 76018:341-76018:347.

9308090265 Responds to NRC 930702 ltr re deviations noted in insp repts 50-267/93-02 & 72-0009/93-02.C/As:licensee will issue memo to all Westinghouse employee to reemphasize requirements for lifting & handling RB crane.
WAREMBOURG,D.W. Public Service Co. of Colorado. 93/07/30. Document Control Branch (Document Control Desk). 6pp. 76059:348-76059:353.

9308310079 Submits results of review of util 10CFR72.48 SE of proposed new oil storage & treatment facilities near FSV ISFSI.
STURZ,F.C. Division of Industrial & Medical Nuclear Safety (Post 870729). 93/08/27.
WAREMBOURG,D.W. Public Service Co. of Colorado. 2pp. 76321:328-76321:329.

DOCKET 72-1000 MODEL: CASTOR V/21, GENERAL NUCLEAR SYSTEMS, INC.

9308180012 Informs that vendor will provide detailed written response by 930914, in response to NRC 930714 RAI re Rev 4 to General Nuclear Sys, Inc QA Plan.
COLE,M.J. General Nuclear Systems, Inc. 93/08/09. HAUGHNEY,C.J. Source Containment & Devices Branch (Post 911213). 1p. 76160:269-76160:269.

9308180257 Notifies licensee NRC will no longer withhold from public disclosure info forming basis for final rule in rulemaking placing Castor V/21 on list of approved spent storage casks.
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 93/08/13. ANDERSON,R.T. General Nuclear Systems, Inc. 5pp. 76165:279-76165:283.

DOCKET 72-1001 MODEL: MC-10, WESTINGHOUSE ELECTRIC CORP.

9308180264 Notifies Licensee,NRC will no longer withhold from public disclosure proprietary info submitted forming basis for final rule in rulemaking placing MC-10 cask on list of approved spent fuel storage casks.
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 93/08/13. BOLMGREN,C.R. Westinghouse Electric Corp. 6pp. 76165:296-76165:301.

DOCKET 72-1002 MODEL: NAC S/T, NUCLEAR ASSURANCE CORP.

9308180269 Informs that NRC will no longer withhold from public disclosure proprietary info that forms basis of final rule to add NAC S/T & NAC-C28 casks to approved list of approved spent fuel storage cask.
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 93/08/13. STUART,I.F. Nuclear Assurance Corp. 5pp. 76165:309-76165:313.

DOCKET 72-1003 MODEL: NAC-C28 S/T, NUCLEAR ASSURANCE CORP.

9308180269 Informs that NRC will no longer withhold from public disclosure proprietary info that forms basis of final rule to add NAC S/T & NAC-C28 casks to approved list of approved spent fuel storage cask.
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 93/08/13. STUART,I.F. Nuclear Assurance Corp. 5pp. 76165:309-76165:313.

DOCKET 72-1004 MODEL: NUHOMS-24P, PACIFIC NUCLEAR FUEL SERVICES, INC.

9308090315 Responds to 930618 ltr,including hand written message drafted by B Lucas re storing spent fuel onsite at Oyster Creek Nuclear Generating Station.Informs that NUHOMS casks already being used at listed ISFSIs.
BERNERO,R.M. Office of Nuclear Material Safety & Safeguards. 93/07/29.
CONNORS,L.T. New Jersey. State of. 2pp. 76072:328-76072:332.

9308300131 Forwards insp rept 72-1004/93-07 on 930518-20,0607-09 & 0719 & notice of nonconformance.
HAUGHNEY,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 93/08/26. HAMPTON,J.W. Duke Power Co. 4pp. 76296:300-76296:338.

-9308300142 Insp rept 72-1004/93-07 on 930518-20,0607-09,0719-21. Nonconformance noted.Major areas inspected:procedures for NRC-approved QA program.
O'CONNER,S.C. Division of Industrial & Medical Nuclear Safety (Post 870729). 93/08/16. 27pp. 76296:304-76296:330.

-9308300148 Notice of nonconformance from insp on 930518-20,0607-09 & 0719-21.Nonconformance noted:identified conflicting info in receiving insp files.
* Division of Industrial & Medical Nuclear Safety (Post 870729). 93/08/20. 8pp. 76296:331-76296:338.

DOCKET 72-1007 MODEL: VSC-24, PACIFIC SIERRA NUCLEAR ASSOCIATES

9308170329 Responds to 930706 ltr,which encl ltr from constituent C Shier expressing concern re plans of CPC to store nuclear spent fuel in casks at Palisades Nuclear Plant.Copy of FR notice re approved VSC-24 cask,COC & SER encl.W/o encls.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 93/08/06. MOSELEY-BRAUN Senate. 2pp. 76137:302-76137:305.

9308260033 Notifies of intention to start fabrication of ventilated storage cask under COC 1007 45 days from receipt of this ltr.Requests that encl transmittal form be signed & returned.
MASSEY,J.V. Sierra Nuclear, Inc. 93/08/10. STURZ,F. NRC - No Detailed Affiliation Given. 2pp. 76236:335-76236:336.

9308160225 Responds to M Roche 930709 ltr,forwarded by P Simon.Ltr expressed concerns re storing spent fuel onsite at Palisades Plant.FR Notice 58FR17948,COC & SER encl.W/o encls.
BERNERO,R.M. Office of Nuclear Material Safety & Safeguards. 93/08/11.
ROCHE,M. Affiliation Not Assigned. 2pp. 76141:319-76141:322.

-9308160241 Forwards constituent,M Roche,930709 ltr expressing concern over storage of spent nuclear fuel rods at Plant.
SIMON,P. Senate. 93/07/28. RATHBUN,D. NRC - No Detailed Affiliation Given. 2pp. 76141:321-76141:322.

9308300190 Responds to 930701 ltr w/regard to ltr from constituent B Johnson expressing concerns re storing spent fuel on site at Palisades & Point Beach nuclear power plants.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 93/08/23. ROTH,T. House of Rep. 3pp. 76282:107-76282:113.

-9308300197 Forwards ltr from constituent B Johnson expressing concerns re storing spent fuel on site at Palisades & Point Beach nuclear power plants.
ROTH,T. House of Rep. 93/07/01. RATHBUN,D. Office of Congressional Affairs (Post 911117). 4pp. 76282:110-76282:113.

NONDOCKETED ITEMS

10CFR COMMISSION MEETING RECORDS

9308020010 Staff requirements memo re Commission approval of listed staff proposals & Commission recommendation that staff consider eventually entering & maintaining documents in retrievable computer sys.
CHILK,S.J. Office of the Secretary of the Commission. 93/06/23. TAYLOR,J.M. Ofc of the Executive Director for Operations. 2pp. 75931:284-75931:285.

9308020125 Staff requirements memo re disapproval of staff proposal to eliminate option to waive waiting period to move within pay band SL-1 for Senior Level Sys.
CHILK,S.J. Office of the Secretary of the Commission. 93/06/23. TAYLOR,J.M. Ofc of the Executive Director for Operations. 1p. 75978:068-75978:068.

9308020132 Staff requirements memo re SECY-93-106 concerning withdrawal of below regulatory concern policy statements in accordance w/Energy Policy Act of 1992.
CHILK,S.J. Office of the Secretary of the Commission. 93/06/24. PARLER,W.C. Office of the General Counsel (Post 860701). 2pp. 75938:342-75938:343.

9308020176 Staff requirements memo advising that justification necessary before decision can be made not to proceed w/subject rulemaking SECY-93-124.
CHILK,S.J. Office of the Secretary of the Commission. 93/06/28. TAYLOR,J.M. Ofc of the Executive Director for Operations. 3pp. 75938:344-75938:346.

9308020177 Transcript of 930708 public meeting in Rockville,MD re briefing by Nuclear Safety Research Review Committee.W/ related info.
* Commissioners (Post 750119). 93/07/08. 153pp. 75938:192-75938:337.

9308020182 Staff requirements memo re approval of publication of Notice of Proposed Rulemaking subject to changes indicated in attachment.Rulemaking regards SECY-93-144 on siting criteria.
CHILK,S.J. Office of the Secretary of the Commission. 93/06/17. TAYLOR,J.M. Ofc of the Executive Director for Operations. 9pp. 75944:331-75944:339.

9308020184 Staff requirements memo re SECY-93-137 on trust funds before decommissioning plan approval.
CHILK,S.J. Office of the Secretary of the Commission. 93/06/22. TAYLOR,J.M. Ofc of the Executive Director for Operations. 2pp. 75978:069-75978:070.

9308020240 Staff requirements memo informing that options set forth in SECY-93-130 re regulatory impact survey for fuel cycle & materials licenses not approved.
CHILK,S.J. Office of the Secretary of the Commission. 93/06/30. TAYLOR,J.M. Ofc of the Executive Director for Operations. 2pp. 75938:338-75938:339.

9308030383 Staff requirements memo re SECY-93-175. "Location Of Backup EOF For Zion Nuclear Station."
CHILK,S.J. Office of the Secretary of the Commission. 93/07/13. TAYLOR,J.M. Ofc of the Executive Director for Operations. 1p. 76154:225-76154:225.

9308050260 Transcript of 930714 public meeting in Rockville,MD re affirmation/discussion & vote.
* Commissioners (Post 750119). 93/07/14. 6pp. 75990:288-75990:294.

9308060324 Staff requirements memo re briefing by Nuclear Safety Research Review Committee on 930708 in Rockville,MD.
CHILK,S.J. Office of the Secretary of the Commission. M930708. 93/07/21. TAYLOR,J.M. Ofc of the Executive Director for Operations. 2pp. 76023:305-76023:306.

9308060334 Staff requirements memo re affirmation/discussion & vote on 930714 in Rockville,MD.
CHILK,S.J. Office of the Secretary of the Commission. M930714. 93/07/21. BURNS,S.G. Office of Commission Appellate Adjudication (Post 910701). 1p. 76023:307-76023:307.

9308120217 Transcript of 930720 public meeting in Rockville,MD re briefing on options for addressing shutdown & low power risk issues.Pp 1-68.Supporting documentation encl.
* Commissioners (Post 750119). 93/07/20. 82pp. 76086:223-76086:304.

9308120364 Staff requirements memo re briefing on options for addressing shutdown & low power risk issues (SECY-93-190).
CHILK,S.J. Office of the Secretary of the Commission. M930720A. 93/07/27. TAYLOR,J.M. Ofc of the Executive Director for Operations. 1p. 76085:360-76085:360.

9308170142 Staff requirements memo re affirmation/discussion & vote on amends to 10CFR73 to require annual physical fitness performance testing & updated day firing qualifications.
CHILK,S.M. Office of the Secretary of the Commission. M930803B. 93/08/10. TAYLOR,J.M. Ofc of the Executive Director for Operations. 2PP. 76136:265-76136:266.

9308170249 Transcript of 930720 public meeting in Rockville,MD re briefing on overview of NRC Research Program.Pp 1-99 Related documentation.
* Commissioners (Post 750119). 93/07/20. 135pp. 76139:225-76139:359.

9308180070 Staff requirements memo re SECY-93-127. "Financial Protection Required of Licensees of Large Nuclear Power Plants During Decommissioning." Commission approved staff recommendations.
TAYLOR,J.M. Office of the Secretary of the Commission. 93/07/13. PARLER,W.C. Office of the General Counsel (Post 860701). 2pp. 76137:326-76137:327.

9308180074 Staff requirements memo re SECY-92-244. "Update on Disposition of Weapons Grade Nuclear Matl From Decommissioned Nuclear Weapons."
CHILK,S.J. Office of the Secretary of the Commission. 92/08/19. TAYLOR,J.M. Ofc of the Executive Director for Operations. 2pp. 76137:328-76137:329.

9308190238 Staff requirements memo re 930811 briefing strategic info technology plan in Rockville,MD (ref SECY-93-198).
CHILK,S.J. Office of the Secretary of the Commission. M930811. 93/08/17. TAYLOR,J.M. Ofc of the Executive Director for Operations. PARLER,W.C. Office of the General Counsel (Post 860701). 2pp. 76153:119-76153:120.

9308190316 Transcript of 930729 briefing in Rockville,MD re internal mgt review of NRC program for medical use of byproduct matl.Pp 1-80.Supporting documentation encl.
* Commissioners (Post 750119). 93/07/29. 150pp. 76162:178-76162:308.

9308200220 Transcript of 930803 meeting in Rockville,MD re briefing on status of 10CFR100 rule change & proposed update on source term & related issues.W/related documentation.
* Commissioners (Post 750119). 93/08/03. 110pp. 76167:093-76167:202.

9308200226 Transcript of 930803 meeting in Rockville,MD re affirmation/ discussion & vote.Related documentation also encl.
* Commissioners (Post 750119). 93/08/03. 8pp. 76164:135-76164:142.

9308200269 Staff requirements memo re 930624 briefing on internal mgt review of NRC program for medical use of byproduct matl in Rockville,MD.
CHILK,S.J. Office of the Secretary of the Commission. M930624D. 93/08/05. TAYLOR,J.M. Ofc of the Executive Director for Operations. 1p. 76164:149-76164:149.

9308240046 Staff requirements memo re briefing on options for changes to regulation of nuclear medicine on 930729 in Rockville,MD.
CHILK,S.J. Office of the Secretary of the Commission. M930729. 93/08/09. TAYLOR,J.M. Ofc of the Executive Director for Operations. 2pp. 76209:358-76209:359.

9308270094 Staff requirements memo re SECY-93-108. "Revised Guidelines for Prioritization of Generic Safety Issues." Commission approved revised guidelines subj to listed changes.
CHILK,S.J. Office of the Secretary of the Commission. 93/07/23. TAYLOR,J.M. Ofc of the Executive Director for Operations. 5pp. 76220:156-76220:160.

9308270097 Staff requirements memo advising that Commission approved staff recommendations in Encl 1 to SECY-93-902. "Issues Pertaining to Advanced Reactor (PRISM,MHTGR & PIUS) & CANDU 3 Designs & Relationship to Current Regulatory...."
CHILK,S.J. Office of the Secretary of the Commission. 93/07/30. TAYLOR,J.M. Ofc of the Executive Director for Operations. 4pp. 76220:161-76220:164.

9308270107 Staff requirements memo advising that Commission approved listed items for which NRC requested decision on re SECY-93-087. "Policy,Technical & Licensing Issues Pertaining to Evolutionary & Advanced LWR Design."
CHILK,S.J. Office of the Secretary of the Commission. 93/07/21. TAYLOR,J.M. Ofc of the Executive Director for Operations. 10pp. 76220:165-76220:174.

9308270113 Staff requirements memo informing that SECY-93-043. "Regulatory Analysis Guidelines of NRC" returned w/o final Commission action.Guidelines should be revised & resubmitted for Commission review & approval.
CHILK,S.J. Office of the Secretary of the Commission. 93/03/31. TAYLOR,J.M. Ofc of the Executive Director for Operations. 1p. 76220:148-76220:152.

-9308270192 Informs that SECY-93-043. "Regulatory Analysis Guidelines of NRC" not yet ready to issue for public comment due to lack of editorial clarity of section of document.
REMICK,F. Commissioners (Post 750119). 93/03/12. CHILK,S.J. Office of the Secretary of the Commission. 4pp. 76220:149-76220:152.

9308270121 Staff requirements memo advising that Commission has not objected to proposed ltr to DOE indicating no objection to retransfer of spent fuel from Switzerland to United Kingdom for reprocessing (SECY-93-188).
CHILK,S.J. Office of the Secretary of the Commission. 93/07/27. STOIBER,C.R. Office of International Programs (Post 911117). 1p. 76220:175-76220:175.

9308270124 Staff requirements memo advising that Commission has no objection to final rule revising 10CFR140.11(a)(4) (SECY-93-186).
CHILK,S.J. Office of the Secretary of the Commission. 93/07/23. TAYLOR,J.M. Ofc of the Executive Director for Operations. 1p. 76220:176-76220:176.

9308270131 Staff requirements memo advising that Commission approved publication of FR notice announcing availability for public comment of proposed regulatory analysis guidelines of NRC (SECY-93-167).Listed actions should be taken for guidelines.
CHILK,S.J. Office of the Secretary of the Commission. 93/07/21. TAYLOR,J.M. Ofc of the Executive Director for Operations. 6pp. 76220:177-76220:182.

9308300020 Transcript of 930811 meeting in Rockville,MD re briefing on strategic info technology plan.W/related documentation.
* Commissioners (Post 750119). 93/08/11. 107pp. 76266:001-76266:105.

ACNW ADVISORY COMMITTEE ON NUCLEAR WASTE

9308120151 Summary of ACNW Working Group 920617 meeting in Bethesda,MD re NRC staff review of Yucca Mountain early site suitability evaluation.
* Advisory Committee on Nuclear Waste. 92/08/11. Advisory Committee on Nuclear Waste. 8pp. 76091:205-76091:212.

9308120163 Summary of 44th meeting of ACNW on 920625 in Kennewick,WA re status of remedial actions at Hanford site,status of in-situ vitrification program,sys analysis approach to overall HLW mgt program & DOE early site suitability evaluation.
* Advisory Committee on Nuclear Waste. 92/08/03. Advisory Committee on Nuclear Waste. 14pp. 76091:225-76091:238.

9308120166 Summary of 45th meeting of ACNW on 920729-30 in Bethesda,MD re staff technical position on geologic repository operations area underground facility design - thermal loads.
* Advisory Committee on Nuclear Waste. 92/09/16. Advisory Committee on Nuclear Waste. 12pp. 76091:243-76091:254.

9308120174 Summary of 46th meeting of ACNW on 920922-25 in Bethesda,MD re draft RG 8013. "ALARA Radiation Protection Program for Effluents from Matl Facilities" & C-14 release limit from HLW repository.
* Advisory Committee on Nuclear Waste. 92/11/06. Advisory Committee on Nuclear Waste. 26pp. 76091:259-76091:285.

182 NONDOCKETED ITEMS

- 9308120182** Summary of ACNW Working Group 921020 meeting in Las Vegas, NV re methodologies for assessing potential for natural resources at proposed Yucca Mountain site & relationship between natural resources & potential for human intrusion.
* Advisory Committee on Nuclear Waste. 93/08/06. Advisory Committee on Nuclear Waste. 25pp. 76091:291-76091:316.
- 9308120185** Summary of 47th ACNW meeting on 921021 in Las Vegas, NV re DOE activities at proposed high-level radwaste repository at Yucca Mountain, & seismic investigations at proposed Yucca Mountain site, w/ respect to Little Skull Mountain earthquake.
* Advisory Committee on Nuclear Waste. 92/11/18. Advisory Committee on Nuclear Waste. 26pp. 76091:317-76091:342.
- 9308120188** Summary of ACNW Working Group 921118 meeting in Bethesda, MD re potential impacts to expected performance of proposed high-level radwaste repository, as result of long-range climate change in area of Southern Basin & Range.
HINZE, W.J. Advisory Committee on Nuclear Waste. 93/05/21. Advisory Committee on Nuclear Waste. 29pp. 76092:001-76092:029.
- 9308120191** Summary of 49th ACNW meeting on 921217-18 in Bethesda, MD re NRC staff evaluation of DOE requested resolution of Site Characterization Analysis Objection 1 re exploratory studies facility Title I design control process.
* Advisory Committee on Nuclear Waste. 93/01/28. Advisory Committee on Nuclear Waste. 30pp. 76092:030-76092:059.
- 9308120193** Summary of 50th ACNW meeting on 930127-28 in Bethesda, MD re Energy Policy Act of 1992 & impact on NRC HLW program, use of natural analogs in radwaste & program plan for ACNW (rept to I Selin from DW Moeller, dtd 930205).
* Advisory Committee on Nuclear Waste. 93/03/24. Advisory Committee on Nuclear Waste. 38pp. 76092:060-76092:097.
- 9308120194** Summary of 51st ACNW meeting on 930224-26 in Bethesda, MD re assessment of flammability & explosion potential of transuranic waste & acceptance of scientific evidence based primarily on expert judgement.
* Advisory Committee on Nuclear Waste. 93/04/23. Advisory Committee on Nuclear Waste. 105pp. 76092:098-76092:202.
- 9308120198** Summary of ACNW Working Group 930323-24 meeting in Bethesda, MD re low-level radwaste disposal facility source term w/ emphasis on characteristics of waste that might influence public health & safety.
MOELLER, D.W. Advisory Committee on Nuclear Waste. 93/05/10. Advisory Committee on Nuclear Waste. 21pp. 76092:203-76092:223.
- 9308120201** Summary of 52nd ACNW meeting on 930324-25 in Bethesda, MD re status of State of IL low-level radwaste disposal facility & proposed EPA stds for disposal of transuranic & high-level radwaste at sites other than Yucca Mountain.
* Advisory Committee on Nuclear Waste. 93/04/27. Advisory Committee on Nuclear Waste. 33pp. 76092:224-76092:256.
- 9308120203** Summary of 930326 joint meeting of ACRS Subcommittee/ACNW Working Group in Bethesda, MD re RGs implementing revised 10CFR20, "Stds for Protection Against Radiation."
MOELLER, D.W. Advisory Committee on Nuclear Waste. WILKINS, J.E. ACRS - Advisory Committee on Reactor Safeguards. 93/06/03. Advisory Committee on Nuclear Waste. 11pp. 76092:257-76092:267.
- 9308190330** Forwards ACNW ltr per 930630 request of D Shelor. Shelor requested ltr providing to D Moeller re meeting topics & work groups.
YOUNGBLOOD, B.J. Division of High-Level Waste Management (Post 870413). HLWR. 93/08/16. LARKINS, J.T. Advisory Committee on Nuclear Waste. 2pp. 76178:067-76178:074.
- 9308190333** Offers assistance to ACNW in suggesting topics for meetings or working groups re OCRWM program & process for scheduling meetings.
SHELOR, D.E. Energy, Dept. of. HLWR. 93/07/30. MOELLER, D. Advisory Committee on Nuclear Waste. 4pp. 76178:071-76178:074.
- 9308240239** Summary of 920224-26 ACNW 51st meeting in Bethesda, MD to discuss several matters & complete listed rept.
MOELLER, D.W. Advisory Committee on Nuclear Waste. 93/03/17. THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). 6pp. 76210:327-76210:332.
- 9308240241** Summary of 48th meeting of ACNW in Bethesda, MD to discuss & take appropriate actions on items listed in encl agenda.
* Advisory Committee on Nuclear Waste. 92/12/17. Advisory Committee on Nuclear Waste. 43pp. 76210:219-76210:261.
- 9308240246** Summary of 930324-25 ACNW 52nd meeting in Bethesda, MD to discuss several matters & complete listed repts.
MOELLER, D.W. Advisory Committee on Nuclear Waste. 93/04/13. THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). 5pp. 76210:262-76210:266.
- 9308240251** Summary of 930127-28 ACNW 50th meeting in Bethesda, MD to discuss several matters & complete listed repts.
MOELLER, D.W. Advisory Committee on Nuclear Waste. 93/02/22. THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). 6pp. 76210:333-76210:338.
- 9308240255** Summary of 921217-18 ACNW 49th meeting in Bethesda, MD to discuss several matters & complete listed repts.
MOELLER, D.W. Advisory Committee on Nuclear Waste. 93/01/25. THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). 5pp. 76210:339-76210:343.
- 9308240261** Summary of 921119-20 ACNW 48th meeting in Bethesda, MD to discuss staff technical position on consideration of fault displacement hazards in geologic repository design.
MOELLER, D.W. Advisory Committee on Nuclear Waste. 92/12/09. THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). 5pp. 76210:344-76210:349.
- 9308240274** Summary of 921021 ACNW 47th meeting in Las Vegas, NV to discuss proposed Yucca Mountain HLW repository site characterization work accomplished in FY92.
MOELLER, D.W. Advisory Committee on Nuclear Waste. 92/11/12. THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). 5pp. 76210:350-76210:354.
- 9308240277** Summary of 920729-30 ACNW 45th meeting in Bethesda, MD to discuss staff technical position on geologic repository operations area underground facility design & thermal loads.
MOELLER, D.W. Advisory Committee on Nuclear Waste. 92/08/19. THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). 4pp. 76210:355-76210:358.
- 9308240278** Forwards summary of actions, agreements, assignments & requests made at 53rd ACNW meeting on 930519-20 that deal w/ requests made of NRC staff or matters pertinent to NRC staff activities.
LARKINS, J.T. Advisory Committee on Nuclear Waste. 93/06/14. TAYLOR, J.M. Ofc of the Executive Director for Operations. BLAHA, J. Assistant for Operations (Post 890205). 6pp. 76199:334-76199:339.
- 9308240286** Forwards summary of actions, agreements, assignments & requests made at 52nd ACNW meeting on 930324-25 that deal w/ requests made of NRC staff or matters pertinent to NRC staff activities.
LARKINS, J.T. Advisory Committee on Nuclear Waste. LARKINS, J.T. ACRS - Advisory Committee on Reactor Safeguards. 93/04/13. TAYLOR, J.M. Ofc of the Executive Director for Operations. 7pp. 76200:295-76200:301.
- 9308240292** Forwards summary of actions, agreements, assignments & requests made at 51st ACNW meeting on 930324-26 that deal w/ requests made of NRC staff or matters pertinent to NRC staff activities.
LARKINS, J.T. Advisory Committee on Nuclear Waste. LARKINS, J.T. ACRS - Advisory Committee on Reactor Safeguards. 93/03/17. TAYLOR, J.M. Ofc of the Executive Director for Operations. 7pp. 76200:302-76200:308.
- 9308240298** Forwards summary of actions, agreements, assignments & requests made at 50th ACNW meeting on 930127-28 that deal w/ requests made of NRC staff or matters pertinent to NRC staff activities.
LARKINS, J.T. Advisory Committee on Nuclear Waste. LARKINS, J.T. ACRS - Advisory Committee on Reactor Safeguards. 93/02/16. TAYLOR, J.M. Ofc of the Executive Director for Operations. 8pp. 76200:330-76200:337.
- 9308240304** Forwards summary of actions, agreements, assignments & requests made at 49th ACNW meeting on 921217-18 that deal w/ requests made of NRC staff or matters pertinent to NRC staff activities.
LARKINS, J.T. Advisory Committee on Nuclear Waste. LARKINS, J.T. ACRS - Advisory Committee on Reactor Safeguards. 93/01/25. TAYLOR, J.M. Ofc of the Executive Director for Operations. 8pp. 76200:338-76200:345.
- 9308240311** Forwards summary of actions, agreements, assignments & requests made at 50th ACNW meeting on 921119-20 that deal w/ requests made of NRC staff or matters pertinent to NRC staff activities.
FRALEY, R.F. Advisory Committee on Nuclear Waste. 92/12/09. TAYLOR, J.M. Ofc of the Executive Director for Operations. 8pp. 76200:349-76200:356.
- 9308240316** Forwards summary of actions, agreements, assignments & requests made at 48th ACNW meeting on 921021 that deal w/ requests made of NRC staff or matters pertinent to NRC staff activities.
FRALEY, R.F. Advisory Committee on Nuclear Waste. 92/11/13. TAYLOR, J.M. Ofc of the Executive Director for Operations. 6pp. 76201:118-76201:123.
- 9308240325** Forwards summary of actions, agreements, assignments & requests made at 47th ACNW meeting on 920922-25 that deal w/ requests made of NRC staff or matters pertinent to NRC staff activities.
FRALEY, R.F. Advisory Committee on Nuclear Waste. 92/10/16. TAYLOR, J.M. Ofc of the Executive Director for Operations. 5pp. 76201:124-76201:128.
- 9308240333** Forwards summary of actions, agreements, assignments & requests made at 45th ACNW meeting on 920729-30 that deal w/ requests made of NRC staff or matters pertinent to NRC staff activities.
FRALEY, R.F. Advisory Committee on Nuclear Waste. 92/08/19. TAYLOR, J.M. Ofc of the Executive Director for Operations. 5pp. 76201:129-76201:133.
- 9308250214** Summary of 930519-20 53rd meeting of ACNW in Bethesda, MD to discuss several matters & completed listed repts & memo.
MOELLER, D.W. Advisory Committee on Nuclear Waste. 93/06/15. THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). 6pp. 76201:277-76201:282.
- 9308250401** Summary of 46th meeting of Advisory Committee on Nuclear Waste on 920922 & 25 in Bethesda, MD.
MOELLER, D.W. Advisory Committee on Nuclear Waste. 92/10/16. THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). 5pp. 76203:293-76203:297.
- 9308260012** Advises that ACNW held listed meetings since last quarterly rept on 930414.
LARKINS, J.T. Advisory Committee on Nuclear Waste. 93/07/12. HOYLE, J.C. NRC - No Detailed Affiliation Given. 1p. 76214:281-76214:281.
- 9308260017** Advises that ACNW held listed meetings since last quarterly rept on 930107.
LARKINS, J.T. Advisory Committee on Nuclear Waste. 93/04/14. HOYLE, J.C. NRC - No Detailed Affiliation Given. 1p. 76214:284-76214:284.
- 9308260020** Advises that ACNW held listed meetings since last quarterly rept on 921008.
FRALEY, R.F. ACRS - Advisory Committee on Reactor Safeguards. 93/01/07. HOYLE, J.C. NRC - No Detailed Affiliation Given. 1p. 76214:287-76214:287.
- 9308260024** Advises that ACNW held listed meetings since last quarterly rept on 920701.
FRALEY, R.F. ACRS - Advisory Committee on Reactor Safeguards. 92/10/08. HOYLE, J.C. NRC - No Detailed Affiliation Given. 1p. 76214:296-76214:296.
- 9308310245** Forward second correction to transcript of ACRS Subcommittee on Computers in Nuclear Power Plant Operations 930721 proceedings in Bethesda, MD. w/ viewgraphs.
BARNARD, E.M. ACRS - Advisory Committee on Reactor Safeguards. BARNARD, E.M. Advisory Committee on Nuclear Waste. 93/08/25. Document Control Branch (Document Control Desk). 1p. 76290:001-76290:246.

ACRS ADVISORY COMMITTEE ON REACTOR SAFEGUARDS

- 9308060302** Transcript of 930728 ACRS Subcommittee on ABWR meeting in Bethesda, MD. Pp 1-194.
* ACRS - Advisory Committee on Reactor Safeguards. 93/07/28. 220pp. 76069:001-76069:233.

9308060305 Transcript of 930728 ACRS Subcommittee on Auxiliary & Secondary Sys meeting in Bethesda,MD.Pp 314-412.
* ACRS - Advisory Committee on Reactor Safeguards. 93/07/28. 140pp. 76069:234-76070:013.

9308060309 Transcript of 930727 ACRS Subcommittee on Auxiliary & Secondary Sys meeting in Bethesda,MD.Pp 1-313.Related documentation encl.
* ACRS - Advisory Committee on Reactor Safeguards. 93/07/27. 400pp. 76070:014-76071:080.

9308060314 Transcript of 930723 ACRS Subcommittee on Thermal Hydraulic Phenomena meeting in Bethesda,MD.Pp 310-436.
* ACRS - Advisory Committee on Reactor Safeguards. 93/07/23. 155pp. 76071:081-76071:245.

9308090256 Transcript of 930804 ACRS Subcommittee on Improved Light Water Reactors meeting in Bethesda,MD.Pp 1-277.Related documentation encl.
* ACRS - Advisory Committee on Reactor Safeguards. 93/08/04. 320pp. 76072:001-76072:327.

9308100263 Transcript of ACRS 930805 400th General Meeting in Bethesda,MD.Pp 1-239.Related documentation encl.
* ACRS - Advisory Committee on Reactor Safeguards. 93/08/05. 250pp. 76073:193-76074:125.

9308100264 Transcript of ACRS 930806 400th General Meeting in Bethesda,MD.Pp 240-316.
* ACRS - Advisory Committee on Reactor Safeguards. 93/08/06. 120pp. 76074:126-76074:259.

9308130113 Corrected transcript of 930722 ACRS Subcommittee on Thermal Hydraulic Phenomena meeting in Bethesda,MD.Pp 1-14 & 197-243.
* ACRS - Advisory Committee on Reactor Safeguards. 93/07/22. 65pp. 76105:234-76105:297.

9308130119 Corrected transcript of 930721 ACRS Subcommittee on Computers in Nuclear Power Plant Operations meeting in Bethesda,MD.Pp 1-197.
* ACRS - Advisory Committee on Reactor Safeguards. 93/07/21. 199pp. 76106:001-76106:200.

9308160058 Responds to 930426 ltr providing comments from ACRS re NRC forthcoming reg guide that will provide implementation guidance for main rule.Final reg guide 1.160 encl.W/o encl.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 93/05/19. SHEWMON,P. ACRS - Advisory Committee on Reactor Safeguards. 3pp. 76143:342-76143:344.

9308170426 Responds to letter sent to Chairman Selin re ACRS comments & recommendations on staff proposed SALP program changes in SECY-93-090.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 93/05/28. SHEWMON,P. ACRS - Advisory Committee on Reactor Safeguards. 3pp. 76139:054-76139:060.

-9308170441 Discusses staff initiatives to revise SALP program.
SHEWMON,P. ACRS - Advisory Committee on Reactor Safeguards. 93/04/30. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 4pp. 76139:057-76139:060.

9308180161 Forwards proposed NRC suppl 1 to GL 92-08. "Fire Endurance Test Acceptance Criteria for Fire Barrier Sys Used to Separate Redundant Safe Shutdown Trains Within Same Fire Area."
MARCUS,G.H. Division of Operating Reactor Support (Post 921004). GL-92-08. 93/05/27. LARKINS,J.T. ACRS - Advisory Committee on Reactor Safeguards. 26pp. 76137:336-76137:359.

9308190096 Responds to 930426 ltr to chairman re NRC position in SECY-93-087, "Policy, Technical & Licensing Issues Pertaining to Evolutionary & Advanced LWR (ALWR) Designs."
TAYLOR,J.M. Ofc of the Executive Director for Operations. 93/05/19. SHEWMON,P. ACRS - Advisory Committee on Reactor Safeguards. 25pp. 76152:327-76152:355.

9308230104 Responds to 930618 ltr sent to Chairman re policy statement on TS improvements.NRC will address comments in manner consistent w/author 930706 response to Shewmn 930520 ltr.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 93/07/22. WILKINS,J.E. ACRS - Advisory Committee on Reactor Safeguards. 5pp. 76176:346-76176:353.

9308240026 Summary of 400th meeting of ACRS on 930805-06 re proposed resolution of Generic Issue 57, "Effects of Fire Protection Sys Actuation on Safety-Related Equipment."
WILKINS,J.E. ACRS - Advisory Committee on Reactor Safeguards. 93/08/11. TAYLOR,J.M. Ofc of the Executive Director for Operations. 2pp. 76219:227-76219:228.

9308240028 Summary of 400th meeting of ACRS on 930805-06 re proposed resolution of Generic Issue 143, "Availability of Chilled Water Sys & Room Cooling."
WILKINS,J.E. ACRS - Advisory Committee on Reactor Safeguards. 93/08/11. TAYLOR,J.M. Ofc of the Executive Director for Operations. 2pp. 76219:229-76219:229.

9308260071 Transcript of ACRS Subcommittee on Mat's & Metallurgy meeting on 930816 in Bethesda,MD.Pp 1-102.Related documentation encl.
* ACRS - Advisory Committee on Reactor Safeguards. 93/08/16. 159pp. 76259:001-76259:160.

9308260254 Ack receipt of ACRS review & comments on Regulatory Review Rept.Informs that rept will not be finalized until Aug 1993.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 93/07/23. WILKINS,J.E. ACRS - Advisory Committee on Reactor Safeguards. 2pp. 76215:355-76215:359.

9308310245 Forward second correction to transcript of ACRS Subcommittee on Computers in Nuclear Power Plant Operations 930721 proceedings in Bethesda,MD.W/ viewgraphs.
BARNARD,E.M. ACRS - Advisory Committee on Reactor Safeguards. BARNARD,E.M. Advisory Committee on Nuclear Waste. 93/08/25. Document Control Branch (Document Control Desk). 1p. 76290:001-76290:246.

-9308310247 Second correction to transcript of ACRS Subcommittee on Computers in Nuclear Power Plant Operations 930721 proceedings in Bethesda,MD.Pp 1-97.
* ACRS - Advisory Committee on Reactor Safeguards. 93/07/21. 245pp. 76290:002-76290:246.

ADVCM NRC ADVISORY COMMITTEE

9308020177 Transcript of 930708 public meeting in Rockville,MD re briefing by Nuclear Safety Research Review Committee.W/ related info.
* Commissioners (Post 750119). 93/07/08. 153pp. 75938:192-75938:337.

9308090219 Certifies that encl minutes for 930503-04 meeting provide accurate record of proceedings for meeting.
SIEGEL,B.A. Advisory Committee on Medical Uses of Isotopes. 93/06/11. CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 1p. 76265:109-76265:125.

-9308090223 Provides summary of ACMUI semiannual meeting on 930503-04 in Bethesda,MD.
SIEGEL,B.A. Advisory Committee on Medical Uses of Isotopes. 93/06/11. CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 16pp. 76265:110-76265:125.

9308120151 Summary of ACNW Working Group 920617 meeting in Bethesda,MD re NRC staff review of Yucca Mountain early site suitability evaluation.
* Advisory Committee on Nuclear Waste. 92/08/11. Advisory Committee on Nuclear Waste. 8pp. 76091:205-76091:212.

9308120163 Summary of 44th meeting of ACNW on 920625 in Kennewick,WA re status of remedial actions at Hanford site,status of in-situ vitrification program,sys analysis approach to overall HLW mgt program & DOE early site suitability evaluation.
* Advisory Committee on Nuclear Waste. 92/08/03. Advisory Committee on Nuclear Waste. 14pp. 76091:225-76091:238.

9308120166 Summary of 45th meeting of ACNW on 920729-30 in Bethesda,MD re staff technical position on geologic repository operations area underground facility design - thermal loads.
* Advisory Committee on Nuclear Waste. 92/09/16. Advisory Committee on Nuclear Waste. 12pp. 76091:243-76091:254.

9308120174 Summary of 46th meeting of ACNW on 920922-25 in Bethesda,MD re draft RG 8013, "ALARA Radiation Protection Program for Effluents from Mafis Facilities" & C-14 release limit from HLW repository.
* Advisory Committee on Nuclear Waste. 92/11/06. Advisory Committee on Nuclear Waste. 26pp. 76091:259-76091:285.

9308120182 Summary of ACNW Working Group 921020 meeting in Las Vegas,NV re methodologies for assessing potential for natural resources at proposed Yucca Mountain site & relationship between natural resources & potential for human intrusion.
* Advisory Committee on Nuclear Waste. 93/08/06. Advisory Committee on Nuclear Waste. 25pp. 76091:291-76091:316.

9308120185 Summary of 47th ACNW meeting on 921021 in Las Vegas,NV re DOE activities at proposed high-level radwaste repository at Yucca Mountain & seismic investigations at proposed Yucca Mountain site,w/respect to Little Skull Mountain earthquake.
* Advisory Committee on Nuclear Waste. 92/11/18. Advisory Committee on Nuclear Waste. 26pp. 76091:317-76091:342.

9308120188 Summary of ACNW Working Group 921118 meeting in Bethesda,MD re potential impacts to expected performance of proposed high-level radwaste repository,as result of long-range climate change in area of Southern Basin & Range.
HINZE,W.J. Advisory Committee on Nuclear Waste. 93/05/21. Advisory Committee on Nuclear Waste. 29pp. 76092:001-76092:029.

9308120191 Summary of 49th ACNW meeting on 921217-18 in Bethesda,MD re NRC staff evaluation of DOE requested resolution of Site Characterization Analysis Objection 1 re exploratory studies facility Title I design control process.
* Advisory Committee on Nuclear Waste. 93/01/28. Advisory Committee on Nuclear Waste. 30pp. 76092:030-76092:059.

9308120193 Summary of 50th ACNW meeting on 930127-28 in Bethesda,MD re Energy Policy Act of 1992 & impact on NRC HLW program,use of natural analogs in radwaste & program plan for ACNW (rept to I Selin from DW Moeller,dtd 930205).
* Advisory Committee on Nuclear Waste. 93/03/24. Advisory Committee on Nuclear Waste. 38pp. 76092:060-76092:097.

9308120194 Summary of 51st ACNW meeting on 930224-26 in Bethesda,MD re assessment of flammability & explosion potential of transuranic waste & acceptance of scientific evidence based primarily on expert judgement.
* Advisory Committee on Nuclear Waste. 93/04/23. Advisory Committee on Nuclear Waste. 105pp. 76092:098-76092:202.

9308120198 Summary of ACNW Working Group 930323-24 meeting in Bethesda,MD re low-level radwaste disposal facility source term w/emphasis on characteristics of waste that might influence public health & safety.
MOELLER,D.W. Advisory Committee on Nuclear Waste. 93/05/10. Advisory Committee on Nuclear Waste. 21pp. 76092:203-76092:223.

9308120201 Summary of 52nd ACNW meeting on 930324-25 in Bethesda,MD re status of State of IL low-level radwaste disposal facility & proposed EPA stds for disposal of transuranic & high-level radwaste at sites other than Yucca Mountain.
* Advisory Committee on Nuclear Waste. 93/04/27. Advisory Committee on Nuclear Waste. 33pp. 76092:224-76092:256.

9308120203 Summary of 930326 joint meeting of ACRS Subcommittee/ACNW Working Group in Bethesda,MD re RGs implementing revised 10CFR20, "Stds for Protection Against Radiation."
MOELLER,D.W. Advisory Committee on Nuclear Waste. WILKINS,J.E. ACRS - Advisory Committee on Reactor Safeguards. 93/06/03. Advisory Committee on Nuclear Waste. 11pp. 76092:257-76092:267.

9308160080 Forwards Summary Rept for 930708 teleconference meeting & certifies that meeting is accurate record of proceedings for meeting.
SIEGEL,B.A. Advisory Committee on Medical Uses of Isotopes. 93/07/21. PAPERIELLO,C.J. Medical, Academic & Commercial Use Safety Branch. 1p. 76143:345-76143:348.

184 NONDOCKETED ITEMS

- 9308160092** Summary of Advisory Committee on Medical Uses of Isotopes 930708 meeting.
SIEGEL,B.A. Advisory Committee on Medical Uses of Isotopes. 93/07/21. PAPERIELLO,C.J. Medical, Academic & Commercial Use Safety Branch. 3pp. 76143:346-76143:348.
- 9308160204** Responds to 930610 ltr re composition of ACMUI.NRC appreciates candid comments & concern that special field of medical physics be adequately represented on Committee.
REMICK,F.J. Commissioners (Post 750119). 93/07/21. GILLIN,M.T. Affiliation Not Assigned. 2pp. 76143:357-76143:360.
- 9308160211** Protests elimination of medical physicist from ACMUI of NRC. Urges NRC to update membership of committee on regular basis.
GILLIN,M.T. Affiliation Not Assigned. 93/06/10. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 2pp. 76143:359-76143:360.
- 9308190330** Forwards ACNW ltr per 930630 request of D Shelor.Shelor requested ltr provided to D Moeler re meeting topics & work groups.
YOUNGBLOOD,B.J. Division of High-Level Waste Management (Post 870413). HLWR. 93/08/16. LARKINS,J.T. Advisory Committee on Nuclear Waste. 2pp. 76178:067-76178:074.
- 9308190333** Offers assistance to ACNW in suggesting topics for meetings or working groups re OCRWM program & process for scheduling meetings.
SHELOD,D.E. Energy, Dept. of HLWR. 93/07/30. MOELLER,D. Advisory Committee on Nuclear Waste. 4pp. 76178:071-76178:074.
- 9308240239** Summary of 920224-26 ACNW 51st meeting in Bethesda,MD to discuss several matters & complete listed rept.
MOELLER,D.W. Advisory Committee on Nuclear Waste. 93/03/17. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 6pp. 76210:327-76210:332.
- 9308240241** Summary of 48th meeting of ACNW in Bethesda,MD to discuss & take appropriate actions on items listed in encl agenda.
* Advisory Committee on Nuclear Waste. 92/12/17. Advisory Committee on Nuclear Waste. 43pp. 76210:219-76210:261.
- 9308240246** Summary of 930324-25 ACNW 52nd meeting in Bethesda,MD to discuss several matters & complete listed repts.
MOELLER,D.W. Advisory Committee on Nuclear Waste. 93/04/13. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 5pp. 76210:262-76210:266.
- 9308240251** Summary of 930127-28 ACNW 50th meeting in Bethesda,MD to discuss several matters & complete listed repts.
MOELLER,D.W. Advisory Committee on Nuclear Waste. 93/02/22. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 6pp. 76210:333-76210:338.
- 9308240255** Summary of 921217-18 ACNW 49th meeting in Bethesda,MD to discuss several matters & complete listed repts.
MOELLER,D.W. Advisory Committee on Nuclear Waste. 93/01/25. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 5pp. 76210:339-76210:343.
- 9308240261** Summary of 921119-20 ACNW 48th meeting in Bethesda,MD to discuss staff technical position on consideration of fault displacement hazards in geologic repository design.
MOELLER,D.W. Advisory Committee on Nuclear Waste. 92/12/09. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 5pp. 76210:344-76210:349.
- 9308240274** Summary of 921021 ACNW 47th meeting in Las Vegas,NV to discuss proposed Yucca Mountain HLW repository site characterization work accomplished in FY92.
MOELLER,D.W. Advisory Committee on Nuclear Waste. 92/11/12. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 5pp. 76210:350-76210:354.
- 9308240277** Summary of 920729-30 ACNW 45th meeting in Bethesda,MD to discuss staff technical position on geologic repository operations area underground facility design & thermal loads.
MOELLER,D.W. Advisory Committee on Nuclear Waste. 92/08/19. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 4pp. 76210:355-76210:358.
- 9308240278** Forwards summary of actions,agreements,assignments & requests made at 53rd ACNW meeting on 930519-20 that deal w/requests made of NRC staff or matters pertinent to NRC staff activities.
LARKINS,J.T. Advisory Committee on Nuclear Waste. 93/06/14. TAYLOR,J.M. Ofc of the Executive Director for Operations. BLAHA,J. Assistant for Operations (Post 890205). 6pp. 76199:334-76199:339.
- 9308240286** Forwards summary of actions,agreements,assignments & requests made at 52nd ACNW meeting on 930324-25 that deal w/requests made of NRC staff or matters pertinent to NRC staff activities.
LARKINS,J.T. Advisory Committee on Nuclear Waste. LARKINS,J.T. ACRS - Advisory Committee on Reactor Safeguards. 93/04/13. TAYLOR,J.M. Ofc of the Executive Director for Operations. 7pp. 76200:295-76200:301.
- 9308240292** Forwards summary of actions,agreements,assignments & requests made at 51st ACNW meeting on 930324-26 that deal w/requests made of NRC staff or matters pertinent to NRC staff activities.
LARKINS,J.T. Advisory Committee on Nuclear Waste. LARKINS,J.T. ACRS - Advisory Committee on Reactor Safeguards. 93/03/17. TAYLOR,J.M. Ofc of the Executive Director for Operations. 7pp. 76200:302-76200:308.
- 9308240298** Forwards summary of actions,agreements,assignments & requests made at 50th ACNW meeting on 930127-28 that deal w/requests made of NRC staff or matters pertinent to NRC staff activities.
LARKINS,J.T. Advisory Committee on Nuclear Waste. LARKINS,J.T. ACRS - Advisory Committee on Reactor Safeguards. 93/01/16. TAYLOR,J.M. Ofc of the Executive Director for Operations. 8pp. 76200:330-76200:337.
- 9308240304** Forwards summary of actions,agreements,assignments & requests made at 49th ACNW meeting on 921217-18 that deal w/requests made of NRC staff or matters pertinent to NRC staff activities.
LARKINS,J.T. Advisory Committee on Nuclear Waste. LARKINS,J.T. ACRS - Advisory Committee on Reactor Safeguards. 93/01/25. TAYLOR,J.M. Ofc of the Executive Director for Operations. 8pp. 76200:338-76200:345.
- 9308240311** Forwards summary of actions,agreements,assignments & requests made at 48th ACNW meeting on 921119-20 that deal w/requests made of NRC staff or matters pertinent to NRC staff activities.
FRALEY,R.F. Advisory Committee on Nuclear Waste. 92/12/09. TAYLOR,J.M. Ofc of the Executive Director for Operations. 6pp. 76200:349-76200:356.
- 9308240316** Forwards summary of actions,agreements,assignments & requests made at 47th ACNW meeting on 921021 that deal w/requests made of NRC staff or matters pertinent to NRC staff activities.
FRALEY,R.F. Advisory Committee on Nuclear Waste. 92/11/13. TAYLOR,J.M. Ofc of the Executive Director for Operations. 6pp. 76201:118-76201:123.
- 9308240325** Forwards summary of actions,agreements,assignments & requests made at 46th ACNW meeting on 920922-25 that deal w/requests made of NRC staff or matters pertinent to NRC staff activities.
FRALEY,R.F. Advisory Committee on Nuclear Waste. 92/10/16. TAYLOR,J.M. Ofc of the Executive Director for Operations. 5pp. 76201:124-76201:128.
- 9308240333** Forwards summary of actions,agreements,assignments & requests made at 45th ACNW meeting on 920729-30 that deal w/requests made of NRC staff or matters pertinent to NRC staff activities.
FRALEY,R.F. Advisory Committee on Nuclear Waste. 92/08/19. TAYLOR,J.M. Ofc of the Executive Director for Operations. 5pp. 76201:129-76201:133.
- 9308250214** Summary of 930519-20 53rd meeting of ACNW in Bethesda,MD to discuss several matters & completed listed repts & memo.
MOELLER,D.W. Advisory Committee on Nuclear Waste. 93/06/15. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 6pp. 76201:277-76201:282.
- 9308250401** Summary of 46th meeting of Advisory Committee on Nuclear Waste on 920922 & 25 in Bethesda,MD.
MOELLER,D.W. Advisory Committee on Nuclear Waste. 92/10/16. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 5pp. 76203:293-76203:297.
- 9308260012** Advises that ACNW held listed meetings since last quarterly rept on 930414.
LARKINS,J.T. Advisory Committee on Nuclear Waste. 93/07/12. HOYLE,J.C. NRC - No Detailed Affiliation Given. 1p. 76214:281-76214:281.
- 9308260017** Advises that ACNW held listed meetings since last quarterly rept on 930107.
LARKINS,J.T. Advisory Committee on Nuclear Waste. 93/04/14. HOYLE,J.C. NRC - No Detailed Affiliation Given. 1p. 76214:284-76214:284.
- 9308260020** Advises that ACNW held listed meetings since last quarterly rept on 921008.
FRALEY,R.F. ACRS - Advisory Committee on Reactor Safeguards. 93/01/07. HOYLE,J.C. NRC - No Detailed Affiliation Given. 1p. 76214:287-76214:287.
- 9308260024** Advises that ACNW held listed meetings since last quarterly rept on 920701.
FRALEY,R.F. ACRS - Advisory Committee on Reactor Safeguards. 92/10/08. HOYLE,J.C. NRC - No Detailed Affiliation Given. 1p. 76214:296-76214:296.
- 9308260231** Forwards documentation in response to OMB bulletin on termination of Federal Advisory Committee.
MASNIK,M.T. Non-Power Reactor & Decommissioning Project Directorate. 93/04/22. WILSON,V.H. Assistant for Operations (Post 890205). 5pp. 76219:351-76219:355.
- 9308310024** Transcript of Advisory Committee on Medical Uses of Isotopes 930708 proceedings in Rockville,MD.Pp 1-61.Supporting documentation encl.
* Advisory Committee on Medical Uses of Isotopes. 93/07/08. 76pp. 76274:078-76274:153.
- 9308310245** Forward second correction to transcript of ACRS Subcommittee on Computers in Nuclear Power Plant Operations 930721 proceedings in Bethesda,MD.W/ viewgraphs.
BARNARD,E.M. ACRS - Advisory Committee on Reactor Safeguards. BARNARD,E.M. Advisory Committee on Nuclear Waste. 93/08/25. Document Control Branch (Document Control Desk). 1p. 76290:001-76290:246.

COMMISSION NRC COMMISSIONERS

- 9308020004** Notation vote response sheet approving in part & disapproving in part w/ comments,SECY-92-287A re form & content for design certification rule.
DE PLANQUE,E.G. Commissioners (Post 750119). 93/06/09. CHILK,S.J. Office of the Secretary of the Commission. 2pp. 75931:275-75931:276.
- 9308020005** Notation vote response sheet approving in part & disapproving in part w/ comments,SECY-92-287A re form & content for design certification rule.
REMICK,J.J. Commissioners (Post 750119). 93/06/09. CHILK,S.J. Office of the Secretary of the Commission. 2pp. 75931:277-75931:278.
- 9308020006** Notation vote response sheet approving in part & disapproving in part w/ comments,SECY-92-287A re form & content for design certification rule.
CURTISS,J.R. Commissioners (Post 750119). 93/06/04. CHILK,S.J. Office of the Secretary of the Commission. 3pp. 75931:279-75931:281.
- 9308020007** Notation vote response sheet approving,SECY-92-287A re form & content for design certification rule.
ROGERS,K.C. Commissioners (Post 750119). 93/05/11. CHILK,S.J. Office of the Secretary of the Commission. 1p. 75931:282-75931:282.
- 9308020009** Notation vote response sheet approving w/comments, SECY-92-287A re form & content for design certification rule.
THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 93/04/23. CHILK,S.J. Office of the Secretary of the Commission. 1p. 75931:283-75931:283.
- 9308020012** Notation vote response sheet disapproving w/comments, SECY-93-086 re backfit considerations.
REMICK Commissioners (Post 750119). 93/05/27. CHILK,S.J. Office of the Secretary of the Commission. 3pp. 75931:333-75931:335.

9308020014 Notation vote response sheet approving in part & disapproving in part, SECY-93-106 re withdrawal of below regulatory concern policy statements in accordance w/ Energy Policy Act of 1992. REMICK Commissioners (Post 750119). 93/06/10. CHILK,S.J. Office of the Secretary of the Commission. 2pp. 75931:323-75931:324.

9308020015 Notation vote response sheet approving in part & disapproving in part SECY-93-106 re withdrawal of below regulatory concern policy statements in accordance w/ Energy Policy Act of 1992. CURTISS Commissioners (Post 750119). 93/06/03. CHILK,S.J. Office of the Secretary of the Commission. 2pp. 75931:325-75931:332.

9308020017 Notation vote response sheet approving w/comments SECY-93-106 re withdrawal of below regulatory concern policy statements in accordance w/ Energy Policy Act of 1992. ROGERS Commissioners (Post 750119). 93/06/07. CHILK,S.J. Office of the Secretary of the Commission. 2pp. 75931:336-75931:337.

9308020102 Notation vote disapproving w/comments SECY-93-124 re financial assurance for cleanup of accidents for all matls licensees w/potential for significant accidental contamination. ROGERS Commissioners (Post 750119). 93/06/10. CHILK,S.J. Office of the Secretary of the Commission. 2pp. 75931:273-75931:274.

9308020128 Notation vote response sheet approving SECY-93-106 re withdrawal of below regulatory concern policy statements in accordance w/ Energy Policy Act of 1992. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 93/05/05. CHILK,S.J. Office of the Secretary of the Commission. 1p. 75938:347-75938:347.

9308020131 Responds to 930609 ltr re NRC proposed fee structure for "FY93." Commission shares concerns about impact of fee structure on small businesses. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 58FR21116. 93/07/19. WALLOP,M. Senate. 2pp. 75921:277-75921:279.

-9308020141 Discusses 1991 concerns expressed to NRC re negative impact increased licensing & insp fees, mandated by 1990 Budget Agreement, would have on small well & logging businesses. WALLOP,M. Senate. 93/06/09. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 1p. 75921:279-75921:279.

9308020134 Notation vote response sheet partly approves & disapproves w/ comments, SECY-93-106 re withdrawal of below regulatory concern policy statements in accordance w/ energy policy act of 1992. DE PLANQUE,E.G. Commissioners (Post 750119). 93/06/11. CHILK,S.J. Office of the Secretary of the Commission. 2pp. 75938:340-75938:341.

9308020137 Notation vote approving w/o comments, SECY-93-144 on clarification of assessment requirements for siting criteria & performance objectives-proposed rulemaking. ROGERS,K.C. Commissioners (Post 750119). 93/06/07. CHILK,S.J. Office of the Secretary of the Commission. 1p. 75938:351-75938:351.

9308020178 Notation vote approving w/o comments, SECY-93-144 on clarification of assessment requirements for siting criteria & performance objectives-proposed rulemaking. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 93/05/26. CHILK,S.J. Office of the Secretary of the Commission. 1p. 75938:352-75938:352.

9308020181 Notation vote response sheet disapproves w/comments, SECY-93-124 re financial assurance for cleanup of accidents for all materials licensees w/potential for significant accidental contamination. REMICK Commissioners (Post 750119). 93/06/15. CHILK,S.J. Office of the Secretary of the Commission. 2pp. 75945:352-75945:353.

9308020187 Notation vote response sheet disapproving w/comments, SECY-93-086 re backfit considerations. DE PLANQUE,E.G. Commissioners (Post 750119). 93/06/07. CHILK,S.J. Office of the Secretary of the Commission. 4pp. 75936:343-75936:346.

9308020190 Notation vote approving w/o comments, SECY-93-144 on clarification of assessment requirements for siting criteria & performance objectives-proposed rulemaking. REMICK Commissioners (Post 750119). 93/06/09. CHILK,S.J. Office of the Secretary of the Commission. 1p. 75938:348-75938:348.

9308020194 Notation vote approving w/comments SECY-93-144 on clarification of assessment requirements for siting criteria & performance objectives-proposed rulemaking. CURTISS,J.R. Commissioners (Post 750119). 93/06/03. CHILK,S.J. Office of the Secretary of the Commission. 8pp. 75944:340-75944:347.

9308020197 Notation vote approving w/comments, SECY-93-144 on clarification of assessment requirements for siting criteria & performance objectives-proposed rulemaking. DE PLANQUE,E.G. Commissioners (Post 750119). 93/06/11. CHILK,S.J. Office of the Secretary of the Commission. 2pp. 75945:346-75945:347.

9308020205 Notation vote response sheet disapproves w/comments, SECY-93-130 re regulatory impact survey for fuel cycle & materials licensees. DE PLANQUE,E.G. Commissioners (Post 750119). 93/06/03. CHILK,S.J. Office of the Secretary of the Commission. 1p. 75936:360-75936:360.

9308020211 Notation vote response sheet disapproves w/comments, SECY-93-130 re regulatory impact survey for fuel cycle & materials licensees. REMICK Commissioners (Post 750119). 93/06/02. CHILK,S.J. Office of the Secretary of the Commission. 2pp. 75937:359-75937:360.

9308020214 Notation vote response sheet approves w/comments, SECY-93-130 re regulatory impact survey for fuel cycle & materials licensees. CURTISS,J.R. Commissioners (Post 750119). 93/05/20. CHILK,S.J. Office of the Secretary of the Commission. 1p. 75938:350-75938:350.

9308020228 Notation vote response sheet approves w/comments, SECY-93-130 re regulatory impact survey for fuel cycle & materials licensees. ROGERS,K.C. Commissioners (Post 750119). 93/06/03. CHILK,S.J. Office of the Secretary of the Commission. 1p. 75936:334-75936:334.

9308020235 Notation vote response sheet approves w/comments, SECY-93-130 re regulatory impact survey for fuel cycle & materials licensees. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 93/05/18. CHILK,S.J. Office of the Secretary of the Commission. 1p. 75936:335-75936:335.

9308020246 Notation vote response sheet disapproves w/comments, SECY-93-124 re financial assurance for cleanup of accidents for all matls licensees w/potential for significant accidental contamination. DE PLANQUE,E.G. Commissioners (Post 750119). 93/06/18. CHILK,S.J. Office of the Secretary of the Commission. 2pp. 75936:336-75936:337.

9308020248 Notation vote response sheet approves w/comments, SECY-93-137 re use of decommissioning trust funds before decommissioning plan approval. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 93/06/10. CHILK,S.J. Office of the Secretary of the Commission. 1p. 75936:338-75936:338.

9308020250 Notation vote response sheet approves SECY-93-137 re use of decommissioning trust funds before decommissioning plan approval. ROGERS,K.C. Commissioners (Post 750119). 93/05/28. CHILK,S.J. Office of the Secretary of the Commission. 1p. 75936:339-75936:339.

9308020252 Notation vote response sheet approves SECY-93-137 re use of decommissioning trust funds before decommissioning plan approval. CURTISS,J.R. Commissioners (Post 750119). 93/06/07. CHILK,S.J. Office of the Secretary of the Commission. 1p. 75936:340-75936:340.

9308020253 Notation vote response sheet approves w/comment, SECY-93-137 re use of decommissioning trust funds before decommissioning plan approval. REMICK Commissioners (Post 750119). 93/06/14. CHILK,S.J. Office of the Secretary of the Commission. 1p. 75936:341-75936:341.

9308020257 Notation vote response sheet approves w/comments, SECY-93-137 re use of decommissioning trust funds before decommissioning plan approval. DE PLANQUE,E.G. Commissioners (Post 750119). 93/06/15. CHILK,S.J. Office of the Secretary of the Commission. 1p. 75936:342-75936:342.

9308040179 Forwards NRC rept re normal occurrences at licensed facilities for quarter FY93,W/o encl. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 93/07/09. GORE,A.J. Senate. FOLEY,T.S. House of Rep., Speaker of the House. 2pp. 75987:028-75987:029.

9308040192 Discusses meeting on 930621 re cleanup plan for contaminated site. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 93/07/08. MARTIN,M.R. House of Rep. 1p. 75987:030-75987:031.

-9308040196 Urges region III to maintain regular contact w/both Chemetron Corp & OH Environmental Protection Agency in effort to ensure compliance w/931001 deadline & to reduce risk that remediation plan will not meet stds of agencies. HOKE,M.R. House of Rep. 93/05/25. GROBE,J. Region 3 (Post 820201). 1p. 75987:031-75987:031.

9308040208 Notation vote approving w/o comments, SECY-93-127, financial protection required of licensees of large nuclear power plants during decommissioning. REMICK Commissioners (Post 750119). 93/07/02. CHILK,S.J. Office of the Secretary of the Commission. 1p. 75978:318-75978:318.

9308040213 Notation vote approving w/comments, SECY-93-127, financial protection required of licensees of large nuclear power plants during decommissioning. DEPLANQUE Commissioners (Post 750119). 93/07/01. CHILK,S.J. Office of the Secretary of the Commission. 2pp. 75978:359-75978:360.

9308040248 Informs of status of NRC efforts to improve regulatory oversight of decommissioning of nuclear facilities. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 93/07/09. SYNAR,M. House of Rep., Government Operations. 24pp. 75987:032-75987:055.

9308040315 Notation vote approving w/comments, SECY-93-127 re financial protection required of licensees of large nuclear power plants during decommissioning. CURTISS Commissioners (Post 750119). 93/06/22. CHILK,S.J. Office of the Secretary of the Commission. 2pp. 76009:169-76009:170.

9308040320 Notation vote approving w/comments, SECY-93-127 re financial protection required of licensees of large nuclear power plants during decommissioning. CHAIRMAN, SELIN,I. Commissioners (Post 750119). 93/06/18. CHILK,S.J. Office of the Secretary of the Commission. 2pp. 76009:171-76009:172.

9308050098 Notation vote approving w/o comments, SECY-92-244 re update on disposition of weapons grade nuclear matl from decommissioned nuclear weapons. DEPLANQUE Commissioners (Post 750119). 93/06/21. CHILK,S.J. Office of the Secretary of the Commission. 1p. 75990:355-75990:355.

9308050105 Notation vote approving w/o comments, SECY-92-244, re update on disposition of weapons grade nuclear matl from decommissioned nuclear weapons. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 93/07/20. CHILK,S.J. Office of the Secretary of the Commission. 1p. 75990:354-75990:354.

9308060041 Notation vote approving w/comments, SECY-93-127, re financial protection required of licensees of large nuclear power plants during decommissioning. ROGERS Commissioners (Post 750119). 93/05/28. CHILK,S.J. Office of the Secretary of the Commission. 2pp. 76009:103-76009:104.

9308060050 Weekly info rept for wk ending 930723. BLAHA,J.L. Assistant for Operations (Post 890205). 93/07/27. 35pp. 76009:068-76009:102.

9308090132 Forwards comments on GAO recommendations in rept entitled, "Nuclear Regulation: Better Criteria & Data Would Help Ensure Safety of Nuclear Matls" & updated data for Tables II.1, II.2, II.3 & III.3. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). CCS. 93/07/28. GLENN,J. Senate, Governmental Affairs. LIEBERMAN,J.I. Senate, Environment & Public Works. CONYERS,J. House of Rep., Government Operations. 17pp. 76062:296-76062:314.

-9308090133 Forwards Rept GAO/RCED-93-90, "Nuclear Regulation: Better Criteria & Data Would Help Ensure Safety of Nuclear Matls." W/o encl. PEACH,J.D. General Accounting Office. CCS. 93/06/01. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 1p. 76062:313-76062:314.

186 NONDOCKETED ITEMS

- 9308090142** Responds to 930611 ltr requesting NRC views on whether one-party taping of conversations by employees of NRC licensees could constitute, in some circumstances, protected activity under Section 211 of Energy Reorganization Act of 1974.
THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). CCS. 93/07/14. LIEBERMAN, J.I., SIMPSON, A.K., BAUCUS, M. Senate, Environment & Public Works. 8pp. 76061:327-76061:335.
- 9308100127** SECY-93-219 Weekly info rept for wk ending 930730.
BLAHA, J.L. Assistant for Operations (Post 890205). 93/08/05. 36pp. 76027:303-76027:339.
- 9308100267** Board notification 93-020: responses to stated senate committee requests for info re one-party taping of NRC licensee employee conversations encl.
VARGA, S.A. Division of Reactor Projects - I/II (Post 870411) OLA-3. 93/08/10. THE CHAIRMAN, SELIN, ROGERS Commissioners (Post 750119). 5pp. 76152:001-76152:017.
- 9308110250** SECY-93-201 Weekly info rept for wk ending 930716.
BLAHA, J.L. Assistant for Operations (Post 890205). 93/07/22. 36pp. 76065:188-76065:222.
- 9308160195** Expresses appreciation on behalf of NRC for kind sentiments forwarded on US Independence Day.
THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). 93/07/14. SAPHONOV, V.G. Affiliation Not Assigned. 1p. 76135:062-76135:063.
- 9308160198** Extends congratulations to NRC on US Day of Independence.
SAPHONOV, V.G. Affiliation Not Assigned. 93/07/01. NRC - No Detailed Affiliation Given. 1p. 76135:063-76135:063.
- 9308160204** Responds to 930610 ltr re composition of ACMUI. NRC appreciates candid comments & concern that special field of medical physics be adequately represented on Committee.
REMICK, F.J. Commissioners (Post 750119). 93/07/21. GILLIN, M.T. Affiliation Not Assigned. 2pp. 76143:357-76143:360.
- 9308160211** Protests elimination of medical physicist from ACMUI of NRC. Urges NRC to update membership of committee on regular basis.
GILLIN, M.T. Affiliation Not Assigned. 93/06/10. THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). 2pp. 76143:359-76143:360.
- 9308160265** Forwards ltr to Senate Committee on Environ & Public Works expressing views on whether one-party taping of conversations by employees of NRC licensees could constitute protected activity under section 211 ERA of 1974.
THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). 93/07/14. REICH, R.B. Labor, Dept. of. 1p. 76133:342-76133:354.
- 9308160271** Urges that NRC give careful consideration to & determine whether one-party taping of conversations by employees of NRC may constitute protected activity under section 211 of Energy Reorganization Act of 1974.
CHAFEE, J., BAUCUS, M., SIMPSON, A.K. Senate, Environment & Public Works. 93/06/11. THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). 3pp. 76133:352-76133:354.
- 9308180266** Notation vote approving in part & disapproving in part, SECY-93-092, "Issues re Advanced Reactor (PRISM, MHTGR & PIUS) & CANDU 3 Designs & Their Relationship to Current Regulatory Requirements."
THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). 93/05/10. CHILK, S.J. Office of the Secretary of the Commission. 2pp. 76150:335-76150:336.
- 9308190049** Notation vote approving w/comment, SECY-93-108, "Revised Guidelines for Prioritization of Generic Safety Items."
REMICK Commissioners (Post 750119). 93/07/12. CHILK, S.J. Office of the Secretary of the Commission. 2pp. 76151:329-76151:330.
- 9308190056** Notation vote approving in part & disapproving in part, SECY-93-092, "Issues re Advanced Reactor (PRISM, MHTGR & PIUS) & Candu 3 Designs & Their Relationship to Current Regulatory Requirements."
ROGERS, K.C. Commissioners (Post 750119). 93/07/15. CHILK, S.J. Office of the Secretary of the Commission. 3pp. 76151:337-76151:339.
- 9308190090** Notation vote approving w/comments, SECY-93-108, "Revised Guidelines for Prioritization of Generic Safety Items."
DE PLANQUE, E.G. Commissioners (Post 750119). 93/07/20. CHILK, S.J. Office of the Secretary of the Commission. 3pp. 76153:123-76153:125.
- 9308190635** Notation vote approving w/comments, SECY-93-108, "Revised Guidelines for Prioritization of Generic Safety Items."
ROGERS, K.C. Commissioners (Post 750119). 93/05/26. CHILK, S.J. Office of the Secretary of the Commission. 3pp. 76153:126-76153:128.
- 9308190212** Supports recommendations of Defense Nuclear Facilities Safety Board & urges that DOE continue to fund program of general purpose critical experiments.
REMICK, F.J. Commissioners (Post 750119). 93/07/21. O'LEARY, H.R. Energy, Dept. of. 3pp. 76153:110-76153:112.
- 9308190214** Informs that NRC has & will continue to communicate w/ F Watt until new State Liaison Officer appointed as result of L Jager misfortune.
THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). 93/07/29. ENGLER, J. Michigan, State of. 1p. 76152:148-76152:148.
- 9308190221** Informs that NRC stand ready to provide assistance within capabilities to support administration efforts in Russia & other states of region.
THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). 93/07/27. BURNS, N. Affiliation Not Assigned. 1p. 76162:313-76162:313.
- 9308230289** Notation vote approving w/comments, SECY-93-092, "Issues re Advanced Reactor (PRISM, MHTGR & PIUS) & CANDU 3 Designs & Their Relationship to Current Regulatory Requirements."
REMICK Commissioners (Post 750119). 93/07/13. CHILK, S.J. Office of the Secretary of the Commission. 3pp. 76179:356-76179:358.
- 9308230292** Notation vote approving w/comments, SECY-93-108, "Revised Guidelines for Prioritization of Generic Safety Items."
THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). 93/07/07. CHILK, S.J. Office of the Secretary of the Commission. 2pp. 76179:359-76179:360.
- 9308230300** Notation vote approving in part & disapproving in part, SECY-93-092, "Issues re Advanced Reactor (PRISM, MHTGR & PIUS) & CANDU 3 Designs & Their Relationship to Current Regulatory Requirements."
DE PLANQUE Commissioners (Post 750119). 93/07/20. CHILK, S.J. Office of the Secretary of the Commission. 2pp. 76179:354-76179:355.
- 9308240181** Notation vote approving in part & disapproving in part, SECY-93-087, "Policy, Technical & Licensing Issues Pertaining to Evolutionary & Advanced Light-Water Reactor Designs."
ROGERS, K.C. Commissioners (Post 750119). 93/07/07. CHILK, S.J. Office of the Secretary of the Commission. 5pp. 76183:250-76183:254.
- 9308240184** Notation vote w/comments approving in part & disapproving in part, SECY-93-087, "Policy, Technical & Licensing Issues Pertaining to Evolutionary & Advanced Light-Water Reactor Designs."
DE PLANQUE Commissioners (Post 750119). 93/07/02. CHILK, S.J. Office of the Secretary of the Commission. 2pp. 76183:255-76183:256.
- 9308240190** Notation vote w/comments approving in part & disapproving in part, SECY-93-087, "Policy, Technical & Licensing Issues Pertaining to Evolutionary & Advanced Light-Water Reactor Designs."
REMICK Commissioners (Post 750119). 93/06/25. CHILK, S.J. Office of the Secretary of the Commission. 13pp. 76183:260-76183:272.
- 9308240194** Notation vote w/comments approving in part & disapproving in part, SECY-93-087, "Policy, Technical & Licensing Issues Pertaining to Evolutionary & Advanced Light-Water Reactor Designs."
THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). 93/07/14. CHILK, S.J. Office of the Secretary of the Commission. 2pp. 76183:276-76183:277.
- 9308240326** Responds to 930629 ltr raising questions re instrumentation for RV water level & cracks on disks of low pressure turbines at plant. Staff analysis encl.
THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). 93/08/04. STUDDS, G.E., KERRY, J.F., KENNEDY, E.M. House of Rep. 8pp. 76211:010-76211:061.
- 9307200017** Discusses problems existing at plant re ref leg of BWR water level instrumentation which can lead to false high level indications after rapid depressurization event & issue of operability determinations.
STUDDS, G.E. House of Rep. KENNEDY, E.M., KERRY, J.F. Senate. IEB-93-003. 93/06/29. THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). 2pp. 76211:060-76211:061.
- 9308240337** Notation vote approving w/edits SECY-93-167, "Regulatory Analysis Guidelines of US NRC."
ROGERS, K.C. Commissioners (Post 750119). 93/07/06. CHILK, S.J. Office of the Secretary of the Commission. 5pp. 76191:220-76191:224.
- 9308240342** Notation vote approving w/comment SECY-93-167, "Regulatory Analysis Guidelines of US NRC."
REMICK Commissioners (Post 750119). 93/06/25. CHILK, S.J. Office of the Secretary of the Commission. 1p. 76191:219-76191:219.
- 9308240347** Notation vote approving w/comments SECY-93-167, "Regulatory Analysis Guidelines of US NRC."
DE PLANQUE Commissioners (Post 750119). 93/07/01. CHILK, S.J. Office of the Secretary of the Commission. 1p. 76191:218-76191:218.
- 9308250051** Notation vote approving w/comments SECY-93-167, "Regulatory Analysis Guidelines of US NRC."
THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). 93/07/08. CHILK, S.J. Office of the Secretary of the Commission. 2pp. 76201:147-76201:148.
- 9308260132** Informs of intention to provide position to Commission on operational reliability assurance program re SECY-93-087, "Policy, Technical & Licensing Issues Pertaining to Evolutionary & Advanced LWR Designs."
TAYLOR, J.M. Ofc of the Executive Director for Operations. 93/08/02. REMICK Commissioners (Post 750119). 10pp. 76217:256-76217:267.
- 9308260334** Provides comments & requests further info on items II.M & III.G re SECY-93-087, "Policy, Technical & Licensing Issues Pertaining to Evolutionary & Advanced LWR Designs."
REMICK, F.J. Commissioners (Post 750119). 93/07/12. TAYLOR, J.M. Ofc of the Executive Director for Operations. 2pp. 76217:266-76217:267.
- 9308260082** Forwards final version of joint NRC/DOE rept to Congress on US Nuclear Safety Initiatives for Soviet-Designed Reactors.
STOIBER, C.R. Office of International Programs (Post 911117). 93/08/09. CHAIRMAN, SELIN, I., ROGERS, K. Commissioners (Post 750119). 1p. 76217:144-76217:145.
- 9308260116** Forwards joint NRC/DOE rept to Congress re US nuclear safety assistance programs for Soviet-designed reactors in various places of former Soviet Union.
O'LEARY, H.R. Energy, Dept. of. 93/07/22. BEVILL, T. House of Rep., Appropriations. 2pp. 76217:145-76217:148.
- 9308260126** Rept to Congress on "US Nuclear Safety Initiatives For Soviet-Designed Reactors."
* Office of International Programs (Post 911117). 93/06/30. 37pp. 76217:149-76217:185.
- 9308260103** Forwards highlights of rept on internal mgt review of US NRC program for medical use of byproduct matl.
TAYLOR, J.M. Ofc of the Executive Director for Operations. 93/06/16. THE CHAIRMAN, SELIN, I., ROGERS Commissioners (Post 750119). 47pp. 76215:140-76215:187.
- 9308260219** SECY-93-222 Weekly info rept for wk ending 930806.
BLAHA, J.L. Assistant for Operations (Post 890205). 93/08/11. 38pp. 76220:063-76220:100.
- 9308260256** Discusses King of Prussia error workshop sponsored by NRC & telcon re public information in communities affected by regulation of nuclear matls.
GRIFFIN, S.B. Don't Waste New York. 93/07/31. ROGERS, K.C. Commissioners (Post 750119). 5pp. 76215:021-76215:025.
- 9308260269** Informs that NRC intends to perform sensitivity studies & assess analyses during performance of above mentioned contract, per 930505 ltr.
TAYLOR, J.M. Ofc of the Executive Director for Operations. 93/05/20. ROGERS Commissioners (Post 750119). 2pp. 76220:031-76220:046.

-9308260281 Requests that recipient encourages staff to buttress position on SECY-93-087, "Policy, Technical & Licensing Issues Pertaining to Evolutionary & ALWR Designs." ROGERS, K.C. Commissioners (Post 750119). 93/05/05. TAYLOR, J.M. Ofc of the Executive Director for Operations. 1p. 76220:033-76220:033.

-9308260286 Forwards trip rept of Commissioner Rogers 881103-12 visit to FRG & IAEA, Vienna. SCARBOROUGH, J. Commissioners (Post 750119). 88/12/19. Commissioners (Post 750119). 12pp. 76220:034-76220:046.

9308270002 Responds to 921231 SRM requesting that staff evaluate listed items re role of AEOD in oversight of operating reactors. TAYLOR, J.M. Ofc of the Executive Director for Operations. 93/06/04. THE CHAIRMAN, SELIN, I., ROGERS Commissioners (Post 750119). 28pp. 76248:190-76248:217.

CONTRACT NRC CONTRACTS AND MODIFICATIONS

9308110391 Ltr contract, mod 6, providing for downward adjustment of task order ceiling amount to reflect completion of task order 10, "Data Entry Support for Div of Security." MATTIA, M.J. Contract Administration Branch 2 (Post 900603). NRC-39-89-133. 93/06/25. HUTCHENS, T. Data Computer Corp. of America. 2pp. ...obsolete code... 76078:323-76078:325.

9308120015 Mod 3, obligating addl funds to, "Document Conversion Of NRR Insp Manual & Ofc Ltrs." STYER, M.M. Merex, Inc. SCOTT, M.L. Division of Contracts & Property Management (Post 890205). FIN L-2280. 93/07/13. 3pp. 76075:157-76075:159.

9308120045 Mod 28, renewing interagency agreement for addl two months & increasing amount of funding, to "Coordination of Federal/ State Radiation Control Activities & Assistance in Solving Radiation Control Problems." * Health & Human Services, Dept. of. SCOTT, M.L. Division of Contracts & Property Management (Post 890205). FIN L-23373. 93/07/02. 2pp. 76083:317-76083:318.

9308120085 Ltr contract, mod 13, providing downward adjustment of task order ceiling amount to reflect completion of task order 4, "Data Entry for General License Data Base." MATTIA, M. Contract Negotiation Branch-2. NRC-39-89-133. 93/06/25. HUTCHENS, T. Data Computer Corp. of America. 2pp. 76083:311-76083:312.

9308120090 Ltr contract NRC-39-89-133, mod 11, task order 8, providing downward adjustment of task order ceiling amount to reflect completion of subject task order. MATTIA, M. Contract Negotiation Branch-2. NRC-39-89-133. 93/07/08. HUTCHENS, T. Data Computer Corp. of America. 3pp. 76083:313-76083:314.

9308120116 Mod 1, providing incremental funding to, "Field Measurements of Contemporary Crustal Motions in Death Valley Region Using GPS Interferometry." WERNICKE, B.P. California Institute of Technology, Pasadena, CA. SCOTT, M.L. Division of Contracts & Property Management (Post 890205). FIN L-20543. 93/07/09. 2pp. 76082:359-76082:360.

9308120156 Mod 16, providing incremental funding, to "Short Cracks In Piping & Pipe Welds Research Program." WILKOWSKI, G. Battelle Memorial Institute, Columbus Laboratories. SCOTT, M.L. Division of Contracts & Property Management (Post 890205). 93/07/09. 2pp. 76083:319-76083:320.

9308120169 Mod 2, changing key personnel to AD Cohen, for "Technical Assistance for Emergency Response." LOWREY, P. Systems Research & Applications Group. CLARK, D.D. Division of Contracts & Property Management (Post 890205). 93/07/19. 2pp. 76083:321-76083:322.

9308120202 Mod 5, increasing ceiling amount to, "Network Architecture." * Small Business Administration. I-NET, Inc. MATTIA, M.J. Division of Contracts & Property Management (Post 890205). 93/07/19. 2pp. 76083:338-76083:339.

9308120206 Ltr contract, mod 9 to task order 1, increasing obligated amount to, "Network Configuration Mgt Sys Integration & LAN Support." MATTIA, M.J. Contract Administration Branch 2 (Post 900603). FIN L-1782. NRC-39-91-219. 93/07/02. WELLS, D. I-NET, Inc. 4pp. 76083:340-76083:343.

9308120208 Mod 4, providing incremental funding to, "Purchase Of Microcomputer Software." * Data Procurement Corp., Inc. MATTIA, M.J. Division of Contracts & Property Management (Post 890205). FIN D-1356. 93/07/13. 2pp. 76083:344-76083:345.

9308120210 Mod 4, amending sections H.7 & G.1 to, "NRC ADP Sys Development & Maint." ENGER, N.L. Applied Management Systems, Inc. MATTIA, M.J. Division of Contracts & Property Management (Post 890205). 93/07/12. 2pp. 76083:346-76083:347.

9308120242 Mod 1, changing Project Officer to, "SBIR Program-Phase I FY92 Turbulent Natural Convection In Reactor Core Melt." PATANKAR, S.V. Affiliation Not Assigned. SCOTT, M.L. Division of Contracts & Property Management (Post 890205). FIN L-25642. 93/07/13. 2pp. 76092:310-76092:311.

9308120306 Contract: "Technical & Administrative Support For Russian Priority Number 3 (Incident Response), (Lisbon Initiative)," awarded to SAIC. RODEHALL, T.J. Science Applications International Corp. (formerly Science Applications, Inc.). MACE, M.H. Division of Contracts & Property Management (Post 890205). 93/07/14. 98pp. 76085:130-76085:210.

9308120346 Contract: "Technical Support for Russian & Ukrainian Nuclear Regulatory Agencies Lisbon Initiative," awarded to Sciencetech, Inc. BURTON, H.M. SCIENTECH, Inc. MACE, M.H. Division of Contracts & Property Management (Post 890205). 93/07/20. 121pp. 76085:007-76085:129.

9308120361 Contract: "Critical Heat Flux Phenomenon on Downward Facing Curved Surface," awarded to Pennsylvania State Univ. BRANIGAN, D.E. Pennsylvania State Univ., University Park, PA. MACE, M.L. Division of Contracts & Property Management (Post 890205). 93/07/07. 34pp. 76087:057-76087:092.

9308170321 Contract: "Confirmatory Integratn Sys Testing for GE SBWR Design," awarded to Purdue Research Foundation. GREENKORN, R.A. Purdue Research Foundation. MACE, M.H. Contract Administration Branch 2 (Post 900603). FIN L-2202. 93/07/26. 155pp. 76126:022-76126:176.

9308250012 Ltr contract, awarding task order 1, "Computer Program to Process Strong Ground Motion Data." SCOTT, M.L. Contract Administration Branch 1 (Post 900603). FIN E-2073. NRC-03-93-030. 93/04/22. COLINA, I. Science & Engineering Associates, Inc. 7pp. 76214:001-76214:007.

9308250020 Ltr contract, mod 4 to Task Order 2, adding funding to permit continuation of technical assistance & extending period of performance to 941231, "Financial Assurance Reviews of Nonstandard Submittals." SCOTT, M.L. Division of Contracts & Property Management (Post 890205). NRC-02-91-001. 93/06/10. SORRELLS, J. ICF, Inc. 2pp. 76201:145-76201:146.

9308250031 Mod 9, extending period of performance through 930831 & changing project officer, to "Nuclear Power Reactor Design Insp Svcs." HINK, A.D. AECL Technologies. SCOTT, M.L. Division of Contracts & Property Management (Post 890205). NRC-03-90-031. 93/06/25. 2pp. 76214:008-76214:009.

9308250083 Ltr contract, awarding task order 24, "Nondestructive Exam Support at Palo Verde Generating Station." SCOTT, M.L. Contract Administration Branch 1 (Post 900603). NRC-03-90-028. FIN L-14743. 93/04/28. GLOVER, C. TET, Inc. 2pp. 76214:010-76214:011.

9308250092 Ltr contract, awarding task order 19, "Review of Texas Utilities Electric Co Steamline Break Methodology." SCOTT, M.L. Contract Administration Branch 1 (Post 900603). NRC-03-90-027. FIN L-1318. 93/04/28. KOMORIYA, H. International Technical Services, Inc. 6pp. 76214:012-76214:017.

9308250102 Ltr contract, awarding task order 18, "Review of Duke Power Co Statistical Methodology, DPC-NE-2005." SCOTT, M.L. Contract Administration Branch 1 (Post 900603). NRC-03-90-027. FIN L-1318. 93/04/28. KOMORIYA, H. International Technical Services, Inc. 6pp. 76215:339-76215:344.

9308250136 Mod 0, increasing ceiling amount & exercising option set forth in Section B.6, to "Contract Closeout Support Svcs." Contractor: SBA. Subcontractor: Trandes Corp. BELLAMY, GRAHAM Small Business Administration. HALO, D.P. Trandes Corp. MATTIA, M.J. Division of Contracts & Property Management (Post 890205). 93/06/28. 67pp. 76201:155-76201:221.

9308250137 Ltr contract, mod 6, increasing time for review of licensee response to request for addl info & task order ceiling amount as stated, to task order 3, "Review of Rept NTH-TR-01, 'RETRAN Model Requalification.'" SCOTT, M.L. Contract Administration Branch 1 (Post 900603). NRC-03-90-027. FIN L-1318-3. 93/04/28. KOMORIYA, H. International Technical Services, Inc. 3pp. 762:4:018-76214:020.

9308250146 Mod 4, increasing total estimated amount to ceiling, to "Review of RETRAN Computer Codes & Confirmatory Licensing Calculations Analyses." * Small Business Administration. KOMORIYA International Technical Services, Inc. SCOTT, M.L. Division of Contracts & Property Management (Post 890205). NRC-03-90-027. 93/04/30. 2pp. 76214:021-76214:022.

9308250151 Mod 1, clarifying listed items, to "IBM 9370 Disk Drive Upgrade." * Small Business Administration. * Pulsar Data Systems, Inc. WIGGINS, E.J. Division of Contracts & Property Management (Post 890205). 93/06/15. 1p. 76201:243-76201:243.

9308250158 Ltr contract, Mod 0, deleting task order 2, "Data Entry for Security Sys." MATTIA, M.J. Contract Administration Branch 2 (Post 900603). NRC-33-93-182. 93/06/16. HUTCHEN, T. Data Computer Corp. of America. 2pp. 76201:244-76201:245.

9308250165 Mod 1, incorporating procedures for installation of signal cable in Phillips Bldg to "Data/Voice Telecommunications Equipment Support." HENNING, R.J. WIGGINS, E.J. Division of Contracts & Property Management (Post 890205). 93/06/04. 3pp. 76201:246-76201:248.

9308250170 Ltr contract, awarding task order 12, "Vendor Insp of Fisher Controls Intl." SCOTT, M.L. Contract Administration Branch 1 (Post 900603). NRC-03-89-029. FIN L-13513. 93/06/21. LOFY, R.A. PARAMETER, Inc. 5pp. 76214:023-76214:027.

9308250172 Ltr contract, mod 5 to task order 6, providing for conduct of requirements analyses re Administrative Info Mgt Sys & increasing contract ceiling amount as listed to, "PC/LAN Sys Support." MATTIA, M.J. Contract Administration Branch 2 (Post 900603). 93/06/17. HUTCHINSON, M. Applied Management Systems, Inc. 2pp. 76201:249-76201:250.

9308250176 Ltr contract, mod 2 to task order 4, revising period of performance at no addl cost to Govt, to "Studies to Support NRC ADP." MATTIA, M.J. Contract Administration Branch 2 (Post 900603). 93/05/26. HUTCHINSON, M. Applied Management Systems, Inc. 1p. 76201:251-76201:251.

9308250179 Mod 4, revising provisional billing rates & incorporating FAR clause, to "Network Architecture." MULLINS, K. Small Business Administration. WOLF, C. I-NET, Inc. MATTIA, M.J. Division of Contracts & Property Management (Post 890205). 93/06/09. 4pp. 76201:252-76201:255.

9308250189 Mod 3, adding addl equipment to MV/40000 system, to "Data General Equipment Maint." HOYT, J. Data General Corp. MATTIA, M.J. Division of Contracts & Property Management (Post 890205). FIN B-1663-3. 93/06/04. 13pp. 76201:256-76201:268.

9308250191 Ltr contract, mod 1, providing incremental funding in stated amount, to task order 39, "Review of Watts Bar Open Items, CDR & Employee Concerns." SCOTT, M.L. Contract Administration Branch 1 (Post 900603). NRC-03-89-027. 93/06/11. LOFY, R.A. PARAMETER, Inc. 2pp. 76214:028-76214:029.

188 NONDOCKETED ITEMS

- 9308250193** Mod 8,changing expiration date to 930913 at no increase in funding of contract,to "Urine Specimen Testing." Contractor: PharmChem Labs,Inc. PATTEN,K.W. PharmChem Laboratories, Inc. SCOTT,M.L. Division of Contracts & Property Management (Post 890205). 93/05/17. 2pp. 76201:269-76201:270.
- 9308250197** Mod 2 to task order 24,extending period of performance to allow addl time to complete installation & configuration of chatterboxes,to "Office Plans,Integration & Implementation - Advisory Committee on Reactor Safeguards." MOSS,J.W. CECEC, Inc. MATTIA,M.J. Division of Contracts & Property Management (Post 890205). 93/06/30. 2pp. 76201:271-76201:272.
- 9308250205** Mod 11,raising ceiling & obligating funds,to "FTS & FTS 2000 Svcs." * General Services Administration. MATTIA,M.J. Division of Contracts & Property Management (Post 890205). FIN D-1851-3. 93/06/30. 2pp. 76201:273-76201:274.
- 9308250208** Contract: "NRC Rules & Regulations" awarded to Jack Faucett Assoc. HAWLEY,M.E. Affiliation Not Assigned. MACE,M.H. Division of Contracts & Property Management (Post 890205). 93/07/27. 300pp. 76202:098-76203:056.
- 9308250211** Mod 2,adding listed clause,to "Telephone Switching Sys - Region V - Walnut Creek,CA." COLLINS,E.J. GTI Corp. MATTIA,M.J. Division of Contracts & Property Management (Post 890205). 93/06/01. 2pp. 76201:275-76201:276.
- 9308250217** Ltr contract,mod 5,providing full funding for subtask,to task order 3, "Technical Assistance - GE & Westinghouse Petition for Rulemaking to Allow Self-Guarantee to Satisfy Financial Requirements of Decommissioning Rule for RES." SCOTT,M.L. Contract Administration Branch 1 (Post 900603). NRC-02-91-001. FIN L-1966. 93/05/04. SORRELLS,J. ICF, Inc. 2pp. 76214:030-76214:031.
- 9308250231** Mod 7,obligating funds in listed amount for travel costs,to "Lease/Purchase of C-E PWR Simulator." Contractor:ABB/C-E. GARDNER,W.N. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). SCOTT,M.L. Division of Contracts & Property Management (Post 890205). FIN L-1578-3. 93/05/21. 3pp. 76203:289-76203:290.
- 9308250236** Mod 62,revising NRC program element manager for performance assessment effective 930423 & project officer for CNWRA internal QA,to "Establish a FFRDC for Operation of Ctr for Nuclear Waste Regulatory Analyses." CHATTEN,R.E. Southwest Research Institute. SCOTT,M.L. Division of Contracts & Property Management (Post 890205). NRC-02-88-005. 93/07/02. 4pp. 76214:032-76214:035.
- 9308250239** Mod 7,extending contract for 6-month period,revising section B,raising contract price & providing funds,to "Telecommunications Switching Svcs." NELSON,B.A. Pacific Bell. MATTIA,M.J. Division of Contracts & Property Management (Post 890205). FIN J-9531. 93/06/25. 7pp. 76201:318-76201:323.
- 9308250242** Mod 9,definitizing mod 8 & setting forth negotiated estimated cost for completion of remaining effort,to "Upgrade of Technical Training Ctr Simulator Thermal Hydraulic Models." Contractor:S3 Technologies Co. JONES,R.D. Simulation, Systems & Services Technologies Co. SCOTT,M.L. Division of Contracts & Property Management (Post 890205). FIN L-12043. 93/04/01. 10pp. 76214:036-76214:044.
- 9308250243** Mod 59,revising NRC program element managers for CNWRA operations & monitored retrievable storage shown in section G.3.1.c,to "Establish FFRDC for Operation of Ctr for Nuclear Waste Regulatory Analyses." CHATTEN,R.E. Southwest Research Institute. SCOTT,M.L. Division of Contracts & Property Management (Post 890205). NRC-02-88-005. 93/04/28. 3pp. 76214:045-76214:047.
- 9308250250** Ltr contract NRC-26-91-292,Task Order 9,definitizing task w/established ceiling of listed amount,to "Present Internal Dosimetry Course." Contractor:Inti Technology Corp. SCOTT,M.L. Division of Contracts & Property Management (Post 890205). FIN L-15833. NRC-26-91-292. 93/06/18. SLOYER,K. International Technology Corp. 5pp. 76203:285-76203:288.
- 9308250252** Mod 1,incorporating revised desk procedures & FAR clause,to "Switchboard & Receptionist Svcs at NRC Region III Ofc." * Small Business Administration. GRAY,J. . MATTIA,M.J. Division of Contracts & Property Management (Post 890205). 93/05/14. 2pp. 76201:283-76201:317.
- 9308250255** Revised "Switchboard/Receptionist Region III Desk Procedures." GRAY,J. . 93/04/01. 33pp. 76201:285-76201:317.
- 9308250254** Mod 4,increasing contract ceiling,incorporating within scope changes to SOW & extending period of performance through 930630,to "Procedures for Evaluating Aging Effects on Plant Risk." MUZIO,B.J. Science Applications International Corp. (formerly Science Applications, Inc.). SCOTT,M.L. Division of Contracts & Property Management (Post 890205). FIN L-2388. 93/04/30. 4pp. 76201:324-76201:326.
- 9308250256** Ltr contract NRC-10-93-136, "Develop & Apply Indoor Air Quality Commissioning Program" awarded to NBS. MACE,M.H. Contract Negotiation Branch-2. NRC-10-93-136. 93/04/16. PERSILY,A. National Institute Standards & Technology (formerly National Bureau of Standards). 6pp. 76201:327-76201:332.
- 9308250259** Mod 6,obligating addl funding & extending period of performance,to "Health Svcs for Region III Employees." PARAH,G.W. Wheaton Medical Clinic, Wheaton, IL. SCOTT,M.L. Division of Contracts & Property Management (Post 890205). FIN J-9310. 93/05/18. 2pp. 76201:333-76201:334.
- 9308250260** Ltr contract NRC-26-91-292,Mod 2 to Task Order 4,extending expiration date,to "Modify Radwaste Mgt Training Manual." Contractor:Inti Technology Corp. SCOTT,M.L. Contract Administration Branch 1 (Post 900603). NRC-26-91-292. 93/06/15. SLOYER,K. International Technology Corp. 2pp. 76203:284-76203:284.
- 9308250266** Mod 1,changing contract type to cost plus fixed fee indefinite quantity,to "Technical Assistance for Emergency Response." LOWREY,P. Systems Research & Applications Group. WIGGING,E.J. Division of Contracts & Property Management (Post 890205). 93/05/19. 5pp. 76201:335-76201:338.
- 9308250269** Mod 31,extending period of performance to 930531 w/two,30- day option periods & deliver of full implementation of redesigned front end (data-entry) sys to 930518,to "Operation & Maint of NRC NUDOS." SMITH,L.P. Small Business Administration. POST,H. Statistica, Inc. MATTIA,M.J. Contract Negotiation Branch-2. FIN D-1874. 93/06/17. 5pp. 76201:339-76201:343.
- 9308250271** Contract "Aquisition of Shoreham Simulator," awarded to Long Island Lighting Co. MCCAFFREY,B.R. Long Island Lighting Co. MACE,M.H. Division of Contracts & Property Management (Post 890205). 93/06/25. 28pp. 76203:169-76203:196.
- 9308250276** Ltr contract,mod 4 to task order 9,providing downward adjustment of task order ceiling amount,to "Ofc of Controller Data Entry Support." MATTIA,M.J. Contract Administration Branch 2 (Post 900603). NRC-39-89-133. 93/06/04. HUTCHENS,T. Data Computer Corp. of America. 2pp. 76201:344-76201:345.
- 9308250290** Ltr contract,awarding task order 15, "IPE Reviews,Internal Events - Back-End Only (Duane Arnold)." MATTIA,M.J. Division of Contracts & Property Management (Post 890205). FIN L-1933. NRC-04-91-068. 93/05/25. MATTSON,R.J. SCIENTECH, Inc. 9pp. 76212:125-76212:133.
- 9308250295** Ltr contract,awarding task order 14, "Individual Plant Exam Reviews,Internal Events - Back-End Only (Pilgrim 1)." MATTIA,M.J. Division of Contracts & Property Management (Post 890205). FIN L-1933. NRC-04-91-068. 93/05/17. MATTSON,R.J. SCIENTECH, Inc. 9pp. 76212:134-76212:142.
- 9308250299** Mod 7,decreasing total estimated cost ceiling as result of redirection of work,to "Modeling Cognitive Behavior of NPP Personnel." ZAHAROFF,M. Westinghouse Electric Corp. SCOTT,M.L. Division of Contracts & Property Management (Post 890205). 93/06/30. 5pp. 76212:143-76212:147.
- 9308250302** Mod 1,extending period of performance through 930331 & revising SOW tasks at no addl increase to obligated & total amount of contract,to "Evaluation of Effects of Hydrogen Water Chemistry on Shutdown Radiation Levels in BWRs." ANSTINE,L. Advanced Process Technology. MATTIA,M.J. Division of Contracts & Property Management (Post 890205). FIN L-23072. 92/12/18. 7pp. 76201:346-76201:351.
- 9308250303** Mod 9,extending period of performance,to "Technical Assistance for Part 20 Implementation." BAKER,L.J. Small Business Administration. RESEIGH,M.M. SCIENTECH, Inc. MATTIA,M.J. Division of Contracts & Property Management (Post 890205). 93/07/01. 3pp. 76212:148-76212:150.
- 9308250305** Mod 16,increasing contract ceiling amount,to "Irradiation Embrittlement of Reactor Pressure Vessel Steels." HENKIN,Y. Materials Engineering Associates, Inc. MATTIA,M.J. Division of Contracts & Property Management (Post 890205). FIN B-5848. 93/06/29. 4pp. 76212:151-76212:154.
- 9308250307** Mod 3,adding listed funds to increase contract ceiling,to "Legal Svcs - Legal Support for NRC." Contractor:Kator,Scott & Heller. SCOTT,J. Kator, Scott & Heller. HALMAN,E.L. Division of Contracts & Property Management (Post 890205). FIN L-2624. 93/06/30. 3pp. 76203:282-76203:283.
- 9308250308** Mod 15,extending expiration date of contract, to "Northeastern Seismic Research Program - Task 2 & Task 6." MCKENZIE,P.C. Boston College, Chestnut Hill, MA. SCOTT,M.L. Division of Contracts & Property Management (Post 890205). 93/05/15. 2pp. 76212:155-76212:156.
- 9308250310** Ltr contract,awarding task order 6,to "Emergency Operating Procedure Insp - Perry." MATTIA,M.L. Division of Contracts & Property Management (Post 890205). NRC-03-93-036. 93/05/12. COLINA,I. Science & Engineering Associates, Inc. 2pp. 76212:157-76212:158.
- 9308250313** Mod 33,correcting MOD 32 to reflect increase in ceiling amount of contract resulting from exercise of Option Periods 1 & 2,to "Operation & Maint of NRC NUDOS." Contractor:SBA. Subcontractor:Statistica, Inc. * Small Business Administration. * Statistica, Inc. MATTIA,M.J. Division of Contracts & Property Management (Post 890205). 93/06/30. 2pp. 76201:352-76201:353.
- 9308250314** Ltr contract,awarding task order 5, to "Emergency Operating Procedure Insp - LaSalle." SCOTT,M.L. Division of Contracts & Property Management (Post 890205). NRC-03-93-036. 93/04/29. COLINA,I. Science & Engineering Associates, Inc. 6pp. 76212:159-76212:164.
- 9308250315** Ltr contract,awarding task order 2,to "Containment Structure Leaking Testing." SCOTT,M.L. Contract Administration Branch 1 (Post 900603). FIN L-1853. NRC-04-92-057. 93/04/23. COHEN,S. S. Cohen & Associates, Inc. 3pp. 76203:167-76203:168.
- 9308250321** Mod 2,providing incremental funding,to "Effective Communication - The Media Training." Contractor:CommCore, Inc. * CommCore, Inc. MATTIA,M.J. Division of Contracts & Property Management (Post 890205). 93/07/02. 2pp. 76201:354-76201:355.
- 9308250323** Ltr contract,awarding task order 4,to "LER Review & Data Incorporation Into Human Factors Info Sys (HFIS)." SCOTT,M.L. Division of Contracts & Property Management (Post 890205). NRC-03-93-036. 93/04/29. COLINA,I. Science & Engineering Associates, Inc. 5pp. 76212:165-76212:169.
- 9308250324** Ltr contract,awarding task 16,to "Individual Plant Exam Reviews,Internal Events-Back-End Only." MATTIA,M.J. Contract Administration Branch 2 (Post 900603). FIN L-1933. NRC-04-91-068. 93/05/17. MATTSON,R.J. SCIENTECH, Inc. 10pp. 76203:125-76203:133.
- 9308250327** Ltr contract,awarding task order 2,to "Emergency Operating Procedure Insp - Clinton." SCOTT,M.L. Division of Contracts & Property Management (Post 890205). NRC-03-93-036. 93/04/23. COLINA,I. Science & Engineering Associates, Inc. 2pp. 76212:170-76212:171.

9308250329 Ltr contract,mod 1 to task order, "All Employee Training Survey," revising statement of work & increasing task order ceiling amount.
MATTIA,M.J. Contract Administration Branch 2 (Post 900603). NRC-38-92-281. 93/06/11. MILLER,J. CAE-Link Corp. 2pp. 76201:356-76201:357.

9308250331 Ltr contract,awarding task order 5, to "Shutdown Risk Support."
SCOTT,M.L. Division of Contracts & Property Management (Post 890205). NRC-03-93-031. 93/07/08. AFABLE,S. SCIENTECH, Inc. 2pp. 76212:172-76212:173.

9308250335 Ltr contract,awarding task 17, to "Individual Plant Exam Reviews,Internal Events-Back-End Only."
MATTIA,M.J. Contract Administration Branch 2 (Post 900603). FIN L-1933. NRC-04-91-068. 93/05/25. MATTSON,R.J. SCIENTECH, Inc. 10pp. 76203:116-76203:124.

9308250342 Contract "Renovation of Ofc of Personnel Supreme Minuterie Automated Filing Sys" awarded to Electronic Automation Corp.
JAYJOHN,E. Affiliation Not Assigned. MACE,M.H. Division of Contracts & Property Management (Post 890205). FIN L-1619. 93/06/30. 33pp. 76203:134-76203:166.

9308250346 Ltr contract,Mod 1 to task 17,providing incremental funding in listed amount & increasing obligated amount, to "Individual Plant Exam Reviews,Internal Events - Back End Only."
MATTIA,M.J. Contract Administration Branch 2 (Post 900603). FIN L-1933. NRC-04-91-068. 93/06/22. MATTSON,R.J. SCIENTECH, Inc. 3pp. 76201:358-76201:359.

9308250359 Ltr contract,awarding task 17, to "Individual Plant Exam Reviews,Internal Events-Back-End Only."
MATTIA,M.J. Contract Administration Branch 2 (Post 900603). FIN L-1934. NRC-04-91-069. 93/06/10. HAAS,P.M. Concord Associates, Inc. 10pp. 76203:107-76203:115.

9308250378 Confirms agreement of Montgomery County to sell Full Share Fare Media on consignment to NRC for resale/distribution to NRC employees.
AOYAGI,G.A. Montgomery County, MD. 93/05/17. MACE,M.H. Division of Contracts & Property Management (Post 890205). 7pp. 76203:298-76203:304.

9308250385 Ltr contract,Mod 3 to task order 3 extending period of performance to 930930 at no addl cost to government, to "GSI- 153 Technical Assistance Interim Resolution."
SCOTT,M.L. Contract Administration Branch 1 (Post 900603). NRC-04-91-071. 93/04/20. COLINA,I. Science & Engineering Associates, Inc. 3pp. 76201:360-76201:361.

9308250395 Ltr contract,Mod 1 to task 2,extending due date for interim rept from 930630 to 930715 at no addl cost to government, to "Containment Structure Leakage Testing."
SCOTT,M.L. Contract Administration Branch 1 (Post 900603). NRC-04-92-057. 93/06/28. COHEN,S. S. Cohen & Associates, Inc. 3pp. 76203:205-76203:206.

9308250404 Mod 3,extending period of performance & correcting applicable period of indirect rates listed under mod 2, to "Technical Assistance for Resolving GSI (Engineering & Scientific Issues)."
COHEN,S. S. Cohen & Associates, Inc. SCOTT,M.L. Division of Contracts & Property Management (Post 890205). 93/05/06. 3pp. 76203:220-76203:221.

9308250406 Mod 22,fully funding contract, to "Emergency Response Data Sys (ERDS) Implementation."
Halliburton Services. SCOTT,M.L. Division of Contracts & Property Management (Post 890205). 93/05/10. 2pp. 76203:291-76203:292.

9308250412 Ltr contract,awarding task order 82, "Electrical Distribution Sys Functional Insp - Seabrook."
SCOTT,M.L. Contract Administration Branch 1 (Post 900603). FIN L-1527-3. NRC-03-90-031. 93/04/16. HINK,A.D. AECL Technologies. 2pp. 76203:207-76203:208.

9308250428 Mod 1,providing incremental funding in listed amount, to "OKLO Analog:Guide for Radionuclide Containment."
NAGY,B. Arizona State Univ., Tempe, AZ. SCOTT,M.L. Division of Contracts & Property Management (Post 890205). 93/07/02. 3pp. 76203:218-76203:219.

9308250441 Mod 4,increasing contract ceiling by listed amount & obtaining addl info from mechanistic modeling expert, to "Improved Irradiation Embrittlement Correlations."
EASONE,E. Modeling & Computer Services. MATTIA,M.J. Division of Contracts & Property Management (Post 890205). FIN L-1107. 93/06/24. 4pp. 76203:215-76203:217.

9308250448 Mod 4,allowing contractor at no addl cost obligation to begin work on task 2 prior to completion of task 1, to "Guidance & Models for Reuse/Recycle Matl."
GOTCHY,R. Science Applications International Corp. (formerly Science Applications, Inc.). MATTIA,M.J. Division of Contracts & Property Management (Post 890205). FIN L-1852. 93/06/25. 3pp. 76203:213-76203:214.

9308250478 Contract: "Technical Assistance for Regulatory Guidance for Part 20 Implementation," awarded to Science Applications International.
YOUNG,B.J. Science Applications International Corp. (formerly Science Applications, Inc.). MACE,M.H. Division of Contracts & Property Management (Post 890205). NRC-04-93-050. 93/07/28. 92pp. 76212:034-76212:124.

9308260013 Mod 1,clarifies domestic travel requirements, to "Maint of Trac BWR Thermal Hydraulic Simulation Computer Codes for Reactor Transients."
Contractor:Pennsylvania State Univ.
* Pennsylvania State Univ., Harrisburg, PA. MATTIA,M.J. Division of Contracts & Property Management (Post 890205). FIN L-1971. 93/04/30. 3pp. 76214:282-76214:283.

9308260018 Mod 3,obligating incremental funding in listed amount, to "Guidance & Models for Reuse/Recycle Matl." Contractor: Science Applications.
* Science Applications International Corp. (formerly Science Applications, Inc.). MATTIA,M.J. Division of Contracts & Property Management (Post 890205). FIN L-1852. 93/04/29. 3pp. 76214:285-76214:286.

9308260022 Ltr contract NRC-04-91-069,task order 16, to "IPE Reviews, Internal Events - Human Reliability Analysis Only (Kewaunee)."
MATTIA,M.J. Contract Administration Branch 2 (Post 900603). NRC-04-91-069. FIN L-1934. 93/04/14. HAAS,P.M. Concord Associates, Inc. 8pp. 76214:288-76214:295.

9308260025 Ltr contract NRC-38-92-281,task order 4, to "All Employee Training Survey."
MATTIA,M.J. Contract Administration Branch 2 (Post 900603). NRC-38-92-281. FIN T-8471. 93/04/14. MILLER,J. CAE-Link Corp. 6pp. 76214:297-76214:301.

9308260029 Confirms agreement of Montgomery County,MD to sell full share fare media on consignment to NRC for resale/ distribution to NRC employees under contract NRC-10-93-129, "Interagency Agreement for Purchase of Public Transl..."
AOYAGI,G.A. Maryland, State of. NRC-10-93-129. 92/12/18. MACE,M. Division of Contracts & Property Management (Post 890205). 9pp. 76214:302-76214:309.

9308260037 Mod 6,increasing contract ceiling by listed amount, to "Second Intl Piping Integrity Research Group (IPIRG-2) Program."
* Battelle Memorial Institute. MATTIA,M.J. Division of Contracts & Property Management (Post 890205). 93/04/29. 3pp. 76214:310-76214:311.

9308260041 Mod 6,extending period of performance at no addl cost, to "Modeling Cognitive Behavior of Nuclear Power Plant Personnel."
ZAHAROFF,M. Westinghouse Electric Corp. SCOTT,M.L. Division of Contracts & Property Management (Post 890205). 93/04/12. 3pp. 76214:318-76214:319.

9308260044 Ltr contract,awarding mod 1 to Task Order 4, "Fuel-Coolant Interactions," under contract NRC-04-92-045.
SCOTT,M.L. Contract Administration Branch 1 (Post 900603). FIN L-1972. NRC-04-92-045. 93/04/28. KHATIB-RAHBAR Affiliation Not Assigned. 2pp. 76218:195-76218:196.

9308260048 Mod 4,extending period of performance, to "SBIR Program - Phase II,FY92 PRA Analysis of LWR Low-Power & Shutdown Accidents Initiated By Earthquakes."
* Future Resources Associates, Inc. MATTIA,M.J. Division of Contracts & Property Management (Post 890205). 93/04/30. 2pp. 76214:320-76214:321.

9308260050 Ltr contract,awarding Task Order 13, "IPE Reviews - Internal Events - Front End Only (Pilgrim 1)," to contract NRC-04-91-066.
MATTIA,M.J. Contract Administration Branch 2 (Post 900603). FIN L-5787. NRC-04-91-066. 93/04/16. COLINA,I. Science & Engineering Associates, Inc. 9pp. 76214:322-76214:330.

9308260051 Mod 6,extending period of performance, to "Elimination of Marginal Safety Requirements."
* Small Business Administration. * SCIENTECH, Inc. SCOTT,M.L. Division of Contracts & Property Management (Post 890205). 93/04/30. 3pp. 76214:331-76214:332.

9308260058 Ltr contract,awarding Task Order 1, "Public Comments For Patient Release Criteria Rulemaking," to contract NRC-04-93-058.
MATTIA,M.J. Contract Administration Branch 2 (Post 900603). NRC-04-93-058. 93/02/26. COHEN,S. S. Cohen & Associates, Inc. 2pp. 76214:337-76214:338.

9308260061 Mod 4,revising emergency operation ctr hours of coverage to, "Assistance in Operation & Mgt of NRC Computer Facilities."
PANNELL,J.D. Small Business Administration. MCCOY,P.M. Washington Data Systems, Inc. MATTIA,M.J. Division of Contracts & Property Management (Post 890205). 93/04/30. 3pp. 76214:339-76214:341.

9308260067 Ltr contract,awarding Task Order 14, "IPE Reviews - Internal Events - Front End Only (Duane Arnold)," to contract NRC-04-91-066.
MATTIA,M.J. Contract Administration Branch 2 (Post 900603). FIN B-5787. NRC-04-91-066. 93/04/16. COLINA,I. Science & Engineering Associates, Inc. 9pp. 76215:001-76215:009.

9308260069 Ltr contract NRC-03-90-031,task order 43, to "Electrical Distribution Sys Functional Insp - AND 2."
SCOTT,M.L. Contract Administration Branch 1 (Post 900603). NRC-03-90-031. 93/01/22. ZOLKIEWICZ,W.J. AECL Technologies. 3pp. 76214:342-76214:343.

9308260072 Ltr contract,awarding Task Order 15, "IPE Reviews - Internal Events - Front End Only (Palisades)," to contract NRC-04-91-066.
MATTIA,M.J. Contract Administration Branch 2 (Post 900603). FIN B-5787. NRC-04-91-066. 93/04/16. COLINA,I. Science & Engineering Associates, Inc. 9pp. 76214:344-76214:352.

9308260075 Mod 8,revising article 1 re scope of work, to "Measurement Assurance Program."
MCGUFFIN,J.C. National Institute of Standards & Technology (formerly National Bureau of Standa. SCOTT,M.L. Division of Contracts & Property Management (Post 890205). FIN J-2001-3. 93/04/27. 3pp. 76214:353-76214:354.

9308260077 Ltr contract NRC-03-89-031,task order 196, to "Reactor Operator Licensing Requalification Exam at Catawba."
SCOTT,M.L. Contract Administration Branch 1 (Post 900603). FIN L-1289-3. NRC-03-89-031. 93/04/16. PETERSEN,L.R. Sonalysts, Inc. 5pp. 76214:355-76214:358.

9308260079 Ltr contract NRC-03-89-031,task order 195, to "Reactor Operator Licensing Requalification Exam at Byron."
SCOTT,M.L. Contract Administration Branch 1 (Post 900603). FIN L-1289-3. NRC-03-89-031. 93/04/20. PETERSON,L.R. Sonalysts, Inc. 5pp. 76215:136-76215:139.

9308260136 Ltr contract,awarding Task Order 16, "IPE Reviews - Internal Events - Front End Only (Kewaunee)," to contract NRC-04-91-066.
MATTIA,M.J. Contract Administration Branch 2 (Post 900603). FIN B-5787. NRC-04-91-066. 93/04/16. COLINA,I. Science & Engineering Associates, Inc. 9pp. 76215:246-76215:254.

9308260139 Ltr contract,awarding Task Order 13, "IPE Reviews - Internal Events - Human Factors Only (Pilgrim 1)," to contract NRC-04-91-069.
MATTIA,M.J. Contract Administration Branch 2 (Post 900603). FIN L-1934. NRC-04-91-069. 93/04/14. HAAS,P.M. Concord Associates, Inc. 8pp. 76215:255-76215:262.

9308260143 Ltr contract,awarding Task Order 14, "IPE Review - Internal Events - Human Factors Only (Duane Arnold)," to contract NRC-04-91-069.
MATTIA,M.J. Contract Administration Branch 2 (Post 900603). FIN L-1934. NRC-04-91-069. 93/04/14. HAAS,P.M. Concord Associates, Inc. 8pp. 76215:263-76215:270.

9308260210 Ltr contract,awarding Task Order 15, "IPE Reviews - Internal Events - Human Factors Only (Palisades)," to contract NRC-04-91-069.
MATTIA,M.J. Contract Administration Branch 2 (Post 900603). FIN L-1934. NRC-04-91-069. 93/04/14. HAAS,P.M. Concord Associates, Inc. 8pp. 76214:259-76214:266.

190 NONDOCKETED ITEMS

- 9308310177** Mod 8,deobligating funds to "Acquisition Training for Project Managers & Senior Managers."
DUNGAN,T.F. Management Concepts, Inc. MATTIA,M.J. Division of Contracts & Property Management (Post 890205). NRC-38-90-326. 93/07/02. 2pp. 76274:222-76274:223.
- 9308310179** Mod 1,increasing funds to contract "Purchase of Laser Printers."
ZAHIRIEN,S. Small Business Administration. DENNIS,C. Government Micro Resources, Inc. MATTIA,M.J. Division of Contracts & Property Management (Post 890205). NRC-33-93-207. 93/07/28. 5pp. 76274:224-76274:228.
- 9308310185** Mod 3,correcting amount of obligated funds deobligated under mod 2,to "Preventive,Remedial & On-Call Maint of IBM 5520 Administrative Sys."
* IBM Corp. MATTIA,M.J. Division of Contracts & Property Management (Post 890205). NRC-33-92-341. 93/07/29. 2pp. 76274:229-76274:230.
- 9308310187** Contract: "Internal Communications Services." awarded to AT&T.
NILAND-HENNESSE AT&T. WIGGINS,E.J. Division of Contracts & Property Management (Post 890205). NRC-33-93-221. 93/08/06. 51pp. 76274:231-76274:285.
- 9308310192** Mod 1,changing address & phone number to, "Support Services for the Automated Graphics Section (AGS) of NRC."
* Small Business Administration. * MATTIA,M.J. Division of Contracts & Property Management (Post 890205). NRC-33-93-187. 93/07/28. 2pp. 76276:039-76276:040.
- 9308310194** Mod 1,deleting Maxum SE Expansion Kit from list of sys equipment to be purchased under, "Voice Messaging Sys Replacement."
ZAHIRIEN,S. Small Business Administration. KATHPAL,H. MATTIA,M.J. Division of Contracts & Property Management (Post 890205). NRC-33-93-191. 93/07/28. 3pp. 76276:041-76276:043.
- FOIA FREEDOM OF INFORMATION ACT REQUESTS AND RELEASES**
- 9307010122** Partial response to FOIA request for documents.Forwards documents listed in App C.Documents also available in PDR. App D documents partially withheld (ref FOIA exemption 5) & App E documents completely withheld (ref FOIA exemption 6).
GRIMESLY,D.H. Division of Freedom of Information & Publications Services (Post 890205). 93/02/16. MURPHY,L.R. Cahill, Gordon & Reindel. 24pp. 76349:001-76351:050.
- 9308120053** Discusses 591102 request for amend to license SNM-185.
JOHNSON,L. Atomic Energy Commission (Pre 750119). 59/11/13. BECK,C.K. Atomic Energy Commission (Pre 750119). 1p. 76350:015-76350:015.
- 9308120072** Discusses 591030 ltr re termination of nuclear activities.
DURANT,J.H. Engelhard Corp. 59/11/05. MCCALLUM,C.P. Atomic Energy Commission (Pre 750119). 1p. 76350:011-76350:011.
- 9308120135** Discusses 590923 & 1014 suppl requests for amend to license SNM-185.
MCCALLUM,C. Atomic Energy Commission (Pre 750119). 59/10/16. Atomic Energy Commission (Pre 750119). 1p. 76350:004-76350:006.
- 9308120148** Application for amend to license SNM-185,permitting receipt & processing of addl 300 kg U-235 to be used in fabrication of Power Reactor Development Corp fuel elements.
* Engelhard Corp. 59/09/23. MCCALLUM,C.P. Atomic Energy Commission (Pre 750119). 1p. 76349:333-76349:333.
- 9308120157** Forwards amended license SNM-185.
DELANEY,J.C. Atomic Energy Commission (Pre 750119). 59/08/18. Engelhard Corp. 1p. 76349:330-76349:330.
- 9308120162** Amended license SNM-185 for Engelhard Industries,Inc.
* Atomic Energy Commission (Pre 750119). 59/08/12. 1p. 76349:331-76349:331.
- 9308120241** Discusses licensee compliance w/section 70.24.
JOHNSON,L. Atomic Energy Commission (Pre 750119). 59/08/20. BECK,C.K. Atomic Energy Commission (Pre 750119). 1p. 76349:332-76349:332.
- 9308120249** Discusses 590814 application submitting info on proposed alarm sys & emergency plan.
BECK,C.K. Atomic Energy Commission (Pre 750119). 59/10/07. JOHNSON,L.E. Atomic Energy Commission (Pre 750119). 1p. 76349:329-76349:329.
- 9308120300** Submits further info on three pickling processes.
BECK,C.K. Atomic Energy Commission (Pre 750119). 59/07/27. JOHNSON,L. Atomic Energy Commission (Pre 750119). 1p. 76349:310-76349:310.
- 9308120312** Discusses 590803 request for amend to license SNM-185.
DELANEY,J.C. Atomic Energy Commission (Pre 750119). 59/08/14. MCCALLUM,C.P. Atomic Energy Commission (Pre 750119). 1p. 76349:323-76349:323.
- 9308120324** Discusses amend of license SNM-185.
* Atomic Energy Commission (Pre 750119). 59/08/11. Engelhard Corp. 1p. 76349:322-76349:322.
- 9308120330** Discusses buildup : U-235.
MCCALLUM,C.P. Atomic Energy Commission (Pre 750119). 59/05/29. Engelhard Corp. 1p. 76349:300-76349:300.
- 9308120340** Requests addl info re license SNM-185.
* Atomic Energy Commission (Pre 750119). 59/07/27. Engelhard Corp. 2pp. 76349:311-76349:312.
- 9308200056** Discusses 590417 application for amend to license SNM-185.
DELANEY,J.C. Atomic Energy Commission (Pre 750119). 59/05/18. DURANT,J.H. Engelhard Corp. 1p. 76349:294-76349:294.
- 9308200061** Discusses 590417 ltr from Englehard submitting further info on proposed procedures.
BECK,C.K. Atomic Energy Commission (Pre 750119). 59/05/22. JOHNSON,L.E. Atomic Energy Commission (Pre 750119). 1p. 76349:295-76349:295.
- 9308200071** Discusses 580324 memo re observations,conclusions & findings resulting from review of application.
MCCALLUM,G.P. Atomic Energy Commission (Pre 750119). 59/04/03. Atomic Energy Commission (Pre 750119). 1p. 76349:282-76349:282.
- 9308200077** Discusses amended license.
* Atomic Energy Commission (Pre 750119). 59/04/01. Engelhard Corp. 1p. 76349:281-76349:281.
- 9308200084** Discusses classification review of SNM application suppl.
FLEURY,E.R. Atomic Energy Commission (Pre 750119). 59/03/06. STRAUSSER,W.A. Atomic Energy Commission (Pre 750119). 1p. 76349:275-76349:275.
- 9308200091** Discusses 590303 application requesting approval of proposed procedures.Addl info requested.
BECK,C.K. Atomic Energy Commission (Pre 750119). 59/03/16. JOHNSON,L.E. Atomic Energy Commission (Pre 750119). 1p. 76349:277-76349:277.
- 9308200103** Discusses 590130 application requesting approval of procedures re fabrication & assembly of fuel elements.
BECK,C.K. Atomic Energy Commission (Pre 750119). 59/03/30. JOHNSON,L.E. Atomic Energy Commission (Pre 750119). 1p. 76349:278-76349:278.
- 9308200113** Approves 590113 application requesting approval of storage procedures.
BECK,C.K. Atomic Energy Commission (Pre 750119). 59/03/30. JOHNSON,L.E. Atomic Energy Commission (Pre 750119). 1p. 76349:279-76349:279.
- 9308200119** Discusses classification review of SNM application suppl.
FLEURY,E.R. Atomic Energy Commission (Pre 750119). 59/02/02. STRAUSSER,W.A. Atomic Energy Commission (Pre 750119). 1p. 76349:151-76349:151.
- 9308200126** Advises that U-235 will be used for SRE.
DURANT,J.H. Engelhard Corp. 58/12/04. DELANEY,J.C. Atomic Energy Commission (Pre 750119). 1p. 76349:111-76349:111.
- 9308200147** Confirms conversation w/EL Ferulle re WF Mittendorf.
LANE,E.F. Atomic Energy Commission (Pre 750119). 58/02/10. PRICE,H.L. Atomic Energy Commission (Pre 750119). 1p. 76349:043-76349:043.
- 9308200157** Discusses analysis & findings of 570730 application.
MCCALLUM,C.P. Atomic Energy Commission (Pre 750119). 58/03/24. Atomic Energy Commission (Pre 750119). 1p. 76349:072-76349:072.
- 9308200182** Discusses licensee insurance coverage.
CAMPBELL,W.E. Atomic Energy Commission (Pre 750119). 58/03/26. JOHNSON,L. Atomic Energy Commission (Pre 750119). 1p. 76349:073-76349:073.
- 9308200221** Discusses analysis & findings of 591008 application for amend to license.
MCCALLUM,C.P. Atomic Energy Commission (Pre 750119). 59/11/17. Atomic Energy Commission (Pre 750119). 1p. 76350:031-76350:031.
- 9308200230** Discusses 590925 request for amend to license.
JOHNSON,L. Atomic Energy Commission (Pre 750119). 59/11/18. Atomic Energy Commission (Pre 750119). 1p. 76350:032-76350:032.
- 9308200241** Discusses 591113 request for amend to license.
JOHNSON,L. Atomic Energy Commission (Pre 750119). 59/11/18. Atomic Energy Commission (Pre 750119). 2pp. 76350:033-76350:033.
- 9308200249** Discusses license amend.
DELANEY,J.C. Atomic Energy Commission (Pre 750119). 59/11/19. Engelhard Corp. 1p. 76350:034-76350:034.
- 9308200260** License SNM-185 for Engelhard Industries.
* Atomic Energy Commission (Pre 750119). 59/11/19. 1p. 76350:035-76350:035.
- 9308200270** Discusses amend request to license.
DURANT,J.H. Engelhard Corp. 59/11/20. MCCALLUM,C. Atomic Energy Commission (Pre 750119). 1p. 76350:036-76350:036.
- 9308200274** Discusses 591215 request for amend to license.
JOHNSON,L. Atomic Energy Commission (Pre 750119). 59/12/28. BECK,C.K. Atomic Energy Commission (Pre 750119). 1p. 76350:045-76350:045.
- 9308200282** Approves 590925 & 1106 applications.
BECK,C.K. Atomic Energy Commission (Pre 750119). 59/12/22. JOHNSON,L. Atomic Energy Commission (Pre 750119). 1p. 76350:043-76350:043.
- 9308200289** Discusses pending actions re pickle load.
DURANT,J.H. Engelhard Corp. 59/12/23. MCCALLUM,C. Atomic Energy Commission (Pre 750119). 1p. 76350:044-76350:044.
- 9308200318** Discusses 591113 application & feasibility rept DEM-9.
BECK,C.K. Atomic Energy Commission (Pre 750119). 59/12/21. JOHNSON,L.E. Atomic Energy Commission (Pre 750119). 1p. 76350:042-76350:042.
- 9308230286** Discusses 591102 application requesting approval of revised container & birdcage for shipping primary extrusions,canned slugs & secondary coextrusions.
BECK,C.K. Atomic Energy Commission (Pre 750119). 59/12/21. JOHNSON,L.E. Atomic Energy Commission (Pre 750119). 1p. 76350:041-76350:041.
- 9308230296** Discusses analysis & findings of 590925,1102,06,1228 & 600106 requests for amend to license.
MCCALLUM,C.P. Atomic Energy Commission (Pre 750119). 60/01/19. Atomic Energy Commission (Pre 750119). 1p. 76350:054-76350:057.
- 9308240174** Discusses request for amend to license.
BROBST,W.A. Atomic Energy Commission (Pre 750119). 60/01/04. MCCALLUM,J. Atomic Energy Commission (Pre 750119). 2pp. 76350:052-76350:053.
- 9308240179** Requests more info re amend to license.
MCCALLUM,C.F. Atomic Energy Commission (Pre 750119). 60/01/04. Engelhard Corp. 1p. 76350:050-76350:050.
- 9308240242** Discusses 591228 ltr re pin storage following clarification.
DURANT,J.H. Engelhard Corp. 60/01/06. MCCALLUM,L. Atomic Energy Commission (Pre 750119). 1p. 76350:051-76350:051.
- 9308240254** Discusses 591215 & 600122 ltrs requesting amend to permit incineration of radwaste.Addl info requested.
ROGERS,L.R. Atomic Energy Commission (Pre 750119). 60/02/15. JOHNSON,L. Atomic Energy Commission (Pre 750119). 2pp. 76350:066-76350:067.

- 9308240269 Requests addl info re applications for amend to license.
BECK,C.K. Atomic Energy Commission (Pre 750119). 60/02/12. JOHNSON,L. Atomic Energy Commission (Pre 750119). 2pp. 76350:064-76350:065.
- 9308240282 Discusses two requests for amend to SNM-185.
JOHNSON,L. Atomic Energy Commission (Pre 750119). 60/02/03. BECK,C.K. Atomic Energy Commission (Pre 750119). 1p. 76350:062-76350:062.
- 9308240290 Discusses 591215 & 600122 requests for amend to license.
JOHNSON,L. Atomic Energy Commission (Pre 750119). 60/02/03. ROGERS,L.R. Atomic Energy Commission (Pre 750119). 1p. 76350:063-76350:063.
- 9308240309 License SNM-185 for Engelhard Industries,Inc.
* Atomic Energy Commission (Pre 750119). 60/03/02. 1p. 76350:091-76350:092.
- 9308240319 Discusses 600219 request for amend to license.
JOHNSON,L. Atomic Energy Commission (Pre 750119). 60/02/25. BECK,C.K. Atomic Energy Commission (Pre 750119). 1p. 76350:087-76350:087.
- 9308250423 Discusses 591215 application as supplemented 600122.
MCCALLUM,C.P. Atomic Energy Commission (Pre 750119). 60/02/25. Engelhard Corp. 1p. 76350:088-76350:088.
- 9308250438 Discusses amend request dtd 600216.
MCCALLUM,C.P. Atomic Energy Commission (Pre 750119). 60/02/29. Atomic Energy Commission (Pre 750119). 1p. 76350:089-76350:089.
- 9308250452 Discusses pending licensing actions.
DURANT,J.H. Engelhard Corp. 60/02/29. DELANEY,J.C. Atomic Energy Commission (Pre 750119). 1p. 76350:090-76350:090.
- 9308250463 Approves proposed procedures for storing scrap,fuel element components & finished components.
BECK,C.K. Atomic Energy Commission (Pre 750119). 60/03/07. JOHNSON,L. Atomic Energy Commission (Pre 750119). 1p. 76350:093-76350:093.
- 9308250472 Discusses 600311 amend request.
JOHNSON,L. Atomic Energy Commission (Pre 750119). 60/03/21. BECK,C.K. Atomic Energy Commission (Pre 750119). 1p. 76350:102-76350:102.
- 9308260054 Recommends approval of proposed procedures for fabricating & shipping of WTR elements.
BECK,C.K. Atomic Energy Commission (Pre 750119). 60/03/18. JOHNSON,L.E. Atomic Energy Commission (Pre 750119). 1p. 76350:101-76350:101.
- 9308260059 Discusses amend to license.
* Atomic Energy Commission (Pre 750119). 60/03/18. Engelhard Corp. 1p. 76350:100-76350:100.
- 9308260085 Discusses 591215,600122 & 0308 requests for amend to license.
DELANEY,J.C. Atomic Energy Commission (Pre 750119). 60/03/17. Atomic Energy Commission (Pre 750119). 1p. 76350:099-76350:099.
- 9308260112 Discusses meeting re status of license amends.
DURANT,J.H. Engelhard Corp. 60/03/14. DELANEY,J.C. Atomic Energy Commission (Pre 750119). 1p. 76350:098-76350:098.
- 9308260141 Discusses 600324 request for amend to license.
JOHNSON,L. Atomic Energy Commission (Pre 750119). 60/03/30. BECK,C.K. Atomic Energy Commission (Pre 750119). 1p. 76350:105-76350:105.
- 9308260149 Discusses amended application.
DURANT,J.K. Engelhard Corp. 60/04/25. DELANEY,J.C. Atomic Energy Commission (Pre 750119). 1p. 76350:107-76350:107.
- 9308260220 Discusses storage of PRDC fuel pins.
BECK,C.K. Atomic Energy Commission (Pre 750119). 60/04/28. JOHNSON,L. Atomic Energy Commission (Pre 750119). 1p. 76350:108-76350:108.
- 9308260228 Discusses 600219,0311 & 24 requests for amend to license.
LANE,J.J. Atomic Energy Commission (Pre 750119). 60/05/03. Atomic Energy Commission (Pre 750119). 1p. 76350:109-76350:109.
- 9308260235 Discusses amended license SNM-185.
* Atomic Energy Commission (Pre 750119). 60/05/09. Engelhard Corp. 2pp. 76350:110-76350:111.
- 9308260255 Discusses application for amend to license.
BECK,C.K. Atomic Energy Commission (Pre 750119). 60/06/10. JOHNSON,L.E. Atomic Energy Commission (Pre 750119). 1p. 76350:126-76350:126.
- 9308260279 Discusses 600421,0505 & 26 requests for amend to license.
MCCRELESS,T.G. Atomic Energy Commission (Pre 750119). 60/06/15. Atomic Energy Commission (Pre 750119). 2pp. 76350:127-76350:129.
- 9308260308 Discusses 600517 request for amend to license.
JOHNSON,L. Atomic Energy Commission (Pre 750119). 60/05/24. CASE,E. Atomic Energy Commission (Pre 750119). 1p. 76350:123-76350:123.
- 9308260317 Discusses transfer of part of Engelhard.
JOHNSON,L. Atomic Energy Commission (Pre 750119). 60/05/27. Engelhard Corp. 1p. 76350:124-76350:124.
- 9308260340 Discusses amended license.
* Atomic Energy Commission (Pre 750119). 60/05/17. Engelhard Corp. 2pp. 76350:121-76350:122.
- 9308260357 Requests approval of 1,180 kg U,per 920311 application for amend to license.
DURANT,J.H. Engelhard Corp. 60/05/11. DELANEY,J.C. Atomic Energy Commission (Pre 750119). 1p. 76350:116-76350:116.
- 9308270123 Discusses feasibility rept DEM-10.
WEISS,N. Engelhard Corp. 60/07/26. DELANEY,J.C. Atomic Energy Commission (Pre 750119). 1p. 76350:135-76350:135.
- 9308270132 Discusses transfer of operations.
DELANEY,J.C. Atomic Energy Commission (Pre 750119). 60/07/15. Engelhard Corp. 2pp. 76350:133-76350:134.
- 9308270143 Discusses financial analysis of Engelhard Industries,Inc.
CAMPBELL,W.E. Atomic Energy Commission (Pre 750119). 60/07/14. JOHNSON,L.E. Atomic Energy Commission (Pre 750119). 2pp. 76350:131-76350:132.
- 9308270149 Discusses 600726 teletype.
BECK,C.K. Atomic Energy Commission (Pre 750119). 60/08/08. Atomic Energy Commission (Pre 750119). 1p. 76350:141-76350:141.
- 9308270158 Discusses 600913 application for amend.
LANE,J.J. Atomic Energy Commission (Pre 750119). 60/10/24. Atomic Energy Commission (Pre 750119). 1p. 76350:154-76350:158.
- 9308270250 Discusses 600913 application for amend.
BECK,C.K. Atomic Energy Commission (Pre 750119). 60/10/20. JOHNSON,L. Atomic Energy Commission (Pre 750119). 2pp. 76350:152-76350:153.
- 9308270320 Discusses 600913 application for amend to license.
JOHNSON,L. Atomic Energy Commission (Pre 750119). 60/09/16. BECK,C.K. Atomic Energy Commission (Pre 750119). 1p. 76350:150-76350:150.
- 9308270331 Discusses carrier certifications.
DELANEY,J.C. Atomic Energy Commission (Pre 750119). 60/12/23. Atomic Energy Commission (Pre 750119). 1p. 76350:167-76350:167.
- 9308300182 Discusses high film badge readings for two employees.
WELTY,C.G. Atomic Energy Commission (Pre 750119). 61/01/30. Atomic Energy Commission (Pre 750119). 1p. 76350:191-76350:191.
- 9308300193 Discusses 610210 telcon.Stated addl info should be included in 601223 application for amend to license.
WEISS,N.M. Engelhard Corp. 61/02/10. LANE,J. Atomic Energy Commission (Pre 750119). 3pp. 76350:194-76350:196.
- 9308300194 Forwards application requesting approval of shipping procedures.
NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 61/12/26. LUKE,C.D. Atomic Energy Commission (Pre 750119). 1p. 76350:263-76350:263.
- 9308300198 Forwards 620209 application for approval of shipping & processing procedures.
NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 62/02/13. LUKE,C.D. Atomic Energy Commission (Pre 750119). 1p. 76350:271-76350:275.
- 9308300200 Responds to 610109 memo re license amend for fabrication of plates.
LUKE,C.D. Atomic Energy Commission (Pre 750119). 60/02/10. DELANEY,J. Atomic Energy Commission (Pre 750119). 2pp. 76350:192-76350:193.
- 9308300204 Discusses authorization to ship.
* Atomic Energy Commission (Pre 750119). 62/01/18. Engelhard Corp. 1p. 76350:271-76350:271.
- 9308300206 Discusses Engelhard Industries,Inc application requesting approval of shipping procedures.
LUKE,C.D. Atomic Energy Commission (Pre 750119). 62/01/15. NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 2pp. 76350:269-76350:270.
- 9308300208 Discusses adequacy of application procedures.
DELANEY,J.C. Atomic Energy Commission (Pre 750119). 61/01/09. LUKE,C. Atomic Energy Commission (Pre 750119). 1p. 76350:189-76350:189.
- 9308300210 Forwards for review,620105 request for shipping procedure approval.
NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 62/01/10. LUKE,C. Atomic Energy Commission (Pre 750119). 1p. 76350:268-76350:268.
- 9308300215 Discusses review of application procedures to avoid condition of accidental criticality.
DELANEY,J.C. Atomic Energy Commission (Pre 750119). 61/02/20. LUKE,C. Atomic Energy Commission (Pre 750119). 1p. 76350:202-76350:202.
- 9308300220 Comments on 620209 application,per 620125 & 0213 memos.
LUKE,C.D. Atomic Energy Commission (Pre 750119). 62/02/19. NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 2pp. 76350:276-76350:277.
- 9308300221 Discusses 610210 telegram re shipping container for okura fast neutron converter assembly.
WEISS,N. Engelhard Corp. 61/02/17. LANE,J. Atomic Energy Commission (Pre 750119). 1p. 76350:201-76350:201.
- 9308300223 Discusses alleged deficiencies in waste disposal sys.
DUBINSKI,L. Atomic Energy Commission (Pre 750119). 62/05/11. PRICE,E.R. Atomic Energy Commission (Pre 750119). 3pp. 76350:282-76350:284.
- 9308300226 Discusses review of application for adequacy.
DELANEY,J.C. Atomic Energy Commission (Pre 750119). 61/02/15. LUKE,C. Atomic Energy Commission (Pre 750119). 1p. 76350:200-76350:200.
- 9308300230 Insp findings & licensee ack.Insp findings:no items of noncompliance noted.
KLEVIN,P.B. Atomic Energy Commission (Pre 750119). * Engelhard Corp. 62/04/25. 1p. 76350:285-76350:285.
- 9308300231 Requests statement from airline which will carry Okura elements to Seattle that matl will not be comingled w/other U while in transit.
WEISS,N. Engelhard Corp. 60/02/23. LANE,J. Atomic Energy Commission (Pre 750119). 1p. 76350:208-76350:209.
- 9308300232 Discusses allocation of U.
NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 62/04/05. * Engelhard Corp. 2pp. 76350:280-76350:281.
- 9308300235 Discusses renewal of license SNM-185.
NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 62/08/15. WEISS Engelhard Corp. 2pp. 76350:290-76350:291.
- 9308300236 Discusses amended license SNM-185.
NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 62/09/27. Engelhard Corp. 2pp. 76350:300-76350:300.

192 NONDOCKETED ITEMS

- 9308300240 Requests 60-day extension of SNM license in order to accumulate & submit info re decontamination survey results. WEISS,N.M. Engelhard Corp. 62/09/25. NUSSBAUMER,D. Atomic Energy Commission (Pre 750119). 1p. 76350:298-76350:299.
- 9308300243 Discusses cancellation of licenses. NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 62/09/10. Engelhard Corp. 1p. 76350:297-76350:297.
- 9308300246 Discusses 620827 request for cancellation of licenses SNM-185 & SUB-172. NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 62/09/10. DUBINSKI, L. Atomic Energy Commission (Pre 750119). 1p. 76350:296-76350:296.
- 9308300247 Forwards memo re cancellation of license SNM-185 & SUB-172. DUBINSKI,L. Atomic Energy Commission (Pre 750119). 62/12/28. NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 2pp. 76350:311-76350:311.
- 9308300249 Discusses amended license SNM-185. NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 63/04/26. Engelhard Corp. 1p. 76350:342-76350:342.
- 9308300250 Discusses request for cancellation of license. * Atomic Energy Commission (Pre 750119). 62/12/21. DUBINSKI,L. Atomic Energy Commission (Pre 750119). 27pp. 76350:312-76350:336.
- 9308300251 Requests addl 90-day extension of license SNM-185 to complete decontamination of former nuclear area. New expiration date will be 630731. WEISS,N.M. Engelhard Corp. 63/04/25. NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 2pp. 76350:340-76350:341.
- 9308300255 Discusses amended license. NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 63/01/23. Engelhard Corp. 2pp. 76350:339-76350:339.
- 9308300253 Requests for 60-day extension of license SNM-185 in order to complete decontamination of nuclear area & submit survey result. WEISS,N.M. Engelhard Corp. 62/11/26. NUSSBAUMER,D. Atomic Energy Commission (Pre 750119). 3pp. 76350:306-76350:310.
- 9308300258 Requests further 90-day extension of license SNM-185 to allow completion of decontamination program in former nuclear area. New expiration date will be 630430. WEISS,N.M. Engelhard Corp. 63/01/21. NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 1p. 76350:337-76350:338.
- 9308300265 Advises of cancellation of license & close out insp of facility. NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 63/07/16. DUBINSKI,L. Atomic Energy Commission (Pre 750119). 1p. 76350:349-76350:349.
- 9308300268 Submits comments re 610210 memo which commented on Englehard Industries application of 601223. LUKE,C.D. Atomic Energy Commission (Pre 750119). 61/02/21. DELANEY,J. Atomic Energy Commission (Pre 750119). 2pp. 76350:206-76350:207.
- 9308300269 Responds to 630718 memo re close out insp. LORENZ,W.R. Atomic Energy Commission (Pre 750119). 63/08/13. CHITWOOD,R.B. Atomic Energy Commission (Pre 750119). 1p. 76350:350-76350:350.
- 9308300272 Recommends that 610301 application be approved. LUKE,C.D. Atomic Energy Commission (Pre 750119). 61/03/14. DELANEY,J. Atomic Energy Commission (Pre 750119). 1p. 76350:224-76350:225.
- 9308300274 Discusses termination of licenses SNM-185 & SUB-172. LANE,J.J. Atomic Energy Commission (Pre 750119). 63/09/19. Atomic Energy Commission (Pre 750119). 5pp. 76350:351-76350:355.
- 9308300279 Requests that subject request for adequacy of applicant procedures to avoid condition of accidental criticality be reviewed. DELANEY,J.C. Atomic Energy Commission (Pre 750119). 61/03/06. LUKE,C. Atomic Energy Commission (Pre 750119). 1p. 76350:223-76350:223.
- 9308300281 Discusses 610418 request for approval of shipping procedures & requests that procedures be reviewed. NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 61/04/21. LUKE,C.D. Atomic Energy Commission (Pre 750119). 1p. 76350:228-76350:228.
- 9308300282 "Liquid Waste Disposal System." * Nuclear Science & Engineering Corp. 57/02/06. 100pp. 76349:193-76349:274.
- 9308300285 Grants approval in reply to 610525 memo forwarding Englehard Industries, Inc application. LUKE,C.D. Atomic Energy Commission (Pre 750119). 61/05/29. NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 2pp. 76350:239-76350:239.
- 9308300286 Undated note discussing Engelhard Corp RCRA site containing AEC regulated waste. PARROTT,J. Atomic Energy Commission (Pre 750119). 93/08/30. JOHNSON,T. Atomic Energy Commission (Pre 750119). 11pp. 76351:006-76351:017.
- 9308300292 Requests that request for amend dtd 610518 be submitted for review & comments re adequacy of proposed procedures to avoid condition of accidental criticality. NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 61/05/25. LUKE,C.D. Atomic Energy Commission (Pre 750119). 1p. 76350:237-76350:238.
- 9308300296 Partially withheld. "Rept of Apparent Radiation Overexposure from 600613-25." WEISS,N.M., CANHAM,C.A. Engelhard Corp. 60/06/25. 22pp. 76351:019-76351:042.
- 9308300298 Requests info which needs to be added to amend. WEISS,N. Engelhard Corp. 61/05/25. NUSSBAUMER Atomic Energy Commission (Pre 750119). 2pp. 76350:235-76350:236.
- 9308300300 Discusses 610922 memo re alleged deficiencies in waste disposal sys. KIRKMAN,R.W. Atomic Energy Commission (Pre 750119). 61/10/03. DUBINSKI,L. Atomic Energy Commission (Pre 750119). 1p. 76350:249-76350:250.
- 9308300301 Partially withheld ltr re insp on 601212-13. * Atomic Energy Commission (Pre 750119). 61/08/04. Atomic Energy Commission (Pre 750119). 2pp. 76351:046-76351:047.
- 9308300302 Discusses 610823 memo re alleged deficiencies in waste disposal sys. DUBINSKI,L. Atomic Energy Commission (Pre 750119). 61/09/22. PRICE,E.R. Atomic Energy Commission (Pre 750119). 2pp. 76350:248-76350:248.
- 9308300304 DEM-6 RA Rev A to "Fabrication of 164 Enriched (10%) Fuel Pins for SRE Test Program," feasibility rept. WEISS,N., BARNEY,G.H. Engelhard Corp. 59/09/04. 15pp. 76349:347-76350:003.
- 9308300307 Informs that full review of licensee waste disposal sys & occurrence re 610909 memo will be reviewed during course of next scheduled insp. KIRKMAN,R.W. Atomic Energy Commission (Pre 750119). 61/09/19. DUBINSKI,L. Atomic Energy Commission (Pre 750119). 2pp. 76350:245-76350:247.
- 9308300309 Forwards copy of 610809 ltr alleging deficiencies in liquid waste disposal sys of firm. LOWENSTEIN,R. Atomic Energy Commission (Pre 750119). 61/08/23. LOW,L.D. Atomic Energy Commission (Pre 750119). 2pp. 76350:244-76350:244.
- 9308300311 Informs licensees under Section 20.105 that failure to limit exposure of malt operator to 10% of permissible weekly dose following excessive 13 wk exposure will not be cited. CUNNINGHAM,R.K. Atomic Energy Commission (Pre 750119). 61/07/26. DUBINSKI,L. Atomic Energy Commission (Pre 750119). 1p. 76350:242-76350:243.
- 9308300315 Informs that Englehard Industries has requested that application be withdrawn. LUKE,C.D. Atomic Energy Commission (Pre 750119). 61/06/20. NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 1p. 76350:241-76350:241.
- 9308300317 Forwards application for authorization to ship enriched scrap. NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 61/10/26. LUKE,C.D. Atomic Energy Commission (Pre 750119). 1p. 76350:253-76350:253.
- 9308300321 Submits procedures to assist Englehard re proposal that 50 units be shipped at one time. LUKE,C.D. Atomic Energy Commission (Pre 750119). 61/11/15. NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 1p. 76350:254-76350:254.
- 9308300323 Discusses rev to application for amend to license. WEISS,N.M. Engelhard Corp. 61/11/20. Atomic Energy Commission (Pre 750119). 1p. 76350:255-76350:255.
- 9308300326 Forwards application & addl data as requested during 611115 telcon. NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 61/11/21. LUKE,C. Atomic Energy Commission (Pre 750119). 1p. 76350:256-76350:256.
- 9308300329 Informs that Englehard procedures re application for authorization to ship enriched scrap acceptable & application approved. LUKE,C.D. Atomic Energy Commission (Pre 750119). 61/11/22. NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 1p. 76350:257-76350:258.
- 9308310100 Forwards N Weiss rept addressing questions raised in 610808 ltr. MITTENDORF,W.F. Engelhard Corp. 61/08/30. PRICE,E.R. Atomic Energy Commission (Pre 750119). 1p. 76351:048-76351:048.
- 9307210314 Confirm telcon re amend of byproduct material license 34-07225-08. MILLER,W.O. Atomic Energy Commission (Pre 750119). 59/11/17. GREEN,D.T. Picker X-Ray Corp. 2pp. 76146:150-76146:152.
- 9308110189 Forwards map to be made into aperture card & placed in PDR4 & requests that map be put either in FOIA file-92-567 Turner or under license 05-01399-03. POLAND,C. NRC - No Detailed Affiliation Given. 93/07/16. BLANTON,J. NRC - No Detailed Affiliation Given. 2pp. 76111:221-76111:222.

GEN TEC IS GENERIC TECHNICAL ISSUES

- 9308050261 Forwards evaluation of TS requirements for SG overfill protection, in response to GL 89-19, requesting action re resolution of USI A-47, "Safety Implication of Control Sys in LWR Nuclear Power Plants." HAMPTON,J.W. Duke Power Co. GL-89-19. 93/07/28. Document Control Branch (Document Control Desk). 4pp. 76017:350-76017:353.
- 9308100205 Discusses util response to GL 89-19 & finds that response meets intent of GL 89-19 recommendations & is acceptable. HERNAN,R.W. Project Directorate I-4. GL-89-19. 93/07/19. BRUOGHTON,T.G. General Public Utilities Corp. - GPU Service Corp. 4pp. 76059:140-76059:143.
- 9308110055 Forwards amend 83 to license NPF-30 & safety evaluation. Amend revises TSs 3/4.4.4 & associated bases & 3.4.9.3 to address changes as recommended in GL 90-06. "Resolution of GI-70, 'PORV & Block Valve Reliability' & GI 94...." WHARTON,L.R. Project Directorate III-3. TAC M82627. 93/08/05. SCHNELL,D.F. Union Electric Co. 3pp. 76068:333-76068:351.
- 9308110061 Amend 83 to license NPF-30, revising TS 3/4.4.4 & associated bases & 3.4.9.3 to address changes recommended in GL 90-06, "Resolution of GI 70, 'PORV & Block Valve Reliability' & GI 94, 'Addl Low-Temp Overpressure Protection for LWRs....'" WHARTON,L.R. Project Directorate III-3. GL-90-06. 93/08/05. 13pp. 76068:336-76068:348.
- 9308110063 Safety evaluation supporting amend 83 to license NPF-30. * Office of Nuclear Reactor Regulation, Director (Post 870411). GL-90-06. 93/08/05. 3pp. 76068:349-76068:351.
- 9308130106 Discusses evaluation of licensee supplemental response to suppl 1 to GL 87-02, "Verification of Seismic Adequacy of Mechanical & Electrical Equipment in Operating Reactors, USI A-46." CONNAUGHTON,K. Project Directorate IV-1. TAC M69439. 93/07/26. HORN,G.R. Nebraska Public Power District. 3pp. 76094:256-76094:258.

9308160153 NUREG-1463 REGULATORY ANALYSIS FOR THE RESOLUTION OF GENERIC SAFETY ISSUE 105, INTERFACING SYSTEM LOSS-OF-COOLANT ACCIDENT IN LIGHT-WATER REACTORS.
* Division of Safety Issue Resolution (Post 880717). 93/07/31. 77pp. 76114:001-76114:076.

9308170195 Forwards staff comments & positions re certain items in Rev 0 & Rev 1 to "Procedure for Revising GIP," did 930326.NRC finds subj procedure acceptable.
BUTLER,W.R. Project Directorate I-3. TAC M84091. 93/06/23. SMITH,N.P. Seismic Qualification Utility Group. 5pp. 76140:001-76140:005.

9308190103 Advises that generic issue 162, "Inadequate TS for Shared Sys at Multi-plant Sites When One Unit Shut Down" will be dropped.Encl prioritization evaluation will be incorporated into NUREG-0933.
BECKJORD,E.S. Office of Nuclear Regulatory Research (Post 860720). 93/07/29.
MINNERS,W. Division of Safety Issue Resolution (Post 880717). 5pp. 76153:113-76153:118.

9308190249 Corrects statement made in 930629 suppl response to GL 87-02 re implementation of USI A-46 program.GIP methodology will be used as alternate seismic verification method,as opposed to qualification method for stated equipment.
BOWLING,M.L. Virginia Power (Virginia Electric & Power Co.). GL-87-02. 93/08/13. Document Control Branch (Document Control Desk). 2pp. 76204:016-76204:017.

9308200062 Summary of 930720 meeting w/util in Rockville,MD re proposed resolution of three programmatic issues re GL 87-02 noted during 930406 meeting.List of attendees encl.
NORRIS,J.A. Project Directorate II-2. GL-87-02. 93/07/28. Project Directorate II-2. 4pp. 76163:356-76163:359.

9308200170 Responds to GL 89-19 "Request for Action Related to Resolution of Unresolved Safety Issue A-47" re safety implication of control sys in LWR nuclear power plants.
STORZ,L.F. Center Energy. GL-89-19. 93/08/12. Document Control Branch (Document Control Desk). 3pp. 76190:358-76190:360.

9308240026 Summary of 400th meeting of ACRS on 930805-06 re proposed resolution of Generic Issue 57, "Effects of Fire Protection Sys Actuation on Safety-Related Equipment."
WILKINS,J.E. ACRS - Advisory Committee on Reactor Safeguards. 93/08/11.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 2pp. 76219:227-76219:228.

9308240028 Summary of 400th meeting of ACRS on 930805-06 re proposed resolution of Generic Issue 143, "Availability of Chilled Water Sys & Room Cooling."
WILKINS,J.E. ACRS - Advisory Committee on Reactor Safeguards. 93/08/11.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 2pp. 76219:229-76219:229.

9308240305 Forwards Rev 1 of Rept 50097-R-001, "Conservative Design In-Structure Response Spectra for Resolution of USI A-46 for TMI,Unit 1," in response to Suppl 1 to GL-87-02.
KEATEN,R.W. General Public Utilities Corp. - GPU Service Corp. 5000-93-0057. 93/08/19. Document Control Branch (Document Control Desk). 2pp. 76213:193-76213:307.

-9308240310 50097-R-001 R01 "Conservative Design In-Structure Response Spectra for Resolution of USI A-46 for TMI,Unit 1."
* EQE International. 93/07/31. 112pp. 76213:195-76213:307.

9308250385 Ltr contract,Mod 3 to task order 3 extending period of performance to 930930,at no addl cost to government,to "GSI- 153 Technical Assistance Interim Resolution."
SCOTT,M.L. Contract Administration Branch 1 (Post 900803). NRC-04-91-071. 93/04/20. COLINA,I. Science & Engineering Associates, Inc. 3pp. 76201:360-76201:361.

9308270136 Forwards application for amend to OL DPR-40,incorporating changes to credit leak before break methodology to resolve unresolved safety issue A-2, "Asymmetrical Blowdown Loads On Reactor Primary Coolant Sys."
GATES,W.G. Omaha Public Power District. LIC-93-0228. 93/08/20. Document Control Branch (Document Control Desk). 2pp. 76271:316-76271:322.

-9308270145 Application for amend to license DPR-40,incorporating changes to credit leak before methodology to resolve unresolved safety issue A-2, "Asymmetrical Blowdown Loads On Reactor Primary Coolant Sys."
GATES,W.G. Omaha Public Power District. 93/08/20. 2pp. 76271:318-76271:319.

-9308270151 Proposed tech specs incorporating changes to leak before break methodology to resolve unresolved safety issue A-2, "Asymmetrical Blowdown Loads On Reactor Primary Coolant Sys."
* Omaha Public Power District. LIC-93-0228. 93/08/20. 3pp. 76271:320-76271:322.

9308270195 Provides staff review comments on GIs re ABWR design.Advises that GE has not sufficiently addressed,in revised SSAR mark-ups,all comments & concerns previously provided by staff.
BORCHARDT,R.W. Standardization Project Directorate (Post 920517). 93/08/12.
MARRIOTT,P.W. General Electric Co. 15pp. 76220:241-76220:255.

9308300024 Reviews licensee response to GL 88-20, "IPEs for External Events." NRC finds licensee response to be unacceptable due to inadequate supporting documentation.
JOHNSON,A.R. Project Directorate I-3. TAC M83624. 93/08/11. MECREDY,R.C. Rochester Gas & Electric Corp. 4pp. 76274:054-76274:057.

I&E INSPECTION AND ENFORCEMENT

9307190043 NRC Info Notice 93-057, "Software Problems Involving Digital Control Console Sys at Non-Power Reactors."
GRIMES,B.K. Division of Operating Reactor Support (Post 921004). 93/07/23. Consolidated Edison Co. of New York, Inc. 9pp. 76111:200-76111:208.

9308030007 EN-93-072:on 930728,notice of proposed imposition of civil penalty in amount of \$5,000 issued to licensee.Action based on Severity Level III problem involving loss of radiography camera from licensee vehicle.
SANBORN,G., MILHOAN,J.L. Ofc of Enforcement (Post 870413). EA-93-172. 93/07/23. 2pp. 75935:001-75935:002.

9308030026 PNO-I-93-037:on 930727,State of CO Department of Environ Protection notified Region I that radioactive waste discovered at commercial incinerator facility.Waste rejected by incinerator facility & returned to trash hauler facility.
DWYER,J.P., JOHANSEN,J.M. Region 1 (Post 820201). 93/07/28. 2pp. 75935:104-75935:105.

9308030050 PNO-IV-93-020C,updating previous notifications re unusual event resulting from high Missouri River water level. Station remains in cold shutdown & licensee has been developing plant recovery & restart plan.
JONES,W.E. Region 4 (Post 820201). 93/07/28. 1p. 75935:234-75935:234.

9308030248 Confirms 930722,elcon re recipient assistance to NRC, consisting of medical consultation svcs w/respect to encl Preliminary Notification (PN93945).
MARTIN,J.B. Region 3 (Post 820201). 93/07/26. GRIEM,M.L. Affiliation Not Assigned. 2pp. 75979:307-75979:310.

-9308030255 PNO-III-93-045:on 930720,licensee discovered that eight linear accelerator treatments & three of four completed Co-60 teletherapy treatments,beginning on 930713,performed on patient w/o use of wedges.Treatment plan revised.
SHEAR,G., CANIANO,R. Region 3 (Post 820201). 93/07/22. 2pp. 75979:309-75979:310.

9308030257 PNO-III-93-044A:on 930726,CAL documenting licensee agreement to adopt listed C/As issued,w/respect to unauthorized increases in dosages for diagnostic studies.
HOLT,B.J., CANIANO,R. Region 3 (Post 820201). CAL. 93/07/27. 2pp. 75985:046-75985:047.

9308050085 EN-93-069:on 930722,notice of proposed imposition of civil penalty in amount of \$4,000 issued to licensee.Action based on incident in which radiographer received estimated 275 rem extremity overexposure.
DELMEDICO,J., LIEBERMAN,J. Ofc of Enforcement (Post 870413). EA-93-116. 93/07/19. 2pp. 75972:128-75972:129.

9308050102 EN-93-036:on 930721,notice of proposed imposition of civil penalty in amount of \$300,000 issued to licensee.Action based on three Severity Level III violations or problems.
TROSOKSKI,W., LIEBERMAN,J. Ofc of Enforcement (Post 870413). EA-93-036. 93/07/21. 1p. 75972:183-75972:183.

9308050129 EN-93-073:on 930728,notice of proposed imposition of civil penalty in amount of \$2,000 issued to licensee.Action based on operation of UVAR for approximately 5 1/2 h w/o number of scram safety channels being operable.
LUEHMAN,J., LIEBERMAN,J. Ofc of Enforcement (Post 870413). EA-93-153. 93/07/23. 1p. 75972:264-75972:264.

9308050138 EN-93-071:on 930721,order to transfer byproduct mail to authorized recipient & demand for info based on willful violations of requirements.Licensee being directed to transfer source within 45 days.
CANT,G., LIEBERMAN,J. Ofc of Enforcement (Post 870413). EA-93-078. 93/07/21. 1p. 75972:294-75972:294.

9308050144 EN-93-074:on 930730,notice of proposed imposition of civil penalty in amount of \$100,000 issued to licensee.Action based on two violations involving inoperability of emergency diesel generators.
TROSOKSKI,W., LIEBERMAN,J. Ofc of Enforcement (Post 870413). EA-93-127. 93/07/27. 1p. 75971:360-75971:360.

9308100047 PNO-II-93-032:on 930730,trailer loaded w/bag-house dust set off radiation detectors while leaving facility.Bag-house & trailer confirmed to be contaminated w/ Cs-137.Amount of radioactive mail estimated to be approx 200 mCi.
WOODRUFF,R.L. Region 2 (Post 820201). 93/08/02. 1p. 76025:196-76025:196.

9308100063 EN-93-078:on 930802,notice of proposed imposition of civil penalty in amount of \$25,000 issued to licensee.Action based on Severity Level III violation re termination of subcontractor employee.
COBLENTZ,L., LIEBERMAN,J. Ofc of Enforcement (Post 870413). EA-93-059. 93/08/02. 1p. 76025:251-76025:251.

9308100069 EN-93-076:on 930802,notice of proposed imposition of civil penalty in amount of \$6,250 issued to licensee.Action based on two Severity Level III problems involving quality mgt & radiation safety programs.
DEFAYETTE,R.W., MARTIN,J.B. Region 3 (Post 820201). EA-93-179. 93/07/28. 1p. 76025:279-76025:279.

9308100083 EN-93-079:on 930806,notice of proposed imposition of civil penalty in amount of \$50,000 issued to licensee.Action based on number of violations identified in licensee fire protection program.
LUEHMAN,J., LIEBERMAN,J. Ofc of Enforcement (Post 870413). EA-93-162. 93/08/03. 1p. 76025:331-76025:331.

9308100089 EN-93-077:on 930805,notice of proposed imposition of civil penalty in amount of \$100,000 issued to licensee.Action based on severity level III problem involving June 1992 failure to verify post-maint internal clearances.
COBLENTZ,L., LIEBERMAN,J. Ofc of Enforcement (Post 870413). EA-93-167. 93/08/02. 1p. 76025:335-76025:335.

9308100096 EN-93-075:on 930802,notice of proposed imposition of civil penalty in amount of \$50,000 issued to licensee.Action based on three violations associated w/ licensee failure to take corrective actions for out-of-specification scram time.
LUEHMAN,J., LIEBERMAN,J. Ofc of Enforcement (Post 870413). EA-93-112. 93/07/28. 1p. 76025:345-76025:345.

9308110012 PNO-III-93-047:on 930802,Unit 2 reactor tripped from 70% power as result of turbine trip.Cause of turbine trip still under investigation.Insp identified leak from instrument penetration on reactor vessel head.
MCCABE,B., SHAFER,W. Region 3 (Post 820201). 93/08/04. 1p. 76039:050-76039:050.

9308110306 EN-93-047A:on 930517 notice of proposed imposition of civil penalty in amount of \$5,000 issued to licensee.Action based on Severity Level III violation.Licensee responded to notice in 930521 ltr.Violation occurred as stated.
SANTIAGO,P., LIEBERMAN,J. Ofc of Enforcement (Post 870413). EA-93-082. 93/08/06. 1p. 76088:226-76088:226.

194 NONDOCKETED ITEMS

- 9308120003** PNO-III-93-048: on 930805, licensee reported that 7,600 gallons of water containing low levels of radioactivity had been released from pump to foundation drain tiles. Line secured, terminating release. State of MI informed.
COX, C., JORGENSEN, B. Region 3 (Post 820201). 93/08/06. 2pp. 76063.012-76063.013.
- 9308130017** EN-93-15A: on 930304, notice of proposed imposition of civil penalty in amount of \$5,625 issued to licensee. Action based on 20 violations collectively representing severity level III problem in mgt of licensee radiation safety program.
SANTIAGO, P., LIEBERMAN, J. Ofc of Enforcement (Post 870413). EA-93-022. 93/08/11. 1p. 76078:184-76078:184.
- 9308130022** PNO-I-93-039: on 930805, leak occurred during ongoing leak sealing process for letdown sys valve body to bonnet leak inside containment. Caused by bonnet misalignment by 90 degrees. Licensee plans to place freeze seal on letdown line.
DOERFLEIN, L. Region 1 (Post 820201). 93/08/06. 2pp. 76078:185-76078:186.
- 9308130026** PNO-I-93-040: on 930803, pressure "dump" line kicked out of floor drain & sprayed front trunk of hydrolazer operator. Licensee immediately suspended all hydrolazer work, performed review of event & improved control of discharge line.
NIMITZ, R.L., JOYNER, J.H. Region 1 (Post 820201). 93/08/06. 2pp. 76078:194-76078:195.
- 9308130029** PNO-I-93-038: on 930726, licensee noted elevated temps in offgas sys charcoal filter beds indicating combustion taking place inside charcoal filter bed sys. Cause of event under investigation. State of NY notified.
* Region 1 (Post 820201). 93/08/06. 2pp. 76078:196-76078:197.
- 9308130153** Forwards listing of generic communications being considered or under development by staff, including all GL, BL, IN & TI reported by 930601.
MARCUS, G.H. Generic Communications Branch. 93/06/01. LARHETTE, R.P. Institute of Nuclear Power Operations. 8pp. 76094:283-76094:290.
- 9308160165** PNO-V-93-012: on 930803, all eight main steam isolation valves closed, initiating reactor scram. Shift manager declared unusual event because of uncertainty about cause of MSIV closure.
BARR, R.C., JOHNSTON, K.E., JOHNSON, P.H. Region 5 (Post 820201). 93/08/03. 1p. 76090:118-76090:118.
- 9308180044** Forwards NRC info notice 93-30, "NRC Requirements for Evaluation of Wipe Test Results, Calibration of Count Rate Survey Instruments," for reactor licensees response.
CUNNINGHAM, L.J. Radiation Protection Branch. IEIN-93-030. 93/05/19. JOYNER, J.H. Region 1 (Post 820201). CLINE, W.E. Region 2 (Post 820201). PEDERSON, C.D. Region 3 (Post 820201). 1p. 76143:044-76143:044.
- 9308180090** PNO-IV-93-023: on 930810, reactor SCRAM occurred due to MSIVs going closed. Licensee initiated task team to review event & develop action plan to address turbine control problems. State of Louisiana informed.
GAGLIARDI, G. Region 4 (Post 820201). 93/8/12. 2pp. 76131:317-76131:318.
- 9308230298** PNO-V-93-013: on 930809, during pre-announced anti-nuclear demonstration, 13 protesters illegally entered plant access gate & immediately taken into custody by sheriff deputies. Demonstration related to CP recapture hearings for plant.
JOHNSON, P., MILLER, M., CORPORANDY, D. Region 5 (Post 820201). 93/08/09. 1p. 76203:335-76203:335.
- 9308250047** Comment on proposed GL 86-10, suppl 1. Any ref to ANI info bulletin 5(79) should clearly identify document as being issued for ANI/MAERP insurance purposes only.
* American Nuclear Insurers. 58FR39572 00003. 93/08/16. Rules & Directives Review Branch (Post 920323). 1p. 76187:129-76187:129.
- 9308250066** Comment on proposed GL 86-10, suppl 1, "Fire Endurance Acceptance Criteria for Fire Barrier Sys Used to Separate Redundant Safe Shutdown Trains Within Same Fire Area."
BERHNING, R.M. Affiliation Not Assigned. 58FR39572 00001. 93/08/19. Rules & Directives Review Branch (Post 920323). 4pp. 76187:160-76187:163.
- 9308250073** Comment opposing proposed Generic Ltr 89-10, Suppl 6, "Info on Schedule & Grouping & Staff Responses to Addl Public Questions." Concerned that resources will be diverted from areas having significant impact on nuclear plant safety.
CURRY, B.D. Affiliation Not Assigned. 58FR39572. 93/08/19. Rules & Directives Review Branch (Post 920323). 5pp. 76187:344-76187:348.
- 9308250082** Comment on electrical tests re proposed Generic Ltr 86-10, Suppl 1. Tests must be conducted in lab that has high temp testing facilities, not cable lab.
THUE, W. Affiliation Not Assigned. 58FR39572. 93/08/17. NRC - No Detailed Affiliation Given. 4pp. 76188:022-76188:025.
- 9308250088** Comment supporting proposed generic communication, Generic Ltr 89-10, Suppl 6, "Info on Schedule & Grouping & Staff Responses to Addl Public Questions."
TIPTON, T.E. Nuclear Management & Resources Council (NUMARC) (formerly Nuclear Utility Manage. 58FR39243. 93/08/19. Rules & Directives Review Branch (Post 920323). 3pp. 76187:358-76187:360.
- 9308250108** PNO-II-93-035: on 930812, unplanned shutdown for repair to RCS leak occurred. Resident inspectors on site & reviewing licensee shutdown, repair & restart activities.
LANDIS, K.D. Region 2 (Post 820201). 93/08/13. 1p. 76224:359-76224:359.
- 9308250280** PNO-II-93-034: on 930803, experienced reactor trip from 98% power when MFRV A closed. After C/As, unit restarted on 930806, but ramped off-line due to leakage on pressurizer SV A, caused by lost loop seal for SV SV piping modified.
BELISLE, A. Region 2 (Post 820201). 93/08/10. 1p. 76260:266-76260:266.
- 9308250450** EN-93-030A: on 930820, notice of proposed imposition of civil penalty in amount of \$37,500 issued to licensee. Action based on violations involving failure to establish or adhere to nuclear criticality safety limits & controls.
TROSKOSKI, W., LIEBERMAN, J. Ofc of Enforcement (Post 870413). EA-93-012. 93/08/20. 1p. 76255:346-76255:346.
- 9308250454** EN-93-080: on 930809, notice of proposed imposition of civil penalty in amount of \$7,500 issued to licensee. Action based on failure to implement quality mgt program & 10 violations of radiation safety program.
HOLODY, D., MARTIN, T. Region 1 (Post 820201). EA-93-186. 93/08/04. 2pp. 76255:347-76255:348.
- 9308250461** EN-93-081: on 930817, notice of proposed imposition of civil penalty in amount of \$75,000 issued to licensee. Action based on live radiological controls violations.
LUEHMANN, J., LIEBERMAN, J. Ofc of Enforcement (Post 870413). EA-93-136. 93/08/12. 1p. 76255:349-76255:349.
- 9308250468** EN-93-082: on 930818, notice of proposed imposition of civil penalty in amount of \$1,000 issued to licensee. Action based on Level II problem involving improper disposal of licensed mail.
HUEY, F.R., FAULKENBERRY, B. Region 5 (Post 820201). EA-93-181. 93/08/13. 1p. 76255:350-76255:350.
- 9308260031** PNO-I-93-041: on 930816, radioactive density gauge damaged at const job-site in Altoona, Pennsylvania. Damaged by asphalt roller. Performed wipe tests & notified State of Pennsylvania.
MCORE, S., BELLAMY, R. Region 1 (Post 820201). 93/08/17. 2pp. 76236:333-76236:334.
- 9308260119** PNO-V-93-015: on 930811, 4.7 magnitude earthquake occurred. No damage reported at listed facilities. Aerotest reactor was operating & earthquake SCRAM not triggered. Concludes that since no motion detected, MMI probably less than I.
PATE, B., GARCIA, E. Region 5 (Post 820201). 93/08/11. 1p. 76247:360-76247:360.
- 9308270001** Comment opposing proposed GL 86-10, suppl 1, "Fire Endurance Acceptance Criteria for Fire Barrier Sys Used to Separate Redundant Safe Shutdown Trains Within Same Fire Area."
SCHOFIELD, B.S. Tennessee Valley Authority. 58FR39572 00005. 93/08/23. Rules & Directives Review Branch (Post 920323). 9pp. 76217:001-76217:009.
- 9308270011** Comment on proposed GL 86-10, Suppl 1, "Fire Endurance Acceptance Criteria For Fire Barrier Sys Used To Separate Redundant Safe Shutdown Trains Within Same Fire Area."
FISICARO, F.J. Entergy Operations, Inc. 58FR39572 00008. 93/08/20. Rules & Directives Review Branch (Post 920323). 4pp. 76217:015-76217:018.
- 9308270015** Comment on proposed GL 86-10, suppl, "Fire Endurance Acceptance Criteria for Fire Barrier Sys Used to Separate Redundant Safe Shutdown Trains Within Same Fire Area."
HIATT, S.L. Ohio Citizens for Responsible Energy. 58FR39572 00004. 93/07/23. NRC - No Detailed Affiliation Given. 2pp. 76217:019-76217:020.
- 9308270016** Comment opposing NRC draft GL 89-10, suppl 6.
MCGAHA, J.R. Entergy Operations, Inc. 58FR39243 00003. 93/08/23. CHILK, S.J. Office of the Secretary of the Commission. 4pp. 76217:021-76217:024.
- 9308270027** Comment on proposed GL 89-10, suppl 6, "Info on Schedule & Grouping & Staff Responses to Addl Public Questions." Suppl & encl make listed erroneous statements re Limitorque.
* Affiliation Not Assigned. 58FR39572 00002. 93/07/23. Rules & Directives Review Branch (Post 920323). 1p. 76217:025-76217:025.
- 9308270036** Comment on proposed GL 86-10, suppl 6. Proposed suppl interchangeably uses terms fire barrier & raceway fire barrier throughout document.
ROGERS, D.W. Consumers Power Co. 58FR39572 00007. 93/08/23. Rules & Directives Review Branch (Post 920323). 2pp. 76217:065-76217:066.
- 9308270070** Comment on proposed GL 86-10, suppl 1. Addresses possible backfitting implications of new criteria & suggests clarification of guidance re radiant energy shield & requests correction from quotation in app R final rule.
TRUBATCH, S.L. Carolina Power & Light Co. TRUBATCH, S.L. Centenor Service Co. TRUBATCH, S.L. Winston & Strawn. 58FR39572 00002. 93/08/20. Rules & Directives Review Branch (Post 920323). 4pp. 76217:078-76217:081.
- 9308270083** Comment on proposed GL 86-10 re fire endurance acceptance criteria for fire barrier sys used to separate redundant safe shutdown trains within same fire area. Endorses NUMARC comments.
HUNGER, G.A. Philadelphia Electric Co. 58FR39572 00009. 93/08/23. Rules & Directives Review Branch (Post 920323). 3pp. 76217:132-76217:134.
- 9308270091** Comment on proposed GL 89-10, suppl 6, "Safety-Related Motor-Operator Valve Testing & Surveillance." Proposed GL overly prescriptive in guidance for MOV grouping & testing.
STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 58FR39572 00004. 93/08/23. Rules & Directives Review Branch (Post 920323). 3pp. 76217:135-76217:137.
- 9308270096** PNO-I-93-042: on 930823, GE IF 300 fuel shipping cask used to transport Shoreham fuel to Limerick Station arrived at Shoreham site by barge. Media invited to observe cask. States of Pennsylvania, New York, New Jersey & Delaware notified.
NIMITZ, R.L., JOYNER, J.H. Region 1 (Post 820201). 93/08/23. 2pp. 76266:338-76266:339.
- 9308270137** PNO-I-93-043: on 930823, located steam leak from first stage high pressure turbine extraction steam line. Caused by valve body crack. Shutdown Unit to Mode 2 to initiate repairs.
RAYMOND, W., DOERFLEIN, L., BLOUGH, R. Region 1 (Post 820201). 93/08/23. 2pp. 76266:340-76266:341.
- 9308270140** Forwards listing of generic communications being considered or under development by NRC.
MARCUS, G.H. Division of Operating Reactor Support (Post 921004). 93/07/01. LARHETTE, R.P. Institute of Nuclear Power Operations. 9pp. 76265:340-76265:348.
- 9308300001** Comment on proposed GL 86-10, suppl 1, "Fire Endurance Acceptance Criteria for Fire Barrier Sys Used to Separate Redundant Safe Shutdown Trains Within Same Fire Area," that reiterates & expands on issues in 921208 ltr.
RAISN, W.H. Nuclear Management & Resources Council (NUMARC) (formerly Nuclear Utility Manage. 58FR39572 00010. 93/08/23. MEYER, D.L. Rules & Directives Review Branch (Post 920323). 10pp. 76236:001-76236:010.
- 9308300124** EN-93-056A: on 930604 notice of proposed imposition of civil penalty in amount of \$6,000 issued to licensee. Action based on failure of researcher to perform contamination surveys when working w/phosphorous-32.
DELMEDICO, J., LIEBERMAN, J. Ofc of Enforcement (Post 870413). EA-93-079. 93/08/24. 1p. 76296:352-76296:352.

9308310089 PNO-I-93-045: on 930825, Region I was notified that nuclear density gauge stolen from trailer at temporary job site in Wysox, PA. With gauge in transportation case, radiation dose rate less than 10 m/h on surface of case.
KIRKWOOD, T., MOORE, S. Region 1 (Post 820201). 93/08/25. 2pp. 76264:056-76264:057.

9308310106 PNO-I-93-044A: on 930823, Headquarters Operation Officer was notified re damaged fixed gauge containing 5 Ci of CS-137. Gauge removed from furnace & placed in lead lined storage container & addl shielding added to exterior of container.
JOUSTRA, J., BONDICK, J. Region 1 (Post 820201). 93/08/25. 2pp. 76264:095-76264:096.

9308310116 PNO-I-93-044: on 930823, Headquarters Operations Officer was notified that shielding around radioactive gauge melted during incident in Millville, NJ. Licensee roped off area around gauge & awaiting arrival of gauge mfg.
JOUSTRA, J., MOORE, S. Region 1 (Post 820201). 93/08/24. 2pp. 76264:100-76264:101.

9308310191 Comment supporting GL 86-10, "Fire Endurance Acceptance Criteria for Fire Barrier Sys Used to Separate Redundant Safe Shutdown Trains Within Same Fire Area."
BOHLKE, W.H. Florida Power & Light Co. 58FR39572 00011. 93/08/23. Docketing & Services Branch. 6pp. 76265:014-76265:019.

MISC PUBLIC DOCUMENT ROOM MISCELLANEOUS

9308020189 Advises that effective immediately, Global Mgt Sys inc moved to listed address.
GRAHAM, C.S. 93/07/22. NRC - No Detailed Affiliation Given. 1p. 75987:353-75987:353.

9308030157 Informs that Tribal Chairman now FA Case. Requests that records be changed to reflect change in records show name of B Hall or A Jerry.
THOM, C.B. Affiliation Not Assigned. 93/07/20. NRC - No Detailed Affiliation Given. 1p. 76034:268-76034:268.

9308030336 Respondent motion to close files for listed reasons.
CLARKE, T.E. Affiliation Not Assigned. 93-01-PF. 93/07/27. MARGULIES, M.B. Atomic Safety & Licensing Board Panel. 3pp. 75995:346-75995:348.

9308040298 Requests that NRC reconsider intention of ref complaint to Administrative Law Judge as issues in complaint have been & currently in process of being resolved to US govt's satisfaction & instead withdraw complaint.
ZERR, L. Affiliation Not Assigned. #393 13531. 93-01-PF. 92/12/31. MALSCH, M.G. Office of the General Counsel (Post 860701). 1p. 75972:295-75972:295.

9308040302 Responds to 921231 general answer to complaint personally served on 921210, alleging violations of Program Fraud Civil Remedies Act. Request to withdraw complaint denied.
MALSCH, M.G. Deputy General Counsel for Licensing & Regulation (Post 890423). #393 13532. 93-01-PF. 93/01/06. ZERR, L.P. Affiliation Not Assigned. 1p. 75972:296-75972:296.

9308040305 Order. * Defendant LP Zerr granted extension of time to 930208 to file answer to complaint as described in 10CFR13.9(b). W/Certificate of Svc. Served on 930112.
MARGULIES, M.B. Atomic Safety & Licensing Board Panel. #393 13533. 93-01-PF. 93/01/12. Affiliation Not Assigned. 3pp. 75972:297-75972:299.

9308040311 Notices of intention to refer encl complaint, alleging violations of Program Fraud Civil Remedies Act, to Administrative Law Judge for NRC, not less than 30 days from receipt of complaint.
MALSCH, M.G. Deputy General Counsel for Licensing & Regulation (Post 890423). #393 13530. 93-01-PF. 92/12/07. ZERR, L.P. Affiliation Not Assigned. 2pp. 75972:300-75972:342.

-9308040312 Complaint. * Alleges that respondent, LP Zerr, submitted false claims to govt in order to obtain monies to which Zerr not entitled, in violation of Program Fraud Civil Remedies Act.
MALSCH, M.G. Deputy General Counsel for Licensing & Regulation (Post 890423). 93-01-PF. 92/12/07. 41pp. 75972:302-75972:342.

9308060051 Discusses 10CFR50.55a re ASME Codes referenced for applicable date of acceptance.
REEDY, R.F. Reedy Associates, Inc. NRC-93-008. 93/07/27. MURLEY, T. NRC - No Detailed Affiliation Given. 2pp. 76059:278-76059:279.

9308160128 Forwards NRC opposition to LP Zerr motion to close files.
DAVIS, R.K. Office of the General Counsel (Post 860701). 93-673-01-PF. 93/08/10. MARGULIES, M.B. Atomic Safety & Licensing Board Panel. 1p. 76143:281-76143:288.

-9308160141 NRC opposition to respondents motion to close files. * Defendants motion seeks order sealing ASLB file. W/certificate of svc.
DAVIS, R.K. Office of the General Counsel (Post 860701). 93-673-01-PF. 93/08/10. MARGULIES, M.B. Atomic Safety & Licensing Board Panel. 7pp. 76143:282-76143:288.

9308190219 Respondent motion to dismiss complaint against LP Zerr.
CLARKE, T.E. Affiliation Not Assigned. 93-01-PF. 93/08/16. MARGULIES, M.B. Atomic Safety & Licensing Board Panel. 13pp. 76204:023-76204:040.

-9308190224 Discusses monies owed NRC by LP Zerr.
NORTON, L.J. Ofc of Investigations (Post 860201). 93/03/16. HILLER, L.H. Division of Accounting & Finance (Post 890205). 1p. 76204:036-76204:036.

-9308190229 Lists breakdown of amount of restitution owed by LP Zerr, per 930316 conversation.
FIELDS, R.G. NRC - No Detailed Affiliation Given. 93/03/17. BLACK, E.K. Division of Accounting & Finance (Post 890205). 1p. 76204:037-76204:037.

-9308190235 Informs that pretrial diversion agreement reached w/L Zerr & attorney which lead to dismissal of indictment w/o prejudice & that no further prosecution will be forthcoming, since Zerr fulfilled terms of agreement.
GARDNER, J.D. Georgia, State of. 93/06/30. SHAPIRO, D. NRC - No Detailed Affiliation Given. CLARKE, T., ZERR, L. Affiliation Not Assigned. 3pp. 76204:038-76204:040.

9308190242 Order denying LP Zerr motion to close files.
MARGULIES, M.B. Atomic Safety & Licensing Board Panel. 93-01-PF. 93/08/13. ZERR, L.P. Affiliation Not Assigned. 5pp. 76204:018-76204:022.

NUREG NUREG REPORTS AND RELATED CORRESPONDENCE

9307080273 SECY-93-184 Informs Commission of findings from review of current shift staffing practices at nuclear power plants. Staff committed to preparing SECY paper to inform Commission of position & recommendation actions.
TAYLOR, J.M. Ofc of the Executive Director for Operations. GL-86-04. 93/06/29. 4pp. 75937:006-75937:009.

9308020030 Summary of 930720 meeting w/util telephonically re status, needed actions, priorities & schedules of various licensing issues.
TAM, P.S. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). TAC M72494. 93/07/21. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 8pp. 75938:353-75938:360.

9308020050 Summary of 930513-14 public meeting w/ABB-CE in Windsor, CT re design features reviews, alarm coding scheme, suppl 1 to NUREG-0737 requirements for safety parameter display sys. List of attendees & related info encl.
MAGRUDER, S.L. Standardization Project Directorate (Post 920517). 93/07/15. Standardization Project Directorate (Post 920517). 91pp. 75931:112-75931:204.

9308020185 Provides corrections to TVA 841004 ltr documenting results of resolution of licensing condition LC-24 & insp time intervals per NUREG-0737, Item III.D.1.1, Position 2.
MUSELER, W.J. Tennessee Valley Authority. TAC M63646. 93/07/24. Document Control Branch (Document Control Desk). 2pp. 75954:190-75954:191.

9308030134 Discusses 930726 telcon between F Van Etten & M Bielby re requalification program evaluation & requests that at least one employee be designated to be member of joint NRC- facility exam team. W/related encl.
RING, M.A. Region 3 (Post 820201). 93/07/28. LIU, L. Iowa Electric Light & Power Co. 11pp. 75936:067-75936:077.

9308040179 Forwards NRC rept re normal occurrences at licensed facilities for quarter FY93. W/o encl.
THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). 93/07/09. GORE, A.J. Senate. FOLEY, T.S. House of Rep., Speaker of the House. 2pp. 75987:028-75987:029.

9308040202 Submits results of 930706 request to mow contaminated area on Cushing site & release portion of Cushing site for unrestricted use. Requests that final survey plan containing info recommended in NUREG/CR-5849 be submitted.
AUSTIN, J.H. Decommissioning & Regulatory Issues Branch (Post 901230). 93/07/29. STAUTER, J.C. Kerr-McGee Corp. 3pp. 75996:318-75996:320.

9308050065 Forwards revised response to util NUREG-0612 program re control of heavy loads per Generic Ltr 81-07, Rev 0 to Nuclear Power Std STD-6.6 & Engineering Spec N3M-940, Rev 0 encl. W/12 oversize drawings.
MUSELER, W.J. Tennessee Valley Authority. GL-81-07. 93/07/28. Document Control Branch (Document Control Desk). 53pp. 76036:019-76036:121.

9308050127 Informs that plant emergency plan revs meet planning stds of 10CFR50.47(b), table B-1 of NUREG-0654 & acceptable.
CLINE, W.E. Region 2 (Post 820201). 93/07/22. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 3pp. 75972:261-75972:263.

9308060221 Ack receipt of 930304 ltr re proposal for changes to dynamic simulator ES-604 of rev 7 of NUREG-1021, "Operator Licensing Examiner Standards."
LANGE, D. Operator Licensing Branch. 93/05/26. WALSH, P.S. BWR Owners Group. 3pp. 76059:130-76059:132.

9308060299 Forwards NRC rept on AOs at licensed nuclear facilities for first quarter of CY93. W/o encl.
RATHBUN, D.K. Office of Congressional Affairs (Post 911117). CCS. 93/07/12. LEHMAN, R. House of Rep. SHARP, P. House of Rep., Energy & Commerce. LIEBERMAN, J.I. Senate, Environment & Public Works. 3pp. 76059:213-76059:216.

9308100005 Forwards initial exam rept 50-184/OL-93-01, exam & answer key. W/o encl.
GALLO, R.M. Operator Licensing Branch. 93/08/03. ROWE, J.M. National Institute of Standards & Technology (formerly National Bureau of Standards). 1p. 76025:007-76025:007.

9308100123 Responds to noted interest in obtaining documentation re licensing & safety criteria for test & research reactors (non-power reactors). Forwards NUREG 0982 & NRC rules & regulations. W/o encl.
MENDONCA, M.M. Non-Power Reactors, Decommissioning & Environmental Proj. Dir. (920517-921003). 93/05/14. NIKOLSKY, R.V. Russia. 3pp. 76064:213-76064:215.

9308110018 Forwards exam rept 50-412/93-100L w/attachments 1-3. Three of six individuals passed all portions of exam & given licenses.
BETTENHAUSEN, L. Region 1 (Post 820201). 93/07/07. SIEBER, J.D. Duquesne Light Co. 3pp. 76039:064-76039:168.

9308110150 TS Change Request NPF-38-136 to License NPF-38, revising Surveillance Requirement 4.1.3.1.2 for control element assembly freedom of movement testing to decrease frequency of testing, per recommendations of NUREG-1366 & NUREG-1432.
BARKHURST, R.P. Entergy Operations, Inc. W3F1-93-0065. 93/08/05. Document Control Branch (Document Control Desk). 8pp. 76071:288-76071:298.

9308110173 Forwards reg guide 1.97 variable qualification status re status of engineering project. Review of variables determine intent of reg guide being met at Surry Station. Request NRC approval of exceptions to reg guide design criteria.
STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 93-049. 93/08/05. Document Control Branch (Document Control Desk). 8pp. 76071:303-76071:310.

9308110268 Forwards corrected response to question 34 of rept entitled, "NRC Staff Site Characterization Analysis of DOE Site Characterization Plan, Yucca Mountain Site, Nevada."
DESELL, L.J. Energy, Dept. of. 93/04/29. STABLEIN, K. Repository Licensing & Quality Assurance Project Directorate (Post 881120). 3pp. 76064:251-76064:253.

196 NONDOCKETED ITEMS

- 9308120050** Forwards responses to NUP 1465, per request. ADER, C. Division of Safety Issue Resolution (Post 880717). 93/07/22. Document Control Branch (Document Control Desk). 2pp. 76087:093-76087:137.
- 9308120056** Provides comments on draft rept. "Accident Source Terms for Light Water Nuclear Plants." Concludes that oxidation of cesium iodide to iodine during hydrogen burn would be inhibited by steam. VIKIS, A.C. AECL, Inc. ACV-92-105. 92/10/28. BECKJORD, E.S. Office of Nuclear Regulatory Research (Post 860720). 2pp. 76087:095-76087:096.
- 9308120061** Forwards detailed technical comments on draft NUREG-1465. POWER, D.A. Sandia National Laboratories. 92/11/02. BECKJORD, E.S. Office of Nuclear Regulatory Research (Post 860720). 5pp. 76087:097-76087:101.
- 9308120065** Responds to request for comments on draft NUREG-1465. Believes that revised source terms unlikely to provide any significant relief in dose calculations. TUCKER, H.B. Georgia Power Co. 92/10/26. Docketing & Services Branch. 7pp. 76087:102-76087:108.
- 9308120070** Provides comments on draft NUREG-1465. "Accident Source Terms for Light Water Nuclear Power Plants." MCGAHA, J.R. Entergy Operations, Inc. 92/10/28. SOFFER, L. Division of Safety Issue Resolution (Post 880717). 7pp. 76087:109-76087:115.
- 9308120078** Submits comments on draft NUREG-1465. "Accident Source Terms for Light Water Nuclear Power Plants." GÖTZMANN, O. Germany, Democratic Republic. 92/10/14. BECKJORD, E.S. Office of Nuclear Regulatory Research (Post 860720). 3pp. 76087:116-76087:118.
- 9308120084** Forwards comments on draft NUREG-1465 on accident source terms, per request. ALSMAYER, H. Germany, Democratic Republic. 92/10/30. BECKJORD, E.S. Office of Nuclear Regulatory Research (Post 860720). 5pp. 76087:119-76087:123.
- 9308120091** Provides comments on draft NUREG-1465. "Accident Source Terms for Light Water Nuclear Power Plants." BRADBURY, R.B. Stone & Webster, Inc. 92/10/21. SOFFER, L. Office of Nuclear Regulatory Research (Post 860720). 6pp. 76087:124-76087:129.
- 9308120093** Provides comments on NUREG-1465. "Accident Source Terms for Light Water Nuclear Power Plants." PASSEDAG, W.F. Energy, Dept. of. 92/10/29. BECKJORD, E. Office of Nuclear Regulatory Research (Post 860720). 2pp. 76087:130-76087:131.
- 9308120101** Submits comments on draft NUREG-1465. "Accident Source Terms for Light Water Nuclear Power Plants." DENNING, R.S. Battelle Memorial Institute, Columbus Laboratories. 92/10/27. BECKJORD, E.S. Office of Nuclear Regulatory Research (Post 860720). 2pp. 76087:132-76087:133.
- 9308120111** Provides comments on draft NUREG-1465. "Accident Source Terms for Light Water Nuclear Power Plants." STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 92-555. 92/11/10. Docketing & Services Branch. 1p. 76087:134-76087:134.
- 9308120117** Provides comments on draft NUREG-1465. "Accident Source Terms for Light Water Nuclear Power Plants." MCLLVAIN, J.B. Affiliation Not Assigned. 93/02/19. SOFFER, L. Office of Nuclear Regulatory Research (Post 860720). 3pp. 76087:135-76087:137.
- 9308130088** Forwards comments on draft NUREG-1477. "Voltage-Based Interim Plugging Criteria for SG Tubes - Task Rept." Expresses position re current 40% depth-based plugging limit for removing tubes from svc. LIPARULO, N.J. Westinghouse Electric Corp. ET-NRC-93-3942. 93/08/06. MURLEY, T. Office of Nuclear Reactor Regulation, Director (Post 870411). 49pp. 76113:111-76113:159.
- 9308130164** Requests that during NRC-administered licensed operator requalification exams scheduled to begin during wk of 930913, each crew examined during dynamic simulator portion of exam be configured w/total of six individuals. OPEKA, J.F., SCACE, S.E. Northeast Nuclear Energy Co. OPEKA, J.F. Northeast Utilities. B14575. 93/08/06. BETTENHAUSEN, L. Region 1 (Post 820201). 3pp. 76105:331-76105:333.
- 9308130167** Updates response to GL 88-20. "IPE for Severe Accident Vulnerabilities." Informs that current schedule plan being revised for submittal by 940501. Summary of application of plant PRA performed encl. DONNELLY, P.M. Consumers Power Co. GL-88-20. 93/08/09. Document Control Branch (Document Control Desk). 7pp. 76113:330-76113:336.
- 9308160025** A GREAT PLACE FOR YOUR CHILD.
* NRC - No Detailed Affiliation Given. 93/08/16. 2pp. 76122:078-76122:079.
- 9308160029** NUREG/BR-0177 N93-2 SEALED SOURCE & DEVICE NEWSLETTER, Number 93-2.
* NRC - No Detailed Affiliation Given. 93/07/31. 4pp. 76122:080-76122:083.
- 9308160036** NUREG/BR-0088 R03 LOCAL PUBLIC DOCUMENT ROOM DIRECTORY.
* Division of Freedom of Information & Publications Services (Post 890205). 93/06/30. 36pp. 76122:041-76122:077.
- 9308160049** NUREG/CR-6060 HYDROGEN MIXING STUDIES (HMS) ASSESSMENT MANUAL. LAM, K.L., WILSON, T.L. Los Alamos National Laboratory. TRAVIS, J.R. Science Applications International Corp. (formerly Science Applications, Inc.). FIN A-7247. LA-12593-M. 93/06/30. Division of Systems Research (Post 880717). 94pp. 76121:148-76121:242.
- 9308160054** NUREG/IA-0112 ASSESSMENT OF RELAP5/MOD2 AGAINST ECN-REFLOOD EXPERIMENTS. WOODSTRA, A., VAN DE BOGAARD, STOOP, P.M. Affiliation Not Assigned. FIN L-2245. ECN-C-92-008. 93/07/31. Office of Nuclear Regulatory Research (Post 860720). 87pp. 76121:243-76121:332.
- 9308160091** NUREG-0750 V37 N04 NUCLEAR REGULATORY COMMISSION ISSUANCES FOR APRIL 1993. Pages 251-354.
* Division of Freedom of Information & Publications Services (Post 890205). 93/07/31. 110pp. 76119:007-76119:121.
- 9308160096** NUREG-0750 V37 I01 INDEXES TO NUCLEAR REGULATORY COMMISSION ISSUANCES. January-March 1993.
* Division of Freedom of Information & Publications Services (Post 890205). 93/07/31. 55pp. 76122:200-76122:246.
- 9308160099** NUREG-0540 V15 N05 TITLE LIST OF DOCUMENTS MADE PUBLICLY AVAILABLE May 1-31, 1993.
* Division of Freedom of Information & Publications Services (Post 890205). 93/07/31. 350pp. 76115:010-76115:351.
- 9308160104** Forwards info on P-T limits from discussion at April OG meeting re pressure temp limit rept in administrative controls section of STS. GRIMES, C.I. Technical Specifications Branch. 93/05/18. BUSH, L. Westinghouse Operating Plants Owners Group. ROBERTSON, J.L. BWR Owners Group. WOODS, B. C-E Operating Plants Owners Group. 2pp. 76102:352-76102:356.
- 9308160170** Requests comments & concurrence on ltr to owners groups re proposed description of pressure temp limit rept to be included in administrative section of STS. GRIMES, C.I. Technical Specifications Branch. 93/05/18. STROSNIDER, J.R. Materials & Chemical Engineering Branch. 3pp. 76102:354-76102:356.
- 9308160105** NUREG-0525 V02 R01 SAFEGUARDS SUMMARY EVENT LIST (SSEL). January 1, 1990 Through December 31, 1992. FADDEN, M., YARDUMIAN, J. Operations Branch. 93/07/31. 250pp. 76142:001-76142:199.
- 9308160106** Informs of change to data point library for ERDS per NUREG-1394. Change adds point to indicate whether ERDS data is from Replica Simulator or actual plant & revise total feedwater flow description. BARTON, J.J. General Public Utilities Corp. - GPU Service Corp. C321-93-2216. 93/08/06. Document Control Branch (Document Control Desk). 4pp. 76124:352-76124:355.
- 9308160107** Forwards safety evaluation re intergranular stress corrosion cracking exams & weld overlay repairs, per GL 88-01 & NUREG-0313. Rev 2. Util adequately addressed IGSCC issue. JABBOUR, K.N. Project Directorate II-3, TAC M82056. 93/07/22. BECKHAM, J.T. Georgia Power Co. 4pp. 76143:349-76143:356.
- 9308160112** Safety evaluation re IGSCC exams & weld overlay repairs. IGSCC issue adequately addressed. Office of Nuclear Reactor Regulation, Director (Post 870411). GL-88-01. 93/07/22. 4pp. 76143:353-76143:356.
- 9308160110** NUREG/CR-6023 GENERIC ANALYSIS FOR EVALUATION OF LOW CHARGE UPPER-SHELF ENERGY EFFECTS ON SAFETY MARGINS AGAINST FRACTURE OF REACTOR PRESSURE VESSEL MATERIALS. DICKSON, T.L. Oak Ridge National Laboratory. FIN B-0119. ORNL/TM-12340. 93/07/31. Division of Engineering (Post 870413). 82pp. 76120:215-76120:300.
- 9308160116** NUREG/CR-5970 APPROXIMATE TECHNIQUES FOR PREDICTING SIZE EFFECTS ON CLEAVAGE FRACTURE TOUGHNESS (JC). KIRK, M.T., DODDS, R.H. Illinois, Univ. of, Urbana, IL. * Navy, Dept. of. FIN B-6290. ULLU-ENG92-2016. 93/07/31. Division of Engineering (Post 870413). 38pp. 76122:001-76122:040.
- 9308160121** NUREG/CR-5969 J AND CTOD ESTIMATION EQUATIONS FOR SHALLOW CRACKS IN SINGLE EDGE NOTCH BEND SPECIMENS. KIRK, M.T., DODDS, R.H. Illinois, Univ. of, Urbana, IL. * Navy, Dept. of. FIN B-6290. ULLU-ENG91-2013. 93/07/31. Division of Engineering (Post 870413). 28pp. 76121:333-76121:359.
- 9308160131** NUREG/CR-5928 ISLOCA RESEARCH PROGRAM Final Report. GALYEAN, W.J., KELLY, D.L., SCHROEDER, J.A. EG&G Idaho, Inc. FIN B-5699. EGG-2685. 93/07/31. Division of Safety Issue Resolution (Post 880717). 107pp. 76120:108-76120:214.
- 9308160133** NUREG/CR-4744 V07 N2 LONG-TERM EMBRITTLEMENT OF CAST DUPLEX STAINLESS STEELS IN LWR SYSTEMS. Semiannual Report, April-September 1992. CHOPRA, O.K. Argonne National Laboratory. FIN A-2243. ANL-93/11. 93/07/31. Division of Engineering (Post 870413). 54pp. 76120:301-76120:354.
- 9308160137** NUREG/CR-3469 V07 OCCUPATIONAL DOSE REDUCTION AT NUCLEAR POWER PLANTS: ANNOTATED BIBLIOGRAPHY OF SELECTED READINGS IN RADIATION PROTECTION AND ALARA. KAURIN, D.G., KHAN, T.A., SULLIVAN, S.G. Brookhaven National Laboratory. FIN A-3259. BNL-NUREG-51708. 93/07/31. Division of Regulatory Applications (Post 870413). 106pp. 76120:001-76120:106.
- 9308160144** NUREG-0713 V13 OCCUPATIONAL RADIATION EXPOSURE AT COMMERCIAL NUCLEAR POWER REACTORS AND OTHER FACILITIES, 1991. Twenty-Fourth Annual Report. RADDATZ, C.T. Division of Regulatory Applications (Post 870413). HAGEMeyer, D. Science Applications International Corp. (formerly Science Applications, Inc.). 93/07/31. 300pp. 76114:077-76115:009.
- 9308160147** NUREG-0936 V12 N02 NRC REGULATORY AGENDA. Quarterly Report, April-June 1993.
* Division of Freedom of Information & Publications Services (Post 890205). 93/07/31. 138pp. 76121:001-76121:147.
- 9308160153** NUREG-1463 REGULATORY ANALYSIS FOR THE RESOLUTION OF GENERIC SAFETY ISSUE 105: INTERFACING SYSTEM LOSS-OF-COOLANT ACCIDENT IN LIGHT-WATER REACTORS.
* Division of Safety Issue Resolution (Post 880717). 93/07/31. 77pp. 76114:001-76114:076.
- 9308160158** NUREG/IA-0085 ASSESSMENT OF FULL POWER TURBINE TRIP START-UP TEST FOR C. TRILLO WITH RELAP5/MOD2. LOZANO, M.F., MORENO, P. DE LA CAL, C. Spain, Govt. of. FIN A-4682. ICSP-TR-TRIP-R. 93/07/31. Division of Engineering (Post 870413). 73pp. 76119:218-76119:291.

- 9308160173** NUREG/IA-0127 REACTOR SAFETY ISSUES RESOLVED BY THE 2D/3D PROGRAM.
DAMERELL,P.S., SIMONS,J.W. MPR Associates, Inc. * Japan Atomic Energy Research Institute. FIN D-2083. GRS-101. 93/07/31. Office of Nuclear Regulatory Research (Post 860720). 400pp. 76116:001-76117:039.
- 9308160175** NUREG/CR-6058 VIRGINIA REGIONAL SEISMIC NETWORK.Final Report (1986 - 1992).
BOLLINGER,G.A., SIBOL,M.S., CHAPMAN,M.C. Virginia Polytechnic Institute & State Univ., Blacksburg, VA. FIN D-1597. 93/07/31. Division of Engineering (Post 870413). 115pp. 76122:084-76122:199.
- 9308160178** NUREG/CR-6034 OKLAHOMA SEISMIC NETWORK.Final Report.
LUZA,K.V., LAWSON,J.E. Oklahoma. Univ. of Norman, OK. FIN D-2006. 93/07/31. Division of Engineering (Post 870413). 42pp. 76122:314-76122:355.
- 9308160184** NUREG/CR-6021 A LITERATURE REVIEW OF COUPLED THERMAL-HYDROLOGIC-MECHANICAL-CHEMICAL PROCESSES PERTINENT TO THE PROPOSED HIGH-LEVEL WASTE REPOSITORY AT YUCCA MOUNTAIN.
MANTEUFEL,R.D., AHOLA,M.P., TURNER,D.R. Center for Nuclear Waste Regulatory Analyses. FIN D-1035 CNWRA92-011. 93/07/31. Division of High-Level Waste Management (Post 870413). 240pp. 76117:040-76117:271.
- 9308160217** Forwards amend 193 to license DPR-59 & safety evaluation. Amend revises TS 4.3.B.1 & associated bases to require verification of control rod coupling integrity each time rod withdrawn to full out position.
MENNING,J.E. Project Directorate I-1. TAC M85832. 93/07/23. BEEDLE,R.E. Power Authority of the State of New York (New York Power Authority). 3pp. 76103:347-76103:358.
- 9308160263** NUREG/CR-5989 PERFORMANCE TESTING OF EXTREMITY DOSIMETERS - PILOT TEST.
FOX,R.A., HARTY,R., MCDONALD,J.C. Battelle Memorial Institute, Pacific Northwest Laboratory. FIN A-2888. PNL-8467. 93/07/31. Division of Regulatory Applications (Post 870413). 51pp. 76119:169-76119:217.
- 9308160268** NUREG/CR-5404 V02 AUXILIARY FEEDWATER SYSTEM AGING STUDY.Phase I Follow-On Study.
KUECK,J.D. Oak Ridge National Laboratory. FIN B-0828. ORNL-6566. 93/07/31. Division of Engineering (Post 870413). 39pp. 76118:327-76119:006.
- 9308160272** NUREG/CR-60-72 EXPERIMENTAL STUDY ON THE COMBUSTION BEHAVIOR OF HYDROGEN-AIR MIXTURES WITH TURBULENT JET IGNITION AT LARGE SCALE.
DOROFEEV,S.B., BEZMELNITSIN,A., EFIMENKO,A.A. Affiliation Not Assigned. FIN L-2363. RRTKI-80-05/3. 93/06/30. Division of Systems Research (Post 880717). 83pp. 76117:272-76117:354.
- 9308160294** NUREG/CR-5971 CONTINUUM AND MICROMECHANICS TREATMENT OF CONSTRAINT IN FRACTURE.
DODDS,R.H. Illinois. Univ. of Urbana, IL. SHIH,C.F. Brown Univ., Providence, RI. ANDERSON,T.L. Texas A&M Univ., College Station, TX. FIN B-6290. UILU-ENG92-2014. 93/07/31. Division of Engineering (Post 870413). 47pp. 76119:122-76119:168.
- 9308160298** NUREG/CR-6065 SYSTEMS ANALYSIS OF THE CANDU 3 REACTOR.
WOLFGONG,J.R., LINN,M.A., WRIGHT,A.L. Oak Ridge National Laboratory. FIN L-2015. ORNL/TM-12396. 93/07/31. Division of Systems Research (Post 880717). 334pp. 76118:001-76118:326.
- 9308160303** NUREG/CR-5833 AUXILIARY FEEDWATER SYSTEM RISK-BASED INSPECTION GUIDE FOR THE H.B. ROBINSON NUCLEAR POWER PLANT.
MOFFITT,N.E., LLOYD,R.C., GORE,B.F. Battelle Memorial Institute, Pacific Northwest Laboratory. FIN L-1310. PNL-7907. 93/08/31. Division of Systems Safety & Analysis (Post 921004). 37pp. 76119:293-76119:330.
- 9308160307** NUREG/IA-0091 ASSESSMENT OF RELAP5/MOD2 AGAINST A NATURAL CIRCULATION EXPERIMENT IN NUCLEAR POWER PLANT BORSELE.
WINTERS,L. Affiliation Not Assigned. FIN L-2245. ECN-89-91. 93/07/31. Office of Nuclear Regulatory Research (Post 860720). 66pp. 76122:247-76122:313.
- 9308160315** Proposed Change to OL (PCOL-93/07) to License NPF-29, amending TS Section 3/4.3.7.10, "Loose Part Detection Sys" by relocating locating loose part detection instrumentation from TS to administrative controls, per NUREG-1434, Rev 0.
HUTCHINSON,C.R. Entergy Operations, Inc. GNRO-93/00088. 93/08/11. Document Control Branch (Document Control Desk). 10pp. 76141:301-76141:318.
- 9308160322** Forwards requalification exam rept 50-150/OL-93-01 on 930628.
GALLO,R.M. Operator Licensing Branch. 93/08/11. WEISLOGEL,S. Ohio State Univ., Columbus, OH. 2pp. 76104:210-76104:213.
- 9308170027** Forwards comments on draft NUREG-1477, "Voltage-Based Interim Plugging Criteria for SG Tubes," per NRC publication in FR (58FR35985) on 930702. Util plans to submit addl info beginning of Sept.
REHN,D.L. Duke Power Co. 58FR35985. 93/08/11. Document Control Branch (Document Control Desk). 5pp. 76136:157-76136:161.
- 9308170030** Informs of individual exam results for applicants on initial exam conducted on 930712-16 & forwards licensing exam results summary, individual exam results & licenses & ltrs. W/o encl.
BETTENHAUSEN,L. Region 1 (Post 820201). 93/08/09. HANSLER,R. Power Authority of the State of New York (New York Power Authority). 2pp. 76108:105-76108:106.
- 9308170051** Proposed Change to OL (PCOL-93/09) to License NPF-29, amending TS Section 3/4.3.7.5 by relocating certain accident monitoring instrumentation from TS to administrative control, per NUREG-1434, Rev 0, w/respect to RG 1.97.
HUTCHINSON,C.R. Entergy Operations, Inc. GNRO-93/00097. 93/08/11. Document Control Branch (Document Control Desk). 13pp. 76136:267-76136:290.
- 9308170081** Ack receipt of 930709 ltr in response to NRC 930611 ltr re violations noted in insp repts 50-373/93-16 & 50-374/93-18. Informs that procedures did not satisfy criteria of NUREG-0899.
MARTIN,T.O. Region 3 (Post 820201). EA-93-117. 93/08/10. DELGEORGE,L.O. Commonwealth Edison Co. 2pp. 76108:321-76108:322.
- 9308170145** Forwards initial exam rept 50-286/93-14OL. No violations noted.
BETTENHAUSEN,L. Region 1 (Post 820201). 93/08/10. GARRITY,J.H. Power Authority of the State of New York (New York Power Authority). 3pp. 76109:069-76110:018.
- 9308170208** Comment opposing Draft NUREG-1477, "Voltage-Based Interim Plugging Criteria for Steam Generator Tubes - Task Group Rept."
LIPARULO,N.J. Westinghouse Electric Corp. 58FR35985. 93/08/06. MURLEY,T. Document Control Branch (Document Control Desk). 65pp. 76125:005-76125:053.
- 9308180004** Comment on draft NUREG-1477, "Voltage-Based Interim Plugging Criteria for Steam Generator Tubes-Task Group Rept."
SMITH,R.E. Electric Power Research Institute. 58FR35985. 93/08/12. MEYER,D.L. Rules & Directives Review Branch (Post 920323). 23pp. 76131:051-76131:075.
- 9308180013** Forwards updated & complete compilation of Westinghouse comments to draft NUREG-1477, "Voltage Based Interim Plugging Criteria for Steam Generator Tubes-Task Group Rept."
LIPARULO,N.J. Westinghouse Electric Corp. ET-NRC-93-3948. 93/08/13. MEYER,D.L. Rules & Directives Review Branch (Post 920323). 1p. 76131:160-76131:213.
- 9308180128** NUREG/CR-5758 V03 FITNESS FOR DUTY IN THE NUCLEAR POWER INDUSTRY. Annual Summary Of Program Performance Reports. CY 1992.
FLEMING,T., WESTRA,C., FIELD,I. Battelle Human Affairs Research Centers. FIN I-2007. PNL-8688. 93/07/31. Division of Radiation Safety & Safeguards (Post 921004). 140pp. 76142:200-76142:316.
- 9308180208** Requests that NRC aggressively pursue means to make readily available all accepted changes to NUREG-1431, "Standardized TS, Westinghouse Plants," in fashion accessible by all licensees.
BUSH,L. Westinghouse Operating Plants Owners Group. OG-92-47. 93/07/21. GRIMES,C.I. Technical Specifications Branch. 2pp. 76165:288-76165:289.
- 9308180248** NUREG/BR-0100 HUMAN RESOURCES STRATEGIC PLANNING WITHIN THE NUCLEAR REGULATORY COMMISSION. A Guide For Office Directors, Regional Administrators, Managers, Supervisors.
* Ofc of Personnel (Post 870413). 93/07/31. 22pp. 76142:317-76142:341.
- 9308180249** NUREG/BR-0113 THE FEDERAL EMPLOYEES PAY COMPARABILITY ACT OF 1990: APPLICATION IN THE NRC. A Guide For NRC Managers.
* Ofc of Personnel (Post 870413). 93/06/30. 37pp. 76142:342-76143:018.
- 9308190001** NUREG-0750 V37 N05 NUCLEAR REGULATORY COMMISSION ISSUANCES FOR MAY 1993. Pages 355-418.
* Division of Freedom of Information & Publications Services (Post 890205). 93/08/31. 69pp. 76152:038-76152:108.
- 9308190102** Informs that until has reviewed draft NUREG-1477, dtd 930601, noticed in FR on 930702 & in agreement w/comments provided by EPRI/SG Mgt Program provided to NRC.
MOREY,D. Southern Nuclear Operating Co. 93/08/13. Rules & Directives Review Branch (Post 920323). 45pp. 76162:087-76162:136.
- 9308190103** Advises that generic issue 162, "Inadequate TS for Shared Sys at Multi-plant Sites When One Unit Shut Down" will be dropped. Encl prioritization evaluation will be incorporated into NUREG-0933.
BECKJORD,E.S. Office of Nuclear Regulatory Research (Post 860720). 93/07/29. MINNERS,W. Division of Safety Issue Resolution (Post 880717). 5pp. 76153:113-76153:118.
- 9308200019** Forwards comments on draft NUREG-1477, "Voltage-Based Interim Plugging Criteria for SG Tubes-Task Group Rept."
FISICARO,J.J. Entergy Operations, Inc. 58FR35985. 93/08/13. Division of Freedom of Information & Publications Services (Post 890205). 4pp. 76153:005-76153:008.
- 9308200033** Submits comments on draft NUREG-1477, "Voltage-Based Interim Plugging Criteria for SG Tubes-Task Group Rept." NUREG recommendations do not take into consideration plants that are operating w/interim plugging criteria.
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 58FR35985. 93/08/16. Division of Freedom of Information & Publications Services (Post 890205). 2pp. 76153:009-76153:010.
- 9308200042** Forwards responses to questions posed in 930708 ltr re activities of NRC in regulation of Agreement States & mails licensees.
TAYLOR,J.M. Ofc of the Executive Director for Operations, CCS. 93/08/02. SYNAR,M. House of Rep., Government Operations. 5pp. 76156:001-76156:226.
- 9308190171** Forwards copy of 58 FR 18167 dtd 930408. Notice details 930506 meeting to discuss issues raised by public comments received on draft rept, NUREG-1022, Rev 1.
KAMMERER,C. Office of State Programs (Post 911117). 58FR18167. 93/04/16. General. 20pp. 76156:035-76156:054.
- 9308200075** Forwards draft NUREG/CR-6086, "Selected Fault Testing Of Electronic Isolation Devices Used In Nuclear Power Plant Operation," for review & comment. Comments requested by 931001.
AGGARWAL,S.K. Electrical & Mechanical Engineering Branch (Post 880717). 93/07/29. THOMAS,J.E. Duke Power Co. 124pp. 76163:001-76163:124.
- 9308200162** Forwards ASP analysis of LER 50-266/92-010. Analysis will be part of NUREG/CR-4674.
HANSEN,A.G. Project Directorate III-3. 93/08/04. LINK,R.E. Wisconsin Electric Power Co. 8pp. 76163:336-76163:347.
- 9308200281** NUREG/GR-0005 V02 P1 RISK-BASED INSPECTION - DEVELOPMENT OF GUIDELINES. Light Water Reactor (LWR) Nuclear Power Plant Components.
* American Society of Mechanical Engineers. FIN G-1107. CRTD-VOL-20-2. 93/07/31. Division of Engineering (Post 870413). 173pp. 76159:209-76160:014.
- 9308200285** NUREG/CR-6052 METHODOLOGY FOR RELIABILITY BASED CONDITION ASSESSMENT. Application To Concrete Structures In Nuclear Plants.
MORI,Y., ELLINGWOOD,B. Johns Hopkins Univ., Baltimore, MD. * Oak Ridge National Laboratory. FIN B-0845. ORNL/SUB93-S0684. 93/08/31. Division of Engineering (Post 870413). 164pp. 76159:048-76159:208.
- 9308230067** Informs of individual exam results for applicants on initial exam conducted on 930713-20 by NRC staff & forwards info re exam. W/o encl.
RING,M.A. Region 3 (Post 820201). 93/08/17. LASPISA,L.J. Commonwealth Edison Co. 1p. 76165:136-76165:136.

198 NONDOCKETED ITEMS

9308240139 Forwards SE concluding that overlay design for repair of flaws in weld were performed in conformance w/GL 88-01 & NUREG-0313, rev 2 & that integrity of repaired component will be maintained during future operation.
JABBOUR, K.N. Project Directorate III-3. TAC M80424. 93/08/05. BECKHAM, J.T. Georgia Power Co. 4pp. 76183:225-76183:230.

-9308240145 Safety evaluation concluding that overlay design for repair of flaws in weld performed in conformance w/GL 88-01 & NUREG-0313, rev 2 & that integrity of repaired component assured during future operation.
* Office of Nuclear Reactor Regulation, Director (Post 870411). GL-88-01. 93/08/05. 3pp. 76183:229-76183:230.

9308250005 Informs that as alternative to commitment in 910329 ltr, responding to GL 89-06, util installing, as part of video displays, continuously visible indicators that flash red when critical safety function in jeopardy, per NUREG-0696.
CONWAY, W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). GL-89-06. 93/08/20. Document Control Branch (Document Control Desk). 2pp. 76223:344-76223:345.

9308250067 Forwards exam rept 50-261/93-301 on 930719-23 & notice of violation.
PEEBLES, T.A. Region 2 (Post 820201). 93/08/17. DIETZ, C.R. Carolina Power & Light Co. 5pp. 76187:164-76187:343.

-9308250079 Exam rept 50-261/93-301 on 930719-23. Violations noted. Exam results: one senior reactor operator & six reactor operators received written & operating exams.
PAYNE, D.C., ERNSTES, M.E. Region 2 (Post 820201). 93/08/12. 150pp. 76187:171-76187:343.

9308250169 Forwards exam rept 50-269/93-301 administered on 930712-22.
PEEBLES, T.A. Region 2 (Post 820201). 93/08/06. HAMPTON, J.W. Duke Power Co. 3pp. 76188:310-76188:357.

-9308250190 Exam rept 50-269/93-301 on 930712-22. Exam results: 14 SROs & six ROs passed respective portions of exam.
HOPPER, G.T., LAWYER, L.L. Region 2 (Post 820201). 93/08/04. 46pp. 76188:313-76188:357.

9308250320 Informs that licensee 920827 response to GL 88-20, suppl 4 re individual plant exams for external events acceptable.
WIGGINTON, D.L. Project Directorate IV-1. TAC M83692. 93/08/09. BARKHURST, R.P. Entergy Operations, Inc. 4pp. 76203:253-76203:256.

9308260227 Summary of CRGR meeting 232 on 921104 re proposed rev 2 to NRC Regulatory Analysis Guidelines (NUREG/BR-0058) & GL re line-item improvement for TS.
JORDAN, E.L. Committee to Review Generic Requirements. 93/07/14. TAYLOR, J.M. Ofc of the Executive Director for Operations. 2pp. 76248:001-76248:002.

9308270035 Forwards TS Change Request 231 to License DPR-50, adopting provision of STS which allows period of 24 h to complete SR upon discovery that surveillance missed.
BROUGHTON, T.G. General Public Utilities Corp. - GPU Service Corp. C311-93-2110. 93/08/24. Document Control Branch (Document Control Desk). 1p. 76292:147-76292:157.

-9308270041 TS Change Request 231 to License DPR-50, adopting provision of STS which allows period of 24 h to complete SR upon discovery that SR missed, per GL 87-09 & NUREG-1430, in response to violation noted in Insp Rept 50-289/92-20.
BROUGHTON, T.G. General Public Utilities Corp. - GPU Service Corp. GL-87-09. 93/08/24. 5pp. 76292:148-76292:152.

9308300011 Provides review of licensee response to Suppl 4 to GL 88-20, "IPEs for External Events." Licensee response re use of level 1 PRA for fire IPEE, acceptable.
DORMAN, D.H. Project Directorate I-3. TAC M83689. 93/08/11. REID, D.A. Vermont Yankee Nuclear Power Corp. 4pp. 76274:041-76274:044.

9308300024 Reviews licensee response to GL 88-20, "IPEs for External Events." NRC finds licensee response to be unacceptable due to inadequate supporting documentation.
JOHNSON, A.R. Project Directorate I-3. TAC M83624. 93/08/11. MECREY, R.C. Rochester Gas & Electric Corp. 4pp. 76274:054-76274:057.

9308300112 Summary of 930520 meeting w/Owners Group re status of activities to implement improved STS & related matters. List of attendees & meeting agenda encl.
GRIMES, C.I. Technical Specifications Branch. 93/06/25. GRIMES, B.K. Division of Operating Reactor Support (Post 921004). 18pp. 76274:058-76274:075.

9308300276 Discusses review of response to GL 88-20, suppl 4, "Individual Plant Exams for External Events."
OLSHAN, L.N. Project Directorate III-1. GL-88-20. 93/08/16. DONNELLY, P.M. Consumers Power Co. 2pp. 76266:204-76266:205.

9308300327 LER 93-014-00 on 930722, concern raised re 4 kV vital bus second level undervoltage protection dropout setpoint (both units). Caused by design, mfg, const/ installation, per NUREG-1022. Design changes will be implemented w/930820 ltr.
PASTVA, M.J., VONDRA, C.A. Public Service Electric & Gas Co. of New Jersey. 93/08/20. 6pp. 76304:078-76304:083.

9308310049 Provides results of exams of FW nozzle A, in response to commitment made in 910111 ltr providing in part, results of ISIs performed on four NMPNS, Unit 1 FW nozzles during 1988 refueling outage, per NUREG-0619.
TERRY, C.D. Niagara Mohawk Power Corp. NMP1L 0777. 93/08/25. Document Control Branch (Document Control Desk). 2pp. 76321:324-76321:325.

9308310112 Forwards Rev 5.5 of SONGS Units 1, 2 & 3 emergency plan, revising classification criteria for SG tube leakage events as listed, per NUREG-0654.
MARSH, W.C. Southern California Edison Co. 93/08/27. Document Control Branch (Document Control Desk). 3pp. 76322:251-76322:266.

9308310119 Comments of preliminary draft of NUREG/CR-4674, "Precursors to Potential Severe Core Damage Accidents: 1992 Status Rept."
LINK, B. Wisconsin Electric Power Co. VNPND-93-146. 93/08/26. Document Control Branch (Document Control Desk). 3pp. 76321:315-76321:317.

ORG CORRESPONDENCE WITH OTHER ORGANIZATIONS

9304070099 Lists questions from Mechanical Engineering Branch & responses to questions from Electrical Engineering Branch re degraded voltage capability of motor-operated valves.
BERLINGER, C.H. Electrical Engineering Branch. GL-89-10. 93/03/31. NORBERG, J.A. Mechanical Engineering Branch. 3pp. 76283:154-76283:157.

9305190003 Forwards FR notice soliciting public comment on changes to NRC fee policy & associated legislation. W/o encl.
RATHBUN, D.K. Office of Congressional Affairs (Post 911117). 93/04/16. SHARP, P. House of Rep., Energy & Commerce. LEHMAN, R.H. House of Rep. JOHNSTON, J.B. Senate, Appropriations. 6pp. 76023:001-76023:009.

-9308050272 Forwards FR notice soliciting public comment on changes to NRC fee policy & associated legislation. W/o encl.
SCROGGINS, R.M. Office of the Controller (Post 890205). 93/04/16. BEVILL, T. House of Rep., Appropriations. 1p. 76023:007-76023:009.

9308020142 "Health Physics Position: Airborne Thorium from Welding Rods."
* Office of Nuclear Reactor Regulation, Director (Post 870411). HPPOS-255. 93/06/18. 1p. 75954:180-75954:184.

-9308020151 Forwards health physics position re airborne thorium from welding rods.
CUNNINGHAM, L. Radiation Protection Branch. HPPOS-255. 93/06/30. JOYNER, J.H. Region 1 (Post 820201). CLINE, W.E. Region 2 (Post 820201). AXELSEN, W.L. Region 3 (Post 820201). 4pp. 75954:181-75954:184.

9308020160 "Reporting of Damaged Portable Moisture-Density Gauges."
* Office of Nuclear Reactor Regulation, Director (Post 870411). HPPOS-322. 93/07/01. 1p. 75997:321-75997:328.

-9308020165 Provides detailed analysis of reporting requirements for damaged portable gauges.
CUNNINGHAM, R. Division of Industrial & Medical Nuclear Safety (Post 870729). HPPOS-322. 93/07/01. COOPER, R.W. Region 1 (Post 820201). STOHR, J.P. Region 2 (Post 820201). NORELIUS, C.E. Region 3 (Post 820201). 7pp. 75997:322-75997:328.

9308030216 Discusses Navy safety rept review. Review will involve 58 people representing reviewers, project managers & support staff.
GRIMES, B.K. Division of Operating Reactor Support (Post 921004). 93/04/29. GODY, A.T. Program Management, Policy Development & Analysis Staff (Post 870411). 3pp. 75948:355-75948:357.

9308030224 OIG/93A-12 Results of audit of NRC FY92 financial statements.
WILLIAMS, D.C. Office of the Inspector General (Post 890417). 93/06/29. 61pp. 75952:011-75952:070.

9308030225 OIG/93A-18 Review of Imprest funds.
BARCHI, T. Office of the Inspector General (Post 890417). 93/06/22. 21pp. 75952:071-75952:090.

9308030233 Discusses 930507 ltr to Murley informing NRC of computer software program developed by recipient company to evaluate reliability of substations.
RICHARDSON, J.E. Division of Engineering (Post 921004). 93/05/24. STROMOTICH, F. Affiliation Not Assigned. 1p. 76023:042-76023:042.

9308030342 Commends QME for forming work group to prepare appendices or revisions to QV standard that reflects actual experience in testing & operation of valves.
RICHARDSON, J.E. Division of Engineering (Post 921004). 93/05/04. STEELE, R. Idaho National Engineering Laboratory. 1p. 75950:360-75950:360.

9308040092 Forwards draft rev to 10CFR54 to be thoroughly ventilated within staff such that it or similar rule can be published for consideration at upcoming workshop on license renewal.

MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 93/07/09. SMIEZEK, J.H. Dep Exec Dir for Nuc Reactor Reg, Regional Operations & Research (Post 890205). 4pp. 75978:319-75978:322.

9308040171 Informs that Commission agreed to NRC participation in industry sponsored training sessions on industry guideline for monitoring effectiveness of maint at nuclear power plants.
CHILK, S.J. Office of the Secretary of the Commission. COMSECY-93-20. 93/05/11. TAYLOR, J.M. Ofc of the Executive Director for Operations. 1p. 75986:299-75986:299.

9308050213 Forwards detailed outline of process that branch will utilize in review of draft regional notices of violation.
CUNNINGHAM, L.J. Radiation Protection Branch. 93/04/23. Radiation Protection Branch. 3pp. 75990:339-75990:342.

9308050216 Forwards requested correspondence re Okonite.
RUSSELL, W.T. Associate Director for Inspection & Technical Assessment (Post 870411). IEIN-92-081. 93/05/26. POLLARD, R. Union of Concerned Scientists. 2pp. 76023:043-76023:179.

9308050263 Ack receipt of invitation to participate in first continuing engineering education advisory council meeting at George Washington Univ on 930525. Offer declined due to extremely rigorous schedule.
MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 93/05/13. WITZLER, R.W. George Washington Univ., Washington, DC. 1p. 76009:121-76009:121.

9308060299 Forwards NRC rept on AOs at licensed nuclear facilities for first quarter of CY93. W/o encl.
RATHBUN, D.K. Office of Congressional Affairs (Post 911117). CCS. 93/07/12. LEHMAN, R. House of Rep. SHARP, P. House of Rep., Energy & Commerce. LIEBERMAN, J.I. Senate, Environment & Public Works. 3pp. 76059:213-76059:216.

9308060371 Forwards NRC FY93 third quarter base table.
RATHBUN, D.K. Office of Congressional Affairs (Post 911117). CCS. 93/07/22. LIEBERMAN, J.I. Senate, Environment & Public Works. SHARP, P. House of Rep., Energy & Commerce. LEHMAN, R. House of Rep. 6pp. 76059:261-76059:267.

9308090088 Forwards biweekly notice of application & amends to OLS, involving NSHC, published in FR on 930623.W/o encl.
MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 93/07/06. LIEBERMAN, J.I. Senate, Environment & Public Works. SHARP, P.R. House of Rep., Energy & Commerce. LEHMAN, R.H. House of Rep. 4pp. 76037:253-76037:257.

9308090099 Responds to 930706 ltr requesting list of licensed plants for operation or under construction & separating list of util that own facilities together w/corporate mailing addresses & phone numbers. Lists encl.
RATHBUN, D.K. Office of Congressional Affairs (Post 911117). 93/07/20. GRAMM, P. Senate. 16pp. 76061:337-76061:353.

9308090243 Forwards NIST rept FR 3991, "Pilot-Scale Fire Endurance Tests of Subliming Fire Barrier Panels," per info notice 92-55.
MCCRACK, C.E. Plant Systems Branch. IEIN-92-055. 93/06/17. MIRAGLIA, F. RUSSELL, W., THADANI, A. NRC - No Detailed Affiliation Given. 2pp. 76199:073-76199:275.

-9308090247 Discusses test rept FR 3991, "Pilot-Scale Fire-Endurance Tests of Subliming Fire-Barrier Materials."
STECKLER, K.D. National Institute of Standards & Technology (formerly National Bureau of Standards). 93/06/10. MADDEN, P.M. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 76199:074-76199:074.

-9308090263 FR-3991 "Pilot-Scale Fire-Endurance Tests of Subliming Fire-Barrier Panels."
STECKLER, K.D. Commerce. Cont. of. 93/01/06. 178pp. 76199:075-76199:275.

9308100257 Forwards summary treatment device & facility info re alleged administrative errors. Only two patient inidents involved matt covered by Atomic Energy Act of 1954. NRC did not find evidence of misadministration.
TAYLOR, J.M. Ofc of the Executive Director for Operations. CCS. 93/07/07. GLENN, J. Senate, Governmental Affairs. 3pp. 76087:274-76087:277.

9308110106 Responds to constituent, RM Grunwald 930430 ltr seeking evaluation of mens underwear glowing in dark after exposure to light. Underwear made of fluorescent, not radioactive matt.
TAYLOR, J.M. Ofc of the Executive Director for Operations. CCS. 93/07/19. FOWLER, T.K. House of Rep. 1p. 76082:278-76082:282.

-9308110117 Forwards 930430 constituent ltr from RM Grunwald. Grunwald seeking info re possible radiation emission from glow in dark underwear.
FOWLER, T.K. House of Rep. CCS. 93/06/30. RATHBUN, D.K. Office of Congressional Affairs (Post 911117). 3pp. 76082:279-76082:282.

9308110151 Forwards for info, Commission biweekly notice of applications & amends to OLS involving NSHCs, published in FR on 930526.
MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 93/06/10. JOSEPH, J.I. Senate, Environment & Public Works. LEHMAN, R.H. House of Rep. SHARP, P.R. House of Rep., Energy & Commerce. 2pp. 76074:301-76074:302.

9308110339 Forwards documents associated w/proposed generic ltr re removal of accelerated testing & special reporting requirements for emergency diesel generators from Plant Tech Specs.
MARCUS, G.H. Generic Communications Branch. 93/08/11. Document Control Branch (Document Control Desk). 12pp. 76082:238-76082:249.

9308110342 Forwards Commission biweekly notice of applications & amends to OLS involving NSHC, published in FR on 930707.W/o encl.
MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 93/07/23. SHARP, P.R. House of Rep., Energy & Commerce. LEHMAN, R.H. House of Rep. LIEBERMAN, J.I. Senate, Environment & Public Works. 4pp. 76080:346-76080:350.

9308110365 Ack J Myers 930701 ltr to Selin on behalf of TB Andrews, under consideration for Director of Ofc of Public Affairs. Application being given appropriate consideration.
TAYLOR, J.M. Ofc of the Executive Director for Operations. CCS. 93/07/21. MYERS, J. House of Rep. 1p. 76080:354-76080:356.

-9308110373 Submits recommendation on behalf of TB Andrews, candidate for Director, Ofc of Public Affairs.
MYERS, J. House of Rep., Appropriations. CCS. 93/07/01. THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). 1p. 76080:355-76080:356.

9308120032 Forwards peer review panel final rept. Discusses two areas in which Peer Review Panel not unanimous.
LANDERS, D.F. Teledyne Engineering Services. 7766-1. 93/07/19. WARE, A.G. Idaho National Engineering Laboratory. 1p. 76085:289-76085:325.

-9308120034 "Rept Of ALWR ISLOCA Evaluation Criteria," Peer Review Panel final rept.
LANDERS, D.F., RODABAUGH, E.C., WESLEY, D.A. Teledyne Energy Systems. 93/07/19. 35pp. 76085:290-76085:325.

9308120149 Forwards for info, Commission biweekly notice of applications & amends to OLS involving NSHC, published in FR on 930609.W/o encl.
MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 93/06/22. LIEBERMAN, J. Senate, Environment & Public Works. LEHMAN, R.H. House of Rep. SHARP, P.R. House of Rep., Energy & Commerce. 2pp. 76083:315-76083:316.

9308120291 Summary of operating reactors events meeting 93-23 on 930623.
CHAFFEE, A.E. Events Assessment Branch. OREM-93-023. 93/07/06. GRIMES, B.K. Division of Operating Reactor Support (Post 921004). 16pp. 76085:245-76085:260.

9308120305 Summary of 930616 operating reactors events meeting.
CHAFFEE, A.E. Events Assessment Branch. OREM-93-022. 93/06/22. GRIMES, B.K. Division of Operating Reactor Support (Post 921004). 13pp. 76087:197-76087:210.

9308120308 Informs that IAEA research reactor codes are generally consistent w/approach NRC follows in regulation of research reactors.
SNIEZEK, J.H. Dep Exec Dir for Nuc Reactor Reg. Regional Operations & Research (Post 890205). 93/07/02. STOIBER, C.R. Office of International Programs (Post 911117). 2pp. 76085:269-76085:270.

9308120309 Discusses staggered surveillance testing to address uncertainty in plant risk caused by maint related common cause failures.
ISRAEL, S.L. Reactor Operations Analysis Branch. AEOD/E92-02. 93/06/24. ROSENTHAL, J.E. Reactor Operations Analysis Branch. 3pp. 76075:212-76075:214.

9308120327 Forwards distribution list for Thadani to Rossi 880204 memo, per 930614 request.
THADANI, A. Division of Systems Safety & Analysis (Post 921004). 93/06/22. POLLARD, R.D. Union of Concerned Scientists. 1p. 76087:211-76087:212.

9308120341 Responds to 930521 ltr re staff recommendations contained in paper from staff to Commission, SECY-93-104 dtd 930420.
MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 93/06/22. BROLIN, E.C. Energy, Dept. of. 3pp. 76087:213-76087:217.

-9308120353 Requests that NRC activities needed to complete preapplication SER preparation on present schedule be retained pending Congressional action on FY94 budget request.
BROLIN, E.C. Energy, Dept. of. 93/05/21. THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). 2pp. 76087:216-76087:217.

9308130040 Discusses util 930723 decision to shut plant down after several evacuation routes to facility were closed due to flooding. NRC expects licensee to restart after local offsite conditions improve.
CONGEL, F.J. Division of Systems Safety & Analysis (Post 921004). 93/07/23. WINGO, C.S. Federal Emergency Management Agency. 1p. 76094:141-76094:141.

9308130050 Responds to 930506 ltr to Chairman Selin re staff recommendations contained in paper from staff to Commission, SECY-93-104 dtd 930420.
MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 93/06/24. PAPAY, L.T. Bechtel Corp. 1p. 76094:147-76094:151.

-9308130059 Urges Commissioners to vote in favor of continuing review process for both PRISM & MHTGR design projects until fate of programs decided definitively by Congress & Administration.
PAPAY, L.T. Bechtel Corp. 93/05/06. THE CHAIRMAN, SELIN Commissioners (Post 750119). 1p. 76094:151-76094:151.

9308130148 Provides Rosemount Transmitter Review Group assessment of charter item 5 re loss of fill oil. Informs that original understanding that fossil facilities proposing to replace transmitters due to oil leakage concerns now incorrect.
ZIMMERMAN, R.P. Division of Reactor Inspection & Licensee Performance (Post 921004). 93/07/16. SNIEZEK, J.H. Dep Exec Dir for Nuc Reactor Reg. Regional Operations & Research (Post 890205). 2pp. 76096:352-76096:353.

9308170234 Discusses excavation of two drums w/elevated radiation levels at facility.
KINNEMAN, J.D. Region 1 (Post 820201). 93/07/27. TAYLOR, J.M. Army, Dept. of. 3pp. 76110:321-76110:323.

9308170288 NRR Ofc Ltr 907, Rev 2, "NRR Participation in SALP Process." Presents NRR procedures for implementing SALP program & defines NRR responsibilities described in mgt directive 8.6.
MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). NRRL-907. 93/07/26. Office of Nuclear Reactor Regulation, Director (Post 870411). 6pp. 76125:356-76125:361.

9308170301 Summary of operating reactors events briefing 93-19 on 930526.
CHAFFEE, A.E. Events Assessment Branch. IEIN-92-80. 93/06/01. GRIMES, B.K. Division of Operating Reactor Support (Post 921004). 22pp. 76139:061-76139:085.

9308180115 Summary of operator reactors event meeting 93-18 on 930519.
CHAFFEE, A.E. Events Assessment Branch. OREM-93-018. 93/05/26. GRIMES, B.K. Division of Operating Reactor Support (Post 921004). 20pp. 76152:018-76152:037.

9308180259 Notices of 930610 meeting in Rockville, MD to discuss use of environ LLDs as radiation survey criteria.
KLEMENTOWICZ, S. Radiation Protection Branch. 93/05/27. CUNNINGHAM, L.J. Radiation Protection Branch. 2pp. 76137:332-76137:333.

9308190055 Recommends that encl draft rev to 10CFR54 be thoroughly ventilated within staff such that rule can be published for consideration at upcoming workshop on license renewal.
SNIEZEK, J.H. Assistant for Operations (Post 890205). 93/07/09. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 4pp. 76153:078-76153:081.

9308190068 Forwards Commission biweekly notice of applications & amends to OLS involving NSHC, published in FR on 930428, for info.W/o encl.
MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 93/05/20. LIEBERMAN, J. Senate, Environment & Public Works. LEHMAN, R.H. House of Rep. SHARP, P.R. House of Rep., Energy & Commerce. 2pp. 76151:306-76151:307.

9308190138 Summary of operating reactors events meeting 93-17 on 930512.
CHAFFEE, A.E. Events Assessment Branch. OREM-93-017. 93/05/18. GRIMES, B.K. Division of Operating Reactor Support (Post 921004). 26pp. 76153:034-76153:059.

9308190292 Forwards comments on draft generic communication re BWR stability & long term solutions for thermal hydraulic instabilities.
NAUGHTON, W.F. Commonwealth Edison Co. 93/08/13. Rules & Directives Review Branch (Post 920323). 3pp. 76160:291-76160:293.

9308190337 Forwards ltr from B LoPrete re impact of constructing commuter railroad station & related roadway interchange on evacuation plans for plant.
CONGEL, F.J. Division of Radiation Safety & Safeguards (Post 921004). 93/08/03. WINGO, C.S. Federal Emergency Management Agency. 1p. 76155:358-76155:360.

9308200098 Forwards rev 2 to ofc ltr 500, "Procedures for Controlling Development of New & Revised Generic Requirements for Power Reactor Licensees."
MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 93/06/23. Office of Nuclear Reactor Regulation, Director (Post 870411). 62pp. 76163:125-76163:186.

9308200246 Forwards table which lists SSE values at six frequencies of interest in IEEE study.
SOBEL, P. Civil Engineering & Geosciences Branch. 93/06/16. BAGCHI, G. Civil Engineering & Geosciences Branch. 5pp. 76170:356-76170:360.

9308200252 Forwards matts to be used for presentation at 1993 annual meeting of ANS on 930621 in San Diego, CA. Matts developed using summary "Maint of Current & Future Reactors."
CORREIA, R. Performance & Quality Evaluation Branch. 93/06/17. ZECH, G. Performance & Quality Evaluation Branch. 9pp. 76265:079-76265:087.

200 NONDOCKETED ITEMS

- 9308200256** Summary of operating reactors events meeting 93-20 on 930602. CHAFFEE, A.E. Events Assessment Branch. CREM-93-020. 93/06/15. GRIMES, B.K. Division of Operating Reactor Support (Post 921004). 20pp. 76178:130-76178:149.
- 9308200279** Summary of operating reactors events meeting 93-21 on 930609. CHAFFEE, A.E. Events Assessment Branch. CREM-93-021. 93/06/15. GRIMES, B.K. Division of Operating Reactor Support (Post 921004). 19pp. 76178:150-76178:168.
- 9308200306** Transcript of 930728 meeting in Bethesda, MD re review of 2.206 petition process. Pp 1 - 284.
* NRC - No Detailed Affiliation Given. 2.206. 93/07/28. 286pp. 76169:002-76169:287.
- 9308230061** Forwards technical rept AEOD/T93-01, "Primary Sys Integrity Pressurized Water Reactor Coolant Sys Leaks." KAUFFMAN, J.V. Reactor Operations Analysis Branch. AEOD/T93-01. 93/06/15. ROSENTHAL, J.E. Reactor Operations Analysis Branch. 2pp. 76183:055-76183:072.
- 9308230072** AEOD/T93-01, "Primary Sys Integrity, Pressurized Water Reactor Coolant Sys Leaks."
* Reactor Operations Analysis Branch. AEOD/T93-01. 93/06/30. 16pp. 76183:057-76183:072.
- 9308230141** Forwards Commission biweekly notice of applications & amendments to licenses involving NSHC, published in FR on 930707, w/o encl. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 93/07/23. LIEBERMAN, J. Senate, Environment & Public Works. LEHMAN, R.H. House of Rep. SHARP, P.R. House of Rep., Energy & Commerce. 2pp. 76183:053-76183:054.
- 9308230163** Discusses 930617 MOU w/FEMA on emergency preparedness. Listed officials designated as members. CONGEL, F.J. Division of Radiation Safety & Safeguards (Post 921004). 93/06/22. WINGO, C.S. Federal Emergency Management Agency. 1p. 76178:354-76178:354.
- 9308230188** Forwards copy of generic communications index database & 920828 version of associated programs. Data current through 930610 & updates will be forwarded as issued. MARCUS, G.H. Generic Communications Branch. 93/06/16. ZARAUOLA, J. Spain, Govt. of. 1p. 76178:199-76178:199.
- 9308230314** Forwards notice of availability of Suppl 5 to GL 89-10, "Inaccuracy of Motor-Operated Valve Diagnostic Equipment." MARCUS, G.H. Generic Communications Branch. GL-89-10. 93/06/25. MEYER, D.L. Rules & Directives Review Branch (Post 920323). 3pp. 76180:352-76180:355.
- 9308230315** Notice of issuance of Suppl 5 to GL 89-10, "Inaccuracy of Motor-Operated Valve Diagnostic Equipment." MARCUS, G.H. Generic Communications Branch. GL-89-10. 93/06/25. 1p. 76180:355-76180:355.
- 9308230316** Informs that encl draft GL inadvertently placed on NRC electronic bulletin board on 930413. Draft GL removed from bulletin board on 930414. MARCUS, G.H. Generic Communications Branch. GL-93-03. 93/06/25. VANDUSER, K. Information & Records Management Branch (Post 890827). 7pp. 76179:347-76179:353.
- 9308240005** Forwards list of augmented insp teams dispatched since 1985. CHAFFEE, A.E. Events Assessment Branch. 93/06/08. MIRSKY, S. Science Applications International Corp. (formerly Science Applications, Inc.). 9pp. 76201:134-76201:142.
- 9308240092** Informs that starting 930601, certain contract mgt functions & duties of NRR being decentralized & shifted to technical divisions. Primary purpose for decentralization, to place contract monitoring & oversight function within line mgt. WESSMAN, R.H. Planning, Program & Management Support Branch (Post 870411). 93/06/17. MOHONEY, J.J., BARBER, R.W., RAUCH, H.J. Energy, Dept. of. 12pp. 76210:285-76210:291.
- 9308240101** Forwards lists consisting of 98 NRC licensees (including reactors, fuel facilities & U mills) that are routine users of respiratory equipment & that would benefit from receipt of agency warning notices. CUNNINGHAM, L.J. Radiation Protection Branch. 93/06/28. METZLER, R. National Institute of Occupational Safety & Health. 21pp. 76200:309-76200:329.
- 9308240150** Expresses appreciation for invitation to participate in 930920-23 Premier Risk Mgt Conference for Industry & Commerce re nuclear power plant fire protection. Request will not be supported due to scheduling conflict in work. MADDEN, P.M. Plant Systems Branch. 93/06/28. MCCORMACK, S.A. Affiliation Not Assigned. 1p. 76199:359-76199:359.
- 9308240301** Submits comments on interim rule re fee for svcs to support FEMA offsite radiological emergency preparedness program (44CFR354). WAREMBOURG, D.W. Public Service Co. of Colorado. P-93083. 93/08/16. Federal Emergency Management Agency. 2pp. 76215:320-76215:321.
- 9308240354** Forwards proceedings of 1993 NRC Info Conference, highlights providing brief summary of results of conference & speeches presented. W/o encl. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 93/06/18. NANJUNDESWARAN. 2pp. 76200:346-76200:348.
- 9308240359** Requests details of Regulatory Info Conference held on 930504-05 & repts for info & processing. NANJUNDESWARAN. 93/05/20. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 76200:348-76200:348.
- 9308250080** Forwards Health Physics Position for 10CFR50.120, "Training & Qualification of Nuclear Power Plant Personnel," which summarizes questions & answers. CUNNINGHAM, L.J. Radiation Protection Branch. HPPOS-325. 93/08/09. JOYNER, J. Region 1 (Post 820201). CLINE, W. Region 2 (Post 820201). JORGENSEN, B. Region 3 (Post 820201). 2pp. 76215:131-76215:132.
- 9308260084** Notification of 930811 meeting w/Advanced Reactor Corp in Rockville, MD to brief NRC staff on functions & current issues. BOYCE, T.H. Standardization Project Directorate (Post 920517). 93/08/06. MURLEY, T., MIRAGLIA, F., RUSSELL, W. NRC - No Detailed Affiliation Given. 3pp. 76215:133-76215:135.
- 9308260091** Notice of license renewal workshop on 930930 in Bethesda, MD. NEWBERRY, S.F. Associate Director for Advanced Reactors & License Renewal (Post 910918). 93/07/29. 13pp. 76220:050-76220:062.
- 9308260147** Responds to 930715 ltr to T Murley re quality of EAP serving nuclear power plants. CONGEL, F.J. Division of Radiation Safety & Safeguards (Post 921004). 93/07/30. WENSELL, L. 1p. 76219:350-76219:350.
- 9308260153** Forwards May update of Part 21 database maintained by Branch identifying new issues appended to database during month of May. NORRHOLM, L.J. Vendor Inspection Branch. 93/06/08. PARTLOW, J.G., RUSSELL, W.T., ROSSI, C.E. NRC - No Detailed Affiliation Given. 10pp. 76215:010-76215:019.
- 9308260160** Submits NRR ofc ltr 701, rev 2, providing guidance to staff for participating in reviews conducted by ACRS. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). NRRL-701. 93/06/08. Office of Nuclear Reactor Regulation, Director (Post 870411). 19pp. 76218:001-76218:027.
- 9308260193** Forwards new regulations & reg guides developed for guidance in implementing 10CFR20 regulations. W/o encl. CUNNINGHAM, L.J. Radiation Protection Branch. 93/06/07. LAPPING, J.E. District of Columbia. 1p. 76215:020-76215:020.
- 9308260238** "Response to Request for Technical Assistant re Auxiliary Bldg Ventilation Sys at Zion Nuclear Power Station."
* Office of Nuclear Reactor Regulation, Director (Post 870411). HP/OS-323. 93/06/23. 1p. 76266:322-76266:328.
- 9308260244** Forwards responses to questions asked in 930423 TAR re auxiliary bldg ventilation sys at Zion Nuclear Power Station. ZWOLINSKI, J.A. Assistant Director for Region III Reactors (Post 901216). HPPOS-323. 93/06/23. GREENMAN, E.G. Region 3 (Post 820201). 6pp. 76266:323-76266:328.
- 9308260247** Forwards new 10CFR20 regulation & copies of reg guides that were developed for guidance in implementing regulation. W/o encl. CUNNINGHAM, L.J. Radiation Protection Branch. 93/06/09. DURST, J.L. United Brotherhood of Carpenters & Joiners of America. 2pp. 76217:223-76217:224.
- 9308260248** "Recommending Third Party Assistance to Licensees."
* Office of Nuclear Reactor Regulation, Director (Post 870411). HPPOS-324. 93/07/15. 1p. 76266:329-76266:333.
- 9308260253** Discusses issue re individual NRC employees recommending consultants/contractors to licensees. Guideline for recommending third party assistance to licensees encl. TAYLOR, J.M. Ofc of the Executive Director for Operations. HPPOS-324. 93/07/15. MARTIN, T.T. Region 1 (Post 820201). EBNETER, S.D. Region 2 (Post 820201). MARTIN, J.B. Region 3 (Post 820201). 4pp. 76266:330-76266:333.
- 9308260260** "HP Position: New Training Rule for Nuclear Power Plant Personnel."
* Radiation Protection Branch. HPPOS-325. 93/08/09. 1p. 76266:310-76266:312.
- 9308260262** "Region II TAR on Venting of Turbine Bldg at Grand Gulf Nuclear Station."
* Radiation Protection Branch. HPPOS-326. 93/06/23. 1p. 76266:313-76266:317.
- 9308260265** Forwards response to 921022 TAR re venting turbine bldg at Grand Gulf. CUNNINGHAM, L.J. Radiation Protection Branch. HPPOS-326. 93/06/23. ADENSAM, E.G. Assistant Director for Region IV/V Reactors (Post 901216). 4pp. 76266:314-76266:317.
- 9308260315** Agrees w/recipient that containment performance should remain focal point in upcoming CNRA meeting on "Closure of Severe Accidents for Evolutionary Reactors." per 930514 ltr. THADANI, A.C. Division of Systems Safety & Analysis (Post 921004). 93/05/22. ROYEN, J. Organization for Economic Cooperation & Development. 3pp. 76220:047-76220:049.
- 9308260318** Discusses withdrawal from participation in IAEA meeting to revise regulations for radioactive mail transport packages. BERNERO, R.M. Office of Nuclear Material Safety & Safeguards. 93/06/07. MCMURRAY, R.A. Transportation, Dept. of. 1p. 76265:336-76265:336.
- 9308270002** Responds to 921231 SRM requesting that staff evaluate listed items re role of AEOD in oversight of operating reactors. TAYLOR, J.M. Ofc of the Executive Director for Operations. 93/06/04. THE CHAIRMAN, SELIN, J., ROGERS Commissioners (Post 750119). 28pp. 76248:190-76248:217.
- 9308270082** Responds to 930507 ltr to Chairman Selin. NRC expresses appreciation for concerns about terrorism & background mats on explosive detection equipment. CONGEL, F.J. Division of Radiation Safety & Safeguards (Post 921004). 93/05/25. BUCKLEY, J.E. Thermedics, Inc. (subs. of Thermo Electron Corp.). 1p. 76220:104-76220:104.
- 9308270138** OIG/93A-08 OIG/93A-08, "Review of NRC Sys to Followup on Audit Recommendations."
* Office of the Inspector General (Post 890417). 93/08/02. 15pp. 76220:183-76220:196.
- 9308270263** Forwards documents received from Promatec, Inc for placement in PDR & to be distributed as listed. MILLER, J. Plant Systems Branch. 93/08/13. Document Control Branch (Document Control Desk). 1p. 76292:171-76292:361.
- 9308270269** Informs that per 930817 conversation w/D Smithwick, representative of Promatec, Inc inserted in documents provided by Promatec, Inc via 930727 ltr which contains copyright symbol may be removed. MILLER, J. Reactor Systems Branch. 93/08/20. MCKNIGHT, J. Document Control Branch (Document Control Desk). 1p. 76292:172-76292:172.
- 9308270272** Forwards response to questions re one h & three h fire wrap sys. BLOCK, R.J. B&B Progressive Materials & Technologies, Inc. (PROMATEC). 93/07/27. MCCracken, C. Division of Systems Safety & Analysis (Post 921004). 13pp. 76292:173-76292:188.

- 9308270273 Issue A of Procedure IP-8400.101, "Installation of INSULCO/ HEMYC Protective Wrap - Straight Sections." HARRIS,K.R., BLOCK,R.J., SPRIGGS,L.C. B&B Progressive Materials & Technologies, Inc. (PROMATEC). 85/12/04. 13pp. 76292:189-76292:201.
- 9308270279 Issue D of Procedure 8400.102, "Installation of INSULCO/ HEMYC Protective Wrap Sys - Curved Sections of Cable Tray." MEADOWS,R.L., HARRIS,K.R., SPRIGGS,L.C. B&B Progressive Materials & Technologies, Inc. (PROMATEC). 93/03/30. 7pp. 76292:202-76292:208.
- 9308270281 Issue E of Procedure 8400.103, "Installation of INSULCO/ HEMYC Protective Wrap Sys Onto Single or Multiple Conduits." FAILOR,D.L., SPRIGGS,K.W., SPRIGGS,L.C. B&B Progressive Materials & Technologies, Inc. (PROMATEC). 84/05/01. 8pp. 76292:209-76292:217.
- 9308270284 Issue E of Procedure 8400.104, "Repair & Installation of INSULCO/ HEMYC Protective Wrap Sys Around Interferences & Obstructions." MEADOWS,R.L., HARRIS,K.R., SPRIGGS,L.C. B&B Progressive Materials & Technologies, Inc. (PROMATEC). 83/03/30. 9pp. 76292:218-76292:226.
- 9308270288 Issue A of Procedure IP-8400.105, "Fabrication of INSULCO/ HEMYC Cable Protection Sys Components." FAILOR,D.L. B&B Progressive Materials & Technologies, Inc. (PROMATEC). 85/03/07. 11pp. 76292:227-76292:237.
- 9308270290 Issue C of Procedure 8400.106, "Installation of Firestops & Terminations Within INSULCO/HEMYC Protective Wrap Sys for Cable Tray(s) & Conduit." SPRIGGS,K.W., SPRIGGS,L.C., HARRIS,K.R. B&B Progressive Materials & Technologies, Inc. (PROMATEC). 84/05/01. 10pp. 76292:238-76292:247.
- 9308270296 Issue B of Procedure 8400.107, "Installation of INSULCO/ HEMYC Protective Wrap Sys - Multiple Cable Trays." MEADOWS,R.L., SPRIGGS,L.C., HARRIS,K.R. B&B Progressive Materials & Technologies, Inc. (PROMATEC). 83/03/30. 7pp. 76292:248-76292:254.
- 9308270300 Issue B of Procedure 8400.108, "Installation of INSULCO/ HEMYC Protective Wrap Sys to Junction Boxes & Similar Equipment." MEADOWS,R.L., HARRIS,K.R., SPRIGGS,L.C. B&B Progressive Materials & Technologies, Inc. (PROMATEC). 83/03/30. 7pp. 76292:255-76292:261.
- 9308270302 Issue B of Procedure 8400.109, "Prefabrication & Installation Approval of INSULCO/HEMYC Protective Wrap Sys." MEADOWS,R.L., HARRIS,K.R., SPRIGGS,L.C. B&B Progressive Materials & Technologies, Inc. (PROMATEC). 83/03/30. 12pp. 76292:262-76292:273.
- 9308270309 Issue B of Procedure 8400.112, "Installation of INSULCO/ HEMYC Protective Wrap Sys Onto Cable Drops." ZACHMEYER,D., SPRIGGS,L.C., BRAULT,E.L. B&B Progressive Materials & Technologies, Inc. (PROMATEC). 84/04/13. 4pp. 76292:274-76292:277.
- 9308270313 Issue D of Procedure IP-001, "Installation of Three Hour Fire Protective Wrap Sys." BROWN,R., GLENN,R., BONEBRAKE,R. B&B Progressive Materials & Technologies, Inc. (PROMATEC). 86/06/17. 17pp. 76292:278-76292:294.
- 9308270324 Issue A of Procedure IP-002, "Fabrication Procedures for Three Hour Fire MT Barrier Components." BONEBRAKE,R., PEARSON,R., BROWN,R. B&B Progressive Materials & Technologies, Inc. (PROMATEC). 86/04/18. 17pp. 76292:295-76292:311.
- 9308270330 Issue C of QC Procedure QCP-0041, "Installation Insp of Three Hour Protective Fire Wrap Sys." BROWN,R., BONEBRAKE,R., GLENN,R. B&B Progressive Materials & Technologies, Inc. (PROMATEC). 86/06/17. 11pp. 76292:312-76292:320.
- 9308270332 Issue A of QC Procedure QCP-0042, "Fabrication Insp of Three Hour Protective Wrap Components." GLENN,R., BROWN,R., SPRIGGS,L.C. B&B Progressive Materials & Technologies, Inc. (PROMATEC). 86/05/02. 12pp. 76292:321-76292:332.
- 9308270337 Issue A of QC Procedure QCP-10002, "Fabrication Insp for HEMYC Protective Wrap Components." RINGO,J., ZACHMEYER,D.M., SPRIGGS,L.C. B&B Progressive Materials & Technologies, Inc. (PROMATEC). 85/03/04. 11pp. 76292:333-76292:345.
- 9308270340 Issue B of QC Procedure QCP-10003, "Installation Insp Criteria for INSULCO/HEMYC Protective Wrap Components." SPRIGGS,L.C., BLOCK,R.J., HARRIS,K.R. B&B Progressive Materials & Technologies, Inc. (PROMATEC). 83/04/20. 23pp. 76292:346-76292:311.
- 9308270342 CTP 1026 Final "Fire Qualification Test,HEMYC Cable Wrap Sys (Redundant Cable Protection - One Hour)." B&B Progressive Materials & Technologies, Inc. (PROMATEC). 82/12/08. 115pp. 76293:012-76293:126.
- 9308270345 CTP 1071 Final rept, "Three Hour Fire Qualification Test of PROMATEC 'MT' Barrier Wrap Sys Electrical Conduit Circuits." B&B Progressive Materials & Technologies, Inc. (PROMATEC). 86/01/06. 150pp. 76293:127-76293:306.
- 9308270346 CTP 1077 Final rept, "One (1) Hour Fire Test on 3" Conduit for NES/ 2" Thick HEMYC Sys Direct Wrap on 3" Diameter Conduit." B&B Progressive Materials & Technologies, Inc. (PROMATEC). 86/03/10. 41pp. 76293:307-76293:358.
- 9308270347 CTP 1100A Final rept, "Three Hour Fire Qualification Test of PROMATEC 'MT' Barrier Wrap Sys Electrical Cable Tray Circuits." B&B Progressive Materials & Technologies, Inc. (PROMATEC). 86/06/04. 200pp. 76294:001-76294:215.
- 9308270348 CTP 1101 Final rept, "Weight Determination of 'MT' Barrier Cable Wrap Sys." B&B Progressive Materials & Technologies, Inc. (PROMATEC). 86/03/31. 3pp. 76294:216-76294:218.
- 9308270350 CTP 1102 Final rept, "Determination of Thermal Transmission Properties of Various MT Barrier Cable Wrap Sys." B&B Progressive Materials & Technologies, Inc. (PROMATEC). 86/05/21. 14pp. 76294:219-76294:231.
- 9308270352 Final rept, "Ampacity Derating of Fire Protected Cables in Conduits & Cable Trays,PROMATEC One Hour 'HEMYC' Barrier Wrap Sys." B&B Progressive Materials & Technologies, Inc. (PROMATEC). 86/07/12. 200pp. 76294:232-76295:108.
- 9308270354 Final rept, "Ampacity Derating of Fire Protected Cables in Conduits & Cable Trays,PROMATEC Three Hour 'MT' Barrier Wrap Sys." B&B Progressive Materials & Technologies, Inc. (PROMATEC). 86/07/12. 200pp. 76295:109-76295:346.
- 9308270355 CTP 1112 Final rept, "ASTM E84 Surface Burning Characteristics of One Hour HEMYC 'MT' Barrier Fire Protective Wrap Sys." B&B Progressive Materials & Technologies, Inc. (PROMATEC). 86/08/29. 8pp. 76295:347-76295:354.
- 9308270357 CTP 1113 Final rept, "ASTM E84 Surface Burning Characteristics of Three Hour 'MT' Barrier Fire Protective Wrap Sys." B&B Progressive Materials & Technologies, Inc. (PROMATEC). 86/08/29. 7pp. 76295:355-76295:361.
- 9308270303 Ack receipt of 930526 ltr to JM Taylor which identifies concern about potential delays in license amend approval that results from use of category 3 notices. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 93/07/23. REYNOLDS,N.S., STENDER,D.F., DRAPER,R.L. Winston & Strawn. 4pp. 76248:262-76248:271.
- 9308270315 Requests staff assistance in providing needed revs to NRC process for review of license amend requests & lists revs to improve license amend process. REYNOLDS,N.S. Winston & Strawn. 93/05/26. TAYLOR,J.M. Ofc of the Executive Director for Operations. 6pp. 76248:266-76248:271.
- 9308300025 Forwards inter-agency agreement between AID & NRC re \$5 million dollars to implement 1993 NIS Nuclear Safety Initiative. TAYLOR,J.M. Ofc of the Executive Director for Operations. 93/08/09. THE CHAIRMAN, SELIN,I., ROGERS,K. Commissioners (Post 750119). 20pp. 76266:120-76266:139.
- 9308300058 Forwards Rev 6 to "QA Manual for Energy/Environ Sys Div Environ Survey & Site Assessment Program," for 930730. PAYNE,A.T. Oak Ridge Associated Universities. 93/08/13. Public Document Branch. 1p. 76288:108-76288:176.
- 9308300063 Rev 6 to "QA Manual for Energy/Environ Sys Div Environ Survey & Site Assessment Program," for 930730. PAYNE,A.T. Oak Ridge Associated Universities. 93/07/30. 150pp. 76288:109-76288:176.
- 9308300080 Forwards questions discussed during 930608 conversation. THADANI,A.C. Containment Systems & Severe Accident Branch. 93/06/08. WALSH,L. Affiliation Not Assigned. 2pp. 76278:001-76278:002.
- 9308300213 Informs that directive discussed in 930323 memo also applies to non-power reactor licensees for activities covered by part 50 license only. CONGEL,F.J. Division of Radiation Safety & Safeguards (Post 921004). 93/06/08. COOPER,R.W. Region 1 (Post 820201). STOHR,J.P. Region 2 (Post 820201). NORELIUS,C.E. Region 3 (Post 820201). 1p. 76278:019-76278:019.
- 9308300293 Forwards 930715 petition from residents of Callaway County, MI requesting assistance in addressing concerns about flooding of County Road 469,for consideration. CONGEL,F.J. Division of Radiation Safety & Safeguards (Post 921004). 93/08/12. WINGO,C.S. Federal Emergency Management Agency. 1p. 76274:013-76274:015.
- 9308310099 Ack receipt of 930504 ltr requesting info on 3M fire barrier sys for protection of electrical raceways.Informs that 3M would like to supply requested info in three parts,covering flexible wrap sys,ridged panel sys & FS 195 sys. LICHT,R. Minnesota Mining & Manufacturing Co. (3M Co.). 93/05/18. MCCracken,C.E. Plant Systems Branch. 2pp. 76321:312-76321:312.
- 9308310107 Submits info on fire protection requirements. LICHT,R.R. Minnesota Mining & Manufacturing Co. (3M Co.). 93/03/24. THADANI,A.C. Division of Systems Safety & Analysis (Post 921004). 1p. 76321:332-76321:332.
- 9308310122 Forwards presentation matts for 930917 Operational Safety Engineering & Review Groups workshop.Matts will be used during panel discussion on maint rule. CORREIA,R.P. Performance & Quality Evaluation Branch. 93/08/11. ZECH,G.G. Performance & Quality Evaluation Branch. 9pp. 76278:029-76278:037.
- 9308310139 Summary of operating reactors events meeting 93-29 on 930804.List of attendees & viewgraphs encl. CHAFFEE,A.E. Events Assessment Branch. OREM-93-029. 93/08/09. GRIMES,B.K. Division of Operating Reactor Support (Post 921004). 9pp. 76278:020-76278:028.
- 9308310249 Forwards monthly update of vendor insp branch part 21 tracking sys for June. NORRHOLM,L.J. Vendor Inspection Branch. 93/06/30. PARTLOW,J.G., RUSSELL,W.T., ROSSI,C.E. NRC - No Detailed Affiliation Given. 11pp. 76298:350-76298:360.

PR PROPOSED RULE

- 9308020014 Notation vote response sheet approving in part & disapproving in part,SECY-93-106 re withdrawal of below regulatory concern policy statements in accordance w/Energy Policy Act of 1992. REMICK Commissioners (Post 750119). 93/06/10. CHILK,S.J. Office of the Secretary of the Commission. 2pp. 75931:323-75931:324.
- 9308020017 Notation vote response sheet approving w/comments SECY-93-106 re withdrawal of below regulatory concern policy statements in accordance w/Energy Policy Act of 1992. ROGERS Commissioners (Post 750119). 93/06/07. CHILK,S.J. Office of the Secretary of the Commission. 2pp. 75931:336-75931:337.

202 NONDOCKETED ITEMS

- 9308020019** Comment on proposed rules 10CFR170 & 171 re increase in fees to reactor & mats licensees under 10CFR171. Opposes rule.
FOX, C.E. Intermountain Resources. 58FR21116 00502. 93/07/16. SCROGGINS, R.M. Office of the Controller (Post 890205). 1p. 75921:001-75921:001.
- 9308020021** Comment on proposed rules 10CFR170 & 171, "FY91 & 92 Proposed Rule Implementing US Court of Appeals Decision & Rev of Fee Schedules; 100% Fee Recovery, FY93." Opposes rules.
PLAVENY, C. Affiliation Not Assigned. 58FR21116 00483. 93/07/15. Docketing & Services Branch. 1p. 75921:002-75921:002.
- 9308020022** Comment on proposed rules 10CFR170 & 171, "FY91 & 92 Proposed Rule Implementing US Court of Appeals Decision & Rev of Fee Schedules; 100% Fee Recovery, FY93." Opposes rules.
ORTCIGER, T.W. Illinois, State of. 58FR21116 00462. 93/07/09. Docketing & Services Branch. 2pp. 75921:003-75921:004.
- 9308020023** Comment on proposed rules 10CFR170 & 171, "FY91 & 92 Proposed Rule Implementing US Court of Appeals Decision & Rev of Fee Schedules; 100% Fee Recovery, FY93." Opposes rules.
TALNAGI, J.W. Ohio State Univ., Columbus, OH. 58FR21116 00472. 93/07/14. THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). 2pp. 75921:005-75921:024.
- 9308020024** Comment on proposed rules 10CFR170 & 171 re NRC fee policy. Opposes rule.
SMITH, G.M. Berthold Systems, Inc. 58FR21116 00501. 93/07/15. Docketing & Services Branch. 1p. 75921:025-75921:025.
- 9308020025** Comment on proposed rules 10CFR170 & 171, "FY91 & 92 Proposed Rule Implementing US Court of Appeals Decision & Rev of Fee Schedules; 100% Fee Recovery, FY93." Opposes rules.
LIPARULO, N.J. Westinghouse Electric Corp. 58FR21116 00492. 93/07/16. CHILK, S.J. Office of the Secretary of the Commission. 4pp. 75921:026-75921:029.
- 9308020026** Comment on proposed rules 10CFR170 & 171, "FY91 & 92 Proposed Rule Implementing US Court of Appeals Decision & Rev of Fee Schedules; 100% Fee Recovery, FY93." Supports rules.
LITTLE, W. Apgee Corp. 58FR21116 00484. 93/07/15. Docketing & Services Branch. 6pp. 75921:030-75921:035.
- 9308020029** Comment on proposed rules 10CFR170 & 171, "FY91 & 92 Proposed Rule Implementing US Court of Appeals Decision & Rev of Fee Schedules; 100% Fee Recovery, FY93." Opposes rule.
MCCOY, C.K. Georgia Power Co. 58FR21116 00493. 93/07/16. CHILK, S.J. Office of the Secretary of the Commission. 2pp. 75921:036-75921:037.
- 9308020031** Comment on proposed rules 10CFR170 & 171 re NRC fee policy. Opposes rule.
DAVIS, G.E. Affiliation Not Assigned. 58FR21116 00503. 93/07/16. HOLLOWAY, C.J. Docketing & Services Branch. 2pp. 75921:038-75921:039.
- 9308020032** Comment on proposed rules 10CFR170 & 171, "FY91 & 92 Proposed Rule Implementing US Court of Appeals Decision & Rev of Fee Schedules; 100% Fee Recovery, FY93." Opposes rules.
KUNSELMAN, M.R. Affiliation Not Assigned. 58FR21116 00461. 93/07/09. Office of the Secretary of the Commission. 1p. 75921:040-75921:040.
- 9308020040** Comment on proposed rules 10CFR170 & 171, "FY91 & 92 Proposed Rule Implementing US Court of Appeals Decision & Rev of Fee Schedules; 100% Fee Recovery, FY93." Supports rules.
FARRAR, D. Commonwealth Edison Co. 58FR21116 00473. 93/07/15. CHILK, S.J. Office of the Secretary of the Commission. 7pp. 75921:041-75921:047.
- 9308020041** Comment on proposed rules 10CFR170 & 171, "FY91 & 92 Proposed Rule Implementing US Court of Appeals Decision & Rev of Fee Schedules; 100% Fee Recovery, FY93." Opposes rules.
ROLAND, D.C. Braun Intertec Engineering, Inc. (formerly Braun Engineering Testing, Inc.). 58FR21116 00491. 93/07/16. Docketing & Services Branch. 6pp. 75921:048-75921:053.
- 9308020043** Comment on proposed rules 10CFR170 & 171, "FY91 & 92 Proposed Rule Implementing US Court of Appeals Decision & Rev of Fee Schedules; 100% Fee Recovery, FY93." Opposes rules.
DELETIS, L.B. Johnston-Willis Hosp. Richmond, VA. 58FR21116 00471. 93/07/13. Docketing & Services Branch. 2pp. 75921:054-75921:055.
- 9308020044** Comment on proposed rules 10CFR170 & 171, "FY91 & 92 Proposed Rule Implementing US Court of Appeals Decision & Rev of Fee Schedules; 100% Fee Recovery, FY93." Comments on lack of accountability afforded in NRC budget process.
GUGOFF, G. 58FR21116 00485. 93/07/16. CHILK, S.J. Office of the Secretary of the Commission. 2pp. 75921:056-75921:057.
- 9308020045** Comment on proposed rules 10CFR170 & 171, "FY91 & 92 Proposed Rule Implementing US Court of Appeals Decision & Rev of Fee Schedules; 100% Fee Recovery, FY93." Supports rules.
GROSS, K.W. Affiliation Not Assigned. 58FR21116 00460. 93/07/08. Office of the Secretary of the Commission. 2pp. 75921:058-75921:059.
- 9308020046** Comment on proposed rules 10CFR170 & 171, "FY91 & 92 Proposed Rule Implementing US Court of Appeals Decision & Rev of Fee Schedules; 100% Fee Recovery, FY93." Supports rules.
IHDE, R.H. B&W Fuel Co. 58FR21116 00474. 93/07/16. Docketing & Services Branch. 4pp. 75921:060-75921:063.
- 9308020048** Comment on proposed rules 10CFR170 & 171, "FY91 & 92 Proposed Rule Implementing US Court of Appeals Decision & Rev of Fee Schedules; 100% Fee Recovery, FY93." Supports rules.
FRAZEE, T.C. Washington, State of. 58FR21116 00470. 93/07/09. Docketing & Services Branch. 3pp. 75921:064-75921:066.
- 9308020051** Comment on proposed rules 10CFR170 & 171, "FY91 & 92 Proposed Rule Implementing US Court of Appeals Decision & Rev of Fee Schedules; 100% Fee Recovery, FY93." Supports positions presented in American Mining Congress petition.
BROGA, D.W. Affiliation Not Assigned. 58FR21116 00486. 93/07/16. Docketing & Services Branch. 1p. 75921:067-75921:067.
- 9308020053** Comment on proposed rules 10CFR170 & 171, "FY91 & 92 Proposed Rule Implementing US Court of Appeals Decision & Rev of Fee Schedules; 100% Fee Recovery, FY93." Opposes rules.
JERRETT, L.E. Florida, State of. 58FR21116 00469. 93/07/07. Docketing & Services Branch. 1p. 75921:068-75921:068.
- 9308020054** Comment on proposed rules 10CFR170 & 171, "FY91 & 92 Proposed Rule Implementing US Court of Appeals Decision & Rev of Fee Schedules; 100% Fee Recovery, FY93." Opposes rule.
WOODARD, J.D. Southern Nuclear Operating Co. 58FR21116 00494. 93/07/16. CHILK, S.J. Office of the Secretary of the Commission. 2pp. 75921:069-75921:070.
- 9308020056** Comment on proposed rules 10CFR170 & 171, "FY91 & 92 Proposed Rule Implementing US Court of Appeals Decision & Rev of Fee Schedules; 100% Fee Recovery, FY93." Suggests that legislation which assess user fees to licenses be amended.
BICKMAN, J. Stocker & Yale, Inc. 58FR21116 00487. 93/07/16. Docketing & Services Branch. 2pp. 75921:071-75921:072.
- 9308020057** Comment on proposed rules 10CFR170 & 171, "FY91 & 92 Proposed Rule Implementing US Court of Appeals Decision & Rev of Fee Schedules; 100% Fee Recovery, FY93." Opposes rules.
SIMARD, R.L. Nuclear Management & Resources Council (NUMARC) (formerly Nuclear Utility Manage. 58FR21116 00475. 93/07/19. CHILK, S.J. Office of the Secretary of the Commission. 7pp. 75921:073-75921:079.
- 9308020058** Comment on proposed rules 10CFR170 & 171, "FY91 & 92 Proposed Rule Implementing US Court of Appeals Decision & Rev of Fee Schedules; 100% Fee Recovery, FY93." Opposes rules.
KERR, G.W. Illinois, State of. 58FR21116 00468. 93/07/02. Docketing & Services Branch. 3pp. 75921:080-75921:082.
- 9308020059** Comment on proposed rules 10CFR170 & 171, "FY91 & 92 Proposed Rule Implementing US Court of Appeals Decision & Rev of Fee Schedules; 100% Fee Recovery, FY93." Supports rule.
EDGAR, J.B. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 58FR21116 00512. 93/07/19. Docketing & Services Branch. 3pp. 75921:083-75921:085.
- 9308020060** Comment on proposed rules 10CFR170 & 171, "FY91 & 92 Proposed Rule Implementing US Court of Appeals Decision & Rev of Fee Schedules; 100% Fee Recovery, FY93." Supports rules.
HOOKER, M.K. Massachusetts, Univ. of, Boston, MA. 58FR21116 00459. 93/07/08. Docketing & Services Branch. 1p. 75921:086-75921:086.
- 9308020062** Comment on proposed rules 10CFR170 & 171, "FY91 & 92 Proposed Rule Implementing US Court of Appeals Decision & Rev of Fee Schedules; 100% Fee Recovery, FY93." Opposes rules.
GARIANO, M.L. Affiliation Not Assigned. 58FR21116 00476. 93/07/07. Office of the Secretary of the Commission. 1p. 75921:087-75921:087.
- 9308020063** Comment on proposed rules 10CFR170 & 171, "FY91 & 92 Proposed Rule Implementing US Court of Appeals Decision & Rev of Fee Schedules; 100% Fee Recovery, FY93." Opposes rules.
RICHARDSON, D.E. Troxler Electronic Laboratories, Inc. 58FR21116 00467. 93/07/15. CHILK, S.J. Office of the Secretary of the Commission. 2pp. 75921:088-75921:089.
- 9308020064** Comment on proposed rules 10CFR170 & 171 re NRC fee policy. Opposes rule.
JONES, B.G. Illinois State Univ., Normal, IL. 58FR21116 00504. 93/07/16. Docketing & Services Branch. 2pp. 75921:090-75921:091.
- 9308020065** Comment on proposed rules 10CFR170 & 171, "FY91 & 92 Proposed Rule Implementing US Court of Appeals Decision & Rev of Fee Schedules; 100% Fee Recovery, FY93." Opposes rule.
QUILLIN, R.M. Colorado, State of. 58FR21116 00513. 93/07/14. Docketing & Services Branch. 1p. 75921:092-75921:092.
- 9308020066** Comment on proposed rules 10CFR170 & 171, "FY91 & 92 Proposed Rule Implementing US Court of Appeals Decision & Rev of Fee Schedules; 100% Fee Recovery, FY93." Opposes rules.
MERCIER, J.R. Affiliation Not Assigned. 58FR21116 00458. 93/07/06. Docketing & Services Branch. 2pp. 75921:093-75921:094.
- 9308020067** Comment on proposed rules 10CFR170 & 171, "FY91 & 92 Proposed Rule Implementing US Court of Appeals Decision & Rev of Fee Schedules; 100% Fee Recovery, FY93." Requests that NRC pursue legislative & policy changes.
MCGAHA, J.R. Entergy Operations, Inc. 58FR21116 00488. 93/07/16. CHILK, S.J. Office of the Secretary of the Commission. 3pp. 75921:095-75921:097.
- 9308020070** Comment on proposed rules 10CFR170 & 171, "FY91 & 92 Proposed Rule Implementing US Court of Appeals Decision & Rev of Fee Schedules; 100% Fee Recovery, FY93." Opposes rules.
BULLEN, H.C. Ebasco Services, Inc. 58FR21116 00477. 93/07/13. Docketing & Services Branch. 1p. 75921:098-75921:098.
- 9308020071** Comment on proposed rules 10CFR170 & 171, "FY91 & 92 Proposed Rule Implementing US Court of Appeals Decision & Rev of Fee Schedules; 100% Fee Recovery, FY93." Opposes rules.
TALNAGI, J.W. Ohio State Univ., Columbus, OH. 58FR21116 00466. 93/07/13. Docketing & Services Branch. 18pp. 75921:099-75921:116.
- 9308020072** Comment on proposed rules 10CFR170 & 171, "FY91 & 92 Proposed Rule Implementing US Court of Appeals Decision & Rev of Fee Schedules; 100% Fee Recovery, FY93." NRC should include more itemized description of work in statements.
LEROY, P.G. Louisiana Energy Services. 58FR21116 00489. 93/07/16. HOLLOWAY, C.J. Docketing & Services Branch. 2pp. 75921:117-75921:118.
- 9308020074** Comment on proposed rules 10CFR170 & 171, "FY91 & 92 Proposed Rule Implementing US Court of Appeals Decision & Rev of Fee Schedules; 100% Fee Recovery, FY93." Opposes rules.
HERSH, P.J. Princeton Univ., Princeton, NJ. 58FR21116 00457. 93/07/07. CHILK, S.J. Office of the Secretary of the Commission. 1p. 75921:119-75921:119.

9308020075 Comment on proposed rules 10CFR170 & 171, "FY91 & 92 Proposed Rule Implementing US Court of Appeals Decision & Rev of Fee Schedules;100% Fee Recovery,FY93." Opposes rules.
VOTH,M.H. Pennsylvania State Univ., University Park, PA. 58FR21116 00465. 93/07/12. CHILK,S.J. Office of the Secretary of the Commission. 4pp. 75921:120-75921:123.

9308020076 Comment on proposed rules 10CFR170 & 171, "FY91 & 92 Proposed Rule Implementing US Court of Appeals Decision & Rev of Fee Schedules;100% Fee Recovery,FY93." Opposes rules.
LEAKE,E.G. Hot Springs County Memorial Hosp., Thermopolis, WY. 58FR21116 00478. 93/07/13. Docketing & Services Branch. 2pp. 75921:124-75921:125.

9308020078 Comment on proposed rules 10CFR170 & 171, "FY91 & 92 Proposed Rule Implementing US Court of Appeals Decision & Rev of Fee Schedules;100% Fee Recovery,FY93." Opposes rule.
ROCK,S.I. Allied Chemical Corp. 58FR21116 00495. 93/07/19. Docketing & Services Branch. 9pp. 75921:126-75921:134.

9308020079 Comment on proposed rules 10CFR170 & 171 re NRC fee policy. Supports rule.
FERDINAND,B. Rio Algom Mining Corp. 58FR21116 00505. 93/07/17. CHILK,S.J. Office of the Secretary of the Commission. 18pp. 75921:135-75921:152.

9308020080 Comment on proposed rules 10CFR170 & 171, "FY91 & 92 Proposed Rule Implementing US Court of Appeals Decision & Rev of Fee Schedules;100% Fee Recovery,FY93." Opposes rules.
MYSER,R.D. Ohio State Univ., Columbus, OH. 58FR21116 00464. 93/07/08. Office of the Secretary of the Commission. 2pp. 75921:153-75921:154.

9308020082 Comment on proposed rules 10CFR170 & 171, "FY91 & 92 Proposed Rule Implementing US Court of Appeals Decision & Rev of Fee Schedules;100% Fee Recovery,FY93." Removal of exemption may help minimally in short term.
SCOTT,N.R. Cornell College, Mt. Vernon, IA. 58FR21116 00490. 93/07/16. CHILK,S.J. Office of the Secretary of the Commission. 6pp. 75921:155-75921:160.

9308020083 Comment on proposed rules 10CFR170 & 171, "FY91 & 92 Proposed Rule Implementing US Court of Appeals Decision & Rev of Fee Schedules;100% Fee Recovery,FY93." Opposes rules.
KING,G. Texas. State of. 58FR21116 00479. 93/07/14. Docketing & Services Branch. 5pp. 75921:161-75921:165.

9308020084 Comment on proposed rules 10CFR170 & 171, "FY91 & 92 Proposed Rule Implementing US Court of Appeals Decision & Rev of Fee Schedules;100% Fee Recovery,FY93." Opposes rules.
PHILLIPS,J.J. Veterans Affairs, Dept. of (formerly Veterans Administration). 58FR21116 00456. 93/06/28. Docketing & Services Branch. 1p. 75921:166-75921:166.

9308020085 Comment on proposed rules 10CFR170 & 171, "FY91 & 92 Proposed Rule Implementing US Court of Appeals Decision & Rev of Fee Schedules;100% Fee Recovery,FY93." Opposes rules.
CAHILL,W.J., WALKER,R.D. Texas Utilities Electric Co. (TU Electric). 58FR21116 00463. 93/07/09. CHILK,S.J. Office of the Secretary of the Commission. 4pp. 75921:167-75921:170.

9308020087 Comment on proposed rules 10CFR170 & 171 re NRC fee policy. Opposes rule.
CLAYPOOL,R.G. Army, Dept. of. 58FR21116 00506. 93/07/19. Docketing & Services Branch. 1p. 75921:171-75921:171.

9308020090 Comment on proposed rules 10CFR170 & 171, "FY91 & 92 Proposed Rule Implementing US Court of Appeals Decision & Rev of Fee Schedules;100% Fee Recovery,FY93." Opposes rule.
WONG,M.L., STOUT,F.G. New England Medical Center, Inc., Boston, MA. 58FR21116 00514. 93/07/19. Docketing & Services Branch. 2pp. 75921:172-75921:173.

9308020091 Comment on proposed rule 10CFR55 re exam procedures for operator licensing.Supports rule.
PRUNTY,R.W. Carolina Power & Light Co. 58FR29366 00036. 93/07/19. Docketing & Services Branch. 2pp. 75921:174-75921:175.

9308020092 Comment on proposed rules 10CFR170 & 171 re NRC fee policy. Opposes rule.
RENGAN,K. Eastern Michigan Univ., Ypsilanti, MI. 58FR21116 00507. 93/07/19. Docketing & Services Branch. 3pp. 75921:176-75921:178.

9308020093 Comment on proposed rules 10CFR170 & 171, "FY91 & 92 Proposed Rule Implementing US Court of Appeals Decision & Rev of Fee Schedules;100% Fee Recovery,FY93." Opposes rules.
PARRISH,J.V. Washington Public Power Supply System. 58FR21116 00480. 93/07/14. CHILK,S.J. Office of the Secretary of the Commission. 2pp. 75921:179-75921:180.

9308020094 Comment on proposed rules 10CFR170 & 171, "FY91 & 92 Proposed Rule Implementing US Court of Appeals Decision & Rev of Fee Schedules;100% Fee Recovery,FY93." Opposes rule.
GILCHRIST,J.E. American Mining Congress. 58FR21116 00496. 93/07/19. CHILK,S.J. Office of the Secretary of the Commission. 11pp. 75921:181-75921:191.

9308020096 Comment on proposed rules 10CFR170 & 171, "FY91 & 92 Proposed Rule Implementing US Court of Appeals Decision & Rev of Fee Schedules;100% Fee Recovery,FY93." Opposes rules.
HARLING,J.A. Massachusetts Institute of Technology, Cambridge, MA. 58FR21116 00481. 93/07/15. Docketing & Services Branch. 3pp. 75921:192-75921:194.

9308020097 Comment on proposed rules 10CFR170 & 171, "FY91 & 92 Proposed Rule Implementing US Court of Appeals Decision & Rev of Fee Schedules;100% Fee Recovery,FY93." Suppls 930602 comments on proposed rule.
CASEY,J.L. Air Transport Association. 58FR21116 00515. 93/07/19. Docketing & Services Branch. 2pp. 75921:195-75921:198.

-9308020103 Comments on proposed rules 10CFR170 & 171 re licensing,insp & annual fees.Expresses belief that regulatory program & fee schedule should be carefully examined.
CASEY,J.L. Air Transport Association. 58FR21116. 93/06/02. Docketing & Services Branch. 2pp. 75921:197-75921:198.

9308020099 Comment on proposed rules 10CFR170 & 171 re NRC fee policy. Opposes rule.
MARSH,H. Southern California Edison Co. 58FR21116 00508. 93/07/19. Docketing & Services Branch. 4pp. 75921:199-75921:202.

9308020100 Comment on proposed rules 10CFR170 & 171, "FY91 & 92 Proposed Rule Implementing US Court of Appeals Decision & Rev of Fee Schedules;100% Fee Recovery,FY93." Opposes rules.
MADORE,D.R. 58FR21116 00482. 93/07/15. CHILK,S.J. Office of the Secretary of the Commission. 2pp. 75921:203-75921:204.

9308020101 Comment on proposed rule, 10CFR55 re exam procedures for operator licensing.Supports rule.
SCHOFIELD,B.S. Tennessee Valley Authority. 58FR29366 00035. 93/07/26. CHILK,S.J. Office of the Secretary of the Commission. 2pp. 75921:205-75921:206.

9308020105 Comment on proposed rules 10CFR170 & 171 re NRC fee policy. Opposes rule.
KNOTTS,J.B. Winston & Strawn. 58FR21116 00509. 93/07/19. CHILK,S.J. Office of the Secretary of the Commission. 9pp. 75921:207-75921:215.

9308020106 Comment on proposed rule 10CFR55 re exam procedures for operator licensing.Supports rule.
OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. Connecticut Yankee Atomic Power Co. OPEKA,J.F. Northeast Utilities. 58FR29366 00034. 93/07/19. CHILK,S.J. Office of the Secretary of the Commission. 3pp. 75921:216-75921:218.

9308020108 Comment on proposed rules 10CFR170 & 171, "FY91 & 92 Proposed Rule Implementing US Court of Appeals Decision & Rev of Fee Schedules;100% Fee Recovery,FY93." Urges NRC to pursue legislative option to modify OBRA-90.
PLAYNEY,C. Affiliation Not Assigned. 58FR21116 00516. 93/07/15. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 1p. 75921:219-75921:219.

9308020110 Comment on proposed rules 10CFR170 & 171, "FY91 & 92 Proposed Rule Implementing US Court of Appeals Decision & Rev of Fee Schedules;100% Fee Recovery,FY93." Opposes rule.
PRATT,J. Affiliation Not Assigned. 58FR21116 00497. 93/07/19. Docketing & Services Branch. 1p. 75921:220-75921:220.

9308020112 Comment on proposed rules 10CFR170 & 171, "FY91 & 92 Proposed Rule Implementing US Court of Appeals Decision & Rev of Fee Schedules;100% Fee Recovery,FY93." Opposes rule.
PRICE,G.W. American College of Radiology. 58FR21116 00517. 93/07/19. CHILK,S.J. Office of the Secretary of the Commission. 2pp. 75921:221-75921:222.

9308020115 Comment on proposed rules 10CFR170 & 171 re NRC fee policy. Opposes rule.
FERTEL,M.S. US Council for Energy Awareness. 58FR21116 00510. 93/07/19. CHILK,S.J. Office of the Secretary of the Commission. 2pp. 75921:223-75921:224.

9308020117 Notice of intent to prepare generic EIS & to conduct scoping process re proposed 10CFR20, "Radiological Criteria for Decommissioning of NRC-Licensed Facilities."
BECKJORD,E.S. Office of Nuclear Regulatory Research (Post 860720). 58FR33570. 93/06/17. 20pp. 75921:225-75921:244.

9308020118 Comment on proposed rules 10CFR170 & 171 re NRC fee policy. Opposes rule.
NAGLE,C.E. American College of Nuclear Physicians. 58FR21116 00511. 93/07/19. CHILK,S.J. Office of the Secretary of the Commission. 19pp. 75921:245-75921:263.

9308020119 Comment on proposed rules 10CFR170 & 171, "FY91 & 92 Proposed Rule Implementing US Court of Appeals Decision & Rev of Fee Schedules;100% Fee Recovery,FY93." Opposes rule.
BROLINE,C. Energy, Dept. of. 58FR21116 00499. 93/07/19. Docketing & Services Branch. 2pp. 75921:264-75921:265.

9308020121 Comment on proposed rules 10CFR170 & 171, "FY91 & 92 Proposed Rule Implementing US Court of Appeals Decision & Rev of Fee Schedules;100% Fee Recovery,FY93." Opposes rule.
SCHMITT,C.H. Energy, Dept. of. 58FR21116 00498. 93/07/19. Office of the Secretary of the Commission. 2pp. 75921:266-75921:267.

9308020124 Comment on proposed rules 10CFR170 & 171, "FY91 & 92 Proposed Rule Implementing US Court of Appeals Decision & Rev of Fee Schedules;100% Fee Recovery,FY93." Opposes rule.
SCHERER,A.E. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 58FR21116 00518. 93/07/19. Docketing & Services Branch. 9pp. 75921:268-75921:276.

9308020127 Comment on proposed rules 10CFR170 & 171, "FY91 & 92 Proposed Rule Implementing US Court of Appeals Decision & Rev of Fee Schedules;100% Fee Recovery,FY93." Endorses comments made by NUMARC.
BOHLKE,W.H. Florida Power & Light Co. 58FR21116 00519. 93/07/19. Docketing & Services Branch. 1p. 75921:297-75921:297.

9308020129 Comment on proposed rules 10CFR170 & 171, "FY91 & 92 Proposed Rule Implementing US Court of Appeals Decision & Rev of Fee Schedules;100% Fee Recovery,FY93." Concurs w/ comments provided by NUMARC.
SIEBER,J.D. Duguesne Light Co. 58FR21116 00520. 93/07/19. Docketing & Services Branch. 1p. 75921:298-75921:298.

9308020131 Responds to 930609 ltr re NRC proposed fee structure for "FY93." Commission shares concerns about impact of fee structure on small businesses.
THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 58FR21116. 93/07/19. WALLOP,M. Senate. 2pp. 75921:277-75921:279.

-9308020141 Discusses 1991 concerns expressed to NRC re negative impact increased licensing & insp fees,mandated by 1990 Budget Agreement,would have on small well & logging businesses.
WALLOP,M. Senate. 93/06/09. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 1p. 75921:279-75921:279.

204 NONDOCKETED ITEMS

- 9308020134** Notation vote response sheet partly approves & disapproves w/ comments, SECY-93-106 re withdrawal of below regulatory concern policy statements in accordance w/energy policy act of 1992.
DE PLANQUE, E.G. Commissioners (Post 750119). 93/06/11. CHILK, S.J. Office of the Secretary of the Commission. 2pp. 75936:340-75936:341.
- 9308020135** Comment on proposed rules 10CFR170 & 171, "FY91 & 92 Proposed Rule Implementing US Court of Appeals Decision & Rev of Fee Schedules; 100% Fee Recovery, FY93." Opposes rule.
BERNTHAL, F.M. National Science Foundation. 58FR21116 00521. 93/07/19. CHILK, S.J. Office of the Secretary of the Commission. 1p. 75921:299-75921:299.
- 9308020138** Confirms telcon re Commission extending deadline for submission of public comments on its license fee policy to 930818.
IRWIN, D.P. Babcock & Wilcox Co. IRWIN, D.P. Hunton & Williams. 58FR21116. 93/07/19. JULIAN, E. Office of the Secretary of the Commission. 1p. 75921:300-75921:300.
- 9308020139** Comment on proposed rules 10CFR170 & 171, "FY91 & 92 Proposed Rule Implementing US Court of Appeals Decision & Rev of Fee Schedules; 100% Fee Recovery, FY93." Opposes rule.
BYRAM, R.G. Pennsylvania Power & Light Co. 58FR21116 00522. 93/07/19. CHILK, S.J. Office of the Secretary of the Commission. 3pp. 75921:301-75921:303.
- 9308020145** Comment on proposed rules 10CFR170 & 171, "FY91 & 92 Proposed Rule Implementing US Court of Appeals Decision & Rev of Fee Schedules; 100% Fee Recovery, FY93." Opposes rule.
TUCKMAN, M.S. Duke Power Co. 58FR21116 00523. 93/07/19. Docketing & Services Branch. 3pp. 75921:280-75921:282.
- 9308020147** Comment on proposed rules 10CFR170 & 171, "FY91 & 92 Proposed Rule Implementing US Court of Appeals Decision & Rev of Fee Schedules; 100% Fee Recovery, FY93." Opposes rule.
STORZ, L.F. Centenor Energy. 58FR21116 00524. 93/07/19. CHILK, S.J. Office of the Secretary of the Commission. 4pp. 75921:283-75921:286.
- 9308020150** Responds to 930702 ltr requesting 30 day extension to period to provide comments on need for changes to NRC fee policy & associated legislation published in FR, Request granted.
CHILK, S.J. Office of the Secretary of the Commission. 58FR21116. 93/07/16. VERNETSON, W.G. Affiliation Not Assigned. 1p. 75921:287-75921:288.
- 9308020153** Requests extension of period to provide comments on need for changes to NRC fee policy & associated legislation.
VERNETSON, W.G. Affiliation Not Assigned. 58FR21116. 93/07/02. Office of the Secretary of the Commission. 1p. 75921:288-75921:288.
- 9308020152** Comment on proposed rules 10CFR170 & 171, "FY91 & 92 Proposed Rule Implementing US Court of Appeals Decision & Rev of Fee Schedules; 100% Fee Recovery, FY93." Urges for more reasonable approach in regulation of density gages.
GREEN, W.A. William A. Green & Associates. 58FR21116 00525. 93/07/17. CHILK, S.J. Office of the Secretary of the Commission. 1p. 75921:304-75921:307.
- 9308020156** Comment on proposed rules 10CFR170 & 171, "FY91 & 92 Proposed Rule Implementing US Court of Appeals Decision & Rev of Fee Schedules; 100% Fee Recovery, FY93." Endorses comments submitted by NUMARC.
PRUNTY, R.W. Carolina Power & Light Co. 58FR21116 00527. 93/07/19. CHILK, S.J. Office of the Secretary of the Commission. 1p. 75921:289-75921:289.
- 9308020157** Comments on proposed rules 170 & 171 re licensee fees. Opposes rules.
BAXTER, P.C. Affiliation Not Assigned. 58FR21116 00500. 93/07/12. Docketing & Services Branch. 2pp. 75921:308-75921:309.
- 9308020159** Comment on proposed rules 10CFR170 & 171, "FY91 & 92 Proposed Rule Implementing US Court of Appeals Decision & Rev of Fee Schedules; 100% Fee Recovery, FY93." Endorses comments made by NUMARC.
ENGLAND, L.A. BWR Owners Group. 58FR21116 00528. 93/07/21. CHILK, S.J. Office of the Secretary of the Commission. 2pp. 75921:290-75921:291.
- 9308020161** Comment on proposed rules 10CFR170 & 171, "FY91 & 92 Proposed Rule Implementing US Court of Appeals Decision & Rev of Fee Schedules; 100% Fee Recovery, FY93." Supports comments submitted by NUMARC.
HUNGER, G.A. Philadelphia Electric Co. 58FR21116 00529. 93/07/19. CHILK, S.J. Office of the Secretary of the Commission. 3pp. 75921:292-75921:294.
- 9308020163** Proposed rules 10CFR170 & 171, "NRC Fee Policy; Request for Public Comment, Extension of Comment Period."
CHILK, S.J. Office of the Secretary of the Commission. 93/07/16. 2pp. 75921:295-75921:296.
- 9308030039** Forwards motion to stay effectiveness, or in alternative, to rescind regulation published in 930407 FR re amend of 10CFR72.214 & use of storage device known as VSC-24 cask, submitted by atty general for State of MI.
GRAHAM, R.L. Jenner & Block. 57FR28645. 93/05/21. JULIAN, E.L. Docketing & Services Branch. 1p. 75935:200-75935:226.
- 9308030039** Forwards motion to stay effectiveness, or in alternative, to rescind regulation published in 930407 FR re amend of 10CFR72.214 & use of storage device known as VSC-24 cask, submitted by atty general for State of MI.
GRAHAM, R.L. Jenner & Block. 57FR28645. 93/05/21. JULIAN, E.L. Office of the Secretary of the Commission. 1p. 75935:200-75935:226.
- 9308030053** Motion to stay effectiveness, or in alternative, to rescind adoption of amend to 10CFR72.214 adding VSC-24 cask to approved list of casks.
SCHERBARTH, J.C., KEENAN, K.G. Michigan, State of. * Lake Michigan Federation. 93/05/21. Commissioners (Post 750119). 7pp. 75935:201-75935:207.
- 9308030061** Affidavit of M Resnikoff to evaluate risk associated w/dry storage of irradiated nuclear fuel at plant & need for EIS before any storage permitted to take place.
RESNIKOFF, M. Michigan, State of. RESNIKOFF, M. Radioactive Waste Management Associates. 93/05/03. 19pp. 75935:208-75935:226.
- 9308030044** Forwards videotape as part of record of transcript of 930223 workshop on process for approval of dry spent fuel storage casks. W/o encl.
HAUGHNEY, C.J. Medical, Academic & Commercial Use Safety Branch. 57FR28645. 93/05/24. JULIAN, E. Docketing & Services Branch. 1p. 75935:229-75935:229.
- 9308030060** Comment on proposed rule 10CFR20 re establishment of criteria for decommissioning. Expresses importance for NRC to coordinate w/DOE & EPA to ensure that rules, regulations & stds in proposed rule are consistent.
* Clark County, NV. 57FR58727 00105. 93/06/28. CAMERON, F. NRC - No Detailed Affiliation Given. 12pp. 75935:276-75935:287.
- 9308030067** Comment opposing proposed rule 10CFR20 re util & industry responsibility re low level ionizing radiation. Urges NRC to insist that background radiation levels be radiation std on all contaminated sites.
CRENSHAW, L. Affiliation Not Assigned. 57FR58727 00104. 93/06/29. NRC - No Detailed Affiliation Given. 1p. 75935:295-75935:295.
- 9308030078** Comment on proposed rule 10CFR20 re radioactively contaminated nuclear reactors. Suggests that NRC pursue full cleanup & stop generation of radwaste from reactors.
SWELLS, D. South Dakota State Univ., Brookings, SD. 57FR58727 00103. 93/07/05. NRC - No Detailed Affiliation Given. 1p. 75935:334-75935:334.
- 9308030089** Forwards response of util to motion filed by FJ Kelley to stay effectiveness, or to rescind adoption of amend to 10CFR72.214.
ROSS, M.S. Consumers Power Co. ROSS, M.S. Shaw, Pittman, Potts & Trowbridge. 57FR28645. 93/05/26. JULIAN, E.L. Docketing & Services Branch. 1p. 75936:001-75936:020.
- 9308030182** Response of util motion to stay effectiveness, or in alternative, or to rescind adoption of amend 10CFR72.214 adding VSC-24 cask to approved list of casks. Petition & request for stay of final rule should be denied.
BLAKE, E.L., MIKELONIS, D.A. Consumers Power Co. BLAKE, E.L. Shaw, Pittman, Potts & Trowbridge. 57FR28645. 93/04/07. Commissioners (Post 750119). 19pp. 75936:002-75936:020.
- 9308030095** Denial of motion for stay of effectiveness of regulation. Petition will be held in abeyance for period stated & movants have until 930825 to suppl petition for rescission of rule.
TAYLOR, J.M. Ofc of the Executive Director for Operations. 57FR28645. 93/05/26. Ofc of the Executive Director for Operations. 7pp. 75936:021-75936:027.
- 9308030109** Comment opposing proposed rule 10CFR72 re permitting loading of irradiated spent reactor fuel into dry-cask storage containers.
BENSON, E. Affiliation Not Assigned. 57FR28645 00250. 93/07/10. Docketing & Services Branch. 1p. 75936:035-75936:035.
- 9308030110** Undated comment on proposed rule 10CFR20 re nuclear reactor radiation cleanup. Expresses belief that full cleanup w/zero level radiation, acceptable for public protection from radiation hazards.
RUANE, E. Affiliation Not Assigned. 57FR58727 00102. 93/08/03. NRC - No Detailed Affiliation Given. 2pp. 75935:359-75935:360.
- 9308030126** Order terminating reconsideration of regulation per request for rescission.
TAYLOR, J.M. Ofc of the Executive Director for Operations. 57FR28645. 93/07/01. KELLY, F.J. Michigan, State of. 2pp. 75936:051-75936:052.
- 9308030137** Final rule 10CFR0, "Repeal of NRC Stds of Conduct Regulations."
TAYLOR, J.M. Ofc of the Executive Director for Operations. 58FR29951. 93/05/12. 8pp. 75936:078-75936:085.
- 9308030145** Comment on proposed rule 10CFR20 re radiological criteria for decommissioning of NRC-licensed facilities. Encourages NRC to continue to seek outside opinions & consider public input when making any sort of regulatory decision.
MEYER, G.E. Wisconsin, State of. 57FR58727 00101. 93/06/28. Docketing & Services Branch. 4pp. 75936:100-75936:103.
- 9308030155** Comment on proposed rule 10CFR20 re radiological criteria for decommissioning of NRC-licensed facilities. Endorses comments made by NUMARC.
WAREMBOURG, D.W. Public Service Co. of Colorado. 57FR58727 00100. 93/06/28. Docketing & Services Branch. 6pp. 75936:106-75936:111.
- 9308030164** Responds to 930526 order entered in response to motion filed by FJ Kelley, atty general for State of MI & Lake Michigan Federation. Movants will be proceeding w/petition for review in US Court of Appeals for Sixth Circuit.
GRAHAM, R.L. Jenner & Block. 57FR28645. 93/06/22. TAYLOR, J.M. Ofc of the Executive Director for Operations. 2pp. 75936:320-75936:321.
- 9308030170** Comment opposing proposed rule 10CFR72 re dry cask issue of LLRW storage problem.
WODTHE, H., WODTHE, S. Affiliation Not Assigned. 57FR28645 00249. 93/06/10. Docketing & Services Branch. 2pp. 75936:322-75936:323.
- 9308030177** Draft final rules 10CFR170 & 171, amending NRC licensing, insp & annual fees charged to applicants & licensees.
HOLLOWAY, C.J. Office of the Controller (Post 890205). 58FR21662. 93/07/20. 173pp. 75936:112-75936:285.
- 9308040299** Informs that NRC sent encl proposed amend to Commission rules in 10CFR50, app E to ofc of FR for publication. Emergency planning exercise revs will make NRC regulations consistent w/FEMA exercise requirements.
RATHBUN, D.K. Office of Congressional Affairs (Post 911117). 93/06/24. LIEBERMAN, J. Senate, Environment & Public Works. SHARP, P. House of Rep., Energy & Commerce. LEHMAN, R.H. House of Rep. 3pp. 75986:282-75986:298.
- 9308040306** Informs that Commission proposing to amend fee regulations in 10CFR170 & 171, revising fees currently charged to individuals & companies licensed by NRC.
RATHBUN, D.K. Office of Congressional Affairs (Post 911117). 93/04/20. LIEBERMAN, J. Senate, Environment & Public Works. SHARP, P. House of Rep., Energy & Commerce. LEHMAN, R.H. House of Rep. 15pp. 75986:259-75986:281.
- 9308040310** Forwards for info, notice of final rulemaking to be published in FR. NRC amending regulations to change time interval that licensees have for reviewing performance of maint programs from annually to at least every refueling cycle.
RATHBUN, D.K. Office of Congressional Affairs (Post 911117). 93/06/21. LEHMAN, R.H. House of Rep. SHARP, P. House of Rep., Energy & Commerce. LIEBERMAN, J. Senate, Environment & Public Works. 6pp. 75986:259-75986:281.

- 9308040314** Forwards for info, final rule to be published in FR that contains amends to 10CFR50 & 52. Rule requires that applicants establish, implement & maintain training program for nuclear power plant personnel.
RATHBUN, D.K. Office of Congressional Affairs (Post 911117). 93/04/21. LEHMAN, R.H. House of Rep. SHARP, P.R. House of Rep., Energy & Commerce. LIEBERMAN, J. Senate, Environment & Public Works. 3pp. 75995:001-75995:003.
- 9308040322** Forwards for info, notice of proposed rulemaking to be published in FR allowing 30 days for public comment. NRC proposing to amend regulations on power reactor safety re submittal of FSARs annually or 6 months after each outage.
RATHBUN, D.K. Office of Congressional Affairs (Post 911117). 93/05/13. LIEBERMAN, J. Senate, Environment & Public Works. SHARP, P.R. House of Rep., Energy & Commerce. LEHMAN, R.H. House of Rep. 5pp. 76009:156-76009:168.
- 9308050031** Comment on proposed rule 10CFR55 re exam procedures for operator licensing. Agrees & endorses comments provided by NUMARC in 930719 ltr.
BRADISH, T.R. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 58FR29366 00038. 93/07/21. CHILK, S.J. Office of the Secretary of the Commission. 1p. 75971:299-75971:298.
- 9308050037** Comment on proposed rule 10CFR55 re exam procedures for operator licensing. No purpose or benefit to requiring until submittal of constructed annual or biennial exams to NRC "at least 30 days prior to conducting test" provided.
MASCARI, C.A. General Public Utilities Corp. - GPU Service Corp. 58FR29366 00037. 93/07/09. Document Control Branch (Document Control Desk). 2pp. 75971:299-75971:300.
- 9308050119** Comment on proposed rule 10CFR55 re exam procedures for operator licensing. Supports rule.
BOWLING, M.L. Virginia Power (Virginia Electric & Power Co.). 58FR29366 00039. 93/07/29. Docketing & Services Branch. 2pp. 75972:217-75972:218.
- 9308050123** Comment on proposed rules 10CFR50.52 & 100 re earthquake engineering criteria for nuclear power plants. Supports rule.
JOHNSON, J.J. EOE, Inc. 57FR47802 00083. 93/07/12. KENNEALLY, R. NRC - No Detailed Affiliation Given. 42pp. 75972:219-75972:260.
- 9308050139** Forwards final rule amending 10CFR61, "Licensing Requirements for Land Disposal of Radioactive Waste," that will be published in FR for info of Subcommittee.
RATHBUN, D.K. Office of Congressional Affairs (Post 911117). 93/06/18. LIEBERMAN, J. Senate, Environment & Public Works. SHARP, P.R. House of Rep., Energy & Commerce. LEHMAN, R.H. House of Rep. 4pp. 76023:180-76023:207.
- 9308050157** Forwards proposed rule 10CFR55 re requirement of licensed operator passing written exam & operating test.
RATHBUN, D.K. Office of Congressional Affairs (Post 911117). 93/05/17. LIEBERMAN, J. Senate, Environment & Public Works. SHARP, P.R. House of Rep., Energy & Commerce. LEHMAN, R.H. House of Rep., Interior & Insular Affairs. 6pp. 76009:273-76009:298.
- 9308050173** Forwards proposed rule 10CFR30.32 & 35 to eliminate certain restrictions re medical use of byproduct matl.
RATHBUN, D.K. Office of Congressional Affairs (Post 911117). 93/06/16. LIEBERMAN, J. Senate, Environment & Public Works. SHARP, P.R. House of Rep., Energy & Commerce. LEHMAN, R.H. House of Rep. 4pp. 76009:181-76009:272.
- 9308050182** Proposed rules 10CFR30.32 & 35, "Preparation, Transfer for Commercial Distribution & Use of Byproduct Matl for Medical Use." Proposed rule intended to provide greater flexibility by allowing users greater discretion to prepare drugs.
CHILK, S.J. Office of the Secretary of the Commission. 93/06/10. 88pp. 76009:185-76009:272.
- 9308050187** Forwards amends to 10CFR73 & 74 re licensee announcements of safeguards insps.
RATHBUN, D.K. Office of Congressional Affairs (Post 911117). 93/05/20. LIEBERMAN, J. Senate, Environment & Public Works. SHARP, P.R. House of Rep., Environment & Public Works. LEHMAN, R.H. House of Rep. 3pp. 75997:343-75997:351.
- 9308050204** Final rules 10CFR73 & 74, "Licensees Announcements of Safeguards Insps." Regulations amended to ensure that presence of NRC safeguards inspectors at facilities not announced nor widely communicated to licensee.
CHILK, S.J. Commissioners (Post 750119). 93/05/17. 6pp. 75997:346-75997:351.
- 9308050205** Forwards final rule amend to Title 10 of Code of Federal Regulations creating new part 36 on radiation safety & licensing requirements for irradiators.
RATHBUN, D.K. Office of Congressional Affairs (Post 911117). 93/02/02. LIEBERMAN, J. Senate, Environment & Public Works. 6pp. 75987:090-75987:200.
- 9308060126** Forwards notification of withdrawal of proposed amend to 10CFR50 published in FR on 920421.
RATHBUN, D.K. Office of Congressional Affairs (Post 911117). CCS. 93/07/09. LIEBERMAN, J. Senate, Environment & Public Works. 3pp. 76059:149-76059:155.
- 9308060129** Proposed rule 10CFR50, "Loss of All AC Power." Rule withdrawn.
CHILK, S.J. Office of the Secretary of the Commission. CCS. 93/07/08. 3pp. 76059:152-76059:155.
- 9308060164** Responds to 930607 ltr re proposed fee structure for FY93. NRC assesses licensing & insp fees under 10CFR170 & 171 to recover budget per Omnibus Budget Reconciliation Act of 1990.
TAYLOR, J.M. Ofc of the Executive Director for Operations. CCS. 93/07/08. DE LUGO, R. House of Rep. 2pp. 76059:160-76059:163.
- 9308060169** Expresses concern re large fees charged to small watch companies to inspect a small quantity of watches. Requests reassessment of fees.
DE LUGO, R. House of Rep. CCS. 93/06/07. CHILK, S.J. Docketing & Services Branch. 1p. 76059:162-76059:163.
- 9308060177** Responds to 930610 ltr on behalf of P Riley re NRC proposed fee structure for FY93. NRC assesses licensing & insp fees under 10CFR170 & 171 to recover budget per Omnibus Budget Reconciliation Act of 1990.
TAYLOR, J.M. Ofc of the Executive Director for Operations. CCS. 93/07/08. ROCKEFELLER, J. Senate. 2pp. 76059:164-76059:169.
- 9308060184** Forwards P Riley 930519 ltr re proposed 1993 fee increase for response.
ROCKEFELLER, J. Senate. CCS. 93/06/10. RATHBUN, D.K. Office of Congressional Affairs (Post 911117). 3pp. 76059:166-76059:169.
- 9308060249** Requests publication of encl proposed rules 10CFR50 & 54, clarifying refs to existing reporting requirement.
GILLESPIE, F.P. Regulatory Review Group. AE63-1 008. 93/05/07. MEYER, D.L. Division of Freedom of Information & Publications Services (Post 890205). 4pp. 76023:279-76023:290.
- 9308090071** Informs that Commission amending regulations in 10CFR170 & 171, in order to comply w/ Public Law 101-508, enacted 901105. Amend will, in most cases, increase fees currently charged to individuals & companies licensed by NRC.
SCROGGINS, R.M. Office of the Controller (Post 890205). CCS. 93/07/14. BEVILL, T. House of Rep., Appropriations. 2pp. 76058:078-76058:265.
- 9308090085** Informs that Commission amending fee regulations in 10CFR170 & 171, in order to comply w/ Public Law 101-508. Final revs to 10CFR170 & 171 encl.
RATHBUN, D.K. Office of Congressional Affairs (Post 911117). CCS. 93/07/14. SABO, M.O. House of Rep. SASSER, J. Senate. JOHNSTON, J.B. Senate, Appropriations. 12pp. 76058:080-76058:091.
- 9308090094** Proposed rule 10CFR170 & 171, "FY91 & 92 Final Rule Implementing US Court of Appeals Decision & Rev of Fee Schedules, 100% Fee Recovery, FY93." Rule implements Public Law 101-508, enacted, 901105.
* NRC - No Detailed Affiliation Given. CCS. 93/07/14. 173pp. 76058:092-76058:265.
- 9308090116** Forwards proposed rule 10CFR12, "Equal Access to Justice Act: Implementation." NRC proposing rule by adding new provisions designed to implement Equal Access to Justice Act. Proposed rule of 1981 being withdrawn.
PARLER, W.C. Office of the General Counsel (Post 860701). CCS. 93/07/28. JOHNSTON, J.B. Senate, Appropriations. BEVILL, T. House of Rep., Appropriations. CONYERS, J. House of Rep., Government Operations. 7pp. 76059:281-76059:311.
- 9308090124** Proposed rule 10CFR12, "Equal Access to Justice Act: Implementation." Rule would add new provisions designed to implement Equal Access to Justice Act & replaces proposed rule issued in 1981.
CHILK, S.J. Office of the Secretary of the Commission. CCS. 93/07/27. 23pp. 76059:288-76059:311.
- 9308100250** Informs of NRC proposal to amend regulations in 10CFR50.54(bb) to clarify timing of notification of spent fuel mgt & funding plans by Commission licensees of nuclear power reactors permanently shut down. Rule encl.
RATHBUN, D.K. Office of Congressional Affairs (Post 911117). CCS. 93/07/02. LIEBERMAN, J. Senate, Environment & Public Works. SHARP, P.R. House of Rep., Energy & Commerce. LEHMAN, R.H. House of Rep. 3pp. 76064:213-76064:236.
- 9308100266** Responds to D Nickles 930617 constituent ltr from KB Braboy, of Davis Co., expressing concern re NRC fee structure for FY93.
TAYLOR, J.M. Ofc of the Executive Director for Operations. CCS. 93/07/08. NICKLES, D. Senate. 5pp. 76078:290-76078:297.
- 9308110084** Responds to DL Boren 930604 ltr transmitting constituent, R Johnson, comments on NRC fee structure.
TAYLOR, J.M. Ofc of the Executive Director for Operations. CCS. 93/07/01. BOREN, D.L. Senate. 4pp. 76090:305-76090:311.
- 9308110137** Forwards workpapers in support of final rule 10CFR170 & 171 scheduled for publication in FR in next few days.
HOLLOWAY, C.J. Office of the Controller (Post 890205). 93/07/21. LANHAM, D.H. Document Control Branch (Document Control Desk). 500pp. 76079:001-76080:124.
- 9308110228** Forwards notice of proposed rulemaking to amend 10CFR60 by clarifying regulatory requirements for assessment of repository siting criteria of 60.122.
RATHBUN, D.K. Office of Congressional Affairs (Post 911117). 93/07/02. LIEBERMAN, J. Senate, Environment & Public Works. 1p. 76063:318-76063:341.
- 9308110234** Forwards notice of proposed rulemaking to amend 10CFR60 by clarifying regulatory requirements for assessment of repository siting criteria of 10CFR60.122.
RATHBUN, D.K. Office of Congressional Affairs (Post 911117). 93/07/02. SHARP, P.R. House of Rep., Energy & Commerce. LEHMAN, R.H. House of Rep. 3pp. 76063:319-76063:321.
- 9308110238** Proposed rule 10CFR60, "Disposal of HLRW in Geologic Repositories." Rule would clarify that adequacy of license applicant investigations will be judged for significance to compliance w/ post-closure performance objectives.
CHILK, S.J. Office of the Secretary of the Commission. 58FR36902. 93/07/02. 20pp. 76063:322-76063:341.
- 9308110311** Forwards notice of final rulemaking re 10CFR30.40, 70 & 72, "Decommissioning Recordkeeping & License Termination: Documentation Additions."
RATHBUN, D.K. Office of Congressional Affairs (Post 911117). CCS. 93/07/23. LIEBERMAN, J. Senate, Environment & Public Works. SHARP, P.R. House of Rep., Energy & Commerce. LEHMAN, R.H. House of Rep. 6pp. 76080:294-76080:333.
- 9308110320** Proposed rules 10CFR30.40, 70 & 72, "Decommissioning Recordkeeping & License Termination: Documentation Additions."
TAYLOR, J.M. Ofc of the Executive Director for Operations. CCS. 93/07/12. 33pp. 76080:300-76080:333.
- 9308110359** Responds to 930601 ltr written on behalf of constituents re NRC fee structure.
TAYLOR, J.M. Ofc of the Executive Director for Operations. 58FR21116. 93/07/02. BURNS, C. Senate. 2pp. 76141:140-76141:143.
- 9308110369** Acknowledges NRC proposal to increase fees on license insp & renewals for operators who use radioactive matls in wireline or seismic activities. Requests NRC reconsider increases.
BURNS, C. Senate. CCS. 93/06/01. THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). 1p. 76141:142-76141:143.
- 9308120067** Comment on whistleblower protection. NRC should require some sort of counseling credentials of personnel who answer "RED PHONE."
DUNHAM, R.P. Affiliation Not Assigned. 58FR41108 00001. 93/08/06. Rules & Directives Review Branch (Post 920323). 3pp. 76063:072-76063:074.
- 9308160007** Comment on proposed rules 10CFR170 & 171 re license & insp fees & annual fees for NRC licensees. Supports rule.
CONSTANTINE, R. Smith College, Northampton, MA. 58FR21116 00530. 93/07/15. Docketing & Services Branch. 2pp. 76088:277-76088:278.

206 NONDOCKETED ITEMS

- 9308160012** Comment on proposed rules 10CFR170 & 171, "FY91 & 92 Proposed Rule Implementing US Court of Appeals Decision & Rev of Fee Schedules;100% Fee Recovery,FY93." Opposes rule.
BECKER,M. Miami, Univ. of, Coral Gables, FL. 58FR21116 00531. 93/07/09. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 1p. 76088:281-76088:281.
- 9308160015** Comment on proposed rules 10CFR170 & 171, "FY91 & 92 Proposed Rule Implementing US Court of Appeals Decision & Rev of Fee Schedules;100% Fee Recovery,FY93." Supports rule.
EDWARDS,J.R. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 58FR21116 00532. 93/07/15. Docketing & Services Branch. 2pp. 76088:311-76088:312.
- 9308160019** Comment on proposed rules 10CFR170 & 171, "FY91 & 92 Proposed Rule Implementing US Court of Appeals Decision & Rev of Fee Schedules;100% Fee Recovery,FY93." Opposes rule.
BERNARD,J.A. Massachusetts Institute of Technology, Cambridge, MA. 58FR21662 00607. 93/08/03. ROGERS,K.C. Commissioners (Post 750119). 2pp. 76088:335-76088:336.
- 9308160020** Comment on proposed rules 10CFR170 & 171, "FY91 & 92 Proposed Rule Implementing US Court of Appeals Decision & Rev of Fee Schedules;100% Fee Recovery,FY93." Opposes rule.
GASS,W.D. Mt. Holyoke College, South Hadley, MA. 58FR21116 00533. 93/07/19. Docketing & Services Branch. 2pp. 76088:337-76088:338.
- 9308160024** Comment on proposed rules 10CFR170 & 171, "FY91 & 92 Proposed Rule Implementing US Court of Appeals Decision & Rev of Fee Schedules;100% Fee Recovery,FY93." Opposes rule.
JISCHKE,M.C. Iowa State Univ., Ames, IA. 58FR21662 00606. 93/08/03. CHILK,S.J. Office of the Secretary of the Commission. 1p. 76088:343-76088:343.
- 9308160026** Comment on proposed rules 10CFR170 & 171, "FY91 & 92 Proposed Rule Implementing US Court of Appeals Decision & Rev of Fee Schedules;100% Fee Recovery,FY93." Supports rule.
BRADISH,T.R. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 58FR21662 00534. 93/07/20. Docketing & Services Branch. 1p. 76088:344-76088:344.
- 9308160035** Expresses support for Petition for Reconsideration of listed final rule submitted by Cornell Univ & other co-petitioners & concurs w/petitioner request that NRC reconsider ruling & reinstate annual fee exemption.
KELLER,G.H. Oregon State Univ., Corvallis, OR. 58FR21662. 93/08/02. CHILK,S.J. Office of the Secretary of the Commission. 4pp. 76089:004-76089:007.
- 9308160041** Requests reconsideration of listed rule on bases that brief 30 day comment period inadequate to assure that interested parties could receive & act upon proposed rule.
FULLER,E.D. American Nuclear Society. 58FR21662. 93/07/30. PHILLIPS,C. NRC - No Detailed Affiliation Given. 1p. 76089:008-76089:008.
- 9308160044** Expresses support of Iowa State Univ for petition for reconsideration of final rule re final rev to 10CFR170 & 171 on license,insp & annual fees for "FY93" & US Court of Appeals remand decision.
JISCHKE,M.C. Iowa State Univ., Ames, IA. 58FR21662. 93/08/04. CHILK,S.J. Office of the Secretary of the Commission. 2pp. 76089:012-76089:013.
- 9308160046** Requests that existing timetable re exemption of non-profit educational institutions from license fees,be abandoned immediately & replaced w/schedule along lines of listed proposal.
VERNETSON,W.G. Florida, Univ. of, Gainesville, FL. 58FR21662. 93/08/05. CHILK,S.J. Office of the Secretary of the Commission. 3pp. 76089:014-76089:016.
- 9308160052** Endorses & supports petition submitted by Cornell Univ & several co-petitioners re NRC decision to impose license fees on univ research reactors.
PEDDICORD,K.L. Texas A&M Univ., College Station, TX. 58FR21662. 93/07/30. Office of the Secretary of the Commission. 1p. 76089:018-76089:018.
- 9308160062** Requests response from Commission at earliest possible convenience in answer to listed question & forwards copy of 930728 ltr to CJ Holloway.
HOLM,R.L. Illinois, Univ. of, Urbana, IL. 58FR21662. 93/08/03. Docketing & Services Branch. 1p. 76089:124-76089:125.
- 9308160210** Requests clarification on two listed issues re RIN 3150-AE4, "FY1991 & 1992 Final Rule Implementing US Court of Appeals Decision & Rev of Fee Schedules;100% Fee Recovery,FY1993."
HOLM,R.L. Illinois, Univ. of, Urbana, IL. 93/07/28. HOLLOWAY,C.J. Office of the Controller (Post 890205). 1p. 76089:125-76089:125.
- 9308160064** Comment on proposed rules 10CFR170 & 171, "FY91 & 92 Proposed Rule Implementing US Court of Appeals Decision & Rev of Fee Schedules;100% Fee Recovery,FY93." Supports rule.
STEWART,W.L. Virginia Power (Virginia Electric & Power Co.). 58FR21116 00535. 93/07/26. Docketing & Services Branch. 2pp. 76089:129-76089:130.
- 9308160067** Comment on proposed rules 10CFR170 & 171, "FY91 & 92 Proposed Rule Implementing US Court of Appeals Decision & Rev of Fee Schedules;100% Fee Recovery,FY93." Opposes rule.
SMITH,R.V. Washington State Univ., Pullman, WA. 58FR21116 00536. 93/07/28. CHILK,S.J. Office of the Secretary of the Commission. 1p. 76089:151-76089:151.
- 9308160073** Comment on proposed rules 10CFR170 & 171, "FY91 & 92 Proposed Rule Implementing US Court of Appeals Decision & Rev of Fee Schedules;100% Fee Recovery,FY93." Opposes rule.
GIDDINGS,R. Texas, Univ. of, Austin, TX. 58FR21116 00537. 93/08/10. CHILK,S.J. Office of the Secretary of the Commission. 6pp. 76089:217-76089:222.
- 9308160087** Comment on proposed rules 10CFR170 & 171, "FY91 & 92 Proposed Rule Implementing US Court of Appeals Decision & Rev of Fee Schedules;100% Fee Recovery,FY93." Opposes rule.
SEM,G.J. TSI, Inc. 58FR21662 00598. 93/07/08. Docketing & Services Branch. 2pp. 76089:259-76089:260.
- 9308160097** Comment on proposed rules 10CFR170 & 171, "FY91 & 92 Proposed Rule Implementing US Court of Appeals Decision & Rev of Fee Schedules;100% Fee Recovery,FY93." Opposes rule.
OAKLEY,F. Williams College, Williamstown, MA. 58FR21662 00599. 93/07/08. Docketing & Services Branch. 2pp. 76089:277-76089:278.
- 9308160117** Comment on proposed rules 10CFR170 & 171, "FY91 & 92 Proposed Rule Implementing US Court of Appeals Decision & Rev of Fee Schedules;100% Fee Recovery,FY93." Opposes rule.
WOODALL,D.M. Idaho State Univ., Pocatello, ID. 58FR21662 00600. 93/07/13. SELIN,I. Commissioners (Post 750119). 1p. 76089:316-76089:316.
- 9308160132** Comment on proposed rules 10CFR170 & 171, "FY91 & 92 Proposed Rule Implementing US Court of Appeals Decision & Rev of Fee Schedules;100% Fee Recovery,FY93." Opposes rule.
GILLIES,G.T. Virginia, Univ. of, Charlottesville, VA. 58FR21662 00601. 93/07/15. HOLLOWAY,C.J. Docketing & Services Branch. 1p. 76089:352-76089:352.
- 9308160135** Comment on proposed rules 10CFR170 & 171, "FY91 & 92 Proposed Rule Implementing US Court of Appeals Decision & Rev of Fee Schedules;100% Fee Recovery,FY93." Opposes rule.
GILLIES,G.T. Virginia, Univ. of, Charlottesville, VA. 58FR21662 00602. 93/07/15. Docketing & Services Branch. 1p. 76089:353-76089:353.
- 9308160140** Comment on proposed rules 10CFR170 & 171, "FY91 & 92 Proposed Rule Implementing US Court of Appeals Decision & Rev of Fee Schedules;100% Fee Recovery,FY93." Opposes rule.
PEDDICORD,K.L. Texas A&M Univ., College Station, TX. 58FR21662 00603. 93/07/08. Docketing & Services Branch. 1p. 76089:354-76089:354.
- 9308160143** Comment on proposed rules 10CFR170 & 171, "FY91 & 92 Proposed Rule Implementing US Court of Appeals Decision & Rev of Fee Schedules;100% Fee Recovery,FY93." Opposes rule.
ALLAIRE,P.E. Virginia, Univ. of, Charlottesville, VA. 58FR21662 00604. 93/07/19. Docketing & Services Branch. 2pp. 76089:355-76089:356.
- 9308160154** Petition for reconsideration of final rule.Petitioners request that Commission reconsider final rule & reinstate its annual fee exemption for nonprofit educational institutions.
EGAN,S.K. Cornell Univ., Ithaca, NY. 58FR21662. 93/07/30. NRC - No Detailed Affiliation Given. 3pp. 76090:066-76090:104.
- 9308160157** Comment on proposed rules 10CFR170 & 171, "FY91 & 92 Proposed Rule Implementing US Court of Appeals Decision & Rev of Fee Schedules;100% Fee Recovery,FY93." Opposes rule.
STEWART-SMITH Oregon, State of. 58FR21662 00605. 93/07/28. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 2pp. 76089:357-76089:358.
- 9308160161** Forwards ltr dtd 930715 from economist,AE Kahn,which has been referred to in recent correspondence w/Commission.
EGAN,S.K. Cornell Univ., Ithaca, NY. 58FR21662. 93/08/02. JULIAN,E.L. NRC - No Detailed Affiliation Given. 3pp. 76089:359-76089:361.
- 9308170106** Comment on whistleblower protection.
* Affiliation Not Assigned. 58FR41108 00002. 93/08/08. NRC - No Detailed Affiliation Given. 1p. 76108:358-76108:358.
- 9308170150** Requests FONSI for review & requests addl time to respond to Atlas tailings pile reclamation issue.
BUDLONG,T. Affiliation Not Assigned. 58FR38796. 93/08/06. MEYER,D.L. Rules & Directives Review Branch (Post 920323). 3pp. 76110:121-76110:121.
- 9308170246** Comments on idea that NRC should hire people within company that have practical & hands on experience in years of time on job,as set forth in new reg guide.
ACKINSON,G. Affiliation Not Assigned. 58FR41108 00003. 93/08/04. Rules & Directives Review Branch (Post 920323). 4pp. 76110:327-76110:330.
- 9308180031** Comment on whistleblower protection issue.
HANCOCK,A.G. Affiliation Not Assigned. 58FR41108 00004. 93/08/06. NRC - No Detailed Affiliation Given. 4pp. 76131:250-76131:253.
- 9308190227** Notice of request for public comment on whether NRC has taken sufficient steps to create atmosphere within regulated community where individuals w/safety concerns feel free to engage in protected activities w/o fear of retaliation.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). 93/07/28. 16pp. 76152:149-76152:164.
- 9308200009** Comments on whistleblower protection & advises that 800 number would be helpful to migratory workers.
LEDO,M. Affiliation Not Assigned. 58FR41108 00005. 93/08/02. Office of Administration (Post 890205). 4pp. 76153:001-76153:004.
- 9308200047** Comments on whistleblower protection & advises that toll free number should be used for reporting concerns.
BALLARD,C.H. Affiliation Not Assigned. 58FR41108 00006. 93/08/08. Office of Administration (Post 890205). 11pp. 76153:011-76153:021.
- 9308230011** Comments on proposed rule 10CFR72 re emergency planning licensing requirements for ISFSI & MRS facilities.Proposed rule appears inconsistent w/conclusions of NRC studies re risks to public health & safety from ISFSI accident.
EDWARDS,D.W. Yankee Atomic Electric Co. 58FR29795 00005. 93/07/30. Docketing & Services Branch. 6pp. 76165:036-76165:041.
- 9308230012** Comment on proposed rules 10CFR19,30,40,50,60,61,70,72 & 150 re whistleblower protection for nuclear power plant employees.Supports rules.
BOWLING,M.L. Virginia Power (Virginia Electric & Power Co.). 58FR33042 00004. 93/07/29. Docketing & Services Branch. 1p. 76165:042-76165:042.
- 9308230013** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness exercise requirement.
MILLWEE,T. Texas, State of. 58FR34539 00001. 93/07/23. Docketing & Services Branch. 1p. 76165:043-76165:043.
- 9308230015** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness exercise requirements.
SLAYTON,A.E. Virginia, Commonwealth of. 58FR34539 00002. 93/07/26. CHILK,S.J. Office of the Secretary of the Commission. 1p. 76165:057-76165:057.
- 9308230017** Comment on proposed rule 10CFR72 re emergency planning licensing requirements for ISFSI & MRS facilities.OCRW has reviewed proposed rule & believes requirements appropriate.
SHELDON,D.E. Energy, Dept. of. 58FR29795 00006. 93/08/03. Docketing & Services Branch. 2pp. 76165:058-76165:059.

- 9308230019** Comment on proposed rule 10CFR72 re emergency planning licensing requirements for ISFSI & monitored retrievable storage facilities. Believes it prudent to err on conservative side in interim.
LAFLEUR, J.L. Pennsylvania, Commonwealth of. 58FR29795 00004. 93/08/03. Docketing & Services Branch. 1p. 76165:060-76165:060.
- 9308230022** Comment supporting proposed rule 10CFR55 re proposed amend to 10CFR55.
SKOLDS, J.L. South Carolina Electric & Gas Co. 58FR29366 00040. 93/07/30. CHILK, S.J. Office of the Secretary of the Commission. 2pp. 76165:061-76165:062.
- 9308230025** Comment endorsing proposed rule 10CFR72 re emergency planning licensing requirements for ISFSI & monitored retrievable storage facilities.
HOWLING, M.L. Virginia Power (Virginia Electric & Power Co.). 58FR29795 00003. 93/07/29. Docketing & Services Branch. 2pp. 76165:082-76165:083.
- 9308230027** Comment opposing proposed rule 10CFR72 re emergency planning licensing requirements for ISFSI & MRS facilities.
WAREMBORUG, D.W. Public Service Co. of Colorado. 58FR29795 00007. 93/08/09. Docketing & Services Branch. 2pp. 76165:084-76165:085.
- 9308230029** Comment opposing proposed rule 10CFR72 re no offsite emergency or evacuation planning for MRS nuclear waste facilities.
LAWS, R.M., RANDALL, T., GONZALES, R.M. Affiliation Not Assigned. 58FR29795 00008. 93/07/28. Office of the Secretary of the Commission. 4pp. 76165:086-76165:089.
- 9308230031** Comment supporting proposed rules 10CFR2 & 72 re eliminating requirement for express Commission authorization before issuing license for ISFSI.
NAUGHTON, W.F. Commonwealth Edison Co. 58FR31478 00002. 93/08/09. CHILK, S.J. Office of the Secretary of the Commission. 1p. 76165:090-76165:090.
- 9308230032** Comment opposing proposed rule 10CFR72 re MRS emergency planning rule.
DIANE, S. Affiliation Not Assigned. 58FR29795 00009. 93/08/03. Docketing & Services Branch. 2pp. 76165:091-76165:092.
- 9308230034** Comment supporting proposed rule 10CFR72 re emergency planning licensing requirements for ISFSI & monitored retrievable storage facilities.
ORTCIGER, T.W. Illinois, State of. 58FR29795 00002. 93/07/27. Docketing & Services Branch. 2pp. 76165:093-76165:094.
- 9308230035** Comments on proposed rule 10CFR72 re emergency planning licensing requirements for ISFSI & MRS facilities. Recommends that parallel provision be included in proposed rule for ISFSI.
SCHENWIESNER Long Island Power Authority. 58FR29795 00010. 93/08/06. Docketing & Services Branch. 2pp. 76165:095-76165:096.
- 9308230036** Comment supporting proposed rules 10CFR2 & 72 re interim storage of spent fuel in ISFSI.
SHELDON, D.W. Energy. Dept. of. 58FR31478 00003. 93/08/12. Docketing & Services Branch. 2pp. 76165:097-76165:098.
- 9308230038** Urges extension of comment period for proposed rule regarding emergency planning licensing requirements for ISFSI & monitored retrievable storage facilities by six months.
SALZMAN, J. Colorado, State of. 58FR29795. 93/07/29. CHILK, S.J. Office of the Secretary of the Commission. 1p. 76165:101-76165:101.
- 9308230045** Comment on proposed rule 10CFR72 re emergency planning. Emergency planning should be required prior to initiation of operations for facility.
MARTIN, R.C. Benton County, WA. 58FR29795 00011. 93/08/03. CHILK, S.J. Office of the Secretary of the Commission. 2pp. 76165:112-76165:113.
- 9308230047** Requests extension of comment period on proposed rule 10CFR72 re emergency planning licensing requirements for ISFSI & monitored retrievable storage.
OLSON, M. Nuclear Information & Resource Service. 58FR29795. 93/07/25. Office of the Secretary of the Commission. 2pp. 76165:121-76165:122.
- 9308230049** Comment supporting proposed rule 10CFR72 re emergency planning licensing requirements for ISFSI & MRS facilities.
HIATT, S.L. Ohio Citizens for Responsible Energy. 58FR29795 00012. 93/08/08. Docketing & Services Branch. 2pp. 76165:123-76165:124.
- 9308230051** Comment opposing proposed rule 10CFR72 re emergency planning.
SHAW, J.G. New Mexico, State of. 58FR29795 00013. 93/08/02. Docketing & Services Branch. 1p. 76165:125-76165:125.
- 9308230052** Comment opposing proposed rule 10CFR72 re emergency planning licensing requirements for ISFSI & MRS facilities.
OLSON, M. Nuclear Information & Resource Service. 58FR29795 00014. 93/08/08. Docketing & Services Branch. 3pp. 76165:126-76165:128.
- 9308230056** Comment on proposed rule 10CFR60 re proposal to amend regulations for high-level radwaste repositories to clarify how agency will evaluate compliance w/ siting requirements.
CLEMENTS, F. Affiliation Not Assigned. 58FR36902 00001. 93/07/26. Docketing & Services Branch. 1p. 76165:129-76165:129.
- 9308230063** Comment supporting proposed rule 10CFR72 re emergency planning licensing requirements for ISFSI & MRS facilities.
KRAFT, S.P. Edison Electric Institute. 58FR29795 00015. 93/08/09. CHILK, S.J. Office of the Secretary of the Commission. 6pp. 76165:130-76165:135.
- 9308230087** Comment opposing proposed rules 10CFR2 & 72 that would delimit agency control over at-reactor projects for dry storage of spent fuel.
HOUCK, K. Atoms & Waste. 58FR31478 00001. 93/07/24. CHILK, S.J. Office of the Secretary of the Commission. 4pp. 76165:141-76165:144.
- 9308230090** Comment on proposed rules 10CFR30.32 & 35 re appearance in FR on 930617. Number of proposed changes further extends NRC efforts to enter into regulation of practice of medicine.
HILL, T.E. Georgia, State of. 58FR33396 00004. 93/07/22. Docketing & Services Branch. 1p. 76165:150-76165:150.
- 9308230098** Comment on proposed rule 10CFR26 re mods to fitness-for-duty program requirements. Opposes rule.
BOULETTE, E.T. Boston Edison Co. 58FR15810 00043. 93/07/26. CHILK, S.J. Office of the Secretary of the Commission. 2pp. 76165:198-76165:199.
- 9308230100** Comment opposing proposed rule 10CFR72 re emergency planning licensing requirements for ISFSI & MRS.
CARDE, M. Affiliation Not Assigned. 58FR29795 00016. 93/08/04. CHILK, S.J. Office of the Secretary of the Commission. 3pp. 76165:200-76165:202.
- 9308230144** Comment on proposed rule 10CFR72 re emergency planning licensing requirements for ISFSI & MRS facilities. Emergency plans for ISFSIs & MRSs should address level of hazard involved.
TIPTON, T.E. Nuclear Management & Resources Council (NUMARC) (formerly Nuclear Utility Manage. 58FR29795 00017. 93/07/09. CHILK, S.J. Office of the Secretary of the Commission. 7pp. 76165:214-76165:220.
- 9308230159** Comment supporting proposed rules 10CFR30.32 & 35 re authorization for nuclear physicians & pharmacists to practice nuclear medicine w/o unnecessary regulatory burdens of past.
MATTMULLER, S. St. Johns Mercy Medical Center, St. Louis, MO. 58FR33396 00003. 93/07/27. Docketing & Services Branch. 1p. 76165:221-76165:221.
- 9308240097** Comment opposing proposed rule 10CFR20 re radiological criteria for decommissioning of NRC licensed facilities GEIS for rulemaking.
JOHNSRUD, J.H. Affiliation Not Assigned. 58FR33570 00002. 93/07/21. Docketing & Services Branch. 6pp. 76181:014-76181:019.
- 9308240098** Comment opposing Whistleblower Protection Issue.
BACHAND, D. Affiliation Not Assigned. 58FR41108 00007. 93/08/16. NRC - No Detailed Affiliation Given. 2pp. 76181:020-76181:021.
- 9308240100** Comment opposing proposed rule 10CFR20 re radiological criteria for decommissioning of NRC licensed facilities.
KLINE, C. Sierra Club. 58FR33570 00006. 93/07/28. CARDILE, F. Office of Nuclear Regulatory Research (Post 860720). 3pp. 76181:022-76181:024.
- 9308240106** Requests extension until 930920 for filing comments on proposed rule 10CFR20 re proposed radiological criteria for decommissioning of nuclear facilities.
CURRAN, D. Affiliation Not Assigned. CURRAN, D. Native Americans for a Clean Environment. CURRAN, D. Harmon, Curran, Gallagher & Spielberg (formerly Harmon, Curran & Tousey). 58FR33570. 93/07/16. CHILK, S.J. Office of the Secretary of the Commission. 2pp. 76181:025-76181:026.
- 9308240114** Comment opposing proposed rule 10CFR20 re NRC proposal to establish on generic basis answer to question, "how much radioactive contamination may be left after decommissioning clean-up taken place."
WILLIAMS, M.J. Affiliation Not Assigned. 58FR33570 00015. 93/08/09. Docketing & Services Branch. 4pp. 76181:027-76181:030.
- 9308240117** Comment supporting proposed rule 10CFR20 re radiological criteria for decommissioning of NRC licensed facilities.
LOUX, R.R., DAVENPORT, J.H. Nevada, State of. 58FR33570 00003. 93/07/26. Docketing & Services Branch. 10pp. 76181:031-76181:040.
- 9308240118** Comment opposing proposed rule 10CFR20, "Radiological Criteria for Decommissioning of NRC-Licensed Facilities: Generic Environ Impact Statement for Rulemaking Notice of Intent to prepare GEIS & to Conduct Scoping Process."
BEAVERS, D. Cherokee Nation. 58FR33570 00001. 93/07/16. Docketing & Services Branch. 2pp. 76181:041-76181:042.
- 9308240123** Comment on proposed rule 10CFR20 re GEIS on radiological criteria for decommissioning of NRC licensed facilities. Commission should consider listed ideas in development of GEIS.
TSCHAECHER, A.N. Affiliation Not Assigned. 58FR33570 00007. 93/08/05. Docketing & Services Branch. 2pp. 76181:043-76181:044.
- 9308240128** Comment opposing proposed rule 10CFR20 re radiological criteria for decommissioning of NRC licensed facilities.
GIBSON, M.H. Kennecott Corp. 58FR33570 00009. 93/08/05. Docketing & Services Branch. 5pp. 76181:045-76181:049.
- 9308240132** Comment opposing proposed rule 10CFR20 re radiological criteria for decommissioning of NRC licensed facilities.
ENSLIN, T.K. Affiliation Not Assigned. 58FR33570 00010. 93/08/05. Docketing & Services Branch. 2pp. 76181:050-76181:051.
- 9308240134** Comment opposing proposed rule 10CFR20 re radiological criteria for decommissioning of NRC licensed facilities.
LORZ, D. Affiliation Not Assigned. 58FR33570 00011. 93/08/10. Docketing & Services Branch. 5pp. 76181:052-76181:056.
- 9308240136** Comment opposing proposed rule 10CFR20 re radiological criteria for decommissioning of NRC licensed facilities.
MASON, M. Affiliation Not Assigned. 58FR33570 00012. 93/07/27. Docketing & Services Branch. 1p. 76181:057-76181:057.
- 9308240137** Comment opposing proposed rule 10CFR20 re NRC proposed rulemaking re radiological criteria for decommissioning of NRC-licensed facilities.
MENDIETA, H.H. Affiliation Not Assigned. 58FR33570 00016. 93/08/11. Docketing & Services Branch. 11pp. 76181:058-76181:068.
- 9308240138** Notice of extension of comment period to 930920 for comments on proposed rule 10CFR20, "Radiological Criteria for Decommissioning of NRC-Licensed Facilities. GEIS for Rulemaking."
CHILK, S.J. Office of the Secretary of the Commission. 58FR33570. 93/08/06. 2pp. 76181:069-76181:070.
- 9308240142** Comment supporting proposed rule 10CFR20 re radiological criteria for decommissioning of NRC licensed facilities.
CONANT, J.F. ABB Power Distribution, Inc. 58FR33570 00013. 93/08/04. CHILK, S.J. Office of the Secretary of the Commission. 1p. 76181:071-76181:071.
- 9308240144** Comment opposing proposed rule 10CFR20 re radiological criteria for decommissioning of NRC licensed facilities.
WASON, B. Affiliation Not Assigned. 58FR33570 00014. 93/08/10. Docketing & Services Branch. 2pp. 76181:072-76181:073.

208 NONDOCKETED ITEMS

- 9308240146** Comment supporting proposed rule 10CFR20 re intent to prepare GEIS for rulemaking & to conduct scoping process on radiological criteria for decommissioning of NRC licensed facilities.
HITZ,D. Los Angeles Physicians for Social Responsibility. 58FR33570 00004. 93/07/26. Docketing & Services Branch. 2pp. 76181:074-76181:075.
- 9308240147** Comment opposing proposed rule 10CFR20 re radiological criteria for decommissioning.
MEEK,C. Georgians Against Nuclear Energy. 58FR33570 00017. 93/08/10. NRC - No Detailed Affiliation Given. 2pp. 76181:078-76181:077.
- 9308240148** Comment opposing proposed rule 10CFR20 re radiological criteria for decommissioning of NRC licensed facilities GEIS for rulemaking.
BIZZARRO,D. Affiliation Not Assigned. 58FR33570 00005. 93/08/04. Docketing & Services Branch. 1p. 76181:078-76181:078.
- 9308240151** Comment supporting proposed rule 10CFR20 re GEIS for radiological criteria for decommissioning of NRC licensed facilities.
RESNIKOFF,M. Radioactive Waste Management Associates. 58FR33570 00008. 93/08/06. Docketing & Services Branch. 4pp. 76181:079-76181:082.
- 9308240152** Requests that NRC extend comment period on proposed rule 10CFR20 re radiological criteria for decommissioning for addl 60 days.
RUPERT,C. Affiliation Not Assigned. 58FR33570 00018. 93/08/16. Docketing & Services Branch. 1p. 76181:083-76181:083.
- 9308240154** Comment opposing proposed rule 10CFR20 re radiological criteria for decommissioning.
SHEARER,V.M. Affiliation Not Assigned. 58FR33570 00019. 93/08/11. Docketing & Services Branch. 1p. 76181:084-76181:084.
- 9308240159** Comment opposing proposed rule 10CFR20 re radiological criteria for decommissioning of NRC licensed facilities.
WINSLOW,T.P. General Electric Co. 58FR33570 00020. 93/08/09. Docketing & Services Branch. 3pp. 76181:085-76181:087.
- 9308250010** Comment on proposed rules 10CFR170 & 171. "FY91 & 92 Proposed Rule Implementing US Court of Appeals Decision & Rev of Fee Schedules;100% Fee Recovery,FY93." Opposes rule.
RADEMACHER,J. St. Marys College, Winona, MN. 58FR21116 00559. 93/08/16. Docketing & Services Branch. 2pp. 76187:004-76187:005.
- 9308250014** Comment on proposed rules 10CFR170 & 171. "FY91 & 92 Proposed Rule Implementing US Court of Appeals Decision & Rev of Fee Schedules;100% Fee Recovery,FY93." Opposes rule.
PHILLIPS,W.M. American Society for Engineering Education. 58FR21116 00557. 93/08/13. CHILK,S.J. Office of the Secretary of the Commission. 2pp. 76187:006-76187:007.
- 9308250017** Comment on whistleblower protection plan.Whistleblower protection actions by NRC can only be punitive & thus reflects failure of licensee sys.
MARTIN,R.D. Affiliation Not Assigned. 58FR41108 00010. 93/08/16. Rules & Directives Review Branch (Post 920323). 4pp. 76187:017-76187:020.
- 9308250018** Comment on proposed rules 10CFR170 & 171. "FY91 & 92 Proposed Rule Implementing US Court of Appeals Decision & Rev of Fee Schedules;100% Fee Recovery,FY93." Opposes rule.
SCHEIDE,J.I. Central Michigan Univ., Mt. Pleasant, MI. 58FR21116 00555. 93/08/17. Docketing & Services Branch. 3pp. 76187:021-76187:024.
- 9308250022** Comment on whistleblower protection issue.Unless such protection is available, valuable allegations will not be submitted & thereby lost.
THIEMANN,P.J. Affiliation Not Assigned. 58FR41108 00008. 93/08/18. Rules & Directives Review Branch (Post 920323). 3pp. 76187:025-76187:028.
- 9308250029** Informs of results of NRC investigation re alleged 10CFR50.7 violation & responds to 930616 ltr.
PERKINS,K.E. Region 5 (Post 820201). 93/08/11. THIEMANN,P. Affiliation Not Assigned. 1p. 76187:028-76187:028.
- 9308250025** Comment on proposed rules 10CFR170 & 171. "FY91 & 92 Proposed Rule Implementing US Court of Appeals Decision & Rev of Fee Schedules;100% Fee Recovery,FY93." Opposes rule.
TOPE,F.R. Cincinnati, Univ. of, Cincinnati, OH. 58FR21116 00553. 93/08/18. Docketing & Services Branch. 3pp. 76187:045-76187:047.
- 9308250032** Comment on proposed rules 10CFR170 & 171. "FY91 & 92 Proposed Rule Implementing US Court of Appeals Decision & Rev of Fee Schedules;100% Fee Recovery,FY93." Opposes rule.
CASHWELL,R.J. Wisconsin State Univ. 58FR21116 00551. 93/08/17. Docketing & Services Branch. 5pp. 76187:048-76187:052.
- 9308250037** Comment on proposed rules 10CFR170 & 171. "FY91 & 92 Proposed Rule Implementing US Court of Appeals Decision & Rev of Fee Schedules;100% Fee Recovery,FY93." Opposes rule.
GALLAGHER,F.E. California, Univ. of, Irvine, CA. 58FR21116 00548. 93/08/17. Docketing & Services Branch. 3pp. 76187:054-76187:056.
- 9308250040** Comment on proposed rules 10CFR170 & 171. "FY91 & 92 Proposed Rule Implementing US Court of Appeals Decision & Rev of Fee Schedules;100% Fee Recovery,FY93." Opposes rule.
SPINAR,L.H. South Dakota State Univ., Brookings, SD. 58FR21116 00549. 93/08/17. Docketing & Services Branch. 5pp. 76187:057-76187:061.
- 9308250046** Comment on proposed rules 10CFR170 & 171. "FY91 & 92 Proposed Rule Implementing US Court of Appeals Decision & Rev of Fee Schedules;100% Fee Recovery,FY93." Opposes rule.
VERNETSON,W.G. National Organization of Test, Research & Training Reactors. 58FR21116 00546. 93/08/13. CHILK,S.J. Office of the Secretary of the Commission. 10pp. 76187:120-76187:128.
- 9308250053** Comment on proposed rules 10CFR170 & 171. "FY91 & 92 Proposed Rule Implementing US Court of Appeals Decision & Rev of Fee Schedules;100% Fee Recovery,FY93." Opposes rule.
* Ohio State Univ., Columbus, OH. 58FR21116 00544. 93/08/17. CHILK,S.J. Office of the Secretary of the Commission. 4pp. 76187:130-76187:133.
- 9308250056** Comment on proposed rules 10CFR170 & 171. "FY91 & 92 Proposed Rule Implementing US Court of Appeals Decision & Rev of Fee Schedules;100% Fee Recovery,FY93." Supports rule.
PEREZ,F.M. Affiliation Not Assigned. 58FR21116 00542. 93/08/16. CHILK,S.J. Office of the Secretary of the Commission. 2pp. 76187:148-76187:149.
- 9308250057** Comment on proposed rules 10CFR170 & 171. "FY91 & 92 Proposed Rule Implementing US Court of Appeals Decision & Rev of Fee Schedules;100% Fee Recovery,FY93." Opposes rule.
MYRON,J.J. Applied Radiant Energy Corp. (formerly American Novawood Corp.). 58FR21116 00540. 93/08/13. Docketing & Services Branch. 2pp. 76187:150-76187:151.
- 9308250061** Comment on proposed rules 10CFR170 & 171. "FY91 & 92 Proposed Rule Implementing US Court of Appeals Decision & Rev of Fee Schedules;100% Fee Recovery,FY93." Opposes rule.
STECK,D.J. St. Johns Univ., Collegeville, MN. 58FR21116 00538. 93/08/12. Docketing & Services Branch. 1p. 76187:152-76187:152.
- 9308250076** Comment on proposed rules 10CFR170 & 171. "FY91 & 92 Proposed Rule Implementing US Court of Appeals Decision & Rev of Fee Schedules;100% Fee Recovery,FY93." Opposes rule.
JOHNSON,A.G. Oregon State Univ., Corvallis, OR. 58FR21116 00558. 93/08/19. CHILK,S.J. Office of the Secretary of the Commission. 13pp. 76188:001-76188:011.
- 9308250081** Comment on proposed rules 10CFR170 & 171. "FY91 & 92 Proposed Rule Implementing US Court of Appeals Decision & Rev of Fee Schedules;100% Fee Recovery,FY93." Opposes rule.
VERNETSON,W.G., TULENKO,J.S. Florida, Univ. of, Gainesville, FL. 58FR21116 00556. 93/08/18. CHILK,S.J. Office of the Secretary of the Commission. 10pp. 76188:012-76188:021.
- 9308250101** Comment on proposed rules 10CFR170 & 171. "FY91 & 92 Proposed Rule Implementing US Court of Appeals Decision & Rev of Fee Schedules;100% Fee Recovery,FY93." Opposes rule.
GILCHRIST,J.E. American Mining Congress. 58FR21116 00554. 93/08/18. CHILK,S.J. Office of the Secretary of the Commission. 5pp. 76188:114-76188:118.
- 9308250109** Comment on whistleblower protection re determination of whether or not NRC "has taken sufficient steps within authority to create atmosphere within regulated community where individuals w/safety concerns feel free..."
* Affiliation Not Assigned. 58FR41108 00009. 93/08/17. Rules & Directives Review Branch (Post 920323). 2pp. 76188:138-76188:139.
- 9308250126** Comment on proposed rules 10CFR170 & 171. "FY91 & 92 Proposed Rule Implementing US Court of Appeals Decision & Rev of Fee Schedules;100% Fee Recovery,FY93." Opposes rule.
IRWIN,D.P. Babcock & Wilcox Co. IRWIN,D.P. Hunton & Williams. 58FR21116 00552. 93/08/17. CHILK,S.J. Office of the Secretary of the Commission. 11pp. 76188:209-76188:219.
- 9308250131** Comment on proposed rules 10CFR170 & 171. "FY91 & 92 Proposed Rule Implementing US Court of Appeals Decision & Rev of Fee Schedules;100% Fee Recovery,FY93." Opposes rule.
PARK,J.T. Missouri, Univ. of, Rolla, MO. 58FR21116 00550. 93/08/17. Docketing & Services Branch. 2pp. 76188:264-76188:265.
- 9308250141** Comment on proposed rules 10CFR170 & 171. "FY91 & 92 Proposed Rule Implementing US Court of Appeals Decision & Rev of Fee Schedules;100% Fee Recovery,FY93." Opposes rule.
BERNARD,J.A., HARLING,O.K. Nuclear Reactor Laboratory. 58FR21116 00547. 93/08/13. Docketing & Services Branch. 6pp. 76188:270-76188:278.
- 9308250153** Comment on proposed rules 10CFR170 & 171. "FY91 & 92 Proposed Rule Implementing US Court of Appeals Decision & Rev of Fee Schedules;100% Fee Recovery,FY93." Opposes rule.
GEE,E.G. Ohio State Univ., Columbus, OH. 58FR21116 00545. 93/08/17. CHILK,S.J. Office of the Secretary of the Commission. 3pp. 76188:287-76188:289.
- 9308250161** Comment on proposed rules 10CFR170 & 171. "FY91 & 92 Proposed Rule Implementing US Court of Appeals Decision & Rev of Fee Schedules;100% Fee Recovery,FY93." Opposes rule.
MONTEITH,L.K. North Carolina State Univ., Raleigh, NC. 58FR21116 00543. 93/08/16. CHILK,S.J. Office of the Secretary of the Commission. 4pp. 76188:301-76188:305.
- 9308250171** Comment on proposed rules 10CFR170 & 171. "FY91 & 92 Proposed Rule Implementing US Court of Appeals Decision & Rev of Fee Schedules;100% Fee Recovery,FY93." Exemptions should exist until statutory changes are enacted.
STEINBACH,S.E. American Council on Education. 58FR21116 00541. 93/08/16. CHILK,S.J. Office of the Secretary of the Commission. 12pp. 76189:001-76189:012.
- 9308250177** Comment on proposed rules 10CFR170 & 171. "FY91 & 92 Proposed Rule Implementing US Court of Appeals Decision & Rev of Fee Schedules;100% Fee Recovery,FY93." Suggests NRC institute period of adjustment until end of calendar yr.
WIELGUS,J.J. Washington & Lee Univ., Lexington, VA. 58FR21116 00539. 93/08/13. Docketing & Services Branch. 2pp. 76188:358-76188:359.
- 9308270006** Comment concurring w/NUMARC comments on draft NRC insp procedure 38703. "Commercial Grade Procurement insp."
SKOLDS,J.L. South Carolina Electric & Gas Co. 58FR15167. 93/05/21. MEYER,D.L. Rules & Directives Review Branch (Post 920323). 1p. 76217:012-76217:012.
- 9308270007** Comment on Whistleblower Protection issue.
MULLIGAN,M.J. Affiliation Not Assigned. 58FR41108 00011. 93/08/18. NRC - No Detailed Affiliation Given. 1p. 76217:013-76217:013.
- 9308270028** Comment on whistleblower protection issue.
BROWN,D.W. Affiliation Not Assigned. 58FR41108 00014. 93/08/18. Rules & Directives Review Branch (Post 920323). 35pp. 76217:026-76217:060.
- 9308270033** Comment on proposed rules 10CFR30.40,50,60,70 & 72 re whistleblower protection.
KEARNEY,J.P. Affiliation Not Assigned. 58FR41108 00013. 93/08/17. Rules & Directives Review Branch (Post 920323). 4pp. 76217:061-76217:064.

9308270076 Comment supporting re-examination of creation of atmosphere where individuals w/safety concerns feel free to engage in protected activities w/o fear of retaliation. SAPORITO,T.J. Saporito, T.J. 58FR41108 00012. 93/08/20. Docketing & Services Branch. 50pp. 76217:082-76217:131.

9308300005 Comment on whistleblower protection issue. CARTER,J.R. Affiliation Not Assigned. 58FR41108 00015. 93/08/21. Rules & Directives Review Branch (Post 920323). 4pp. 76236:011-76236:014.

9308300033 Comment on proposed rules 10CFR170 & 171, "FY91 & 92 Proposed Rule Implementing US Court of Appeals Decision & Rev of Fee Schedules;100% Fee Recovery,FY93." Opposes rule. KELLY,W.C. Michigan, Univ. of, Ann Arbor, MI. 58FR21116 00561. 93/08/16. Docketing & Services Branch. 3pp. 76236:015-76236:017.

9308300034 Comment on proposed rules 10CFR170 & 171, "FY91 & 92 Proposed Rule Implementing US Court of Appeals Decision & Rev of Fee Schedules;100% Fee Recovery,FY93." Opposes rule. KAZIMI,M.S. Massachusetts Institute of Technology, Cambridge, MA. 58FR21116 00566. 93/08/24. Docketing & Services Branch. 2pp. 76236:018-76236:019.

9308300037 Comment on proposed rules 10CFR170 & 171, "FY91 & 92 Proposed Rule Implementing US Court of Appeals Decision & Rev of Fee Schedules;100% Fee Recovery,FY93." Opposes rule. ANDERSON,J.R. Affiliation Not Assigned. 58FR21116 00560. 93/08/12. CHILK,S.J. Office of the Secretary of the Commission. 2pp. 76236:020-76236:021.

9308300039 Comment on proposed rules 10CFR170 & 171, "FY91 & 92 Proposed Rule Implementing US Court of Appeals Decision & Rev of Fee Schedules;100% Fee Recovery,FY93." TES terminating licenses due to high fees. GREENO,R.C. Teledyne Engineering Services. 58FR21116 00565. 93/08/20. Docketing & Services Branch. 1p. 76236:022-76236:022.

9308300043 Comment supporting proposed rule 10CFR72 re emergency planning licensing requirements for ISFSI & MRS. PESO,F. Mescalero Apache Tribe. 58FR29795 00018. 93/08/06. Docketing & Services Branch. 2pp. 76236:023-76236:024.

9308300044 Comment supporting proposed rule 10CFR55 re operators licenses. YOUNG,K.D. Iowa Electric Light & Power Co. 58FR29366 00041. 93/08/12. CHILK,S.J. Office of the Secretary of the Commission. 2pp. 76236:025-76236:026.

9308300045 Comment supporting proposed rule 10CFR2 & 72 re proposed rule to amend procedures under which Director of Nuclear Mafis Safety & Safeguards can issue site-specific license to qualified applicant for interim storage of spent fuel. HANSON,A.S. Tracor Analytic, Inc. 58FR31478 00006. 93/08/17. Docketing & Services Branch. 2pp. 76236:027-76236:028.

9308300049 Comment supporting proposed rules 10CFR2 & 72 re interim storage of spent fuel in independent spent fuel storage installation. FERTEL,M.S. US Council for Energy Awareness. 58FR31478 00008. 93/08/17. CHILK,S.J. Office of the Secretary of the Commission. 1p. 76236:029-76236:029.

9308300050 Comment opposing proposed rules 10CFR2 & 72 re interim storage of spent fuel in independent spent fuel storage installation. DANIEL,G.L., JOHNSON,B. Lake Michigan Federation. 58FR31478 00007. 93/08/16. CHILK,S.J. Office of the Secretary of the Commission. 2pp. 76236:030-76236:031.

9308300051 Comment supporting proposed rule 10CFR2 & 72 re interim storage of spent fuel in independent spent fuel storage installation. KRAFT,S.P. Edison Electric Institute. 58FR31478 00005. 93/08/16. CHILK,S.J. Office of the Secretary of the Commission. 5pp. 76236:032-76236:036.

9308300053 Proposed rule 10CFR50, "Final Policy Statement on TS Improvements for Nuclear Power Reactors." Rule would establish specific set of objective criteria as guidance for determining which regulatory requirement should be in TS. CHILK,S.J. Office of the Secretary of the Commission. 52FR3788. 93/07/16. 31pp. 76236:037-76236:067.

9308300054 Comment on proposed rules 10CFR170 & 171, "FY91 & 92 Proposed Rule Implementing US Court of Appeals Decision & Rev of Fee Schedules;100% Fee Recovery,FY93." Informs of difficulty re new fees in fiscally constrained times. LOPLATO,J. Simmons College, Boston, MA. 58FR21116 00564. 93/08/18. Docketing & Services Branch. 1p. 76236:068-76236:068.

9308300055 Comment on proposed rules 10CFR2 & 72 re interim storage of spent fuel in independent spent fuel storage installation. Requests opportunity to obtain greater understanding of proposed rule & its implications. D'ARRIGO,D., JOHNSON,B., SINCLAIR,M. Nuclear Information & Resource Service. 58FR31478. 93/08/17. REAMER,C.W., TREBY,S. Office of the General Counsel (Post 860701). 1p. 76236:069-76236:069.

9308300059 Comment on proposed rules 10CFR170 & 171, "FY91 & 92 Proposed Rule Implementing US Court of Appeals Decision & Rev of Fee Schedules;100% Fee Recovery,FY93." Opposes rule. TOEPKER,T.P. Xavier Univ., Cincinnati, OH. 58FR21116 00563. 93/08/17. Docketing & Services Branch. 2pp. 76236:070-76236:071.

9308300061 Comment opposing proposed rule 10CFR2 & 72 re interim storage of spent fuel in independent spent fuel storage installation,site specific license to qualified applicant. DUMS,D. Citizens' Utility Board. 58FR31478 00004. 93/08/16. CHILK,S. Office of the Secretary of the Commission. 3pp. 76236:072-76236:074.

9308300064 Comments of Ofc of Chairman Admin Conference of US in response to notice of proposed rulemaking by NRC to establish procedures under Equal Access to Justice Act for submission & consideration of applications for award of... EDLES,G.J., JESSAR,K.L. Administrative Conference of the U.S. 58FR41061. 93/08/18. Docketing & Services Branch. 3pp. 76236:075-76236:077.

9308300067 Comment on proposed rules 10CFR170 & 171, "FY91 & 92 Proposed Rule Implementing US Court of Appeals Decision & Rev of Fee Schedules;100% Fee Recovery,FY93." Opposes rule. NOLL,D. Earthtech, Inc. 58FR21116 00562. 93/08/17. Docketing & Services Branch. 1p. 76236:078-76236:078.

PROJ PROJECTS - PREDOCKET LICENSING

9308020119 Comment on proposed rules 10CFR170 & 171, "FY91 & 92 Proposed Rule Implementing US Court of Appeals Decision & Rev of Fee Schedules;100% Fee Recovery,FY93." Opposes rule. BROLINE,E.C. Energy, Dept. of. 58FR21116 00499. 93/07/19. Docketing & Services Branch. 2pp. 75921:264-75921:265.

9308030419 Informs that Document ST-128, "Discussion of Boundary Conditions Used in Finite Element Analysis of CASTOR X/28 & X33 Baskets" will be withheld,per 10CFR2.790,in response to request contained in affidavit dtd 930709. PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 93/07/28. ANDERSON,R.T. General Nuclear Systems, Inc. 2pp. 75995:334-75995:335.

9308040277 Informs that NRC has rescheduled meeting to discuss regulatory treatment of non-safety sys in passive designs from 930517 to 930520. CALVO,J. Associate Director for Advanced Reactors & License Renewal (Post 910918). 93/05/13. DEVINE,J.C. Electric Power Research Institute. 3pp. 75987:056-75987:058.

9308060259 Requests NRC focus reviews on listed high level issues re continued CANDU 3 preapplication review. SNELL,V.G. AECL Technologies. 93/08/03. Document Control Branch (Document Control Desk). 2pp. 76059:274-76059:275.

9308090297 Notification of 930607 meeting w/B&WOG in Seneca,SC to discuss BWOG generic license renewal program. HILTZ,T.G. License Renewal & Environmental Review Project Directorate (Post 921004). 93/05/28. MURLEY,T., MIRAGLIA,F., RUSSELL,W. NRC - No Detailed Affiliation Given. 4pp. 76059:133-76059:136.

9308090306 Forwards Suppl Response 0.2 to NRC 930402 RAI re B&WOG license renewal program integrated plant assessment sys/ structure screening methodology. MCCONNELL,T.L. Babcock & Wilcox Operating Plants Owners Group. OG-93-1257. 93/08/04. TRAVERS,W.D. Document Control Branch (Document Control Desk). 17pp. 76037:188-76037:204.

9308110286 Addresses vendor attempt over recent wks to arrange final technical meeting w/NRC & LANL to discuss PIUS issue. Suggests meeting be held on 930915-16,per understanding that meeting originally scheduled for 930929-30 cancelled. BRINKMAN,C.B. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). BRINKMAN,C.B. ASEA Brown Boveri, Inc. LD-93-126. 93/08/05. SCALETTI,D. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 76080:256-76080:257.

9308130185 Confirms NRC visit to Paducah & Portsmouth Gaseous Diffusion Plants on 930723-27 to gain more understanding of fire protection,criticality & quality assurance programs. HICKEY,J.W. Enrichment Branch. 93/08/11. ADAMS,J. United States Enrichment Corp. (USEC). 2pp. 76104:352-76104:353.

9308160139 Summary of 930520 meeting w/EPRI in Rockville,MD re regulatory treatment of non-safety sys in passive advanced LWRs. WILSON,J.H. Standardization Project Directorate (Post 920517). 93/06/02. Standardization Project Directorate (Post 920517). 12pp. 76133:312-76133:323.

9308160216 Summary of 930511 meeting w/B&WOG in Rockville,MD re status of B&WOG generic license renewal program. Attendance list encl. HILTZ,T.G. License Renewal & Environmental Review Project Directorate (Post 921004). 93/05/21. License Renewal & Environmental Review Project Directorate (Post 921004). 6pp. 76133:336-76133:341.

9308160225 Responds to M Roche 930709 ltr,forwarded by P Simon.Ltr expressed concerns re storing spent fuel onsite at Palisades Plant.FR Notice 58FR17948,COC & SER encl.W/o encls. BERNERO,R.M. Office of Nuclear Material Safety & Safeguards. 93/08/11. ROCHE,M. Affiliation Not Assigned. 2pp. 76141:319-76141:322.

-9308160241 Forwards constituent,M Roche,930709 ltr expressing concern over storage of spent nuclear fuel rods at Plant. SIMON,P. Senate. 93/07/28. RATHBUN,D. NRC - No Detailed Affiliation Given. 2pp. 76141:321-76141:322.

9308170188 Forwards plant specific sets of sys/structure screening results,support of NRC review of Integrated Plant Assessment Sys/Structure Screening Methodology.Requests that draft SER on methodology be issued by 930831. MCCONNELL,T.L. Babcock & Wilcox Operating Plants Owners Group. OG-93-1258. 93/08/12. TRAVERS,W.I. Document Control Branch (Document Control Desk). 109pp. 76137:001-76137:109.

9308170329 Responds to 930706 ltr,which encl ltr from constituent C Shier expressing concern re plans of CPC to store nuclear spent fuel in casks at Palisades Nuclear Plant.Copy of FR notice re approved VSC-24 cask,COC & SER encl.W/o encls. TAYLOR,J.M. Ofc of the Executive Director for Operations. 93/08/06. MOSELEY-BRAUN Senate. 2pp. 76137:302-76137:305.

9308180257 Notifies licensee NRC will no longer withhold from public disclosure info forming basis for final rule in rulemaking placing Castor V/21 on list of approved spent storage casks. PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 93/08/13. ANDERSON,R.T. General Nuclear Systems, Inc. 5pp. 76165:279-76165:283.

9308180264 Notifies Licensee,NRC will no longer withhold from public disclosure proprietary info submitted forming basis for final rule in rulemaking placing MC-10 cask on list of approved spent fuel storage casks. PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 93/08/13. BOLMGREN,C.R. Westinghouse Electric Corp. 6pp. 76165:296-76165:301.

9308180269 Informs that NRC will no longer withhold from public disclosure proprietary info that forms basis of final rule to add NAC S/T & NAC-C28 casks to approved list of approved spent fuel storage cask. PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 93/08/13. STUART,I.F. Nuclear Assurance Corp. 5pp. 76165:309-76165:313.

210 NONDOCKETED ITEMS

- 9308190096** Responds to 930426 ltr to chairman re NRC position in SECY-93-087, "Policy Technical & Licensing Issues Pertaining to Evolutionary & Advanced LWR (ALWR) Designs." TAYLOR, J.M. Ofc of the Executive Director for Operations. 93/05/19. SHEWMON, P. ACRS - Advisory Committee on Reactor Safeguards. 25pp. 76152:327-76152:355.
- 9308230101** Forwards deviation from regional dip in area between Springville & West Valley, NY. VAUGHAN, R.C. Coalition on West Valley Nuclear Wastes. 93/08/14. ROWLAND, T. Energy, Dept. of. PICIULO, New York, State of. NICHOLS, B. Science Applications International Corp. (formerly Science Applications, Inc.). 2pp. 76186:278-76186:289.
- 9308230108** Discusses deviation from regional dip in area between Springville & West Valley, NY. * NRC - No Detailed Affiliation Given. 93/08/14. VAUGHAN, R., MCGOLDRICK, K., CAIN, B. Coalition on West Valley Nuclear Wastes. 12pp. 76186:278-76186:289.
- 9308230167** Determines that Operations Plan for Waste Solidification Sys for FY94-95 acceptable w/ listed clarification. COMFORT, G.C. Licensing Branch. 93/08/19. FORTUNA, S.L. Program Management, Policy Development & Analysis Staff (Post 870413). 1p. 76213:177-76213:177.
- 9308230182** Responds to 930507 ltr re staff recommendations contained in paper from staff to Commission SECY-93-104 dtd 930420. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 93/06/22. HINK, A.D. AECL Technologies. 4pp. 76176:355-76176:361.
- 9308230216** Provides position to assist Commission in decision making process re CANDU 3 design. HINK, A.D. AECL Technologies. 93/05/07. THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). 3pp. 76176:359-76176:361.
- 9308230207** Informs that NRC monitors determined that contractor & subcontractor have established viable welding program, as result of review of West Valley Demonstration Project (WVDP) monitoring report during 930426-29 visit to DOE WVDP site. COMFORT, G.C. Licensing Branch. TAC L21413. 93/08/19. ROWLAND, T.J. Energy, Dept. of. 7pp. 76203:325-76203:331.
- 9308230228** Forwards TER 2-10-93, "Review & Evaluation of Recent Publications Bearing on Fuels Sections of Draft MHTGR Preliminary SER." w/o encl. DONOHEW, J.N. Advanced Reactors Project Directorate (Post 920517). 93/07/23. WILLIAMS, P.M. Energy, Dept. of. 3pp. 76186:314-76186:316.
- 9308240032** Forwards minutes from 930624-25 meeting in Alexandria, VA for distribution. KASSAWARA, R.P. Electric Power Research Institute. 93/08/02. O'BRIEN, J.A. Office of Nuclear Regulatory Research (Post 860720). 80pp. 76191:225-76192:034.
- 9308240141** Notification of 930727 meeting w/AECL in Rockville, MD to discuss NRC & AECL predecision certification application effort re CANDU 3 design. SCALETTI, D.C. Advanced Reactors Project Directorate (Post 920517). 93/06/28. PIERSON, R.C. Advanced Reactors Project Directorate (Post 920517). 3pp. 76199:353-76199:355.
- 9308240314** Responds to 930504 ltr re NRC recommendations contained in paper to Commission SECY-93-104, dtd 930420. NRC established plan for continuing review of MHTGR & PRISM projects. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 93/06/24. BLUE, L.S. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 1p. 76199:348-76199:352.
- 9308240318** Urges NRC to continue review of MHTGR design, in response to SECY-93-104. NRC should issue MHTGR preconceptual SER upon completion of review. BLUE, L.S. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 93/05/04. THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). 1p. 76199:352-76199:352.
- 9308240334** Forwards request for addl info re B&WOG 930505 submittal of rept entitled, "Integrated Plant Assessment Component Screening methodology." Response requested by 930903. HILTZ, T.G. License Renewal & Environmental Review Project Directorate (Post 921004). 93/07/23. MCCONNELL, T.L. Babcock & Wilcox Co. 6pp. 76209:352-76209:357.
- 9308250374** Requests addl info for "Waste Form Qualification Program for Cement Solidification of Sludge Wash Liquid" re solidification w/Type I Portland cement. THOMA, J.O. Low-Level Waste Management Branch (Post 901230). 93/08/19. ROWLAND, T.P. Energy, Dept. of. 8pp. 76219:024-76219:031.
- 9308260033** Notifies of intention to start fabrication of ventilated storage cask under COC 1007 45 days from receipt of this ltr. Requests that encl transmittal form be signed & returned. MASSEY, J.V. Sierra Nuclear, Inc. SNC-93-427. 93/08/10. STURZ, F. NRC - No Detailed Affiliation Given. 2pp. 76236:335-76236:336.
- 9308260234** Summary of 930518-19 meeting w/EPRI in Rockville, MD re design basis & severe accident source terms & outstanding open issues from NRC draft SER on passive plant designs. WILSON, J.H. Standardization Project Directorate (Post 920517). 93/06/09. Standardization Project Directorate (Post 920517). 19pp. 76217:189-76217:219.
- 9308270343** Forwards staff requirements memo re SECY-93-104, "Program Analysis & Recommendations Re NRC Review of Advanced Reactor (PRISM, MHTGR & PIUS) & CANDU 3 Designs." PIERSON, R.C. Advanced Reactors Project Directorate (Post 920517). 93/07/07. BRINKMAN, C.B. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 2pp. 76248:272-76248:275.
- 9308300103** Forwards pages from Table of Contents indicating sections handled as Applied Technology re review of "Review & Evaluation of...Draft MHTGR PSER." WILLIAMS, P.M. Energy, Dept. of. 93/08/26. NRC - No Detailed Affiliation Given. 4pp. 76282:181-76282:184.
- 9308300131** Forwards insp rept 72-1004/93-07 on 930518-20, 0607-09 & 0719 & notice of nonconformance. HAUGHNEY, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 93/08/26. HAMPTON, J.W. Duke Power Co. 4pp. 76296:300-76296:338.
- 9308300142** Insp rept 72-1004/93-07 on 930518-20, 0607-09, 0719-21. Nonconformance noted. Major areas inspected: procedures for NRC-approved QA program. O'CONNOR, S.C. Division of Industrial & Medical Nuclear Safety (Post 870729). 93/08/16. 27pp. 76296:304-76296:330.
- 9308300219** Advises that drawing C-110-D-19005-006, Rev 0, "CASTOR X/28 Impact Limiter," included w/930624 submittal assigned new number, C-110-D-19005-009, since number of drawing in 930624 submittal duplicate number to another CASTOR X drawing. PAQUIN, P.L. General Nuclear Systems, Inc. 611-0440-93. 93/08/20. STURZ, F.C. Source Containment & Devices Branch (Post 911213). 1p. 76296:355-76296:355.
- 9308310074** Forwards for info, "CANDU Reactors, Regulation in Canada & Identification of Relevant NRC Safety Issues." SCALETTI, D.C. Advanced Reactors Project Directorate (Post 920517). 93/08/11. SNELL, V.G. AECL Technologies. 2pp. 76278:038-76278:091.
- 9308310086** "CANDU Reactor, Regulation in Canada & Identification of Relevant NRC Safety Issues." CHARAK, I., KIER, P.H. AECL Technologies. 93/06/30. 52pp. 76278:040-76278:091.

PT21 NONCOMPLIANCE REPORTS AND RELATED CORRESPONDENCE

- 9308030149** Interim Part 21 rept re decreases in MOV motor starting torques resulting from increasing motor temp. Valves mfg by Limitorque Corp. Mfg in process of revising recommended torque degradation calculation at degraded voltage. SIEBER, J.D. Duquesne Light Co. 93/07/23. Document Control Branch (Document Control Desk). 2pp. 75975:346-75975:347.
- 9308030372** Potential Part 21 rept re Limitorque actuator motors. Utilis & other purchases listed in encl being advised of concern. Limitorque revising selection procedure for safety related actuators, motors & technical data packages. TAYLOR, J.H. Babcock & Wilcox Co. 93/07/22. Document Control Branch (Document Control Desk). 8pp. 75976:349-75976:356.
- 9308100142** Part 21 rept re failure of 27N undervoltage relay mfg by ASEA Brown Boveri. Subsequent evaluation by licensee, following insp by vendor, determined item not reportable, per 10CFR21. SKOLDS, J.L. South Carolina Electric & Gas Co. RC-93-0205. 93/07/28. Document Control Branch (Document Control Desk). 1p. 76078:207-76078:207.
- 9308110315** Part 21 rept on 930429, deficiency identified re heat damage to COMSIP Series PTW-5300 dc powered microswitches. Initially reported on 930709. Safety-related dc microswitches will be replaced prior to 931230. HAGAN, J.J. Public Service Electric & Gas Co. of New Jersey. NLR-N93131. 93/08/05. Document Control Branch (Document Control Desk). 6pp. 76077:272-76077:278.
- 9308110318** Follow-up to 930226 Interim Part 21 rept. Part 21 evaluations for reportability for Nonconformances NCN 452 & NCN 4555 completed w/determination that neither nonconformance reportable. SKOLDS, J.L. South Carolina Electric & Gas Co. RC-93-0213. 93/08/05. Document Control Branch (Document Control Desk). 1p. 76076:358-76076:358.
- 9308170345** Part 21 rept re reportable defect, 75 PSIG relief check valve 1" NPT, EMD 9521844, Kepner 416C-1-75. GALEAZZI, D.D. MKW Power Systems, Inc. 93/07/15. Office of Nuclear Reactor Regulation, Director (Post 870411). 10pp. 76139:010-76139:019.
- 9308170372** Rev 1 to Part 21 rept re EMD pressure, temperature & vacuum switches. GALEAZZI, D.D., NUDING, M. MKW Power Systems, Inc. 93/06/14. Office of Nuclear Reactor Regulation, Director (Post 870411). 11pp. 76139:020-76139:030.
- 9308170417** Update to 900827 rept of substantial safety hazard re GE Custom 8000 horizontal induction motors, reported per 10CFR21 for Unit 3. Util has determined, as part of review of IN 91-007 that subj GE motors also used at Units 1 & 2. OPEKA, J.F. Northeast Nuclear Energy Co. IEIN-91-007. 93/08/11. Document Control Branch (Document Control Desk). 3pp. 76137:281-76137:283.
- 9308250009** Part 21 rept re potential problem w/installation of bushing in gear-type, 3 GPM, oil pump used in refrigerant compressors, mfg by Dunham-Bush. CVI will call for hold point in fabrication process where bushing installed. GREGOROFF, T. CVI Corp. (subs. of Pennwalt Corp.). 93/08/19. Document Control Branch (Document Control Desk). 2pp. 76260:295-76260:296.
- 9308250048** Initial Part 21 rept re GE A-K-25 circuit breakers w/RMS-9 overcurrent trip devices. On 930731, three spurious trips of subj breakers experienced while in refueling shutdown. Addl info re issue will be provided within 30 days. HEBERT, J.R. Maine Yankee Atomic Power Co. JRH-93-173. 93/08/20. Document Control Branch (Document Control Desk). 2pp. 76218:340-76218:341.
- 9308260049** Interim Part 21 Rept 93-016 re CP miniflow concern, in that CPs may experience runout condition & may deliver less flow to injection lines during SI. Issue being evaluated. Evaluation to be completed by 931130. LIPARULO, N.J. Westinghouse Electric Corp. ET-NRC-93-3925. 93/08/20. Document Control Branch (Document Control Desk). 2pp. 76259:356-76259:357.
- 9308260066** Final Part 21 rept re Rev 4 of BWROG emergency response guidelines. Initially reported on 930723. Appropriate changes made to operator training to ensure appropriate actions will be taken to address issue re alignment of CCSW. JOHNSON, I.M. Commonwealth Edison Co. 93/08/20. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 4pp. 76260:165-76260:168.
- 9308260144** Part 21 rept re error notices from former software suppliers. Lists former customers not notified. KEITHLEY, J.M. Boeing Computer Services Co. (div. of Boeing Co.). 93/08/17. Document Control Branch (Document Control Desk). 4pp. 76236:349-76236:352.
- 9308260356** Provides follow-up on Eberline Corp continuous air monitor failures. Design change modified. CARTER, D. Radiation Protection Branch. 93/06/04. WIGGINTON, J. Radiation Protection Branch. 2pp. 76220:101-76220:103.

9308300153 Potential Part 21 rept re BIW 1E instrumentation & control cables, per IN 93-033. BIW cable life cannot be predicted for many environ. Recommends that NRC pursue evaluation w/ Draka Intercable. All BIW aging data in Sys 1000 will be withdrawn.
HANCOCK, T.W. BIW Cable Systems, Inc. IEIN-93-033. 93/08/05. GRIMES, B.K. Division of Operating Reactor Support (Post 921004). 72pp. 76298:229-76298:300.

QA999 QUALITY ASSURANCE INSPECTIONS

9307130294 Responds to NRC 930623 ltr. Licensee disagrees w/ decision that matts provided to NRC will be disclosed. Documents redacted to delete info which licensee considers proprietary, also encl.
NEWMAN, C.A. Thompson & Mitchell. 93/07/07. MCCracken, C.E. Plant Systems Branch. 1p. 76129:151-76129:265.

-9308160229 Revised "Nuclear QA & QC Operating Procedures Manual."
* Thompson & Mitchell. 87/01/12. 100pp. 76129:152-76129:265.

9308040058 Responds to NRC ltr re violations noted in insp rept 99900100/93-01.C/As: all Part 21 committee members will be formally re-indoctrinated per requirements of QAP 13.2 Rev 9 on 930802.
WILKINSON, I.E. Limitorque Corp. 93/07/28. Document Control Branch (Document Control Desk). 3pp. 75991:284-75991:286.

9308090087 Forwards insp rept 99901103/88-01 on 881025-26, notices of violation & nonconformance & synopsis of investigation rept 4-90-004. Licensee failed to meet requirements of 10CFR21 re posting requirements & procedural implementation.
NORRHOLM, L.J. Vendor Inspection Branch. EA-92-101. 93/08/02. BRINKER, R.S. Affiliation Not Assigned. 5pp. 76020:116-76020:130.

-9308090093 Insp rept 99901103/88-01 on 881025-26. Violations & noncompliance noted. Major areas inspected: implementation of REC Corp QA program re fabrication & supply of fasteners for nuclear industry.
PARKER, L.B. Vendor Inspection Branch. BAKER, E.T. NRC - No Detailed Affiliation Given. 88/02/10. 5pp. 76020:121-76020:125.

-9308090115 Notice of violation from insp on 881025-26. Violation noted: REC Corp had not posted any of required documents & had not developed procedures to either evaluate deviations & failures to comply or inform licensee of deviation.
* Vendor Inspection Branch. EA-92-101. 93/08/02. 2pp. 76020:126-76020:127.

-9308090120 Notice of nonconformance from insp on 881025-26. Nonconformance noted: REC failed to produce documented evidence to substantiate that audits of vendors performed w/ frequency specified in QAM from Jan 1986 to Oct 1988.
* Vendor Inspection Branch. EA-92-101. 93/08/02. 3pp. 76020:128-76020:130.

9308090275 Responds to violations noted in insp rept 99901264/93-01 on 930413-15. Corrective actions: revised QAP 704011 "Reporting of Defects & Non-Conformances."
MITCHELL, S.R. Fluid Components, Inc. 93/08/04. Document Control Branch (Document Control Desk). 3pp. 76060:354-76060:356.

9308100002 Requests that listed info be provided to NRC re 1989 investigation conducted at four licensee facilities & HAFSA International, Inc. Staff concluded that HAFSA deliberately did not comply w/ requirements of 10CFR50, Appendix B.
GRAY, J.R. Otc of Enforcement (Post 870413). EA-92-057. 93/08/06. ASKWITH, H.H. H.A.F.A. International, Inc. 6pp. 76025:001-76025:006.

9308100171 Forwards error notices received from former software suppliers. Listed former customers not notified due to unknown current addresses.
KEITHLEY, J.M. Boeing Computer Services Co. (div. of Boeing Co.). 93/08/03. Document Control Branch (Document Control Desk). 4pp. 76066:318-76066:321.

9308120165 Advises that portion of documents submitted w/ 930609 ltr will be withheld (ref 10CFR2.790) & remaining documents do not contain trade secrets of confidential or privileged info.
MCCracken, C.E. Plant Systems Branch. 93/06/23. FELDMAN, R. Thermal Science, Inc. 7pp. 76092:312-76092:318.

9308160302 Forwards review group charter re NRC Bulletins 90-001 & 90-001, suppl 1 re Rosemount transmitter.
ZIMMERMAN, R.P. Division of Reactor Inspection & Licensee Performance (Post 921004). IEB-90-001. 93/06/01. BALLINTINE, R.G. Rosemount, Inc. 1p. 76104:209-76104:209.

9308180055 Responds to violation & nonconformance noted in Insp Rept 99901264/93-01 on 930413-15.C/As: Calibr Procedure 008072 updated & policy of auditing calibr sources shall be clarified in next rev of QA manual.
MITCHELL, S.R. Fluid Components, Inc. 93/08/11. Document Control Branch (Document Control Desk). 3pp. 76154:359-76154:361.

9308180192 Forwards insp rept 99900100/93-01 on 930510-14 & notice of violation.
NORRHOLM, L.J. Vendor Inspection Branch. 93/06/28. WILKINSON, I.E. Limitorque Corp. 3pp. 76155:309-76155:329.

-9308180201 Notice of violation from insp on 930510-14. Violation noted: failed to complete evaluation & revise procedure.
* Vendor Inspection Branch. 93/06/28. 2pp. 76155:312-76155:313.

-9308180227 Insp rept 99900100/93-01 on 930510-14. Violations noted: failed to complete evaluation & revise procedures. Major areas inspected: mfg & engineering programs for safety-related items.
JACOBSON, J.B. Vendor Inspection Branch. POTAPOVS, U. Vendor Inspection Branch. 93/05/27. 16pp. 76155:314-76155:329.

9308190076 Forwards Insp Rept 99901264/93-01 on 930413-15 & notices of violation & nonconformance.
NORRHOLM, L.J. Vendor Inspection Branch. 93/06/28. MCQUEEN, M.M. Fluid Components, Inc. 4pp. 76161:270-76161:293.

-9308190080 Notice of violation from insp on 930413-15. Violations noted: vendor failed to evaluate possible deviation from technical procurement specs for accuracy & had not revised QA procedure 704011, to address revs to 10CFR21.
* NRC - No Detailed Affiliation Given. 93/06/28. 2pp. 76161:274-76161:275.

-9308190083 Notice of nonconformance from insp on 930413-15. Nonconformance noted: examples of failure to adequately prescribe or accomplish calibr activities to support accuracy certifications for subj flowmeters found.
* NRC - No Detailed Affiliation Given. 93/06/28. 1p. 76161:276-76161:276.

-9308190088 Insp Rept 99901264/93-01 on 930413-15. Violations & nonconformance noted. Major areas inspected: implementation of vendor QA program for supplying nuclear safety-related equipment w/ emphasis on calibr of flowmeters.
WILSON, R.C., CWALINA, G.C. Vendor Inspection Branch. 93/06/18. 17pp. 76161:277-76161:293.

9308190091 Forwards Insp Rept 99901266/93-01 on 930602-03. No violations or non-conformances noted.
NORRHOLM, L.J. Vendor Inspection Branch. 93/06/28. SULLIVAN, D.A. Huron Industries, Inc. 3pp. 76160:301-76160:309.

-9308190093 Insp Rept 99901266/93-01 on 930602-03. No violations or deviations/noncompliance noted. Major areas inspected: licensee purchase orders, related records & associated activities of Huron Industries, Inc.
NAIDU, K.R., CWALINA, G.C. Vendor Inspection Branch. 93/06/21. 6pp. 76160:304-76160:309.

9308190204 Forwards insp rept 99901174/90-01 on 930618-20, notice of violation & notice of nonconformance.
LIEBERMAN, J. Otc of Enforcement (Post 870413). EA-91-162. 93/08/18. SADDIC, J.P. Affiliation Not Assigned. 1p. 76218:197-76218:214.

-9308190210 Forwards insp rept 99901174/90-01 on 930618-20, notice of violation & notice of nonconformance.
LIEBERMAN, J. Otc of Enforcement (Post 870413). EA-91-162. 93/08/16. SADDIC, J.P. Affiliation Not Assigned. 2pp. 76218:198-76218:199.

-9308190215 Notice of violation from insp on 900618-20. Violation noted: supplied fasteners to util that did not meet TSS & did not inform util of defect.
* Otc of Enforcement (Post 870413). EA-91-162. 93/08/16. 1p. 76218:200-76218:200.

-9308190262 Notice of nonconformance from insp on 900618-20. Nonconformance noted: failed to ensure that purchased matts conformed to procurement documents.
* Otc of Enforcement (Post 870413). EA-91-162. 93/08/16. 1p. 76218:201-76218:201.

-9308190276 Insp rept 99901174/90-01 on 900618-20. Violations noted. Major areas inspected: review procedures & policies used for quality of safety-related fasteners supplied to nuclear industry.
HAASS, W.P., CWALINA, G.C. Otc of Enforcement (Post 870413). 90/10/03. 13pp. 76218:202-76218:214.

9308200253 Responds to violation & nonconformance noted in Insp Rept 99901265/93-01. Corrective actions: revised & expanded Section I.2.2, added definitions to Section I.3 & revised Section II.2 of QA manual.
HAWK, B.A. Continuum Dynamics, Inc. 93/08/16. Document Control Branch (Document Control Desk). 3pp. 76184:281-76184:283.

9308230092 Submits revised package that includes all listed encl. On 930816, notices of violation & nonconformance were sent but several encl not included in package.
LIEBERMAN, J. Otc of Enforcement (Post 870413). EA-91-162. 93/08/18. SADDIC, J.P. Affiliation Not Assigned. 1p. 76165:151-76165:168.

9308230225 Ack 930802 ltr & informs NRC that plant closed & no longer mfgs bolting products.
* Affiliation Not Assigned. EA-92-101. 93/08/18. Document Control Branch (Document Control Desk). 1p. 76218:215-76218:215.

9308240247 Requests concurrence or comment on licensee reportability responsibilities under 10CFR21.
COHEN, M. Johnson Yokogawa Corp. (formerly Yokogawa of America). 93/08/03. NORRHOLM, L.J. NRC - No Detailed Affiliation Given. 1p. 76199:360-76199:360.

9308250459 Responds to notice of violations noted in rept. Corrective actions: developed new QA manual & trained employees w/ new procedures.
SADDIC, J.P. Affiliation Not Assigned. EA-91-162. 93/08/23. LIEBERMAN, J. Otc of Enforcement (Post 870413). 6pp. 76219:125-76219:130.

9308260138 Ack receipt of 930524 ltr re organizational changes to Framatome topical rept QP/85.0782 NP rev 5A. Changes acceptable.
ZECH, G.G. Performance & Quality Evaluation Branch. 93/08/03. VOIN, R. France. 1p. 76219:356-76219:356.

9308260197 Forwards insp rept 99901265/93-01 on 930504-05 & notice of violation & notice of nonconformance. Followup insp performed on 930604.
NORRHOLM, L.J. Vendor Inspection Branch. 93/07/16. BILANIN, A.J. Continuum Dynamics, Inc. 4pp. 76236:253-76236:272.

-9308260200 Notice of violation from insp rept on 930504-05. Violation noted: QA manual, Rev 10, dtd Dec 1992 for implementing 10CFR21 inadequate due to listed reasons.
* Vendor Inspection Branch. 93/07/16. 2pp. 76236:257-76236:257.

-9308260206 Notice of nonconformance from insp on 930504-05. Nonconformance noted: QA manual, rev 10, dtd Dec 1992 did not contain provisions for dedicating items purchased by vendor as commercial grade.
* Vendor Inspection Branch. 93/07/16. 2pp. 76236:258-76236:260.

-9308260212 Insp rept 99901265/93-01 on 930504-05 & 0604. Violation & nonconformances noted. Insp conducted to determine whether tests conducted by vendor in accordance w/ approved App B QA program & applicable purchase order requirements.
PETTIS, R.I., CWALINA, G.C. Vendor Inspection Branch. 93/07/01. 12pp. 76236:261-76236:272.

212 NONDOCKETED ITEMS

REGGD REGULATORY GUIDES

- 9307190043** NRC Info Notice 93-057, "Software Problems Involving Digital Control Console Sys at Non-Power Reactors."
GRIMES,B.K. Division of Operating Reactor Support (Post 921004). 93/07/23. Consolidated Edison Co. of New York, Inc. 9pp. 76111:200-76111:208.
- 9308060298** Responds to Staff 930401 RAI, requesting util review instrumentation against criteria of NEDO-31558 to determine if alternative criteria met.
OPEKA,J.F. Northeast Nuclear Energy Co. B14556. 93/07/30. Document Control Branch (Document Control Desk). 5pp. 76037:022-76037:026.
- 9308060376** Provides info re qualification of plant neutron monitoring instrumentation. Plant APRMs meet alternate criteria contained in NEDO-31558-A, Section 5.2 w/ listed exceptions. Comparison to criteria in BWROG Rept NEDO-31558-A encl.
SALAS,P. Tennessee Valley Authority. TAC M51074. 93/07/30. Document Control Branch (Document Control Desk). 12pp. 76036:272-76036:283.
- 9308110173** Forwards reg guide 1.97 variable qualification status re status of engineering project. Review of variables determine intent of reg guide being met at Surry Station. Request NRC approval of exceptions to reg guide design criteria.
STEWART,W.L. Virginia Power (Virginia Electric & Power Co.). 93-049. 93/08/05. Document Control Branch (Document Control Desk). 8pp. 76071:303-76071:310.
- 9308160043** Provides updated assessment for reaching 10CFR50.61 PTS screening criterion for FCS re beltline mat.
GATES,W.G. Omaha Public Power District. LIC-93-0200. 93/08/12. Document Control Branch (Document Control Desk). 3pp. 76124:358-76124:360.
- 9308160058** Responds to 930426 ltr providing comments from ACRS re NRC forthcoming reg guide that will provide implementation guidance for maint rule. Final reg guide 1.160 encl. W/o encl.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 93/05/19. SHEWMON,P. ACRS - Advisory Committee on Reactor Safeguards. 3pp. 76143:342-76143:344.
- 9308170051** Proposed Change to OL (PCOL-93/09) to License NPF-29, amending TS Section 3/4.3.7.5 by relocating certain accident monitoring instrumentation from TS to administrative control, per NUREG-1434, Rev 0, w/ respect to RG 1.97.
HUTCHINSON,C.R. Entergy Operations, Inc. GNRO-93/00097. 93/08/11. Document Control Branch (Document Control Desk). 13pp. 76136:267-76136:290.
- 9308170284** "For comment" issue of draft reg guide, task DG-3009, "Topical Guidelines For Licensing Support Sys."
* Office of Nuclear Regulatory Research (Post 860720). 93/07/31. 10pp. 76126:001-76126:016.
- 9308180045** Rev 3 to reg guide 01.009, task RS 802-5 & DG-1021, "Selection, Design, Qualification & Testing of Emergency Diesel Generator Units Used as Class 1E Onsite Electric Power Sys at Nuclear Power Plants."
* Office of Nuclear Regulatory Research (Post 860720). 93/07/31. 11pp. 76133:300-76133:311.
- 9308180288** Special rept SR-91-002-03 on 910318. EDG A experienced overpressurization. Caused by gross cylinder to cylinder load imbalance. Event classified as failure per Reg Guide 1.108. Pulled & replaced cylinders.
PACKER,D.F. Entergy Operations, Inc. SR-91-002-03. 93/08/10. Document Control Branch (Document Control Desk). 11pp. 76167:350-76167:360.
- 9308190045** Informs of withdrawal of reg guide 1.108, "Periodic Testing of Diesel Generator Units Used as Onsite Electric Power Sys at NPP."
BECKJORD,E.S. Office of Nuclear Regulatory Research (Post 860720). 93/07/19. Office of Nuclear Regulatory Research (Post 860720). 2pp. 76153:109-76153:109.
- 9308190220** Rev 1 to reg guide 08.009, task DG-8009, "Acceptable Concepts, Models, Equations & Assumptions For Bioassay Program."
* Office of Nuclear Regulatory Research (Post 860720). 93/07/29. 24pp. 76151:179-76151:202.
- 9308200055** Forwards results of review of plant neutron monitoring instrumentation against criteria of NEDO-31558, "Position on NRC RG 1.97, Rev 3 Requirements for Post-Accident Neutron Monitoring Sys."
BECKHAM,J.T. Georgia Power Co. TAC M51096. 93/08/13. Document Control Branch (Document Control Desk). 8p. 76209:323-76209:330.
- 9308200070** Rev 29 to Reg Guide 1.84, "Design and Fabrication Code Case Acceptability ASME Section III Div 1."
* Office of Nuclear Regulatory Research (Post 860720). 93/07/31. 20pp. 76162:324-76162:343.
- 9308200074** Rev 10 to Reg Guide 1.147, "Inservice Insp Code Case Acceptability ASME Section XI Div 1."
* Office of Nuclear Regulatory Research (Post 860720). 93/07/31. 10pp. 76162:314-76162:323.
- 9308200099** Forwards SSER re implementation of reg guide 1.97, rev 2. Licensee either conforms to, or justified in deviating from, guidance of reg guide for each post-accident monitoring variable.
PULSIFER,R.M. Project Directorate III-3. TAC M84788. 93/08/04. LIU,L. Iowa Electric Light & Power Co. 3pp. 76164:150-76164:156.
- 9308200104** Supplemental SE re conformance to reg guide 1.97, rev 2. Plant design either in conformance w/, or justified in deviating from, guidance of reg guide for each post-accident monitoring variable.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 93/08/04. 4pp. 76164:153-76164:156.
- 9308200214** Rev 29 to Reg Guide 01.085, "Mats Code Case Acceptability ASME Section III Div 1."
* Office of Nuclear Regulatory Research (Post 860720). 93/07/31. 20pp. 76183:001-76183:020.
- 9308200259** Forwards info to support 930715 SG meeting w/NRC to discuss eddy current methodologies used at facility.
FISICARO,J.J. Entergy Operations, Inc. 2CAN089302. 93/08/17. Document Control Branch (Document Control Desk). 11pp. 76181:088-76181:192.
- 9308230008** 92-R-2025-01 R01 "ANO-2 SG Degraded Tube Analysis Per Reg Guide 1.121."
* Entergy Operations, Inc. 93/08/17. 94pp. 76181:098-76181:192.
- 9308230136** Provides requested info on post-accident neutron monitoring sys configurations at utils re NEDO document.
CHYZANOWSKI,D. Commonwealth Edison Co. 93/08/17. Document Control Branch (Document Control Desk). 12pp. 76204:350-76204:361.
- 9308230214** Concludes that post-accident neutron flux monitoring instrumentation meets criteria in NEDO-31558 & is therefore acceptable alternative to guidance in reg guide 1.97, Rev 3.
DEMBEK,S. Project Directorate I-2. TAC M77893. 93/08/04. MILTENBERGER,S. Public Service Electric & Gas Co. of New Jersey. 3pp. 76183:073-76183:075.
- 9308250316** Informs NRC that last of Unit 2 mods, w/ exception of items identified in 921118 ltr determined to be unnecessary, completed.
HAMPTON,J.W. Duke Power Co. 93/08/10. Document Control Branch (Document Control Desk). 2pp. 76219:011-76219:012.
- 9308300013** Forwards SE re licensee response to Reg Guide 1.97, "BWR Neutron Flux Monitoring." Criteria of NEDO-31558, acceptable for current BWR operating license & const permit holders.
EATON,R.B. Project Directorate I-3. TAC M77660. 93/08/11. BOULETTE,E.T. Boston Edison Co. 5pp. 76274:045-76274:053.
- 9308300015** Safety evaluation re licensee response to Reg Guide 1.97, "BWR Neutron Flux Monitoring." Criteria of NEDO-31558, acceptable for current BWR operating license & const permit holders.
* Office of Nuclear Reactor Regulation, Director (Post 870411). GL-82-33. 93/08/11. 5pp. 76274:049-76274:053.

RES RESEARCH AND TECHNICAL ASSISTANCE REPORTS

- 9308300320** Summary of 930715 meeting w/industry re experience-based approach for seismic qualification of equipment in ALWR plants.
BANDYOPADHYAY Brookhaven National Laboratory. 93/08/13. O'BRIEN,J. Structural & Seismic Engineering Branch. 9pp. 76274:016-76274:024.

REVIEW GRP NRC RESEARCH REVIEW GROUPS

- 9308020057** Comment on proposed rules 10CFR170 & 171, "FY91 & 92 Proposed Rule Implementing US Court of Appeals Decision & Rev of Fee Schedules; 100% Fee Recovery, FY93." Opposes rules.
SIMARD,R.L. Nuclear Management & Resources Council (NUMARC) (formerly Nuclear Utility Manage. 58FR21116 00475. 93/07/19. CHILK,S.J. Office of the Secretary of the Commission. 7pp. 75921:073-75921:079.
- 9308020241** Forwards response to NRC 930713 RAI re NUMARC Thermo-Lag testing program Rev 5 of Phase 1 test plan also encl.
MARION,A. Nuclear Management & Resources Council (NUMARC) (formerly Nuclear Utility Manage. 93/07/29. MCCracken,C.E. Plant Systems Branch. 14pp. 75953:001-75953:179.
- 9308020245** Rev 5 of Test Plan 72192-A, "Engineering Test Plan to Perform One & Three Hour Fire Endurance Tests Followed By Water Hose Stream Tests On Open Top, Ladder Back Cable Tray & Conduit Test Articles Protected w/Thermo-Lag 330 Fire."
EVANS,B.E., LOHMAN,R.A. Thermal Science, Inc. 93/07/23. 165pp. 75953:015-75953:179.
- 9308030276** Summary of 930603 meeting w/NUMARC re industry thermo-lag fire barrier test program.
MCCracken,C.E. Plant Systems Branch. 93/06/11. THADANI,A. Division of Systems Safety & Analysis (Post 921004). 14pp. 75952:172-75952:185.
- 9308030282** Summary of 930603 meeting w/NUMARC re status of industry accident mgt activities & proposed industry initiative on accident mgt.
PALLA,R.L. Probabilistic Safety Assessment Branch. 93/06/17. THADANI,A.C. Division of Systems Safety & Analysis (Post 921004). 32pp. 75986:213-75986:243.
- 9308030332** Notification of 930507 CRGR meeting 241 to discuss proposed emergency bulletin on clogging of ECCS pump strainers.
JORDAN,E.L. Committee to Review Generic Requirements. 93/05/05. ARLOTTO,G.A. Office of Nuclear Material Safety & Safeguards. KANE,W.F. Region 1 (Post 820201). MIRAGLIA,F.J. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 75950:352-75950:353.
- 9308040156** Forwards for info, NUMARC document, "Guideline for Licensing Digital I&C Upgrades."
WERMIEL,J.S. Instrumentation & Controls Branch. 93/07/16. BACON,P. Rolis-Royce & Associates, Ltd. 1p. 75986:300-75986:329.
- 9308060357** Notification of 930715 meeting w/NUMARC in Rockville, MD to discuss acceptance criteria for identified indications & questions related to reactor vessel head penetration cracking as evaluated in PWR owner groups.
BRINKMAN,D.S. Project Directorate I-1. 93/06/29. CAPRA,R.A. Project Directorate I-1. 4pp. 76009:299-76009:302.
- 9308090158** Summary of 930616 meeting w/NUMARC to discuss staff concerns with EQ & operating reactors re proposed action plan to resolve concerns.
MCCracken,C. Plant Systems Branch. IN-92-81. 93/06/29. THADANI,A. Division of Systems Safety & Analysis (Post 921004). 4pp. 76024:121-76024:124.
- 9308090307** Notification of 930603 meeting w/NUMARC in Rockville, MD to discuss proposed industry initiative on accident mgt.
PALLA,R.L. Probabilistic Safety Assessment Branch. 93/05/27. BECKNER,W.D. Probabilistic Safety Assessment Branch. 3pp. 76059:137-76059:139.
- 9308090309** Summary of CRGR meeting 241 on 920507 re NRC Bulletin, "Debns Plugging of Emergency Core Cooling Suction Strainers."
JORDAN,E.L. Committee to Review Generic Requirements. 93/05/27. TAYLOR,J.M. Ofc of the Executive Director for Operations. 2pp. 76038:213-76038:214.

9308100114 Discusses rept prepared by Regulatory Review Group & finds conclusions disturbing for important reasons of safety & costs.
REEDY,R.F. Reedy Associates, Inc. 93/07/09. GILLESPIE,F. NRC - No Detailed Affiliation Given. 5pp. 76028:012-76028:016.

9308100241 Responds to 930312 ltr re comments on NRC views of "roadmaps" & role of design control document in design certification rule.
CRUTCHFIELD,D. Associate Director for Advanced Reactors & License Renewal (Post 910918). 93/06/20. RASIN,W.H. Nuclear Management & Resources Council (NUMARC) (formerly Nuclear Utility Manage. 12pp. 76071:276-76071:287.

9308110344 Notification of 930617 CRGR meeting 244 to review proposed urgent NRC bulletin on generic implications of Salem rod control sys event.
JORDAN,E.L. Committee to Review Generic Requirements. 93/06/16. ARLOTTO,G.A. Office of Nuclear Material Safety & Safeguards. KANE,W.F. Region 1 (Post 820201). MIRAGLIA,F. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 76065:186-76065:187.

9308110363 Responds to 930519 ltr which commented on several issues contained in SECY 93-087.
CRUTCHFIELD,D. Associate Director for Advanced Reactors & License Renewal (Post 910918). 93/06/14. RASIN,W.H. Nuclear Management & Resources Council (NUMARC) (formerly Nuclear Utility Manage. 4pp. 76078:326-76078:342.

-9308110374 Comments on SECY 93-087 re design certification.
RASIN,W.H. Nuclear Management & Resources Council (NUMARC) (formerly Nuclear Utility Manage. 93/05/19. CHILK,S.J. Office of the Secretary of the Commission. 3pp. 76078:330-76078:342.

9308120007 Requests copy of NRC Form 8B, "Rept for Comments."
LEWIS,M. Lewis, M. 93/06/16. GILLESPIE,F. NRC - No Detailed Affiliation Given. 4pp. 76082:332-76082:333.

9308120071 Informs that NUMARC & WOG will provide complete response to Richardson 930701 RAI re WOG bounding upper shelf energy evaluation by 930820.
RASIN,W.H. Nuclear Management & Resources Council (NUMARC) (formerly Nuclear Utility Manage. 93/07/28. WIGGINS,J.T. Division of Engineering (Post 921004). 1p. 76094:351-76094:351.

9308120231 Summary of 930623 meeting w/NUMARC in Rockville,MD re 930602 NRC markup of NUMARC draft document entitled, "Guideline For Licensing Digital I&C Upgrades."
PULSIFER,R.M. Project Directorate III-3. 93/07/02. Project Directorate III-3. 7pp. 76083:351-76083:358.

9308120285 Notification of 930630 meeting w/NUMARC in Rockville,MD to discuss industry proposal to use simulator scenario templates developed by BWR owners group.
RING,M.A. Operator Licensing Branch. 93/06/23. BOGER,B.A. Division of Reactor Controls & Human Factors (Post 921004). 2pp. 76083:359-76083:360.

9308130076 Forwards proposed flaw acceptance criteria to be used for select pilot insps of Alloy 600 vessel head CRDM penetrations, for review & concurrence.
MARION,A. Nuclear Management & Resources Council (NUMARC) (formerly Nuclear Utility Manage. 93/07/30. RUSSELL,W.T. Associate Director for Inspection & Technical Assessment (Post 870411). 6pp. 76106:334-76106:339.

9308130104 Summary of 930628 meeting w/NUMARC re industry thermo-lag fire barrier test program.
MCCRACKEN,C. Plant Systems Branch. 93/06/30. THADANI,A. Division of Systems Safety & Analysis (Post 921004). 74pp. 76094:182-76094:255.

9308130160 Notifies of 930608 CRGR meeting 243 to discuss proposed suppls 1 & 6 to GLs 92-08 & 89-10, respectively.
JORDAN,E.L. Committee to Review Generic Requirements. GL-92-08. 93/06/01. ARLOTTO,G.A. Office of Nuclear Material Safety & Safeguards. KANE,W.F. Region 1 (Post 820201). MIRAGLIA,F.J. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 76094:295-76094:296.

9308160207 Notification of 930610 meeting w/NUMARC in Rockville,MD to discuss formation of NRC/NUMARC working group to review requirements 10CFR50.44 & 50.34 from perspective of reducing or eliminating requirements marginal to safety.
SERKIZ,A.W. Engineering Issues Branch. 93/06/01. MINNERS,W. Division of Safety Issue Resolution (Post 880717). 2pp. 76133:334-76133:335.

9308160214 Provides comments on NRC Regulatory Review Group draft rept re review of power reactor regulations.
MCGAHA,J.R. Entergy Operations, Inc. 58FR29012. 93/07/21. GILLESPIE,F.P. NRC - No Detailed Affiliation Given. 11pp. 76104:001-76104:011.

9308160218 Provides comments on rept of regulatory review group to Executive Director.Supports group efforts to identify regulatory requirements.
ENGLAND,L.A. BWR Owners Group. BWROG-93094. 93/07/22. GILLESPIE,F.P. NRC - No Detailed Affiliation Given. 2pp. 76103:359-76103:360.

9308170195 Forwards staff comments & positions re certain items in Rev 0 & Rev 1 to "Procedure for Revising GIF." dtd 930326.NRC finds subj procedure acceptable.
BUTLER,W.R. Project Directorate I-3. TAC M84091. 93/06/23. SMITH,N.P. Seismic Qualification Utility Group. 5pp. 76140:001-76140:005.

9308170223 Forwards SRM dtd 930505 requesting that NRC staff obtain industry estimate of costs to implement various options contained in SECY-93-102 & info on util costs for security at plants.W/o encl.
CONGEL,F.J. Division of Radiation Safety & Safeguards (Post 921004). 93/05/09. WHITESEL,R.N. Nuclear Management & Resources Council (NUMARC) (formerly Nuclear Utility Manage. 1p. 76139:140-76139:140.

9308180036 Notification of 930603 meeting w/NUMARC in Rockville,MD re status of Thermo-Lag test program & erosion-corrosion.
MCCRACKEN,C.E. Plant Systems Branch. 93/05/20. THADANI,A.C. Division of Systems Safety & Analysis (Post 921004). 2pp. 76143:042-76143:043.

9308180091 Forwards in final form,NUMARC 93-01, "Industry Guideline for Monitoring Effectiveness of Maint at NPP,May 1993." for use & info.
CORREIA,R.P. Performance & Quality Evaluation Branch. 93/05/19. ZECH,G.G. Performance & Quality Evaluation Branch. 2pp. 76143:045-76143:126.

9308180104 Forwards draft flow diagram & associated text,reflecting industry approach to license renewal.Licensees plan to use results of trial applications & NRC comments to revise industry approach,as necessary.
NG,R.N. Nuclear Management & Resources Council (NUMARC) (formerly Nuclear Utility Manage. 93/08/12. TRAVERS,W. Associate Director for Advanced Reactors & License Renewal (Post 910918). 8pp. 76158:230-76158:237.

9308180216 Notification of 930610 meeting w/NUMARC in Rockville,MD to discuss use of environ LLDs as radiation survey criteria.
KLEMENTOWICZ,S. Reactor Systems Branch. 93/05/27. CUNNINGHAM,L.J. Reactor Systems Branch. 2pp. 76137:334-76137:335.

9308180225 Notification of 930616 meeting w/NUMARC in Rockville,MD to discuss staff concerns w/environ qualification of electric equipment.
MCCRACKEN,C.E. Plant Systems Branch. 93/06/03. THADANI,A.C. Division of Systems Safety & Analysis (Post 921004). 2pp. 76137:360-76137:361.

9308180243 Provides rev to 930608 CRGR Meeting 243.Agenda for meeting listed.
JORDAN,E.L. Committee to Review Generic Requirements. 93/06/03. ARLOTTO,G.A. Office of Nuclear Material Safety & Safeguards. KANE,W.F. Region 1 (Post 820201). MIRAGLIA,F.J. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 76137:330-76137:331.

9308190029 Forwards comments on final rept on NRC Regulatory Review Group Rept.Document represents excellent step by NRC toward practical risk-based regulatory philosophy.
POMREHN,H.P. PLG, Inc. (formerly Pickard, Lowe & Garlick, Inc.). EPRI-1469-PLG-0. 93/07/28. GILLESPIE,F.P. Regulatory Review Group. 5pp. 76151:340-76151:344.

9308190034 Forwards comments on volume 4 of NRC Regulatory Review Group Rept.
SCHROCK,C.A. Wisconsin Public Service Corp. NRC-93-106. 93/07/28. GILLESPIE,F.P. Regulatory Review Group. 6pp. 76151:238-76151:243.

9308190048 Forwards comments on Regulatory Review Group Rept.Util supports NRC & industry efforts to identify & eliminate regulatory requirements & commitments economically burdensome.
LEISURE,M. Centenor Energy. 2163. 93/07/29. GILLESPIE,F.P. Regulatory Review Group. 4pp. 76151:325-76151:328.

9308190113 Forwards comments on NRC draft Regulatory Review Group Rept. Rept will help serve as one of fundamental steps in overall nuclear industry initiative to reduce regulatory burden while maintaining plant safety.
LIPARULO,N.J. Westinghouse Electric Corp. ET-NRC-93-3934. 93/07/28. TAYLOR,J.M. Ofc of the Executive Director for Operations. 5pp. 76152:356-76152:360.

9308190139 Comments on Regulatory Review Group Rept.Suggests that removal of requirements for PASS be utilized as test case.
EDWARDS,D.W. Yankee Atomic Electric Co. FYC 93-018. 93/07/23. GILLESPIE,F.T. Ofc of the Executive Director for Operations. GILLESPIE,F.T. Regulatory Review Group. 43pp. 76152:165-76152:227.

-9308190152 Informs of intention to devote time reviewing comments in near future to be sure intent clear prior to forwarding final written response.
EDWARDS,D.W. Yankee Atomic Electric Co. SPNS 93-057. 93/07/08. GILLESPIE,F.T. Ofc of the Executive Director for Operations. GILLESPIE,F.T. Regulatory Review Group. 8pp. 76152:208-76152:227.

9308190190 Comments on Regulatory Review Group Rept submitted on behalf of Nuclear Util Backfitting & Reform Group in response to request for comment.NUBARG strongly supports Regulatory Review Group initiative.
MACGREGOR,J.A. Winston & Strawn. 93/07/29. GILLESPIE,F.P. NRC - No Detailed Affiliation Given. 4pp. 76162:309-76162:312.

9308190195 Comments on Regulatory Review Group Rept.Util recommends NRC reviews for regulatory reduction take place on periodic basis to ensure continued necessity,consistency w/other requirements & continued safety benefits.
BOWLING,M.L. Virginia Power (Virginia Electric & Power Co.). 93-425. 93/07/29. GILLESPIE,F. Regulatory Review Group. 2pp. 76151:351-76151:352.

9308190205 Comments on rept by Regulatory Review Group.Urges NRC to establish formal steering committee to direct implementation of recommendations in rept.
FLOYD,S.D. Nuclear Management & Resources Council (NUMARC) (formerly Nuclear Utility Manage. 93/07/29. GILLESPIE,F.P. Regulatory Review Group. GILLESPIE,F.P. Ofc of the Executive Director for Operations. 39pp. 76152:109-76152:147.

9308190305 Forwards two slides for use during plenary session at NUMARC maint workshops on 930804 at Atlanta,GA & 930823 in St Louis,MO.
CORREIA,R. Performance & Quality Evaluation Branch. 93/07/28. ZECH,G. Performance & Quality Evaluation Branch. 3pp. 76158:307-76158:309.

9308200026 Notification of CRGR Meeting 245 on 930719 in Bethesda,MD. Revised agenda listed.
JORDAN,E.L. Committee to Review Generic Requirements. 93/07/07. ARLOTTO,G.A. Office of Nuclear Material Safety & Safeguards. KANE,W.F. Region 1 (Post 820201). MIRAGLIA,F.J. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 76209:295-76209:296.

9308200082 Notification of 930901 meeting w/NUMARC in Rockville,MD to discuss requirements for protection against insiders.
MCKEE,P.F. Safeguards Branch. 93/08/11. CONGEL,F.J. Division of Radiation Safety & Safeguards (Post 921004). 1p. 76162:359-76162:359.

9308200086 Lists agenda of CRGR meeting 245 on 930719 re various draft regulatory guides & proposed TS improvements & amends.
JORDAN,E.L. Committee to Review Generic Requirements. 93/06/29. ARLOTTO,G.A. Office of Nuclear Material Safety & Safeguards. KANE,W.F. Region 1 (Post 820201). MIRAGLIA,F.J. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 76164:317-76164:318.

9308200266 Provides comments on NRC Regulatory Review Group Rept to EDO published in FR dtd 930518.Endorses concept of using PSA methods & performance based measures in regulatory process.
HUNGER,G.A. Philadelphia Electric Co. 93/07/29. GILLESPIE,F.P. Regulatory Review Group. 3pp. 76164:143-76164:145.

214 NONDOCKETED ITEMS

- 9308200310** Provides comments on Regulatory Review Group rept. Advises that many concepts & recommendations in rept are desirable & certainly feasible given proper level of resources & commitment.
LEZON, R.J. Commonwealth Edison Co. 93/07/29. SNIEZEK, J. Dep Exec Dir for Nuc Reactor Reg. Regional Operations & Research (Post 890205). 32pp. 76164:319-76164:349.
- 9308200311** Undated ltr submitting comments on NRC Regulatory Review Group rept. Expresses belief that rept represents thorough assessment of regulations, TS & regulatory processes.
FORNICOLA, J.C. General Public Utilities Corp. - GPU Service Corp. C300-93-2251. 93/08/20. GILLESPIE, F. Regulatory Review Group. 5pp. 76164:350-76164:354.
- 9308200313** Comments on Regulatory Review group rept recommending rev to 10CFR50.2 & 10CFR50.54, to include definition of commitment & method of reporting change in commitment to NRC. Advises that revs not needed.
CAHILL, W.J. Texas Utilities Electric Co. (TU Electric). TXX-93274. 93/08/02. GILLESPIE, F.P. NRC - No Detailed Affiliation Given. 2pp. 76164:355-76164:356.
- 9308200316** Supports Regulatory Review Group rept to EDO recommending efforts to reduce burdensome regulations w/ little or no direct safety impact.
PASSWATER, A.C. Union Electric Co. ULNRC-2831. 93/07/30. CHILK, S.J. Office of the Secretary of the Commission. 3pp. 76164:357-76164:359.
- 9308200320** Comments on vol four of Regulatory Review Group draft final rept. Suggests that rept is significant step forward toward utilization of risk-concepts in nuclear plant regulation.
RAHN, F.J. Electric Power Research Institute. 93/07/26. GILLESPIE, F. Regulatory Review Group. 2pp. 76164:360-76164:361.
- 9308200321** Comments on Regulatory Review Group rept to EDO published in FR on 930518. Agrees w/ comments made by NUMARC.
MOREY, D. Southern Nuclear Operating Co. 93/07/30. CHILK, S.J. Office of the Secretary of the Commission. 2pp. 76169:288-76169:289.
- 930820144** Comment on proposed rule 10CFR72 re emergency planning licensing requirements for ISFSI & MRS facilities. Emergency plans for ISFSIs & MRSs should address level of hazard involved.
TIPTON, T.E. Nuclear Management & Resources Council (NUMARC) (formerly Nuclear Utility Management 58FR29795 00017. 93/08/09. CHILK, S.J. Office of the Secretary of the Commission. 7pp. 76165:214-76165:220.
- 9308203180** Notification of 930728-29 meeting w/ lead plants, NUMARC & OG chairman in Downers Grove, IL to discuss lead plant TSs implementation & STS generic issues.
GRIMES, C.I. Technical Specifications Branch. 93/07/23. GRIMES, B.K. Division of Operating Reactor Support (Post 921004). 2pp. 76186:317-76186:318.
- 930820305** Summary of CRGR meeting 244 on 920617 re proposed GL entitled, "Rod Control Sys Failure & Withdrawal of Rod Control Cluster Assembly."
JORDAN, E.L. Committee to Review Generic Requirements. 93/06/25. TAYLOR, J.M. Ofc of the Executive Director for Operations. 2pp. 76180:347-76180:348.
- 9308250147** Summary of 930707 mtg w/ NUMARC & BWROG re accident mgt. List of attendees & viewpoints encl.
PALLA, R. Probabilistic Safety Assessment Branch. 93/08/12. THADANI, A.C. Division of Systems Safety & Analysis (Post 921004). 22pp. 76201:222-76201:242.
- 9308250440** Notification of 930819 meeting w/ NUMARC representatives in Rockville, MD to discuss details of NUMARC Thermo-Lag test program.
MCCRACKEN, C.E. Plant Systems Branch. 93/08/10. THADANI, A.C. Division of Systems Safety & Analysis (Post 921004). 2pp. 76214:048-76214:049.
- 9308250449** Requests that NUMARC take necessary actions to resolve staff technical concerns raised during 930603 meeting.
MCCRACKEN, C.E. Division of Systems Safety & Analysis (Post 921004). 93/08/06. MARION, A. Nuclear Management & Resources Council (NUMARC) (formerly Nuclear Utility Management. 5pp. 76203:305-76203:312.
- 9308250466** Requests FR publication of encl notice of 930812 public meeting w/ NUMARC & WOG to discuss WOG plans for updating fluence values for WOG-manage surveillance capsules.
SHAO, L.C. Division of Engineering (Post 870413). 93/08/06. LESAR, M. Division of Regulatory Applications (860720-870413). 4pp. 76203:209-76203:212.
- 9308260023** Summary of 921124 CRGR meeting 233 re proposed SER for topical rept NEDC-31753P & CRGR role & appropriate timing of CRGR review in process for issuance of urgent NRC generic communications.
JORDAN, E.L. Committee to Review Generic Requirements. 93/07/14. TAYLOR, J.M. Ofc of the Executive Director for Operations. 2pp. 76217:254-76217:255.
- 9308260109** Estimates that review of EPRI rept TR-102470 should be completed in Spring 1994 & expects review to require interaction between NRC staff & staffs of NUMARC & EPRI.
RUSSELL, W.T. Associate Director for Inspection & Technical Assessment (Post 870411). 93/06/10. RASIN, W.H. Nuclear Management & Resources Council (NUMARC) (formerly Nuclear Utility Management. 1p. 76215:188-76215:188.
- 9308260131** Forwards staff comments on questions & answers re implementation of NUMARC/NESP-007, "Methodology for Development of Emergency Action Levels."
CONGEL, F.J. Division of Radiation Safety & Safeguards (Post 921004). 93/06/10. TIPTON, T.E. Nuclear Management & Resources Council (NUMARC) (formerly Nuclear Utility Management. 12pp. 76215:233-76215:244.
- 9308260154** Requests that EPRI final rept TR-100370 entitled, "Fire-Induced Vulnerability Evaluation (FIVE), Apr 1992," be clarified to prevent confusion re implementation of methodology.
THADANI, A.C. Division of Systems Safety & Analysis (Post 921004). 93/07/26. RASIN, W.H. Nuclear Management & Resources Council (NUMARC) (formerly Nuclear Utility Management. 3pp. 76215:271-76215:273.
- 9308260175** Notification of CRGR meeting 247 on 930810.
JORDAN, E.L. Committee to Review Generic Requirements. 93/07/30. ARLOTTO, G.A. Office of Nuclear Material Safety & Safeguards. KANE, W.F. Region 1 (Post 820201). MIRAGLIA, F.J. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 76219:357-76219:358.
- 9308260205** Summary of 930511 CRGR meeting 240 re proposed GL re "Long-Term Solutions to Thermal-Hydraulic Stability Issues in BWRs." List of attendees encl.
JORDAN, E.L. Committee to Review Generic Requirements. 93/07/08. TAYLOR, J.M. Ofc of the Executive Director for Operations. 25pp. 76220:001-76220:030.
- 9308260213** Forwards comments on Regulatory Review Group repts, Vol One, "Summary & Overview," & Vol Four, "Risk Technology Application." Expresses both encouragement & disappointment re repts.
VESLEY, W.E. Science Applications International Corp. (formerly Science Applications, Inc.). 93/08/06. MURPHY, J.A. Division of Safety Issue Resolution (Post 880717). 6pp. 76214:267-76214:272.
- 9308260223** Provides comments on NRC Nuclear Review Group rept. Expresses support for both simplifying regulatory process & shifting a risk & performance based regulations where it makes sense to do so.
ORTEIGER, T.W. Illinois, State of. 93/08/06. GILLESPIE, F. NRC - No Detailed Affiliation Given. 4pp. 76214:273-76214:276.
- 9308260226** Undated ltr providing comments on recommendations of Regulatory Review Group in rept made available on 930528. Agrees w/ proposed changes identified.
PHARES, R.F. Illinois Power Co. U-602167. 93/08/26. GILLESPIE, F.P. Regulatory Review Group. 2pp. 76214:277-76214:279.
- 9308260227** Summary of CRGR meeting 232 on 921104 re proposed rev 2 to NRC Regulatory Analysis Guidelines (NUREG/BR-0058) & GL re line-item improvement for TS.
JORDAN, E.L. Committee to Review Generic Requirements. 93/07/14. TAYLOR, J.M. Ofc of the Executive Director for Operations. 2pp. 76248:001-76248:002.
- 9308260239** Notification of 930623 meeting w/ NUMARC in Rockville, MD to discuss NUMARC comments on NRC ltr of 930602 re analog to digital conversion.
HOPKINS, J.B. Project Directorate III-3. 93/06/08. HANNON, J.N. Project Directorate III-3. 3pp. 76217:220-76217:222.
- 9308260274** Forwards fifth set of questions & answers on major rev of 10CFR20, for info. Correction to answer to 26(a) in fourth set of questions & answers, also encl.
CONGEL, F.J. Division of Radiation Safety & Safeguards (Post 921004). 93/06/08. SCHMITT, J.F. Nuclear Management & Resources Council (NUMARC) (formerly Nuclear Utility Management. 32pp. 76215:087-76215:118.
- 9308260359** Forwards FRN re extension of comment period on regulatory review group rept.
GILLESPIE, F.P. Regulatory Review Group. 93/06/09. MEYER, D.L. Office of Administration (Post 890205). 2pp. 76248:004-76248:005.
- 9308260367** Notification of 930628 meeting w/ NUMARC representatives in Rockville, MD to discuss Thermo-Lag test program.
MCCRACKEN, C.E. Plant Systems Branch. 93/06/08. THADANI, A.C. Associate Director for Inspection & Technical Assessment (Post 870411). 1p. 76248:003-76248:003.
- 9308270142** Notification of 930628 meeting w/ NUMARC in Rockville, MD to discuss details of NUMARC Thermo-Lag test program.
MCCRACKEN, C.E. Plant Systems Branch. 93/06/07. THADANI, A.C. Division of Systems Safety & Analysis (Post 921004). 1p. 76248:276-76248:276.
- 9308270199** Informs that NRC completed preliminary assessment of WOG WCAP 13587, "Reactor Vessel Upper Shelf Energy Bounding Evaluation for Westinghouse PWRs," submitted in NUMARC 930316 ltr. Encl add info re rept requested within 30 days.
RICHARDSON, J.E. Division of Engineering (Post 921004). GL-92-01. 93/07/01. RASIN, W.H. Nuclear Management & Resources Council (NUMARC) (formerly Nuclear Utility Management. 3pp. 76220:153-76220:154.
- 9308300001** Comment on proposed GL 86-10, suppl 1, "Fire Endurance Acceptance Criteria for Fire Barrier Sys Used to Separate Redundant Safe Shutdown Trains Within Same Fire Area," that reiterates & expands on issues in 921208 ltr.
RASIN, W.H. Nuclear Management & Resources Council (NUMARC) (formerly Nuclear Utility Management. 58FR39572 0010. 93/08/23. MEYER, D.L. Rules & Directives Review Branch (Post 920323). 10pp. 76236:001-76236:010.
- 9308300097** Responds to 930525 ltr which provided NUMARC views re SECY-92-287 & SECY-92-287A, "Form & Content for Design Certification Rule."
CRUTCHFIELD, D. Associate Director for Advanced Reactors & License Renewal (Post 910918). 93/06/07. BISHOP, R. Nuclear Management & Resources Council (NUMARC) (formerly Nuclear Utility Management. 5pp. 76278:003-76278:018.
- 9308300104** Submits comments for Commission consideration while decision being made re important issues addressed in SECY-92-287A, "Form & Content for Design Certification Rule."
BISHOP, R.W. Nuclear Management & Resources Council (NUMARC) (formerly Nuclear Utility Management. 93/05/25. CHILK, S.J. Office of the Secretary of the Commission. 11pp. 76278:008-76278:018.
- 9308300112** Summary of 930520 meeting w/ Owners Group re status of activities to implement improved STS & related matters. List of attendees & meeting agenda encl.
GRIMES, C.I. Technical Specifications Branch. 93/06/25. GRIMES, B.K. Division of Operating Reactor Support (Post 921004). 18pp. 76274:058-76274:075.
- 9308300234** Submits info re June 1989 NSAC-125, "Guidelines for 10CFR50.59 Safety Evaluations."
GRIMES, B.K. Division of Operating Reactor Support (Post 921004). 93/06/25. TIPTON, T.E. Nuclear Management & Resources Council (NUMARC) (formerly Nuclear Utility Management. 3pp. 76266:176-76266:181.
- 9308310009** Comments on Regulatory Review Group rept which appeared in 930518 FR. Util in agreement w/ NUMARC comments to be provided to NRC.
MCCOY, C.K. Georgia Power Co. HL-3417. 93/07/29. CHILK, S.J. Office of the Secretary of the Commission. 2pp. 76278:092-76278:093.

SECY POSITION PAPERS BEFORE THE COMMISSION

- 8706040188** SECY-87-114 Informs Commission of lessons learned from util pilot program of readiness reviews at facility & NRC participation in reviews. STELLO,V. Ofc of the Executive Director for Operations. 87/05/05. 34pp. 76129:001-76129:034.
- 8709090633** SECY-87-213 Recommends that Commission approve publication in FR of final rule allowing exclusion of dynamic effects of postulated pipe ruptures in all high energy piping meeting rigorous acceptance criteria. STELLO,V. Ofc of the Executive Director for Operations. 87/08/21. 284pp. 76103:046-76103:329.
- 9302250276** SECY-93-043 Requests Commission approval to publish FRN announcing availability of proposed Regulatory Analysis Guidelines for public comment. TAYLOR,J.M. Ofc of the Executive Director for Operations. 93/02/22. 91pp. 76200:198-76200:291.
- 9304280090** SECY-93-106 Commission paper presenting for Commission review & approval actions necessary to implement Section 2901 of Energy Policy Act of 1992 which formally revoked Commission Below Regulatory Concern Policy Statements. PARLER,W.C. Office of the General Counsel (Post 860701). 93/04/23. 44pp. 75938:150-75938:191.
- 9305180345** SECY-93-127 Informs Commission of available options under Price-Anderson Act re amount of financial protection to be required of licensee whose large NPP in process of being decommissioned. PARLER,W.C. Office of the General Counsel (Post 860701). 93/05/10. 25pp. 75986:001-75986:025.
- 9305180372** SECY-93-130 Informs Commission of results of first phase of survey, to recommend changes in NRC regulation based on consideration of licensee comments & recommend plan for obtaining broader range of licensee views on efficacy. TAYLOR,J.M. Ofc of the Executive Director for Operations. 93/05/13. 75pp. 75938:001-75938:072.
- 9305210130** SECY-93-124 Requests Commission agreement w/staff view that rulemaking not warranted re financial assurance for cleanup of accidents for all matls licensees w/potential for significant accidental contamination. TAYLOR,J.M. Ofc of the Executive Director for Operations. 93/05/11. 16pp. 75938:073-75938:088.
- 9306030224** SECY-93-144 Requests Commission approval to publish proposed amends to 10CFR60 for public comment. TAYLOR,J.M. Ofc of the Executive Director for Operations. 93/05/21. 50pp. 75938:089-75938:138.
- 9306070093** SECY-93-149 Informs Commission of intent to eliminate option for Office Directors & Regional Administrators to waive waiting period to move individuals within pay band SL-1 for Senior Level Sys. TAYLOR,J.M. Ofc of the Executive Director for Operations. 93/05/25. 2pp. 75937:001-75937:002.
- 9306070162** SECY-93-151 Informs Commission in accordance w/guidance in 911220 memo re SECY-91-172 of staff intent to issue proposed NRC bulletin titled, "Resolution of Issues re Reactor Vessel Water Level Instrumentation in BWRs." TAYLOR,J.M. Ofc of the Executive Director for Operations. 93/05/28. 10pp. 76096:001-76096:010.
- 9306210031** SECY-93-167 Requests approval to publish FR notice announcing availability of proposed Regulatory Analysis Guidelines for public comments. TAYLOR,J.M. Ofc of the Executive Director for Operations. 93/06/14. 92pp. 76283:040-76283:131.
- 9306290136** SECY-93-179 Provides Commission w/updated status rept on actions staff took toward decommissioning of sites in site decommissioning mgt plan. TAYLOR,J.M. Ofc of the Executive Director for Operations. 93/06/24. 150pp. 75937:010-75937:358.
- 9306300288** SECY-93-175 Requests Commissions approval of proposed relocation of backup emergency operations facility for Zion Nuclear Station from Edison Bldg in Chicago to corporate EOF in Downers Grove,IL. TAYLOR,J.M. Ofc of the Executive Director for Operations. 93/06/22. 171pp. 75986:034-75986:212.
- 9307060119** SECY-93-182 Provides Commission w/current status & update of schedule for completing guidance documents describing non-power reactor licensing process as discussed in SECY-91-160. TAYLOR,J.M. Ofc of the Executive Director for Operations. 93/06/28. 3pp. 75937:003-75937:005.
- 9307080273** SECY-93-184 Informs Commission of findings from review of current shift staffing practices at nuclear power plants. Staff committed to preparing SECY paper to inform Commission of position & recommendation actions. TAYLOR,J.M. Ofc of the Executive Director for Operations. 93/06/29. 4pp. 75937:006-75937:009.
- 9307130254** SECY-93-186 Informs Commission of EDO intention to publish final rule 10CFR140, "Financial Protecting Requirements & Indemnity Agreements," increasing std deferred premium required by Price-Anderson Act based on inflation rate. TAYLOR,J.M. Ofc of the Executive Director for Operations. 93/06/30. 9pp. 76283:023-76283:031.
- 9307140189** SECY-93-188 Informs Commission of staff intention to send letter to DOE re proposed retransfer of SF from Switzerland to United Kingdom for reprocessing. Staff will submit letter to DOE indicating no objection to transfer. STOEIBER,C.R. Office of International Programs (Post 911117). 93/07/08. 22pp. 76283:001-76283:022.
- 9307200065** SECY-93-193 Informs Commission of findings from staff review policy statement on implementation of shift STA position at nuclear power plants & staff intent to issue info notice & close issue. TAYLOR,J.M. Ofc of the Executive Director for Operations. 93/07/13. 8pp. 75986:026-75986:033.
- 9307200356** SECY-93-190 Responds to Commission request for discussion of advantages & disadvantages of rulemaking to impose & to update Commission on projected schedule for completing shutdown risk program. TAYLOR,J.M. Ofc of the Executive Director for Operations. 93/07/12. 120pp. 76129:035-76129:150.
- 9307280207** SECY-93-202 Provides Commission w/perspective on adjudicatory case-load & Commission role in adjudication from Jan - June 1993. BURNS,S.G. Office of Commission Appellate Adjudication (Post 910701). 93/07/23. 8pp. 76283:032-76283:039.
- 9308020193** SECY-93-137 Informs Commission of reviews of nuclear power reactor licensee requests for decommissioning fund withdrawals pending reexamination of decommissioning funding requirements. TAYLOR,J.M. Ofc of the Executive Director for Operations. 93/05/18. 13pp. 75936:347-75936:359.
- 9308020217** SECY-93-180 Litigation rept - 1993 - 10. CORDES,J.F. Solicitor (Post 860701). 93/06/24. 27pp. 75944:304-75944:330.
- 9308030318** SECY-93-196 Informs Commission of status of litigation as of 930715. CORDES,J.F. Solicitor (Post 860701). 93/07/16. 30pp. 75949:315-75949:344.
- 9308040182** SECY-93-197 Litigation Rept 1993 - 11. CORDES,J.F. Solicitor (Post 860701). 93/07/16. 33pp. 75978:282-75978:317.
- 9308060050** Weekly info rept for wk ending 930723. BLAHA,J.L. Assistant for Operations (Post 890205). 93/07/27. 35pp. 76009:068-76009:102.
- 9308060311** SECY-93-198 Requests Commission approval of NRC FY94-98 strategic info technology plan. TAYLOR,J.M. Ofc of the Executive Director for Operations. 93/07/20. 66pp. 76283:158-76283:222.
- 9308100127** SECY-93-219 Weekly info rept for wk ending 930730. BLAHA,J.L. Assistant for Operations (Post 890205). 93/08/05. 36pp. 76027:303-76027:339.
- 9308110250** SECY-93-201 Weekly info rept for wk ending 930716. BLAHA,J.L. Assistant for Operations (Post 890205). 93/07/22. 36pp. 76065:188-76065:222.
- 9308130149** SECY-93-207 Provides Commission info on NRC evaluation of option of relocating entire URFO operation,including insp & licensing functions, to region IV. TAYLOR,J.M. Ofc of the Executive Director for Operations. 93/07/26. 3pp. 76200:292-76200:294.
- 9308130166** SECY-93-206 Discusses Litigation Rept - 1993 - 12. CORDES,J.F. Solicitor (Post 860701). 93/07/26. 22pp. 76283:132-76283:153.
- 9308180077** Informs that SECY-92-244, "Update on Disposition of Weapons Grade Nuclear Matl from Decommissioned Nuclear Weapons" no longer classified. TEN EYCK,E.Q. Division of Fuel Cycle Safety & Safeguards (Post 930207). 93/05/21. BATES,A.L. Operations Branch. 2pp. 76150:284-76150:321.
- 9308180060** SECY-92-244 Declassified paper advising of addl staff analysis & providing recommendation on issue w/potential natl policy implications re disposition of large quantities of weapons grade SNM resulting from dismantlement of nuclear weapons. TAYLOR,J.M. Ofc of the Executive Director for Operations. 92/07/14. 39pp. 76150:286-76150:321.
- 9308180245** SECY-93-210 Provides Commission w/proposed implementation schedule for protection against malevolent use of vehicles at nuclear power plants. TAYLOR,J.M. Ofc of the Executive Director for Operations. 93/07/27. 4pp. 76150:280-76150:283.
- 9308230261** SECY-93-108 Requests Commission approval of revised guidelines for prioritization of generic safety issues. TAYLOR,J.M. Ofc of the Executive Director for Operations. 93/04/28. 62pp. 76178:218-76178:280.
- 9308240163** SECY-93-209 Informs Commission of status of Licensing Support System (LSS) & activities of LSS Administrator staff for six-month period ending 930630. TAYLOR,J.M. Ofc of the Executive Director for Operations. 93/07/27. 5pp. 76183:245-76183:249.
- 9308240280** SECY-93-208 Informs Commission re order issued to convert non-power reactor from HEU to LEU fuel, in accordance w/10CFR50.64. TAYLOR,J.M. Ofc of the Executive Director for Operations. 93/07/26. 52pp. 76191:134-76191:185.
- 9308260219** SECY-93-222 Weekly info rept for wk ending 930806. BLAHA,J.L. Assistant for Operations (Post 890205). 93/08/11. 38pp. 76220:063-76220:100.

STATE PROG STATE PROGRAMS

- 9308020022** Comment on proposed rules 10CFR170 & 171, "FY91 & 92 Proposed Rule Implementing US Court of Appeals Decision & Rev of Fee Schedules;100% Fee Recovery,FY93." Opposes rules. ORTCIGER,T.W. Illinois, State of. 58FR21116 00462. 93/07/09. Docketing & Services Branch. 2pp. 75921:003-75921:004.
- 9308020048** Comment on proposed rules 10CFR170 & 171, "FY91 & 92 Proposed Rule Implementing US Court of Appeals Decision & Rev of Fee Schedules;100% Fee Recovery,FY93." Supports rules. FRAZEE,T.C. Washington, State of. 58FR21116 00470. 93/07/09. Docketing & Services Branch. 3pp. 75921:064-75921:066.

216 NONDOCKETED ITEMS

- 9308020053** Comment on proposed rules 10CFR170 & 171, "FY91 & 92 Proposed Rule Implementing US Court of Appeals Decision & Rev of Fee Schedules;100% Fee Recovery,FY93." Opposes rules. JERRI, L.E. Florida, State of. 58FR21116 00469. 93/07/07. Docketing & Services Branch. 1p. 75921:068-75921:068.
- 9308020058** Comment on proposed rules 10CFR170 & 171, "FY91 & 92 Proposed Rule Implementing US Court of Appeals Decision & Rev of Fee Schedules;100% Fee Recovery,FY93." Opposes rules. KERR, G.W. Illinois, State of. 58FR21116 00468. 93/07/02. Docketing & Services Branch. 3pp. 75921:080-75921:082.
- 9308020065** Comment on proposed rules 10CFR170 & 171, "FY91 & 92 Proposed Rule Implementing US Court of Appeals Decision & Rev of Fee Schedules;100% Fee Recovery,FY93." Opposes rule. QUILLIN, R.M. Colorado, State of. 58FR21116 00513. 93/07/14. Docketing & Services Branch. 1p. 75921:092-75921:092.
- 9308020077** "NPDES Discharge Monitoring Rept for June 1993 for Salem Generating Station." W/930723 ltr. VONDRAC, C.A. Public Service Electric & Gas Co. of New Jersey. 93/06/30. CAPORALE, G. New Jersey, State of. 24pp. 75954:156-75954:179.
- 9308020083** Comment on proposed rules 10CFR170 & 171, "FY91 & 92 Proposed Rule Implementing US Court of Appeals Decision & Rev of Fee Schedules;100% Fee Recovery,FY93." Opposes rules. KING, G. Texas, State of. 58FR21116 00479. 93/07/14. Docketing & Services Branch. 5pp. 75921:161-75921:165.
- 9308020098** Provides notice to federal agencies, per 15CFR923.84(b)(92). Notice concerns submission to Ofc of Ocean & Coastal Resource Mgt of routine program implementation. MACCORMICK, N. New York, State of. 93/07/22. Document Control Branch (Document Control Desk). 2pp. 75953:296-75953:297.
- 9308020111** Discusses insp on 930614 & forwards notice of violation re conducting licensed activities in non-Agreement States w/o filing required forms. MARTIN, J.B. Region 3 (Post 820201). EA-93-189. 93/07/26. MOSCARELLO, B. 4pp. 75987:354-75987:358.
- 9308020114** Notice of violation from insp on 930714. Violation noted: on five occasions since 1991, licensee engaged in licensed activities in non-agreement states w/o filing required forms. * Region 3 (Post 820201). EA-93-189. 93/07/26. 1p. 75987:358-75987:358.
- 9308020216** Requests listed info on Claiborne Parish School Sys to be used in on-going effort to revise Impact Assessment of Claiborne Enrichment Center, as followup to recent telcon. SANCHEZ, G. Science Applications International Corp. (formerly Science Applications, Inc.). 92/12/08. SPEER, J. Claiborne Parish, LA. 2pp. 75953:360-75953:361.
- 9308020222** Forwards 1991 traffic map showing motor vehicle traffic on principal roads for state of LA & map of 1990 average daily traffic count Claiborne Parish LA. * Louisiana, State of. 92/11/04. SANCHEZ, G. Science Applications International Corp. (formerly Science Applications, Inc.). 3pp. 75953:322-75953:324.
- 9308020267** Verifies that Section 106 compliance process for proposed U enrichment facility, Homer Vicinity, Claiborne Parish, LA completed to state of LA satisfaction. HOBBS, G. Louisiana, State of. 93/07/06. ZEITOUN, A. Science Applications International Corp. (formerly Science Applications, Inc.). 1p. 75954:110-75954:110.
- 9308020271** Informs that personnel of Natural Heritage Program reviewed captioned project & found that no records of rare, threatened or endangered species or unique community known to occur at Louisiana Energy Svcs U Enrichment Facility near Arizona, LA. LESTER, G.D. Louisiana, State of. 92/11/17. SANCHEZ, G. Science Applications International Corp. (formerly Science Applications, Inc.). 1p. 75954:109-75954:109.
- 9308020273** Lists info provided by S Hargrove re motor vehicle registrations in Claiborne Parish & State of LA, per B Hillis contact w/LA Dept of Public Safety. HILLIS, B. Science Applications International Corp. (formerly Science Applications, Inc.). 92/11/18. Science Applications International Corp. (formerly Science Applications, Inc.). 2pp. 75953:358-75953:359.
- 9308020274** Informs that State of AL Emergency Mgt Agency would like to be included in list of offsite organizations receiving future minutes of meetings re facility. BOWDEN, R.L. Alabama, State of. 93/07/20. THADANI, M.C. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 1p. 75954:205-75954:205.
- 9308030035** Discusses telcon w/P Lee, State of LA DOT & Development, Homer, LA re current road traffic volume situation in Homer, LA & area adjacent to Louisiana Energy Services site. SANCHEZ, G. Science Applications International Corp. (formerly Science Applications, Inc.). 92/11/04. ZEITOUN, A. Science Applications International Corp. (formerly Science Applications, Inc.). 1p. 75995:358-75995:358.
- 9308030039** Forwards motion to stay effectiveness, or in alternative, to rescind regulation published in 930407 FR re amend of 10CFR72.214 & use of storage device known as VSC-24 cask, submitted by atty general for State of MI. GRAHAM, R.L. Jenner & Block. 57FR28645. 93/05/21. JULIAN, E.L. Office of the Secretary of the Commission. 1p. 75935:200-75935:226.
- 9308030083** Motion to stay effectiveness, or in alternative, to rescind adoption of amend to 10CFR72.214 adding VSC-24 cask to approved list of casks. SCHERBARTH, J.C. Michigan, State of. 93/05/21. Commissioners (Post 750119). 7pp. 75935:201-75935:207.
- 9308030061** Affidavit of M Resnikoff to evaluate risk associated w/dry storage of irradiated nuclear fuel at plant & need for EIS before any storage permitted to take place. RESNIKOFF, M. Michigan, State of. 93/05/03. 19pp. 75935:208-75935:226.
- 9308030088** Discusses telcon w/G White, LA & Northwest Railroad, Homer, LA re current situation of railroad in Claiborne Parish. SANCHEZ, G. Science Applications International Corp. (formerly Science Applications, Inc.). 92/11/04. ZEITOUN, A. Science Applications International Corp. (formerly Science Applications, Inc.). 1p. 75996:012-75996:012.
- 9308030111** Discusses telcon w/D Rivet, Div of Archeology, Ofc of Cultural Development, Dept of Culture, Recreation & Tourism, State of LA re confirmation that Claiborne Enrichment Center facility would have no adverse archeological impact. SANCHEZ, G. Science Applications International Corp. (formerly Science Applications, Inc.). 92/10/22. ZEITOUN, A. Science Applications International Corp. (formerly Science Applications, Inc.). 1p. 75996:002-75996:002.
- 9308030145** Comment on proposed rule 10CFR20 re radiological criteria for decommissioning of NRC-licensed facilities. Encourages NRC to continue to seek outside opinions & consider public input when making any sort of regulatory decision. MEYER, G.E. Wisconsin, State of. 57FR58727 00101. 93/06/28. Docketing & Services Branch. 4pp. 75936:100-75936:103.
- 9308030410** Forwards response to questions posed in 930608 ltr re activities of NRC in regulation of Agreement states & matts licenses. TAYLOR, J.M. Ofc of the Executive Director for Operations. 93/07/15. SYNAR, M. House of Rep. 14pp. 75978:073-75978:281.
- 9308050086** Responds to NRC 930726 notice of violation re insp rept on 930714. Corrective actions completed form NRC-241 & paid fees. MOSCARELLO, B. EA-93-189. 93/07/30. Document Control Branch (Document Control Desk). 4pp. 76018:357-76018:360.
- 9308050288** Forwards updated svc list re NDFC 93-1, Nuclear Decommissioning Finance Committee. KALINSKI, A.J. New Hampshire, State of. 93/07/23. MURLEY, T. Office of Nuclear Reactor Regulation, Director (Post 870411). 3pp. 76017:354-76017:356.
- 9308060068** Confirms discussion w/Goff re review of MS Radiation Control Program scheduled for 930920-24 & forwards list of questions entitled, "App A, Evaluation of Agreement State Radiation Control Program: Part I, Program Guidelines...." WOODRUFF, R.L. Region 2 (Post 820201). 93/07/15. FUENTE, E.S. Mississippi, State of. 36pp. 75992:283-75992:318.
- 9308060165** Verifies Corrective Action & Closure of Corrective Action Request YM-93-043 resulting from Yucca Mountain QA Div Audit YMP-93-09. SPENCER, E. Energy, Dept. of. HLWR. 93/07/28. GERTZ, C.P. Nevada, State of. 10pp. 76063:075-76063:084.
- 9308060214** Submits State of NV testing proposals & issues re Yucca Mountain Project Participation in Geophysical Testing to be conducted in association w/Defense nuclear agency Chemical Kiloton Experiment. GERTZ, C.P. Energy, Dept. of. HLWR. 93/07/29. LOUX, R.R. Nevada, State of. 5pp. 76091:006-76091:010.
- 9308060243** Requests that NPDES Permit PA0051926 be amended to allow for use of biocide Betz 3625 as alternative to Betz CT-1 for routine biological control at plant. Favorable response requested by 930901. MORLEY, G.M. Philadelphia Electric Co. 93/07/28. NEWBOLD, J. Pennsylvania, Commonwealth of. 26pp. 76024:242-76024:267.
- 9308060332** Discusses NRC extending plant license for addl 13-15 yrs. Requests that NRC not ignore health & safety as well as financial well being of people of State of CA re issue. * California, State of. 93/03/22. THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). 2pp. 76009:314-76009:315.
- 9308090017** Addresses concerns that since last Feb new activities initiated or completed for which state received no info re Administration Procedure (AP) 8.1, "Land Access & Environ Compliance," w/respect to surface environ at Yucca Mountain. LOUX, R.R. Nevada, State of. HLWR. 93/07/06. GERTZ, C.P. Energy, Dept. of. 2pp. 76091:028-76091:029.
- 9308090104** Provides responses to questions posed in 930608 ltr re activities of NRC in regulation of Agreement States & matts licenses. Copy of 930608 ltr w/questions re-numbered sequentially encl. TAYLOR, J.M. Ofc of the Executive Director for Operations. CCS. 93/07/15. SYNAR, M. House of Rep., Government Operations. 14pp. 76059:312-76059:326.
- 9308090138** Forwards calculations for licensee use in response to 930514 request to regulate SGs containing low levels of radioactive contamination from Yankee Nuclear Power Station, near Rowe, MA to disposal facility in Barnwell, SC. HAUGHNEY, C.J. Transportation Branch (Post 930207). 93/08/04. HANNA, H.C. Transportation, Dept. of. 1p. 76061:356-76061:356.
- 9308090315** Responds to 930618 ltr, including hand written message drafted by B Lucas re storing spent fuel onsite at Oyster Creek Nuclear Generating Station. Informs that NUHOMS casks already being used at listed ISFSIs. BERNERO, R.M. Office of Nuclear Material Safety & Safeguards. 93/07/29. CONNORS, L.T. New Jersey, State of. 2pp. 76072:328-76072:332.
- 9308090321** Forwards B Lucas 930331 ltr expressing concerns re proposed interim fuel storage plan at Oyster Creek. CONNORS, L.T., MORAN, J.W., CONNORS, C.J. New Jersey, State of. 93/06/18. THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). 3pp. 76072:330-76072:332.
- 9308100105** Forwards State of MA 930607 ltr notifying of completion of review of transfer of emergency planning responsibilities for radiological emergency preparedness for portion of facility emergency planning zone in MA. FEIGENBAUM, T.C. North Atlantic Energy Service Corp. (NAESCO). NYN-93104. 93/07/23. Document Control Branch (Document Control Desk). 3pp. 76087:242-76087:244.
- 9308100138** Suggests DOE conduct experiments relative to characterization of Yucca Mountain area & lists proposed experiments associated w/one kiloton chemical explosion test on Rainier Mesa in mid Sept 1993. LOUX, R.R. Nevada, State of. HLWR. 93/07/06. GERTZ, C.P. Energy, Dept. of. 2pp. 76091:106-76091:107.
- 9308100157** Advises that NJ Dept of Environ Protection & Energy, Bureau of Nuclear Engineering has reviewed License Change Request 92-12, per 10CFR50.91(b) & has no comments. TOSCH, K.W. New Jersey, State of. 93/08/03. Document Control Branch (Document Control Desk). 2pp. 76065:353-76065:354.

9308100201 Notifies that MOU for emergency preparedness between util & state of WA finalized & signed. Copy of MOU encl.
PARRISH, J.V. Washington Public Power Supply System. GO2-93-169. 93/06/29. PATE, R.J. Region 5 (Post 820201). 6pp. 76065:266-76065:273.

9308100204 Forwards water quality data in tabulated format, per NRC request.
LEROY, P.G. Louisiana Energy Services. 93/07/28. AYDELL, G. Louisiana, State of. 4pp. 76078:312-76078:315.

9308110092 Forwards motion from State of OK Dept of Wildlife Conservation that should have been addressed to author as Presiding Officer. Motion to be forwarded to those listed on licensee svc list. Served on 930804.
GLEASON, J.P. Atomic Safety & Licensing Board Panel. #393 14180. MLA. 93/08/03. JULIAN, E. Docketing & Services Branch. 1p. 76056:250-76056:259.

-9308110113 State of OK Dept of Wildlife Conservation request that conditions be placed on application to withdraw filed by Sequoyah Fuels Corp. Dept requests that NRC require listed provisions for license withdrawal. W/Certificate of Svc.
CANTRELL, B.H. Oklahoma, State of. MLA. 93/08/03. Atomic Safety & Licensing Board Panel. 9pp. 76056:251-76056:259.

9308110182 Summary of 930630 meeting w/Chematron in Newburgh Heights, OH re discussions on licensee decommissioning issues among NRC & OH regulatory agencies. List of attendees encl.
JOHNSON, T.C. Decommissioning & Regulatory Issues Branch (Post 901230). 93/08/03. AUSTIN, J.H. Decommissioning & Regulatory Issues Branch (Post 901230). 6pp. 76080:245-76080:252.

9308110263 Provides responses to questions posed in 930616 & 17 ltrs from govt staff re NRC activities in regulation of Agreement States & matls licensees. Mark-up key of 930616 & 17 ltrs w/new numbers encl. W/930714 note.
TAYLOR, J.M. Ofc of the Executive Director for Operations. 93/07/14. SYNAR, M. House of Rep., Government Operations. 20pp. 76068:001-76068:332.

-9308110291 Forwards State of NH radiological health program revised broad scope licensing plan. Supports program in its efforts to adhere to plan schedule.
WALLACE, W.T. New Hampshire, State of. 87/09/09. NUSSBAUMER, D. Assistant Director for State Agreements Program. 4pp. 76068:028-76068:031.

-9308110296 Forwards rept & staff evaluation of State of NH radiation control program for 1989. Discusses problem areas that have developed due to inadequate resources.
MCGRATH, J.R. Region 1 (Post 820201). 89/10/20. MILLER, V.L. Assistant Director for State Agreements Program. 1p. 76068:032-76068:032.

-9308110301 "Staff Rept & Evaluation Of NH Radiation Control Program For Period 861212-890127."
* NRC - No Detailed Affiliation Given. 89/01/27. 120pp. 76068:033-76068:252.

-9308110308 Summarizes review visit held w/personnel of State of NH radiation control program during period 910416-17 in Concord, NH. Expresses concern for lack of funds for administrative needs, such as travel & util.
MCGRATH, J.R. Region 1 (Post 820201). 91/05/09. MILLER, V.L. Assistant Director for State Agreements Program. 6pp. 76068:253-76068:258.

-9308110327 Forwards suppl info re 1991 review of State of MD radiation control program. Recommends that routine review be conducted in six months.
COSTELLO, F.M. NRC - No Detailed Affiliation Given. 91/10/08. MILLER, V.L. Assistant Director for State Agreements Program. 8pp. 76068:259-76068:274.

-9308110331 Advises that NRC cannot support proposed sanction on waste generators in noncomplying States by barring their wastes from State of TN.
KAMMERER, C. Assistant Director for State, Local & Indian Relations. 89/09/14. MOBLEY, M.H. Tennessee, State of. 2pp. 76068:275-76068:283.

-9308110333 Forwards quarterly status update on State of TN radiation control program.
MOBLEY, M.H. Tennessee, State of. 91/07/24. WOODRUFF, R. Region 2 (Post 820201). 7pp. 76068:284-76068:290.

-9111200229 Forwards quarterly status update on Tennessee radiation control program for third quarter of 1991, per request.
MOBLEY, M.H. Tennessee, State of. 91/10/28. WOODRUFF, R. Region 2 (Post 820201). 3pp. 76068:291-76068:293.

-9308110341 Summary of 910710-12 mid review meeting w/personnel responsible for State of TN radiation control program re significant changes in program since last review.
WOODRUFF, R.L. Region 2 (Post 820201). 91/07/25. MILLER, V.L. Assistant Director for State Agreements Program. 38pp. 76068:294-76068:332.

9308110265 Ack receipt of MOU w/State of TN based on standardized format for ERDS & forwards final MOU for signature, after which MOU will become effective.
TAYLOR, J.M. Ofc of the Executive Director for Operations. 93/07/01. MOBLEY, M.H. Tennessee, State of. 2pp. 76064:246-76064:247.

9308110309 Provides mark-up responses to questions posed in 930622 ltr re activities of NRC in regulation of Agreement States & matls licensees.
TAYLOR, J.M. Ofc of the Executive Director for Operations. CCS. 93/07/26. SYNAR, M. House of Rep., Government Operations. 10pp. 76080:281-76080:293.

-9308110351 Submits completion of review of individual state files re activities of NRC in regulation of Agreement States.
BERICK, D. House of Rep., Government Operations. 93/06/22. COMBS, T. Office of Congressional Affairs (Post 911117). 2pp. 76080:291-76080:293.

9308110383 Forwards "Dose Assessment for Disposal of Radiologically Contaminated Sewer Sludge from Erwin, TN."
KAMMERER, C. Office of State Programs (Post 911117). 93/07/29. MOBLEY, M.H. Tennessee, State of. 3pp. 76141:089-76141:134.

9308120005 Ack receipt of 930716 ltr forwarding check for \$250 in payment for civil penalty proposed by NRC in ltr dtd 930608.
GRAY, J.R. Ofc of Enforcement (Post 870413). EA-93-115. 93/08/10. DOPP, D.M. Steel Warehouse Co., Inc. 1p. 76063:027-76063:027.

9308120167 Requests copy of rept re tech info per pressure vessel issue at Point Beach.
SMITH, L.L. Wisconsin, State of. 93/04/14. GODY, T. Document Control Branch (Document Control Desk). 1p. 76094:349-76094:349.

9308120259 Informs that Bolton & Gakanek, Inc proposed Radiological Sampling Plan for Arsenal Apartments, Arsenal Condominiums & Harvard Community Health Property in Watertown, MA acceptable provided listed conditions met.
WALDORF, H. Massachusetts, Commonwealth of. 92/09/17. REARDON, R.D. Army, Dept. of. 3pp. 76095:358-76095:360.

9308120296 Expresses concern & disappointment in lack of testing on site of Arsenal Park Condominiums on behalf of Board of Trustees & residents of Arsenal Park Residential Condominiums.
SMITH, G.V. . 93/06/23. MALEWICZ, A. Massachusetts, Commonwealth of. 2pp. 76090:326-76090:327.

9308120317 Ack receipt of 930623 ltr re testing at Arsenal Park Condominiums. Informs that testing of subj property will not be delayed by Dept due to work required at other Army Corps of Engineers project.
WALDORF, H. Massachusetts, Commonwealth of. 93/07/12. SMITH, G. . 2pp. 76090:328-76090:329.

9308120370 Forwards detailed radiological survey plan developed by Bolton & Gakanek, Inc for Arsenal Apartments, Arsenal Condominiums & Harvard Community Health areas as followup to RD Reardon 920124 & 0403 ltrs.
REARDON, R.D. Army, Dept. of, Corps of Engineers. 92/08/06. WATKINS, R. Massachusetts, Commonwealth of. 7pp. 76090:354-76090:360.

9308130033 Forwards NRC Region I insp memo. Insp conducted on 930421 & consisted of observations by inspectors, radiation surveys & wipe tests.
DARDEN, T.H. Region 1 (Post 820201). 93/07/12. ALDRICH, R. New York, State of. 6pp. 76078:198-76078:206.

-9308130035 Informs that parts of initial rept reproduced & info obtained merged w/ original text & underlined.
AMATO, C.G. . BONDICK, J. NRC - No Detailed Affiliation Given. 93/05/14. COSTELLO, F.M. NRC - No Detailed Affiliation Given. 3pp. 76078:204-76078:206.

9308130091 Informs that in order to update mailing list, correction as indicated as listed.
IVERSON, G.L. New Hampshire, State of. 93/07/26. DE AGAZIO, A.W. Project Directorate I-4. 1p. 76141:208-76141:208.

9308160157 Comment on proposed rules 10CFR170 & 171, "FY91 & 92 Proposed Rule Implementing US Court of Appeals Decision & Rev of Fee Schedules; 100% Fee Recovery, FY93." Opposes rule.
STEWART-SMITH Oregon, State of. 58FR21662 00605. 93/07/28. THE CHAIRMAN, SELIN, J. Commissioners (Post 750119). 2pp. 76089:357-76089:358.

9308160179 Forwards rev to 930730 reply to notice of violation. Rev includes notary seal.
MOSCARIELLO, B. . 93/08/09. Document Control Branch (Document Control Desk). 1p. 76158:241-76158:242.

-9308160188 Revised reply to notice of violation. Corrective actions: completed Form NRC-241 & paid fees on 930603. Copy of completed NRC-241 encl. W/o encl.
MOSCARIELLO, B. . 93/08/09. Document Control Branch (Document Control Desk). 1p. 76158:242-76158:242.

9308160358 Followup to NPDES noncompliance notification: on 930721, notified of failure of chronic toxicity test on combined samples collected from Waste Water Collection Basin, Outfall 005 on 930713 & 19. Unwatering process initiated on 930717.
ATHERTON, N.G. Duke Power Co. 93/08/04. GLEASON, R. North Carolina, State of. 4pp. 76141:339-76141:342.

9308160366 Forwards mod requests, per 921214 renewal of NPDES Permit CT0003263 for Millstone Nuclear Power Station. W/ three oversize drawings.
CHEVALIER, R.G. Northeast Utilities Service Co. 93/08/02. GRIER, J. Connecticut, State of. 96pp. 76182:250-76182:346.

9308170148 Comment opposing NRC draft decision to approve Atlas Minerals Corp plan to reclaim mill tailings in place.
HEDDEN, B. Utah, State of. 58FR38796. 93/08/07. MEYER, D.L. Rules & Directives Review Branch (Post 920323). 9pp. 76110:083-76110:091.

9308180001 Ack receipt of 930521 ltr in response to comments following Mar 1993 review of Radiation Control Program.
KAMMERER, C. Office of State Programs (Post 911117). 93/08/13. BROWN, T.E. South Carolina, State of. 1p. 76131:001-76131:001.

9308180021 NPDES noncompliance notification: on 930715, Delta T limit of RBS exceeded while operating & on 930728, daily average downstream water temps limit exceeded. Operating unit removed from svc. Thermal discharges being closely monitored.
ATHERTON, N.G. Duke Power Co. 93/07/29. GLEASON, R. North Carolina, State of. 4pp. 76155:305-76155:308.

9308180100 Responds to 930706 ltr re Administrative Procedure (AP) 8.1, "Land Access & Environ Compliance Approval Process," to clarify that AP-8.1 not intended to become EIS baseline.
GERTZ, C.P. Energy, Dept. of. HLWR. 93/08/09. LOUX, R.R. Nevada, State of. 2pp. 76177:038-76177:039.

9308180291 Provides results of fatal flaw review of State of CO preliminary licensing statement & proposed license for Hecia Durtia U heap leach facility site. Subj review identified no deficiencies.
BANGART, R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 93/08/13. SURMEIER, J.J. Office of State Programs (Post 911117). 1p. 76167:308-76167:308.

9308190005 Comment on revised notice of intent to amend source matl license SUA-917. FONSI decision to amend source matl license inappropriate. EIS warranted.
HANEY, P. Utah, State of. 58FR38796. 93/08/13. MEYER, D.L. Rules & Directives Review Branch (Post 920323). 11pp. 76136:010-76136:020.

9308190052 Forwards PA LLRW Shipment Insp Repts 50-387/PA-93-02 & 50-388/PA-93-02 on 930722. No violations or deviations noted.
JOYNER, J.H. Region 1 (Post 820201). 93/08/10. BYRAM, R.G. Pennsylvania Power & Light Co. 3pp. 76160:276-76160:286.

218 NONDOCKETED ITEMS

- 9308190054 Forwards PA LLRW Shipment Insp Repts 50-387/PA-93-02 & 50-388/PA-93-02 on 940722.No violations or deviations noted.
DORNSIFE,W.P. Pennsylvania, Commonwealth of. 93/07/30. HEHL,C.W. Region 1 (Post 820201). 9pp. 76160:279-76160:286.
- 9308190214 Informs that NRC has & will continue to communicate w/ F Watt until new State Liaison Officer appointed as result of L Jager misfortune.
THE CHAIRMAN, SELIN,L. Commissioners (Post 750119). 93/07/29. ENGLER,J. Michigan, State of. 1p. 76152:148-76152:148.
- 9308190219 Respondent motion to dismiss complaint against LP Zerr.
CLARKE,T.E. Affiliation Not Assigned. 93-01-PF. 93/08/16. MARGULIES,M.B. Atomic Safety & Licensing Board Panel. 13pp. 76204:023-76204:040.
- 9308190235 Informs that pretrial diversion agreement reached w/L Zerr & attorney which lead to dismissal of indictment w/o prejudice & that no further prosecution will be forthcoming, since Zerr fulfilled terms of agreement.
GARDNER,J.D. Georgia, State of. 93/06/30. SHAPIRO,D. NRC - No Detailed Affiliation Given. CLARKE,T., ZERR,L. Affiliation Not Assigned. 3pp. 76204:038-76204:040.
- 9308190356 "NPDES Discharge Monitoring Repts for Jul 1993 for Perry Nuclear Power Plant Units 1 & 2." W/930811 ltr.
STRATMAN,R.A. Centenor Energy. PY-CEI/OEPO-018. 93/07/31. 5pp. 76169:337-76169:341.
- 9308200042 Forwards responses to questions posed in 930708 ltr re activities of NRC in regulation of Agreement States & matts licensees.
TAYLOR,J.M. Ofc of the Executive Director for Operations. CCS. 93/08/02. SYNAR,M. House of Rep., Government Operations. 5pp. 76156:001-76156:226.
- 9201170193 Advises that in developing efficient process for agreement state cooperation,staff should consider adopting listed components as part of process.
CHILK,S.J. Office of the Secretary of the Commission. 91/04/11. TAYLOR,J.N. Ofc of the Executive Director for Operations. DENTON,H.P. Office of Governmental & Public Affairs (870413-911116). 2pp. 76156:006-76156:012.
- 9308190154 Forwards FR Notice announcing NRC amended policy on Cooperation w/ States.Amend allows State representatives in adjacent States to observe NRC insps at licensed facilities.
KAMMERER,C. Office of State Programs (Post 911117). 92/02/27. General. 7pp. 76156:013-76156:019.
- 9308190157 Forwards updated copy of Project Manager Assignments for NRC-licensed nuclear facilities & requests that NRC be informed on any name,address or telephone number changes & comments.
KAMMERER,C. Office of State Programs (Post 911117). 92/03/03. General. 5pp. 76156:020-76156:024.
- 9308190163 Requests cooperation in matter of State Agreement Program temporarily revising Internal Procedure D.2 & lists review that Regional State Agreement Officers will conduct.
MILLER,V.L. Assistant Director for State Agreements Program. 93/03/05. General. 2pp. 76156:025-76156:026.
- 9308190166 Forwards index of Ofc of State Programs transmittal ltrs from 920101-1231.
MILLER,V.L. Assistant Director for State Agreements Program. 93/03/03. General. 8pp. 76156:027-76156:034.
- 9308190171 Forwards copy of 58 FR 18167 dtd 930408.Notice details 930506 meeting to discuss issues raised by public comments received on draft rept,NJUREG-1022,Rev 1.
KAMMERER,C. Office of State Programs (Post 911117). 58FR18167. 93/04/16. General. 20pp. 76156:035-76156:054.
- 9308190179 Forwards info re public meeting to be held on 930615 on proposed amends to Parts 20 & 61 re manifesting & reporting of LLW info.
MILLER,V.L. Assistant Director for State Agreements Program. 93/05/10. General. 27pp. 76156:055-76156:081.
- 9308190182 Forwards Rev 1 to NRC Policy & Guidance Directive FC 84-11.
MILLER,V.L. Assistant Director for State Agreements Program. 93/05/06. General. 46pp. 76156:082-76156:127.
- 9308190188 Forwards copy of FR Notice proposing to extend expiration date of interim final rule re preparation & therapeutic use of radiopharmaceuticals from 930823-941231.
MILLER,V.L. Assistant Director for State Agreements Program. 93/05/12. General. 4pp. 76156:128-76156:131.
- 9308190241 Forwards revised cover memo sheet dtd 930605 & requests that it replace current cover sheet that contains minor edits.
KAMMERER,C. Office of State Programs (Post 911117). 93/05/10. General. 2pp. 76156:132-76156:133.
- 9308190246 Forwards agenda & pertinent matts for NRC public meeting w/Agreement States which will follow Conference of Radiation Control Program Directors Inc Annual Meeting.
KAMMERER,C. Office of State Programs (Post 911117). 93/05/03. General. 86pp. 76156:134-76156:221.
- 9308190250 Requests careful consideration of encl draft issues prepared by task force,views on importance of issues to overall patient & worker protection & add input to address issues.
SURMEIER,J.J. Assistant Director for State Agreements Program. 93/06/25. General. 5pp. 76156:222-76156:226.
- 9308200123 Informs that vendor has not yet provided fire barrier matts to NRC reactor licensees to meet 10CFR50,App R regulations. Vendor has supplied matts to nuclear units in response to IEEE specs & has developed & tested sys,per 10CFR50,App R.
PHILPOTT,C. Darchem Engineering, Inc. 93/08/12. MCCracken,C.E. Plant Systems Branch. 1p. 76190:344-76190:344.
- 9308200172 Transmits comments received to date,from Agreement States on conceptual model radiography std 10CFR34.
MILLER,V.L. Assistant Director for State Agreements Program. 93/06/04. COOL,D.A. Radiation Protection & Health Effects Branch. 10pp. 76164:167-76164:232.
- 9308200173 Provides comments on working draft of conceptual model of radiography std 10CFR34,in response to NRC 930412 ltr (SP-93-010).
JERRETT,L. Florida, State of. 93/05/04. MILLER,V.L. Assistant Director for State Agreements Program. 15pp. 76164:177-76164:191.
- 9308200180 Submits comments on working draft of conceptual model of radiography std 10CFR34.Informs that Dept of Nuclear Safety generally agrees w/proposed changes w/exception of document requirements at field sites & temporary job sites.
ORTCIGER,T.W. Illinois, State of. 93/05/05. MYERS,J. Office of State Programs (Post 911117). 3pp. 76164:192-76164:194.
- 9308200184 Provides comments on 10CFR34,per request.Informs that requirement to describe source recovery procedures should be coupled w/training & experience requirements for anyone authorized to conduct source recovery operations.
JEFFS,V.D. Kentucky, Commonwealth of. 93/05/07. MYERS,J. Office of State Programs (Post 911117). 11pp. 76164:195-76164:205.
- 9308200187 Informs that upon review of "Conceptual Model Of Radiography Std,10CFR34." Dept of Health & Consolidated Lab offers no comments.
MOUNT,D.K. North Dakota, State of. 93/04/29. MYERS,J. Office of State Programs (Post 911117). 7pp. 76164:206-76164:212.
- 9308200188 Provides comments in response to State Agreements Ltr SP-93-010 re conceptual model of radiography std,10CFR34.
SCROGGS,A.C. Washington, State of. 93/05/03. MYERS,J. Office of State Programs (Post 911117). 2pp. 76164:213-76164:214.
- 9308200191 Forwards Navy comments on working draft of conceptual model for revised radiography std 10CFR34,per 930414 ltr.Expresses concern that proposed mod will unintentionally infringe upon Navy flexibility to manage its radiography program.
MALINOSKI,J.W. Navy, Dept. of. 93/05/14. MILLER,V.L. Office of State Programs (Post 911117). 7pp. 76164:215-76164:221.
- 9308200197 Provides comments on working draft 10CFR34.Expresses that proposed change requiring six month calibrations of survey meters used in industrial radiography inadequate.
BOHLINGER,L.H. Louisiana, State of. 93/05/03. MILLER,V.L. Office of State Programs (Post 911117). 2pp. 76164:222-76164:223.
- 9308200203 Forwards comments on changes to 10CFR34,in response to Agreement States Ltr SP-93-010.
MARSHALL,S.R. Nevada, State of. 93/05/12. MILLER,V. Assistant Director for State Agreements Program. 9pp. 76164:224-76164:232.
- 9308200315 Ack receipt MOU w/State of SC based on standardized format for emergency response data sys.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 93/06/10. SHAW,R.L. South Carolina, State of. 2pp. 76170:354-76170:355.
- 9308230013 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness exercise requirement.
MILLWEE,T. Texas, State of. 58FR34539 00001. 93/07/23. Docketing & Services Branch. 1p. 76165:043-76165:043.
- 9308230015 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness exercise requirements.
SLAYTON,A.E. Virginia, Commonwealth of. 58FR34539 00002. 93/07/26. CHILK,S.J. Office of the Secretary of the Commission. 1p. 76165:057-76165:057.
- 9308230019 Comment on proposed rule 10CFR72 re emergency planning licensing requirements for ISFSI & monitored retrievable storage facilities.Believes it prudent to err on conservative side in interim.
LAFLUR,J.L. Pennsylvania, Commonwealth of. 58FR29795 00004. 93/08/03. Docketing & Services Branch. 1p. 76165:060-76165:060.
- 9308230034 Comment supporting proposed rule 10CFR72 re emergency planning licensing requirements for ISFSI & monitored retrievable storage facilities.
ORTCIGER,T.W. Illinois, State of. 58FR29795 00002. 93/07/27. Docketing & Services Branch. 2pp. 76165:093-76165:094.
- 9308230038 Urges extension of comment period for proposed rule regarding emergency planning licensing requirements for ISFSI & monitored retrievable storage facilities by six months.
SALZMAN,J. Colorado, State of. 58FR29795. 93/07/29. CHILK,S.J. Office of the Secretary of the Commission. 1p. 76165:101-76165:101.
- 9308230051 Comment opposing proposed rule 10CFR72 re emergency planning.
SHAW,J.G. New Mexico, State of. 58FR29795 00013. 93/08/02. Docketing & Services Branch. 1p. 76165:125-76165:125.
- 9308230090 Comment on proposed rules 10CFR30,32 & 35 re appearance in FR on 930617.Number of proposed changes further extends NRC efforts to enter into regulation of practice of medicine.
HILL,T.E. Georgia, State of. 58FR33396 00004. 93/07/22. Docketing & Services Branch. 1p. 76165:150-76165:150.
- 9308230101 Forwards deviation from regional dip in area between Springville & West Valley,NY.
VAUGHAN,R.C. Coalition on West Valley Nuclear Wastes. 93/08/14. ROWLAND,T. Energy, Dept. of. PICULO New York, State of. NICHOLS,B. Science Applications International Corp. (formerly Science Applications, Inc.). 2pp. 76186:276-76186:289.
- 9308240038 Comment addressing NRC proposal to amend license SUA-917, Atlas Corp Moab Mill,Moab,UT.
SINCLAIR,W.J. Utah, State of. 58FR38796. 93/08/17. MEYER,D.L. Rules & Directives Review Branch (Post 920323). 9pp. 76181:005-76181:013.
- 9308240117 Comment supporting proposed rule 10CFR20 re radiological criteria for decommissioning of NRC licensed facilities.
LOUX,R.R., DAVENPORT,J.H. Nevada, State of. 58FR33570 00003. 93/07/26. Docketing & Services Branch. 10pp. 76181:031-76181:040.
- 9308250206 "Discharge Monitoring Rept for Jul 1993 for Pilgrim Nuclear Power Station." W/930819 ltr.
SCHMELING,L.L., ROTHERT,W.C. Boston Edison Co. BECO 5.93.097. 93/07/31. 9pp. 76218:239-76218:247.

9308250219 Forwards synopsis of investigation rept. Investigation unable to substantiate willful or deliberate failure to file NRC Form 241.
NORELIOUS, C.E. Region 3 (Post 820201). EA-92-102. 93/08/16. PRESTON, R. Affiliation Not Assigned. 2pp. 76189:183-76189:184.

9308250288 Informs that State of ME has no objections to licensee Proposed Change 180, removing list of snubbers from TS, but found second statement of revised applicability section of TS 3.20 to be confusing.
DOSTIE, P.J. Maine, State of. 93/08/18. Document Control Branch (Document Control Desk). 1p. 76260:277-76260:277.

9308250304 Notification of 930819 meeting w/State CA representative in Downey, CA to discuss safety-related violations observed during insp at Vandenberg Air Force Base, CA for radiographic operations under reciprocity & at Richardson facility.
SCARANO, R.A. Region 5 (Post 820201). EA-93-201. 93/08/10. Region 5 (Post 820201). 2pp. 76219:013-76219:014.

9308250328 Requests 930831 meeting to discuss Envirocare license application for by-product matl. Purpose to exchange regulatory info. Forwards draft license & SER. W/o encl.
FLIEGEL, M.H. Uranium Recovery Branch (Post 901230). 93/08/18. SINCLAIR, W. Utah, State of. 3pp. 76219:008-76219:010.

9308250336 "Joint Public Notice NH-022-93 of Draft of NPDES Permit to Discharge Into Waters of US Under Sections 301 & 402 of Clean Water Act (The "Act"), as Amended, Request for State Certification Under Section 401 of The Act."
SCHMIDT, E.J. New Hampshire, State of. FIERRA, D.A. Environmental Protection Agency. 93/08/20. 100pp. 76261:001-76261:236.

9308250337 Submits info in writing & under oath or affirmation, in same order as in ltr, in response to 930720 ltr & follow-up to 930709 telcon.
PRESTON, R. Illinois, State of. 93/08/18. LIEBERMAN, J. Ofc of Enforcement (Post 870413). 2pp. 76265:353-76265:354.

9308250373 NPDES noncompliance notification re Perkiomen storage tank overflow to Potomac Hollow Run. Application for amend to Permit PA0051926 submitted.
MORLEY, G.M. Philadelphia Electric Co. 93/08/19. NEWBOLD, J. Pennsylvania, Commonwealth of. 1p. 76260:290-76260:294.

9308250408 Forwards results of 930810 survey conducted at Port of Seattle, WA & inspectors comments as follow-up to 930713 memo. Encl withheld.
SCARANO, R.A. Region 5 (Post 820201). 93/08/18. PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 1p. 76219:043-76219:043.

9308260029 Confirms agreement of Montgomery County, MD to sell full share fare media on consignment to NRC for resale/ distribution to NRC employees under contract NRC-10-93-129. "Interagency Agreement for Purchase of Public Transit."
AOYAGI, G.A. Maryland, State of. NRC-10-93-129. 92/12/18. MACE, M. Division of Contracts & Property Management (Post 890205). 9pp. 76214:302-76214:309.

9308260108 Notification of 930901-02 Region V workshop in South San Francisco, CA to discuss revs to 10CFR20 & add topics re Region V industrial & medical licensees.
SCARANO, R.A. Region 5 (Post 820201). 93/08/16. Region 5 (Post 820201). 2pp. 76236:360-76236:361.

9308260223 Provides comments on NRC Nuclear Review Group rept. Expresses support for both simplifying regulatory process & shifting o risk & performance based regulations where it makes sense to do so.
ORTEIGER, T.W. Illinois, State of. 93/08/06. GILLESPIE, F. NRC - No Detailed Affiliation Given. 4pp. 76214:273-76214:276.

9308270003 Comment opposing issue of Atlas Mineral Tailings Pile near Moab, UT.
DMITRICH, M. Utah, State of. 58FR38796 00010. 93/08/17. MEYER, D.L. Rules & Directives Review Branch (Post 920323). 1p. 76217:010-76217:010.

9308270005 Comment opposing NRC draft decision to approve reclamation plan for Atlas Minerals Corp of Moab, UT.
LEAVITT, M.O. Utah, State of. 58FR38796 00009. 93/08/19. MEYER, D.L. Rules & Directives Review Branch (Post 920323). 1p. 76217:011-76217:011.

9308270193 Informs that CT Dept of Environ Protection, Monitoring & Radiation Div moved to listed address.
MCCARTHY, T.A. Connecticut, State of. 93/08/17. Connecticut, State of. 1p. 76266:351-76266:351.

9308300021 Forwards info on integrity of RVs at plant, per 930414 ltr. SECY-93-048 encl.
ROE, J.W. Division of Reactor Projects - III, IV, V (Post 901216). 93/08/11. SMITH, L.L. Wisconsin, State of. 7pp. 76266:106-76266:119.

9308300245 "NPDES Discharge Monitoring Rept for Jul 1993 for Hope Creek Generating Station." W/930820 ltr.
HOVEY, R.J. Public Service Electric & Gas Co. of New Jersey. 93/07/31. CORPORALE, G. New Jersey, State of. 25pp. 76282:143-76282:168.

9308310032 Confirms 930518 ltr re license change request 93-13 revising TS surveillance requirements for reactor coolant recirculation jet pumps.
TOSCH, K. New Jersey, State of. 93/08/20. Document Control Branch (Document Control Desk). 2pp. 76321:326-76321:327.

9308310285 Responds to 930603 ltr re definition of disturbed zone & groundwater travel time.
YOUNGBLOOD, B.J. Repository Licensing & Quality Assurance Project Directorate (Post 881120). HLWR. 93/08/25. JOHNSON, C.A. Nevada, State of. 6pp. 76304:183-76304:188.

TOPREP VENDOR REPORTS AND RELATED CORRESPONDENCE

9308020155 Forwards nonproprietary & proprietary presentation slides from 930615 meeting between NRC, GE & BNL re NRC review & approval of TRACG code. Proprietary slides withheld, per 10CFR2.790.
KLAPPROTH, J.F. General Electric Co. JFK92-035. 93/07/12. Document Control Branch (Document Control Desk). 27pp. 75990:210-75990:236.

9308020159 Comment on proposed rules 10CFR170 & 171, "FY91 & 92 Proposed Rule Implementing US Court of Appeals Decision & Rev of Fee Schedules; 100% Fee Recovery, FY93." Endorses comments made by NUMARC.
ENGLAND, L.A. BWR Owners Group. 58FR21116 00528. 93/07/21. CHILK, S.J. Office of the Secretary of the Commission. 2pp. 75921:290-75921:291.

9308020175 Application for amend to license NPF-69, changing TS to allow operation at an uprated power of 3467 MWt & proprietary NEDC-31994P, Rev 1 to "Power Uprate Licensing Evaluation For NMPNS, Unit 2." Proprietary rept withheld.
SYLVIA, B.R. Niagara Mohawk Power Corp. NMP2L. 1397. 93/07/22. Document Control Branch (Document Control Desk). 7pp. 75990:237-75990:287.

-9308020201 Proposed TS amending license NPF-69, to allow operation at uprated power of 3467 MWt.
* Niagara Mohawk Power Corp. 93/07/22. 25pp. 75990:263-75990:287.

9308030133 Forwards proprietary & non-proprietary drawings in response to 930610 RAI re Rev 2 to WCAP-13376, "Bypass Test Instrumentation for Vogtle Electric Generating Plant..." w/respect to 930301 LAR. Proprietary drawings withheld.
MCCOY, C.K. Georgia Power Co. LCV-0061. 93/07/26. Document Control Branch (Document Control Desk). 8pp. 76027:154-76027:170.

9308030159 Forwards nonproprietary WCAP-13634 & proprietary WCAP-13633, "AP600 I&C Defense-In-Depth & Diversity Rept." Affidavit for withholding encl. Proprietary rept withheld per 10CFR2.790.
LIPARULO, N.J. Westinghouse Electric Corp. ET-NRC-93-3929. 93/07/26. WILSON, J.N. Document Control Branch (Document Control Desk). 2pp. 75995:135-75995:275.

-9308030162 Requests that proprietary WCAP-13633, "AP600 I&C Defense-In-Depth & Diversity Rept." be withheld, per 10CFR2.790.
LIPARULO, N.J. Westinghouse Electric Corp. AW-93-496. 93/07/26. WILSON, J.N. Document Control Branch (Document Control Desk). 8pp. 75995:137-75995:145.

-9308030165 WCAP-13634 R00 Nonproprietary Rev 0 to WCAP-13634, "AP600 I&C Defense-In-Depth & Diversity Rept."
* Westinghouse Electric Corp. 93/06/30. 122pp. 75995:146-75995:275.

9308030273 Notification of 930715 meeting w/BWROG in Rockville, MD to discuss interim C/A & details of methodology for long term.
RICHINGS, H. Reactor Systems Branch. 93/06/21. JONES, R.C. Reactor Systems Branch. 2pp. 75950:338-75950:339.

9308030351 Responds to 920311 request & informs that rept, "Reload SE Methodology for Plant" will be withheld from public disclosure, per 10CFR2.790.
BLACK, S.C. Project Directorate IV-2. 93/07/12. LIPARULO, N.J. Westinghouse Electric Corp. 6pp. 75952:095-75952:100.

9308030391 Forwards nonproprietary & proprietary topical repts, WCAP-13061-NP-A & WCAP-13060-P-A, "Westinghouse Fuel Assembly Reconstitution Evaluation Methodology," respectively. Proprietary rept withheld, per 10CFR9.5(4).
LIPARULO, N.J. Westinghouse Electric Corp. ET-NRC-93-3928. 93/07/30. JONES, R.C. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 75990:022-75990:160.

-9308030398 Requests that proprietary approved version of topical rept, WCAP-13060-P-A, "Westinghouse Fuel Assembly Reconstitution Evaluation Methodology" be withheld, per 10CFR2.790.
LIPARULO, N.J. Westinghouse Electric Corp. AW-93-495. 93/07/30. MURLEY, T. Office of Nuclear Reactor Regulation, Director (Post 870411). 8pp. 75990:024-75990:031.

-9308030406 WCAP-13061-NP-A Nonproprietary WCAP-13061-NP-A, "Westinghouse Fuel Assembly Reconstitution Evaluation Methodology."
NOVENDSTERN, E. SLAGLE, W.H. Westinghouse Electric Corp. 93/07/31. 129pp. 75990:032-75990:160.

9308030421 Application for amend to License NPF-43, revising TS to extend instrument calibr intervals to 36 months for selected instrumentation, per BWROG Licensing Topical Rept NEDC-32160P, Dec 1992. GE proprietary rept encl. Rept withheld.
GIPSON, D.R. Detroit Edison Co. NRC-93-0061. 93/07/29. Document Control Branch (Document Control Desk). 14pp. 75990:161-75990:192.

9308040086 Forwards two technical repts requested by C-E technical staff during recent meetings w/NRC technical staff members.
MAGRUDER, S.L. Standardization Project Directorate (Post 920517). 93/07/15. BRINKMAN, C.B. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 2pp. 75979:001-75979:069.

9308040142 Forwards SE concluding that CEOG rept CEN-387-P, rev 1, "Pressurizer Surge Line Thermal Stratification Evaluation" adequately demonstrates that bounding surge line & nozzles meet ASME code stress & fatigue requirements.
TRAN, L.N. Project Directorate V. 93/07/16. CONWAY, W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 75978:331-75978:338.

-9308040183 SE of CEN-387-P, Rev 0 & 1, "Pressurizer Surge Line Flow Stratification Evaluation." Rept acceptable.
* Office of Nuclear Reactor Regulation, Director (Post 870411). IEB-88-011. 93/07/16. 4pp. 75978:335-75978:338.

9308040151 Ack receipt of draft EPRI rept, "Application of PRA for Development of MOV Test Program Prescribed by GL 89-10."
BECKJORD, E.S. Office of Nuclear Regulatory Research (Post 860720). GL-89-10. 93/07/16. RAHN, F.J. Electric Power Research Institute. 1p. 75986:330-75986:330.

9308040197 Forwards suppl to proposed TS changes for Unit 2 re SG tube repair using laser welded sleeves per discussion w/NRC.
STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 93-112A. 93/07/28. Document Control Branch (Document Control Desk). 20pp. 76010:085-76010:310.

-9308040215 Requests withholding Proprietary WCAP-13088, Rev 2, "Westinghouse Series 44 & 51 SG Sieving Rept, Laser Welded Sleeves," per 10CFR2.790(b)(4).
LIPARULO, N.J. Westinghouse Electric Corp. CAW-93-431. 93/07/14. MURLEY, T. Office of Nuclear Reactor Regulation, Director (Post 870411). 10pp. 76010:114-76010:123.

220 NONDOCKETED ITEMS

- 9308040217 Requests withholding Proprietary WCAP-13619, Rev. 1, "Specific Application of Laser Welded Sleeves for North Anna Unit 2 SG," per 10CFR2.790(b)(4). LIPARULO, N.J. Westinghouse Electric Corp. CAW-93-490. 93/07/14. MURLEY, T. Office of Nuclear Reactor Regulation, Director (Post 870411). 25pp. 76010:124-76010:147.
- 9308040222 WCAP-13620 R01 Rev. 1 to Non-Proprietary "Specific Application of Laser Welded Sleeves for North Anna Unit 2 SG." * Westinghouse Electric Corp. 93/07/31. 16pp. 76010:149-76010:165.
- 9308040255 WCAP-13089 R02 Rev. 2 to Non-Proprietary "Westinghouse Series 44 & 51 SG Generic Sleeving Rept." * Westinghouse Electric Corp. 93/07/31. 150pp. 76010:166-76010:310.
- 9308050143 Advises that licensee will be submitting topical rept for MONK6B criticality code. IRVINE, N.M. Affiliation Not Assigned. 93/07/27. JONES, R.C. Document Control Branch (Document Control Desk). 1p. 76034:269-76034:269.
- 9308050160 Forwards application for amend to Licenses DPR-42 & DPR-60, incorporating ref to revise methodologies described in WCAP-13677 & NSPNAD-93003 into TS. ANDERSON, R.O. Northern States Power Co. 93/07/29. Document Control Branch (Document Control Desk). 2pp. 76022:235-76022:244.
- 9308050168 Application for amends to licenses DPR-42 & DPR-60, incorporating ref to revised methodologies described in WCAP-13677 & NSPNAD-93003. ANDERSON, R.O. Northern States Power Co. 93/07/29. 6pp. 76022:237-76022:242.
- 9308050183 Proposed revised TS page 6.7-5 incorporating ref to revised methodologies described in WCAP-13677 & NSPNAD-93003. Northern States Power Co. 93/07/29. 2pp. 76022:243-76022:244.
- 9308050282 Forwards response to NRC 930623 RAI re BAW-2148P. "Low Upper-Shell Toughness Fracture Mechanics Analysis of RVs of Zion Units 1 & 2 for Load Level A & B Conditions," dtd 1992. SIMPKIN, T.W. Commonwealth Edison Co. TAC M84422. 93/07/29. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 21pp. 76017:329-76017:349.
- 9308060221 Ack receipt of 930304 ltr re proposal for changes to dynamic simulator ES-604 of rev 7 of NUREG-1021, "Operator Licensing Examiner Standards." LANGE, D. Operator Licensing Branch. 93/05/26. WALSH, P.S. BWR Owners Group. 3pp. 76059:130-76059:132.
- 9308060298 Responds to Staff 930401 RAI, requesting util review instrumentation against criteria of NEDO-31558 to determine if alternative criteria met. OPEKA, J.F. Northeast Nuclear Energy Co. B14556. 93/07/30. Document Control Branch (Document Control Desk). 5pp. 76037:022-76037:026.
- 9308060376 Provides info re qualification of plant neutron monitoring instrumentation. Plant APRMs meet alternate criteria contained in NEDO-31558-A, Section 5.2 w/ listed exceptions. Comparison to criteria in BWROG Rept NEDO-31558-A encl. SALAS, P. Tennessee Valley Authority. TAC M51074. 93/07/30. Document Control Branch (Document Control Desk). 12pp. 76036:272-76036:283.
- 9308090022 Notification of 930709 meeting w/WOG in Rockville, MD to discuss program to address rod control sys concerns. JONES, R.C. Reactor Systems Branch. 93/06/29. THADANI, A.C. Division of Systems Safety & Analysis (Post 921004). 2pp. 76024:143-76024:144.
- 9308090216 Clarifies issues re insps performed, results obtained & conclusions reached re Unit 1 accumulator tanks, per NRC request in connection w/review of 930419 & 28 transmittal re evaluation of indications in Unit 2 accumulator tanks. RUEGER, G.M. Pacific Gas & Electric Co. DCL-93-196. 93/08/02. Document Control Branch (Document Control Desk). 2pp. 76037:323-76037:324.
- 9308100064 Informs that B&WOG will perform UT demonstration, ref in 930415 ltr for NRC at BWNS Old Forest Road facilities in Lynchburg, VA on 930811. Map to BWNS facilities & agenda encl. W/o map. SHEPHERD, M.D. Babcock & Wilcox Operating Plants Owners Group. OG-1252. 93/07/30. HOPKINS, J.B. Project Directorate III-3. 4pp. 76065:339-76065:342.
- 9308100090 Informs that util plans to load four lead fuel assemblies into facility during ninth refueling outage scheduled to begin 930917. Siemens Power Corp proprietary Rept EMF-115(P) encl. Rept withheld (ref 10CFR2.790(b)). HUNGER, G.A. Philadelphia Electric Co. 93/08/03. Document Control Branch (Document Control Desk). 6pp. 76067:310-76067:314.
- 9308100206 Forwards NEDO-32229, "Model 2000 Radioactive Matl Transport Package HFIR Fuel Basket & Liner SAR." CUNNINGHAM, G.E. General Electric Co. 93/08/04. HAUGHNEY, C.J. Transportation Branch (Post 930207). 1p. 76077:001-76077:263.
- 9308100208 NEDO-32229 "Model 2000 Radioactive Matl Transport Package HFIR Fuel Basket & Liner SAR." DURLITSKY, H., CUNNINGHAM, G.E., POMARES, R.J. General Electric Co. 93/07/31. 200pp. 76077:002-76077:263.
- 9308100212 Notification of 930624 meeting w/ABB-CE in Rockville, MD to discuss proposed hardware design mod intended to resolve concerns related to non-condensable gases & their effect on BWR water level instrumentation. THADANI, A.C. Division of Systems Safety & Analysis (Post 921004). 93/06/17. RUSSELL, W.T. Associate Director for Inspection & Technical Assessment (Post 870411). 2pp. 76064:216-76064:217.
- 9308100219 Forwards proof & review ABWR TSs & bases for listed sections. CRUTCHFIELD, D. Associate Director for Advanced Reactors & License Renewal (Post 910918). 93/07/15. MARRIOTT, P.W. General Electric Co. 99pp. 76038:215-76038:313.
- 9308100227 Forwards analysis of cracking indications found in Unit 1 core spray sparger piping, in response to NRC Bulletin 80-13. Concludes that Unit 1 core spray piping acceptable in as-found condition for next operating cycle. HINNANT, C.S. Carolina Power & Light Co. IEB-80-13. 93/07/26. EBNETER, S.D. Region 2 (Post 820201). 3pp. 76066:226-76066:299.
- 9308100234 GE-NE-523-97-0793 "Core Spray Crack Analysis for BSEP, Unit 1." STEVENS, G.L., FUJIKAWA, K.K., RANGANATH, S. General Electric Co. 93/07/31. 71pp. 76066:229-76066:299.
- 9308110223 Submits daily highlights re 930810 meeting w/ABB-CE in Rockville, MD re AAB-CE Nuplex 80+ standards, guidelines & bases document. MAGRUDER, S.L. Standardization Project Directorate (Post 920517). 93/08/06. MURLEY, T., MIRAGLIA, F., RUSSELL, W. NRC - No Detailed Affiliation Given. 4pp. 76065:182-76065:185.
- 9308110282 Forwards nonproprietary & proprietary presentation matl from 930610 meeting w/NRC on fuel performance. Affidavit for withholding encl. Proprietary matl withheld, per 10CFR9.5(4). LIPARULO, N.J. Westinghouse Electric Corp. 93/08/03. JONES, R.C. Reactor Systems Branch. 2pp. 76090:246-76090:304.
- 9308110288 Requests that proprietary presentation matl from 930610 meeting w/NRC on fuel performance be withheld, per 10CFR2.790. LIPARULO, N.J. Westinghouse Electric Corp. AW-93-502. 93/08/03. MURLEY, T. Office of Nuclear Reactor Regulation, Director (Post 870411). 57pp. 76090:248-76090:304.
- 9308120027 Requests response to encl request for addl info re areas of containment sys, testing & severe accident mitigation, within 90 days of ltr receipt. KENYON, T.J. Standardization Project Directorate (Post 920517). 93/07/01. LIPARULO, N.J. Westinghouse Electric Corp. 11pp. 76087:187-76087:185.
- 9308120030 Requests exemption from 10CFR170 for WOG Rept WCAP-13247, "Rept on Methodology for Resolution of SG Tube Recovery Issue." WALSH, L.A. Westinghouse Operating Plants Owners Group. OG-93-56. 93/08/05. DANDOIS, D.B. License Fee & Debt Collection Branch (Post 890827). 2pp. 76087:328-76087:329.
- 9308120036 Requests response to encl request for addl info re human factors within 90 days of ltr receipt, in order to complete review of June 1992 application for design certification of AP600. KENYON, T.J. Standardization Project Directorate (Post 920517). 93/07/08. LIPARULO, N.J. Westinghouse Electric Corp. 5pp. 76087:186-76087:190.
- 9308120071 Informs that NUMARC & WOG will provide complete response to Richardson 930701 RAI re WOG bounding upper shell energy evaluation by 930820. RAISIN, W.H. Nuclear Management & Resources Council (NUMARC) (formerly Nuclear Utility Manager). 93/07/28. WIGGINS, J.T. Division of Engineering (Post 921004). 1p. 76094:351-76094:351.
- 9308120228 Forwards SER accepting topical rept BAW-10184P for ref in licensing applications. Staff proposes that CRGR review be waived in accordance w/suggested revised procedures in EL Jordan 890929 memo to TE Murley. THADANI, A.C. Division of Systems Safety & Analysis (Post 921004). TAC M83405. 93/06/24. RUSSELL, W.T. Associate Director for Inspection & Technical Assessment (Post 870411). 2pp. 76075:185-76075:211.
- 9308120233 Informs that topical rept BAW-10184P, "GDTACO Urania Gadolinia Fuel Pin Thermal Analysis Code," has been reviewed & found acceptable for ref in license applications. THADANI, A.C. Division of Systems Safety & Analysis (Post 921004). TAC M83405. 93/06/24. TAYLOR, J.H. Babcock & Wilcox Co. 11pp. 76075:187-76075:187.
- 9308120239 SER accepting topical rept BAW-10184P, "GDTACO - Urania Gadolinia Fuel Pin Thermal Analysis Code," for ref in license applications. * Office of Nuclear Reactor Regulation, Director (Post 870411). 93/06/24. 4pp. 76075:188-76075:191.
- 9308300306 Final "TER Evaluation Rept of Topical Rept BAW-10184P, Entitled "GDTACO-Urania-Gadolinia Fuel Pin Thermal Analysis Code," under FIN I-2009, Task 93-08. LANNING, D.D. Battelle Memorial Institute, Pacific Northwest Laboratory. FIN I-2009. 93/06/30. Reactor Systems Branch. 20pp. 76075:192-76075:211.
- 9308120236 Summary of 930618 public meeting w/Valve Technical Resolution Group of BWR Owners Group re MOV issues. List of attendees, meeting agenda & presentation handout encl. SULLIVAN, E.J. Mechanical Engineering Branch. 93/06/22. NORBERG, J.A. Mechanical Engineering Branch. 23pp. 76092:319-76092:344.
- 9308120285 Notification of 930630 meeting w/NUMARC in Rockville, MD to discuss industry proposal to use simulator scenario templates developed by BWR owners group. RING, M.A. Operator Licensing Branch. 93/06/23. BOGER, B.A. Division of Reactor Controls & Human Factors (Post 921004). 2pp. 76083:359-76083:360.
- 9308120320 Notification of 930630 meeting w/BWR owners group in Rockville, MD to update status of BWR owners group on-going program activities re insp & repair of reactor vessel internals, exam of RPV welds & NDE demonstration program. STROSNIDER, J.R. Materials & Chemical Engineering Branch. 93/06/24. RICHARDSON, J.E. Division of Engineering (Post 921004). 2pp. 76075:215-76075:216.
- 9308130047 Informs that Westinghouse rept OPDP-NA-8301-P, "Omaha Public District Nuclear Analysis Reload Core Analysis Methodology Overview" will be withheld from public disclosure, per 10CFR2.790. BLOOM, S. Project Directorate IV-1. TAC M85843. 93/07/26. PATTERSON, T.L. Omaha Public Power District. 5pp. 76094:142-76094:146.
- 9308130124 Recommends that ATOG SER issues be promptly closed out w/final closure on SG tube rupture issue following completion of confirmatory investigation. TAYLOR, J.H. Babcock & Wilcox Operating Plants Owners Group. JHT/93-173. 93/07/20. JONES, R.C. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 76094:282-76094:282.
- 9308160104 Forwards info on P-T limits from discussion at April OG meeting re pressure temp limit rept in administrative controls section of STS. GRIMES, C.I. Technical Specifications Branch. 93/05/18. BUSH, L. Westinghouse Operating Plants Owners Group. 2pp. 76102:352-76102:356.
- 9308160170 Requests comments & concurrence on ltr to owners groups re proposed description of pressure temp limit rept to be included in administrative section of STS. GRIMES, C.I. Technical Specifications Branch. 93/05/18. STROSNIDER, J.R. Materials & Chemical Engineering Branch. 3pp. 76102:354-76102:356.

- 9308160185** Summary of 930517 meeting w/BWR Owner Group re BWROG main steam isolation valve & leakage control sys.W/attendance list. TROTTER,E.H. Project Directorate I-3. 93/06/01. Project Directorate I-3. 5pp. 76133:324-76133:328.
- 9308160193** Notification of 930608 meeting w/Westinghouse Owners Group in Rockville,MD to discuss Post-LOCA Rectricality. JONES,R.C. Reactor Systems Branch. 93/06/01. THADANI,A.C. Division of Systems Safety & Analysis (Post 921004). 2pp. 76133:329-76133:330.
- 9308160199** Informs that WCAP-13692, "Responses to NRC Questions on NRC Analytical Model for SLB Leakage of ODSOC at TSPs" will be withheld from public disclosure,per 930419 request. REED,T.A. Project Directorate II-1. 93/06/01. LIPARULO,N.J. Westinghouse Electric Corp. 3pp. 76133:331-76133:333.
- 9308160310** Notification of revised schedule of 930601 meeting w/ Westinghouse in Rockville,MD to discuss WCAP-10541,Rev 2, "RCP Seal Performance Following Loss of All AC Power." Meeting date changed to 930607 instead of 930601. JONES,R.C. Reactor Systems Branch. 93/04/26. THADANI,A.C. Division of Systems Safety & Analysis (Post 921004). 2pp. 76133:357-76133:358.
- 9308170034** Forwards nonproprietary WCAP-13720, "Analysis of Capsule From...Unit 1 RV Radiation Surveillance Program" & nonproprietary WCAP-13763, "Evaluation of PTS for Catawba Unit 1." REHN,D.L. Duke Power Co. 93/08/12. Document Control Branch (Document Control Desk). 1p. 76150:086-76150:260.
- 9308170039** WCAP-13763 Nonproprietary "Evaluation of PTS for Catawba Unit 1." PETER,P.A., MEYER,T.A. Westinghouse Electric Corp. 93/08/31. 17pp. 76150:087-76150:104.
- 9308170038** WCAP-13720 Nonproprietary "Analysis of Capsule From Duke Power Co Catawba Unit 1 RV Radiation Surveillance Program." CHICOTS,J.M., ANDERSON,S.L., MYER,T.A. Westinghouse Electric Corp. 93/06/30. 160pp. 76150:105-76150:260.
- 9308170198** Informs that licensee 930308 submittal of Westinghouse Topical Rept WCAP-11627 re upflow conversion mod to plant reactor internals,acceptable. TAM,P.S. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). TAC M85802. 93/07/28. MEDFORD,M.O. Tennessee Valley Authority. 3pp. 76125:350-76125:352.
- 9308170271** Informs that licensee 930618 submittals of summary repts WCAP-12813-R3 & WCAP-13615-R2 will be withheld from public disclosure,per 10CFR2.790. PETERSON,S.R. Project Directorate V. 93/07/27. LIPARULO,N.J. Westinghouse Electric Corp. 4pp. 76140:015-76140:018.
- 9308170408** Informs that BAW-2178P, "Low Upper-Sheff Toughness Fracture Mechanics Analysis Of RV of BWROG For Level C & D Svc Loads," will be withheld from public disclosure per 10CFR2.790(b)(5),as requested. MACDONALD,D.G. Project Directorate I-1. GL-92-01. 93/05/21. TAYLOR,J.H. Babcock & Wilcox Co. 4pp. 76140:023-76140:026.
- 9308170418** Requests addl info re rept entitled BAW-10184p, "GDTACO - Urania Gado-linia Fuel Pin Thermal Analysis Code," for continuation of review. JONES,R.C. Office of Nuclear Reactor Regulation, Director (Post 870411). 93/05/17. TAYLOR,J.H. Babcock & Wilcox Co. 4pp. 76140:027-76140:030.
- 9308180114** Notification of 930812 meeting w/ABB-CE in Rockville,MD to discuss ABB-CE hydrogen mitigation sys & provide guidance on approach to resolve hydrogen requirements under 10CFR50.34(f). FRANOVIH,M.X. Standardization Project Directorate (Post 920517). 93/08/11. MURLEY,T., MIRAGLIA,F., RUSSELL,W. NRC - No Detailed Affiliation Given. 3pp. 76143:039-76143:041.
- 9308180179** Forwards nonproprietary & proprietary addl info re WCAP-13811 & WCAP-13707, "BVPS Unit 1 30% SG Tube Plugging Analysis Program Engineering & Licensing Rept." Affidavit for withholding encl. Proprietary rept withheld. SIEBER,J.D. Duquesne Light Co. 93/08/11. Document Control Branch (Document Control Desk). 4pp. 76154:001-76154:225.
- 9308180183** Request that proprietary WCAP-13707, "BVPS Unit 1 30% SG Tube Plugging Analysis Program Engineering & Licensing Rept." be withheld. LIPARULO,N.J. Westinghouse Electric Corp. CAW-93-505. 93/08/12. MURLEY,T. Office of Nuclear Reactor Regulation, Director (Post 870411). 6pp. 76154:005-76154:010.
- 9308180185** WCAP-13811 Nonproprietary WCAP-13811, "BVPS Unit 1 30% SG Tube Plugging Analysis Program Engineering & Licensing Rept." GERLOWSKI,T.J. Westinghouse Electric Corp. 93/08/31. 214pp. 76154:011-76154:224.
- 9308180206** Submits listed estimates collected from number of BWROG member utils,in response to 930511 request for TS improvement program cost. ENGLAND,L.A. BWR Owners Group. BWROG-93098. 93/08/02. PARTLOW,J.G. Associate Director for Projects (Post 870411). 4pp. 76155:342-76155:345.
- 9308180208** Requests that NRC aggressively pursue means to make readily available all accepted changes to NUREG-1431, "Standardized TS,Westinghouse Plants," in fashion accessible by all licensees. BUSH,L. Westinghouse Operating Plants Owners Group. OG-92-47. 93/07/21. GRIMES,C.I. Technical Specifications Branch. 2pp. 76165:288-76165:289.
- 9308180215** Application for amends to licenses NPF-37,NPF-66,NPF-72 & NPF-77, revising TS 3/4.4.5,Table 4.4-1 & Table 4.4-2, to provide SG SRs for sample selection,insp,insp frequency, acceptance criteria & required repts to NRC. BAUER,J.A. Commonwealth Edison Co. 93/08/13. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 10pp. 76155:001-76155:264.
- 9308180234** Requests that proprietary Rev 1 to WCAP-13698, "Laser Welded Sleeves For 3/4 Inch Diameter Tube Feeding-Type & Westinghouse Preheater SGs," be withheld,per 10CFR2.790. LIPARULO,N.J. Westinghouse Electric Corp. CAW-93-480. 93/05/27. MURLEY,T. Document Control Branch (Document Control Desk). 11pp. 76155:061-76155:071.
- 9308180237** WCAP-13699 R01 Nonproprietary Rev 1 to WCAP-13699, "Laser Welded Sleeves For 3/4 Inch Diameter Tube Feeding Type & Westinghouse Preheater SGs." * Westinghouse Electric Corp. 93/05/31. 193pp. 76155:072-76155:264.
- 9308180251** Forwards proprietary Rev 2 to Topical Rept CEN-405-P, "Application of RV Surveillance Data for Embrittlement Mgt," including responses to 920129 RAI & three & half inch data diskette.Encls withheld (ref 10CFR2.790). BURSKI,R.F. C-E Operating Plants Owners Group. CEOG-93-252. 93/08/06. Document Control Branch (Document Control Desk). 8pp. 76170:219-76170:226.
- 9308190024** Discusses staff review of TR, "GE-Nuclear Energy Rept MF086-89," submitted by ltr of 891115.Accepts application of fuel channel box bow assessment for use for BWR fuels under limitations delineated in SER,SER encl. THADANI,A.C. Division of Systems Technology (890827-921003). 91/01/11. CHARNLEY,J.S. General Electric Co. 2pp. 76151:212-76151:224.
- 9308190028** Topical rept evaluation accepting proposed methodology for fuel channel bowing analyses & for referencing in reload licensing applications w/listed conditions. * Office of Nuclear Reactor Regulation, Director (Post 870411). 91/01/11. 11pp. 76151:214-76151:224.
- 9308190050** Notification of 930721 meeting w/WOG in Rockville,MD to discuss credit for Boron in spent fuel pools. KOPP,L. Reactor Systems Branch. 93/07/07. JONES,R.C. Reactor Systems Branch. 2pp. 76151:331-76151:332.
- 9308190077** Informs that 930505 submittal of WCAP-13568, "Technical Justification for Eliminating Large Primary Loop Pipe Rupture as Structural Design Basis," will be withheld from public disclosure,per 10CFR2.790. STONE,J.C. Project Directorate I-2. TAC M85799. 93/07/28. LIPARULO,N.J. Westinghouse Electric Corp. 4pp. 76153:132-76153:135.
- 9308190191** Advises that topical rept WCAP-13695, "Steam Generator Tube Alternate Plugging Criteria Steam Line Break Leakage Presentation" will be withheld (ref 10CFR2.790),per 930414 request. REED,T.A. Project Directorate I-2. 93/06/01. LIPARULO,N.J. Westinghouse Electric Corp. 3pp. 76155:353-76155:355.
- 9308190292** Forwards comments on draft generic communication re BWR stability & long term solutions for thermal hydraulic instabilities. NAUGHTON,W.F. Commonwealth Edison Co. 93/08/13. Rules & Directives Review Branch (Post 920323). 3pp. 76160:291-76160:293.
- 9308190309** Forwards SE accepting licensee 890308,910301 & 911217 responses to NRC Bulletin 88-011, "Pressurizer Surge Line Thermal Stratification Evaluation." Utis should verify applicability of bounding analysis in CEN-387-P,Rev 1. FIELDS,M.B. Project Directorate V. TAC M72164. 93/08/02. RAY,H.B. Southern California Edison Co. GUILLES,E.A. San Diego Gas & Electric Co. 3pp. 76156:298-76156:305.
- 9308190314** Safety evaluation accepting licensee 890308,910301 & 911217 responses to NRC Bulletin 88-011 re C-E Owners Group program for evaluation of pressurizer surge line thermal stratification. * Office of Nuclear Reactor Regulation, Director (Post 870411). IEB-88-011. 93/08/02. 5pp. 76156:302-76156:305.
- 9308190348** Advises that color contour plots labeled "DEPOSIT PARAMETER" in encl to 102-02540-TRB/JRP dtd 930618 will be withheld (ref 10CFR2.790),per Combustion Engineering,Inc 930617 request. TRAMMELL,C.M. Project Directorate V. 93/08/02. CONWAY,W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 5pp. 76156:303-76156:327.
- 9308200008** Forwards supplemental SE of topical rept HGN-112-NP, "Generic Hydrogen Control Info for BWR/6 Mark III Containments." OCONNOR,P.W. Project Directorate IV-2. TAC M77024. 93/08/05. HUTCHINSON,C.R. Entergy Operations, Inc. 3pp. 76162:344-76162:350.
- 9308200013** Supplemental SE for topical rept HGN-112-NP, "Generic Hydrogen Control Info for BWR/6 Mark III Containments." Hydrogen Control Owners Group change requests consistent & compatible w/10CFR50.44 & acceptable. * Office of Nuclear Reactor Regulation, Director (Post 870411). 93/06/26. 4pp. 76162:347-76162:350.
- 9308200017** Forwards safety evaluation accepting for ref topical WCAP rept,addendum 1.CRRG review unnecessary. THADANI,A.C. Division of Systems Safety & Analysis (Post 921004). 93/06/29. RUSSELL,W.T. Associate Director for Inspection & Technical Assessment (Post 870411). 2pp. 76164:258-76164:263.
- 9308200023** Advises that topical WCAP rept,addendum 1, "Spacer Grid Heat Transfer Effects During Reflood" accepted for ref in license applications to extent specified in rept. THADANI,A.C. Division of Systems Safety & Analysis (Post 921004). TAC M85295. 93/06/29. LIPARULO,N.J. Westinghouse Electric Corp. 1p. 76164:260-76164:260.
- 9308200027** Safety evaluation of WCAP rept, "Spacer Grid Heat Transfer Effects During Reflood." Rept finds that Westinghouse has adequately re-validated spacer grid heat transfer model which had been corrected to eliminate programming error. * Office of Nuclear Reactor Regulation, Director (Post 870411). 93/06/29. 3pp. 76164:261-76164:263.
- 9308200030** Cancels 930715 meeting w/C-E in Rockville,MD. WERMIEL,J.S. Instrumentation & Controls Branch. 93/07/07. BOGER,B.A. Division of Reactor Controls & Human Factors (Post 921004). 1p. 76209:297-76209:297.
- 9308200037** Forwards SE accepting topical rept CENPD-382-P for ref in licensing applications.CRRG review should be waived. THADANI,A.C. Division of Systems Safety & Analysis (Post 921004). TAC M79067. 93/06/29. RUSSELL,W.T. Associate Director for Inspection & Technical Assessment (Post 870411). 1p. 76199:303-76199:328.
- 9308200054** Advises that topical rept CENPD-382-P provides acceptable basis for analysis of core designs containing urania-erbia burnable absorbers. THADANI,A.C. Division of Systems Safety & Analysis (Post 921004). TAC M79067. 93/06/29. TOELLE,S.A. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 1p. 76199:304-76199:304.

222 NONDOCKETED ITEMS

- 9308200060 Safety evaluation of CENPD-382-P, "Methodology for Core Designs Containing Erbium Burnable Absorbers." Rept acceptable for reload licensing applications of both CE CE 14x14 & 16x16 PWR lattice type core designs.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 93/06/29. 6pp. 76199:305-76199:310.
- 9306300289 Final "TER of Topical Rept CENPD-382-P, 'C-E Methodology For Core Designs Containing Erbium Burnable Absorber, Part 1: Matis Properties & Behavior,'" under FIN I-2009, Task 92-06.
LANNING, D.D. Battelle Memorial Institute, Pacific Northwest Laboratory. FIN I-2009. 93/03/31. Reactor Systems Branch. 17pp. 76199:311-76199:328.
- 9308200055 Forwards results of review of plant neutron monitoring instrumentation against criteria of NEDO-31558, "Position on NRC RG 1.97, Rev 3 Requirements for Post-Accident Neutron Monitoring Sys."
BECKHAM, J.T. Georgia Power Co. HL-3425. 93/08/13. Document Control Branch (Document Control Desk). 8pp. 76209:323-76209:330.
- 9308200085 Forwards supplemental SE for topical rept HGN-112-NP, "Generic Hydrogen Control Info for BWR/6 Mark III Containments."
STRANSKY, R.J. Project Directorate III-3. TAC M60340. 93/08/04. STRATMAN, R.A. Centenor Service Co. 4pp. 76164:274-76164:280.
- 9308200087 Supplemental SE for topical rept HGN-112-NP, "Generic Hydrogen Control Info for BWR/6 Mark III Containments." Hydrogen Control Owners Group change requests consistent w/ 10CFR50.44 & acceptable.
* Office of Nuclear Reactor Regulation, Director (Post 870411). TAC M60340. 93/08/04. 3pp. 76164:278-76164:280.
- 9308200168 Forwards proprietary Vol 1 of EMF-CC-074(P), "STAIF Computer Program for BWR Stability Analysis in Frequency Domain." Rept withheld (ref 10CFR2.790(b)).
COPELAND, R.A. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. RAC:93:123. 93/08/05. Office of Nuclear Reactor Regulation, Director (Post 870411). 4pp. 76169:358-76169:361.
- 9308230078 Summary of 930721 meeting w/BWROG in Rockville, MD to discuss safety implications of allowing credit for dissolved boron in spent fuel pool water under normal conditions. List of attendees encl.
KOPP, L.I. Reactor Systems Branch. 93/07/22. JONES, R.C. Reactor Systems Branch. 16pp. 76183:094-76183:109.
- 9308230113 Forwards Rev 64 to Topical Rept CE-1-A, "Comm Ed QA Manual."
BAUER, J.A. Commonwealth Edison Co. 93/08/20. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 76179:001-76179:190.
- 9308230114 Rev 64 to Topical Rept CE-1-A, "Comm Ed QA Manual."
* Commonwealth Edison Co. 93/08/17. 189pp. 76179:002-76179:190.
- 9308230214 Concludes that post-accident neutron flux monitoring instrumentation meets criteria in NEDO-31558 & is therefore acceptable alternative to guidance in reg guide 1.97, Rev 3.
DEMBEK, S. Project Directorate I-2. TAC M77893. 93/08/04. MILTENBERGER, S. Public Service Electric & Gas Co. of New Jersey. 3pp. 76183:073-76183:075.
- 9308230271 Notification of 930716 meeting w/BWROG & ORNL in Rockville, MD to discuss solution 1-D analyses.
RICHINGS, H. Reactor Systems Branch. 93/06/21. JONES, R.C. Reactor Systems Branch. 2pp. 76178:281-76178:282.
- 9308240063 Forwards supplemental SE for Topical rept, "Generic Hydrogen Control Info for BWR/6 Mark III Containments (HGN-112-NP)." NRC agrees w/proposed changes to 900806 SER.
THADANI, A.C. Division of Systems Safety & Analysis (Post 921004). TAC M60340. 93/06/26. LANGLEY, J.R. Hydrogen Control Owners Group. LANGLEY, J.R. Illinois Power Co. 4pp. 76200:357-76200:360.
- 9308240086 Informs that BWR Owners Group revised position from that stated to Commission on 930601 on actions to be taken on reactor water level instrumentation during 930602 meeting.
TAYLOR, J.M. Ofc of the Executive Director for Operations. 93/06/03. THE CHAIRMAN, SELIN, J., ROGERS Commissioners (Post 750119). 2pp. 76210:359-76210:360.
- 9308240088 Forwards supplemental safety evaluation for topical rept HGN-112-NP, "Generic Hydrogen Control Info for BWR/6 Mark III Containments."
BAKER, E.T. Project Directorate IV-2. 93/08/05. GRAHAM, P.D. Gulf States Utilities Co. 2pp. 76183:130-76183:134.
- 9308240093 Supplemental safety evaluation for topical rept HGN-112-NP, "Generic Hydrogen Control Info for BWR/6 Mark III Containments." Change requests consistent & compatible w/ 10CFR50.44 & acceptable.
* Office of Nuclear Reactor Regulation, Director (Post 870411). TAC M860341. 93/08/05. 3pp. 76183:132-76183:134.
- 9308240202 Submits daily highlight re 930812 meeting w/ABB-CE in Rockville, MD to review staff comments re ABB-CE Nuplex 80+ stds.
MAGRUDER, S.L. Standardization Project Directorate (Post 920517). 93/08/05. MURLEY, T., MIRGALIA, F., RUSSELL, W. Office of Nuclear Reactor Regulation, Director (Post 870411). 4pp. 76210:292-76210:295.
- 9308240334 Forwards request for addl info re B&WOG 930505 submittal of rept entitled, "Integrated Plant Assessment Component Screening methodology." Response requested by 930903.
HILTZ, T.G. License Renewal & Environmental Review Project Directorate (Post 921004). 93/07/23. MCCONNELL, T.L. Babcock & Wilcox Co. 6pp. 76209:352-76209:357.
- 9308250006 Forwards proprietary rept CEN-421(V)-P, "Impact of Improved Inlet Flow Distribution on Typical CPC Overall Uncertainty Factor," in response to NRC request re util 930330 submittal of suppl 1 to encl 1-P to LD-92-054. Rept withheld.
CONWAY, W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 102-02576-WFC/T. 93/07/19. Document Control Branch (Document Control Desk). 9pp. 76248:350-76248:358.
- 9308250147 Summary of 930707 mtg w/NUMARC & BWROG re accident mgt. List of attendees & viewgraphs encl.
PALLA, R. Probabilistic Safety Assessment Branch. 93/08/12. THADANI, A.C. Division of Systems Safety & Analysis (Post 921004). 22pp. 76201:222-76201:242.
- 9308250223 Forwards nonproprietary & proprietary versions of rept entitled, "Phase 3 Passive Containment Cooling Sys Distribution Test." Proprietary version withheld, per 10CFR2.790.
LIPARULO, N.J. Westinghouse Electric Corp. ET-NRC-93-3952. 93/08/19. BORCHARDT, R.W. Document Control Branch (Document Control Desk). 2pp. 76219:080-76219:084.
- 9308250227 Requests that proprietary rept WCAP-13816, "Phase 3 Passive Containment Cooling Sys Water Distribution Test" be withheld per 10CFR2.790.
LIPARULO, N.J. Westinghouse Electric Corp. AW-93-512. 93/08/19. BORCHARDT, R.W. Document Control Branch (Document Control Desk). 9pp. 76219:080-76219:088.
- 9308250230 WCAP-13817 Nonproprietary "Phase 3 Passive Containment Cooling Sys Water Distribution Test."
* Westinghouse Electric Corp. 93/08/19. 7pp. 76219:089-76219:094.
- 9308250341 Forwards SSER re topical rept HGN-112-NP, "Generic Hydrogen Control Info for BWR/6 Mark III Containment Hydrogen Control."
PICKETT, D.V. Project Directorate III-2. TAC M81719. 93/08/06. PHARES, R.F. Illinois Power Co. 3pp. 76203:247-76203:252.
- 9308250351 SSER re topical rept HGN-112-NP, "Generic Hydrogen Control Info for BWR/6 Mark III Containment Hydrogen Control."
* Office of Nuclear Reactor Regulation, Director (Post 870411). TAC M86340. 93/08/06. 3pp. 76203:250-76203:252.
- 9308250420 Forwards proprietary TR DPC-NE-3003-P, "Mass & Energy Release & Containment Response Methodology." Objective of rept is to describe new methods used to reanalyze FSAR containment response to LOCAs & SLBs. Rept withheld.
TUCKMAN, M.S. Duke Power Co. 93/08/11. Document Control Branch (Document Control Desk). 6pp. 76219:095-76219:100.
- 9308250466 Requests FR publication of encl notice of 930812 public meeting w/ NUMARC & WOG to discuss WOG plans for updating fluence values for WOG-member surveillance capsules.
SHAO, L.C. Division of Engineering (Post 870413). 93/08/06. LESAR, M. Division of Regulatory Applications (860720-870413). 4pp. 76203:209-76203:212.
- 9308260134 Forwards documents needed to respond to request for proposal on upcoming task order under FIN J-2018. W/o encl.
JENKINS, R. Electrical Engineering Branch. FIN J-2018. 93/06/08. NOWLEN, S.P. Sandia National Laboratories. 1p. 76215:245-76215:245.
- 9308260145 Summary of 930709 meeting w/WOG & various utilities re WOG program plan to address GL 93-04, "Rod Control Sys Failure & Withdrawal of Rod Control Cluster Assemblies."
ALEXION, T.W. Project Directorate IV-1. GL-93-04. 93/08/02. Project Directorate IV-1. 32pp. 76219:318-76219:349.
- 9308260168 Ack receipt of 930523 ltr re safety of nuclear power plants w/pressure suppression containments design by GE.
THADANI, A.C. Division of Systems Safety & Analysis (Post 921004). 93/08/06. MOWER, C.A. Affiliation Not Assigned. 3pp. 76265:337-76265:339.
- 9308260199 Notification of 930614 meeting w/WOG in Bethesda, MD to discuss safety implications of Salem Rod Control & Indication Sys malfunction.
CHATTERTON, T.E. Reactor Systems Branch. 93/06/10. MURLEY, T., MIRAGLIA, F., RUSSELL, W. NRC - No Detailed Affiliation Given. 2pp. 76215:274-76215:275.
- 9308260277 Notification of 930615 meeting w/Westinghouse in Rockville, MD to discuss WCAP-10924-P-R-2, V-2, Add 3 re 2-LOOP UPI.
ORR, F.R. Office of Nuclear Reactor Regulation, Director (Post 870411). 93/06/08. JONES, R.C. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 76217:225-76217:226.
- 9308260363 Discusses 930721 meeting allowing WOG to present proposed program to credit soluble boron in spent fuel pool.
BUSH, L. Westinghouse Operating Plants Owners Group. OG-93-61. 93/08/23. JONES, R.C. Reactor Systems Branch. 4pp. 76247:336-76247:338.
- 9308270040 Draft rept, "BWR Low Power & Shutdown Accident Sequence Frequencies Project Phase 2 - Detailed Analysis of POS5. Vol 1: Part 1 - Internal Events Excluding Fire & Flood."
WHITEHEAD, D. Sandia National Laboratories. DARBY, J. Science & Engineering Associates, Inc. YAKLE, J. Science Applications International Corp. (formerly Science Applications, Inc.). 93/06/30. 2,800pp. 76238:001-76247:224.
- 9308270199 Informs that NRC completed preliminary assessment of WOG WCAP 13587, "Reactor Vessel Upper Shelf Energy Bounding Evaluation for Westinghouse PWRs," submitted in NUMARC 930316 ltr. Encl addl info re rept requested within 30 days.
RICHARDSON, J.E. Division of Engineering (Post 921004). GL-92-01. 93/07/01. RASIN, W.H. Nuclear Management & Resources Council (NUMARC) (formerly Nuclear Utility Manage. 3pp. 76220:153-76220:154.
- 9308270242 Requests that encl listed documents be forwarded to PDR, including Rater Orientation Guidebook, "Team Interactions Skills Study."
LEWIS, P. Human Factors Branch. 93/08/16. Document Control Branch (Document Control Desk). 71pp. 76248:277-76248:347.
- 9308270260 Informs that request for withholding of BWR owners group ref leg de-gas test program from public disclosure, granted.
CLIFFORD, J.W. Project Directorate V. 93/07/07. RYTKONEN, B.B. Electric Power Research Institute. 6pp. 76248:220-76248:225.
- 9308270277 Summary of 930511-12 mtg w/B&W in Rockville, MD re mitigation of steam generator tube ruptures in B&W nuclear steam supply systems & emergency procedures guidelines.
LYON, W.C. Reactor Systems Branch. TAC M54946. 93/07/01. JONES, R.C. Reactor Systems Branch. 13pp. 76248:226-76248:238.

9308300056 Forwards lists & table 5.7.2.13 re proposed administrative control for SG tube surveillance program,also intended to be implemented by lead plants during conversion to improved STS.
RUSSELL,W.T. Associate Director for Inspection & Technical Assessment (Post 870411). 93/06/25. BUSH,L. Westinghouse Operating Plants Owners Group. 8pp. 76266:140-76266:147.

9308300112 Summary of 930520 meeting w/Owners Group re status of activities to implement improved STS & related matters.List of attendees & meeting agenda encl. GRIMES,C.I. Technical Specifications Branch. 93/06/25. GRIMES,B.K. Division of Operating Reactor Support (Post 921004). 18pp. 76274:058-76274:075.

9308300159 Forwards proprietary Rev 1 to NEDC-32016P-1, "Power Uprate Safety Analysis for JA FitzPatrick Nuclear Power Plant," per 920605 proposed changes to TS re power uprate.Safety analysis withheld,per 10CFR2.790.
BEEDLE,R.E. Power Authority of the State of New York (New York Power Authority). JPN-93-060. 93/08/18. Document Control Branch (Document Control Desk). 8pp. 76337:326-76337:333.

9308300334 Forwards revised fuel clad fretting wear criteria contained in WCAP-12488,per discussions w/NRC & PNL on 930820.Design evaluation amended to include alternate,flow induced vibration testing of single fuel assembly.Encl withheld.
LIPARULO,N.J. Westinghouse Electric Corp. ET-NRC-93-3593. 93/08/25. JONES,R.C. Reactor Systems Branch. 1p. 76278:356-76278:357.

9308300338 Requests that page 16 of WCAP-12488,reflecting revised fuel clad fretting wear criteria be withheld,per 10CFR9.5(4).
LIPARULO,N.J. Westinghouse Electric Corp. AW-93-513. 93/08/25. JONES,R.C. Reactor Systems Branch. 1p. 76278:357-76278:357.

9308310094 Notification of 930825 meeting w/Westinghouse Owners Group in Rockville,MD to discuss proprietary rept WCAP-13803, "Generic Assessment of Asymmetric Rod Cluster Control Assembly Withdrawal," in response to GL 93-04.
ALEXION,T.W. Project Directorate (V-1). GL-93-04. 93/08/24. MURLEY,T. MIRAGLIA,F., RUSSELL,W. NRC - No Detailed Affiliation Given. 4pp. 76274:200-76274:203.

9308310172 Forwards Rev 0 of "Maine Yankee Cycle 14 COLR" & YAEC-1864, "Maine Yankee Cycle 14 Core Performance Analysis."
HEBERT,J.R. Maine Yankee Atomic Power Co. MN-93-79. 93/08/25. Document Control Branch (Document Control Desk). 1p. 76300:150-76300:332.

9308310184 YAEC-1864 "Maine Yankee Cycle 14 Core Performance Analysis."
ROUSSEAU,K.R., SCOTT,M.W., BERGERON,P.A. Yankee Atomic Electric Co. 93/04/30. 152pp. 76300:180-76300:332.

9308310208 Forwards TS Change Request 232 to License DPR-50 to accommodate limited fuel reconstitution based on NRC-approved generic B&W Topical Rept BAW-2149,per GL 90-02,Suppl 1.
BROUGHTON,T.G. General Public Utilities Corp. - GPU Service Corp. C311-93-2119. 93/08/26. Document Control Branch (Document Control Desk). 2pp. 76289:252-76289:261.

9308310209 TS Change Request 232 to License DPR-50,revising TS to accommodate limited fuel reconstitution based on NRC-approved generic B&W Topical Rept BAW-2149,per GL 90-02,Suppl 1.
BROUGHTON,T.G. General Public Utilities Corp. - GPU Service Corp. GL-90-02. 93/08/26. 5pp. 76289:254-76289:258.

9308310210 Proposed tech specs to accommodate limited fuel reconstitution based on NRC-approved generic B&W Topical Rept BAW-2149.
* General Public Utilities Corp. - GPU Service Corp. 93/08/26. 3pp. 76289:259-76289:261.

9308310214 Submits info to support NRC review of 930714 proposed rev to TS re revised pressure/temp limits & LTOP.Informs that chemistry & limiting matl data provided in BAW-2166, "B&WOG Response to GL 92-01," submitted by B&WOG 920617 ltr.
HAMPTON,J.W. Duke Power Co. GL-92-01. 93/08/24. Document Control Branch (Document Control Desk). 1p. 76289:265-76289:265.

9308310251 Forwards nonproprietary & proprietary "VC Summer Nuclear Station SG Pulled Tube Exam Results Presentation Mats From NRC/SCE&G/Westinghouse Meeting on 930727." Proprietary matl withheld,per 10CFR2.790.
LIPARULO,N.J. Westinghouse Electric Corp. ET-NRC-93-3956. 93/08/26. NORBERG,J. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 76289:148-76289:249.

9308310259 Requests that proprietary WCAP-13823, "VC Summer Nuclear Station SG Pulled Results Presentation Mats From NRC/SCE&G/ Westinghouse Meeting on 930727," be withheld,per 10CFR2.790(b)(4).
LIPARULO,N.J. Westinghouse Electric Corp. AW-93-508. 93/08/26. MURLEY,T. Document Control Branch (Document Control Desk). 7pp. 76289:150-76289:156.

9308310260 WCAP-13824 Nonproprietary "VC Summer Nuclear Station SG Pulled Tube Exam Results Presentation Mats From NRC/SCE&G/Westinghouse Meeting on 930727."
MCINERNEY,J. Westinghouse Electric Corp. SG-93-08-009. 93/08/31. 100pp. 76289:157-76289:249.

9308310265 Forwards proprietary Rev 1 of Engineering Control Instruction DAR-062185-01, "Equipment:125 Volt DC Control Relay." Instruction withheld,per 10CFR2.790.
LIPARULO,N.J. Westinghouse Electric Corp. ET-NRC-93-3955. 93/08/23. BURROWS,F.H. Document Control Branch (Document Control Desk). 1p. 76321:302-76321:310.

9308310266 Requests that proprietary Rev 1 of Engineering Control Instruction DAR-062185-01 be withheld,per 10CFR2.790.
LIPARULO,N.J. Westinghouse Electric Corp. AW-93-516. 93/08/23. Document Control Branch (Document Control Desk). 8pp. 76321:303-76321:310.

9308310269 Requests addl info in order to complete review of June 1992 application for design certification of AP600.
KENYON,T.J. Standardization Project Directorate (Post 920517). 93/07/28. LIPARULO,N.J. Westinghouse Electric Corp. 4pp. 76296:356-76296:359.

9308310270 Forwards proprietary Rev 0 of Commercial Dedication Instruction CEB-0108, "Relay Control,DB Breakers." Instruction withheld,per 10CFR2.790.
LIPARULO,N.J. Westinghouse Electric Corp. ET-NRC-93-3954. 93/08/23. BURROWS,F.H. Document Control Branch (Document Control Desk). 1p. 76321:293-76321:301.

9308310272 Requests that proprietary Rev 0 of Commercial Dedication Instruction CEB-0108 be withheld,per 10CFR2.790.
LIPARULO,N.J. Westinghouse Electric Corp. AW-93-515. 93/08/23. BURROWS,F.H. Document Control Branch (Document Control Desk). 8pp. 76321:294-76321:301.

WASTE MGT NUCLEAR WASTE MANAGEMENT

9308020027 Tnp rept of 930223-24 visit to West Valley,NY to obtain data & info on high-level waste tanks,analyses on structural components of vitrification facility & related vitrification process evaluations from DOE & contractors.
NAIR,P.K., CRAGNOLINO,G., POMERENING,D.J. Center for Nuclear Waste Regulatory Analyses. 93/03/05. Center for Nuclear Waste Regulatory Analyses. 6pp. 75953:290-75953:295.

9308020107 Forwards preliminary final DOE/AL/62350-36PF, "Long-Term Surveillance Plan For Lowman,ID,Disposal Site," & DOE/AL/62350-34D, "Comment & Response Document For Long-Term Surveillance Plan for Lowman,ID,Disposal Site."
CHERNOFF,A.R. Energy, Dept. of. 93/07/27. SURMEIER,J.J. Uranium Recovery Branch (Post 901230). 1p. 76027:021-76027:153.

9308020113 DOE/AL/62350-36PF Preliminary final DOE/AL/62350-36PF, "Long-Term Surveillance Plan For Lowman,ID,Disposal Site."
* Jacobs Engineering Group, Inc. 93/07/31. 140pp. 76027:022-76027:137.

9308020123 DOE/AL/62350-34D "Comment & Response Document For Long-Term Surveillance Plan For Lowman,ID,Disposal Site."
* Jacobs Engineering Group, Inc. 93/07/31. 16pp. 76027:138-76027:153.

9308020231 Requests copy of NUFT computer code from J Nitao of LLNL.
HOLONICH,J.J. Repository Licensing & Quality Assurance Project Directorate (Post 881120). HLWR. 93/07/26. SHELOR,D.E. Energy, Dept. of. 2pp. 76022:028-76022:029.

9308030167 Forwards Quivera Mining Co 870106 ltr & NRC 870428 response, in response to 930623 telcon requesting clarification on NRC 930621 response to 930414 FOIA request.Copy of draft Commission paper dtd 871231 not located.W/o encls.
BRACH,E.W. Division of Low-Level Waste Management & Decommissioning (Post 870413). 93/07/26. DARKE,J. Affiliation Not Assigned. 3pp. 75995:350-75995:352.

9308030259 Responds to Perkins Coie 930519 request to comment on draft article, "Mixed Waste:Proposed Solution That Focuses on Underlying Problem Rather Than on Symptoms."
BANGART,R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 93/06/07. THOMPSON,A.J. Perkins, Coie (formerly Perkins, Coie, Stone, Olsen & Williams). 7pp. 75995:339-75995:345.

9308040200 Forwards quarterly update to NRC Regulatory Agenda for Procedures & Criteria for On-Site Storage LLW,in response to 930604 memo.
LOHAUS,P.H. Low-Level Waste Management Branch (Post 901230). 93/06/08. CORNELL,S. Program Management, Policy Development & Analysis Staff (Post 870413). 2pp. 75996:316-75996:317.

9308040316 Expresses concerns w/interactions planning process,per DOE 930524 in response to NRC 930519 ltr proposing interactions for six-month period,Jul-Dec 1993.
SHELOR,D.E. Energy, Dept. of. HLWR. 93/07/26. HOLONICH,J.J. Repository Licensing & Quality Assurance Project Directorate (Post 881120). 3pp. 76022:107-76022:109.

9308040318 Provides understanding re availability of OCRWM Quality Concerns Program rept.
Energy, Dept. of. HLWR. 93/07/28. SMITH,C. Energy, Dept. of. 1p. 76022:120-76022:120.

9308040319 Advises that SB Jones correct present title,Deputy Div Director,Regulatory & Site Evaluation Div,Yucca Mountain Site Characterization Project Ofc,per error inadvertently made in 930615 ltr.
SHELOR,D.E. Energy, Dept. of. HLWR. 93/07/22. HOLONICH,J.J. Repository Licensing & Quality Assurance Project Directorate (Post 881120). 2pp. 76022:110-76022:111.

9308050097 Forwards Surveillance Rept YMP-SR-93-031, "OCRWM Yucca Mountain QA Div QA Surveillance Rept of Civilian Radwaste Mgt Sys Mgt & Operating Contractor Quality Records" at Las Vegas,NV on 930706-09.
HORTON,D.G. Energy, Dept. of. HLWR. 93/07/26. FOUST,L.D. TRW Environmental Safety Systems, Inc. 2pp. 76059:016-76059:029.

9308050103 YMP-SR-93-031 "OCRWM Yucca Mountain QA Div QA Surveillance Rept of Civilian Radwaste Mgt Sys Mgt & Operating Contractor Quality Records" at Las Vegas,NV on 930706-09.
MARTIN,J.S., HORTON,D.G. Energy, Dept. of. HLWR. 93/07/26. 12pp. 76059:018-76059:029.

9308050107 Forwards Corrective Action Request YM-93-084 resulting from Yucca Mountain QA Div Audit YMP-93-13 of Reynolds Electrical & Engineering Co.Inc.
SPENCE,R.E. Energy, Dept. of. HLWR. 93/07/28. PRITCHETT,R.F. Reynolds Electrical & Engineering Co., Inc. 4pp. 76059:030-76059:033.

9308050112 Forwards Corrective Action Requests YM-93-076 through YM-93-083 resulting from Yucca Mountain QA Div Audit YMP-93-13 of Raytheon Services NV.
SPENCE,R.E. Energy, Dept. of. HLWR. 93/07/28. KOPATICH,W.C. Raytheon Services Nevada. 27pp. 76059:034-76059:060.

9308050194 Responds to 930413 ltr re remedial actions at El Du Pont Newport Superfund site in Newport,DE.Proposed post-closure controls submitted by Dow Co & "MOU Between Region VI of EPA Region IV of NRC for Remedial Act..." encl.
AUSTIN,J.H. Decommissioning & Regulatory Issues Branch (Post 901230). 93/06/09. STURGEON,R. Environmental Protection Agency. 7pp. 76034:296-76034:314.

224 NONDOCKETED ITEMS

- 8809300177 MOU between NRC & EPA Region IV re Churchrock U Mill site in McKinley, NM.
MARTIN, R.D. Region 4 (Post 820201). LAYTON, R.E. Environmental Protection Agency. 88/08/26. 12pp. 76034:303-76034:314.
- 9308050235 Trip rept of 930527-29 visit to Las Vegas, NV for NAS Committee meeting on technical bases for Yucca Mountain stds.
BACA, R.G., RUSSELL, J.L., SAGAR, B. Center for Nuclear Waste Regulatory Analyses. 93/07/27. Center for Nuclear Waste Regulatory Analyses. 100pp. 76018:182-76018:326.
- 9308050271 Forwards Rev 0 to YMP/92-11, "Yucca Mountain Site Characterization Project Waste Package Implementation Plan," & Rev 1 to YMP/90-82, "Yucca Mountain Site Characterization Project Waste Package Plan."
ROBERTS, J.P. Energy, Dept. of. 93/08/02. HOLONICH, J.J. Repository Licensing & Quality Assurance Project Directorate (Post 881120). 1p. 76015:203-76015:322.
- 9308050285 Rev 0 to "Yucca Mountain Site Characterization Project Waste Package Implementation Plan."
* Energy, Dept. of. 93/02/28. 60pp. 76015:204-76015:263.
- 9308050293 Rev 1 to YMP/90-82, "Yucca Mountain Site Characterization Project Waste Package Plan."
GERTZ, C.P., FOUST, L.D., CLARKE, W.L. Energy, Dept. of. 93/03/31. 60pp. 76015:264-76015:322.
- 9308050297 Forwards Ofc of Geologic Disposal Weekly Highlights for wk ending 930716.
* NRC - No Detailed Affiliation Given. HLWR. 93/07/30. HOLONICH, J. Repository Licensing & Quality Assurance Project Directorate (Post 881120). 20pp. 76059:110-76059:129.
- 9308050301 Discusses Yucca Mountain Site Rept for months of June & Jul.
GILRAY, J.W. NRC - No Detailed Affiliation Given. HLWR. 93/07/29. HOLONICH, J. Repository Licensing & Quality Assurance Project Directorate (Post 881120). 4pp. 76022:151-76022:154.
- 9308060103 Confirms telecon re agreement to provide explanation of NRC role in CA review of proposed Ward Valley LLW disposal facility.
THOMPSON, H.L. Office of Nuclear Material Safety & Safeguards. 93/06/11. HASTEY, E. Interior, Dept. of, Bureau of Land Management. 4pp. 76059:156-76059:159.
- 9308060165 Verifies Corrective Action & Closure of Corrective Action Request YM-93-043 resulting from Yucca Mountain QA Div Audit YMP-93-09.
SPENCE, R.E. Energy, Dept. of. HLWR. 93/07/28. GERTZ, C.P. Nevada, State of. 10pp. 76063:075-76063:084.
- 9308060172 Forwards Policy & Guidance Directive Sys for U Recovery Program which have been under development for past year. W/o encl.
SURMEIER, J.J. Uranium Recovery Branch (Post 901230). 93/06/10. NRC - No Detailed Affiliation Given. 1p. 76071:246-76071:246.
- 9308060214 Submits State of NV testing proposals & issues re Yucca Mountain Project Participation in Geophysical Testing to be conducted in association w/Defense nuclear agency Chemical Kiloton Experiment.
GERTZ, C.P. Energy, Dept. of. HLWR. 93/07/29. LOUX, R.R. Nevada, State of. 5pp. 76091:006-76091:010.
- 9308060318 Forwards list of documents already available in NUDOCS & list of documents to be added to NUDOCS, w/regard to regulatory history, procedures & criteria for on-site storage of low-level radwaste, per 10CFR30.40, 50, 70 & 72.
NELSON, R.A. Licensing Branch. 93/04/22. CONYNGHAM, M.H. Document Control Branch (Document Control Desk). 11pp. 76059:200-76059:210.
- 9308060338 Forwards document entitled, "Selected NRC Products HLW Program" for info.
GARCIA, A.E. Repository Licensing & Quality Assurance Project Directorate (Post 881120). HLWR. 93/07/12. Repository Licensing & Quality Assurance Project Directorate (Post 881120). 1p. 76062:315-76062:355.
- 9308060339 "Selected NRC Products HLW Program."
* Repository Licensing & Quality Assurance Project Directorate (Post 881120). HLWR. 93/07/12. 40pp. 76062:316-76062:355.
- 9308090017 Addresses concerns that since last Feb new activities initiated or completed for which state received no info re Administration Procedure (AP) 8.1, "Land Access & Environ Compliance," w/respect to surface environ at Yucca Mountain.
LOUX, R.R. Nevada, State of. HLWR. 93/07/06. GERTZ, C.P. Energy, Dept. of. 2pp. 76091:028-76091:029.
- 9308090057 Forwards "Remedial Action Selection Rept" page changes in response to comments made by NRC & CO Dept of Health on final Remedial Action Plan & as result of internal DOE review.
CHERNOFF, A.R. Energy, Dept. of. 93/08/04. SURMEIER, J.J. Uranium Recovery Branch (Post 901230). 1p. 76062:071-76062:152.
- 9308090061 "Remedial Action Selection Rept" page changes.
* Energy, Dept. of. 93/08/04. 80pp. 76062:072-76062:152.
- 9308090108 Forwards Surveillance Rept YMP-SR-93-030, "OCRWM Yucca Mountain QA Div QA Surveillance Rept of SAIC Surveillance YMP-SR-93-030 Conducted at Nevada Test Site & Las Vegas, NV 930629 & 0706."
HORTON, D.G. Energy, Dept. of. WBS 1.2:11. 93/07/30. VOEGELE, M.D. Science Applications International Corp. (formerly Science Applications, Inc.). 2pp. 76091:030-76091:036.
- 9308090119 YMP-SR-93-030 "Ofc of Civilian Radioactive Waste Mgt, Yucca Mountain QA Div, QA Surveillance Rept of SAIC Surveillance YMP-SR-93-030, Conducted at Nevada Test Site & Las Vegas, Nevada, 930629 & 930706."
WOLVERTON, K.M., HORTON, D.G. Energy, Dept. of. 93/07/06. 5pp. 76091:032-76091:036.
- 9308090174 Forwards page changes to Vol 3 of Remedial Action Plan for Stabilization of Inactive U Mill Tailings Site at Rifle, CO.
CHERNOFF, A.R. Energy, Dept. of. 93/08/04. SURMEIER, J.J. Uranium Recovery Branch (Post 901230). 5pp. 76063:115-76063:177.
- 9308090231 Changes to Vol 3 of "Remedial Action Plan for Stabilization of Inactive U Mill Tailings Site at Rifle, CO."
* Energy, Dept. of. 93/08/04. 58pp. 76063:120-76063:177.
- 9308090342 Forwards notice of upcoming meetings re NRC HLW mgt program sent as result of FRN of 840824.
HOLONICH, J.J. Repository Licensing & Quality Assurance Project Directorate (Post 881120). HLWR. 93/08/09. Repository Licensing & Quality Assurance Project Directorate (Post 881120). 2pp. 76091:081-76091:082.
- 9308100138 Suggests DOE conduct experiments relative to characterization of Yucca Mountain area & lists proposed experiments associated w/one kiloton chemical explosion test on Rainier Mesa in mid Sept 1993.
LOUX, R.R. Nevada, State of. HLWR. 93/07/06. GERTZ, C.P. Energy, Dept. of. 2pp. 76091:106-76091:107.
- 9308110128 Forwards responses to NRC comments on Mexican Hat/Monument Valley, AZ remedial action plan.
EDGE, R. Energy, Dept. of. 93/08/02. SURMEIER, J.J. Uranium Recovery Branch (Post 901230). 79pp. 76083:232-76083:310.
- 9308110194 Forwards original & copy of US DOE ltr to ACNW, proposing process for scheduling interactions & suggests topics re OCRWM for presentation to ACNW.
SHELOR, D.E. Energy, Dept. of. HLWR. 93/07/30. HOLONICH, J.J. Repository Licensing & Quality Assurance Project Directorate (Post 881120). 6pp. 76111:215-76111:220.
- 9308110268 Forwards corrected response to question 34 of rept entitled, "NRC Staff Site Characterization Analysis of DOE Site Characterization Plan, Yucca Mountain Site, Nevada."
DESELL, L.J. Energy, Dept. of. 93/04/29. STABLEIN, K. Repository Licensing & Quality Assurance Project Directorate (Post 881120). 3pp. 76064:251-76064:253.
- 9308110269 Responds to DOE 930708 ltr to R Bangart requesting review of 3R-STAT Computer Model Topical Rept. Staff currently conducting acceptance review & plan to complete technical evaluation.
LOHAUS, P.H. Low-Level Waste Management Branch (Post 901230). 93/07/30. SANDWINA, R.H. Energy, Dept. of. 3pp. 76080:253-76080:255.
- 9308110285 Concludes DOE policy will allow detachment of processing site control issue from NRC concurrence in completion of surface remedial action.
FLIEGEL, M.H. Uranium Recovery Branch (Post 901230). 93/08/04. CHERNOFF, A.R. Energy, Dept. of. 1p. 76076:356-76076:356.
- 9308110379 Forwards Rev 1 to DOE/AL/62350-0464, "Environ Assessment of Remedial Action at Naturita Uranium Processing Site Near Naturita, CO."
METZLER, D. Energy, Dept. of. 93/08/02. SURMEIER, J.J. Low-Level Waste Management Branch (Post 901230). 1p. 76086:089-76086:222.
- 9308110386 DOE/AL/62350-0464 R1 Rev 1 to "Environ Assessment of Remedial Action at Naturita Processing Site Near Naturita, CO."
* Energy, Dept. of. 93/08/31. 160pp. 76086:090-76086:222.
- 9308110383 Forwards "Dose Assessment for Disposal of Radiologically Contaminated Sewer Sludge from Erwin, TN."
KAMMERER, C. Office of State Programs (Post 911117). 93/07/29. MOBLEY, M.H. Tennessee, State of. 3pp. 76141:089-76141:134.
- 9308120200 "Dose Assessment for Disposal of Radiologically Contaminated Sewer Sludge from Erwin, Tennessee."
* Decommissioning & Regulatory Issues Branch (Post 901230). 93/06/30. 43pp. 76141:092-76141:134.
- 9308110401 Forwards final "Technical Ltr Rept For Tasks 9 & 10: Verify Results of Natl Mixed Waste Profile Follow-up Support to NRC Project Technical Manager," under FIN L-1647.
JOLLEY, R.L. Oak Ridge National Laboratory. FIN L-1647. 93/06/29. ORLANDO, D. NRC - No Detailed Affiliation Given. 1p. 76092:346-76092:356.
- 9308110402 Forwards generic protocol for Th-230 cleanup/verification at UMTRA Project sites. Version of protocol incorporates changes suggested by staff after review of previous version of protocol.
CORNISH, R.E. Energy, Dept. of. 93/07/29. SURMEIER, J.J. Uranium Recovery Branch (Post 901230). 6pp. 76077:279-76077:284.
- 9308120142 Forwards "NRC Observation Audit Rept 93-11 for Yucca Mountain QA Div Audit YMP-93-12 of Reynolds Electrical & Engineering Co, Inc." conducted from 930621-25.
HOLONICH, J.J. Repository Licensing & Quality Assurance Project Directorate (Post 881120). HLWR. 93/08/04. SHELOR, D.E. Energy, Dept. of. 3pp. 76091:193-76091:204.
- 9308120146 93-11 "NRC Observation Audit Rept 93-11 for Yucca Mountain QA Div Audit YMP-93-12 of Reynolds Electrical & Engineering Co, Inc."
BELKE, W.L., HOOKS, K.R. Repository Licensing & Quality Assurance Project Directorate (Post 881120). BRIENT, R.D. Center for Nuclear Waste Regulatory Analyses. HLWR. 93/07/15. 9pp. 76091:196-76091:204.
- 9308120153 Forwards Issuance of Corrective Action Request YM-93-14-085 resulting from Yucca Mountain QA Div Audit YMP-93-14 of LLNL.
SPENCE, R.E. Energy, Dept. of. HLWR. 93/08/04. CLARKE, W.L. Lawrence Livermore National Laboratory. 4pp. 76091:213-76091:216.
- 9308120154 Trip rept of 930426-29 visit to Madrid, Spain to attend workshop convened by Ref Biophores Workgroup of Biospheres Model Validation Studies, Phase II.
NEEL, R.B. Hydrology & Systems Performance Branch (Post 910506). HLWR. 93/06/07. FEDERLINE, M.V. Hydrology & Systems Performance Branch (Post 910506). 8pp. 76091:217-76091:224.
- 9308120164 Verifies Corrective Action & Closure of Corrective Action Request YM-93-021 resulting from Yucca Mountain QA Div Audit YMP-93-03 of Sandia Natl Labs. Results satisfactory.
SPENCE, R.E. Energy, Dept. of. HLWR. 93/08/04. SHEPARD, L.E. Sandia National Laboratories. 4pp. 76091:239-76091:242.

- 9308120168** Notification of 930827 meeting w/DOE in Rockville,MD to discuss possible approaches toward resolving issue of burnup credit for short & longterm storage w/ attention paid to application of burnup credit to SF storage.
PRESTHOLT,P.T. Repository Licensing & Quality Assurance Project Directorate (Post 881120). HLWR. 93/08/05. HOLONICH,J.J. Repository Licensing & Quality Assurance Project Directorate (Post 881120). 2pp. 76091:255-76091:256.
- 9308120173** Advises that OCRWM QA Audit YMP-93-16 of Civilian Radwaste Mgt Sys Mgt & Operating Contractor,scheduled for performance on 930823-27,by FY93 QA audit schedule,Rev 4, postponed.New date will be established.
HORTON,D.G. Energy, Dept. of. HLWR. 93/07/30. FOUST,L.D. TRW Environmental Safety Systems, Inc. 2pp. 76091:257-76091:258.
- 9308120179** Forwards "OCRWM Yucca Mountain QA Div QA Surveillance Rept of Yucca Mountain Site Characterization Project Ofc Field Operations Ctr,Yucca Mountain Site Surveillance YMP-SR-93-028," conducted on 930708 & 21.
HORTON,D.G. Energy, Dept. of. HLWR. 93/08/05. GERTZ,C.P. Energy, Dept. of. 2pp. 76091:286-76091:290.
- 9308120183** YMP-SR-93-028 "OCRWM Yucca Mountain QA Div QA Surveillance Rept of Yucca Mountain Site Characterization Project Ofc Field Operations Ctr,Yucca Mountain Site Surveillance YMP-SR-93-028," conducted on 930708 & 21.
HINOJOSA,R.A., HORTON,D.G. Energy, Dept. of. HLWR. 93/08/05. 3pp. 76091:288-76091:290.
- 9308120220** Forwards "OCRWM Yucca Mountain QA Div QA Surveillance Rept of Civilian Radwaste Mgt Sys Mgt & Operating Contractor Surveillance YMP-SR-93-033," conducted on 930715.
HORTON,D.G. Energy, Dept. of. HLWR. 93/08/03. FOUST,L.D. TRW Environmental Safety Systems, Inc. 2pp. 76138:010-76138:023.
- 9308120230** YMP-SR-93-033 "OCRWM Yucca Mountain QA Div QA Surveillance Rept of Civilian Radwaste Mgt Sys Mgt & Operating Contractor Surveillance YMP-SR-93-033," conducted on 930715.
HEANEY,G., HORTON,S.H., HORTON,D.G. Energy, Dept. of. HLWR. 93/07/30. 9pp. 76138:012-76138:023.
- 9308120238** Trip rept of 930525-26 visit to Yucca Mountain vicinity,NV to brief NRC on status of ongoing field activities occurring at exploratory shaft facility north portal construction site & in field characterization of faults.Meeting agenda encl.
STIREWALT,G., MCKAGUE,L., SAGAR,B. Center for Nuclear Waste Regulatory Analyses. 93/07/19. Center for Nuclear Waste Regulatory Analyses. 18pp. 76141:144-76141:161.
- 9308120243** Forwards rev 1 of OCRWM QA surveillance schedule for FY93. YMP-SR-93-004 & YMP-SR-93-010 not utilized for listed reasons.
HORTON,D.G. Energy, Dept. of. HLWR. 93/08/03. HOOKS,K.R. NRC - No Detailed Affiliation Given. 7pp. 76138:024-76138:030.
- 9308120254** Trip rept of 930208 & 09 visit to Las Vegas,NV to introduce S McDuffy to volcanological issues relevant to Yucca Mountain project.
CONNOR,C.B., MCKAGUE,H.L. Center for Nuclear Waste Regulatory Analyses. 93/03/03. Center for Nuclear Waste Regulatory Analyses. 5pp. 76141:162-76141:166.
- 9308120266** Forwards revised agenda,backgrounder on public participation options & topic 1 & 2 discussion papers to prepare for 930810 public involvement workshop.
BARRETT,L.H. Energy, Dept. of. HLWR. 93/08/04. HOLONICH,J. NRC - No Detailed Affiliation Given. 12pp. 76138:031-76138:042.
- 9308120276** Notification of 930824 meeting w/DOE in Bethesda,MD to discuss interpretation of substantially complete containment & use as guide in design & to discuss status/progress of waste package design effort.
ABRAMS,C. Repository Licensing & Quality Assurance Project Directorate (Post 881120). HLWR. 93/08/04. HOLONICH,J.J. Repository Licensing & Quality Assurance Project Directorate (Post 881120). 4pp. 76138:043-76138:046.
- 9308120386** Trip rept of 930426-30 visit to Las Vegas,NV to participate in fourth annual intl HLW conference & exposition re disposal of high-level nuclear waste in geologic repositories.
SAGAR,B., PATRICK,W.C. Center for Nuclear Waste Regulatory Analyses. 93/06/01. Center for Nuclear Waste Regulatory Analyses. 35pp. 76095:261-76095:295.
- 9308120389** Trip rept of 930127-28 visit to Bethesda,MD to review & comment on issues re radwaste disposal raised by Energy Policy Act of 1992 & impacts Act will have on NRC HLW program.
PEARCY,E., SPECTOR,S.H., STIREWALT,G.L. Center for Nuclear Waste Regulatory Analyses. 93/02/22. Center for Nuclear Waste Regulatory Analyses. 7pp. 76090:330-76090:336.
- 9308130066** Forwards Project Interface Document 05-S-58 for UMTRA Project Ofc Grand Junction,Colorado,site.
CHERNOFF,A.R. Energy, Dept. of. 93/07/29. SURMEIER,J.J. Division of Low-Level Waste Management & Decommissioning (Post 870413). 3pp. 76143:152-76143:159.
- 9308130073** Advises that OCRWM,Ofc of QA will conduct QA audit of B&W Fuel of QA Program during period 930830-0903. "Audit Plan, Audit Number:HQ-93-07,Audit of B&W Fuel Co" encl.
HORTON,D.G. Energy, Dept. of. HLWR. 93/08/09. VAMES,G.J. Affiliation Not Assigned. 2pp. 76138:052-76138:055.
- 9308130075** "Audit Plan,Audit Number:HQ-93-07,Audit of B&W Fuel Co."
HORSEMAN,M.L. CER Corp. HORTON,D.G. Energy, Dept. of. HLWR. 93/08/09. 2pp. 76138:054-76138:055.
- 9308130080** Forwards Rev 0,Review D to "Remedial Action Insp Plan" for Gunnison,CO,UMTRA Project site,addressing remedial action plan,design specs,UMTRA Project QA program requirements & NRC Staff Technical Positon,Rev 2 on testing & insp plans.
BOSILJEVAC,F. Energy, Dept. of. 93/07/28. SURMEIER,J.J. Uranium Recovery Branch (Post 901230). 2pp. 76105:336-76105:354.
- 9308130084** Rev 0,Review D to Remedial Action Insp Plan (RAIP) RAIP-1, "Testing & Insp."
MK-Ferguson Co. 93/05/21. 17pp. 76105:338-76105:354.
- 9308130081** Provides comments on 930528,version of "Mined Geologic Disposal Sys Annotated Outline Skeleton Text for Preparation of License Application,Rev 2."
HOLONICH,J.J. Repository Licensing & Quality Assurance Project Directorate (Post 881120). HLWR. 93/07/30. SHELOR,D.E. Energy, Dept. of. 10pp. 76138:056-76138:065.
- 9308130099** Forwards OCRWM QA Audit YMP-93-12,Audit conducted 930621-25. Audit team generated 11 OCRWM corrective action requests.
HORTON,D.G. Energy, Dept. of. HLWR. 93/08/03. PRITCHETT,R.F. Reynolds Electrical & Engineering Co., Inc. 2pp. 76113:160-76113:220.
- 9308130100** "Audit Rept of Reynolds Electrical & Engineering Co Inc, Las Vegas & Mercury,Nevada."
ARCEO,A.I., HORTON,D.G. Energy, Dept. of. 93/08/03. 59pp. 76113:162-76113:220.
- 9308130102** Forwards CNWRA 93-014. "Review of Potential For Microbially Influenced Corrosion of High-Level Nuclear Waste Containers."
PATRICK,W.C. Center for Nuclear Waste Regulatory Analyses. NRC-02-88-005. HLWR. 93/08/24. SCOTT,M.L. Division of Contracts & Property Management (Post 890205). 1p. 76126:223-76126:328.
- 9308130107** CNWRA 93-014 "Review of Potential For Microbially Influenced Corrosion of High-Level Nuclear Waste Containers."
GEESLEY,G., CRAGNOLINO,G.A. Center for Nuclear Waste Regulatory Analyses. NRC-02-88-005. 93/06/30. NRC - No Detailed Affiliation Given. 104pp. 76126:224-76126:328.
- 9308130126** Trip rept of 930620-24 visit to San Diego,CA to present invited paper, "Long Term Prediction of Spent Fuel Performance in Geologic Repository."
GUREGHIAN,A.B., MANAKTALA,H., MCKAGUE,H.L. Center for Nuclear Waste Regulatory Analyses. 93/08/03. Center for Nuclear Waste Regulatory Analyses. 19pp. 76141:186-76141:207.
- 9308130130** Trip rept of 930614-18 visit to Newton Square,PA re Intl Ctr for Diffraction data clinic on X-ray powder diffraction.
PRIKRYL,J.D., MCKAGUE,L., SAGAR,B. Center for Nuclear Waste Regulatory Analyses. 93/07/14. Center for Nuclear Waste Regulatory Analyses. 10pp. 76141:176-76141:185.
- 9308130180** Forwards notice of upcoming NRC/DOE technical/programmatic meetings,including 930824 meeting in Bethesda,MD & 930827 meeting in Rockville,MD.Upcoming ACNW meetings also included.
HOLONICH,J.J. Repository Licensing & Quality Assurance Project Directorate (Post 881120). HLWR. 93/08/13. Repository Licensing & Quality Assurance Project Directorate (Post 881120). 2pp. 76138:106-76138:107.
- 9308130186** Submits rationale associated w/cancellation of OCRWM QA Audit YMP-93-16.
HORTON,D.G. Energy, Dept. of. HLWR. 93/08/05. Energy, Dept. of. 2pp. 76138:108-76138:111.
- 9308180050** Forwards Jul 1993 YMP status rept.
PRITCHETT,R.F. Reynolds Electrical & Engineering Co., Inc. HLWR. 93/08/05. GERTZ,C.P. Energy, Dept. of. 4pp. 76177:007-76177:010.
- 9308180060** Forwards responses to corrective action requests YM-93-062 & YM-93-063.
SPENCE,R.E. Energy, Dept. of. HLWR. 93/08/12. FOUST,L.D. TRW Environmental Safety Systems, Inc. 7pp. 76177:011-76177:017.
- 9308180065** Informs of verification & closure of corrective action request YM-93-036,Corrective action request encl.
SPENCE,R.E. Energy, Dept. of. HLWR. 93/08/12. FOUST,D.L. TRW Environmental Safety Systems, Inc. 15pp. 76177:018-76177:032.
- 9308180073** Discusses verification & closure of corrective action request YM-93-050,Corrective action request encl.
SPENCE,R.E. Energy, Dept. of. HLWR. 93/08/12. CANEPA,J.A. Los Alamos National Laboratory. 4pp. 76177:155-76177:158.
- 9308180079** Forwards response to corrective action request YM-93-055.
SPENCE,R.E. Energy, Dept. of. HLWR. 93/08/12. PRITCHETT,R.F. Reynolds Electrical & Engineering Co., Inc. 29pp. 76177:159-76177:187.
- 9308180101** Responds to 930706 ltr re Administrative Procedure (AP) 8.1, "Land Access & Environ Compliance Approval Process," to clarify that AP-8.1 not intended to become EIS baseline.
GERTZ,C.P. Energy, Dept. of. HLWR. 93/08/09. LOUX,R.R. Nevada, State of. 2pp. 76177:038-76177:039.
- 9308180125** YMP-SR-93-032 "OCRWM Yucca Mountain QA Div QA Surveillance Rept of PNL Status of Global Climate Modeling," conducted at Richland,WA on 930707-08.
MAUDLIN,R.L., HORTON,D.G. Energy, Dept. of. HLWR. 93/07/14. 8pp. 76177:048-76177:055.
- 9308180127** Forwards Ofc of Geologic Disposal weekly highlights for wk ending 930723.
* NRC - No Detailed Affiliation Given. HLWR. 93/08/10. HOLONICH,J. Repository Licensing & Quality Assurance Project Directorate (Post 881120). 18pp. 76158:184-76158:201.
- 9308180133** Forwards not-readily-available refs cited in Study Plan 8.3.1.3.4.2, "Biological Sorption & Transport."
SHELOR,D.E. Energy, Dept. of. HLWR. 93/08/05. HOLONICH,J.J. Repository Licensing & Quality Assurance Project Directorate (Post 881120). 2pp. 76170:001-76170:218.
- 9308180134** "Removal of U & Molybdenum From U Mine Wastewaters by Algae."
Submitted in partial fulfillment of requirements for degree of master of chemistry.
DREHER,K.T. New Mexico Institute of Mining & Technology, Socorro, NM. 80/12/31. 150pp. 76170:006-76170:172.
- 9308180138** FLPU 85-1 "Geomicrobiology of European Mines Relevant to Radwaste Disposal."
CHRISTOFI,N., WEST,J.M., PHILP,J.C. 85/01/31. 36pp. 76170:173-76170:218.

226 NONDOCKETED ITEMS

- 9308180144** Forwards CNWRA 93-005. "Evaluation of Coupled Computer Codes for Compliance Determination." HOLONICH,J.J. Repository Licensing & Quality Assurance Project Directorate (Post 881120). HLWR. 93/08/06. SHELOR,D.E. Energy, Dept. of. 1p. 76177:188-76177:232.
- 9308180148** Forwards Corrective Action Request (CAR) generated as result of Yucca Mountain QA Audit YMP-93-13. Previous CAR transmitted via 930728 ltr should be destroyed. Due date for response will be 20 working days from date of ltr. SPENCE,R.E. Energy, Dept. of. HLWR. 93/08/09. KOPATICH,W.C. Raytheon Services Nevada. 4pp. 76177:056-76177:059.
- 9308180151** Forwards CNWRA 93-011. "Development Plan for PASS/PADB Sys Design Version 3.0." HOLONICH,J.J. Repository Licensing & Quality Assurance Project Directorate (Post 881120). HLWR. 93/08/06. SHELOR,D.E. Energy, Dept. of. 1p. 76167:203-76167:306.
- 9308180154** Forwards CNWRA 93-007. "Seismic/Tornado Analysis Review for Vitrification Facility at West Valley." HOLONICH,J.J. Repository Licensing & Quality Assurance Project Directorate (Post 881120). HLWR. 93/08/06. SHELOR,D.E. Energy, Dept. of. 1p. 76177:233-76177:297.
- 9308180158** Forwards Rev 1 of Study Plan 8.3.1.12.2.1. "Meteorological Data Collection at Yucca Mountain Site," including list of technical procedures. SHELOR,D.E. Energy, Dept. of. HLWR. 93/08/11. HOLONICH,J.J. Repository Licensing & Quality Assurance Project Directorate (Post 881120). 4pp. 76177:060-76177:093.
- 9308180163** Rev 1 of Study Plan 8.3.1.12.2.1. "Meteorological Data Collection at Yucca Mountain Site."
* Science Applications International Corp. (formerly Science Applications, Inc.). SPENCE,R.E. Energy, Dept. of. HLWR. 93/08/09. 30pp. 76177:064-76177:093.
- 9308180162** Forwards CNWRA 93-006. "Characteristics of Spent Nuclear Fuel & Cladding Relevant to HLW Source Term." HOLONICH,J.J. Repository Licensing & Quality Assurance Project Directorate (Post 881120). HLWR. 93/08/06. SHELOR,D.E. Energy, Dept. of. 1p. 76177:298-76178:013.
- 9308180170** Submits licensee concerns & NRC responses to objection re comments on revised NRC review plan for staff review of DOE study plans. HOLONICH,J.J. Repository Licensing & Quality Assurance Project Directorate (Post 881120). HLWR. 93/08/11. SHELOR,D.E. Energy, Dept. of. 2pp. 76178:014-76178:015.
- 9308180173** Forwards "CNWRA Program Manager Periodic Rept (PMPR) on Activities of CNWRA," PMPR 93-11 for fiscal reporting period 930703-30. PATRICK,W.C. Center for Nuclear Waste Regulatory Analyses. NRC-02-88-005. HLWR. 93/08/12. KNAPP,M.R. Program Management, Policy Development & Analysis Staff (Post 870413). 1p. 76177:094-76177:154.
- 9308180175** PMPR 93-11 "CNWRA Program Manager Periodic Rept on Activities of CNWRA" for fiscal reporting period 930703-30.
* Center for Nuclear Waste Regulatory Analyses. NRC-02-88-005. HLWR. 93/08/13. NRC - No Detailed Affiliation Given. 60pp. 76177:095-76177:154.
- 9308180228** Forwards "Yucca Mountain Site Characterization Project Technical Data Catalog," dtd 930630. SHELOR,D.E. Energy, Dept. of. HLWR. 93/08/04. HOLONICH,J.J. Repository Licensing & Quality Assurance Project Directorate (Post 881120). 1p. 76153:181-76153:308.
- 9308180275** "Yucca Mountain Site Characterization Project Technical Data Catalog."
* Energy, Dept. of. HLWR. 93/06/30. 127pp. 76153:183-76153:308.
- 9308180291** Provides results of fatal flaw review of State of CO preliminary licensing statement & proposed license for Hecla Dunta U heap leach facility site. Subj review identified no deficiencies. BANGART,R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 93/08/13. SURMEIER,J.J. Office of State Programs (Post 911117). 1p. 76167:308-76167:308.
- 9308180292** Responds to 930726 ltr to J Kennedy inquiring whether NRC had authority to require tracking info from shippers/ recipients of radioactive materials sent for decontamination, processing or long-term storage. LOHAUS,P.H. Low-Level Waste Management Branch (Post 901230). 93/08/10. BULLARD,C.W. Affiliation Not Assigned. 2pp. 76165:332-76165:333.
- 9308190017** Responds to 930615 telcon re process followed in 1990 in NRC development of licensing review position on waste disposal from in-situ U recovery facilities. BRACH,E.W. Division of Low-Level Waste Management & Decommissioning (Post 870413). 93/07/08. DARKE,J. Affiliation Not Assigned. 2pp. 76204:001-76204:012.
- 9308190025** Recommends that document entitled, "Staff Position on Waste Disposal From In-Situ U Recovery Facilities" be issued in interim form w/request for comment from affected states & interested licensees. List of correspondences on subj encl. CUTISS,J.R. Commissioners (Post 750119). 90/08/24. TAYLOR,J.M. Ofc of the Executive Director for Operations. 2pp. 76204:003-76204:010.
- 9009050294** Recommends points to follow & apply when reviewing requests from in situ licensees to dispose of in situ wastes onsite, per 900420 ltr. BANGART,R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 90/08/29. BEACH,A.B. Region 4 (Post 820201). 2pp. 76204:011-76204:012.
- 9308190097** Forwards DOE/AL/62350-40PF, "Remedial Action Plan & Site Design for Stabilization of Inactive U Processing Site at Natunuta,CO" for Aug 1993 & "UMTRAP Natunuta,CO" for June 1993. CHERNOFF,A.R. Energy, Dept. of. 93/08/13. SURMEIER,J.J. Uranium Recovery Branch (Post 901230). 2pp. 76225:001-76235:178.
- 9308190110** "UMTRAP Natunuta,CO."
* Morrison-Knudsen Co., Inc. 93/06/30. 1,500pp. 76225:003-76233:070.
- 9308190104** DOE/AL/62350-40PF DOE/AL/62350-40PF, "Remedial Action Plan & Site Design for Stabilization of Inactive U Processing Site at Natunuta,CO," preliminary final W/one oversize drawing.
* Energy, Dept. of. 93/08/31. 400pp. 76233:071-76235:178.
- 9308190111** Forwards analysis prepared by NRC Ofc of Policy Planning on costs of LLW disposal facilities. Informs that NRC contacted DOE UMTRAP Ofc to acquire about availability of detailed cost data for completed remediation projects W/o encl. WEBER,M.F. Decommissioning & Regulatory Issues Branch (Post 901230). 93/08/06. TSIRIGOTIS,P. Environmental Protection Agency. 1p. 76183:354-76183:354.
- 9308190140** Forwards slides requested during visit. Prints if slides also encl. W/o encl. HOGG,R.C. Low-Level Waste Management Branch (Post 901230). 93/08/10. SEMICK,D. General Accounting Office. 1p. 76183:353-76183:353.
- 9308190207** Rev 0 to B00000000-01717-2200-00010-00. "Comparative Application of Repository Integration Program (RIP) to Total Sys Performance Assessment - 1991."
* INTERA, Inc., Austin, TX (formerly INTERA Technologies, Inc.). 93/07/16. 200pp. 76176:068-76176:342.
- 9308190330** Forwards ACNW ltr per 930630 request of D Shelor. Shelor requested ltr provided to D Moeler re meeting topics & work groups. YOUNGBLOOD,B.J. Division of High-Level Waste Management (Post 870413). HLWR. 93/08/16. LARKINS,J.T. Advisory Committee on Nuclear Waste. 2pp. 76178:067-76178:074.
- 9308190333** Offers assistance to ACNW in suggesting topics for meetings or working groups re OCRWM program & process for scheduling meetings. SHELOR,D.E. Energy, Dept. of. HLWR. 93/07/30. MOELLER,D. Advisory Committee on Nuclear Waste. 4pp. 76178:071-76178:074.
- 9308190339** Submits comments from observation of 930802-06 DOE QA Audit 93EA-VP-AU-001 re effectiveness of EM-343 QA program for waste acceptance. HOLONICH,J.J. Repository Licensing & Quality Assurance Project Directorate (Post 881120). HLWR. 93/08/13. SHELOR,D.E. Energy, Dept. of. 3pp. 76178:075-76178:077.
- 9308200014** Submits listed documents per 930725 request re nuclear waste in Washington State. Clarifies NRC is regulator of repositories & DOE disposes of nuclear waste. HOLONICH,J.J. Repository Licensing & Quality Assurance Project Directorate (Post 881120). HLWR. 93/08/11. ERTLE,A.R. Affiliation Not Assigned. 2pp. 76200:001-76200:002.
- 9308200144** Forwards Project Interface Document (PID) 20-S-15 for UMTRA Project Ofc Falls City, TX. PID classified as Class I change & as such UMTRA Project Ofc hereby requests NRC evaluation & formal concurrence. CHERNOFF,A.R. Energy, Dept. of. 93/08/17. SURMEIER,J.J. Uranium Recovery Branch (Post 901230). 9pp. 76191:001-76191:133.
- 9308200153** 20-439-04-00 R00 "UMTRA - Falls City Radon Barrier Design, Re-evaluation of Radon Barrier Thickness."
* Morrison-Knudsen Co., Inc. 93/08/12. 118pp. 76191:014-76191:133.
- 9308200185** Forwards Rev 0 of Study Plan 8.3.1.3.6.2. "Diffusion." List of technical procedures to be used in conjunction w/study plan also encl. SHELOR,D.E. Energy, Dept. of. HLWR. 93/08/11. HOLONICH,J.J. Repository Licensing & Quality Assurance Project Directorate (Post 881120). 4pp. 76200:028-76200:069.
- 9308200186** Rev 0 of Study Plan 8.3.1.3.6.2. "Diffusion."
* Los Alamos National Laboratory. HLWR. 93/08/16. 37pp. 76200:033-76200:069.
- 9308200198** Forwards "M&O MGDS Design Control Improvement Plan," Rev 0. Plan describes planned actions necessary to resolve problems identified w/M&O design process by recent QA audits & surveillances. FOUST,L.D., JACKSON,J.A. TRW Environmental Safety Systems, Inc. HLWR. 93/08/13. HORTON,D. Energy, Dept. of. 2pp. 76200:070-76200:084.
- 9308200199** Rev 0 to "M&O MGDS Design Control Improvement Plan."
* TRW Environmental Safety Systems, Inc. HLWR. 93/08/12. 13pp. 76200:072-76200:084.
- 9308200201** Forwards "Open Item Tracking Sys (OITS) Version 1.0 User Guide." PATRICK,W.C. Center for Nuclear Waste Regulatory Analyses. NRC-02-88-005. HLWR. 93/07/29. SCOTT,M.L. Division of Contracts & Property Management (Post 890205). 1p. 76200:085-76200:152.
- 9308200206** CNWRA 93-009 "Open Item Tracking Sys (OITS) Version 1.0 User Guide." MCFADDIN,S.K., MARSHALL,R.L. Center for Nuclear Waste Regulatory Analyses. CARLSON,R.D. NRC - No Detailed Affiliation Given. NRC-02-88-005. HLWR. 93/07/31. Division of High-Level Waste Management (Post 870413). 67pp. 76200:087-76200:152.
- 9308240044** Informs that NRC added name to Site Decommissioning Mgt Plan (SDMP) mailing list in response to 930603 request & that due to demand for SDMP, expect that copies will be available at end of Aug. in response to 930810 request for copy of SDMP. JOHNSON,T.C. Decommissioning & Regulatory Issues Branch (Post 901230). 93/08/19. DAVIN,P. 1p. 76218:216-76218:216.
- 9308240060** Trip rept of 930518-19 visit to Cabot Corp Reading & Revere sites in PA & Magnesium Elektron, Inc site in Flemington, NJ to observe sites & meet Company representatives involved in site remediation activities. GLENN,C. Decommissioning & Regulatory Issues Branch (Post 901230). 93/08/19. AUSTIN,J. Decommissioning & Regulatory Issues Branch (Post 901230). 5pp. 76213:314-76213:318.
- 9308240067** Forwards summary tables indicating status of past & current topical repts reviewed by LLW Mgt Branch. Next periodic update scheduled for late Dec 1993. LEWIS,R. Decommissioning & Regulatory Issues Branch (Post 901230). 93/08/17. LOHAUS,P.H. Decommissioning & Regulatory Issues Branch (Post 901230). 6pp. 76213:348-76213:353.
- 9308240074** Forwards revised review schedule per receipt of Envirocare of Utah, Inc response to open issues in NRC final SER on 930729. Schedule dtd 930413 called for receipt of info by 930712. Revised schedule reflects delays & general update. FLIEGEL,M.H. Uranium Recovery Branch (Post 901230). 93/08/19. SEMNANI,K.B. Envirocare of Utah, Inc. 6pp. 76213:342-76213:347.
- 9308240095** Forwards Ofc of Geological Disposal weekly highlights for wk ending 930730 & SNL "Monthly Highlights & Status Rept for Yucca Mountain Site Characterization Project for June 1993."
* NRC - No Detailed Affiliation Given. 93/08/18. HOLONICH,J. Repository Licensing & Quality Assurance Project Directorate (Post 881120). 17pp. 76209:222-76209:283.

-9308240099 "Monthly Highlights & Status Rept for Yucca Mountain Site Characterization Project for June 1993."
* Sandia National Laboratories. 93/06/30. 45pp. 76209:239-76209:283.

9308240173 Evaluates response to Corrective Action Request YM-93-053 resulting from Yucca Mountain QA Div Audit YMP-93-010 of US Geological Survey. Response determined to be satisfactory.
SPENCE, R.E. Energy, Dept. of. HLWR. 93/08/16. HAYES, L.R. Interior, Dept. of, Geological Survey. 4pp. 76219:230-76219:233.

9308240204 Evaluates response to Corrective Action Request YM-93-052 resulting from Yucca Mountain QA Div Audit YMP-93-010 of US Geological Survey.
SPENCE, R.E. Energy, Dept. of. HLWR. 93/08/16. HAYES, L.R. Interior, Dept. of, Geological Survey. 4pp. 76219:234-76219:237.

9308240205 Forwards "Ofc of Civilian Radwaste Mgt QA Audit Plan for Audit YMP-93-17 of Sandia Natl Lab Albuquerque, NM." from 930913:17.
HORTON, D.G. Energy, Dept. of. HLWR. 93/08/13. SHEPARD, L.E. Sandia National Laboratories. 2pp. 76219:238-76219:244.

-9308240206 "Ofc of Civilian Radwaste Mgt QA Audit YMP-93-17 of Sandia Natl Lab Albuquerque, NM." from 930913:17.
WARREN, C.C., HORTON, D.G. Energy, Dept. of. HLWR. 93/08/12. 5pp. 76219:240-76219:244.

9308240210 Forwards ltr dtd 930809, notifying that DOE intends to conduct OCRWM QA audit of B&W facilities during 930830-0903.
SHELDON, D.E. Energy, Dept. of. HLWR. 93/08/16. HAUGHNEY, C.J. Source Containment & Devices Branch (Post 911213). 2pp. 76219:245-76219:250.

9308260087 Forwards "Review of Preliminary Draft: Status of Volcanic Hazard Studies for Yucca Mountain Site Characterization Project, Dtd Feb 1993." Unresolved concerns re methodology & approach to address issue of igneous activity noted.
HOLONICH, J.J. Repository Licensing & Quality Assurance Project Directorate (Post 881120). HLWR. 93/08/18. SHELDON, D.E. Energy, Dept. of. 4pp. 76255:078-76255:164.

-9308260093 "Review of Preliminary Draft: Status of Volcanic Hazard Studies for Yucca Mountain Site Characterization Project, Dtd Feb 1993."
CONNOR, C.B., HILL, B.E., LESLIE, B.W. Center for Nuclear Waste Regulatory Analyses. NRC-02-88-005. HLWR. 93/07/31. Office of Nuclear Material Safety & Safeguards. 83pp. 76255:082-76255:164.

9308260121 Informs Staff of completed action by Yucca Mountain Project Ofc re corrective action request YM-93-003.
SIMECKA, W.B. Energy, Dept. of. HLWR. 93/08/13. HOOKS, R.H. Energy, Dept. of. 1p. 76255:165-76255:165.

9308260159 Forwards Yucca Mountain Site Characterization Project participant monthly status repts. for info.
DESELL, L.J. Energy, Dept. of. HLWR. 93/08/16. HOLONICH, J.J. Repository Licensing & Quality Assurance Project Directorate (Post 881120). 16pp. 76255:166-76255:181.

9308260162 Forwards "Review of Preliminary Draft: Status of Volcanic Hazard Studies for Yucca Mountain Site Characterization Project, Dtd Feb 1993."
MCKAGUE, H.L. Center for Nuclear Waste Regulatory Analyses. NRC-02-88-005. HLWR. 93/07/30. MCCONNELL, K.I. Division of High-Level Waste Management (Post 870413). 1p. 76255:182-76255:265.

9308260191 Forwards CNWRA 93-008, "Review of Corrosion Aspects of HLW Storage Tanks at West Valley."
HOLONICH, J.J. Repository Licensing & Quality Assurance Project Directorate (Post 881120). HLWR. 93/08/06. SHELDON, D.E. Energy, Dept. of. 1p. 76255:266-76255:295.

-9308260192 CNWRA 93-008 "Review of Corrosion Aspects of HLW Storage Tanks at West Valley."
CRAGNOLINO, G.A. Center for Nuclear Waste Regulatory Analyses. NRC-02-88-005. HLWR. 93/04/30. Division of Fuel Cycle Safety & Safeguards (Post 930207). 28pp. 76255:268-76255:295.

9308270173 Discusses info re exploratory studies facility design & design control process. DOE should provide listed info re assuring ongoing design & const will not be adversely affected by problems w/ process.
YOUNGBLOOD, B.J. Division of High-Level Waste Management (Post 870413). HLWR. 93/08/20. SHELDON, D.E. Energy, Dept. of. 4pp. 76255:351-76255:354.

9308270297 Responds to NRC 930513 ltr forwarding 930204 State of Nevada ltr re Yucca Mountain further surface based characterization of pneumatic pathways likely to be precluded by excavating Exploratory Studies Facility.
SHELDON, D.E. Energy, Dept. of. HLWR. 93/08/20. HOLONICH, J.J. Repository Licensing & Quality Assurance Project Directorate (Post 881120). 4pp. 76292:101-76292:104.

9308300350 Forwards "OCRWM Yucca Mountain QA Div QA Surveillance Rept of Reynolds Electrical & Engineering Co, Inc. Surveillance YMP-SR-93-029 Conducted at Exploratory Studies Facility Starter Tunnel & Field Operations Ctr, Yucca Mountain...."
HORTON, D.G. Energy, Dept. of. HLWR. 93/08/23. PRITCHETT, R.F. Reynolds Electrical & Engineering Co., Inc. 2pp. 76304:092-76304:097.

-9308300352 YMP-SR-93-029 "OCRWM Yucca Mountain QA Div QA Surveillance Rept of Reynolds Electrical & Engineering Co, Inc. Surveillance YMP-SR-93-029 Conducted at Exploratory Studies Facility Starter Tunnel & Field Operations Ctr, Yucca Mountain...."
LOFFTUS, F.H., HORTON, D.G. Energy, Dept. of. HLWR. 93/08/20. 4pp. 76304:094-76304:097.

9308310145 Forwards Rev 0 Review A to MK-F-UMTRA-56, "Remedial Action Insp Plan."
CHERNOFF, A.R. Energy, Dept. of. 93/08/26. SURMEIER, J.J. Uranium Recovery Branch (Post 901230). 2pp. 76379:120-76379:135.

-9308310157 Rev 0, Review A to "Remedial Action Insp Plan."
* MK-Ferguson Co. 93/08/06. 15pp. 76379:122-76379:135.

9308310173 Forwards response to RAI re radioactive matl outside cell, Canonsburg UMTRA site.
CHERNOFF, A.R. Energy, Dept. of. 93/08/26. SURMEIER, J.J. Uranium Recovery Branch (Post 901230). 3pp. 76321:334-76321:336.

9308310283 Forwards minutes of 930720 QA meeting w/DOE, OCRWM in Rockville, MD re status of implementation of QA requirements & description document for civilian radwaste mgt program & field activities, tunnel boring & core drilling.
HOLONICH, J.J. Repository Licensing & Quality Assurance Project Directorate (Post 881120). HLWR. 93/08/24. SHELDON, D.E. Energy, Dept. of. 2pp. 76304:149-76304:182.

-9308310284 Summary of 930720 QA meeting w/DOE, OCRWM in Rockville, MD re status of implementation of QA requirements & description document for civilian radwaste mgt program & status of field activities, tunnel boring & core drilling.
BELKE, W.L. Repository Licensing & Quality Assurance Project Directorate (Post 881120). SKUCHKO, S.L. Energy, Dept. of. HLWR. 93/08/24. Repository Licensing & Quality Assurance Project Directorate (Post 881120). 31pp. 76304:151-76304:182.

9308310285 Responds to 930603 ltr re definition of disturbed zone & groundwater travel time.
YOUNGBLOOD, B.J. Repository Licensing & Quality Assurance Project Directorate (Post 881120). HLWR. 93/08/25. JOHNSON, C.A. Nevada, State of. 6pp. 76304:183-76304:188.

EXPORT LICENSE AND IMPORT LICENSES

9308020238 Forwards application for license to export LEU hexafluoride enriched to 5.0 w/o max U-235.
MC LAUGHLIN, J. Transnuclear, Inc. 93/07/12. WRIGHT, B. Office of International Programs (Post 911117). 1p. 75978:071-75978:072.

-9308040078 Application for license to export U in form of U hexafluoride enriched to 5.0 w/o max U-235.
MC LAUGHLIN, J. Transnuclear, Inc. ABB 532. 93/07/12. 1p. 75978:072-75978:072.

9308030041 License for Marubeni America Corp to export 301.0 kg U-235, contained in 7,732.0 kg U enriched to 4.95 w/o max to Japan.
HAUBER, R.D. Assistant Director for Exports, Security & Safety Cooperation. 93/07/15. 2pp. 75968:025-75968:026.

9308030082 License for Marubeni America Corp to export 943.0 kg U-235, contained in 25,941.0 kg U enriched to 4.45 w/o max to Japan.
HAUBER, R.D. Assistant Director for Exports, Security & Safety Cooperation. JJ4757. 93/07/15. 2pp. 75968:023-75968:024.

9308030091 License for Edlow Intl Co to export 280.0 kg U-235, contained in 6,743.0 kg U enriched to 4.15 w/o max to Japan.
HAUBER, R.D. Assistant Director for Exports, Security & Safety Cooperation. KLK-81. 93/07/15. 2pp. 75968:027-75968:028.

9308030099 License for Edlow Intl Co to export 395.0 kg U-235, contained in 9,498.0 kg U enriched to 4.15 w/o max to Japan.
HAUBER, R.D. Assistant Director for Exports, Security & Safety Cooperation. KLK-82. 93/07/15. 2pp. 75968:029-75968:030.

9308030375 Submits amend to application dtd 930505 for export license, authorizing shipment of U in form of mixed U and thorium carbide as fabricated fuel to France.
MANGUSI, J. Transnuclear, Inc. 93/07/16. HAUBER, R.D. Assistant Director for Exports, Security & Safety Cooperation. 2pp. 75968:021-75968:022.

9308040141 Provides Executive branch position re change of end-use for previously exported nuclear matl. Informs of conclusion that change in end-use meets requirements of AEA.
STRATFORD, R.J. State, Dept. of. 93/07/16. STOEIBER, R.D. Office of International Programs (Post 911117). 1p. 75978:330-75978:330.

9308050218 Forwards application for license to export slightly enriched UF6 for fabrication of fuel assemblies & loaded into Ohi unit 4, region 5.
MAEKITA, M. Mitsubishi International Corp. HSA-5494-01. 93/07/06. WRIGHT, B. Office of International Programs (Post 911117). 2pp. 75990:336-75990:338.

9308090035 Order. * Petitioner Nuclear Control Inst unopposed motion for enlargement of time dtd 930729, granted. W/Certificate of Svc. Served on 930730.
CHILK, S.J. Office of the Secretary of the Commission. #393 14166. 93/07/30. Transnuclear, Inc. 2pp. 76021:051-76021:052.

9308090125 Petitioner unopposed motion for enlargement of time. * Petitioner authorized to represent that applicant does not oppose motion for enlargement of time. W/Certificate of Svc & notice of appearance.
GREENBERG, E.V. Transnuclear, Inc. GREENBERG, E.V. Garvey, Schubert, Adams & Barer. #393 14160. 93/07/29. 4pp. 76021:132-76021:135.

9308090164 Petition of Nuclear Control Institute for leave to intervene & request for hearing. * Requests that Commission grant petition for leave to intervene & order that oral hearing be held. W/Certificate of Svc & notice of appearance.
GREENBERG, E.V. Nuclear Control Institute. GREENBERG, E.V. Garvey, Schubert, Adams & Barer. #393 14140. 93/06/24. Commissioners (Post 750119). 21pp. 76021:155-76021:175.

9308090175 Forwards "Transnuclear Opposition in Response to Petition to Intervene."
GLASGOW, J.A. Transnuclear, Inc. GLASGOW, J.A. Newman & Holtzinger. #393 14150. 93/07/27. CHILK, S.J. Office of the Secretary of the Commission. 1p. 76021:212-76021:227.

-9308090180 Transnuclear opposition in response to petition to intervene. * Requests that petition of Nuclear Control Inst be denied in entirety. W/Certificate of Svc & notice of appearance.
GLASGOW, J.A. Transnuclear, Inc. GLASGOW, J.A. Newman & Holtzinger. 93/07/27. Commissioners (Post 750119). 15pp. 76021:213-76021:227.

9308090232 Forwards export license XCOM-1081 issued on 930621 to Combustion Engineering Inc authorizing export of 411 Inconel I-690 sleeves for installation into SG tubes at KRSKO plant.
HAUBER, R.D. Assistant Director for Exports, Security & Safety Cooperation. 93/07/19. BORSTNIK, M. U.S. Embassies. 1p. 76023:358-76023:359.

228 NONDOCKETED ITEMS

- 9308090233 License for Combustion Engineering, Inc. to export 411 Inconel I-690 sleeves, to Slovenia.
STOIBER, C.R. Office of International Programs (Post 911117). 93/06/21. 1p. 76023:359-76023:359.
- 9308090237 Forwards amend 2 to export license XCOM-0778, authorizing extension of expiration date from 930701 to 970701.
HAUBER, R.D. Assistant Director for Exports, Security & Safety Cooperation. 93/07/19. TIAMBOONPRASERT U.S. Embassies. 1p. 76024:025-76024:027.
- 9308090240 Application for amend to export license XCOM-0778, extending expiration date from 930701 to 970701.
ASMUSSEN, K.E. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). IEL-2082. 93/06/10. 1p. 76024:027-76024:027.
- 9308090252 Forwards application for license to export low enriched U for ultimate use as lead fuel assemblies for Cofrentes 1 in Spain. Assurances requested.
HAUBER, R.D. Assistant Director for Exports, Security & Safety Cooperation. 93/07/20. ROONEY, J. Energy, Dept. of. 1p. 76024:022-76024:024.
- 9308090258 Forwards amend 1 to license XCOM-1059 authorizing extension of expiration date from 930701 to 970701.
HAUBER, R.D. Office of International Programs (Post 911117). 93/07/19. KIFLI, H.A. U.S. Embassies. 1p. 76024:019-76024:021.
- 9308090262 Application to amend license, to extend expiration date from 930701 to 970701.
ASMUSSEN, K.E. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). IEL-2081. 93/06/10. 1p. 76024:021-76024:021.
- 9308090277 Forwards 930716 ltr from Transnuclear, Inc. requesting amend to export license XSNM-2748 application to change listed info.
HAUBER, R.D. Assistant Director for Exports, Security & Safety Cooperation. 93/07/20. DELABARRE, R. State, Dept. of. 1p. 76023:342-76023:344.
- 9308100093 License for General Electric Co. to export 3.75 kg U-235, contained in 150.0 kg natural U enriched to 2.5 w/o max, to Spain.
HAUBER, R.D. Assistant Director for Exports, Security & Safety Cooperation. DLM-9354. 93/08/02. 2pp. 76027:355-76027:356.
- 9308110257 Provides note verbale re notification of intended transfer of items under Agreement for Cooperation between Govt of Japan & Govt of US concerning peaceful uses of nuclear energy.
* Japan. 93/07/02. U.S. Embassies. 5pp. 76065:223-76065:227.
- 9308110258 Provides note verbale re notification of intended transfer of items under agreement for cooperation.
* Japan. 93/07/02. U.S. Embassies. 5pp. 76063:351-76063:355.
- 9308110261 Provides note verbale re notification of intended transfer of items under agreement for cooperation.
* Japan. 93/07/02. U.S. Embassies. 5pp. 76064:240-76064:245.
- 9308170174 Forwards application for license to export U scrap to Germany & check for \$3,100.
EDGAR, J.B. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 93/07/23. HAUBER, R.D. Assistant Director for Exports, Security & Safety Cooperation. 1p. 76139:168-76139:170.
- 9308170182 Application for license to export UO2 ceramic pellets & powder & various other powder oxide of U including U3O8 & UO3 to Germany.
EDGAR, J.B. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 93/07/23. 2pp. 76139:169-76139:170.
- 9308190281 Responds to 930603 request for approval to use 22.343 kg of U in JMTR. Approval granted.
HAUBER, R.D. Office of International Programs (Post 911117). 93/08/04. OGINO, Y. Nissso Iwai American Corp. 1p. 76155:356-76155:356.
- 9308200029 Forwards application for export license for low enriched U for use in Germany. Ltr of assurance requested.
HAUBER, R.D. Assistant Director for Exports, Security & Safety Cooperation. 93/07/30. ROONEY, J. Energy, Dept. of. 1p. 76162:351-76162:354.
- 9308200038 Ltr of assurance re GE request to export low-enriched U as fuel rods for use as lead test assemblies to Spain.
DE LA CAMARA, M. Spain, Govt. of. 93/07/23. DEDIK, T. Energy, Dept. of. 1p. 76162:355-76162:355.
- 9308200043 Forwards FR notice of Transnuclear, Inc. 930716 & 0719 amends to application for license to export 280 kg enriched U as unirradiated fuel to France for defabrication.
HAUBER, R.D. Assistant Director for Exports, Security & Safety Cooperation. 93/08/02. TIFTON, E.A. Correspondence & Records Branch. 1p. 76162:356-76162:358.
- 9308200049 FR notice of Transnuclear, Inc. 930716 & 19 amends to application for license to export 280 kg enriched U as unirradiated fuel to France for defabrication.
HAUBER, R.D. Assistant Director for Exports, Security & Safety Cooperation. 93/08/02. 2pp. 76162:357-76162:358.
- 9308240252 Forwards application for license to export nuclear mat'l & equipment re zircaloy tubes.
MERRILL, K.C. Carpenter Technology Corp. 93/07/26. WRIGHT, B. Office of International Programs (Post 911117). 1p. 76201:143-76201:144.
- 9308240258 Application for license to export reactor grade zircaloy to Norway.
MERRILL, K.G. Carpenter Technology Corp. 4241. 93/07/26. 1p. 76201:144-76201:144.
- 9308240265 Application for license to export 209 mg Th-229 & 9 g U-233 to Germany.
BOYD, L.W. Energy, Dept. of. ORNL-93-089. 93/08/02. 2pp. 76210:281-76210:282.
- 9308240270 Requests Executive Branch views re encl application for export license for export of 9 g U-233 contained in solid oxide powder of recovered Th-229, to Germany.
HAUBER, R.D. Assistant Director for Exports, Security & Safety Cooperation. 93/08/09. DELABARRE, R. State, Dept. of. 1p. 76199:356-76199:358.
- 9308240272 Application for license to export solid oxide powder of recovered Th-229 containing 9 g U-233 to Germany.
BOYD, L.W. Energy, Dept. of. ORNL-93-089. 93/08/02. 2pp. 76199:357-76199:358.
- 9308240271 Application for license to export 28,865 kg natural & enriched U dioxide to Japan.
KAWANA, H. Mitsui & Co. (USA), Inc. MBK-F6-R12. 93/07/28. 1p. 76210:283-76210:283.
- 9308240273 Application for license to export 164,682 kg natural & enriched U dioxide to Japan.
KAWANA, H. Mitsui & Co. (USA), Inc. MBK-K6-0. 93/07/28. 1p. 76210:284-76210:284.
- 9308240275 Forwards application for export license for low enriched U for use as initial core fuel for Kashiwazaki Kariwa unit 6 in Japan.
HAUBER, R.D. Assistant Director for Exports, Security & Safety Cooperation. 93/08/09. DELABARRE, R. State, Dept. of. 1p. 76217:138-76217:139.
- 9308240283 Forwards application for export license for low enriched U for use as reload fuel for Fukushima Unit 6, in Japan.
HAUBER, R.D. Assistant Director for Exports, Security & Safety Cooperation. 93/08/09. DELABARRE, R. State, Dept. of. 1p. 76217:140-76217:141.
- 9308240293 Forwards 930729 ltr which requests amend to export license to add COGEMA as add'l ultimate consignee. Ltr of assurance requested.
HAUBER, R.D. Assistant Director for Exports, Security & Safety Cooperation. 93/08/09. ROONEY, J. Energy, Dept. of. 1p. 76217:142-76217:143.
- 9308240302 Application requesting that license be amended to reflect Cogema as ultimate consignee.
FISK, R.H. Edlow International Co. 93/07/29. WRIGHT, B. Office of International Programs (Post 911117). 1p. 76217:143-76217:143.
- 9308240308 Submits info re TN Neutron Analytical Lab Analyzer Export License in response to NRC request.
GOES, C., CLAUDIO, A. 93/08/03. Assistant Director for Exports, Security & Safety Cooperation. 1p. 76218:194-76218:194.
- 9308240313 Recommends that export license be issued, subj to stated provisions, per TN Technologies, Inc. application for license.
MCGOLDRICK, F. State, Dept. of. 93/08/03. STOIBER, C.R. Office of International Programs (Post 911117). 2pp. 76203:336-76203:337.
- 9308250155 Reply of petitioner Nuclear Control Institute to applicant opposition to petition for leave to intervene & request for hearing * W/Certificate of Svc.
GREENBERG, E.V. Nuclear Control Institute. GREENBERG, E.V. Garvey, Schubert, Adams & Barrer. #393 14213. 93/08/16. Commissioners (Post 750119). 20pp. 76190:031-76190:050.
- 9308250166 Submits comments in support of application of Transnuclear, Inc. on behalf of COGEMA, Inc. for export license.
MAXIN, A.M. Nuclear Fuel Services, Inc. #393 14212. 21G-93-0137. 93/08/13. CHILK, S.J. Office of the Secretary of the Commission. 3pp. 76189:359-76189:361.
- 9308250370 Forwards application for export license for reactor grade zircaloy-4 tubes for use in Halden reactor in Norway. Ltr of assurance requested.
HAUBER, R.D. Assistant Director for Exports, Security & Safety Cooperation. 93/08/16. DELABARRE, R. State, Dept. of. 3pp. 76203:197-76203:199.
- 9308270087 Requests that data contained in 900920 authorization ltr be amended to add COGEMA as ultimate consignee in foreign country.
FLINGON, C. European Communities, Commission of. 93/08/10. DEDIK, T. Energy, Dept. of. 1p. 76220:155-76220:155.
- 9308300090 Forwards rept that lists export actions completed by NRC for July.
HAUBER, R.D. Assistant Director for Exports, Security & Safety Cooperation. 93/08/10. DELABARRE, R. State, Dept. of. 4pp. 76274:295-76274:301.
- 9308300295 License for Transnuclear, Inc. to export 1,832 kg U-235 contained in 9,288 kg U enriched to 19.73 w/o max in form of MTR fuel elements to France.
HAUBER, R.D. Assistant Director for Exports, Security & Safety Cooperation. MIS 530. 93/08/24. 2pp. 76274:076-76274:077.
- 9308310091 Requests that encl license XSNM-2758 to export 0.6g Pu-238 to Brazil, be forwarded to appropriate Brazilian Officials for info.
HAUBER, R.D. Assistant Director for Exports, Security & Safety Cooperation. 93/08/24. MOURA, C.L. Brazil. 3pp. 76274:197-76274:199.
- 9308310104 License for TN Technologies, Inc. to export 0.6g Pu-238 as oxide w/Beryllium (Pu238Be) as neutron source doubly encapsulated in stainless steel capsule, to Brazil.
HAUBER, R.D. Assistant Director for Exports, Security & Safety Cooperation. 100788. 93/08/20. 2pp. 76274:198-76274:199.
- 9308310128 Forwards application for export license for low enriched U for use as reload fuel for Ikata Unit 1, region 18, in Japan.
HAUBER, R.D. Assistant Director for Exports, Security & Safety Cooperation. 93/08/20. DELABARRE, R. State, Dept. of. 1pp. 76274:218-76274:221.
- 9308310129 Application for license to export 2,326 kg U, enriched U hexafluoride, to Japan.
MAEKITA, M. Mitsubishi International Corp. 93/08/01. 1p. 76274:219-76274:219.
- 9308310144 Forwards application for license to export slightly enriched UF6 for fabrication of fuel assemblies & ultimately loaded into Ikata unit 1.
MAEKITA, M. Mitsubishi International Corp. SI-118 UF6. 93/08/05. WRIGHT, B. Office of International Programs (Post 911117). 2 pp. 76274:220-76274:221.

PERSONAL AUTHOR INDEX

The subject category column in this index gives the docket number and the symbol for the category of information within that docket; for example, 50-320 P. The docket subject categories are defined in Appendix A.

Subject categories for nondocketed items are also entered in this column by symbol; for example, ACRS. These categories are defined in Appendix B and listed in the Contents.

An asterisk following the accession number in this index indicates that the document is an enclosure to another document. To obtain the accession number of the principal document under which the enclosure is listed, refer to the index entitled "Cross Reference of Enclosures to Principal Documents."

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
ABRAMS, C.	9308120276	WASTE MGT	ANDERSON, R.O.	9308200193	50-263 F	BANGART, R.L.	9308030259	WASTE MGT
ACKINSON, G.	9308170246	PR	ANDERSON, R.O.	9308200196	50-282 F	BANGART, R.L.	9308110224	40-8881
ADAMS, A.	9308110330	50-186 P	ANDERSON, R.O.	9308200215	50-282 F	BANGART, R.L.	9308180261	40-8989
ADAMS, A.	9308170259	50-146 P	ANDERSON, R.O.	9308250294	50-263 P	BANGART, R.L.	9308180289	40-8820
ADAMS, A.	9308190187	50-166 P	ANDERSON, S.L.	9308170038*	50-413 P	BANGART, R.L.	9308180291	WASTE MGT
ADAMS, A.	9308200222	50-243 P	ANDERSON, T.L.	9308160294	NUREG	BARCHI, T.	9308030225	ORG
ADAMS, A.	9308250393	50-62 V	ANDJELIC, M.	9308020149*	50-237 S	BARGER, J.W.	9308170164	50-305 F
ADAMS, M.	9308260344	70-398	ANDRE, K.E.	9308030136*	40-8724	BARKHURST, R.P.	9308110150	50-382 P
ADAMS, M.T.	9308200117	70-338	ANG, W.P.	9308160152*	50-361 Q	BARKHURST, R.P.	9308110170	50-382 P
ADENSAM, E.G.	9308110304	50-298 P	ANG, W.P.	9308230249*	50-528 Q	BARKHURST, R.P.	9308110184	50-382 P
ADER, C.	9308120050	50-313 P	ANOWSMITH, H.W.	9308040286*	71-496	BARNARD, E.M.	9308310245	ACRS
AGGARWAL, S.K.	9308200075	NUREG	ANSTINE, L.	9308250302	CONTRACT	BARNARD, E.M.	9308310245	ACRS
AGUADO, J.	9308050046	50-219 F	ANTONY, D.D.	9308160159	50-282 Q	BARNES, H.E.	9308310126*	50-400 R
AHOLA, M.P.	9308160184	NUREG	ANTONY, D.D.	9308170314	50-263 Q	BARNEY, G.H.	9308300304*	70-139
AIELLO, R.F.	9308240124*	50-369 V	ANTRASSIAN, A.V.	9308050217	50-346 S	BARON, R.R.	9308170411	50-259 P
ALBERT, R.J.	9308030014*	50-317 Q	AOYAGI, G.A.	9308250378	CONTRACT	BARR, K.P.	9308050035*	50-335 Q
ALBERT, R.J.	9308170016*	50-271 Q	AOYAGI, G.A.	9308260029	CONTRACT	BARR, K.P.	9308060077*	50-280 Q
ALBERT, R.J.	9308170114*	50-443 Q	ARCEO, A.I.	9308130100*	WASTE MGT	BARR, K.P.	9308060122*	50-269 Q
ALEXION, T.W.	9308100224	50-368 P	ARNOLD, R.F.	9308130094	50-266 R	BARR, K.P.	9308100028*	50-327 Q
ALEXION, T.W.	9308110290	50-368 P	ARNOLD, W.M.	9308021202	71-179	BARR, K.P.	9308100079*	50-250 Q
ALEXION, T.W.	9308120278	50-368 Q	ARNOLD, W.M.	9308020213*	71-179	BARR, K.P.	9308250272*	50-324 Q
ALEXION, T.W.	9308170346	50-368 P	ASMUSSEN, K.E.	9308090240*	XPORTLIC	BARR, K.P.	9308250289*	50-324 Q
ALEXION, T.W.	9308190268	50-416 P	ASMUSSEN, K.E.	9308090262*	XPORTLIC	BARR, K.P.	9308250348*	70-27
ALEXION, T.W.	9308260145	TOPREP	ASMUSSEN, K.E.	9308160076	50-163 V	BARR, K.P.	9308250360*	50-395 Q
ALEXION, T.W.	9308310094	TOPREP	ASMUSSEN, K.E.	9308160352	50-163 S	BARR, R.C.	9308160165	50-397 S
ALLAIRE, P.E.	9308160143	PR	ASMUSSEN, K.E.	9308260221	70-734	BARRETT, L.H.	9308120266	WASTE MGT
ALLARDALE, M.J.	9308240011	40-3453	ASMUSSEN, K.E.	9308260338	70-734	BARROW, J.H.	9308130169	50-335 F
ALSMeyer, H.	9308120034*	NUREG	ATHERTON, N.G.	9308160358	50-369 S	BARROW, M.C.	9308310227	50-369 F
AMATO, C.G.	9308130035*	STATE PRO G	ATHERTON, N.G.	9308180021	STATE PRO G	BARRY, J.J.	9308200257*	52-3
ANDERSEN, J.W.	9308040095	50-245 Q	AUSTIN, J.H.	9308040202	70-3073	BARTH, C.A.	9308090154	50-424 G
ANDERSEN, J.W.	9308040113*	50-213 P	AUSTIN, J.H.	9308050194	40-6664	BARTH, C.A.	9308090161	50-424 G
ANDERSEN, J.W.	9308260107	50-245 P	AUSTIN, J.H.	9308180280	40-7455	BARTH, C.A.	9308110097	50-424 G
ANDERSON, C.J.	9308030084*	50-352 Q	AUSTIN, J.H.	9308180283	40-8820	BARTH, C.A.	9308110260	50-424 G
ANDERSON, C.J.	9308310103*	50-352 Q	AXELRAD, M.	9308250132	40-8027	BARTON, J.J.	9308120022	50-219 P
ANDERSON, C.J.	9308310170*	50-277 Q	AXELRAD, M.	9308260027	40-8027	BARTON, J.J.	9308160106	50-219 P
ANDERSON, E.C.	9308160034	50-277 F	AXELRAD, M.	9308260027	40-8027	BARTON, J.J.	9308190009	50-219 R
ANDERSON, E.L.	9308110239*	50-389 Q	AXLINE, J.W.	9308310271*	50-265 P	BARTON, J.J.	9308250309	50-219 P
ANDERSON, E.L.	9308110242*	50-389 Q	BACA, R.G.	9308050235	WASTE MGT	BARTON, J.J.	9308300066	50-219 K
ANDERSON, J.R.	9308300037	PR	BACHAND, D.	9308240098	PR	BASILESCO, G.J.	9308300158	50-293 S
ANDERSON, M.L.	9308160374	50-305 R	BACHMANN, R.G.	9308160186	40-8027	BAUCUS, M.	9308160271*	COMMISSION
ANDERSON, R.A.	9308170116	50-324 P	BACKUS, W.H.	9308120083	50-244 S	BAUER, J.A.	9308180215	50-454 P
ANDERSON, R.A.	9308310130	50-324 P	BACKUS, W.H.	9308090332*	50-244 S	BAUER, J.A.	9308230113	50-10 P
ANDERSON, R.A.	9308310218	50-324 P	BAILEY, S.J.	9308190148	50-309 R	BAUM, J.W.	9308160137	NUREG
ANDERSON, R.O.	9308200018*	50-263 P	BAJWA, S.S.	9308170334*	50-395 P	BAX, R.L.	9308050177	50-265 P
ANDERSON, R.O.	9308020069	50-282 S	BAJWA, S.S.	9308250431*	50-400 P	BAX, R.L.	9308180097	50-254 S
ANDERSON, R.O.	9308020086	50-282 S	BAJWA, S.S.	9308250475*	50-395 P	BAX, R.L.	9308190153	50-254 S
ANDERSON, R.O.	9308030106	50-263 Q	BAKER, E.T.	9308090093*	QA999	BAX, R.L.	9308240021	50-254 S
ANDERSON, R.O.	9308030420	50-263 Q	BAKER, E.T.	9308100180	50-458 P	BAX, R.L.	9308240039	50-254 S
ANDERSON, R.O.	9308050160	50-282 P	BAKER, E.T.	9308100186	50-458 P	BAX, R.L.	9308310197	50-254 R
ANDERSON, R.O.	9308050168*	50-282 P	BAKER, E.T.	9308100187*	50-458 P	BAXTER, P.C.	9308020157	PR
ANDERSON, R.O.	9308060267	50-263 P	BAKER, E.T.	9308100209*	50-458 P	BAXTER, T.A.	9308090173	50-312 G
ANDERSON, R.O.	9308060275	50-263 P	BAKER, E.T.	9308110157	50-458 P	BAXTER, T.A.	9308090173	50-312 G
ANDERSON, R.O.	9308090270	50-263 R	BAKER, E.T.	9308110225	50-458 P	BAXTER, T.A.	9308160138	50-312 G
ANDERSON, R.O.	9308110139	50-282 S	BAKER, E.T.	9308240088	50-458 P	BEACH, A.B.	9308030037	50-498 P
ANDERSON, R.O.	9308120092	50-282 S	BAKER, E.T.	9308250099	50-416 P	BEACH, A.B.	9308040036	50-498 Q
ANDERSON, R.O.	9308120103	50-282 S	BAKER, L.J.	9308250303	CONTRACT	BEACH, A.B.	9308110003	50-285 P
ANDERSON, R.O.	9308160351	50-263 S	GALLARD, C.H.	9308200047	PR	BEACH, A.B.	9308110004	50-298 Q
ANDERSON, R.O.	9308170048	50-282 S	BALMAIN, P.A.	9308050054*	50-424 Q	BEACH, A.B.	9308110005	50-285 Q
ANDERSON, R.O.	9308170342	50-263 Q	BAMFORD, W.H.	9308260007*	50-327 Q	BEACH, A.B.	9308110011	50-382 P
ANDERSON, R.O.	9308170406	50-263 Q	BANDYOPADHYAY	9308300320	RES	BEACH, A.B.	9308110021	50-285 P
ANDERSON, R.O.	9308200012	50-263 P	BANGART, R.L.	9009050294*	WASTE MGT	BEACH, A.B.	9308110034	50-445 Q

230 PERSONAL AUTHOR INDEX

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY			
BEACH,A.B.	9308110059	50-445	Q	BELISLE,G.A.	9308050053*	50-338	Q	BLIND,A.A.	9308170277	50-315	R
BEACH,A.B.	9308110094	50-445	Q	BELISLE,G.A.	9308060062	50-280	Q	BLIND,A.A.	9308200066	50-315	S
BEACH,A.B.	9308110100	50-313	Q	BELISLE,G.A.	9308060083	50-280	P	BLIND,A.A.	9308200131	50-315	S
BEACH,A.B.	9308110202	50-313	P	BELISLE,G.A.	9308100037*	50-280	Q	BLOCH,P.B.	9308250054	50-424	G
BEACH,A.B.	9308170078	50-445	Q	BELISLE,G.A.	9308250246*	50-338	Q	BLOCK,R.J.	9308270272*	ORG	
BEACH,A.B.	9308180002	50-445	Q	BELKE,W.L.	9308120146*	WASTE MGT		BLOCK,R.J.	9308270273*	ORG	
BEACH,A.B.	9308180003	50-482	Q	BELKE,W.L.	9308310284*	WASTE MGT		BLOCK,R.J.	9308270340*	ORG	
BEACH,A.B.	9308180007	50-498	P	BELLAMY,R.	9308260031	30-19010		BLOOM,S.	9308130047	50-285	P
BEACH,A.B.	9308180032	50-285	Q	BELLAMY-GRAHAM	9308250136	CONTRACT		BLOOM,S.	9308170302	50-285	P
BEACH,A.B.	9308180095	50-285	Q	BEMENT,R.S.	9308120332	50-313	F	BLOOM,S.	9308190269	50-285	P
BEACH,A.B.	9308180098	50-298	Q	BEMENT,R.S.	9308120358	50-313	F	BLOOM,S.	9308240222	50-285	P
BEACH,A.B.	9308180099	50-498	Q	BENESOLE,S.G.	9308090228	50-269	S	BLOOM,S.	9308240229	50-285	P
BEACH,A.B.	9308180102	50-458	Q	BENESOLE,S.G.	9308130120	50-269	S	BLOOM,S.D.	9308190149	50-285	P
BEACH,A.B.	9308230001	50-458	Q	BENSON,E.	9308030109	50-255	H	BLOOM,S.D.	9308260151	50-285	P
BEACH,A.B.	9308230095	50-482	Q	BENSON,M.	9308160219	50-254	R	BLOSSER,J.D.	9308170337	50-483	R
BEACH,A.B.	9308250085	50-482	Q	BERG,S.M.	9308310211	50-456	V	BLOSSER,J.D.	9308200063	71-6574	
BEACH,A.B.	9308250110	50-313	Q	BERG,W.L.	9308050192	50-409	P	BLOUGH,A.R.	9308030008	50-245	Q
BEACH,A.B.	9308250115	50-382	P	BERG,W.L.	9308230091	50-409	P	BLOUGH,A.R.	9308040013	50-213	Q
BEACH,A.B.	9308250192	50-298	Q	BERGERON,P.A.	9308310184*	50-309	P	BLOUGH,A.R.	9308270209	50-289	Q
BEACH,A.B.	9308250247	50-498	P	BERGMAN,T.A.	9308020251	50-445	P	BLOUGH,A.R.	9308270223	50-213	Q
BEARD,P.M.	9308020196	50-302	Q	BERGMAN,T.A.	9308020254*	50-445	P	BLOUGH,R.	9308270137	50-213	S
BEARD,P.M.	9308050193	50-302	Q	BERGMAN,T.A.	9308040098	50-445	S	BLUE,L.S.	9308240318*	PROJ	
BEARD,P.M.	9308090325	50-302	Q	BERGMAN,T.A.	9308050258	50-445	P	BLUMBERG,N.J.	9308100067*	50-334	Q
BEARD,P.M.	9308180037	50-302	R	BERGMAN,T.A.	9308230083	50-445	P	BLUMBERG,N.J.	9308110037*	50-277	Q
BEARD,P.M.	9308180042	50-302	P	BERGMAN,T.A.	9308230280	50-445	P	BOGER,B.A.	9308110211	50-156	V
BEARD,P.M.	9308200181	50-302	F	BERGMAN,T.A.	9308230294	50-445	P	BOGER,B.A.	9308230230	50-151	V
BEARD,R.M.	9308160232	50-321	R	BERHINIG,R.M.	9308250066	I&E		BOGER,B.A.	9308250354	50-116	V
BEAVERS,D.	9308240118	PR		BERICK,D.	9308110351*	STATE PRO G		BOGER,B.A.	9308270100	50-123	V
BECHHOEFER,C.	9308250104	50-275	G	BERKOW,H.	9308200152	50-338	P	BOGER,B.A.	9308300248	50-184	V
BECHHOEFER,C.	9308110065	50-275	G	BERKOW,H.N.	9308110266*	50-250	P	BOHLINGER,L.H.	9308200197*	STATE PRO G	
BECHHOEFER,C.	9308110080	50-275	G	BERKOW,H.N.	9308180084	50-280	Q	BOHLKE,W.H.	9308310191	I&E	
BECHHOEFER,C.	9308110122	50-275	G	BERKOW,H.N.	9308240111*	50-338	P	BOHLKE,W.H.	9308020127	PR	
BECHHOEFER,C.	9308250072	50-275	G	BERKOW,H.N.	9308240158*	50-280	P	BOHLKE,W.H.	9308160160	50-250	P
BECHHOEFER,C.	9308260040	50-275	G	BERLINGER,C.H.	9304070099	ORG		BOHLKE,W.H.	9308190092	50-250	H
BECK,C.K.	9308120249*	70-139		BERNARD,J.A.	9308160019	PR		BOHLKE,W.H.	9308260081	50-335	F
BECK,C.K.	9308120300*	70-139		BERNARD,J.A.	9308250141	PR		BOHLKE,W.H.	9308300139	50-250	P
BECK,C.K.	9308200061*	70-139		BERNERO,R.M.	9308090315	50-219	U	BOISSY,G.J.	9308130169	50-335	F
BECK,C.K.	9308200091*	70-139		BERNERO,R.M.	9308160200	50-255	H	BOLAND,A.T.	9308050079*	50-390	Q
BECK,C.K.	9308200103*	70-139		BERNERO,R.M.	9308160225	50-255	H	BOLAND,A.T.	9308060009*	50-261	Q
BECK,C.K.	9308200113*	70-139		BERNERO,R.M.	9308240228	50-317	G	BOLAND,A.T.	9308230178*	50-348	Q
BECK,C.K.	9308200282*	70-139		BERNERO,R.M.	9308240236*	50-317	G	BOLDT,G.L.	9308040176	50-302	S
BECK,C.K.	9308200318*	70-139		BERNERO,R.M.	9308240249*	50-317	G	BOLDT,G.L.	9308110149	50-302	R
BECK,C.K.	9308230286*	70-139		BERNERO,R.M.	9308260215	70-903		BOLDT,G.L.	9308180117	50-302	R
BECK,C.K.	9308240269*	70-139		BERNERO,R.M.	9308260318	ORG		BOLLINGER,G.A.	9308160175	NUREG	
BECK,C.K.	9308250463*	70-139		BERNHARD,R.H.	9308060188*	50-416	Q	BOLON,A.E.	9308060363	50-123	P
BECK,C.K.	9308260054*	70-139		BERNHARD,R.H.	9308270037*	50-416	Q	BONDICK,J.	9308130035*	STATE PRO G	
BECK,C.K.	9308260220*	70-139		BERNTHAL,F.M.	9308020135	PR		BONDICK,J.	9308310106	I&E	
BECK,C.K.	9308260255*	70-139		BETTENHAUSEN,H.	9308260368	50-352	V	BONEBRAKE,R.	9308270313*	ORG	
BECK,C.K.	9308270149*	70-139		BETTENHAUSEN,L.	9308030034	50-293	Q	BONEBRAKE,R.	9308270324*	ORG	
BECK,C.K.	9308270250*	70-139		BETTENHAUSEN,L.	9308030042	50-244	Q	BONEBRAKE,R.	9308270330*	ORG	
BECK,W.L.	9308030057*	40-8724		BETTENHAUSEN,L.	9308030054	50-354	P	BONSER,B.R.	9308050054*	50-424	Q
BECKER,M.	9308160012	PR		BETTENHAUSEN,L.	9308040006	50-247	V	BOOKER,J.E.	9308090001	50-458	S
BECKHAM,J.T.	9308030201	50-321	Q	BETTENHAUSEN,L.	9308100015	50-317	P	BOOKER,J.E.	9308090006	50-458	Q
BECKHAM,J.T.	9308030308	50-321	Q	BETTENHAUSEN,L.	9308100062	50-334	Q	BOOKER,J.E.	9308090246	50-458	R
BECKHAM,J.T.	9308040203	50-321	P	BETTENHAUSEN,L.	9308110008	50-220	Q	BOOKER,J.E.	9308100240	50-458	S
BECKHAM,J.T.	9308040211	50-366	P	BETTENHAUSEN,L.	9308110018	50-412	V	BOOKER,J.E.	9308120016	50-458	F
BECKHAM,J.T.	9308050136	50-321	P	BETTENHAUSEN,L.	9308110032	50-277	Q	BOOKER,J.E.	9308190155	50-458	R
BECKHAM,J.T.	9308050219	50-321	P	BETTENHAUSEN,L.	9308170030	50-286	V	BOOKER,J.E.	9308250443	50-458	R
BECKHAM,J.T.	9308160232	50-321	R	BETTENHAUSEN,L.	9308170054	50-245	Q	BOOKER,J.E.	9308260302	50-458	S
BECKHAM,J.T.	9308160379	50-321	Q	BETTENHAUSEN,L.	9308170145	50-286	V	BOOKER,J.E.	9308300127	50-458	S
BECKHAM,J.T.	9308170399	50-321	Q	BETTENHAUSEN,L.	9308230236*	50-443	Q	BOOTH,C.E.	9308020039	50-285	S
BECKHAM,J.T.	9308190114	50-321	R	BEVAN,R.B.	9308190310	50-313	P	BORCHARDT,R.W.	9308270195	52-1	
BECKHAM,J.T.	9308200055	50-321	P	BEZMELNITSIN,A.	9308160272	NUREG		BORES,R.	9308310050*	50-289	Q
BECKHAM,J.T.	9308200278	50-321	Q	BICKMAN,J.	9308020056	PR		BORES,R.J.	9308030020*	50-184	Q
BECKHAM,J.T.	9308300261	50-321	R	BIGALBAL,M.	9308190142	50-213	R	BORES,R.J.	9308040005	50-277	Q
BECKHAM,J.T.	9308300284	50-321	F	BISHOP,R.W.	9308300104*	REVIEW GR		BORES,R.J.	9308090034*	50-387	Q
BECKHAM,J.T.	9308250035	50-366	S	BISHOP,S.	9308170125*	50-324	P	BORES,R.J.	9308130019*	50-333	Q
BECKJORD,E.S.	9308020117	PR		BISHOP,S.	9308170130*	50-324	P	BORES,R.J.	9308170014*	50-220	Q
BECKJORD,E.S.	9308040151	TOPREP		BIZZARRI,D.	9308240148	PR		BORES,R.J.	9308230184*	50-170	Q
BECKJORD,E.S.	9308190045	REGGD		BLACK,S.C.	9308030351	50-482	P	BORES,R.J.	9308270285*	50-286	Q
BECKJORD,E.S.	9308190103	NUREG		BLACK,S.C.	9308030363	50-482	P	BORES,R.J.	9308310125*	50-334	Q
BEEDLE,R.E.	9308020140	50-333	P	BLACK,S.C.	9308190118*	50-498	P	BORLAND,I.M.	9308130129	50-346	F
BEEDLE,R.E.	9308050032	50-333	P	BLACK,S.C.	9308230162*	50-482	P	BOSILJEVAC,F.	9308130080	WASTE MGT	
BEEDLE,R.E.	9308050167	50-333	Q	BLACK,S.C.	9308240018	50-445	P	BOULETTE,E.T.	9308230007	50-293	Q
BEEDLE,R.E.	9308060343	50-286	Q	BLACK,S.P.	9308050156	71-766		BOULETTE,E.T.	9308020073	50-293	R
BEEDLE,R.E.	9308090218	50-333	Q	BLAHA,J.L.	9308060050	COMMISSION		BOULETTE,E.T.	9308030045*	50-293	P
BEEDLE,R.E.	9308120237	50-286	Q	BLAHA,J.L.	9308100127	COMMISSION		BOULETTE,E.T.	9308030195	50-283	F
BEEDLE,R.E.	9308190170	50-333	P	BLAHA,J.L.	9308110250	COMMISSION		BOULETTE,E.T.	9308040123	50-283	S
BEEDLE,R.E.	9308230171	50-333	P	BLAHA,J.L.	9308260219	COMMISSION		BOULETTE,E.T.	9308050021	50-293	S
BEEDLE,R.E.	9308240045	50-333	P	BLAKE,E.L.	9308030182*	50-255	H	BOULETTE,E.T.	93081100126	50-293	S
BEEDLE,R.E.	9308300076	50-333	P	BLAKE,E.L.	9308030182*	50-255	H	BOULETTE,E.T.	9308160066	50-293	P
BEEDLE,R.E.	9308300083*	50-333	P	BLAKE,J.J.	9308250117*	50-413	Q	BOULETTE,E.T.	9308190085	50-293	O
BEEDLE,R.E.	9308300159	50-333	P	BLAKE,J.J.	9308250135*	50-327	Q	BOULETTE,E.T.	9308200068	50-293	S
BEITEL,J.J.	9308040249*	40-1020		BLAKE,J.J.	9308250138*	50-259	Q	BOULETTE,E.T.	9308200179	50-293	P
BEITEL,J.J.	9308040263*	40-1020		BLANDIN,W.A.	9308040267*	40-1020		BOULETTE,E.T.	9308230098	PR	
BEITEL,J.J.	9308040280*	40-1020		BLESSIE,W.J.	9308090347*	50-285	S	BOULETTE,E.T.	9308250202	50-293	F
BELANGER,J.L.	9308100163*	50-186	Q	BLIND,A.A.	9308100001	50-315	S	BOULETTE,E.T.	9308250322	50-293	S
BELUSI,E.A.	9308250280	50-281	S	BLIND,A.A.	9308160318	50-316	S	BOULETTE,E.T.	9308260002	50-293	S

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY			
BOULETTE, E.T.	9308300151	50-293	S	BRINKMAN, D.S.	9308110299	50-220	P	CAHILL, W.J.	9308250240	50-445	K
BOULETTE, E.T.	9308300158	50-293	S	BRINKMAN, D.S.	9308170331	50-220	P	CAHILL, W.J.	9308250257	50-445	K
BOURASSA, M.D.	9308110099*	50-155	S	BRINKMAN, D.S.	9308260095	50-220	P	CAIN, C.L.	9308180016*	40-8027	
BOURASSA, M.D.	9308120134*	50-155	S	BROBST, W.A.	9308240174*	70-139		CALDWELL, J.L.	9308130173*	50-116	V
BOURASSA, M.D.	9308160251	50-155	S	BROCCOLO, E.A.	9308170324	50-295	R	CALDWELL, J.L.	9308160325*	50-150	V
BOURASSA, M.D.	9308170161	50-155	S	BROCK, J.	9308270018*	70-734		CALDWELL, J.L.	9308240053*	50-184	V
BOURASSA, M.D.	9308170177	50-155	S	BROGA, D.W.	9308020051	PR		CALDWELL, J.L.	9308240344	50-128	V
BOURGO, E.	9308190145	50-275	R	BROLIN, E.C.	9308020119	PR		CALDWELL, J.L.	9308240350	50-59	V
BOWDEN, R.L.	9308020274	50-438	A	BROLIN, E.C.	9308120353*	ORG		CALDWELL, J.L.	9308240356	50-170	V
BOWER, F.L.	9308110037*	50-277	Q	BROUGHTON, T.G.	9308040148	50-289	P	CALDWELL, J.L.	9308260310	50-166	V
BOWLING, M.L.	9308030118	50-338	P	BROUGHTON, T.G.	9308060289	50-289	P	CALFA, J.P.	9308300151	50-293	S
BOWLING, M.L.	9308050119	PR		BROUGHTON, T.G.	9308090210	50-289	S	CALLAN, L.J.	9308030017	40-8027	
BOWLING, M.L.	9308060242	50-280	F	BROUGHTON, T.G.	9308170296	50-289	P	CALLAN, L.J.	9308030063	40-8027	
BOWLING, M.L.	9308060352	50-338	F	BROUGHTON, T.G.	9308170316*	50-289	P	CALLAN, L.J.	9308040002	50-458	Q
BOWLING, M.L.	9308090018	50-281	Q	BROUGHTON, T.G.	9308200169	50-289	R	CALLAN, L.J.	9308110043	50-445	Q
BOWLING, M.L.	9308160221	50-338	P	BROUGHTON, T.G.	9308270035	50-289	P	CALLAN, L.J.	9308110178	50-498	Q
BOWLING, M.L.	9308170272	50-338	R	BROUGHTON, T.G.	9308270041*	50-289	P	CALLAN, L.J.	9308170118	50-458	Q
BOWLING, M.L.	9308190175	50-280	R	BROUGHTON, T.G.	9308310208	50-289	P	CALLAN, L.J.	9308180010	50-445	Q
BOWLING, M.L.	9308190195	REVIEW GR	P	BROUGHTON, T.G.	9308310209*	50-289	P	CALLAN, L.J.	9308180011	40-8027	
BOWLING, M.L.	9308190249	50-280	P	BROWM, R.	9308270324*	ORG		CALLAN, L.J.	9308180029	50-382	Q
BOWLING, M.L.	9308230012	PR		BROWN, D.W.	9308270028	PR		CALLAN, L.J.	9308230089	50-482	F
BOWLING, M.L.	9308230025	PR		BROWN, J.A.	9308310271*	50-265	P	CALLAN, L.J.	9308250091	50-445	F
BOWLING, M.L.	9308250194	50-280	F	BROWN, J.M.	9308170089	50-324	S	CALLAN, L.J.	9308250220	50-445	F
BOWLING, M.L.	9308250471	71-9222	S	BROWN, J.M.	9308170190	50-324	S	CALLAN, L.J.	9308270119	50-498	F
BOYCE, R.W.	9308040290	50-352	S	BROWN, J.M.	9308170204	50-324	S	CALLAN, L.J.	9308270163	50-498	Q
BOYCE, R.W.	9308040294	50-353	S	BROWN, J.M.	9308170432	50-324	R	CALLAN, L.J.	9308270176	50-382	F
BOYCE, R.W.	9308040301	50-353	S	BROWN, J.W.	9308110396*	50-368	F	CALLAN, L.J.	9308270188	50-498	F
BOYCE, R.W.	9308060238	50-352	S	BROWN, N.	9308260190	50-289	F	CALLAN, L.J.	9308270196	50-285	F
BOYCE, R.W.	9308100254	50-352	S	BROWN, R.	9308270313*	ORG		CALLAN, L.J.	9308310030	50-298	F
BOYCE, R.W.	9308190078	50-353	S	BROWN, R.	9308270330*	ORG		CALLANDER, R.	9308170104	50-250	R
BOYCE, T.H.	9308030178	52-1		BROWN, R.	9308270332*	ORG		CALVO, J.	9308040277	PROJ	
BOYCE, T.H.	9308190328	52-1		BROWN, R.J.	9308130046*	50-498	F	CALVO, J.A.	9308240220	50-410	P
BOYCE, T.H.	9308260084	ORG		BRUSCHI, H.J.	9308110235	52-3		CALVO, J.A.	9308300176*	50-286	P
BOYD, L.W.	9308240265	XPORTLIC		BRUSH, F.L.	9308270085	50-461	P	CALVO, J.A.	9308300306	50-334	P
BOYD, L.W.	9308240272*	XPORTLIC		BRYANT, J.E.	9308200110	50-373	S	CAMERON, A.C.	9308190284	71-220	
BOYLE, M.L.	9308120316	50-272	P	BRYAN, F.	9308180233*	50-498	I	CAMPBELL, W.E.	9308200182*	70-139	
BOYLE, M.L.	9308200224	50-387	P	BUCH, W.	9308020261	50-213	F	CAMPBELL, W.E.	9308270143*	70-139	
BOYLE, M.L.	9308240315*	50-277	P	BUCKLEY, B.C.	9308120068*	50-338	P	CAMPOS, A.R.	9308090225	50-295	S
BOYLE, M.L.	9308250352*	50-387	P	BUCKLEY, B.C.	9308230066	50-280	P	CANHAM, C.A.	9308300296*	70-139	
BOYLE, M.L.	9308250405*	50-387	P	BUCKLEY, B.C.	9308240157	50-280	P	CANIANO, R.	9308030255*	I&E	
BOYLE, M.L.	9308300308*	50-387	P	BUCKLEY, B.C.	9308240186	50-280	P	CANIANO, R.	9308030257	I&E	
BOYLE, S.E.	9308200267	50-354	P	BUCKLEY, M.	9308040104*	50-334	Q	CANNON, R.L.	9308050138	50-293	S
BRACH, E.W.	9308030167	40-8905		BUDLONG, T.	9308170150	PR		CANT, G.	9308050138	I&E	
BRACH, E.W.	9308190017	WASTE MGT		BULLEN, H.C.	9308020070	PR		CANTRELL, B.H.	9308110113*	40-8027	
BRADBURY, R.B.	9308120091*	NUREG		BURDICK, T.	9308250265*	50-295	V	CANTRELL, F.S.	9308050121*	50-395	Q
BRADISH, T.R.	9308020166	50-528	S	BURGESS, B.	9308250187*	50-305	Q	CANTRELL, F.S.	9308060111*	50-348	Q
BRADISH, T.R.	9308040015	50-528	S	BURKE, B.A.	9308160346	50-416	S	CANTRELL, F.S.	9308060188*	50-416	Q
BRADISH, T.R.	9308040024	50-528	S	BURNS, C.	9308110369*	PR		CANTRELL, F.S.	9308060261	50-348	P
BRADISH, T.R.	9308040039	50-530	S	BURNS, S.G.	9307280207	SECY		CANTRELL, F.S.	9308270037*	50-416	Q
BRADISH, T.R.	9308050031	PR		BURRIS, S.P.	9308050048*	70-143		CANTRELL, F.S.	9308300144*	50-395	Q
BRADISH, T.R.	9308060303*	50-528	S	BURRIS, S.P.	9308230140*	70-143		CAPRA, R.A.	9308030402*	50-247	P
BRADISH, T.R.	9308100004	50-528	P	BURSKI, R.F.	9308170274	50-382	R	CAPRA, R.A.	9308030409*	50-410	P
BRADISH, T.R.	9308130103	50-528	P	BURSKI, R.F.	9308180251	TOPREP		CAPRA, R.A.	9308050188*	50-286	P
BRADISH, T.R.	9308160026	PR		BURSKI, R.F.	9308230205	50-382	Q	CAPRA, R.A.	9308090207*	50-333	P
BRADISH, T.R.	9308310239	50-529	S	BURSKI, R.F.	9308260179	50-382	P	CAPRA, R.A.	9308110375*	50-410	P
BRAM, S.B.	9308040122	50-247	P	BURTON, H.M.	9308120346	CONTRACT		CAPRA, R.A.	9308160228*	50-333	P
BRAM, S.B.	9308100145	50-3	P	BURZYNSKI, M.J.	9308100100	50-327	F	CAPRA, R.A.	9308170332*	50-220	P
BRAM, S.B.	9308130182	50-247	P	BUSH, L.	9308180208	NUREG		CAPRA, R.A.	9308180058*	50-286	P
BRAM, S.B.	9308200154	50-3	J	BUSH, L.	9308260363	TOPREP		CAPRA, R.A.	9308190181	50-333	P
BRAM, S.B.	9308230199	50-247	S	BUTCHER, R.C.	9308050015*	50-250	Q	CAPRA, R.A.	9308190186*	50-333	P
BRAM, S.B.	9308260148	50-247	R	BUTLER, D.S.	9308170159*	50-454	Q	CAPRA, R.A.	9308200174	50-247	F
BRAM, S.B.	9308270048	50-3	F	BUTLER, W.R.	9308030306*	50-412	P	CAPRA, R.A.	9308240214*	50-286	P
BRANCH, M.W.	9308100037*	50-280	Q	BUTLER, W.R.	9308090278*	50-309	P	CAPRA, R.A.	9308260078	50-220	P
BRAND, W.E.	9308060336	50-458	M	BUTLER, W.R.	9308170195	REVIEW GR	P	CAPRA, R.A.	9308260088*	50-410	P
BRAND, W.E.	9308060336	50-458	M	BUTLER, W.R.	9308190067*	50-334	P	CAPRA, R.A.	9308260097*	50-220	P
BRAND, W.E.	9308060336	50-458	M	BUTLER, W.R.	9308200204*	50-309	P	CAPRA, R.A.	9308300008*	50-333	P
BRAND, W.E.	9308090314*	50-301	Q	BUTLER, W.R.	9308270023	50-412	P	CARD, L.G.	9308060200	50-259	F
BRAND, W.E.	9308090316*	50-301	Q	BUTLER, W.R.	9308270298*	50-334	P	CARDE, M.	9308230100	PR	
BRANIGAN, D.E.	9308120361	CONTRACT		BUTLER, W.R.	9308310063*	50-309	P	CAREY, R.P.	9308180230*	50-498	I
BRAULT, E.L.	9308270309*	ORG		BYRAM, R.G.	9308020139	50-387	H	CARLSON, R.	9308250060*	70-8	
BREDEWEG	9308100175	70-3070		BYRAM, R.G.	9308030311	50-387	Q	CARLSON, R.D.	9308200206*	WASTE MGT	
BREWER, K.	9308240003*	70-1257		BYRAM, R.G.	9308130147	50-387	R	CARNS, N.S.	9308130176	50-482	Q
BREWER, R.K.	9308160094*	70-734		BYRAM, R.G.	9308160337	50-387	P	CARNS, N.S.	9308200044	50-482	Q
BREWER, S.J.	9308200131	50-315	S	BYRAM, R.G.	9308170212	50-387	P	CARPENTER, C.E.	9308190233	50-324	P
BRIDGES, M.	9308190153	50-254	S	BYRAM, R.G.	9308170354	50-387	P	CARPENTER, J.H.	9308250054	50-424	G
BRIENT, R.D.	9308040186*	40-1020		BYRAM, R.G.	9308190198	50-387	R	CARRASCO, J.E.	9308310065*	50-213	Q
BRIENT, R.D.	9308120146*	WASTE MGT		BYRAM, R.G.	9308190351	50-387	P	CARRASCO, J.E.	9308310092*	50-352	Q
BRINKMAN, C.B.	9308030004	52-2		CACCIAPAGLIA, M.	9308230018	70-139		CARRION, R.P.	9308100022*	50-321	Q
BRINKMAN, C.B.	9308030004	52-2		CAHILL, W.J.	9308020085	PR		CARRION, R.P.	9308120359*	50-335	Q
BRINKMAN, C.B.	9308040154	52-2		CAHILL, W.J.	9308040235	50-445	P	CARSON, L.C.	9308160004*	50-312	Q
BRINKMAN, C.B.	9308040154	52-2		CAHILL, W.J.	9308040273	50-446	S	CARTER, D.	9308260356	PT21	
BRINKMAN, C.B.	9308100099	52-2		CAHILL, W.J.	9308090346	50-445	P	CARTER, J.R.	9308300005	PR	
BRINKMAN, C.B.	9308100099	52-2		CAHILL, W.J.	9308110292	50-445	F	CASEY, J.L.	9308020097	PR	
BRINKMAN, C.B.	9308110286	PROJ		CAHILL, W.J.	9308130037	50-445	F	CASEY, J.L.	9308020103*	PR	
BRINKMAN, C.B.	9308110286	PROJ		CAHILL, W.J.	9308180028	50-445	R	CASEY, M.G.	9308170130*	50-324	P
BRINKMAN, C.B.	9308230173	52-2		CAHILL, W.J.	9308180054*	50-445	Q	CASHWELL, R.J.	9308250032	PR	
BRINKMAN, C.B.	9308230173	52-2		CAHILL, W.J.	9308200313	REVIEW GR	P	CASHWELL, R.J.	9308		

232 PERSONAL AUTHOR INDEX

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
CASTELL,C.A.	9308310241	50-266 S	CHILK,S.J.	9308240046	10CFR	CLINE,W.E.	9308060182	50-269 Q
CASTLEBERRY,E.	9308250060*	70-8	CHILK,S.J.	9308240138	PR	CLINE,W.E.	9308060239	50-321 P
CATTADORI,G.	9308170156*	52-3	CHILK,S.J.	9308250134	50-275 G	CLINE,W.E.	9308100009	50-369 P
CHABOT,D.	9308050295	70-139	CHILK,S.J.	9308250159	50-424 G	CLINE,W.E.	9308100018	50-321 Q
CHAFEE,J.	9308160271*	COMMISSION	CHILK,S.J.	9308250173	50-458 G	CLINE,W.E.	9308100024	50-369 Q
CHAFFEE,A.E.	9308120291	50-272 S	CHILK,S.J.	9308250244	50-336 G	CLINE,W.E.	9308100026	50-327 Q
CHAFFEE,A.E.	9308120305	50-254 S	CHILK,S.J.	9308260030	50-440 G	CLINE,W.E.	9308100059	50-413 P
CHAFFEE,A.E.	9308170301	50-369 S	CHILK,S.J.	9308270094	10CFR	CLINE,W.E.	9308100078	50-250 Q
CHAFFEE,A.E.	9308180115	50-260 S	CHILK,S.J.	9308270097	10CFR	CLINE,W.E.	9308100085	50-400 Q
CHAFFEE,A.E.	9308190138	50-247 S	CHILK,S.J.	9308270107	10CFR	CLINE,W.E.	9308120355	50-335 Q
CHAFFEE,A.E.	9308200256	50-529 S	CHILK,S.J.	9308270113	10CFR	CLINE,W.E.	9308130002	50-416 F
CHAFFEE,A.E.	9308200279	50-286 S	CHILK,S.J.	9308270121	10CFR	CLINE,W.E.	9308130014	50-395 F
CHAFFEE,A.E.	9308240005	ORG	CHILK,S.J.	9308270124	10CFR	CLINE,W.E.	9308130018	50-400 Q
CHAFFEE,A.E.	9308310139	50-263 S	CHILK,S.J.	9308270131	10CFR	CLINE,W.E.	9308230160	50-395 Q
CHAIRMAN	9308040320	COMMISSION	CHILK,S.J.	9308300053	PR	CLINE,W.E.	9308250008	50-280 F
CHAN,T.L.	9308100237*	50-298 P	CHILK,S.M.	9308170142	10CFR	CLINE,W.E.	9308250267	50-324 Q
CHANEY,H.	9308240027*	50-344 Q	CHOPRA,O.K.	9308160133	NUREG	CLINE,W.E.	9308250286	50-324 Q
CHANEY,H.	9308250157*	50-397 Q	CHOU,R.C.	9308250138*	50-259 Q	CLINE,W.E.	9308250344	70-27
CHAPMAN,M.C.	9308160175	NUREG	CHOWDHURY,A.H.	9308160184	NUREG	CLINE,W.E.	9308250356	50-395 Q
CHAPPELL,C.R.	9308270152*	71-9001	CHRISTENSEN,H.	9308050011*	50-400 Q	CLINE,W.E.	9308260237	70-27
CHAPPELL,C.R.	9308100278*	71-9249	CHRISTENSEN,H.	9308050063*	50-400 Q	CLINE,W.E.	9308260252*	70-27
CHAPPELL,C.R.	9308050081	71-6078	CHRISTENSEN,H.	9308050068*	50-261 Q	CLINE,W.E.	9308270046	70-1113
CHAPPELL,C.R.	9308050087*	71-6078	CHRISTENSEN,H.	9308050101*	50-261 Q	CLINE,W.E.	9308270220	50-338 F
CHAPPELL,C.R.	9308050117	71-9099	CHRISTENSEN,H.	9308050141*	50-324 Q	CLINE,W.E.	9308270244	50-324 Q
CHAPPELL,C.R.	9308100272	71-4986	CHRISTENSEN,H.	9308060059	50-324 P	CLINE,W.E.	9308270307	70-824
CHAPPELL,C.R.	9308100274*	71-4986	CHRISTENSEN,H.	9308060198	50-325 P	CLINE,W.E.	9308300100	50-280 Q
CHAPPELL,C.R.	9308100275	71-9249	CHRISTENSEN,H.	9308060211	50-325 P	CLINE,W.E.	9308310087	50-335 F
CHAPPELL,C.R.	9308110199	71-9033	CHRISTENSEN,H.	9308300070	50-220 R	CLINE,W.E.	9308310182	50-302 F
CHAPPELL,C.R.	9308110201	71-9208	CHRISTIAN,J.	9308110343	71-*****	CLINE,W.O.	9308230174	50-348 Q
CHAPPELL,C.R.	9308110205	71-9071	CHRISTNOT,E.F.	9308050010*	50-321 Q	CLINES,W.E.	9308250090	50-416 F
CHAPPELL,C.R.	9308120121	71-9127	CHRISTNOT,E.F.	9308060140*	50-321 Q	CLONINGER,T.H.	9308100154	50-498 P
CHAPPELL,C.R.	9308120343	71-6697	CHRISTOFI,N.	9308180138	WASTE MGT	CLONINGER,T.H.	9308100169	50-498 P
CHAPPELL,C.R.	9308160331	71-9103	CHYZANOWSKI,D.	9308100156	50-295 P	CLONINGER,T.H.	9308110073	50-498 P
CHAPPELL,C.R.	9308160348	71-9102	CHYZANOWSKI,D.	9308100190	50-237 P	CLONINGER,T.H.	9308110126	50-498 S
CHAPPELL,C.R.	9308160359	71-5086	CHYZANOWSKI,D.	9308230136	50-237 P	CLONINGER,T.H.	9308160167	50-498 R
CHAPPELL,C.R.	9308270147	71-9001	CIALKOWSKI,M.	9308160380	50-373 R	CLONINGER,T.H.	9308160306	50-498 P
CHAPPELL,C.R.	9308270168	71-9228	CILLIS,M.	9308030132*	50-397 Q	CLONINGER,T.H.	9308180213	50-498 I
CHAPPELL,C.R.	9308270171*	71-9228	CILLIS,M.	9308160094*	70-734	CLONINGER,T.H.	9308190116	50-498 P
CHAPPELL,C.R.	9308270174	71-3021	CLARK,D.D.	9308120169	CONTRACT	COBLENTZ,L.	9308100063	50-315 Q
CHARAK,I.	9308310086*	PROJ	CLARK,L.B.	9308110102	50-312 G	COBLENTZ,L.	9308100089	50-458 Q
CHARYULU,H.	9308250318	70-1374	CLARK,R.J.	9308030365	50-387 P	COFFMAN,J.R.	9308180177	50-188 P
CHATTEN,R.E.	9308250236	CONTRACT	CLARK,R.J.	9308040257	50-387 P	COHEN,M.	9308240247	QA999
CHATTEN,R.E.	9308250243	CONTRACT	CLARK,R.J.	9308200034	50-387 T	COHEN,S.	9308250404	CONTRACT
CHATTERTON,T.E.	9308260199	TOPREP	CLARK,R.J.	9308250340	50-387 P	COLBURN,T.G.	9308110278	50-341 P
CHAUDHARY,S.	9308030081*	50-317 Q	CLARK,R.J.	9308250402	50-387 P	COLBURN,T.G.	9308120172	50-341 P
CHERNOFF,A.R.	9308020107	WASTE MGT	CLARK,R.J.	9308300287	50-387 P	COLBURN,T.G.	9308170359	50-341 P
CHERNOFF,A.R.	9308090057	WASTE MGT	CLARKE,T.E.	9308030336	MISC	COLE,M.J.	9308180012	71-231
CHERNOFF,A.R.	9308090174	WASTE MGT	CLARKE,T.E.	9308180219	MISC	COLE,R.F.	9308090139	50-271 G
CHERNOFF,A.R.	9308130066	WASTE MGT	CLARKE,W.L.	9308050293*	WASTE MGT	COLEY,J.L.	9308060128*	50-369 Q
CHERNOFF,A.R.	9308190097	WASTE MGT	CLAUDIO,A.	9308240308	XPORTLIC	COLEY,J.L.	9308250138*	50-259 Q
CHERNOFF,A.R.	9308200144	WASTE MGT	CLAYPOOL,R.G.	9308020087	PR	COLGLAZIER,R.	9308170221	50-454 R
CHERNOFF,A.R.	9308310145	WASTE MGT	CLAYTON,B.	9308090015	50-373 Q	COLLINS,D.J.	9308300216	40-1571
CHERNOFF,A.R.	9308310173	40-6500	CLEMENTS,F.	9308230056	PR	COLLINS,D.M.	9308030163	50-302 Q
CHERNOFF,H.	9308030116	70-3070	CLIFFORD,J.W.	9308110281	50-397 P	COLLINS,D.M.	9308030175	50-259 F
CHERNOFF,H.K.	9308030240	50-344 P	CLIFFORD,J.W.	9308170423	50-397 Q	COLLINS,D.M.	9308040046	50-348 Q
CHERNOFF,H.K.	9308100273	50-344 F	CLIFFORD,J.W.	9308270260	TOPREP	COLLINS,D.M.	9308040195	50-259 Q
CHEERINGTON,L.	9308240023	40-3453	CLINE,W.E.	9308050016	50-327 P	COLLINS,D.M.	9308050041	70-143
CHEUNG,L.S.	9308040011*	50-272 Q	CLINE,W.E.	9308050028	50-335 Q	COLLINS,D.M.	9308050092	70-27
CHEVALIER,R.G.	9308160366	50-245 P	CLINE,W.E.	9308050056	50-327 Q	COLLINS,D.M.	9308060105	70-1151
CHICOTS,J.M.	9308170038*	50-413 P	CLINE,W.E.	9308050069	50-280 Q	COLLINS,D.M.	9308060131	70-27
CHILK,S.J.	9201170193*	STATE PRO G	CLINE,W.E.	9308050073	50-280 P	COLLINS,D.M.	9308060168	50-327 Q
CHILK,S.J.	9308020010	10CFR	CLINE,W.E.	9308050082	50-327 F	COLLINS,D.M.	9308060279	70-143
CHILK,S.J.	9308020125	10CFR	CLINE,W.E.	9308050089	50-259 P	COLLINS,D.M.	9308100073	50-413 Q
CHILK,S.J.	9308020132	10CFR	CLINE,W.E.	9308050090	50-348 Q	COLLINS,D.M.	9308100081	50-302 Q
CHILK,S.J.	9308020150	PR	CLINE,W.E.	9308050106	50-424 P	COLLINS,D.M.	9308100086*	50-302 Q
CHILK,S.J.	9308020163	PR	CLINE,W.E.	9308050114	50-338 P	COLLINS,D.M.	9308120209	70-27
CHILK,S.J.	9308020176	10CFR	CLINE,W.E.	9308050127	50-280 F	COLLINS,D.M.	9308120213	50-327 F
CHILK,S.J.	9308020182	10CFR	CLINE,W.E.	9308050130	50-302 C	COLLINS,D.M.	9308120260	50-335 F
CHILK,S.J.	9308020184	10CFR	CLINE,W.E.	9308060006	50-261 Q	COLLINS,D.M.	9308120267	50-324 F
CHILK,S.J.	9308020240	10CFR	CLINE,W.E.	9308060014	70-1151	COLLINS,D.M.	9308170292	50-348 F
CHILK,S.J.	9308030383	50-295 F	CLINE,W.E.	9308060015	50-348 F	COLLINS,D.M.	9308170430	50-302 Q
CHILK,S.J.	9308040171	ORG	CLINE,W.E.	9308060032	50-250 Q	COLLINS,D.M.	9308230128	70-1113
CHILK,S.J.	9308050182*	PR	CLINE,W.E.	9308060033	70-27	COLLINS,D.M.	9308230138	70-143
CHILK,S.J.	9308050204*	PR	CLINE,W.E.	9308060040	50-335 P	COLLINS,D.M.	9308230145	50-327 Q
CHILK,S.J.	9308060129*	PR	CLINE,W.E.	9308060053	50-269 P	COLLINS,D.M.	9308250224	70-27
CHILK,S.J.	9308060324	10CFR	CLINE,W.E.	9308060060	50-416 P	COLLINS,D.M.	9308270207	70-27
CHILK,S.J.	9308060334	10CFR	CLINE,W.E.	9308060065	50-324 P	COLLINS,D.M.	9308310147	50-261 Q
CHILK,S.J.	9308090027	50-275 G	CLINE,W.E.	9308060070	50-395 P	COLLINS,D.M.	9308310153	50-338 Q
CHILK,S.J.	9308090035	XPORTLIC	CLINE,W.E.	9308060071	50-280 Q	COLLINS,E.J.	9308250211	CONTRACT
CHILK,S.J.	9308090124*	PR	CLINE,W.E.	9308060072	50-321 P	COLLINS,K.	9308060143	70-3070
CHILK,S.J.	9308110096	40-2061	CLINE,W.E.	9308060076	70-824	COLLINS,S.J.	9308020081	50-313 Q
CHILK,S.J.	9308110108	40-8681	CLINE,W.E.	9308060078	50-400 P	COLLINS,S.J.	9308030025	50-382 Q
CHILK,S.J.	9308110131	50-346 M	CLINE,W.E.	9308060084	50-259 Q	COLLINS,S.J.	9308030052	50-482 Q
CHILK,S.J.	9308110238*	PR	CLINE,W.E.	9308060089	50-261 P	COLLINS,S.J.	9308040009	50-313 Q
CHILK,S.J.	9308120364	10CFR	CLINE,W.E.	9308060093	50-250 P	COLLINS,S.J.	9308110023	50-298 Q
CHILK,S.J.	9308180074	10CFR	CLINE,W.E.	9308060095	50-302 P	COLLINS,S.J.	9308110028	50-313 Q
CHILK,S.J.	9308190238	10CFR	CLINE,W.E.	9308060116	50-269 Q	COLLINS,S.J.	9308110038	50-313 V
CHILK,S.J.	9308200269	10CFR	CLINE,W.E.	9308060137	50-424 Q	COLLINS,S.J.	9308110042	50-445 V

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY		
COLLINS,S.J.	9308110045	50-285	V	COWGILL,C.J.	9308310069	50-286	Q	CURTISS	9308040315	COMMISSION
COLLINS,S.J.	9308110050	50-458	V	COWGILL,C.J.	9308310134	50-220	Q	CURTISS,J.R.	9308020006	COMMISSION
COLLINS,S.J.	9308110053	50-382	V	COWGILL,C.J.	9308310149	50-333	Q	CURTISS,J.R.	9308020194	COMMISSION
COLLINS,S.J.	9308110054	50-482	V	COWGILL,C.J.	9308310162	50-317	Q	CURTISS,J.R.	9308020214	COMMISSION
COLLINS,S.J.	9308110161	50-285	Q	COX,C.	9307300088	50-151	Q	CURTISS,J.R.	9308020252	COMMISSION
COLLINS,S.J.	9308130064	50-298	Q	COX,C.	9308120003	50-2	S	CUTISS,J.R.	9308190025	WASTE MGT
COLLINS,S.J.	9308160074	50-498	P	COX,C.	9308190159	50-295	Q	CUTTER,A.B.	9308160335	50-390
COLLINS,S.J.	9308180043	50-458	Q	COX,T.H.	9308040163	70-143		CWALINA,G.C.	9308190088	QA999
COLLINS,S.J.	9308250129	50-445	Q	COX,T.H.	9308040204	70-143		CWALINA,G.C.	9308190093	QA999
COMFORT,G.C.	9308230167	PROJ		COY,D.R.	9308120140	40-1020		CWALINA,G.C.	9308190276	QA999
COMFORT,G.C.	9308230207	PROJ		COYLE,D.B.	9308230088	50-270	P	CWALINA,G.C.	9308260212	QA999
CONANT,J.F.	9308110275	71-90		CRAGNOLINO,G.	9308020027	WASTE MGT		CYGAN,J.	9308170324	50-295
CONANT,J.F.	9308110275	71-90		CRAGNOLINO,G.A.	9308130107	WASTE MGT		D'ANTONIO,J.M.	9308170154	50-286
CONANT,J.F.	9308190169	70-1100		CRAGNOLINO,G.A.	9308260192	WASTE MGT		D'ARRIGO,D.	9308300055	PR
CONANT,J.F.	9308190169	70-1100		CREED,J.R.	9308100103	50-254	Q	DACIMO,F.R.	9308030013	50-245
CONANT,J.F.	9308240142	PR		CREED,J.R.	9308100159	50-186	Q	DACIMO,F.R.	9308030013	50-245
CONEN,J.E.	9308310133	50-341	S	CREED,J.R.	9308100163	50-186	Q	DAHLBERG,K.A.	9308130009	50-220
CONGEL,F.J.	9308130040	50-298	F	CREED,J.R.	9308170094	50-282	Q	DAHLBERG,K.A.	9308240365	50-220
CONGEL,F.J.	9308170223	REVIEW GR	P	CREED,J.R.	9308170100	50-282	Q	DAMERELL,P.S.	9308160173	NUREG
CONGEL,F.J.	9308170279	50-293	Q	CREED,J.R.	9308230014	50-341	Q	DANIEL,G.L.	9308300050	PR
CONGEL,F.J.	9308190337	50-3	F	CREED,J.R.	9308230020	50-341	Q	DARBY,J.	9308270040	TOPREP
CONGEL,F.J.	9308230163	ORG		CREED,J.R.	9308250162	50-461	Q	DARDEN,T.H.	9308130033	STATE PRO G
CONGEL,F.J.	9308260131	REVIEW GR	P	CREED,J.R.	9308250167	50-461	Q	DARLING,J.L.	9308170151	50-206
CONGEL,F.J.	9308260147	ORG		CRENSHAW,A.	9308160182	50-400	R	DARLING,J.L.	9308170181	50-361
CONGEL,F.J.	9308260274	REVIEW GR	P	CRENSHAW,L.	9308030067	PR		DARLING,J.L.	9308170185	50-361
CONGEL,F.J.	9308270082	ORG		CRISCONE,J.L.	9308180109	50-336	S	DAUGHTERY,L.F.	9308160236	50-416
CONGEL,F.J.	9308300213	50-483	F	CRLENJAK,R.V.	9308050022	50-327	Q	DAVENPORT,J.H.	9308240117	PR
CONGEL,F.J.	9308300293	50-286	P	CRLENJAK,R.V.	9308050030	50-259	Q	DAVIS,A.B.	9308170066	50-454
CONICELLA,N.F.	9308050184	50-286	P	CRLENJAK,R.V.	9308060022	50-259	Q	DAVIS,B.	9308190129	50-346
CONICELLA,N.F.	9308180057	50-286	P	CRLENJAK,R.V.	9308060055	50-327	Q	DAVIS,G.E.	9308020031	PR
CONICELLA,N.F.	9308240212	50-286	P	CRLENJAK,R.V.	9308060100	50-327	P	DAVIS,R.K.	9308160128	MISC
CONICELLA,N.F.	9308250338	50-286	P	CRLENJAK,R.V.	9308060101	50-327	P	DAVIS,R.K.	9308160141	MISC
CONICELLA,N.F.	9308260038	50-286	F	CRLENJAK,R.V.	9308060133	50-438	Q	DE LA CAL,C.	9308160158	NUREG
CONICELLA,N.F.	9308260314	50-286	P	CRLENJAK,R.V.	9308060248	50-327	P	DE LA CAMARA,M.	9308200038	XPORTLIC
CONNAUGHTON,K.	9308130106	50-298	P	CRLENJAK,R.V.	9308260174	50-259	Q	DE LUGO,R.	9308060169	PR
CONNER,C.B.	9308120254	WASTE MGT		CROCKETT,W.G.	9308110130	50-275	T	DE PLANQUE	9308230300	COMMISSION
CONNER,J.A.	9308160134	70-27		CROOK,D.	9308170102	50-261	S	DE PLANQUE	9308240184	COMMISSION
CONNER,J.A.	9308170285	70-27		CROSS,J.E.	9308040292	50-344	F	DE PLANQUE	9308240347	COMMISSION
CONNOR,C.B.	9308260093	WASTE MGT		CROSS,J.E.	9308090163	50-344	F	DE PLANQUE,E.G.	9308020004	COMMISSION
CONNORS,L.T.	9308090321	50-219	U	CROSS,J.E.	9308090182	50-344	P	DE PLANQUE,E.G.	9308020134	COMMISSION
CONSTABLE,G.L.	9308180048	50-458	Q	CROSS,J.E.	9308090197	50-344	P	DE PLANQUE,E.G.	9308020187	COMMISSION
CONSTABLE,G.L.	9308250133	50-445	Q	CROSS,J.E.	9308090227	50-344	P	DE PLANQUE,E.G.	9308020197	COMMISSION
CONSTANTINE,R.	9308160007	PR		CROSS,J.E.	9308160186	50-344	P	DE PLANQUE,E.G.	9308020205	COMMISSION
CONTE,R.J.	9308110009	50-220	Q	CROSS,J.E.	9308250021	50-344	F	DE PLANQUE,E.G.	9308020246	COMMISSION
CONTE,R.J.	9308170058	50-245	Q	CROSS,J.E.	9308300277	50-344	Q	DE PLANQUE,E.G.	9308020257	COMMISSION
CONTE,R.J.	9308170124	50-354	V	CROSS,J.E.	9308310282	50-344	R	DE PLANQUE,E.G.	9308190090	COMMISSION
CONWAY,J.T.	9308160168	50-410	S	CROWLEY,B.R.	9308250135	50-327	Q	DEAN,G.B.	9308160048	50-293
CONWAY,W.F.	9308040218	50-528	P	CRUSE,C.H.	9308040253	50-317	S	DEAN,W.M.	9308020008	50-315
CONWAY,W.F.	9308060262	50-528	Q	CRUSE,C.H.	9308180149	50-317	R	DEAN,W.M.	9308030343	50-263
CONWAY,W.F.	9308060355	50-528	Q	CRUSE,C.H.	9308190196	50-318	P	DEAN,W.M.	9308040117	50-315
CONWAY,W.F.	9308060359	50-529	Q	CRUSE,C.H.	9308300082	50-317	R	DEAN,W.M.	9308050287	50-282
CONWAY,W.F.	9308100036	50-529	Q	CRUTCHFIELD,D.	9308040047	52-3		DEAN,W.M.	9308200158	50-155
CONWAY,W.F.	9308120186	50-529	Q	CRUTCHFIELD,D.	9308100219	52-1		DEAN,W.M.	9308240198	50-315
CONWAY,W.F.	9308130134	50-528	P	CRUTCHFIELD,D.	9308100241	REVIEW GR	P	DEBARBA,E.A.	9308200245	50-245
CONWAY,W.F.	9308130141	50-528	P	CRUTCHFIELD,D.	9308110231	52-3		DEBARBA,E.A.	9308240213	50-213
CONWAY,W.F.	9308130151	50-528	P	CRUTCHFIELD,D.	9308110337	52-2		DEBARBA,E.A.	9308240360	50-213
CONWAY,W.F.	9308130174	50-528	P	CRUTCHFIELD,D.	9308110363	REVIEW GR	P	DECKER,T.R.	9308050060	50-327
CONWAY,W.F.	9308250005	50-528	P	CRUTCHFIELD,D.	9308160300	52-1		DECKER,T.R.	9308050099	50-348
CONWAY,W.F.	9308250006	50-528	P	CRUTCHFIELD,D.	9308270065	52-2		DECKER,T.R.	9308060017	70-1151
COOPER,R.W.	9308030031	50-293	P	CRUTCHFIELD,D.	9308270317	52-1		DECKER,T.R.	9308060035	50-250
COOPER,R.W.	9308040030	50-286	Q	CRUTCHFIELD,D.	9308300097	REVIEW GR	P	DECKER,T.R.	9308060086	70-824
COOPER,R.W.	9308170008	50-286	P	CUNNINGHAM,G.E.	9308100206	71-9228		DECKER,T.R.	9308100022	50-321
COOPER,R.W.	9308190342	50-387	P	CUNNINGHAM,G.E.	9308100208	71-9228		DECKER,T.R.	9308120359	50-335
COOPER,R.W.	9308300168	50-286	Q	CUNNINGHAM,L.	9308020151	ORG		DECKER,T.R.	9308230165	50-395
COOPER,R.W.	9308300176	50-286	Q	CUNNINGHAM,L.J.	9308050213	ORG		DECKER,T.R.	9308260294	70-27
COOPER,T.A.	9308060128	50-369	Q	CUNNINGHAM,L.J.	9308180044	I&E		DECKER,T.R.	9308270055	70-1113
COOPER,T.A.	9308230175	50-369	Q	CUNNINGHAM,L.J.	9308240101	ORG		DECKER,T.R.	9308300116	50-280
COPELAND,R.A.	9308200168	TOPREP		CUNNINGHAM,L.J.	9308260080	ORG		DEFAYETTE,R.W.	9308100069	30-2049
CORDES,J.F.	9308020217	SECY		CUNNINGHAM,L.J.	9308260193	ORG		DELANEY,B.	9308110370	40-8778
CORDES,J.F.	9308030318	SECY		CUNNINGHAM,L.J.	9308260247	ORG		DELANEY,J.C.	9308120157	70-139
CORDES,J.F.	9308040182	SECY		CUNNINGHAM,L.J.	9308260265	50-416	P	DELANEY,J.C.	9308120312	70-139
CORDES,J.F.	9308090136	50-312	U	CUNNINGHAM,R.	9308020165	ORG		DELANEY,J.C.	9308200056	70-139
CORDES,J.F.	9308110166	SECY		CUNNINGHAM,R.K.	9308300311	70-139		DELANEY,J.C.	9308200249	70-139
CORNISH,R.E.	9308110402	WASTE MGT		CURRAN,D.	9308090065	50-275	G	DELANEY,J.C.	9308260085	70-139
CORPORANDY,D.	9308230298	50-275	S	CURRAN,D.	9308090065	50-275	G	DELANEY,J.C.	9308270132	70-139
CORREIA,R.	9308190305	REVIEW GR	P	CURRAN,D.	9308090073	40-8027		DELANEY,J.C.	9308270331	70-139
CORREIA,R.	9308200252	ORG		CURRAN,D.	9308090073	40-8027		DELANEY,J.C.	9308300208	70-139
CORREIA,R.P.	9308180091	REVIEW GR	P	CURRAN,D.	9308110112	40-8027		DELANEY,J.C.	9308300215	70-139
CORREIA,R.P.	9308310122	ORG		CURRAN,D.	9308110112	40-8027		DELANEY,J.C.	9308300226	70-139
COSGROVE,D.K.	9308110138	50-275	T	CURRAN,D.	9308110112	40-8027		DELANEY,J.C.	9308300279	70-139
COSTELLO,F.M.	9308030128	70-1795		CURRAN,D.	9308160136	50-275	G	DELETIS,L.B.	9308020043	PR
COSTELLO,F.M.	9308110327	STATE PRO G		CURRAN,D.	9308160145	50-275	G	DELGEORGE,L.O.	9308040325	50-237
COTTER,B.P.	9308260014	50-458	G	CURRAN,D.	9308160145	50-275	G	DELKER,R.R.	9308240331	71-9027
COTTELE,W.T.	9308130146	50-498	F	CURRAN,D.	9308240106	PR		DELLA RATTIA,A.	9308170138	50-244
COVELL,M.A.	9308130046	50-498	F	CURRAN,D.	9308240106	PR		DELMEDICO,J.	9308050085	I&E
COWGILL,C.J.	9308030012	50-286	Q	CURRAN,D.	9308240106	PR		DELMEDICO,J.	9308300124	30-2195
COWGILL,C.J.	9308030382	50-317	Q	CURRY,B.D.	9308250073	I&E		DELOACH,R.J.	9308310021	50-443
COWGILL,C.J.	9308100056	50-247	Q	CURTISS	9308020015	COMMISSION		DEMBEK,S.	9308110302	50-354

234 PERSONAL AUTHOR INDEX

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
DEMBEK, S.	9308200223	50-354 P	DUFFY, W.J.	9308050004*	71-9256	ELLIS, J.H.	9308040146	40-8027
DEMBEK, S.	9308230214	50-354 P	DUGSTAD, D.	9308110139	50-282	ELLISON, P.G.	9308160131	NUREG
DENNING, R.S.	9308120101*	NUREG	DULICK, A.M.	9308250394	50-334 R	ELROD, S.A.	9308050014*	50-335 Q
DENNIS, C.	9308310179	CONTRACT	DUMS, D.	9308300061	PR	EMBREE, D.G.	9308190338	50-397 R
DENTON, R.E.	9308030140	50-317 F	DUNCAN, J.	9308260341	52-1	EMBRY, K.	9308030254	50-309 S
DENTON, R.E.	9308030295	50-317 P	DUNCAN, L.A.	9308160166	40-8027	EMEIGH, C.W.	9308170202	70-27
DENTON, R.E.	9308050096	50-317 P	DUNGAN, T.F.	9308310177	CONTRACT	EMMONS, K.	9308190142	50-213 R
DENTON, R.E.	9308050202	50-317 I	DUNHAM, R.P.	9308120067	PR	ENGER, N.L.	9308120210	CONTRACT
DENTON, R.E.	9308090144	50-317 P	DURANT, J.	9308200126*	70-139	ENGLAND, L.A.	9308020159	PR
DENTON, R.E.	9308090150	50-317 P	DURANT, J.H.	9308120072*	70-139	ENGLAND, L.A.	9308160018	50-459 P
DENTON, R.E.	9308100177	71-5805	DURANT, J.H.	9308200270*	70-139	ENGLAND, L.A.	9308180206	TOPREP
DENTON, R.E.	9308120214	50-317 P	DURANT, J.H.	9308200289*	70-139	ENGLE, L.B.	9308120062	50-338 P
DENTON, R.E.	9308200307	50-317 P	DURANT, J.H.	9308240242*	70-139	ENGLE, L.B.	9308190027	50-338 P
DENTON, R.E.	9308230204	50-317 P	DURANT, J.H.	9308250452*	70-139	ENGLE, L.B.	9308240108	50-338 P
DENTON, R.E.	9308030179	50-317 P	DURANT, J.H.	9308260112*	70-139	ENSLIN, T.K.	9308240132	PR
DEPLANQUE	9308040213	COMMISSION	DURANT, J.H.	9308260357*	70-139	ERESIAN, W.J.	9308160325*	50-150 V
DEPLANQUE	9308050098	COMMISSION	DURANT, J.K.	9308260149*	70-139	ERICKSON, P.B.	9308250381	50-10 V
DEPUTDT, M.B.	9308050286	50-10 P	DURBIN, N.	9308180128	NUREG	ERNSTES, M.E.	9308250079*	50-261 V
DESAI, B.B.	9308060097*	50-269 Q	DURLOFSKY, H.	9308100208	71-9228	ESELGROTH, P.W.	9308040032*	50-286 Q
DESELL, L.J.	9308110268	WASTE MGT	DURR, J.P.	9308040007	50-272 Q	ESELGROTH, P.W.	9308160030	50-286 Q
DESELL, L.J.	9308260159	WASTE MGT	DURR, J.P.	9308040022	50-271 Q	ESELGROTH, P.W.	9308190322	50-286 Q
DIANE, S.	9308230032	PR	DURR, J.P.	9308040027	50-443 Q	ESELGROTH, P.W.	9308310083*	50-286 Q
DICKSON, T.L.	9308160110	NUREG	DURR, J.P.	9308040031*	50-443 Q	ESELGROTH, P.W.	9308310151*	50-333 Q
DIDESCH, D.S.	9308160335*	50-390 A	DURR, J.P.	9308040093	50-334 Q	ESTREICHER, H.	9308110086	40-2061
DIETER, G.E.	9308180169	50-166 P	DURR, J.P.	9308100023	50-272 P	ESTREICHER, H.	9308110086	40-2061
DIETRICH, J.S.	9308110068	40-8027	DURR, J.P.	9308130011	50-309 P	ESTREICHER, H.	9308110091*	40-2061
DIETZ, C.R.	9308050140	50-261 P	DURR, J.P.	9308160095	50-317 Q	ESTREICHER, H.	9308110091*	40-2061
DIETZ, C.R.	9308050279	50-261 P	DURR, J.P.	9308170041*	50-272 Q	EVANS, B.E.	9308020245*	REVIEW GR P
DIETZ, C.R.	9308100104	50-261 Q	DURR, J.P.	9308170209	50-334 Q	EVERED, J.B.	9308250039*	50-275 G
DIETZ, C.R.	9308100210	50-261 S	DURR, J.P.	9308190258*	50-213 Q	FADDEN, M.	9308160105	NUREG
DIETZ, C.R.	9308100215	50-261 P	DURR, J.P.	9308190295	50-309 Q	FAILOR, D.L.	9308270281*	ORG
DIETZ, C.R.	9308180092	50-261 Q	DURR, J.P.	9308190312	50-271 Q	FAILOR, D.L.	9308270288*	ORG
DILLARD, T.A.	9308110130*	50-275 T	DURR, J.P.	9308230220	50-277 Q	FAIRBROTHER, D.	9308260330*	50-370 P
DILLON, P.B.	9308260374*	50-335 P	DURR, J.P.	9308270079	50-322 Q	FAIRTEL, N.B.	9308030413	50-29 P
DIZEKI, K.	9308250028	50-275 G	DURR, J.P.	9308310028	50-213 Q	FALEVITS, Z.	9308100091*	50-305 Q
DIPROFIO, W.A.	9308110114*	50-443 F	DURR, J.P.	9308310058	50-213 Q	FARBER, M.J.	9308100168	50-295 Q
DMITRICH, M.	9308270003	40-3453	DURR, J.P.	9308310071	50-247 Q	FARBER, M.J.	9308100173*	50-295 Q
DOBOS, L.C.	9308170384	50-423 R	DURR, J.P.	9308310088	50-352 Q	FARRAR, D.	9308020040	PR
DOBOE, S.	9308160246*	50-336 R	DURR, J.P.	9308310180	50-293 Q	FARRAR, D.L.	9308090348	50-456 Q
DOBOE, S.	9308160248*	50-336 R	DURR, J.P.	9308030026	I&E	FARRAR, D.L.	9308180182	50-237 Q
DODDS, R.H.	9308160116	NUREG	DYER, J.E.	9308090290*	50-461 P	FARRAR, J.P.	9308180223	50-62 V
DODDS, R.H.	9308160121	NUREG	DYER, J.E.	9308200107*	50-254 P	FAULKENBERRY, B.	9308160013	50-528 Q
DODDS, R.H.	9308160294	NUREG	DYER, J.E.	9308250383*	50-461 P	FAULKENBERRY, B.	9308240180	50-206 Q
DOERGE, R.E.	9308170205	50-244 S	DYER, J.E.	9308260158	50-237 P	FAULKENBERRY, B.	9308250468	I&E
DOERFLEIN, L.	9308130022	50-366 S	EAPEN, P.K.	9308040104*	50-334 Q	FAW, R.E.	9308110207	50-188 F
DOERFLEIN, L.	9308270137	50-213 S	EAPEN, P.K.	9308190298*	50-309 Q	FAW, R.E.	9308180188	50-188 P
DOERFLEIN, L.T.	9308030015*	50-245 Q	EASONE, E.	9308250441	CONTRACT	FEIGENBAUM, T.C.	9308060380	50-443 S
DOERFLEIN, L.T.	9308040028*	50-213 Q	EASTON, M.	9308200317	70-135 P	FEIGENBAUM, T.C.	9308060382	50-443 S
DOERFLEIN, L.T.	9308270231*	50-213 Q	EATON, R.B.	9308300013	50-293 P	FEIGENBAUM, T.C.	9308100105	50-443 S
DOERFLEIN, L.T.	9308160042	50-245 Q	EATON, R.B.	9308300252	50-293 Q	FEIGENBAUM, T.C.	9308100116	50-443 R
DOLLAR, L.	9308050292	70-3070	EBNETER, S.D.	9308050083	50-269 Q	FEIGENBAUM, T.C.	9308110109	50-443 F
DOMBY, A.H.	9308160169	50-321 G	EBNETER, S.D.	9308060063	50-62 Q	FEIGENBAUM, T.C.	9308180112	50-443 Q
DOMBY, A.H.	9308160169	50-321 G	EBNETER, S.D.	9308130012	50-324 P	FEIGENBAUM, T.C.	9308200035	50-443 Q
DONNELLY, P.M.	9308110001	50-155 S	EBNETER, S.D.	9308250094	50-250 Q	FEIGENBAUM, T.C.	9308310014	50-443 P
DONNELLY, P.M.	9308110087	50-155 S	EBNETER, S.D.	9308310041	50-338 Q	FEIGENBAUM, T.C.	9308310073	50-443 S
DONNELLY, P.M.	9308120107	50-155 P	EBNETER, S.D.	9308310166	50-327 P	FENECH, R.A.	9308040159	50-327 S
DONNELLY, P.M.	9308120130	50-155 S	ECKERT, L.	9308040017*	50-277 Q	FENECH, R.A.	9308050179	50-327 S
DONNELLY, P.M.	9308130167	50-155 P	ECKERT, L.	9308110052*	50-443 Q	FENECH, R.A.	9308060285	50-328 S
DONNELLY, P.M.	9308160235	50-155 S	ECKERT, L.	9308310140*	50-219 Q	FENECH, R.A.	9308060308	50-327 S
DONNELLY, P.M.	9308160251	50-155 S	ECKLUND, B.S.	9308190122*	50-528 R	FENECH, R.A.	9308090032	50-327 R
DONNELLY, P.M.	9308170161	50-155 S	ECKLUND, B.S.	9308190126*	50-528 R	FENECH, R.A.	9308100200	50-327 Q
DONNELLY, P.M.	9308170177	50-155 S	EDGAR, J.B.	9308020059	PR	FENECH, R.A.	9308120342	50-327 P
DONNELLY, P.M.	9308170435	50-155 P	EDGAR, J.B.	9308050240	70-1257	FENECH, R.A.	9308170210	50-327 R
DONNELLY, P.M.	9308270116	50-155 Q	EDGAR, J.B.	9308170174	XPORTLIC	FENECH, R.A.	9308170252	50-328 S
DONNELLY, P.M.	9308310204	50-155 Q	EDGAR, J.B.	9308170182*	XPORTLIC	FENECH, R.A.	9308180015	50-327 S
DONOHUE, J.N.	9308230228	PROJ	EDGE, R.	9308110128	WASTE MGT	FENECH, R.A.	9308230068	50-327 S
DORMAN, D.H.	9308110347	50-271 P	EDISON, G.E.	9308190058	50-334 P	FENECH, R.A.	9308240068	50-327 Q
DORMAN, D.H.	9308170258	50-271 P	EDISON, G.E.	9308030304	50-412 P	FENECH, R.A.	9308250168	50-327 S
DORMAN, D.H.	9308300011	50-271 P	EDISON, G.E.	9308030352	50-334 P	FENECH, R.A.	9308250334	50-327 Q
DORMAN, D.H.	9308190054*	50-387 Q	EDISON, G.E.	9308130053	50-334 P	FENECH, R.A.	9308260005	50-327 Q
DOROFEEV, S.B.	9308160272	NUREG	EDISON, G.E.	9308130116	50-334 P	FENECH, R.A.	9308260364	50-327 P
DOSTIE, P.J.	9308250288	50-309 P	EDISON, G.E.	9308270291	50-334 P	FENECH, R.A.	9308260366*	50-327 P
DOYLE, T.E.	9308050185	71-5957	EDLES, G.J.	9308300064	PR	FENECH, R.A.	9308310274	50-328 S
DRAGOUN, T.	9308030020*	50-184 Q	EDWARDS, D.W.	9308190139	50-29 H	FENNER, S.C.	9308300343*	50-334 P
DRAGOUN, T.F.	9308230184*	50-170 Q	EDWARDS, D.W.	9308190152*	50-29 H	FERDINAND, B.	9308020079	PR
DRAWBRIDGE, B.L.	9308100244	50-443 P	EDWARDS, D.W.	9308230011	PR	FERTEL, M.S.	9308020115	PR
DREHER, K.T.	9308180134*	WASTE MGT	EDWARDS, J.R.	9308160015	PR	FERTEL, M.S.	9308300049	PR
DROMERICK, A.W.	9308030355	50-219 Q	EFIMENKO, A.A.	9308160272	NUREG	FEY, F.L.	9308250148	50-282 F
DROMERICK, A.W.	9308130051	50-219 P	EGAN, D.	9308190009	50-219 R	FEY, F.L.	9308310001	50-263 F
DROMERICK, A.W.	9308190030	50-219 P	EGAN, S.K.	9308160154	PR	FEY, T.A.	9308040186*	40-1020
DROMERICK, A.W.	9308190315	50-219 Q	EGAN, S.K.	9308160161	PR	FEY, T.A.	9308040189*	40-1020
DUBINSKI, L.	9308300223*	70-139 V	ELLINGWOOD, B.	9308250285*	50-295 V	FIASIER, C.	9308100225	70-3070
DUBINSKI, L.	9308300247*	70-139 NUREG	ELLIOTT, M.P.	9308200285	70-27	FIELD, J.	9308180128	NUREG
DUBINSKI, L.	9308300302*	70-139	ELLIOTT, M.P.	9308050100*	70-27	FIELDS, J.S.	9308230147	50-387 R
DUDLEY, N.F.	9308130157	50-443 P	ELLIOTT, M.P.	9308270210*	70-27	FIELDS, M.B.	9308180195	50-361 P
DUDLEY, N.F.	9308170313	50-443 P	ELLIS, D.W.	9308100126	50-293 S	FIELDS, M.B.	9308190309	50-361 Q
DUDLEY, N.F.	9308170340	50-443 P	ELLIS, D.W.	9308250322	50-293 S	FIELDS, M.B.	9308230050	50-361 P
DUFFIELD, E.	9308060157	70-3070	ELLIS, D.W.	9308260002	50-293 S	FIELDS, R.G.	9308190229*	MISC

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
FIERRA,D.A.	9308250336	50-443	FREDERICKSON,P.	9308050036*	50-390	GATES,W.G.	9308160043	50-285
FINKEL,A.	9308100067*	50-334	FREDERICKSON,P.	9308060158*	50-390	GATES,W.G.	9308160114	50-285
FISICARO,F.J.	9308270011	I&E	FREDRICKSON,P.	9308060141*	50-390	GATES,W.G.	9308160255	50-285
FISICARO,J.J.	9308090004	50-313	FREDRICKSON,P.	9308060142*	50-438	GATES,W.G.	9308160377	50-285
FISICARO,J.J.	9308110203	50-313	FREDRICKSON,P.	9308060153	50-390	GATES,W.G.	9308270136	50-285
FISICARO,J.J.	9308190041	50-368	FREDRICKSON,P.	9308060159	50-390	GATES,W.G.	9308270145*	50-285
FISICARO,J.J.	9308190352	50-313	FREDRICKSON,P.	9308060187	50-390	GATES,W.G.	9308310222	50-285
FISICARO,J.J.	9308200019	NUREG	FREDRICKSON,P.	9308250086	50-390	GAY,R.A.	9308200068	50-293
FISICARO,J.J.	9308200109	50-313	FREELAND,L.R.	9308050126	50-334	GEE,E.G.	9308250153	PR
FISICARO,J.J.	9308200259	50-368	FREEMAN,R.S.	9308110196	70-1100	GEESEY,G.	9308130107*	WASTE MGT
FISICARO,J.J.	9308230009	50-368	FREUDENBERGER	9308060223*	50-302	GEHMLICH,D.K.	9308300111	50-407
FISICARO,J.J.	9308230121	50-368	FREUDENBERGER	9308250384*	50-302	GERLOWSKI,T.J.	9308180185*	50-334
FISICARO,J.J.	9308230246	50-313	FROATS,E.E.	9308040176	50-302	GERTZ,C.F.	9308050293*	WASTE MGT
FISICARO,J.J.	9308240025	50-313	FROATS,E.E.	9308110149	50-302	GERTZ,C.F.	9308060214	WASTE MGT
FISICARO,J.J.	9308240355	50-313	FROELICH,C.H.	9308310271*	50-265	GERTZ,C.F.	9308180100	WASTE MGT
FISICARO,J.J.	9308300288	50-313	FROENBERGER,R.	9308050080*	50-413	GIBSON,A.F.	9308060045	50-390
FISICARO,J.J.	9308310205	50-313	FUJIKAWA,K.K.	9308100234*	50-325	GIBSON,A.F.	9308060064	50-261
FISK,R.H.	9308240302*	XPORTLIC	FUJIMOTO,W.H.	9308100107	50-275	GIBSON,A.F.	9308060109	50-324
FITZPATRICK,E.	9308020133	50-315	FUJIMOTO,W.H.	9308170276	50-275	GIBSON,A.F.	9308060178	50-390
FITZPATRICK,E.	9308020256	50-315	FULLER,E.D.	9308160041	PR	GIBSON,A.F.	9308060196	50-390
FITZPATRICK,E.	9308110256	50-315	FULTON,J.M.	9308160048	50-293	GIBSON,A.F.	9308060227	50-390
FITZPATRICK,E.	9308120224	50-315	FURIA,J.	9308030093*	50-333	GIBSON,A.F.	9308100092	50-324
FITZPATRICK,E.	9308130068	50-315	FURIA,J.	9308130010*	50-220	GIBSON,A.F.	9308120371	50-390
FITZPATRICK,E.	9308130069	50-315	FURIA,J.	9308310045*	50-309	GIBSON,A.F.	9308120380	50-324
FITZPATRICK,E.	9308200033	50-316	FUTRELL,R.C.	9308250013	50-413	GIBSON,A.F.	9308130004	50-369
FLANAGAN,W.J.	9308090257	50-261	GAD,R.K.	9308090147	50-271	GIBSON,A.F.	9308130013	50-280
FLANAGAN,W.J.	9308170102	50-261	GAD,R.K.	9308090147	50-271	GIBSON,A.F.	9308130024	50-390
FLANAGAN,W.J.	9308300316	50-261	GAGLIARDO,G.	9308180098	50-458	GIBSON,A.F.	9308270205	50-413
FLASGOW,J.A.	9308090175	XPORTLIC	GAGLIARDO,J.E.	9308230004*	50-458	GIBSON,A.F.	9308270212	50-280
FLEIGEL,M.H.	9308110249	40-8989	GAGLIARDO,J.E.	9308250204*	50-298	GIBSON,A.F.	9308310076	50-390
FLEMING,T.	9308180128	NUREG	GALEAZZI,D.D.	9308170345	50-206	GIBSON,A.F.	9308310082	50-269
FLEURY,E.R.	9308200084*	70-139	GALEAZZI,D.D.	9308170372	PT21	GIBSON,A.F.	9308310093	50-250
FLEURY,E.R.	9308200119*	70-139	GALLAGHER,F.E.	9308250037	PR	GIBSON,A.F.	9308310096	50-390
FLIEGEL,M.H.	9308110285	WASTE MGT	GALLIONE	9308250429	50-302	GIBSON,A.F.	9308310101	50-416
FLIEGEL,M.H.	9308240074	40-8989	GALLIONE	9308250433	50-302	GIBSON,A.F.	9308310171	50-321
FLIEGEL,M.H.	9308250328	40-8989	GALLIONE	9308250436	50-302	GIBSON,A.F.	9308310206	50-302
FLINGON,C.	9308270087	XPORTLIC	GALLIONE	9308260057	50-302	GIBSON,M.H.	9308240128	PR
FLORES,R.	9308040273	50-446	GALLO,R.M.	9308100005	50-184	GIDDINGS,R.	9308160073	PR
FLOYD,S.D.	9308190205	REVIEW GR	GALLO,R.M.	9308100016	50-151	GILBERT,G.	9308110130*	50-275
FONTANA,M.H.	9308160298	NUREG	GALLO,R.M.	9308110002	50-498	GILBERT,G.	9308160234*	50-369
FORBES,D.B.	9308060144*	50-424	GALLO,R.M.	9308110051	50-298	GILBERT,G.	9308310227	50-369
FORBES,D.B.	9308230178*	50-348	GALLO,R.M.	9308110316	50-116	GILCHRIST,J.E.	9308020094	PR
FORNICOLA,J.C.	9308200311	REVIEW GR	GALLO,R.M.	9308160322	50-150	GILCHRIST,J.E.	9308250101	PR
FORSUND,C.	9308180128	NUREG	GALLO,R.M.	9308190291	50-184	GILLESPIE,F.P.	9308060249	PR
FOSTER,R.	9308020035	71-767	GALLO,R.M.	9308190294	50-151	GILLESPIE,F.P.	9308260359	REVIEW GR
FOSTER-CURSEEN	9308030309	50-528	GALLO,R.M.	9308240048	50-184	GILLIES,G.T.	9308160132	PR
FOUST,L.D.	9308050293*	WASTE MGT	GALLO,R.M.	9308260271	50-150	GILLIES,G.T.	9308160135	PR
FOUST,L.D.	9308200198	WASTE MGT	GALLO,R.M.	9308270169	50-186	GILLIN,M.T.	9308160211*	COMMISSION
FOWLER,T.K.	9308110117*	ORG	GALLO,R.M.	9308310261	50-186	GILRAY,J.W.	9308050301	WASTE MGT
FOX,C.E.	9308020019	PR	GALYEAN,W.J.	9308160131	NUREG	GIPPERICH,S.L.	9308260001	50-155
FOX,J.	9308030191	52-1	GAMBERONI,M.	9308040236	50-282	GIPSON,D.R.	9308310133	50-341
FOX,J.	9308040120	52-1	GAMBERONI,M.	9308050280	50-282	GIPSON,D.R.	9308030204	50-341
FOX,J.	9308040327	52-1	GAMBERONI,M.	9308270089	50-282	GIPSON,D.R.	9308030237	50-341
FOX,J.	9308050197	52-1	GARCIA,A.E.	9308060338	WASTE MGT	GIPSON,D.R.	9308030421	50-341
FOX,J.	9308050199	52-1	GARCIA,E.	9308260119	50-73	GIPSON,D.R.	9308050291	50-16
FOX,J.	9308090329	52-1	GARCIA,P.J.	9308020215*	40-2259	GIPSON,D.R.	9308050294	50-341
FOX,J.	9308110247	52-1	GARDNER,D.S.	9308170159*	50-454	GIPSON,D.R.	9308060146	50-341
FOX,J.	9308110252	52-1	GARDNER,J.D.	9308190235*	MISC	GIPSON,D.R.	9308090212	50-341
FOX,J.	9308110367	52-1	GARDNER,R.L.	9308040279	50-298	GIPSON,D.R.	9308100182	50-341
FOX,J.	9308110376	52-1	GARDNER,R.L.	9308090266	50-298	GIPSON,D.R.	9308180024	50-341
FOX,J.	9308110380	52-1	GARDNER,R.L.	9308130125	50-298	GIPSON,D.R.	9308180137	50-341
FOX,J.	9308110388	52-1	GARDNER,R.L.	9308160098	50-298	GIPSON,D.R.	9308180142	50-341
FOX,J.	9308190180	52-1	GARDNER,R.L.	9308160354	50-298	GIPSON,D.R.	9308310188	50-341
FOX,J.	9308260296	52-1	GARDNER,R.N.	9308100091*	50-305	GIPSON,D.R.	9308310193	50-341
FOX,J.	9308260305	52-1	GARDNER,W.N.	9308250231	CONTRACT	GIRARD,E.	9308060231*	50-424
FOX,J.	9308260312	52-1	GARELICK,B.F.	9308040226	50-245	GLASGOW,J.A.	9308090175	XPORTLIC
FOX,J.	9308260352	52-1	GARELICK,B.F.	9308060197	50-213	GLASGOW,J.A.	9308090180*	XPORTLIC
FOX,J.N.	9308310085	52-1	GARIANO,M.L.	9308020062	PR	GLASGOW,J.A.	9308090180*	XPORTLIC
FOX,R.A.	9308160283	NUREG	GARNER,L.D.	9308270191	50-261	GLASMAN,M.M.	9308060141*	50-390
FRAIN,R.G.	9308250251	70-1257	GARNER,L.W.	9308160303	50-261	GLEASON,J.P.	9308090030	40-8027
FRAIN,R.G.	9308250262	70-1257	GARRITY,J.H.	9308190264	50-286	GLEASON,J.P.	9308110092	40-8027
FRALEY,R.F.	9308240311	ADVCM	GARRITY,J.H.	9308200298	50-286	GLEASON,J.P.	9308250059	50-293
FRALEY,R.F.	9308240316	ADVCM	GARRITY,J.H.	9308260292	50-286	GLEASON,J.P.	9308250164	40-8027
FRALEY,R.F.	9308240325	ADVCM	GARY,R.	9308250462*	50-289	GLENN,C.	9308240060	WASTE MGT
FRALEY,R.F.	9308240333	ADVCM	GASS,W.D.	9308160020	PR	GLENN,C.	9308260169	40-8794
FRALEY,R.F.	9308260020	ADVCM	GASTON,R.W.	9308190108	50-440	GLENN,R.	9308270313*	ORG
FRALEY,R.F.	9308260024	ADVCM	GATES,W.G.	9308020039	50-285	GLENN,R.	9308270330*	ORG
FRANCE,G.M.	9308120057*	40-3392	GATES,W.G.	9308030062	50-285	GLENN,R.	9308270332*	ORG
FRANOVICH,M.X.	9308050244	52-2	GATES,W.G.	9308030086	50-285	GLINSKI,R.L.	9308030136*	40-8724
FRANOVICH,M.X.	9308050253	52-2	GATES,W.G.	9308030209	50-285	GLOERSEN,W.B.	9308060017*	70-1151
FRANOVICH,M.X.	9308120152	52-2	GATES,W.G.	9308030408	50-285	GLOERSEN,W.B.	9308300116*	50-280
FRANOVICH,M.X.	9308180114	52-2	GATES,W.G.	9308040161	50-285	GODY,A.T.	9308060301	50-29
FRANOVICH,M.X.	9308230312	52-2	GATES,W.G.	9308040237	50-285	GODY,A.T.	9308130087	50-266
FRANTZ,G.	9308170260	50-454	GATES,W.G.	9308050274	50-285	GODY,A.T.	9308170383	50-266
FRANZ,J.F.	9308050171	50-331	GATES,W.G.	9308090344	50-285	GODY,A.T.	9308170391*	50-266
FRANZ,J.F.	9308090023	50-331	GATES,W.G.	9308120024	50-285	GODY,A.T.	9308270009	50-266
FRANZ,J.F.	9308090336	50-331	GATES,W.G.	9308130162	50-285	GOES,C.	9308240308	XPORTLIC
FRAZEE,T.C.	9308020048	PR	GATES,W.G.	9308160001	50-285	GONZALES,R.M.	9308230029	PR

236 PERSONAL AUTHOR INDEX

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
GONZALEZ,M. GORDON,D.J. GORE,B.F. GOTCHY,R. GOTZMANN,O.	9308040189* 9308260351 9308160303 9308250448 9308120078*	40-1020 50-346 50-261 CONTRACT NUREG	GROTH,J.F. GROTH,J.F. GROTH,J.F. GROTH,J.F. GROTH,J.F.	9308110105 9308170421 9308200303 9308260011 9308300099	50-498 50-498 50-499 71-9239 50-498	HARRIS,K.R. HARRISON,G.A. HARTMANFT,K. HARTY,R. HASSELBERG,F.W.	9308270340* 9308030249* 9308260374* 9308160263 9308090129	ORG 50-321 50-335 NUREG 52-3
GRADLE,R.C. GRAHAM,C.S. GRAHAM,P.D. GRAHAM,P.D. GRAHAM,P.D.	9308040253 9308020189 9308050163 9308200163 9308300114	50-317 MISC 50-458 50-458 50-458	GUARNIERI,S.R. GUENTHER,S. GUGOFF,G. GUREGHIAN,A.B. GUZMAN,J.	9308170446 9308240053* 9308020044 9308130126 9308190070*	50-317 50-184 PR WASTE MGT 50-254	HASSELBERG,F.W. HASSELBERG,F.W. HAUBER,R.D. HAUBER,R.D. HAUBER,R.D.	9308200116 9308260042 9308030041 9308030082 9308030091	52-3 52-3 XPORTLIC XPORTLIC XPORTLIC
GRAHAM,P.D. GRAHAM,R.L. GRAHAM,R.L. GRAHAM,R.L. GRANT,G.E.	9308300130 9308030039 9308030039 9308030164 9308090248	50-458 50-255 PR PR 50-458	GUZMAN,J.G. HAAB,L.D. HAAG,R.C. HAAG,R.C. HAASS,W.P.	9308230028* 9308030299 9308050121* 9308300144* 9308190276*	50-254 50-461 50-395 50-395 QA999	HAUBER,R.D. HAUBER,R.D. HAUBER,R.D. HAUBER,R.D. HAUBER,R.D.	9308030099 9308090232 9308090237 9308090252 9308090258	XPORTLIC XPORTLIC XPORTLIC XPORTLIC XPORTLIC
GRANT,J.M. GRANT,J.M. GRANT,T. GRASS,C. GRAY,E.	9308020265 9308270351 9308180128 9308130114 9308030081*	50-29 50-29 NUREG 71-731 50-317	HAERTJENS,B.L. HAERTJENS,B.L. HAERTJENS,B.L. HAERTJENS,B.L. HAGAN,J.J.	9308180059 9308190208 9308200304 9308300123 9308110132	70-135 70-135 70-135 70-135 50-311	HAUBER,R.D. HAUBER,R.D. HAUBER,R.D. HAUBER,R.D. HAUBER,R.D.	9308090277 9308100093 9308190281 9308200029 9308200043	XPORTLIC XPORTLIC XPORTLIC XPORTLIC XPORTLIC
GRAY,E.H. GRAY,E.H. GRAY,E.H. GRAY,E.H. GRAY,E.H.	9308160102* 9308230229* 9308310065* 9308310080* 9308310092*	50-317 50-277 50-213 50-247 50-352	HAGAN,J.J. HAGAN,J.J. HAGAN,J.J. HAGAN,J.J. HAGAN,J.J.	9308110147 9308110156 9308110180 9308110195 9308110315	50-272 50-354 50-272 50-272 50-354	HAUBER,R.D. HAUBER,R.D. HAUBER,R.D. HAUBER,R.D. HAUBER,R.D.	9308200049* 9308240270 9308240275 9308240283 9308240293	XPORTLIC XPORTLIC XPORTLIC XPORTLIC XPORTLIC
GRAY,J. GRAY,J. GRAY,J.R. GRAY,J.R. GRAY,J.R.	9308250252 9308250255* 9308100002 9308120005 9308120037	CONTRACT CONTRACT QA999 STATE PRO G 50-482	HAGAN,J.J. HAGAN,J.J. HAGAN,J.J. HAGAN,R.C. HAGAN,R.C.	9308120013 9308200041 9308310221 9308090021 9308200149	50-272 50-272 50-272 71-598 50-482	HAUBER,R.D. HAUBER,R.D. HAUBER,R.D. HAUBER,R.D. HAUBER,R.D.	9308250370 9308030090 9308030295 9308310091 9308310104*	XPORTLIC XPORTLIC XPORTLIC XPORTLIC XPORTLIC
GRAY,J.R. GRAY,J.R. GRAY,J.R. GREEN,W.A. GREENBERG,E.V.	9308160005 9308270326 9308270338* 9308020152 9308090125	50-245 50-245 50-245 PR XPORTLIC	HAGEMEYER,D. HAGUE,R.L. HAGUE,R.L. HALL,J.R. HALL,R.E.	9308160144 9308250248 9308250253* 9308190042 9308020209	NUREG 50-461 50-461 50-315 40-2259	HAUBER,R.D. HAUGHNEY,C.J. HAUGHNEY,C.J. HAUGHNEY,C.J. HAUGHNEY,C.J.	9308310128 9308030044 9308060296 9308090138 9308160312	XPORTLIC PR 71-179 50-29 71-354
GREENBERG,E.V. GREENBERG,E.V. GREENBERG,E.V. GREENBERG,E.V. GREENBERG,E.V.	9308090125 9308090164 9308090164 9308250155 9308250155	XPORTLIC XPORTLIC XPORTLIC XPORTLIC XPORTLIC	HALL,R.E. HALL,R.E. HALL,R.E. HALMAN,E.L. HALO,D.P.	9308020212* 9308040061 9308230122 9308250307 9308250136	40-2259 40-1341 40-842 CONTRACT CONTRACT	HAUGHNEY,C.J. HAUGHNEY,C.J. HAWK,B.A. HAWKINS,E.F. HAWKINS,E.F.	9308160355 9308300131 9308200253 9308040068* 9308230126*	71-179 50-269 QA999 40-1341 40-8452
GREENKORN,R.A. GREENMAN,E.G. GREENMAN,E.G. GREENMAN,E.G. GREENMAN,E.G.	9308170321 9308030138 9308030314 9308090005 9308090127	CONTRACT 50-263 50-440 50-255 50-254	HALTIWANGER,J. HAMMOND,M.S. HAMPTON,J.W. HAMPTON,J.W. HAMPTON,J.W.	9308130092 9308160261 9308040037 9308040153 9308050122	50-395 50-277 50-269 50-269 50-269	HAWLEY,M.E. HAYES,K.R. HAYES,K.R. HAYES,K.R. HAYES,K.R.	9308250208 9308190354* 9308190355* 9308190357* 9308190358*	CONTRACT 50-313 50-313 50-313 50-313
GREENMAN,E.G. GREENMAN,E.G. GREENMAN,E.G. GREENMAN,E.G. GREENMAN,E.G.	9308160070 9308160111 9308170032 9308310002 9308310004*	50-282 50-331 50-237 50-306 50-306	HAMPTON,J.W. HAMPTON,J.W. HAMPTON,J.W. HAMPTON,J.W. HAMPTON,J.W.	9308050261 9308090228 9308090310 9308100162 9308100262	50-269 50-269 50-269 50-269 50-269	HAYNES,H.F. HAYNES,H.F. HAYNES,H.F. HAYNES,H.F. HAYNES,H.F.	9308030024 9308030024 9308160242 9308160242 9308170384	50-336 50-336 50-336 50-336 50-423
GREENMAN,E.G. GREENMAN,E.G. GREENMAN,E.G. GREENO,R.C. GREGG,J.T.	9308310061 9308310137 9308310142 9308300039 9308090072	50-255 50-282 50-255 PR 40-3392	HAMPTON,J.W. HAMPTON,J.W. HAMPTON,J.W. HAMPTON,J.W. HAMPTON,J.W.	9308120350 9308130120 9308170152 9308170298 9308180096	50-269 50-269 50-269 50-270 50-270	HAYNES,H.F. HAZEN,G.A. HEANEY,G. HEBDON,F.J. HEBDON,F.J.	9308170384 9308170155 9308120230* 9308040238 9308110350	50-423 40-3453 WASTE MGT 50-438 50-328
GREGG,J.T. GREGG,J.T. GREGG,L.R. GREGG,L.R. GREGG,L.R.	9308090074* 9308090137 9308310007 9308310150 9308310152	40-3392 50-266 50-305 50-483 50-440	HAMPTON,J.W. HAMPTON,J.W. HAMPTON,J.W. HAMPTON,J.W. HAMPTON,J.W.	9308200046 9308230088 9308240077 9308250097 9308250122	50-269 50-269 50-269 50-269 50-269	HEBDON,F.J. HEBDON,F.J. HEBDON,F.J. HEBDON,F.J. HEBDON,F.J.	9308180126 9308190123 9308190172* 9308180288 9308190326	50-259 50-259 50-327 50-260 50-260
GREGG,L.R. GREGOROFF,T. GRIFF,G.W. GRIFFIN,S.B. GRIMES,B.K.	9308310155* 9308250009 9308190223 9308260256 9307190043	50-483 50-445 50-413 COMMISSION 50-3	HAMPTON,J.W. HAMPTON,J.W. HAMPTON,J.W. HAMPTON,J.W. HANCOCK,A.G.	9308250316 9308250479 9308260043 9308310214 9308180031	50-270 50-269 50-269 50-269 PR	HEBDON,F.J. HEBDON,F.J. HEBERT,J.R. HEBERT,J.R. HEBERT,J.R.	9308270069 9308270077 9308020272 9308030254 9308180160	50-390 50-390 50-309 50-309 50-309
GRIMES,B.K. GRIMES,B.K. GRIMES,C.I. GRIMES,C.I. GRIMES,C.I.	9308030216 9308030234 9308090096 9308090111 9308110177	ORG REVIEW GR P 52-1 52-1 52-1	HANCOCK,T.W. HANDLOVITS,S.M. HANLEY,P. HANNOON,J.N. HANNOON,J.N.	9308300153 9308100222 9308190005 9308100147 9308130028	PT21 50-255 40-3453 50-331 50-266	HEBERT,J.R. HEBERT,J.R. HEBERT,J.R. HEBERT,J.R. HEDDEN,B.	9308190148 9308190263 9308250048 9308310172 9308170148	50-309 50-309 50-309 50-309 40-3453
GRIMES,C.I. GRIMES,C.I. GRIMES,C.I. GRIMES,C.I. GRIMES,C.I.	9308110259 9308160104 9308160170* 9308160249 9308230180	52-1 50-295 NUREG 50-302 REVIEW GR P	HANSEN,A.G. HANSEN,A.G. HANSEN,A.G. HANSEN,A.G. HANSEN,J.	9308110283 9308200162 9308270012 9308310219 9308250265*	50-266 50-266 50-266 50-266 50-295	HEDGES,D. HEGRAT,H.L. HEHL,C.W. HEHL,C.W. HEHL,C.W.	9308040261 9308170201 9308180265 9308230275 9308310051	71-496 50-440 50-289 50-293 50-322
GRIMES,C.I. GRIMESLY,D.H. GRIMESLY,D.H. GROBE,J.A. GROBE,J.A.	9308300112 9307010122 9308160047 9308030019 9308030047	NUREG 70-139 50-409 70-36 40-8724	HANSON,A.S. HARLING,J.A. HARLING,O.K. HARMON,P.E. HARRELL,P.H.	9308300045 9308020096 9308250141 9308060097* 9308180034*	PR PR PR 50-269 50-285	HELLSTROM,G.W. HELLSTROM,G.W. HELLSTROM,G.W. HELLSTROM,G.W. HELLSTROM,G.W.	9308020170 9308170160 9308170167 9308200332 9308170137*	40-8989 40-3453 40-8989 40-8989 50-324
GROBE,J.A. GROBE,J.A. GROBE,J.A. GROOMS,J. GROSS,K.W.	9308030125 9308030136* 9308120052 9308300316 9308020045	40-8724 40-8724 40-3392 50-261 PR	HARRELL,R.H. HARRIS,K.R. HARRIS,K.R. HARRIS,K.R. HARRIS,K.R.	9308110007* 9308270273* 9308270279* 9308270284* 9308270290*	50-285 ORG ORG ORG ORG	HELLSTROM,G.W. HELLSTROM,G.W. HELMER,D. HELMER,D. HELMER,D.	9308170167 9308200332 9308170137* 9308040272 9308110136	40-8989 40-8989 50-324 50-352 50-352
GROTH,J.F. GROTH,J.F. GROTH,J.F.	9308030143 9308040108 9308100164	50-499 50-498 50-498	HARRIS,K.R. HARRIS,K.R. HARRIS,K.R.	9308270296* 9308270300* 9308270302*	ORG ORG ORG	HELMER,D. HENCEY,T.R. HENDL,G.F.	9308170320 9308160335* 9308190155	50-352 50-390 50-458

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
HENKIN, Y.	9308250305	CONTRACT	HOLLOWAY, C.J.	9308110137	PR	HUGHEY, C.A.	9308270037*	50-416 Q
HENNING, R.J.	9308250165	CONTRACT	HOLM, R.L.	9308160062	50-151 H	HUGO, B.R.	9308130082	50-344 R
HERDT, A.R.	9308050006	50-321 Q	HOLM, R.L.	9308160210*	50-151 H	HUHN, M.L.	9308240021	50-254 S
HERDT, A.R.	9308050049	50-424 Q	HOLMES-RAY, P.	9308060223*	50-302 Q	HUHTINEMI, I.	9308200255*	52-3 PR
HERDT, A.R.	9308050072	50-413 Q	HOLMES-RAY, P.	9308250384*	50-302 Q	HUNGER, G.A.	9308020161	50-352 F
HERDT, A.R.	9308060085	50-321 Q	HOLODY, D.	9308250454	70-1450	HUNGER, G.A.	9308020266	50-278 P
HERDT, A.R.	9308060090	50-269 Q	HOLONICH, J.J.	9308020231	WASTE MGT	HUNGER, G.A.	9308040287	50-277 P
HERDT, A.R.	9308060115	50-369 Q	HOLONICH, J.J.	9308090342	WASTE MGT	HUNGER, G.A.	9308040326	50-277 F
HERDT, A.R.	9308060151	50-424 Q	HOLONICH, J.J.	9308120142	WASTE MGT	HUNGER, G.A.	9308060255	50-352 P
HERDT, A.R.	9308060161	50-424 Q	HOLONICH, J.J.	9308130081	WASTE MGT	HUNGER, G.A.	9308060280	50-352 F
HERDT, A.R.	9308060166	50-321 Q	HOLONICH, J.J.	9308130180	WASTE MGT	HUNGER, G.A.	9308060328	50-277 Q
HERDT, A.R.	9308060170	50-413 Q	HOLONICH, J.J.	9308180144	WASTE MGT	HUNGER, G.A.	9308100090	50-278 P
HERDT, A.R.	9308230170	50-369 Q	HOLONICH, J.J.	9308180151	WASTE MGT	HUNGER, G.A.	9308100199	50-171 P
HERDT, A.R.	9308260204	50-269 Q	HOLONICH, J.J.	9308180154	WASTE MGT	HUNGER, G.A.	9308110248	50-277 P
HERDT, A.R.	9308270236	50-321 Q	HOLONICH, J.J.	9308180162	WASTE MGT	HUNGER, G.A.	9308120177	50-352 P
HERNAN, R.W.	9308100134	50-289 P	HOLONICH, J.J.	9308180170	WASTE MGT	HUNGER, G.A.	9308130021	50-277 P
HERNAN, R.W.	9308100205	50-289 P	HOLONICH, J.J.	9308190339	WASTE MGT	HUNGER, G.A.	9308160280	50-352 F
HERNAN, R.W.	9308200229	50-289 P	HOLONICH, J.J.	9308200014	WASTE MGT	HUNGER, G.A.	9308200266	REVIEW GR P
HERNAN, R.W.	9308200235*	50-289 P	HOLONICH, J.J.	9308260087	WASTE MGT	HUNGER, G.A.	9308240016	50-277 F
HERNAN, R.W.	9308230208	50-289 P	HOLONICH, J.J.	9308260191	WASTE MGT	HUNGER, G.A.	9308250004	50-352 P
HERSH, P.J.	9308020074	PR	HOLONICH, J.J.	9308310283	WASTE MGT	HUNGER, G.A.	9308260194	50-277 P
HEYSEK, W.G.	9308090210	50-289 S	HOLT, B.J.	9308030257	I&E	HUNGER, G.A.	9308260263	50-277 F
HEYSEK, W.G.	9308100169	50-289 S	HOOD, D.S.	9308100153	50-424 P	HUNGER, G.A.	9308270047	50-277 P
HIATT, S.L.	9308230049	PR	HOOD, D.S.	9308100166*	50-424 P	HUNGER, G.A.	9308270083	I&E
HIATT, S.L.	9308270015	I&E	HOOD, D.S.	9308110264	50-424 P	HUNSTAD, A.A.	9308020069	50-282 S
HICKEY, J.W.	9308130185	PROJ	HOOD, D.S.	9308120331	50-424 P	HUNSTAD, A.A.	9308020095*	50-282 S
HICKEY, J.W.	9308160192	70-3070	HOOD, D.S.	9308190015	50-424 Q	HUNSTAD, A.A.	9308120100*	50-282 S
HICKEY, J.W.	9308310268	70-3070	HOOD, D.S.	9308310102	50-321 P	HUNSTAD, A.A.	9308170048	50-282 S
HICKMAN, J.B.	9308160372	50-454 P	HOOKER, C.A.	9308160032*	70-754	HUNT, M.D.	9308050020*	50-348 Q
HICKMAN, J.B.	9308240072	50-237 F	HOOKER, C.A.	9308240003*	70-1257	HUNT, M.D.	9308250135*	50-327 Q
HILAND, P.L.	9308090131*	50-254 Q	HOOKER, M.K.	9308020060	PR	HUTCHESON, M.A.	9308230088	50-270 P
HILAND, P.L.	9308170033*	50-237 P	HOOKS, K.R.	9308120146*	WASTE MGT	HUTCHINSON, C.	9308310275	50-416 F
HILL, B.E.	9308260093*	WASTE MGT	HOOPER, G.L.	9308170228	50-424 R	HUTCHINSON, C.	9308310277	50-416 R
HILL, L.M.	9308060029	50-322 F	HOPKINS, J.A.	9308030059	50-331 Q	HUTCHINSON, C.	9308310279	50-416 V
HILL, L.M.	9308060037	50-322 J	HOPKINS, J.A.	9308030075*	50-331 Q	HUTCHINSON, C.R.	9307270153	50-416 P
HILL, L.M.	9308090076	50-322 W	HOPKINS, J.B.	9308120288	50-346 P	HUTCHINSON, C.R.	9308060375	50-416 Q
HILL, L.M.	9308130097	50-322 S	HOPKINS, J.B.	9308130115*	50-331 P	HUTCHINSON, C.R.	9308100265	50-416 S
HILL, L.M.	9308310057*	50-322 R	HOPKINS, J.B.	9308200050	50-346 Q	HUTCHINSON, C.R.	9308120159	50-416 F
HILL, R.D.	9308170374	50-348 R	HOPKINS, J.B.	9308200258	50-346 P	HUTCHINSON, C.R.	9308160236	50-416 R
HILL, S.	9308230074*	50-260 S	HOPKINS, J.B.	9308260239	REVIEW GR P	HUTCHINSON, C.R.	9308160281	50-416 P
HILL, T.E.	9308230090	PR	HOPKINS, P.C.	9308050080*	50-413 Q	HUTCHINSON, C.R.	9308160315	50-416 P
HILLIS, B.	9308020273	70-3070	HOPKINS, P.C.	9308060181*	50-413 Q	HUTCHINSON, C.R.	9308160346	50-416 S
HILLIS, B.	9308030016	70-3070	HOPPER, G.T.	9308250190*	50-269 V	HUTCHINSON, C.R.	9308170051	50-416 P
HILLIS, B.	9308030023	70-3070	HORINKA, M.S.	9308190011	50-354 S	HUTCHINSON, C.R.	9308230109	50-416 P
HILLIS, B.	9308030028	70-3070	HORN, G.R.	9308040300	50-298 J	HUTCHINSON, C.R.	9308230135*	50-416 P
HILLMAN, C.T.	9308050191	50-255 S	HORN, G.R.	9308050066	50-298 Q	HUTCHINSON, C.R.	9308230191	50-416 P
HILLMAN, C.T.	9308240102	50-255 S	HORN, G.R.	9308050078	50-298 Q	HUTCHINSON, C.R.	9308240036	50-416 P
HILTZ, T.G.	9308090297	PROJ	HORN, G.R.	9308090266	50-298 F	HUTCHINSON, C.R.	9308240130	50-416 S
HILTZ, T.G.	9308160216	PROJ	HORN, G.R.	9308120081	50-298 F	HUTCHINSON, C.R.	9308310286	50-416 R
HILTZ, T.G.	9308240334	PROJ	HORN, G.R.	9308120293	50-298 F	IBARRA, J.	9308230074*	50-260 S
HINK, A.D.	9308230216*	PROJ	HORN, G.R.	9308120373	50-298 P	IHDE, R.H.	9308020046	PR
HINK, A.D.	9308250031	CONTRACT	HORN, G.R.	9308160208	50-298 Q	IRVINE, N.M.	9308050143	TOPREP
HINNANT, C.S.	9308050104	50-324 Q	HORN, G.R.	9308170224	50-298 F	IRWIN, D.P.	9308020138	PR
HINNANT, C.S.	9308050159	50-324 S	HORN, G.R.	9308190069	50-298 Q	IRWIN, D.P.	9308020138	PR
HINNANT, C.S.	9308100227	50-325 Q	HORN, G.R.	9308250068	50-298 H	IRWIN, D.P.	9308250126	PR
HINNANT, C.S.	9308190247	50-324 Q	HORN, G.R.	9308250273	50-298 Q	IRWIN, D.P.	9308250126	PR
HINNANT, C.S.	9308270181	50-324 Q	HORN, G.R.	9308260388	50-298 P	ISAAC, P.	9308130173*	50-116 V
HINOJOSA, R.A.	9308120183*	WASTE MGT	HORN, G.R.	9308300228	50-298 P	ISRAEL, S.L.	9308120309	ORG
HINZE, W.J.	9308120188	ADVCN	HORSEMAN, M.L.	9308130075*	WASTE MGT	ISRAEL, S.L.	9308240082	50-155 Q
HINZE, W.J.	9308240146	PR	HORTON, D.G.	9308050097	WASTE MGT	ISRAEL, S.L.	9308240165*	50-155 Q
HIXON, E.	9308180241	71-503	HORTON, D.G.	9308050103*	WASTE MGT	IVERSON, G.L.	9308130091	50-443 H
HIXON, E.	9308160343	50-333 R	HORTON, D.G.	9308090108	WASTE MGT	JABBOUR, K.N.	9308160107	50-321 P
HO, S.A.	9308060307*	50-272 P	HORTON, D.G.	9308090119*	WASTE MGT	JABBOUR, K.N.	9308240139	50-366 P
HOAGLAND, Z.	9308030024	50-336 S	HORTON, D.G.	9308120173	WASTE MGT	JACKI, I.N.	9308310158*	50-483 Q
HOBDY, G.	9308020267	70-3070	HORTON, D.G.	9308120179	WASTE MGT	JACKSON, J.A.	9308200198	WASTE MGT
HODGDON, A.P.	9308090033	50-275 T	HORTON, D.G.	9308120183*	WASTE MGT	JACOBSON, J.B.	9308180227*	QA999
HODGDON, A.P.	9308090140	50-275 G	HORTON, D.G.	9308120220	WASTE MGT	JACOBSON, J.M.	9308230028*	50-254 Q
HODGES, M.W.	9308030070	50-317 P	HORTON, D.G.	9308120243	WASTE MGT	JAEGGER, R.E.	9308050164	40-8984
HODGES, M.W.	9308100051	50-286 Q	HORTON, D.G.	9308130073	WASTE MGT	JAFFA, R.	9308060291*	50-289 P
HODGES, M.W.	9308170035	50-272 Q	HORTON, D.G.	9308130075*	WASTE MGT	JANG, J.C.	9308090034*	50-387 Q
HODGES, M.W.	9308170049	50-317 Q	HORTON, D.G.	9308130099	WASTE MGT	JANG, J.C.	9308170014*	50-220 Q
HODGES, M.W.	9308170146	50-272 Q	HORTON, D.G.	9308130100*	WASTE MGT	JANG, J.C.	9308310125*	50-334 Q
HODGES, M.W.	9308190044	50-317 P	HORTON, D.G.	9308130186	WASTE MGT	JANISSE, J.D.	9308170277	50-315 R
HODGES, M.W.	9308190253	50-213 Q	HORTON, D.G.	9308180125	WASTE MGT	JANKOVICH, J.P.	9308020049	71-766
HODGES, M.W.	9308230231	50-443 Q	HORTON, D.G.	9308240205	WASTE MGT	JANKOVICH, J.P.	9308020055*	71-766
HODGES, M.W.	9308230240	50-336 Q	HORTON, D.G.	9308240206*	WASTE MGT	JANKOVICH, J.P.	9308040124	71-468
HODGES, M.W.	9308270234	50-443 Q	HORTON, D.G.	9308300350	WASTE MGT	JANKOVICH, J.P.	9308040143*	71-468
HOFFMAN, D.P.	9308120337*	50-155 P	HORTON, D.G.	9308300352*	WASTE MGT	JANKOVICH, J.P.	9308060297*	71-179
HOFFMAN, D.P.	9308160238*	50-155 P	HORTON, S.H.	9308120230*	WASTE MGT	JANKOVICH, J.P.	9308180108	71-396
HOGDON, A.P.	9308110066	50-275 T	HOUCK, K.	9308230087	PR	JANKOVICH, J.P.	9308240119	71-739
HOGG, R.C.	9308100271	27-48	HOVER, R.J.	9308190193	50-354 R	JANKOVICH, J.P.	9308240126	71-348
HOGG, R.C.	9308190140	WASTE MGT	HOVEY, R.J.	9308300245	50-354 R	JANKOVICH, J.P.	9308240133*	71-348
HOKE, M.R.	9308040196*	COMMISSION	HOWMAN, M.A.	9308160377	50-285 R	JANKOVICH, J.P.	9308250301	71-90
HOLLAND, W.E.	9308050034*	50-327 Q	HOYT, J.	9308250189	CONTRACT	JANKOVICH, J.P.	9308270161	71-731
HOLLAND, W.E.	9308060061*	50-327 Q	HSIA, A.H.	9308200083	50-255 S	JANKOVICH, J.P.	9308270164*	71-731
HOLLOMON, T.J.	9308170210	50-327 R	HUETER, L.J.	9308300242	70-2204	JAYCOX, N.B.	9308030013	50-245 S
HOLLON, M.C.	9308170396	50-461 R	HUEY, F.R.	9308250468	I&E	JAYJOHN, E.	9308250342	CONTRACT
HOLLOWAY, C.J.	9308030177	PR	HUGHEY, C.A.	9308060188*	50-416 Q	JEFFS, V.D.	9308200184*	STATE PRO G

238 PERSONAL AUTHOR INDEX

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
JENKINS, R.	9308260134	TOPREP	JORGENSEN, B. L.	9308310005*	50-306	KAUFFMAN, J. V.	9308230061	ORG
JERRETT, L.	9308200173*	STATE PRO G	JORGENSEN, B. L.	9308310141*	50-262	KAURIN, D. G.	9308160137	NUREG
JERRETT, L. E.	9308020053	PR	JORGENSEN, B. L.	9308310148	50-341	KAWANA, H.	9308240271	XPORTLIC
JESSAR, K. L.	9308300064	PR	JOUSTRA, J.	9308310106	I&E	KAWANA, H.	9308240273	XPORTLIC
JICKLING, R.	9308160086*	50-341 Q	JOUSTRA, J.	9308310116	I&E	KAZIMI, M. S.	9308300034	PR
JICKLING, R.	9308190159*	50-295 Q	JOYCE, T. P.	9308090225	50-295	KEARNEY, J. P.	9308270033	PR
JISCHKE, M. C.	9308160024	PR	JOYCE, T. P.	9308310228	50-304	KEATEN, R. W.	9308030181	50-219
JISCHKE, M. C.	9308160044	PR	JOYNER, J. H.	9308030009	50-317	KEATEN, R. W.	9308240305	50-289
JOHANSEN, J. M.	9308030026	I&E	JOYNER, J. H.	9308030018	50-184	KEENAN, K. G.	9308030053*	50-255
JOHANSEN, J. M.	9308090141	70-1403	JOYNER, J. H.	9308030087	50-333	KEIMIG, R. R.	9308030014*	50-317
JOHNSON, A. G.	9308100261	50-243 F	JOYNER, J. H.	9308030361	70-622	KEIMIG, R. R.	9308030368*	70-622
JOHNSON, A. G.	9308250076	PR	JOYNER, J. H.	9308090019	50-353	KEIMIG, R. R.	9308170016*	50-271
JOHNSON, A. R.	9308300024	50-244 P	JOYNER, J. H.	9308090024	50-387	KEIMIG, R. R.	9308170114*	50-443
JOHNSON, B.	9308300050	PR	JOYNER, J. H.	9308100014	50-354	KEIMIG, R. R.	9308170138*	50-244
JOHNSON, B.	9308300055	PR	JOYNER, J. H.	9308100179	50-244	KEITHLEY, J. M.	9308100171	QA999
JOHNSON, E.	9308100111	50-237 S	JOYNER, J. H.	9308110047	50-443	KEITHLEY, J. M.	9308260.44	PT21
JOHNSON, I. M.	9308180006	50-10 F	JOYNER, J. H.	9308130005	50-220	KELBER, C. N.	9308060361*	50-336
JOHNSON, I. M.	9308180071	50-454 F	JOYNER, J. H.	9308130016	50-333	KELLER, G. H.	9308160035	PR
JOHNSON, I. M.	9308180075	50-456 F	JOYNER, J. H.	9308130026	50-322	KELLER, L. A.	9308050121*	50-395
JOHNSON, I. M.	9308260066	50-237 S	JOYNER, J. H.	9308130096	50-213	KELLER, L. A.	9308300144*	50-395
JOHNSON, J. J.	9308050123	PR	JOYNER, J. H.	9308170004	50-352	KELLOG, P. J.	9308060061*	50-327
JOHNSON, L.	9308120053*	70-139	JOYNER, J. H.	9308170011	50-271	KELLOG, P. J.	9308050034*	50-327
JOHNSON, L.	9308120241*	70-139	JOYNER, J. H.	9308170013	50-220	KELLOG, P. J.	9308050042*	50-259
JOHNSON, L.	9308200230*	70-139	JOYNER, J. H.	9308170018	50-334	KELLOG, P. J.	9308060023	50-327
JOHNSON, L.	9308200241*	70-139	JOYNER, J. H.	9308170108	50-443	KELLOG, P. J.	9308060031*	50-259
JOHNSON, L.	9308200274*	70-139	JOYNER, J. H.	9308170127	50-244	KELLOG, P. J.	9308060058	50-327
JOHNSON, L.	9308240282*	70-139	JOYNER, J. H.	9308190052	50-387	KELLOG, P. J.	9308060250	50-327
JOHNSON, L.	9308240290*	70-139	JOYNER, J. H.	9308190301	50-352	KELLY, D. L.	9308160131	NUREG
JOHNSON, L.	9308240319*	70-139	JOYNER, J. H.	9308230181	50-170	KELLY, E.	9308090009*	50-293
JOHNSON, L.	9308250472*	70-139	JOYNER, J. H.	9308270096	50-322	KELLY, E.	9308160017	50-271
JOHNSON, L.	9308260141*	70-139	JOYNER, J. H.	9308270278	50-286	KELLY, E.	9308160023	50-271
JOHNSON, L.	9308260308*	70-139	JOYNER, J. H.	9308310044	50-309	KELLY, E. M.	9308270233*	50-29
JOHNSON, L.	9308260317*	70-139	JOYNER, J. H.	9308310047	50-289	KELLY, G.	9308160191	52-1
JOHNSON, L.	9308270320*	70-139	JOYNER, J. H.	9308310120	50-334	KELLY, G.	9308260325	52-1
JOHNSON, P.	9308230298	50-275 S	JOYNER, J. H.	9308310138	50-219	KELLY, W. C.	9308190349	71-348
JOHNSON, P. H.	9308160059*	50-397 Q	JOYNER, J. H.	9308310156	50-247	KELLY, W. C.	9308300033	PR
JOHNSON, P. H.	9308160142*	50-275 Q	JULIAN, C.	9308060118*	50-324	KENNEDY, E. M.	9307200017*	50-293
JOHNSON, P. H.	9308160156*	50-344 Q	JULIAN, C.	9308060203*	50-390	KENNEDY, J.	9308170425	50-373
JOHNSON, T. C.	9308030253	40-672	JULIAN, C.	9308060210*	50-327	KENNEDY, J. L.	9308110174	50-237
JOHNSON, T. C.	9308110182	40-8724	JULIAN, C.	9308060229*	50-390	KENNEDY, J. L.	9308200165	50-373
JOHNSON, T. C.	9308240044	WASTE MGT	JULIAN, C.	9308060231*	50-424	KENNY, T. J.	9308190298*	50-309
JOHNSON, T. C.	9308310202	40-8724	JULIAN, C.	9308120376*	50-390	KENT, A. P.	9308170421	50-498
JOHNSON, W. D.	9308040043*	50-498 Q	JULIAN, C. A.	9308050017	50-327	KENYON, T. J.	9308120027	52-3
JOHNSON, W. D.	9308230110*	50-462 Q	JULIAN, C. A.	9308050018	50-348	KENYON, T. J.	9308120036	52-3
JOHNSON, W. D.	9308240097	PR	JULIAN, C. A.	9308050020*	50-348	KENYON, T. J.	9308190053	52-3
JOHNSTON, D. R.	9308050222	71-6717	JULIAN, C. A.	9308060052*	50-390	KENYON, T. J.	9308190072	52-3
JOHNSTON, J. R.	9308110001	50-155 R	JULIAN, C. A.	9308060082	50-327	KENYON, T. J.	9308190130	52-3
JOHNSTON, K. E.	9308160165	50-397 S	JULIAN, C. A.	9308060092*	50-327	KENYON, T. J.	9308310269	52-3
JOLLEY, R. L.	9308110401	WASTE MGT	JULIAN, C. A.	9308060121	50-269	KERR, G. W.	9308020058	PR
JONES, B. G.	9308020064	PR	JULIAN, C. A.	9308060189	50-280	KERRY, J. F.	9307200017*	50-293
JONES, D. T.	9308100276	50-334 R	JULIAN, C. A.	9308060194*	50-280	KHAN, T. A.	9308160137	NUREG
JONES, D. W.	9308050060*	50-327 Q	JULIAN, C. A.	9308060206	50-327	KHANNA, M. K.	9308120012*	50-315
JONES, D. W.	9308270055*	70-1113	JULIAN, C. A.	9308060209	50-400	KHANNA, M. K.	9308230028*	50-254
JONES, M.	9308100265	50-416 S	JULIAN, C. A.	9308060222	50-424	KIER, P. H.	9308310086*	PROJ
JONES, R. C.	9308090022	TOPREP	JULIAN, C. A.	9308060240	50-280	KIM, M. H.	9308200251*	52-3
JONES, R. C.	9308160193	TOPREP	JULIAN, C. A.	9308250016	50-261	KING, E. B.	9308170138*	50-244
JONES, R. C.	9308160310	TOPREP	JULIAN, C. A.	9308250023	50-250	KING, G.	9308020083	PR
JONES, R. C.	9308170418	TOPREP	JULIAN, C. A.	9308250098	50-327	KINGSLEY, O. D.	9308190300	50-438
JONES, R. D.	9308250242	CONTRACT	JULIAN, C. A.	9308250103	50-413	KINNEMAN, J. D.	9308030349	40-791
JONES, T. M.	9308170190	50-324 S	JULIAN, C. A.	9308250120	50-395	KINNEMAN, J. D.	9308090050	40-8837
JONES, T. M.	9308170204	50-324 S	JULIAN, C. A.	9308250124	50-259	KINNEMAN, J. D.	9308090060	70-3074
JONES, W. B.	9308030050	50-298 S	JULIAN, C. A.	9308250128	50-327	KINNEMAN, J. D.	9308170096	40-8649
JONES, W. C.	9308120339	50-285 F	JULIAN, C. A.	9308250229	50-327	KINNEMAN, J. D.	9308170234	ORG
JONES, W. C.	9308120351	50-285 F	JULIAN, C. A.	9308250284	50-327	KINNEY, C.	9308030423*	50-263
JONES, W. C.	9308120368	50-285 F	JULIAN, C. A.	9308310098*	50-390	KINSEY, W. H.	9308130043	50-498
JORDAN, D. D.	9308180219*	50-498 I	JULLAN, E. L.	9308160126	50-275 G	KINSEY, W. H.	9308160183	50-498
JORDAN, E. L.	9308030332	REVIEW GR P	KALINSKI, A. J.	9308050288	50-443 H	KIRCHNER, R. F.	9308030003*	50-220
JORDAN, E. L.	9308090309	REVIEW GR P	KAMINSKI, J. J.	9308190245	50-410 F	KIRK, M. T.	9308160116	NUREG
JORDAN, E. L.	9308110344	REVIEW GR P	KAMMERER, C.	9308110331*	STATE PRO G	KIRK, M. T.	9308160121	NUREG
JORDAN, E. L.	9308130160	REVIEW GR P	KAMMERER, C.	9308110383	WASTE MGT	KIRKMAN, R. W.	9308300300*	70-139
JORDAN, E. L.	9308180243	REVIEW GR P	KAMMERER, C.	9308180001	STATE PRO G	KIRKMAN, R. W.	9308300307*	70-139
JORDAN, E. L.	9308200026	REVIEW GR P	KAMMERER, C.	9308190154*	STATE PRO G	KIRKWOOD, T.	9308310089	I&E
JORDAN, E. L.	9308200086	REVIEW GR P	KAMMERER, C.	9308190157*	STATE PRO G	KLAPPROTH, J. F.	9308020155	TOPREP
JORDAN, E. L.	9308230305	REVIEW GR P	KAMMERER, C.	9308190171*	STATE PRO G	KLEINSORGE, W. P.	9308050020*	50-348
JORDAN, E. L.	9308260023	REVIEW GR P	KAMMERER, C.	9308190241*	STATE PRO G	KLEINSORGE, W. P.	9308250117*	50-413
JORDAN, E. L.	9308260175	REVIEW GR P	KAMMERER, C.	9308190246*	STATE PRO G	KLEMENTOWICZ, S.	9308180216	REVIEW GR P
JORDAN, E. L.	9308260205	REVIEW GR P	KANE, G. E.	9308170272	50-338 R	KLEMENTOWICZ, S.	9308180259	ORG
JORDAN, E. L.	9308260227	REVIEW GR P	KANE, G. E.	9308190098	50-339 S	KLEVIN, P. B.	9308300230*	70-139
JORGENSEN, B.	9308120003	50-2 S	KANTER, J. L.	9308040290	50-352 S	KLINE, C.	9308240100	PR
JORGENSEN, B.	9308310064*	50-255 Q	KANTER, J. L.	9308040294	50-353 S	KLINE, J. R.	9308060361*	50-336
JORGENSEN, B. L.	9308030011	50-305 Q	KANTER, J. L.	9308040301	50-353 S	KLINE, J. R.	9308110065	50-275
JORGENSEN, B. L.	9308030027*	50-305 Q	KANTNER, J. L.	9308100258*	50-352 S	KLINE, J. R.	9308110080	50-275
JORGENSEN, B. L.	9308040240	50-255 F	KANTNER, J. L.	9308190078	50-353 S	KLUSKOWSKI, P. J.	9308100222	50-255
JORGENSEN, B. L.	9308090080	50-456 Q	KAPLAN, H.	9308030081*	50-317 Q	KNICLEY, J. R.	9308250167*	50-461
JORGENSEN, B. L.	9308100102	50-254 Q	KASINICKI, D. A.	9308050048*	70-143	KNOTTS, J. B.	9308020105	PR
JORGENSEN, B. L.	9308130127	50-10 F	KASSAWARA, R. P.	9308240032	PROJ	KNOTTS, J. B.	9308260019	50-458
JORGENSEN, B. L.	9308160079	50-341 Q	KATHPAL, H.	9308310194	CONTRACT	KNOULES, S.	9308110348*	71-*****
JORGENSEN, B. L.	9308250296*	50-315 Q	KAUFFMAN, J.	9308230074*	50-260 S	KOCHURKO, A. S.	9308160272	NUREG

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY		
KOFRON, K.L.	9308160233	50-457	S	LANE, J.J.	9308260228*	70-139	LIEBERMAN, J.	9308100063	50-315	Q
KOFRON, K.L.	9308160369	50-456	R	LANE, J.J.	9308270158*	70-139	LIEBERMAN, J.	9308100083	50-254	Q
KOFRON, K.L.	9308250062	50-457	S	LANE, J.J.	9308300274*	70-139	LIEBERMAN, J.	9308100089	50-458	Q
KOHN, M.D.	9308090014	50-424	G	LANGE, D.	9308060221	TOPREP	LIEBERMAN, J.	9308100096	50-271	Q
KOHN, M.D.	9308090014	50-424	G	LANGLEY, V.	9308230026*	50-293	LIEBERMAN, J.	9308110306	I&E	
KOHN, M.D.	9308110081	50-424	G	LANGSTAFF, R.	9308250187*	50-305	LIEBERMAN, J.	9308130017	30-12231	
KOHN, M.D.	9308110081	50-424	G	LANKSBURY, R. D.	9308030319*	50-440	LIEBERMAN, J.	9308190204	QA999	
KOHN, M.D.	9308160149	50-424	G	LANKSBURY, R. D.	9308160122*	50-331	LIEBERMAN, J.	9308190210*	QA999	
KOHN, M.D.	9308160149	50-424	G	LANKSBURY, R. D.	9308310160*	50-440	LIEBERMAN, J.	9308190227	PR	
KOHN, M.D.	9308250049	50-424	G	LANNING, D. D.	9306300289*	TOPREP	LIEBERMAN, J.	9308230069	70-27	
KOHN, M.D.	9308250049	50-424	G	LANNING, D. D.	9306300306*	TOPREP	LIEBERMAN, J.	9308230081*	70-27	
KOHN, M.D.	9308250263	50-424	G	LARKINS, J. T.	9308240278	ADVCN	LIEBERMAN, J.	9308230092	QA999	
KOHN, M.D.	9308250263	50-424	G	LARKINS, J. T.	9308240286	ADVCN	LIEBERMAN, J.	9308250450	70-27	
KOHN, S. M.	9308110101	50-424	G	LARKINS, J. T.	9308240286	ADVCN	LIEBERMAN, J.	9308250461	50-219	Q
KOHN, S. M.	9308110101	50-424	G	LARKINS, J. T.	9308240292	ADVCN	LIEBERMAN, J.	9308300124	30-2195	
KOHN, S. M.	9308110101	50-424	G	LARKINS, J. T.	9308240292	ADVCN	LIEBERMAN, J. I.	9308110300*	50-336	H
KOKAJKO, L. E.	9308190086	50-498	P	LARKINS, J. T.	9308240298	ADVCN	LIGHT, C. S.	9308180081*	70-1257	
KOMORIYA	9308250146	CONTRACT		LARKINS, J. T.	9308240298	ADVCN	LIMROTH, D. F.	9308170016*	50-271	Q
KOPP, L.	9308190050	TOPREP		LARKINS, J. T.	9308240304	ADVCN	LINK, B.	9308090311	50-301	Q
KOPP, L. I.	9308230078	TOPREP		LARKINS, J. T.	9308240304	ADVCN	LINK, B.	9308110183	50-266	P
KOPP, M.	9308190272	70-3070		LARKINS, J. T.	9308260012	ADVCN	LINK, B.	9308130094	50-266	R
KOSMIDER, M. D.	9308030161	40-3392		LARKINS, J. T.	9308260017	ADVCN	LINK, B.	9308230053	50-266	F
KOSMIDER, M. D.	9308050283	40-3392		LARREA, E.	9308160158	NUREG	LINK, B.	9308310119	50-266	P
KOTTAN, J.	9308310050*	50-289	Q	LAU, P.	9308250062	50-457	LINK, B.	9308310124	50-266	P
KOZA, R. G.	9308040234*	40-1020		LAUGHLIN, J.	9308180277*	50-289	LINK, B.	9308310132	50-266	R
KRAFT, E. S.	9308190183	50-293	R	LAWS, R. M.	9308230029	PR	LINK, B.	9308310212	50-266	P
KRAFT, S. P.	9308230063	PR		LAWSON, J. E.	9308160178	NUREG	LINK, B.	9308310213	50-266	H
KRAFT, S. P.	9308300051	PR		LAWYER, L. L.	9308240124*	50-369	LINK, B.	9308310241	50-266	S
KRAILL, J.	9308190009	50-219	R	LAWYER, L. L.	9308250190*	50-269	LINN, M. A.	9308160298	NUREG	
KRAUSE, A.	9308060202	50-275	P	LAYENDECKER, S.	9308250027	70-8	LINVILLE, J.	9308090007	50-293	Q
KREH, J. L.	9308050035*	50-335	Q	LAYENDECKER, S.	9308250060*	70-8	LINVILLE, J. C.	9308030051	50-334	Q
KREH, J. L.	9308060077*	50-280	Q	LAYTON, R. E.	8809300177*	40-6664	LINVILLE, J. C.	9308090011	50-271	Q
KRIEGER, R. W.	9308110133	50-362	S	LAZARUS, W. J.	9308100071*	50-334	LINVILLE, J. C.	9308100065	50-334	Q
KRIEGER, R. W.	9308260355	50-206	F	LAZARUS, W. J.	9308230187*	50-244	LINVILLE, J. C.	9308130001	50-244	Q
KRUMLAND, K. M.	9308090266	50-298	F	LAZARUS, W. J.	9308310026*	50-309	LINVILLE, J. C.	9308130015	50-244	Q
KRUMLAND, K. M.	9308170224	50-298	F	LE, N. B.	93082500421	50-400	LINVILLE, J. C.	9308230186	50-244	Q
KRUECK, J. D.	9308160268	NUREG		LE, N. B.	9308270265	50-400	LINVILLE, J. C.	9308270228	50-29	Q
KUNOWSKI, M.	9308260140*	50-237	Q	LEAKE, E. G.	9308020076	PR	LINVILLE, J. C.	9308310022	50-309	Q
KUNSELMAN, M. R.	9308020032	PR		LEAVITT, M. O.	9308270005	40-3453	LIPARULO, N. J.	9308310251	50-395	P
KUREK, D.	9308260007*	50-327	Q	LEBARON, L. E.	9308090152	50-213	LIPARULO, N. J.	9308020025	PR	
KUZO, G. B.	9308060035*	50-250	Q	LEDO, M.	9308200009	PR	LIPARULO, N. J.	9308030029	52-3	
KUZO, G. B.	9308060086*	70-824		LEE, S. S.	9308100091*	50-305	LIPARULO, N. J.	9308030056*	52-3	
KUZO, G. B.	9308260294*	70-27		LEE, T. D.	9308060179	70-27	LIPARULO, N. J.	9308030150*	50-424	P
LA BARGE, D. E.	9308260118	50-327	P	LEE, T. D.	9308160286	70-27	LIPARULO, N. J.	9308030159	52-3	
LABARGE, D. E.	9308100220	50-327	P	LEE, T. D.	9308270084	70-27	LIPARULO, N. J.	9308030162*	52-3	
LABARGE, D. E.	9308160266	50-327	P	LEGER, J. E.	9308200057	50-213	LIPARULO, N. J.	9308030235	52-3	
LABARGE, D. E.	9308170194	50-327	Q	LEISURE, M.	9308190048	REVIEW GR	LIPARULO, N. J.	9308030391	TOPREP	
LABARGE, D. E.	9308190164	50-327	P	LENNARTZ, J.	9308250265*	50-295	LIPARULO, N. J.	9308030398*	TOPREP	
LABARGE, D. E.	9308190178*	50-327	P	LEROY, P. G.	9308020072	PR	LIPARULO, N. J.	9308040215*	50-339	P
LABARGE, D. E.	9308310070	50-327	Q	LEROY, P. G.	9308060102	70-3070	LIPARULO, N. J.	9308040217*	50-339	P
LABRUNA, S.	9308030064*	50-354	P	LEROY, P. G.	9308100204	70-3070	LIPARULO, N. J.	9308050195	52-3	
LABRUNA, S.	9308050186	50-311	P	LEROY, P. G.	9308110221	70-3070	LIPARULO, N. J.	9308050198*	52-3	
LABRUNA, S.	9308060186	50-272	P	LEROY, P. G.	9308300233	70-3070	LIPARULO, N. J.	9308110251	52-3	
LABRUNA, S.	9308110179	50-354	P	LEROY, P. G.	9308300237*	70-3070	LIPARULO, N. J.	9308110254	50-424	P
LABRUNA, S.	9308110185	50-272	Q	LESLIE, B. W.	9308260093*	WASTE MGT	LIPARULO, N. J.	9308110282	TOPREP	
LABRUNA, S.	9308110206	50-354	Q	LESSER, M. S.	9308050080*	50-413	LIPARULO, N. J.	9308110288*	TOPREP	
LABRUNA, S.	9308110209	50-272	P	LESSER, M. S.	9308060097*	50-269	LIPARULO, N. J.	9308120356	52-3	
LABRUNA, S.	9308110245	50-272	P	LESSER, M. S.	9308060125	50-269	LIPARULO, N. J.	9308130088	NUREG	
LABRUNA, S.	9308200051	50-272	P	LESSER, M. S.	9308060128*	50-369	LIPARULO, N. J.	9308130131	52-3	
LABRUNA, S.	9308230019	PR		LESSER, M. S.	9308060181*	50-413	LIPARULO, N. J.	9308170115	52-3	
LALL, S. C.	9308050070*	50-390	A	LESSER, M. S.	9308230175*	50-369	LIPARULO, N. J.	9308170208	NUREG	
LAM, K. L.	9308160049	NUREG		LESTER, G. D.	9308020271	70-3070	LIPARULO, N. J.	9308180013	NUREG	
LAM, P. S.	9308090139	50-271	G	LEVINE, J. M.	9308020166	50-528	LIPARULO, N. J.	9308180183*	50-334	P
LAMBACHER, A.	9308110168	50-440	S	LEVINE, J. M.	9308040015	50-528	LIPARULO, N. J.	9308180234*	50-454	P
LAMBERSKI, J.	9308090052	50-424	G	LEVINE, J. M.	9308040024	50-528	LIPARULO, N. J.	9308190113	REVIEW GR	P
LAMBERSKI, J.	9308090052	50-424	G	LEVINE, J. M.	9308040039	50-530	LIPARULO, N. J.	9308200192	52-3	
LAMBERSKI, J.	9308090105	50-424	G	LEVINE, J. M.	9308060300	50-528	LIPARULO, N. J.	9308200194*	52-3	
LAMBERSKI, J.	9308090105	50-424	G	LEVINE, J. M.	9308090298	50-529	LIPARULO, N. J.	9308200227	52-3	
LAMBERSKI, J.	9308110074	50-424	G	LEVINE, J. M.	9308100004	50-528	LIPARULO, N. J.	9308200244*	52-3	
LAMBERSKI, J.	9308110074	50-424	G	LEVINE, J. M.	9308100042	50-528	LIPARULO, N. J.	9308230102*	50-409	P
LAMBERSKI, J.	9308160151	50-424	G	LEVINE, J. M.	9308170438	50-528	LIPARULO, N. J.	9308230224	52-3	
LAMBERSKI, J.	9308160151	50-424	G	LEVINE, J. M.	9308190115	50-528	LIPARULO, N. J.	9308230227*	52-3	
LAMBERSKI, J.	9308160187	50-424	G	LEVINE, J. M.	9308310239	50-529	LIPARULO, N. J.	9308240010	52-3	
LAMBERSKI, J.	9308160187	50-424	G	LEVIS, W.	9308300278	50-325	LIPARULO, N. J.	9308250218	52-3	
LAMBERT, C. W.	9308060307*	50-272	P	LEWIS, D. R.	9308090167	50-312	LIPARULO, N. J.	9308250223	52-3	
LAMBERT, K. J.	9308030022*	70-36		LEWIS, D. R.	9308090167	50-312	LIPARULO, N. J.	9308250227*	52-3	
LAMBERT, K. J.	9308030136*	40-8724		LEWIS, M.	9308120007	REVIEW GR	LIPARULO, N. J.	9308250403	PT21	
LANCASTER, P.	9308230043*	50-293	Q	LEWIS, P.	9308270242	TOPREP	LIPARULO, N. J.	9308260049	TOPREP	
LANDERS, D. F.	9308120032	ORG		LEWIS, R.	9308240067	WASTE MGT	LIPARULO, N. J.	9308300334	TOPREP	
LANDERS, D. F.	9308120034*	ORG		LEZON, R. J.	9308200310	REVIEW GR	LIPARULO, N. J.	9308300338*	TOPREP	
LANDIS, K.	9308060223*	50-302	Q	LICHT, R.	9308040054*	40-1020	LIPARULO, N. J.	9308310259*	50-395	P
LANDIS, K.	9308250384*	50-302	Q	LICHT, R.	9308310099	ORG	LIPARULO, N. J.	9308310265	TOPREP	
LANDIS, K. D.	9308050014*	50-335	Q	LICHT, R. R.	9308310107	ORG	LIPARULO, N. J.	9308310266*	TOPREP	
LANDIS, K. D.	9308050015*	50-250	Q	LIEBERMAN, J.	9308050085	I&E	LIPARULO, N. J.	9308310270	TOPREP	
LANDIS, K. D.	9308060096	50-335	P	LIEBERMAN, J.	9308050102	50-286	LIPARULO, N. J.	9308310272*	TOPREP	
LANDIS, K. D.	9308060171	50-25*	P	LIEBERMAN, J.	9308050129	50-62	LITTLE, W.	9308020026	PR	
LANDIS, K. D.	9308250108	50-251	S	LIEBERMAN, J.	9308050138	I&E	LITTLE, W. S.	9308060142*	50-438	Q
LANE, E. F.	9308200147*	70-139		LIEBERMAN, J.	9308050144	50-265	LLOYD, R. C.	9308160303	50-261	Q

240 PERSONAL AUTHOR INDEX

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
LOFFTUS, F.H.	9308300352*	WASTE MGT	MALSCH, M.G.	9308040312*	MISC	MATTIA, M.J.	9308250158	CONTRACT
LOHAUS, P.H.	9308040200	WASTE MGT	MAMISH, N.	9308240201*	50-206 Q	MATTIA, M.J.	9308250172	CONTRACT
LOHAUS, P.H.	9308110269	WASTE MGT	MANAKTALA, H.	9308130126	WASTE MGT	MATTIA, M.J.	9308250176	CONTRACT
LOHAUS, P.H.	9308180292	WASTE MGT	MANGUSI, J.	9308030375	XPORTLIC	MATTIA, M.J.	9308250179	CONTRACT
LOHMAN, R.A.	9308020245*	REVIEW GR P	MANIK, M.T.	9308250398	50-320 P	MATTIA, M.J.	9308250189	CONTRACT
LOHMEIER, A.	9308160102*	50-317 Q	MANTEUFEL, R.D.	9308160184	NUREG	MATTIA, M.J.	9308250197	CONTRACT
LOHMEIER, A.	9308310092*	50-352 Q	MARCUS, G.H.	9308110339	ORG	MATTIA, M.J.	9308250205	CONTRACT
LONG, R.L.	9308060195	50-289 P	MARCUS, G.H.	9308130153	I&E	MATTIA, M.J.	9308250211	CONTRACT
LONG, R.L.	9308160083	50-320 P	MARCUS, G.H.	9308180181	ACRS	MATTIA, M.J.	9308250239	CONTRACT
LONG, R.L.	9308160093*	50-320 P	MARCUS, G.H.	9308230188	ORG	MATTIA, M.J.	9308250252	CONTRACT
LONG, R.L.	9308260074	50-320 Q	MARCUS, G.H.	9308230314	ORG	MATTIA, M.J.	9308250269	CONTRACT
LONG, R.L.	9308260089	50-320 P	MARCUS, G.H.	9308230315*	ORG	MATTIA, M.J.	9308250276	CONTRACT
LOPEZ, A.	9308160158	NUREG	MARCUS, G.H.	9308230315*	ORG	MATTIA, M.J.	9308250290	50-331 P
LOPILATO, J.	9308300054	PR	MARCUS, G.H.	9308270140	I&E	MATTIA, M.J.	9308250295	50-293 P
LOPRETE, B.	9308180088*	50-247 F	MARGULIES, M.B.	9308040305	MISC	MATTIA, M.J.	9308250302	CONTRACT
LORENZ, W.R.	9308300269*	70-139	MARGULIES, M.B.	9308190242	MISC	MATTIA, M.J.	9308250303	CONTRACT
LORFING, D.N.	9308090001	50-458 S	MARION, A.	9308020241	REVIEW GR P	MATTIA, M.J.	9308250305	CONTRACT
LORFING, D.N.	9308100240	50-458 S	MARION, A.	9308130076	REVIEW GR P	MATTIA, M.J.	9308250313	CONTRACT
LORFING, D.N.	9308250443	50-458 S	MARKEY, A.	9308030180*	50-315 Q	MATTIA, M.J.	9308250321	CONTRACT
LORFING, D.N.	9308300127	50-458 S	MARSH, E.P.	9308230054	40-2384	MATTIA, M.J.	9308250324	50-255 V
LORZ, D.	9308240134	PR	MARSH, H.	9308020099	50-361 H	MATTIA, M.J.	9308250329	CONTRACT
LOUDEN, P.L.	9308030032*	50-305 Q	MARSH, W.C.	9303040207	50-206 P	MATTIA, M.J.	9308250335	50-305 V
LOUDEN, P.L.	9308310183*	50-295 Q	MARSH, W.C.	9308050132	50-206 P	MATTIA, M.J.	9308250346	50-305 V
LOUX, R.R.	9308090017	WASTE MGT	MARSH, W.C.	9308050153	50-206 F	MATTIA, M.J.	9308250359	50-369 V
LOUX, R.R.	9308100138	WASTE MGT	MARSH, W.C.	9308100196	50-361 Q	MATTIA, M.J.	9308250441	CONTRACT
LOUX, R.R.	9308240117	PR	MARSH, W.C.	9308120221	50-361 Q	MATTIA, M.J.	9308250448	CONTRACT
LOWENSTEIN, R.	9308300309*	70-139	MARSH, W.C.	9308170151	50-206 R	MATTIA, M.J.	9308260013	CONTRACT
LOWER, J.L.	9308250183*	50-458 G	MARSH, W.C.	9308170176	50-361 R	MATTIA, M.J.	9308260018	CONTRACT
LOWETH, W.A.	9308130062	50-245 S	MARSH, W.C.	9308170353	50-206 R	MATTIA, M.J.	9308260022	50-305 V
LOWREY, P.	9308120169	CONTRACT	MARSH, W.C.	9308180009	50-361 Q	MATTIA, M.J.	9308260025	CONTRACT
LOWREY, P.	9308250266	CONTRACT	MARSH, W.C.	9308200111	50-361 P	MATTIA, M.J.	9308260037	CONTRACT
LOZANO, M.F.	9308160158	NUREG	MARSH, W.C.	9308300254	50-361 F	MATTIA, M.J.	9308260048	CONTRACT
LUENBE, R.	9308180097	50-254 S	MARSH, W.C.	9308310112	50-206 F	MATTIA, M.J.	9308260050	50-293 P
LUEHMAN, J.	9308050129	50-62 Q	MARSHALL, J.S.	9308020224	50-445 V	MATTIA, M.J.	9308260058	CONTRACT
LUEHMAN, J.	9308100083	50-254 Q	MARSHALL, R.L.	9308200206*	WASTE MGT	MATTIA, M.J.	9308260061	CONTRACT
LUEHMAN, J.	9308100096	50-271 Q	MARSHALL, S.R.	9308200203*	STATE PRO G	MATTIA, M.J.	9308260067	50-331 P
LUEHMAN, J.	9308250461	50-219 Q	MARSHALL, W.	9308030006	50-302 F	MATTIA, M.J.	9308260072	50-255 P
LUKE, C.D.	9308300200*	70-139	MARTIN, C.E.	9308260330*	50-370 P	MATTIA, M.J.	9308260136	50-305 P
LUKE, C.D.	9308300206*	70-139	MARTIN, J.B.	9308020111	STATE PRO G	MATTIA, M.J.	9308260139	50-293 P
LUKE, C.D.	9308300220*	70-139	MARTIN, J.B.	9308030242	50-263 Q	MATTIA, M.J.	9308260143	50-331 P
LUKE, C.D.	9308300268*	70-139	MARTIN, J.B.	9308030248	I&E	MATTIA, M.J.	9308260210	50-255 P
LUKE, C.D.	9308300272*	70-139	MARTIN, J.B.	9308090081	50-315 Q	MATTIA, M.J.	9308310177	CONTRACT
LUKE, C.D.	9308300285*	70-139	MARTIN, J.B.	9308100069	30-2049 Q	MATTIA, M.J.	9308310179	CONTRACT
LUKE, C.D.	9308300315*	70-139	MARTIN, J.B.	9308100072	50-285 Q	MATTIA, M.J.	9308310185	CONTRACT
LUKE, C.D.	9308300321*	70-139	MARTIN, J.B.	9308120001	50-254 Q	MATTIA, M.J.	9308310192	CONTRACT
LUKE, C.D.	9308300329*	70-139	MARTIN, J.B.	9308200125	50-341 Q	MATTIA, M.J.	9308310194	CONTRACT
LUZA, K.V.	9308160178	NUREG	MARTIN, J.S.	9308050103*	WASTE MGT	MATTIA, M.J.	9308250310	50-440 Q
LYLE, R.E.	9308040263*	40-1020	MARTIN, R.C.	9308230045	PR	MATTMULLER, S.	9308230159	PR
LYON, W.C.	9308270277	TOPREP	MARTIN, R.D.	8809300177*	40-6664	MATULA, T.O.	9308300142*	50-269 Q
MABRITO, B.	9308040263*	40-1020	MARTIN, R.D.	9308250017	PR	MAUDLIN, R.L.	9308180125	WASTE MGT
MACCORMICK, N.	9308020098	STATE PRO G	MARTIN, R.E.	9308190081	50-413 P	MAURA, F.	9308250187*	50-305 Q
MACDONALD, D.G.	9308170408	TOPREP	MARTIN, R.E.	9308260319	50-413 P	MAXFIELD, G.	9308260133	50-266 F
MACDONALD, G.	9308050019*	50-327 Q	MARTIN, T.	9308250454	70-1450 Q	MAXIN, A.M.	9308030097	70-143
MACDONALD, G.	9308250285*	50-327 Q	MARTIN, T.O.	9308030103	50-237 Q	MAXIN, A.M.	9308060287	70-143
MACE, E.M.	9308170224	50-298 F	MARTIN, T.O.	9308030115*	50-237 Q	MAXIN, A.M.	9308090047	70-143
MACE, M.H.	9308120306	CONTRACT	MARTIN, T.O.	9308100074	50-282 V	MAXIN, A.M.	9308190317	70-143
MACE, M.H.	9308120346	CONTRACT	MARTIN, T.O.	9308170081	50-373 Q	MAXIN, A.M.	9308250166	XPORTLIC
MACE, M.H.	9308170321	CONTRACT	MARTIN, T.O.	9308170149	50-454 Q	MAXIN, A.M.	9308250375	70-143
MACE, M.H.	9308250208	CONTRACT	MARTIN, T.O.	9308190018	50-346 P	MAXWELL, G.F.	9308060111*	50-348 Q
MACE, M.H.	9308250256	CONTRACT	MARTIN, T.O.	9308190036	50-440 Q	MAXWELL, J.A.	9308030239*	50-321 P
MACE, M.H.	9308250271	50-322 W	MARTIN, T.O.	9308190062	50-254 Q	MAYLATH, J.	9308230199	50-247 S
MACE, M.H.	9308250342	CONTRACT	MARTIN, T.O.	9308230024	50-254 Q	MAYNARD, O.L.	9308090184	50-482 S
MACE, M.H.	9308250478	CONTRACT	MARTIN, T.T.	9308120025	50-271 Q	MAYNARD, O.L.	9308170215	50-482 R
MACE, M.L.	9308120361	CONTRACT	MARTIN, T.T.	9308250055	50-219 Q	MAYNARD, O.L.	9308170231	50-482 S
MACGREGOR, J.A.	9308190190	REVIEW GR P	MASCARI, C.A.	9308050037	PR	MAYNARD, O.L.	9308180273	50-482 S
MACKAMAN, C.D.	9308130143	50-397 S	MASNIK, M.T.	9308240054	50-344 P	MCALPINE, E.J.	9308050048*	70-143
MADDEN, P.M.	9308090046*	50-275 T	MASNIK, M.T.	9308240217	50-344 P	MCALPINE, E.J.	9308050100*	70-27
MADDEN, P.M.	9308240150	ORG	MASNIK, M.T.	9308260231	50-320 Q	MCALPINE, E.J.	9308060135*	70-27
MADEDA, T.J.	9308100103*	50-254 Q	MASNIK, M.T.	9308300154	50-344 P	MCALPINE, E.J.	9308230134*	70-1113
MADORE, D.R.	9308020100	PR	MASNYK, O.M.	9308060173*	50-327 Q	MCALPINE, E.J.	9308230140*	70-143
MAEKITA, M.	9308310129*	XPORTLIC	MASON, D.	9308190175	50-280 R	MCALPINE, E.J.	9308270210*	70-27
MAEKITA, M.	9308310144*	XPORTLIC	MASON, M.	9308240136	PR	MCBREARTY, R.	9308030081*	50-317 Q
MAEKITA, M.	9308050218	XPORTLIC	MASON, T.L.	9308110396*	50-368 P	MCBREARTY, R.A.	9308230229*	50-277 Q
MAGRUDER, R.W.	9308190340	52-2	MASSEY, J.L.	9308260033	72-1007 P	MCBRIDE, M.F.	9308110381	50-285 G
MAGRUDER, S.	9308060326	52-2	MASSIN, H.L.	9308270098	50-237 P	MCBRIDE, G.	9308120363	40-1650
MAGRUDER, S.L.	9308020050	52-2	MATSUKOV, I.D.	9308160272	NUREG	MCCABE, B.	9308110012	50-316 S
MAGRUDER, S.L.	9308040086	52-2	MATTHEW, R.K.	9308270237*	50-443 Q	MCCABE, B.C.	9308100012*	50-282 Q
MAGRUDER, S.L.	9308090121	52-2	MATTHEWS, D.B.	9308030337*	50-369 P	MCCABE, E.	9308180277*	50-289 Q
MAGRUDER, S.L.	9308110223	52-2	MATTHEWS, D.B.	9308120299	50-369 P	MCCAFFREY, B.R.	9308250271	50-322 W
MAGRUDER, S.L.	9308110322	52-2	MATTHEWS, D.B.	9308170373	50-269 P	MCCALLUM, C.	9308120135*	70-139
MAGRUDER, S.L.	9308190306	52-2	MATTIA, M.	9308120085	CONTRACT	MCCALLUM, C.F.	9308240179*	70-139
MAGRUDER, S.L.	9308200124	52-1	MATTIA, M.	9308120090	CONTRACT	MCCALLUM, C.P.	9308120330*	70-139
MAGRUDER, S.L.	9308240202	52-2	MATTIA, M.J.	9308110391	CONTRACT	MCCALLUM, C.P.	9308200157*	70-139
MAGRUDER, S.L.	9308310113	52-2	MATTIA, M.J.	9308120202	CONTRACT	MCCALLUM, C.P.	9308200221*	70-139
MALINOSKI, J.W.	9308200191*	STATE PRO G	MATTIA, M.J.	9308120206	CONTRACT	MCCALLUM, C.P.	9308230296*	70-139
MALINOSKI, J.W.	9308300318	71-9127	MATTIA, M.J.	9308120208	CONTRACT	MCCALLUM, C.P.	9308250423*	70-139
MALSCH, M.G.	9308040302	MISC	MATTIA, M.J.	9308120210	CONTRACT	MCCALLUM, C.P.	9308250438*	70-139
MALSCH, M.G.	9308040308	MISC	MATTIA, M.J.	9308250136	CONTRACT	MCCALLUM, G.P.	9308200071*	70-139

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
MCCANN, G.M.	9308030022*	70-36	MCLAUGHLIN, J.	9308040078*	XPORTLIC	MERSCHOFF, E.W.	9308060205	50-325 P
MCCANN, G.M.	9308120057*	40-3392	MCLLVAIN, J.B.	9308120117*	NUREG	MERSCHOFF, E.W.	9308060216	50-269 O
MCCARTHY, D.C.	9308040084	50-400	MCMECKIN, T.C.	9308020148	50-369 F	MERSCHOFF, E.W.	9308060220	50-338 O
MCCARTHY, T.A.	9308270193	STATE PRO G	MCMECKIN, T.C.	9308050027	50-369 S	MERSCHOFF, E.W.	9308060228	50-280 O
MCCLOSKEY, P.J.	9308200233	50-346 R	MCMECKIN, T.C.	9308160224	50-369 F	MERSCHOFF, E.W.	9308060230	50-327 P
MCCONNELL, T.L.	9308090306	PROJ	MCMECKIN, T.C.	9308190073	50-369 P	MERSCHOFF, E.W.	9308060233	50-348 P
MCCONNELL, T.L.	9308170188	PROJ	MCMECKIN, T.C.	9308240330	50-369 P	MERSCHOFF, E.W.	9308060265	50-324 P
MCCORMICK, J.W.	9308190147	50-295 Q	MCMECKIN, T.C.	9308260230	50-370 P	MERSCHOFF, E.W.	9308060281	50-325 P
MCCORMICK-BARGE	9307300082	50-151	MCMECKIN, T.C.	9308300331	50-370 P	MERSCHOFF, E.W.	9308230243	50-321 P
MCCORMICK-BARGE	9308030142	50-237 F	MCMECKIN, T.C.	9308300341	50-370 S	MERSCHOFF, E.W.	9308240006	50-324 Q
MCCORMICK-BARGE	9308030158	50-315 Q	MCMECKIN, T.C.	9308310215	50-369 S	MERSCHOFF, E.W.	9308240022	50-348 Q
MCCORMICK-BARGE	9308030160*	50-315 Q	MCMECKIN, T.C.	9308310224	50-370 Q	MERSCHOFF, E.W.	9308250024	50-330 Q
MCCORMICK-BARGE	9308090090	50-341 Q	MCMECKIN, T.C.	9308310227	50-369 F	MERSCHOFF, E.W.	9308250045	50-335 P
MCCORMICK-BARGE	9308090092*	50-341 Q	MCNAMARA, N.	9308310050*	50-289 Q	MERSCHOFF, E.W.	9308250142	50-424 Q
MCCORMICK-BARGE	9308160086*	50-341 Q	MCNAMARA, N.	9308130019*	50-333 Q	MERSCHOFF, E.W.	9308250365	50-390 Q
MCCORMICK-BARGE	9308230037	50-331 F	MCNEILL, N.G.	9308050099*	50-348 Q	MERSCHOFF, E.W.	9308260385	50-324 Q
MCCORMICK-BARGE	9308260140*	50-237 Q	MCNEILL, N.G.	9308230165*	50-395 Q	MERSCHOFF, E.W.	9308270118	50-280 Q
MCCOY, C.K.	9308020029	50-321 H	MCOSCAR, J.J.	9308230190	50-244 V	MERSCHOFF, E.W.	9308270349	50-338 Q
MCCOY, C.K.	9308030133	50-424 P	MCOSCAR, J.J.	9308260009	50-334 H	MERSCHOFF, E.W.	9308310090	50-261 P
MCCOY, C.K.	9308040216	50-424 F	MEADE, K.E.	9308060308	50-327 S	MFTZLER, D.	9308110379	WASTE MGT
MCCOY, C.K.	9308040268	50-424 P	MEADE, K.E.	9308180015	50-327 S	MEYER, G.E.	9308030145	PR
MCCOY, C.K.	9308090214	50-424 P	MEADOWS, R.L.	9308270279*	ORG	MEYER, G.W.	9308030096	50-309 V
MCCOY, C.K.	9308110226	50-424 P	MEADOWS, R.L.	9308270284*	ORG	MEYER, G.W.	9308110025*	50-412 V
MCCOY, C.K.	9308170228	50-424 R	MEADOWS, R.L.	9308270296*	ORG	MEYER, G.W.	9308170154	50-286 V
MCCOY, C.K.	9308200024	50-424 R	MEADOWS, R.L.	9308270300*	ORG	MEYER, G.W.	9308190061	50-336 V
MCCOY, C.K.	9308260028	50-424 Q	MEADOWS, R.L.	9308270302*	ORG	MEYER, G.W.	9308230177	50-272 V
MCCOY, C.K.	9308300291	71-9159	MECK, K.	9308170320	50-352 R	MEYER, T.A.	9308170039*	50-413 P
MCCOY, C.K.	9308300305	50-424 S	MECREDY, R.C.	9308120083	50-244 S	MEYER, W.A.	9308180178	71-108
MCCOY, C.K.	9308310009	50-321 H	MECREDY, R.C.	9308040231	50-244 Q	MEYER, W.A.	9308180198	50-186 S
MCCOY, E.N.	9308050067*	50-390 A	MECREDY, R.C.	9308050001	50-244 Q	MICHAELS, T.S.	9308110162	50-83 F
MCCOY, P.M.	9308260061	CONTRACT	MECREDY, R.C.	9308090126	50-244 Q	MICHAELS, T.S.	9308110217	50-188 P
MCCRACKEN, C.E.	9308090243	ORG	MECREDY, R.C.	9308090327	50-244 S	MICHAELS, T.S.	9308310035	50-150 P
MCCRACKEN, C.	9308090158	REVIEW GR P	MECREDY, R.C.	9308110398	50-244 P	MIKELONIS, D.A.	9308030182*	50-255 H
MCCRACKEN, C.	9308130104	REVIEW GR P	MECREDY, R.C.	9308130032	50-244 P	MIKUSH, D.B.	9308110130*	50-275 T
MCCRACKEN, C.E.	9308030276	REVIEW GR P	MECREDY, R.C.	9308130071	50-244 F	MILANO, P.D.	9308170308	50-324 P
MCCRACKEN, C.E.	9308120165	QA999	MECREDY, R.C.	9308130078	50-244 P	MILANO, P.D.	9308190282	50-324 P
MCCRACKEN, C.E.	9308130122	50-445 P	MECREDY, R.C.	9308170205	50-244 R	MILANO, P.D.	9308200122	50-324 P
MCCRACKEN, C.E.	9308180036	REVIEW GR P	MECREDY, R.C.	9308230048	50-244 P	MILANO, P.D.	9308230112	50-324 P
MCCRACKEN, C.E.	9308180225	REVIEW GR P	MECREDY, R.C.	9308250382	50-244 P	MILANO, P.D.	9308260332	50-324 P
MCCRACKEN, C.E.	9308250440	REVIEW GR P	MECREDY, R.C.	9308300074	50-244 Q	MILHOAN, J.L.	9308020042	50-445 Q
MCCRACKEN, C.E.	9308250449	REVIEW GR P	MECREDY, R.C.	9308300134	50-244 Q	MILHOAN, J.L.	9308030007	I&E
MCCRACKEN, C.E.	9308260367	REVIEW GR P	MEDFORD, M.O.	9308090031	50-327 P	MILHOAN, J.L.	9308030021	50-298 F
MCCRACKEN, C.E.	9308270142	REVIEW GR P	MECK, K.	9308240147	PR	MILHOAN, J.L.	9308110089	50-498 Q
MCCRACKEN, D.S.	9308200095	50-213 S	MECK, K.	9308240147	PR	MILHOAN, J.L.	9308110166	50-458 Q
MCCRAW, E.O.	9308170437	50-269 R	MECK, K.	9308160190*	50-424 G	MILHOAN, J.L.	9308180020	40-8027
MCCRAW, E.O.	9308170444	50-369 R	MELLOR, R.A.	9308050003	71-9256	MILHOAN, J.L.	9308180039	50-498 Q
MCCRAW, E.O.	9308180197	50-413 R	MENDIETA, H.H.	9308240137	PR	MILHOAN, J.L.	9308230076	50-498 P
MCCRELESS, T.G.	9308260279*	70-139	MENDONCA, M.M.	9308100123	NUREG	MILLER, C.L.	9308250422*	50-272 P
MCDANIEL, K.K.	9308020036	70-364	MENDONCA, M.M.	9308190020	50-123 P	MILLER, E.	9308230124*	50-368 O
MCDANIEL, W.M.	9308160253	71-40	MENDONCA, M.M.	9308190161	50-407 F	MILLER, G.E.	9308100191	50-326 R
MCDIARMID, R.C.	9308060016	50-458 M	MENNING, J.E.	9308030407	50-410 P	MILLER, I.	9308030232	50-321 P
MCDONALD, D.G.	9308050176	50-317 P	MENNING, J.E.	9308090294	50-410 P	MILLER, I.	9308040038	40-1020
MCDONALD, D.G.	9308120247	50-317 P	MENNING, J.E.	9308110371	50-410 P	MILLER, I.	9308270263	ORG
MCDONALD, D.G.	9308130058	50-318 P	MENNING, J.E.	9308160217	50-333 P	MILLER, I.	9308270269*	ORG
MCDONALD, D.G.	9308130060*	50-318 P	MENNING, J.E.	9308250363	50-333 P	MILLER, L.F.	9308100052	50-397 V
MCDONALD, D.G.	9308250399	50-317 P	MENNING, J.E.	9308260086	50-410 P	MILLER, L.F.	9308100058	50-397 V
MCDONALD, D.G.	9308260122	50-317 P	MENNING, J.E.	9308300006	50-333 P	MILLER, L.F.	9308160028*	50-528 Q
MCDONALD, J.C.	9308160263	NUREG	MENNING, J.E.	9308090194	50-333 P	MILLER, L.F.	9308160148	50-361 Q
MCDONALD, D.P.	9308190263	50-309 S	MERICIER, J.R.	9308020066	PR	MILLER, L.F.	9308230244	50-528 Q
MCFAADDIN, S.K.	9308200206*	WASTE MGT	MEREN, A.W.	9308230058	50-228 R	MILLER, L.F.	9308230255	50-397 Q
MCGAHA, J.H.	9308310225	50-313 P	MERRILL, K.C.	9308240252	XPORTLIC	MILLER, L.F.	9308230260*	50-397 Q
MCGAHA, J.R.	9308020067	PR	MERRILL, K.C.	9308240258*	XPORTLIC	MILLER, L.F.	9308230267	50-528 V
MCGAHA, J.R.	9308120070*	50-313 P	MERRIWEATHER, N.	9308060052*	50-390 Q	MILLER, L.F.	9308240166	50-528 Q
MCGAHA, J.R.	9308160214	50-382 P	MERRIWEATHER, N.	9308310098	50-390 Q	MILLER, L.F.	9308250105*	50-528 Q
MCGAHA, J.R.	9308270016	50-313 H	MERSCHOFF, E.W.	9308050029	50-390 Q	MILLER, M.	9308060118*	50-324 Q
MCGOLDRICK, F.	9308240313	XPORTLIC	MERSCHOFF, E.W.	9308050055	50-321 P	MILLER, M.	9308230298	50-275 S
MCGOVERN, J.J.	9308090239	50-54 Q	MERSCHOFF, E.W.	9308050091	50-261 Q	MILLER, M.H.	9308090039*	50-275 T
MCGOWAN, J.F.	9308170089	50-324 S	MERSCHOFF, E.W.	9308050133	50-324 Q	MILLER, M.H.	9308090046*	50-275 T
MCGRATH, J.R.	9308110296*	STATE PRO G	MERSCHOFF, E.W.	9308060011	50-390 A	MILLER, V.L.	9308190163*	STATE PRO G
MCGRATH, J.R.	9308110308*	STATE PRO G	MERSCHOFF, E.W.	9308060012	50-338 Q	MILLER, V.L.	9308190166*	STATE PRO G
MCGUFFIN, J.C.	9308260075	CONTRACT	MERSCHOFF, E.W.	9308060013	50-395 F	MILLER, V.L.	9308190179*	STATE PRO G
MCGUIRE, D.	9308040048*	50-348 Q	MERSCHOFF, E.W.	9308060018	50-327 P	MILLER, V.L.	9308190182*	STATE PRO G
MCGUIRE, D.R.	9308060173*	50-327 Q	MERSCHOFF, E.W.	9308060030	50-390 A	MILLER, V.L.	9308190188*	STATE PRO G
MCGUIRE, D.R.	9308100077*	50-413 Q	MERSCHOFF, E.W.	9308060044	50-269 Q	MILLER, V.L.	9308200172	STATE PRO G
MCGUIRE, D.R.	9308170436*	50-302 Q	MERSCHOFF, E.W.	9308060067	50-348 P	MILLER, W.O.	9307210314*	FOIA
MCGUIRE, D.R.	9308230155*	50-327 Q	MERSCHOFF, E.W.	9308060091	50-280 P	MILLWEE, T.	9308230013	PR
MCGUIRE, D.R.	9308310161*	50-338 Q	MERSCHOFF, E.W.	9308060098	50-335 P	MILSTEIN, R.	9308090251	70-1201
MCINERNEY, J.	9308310260*	50-395 P	MERSCHOFF, E.W.	9308060107	50-324 Q	MILTENBERGER, S.	9308120047	50-272 P
MCINVALE, J.B.	9308170337	50-483 R	MERSCHOFF, E.W.	9308060110	50-259 P	MILTENBERGER, S.	9308180194	50-272 S
MCIAGUE, H.L.	9308120254	WASTE MGT	MERSCHOFF, E.W.	9308060119	50-390 Q	MILTENBERGER, S.	9308260336	50-272 R
MCKAGUE, H.L.	9308130126	WASTE MGT	MERSCHOFF, E.W.	9308060132	50-390 Q	MITCHELL, G.J.	9308250222	50-440 F
MCKAGUE, H.L.	9308260162	WASTE MGT	MERSCHOFF, E.W.	9308060145	50-390 A	MITCHELL, R.C.	9308030344	52-4
MCKAGUE, L.	9308120238	WASTE MGT	MERSCHOFF, E.W.	9308060155	50-390 Q	MITCHELL, R.C.	9308040020	52-1
MCKAGUE, L.	9308130130	WASTE MGT	MERSCHOFF, E.W.	9308060156	50-259 Q	MITCHELL, R.C.	9308040057	52-1
MCKEE, P.F.	9308200082	REVIEW GR P	MERSCHOFF, E.W.	9308060160	50-250 P	MITCHELL, S.R.	9308090275	QA999
MCKENZIE, P.C.	9308250308	CONTRACT	MERSCHOFF, E.W.	9308060175	50-390 A	MITCHELL, S.R.	9308180055	QA999
MCKIBBIN, J.C.	9308180198	50-186 S	MERSCHOFF, E.W.	9308060176	50-390 Q	MITTENDORF, W.F.	9308310100*	70-139
MCLAUGHLIN, J.	9308020238	XPORTLIC	MERSCHOFF, E.W.	9308060204	50-395 Q	MOBLEY, M.H.	911200229*	STATE PRO G

242 PERSONAL AUTHOR INDEX

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
MOBLEY, M.H.	9308110333*	STATE PRO G	MURPHY, T.R.	9308060358	50-237 S	NORRIS, J.A.	9308240191	50-250 P
MOELLER, D.W.	9308120198	ADVCM	MURRAY, B.	9308110048*	50-445 Q	NORTON, L.J.	9308190224*	MISC
MOELLER, D.W.	9308120203	ADVCM	MURRAY, B.	9308110186*	50-498 Q	NOVENDSTERN, E.	9308030406*	TOPREP
MOELLER, D.W.	9308240239	ADVCM	MURRAY, B.	9308180014*	50-445 Q	NOVO, M.	9308160158	NUREG
MOELLER, D.W.	9308240246	ADVCM	MURRAY, B.	9308250095*	50-445 Q	NUDING, M.	9308170345	50-206 S
MOELLER, D.W.	9308240251	ADVCM	MURRAY, B.	9308270148*	50-498 Q	NUSSBAUMER, D.A.	9308170372	PT21
MOELLER, D.W.	9308240255	ADVCM	MUSELER, W.J.	9308020169	50-390 A	NUSSBAUMER, D.A.	9308300198*	70-139
MOELLER, D.W.	9308240261	ADVCM	MUSELER, W.J.	9308020185	50-390 Q	NUSSBAUMER, D.A.	9308300210*	70-139
MOELLER, D.W.	9308240274	ADVCM	MUSELER, W.J.	9308020204	50-390 Q	NUSSBAUMER, D.A.	9308300232*	70-139
MOELLER, D.W.	9308240277	ADVCM	MUSELER, W.J.	9308050000	50-390 K	NUSSBAUMER, D.A.	9308300235*	70-139
MOELLER, D.W.	9308250214	ADVCM	MUSELER, W.J.	9308050057	50-390 K	NUSSBAUMER, D.A.	9308300236*	70-139
MOELLER, D.W.	9308250401	ADVCM	MUSELER, W.J.	9308050065	50-390 A	NUSSBAUMER, D.A.	9308300243*	70-139
MOFFITT, N.E.	9308160303	50-261 Q	MUSELER, W.J.	9308060356	50-390 A	NUSSBAUMER, D.A.	9308300246*	70-139
MOFFITT, R.	9308180128	NUREG	MUSELER, W.J.	9308060362	50-390 A	NUSSBAUMER, D.A.	9308300249*	70-139
MOLES, K.J.	9308090184	50-482 S	MUSELER, W.J.	9308120077	50-390 K	NUSSBAUMER, D.A.	9308300255*	70-139
MOLNAR, W.	9308050113	50-313 F	MUSELER, W.J.	9308120248	50-390 K	NUSSBAUMER, D.A.	9308300265*	70-139
MOORE, L.L.	9308050161	PR	MUSELER, W.J.	9308160321	50-390 A	NUSSBAUMER, D.A.	9308300281*	70-139
MOONEY, J.L.	9308040266*	71-496	MUSELER, W.J.	9308160339	50-390 A	NUSSBAUMER, D.A.	9308300292*	70-139
MOORE, L.R.	9308250038*	50-250 Q	MUSELER, W.J.	9308240215	50-390 Q	NUSSBAUMER, D.A.	9308300317*	70-139
MOORE, M.	9308040184	50-170 F	MUSELER, W.J.	9308240219	50-390 Q	NUSSBAUMER, R.A.	9308300194*	70-139
MOORE, M.	9308100268	50-170 V	MUSELER, W.J.	9308240267	50-390 S	NYRAM, R.G.	9308020061	50-387 P
MOORE, S.	9308260031	30-19010	MUSELER, W.J.	9308310263	50-390 Q	O'CONNOR, P.W.	9308040087	50-416 F
MOORE, S.	9308310089	I&E	MUZIO, B.J.	9308250254	CONTRACT	O'CONNOR, S.C.	9308300142*	50-269 Q
MOORE, S.	9308310116	I&E	MYER, T.A.	9308170038*	50-413 P	O'CONNOR, P.W.	9308250388	50-416 P
MORAN, J.W.	9308090321*	50-219 U	MYERS, J.	9308110373*	ORG	O'CONNOR, P.W.	9308310039	50-416 P
MORENO, P.	9308160158	NUREG	MYERS, J.R.	9308040279	50-298 S	O'CONNOR, P.W.	9308310111	50-416 P
MOREY, L.	9308040193	50-364 P	MYERS, J.R.	9308130125	50-298 S	O'DONNELL, E.H.	9308020034	50-458 M
MOREY, D.	9308040244	50-348 F	MYRON, J.J.	9308250057	PR	O'DONNELL, E.H.	9308020034	50-458 M
MOREY, D.	9308100158	50-348 P	MYER, R.D.	9308020080	PR	O'LEARY, H.F.	9308260116*	COMMISSION
MOREY, D.	9308170374	50-348 R	NAGLE, C.E.	9308020118	PR	O'NEIL, R.A.	9308090183	50-458 M
MOREY, D.	9308190102	50-364 P	NAGY, B.	9308250428	CONTRACT	OAKLEY, F.	9308160097	PR
MOREY, D.	9308200321	50-364 P	NAIDU, K.R.	9308190093*	QA999	OCHS, R.	9308040133	50-317 Y
MOREY, D.	9308230317	50-348 R	NAIR, P.K.	9308020027	WASTE MGT	O'CONNOR, P.W.	9308200008	50-416 P
MOREY, D.	9308240259	50-348 Q	NANJUNDESWARAN,	9308240359*	ORG	OGLE, C.R.	9308050068*	50-261 Q
MOREY, D.	9308260105	50-348 R	NARBUT, P.P.	9308090039*	50-275 T	OLSEN, A.F.	9308040214	70-27
MORGAN, M.J.	9308060111*	50-348 Q	NARDONE, P.E.	9308180112	50-443 R	OLSEN, A.F.	9308100188	70-27
MORGAN, W.E.	9308260010	50-254 P	NAUGHTON, W.F.	9308190292	ORG	OLSEN, A.F.	9308190240	70-27
MORGAN, W.E.	9308300294	50-265 P	NAUGHTON, W.F.	9308230031	50-10 H	OLSEN, A.F.	9308250369	70-27
MORGAN, W.E.	9308310234	50-265 P	MAZARETH, V.F.	9308300262*	50-361 Q	OLSHAN, L.N.	9308200156	50-155 P
MORI, Y.	9308200285	NUREG	NEASE, R.L.	9308020068	50-317 P	OLSHAN, L.N.	9308200247	50-155 P
MORLEY, G.M.	9308060243	50-352 P	NEEL, R.B.	9308120154	WASTE MGT	OLSHAN, L.N.	9308300276	50-155 P
MORLEY, G.M.	9308250373	50-352 S	NEEL, R.B.	9308090193	52-4	OLSON, M.	9308230047	PR
MOSCARELLO, B.	9308050086	STATE PRO G	NELSON, B.A.	9308250239	CONTRACT	OLSON, M.	9308230052	PR
MOSCARELLO, B.	9308160179	STATE PRO G	NELSON, R.A.	9308060318	WASTE MGT	OLSEWSKI, M.	9308160298	NUREG
MOSCARELLO, B.	9308160188*	STATE PRO G	NERSES, V.	9308030301	50-369 P	OPEKA, J.F.	9308020106	PR
MOSELEY-BRAUN	9308170333*	50-255 H	NERSES, V.	9308040180	50-369 P	OPEKA, J.F.	9308020106	PR
MOSS, J.W.	9308250197*	CONTRACT	NERSES, V.	9308260053	50-369 P	OPEKA, J.F.	9308020106	PR
MOUNT, D.K.	9308200187*	STATE PRO G	NETTLES, K.W.	9308300347	50-395 F	OPEKA, J.F.	9308040056	50-336 Q
MOZAFARI, B.	9308170289	50-261 P	NEWBERRY, S.F.	9308260091	ORG	OPEKA, J.F.	9308040056	50-336 Q
MOZAFARI, B.	9308200140	50-261 P	NEWBURGH, G.	9308130170	50-245 R	OPEKA, J.F.	9308040063	50-245 P
MUELLER, J.H.	9308160168	50-410 S	NEWMAN, C.A.	9307130294	QA999	OPEKA, J.F.	9308040063	50-245 P
MUELLER, J.H.	9308180282	50-410 S	NG, R.N.	9308180104	REVIEW GR	OPEKA, J.F.	9308040085*	50-245 P
MUELLER, J.H.	9308240365	50-220 S	NICHOLS, D.L.	9308100003	50-336 P	OPEKA, J.F.	9308040127	50-245 P
MUELLER, J.H.	9308250347	50-410 S	NICHOLSON, K.E.	9308090300	50-413 P	OPEKA, J.F.	9308040127	50-245 P
MULCAHEY, E.	9308310040	50-333 S	NICHOLSON, L.E.	9308030390*	50-317 Q	OPEKA, J.F.	9308040321	50-423 P
MULDER, R.U.	9308310055	50-62 Q	NICHOLSON, L.E.	9308100060	50-247 Q	OPEKA, J.F.	9308040321	50-423 P
MULDER, R.U.	9308310060*	50-62 Q	NICHOLSON, L.E.	9308100181	50-317 P	OPEKA, J.F.	9308060290	50-245 F
MULLIGAN, M.J.	9308270007	PR	NICHOLSON, L.E.	9308100185	50-317 P	OPEKA, J.F.	9308060290	50-245 F
MULLIGAN, S.	9308100135	40-3453	NICHOLSON, L.E.	9308190323	50-247 F	OPEKA, J.F.	9308060298	50-245 P
MULLINS, K.	9308250179	CONTRACT	NICHOLSON, L.E.	9308310143*	50-220 Q	OPEKA, J.F.	9308090010	50-423 P
MUNRO, W.	9308190183	50-293 R	NICHOLSON, L.E.	9308310164*	50-317 Q	OPEKA, J.F.	9308090010	50-423 P
MURLEY, T.E.	9308090088	ORG	NICK, J.	9308170020*	50-334 Q	OPEKA, J.F.	9308090224	50-423 P
MURLEY, T.E.	9307090113	50-213 G	NILAND-HENNESSE	9308310187	CONTRACT	OPEKA, J.F.	9308090224	50-423 P
MURLEY, T.E.	9308040092	ORG	NIMITZ, R.L.	9308100019	50-354 Q	OPEKA, J.F.	9308100110	50-423 P
MURLEY, T.E.	9308050248	50-498 P	NIMITZ, R.L.	9308130026	50-322 Q	OPEKA, J.F.	9308100110	50-423 P
MURLEY, T.E.	9308050254*	50-498 P	NIMITZ, R.L.	9308170006	50-352 Q	OPEKA, J.F.	9308100129	50-423 P
MURLEY, T.E.	9308050263	ORG	NIMITZ, R.L.	9308270096	50-322 S	OPEKA, J.F.	9308100129	50-423 P
MURLEY, T.E.	9308110151	ORG	NINH, S.Q.	9308050223	52-4	OPEKA, J.F.	9308110016	50-336 P
MURLEY, T.E.	9308110342	ORG	NINH, S.Q.	9308190035	52-1	OPEKA, J.F.	9308110016	50-336 P
MURLEY, T.E.	9308120149	ORG	NOGGLE, J.	9308100183*	50-244 Q	OPEKA, J.F.	9308120058	50-245 P
MURLEY, T.E.	9308120314	50-155 P	NOLL, D.	9308300067	PR	OPEKA, J.F.	9308120058	50-245 P
MURLEY, T.E.	9308120341	ORG	NORELIUS, C.E.	9306030131*	40-8724	OPEKA, J.F.	9308130164	50-245 V
MURLEY, T.E.	9308130050	ORG	NORELIUS, C.E.	9308160090	50-252 Q	OPEKA, J.F.	9308130164	50-245 V
MURLEY, T.E.	9308170288	ORG	NORELIUS, C.E.	9308230044	50-315 F	OPEKA, J.F.	9308160082	50-213 P
MURLEY, T.E.	9308180085	50-247 F	NORELIUS, C.E.	9308250219	STATE PRO G	OPEKA, J.F.	9308160082	50-213 P
MURLEY, T.E.	9308190068	ORG	NORELIUS, C.E.	9308260130	50-237 Q	OPEKA, J.F.	9308160205	50-213 P
MURLEY, T.E.	9308200098	ORG	NORELIUS, C.E.	9308260135*	50-237 Q	OPEKA, J.F.	9308160205	50-213 P
MURLEY, T.E.	9308230141	ORG	NORRHOLM, L.J.	9308090087	QA999	OPEKA, J.F.	9308160205	50-213 P
MURLEY, T.E.	9308230182	PROJ	NORRHOLM, L.J.	9308180192	QA999	OPEKA, J.F.	9308170417	50-245 S
MURLEY, T.E.	9308240314	PROJ	NORRHOLM, L.J.	9308190076	QA999	OPEKA, J.F.	9308170417	50-245 S
MURLEY, T.E.	9308240354	ORG	NORRHOLM, L.J.	9308190091	QA999	OPEKA, J.F.	9308200176	50-245 P
MURLEY, T.E.	9308250456	50-289 G	NORRHOLM, L.J.	9308260153	ORG	OPEKA, J.F.	9308200176	50-245 P
MURLEY, T.E.	9308260160	ORG	NORRHOLM, L.J.	9308260197	QA999	OPEKA, J.F.	9308200245	50-245 P
MURLEY, T.E.	9308270303	ORG	NORRHOLM, L.J.	9308310249	ORG	OPEKA, J.F.	9308200245	50-245 P
MURLEY, T.E.	9308300239	50-293 Q	NORRIS, J.A.	9308100226	50-250 P	OPEKA, J.F.	9308230194	50-213 P
MURPHY, K.E.	9308180123*	50-245 S	NORRIS, J.A.	9308170416	50-335 P	OPEKA, J.F.	9308240127	50-213 Q
MURPHY, T.D.	9308250054	50-424 G	NORRIS, J.A.	9308200062	50-250 P	OPEKA, J.F.	9308240127	50-213 Q

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY			
OPEKA,J.F.	9308240213	50-213	P	PARTLOW,J.G.	9308040135	50-315	F	PEEVY,J.R.	9308310220	50-483	R
OPEKA,J.F.	9308240213	50-213	P	PARTLOW,J.G.	9308040137	50-341	F	PEGG,W.D.	9308120012*	50-315	Q
OPEKA,J.F.	9308240360	50-213	P	PARTLOW,J.G.	9308040138	50-244	F	PELIZZA,M.S.	9308300012	40-8968	
OPEKA,J.F.	9308240360	50-213	P	PARTLOW,J.G.	9308040139	50-269	F	PELLETIER,J.P.	9308050116	50-271	Q
OPEKA,J.F.	9308260152	50-213	P	PARTLOW,J.G.	9308040140	50-309	F	PELLETIER,J.P.	9308240087	50-271	Q
OPEKA,J.F.	9308260152	50-213	P	PARTLOW,J.G.	9308040145	50-334	F	PELLETIER,J.P.	9308300289	50-271	Q
OPEKA,J.F.	9308260280	50-213	P	PARTLOW,J.G.	9308040147	50-275	F	PELUSO,L.	9308130019*	50-333	Q
OPEKA,J.F.	9308260280	50-213	Q	PARTLOW,J.G.	9308040150	50-155	F	PELUSO,L.A.	9308270285*	50-286	Q
OPEKA,J.F.	9308260283	50-213	P	PARTLOW,J.G.	9308040152	50-282	F	PEMBROKE,J.D.	9308090177	50-458	M
OPEKA,J.F.	9308260283	50-213	P	PARTLOW,J.G.	9308040157	50-255	F	PEMBROKE,J.D.	9308090177	50-458	M
OPEKA,J.F.	9308260283	50-213	P	PARTLOW,J.G.	9308040160	50-263	F	PEMBROKE,J.D.	9308250084	50-458	G
OPEKA,J.F.	9308300359	50-336	P	PARTLOW,J.G.	9308040162	50-361	F	PEMBROKE,J.D.	9308250084	50-458	G
OPEKA,J.F.	9308300359	50-336	Q	PARTLOW,J.G.	9308040165	50-271	F	PEMBROKE,J.D.	9308250183*	50-458	G
OPEKA,J.P.	9308020242	50-213	P	PARTLOW,J.G.	9308040241	50-272	F	PEMBROKE,J.D.	9308250183*	50-458	G
OPEKA,J.P.	9308020242	50-213	P	PARTLOW,J.G.	9308040245	50-277	F	PERDOMO,F.	9308190264	50-286	S
ORDERS,W.T.	9308050068*	50-261	Q	PARTLOW,J.G.	9308040247	50-387	F	PEREZ,F.M.	9308250056	PR	
ORDERS,W.T.	9308050101*	50-261	Q	PARTLOW,J.G.	9308040251	50-293	F	PERKINS,K.	9308160063	50-528	Q
ORLANDO,D.A.	9308100269	40-341	P	PARTLOW,J.G.	9308040274	50-237	F	PERKINS,K.E.	9304230146	50-528	P
ORLANDO,T.	9308200298	50-286	R	PARTLOW,J.G.	9308040284	50-461	F	PERKINS,K.E.	9308030058	50-397	P
ORR,F.R.	9308260277	TOPREP		PARTLOW,J.G.	9308040289	50-397	F	PERKINS,K.E.	9308160009	50-397	P
ORTCIGER,T.W.	9308020022	PR		PARTLOW,J.G.	9308040291	50-285	F	PERKINS,K.E.	9308160056	50-397	Q
ORTCIGER,T.W.	9308200180*	STATE PRO G		PARTLOW,J.G.	9308040293	50-416	F	PERKINS,K.E.	9308230265	50-397	Q
ORTCIGER,T.W.	9308230034	PR		PARTLOW,J.G.	9308040297	50-313	F	PERKINS,K.E.	9308250029*	PR	
ORTCIGER,T.W.	9308260223	REVIEW GR P		PARTLOW,J.G.	9308050236	50-482	F	PERRY,J.S.	9308060294	50-461	Q
ORTH,S.	9308160086*	50-341	Q	PARTLOW,J.G.	9308050237	50-259	F	PESCHEL,J.M.	9308060381*	50-443	S
ORTH,S.K.	9308090092*	50-341	Q	PARTLOW,J.G.	9308050246	50-445	F	PESCHEL,J.M.	9308060382	50-443	S
ORTORE,S.R.	9308110130*	50-275	T	PARTLOW,J.G.	9308050249	50-498	F	PESCHEL,J.M.	9308310073	50-443	S
OSHINOWO,F.	9308110163	70-1252		PARTLOW,J.G.	9308050256	50-458	F	PESO,F.	9308300043	PR	
OTT,T.	9308230124*	50-368	Q	PARTLOW,J.G.	9308060268	50-289	F	PETER,P.A.	9308170039*	50-413	P
PACKER,D.F.	9308180288	50-382	S	PARTLOW,J.G.	9308060273	50-219	F	PETERS,J.W.	9308230048	50-244	R
PADOVAN,L.M.	9308240143	50-445	P	PARTLOW,J.G.	9308060282	50-213	F	PETERSON,N.K.	9308090171	50-346	S
PALLA,R.	9308250147	REVIEW GR P		PARTLOW,J.G.	9308110244	50-443	F	PETERSON,S.R.	9308050118	50-275	P
PALLA,R.L.	9308030282	REVIEW GR P		PASCIAC,W.	9308030093*	50-333	Q	PETERSON,S.R.	9308090039*	50-275	T
PALLA,R.L.	9308090307	REVIEW GR P		PASCIAC,W.	9308040017*	50-277	Q	PETERSON,S.R.	9308110289	50-275	P
PANNELL,J.D.	9308260061	CONTRACT		PASCIAC,W.	9308100019*	50-354	Q	PETERSON,S.R.	9308130020	50-275	P
PAPAY,L.T.	9308130059*	ORG		PASCIAC,W.	9308100183*	50-244	Q	PETERSON,S.R.	9308170271	50-275	P
PAPERIELLO,C.J.	9308030419	PROJ		PASCIAC,W.	9308110052*	50-443	Q	PETERSON,S.R.	9308200129	50-275	P
PAPERIELLO,C.J.	9308180257	72-1000		PASCIAC,W.	9308130010*	50-220	Q	PETERSON,S.R.	9308240058	50-275	P
PAPERIELLO,C.J.	9308180264	72-1001*		PASCIAC,W.	9308170006*	50-352	Q	PETTIS,R.L.	9308260212*	QA999	
PAPERIELLO,C.J.	9308180269	72-1002		PASCIAC,W.	9308170020*	50-334	Q	PHARES,R.F.	9308030299	50-461	I
PAQUIN,P.L.	9308300219	PROJ		PASCIAC,W.	9308310045*	50-309	Q	PHARES,R.F.	9308060136	50-461	F
PARAH,G.W.	9308250259	CONTRACT		PASCIAC,W.	9308310140*	50-219	Q	PHARES,R.F.	9308100149	50-461	F
PARDEE,R.	9308230030*	50-293	Q	PASEDAG,W.F.	9308120093*	NUREG		PHARES,R.F.	9308170396	50-461	R
PARK,J.T.	9308250131	PR		PASSWATER,A.C.	9308200316	REVIEW GR P		PHARES,R.F.	9308250178	50-461	S
PARKER,B.A.	9308060144*	50-424	Q	PASTVA,M.J.	9308300327	50-272	S	PHARES,R.F.	9308260226	50-461	H
PARKER,L.B.	9308090093*	QA999		PATANKAR,S.V.	9308120242	CONTRACT		PHARES,R.F.	9308300119	50-461	H
PARKINS,K.E.	9308160018	50-528	Q	PATE,B.	9308260119	50-73	S	PHARR,E.B.	9308060009*	50-261	Q
PARLER,W.C.	9304280090	SECY		PATE,R.J.	9308090156	50-528	Q	PHARR,E.B.	9308060087*	50-259	Q
PARLER,W.C.	9305180345	SECY		PATE,R.J.	9308160050	50-275	F	PHARR,W.H.	9308270321*	70-824	
PARLER,W.C.	9308090116	PR		PATE,R.J.	9308160072*	50-528	Q	PHILLEY,G.H.	9308050005*	71-9256	
PARRISH,J.V.	9308020093	PR		PATE,R.J.	9308230253	70-1220		PHILLIPS,J.J.	9308020084	PR	
PARRISH,J.V.	9308020229	50-397	Q	PATE,R.J.	9308240135	50-206	Q	PHILLIPS,M.P.	9308090110	50-341	Q
PARRISH,J.V.	9308040035	50-397	Q	PATE,R.J.	9308250278	70-1257		PHILLIPS,M.P.	9308090113*	50-341	Q
PARRISH,J.V.	9308050131	50-397	P	PATE,R.J.	9308250279*	70-1257		PHILLIPS,M.P.	9308250195	50-263	Q
PARRISH,J.V.	9308050134	50-397	H	PATEL,C.P.	9308200102	50-254	P	PHILLIPS,M.P.	9308250198*	50-263	Q
PARRISH,J.V.	9308050146	50-397	P	PATEL,C.P.	9308200137	50-254	Q	PHILLIPS,W.M.	9308250014	PR	
PARRISH,J.V.	9308050299	50-397	F	PATNAIK,P.	9308310080*	50-247	Q	PHILP,J.C.	9308180138*	WASTE MGT	
PARRISH,J.V.	9308090245	50-397	Q	PATRICK,W.C.	9308120386	WASTE MGT		PHILPOTT,C.	9308200123	STATE PRO G	
PARRISH,J.V.	9308100201	50-397	F	PATRICK,W.C.	9308130102	WASTE MGT		PIAZZA,F.	9308180171*	50-317	R
PARRISH,J.V.	9308120125	50-397	F	PATRICK,W.C.	9308180173	WASTE MGT		PIAZZA,F.	9308180172*	50-317	R
PARRISH,J.V.	9308130143	50-397	S	PATRICK,W.C.	9308200201	WASTE MGT		PIAZZA,F.	9308180174*	50-317	R
PARRISH,J.V.	9308170243	50-397	P	PATTEN,K.W.	9308250193	CONTRACT		PICKETT,D.V.	9308040023*	50-461	Q
PARRISH,J.V.	9308190338	50-397	R	PATTERSON,C.A.	9308050042*	50-259	Q	PICKETT,D.V.	9308090285	50-461	P
PARRISH,J.V.	9308310011	50-397	R	PATTERSON,C.A.	9308060031*	50-259	Q	PICKETT,D.V.	9308110169	50-461	P
PARROTT,J.	9308300286*	70-139		PATTERSON,J.S.	9308300343*	50-334	P	PICKETT,D.V.	9308250341	50-461	P
PARSONNET,V.	9308090146*	70-1403		PAUL,R.	9308030160*	50-315	Q	PICKETT,D.V.	9308250361	50-461	Q
PARTLOW,J.G.	9308030171	50-286	F	PAUL,R.A.	9308190014*	50-254	Q	PICKETT,D.V.	9308250379	50-461	P
PARTLOW,J.G.	9308030180	50-321	F	PAUSTIAN,H.H.	9308160351	50-263	R	PICKETT,D.V.	9308310078	50-237	F
PARTLOW,J.G.	9308030189	50-395	F	PAUSTIAN,H.H.	9308170406	50-263	R	PIERCE,R.	9308160146	40-8027	
PARTLOW,J.G.	9308030210	50-261	P	PAYNE,A.T.	9308300058	ORG		PIERSON,R.	9308040175*	70-143	
PARTLOW,J.G.	9308030218	50-400	F	PAYNE,A.T.	9308300063*	ORG		PIERSON,R.	9308040206*	70-143	
PARTLOW,J.G.	9308030221	50-348	F	PAYNE,D.C.	9308250079*	50-261	V	PIERSON,R.	9308090041*	70-1257	
PARTLOW,J.G.	9308030227	50-324	F	PEACH,D.	9308090133*	COMMISSION		PIERSON,R.	9308090043*	70-1257	
PARTLOW,J.G.	9308030230	50-247	F	PEARCY,E.	9308120389	WASTE MGT		PIERSON,R.	9308090201	70-143	
PARTLOW,J.G.	9308030271	50-266	F	PEARSON,R.	9308270324*	ORG		PIERSON,R.	9308090206*	70-143	
PARTLOW,J.G.	9308030275	50-305	F	PEDDICORD,K.L.	9308160052	PR		PIERSON,R.	9308110325	70-8	
PARTLOW,J.G.	9308030284	50-280	F	PEDDICORD,K.L.	9308160140	PR		PIERSON,R.	9308110382	70-27	
PARTLOW,J.G.	9308030289	50-250	F	PEDERSEN,T.L.	9308300341	50-370	S	PIERSON,R.	9308120041*	70-143	
PARTLOW,J.G.	9308030294	50-302	F	PEDERSEN,T.L.	9308050027	50-369	S	PIERSON,R.	9308170304	40-6940	
PARTLOW,J.G.	9308030296	50-483	F	PEEBLES,T.A.	9308060075*	50-261	Q	PIERSON,R.	9308170309	70-1257	
PARTLOW,J.G.	9308030300	50-346	F	PEEBLES,T.A.	9308060088	50-324	Q	PIERSON,R.	9308170323	70-1100	
PARTLOW,J.G.	9308030373	50-220	F	PEEBLES,T.A.	9308100117	50-302	V	PIERSON,R.	9308170325*	70-1100	
PARTLOW,J.G.	9308030387	50-317	F	PEEBLES,T.A.	9308130007	50-327	Q	PIERSON,R.	9308200097	70-27	
PARTLOW,J.G.	9308040049	50-331	F	PEEBLES,T.A.	9308240089	50-369	V	PIERSON,R.	9308230094*	70-143	
PARTLOW,J.G.	9308040071	50-440	F	PEEBLES,T.A.	9308250067	50-261	V	PIERSON,R.	9308310178	40-3392	
PARTLOW,J.G.	9308040126	50-298	F	PEEBLES,T.A.	9308250169	50-269	V	PIERSON,R.C.	9308090058	70-135	
PARTLOW,J.G.	9308040130	50-382	F	PEEBLES,T.A.	9308270226	50-424	V	PIERSON,R.C.	9308120035	70-143	
PARTLOW,J.G.	9308040134	50-528	F	PEEBLES,T.A.	9308270358	50-327	V	PIERSON,R.C.	9308200100*	70-27	

244 PERSONAL AUTHOR INDEX

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
PIERSON, R.C.	9308230086	70-143	QUENNOZ, S.M.	9308250021	50-344 F	REHN, D.L.	9308250181	50-413 F
PIERSON, R.C.	9308270343	PROJ	QUILLIN, R.M.	9308020065	PR	REID, D.A.	9308110088	50-271 P
PIET, P.L.	9308050162	50-237 Q	QUINN, R.D.	9308050270	71-9001	REID, D.A.	9308130085	50-271 R
PIET, P.L.	9308100122	50-373 Q	QUINN, R.D.	9308200175	71-9001	REID, D.A.	9308200006	50-271 Q
PIET, P.L.	9308180110	50-237 P	RADDATZ, C.T.	9308160144	NUREG	REID, D.G.	9308300142*	50-269 Q
PIET, P.L.	9308180122	50-373 P	RADEMACHER, J.	9308250010	PR	REIDLINGER, T.	9308190159*	50-295 Q
PIET, P.L.	9308190007	50-237 Q	RADLOFF, N.	9308240039	50-254 S	REIS, E.J.	9308250185	50-275 G
PIET, P.L.	9308230042	50-373 P	RAFFETY, S.J.	9308230097*	50-409 P	REIS, E.J.	9308250270	50-275 G
PIET, P.L.	9308250469	50-237 P	RAGHAVAN, L.	9308100226	50-250 P	REIS, E.J.	9308250274	50-275 G
PIET, P.L.	9308300150	50-237 Q	RAGHAVAN, L.	9308110262	50-250 P	REITLER, E.	9308230118	70-1151
PINZON, J.	9308030143	50-499 S	RAGHAVAN, L.	9308190176	50-250 P	REMICK	9308020012	COMMISSION
PINZON, J.	9308110073	50-498 S	RAGHAVAN, L.	9308240191	50-250 P	REMICK	9308020014	COMMISSION
PINZON, J.	9308110126	50-498 S	RAGLAND, R.	9308030093*	50-333 Q	REMICK	9308020181	COMMISSION
PINZON, J.	9308200303	50-499 S	RAHN, F.J.	9308200320	REVIEW GR P	REMICK	9308020190	COMMISSION
PIRTLE, G.L.	9308170100*	50-282 Q	RAISIN, W.H.	9308120071	REVIEW GR P	REMICK	9308020211	COMMISSION
PIRTLE, G.L.	9308230020*	50-341 Q	RAISIN, W.H.	9308300001	I&E	REMICK	9308020253	COMMISSION
PISKURA, D.A.	9308300165	40-8954	RANDALL, T.	9308230029	PR	REMICK	9308040208	COMMISSION
PISKURA, D.A.	9308300260	40-8954	RANGANATH, S.	9308100234*	50-325 Q	REMICK	9308190049	COMMISSION
PLAYENY, C.	9308020021	PR	RANKIN, W.H.	9308050026*	50-327 Q	REMICK	9308230289	COMMISSION
PLAYENY, C.	9308020108	PR	RANKIN, W.H.	9308050051*	50-324 Q	REMICK	9308240190	COMMISSION
PLOSKI, T.	9308190159*	50-295 Q	RANKIN, W.H.	9308050079*	50-390 Q	REMICK	9308240342	COMMISSION
PLUNKETT, T.F.	9308120229	50-250 P	RANKIN, W.H.	9308060009*	50-261 Q	REMICK, F.	9308270192*	10CFR
PLUNKETT, T.F.	9308160270	50-250 P	RANKIN, W.H.	9308060087*	50-259 Q	REMICK, F.J.	9308160204	COMMISSION
PLUNKETT, T.F.	9308170104	50-250 R	RANKIN, W.H.	9308060144*	50-424 Q	REMICK, F.J.	9308190212	COMMISSION
PLUNKETT, T.F.	9308230303	50-250 P	RANKIN, W.H.	9308230178*	50-348 Q	REMICK, F.J.	9308260334*	COMMISSION
PLUNKETT, T.F.	9308260306	50-251 Q	RASIN, W.H.	9308110374*	REVIEW GR P	REMICK, J.J.	9308020005	COMMISSION
PLUNKETT, T.F.	9308300163	50-250 P	RATHBUN, D.E.	9308180164	50-188 P	RENGAN, K.	9308020092	PR
PLUNKETT, T.F.	9308300181	50-250 P	RATHBUN, D.	9308050139	PR	REPKA, D.A.	9308090020	50-275 G
PLUNKETT, T.F.	9308300191	50-251 P	RATHBUN, D.K.	9305190003	ORG	REPKA, D.A.	9308090020	50-275 G
PLUNKETT, T.F.	9308300337	50-250 F	RATHBUN, D.K.	9308040299	PR	REPKA, D.A.	9308090059	50-275 G
PLUNKETT, T.F.	9308300358	50-250 F	RATHBUN, D.K.	9308040306	PR	REPKA, D.A.	9308090059	50-275 G
PODOLAK, L.	9308090029	71-9167	RATHBUN, D.K.	9308040310	PR	REPKA, D.A.	9308110110	50-275 G
PODOLAK, L.	9308190177	71-9167	RATHBUN, D.K.	9308040314	PR	REPKA, D.A.	9308110110	50-275 G
PODOLAK, L.	9308250282	71-9165	RATHBUN, D.K.	9308040322	PR	REPKA, D.A.	9308110121	50-275 G
PODOLAK, L.	9308260073	71-9187	RATHBUN, D.K.	9308050157	PR	REPKA, D.A.	9308110121	50-275 G
POERTNER, W.K.	9308060097*	50-269 Q	RATHBUN, D.K.	9308050173	PR	REPKA, D.A.	9308110127	50-275 G
POLAND, C.	9308110189	FOIA	RATHBUN, D.K.	9308050187	PR	REPKA, D.A.	9308110127	50-275 G
POLLACK, M.J.	9308020237	50-272 S	RATHBUN, D.K.	9308050205	PR	REPKA, D.A.	9308250125	50-275 G
POLLACK, M.J.	9308190119	50-272 S	RATHBUN, D.K.	9308060126	PR	REPKA, D.A.	9308250125	50-275 G
POMARES, R.J.	9308100208*	71-9228	RATHBUN, D.K.	9308060299	ORG	REPLOGLE, G.D.	9308230028*	50-254 Q
POMERENING, D.J.	9308020027	WASTE MGT	RATHBUN, D.K.	9308060371	ORG	RESEIGH, M.M.	9308250303	CONTRACT
POMREHN, H.P.	9308190029	REVIEW GR P	RATHBUN, D.K.	9308090085*	PR	RESNIKOFF, M.	9308030061*	50-255 H
PORTER, R.C.	9308190265	70-3070	RATHBUN, D.K.	9308090099	ORG	RESNIKOFF, M.	9308030061*	50-255 H
POSUSNY, C.	9308030360	52-1	RATHBUN, D.K.	9308100250	PR	RESNIKOFF, M.	9308240151	PR
POSUSNY, C.	9308190041	52-1	RATHBUN, D.K.	9308110228	PR	RETZLAFF, P.M.	9308030215	71-656
POSUSNY, C.	9308190334	52-1	RATHBUN, D.K.	9308110234*	PR	REYNOLDS, N.S.	9308270315*	ORG
POSUSNY, C.	9308240192	52-1	RATHBUN, D.K.	9308110311	PR	RHODES, F.	9308160197	50-482 Q
POST, H.	9308250269	CONTRACT	RATHBUN, D.K.	9308190359	50-259 R	RHODES, F.T.	9308100143	50-482 P
POTAPOVS, U.	9308180227*	QA999	RATTA, A.D.	9308030368*	70-622	RICHARDSON, D.E.	9308020063	PR
POWER, D.A.	9308120061*	NUREG	RAYMOND, W.	9308270137	50-213 S	RICHARDSON, J.	9305200137	50-245 P
POWERS, D.A.	9308030300*	50-382 Q	REARDON, R.D.	9308120268	40-2253	RICHARDSON, J.E.	9308030233	ORG
POWERS, D.A.	9308040012*	50-313 Q	REARDON, R.D.	9308120279	40-2253	RICHARDSON, J.E.	9308030342	ORG
PRATHER, G.W.	9308170130*	50-324 P	REARDON, R.D.	9308120283	40-2253	RICHARDSON, J.E.	9308270199	REVIEW GR P
PRATHER, J.G.	9308110370*	40-8778	REARDON, R.D.	9308120290	40-2253	RICHINGS, H.	9308030273	TOPREP
PRATT, J.	9308020110	PR	REARDON, R.D.	9308120322	40-2253	RICHINGS, H.	9308230271	TOPREP
PRELL, J.A.	9308230236*	50-443 Q	REARDON, R.D.	9308120370	40-2253	RICKER, J.	9308030423*	50-263 Q
PRESCOTT, P.	9308190070*	50-254 Q	RECKLEY, W.D.	9308230152	50-482 P	RIGAMONTI, M.	9308170132*	52-3
PRESTHOLT, P.T.	9308120168	WASTE MGT	REED, A.	9308260148	50-247 R	RIGAMONTI, M.	9308170156*	52-3
PRESTON, R.	9308250337	STATE PRO G	REED, T.A.	9308160199	TOPREP	RINALDI, F.	9308050166	50-277 P
PREVATTE, R.L.	9308050141*	50-324 Q	REED, T.A.	9308190191	TOPREP	RINCKEL, J.M.	9308090222*	50-440 P
PRICE, G.W.	9308020112	PR	REEDY, R.F.	9308060051	MISC	RING, M.A.	9308020011	50-263 P
PRIKRYL, J.D.	9308130130	WASTE MGT	REEDY, R.F.	9308100114	REVIEW GR P	RING, M.A.	9308020227	50-282 P
PRITCHETT, R.F.	9308180050	WASTE MGT	REESE, J.H.	9308030083	50-206 Q	RING, M.A.	9308020230	50-305 P
PROFFITT, J.W.	9308230068	50-327 S	REESE, J.H.	9308030129	50-397 Q	RING, M.A.	9308030134	50-331 V
PROFFITT, J.W.	9308250168	50-327 S	REESE, J.H.	9308030132*	50-397 Q	RING, M.A.	9308030144	50-155 P
PROPER, J.R.	9308030199	50-395 S	REESE, J.H.	9308030141	50-275 Q	RING, M.A.	9308030302	50-155 V
PROPER, J.R.	9308040164	50-395 S	REESE, J.H.	9308160002	50-312 Q	RING, M.A.	9308030320	50-237 P
PRUNTY, R.W.	9308020091	PR	REESE, J.H.	9308160004*	50-312 Q	RING, M.A.	9308030323	50-331 P
PRUNTY, R.W.	9308020156	PR	REESE, J.H.	9308160031	70-754	RING, M.A.	9308030326	50-483 P
PRUNTY, R.W.	9308030261	50-261 P	REESE, J.H.	9308160032*	70-754	RING, M.A.	9308120285	REVIEW GR P
PRUNTY, R.W.	9308160101	50-261 I	REESE, J.H.	9308160065	70-734	RING, M.A.	9308230067	50-295 V
PRUNTY, R.W.	9308230318	50-261 P	REESE, J.H.	9308160094*	70-734	RING, M.A.	9308250175	50-305 Q
PRUNTY, R.W.	9308260342	50-261 Q	REESE, J.H.	9308240001*	70-1257	RING, M.A.	9308250182*	50-305 Q
PRUSSMAN, S.	9308260292	50-286 S	REESE, J.H.	9308240003*	70-1257	RING, M.A.	9308250258	50-295 V
PULSIFER, R.M.	9308120231	REVIEW GR P	REESE, J.H.	9308240024	50-344 Q	RING, M.A.	9308310110	50-237 V
PULSIFER, R.M.	9308130109	50-331 P	REESE, J.H.	9308240027*	50-344 Q	RINGO, J.	9308270337*	ORG
PULSIFER, R.M.	9308180132	50-331 P	REESE, J.H.	9308240189	50-206 Q	RISHEL, R.D.	9308260007*	50-327 Q
PULSIFER, R.M.	9308200067	50-331 P	REESE, J.H.	9308240201*	50-206 Q	RIVERA, J.	9308090236	50-249 S
PULSIFER, R.M.	9308200099	50-331 P	REESE, J.H.	9308250143	50-397 Q	ROBERTS, D.	9308050011*	50-400 Q
QUALLS, P.M.	9308250279*	70-1257	REESE, J.H.	9308250157*	50-397 Q	ROBERTS, D.	9308050063*	50-400 Q
QUAY, T.R.	9308050125*	50-275 P	REEVES, D.L.	9308160098	50-298 S	ROBERTS, J.P.	9308050271	WASTE MGT
QUAY, T.R.	9308110355	50-397 P	REHN, D.L.	9308060226	50-413 P	ROBINSON, M.G.	9308040242*	50-438 H
QUAY, T.R.	9308170241	50-361 P	REHN, D.L.	9308110193	50-413 Q	ROBINSON, W.R.	9308020220	50-400 P
QUAY, T.R.	9308230055*	50-361 P	REHN, D.L.	9308110212	50-413 F	ROBINSON, W.R.	9308040169	50-400 P
QUENNOZ, S.M.	9308090163	50-344 F	REHN, D.L.	9308160373	50-413 Q	ROBINSON, W.R.	9308050181	50-400 Q
QUENNOZ, S.M.	9308090182	50-344 P	REHN, D.L.	9308170027	50-413 P	ROBINSON, W.R.	9308050255	50-400 F
QUENNOZ, S.M.	9308100160	50-344 P	REHN, D.L.	9308170034	50-413 P	ROBINSON, W.R.	9308100213	50-400 S
QUENNOZ, S.M.	9308130082	50-344 R	REHN, D.L.	9308250013	50-413 S	ROBINSON, W.R.	9308160182	50-400 R

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
ROBINSON, W.R.	9308260316	50-400 P	SACCOMANDO, D.	9308230153	50-373 P	SCHMELING, L.L.	9308250206	50-293 R
ROBINSON, W.R.	9308300354	50-400 P	SADDIC, J.P.	9308250459	QA999	SCHMELTZ, J.V.	9308030176	50-373 S
ROBINSON, W.R.	9308310105	50-400 R	SAGAR, B.	9308050235	WASTE MGT	SCHMELTZ, J.V.	9308160380	50-373 R
ROBINSON, W.R.	9308310126*	50-400 R	SAGAR, B.	9308120236	WASTE MGT	SCHMELTZ, J.V.	9308200110	50-373 S
ROCHE, L.A.	9308110368	70-3070	SAGAR, B.	9308120386	WASTE MGT	SCHMIDT, E.J.	9308250336	50-443 P
ROCHE, L.A.	9308130079	70-3070	SAGAR, B.	9308130130	WASTE MGT	SCHMITT, C.H.	9308020121	PR
ROCK, S.I.	9308020078	PR	SAGER, D.A.	9308020154	50-335 P	SCHNELL, D.F.	9308090267	50-483 Q
ROCKEFELLER, J.	9308060184*	PR	SAGER, D.A.	9308050242	50-389 R	SCHNELL, D.F.	9308160189	50-483 P
RODABAUGH, E.C.	9308120034*	ORG	SAGER, D.A.	9308060325	50-335 Q	SCHNELL, D.F.	9308240122	50-483 P
RODEHALL, T.J.	9308120306	CONTRACT	SAGER, D.A.	9308090242	50-335 F	SCHOENWIESNER	9308230035	PR
ROE, J.W.	9308300021	50-266 P	SAGER, D.A.	9308100124	50-389 Q	SCHOFIELD, B.S.	9308020101	PR
ROE, J.W.	9308300283*	50-382 P	SAGER, D.A.	9308110237	50-389 Q	SCHOFIELD, B.S.	9308060200	50-259 F
ROGERS	9308020017	COMMISSION	SAGER, D.A.	9308120087	50-335 F	SCHOFIELD, B.S.	9308090025	50-327 P
ROGERS	9308020102	COMMISSION	SAGER, D.A.	9308130169	50-335 F	SCHOFIELD, B.S.	9308090038	50-259 F
ROGERS	9308060041	COMMISSION	SAGER, D.A.	9308160176	50-335 R	SCHOFIELD, B.S.	9308180130	50-327 F
ROGERS, D.W.	9308270036	I&E	SAGER, D.A.	9308260371	50-335 P	SCHOFIELD, B.S.	9308190160	50-259 R
ROGERS, K.C.	9308020007	COMMISSION	SAGER, D.A.	9308300106	50-389 P	SCHOFIELD, B.S.	9308250149	50-259 P
ROGERS, K.C.	9308020137	COMMISSION	SAGER, D.A.	9308310229	50-335 R	SCHOFIELD, B.S.	9308270001	I&E
ROGERS, K.C.	9308020228	COMMISSION	SALAS, P.	9308050232	50-260 Q	SCHOMMER, K.	9308170120	50-305 S
ROGERS, K.C.	9308020250	COMMISSION	SALAS, P.	9308060376	50-259 P	SCHORI, J.	9308090173	50-312 G
ROGERS, K.C.	9308190056	COMMISSION	SALAS, P.	9308090281	50-259 Q	SCHROCK, C.A.	9308030100	50-305 P
ROGERS, K.C.	9308190095	COMMISSION	SALAS, P.	9308100016	50-260 Q	SCHROCK, C.A.	9308060293	50-305 P
ROGERS, K.C.	9308240181	COMMISSION	SALMON, H.P.	9308050269	50-333 F	SCHROCK, C.A.	9308060313	50-305 P
ROGERS, K.C.	9308240337	COMMISSION	SALMON, H.P.	9308130118	50-333 R	SCHROCK, C.A.	9308060360	50-305 P
ROGERS, K.C.	9308260281*	COMMISSION	SALMON, H.P.	9308130118	50-333 R	SCHROCK, C.A.	9308100131	50-305 Q
ROGERS, L.R.	9308240254*	70-139	SALMON, H.P.	9308160343	50-333 R	SCHROCK, C.A.	9308160374	50-305 R
ROGERS, W.G.	9308060075*	50-261 S	SALYERS, G.W.	9308100079*	50-250 Q	SCHROCK, C.A.	9308170120	50-305 S
ROGGE, J.	9308190318	50-443 P	SALZMAN, J.	9308230038	PR	SCHROCK, C.A.	9308170147	50-305 H
ROGGE, J.F.	9308270218*	50-289 Q	SAMWORTH, R.B.	9308030340	50-263 P	SCHROCK, C.A.	9308190034	REVIEW GR
ROLAND, D.C.	9308020041	PR	SANBORN, G.	9308030007	I&E	SCHROCK, C.A.	9308230203	50-305 Q
ROMBERG, W.D.	9308160082	50-213 P	SANCHEZ, G.	9308030035	70-3070	SCHROEDER, J.A.	9308250119	50-305 J
ROMBERG, W.D.	9308160205	50-213 S	SANCHEZ, G.	9308030043	70-3070	SCHUSTER, T.	9308160131	NUREG
ROMBERG, W.D.	9308170417	50-245 S	SANCHEZ, G.	9308030049	70-3070	SCHUSTER, T.	9308090295	50-295 R
ROMBERG, W.D.	9308240127	50-213 Q	SANCHEZ, G.	9308030065	70-3070	SCHUSTER, T.	9308090305	50-10 R
ROMBERG, W.D.	9308260280	50-213 Q	SANCHEZ, G.	9308030069	70-3070	SCHUSTER, T.	9308090330	50-254 R
ROMINE, D.	9308250041*	70-8	SANCHEZ, G.	9308030076	70-3070	SCHWARTZ, G.K.	9308090343	50-373 R
ROOD, H.	9308240233*	50-285 P	SANCHEZ, G.	9308030085	70-3070	SCHWARTZ, G.K.	9308170221	50-454 R
ROOD, H.	9308100232	50-298 P	SANCHEZ, G.	9308030088	70-3070	SCHWARTZ, G.K.	9308170260	50-454 S
ROOD, H.	9308170306*	50-285 P	SANCHEZ, G.	9308030092	70-3070	SCOTT, A.M.	9308060354	50-254 R
ROOD, H.	9308170348*	50-368 P	SANCHEZ, G.	9308030098	70-3070	SCOTT, A.M.	9308160219	50-254 R
ROOD, H.	9308170360*	50-382 P	SANCHEZ, G.	9308030102	70-3070	SCOTT, J.	9308250307	CONTRACT
ROOD, H.	9308190254*	50-382 P	SANCHEZ, G.	9308030105	70-3070	SCOTT, J.F.	9308060307*	50-272 P
ROOD, H.	9308190274*	50-285 P	SANCHEZ, G.	9308030111	70-3070	SCOTT, M.A.	9308050014*	50-330 Q
ROOD, H.	9308190319*	50-313 P	SANCHEZ, G.	9308030119	70-3070	SCOTT, M.L.	9308120015	CONTRACT
ROOD, H.	9308200148	50-382 P	SANCHEZ, G.	9308030122	70-3070	SCOTT, M.L.	9308120045	CONTRACT
ROOD, H.	9308200209*	50-382 P	SANCHEZ, G.	9308160233	50-457 S	SCOTT, M.L.	9308120116	CONTRACT
ROOD, H.	9308240224*	50-285 P	SANDERS, C.F.	9308060320	70-1151	SCOTT, M.L.	9308120156	CONTRACT
ROOD, H.	9308310043	50-416 P	SANDERS, C.F.	9308200001	71-9239	SCOTT, M.L.	9308120242	CONTRACT
ROONEY, V.L.	9308120195	50-423 P	SANTAMARIA, J.G.	9308160158	NUREG	SCOTT, M.L.	9308250012	CONTRACT
ROONEY, V.L.	9308190236	50-423 P	SANTAGO, P.	9308110306	I&E	SCOTT, M.L.	9308250020	CONTRACT
ROSENBERG, A.V.	9308180233*	50-498 I	SANTIAGO, P.	9308130017	30-12231	SCOTT, M.L.	9308250031	CONTRACT
ROSENBLUM, R.M.	9308050302	50-206 Q	SAPORITO, T.J.	9306020329	50-498 G	SCOTT, M.L.	9308250083	50-528 P
ROSENBLUM, R.M.	9308270093	50-206 Q	SAPORITO, T.J.	9308040223	50-528 P	SCOTT, M.L.	9308250092	CONTRACT
ROSENTHAL, J.E.	9308230064	50-260 S	SAPORITO, T.J.	9308270076	PR	SCOTT, M.L.	9308250102	CONTRACT
ROSENTHAL, J.E.	9308250311	50-266 Q	SAPRONOV, V.G.	9308160198*	COMMISSION	SCOTT, M.L.	9308250137	CONTRACT
ROSENTHAL, P.R.	9308240364	70-824	SARTOR, W.M.	9308100028*	50-327 Q	SCOTT, M.L.	9308250146	CONTRACT
ROSS, M.S.	9308030089	50-255 H	SARTOR, W.M.	9308250272*	50-324 Q	SCOTT, M.L.	9308250170	CONTRACT
ROSS, M.S.	9308030089	50-255 H	SARTOR, W.M.	9308250289*	50-324 Q	SCOTT, M.L.	9308250191	50-390 A
ROTH, J.	9308160027	70-135	SARTOR, W.M.	9308250348*	70-27	SCOTT, M.L.	9308250193	CONTRACT
ROTH, T.	9308300197*	50-255 H	SAUNDERSON, R.	9308180285*	50-410 R	SCOTT, M.L.	9308250217	CONTRACT
ROTHERT, W.C.	9308250206	50-293 R	SCACE, S.	9308060373	50-245 F	SCOTT, M.L.	9308250231	CONTRACT
ROUSSEAU, K.R.	9308310184*	50-309 P	SCACE, S.E.	9308100003	50-336 S	SCOTT, M.L.	9308250236	CONTRACT
ROUTZAHN, L.K.	9308060201	50-440 S	SCACE, S.E.	9308100003	50-336 S	SCOTT, M.L.	9308250242	CONTRACT
RUANE, E.	9308030110	PR	SCACE, S.E.	9308120058	50-245 P	SCOTT, M.L.	9308250243	CONTRACT
RUDISAIL, S.	9308060213*	50-400 Q	SCACE, S.E.	9308120095	50-423 S	SCOTT, M.L.	9308250250	CONTRACT
RUDISAIL, S.	9308250019*	50-261 Q	SCACE, S.E.	9308120095	50-423 S	SCOTT, M.L.	9308250254	CONTRACT
RUEGER, G.M.	9308040212	50-133 P	SCACE, S.E.	9308130062	50-245 S	SCOTT, M.L.	9308250259	CONTRACT
RUEGER, G.M.	9308040288	50-275 S	SCACE, S.E.	9308130062	50-245 S	SCOTT, M.L.	9308250260	CONTRACT
RUEGER, G.M.	9308090216	50-275 P	SCACE, S.E.	9308130164	50-245 V	SCOTT, M.L.	9308250299	CONTRACT
RUEGER, G.M.	9308100178	50-323 S	SCACE, S.E.	9308130170	50-245 R	SCOTT, M.L.	9308250308	CONTRACT
RUEGER, G.M.	9308130135	50-323 P	SCACE, S.E.	9308130170	50-245 R	SCOTT, M.L.	9308250314	50-373 Q
RUEGER, G.M.	9308310256	50-275 S	SCACE, S.E.	9308160242	50-336 R	SCOTT, M.L.	9308250315	CONTRACT
RUFFIN, R.	9308240130	50-416 S	SCACE, S.E.	9308180109	50-336 S	SCOTT, M.L.	9308250323	CONTRACT
RULAND, W.	9308040011*	50-272 Q	SCACE, S.E.	9308180109	50-336 S	SCOTT, M.L.	9308250327	50-461 Q
RULAND, W.H.	9308170041*	50-272 Q	SCACE, S.E.	9308180118	50-245 S	SCOTT, M.L.	9308250331	CONTRACT
RULAND, W.H.	9308270237*	50-443 Q	SCACE, S.E.	9308180118	50-245 S	SCOTT, M.L.	9308250385	CONTRACT
RUMPLE, R.	9308170432	50-324 R	SCALET, D.C.	9308240141	PROJ	SCOTT, M.L.	9308250395	CONTRACT
RUMRILL, D.A.	9308130089	71-*****	SCALET, D.C.	9308310074	PROJ	SCOTT, M.L.	9308250404	CONTRACT
RUMRILL, D.A.	9308130165	71-242	SCARANO, R.A.	9308160068	50-528 Q	SCOTT, M.L.	9308250406	CONTRACT
RUPERT, C.	9308240152	PR	SCARANO, R.A.	9308250034	STATE PRO G	SCOTT, M.L.	9308250412	50-443 Q
RUSSELL, J.L.	9308050235	WASTE MGT	SCARANO, R.A.	9308250408	STATE PRO G	SCOTT, M.L.	9308250428	CONTRACT
RUSSELL, W.T.	9308050216	ORG	SCARANO, R.A.	9308260108	STATE PRO G	SCOTT, M.L.	9308260044	CONTRACT
RUSSELL, W.T.	9308260109	REVIEW GR P	SCARBOROUGH, J.	9308260286*	COMMISSION	SCOTT, M.L.	9308260051	CONTRACT
RUSSELL, W.T.	9308300056	50-295 P	SCHAUDE, J.I.	9308250018	PR	SCOTT, M.L.	9308260069	50-368 Q
RYAN, R.M.	9308160150	71-396	SCHENBARTH, J.C.	9308030053*	50-255 H	SCOTT, M.L.	9308260075	CONTRACT
RYAN, R.M.	9308230097*	50-409 P	SCHERER, A.E.	9308020124	PR	SCOTT, M.L.	9308260077	50-413 V
SACCH, G.	9308020216	70-3070	SCHIERMAN, S.L.	9308020203	40-8681	SCOTT, M.L.	9308260079	50-454 V

246 PERSONAL AUTHOR INDEX

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
SCOTT,M.W.	9308310184*	50-309 P	SIBOL,M.S.	9308160175	NUREG	SLADE,G.B.	9308240327	50-255 S
SCOTT,N.R.	9308020082	PR	SIDOROV,V.P.	9308160272	NUREG	SLADE,G.B.	9308250268	50-255 Q
SCROGGINS,R.M.	9308050272*	ORG	SIEBER,J.D.	9308020129	PR	SLAGLE,W.H.	9308030406*	TOPREP
SCROGGINS,R.M.	9308090071	PR	SIEBER,J.D.	9308020168	50-334 P	SLAGLE,W.H.	9308090016*	50-423 P
SCROGGS,A.C.	9308200188*	STATE PRO G	SIEBER,J.D.	9308030149	50-334 S	SLAYTON,A.E.	9308230015	PR
SEIBERT,L.	9308100133	40-3453	SIEBER,J.D.	9308030392	50-334 K	SMITH,C.	9308060229*	50-390 Q
SEITH,W.D.	9308110091*	40-2061	SIEBER,J.D.	9308130061	50-334 Q	SMITH,C.	9308120376*	50-390 Q
SELIN,I.	9308020009	COMMISSION	SIEBER,J.D.	9308130077	50-334 P	SMITH,C.N.	9308180051	70-1257
SELIN,I.	9308020128	COMMISSION	SIEBER,J.D.	9308160194	50-334 Q	SMITH,G.M.	9308020024	PR
SELIN,I.	9308020131	COMMISSION	SIEBER,J.D.	9308170401	50-334 P	SMITH,G.V.	9308120296	40-2253
SELIN,I.	9308020178	COMMISSION	SIEBER,J.D.	9308180179	50-334 P	SMITH,I.W.	9308060361*	50-336 G
SELIN,I.	9308020235	COMMISSION	SIEBER,J.D.	9308300357	50-334 R	SMITH,I.W.	9308090139	50-271 G
SELIN,I.	9308020248	COMMISSION	SIEGEL,B.A.	9308090219	ADVCN	SMITH,J.F.	9308230028*	50-254 Q
SELIN,I.	9308040179	50-529 S	SIEGEL,B.A.	9308090223*	ADVCN	SMITH,L.P.	9308250269	CONTRACT
SELIN,I.	9308040192	COMMISSION	SIEGEL,B.A.	9308160080	ADVCN	SMITH,R.	9308180117	50-302 R
SELIN,I.	9308040248	COMMISSION	SIEGEL,B.A.	9308160092*	ADVCN	SMITH,R.E.	9308180004	NUREG
SELIN,I.	9308040320	COMMISSION	SIEGEL,B.L.	9308200005	50-237 P	SMITH,R.G.	9308190245	50-410 F
SELIN,I.	9308050105	COMMISSION	SILK,D.M.	9308110025*	50-412 V	SMITH,R.G.	9308310207	50-410 V
SELIN,I.	9308090132	COMMISSION	SILVER,H.	9308120227	50-302 P	SMITH,R.V.	9308160067	PR
SELIN,I.	9308090142	COMMISSION	SILVER,H.	9308170400	50-302 P	SMITH,S.H.	9308120018	70-734
SELIN,I.	9308160195	COMMISSION	SILVERMAN,D.J.	9308250281	40-8027	SMITH,L.L.	9308120167	50-266 P
SELIN,I.	9308160265	COMMISSION	SIMARD,R.L.	9308020057	PR	SNELL,V.G.	9308060259	PROJ
SELIN,I.	9308160266	COMMISSION	SIMECKA,W.B.	9308260121	WASTE MGT	SNELL,W.	9308030032*	50-305 Q
SELIN,I.	9308190214	COMMISSION	SIMMONS,N.C.	9308170440*	50-269 R	SNELL,W.	9308090084	50-454 Q
SELIN,I.	9308190221	COMMISSION	SIMMONS,N.C.	9308170445*	50-369 R	SNELL,W.	9308190003	50-254 Q
SELIN,I.	9308230292	COMMISSION	SIMMONS,N.C.	9308180203*	50-413 R	SNELL,W.	9308190006*	50-254 Q
SELIN,I.	9308240194	COMMISSION	SIMMONS,S.	9308240011	40-3453	SNELL,W.	9308230040	50-282 Q
SELIN,I.	9308240326	50-293 U	SIMON,P.	9308160206*	50-255 H	SNELL,W.	9308310174	50-295 Q
SELIN,I.	9308250051	COMMISSION	SIMON,P.	9308160241*	50-255 H	SNELL,W.	9308310183*	50-295 Q
SEM,G.J.	9308160087	PR	SIMONS,H.	9308030160*	50-315 Q	SNELL,W.	9308310195	50-255 F
SERKIZ,A.W.	9308160207	REVIEW GR P	SIMONS,H.	9308160086*	50-341 Q	SNELL,W.	9308310255	70-1308
SEVORRTE,J.	9308200052	40-3453	SIMONS,H.	9308190159*	50-295 Q	SNELL,W.G.	9308260140*	50-237 Q
SEXTON,J.A.	9308170393	50-275 F	SIMONS,H.	9308160173	NUREG	SNIEZEK,J.H.	9308120308	ORG
SEXTON,J.A.	9308200272	50-275 F	SIMPKIN,T.W.	9308040232	50-295 Q	SNIEZEK,J.H.	9308190055	ORG
SEXTON,J.A.	9308230210	50-133 F	SIMPKIN,T.W.	9308050282	50-295 P	SNOKE,J.A.	9308160175	NUREG
SHAFAER,W.	9308110012	50-316 S	SIMPKIN,T.W.	9308090319	50-295 Q	SOBEL,P.	9308200246	ORG
SHAFAER,W.D.	9308030001	50-282 Q	SIMPKIN,T.W.	9308120033	50-304 R	SOKOLSKY,D.	9308310256	50-275 S
SHAFAER,W.D.	9308030094	50-255 Q	SIMPKIN,T.W.	9308250277	50-295 K	SOUDERS,D.M.	9308260019	50-458 G
SHAFAER,W.D.	9308100008	50-282 Q	SIMPKIN,T.W.	9308250477	50-295 Q	SPECTOR,S.H.	9308120389	WASTE MGT
SHAFAER,W.D.	9308100011*	50-282 Q	SIMPKIN,T.W.	9308260021	50-237 R	SPEDL,G.	9308090236	50-249 S
SHAFAER,W.D.	9308250287	50-315 Q	SIMPKIN,T.W.	9308300071	50-295 F	SPEDL,G.	9308100111	50-237 S
SHAFAER,W.D.	9308310064*	50-255 Q	SIMPKIN,T.W.	9308300081	50-304 P	SPEDL,G.F.	9308020146	50-237 S
SHAH,N.	9308190014*	50-254 Q	SIMPKIN,T.W.	9308300310	50-295 P	SPEDL,G.F.	9308060358	50-237 S
SHAO,L.C.	9308250466	TOPREP	SIMPSON,A.K.	9308160271*	COMMISSION	SPEDL,G.F.	9308100184	50-249 S
SHARKO,D.	9308030176	50-373 S	SINCLAIR,M.	9308300055	PR	SPEDL,G.F.	9308160051	50-10 R
SHAW,J.G.	9308230051	PR	SINCLAIR,W.J.	9308240038	40-3453	SPEDL,G.F.	9308160120	50-249 S
SHEA,J.W.	9308050166	50-277 P	SINKULE,M.V.	9308050012	50-335 Q	SPEDL,G.F.	9308300212	50-10 S
SHEA,J.W.	9308090331	50-277 P	SINKULE,M.V.	9308050013	50-250 Q	SPEDL,G.F.	9308310053	50-10 R
SHEA,J.W.	9308090333*	50-277 P	SINKULE,M.V.	9308050038	50-338 Q	SPEDL,G.F.	9308170283	50-10 V
SHEA,J.W.	9308190255	50-277 P	SINKULE,M.V.	9308050039	50-338 Q	SPENCE,R.E.	9308050107	WASTE MGT
SHEA,J.W.	9308240306	50-277 P	SINKULE,M.V.	9308050071	50-302 Q	SPENCE,R.E.	9308050112	WASTE MGT
SHEA,J.W.	9308260295	50-277 P	SINKULE,M.V.	9308060167	50-302 Q	SPENCE,R.E.	9308060165	WASTE MGT
SHEAR,G.	9308030255*	1&E	SINKULE,M.V.	9308060218	50-302 Q	SPENCE,R.E.	9308120153	WASTE MGT
SHEARER,V.M.	9308240154	50-255 H	SINKULE,M.V.	9308100035	50-280 Q	SPENCE,R.E.	9308120164	WASTE MGT
SHEDLOCK,M.	9308190202	50-311 R	SINKULE,M.V.	9308130025	50-335 Q	SPENCE,R.E.	9308180060	WASTE MGT
SHEDLOCK,M.	9308190206	50-272 R	SINKULE,M.V.	9308250216	50-338 Q	SPENCE,R.E.	9308180065	WASTE MGT
SHEIBANI,M.	9308300305	50-424 S	SINKULE,M.V.	9308250376	50-302 Q	SPENCE,R.E.	9308180073	WASTE MGT
SHELOR,D.E.	9308040316	WASTE MGT	SINKULE,M.V.	9308270216	50-302 Q	SPENCE,R.E.	9308180079	WASTE MGT
SHELOR,D.E.	9308040319	WASTE MGT	SISCO,C.	9308110009*	50-220 Q	SPENCE,R.E.	9308180148	WASTE MGT
SHELOR,D.E.	9308110194	WASTE MGT	SISCO,C.	9308170058*	50-245 Q	SPENCE,R.E.	9308180163*	WASTE MGT
SHELOR,D.E.	9308180133	WASTE MGT	SISK,D.P.	9308040288	50-275 S	SPENCE,R.E.	9308240173	WASTE MGT
SHELOR,D.E.	9308180158	WASTE MGT	SISK,D.P.	9308100178	50-323 Q	SPENCE,R.E.	9308240204	WASTE MGT
SHELOR,D.E.	9308180228	WASTE MGT	SKINNER,P.	9308050054*	50-424 Q	SPENCER,K.	9308100184	50-249 S
SHELOR,D.E.	9308190333*	WASTE MGT	SKINNER,P.H.	9308050010*	50-321 Q	SPINAR,L.H.	9308250040	PR
SHELOR,D.E.	9308200185	WASTE MGT	SKINNER,P.H.	9308060042	50-321 P	SPIRO,H.	9308130150	40-7580
SHELOR,D.E.	9308230017	PR	SKINNER,P.H.	9308060140*	50-321 Q	SPOERRY,D.E.	9308050128	50-334 R
SHELOR,D.E.	9308240210	WASTE MGT	SKINNER,P.H.	9308270214	50-424 P	SPOERRY,D.E.	9308100276	50-334 R
SHELOR,D.E.	9308270297	WASTE MGT	SKOLDS,J.L.	9308030199	50-395 S	SPOERRY,D.E.	9308250394	50-334 R
SHELOR,D.W.	9308230036	PR	SKOLDS,J.L.	9308040164	50-395 S	SPRIGGS,K.W.	9308270281*	ORG
SHELTER,J.R.	9308060019	50-312 V	SKOLDS,J.L.	9308040252	50-395 Q	SPRIGGS,K.W.	9308270290*	ORG
SHEPHERD,M.D.	9308100064	TOPREP	SKOLDS,J.L.	9308090160	50-395 K	SPRIGGS,L.	9308270332*	ORG
SHETLER,J.R.	9308130171	50-312 P	SKOLDS,J.L.	9308100139	50-395 P	SPRIGGS,L.C.	9308270273*	ORG
SHETLER,J.R.	9308230269	50-312 Q	SKOLDS,J.L.	9308100142	50-395 S	SPRIGGS,L.C.	9308270279*	ORG
SHEWMON,P.	9308170444*	ACRS	SKOLDS,J.L.	9308110192	50-395 Q	SPRIGGS,L.C.	9308270284*	ORG
SHIH,C.F.	9308160294	NUREG	SKOLDS,J.L.	9308110318	50-395 S	SPRIGGS,L.C.	9308270296*	ORG
SHILD,T.G.L.	9308300343*	50-334 P	SKOLDS,J.L.	9308130092	50-395 R	SPRIGGS,L.C.	9308270300*	ORG
SHIRAKI,C.Y.	9308120273	50-295 F	SKOLDS,J.L.	9308160162	50-395 P	SPRIGGS,L.C.	9308270302*	ORG
SHIRLEY,D.A.	9308020086	70-113	SKOLDS,J.L.	9308180279	50-395 R	SPRIGGS,L.C.	9308270309*	ORG
SHON,F.J.	9308110065	50-275 G	SKOLDS,J.L.	9308190360	50-395 P	SPRIGGS,L.C.	9308270337*	ORG
SHON,F.J.	9308110080	50-275 G	SKOLDS,J.L.	9308230022	50-395 H	SPRIGGS,L.C.	9308270340*	ORG
SHORTRIDGE,R.B.	9308050026*	50-327 Q	SKOLDS,J.L.	9308260383	50-395 P	STANCZAK,P.	9308180369	50-456 R
SHORTRIDGE,R.B.	9308050051*	50-324 Q	SKOLDS,J.L.	9308270006	50-395 H	STANG,J.F.	9308180368	50-237 Q
SHORTRIDGE,R.B.	9308050079*	50-390 Q	SKOLDS,J.L.	9308310084	50-395 P	STANG,J.F.	9308180220	50-237 P
SHYMLOCK,M.	9308060213*	50-400 Q	SKRABLE,K.W.	9308040295*	50-352 Q	STANLEY,H.G.	9308170069	50-387 S
SHYMLOCK,M.	9308250019*	50-261 Q	SKUCHKO,S.L.	9308310284*	WASTE MGT	STANSBERRY,W.W.	9308100077*	50-413 Q
SHYMLOCK,M.B.	9308050019*	50-327 Q	SLADE,G.B.	9308050191	50-255 S	STANSBERRY,W.W.	9308310161*	50-338 Q
SHYMLOCK,M.B.	9308250038*	50-250 Q	SLADE,G.B.	9308170281	50-155 S	STARKEY,R.D.	9308050054*	50-424 Q
SHYMLOCK,M.B.	9308250285*	50-327 Q	SLADE,G.B.	9308240102	50-255 S	STASKAL,T.	9308090316*	50-301 Q

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY		AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY		AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	
STASKAL,T.G.	9308090314*	50-301	Q	STRANSKY,R.J.	9308270019*	50-440	P	TAYLOR,J.M.	9308130149	SECY	
STECK,D.J.	9308250061	PR		STRANSKY,R.J.	9308310232	50-440	P	TAYLOR,J.M.	9308160058	ACRS	
STECKLER,K.D.	9308090247*	ORG		STRATFORD,R.J.	9308040141	XPORTLIC		TAYLOR,J.M.	9308170329	50-255	H
STECKLER,K.D.	9308090263*	ORG		STRATMAN,R.A.	9308030272	50-440	V	TAYLOR,J.M.	9308170426	ACRS	
STEIN,S.J.	9308130168	71-354		STRATMAN,R.A.	9308030417	50-440	F	TAYLOR,J.M.	9308180070	10CFR	
STEINBACH,S.E.	9308250171	PR		STRATMAN,R.A.	9308040270	50-440	Q	TAYLOR,J.M.	9308180245	SECY	
STEINHARDT,C.	9308120375	50-305	P	STRATMAN,R.A.	9308060201	50-440	S	TAYLOR,J.M.	9308190096	PROJ	
STEINHARDT,C.R.	9308160196	50-305	P	STRATMAN,R.A.	9308090221	50-440	P	TAYLOR,J.M.	9308200042	STATE PRO G	
STELLO,V.	8706040188	50-424	P	STRATMAN,R.A.	9308110168	50-440	S	TAYLOR,J.M.	9308200315	STATE PRO G	
STELLO,V.	8709090633	SECY		STRATMAN,R.A.	9308110326	50-440	Q	TAYLOR,J.M.	9308230104	ACRS	
STEPHENSON,J.D.	9308300325	50-302	F	STRATMAN,R.A.	9308170201	50-440	R	TAYLOR,J.M.	9308230261	SECY	
STETKA,T.F.	9308110107*	50-313	Q	STRATMAN,R.A.	9308190108	50-440	S	TAYLOR,J.M.	9308240086	TOPREP	
STETZ,J.P.	9308060337	50-213	S	STRATMAN,R.A.	9308190356	50-440	R	TAYLOR,J.M.	9308240163	SECY	
STETZ,J.P.	9308090152	50-213	S	STRATMAN,R.A.	9308230142	50-440	P	TAYLOR,J.M.	9308240280	SECY	
STETZ,J.P.	9308110236	50-213	S	STRATMAN,R.A.	9308250343	50-440	Q	TAYLOR,J.M.	9308260032	COMMISSION	
STETZ,J.P.	9308190142	50-213	R	STROSNIDER,J.R.	9308120320	TOPREP		TAYLOR,J.M.	9308260103	COMMISSION	
STETZ,J.P.	9308200057	50-213	S	STUDDS,G.E.	9307200017*	50-293	U	TAYLOR,J.M.	9308260253*	ORG	
STETZ,J.P.	9308200095	50-213	S	STURZ,F.C.	9308060327	50-280	Y	TAYLOR,J.M.	9308260254	ACRS	
STETZ,J.P.	9308200331	50-213	V	STURZ,F.C.	9308310079	50-267	Y	TAYLOR,J.M.	9308260269	COMMISSION	
STETZ,J.P.	9308230006	50-213	V	STYER,M.M.	9308120015	CONTRACT		TAYLOR,J.M.	9308270002	COMMISSION	
STEVENS,G.L.	9308100234*	50-325	Q	SULLIVAN,E.A.	9308160354	50-298	R	TAYLOR,J.M.	9308300025	ORG	
STEVENS,R.J.	9308020104	50-528	F	SULLIVAN,E.J.	9308120236	TOPREP		TAYLOR,J.M.	9308300190	50-255	H
STEVENS,R.J.	9308110078	50-528	F	SULLIVAN,S.G.	9308160137	NUREG		TAYLOR,P.	9308060203*	50-390	Q
STEVENS,R.J.	9308160125	50-529	P	SURMEIER,J.J.	9308060172	WASTE MGT		TAYLOR,J.M.	9308180080*	SECY	
STEWART,W.L.	9308030186	50-338	P	SURMEIER,J.J.	9308190250*	STATE PRO G		TEDROW,J.	9308050011*	50-400	Q
STEWART,W.L.	9308030401	50-280	P	SWELLS,D.	9308030078	PR		TEDROW,J.	9308050063*	50-400	Q
STEWART,W.L.	9308030415	50-338	S	SWOOPES,S.W.	93080300262*	50-361	Q	TEN EYCK,E.Q.	9308180077	SECY	
STEWART,W.L.	9308040051	50-339	Q	SYLVIA,B.R.	9308020175	50-410	P	TERRY,C.D.	9308020164	50-220	P
STEWART,W.L.	9308040197	50-339	P	SYLVIA,B.R.	9308040283	50-220	F	TERRY,C.D.	9308030002	50-220	P
STEWART,W.L.	9308050230	50-280	P	SYLVIA,B.R.	9308170415	50-410	S	TERRY,C.D.	9308030207	50-410	Q
STEWART,W.L.	9308060322	50-339	Q	SYLVIA,B.R.	9308190209	50-410	P	TERRY,C.D.	9308030213	50-220	Q
STEWART,W.L.	9308060365	50-338	P	TABOR,S.F.	9308050159	50-324	S	TERRY,C.D.	9308130063	50-410	P
STEWART,W.L.	9308100132	50-280	P	TAILLEART,D.R.	9308110114*	50-443	F	TERRY,C.D.	9308170287	50-220	P
STEWART,W.L.	9308100137	50-338	Q	TALNAGI,J.W.	9308020023	PR		TERRY,C.D.	9308190144	50-220	P
STEWART,W.L.	9308100189	50-338	S	TALNAGI,J.W.	9308020071	PR		TERRY,C.D.	9308300137	50-410	P
STEWART,W.L.	9308110173	50-280	Q	TAM,F.J.	9308090069	50-390	A	TERRY,C.D.	9308310049	50-220	Q
STEWART,W.L.	9308120111*	50-338	P	TAM,P.S.	9308020030	50-390	A	THADANI,A.	9308120327	ORG	
STEWART,W.L.	9308160064	50-280	H	TAM,P.S.	9308130027	50-390	A	THADANI,A.C.	9308100212	TOPREP	
STEWART,W.L.	9308160172	50-338	Q	TAM,P.S.	9308170198	50-390	A	THADANI,A.C.	9308120228	TOPREP	
STEWART,W.L.	9308160212	50-280	Q	TAM,P.S.	9308170203	50-390	A	THADANI,A.C.	9308120233*	TOPREP	
STEWART,W.L.	9308160215	50-280	Q	TAM,P.S.	9308170328	50-390	A	THADANI,A.C.	9308190024	TOPREP	
STEWART,W.L.	9308260142	50-280	F	TAM,P.S.	9308190022	50-390	A	THADANI,A.C.	9308200017	TOPREP	
STEWART,W.L.	9308270091	I&E		TAM,P.S.	9308190109	50-390	Q	THADANI,A.C.	9308200023*	TOPREP	
STEWART-SMITH	9308160157	PR		TAM,P.S.	9308200020	50-390	A	THADANI,A.C.	9308200037	TOPREP	
STIPICEVICH,J.	9308190145	50-275	R	TAM,P.S.	9308260155	50-390	A	THADANI,A.C.	9308200054*	TOPREP	
STIREWALT,G.	9308120238	WASTE MGT		TAM,P.S.	9308310118	50-390	A	THADANI,A.C.	9308240063	TOPREP	
STIREWALT,G.L.	9308120389	WASTE MGT		TANG,C.K.	9308110394	52-1		THADANI,A.C.	9308260154	REVIEW GR P	
STOHR,J.P.	9308050023	50-327	Q	TANG,C.K.	9308110397	52-1		THADANI,A.C.	9308260168	TOPREP	
STOHR,J.P.	9308050044	50-324	Q	TANG,C.K.	9308180046	52-2		THADANI,A.C.	9308260315	ORG	
STOHR,J.P.	9308050062	70-27		TAYLOR,D.R.	9308250246*	50-338	Q	THADANI,A.C.	9308300080	ORG	
STOHR,J.P.	9308050076	50-390	Q	TAYLOR,J.H.	9308030372	50-3	S	THAYER,J.K.	9308040102	50-29	P
STOHR,J.P.	9308060002	50-62	Q	TAYLOR,J.H.	9308130124	TOPREP		THAYER,J.K.	9308060277	71-9256	
STOHR,J.P.	9308100007	70-143		TAYLOR,J.H.	9308250362	50-289	S	THE CHAIRMAN	9308020009	COMMISSION	
STOHR,J.P.	9308240296	50-390	Q	TAYLOR,J.M.	9302250276	SECY		THE CHAIRMAN	9308020128	COMMISSION	
STOHR,J.P.	9308300164	50-348	Q	TAYLOR,J.M.	9305180372	SECY		THE CHAIRMAN	9308020131	COMMISSION	
STOHR,J.P.	9308310031	70-143		TAYLOR,J.M.	9305210130	SECY		THE CHAIRMAN	9308020178	COMMISSION	
STOIBER,C.R.	9308260082	COMMISSION		TAYLOR,J.M.	9306030224	SECY		THE CHAIRMAN	9308020235	COMMISSION	
STOIBER,C.R.	9307140189	SECY		TAYLOR,J.M.	9306070093	SECY		THE CHAIRMAN	9308020248	COMMISSION	
STOIBER,C.R.	9308090233*	XPORTLIC		TAYLOR,J.M.	9306070162	SECY		THE CHAIRMAN	9308040179	50-529	S
STOLZ,J.F.	9308040107*	50-213	P	TAYLOR,J.M.	9306210031	SECY		THE CHAIRMAN	9308040192	COMMISSION	
STOLZ,J.F.	9308090328	50-213	P	TAYLOR,J.M.	9306290136	SECY		THE CHAIRMAN	9308040248	COMMISSION	
STOLZ,J.F.	9308110303	50-423	P	TAYLOR,J.M.	9306300288	50-295	F	THE CHAIRMAN	9308050105	COMMISSION	
STOLZ,J.F.	9308120196*	50-423	P	TAYLOR,J.M.	9307060119	SECY		THE CHAIRMAN	9308090132	COMMISSION	
STOLZ,J.F.	9308170318*	50-443	P	TAYLOR,J.M.	9307080273	SECY		THE CHAIRMAN	9308090142	COMMISSION	
STOLZ,J.F.	9308230217*	50-289	P	TAYLOR,J.M.	9307130254	SECY		THE CHAIRMAN	9308160195	COMMISSION	
STOLZ,J.F.	9308260047*	50-213	P	TAYLOR,J.M.	9307200065	SECY		THE CHAIRMAN	9308160265	COMMISSION	
STONE,B.J.	9308180024	50-341	R	TAYLOR,J.M.	9307200356	SECY		THE CHAIRMAN	9308180266	COMMISSION	
STONE,J.C.	9308190065	50-272	P	TAYLOR,J.M.	9308020193	SECY		THE CHAIRMAN	9308190214	COMMISSION	
STONE,J.C.	9308190077	50-272	P	TAYLOR,J.M.	9308030095	50-255	H	THE CHAIRMAN	9308190221	COMMISSION	
STONE,J.C.	9308250415	50-272	P	TAYLOR,J.M.	9308030126	50-255	H	THE CHAIRMAN	9308230292	COMMISSION	
STOOP,P.M.	9308160054	NUREG		TAYLOR,J.M.	9308030137	PR		THE CHAIRMAN	9308240194	COMMISSION	
STOPELMANN,H	9308260330*	50-370	P	TAYLOR,J.M.	9308030410	STATE PRO G		THE CHAIRMAN	9308240326	50-293	U
STORZ,L.F.	9308020147	50-346	H	TAYLOR,J.M.	9308060164	PR		THE CHAIRMAN	9308250051	COMMISSION	
STORZ,L.F.	9308050074	50-346	Q	TAYLOR,J.M.	9308060177	PR		THIEMANN,P.J.	9308250022	PR	
STORZ,L.F.	9308060150	50-346	P	TAYLOR,J.M.	9308060311	SECY		THOM,C.B.	9308030157	MISC	
STORZ,L.F.	9308110124	50-346	P	TAYLOR,J.M.	9308060347	50-336	G	THOMA,J.O.	9308250374	PROJ	
STORZ,L.F.	9308170235	50-346	P	TAYLOR,J.M.	9308090104	STATE PRO G		THOMAS,G.S.	9308130057	50-334	P
STORZ,L.F.	9308200032	50-346	R	TAYLOR,J.M.	9308100257	ORG		THOMAS,G.S.	9308230308	50-334	P
STORZ,L.F.	9308200170	50-346	P	TAYLOR,J.M.	9308100266	PR		THOMAS,G.S.	9308230313	50-334	P
STORZ,L.F.	9308310146	50-346	R	TAYLOR,J.M.	9308110084	PR		THOMAS,G.S.	9308300342	50-334	P
STORZ,L.F.	9308310154	50-346	P	TAYLOR,J.M.	9308110106	ORG		THOMAS,G.S.	9308310242	50-334	P
STORZ,L.F.	9308310159	50-346	V	TAYLOR,J.M.	9308110263	STATE PRO G		THOMAS,M.	9308060210*	50-327	Q
STORZ,L.F.	9308310165	50-346	Q	TAYLOR,J.M.	9308110265	STATE PRO G		THOMPSON,D.	9308040048*	50-348	Q
STORZ,L.F.	9308310168	50-346	P	TAYLOR,J.M.	9308110297	50-336	H	THOMPSON,H.L.	9308060103	WASTE MGT	
STOUT,F.G.	9308020090	PR		TAYLOR,J.M.	9308110309	STATE PRO G		THOMSEN,O.J.	9308300262*	50-361	Q
STRANSKY,R.J.	9308200073	50-440	P	TAYLOR,J.M.	9308110320*	PR		THOMSON,F.X.	9308060351	50-354	S
STRANSKY,R.J.	9308200085	50-440	P	TAYLOR,J.M.	9308110359	PR		THOMSON,F.X.	9308300133	50-354	P
STRANSKY,R.J.	9308270017	50-440	P	TAYLOR,J.M.	9308110365	ORG		THORPE,D.P.	9308230097*	50-409	P

248 PERSONAL AUTHOR INDEX

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
THUE, W.	9308250082	I&E	VERRELLI, D.M.	9308060183	50-416 Q	WEISS, N.M.	9308300193*	70-139
TINGEN, S.G.	9308100037*	50-280 Q	VERRELLI, D.M.	9308060193	50-261 Q	WEISS, N.M.	9308300240*	70-139
TIPPS, S.B.	9308250035	50-366 S	VERRELLI, D.M.	9308270025	50-416 Q	WEISS, N.M.	9308300251*	70-139
TIPTON, T.E.	9308230144	PR	VERRELLI, D.M.	9308270275	50-400 Q	WEISS, N.M.	9308300256*	70-139
TIPTON, T.E.	9308250088	I&E	VERRELLI, D.M.	9308300136	50-395 Q	WEISS, N.M.	9308300258*	70-139
TOBIN, P.A.	9308060278*	50-263 P	VERRILLI, D.M.	9308100070	50-395 Q	WEISS, N.M.	9308300296*	70-139
TOBIN, W.J.	9308230155*	50-327 Q	VESCOVI, O.	9308170132*	52-3 Q	WEISS, N.M.	9308300323*	70-139
TODD, G.A.	9308170436*	50-302 Q	VESLEY, W.E.	9308260213	REVIEW GR P	WEISS, S.H.	9308030396	50-29 P
TOEPKER, T.P.	9308300059	PR	VIK, M.	9308030423*	50-263 Q	WEISS, S.H.	9308110227*	50-188 P
TOKAR, M.	9308090208	70-1100 I&E	VIKIS, A.C.	9308120056*	NUREG	WEISS, S.H.	9308110334*	50-186 P
TOKAR, M.	9308170311	70-1257	VINEY, J.J.	9308160120	50-249 S	WEISS, S.H.	9308180147	50-29 F
TOKAR, M.	9308170443	40-3392	VISSING, G.S.	9308230093	50-336 P	WEISS, S.H.	9308180263	50-312 F
TOKAR, M.	9308180196	70-1100	VISSING, G.S.	9308230099*	50-336 P	WEISS, S.H.	9308190023*	50-123 P
TONET, N.R.	9308130056*	50-334 P	VISSING, G.S.	9308260102	50-336 P	WEISS, S.H.	9308310037*	50-150 P
TOPE, F.R.	9308250025	PR	VITKUS, T.J.	9308040112	50-322 P	WELTY, C.G.	9308300182*	70-139
TOSCH, K.	9308310032	50-354 P	VITKUS, T.J.	9308040118*	50-322 P	WENZINGER, E.C.	9308020001	50-387 Q
TOSCH, K.W.	9308100157	50-272 P	VO, T.V.	9308160303	50-261 Q	WENZINGER, E.C.	9308030071	50-352 Q
TOWNSEND, J.D.	9308190145	50-275 R	VONDRA, C.A.	9308200077	50-272 R	WENZINGER, E.C.	9308160081	50-387 Q
TOWSEND, J.D.	9308200277*	50-275 F	VONDRA, C.A.	9308020237	50-272 S	WENZINGER, E.C.	9308190033	50-272 Q
TRAGER, E.A.	9308120014	50-213 P	VONDRA, C.A.	9308190119	50-272 S	WENZINGER, E.C.	9308310097	50-352 Q
TRAMMELL, C.M.	9308030194	50-529 P	VONDRA, C.A.	9308190206	50-272 R	WENZINGER, E.C.	9308310163	50-277 Q
TRAMMELL, C.M.	9308060349	50-529 P	VONDRA, C.A.	9308300327	50-272 S	WERMIEL, J.S.	9308040156	REVIEW GR P
TRAMMELL, C.M.	9308110148	50-528 P	VOSBURG, D.A.	9308110130*	50-275 T	WERMIEL, J.S.	9308090286	50-295 P
TRAMMELL, C.M.	9308190348	50-529 P	VOTH, M.H.	9308020075	PR	WERMIEL, J.S.	9308200030	TOPREP
TRAN, L.N.	9308040142	50-528 P	WALDORF, H.	9308120259	40-2253	WERNICKE, B.P.	9308120116	CONTRACT
TRAN, L.N.	9308170350	50-528 Q	WALDORF, H.	9308120317	40-2253 Q	WERT, L.D.	9308050010*	50-321 Q
TRAN, L.N.	9308170424	50-528 Q	WALKER, R.A.	9308120012*	50-315 Q	WERT, L.D.	9308060140*	50-321 Q
TRAPP, J.M.	9308040031*	50-443 Q	WALKER, R.D.	9308020085	PR	WESLEY, D.A.	9308120034*	ORG
TRAPP, J.M.	9308190258*	50-213 Q	WALKER, R.D.	9308040235	50-445 P	WESSELE, E.	9308180035	50-275 F
TRAVIS, J.R.	9308160049	NUREG	WALKER, R.D.	9308040273	50-446 S	WESSMAN, R.H.	9308240092	ORG
TREMBLAY, L.A.	9308120344	50-271 F	WALKER, R.D.	9308180028	50-445 R	WEST, J.M.	9308180138*	WASTE MGT
TREMBLAY, L.A.	9308130090	50-271 P	WALLACE, W.T.	9308110291*	STATE PRO GR	WEST, J.W.	9308270010	40-3453
TREMBLAY, L.A.	9308250210	50-271 P	WALLIN, G.A.	9308130085	50-271 R	WESTERMAN, T.F.	9308020089*	50-313 Q
TREMBLAY, L.A.	9308260358	50-271 P	WALLOP, M.	9308020141*	COMMISSION	WESTRAC, C.	9308180128	NUREG
TRIMBLE, F.J.	9308130093	50-26C P	WALSH, L.A.	9308120030	TOPREP	WETTERHAHN, M.J.	9308270063	50-458 G
TRIPARD, G.E.	9308180184	50-27 P	WALTON, G.A.	9308050036*	50-390 Q	WETTERHAHN, M.J.	9308270063	50-458 G
TRIPARD, G.E.	9308200093	50-27 P	WALTON, G.A.	9308060158*	50-390 Q	WETTERHAHN, M.J.	9308260019	50-458 G
TROCINE, L.	9308050015*	50-250 Q	WAMBACH, T.V.	9308060333	52-2 Q	WETZEL, B.A.	9308020003	50-315 P
TROSKOSKI, W.	9308050102	50-286 Q	WAMBACH, T.V.	9308170355	52-2 Q	WETZEL, B.A.	9308240197	50-315 P
TROSKOSKI, W.	9308050144	50-265 Q	WAMBACH, T.V.	9308190043	72-2 Q	WHARTON, L.R.	9308110055	50-483 P
TROSKOSKI, W.	9308250450	70-27 P	WAMBACH, T.V.	9308200058	52-2 Q	WHARTON, L.R.	9308110061*	50-483 P
TROTTER, E.H.	9308090269	50-309 P	WAMBACH, T.V.	9308200240	52-2 Q	WHITE, B.	9308310126*	50-400 R
TROTTER, E.H.	9308160185	TOPREP	WANCZYK, R.J.	9308040281	50-271 S	WHITE, C.D.	9308160176	50-335 R
TROTTER, E.H.	9308200202	50-309 P	WANCZYK, R.J.	9308190021	50-271 S	WHITE, J.	9308020002*	50-387 Q
TROTTER, E.H.	9308310062	50-309 P	WANCZYK, R.J.	9308190039	50-271 S	WHITE, J.R.	9308160021	50-272 F
TROUP, G.L.	9308060135*	70-27 P	WANCZYK, R.J.	9308240014	50-271 S	WHITE, J.R.	9308190037*	50-272 Q
TROUP, G.L.	9308230134*	70-1113 F	WANG, A.	9308170338	50-213 P	WHITEHEAD, D.	9308270040	TOPREP
TROUTEN, C.K.	9308090276	50-341 P	WANG, A.B.	9308030350	50-213 P	WHITENER, H.L.	9308050020*	50-348 Q
TRUBATCH, S.L.	9308270070	I&E	WANG, A.B.	9308040105	50-213 P	WHITENER, H.L.	9308060092*	50-327 Q
TRUBATCH, S.L.	9308270070	I&E	WANG, A.B.	9308260039	50-213 P	WHITFORD, R.	9308190267	70-3070
TRUBATCH, S.L.	9308270070	I&E	WANDLER, M.E.	9308110240	71-361	WHITT, M.S.	9308190341	50-368 R
TSCHAECH, A.N.	9308240123	PR	WARD, D.C.	9308250353*	70-27 F	WHITTEMORE, C.H.	9308060285	50-328 S
TSUKIMURA, R.P.	9308230058	50-228 R	WARD, D.C.	9308270184	70-27 F	WHITTEMORE, C.H.	9308310278*	50-328 S
TUCKER, H.B.	9308120065*	50-413 P	WARE, C.T.	9308190245	50-410 F	WIDELL, R.C.	9308310189	50-302 H
TUCKMAN, M.S.	9308020145	PR	WAREMBORUG, D.W.	9308230027	PR	WIEBE, J.S.	9308100001	50-315 S
TUCKMAN, M.S.	9308120190	50-369 P	WAREMBORUG, D.W.	9308030155	50-267 H	WIEGERT, E.G.	9308170274	50-382 R
TUCKMAN, M.S.	9308130184	50-369 P	WAREMBORUG, D.W.	9308040110	50-267 P	WIELGUS, J.J.	9308250177	PR
TUCKMAN, M.S.	9308250420	50-269 P	WAREMBORUG, D.W.	9308050142	50-267 F	WIENS, L.A.	9308200166	50-269 S
TULENKO, J.S.	9308250081	PR	WAREMBORUG, D.W.	9308050149	50-267 F	WIENS, L.A.	9308240070	50-269 P
TURNER, D.R.	9308160184	NUREG	WAREMBORUG, D.W.	9308090265	50-267 Q	WIGGING, E.J.	9308250266	CONTRACT
ULERY, S.H.	9308240011	40-3453	WAREMBORUG, D.W.	9308110197	50-267 W	WIGGINGTON, D.L.	9308170356	50-382 P
ULLRICH, E.	9308030293	40-6329	WAREMBORUG, D.W.	9308110329	50-267 W	WIGGINGTON, D.L.	9308300275	50-382 P
VAN BRUNT, C.F.	9308020226	40-2259	WAREMBORUG, D.W.	9308170266	50-267 W	WIGGINS, E.J.	9308250151	CONTRACT
VAN DE BOGAARD	9308160054	NUREG	WAREMBORUG, D.W.	9308240301	50-267 F	WIGGINS, E.J.	9308250165	CONTRACT
VAN DOORN, P.K.	9308060128*	50-369 Q	WARNER, C.J.	9308110120	50-275 T	WIGGINS, E.J.	9308310187	CONTRACT
VAN DOORN, P.K.	9308230175*	50-369 Q	WARNER, C.J.	9308110120	50-275 T	WIGGINGTON, D.L.	9308090326	50-382 P
VANDENBURGH, C.	9308160006	50-206 Q	WARNER, C.J.	9308160033	50-275 G	WIGGINGTON, D.L.	9308190146	50-382 P
VANDENBURGH, C.	9308160100	50-528 Q	WARNER, C.J.	9308160033	50-275 G	WIGGINGTON, D.L.	9308190252	50-382 P
VANDENBURGH, C.	9308160118	50-528 Q	WARREN, C.C.	9308050109	50-325 S	WIGGINGTON, D.L.	9308200207	50-382 P
VANDENBURGH, C.	9308160124	50-275 Q	WARREN, C.C.	9308160089	50-325 S	WIGGINGTON, D.L.	9308250320	50-382 P
VANDENBURGH, C.	9308160155	50-344 Q	WARREN, C.C.	9308240206*	WASTE MGT	WILCOXEN, J.G.	9308090073	40-8027
VANDENBURGH, C.	9308250389	50-312 Q	WARREN, J.	9308190002	40-3453	WILCOXEN, J.G.	9308090073	40-8027
VANDENBURGH, C.	9308030080	50-344 Q	WASON, B.	9308240144	PR	WILKINS, J.E.	9308120203	ADVCM
VARGA, S.A.	9308040042	50-261 F	WASTLER, S.L.	9308250364	40-8989	WILKINS, J.E.	9308240026	ACRS
VARGA, S.A.	9308100267	50-424 P	WATERS, D.B.	9308260327	50-261 P	WILKINS, J.E.	9308240028	ACRS
VARGA, S.A.	9308310356*	50-328 P	WATSON, P.	9308170125*	50-324 P	WILKINSON, I.E.	9308040058	QA999
VAUGHAN, R.C.	9308230101	50-201 P	WAY, R.D.	9308200292	40-7102	WILKOWSKI, G.	9308120156	CONTRACT
VAYSSIER, G.	9308040115*	52-2 Q	WEBER, G.F.	9308160318	50-316 S	WILLIAMS, D.C.	9308030224	ORG
VERNETSON, W.G.	9308020153*	PR	WEBER, M.F.	9308190111	WASTE MGT	WILLIAMS, F.J.	9308030399	50-247 P
VERNETSON, W.G.	9308060149	50-83 H	WEBSTER, S.A.	9308110396*	50-368 P	WILLIAMS, F.J.	9308060257	50-247 P
VERNETSON, W.G.	9308160046	PR	WEHRY, R.R.	9308170069	50-387 S	WILLIAMS, F.J.	9308120018	50-247 P
VERNETSON, W.G.	9308250046	PR	WEINBERG, R.	9308060366	50-458 M	WILLIAMS, F.J.	9308240050	50-247 P
VERNETSON, W.G.	9308250081	PR	WEINBERG, R.	9308060366	50-458 M	WILLIAMS, J.F.	9308050145	50-259 F
VERRELLI, D.M.	9308050007	50-400 Q	WEISS, N.	9308270123*	70-139	WILLIAMS, M.	9308170215	50-482 R
VERRELLI, D.M.	9308050058	50-400 Q	WEISS, N.	9308300221*	70-139	WILLIAMS, M.J.	9308240114	PR
VERRELLI, D.M.	9308050064	50-261 Q	WEISS, N.	9308300231*	70-139	WILLIAMS, P.M.	9308300103	PRQJ
VERRELLI, D.M.	9308050110	50-395 Q	WEISS, N.	9308300298*	70-139	WILLIAMS, R.A.	9308170440*	50-269 R
VERRELLI, D.M.	9308060106	50-348 Q	WEISS, N.	9308300304*	70-139	WILLIAMS, R.A.	9308170445*	50-369 R

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
WILLIAMS,R.A.	9308180203*	50-413 R	WOODLAN,D.R.	9308100230	50-445 R	YOUNG,D.L.	9308110115*	50-443 F
WILSON,D.	9308240281	50-331	WOODLAN,D.R.	9308130037	50-445 F	YOUNG,B.J.	9308250478*	CONTRACT
WILSON,J.H.	9308160139	PROJ	WOODLAN,D.R.	9308230154	50-445 F	YOUNG,D.L.	9308110114*	50-443 F
WILSON,J.H.	9308260234	PROJ	WOODRUFF,R.L.	9308060068	STATE PRO G	YOUNG,J.S.	9308120095	50-423 R
WILSON,J.N.	9308110187	52-4	WOODRUFF,R.L.	9308100047	I&E	YOUNG,K.A.	9308190198	50-387
WILSON,J.N.	9308120019	52-1	WOODRUFF,R.L.	9308110341*	STATE PRO G	YOUNG,K.D.	9308090349	50-331 F
WILSON,J.N.	9308190074	52-4	WOODS,L.J.	9308300356*	50-400 P	YOUNG,K.D.	9308110218	50-331 O
WILSON,R.C.	9308190088*	QA999	WOODWARD,J.D.	9308040227	50-348 H	YOUNG,K.D.	9308170379	50-331 P
WILSON,S.K.	9308040186*	40-1020	WOODWARD,R.	9308240281	50-331 R	YOUNG,K.D.	9308190013	50-331 P
WILSON,S.K.	9308040189*	40-1020	WOOSTER,K.A.	9308110040	50-155 F	YOUNG,K.D.	9308300044	50-331 H
WILSON,T.L.	9308160049	NUREG	WOUDSTRA,A.	9308160054	NUREG	YOUNG,M.A.	9308110098	50-424 G
WILSON,Z.D.	9308020126	50-458 M	WRENN,M.E.	9308110364	40-8778	YOUNG,M.A.	9308110103	50-424 G
WINSLOW,T.P.	9308060312	70-1113	WRENN,M.E.	9308110370*	40-8778	YOUNGBLOOD,B.J.	9308190330	WASTE MGT
WINSLOW,T.P.	9308240159	PR	WRIGHT,A.L.	9308160298	NUREG	YOUNGBLOOD,B.J.	9308270173	WASTE MGT
WINTERS,L.	9308160307	NUREG	WRIGHT,F.N.	9308060122*	50-269 Q	YOUNGBLOOD,B.J.	9308310285	WASTE MGT
WISEMAN,G.R.	9308060092*	50-327 Q	WRIGHT,F.N.	9308250360*	50-395 Q	ZABIELSKI,V.	9308190193	50-354 R
WISEMAN,G.R.	9308060194*	50-280 Q	WRIGHT,G.C.	9308100082	50-305 Q	ZACHMEYER,D.	9308270309*	ORG
WITHEE,C.J.	9308030190	71-9230	WRIGHT,G.C.	9308120010	50-315 Q	ZACHMEYER,D.M.	9308270337*	CONTRACT
WODTHE,H.	9308030170	50-255 H	WRIGHT,G.C.	9308120011*	50-315 Q	ZAHAROFF,M.	9308250299	CONTRACT
WOLF,C.	9308250179	CONTRACT	WRIGHT,G.C.	9308310025	50-282 Q	ZAHAROFF,M.	9308260041	CONTRACT
WOLFGONG,J.R.	9308160298	NUREG	WRIGHT,P.	9308170125*	50-324 P	ZAHIRIEH,S.	9308310194	CONTRACT
WOLVERTON,...M.	9308090119*	WASTE MGT	WRIGHT,R.W.	9308270037*	50-416 Q	ZAHIRIEH,S.	9308310179	CONTRACT
WONG,H.	9308160119*	50-528 Q	WRIGHT,R.W.	9308300144*	50-395 P	ZECH,G.G.	9308260138	QA999
WONG,H.J.	9308160010*	50-206 Q	WUNDER,G.F.	9308170330	50-395 P	ZEILER,J.	9308050080*	50-413 O
WONG,H.J.	9308250419*	50-312 Q	WUNDER,G.F.	9308250474	50-395 P	ZEILER,J.	9308060181*	50-413 O
WONG,M.L.	9308020090	PR	YAKLE,J.	9308270040	TOPREP	ZELIG,C.	9308190070*	50-254 O
WOOD,J.K.	9308050217	50-346 S	YANDELL,L.A.	9308110082*	50-445 Q	ZERINGUE,O.J.	9308060321	50-259 O
WOOD,J.K.	9308090171	50-346 S	YANKIN,J.G.	9308160272	NUREG	ZERINGUE,O.J.	9308110076	50-259 O
WOOD,J.K.	9308190129	50-346 R	YARDUMIAN,J.	9308160105	NUREG	ZERINGUE,O.J.	9308190359	50-259 R
WOOD,J.K.	9308200233	50-346 R	YARDUMIAN,J.	9308180081*	70-1257	ZERINGUE,O.J.	9308240030	50-259 Q
WOOD,J.K.	9308260183	50-346 R	YELVERTON,J.W.	9308050050	50-313 P	ZERINGUE,O.J.	9308240352	50-259 P
WOOD,R.S.	9308270067	50-295 J	YELVERTON,J.W.	9308110390	50-368 P	ZERR,L.	9308040298	MISC
WOODALL,D.M.	9308160117	PR	YIN,I.	9308250187*	50-305 Q	ZIELINSKI,K.	9308130177	50-255 F
WOODARD,J.D.	9308020054	50-348 H	YORK,J.	9308050053*	50-338 Q	ZIMMERMAN,R.P.	9308130148	ORG
WOODBURN,J.D.	9308020016*	50-263 P	YORK,J.	9308250246*	50-338 Q	ZIMMERMAN,R.P.	9308160302	QA999
						ZIMMERMAN,R.P.	9308160302	QA999
						ZWOLINSKI,J.A.	9308040149*	50-315 P
						ZWOLINSKI,J.A.	9308190047*	50-315 P
						ZWOLINSKI,J.A.	9308260244*	50-295 P

CORPORATE SOURCE INDEX

The subject category column in this index gives the docket number and the symbol for the category of information within that docket; for example, 50-232 P. The docket subject categories are defined in Appendix A.

Subject categories for nondocketed items are also entered in this column by symbol; for example, ACRS.

These categories are defined in Appendix B and listed in the Contents. An asterisk following the accession number in this index indicates that the document is an enclosure to another document. To obtain the accession number of the principal document under which the enclosure is listed, refer to the index entitled "Cross Reference of Enclosures to Principal Documents."

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
ABB Atom, Inc. (formerly ASEA Atom, Inc.)	9308190169	70-1100		9308040218	50-528 P
	9308230173	52-2		9308050031	PR
ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.)	9308020124	PR		9308060262	50-528 Q
	9308030004	52-2		9308060262	50-528 Q
	9308040154	52-2		9308060300	50-528 S
	9308100099	52-2		9308060303*	50-528
	9308110275	71-90		9308060355	50-528
	9308110286	PROJ		9308060355	50-528
	9308110396*	50-368 P		9308060359	50-528 Q
	9308190169	70-1100		9308090298	50-529 S
	9308230010*	50-368 P		9308100004	50-528
	9308230173	52-2		9308100036	50-528
	9308250231	CONTRACT		9308100042	50-528
ABB Power Distribution, Inc.	9308240142	PR		9308110078	50-528
AECL Technologies	9308060259	PROJ		9308110078	50-528
	9308230216*	PROJ		9308120186	50-529
	9308250031	CONTRACT		9308130103	50-528
AECL, Inc.	9308310086*	PROJ		9308130103	50-528
	9308120056*	NUREG		9308130103	50-528
ASEA Brown Boveri, Inc.	9308030004	52-2		9308130105*	50-528
	9308040154	52-2		9308130105*	50-528
	9308100099	52-2		9308130105*	50-528
	9308110196	70-1100		9308130105*	50-528
	9308110275	71-90		9308130110*	50-528
	9308110286	PROJ		9308130134	50-528
	9308230010*	50-368 P		9308130134	50-528
	9308230043*	50-293 Q		9308130134	50-528
AT&T	9308310187	CONTRACT		9308130140*	50-528
Administrative Conference of the U.S.	9308300064	PR		9308130140*	50-528
Advanced Medical Testing Systems, St. Louis, MO	9308130168	71-354		9308130140*	50-528
Advanced Process Technology	9308250302	CONTRACT		9308130141	50-528
Aerotest Operations, Inc.	9308230058	50-228 R		9308130141	50-528
Air Transport Association	9308020097	PR		9308130151	50-528
	9308020103*	PR		9308130151	50-528
Alabama, State of	9308020274	50-438 A		9308130151*	50-528
Allied Chemical Corp.	9308020078	PR		9308130159*	50-528
Allied-Signal Corp.	9308030161	40-3392		9308130159*	50-528
	9308050283	40-3392		9308130159*	50-528
Alpha Quality Services	9308020035	71-767		9308130174	50-528 P
American College of Nuclear Physicians	9308020118	PR		9308160026	PR
American College of Radiology	9308020112	PR		9308160125	50-529
American Council on Education	9308250171	PR		9308160130*	50-529
American Electric Power Service Corp.	9308130068	50-315 F		9308170438	50-528 S
American Mining Congress	9308020094	PR		9308190115	50-528
	9308250101	PR		9308190122*	50-528
American Nuclear Insurers	9308250047	I&E		9308190122*	50-528
American Nuclear Society	9308160041	PR		9308190122*	50-528
American Society for Engineering	9308250014	PR		9308190126*	50-528
Education				9308250005	50-528
American Society of Mechanical Engineers	9308200281	NUREG		9308250006	50-528
Amersham Corp.	9308090029	71-9167		9308310239	50-529
	9308160253	71-40	Arizona State Univ., Tempe, AZ	9308250428	CONTRACT
	9308190177	71-9167	Army, Dept. of	9308020087	PR
	9308250282	71-9165	Army, Dept. of, Corps of Engineers	9308120268	40-2253
	9308260073	71-9187		9308120279	40-2253
Apgee Corp.	9308020026	PR		9308120283	40-2253
Applied Management Systems, Inc.	9308120210	CONTRACT		9308120290	40-2253
Applied Radiant Energy Corp. (formerly	9308250057	PR		9308120322	40-2253
American Novawood Corp.)				9308120370	40-2253
Argonne National Laboratory	9308160133	NUREG		9308230087	PR
Arizona Public Service Co. (formerly	9308020104	50-528 F	Atoms & Waste	9308270272*	ORG
Arizona Nuclear Power Project)			B&B Progressive Materials & Technologies Inc. (PROMATEC)		
	9308020166	50-528 S		9308270273*	ORG
	9308040015	50-528 S		9308270279*	ORG
	9308040024	50-528 S		9308270281*	ORG
	9308040039	50-530 S		9308270284*	ORG

252 CORPORATE SOURCE INDEX

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
	9308270288*	ORG		9308120156	CONTRACT
	9308270290*	ORG		9308250027	70-8
	9308270296*	ORG		9308250041*	70-8
	9308270300*	ORG		9308250060*	70-8
	9308270302*	ORG	Battelle Memorial Institute, Pacific Northwest Laboratory	9306300289*	TOPREP
	9308270309*	ORG		9306300306*	TOPREP
	9308270313*	ORG		9308160263	NUREG
	9308270324*	ORG		9308160303	50-261
	9308270330*	ORG		9308180128	NUREG
	9308270332*	ORG			
	9308270337*	ORG	Bechtel Corp.	9308130059*	ORG
	9308270340*	ORG	Benton County, WA	9308230045	PR
	9308270342*	ORG	Berthold Systems, Inc.	9308020024	PR
	9308270345*	ORG	Beth Israel Medical Center, New York, NY	9308090146*	70-1403
	9308270346*	ORG	Boeing Computer Services Co. (div. of Boeing Co.)	9308100171	QA999
	9308270347*	ORG			
	9308270348*	ORG		9308260144	PT21
	9308270350*	ORG	Boston College, Chestnut Hill, MA	9308250308	CONTRACT
	9308270352*	ORG	Boston Edison Co.	9308020073	50-293
	9308270354*	ORG		9308030045*	50-293
	9308270355*	ORG		9308030195	50-293
	9308270357*	ORG		9308040123	50-293
B&W Fuel Co.	9308020046	PR		9308050021	50-293
BIW Cable Systems, Inc.	9308300153	PT21		9308100126	50-293
BWR Owners Group	9308020159	PR		9308160048	50-293
	9308160218	50-459		9308160066	50-293
	9308180206	TOPREP		9308160069*	50-293
Babcock & Wilcox Co.	9308020138	PR		9308190085	50-293
	9308030372	50-3		9308190183	50-293
	9308040214	70-27		9308200068	50-293
	9308060179	70-27		9308200179	50-293
	9308100188	70-27		9308230007	50-293
	9308160134	70-27		9308230030*	50-293
	9308160286	70-27		9308230098	PR
	9308170285	70-27		9308250202	50-293
	9308180059	70-135		9308250206	50-293
	9308190208	70-135		9308250322	50-293
	9308190240	70-27		9308260002	50-293
	9308200304	70-135		9308300151	50-293
	9308240364	70-824		9308300158	50-293
	9308250126	PR	Brand, Beeny, Berger & Whittier	9308060336	50-458
	9308250353*	70-27	Braun Intertec Engineering, Inc.	9308020041	PR
	9308250362	50-289	(formerly Braun Engineering Testing, Brookhaven National Laboratory)		
	9308250369	70-27		9308160137	NUREG
	9308270084	70-27		9308300320	RES
	9308270184	70-27	Brown Univ., Providence, RI	9308160294	NUREG
	9308300123	70-135	C-E Operating Plants Owners Group	9308180251	TOPREP
Babcock & Wilcox Operating Plants Owners Group	9308090306	PROJ	CER Corp.	9308130075*	WASTE MGT
			CEXEC, Inc.	9308250197	CONTRACT
	9308100064	TOPREP	CVI Corp. (subs. of Pennwalt Corp.)	9308250009	50-445
	9308130124	TOPREP	Cajun Electric Power Cooperative, Inc.	9308090177	50-458
	9308170188	PROJ		9308250084	50-458
Baltimore Gas & Electric Co.	9308030140	50-317		9308250183*	50-458
	9308030179	50-317	California Institute of Technology, Pasadena, CA	9308120116	CONTRACT
	9308030179	50-317			
	9308030184*	50-317	California, State of	9308060332	50-275
	9308030184*	50-317	California, Univ. of, Irvine, CA	9308100191	50-326
	9308030295	50-317		9308250037	PR
	9308030295	50-317	California, Univ. of, Los Angeles, CA	9308060344	50-142
	9308040253	50-317	Carolina Power & Light Co.	9308020091	PR
	9308050096	50-317		9308020156	PR
	9308050202	50-317		9308020220	50-400
	9308050202	50-317		9308030261	50-261
	9308050203*	50-317		9308040084	50-400
	9308090144	50-317		9308040169	50-400
	9308090144	50-317		9308040174*	50-400
	9308090150	50-317		9308050104	50-324
	9308090150	50-317		9308050104	50-324
	9308100177	71-5805		9308050109	50-325
	9308120214	50-317		9308050140	50-261
	9308170446	50-317		9308050159	50-324
	9308180149	50-317		9308050181	50-400
	9308180171*	50-317		9308050253	50-400
	9308180172*	50-317		9308050279	50-261
	9308180174*	50-317		9308090257	50-261
	9308180174*	50-317		9308100104	50-261
	9308190196	50-318		9308100115	50-324
	9308190200*	50-318		9308100199	50-171
	9308200307	50-317		9308100210	50-261
	9308230204	50-317		9308100213	50-400
	9308300082	50-317		9308100215	50-261
	9308300084*	50-317		9308100217*	50-261
	9308300084*	50-317		9308100227	50-325
	9308300085*	50-317		9308160089	50-325
Battelle Human Affairs Research Centers	9308180128	NUREG		9308160101	50-261
	9308260037	CONTRACT		9308160182	50-400
Battelle Memorial Institute	9308090255	70-8		9308170089	50-324
Battelle Memorial Institute, Columbus Laboratories				9308170102	50-261
	9308120101*	NUREG		9308170116	50-324

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
	9308170116	50-324	Central Michigan Univ., Mt. Pleasant, MI	9308250018	PR
	9308170125*	50-324	Central Power & Light	9308180230*	50-498
	9308170130*	50-324	Chem-Nuclear Systems, Inc.	9308270191	50-261
	9308170137*	50-324	Cherokee Nation	9308090073	40-8027
	9308170141*	50-324		9308110112	40-8027
	9308170190	50-324		9308110191*	40-8027
	9308170204	50-324		9308240118	PR
	9308170432	50-324	Cincinnati, Univ. of, Cincinnati, OH	9308250025	PR
	9308180092	50-261	Cintichem, Inc.	9308090239	50-54
	9308190247	50-324	Citizens' Utility Board	9308300061	PR
	9308230318	50-261		9308030060	PR
	9308230318	50-261	Clark County, NV	9308230101	50-201
	9308260316	50-400	Coalition on West Valley Nuclear Wastes	9308020065	PR
	9308260322*	50-400	Colorado, State of	9308230038	PR
	9308260327	50-261	Coltec Industries, Inc.	9308190011	50-354
	9308260342	50-261		9308250321	CONTRACT
	9308260342	50-261	CommCore, Inc.	9308090263*	ORG
	9308260342	50-261	Commerce, Dept. of	9308020040	PR
	9308270070	I&E	Commonwealth Edison Co.	9308020146	50-237
	9308270181	50-324		9308020149*	50-237
	9308300278	50-325		9308030176	50-373
	9308300280*	50-325		9308040190	50-456
	9308300316	50-261		9308040232	50-295
	9308300354	50-400		9308040232	50-295
	9308300356*	50-400		9308040325	50-237
	9308310105	50-400		9308040325	50-237
	9308310126*	50-400		9308040325	50-237
	9308310130	50-324		9308050162	50-237
	9308310130	50-324		9308050162	50-237
	9308310135*	50-324			
	9308310135*	50-324		9308050177	50-265
	9308310136*	50-400		9308050180*	50-265
	9308310218	50-324		9308050282	50-295
	9308240252	XPORTLIC		9308050282	50-295
	9308240258*	XPORTLIC		9308050286	50-10
Carpenter Technology Corp.					
Center for Nuclear Waste Regulatory Analyses	9308020027	WASTE MGT		9308050300	50-10
	9308050235	WASTE MGT		9308060354	50-254
	9308120146*	WASTE MGT		9308060358	50-237
	9308120218	WASTE MGT		9308090225	50-295
	9308120254	WASTE MGT		9308090236	50-249
	9308120386	WASTE MGT			
	9308120389	WASTE MGT		9308090283	50-254
	9308130102	WASTE MGT		9308090289	50-254
	9308130107*	WASTE MGT		9308090295	50-373
	9308130126	WASTE MGT		9308090299*	50-295
	9308130130	WASTE MGT			
	9308160184	NUREG		9308090305	50-10
	9308180173	WASTE MGT		9308090313*	50-10
	9308180175*	WASTE MGT		9308090313*	50-10
	9308200201	WASTE MGT		9308090313*	50-10
	9308200206*	WASTE MGT		9308090319	50-295
	9308260093*	WASTE MGT			
	9308260162	WASTE MGT		9308090320*	50-295
	9308260192*	WASTE MGT		9308090330	50-254
				9308090337*	50-254
				9308090343	50-373
				9308090345*	50-373
Centerior Energy	9308020147	50-346		9308090348	50-456
	9308030272	50-440		9308100111	50-237
	9308030417	50-440		9308100122	50-373
	9308030417	50-440		9308100122	50-373
	9308030418*	50-440		9308100156	50-295
	9308030418*	50-440			
	9308040270	50-440		9308100156	50-295
	9308050074	50-346		9308100156	50-295
	9308050077*	50-346		9308100156	50-295
	9308060150	50-346		9308100156	50-295
	9308060201	50-440			
	9308090221	50-440		9308100184	50-249
	9308090222*	50-440		9308100190	50-237
	9308110124	50-346		9308100190	50-237
	9308110168	50-440		9308100190	50-237
	9308110326	50-440		9308100190	50-237
	9308170201	50-440		9308100190	50-237
	9308170235	50-346		9308100190	50-237
	9308190048	REVIEW GR		9308100190	50-237
	9308190108	50-440		9308100190	50-237
	9308190341	50-368			
	9308190356	50-440		9308100190	50-237
	9308200032	50-346		9308120033	50-304
	9308200170	50-346		9308120144	50-456
	9308230142	50-440		9308160051	50-10
	9308250222	50-440			
	9308250343	50-440		9308160051	50-10
	9308260351	50-346		9308160055*	50-10
	9308310146	50-346		9308160120	50-249
	9308310154	50-346		9308160219	50-254
				9308160219	50-254
	9308310155	50-346			
	9308310165	50-346		9308160233	50-457
	9308310168	50-346		9308160369	50-456
	9308270070	I&E		9308160380	50-373
Centerior Service Co.				9308170221	50-454

254 CORPORATE SOURCE INDEX

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
	9308170260	50-454		9308260021	50-237
	9308170283	50-10		9308260021	50-237
	9308170283	50-10		9308260021	50-237
	9308170283	50-10		9308260021	50-237
	9308170324	50-295		9308260066	50-237
	9308170324	50-295		9308260066	50-237
	9308180006	50-10		9308260066	50-237
	9308180006	50-10		9308260066	50-237
	9308180006	50-10		9308260076	50-254
	9308180071	50-454		9308270098	50-237
	9308180075	50-456		9308270103*	50-237
	9308180097	50-254		9308300071	50-295
	9308180110	50-237		9308300071	50-295
	9308180110	50-237		9308300075*	50-295
	9308180122	50-373		9308300081	50-304
	9308180182	50-237		9308300150	50-237
	9308180215	50-454		9308300150	50-237
	9308180215	50-454		9308300150	50-237
	9308180215	50-454		9308300150	50-237
	9308180215	50-454		9308300212	50-10
	9308180226*	50-454		9308300229*	50-10
	9308180226*	50-454		9308300229*	50-10
	9308180226*	50-454		9308300229*	50-10
	9308180226*	50-454		9308300294	50-265
	9308190007	50-237		9308300297*	50-265
	9308190153	50-254		9308300310	50-295
	9308190292	ORG		9308300310	50-295
	9308200110	50-373		9308300314*	50-295
	9308200310	REVIEW GR		9308300314*	50-295
	9308230031	50-10		9308310053	50-10
	9308230042	50-373		9308310053	50-10
	9308230105	50-456		9308310197	50-254
	9308230105	50-456		9308310201*	50-254
	9308230113	50-10		9308310211	50-456
	9308230113	50-10		9308310211	50-456
	9308230113	50-10		9308310228	50-304
	9308230113	50-10		9308310234	50-265
	9308230113	50-10		9308110382	70-27
	9308230113	50-10		9308020106	PR
	9308230113	50-10		9308020242	50-213
	9308230113	50-10		9308020260*	50-213
	9308230113	50-10		9308020261	50-213
	9308230113	50-10		9308060197	50-213
	9308230113	50-10		9308060337	50-213
	9308230114*	50-10		9308090152	50-213
	9308230114*	50-10		9308090234	50-213
	9308230114*	50-10		9308090244	50-213
	9308230114*	50-10		9308110236	50-213
	9308230114*	50-10		9308160082	50-213
	9308230114*	50-10		9308160085*	50-213
	9308230114*	50-10		9308160205	50-213
	9308230114*	50-10		9308190142	50-213
	9308230114*	50-10		9308200057	50-213
	9308230120	50-456		9308200095	50-213
	9308230120	50-456		9308200331	50-213
	9308230136	50-237		9308230006	50-213
	9308230136	50-237		9308230194	50-213
	9308230136	50-237		9308230198*	50-213
	9308230136	50-237		9308240127	50-213
	9308230136	50-237		9308240213	50-213
	9308230136	50-237		9308240360	50-213
	9308230153	50-373		9308240361*	50-213
	9308230153	50-373		9308260280	50-213
	9308230164*	50-373		9308260283	50-213
	9308230164*	50-373		9308270193	STATE PRO
	9308240021	50-254		9308040122	50-247
	9308240039	50-254		9308100145	50-3
	9308250062	50-457		9308130182	50-247
	9308250277	50-295		9308200154	50-3
	9308250277	50-295		9308230199	50-247
	9308250283*	50-295		9308260148	50-247
	9308250293*	50-295		9308270048	50-3
	9308250293*	50-295		9308270048	50-3
	9308250469	50-237		9308270071*	50-3
	9308250477	50-295		9308270071*	50-3
	9308250477	50-295		9308030089	50-255
	9308260010	50-254		9308030182*	50-255
	9308260010	50-254		9308040229	50-255
	9308260015*	50-254		9308050191	50-255
	9308260016*	50-254		9308100222	50-255
	9308260021	50-237		9308110001	50-155
	9308260021	50-237		9308110040	50-155
	9308260021	50-237		9308110087	50-155
	9308260021	50-237		9308110099*	50-155
	9308260021	50-237		9308120107	50-155
	9308260021	50-237		9308120130	50-155
	9308260021	50-237		9308120134*	50-155
	9308260021	50-237		9308120337*	50-155

Confidential Service
Connecticut Yankee Atomic Power Co.

Connecticut, State of
Consolidated Edison Co. of New York, Inc.

Consumers Power Co.

CORPORATE SOURCE INDEX 255

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
	9308130095	50-255		9308120180	50-369
	9308130098	50-255		9308120190	50-369
	9308130112	50-255		9308120190	50-369
	9308130167	50-155		9308120350	50-269
	9308130177	50-255		9308130120	50-269
	9308160235	50-155		9308130184	50-369
	9308160238*	50-155		9308130184	50-369
	9308160239*	50-155		9308130184	50-369
	9308160251	50-155		9308130184	50-369
	9308170161	50-155		9308160224	50-369
	9308170177	50-155		9308160234*	50-369
	9308170281	50-155		9308160358	50-369
	9308170435	50-155		9308160373	50-413
	9308240102	50-255		9308170027	50-413
	9308240327	50-255		9308170027	50-413
	9308250268	50-255		9308170034	50-413
	9308260001	50-155		9308170152	50-269
	9308260166	50-255		9308170152	50-269
	9308270036	I&E		9308170152	50-269
	9308270116	50-155		9308170298	50-270
	9308310204	50-155		9308170437	50-269
	9308200253	QA999		9308170440*	50-269
	9308020082	PR		9308170440*	50-269
	9308160154	PR		9308170440*	50-269
	9308160161	PR		9308170442*	50-269
	9308110086	40-2061		9308170442*	50-269
	9308110091*	40-2061		9308170442*	50-269
	9308050192	50-409		9308170444	50-369
	9308170297	50-409		9308170445*	50-369
	9308230091	50-409		9308170447*	50-369
	9308230097*	50-409		9308180021	STATE PRO
	9308200123	STATE PRO		9308180096	50-270
	9308250189	CONTRACT		9308180140*	50-269
	9308120208	CONTRACT		9308180197	50-413
	9308040184	50-170		9308180197	50-413
	9308100268	50-170		9308180203*	50-413
	9308030204	50-341		9308180212*	50-413
	9308030211*	50-341		9308190073	50-369
	9308030237	50-341		9308190075*	50-369
	9308030421	50-341		9308190223	50-413
	9308030422*	50-341		9308190223	50-413
	9308050291	50-16		9308190231*	50-413
	9308050294	50-341		9308190231*	50-413
	9308060148*	50-341		9308200046	50-269
	9308060162*	50-341		9308200046	50-269
	9308090212	50-341		9308200046	50-269
	9308090276	50-341		9308230088	50-270
	9308100182	50-341		9308240077	50-269
	9308180024	50-341		9308240077	50-269
	9308180137	50-341		9308240077	50-269
	9308180142	50-341		9308240330	50-369
	9308190087	50-341		9308250013	50-413
	9308310133	50-341		9308250097	50-269
	9308310188	50-341		9308250122	50-269
	9308310193	50-341		9308250181	50-413
	9308020034	50-458		9308250181	50-413
	9308260256	COMMISSIO		9308250316	50-270
	9308020120	50-269		9308250420	50-269
	9308020145	PR		9308250420	50-269
	9308020148	50-369		9308250420	50-269
	9308040037	50-269		9308250479	50-269
	9308040153	50-269		9308250479	50-269
	9308040153	50-269		9308250479	50-269
	9308040153	50-269		9308260043	50-269
	9308050027	50-369		9308260043	50-269
	9308050122	50-269		9308260043	50-269
	9308050124*	50-269		9308260043	50-269
	9308050124*	50-269		9308260230	50-370
	9308050124*	50-269		9308260321*	50-370
	9308050261	50-269		9308260330*	50-370
	9308050261	50-269		9308300331	50-370
	9308050261	50-269		9308300341	50-370
	9308060226	50-413		9308310214	50-269
	9308090228	50-269		9308310215	50-369
	9308090300	50-413		9308310224	50-370
	9308090310	50-269		9308310227	50-369
	9308100162	50-269		9308250183*	50-458
	9308100162	50-269		9308060366	50-458
	9308100162	50-269			
	9308100170*	50-269		9308090177	50-458
	9308100170*	50-269		9308250084	50-458
	9308100170*	50-269		9308020129	PR
	9308100262	50-269		9308020168	50-334
	9308100262	50-269		9308030149	50-334
	9308100262	50-269		9308030149	50-334
	9308110193	50-413		9308030392	50-334
	9308110193	50-413		9308030394*	50-334
	9308110212	50-413		9308050126	50-334
	9308120190	50-369		9308050128	50-334
Continuum Dynamics, Inc.					
Cornell College, Mt. Vernon, IA					
Cornell Univ., Ithaca, NY					
Covington & Burling					
Dairyland Power Cooperative					
Darchem Engineering, Inc.					
Data General Corp.					
Data Procurement Corp., Inc.					
Defense, Dept. of, Defense Nuclear Agenc					
Detroit Edison Co.					
Dewey Ballantine					
Don't Waste New York					
Duke Power Co.					

256 CORPORATE SOURCE INDEX

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
	9308100276	50-334		9308180158	WASTE MGT
	9308100276	50-334		9308180163*	WASTE MGT
	9308130056*	50-334		9308180228	WASTE MGT
	9308130057	50-334		9308180275*	WASTE MGT
	9308130057	50-334		9308190097	WASTE MGT
	9308130061	50-334		9308190104*	WASTE MGT
	9308130061	50-334		9308190333*	WASTE MGT
	9308130077	50-334		9308200144	WASTE MGT
	9308160194	50-334		9308200185	WASTE MGT
	9308160194	50-334		9308230017	PR
	9308170401	50-334		9308230036	PR
	9308180179	50-334		9308240173	WASTE MGT
	9308230308	50-334		9308240204	WASTE MGT
	9308230313	50-334		9308240205	WASTE MGT
	9308250394	50-334		9308240206*	WASTE MGT
	9308250394	50-334		9308240210	WASTE MGT
	9308300342	50-334		9308240265	XPORTLIC
	9308300343*	50-334		9308240272*	XPORTLIC
	9308300357	50-334		9308260116*	COMMISSIO
	9308310242	50-334		9308260121	WASTE MGT
EG&G Idaho, Inc.	9308160131	NUREG		9308260159	WASTE MGT
	9308230074*	50-260		9308270297	WASTE MGT
EQE International	9308240310*	50-289		9308300103	PROJ
EQE, Inc.	9308050123	PR		9308300350	WASTE MGT
Earthtech, Inc.	9308300067	PR		9308300352*	WASTE MGT
Eastern Michigan Univ., Ypsilanti, MI	9308020092	PR		9308310145	WASTE MGT
Ebasco Services, Inc.	9308020070	PR		9308310173	40-6500
	9308260374*	50-335		9308310284*	WASTE MGT
Edison Electric Institute	9308230063	PR	Engelhard Corp.	9308050295	70-139
	9308300051	PR		9308120072*	70-139
Edlow International Co.	9308110163	70-1252		9308120148*	70-139
	9308240302*	XPORTLIC		9308200126*	70-139
Electric Power Research Institute	9308180004	NUREG		9308200270*	70-139
	9308200320	REVIEW GR		9308200289*	70-139
	9308240032	PROJ		9308240242*	70-139
Energy, Dept. of	9308020107	WASTE MGT		9308250452*	70-139
	9308020119	PR		9308260112*	70-139
	9308020121	PR		9308260149*	70-139
	9308040316	WASTE MGT		9308260357*	70-139
	9308040318	WASTE MGT		9308270123*	70-139
	9308040319	WASTE MGT		9308300193*	70-139
	9308050097	WASTE MGT		9308300221*	70-139
	9308050103*	WASTE MGT		9308300230*	70-139
	9308050107	WASTE MGT		9308300231*	70-139
	9308050112	WASTE MGT		9308300240*	70-139
	9308050271	WASTE MGT		9308300251*	70-139
	9308050285*	WASTE MGT		9308300256*	70-139
	9308050293*	WASTE MGT		9308300258*	70-139
	9308060165	WASTE MGT		9308300296*	70-139
	9308060214	WASTE MGT		9308300298*	70-139
	9308090057	WASTE MGT		9308300304*	70-139
	9308090061*	WASTE MGT		9308300323*	70-139
	9308090108	WASTE MGT	Entergy Operations, Inc.	9308310100*	70-139
	9308090119*	WASTE MGT		9307270153	50-416
	9308090174	WASTE MGT		9307270155*	50-416
	9308090231*	WASTE MGT		9308020087	PR
	9308110128	WASTE MGT		9308050050	50-313
	9308110194	WASTE MGT		9308050050	50-313
	9308110240	71-361		9308050059*	50-313
	9308110268	WASTE MGT		9308050059*	50-313
	9308110379	WASTE MGT		9308050113	50-313
	9308110386*	WASTE MGT		9308060375	50-416
	9308110402	WASTE MGT		9308090004	50-313
	9308120093*	NUREG		9308090153	50-313
	9308120153	WASTE MGT		9308090196	50-313
	9308120164	WASTE MGT		9308100265	50-416
	9308120173	WASTE MGT		9308110150	50-382
	9308120179	WASTE MGT		9308110153*	50-382
	9308120183*	WASTE MGT		9308110170	50-382
	9308120220	WASTE MGT		9308110175*	50-382
	9308120230*	WASTE MGT		9308110184	50-382
	9308120243	WASTE MGT		9308110188*	50-382
	9308120266	WASTE MGT		9308110203	50-313
	9308120353*	ORG		9308110208*	50-313
	9308130066	WASTE MGT		9308110390	50-368
	9308130073	WASTE MGT		9308110393*	50-368
	9308130075*	WASTE MGT		9308120070*	50-313
	9308130080	WASTE MGT		9308120159	50-416
	9308130099	WASTE MGT		9308120332	50-313
	9308130100*	WASTE MGT		9308120358	50-313
	9308130186	WASTE MGT		9308160214	50-382
	9308180060	WASTE MGT		9308160236	50-416
	9308180065	WASTE MGT		9308160281	50-416
	9308180073	WASTE MGT		9308160288*	50-416
	9308180079	WASTE MGT		9308160315	50-416
	9308180100	WASTE MGT		9308160330*	50-416
	9308180125	WASTE MGT		9308160346	50-416
	9308180133	WASTE MGT		9308170051	50-416
	9308180148	WASTE MGT		9308170076*	50-416

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY		AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	9308170274	50-382	R		9308300337	50-250	F
	9308180288	50-382	S		9308300337	50-250	F
	9308190352	50-313	R		9308300358	50-250	F
	9308190354*	50-313	R		9308310189	50-302	H
	9308190355*	50-313	R		9308310191	I&E	
	9308190357*	50-313	R		9308310229	50-335	R
	9308190358*	50-313	R	Florida Power Corp.	9308020196	50-302	O
	9308200019	NUREG			9308030005	50-302	F
	9308200109	50-313	P		9308030006	50-302	F
	9308200259	50-368	P		9308030250	50-302	F
	9308230008*	50-368	P		9308040176	50-302	S
	9308230009	50-368	P		9308050193	50-302	P
	9308230109	50-416	P		9308090325	50-302	O
	9308230121	50-368	O		9308180037	50-302	R
	9308230124*	50-368	O		9308180042	50-302	P
	9308230135*	50-416	P		9308180117	50-302	R
	9308230191	50-416	P		9308200181	50-302	F
	9308230205	50-382	R		9308250121	50-302	F
	9308230246	50-313	R		9308250429	50-302	F
	9308240025	50-313	R		9308250433	50-302	F
	9308240036	50-416	P		9308250436	50-302	F
	9308240065*	50-416	P		9308260057	50-302	F
	9308240130	50-416	P		9308300325	50-302	F
	9308240355	50-313	P	Florida, State of	9308020053	PR	
	9308250209	50-313	P		9308200173*	STATE PRO	G
	9308260179	50-382	P	Florida, Univ. of, Gainesville, FL	9308060149	50-83	H
	9308260182*	50-382	P		9308160046	PR	
	9308270011	I&E			9308250081	PR	
	9308270016	50-313	H	Fluid Components, Inc.	9308090275	QA999	
	9308300288	50-313	P		9308180055	QA999	
	9308300288	50-313	P	Future Resources Associates, Inc.	9308260048	CONTRACT	
	9308310205	50-313	P	GTI Corp.	9308250211	CONTRACT	
	9308310225	50-313	P	GZA GeoEnvironmental, Inc. (formerly	9308120363	40-1650	
	9308310225	50-313	P	Goldberg-Zoino & Associates, Inc. &			
	9308310225	50-313	P	Garvey, Schubert, Adams & Barer	9308090125	XPORTLIC	
	9308310275	50-416	F		9308090164	XPORTLIC	
	9308310277	50-416	R		9308250155	XPORTLIC	
	9308310279	50-416	R	General Accounting Office	9308090133*	COMMISSIO	N
	9308310286	50-416	R	General Atomics (formerly GA Technologie	9308090240*	XPORTLIC	
Envirocare of Utah, Inc.	9308020170	40-8989		s, Inc./General Atomic Co.)			
	9308170160	40-3453			9308090262*	XPORTLIC	
Envirocare, Inc.	9308170167	40-8989			9308100218	70-734	
Environmental Protection Agency	9308200332	40-8989			9308160015	PR	
	8809300177*	40-6664			9308160076	50-163	V
	9308200317	70-135			9308160352	50-163	S
	9308250336	50-443	P		9308240318*	PROJ	
European Communities, Commission of	9308270087	XPORTLIC			9308260221	70-734	
Florida Power & Light Co.	9308020127	PR			9308260338	70-734	
	9308020154	50-335	P		9308260345*	70-734	
	9308020154	50-335	P		9308270018*	70-734	
	9308020158*	50-335	P	Gen. Corp.	9308190284	71-220	
	9308020158*	50-335	P		9308190347*	71-220	
	9308050242	50-389	P	General Electric Co.	9308020155	TOPREP	
	9308060325	50-335	O		9308030191	52-1	
	9308060330*	50-335	O		9308030344	52-4	
	9308090242	50-335	F		9308040020	52-1	
	9308100124	50-389	O		9308040033*	52-1	
	9308100130*	50-389	O		9308040057	52-1	
	9308110149	50-302	O		9308040120	52-1	
	9308110237	50-389	O		9308040327	52-1	
	9308110239*	50-389	O		9308050197	52-1	
	9308110242*	50-389	O		9308050199	52-1	
	9308120087	50-335	P		9308050200*	52-1	
	9308120229	50-250	P		9308060312	70-1113	
	9308130169	50-335	P		9308090193	52-4	
	9308160160	50-250	P		9308090329	52-1	
	9308160176	50-335	P		9308090338*	52-1	
	9308160270	50-250	P		9308100206	71-9228	
	9308170104	50-250	P		9308100208*	71-9228	
	9308190092	50-250	H		9308100234*	50-325	Q
	9308190092	50-250	H		9308110247	52-1	
	9308190092	50-250	H		9308110252	52-1	
	9308230303	50-250	P		9308110367	52-1	
	9308230303	50-250	P		9308110376	52-1	
	9308260081	50-335	P		9308110380	52-1	
	9308260081	50-335	F		9308110388	52-1	
	9308260306	50-251	O		9308110394	52-1	
	9308260311*	50-251	O		9308110395*	52-1	
	9308260371	50-335	P		9308110397	52-1	
	9308300106	50-389	P		9308110399*	52-1	
	9308300109*	50-389	P		9308180046	52-2	
	9308300139	50-250	P		9308180049*	52-2	
	9308300163	50-250	P		9308190180	52-1	
	9308300163	50-250	P		9308230016*	50-293	Q
	9308300170*	50-250	P		9308240159	PR	
	9308300170*	50-250	P		9308260296	52-1	
	9308300181	50-250	P		9308260305	52-1	
	9308300181	50-250	P		9308260312	52-1	
	9308300191	50-251	P		9308260341	52-1	

258 CORPORATE SOURCE INDEX

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
General Nuclear Systems, Inc.	9308260352	52-1		9308160232	50-321	R
	9308310085	52-1		9308160379	50-321	R
	9308180012	71-231		9308160381*	50-321	O
	9308300219	PROJ		9308170228	50-424	R
General Physics Corp.	9308200327*	50-293	P	9308170399	50-321	O
General Public Utilities Corp. - GPU Service Corp.	9308030181	50-219	P	9308170399	50-321	O
	9308040148	50-289	P	9308190114	50-321	R
	9308050037	PR		9308190114	50-321	R
	9308050046	50-219	F	9308200024	50-424	R
	9308060195	50-289	P	9308200055	50-321	P
	9308060289	50-289	P	9308200278	50-321	O
	9308060291*	50-289	P	9308250035	50-366	S
	9308090210	50-289	S	9308260028	50-424	O
	9308120022	50-219	P	9308300261	50-321	R
				9308300284	50-321	F
	9308160083	50-320	P	9308300291	71-9159	
	9308160093*	50-320	P	9308300305	50-424	S
	9308160103*	50-320		9308310009	50-321	H
	9308160106	50-219	F	9308190235*	MISC	
	9308160109*	50-320	P	9308230090	PR	
	9308160190*	50-424	G	9308240147	PR	
	9308170296	50-289	P	9308120078*	NUREG	
	9308170316*	50-289	P	9308120084*	NUREG	
	9308170339*	50-289	P	9308310179	CONTRACT	
	9308190009	50-219	R	9308260019	50-458	G
	9308200169	50-289	R	9308050163	50-458	O
	9308200311	REVIEW GR	P	9308090001	50-458	S
	9308240305	50-289	F	9308090006	50-458	O
	9308250144	50-289	F	9308090246	50-458	R
	9308250200	50-289	F	9308100240	50-458	S
	9308250200	50-289	F	9308120016	50-458	F
	9308250309	50-219	P	9308120017*	50-458	F
	9308260074	50-320	P	9308190155	50-458	R
	9308260089	50-320	P	9308200163	50-458	F
	9308260190	50-289	F	9308250443	50-458	S
	9308270035	50-289	P	9308260302	50-458	S
	9308270041*	50-289	P	9308270063	50-458	S
	9308270042*	50-289	P	9308300114	50-458	O
	9308300066	50-219	K	9308300127	50-458	S
	9308310208	50-289	P	9308300130	50-458	O
General Services Administration Georgia Power Co.	9308310209*	50-289	P	9308300012	40-8968	
	9308310210*	50-289	P	9308250406	CONTRACT	
	9308250205	CONTRACT		9308090065	50-275	G
	9308020029	50-321	H			
	9308030133	50-424	P	9308090073	40-8027	
	9308030133	50-424	P	9308110112	40-8027	
	9308030201	50-321	Q	9308110191*	40-8027	
	9308030201	50-321	Q	9308160136	50-275	G
	9308030308	50-321	Q	9308160136	50-275	G
	9308030308	50-321	Q	9308160145*	50-275	G
	9308040203	50-321	P	9308160145*	50-275	G
	9308040203	50-321	P	9308240106	PR	
	9308040211	50-366	P	9308120045	CONTRACT	
	9308040216	50-424	F	9308020076	PR	
	9308040268	50-424	P			
	9308040268	50-424	P	9307200017*	50-293	U
	9308040271*	50-424	P	9308040196*	COMMISSIO	N
	9308040271*	50-424	P	9308060169*	PR	
	9308050136	50-321	P	9308110117*	ORG	
	9308050136	50-321	P	9308300197*	50-255	H
	9308050147*	50-321	P	9308110373*	ORG	
	9308050147*	50-321	P	9308110351*	STATE PRO	G
	9308050219	50-321	P	9308180219*	50-498	I
	9308050219	50-321	P	9308030143	50-499	S
	9308050224*	50-321	P	9308040108	50-498	F
	9308050224*	50-321	P	9308100154	50-498	P
	9308090052	50-424	G	9308100154	50-498	P
	9308090052	50-424	G	9308100164	50-498	P
	9308090105	50-424	G	9308100169	50-498	P
	9308090105	50-424	G	9308100174*	50-498	P
	9308090214	50-424	P	9308110073	50-498	S
	9308110074	50-424	G	9308110105	50-498	P
	9308110081	50-424	G	9308110105	50-498	P
	9308110101	50-424	G	9308110126	50-498	S
	9308110101	50-424	G	9308130043	50-498	F
	9308110101	50-424	G	9308130043	50-498	F
	9308110101	50-424	G	9308130046*	50-498	F
	9308110226	50-424	P	9308130046*	50-498	F
	9308110226	50-424	P	9308130146	50-498	F
	9308110232*	50-424	P	9308160167	50-498	R
	9308110232*	50-424	P	9308160167	50-498	R
	9308120065*	50-413	P	9308160183	50-498	F
	9308160149	50-424	G	9308160183	50-498	F
	9308160149	50-424	G	9308160306	50-498	P
	9308160151	50-424	G	9308170421	50-498	R
	9308160151	50-424	G	9308180213	50-498	I
	9308160169	50-321	G	9308180213	50-498	I
	9308160187	50-424	G	9308190116	50-498	P
	9308160187	50-424	G	9308190127*	50-498	P

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
	9308200303	50-499		9308110091*	40-2061
	9308260011	71-9239		9308090014	50-424
	9308300099	50-498			
Hunton & Williams	9308020138	PR	Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates)	9308110081	50-424
	9308250126	PR		9308110101	50-424
I-NET, Inc.	9308120202	CONTRACT		9308160149	50-424
	9308250179	CONTRACT		9308250049	50-424
IBM Corp.	9308310185	CONTRACT		9308250049	50-424
INTERA, Inc., Austin, TX (formerly INTER Technologies, Inc.)	9308190207	WASTE MGT		9308250263	50-424
				9308250263	50-424
Idaho State Univ., Pocatello, ID	9308160117	PR	Lake Michigan Federation	9308030053*	50-255
	9308250318	70-1374		9308300050	PR
Illinois Power Co.	9308030299	50-461	Law Engineering	9308130089	71-*****
	9308060136	50-461		9308130165	71-242
	9308060294	50-461	LeBoeuf, Lamb, Leiby & MacRae	9308110381	50-285
	9308100149	50-461	Lewis, M.	9308120007	REVIEW GR
	9308110352	50-461	Limiterque Corp.	9308040058	QA999
	9308170396	50-461	Long Island Lighting Co.	9308250271	50-322
	9308250178	50-461	Long Island Power Authority	9308060029	50-322
	9308260226	50-461		9308060037	50-322
	9308300119	50-461		9308090076	50-322
Illinois State Univ., Normal, IL	9308020064	PR		9308130097	50-322
Illinois, State of	9308020022	PR		9308230035	PR
	9308020058	PR		9308310057*	50-322
	9308110091*	40-2061	Los Alamos National Laboratory	9308160049	NUREG
	9308200180*	STATE PRO		9308200186*	WASTE MGT
	9308230034	PR		9308240146	PR
	9308250337	STATE PRO	Los Angeles Physicians for Social Responsibility		
	9308260223	REVIEW GR	Louisiana Energy Services	9308020072	PR
Illinois, Univ. of, Urbana, IL	9308160062	50-151		9308060102	70-3070
	9308160116	NUREG		9308060104*	70-3070
	9308160121	NUREG		9308060108*	70-3070
	9308160210*	50-151		9308060117*	70-3070
	9308160294	NUREG		9308060120*	70-3070
Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.)	9308020133	50-315		9308100204	70-3070
	9308020133	50-315		9308110221	70-3070
	9308020136*	50-315		9308300233	70-3070
	9308020256	50-315	Louisiana, State of	9308300237*	70-3070
	9308020256	50-315		9308020222	70-3070
				9308020267	70-3070
	9308100001	50-315			
	9308110256	50-315		9308020271	70-3070
	9308120224	50-315	MK-Ferguson Co.	9308200197*	STATE PRO
	9308130069	50-315		9308130084*	WASTE MGT
	9308160318	50-316	MKW Power Systems, Inc.	9308310157*	WASTE MGT
				9308170345	50-206
	9308170277	50-315		9308170372	PT21
	9308200033	50-316	MPR Associates, Inc.	9308160173	NUREG
	9308200066	50-315	Magnesium Elektron, Inc. (formerly Melberk, Inc.)	9308050164	40-8984
	9308200131	50-315			
Intermountain Resources	9308020019	PR		9308050170*	40-8984
	9308220253*	52-2	Maine Yankee Atomic Power Co.	9308020272	50-309
International Atomic Energy Agency	9308250146	CONTRACT		9308030254	50-309
International Technical Services, Inc.	9308050170*	40-8984		9308180160	50-309
International Technology Corp.	9308050171	50-331		9308190148	50-309
Iowa Electric Light & Power Co.	9308050178*	50-331		9308190263	50-309
	9308060138	50-331		9308250048	50-309
	9308090023	50-331		9308310172	50-309
	9308090336	50-331		9308310175*	50-309
	9308090341*	50-331	Maine, State of	9308250288	50-309
	9308090349	50-331	Management Concepts, Inc.	9308310177	CONTRACT
	9308110218	50-331	Maryland Safe Energy Coalition	9308040133	50-317
	9308170379	50-331	Maryland, State of	9308260029	CONTRACT
	9308190013	50-331	Maryland, Univ. of, College Park, MD	9308180169	50-166
	9308240281	50-331	Massachusetts Institute of Technology, Cambridge, MA	9308020096	PR
	9308300044	50-331			
Iowa State Univ., Ames, IA	9308160024	PR		9308160019	PR
	9308160044	PR		9308300034	PR
Jacobs Engineering Group, Inc.	9308020113*	WASTE MGT	Massachusetts, Commonwealth of	9308120259	40-2253
	9308020123*	WASTE MGT		9308120317	40-2253
Japan	9308110257	XPORTLIC		9308160048	50-293
	9308110258	XPORTLIC	Massachusetts, Univ. of, Boston, MA	9308020060	PR
	9308110261	XPORTLIC	Materials Engineering Associates, Inc.	9308250305	CONTRACT
Japan Atomic Energy Research Institute	9308160173	NUREG	Merex, Inc.	9308120015	CONTRACT
Jenner & Block	9308030039	50-255	Mescalero Apache Tribe	9308030043	PR
	9308030039	50-255	Met-Chem Testing Laboratories of Utah, Inc.	9308050222	71-6717
	9308030039	PR			
	9308030164	PR	Miami, Univ. of, Coral Gables, FL	9308160012	PR
Johns Hopkins Univ., Baltimore, MD	930820285	NUREG	Michigan, State of	9308030053*	50-255
Johnson Yokogawa Corp. (formerly Yokogawa of America)	9308240247	QA999		9308030061*	50-255
			Michigan, Univ. of, Ann Arbor, MI	9308190349	71-348
	9308020043	PR		9308300033	PR
Johnston-Willis Hosp. Richmond, VA	9308110207	50-188	Miller, Balis & O'Neil	9308090183	50-458
Kansas State Univ., Manhattan, KS	9308180164	50-188	Minnesota Mining & Manufacturing Co. (3M Co.)	9308040054*	40-1020
	9308180177	50-188			
	9308180188	50-188		9308040082*	40-1020
	9308250307	CONTRACT		9308040090*	40-1020
Kator, Scott & Heller	9308240128	PR		9308040094*	40-1020
Kennecott Corp.	9308200184*	STATE PRO		9308040097*	40-1020
Kentucky, Commonwealth of	9308110086	40-2061		9308040099*	40-1020
Kerr-McGee Chemical Corp.					

260 CORPORATE SOURCE INDEX

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY		AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
	9308040101*	40-1020			9308030002	50-220
	9308040106*	40-1020			9308030003*	50-220
	9308040109*	40-1020			9308030207	50-410
	9308040119*	40-1020			9308030213	50-220
	9308040158*	40-1020			9308040283	50-220
	9308040168*	40-1020			9308130009	50-220
	9308040172*	40-1020			9308130063	50-410
	9308040173*	40-1020			9308160168	50-410
	9308040224*	40-1020			9308170287	50-220
	9308040228*	40-1020			9308170415	50-410
	9308040230*	40-1020			9308180282	50-410
	9308040234*	40-1020			9308180285*	50-410
	9308040285*	40-1020			9308180286*	50-410
	9308040286*	40-1020			9308190144	50-220
	9308120140	40-1020			9308190209	50-410
	9308310099	ORG			9308190245	50-410
	9308310107	ORG			9308240365	50-220
Missouri, Univ. of, Columbia, MO	9308180178	71-108			9308240365	50-220
	9308180181*	71-108			9308250347	50-410
	9308180198	50-186	S		9308300070	50-220
	9308060363	50-123	P		9308300070	50-220
Missouri, Univ. of, Rolla, MO	9308250131	PR			9308300137	50-410
Mitsubishi International Corp.	9308050218	XPORTLIC			9308310049	50-220
	9308310129	XPORTLIC			9308310207	50-410
	9308310144*	XPORTLIC		North Atlantic Energy Service Corp.	9308060380	50-443
	9308240271	XPORTLIC		(NAESCO)		
	9308240273	XPORTLIC			9308060381*	50-443
Modeling & Computer Services	9308250441	CONTRACT			9308060382	50-443
Montgomery County, MD	9308250378	CONTRACT			9308100105	50-443
Morrison-Knudsen Co., Inc.	9308190110*	WASTE MGT			9308100116	50-443
	9308200153*	WASTE MGT			9308100120*	50-443
Mt. Holyoke College, South Hadley, MA	9308160020	PR			9308100244	50-443
NUS Corp.	9308160335*	50-390	A		9308110109	50-443
National Institute of Standards & Technology (formerly National Bureau of	9308090247*	ORG			9308110114*	50-443
					9308110115*	50-443
	9308260075	CONTRACT			9308180112	50-443
National Organization of Test, Research	9308250046	PR			9308200035	50-443
Training Reactors					9308310014	50-443
National Science Foundation	9308020135	PR			9308310021*	50-443
Native Americans for a Clean Environment	9308110112	40-8027			9308310027*	50-443
	9308110191*	40-8027			9308310073	50-443
	9308240106	PR		North Carolina State Univ., Raleigh, NC	9308250161	PR
Navy, Dept. of	9308160116	NUREG		North Dakota, State of	9308200187*	STATE PRO
	9308160121*	NUREG		Northeast Nuclear Energy Co.	9308020106	PR
	9308200191*	STATE PRO	G		9308030013	50-245
	9308300318	71-9127			9308030024	50-336
Nebraska Public Power Distri.t	9308040279	50-298	S		9308040056	50-336
	9308040300	50-298	J		9308040063	50-245
	9308050066	50-298	Q		9308040085*	50-245
	9308050078	50-298	Q		9308040127	50-245
	9308090266	50-298	F		9308040128*	50-245
	9308120081	50-298	Q		9308040321	50-423
	9308120293	50-298	T		9308040323*	50-423
	9308120373	50-298	S		9308060290	50-245
	9308130125	50-298	S		9308060298	50-245
	9308160098	50-298	S		9308060373	50-245
	9308160208	50-298	R		9308060373	50-245
	9308160354	50-298	R		9308060373	50-245
	9308170224	50-298	Q		9308090010	50-423
	9308190069	50-298	Q		9308090012*	50-423
	9308250068	50-298	H		9308090224	50-423
	9308250273	50-298	Q		9308100003	50-336
	9308260388	50-298	P		9308100110	50-423
	9308260390*	50-298	P		9308100129	50-423
	9308300228	50-298	P		9308110016	50-336
	9308040115*	52-2			9308110030*	50-336
Netherlands, Govt. of	9308090017	WASTE MGT			9308120058	50-245
Nevada, State of	9308100138	WASTE MGT			9308120058	50-245
	9308200203*	STATE PRO	G		9308120063*	50-245
	9308240117	PR			9308120063*	50-245
	9308020090	PR			9308120095	50-423
New England Medical Center, Inc., Boston					9308130062	50-245
MA	9308050288	50-443	H		9308130164	50-245
New Hampshire, State of	9308110291*	STATE PRO	H		9308130170	50-245
	9308130091	50-443	H		9308160205	50-213
	9308250336	50-443	P		9308160205	50-213
	9308090321*	50-219	U		9308160242	50-336
New Jersey, State of	9308100157	50-272	P		9308160246*	50-336
	9308310032	50-354	P		9308160248*	50-336
New Mexico Institute of Mining &	9308180134*	WASTE MGT			9308170384	50-423
Technology, Socorro, NM	9308230051	PR			9308170417	50-245
New Mexico, State of	9308020098	STATE PRO	G		9308180109	50-336
New York, State of	9308090175	XPORTLIC			9308180118	50-245
Newman & Holtzinger	9308090180*	XPORTLIC			9308200176	50-245
					9308200245	50-245
	9308250281	40-8027			9308260152	50-213
	9308260027	40-8027			9308260283	50-213
Niagara Mohawk Power Corp.	9308020175	50-410	P		9308300359	50-336
	9308020201*	50-410	P	Northeast Utilities	9308020106	PR

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY		AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	9308020242	50-213	P		9308090047	70-143	
	9308030013	50-245	S		9308190317	70-143	
	9308030024	50-336	S		9308250166	XPORTLIC	
	9308040056	50-336	O		9308250375	70-143	
	9308040063	50-245	P	Nuclear Information & Resource Service	9308230047	PR	
	9308040127	50-245	P		9308230052	PR	
	9308040226	50-245	J		9308300055	PR	
	9308040321	50-423	P	Nuclear Management & Resources Council (NUMARC) (formerly Nuclear Utility Mana	9308020057	PR	
	9308060290	50-245	F		9308020241	REVIEW GR	P
	9308090010	50-423	P		9308110374*	REVIEW GR	P
	9308090224	50-423	P		9308120071	REVIEW GR	P
	9308100003	50-336	S		9308130076	REVIEW GR	P
	9308100110	50-423	P		9308180104	REVIEW GR	P
	9308100129	50-423	P		9308190205	REVIEW GR	P
	9308110016	50-336	P				
	9308110030*	50-336	P		9308230144	PR	
	9308120058	50-245	P		9308250088	I&E	
	9308120058	50-245	P		9308300001	I&E	
	9308120095	50-423	S		9308300104*	REVIEW GR	P
	9308130062	50-245	S	Nuclear Reactor Laboratory	9308250141	PR	
	9308130164	50-245	V	Nuclear Science & Engineering Corp.	9308300282*	70-139	
	9308130170	50-245	R	Oak Ridge Associated Universities	9308030057*	40-6724	
	9308160082	50-213	P		9308040112	50-322	P
	9308160205	50-213	P		9308040118*	50-322	P
	9308160205	50-213	P		9308300058	ORG	
	9308160242	50-336	R		9308300063*	ORG	
	9308170384	50-423	R	Oak Ridge National Laboratory	9308110401	WASTE MGT	
	9308170417	50-245	S		9308160110	NUREG	
	9308180109	50-336	S		9308160268	NUREG	
	9308180118	50-245	S		9308160298	NUREG	
	9308180123*	50-245	S		9308200285	NUREG	
	9308200176	50-245	P	Occidental Chemical Corp.	9308020034	50-458	M
	9308200245	50-245	P	Ohio Citizens for Responsible Energy	9308230049	PR	
	9308230002*	50-245	P		9308270015	I&E	
	9308240127	50-213	O	Ohio State Univ., Columbus, OH	9308020023	PR	
	9308240213	50-213	P		9308020071	PR	
	9308240360	50-213	P		9308020080	PR	
	9308260152	50-213	P		9308250053	PR	
	9308260280	50-213	O		9308250153	PR	
	9308260283	50-213	P	Oklahoma, State of	9308110113*	40-8027	
	9308300359	50-336	O	Oklahoma, Univ. of, Norman, OK	9308160178	NUREG	
Northeast Utilities Service Co.	9308160366	50-245	P	Omaha Public Power District	9308020039	50-285	S
Northern States Power Co.	9308020016*	50-263	P		9308030062	50-285	R
	9308020069	50-282	S		9308030072*	50-285	R
	9308020086	50-282	S		9308030086	50-285	I
	9308020095*	50-282	S		9308030209	50-285	S
	9308020164	50-220	P		9308030408	50-285	P
	9308030106	50-263	O		9308040237	50-285	O
	9308030420	50-263	O		9308050274	50-285	P
	9308030423*	50-263	O		9308090344	50-285	S
	9308050160	50-282	P		9308090347*	50-285	S
	9308050160	50-282	P		9308120024	50-285	P
	9308050168*	50-282	P		9308120339	50-285	F
	9308050168*	50-282	P		9308120351	50-285	F
	9308050183*	50-282	P		9308120354*	50-285	F
	9308050183*	50-282	P		9308120368	50-285	F
	9308060267	50-263	P		9308120372*	50-285	F
	9308060267	50-263	P		9308130162	50-285	P
	9308060275	50-263	P		9308160001	50-285	S
	9308060278*	50-263	P		9308160043	50-285	P
	9308090270	50-263	P		9308160114	50-285	P
	9308110139	50-282	S		9308160255	50-285	O
	9308120082	50-282	S		9308160377	50-285	R
	9308120100*	50-282	S		9308270136	50-285	P
	9308120103	50-282	S		9308270145*	50-285	P
	9308160159	50-282	O		9308270151*	50-285	P
	9308160351	50-263	S		9308310222	50-285	R
	9308170048	50-282	S	Oregon State Univ., Corvallis, OR	9308100261	50-243	F
	9308170314	50-263	O		9308160035	PR	
	9308170342	50-263	O		9308250076	PR	
	9308170406	50-263	R	Oregon, State of	9308160157	PR	
	9308200012	50-263	P	PLG, Inc. (formerly Pickard, Lowe & Gamick, Inc.)	9308190029	REVIEW GR	P
	9308200018*	50-263	P				
	9308200022*	50-263	P	Pacific Bell	9308250239	CONTRACT	
	9308200193	50-263	F	Pacific Gas & Electric Co.	9308040212	50-133	P
	9308200196	50-282	F		9308040288	50-275	S
	9308200196	50-282	F		9308090020	50-275	S
	9308200215	50-282	F		9308090020	50-275	G
	9308200215	50-282	F		9308090059	50-275	G
	9308250148	50-282	F		9308090059	50-275	G
	9308250294	50-263	P		9308090216	50-275	P
	9308310001	50-263	F		9308090216	50-275	P
	9308310003*	50-263	F		9308100107	50-275	P
Nuclear Containers, Inc.	9308020202	71-179			9308100178	50-323	S
	9308020213*	71-179			9308110110	50-275	G
Nuclear Control Institute	9308090164	XPORTLIC			9308110110	50-275	G
	9308250155	XPORTLIC			9308110120	50-275	T
Nuclear Fuel Services, Inc.	9308030097	70-143			9308110120	50-275	T
	9308060287	70-143			9308110121	50-275	G

262 CORPORATE SOURCE INDEX

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
	9308110121	50-275		9308110248	50-277
	9308110127	50-275		9308120177	50-352
	9308110130*	50-275		9308120184*	50-352
	9308110130*	50-275		9308130021	50-277
	9308110138*	50-275		9308160261	50-277
	9308110138*	50-275		9308160280	50-352
	9308130135	50-323		9308160280	50-352
	9308130137*	50-323		9308160293*	50-352
	9308160033	50-275		9308170320	50-352
	9308170276	50-275		9308190078	50-353
	9308170276	50-275		9308200266	REVIEW GR
	9308170393	50-275		9308240016	50-277
	9308170393	50-275		9308240016	50-277
	9308170403*	50-275		9308240017*	50-277
	9308180035	50-275		9308240020*	50-277
	9308180035	50-275		9308250004	50-352
	9308190145	50-275		9308250004	50-352
	9308190145	50-275		9308250373	50-352
	9308200272	50-275		9308260194	50-277
	9308200277*	50-275		9308260194	50-277
	9308230210	50-133		9308260196*	50-277
	9308230213*	50-133		9308260196*	50-277
	9308250125	50-275		9308260263	50-277
	9308310256	50-275		9308260263	50-277
Pacific Nuclear Systems, Inc.	9308050270	71-9001		9308260263	50-277
	9308050273*	71-9001		9308260263	50-277
	9308050275*	71-9001		9308260272*	50-277
	9308200175	71-9001		9308260272*	50-277
Pathfinder Mines Corp.	9308310271*	50-265		9308260272*	50-277
	9308020226	40-2259		9308270047	50-277
	9308180241	71-503		9308270047	50-277
Penn Inspection Co.	9308250462*	50-289		9308270051*	50-277
Pennsylvania Institute for Clean Air	9308020061	50-387		9308270051*	50-277
Pennsylvania Power & Light Co.	9308020139	50-387		9308270083	I&E
	9308030311	50-387	Portland General Electric Co.	9308030240	50-344
	9308130147	50-367		9308040292	50-344
	9308160337	50-387		9308060232	50-344
	9308160337	50-387		9308090163	50-344
	9308170069	50-387		9308090182	50-344
	9308170212	50-387		9308090185*	50-344
	9308170354	50-387		9308090197	50-344
	9308170354	50-387		9308090205*	50-344
	9308170357*	50-387		9308090227	50-344
	9308170357*	50-387		9308090230*	50-344
	9308190198	50-387		9308100160	50-344
	9308190198	50-387		9308100273	50-344
	9308190351	50-387		9308130082	50-344
	9308230147	50-387		9308160186	50-344
	9308230147	50-387		9308250021	50-344
	9308230161*	50-387		9308250026*	50-344
	9308230161*	50-387		9308250030*	50-344
Pennsylvania State Univ., Harrisburg, PA	9308260013	CONTRACT		9308300277	50-344
Pennsylvania State Univ., University Park, PA	9308020075	PR		9308310282	50-344
	9308120361	CONTRACT	Power Authority of the State of New York (New York Power Authority)	9308020140	50-333
	9308200286	70-113		9308020144*	50-333
Pennsylvania, Commonwealth of	9308190054*	50-387		9308050032	50-333
	9308230019	PR		9308050167	50-333
PharmChem Laboratories, Inc.	9308250193	CONTRACT		9308050269	50-333
Philadelphia Electric Co.	9308020161	PR		9308060343	50-286
	9308020266	50-278		9308090218	50-333
	9308040272	50-352		9308110335	50-286
	9308040272	50-352		9308120226	50-333
	9308040287	50-277		9308120237	50-286
	9308040287	50-277		9308130118	50-333
	9308040287	50-277		9308130121*	50-333
	9308040287	50-277		9308130123*	50-333
	9308040290	50-352		9308160343	50-333
	9308040294	50-353		9308170433	50-286
	9308040295*	50-352		9308190170	50-333
	9308040301	50-353		9308190264	50-286
	9308040326	50-277		9308200298	50-286
	9308040326	50-277		9308230171	50-333
	9308040326	50-277		9308240045	50-333
	9308040326	50-277		9308250111	50-333
	9308060238	50-352		9308250112*	50-333
	9308060243	50-352		9308250116*	50-333
	9308060243	50-352		9308260292	50-286
	9308060255	50-352		9308300076	50-333
	9308060255	50-352		9308300083*	50-333
	9308060280	50-352		9308300086*	50-333
	9308060280	50-352		9308300159	50-333
	9308060328	50-277		9308310040	50-333
	9308060328	50-277		9308310276	50-286
	9308060328	50-277	Princeton Univ., Princeton, NJ	9308020074	PR
	9308100090	50-278		9308030215	71-656
	9308100254	50-352	Professional Welding Associates, Inc.	9308030155	50-267
	9308100258*	50-352	Public Service Co. of Colorado	9308040110	50-267
	9308110136	50-352		9308040116*	50-267

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY		AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	9308050142	50-267	F		9308090126	50-244	Q
	9308050142	50-267	F		9308090327	50-244	S
	9308050146*	50-267	F		9308090332*	50-244	S
	9308050149	50-267	F		9308110398	50-244	P
	9308050152*	50-267	F		9308110400*	50-244	P
	9308050152*	50-267	F		9308120083	50-244	S
	9308050155*	50-267	F		9308130032	50-244	F
	9308050155*	50-267	F		9308130054*	50-244	P
	9308090265	50-267	Q		9308130071	50-244	F
	9308110197	50-267	W		9308130078	50-244	P
	9308110329	50-267	W		9308170205	50-244	R
	9308170266	50-267	W		9308230048	50-244	R
	9308230027	PR			9308250382	50-244	P
	9308240301	50-267	F		9308250386*	50-244	P
Public Service Electric & Gas Co. of New Jersey	9308020077	50-272	R		9308300074	50-244	Q
	9308020237	50-272	S		9308300134	50-244	Q
	9308030064*	50-354	P	Ropes & Gray	9308090147	50-271	G
	9308050186	50-311	P	S. Cohen & Associates, Inc.	9308250404	CONTRACT	
	9308060186	50-272	P	SCIENTECH, Inc.	9308120346	CONTRACT	
	9308060307*	50-272	P		9308250303	CONTRACT	
	9308060307*	50-272	P	Sacramento Municipal Utility District	9308260051	CONTRACT	
	9308060351	50-354	S		9308060019	50-312	V
	9308100202	50-272	F		9308090167	50-312	G
	9308110132	50-311	P		9308090173	50-312	P
	9308110134*	50-311	P		9308130171	50-312	P
	9308110147	50-272	Q		9308230269	50-312	Q
	9308110156	50-354	P	San Luis Obispo Mothers for Peace	9308090065	50-275	G
	9308110179	50-354	P		9308160145*	50-275	
	9308110180	50-272	P	Sandia National Laboratories	9308120061*	NUREG	
	9308110185	50-272	Q		9308240099*	WASTE MGT	
	9308110195	50-272	P		9308270040	TOPREP	
	9308110195	50-272	P	Saporito, T.J.	9308020329	50-498	G
	9308110204*	50-272	P		9308040223	50-528	P
	9308110204*	50-272	P	Science & Engineering Associates, Inc.	9308270076	PR	
	9308110206	50-354	Q		9308270040	TOPREP	
	9308110209	50-272	P	Science Applications International Corp. (formerly Science Applications, Inc.)	9303020216	70-3070	
	9308110209	50-272	P		9308020273	70-3070	
	9308110245	50-272	P		9308030016	70-3070	
	9308110245	50-272	P		9308030023	70-3070	
	9308110315	50-354	S		9308030028	70-3070	
	9308120013	50-272	P		9308030035	70-3070	
	9308120013	50-272	P		9308030043	70-3070	
	9308120028*	50-272	P		9308030049	70-3070	
	9308120028*	50-272	P		9308030065	70-3070	
	9308120047	50-272	P		9308030069	70-3070	
	9308130072	50-272	P		9308030076	70-3070	
	9308130072	50-272	P		9308030085	70-3070	
	9308130074*	50-272	P		9308030088	70-3070	
	9308130074*	50-272	P		9308030092	70-3070	
	9308180027	50-354	F		9308030098	70-3070	
	9308180194	50-272	S		9308030102	70-3070	
	9308180194	50-272	S		9308030105	70-3070	
	9308190119	50-272	S		9308030111	70-3070	
	9308190193	50-354	R		9308030116	70-3070	
	9308190202	50-311	R		9308030119	70-3070	
	9308190206	50-272	R		9308030122	70-3070	
	9308200041	50-272	Q		9308120306	CONTRACT	
	9308200041	50-272	Q		9308160049	NUREG	
	9308200041	50-272	Q		9308160144	NUREG	
	9308200051	50-272	P		9308180163*	WASTE MGT	
	9308200051	50-272	P		9308250254	CONTRACT	
	9308230080	50-272	F		9308250448	CONTRACT	
	9308230080	50-272	F		9308250478	CONTRACT	
	9308260336	50-272	R		9308260018	CONTRACT	
	9308300133	50-354	P		9308260213	REVIEW GR	P
	9308300245	50-354	R		9308270040	TOPREP	
	9308300327	50-272	S	Scientific Ecology Group, Inc.	9308040261	71-496	
	9308310221	50-272	P		9308040266*	71-496	
Pulsar Data Systems, Inc.	9308250151	CONTRACT		Senate	9307200017*	50-293	U
	9308170321	CONTRACT			9308020141*	COMMISSIO	N
Purdue Research Foundation	9308050156	71-766			9308060184*	PR	
Quad City Testing Laboratory, Inc.	9308130114	71-731			9308110300*	50-336	H
Quality Inspection & Testing	9308230054	40-2384			9308110369*	PR	
RMI Co.	9308110364	40-8778			9308160206*	50-255	H
Radiation Surveillance Associates, Inc.	9308110370*	40-8778			9308160206*	50-255	H
	9308030061*	50-255	H		9308160241*	50-255	H
Radioactive Waste Management Associates	9308240151	PR			9308160241*	50-255	H
Reedy Associates, Inc.	9308060051	MISC			9308170333*	50-255	H
	9308100114	REVIEW GR	P	Senate, Environment & Public Works	9308160271*	COMMISSIO	N
	9308160150	71-396		Sequoyah Fuels Corp.	9308040146	40-8027	
Rensselaer Polytechnic Institute, Troy, NY	9308190046	71-396			9308110068	40-8027	
Reynolds Electrical & Engineering Co., Inc.	9308180050	WASTE MGT			9308110294	40-8027	
	9308020079	PR			9308250132	40-8027	
Rio Algom Mining Corp.	9308040231	50-244	Q	Shaw, Pittman, Potts & Trowbridge	9308260027	40-8027	
Rochester Gas & Electric Corp.	9308050001	50-244	Q		9308030089	50-255	H
	9308050002*	50-244	Q		9308030182*	50-255	H
					9308090167	50-312	G
					9308090173	50-312	G

264 CORPORATE SOURCE INDEX

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY		AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
Shieldalloy Metallurgical Corp. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear	9308160138	50-312	G		9308200321	50-364	P
	9308200292	40-7102			9308230317	50-348	R
	9308020059	PR			9308240259	50-348	R
					9308260105	50-348	
	9308050240	70-1257		Southern Utah Wilderness Alliance	9308190002	40-3453	
	9308050245*	70-1257		Southwest Research Institute	9308040186*	40-1020	
	9308170174	XPORTLIC			9308040189*	40-1020	
	9308170182*	XPORTLIC			9308040243*	40-1020	
	9308200168	TOPREP			9308040249*	40-1020	
	9308250251	70-1257			9308040254*	40-1020	
	9308250262	70-1257			9308040263*	40-1020	
Sierra Club	9308240100	PR			9308040280*	40-1020	
Sierra Nuclear, Inc.	9308260033	72-1007			9308250236	CONTRACT	
Simmons College, Boston, MA	9308300054	PR			9308250243	CONTRACT	
Simulation, Systems & Services Technolog	9308250242	CONTRACT		Spain, Govt. of	9308160158	NUREG	
ies Co.	9308120202	CONTRACT		Spiegel & McDiarmid	9308200038	XPORTLIC	
Small Business Administration	9308250136	CONTRACT		St. Johns Mercy Medical Center, St.	9308060016	50-458	M
	9308250146	CONTRACT		Louis, MO	9308230159	PR	
	9308250151	CONTRACT		St. Johns Univ., Collegeville, MN	9308250061	PR	
	9308250179	CONTRACT		St. Marys College, Winona, MN	9308250010	PR	
	9308250252	CONTRACT		State, Dept. of	9308040141	XPORTLIC	
	9308250269	CONTRACT			9308240313	XPORTLIC	
	9308250303	CONTRACT		Statistica, Inc.	9308250269	CONTRACT	
	9308250313	CONTRACT			9308250313	CONTRACT	
	9308260051	CONTRACT		Stocker & Yale, Inc.	9308020056	PR	
	9308260061	CONTRACT		Stone & Webster Engineering Corp.	9308230026*	50-293	Q
	9308310179	CONTRACT		Stone & Webster, Inc.	9308120091*	NUREG	
	9308310192	CONTRACT		Systems Research & Applications Group	9308120169	CONTRACT	
	9308310194	CONTRACT			9308250266	CONTRACT	
Smith College, Northampton, MA	9308160007	PR		TRW Environmental Safety Systems, Inc.	9308200198	WASTE MGT	
South Carolina Electric & Gas Co.	9308030199	50-395	S		9308200199*	WASTE MGT	
	9308040164	50-395	S	TSI, Inc.	9308160087	PR	
	9308040252	50-395	O	Tampella Power Corp. (formerly Tampella	9308240331	71-9027	
	9308090160	50-395	K	Keeler)			
	9308100139	50-395	P	Teledyne Energy Systems	9308120034*	ORG	
	9308100142	50-395	S	Teledyne Engineering Services	9308120032	ORG	
	9308110192	50-395	O		9308300039	PR	
	9308110318	50-395	S	Tennessee Valley Authority	9308020101	PR	
	9308130092	50-395	R		9308020169	50-390	A
	9308160162	50-395	P		9308020169	50-390	A
	9308180279	50-395	R		9308020185	50-390	O
	9308190360	50-395	P		9308020185	50-390	O
	9308230022	50-395	H		9308020204	50-390	O
	9308260383	50-395	P		9308040159	50-327	S
	9308270006	50-395	H		9308040317	50-259	R
	9308300347	50-395	F		9308050009	50-390	K
	9308310084	50-395	P		9308050009	50-390	K
	9308310095*	50-395	P		9308050057	50-390	K
South Dakota State Univ., Brookings, SD	9308030078	PR			9308050057	50-390	K
	9308250040	PR			9308050065	50-390	A
South Mississippi Electric Power	9308060366	50-458	M		9308050065	50-390	A
Association					9308050067*	50-390	A
Southern California Edison Co.	9308020099	50-361	H		9308050070*	50-390	A
	9308020099	50-361	H		9308050179	50-327	Q
	9308040207	50-206	P		9308050179	50-327	Q
	9308050132	50-206	P		9308050232	50-260	F
	9308050153	50-206	F		9308060200	50-259	F
	9308050153	50-206	F		9308060285	50-328	S
	9308050302	50-206	P		9308060308	50-327	S
	9308100196	50-361	Q		9308060321	50-259	Q
	9308110133	50-362	S		9308060321	50-259	O
	9308120221	50-361	Q		9308060321	50-259	Q
	9308170151	50-206	H		9308060356	50-390	A
	9308170176	50-361	H		9308060356	50-390	A
	9308170176	50-361	H		9308060362	50-390	A
	9308170181*	50-361	H		9308060376	50-259	P
	9308170185*	50-361	H		9308060376	50-259	P
	9308170353	50-206	Q		9308060376	50-259	P
	9308180009	50-361	Q		9308060377	50-259	Q
	9308200111	50-361	P		9308060377	50-259	Q
	9308260355	50-206	Q		9308060377	50-259	O
	9308270093	50-206	Q		9308090025	50-327	P
	9308300254	50-361	Q		9308090025	50-327	P
	9308300254	50-361	Q		9308090031	50-327	P
	9308300262*	50-361	Q		9308090032	50-327	R
	9308310112	50-206	F		9308090032	50-327	R
	9308310115*	50-206	F		9308090038	50-259	F
	9308310115*	50-206	F		9308090038	50-259	F
	9308310115*	50-206	F		9308090038	50-259	F
Southern Nuclear Operating Co.	9308020054	50-348	H		9308090038	50-259	F
	9308040193	50-364	P		9308090281	50-259	P
	9308040198*	50-364	P		9308090281	50-259	P
	9308040227	50-348	H		9308090281	50-259	P
	9308040244	50-348	F		9308100100	50-327	F
	9308040244	50-348	F		9308100200	50-327	Q
	9308100158	50-348	P		9308110076	50-259	O
	9308170374	50-348	R		9308120077	50-390	K
	9308190102	50-364	P		9308120077	50-390	K

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
	9308120248	50-390 K	Toward Utility Rate Normalization	9308060202	50-275 P
	9308120248	50-390 K	Tracor Analytic, Inc.	9308300045	PR
	9308120252*	50-390 K	Trandes Corp.	9308250136	CONTRACT
	9308120252*	50-390 K	Transnuclear, Inc.	9308020238	XPORTLIC
	9308120342	50-327 P		9308030375	XPORTLIC
	9308160321	50-390 A		9308040078*	XPORTLIC
	9308160321	50-390 A		9308090125	XPORTLIC
	9308160329	50-390 A		9308090175	XPORTLIC
	9308160329	50-390 A		9308090180*	XPORTLIC
	9308160339	50-390 A	TroutmanSanders (formerly Troutman, Sanders, Lockerman & Ashmore)	9308090052	50-424 G
	9308170210	50-327 R			
	9308170252	50-328 R		9308090105	50-424 G
	9308170411	50-259 P		9308110074	50-424 G
	9308180015	50-327 S		9308160151	50-424 G
	9308180130	50-327 F		9308160151	50-424 G
	9308190160	50-259 R		9308160169	50-321 G
	9308190300	50-438 A		9308160187	50-424 G
	9308190359	50-259 R		9308160187	50-424 G
	9308230068	50-327 S	Truxler Electronic Laboratories, Inc.	9308020063	PR
	9308240030	50-259 Q	Twin City Testing Corp. (formerly Twin City Testing & Engineering Laboratory, I/METCO Minerals Corp.	9308040267*	40-1020
	9308240068	50-327 Q			
	9308240215	50-390 Q		9308040275*	40-1020
	9308240219	50-390 Q		9308020203	40-6681
	9308240267	50-390 S	US Council for Energy Awareness	9308020115	PR
	9308240352	50-259 P		9308300049	PR
	9308250149	50-259 P	Underwriters Laboratory, Inc.	9308040233*	40-1020
	9308250149	50-259 P		9308170275*	50-321 P
	9308250149	50-259 P	Union Electric Co.	9308020122	50-483 F
	9308250149	50-259 P		9308090267	50-483 Q
	9308250149	50-259 P		9308160189	50-483 P
	9308250168	50-327 S			
	9308250334	50-327 O		9308170337	50-483 R
	9308260005	50-327 O		9308200063	71-6574
	9308260364	50-327 P		9308200316	REVIEW GR
	9308260364	50-327 P		9308240122	50-483 P
	9308260366*	50-327 P	Utah, State of	9308310220	50-483 R
	9308260366*	50-327 P			
	9308270001	I&E		9308170148	40-3453
	9308310016	50-260 Q		9308190005	40-3453
	9308310023*	50-260 Q		9308240038	40-3453
				9308270003	40-3453
				9308270005	40-3453
	9308310263	50-390 Q	Utah, Univ. of, Salt Lake City, UT	9308300111	50-407 R
	9308310263	50-390 Q	Vermont Yankee Nuclear Power Corp.	9308040281	50-271 S
	9308310274	50-328 S		9308050116	50-271 Q
	9308310278*	50-328 S		9308090139	50-271 G
Tennessee, State of	9111200229*	STATE PRO		9308090147	50-271 G
	9308110333*	STATE PRO			
Terrebonne Parish, LA	9308060336	50-458 M		9308110088	50-271 P
Texas A&M Univ., College Station, TX	9308160052	PR		9308110093*	50-271 P
	9308160140	PR		9308120344	50-271 F
	9308160294	NUREG		9308120348*	50-271 F
				9308130085	50-271 R
Texas Utilities Co.	9308100230	50-445 R			
	9308110292	50-445 P		9308130090	50-271 F
	9308180028	50-445 R		9308190021	50-271 S
	9308180157*	50-445 R		9308190039	50-271 S
	9308180165*	50-445 R		9308200006	50-271 Q
				9308240014	50-271 S
Texas Utilities Electric Co. (TU Electric)	9308180166*	50-445 R		9308240087	50-271 Q
	9308020085	PR		9308250210	50-271 P
	9308020224	50-445 V		9308260358	50-271 P
	9308040235	50-445 P	Veterans Admin. Medical Center, Buffalo, NY	9308300289	50-271 Q
	9308040273	50-446 S		9308310056	70-1331
	9308090346	50-445 P			
	9308130037	50-445 F	Veterans Affairs, Dept. of (formerly Veterans Administration)	9308020084	PR
	9308130039*	50-445 F	Virginia Polytechnic Institute & State Univ., Blacksburg, VA	9308160175	NUREG
	9308180028	50-445 R			
	9308180054*	50-445 Q	Virginia Power (Virginia Electric & Power Co.)	9308030118	50-338 P
	9308180152*	50-445 R			
	9308200313	REVIEW GR		9308030186	50-338 P
	9308230154	50-445 F		9308030186	50-338 P
	9308230154	50-445 F		9308030401	50-280 P
	9308240211	50-445 P			
	9308250240	50-445 K		9308030401	50-280 P
	9308250240	50-445 K		9308030401	50-280 P
	9308250257	50-445 K		9308030415	50-338 S
	9308250257	50-445 K		9308040051	50-339 Q
Texas, State of	9308020083	PR			
	9308230013	PR		9308040197	50-339 P
Texas, Univ. of, Austin, TX	9308160073	PR		9308040205*	50-339 P
Thermal Science, Inc.	9308020245*	REVIEW GR		9308050119	PR
Thompson & Mitchell	9307130294	QA999		9308050230	50-280 P
				9308050230	50-280 P
Toledo Edison Co.	9308160229*	QA999			
	9308040161	50-285 Q		9308060242	50-280 F
	9308050217	50-346 S		9308060322	50-339 Q
	9308090171	50-346 S		9308060352	50-338 F
	9308130129	50-346 F		9308060365	50-338 P
				9308060365	50-338 P
	9308190129	50-346 R			
	9308200233	50-346 R		9308060367*	50-338 P
	9308260183	50-346 R		9308060367*	50-338 P
	9308260184*	50-346 R		9308060372*	50-338 P
				9308090018	50-281 Q

266 CORPORATE SOURCE INDEX

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY		AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	9308090028*	50-281	Q		9308170039*	50-413	P
	9308100132	50-280	P		9308170115	52-3	
	9308100132	50-280	P		9308170208	NUREG	
	9308100132	50-280	P		9308180013	NUREG	
	9308100132	50-280	P		9308180183*	50-334	P
	9308100137	50-338	Q		9308180185*	50-334	P
	9308100137	50-338	Q		9308180234*	50-454	P
	9308100189	50-338	S		9308180237*	50-454	P
	9308100189	50-338	S		9308190113	REVIEW GR	P
	9308110173	50-280	Q		9308200001	71-9239	
	9308110173	50-280	Q		9308200002*	71-9239	
	9308120111*	50-338	P		9308200192	52-3	
	9308160064	50-280	H		9308200194*	52-3	
	9308160172	50-338	Q		9308200227	52-3	
	9308160212	50-280	Q		9308200244*	52-3	
	9308160212	50-280	Q		9308230096*	50-409	P
	9308160215	50-280	Q		9308230102*	50-409	P
	9308160215	50-280	Q		9308230118	70-1151	
	9308160221	50-338	P		9308230123*	70-1151	
	9308160223*	50-338	P		9308230224	52-3	
	9308170272	50-338	P		9308230227*	52-3	
	9308190098	50-339	S		9308240010	52-3	
	9308190175	50-280	P		9308240013*	52-3	
	9308190195	REVIEW GR	P		9308250218	52-3	
	9308190249	50-280	P		9308250223	52-3	
	9308230012	PR			9308250227*	52-3	
	9308230025	PR			9308250230*	52-3	
	9308250194	50-280	F		9308250299	CONTRACT	
	9308250471	71-9222			9308250403	52-3	
	9308260142	50-280	F		9308260007*	50-327	Q
	9308270091	I&E			9308260041	CONTRACT	
	9308230015	PR			9308260049	PT21	
Virginia, Commonwealth of	9308050185	71-5957			9308300334	TOPREP	
Virginia, Univ. of, Charlottesville, VA	9308160132	PR			9308300338*	TOPREP	
	9308160135	PR			9308310251	50-395	P
	9308160143	PR			9308310259*	50-395	P
	9308180223	50-62	Q		9308310260*	50-395	P
	9308310055	50-62	Q		9308310265	TOPREP	
Washington & Lee Univ., Lexington, VA	9308310060*	50-62	Q		9308310266*	TOPREP	
	9308250177	PR			9308310270	TOPREP	
Washington Data Systems, Inc.	9308260061	CONTRACT			9308310272*	TOPREP	
Washington Public Power Supply System	9308020093	PR		Westinghouse Operating Plants Owners Group	9308120030	TOPREP	
	9308020229	50-397	Q		9308180208	NUREG	
	9308040035	50-397	Q		9308260363	TOPREP	
	9308050131	50-397	P		9308250259	CONTRACT	
	9308050134	50-397	H		9308090073	40-8027	
	9308050148	50-397	P				
	9308050154*	50-397	P	Wheaton Medical Clinic, Wheaton, IL			
	9308050299	50-397	P	Wilcoxon, Wilcoxon & Primomo (formerly Wilcoxon & Wilcoxon)			
	9308090245	50-397	Q	William A. Green & Associates	9308020152	PR	
				Williams College, Williamstown, MA	9308160097	PR	
	9308100201	50-397	F				
	9308120125	50-397	F	Wilson, Z.D., P.A.	9308020126	50-458	M
	9308130143	50-397	S	Winston & Strawn	9308020105	PR	
	9308170243	50-397	P		9308090020	50-275	G
	9308190338	50-397	R		9308090020	50-275	G
					9308090059	50-275	G
Washington State Univ., Pullman, WA	9308310011	50-397	R		9308090059	50-275	G
	9308160067	PR			9308110110	50-275	G
	9308180184	50-27	P		9308110120	50-275	T
Washington, State of	9308200093	50-27	R		9308110120	50-275	T
	9308020048	PR			9308110121	50-275	G
	9308200188*	STATE PRO	G		9308110121	50-275	G
Westinghouse Electric Corp.	9308020025	PR			9308110127	50-275	G
	9308030029	52-3			9308160033	50-275	G
	9308030056*	52-3			9308190190	REVIEW GR	P
	9308030150*	50-424	P		9308250125	50-275	G
	9308030159	52-3			9308260019	50-458	G
	9308030162*	52-3			9308270063	50-458	G
	9308030165*	52-3			9308270070	I&E	
	9308030235	52-3			9308270315*	CRG	
	9308030391	TOPREP		Wisconsin Electric Power Co.	9308090311	50-301	Q
	9308030398*	TOPREP			9308090314*	50-301	Q
	9308030406*	TOPREP			9308090316*	50-301	Q
	9308040215*	50-339	P		9308110183	50-266	P
	9308040217*	50-339	P		9308130094	50-266	P
	9308040222*	50-339	P		9308230053	50-266	P
	9308040255*	50-339	P		9308230062*	50-266	F
	9308050195	52-3			9308260133	50-266	F
	9308050198*	52-3			9308310119	50-266	P
	9308060320	70-1151			9308310119	50-266	P
	9308090016*	50-423	P		9308310124	50-266	R
	9308110235*	52-3			9308310124	50-266	R
	9308110251	52-3			9308310127*	50-266	R
	9308110254	50-424	P		9308310132	50-266	Q
	9308110282	TOPREP			9308310212	50-266	P
	9308110288*	TOPREP			9308310212	50-266	P
	9308120356	52-3			9308310213	50-266	R
	9308130088	NUREG			9308310213	50-266	R
	9308130131	52-3			9308310241	50-266	S
	9308170038*	50-413	P	Wisconsin Public Service Corp.	9308030100	50-305	P

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	9308060293	50-305		9308100143	50-482	P
	9308060313	50-305		9308130176	50-482	P
	9308060360	50-305		9308130178*	50-482	Q
	9308100131	50-305		9308160197	50-482	Q
	9308120375	50-305		9308170215	50-482	R
	9308160196	50-305		9308170231	50-482	S
	9308160374	50-305		9308180273	50-482	R
	9308170120	50-305		9308200044	50-482	Q
	9308170147	50-305		9308200149	50-482	F
	9308190034	REVIEW GR	Xavier Univ., Cincinnati, OH	9308300059	PR	
	9308230203	50-305	Yankee Atomic Electric Co.	9308020265	50-29	F
Wisconsin State Univ. Wisconsin, State of	9308250119	50-305		9308040102	50-29	P
	9308250032	PR		9308050003	71-9256	
	9308030145	PR		9308050004*	71-9256	
	9308120167	50-266	F	9308050005*	71-9256	
Wisconsin, Univ. of, Madison, WI	9308200251*	52-3		9308060277	71-9256	
	9308200255*	52-3		9308190139	50-29	H
	9308200257*	52-3		9308190152*	50-29	H
	9308260004	50-156	R	9308230011	PR	
Wolf Creek Nuclear Operating Corp.	9308090021	71-598		9308270351	50-29	F
	9308090184	50-482	S	9308310184*	50-309	P

REPORT NUMBER INDEX

The subject category column in this index gives the docket number and the symbol for the category of information within that docket; for example, 50-233 P. The docket subject categories are defined in Appendix A.

Subject categories for nondocketed items are also entered in this column by symbol; for example, ACRS.

These categories are defined in Appendix B and listed in the Contents. An asterisk following the accession number in this index indicates that the document is an enclosure to another document. To obtain the accession number of the principal document under which the enclosure is listed, refer to the index entitled "Cross Reference of Enclosures to Principal Documents."

REPORT NUMBER	ACCESSION NUMBER	SUBJECT CATEGORY	OTHER REPORT NUMBER	REPORT NUMBER	ACCESSION NUMBER	SUBJECT CATEGORY	OTHER REPORT NUMBER
20-439-04-00 R00	9308200153*	WASTE MGT		NUREG/BR-0177 N93-2	9308160029	NUREG	
23A6100 R01	9308040033*	52-1		NUREG/CR-3469 V07	9308160137	NUREG	BNL-NUREG-51708
414186-331	9308040267*	40-1020		NUREG/CR-4744 V07 N2	9308160133	NUREG	ANL-93/11
414186-969	9308040275*	40-1020		NUREG/CR-5404 V02	9308160268	NUREG	ORNL-6566
50097-R-001 R01	9308240310*	50-289	P	NUREG/CR-5758 V03	9308160128	NUREG	PNL-8688
5500-AA-2 I05	9308040223*	40-1020		NUREG/CR-5833	9308160303	50-261	Q PNL-7907
6350-AA-1 I02	9308040228*	40-1020		NUREG/CR-5928	9308160131	NUREG	EGG-2685
6370-ICE-3316 R00	9308110396*	50-368	P	NUREG/CR-5969	9308160121	NUREG	UJLU-ENG91-2013
85-E-0118-01 R02	9308230124*	50-368	Q	NUREG/CR-5970	9308160116	NUREG	UJLU-ENG92-2016
85NK23080	9308040233*	40-1020		NUREG/CR-5971	9308160294	NUREG	UJLU-ENG92-2014
86-17	9308040168*	40-1020		NUREG/CR-5989	9308160263	NUREG	PNL-8467
86-18	9308040172*	40-1020		NUREG/CR-60-72	9308160272	NUREG	RRCKI-80-05/3
86-19	9308040173*	40-1020		NUREG/CR-6021	9308160184	NUREG	CNWFRA92-011
86-78	9308040158*	40-1020		NUREG/CR-6023	9308160110	NUREG	ORNL/TM-12340
87-40	9308040097*	40-1020		NUREG/CR-6034	9308160178	NUREG	
87-57	9308040094*	40-1020		NUREG/CR-6052	9308200285	NUREG	ORNL SUB93-SD684
87-58	9308040082*	40-1020		NUREG/CR-6058	9308160175	NUREG	
87-76	9308040090*	40-1020		NUREG/CR-6060	9308160049	NUREG	LA-12593-M
87-79	9308040106*	40-1020		NUREG/CR-6065	9308160298	NUREG	ORNL/TM-12396
87-82	9308040109*	40-1020		NUREG/GR-0005 V02 P1	9308200281	NUREG	CRTO-VOL.20-2
91-0039 R00	9308170125*	50-324	P	NUREG/IA-0085	9308160158	NUREG	ICSP-TR-TTRIP-R
91-0450 R00	9308170130*	50-324	P	NUREG/IA-0091	9308160307	NUREG	ECN-89-91
92-115	9308040119*	40-1020		NUREG/IA-0112	9308160054	NUREG	ECN-C-92-008
92-141	9308040099*	40-1020		NUREG/IA-0127	9308160173	NUREG	GRS-101
92-167 R01	9308040101*	40-1020		OIG/93A-08	9308270138	ORG	
92-R-2025-01 R01	9308230008*	50-368	P	OIG/93A-12	9308030224	ORG	
93-11	9308120146*	WASTE MGT	HLWR	OIG/93A-18	9308030273	ORG	
A-MECH-ER-009 R00	9308230010*	50-368	P	PGE-1012 A 13	9308100275	50-344	F HKC-153-93M
A30213	9308120063*	50-245	P	PIP 2-M93-0717 R00	9308260321*	50-370	P
CNWR 93-008	9308260192*	WASTE MGT	HLWR	PMFR 93-11	9308180175*	WASTE MGT	HLWR
CNWR 93-009	9308200206*	WASTE MGT	HLWR	SECY-87-114	8706040188	50-424	P
CNWR 93-014	9308130107*	WASTE MGT		SECY-87-213	8709090633	SECY	
COE-301-200 R01	9308310271*	50-265	P	SECY-82-244	9308180080*	SECY	
CTP 1026	9308270342*	ORG		SECY-83-043	9302250276	SECY	
CTP 1071	9308270345*	ORG		SECY-93-106	9304280090	SECY	
CTP 1077	9308270346*	ORG		SECY-93-108	9308230261	SECY	
CTP 1100A	9308270347*	ORG		SECY-93-124	9305210130	SECY	
CTP 1101	9308270348*	ORG		SECY-93-127	9305180345	SECY	
CTP 1102	9308270350*	ORG		SECY-93-130	9305180372	SECY	
CTP 1112	9308270355*	ORG		SECY-93-137	9308020193	SECY	
CTP 1113	9308270357*	ORG		SECY-93-144	9306030224	SECY	
DEM-6 RA	9308300304*	70-139		SECY-93-149	9306070093	SECY	
DOE/AL/62350-0464 R1	9308110386*	WASTE MGT		SECY-93-151	9306070162	SECY	
DOE/AL/62350-34D	9308020123*	WASTE MGT		SECY-93-167	9306210031	SECY	
DOE/AL/62350-36PF	9308020113*	WASTE MGT		SECY-93-175	9306300268	50-295	F
DOE/AL/62350-40PF	9308190104*	WASTE MGT		SECY-93-179	9306290136	SECY	
EER 93-0502 R02	9308300280*	50-325	P	SECY-93-180	9308020217	SECY	
FLPU 85-1	9308180138*	WASTE MGT		SECY-93-182	9307060119	SECY	
FR-3991	9308090263*	ORG		SECY-93-184	9307080273	SECY	GL-86-04
GE-NE-523-97-0793	9308100234*	50-325	Q	SECY-93-186	9307130254	SECY	
IAEA-SR-169/	9006220253*	52-2		SECY-93-188	9307140189	SECY	
JPN-PSL-SENP-93-035	9308060330*	50-335	Q	SECY-93-190	9307200356	SECY	
MEM-MNA-296(93) R02	9308260007*	50-327	Q	SECY-93-193	9307200065	SECY	
N3M-940 R00	9308050070*	50-390	A	SECY-93-196	9308030318	SECY	
NEDO-32229	9308100208*	71-9228		SECY-93-197	9308040182	SECY	
NUREG-0525 V02 R01	9308160105	NUREG		SECY-93-198	9308060311	SECY	
NUREG-0540 V15 N05	9308160099	NUREG		SECY-93-201	9308110250	COMMISSIO	N
NUREG-0713 V12	9308160144	NUREG		SECY-93-202	9307280207	SECY	
NUREG-0750 V37 I01	9308160096	NUREG		SECY-93-206	9308130166	SECY	
NUREG-0750 V37 N04	9308160091	NUREG		SECY-93-207	9308130149	SECY	
NUREG-0750 V37 I05	9308190001	NUREG		SECY-93-208	9308240280	SECY	
NUREG-0936 V12 N02	9308160147	NUREG		SECY-93-209	9308240163	SECY	
NUREG-1463	9308160153	NUREG		SECY-93-210	9308180245	SECY	
NUREG/BR-0088 R03	9308160036	NUREG		SECY-93-219	9308100127	COMMISSIO	N
NUREG/BR-0100	9308180248	NUREG		SECY-93-222	9308260219	COMMISSIO	N
NUREG/BR-0113	9308180249	NUREG		SIET - NT/54 R00	9308170132*	52-3	

270 REPORT NUMBER INDEX

REPORT NUMBER	ACCESSION NUMBER	SUBJECT CATEGORY	OTHER REPORT NUMBER	REPORT NUMBER	ACCESSION NUMBER	SUBJECT CATEGORY	OTHER REPORT NUMBER
SIET NT-032 R01	9308170156*	52-3		WCAP-13720	9308170038*	50-413	P
SWRI-1208-001	9308040186*	40-1020		WCAP-13763	9308170039*	50-413	P
SWRI-8554	9308040189*	40-1020		WCAP-13811	9308180185*	50-334	P
SWRI01-7912	9308040243*	40-1020		WCAP-13817	9308250230*	52-3	
SWRI01-7912(2)	9308040254*	40-1020		WCAP-13824	9308310260*	50-395	P SG-93-08-009
SWRI01-7912A(1)	9308040263*	40-1020		YAE-1864	9308310184*	50-309	P
SWRI01-8818-208/209	9308040280*	40-1020		YMP-SR-93-028	9308120183*	WASTE MGT	HLWR
SWRI01-8818-208/209D	9308040249*	40-1020		YMP-SR-93-029	9308300352*	WASTE MGT	HLWR
TR 083 R03	9308060291*	50-289	P	YMP-SR-93-030	9308090119*	WASTE MGT	
WCAP-13061-NP-A	9308030406*	TOPREP		YMP-SR-93-031	9308050103*	WASTE MGT	HLWR
WCAP-13089 R02	9308040255*	50-339	P	YMP-SR-93-032	9308180125	WASTE MGT	HLWR
WCAP-13620 R01	9308040222*	50-339	P	YMP-SR-93-033	9308120230*	WASTE MGT	HLWR
WCAP-13634 R00	9308030165*	52-3		YRC-1011 R01	9308050005*	71-9256	
WCAP-13699 R01	9308180237*	50-454	P	YRC-1027 R00	9308050004*	71-9256	

CROSS REFERENCE OF ENCLOSURES TO PRINCIPAL DOCUMENT

Item listed as enclosures are those indicated by an asterisk following the accession number in the indexes. The second column gives the accession number of the principal document under which the enclosure is listed. Knowing the accession number of the principal document, the date issued, and the category enables locating the title listing of the enclosure.

The subject category column in this index gives the docket number and the symbol for the category of information within that docket; for example, 50-320P. The docket subject categories are defined in Appendix A.

Subject categories for nondocketed items are also entered in this column by symbol; for example, ACRS. These categories are defined in Appendix B and listed in the Contents.

ACCESSION NUMBER				ACCESSION NUMBER			
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
8809300177	9308050194	93/06/09	40-6664	9308030115	9308030103	93/07/29	50-237 Q
9006220253	9308040086	93/07/15	52-2	9308030131	9308030125	93/07/26	40-8724
9009050294	9308190017	93/07/08	WASTE MGT	9308030132	9308030129	93/07/15	50-397 Q
9111200229	9308110263	93/07/14	STATE PRO G	9308030136	9308030125	93/07/26	40-8724
9201170193	9308200042	93/08/02	STATE PRO G	9308030150	9308030133	93/07/26	50-424 P
9306300289	9308200037	93/06/29	TOPREP	9308030160	9308030158	93/07/27	50-315 Q
9306300306	9308120228	93/06/24	TOPREP	9308030162	9308030159	93/07/26	52-3
9307200017	9308240326	93/08/04	50-293 U	9308030165	9308030159	93/07/26	52-3
9307210314	9307060165	93/02/03	FOIA	9308030182	9308030089	93/05/26	50-255 H
9307270155	9307270153	93/07/23	50-416 P	9308030184	9308030179	93/07/26	50-317 P
9307300088	9307300082	93/07/21	50-151 Q	9308030211	9308030204	93/07/29	50-341 P
9308020002	9308020001	93/07/23	50-387 Q	9308030239	9308030232	93/07/15	50-321 P
9308020008	9308020003	93/07/09	50-315 P	9308030246	9308030242	93/07/26	50-263 P
9308020016	9308020011	93/07/26	50-263 P	9308030249	9308030232	93/07/15	50-321 P
9308020018	9308020003	93/07/09	50-315 P	9308030255	9308030248	93/07/26	I&E
9308020052	9308020042	93/07/23	50-445 Q	9308030306	9308030304	93/07/13	50-412 P
9308020055	9308020049	93/07/28	71-766	9308030307	9308030304	93/07/13	50-412 P
9308020089	9308020081	93/07/23	50-313 Q	9308030319	9308030314	93/07/26	50-440 P
9308020095	9308020086	93/07/26	50-282 S	9308030337	9308030301	93/07/19	50-369 P
9308020103	9308020097	93/07/19	PR	9308030343	9308030340	93/07/12	50-263 P
9308020113	9308020107	93/07/27	WASTE MGT	9308030346	9308030340	93/07/12	50-263 P
9308020114	9308020111	93/07/26	STATE PRO G	9308030359	9308030355	93/07/13	50-219 Q
9308020123	9308020107	93/07/27	WASTE MGT	9308030368	9308030361	93/07/21	70-622 Q
9308020136	9308020133	93/07/27	50-315 P	9308030390	9308030382	93/07/22	50-317 P
9308020141	9308020131	93/07/19	COMMISSIO N	9308030394	9308030392	93/07/23	50-334 K
9308020144	9308020140	93/07/13	50-333 P	9308030398	9308030391	93/07/30	TOPREP
9308020149	9308020146	93/07/20	50-237 S	9308030402	9308030399	93/07/13	50-247 P
9308020151	9308020142	93/06/18	ORG	9308030403	9308030399	93/07/13	50-247 P
9308020153	9308020150	93/07/16	PR	9308030406	9308030391	93/07/30	TOPREP
9308020158	9308020154	93/07/23	50-335 P	9308030409	9308030407	93/07/12	50-410 P
9308020165	9308020160	93/07/01	ORG	9308030412	9308030407	93/07/12	50-410 P
9308020201	9308020175	93/07/22	50-410 P	9308030418	9308030417	93/07/28	50-440 P
9308020212	9308020209	93/06/28	40-2259	9308030422	9308030421	93/07/29	50-341 P
9308020213	9308020202	93/07/21	71-179	9308030423	9308030420	93/07/29	50-263 Q
9308020215	9308020209	93/06/28	40-2259	9308040011	9308040007	93/07/29	50-272 Q
9308020245	9308020241	93/07/29	REVIEW GR P	9308040012	9308040009	93/07/30	50-313 Q
9308020254	9308020251	93/07/12	50-445 P	9308040017	9308040005	93/07/27	50-277 Q
9308020260	9308020242	93/07/26	50-213 P	9308040025	9308040013	93/07/26	50-213 Q
9308030003	9308030002	93/07/27	50-220 P	9308040028	9308040013	93/07/26	50-213 Q
9308030010	9308030008	93/07/22	50-245 Q	9308040031	9308040027	93/07/27	50-443 Q
9308030014	9308030009	93/07/23	50-317 Q	9308040032	9308040030	93/07/23	50-286 Q
9308030015	9308030008	93/07/22	50-245 Q	9308040033	9308040020	93/07/28	52-1
9308030020	9308030018	93/07/21	50-184 Q	9308040041	9308040036	93/07/30	50-498 Q
9308030022	9308030019	93/07/26	70-36	9308040043	9308040036	93/07/30	50-498 Q
9308030027	9308030011	93/07/26	50-305 Q	9308040048	9308040046	93/07/28	50-348 Q
9308030030	9308030025	93/07/27	50-382 Q	9308040054	9308040038	93/07/15	40-1020
9308030032	9308030011	93/07/26	50-305 Q	9308040068	9308040061	93/07/29	40-1341
9308030045	9308030031	93/07/22	50-293 P	9308040078	9308020238	93/07/12	XPORTLIC
9308030053	9308030039	93/05/21	50-255 H	9308040082	9308040038	93/07/15	40-1020
9308030056	9308030029	93/07/28	52-3	9308040085	9308040063	93/07/26	50-245 P
9308030057	9308030047	93/07/26	40-8724	9308040090	9308040038	93/07/15	40-1020
9308030061	9308030039	93/05/21	50-255 H	9308040094	9308040038	93/07/15	40-1020
9308030064	9308030054	93/07/23	50-354 P	9308040096	9308040093	93/07/28	50-334 Q
9308030072	9308030062	93/07/26	50-285 R	9308040097	9308040038	93/07/15	40-1020
9308030075	9308030059	93/07/23	50-331 Q	9308040099	9308040038	93/07/15	40-1020
9308030077	9308030071	93/07/23	50-352 Q	9308040101	9308040038	93/07/15	40-1020
9308030081	9308030070	93/07/23	50-317 Q	9308040104	9308040093	93/07/28	50-334 Q
9308030083	9308030039	93/05/21	PR	9308040106	9308040038	93/07/15	40-1020
9308030084	9308030071	93/07/23	50-352 Q	9308040107	9308040105	93/07/14	50-213 P
9308030093	9308030087	93/07/22	50-333 Q	9308040109	9308040038	93/07/15	40-1020

4 of 4

272 CROSS REFERENCE OF ENCLOSURES TO PRINCIPAL DOCUMENTS

ACCESSION NUMBER				ACCESSION NUMBER			
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
9308040111	9308040105	93/07/14	50-213 P	9308050088	9308050083	93/07/13	50-269 Q
9308040113	9308040105	93/07/14	50-213 P	9308050093	9308050091	93/07/02	50-261 Q
9308040115	9308040086	93/07/15	52-2 P	9308050094	9308050090	93/07/23	50-348 Q
9308040116	9308040110	93/07/26	50-267 P	9308050095	9308050092	93/07/13	70-27 Q
9308040118	9308040112	93/05/11	50-322 P	9308050099	9308050090	93/07/23	50-348 Q
9308040119	9308040038	93/07/15	40-1020	9308050100	9308050092	93/07/13	70-27 Q
9308040128	9308040127	93/07/27	50-245 P	9308050101	9308050091	93/07/02	50-261 Q
9308040143	9308040124	93/07/29	71-468 P	9308050103	9308050097	93/07/26	WASTE MGT Q
9308040149	9308040117	93/07/16	50-315 P	9308050115	9308050110	93/07/07	50-395 Q
9308040158	9308040038	93/07/15	40-1020	9308050121	9308050110	93/07/07	50-395 Q
9308040168	9308040038	93/07/15	40-1020	9308050124	9308050122	93/07/27	50-269 F
9308040172	9308040038	93/07/15	40-1020	9308050125	9308050118	93/07/23	50-275 F
9308040173	9308040038	93/07/15	40-1020	9308050135	9308050118	93/07/23	50-275 F
9308040174	9308040169	93/07/26	50-400 P	9308050137	9308050133	93/07/29	50-324 Q
9308040175	9308040163	93/07/27	70-143	9308050141	9308050133	93/07/29	50-324 Q
9308040183	9308040142	93/07/16	50-528 P	9308050146	9308050142	93/07/29	50-267 F
9308040187	9308040038	93/07/15	40-1020	9308050147	9308050136	93/07/21	50-321 F
9308040189	9308040163	93/07/27	70-143	9308050152	9308050149	93/07/28	50-267 F
9308040187	9308040038	93/07/15	40-1020	9308050154	9308050148	93/07/29	50-397 F
9308040196	9308040192	93/07/08	COMMISSIO N	9308050155	9308050149	93/07/28	50-267 F
9308040198	9308040193	93/07/29	50-364 P	9308050168	9308050160	93/07/29	50-282 P
9308040205	9308040197	93/07/28	50-339 P	9308050170	9308050164	93/07/26	40-8984 P
9308040206	9308040204	93/07/28	70-143	9308050178	9308050171	93/07/28	50-331 P
9308040210	9308040204	93/07/28	70-143	9308050180	9308050177	93/07/23	50-265 P
9308040215	9308040197	93/07/28	50-339 P	9308050182	9308050173	93/06/16	PR
9308040217	9308040197	93/07/28	50-339 P	9308050183	9308050160	93/07/29	50-282 P
9308040222	9308040197	93/07/28	50-339 P	9308050188	9308050184	93/07/28	50-286 P
9308040224	9308040038	93/07/15	40-1020	9308050189	9308050184	93/07/28	50-286 P
9308040228	9308040038	93/07/15	40-1020	9308050198	9308050195	93/07/28	52-3 P
9308040230	9308040038	93/07/15	40-1020	9308050200	9308050199	93/07/21	52-1 P
9308040233	9308040038	93/07/15	40-1020	9308050203	9308050202	93/07/30	50-317 I
9308040234	9308040038	93/07/15	40-1020	9308050204	9308050187	93/05/20	PR
9308040239	9308040236	93/07/16	50-282 P	9308050224	9308050219	93/07/30	50-321 P
9308040242	9308040238	93/05/21	50-438 H	9308050245	9308050240	93/07/23	70-1257 P
9308040243	9308040038	93/07/15	40-1020	9308050254	9308050248	93/07/08	50-498 P
9308040249	9308040038	93/07/15	40-1020	9308050262	9308050258	93/07/16	50-445 P
9308040254	9308040038	93/07/15	40-1020	9308050272	9305190003	93/04/16	ORG
9308040255	9308040197	93/07/28	50-339 P	9308050273	9308050270	93/07/29	71-9001 P
9308040263	9308040038	93/07/15	40-1020	9308050275	9308050270	93/07/29	71-9001 P
9308040266	9308040261	93/07/27	71-496	9308050285	9308050271	93/08/02	WASTE MGT
9308040267	9308040038	93/07/15	40-1020	9308050287	9308050280	93/07/29	50-282 P
9308040271	9308040268	93/07/27	50-424 P	9308050289	9308050280	93/07/29	50-282 P
9308040275	9308040038	93/07/15	40-1020	9308050293	9308050271	93/08/02	WASTE MGT
9308040280	9308040038	93/07/15	40-1020	9308060009	9308060006	93/07/30	50-261 Q
9308040285	9308040038	93/07/15	40-1020	9308060017	9308060014	93/07/13	70-1151
9308040286	9308040038	93/07/15	40-1020	9308060025	9308060022	93/07/29	50-259 Q
9308040295	9308040272	93/07/30	50-352 Q	9308060031	9308060022	93/07/29	50-259 Q
9308040312	9308040306	92/12/07	MISC	9308060035	9308060032	93/07/28	50-250 Q
9308040323	9308040321	93/07/29	50-423 P	9308060052	9308060045	93/07/14	50-390 Q
9308050002	9308050001	92/07/22	50-244 Q	9308060061	9308060055	93/06/28	50-327 Q
9308050004	9308050003	93/08/02	71-9256	9308060066	9308060063	93/07/28	50-62 Q
9308050005	9308050003	93/08/02	71-9256	9308060069	9308060064	93/07/30	50-261 Q
9308050008	9308050006	93/07/23	50-321 Q	9308060075	9308060064	93/07/30	50-261 Q
9308050010	9308050006	93/07/23	50-321 Q	9308060077	9308060071	93/07/09	50-280 Q
9308050011	9308050007	93/07/23	50-400 Q	9308060081	9308060076	93/07/23	70-824 Q
9308050014	9308050012	93/07/26	50-335 Q	9308060086	9308060076	93/07/23	70-824 Q
9308050015	9308050013	93/07/21	50-250 Q	9308060087	9308060084	93/07/09	50-255 Q
9308050019	9308050017	93/07/21	50-327 Q	9308060092	9308060082	93/07/09	50-327 Q
9308050020	9308050018	93/07/29	50-348 Q	9308060094	9308060090	93/07/20	50-269 Q
9308050024	9308050023	93/07/23	50-327 Q	9308060097	9308060090	93/07/20	50-269 Q
9308050025	9308050022	93/07/21	50-327 Q	9308060104	9308060102	93/07/30	70-3070 Q
9308050026	9308050023	93/07/23	50-327 Q	9308060108	9308060102	93/07/30	70-3070 Q
9308050033	9308050030	93/07/13	50-259 Q	9308060111	9308060106	93/07/15	50-348 Q
9308050034	9308050022	93/07/21	50-327 Q	9308060114	9308060109	93/07/15	50-324 Q
9308050035	9308050028	93/07/22	50-335 Q	9308060117	9308060102	93/07/30	70-3070 Q
9308050036	9308050029	93/07/27	50-390 Q	9308060118	9308060109	93/07/15	50-324 Q
9308050040	9308050030	93/07/13	50-259 Q	9308060120	9308060102	93/07/30	70-3070 Q
9308050042	9308050030	93/07/13	50-259 Q	9308060122	9308060116	93/07/16	50-269 Q
9308050043	9308050038	93/07/13	50-338 Q	9308060128	9308060115	93/07/08	50-369 Q
9308050045	9308050041	93/07/23	70-143	9308060129	9308060126	93/07/09	PR
9308050047	9308050044	93/07/02	70-143 Q	9308060130	9308060085	93/06/28	50-321 Q
9308050048	9308050041	93/07/23	70-143 Q	9308060134	9308060132	93/07/20	50-390 Q
9308050051	9308050044	93/07/02	50-324 Q	9308060135	9308060131	93/07/20	70-27 Q
9308050053	9308050038	93/07/13	50-338 Q	9308060140	9308060085	93/06/28	50-321 Q
9308050054	9308050049	93/07/14	50-424 Q	9308060141	9308060132	93/07/20	50-390 Q
9308050059	9308050050	93/07/28	50-313 P	9308060142	9308060133	93/07/09	50-438 Q
9308050060	9308050056	93/07/23	50-327 Q	9308060144	9308060137	93/07/12	50-424 Q
9308050061	9308050058	93/07/02	50-400 Q	9308060158	9308060155	93/07/15	50-390 Q
9308050063	9308050058	93/07/02	50-400 Q	9308060162	9308060146	93/07/29	50-341 Q
9308050067	9308050065	93/07/28	50-390 A	9308060169	9308060164	93/07/08	PR
9308050068	9308050064	93/07/23	50-261 A	9308060173	9308060168	93/06/25	50-327 Q
9308050070	9308050065	93/07/28	50-390 Q	9308060181	9308060170	93/07/02	50-413 Q
9308050075	9308050069	93/07/15	50-280 Q	9308060184	9308060177	93/07/08	PR
9308050077	9308050074	93/07/29	50-346 Q	9308060185	9308060178	93/07/23	50-390 Q
9308050079	9308050076	93/07/09	50-390 Q	9308060188	9308060183	93/07/14	50-416 Q
9308050080	9308050072	93/07/26	50-413 Q	9308060192	9308060178	93/07/23	50-390 Q
9308050087	9308050081	93/08/03	71-6078	9308060194	9308060189	93/07/27	50-280 Q

CROSS REFERENCE OF ENCLOSURES TO PRINCIPAL DOCUMENTS 273

ACCESSION NUMBER				ACCESSION NUMBER			
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
9308060203	9308060178	93/07/23	50-390 Q	9308100067	9308100062	93/08/02	50-334 Q
9308060210	9308060206	93/07/22	50-327 Q	9308100071	9308100065	93/07/30	50-334 Q
9308060213	9308060209	93/07/26	50-400 Q	9308100076	9308100072	93/07/30	50-265 Q
9308060223	9308060218	93/07/01	50-302 Q	9308100077	9308100073	93/07/29	50-413 Q
9308060225	9308060222	93/07/23	50-424 Q	9308100079	9308100078	93/07/09	50-250 Q
9308060229	9308060227	93/07/09	50-390 Q	9308100086	9308100081	93/08/06	50-302 Q
9308060231	9308060222	93/07/23	50-424 Q	9308100091	9308100082	93/08/03	50-305 Q
9308060278	9308060275	93/07/22	50-263 P	9308100103	9308100102	93/08/04	50-254 Q
9308060291	9308060289	93/08/02	50-289 P	9308100120	9308100116	93/07/23	50-443 R
9308060297	9308060296	93/08/04	71-179	9308100130	9308100124	93/08/03	50-389 Q
9308060303	9308060300	93/07/28	50-528 S	9308100163	9308100159	93/08/02	50-186 Q
9308060307	9308060186	93/07/30	50-272	9308100165	9308100147	93/07/16	50-331 P
9308060330	9308060325	93/07/30	50-335 Q	9308100166	9308100153	93/08/03	50-424 P
9308060339	9308060338	93/07/12	WASTE MGT	9308100170	9308100162	93/06/30	50-269 F
9308060361	9308060347	93/07/23	50-336 G	9308100173	9308100168	93/08/05	50-295 Q
9308060367	9308060365	93/07/30	50-338 P	9308100174	9308100169	93/08/05	50-498 P
9308060372	9308060365	93/07/30	50-338 P	9308100183	9308100179	93/07/27	50-244 Q
9308060381	9308060380	93/07/30	50-443 S	9308100187	9308100186	93/07/19	50-458 P
9308090009	9308090007	93/07/30	50-293 Q	9308100192	9308090326	93/08/04	50-382 P
9308090012	9308090010	93/07/30	50-423 P	9308100208	9308100206	93/08/04	71-9228
9308090016	9308090010	93/07/30	50-423 P	9308100209	9308100186	93/07/19	50-458 P
9308090028	9308090018	93/07/29	50-281 Q	9308100217	9308100215	93/08/05	50-261 P
9308090034	9308090024	93/07/27	50-387 Q	9308100234	9308100227	93/07/26	50-325 P
9308090039	9308090033	93/07/30	50-275 T	9308100237	9308100232	93/07/16	50-298 P
9308090043	9308090041	93/07/26	70-1257	9308100239	9308100232	93/07/16	50-298 P
9308090046	9308090033	93/07/30	50-275 T	9308100258	9308100254	93/07/30	50-352 S
9308090049	9308090041	93/07/26	70-1257	9308100274	9308100272	93/08/09	71-4986
9308090053	9308090050	93/07/14	40-8837	9308100278	9308100275	93/08/06	71-9249
9308090061	9308090057	93/08/04	WASTE MGT	9308110006	9308110005	93/08/04	50-285 Q
9308090067	9308090060	93/07/14	70-3074	9308110007	9308110005	93/08/04	50-285 Q
9308090074	9308090072	93/07/30	40-3392	9308110009	9308110008	93/08/03	50-220 Q
9308090078	9308090072	93/07/30	40-3392	9308110025	9308110018	93/07/07	50-412 V
9308090085	9308090071	93/07/14	PR	9308110030	9308110016	93/08/04	50-336 P
9308090092	9308090090	93/07/30	50-341 Q	9308110037	9308110032	93/07/13	50-277 Q
9308090093	9308090087	93/08/02	QA999	9308110048	9308110043	93/08/05	50-445 Q
9308090094	9308090071	93/07/14	PR	9308110052	9308110047	93/07/14	50-443 Q
9308090097	9308090081	93/07/30	50-315 Q	9308110061	9308110055	93/08/05	50-483 P
9308090113	9308090110	93/07/30	50-341 Q	9308110062	9308110059	93/08/03	50-445 Q
9308090115	9308090087	93/08/02	QA999	9308110063	9308110055	93/08/05	50-483 P
9308090119	9308090108	93/07/30	WASTE MGT	9308110062	9308110059	93/08/03	50-445 Q
9308090120	9308090087	93/08/02	QA999	9308110091	9308110086	93/08/05	40-2061
9308090124	9308090116	93/07/28	PR	9308110093	9308110088	93/08/04	50-271 P
9308090131	9308090127	93/07/30	50-254 Q	9308110099	9308110087	93/08/05	50-155 S
9308090133	9308090132	93/07/28	COMMISSIO	9308110104	9308110100	93/08/05	50-313 Q
9308090146	9308090141	93/07/09	70-1403	9308110107	9308110100	93/08/05	50-313 Q
9308090180	9308090175	93/07/27	XPORTLIC	9308110113	9308110092	93/08/03	40-8027
9308090185	9308090182	93/07/31	50-344 P	9308110114	9308110109	93/08/10	50-443 F
9308090204	9308090201	93/08/04	70-143	9308110115	9308110109	93/08/10	50-443 F
9308090205	9308090197	93/08/05	50-344 P	9308110117	9308110106	93/07/19	ORG
9308090206	9308090201	93/08/04	70-143	9308110130	9308110120	93/08/02	50-275 T
9308090207	9308090194	93/07/29	50-333 P	9308110134	9308110132	93/08/04	50-311 P
9308090209	9308090194	93/07/29	50-333 P	9308110136	9308110120	93/08/02	50-275 P
9308090222	9308090221	93/08/03	50-440 P	9308110153	9308110150	93/08/05	50-382 P
9308090223	9308090219	93/06/11	ADVCM	9308110172	9308110166	93/08/05	50-458 P
9308090230	9308090227	93/08/05	50-344 P	9308110175	9308110170	93/08/05	50-382 P
9308090231	9308090174	93/08/04	WASTE MGT	9308110186	9308110178	93/08/05	50-498 Q
9308090233	9308090232	93/07/19	XPORTLIC	9308110188	9308110184	93/08/05	50-382 P
9308090240	9308090237	93/07/19	XPORTLIC	9308110191	9308110112	93/07/28	40-8027
9308090247	9308090243	93/06/17	ORG	9308110195	9308110195	93/08/06	50-272 P
9308090262	9308090258	93/07/19	XPORTLIC	9308110208	9308110202	93/08/03	50-313 P
9308090263	9308090243	93/06/17	ORG	9308110227	9308110217	93/07/20	50-188 P
9308090278	9308090269	93/08/03	50-309 P	9308110229	9308110217	93/07/20	50-188 P
9308090282	9308090269	93/08/03	50-309 P	9308110232	9308110226	93/08/06	50-424 P
9308090290	9308090285	93/07/15	50-461 P	9308110234	9308110228	93/07/02	PR
9308090293	9308090285	93/07/15	50-461 P	9308110235	9308110231	93/07/22	52-3
9308090299	9308090295	93/07/26	50-295 R	9308110238	9308110228	93/07/02	PR
9308090313	9308090305	93/07/26	50-10 Q	9308110239	9308110237	93/08/04	50-389 Q
9308090314	9308090311	93/08/02	50-301 Q	9308110242	9308110237	93/08/04	50-389 Q
9308090316	9308090311	93/08/02	50-301 Q	9308110266	9308110262	93/08/04	50-250 P
9308090320	9308090319	93/08/03	50-295 Q	9308110267	9308110262	93/08/04	50-250 P
9308090321	9308090315	93/07/29	50-219 U	9308110288	9308110282	93/08/03	TOPREP
9308090332	9308090327	93/07/29	50-244 S	9308110291	9308110263	93/07/14	STATE PRO G
9308090333	9308090328	93/07/20	50-213 P	9308110296	9308110263	93/07/14	STATE PRO G
9308090335	9308090331	93/07/15	50-277 P	9308110300	9308110297	93/07/23	50-336 H
9308090337	9308090330	93/07/26	50-254 R	9308110301	9308110263	93/07/14	STATE PRO G
9308090338	9308090329	93/07/28	52-1	9308110307	9308110303	93/07/21	50-423 P
9308090340	9308090331	93/07/15	50-277 P	9308110308	9308110263	93/07/14	STATE PRO G
9308090341	9308090336	93/07/28	50-331 P	9308110320	9308110311	93/07/23	PR
9308090345	9308090343	93/07/26	50-373 R	9308110327	9308110263	93/07/14	STATE PRO G
9308090347	9308090344	93/07/30	50-285 S	9308110331	9308110263	93/07/14	STATE PRO G
9308100011	9308100008	93/08/04	50-282 Q	9308110333	9308110263	93/07/14	STATE PRO G
9308100012	9308100008	93/08/04	50-282 Q	9308110334	9308110330	93/07/21	50-186 P
9308100019	9308100014	93/07/28	50-354 Q	9308110338	9308110330	93/07/21	50-186 P
9308100022	9308100018	93/07/09	50-321 Q	9308110341	9308110263	93/07/14	STATE PRO G
9308100028	9308100026	93/07/29	50-327 Q	9308110348	9308110343	93/07/30	71-*****
9308100037	9308100035	93/07/30	50-280 Q	9308110351	9308110309	93/07/26	STATE PRO G
9308100060	9308100056	93/08/02	50-247 Q	9308110356	9308110350	93/07/23	50-328 P

274 CROSS REFERENCE OF ENCLOSURES TO PRINCIPAL DOCUMENTS

ACCESSION NUMBER				ACCESSION NUMBER			
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
9308110369	9308110359	93/07/02	PR	9308130123	9308130118	93/07/22	50-333 R
9308110370	9308110364	93/08/09	40-8778	9308130137	9308130135	93/08/06	50-323 P
9308110373	9308110365	93/07/21	ORG	9308130140	9308130134	93/08/05	50-528 P
9308110374	9308110363	93/06/14	REVIEW GR P	9308130159	9308130151	93/08/05	50-528 P
9308110375	9308110371	93/07/21	50-410 P	9308130173	9308110316	93/07/22	50-116 V
9308110377	9308110371	93/07/21	50-410 P	9308130178	9308130176	93/08/11	50-482 Q
9308110386	9308110379	93/08/02	WASTE MGT	9308160003	9308160002	93/07/30	50-312 Q
9308110393	9308110390	93/07/22	50-368 P	9308160004	9308160002	93/07/30	50-312 Q
9308110395	9308110394	93/08/06	52-1	9308160008	9308160006	93/07/21	50-206 Q
9308110396	9308110390	93/07/22	50-368 P	9308160010	9308160006	93/07/21	50-206 Q
9308110399	9308110397	93/08/06	52-1	9308160014	9308160013	93/07/21	50-528 Q
9308110400	9308110398	93/08/05	50-244 P	9308160022	9308160018	93/07/21	50-528 Q
9308120002	9308120001	93/08/06	50-254 Q	9308160028	9308160018	93/07/21	50-528 Q
9308120011	9308120010	93/08/09	50-315 Q	9308160032	9308160031	93/07/23	70-754
9308120012	9308120010	93/08/09	50-315 Q	9308160055	9308160051	93/08/11	50-10 R
9308120017	9308120016	93/08/05	50-458 F	9308160059	9308160056	93/07/27	50-397 Q
9308120028	9308120013	93/08/03	50-272 P	9308160069	9308160066	93/08/09	50-293 P
9308120029	9308120025	93/08/02	50-271 Q	9308160071	9308160065	93/07/26	70-734
9308120034	9308120032	93/07/19	ORG	9308160072	9308160068	93/07/12	50-528 Q
9308120041	9308120035	93/08/09	70-143	9308160075	9308160065	93/07/26	70-734
9308120042	9308120035	93/08/09	70-143	9308160085	9308160082	93/08/09	50-213 P
9308120053	9307010122	93/02/16	70-139	9308160086	9308160079	93/08/06	50-341 Q
9308120056	9308120050	93/07/22	NUREG	9308160092	9308160080	93/07/21	ADVCM
9308120057	9308120052	93/08/05	40-3392	9308160093	9308160083	93/08/05	50-320 P
9308120061	9308120050	93/07/22	NUREG	9308160094	9308160065	93/07/26	70-734
9308120063	9308120058	93/08/06	50-245 P	9308160102	9308160095	93/08/10	50-317 Q
9308120065	9308120050	93/07/22	50-413 P	9308160103	9308160083	93/08/05	50-320 Q
9308120068	9308120062	93/07/23	50-338 P	9308160108	9308160100	93/07/30	50-528 Q
9308120070	9308120050	93/07/22	50-313 P	9308160109	9308160083	93/08/05	50-320 P
9308120072	9307010122	93/02/16	70-139	9308160112	9308160107	93/07/22	50-321 P
9308120078	9308120050	93/07/22	NUREG	9308160113	9308160100	93/07/30	50-528 Q
9308120084	9308120050	93/07/22	NUREG	9308160115	9308160111	93/08/06	50-331 Q
9308120091	9308120050	93/07/22	NUREG	9308160119	9308160100	93/07/30	50-528 Q
9308120093	9308120050	93/07/22	NUREG	9308160122	9308160111	93/08/06	50-331 Q
9308120100	9308120092	93/08/05	50-282 S	9308160129	9308160124	93/07/30	50-275 Q
9308120101	9308120050	93/07/22	NUREG	9308160130	9308160125	93/08/05	50-529 P
9308120111	9308120050	93/07/22	50-338 P	9308160141	9308160128	93/08/10	MISC
9308120117	9308120050	93/07/22	NUREG	9308160142	9308160124	93/07/30	50-275 Q
9308120134	9308120130	93/08/04	50-155 S	9308160145	9308160136	93/08/11	50-275 Q
9308120135	9307010122	93/02/16	70-139	9308160152	9308160148	93/07/30	50-361 Q
9308120146	9308120142	93/08/04	WASTE MGT	9308160156	9308160155	93/07/27	50-344 Q
9308120148	9307010122	93/02/16	70-139	9308160170	9308160104	93/05/18	NUREG
9308120157	9307010122	93/02/16	70-139	9308160188	9308160179	93/08/09	STATE PRO
9308120162	9307010122	93/02/16	70-139	9308160190	9308160187	93/08/09	50-424
9308120183	9308120179	93/08/05	WASTE MGT	9308160198	9308160195	93/07/14	COMMISSIO
9308120184	9308120177	93/08/03	50-352 P	9308160206	9308160200	93/08/11	50-255 H
9308120196	9308120195	93/07/26	50-423 P	9308160210	9308160062	93/08/03	50-151
9308120199	9308120195	93/07/26	50-423 P	9308160211	9308160204	93/07/21	COMMISSIO
9308120200	9308110383	93/07/29	WASTE MGT	9308160223	9308160221	93/08/10	50-338 P
9308120230	9308120220	93/08/03	WASTE MGT	9308160228	9308160217	93/07/23	50-333 P
9308120233	9308120228	93/06/24	TOPREP	9308160229	9307130294	93/07/07	QA999
9308120239	9308120228	93/06/24	TOPREP	9308160231	9308160217	93/07/23	50-333 P
9308120241	9307010122	93/02/16	70-139	9308160234	9308160224	93/07/14	50-369 P
9308120249	9307010122	93/02/16	70-139	9308160238	9308160235	93/08/06	50-155 P
9308120252	9308120248	93/08/06	50-390 K	9308160239	9308160235	93/08/06	50-155 P
9308120282	9308120278	93/07/23	50-368 Q	9308160241	9308160225	93/08/11	50-255 H
9308120300	9307010122	93/02/16	70-139	9308160246	9308160242	93/08/10	50-336 P
9308120303	9308120299	93/07/20	50-369 P	9308160248	9308160242	93/08/10	50-336 P
9308120312	9307010122	93/02/16	70-139	9308160271	9308160265	93/07/14	COMMISSIO
9308120324	9307010122	93/02/16	70-139	9308160288	9308160281	93/08/11	50-416 P
9308120330	9307010122	93/02/16	70-139	9308160293	9308160280	93/07/12	50-352 F
9308120337	9308120314	93/06/24	50-155 P	9308160325	9308160322	93/08/11	50-150 V
9308120340	9307010122	93/02/16	70-139	9308160330	9308160315	93/08/11	50-416 P
9308120348	9308120344	93/01/18	50-271 F	9308160335	9308160329	93/08/05	50-390 P
9308120353	9308120341	93/06/22	ORG	9308160375	9308160372	93/07/27	50-454 A
9308120354	9308120351	93/06/11	50-285 F	9308160381	9308160379	93/08/10	50-321 Q
9308120359	9308120355	93/08/03	50-335 Q	9308170006	9308170004	93/08/05	50-352 Q
9308120372	9308120368	93/04/30	50-285 F	9308170014	9308170013	93/08/10	50-220 Q
9308120376	9308120371	93/08/02	50-390 Q	9308170016	9308170011	93/08/04	50-271 Q
9308130010	9308130005	93/08/04	50-220 Q	9308170020	9308170018	93/08/06	50-334 Q
9308130019	9308130016	93/08/04	50-333 Q	9308170033	9308170032	93/08/12	50-237 P
9308130035	9308130033	93/07/12	STATE PRO	9308170038	9308170034	93/08/12	50-413 P
9308130039	9308130037	93/06/01	50-445 G	9308170039	9308170034	93/08/12	50-413 P
9308130046	9308130043	93/04/01	50-498 F	9308170041	9308170035	93/08/11	50-272 Q
9308130054	9308130032	93/08/06	50-244 P	9308170057	9308170049	93/08/11	50-317 Q
9308130056	9308130053	93/07/26	50-334 P	9308170058	9308170054	93/08/11	50-245 Q
9308130059	9308130050	93/06/24	ORG	9308170073	9308170066	93/04/27	50-454 Q
9308130060	9308130058	93/07/19	50-318 P	9308170076	9308170051	93/08/11	50-416 P
9308130074	9308130072	93/08/06	50-272 P	9308170100	9308170094	93/08/11	50-282 Q
9308130075	9308130073	93/08/09	WASTE MGT	9308170114	9308170108	93/08/10	50-443 Q
9308130084	9308130080	93/07/28	WASTE MGT	9308170125	9308170116	93/08/09	50-324 P
9308130100	9308130099	93/08/03	WASTE MGT	9308170130	9308170116	93/08/09	50-324 Q
9308130105	9308130103	93/08/09	50-528 P	9308170131	9308170127	93/08/06	50-244 Q
9308130107	9308130102	93/06/24	WASTE MGT	9308170132	9308170115	93/08/13	52-3 P
9308130110	9308130103	93/08/09	50-528 P	9308170137	9308170116	93/08/09	50-324 P
9308130115	9308130109	93/07/26	50-331 P	9308170138	9308170127	93/08/06	50-244 Q
9308130121	9308130118	93/07/22	50-333 R	9308170141	9308170116	93/08/09	50-324 P

CROSS REFERENCE OF ENCLOSURES TO PRINCIPAL DOCUMENTS 275

ACCESSION NUMBER				ACCESSION NUMBER			
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
9308170154	9308170145	93/08/10	50-286 V	9308190037	9308190033	93/08/12	50-272 Q
9308170156	9308170115	93/08/13	52-3	9308190047	9308190042	93/07/30	50-315 P
9308170159	9308170149	93/08/12	50-454 Q	9308190054	9308190052	93/08/10	50-387 Q
9308170181	9308170176	93/08/13	50-361 R	9308190067	9308190058	93/08/11	50-334 P
9308170182	9308170174	93/07/23	XPORTLIC	9308190070	9308190062	93/08/13	50-254 Q
9308170185	9308170176	93/08/13	50-361 R	9308190075	9308190073	93/08/05	50-369 P
9308170244	9308170241	93/07/27	50-361 P	9308190080	9308190076	93/06/28	QA999
9308170275	9308030232	93/07/15	50-321 P	9308190082	9308190081	93/07/30	50-413 Q
9308170279	9308300239	93/08/16	50-293 Q	9308190083	9308190076	93/06/28	QA999
9308170291	9308170289	93/07/28	50-261 P	9308190088	9308190076	93/06/28	QA999
9308170306	9308170302	93/07/26	50-285 P	9308190093	9308190091	93/06/28	QA999
9308170310	9308170308	93/07/28	50-324 P	9308190101	9308190058	93/08/11	50-334 P
9308170315	9308170302	93/07/26	50-285 P	9308190104	9308190097	93/08/13	WASTE MGT
9308170316	9308170296	93/08/09	50-289 P	9308190110	9308190097	93/08/13	WASTE MGT
9308170318	9308170313	93/07/28	50-443 P	9308190118	9308190086	93/07/30	50-498 P
9308170325	9308170323	93/08/10	70-1100	9308190120	9308190116	93/08/16	50-498 P
9308170326	9308170323	93/08/10	70-1100	9308190122	9308190115	93/08/12	50-528 R
9308170332	9308170331	93/07/26	50-220 P	9308190126	9308190115	93/08/12	50-528 R
9308170333	9308170319	93/08/06	50-255 H	9308190151	9308190149	93/07/29	50-285 P
9308170334	9308170330	93/07/28	50-395 P	9308190152	9308190139	93/07/23	50-29 H
9308170335	9308170330	93/07/28	50-395 P	9308190154	9308200042	93/08/02	STATE PRO G
9308170336	9308170331	93/07/26	50-220 P	9308190157	9308200042	93/08/02	STATE PRO G
9308170339	9308170296	93/08/09	50-289 P	9308190159	9308190147	93/08/11	50-295 Q
9308170344	9308170338	93/07/26	50-213 P	9308190163	9308200042	93/08/02	STATE PRO G
9308170348	9308170346	93/07/26	50-368 P	9308190166	9308200042	93/08/02	STATE PRO G
9308170351	9308170346	93/07/26	50-368 P	9308190171	9308200042	93/08/02	STATE PRO G
9308170357	9308170354	93/08/16	50-387 P	9308190172	9308190164	93/08/02	50-327 P
9308170360	9308170356	93/07/26	50-382 P	9308190174	9308190164	93/08/02	50-327 P
9308170362	9308170356	93/07/26	50-382 P	9308190178	9308190164	93/06/02	50-327 P
9308170378	9308170373	93/07/23	50-269 P	9308190179	9308200042	93/08/02	STATE PRO G
9308170391	9308170383	93/07/28	50-266 P	9308190182	9308200042	93/08/02	STATE PRO G
9308170395	9308170383	93/07/28	50-266 P	9308190186	9308190181	93/07/29	50-333 P
9308170403	9308170393	93/08/11	50-275 F	9308190188	9308200042	93/08/02	STATE PRO G
9308170436	9308170430	93/08/11	50-302 Q	9308190200	9308190196	93/08/13	50-318 P
9308170440	9308170437	93/08/13	50-269 R	9308190210	9308190204	93/08/18	QA999
9308170441	9308170426	93/05/28	ACRS	9308190215	9308190204	93/08/18	QA999
9308170442	9308170437	93/08/13	50-269 R	9308190224	9308190219	93/08/16	QA999
9308170445	9308170444	93/08/13	50-369 R	9308190229	9308190219	93/08/16	MISC
9308170447	9308170444	93/08/13	50-369 R	9308190231	9308190223	93/08/11	50-413 P
9308180014	9308180010	93/08/13	50-445 Q	9308190235	9308190219	93/08/16	MISC
9308180016	9308180011	93/08/12	40-8027	9308190241	9308200042	93/08/02	STATE PRO G
9308180034	9308180032	93/08/12	50-285 Q	9308190243	9308190236	93/07/30	50-423 P
9308180048	9308180043	93/08/11	50-458 Q	9308190246	9308200042	93/08/02	STATE PRO G
9308180049	9308180046	93/08/11	52-2	9308190248	9308190236	93/07/30	50-423 P
9308180054	9308180002	93/08/11	50-445 Q	9308190250	9308200042	93/08/02	STATE PRO G
9308180058	9308180057	93/07/28	50-286 P	9308190254	9308190252	93/07/29	50-382 P
9308180061	9308180057	93/07/28	50-286 P	9308190257	9308190252	93/07/29	50-382 P
9308180080	9308180077	93/05/21	SECY	9308190258	9308190253	93/08/16	50-213 Q
9308180081	9308180051	93/08/13	70-1257	9308190262	9308190204	93/08/18	QA999
9308180088	9308180085	93/07/29	50-247 F	9308190271	9308190269	93/07/29	50-285 P
9308180123	9308180118	93/08/10	50-245 S	9308190274	9308190269	93/07/29	50-285 P
9308180134	9308180133	93/08/05	WASTE MGT	9308190276	9308190204	93/08/18	QA999
9308180138	9308180133	93/08/05	WASTE MGT	9308190298	9308190295	93/08/11	50-309 Q
9308180140	9308170373	93/07/23	50-269 P	9308190304	9308190301	93/08/13	50-352 Q
9308180152	9308180028	93/08/13	50-445 R	9308190314	9308190309	93/08/02	50-361 Q
9308180157	9308180028	93/08/13	50-445 R	9308190319	9308190310	93/08/02	50-313 P
9308180163	9308180158	93/08/11	WASTE MGT	9308190320	9308190310	93/08/02	50-313 P
9308180165	9308180028	93/08/13	50-445 R	9308190321	9308190315	93/08/04	50-219 Q
9308180166	9308180028	93/08/13	50-445 R	9308190333	9308190330	93/08/16	WASTE MGT
9308180171	9308180149	93/08/12	50-317 R	9308190347	9308190284	93/08/11	71-220
9308180172	9308180149	93/08/12	50-317 R	9308190354	9308190352	93/08/13	50-313 R
9308180174	9308180149	93/08/12	50-317 R	9308190355	9308190352	93/08/13	50-313 R
9308180175	9308180173	93/08/12	WASTE MGT	9308190357	9308190352	93/08/13	50-313 R
9308180181	9308180178	93/08/12	71-108	9308190358	9308190352	93/08/13	50-313 R
9308180183	9308180179	93/08/11	50-334 P	9308200002	9308200001	93/08/18	71-9239
9308180185	9308180179	93/08/11	50-334 P	9308200013	9308200008	93/08/05	50-416 P
9308180201	9308180192	93/06/28	QA999	9308200018	9308200012	93/08/10	50-263 P
9308180203	9308180197	93/08/13	50-413 R	9308200022	9308200012	93/08/10	50-263 P
9308180212	9308180197	93/08/13	50-413 R	9308200023	9308200017	93/06/29	TOPREP
9308180219	9308180213	93/08/10	50-498 I	9308200027	9308200017	93/06/29	TOPREP
9308180226	9308180215	93/08/13	50-454 P	9308200049	9308200043	93/08/02	XPORTLIC
9308180227	9308180192	93/06/28	QA999	9308200054	9308200037	93/06/29	TOPREP
9308180230	9308180213	93/08/10	50-498 I	9308200056	9307010122	93/02/16	70-139
9308180233	9308180213	93/08/10	50-498 I	9308200060	9308200037	93/06/29	TOPREP
9308180234	9308180215	93/08/13	50-454 P	9308200061	9307010122	93/02/16	70-139
9308180237	9308180215	93/08/13	50-454 P	9308200071	9307010122	93/02/16	70-139
9308180271	9308180265	93/08/11	50-289 Q	9308200077	9307010122	93/02/16	70-139
9308180275	9308180228	93/08/04	WASTE MGT	9308200084	9307010122	93/02/16	70-139
9308180277	9308180265	93/08/11	50-289 Q	9308200087	9308200085	93/08/04	50-440 P
9308180285	9308180282	93/08/13	50-410 R	9308200091	9307010122	93/02/16	70-139
9308180286	9308180282	93/08/13	50-410 R	9308200100	9308200097	93/08/18	70-27
9308190006	9308190003	93/08/13	50-254 Q	9308200103	9307010122	93/02/16	70-139
9308190014	9308190003	93/08/13	50-254 Q	9308200104	9308200099	93/08/04	50-331 P
9308190023	9308190020	93/07/30	50-123 P	9308200105	9308200097	93/08/18	70-27
9308190025	9308190017	93/07/08	WASTE MGT	9308200107	9308200102	93/08/03	50-254 P
9308190026	9308190020	93/07/30	50-123 P	9308200112	9308200102	93/08/03	50-254 P
9308190028	9308190024	91/01/11	TOPREP	9308200113	9307010122	93/02/16	70-139

276 CROSS REFERENCE OF ENCLOSURES TO PRINCIPAL DOCUMENTS

ACCESSION NUMBER				ACCESSION NUMBER				
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	
9308200114	9308200034	93/08/04	50-387 T	9308230187	9308230186	93/08/16	50-244	Q
9308200119	9307010122	93/02/16	70-139	9308230198	9308230194	93/08/18	50-213	P
9308200126	9307010122	93/02/16	70-139	9308230213	9308230210	93/08/17	50-133	F
9308200133	9308200125	93/08/13	50-341 Q	9308230216	9308230182	93/06/22	PROJ	
9308200147	9307010122	93/02/16	70-139	9308230217	9308230208	93/08/16	50-289	P
9308200153	9308200144	93/08/17	WASTE MGT	9308230219	9308230208	93/08/16	50-289	P
9308200157	9307010122	93/02/16	70-139	9308230227	9308230224	93/08/18	52-3	
9308200158	9308200156	93/08/16	50-155 P	9308230229	9308230220	93/08/10	50-277	Q
9308200159	9308200156	93/08/16	50-155 P	9308230236	9308230231	93/08/17	50-443	Q
9308200173	9308200172	93/06/04	STATE PRO G	9308230249	9308230244	93/07/30	50-528	Q
9308200180	9308200172	93/06/04	STATE PRO G	9308230257	9308230255	93/08/13	50-397	Q
9308200182	9307010122	93/02/16	70-139	9308230260	9308230255	93/08/13	50-397	Q
9308200184	9308200172	93/06/04	STATE PRO G	9308230268	9308230265	93/08/12	50-397	Q
9308200186	9308200185	93/08/11	WASTE MGT	9308230285	9308230280	93/08/05	50-445	P
9308200187	9308200172	93/06/04	STATE PRO G	9308230286	9307010122	93/02/16	70-139	
9308200188	9308200172	93/06/04	STATE PRO G	9308230296	9307010122	93/02/16	70-139	
9308200191	9308200172	93/06/04	STATE PRO G	9308230306	9308230294	93/08/05	50-445	P
9308200194	9308200192	93/08/16	52-3	9308230307	9308200067	93/08/04	50-331	P
9308200197	9308200172	93/06/04	STATE PRO G	9308230310	9308200067	93/08/04	50-331	P
9308200199	9308200198	93/08/13	WASTE MGT	9308230315	9308230314	93/06/25	ORG	
9308200203	9308200172	93/06/04	STATE PRO G	9308240002	9308200067	93/08/04	50-331	P
9308200204	9308200202	93/08/16	50-309 P	9308240003	9308240001	93/08/08	70-1257	
9308200205	9308200202	93/08/16	50-309 P	9308240004	9308200067	93/08/04	50-331	P
9308200206	9308200201	93/07/29	WASTE MGT	9308240013	9308240010	93/08/18	52-3	
9308200209	9308200207	93/08/12	50-382 P	9308240017	9308240016	93/08/18	50-277	F
9308200210	9308200207	93/08/12	50-382 P	9308240020	9308240016	93/08/18	50-277	F
9308200221	9307010122	93/02/16	70-139	9308240027	9308240024	93/08/12	50-344	Q
9308200230	9307010122	93/02/16	70-139	9308240053	9308240048	93/08/03	50-184	V
9308200235	9308200229	93/08/02	50-289 P	9308240057	9308200067	93/08/04	50-331	P
9308200241	9307010122	93/02/16	70-139	9308240062	9308240058	93/08/05	50-275	P
9308200244	9308200227	93/08/16	52-3	9308240065	9308240036	93/08/13	50-416	P
9308200249	9307010122	93/02/16	70-139	9308240093	9308240088	93/08/05	50-458	P
9308200251	9308200227	93/08/16	52-3	9308240099	9308240095	93/08/18	WASTE MGT	
9308200255	9308200227	93/08/16	52-3	9308240107	9308240089	93/08/12	50-369	V
9308200257	9308200227	93/08/16	52-3	9308240111	9308240108	93/08/04	50-338	P
9308200260	9307010122	93/02/16	70-139	9308240115	9308240108	93/08/04	50-338	P
9308200270	9307010122	93/02/16	70-139	9308240124	9308240089	93/08/12	50-369	V
9308200274	9307010122	93/02/16	70-139	9308240133	9308240126	93/08/19	71-348	
9308200277	9308200272	93/07/16	50-275 F	9308240145	9308240139	93/08/05	50-366	P
9308200282	9307010122	93/02/16	70-139	9308240158	9308240157	93/08/06	50-280	P
9308200289	9307010122	93/02/16	70-139	9308240161	9308240157	93/08/06	50-280	P
9308200318	9307010122	93/02/16	70-139	9308240165	9308240082	93/08/05	50-155	Q
9308200327	9308200179	93/08/13	50-293 P	9308240174	9307010122	93/02/16	70-139	
9308230002	9308200176	93/08/16	50-245 P	9308240179	9307010122	93/02/16	70-139	
9308230003	9308230001	93/08/17	50-458 Q	9308240196	9308240189	93/08/05	50-206	Q
9308230004	9308230001	93/08/17	50-458 Q	9308240198	9308240197	93/08/04	50-315	P
9308230008	9308200259	93/08/17	50-368 P	9308240200	9308240197	93/08/04	50-315	P
9308230010	9308230009	93/08/17	50-368 P	9308240201	9308240189	93/08/05	50-206	Q
9308230016	9308230007	93/08/13	50-293 Q	9308240206	9308240205	93/08/13	WASTE MGT	
9308230020	9308230014	93/08/17	50-341 Q	9308240214	9308240212	93/08/04	50-286	P
9308230026	9308230007	93/08/13	50-293 Q	9308240216	9308240212	93/08/04	50-286	P
9308230028	9308230024	93/08/17	50-254 Q	9308240224	9308240222	93/08/10	50-285	P
9308230030	9308230007	93/08/13	50-293 Q	9308240225	9308240222	93/08/10	50-285	P
9308230043	9308230007	93/08/13	50-293 P	9308240233	9308240229	93/08/12	50-285	P
9308230055	9308230050	93/08/03	50-361 P	9308240236	9308240228	93/08/16	50-317	G
9308230057	9308230050	93/08/03	50-361 P	9308240237	9308240229	93/08/12	50-285	P
9308230062	9308230053	93/08/16	50-266 F	9308240242	9307010122	93/02/16	70-139	
9308230072	9308230061	93/06/15	ORG	9308240249	9308240228	93/08/16	50-317	G
9308230074	9308230064	93/08/04	50-260 S	9308240254	9307010122	93/02/16	70-139	
9308230081	9308230069	93/08/20	70-27	9308240258	9308240252	93/07/26	XPORTLIC	
9308230094	9308230086	93/08/18	70-143	9308240269	9307010122	93/02/16	70-139	
9308230096	9308230091	93/08/12	50-409 P	9308240272	9308240270	93/08/09	XPORTLIC	
9308230097	9308230091	93/08/12	50-409 P	9308240282	9307010122	93/02/16	70-139	
9308230099	9308230093	93/08/04	50-336 P	9308240290	9307010122	93/02/16	70-139	
9308230102	9308230091	93/08/12	50-409 P	9308240302	9308240293	93/08/09	XPORTLIC	
9308230103	9308230095	93/08/16	50-482 Q	9308240309	9307010122	93/02/16	70-139	
9308230108	9308230101	93/05/14	50-201 Q	9308240310	9308240305	93/08/19	50-289	P
9308230110	9308230095	93/08/16	50-482 Q	9308240315	9308240306	93/08/02	50-277	
9308230114	9308230113	93/08/20	50-10 P	9308240318	9308240314	93/06/24	PROJ	
9308230123	9308230118	93/07/21	70-1151	9308240319	9307010122	93/02/16	70-139	
9308230124	9308230121	93/08/20	50-368 Q	9308240320	9308240306	93/08/02	50-277	P
9308230126	9308230122	93/08/20	40-8452	9308240359	9308240354	93/06/18	ORG	
9308230134	9308230128	93/08/12	70-1113	9308240361	9308240360	93/08/18	50-213	P
9308230135	9308230109	93/08/11	50-416 P	9308250019	9308250016	93/08/12	50-261	Q
9308230140	9308230138	93/08/12	70-143	9308250026	9308250021	93/08/18	50-344	F
9308230149	9308230145	93/08/12	50-327 Q	9308250029	9308250022	93/08/18	PR	
9308230155	9308230147	93/08/12	50-327 R	9308250030	9308250021	93/08/18	50-344	F
9308230161	9308230145	93/08/16	50-387 P	9308250034	9308250023	93/08/12	50-250	Q
9308230162	9308230152	93/08/04	50-482 P	9308250038	9308250023	93/08/12	50-250	Q
9308230164	9308230153	93/08/17	50-373 P	9308250039	9308250028	93/08/31	50-275	G
9308230165	9308230160	93/08/12	50-395 Q	9308250041	9308250027	93/08/18	70-8	
9308230168	9308230152	93/08/04	50-482 P	9308250060	9308250027	93/08/18	70-8	
9308230172	9308230172	93/08/09	50-369 Q	9308250071	9308250067	93/08/17	50-261	V
9308230175	9308230170	93/08/09	50-369 Q	9308250079	9308250067	93/08/17	50-261	V
9308230176	9308230174	93/08/12	50-348 Q	9308250093	9308250055	93/08/17	50-219	Q
9308230178	9308230174	93/08/12	50-348 Q	9308250095	9308250091	93/08/20	50-445	Q
9308230184	9308230181	93/08/17	50-170 Q	9308250105	9308240166	93/08/06	50-528	Q

CROSS REFERENCE OF ENCLOSURES TO PRINCIPAL DOCUMENTS 277

ACCESSION NUMBER				ACCESSION NUMBER			
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
9308250112	9308250111	93/08/16	50-333 F	9308260212	9308260197	93/07/16	QA999
9308250116	9308250111	93/08/16	50-333 F	9308260220	9307010122	93/02/16	70-139
9308250117	9308250103	93/08/11	50-413 Q	9308260228	9307010122	93/02/16	70-139
9308250130	9308250124	93/08/12	50-259 Q	9308260235	9307010122	93/02/16	70-139
9308250133	9308250129	93/08/18	50-445 Q	9308260244	9308260238	93/06/23	50-295 P
9308250135	9308250128	93/08/13	50-327 Q	9308260252	9308260237	93/08/10	70-27
9308250138	9308250124	93/08/12	50-259 Q	9308260253	9308260248	93/07/15	ORG
9308250157	9308250143	93/08/12	50-397 Q	9308260255	9307010122	93/02/16	70-139
9308250167	9308250162	93/08/19	50-461 Q	9308260265	9308260262	93/06/23	50-416 P
9308250182	9308250175	93/08/18	50-305 Q	9308260272	9308260263	93/07/12	50-277 F
9308250183	9308250173	93/08/17	50-458 G	9308260279	9307010122	93/02/16	70-139
9308250187	9308250175	93/08/18	50-305 Q	9308260281	9308260269	93/05/20	COMMISSIO N
9308250190	9308250169	93/08/06	50-269 V	9308260286	9308260269	93/05/20	COMMISSIO N
9308250198	9308250195	93/08/17	50-263 Q	9308260291	9308260237	93/08/10	70-27
9308250199	9308250192	93/08/20	50-298 Q	9308260294	9308260237	93/08/10	70-27
9308250204	9308250192	93/08/20	50-298 Q	9308260308	9307010122	93/02/16	70-139
9308250227	9308250223	93/08/19	52-3	9308260311	9308260306	93/08/20	50-251 Q
9308250230	9308250223	93/08/19	52-3	9308260317	9307010122	93/02/16	70-139
9308250232	9308250216	93/08/05	50-338 Q	9308260321	9308260230	93/08/18	50-370 P
9308250246	9308250216	93/08/05	50-338 Q	9308260322	9308260316	93/08/20	50-400 P
9308250253	9308250248	93/08/18	50-461 Q	9308260330	9308260230	93/08/18	50-370 P
9308250255	9308250252	93/05/14	CONTRACT	9308260334	9308260032	93/08/02	COMMISSIO N
9308250265	9308250258	93/08/18	50-295 V	9308260340	9307010122	93/02/16	70-139
9308250272	9308250267	93/06/16	50-324 Q	9308260345	9308260338	93/08/23	70-734
9308250279	9308250278	93/08/04	70-1257	9308260357	9307010122	93/02/16	70-139
9308250283	9308250277	93/08/19	50-295 K	9308260366	9308260364	93/08/20	50-327 P
9308250285	9308250284	93/08/12	50-327 Q	9308260371	9308260371	93/08/23	50-335 P
9308250289	9308250286	93/08/13	50-324 Q	9308260390	9308260388	93/08/23	50-298 P
9308250291	9308250287	93/08/17	50-315 Q	9308270018	9308260221	93/08/24	70-734
9308250293	9308250277	93/08/19	50-295 K	9308270019	9308270017	93/08/11	50-440 P
9308250296	9308250287	93/08/17	50-315 Q	9308270022	9308270017	93/08/11	50-440 P
9308250348	9308250344	93/08/11	70-27	9308270024	9308270023	93/08/12	50-412 P
9308250351	9308250341	93/08/06	50-461 P	9308270030	9308270025	93/08/06	50-416 Q
9308250352	9308250340	93/08/04	50-387 P	9308270037	9308270025	93/08/06	50-416 Q
9308250353	9308250344	93/08/11	70-27	9308270041	9308270035	93/08/24	50-289 Q
9308250357	9308250340	93/08/04	50-387 P	9308270042	9308270035	93/08/24	50-289 P
9308250360	9308250356	93/08/11	50-395 Q	9308270051	9308270047	93/08/20	50-277 P
9308250367	9308250365	93/08/11	50-390 Q	9308270055	9308270046	93/08/10	70-1113
9308250380	9308250376	93/08/09	50-302 Q	9308270071	9308270048	93/07/23	50-3 F
9308250383	9308250379	93/08/05	50-461 P	9308270103	9308270098	93/08/20	50-237 P
9308250384	9308250376	93/08/09	50-302 Q	9308270123	9307010122	93/02/16	70-139
9308250386	9308250382	93/08/20	50-244 P	9308270130	9308270119	93/08/24	50-498 Q
9308250387	9308250379	93/08/05	50-461 P	9308270132	9307010122	93/02/16	70-139
9308250405	9308250402	93/08/04	50-387 P	9308270143	9307010122	93/02/16	70-139
9308250407	9308250398	93/08/05	50-320 P	9308270145	9308270136	93/08/20	50-285 P
9308250409	9308250402	93/08/04	50-387 P	9308270148	9308270119	93/08/24	50-498 Q
9308250419	9308250389	93/08/11	50-312 Q	9308270149	9307010122	93/02/16	70-139
9308250422	9308250415	93/08/11	50-272 P	9308270151	9308270136	93/08/20	50-285 P
9308250423	9307010122	93/02/16	70-139	9308270152	9308270146	93/08/19	71-9001
9308250425	9308250415	93/08/04	50-272 P	9308270158	9307010122	93/02/16	70-139
9308250431	9308250421	93/08/20	50-400 P	9308270164	9308270161	93/08/24	71-731
9308250434	9308250421	93/08/20	50-400 P	9308270171	9308270168	93/08/24	71-9228
9308250438	9307010122	93/02/16	70-139	9308270192	9308270113	93/03/31	10CFR
9308250452	9307010122	93/02/16	70-139	9308270210	9308270207	93/08/12	70-27
9308250462	9308250456	93/08/09	50-289 G	9308270213	9308270209	93/08/18	50-289 Q
9308250463	9307010122	93/02/16	70-139	9308270218	9308270209	93/08/18	50-289 Q
9308250472	9307010122	93/02/16	70-139	9308270231	9308270223	93/08/18	50-213 Q
9308250475	9308250474	93/08/19	50-395 P	9308270233	9308270228	93/08/19	50-29
9308250476	9308250474	93/08/19	50-395 P	9308270235	9308270234	93/08/16	50-443 Q
9308260007	9308260005	93/08/18	50-327 Q	9308270237	9308270234	93/08/16	50-443 Q
9308260015	9308260010	93/08/19	50-254 P	9308270250	9307010122	93/02/16	70-139
9308260016	9308260010	93/08/19	50-254 P	9308270269	9308270263	93/08/13	ORG
9308260047	9308260039	93/08/10	50-213 P	9308270272	9308270263	93/08/13	ORG
9308260054	9307010122	93/02/16	70-139	9308270273	9308270263	93/08/13	ORG
9308260059	9307010122	93/02/16	70-139	9308270279	9308270263	93/08/13	ORG
9308260060	9308260053	93/08/09	50-369 P	9308270281	9308270263	93/08/13	ORG
9308260085	9307010122	93/02/16	70-139	9308270284	9308270263	93/08/13	ORG
9308260088	9308260086	93/08/09	50-410 P	9308270285	9308270278	93/08/17	50-286 Q
9308260090	9308260086	93/08/09	50-410 P	9308270288	9308270263	93/08/13	ORG
9308260093	9308260087	93/08/18	WASTE MGT	9308270290	9308270263	93/08/13	ORG
9308260097	9308260095	93/08/09	50-220 P	9308270296	9308270263	93/08/13	ORG
9308260099	9308260095	93/08/09	50-220 P	9308270298	9308270291	93/08/20	50-334 P
9308260112	9307010122	93/02/16	70-139	9308270300	9308270263	93/08/13	ORG
9308260116	9308260082	93/08/09	COMMISSIO N	9308270302	9308270263	93/08/13	ORG
9308260126	9308260082	93/08/09	COMMISSIO N	9308270305	9308270291	93/08/20	50-334 P
9308260135	9308260130	93/08/18	50-237 Q	9308270309	9308270263	93/08/13	ORG
9308260140	9308260130	93/08/18	50-237 Q	9308270313	9308270263	93/08/13	ORG
9308260141	9307010122	93/02/16	70-139	9308270315	9308270303	93/07/23	ORG
9308260149	9307010122	93/02/16	70-139	9308270320	9307010122	93/02/16	70-139
9308260178	9308260174	93/08/05	50-259 Q	9308270321	9308270307	93/08/10	70-624
9308260180	9308260174	93/08/05	50-259 Q	9308270324	9308270263	93/08/13	ORG
9308260182	9308260179	93/08/19	50-382 P	9308270330	9308270263	93/08/13	ORG
9308260184	9308260183	93/08/23	50-346 R	9308270331	9307010122	93/02/16	70-139
9308260192	9308260191	93/08/06	WASTE MGT	9308270332	9308270263	93/08/13	ORG
9308260196	9308260184	93/08/20	50-277 P	9308270337	9308270263	93/08/13	ORG
9308260200	9308260197	93/07/16	QA999	9308270338	9308270326	93/08/23	50-245 G
9308260206	9308260197	93/07/16	QA999	9308270340	9308270263	93/08/13	ORG

278 CROSS REFERENCE OF ENCLOSURES TO PRINCIPAL DOCUMENTS

ACCESSION NUMBER				ACCESSION NUMBER			
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
9308270342	9308270263	93/08/13	ORG	9308300304	9307010122	93/02/16	70-139
9308270345	9308270263	93/08/13	ORG	9308300307	9307010122	93/02/16	70-139
9308270346	9308270263	93/08/13	ORG	9308300308	9308300287	93/08/11	50-387
9308270347	9308270263	93/08/13	ORG	9308300309	9307010122	93/02/16	70-139
9308270348	9308270263	93/08/13	ORG	9308300311	9307010122	93/02/16	70-139
9308270350	9308270263	93/08/13	ORG	9308300313	9308300287	93/08/11	50-387
9308270352	9308270263	93/08/13	ORG	9308300314	9308300310	93/08/23	50-295
9308270354	9308270263	93/08/13	ORG	9308300315	9307010122	93/02/16	70-139
9308270355	9308270263	93/08/13	ORG	9308300317	9307010122	93/02/16	70-139
9308270357	9308270263	93/08/13	ORG	9308300321	9307010122	93/02/16	70-139
9308300008	9308300006	93/08/11	50-333	9308300323	9307010122	93/02/16	70-139
9308300009	9308300006	93/08/11	50-333	9308300326	9307010122	93/02/16	70-139
9308300015	9308300013	93/08/11	50-293	9308300329	9307010122	93/02/16	70-139
9308300063	9308300058	93/08/13	ORG	9308300338	9308300334	93/08/25	TOPREP
9308300075	9308300071	93/08/23	50-295	9308300343	9308300342	93/08/20	50-334
9308300083	9308300076	93/08/26	50-333	9308300352	9308300350	93/08/23	WASTE MGT
9308300084	9308300082	93/08/26	50-317	9308300356	9308300354	93/08/20	50-400
9308300085	9308300082	93/08/26	50-317	9308310003	9308310001	93/08/09	50-263
9308300086	9308300076	93/08/26	50-333	9308310004	9308310002	93/08/19	50-306
9308300104	9308300097	93/06/07	REVIEW GR	9308310005	9308310002	93/08/19	50-306
9308300109	9308300106	93/08/23	50-389	9308310021	9308310014	93/08/26	50-443
9308300116	9308300100	93/08/13	50-280	9308310023	9308310016	93/08/27	50-260
9308300141	9308300136	93/08/12	50-395	9308310026	9308310022	93/08/18	50-309
9308300142	9308300131	93/08/26	50-269	9308310027	9308310014	93/08/26	50-443
9308300144	9308300136	93/08/12	50-395	9308310034	9308310031	93/08/20	70-143
9308300148	9308300131	93/08/26	50-269	9308310037	9308310035	93/08/23	50-150
9308300170	9308300163	93/08/17	50-250	9308310038	9308310035	93/08/23	50-150
9308300176	9308300168	93/08/17	50-286	9308310043	9308310039	93/08/16	50-416
9308300182	9307010122	93/02/16	70-139	9308310045	9308310044	93/08/18	50-309
9308300193	9307010122	93/02/16	70-139	9308310046	9308310039	93/08/16	50-416
9308300194	9307010122	93/02/16	70-139	9308310050	9308310047	93/08/18	50-289
9308300197	9308300190	93/08/23	50-255	9308310057	9308310051	93/08/24	50-322
9308300198	9307010122	93/02/16	70-139	9308310060	9308310055	93/08/25	50-62
9308300200	9307010122	93/02/16	70-139	9308310063	9308310062	93/08/23	50-309
9308300204	9307010122	93/02/16	70-139	9308310064	9308310061	93/08/20	50-255
9308300206	9307010122	93/02/16	70-139	9308310065	9308310058	93/08/25	50-213
9308300208	9307010122	93/02/16	70-139	9308310066	9308310062	93/08/23	50-309
9308300210	9307010122	93/02/16	70-139	9308310072	9308310069	93/08/23	50-286
9308300215	9307010122	93/02/16	70-139	9308310080	9308310071	93/08/25	50-247
9308300220	9307010122	93/02/16	70-139	9308310083	9308310069	93/08/23	50-286
9308300221	9307010122	93/02/16	70-139	9308310086	9308310074	93/08/11	PROJ
9308300223	9307010122	93/02/16	70-139	9308310092	9308310088	93/08/24	50-352
9308300226	9307010122	93/02/16	70-139	9308310095	9308310084	93/08/24	50-395
9308300229	9308310053	93/08/10	50-10	9308310098	9308310096	93/08/26	50-390
9308300230	9307010122	93/02/16	70-139	9308310100	9307010122	93/02/16	70-139
9308300231	9307010122	93/02/16	70-139	9308310103	9308310097	93/08/24	50-352
9308300232	9307010122	93/02/16	70-139	9308310104	9308310091	93/08/24	XPORTLIC
9308300235	9307010122	93/02/16	70-139	9308310115	9308310112	93/08/27	50-206
9308300236	9307010122	93/02/16	70-139	9308310125	9308310120	93/08/20	50-334
9308300237	9308300233	93/08/20	70-3070	9308310126	9308310105	93/08/20	50-400
9308300240	9307010122	93/02/16	70-139	9308310127	9308310124	93/08/26	50-266
9308300243	9307010122	93/02/16	70-139	9308310129	9308310128	93/08/20	XPORTLIC
9308300246	9307010122	93/02/16	70-139	9308310135	9308310130	93/08/23	50-324
9308300247	9307010122	93/02/16	70-139	9308310136	9308310105	93/08/20	50-400
9308300249	9307010122	93/02/16	70-139	9308310140	9308310138	93/08/20	50-219
9308300250	9307010122	93/02/16	70-139	9308310141	9308310137	93/08/24	50-282
9308300251	9307010122	93/02/16	70-139	9308310143	9308310134	93/08/20	50-220
9308300255	9307010122	93/02/16	70-139	9308310144	9308310128	93/08/20	XPORTLIC
9308300256	9307010122	93/02/16	70-139	9308310151	9308310149	93/08/24	50-333
9308300258	9307010122	93/02/16	70-139	9308310155	9308310150	93/08/25	50-483
9308300262	9308300254	93/07/19	50-361	9308310157	9308310145	93/08/26	WASTE MGT
9308300265	9307010122	93/02/16	70-139	9308310158	9308310150	93/08/25	50-483
9308300268	9307010122	93/02/16	70-139	9308310160	9308310152	93/08/20	50-440
9308300269	9307010122	93/02/16	70-139	9308310161	9308310153	93/08/11	50-338
9308300272	9307010122	93/02/16	70-139	9308310164	9308310162	93/08/20	50-317
9308300274	9307010122	93/02/16	70-139	9308310167	9308310163	93/08/23	50-277
9308300279	9307010122	93/02/16	70-139	9308310170	9308310163	93/08/23	50-277
9308300280	9308300278	93/08/23	50-325	9308310175	9308310172	93/08/25	50-309
9308300281	9307010122	93/02/16	70-139	9308310183	9308310174	93/08/24	50-295
9308300282	9307010122	93/02/16	70-139	9308310184	9308310172	93/08/25	50-309
9308300283	9308300275	93/08/12	50-382	9308310201	9308310197	93/08/12	50-254
9308300285	9307010122	93/02/16	70-139	9308310209	9308310208	93/08/26	50-289
9308300286	9307010122	93/02/16	70-139	9308310210	9308310208	93/08/26	50-289
9308300292	9307010122	93/02/16	70-139	9308310247	9308310245	93/08/25	ACRS
9308300296	9307010122	93/02/16	70-139	9308310259	9308310251	93/08/26	50-395
9308300297	9308300294	93/08/24	50-265	9308310260	9308310251	93/08/26	50-395
9308300298	9307010122	93/02/16	70-139	9308310266	9308310265	93/08/23	TOPREP
9308300300	9307010122	93/02/16	70-139	9308310271	9308310234	93/08/27	50-265
9308300301	9307010122	93/02/16	70-139	9308310272	9308310270	93/08/23	TOPREP
9308300302	9307010122	93/02/16	70-139	9308310278	9308310274	93/08/25	50-328
9308310284	9308310283	93/08/24	WASTE MGT				

APPENDIX A

DEFINITIONS OF DOCKET 50 CATEGORIES

A. APPLICATION/CONSTRUCTION STAGE DOCUMENTS AND CORRESPONDENCE

This category follows the application from submission to the day preceding the issuance of an operating license. It includes all correspondence and documents with substantive technical content that do not fall into other specific categories. Included are:

1. Application for construction permit.
2. General Information submitted with construction permit application.
3. Amendments and changes submitted by applicants and licensees.
4. NRC questions, requests for additional information, and applicant responses.
5. Early site review.
6. Correspondence and documents relating to unresolved design and construction issues.
7. Meeting announcements and summaries of meeting discussions on issues of item 6.
8. Correspondence regarding the utility Preliminary Safety Analysis Report (PSAR).
9. Information on laws and changes in regulations or policy that affect the status of the application (National Environmental Policy Act (NEPA), Water Quality Improvement Act, Water Pollution Control Act, etc.).
10. Construction Permit, amendments, and correspondence relating to the construction permit and related orders issued by the Office of Nuclear Reactor Regulation (NRR show cause and modifications) not involving the Atomic Safety Licensing and Appeal Board.
11. Scheduling of license application submission or review.
12. Environmental review information (other environmental documents are filed in Categories C, D, P, or R).
13. Seismic qualification review teams (SQRT) reports and related correspondence.
14. Application for operating license.
15. General Information submitted with operating license application.
16. Amendments and changes submitted by applicants and licensees.
17. Correspondence regarding the utility Final Safety Analysis Report (FSAR) and the Updated Final Safety Analysis Report (USAR).
18. Correspondence and documentation on generic technical matters highlighted by an event at another facility which may affect the subject facility; *not covered by an IE Bulletin.*

DEFINITIONS OF DOCKET 50 CATEGORIES

19. Safety Evaluation Reports (SERs) on specific generic issues. 20. Reports of site visits.	21. Backup technical documents (e.g., topical reports) submitted in support of the application. 22. Proposed equipment failure/instructions. 23. NRC's changes in internal organizational structure.

B. UTILITY PRELIMINARY SAFETY ANALYSIS REPORTS (PSAR) AND AMENDMENTS

All related correspondence is filed in Category A. 1. Preliminary Safety Analysis Report (PSAR) submitted by utility (formerly called Hazards Summary Report or Safety Analysis Report).	2. Amendments and changes to the PSAR. 3. Transmittal and acknowledgment letters. 4. Certificates of service to the PSAR.

C. UTILITY ENVIRONMENTAL REPORT (ER), AMENDMENTS AND CORRESPONDENCE

1. Environmental Report (ER) submitted by the utility. 2. Amendments and supplements to the ER. 3. Transmittal and acknowledgment letters. 4. Information on scheduling of submittal or review of ER. 5. NRC questions, requests for additional information, and applicant responses.	6. Federal Register notices citing the availability of items 1 and 2. 7. Correspondence relating to the review of ER. 8. Meeting announcements or reports of meetings where the primary subject of discussion is the ER. 9. Correspondence relating to certification of pollution control devices. NOTE: Other environmental documents are filed in Categories A, D, P, or R.

DEFINITIONS OF DOCKET 50 CATEGORIES

D. NRC DRAFT AND FINAL ENVIRONMENTAL (IMPACT) STATEMENTS (DES AND FES), SUPPLEMENTS AND CORRESPONDENCE

1. Draft and Final Environmental (Impact) Statements (DES and FES) prepared by NRC.	7. Backup technical documents submitted in connection with above.
2. Supplements to the DES and FES.	8. Federal Register notices citing availability of items 1 and 2.
3. Correspondence relating to the DES and FES.	9. Reports of site visits to obtain information for the DES or FES.
4. Comments from other Federal, State, and local government agencies; organizations; and interested individuals.	10. Meeting announcements or reports of meetings where the primary subject of discussion is the DES or FES.
5. Transmittal and acknowledgment letters.	
6. Documents related to NRC review of environmental issues or of the ER obtained for purposes of writing the environmental statements.	
- NOTE: Other environmental documents and correspondence are filed in Categories A, C, P, or R.
-

E. NRC SAFETY EVALUATION REPORTS (SER), SUPPLEMENTS AND CORRESPONDENCE

1. Formal Safety Evaluation Report (SER) prepared by NRC (formerly called NRC-AEC Hazard Analysis Report) in review of PSAR.	6. Requests for additional information for use in preparing SER; responses to such requests.
2. Supplements to the SER.	7. Meeting announcements or reports of meetings where the primary subject of discussion is the SER.
3. Correspondence relating to the SER and supplements.	8. Transmittal and acknowledgment letters.
4. Federal Register notices citing availability of items 1 and 2.	
5. Information on scheduling of SER submittals and review.	
- NOTE: Other documents dealing with specific safety-related issues are filed in Categories A, P, or W, depending on the phase of the licensing process.

DEFINITIONS OF DOCKET 50 CATEGORIES

F. SECURITY, MEDICAL, EMERGENCY, AND FIRE PROTECTION PLANS

All plans in this category are individual submissions. Emergency and Fire Protection Plans submitted as part of the licensing application are filed in this category.

1. Fire Hazard Protection Plans and surveys. 2. Plant evacuation correspondence. 3. Safeguards Contingency Plans. 4. Health Physics Program and its review. 5. Emergency Plans.	6. Correspondence relating to aforementioned plans. 7. Supplements, changes, and revisions to plans. 8. Correspondence and documentation relating to Appendix R of 10 CFR Part 50 (fire protection), guard training, emergency response centers, and emergency preparedness. 9. Transmittal and acknowledgment letters. 10. Meeting announcements and reports of meetings where the primary subject of discussion is related to the aforementioned plans and topics covered in item 8.
-

G. LEGAL AND ADJUDICATORY CORRESPONDENCE

This category contains all non-antitrust legal and adjudicatory documentation, except for transcripts, briefings, and testimony, which are filed in Category T. Show-cause orders and modification orders issued by the Office of Nuclear Reactor Regulation (NRR) (not before the Board) are filed in Categories A and P. Exhibits for proceedings (Hearings) are available only on microfiche (1984 to present) in the PDR, but upon request paper files are available to the PDR from the Docketing and Service Branch, Office of the Secretary.

1. Atomic Safety and Licensing Board (ASLB) and Atomic Safety and Licensing Appeal Board (ASLAB) hearing-related documents. 2. Federal Register notices regarding hearings. 3. Requests to make appearances at hearings.	4. Motions, briefs, arguments, statements, and related correspondence filed by participants for hearings. 5. Transmittal of supporting documents (e.g., SER, FES) to the Boards. 6. Correspondence to and from intervenors. 7. Board orders and decisions. 8. Petitions for Commission action. 9. Legal filings and Commission orders and decisions resulting from item 8.

NOTE: Since 1982, letters of concern, support, or opposition for all plants are filed in a General Public Comments folder.

DEFINITIONS OF DOCKET 50 CATEGORIES

H. GENERAL CORRESPONDENCE

This category includes documents with little or no bearing on the status of the application or license. Items that have no substantive technical content and administrative documents are included.

1. Change of address notifications (external only).
2. Changes in structure of organization (external only).
3. Changes in service lists.
4. NRC requests to applicants for additional copies of documents.
5. Correspondence from the public requesting information about the facility and NRC responses.
6. Correspondence on strictly administrative matters.
7. Letters of support, concern, or opposition to the facility.
8. Correspondence regarding the Local Public Document Rooms (LPDRs).
9. Professional qualification statements not pertaining to the hearing process.
10. Constituent, organizational, or utility correspondence forwarded by Congressman to NRC for response.
11. Resolutions passed by State and local governing bodies (e.g., town councils).

NOTE: Since 1982, letters of concern, support, or opposition for all plants are filed in a General Public Comments folder.

I. FINANCIAL INFORMATION

This category contains all financial information except that submitted as part of the application or its amendments or relating to the imposition of civil penalties.

1. Company annual reports, auditor statements, and stock prospectuses for all companies holding ownership.
 2. Separately submitted financial information and related correspondence.
 3. Transcripts and testimony before State commissions pertinent to financial information requested by NRC.
-

J. INSURANCE AND INDEMNITY INFORMATION

1. Indemnity agreements and amendments.
 2. Endorsements of insurance policies.
 3. Other correspondence regarding indemnity and insurance matters.
-

DEFINITIONS OF DOCKET 50 CATEGORIES

K. UTILITY FINAL SAFETY ANALYSIS REPORT (FSAR), UPDATED FINAL SAFETY ANALYSIS REPORTS (USAR), AND AMENDMENTS

1. Final Safety Analysis Report (FSAR), (formerly called Final Hazards Summary Report), submitted by the utility.2. Updated Final Safety Analysis Report (USAR) submitted by the utility and periodically updated to incorporate new information or modifications to the facility.3. Amendments and changes to the FSAR and USAR.	4. Federal Register notices citing availability of the FSAR and amendments.5. Transmittal and acknowledgment letters.6. Certificates of service to the FSAR and USAR. NOTE: All related correspondence falls in Category A or P. Emergency and Fire Protection Plans submitted as part of the licensing application are filed in Category F.
-

L. LIMITED WORK AUTHORIZATIONS (LWA) AND RELATED CORRESPONDENCE

This category is limited to documents pertaining to Limited Work Authorizations (LWAs) whereby applicants can carry out limited site preparation and construction prior to the granting of a Construction Permit.

1. Limited Work Authorizations (LWAs) and amendments
 2. Correspondence pertaining to work performed under LWAs.
-

M. ANTITRUST REVIEWS AND ANTITRUST CORRESPONDENCE

1. Documents submitted as part of the application for a Construction Permit and Operating License entitled "Information Requested by the Attorney General for Antitrust Review".2. Correspondence where the primary topic of discussion is antitrust matters.	3. All antitrust proceeding documents, except for hearing transcripts, testimony, and briefings, which are filed in Category N.
-

N. ANTITRUST HEARING TRANSCRIPTS, TESTIMONY, AND BRIEFINGS

This category contains word-for-word transcripts of hearings, testimony, and briefings in antitrust matters. Related correspondence falls in Category M.

DEFINITIONS OF DOCKET 50 CATEGORIES

O. ADVISORY COMMITTEE ON REACTOR SAFEGUARDS (ACRS) REPORTS AND CORRESPONDENCE

This category contains plant-specific documents pertaining to ACRS safety reviews.

1. ACRS reports relating to facility license applications.
2. Announcement of ACRS meetings relating to facility license applications, including description of meeting agendas.
3. Statements and written testimony of ACRS members or presented by individuals at ACRS proceedings,

relating to both facility license applications and safety-related matters.

4. Technical correspondence, and memoranda to and from ACRS, including transmittal and acknowledgment letters relating to facility license applications.

NOTE: For generic and document-specific safety-related material, transcripts of ACRS subcommittee and full committee meetings, minutes, and ACRS reports (consultant, contract, and letter), see ACRS file category.

P. OPERATING LICENSE STAGE DOCUMENTS AND CORRESPONDENCE

This file assumes the position of the Application/Construction Stage (Category A) file for general technical items dated from the issuance of the operating license to the application for termination of the license.

1. Operating license, amendments, proposed amendments, changes, and related correspondence.
2. Show-cause and modification orders issued by NRR (not before the Board) for the operating license.
3. Technical specifications and changes.
4. Backup technical documents (e.g., topical reports) submitted in support of items 1 and 2.
5. Federal Register notices citing availability of item 1 and the FSAR.
6. Correspondence regarding the utility Final Safety Analysis Report (FSAR) and/or the Updated Final Safety Analysis Report (USAR).

7. All general technical correspondence, meeting announcements or meeting summaries relating to Technical Specifications, the Operating License or technical issues arising after the issuance of the Operating License.

8. Correspondence regarding codes (e.g., American Society of Mechanical Engineers), regulations, laws, or changes in policy that may affect plant operation or bear on the Operating License.

9. Information on the Standard Review Plan (STP).

10. Results of surveys or tests conducted in accordance with the Technical Specifications (not periodic reports, which fall in Category R).

11. Correspondence relating to NRC's Systematic Evaluation Program (SEP).

DEFINITIONS OF DOCKET 50 CATEGORIES

12. Owner's group meeting announcements and reports. 13. Quality assurance information. 14. Environmental matters (technical). 15. Seismic qualification review team (SQRT) reports and related correspondence. 16. Emergency core cooling system documents. 17. Radioactive waste information excluding onsite storage of low-level waste, filed in Category X, and independent spent fuel installations of high-level waste, filed in Category Y. 18. Correspondence regarding expansion of spent fuel storage pool.	19. Start-up test reports. 20. Correspondence and documentation on generic technical matters highlighted by an event at another facility which may affect the subject facility; <i>not covered by an IE Bulletin.</i> 21. SERs on specific generic issues. 22. Proposed equipment failure/instructions. 23. Inservice testing (not inspections). 24. Reports of site visits. 25. Application to voluntarily surrender license, dismantle, and dispose of component parts. 26. Changes in NRC's internal organizational structure.
-

Q. INSPECTION REPORTS, RESPONSE TO BULLETINS, CIRCULARS AND INFORMATION NOTICES, CIVIL PENALTIES, AND RELATED CORRESPONDENCE

1. Inspection reports. 2. Responses to IE Bulletins (formerly called Regulatory Operations (RO) Bulletins), Circulars (not published since 1981) and Information Notices. 3. Responses by applicant to IE correspondence. 4. Applicant's determination of proprietary nature of Inspection Reports. 5. Letters concerning areas of noncompliance. 6. Pre-service and in-service inspections and procedures.	7. Correspondence and orders relating to imposition and payment of civil penalties, including Notification of Significant Enforcement Actions (ENs). 8. Any correspondence relating to inspection and enforcements that does not specifically relate to incidents or events as defined in Category S. 9. Health physics inspections/appraisals. 10. Emergency preparedness inspections/appraisals. 11. Inspections and related correspondence from the International Atomic Energy Agency. 12. Systematic Assessment of Licensee Performance (SALP).

DEFINITIONS OF DOCKET 50 CATEGORIES

13. Construction Appraisal Team/Construction Assessment Team (CAT) reports.

A. Integrated Design Inspection (IDI) reports.

B. Independent Design Verification Program (IDVP) reports. | 15. Performance Appraisal Team (PAT) reports.

16. Licensee/Vendor interface inspections.

17. Correspondence relating to items 12, 13, 14, 15 and 16. |
|---|--|
- NOTE: For IE Bulletins and Information Notices, see I&E file series.
-

R. PERIODIC OPERATING REPORTS AND RELATED CORRESPONDENCE

This category includes periodic reports of a routine nature.

1. Monthly, semiannual, or annual operating reports (other than financial) for construction and operating stages.

2. Periodic environmental monitoring, effluent testing, or similar reports.

3. Periodic personnel exposure reports. | 4. Periodic nonconformance reports (issued pursuant to Board orders).

5. Operational Logbooks on Environmental Data, Radiological Data, operating log on plant systems core, plant status summary sheets.

6. Correspondence or other documents relating to the items listed. |
|---|--|
-

S. REPORTABLE OCCURRENCES, PNOs, PNSs, AND RELATED CORRESPONDENCE

This category contains all materials relating to abnormal, unusual, reportable, or nonroutine occurrences or events. These include:	4. Construction Deficiency Reports submitted under 10 CFR 50.55(e).
1. All 24-hour, 10-day, 30-day, interim and final Licensee Event Reports (LERs) and follow-up correspondence (also called Incident Reports, Abnormal Occurrence Reports and Reportable Occurrences).	5. Preliminary Notification of Occurrence (PNOs) and Preliminary Notification of Safeguards Events (PNSs).
2. Potential or possible reportable Deficiency Reports and related correspondence.	6. Environmental Technical Specifications Violation Reports and Environmental Event Reports.
3. Individual Personnel Exposure Reports.	7. Part 21 Reports or Defects and Noncompliance.
	8. Correspondence or other documents relating to items 1-7.

DEFINITIONS OF DOCKET 50 CATEGORIES

NOTE: For PNOs and PNSs, see I&E file series.

T. TRANSCRIPTS, TESTIMONY AND BRIEFINGS ON NON-ANTITRUST MATTERS

This category contains all word-for-word transcripts, testimony, and briefings, except for congressional matters (Category V), and antitrust matters (Category N).

1. Atomic Safety and Licensing Board (ASLB) and Atomic Safety and Licensing Appeal Board (ASLAB) transcripts. 2. Testimony and statements submitted to ASLB and ASLAB. 3. Commission meeting transcripts.	4. NRC staff briefings to the Commission. 5. Statements and written testimony submitted at Commission meeting or hearings. 6. Transcripts of utility briefs to NRC staff. 7. Corrections to above items.

NOTE: Transcripts on specific dockets are also filed on ACRS and 9.21 files series.

U. CONGRESSIONAL/EXECUTIVE CORRESPONDENCE

1. Statements and testimony before Congress or before bodies/committees appointed by the Executive or Legislative Branches. 2. Information supplied for the record of Congressional hearings. 3. Correspondence to and from Congress and the Executive Branch on other than constituent response matters.	4. Correspondence to or from State Legislative bodies.

NOTE: This category contains correspondence on substantive matters. Routine responses to constituent inquiries are filed in Category H.

V. LICENSING OF OPERATORS AND RELATED CORRESPONDENCE

1. Information bearing on licensing operators and shift engineers. 2. Power plant examination summary sheet.	3. Correspondence pertaining to operator examinations.

DEFINITIONS OF DOCKET 50 CATEGORIES

W. DECOMMISSIONING DOCUMENTS AND CORRESPONDENCE

This file assumes the position of the Operating License Stage (Category P) file for general technical items from the order for termination of the operating license onward.

1. Order granting authority to dismantle/decommission. 2. Technical documents submitted, such as: Decommissioning Plan, Dismantling Plan, Environmental	Report on Dismantling, Safety Analysis Report on Decommissioning. 3. Documents relating to disposal of radioactive material and decontamination of the site. 4. Other correspondence relating to decommissioning. 5. All documentation relating to the ongoing operation of the plant, formerly filed in Category P.
-

X. ONSITE STORAGE OF LOW-LEVEL WASTE

1. License application, license, proposed amendments and amendments to store low-level waste at a commercial reactor.
2. All related correspondence and reports.

NOTE: These documents will also have a Nuclear Materials Safety and Safeguards (NMSS) license or Docket-30 number associated with the Docket-50 number.

Y. INDEPENDENT SPENT FUEL STORAGE INSTALLATIONS (ISFSI)

1. License applications, licenses, amendments and proposed amendments to possess power reactor spent fuel and other radioactive materials associated with spent storage in an independent spent fuel storage installation. (Such spent fuel storage installations may be on a reactor site or at a separate site.)

2. All related correspondence and reports to the above.

NOTE: These documents will have an NMSS license and/or a Docket-72 number. For these installations on a reactor site, the associated Docket-50 number also has been identified.

APPENDIX B

DEFINITIONS OF NONDOCKETED CATEGORIES

10 CFR – Commission Meeting Records

Contains documentation pertaining to open and closed Commission meetings.

1. Sunshine Act Federal Register notices.
 2. Full, written explanation of closed meetings.
 3. Certification by the General Counsel on closed meetings.
 4. Commission Determination Statements signed by the Secretary regarding the public disclosure of transcripts of Commission meetings.
 5. Verbatim unofficial and official transcripts or portions of transcripts of open and closed Commission meetings made publicly available in accordance with provisions of 10 CFR Part 9, the Sunshine Act, and Commission policies.
 6. Enclosures to released transcripts, including applicable viewgraphs, staff papers, and staff correspondence.
 7. Staff Requirements Memoranda for open meetings; memoranda of record; record of votes of Commissioners on items under consideration at meetings.
-

ACRS – Advisory Committee on Reactor Safeguards

This category contains documents pertaining to safety-related areas reviewed by ACRS. ACRS serves as an independent advisory committee to the Commission.

ings related to both facility license applications and safety-related matters.

1. ACRS reports relating to safety-related matters.
2. Announcements of ACRS meetings relating to safety-related matters, including description of meeting agendas.
3. Transcripts of ACRS subcommittee and full committee meetings relating to both facility license applications and safety-related matters.
4. Statements and written testimony of ACRS members or presented by individuals at ACRS proceedings related to both facility license applications and safety-related matters.
5. Minutes of ACRS subcommittee and full committee meetings relating to both facility license application and safety-related matters.
6. ACRS consultant reports, comments and related correspondence relating to both facility license applications and safety-related matters.
7. Technical correspondence, and memoranda to and from ACRS pertaining to safety-related matters.
8. General correspondence and related material about ACRS, but not authored by ACRS or its consultants.

DEFINITIONS OF NONDOCKETED CATEGORIES

NOTE: For Docket-specific technical correspondence, memoranda and announcements of ACRS meetings, see category O of Docket 50 series.

ADVCM—NRC Advisory Committees

This category contains documentation pertaining to the responsibilities of all NRC advisory committees other than the Advisory Committee on Reactor Safeguards. Documents in this category include:

1. Charters of each advisory committee.
 2. Meeting announcements; description of meeting agenda.
 3. Minutes and verbatim transcripts of committee meetings.
 4. Committee-generated reports, memoranda, and correspondence that are publicly available.
 5. Committee-related correspondence.
-

COMMISSION—NRC Commissioner Correspondence

Contains documentation pertaining to the daily conduct of Commission business in the Office of the Commission.

1. Incoming and outgoing Commission-level correspondence to and from the Commissioners relating to official NRC business, including reports and other enclosures to the aforementioned.
2. Travel vouchers, telephone logs and official appointment calendars of participating Commissioner (placed in the PDR at the discretion of individual Commissioners).
3. Speeches, interviews, and testimony given by Commissioners at meetings, symposia, and Congressional hearings.
4. Weekly Information Reports (SECY series number) prepared by the Executive Director for Operations (EDO) for the Commissioners, providing a summary of key events and items of interest undertaken by individual staff and program offices.

NOTE: For transcripts of Commission meetings, see 10 CFR 9.7. For all other staff papers with a SECY series designation prepared for Commission review, see SECY file category.

CONTRACT—NRC Contracts and Modifications

Contains documentation pertaining to AEC and NRC contracts, grants, and Interagency Agreements.

DEFINITIONS OF NONDOCKETED CATEGORIES

1. Notification of contracts and grant execution, specifying contract number; project title; contractor name; contract type; funding and period of performance.	2. Contractual documents and modifications to contracts.
-

FOIA — Freedom of Information Act Requests and Appeals

Contains requests for agency records and information about records released in accordance with the provisions of the Freedom of Information Act (FOIA), or denial.

1. Requests made under the FOIA for NRC records (each is assigned a sequential identification number based on the year that the request is made, so that 89-100 refers to the 100th FOIA request made in 1989).	2. Correspondence between the NRC and the requester relevant to the processing, appeal, denial or granting of an FOIA request, and appeal of a denial.
	3. Records or portions thereof released in response to FOIA requests made under FOIA appeals.
-

GEN TECH IS — Generic Technical Issues

Contains records pertaining to unresolved safety issues of a generic nature that are being analyzed by the NRC Office of Nuclear Reactor Regulation (NRR).

cussing methodologies, analyses, the program and technical aspects of issues.

1. Draft reports of action plans to accomplish generic tasks in the NRR program.	3. Meeting notifications and minutes.
2. Correspondence with industry and within NRC dis-	4. Interim findings and status reports on generic tasks addressing related aspects of Generic Technical Issues.
-

I&E — Inspection and Enforcement Issuances

Contains bulletins, circulars and information notices that are issued by the NRC Office responsible for Inspection and Enforcement. These issuances describe some event that has occurred at a facility that may require some follow-up action by the licensee. Also included in this category are draft bulletins and information notices (I&E Misc), Preliminary Notifications of Events or Unusual Occurrences (PNOs), Preliminary Notifications of Safeguards

Events or Unusual Occurrences (PNSs), and Notifications of Significant Enforcement Actions (ENs).

1. I&E Circulars, which describe an event at a licensed facility and are informational in nature (discontinued in 1981).
2. I&E Information Notices, which are similar to circulars but are preliminary in nature and issued shortly after an event has occurred.
3. I&E Bulletins, which describe an event at a licensed facility and request all recipients to perform certain actions as a result of that event.

DEFINITIONS OF NONDOCKETED CATEGORIES

4. Draft I&E Bulletins and Information Notices which are being considered for issuance, and related comments and evaluations.	Unusual Occurrences (PNs), which provide early notice of events of possible safety significance.
5. Preliminary Notifications of Events or Unusual Occurrences (PNOs), which provide updated information of an event of safety or public interest.	7. Notification of Significant Enforcement Actions (ENs), which provide information on a Notice of Violation and Proposed Imposition of Civil Penalties.
6. Preliminary Notifications of Safeguards Events or	NOTE: For utility responses to such issuances and related correspondence, see Categories Q and S of file.
-

MISC—Public Document Miscellaneous

Contains documents about topics not included in the scope of the other non-docketed categories.

NUREG—Staff and Contractor Formal Reports, Conference Proceedings, Brochures, and Related Correspondence

Formal reports on regulatory, technical, and administrative issues of interest to staff, industry, other Governmental entities, and the public are published in the NUREG series.

1. Results of licensing studies of specific plants or facilities preliminary to licensing actions.	6. Management and program analysis reports.
2. Results of analyses of general or specific problems of a regulatory or technical nature that are of interest to a major segment of the industry.	7. Statistical analyses that are of interest to the staff, the industry, and the public.
3. Action and review plans, as well as guidance, for meeting NRC requirements.	8. Administrative reports that are of interest to the staff, the industry, and the public.
4. Task force reports on specific topics.	9. Correspondence from industry, government, and the public commenting on reports.
5. Proceeding of conferences and workshops.	10. Internal NRC memoranda summarizing meetings or discussions pertaining to the contents of the reports.
- NOTE: NUREG reports on specific plants or facilities are filed in Docket 50 Categories A, P, E, or D.

DEFINITIONS OF NONDOCKETED CATEGORIES

ORG – Organization File

Contains correspondence with professional organizations, Government agencies, and associations with which NRC is in contact; records other than Regulatory Guides that pertain to NRC's activities in standards development; records pertaining to specific NRC offices; and emergency petitions not assigned Petition for Rulemaking (PRM) numbers that request the Commission to take immediate action on some issue.

1. Meeting summaries and technical correspondence between NRC and professional associations and international bodies, such as the Atomic Industrial Forum and the International Atomic Energy Agency.
2. Correspondence between NRC's Office of Nuclear Regulatory Research and other Government

agencies in which both parties have joint regulatory responsibility; e.g., EPA has authority to control all radioactive pollutants emitted into the air.

3. Internal memoranda, correspondence between NRC and Congress, and other technical correspondence dealing with the role and activities of the Office of Nuclear Regulatory Research in developing standards.

NOTE: For Regulatory Guides and comments on Regulatory Guides issued by the NRC Office of Nuclear Regulatory Research, see the REGGD file category. For petitions for rulemaking filed by the public to amend, rescind or change an NRC regulation, see the PRM file category.

PR – Proposed Rule

Contains records dealing with NRC staff proposals to adopt, amend, or repeal a Commission regulation. Proposed Rules (PRs) can be initiated as a result of a Commission directive; a staff proposal; or as a result of a Commission determination that sufficient grounds exist for it to proceed with a petition for change in an NRC regulation (PRM) filed by an outside party or person.

1. Federal Register notice stating the terms or substance of the proposed rule, or a specification of the subject and issues involved.
2. Text of the Proposed Rule (PR).
3. Draft and generic proposed rules and Federal Register notices (PR Misc.).

4. Comments, statements, information, opinions, or arguments on the proposed change to a part of the Code of Federal Regulations, Title 10.

5. Requests from the nuclear industry, organizations, and other parties for written interpretation of the PR.

NOTE: For staff recommendations to the Commission on whether a PR should be adopted, see the SECY file category. For Commission review of staff recommendations, see the 10 CFR 9.7 file category.

DEFINITIONS OF NONDOCKETED CATEGORIES

PRM – Petition for Rulemaking

Contains records dealing with petitions filed with the Commission by an outside party to issue, amend or rescind an NRC regulation.

1. Petitions filed by any interested person or party to issue, amend, or rescind an NRC regulation.
2. Federal Register notice of the filing of the petition.
3. Correspondence between NRC and the Petitioner relevant to the status and substance of the petition.
4. Comments from the nuclear industry, professional associations, public interest groups, and others in favor of or in opposition to the PRM.
5. Statements, motions, orders, and correspondence dealing with emergency petitions filed by parties on such topics as fire protection and a reanalysis of the capacity of operating U.S. plants to withstand earthquakes.

NOTE: For staff recommendations to the Commissioners on whether the PRM should be denied or issued as a Proposed Rule, see the SECY file category. For Commission review of staff recommendations, see the 10 CFR 9.7 file category.

PROJ – Projects

Contains records pertaining to two classes of projects: (1) commercial nuclear power plants for which NRC has full licensing responsibilities; and (2) Government-owned reactors for which NRC provides technical expertise and occasional review. Both classes are identified with a "P" prefix, followed by a series of numbers.

1. "Pre-docketed" commercial nuclear power plants

These files contain all documentation up until the time that the NRC considers the application and the Safety Analysis Report (PSAR) is submitted by the utility complete enough for staff review. The unit is then assigned a docket number and the file transferred to the Docket-50 series category.

The documents are grouped together in categories, designated by alphabetic characters. These are the same categories as those used for the Docket-50 series.

A. Application/Construction Stage

1. Application submitted by the utility.

2. Meeting notices, summaries and correspondence discussing the completeness and adequacy of the Preliminary Safety Analysis Report (PSAR).

3. Applicant Quality Assurance Manual.

4. Early site review information.

5. Backup technical documents submitted in support of the application.

6. Early site visits.

B. Utility Preliminary Safety Analysis Report (PSAR) and Amendments

1. PSAR submitted by the utility.
2. Amendments and change to the PSAR.
3. Transmittal and acknowledgment letters.

DEFINITIONS OF NONDOCKETED CATEGORIES

G. Adjudicatory Correspondence

1. Motions, briefs, orders, etc., pertaining to pre-hearing conferences, if any.

2. Notices of deviations.

3. Follow-up correspondence resolving deviations cited.

M. Antitrust Correspondence

1. Submittals and related materials pertaining to the antitrust review.

2. Government-owned reactors

Q. Inspection Reports

1. Inspection reports of the applicant quality assurance program.

Meeting summaries and technical correspondence between NRC and other Government technical people relating to test reactors, critical experiments, and Department of Defense (DOD) reactors on U.S. Naval ships and other sites.

PT 21 – 10 CFR Part 21 Deficiency Reports

Deficiency reports submitted in compliance with Part 21 of Title 10 of the Code of Federal Regulations.

1. Reports by firms involved in the nuclear industry reporting noncompliance with NRC regulations or the existence of defects which could create a substantial safety hazard.

2. Correspondence pertaining to the NRC review of reports to assess the possibility of generic defects.

3. NRC inspection reports of defects cited.

4. Correspondence specifying appropriate follow-up actions taken by the Agency.

QA 999 – Quality Assurance Inspections

Contains inspection reports of vendor licensee interface from vendor's view, vendor products, vendor programs including equipment environmental qualification testing, and follow-up correspondence. Each vendor is assigned a docket number and is a part of the QA 999 series.

Vendors are defined as companies, both U.S. and foreign, that are engaged in the design, manufacture, or testing of both nuclear components, or supplying services to the nuclear industry. The controlling criteria are found in 10 CFR Part 21, 10 CFR Part 50, PSAR and FSAR submitted by utilities for specific facilities, and vendor QA Topical Reports.

1. NRC inspection reports of vendor facilities that cover the design, fabrication and testing of components for use in nuclear facilities and vendor/licensee interface.

2. Notices of deviation.

3. Vendor corrective actions and other follow-up correspondence associated with resolution of inspection findings.

NOTE: For vendor licensee interface inspection from licensee's view, see Docket 50 Category Q.

DEFINITIONS OF NONDOCKETED CATEGORIES

REGGD—Regulatory Guides

Contains new and revised Regulatory Guides and related correspondence. These guides describe to the industry and to the public methods acceptable to the NRC staff for implementing specific parts of the NRC regulations. They also delineate techniques used by the staff in evaluating specific problems or postulated accidents or provide guidance to applicants.

1. Federal Register notices announcing the issuance and availability of a proposed Regulatory Guide.
2. Revised or newly issued Regulatory Guides.
3. NRC value/impact assessment.

4. Comments submitted by the nuclear industry and interested members of the public regarding a proposed Regulatory Guide.
5. Summary of meetings held in the NRC to discuss proposed Regulatory Guides.

NOTE: For documentation pertaining to other work products and activities of the NRC Office of Nuclear Regulatory Research, which is responsible for standards development, see the Organization (ORG) file category. Industry codes and standards cited in Regulatory Guides are available for reference use only in the NRC Library.

RES—Research and Technical Assistance Reports

Contains reports, generally interim, submitted by NRC contractors providing research and technical assistance to the Commission. It also includes documentation pertaining to research activities of the Commission.

1. *Technical letter reports* provide information on the technical aspects of work by contractors or other government agencies and their contractors. These letter reports may consist of transmittal letters with interim or final informal reports attached, or the technical information may be incorporated in the body of the letter. The form and frequency of reporting is specified in the Contract Statement of Work.
 - a. Interim technical letter reports provide information on the technical aspects of the work at various stages and form a basis for development of the formal reports required by the contract. Interim technical letter reports may include, but are not limited to, informal (interim) progress reports, "quick-look" reports, data reports, project descriptions, pretest

predictions, model verifications, experiment safety analyses, experiment operating procedures, facility certification reports, and test results.

- b. Final technical letter reports are prepared to record the results of contract work that comprises review and evaluation of the work of others or work to be used by the staff in the licensing and regulation process. These technical letter reports are not followed by a formal report.
2. *Formal technical reports*, which may be periodic progress reports on long-term projects of final reports, are published in the NUREG/CR series. These reports are final products of research, original investigations, or significant compilations of information, or they may be progress reports.
3. *Research Information Letters (RILs)* summarize research information for staff use. They are prepared in the NRC Office of Nuclear Regulatory Research (RES).

DEFINITIONS OF NONDOCKETED CATEGORIES

4. *Conference Proceedings* report the information presented at conferences sponsored or co-sponsored by NRC. Sponsorship or co-sponsorship by NRC requires that the subjects covered be of interest and value to NRC.

NOTE: For final reports of research conducted by contractors and conference proceedings, see NUREG reports series file. See also the WMRES file for research reports on disposal of high level waste.

REVIEW GRP—Research Review Groups

Contains records pertaining to the activities of internal and external Research Review Groups. Such groups provide a broad base of technical expertise to aid management in reviewing research in defined technical areas. They review and comment on research plans and predicted results of major experiments, the validity and applicability of research results; possible redirection of research projects; new research projects; and priorities within the technical areas covered by the Research Preview Group.

1. Agendas for quarterly Review Group meetings.
 2. Summary minutes of Review Group meetings representing views expressed, including dissenting views.
 3. Research plans and predicted results of major experiments and presentations by research contractors.
 4. Comments on meetings from attendees, including representatives from contractors, universities, vendors, and other agencies.
 5. Internal memoranda relating to topics under discussion.
 6. Correspondence related to items 1 through 5.
-

RM—Rulemakings

Contains records pertaining to public hearings held on proposed changes to the Commission's regulations. Hearings are instituted at the discretion of the Commission based on the importance and the magnitude of the subject under consideration.

1. Designations of the presiding officer and any special directions for the conduct of the hearing.
 2. Notifications of Hearing Board meetings.
 3. Petitions, motions, testimony, and statements submitted by parties to the hearings.
 4. Hearing Board orders and rulings.
 5. Technical reports submitted as evidence in the proceedings.
 6. Reports, if any, of the special Board to the Commission regarding the subject proceeding.
-

SECY—Staff Papers (Generally Referred to as SECY Papers) Before the Commission

Includes staff papers prepared for the information or approval of the Commission. They are assigned a SECY report series code.

1. Policy Issue Papers are used to present matters relating to policy formulation.

DEFINITIONS OF NONDOCKETED CATEGORIES

2. Rulemaking Issue Papers are used to present rulemaking activities of the Commission.
3. Adjudicatory Issue Papers are used to present matters relating to the granting, suspending, revoking or amending of licenses, or construction permits for nuclear power plants, and activities in which the Commission has an interest.
4. Information Papers are used to provide information to the Commission. Some (e.g., the weekly report of the Executive Director for Operations) provide general information about agency activities without specific reference to policy formulation, rulemaking, or adjudication.

These categories of staff papers may be issued as one of the following: (a) a Commission Meeting paper to be discussed at a Commission meeting; (b) an Affirmation paper which does not require interactive discussion among the Commissioners in a Commission meeting, but by law must be voted upon by the Commissioners in

the presence of each other; (c) a Notation Vote paper which does not require interactive discussion among all Commissioners or formal vote in a meeting, thereby lending itself to a written notation process; (d) a Negative Consent paper which contains issues which the Commission would like brought to its attention before action is taken but which do not require the formality of a Commission vote, and (e) Information Papers which provide information to the Commission and do not call for any action by the Commission.

As a general practice, papers that are regularly released to the public include those that are the subject of discussion at a public meeting of the Commission and those that address unclassified matters pertaining to the export and import of nuclear equipment and material.

NOTE: For Weekly Information Reports prepared by the NRC Office of the Executive Director for Operations to the Commission providing a summary of key events and items of interest undertaken by staff and program offices, see the Commission Correspondence file.

STATE PROG — State Programs

Contains records that pertain to the Commission's relations with State Governments. Areas covered include: (1) the State Agreements Program, whereby States may assume certain of the NRC's regulatory authority over nuclear materials; and (2) a wide range of liaison and cooperative activities regarding such functions as licensing and siting.

1. Correspondence between and among NRC Office of Governmental and Public Affairs and State officials, mostly State liaison officers and radiation control management health officials, regarding:
 - a. Cooperative programs in such technical areas as radiological incidents, water quality, radioactive waste disposal, and transportation surveillance.
 - b. NRC review of Agreement State radiation control program.

- c. Technical assistance to Agreement States in reviewing applications, compliance actions, developing regulations, and in other areas.
2. Agendas, reports, and transcripts of regional workshops and training programs on current matters of policy and regulations, i.e., decommissioning and radioactive waste disposal.
3. State Legislative Reports (discontinued as of December 1984).
4. Agreement State Licensing Statistics Reports (discontinued as of December 1984).

NOTE: For specific uranium milling and mining projects in which the Agency is providing technical assistance to States, see the Projects series file category.

DEFINITIONS OF NONDOCKETED CATEGORIES

TOPREP – Topical and Vendor Reports and Correspondence

Contains Topical Reports, generally of a technical generic nature, submitted by vendors, and correspondence pertaining to the NRC review of these reports. Vendor-related correspondence that is not docket-specific and documents generated by vendor-related Owner's Groups are also included in this category.

1. Topical reports, dealing with such technical matters as specifications, testing, and safety that are submitted by architects, engineers and other vendors.
2. Revisions, modifications, and amendments to Topical Reports.

3. Correspondence between NRC and vendors pertaining to the review of submittals.
4. Meeting agendas, summaries, minutes and correspondence pertinent to vendor activities, programs, methodologies, and design criteria.
5. Vendor-related Owner's Group meeting announcements, agendas, summaries, reports, and correspondence.

NOTE: For reports submitted by utilities that are written by vendors on their behalf and that relate to docketed cases, see the categories for the docket series.

WASH – AEC-Issued Formal Reports and Correspondence

Formal reports that were issued by the U.S. Atomic Energy Commission (AEC) Headquarters staff which carry the WASH series code and correspondence pertaining to those reports. The WASH series, which consisted of

administrative, scientific, and technical reports, ended in 1975 but correspondence is occasionally generated which refers to WASH reports. Post-1975 NRC-issued formal reports carry the NUREG series designation.

WM – Waste Management Documents

Contains records dealing with the activities of the NRC Division of High-Level Waste Management. Each topic has been assigned a unique number, prefixed by the letters "WM." Documents in these files include:

1. NRC and DOE precicensing activities regarding the disposal of high-level waste in geologic repositories, pursuant to the Nuclear Waste Policy Act of 1982.
 - a. Technical high-level waste site precicensing documentation.
 - b. Meeting agendas, minutes, and backup documents of DOE/NRC meetings in which DOE presents information on its geologic exploration program to identify sites for nuclear waste repositories.
 - c. Briefings by DOE on research being conducted on nuclear waste management.
2. NRC reviews of the site-by-site implementation of DOE's program for uranium mill tailings remedial actions, pursuant to the Uranium Mill Tailings Radiation Control Act of 1978.

DEFINITIONS OF NONDOCKETED CATEGORIES

3. Correspondence and comments between NRC and the Environmental Protection Agency (EPA) pertaining to the high-level waste standard.	5. Correspondence from citizens and other non-government organizations for the above items.
4. NRC topical report reviews and associated correspondence.	NOTE: For contractor research on waste management activities, see the WMRES category.
-

WMRES – Waste Management and Research Reports

Contains interim and final reports, and correspondence between NRC and its contractors regarding precicensing activities in the area of high-level disposal in geologic repositories, including:

1. Periodic contractor progress reports.	3. Draft and final reports submitted for NRC review or information.
2. Trip reports.	4. Correspondence between NRC staff and contractors related to technical questions or issues to be resolved.
-

XPORTLIC – Export and Import Licenses

Contains records relating to the issuance of licenses to export or import nuclear facilities and materials.

1. License applications and amendments to export or import special nuclear material, source material, byproduct material, reactors, nuclear facility components, or reactor materials.	5. Correspondence to and from foreign governments, international organizations, and members of the public.
2. Correspondence between NRC and applicant or licensee pertaining to the review or status of a pending application or license amendment.	6. Hearing records and decisions.
3. Commission letters requesting Executive Branch (e.g., U.S. Department of State) views.	7. Memoranda from the office of the Secretary to the Executive Director for Operations (EDO) regarding the Commission decision on issuance of a proposed license.
4. Review and findings of the Executive Branch on whether issuance of a license would be inimical to the common defense and security of the United States.	8. Licenses, license amendments, and license renewals for types specified in item 1.
- NOTE: For transcripts of Commission meetings and papers submitted for Commissioner consideration or information, see the 10 CFR 9.21 and SECY-series files.

**DATE
FILMED**

12 / 9 / 93

END