E. I. DU PONT DE NEMOURS & COMPANY

WILMINGTON, DELAWARE

EXPLOSIVES DEPARTMENT

DOES NOT CONTAIN
UNCLASSIFIED CONTROLLED
NUCLEAR INFORMATION

This document consists of 3 pages
No. 3 of 6 Copies, Series A

Reviewing
Official

T. R. Coughenour

December 2, 1953

M. H. Wahl, Director
Savannah River Laboratory
AED Technical Division

PERSONNEL REQUIREMENTS

DPW-53-1413
SR/H--824

Please refer to your letter of November 18 in which you raised the question of the advisability of hiring on the schedule suggested in our letter of August 31, 1953.

I have again reviewed the situation by the same method that was used in the reference letter with essentially the same results; that is, that we should hire approximately 125 technical graduates during the hiring year 1953-54. In the belief that possibly this method was a bit too crude for this stage of the Plant development, I have applied another one, which I believe is fairly independent of the previous method of calculation since it is directed at a consideration of only people required who have a technical background.

We refer to the Plant's Personnel Forecast dated October 16, 1953. We find that if we take the difference between column 1 and column 4, we have the apparent total increase that should be necessary to run the Plant. This figure is approximately 330. Now if we count only those in groups that require technical training we have a figure of about 196. By way of example, this figure does not include Medical, Security, and Accounting, but it does include Methods and Standards, all Works Technical, and all Production.

By reference to the Wilmington organization chart we have optimistically guessed that there are 19 people available for transfer to the Plant. This estimate is indeed optimistic and cannot be reached in 1954 because it would involve cutting the Technical Division in Wilmington to 17 men and the Process Section to no more than about two men for each group. At the time these figures were reviewed we considered that 2 were available at ANL, 12 at KAPL, and 10 at Dana. The figure of

DECLASSIFIED

with Deletions

MASTER

DISTRIBUTION OF THIS DOCUMENT IS UNLIMITED

December 2, 1953

10 for Dana is extremely optimistic inasmuch as they have already done a considerable amount of up-grading and transferring out.

By this time we have a much better idea of the magnitude of our overall attrition than we had in the summer. On the basis of present information from Mr. Seidel's office this amounts to 30 men per year.

To recapitulate, then:

Total apparent needs at SRP and SRL	- 196
Total available from other sites	<u>43</u>
Difference	153
Overall attrition	<u>30</u>
Total unfulfilled requirements	183

A review of the makeup of the 196 requirement indicates that it may be inflated in certain areas, particularly Health Physics. It would seem desirable, therefore, to tailor our hiring program on the conservative side of the indicated figure. If we take this conservatism equivalent to the unfulfilled requirements of the Health Physics group, it would still show a need for 132, which would seem to agree fairly well with our previous estimate of 125.

In the interval between the previous letter and this one, there has been some change in the scope of our work. For example, we have been asked to ship buttons rather than finished shapes from the Plant. On the other hand, we have been asked to increase our tritium production at a rate that is practically incompatible with our capacity. At the same time we have been asked to consider supplying plutonium of grams per ton irradiation. This type of change of scope is to be expected in the light of our rapidly changing weapons research at Livermore and Los Alamos, and insofar as such matters can be weighed, it would seem that we should tailor our hiring program to ultimately deal with such changes in scope and magnitude of our job by having available sufficient technical talent to insure prompt handling of such matters. By reference to completion dates, we face a startup of all major portions of the Plant during 1954, with the major technical problems to face us during that year and '55. The merit of avoiding overinflation of personnel is obvious, and I don't believe our present plans will do this, particularly in relation to technically trained personnel.

M. H. Wahl

-3-

December 2, 1953

We have not taken into account the risks that face us with respect to draft problems, since up to now they have not been serious. However, there are indications that this situation may change rapidly in 1954 and hence tend to further inflate our technical requirements.

ATOMIC ENERGY DIVISION

J. E. Cole, Assistant Director
Technical Division

JEC:EV

Distribution:

- #1 - M. H. Wahl
- #2 - L. Squires-"W" File
- #3 - W. C. Kay
- #4 - S. W. Pratt
- #5 - B. H. Mackey
- #6 - "ST" File

DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

DISCLAIMER

Portions of this document may be illegible in electronic image products. Images are produced from the best available original document.