INEL/MISC-92065

Pennsylvania Source Term Tracking System

***National Low-Level Waste
Management Program***

August 1992

INEL/MISC--92065

DE93 001935

Pennsylvania Source Term Tracking System

August 1992

DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

**Idaho National Engineering Laboratory
EG&G Idaho, Inc.
P.O. Box 1625
Idaho Falls, ID 83415**

MASTER

DISTRIBUTION OF THIS DOCUMENT IS UNLIMITED

CONTENTS

1. Introduction	1
2. Installation and Setup	3
System Requirements	3
Installing Tracking System Software	3
Data Lookup Tables	4
Running the Software	5
3. Tracking System Overview	7
Getting Started	7
Main Menu Options	8
PC Function Keys	10
4. Data Base Setup and Maintenance	13
Maintaining Generator Data	15
Add a New Generator	16
Change Existing Generator Records	18
Delete Existing Generator Records	19
Maintaining Lookup Tables	20
Add an Entry to a Lookup Data Table	22
Change Existing Entries	23
Delete Existing Entries	24
State Maintenance Table	25
Waste Stream Maintenance Table	25
Table Type Maintenance	26
Radionuclide Maintenance Table	26
Facility Maintenance Table	27
Hazardous Constituent Maintenance Table	27
Broker/Processor Maintenance Table	28
County Maintenance Table	28

5. Entering and Maintaining Survey Data	29
Add a Survey	31
Change a Survey	32
Delete a Survey	33
Print a Survey	34
Table 1. Waste Shipped Directly to Disposal Site	35
Table 2. Waste Shipped Through Broker to Disposal Site .	37
Table 3. Mixed Waste Generated	39
Table 4. Waste in Storage at End of Quarter	41
Table 5. On-Site Volume Reduction or Processing	43
Table 6B. Waste Shipped to Disposal Site this Quarter ...	45
Table 6A. Waste Shipped Off-Site for Processing	48
6. Generating Reports	51
7. Backing Up Tracking System Data	55
Appendix A: Sample Reports	57

1. Introduction

The Pennsylvania Source Term Tracking System tabulates surveys received from radioactive waste generators in the Commonwealth of Pennsylvania/Appalachian States Compact. Data on low-level radioactive waste is collected each quarter from generators using the Low-Level Radioactive Waste Management Quarterly Report Form (hereafter called the survey) and then entered into the tracking system data base. This personal computer-based tracking system can generate 12 types of tracking reports.

The first four sections of this reference manual supply complete instructions for installing and setting up the tracking system on a PC. Section 5 presents instructions for entering quarterly survey data, and Section 6 discusses generating reports. The appendix includes samples of each report.

2. Installation and Setup

System Requirements

Running the Pennsylvania Source Term Tracking System requires the following:

- A personal computer (PC) with a minimum of 4.5 megabytes of random-access memory (RAM)
- A hard disk drive with a minimum of 8 megabytes of hard disk space for the data base and data base software, PC-DOS or MS-DOS, and the ORACLE tools. ORACLE tools require up to 12 MB of additional disk space.
- A printer connected to the PC
- ORACLE 5.1C installed on the hard disk drive.

Note: The system has been designed for single user access. Access for the user ID **MTM** and password **MTM** must be set up in Oracle products SQL*Forms, SQL*Plus, and SQL*Report Writer. Consult your Oracle system administrator.

Installing Tracking System Software

1. Place the installation diskette containing the tracking system software in your floppy disk drive and secure the disk drive door.
2. At screen prompt **C:\>**, type the letter of the floppy disk drive you are using (usually **A:**). Press **ENTER**.
3. Type **INSTALL A: C:** and press **ENTER**. This begins the automatic install procedure.

The software creates a subdirectory called **ORACLE5\DBS\PASTS** and installs the tracking system files in that directory.

4. When installation is complete, type the letter of the hard disk drive you are using (usually **C:**). Press **ENTER**.
5. Ensure that ORACLE 5.1C is loaded on the hard disk drive.
6. Create a startup batch file that has the following commands:

```
CD\ORACLE5\DBS\PASTS  
P01MN001
```

Consult your PC's disk operating system instructions for creating batch files.

Note: You may add the ORACLE command as the first line of the batch file to automatically load Oracle. However, if Oracle is already loaded and the batch file tries to load it again, the batch file will abort.

7. To print reports, ensure that a printer is properly connected to the PC. Reports are configured to print on Epson printers.

Data Lookup Tables

The data lookup tables contain information used to verify survey entries and to make data entry easier, such as counties and states, radionuclides, and hazardous constituents. It may be necessary to enter some new data as surveys are being entered into the system, but much of the data is included on the diskette. Follow these instructions to automatically load the data into the system lookup tables.

1. To populate the lookup tables, it is first necessary to create a user ID **MTM** and password **MTM** in Oracle products SQL*Forms, SQL*Plus, and SQL*Report Writer. Consult your Oracle system administrator.
2. At the DOS prompt, type **IMP MTM/MTM**.

The example below shows the screen prompts that appear during the procedure. Follow the instructions shown in bold print.

Import: Version 5.1.22.9 - Production on Thu May 14 11:13:39
1991

Copyright (c) 1987, Oracle Corporation, California, USA. All rights
reserved.

Connected to: ORACLE V5.1.22.14 - Production

Import file: EXPDAT.DMP > **TABLE.DMP**

Enter insert buffer size (default is 10240, minimum is 4096) >
(Press ENTER)

Export create by ORACLE version EXPROT:V05.01.22

List contents of import file only (Y/N): N> **(Press ENTER)**

Ignore create errors due to object existence (Y/N): Y> **(Press
ENTER)**

Import the rows (Y/N): Y> **(Press ENTER)**

Import of entire import file requested (Y/N): Y> **(Press ENTER)**

.Importing table "P01TB100"	50 rows imported
.Importing table "P01TB102"	7 rows imported

. . . and so on through the remaining tables.

Running the Software

1. To run the tracking system software, ensure that ORACLE 5.1C has been initiated on the PC (or add the ORACLE command to the batch file; see Step 6 above).
2. Run the batch file. The tracking system main menu displays on the screen.

3. Tracking System Overview

The Pennsylvania Source Term Tracking System main menu appears when you log on to the software (consult your tracking system administrator for log-on instructions).

For ease of use, the tracking system structure parallels the Low-Level Radioactive Waste Management Quarterly Report Form. For each table on the survey there is a corresponding table data entry screen.

Getting Started

Several steps may need to be performed before entering survey data into the data base. Follow these three steps to make the data entry process more efficient.

1. If necessary, go through the surveys and change any curies to millicuries. Note: It is necessary to convert curies to millicuries only on surveys before 1991. All surveys from 1991 forward ask for data in millicuries.

Check the waste streams and assign them a two-digit code number (consult your tracking system coordinator for code number assignments).

2. Log on to the tracking system. At the main menu type 1 and press **ENTER** for Generator Data Maintenance, and enter generator information (see **Adding a Generator**, below).
3. At the main menu, type 4 and press **ENTER** for Lookup Table Maintenance, and enter hazardous constituents, waste streams, and broker/processor information (see **Maintaining Lookup Tables**, below).

Once the lookup table information is complete, begin entering the survey data (see **Entering and Updating Survey Data**, below). After several entry sessions the generator data and lookup tables will be fairly inclusive. Then it will not be necessary to update the lookup tables and generator data unless new generator or waste type information appears on the surveys.

Main Menu Options

The main menu appears when you log on to the software.

```
PO1MN001      PENNSYLVANIA SOURCE TERM TRACKING SYSTEM      Date: _____
                MAIN MENU                                     Time:  _____

                1. Generator Data Maintenance
                2. Survey Data Maintenance
                3. Output Tables
                4. Lookup Table Maintenance
                5. Backup
                6. Exit

                ENTER DESIRED OPTION  _

_____
```

Figure 1. Pennsylvania Source Term Tracking System main menu

To choose an option, type the option number and press **ENTER**.

Note: Several steps may need to be performed before entering the survey data. See **Getting Started**, above.

The following entries describe the options available on the main menu.

1. Generator Data Maintenance	Enter specific data about each generator before entering the survey data. This information is located on the first page of the survey.

2. Survey Data Maintenance	Use these entry screens to record the data found in Tables 1–6B of the survey. Each data entry screen corresponds to a survey table.
3. Output Tables	Use this menu to select 12 types of reports to print.
4. Lookup Table Maintenance	Enter this data before entering the survey data. These tables contain general information common to all surveys, such as waste streams, radionuclides, facilities, hazardous constituents, and broker/processors. The system uses the tables to verify data entered for surveys.
5. Backup	Use this option to save the survey data to floppy disks after it has been entered into the tracking system.
6. Exit	Select this option to return to the DOS prompt.

PC Function Keys

Function keys perform specific tasks throughout the system. Function key descriptions are presented at the bottom of each screen. The following function keys are available on the data entry screens.

Press **F1** from any screen to display the PC function keys.

FUNCTION KEYS

Show function keys	F1	Displays list of function keys.
Quit	F3	Return to DOS prompt.
Main menu	F4	Return to main menu screen.
Clear entry	Shift-F4	Use to clear single entries on the multiple-entry fields such as the nuclides and hazardous constituents on the lookup tables.
Delete record	F5	Deletes entire record (screen). Press F10 to verify the deletion.
Create record	F6	Creates a blank record and begins entry-only mode. You cannot page down to new records until this record is either saved or deleted.
Query (Search mode)	F7	Begins search mode. Move cursor to entry field and type data to search for in that field. Note: The search data must exactly match the entries for that field. Press F8 to search.
Clear record	Shift-F7	Clears the entire record and begins search mode. You must use F7 or F8 to retrieve data after this command.
Execute query (begin search)	F8	After typing search data into an entry field press F8 to begin the search. You may press F8 without pressing F7 first to reset the records at the first record. Page down to see additional records.
Print	Shift-F8	Prints record on the screen.
Check lookup table	F9	Press F9 to access data lookup tables in a data entry field that corresponds to a table. Press TAB or ENTER to move through entries, and press Shift-F10 to select an entry.

Commit (save)	F10	Save all data on screen. Note: You must press F10 after every record to save changes. If you page up or down to a new record, the changes are not saved.
Select from lookup table	Shift-F10	Use to select an entry after pressing F9 to access the data lookup tables.

CURSOR MOVEMENT

Right	→
End of line	Ctrl →
Left	←
Beginning of line	Ctrl ←
Next entry field	TAB
Previous entry field	Shift-TAB
Next record	PgDn, ↓, or Ctrl-ENTER
Previous record	PgUp, ↑, or Ctrl-Backspace

EDITING FUNCTIONS

Erase entry field	Ctrl-End
Exit/cancel	ESC

4. Data Base Setup and Maintenance

Two options on the main menu relate to entering and maintaining the general data base on the tracking system:

1. Generator Data Maintenance
4. Lookup Table Maintenance

```
PO1MN001      PENNSYLVANIA SOURCE TERM TRACKING SYSTEM
                  MAIN MENU
Date: _____
Time:  _____

1. Generator Data Maintenance
2. Survey Data Maintenance
3. Output Tables
4. Lookup Table Maintenance
5. Backup
6. Exit

ENTER DESIRED OPTION _
```

Figure 2. Pennsylvania Source Term Tracking System main menu

Before entering the actual survey data, it is first necessary to enter the general information common to all the reports. If the generator information and lookup tables have not been recorded yet, follow these steps.

1. Log on to the tracking system. At the main menu type **1** and press **ENTER** for Generator Data Maintenance, and enter generator information (see **Adding a Generator**, below).
2. At the main menu type **4** and press **ENTER** for Lookup Table Maintenance, and enter hazardous constituents, waste streams, and broker/processor information (see **Maintaining Lookup Tables**, below).
3. At the main menu type **2** and press **ENTER** for Survey Data Maintenance. Enter data from surveys.

If generator information and lookup tables have already been established, begin with main menu option 2, Survey Data Maintenance (see **Entering and Updating Survey Data**, below).

Maintaining Generator Data

Before entering the survey data from the tables, enter the data for any generators that may not yet be recorded in the tracking system. The generator data information is found on the first page of the survey. If this data is already recorded in the tracking system, go on to the next section, **Maintaining Lookup Tables**.

To enter generator data, type **1** at the main menu (Figure 1) and press **ENTER**. The generator maintenance screen appears. From this screen you can add, change, or delete generator data.

P01FM001	PENNSYLVANIA SOURCE TERM TRACKING SYSTEM		DATE: _____
	ADDRESS DATA MAINTENANCE		TIME: _____
Generator ID	_____		
Licensee Name	_____		
Street Address	_____		
Mailing Address	_____		
City	State	Zip	
County	_____	_____	
Title	_____	Department	_____
Contact	_____	Phone	_____
NRC Licenses	_____	_____	_____
State Licenses	_____	_____	_____
Facility Type	_____		
F2 - Help F3 - Quit F4 - Main Menu F5 - Delete F6 - Create			
F7 - Enter Query F8 - Execute Query F10 - Commit Shift-F2 - Print			
PgUp- Prev PgDn-Next ESC - Prev Menu Shift-F3 - Transfer _____			

Figure 3. Generator maintenance screen

To search the data base to determine if data has already been entered for a particular generator, press **F7** to enter search mode. Type the name of the generator, and then press **F8** to begin the search. Another method is to **PgDn** through the generator records.

Add a New Generator

1. To add a new generator to the data base, begin at the generator maintenance menu (Figure 3). Press **F6** to add a new generator. This clears the screen (if data had been entered previously), begins the data entry mode, and places the cursor at the Generator ID field.
2. Enter the Generator ID. This is a unique alphanumeric identifier of up to 12 characters. Contact your tracking system coordinator for a list of the assigned generator IDs.

Note: All generator IDs must begin with state initials, such as PA.

3. **TAB** to move between fields, and fill in the remaining blanks. This specific generator information is located on the first page of the survey.

Note: You must fill in the County and State fields, Licenses (at least one), and Facility Type. The tracking system will not allow the record to be saved until this information is entered.

The tracking system can help locate the required information.

- a. Place the cursor on the County, State, or Facility Type field and press **F9** to search the general information recorded in the lookup tables.
 - b. Press **TAB** or **ENTER** to move forward through the entries. Press **Shift-F10** to select the data.
4. Press **F10** to save the record. Note: If **F10** is not pressed before paging up or down to a new record, the changes will be lost.

Error Messages:

"Row has already been inserted." Indicates that another record has the same name/generator ID.

"Record must be entered or deleted first." Indicates that you are in the F6 data entry mode. You must either save the record with F10 or delete the record with F5 before the system will move to the next record.

"Oracle error occurred while trying to . . ." Indicates a problem with the system setup. Contact your tracking system administrator.

Change Existing Generator Records

1. To change existing generator records, begin at the generator maintenance menu (Figure 3). To locate the record to change, three search methods are available. **F7** searches for a specific data entry. **F8** lists all records in order of generator ID. **F9** uses lookup tables to narrow the search.

F7, Specific Data Search

- a. Press **F7** to begin the search mode. The data entry screen clears and the cursor moves to the top of the screen.
- b. **TAB** to a data entry field and type in the specific data you are searching for, such as the licensee name or generator ID.
- c. Press **F8** to execute the search.

If the data field you searched has more than one record with the same information, (such as all generators in a particular county) press **PgDn** to move down through the records.

- d. Press **F7** again to clear previous search parameters and begin a new search.

Note: Several search parameters can be entered at the same time to narrow the search, such as County and Facility Type. Only records that match both parameters will be retrieved.

F8, General Search

Press **F8** from anywhere on the generator maintenance screen. The tracking system displays the first generator record, ordered alphabetically by Generator ID. Press **PgDn** to move to the next generator record.

F9, Lookup Tables Search

- a. Press **F7** to begin search. Place the cursor in the State, County, or Facility field and Press **F9**. The lookup table data is displayed in the field.

- b. Press **TAB** or **ENTER** to scroll through the entries.
 - c. Press **Shift-F10** to select an entry.
 - d. Press **F8** to begin a search of all generator data that includes the selected entry. The screen displays generators for the selected entry in alphabetical order. Press **PgDn** to view the next generator record with the selected entry.
2. After locating the record to change, **TAB** through the fields. Type over existing data, delete existing data with the **DEL** key, or clear the entry with **Ctrl-End** and enter new data.

Note: Use **Shift-F4** to clear a single entry or **Shift-F7** to clear the record (the screen). This will not delete changes that have already been saved.

3. Press **F10** to save the changed record. The screen prompts, "Do you want to commit the changes you have made?" Press **F10** again to save the changes or press **Shift-F7** to save the original record, blank the screen, and begin a new search.

Delete Existing Generator Records

To delete existing records, use the search methods described above (**F7**, **F8**, **F9**) to locate the desired record. Press **F5** to delete the record. A screen prompt asks you to press **F10** again to verify the deletion. After verification, the record is deleted and the next record is displayed.

Maintaining Lookup Tables

To work with the data lookup tables, type **4**, Lookup Table Maintenance, at the main menu (Figure 1) and press **ENTER**. The maintenance menu for the lookup tables appears. Type the number of the desired lookup table (**1–8**) and press **ENTER**.

POIMN100	PENNSYLVANIA SOURCE TERM TRACKING SYSTEM LOOK UP TABLE MAINTENANCE	Date: _____ Time: _____
<ul style="list-style-type: none">1. State2. Waste Stream3. Table4. Radionuclides5. Facilities6. Hazard Constituents7. Broker/Processors8. County 9. Main Menu10. Exit System — Enter Option		

Figure 4. Lookup table maintenance menu

Note: Before entering the actual data from the survey, it is first necessary to enter the general information common to all the reports in the lookup tables. These data need only be entered once. After several entry sessions this information will already be recorded in the lookup table data base and you can immediately begin entering the survey data. If the lookup tables are complete, go on to the next section, **Entering and Maintaining Survey Data**.

The installation diskette includes data for all the lookup tables, but it may be necessary to enter additional information to complete the lookup tables.

Consult your tracking system coordinator for codes to assign to waste streams and broker/processors.

The following entries describe the options available on the lookup table maintenance manu.

1. State	Lists all 50 states and assigns a two-digit alphabetic code corresponding with U.S. Postal Service codes (i.e., the code for Pennsylvania is PA). These codes are included on the installation diskette. It is not necessary to add, change, or delete these codes.
2. Waste Stream	Lists generator waste streams and assigns a two-digit numeric code provided with the surveys.
3. Table	Lists the survey data entry screens that correspond to the seven tables in the survey. These tables cannot be added, changed, or deleted without programming support.
4. Radionuclides	Lists the radionuclides found in the generator waste streams. 311 nuclides are included on the installation diskette, but it may be necessary to add radionuclides occasionally.
5. Facilities	Lists categories of facilities and assigns a three-digit alphanumeric code that corresponds with the categories on the first page of the survey.
6. Hazardous Constituents	Lists the hazardous constituents found in the generator waste streams.
7. Broker/processors	Lists broker and processor data, including the two-digit ID, type, address, and phone number.
8. County	Lists all counties that contain generators who participate in this survey.

Several rules apply to all the lookup data tables.

1. New entries can be added to the tables, but an entry cannot be deleted if a survey record in the data base still includes that entry.
2. Entries must be added to the lookup tables before they can be entered on the survey entry screens.
3. Lookup tables can be accessed on most screens by moving the cursor to the data entry field corresponding to a lookup table and pressing **F9**. The entries for that lookup table are presented in the data entry field in alphanumeric order. Press **TAB** or **ENTER** to scroll forward through the entries. Press **Shift-F10** to select an entry.
4. Use **↓** and **↑** to scroll through data lists in the lookup tables.

Add an Entry to a Lookup Data Table

1. From the lookup table maintenance menu (Figure 4), type the number of the desired lookup table (**1-8**) and press **ENTER**.
2. Press **F6** from anywhere in the lookup table to add an entry to the table. Enter the appropriate information, and press **F10** to save the data.

Change Existing Entries

1. From the lookup table maintenance menu (Figure 4), type the number of the desired lookup table (**1-8**) and press **ENTER**.
2. Locate the entry to change. Two search methods are available. **F7** searches for a specific data entry, and **PgDn** pages through the entries in alphanumeric order.
 - a. To search for a specific entry, place the cursor in any field and press **F7** to begin the search mode. The screen clears. Type the specific data you are searching for, such as the county or waste type. Press **F8** to execute the search.
 - b. To conduct a general search, press **F8** to reset the records. Press **PgDn** or **↓** to move through the entries.
3. Press **↓** to move through the entries. Type over existing data, delete existing data with the **DEL** key, or clear the entry with **Ctrl-End** and enter new data.

Note: Use **Shift-F4** to clear a single entry or **Shift-F7** to clear the record (the screen). This will not delete changes that have already been saved.

4. Press **F10** to save the changes.

Note: If the error message "Field is protected against update" appears, this entry is still being used by a survey record in the data base and it cannot be changed or deleted.

Delete Existing Entries

Note that a lookup table entry cannot be changed or deleted if a survey record in the data base still includes that entry.

1. Locate the entry to delete. Two search methods are available. **F7** searches for a specific data entry, and **PgDn** pages through the entries in alphanumeric order.
 - a. To search for a specific entry, place the cursor in any field and press **F7** to begin the search mode. The screen clears. Type the specific data you are searching for, such as the county or waste type. Press **F8** to execute the search.
 - b. To conduct a general search, press **F8** to reset the records. Press **PgDn** or **↓** to move through the entries.
2. Press **F5** to delete the record. The screen prompts you to press **F10** to verify the deletion.

Note: If the error message "**Field is protected against update**" appears, this entry is still being used by a survey record and it cannot be changed or deleted.

The following pages show the lookup table maintenance screens.

```

P01FM100                                STATE TABLE MAINTENANCE                                Date: _____
                                           State Code  _  State Name  _____ Time:  _____

F2 - Help  F3 - Quit  F4 - Main Menu  F5 - Delete  F6 - Create
F7 - Enter Query  F8 - Execute Query  F10 - Commit  Shift-F2 - Print
PgUp- Prev  PgDn - Next  ESC - Prev Menu  Shift-F3 - Transfer  _____

```

Waste Stream Maintenance Table

```

P01FM101
WASTE STREAM TABLE
Date: _____
Time: _____

Waste Stream      Waste Description
_____

```

25

Table Type Maintenance

P01FM102	TABLE TYPE TABLE		Date: _____
	Table		Time: _____
	Key	Table Description	
	_____	_____	
F2 - Help	F3 - Quit	F4 - Main Menu	F5 - Delete
F7 - Enter Query		F8 - Execute Query	F6 - Create
PgUp- Prev	PgDn - Next	ESC - Prev Menu	F10 - Commit
			Shift-F2 - Print
			Shift-F3 - Transfer _____

Figure 7. Maintenance table for table types

Radionuclide Maintenance Table

P01FM103	RADIONUCLIDE TABLE		Date: _____
	Radionuclide	_____	Time: _____
F2 - Help	F3 - Quit	F4 - Main Menu	F5 - Delete
F7 - Enter Query		F8 - Execute Query	F6 - Create
PgUp- Prev	PgDn - Next	ESC - Prev Menu	F10 - Commit
			Shift-F2 - Print
			Shift-F3 - Transfer _____

Figure 8. Maintenance table for radionuclides

Facility Maintenance Table

P01FM104	FACILITY TABLE MAINTENANCE		Date: _____
	Facility Code	Facility Name	Time: _____
	_____	_____	
<p> F2 - Help F3 - Quit F4 - Main Menu F5 - Delete F6 - Create F7 - Enter Query F8 - Execute Query F10 - Commit Shift-F2 - Print PgUp- Prev PgDn - Next ESC - Prev Menu Shift-F3 - Transfer _____ </p>			

Table 9. Maintenance table for facility types

Hazardous Constituent Maintenance Table

P01FM105	HAZARDOUS CONSTITUENT TABLE		Date: _____
	Hazard Constituent	_____	Time: _____
<p> F2 - Help F3 - Quit F4 - Main Menu F5 - Delete F6 - Create F7 - Enter Query F8 - Execute Query F10 - Commit Shift-F2 - Print PgUp- Prev PgDn - Next ESC - Prev Menu Shift-F3 - Transfer _____ </p>			

Figure 10. Maintenance table for hazardous constituents

Broker/Processor Maintenance Table

P01FM106	BROKER/PROCESSOR TABLE		Date: _____
			Time: _____
Key Type	Name/Address/Address	Phone	
— —	_____	_____	

<p> F2 - Help F3 - Quit F4 - Main Menu F5 - Delete F6 - Create F7 - Enter Query F8 - Execute Query F10 - Commit Shift-F2 - Print PgUp- Prev PgDn - Next ESC - Prev Menu Shift-F3 - Transfer _____ </p>			

Figure 11. Maintenance table for brokers and processors

County Maintenance Table

P01FM108	COUNTY TABLE		Date: _____
			Time: _____
	County	_____	
<p> F2 - Help F3 - Quit F4 - Main Menu F5 - Delete F6 - Create F7 - Enter Query F8 - Execute Query F10 - Commit Shift-F2 - Print PgUp- Prev PgDn - Next ESC - Prev Menu Shift-F3 - Transfer _____ </p>			

Figure 12. Maintenance table for counties

5. Entering and Maintaining Survey Data

To add, change, delete, or print a generator survey, type **2**, Survey Data Maintenance, at the main menu (Figure 1) and press **ENTER**. The survey entry menu appears.

P01FM004	SURVEY ENTRY SCREEN	Date: _____
		Time: _____
+-----+-----+-----+-----+		
Date _____	Facility ID _____	Response No. ____ Table ____
+-----+-----+-----+-----+		
ADD a survey - Enter data and press [Page Down]. Page through tables and add data to tables.		
CHANGE a survey - Locate survey with F7 OR F8 and press [Page Down]. Page through tables and make appropriate changes.		
DELETE a survey - Locate survey with F7 or F8 and press [Page Down]. Page through tables and delete each table as required.		
PRINT a survey - Locate survey with F7 or F8 and press SHIFT-F2.		
F2-Help F3-Quit F4-Main Menu F7-Enter Query F8-Execute Query PgUp-Prev PgDn-Next ESC-Prev Menu Shift-F2 - Print Shift-F3 - Transfer _____		

Figure 13. Survey entry menu

Data on low-level radioactive waste is collected each quarter from generators using the survey and then entered using these screens. Each of the survey entry screens corresponds with a table on the generator survey.

Note: It may be necessary to perform a few additional steps before beginning the data entry for generator surveys:

1. Ensure that all data for the generators in the surveys have been added (see **Add a New Generator**, above).
2. Ensure that all data have been entered for the lookup tables, such as waste streams, radionuclides, facilities, and broker/processor information (see **Maintaining Lookup Tables**, above).
3. If necessary, go through the quarterly reports and change any curies to millicuries. Note: It is necessary to convert curies to millicuries only on surveys before 1991. All surveys from 1991 forward ask for data in millicuries.

Check the waste streams and assign them a code number (consult your tracking system administrator for waste stream code numbers).

Add a Survey

1. To add a survey, begin at the survey entry menu (Figure 13). Enter the Date of the survey, the Facility ID (generator ID), and Response No. at the top of the first survey entry screen. These three data entry fields must be filled.
 - a. To determine the Facility ID, use **F9** to scan through the current generator IDs. Move the cursor to the Facility ID field, and press **F9**. Press **TAB** or **ENTER** to scroll through the list of current generator IDs. To select a generator ID, press **Shift-F10**.
 - b. If a generator ID has not been assigned, type **1** (Generator Data Maintenance) and press **ENTER** at the main menu (Figure 1), assign the generator a unique ID, and add the generator information (see **Add a New Generator**, above).
 - c. Enter **1** for the Response No., unless the survey contains duplicate entries in a table. If a table has two or more entries with the same waste stream and waste class, enter 2, 3, etc. for the Response No. for each entry provided.
2. Press **PgDn** to move to Table 1, waste shipped directly to disposal sites.
3. Press **F6** to begin data entry mode. Enter the data from Table 1 of the survey into Table 1 of the survey entry screens. Press **F10** to save the data on that screen before moving to the next screen.
4. Continue pressing **PgDn** and entering data until all seven tables have been entered on the survey entry screens. Remember to press **F10** after each screen is entered to save the data. Each of the survey entry screens is explained in detail below.

Error Messages:

"Incorrect State" indicates that the generator ID is improperly assigned on the generator data screen. Press **F4** to return to the main menu. Type **1** and press **ENTER** for Generator Data Maintenance, and check the generator ID to ensure it begins with state initials.

"Query caused no records to be retrieved" indicates that the system is in search mode instead of data entry mode. Press **F6** or **ESC** to return to data entry mode.

Change a Survey

1. To change an existing survey, begin at the survey entry menu (Figure 13). Press **F7** to begin search mode. Enter the Date of the survey, the Facility ID (generator ID), and Response No. at the top of the first survey entry screen. These three data entry fields must be filled.
2. Press **F8** to begin the search for the specified Date and Facility ID.
 - If the Facility ID is unknown, use **F9** to scan through the current generator IDs. Move the cursor to the Facility ID field, and press **F9**. Press **TAB** or **ENTER** to scroll through the list of current generator IDs. To select a generator ID, press **Shift-F10**.
 - If the date is unknown, select a generator ID and then press **↓** to page through all the records for that generator ID. The Date field updates as each new set of records is reached.

Note: It may take some time to move through lengthy records. To check if the tracking system is actually paging through records as you press **↓**, note the counter at the bottom right of the screen. If the counter is moving, the system is scrolling through records.

 - If the Date, Facility ID, and Response No. are not known, press **F8** instead of pressing **F7** in Step 1. This resets the records to the first alphabetically listed generator and the earliest dated records. Press **↓** to page through all the data base records.
3. When the desired survey has been located, press **PgDn** to move to Table 1, waste shipped directly to disposal sites.
4. **TAB** through the entry fields. Type over existing data, delete existing data with the **DEL** key, or clear the entry with **Ctrl-End** and enter new data.

Note: Use **Shift-F4** to clear a single entry or **Shift-F7** to clear the record (the screen). This will not delete changes that have already been saved.

Press **F10** to save the data on that screen before moving to the next screen.

4. Continue pressing **PgDn** and changing data as needed. Remember to press **F10** after each screen is entered to save the data.

Delete a Survey

1. To delete an existing survey, begin at the survey entry menu (Figure 13). Press **F7** to begin search mode. Enter the Date of the survey, the Facility ID (generator ID), and Response No. at the top of the first survey entry screen. These three data entry fields must be filled.

2. Press **F8** to begin the search for the specified Date and Facility ID.

- If the Facility ID is unknown, use **F9** to scan through the current generator IDs. Move the cursor to the Facility ID field, and press **F9**. Press **TAB** or **ENTER** to scroll through the list of current generator IDs. To select a generator ID, press **Shift-F10**.
- If the date is unknown, select a generator ID and then press **↓** to page through all the records for that generator ID. The Date field updates as each new set of records is reached.

Note: It may take some time to move through lengthy records. To check if the tracking system is actually paging through records as you press **↓**, note the counter at the bottom right of the screen. If the counter is moving, the system is paging through records.

- If the Date, Facility ID, and Response No. are not known, press **F8** instead of pressing **F7** in Step 1. This resets the records to the first alphabetically listed generator and the earliest dated records. Press **↓** to page through all the data base records.
3. When the desired survey has been located, press **PgDn** to move down through the tables. Press **F5** to delete tables. The screen prompts you to press **F10** to confirm the deletions.

Note: Every table must be deleted to remove an entire survey.

Print a Survey

1. To print an existing survey entry screen, enter the Date of the survey, the Facility ID (generator ID), and Response No. (if known) at the top of the first survey entry screen.
2. Press **F8** to begin the search for the specified Date and Facility ID.
 - If the Facility ID is unknown, use F9 to scan through the current generator IDs. Move the cursor to the Facility ID field, and press **F9**. Press **TAB** or **ENTER** to scroll through the list of current generator IDs. To select a generator ID, press **Shift-F10**.
 - If the date is unknown, select a generator ID and then press ↓ to page through all the records for that generator ID. The Date field updates as each new set of records is reached.

Note: It may take some time to move through lengthy records. To check if the tracking system is actually paging through records as you press ↓, note the counter at the bottom right of the screen. If the counter is moving, the system is paging through records.
 - If the Date, Facility ID, and Response No. are not known, press **F8** instead of pressing **F7** in Step 1. This resets the records to the first alphabetically listed generator and the earliest dated records. Press ↓ to page through all the data base records.
3. When the desired survey has been located, press **Shift-F2** to print the survey report.

This table corresponds with Table 1 of the survey, "Waste Shipped Directly to Low-Level Waste Disposal Site(s)."

Figure 14. Entry screen for waste shipped directly to disposal site

1. To enter new survey data, press **F6** to begin data entry mode. **TAB** to the first field and type the two-digit waste stream code. This code must be entered. If the code is unknown, press **F9** to scan through the waste stream data lookup table (Figure 6). Press **TAB** or **ENTER** to scroll through the waste stream codes. Press **Shift-F10** to select a code.

Note: It is more efficient to go through the survey before data entry begins and note the waste stream code for each waste stream on the survey.

2. **TAB** to the Volume field. Enter volume of waste in cubic feet.

3. **TAB** to the Waste Class field. Enter waste class (A, B, or C). This code must be entered.
4. **TAB** to the Nuclide field. Press **F9** to access the lookup table for nuclides. Press **TAB** or **ENTER** to scroll through the list of nuclides. Press **Shift-F10** to select a nuclide.

Note: Nuclides listed in this field must match the nuclides listed in the nuclide table, or the tracking system will not move to the next screen. If a previously unused nuclide appears on a survey, add that nuclide to the nuclide lookup table before entering the survey data (see **Maintaining Lookup Tables**).

5. **TAB** to the Activity field. Enter the waste activity in millicuries. If the activity is given in another measurement, such as curies, convert it to millicuries before entering the amount on the survey entry screen.
6. Press **F10** to save the changes to this data entry screen. The tracking program compares the Waste Stream, Waste Class, and Nuclide entries to the data lookup tables. The screen prompts you to verify the changes by pressing F10 again.

Note: The data must match the lookup tables before the tracking system will proceed to the next table. If necessary, press **F4** to exit the data entry screen. Type **4** (Lookup Table Maintenance) and press **ENTER** at the main menu to update the lookup tables.

7. After the data is saved, press **PgDn** to move to the next data entry screen.

Note: If you do not press **F10** and verify the changes to be saved, the data will be lost when you page down to the next survey entry screen.

Table 2. Waste Shipped Through Broker to Disposal Site

This table corresponds with Table 2 of the survey, "Waste Shipped Through a Broker to LLRW Disposal Site(s)."

PO1FM006		SURVEY ENTRY SCREEN		Date: _____	
				Time: _____	
Table 02 Shipped through Broker					
+-----+-----+-----+-----+-----+-----+					
Date _____		Generator ID _____		Response No. _____	
+-----+-----+-----+-----+-----+-----+					
Waste Stream _____		Volume (cu.ft.) _____		Waste Class _____	
Nuclide: _____		Activity: _____			
Broker Code _____		Name _____			
		Address _____			
		City _____ ST _____ Zip _____			
		Phone _____			
F2 - Help		F3 - Quit		F4 - Main Menu	
F6 - Create		F8 - Execute Query		F5 - Delete	
PgUp- Prev Table		PgDn - Next Table		F10 - Commit	
				ESC - Prev Menu	

Figure 15. Entry screen for waste shipped through a broker

1. To enter new survey data, press **F6** to begin data entry mode. **TAB** to the first field and type the two-digit waste stream code. This code must be entered. If the code is unknown, press **F9** to scan through the waste stream data lookup table (Figure 6). Press **TAB** or **ENTER** to scroll through the waste stream codes. Press **Shift-F10** to select a code.

Note: It is more efficient to go through the survey before data entry begins and note the waste stream code for each waste on the survey.

2. **TAB** to the Volume field. Enter volume of waste in cubic feet.
3. **TAB** to the Waste Class field. Enter waste class (A, B, or C). This code must be entered.

4. **TAB** to the Nuclide field. Press **F9** to access the lookup table for nuclides. Press **TAB** or **ENTER** to scroll through the list of nuclides. Press **Shift-F10** to select a nuclide.

Note: Nuclides listed in this field must match the nuclides listed in the nuclide table, or the tracking system will not move to the next screen. If a previously unused nuclide appears on a survey, add that nuclide to the nuclide lookup table before entering the survey data (see **Maintaining Lookup Tables**).

5. Press **↓** to move to the next field to enter the next nuclide. If the cursor has been positioned without entering data, press **Shift-F4** to clear entry.
6. **TAB** to the Activity field. Enter the waste activity in millicuries. If the activity is given in another measurement, such as curies, convert it to millicuries before entering the amount on the survey entry screen.
7. **TAB** the Broker Code field. This code must be entered. Press **F9** to access the lookup table for broker/processors. Press **TAB** or **ENTER** to scroll through the list. Press **Shift-F10** to select a broker. The tracking system automatically fills out the name and address for the broker.

Note: Brokers listed in this field must match the broker/processor lookup table, or the tracking system will not move to the next screen. If a previously unrecorded broker appears on a survey, add that broker to the broker/processor lookup table before entering the survey data (see **Maintaining Lookup Tables**).

8. Press **F10** to save the changes to this data entry screen. The tracking program compares the Waste Stream, Waste Class, Nuclide, and Broker entries to the data lookup tables. The screen prompts you to press **F10** again to verify the save.

Note: The data must match the lookup tables before the tracking system will proceed to the next table. If necessary, press **F4** to exit the data entry screen. Type **4 (Lookup Table Maintenance)** and press **ENTER** at the main menu to update the lookup tables.

9. After the data is saved, press **PgDn** to move to the next entry screen.

Note: If you do not press **F10** and verify the changes to be saved, the data will be lost when you page down to the next survey entry screen.

This table corresponds with Table 3 of the survey, "Mixed Waste Generated."

Figure 16. Entry screen for mixed waste generated

- Note:** It is more efficient to go through the survey before data entry begins and note the waste stream code for each waste stream on the survey.

- 39

3. **TAB** to the Waste Class field. Enter waste class (A, B, or C). This code must be entered.
4. **TAB** to the Activity field. Enter the waste activity in millicuries. If the activity is given in another measurement, such as curies, convert it to millicuries before entering the amount on the survey entry screen.
5. **TAB** to the Hazardous Constituents field. Hazardous constituents must be entered. Press **F9** to access the lookup table for hazardous constituents. Press **TAB** or **ENTER** to scroll through the list. Press **Shift-F10** to select a hazardous constituent.

Note: Hazardous constituents listed in this field must match the hazardous constituent lookup table, or the tracking system will not move to the next screen. If a previously unused hazardous constituent appears on a survey, add that constituent to the hazardous constituent lookup table before entering the survey data (see **Maintaining Lookup Tables**).

6. Press **↓** to move to the next field to enter the next hazardous constituent. If the cursor has been positioned without entering data, press **Shift-F4** to clear entry.
7. Press **F10** to save the changes to this data entry screen. The tracking program compares the Waste Stream, Waste Class, and Hazardous Constituent entries to the data lookup tables. The screen prompts you to press **F10** again to verify the save.

Note: The data must match the lookup tables before the tracking system will proceed to the next table. If necessary, press **F4** to exit the data entry screen. Type **4** (Lookup Table Maintenance) and press **ENTER** at the main menu to update the lookup tables.

8. After the data is saved, press **PgDn** to move to the next data entry screen.

Note: If you do not press **F10** and verify the changes to be saved, the data will be lost when you page down to the next survey entry screen.

This table corresponds with Table 4 of the survey, "Waste in Storage at the End of the Quarter, Awaiting Shipment."

Figure 17. Entry screen for waste in storage at end of quarter

- Note: It is more efficient to go through the survey before data entry begins and note the waste stream code for each waste stream on the survey.**

- 41

3. **TAB** to the Waste Class field. Enter waste class (A, B, or C). This code must be entered.
4. **TAB** to the Activity field. Enter the waste activity in millicuries. If the activity is given in another measurement, such as curies, convert it to millicuries before entering the amount on the survey entry screen.
5. Press **F10** to save the changes to this data entry screen. The tracking program compares the Waste Stream and Waste Class entries to the data lookup tables. The screen prompts you to press **F10** again to verify the save.

Note: The data must match the lookup tables before the tracking system will proceed to the next table. If necessary, press **F4** to exit the data entry screen. Type **4** (Lookup Table Maintenance) and press **ENTER** at the main menu to update the lookup table.

6. After the data is saved, press **PgDn** to move to the next data entry screen.

Note: If you do not press **F10** and verify the changes to be saved, the data will be lost when you page down to the next survey entry screen.

This table corresponds with Table 5 of the survey, "On-Site Volume Reduction or Processing."

```

PO1FM011                SURVEY ENTRY SCREEN                Date: _____
                                                                Time: _____

                        Table 05 On-Site Volume Reduction

+-----+-----+-----+-----+
|          Date _____ Generator ID _____ Response No. _____          |
+-----+-----+-----+-----+

Waste Stream __ Volume after Processing (cu.ft.) _____ Waste Class __

Activity: _____ Volume before Processing (cu.ft.) _____


F2 - Help  F3 - Quit    F4 - Main Menu    F5 - Delete
F6 - Create F8 - Execute Query  F10 - Commit
PgUp- Prev Table  PgDn - Next Table  ESC - Prev Menu

```

1. To enter new survey data, press **F6** to begin data entry mode. **TAB** to the first field and type the two-digit waste stream code. This code must be entered. If the code is unknown, press **F9** to scan through the waste stream data lookup table (Figure 6). Press **TAB** or **ENTER** to scroll through the waste stream codes. Press **Shift-F10** to select a code.

Note: It is more efficient to go through the survey before data entry begins and note the waste stream code for each waste stream on the survey.

2. **TAB** to the **Volume after Processing** field. Enter volume of waste in cubic feet.

3. **TAB** to the Waste Class field. Enter waste class (A, B, or C). This code must be entered.
4. **TAB** to the Activity field. Enter the waste activity in millicuries. If the activity is given in another measurement, such as curies, convert it to millicuries before entering the amount on the survey entry screen.
5. **TAB** to the Volume before Processing field. Enter the volume of the waste before processing in cubic feet.
6. Press **F10** to save the changes to this data entry screen. The tracking program compares the Waste Stream and Waste Class entries to the data lookup tables. The screen prompts you to press **F10** again to verify the save.

Note: The data must match the lookup tables before the tracking system will proceed to the next table. If necessary, press **F4** to exit the data entry screen. Type **4** (Lookup Table Maintenance) and press **ENTER** at the main menu to update the lookup tables.

7. After the data is saved, press **PgDn** to move to the next data entry screen.

Note: If you do not press **F10** and verify the changes to be saved, the data will be lost when you page down to the next survey entry screen.

Table 6B. Waste Shipped to Disposal Site this Quarter

This table corresponds with Table 6B of the survey, "Waste Shipped by Processor to Disposal Site(s) during this Quarter." Note: In surveys dated 1990 or earlier, this survey entry screen corresponds with Table 6A of the survey.

P01FM009		SURVEY ENTRY SCREEN		Date: _____	
				Time: _____	
Table 6A Waste by Processor					
+-----+-----+-----+-----+-----+-----+					
Date _____		Generator ID _____		Response No. _____	
+-----+-----+-----+-----+-----+-----+					
Waste Stream _____		Volume after Processing (cu.ft.) _____		Waste Class _____	
Date Shipped _____		Nuclide: _____		Activity: _____	
Processor Code _____		Name _____			
		Address _____			
		City _____ ST _____ Zip _____			
		Phone _____			
F2 - Help F3 - Quit		F4 - Main Menu		F5 - Delete	
F6 - Create		F8 - Execute Query		F10 - Commit	
PgUp- Prev Table		PgDn - Next Table		ESC - Prev Menu	

Figure 19. Entry screen for waste shipped for disposal this quarter

1. To enter new survey data, press **F6** to begin data entry mode. **TAB** to the first field and type the two-digit waste stream code. This code must be entered. If the code is unknown, press **F9** to scan through the waste stream data lookup table (Figure 6). Press **TAB** or **ENTER** to scroll through the waste stream codes. Press **Shift-F10** to select a code.

Note: It is more efficient to go through the survey before data entry begins and note the waste stream code for each waste stream on the survey.

2. **TAB** to the Volume after Processing field. Enter volume of waste after processing in cubic feet.
3. **TAB** to the Waste Class field. Enter waste class (A, B, or C). This code must be entered.
4. **TAB** to the Nuclide field. Press **F9** to access the lookup table for nuclides. Press **TAB** or **ENTER** to scroll through the list of nuclides. Press **Shift-F10** to select a nuclide.

Note: Nuclides listed in this field must match the nuclides listed in the nuclide table, or the tracking system will not move to the next screen. If a previously unused nuclide appears on a survey, add that nuclide to the nuclide lookup table before entering the survey data (see **Maintaining Lookup Tables**).

5. **TAB** to the Activity field. Enter the waste activity in millicuries. If the activity is given in another measurement, such as curies, convert it to millicuries before entering the amount on the survey entry screen.
6. **TAB** to the Processor Code field. This code must be entered. Press **F9** to access the lookup table for broker/processors. Press **TAB** or **ENTER** to scroll through the list. Press **Shift-F10** to select a processor. The tracking system automatically fills out the name and address for the selected processor.

Note: Processors listed in this field must match the broker/processor lookup table, or the tracking system will not move to the next screen. If a previously unrecorded processor appears on a survey, add that processor to the broker/processor lookup table before entering the survey data (see **Maintaining Lookup Tables**).

7. **TAB** to the Date Shipped field. Enter the date the waste was shipped off site for processing.
8. Press **F10** to save the changes to this data entry screen. The tracking program compares the Waste Stream, Waste Class, Nuclide, and Processor entries to the data lookup tables. The screen prompts you to press **F10** again to verify the save.

Note: The data must match the lookup tables before the tracking system will proceed to the next table. If necessary, press **F4** to exit the data entry screen. Type **4** (Lookup Table Maintenance) and press **ENTER** at the main menu to update the lookup tables.

9. After the data is saved, press **PgDn** to move to the next data entry screen.

Note: If you do not press **F10** and verify the changes to be saved, the data will be lost when you page down to the next survey entry screen.

This table corresponds with Table 6A of the survey, "Waste Shipped Off-Site (By Your Facility) for Processing." Note: In surveys dated 1990 or earlier, this survey entry screen corresponds with Table 6B of the survey.

Figure 20. Entry screen for waste shipped off-site for processing

1. To enter new survey data, press **F6** to begin data entry mode. **TAB** to the first field and type the two-digit waste stream code. This code must be entered. If the code is unknown, press **F9** to scan through the waste stream data lookup table (Figure 6). Press **TAB** or **ENTER** to scroll through the waste stream codes. Press **Shift-F10** to select a code.

Note: It is more efficient to go through the survey before data entry begins and note the waste stream code for each waste stream on the survey.

2. **TAB** to the Volume after Processing field. Enter volume of waste after processing in cubic feet.
3. **TAB** to the Waste Class field. Enter waste class (A, B, or C). This code must be entered.
4. **TAB** to the Date Shipped field. Enter the date the waste was shipped off site for processing.
5. Press **F10** to save the changes to this data entry screen. The tracking program compares the Waste Stream and Waste Class entries to the data lookup tables. The screen prompts you to press **F10** again to verify the save.

Note: The data must match the lookup tables before the tracking system will proceed to the next table. If necessary, press **F4** to exit the data entry screen. Type **4** (Lookup Table Maintenance) and press **ENTER** at the main menu to update the lookup tables.

6. After the data is saved, press **PgDn** or **ESC** to return to the first survey entry screen.

Note: If you do not press **F10** and verify the changes to be saved, the data will be lost when you page down to the next survey entry screen.

6. Generating Reports

To generate survey reports, type **3** (Output Tables) at the main menu (Figure 1) and press **ENTER**. The survey report menu appears. Type the number of the desired report (**1-12**) and press **ENTER**.

PO1MNI20	PENNSYLVANIA SOURCE TERM TRACKING SYSTEM SURVEY REPORTS	Date: _____ Time: _____
<ul style="list-style-type: none">1. Names and Address of Generators2. Names of Generators by Counties3. Summary of Responses4. Detail Summary of Responses5. Summary of Waste Shipped Off-Site to Commercial Disposal Sites6. Detail Summary of Waste Shipped Off-Site to Commercial Disposal Sites7. Off-Site Waste Shipment Summary by Waste Type8. Off-Site Radionuclide Shipment Summary by Waste Type9. Classification of Waste Shipped to Disposal Sites10. Radionuclides and their Activities Shipped to Disposal Sites11. Mixed Waste Generated12. On-Site Volume Reduction		
<ul style="list-style-type: none">13. Main Menu14. Exit System		
— Enter Option		

Figure 21. Menu for generating tracking system reports

The menu allows you to select from 12 types of survey reports (output tables). To print a report, type the number of the desired report and press **ENTER**. The tracking system compiles and prints the report. Appendix A contains examples of the 12 reports.

Note: These reports are generated as hard copy only (printed reports). The tracking system will not save a report to the PC hard drive or to a floppy disk.

1.	Names and Address of Generators	Names and addresses of all generators recorded in the tracking system in alphabetical order
2.	Names of Generators by Counties	Alphabetical list of generators in each county
3.	Summary of Responses	Breakdown of generators by facility type
4.	Detail Summary of Responses	Breakdown of generators by facility type and subcategory
5.	Summary of Waste Shipped Off-Site to Commercial Disposal Sites	Summary of volume and curies shipped off-site to commercial disposal sites by facility type
6.	Detail Summary of Waste Shipped Off-Site to Commercial Disposal Sites	Summary of volume and curies shipped off-site to commercial disposal sites by facility type and subcategory
7.	Off-Site Waste Shipment Summary by Waste Type	Summary of volume and curies shipped off-site to commercial disposal sites by facility type and waste stream
8.	Off-Site Radionuclide Shipment Summary by Waste Type	Summary of nuclides shipped off-site to commercial disposal sites by type and waste stream
9.	Classification of Waste Shipped to Disposal Sites	Summary of waste class volume by facility type and shipment type
10.	Radionuclides and their Activities Shipped to Disposal Sites	Summary of radionuclides
11.	Mixed Waste Generated	Summary of mixed waste volume and activity by facility type and waste stream
12.	On-Site Volume Reduction	Summary of volume reduction by facility type and waste stream

Each of the reports allows you to specify a range of dates.

The image shows a terminal window with a dashed border. Inside, there is a prompt asking for beginning and ending dates, followed by two input fields. Below the fields is a note about the date format.

```
+-----+
| Please enter the BEGINNING and ENDING dates |
|           of the report.                     |
+-----+
| BEGINNING DATE _____ |
| ENDING DATE   _____ |
+-----+
** NOTE:  ENDING date must be later than BEGINNING date.
```

Figure 22. Specify beginning and ending dates for each report.

To print a report, **TAB** to the entry fields and specify the dates for the report. The format for dates is **DD-MM-YY**. Press **ENTER**, and the requested report prints out on the printer.

7. Backing Up Tracking System Data

Use the backup option regularly to copy the data base records to a backup file. To start the procedure, insert a formatted floppy disk in drive A, type **5** (Backup), and press **ENTER** at the main menu. The example below shows an example of the screen prompts during the procedure. Follow the instructions shown in bold print if you want to accept the default option.

Export: Version 5.1.22.12 on Wed Oct 9 12:10:32 1991

Copyright (c) 1987, Oracle Corporation, California, USA. All rights reserved.

Enter array fetch buffer size(default is 1024)> **(Press ENTER)**

Export file: EXPDAT.DMP> **(Press ENTER)**

E(ntire database), U(sers), T(ables): U > **(Press ENTER)**

Export Grants (Y/N): N > **(Press ENTER)**

Export the rows (Y/N): Y > **(Press ENTER)**

Compress extents (Y/N): Y > **(Press ENTER)**

Exporting Specified Users

User to be exported: MTM > **(Press ENTER)**

Exporting MTM

.Exporting MTM

.Exporting table p01tb001 100 rows exported

.Exporting table p01tb002 200 rows exported

... an so on through MTM's remaining tables

Exporting Specified Users

User to be exported: MTM > **(Type . and press ENTER)**

To retrieve the backed up data, consult your Oracle system administrator.

Appendix A

Sample Reports

1990 PENNSYLVANIA LLRW REPORT
NAMES AND ADDRESSES OF GENERATORS

NAME OF COMPANY : 5 PRIME -> 3 PRIME, INC.
STREET ADDRESS : 117 BRANDYWINE PARKWAY
MAILING ADDRESS : SAME
CITY, STATE, ZIP: WEST CHESTER PA 19380
COUNTY : CHESTER
FACILITY TYPE : RESEARCH & DEVELOPMENT

NAME OF COMPANY : AIR PRODUCTS & CHEMICALS, INC.
STREET ADDRESS : 7201 HAMILTON BLVD.
MAILING ADDRESS : SAME
CITY, STATE, ZIP: ALLENTOWN PA 18195
COUNTY : LEHIGH
FACILITY TYPE : SEALED SOURCES/GAUGES/DEVICES

NAME OF COMPANY : ALARON CORPORATION NORTHEAST REGIONAL FA
STREET ADDRESS : R.D. #2
MAILING ADDRESS : BOX 2140A
CITY, STATE, ZIP: WAMPUM PA 16157
COUNTY : LAWRENCE
FACILITY TYPE : DECON.FACILITY & WASTE REDUC

NAME OF COMPANY : ALBERT EINSTEIN MEDICAL CENTER
STREET ADDRESS : 5501 OLD YORK ROAD
MAILING ADDRESS : SAME
CITY, STATE, ZIP: PHILADELPHIA PA 19141
COUNTY : PHILADELPHIA
FACILITY TYPE : MEDICAL-HOSPITAL

NAME OF COMPANY : ALLEGHENY CAMPUS RADIATION LABORATORY, C
STREET ADDRESS : 828 RIDGE AVENUE
MAILING ADDRESS : 808 RIDGE AVENUE
CITY, STATE, ZIP: PITTSBURGH PA 15212
COUNTY : ALLEGHENY
FACILITY TYPE : ACADEMIC-EDUCATION

NAME OF COMPANY : ALLEGHENY GENERAL HOSPITAL
STREET ADDRESS : 320 EAST NORTH AVENUE
MAILING ADDRESS : SAME
CITY, STATE, ZIP: PITTSBURGH PA 15212
COUNTY : ALLEGHENY
FACILITY TYPE : MEDICAL-RESEARCH

1990 PENNSYLVANIA LLRW REPORT
NAMES OF GENERATORS BY COUNTIES

NAME OF COUNTY:

NAME OF COUNTY: ALLEGHENY

PA011ACA	UNIVERSITY OF PITTSBURGH
PA012ACA	CARNEGIE MELLON UNIVERSITY
PA024ACA	DUQUESNE UNIVERSITY
PA030IND	WESTINGHOUSE ELECTRIC CORP, ELECTRO-MECHANICAL DIVISION
PA037IND	WESTINGHOUSE SCIENCE & TECHNOLOGY CENTER
PA039IND	APPLIED HEALTH PHYSICS, INC.
PA045IND	WESTINGHOUSE FOREST HILLS SITE
PA058ACA	ALLEGHENY CAMPUS RADIATION LABORATORY, CCAC
PA069MED	ALLEGHENY GENERAL HOSPITAL
PA076MED	SHADYSIDE HOSPITAL
PA080MED	MED-CHEK LABORATORIES, INC.
PA081MED	MONTEFIORE UNIVERSITY HOSPITAL
PA087GOV	V.A. MEDICAL CENTER (115)
PA102MED	WESTERN PENNSYLVANIA HOSPITAL
PA110IND	NUS CORPORATION
PA118GOV	VETERAN'S AFFAIRS MEDICAL CENTER
PA121GOV	DOE PITTSBURGH ENERGY TECHNOLOGY CENTER

NAME OF COUNTY: ARMSTRONG

PA041IND	BABCOCK & WILCOX
----------	------------------

NAME OF COUNTY: BEAVER

PA001NPP	BEAVER VALLEY POWER STATION, DUQUESNE LIGHT CO.
----------	---

NAME OF COUNTY: BEDFORD

PA114NPP	SAXTON NUCLEAR EXPERIMENTAL CORP.
----------	-----------------------------------

NAME OF COUNTY: BERKS

PA067MED	READING HOSPITAL & MEDICAL CENTER
----------	-----------------------------------

NAME OF COUNTY: BRADFORD

PA066IND	GTE PRODUCTS CORPORATION
PA108MED	GUTHRIE FOUNDATION FOR MEDICAL RESEARCH

NAME OF COUNTY: BUCKS

TABLE 3
STATE OF PENNSYLVANIA
SUMMARY OF RESPONSES

FACILITY	1990 GENERATORS	
	NUMBER	% OF GENERATORS
NUCLEAR POWER FACILITY	7	7.95
MEDICAL (NON-GOVERNMENT)	27	30.68
ACADEMIC	16	18.18
GOVERNMENT	9	10.23
INDUSTRIAL	29	32.95
	-----	-----
TOTALS	88	100.00

TABLE 4
STATE OF PENNSYLVANIA
DETAIL SUMMARY OF RESPONSES

FACILITY SUB CATEGORY	1990 GENERATORS	
	NUMBER	% OF GENERATORS
NUCLEAR POWER FACILITY		
NUCLEAR POWER PLAN	7	7.955
	-----	-----
	7	7.955
MEDICAL (NON-GOVERNMENT)		
MEDICAL-HOSPITAL	10	11.364
MEDICAL-LABORATORY	6	6.818
MEDICAL-RESEARCH	5	5.682
MEDICAL COLLEGE/HOSPITAL	6	6.818
	-----	-----
	27	30.682
ACADEMIC		
ACADEMIC-RESEARCH	7	7.955
ACADEMIC-EDUCATION	9	10.227
	-----	-----
	16	18.182
GOVERNMENT		
FEDERAL	9	10.227
	-----	-----
	9	10.227
INDUSTRIAL		
RESEARCH & DEVELOPMENT	16	18.182
MANUFACTURING	7	7.955
DECON.FACILITY & WASTE REDUC	3	3.409
NUCLEAR LAUNDRY	1	1.136
ANALYTICAL LABORATORY	2	2.273
	-----	-----
	29	32.955
	-----	-----
TOTALS	88	100.000

TABLE 5
STATE OF PENNSYLVANIA
SUMMARY OF WASTE SHIPPED OFF-SITE TO COMMERCIAL DISPOSAL SITES

FACILITY TYPE	NUMBER OF GENERATORS	% OF GENERATORS	CUBIC FEET SHIPPED	% OF VOLUME SHIPPED	CURIES SHIPPED	% OF CURIES SHIPPED
ACADEMIC	1	33.33	1.12	0.48	0.13	0.60
GOVERNMENT	1	33.33	15.00	6.42	0.02	0.11
INDUSTRIAL	1	33.33	217.50	93.10	21.65	99.29
TOTAL	3	100.00	233.62	100.00	21.80	100.00

TABLE 6
STATE OF PENNSYLVANIA
DETAILED SUMMARY OF WASTE SHIPPED OFF-SITE TO COMMERCIAL DISPOSAL SITES

FACILITY TYPE	NUMBER OF GENERATORS	% OF GENERATORS	CUBIC FEET SHIPPED	% OF	
				VOLUME SHIPPED	CURIES SHIPPED
					% OF CURIES SHIPPED
ACADEMIC					
ACADEMIC-RESEARCH	1	33.33	1.12	0.48	0.13 0.60
GOVERNMENT					
FEDERAL	1	33.33	15.00	6.42	0.02 0.11
INDUSTRIAL					
RESEARCH & DEVELOPMENT	1	33.33	217.50	93.10	21.65 99.29
TOTAL	3	100.00	233.62	100.00	21.80 100.00

TABLE 7
STATE OF PENNSYLVANIA
OFF-SITE WASTE SHIPMENT SUMMARY
BY WASTE STREAM

FACILITY TYPE/ WASTE STREAM	SHIPPED DIRECTLY VOLUME	CURIES	SHIPPED THRU VOLUME	BROKER CURIES	SHIPPED THRU VOLUME	PROCESS CURIES	OFF- VOL.
POWER PLANT							
COMPACTED TRASH OR SOLIDS	.0	.0000	.0	.0000	6,861.0	7.6676	
CONTAMINATED BULK	176.0	.0009	.0	.0000		.0000	
CONTAMINATED PLANT HARDWARE	.0	.0000	.0	.0000	718.8	1.19666	
DEWATERED FILTER MEDIA	244.2	5.2172	.0	.0000	.0	.0000	
DEWATERED ION EXCHANGE RESIN	13,611.8	1,392.4752	.0	.0000	.0	.0000	
IRRADIATED REACTOR COMPONENT	57.4	2,394.1873	.0	.0000	.0	.0000	
NON-COMPACTED TRASH OR SOLID	170.0	.0196	.0	.0000	.0	.0000	
SOLIDIFIED EVAPORATOR WASTES	178.0	1.5764	.0	.0000	.0	.0000	
SOLIDIFIED FILTER MEDIA	355.8	129.2697	.0	.0000	.0	.0000	
ENCAPSULATED FILTER MEDIA	305.6	6,867.5562	76.4	665.10498	.0	.0000	
Sum	15,098.8	10,790.30236	76.4	665.10498	7,579.8	8.86442	
MEDICAL							
COMPACTED TRASH OR SOLIDS	30.0	.0060	262.5	.35211	.0	.0000	
DRY ACTIVATED WASTE	.0	.0000	184.0	.02432	.0	.0000	
INSTITUTIONAL LAB OR BIO WASTE	.0	.0000	90.0	.02672	.0	.0000	
ABSORBED LIQUIDS	.0	.0000	178.9	2.03949	.0	.0000	
NON-COMPACTED TRASH OR SOLID	.0	.0000	3,160.0	.06039	.0	.0000	
NUCLEAR MEDICINE/PHARMA	.0	.0000	30.0	.00066	.0	.0000	
Sum	30.0	.00600	3,905.4	2.50369	.0	.0000	
ACADEMIC							
ANIMAL CARCASSES	.0	.0000	232.5	.02890	.0	.0000	
COMPACTED TRASH OR SOLIDS	.0	.0000	7.5	.01000	15.0	.03409	
INSTITUTIONAL LAB OR BIO WASTE	.0	.0000	622.5	2.40391	.0	.0000	
LIQUID SCINTILLATION WASTES	.0	.0000	30.0	.00005	.0	.0000	
ABSORBED LIQUIDS	.0	.0000	22.5	.00906	.0	.0000	
SEALED SOURCES	.0	.0000	7.5	610.00000	.0	.0000	
Sum	.0	.00000	922.5	612.45192	15.0	.03409	
GOVERNMENT							

TABLE 8
STATE OF PENNSYLVANIA
OFF-SITE RADIONUCLIDE SUMMARY BY WASTE TYPE

Facility Type	WASTE TYPE	NUCLIDE	ACTIVITY SHIPPED DIRECTLY	ACTIVITY SHIPPED BROKER
ACADEMIC	COMPACTED TRASH OR SOLIDS	CO-56	.000000	.000000
		CO-57	.000000	.000000
		NA-22	.000000	.000000
		SR-90	.000000	.000000
		TH-228	.000000	.000000
		U-238	.000000	.000000
	SUBTOTAL		.000000	.000000
GOVERNMENT	COMPACTED TRASH OR SOLIDS	C-14	.000000	.000000
		H-3	.000000	.000000
		I-125	.000000	.000000
		S-35	.000000	.000000
	SUBTOTAL		.000000	.000000
INDUSTRIAL	COMPACTED TRASH OR SOLIDS	AU-195	.000000	.002010
		C-14	.000000	.575550
		CA-45	.000000	.000010
		CD-109	.000000	.000985
		CL-36	.000000	.000950
		CR-51	.000000	.000010
		H-3	.000000	20.729000
		I-125	.000000	.001072
		NA-22	.000000	.000700
		P-32	.000000	.000138
		S-35	.000000	.027789
		ZN-65	.000000	.000100
	CARTRIDGE-TYPE FILTER MEDIA	C-14	.000000	.006916
		H-3	.000000	.302016
	SUBTOTAL		.000000	21.647246
TOTAL			.000000	21.647246

TABLE 9
STATE OF PENNSYLVANIA
CLASSIFICATION OF WASTE SHIPPED TO DISPOSAL SITES

FACILITY TYPE	SHIPMENT TYPE	VOLUME			TOTAL	
		CLASS A	CLASS B	CLASS C	VOLUME	VOLUME
ACADEMIC	PROCESSED	1.12	.00	.00	1.12	
GOVERNMENT	PROCESSED	15.00	.00	.00	15.00	
INDUSTRIAL	BROKEN	217.50	.00	.00	217.50	
TOTAL		233.62	.00	.00	233.62	

TABLE 10
STATE OF PENNSYLVANIA
SIGNIFICANT RADIONUCLIDES AND THEIR ACTIVITIES
SHIPPED TO DISPOSAL SITES

RADIONUCLIDE	CURIES
AD-195	.002010
C-14	.601481
CA-45	.002010
CD-109	.000985
CE-141	.000400
CL-36	.001988
CO-56	.002000
CO-57	.004699
CR-51	.002425
E-3	21.089022
I-125	.036661
MA-22	.003753
P-32	.141599
S-35	.076385
SC-46	.000035
SN-113	.000040
SR-85	.000400
SR-90	.009000
TH-228	.062000
U-238	.052000
WM-65	.000100
TOTAL	22.088993

TABLE 11
STATE OF PENNSYLVANIA
MIXED WASTE GENERATED

01-JU

FACILITY TYPE	WASTE STREAM	VOLUME (CU.FT)	ACTIVITY (CURIES)	HAZARDOUS CONSTITUENT
ACADEMIC	ORGANIC LIQUIDS	22.50	.001000	BUTYL ACETATE NAPTHALENE TOLUENE XYLENE
		22.50	.001000	
TOTAL				

TABLE 12
STATE OF PENNSYLVANIA
ON-SITE VOLUME REDUCTION

FACILITY TYPE	WASTE STREAM	VOLUME BEFORE PROCESSING	VOLUME AFTER PROCESSING	PERCENT VOLUME REDUCTION
INDUSTRIAL	CARTRIDGE-TYPE FILTER MEDIA	248	97.5	60.69
	COMPACTED TRASH OR SOLIDS	360	120	66.67

P01RP200

PENNSYLVANIA LLRW REPORT
SURVEY REPORT

DATE: 01-JUL-90 GENERATOR ID: PA012ACA

DATE: 14-MAY-92
PAGE: 1

Facility Name CARNEGIE MELLON UNIVERSITY
Address (Street) 5000 FORBES AVENUE
5000 FORBES AVE. PHYSICAL PLANT BLDG.
City PITTSBURGH
LEGHENY

State PA Zip 15213 County AL

Contact PETER COLLOPY
Title DIRECTOR Phone

State PA-203
NRC 37-602 SNM-281

Facility Description D01 ACADEMIC-RESEARCH

Table: 01 SHIPPED DIRECTLY

Waste Stream	Waste Class	Response	Volume Nuclide
Activity	-----	-----	-----
-----	-----	-----	-----

Total Volume:

Total Activity:

Table: 02 SHIPPED THROUGH BROKER

Waste Stream	Waste Class	Response	Waste Volume Nuclide
Activity	-----	-----	-----
-----	-----	-----	-----

Total Volume:

Total Activity:

Table: 03 MIXED WASTE GENERATED

Waste Stream Hazardous Constituent	Waste Class	Response	Waste Volume	Waste Activity
14 XYLENE	A	1	22.5	1
BUTYL ACETATE				
NAPHTHALENÉ				
TOLUENE				
Total Volume:	22.5			
Total Activity:	1			

Table: 04 WASTE IN STORAGE

Waste Stream	Waste Class	Response	Waste Volume	Waste Activity
11	A	2	37.5	35
14	A	1	22.5	1

POIRP200

PENNSYLVANIA LLRW REPORT
SURVEY REPORT

DATE: 14-MAY-92
PAGE: 2

DATE: 01-JUL-90 GENERATOR ID: PA012ACA

Total Volume: 60
Total Activity: 36

Table: 05 ON-SITE VOLUME REDUCTION/PROCE

Waste Stream	Waste Class	Response	Volume Before	Volume After
Waste Activity				

Total Volume Before:
Total Volume After:
Total Activity:

Table: 6A WASTE SHIPPED BY PROCESSOR

Date	Waste Stream	Waste Class	Response	Waste Volume	Nuclide
12-JUN-90	02	A	1	1.12	CO-56
					CO-57
					NA-22
					SR-90
					TH-228
					U-238

Sum

131

Total Volume: 1.12

Total Activity: 131

Processor: RAMP INDUSTRIES, INC.,
3127 WEST 46TH AVENUE
DENVER CO
303-480-1481 Resp Num 1

Table: 6B WASTE SHIPPED FOR PROCESS

Date	Waste Stream	Waste Class	Response	Volume Before
------	--------------	-------------	----------	---------------

Total Volume:

END

**DATE
FILMED**

2 / 22 / 93