NOTICE

**CERTAIN DATA
CONTAINED IN THIS
DOCUMENT MAY BE
DIFFICULT TO READ
IN MICROFICHE
PRODUCTS.**

DECLASSIFIED

CHD-004884

HW-10334 (2 BNWA)

Document #

This document consists of

- Cy. 1 - A. E. Croninger
2 - AEC
3 - AEC
4 - AEC
5 - C. W. J. Kende
6 - W. I. Patnode - 700 File
7 - P. F. Gast
8 - E. B. Montgomery
9 - 300 File
10 - Pink Copy
11 - REGIONAL CENT COPY

July 8, 1948

TO: File
FROM: P. F. Gast

Unique Document

This document consists of
2 pages. No 1 of
2 copies Series BNWA

PRODUCTION OF Ta¹⁸²

This memo discusses briefly and approximately the two extreme programs which could be followed in the production of Ta¹⁸². The use of present available excess reactivity, and the use of a pile, containing no U²³⁸, expressly to produce Ta¹⁸². Use of lesser amounts of enriched material would achieve lesser production rates. The cost in fissionable material per gram of active isotope would remain approximately the same.

Use of Present Excess Reactivity

One megacurie of Ta¹⁸² corresponds to a decay rate of 0.97 gms/day and consists of 164 gms of active isotope. Assuming that 90% of the captured neutrons will produce the desired material, 100 ih of reactivity will produce 1 gm of Ta¹⁸² per day. This amounts to 6,000 curies per day and would, at saturation, maintain a 1.03 megacurie stockpile.

With four piles operating, 400 ih, as an order of magnitude, might be made available for this purpose resulting in a daily production rate of 24,000 curies or a saturated stockpile of 4 megacuries.

Conversion of a Pile

A pile in which the U²³⁸ is replaced by tantalum could be used for production of Ta¹⁸² by the consumption of U²³⁵, presumably in the form of a U-Al alloy. At present power levels, this would produce 190 gm of Ta¹⁸² per day per pile. This amounts to 1.16 megacuries and could maintain a 196 megacurie saturation stockpile.

Such a pile would consume 320 gms/day of U²³⁵, would contain 19 tons of tantalum and 1650 kilograms of U²³⁵. The uranium would of course be in relatively pure form, presumably of the type used in bomb production.

In the documents on this subject which we have seen to date, there has been no discussion of the long-range aspects of economy of fissionable materials. Obviously, the conversion of long-lived fissionable material into radioisotopes of relatively short half-life is equivalent to squandering one's capital.

MASTER

RECEIVED

CLASSIFICATION CANCELLED
AUTHORITY: DOE/SA-20
BY H.R. SCHMIDT, DATE:

MAY 22 1956

300 AREA

DOJ memo 92-FOI-1349 dtd 6 Jul 92
HPR dtd 2/25/93

DECLASSIFIED

DISTRIBUTION RESTRICTED TO U.S. ONLY

~~SECRET~~
DECLASSIFIED

- 2 -

As shown above, it would cost 117 kilograms of 25 per year above an initial investment of 1650 kilograms of 25 to maintain a stockpile of 196 megacuries. It appears that a serious evaluation of the worth of this proposal is in order.

The calculations reported here are recorded in notebook #HM-2225-T, p. 42.

Paul F. Gast

P. F. Gast
Pile Technology Div.

PFG:mh

DECLASSIFIED

~~SECRET~~

END

DATE

FILMED

11/22/93