(200)

R290

no. 76-702A

USGS-OFR-76-702A

✓ UNITED STATES (DEPARTMENT OF THE INTERIOR)

GEOLOGICAL SURVEY.

[Reports - Open file series]

Principal facts for a gravity survey of
Summer Lake Known Geothermal Resource
Area, Oregon

TM
cm
Swanwick

By

^{1928 -}
Donald L. Peterson and Richard F. Meyer, 1921 -

Open-File Report No. 76-702A
1976

This report is preliminary and has not been
edited or reviewed for conformity with U.S.
Geological Survey standards and nomenclature.

MASTER

272135

DISTRIBUTION OF THIS DOCUMENT IS UNLIMITED

pen

DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency Thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

DISCLAIMER

Portions of this document may be illegible in electronic image products. Images are produced from the best available original document.

PRINCIPAL FACTS FOR A GRAVITY SURVEY OF SUMMER LAKE KNOWN GEOTHERMAL RESOURCE AREA, OREGON

Explanation of the headings of the columns of the accompanying table of principal facts:

Station identification	Gravity Survey Station Number
Latitude	North latitude in degrees, minutes and hundredths of minutes
Longitude	West longitude in degrees, minutes, and hundredths of minutes
Elev.	Elevation in feet (to convert to meters, multiply by 0.3048)
ST	State
ST. GRV.	Theoretical gravity computed using the "Geodetic Reference System 1967"
Free-Air	Free-air correction in milligals
Bouguer	Bouguer correction in milligals (includes elevation and curvature correction)
Bouguer Anomaly	Simple Bouguer Anomaly in milligals for an assumed density of 2.67 grams per cc.

These data are referenced to the A.C.I.C. station located at the Alkali Lake Air Port, Alkali Lake, Oregon, at the north edge of the landing strip, in line with the center line of the road leading to the landing strip from Highway 395 (A.C.I.C. reference number 1277-0)

Reference:

"Geodetic Reference System 1967", International Assn. of Geodesy, Special Publication No. 3.

BOUGUER GRAVITY DATA

PAGE

SUMNER LAKE OREGON KGRA
DON PETERSON 1976
DENSITY: 2.67

STATION IDENTIFICATION	LATITUDE	LOCATION LONGITUDE	ELEV.	ST.	OBSERVED GRAVITY	STD. GRV.	CORRECTIONS			SPECIAL	BOUGUER ANOMALY	SPEC. FIELD
							TERRAIN	FREE-AIR	BOUGUER			
SUMMER.	SL01	42 41.40	-120 32.50	4364.0	DR	980003.06	-980410.53	410.31	-150.17		-147.33	
SUMMER.	SL02	42 41.62	-120 32.68	4369.0	DR	980003.52	-980410.56	410.78	-150.34		-146.50	
SUMMER.	SL03	42 42.48	-120 33.18	4408.0	DR	979998.62	-980411.86	414.45	-151.67		-150.26	
SUMMER.	SL04	42 42.94	-120 34.82	4382.0	DR	979997.75	-980412.55	412.00	-150.78		-153.58	
SUMMER.	SL05	42 43.18	-120 35.23	4363.0	DR	979997.03	-980412.91	410.22	-150.13		-155.79	
SUMMER.	SL06	42 43.26	-120 35.56	4355.0	DR	979998.89	-980413.03	409.47	-149.86		-154.53	
SUMMER.	SL07	42 43.40	-120 36.90	4311.0	DR	980004.68	-980413.24	405.33	-148.35		-151.58	
SUMMER.	SL08	42 43.41	-120 37.31	4299.0	DR	980004.11	-980413.25	404.20	-147.94		-152.88	
SUMMER.	SL09	42 43.30	-120 37.31	4311.0	DR	980004.79	-980413.09	405.33	-148.35		-151.32	
SUMMER.	SL10	42 43.40	-120 37.78	4281.0	DR	980003.87	-980413.24	402.51	-147.32		-154.18	
SUMMER.	SL11	42 43.40	-120 39.20	4264.0	DR	980004.56	-980413.24	400.91	-146.74		-154.51	
SUMMER.	SL12	42 43.40	-120 38.82	4264.0	DR	980005.49	-980413.24	400.91	-146.74		-153.58	
SUMMER.	SL13	42 43.42	-120 39.77	4219.0	DR	980003.08	-980413.27	396.68	-145.20		-158.71	
SUMMER.	SL14	42 43.47	-120 40.49	4210.0	DR	980003.59	-980413.34	395.84	-144.89		-158.80	
SUMMER.	SL15	42 43.50	-120 41.48	4215.0	DR	980007.92	-980413.39	396.31	-145.06		-154.22	
SUMMER.	SL16	42 43.62	-120 42.04	4232.0	DR	980010.08	-980413.57	397.90	-145.64		-151.23	
SUMMER.	SL17	42 43.79	-120 42.63	4231.0	DR	980012.91	-980413.83	397.81	-145.61		-148.72	
SUMMER.	SL18	42 43.82	-120 43.21	4281.0	DR	980016.02	-980413.87	402.51	-147.32		-142.66	
SUMMER.	SL19	42 44.17	-120 42.08	4173.0	DR	980007.89	-980414.40	392.36	-143.62		-157.77	
SUMMER.	SL20	42 44.41	-120 42.08	4158.0	DR	980004.85	-980414.76	390.95	-143.11		-162.07	
SUMMER.	SL01	42 41.40	-120 32.50	4364.0	DR	980003.06	-980410.53	410.31	-150.17		-147.33	
SUMMER.	SL21	42 43.35	-120 34.30	4371.0	DR	979999.03	-980413.16	410.97	-150.41		-153.57	
SUMMER.	SL22	42 43.53	-120 33.43	4388.0	DR	979998.33	-980413.43	412.57	-150.99		-153.52	
SUMMER.	SL23	42 44.68	-120 34.12	4356.0	DR	980003.97	-980415.16	409.56	-149.89		-151.52	
SUMMER.	SL24	42 44.17	-120 33.69	4378.0	DR	980003.57	-980414.40	411.63	-150.64		-149.84	
SUMMER.	SL25	42 43.19	-120 32.45	4395.0	DR	979997.60	-980412.92	413.23	-151.23		-153.32	
SUMMER.	SL26	42 43.67	-120 32.87	4388.0	DR	979997.75	-980413.65	412.57	-150.99		-154.32	
SUMMER.	SL27	42 44.18	-120 32.90	4387.0	DR	980000.54	-980414.41	412.48	-150.95		-152.34	
SUMMER.	SL28	42 43.79	-120 32.20	4396.0	DR	979997.79	-980413.83	413.32	-151.26		-153.98	
SUMMER.	SL29	42 43.46	-120 31.78	4374.0	DR	979999.06	-980413.33	411.25	-150.51		-153.53	
SUMMER.	SL30	42 42.50	-120 31.91	4384.0	DR	979996.54	-980411.89	412.19	-150.85		-154.01	
SUMMER.	SL31	42 42.36	-120 32.58	4422.0	DR	979996.44	-980411.68	415.77	-152.15		-151.62	
SUMMER.	SL01	42 41.60	-120 32.50	4364.0	DR	980003.06	-980410.53	410.31	-150.17		-147.33	
SUMMER.	SL01	42 41.60	-120 32.50	4364.0	DR	980003.06	-980410.53	410.31	-150.17		-147.33	
SUMMER.	SL32	42 41.94	-120 34.53	4710.0	DR	979983.55	-980411.04	442.83	-162.02		-146.68	
SUMMER.	SL33	42 40.67	-120 36.69	5554.0	DR	979928.73	-980409.14	522.16	-190.90		-149.15	
SUMMER.	SL34	42 40.72	-120 37.28	5791.0	DR	979913.96	-980409.21	544.43	-199.00		-149.82	
SUMMER.	SL35	42 41.17	-120 38.53	6026.0	DR	979896.94	-980409.89	566.51	-207.03		-153.47	
SUMMER.	SL36	42 41.11	-120 39.38	6355.0	DR	979870.87	-980409.80	597.43	-218.26		-159.76	
SUMMER.	SL37	42 41.12	-120 40.31	6207.0	DR	979881.89	-980409.81	583.52	-213.21		-157.61	

ROUGHER GRAVITY DATA

PAGE 2

SUMMER LAKE OREGON KGPA

STATION IDENTIFICATION		LATITUDE	LOCATION LONGITUDE	ELEV.	ST.	OBSERVED GRAVITY	STD. GRV.	TERRAIN	CORRECTIONS FREE-AIR	BOUGUER	SPECIAL	BOUGUER ANOMALY	SPEC. FIELD
SUMMER.	SL38	42 40.96	-120 41.28	6033.0	OR	979294.52	-980409.42		567.17	-207.27		-155.00	
SUMMER.	SL01	42 41.60	-120 32.50	4364.0	OR	980003.06	-980410.53		410.31	-150.17		-147.33	
SUMMER.	SL01	42 41.60	-120 32.50	4364.0	UR	980003.06	-980410.53		410.31	-150.17		-147.33	
SUMMER.	SL39	42 43.04	-120 37.40	4463.0	OR	979995.20	-980412.70		419.62	-153.56		-151.44	
SUMMER.	SL40	42 42.87	-120 37.52	4565.0	OR	979989.15	-980412.44		429.20	-157.05		-151.14	
SUMMER.	SL41	42 42.63	-120 37.78	4741.0	OR	979976.90	-980412.08		445.75	-163.08		-152.51	
SUMMER.	SL42	42 42.48	-120 37.67	4824.0	OR	979971.92	-980411.86		453.55	-165.92		-152.31	
SUMMER.	SL43	42 42.31	-120 37.69	5010.0	OR	979959.09	-980411.60		471.03	-172.29		-153.77	
SUMMER.	SL01	42 41.60	-120 32.50	4364.0	OR	980003.06	-980410.53		410.31	-150.17		-147.33	
SUMMER.	SL01	42 41.60	-120 32.50	4364.0	OR	980003.06	-980410.53		410.31	-150.17		-147.33	
SUMMER.	SL44	42 42.69	-120 34.98	4484.0	OR	979995.11	-980412.17		421.59	-154.28		-149.75	
SUMMER.	SL45	42 42.44	-120 35.02	4713.0	OR	979982.40	-980411.80		443.11	-162.12		-148.41	
SUMMER.	SL46	42 42.27	-120 35.09	4961.0	UR	979967.21	-980411.54		466.42	-170.61		-148.52	
SUMMER.	SL47	42 42.02	-120 35.02	5171.0	OR	979954.12	-980411.16		486.16	-177.80		-148.68	
SUMMER.	SL49	42 42.00	-120 35.25	5246.0	OR	979949.28	-980411.13		493.21	-180.36		-149.00	
SUMMER.	SL49	42 41.99	-120 35.48	5222.0	OR	979951.01	-980411.12		490.96	-179.54		-148.69	
SUMMER.	SL01	42 41.60	-120 32.50	4364.0	UR	980003.06	-980410.53		410.31	-150.17		-147.33	
SUMMER.	SL01	42 41.60	-120 32.50	4364.0	OR	980003.06	-980410.53		410.31	-150.17		-147.33	
SUMMER.	SL50	42 43.78	-120 34.30	4365.0	OR	979999.68	-980413.81		410.41	-150.20		-153.92	
SUMMER.	SL51	42 43.78	-120 34.90	4344.0	OR	979997.55	-980413.81		408.43	-149.48		-157.31	
SUMMER.	SL52	42 43.78	-120 35.48	4325.0	UR	979997.82	-980413.81		406.65	-148.83		-158.17	
SUMMER.	SL53	42 44.00	-120 35.49	4326.0	OR	979996.60	-980414.14		406.74	-148.86		-158.66	
SUMMER.	SL54	42 44.50	-120 35.58	4308.0	OR	979995.51	-980414.89		405.05	-148.25		-162.58	
SUMMER.	SL55	42 44.02	-120 36.70	4282.0	OR	979996.47	-980414.17		402.60	-147.36		-162.46	
SUMMER.	SL56	42 43.75	-120 36.81	4296.0	OR	979998.92	-980413.77		403.92	-147.84		-158.77	
SUMMER.	SL57	42 43.71	-120 38.30	4229.0	OR	979999.62	-980413.71		397.62	-145.54		-162.01	
SUMMER.	SL58	42 43.08	-120 38.69	4258.0	OR	980003.33	-980412.76		400.35	-146.53		-155.61	
SUMMER.	SL59	42 42.98	-120 40.76	4266.0	OR	980005.04	-980412.61		401.29	-146.88		-153.16	
SUMMER.	SL60	42 42.84	-120 41.40	4333.0	OR	980005.37	-980412.40		407.40	-149.10		-148.73	
SUMMER.	SL61	42 42.27	-120 34.30	4421.0	OR	980001.57	-980411.54		415.67	-152.12		-146.42	
SUMMER.	SL62	42 42.25	-120 33.71	4423.0	OR	980001.12	-980411.51		415.86	-152.19		-146.72	
SUMMER.	SL01	42 41.60	-120 32.50	4364.0	OR	980003.06	-980410.53		410.31	-150.17		-147.33	
SUMMER.	SL01	42 41.60	-120 32.50	4364.0	OR	980003.06	-980410.53		410.31	-150.17		-147.33	
SUMMER.	SL63	42 41.53	-120 38.53	5625.0	OR	979915.90	-980410.43		528.83	-193.32		-159.02	
SUMMER.	SL64	42 41.98	-120 38.53	5498.0	OR	979927.44	-980411.10		516.89	-188.98		-155.75	
SUMMER.	SL65	42 42.17	-120 38.84	5516.0	OR	979924.35	-980411.39		518.59	-189.60		-158.05	
SUMMER.	SL66	42 42.10	-120 38.21	5307.0	OR	979942.26	-980411.28		498.94	-182.45		-152.53	
SUMMER.	SL67	42 42.30	-120 37.90	5361.0	OR	979937.28	-980411.59		504.02	-184.30		-154.59	
SUMMER.	SL01	42 41.60	-120 32.50	4364.0	OR	980003.06	-980410.53		410.31	-150.17		-147.33	
SUMMER.	SL68	42 42.63	-120 40.61	4338.0	OR	980002.24	-980412.08		407.87	-149.27		-151.24	
SUMMER.	SL69	42 42.62	-120 39.95	4348.0	OR	980000.19	-980412.07		408.81	-149.62		-152.69	

BOUGUER GRAVITY DATA

PAGE 3

SUMMER LAKE OREGON KGRA

STATION IDENTIFICATION	LATITUDE	LOCATION LONGITUDE	ELEV.	ST.	OBSERVED GRAVITY	STD. GRV.	TERRAIN	CORRECTIONS FREE-AIR	BOUGUER	SPECIAL	BOUGUER ANOMALY	SPEC. FIELD
SUMMER.	SL70	42 42.70	-120 39.39	4353.0	OR	980000.58	-980412.19		409.28	-149.79		-152.12
SUMMER.	SL71	42 42.83	-120 38.80	4328.0	OR	980001.94	-980412.38		406.93	-148.93		-152.44
SUMMER.	SL72	42 43.00	-120 38.50	4317.0	OR	980004.85	-980412.64		405.89	-148.55		-150.45
SUMMER.	SL73	42 44.15	-120 38.50	4185.0	OR	979996.18	-980414.37		393.49	-144.03		-168.73
SUMMER.	SL01	42 41.60	-120 32.50	4364.0	OR	980003.06	-980410.53		410.31	-150.17		-147.33