LAWRENCE
LIVERMORE
NATIONAL
LABORATORY

UCRL-TR-202549

Asian Summer Monsoon Intraseasonal Variability in General Circulation Models

K. R. Sperber and H. Annamalai

March 1, 2004

Disclaimer

This document was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor the University of California nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or the University of California. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or the University of California, and shall not be used for advertising or product endorsement purposes.

Auspices Statement

This work was performed under the auspices of the U.S. Department of Energy by University of California, Lawrence Livermore National Laboratory under Contract W-7405-Eng-48.

Asian Summer Monsoon Intraseasonal Variability in General Circulation Models

K. R. Sperber¹ and H. Annamalai²

¹Program for Climate Model Diagnosis and Intercomparison
Lawrence Livermore National Laboratory
P.O. Box 808, L-103
Livermore, CA 94550 USA
(sperber1@llnl.gov)

²International Pacific Research Center/SOEST
University of Hawaii
1680 East West Road
Honolulu, HI 96822 USA

Goals

- 1) Analyze boreal summer Asian monsoon intraseasonal variability general circulation models
 - How well do the models represent the eastward and northward propagating components of the convection?
 - How well do the models represent the interactive control that the western tropical Pacific rainfall exerts on the rainfall over India and vice-versa?
- 2) Role of air-sea interactions
 - prescribed vs. interactive ocean
- 3) Mean monsoon vs. variability

Data

1) Observations (JJAS: 1979-95)

- NCEP/NCAR Reanalysis
- AVHRR OLR
- CMAP Rainfall

2) ECHO-G (ECHAM4.6/HOPE) (JJAS: 19 years; CMIP2+)

- flux corrected
- has an excellent boreal winter MJO

All data are filtered with a 20-100 day Lanczos filter

JJAS Climatology

JJAS Climatology

JJAS Climatology

AVHRR OLR (1979-95: JJAS)

ECHO-G OLR (19 years: JJAS)

AVHRR OLR (1979-95: JJAS) Cyclostationary EOF's (40-day nested period)

ECHO-G OLR (19 years: JJAS) PC-4 Linear Regression with OLR

Onset in the Western Indian Ocean (Day -15)

Observations

ECHO-G

Northward Propagation of Convection Begins (Day 0)

Observations

ECHO-G

71.25°E-83.75°E Lag-Latitude Regressions

Observations

ECHO-G

a) CMAP Rainfall and AVHRR OLR

e) OLR and Rainfall

b) SST and Ground Temperature

f) SST and Ground Temperature

c) 1000hPa Divergence

g) 1000hPa Divergence

d) 1000hPa Specific Humidity

h) 1000hPa Specific Humidity

5°N-5°S Longitude-Pressure Level Regressions (Day 0)

Observations

ECHO-G

5°N-5°S Lag-Pressure Level Regressions

Observations

ECHO-G

West Pacific Convection and Monsoon Break over India (Day 20)

Observations

ECHO-G

a) Positive heating over the tropical west Pacific

b) All heatings

→
4

c) ω anomalies over India

Preliminary Findings

- 1) The ECHO-G model captures the near-equatorial eastward intraseasonal propagation of convection, and its' poleward bifurcation over the eastern Indian Ocean
 - the vertical structure and the low-level moisture convergence is consistent with the boreal winter MJO
- 2) In both model and observations above normal SST (and land surface temperature) lead the eastward and northward propagation of convection
- 3) For northward propagation, low-level moisture convergence leads the convection over the Indian longitudes, but not over the Bay of Bengal
- 4) However, the simulated northward propagation of convection over India is weaker than observed
- 5) The model represents the Annamalai and Sperber (2004) mechanism in which enhanced west Pacific convection helps trigger the monsoon break over India