(200)
R240

no. 76-700G

✓
UNITED STATES (DEPARTMENT OF THE INTERIOR)

GEOLOGICAL SURVEY,

[Reports - Open file
series]

Station location map, and audio-magnetotelluric
and telluric data for Wendel-Amedee Known
Geothermal Resource Area, California

714

cm
Zwartz

By

^o
James E. O'Donnell, Carl L. Long, Robert M.
Senterfit, Gary W. Brougham, Robert Martinez
and Karen R. Christopherson

Open-File Report 76-700G
1976

This report is preliminary and has not been
edited or reviewed for conformity with U.S.
Geological Survey standards and nomenclature.

MASTER

272248

DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency Thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

DISCLAIMER

Portions of this document may be illegible in electronic image products. Images are produced from the best available original document.

WENDEL-AMEDEE KGRA CALIFORNIA

TELLURIC AND AMT STATION AND TRAVERSE LOCATION MAP

WITH TELLURIC $J \times 10$ VALUES

$$J = \frac{\text{AREA OF ROVER ELLIPSE}}{\text{AREA OF BASE ELLIPSE}}$$

0 1 2
KILOMETERS

WENDEL-AMEDEE KGRA
CALIFORNIA
TELLURIC PROFILES

U.S. GEOLOGICAL SURVEY A.M.T. DATA LOG

ρ_a = observed apparent resistivity in ohm-metres

N = number of observations

Er = standard error in ohm metres

— = no data

"NOTE" - Telluric line orientation indicated with station numbers.

Sta. No.		FREQUENCY											
		7.5	10	14	27	76	285	685	1.2K	3.3K	6.7K	10.2K	18.6K
2 NS	ρ_a	6.5	9.1	9.3	15.3	13.1	16.1	—	—	—	22.6	29.3	155.4
	N	10	10	10	10	10	10				10	1	1
	Er	0.71	0.76	1.31	1.56	2.00	2.08				1.18	—	—
2 EW	ρ_a	7.6	4.8	4.2	9.2	16.4	16.2	—	—	—	8.96	31.6	204.9
	N	10	10	10	10	10	10				8	1	1
	Er	1.57	0.51	0.35	0.41	0.78	1.02				0.41	—	—
3 NS	ρ_a	9.0	10.3	10.1	13.2	14.9	8.2	—	—	—	9.9	9.2	73.2
	N	10	10	10	10	10	10				10	1	1
	Er	0.72	0.55	0.38	0.2	0.66	0.99				0.73	—	—
3 EW	ρ_a	5.2	4.1	3.5	5.3	10.2	6.8	—	—	—	2.5	7.6	60.4
	N	10	10	10	10	10	10				10	1	1
	Er	0.47	0.41	0.3	0.34	0.61	0.36				0.09	—	—
Base NS	ρ_a	10.1	10.2	13.2	22.7	31.6	15.8	—	—	—	36.2	21.6	385.3
	N	10	10	10	10	10	10				10	1	1
	Er	0.83	0.82	0.48	1.01	1.17	1.01				1.62	—	—
Base EW	ρ_a	2.0	1.4	1.5	2.6	5.5	7.4	—	—	—	1.8	3.4	23.2
	N	10	10	10	10	10	6				10	1	1
	Er	0.15	0.18	0.06	0.15	0.31	2.9				0.16	—	—
	ρ_a												
	N												
	Er												
	ρ_a												
	N												
	Er												