113
ANL-76-68

Dr. 641
ANL-76-68

1-20-77

THE ATOMIC SPECTRUM OF NEPTUNIUM

by

Mark Fred, Frank S. Tomkins,
Jean E. Blaise, Pierre Camus,
and Jean Vergès

U of C-AUA-USERDA

ARGONNE NATIONAL LABORATORY, ARGONNE, ILLINOIS

Prepared for the U. S. ENERGY RESEARCH

AND DEVELOPMENT ADMINISTRATION

under Contract W-31-109-Eng-38

MASTER
DISTRIBUTION OF THIS DOCUMENT IS UNLIMITED

DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency Thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

DISCLAIMER

Portions of this document may be illegible in electronic image products. Images are produced from the best available original document.

ANL-76-68

ARGONNE NATIONAL LABORATORY
9700 South Cass Avenue
Argonne, Illinois 60439

NOTICE
This report was prepared as an account of work sponsored by the United States Government. Neither the United States nor the United States Energy Research and Development Administration, nor any of their employees, nor any of their contractors, subcontractors, or their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product or process disclosed, or represents that its use would not infringe privately owned rights.

THE ATOMIC SPECTRUM OF NEPTUNIUM

by

Mark Fred and Frank S. Tomkins

Chemistry Division
Argonne National Laboratory

and

Jean E. Blaise, Pierre Camus, and Jean Vergès

Laboratoire Aimé Cotton
91405 Orsay, France

May 1976

DISTRIBUTION OF THIS DOCUMENT IS UNLIMITED *EB*

.

TABLE OF CONTENTS

	<u>Page</u>
ABSTRACT	5
I. INTRODUCTION.	5
II. EXPERIMENTAL MEASUREMENTS	5
III. ANALYSIS.	6
ACKNOWLEDGMENTS	230
REFERENCES.	231

FIGURE

<u>No.</u>	<u>Title</u>	<u>Page</u>
1.	Lowest Terms of Various Electron Configurations in the Neutral Neptunium Atom	8

LIST OF TABLES

<u>No.</u>	<u>Title</u>	<u>Page</u>
I.	List of All Measured Spectrum Lines, in Order of Decreasing Wavenumber	9
II.	Classified Lines, Sorted on Odd Levels	120
III.	Classified Lines, Sorted on Even Levels	172
IV.	Odd Parity Levels	221
V.	Even Parity Levels	227

THE ATOMIC SPECTRUM OF NEPTUNIUM

by

Mark Fred, Frank S. Tomkins,
Jean E. Blaise, Pierre Camus,
and Jean Vergès

ABSTRACT

This report contains a description and interpretation of the atomic spectrum of neptunium. Wavelengths have been measured for 6096 spectrum lines in the range $3793\text{--}38,812\text{ cm}^{-1}$ ($26,353\text{--}2575\text{ Å}$), of which 2526 have been classified as transitions between 329 odd levels and 130 even levels of neutral neptunium (Np I). The data are presented in five tables.

I. INTRODUCTION

The early descriptions of the neptunium spectrum¹⁻³ were measured at low resolution and suitable for chemical identification, but quite inadequate for a term analysis of the spectrum. There has since been a large improvement in spectroscopic equipment and light sources.

II. EXPERIMENTAL MEASUREMENTS

Exposures of the photographic region $2000\text{--}12,000\text{ Å}$ were made using the Argonne 9-m Paschen-Runge spectrograph with electrodeless discharge tubes as the light source. The first exposures were made in 1959 using the grating known as G2, which had 600 grooves/mm and had the useful property of comparatively uniform intensity in all orders when illuminated on the unblazed side of the rulings. Unfortunately, measurements of the same spectrum line in various orders showed an apparent increase in wavelength with order when measured against thorium standards, evidently due to a nonuniform intensity contribution across the width of the grating. The wavelength uncertainty for the visible and ultraviolet lines is therefore limited to about $\pm 0.01\text{ Å}$. The light source for these exposures was the original version,⁴ which had a neon carrier filling and had to be operated in a furnace at about 700°C .

An improved electrodeless source was subsequently devised with higher intensity and better development of the neutral spectrum by following a suggestion of Giacchetti⁵ to omit the carrier gas. Because of the lower conductivity of the plasma, there is more power dissipation in the discharge and the tube

requires cooling instead of heating. The smaller size of the tube permits operation in a microwave cavity; this is more efficient, and the tube can be operated in a magnet for Zeeman exposures. This source was used in 1962 for photographic infrared exposures with a newer grating known as G3, which was brighter but gave a line profile with satellites. The wavelengths listed for this region are from these plates.

The same type of electrodeless source was used at Aimé Cotton in 1971 to cover the further infrared to 2.5 μm with newly developed Fourier-transform equipment. These measurements are excellent and show a resolution of over 500,000 and an absolute uncertainty of ± 2 mK ($1 \text{ mK} = 10^{-3} \text{ cm}^{-1}$). Wherever possible, wavenumbers and hyperfine structure intervals are taken from the Fourier-transform data.

The complete line list is given in Table I, with the level classification, hyperfine-structure (hfs) data, and Zeeman data, where known. Many of the lines show wide hfs with six components due to the $I = 5/2$ nuclear spin of ^{237}Np . For these, the wavenumber quoted for the line is the wavenumber of the third strongest component, since this is near the center of the pattern. Some lines also show resolved off-diagonal hfs components due to appreciable splitting of both levels of the transition; such lines are indicated by C following the intensity (I). Some lines are wide and clearly have a small amount of hfs that is unresolved, indicated by W. Some lines, however, are quite sharp (S), and some of these are self-reversed (R). Some hfs patterns indicate the presence of a blend (B) or perturbation (P), and some clearly involve high (H) or low (L) J-values. In the width column, OBS is the total measured width of the hfs pattern, and CALC is that calculated from the widths deduced for the two levels involved. These refer to the wavenumber of the weakest component (in mK), compared with the wavenumber of the strongest component as zero. An asterisk means that the value is approximate; if no algebraic sign is given, the sign is uncertain for OBS and positive for CALC (since CALC is computer-generated). The individual hfs components have the same conventions, except that the sign is given only for component 2 and understood to apply also to the others. In the level classification, the subscript 2 refers to odd parity levels, with associated J- and g-values. The column O-C is the difference in mK between the observed wavenumber of the transition and that calculated from the levels.

III. ANALYSIS

Level analysis implies formation of the observed lines into an array representing transitions between two groups of levels of opposite parity. Because of the large number of lines, this process is not possible for the actinides based on wavelength measurements alone and additional information is required for each transition: Zeeman data, hfs data, isotope shift, absorption in a vapor column, etc. Neptunium has admirable hfs, but consequently poor Zeeman data, and has no isotope shifts. For this reason, the hfs was measured as completely as possible.

Each hfs pattern, especially those designated C with off-diagonal components, also can be organized into an array representing transitions between the hfs component F-levels of the two electronic levels involved, with the advantage that the F-level intervals must follow the formula

$$E(F) = E(\text{cg}) + \frac{1}{2}AK + B \frac{\frac{3}{4}K(K+1) - I(I+1)J(J+1)}{2I(2I-1)J(2J-1)},$$

where

$$K = F(F+1) - I(I+1) - J(J+1).$$

That is, the five intervals can be described by two parameters A and B, of which the dipole splitting factor A is much more important. The same hfs-level intervals must then recur in each electronic transition involving a given level. Since most hfs patterns are not C, one has usually only the diagonal hfs components. Therefore, the individual level components cannot be deduced directly from the observed pattern, but only differences of corresponding intervals of the two electronic levels; these are conveniently summarized by the total width. While the total width is not as characteristic as the individual level intervals, it is still very valuable for confirmation of an assignment, because it is an independent quantity; i.e., both the wavenumber and the width must agree with a proposed assignment. This is demonstrated in Tables II and III, which present the classified lines sorted on odd and even levels, respectively.

Term analysis refers to the identification of the levels according to quantum numbers and electron configurations. For the low terms this is now comparatively easy because of accumulated experience. In the actinides, the lowest term of a configuration has been found to obey Hund's rule; i.e., it is the term with maximum possible multiplicity and orbital angular momentum. Moreover, the relative positions of analogous configurations have been found to vary in a more or less regular manner for successive actinide elements, tabulated by Brewer.⁶ From this, one expects that the lowest configuration in Np I is $5f^4 6d 7s^2$, the lowest term 6L , with $5f^5 7s^2$ 6H slightly higher, followed by other configurations in which the 6d or 7s is promoted to higher quantum numbers. These considerations have led to the lowest-term identifications shown in Fig. 1. The number opposite each level is the dipole hfs splitting factor A, which is seen to be a useful characteristic.

The higher terms of each configuration become increasingly irregular and soon become impossible to identify empirically. In fact, the levels are mixtures of different terms and can only be described by eigenvectors obtained by fitting each configuration to parameters according to atomic theory. This too is difficult in neptunium because of the large number of possible levels in each configuration and because the configurations themselves are mixed. A more complete discussion of the term analysis is contained in a manuscript submitted to the Journal of the Optical Society of America.⁷

Fig. 1

Lowest Terms of Various Electron Configurations in the Neutral Neptunium Atom. The number opposite each fine structure level is the hyper-fine structure dipole splitting factor A.

The levels are presented in Tables IV and V (odd and even) with their identifications where possible. The last column gives the number of transitions observed for each level. In a few cases this is a very low number, but the level appears plausible by reason of hfs and intensity.

TABLE I. List of All Measured Spectrum Lines, in Order of Decreasing Wavenumber

C	WAVENUMBER	I	T2	-	T1	O-C	J2	-	J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS	CALC	HFS 2	DIAGONAL 3	4	COMPONENTS 5	6	WAVELENGTH
	38812.527	1S	-				.	-	.	.	.									2575.7164
	38785.178	1	-				.	-	.	.	.									2577.5328
	37652.513	1	-				.	-	.	.	.		-1880*		-498	940				2655.0750
	37091.232	1S	-				.	-	.	.	.									2695.2551
	36790.950	1S	-				.	-	.	.	.									2717.2546
	36485.760	1S	-				.	-	.	.	.									2739.9846
	36375.861	1S	-				.	-	.	.	.									2748.2632
	36343.653	1S	-				.	-	.	.	.									2750.6988
	35630.879	1S	-				.	-	.	.	.									2805.7277
	35338.689	2	-				.	-	.	.	.									2828.9274
	34518.590	1	-				.	-	.	.	.									2896.1408
	34421.505	2	-				.	-	.	.	.		-1561		-406	782	1108	1371	1561	2904.3097
	34126.820	2	-				.	-	.	.	.		-1620		-520	948				2929.3896
	33812.818	2	-				.	-	.	.	.		+1576		428	764	1110	1354	1576	2956.5945
	33612.013	3	-				.	-	.	.	.		+1712		479	854	1207	1473	1712	2974.2586
	33342.785	4	-				.	-	.	.	.		+2463		725	1331	1840			2998.2754
	33030.994	2	-				.	-	.	.	.		-0926		-422	692				3026.5783
	33013.499	1S	-				.	-	.	.	.									3028.1823
	33003.080	2	-				.	-	.	.	.		+2259		556	1309	1734	1939	2259	3029.1383
	32724.862	0S	-				.	-	.	.	.									3054.8923
	32695.695	1S	-				.	-	.	.	.									3057.6176
	32522.148	1S	-				.	-	.	.	.									3073.9345
	32480.360	2	-				.	-	.	.	.		+2549		576	1116	1613	2089	2549	3077.8895
	32348.460	0S	-				.	-	.	.	.									3090.4400
1	32321.252	1S	32321-	0	2	5.5-	5.5			.	.			51*						3093.0416
	32177.430	1S	-				.	-	.	.	.									3106.8670
	32135.460	0S	-				.	-	.	.	.									3110.9248
	32101.279	1R	-				.	-	.	.	.		+0000*							3114.2374
	32066.205	2P	-				.	-	.	.	.									3117.6439
1	32061.348	2P	32061-	0	78	5.5-	5.5			.	.			-314						3118.1162
	32022.771	1S	-				.	-	.	.	.									3121.8727
	31856.864	1S	-				.	-	.	.	.									3138.1317
1	31773.961	1R	31773-	0	1	6.5-	5.5			.	.			-24*						3146.3198
	31653.408	2S	-				.	-	.	.	.									3158.3032
	31540.570	0S	-				.	-	.	.	.									3169.6026
	31533.697	0S	-				.	-	.	.	.									3170.2934
	31451.058	0S	-				.	-	.	.	.									3178.6238
	31439.908	2R	-				.	-	.	.	.		+0000*							3179.7511
1	31431.660	1S	31431-	0	40	6.5-	5.5			.	.			26*						3180.5856
	31428.938	1R	-				.	-	.	.	.		+0000*							3180.8610
	31384.521	1	-				.	-	.	.	.									3185.3629
	31378.898	3	-				.	-	.	.	.		+1523		377	742	1028	1286	1523	3185.9338
	31368.108	0S	-				.	-	.	.	.									3187.0297
1	31341.883	1S	31341-	0	3	4.5-	5.5			.	.			26*						3189.6965
1	31332.966	1S	33366-	2033	1	5.5-	4.5			.	.			8*						3190.6043
	31270.661	0S	-				.	-	.	.	.									3196.9616
	31219.103	2R	-				.	-	.	.	.		+0000*							3202.2416
	31216.130	1R	-				.	-	.	.	.									3202.5465
1	31214.878	2R	31214-	0	8	5.5-	5.5			.	.			-338						3202.6750
	31206.412	2R	-				.	-	.	.	.		+0000*							3203.5439
	31182.409	2	-				.	-	.	.	.									3206.0099
	31171.510	0S	-				.	-	.	.	.									3207.1309
	31129.733	1R	-				.	-	.	.	.									3211.4352
	31113.122	2	-				.	-	.	.	.									3213.1498
	31095.553	1	-				.	-	.	.	.									3214.9653

TABLE I (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS CALC	HFS 2	DIAGONAL 3	COMPONENTS 4	5	6	WAVELENGTH
1	31093.199	0S	31093-	0	9	6.5-	5.5	.	.						3215.2087
	31087.339	1	-			.	.	.	.						3215.8148
	31050.327	1S	-			.	.	.	.						3219.6482
	31044.429	0	-			.	.	.	.						3220.2599
	30985.579	0	-			.	.	.	.						3226.3762
	30982.415	0S	-			.	.	.	.						3226.7057
1	30950.787	1S	30950-	0	-3	5.5-	5.5	.	.						3230.0032
	30909.934	0S	-			.	.	.	.						3234.2723
	30905.445	0S	-			.	.	.	.						3234.7421
	30878.097	1W	-			.	.	.	.						3237.6072
	30867.170	0S	-			.	.	.	.						3238.7533
	30855.960	1S	-			.	.	.	.						3239.9300
	30798.244	2R	-			.	.	.	.						3246.0019
	30775.798	2S	-			.	.	.	.						3248.3694
1	30762.113	3R	30762-	0	3	4.5-	5.5	.	.						3249.8145
	30737.316	3R	-			.	.	.	.						3252.4364
	30718.637	0S	-			.	.	.	.						3254.4141
1	30717.707	2	32751-	2033	12	4.5-	4.5	.	.						3254.5127
	30656.090	3S	-			.	.	.	.						3261.0543
	30651.678	2W	-			.	.	.	.						3261.5237
1	30649.681	3R	30649-	0	1	4.5-	5.5	.	.						3261.7362
1	30645.861	2R	34148-	3502	11	6.5-	6.5	.	.						3262.1428
1	30639.953	3R	30639-	0	3	5.5-	5.5	.	.						3262.7718
	30635.697	0S	-			.	.	.	.						3263.2251
	30627.529	2R	-			.	.	.	.						3264.0954
	30620.050	1	-			.	.	.	.						3264.8927
	30609.123	1S	-			.	.	.	.						3266.0582
1	30596.070	3R	30596-	0	0	4.5-	5.5	.	.						3267.4517
1	30579.569	2W	30579-	0	-11	5.5-	5.5	.	.						3269.2149
	30578.271	1S	-			.	.	.	.						3269.3536
	30557.990	1S	-			.	.	.	.						3271.5236
1	30555.832	3R	32589-	2033	-3	3.5-	4.5	.	.						3271.7546
1	30540.776	1S	30540-	0	26	5.5-	5.5	.	.						3273.3676
	30537.874	3R	-			.	.	.	.						3273.6787
	30512.193	0S	-			.	.	.	.						3276.4341
	30495.273	1S	-			.	.	.	.						3278.2520
	30488.217	3R	-			.	.	.	.						3279.0108
	30475.179	1	-			.	.	.	.						3280.4137
1	30467.620	3R	30467-	0	10	4.5-	5.5	.	.						3281.2276
	30464.936	1	-			.	.	.	.						3281.5166
	30458.927	1	-			.	.	.	.						3282.1641
	30442.305	2	-			.	.	.	.						3283.9562
1	30340.516	4R	30340-	0	-4	4.5-	5.5	.	.						3294.9739
	30324.473	1	-			.	.	.	.						3296.7171
	30320.033	2	-			.	.	.	.						3297.1999
	30307.861	1	-			.	.	.	.						3298.5242
	30297.351	0	-			3.5-	3.5	.	.						3299.6684
	30288.770	2	-			.	.	.	.						3300.6033
	30281.645	2	-			.	.	.	.						3301.3799
	30255.748	1S	-			.	.	.	.						3304.2058
	30219.433	0S	-			.	.	.	.						3308.1766
	30218.740	0S	-			.	.	.	.						3308.2525
	30218.221	1S	-			.	.	.	.						3308.3093
	30217.553	0S	-			.	.	.	.						3308.3824
	30216.071	1	-			.	.	.	.						3308.5447

TABLE I (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS	CALC	HFS 2	DIAGONAL 3	4	COMPONENTS 5	6	WAVELENGTH
1	30213.433	0S	32247-	2033	-7	3.5-	4.5	.	.	33*						3308.8336
	30194.356	1S	-			.	.	.	.							3310.9242
	30172.233	0S	-			.	.	.	.							3313.3519
	30171.246	0S	-			.	.	.	.							3313.4603
	30170.356	1S	-			.	.	.	.							3313.5581
	30169.570	2S	-			.	.	.	.							3313.6444
	30166.678	0S	-			.	.	.	.							3313.9621
1	30155.768	4R	30155-	0	28	4.5-	5.5	.	.	-24*						3315.1611
1	30139.806	2R	30139-	0	6	6.5-	5.5	.	.	-224*						3316.9169
	30125.574	3	-			.	.	.	.	+1644	408	782	1104	1397	1644	3318.4839
1	30118.059	1	32151-	2033	19	3.5-	4.5	.	.	33*						3319.3119
1	30099.107	2	32133-	2033	22	3.5-	4.5	.	.	33*						3321.4020
	30096.648	1	-			.	.	.	.							3321.6734
1	30084.558	3R	30084-	0	28	4.5-	5.5	.	.	76*						3323.0083
1	30071.529	2R	33574-	3502	29	6.5-	6.5	.	.							3324.4481
	30061.751	0	-			.	.	.	.							3325.5295
	30059.159	1	-			.	.	.	.	+2540*	683	1268	1775	2160		3325.8162
	30056.740	1S	-			.	.	.	.							3326.0839
	30051.444	1S	-			.	.	.	.							3326.6701
	30039.480	1	-			.	.	.	.							3327.9951
	30037.283	0	-			.	.	.	.							3328.2385
	30033.573	0S	-			.	.	.	.							3328.6496
1	30027.380	1	32061-	2033	45	5.5-	4.5	.	.	-357						3329.3362
	30022.104	0S	-			.	.	.	.							3329.9213
	30020.416	0S	-			.	.	.	.							3330.1085
	30011.914	0S	-			.	.	.	.							3331.0519
	30011.272	0S	-			.	.	.	.							3331.1232
	29996.555	1S	-			.	.	.	.							3332.7576
	29994.991	0S	-			.	.	.	.							3332.9314
	29988.851	1S	-			.	.	.	.							3333.6138
	29982.070	1	-			.	.	.	.							3334.3678
	29978.853	0S	-			.	.	.	.							3334.7256
	29976.032	1	-			.	.	.	.							3335.0394
	29967.735	1S	-			.	.	.	.							3335.9628
	29951.280	1S	-			.	.	.	.							3337.7956
	29946.587	2	-			.	.	.	.							3338.3187
	29935.333	0	-			.	.	.	.							3339.5738
	29925.972	2R	-			.	.	.	.	+0000*						3340.6184
	29924.362	2	-			.	.	.	.							3340.7982
1	29915.400	2R	31949-	2033	10	4.5-	4.5	.	.	+0000*	143					3341.7990
	29901.517	0S	-			.	.	.	.							3343.3507
	29899.357	1	-			.	.	.	.							3343.5922
	29890.594	1S	-			.	.	.	.							3344.5725
	29889.000	0S	-			.	.	.	.							3344.7508
	29887.431	0S	-			.	.	.	.							3344.9264
	29879.633	0	-			.	.	.	.							3345.7994
	29874.114	0S	-			.	.	.	.							3346.4176
	29870.416	0	-			.	.	.	.							3346.8319
	29865.704	0	-			.	.	.	.							3347.3599
1	29864.064	2R	33366-	3502	-6	5.5-	6.5	.	.	+0000*	71*					3347.5437
	29855.409	0S	-			.	.	.	.							3348.5142
	29849.263	2	-			.	.	.	.							3349.2037
	29840.101	1	-			.	.	.	.							3350.2321
	29825.794	1S	-			.	.	.	.							3351.8392
	29805.532	1R	-			5.5-	5.5	.	.	+0000*						3354.1179

TABLE I (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS CALC	HFS 2	DIAGONAL 3	COMPONENTS 4	5	6	WAVELENGTH
1	29803.365	2R	29803-	0	15	6.5-	5.5	.	.						3354.3617
	29802.085	2	-			.	.	.	144*						3354.5058
	29799.223	1	-			.	.	.							3354.8280
	29794.060	2	-			.	.	.	-2543	-815	1479	1965	2423	2543	3355.4094
	29789.810	1	-			.	.	.							3355.8881
	29779.524	1	-			.	.	.							3357.0473
	29776.878	OS	-			.	.	.							3357.3456
	29773.280	0	-			.	.	.							3357.7513
	29771.811	3R	-			.	.	.							3357.9170
	29736.296	2R	-			.	.	.							3361.9276
	29732.076	OS	-			.	.	.							3362.4048
	29730.224	0	-			.	.	.							3362.6143
	29728.691	OS	-			.	.	.							3362.7877
	29726.698	OS	-			.	.	.							3363.0131
	29721.267	OS	-			.	.	.							3363.6277
	29712.714	1	-			4.5-	3.5	.	.455						3364.5959
	29698.139	1S	-			.	.	.							3366.2472
	29691.155	3R	-			.	.	.							3367.0391
	29688.465	1	-			.	.	.							3367.3442
1	29673.289	2R	29673-	0	-146	6.5-	5.5	.	.						3369.0664
	29656.194	2	-			.	.	.	+2342	627	1165	1630	2019	2342	3371.0085
	29644.897	0	-			.	.	.							3372.2932
	29639.857	1S	-			.	.	.							3372.8666
	29633.337	1	-			3.5-	3.5	.	.433						3373.6088
	29631.121	1	-			.	.	.							3373.8611
	29629.797	1	-			.	.	.							3374.0118
	29622.715	1	-			.	.	.							3374.8185
	29619.480	2R	-			.	.	.	+0000*						3375.1871
	29617.958	0	-			.	.	.							3375.3606
	29617.260	0	-			.	.	.							3375.4401
	29612.399	2R	-			.	.	.							3375.9942
	29611.450	OS	-			.	.	.							3376.1024
	29610.864	OS	-			.	.	.							3376.1692
	29599.468	1	-			.	.	.							3377.4691
1	29579.011	2R	29579-	0	11	4.5-	5.5	.	.						3379.8051
	29577.028	0	-			.	.	.	51*						3380.0317
	29574.921	OS	-			.	.	.							3380.2725
	29572.385	1S	-			3.5-	4.5	.	.411						3380.5624
	29558.017	3W	-			.	.	.							3382.2057
	29547.709	1S	-			.	.	.							3383.3857
	29545.706	OS	-			.	.	.							3383.6150
	29538.853	2	-			.	.	.							3384.4001
	29533.976	1	-			.	.	.	-2255*	-634	1127	1606			3384.9589
	29522.456	0	-			.	.	.							3386.2798
	29511.467	1S	-			.	.	.							3387.5408
1	29509.943	1S	32960-	3450	-17	3.5-	3.5	.	.433						3387.7158
	29507.888	2R	-			.	.	.	+0000*	-17*					3387.9517
1	29501.819	2S	31535-	2033	-16	5.5-	4.5	.	.						3388.6487
	29498.348	1S	-			.	.	.	-17*						3389.0474
	29493.532	1	-			.	.	.							3389.6008
	29492.745	OS	-			.	.	.							3389.6913
	29492.130	1S	-			.	.	.							3389.7620
	29488.879	1	-			.	.	.							3390.1357
	29482.227	2	-			.	.	.							3390.9006
	29476.088	1S	-			.	.	.							3391.6069

TABLE I (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS CALC	HFS 2	DIAGONAL 3	COMPONENTS 4	5	6	WAVELENGTH
	29465.516	1	-		. . .	.	.								3392.8238
	29460.776	4	-		. . .	.	.		+2296	620	1172	1567	1941	2296	3393.3697
	29439.473	0	-		. . .	.	.								3395.8253
	29438.674	0	-		. . .	.	.								3395.9174
	29431.112	1	-		. . .	.	.								3396.7900
	29422.244	1	-		. . .	.	.								3397.8138
	29410.645	2S	-		. . .	.	.								3399.1539
	29403.501	0S	-		. . .	.	.								3399.9798
	29394.975	0W	-		. . .	.	.								3400.9660
	29387.168	1S	-		3.5- 3.5	.	.	.379							3401.8695
	29384.146	1	-		. . .	.	.								3402.2194
	29380.934	4	-		. . .	.	.		+1332	361	672	939	1156	1332	3402.5914
	29378.537	0	-		. . .	.	.								3402.8690
	29375.304	1S	-		. . .	.	.								3403.2435
	29372.886	3	-		. . .	.	.		+2297	553	1065	1517	1918	2297	3403.5237
	29367.984	1	-		. . .	.	.								3404.0918
	29365.738	1	-		. . .	.	.								3404.3522
	29365.045	1	-		. . .	.	.								3404.4325
1	29361.832	3R	29361-	0	2	5.5- 5.5	.	.	-224*						3404.8051
	29361.708	3	-		. . .	.	.								3404.8195
	29357.256	0	-		. . .	.	.								3405.3358
	29346.283	0	-		. . .	.	.								3406.6092
	29341.580	1	-		. . .	.	.								3407.1552
	29340.741	0	-		. . .	.	.								3407.2526
1	29336.191	2	29336-	0	-9	5.5- 5.5	.	.	-304*						3407.7811
	29334.937	3P	-		. . .	.	.								3407.9268
	29330.638	2	-		. . .	.	.		+2446	658	1204	1690	2090	2446	3408.4263
	29324.426	1	-		. . .	.	.								3409.1484
	29322.246	0S	-		. . .	.	.								3409.4018
1	29321.590	1	32824-	3502	20	6.5- 6.5	.	.	96*						3409.4781
	29320.304	0S	-		. . .	.	.								3409.6276
	29316.231	1S	-		. . .	.	.								3410.1014
1	29307.953	1	31341-	2033	8	4.5- 4.5	.	.	-17*						3411.0646
	29307.449	0S	-		. . .	.	.								3411.1232
	29304.179	0S	-		. . .	.	.								3411.5039
	29301.905	0S	-		. . .	.	.								3411.7687
1	29300.664	1	32751-	3450	-1	4.5- 3.5	.	.	-17*						3411.9132
	29295.905	1	-		. . .	.	.								3412.4674
	29290.686	2R	-		. . .	.	.								3413.0755
	29286.929	2	-		. . .	.	.								3413.5133
	29280.779	1	-		. . .	.	.								3414.2303
	29267.244	3	-		. . .	.	.		-0539	-156	291				3415.8093
	29260.531	1	-		. . .	.	.								3416.5930
	29259.008	2W	-		. . .	.	.								3416.7708
	29258.197	1	-		. . .	.	.								3416.8656
	29257.502	1	-		. . .	.	.								3416.9467
	29256.909	2	-		. . .	.	.		-2570*	-688	1285				3417.0160
	29256.424	2W	-		. . .	.	.								3417.0726
	29252.817	2W	-		. . .	.	.								3417.4940
	29250.397	1	-		. . .	.	.								3417.7767
	29247.606	1S	-		. . .	.	.								3418.1029
	29239.399	1W	-		. . .	.	.								3419.0623
	29234.584	3P	-		3.5- 3.5	.	.	.326							3419.6255
1	29229.611	2R	29229-	0	1	4.5- 5.5	1.009	.669	.340	+0000*	51*				3420.2073
	29224.176	0S	-		. . .	.	.								3420.8434

C	WAVENUMBER	I	T2	-	T1	O-C	J2	-	J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS	CALC	HFS 2	DIAGONAL 3	4	COMPONENTS 5	6	WAVELENGTH
	29223.298	0S	-				.	-	.	.	.									3420.9462
	29222.484	2S	-				.	-	.	.	.									3421.0415
	29209.843	2	-				.	-	.	.	.									3422.5220
1	29206.189	2	32657-		3450	-1	3.5-		3.5	.	.	.415		-17*						3422.9502
	29196.463	1S	-				3.5-		4.5	.	.	.480								3424.0905
1	29194.143	1P	32645-		3450	-67	2.5-		3.5	.	.	.351		-17*						3424.3626
	29188.867	2S	-				.	-	.	.	.									3424.9816
	29184.067	0	-				.	-	.	.	.									3425.5449
1	29180.936	4W	31214-		2033	1	5.5-		4.5	.904	.612	.292		-381						3425.9125
	29176.081	3R	-				.	-	.	.	.		+0000*							3426.4826
	29173.785	2	-				.	-	.	.	.									3426.7523
	29172.144	2W	-				.	-	.	.	.									3426.9451
	29161.916	1	-				.	-	.	.	.									3428.1470
	29159.552	2	-				.	-	.	.	.		-0534		-113	236				3428.4250
	29154.898	1	-				.	-	.	.	.									3428.9723
	29153.637	2W	-				.	-	.	.	.									3429.1206
1	29138.803	1S	32589-		3450	-2	3.5-		3.5	.	.	.424		-17*						3430.8663
	29122.306	1S	-				.	-	.	.	.									3432.8099
	29112.235	0S	-				.	-	.	.	.									3433.9975
	29096.236	3W	-				.	-	.	.	.									3435.8857
	29087.279	1S	-				.	-	.	.	.									3436.9438
	29080.948	2	-				4.5-		5.5	.	.	.346								3437.6921
	29079.418	1S	-				.	-	.	.	.									3437.8729
	29061.463	0	-				.	-	.	.	.									3439.9970
1	29060.038	2	32562-		3502	38	6.5-		6.5	.	.			-4*						3440.1657
	29049.599	1	-				.	-	.	.	.									3441.4020
	29047.681	1	-				.	-	.	.	.									3441.6292
	29047.345	0S	-				.	-	.	.	.									3441.6690
	29046.991	1	-				.	-	.	.	.									3441.7110
	29044.093	0	-				.	-	.	.	.									3442.0544
1	29043.029	1	29043-		0	-1	5.5-		5.5	.	.			1*						3442.1805
	29040.241	0	-				.	-	.	.	.									3442.5110
	29039.317	0	-				.	-	.	.	.									3442.6205
	29035.794	1W	-				.	-	.	.	.									3443.0382
	29034.044	0S	-				.	-	.	.	.									3443.2458
	29033.519	0S	-				.	-	.	.	.									3443.3080
	29032.144	1	-				.	-	.	.	.									3443.4711
	29013.667	1S	-				.	-	.	.	.									3445.6641
	29011.556	0	-				.	-	.	.	.									3445.9148
	29007.550	3	-				.	-	.	.	.		-0612		-186	344				3446.3907
	29005.377	1	-				.	-	.	.	.									3446.6489
	29001.356	1	-				.	-	.	.	.									3447.1268
	28998.870	0	-				.	-	.	.	.									3447.4224
	28998.110	2W	-				.	-	.	.	.									3447.5127
1	28993.412	3R	32444-		3450	2	3.5-		3.5	.970	.590	.383		-17*						3448.0714
	28968.373	0S	-				.	-	.	.	.									3451.0518
	28966.380	0S	-				.	-	.	.	.									3451.2893
1	28963.696	2	34148-		5184	11	6.5-		5.5	.	.			-65*						3451.6091
1	28957.533	1	32408-		3450	-2	3.5-		3.5	1.185	.590	.595								3452.3437
	28949.931	3	-				.	-	.	.	.		-2066		-517	1014	1446	1801	2066	3453.2503
	28947.568	4W	-				5.5-		5.5	.	.									3453.5322
	28942.955	0S	-				.	-	.	.	.									3454.0826
	28942.413	0	-				.	-	.	.	.									3454.1473
	28940.961	1	-				.	-	.	.	.									3454.3206
	28938.578	2W	-				.	-	.	.	.									3454.6051

TABLE I (Contd.)

C	WAVENUMBER	I	T2	- T1	O-C	J2	- J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS	CALC	HFS 2	DIAGONAL 3	COMPONENTS 4	COMPONENTS 5	COMPONENTS 6	WAVELENGTH
	28935.958	1W	-			.	- .	.	.									3454.9179
	28934.310	1	-			.	- .	.	.									3455.1147
	28928.053	2	-			3.5-	3.5	.	.	.383								3455.8620
	28920.693	3	-			.	- .	.	.		+1109		286	549	765	962	1109	3456.7415
1	28916.868	1S	30950-	2033	13	5.5-	4.5	.	.			-17*						3457.1988
	28911.757	1S	-			.	- .	.	.									3457.8100
	28898.444	2	-			.	- .	.	.		-2397		-702	1242	1666	2036	2397	3459.4030
	28895.370	2S	-			.	- .	.	.									3459.7710
	28889.427	3W	-			5.5-	5.5	.	.									3460.4828
1	28888.416	4R	28888-	0	1	4.5-	5.5	1.045	.660	.385	+0000*	76*						3460.6039
	28887.068	0S	-			.	- .	.	.									3460.7654
	28882.059	1S	-			.	- .	.	.									3461.3656
	28878.125	0S	-			.	- .	.	.									3461.8371
	28872.709	0	-			.	- .	.	.									3462.4865
	28870.588	1S	-			.	- .	.	.									3462.7409
	28862.780	2W	-			.	- .	.	.									3463.6777
	28860.710	0S	-			.	- .	.	.									3463.9261
	28853.792	3R	-			4.5-	5.5	1.02	.67	.355	+0000*							3464.7567
	28848.502	4R	-			4.5-	4.5	1.01	.615	.395	-0425		-151					3465.3920
	28847.177	1S	-			.	- .	.	.									3465.5512
	28838.133	2S	-			.	- .	.	.									3466.6381
1	28831.252	4R	28831-	0	2	6.5-	5.5	.990	.662	.328	+0000*	-24*						3467.4654
	28829.671	0S	-			.	- .	.	.									3467.6556
	28822.277	0	-			.	- .	.	.									3468.5452
	28820.112	2W	-			.	- .	.	.									3468.8058
1	28818.408	2W	32321-	3502	-12	5.5-	6.5	.	.			71*						3469.0109
	28806.919	2P	-			2.5-	2.5	.	.									3470.3945
	28799.475	4R	-			4.5-	5.5	.93	.66	.268								3471.2915
1	28796.408	3R	32247-	3450	-2	3.5-	3.5	.900	.590	.310		-17*						3471.6612
	28793.043	3P	-			.	- .	.	.									3472.0670
	28786.074	4	-			.	- .	.	.		-0626		-111	243	379	506	626	3472.9076
	28776.845	1S	-			.	- .	.	.									3474.0214
	28765.736	1	-			.	- .	.	.									3475.3631
	28759.603	3W	-			.	- .	.	.									3476.1042
	28746.753	4R	-			5.5-	5.5	1.085	.665	.420	+0418		143	264				3477.6581
1	28728.176	1S	30762-	2033	1	4.5-	4.5	.	.			33*						3479.9070
	28723.162	2P	-			.	- .	.	.									3480.5145
	28718.587	0S	-			.	- .	.	.									3481.0690
1	28711.463	6R	28711-	0	-2	6.5-	5.5	.955	.660	.295	-0555	-579	-126	250	369	476	555	3481.9327
	28707.666	2W	-			.	- .	.	.									3482.3933
	28706.961	1	-			.	- .	.	.									3482.4788
1	28701.011	1	32151-	3450	1	3.5-	3.5	.	.	.367		-17*						3483.2008
	28696.797	2W	-			.	- .	.	.									3483.7123
	28690.428	3L	-			.	- .	.	.		-1747		-724	1299	1747			3484.4856
	28686.333	1	-			.	- .	.	.									3484.9831
	28685.426	4P	-			5.5-	5.5	.	.									3485.0933
	28683.508	3W	-			.	- .	.	.									3485.3263
1	28682.056	2P	32133-	3450	1	3.5-	3.5	.	.			-17*						3485.5028
	28675.428	3R	-			1.5-	2.5	.	.									3486.3084
	28672.694	0S	-			.	- .	.	.									3486.6409
	28672.218	0S	-			.	- .	.	.									3486.6987
	28671.703	0S	-			.	- .	.	.									3486.7614
	28668.066	0S	-			.	- .	.	.									3487.2037
	28667.090	0S	-			.	- .	.	.									3487.3225
	28661.447	2	-			.	- .	.	.		+1538		387	741	1055	1307	1538	3488.0091

TABLE I (Contd.)

C	WAVENUMBER	I	T2	-	T1	O-C	J2	-	J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS	CALC	HFS 2	DIAGONAL 3	COMPONENTS 4	5	6	WAVELENGTH
	28360.833	2	-				2.5-	2.5		.	.	.294								3524.9817
	28359.728	1	-				.	.		.	.		+2170*		546	1084				3525.1191
	28355.961	2P	-				.	.		.	.									3525.5874
1	28355.827	4	28355-	0	2	5.5-	5.5			1.06	.64	.423		-24*						3525.6041
	28353.352	0S	-				.	.		.	.									3525.9118
1	28345.256	2S	32960-	4615	41	3.5-	2.5			.	.	.353		-63*						3526.9189
	28335.600	2S	-				.	.		.	.									3528.1208
	28329.124	2S	-				.	.		.	.									3528.9274
	28316.332	0S	-				.	.		.	.									3530.5216
	28312.389	2W	-				.	.		.	.									3531.0133
	28307.439	2W	-				.	.		.	.									3531.6308
1	28306.584	4W	30340-	2033	-1	4.5-	4.5			.	.			-17*						3531.7375
	28305.576	2S	-				.	.		.	.									3531.8633
	28299.162	4	-				.	.		.	.		+1809		467	872	1234	1541	1809	3532.6638
	28297.451	0S	-				.	.		.	.									3532.8774
	28286.245	2W	-				.	.		.	.									3534.2770
	28278.796	2	-				.	.		.	.									3535.2080
	28278.283	1S	-				.	.		.	.									3535.2722
	28273.423	1	-				.	.		.	.									3535.8799
1	28271.137	1	31773-	3502	7	6.5-	6.5			.	.			-4*						3536.1658
	28268.904	1S	-				3.5-	2.5		.	.	.477								3536.4451
	28264.789	2W	-				.	.		.	.									3536.9600
	28243.838	0S	-				.	.		.	.									3539.5838
	28236.823	0S	-				.	.		.	.									3540.4631
	28224.462	1W	-				.	.		.	.									3542.0137
1	28222.809	4S	28222-	0	9	4.5-	5.5			1.03	.68	.358		51*						3542.2212
	28217.691	3	-				.	.		.	.		+1961		517	971	1364	1687	1961	3542.8637
	28205.688	1	-				2.5-	2.5		.	.									3544.3714
1	28204.837	1	2831-31035	-48		2.5-	3.5			.	.			18*						3544.4783
	28200.828	1S	-				.	.		.	.									3544.9822
	28199.941	2W	-				.	.		.	.									3545.0937
	28198.133	5	-				.	.		.	.		-0910		-225	430	611	772	910	3545.3211
	28192.693	0S	-				.	.		.	.									3546.0052
	28191.218	0S	-				.	.		.	.									3546.1907
	28190.332	0	-				.	.		.	.									3546.3022
	28187.377	1	-				.	.		.	.									3546.6740
1	28181.942	0S	33366-	5184	37	5.5-	5.5			.	.			10*						3547.3580
	28174.789	3S	-				.	.		.	.									3548.2586
	28173.508	0S	-				.	.		.	.									3548.4199
	28172.767	0S	-				.	.		.	.									3548.5133
	28166.070	0S	-				.	.		.	.									3549.3570
	28155.426	3W	-				.	.		.	.									3550.6989
1	28150.020	4S	28150-	0	0	5.5-	5.5			1.142	.660	.482		51*						3551.3808
	28143.849	1S	-				.	.		.	.									3552.1595
	28130.509	1	-				.	.		.	.									3553.8440
	28125.737	2	-				.	.		.	.		-0820*		-229	410				3554.4470
	28123.815	1	-				.	.		.	.									3554.6899
1	28121.803	4	30155-	2033	-2	4.5-	4.5			.90	.60	.303	-0326	-67*	-116					3554.9443
	28089.699	2W	-				.	.		.	.									3559.0074
	28084.866	2	-				.	.		.	.									3559.6198
	28081.751	1S	-				.	.		.	.									3560.0147
	28081.338	1	-				.	.		.	.									3560.0671
	28065.359	2S	-				.	.		.	.									3562.0940
1	28060.398	1S	28060-	0	68	4.5-	5.5			.	.			51*						3562.7238
	28054.172	2W	-				5.5-	5.5		.	.									3563.5145

TABLE I (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS	CALC	HFS 2	DIAGONAL 3	COMPONENTS 4	5	6	WAVELENGTH
1	28050.587	3P	30084- 2033	-81	4.5- 4.5	.	.			33*						3563.9700
	28043.970	2S	-		.	.	.									3564.8109
1	28041.494	2	32657- 4615	491	3.5- 2.5	1.01	.66	.350		-63*						3565.1257
1	28032.931	3S	31535- 3502	-91	5.5- 6.5	.	.			46*						3566.2147
	28030.487	1S	-		.	.	.									3566.5257
1	28029.466	2	32645- 4615	11	2.5- 2.5	.	.	.280		-63*						3566.6556
1	28026.150	3	31528- 3502	01	6.5- 6.5	1.091	.873	.218		-4*						3567.0776
	28021.156	1S	-		.	.	.									3567.7134
1	28019.790	5	28019- 0	01	5.5- 5.5	1.061	.657	.404	+0.309	330	100	181				3567.8873
	28012.971	3S	-		5.5- 6.5	.	.									3568.7558
	28007.222	0S	-		.	.	.									3569.4884
	28006.327	0	-		.	.	.									3569.6025
	27999.441	1S	-		.	.	.									3570.4804
	27995.704	4W	-		.	.	.									3570.9570
	27994.947	0	-		.	.	.									3571.0536
1	27992.086	4	27992- 0	11	5.5- 5.5	.	.		-0.689	-713	-172	335	480	603	689	3571.4186
	27987.353	4L	-		.	.	.		-2.567		-987	1639	2098	2399	2567	3572.0225
1	27974.097	2P	32589- 4615	371	3.5- 2.5	1.01	.66	.352		-63*						3573.7152
	27956.263	2	-		.	.	.									3575.9951
	27955.723	1	-		.	.	.									3576.0642
	27954.799	1	-		.	.	.									3576.1824
	27950.827	2	-		.	.	.									3576.6906
	27945.513	0S	-		.	.	.									3577.3707
	27945.148	0S	-		.	.	.									3577.4174
	27944.646	1	-		.	.	.									3577.4817
	27943.070	1	-		.	.	.									3577.6835
	27942.174	2	-		.	.	.									3577.7982
	27940.783	1	-		.	.	.									3577.9763
	27936.118	1	-		.	.	.									3578.5738
1	27929.829	2	27929- 0	-11	4.5- 5.5	.	.			76*						3579.3796
	27928.809	1S	-		.	.	.									3579.5104
	27927.805	1S	-		.	.	.									3579.6391
	27924.446	1S	-		.	.	.									3580.0697
	27904.498	0	-		.	.	.									3582.6290
	27901.043	2	-		.	.	.									3583.0727
	27897.732	2W	-		.	.	.									3583.4979
1	27890.915	3	31341- 3450	01	4.5- 3.5	.	.			-67*						3584.3738
1	27887.647	1S	37412- 9524	271	1.5- 2.5	.	.			-25*						3584.7939
	27885.659	4	-		.	.	.		-0.912		-215	416	588	763	912	3585.0494
1	27882.464	3W	27882- 0	-361	5.5- 5.5	.	.			-556						3585.4602
	27881.743	2	-		.	.	.									3585.5530
	27874.868	2S	-		.	.	.									3586.4373
	27874.377	2S	-		.	.	.									3586.5005
	27868.435	0S	-		.	.	.									3587.2652
	27866.447	3	-		.	.	.		-0.720*		-205	360				3587.5211
	27853.259	4L	-		.	.	.		-2.231		-810	1386	1792	2026	2232	3589.2198
	27841.559	2	-		.	.	.									3590.7282
	27839.265	2	-		.	.	.		+2.121		661	1250				3591.0241
	27837.225	3	-		.	.	.		+0.993		271	508	702	867	993	3591.2872
	27834.448	3	-		.	.	.									3591.6455
	27831.494	3	-		.	.	.		-1.064		-257	498	715	905	1064	3592.0268
	27829.380	2	-		.	.	.									3592.2996
1	27828.692	3P	32444- 4615	271	3.5- 2.5	.97	.66	.310		-63*						3592.3884
	27826.406	3S	-		.	.	.									3592.6836
1	27824.915	5W	27824- 0	251	5.5- 5.5	.	.			-487						3592.8761

TABLE I (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS CALC	HFS 2	DIAGONAL 3	COMPONENTS 4	5	6	WAVELENGTH
	27820.157	0S	-		. - .	.	.								3593.4906
	27801.483	3W	-		. - .	.	.								3595.9044
	27800.694	3S	-		3.5- 4.5	.94	.62	.314							3596.0064
	27797.109	0S	-		. - .	.	.								3596.4702
	27793.973	1S	-		. - .	.	.								3596.8760
	27792.447	1S	-		. - .	.	.								3597.0735
	27790.156	2	-		. - .	.	.								3597.3701
	27781.917	1S	-		. - .	.	.								3598.4369
	27779.416	0S	-		. - .	.	.								3598.7609
	27762.111	0S	-		. - .	.	.								3601.0042
	27760.603	1	-		. - .	.	.								3601.1998
	27757.213	2	-		. - .	.	.								3601.6396
	27755.453	1	-		3.5- 2.5	.	.	.444							3601.8680
	27747.727	3W	-		. - .	.	.								3602.8709
1	27743.720	4S	27743- 0	0	4.5- 5.5	.874	.641	.233	13*						3603.3913
1	27738.161	2S	29772- 2033	1	5.5- 4.5	.	.	.467	-17*						3604.1135
	27727.350	1S	-		. - .	.	.								3605.5188
	27719.337	4	-		. - .	.	.		-3261	-852	1607	2261	2812	3261	3606.5611
	27714.168	0	-		. - .	.	.								3607.2338
	27713.323	1	-		. - .	.	.								3607.3438
	27712.473	1	-		. - .	.	.								3607.4544
	27700.750	1S	-		. - .	.	.								3608.9811
	27694.629	1S	-		. - .	.	.								3609.7788
	27693.425	1S	-		. - .	.	.								3609.9357
	27689.035	1S	-		. - .	.	.								3610.5081
	27686.287	0S	-		. - .	.	.								3610.8665
	27683.266	0	-		. - .	.	.								3611.2605
	27651.911	2	-		. - .	.	.								3615.3555
	27650.506	1S	-		. - .	.	.								3615.5392
1	27639.467	0	32824- 5184	62	6.5- 5.5	.	.		35*						3616.9833
1	27631.694	2S	32247- 4615	29	3.5- 2.5	.	.	.230	-63*						3618.0008
1	27631.137	1S	29665- 2033	2	3.5- 4.5	.	.		8*						3618.0737
	27628.524	1	-		. - .	.	.								3618.4159
	27619.027	1S	-		. - .	.	.								3619.6602
	27618.327	2	-		. - .	.	.								3619.7519
	27617.614	1	-		. - .	.	.								3619.8454
	27614.702	1S	-		. - .	.	.								3620.2271
	27611.968	1S	-		. - .	.	.								3620.5856
	27610.540	2	-		. - .	.	.								3620.7728
1	27609.369	4W	27609- 0	-1	5.5- 5.5	1.051	.657	.394	239*						3620.9264
	27603.359	1	-		. - .	.	.								3621.7148
1	27590.378	0S	31093- 3502	18	6.5- 6.5	.	.		-4*						3623.4188
1	27569.893	4	27569- 0	-2	5.5- 5.5	.912	.660	.252	+0347	356	124				3626.1112
1	27566.647	0S	32751- 5184	12	4.5- 5.5	.	.		35*						3626.5382
	27562.597	1	-		3.5- 2.5	.	.	.261							3627.0710
1	27545.041	2	29579- 2033	-24	4.5- 4.5	.	.		8*						3629.3828
	27535.596	1	-		. - .	.	.								3630.6278
	27535.094	1S	-		. - .	.	.								3630.6940
	27534.663	0S	-		. - .	.	.								3630.7508
	27527.238	1S	-		. - .	.	.								3631.7302
	27521.396	1	-		. - .	.	.								3632.5011
	27520.693	1S	-		. - .	.	.								3632.5939
1	27517.368	3	32133- 4615	58	3.5- 2.5	.95	.65	.304	-63*						3633.0329
	27515.489	1S	-		. - .	.	.								3633.2810
	27514.869	1	-		. - .	.	.								3633.3628

TABLE I (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS CALC	HFS 2	DIAGONAL 3	COMPONENTS 4	COMPONENTS 5	COMPONENTS 6	WAVELENGTH
	27182.957	0S	-		. - .	.	.								3677.7284
	27176.561	0S	-		. - .	.	.								3678.5940
	27176.054	0S	-		. - .	.	.								3678.6627
	27175.514	0S	-		. - .	.	.								3678.7358
	27170.843	1S	-		3.5- 3.5	.	.	.267							3679.3682
	27163.897	1S	-		. - .	.	.								3680.3091
	27161.721	0S	-		. - .	.	.								3680.6039
	27158.569	3P	-		6.0- 6.0	.	.								3681.0311
1	27153.671	3S	27153- 0	1	6.5- 5.5	.981	.667	.314	-124*						3681.6951
1	27149.739	3	27149- 0	-1	5.5- 5.5	1.141	.681	.460	51*						3682.2283
1	27145.107	2S	30596- 3450	2	4.5- 3.5	.	.		-42*						3682.8566
	27125.661	0S	-		. - .	.	.								3685.4969
	27117.671	1S	-		4.0- 5.0	.	.								3686.5828
1	27108.244	4P	27108- 0	-1	5.5- 5.5	1.051	.633	.418							3687.8649
	27104.161	1	-		. - .	.	.								3688.4205
	27096.952	1	-		. - .	.	.								3689.4018
	27094.885	3	-		. - .	.	.		-0977	-224	447	650	816	977	3689.6832
	27089.585	1	-		. - .	.	.								3690.4051
	27087.581	2S	-		. - .	.	.								3690.6781
	27086.856	2W	-		. - .	.	.								3690.7769
	27078.112	2S	-		. - .	.	.								3691.9688
1	27076.800	2	30579- 3502	50	5.5- 6.5	.	.		96*						3692.1477
1	27063.764	3P	27063- 0	29	4.5- 5.5	.	.		136*						3693.9262
	27043.637	0	-		. - .	.	.								3696.6754
1	27037.937	2S	30540- 3502	17	5.5- 6.5	.	.	.130	21*						3697.4547
	27031.022	2	-		. - .	.	.		+1798	436	852	1204	1530	1798	3698.4006
	27028.426	0	-		. - .	.	.								3698.7559
	27025.203	2	-		. - .	.	.		-0741	-159	324	490	620	741	3699.1970
	27023.706	1S	-		. - .	.	.								3699.4019
	27021.824	1	-		. - .	.	.								3699.6596
1	27016.637	2S	30467- 3450	-8	4.5- 3.5	.	.		-17*						3700.3699
1	27008.998	0S	29043- 2033	-97	5.5- 4.5	.	.		-42*						3701.4165
	27007.481	2W	-		. - .	.	.								3701.6244
	26987.849	0S	-		. - .	.	.								3704.3172
	26980.724	0S	-		. - .	.	.								3705.2954
	26977.833	0S	-		. - .	.	.								3705.6925
	26970.363	0S	-		. - .	.	.								3706.7189
	26966.031	0	-		. - .	.	.								3707.3144
	26959.222	5L	-		. - .	.	.		-1636	-624	1054	1338	1482	1636	3708.2508
	26956.001	2W	-		. - .	.	.								3708.6939
	26949.510	1S	-		. - .	.	.								3709.5872
	26948.426	0S	-		. - .	.	.								3709.7364
	26945.838	0	-		. - .	.	.								3710.0927
	26938.018	2S	-		. - .	.	.								3711.1697
	26934.644	3	-		. - .	.	.		+1016	263	489	698			3711.6346
	26926.471	1S	-		. - .	.	.								3712.7613
	26925.183	4	-		. - .	.	.		-0844	-236	435	614	738	844	3712.9389
	26922.204	1S	-		. - .	.	.								3713.3497
1	26916.106	0S	30367- 3450	1	3.5- 3.5	.	.	.356	-17*						3714.1910
	26912.069	2	-		. - .	.	.		+2065*	539	1032	1438			3714.7482
	26902.333	2	-		. - .	.	.		+1630*	442	815	1114	1374		3716.0926
	26901.122	2	-		. - .	.	.								3716.2599
1	26889.565	2W	30340- 3450	10	4.5- 3.5	.950	.590	.360	-67*						3717.8572
	26888.621	2S	-		. - .	.	.								3717.9877
	26883.847	1L	-		. - .	.	.		-4060*	-	2031	2615			3718.6480

TABLE I (Contd.)

C	WAVENUMBER	I	T2	-	T1	O-C	J2	-	J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS	CALC	HFS 2	DIAGONAL 3	COMPONENTS 4	5	6	WAVELENGTH
	26532.946	3		-			.	-	.	.	.		-1660		-465	852	1190	1461	1660	3767.8287
	26529.335	2		-			.	-	.	.	.									3768.3416
	26528.798	2S		-			.	-	.	.	.									3768.4178
	26528.268	1		-			.	-	.	.	.		-2789		-750	1380	1892	2360	2789	3768.4931
	26527.949	2		-			.	-	.	.	.									3768.5385
	26527.262	0S		-			.	-	.	.	.									3768.6361
	26526.548	0S		-			.	-	.	.	.									3768.7375
	26511.968	1S		-			.	-	.	.	.									3770.8101
	26510.274	5B		-			.	-	.	.	.									3771.0511
	26504.271	2		-			.	-	.	.	.									3771.9052
	26503.687	1		-			.	-	.	.	.									3771.9883
	26499.197	1		-			.	-	.	.	.									3772.6275
1	26498.029	1S	28531-	2033	14	4.5-	4.5			.	.			-28*						3772.7938
1	26495.768	2S	26495-	0	8	6.5-	5.5			.	.			-34						3773.1157
	26494.453	1		-			.	-	.	.	.									3773.3030
	26492.186	1S		-			.	-	.	.	.									3773.6259
	26488.370	0S		-			.	-	.	.	.									3774.1696
	26479.012	3		-			2.5-	2.5		.426	1.027	.601								3775.5034
	26476.736	0S		-			.	-	.	.	.									3775.8280
	26468.950	2W		-			.	-	.	.	.									3776.9387
	26465.741	3P		-			2.5-	3.5		.	.									3777.3967
	26464.288	2S		-			3.5-	3.5		.	.	.235								3777.6041
	26457.107	1P		-			.	-	.	.	.									3778.6294
	26454.106	3		-			.	-	.	.	.		-0573		-126	258	378	471	573	3779.0581
	26452.564	1S		-			.	-	.	.	.									3779.2784
	26448.128	1S		-			2.5-	3.5		.	.	.583								3779.9123
	26444.135	4P		-			2.5-	1.5		.	.									3780.4830
	26441.548	2S		-			.	-	.	.	.									3780.8529
	26423.115	3		-			.	-	.	.	.									3783.4905
1	26420.844	1W	28454-	2033	-6	4.5-	4.5			.	.			-350*						3783.8158
1	26417.594	2S	39467-	13049	59	7.5-	7.5			.	.			-82*						3784.2813
	26416.175	1		-			.	-	.	.	.									3784.4846
	26411.257	0		-			.	-	.	.	.									3785.1893
	26408.970	2		-			.	-	.	.	.									3785.5171
	26407.144	1S		-			.	-	.	.	.									3785.7788
	26392.323	1S		-			.	-	.	.	.									3787.9049
	26386.291	1S		-			.	-	.	.	.									3788.7708
	26375.698	0		-			.	-	.	.	.									3790.2925
	26372.855	3P		-			.	-	.	.	.									3790.7011
	26370.227	2		-			.	-	.	.	.									3791.0789
	26360.819	2S		-			.	-	.	.	.									3792.4319
	26359.083	1S		-			.	-	.	.	.									3792.6817
	26357.684	3		-			.	-	.	.	.		+1306		336	663	931	1178	1306	3792.8830
1	26356.639	1S	34148-	7792	-21	6.5-	6.5			.	.			70*						3793.0334
	26355.826	0		-			.	-	.	.	.									3793.1504
1	26350.803	1S	31535-	5184	28	5.5-	5.5			.	.			-15*						3793.8735
	26349.248	3P		-			.	-	.	.	.									3794.0974
	26346.768	1S		-			.	-	.	.	.									3794.4545
1	26344.079	3	31528-	5184	94	6.5-	5.5			.	.			-65*						3794.8418
	26340.193	0		-			.	-	.	.	.									3795.4017
	26329.886	1		-			.	-	.	.	.		-2230*		-657	1115				3796.8875
	26328.500	2P		-			.	-	.	.	.									3797.0874
	26324.681	0		-			.	-	.	.	.									3797.6382
	26315.224	1		-			.	-	.	.	.									3799.0030
	26311.772	1S		-			.	-	.	.	.									3799.5014

TABLE I (Contd.)

C	WAVENUMBER	I	T2	-	T1	O-C	J2	-	J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS	CALC	HFS 2	DIAGONAL 3	4	COMPONENTS 5	6	WAVELENGTH	
1	26309.043	3S	-				.	-	.	.	.									3799.8956	
	26300.447	1	29803-		3502	-73	6.5-		6.5	.	.			164*						3801.1376	
	26298.352	1	-				.	-	.	.	.									3801.4404	
	26279.542	0	-				.	-	.	.	.									3804.1614	
	26277.458	1	-				.	-	.	.	.									3804.4631	
	26275.914	0S	-				.	-	.	.	.									3804.6866	
1	26269.233	1S	29772-		3502	-32	5.5-		6.5	.	.			46*						3805.6543	
	26268.765	2	-				.	-	.	.	.									3805.7221	
1	26264.354	4	26264-		0	-16	6.5-		5.5	.	.		-0502	-539	-	93	207	315	428	502	3806.3613
	26263.406	2	-				.	-	.	.	.									3806.4987	
	26262.884	2S	-				.	-	.	.	.									3806.5743	
	26258.990	0	-				.	-	.	.	.									3807.1388	
	26254.905	1	-				.	-	.	.	.									3807.7312	
	26250.449	0S	-				.	-	.	.	.									3808.3776	
	26250.073	1S	-				.	-	.	.	.									3808.4321	
1	26246.634	2	31431-		5184	9	6.5-		5.5	.	.			-15*						3808.9312	
	26245.317	2	-				3.5-		2.5	.	.									3809.1223	
1	26239.702	2S	28273-		2033	-23	5.5-		4.5	.	.			-17*						3809.9374	
	26238.695	1S	-				.	-	.	.	.									3810.0836	
	26233.096	1	-				.	-	.	.	.									3810.8969	
1	26226.054	2S	5456-		31682	-1	3.5-		3.5	.85	1.05	.203								3811.9202	
	26225.143	2	-				.	-	.	.	.									3812.0526	
	26219.638	2P	-				2.5-		2.5	.	.	.591								3812.8530	
	26217.583	1S	-				.	-	.	.	.									3813.1518	
	26216.558	1W	-				.	-	.	.	.									3813.3009	
1	26214.096	1S	29665-		3450	-9	3.5-		3.5	.985	.590	.397		-42*						3813.6591	
	26202.331	0S	-				.	-	.	.	.									3815.3715	
	26201.796	3S	-				3.5-		2.5	.86	1.05	.186								3815.4494	
	26194.603	1	-				.	-	.	.	.									3816.4971	
1	26192.666	4P	2831-		29023	1	2.5-		2.5	.432	1.075	.643								3816.7794	
	26189.875	1	-				.	-	.	.	.									3817.1861	
1	26188.856	1S	28222-		2033	-9	4.5-		4.5	.	.			8*						3817.3346	
	26186.039	1S	-				.	-	.	.	.									3817.7453	
	26183.805	1	-				.	-	.	.	.		-2190*		-574	1096	1531			3818.0710	
	26177.897	1	-				.	-	.	.	.		+2195		553	1046	1509	1864	2195	3818.9327	
	26173.997	1	-				.	-	.	.	.									3819.5018	
	26173.556	1S	-				.	-	.	.	.									3819.5661	
1	26170.604	1S	29673-		3502	-1	6.5-		6.5	1.06	.873	.191		-4*						3819.9970	
	26167.103	2P	-				3.5-		3.5	.85	1.04	.191								3820.5081	
	26157.453	2W	-				.	-	.	.	.									3821.9176	
1	26155.348	3P	2831-		28986	-2	2.5-		1.5	.43	1.22	.788								3822.2252	
	26150.880	-	-				.	-	.	.	.		-4215		-	1087	2089			3822.8783	
	26150.594	1	-				.	-	.	.	.		-4500*		-	1087	2089			3822.9201	
	26146.579	2	-				.	-	.	.	.									3823.5071	
1	26145.801	2S	5456-		31601	-4	3.5-		4.5	.85	1.02	.168								3823.6209	
	26144.831	1S	-				.	-	.	.	.									3823.7628	
	26137.490	1W	-				.	-	.	.	.									3824.8367	
1	26128.033	2	29579-		3450	-2	4.5-		3.5	.	.			-42*						3826.2212	
	26118.923	2	-				.	-	.	.	.									3827.5557	
1	26116.087	2S	28150-		2033	2	5.5-		4.5	1.150	.615	.535		8*						3827.9714	
1	26110.040	2S	26110-		0	10	5.5-		5.5	.	.			-114*						3828.8580	
	26108.520	5	-				.	-	.	.	.		-2424		-664	1247	1712	2122	2424	3829.0809	
1	26108.283	3B	32751-		6643	153	4.5-		4.5	.	.			2*						3829.1156	
	26106.694	3	-				.	-	.	.	.									3829.3487	
	26103.988	1	-				.	-	.	.	.									3829.7457	

TABLE I (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH		HFS 2	DIAGONAL		COMPONENTS		WAVELENGTH
									OBS	CALC		3	4	5	6	
	26100.084	1S	-		. - .	.	.									3830.3185
	26098.879	1	-		. - .	.	.									3830.4954
	26097.565	1	-		. - .	.	.									3830.6882
	26096.282	2P	-		. - .	.	.									3830.8766
	26093.504	2	-		. - .	.	.		-1100		-286	541	761	941	1100	3831.2844
	26091.024	1S	-		. - .	.	.									3831.6486
	26086.637	2	-		. - .	.	.		-1650		-449	813	*	1382	1650	3832.2930
	26084.722	1	-		. - .	.	.									3832.5744
	26083.599	2	-		. - .	.	.									3832.7394
	26081.752	1S	-		. - .	.	.									3833.0108
	26080.313	2W	-		. - .	.	.									3833.2223
1	26076.129	3S	5456-31532	-6	3.5- 3.5	.87	1.10	.227		30*						3833.8374
	26069.200	1S	-		. - .	.	.									3834.8564
	26067.640	1S	-		. - .	.	.									3835.0859
	26066.657	1	-		. - .	.	.									3835.2305
	26063.555	1S	-		3.5- 3.5	.	.	.220								3835.6870
	26045.903	4S	-		. - .	.	.									3838.2866
	26034.039	0	-		. - .	.	.									3840.0358
	26028.446	2	-		. - .	.	.									3840.8609
	26027.608	1	-		. - .	.	.									3840.9846
	26027.001	1S	-		. - .	.	.									3841.0742
1	26026.463	2P	28060- 2033	68	4.5- 4.5	.	.			8*						3841.1536
	26022.511	3	-		. - .	.	.		-0401		-135	244				3841.7370
	26016.777	0S	-		. - .	.	.									3842.5837
	26015.536	1	-		. - .	.	.									3842.7670
	26008.726	1	-		. - .	.	.									3843.7732
	26004.187	1S	-		. - .	.	.									3844.4441
	25998.024	1W	-		. - .	.	.									3845.3555
	25989.190	2L	-		. - .	.	.		+2919		876	1624	2239	2700	2919	3846.6626
1	25985.805	2P	28019- 2033	-50	5.5- 4.5	.	.			287						3847.1637
	25985.199	4	-		2.5- 2.5	.	.	.624								3847.2534
	25977.440	1	-		. - .	.	.									3848.4025
	25976.427	3	-		2.5- 3.5	.43	1.10	.667								3848.5526
1	25975.588	3	29478- 3502	-2	7.5- 6.5	.	.		-0998	-987	-262	480	666	841	998	3848.6769
1	25970.543	4	25970- 0	-37	5.5- 5.5	.	.		-0717	-710	-162	321	463	601	717	3849.4246
	25969.708	2S	-		. - .	.	.									3849.5484
	25966.594	1S	-		. - .	.	.									3850.0100
1	25958.153	2	27992- 2033	3	5.5- 4.5	.	.		-0754	-756	-228	393	558	661	754	3851.2620
	25957.319	1S	-		. - .	.	.									3851.3857
	25955.938	0S	-		. - .	.	.									3851.5907
	25954.621	2W	-		. - .	.	.									3851.7861
	25945.195	2	-		. - .	.	.		+1113		287	553	789	970	1113	3853.1855
	25941.954	0S	-		. - .	.	.									3853.6669
	25938.426	0S	-		. - .	.	.									3854.1911
	25931.243	0S	-		. - .	.	.									3855.2587
	25923.218	1S	-		. - .	.	.									3856.4522
	25922.732	1S	-		. - .	.	.									3856.5245
1	25921.243	3P	2831-28752	-52	2.5- 2.5	.	.			18*						3856.7460
	25917.797	0	-		. - .	.	.									3857.2588
1	25908.194	2S	31093- 5184	-1	6.5- 5.5	.	.			-65*						3858.6886
	25905.978	1S	-		. - .	.	.									3859.0187
	25904.396	1S	-		. - .	.	.									3859.2543
	25890.667	1S	-		. - .	.	.									3861.3008
1	25889.179	1	38819-12930	9	3.5- 9.5	.	.			42*						3861.5228
	25881.629	0	-		. - .	.	.									3862.6493

TABLE I (Contd.)

C	WAVENUMBER	I	T2	-	T1	O-C	J2	-	J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS	CALC	HFS 2	DIAGONAL 3	COMPONENTS 4	5	6	WAVELENGTH
	25625.638	1W	-				.	-	.	.	.									3901.2366
	25622.958	1S	-				.	-	.	.	.									3901.6447
	25618.415	1	-				.	-	.	.	.									3902.3366
	25617.267	0	-				.	-	.	.	.									3902.5115
	25609.387	3S	-				6.5-		6.5	.	.									3903.7123
	25602.248	2	-				.	-	.	.	.		+1842		440	778	1204	1476	1842	3904.8009
	25593.681	1	-				.	-	.	.	.									3906.1079
	25592.063	1S	-				.	-	.	.	.									3906.3549
	25590.264	2W	-				.	-	.	.	.									3906.6295
1	25589.641	3W	25589-	0	-19		4.5-		5.5	.	.			76*						3906.7246
	25583.248	2	-				.	-	.	.	.									3907.7009
	25581.428	3	-				2.5-		2.5	.	.	.649								3907.9789
1	25579.842	3	5456-31035	-23			3.5-		3.5	.	.			30*						3908.2212
	25579.842	3	-				.	-	.	.	.									3908.2212
1	25577.147	1S	30762-	5184	32		4.5-		5.5	.	.			35*						3908.6330
1	25575.373	2P	27609-	2033	-62		5.5-		4.5	1.05	.60	.445		196*						3908.9042
	25565.882	2P	-				.	-	.	.	.									3910.3553
	25562.795	2P	-				.	-	.	.	.									3910.8276
	25559.013	1S	-				.	-	.	.	.									3911.4063
1	25551.895	5	25551-	0	-35		5.5-		5.5	.	.		-0660	-674	-144	286	432	557	660	3912.4959
1	25549.500	2P	27583-	2033	-10		4.5-		4.5	.	.			233*						3912.8627
	25544.529	2S	-				.	-	.	.	.									3913.6241
1	25540.109	1S	29043-	3502	-91		5.5-		6.5	.	.			21*						3914.3014
1	25535.898	2P	27569-	2033	-62		5.5-		4.5	.	.			313						3914.9469
	25534.417	3	-				.	-	.	.	.		-0397		-126					3915.1740
	25528.737	2W	-				.	-	.	.	.									3916.0451
	25528.042	2	-				.	-	.	.	.									3916.1518
	25523.078	3	-				2.5-		3.5	.426	1.146	.720	-0398		-143					3916.9134
	25493.169	1	-				.	-	.	.	.									3921.5089
	25483.205	2	-				.	-	.	.	.									3923.0423
1	25483.140	2S	35985-10502	10			7.5-		7.5	.	.			-31*						3923.0523
	25474.688	3S	-				3.5-		4.5	.	.									3924.3539
	25472.807	3	-				2.5-		3.5	.	.	.751	-0367							3924.6437
	25465.541	2	-				.	-	.	.	.									3925.7635
	25462.166	2Q	-				.	-	.	.	.		-0842		-176	382	560	720	842	3926.2839
	25443.332	1S	-				.	-	.	.	.									3929.1903
1	25439.128	3W	32342-	6903	-22		7.5-		7.5	.	.			-180*						3929.8397
	25432.018	2S	-				3.5-		3.5	.	.	.187								3930.9384
	25426.790	0S	-				.	-	.	.	.									3931.7466
	25424.559	0S	-				.	-	.	.	.									3932.0916
	25416.549	1	-				.	-	.	.	.									3933.3308
	25411.070	3	-				.	-	.	.	.		-0415		-154					3934.1790
1	25406.542	4S	27440-	2033	-33		5.5-		4.5	1.009	.618	.391		140						3934.8801
	25404.038	1	-				.	-	.	.	.									3935.2680
	25402.193	1S	-				.	-	.	.	.									3935.5538
	25397.454	3W	-				.	-	.	.	.									3936.2882
	25394.424	3W	-				.	-	.	.	.									3936.7579
	25389.589	2	-				.	-	.	.	.									3937.5076
	25386.334	2S	-				.	-	.	.	.									3938.0124
	25375.619	2	-				.	-	.	.	.									3939.6753
1	25364.400	4S	28867-	3502	-20		7.5-		6.5	.	.			35						3941.4179
	25364.400	4S	-				4.5-		5.5	1.252	1.131	.121								3941.4179
	25350.890	1S	-				.	-	.	.	.									3943.5184
1	25342.535	2W	25342-	0	-15		5.5-		5.5	.	.			-510*						3944.8186
	25341.761	1	-				.	-	.	.	.									3944.9391

TABLE I (Contd.)

C	WAVENUMBER	I	T2	- T1	O-C	J2	- J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS	CALC	HFS 2	DIAGONAL 3	COMPONENTS 4	5	6	WAVELENGTH
	25016.903	0S	-	-		.	.	.	.									3996.1674
	25012.733	3	-	-		.	.	.	.		-2986		-883	1626	2165	2640	2986	3996.8336
	25012.381	3	-	-		.	.	.	.									3996.8898
	24999.953	1	-	-		.	.	.	.									3998.8768
	24998.228	1	-	-		.	.	.	.									3999.1528
	24995.275	1	-	-		.	.	.	.									3999.6252
1	24985.170	1S	24985-	0	-5	5.5-	5.5	.	.			67						4001.2429
	24972.606	2	-	-		.	.	.	.		-1243		-300	565	810	1019	1243	4003.2560
	24967.281	0S	-	-		.	.	.	.									4004.1098
	24966.322	0S	-	-		.	.	.	.									4004.2636
	24965.053	1S	-	-		.	.	.	.									4004.4672
	24961.234	1	-	-		.	.	.	.									4005.0799
1	24954.824	3	30139-	5184	19	6.5-	5.5	.	.		-0428	-265*	-147					4006.1087
1	24954.824	3	28405-	3450	14	3.5-	3.5	.	.		-0428	-67*	-147					4006.1087
1	24948.867	3	32061-	7112	27	5.5-	5.5	.	.		-2010	-2014	-514	977	1392	1730	2010	4007.0652
	24941.109	3S	-	-		2.5-	3.5	.431	.991	.560								4008.3116
	24933.417	0S	-	-		.	.	.	.									4009.5482
	24931.058	0	-	-		.	.	.	.									4009.9276
	24920.315	1	-	-		2.5-	3.5	.	.	.789								4011.6563
	24916.646	0	-	-		.	.	.	.									4012.2471
	24909.930	1S	-	-		.	.	.	.									4013.3288
	24903.310	2P	-	-		2.5-	2.5	.	.	.467								4014.3957
1	24899.546	1	30084-	5184	11	4.5-	5.5	.	.			35*						4015.0026
1	24897.512	3S	28400-	3502	2	7.5-	6.5	.	.			-148*						4015.3306
	24885.866	2	-	-		.	.	.	.									4017.2097
	24870.885	1S	-	-		.	.	.	.									4019.6295
	24859.290	3S	-	-		.	.	.	.									4021.5044
1	24853.003	2W	28355-	3502	8	5.5-	6.5	.	.			-4*						4022.5217
1	24836.925	2	31949-	7112	30	4.5-	5.5	.	.		-1509	-1514	-380	726	1046	1233	1509	4025.1258
	24812.879	2	-	-		.	.	.	.									4029.0266
	24810.853	0	-	-		.	.	.	.									4029.3556
1	24798.038	4	24798-	0	8	6.5-	5.5	.867	.672	.195		-139						4031.4379
	24793.798	3S	-	-		3.5-	4.5	.882	1.076	.194								4032.1273
	24791.113	1	-	-		.	.	.	.									4032.5640
	24787.086	1W	-	-		.	.	.	.									4033.2192
	24785.432	0	-	-		.	.	.	.									4033.4883
1	24771.830	1S	28222-	3450	-5	4.5-	3.5	.	.			-42*						4035.7031
1	24770.840	3S	28273-	3502	10	5.5-	6.5	.	.			46*						4035.8644
1	24770.840	3S	32562-	7792	30	6.5-	6.5	.	.			70*						4035.8644
	24761.021	0S	-	-		.	.	.	.									4037.4649
	24747.600	1W	-	-		.	.	.	.									4039.6545
	24746.346	1S	-	-		.	.	.	.									4039.8592
1	24742.836	1S	29358-	4615	126	2.5-	2.5	.	.			137*						4040.4323
	24737.446	2P	-	-		.	.	.	.									4041.3127
	24735.108	1S	-	-		.	.	.	.									4041.6947
	24734.247	1	-	-		.	.	.	.									4041.8354
	24725.386	0	-	-		.	.	.	.									4043.2839
	24724.429	2S	-	-		.	.	.	.									4043.4404
	24724.269	1	-	-		.	.	.	.									4043.4666
	24723.633	2P	-	-		.	.	.	.									4043.5706
	24721.096	0S	-	-		.	.	.	.									4043.9856
	24711.908	1S	-	-		.	.	.	.									4045.4892
	24690.610	1	-	-		.	.	.	.									4048.9789
1	24684.361	4	24684-	0	-14	5.5-	5.5	.	.		+0597	582	179	338	446	532	597	4050.0039
	24684.219	3	-	-		.	.	.	.		-3589		-928	*	2465	3088	3589	4050.0272

TABLE I (Contd.)

C	WAVENUMBER	I	T2	T1	O-C	J2	J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS	CALC	HFS 2	DIAGONAL 3	COMPONENTS 4	COMPONENTS 5	COMPONENTS 6	WAVELENGTH
1	24210.833	2	-	-				.	.									4129.2177
1	24189.780	OS	31093-	6903	40	6.5-	7.5	.	.			20*						4132.8115
	24188.356	3S	-	-		2.5-	3.5	.433	1.035	.602								4133.0548
	24184.337	0	-	-		.	.	.	.									4133.7417
1	24151.239	OS	29336-	5184	34	5.5-	5.5	.	.			-345*						4139.4068
1	24136.169	4S	24136-	0	24	6.5-	5.5	.990	.657	.333		-64*						4141.9914
1	24132.482	3P	27583-	3450	2	4.5-	3.5	.85	.58	.269		183*						4142.6243
	24113.144	1W	-	-		3.5-	4.5	.	.	.255								4145.9466
	24110.055	OS	-	-		.	.	.	.									4146.4778
1	24102.496	1	31214-	7112	56	5.5-	5.5	.	.		-2045*	-2038	-559	1023	1453			4147.7782
	24099.916	2W	-	-		.	.	.	.									4148.2223
	24097.372	1S	-	-		.	.	.	.									4148.6602
	24092.228	OS	-	-		.	.	.	.									4149.5460
1	24076.138	OS	26110-	2033	43	5.5-	4.5	.	.			-157*						4152.3192
1	24067.030	1W	27569-	3502	-35	5.5-	6.5	.	.			376						4153.8907
	24065.950	0	-	-		.	.	.	.									4154.0771
1	24049.409	2	27552-	3502	19	7.5-	6.5	.	.		-0697	-761	-167	314				4156.9343
1	24040.511	2S	27543-	3502	11	5.5-	6.5	.	.			96*						4158.4729
	24040.511	2S	-	-		3.5-	4.5	.868	1.072	.204								4158.4729
	24032.448	OS	-	-		.	.	.	.									4159.8681
	24031.096	1W	-	-		.	.	.	.									4160.1021
	24027.603	0	-	-		.	.	.	.									4160.7069
	24006.417	3	-	-		.	.	.	.		-0946		-312	528	712	855	946	4164.3789
	23985.383	1S	-	-		.	.	.	.									4168.0309
1	23981.962	OS	31773-	7792	22	6.5-	6.5	.985	.985			70*						4168.6255
1	23977.171	2S	27428-	3450	21	4.5-	3.5	.	.			-267*						4169.4585
	23968.633	1	-	-		.	.	.	.									4170.9437
1	23966.056	2	25999-	2033	1	5.5-	4.5	.	.	.450	-0581	-628	-145	304				4171.3922
	23962.698	2	-	-		.	.	.	.		-2856		-756	1418	2020	2464	2856	4171.9768
1	23936.754	2	25970-	2033	109	5.5-	4.5	.	.		-0612	-753	-148					4176.4987
	23935.501	0	-	-		.	.	.	.									4176.7173
	23934.218	2S	-	-		3.5-	4.5	.860	1.101	.241								4176.9412
	23916.249	2W	-	-		.	.	.	.									4180.0795
	23913.673	OS	-	-		.	.	.	.									4180.5298
	23906.674	1S	-	-		.	.	.	.									4181.7538
	23905.013	1	-	-		.	.	.	.		-1835*		-474	917				4182.0443
	23904.620	1S	-	-		.	.	.	.									4182.1131
	23904.334	OS	-	-		.	.	.	.									4182.1631
1	23903.952	2S	23903-	0	52	5.5-	5.5	.	.			-77						4182.2300
	23903.454	2	-	-		.	.	.	.									4182.3171
	23901.789	4L	-	-		.	.	.	.		-0800*		-295	503	650	762		4182.6084
1	23863.926	1S	27366-	3502	-4	7.5-	6.5	.	.			-104*						4189.2448
	23863.926	1S	-	-		2.5-	3.5	.43	1.17	.741								4189.2448
1	23837.213	2P	23837-	0	83	6.5-	5.5	.79	.66	.13		-323						4193.9395
	23814.971	3	-	-		.	.	.	.		+0530*		133	265	408			4197.8565
	23812.528	0	-	-		.	.	.	.									4198.2872
1	23807.666	1P	27310-	3502	-9	5.5-	6.5	.	.			46*						4199.1446
	23803.619	OS	-	-		.	.	.	.									4199.8585
	23803.585	2P	-	-		.	.	.	.									4199.8645
	23803.041	OS	-	-		.	.	.	.									4199.9605
1	23779.942	3	23779-	0	7	5.5-	5.5	.	.		-0986	-994	-241	459	666	845	986	4204.0403
	23779.162	2	-	-		.	.	.	.									4204.1782
1	23778.180	1	25812-	2033	55	5.5-	4.5	.	.			33*						4204.3518
1	23770.942	2W	2831-	26602	2	2.5-	3.5	.430	1.155	.725		-282*						4205.6320
	23763.348	1W	-	-		.	.	.	.									4206.9760

TABLE I (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS	CALC	HFS 2	DIAGONAL 3	COMPONENTS 4	5	6	WAVELENGTH
1	23748.337	4S	25782- 2033	-8	5.5- 4.5	.930	.617	.313		34						4209.6353
	23733.977	OS	-		. . .	.	.									4212.1823
1	23731.835	3W	23731- 0	30	5.5- 5.5	.	.			26*						4212.5625
1	23723.662	OS	30367- 6643	92	3.5- 4.5	.	.			2*						4214.0138
	23722.889	OS	-		. . .	.	.									4214.1511
1	23709.656	OS	28325- 4615	6	3.5- 2.5	1.03	.66	.37		87*						4216.5032
	23690.420	1P	-		. . .	.	.									4219.9269
	23675.278	3L	-		. . .	.69	.69		+0828		329	555				4222.6259
1	23656.420	2P	27107- 3450	-25	4.5- 3.5	.	.			-125						4225.9921
1	23656.420	2P	5456-29112	0	3.5- 3.5	.85	1.13	.288								4225.9921
1	23650.859	2S	27153- 3502	19	6.5- 6.5	.	.			-104*						4226.9858
	23649.732	OS	-		. . .	.	.									4227.1872
	23648.682	0	-		. . .	.	.									4227.3749
1	23646.937	2	27149- 3502	27	5.5- 6.5	.	.			71*						4227.6869
	23645.630	0	-		. . .	.	.									4227.9206
	23635.625	OS	-		. . .	.	.									4229.7103
	23634.260	OS	-		. . .	.	.									4229.9546
	23632.276	0	-		. . .	.	.									4230.3097
	23627.334	OS	-		. . .	.	.									4231.1945
1	23623.845	3S	25657- 2033	30	5.5- 4.5	1.025	.617	.408		-40						4231.8195
	23622.171	1W	-		. . .	.	.									4232.1194
	23614.541	2	-		. . .	.	.									4233.4868
1	23612.771	2W	27063- 3450	1	4.5- 3.5	1.115	.590	.52		43*						4233.8041
	23608.159	2W	-		. . .	.	.									4234.6313
	23607.849	1S	-		. . .	.	.									4234.6869
	23607.338	0	-		. . .	.	.									4234.7785
1	23605.447	1	27108- 3502	32	5.5- 6.5	.	.									4235.1178
	23604.650	1S	-		. . .	.	.									4235.2608
	23602.006	OS	-		. . .	.	.									4235.7352
	23596.608	2W	-		. . .	.	.									4236.7042
	23589.590	1W	-		. . .	.	.									4237.9647
	23587.492	1W	-		. . .	.	.									4238.3417
	23585.749	1S	-		. . .	.	.									4238.6549
1	23577.043	2S	2831-26408	3	2.5- 3.5	.431	.993	.562								4240.2201
1	23568.347	1S	23568- 0	2	6.5- 5.5	.835	.660	.175		1*						4241.7846
	23565.190	1W	-		. . .	.	.									4242.3529
	23561.907	0	-		. . .	.	.									4242.9440
1	23555.720	1S	25589- 2033	-5	4.5- 4.5	.	.	.32		33*						4244.0584
	23551.321	0	-		. . .	.	.									4244.8512
1	23540.898	5	23540- 0	-2	5.5- 5.5	.	.	.19	+0448	456	146	267				4246.7307
	23535.141	OS	-		. . .	.	.									4247.7695
1	23518.004	4	25551- 2033	9	5.5- 4.5	.	.	.49	-0701	-717	-195	358	494	604	701	4250.8648
	23510.863	1S	-		. . .	.	.									4252.1559
	23510.486	1	-		. . .	.	.									4252.2241
1	23508.395	2	27011- 3502	-45	7.5- 6.5	.	.		-1518	-1541	-371	691	1011	1253	1518	4252.6024
	23502.303	0	-		. . .	.	.									4253.7047
	23500.641	1S	-		. . .	.	.									4254.0055
	23494.643	0	-		. . .	.	.									4255.0916
	23485.997	2P	-		. . .	.	.									4256.6580
	23485.605	1S	-		. . .	.	.									4256.7291
	23483.375	2	-		. . .	.	.									4257.1333
	23478.577	2	-		. . .	.	.		+1050		313	583				4258.0033
	23474.501	1W	-		. . .	.	.									4258.7427
	23470.716	1W	-		. . .	.	.									4259.4295
1	23450.361	2	26901- 3450	1	3.5- 3.5	.	.			33*						4263.1267

TABLE I (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS CALC	HFS 2	DIAGONAL 3	COMPONENTS 4	5	6	WAVELENGTH
	23448.040	0W	-		. - .	.	.								4263.5487
	23443.778	0S	-		. - .	.	.								4264.3238
1	23441.092	1S	30084- 6643	62	4.5- 4.5	.	.		2*						4264.8125
	23430.440	0S	-		. - .	.	.								4266.7514
	23414.064	0	-		. - .	.	.								4269.7356
1	23411.835	0S	33366- 9955	35	5.5- 6.5	.	.		37*						4270.1422
	23410.691	0	-		. - .	.	.								4270.3508
1	23402.456	2S	2831-26233	-4	2.5- 3.5	.428	1.07	.642							4271.8535
	23395.586	1	-		. - .	.	.								4273.1080
	23393.783	0	-		. - .	.	.								4273.4373
	23384.199	1S	-		. - .	.	.								4275.1888
1	23381.813	2S	26884- 3502	8	5.5- 6.5	.	.		68						4275.6251
	23379.798	0	-		. - .	.	.								4275.9936
	23369.462	1	-		. - .	.	.		-0707	-222					4277.8848
	23368.105	0	-		. - .	.	.								4278.1333
1	23366.168	1	28551- 5184	18	5.5- 5.5	.	.		-446						4278.4879
	23361.141	0W	-		. - .	.	.								4279.4086
	23357.718	0S	-		. - .	.	.								4280.0358
	23356.739	1S	-		. - .	.	.								4280.2152
1	23347.027	1S	28531- 5184	72	4.5- 5.5	.	.		-26*						4281.9957
	23345.423	0W	-		. - .	.	.								4282.2899
1	23344.787	1P	37412-14067	47	1.5- 2.5	.	.		182*						4282.4066
1	23341.552	1W	28526- 5184	-93	6.5- 5.5	.	.		-65*						4283.0001
	23338.374	1	-		. - .	.	.								4283.5833
	23324.691	2W	-		. - .	.	.								4286.0963
	23321.422	1	-		. - .	.	.								4286.6971
	23319.405	0	-		. - .	.	.								4287.0678
	23317.978	1W	-		. - .	.	.								4287.3302
	23317.114	2S	-		. - .	.	.								4287.4891
1	23308.643	2W	25342- 2033	28	5.5- 4.5	.	.		-553*						4289.0473
	23305.753	1S	-		. - .	.	.								4289.5792
1	23304.869	2W	23304- 0	94	6.5- 5.5	.	.		-504						4289.7419
	23299.176	2	-		4.0- 5.0	.650	1.002	.352							4290.7901
1	23296.306	1	5456-28752	31	3.5- 2.5	.	.		30*						4291.3187
	23287.730	0	-		. - .	.	.								4292.8990
1	23277.826	3	25311- 2033	46	5.5- 4.5	1.066	.616	.450	-167*	469	873	1251	1484	1722	4294.7256
	23271.319	2	-		. - .	.	.		+1722						4295.9265
1	23269.854	3W	28454- 5184	64	4.5- 5.5	.	.		-348*						4296.1969
	23269.124	1	-		. - .	.	.								4296.3317
1	23257.139	0	23257- 0	39	6.5- 5.5	.	.		-174*						4298.5458
	23245.878	1	-		. - .	.	.		+2253	744	1213				4300.6281
	23244.725	0	-		. - .	.	.								4300.8415
1	23243.721	1	25277- 2033	6	4.5- 4.5	.	.		203*						4301.0272
	23235.856	0	-		. - .	.	.								4302.4831
	23233.810	2	-		. - .	.	.								4302.8620
	23231.437	1	-		. - .	.	.								4303.3015
	23226.466	0	-		. - .	.	.								4304.2225
	23212.266	1S	-		. - .	.	.								4306.8557
	23207.674	3S	-		4.0- 5.0	.651	1.066	.415							4307.7079
	23198.495	0	-		. - .	.	.								4309.4123
1	23192.551	0	34472-11279	1	7.5- 7.5	.	.		-71*						4310.5168
1	23191.255	0	23191- 0	25	6.5- 5.5	.	.		-174*						4310.7577
	23186.119	0	-		. - .	.	.								4311.7126
1	23178.318	0	26629- 3450	-7	4.5- 3.5	.	.		-72						4313.1638
	23176.329	0	-		. - .	.	.								4313.5340

TABLE I (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEFMAN G1	DATA DG	WIDTH OBS CALC	HFS 2	DIAGONAL 3	COMPONENTS 4	5	6	WAVELENGTH	
	22816.338	0W	-		. - .	.	.								4381.5932	
	22811.060	2S	-		. - .	.	.								4382.6070	
1	22794.867	3	22794-	0	67	4.5-	5.5		174*						4385.7203	
	22790.542	0	-		. - .	.	.								4386.5526	
1	22789.502	1	33292-	10502	12	7.5-	7.5		-81*	-358					4386.7528	
	22782.397	0	-		. - .	.	.								4388.1209	
	22768.274	0	-		. - .	.	.								4390.8429	
	22753.952	0	-		. - .	.	.								4393.6067	
	22750.419	4	-		. - .	.	.		-0682	-182	348	476			4394.2890	
1	22742.727	2	26245-	3502	12	6.5-	6.5		-180						4395.7752	
	22740.792	0S	-		. - .	.	.								4396.1493	
	22737.029	0S	-		. - .	.	.								4396.8768	
	22734.798	0S	-		. - .	.	.								4397.3083	
	22733.432	0S	-		. - .	.	.								4397.5726	
	22720.562	0	-		. - .	.	.								4400.0636	
1	22718.397	0	29361-	6643	67	5.5-	4.5		-298*						4400.4829	
	22716.747	0S	-		. - .	.	.								4400.8025	
	22702.858	1S	-		. - .	.	.								4403.4949	
1	22697.542	3	27882-	5184	37	5.5-	5.5		-0577	-597	-161	303	452	537	577	4404.5262
	22692.957	1	-		. - .	.	.									4405.4162
	22691.836	0	-		. - .	.	.									4405.6338
1	22687.012	0	29579-	6892	92	4.5-	3.5		-113*							4406.5706
	22657.784	0	-		. - .	.	.									4412.2551
1	22650.431	2W	24684-	2033	-9	5.5-	4.5		539							4413.6875
	22648.782	2	-		. - .	.	.		-0659	-204						4414.0088
	22641.367	2	-		. - .	.	.		+0781	193	366	525	666	781		4415.4544
	22632.184	0S	-		. - .	.	.									4417.2460
	22630.644	0	-		. - .	.	.									4417.5466
	22628.724	0	-		. - .	.	.									4417.9214
	22620.663	0	-		. - .	.	.									4419.4958
	22607.338	1	-		. - .	.	.									4422.1008
	22583.813	0S	-		. - .	.	.									4426.7072
	22571.752	0	-		. - .	.	.									4429.0726
	22570.796	0	-		. - .	.	.									4429.2602
	22565.785	0S	-		. - .	.	.									4430.2438
	22564.687	1	-		. - .	.	.		-1660*	-465	830					4430.4594
1	22558.757	1S	27743-	5184	32	4.5-	5.5		-28*							4431.6240
	22547.966	3S	-		. - .	.	.									4433.7450
	22535.001	0S	-		. - .	.	.									4436.2959
	22527.780	0	-		. - .	.	.									4437.7179
	22509.292	0W	-		. - .	.	.									4441.3629
1	22502.077	2W	24535-	2033	52	3.5-	4.5		-249							4442.7870
1	22499.919	0S	33392-	10892	19	3.5-	3.5		51							4443.2131
1	22495.272	0S	30367-	7871	62	3.5-	4.5		-23*							4444.1310
	22491.720	1S	-		. - .	.	.									4444.8328
	22479.647	0S	-		. - .	.	.									4447.2200
	22478.224	0S	-		. - .	.	.									4447.5016
1	22467.761	1W	25970-	3502	11	5.5-	6.5		-690							4449.5727
	22463.251	0S	-		. - .	.	.									4450.4661
	22455.251	1	-		. - .	.	.									4452.0517
	22450.348	2	-		. - .	.	.									4453.0240
	22443.153	0S	-		. - .	.	.									4454.4516
1	22441.626	0S	31949-	9507	31	4.5-	3.5		-199							4454.7547
	22437.595	1	-		. - .	.	.									4455.5550
	22437.502	1	-		. - .	.	.									4455.5735

TABLE I (Contd.)

C	WAVENUMBER	I	T2	- T1	O-C	J2	- J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS	CALC	HFS 2	DIAGONAL 3	4	COMPONENTS 5	6	WAVELENGTH
	22432.876	1	-			.	- .	.	.									4456.4923
	22428.999	0S	-			.	- .	.	.									4457.2627
	22417.668	2	-			.	- .	.	.									4459.5156
1	22414.780	5S	22414-	0	30	5.5-	5.5	.881	.657	.224	-1528	59	-398	758	1081	1331	1528	4460.0902
	22398.908	0W	-			.	- .	.	.									4463.2507
	22396.589	0	-			.	- .	.	.									4463.7129
	22385.657	0S	-			.	- .	.	.									4465.8927
1	22384.932	0	27569-	5184	32	5.5-	5.5	.	.			315						4466.0374
1	22371.390	0S	30649-	8278	10	4.5-	3.5	.	.			-8*						4468.7408
	22356.387	0	-			.	- .	.	.									4471.7398
1	22347.819	0	30139-	7792	39	6.5-	6.5	.	.			-130*						4473.4543
1	22343.266	0	29358-	7015	26	2.5-	2.5	.	.			3*						4474.3658
	22325.521	0W	-			.	- .	.	.									4477.9223
	22322.429	1	-			.	- .	.	.									4478.5425
1	22321.640	0	32342-	10020	20	7.5-	8.5	.	.			-127*						4478.7008
	22308.060	0	-			.	- .	.	.									4481.4273
	22299.687	0	-			.	- .	.	.									4483.1100
1	22293.722	2S	24327-	2033	-3	5.5-	4.5	.918	.611	.307		183						4484.3095
1	22285.669	2	26901-	4615	54	3.5-	2.5	.955	.649	.306		-13*						4485.9300
1	22280.545	1	24314-	2033	25	4.5-	4.5	.	.			-198						4486.9617
1	22279.483	0	25782-	3502	33	5.5-	6.5	.	.			97						4487.1755
1	22279.483	0	35985-	13706	8	7.5-	6.5	.	.			262*						4487.1755
1	22276.792	2	22276-	0	2	5.5-	5.5	.	.		-1031	-974	-255	469	665	858	1031	4487.7176
	22272.331	0S	-			.	- .	.	.									4488.6165
1	22268.706	1	24302-	2033	71	3.5-	4.5	.	.			-259*						4489.3472
	22268.166	0	-			.	- .	.	.									4489.4560
1	22255.958	2S	2831-	25087	-2	2.5-	3.5	.431	1.121	.690								4491.9187
1	22251.078	4	22251-	0	-2	6.5-	5.5	.	.		-0685	-695	-141	291	437	573	685	4492.9038
1	22243.411	3S	22243-	0	31	4.5-	5.5	1.018	.656	.362		-148						4494.4525
	22238.927	0S	-			.	- .	.	.									4495.3587
	22229.560	1	-			.	- .	.	.									4497.2530
	22221.440	0S	-			.	- .	.	.									4498.8964
	22216.583	0S	-			.	- .	.	.									4499.8799
	22215.272	0	-			.	- .	.	.									4500.1455
	22212.338	0S	-			.	- .	.	.									4500.7399
	22195.436	0	-			.	- .	.	.									4504.1673
	22193.910	0W	-			.	- .	.	.									4504.4770
1	22191.661	3	32061-	9869	31	5.5-	4.5	.	.		-2063	-2057	-526	1002	1415	1769	2063	4504.9335
	22188.573	2	-			.	- .	.	.		+1493		410	755	1043	1272	1493	4505.5605
	22185.647	0S	-			.	- .	.	.									4506.1547
	22180.631	1	-			.	- .	.	.									4507.1738
	22164.924	2	-			.	- .	.	.									4510.3678
	22155.093	0	-			.	- .	.	.		-2205*		-572	1102				4512.3692
1	22138.722	2S	25589-	3450	27	4.5-	3.5	.94	.60	.347		-17*						4515.7061
1	22125.507	1W	27310-	5184	-3	5.5-	5.5	.	.			-15*						4518.4032
1	22124.097	1S	2831-	24955	-3	2.5-	3.5	.43	1.00	.571								4518.6912
	22116.107	1S	-			.	- .	.	.									4520.3237
1	22107.634	1S	24141-	2033	29	5.5-	4.5	.	.			-92*						4522.0562
	22105.391	1S	-			.	- .	.	.									4522.5151
	22097.087	0S	-			.	- .	.	.									4524.2146
	22087.002	2S	-			.	- .	.	.									4526.2805
1	22083.696	1	28975-	6892	-14	3.5-	3.5	.	.			-88*						4526.9581
	22067.674	0S	-			.	- .	.	.									4530.2449
1	22060.667	0	25511-	3450	72	3.5-	3.5	.	.			-156						4531.6838
1	22058.666	4P	22058-	0	81	6.5-	5.5	.994	.661	.333		-260						4532.0949

TABLE I (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS CALC	HPS 2	DIAGONAL 3	COMPONENTS 4	COMPONENTS 5	COMPONENTS 6	WAVELENGTH		
1	22054.318	2W	24088-	2033	28	5.5-	4.5	.	.						4532.9884		
	22051.417	0S	-			.	.	.							4533.5848		
	22040.979	0S	-			.	.	.							4535.7318		
	22023.144	1	-			.	.	.							4539.4050		
	22023.096	0	-			.	.	.							4539.4149		
	22022.422	0S	-			.	.	.							4539.5538		
	22020.484	0S	-			.	.	.							4539.9534		
1	22013.468	0S	5456-	27469	43	3.5-	3.5	.	.						4541.4003		
1	22011.411	1S	29803-	7792	81	6.5-	6.5	.	.						4541.8247		
	22004.075	0S	-			.	.	.							4543.3390		
1	21996.383	1S	28888-	6892	48	4.5-	3.5	.	.						4544.9278		
1	21992.296	3	24026-	2033	51	3.5-	4.5	.	.	+0555	590	138	262	368	4545.7724		
	21974.034	2	-			.	.	.							4549.5503		
1	21964.804	1W	27149-	5184	59	5.5-	5.5	.	.						4551.4622		
1	21963.911	1S	28867-	6903	111	7.5-	7.5	.	.						4551.6472		
	21956.531	2W	-			.	.	.							4553.1771		
	21955.258	2W	-			.	.	.							4553.4411		
1	21952.466	1S	38819-	16866	26	8.5-	7.5	.	.						4554.0203		
1	21933.277	0	23967-	2033	117	4.5-	4.5	.	.						4558.0046		
1	21933.277	0	30639-	8706	-113	5.5-	5.5	.	.						4558.0046		
	21930.168	0	-			.	.	.							4558.6508		
1	21927.897	0S	28831-	6903	97	6.5-	7.5	.	.						4559.1229		
	21922.556	4	-			.	.	.		-1197	-306	576	811	1041	1197	4560.2336	
	21921.840	6	-			.	.	.							4560.3826		
1	21920.449	1S	21920-	0	79	5.5-	5.5	.	.						4560.6720		
	21907.617	1	-			.	.	.							4563.3434		
	21904.379	1	-			.	.	.		-2034	-550	1011			4564.0179		
	21898.304	1	-			.	.	.		+1274	332	647	913		4565.2841		
1	21888.527	0S	28531-	6643	77	4.5-	4.5	.	.						4567.3233		
	21881.520	1	-			.	.	.		-59*					4568.7859		
1	21878.830	1	27063-	5184	90	4.5-	5.5	.	.						4569.3477		
	21867.624	0S	-			.	.	.		95*					4571.6892		
1	21865.890	1W	23899-	2033	45	5.5-	4.5	.	.						4572.0518		
1	21851.373	5	21851-	0	58	5.5-	5.5	.	.	+0556	574	162	296	413	4575.0893		
	21849.430	5	-			.	.	.							4575.4962		
1	21839.785	1S	21839-	0	45	4.5-	5.5	.	.						4577.5168		
1	21839.785	1S	32342-	10502	15	7.5-	7.5	.	.						4577.5168		
	21836.549	0	-			.	.	.		-81*					4578.1952		
1	21826.689	0	25277-	3450	4	4.5-	3.5	.	.						4580.2634		
1	21808.959	0S	25311-	3502	74	5.5-	6.5	.	.						4583.9871		
	21808.134	0	-			.	.	.		-104*					4584.1605		
1	21796.971	1S	7315-	29112	41	4.5-	3.5	.	.						4586.5082		
1	21793.286	0S	29665-	7871	76	3.5-	4.5	.	.						4587.2838		
	21786.197	0	-			.	.	.		-48*					4588.7764		
	21779.620	2	-			.	.	.		-1537	-392	752	1063	1330	1537	4590.1622	
	21774.984	0S	-			.	.	.							4591.1395		
	21771.654	2W	-			.	.	.							4591.8417		
1	21769.592	1	28673-	6903	42	7.5-	7.5	.	.						4592.2766		
1	21746.156	2	23779-	2033	156	5.5-	4.5	.	.	-1005*	-1037	-261	503	696	4597.2258		
1	21740.309	2	31761-	10020	-11	9.5-	8.5	.	.	-0939	-1047*	-287	507	666	890	939	4598.4623
	21728.590	5	-			.	.	.							4600.9424		
	21719.566	1	-			.	.	.							4602.8541		
	21718.980	4	-			.	.	.		-1822					4602.9782		
	21718.230	1	-			.	.	.		-1405*	-413	702			4603.1372		
	21706.985	2S	-			.	.	.							4605.5218		

TABLE I (Contd.)

C	WAVENUMBER	I	T2	-	T1	O-C	J2	-	J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS	CALC	HFS 2	DIAGONAL 3	4	COMPONENTS 5	6	WAVELENGTH
	21224.488	1S	-				.	-	.	.	.									4710.2209
	21203.227	0S	-				.	-	.	.	.									4714.9441
	21198.880	0	-				.	-	.	.	.									4715.9109
1	21189.208	0S	30139-	8950	13	6.5-	6.5			.	.			17*						4718.0636
1	21183.334	0S	23217-	2033	39	3.5-	4.5			.	.			-117*						4719.3719
1	21181.334	0	27824-	6643	-56	5.5-	4.5			.	.			-561						4719.8175
	21174.344	0S	-				.	-	.	.	.									4721.3756
	21170.860	6	-				.	-	.	.	.									4722.1526
	21159.365	0V	-				.	-	.	.	.									4724.7180
	21127.050	2	-				.	-	.	.	.		+1000*		260	513	734	913		4731.9448
	21124.360	2	-				.	-	.	.	.		-1927		-483	888	1298	1583	1927	4732.5474
1	21103.937	0S	28975-	7871	7	3.5-	4.5			.	.			-23*						4737.1273
	21093.600	6	-				.	-	.	.	.									4739.4488
	21085.120	2	-				.	-	.	.	.		-0587		-155	306				4741.3549
	21083.680	3	-				.	-	.	.	.		+1633		421	790	1112	1403	1633	4741.6788
1	21075.338	0S	28867-	7792	108	7.5-	6.5			.	.			109						4743.5556
1	21063.001	1	32342-	11279	71	7.5-	7.5			.	.		+0500*	629*	117	236				4746.3341
	21061.790	1	-				.	-	.	.	.		+		139					4746.6070
	21060.681	0	-				.	-	.	.	.				*	*	698	*		4746.8569
	21050.080	3	-				.	-	.	.	.		+0540		108					4749.2475
1	21040.316	3	21040-	0	1	5.5-	5.5			.	.		-1032	-1040	-		698	848	1032	4751.4515
	21037.880	4	-				.	-	.	.	.		-1804		-472	878	1217			4752.0017
1	21025.900	3	24528-	3502	20	7.5-	6.5			.	.		-0668	-692	-167	325	465	578	668	4754.7093
1	21019.719	0	23053-	2033	94	5.5-	4.5			.	.		-0530*	-553	-142	265				4756.1075
	21009.374	0S	-				.	-	.	.	.									4758.4494
	20987.924	4P	-				.	-	.	.	.									4763.3127
1	20968.330	3W	23002-	2033	45	4.5-	4.5			.	.			-342						4767.7638
	20956.324	0	-				.	-	.	.	.		+0535		142	262				4770.4954
	20941.307	1	-				.	-	.	.	.									4773.9163
	20937.954	0	-				.	-	.	.	.									4774.6808
	20933.871	1S	-				.	-	.	.	.									4775.6121
1	20925.074	0S	26110-	5184	39	5.5-	5.5			.	.			-155*						4777.6198
	20901.397	0	-				.	-	.	.	.									4783.0320
1	20899.843	0	27543-	6643	13	5.5-	4.5			.	.			2*						4783.3876
1	20895.918	0	25511-	4615	68	3.5-	2.5			.	.			-202						4784.2861
1	20887.389	0	24390-	3502	29	6.5-	6.5			.	.		-0720	-735	-162	323	474	606	720	4786.2397
1	20885.526	0S	20885-	0	56	5.5-	5.5			.	.			-98						4786.6667
	20858.659	1S	-				.	-	.	.	.									4792.8322
	20852.920	1	-				.	-	.	.	.									4794.1513
1	20851.713	0	27743-	6892	73	4.5-	3.5			.	.			-151*						4794.4288
	20846.610	1Q	-				.	-	.	.	.		+		251	468				4795.6025
1	20836.879	3P	20836-	0	44	4.5-	5.5			.	.			283						4797.8421
	20822.360	4	-				.	-	.	.	.		-0893		-261	474	655			4801.1876
1	20785.760	2	25970-	5184	175	5.5-	5.5			.	.		-0754	-751	-226	393				4809.6417
1	20765.763	0	34472-	13706	28	7.5-	6.5			.	.		-0449	-488*	-146					4814.2734
1	20760.887	2	22794-	2033	22	4.5-	4.5			.	.			131*						4815.4041
	20760.000	5	-				.	-	.	.	.									4815.6098
	20738.520	0S	-				.	-	.	.	.									4820.5977
	20706.100	3	-				.	-	.	.	.		-0656		-168	327	458			4828.1455
1	20693.691	0S	27337-	6643	11	5.5-	4.5			.	.			-48*						4831.0408
	20670.740	2	-				.	-	.	.	.		-1003		-278	477	671	873	1003	4836.4048
1	20638.739	0S	24141-	3502	29	5.5-	6.5			.	.			-29*						4843.9039
1	20634.138	3	24136-	3502	28	7.5-	6.5			.	.		-1225*	-1299	-319	612	890	1123		4844.9840
1	20633.312	2	24136-	3502	-3	6.5-	6.5			.	.			-44*						4845.1780
1	20628.070	5	27531-	6903	85	8.5-	7.5			.	.		-1044	-1036	-233	459	673	868	1044	4846.4092

TABLE I (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS CALC	HFS 2	DIAGONAL 3	COMPONENTS 4	5	6	WAVELENGTH
1	20608.351	0S	28400- 7792	31	7.5- 6.5	.	.		-74*						4851.0466
1	20605.948	1	24056- 3450	-67	2.5- 3.5	.	.		390*						4851.6123
1	20575.221	1	24026- 3450	6	3.5- 3.5	.	.		540						4858.8578
1	20568.745	2	22602- 2033	20	3.5- 4.5	.	.		457						4860.3876
	20562.360	5	-		.	.	.		+0781	199	384	533			4861.8969
	20493.220	6	-		.	.	.		-0733	-232	412				4878.3002
1	20487.740	4	22521- 2033	35	3.5- 4.5	.	.		+0758	165	342	507	652	758	4879.6050
1	20472.792	0	25657- 5184	37	5.5- 5.5	.	.		-38						4883.1679
1	20469.615	0	5456-25925	5	3.5- 3.5	.	.		30*						4883.9258
1	20458.458	0	23961- 3502	18	7.5- 6.5	.	.		-0581	-584	-111	239	345	464	4886.5892
	20435.150	4	-		.	.	.		+0805		172	361	544		4892.1629
	20429.500	1	-		.	.	.		-0950*		-250	461	642	796	4893.5159
	20424.510	0S	-		.	.	.								4894.7115
1	20401.088	0S	23903- 3502	18	5.5- 6.5	.	.		-57						4900.3310
	20391.281	0	-		.	.	.								4902.6878
	20358.890	4	-		.	.	.		+0748	186	336	479	651	748	4910.4881
1	20350.169	1	22383- 2033	144	3.5- 4.5	.	.		-382						4912.5925
	20346.561	0	-		.	.	.								4913.4637
1	20344.344	0	33292-12947	9	7.5- 8.5	.	.		-53*						4913.9991
	20323.404	0S	-		.	.	.								4919.0623
1	20289.318	3	25474- 5184	23	6.5- 5.5	.	.		-1091	-1070	-286	524	735	907	4927.3264
	20235.296	0S	-		.	.	.								4940.4810
	20229.740	2	-		.	.	.		-0500*		-222	462			4941.8379
1	20209.455	0	22243- 2033	10	4.5- 4.5	.	.		-191						4946.7983
	20129.070	3	-		.	.	.		-1260		-388	714	943		4966.5535
1	20106.282	0S	25291- 5184	32	6.5- 5.5	.	.		151						4972.1825
	20092.289	0S	-		.	.	.								4975.6454
	20068.700	3	-		.	.	.		+0802	207	397	570			4981.4939
	20066.505	1S	-		.	.	.								4982.0388
1	20058.012	1S	27929- 7871	42	4.5- 4.5	.	.		-23*						4984.1484
1	20056.291	1	25241- 5184	71	5.5- 5.5	.	.		-277						4984.5760
1	20050.935	4S	20050- 0	15	6.5- 5.5	.782	.657	125	-64						4985.9075
1	20018.623	1S	22052- 2033	3	4.5- 4.5	.85	.64	.213	133*						4993.9554
	20005.660	2	-		.	.	.		+0900*	207	391	520			4997.1913
1	19992.835	5	19992- 0	35	5.5- 5.5	.	.		+0531	542	145	268	369	467	5000.3970
1	19986.042	0	19985- 0	47	4.5- 5.5	1.02	.66	.362	248						5002.0966
1	19985.770	4	26629- 6643	-20	4.5- 4.5	.	.		-53		19986	0			5002.1647
1	19965.460	4	26869- 6903	-130	8.5- 7.5	.	.		-1071	-1075	-248	480	699	894	5007.2532
1	19953.070	3	27824- 7871	40	5.5- 4.5	.	.		-0579	-586	-147				5010.3625
1	19916.706	1S	28867- 8950	61	7.5- 6.5	.	.		256						5019.5106
1	19906.285	3	19906- 0	20	5.5- 5.5	.89	.66	.227	+0415	421	143	244			5022.1384
	19897.750	4	-		.	.	.		+2280		593	1138	1570	1962	5024.2926
1	19892.782	1S	23343- 3450	47	4.5- 3.5	.	.		5						5025.5474
	19854.520	4	-		.	.	.								5035.2323
1	19845.330	1S	21879- 2033	0	3.5- 4.5	.	.		173						5037.5641
1	19829.230	4	29850-10020	80	8.5- 8.5	.	.		-0953	-947	-235	454			5041.6543
	19822.100	3	-		.	.	.		+1750*		460	873			5043.4678
	19819.879	1S	-		.	.	.								5044.0330
1	19817.400	6	21851- 2033	20	5.5- 4.5	.	.		+0524	531	104	215	337		5044.6640
1	19801.979	2	23304- 3502	34	6.5- 6.5	.	.		-0470	-484	-111	213	310	398	5048.5926
	19779.050	4	-		.	.	.		-1245		-342				5054.4453
1	19736.710	4	31214-11478	60	5.5- 5.5	.	.		-129						5065.2884
	19735.896	0S	-		.	.	.								5065.4973
1	19646.657	2S	19646- 0	27	4.5- 5.5	.	.		-126						5088.5061
1	19613.020	0S	24798- 5184	-15	6.5- 5.5	.	.		-180						5097.2332

TABLE I (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS CALC	HFS 2	DIAGONAL 3 4	COMPONENTS 5 6	WAVELENGTH
1	19592.321	1S	26495- 6903	11	6.5- 7.5	.	.	.	10				5102.6184
1	19550.747	2	23053- 3502	17	5.5- 6.5	.	.	.	-0484 -490	- 91	202 309	412 484	5113.4691
1	19540.510	4	26652- 7112	70	5.5- 5.5	.	.	.	-1790 -1801	-483	892 1264	1545 1790	5116.1480
	19523.480	4	-		.	.	.	.	-2200*	-636	1089 1454		5120.6108
1	19517.066	1S	21551- 2033	1	5.5- 4.5	1.005	.615	.390	-116*				5122.2936
1	19474.513	2	26377- 6903	53	7.5- 7.5	.	.	.	-323				5133.4863
1	19449.703	1S	28400- 8950	-32	7.5- 6.5	.	.	.	73*				5140.0346
1	19441.186	0	24056- 4615	-84	2.5- 2.5	.	.	.	+0307 344*	117			5142.2865
1	19391.590	4	29412-10020	-20	9.5- 8.5	.	.	.	-1136 -1147*	-276	538		5155.4386
	19382.320	4H	-		.	.	.	.	-1739	-448	842 1198	1484 1739	5157.9043
	19359.600	4H	-		.	.	.	.	-1193	-309	593 828	1017 1193	5163.9576
1	19343.822	0S	22794- 3450	-13	4.5- 3.5	.	.	.	81*				5168.1697
	19332.360	4H	-		.	.	.	.	-1816	-415	816 1197	1519 1816	5171.2339
	19327.040	4	-		.	.	.	.	+1259	290	569 833	1060 1259	5172.6573
1	19321.711	3	21355- 2033	-64	5.5- 4.5	.	.	.	+0437 563	135 255			5174.0840
	19316.110	4	-		.	.	.	.	+1887	474 930	1323 1627	1887	5175.5843
	19306.420	4	-		.	.	.	.	-1566	-483	880 1187	1419 1566	5178.1820
	19302.780	4	-		.	.	.	.	+1207	309 576	830 1032	1207	5179.1585
	19233.850	3	-		.	.	.	.	+1872	492 928	1386 1615	1872	5197.7197
1	19233.510	4	19233- 0	10	4.5- 5.5	.	.	.	-0650 -646	-156	313 449	563 650	5197.8116
	19224.600	4	-		.	.	.	.	+1705	438 841	1183		5200.2206
1	19212.984	0	27005- 7792	-26	6.5- 6.5	.	.	.	-225				5203.3647
1	19205.120	3	24390- 5184	-75	6.5- 5.5	.	.	.	-0795 -796	-221	406 561	704 795	5205.4953
	19188.700	2	-		.	.	.	.	-1185*	-270*	525* 765*	975* 1185*	5209.9498
1	19133.060	4	26245- 7112	-55	6.5- 5.5	.	.	.	-1920 -1900	-506	942 1324	1666 1920	5225.1008
1	19108.550	2	26012- 6903	0	8.5- 7.5	.	.	.	-1360 -1333				5231.8030
1	19100.860	3	19100- 0	45	4.5- 5.5	.	.	.	-0431 -422				5233.9093
	19086.020	4	-		.	.	.	.	-0925	-311	546		5237.9789
	19086.020	4	-		.	.	.	.	-0925	-311	546		5237.9789
1	19065.721	1	25969- 6903	11	8.5- 7.5	.	.	.	-0417 -437	-114	214		5243.5558
1	19041.390	4	27991- 8950	25	7.5- 6.5	.	.	.	-1033 -1057	-263	490 693	869 1033	5250.2560
1	19029.432	0	26901- 7871	-33	3.5- 4.5	.	.	.	27*				5253.5553
	19009.040	2	-		.	.	.	.	-1432	-365	687 950	1213 1432	5259.1911
	18976.661	1S	-		.	.	.	.					5268.1648
1	18956.543	0S	24141- 5184	-2	5.5- 5.5	.	.	.	-90*				5273.7558
1	18935.918	1S	20969- 2033	-22	3.5- 4.5	.	.	.	174				5279.5000
1	18934.660	4	27885- 8950	15	7.5- 6.5	.	.	.	-1010 -1023	-260	494 685	857 1010	5279.8508
1	18911.913	2S	22414- 3502	-7	5.5- 6.5	.	.	.	79				5286.2014
	18909.660	2H	-		.	.	.	.	-1125	-274	534 735	952 1125	5286.8312
	18894.340	4	-		.	.	.	.	-1469	-378	719 1018	1256 1469	5291.1180
	18877.010	4	-		.	.	.	.					5295.9755
	18868.690	4	-		.	.	.	.	-1437	-485	844 1075*	1318* 1437	5298.3108
1	18858.130	2	25970- 7112	-20	5.5- 5.5	.	.	.	-2407 -2410	-659	1218 1690	2078 2407	5301.2777
1	18851.533	1S	20885- 2033	-2	5.5- 4.5	.	.	.	-141				5303.1329
	18847.120	4	-		.	.	.	.	-1459	-453	821 1117	1337 1459	5304.3746
	18845.050	2	-		.	.	.	.	-0670				5304.9573
	18839.360	3	-		.	.	.	.	-0898	-214	414 599	756 898	5306.5595
	18836.970	3	-		.	.	.	.	-0998	-228	442 642	813 998	5307.2328
	18829.080	5S	-		.	.	.	.					5309.4568
1	18813.290	3	31761-12947	-25	9.5- 8.5	.	.	.	-0994 -973*	-241	454*	795 994	5313.9130
	18806.500	4L	-		.	.	.	.	-0909				5315.8316
	18803.520	5	-		.	.	.	.	-1500*	-355	696 1022	1500*	5316.6741
1	18802.863	2	20836- 2033	-37	4.5- 4.5	.	.	.	240				5316.8599
1	18796.574	0	23412- 4615	-6	3.5- 2.5	.	.	.	186				5318.6388
	18785.680	4	-		.	.	.	.	-1583	-369	724 1041	1326 1583	5321.7232

TABLE I (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS CALC	HFS 2	DIAGONAL 3	COMPONENTS 4	5	6	WAVELENGTH
1	18773.940	4	22276- 3502	-20	5.5- 6.5	.	.	.	-0965 -954	-248	477	669	827	965	5325.0511
1	18748.226	4	22251- 3502	-24	6.5- 6.5	.	.	.	-0650 -675	-150	292	441	556	650	5332.3547
1	18728.406	3	18728- 0	21	5.5- 5.5	.	.	.	-0785 -783	-182	369	522	666	785	5337.9979
1	18692.280	2	28713-10020	210	9.5- 8.5	.	.	.	-1929* -1910	-482*	880*	1279*	1615*	1929*	5348.3146
1	18652.200	4	23837- 5184	65	6.5- 5.5	.	.	.	-0450 -364	-180	.	.	.	.	5359.8073
	18633.759	OW	-	.	.	.	.	.	.	.	.	.	.	.	5365.1117
	18623.480	4	-	.	.	.	.	.	+0949	246	486	680	841	949	5368.0729
1	18601.544	0	23217- 4615	24	3.5- 2.5	.	.	.	-213*	.	.	.	.	.	5374.4033
	18578.820	6	-	.	.	.	.	.	+1327	328	651	933	1165	1327	5380.9769
	18564.540	4	-	.	.	.	.	.	.	.	.	.	.	.	5385.1160
1	18555.752	3	22058- 3502	-3	6.5- 6.5	.	.	.	-240	.	.	.	.	.	5387.6665
	18550.104	1	-	.	.	.	.	.	.	.	.	.	.	.	5389.3069
	18539.840	4	-	.	.	.	.	.	-2051	-623	1138	1545	1842	2051	5392.2905
1	18529.810	4H	31459-12930	30	10.5- 9.5	.	.	.	-2370 -2367	-558	1074	1538	.	.	5395.2094
1	18528.844	0	25432- 6903	24	8.5- 7.5	.	.	.	-211	.	.	.	.	.	5395.4906
	18495.970	1S	-	.	.	.	.	.	.	.	.	.	.	.	5405.0805
1	18453.586	0S	26245- 7792	61	6.5- 6.5	.	.	.	-106	.	.	.	.	.	5417.4949
1	18445.281	0	28400- 9955	41	7.5- 6.5	.	.	.	-182*	.	.	.	.	.	5419.9342
1	18439.400	0	25551- 7112	-100	5.5- 5.5	.	.	.	-2340 -2374	-590	1160	1648	2035	2340	5421.6628
	18406.389	0S	-	.	.	.	.	.	.	.	.	.	.	.	5431.3864
1	18394.428	2	23579- 5184	8	4.5- 5.5	.	.	.	-0445 -485	-134	.	.	.	.	5434.9183
	18380.107	0	-	.	.	.	.	.	.	.	.	.	.	.	5439.1530
1	18361.860	4	25474- 7112	0	6.5- 5.5	.	.	.	-2738 -2729	-710	1336	1876	2336	2738	5444.5581
1	18355.870	4	23540- 5184	-35	5.5- 5.5	.	.	.	415	.	.	.	.	.	5446.3349
1	18354.760	1	32061-13706	-25	5.5- 6.5	.	.	.	122	.	.	.	.	.	5446.6642
1	18287.850	5H	31217-12930	0	9.5- 9.5	.	.	.	-1418 -1428	-329	646	923	1187	1418	5466.5922
1	18270.000	5H	31217-12947	5	9.5- 8.5	.	.	.	-1428 -1423	-332	635	927	1185	1428	5471.9332
1	18200.435	3	18200- 0	-95	4.5- 5.5	.	.	.	+0524 538	200	.	.	.	.	5492.8481
1	18189.720	4	21640- 3450	-45	3.5- 3.5	.	.	.	+1036 1058	254	502	.	.	.	5496.0838
1	18158.703	2S	23343- 5184	-2	4.5- 5.5	.	.	.	57	.	.	.	.	.	5505.4718
	18136.882	0S	-	.	.	.	.	.	.	.	.	.	.	.	5512.0956
	18135.920	4	-	.	.	.	.	.	.	.	.	.	.	.	5512.3880
	18119.940	4	-	.	.	.	.	.	.	.	.	.	.	.	5517.2494
1	18014.790	3	24489- 6474	-70	2.5- 1.5	.	.	.	44*	.	.	.	.	.	5549.4533
	18014.620	4	-	.	.	.	.	.	.	.	.	.	.	.	5549.5056
	18013.290	4	-	.	.	.	.	.	-1046	-289	530	735	906	1046	5549.9154
1	17962.487	4	25075- 7112	-243	6.5- 5.5	.	.	.	-2648 -2647	*	1321	2280	.	.	5565.6123
1	17920.840	4	32589-14669	90	3.5- 3.5	.	.	.	-200*	.	.	.	.	.	5578.5466
	17920.630	4	-	.	.	.	.	.	.	.	.	.	.	.	5578.6119
1	17897.503	1S	28400-10502	-7	7.5- 7.5	.	.	.	-25*	.	.	.	.	.	5585.8206
	17895.720	4	-	.	.	.	.	.	.	.	.	.	.	.	5586.3772
1	17868.587	4	23053- 5184	22	5.5- 5.5	.	.	.	-0619 -551	-221	354	460	.	.	5594.8600
1	17865.704	0S	25657- 7792	-26	5.5- 6.5	.	.	.	97	.	.	.	.	.	5595.7629
1	17865.704	0S	30712-12846	34	5.5- 4.5	.	.	.	-42*	.	.	.	.	.	5595.7629
1	17859.203	4	17859- 0	3	5.5- 5.5	.	.	.	-1027 -1032	-271	509	715	888	1027	5597.7999
1	17852.807	1	21355- 3502	-73	5.5- 6.5	.	.	.	+0623 626	199	351	.	.	.	5599.8054
1	17846.760	6	27867-10020	0	8.5- 8.5	1.13	1.13	.	-0538 -527*	-129	.	.	.	.	5601.7028
1	17831.974	1	21282- 3450	89	2.5- 3.5	.96	.60	.358	-159	.	.	.	.	.	5606.3477
	17820.840	4H	-	.	.	.	.	.	-2039*	-442	867	1248	.	2039	5609.8504
	17802.370	6	-	.	.	1.105	.620	.485	.	.	.	.	.	.	5615.6707
	17779.580	4	-	.	.	.	.	.	.	.	.	.	.	.	5622.8690
	17749.260	6L	-	.	.	.	.	.	+1885	641	1143	1524	1770	1885	5632.4743
	17718.350	6L	-	.	.	.	.	.	+0734	203	385	542	663	734	5642.3003
1	17702.240	4	26652- 8950	-25	5.5- 6.5	.	.	.	140	.	.	.	.	.	5647.4352
1	17688.100	5	22303- 4615	-100	2.5- 2.5	.	.	.	+0863 1002	329	.	.	.	.	5651.9498

TABLE I (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS CALC	HFS 2	DIAGONAL 3	COMPONENTS 4	COMPONENTS 5	COMPONENTS 6	WAVELENGTH
1	17685.600	6	24798- 7112	0	6.5- 5.5	.	.		-1821 -1839	-491	918 1282	1578 1821			5652.7488
	17672.120	4	-		.	.	.		-0841	-254	467 644				5657.0607
	17670.040	8Q	-		.	.	.								5657.7266
	17648.890	4	-		.	.	.								5664.5067
1	17640.910	4	2831-20471	15	2.5- 3.5	.	.		-135						5667.0691
	17637.445	1	-		.	.	.								5668.1825
1	17625.282	3	24528- 6903	22	7.5- 7.5	.	.		-0661 -668	-169	321 454	571 661			5672.0941
	17623.710	4	-		.	.	.		+3900*		1966 2639				5672.6000
1	17612.677	2S	19646- 2033	-18	4.5- 4.5	.	.		-169						5676.1535
1	17609.820	4	22794- 5184	15	4.5- 5.5	.	.		133*						5677.0744
	17595.590	4	-		.	.	.		+1025	281	525 737	913 1025			5681.6656
	17592.590	4	-		.	.	.								5682.6345
1	17587.590	4	28867-11279	10	7.5- 7.5	.	.		+0889 868	215	415 589	747 889			5684.2501
	17578.126	1	-		.	.	.								5687.3105
1	17537.445	5	21040- 3502	-40	6.5- 6.5	.	.		-1015 -1020	-267	501 703	873 1015			5700.5033
	17508.573	1	-		.	.	.		+0544	156	310 445				5709.9036
	17498.580	6	-		.	.	.								5713.1644
	17498.466	1	-		.	.	.								5713.2016
	17496.660	5	-		.	.	.		+0508	173	314				5713.7914
1	17489.140	4	27991-10502	0	7.5- 7.5	.	.		-1150 -1155	-302	574 791	996 1150			5716.2482
1	17486.740	5	24390- 6903	0	6.5- 7.5	.	.		-0706 -711	-162	320 464	591 706			5717.0328
1	17439.810	4	25311- 7871	-45	5.5- 4.5	.	.		-223*						5732.4173
	17411.582	2	-		.	.	.		+0550	166	317 447				5741.7109
1	17396.490	4	22581- 5184	-15	4.5- 5.5	.	.		181						5746.6920
	17389.720	4	-		.	.	.								5748.9293
1	17385.800	4	20836- 3450	-70	4.5- 3.5	.	.		190						5750.2255
1	17382.618	2S	20885- 3502	-22	5.5- 6.5	.	.		-78						5751.2782
	17375.803	0S	-		.	.	.								5753.5339
1	17321.138	3L	2831-20152	-2	2.5- 3.5	.	.		-0772 -773	-264	441 584	705 772			5771.6921
1	17309.099	2W	2831-20140	52	2.5- 3.5	.430	1.040	.610	-243						5775.7065
	17304.957	1S	-		.	.	.								5777.0889
	17303.128	1	-		.	.	.								5777.6996
	17291.296	1	-		.	.	.								5781.6532
	17289.635	1	-		.	.	.								5782.2086
1	17283.100	6	25075- 7792	-40	6.5- 6.5	.	.		-0846 -853	-238	437 606	745 846			5784.3950
1	17277.754	3	24390- 7112	-6	6.5- 5.5	.	.		-2453 -2455	-627	1201 1698	2119 2453			5786.1848
	17246.885	2P	-		.	.	.								5796.5412
	17243.300	4	-		.	.	.								5797.7463
	17234.132	1S	-		.	.	.								5800.8306
	17233.828	1S	-		.	.	.								5800.9329
1	17233.229	1	28711-11478	-16	5.5- 5.5	.	.		-370						5801.1345
1	17232.700	3S	24136- 6903	5	6.5- 7.5	.	.		-20*						5801.3126
1	17224.308	2W	22409- 5184	-27	4.5- 5.5	.	.		431						5804.1391
1	17199.530	4	19233- 2033	-35	4.5- 4.5	.	.		-0874 -689	-205	374 521				5812.5008
	17168.510	4	-		.	.	.		-0851	-190	378 572	736 851			5823.0029
	17161.740	3H	-		.	.	.		-2048	-469	903 1319	1684 2048			5825.3000
1	17104.330	4	24896- 7792	60	7.5- 6.5	.	.		-1042 -1036	-254	477 690	871 1042			5844.8525
1	17091.854	3	22276- 5184	59	5.5- 5.5	.	.		-0970 -1015	-301	576				5849.1190
1	17088.350	1	23731- 6643	45	5.5- 4.5	.	.		-48*						5850.3184
1	17066.919	5	19100- 2033	39	4.5- 4.5	.	.		-0460 -465	-284					5857.6647
	17064.530	4H	-		.	.	.		-1796	-423	819 1157	1490 1796			5858.4848
1	17057.851	0	23961- 6903	31	7.5- 7.5	.	.		-560						5860.7787
1	17019.980	4	25970- 8950	5	5.5- 6.5	.	.		-0454 -469	-122	236				5873.8196
1	17011.000	4	24026- 7015	0	3.5- 2.5	.	.		360						5876.9203
1	17007.749	6P	17007- 0	49	6.5- 5.5	.790	.660	.130	-0400*	-372					5878.0437

TABLE I (Contd.)

C	WAVENUMBER	I	T2	- T1	O-C	J2	- J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH		HFS 2	DIAGONAL		COMPONENTS		WAVELENGTH
											OBS	CALC		3	4	5	6	
1	17006.060	4	24798-	7792	50	6.5-	6.5	.	.			-45						5878.6275
	17002.790	4	-			.	.	.	.									5879.7581
1	17000.471	1	23903-	6903	21	5.5-	7.5	.	.			-33						5880.5602
	16998.480	4	-			.	.	.	.									5881.2489
1	16990.320	4	27011-	10020	30	7.5-	8.5	.	.		-1440	-1464	-348	676	963	1224	1440	5884.0736
	16986.140	4	-			.	.	.	.									5885.5216
	16961.734	4	-			.	.	.	.									5893.9902
1	16949.964	3	20400-	3450	-36	2.5-	3.5	.	.		-0288	-316	-184					5898.0830
1	16943.251	4C	20394-	3450	76	3.5-	3.5	.	.		-1261	-1236	-418	739	948			5900.4199
1	16935.900	5	23579-	6643	-15	4.5-	4.5	.	.		-0500	-518	-163	287				5902.9810
	16927.820	4	-			.	.	.	.		-1030		-294	542	715	877	1030	5905.7986
	16923.740	3	-			.	.	.	.		-0630		-197	353				5907.2224
1	16873.517	1	22058-	5184	-73	6.5-	5.5	.	.			-301						5924.8051
	16867.250	4	-			.	.	.	.									5927.0065
	16860.890	4	-			.	.	.	.									5929.2422
	16851.162	2S	-			.	.	.	.									5932.6651
1	16848.040	4	26869-	10020	-20	8.5-	8.5	.	.		-1029	-1022	-246	470	676	863	1029	5933.7645
1	16831.590	5	25782-	8950	-85	5.5-	6.5	.	.			318						5939.5637
1	16819.210	4	22004-	5184	-75	6.5-	5.5	.	.			-307						5943.9357
	16792.600	4L	-			.	.	.	.		-0448		-169	287				5953.3547
	16786.930	4	-			.	.	.	.									5955.3655
1	16767.740	2	25474-	8706	10	5.5-	5.5	.	.		-0995	-1000	-262	496	691	858	995	5962.1813
	16756.890	4	-			.	.	.	.		-1097		-290	553	770			5966.0418
	16742.311	0S	-			.	.	.	.									5971.2370
	16741.512	0W	-			.	.	.	.									5971.5220
	16740.930	2	-			.	.	.	.		-0603							5971.7296
	16738.143	2	-			.	.	.	.									5972.7239
1	16737.820	4H	32789-	16051	0	11.5-	10.5	.	.		-2260*	-2277	-524	1013	1470		2260*	5972.8392
1	16736.690	4	24528-	7792	0	7.5-	6.5	.	.		-0613	-618						5973.2424
	16726.590	2	-			.	.	.	.		-0664		-202	345				5976.8493
1	16724.700	3	23837-	7112	0	6.5-	5.5	.	.		-2023	-2023	-504	975	1385	1731	2023	5977.5247
	16698.140	5	-			.	.	.	.									5987.0326
1	16694.459	5	18728-	2033	9	5.5-	4.5	.	.		-0837	-826	-236	431	592	737	837	5988.3527
	16693.050	4	-			.	.	.	.		-0840		-231	434	588	729	840	5988.8582
1	16682.968	0S	23326-	6643	-7	5.5-	4.5	.	.			105						5992.4775
	16667.368	1	-			.	.	.	.									5998.0862
1	16667.127	0S	21282-	4615	-13	2.5-	2.5	.	.			-205						5998.1730
1	16661.490	2	28221-	11560	-70	6.5-	5.5	.	.		-1328*	-1329	-305	567	817	1026	1328	6000.2023
	16654.000	2	-			.	.	.	.		+1551		398	721	1050	1307	1551	6002.9009
	16651.910	6	-			.	.	.	.		-0918		-263	482	653	806	918	6003.6543
	16634.820	4	-			.	.	.	.		-1197		-334	608	844	1039	1197	6009.8223
1	16630.960	6P	21246-	4615	0	1.5-	2.5	.	.		+1328*	1374	543	958	1328			6011.2172
	16615.680	3H	-			.	.	.	.		-1739*		-435*	789*	1159*	1465*	1739*	6016.7452
	16607.000	2	-			.	.	.	.			127						6019.8900
1	16601.270	3	25551-	8950	-55	5.5-	6.5	.	.		-0384	-433	-105	198				6021.9678
	16595.500	4	-			.	.	.	.		-0855		-242	445	607	748	855	6024.0616
1	16573.766	2	23217-	6643	36	3.5-	4.5	.	.			-148*						6031.9613
	16573.610	6	-			.	.	.	.									6032.0181
1	16570.340	3	26264-	9694	10	6.5-	5.5	.	.		-0611	-638	-177	321	442			6033.2085
1	16548.065	3S	20050-	3502	-25	6.5-	6.5	.	.	.085		-44						6041.3297
	16543.391	1S	-			.	.	.	.									6043.0366
1	16542.720	4	2831-	19373	-50	2.5-	3.5	.	.		-1146	-1113	-383	659	866	1018	1146	6043.2817
	16541.920	3	-			.	.	.	.		+1350*		347	678				6043.5740
1	16515.999	0	21131-	4615	-11	2.5-	2.5	.	.		-0682	-718	-231	434	574			6053.0591
1	16507.783	1	16507-	0	53	4.5-	5.5	.	.		+0506	522						6056.0718

TABLE I (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS CALC	HFS 2	DIAGONAL 3	COMPONENTS 4	COMPONENTS 5	COMPONENTS 6	WAVELENGTH
1	16507.280	6	25213- 8706	0	5.5- 5.5	.	.	.	5*	.	.	.	.	.	6056.2563
	16483.160	3	-	-	.	.	.	.	.	.	.	.	.	.	6065.1186
1	16459.338	6C	16459- 0	-2	4.5- 5.5	.	.	.	+1438 1457	412	761	1049	1271	1438	6073.8969
	16443.770	6	-	-	.	.	.	.	+1090	306	586	821	.	.	6079.6473
1	16442.680	6	21058- 4615	20	1.5- 2.5	.	.	.	+0616 667	234	410	531	.	.	6080.0504
1	16428.630	2	23540- 7112	160	5.5- 5.5	.	.	.	-1235 -1244	-309	613	851	1068	1235	6085.2502
1	16407.794	3	29355-12947	-61	8.5- 8.5	.	.	.	-0541 -564	-149	276	386	474	541	6092.9778
	16382.900	6	-	-	.	.	.	.	+0720	208	385	.	.	.	6102.2362
1	16358.720	4	23002- 6643	0	4.5- 4.5	.	.	.	-0432 -373	-106	.	.	.	.	6111.2561
1	16354.183	4	18388- 2033	-32	3.5- 4.5	.	.	.	+0497 451	.	.	.	.	.	6112.9515
1	16352.980	5H	29283-12930	60	10.5- 9.5	.	.	.	-2100* -2147	.	.	.	.	.	6113.4012
1	16339.270	4	23242- 6903	40	7.5- 7.5	.	.	.	-0712 -729	-174	345	487	612	712	6118.5309
1	16334.038	6C	16334- 0	33	6.5- 5.5	.	.	.	-0900 -900	-226	431	615	770	900	6120.4907
1	16325.038	4	19827- 3502	-12	7.5- 6.5	.	.	.	-1513 -1507	-374	710	1016	1284	1513	6123.8650
	16315.490	5	-	-	.	.	.	.	.	.	.	.	.	.	6127.4488
1	16305.960	5	25999- 9694	10	5.5- 5.5	.	.	.	-0663 -684	-188	350	481	591	663	6131.0300
1	16305.960	5	29355-13049	5	8.5- 7.5	.	.	.	-0663 -693	-188	350	481	591	663	6131.0300
	16296.620	5	-	-	.	.	.	.	.	.	.	.	.	.	6134.5439
1	16276.500	5	25970- 9694	-40	5.5- 5.5	.	.	.	-0809 -809	-236	428	580	710	809	6142.1271
1	16264.192	4	20879- 4615	27	3.5- 2.5	.	.	.	-0502* -533	-122	264	.	.	.	6146.7752
1	16249.913	4L	19700- 3450	28	2.5- 3.5	.	.	.	+0995 981	271	518	708	866	995	6152.1765
1	16228.968	4	23132- 6903	8	8.5- 7.5	.	.	.	-1673 -1670	-403	774	1105	1404	1673	6160.1165
1	16211.898	3	26232-10020	-2	9.5- 8.5	.	.	.	-1871 -1867	-445	853	1215	1569	1871	6166.6027
1	16195.688	4	19646- 3450	23	4.5- 3.5	.742	.580	.162	-219	.	.	.	.	.	6172.7748
1	16195.688	4	28150-11954	18	5.5- 4.5	.	.	.	-103*	.	.	.	.	.	6172.7748
1	16192.390	4H	23304- 7112	45	6.5- 5.5	.	.	.	-2200* -2204	-576	1092	1517	1881	2200	6174.0321
1	16170.650	4	21355- 5184	-65	5.5- 5.5	.	.	.	+0573 565	155	286	401	491	573	6182.3326
	16162.941	1	-	-	.	.	.	.	.	.	.	.	.	.	6185.2813
1	16154.290	6R	16154- 0	0	4.5- 5.5	.	.	.	274	.	.	.	.	.	6188.5937
1	16140.320	5H	31459-15319	-30	10.5- 9.5	.	.	.	-2357 -2362	-566	1079	1553	1973	2357	6193.9502
1	16124.570	6	25075- 8950	15	6.5- 6.5	.	.	.	-0685 -706	-187	348	484	600	685	6200.0003
	16120.675	1S	-	-	3.5- 4.5	.83	.98	.145	.	.	.	.	.	.	6201.4984
	16119.670	3	-	-	.	.	.	.	-0987	-299	539	727	871	987	6201.8850
1	16091.499	1	24798- 8706	29	6.5- 5.5	.	.	.	-110	.	.	.	.	.	6212.7426
1	16083.338	6C	18117- 2033	-77	3.5- 4.5	.	.	.	+1431 1452	430	774	1068	1281	1431	6215.8951
1	16044.843	1W	25999- 9955	-47	5.5- 6.5	.	.	.	-599	.	.	.	.	.	6230.8085
	16043.080	4	-	-	.	.	.	.	.	.	.	.	.	.	6231.4932
	16036.971	0	-	-	.	.	.	.	.	.	.	.	.	.	6233.8670
	16036.550	3	-	-	.	.	.	.	-0649	-154	293	.	.	.	6234.0306
1	16034.640	5	24985- 8950	70	5.5- 6.5	.	.	.	308	.	.	.	.	.	6234.7732
	16020.700	1	-	-	.	.	.	.	.	.	.	.	.	.	6240.1983
1	16015.380	3	25970- 9955	-100	5.5- 6.5	.	.	.	-0700* -724	-191	362	509	.	.	6242.2712
1	16014.420	3	32061-16046	0	5.5- 5.5	.	.	.	-368	.	.	.	.	.	6242.6454
1	15993.029	0	27322-11329	9	4.5- 4.5	.	.	.	-603	.	.	.	.	.	6250.9951
1	15991.160	5	26012-10020	140	8.5- 8.5	.	.	.	-1301 -1280	-322	639	873	1102	1301	6251.7257
	15985.345	2	-	-	.	.	.	.	+0960	.	.	.	.	.	6253.9999
1	15941.250	4	23053- 7112	120	5.5- 5.5	.	.	.	-2222 -2210	-570	1087	1529	1911	2222	6271.2992
	15927.960	4	-	-	.	.	.	.	-0917	-202	402	588	745	917	6276.5319
	15926.694	2	-	-	.	.	.	.	-0501	-149	266	365	.	.	6277.0308
	15905.860	4	-	-	.	.	.	.	-1470	-413	777	1069	1307	1470	6285.2528
	15887.160	3	-	-	.	.	.	.	+0744	231	449	.	.	.	6292.6509
1	15855.351	3	21040- 5184	31	6.5- 5.5	.	.	.	-1087 -1081	-325	582	784	951	1084	6305.2753
1	15850.900	2	25358- 9507	20	3.5- 3.5	.	.	.	+0511 535	209	.	.	.	.	6307.0459
1	15834.120	4	25358- 9524	-50	3.5- 2.5	.	.	.	+0527 569	193	347	.	.	.	6313.7297
1	15832.056	1S	24110- 8278	16	3.5- 3.5	.	.	.	-64*	.	.	.	.	.	6314.5528

TABLE I (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS CALC	HFS 2	DIAGONAL 3	COMPONENTS 4	COMPONENTS 5 6	WAVELENGTH
1	15829.571	5C	22303- 6474	-49	2.5- 1.5	.	.	.	+0756 809	304	551	756	956 1092	6315.5441
1	15825.252	5	17859- 2033	-13	5.5- 4.5	.	.	.	-1092 -1075	-327	588	791		6317.2678
1	15823.830	6	2831-18654	100	2.5- 2.5	.	.	.	+0418 443					6317.8355
	15785.938	1	-	-	.	.	.	.						6333.0007
1	15785.151	2P	20400- 4615	-104	2.5- 2.5	.	.	.	-362					6333.3165
1	15782.614	4	19233- 3450	79	4.5- 3.5	.	.	.	-0725 -739	-228	394	526		6334.3345
1	15778.790	6	30712-14933	-10	5.5- 4.5	.	.	.	155*					6335.8697
1	15778.489	4	20394- 4615	59	3.5- 2.5	.	.	.	-1329 -1282	-355	663	926		6335.9905
1	15765.875	2P	22409- 6643	45	4.5- 4.5	.	.	.	398					6341.0599
1	15765.070	6H	28713-12947	5	3.5- 8.5	.	.	.	-1821 -1836	-451	860	1223	1583 1821	6341.3837
	15738.633	1S	-	-	.	.	.	.						6352.0357
1	15734.297	4P	19185- 3450	2	2.5- 3.5	.	.	.231	+0307 413	96				6353.7862
1	15733.690	2	24684- 8950	-80	5.5- 6.5	.	.	.	+0800* 823	222	418			6354.0313
	15721.104	2	-	-	.	.	.	.						6359.1183
1	15700.492	2	20885- 5184	17	5.5- 5.5	.	.	.	-139					6367.4668
	15693.371	0	-	-	.	.	.	.						6370.3561
1	15682.410	4	22794- 7112	40	4.5- 5.5	.	.	.	-1521 -1526*	-405	747	1060	1329 1521	6374.8086
	15655.597	1	-	-	.	.	.	.						6385.7267
1	15651.882	4P	20836- 5184	42	4.5- 5.5	.	.	.	242					6387.2423
1	15649.872	5L	19100- 3450	22	4.5- 3.5	.	.	.	-0502 -515	-178	303			6388.0627
1	15633.352	4	22276- 6643	62	5.5- 4.5	.	.	.	-1067 -1048	-318	575	778	938 1067	6394.8131
1	15629.256	0	27107-11478	66	4.5- 5.5	.	.	.	177					6396.4890
1	15628.550	5	27011-11382	90	7.5- 6.5	.	.	.	-1508 -1540	-411	749	1051	1300 1508	6396.7780
1	15624.030	6	29358-13734	-100	2.5- 3.5	.	.	.	28*					6398.6286
1	15540.434	0	23412- 7871	4	3.5- 4.5	.	.	.	226					6433.0487
1	15519.260	4	25474- 9955	70	6.5- 6.5	.	.	.	-1057 -1043	-260	497	706	901 1057	6441.8258
1	15512.854	3	23304- 7792	99	6.5- 6.5	.	.	.	-0386 -410	-126				6444.4860
1	15509.208	2	26012-10502	38	8.5- 7.5	.	.	.	-1227 -1234	-336	622	873	1064 1227	6446.0010
1	15491.920	4	22383- 6892	40	3.5- 3.5	.	.	.	-0563 -503	-166	290			6453.1944
	15472.900	4H	-	-	.	.	.	.	-1331	-300	586	851	1103 1331	6461.1270
1	15471.888	1S	23343- 7871	48	4.5- 4.5	.	.	.121	-1					6461.5496
	15453.470	5	-	-	.	.	.	.	-0503	-129	241			6469.2508
1	15450.668	4	23242- 7792	8	7.5- 6.5	.	.	.	-0667 -679	-204	370	500	598 667	6470.4240
1	15407.940	4H	31459-16051	-150	10.5-10.5	.	.	.	-2318 -2261					6488.3674
1	15381.140	5	25075- 9694	20	5.5- 5.5	.	.	.	-1026 -1046	-293	533	730	900 1026	6499.6728
	15348.360	4H	-	-	.	.	.	.	-1600*	-346	665	958		6513.5544
1	15347.640	5	22251- 6903	10	6.5- 7.5	.	.	.	-0634 -651	-145	275	415	533 634	6513.8600
	15339.924	1	-	-	.	.	.	.						6517.1365
1	15336.106	0	25291- 9955	-39	6.5- 6.5	.	.	.	178					6518.7590
	15336.106	0	-	-	3.5- 3.5	.	.	.245						6518.7590
	15329.960	2	-	-	.	.	.	.	+0645	125	251	381		6521.3725
1	15302.480	5	22414- 7112	160	5.5- 5.5	.	.	.	-1650* -1641	-443*	823	1152	1424 1650*	6533.0836
	15302.080	4	-	-	.	.	.	.						6533.2543
1	15291.121	0S	24985- 9694	-14	5.5- 5.5	.	.	.	-32					6537.9367
1	15291.121	0S	29358-14067	21	2.5- 2.5	.	.	.	132*					6537.9367
	15262.783	0	-	-	.	.	.	.						6550.0756
1	15261.518	3	23053- 7792	-22	5.5- 6.5	.	.	.	-0426 -416	-110	205	299		6550.6185
	15245.944	0	-	-	.	.	.	.						6557.3102
1	15225.516	6	18728- 3502	-39	5.5- 6.5	.	.	.	-0766 -763	-187	364	522	659 766	6566.1081
1	15190.931	0	24141- 8950	-4	5.5- 6.5	.	.	.	192*					6581.0572
	15186.707	1	-	-	.	.	.	.						6582.8877
1	15185.486	2S	24136- 8950	-54	6.5- 6.5	.	.	.213	177*					6583.4170
1	15155.162	0	22058- 6903	27	6.5- 7.5	.	.	.	-216					6596.5899
1	15100.827	2	22004- 6903	-3	6.5- 7.5	.	.	.	-222					6620.3255
	15098.198	0	-	-	.	.	.	.						6621.4783

TABLE I (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS	CALC	HFS 2	DIAGONAL 3	COMPONENTS 4	COMPONENTS 5	COMPONENTS 6	WAVELENGTH
1	15050.467	1S	2831-17881	-48	2.5- 3.5	.	.	.535		-32*						6642.4778
	15033.558	1	-	-	.	.	.		-0456*							6649.9490
1	15031.799	2	26509-11478	39	5.5- 5.5	.	.			-115*						6650.7272
1	15031.799	2	28019-12988	49	5.5- 5.5	.	.			246						6650.7272
	15030.740	1	-	-	.	.	.									6651.1957
	15029.850	2L	-	-	.	.	.		-0431*		-212					6651.5896
	15029.355	1	-	-	.	.	.									6651.8087
	15028.183	1	-	-	.	.	.		-0172*							6652.3274
1	15027.388	3S	21930- 6903	3	7.5- 7.5	.	.			-80*						6652.6794
	15025.420	2	-	-	.	.	.		+0824		179	386	547			6653.5507
	15024.959	1	-	-	.	.	.									6653.7549
1	15023.787	4	25044-10020	27	7.5- 8.5	.	.			-180						6654.2739
	15021.898	2L	-	-	.	.	.		-0407*		-159					6655.1107
	15019.263	1	-	-	.	.	.									6656.2783
1	15016.043	2S	28888-13872	-2	4.5- 3.5	.	.			-58*						6657.7057
	15015.507	2	-	-	.	.	.				-513*	1051	1452	1700		6657.9433
	15014.954	1S	-	-	.	.	.									6658.1885
	15014.604	2S	-	-	.	.	.									6658.3437
	15012.510	2H	-	-	.	.	.		+0577*		216					6659.2725
1	15010.610	2	23961- 8950	-55	7.5- 6.5	.	.		-0315*	-363						6660.1154
1	15009.704	2	28497-13488	39	7.5- 6.5	.	.			-202						6660.5174
	15009.396	1S	-	-	.	.	.									6660.6541
	15008.052	1	-	-	.	.	.									6661.2506
	15006.352	1	-	-	.	.	.									6662.0052
1	15005.061	2	25507-10502	1	9.5- 7.5	.	.			-41*						6662.5784
1	15004.067	2	27992-12988	22	5.5- 5.5	.	.		-0759*	-797	-230	417	573			6663.0198
	15003.275	1	-	-	.	.	.		-0253*							6663.3715
	15002.013	1	-	-	.	.	.									6663.9320
	15001.212	1	-	-	.	.	.		+0996		299	603	771	996		6664.2879
1	14998.994	2	31431-16432	39	5.5- 7.5	.	.			2*						6665.2734
	14998.159	1	-	-	.	.	.		-0581*		-163	302				6665.6445
1	14997.233	4	21640- 6643	3	3.5- 4.5	.	.		+1045	1077	240	489	704	902	1045	6666.0560
	14996.251	1	-	-	.	.	.		-0612*		-184	327				6666.4925
1	14995.103	1	26377-11382	3	7.5- 6.5	.	.			-346						6667.0029
	14993.817	1	-	-	.	.	.									6667.5747
	14991.882	1S	-	-	.	.	.									6668.4353
	14989.031	1S	-	-	.	.	.									6669.7037
	14988.832	1S	-	-	.	.	.									6669.7923
	14988.234	2	-	-	.	.	.		-0768*		-253	476				6670.0584
	14987.547	1	-	-	.	.	.									6670.3641
1	14987.145	1S	21879- 6892	-40	3.5- 3.5	.	.			52						6670.5431
	14986.789	1	-	-	.	.	.									6670.7015
	14985.808	1	-	-	.	.	.									6671.1382
1	14983.757	4	28531-13548	-83	4.5- 4.5	.	.			-16*						6672.0513
1	14981.453	1S	24489- 9507	33	2.5- 3.5	.	.			-9*						6673.0775
	14980.084	2S	-	-	.	.	.									6673.6873
	14978.904	1S	-	-	.	.	.									6674.2130
	14977.742	2	-	-	.	.	.		-0402*							6674.7308
	14977.393	1	-	-	.	.	.									6674.8864
	14976.531	1	-	-	.	.	.									6675.2706
	14975.992	1	-	-	.	.	.		-0646*		-167	359	496			6675.5108
	14974.815	1	-	-	.	.	.									6676.0355
	14974.087	3	-	-	.	.	.		+0398*		184					6676.3601
1	14971.438	2	25474-10502	-22	6.5- 7.5	.	.		-0883	-886	-241	455	616	772	883	6677.5414
	14968.715	1	-	-	.	.	.		-0191*							6678.7561

TABLE I (Contd.)

C	WAVENUMBER	I	T2	-	T1	O-C	J2	-	J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS	CALC	HFS 2	DIAGONAL 3	4	COMPONENTS 5	6	WAVELENGTH
1	14967.272	4	-				.	-	.	.	.		-0295*							6679.4000
1	14965.882	3	26245-	11279	7	6.5-	7.5		.	.	.		+0660	653	158	304	437	562	660	6680.0204
1	14964.786	1	24489-	9524	76	2.5-	2.5		.	.	.			25*						6680.5096
1	14961.794	2	22074-	7112	34	5.5-	5.5		.	.	.		-0564*	-601	-147	277	393			6681.8456
	14961.365	1	-				.	-	.	.	.									6682.0372
	14960.300	1S	-				.	-	.	.	.									6682.5129
	14959.243	5	-				.	-	.	.	.		+0388*							6682.9850
	14957.851	1	-				.	-	.	.	.		+0249*							6683.6070
	14957.505	2	-				.	-	.	.	.									6683.7616
	14954.911	1	-				.	-	.	.	.									6684.9209
	14953.797	1S	-				.	-	.	.	.									6685.4189
1	14953.287	3	23903-	8950	-8	6.5-	6.5		.	.	.	.296		164						6685.6469
	14952.332	1L	-				.	-	.	.	.		+0508*		187					6686.0740
1	14951.034	1	22743-	7792	14	6.5-	6.5		.	.	.		-0471*	-322						6686.6544
1	14949.217	4	23899-	8950	42	5.5-	6.5		.	.	.		+0230*	-191						6687.4672
	14947.794	1S	-				.	-	.	.	.									6688.1038
1	14946.985	2S	26901-	11954	10	3.5-	4.5		.	.	.			-28*						6688.4658
1	14946.157	2	22058-	7112	2	6.5-	5.5		.	.	.		-1947	-1960	-479	946	1345	1649	1947	6688.8363
	14941.693	3	-				.	-	.	.	.		-1043*		-298	541*	710*			6690.8347
1	14941.220	4	24896-	9955	30	7.5-	6.5		.	.	.		-1135	-1144	-257	492*	744	949	1135	6691.0465
	14940.061	1S	-				.	-	.	.	.									6691.5656
1	14938.930	4	23217-	8278	0	3.5-	3.5		.	.	.		-0262*	-258*						6692.0722
1	14937.643	3	27867-	12930	33	8.5-	9.5		.	.	.		-0469*	-458*	-114					6692.6488
1	14937.183	2	18388-	3450	-2	3.5-	3.5		.	.	.		+0433*	401	125	250				6692.8549
	14936.670	2S	-				.	-	.	.	.									6693.0848
	14935.464	1	-				.	-	.	.	.		-0290*							6693.6252
	14934.956	1	-				.	-	.	.	.									6693.8529
	14933.865	3L	-				.	-	.	.	.		-1084		-330	638	888	1084		6694.3419
	14932.850	1	-				.	-	.	.	.		-0620*		-191	368				6694.7969
	14932.080	1	-				.	-	.	.	.									6695.1422
1	14930.285	3	26884-	11954	0	5.5-	4.5		.	.	.			-106						6695.9471
	14929.561	3H	-				.	-	.	.	.		-1332		-308	603*	861	1110	1332	6696.2718
1	14929.529	1	27776-	12846	9	4.5-	4.5		.	.	.			-42*						6696.2862
1	14929.529	1	25432-	10502	89	8.5-	7.5		.	.	.			-112						6696.2862
1	14926.005	2	24433-	9507	-25	2.5-	3.5		.	.	.		+0551	583*	229	386	551			6697.8672
	14924.588	2	-				.	-	.	.	.									6698.5031
	14923.612	1	-				.	-	.	.	.									6698.9412
	14921.939	1	-				.	-	.	.	.									6699.6922
	14921.388	1S	-				.	-	.	.	.									6699.9396
1	14919.771	3	27867-	12947	16	8.5-	8.5		.	.	.		-0420*	-453*	-124					6700.6658
1	14918.114	2	28713-	13794	39	9.5-	8.5		.	.	.		-0713	-735	-193	342	498	612	713	6701.4101
	14916.732	3	-				.	-	.	.	.		-0501*		-134	241				6702.0309
	14916.128	1	-				.	-	.	.	.									6702.3023
1	14915.481	3	28621-	13706	21	5.5-	6.5		.	.	.		+0556*	487*	108	233	352			6702.5931
	14913.466	1	-				.	-	.	.	.		-0392*							6703.4987
1	14912.030	3	28400-	13488	5	7.5-	6.5		.	.	.		0384*	408*						6704.1442
1	14909.277	4L	24433-	9524	-43	2.5-	2.5		.	.	.		+0582*	617*	228	400				6705.3821
1	14907.531	4	21551-	6643	31	5.5-	4.5		.	.	.			-147*						6706.1675
	14905.759	1	-				.	-	.	.	.									6706.9647
	14905.102	1	-				.	-	.	.	.		-0235*							6707.2604
	14903.889	2H	-				.	-	.	.	.		-0467*							6707.8063
	14901.139	2	-				.	-	.	.	.		+0232*							6709.0442
	14900.388	2	-				.	-	.	.	.		+0376*							6709.3823
	14899.365	3	-				.	-	.	.	.		-0345*		-148					6709.8430
	14897.979	1	-				.	-	.	.	.									6710.4673

TABLE I (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEHAN G1	DATA DG	WIDTH OBS CALC	HFS 2	DIAGONAL 3	COMPONENTS 4	COMPONENTS 5	COMPONENTS 6	WAVELENGTH
1	14896.952	2	27743-12846	-88	4.5- 4.5	.	.	.	-55*						6710.9299
	14895.862	2	-	-	.	.	.	.	-0313*						6711.4209
1	14894.465	4	27882-12988	5	5.5- 5.5	.	.	.	-0610	-640	-131	285	416	526	610
	14893.711	3S	-	-	.	.	.	.							6712.0504
1	14891.550	1	28673-13781	0	7.5- 7.5	.	.	.	-113*						6712.3902
	14890.359	1	-	-	.	.	.	.	+0632*	186	343	464			6713.3643
	14888.015	2	-	-	.	.	.	.							6713.9013
1	14886.555	4	23837- 8950	30	6.5- 6.5	.	.	.	+0412*	-82					6714.9584
1	14884.134	4S	16798-31682	39	3.5- 3.5	.	.	.							6715.6169
	14882.686	1	-	-	.	.	.	.	+0193*						6716.7093
	14881.879	4	-	-	.	.	.	.	-0441*	-155					6717.3628
	14881.052	1	-	-	.	.	.	.							6717.7270
1	14880.548	1	30549-15668	38	0.5- 1.5	.	.	.							6718.1004
	14880.068	1	-	-	.	.	.	.							6718.3279
	14879.159	1	-	-	.	.	.	.	-0551	-202	397	551			6718.5446
1	14878.355	2	26356-11478	-55	6.5- 5.5	.	.	.	-0820*	-746	-183	353	534		6718.9551
	14876.811	1	-	-	.	.	.	.							6719.3182
1	14875.346	6H	24896-10020	36	7.5- 8.5	.	.	.	-1031	-1033	-228	454	669	860	1031
	14874.193	2S	-	-	.	.	.	.							6720.0155
1	14873.871	2	27720-12846	-29	4.5- 4.5	.	.	.	83*						6720.6774
1	14872.922	5	23579- 8706	67	4.5- 5.5	.	.	.	-0359*	-415	-115				6721.1983
	14870.369	1	-	-	.	.	.	.							6721.3438
	14869.423	1	-	-	.	.	.	.							6721.7727
	14867.474	2	-	-	.	.	.	.	-0239*						6722.9267
	14866.609	2	-	-	.	.	.	.	-0612*	-159	305	434			6722.9267
1	14865.937	5	20050- 5184	12	6.5- 5.5	.	.	.	-105						6723.3545
1	14864.076	2B	21879- 7015	-9	3.5- 2.5	.	.	.	-57						6724.2358
	14863.869	5C	-	-	.	.	.	.							6724.6271
1	14861.459	3	21973- 7112	14	5.5- 5.5	.	.	.	+1121	429	767*	996	1121		6724.9311
	14860.951	1	-	-	.	.	.	.	-2461	-2462	-633	1214	1676*	2118	2461
	14858.610	2	-	-	.	.	.	.							6725.7731
1	14857.664	1	28405-13548	-1	3.5- 4.5	.	.	.	-0448*	-119					6725.8667
	14856.480	2	-	-	.	.	.	.	-5*						6726.9574
	14855.749	1S	-	-	.	.	.	.	-1629*	-494	901	1270	1629*		6727.1874
	14852.148	1S	-	-	.	.	.	.							6728.2473
	14850.360	1	-	-	.	.	.	.							6728.6757
	14849.301	1	-	-	.	.	.	.							6729.2119
	14847.930	1	-	-	.	.	.	.							6729.5430
	14846.831	2S	-	-	.	.	.	.							6731.1747
	14845.157	1H	-	-	.	.	.	.							6731.9851
	14845.132	1	-	-	.	.	.	.	+2308*	521	986	1420	1814	2308*	6732.4652
1	14842.944	3	24798- 9955	14	6.5- 6.5	.	.	.							6733.0869
	14842.253	4	-	-	.	.	.	.	-153						6733.5853
	14840.599	1S	-	-	.	.	.	.							6734.3446
	14838.886	5	-	-	.	.	.	.							6734.3559
1	14837.526	3	28385-13548	6	3.5- 4.5	.	.	.	-0727	-206	385	526	640	727	6735.3486
	14836.548	2S	-	-	.	.	.	.	-0692	-708*	-163	308	454	582	692
	14835.408	1	-	-	.	.	.	.							6735.6622
	14834.775	2S	-	-	.	.	.	.							6736.4129
	14834.268	2	-	-	.	.	.	.							6737.1906
1	14834.219	2H	34472-19638	9	7.5- 7.5	.	.	.	+0202*						6737.8081
	14834.113	1S	-	-	.	.	.	.	-0719*	-613*					6738.2523
1	14832.350	1	22624- 7792	40	5.5- 6.5	.	.	.							6738.7701
	14830.265	1	-	-	.	.	.	.	-0247*	-251					6739.0576
	14824.714	1S	-	-	.	.	.	.							6739.2879
															6739.3102
															6739.3583
															6740.1594
															6741.1070
															6743.6312

TABLE I (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS CALC	HFS 2	DIAGONAL 3	COMPONENTS 4	COMPONENTS 5	COMPONENTS 6	WAVELENGTH
	14823.558	2S	-		. - .	.	.								6744.1571
	14821.318	1	-		. - .	.	.								6745.1764
	14820.702	1	-		. - .	.	.								6745.4567
1	14820.234	1	30712-15892	4	5.5- 4.5	.	.		22*						6745.6697
	14819.456	1	-		. - .	.	.								6746.0239
	14818.611	1	-		. - .	.	.		-0718*	-185	380	536			6746.4085
	14818.051	4	-		. - .	.	.		-0206*						6746.6635
1	14814.749	4	24684- 9869	14	5.5- 4.5	.	.		-1156 -1161	-305	584	808	986	1156	6748.1673
	14812.900	2	-		. - .	.	.								6749.0096
	14812.052	1H	-		. - .	.	.		-1353*	-445	808	1069*			6749.3960
	14811.065	1	-		. - .	.	.								6749.8458
	14810.488	2	-		. - .	.	.		-0700						6750.1087
	14808.820	3	-		. - .	.	.								6750.8690
1	14808.559	1	21282- 6474	-1	2.5- 1.5	.	.		-398						6750.9880
1	14807.836	6	19992- 5184	31	5.5- 5.5	.	.		+0493* 501						6751.3176
1	14806.755	5	24314- 9507	30	4.5- 3.5	.	.		-0528 -540	-	208	332	437	528	6751.8105
	14804.589	1S	-		. - .	.	.								6752.7984
	14802.346	1S	-		. - .	.	.								6753.8216
1	14801.038	4	19985- 5184	38	4.5- 5.5	.	.		+0352* 207						6754.4185
1	14800.424	2	28831-14030	14	6.5- 5.5	.	.		-81*						6754.6987
1	14799.073	3S	31217-16418	3	9.5- 9.5	.	.		-9*						6755.3153
	14798.076	2	-		. - .	.	.								6755.7705
	14797.743	1	-		. - .	.	.								6755.9225
1	14797.414	2	24491- 9694	24	5.5- 5.5	.	.		192						6756.0727
	14793.263	1	-		. - .	.	.								6757.9685
	14792.632	1	-		. - .	.	.								6758.2568
1	14791.563	1	28497-13706	68	7.5- 6.5	.	.		-0342* -342						6758.7452
1	14788.390	4	25291-10502	-25	6.5- 7.5	.	.		+0337* 335						6760.1954
	14785.057	1S	-		. - .	.	.								6761.7193
	14783.803	1	-		. - .	.	.								6762.2929
	14781.943	2	-		. - .	.	.		-1325	-361	663	911	1130	1325	6763.1438
1	14780.989	3S	30467-15686	-6	1.5- 5.5	.	.		61*						6763.5803
	14780.347	1	-		. - .	.	.		-0748	-238	414	601	748		6763.8741
	14779.025	2H	-		. - .	.	.		-1203	-364	643	956	1203		6764.4791
	14777.487	2	-		. - .	.	.		-0266*						6765.1831
1	14776.828	4S	16810- 2033	13	5.5- 4.5	.	.		-77*						6765.4848
	14775.765	1	-		. - .	.	.								6765.9716
	14772.914	3	-		. - .	.	.								6767.2773
1	14772.251	4C	21246- 6474	-129	1.5- 1.5	.	.		+0671 1181	328	671				6767.5811
	14771.496	1S	-		. - .	.	.								6767.9270
	14770.635	1	-		. - .	.	.								6768.3215
	14766.062	2	-		. - .	.	.		-0589*	-165	310				6770.4176
1	14762.665	1	27609-12846	-25	5.5- 4.5	.	.		171*						6771.9756
	14762.178	1	-		. - .	.	.		+1087	290	528	757	950	1087	6772.1990
	14758.768	5	-		. - .	.	.		-0868	-225	423	596	745	868	6773.7637
	14756.952	4	-		. - .	.	.		+0473	140	271	386	473		6774.5973
	14756.568	1S	-		. - .	.	.								6774.7736
	14756.387	1S	-		. - .	.	.								6774.8567
	14756.196	1S	-		. - .	.	.								6774.9444
	14754.590	4L	-		. - .	.	.		-0491*	-175					6775.6818
	14752.019	1	-		. - .	.	.		+0352*						6776.8627
	14750.536	4	-		. - .	.	.								6777.5440
1	14749.553	5	18200- 3450	-12	4.5- 3.5	.	.		+0420* 445	137	248				6777.9957
	14748.181	1S	-		. - .	.	.								6778.6263
1	14746.824	1	24767-10020	-46	8.5- 8.5	.	.		-0304* -391						6779.2500

TABLE I (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH		HFS 2	DIAGONAL		COMPONENTS		WAVELENGTH
									OBS	CALC		3	4	5	6	
	14746.288	1	-		. - .	.	.		-0228*							6779.4965
	14745.621	1	-		. - .	.	.									6779.8031
	14745.034	2L	-		. - .	.	.		-0370*		-151					6780.0730
1	14743.500	5	18194- 3450	15	2.5- 3.5	.	.		+0304*	255						6780.7785
1	14742.156	1	25511-10769	6	3.5- 2.5	.	.		-0313*	-365						6781.3967
	14741.578	2	-		. - .	.	.		+0290*							6781.6626
	14741.105	4L	-		. - .	.	.		+0587*		244	459	587*			6781.8802
	14739.596	2	-		. - .	.	.		-0297*		-111					6782.5745
1	14738.892	5	21851- 7112	7	5.5- 5.5	.	.		-1123	-1126	-308	574	799	987	1123	6782.8984
	14735.257	2	-		. - .	.	.		-0583*		-117					6784.5717
	14733.911	2C	-		. - .	.	.		-0706*		-270					6785.1915
	14732.926	4	-		. - .	.	.		+0522		168	315	443	522		6785.6452
1	14731.564	1	29665-14933	44	3.5- 4.5	.	.			180*						6786.2725
1	14730.816	2	22602- 7871	16	3.5- 4.5	.	.		+0338*	401						6786.6171
	14730.316	1H	-		. - .	.	.									6786.8475
	14729.914	1	-		. - .	.	.									6787.0327
1	14729.280	3	24684- 9955	5	5.5- 6.5	.	.		+0579*	568	154	289				6787.3248
	14728.302	3	-		. - .	.	.		-0553*		-135					6787.7755
1	14727.242	3S	26110-11382	22	5.5- 6.5	.	.			-93*						6788.2641
1	14725.551	3S	28273-13548	1	5.5- 4.5	.	.			-5*						6789.0436
1	14723.857	3	23002- 8278	-63	4.5- 3.5	.	.		-0442*	-483						6789.8247
1	14723.173	1	27569-12846	-42	5.5- 4.5	.	.			288						6790.1402
	14722.948	1	-		. - .	.	.									6790.2439
1	14721.739	3	27216-12494	-21	5.5- 4.5	.	.		-0555	-500*	-211	352	470	555*		6790.8016
1	14721.283	5	19906- 5184	13	5.5- 5.5	.	.		+0396*	380						6791.0119
1	14720.477	3	28454-13734	-18	4.5- 3.5	.	.		-0541*	-555*	-150	283	392			6791.3838
	14720.163	1	-		. - .	.	.									6791.5286
	14719.630	1	-		. - .	.	.									6791.7746
1	14718.869	1	27743-13024	19	4.5- 3.5	.	.		-0468*	-543*						6792.1257
	14717.172	2L	-		. - .	.	.		-0453		-157	313	453			6792.9089
1	14716.543	3	28497-13781	13	7.5- 7.5	.	.		-0639*	-667	-147	294				6793.1992
1	14715.290	2S	30762-16046	30	4.5- 5.5	.	.			22*						6793.7777
	14714.311	2S	-		. - .	.	.									6794.2297
	14713.623	2	-		. - .	.	.		+1015		350	622	854	1015		6794.5474
	14713.267	2S	-		. - .	.	.									6794.7118
1	14712.198	6	21355- 6643	-12	5.5- 4.5	.	.		+0501	532	123	241	363	448	501	6795.2055
1	14709.673	1	22581- 7871	33	4.5- 4.5	.	.			123						6796.3720
	14709.051	1	-		. - .	.	.									6796.6594
1	14706.253	3	28711-14005	-7	6.5- 6.5	.	.		-0586*	-639	-177	347				6797.9525
	14705.328	1S	-		. - .	.	.									6798.3801
	14704.171	4C	-		. - .	.	.		-0824		-336	593	824			6798.9150
1	14703.984	2S	30596-15892	34	4.5- 4.5	.	.			47*						6799.0015
	14702.242	4	-		. - .	.	.		-1045*		-273	532				6799.8071
	14701.911	5	-		2.5- 3.5	.	.	.475								6799.9602
	14699.954	1	-		. - .	.	.		-0358							6800.8655
	14699.259	1S	-		. - .	.	.									6801.1870
1	14698.502	2	26652-11954	-18	5.5- 4.5	.	.		-0279*	-255						6801.5373
	14697.634	3	-		. - .	.	.		-0888*		-223					6801.9390
1	14697.519	3	25589-10892	39	4.5- 3.5	.	.			-227*						6801.9922
1	14696.155	6	24390- 9694	5	6.5- 5.5	.	.		-0834	-854	-258	460	614	741	834	6802.6235
1	14695.749	2	27720-13024	39	4.5- 3.5	.	.		-0735*	-405*	*		480	623	735*	6802.8115
1	14693.853	3	28400-13706	-2	7.5- 6.5	.	.		0240*	268*						6803.6893
	14692.254	1	-		. - .	.	.									6804.4297
	14690.901	3	-		. - .	.	.									6805.0564
	14690.382	1	-		. - .	.	.									6805.2968

TABLE I (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS CALC	HFS 2	DIAGONAL 3	COMPONENTS 4	COMPONENTS 5	COMPONENTS 6	WAVELENGTH
1	14602.715	3	24110- 9507	105	3.5- 3.5	.	.	.	-0234* -265*						6846.1525
1	14601.347	5	27531-12930	42	8.5- 9.5	.	.	.	-0920 -914	-206	407	597	768	920	6846.7939
	14600.000	2S	-		.	.	.	.							6847.4256
1	14598.266	1	23304- 8706	51	6.5- 5.5	.	.	.	-0412* -475	-140					6848.2390
	14597.810	1	-		.	.	.	.	-0313*	-120					6848.4529
	14596.792	1	-		.	.	.	.	+1075	276	574	817	1075		6848.9305
	14595.716	2	-		.	.	.	.	-0445*	-128					6849.4354
	14591.800	3L	-		.	.	.	.	+0437	198	324	437			6851.2736
1	14591.105	2S	28325-13734	35	3.5- 3.5	.	.	.	-22*						6851.6000
1	14590.274	4	23540- 8950	-21	5.5- 6.5	.	.	.	+0701 697	179	331	478	598	701	6851.9902
1	14589.115	3L	25358-10769	-85	3.5- 2.5	.	.	.	+0490 618	185	351	490			6852.5346
	14586.510	2L	-		.	.	.	.	-0249*						6853.7584
1	14585.941	4	24110- 9524	41	3.5- 2.5	.	.	.	-0207*	-231*					6854.0257
1	14584.070	4L	21058- 6474	-10	1.5- 1.5	.	.	.	+0446 474	197	347	446			6854.9050
	14583.192	2H	-		.	.	.	.	-0575	-256	442	575			6855.3178
1	14582.253	2S	25351-10769	38	3.5- 2.5	.	.	.	-16*						6855.7592
1	14582.253	2S	28130-13548	-2	3.5- 4.5	.	.	.	-5*						6855.7592
	14581.109	1S	-		.	.	.	.							6856.2971
1	14579.147	1S	30950-16371	2	5.5- 6.5	.	.	.	195*						6857.2198
	14577.785	3	-		.	.	.	.	-0855	-246	443	616	755	855	6857.8605
	14576.421	2	-		.	.	.	.							6858.5022
	14575.327	2	-		.	.	.	.	-0297*						6859.0170
1	14573.635	3C	24528- 9955	25	7.5- 6.5	.	.	.	-0692 -726	-345	605	692			6859.8133
1	14572.318	5	25075-10502	-12	6.5- 7.5	.	.	.	-0779 -804	-224	411	569	698	779	6860.4333
1	14569.562	4	19185- 4615	12	2.5- 2.5	.	.	.	+0353 367						6861.7310
	14568.227	3S	-		.	.	.	.							6862.3598
	14567.707	2L	-		.	.	.	.	-0402*	-173					6862.6048
	14566.999	2L	-		.	.	.	.	-0417*	-169					6862.9383
	14565.366	2L	-		.	.	.	.	-0384*	-140					6863.7078
1	14561.663	6	21453- 6892	-7	4.5- 3.5	.	.	.	-0944 -944	-283	506	684	830	944	6865.4532
	14558.210	5	-		.	.	.	.	-1332	-341	647	912	1134	1332	6867.0816
	14555.884	6C	-		.	.	.	.	-2039	-795	1382	1818	2039		6868.1790
	14554.049	1	-		.	.	.	.	-0360*						6869.0449
	14551.921	1S	-		.	.	.	.							6870.0494
	14550.046	1	-		.	.	.	.	-0410*						6870.9347
1	14549.247	1S	30596-16046	27	4.5- 5.5	.	.	.	-3*						6871.3121
1	14549.247	1S	24056- 9507	-3	2.5- 3.5	.	.	.	98*						6871.3121
	14548.799	3	-		.	.	.	.							6871.5237
1	14545.915	3C	28551-14005	5	5.5- 6.5	.	.	.	-474						6872.8861
	14545.915	3C	-		0.5- 0.5	.	.	.	-0677	-183	481	677			6872.8861
1	14542.907	4C	22414- 7871	17	5.5- 4.5	.	.	.	-40						6874.3077
	14540.629	1L	-		.	.	.	.	-0346*	-140					6875.3846
	14539.845	1	-		.	.	.	.	+0186*						6875.7553
	14538.474	2	-		.	.	.	.	-0255*						6876.4037
1	14537.439	2	22409- 7871	-31	4.5- 4.5	.	.	.	+0332 373						6876.8933
1	14536.402	1	24491- 9955	72	5.5- 6.5	.	.	.	277						6877.3839
	14535.921	1	-		.	.	.	.	-0313*						6877.6115
	14534.702	1S	-		.	.	.	.							6878.1883
	14533.283	1	-		.	.	.	.							6878.8599
1	14532.570	3	24056- 9524	30	2.5- 2.5	.	.	.	132*						6879.1974
1	14531.512	2	28019-13488	37	5.5- 6.5	.	.	.	+0916 906	227	432	619	758	916	6879.6982
1	14530.554	2C	29850-15319	-16	8.5- 9.5	.	.	.	-0831 -873	-409	735	831			6880.1518
	14529.256	1S	-		.	.	.	.							6880.7665
	14528.860	1S	-		.	.	.	.							6880.9540
1	14526.921	1	32408-17881	36	3.5- 3.5	.	.	.							6881.8725

TABLE I (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS CALC	HFS 2	DIAGONAL 3	COMPONENTS 4	COMPONENTS 5 6	WAVELENGTH
	14448.581	1	-		. - .	.	.		-0165*					6919.1861
	14447.917	1S	-		. - .	.	.							6919.5041
1	14447.554	2	24141- 9694	54	5.5- 5.5	.	.		-148*					6919.6780
	14446.943	2	-		. - .	.	.		-1066*	-317*	554*	761*	928* 1066*	6919.9706
1	14446.006	3	22238- 7792	26	7.5- 6.5	.	.		-0146*	-239				6920.4195
1	14444.812	5C	24314- 9869	-3	4.5- 4.5	.	.		-1898	-1898	-538	995	1384 1675 1898	6920.9915
	14440.368	1	-		. - .	.	.							6923.1215
1	14439.871	3	25999-11560	11	5.5- 5.5	.	.		-0790	-744	-204	388	532 677 790	6923.3597
1	14438.833	1	23389- 8950	18	7.5- 6.5	.	.			17*				6923.8575
1	14438.596	3	21551- 7112	26	5.5- 5.5	.	.		-1759	-1773*	-483	873	1215 1534 1759	6923.9711
	14434.949	1	-		. - .	.	.							6925.7205
	14433.937	2	-		. - .	.	.							6926.2061
	14433.269	3C	-		. - .	.	.		+0647	647				6926.5266
	14431.983	3	-		. - .	.	.							6927.1438
	14431.555	3	-		. - .	.	.		-0206*					6927.3493
	14431.164	2	-		. - .	.	.		+0435*					6927.5370
1	14429.834	2	23136- 8706	4	6.5- 5.5	.	.		-0206*	-251*				6928.1755
	14428.811	2H	-		. - .	.	.		+1179	498	888	1179		6928.6667
1	14425.390	7C	16459- 2033	-15	4.5- 4.5	.	.		+1392	1414	363	693	979 1217 1392	6930.3098
	14421.391	1	-		. - .	.	.							6932.2316
1	14420.736	2	30467-16046	-24	4.5- 5.5	.	.			22*				6932.5465
1	14418.781	1S	27366-12947	6	7.5- 8.5	.	.			47*				6933.4864
	14417.346	1	-		. - .	.	.		+0468*					6934.1766
	14415.367	1	-		. - .	.	.							6935.1285
	14413.597	4	-		. - .	.	.		+0854	220	392	559	720 854	6935.9802
	14411.970	2	-		. - .	.	.		-0558	-163	324	453	558	6936.7632
	14410.868	2S	-		. - .	.	.							6937.2936
	14410.440	4L	-		. - .	.	.		-0313*	-123				6937.4997
	14407.167	3	-		. - .	.	.		-1512	-442	825	1128	1341 1512	6939.0757
	14404.847	1	-		. - .	.	.		+0204*					6940.1933
	14403.516	1	-		. - .	.	.							6940.8347
	14402.867	1S	-		. - .	.	.							6941.1474
	14401.869	1S	-		. - .	.	.							6941.6284
	14399.904	3	-		. - .	.	.		+1345	379	683	949	1189 1345	6942.5757
	14399.035	1	-		. - .	.	.							6942.9947
1	14397.989	2	30084-15686	74	4.5- 5.5	.	.		+0199*	61*				6943.4991
	14397.166	2	-		. - .	.	.		-1104	-286	539	740	945 1104	6943.8960
	14396.192	1	-		. - .	.	.		+0176*					6944.3658
	14395.878	2S	-		. - .	.	.							6944.5173
1	14395.155	3S	28400-14005	20	7.5- 6.5	.	.			-228*				6944.8661
1	14394.187	3S	24088- 9694	2	5.5- 5.5	.	.			-23*				6945.3331
1	14394.187	3S	27882-13488	2	5.5- 6.5	.	.			20				6945.3331
	14393.349	2	-		. - .	.	.		-0204*					6945.7375
1	14390.850	5	21282- 6892	80	2.5- 3.5	.	.		-0201*	-230				6946.9436
	14389.842	1	-		. - .	.	.		+0263*					6947.4303
	14389.457	1	-		. - .	.	.							6947.6162
	14388.675	1	-		. - .	.	.		+0231*					6947.9937
1	14385.508	1S	25277-10892	38	4.5- 3.5	.	.			-57*				6949.5234
1	14385.082	1	28166-13781	22	7.5- 7.5	.	.			-251				6949.7292
	14383.312	2	-		. - .	.	.		+0278*					6950.5844
	14381.371	4	-		. - .	.	.		-0124*					6951.5225
	14380.574	1S	-		. - .	.	.							6951.9078
1	14379.980	1	26334-11954	20	3.5- 4.5	.	.			-28*				6952.1950
	14378.641	2	-		. - .	.	.							6952.8424
	14378.429	2	-		. - .	.	.		+0647*	199	334			6952.9449

TABLE I (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH		HFS 2	DIAGONAL		COMPONENTS		WAVELENGTH
									OBS	CALC		3	4	5	6	
	14375.640	2	-			.	.		+0272*							6954.2938
1	14372.619	2	24327- 9955	59	5.5- 6.5	.	.		+0224*	212						6955.7556
1	14371.443	2	28166-13794	-92	7.5- 8.5	.	.		+1004*	910	264	476	666	857	1004*	6956.3248
	14370.971	2	-			.	.									6956.5532
1	14369.301	4	21012- 6643	1	5.5- 4.5	.	.		-0815	-803	-238	421	588	711	815	6957.3617
	14368.568	1	-			.	.									6957.7167
	14368.268	2	-			.	.									6957.8619
	14367.855	1	-			.	.									6958.0619
	14366.952	2	-			.	.		+0586*		-133	254	395	498	586*	6958.4993
1	14366.323	5L	30035-15668	-67	0.5- 1.5	.	.		-0395*		-161	277				6958.8039
	14364.419	3L	-			.	.		-0500		-234	388	500			6959.7263
	14363.550	2	-			.	.		-0197*							6960.1474
	14361.655	4	-			.	.		+0528*		172	297				6961.0658
	14360.816	1	-			.	.		-0194*							6961.4725
	14360.292	3L	-			.	.		-0286*		-134					6961.7265
1	14356.362	6	17859- 3502	-8	5.5- 6.5	.	.		-1017	-1012	-277	519	720	891	1017	6963.6323
1	14354.198	5	23304- 8950	28	6.5- 6.5	.	.		-0207*	-263						6964.6821
	14350.243	1S	-			.	.									6966.6016
	14350.005	1	-			.	.		+0862*		233	437				6966.7171
	14348.888	1	-			.	.									6967.2595
	14348.211	2L	-			.	.		-0241		-139	241				6967.5882
	14347.790	1	-			.	.									6967.7927
1	14347.010	5	23053- 8706	10	5.5- 5.5	.	.		-0475*	-481	-128	245	331			6968.1715
1	14346.420	3	28975-14629	5	3.5- 2.5	.	.			245*						6968.4580
	14345.906	1	-			.	.		-0197*							6968.7077
	14343.635	1	-			.	.									6969.8111
1	14341.342	3	21453- 7112	22	4.5- 5.5	.	.		-2464*	-2480	-670	1232	1731	2152*		6970.9255
1	14338.949	8C	14338- 0	79	5.5- 5.5	.	.		+1424	1437	348	674	968	1224	1424	6972.0888
1	14336.601	1	27824-13488	26	5.5- 6.5	.	.			89						6973.2307
	14334.580	2	-			.	.		+0281*							6974.2139
	14330.495	2S	-			.	.									6976.2019
	14330.027	3	-			.	.		-0111*							6976.4297
1	14328.661	3	25657-11329	1	5.5- 4.5	.	.			-134						6977.0948
1	14326.468	5	20969- 6643	93	3.5- 4.5	.674	.860	.186	+0201*	143						6978.1629
1	14324.885	1	28355-14030	-100	5.5- 5.5	.	.		-81*							6978.9340
	14322.154	3L	-			.	.		-0488*		-192	311				6980.2648
	14321.484	2C	-			.	.		+0562							6980.5913
	14320.482	1S	-			.	.									6981.0798
	14319.602	1S	-			.	.									6981.5088
	14319.210	2	-			.	.		+0793		274	484	635	793		6981.6999
1	14318.224	2	28385-14067	-86	3.5- 2.5	.	.		-0686*	-821*	-200	349	513			6982.1807
	14317.594	3L	-			.	.		-0436		-228	370	436			6982.4879
1	14316.907	4	28111-13794	32	8.5- 8.5	.	.		+0486	484	106	193				6982.8230
	14316.100	3	-			.	.		+0542*							6983.2166
	14312.806	2	-			.	.		-0724*		-192	370				6984.8238
	14309.627	5	-			.	.		-0808		-178	374	532	681	808	6986.3755
1	14306.519	2	23257- 8950	24	5.5- 6.5	.	.		+0286*	67*						6987.8933
	14305.465	1	-			.	.									6988.4081
1	14304.067	1	25782-11478	7	5.5- 5.5	.	.		+0283*	286						6989.0911
1	14303.170	3	22581- 8278	-30	4.5- 3.5	.	.			38						6989.5294
	14302.501	2	-			.	.		-0217		-103	173	217			6989.8564
1	14300.024	3	29968-15668	-6	0.5- 1.5	.	.		-0247*							6991.0671
	14297.489	3	-			.	.		-0902		-298	525	750	902		6992.3067
	14295.929	4	-			.	.		-1309		-347	640	899	1110	1309	6993.0697
1	14295.193	3S	24798-10502	-7	6.5- 7.5	.	.			4						6993.4298

TABLE I (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS CALC	HFS 2	DIAGONAL 3	COMPONENTS 4	5	6	WAVELENGTH	
	14294.717	4L	-		. - .	.	.		+0370	175	294	370			6993.6626	
	14294.030	1	-		. - .	.	.								6993.9988	
	14293.595	1	-		. - .	.	.		-0225*						6994.2116	
1	14293.595	1	11940-26233	100	4.5- 3.5	.	.		-0225*						6994.2116	
1	14292.062	4	23242- 8950	-13	7.5- 6.5	.	.		-0502*	-532	-154	278			6994.9618	
	14289.753	1	-		. - .	.	.								6996.0921	
1	14287.258	2	32133-17845	73	3.5- 2.5	.	.		63*						6997.3139	
1	14285.659	2	27992-13706	59	5.5- 6.5	.	.		0217*	-277					6998.0971	
	14284.171	5	-		. - .	.	.		-0637						6998.8261	
1	14282.192	5	22074- 7792	22	5.5- 6.5	.	.		+1194	1193	-194	346	477	547	637	6999.7959
	14280.125	1	-		. - .	.	.				301	573	817	1024	1194	7000.8091
	14279.645	1S	-		. - .	.	.									7001.0444
	14278.053	2	-		. - .	.	.		+0317*							7001.8250
	14276.565	3	-		. - .	.	.		-0484*		-150	259				7002.5548
	14275.758	1S	-		. - .	.	.									7002.9507
1	14274.952	4S	25657-11382	12	5.5- 6.5	.	.		24							7003.3461
	14273.795	2	-		. - .	.	.									7003.9138
	14273.421	2L	-		. - .	.	.		+0912		326	564	747	912		7004.0973
	14272.326	1	-		. - .	.	.									7004.6347
	14271.680	1	-		. - .	.	.									7004.9517
	14270.473	2	-		. - .	.	.		-0489*		-175	307				7005.5442
	14269.565	2	-		. - .	.	.		-0715		-218	425	581	715		7005.9900
	14267.833	2B	-		. - .	.	.		+2345*		600*	1160*	1640*	2058*	2345*	7006.8405
1	14267.761	2	21282- 7015	91	2.5- 2.5	.	.		-0367*	-339						7006.8758
1	14266.583	2S	22058- 7792	18	6.5- 6.5	.	.		-166							7007.4544
	14264.676	2	-		. - .	.	.		+0740		217	408	600	740		7008.3912
	14260.853	2	-		. - .	.	.		-0763*		-234					7010.2700
	14260.675	4	-		. - .	.	.		+0278*							7010.3575
	14259.408	1S	-		. - .	.	.									7010.9804
1	14258.000	3	28130-13872	5	3.5- 3.5	.	.		-108*							7011.6727
	14256.737	2	-		. - .	.	.									7012.2939
	14255.901	2S	-		. - .	.	.									7012.7051
	14255.368	2	-		. - .	.	.									7012.9673
	14254.215	2H	-		. - .	.	.		+1717		454	903	1414	1717		7013.5346
1	14253.236	6	21156- 6903	31	7.5- 7.5	.	.		-91							7014.0163
1	14251.960	1S	25812-11560	30	5.5- 5.5	.	.		-83*							7014.6443
	14251.709	1	-		. - .	.	.									7014.7679
	14249.168	2	-		. - .	.	.									7016.0188
	14247.286	2	-		. - .	.	.		-0952		-296	489	728	952		7016.9456
	14246.443	4	-		. - .	.	.									7017.3608
	14244.244	1	-		. - .	.	.									7018.4441
1	14243.289	6	21355- 7112	9	5.5- 5.5	.	.		-1077	-1094	-277	521	739	922	1077	7018.9147
1	14241.999	2	20885- 6643	29	5.5- 4.5	.	.		-172							7019.5505
	14241.141	1	-		. - .	.	.									7019.9734
1	14240.636	1	23191- 8950	11	6.5- 6.5	.	.		67*							7020.2223
1	14239.677	4C	21131- 6892	37	2.5- 3.5	.	.		-0625	-743	-299	494	625			7020.6951
1	14238.154	1	27168-12930	-16	8.5- 9.5	.	.		42*							7021.4461
1	14236.482	5L	20879- 6643	107	3.5- 4.5	.	.		-0435	-468	-195	328	435			7022.2707
	14235.319	1	-		. - .	.	.									7022.8444
1	14231.570	5C	21246- 7015	80	1.5- 2.5	.	.		+1197	1240	451	829	1197			7024.6945
1	14228.476	2	27216-12988	36	5.5- 5.5	.	.		-308*							7026.2220
1	14228.093	1	27776-13548	3	4.5- 4.5	.	.		-5*							7026.4111
	14226.671	4	-		. - .	.	.		+0795		191	372	530	676	795	7027.1135
	14225.249	1	-		. - .	.	.									7027.8159
	14224.506	2	-		. - .	.	.		+0166*							7028.1830

TABLE I (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS CALC	HFS 2	DIAGONAL 3	COMPONENTS 4	COMPONENTS 5	COMPONENTS 6	WAVELENGTH
1	14222.175	1	25782-11560	25	5.5- 5.5	.	.	.	-82						7029.3349
	14221.018	1	-		.	.	.	.	+0228*						7029.9068
1	14220.361	2S	27168-12947	46	8.5- 8.5	.	.	.	47*						7030.2316
	14219.698	2	-		.	.	.	.	+0922	205	428	597	761	922	7030.5594
	14218.895	2	-		.	.	.	.	-0309*						7030.9565
1	14216.492	3	28221-14005	7	5.5- 6.5	.	.	.	-1218	-1230	-309	585	850	1015	7032.1449
	14215.120	3	-		.	.	.	.	-1133	-285	535	780	966	1133	7032.8236
1	14214.431	2	30649-16435	71	4.5- 3.5	.	.	.	-78*						7033.1645
	14213.404	4	-		.	.	.	.	-0549*	-154	287				7033.6727
1	14212.182	3	17663- 3450	2	4.5- 3.5	.	.	.	+0228*	274					7034.2775
	14211.363	4L	-		.	.	.	.	-0412*	-130					7034.6829
	14210.571	2S	-		.	.	.	.							7035.0749
	14210.159	1S	-		.	.	.	.							7035.2789
1	14209.872	2	23903- 9694	12	6.5- 5.5	.	.	.	-176						7035.4210
1	14207.180	2	30549-16342	0	0.5- 1.5	.	.	.	+0180*						7036.7541
	14205.881	5C	-		.	.	.	.	+2221	619	1151	1618	2007	2221	7037.3976
	14203.916	1	-		.	.	.	.							7038.3711
1	14202.360	6	22074- 7871	30	5.5- 4.5	.	.	.	+0997	1000	257	486	693	868	7039.1423
1	14197.043	3S	27991-13794	48	7.5- 8.5	.	.	.	-26						7041.7785
1	14195.596	1S	27743-13548	-14	4.5- 4.5	.	.	.	-18*						7042.4963
1	14194.631	2	25474-11279	11	6.5- 7.5	.	.	.	-176						7042.9751
	14194.043	2L	-		.	.	.	.	-0316*	-142					7043.2669
1	14193.358	3	20836- 6643	23	4.5- 4.5	.	.	.	+0232*	209					7043.6068
1	14192.493	1	30084-15892	83	4.5- 4.5	.	.	.	-0235*	72*					7044.0361
	14191.401	1S	-		.	.	.	.							7044.5781
	14190.615	2	-		.	.	.	.	-1130	-239	466	723	931	1130	7044.9683
1	14189.427	1S	22895- 8706	-3	6.5- 5.5	.	.	.	5*						7045.5581
1	14188.045	1	28060-13872	85	4.5- 3.5	.	.	.	-83*						7046.2444
	14187.562	2	-		.	.	.	.	+0235*						7046.4843
	14186.519	4	-		.	.	.	.	+0207*						7047.0024
	14185.846	2L	-		.	.	.	.	+0371*						7047.3367
	14184.794	2	-		.	.	.	.	+0783	188	409	572			7047.8594
	14182.880	1	-		.	.	.	.							7048.8105
1	14182.512	3S	25511-11329	42	3.5- 4.5	.	.	.	-200						7048.9934
1	14181.866	4	21973- 7792	11	5.5- 6.5	.	.	.	-0639	-668	-169	329	466	568	7049.3145
1	14181.103	4	24136- 9955	58	6.5- 6.5	.	.	.	0210*	-78*					7049.6938
1	14180.702	2	22052- 7871	7	4.5- 4.5	.	.	.	+0271*	77*					7049.8931
	14179.754	1	-		.	.	.	.							7050.3644
1	14179.597	1	25657-11478	67	5.5- 5.5	.	.	.	212						7050.4425
1	14178.807	3	27885-13706	42	7.5- 6.5	.	.	.	-0794	-828	-214	397	568	699	7050.8353
1	14176.029	2	27882-13706	14	5.5- 6.5	.	.	.	-120						7052.2171
	14175.618	2	-		.	.	.	.	-0244*						7052.4215
	14174.846	3	-		.	.	.	.	+0964	233	444	647	810	964	7052.8056
	14172.569	2	-		.	.	.	.	-0511*	-145					7053.9388
	14171.580	1	-		.	.	.	.							7054.4310
	14170.003	4L	-		.	.	.	.	-0718	-218	436	592	718		7055.2161
1	14169.129	4	25551-11382	9	5.5- 6.5	.	.	.	-0619*	-653	-187	341	482		7055.6513
	14167.004	6H	-		.	.	.	.	-1325	-294	579	835	1103	1325	7056.7097
	14165.863	4	-		.	.	.	.	-0633*	-160*	317				7057.2781
	14164.401	3	-		.	.	.	.							7058.0065
1	14157.058	4C	27105-12947	23	8.5- 8.5	.	.	.	-1056	-1240*	-488	817	1056		7061.6674
	14156.312	2	-		.	.	.	.	-0610	*	298	473	610		7062.0395
1	14155.688	2	26110-11954	8	5.5- 4.5	.	.	.	-0257*	-268*					7062.3508
	14152.618	3C	-		.	.	.	.	-1743	-522	960	1288	1572	1743	7063.8828
	14151.442	1	-		.	.	.	.							7064.4698

TABLE I (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS CALC	HFS 2	DIAGONAL 3	COMPONENTS 4	5	6	WAVELENGTH
	14151.046	1	-		. - .	.	.								7064.6675
	14150.566	1S	-		. - .	.	.								7064.9071
	14149.816	2	-		. - .	.	.		-0314*						7065.2816
	14149.338	2S	-		. - .	.	.								7065.5203
	14143.382	1	-		. - .	.	.								7068.4957
	14142.217	2	-		. - .	.	.		-0635*	-194	351	503			7069.0780
	14141.645	2	-		. - .	.	.								7069.3639
1	14140.972	4C	21253- 7112	-53	4.5- 5.5	.	.		-1707 -1712	-485	899	1247	1486	1717	7069.7004
1	14139.652	2	26992-12852	-8	1.5- 2.5	.	.		-80*						7070.3604
	14138.110	1	-		. - .	.	.								7071.1315
	14137.689	1	-		. - .	.	.								7071.3421
	14135.840	1	-		. - .	.	.								7072.2670
1	14134.083	1	29358-15224	13	2.5- 2.5	.	.		0*						7073.1462
	14133.982	1	-		. - .	.	.		-1682	-490	853	1144	1406	1682	7073.1967
	14132.952	1	-		. - .	.	.								7073.7122
1	14131.026	4	22409- 8278	-4	4.5- 3.5	.	.		+0293* 288	120					7074.6764
	14130.123	4	-		. - .	.	.		+0840	210	421	587	723	840	7075.1285
1	14128.364	2S	21920- 7792	14	5.5- 6.5	.	.		150*						7076.0093
	14127.872	2S	-		. - .	.	.								7076.2558
	14127.704	1	-		. - .	.	.								7076.3399
	14125.272	1	-		. - .	.	.								7077.5583
	14123.704	1	-		. - .	.	.								7078.3440
	14122.479	3	-		. - .	.	.		+0210*						7078.9580
	14121.218	3	-		. - .	.	.								7079.5902
1	14120.386	6	16154- 2033	31	4.5- 4.5	.778	.610	.168	+0281* 231						7080.0073
	14118.745	4L	-		. - .	.	.		-0484*	-255	397				7080.8302
1	14118.414	4S	27168-13049	-1	8.5- 7.5	.	.		-82*						7080.9962
1	14116.559	3C	21131- 7015	19	2.5- 2.5	.	.		-0819 -852	-346	558		819		7081.9267
	14114.475	1	-		. - .	.	.								7082.9724
	14109.022	1	-		. - .	.	.								7085.7099
	14103.969	5	-		. - .	.	.		-1425	-403	744	1009	1248	1425	7088.2485
	14103.227	1	-		. - .	.	.								7088.6214
1	14102.987	5	23053- 8950	32	5.5- 6.5	.	.		-0251* -269						7088.7420
1	14102.019	4	21973- 7871	4	5.5- 4.5	.	.		-0874 -861	-240	438	612	757	874	7089.2286
	14101.035	4	-		. - .	.	.		-0416*	-116	224				7089.7233
	14099.558	1	-		. - .	.	.								7090.4660
	14099.250	1	-		. - .	.	.		-0219*						7090.6209
	14098.761	3C	-		. - .	.	.		+1172*	504					7090.8669
1	14097.663	2	25657-11560	43	5.5- 5.5	.	.		-156						7091.4191
	14095.931	1	-		. - .	.	.								7092.2905
	14094.923	1	-		. - .	.	.								7092.7977
1	14093.135	5H	29412-15319	105	9.5- 9.5	.	.		-0914 -1073*	-270	517	732	914		7093.6976
1	14091.491	5	25474-11382	11	6.5- 6.5	.	.		-1015 -1008	-270	506	704	869	1015	7094.5252
1	14090.844	4	19275- 5184	34	6.5- 5.5	.	.		-0237* -305						7094.8509
1	14090.312	1S	27885-13794	37	7.5- 8.5	.	.		8						7095.1188
	14088.962	1S	-		. - .	.	.								7095.7986
1	14088.302	3	22794- 8706	62	4.5- 5.5	.	.		+0214* 203*						7096.1311
	14086.433	3	-		. - .	.	.		-0859*	-331	582	703			7097.0726
1	14085.890	3	23779- 9694	-5	5.5- 5.5	.	.		-1040 -1093	-307	565	765	940	1040	7097.3462
1	14081.603	2	27569-13488	23	5.5- 6.5	.	.		+0927 932	238	442	637	776	927	7099.5069
	14080.981	1	-		. - .	.	.								7099.8205
	14080.378	1	-		. - .	.	.								7100.1246
	14079.802	2	-		. - .	.	.								7100.4150
	14078.492	4	-		. - .	.	.		-0882	-236	456	632	772	882	7101.0757
1	14077.836	5	20969- 6892	41	3.5- 3.5	.	.	.128	53						7101.4066

TABLE I (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS CALC	HFS 2	DIAGONAL 3	COMPONENTS 4	5	6	WAVELENGTH
	14076.273	1H	-		. - .	.	.		-0612	-242	443	612			7102.1952
	14073.138	6L	-		. - .	.	.		-0258*	-133					7103.7773
1	14072.793	4	27867-13794	28	8.5- 8.5	.	.		+0541	648*	136	286	427	541	7103.9515
	14069.611	1	-		. - .	.	.								7105.5581
	14069.226	1	-		. - .	.	.								7105.7525
	14068.929	1	-		. - .	.	.								7105.9025
	14067.371	1S	-		. - .	.	.								7106.6896
	14064.563	1	-		. - .	.	.								7108.1084
	14063.955	2S	-		. - .	.	.								7108.4157
	14063.795	1S	-		. - .	.	.								7108.4966
	14063.544	3	-		. - .	.	.		-0097*						7108.6234
	14062.954	2L	-		. - .	.	.		-0710	-290	513	710			7108.9217
	14061.685	3	-		. - .	.	.		-0938	-248	465	649	804	938	7109.5632
1	14059.262	4C	21851- 7792	-33	5.5- 6.5	.	.		+0618	668	308	499	618		7110.7885
1	14057.834	1	29673-15615	-81	6.5- 6.5	.	.		0*						7111.5108
	14056.726	2	-		. - .	.	.		+1366	338	642*	927	1179	1366	7112.0714
	14056.685	1	-		. - .	.	.								7112.0921
	14054.222	3	-		. - .	.	.		+0178*						7113.3385
	14052.458	1	-		. - .	.	.								7114.2315
	14051.780	2S	-		. - .	.	.								7114.5748
	14051.146	2S	-		. - .	.	.								7114.8958
	14050.684	2	-		. - .	.	.		-0356*						7115.1297
	14049.368	2S	-		. - .	.	.								7115.7962
1	14048.551	4	21920- 7871	41	5.5- 4.5	.	.		-43*						7116.2100
	14046.434	1	-		. - .	.	.		-0384*						7117.2825
	14046.221	2	-		. - .	.	.								7117.3905
1	14045.653	4	25999-11954	13	5.5- 4.5	.	.		-0739	-739	-206	370	519	635	7117.6783
1	14043.218	3	21058- 7015	28	1.5- 2.5	.	.		+0546	533	133	281	385		7118.9125
	14042.601	1	-		. - .	.	.		+0186*						7119.2252
	14039.974	3	-		. - .	.	.		+0683*	145	305	470			7120.5573
	14038.774	2	-		. - .	.	.		-0476*						7121.1660
	14037.812	5L	-		. - .	.	.		-0386*	-161	281				7121.6540
	14037.072	2S	-		. - .	.	.								7122.0294
1	14036.470	2	22743- 8706	-10	6.5- 5.5	.	.		-0392*	-387	-129				7122.3349
1	14035.380	2	27583-13548	45	4.5- 4.5	.	.		-0274*	245*					7122.8880
1	14035.020	2	31761-17726	40	9.5- 8.5	.	.			151*					7123.0707
	14034.423	1	-		. - .	.	.		-0329*	-098					7123.3737
	14031.031	1L	-		. - .	.	.		+0426*	176					7125.0958
1	14029.527	1	25589-11560	-3	4.5- 5.5	.	.		-83*						7125.8596
	14027.202	1	-		. - .	.	.								7127.0408
	14025.065	1S	-		. - .	.	.								7128.1267
1	14021.814	1	27569-13548	29	5.5- 4.5	.	.		+0302*	325					7129.7794
	14020.440	3	-		. - .	.	.		-0495*	-160	280				7130.4781
1	14020.072	3	29642-15622	32	7.5- 7.5	.	.		-0229*	261					7130.6653
	14017.151	1	-		. - .	.	.								7132.1512
1	14016.231	5	25970-11954	1	5.5- 4.5	.	.		-0694*	-864	-239	419	550		7132.6194
	14013.696	2S	-		. - .	.	.								7133.9096
1	14013.247	2	31431-17418	47	6.5- 5.5	.	.		-0499*	453*	+154	292			7134.1382
1	14009.503	1	27743-13734	73	4.5- 3.5	.	.		-235*						7136.0448
1	14007.404	4	21879- 7871	-1	3.5- 4.5	.	.		+0141*	117					7137.1141
1	14006.135	1	23961- 9955	-35	7.5- 6.5	.	.		-0538*	-618	-153	287			7137.7608
1	14005.433	1	30195-16190	-7	1.5- 2.5	.	.		65*						7138.1186
	14003.962	1	-		. - .	.	.		-0345*						7138.8684
	14002.107	3	-		. - .	.	.								7139.8141
1	14000.769	5	2831-16831	-51	2.5- 2.5	.431	1.088	.657	+0237*	118*					7140.4965

TABLE I (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS CALC	HFS 2	DIAGONAL 3	COMPONENTS 4	COMPONENTS 5	COMPONENTS 6	WAVELENGTH
	13998.629	2	-		. - .	.	.		-2394	-601	1116*	1605	2044	2394	7141.5880
	13996.838	1	-		. - .	.	.		+0333*						7142.5019
1	13991.821	3	25551-11560	21	5.5- 5.5	.	.		-0822	-833	-229	417	572	720	7145.0630
1	13990.175	2S	26920-12930	5	9.5- 9.5	.	.		-18*						7145.9036
	13989.692	1	-		. - .	.	.								7146.1503
	13989.227	2	-		. - .	.	.		-0724*	-195	361	504			7146.3879
1	13987.826	3	20879- 6892	31	3.5- 3.5	.	.		-0647*	-558	-201	329			7147.1036
	13981.122	3L	-		. - .	.	.		+0843	301	543	716	843		7150.5307
	13975.825	2S	-		. - .	.	.								7153.2409
	13974.677	2	-		. - .	.	.								7153.8285
1	13972.320	1S	26920-12947	5	9.5- 8.5	.	.		-13*						7155.0353
	13971.959	3	-		. - .	.	.		-0223*						7155.2202
	13970.664	2	-		. - .	.	.		-1492	-286	634	956	1247	1492	7155.8834
	13969.013	3	-		. - .	.	.								7156.7292
	13967.880	3	-		. - .	.	.		+0335*						7157.3097
	13967.244	2	-		. - .	.	.		+0137*						7157.6356
	13964.902	5	-		. - .	.	.		-0278*						7158.8360
1	13963.410	4	29283-15319	-80	10.5- 9.5	.	.		-2131	-2142	-495	961	1389	1764	7159.6009
	13961.657	2S	-		. - .	.	.								7160.4999
1	13961.297	4	27011-13049	-88	7.5- 7.5	.	.		-1467	-1519	-380*	734	1028	1280	7160.6845
	13958.213	3	-		. - .	.	.		-0676*		-163	310	452		7162.2666
	13957.467	3	-		. - .	.	.		+0274*						7162.6495
	13957.084	3S	-		. - .	.	.								7162.8460
1	13955.089	3	27005-13049	-56	5.5- 7.5	.	.		-0212*	-277					7163.8700
1	13952.696	2	30371-16418	-24	8.5- 9.5	.	.		+0207*	584					7165.0987
	13952.320	4	-		. - .	.	.		+0142*						7165.2918
1	13948.759	2	23903- 9955	-41	6.5- 6.5	.	.		-91						7167.1210
	13947.317	2	-		. - .	.	.								7167.8620
	13946.350	4L	-		. - .	.	.		-0465	-175	296	404	465		7168.3590
1	13945.359	3	22895- 8950	-26	6.5- 6.5	.	.		+0185*	217*					7168.8684
1	13944.724	5S	20836- 6892	-31	4.5- 3.5	.69	.814	.12	119						7169.1949
1	13943.616	3	29043-15099	-74	5.5- 5.5	.	.		+0518*	400*	124	251			7169.7646
1	13938.903	4	30371-16432	-62	8.5- 7.5	.	.		-0946	-955	-229	445	617	793	7172.1888
	13937.148	2	-		. - .	.	.		-0912*		-256	490	700		7173.0920
1	13934.860	4	32589-18654	-80	3.5- 2.5	.	.		-0701	-625*	-188	356	492	608	7174.2697
1	13933.770	6	2831-16764	0	2.5- 1.5	.43	1.44	1.01	-0429*		-103	225			7174.8310
1	13932.377	5	22210- 8278	17	4.5- 3.5	.	.		-0951*	-953	-221	439	635	773	7175.5483
1	13931.752	3	30367-16435	2	3.5- 3.5	.	.		-0268*	-178*					7175.8702
1	13931.752	3	27666-13734	2	3.5- 3.5	.	.		-0268*	-422*					7175.8702
1	13928.946	3	25311-11382	41	5.5- 6.5	.	.		+0124*	-103*					7177.3158
1	13927.900	4	21040- 7112	15	6.5- 5.5	.	.		-2735*	-2740	-741	1383	1919	2372*	7177.8549
1	13926.651	4	20400- 6474	-24	2.5- 1.5	.	.	.705	-0519*	-555	-141	263			7178.4986
	13925.097	1	-		. - .	.	.								7179.2997
1	13921.085	5	26869-12947	30	8.5- 8.5	.	.		-0944	-948	-239	451	640	806	7181.3688
	13920.289	1	-		. - .	.	.								7181.7794
1	13919.400	2	22625- 8706	20	6.5- 5.5	.	.		+0151*	186					7182.2381
1	13917.726	3	5456-19373	-24	3.5- 3.5	.	.		-1180	-1101	-395	698	919	1045	7183.1020
1	13915.827	5	19100- 5184	7	4.5- 5.5	.	.		-0438*	-463	-157	276			7184.0822
1	13914.193	6	25474-11560	33	6.5- 5.5	.	.		-1210	-1188	-318	597	832	1040	7184.9259
1	13912.133	4	25241-11329	8	5.5- 4.5	.	.		-0319*	-373					7185.9898
	13910.400	2L	-		. - .	.	.		-0330		-135	255	330		7186.8850
1	13908.450	4	25291-11382	15	6.5- 6.5	.	.		+0211*	213					7187.8927
	13904.713	2	-		. - .	.	.		-0153*						7189.8245
1	13903.828	1S	27776-13872	-2	4.5- 3.5	.	.		-108*						7190.2821
1	13902.906	3	27609-13706	21	5.5- 6.5	.	.		+0712	675*	163	319	448	577	7190.7590

TABLE I (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS CALC	HFS 2	DIAGONAL 3	COMPONENTS 4	5	6	WAVELENGTH
	13901.593	2S	-		. . .	.	.								7191.4381
	13901.426	2S	-		. . .	.	.								7191.5245
	13901.023	2	-		. . .	.	.		-0167*						7191.7330
	13900.618	2	-		. . .	.	.								7191.9425
	13900.336	2	-		. . .	.	.								7192.0884
	13899.931	2	-		. . .	.	.		-0372*	-115	228				7192.2980
	13899.573	2	-		. . .	.	.								7192.4832
1	13898.994	2	27929-14030	4	4.5- 5.5	.	.		19*						7192.7829
	13897.398	4	-		. . .	.	.		+0623	160	302	425	536	623	7193.6089
	13896.394	3S	-		. . .	.	.								7194.1286
	13895.689	2	-		. . .	.	.		-0307*						7194.4936
	13895.138	1	-		. . .	.	.								7194.7789
	13893.980	2	-		. . .	.	.		-0213*						7195.3786
	13892.631	2	-		. . .	.	.								7196.0773
	13891.782	1	-		. . .	.	.								7196.5171
	13890.700	4C	-		. . .	.	.		0226	226					7197.0776
1	13887.890	4	23412- 9524	40	3.5- 2.5	.	.		-26						7198.5339
1	13887.361	5	24390-10502	1	6.5- 7.5	.	.		-0596 -612	-163	304	431	528	596	7198.8081
	13885.785	3	-		. . .	.	.		+0725	340*	496	630	725		7199.6251
1	13885.396	4	23579- 9694	21	4.5- 5.5	.	.		-0474*	-543	-157	279			7199.8268
1	13882.048	4	23837- 9955	18	6.5- 6.5	.	.		-0279* -337						7201.5633
	13880.297	2	-		. . .	.	.		-0320*						7202.4717
	13879.650	2	-		. . .	.	.		-0255*						7202.8075
	13877.418	4	-		. . .	.	.		-0448*	-126	235	347			7203.9660
	13875.015	2	-		. . .	.	.		-0404*	-148	245				7205.2136
	13873.879	2	-		. . .	.	.		-0575	-157	286				7205.8036
	13872.330	4C	-		. . .	.	.		+1931	618	1099	1486	1756	1931	7206.6082
1	13871.354	3S	27743-13872	4	4.5- 3.5	.	.		-121*						7207.1153
	13870.650	3	-		. . .	.	.								7207.4811
	13866.896	2	-		. . .	.	.								7209.4323
	13865.910	3S	-		. . .	.	.								7209.9449
1	13864.319	2	25342-11478	-11	5.5- 5.5	.	.		-0229* -301*						7210.7723
	13863.033	2	-		. . .	.	.								7211.4412
1	13862.297	3C	23731- 9869	132	5.5- 4.5	.	.		-1854 -1717*	-583	1098	1497	1854		7211.8241
	13860.950	3	-		. . .	.	.								7212.5249
	13859.210	2S	-		. . .	.	.								7213.4305
1	13858.437	4	25241-11382	32	5.5- 6.5	.	.		-0188* -215						7213.8328
1	13857.724	2	25812-11954	14	5.5- 4.5	.	.		-78*						7214.2040
	13856.403	1S	-		. . .	.	.								7214.8918
1	13855.841	2	29478-15622	1	7.5- 7.5	.	.		-51						7215.1844
	13855.434	2	-		. . .	.	.		-0214*						7215.3963
1	13854.309	2S	26784-12930	9	8.5- 9.5	.	.		92*						7215.9823
1	13853.573	1	30195-16342	3	1.5- 1.5	.	.		-0207*						7216.3656
	13851.653	4L	-		. . .	.	.		-0918	-309	565	774	918		7217.3659
1	13849.194	3	27583-13734	39	4.5- 3.5	.	.		28*						7218.6474
	13848.545	1S	-		. . .	.	.								7218.9857
1	13848.235	1S	27720-13872	25	4.5- 3.5	.	.		17*						7219.1473
1	13846.859	4	23540- 9694	-1	5.5- 5.5	.	.		+0370* 357						7219.8647
1	13845.746	2	27552-13706	11	7.5- 6.5	.	.		-0370* -345						7220.4451
	13843.327	3	-		. . .	.	.		+0663*	218	409				7221.7068
	13842.637	3	-		. . .	.	.		+1841*	416*	858	1224	1561	1841	7222.0668
	13840.696	1S	-		. . .	.	.								7223.0796
	13839.293	1S	-		. . .	.	.								7223.8118
1	13836.865	3	27543-13706	20	5.5- 6.5	.	.		+0478* 512*	108	214				7225.0794
1	13836.457	1	26784-12947	12	8.5- 8.5	.	.		-0128* 97*						7225.2925

TABLE I (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS CALC	HFS 2	DIAGONAL 3	COMPONENTS 4	COMPONENTS 5	COMPONENTS 6	WAVELENGTH
1	13836.006	2	23343- 9507	36	4.5- 3.5	.	.	.	-0242* -287						7225.5280
	13834.364	4L	-	-	.	.	.	.	-0808	-280	507	664	808		7226.3856
1	13833.485	3S	25311-11478	-10	5.5- 5.5	.	.	.	85*						7226.8448
	13831.961	4	-	-	.	.	.	.	-0768	-248	423	560	680	768	7227.6410
	13831.209	2S	-	-	.	.	.	.							7228.0340
1	13831.052	2S	25213-11382	22	5.5- 6.5	.	.	.	-3*						7228.1161
	13829.650	4L	-	-	.	.	.	.	-0517*	-195	341				7228.8488
	13827.606	2	-	-	.	.	.	.	-0658*						7229.9174
1	13825.693	2	28711-14885	33	6.5- 5.5	.	.	.	-0247* -294						7230.9178
	13822.829	2	-	-	.	.	.	.	+0447*	160	285				7232.4160
	13821.694	2	-	-	.	.	.	.	-0241*						7233.0099
1	13819.183	5	26869-13049	28	8.5- 7.5	.	.	.	-1077 -1077	-279	535	737	919	1077	7234.3242
1	13818.095	1S	29486-15668	35	1.5- 1.5	.	.	.							7234.8938
	13817.378	3L	-	-	.	.	.	.	-0463	-164	286	389	463		7235.2692
	13816.893	2	-	-	.	.	.	.							7235.5232
	13816.162	1	-	-	.	.	.	.	-0250*						7235.9060
	13815.502	3	-	-	.	.	.	.	+0217*						7236.2517
	13814.838	3	-	-	.	.	.	.	-0587*	-184	335				7236.5995
1	13813.273	5	5456-19269	-22	3.5- 4.5	.873	1.065	.192	30*						7237.4194
	13812.894	1S	-	-	.	.	.	.							7237.6180
	13810.630	2	-	-	.	.	.	.	-0172*						7238.8044
	13810.165	3	-	-	.	.	.	.	-1563	-400	784	1099	1349	1563	7239.0482
1	13806.194	3S	26652-12846	4	5.5- 4.5	.85	.85		-169						7241.1303
	13804.807	1	-	-	.	.	.	.							7241.8579
1	13802.599	3	30221-16418	19	9.5- 9.5	.	.	.	+0133* 201*						7243.0163
	13802.072	4	-	-	3.5- 2.5	1.00	.57	.43	-0138*						7243.2929
1	13800.697	3	21592- 7792	17	6.5- 6.5	.	.	.	-0403* -433	-114	207				7244.0146
	13799.587	3S	-	-	.	.	.	.							7244.5973
	13797.658	1S	-	-	.	.	.	.							7245.6101
	13797.238	2	-	-	.	.	.	.							7245.8307
	13795.557	4	-	-	.	.	.	.	+0727	208	385	532	642	727	7246.7136
	13794.568	3	-	-	.	.	.	.							7247.2332
	13790.083	1	-	-	.	.	.	.							7249.5902
1	13789.072	2	27337-13548	2	5.5- 4.5	.	.	.	-5*						7250.1217
	13787.044	3	-	-	.	.	.	.	+1537	465	863	1231	1537		7251.1882
	13786.438	4	-	-	.	.	.	.	+1084*	220	480	684			7251.5069
1	13784.875	2	18969- 5184	-15	4.5- 5.5	.	.	.	+0182* 167						7252.3292
1	13784.326	2	30549-16764	-34	0.5- 1.5	.	.	.	-0335*						7252.6180
1	13782.375	4	25342-11560	-45	5.5- 5.5	.	.	.	-0651* -669*	-203	370	496			7253.6447
	13781.654	1	-	-	.	.	.	.							7254.0242
	13780.200	3	-	-	.	.	.	.	+0930	244	471	653	796	930	7254.7896
	13779.640	2	-	-	.	.	.	.	-0148*						7255.0844
	13777.855	2	-	-	.	.	.	.							7256.0243
1	13776.421	3	28405-14629	21	3.5- 2.5	.	.	.	195*						7256.7796
	13775.794	1S	-	-	.	.	.	.							7257.1099
	13774.805	2	-	-	.	.	.	.	-0256*						7257.6310
1	13773.072	5C	20885- 7112	32	5.5- 5.5	.	.	.285	-1752 -1798	-467	886	1250	1543	1752	7258.5442
1	13772.436	4S	18388- 4615	-4	3.5- 2.5	.57	.57		+0349* 355	175					7258.8794
	13771.029	3	-	-	.	.	.	.							7259.6210
	13769.876	1S	-	-	.	.	.	.							7260.2289
	13768.728	2	-	-	.	.	.	.	-0281*						7260.8342
	13768.396	2S	-	-	.	.	.	.							7261.0093
1	13766.548	3	24535-10769	-2	3.5- 2.5	.	.	.	-0573* -508	-138	236	354			7261.9840
1	13765.111	4	25044-11279	41	7.5- 7.5	.	.	.	+0573 576	146	271	397	486	573	7262.7421
	13764.522	2H	-	-	.	.	.	.	+1244*	319	622				7263.0529

TABLE I (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS CALC	HFS 2	DIAGONAL 3	COMPONENTS 4	COMPONENTS 5	COMPONENTS 6	WAVELENGTH
1	13763.018	4	25241-11478	23	5.5- 5.5	.	.	.	-27						7263.8466
	13761.527	2	-		.	.	.	.	-0487*						7264.6336
	13760.421	2	-		.	.	.	.							7265.2175
	13759.579	3	-		.	.	.	.	-0494*	-137	251	357			7265.6621
	13758.645	4	-		.	.	.	.	-0914	-276	511	694	841	914	7266.1554
1	13757.279	3	27552-13794	34	7.5- 8.5	.	.	.	+0480	491	100	205	315	405	7266.8768
	13756.716	1S	-		.	.	.	.							7267.1742
1	13756.245	2	28385-14629	-10	3.5- 2.5	.	.	.	-0378*	-508*					7267.4231
	13755.406	1	-		.	.	.	.							7267.8663
	13754.558	2	-		.	.	.	.	-0620*						7268.3144
	13754.375	1S	-		.	.	.	.							7268.4111
	13753.232	1S	-		.	.	.	.							7269.0152
1	13752.369	5	17255- 3502	29	6.5- 6.5	.930	.873	.057	-4*						7269.4713
1	13750.627	5C	20394- 6643	-13	3.5- 4.5	.	.	.	-1218	-1217	-425	748	988	1143	7270.3923
	13746.506	2	-		.	.	.	.	-0250*						7272.5719
	13745.689	2	-		.	.	.	.							7273.0041
	13744.684	4	-		.	.	.	.85	+0110*						7273.5359
	13740.961	3	-		.	.	.	.							7275.5066
1	13735.617	2	25213-11478	-3	5.5- 5.5	.	.	.	+0174*	185*					7278.3373
	13734.653	2	-		.	.	.	.	-0114*						7278.8481
1	13734.044	4	27440-13706	19	5.5- 6.5	.	.	.	+0634	619	160	303	421	534	7279.1709
	13732.533	3C	-		.	.	.	.	+0350		350				7279.9718
1	13731.982	2	28831-15099	72	5.5- 5.5	.	.	.	-0213*	375*					7280.2639
1	13731.982	2	25061-11329	12	5.5- 4.5	.	.	.	-0213*	240					7280.2639
	13731.236	3	-		.	.	.	.	-0371*		-118				7280.6595
	13726.724	1	-		.	.	.	.							7283.0526
1	13724.417	6C	20836- 7112	12	4.5- 5.5	.	.	.24*	-1411	-1417	-380	714	995	1231	7284.2769
1	13720.462	1S	30155-16435	42	4.5- 3.5	.	.	.	-278*						7286.3766
1	13719.748	1S	24489-10769	8	2.5- 2.5	.	.	.	74*						7286.7558
	13718.912	2	-		.	.	.	.	+0689*		179	351	471		7287.1999
1	13717.577	2	25277-11560	57	4.5- 5.5	.	.	.	+0126*	87*					7287.9091
	13715.639	2	-		.	.	.	.	+0404*		123				7288.9389
	13713.591	3	-		.	.	.	.	-0608*		-130	263	402		7290.0274
	13713.003	2	-		.	.	.	.	+0397*						7290.3400
	13712.734	3S	-		.	.	.	.							7290.4830
1	13709.780	4	23579- 9869	5	4.5- 4.5	.	.	.	-2200*	-2187	-590	1130			7292.0539
1	13709.334	6	15743- 2033	34	5.5- 4.5	.887	.615	.272	-0294*	-230					7292.2911
1	13708.205	3	22414- 8706	15	5.5- 5.5	.	.	.		88					7292.8917
	13706.754	2	-		.	.	.	.	-0340*						7293.6637
	13705.031	2	-		.	.	.	.							7294.5807
	13704.361	1	-		.	.	.	.							7294.9373
1	13702.777	5	22409- 8706	7	4.5- 5.5	.	.	.	+0511	501	132	242	347	438	7295.7806
	13700.798	1	-		.	.	.	.							7296.8344
	13697.903	1	-		.	.	.	.	+0366*						7298.3766
	13696.735	1S	-		.	.	.	.							7298.9990
	13695.382	4	-		.	.	.	.	-0438		-152	290	368	438	7299.7201
1	13693.886	2	27428-13734	61	4.5- 3.5	.	.	.	-0325*	-422*					7300.5175
	13693.069	2	-		.	.	.	.			166	316	414		7300.9531
	13692.191	4	-		.	.	.	.	-0611*		-157	308	423		7301.4213
	13691.241	3	-		.	.	.	.	+0333		142	262	333		7301.9279
	13689.883	1	-		.	.	.	.							7302.6523
1	13688.204	3	24457-10769	9	3.5- 2.5	.	.	.	-0431*	-326*	-119	222			7303.5480
	13682.117	2	-		.	.	.	.							7306.7973
1	13681.079	4	25241-11560	-6	5.5- 5.5	.	.	.	-0359*	-395	-109	210	293		7307.3517
1	13679.156	5	21551- 7871	16	5.5- 4.5	.	.	.	-0287*	-172*					7308.3789

TABLE I (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEE MAN G1	DATA DG	WIDTH		HPS 2	DIAGONAL		COMPONENTS		WAVELENGTH
									OBS	CALC		3	4	5	6	
1	13678.237	2	25061-11382	-13	5.5- 6.5	.	.	.	-0388	398	-166	285	388			7308.8700
	13677.041	1	-	-	.	.	.	.								7309.5091
	13675.957	1	-	-	.	.	.	.								7310.0885
1	13675.318	3	22625- 8950	-17	6.5- 6.5	.	.	.	+0396*	398	110	207				7310.4301
1	13673.736	3S	22624- 8950	11	5.5- 6.5	.	.	.		-104						7311.2759
	13673.736	3S	-	-	1.5- 0.5	1.30	.64	.66								7311.2759
	13672.750	1	-	-	.	.	.	.								7311.8031
1	13671.263	5	23540- 9869	3	5.5- 4.5	.	.	.	-1289	-1287	-358	666	926	1120	1289	7312.5984
1	13669.753	2	20573- 6903	3	7.5- 7.5	.	.	.	-0433*	-695	-140	263				7313.4062
	13667.302	2	-	-	.	.	.	.	-1644		-392	756	1101	1386	1644	7314.7177
1	13664.909	2	26652-12988	79	5.5- 5.5	.	.	.	-0193*	-185						7315.9987
	13664.282	2	-	-	.	.	.	.	-0828		-180	366	523	698	828	7316.3344
	13662.252	5	-	-	.	.	.	.	-0293*							7317.4215
	13660.042	2S	-	-	.	.	.	.								7318.6053
	13659.041	2S	-	-	.	.	.	.								7319.1417
	13656.870	2S	-	-	.	.	.	.								7320.3052
1	13656.078	5	24985-11329	-7	5.5- 4.5	1.016	1.14	.13		-70						7320.7298
	13654.828	1	-	-	.	.	.	.								7321.3999
	13653.722	3	-	-	.	.	.	.	-0628		-157	284	399	516	628	7321.9930
	13653.312	1	-	-	.	.	.	.								7322.2129
	13652.699	1	-	-	.	.	.	.								7322.5416
	13652.079	1	-	-	.	.	.	.								7322.8742
	13649.789	3	-	-	.	.	.	.	+0234*							7324.1027
	13648.908	2	-	-	.	.	.	.	-0793*		-253	451	604			7324.5755
	13648.067	3	-	-	.	.	.	.	+1233		264	545	811	1047	1233	7325.0268
	13647.324	2C	-	-	.	.	.	.	-1149		*	524	820	1070	1149	7325.4256
1	13645.679	4	25123-11478	9	5.5- 5.5	.	.	.205		-15*						7326.3087
	13644.195	1	-	-	.	.	.	.								7327.1056
	13643.577	1S	-	-	.	.	.	.								7327.4375
	13640.719	2	-	-	.	.	.	.								7328.9727
	13637.125	1S	-	-	.	.	.	.								7330.9042
	13636.594	2	-	-	.	.	.	.	+0937		197	378	562	757	937	7331.1897
1	13634.119	6	24136-10502	9	7.5- 7.5	1.08	1.08		-1156*	-1176	-319	597	838	1031	1156*	7332.5205
1	13633.326	4	24136-10502	11	6.5- 7.5	.	.	.		79*						7332.9470
	13631.097	2	-	-	.	.	.	.								7334.1462
	13629.884	2	-	-	.	.	.	.								7334.7989
	13629.272	2	-	-	.	.	.	.								7335.1282
	13627.549	3	-	-	.	.	.	.	-0649*		-182	339	461			7336.0556
1	13626.785	2	29968-16342	85	0.5- 1.5	.	.	.								7336.4670
	13626.440	2S	-	-	.	.	.	.								7336.6527
1	13625.536	2	28975-15350	66	3.5- 3.5	.	.	.	+0167*	162*						7337.1395
	13623.937	1S	-	-	.	.	.	.								7338.0006
	13620.486	2	-	-	.	.	.	.	-0190*							7339.8598
	13619.178	3	-	-	.	.	.	.	+0721		140	293	445	590	721	7340.5648
	13618.526	3	-	-	0.5- 1.5	.53	1.32	.79								7340.9162
1	13616.629	4	24896-11279	9	7.5- 7.5	.	.	.	-0231*	-277						7341.9389
	13615.367	3	-	-	.	.	.	.	-0811*		-272	472	615			7342.6194
	13614.326	2	-	-	.	.	.	.	+0303*							7343.1809
1	13613.264	1	23568- 9955	19	6.5- 6.5	.	.	.		-13*						7343.7537
1	13610.748	4	23304- 9694	13	6.5- 5.5	.	.	.	-0561*	-603	-179	314	431			7345.1113
	13606.712	2	-	-	.	.	.	.	-0801*		-237	419				7347.2900
	13605.004	1	-	-	.	.	.	.								7348.2124
1	13604.222	4	2831-16435	2	2.5- 3.5	.432	.79	.359		-4						7348.6348
1	13602.372	2	24985-11382	7	5.5- 6.5	.	.	.		88						7349.6342
	13599.734	1S	-	-	.	.	.	.								7351.0599

TABLE I (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS CALC	HFS 2	DIAGONAL 3	COMPONENTS 4	5	6	WAVELENGTH	
	13599.301	2S	-		. - .	.	.								7351.2939	
	13599.096	2	-		. - .	.	.								7351.4048	
1	13598.415	2	28531-14933	15	4.5- 4.5	.	.		+1033*	255*	505		868	1033	7351.7729	
1	13597.053	1	24489-10892	83	2.5- 3.5	.	.		-0369*	144*					7352.5093	
	13595.119	1	-		. - .	.	.								7353.5553	
	13593.031	3	-		. - .	.	.		-0332*	-128	241				7354.6849	
	13591.917	1	-		. - .	.	.		+0268*						7355.2877	
	13588.840	3	-		. - .	.	.		+0246*						7356.9532	
1	13587.847	2	27322-13734	27	4.5- 3.5	.	.		-0701*	-714	-189	363			7357.4908	
	13587.571	1	-		. - .	.	.		+0174*						7357.6403	
1	13585.313	2S	27366-13781	3	7.5- 7.5	.	.			-13*					7358.8632	
	13584.596	3S	-		. - .	.	.								7359.2516	
1	13582.957	2	25061-11478	117	5.5- 5.5	.	.		+0550*	586	095	252	376	466	7360.1396	
	13582.592	3S	-		. - .	.	.								7360.3374	
	13582.228	1S	-		. - .	.	.								7360.5346	
1	13578.736	3	18194- 4615	-4	2.5- 2.5	.	.	.295	0232*	209					7362.4275	
	13577.299	3	-		. - .	.	.		-0692	-150	319	445	579	692	7363.2068	
	13575.101	4	-		. - .	.	.		+0076*						7364.3990	
	13574.756	1S	-		. - .	.	.								7364.5862	
	13574.294	2	-		. - .	.	.		+0691	136	301	457	596	691	7364.8368	
	13572.142	2	-		. - .	.	.		+0676*	153					7366.0046	
1	13570.612	2	27118-13548	2	5.5- 4.5	.	.		-0211*	-225*					7366.8351	
	13570.005	2	-		. - .	.	.		-0439	-185	333	439			7367.1646	
	13568.350	3	-		. - .	.	.		-0642*	-191	342	464			7368.0632	
	13566.665	3	-		. - .	.	.		+0153*						7368.9783	
1	13563.687	6	21355- 7792	-3	5.5- 6.5	.	.		+0698	700	185	346	489	609	698	7370.5963
1	13560.902	2	28526-14965	-8	6.5- 5.5	.	.			-150*					7372.1100	
	13559.790	2S	-		. - .	.	.								7372.7145	
1	13559.311	2	27107-13548	11	4.5- 4.5	.	.			-63					7372.9750	
1	13557.266	2	25511-11954	56	3.5- 4.5	.	.		-0165*	-217					7374.0871	
1	13555.730	1	27428-13872	-15	4.5- 3.5	.	.		-0248*	-308*					7374.9227	
	13551.500	3	-		. - .	.	.		+0956		323	592	786	956	7377.2247	
	13549.816	1S	-		. - .	.	.								7378.1416	
1	13544.519	6	22251- 8706	-1	6.5- 5.5	.	.		-0646	-666	-179	331	461	568	646	7381.0271
1	13543.384	6	18728- 5184	-6	5.5- 5.5	.	.		-0813	-824	-237	423	598	728	813	7381.6456
	13542.386	3	-		. - .	.	.		-1063		-349	640	866	1063	7382.1896	
1	13541.634	2	24433-10892	54	2.5- 3.5	.	.		+0711*	665*	187	367			7382.5996	
	13541.125	1	-		. - .	.	.								7382.8771	
	13538.406	4	-		. - .	.	.		-0886	-211	408	591	754	886	7384.3598	
1	13536.809	4	22243- 8706	-11	4.5- 5.5	.	.			-119					7385.2310	
	13534.621	2	-		. - .	.	.								7386.4249	
	13534.183	1	-		. - .	.	.		-0273*						7386.6640	
1	13533.156	3	24302-10769	-4	3.5- 2.5	.	.		-0484*	-518*	-132	255			7387.2245	
	13532.752	1	-		. - .	.	.								7387.4451	
	13527.244	2	-		. - .	.	.		-0370		-104	198	268		7390.4531	
	13526.498	2	-		. - .	.	.								7390.8607	
	13525.542	3	-		. - .	.	.		+0845		309	536	709	845	7391.3831	
	13522.641	2	-		. - .	.	.		-0466*						7392.9688	
1	13521.905	3	26509-12988	-35	5.5- 5.5	.	.		-0480*	-408*	-120	254			7393.3712	
1	13518.357	4	24798-11279	-3	6.5- 7.5	.	.		+0729	714	169	315	464	590	729	7395.3116
	13517.693	2	-		. - .	.	.								7395.6749	
1	13516.710	5	27005-13488	-5	5.5- 6.5	.	.	.13	-0204*	257					7396.2127	
1	13515.035	3	25075-11560	5	6.5- 5.5	.	.		-1114	-1106	-308	566	770	940	1114	7397.1294
1	13513.489	4	29946-16432	4	7.5- 7.5	.	.		-1099	-1124	-284	531	757	949	1099	7397.9757
1	13510.953	5	2831-16342	3	2.5- 1.5	.43	1.41	.980	+0259*						7399.3643	

TABLE I (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS	WIDTH CALC	HFS 2	DIAGONAL 3	DIAGONAL 4	COMPONENTS 5	COMPONENTS 6	WAVELENGTH
1	13509.999	2	27216-13706	4	5.5- 6.5	.	.	.		212*						7399.8868
	13509.221	3	-			.	.	.	-0174*							7400.3129
1	13506.978	3	24985-11478	23	5.5- 5.5	.	.	.	+0339*	276						7401.5419
1	13504.867	6C	17007- 3502	-3	6.5- 6.5	.	.	.08*	-0352	-352	-100	184	252	312	352	7402.6988
1	13504.116	3	22210- 8706	16	4.5- 5.5	.	.	.	-0818	-740	-180	374	517	643	818	7403.1105
	13503.300	3	-			.	.	.	+0354*		131					7403.5579
	13502.489	2	-			.	.	.								7404.0026
	13501.853	2S	-			.	.	.								7404.3513
1	13500.998	2	28130-14629	8	3.5- 2.5	.	.	.	-0209	195*						7404.8202
	13499.887	2	-			.	.	.								7405.4296
	13498.434	3	-			.	.	.	-0337*		-158					7406.2268
1	13497.169	3	23191- 9694	-21	6.5- 5.5	.	.	.		-273*						7406.9209
	13495.933	3	-			.	.	.	-0616		-203	385	520			7407.5993
	13493.833	3	-			.	.	.	-0526		-145	294				7408.7521
	13491.770	2	-			.	.	.	+2203		486	965	1397	1861	2203	7409.8850
	13491.735	2S	-			.	.	.								7409.9042
	13489.971	4C	-			.	.	.	-0788		-396	788				7410.8731
1	13487.668	3	20391- 6903	23	6.5- 7.5	.	.	.	+0197*	198*						7412.1385
1	13487.668	3	26334-12846	38	3.5- 4.5	.	.	.	+0197*	58*						7412.1385
	13487.614	3	-			.	.	.	+1230		279	573	742	993	1230	7412.1682
1	13483.847	5	21355- 7871	-3	5.5- 4.5	.	.	.	+0510	507	128	247	350	439	510	7414.2390
	13483.257	1	-			.	.	.								7414.5634
	13481.086	5	-			.	.	.	-0455		-121	230	317			7415.7575
	13476.534	4	-			.	.	.	-0857		-224	448	601	724	857	7418.2623
1	13474.066	5C	23343- 9869	6	4.5- 4.5	.	.	.	-1634	-1645	-456	846	1177	1441	1634	7419.6211
	13472.263	3	-			.	.	.	-0273*							7420.6141
1	13470.657	3	23491-10020	7	7.5- 8.5	.	.	.	-0741	-735*	-235	401	536	651	741	7421.4988
1	13470.052	3	28355-14885	32	5.5- 5.5	.	.	.		261*						7421.8321
	13469.264	2	-			.	.	.	+1521		356	717	1045	1294	1521	7422.2663
	13467.288	3	-			.	.	.	-0765		-230	421				7423.3554
1	13464.158	4	22414- 8950	13	5.5- 6.5	.	.	.	+0346*	300	079					7425.0811
	13463.425	3	-			.	.	.	+0474		200	360	474			7425.4853
	13460.431	2	-			.	.	.								7427.1370
1	13458.469	2	23961-10502	29	7.5- 7.5	.	.	.	-0217*	-461						7428.2197
	13457.894	3	-			.	.	.	+1291		305	575	841	1091	1291	7428.5371
	13455.243	5C	-			.	.	.	-2491		-963	1682	2184	2491		7430.0007
	13453.317	3	-			.	.	.								7431.0644
1	13449.749	4	27322-13872	9	4.5- 3.5	.	.	.	-0598	-600	-313	495	598			7433.0358
1	13447.193	4	27153-13706	8	6.5- 6.5	.	.	.	+0250*	312*						7434.4486
1	13445.895	4S	26495-13049	20	6.5- 7.5	.	.	.		8						7435.1663
	13443.241	3	-			.	.	.	+0156*							7436.6342
1	13442.360	2	23136- 9694	10	6.5- 5.5	.	.	.	-0294*	-379*						7437.1216
	13441.200	3	-			.	.	.	-0456*		-154					7437.7634
	13439.572	3	-			.	.	.	+0965		406	724	965			7438.6644
1	13435.319	3	27440-14005	14	5.5- 6.5	.	.	.		123						7441.0192
1	13432.661	3	28531-15099	51	4.5- 5.5	.	.	.	+0496	414*	123	227	308	416	496	7442.4916
1	13431.685	2	29803-16371	-20	6.5- 6.5	.	.	.	+0315*	313*						7443.0324
1	13430.759	2	30195-16764	9	1.5- 1.5	.	.	.								7443.5455
1	13429.924	4	26377-12947	-1	7.5- 8.5	.	.	.	+0183*	-196						7444.0083
	13429.217	2	-			.	.	.								7444.4002
	13428.036	2	-			.	.	.	-0250*							7445.0550
	13427.000	3	-			.	.	.	-0766		-152	319	512	653	766	7445.6294
	13425.957	3C	-			.	.	.	-0931		-472	778	931			7446.2079
	13424.215	2	-			.	.	.								7447.1741
	13423.389	3	-			.	.	.	-1040		-284	508	711	903	1040	7447.6324

TABLE I (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS CALC	HFS 2	DIAGONAL 3	4	COMPONENTS 5	6	WAVELENGTH
	13344.715	3	-		. - .	.	.		-0985	-275	488	691	858	985	7491.5403
	13342.989	2	-		. - .	.	.								7492.5094
1	13342.533	3	19985- 6643	38	4.5- 4.5	.	.		+0226* 174						7492.7654
1	13340.986	2	24110-10769	56	3.5- 2.5	.	.		-182*						7493.6343
	13339.943	2	-		. - .	.	.		+0922	243	441	594			7494.2202
1	13337.447	3	29229-15892	-43	4.5- 4.5	.	.		47*						7495.6227
1	13337.038	4	28222-14885	43	4.5- 5.5	.	.		+0285* 336*						7495.8525
1	13336.520	2S	26884-13548	-5	5.5- 4.5	.	.		17						7496.1437
	13335.893	2	-		. - .	.	.		+1112	238	485	705	909	1112	7496.4961
	13335.398	3S	-		. - .	.	.								7496.7744
	13334.410	3	-		. - .	.	.		-0556	-162	305	426	556		7497.3299
1	13331.962	3	27337-14005	-13	5.5- 6.5	.	.		-34*						7498.7065
	13328.155	4	-		. - .	.	.		+0167*						7500.8484
	13326.051	5C	-		. - .	.	.		+2032	523	1000	1417	1767	2032	7502.0327
	13324.028	2	-		. - .	.	.								7503.1718
1	13320.302	2	32589-19269	-53	3.5- 4.5	.	.		-200*						7505.2706
	13319.561	4	-		. - .	.	.		-0413*	-147					7505.6881
1	13317.379	2	25812-12494	39	5.5- 4.5	.	.		-0285* -200*						7506.9179
	13316.178	2	-		. - .	.	.		-0199*						7507.5950
	13312.181	3	-		. - .	.	.		-0286*						7509.8492
1	13307.986	6	16810- 3502	66	5.5- 6.5	.	.		+0225* -14*						7512.2165
1	13306.360	2	27337-14030	20	5.5- 5.5	.	.		-31*						7513.1344
	13305.934	2	-		. - .	.	.		+0249*						7513.3750
1	13304.815	4	27011-13706	30	7.5- 6.5	.	.		-1108 -1125	-278	524	744	922	1108	7514.0069
	13304.353	2	-		. - .	.	.		+0212*						7514.2678
1	13302.799	6C	26232-12930	49	3.5- 9.5	1.16	1.16		-1800 -1798	-422	816	1176	1505	1800	7515.1456
1	13300.476	5	22251- 8950	1	6.5- 6.5	.	.		-0403* -454	-110	208	293			7516.4582
	13297.743	2	-		. - .	.	.		+1610	458	890	1276	1610		7518.0030
	13295.791	3	-		. - .	.	.		-0494	-150	287	398	494		7519.1068
1	13294.227	3	26242-12947	-68	7.5- 8.5	.	.		-0434* -428						7519.9913
	13289.622	3	-		. - .	.	.		-2521	-680	1288	1776	2218	2521	7522.5971
1	13289.208	2	28222-14933	-42	4.5- 4.5	.	.		-0212* 180*						7522.8315
	13287.316	3	-		. - .	.	.		-2293	-618	1195		1908	2293	7523.9027
1	13287.046	5	22794- 9507	-24	4.5- 3.5	.	.		-0202* -211*						7524.0556
1	13284.840	5C	26232-12947	-55	9.5- 8.5	.	.		-1792 -1793	-434	835	1190	1512	1792	7525.3050
	13282.589	3	-		. - .	.	.		-0448*	-231					7526.5803
	13280.869	2	-		. - .	.	.		+1235	199	436	705	1025	1235	7527.5551
1	13278.668	3C	20391- 7112	3	6.5- 5.5	.	.		-1942 -1942*	-479	1029	1513	1942		7528.8028
	13277.785	3	-		. - .	.	.		-0219*						7529.3035
	13273.612	3	-		. - .	.	.		+0300*	094					7531.6706
	13271.601	2	-		. - .	.	.								7532.8118
1	13270.267	3	30035-16764	27	3.5- 1.5	.	.		-0310*	-101					7533.5691
	13269.359	2	-		. - .	.	.		-0388*	-198					7534.0846
	13268.644	5	-		. - .	.	.								7534.4906
	13267.598	3	-		. - .	.	.		-0300*	-113					7535.0846
	13266.391	3	-		. - .	.	.								7535.7701
1	13265.216	2	29358-16093	-4	2.5- 1.5	.	.		0*						7536.4376
1	13264.247	3	28150-14885	32	5.5- 5.5	.	.		+0542 336*	137	276	401			7536.9882
	13263.769	2	-		. - .	.	.								7537.2598
1	13262.747	4	19906- 6643	-18	5.5- 4.5	.	.		+0319* 347						7537.8406
	13262.001	3	-		. - .	.	.		-0693	-224	368	446	579	693	7538.2647
	13261.360	2	-		. - .	.	.								7538.6290
1	13259.553	4S	25213-11954	63	5.5- 4.5	.	.		-178*						7539.6564
1	13257.449	3	24489-11231	-41	2.5- 2.5	.	.		+0172* -14*						7540.8530
	13252.487	3	-		. - .	.	.		-0282*	-097	178				7543.6764

TABLE I (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS CALC	HFS 2	DIAGONAL 3 4	COMPONENTS 5 6	WAVELENGTH
	13249.749	3	-			.	.		+0430*	092	192		7545.2353
1	13248.310	6	21040- 7792	15	6.5- 6.5	.	.		-0935 -946	-285	514 695	839 935	7546.0549
	13245.607	3	-			.	.		+0179*				7547.5948
	13243.736	4	-			.	.		-0894	-296	519 667	798 894	7548.6611
	13242.552	2	-			.	.		+0327*				7549.3360
	13241.335	4	-			.	.		-0893	-277	500 675	801 893	7550.0298
1	13237.968	3	24798-11560	68	5.5- 5.5	.	.		-0257* -298	-104			7551.9501
	13237.173	2S	-			.	.						7552.4037
	13236.269	2	-			.	.		+0409*				7552.9195
	13235.448	4	-			.	.						7553.3880
1	13235.044	3	27107-13872	4	4.5- 3.5	.	.		-166				7553.6186
	13234.426	2	-			.	.		-0149*				7553.9713
1	13231.229	5C	29283-16051	-1	10.5-10.5	.	.		-2043 -2041	-471	909 1318	1700 2043	7555.7966
1	13229.706	3B	29665-16435	-44	3.5- 3.5	.	.		-203*				7556.6664
	13226.940	3	-			.	.		-0989	-360	662 989		7558.2466
1	13226.541	4C	19700- 6474	-19	2.5- 1.5	.	.		+0715 742	315	556 715		7558.4747
	13225.624	2	-			.	.		-0458*	-146			7558.9987
	13224.717	2	-			.	.		+0335*				7559.5171
1	13221.723	4	23242-10020	23	7.5- 8.5	.	.		-0667 -676	-187	339 482	588 667	7561.2290
1	13220.796	3	21012- 7792	16	5.5- 6.5	.	.		-0609 -635	-179	326 450	550 609	7561.7591
	13219.860	2	-			.	.						7562.2945
1	13218.244	4	24110-10892	84	3.5- 3.5	.	.		-0227* -183*				7563.2191
1	13216.323	4	27011-13794	28	7.5- 8.5	.	.		-0248* -289				7564.3184
	13215.143	3	-			.	.		+0190*	113	244		7564.9938
	13214.250	2	-			.	.		-0521*	-145	249		7565.5051
1	13213.839	5	21920- 8706	29	5.5- 5.5	1.035	.930	.104	85*				7565.7404
1	13211.339	3	27216-14005	64	5.5- 6.5	.	.		-0179* -284*				7567.1721
	13210.247	4	-			.	.		+0561	123	251 345	461 561	7567.7976
	13209.577	2	-			.	.		-0331*	-142	267		7568.1814
	13208.949	2	-			.	.		-0494*	-100			7568.5413
	13208.066	2	-			.	.						7569.0473
	13207.343	2	-			.	.		+0191*				7569.4616
	13206.592	2	-			.	.						7569.8920
1	13206.152	3	24684-11478	-3	5.5- 5.5	.	.		+0811 791	223	430 586	719 811	7570.1443
	13205.170	3	-			.	.		+1018*	279	526 767		7570.7072
1	13204.186	1	29946-16741	16	7.5- 6.5	.	.		-2				7571.2714
1	13203.879	2S	29968-16764	-1	0.5- 1.5	.	.						7571.4474
	13203.320	3	-			.	.		+0461*	175	308		7571.7680
1	13202.152	3	24433-11231	52	2.5- 2.5	.	.		+0538 578*	238	424 538		7572.4379
	13201.135	4	-			.	.	.115	+0175*				7573.0213
1	13198.710	4	5456-18654	0	3.5- 2.5	.86	.71	.15	+0385* 455	061	139 232		7574.4127
	13197.621	4	-			.	.		+0215*				7575.0377
	13195.207	3	-			.	.		-1528	-383	613 974	1295 1528	7576.4235
	13193.485	4	-			.	.		+0800	187	349 501	619 800	7577.4124
1	13192.363	2	26242-13049	-32	7.5- 7.5	.	.		-0521* -557	-128	255 373		7578.0568
	13191.759	2	-			.	.		-0486*	-162	297		7578.4038
1	13191.456	3	27063-13872	91	4.5- 3.5	.	.		+0187* 2*				7578.5779
	13189.202	2	-			.	.		-0187*				7579.8730
	13187.579	2	-			.	.						7580.8059
	13186.792	2	-			.	.		-1057*	-346	644 887		7581.2583
	13185.986	3	-			.	.		+0667	134	278 414	548 667	7581.7217
1	13182.725	3	29229-16046	-35	4.5- 5.5	.	.		-3*				7583.5972
	13181.180	2	-			.	.		+0809	334	626 809		7584.4861
	13179.899	2	-			.	.						7585.2233
1	13178.232	2	26884-13706	82	5.5- 6.5	.	.		0494* 484				7586.1828

TABLE I (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS CALC	HFS 2	DIAGONAL 3	COMPONENTS 4	5	6	WAVELENGTH
	13176.598	2	-		. - .	.	.		+0237*						7587.1235
1	13175.717	2	26992-13816	-3	1.5- 1.5	.	.		+0414*	415*					7587.6309
	13170.108	4H	-		. - .	.	.		-1269		-362	680	935	1149	7590.8624
	13169.633	2S	-		. - .	.	.								7591.1362
1	13168.225	2	29358-16190	-15	2.5- 2.5	.	.		-0123*	-135*					7591.9478
	13166.923	3	-		. - .	.	.		+0508*						7592.6986
	13165.675	4S	-		. - .	.	.								7593.4183
	13163.472	3	-		. - .	.	.		-0134*						7594.6891
	13160.400	3	-		. - .	.	.								7596.4619
	13160.215	3	-		. - .	.	.								7596.5687
	13157.454	2	-		. - .	.	.								7598.1628
	13156.413	3	-		. - .	.	.		-0529*		-137	284			7598.7640
	13154.939	3H	-		. - .	.	.		-0618		-154	318	423	526	7599.6155
	13153.599	4	-		. - .	.	.		+0618		108	232	367	499	7600.3897
	13152.532	3	-		. - .	.	.								7601.0063
	13151.205	4C	-		. - .	.	.		+1624		510	922	1250	1492	7601.7732
	13149.066	2	-		. - .	.	.		-0194*						7603.0098
	13148.139	5	-		. - .	.	.								7603.5459
1	13147.461	2S	20050- 6903	-9	6.5- 7.5	.	.			-20					7603.9380
	13146.494	2	-		. - .	.	.		-0224*						7604.4973
	13145.550	4	-		. - .	.	.		+0570*		127	263			7605.0434
1	13144.856	0W	21851- 8706	101	5.5- 5.5	.	.			603					7605.4449
1	13144.856	0W	19788- 6643	-84	5.5- 4.5	.	.			328					7605.4449
1	13144.746	2S	29486-16342	16	1.5- 1.5	.	.								7605.5086
	13141.662	4C	-		. - .	.	.		-0887*		-371	638			7607.2934
	13138.163	4	-		. - .	.	.		+0934		238	452	629	787	7609.3194
	13134.166	5C	-		. - .	.	.		-1846		-502	946	1321	1625	7611.6351
	13132.689	2	-		. - .	.	.		+0323*		100				7612.4912
1	13132.564	0	23002- 9869	-16	4.5- 4.5	.	.		-2015*	-2042	-500	1007			7612.5636
	13128.707	3	-		. - .	.	.		+1429		293	608	847	1180	7614.8001
	13126.042	5	-		. - .	.	.		+1206		320	595	835	1038	7616.3461
	13124.680	3	-		. - .	.	.		-0633*		-230	407			7617.1365
1	13123.575	2	22074- 8950	-10	5.5- 6.5	.	.		+1359	1340	352	675	943	1172	7617.7779
	13122.948	3S	-		. - .	.	.								7618.1418
	13122.657	3S	-		. - .	.	.								7618.3108
1	13111.443	6C	23132-10020	13	3.5- 8.5	1.12	1.12		-1625	-1617	-393	752	1075	1364	7624.8266
1	13110.505	3	24390-11279	-15	6.5- 7.5	.94	.94			98					7625.3722
1	13107.972	6S	22058- 8950	-8	6.5- 6.5	.980	.765	.216		-19					7626.8457
1	13106.757	3	25061-11954	47	5.5- 4.5	.	.		+0229*	223					7627.5527
	13105.434	2	-		. - .	.	.								7628.3227
	13104.907	2S	-		. - .	.	.								7628.6295
	13102.485	3	-		. - .	.	.		+1024		256	505	710	878	7630.0396
1	13100.773	2	22794- 9694	13	4.5- 5.5	.	.			75*					7631.0367
	13099.826	2	-		. - .	.	.								7631.5884
1	13098.472	4	23053- 9955	12	5.5- 6.5	.845	.845		-0518	-524	-120	242	352	447	7632.3773
1	13098.033	4S	20969- 7871	18	3.5- 4.5	.674	.961	.287		118					7632.6331
	13095.125	5C	-		. - .	.	.		+0977		284	558			7634.3281
1	13093.890	3	19985- 6892	-25	4.5- 3.5	1.027	.814	.213		84					7635.0481
1	13093.455	2S	20885- 7792	5	5.5- 6.5	.	.			-4					7635.3018
	13091.243	2	-		. - .	.	.								7636.5919
	13089.117	3	-		. - .	.	.		-0919		-336	563	786	919	7637.8323
1	13087.880	3	27118-14030	0	5.5- 5.5	.	.			-251*					7638.5542
1	13087.625	3	26869-13781	35	8.5- 7.5	.	.		-0984	-1008	-199	453	651	852	7638.7030
	13084.952	3	-		. - .	.	.		+0123*						7640.2635
	13084.680	2S	-		. - .	.	.								7640.4223

TABLE I (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS	WIDTH CALC	HFS 2	DIAGONAL 3	COMPONENTS 4	COMPONENTS 5	COMPONENTS 6	WAVELENGTH
1	13083.860	2	23104-10020	-60	7.5- 8.5	.	.			153*						7640.9011
	13083.076	3	-			.	.		-0221*							7641.3590
1	13081.895	3	26012-12930	25	8.5- 9.5	.	.		-1231	-1211	-315	589	825	1050	1231	7642.0489
1	13074.896	2	23967-10892	-19	4.5- 3.5	.	.			-127*						7646.1397
1	13074.099	5	26869-13794	34	8.5- 8.5	.	.	.10	+0107*	153						7646.6058
	13072.143	3	-			.	.									7647.7500
	13070.843	3	-			.	.									7648.5106
	13065.688	3H	-			.	.		-1093		-328	661	896	1093		7651.5283
	13064.756	3	-			.	.		-0628		-116	254	407	521	628	7652.0741
1	13064.038	4	26012-12947	23	8.5- 8.5	.	.		-1219	-1206	-323	601	838	1047	1219	7652.4947
1	13056.747	5	16507- 3450	-18	4.5- 3.5	.875	.590	.285	+0411	429	82	185	279	356	411	7656.7679
1	13053.670	4S	22004- 8950	-5	6.5- 6.5	1.010	.765	.245		-25						7658.5728
	13053.058	3	-			.	.		-1184		-327	598	834	1019	1184	7658.9319
	13052.204	2	-			.	.		-0180*							7659.4330
	13051.664	2	-			.	.									7659.7499
	13049.523	2	-			.	.		-0327*							7661.0066
	13049.130	2	-			.	.									7661.2374
	13048.898	2	-			.	.									7661.3736
	13046.286	3	-			.	.		-1223		-312	559	828	1040	1223	7662.9075
	13042.868	2	-			.	.									7664.9156
	13041.295	4	-			.	.		-0477*		-137	256				7665.8401
	13039.685	4	-			.	.		+1390		341	652	942	1173	1390	7666.7866
	13038.488	3	-			.	.									7667.4905
1	13036.660	3	27666-14629	-5	3.5- 2.5	.	.			-5*						7668.5656
	13036.015	2	-			.	.									7668.9451
1	13035.320	2	28385-15350	10	3.5- 3.5	.	.			-591*						7669.3539
	13034.800		-			.	.									7669.6599
	13034.106	2	-			.	.		+0277*							7670.0683
	13027.916	3	-			.	.									7673.7126
	13025.022	2	-			.	.		-0742		-199	362	530	641	742	7675.4176
1	13024.499	4	23045-10020	9	9.5- 8.5	.	.			-77*						7675.7258
1	13021.674	2	26509-13488	9	5.5- 6.5	.	.			252*						7677.3910
1	13021.177	3	25969-12947	2	8.5- 8.5	.	.		-0264*	-310						7677.6841
	13020.591	3	-			.	.									7678.0296
1	13019.936	2	29761-16741	26	6.5- 6.5	.	.			24*						7678.4159
1	13015.542	6	18200- 5184	7	4.5- 5.5	.675	.862	.187	+0500	497	154	274	367	433	500	7681.0081
1	13013.605	3	20885- 7871	-5	5.5- 4.5	.	.		-0147*	-197						7682.1514
	13011.788	3	-			.	.				-265	464	573			7683.2241
	13010.583	3	-			.	.		-0271*							7683.9358
1	13008.362	6C	16459- 3450	-13	4.5- 3.5	.	.		+1362	1364	347	673	960	1194	1362	7685.2477
	13005.764	3	-			.	.		-1187		-370	683	955	1187		7686.7829
1	13004.618	3	21282- 8278	68	2.5- 3.5	.	.		-0161*	-250						7687.4603
	13004.091	2	-			.	.									7687.7718
1	13003.144	2	19646- 6643	14	4.5- 4.5	.	.		-0146*	-200						7688.3317
	13002.675	2	-			.	.		+0094*							7688.6090
	13001.513	2	-			.	.		-0753*		-185	368				7689.2962
	13000.944	2	-			.	.		+1096*		275	530				7689.6327
1	12999.841	3	27005-14005	16	5.5- 6.5	.	.		-0342*	-379						7690.2852
1	12998.651	2	24327-11329	81	5.5- 4.5	.	.		+0121*	89						7690.9892
	12997.065	2	-			.	.									7691.9277
1	12996.224	2	27929-14933	-56	4.5- 4.5	.	.		-0206*	205*						7692.4255
1	12993.710	3	29412-16418	30	9.5- 9.5	.	.		+0226*	271*						7693.9138
	12993.185	3	-			.	.		-0138*							7694.2247
	12986.434	5	-			.	.									7698.2245
	12985.909	4	-			.	.		+0734		219	364	554	734		7698.5358

TABLE I (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS CALC	HFS 2	DIAGONAL 3	COMPONENTS 4	COMPONENTS 5	COMPONENTS 6	WAVELENGTH	
	12985.164	1S	-		. - .	.	.								7698.9775	
	12979.869	4	-		. - .	.	.		+1373	391	731	1002	1218	1373	7702.1182	
	12976.032	4	-		. - .	.	.		+0608*	213	385	505			7704.3957	
1	12975.077	3	21253- 8278	-78	4.5- 3.5	.	.		-0195*	-196					7704.9628	
1	12974.186	2	27005-14030	-4	6.5- 5.5	.	.		-0281*	-376					7705.4919	
1	12973.484	2	24302-11329	4	3.5- 4.5	.	.		-0261*	-353*					7705.9089	
	12971.247	4	-		. - .	.	.		-0973						7707.2378	
1	12969.784	4	21920- 8950	19	5.5- 6.5	1.025	.765	.260	+0234*	297*	-301	544	719	845	973	7707.2378
	12967.933	4	-		. - .	.	.								7708.1072	
	12966.285	3	-		. - .	.	.		-0165*						7709.2074	
1	12965.374	3	25812-12846	-6	5.5- 4.5	.	.			8*					7710.1873	
1	12964.929	2	20836- 7871	-46	4.5- 4.5	.	.			184					7710.7290	
	12963.677	3	-		. - .	.	.		+0377*						7710.9937	
1	12962.147	4	26012-13049	32	8.5- 7.5	.	.		-1340	-1335	-370	676	934	1155	1340	7711.7384
1	12961.011	3	28060-15099	21	4.5- 5.5	.	.			458*					7712.6487	
	12958.617	5	-		. - .	.	.		-0675	-241	420	562	675		7713.3247	
	12955.850	2	-		. - .	.	.		+1366	373	682	1048	1366		7714.7497	
	12951.135	2	-		. - .	.	.		+1265	318	654	877	1083	1265	7716.3973	
	12949.214	2	-		. - .	.	.		-0105*						7719.2066	
	12948.988	2S	-		. - .	.	.								7720.3517	
	12948.689	4	-		. - .	.	.		0082*						7720.4864	
	12947.421	2	-		. - .	.	.		+0209*						7720.6647	
1	12946.393	3	26652-13706	8	5.5- 6.5	.	.		+0306*	335					7721.4208	
	12944.368	2	-		. - .	.	.								7722.0340	
	12942.365	2	-		. - .	.	.		-0231*						7723.2420	
	12942.002	2	-		. - .	.	.		+0918	191	446	648	803	918	7724.4373	
1	12940.874	3S	22895- 9955	-16	6.5- 6.5	.	.			-38*					7724.6539	
	12940.054	4	-		. - .	.80	.80		-0103*						7725.3273	
1	12938.486	5	20050- 7112	-4	6.5- 5.5	.	.		-1762	-1764	-482	889	1236	1524	1762	7725.8168
	12935.105	3	-		. - .	.	.		-1082*	-224	463	689			7726.7531	
	12934.581	3	-		. - .	.	.		-0257*						7728.7727	
1	12928.749	3	27583-14654	29	4.5- 4.5	.	.			150*					7729.0858	
	12926.956	3	-		. - .	.	.		-0650	-168	291	421	556	650	7732.5724	
	12925.978	3S	-		. - .	.	.								7733.6449	
1	12924.455	7C	19827- 6903	25	7.5- 7.5	.	.	.015	-1486	-1483	-370	708	1002	1261	1486	7734.2300
	12920.837	4C	-		. - .	.	.		+1325	466	960	1325			7735.1414	
1	12919.320	2	25969-13049	45	9.5- 7.5	.	.		-0377*	-439					7737.3074	
	12915.025	3	-		. - .	.	.		-0460*	-131	242				7738.2159	
	12912.796	2	-		. - .	.	.		+0257*						7740.7893	
1	12911.968	4	24390-11478	-2	5.5- 5.5	.	.		-0504	-546	-129	24	357	438	504	7742.1256
	12907.930	2	-		. - .	.	.								7742.6220	
	12907.211	2	-		. - .	.	.		-0364*						7745.0442	
	12905.733	2	-		. - .	.	.		1170*						7745.4756	
	12904.726	3	-		. - .	.	.		-0324*	-111	184				7746.3627	
	12903.659	2	-		. - .	.	.		+0719	190	369	514	635	719	7746.9671	
1	12901.623	2	22409- 9507	23	4.5- 3.5	.	.			87					7747.6077	
1	12900.722	3	29642-16741	82	7.5- 6.5	.	.		+0482	403	133	272	401	482	7748.8304	
	12898.636	2	-		. - .	.	.								7749.3716	
	12898.336	3	-		. - .	.	.		+0646	163	306	428	569	646	7750.6248	
	12896.994	2	-		. - .	.	.								7750.8051	
	12892.480	2	-		. - .	.	.		-0214*						7751.6116	
	12891.741	2	-		. - .	.	.		+0166*						7754.3257	
	12888.624	2	-		. - .	.	.		+0297*						7754.7702	
1	12887.457	3	22581- 9694	-3	4.5- 5.5	.	.			123					7756.6456	
	12886.516	3	-		. - .	.	.		-0512*	-136	259				7757.3480	
															7757.9145	

TABLE I (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEFMAN G1	DATA DG	WIDTH OBS CALC	HFS 2	DIAGONAL 3	COMPONENTS 4	COMPONENTS 5	COMPONENTS 6	WAVELENGTH	
1	12801.891	3	23304-10502	-54	6.5- 7.5	.	.		-0350* -361	-110	228*				7809.1973	
	12801.206	2	-	-	.	.	.		+0240*						7809.6152	
	12800.659	3	-	-	.	.	.								7809.9489	
	12800.011	2	-	-	.	.	.								7810.3443	
	12798.917	2	-	-	.	.	.								7811.0119	
	12798.266	2	-	-	.	.	.								7811.4092	
	12798.117	3S	-	-	.	.	.								7811.5001	
	12794.931	1	-	-	.	.	.								7813.4452	
1	12793.831	5C	19906- 7112	-4	5.5- 5.5	.	.		-1276 -1279	-338	634	890	1104	1276	7814.1170	
	12792.019	3	-	-	.	.	.		+1303	425	739	947	1172	1303	7815.2239	
	12789.851	3	-	-	.	.	.		-0907	-278	497	651	794	907	7816.5487	
	12788.685	2S	-	-	.	.	.								7817.2613	
1	12787.853	4	22743- 9955	-87	5.5- 6.5	.	.		-0397* -430	-117	211				7817.7700	
	12787.224	4S	-	-	.	.	.								7818.1545	
	12786.203	3	26334-13548	3	3.5- 4.5	.	.		+0110* 95*						7818.7788	
1	12785.688	3	27440-14654	-97	5.5- 4.5	.	.		57*						7819.0937	
	12784.432	2	-	-	.	.	.		-1757	-549	971	1376	1757		7819.8619	
	12783.280	3	-	-	.	.	.								7820.5666	
1	12781.245	3	24110-11329	-5	3.5- 4.5	.	.		-17*						7821.8118	
1	12779.526	4C	22303- 9524	56	2.5- 2.5	.	.		+0768 790	262	481	687	768		7822.8640	
1	12777.750	3	28400-15622	-10	7.5- 7.5	.	.		+0776 788*	195	381	538	677	776	7823.9513	
1	12776.057	4S	26264-13488	2	6.5- 6.5	.	.		37						7824.9881	
	12774.773	3	-	-	.	.	.		-0640*	-155	299	444	560	640	7825.7746	
	12772.026	3	-	-	.	.	.		+0301*						7827.4577	
	12771.321	3	-	-	.	.	.								7827.8898	
	12770.527	3	-	-	.	.	.		+1358	361	638	921	1152	1358	7828.3765	
	12767.858	2	-	-	.	.	.		+0620*	115	231	352	455	620*	7830.0130	
	12767.210	3	-	-	.	.	.		+0198*						7830.4104	
	12765.262	2	-	-	.	.	.		-0337*						7831.6053	
	12764.518	2	-	-	.	.	.		-0286*						7832.0618	
	12763.677	2	-	-	.	.	.								7832.5779	
1	12762.599	2	30195-17433	-1	1.5- 1.5	.	.		0*						7833.2394	
1	12761.565	3	20553- 7792	15	7.5- 6.5	.	.		-1056 -1068	-270	481	723	904	1056	7833.8741	
	12760.730	2	-	-	.	.	.								7834.3867	
	12759.467	3S	-	-	.	.	.								7835.1622	
	12759.263	3	-	-	.	.	.		-0689	-	*	322	473	602	689	7835.2875
	12757.123	2	-	-	.	.	.		+0217*						7836.6019	
	12756.667	2	-	-	.	.	.								7836.8820	
	12755.903	2	-	-	.	.	.								7837.3514	
1	12754.143	5	24136-11382	13	7.5- 6.5	.	.		-1274 -1298	-360	666	919	1127	1274	7838.4329	
1	12753.975	4S	26242-13488	10	7.5- 6.5	.	.		-23						7838.5362	
1	12753.344	4	24136-11382	9	6.5- 6.5	.	.		0107* -43*						7838.9240	
	12752.656	3	-	-	.	.	.		-0402*	-112	176				7839.3469	
	12748.412	3S	-	-	.	.	.								7841.9567	
1	12747.171	4	21453- 8706	-19	4.5- 5.5	.	.		-0775 -751	-241	433	570	694	775	7842.7201	
	12746.778	3	-	-	.	.	.								7842.9619	
1	12739.840	4	23242-10502	-10	7.5- 7.5	.	.		-0628 -630	-192	343	464	557	628	7847.2332	
1	12736.476	2	29478-16741	36	7.5- 6.5	.	.		91						7849.3058	
1	12736.476	2	25666-12930	-14	9.5- 9.5	.	.		-18*						7849.3058	
1	12733.009	6	22602- 9869	-11	3.5- 4.5	.	.	.47	-1242 -1243	-368	672	919	1106	1242	7851.4431	
1	12730.029	3	24684-11954	4	5.5- 4.5	.	.		+0434* 428	111	227				7853.2810	
	12728.478	2	-	-	.	.	.		+0970	242	481	663	836	970	7854.2380	
	12726.632	4	-	-	.	.	.		+0163*						7855.3772	
1	12721.884	2S	29486-16764	-26	1.5- 1.5	.	.995	.995							7858.3090	
	12720.677	4	-	-	.	.	.		+1041	237	472	676	861	1041	7859.0546	

TABLE I (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS CALC	HFS 2	DIAGONAL 3	COMPONENTS 4	COMPONENTS 5	COMPONENTS 6	WAVELENGTH
1	12719.401	27	-	-	. - .	.	.	.							7859.8431
1	12718.637	2S	25666-12947	2	9.5- 8.5	.	.	.	-13*						7860.3152
1	12716.763	4S	22241- 9524	-32	2.5- 2.5	.	.	.	-85						7861.4735
	12715.878	2	-	-	. - .	.	.	.							7862.0207
1	12715.284	3	22409- 9694	-6	4.5- 5.5	.	.	.	+0382*	373	093	175	248		7862.3880
1	12714.307	4	26495-13781	-3	6.5- 7.5	.94	1.00	.06	77						7862.9921
1	12711.876	3	22581- 9869	16	4.5- 4.5	.	.	.	-1551	-1521	-434	795	1096	1382	7864.4958
1	12710.713	4	19185- 6474	-257	2.5- 1.5	.	.	.	+0427*	174	106	208			7865.2154
	12705.331	3	-	-	. - .	.	.	.	-0211*						7868.5472
1	12704.555	2	32342-19638	-35	7.5- 7.5	.	.	.	87*						7869.0278
1	12703.310	4	16154- 3450	-15	4.5- 3.5	.797	.590	.207	+0155	181					7869.7990
	12702.660	5	-	-	. - .	.	.	.	+0653		186	335	475	588	7870.2017
	12701.367	4	-	-	. - .	.	.	.	+0092*						7871.0029
	12698.148	3	-	-	. - .	.	.	.	-0558*		-169	299	413		7872.9982
	12697.186	6	-	-	. - .	.	.	.	+0716		167	323	467	598	7873.5947
	12692.937	2	-	-	. - .	.	.	.							7876.2304
	12690.646	3	-	-	. - .	.	.	.	+0115*						7877.6523
1	12688.408	2	23191-10502	8	5.5- 7.5	.	.	.	-31*						7879.0418
1	12687.291	3	23579-10892	56	4.5- 3.5	.	.	.	-0716	-747	-197	360	515	629	7879.7355
1	12685.791	3C	19700- 7015	121	2.5- 2.5	.	.	.	+0794	801	242	503			7880.6672
	12683.500	3C	-	-	. - .	.	.	.	+0433*		433				7882.0907
1	12681.559	4	23961-11279	-41	7.5- 7.5	.	.	.	+0206*	249					7883.2971
	12680.343	2	-	-	. - .	.	.	.	+0450*		090	193			7884.0531
	12679.019	2	-	-	. - .	.	.	.							7884.8764
1	12674.194	6C	17859- 5184	-11	5.5- 5.5	.	.	.	-1076	-1073	-329	589	797	955	7887.8781
	12671.671	3	-	-	. - .	.	.	.	-1019*		-320	565	803		7889.4486
1	12671.321	2	29043-16371	-64	5.5- 6.5	.	.	.	170*						7889.6666
	12669.316	3	-	-	. - .	.	.	.	-0492		-132	243	351	412	7890.9152
	12667.203	2	-	-	. - .	.	.	.							7892.2314
	12666.241	4	-	-	. - .	.	.	.	-0129*						7892.8309
	12665.011	2	-	-	. - .	.	.	.							7893.5974
1	12663.340	3	24141-11478	20	5.5- 5.5	.	.	.	+0092*	160*					7894.6390
	12661.971	2S	-	-	. - .	.	.	.							7895.4926
	12661.507	2	-	-	. - .	.	.	.							7895.7819
	12661.021	3	-	-	. - .	.	.	.	-0942		-216	443	633	801	7896.0850
1	12659.181	3C	25511-12852	-39	3.5- 2.5	.	.	.	-1688	-1854	-572	1056	1413	1688	7897.2327
1	12657.884	2S	24136-11478	-41	6.5- 5.5	.	.	.	145*						7898.0419
1	12656.223	3	24056-11400	-7	2.5- 1.5	.	.	.	+0120*	107*					7899.0784
1	12652.001	6	22521- 9869	1	3.5- 4.5	.	.	.	-0922	-929	-285	514	692	829	7901.7144
1	12649.944	4	27583-14933	49	4.5- 4.5	.	.	.	+0473*	405*	116	232			7902.9993
1	12649.138	3	21355- 8706	-12	5.5- 5.5	.	.	.	+0649*	635	166	316	446		7903.5029
1	12645.347	3	30371-17726	37	8.5- 8.5	.	.	.	364						7905.8723
	12644.966	3	-	-	. - .	.	.	.	+1732		394	822	1172	1419	7906.1105
1	12642.833	3	23412-10769	-47	3.5- 2.5	.	.	.	23						7907.4444
1	12642.095	5	21592- 8950	0	6.5- 6.5	.	.	.	-0202*	-286					7907.9060
	12640.641	3S	-	-	. - .	.	.	.							7908.8156
	12639.089	2	-	-	. - .	.	.	.							7909.7868
1	12637.965	2	23967-11329	-40	4.5- 4.5	.	.	.	39*						7910.4903
	12632.970	5C	-	-	. - .	.	.	.	-1000		-325	624	845	1000	7913.6180
1	12629.563	4C	23132-10502	-17	8.5- 7.5	.	.	.	-1559	-1571	-404	758	1108	1330	7915.7528
	12629.276	4	-	-	. - .	.	.	.							7915.9327
	12628.023	2	-	-	. - .	.	.	.	-0326*						7916.7182
	12626.236	2	-	-	. - .	.	.	.							7917.8387
	12625.544	2	-	-	. - .	.	.	.	-0503*		-149				7918.2726
1	12624.196	5	23903-11279	-34	6.5- 7.5	.	.	.	+0783	776	186	359	517	656	7919.1181

TABLE I (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS	ZEEMAN	DATA	WIDTH		HFS	DIAGONAL		COMPONENTS		WAVELENGTH
						G2	G1	DG	OBS	CALC	2	3	4	5	6	
	12623.076	3	-		. - .	.	.		-1382		-357	682	987	1219	1382	7919.8208
1	12621.708	3	26110-13488	-7	5.5- 6.5	.	.		+0471*	462*	116	223	309			7920.6792
	12620.975	2	-		. - .	.	.		+0359*							7921.1392
	12619.599	2	-		. - .	.	.		+0463*							7922.0029
	12614.845	3	-		. - .	.	.		-0893		-212	423	587	753	893	7924.9884
1	12614.022	4	24433-11819	2	2.5- 3.5	.	.		+0247*	-299*						7925.5054
	12612.260	2	-		. - .	.	.		+0156*							7926.6127
1	12611.581	3	29478-16866	21	7.5- 7.5	.	.		-0915	-924	-233	443	601	771	915	7927.0394
1	12609.841	2	27543-14933	61	5.5- 4.5	.	.		+0312*	205*						7928.1333
	12606.956	2	-		. - .	.	.		+0717		167	316	461	599	717	7929.9476
	12605.097	2	-		. - .	.	.		+0332*							7931.1171
1	12604.117	2	27569-14965	-48	5.5- 5.5	.	.			230*						7931.7338
1	12793.831	5C	19906- 7112	-4	5.5- 5.5	.	.		-1276	-1279	-338	634	890	1104	1276	7814.1170
1	12739.840	4	23242-10502	-10	7.5- 7.5	.	.		-0628	-630	-192	343	646	557	628	7847.2332
	12697.186	6	-		. - .	.	.		+0716		167	323	467	598	716	7873.5947
1	12601.551	3	24161-11560	1	5.5- 5.5	.	.		-0581*	-560	-159	295	406			7933.3489
1	12600.383	4	21551- 8950	-12	5.5- 6.5	.985	.765	.220	+0136*	168*						7934.0843
1	12599.074	3	20391- 7792	-1	6.5- 6.5	.	.		-0095*	-148*						7934.9086
	12596.686	4	-		. - .	.	.		-0418*		-156	273				7936.4128
	12592.898	4	-		. - .	.	.		+1237		332	629	897	1103	1237	7938.8002
	12591.875	5	-		. - .	.	.		+0505		111	255	393	505		7939.4451
1	12589.999	4	19233- 6643	-1	4.5- 4.5	.	.		-0733	-720	-233	401	543	673	733	7940.6282
	12587.074	4	-		. - .	.	.		-0348*		-127	220				7942.4734
1	12582.917	5	26377-13794	-18	7.5- 8.5	.	.		+0902	905	214	412	596	758	902	7945.0974
1	12581.575	4	24535-11954	-35	3.5- 4.5	.	.		-0341*	-360	-131	226				7945.9449
	12578.209	2	-		. - .	.	.									7948.0712
	12577.937	2	-		. - .	.	.									7948.2431
	12576.777	3S	-		. - .	.	.									7948.9762
1	12576.043	3	24136-11560	28	6.5- 5.5	.	.		-0262*	-223*						7949.4402
	12572.382	2	-		. - .	.	.									7951.7550
	12571.671	2	-		. - .	.	.									7952.2047
1	12570.644	2	23899-11329	-46	5.5- 4.5	.	.		-0588*	-569	-153	317	408			7952.8544
	12569.633	3S	-		. - .	.	.									7953.4941
	12567.727	3S	-		. - .	.	.									7954.7003
	12565.677	3S	-		. - .	.	.									7955.9981
	12560.576	3	-		. - .	.	.		-1472		-374	671	956	1216	1472	7959.2291
1	12559.913	2	25507-12947	8	8.5- 8.5	.	.			-13*						7959.6492
	12559.390	2	-		. - .	.	.									7959.9807
1	12558.474	2	20836- 8278	-61	4.5- 3.5	.	.		0089*	99						7960.5613
	12557.226	2	-		. - .	.	.		+0634		155	282	401	522	634	7961.3525
	12554.381	2	-		. - .	.	.		+0320*							7963.1566
	12553.256	3	-		. - .	.	.		-0546*		-164	285	407			7963.8703
	12550.921	3	-		. - .	.	.		+0158*							7965.3519
1	12549.332	5	22243- 9694	-8	4.5- 5.5	.98	.98		+0196	-247						7966.3605
	12547.635	6	-		. - .	1.12	1.12		+0740		163	320	469	609	740	7967.4379
1	12544.859	5	22052- 9507	34	4.5- 3.5	.83	.83		0184*	-209*						7969.2010
1	12542.317	3	27428-14885	7	4.5- 5.5	.	.		+0119*	111*						7970.8161
	12539.475	2S	-		. - .	.	.									7972.6227
1	12537.104	3	24491-11954	24	5.5- 4.5	.	.		+0204*	137						7974.1305
1	12534.195	6C	19646- 7112	-5	4.5- 5.5	.	.	.36*	-1818	-1826	-465	889	1263	1576	1818	7975.9812
1	12528.101	3	24088-11560	6	5.5- 5.5	.	.		-0187*	-83*						7979.8609
	12527.051	2	-		. - .	.	.		+0228*							7980.5298
	12526.498	4	-		. - .	1.25	1.25		-0276*							7980.8821
	12524.111	2	-		. - .	.	.									7982.4032
1	12522.254	4C	20394- 7871	-26	3.5- 4.5	.	.		-1241	-1242	-420	744	988	1149	1241	7983.5869

TABLE I (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS CALC	HFS 2	DIAGONAL 3	COMPONENTS 4	COMPONENTS 5	COMPONENTS 6	WAVELENGTH
1	12521.084	3S	23903-11382	-6	6.5- 6.5	.	.	.	-56	.	.	.	.	.	7984.3330
1	12519.235	3	2831-15350	15	2.5- 3.5	.	.	.	-0626*	-344*	-186	329	.	.	7985.5122
1	12516.625	4C	22210- 9694	5	4.5- 5.5	.	.	.	-0846	-868	-266	479	656	778	7987.1774
1	12514.313	4C	22383- 9869	-7	3.5- 4.5	.	.	.	-2121	-2082	-620	1130	1557	1863	7988.6530
	12513.320	3	-	.	.	.	.	.	+0663	.	143	302	444	563	7989.2869
	12512.641	3S	-	.	.	.	.	.	.	.	.	.	.	.	7989.7205
1	12511.929	3	25358-12846	-1	3.5- 4.5	.	.	.	+0834	852	262	443	627	742	7990.1751
1	12511.684	4S	25999-13488	9	5.5- 6.5	.	.	.180	-9	.	.	.	.	.	7990.3316
	12510.926	2	-	.	.	.	.	.	+0109*	.	.	.	.	.	7990.8157
1	12506.271	4C	25358-12852	1	3.5- 2.5	.	.	.	-0897	-871	-297	525	699	812	7993.7900
1	12504.930	3	25351-12846	-15	3.5- 4.5	.	.	.	+0131*	218*	.	.	.	.	7994.6472
	12504.547	2	-	.	.	.	.	.	.	.	.	.	.	.	7994.8921
	12503.510	3	-	.	.	.	.	.	-0469*	.	-139	245	.	.	7995.5552
1	12502.140	4	25432-12930	0	8.5- 9.5	.	.	.	-89	.	.	.	.	.	7996.4314
	12498.994	2	-	.	.	.	.	.	.	.	.	.	.	.	7998.4441
	12497.959	2	-	.	.	.	.	.	-0146*	.	.	.	.	.	7999.1065
	12496.518	3	-	.	.	.	.	.	-0580	.	-166	297	416	508	8000.0289
	12495.480	2	-	.	.	.	.	.	.	.	.	.	.	.	8000.6934
1	12495.173	2	30221-17726	3	9.5- 8.5	.	.	.	-19*	.	.	.	.	.	8000.8900
1	12494.568	3	27428-14933	3	4.5- 4.5	.	.	.	-0359*	-45*	.	.	.	.	8001.2774
1	12492.535	3	27552-15059	20	7.5- 8.5	.	.	.	-0816	-816	-260	457	601	723	8002.5795
1	12490.561	3	26495-14005	6	6.5- 6.5	.	.	.	-94	.	.	.	.	.	8003.8442
	12489.869	2S	-	.	.	.	.	.	.	.	.	.	.	.	8004.2877
1	12489.281	2	28111-15622	11	8.5- 7.5	.	.	.	+0136*	168	.	.	.	.	8004.6645
	12488.288	3	-	.	.	.	.	.	-0359*	.	-121	216	.	.	8005.3010
	12486.068	2	-	.	.	.	.	.	.	.	.	.	.	.	8006.7244
1	12484.279	3S	25432-12947	-6	8.5- 8.5	.	.	.	-84	.	.	.	.	.	8007.8717
1	12482.796	4C	24302-11819	-34	3.5- 3.5	.	.	.	-1446	-1483*	-445	819	1115	1328	8008.8231
	12482.172	3	-	.	.	.	.	.	+0198*	.	.	.	.	.	8009.2235
	12480.869	4	-	.	.	.	.	.	.	.	.	.	.	.	8010.0596
1	12478.130	5	17663- 5184	-20	4.5- 5.5	.68	.862	.180	+0332*	326	.	.	.	.	8011.8179
	12476.608	3S	-	.	.	.	.	.	.	.	.	.	.	.	8012.7953
1	12471.728	2	27531-15059	-2	8.5- 8.5	.	.	.	-1080	-1115	-317	570	815	970	8015.9306
1	12470.561	3	27569-15099	6	5.5- 5.5	.	.	.	+0771	755	198	372	535	648	8016.6807
	12468.964	5S	-	.	.	1.29	1.29	.	.	.	.	.	.	.	8017.7075
	12465.748	2	-	.	.	.	.	.	-1269	.	-432	760	1004	1152	8019.7759
	12464.554	3S	-	.	.	.	.	.	.	.	.	.	.	.	8020.5442
1	12460.832	3	26242-13781	2	7.5- 7.5	.	.	.	-0465	-488	-114	222	315	403	8022.9399
	12460.228	3S	-	.	.	.	.	.	.	.	.	.	.	.	8023.3288
	12460.094	3S	-	.	.	.	.	.	.	.	.	.	.	.	8023.4151
1	12459.652	5	22414- 9955	2	5.5- 6.5	.926	.926	.	45	.	.	.	.	.	8023.6997
1	12457.302	5	19100- 6643	-13	4.5- 4.5	.	.	.	-0487*	-496	-177	309	402	.	8025.2133
	12454.620	2S	-	.	.	.	.	.	.	.	.	.	.	.	8026.9415
	12453.539	3	-	.	.	.	.	.	+0101*	.	.	.	.	.	8027.6383
1	12451.885	3	25999-13548	5	5.5- 4.5	.	.	.	-0595	-616	-134	264	383	499	8028.7046
1	12447.301	5	26242-13794	-4	7.5- 8.5	.	.	.	+0668	673	160	304	440	563	8031.6614
	12446.019	2	-	.	.	.	.	.	-0491*	.	-153	267	365	.	8032.4887
1	12442.961	4	31459-19016	-89	10.5-10.5	.	.	.	-0734	-735	-190	358	503	628	8034.4628
	12440.745	3	-	.	.	.	.	.	-0161*	.	.	.	.	.	8035.8939
	12439.020	4	-	.	.	.	.	.	+0472	.	106	203	301	396	8037.0083
1	12437.946	4	26232-13794	41	9.5- 8.5	.	.	.	-0703	-692	-166	317	455	577	8037.7023
	12437.213	3	-	.	.	.	.	.	+0407*	.	104	214	.	.	8038.1760
1	12434.594	3S	28867-16432	9	7.5- 7.5	.	.	.	-9	.	.	.	.	.	8039.8690
1	12434.040	3	21384- 8950	-15	7.5- 6.5	.	.	.	-0460	-344	-153	274	.	.	8040.2272
1	12433.252	2	28325-15892	12	3.5- 4.5	.	.	.	+0203*	222*	.	.	.	.	8040.7368

TABLE I (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS CALC	HFS 2	DIAGONAL 3	COMPONENTS 4	5	6	WAVELENGTH
	12430.829	3	-		. - .	.	.		+0304*						8042.3041
	12429.861	3	-		. - .	.	.		+0134*						8042.9304
	12428.017	2	-		. - .	.	.		+0951	219	419	619	787	951	8044.1238
	12427.818	3S	-		. - .	.	.								8044.2526
1	12425.748	2S	23903-11478	68	6.5- 5.5	.	.		132						8045.5927
1	12425.505	2	5456-17881	10	3.5- 3.5	.	.		-20*						8045.7500
	12424.863	2	-		. - .	.	.								8046.1658
	12422.834	2	-		. - .	.	.								8047.4799
	12417.579	4	-		. - .	.	.		+0562	119	249	358	474	562	8050.8856
	12416.591	4S	-		. - .	.	.								8051.5262
	12413.088	2	-		. - .	.	.		+0142*						8053.7984
	12412.534	3	-		. - .	.	.		-0965	-292	496	681	853	965	8054.1578
	12411.340	3S	-		. - .	.	.								8054.9327
	12410.837	3	-		. - .	.	.		+0900	192	366	541	708	900	8055.2591
	12409.901	2	-		. - .	.	.		+0336*						8055.8667
1	12407.147	3	22276- 9869	-3	5.5- 4.5	.	.		-2749	-2717	-757	1398	1941	2749	8057.6548
	12406.247	3	-		. - .	.	.		-0212*						8058.2394
1	12405.093	5	21355- 8950	-12	5.5- 6.5	.	.		+0856	847	237	439	609	748	8058.9890
	12396.682	4	-		. - .	.	.		+0094*						8064.4570
1	12394.472	3	25241-12846	-63	5.5- 4.5	.	.		-0214*	-304					8065.8949
1	12393.199	5	2831-15224	-51	2.5- 2.5	.435	.940	.505	18*						8066.7234
1	12393.199	5	22895-10502	39	6.5- 7.5	1.05	1.05		119*						8066.7234
	12390.378	5	-		. - .	.	.		+0851	211	400	563	720	851	8068.5600
	12389.356	3	-		. - .	.	.		+1518	327	628	980	1315	1518	8069.2256
1	12388.561	3	27322-14933	1	4.5- 4.5	.	.		-0318*	-337	-098				8069.7434
	12382.865	3	-		. - .	.	.		+0207*						8073.4555
	12381.821	3	-		. - .	.	.		+0487	248	487				8074.1362
	12380.827	5	-		. - .	.	.		-0737	-187	351	497	618	737	8074.7844
1	12373.719	4	22243- 9869	-21	4.5- 4.5	.	.		-1850*	-1891	-499	928	1331	1641	8079.4230
1	12372.349	6	19275- 6903	-6	6.5- 7.5	.98	.98		0302*	-220					8080.3176
1	12371.537	4	21879- 9507	2	3.5- 3.5	.82	.82		-0125*	-169					8080.8480
	12369.826	3	-		. - .	.	.		0079*						8081.9657
	12367.735	4	-		. - .	.	.		+1209	250	509	743	965	1209	8083.3321
1	12364.525	3	22058- 9694	-20	6.5- 5.5	.	.		-0334*	-359	-096	191	280		8085.4307
	12362.637	3	-		. - .	.	.								8086.6655
1	12358.937	5	23837-11478	27	6.5- 5.5	.	.		-114						8089.0865
	12357.721	3	-		. - .	.	.		+0108*						8089.8824
	12355.441	5	-		. - .	.	.		-1279	-282	557	819	1064	1279	8091.3753
	12354.325	4	-		. - .	.	.		+0488	136	249	364			8092.1062
1	12351.422	5	26356-14005	-3	5.5- 6.5	.	.		-1010	-313	553	752	897	1010	8094.0081
	12349.856	4	-		. - .	.	.		-1739	-495	920	1264	1581	1739	8095.0345
	12346.703	3	-		. - .	.	.		-0757	-128	271	490	640	757	8097.1017
	12344.018	2	-		. - .	.	.								8098.8630
	12343.395	2	-		. - .	.	.		-0407	-149	284	407			8099.2718
1	12341.420	3	19233- 6892	0	4.5- 3.5	.	.		-0807	-810	-224	430	570	693	8100.5679
1	12339.653	3	23899-11560	3	5.5- 5.5	.	.		-0606	-591	-201	353	492	606	8101.7279
	12338.950	4	-		. - .	.	.								8102.1895
	12336.865	2	-		. - .	.	.								8103.5588
	12335.624	3	-		. - .	.	.		-1110	-267	491	744	937	1110	8104.3740
1	12333.747	5	21040- 8706	-8	5.5- 5.5	.	.		-1009	-1011	-304	542	736	892	8105.6074
1	12330.692	3	27216-14885	17	5.5- 5.5	.	.		61*						8107.6156
1	12330.692	3	28222-15892	12	4.5- 4.5	.	.		47*						8107.6156
	12330.111	3	-		. - .	.	.		-0104*						8107.9977
	12327.998	4	-		. - .	.	.		+0471*	142	244	353			8109.3874
	12327.167	3	-		. - .	.	.		+0271*						8109.9340

TABLE I (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS CALC	HFS 2	DIAGONAL 3	COMPONENTS 4	COMPONENTS 5	COMPONENTS 6	WAVELENGTH
1	12326.366	3	18969- 6643	-19	4.5- 4.5	.	.	.	134	.	.	.	.	.	8110.4610
1	12325.061	5	23217-10892	11	3.5- 3.5	.	.	.	-0385*	-377*	-117	228	.	.	8111.3198
1	12323.668	3	25311-12988	-7	5.5- 5.5	.	.	.	-0224*	-208*	.	.	.	.	8112.2367
1	12321.676	4	22276- 9955	-14	5.5- 6.5	.	.	.	-0982	-988	-279	515	710	865	8113.5481
	12317.598	4	-	.	.	.	.	.	-0904	.	-276	518	729	904	8116.2343
1	12315.736	4	27666-15350	16	3.5- 3.5	.	.	.	0173	-88*	.	.	.	.	8117.4614
	12312.690	3	-	.	.	.	.	.	.	.	.	.	.	.	8119.4696
	12311.909	3	-	.	.	.	.	.	.	.	.	.	.	.	8119.9846
1	12306.311	3	21012- 8706	71	5.5- 5.5	.	.	.	-0796	-700	-218	452	655	796	8123.6783
1	12304.923	6C	14338- 2033	-12	5.5- 4.5	.	.	.	+1394	1394	299	607	905	1171	8124.5947
1	12303.170	3	25291-12988	-35	6.5- 5.5	.	.	.	0088*	108	.	.	.	.	8125.7523
1	12301.712	4	23779-11478	-3	5.5- 5.5	.	.	.	-0760	-785	-207	388	544	669	8126.7154
	12299.462	3	-	.	.	.	.	.	-1312	.	-344	630	908	1163	8128.2021
1	12295.972	4	22251- 9955	-8	5.5- 6.5	.	.	.	-0657	-709	-172	332	453	594	8130.5091
1	12294.103	5	28713-16418	-37	9.5- 9.5	1.10	1.10	.	-0411*	-492	-123	230	.	.	8131.7452
1	12293.244	4	19185- 6892	64	2.5- 3.5	.	.	.	+0321*	342	104	188	.	.	8132.3134
	12291.894	4	-	.	1.5- 2.5	.	.	.245	0091*	.	.	.	.	.	8133.2065
1	12290.568	3C	24110-11819	-32	3.5- 3.5	.	.	.	-0874	-1147*	-357	652	874	.	8134.0840
1	12289.616	3	25277-12988	6	4.5- 5.5	.	.	.	+0150*	162*	.	.	.	.	8134.7141
	12288.040	3	-	.	.	.	.	.	-0322*	.	-96	.	.	.	8135.7574
1	12282.920	4	22238- 9955	20	7.5- 6.5	.	.	.	-0290*	-347	.	.	.	.	8139.1487
1	12282.920	4	27216-14933	-10	5.5- 4.5	.	.	.	-0290*	-95*	.	.	.	.	8139.1487
1	12277.017	4	23837-11560	17	6.5- 5.5	.	.	.	-0485	-482	-117	251	347	435	8143.0622
	12270.246	4	-	.	.	.	.	.	+0223*	.	.	.	.	.	8147.5558
	12265.059	5	-	.	.	.	.	.	+1191	.	297	593	863	1037	8151.0014
1	12264.096	4	25970-13706	1	5.5- 6.5	.	.	.	-0240*	-274	.	.	.	.	8151.6415
	12263.063	3	-	.	.	.	.	.	0108*	.	.	.	.	.	8152.3281
	12259.880	4	-	.	.	.	.	.	+0394	.	084	167	263	331	8154.4447
1	12258.885	6S	20050- 7792	-15	6.5- 6.5	.673	.858	.185	30	.	.	.	.	.	8155.1066
1	12256.468	2	25351-13095	53	3.5- 2.5	.	.	.	-210*	.	.	.	.	.	8156.7148
	12255.658	3	-	.	.	.	.	.	+0957	.	252	440	668	855	8157.2539
	12254.009	5	-	.	.	.	.	.	+1282	.	274	548	806	1046	8158.3516
	12245.351	4	-	.	.	.	.	.	.	.	.	.	.	.	8164.1199
	12241.581	3	-	.	.	.	.	.	+0309	.	116	210	.	.	8166.6342
1	12240.406	6	15743- 3502	1	5.5- 6.5	.84	.84	.	-0145	-167	.	.	.	.	8167.4182
1	12237.213	4	24056-11819	-27	2.5- 3.5	.	.	.	-0786*	-784*	-261	465	.	786*	8169.5493
	12235.396	3	-	.	.	.	.	.	.	.	.	.	.	.	8170.7625
	12234.747	3	-	.	.	.	.	.	.	.	.	.	.	.	8171.1959
	12234.271	3	-	.	.	.	.	.	+0441*	.	145	275	.	.	8171.5138
	12233.558	4	-	.	.	.	.	.	+0841	.	196	377	555	731	8171.9901
1	12230.571	3C	26012-13781	21	8.5- 7.5	.	.	.	-1076	-1266	-335	610	863	1076	8173.9859
	12227.920	3	-	.	.	.	.	.	0090*	.	.	.	.	.	8175.7580
1	12226.811	3	28273-16046	1	5.5- 5.5	.	.	.	-28*	.	.	.	.	.	8176.4996
	12222.006	2	-	.	.	.	.	.	.	.	.	.	.	.	8179.7141
	12219.433	4	-	.	.	.	.	.	.	.	.	.	.	.	8181.4365
	12218.400	3	-	.	.	.	.	.	-0580	-141	283	407	502	580	8182.1282
1	12217.010	6B	26012-13794	-15	3.5- 8.5	1.10	1.10	.	-0215*	-105	-052	109	161	215	8183.0591
1	12217.010	6B	22238-10020	-10	7.5- 8.5	1.10	1.10	.	-0215*	-236	-052	109	161	215	8183.0591
	12212.523	2	-	.	.	.	.	.	+0640	.	139	288	418	512	8186.0657
1	12211.884	4	27531-15319	9	3.5- 9.5	.	.	.	-0909	-909	-217	421	602	767	8186.4940
1	12208.728	6	19100- 6892	-7	4.5- 3.5	.	.	.	-0573*	-586	-181	321	431	.	8188.6103
1	12206.404	4	24026-11819	-36	3.5- 3.5	.	.	.	-0725	-634	-197	359	493	592	8190.1693
1	12204.579	5	22074- 9869	29	5.5- 4.5	.	.	.	-0624	-644	-177	330	457	557	8191.3941
	12203.960	4	-	.	.	.	.	.	-0188*	.	.	.	.	.	8191.8095
1	12201.114	5	31217-19016	-6	9.5-10.5	1.08	1.08	.	+0134*	274*	.	.	.	.	8193.7203

TABLE I (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS	WIDTH CALC	HFS 2	DIAGONAL 3	COMPONENTS 4	COMPONENTS 5	COMPONENTS 6	WAVELENGTH
1	12200.771	4	19992- 7792	-9	5.5- 6.5	.	.	.	+0606*	636	126	262	408			8193.9507
	12199.471	8	-	-	.	.	.	.								8194.8239
	12196.245	2	-	-	.	.	.	.	+0355*							8196.9915
	12195.505	3	-	-	.	.	.	.	+0225*							8197.4889
	12189.094	4	-	-	.	.	.	.	-0608		-161	307	423	531	608	8201.8004
1	12185.379	2W	23416-11231	114	2.5- 2.5	.	.	.		-316						8204.3010
1	12185.174	2W	27118-14933	4	5.5- 4.5	.	.	.	-65*							8204.4390
1	12182.361	3	16798- 4615	-9	3.5- 2.5	.	.	.	+0183*	175*						8206.3335
	12181.256	2	-	-	.	.	.	.								8207.0779
1	12178.910	3	20885- 8706	0	5.5- 5.5	.	.	.		-69						8208.6588
	12177.876	4S	-	-	.	.	.	.								8209.3558
1	12175.928	3	28222-16046	-22	4.5- 5.5	.	.	.	0187*	-3*						8210.6692
1	12174.170	5	25969-13794	-15	8.5- 8.5	.	.	.	+0786	791	158	324	487	644	786	8211.8549
	12173.406	3	-	-	.	.	.	.	-0887		-196	382	569	717	887	8212.3702
1	12170.094	3	19185- 7015	14	2.5- 2.5	.	.	.	+0234*	233						8214.6052
1	12169.433	3	25657-13488	-2	5.5- 6.5	.	.	.	+0602	579	153	291	405	505	602	8215.0514
	12164.720	3L	-	-	1.5- 2.5	1.421	1.133	.288								8218.2342
	12156.461	3S	-	-	.	.	.	.								8223.8176
1	12156.010	3	24110-11954	20	3.5- 4.5	.	.	.		-34*						8224.1227
	12155.770	3	-	-	.	.	.	.	+0668*		136	265				8224.2851
	12153.368	3	-	-	.	.	.	.	+0330*		122					8225.9105
	12147.428	3	-	-	.	.	.	.	+0733		167	338	481	619	733	8229.9330
	12146.318	2S	-	-	.	.	.	.								8230.6851
	12144.499	2	-	-	.	.	.	.	0096*							8231.9179
1	12142.490	2	27108-14965	-25	5.5- 5.5	.	.	.	-0231*							8233.2799
	12141.043	4	-	-	.	.	.	.	-1135		-347	620	837	996	1135	8234.2611
	12138.312	3	-	-	.	.	.	.	-0334*							8236.1138
	12135.820	3	-	-	.	.	.	.	+1641		444	811	1145	1388	1641	8237.8050
	12128.866	3	-	-	.	.	.	.	-0582*		-157	289	397			8242.5281
1	12127.497	3	23407-11279	7	8.5- 7.5	.	.	.	0276	-154*						8243.4586
	12126.956	3	-	-	.	.	.	.	0122*							8243.8263
	12126.391	3	-	-	.	.	.	.	-0245*							8244.2104
1	12123.122	2	22625-10502	12	6.5- 7.5	.	.	.	-0375*	300	-093					8246.4335
1	12122.490	4	20400- 8278	-175	2.5- 3.5	.	.	.	-0483*	-407	-147	271	363			8246.8634
1	12121.080	6C	19233- 7112	10	4.5- 5.5	.	.	.	-2342	-2346	-630	1183	1657	2044	2342	8247.8227
	12116.998	4S	-	-	.	.	.	.								8250.6013
1	12114.130	4	19985- 7871	-5	4.5- 4.5	.	.	.	+0184*	149						8252.5546
	12113.460	3	-	-	.	.	.	.	+0261*		142					8253.0111
1	12110.077	5	23002-10892	37	4.5- 3.5	.	.	.	-0576	-602	-146	270	395	493	576	8255.3166
1	12103.476	5	22058- 9955	-9	6.5- 6.5	.	.	.	-0269*	-274	-062	121	178	269*		8259.8189
1	12101.216	5	23579-11478	21	4.5- 5.5	.	.	.	-0177*	-235						8261.3615
1	12097.823	4	28497-16400	23	7.5- 6.5	.	.	.	-0590	-618	-162	293	418	511	590	8263.6785
1	12096.759	5	25044-12947	4	7.5- 8.5	1.06	1.06			-106						8264.4054
	12094.209	3	-	-	.	.	.	.	-0963		-356	673	963			8266.1479
	12093.434	4	-	-	.	.	.	.	-0507		-138	257	363	446	507	8266.6776
	12091.700	4	-	-	.	.	.	.								8267.8631
	12089.790	5	-	-	.	.	.	.								8269.1693
	12088.163	3S	-	-	.	.	.	.	0040*							8270.2823
1	12084.898	5	18728- 6643	13	5.5- 4.5	.	.	.	-0868	-857	-255	475	626	765	868	8272.5167
	12082.770	4	-	-	.	.	.	.	-0568		-149	272	399	487	568	8273.9736
	12080.733	3S	-	-	.	.	.	.								8275.3688
	12080.296	4	-	-	.	.	.	.								8275.6681
1	12077.808	5	18969- 6892	3	4.5- 3.5	1.042	.818	.224		44						8277.3729
	12069.825	3	-	-	.	.	.	.	-0174*							8282.8476
1	12063.617	6	25551-13488	2	5.5- 6.5	.	.	.	-0060*	-98						8287.1100

TABLE I (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS CALC	HFS 2	DIAGONAL 3	COMPONENTS 4	COMPONENTS 5	COMPONENTS 6	WAVELENGTH
1	12062.685	6	23540-11478	5	5.5- 5.5	.	.	.	+0662 665	174	328	462	573	662	8287.7503
	12057.783	3	-	-	.	.	.	.	+0492*	92*	218	321			8291.1196
1	12057.084	5S	27743-15686	-21	4.5- 5.5	.	.	.	+0000 -2*						8291.6003
1	12053.764	3	29486-17433	4	1.5- 1.5	.	.	.	0084* 150*						8293.8841
	12052.595	4	-	-	.	.	.	.	+0267*						8294.6885
1	12049.189	4	22004- 9955	9	6.5- 6.5	.	.	.	0225* -280						8297.0333
	12041.345	5	-	-	.	.	.	.	-0812*	-154*	325	496	656	812	8302.4382
1	12035.860	6	19827- 7792	0	7.5- 6.5	.	.	.	-1434 -1433	-388	719	998	1235	1434	8306.2218
	12032.880	4	-	-	.	.	.	.							8308.2789
	12032.492	3	-	-	.	.	.	.	+0256*						8308.5468
1	12025.098	6	23304-11279	-7	6.5- 7.5	.	.	.	+0367 349	077	153	227	299	367	8313.6556
	12024.844	4	-	-	.	.	.	.	-1064*	*	647	817	941	1064	8313.8312
1	12019.362	3	27118-15099	-18	5.5- 5.5	.	.	.	+0118* 205*						8317.6231
	12018.181	5	-	-	.	.	.	.	+0346*						8318.4405
	12016.581	4	-	-	.	.	.	.	-0491	-157	263	365	430	491	8319.5481
1	12012.718	3	23967-11954	-27	4.5- 4.5	.	.	.	22*						8322.2234
	12009.324	3S	-	-	.	.	.	.							8324.5754
	12007.278	3	-	-	.	.	.	.	-0548*						8325.9939
	12004.607	2	-	-	.	.	.	.	-0458*						8327.8464
	12003.274	4	-	-	.	.	.	.	-1014	-305	555	748	897	1014	8328.7713
	11998.610	5	-	-	.	.	.	.	-0996	-260	493	689	853	996	8332.0088
1	11996.426	3	19788- 7792	6	5.5- 6.5	.	.	.	+0490 496	119	227	317	410	490	8333.5257
	11995.820	5	-	-	.	.	.	.	+1265 317	596	848	1069	1265		8333.9466
1	11988.381	7C	19100- 7112	-4	4.5- 5.5	.	.	.	-2122 -2122	-584	1088	1514	1857	2122	8339.1180
1	11985.979	5	25474-13488	4	6.5- 6.5	.	.	.	-0447 -453	-102	208	305	379	447	8340.7892
1	11981.664	5	21851- 9869	-11	5.5- 4.5	.	.	.	-1170 -1169	-343	625	855	1039	1170	8343.7930
	11978.299	5	-	-	.	.	.	.	+0769	201	381	541	671	769	8346.1370
	11975.472	4C	-	-	.	.	.	.	-1151	-384	682	895	1151		8348.1073
	11969.878	3	-	-	.	.	.	.							8352.0087
1	11969.143	3	25999-14030	-7	5.5- 5.5	.	.	.	-0604* -642	-147	287	434			8352.5216
1	11967.657	3	28400-16432	-18	7.5- 7.5	.	.	.	-0164* -192*						8353.5587
1	11965.276	5S	21920- 9955	6	5.5- 6.5	.	.	.	42*						8355.2210
1	11963.027	6S	23242-11279	17	7.5- 7.5	.	.	.	80						8356.7917
	11962.270	5	-	-	.	.	.	.	-0716	-236	409	536	637	716	8357.3206
	11952.273	3	-	-	.	.	.	.	+0210*						8364.3107
1	11951.265	4	25657-13706	0	5.5- 6.5	.	.	.	+0457* 439	122	223	315			8365.0162
	11950.153	4	-	-	.	.	.	.	0087*						8365.7946
	11949.928	4S	-	-	.	.	.	.							8365.9521
1	11948.275	6	24896-12947	-30	7.5- 8.5	.	.	.	-0959 -959	-231	446	640	812	959	8367.1095
1	11940.036	8R	11940- 0	-29	4.5- 5.5	.67	.67	.	0167* -200						8372.8831
1	11934.890	6	20885- 8950	25	5.5- 6.5	.84	.84	.	0276* 143						8376.4933
1	11925.409	4	29358-17433	9	2.5- 1.5	.	.	.	-0102* -200*						8383.1529
	11919.865	4	-	-	.	.	.	.	+0147*						8387.0519
1	11916.312	6	29642-17726	12	7.5- 8.5	.	.	.	+0609 600	149	279	403	511	609	8389.5526
	11910.903	3	-	-	.	.	.	.							8393.3625
1	11902.667	4	22794-10892	47	4.5- 3.5	.	.	.	-0129* -129*						8399.1703
1	11896.881	4	27583-15686	51	4.5- 5.5	.	.	.	+0255 261*						8403.2552
	11891.494	6	-	-	.	.	.	.	-0802	-240	432	583	703	802	8407.0620
	11880.598	3	-	-	.	.	.	.	-0653*						8414.7724
	11874.371	3	-	-	.	.	.	.	-0639	-260	439	639			8419.1852
	11869.370	2	-	-	.	.	.	.							8422.7325
1	11865.484	6	23343-11478	4	4.5- 5.5	.	.	.	+0314 307	075	144	208	264	314	8425.4910
	11863.059	3S	-	-	.	.	.	.							8427.2133
1	11859.866	5	23242-11382	-4	7.5- 6.5	.	.	.	-0749 -752	-232	414	556	667	749	8429.4822
	11857.567	5	-	-	.	.	.	.	-1100	-365	640	845	996	1100	8431.1165

TABLE I (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS CALC	HFS 2	DIAGONAL 3	COMPONENTS 4	COMPONENTS 5 6	WAVELENGTH
1	11856.991	4	21551- 9694	31	5.5- 5.5	.	.	.	0119* -172*					8431.5261
1	11856.687	4	23136-11279	-33	6.5- 7.5	.	.	.	+0598* 573*	141	267	390		8431.7423
1	11852.738	5	23132-11279	-2	8.5- 7.5	.	.	.	-0850 -861	-217	409	579	726 850	8434.5515
1	11851.584	3S	27743-15892	-16	4.5- 4.5	.	.	.	+0000 9*					8435.3728
1	11846.393	3	24896-13049	-12	7.5- 7.5	.	.	.	-1078 -1088	-269	521	739	905 1078	8439.0691
1	11845.454	4	25551-13706	9	5.5- 6.5	.	.	.	-0180* -238					8439.7381
	11843.910	4	-		.	.	.	.	-0551	-115	227	341	454 551	8440.8383
	11843.085	3	-		.	.	.	.						8441.4263
	11842.060	3	-		.	.	.	.						8442.1570
	11838.293	3S	-		.	.	.	.						8444.8433
1	11837.869	4	2831-14669	-51	2.5- 3.5	.47	1.10	.63	18*					8445.1458
1	11828.461	3S	27720-15892	1	4.5- 4.5	.	.	.	147*					8451.8629
1	11826.595	3	23304-11478	40	6.5- 5.5	.	.	.	-0253* -295					8453.1964
1	11824.327	6	24754-12930	-3	9.5- 9.5	.	.	.	-0209* -228	-053	106		209*	8454.8178
1	11822.686	6	17007- 5184	-19	6.5- 5.5	.	.	.	-0400* -413	-152	259			8455.9913
	11819.960	3	-		.	.	.	.						8457.9415
1	11819.162	2	29665-17845	-73	3.5- 2.5	.	.	.	38*					8458.5126
	11813.820	3	-		.	.	.	.	+0436* 126	242				8462.3374
1	11810.543	5	25358-13548	43	3.5- 4.5	.	.	.	+0895 889	239	435	630	781 895	8464.6854
1	11806.435	0	24754-12947	-40	8.5- 8.5	.	.	.	-0221* -223	-043	088		221*	8467.6307
	11800.348	3	-		.	.	.	.	+0461 171	326	461			8471.9986
1	11798.133	2	2831-14629	-142	2.5- 2.5	.	.	.	-0480* -427	-157	293			8473.5891
1	11786.509	6	31761-19974	-21	9.5- 9.5	.	.	.	+0389 384*	075	154	233	312 389	8481.9459
1	11783.608	5	23343-11560	38	4.5- 5.5	.	.	.	0109* -61					8484.0341
	11781.726	4	-		.	.	.	.	-0237*					8485.3893
1	11779.852	5S	24632-12852	12	3.5- 2.5	.	.	.	7*					8486.7392
1	11778.919	4S	23257-11478	39	6.5- 5.5	.	.	.	35*					8487.4114
	11777.777	3	-		.	.	.	.	0136*					8488.2344
1	11777.056	6S	25782-14005	-19	5.5- 6.5	.	.	.	+0000 17					8488.7541
1	11775.250	1	21282- 9507	130	2.5- 3.5	.	.	.	-0500* -451					8490.0560
1	11774.786	5	19646- 7871	16	4.5- 4.5	.	.	.	-0210 -225	-098	147	205		8490.3906
1	11771.101	6	21640- 9869	11	3.5- 4.5	.	.	.	-0590 -592	-188	326	437	526 590	8493.0485
	11768.628	3	-		.	.	.	.	-0711 -196	388	505	618	711	8494.8332
1	11767.824	4	25474-13706	19	6.5- 6.5	.	.	.	-0587 -593	-147	279	406	508 587	8495.4136
	11756.172	3	-		.	.	.	.	-0188*					8503.8338
1	11752.885	5	25241-13488	-15	5.5- 6.5	.	.	.	+0360 340	086	158	233	315 360	8506.2121
1	11752.212	5	22521-10769	-18	3.5- 2.5	.	.	.	+0465 512	139	270	374	465	8506.6992
1	11751.414	3S	25782-14030	-26	5.5- 5.5	.	.	.	20					8507.2769
	11750.939	3	-		.	.	.	.	0099*					8507.6208
1	11748.232	6	22251-10502	-18	6.5- 7.5	.	.	.	-0545 -552	-149	277	386	476 545	8509.5811
1	11744.631	6	18388- 6643	-19	3.5- 4.5	.571	.860	.289	+0437* 420	129	225	296	364	8512.1902
	11738.390	4	-		.	.	.	.	-0328* -119					8516.7160
1	11735.172	5	22238-10502	2	7.5- 7.5	.	.	.	-0170* -190	-042	085			8519.0514
	11727.677	4	-		.	.	.	.						8524.4958
1	11720.163	8	18194- 6474	3	2.5- 1.5	.	.	.	16					8529.9611
	11719.669	4	-		.	.	.	.	+0504*	143	269	359		8530.3206
	11715.335	5	-		.	.	.	.	-0574	-165	290	384	474 574	8533.4764
	11713.800	5	-		.	.	.	.						8534.5946
	11711.688	3	-		.	.	.	.	0151*					8536.1337
1	11710.530	4	22602-10892	50	3.5- 3.5	.	.	.	+0223* 197					8536.9778
	11697.081	4	-		.	.	.	.	-0554*	-208	333	431		8546.7934
1	11696.981	4	23257-11560	11	6.5- 5.5	.	.	.	-0345* -333*	-120	226			8546.8665
1	11696.241	3	19985-31682	61	4.5- 3.5	.	.	.	0189*					8547.4072
	11696.003	2S	-		.	.	.	.						8547.5812
	11695.759	2S	-		.	.	.	.						8547.7595

TABLE I (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS CALC	HFS 2	DIAGONAL 3	COMPONENTS 4	COMPONENTS 5	COMPONENTS 6	WAVELENGTH	
	11695.563	2S	-		. - .	.	.								8547.9027	
	11695.382	2S	-		. - .	.	.								8548.0350	
	11695.217	2	-		. - .	.	.		0 112*						8548.1556	
1	11694.963	2	27310-15615	-22	5.5- 6.5	.	.		50*						8548.3413	
1	11694.963	2	28130-16435	-82	3.5- 3.5	.	.		-228*						8548.3413	
1	11692.929	4	28111-16418	-11	8.5- 9.5	.	.		+0734 727	171	326	463	609	734	8549.8283	
	11690.621	2S	-		. - .	.	.								8551.5162	
1	11689.334	4	22581-10892	14	4.5- 3.5	.	.		-0 146*	-81					8552.4578	
	11687.029	3	-		. - .	.	.		-0595		-158	284	414	507	595	8554.1445
1	11686.360	2S	29412-17726	90	9.5- 8.5	.	.		51*						8554.6342	
	11682.611	2	-		. - .	.	.		0 098*						8557.3795	
	11680.626	3	-		. - .	.	.		+0707		165	313	445	597	707	8558.8337
	11679.236	4	-		. - .	.	.		+0273*						8559.8523	
1	11670.749	6	23053-11382	-1	5.5- 6.5	.	.		-0487	-489	-140	263	360	432	487	8566.0771
1	11668.783	2S	25403-13734	3	3.5- 3.5	.	.		28*						8567.5204	
	11668.511	3	-		. - .	.	.		-1723		-480	854	1198	1484	1723	8567.7201
1	11661.653	5	21355- 9694	-17	5.5- 5.5	.	.		+0531 507	128	247	353	454	531	8572.7586	
	11654.037	3	-		. - .	.	.		+0772		174	332	482	649	772	8578.3610
	11653.704	3	-		. - .	.	.								8578.6061	
1	11652.538	3S	25657-14005	-7	5.5- 6.5	.	.		-57						8579.4645	
	11649.015	4	-		. - .	.	.		+0872		230	423	592	774	872	8582.0592
1	11644.728	2	24491-12846	-22	5.5- 4.5	.	.		+0275*	223					8585.2187	
	11641.263	2	-		. - .	.	.								8587.7741	
	11640.401	3	-		. - .	.	.		0 103*						8588.4101	
	11639.774	4S	-		. - .	.	.								8588.8727	
	11639.246	4	-		. - .	.	.		-0665		-180	338	473	581	665	8589.2623
1	11637.289	4	25432-13794	-6	3.5- 8.5	.	.		+1034 1017	219	438	643	839	1034	8590.7068	
1	11635.559	6	25123-13488	-16	5.5- 6.5	.	.		+0365* 352*	80	153	230			8591.9840	
1	11629.503	4	22521-10892	43	3.5- 3.5	.	.		+0511 511	118	238	349	444	511	8596.4583	
1	11625.839	6	16810- 5184	84	5.5- 5.5	.	.		0 189*	-75*					8599.1676	
1	11623.951	6	21131- 9507	-39	2.5- 3.5	.	.		-0939 -964	-279	510	706	851	939	8600.5643	
	11622.629	4	-		. - .	.	.		-0815		-294	519	677	815	8601.5425	
	11621.712	5	-		. - .	.	.		-0427		-128	233	318		8602.2212	
	11618.980	4	-		. - .	.	.								8604.2439	
1	11615.951	4	18728- 7112	-4	5.5- 5.5	.	.		-2492 -2483	-663	1259	1736	2156	2492	8606.4876	
1	11597.226	5C	23416-11819	41	2.5- 3.5	.	.		-1200* -1193	-373	683	929	1110	1180	8620.3838	
1	11595.919	4	21551- 9955	19	5.5- 6.5	.995	.884	.111	0 025* -87*						8621.3554	
	11584.650	3	-		. - .	.	.		+0393		109	193			8629.7419	
	11584.098	2	-		. - .	1.21	1.21								8630.1531	
1	11580.729	3	24528-12947	4	7.5- 8.5	.	.		-0538 -541	-161	284	394	476	538	8632.6637	
1	11575.363	2	23053-11478	23	5.5- 5.5	.	.		-0315* -301	-069	138	202			8636.6656	
1	11557.047	5	18200- 6643	17	4.5- 4.5	.	.		+0454 464	135	246	334	400	454	8650.3533	
1	11555.728	2	22058-10502	-27	6.5- 7.5	.	.		0 090* -117						8651.3407	
1	11549.491	3	26869-15319	11	8.5- 9.5	.	.		-0934 -948	-230	440	628	795	934	8656.0127	
1	11543.372	2S	25277-13734	12	4.5- 3.5	.	.		-2*						8660.6011	
1	11524.015	5	23002-11478	15	4.5- 5.5	.	.		0 020* -90						8675.1485	
1	11517.180	3	22409-10892	30	4.5- 3.5	.	.		+0180 169						8680.2969	
	11515.030	4	-		. - .	.	.								8681.9176	
1	11513.190	2S	22895-11382	10	6.5- 6.5	.	.		-3*						8683.3051	
1	11509.802	5	25291-13781	7	6.5- 7.5	.	.		+0320* 303	107	189	250	300		8685.8611	
	11502.100	6	-		. - .	.	.								8691.6774	
1	11501.440	5	22004-10502	-10	6.5- 7.5	.	.		-0080* -123						8692.1761	
1	11496.877	4	24985-13488	17	5.5- 6.5	.	.		+0641 643	162	310	436	549	641	8695.6260	
1	11496.080	7	18388- 6892	10	3.5- 3.5	.575	.810	.235	+0360* 330	132	232				8696.2288	
	11493.550	4	-		2.5- 2.5	.	.		-0720*		-260	450	573	694	8698.1431	

TABLE I (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS	WIDTH CALC	HFS 2	DIAGONAL 3	COMPONENTS 4	COMPONENTS 5	COMPONENTS 6	WAVELENGTH
	11491.830	2	-	-	. - .	.	.		-0920		-210	400	589	770	920	8699.4450
1	11488.630	2	20439- 8950	-25	5.5- 6.5	.	.			167*						8701.8681
1	11483.800	6	19275- 7792	15	6.5- 6.5	.	.		0 160*	-170						8705.5280
1	11479.721	3	28221-16741	11	6.5- 6.5	.	.			-72						8708.6213
	11475.660	6	-	-	. - .	.	.									8711.7031
1	11473.854	5C	18117- 6643	4	3.5- 4.5	.	.		+1401	1421	404	745	1025	1245	1401	8713.0744
1	11467.750	3	24314-12846	-25	4.5- 4.5	.	.		-0280	-223						8717.7121
	11462.273	0	-	-	3.5- 3.5	.	.	.152								8721.8777
1	11462.151	2	20969- 9507	6	3.5- 3.5	.	.		-168							8721.9706
1	11448.800	4	27867-16418	-30	8.5- 9.5	.	.		+0924	891*	203	394	585	765	924	8732.1417
	11445.531	2	-	-	. - .	.	.									8734.6357
1	11445.450	2	20969- 9524	15	3.5- 2.5	.	.		-0150*	-134						8734.6976
	11443.710	2	-	-	. - .	.	.		-1260		-330	580	820	1060	1260	8736.0257
1	11442.090	2	23002-11560	0	4.5- 5.5	.	.		-0470	-458	-130	250	330	*	470	8737.2625
	11422.820	2	-	-	. - .	.	.		0 160							8752.0021
1	11422.590	2	19700- 8278	40	2.5- 3.5	.	.		+1060	890						8752.1784
1	11417.360	2L	25123-13706	-45	5.5- 6.5	.	.			212*						8756.1875
	11413.020	4	-	-	. - .	.	.									8759.5172
	11412.230	4	-	-	. - .	.	.									8760.1236
1	11408.890	2	24433-13024	0	2.5- 3.5	.	.		+0460	412*						8762.6882
1	11388.708	3	27011-15622	18	7.5- 7.5	.	.		-0568	-605	-149	279	389	486	568	8778.2166
	11386.360	2	-	-	. - .	.	.		-0650*	221	-154	296	419	531		8780.0268
1	11383.760	2	21253- 9869	-55	4.5- 4.5	.	.		-1762	-1755	-516	952	1282	1562	1762	8782.0322
1	11382.444	5	27005-15622	-6	6.5- 7.5	.	.		+0651	637	163	308	436	550	651	8783.0475
1	11375.750	4	5456-16831	-50	3.5- 2.5	.	.		0 170*	130*						8788.2159
1	11372.930	5	18388- 7015	-40	3.5- 2.5	.	.		+0350*	221	108	180*				8790.3950
1	11368.682	2	25075-13706	7	6.5- 6.5	.	.		-0504	-511	-141	259	347	439	504	8793.6796
1	11361.645	4	19233- 7871	5	4.5- 4.5	.	.		-0741	-745	-229	413	557	668	741	8799.1261
1	11354.836	3	28221-16866	6	6.5- 7.5	.	.		-1088	-1087	-254	492	711	908	1088	8804.4026
1	11351.225	4	22243-10892	25	4.5- 3.5	.	.		-0436	-451	-102	198	287	369	436	8807.2034
1	11346.259	4	22625-11279	-11	6.5- 7.5	.	.		+1027	1010	265	492	700	880	1027	8811.0581
1	11344.367	5	20050- 8706	7	6.5- 5.5	.776	.930	.154	0020*	-35						8812.5276
1	11340.800	4	30712-19371	50	5.5- 6.5	.	.		50*							8815.2994
1	11340.800	4	27776-16435	-80	4.5- 3.5	.	.		-228*							8815.2994
	11340.090	2	-	-	. - .	.	.		-0420*							8815.8514
	11331.930	2	-	-	. - .	.	.		+0770							8822.1996
1	11322.734	6	16507- 5184	-1	4.5- 5.5	.	.		+0480	481	110	216	315	404	480	8829.3648
1	11318.540	3C	22210-10892	60	4.5- 3.5	.	.		-1072*	-1072	-295	544	750*	950*	1072*	8832.6364
	11317.003	4S	-	-	. - .	.	.									8833.8360
1	11316.620	3	22794-11478	40	4.5- 5.5	.	.		0370*	383*						8834.1350
	11314.465	2	-	-	. - .	.	.									8835.8176
1	11308.470	5	18200- 6892	20	4.5- 3.5	.	.			374	133	238	311	366		8840.5018
1	11302.370	6	18194- 6892	0	2.5- 3.5	.364	.803	.439	0180*	184						8845.2731
	11301.470	5	-	-	. - .	.	.									8845.9775
	11283.125	5	-	-	2.5- 3.5	.700	.808	.108	0200							8860.3600
1	11279.440	5Q	19985- 8706	5	4.5- 5.5	.	.		+0280*	277	074	138	193	245		8863.2547
1	11274.347	6C	16459- 5184	2	4.5- 5.5	.	.		+1411	1416	364	692	978	1219	1411	8867.2586
1	11270.680	4	14721- 3450	-5	4.5- 3.5	.	.		-0442	-453	-158	265	339	403	442	8870.1436
	11264.856	4	-	-	. - .	.	.		+1333		320	615	884	1120	1333	8874.7296
1	11263.662	4S	27310-16046	7	5.5- 5.5	.	.			-28*						8875.6703
1	11263.662	4S	24110-12846	2	3.5- 4.5	.	.			52*						8875.6703
1	11260.412	3	25291-14030	7	6.5- 5.5	.	.			135						8878.2321
	11260.283	2	-	-	. - .	.	.									8878.3338
1	11249.790	5	25044-13794	25	7.5- 8.5	.	.		+0994	995	242	463	661	838	994	8886.6149
1	11243.210	4	31217-19974	0	9.5- 9.5	.	.			4*						8891.8157

TABLE I (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1		OBS G2	ZEEMAN G1	DATA DG	WIDTH		HFS 2	DIAGONAL		COMPONENTS		WAVELENGTH
										OBS	CALC		3	4	5	6	
1	11236.207	4L	2831-14067	-13	2.5- 2.5		.	.		-0238	-114	-104	238				8897.3576
1	11234.711	5	22794-11560	41	4.5- 5.5		.	.			15*						8898.5424
	11233.386	4	-		.	.	.	.		-0489		132	243	338	419	489	8899.5920
1	11228.955	5	19100- 7871	0	4.5- 4.5		.	.		-0525	-521	-177	311	406	474	525	8903.1038
	11225.849	5	-		.	.	.	.									8905.5671
1	11225.281	7C	18117- 6892	11	3.5- 3.5		.	.		+1305	1331	404	738	1004	1204	1305	8906.0178
1	11215.708	5	17859- 6643	8	5.5- 4.5		.	.		-1126	-1106	-346	616	828	993	1126	8913.6194
	11209.308	2S	-		.	.	.	.									8918.7087
	11209.045	2S	-		.	.	.	.									8918.9179
	11208.990	4	-		.	.	.	.									8918.9617
	11202.000	4	-		.	.	.	.		+0195*		047	089	131	172		8924.5271
1	11199.730	2	19906- 8706	25	5.5- 5.5		.	.		+0460*	450						8926.3360
	11198.420	3S	-		.	.	.	.									8927.3802
1	11196.082	5	24684-13488	22	5.5- 6.5		.	.		+1165	1158	306	576	807	1005	1165	8929.2444
	11193.530	4	-		.	.	.	.									8931.2802
1	11188.960	4	24136-12947	5	7.5- 8.5		.	.		-1170	-1148	-311	582	826	997	1170	8934.9281
1	11179.240	7S	18194- 7015	-30	2.5- 2.5		.376	.576	.200		75						8942.6968
	11171.960	3	-		.	.	.	.		+0300							8948.5241
	11168.643	3	-		.	.	.	.									8951.1818
1	11165.065	2	26264-15099	35	5.5- 5.5		.	.			-140						8954.0503
	11164.679	3L	-		.	.	.	.		-0280							8954.3599
1	11160.395	4	22052-10892	20	4.5- 3.5		.	.		-0150	-127*						8957.7971
1	11149.017	5	16334- 5184	7	6.5- 5.5		.	.		-0934*	-941	-282	506	682	829	934*	8966.9389
1	11146.113	3	22624-11478	3	5.5- 5.5		.	.			-136						8969.2752
	11143.063	3	-		.	.	.	.		0100							8971.7302
1	11135.667	3	21156-10020	-8	7.5- 8.5		.	.			-38						8977.6890
	11121.360	2	-		.	.	.	.		+1320							8989.2383
	11117.231	2	-		.	.	.	.									8992.5770
1	11112.523	6	27531-16418	-2	8.5- 9.5		.	.		+0462	435	104	203	296	384	462	8996.3869
1	11109.809	5S	21879-10769	-46	3.5- 2.5		.	.			-86						8998.5846
1	11103.307	4	22581-11478	27	4.5- 5.5		.	.		+0400	431	105	199				9003.8541
1	11102.203	7C	18117- 7015	33	3.5- 2.5		.	.		+1200*	1222	382	699	948	1129	1205*	9004.7494
1	11101.303	6	24896-13794	-12	7.5- 8.5		.	.			142						9005.4795
1	11100.275	3	20050- 8950	-40	6.5- 6.5		.	.			177						9006.3135
1	11100.275	7C	20969- 9869	40	3.5- 4.5		.	.		-1517	-1526	-425	796	1102	1344	1517	9006.3135
	11097.245	4	-		.	.	.	.		-0113							9008.7726
1	11091.560	3	24798-13706	15	5.5- 6.5		.	.		+0308	297						9013.3901
1	11089.869	5	21592-10502	-1	6.5- 7.5		.	.		-0380	-384	-100	191				9014.7644
1	11088.122	9	18200- 7112	22	4.5- 5.5		.	.		-1162	-1162	-270	532	776	988	1162	9016.1848
1	11085.221	5	21040- 9955	6	6.5- 6.5		.	.		-1046	-1054	-297	545	742	914	1046	9018.5443
1	11081.890	5	19788- 8706	10	5.5- 5.5		.	.		+0428	431	100	198	287			9021.2551
1	11065.816	2	22625-11560	6	6.5- 5.5		.	.			-2						9034.3593
	11064.878	3	-		.	.	.	.		-0573		-196	355	467			9035.1252
1	11057.690	2	21012- 9955	-10	5.5- 6.5		.	.		-0731	-743	-211	371	521	641	731	9040.9984
	11056.474	4S	-		.	.	.	.									9041.9928
	11053.340	2	-		.	.	.	.		-1370		-340	680	940	1160	1370	9044.5565
1	11047.860	2	23002-11954	-10	4.5- 4.5		.	.		-0480	-453	-110	220				9049.0428
1	11041.265	4C	2831-13872	-5	2.5- 3.5		.	.		-0151*	-124	- 69	100	115	128	151*	9054.4479
1	11040.412	3	24528-13488	17	7.5- 6.5		.	.		+0100	-136						9055.1474
	11036.620	2	-		.	.	.	.		+0455							9058.2586
1	11031.949	3	22414-11382	9	5.5- 6.5		.	.			80	179					9062.0940
	11031.751	3	-		.	.	.	.		0112							9062.2566
1	11021.400	4S	22581-11560	30	4.5- 5.5		.	.			63						9070.7677
1	11015.852	4	20885- 9869	22	5.5- 4.5		.	.		-1824	-1841	-495	921	1291	1598	1824	9075.3361
	11013.140	2	-		.	.	.	.		-0440							9077.5709

TABLE I (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS CALC	HFS 2	DIAGONAL 3	COMPONENTS 4	COMPONENTS 5	COMPONENTS 6	WAVELENGTH
1	11010.242	3C	20879- 9869	7	3.5- 4.5	.	.	.	-2137 -2137	-630	1159	1585	1909	2137	9079.9602
	10999.346	2	-	-	.	.	.	.	-0575	-190	310	410			9088.9549
	10989.497	3	-	-	.	.	.	.	-0460	-160	285				9097.1006
	10988.740	3	-	-	.	.	.	.	+1030*	300	560*	780*	940*	1030*	9097.7273
1	10987.830	4	24535-13548	-20	3.5- 4.5	.	.	.	-0220 -237						9098.4808
1	10987.112	4	21879-10892	27	3.5- 3.5	.	.	.	0100 -87						9099.0754
1	10986.540	3H	24767-13781	140	8.5- 7.5	.	.	.	-0481 -377	-109	213	314	402	481	9099.5491
1	10985.180	6L	2831-13816	0	2.5- 1.5	.	.	.	+1029 1038	379	675	905			9100.6757
1	10979.979	3S	24985-14005	9	5.5- 6.5	.	.	.		7					9104.9865
	10979.270	2	-	-	.	.	.	.	-0700						9105.5745
	10977.682	3P	-	-	.	.	.	.	+1029						9106.8917
	10977.542	5P	-	-	.	.	.	.	+0761						9107.0078
	10974.360	2	-	-	.	.	.	.	+0470						9109.6484
1	10971.410	7	22251-11279	0	6.5- 7.5	.	.	.	0130* 158						9112.0978
1	10967.205	6	20836- 9869	10	4.5- 4.5	.	.	.	-1459 -1460	-406	756	1048	1285	1459	9115.5915
1	10966.270	2W	26652-15686	15	5.5- 5.5	.	.	.	0160* -116						9116.3687
	10959.180	3	-	-	.	.	.	.	+0240						9122.2666
1	10958.350	4	22238-11279	20	7.5- 7.5	.	.	.	+0522 520	141	262	366	456	522	9122.9575
1	10955.651	2	19906- 8950	-9	5.5- 6.5	.	.	.	+0670 662						9125.2050
	10953.354	2	-	-	.	.	.	.	+0670						9127.1186
1	10943.340	3	24491-13548	20	5.5- 4.5	.	.	.	+0230 260						9135.4707
1	10940.071	6	19646- 8706	1	4.5- 5.5	.	.	.	-97						9138.2005
1	10936.365	8	18728- 7792	0	5.5- 6.5	.	.	.	-0686 -689	-195	363	501	610	686	9141.2971
1	10931.124	6	22409-11478	14	4.5- 5.5	.	.	.	+0690 681	192	354	491	600	690	9145.6800
1	10930.370	7	20885- 9955	0	5.5- 6.5	.	.	.	-112						9146.3109
	10921.740	1	-	-	.	.	.	.	-0440						9153.5380
1	10913.349	3	26232-15319	29	9.5- 9.5	.	.	.	-1790 -1793	-440	821	1200	1520	1790	9160.5760
1	10911.372	2	23961-13049	-13	7.5- 7.5	.	.	.	-0560 -562						9162.2358
	10908.140	3	-	-	.	.	.	.	0140						9164.9505
1	10903.175	5S	2831-13734	-15	2.5- 3.5	.	.	.	-0030* -10						9169.1240
1	10900.670	3	25999-15099	20	5.5- 5.5	.	.	.	-0150 -186						9171.2311
	10899.890	2	-	-	.	.	.	.	-0370						9171.8874
1	10896.490	3	25782-14885	15	5.5- 5.5	.	.	.	+0350 362						9174.7492
1	10893.184	5L	20400- 9507	-51	2.5- 3.5	.	.	.	-0573 -608	-171	332	467	573		9177.5337
	10891.634	3S	-	-	.	.	.	.	0020*						9178.8398
	10889.452	2S	-	-	.	.	.	.							9180.6790
	10886.287	3H	-	-	.	.	.	.	-0911	-214	394	585	761	911	9183.3482
1	10877.286	6	19827- 8950	11	7.5- 6.5	.	.	.	-1282 -1286	-335	625	878	1101	1282	9190.9475
1	10873.193	3	26495-15622	13	6.5- 7.5	.	.	.	+0935 922	233	446	632	788	935	9194.4072
	10871.730	2C	-	-	.	.	.	.	-0530						9195.6445
1	10871.320	3C	21640-10769	0	3.5- 2.5	.	.	.	+0866 849	243	457	630*		866	9195.9913
	10869.596	3	-	-	.	.	.	.	+0400						9197.4499
	10861.180	2	-	-	.	.	.	.	+0290						9204.5767
1	10855.210	3	22238-11382	20	7.5- 6.5	.	.	.	-0290 -312						9209.6389
	10851.512	4	-	-	.	.	.	.	0040						9212.7774
1	10849.210	3	22409-11560	10	4.5- 5.5	.	.	.	+0300 313						9214.7322
1	10840.471	4S	22794-11954	21	4.5- 4.5	.	.	.	20*						9222.1607
	10840.088	4	-	-	.	.	.	.	+1715	481	917		1441	1715	9222.4865
1	10837.830	4	19788- 8950	-5	5.5- 6.5	.	.	.	+0639 643	169	311	445	555	639	9224.4080
1	10836.047	6C	14338- 3502	7	5.5- 6.5	.	.	.	+1459 1457	348	677	975	1237	1459	9225.9258
1	10822.517	4	19100- 8278	2	4.5- 3.5	.	.	.	-0590 -606	-146	283	406	517	590	9237.4598
	10820.989	2	-	-	.	.	.	.							9238.7642
	10820.580	3	-	-	.	.	.	.	+0250						9239.1134
1	10820.097	3	29642-18822	12	7.5- 7.5	.	.	.	+0700* 709	185	351	502			9239.5259
1	10815.060	5	30084-19269	-55	4.5- 4.5	.	.	.	0060 -200*						9243.8291

TABLE I (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS CALC	HFS 2	DIAGONAL 3	COMPONENTS 4	5	6	WAVELENGTH
	10813.220	2	-		. - .	.	.		-0380						9245.4020
	10811.010	2	-		. - .	.	.		-0580						9247.2920
1	10798.583	4	22276-11478	13	5.5- 5.5	.	.		-0768	-765	-220	403	557	671	9257.9338
1	10792.860	1	24798-14005	35	6.5- 6.5	.	.		0170*	-199					9262.8429
	10783.231	3	-		. - .	.	.		+0595		141	276	392	495	9271.1143
1	10778.911	5	22058-11279	-4	6.5- 7.5	.	.		+0595	593	148	279	397	501	9274.8300
	10774.470	2C	-		. - .	.	.		-1200*						9278.6529
1	10771.670	2	28497-17726	10	7.5- 8.5	.	.		+0522	517					9281.0648
1	10771.070	4	17663- 6892	5	4.5- 3.5	.	.		+0180	203					9281.5818
1	10765.130	3S	20836-31601	40	4.5- 4.5	.	.								9286.7033
1	10765.130	3S	22243-11478	-30	4.5- 5.5	.	.			61					9286.7033
1	10747.279	5	24528-13781	19	7.5- 7.5	.	.		-0600	-601	-168	309	427	519	9302.1283
	10746.780	2P	-		. - .	.	.		-0720						9302.5603
	10738.690	2	-		. - .	.	.		-0340						9309.5684
	10738.100	2	-		. - .	.	.		+0779		238	418	578	698	9310.0799
1	10734.051	4P	26356-15622	1	5.5- 7.5	.	.		0070	1					9313.5918
1	10734.051	4P	5456-16190	-9	3.5- 2.5	.	.		0070	165					9313.5918
1	10733.744	6P	24528-13794	9	7.5- 8.5	.	.		+0520*	560	111	226	343		9313.8581
1	10732.740	2	23579-12846	5	4.5- 4.5	.	.		-0511	-512					9314.7294
	10729.972	4	-		. - .	.	.		+0127						9317.1323
1	10724.610	6	22004-11279	0	6.5- 7.5	.	.		+0602	587	149	282	402	507	9321.7906
1	10716.671	6C	22276-11560	11	5.5- 5.5	.	.		-1149	-1133	-336	612	837	1013	9328.6963
	10707.070	2	-		. - .	.	.		-0600		-164	304	424		9337.0614
1	10701.870	4	22521-11819	-30	3.5- 3.5	.	.		-0446	-453					9341.5982
	10694.890	2	-		. - .	.	.		-0680						9347.6950
1	10683.740	5	24390-13706	35	6.5- 6.5	.	.		-0290	-319					9357.4507
1	10683.260	5	22243-11560	10	4.5- 5.5	.	.		-0260*	-307					9357.8712
1	10682.950	3P	25782-15099	10	5.5- 5.5	.	.		+0580*	476	141	266			9358.1427
	10682.610	4P	-		. - .	.	.		+0760*		216	266	424		9358.4406
	10677.950	2	-		. - .	.	.		+0400						9362.5247
1	10675.770	4	22058-11382	-5	6.5- 6.5	.	.		-0230	-239					9364.4366
	10669.150	2	-		. - .	.	.		-1110						9370.2470
1	10658.823	8	12692- 2033	18	3.5- 4.5	.	.		+0320*	391	089	171	268	320*	9379.3256
	10653.453	5L	-		. - .	.	.		-0787		-207	464	787		9384.0534
1	10650.555	5	22210-11560	25	4.5- 5.5	.	.		-0940	-928	-280	514	702	841	9386.6068
	10650.555	5	-		. - .	.	.		-0940		-280	514	702	841	9386.6068
	10647.227	5	-		. - .	.	.		-0536		-159	279	384		9389.5408
	10640.278	2	-		. - .	.	.		+0853		221	411	583	743	9395.6729
	10634.460	2	-		. - .	.	.		+0710		190	360	500		9400.8132
	10633.820	2S	-		. - .	.	.								9401.3790
1	10627.160	3S	22581-11954	10	4.5- 4.5	.	.			68					9407.2708
	10625.123	2S	-		. - .	.	.								9409.0744
1	10622.972	5	26245-15622	7	6.5- 7.5	.	.		+0760	756	183	351	504	641	9410.9796
1	10621.470	3	22004-11382	0	6.5- 6.5	.	.		-0280*	-245					9412.3104
1	10621.204	5P	24327-13706	29	5.5- 6.5	.	.		+0718	662	162	312			9412.5461
1	10619.710	2	26242-15622	10	7.5- 7.5	.	.		+0350	357					9413.8703
1	10613.560	2	24161-13548	-10	5.5- 4.5	.	.		-0560	-432					9419.3252
	10608.947	4	-		. - .	.	.		-0752		-240	435	572	677	9423.4209
1	10606.914	3S	25666-15059	-1	9.5- 8.5	.	.			-219*					9425.2271
1	10593.466	3	24141-13548	36	5.5- 4.5	.	.		0070	-80*					9437.1921
1	10591.070	3	21973-11382	5	5.5- 6.5	.	.		-0743	-741	-209	398	545	653	9439.3271
1	10589.580	3	22409-11819	-10	4.5- 3.5	.	.		-0824	-795	-218	414	584	714	9440.6552
1	10585.240	4S	24457-13872	5	3.5- 3.5	.	.			-158*					9444.5259
	10584.642	4S	-		. - .	.	.								9445.0595
	10579.581	3	-		. - .	.	.		0190						9449.5778

TABLE I (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS CALC	HFS 2	DIAGONAL 3	COMPONENTS 4	COMPONENTS 5	COMPONENTS 6	WAVELENGTH
1	10577.760	2	26264-15686	5	6.5- 5.5	.	.	.	-0560 -554						9451.2046
	10574.542	3	-		.	.	.	.	+1072	341	605	799	942	1072	9454.0808
1	10569.245	5	19275- 8706	0	6.5- 5.5	.	.	.	-0250* -235						9458.8189
1	10567.291	5	22521-11954	1	3.5- 4.5	.	.	.	+0664 660	143	294	437	561	664	9460.5679
1	10565.610	4	23412-12846	0	3.5- 4.5	.	.	.	+0230 257						9462.0731
	10563.866	3S	-		.	.	.	.							9463.6352
1	10562.230	3S	24110-13548	0	3.5- 4.5	.	.	.	89*						9465.1011
1	10558.260	8	15743- 5184	20	5.5- 5.5	.	.	.	-0210* -228						9468.6601
1	10550.727	7	17663- 7112	12	4.5- 5.5	.	.	.	-1328 -1333	-348	661	931	1153	1328	9475.4205
	10549.770	2P	-		.	.	.	.	+0540*	130	260	370			9476.2801
1	10549.190	2P	32789-22240	125	11.5-10.5	.	.	.	-0670 -728	-155*	300*	445*	555*	670*	9476.8011
	10545.020	2	-		.	.	.	.	-0410						9480.5487
	10542.109	2S	-		.	.	.	.							9483.1665
1	10537.592	5S	21920-11382	32	5.5- 6.5	.	.	.	77*						9487.2316
1	10537.475	6	21040-10502	-10	6.5- 7.5	.	.	.	-0893 -897	-273	490	663	796	893	9487.3369
	10532.498	3	-		.	.	.	.	-2569	-713	1333	1849	2279	2569	9491.8200
1	10526.949	4	19233- 8706	9	4.5- 5.5	.	.	.	-0612 -617	-188	343	464			9496.8234
1	10526.060	3	22004-11478	0	6.5- 5.5	.	.	.	-57						9497.6255
	10525.200	2	-		.	.	.	.							9498.4015
1	10524.498	2	20394- 9869	-2	3.5- 4.5	.	.	.	-2900 -2886	-855	1567	2155			9499.0351
	10523.910	2	-		.	.	.	.							9499.5658
1	10516.286	7	18388- 7871	-4	3.5- 4.5	.	.	.	+0360* 395	130	228	322		360*	9506.4528
	10506.518	3S	-		.	.	.	.							9515.2910
	10503.120	2	-		.	.	.	.	-0460						9518.3695
	10499.169	3	-		.	.	.	.	0080						9521.9514
	10497.216	5P	-		.	.	.	.	+0580*						9523.7229
	10496.726	5P	-		.	.	.	.	-0200*						9524.1675
	10486.080	5	-		.	.	.	.	0140						9533.8370
1	10484.170	5	22303-11819	0	2.5- 3.5	.	.	.	0100 -126						9535.5738
1	10484.170	5	20439- 9955	10	5.5- 6.5	.	.	.	0100 -88*						9535.5738
1	10479.798	4	23326-12846	3	5.5- 4.5	.	.	.	0090 111						9539.5519
1	10478.068	5	24026-13548	-2	3.5- 4.5	.	.	.	+0585* 602	168	311	431	527	585*	9541.1270
	10461.272	4S	-		.	.	.	.							9556.4457
1	10460.420	3	22414-11954	20	5.5- 4.5	.	.	.	0040* -95						9557.2241
1	10456.730	3	25342-14885	-15	5.5- 5.5	.	.	.	0170 -225*						9560.5967
1	10455.206	3S	24161-13706	11	5.5- 6.5	.	.	.	35						9561.9903
1	10454.980	3	22409-11954	0	4.5- 4.5	.	.	.	+0390* 318						9562.1970
	10451.419	2S	-		.	.	.	.							9565.4550
	10444.860	5	-		.	.	.	.	-0603*	-173	323	446	540	603	9571.4618
1	10444.160	2	22004-11560	10	6.5- 5.5	.	.	.	-0400* -425						9572.1033
1	10442.150	5	21920-11478	0	5.5- 5.5	.	.	.	0120 265*						9573.9458
1	10442.150	5	26334-15892	-40	3.5- 4.5	.	.	.	0120 122*						9573.9458
	10438.350	3P	-		.	.	.	.	-0660						9577.4312
	10437.970	2P	-		.	.	.	.	-0620						9577.7798
1	10436.000	2	5456-15892	0	3.5- 4.5	.	.	.	-0270 -242						9579.5878
1	10435.080	2	24141-13706	25	5.5- 6.5	.	.	.	+0320 387*						9580.4324
	10431.750	2	-		.	.	.	.	-0640						9583.4907
1	10430.485	3P	24136-13706	30	7.5- 6.5	.	.	.	-0865 -883	-233	444	627	770	865	9584.6530
	10429.890	3P	-		.	.	.	.	0000						9585.1997
1	10429.600	4	22383-11954	-10	3.5- 4.5	.	.	.	0080 -493						9585.4663
1	10425.916	3	25311-14885	6	5.5- 5.5	.	.	.	0110* 161*						9588.8533
1	10423.420	2	26110-15686	5	5.5- 5.5	.	.	.	0120* -129*						9591.1495
1	10418.990	2	23967-13548	5	4.5- 4.5	.	.	.	0200 145*						9595.2275
	10416.900	3	-		.	.	.	.	-0360						9597.1526
1	10413.749	3	21973-11560	4	5.5- 5.5	.	.	.	-0953 -921	-264	495	693	833	953	9600.0566

TABLE I (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS CALC	HFS 2	DIAGONAL 3	COMPONENTS 4	COMPONENTS 5	COMPONENTS 6	WAVELENGTH
1	10411.462	4	23899-13488	-3	5.5- 6.5	.	.	.	144						9602.1653
	10410.800	3	-	-	.	.	.	.	0 140						9602.7759
	10408.930	4P	-	-	.	.	.	.	-0380*						9604.5011
	10408.860	2P	-	-	.	.	.	.	+0380*						9604.5657
1	10406.476	2	27824-17418	6	5.5- 5.5	.	.	.	-60						9606.7660
1	10405.438	4	25291-14885	-2	6.5- 5.5	.	.	.	+0491 477	156	279	378			9607.7243
1	10394.256	5	19100- 8706	1	4.5- 5.5	.	.	.	-0360* -393	-145	248	358			9618.0602
1	10392.057	3P	23416-13024	2	2.5- 3.5	.	.	.	-482						9620.0954
1	10384.990	3P	24390-14005	5	6.5- 6.5	.	.	.	-0821 -815	-217	405	563			9626.6420
	10384.308	4P	-	-	.	.	.	.	+0725	197	363	502			9627.2742
1	10378.167	4S	25311-14933	2	5.5- 4.5	.	.	.	5*						9632.9709
1	10373.101	6	21851-11478	6	5.5- 5.5	.	.	.	+0785 783	191	369	529	671	785	9637.6754
	10372.418	3	-	-	.	.	.	.	0 100*						9638.3101
	10371.543	3S	-	-	.	.	.	.							9639.1232
1	10370.545	3	23217-12846	-5	3.5- 4.5	.	.	.	0090* -142*						9640.0508
	10370.096	2S	-	-	.	.	.	.							9640.4682
	10369.404	2S	-	-	.	.	.	.							9641.1116
1	10360.300	4	21920-11560	60	5.5- 5.5	.	.	.	0 150* -103*						9649.5836
1	10356.910	3	20050- 9694	30	6.5- 5.5	.	.	.	-0150* -163						9652.7421
1	10355.405	4S	25241-14885	-5	5.5- 5.5	.	.	.	49						9654.1450
1	10354.711	3	24136-13781	16	6.5- 7.5	.	.	.	0060 47*						9654.7920
	10352.310	2	-	-	.	.	.	.	-0280						9657.0313
1	10351.754	5S	26784-16432	-11	8.5- 7.5	.	.	.	-98*						9657.5500
	10347.500	4	-	-	.	.	.	.							9661.5203
1	10341.990	5	24136-13794	25	7.5- 8.5	.	.	.	-47						9666.6678
1	10328.677	8	18200- 7871	7	4.5- 4.5	.	.	.	+0400* 439	137	248	352	400*		9679.1276
1	10325.193	7	19275- 8950	-7	6.5- 6.5	.	.	.	-23						9682.3936
	10323.230	4P	-	-	.	.	.	.	-0400*						9684.2347
	10322.810	2P	-	-	.	.	.	.	-1000*						9684.6287
1	10322.440	5	22276-11954	0	5.5- 4.5	.	.	.	-1125 -1128	-325*	591	810	986	1125	9684.9759
	10317.248	3S	-	-	.	.	.	.							9689.8497
1	10317.079	3S	23412-13095	-1	3.5- 2.5	.	.	.	-171*						9690.0084
1	10313.030	5	21592-11279	0	6.5- 7.5	.	.	.	+0230* 326	088	150*	230*			9693.8129
	10310.788	4	-	-	.	.	.	.	-0478	-134	241	336			9695.9207
1	10307.668	2S	25241-14933	3	5.5- 4.5	.	.	.	-107						9698.8555
	10305.622	3S	-	-	.	.	.	.							9700.7811
	10303.809	2S	-	-	.	.	.	.							9702.4880
1	10291.940	3	19985- 9694	-15	4.5- 5.5	.	.	.	+0140* 149						9713.6773
1	10291.191	6	21851-11560	6	5.5- 5.5	.	.	.	+0400* 415	060*	161	247	354	400*	9714.3842
1	10288.970	6	22243-11954	-60	4.5- 4.5	.	.	.	-0300* -302	-089	195*	250*			9716.4812
1	10286.808	5	27153-16866	-2	6.5- 7.5	.	.	.	-41*						9718.5233
	10281.510	2	-	-	.	.	.	.	0080						9723.5312
1	10275.494	4	25241-14965	9	5.5- 5.5	.	.	.	-0493 -362*	-123	229	334			9729.2241
	10272.890	3	-	-	.	.	.	.	+0390						9731.6903
1	10269.310	3	27011-16741	20	7.5- 6.5	.	.	.	-0430 -463						9735.0829
1	10266.187	5	29283-19016	-3	10.5-10.5	.	.	.	-0515 -515	-126	238	342	434	515	9738.0443
1	10265.699	4S	27991-17726	49	7.5- 8.5	.	.	.	-3						9738.5073
1	10263.045	4	27005-16741	-5	5.5- 6.5	.	.	.	+0775 779	203	380	534	669	775	9741.0256
	10261.200	3C	-	-	.	.	.	.	-1780*						9742.7771
1	10256.325	5	22210-11954	15	4.5- 4.5	.	.	.	-0922 -923	-277	462	673	814	922	9747.4080
1	10254.901	5P	23304-13049	11	6.5- 7.5	.	.	.	-0500* -462	-141	254	*	*	*	9748.7616
1	10254.730	4P	23961-13706	-55	7.5- 6.5	.	.	.	-0140* -168						9748.9241
	10251.650	3	-	-	.	.	.	.	+0320						9751.8531
1	10245.484	6C	18117- 7871	-6	3.5- 4.5	.	.	.	+1384 1396	405	743	1019	1233	1384	9757.7220
	10244.104	4S	-	-	.	.	.	.							9759.0365

TABLE I (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS CALC	HFS 2	DIAGONAL 3 4	COMPONENTS 5 6	WAVELENGTH
1	10243.160	5	25342-15099	-50	5.5- 5.5	.	.	.	0060 -111*				9759.9359
	10242.648	3	-	-	-	.	.	.					9760.4238
	10235.395	5	-	-	-	.	.	.	-1896	-436	855 1255	1609 1896	9767.3402
1	10232.811	2S	23967-13734	6	4.5- 3.5	.	.	.	-72*				9769.8067
1	10221.870	3P	21551-11329	-40	5.5- 4.5	.	.	.	+0190* -210*				9780.2639
	10219.340	3	-	-	-	.	.	.	0100				9782.6852
	10216.002	3S	-	-	-	.	.	.					9785.8816
1	10212.126	4H	29850-19638	6	8.5- 7.5	.	.	.	-0742 -733	-196	368 519	641 742	9789.5958
1	10209.901	3	21592-11382	11	6.5- 6.5	.	.	.	-0503 -506	-145	265 375		9791.7292
	10205.703	2	-	-	-	.	.	.					9795.7570
1	10202.280	3	23132-12930	0	8.5- 9.5	.	.	.	-1540 -1548	-350	700 1010	1290 1520	9799.0436
	10195.372	3S	-	-	-	.	.	.					9805.6831
1	10193.310	5S	23899-13706	15	5.5- 6.5	.	.	.	4				9807.6667
1	10193.079	6	19700- 9507	-41	2.5- 3.5	.	.	.	+0647 689	231	*		9807.8889
1	10192.356	4	23217-13024	-4	3.5- 3.5	.	.	.	-0651 -630*	-172	325		9808.5847
1	10191.908	4	25291-15099	3	6.5- 5.5	.	.	.	+0670* 591	191	346 471		9809.0158
	10189.350	5	-	-	-	.	.	.					9811.4783
1	10184.425	5	23132-12947	0	8.5- 8.5	.	.	.	-1536 -1543	-393	732 1044	1310 1536	9816.2230
	10180.030	3P	-	-	-	.	.	.	0000				9820.4609
1	10179.790	2P	23961-13781	-30	7.5- 7.5	.	.	.	-0500* -493				9820.6925
1	10178.317	5	25277-15099	7	4.5- 5.5	.	.	.	+0694 653*	174	330 471	590 694	9822.1137
1	10175.256	4	25061-14885	1	5.5- 5.5	.	.	.	+0676 662	160	302 440	556 676	9825.0685
1	10168.216	6S	21551-11382	26	5.5- 6.5	.	.	.	-52*				9831.8709
1	10167.258	6	16810- 6643	8	5.5- 4.5	.	.	.	-108*				9832.7973
1	10166.266	4	23961-13794	-29	7.5- 8.5	.	.	.	+0671 668	169	318 448	566 671	9833.7568
	10164.545	4L	-	-	-	.	.	.	0300				9835.4218
1	10158.962	4S	27885-17726	32	7.5- 8.5	.	.	.	31				9840.8270
	10158.650	2S	-	-	-	.	.	.					9841.1293
1	10156.916	3	23104-12947	1	7.5- 8.5	.	.	.	+0240 227*				9842.8093
1	10155.550	5	23002-12846	10	4.5- 4.5	.	.	.	-0320* -367				9844.1333
1	10154.600	3	16798- 6643	20	3.5- 4.5	.	.	.	0140* 240*				9845.0542
	10153.782	4	-	-	-	.	.	.					9845.8474
	10147.055	2S	-	-	-	.	.	.					9852.3747
1	10144.422	4	27011-16866	12	7.5- 7.5	.	.	.	-1419* -1478	-358	687 989	1221 1419*	9854.9319
1	10141.850	4	25241-15099	-25	5.5- 5.5	.	.	.	0120 164				9857.4312
	10140.620	2	-	-	-	.	.	.	+1420*				9858.6268
1	10138.140	3	27005-16866	-30	6.5- 7.5	.	.	.	-0190* -236				9861.0384
	10132.113	5L	-	-	-	.	.	.	-0820*				9866.9042
1	10130.678	4	23837-13706	33	6.5- 6.5	.	.	.	0050 113				9868.3019
	10127.095	3Q	-	-	-	.	.	.					9871.7933
1	10125.429	2S	25812-15686	-16	5.5- 5.5	.	.	.	61*				9873.4176
1	10123.173	4	19992- 9869	13	5.5- 4.5	.	.	.	-1210 -1201	-361	656 896	1084 1210	9875.6179
1	10116.358	6C	19985- 9869	3	4.5- 4.5	.	.	.	-1492 -1495	-396	749 1053	1302 1492	9882.2708
1	10115.364	2S	23045-12930	24	9.5- 9.5	.	.	.	-8*				9883.2419
1	10112.695	2S	25432-15319	-15	8.5- 9.5	.	.	.	-84				9885.8503
	10111.620	4Q	-	-	-	.	.	.	-0240*				9886.9013
	10111.391	4	-	-	-	.	.	.					9887.1252
1	10109.820	6	18388- 8278	-30	3.5- 3.5	.	.	.	+0330* 310				9888.6616
1	10104.270	3	17007- 6903	20	6.5- 7.5	.	.	.	-0320 -328				9894.0932
1	10099.380	2	24985-14885	10	5.5- 5.5	.	.	.	+0340 352				9898.8838
1	10098.186	4	22052-11954	-19	4.5- 4.5	.	.	.	0040 22*				9900.0543
1	10097.450	3S	23045-12947	-35	9.5- 8.5	.	.	.	-3*				9900.7759
	10096.819	3S	-	-	-	.	.	.					9901.3947
	10096.471	3S	-	-	-	.	.	.					9901.7359
1	10095.812	7	20050- 9955	-8	5.5- 6.5	.	.	.	-78				9902.3823

TABLE I (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS CALC	HFS 2	DIAGONAL 3	COMPONENTS 4	5	6	WAVELENGTH
1	10094.300	7	19788- 9694	-100	5.5- 5.5	.	.	.	+0300 303						9903.8655
	10088.640	3	-		.	.	.	.	+0240						9909.4219
1	10086.510	2	23136-13049	5	6.5- 7.5	.	.	.	-0210 -238*						9911.5145
	10075.830	4	-		.	.	.	.	0050						9922.0204
1	10073.455	4	23779-13706	5	5.5- 6.5	.	.	.	-0534 -558	-160	289	396			9924.3597
1	10072.800	6	21551-11478	20	5.5- 5.5	.	.	.	0140* 136*						9925.0050
1	10067.178	8	17859- 7792	-2	5.5- 6.5	.	.	.	-0944 -938	-290	524	705	845	944	9930.5476
	10053.588	4S	-		.	.	.	.							9943.9713
1	10052.589	5	23540-13488	4	5.5- 6.5	.	.	.	+1023 1032	262	497	703	877	1023	9944.9596
1	10044.714	4	28867-18822	-1	7.5- 7.5	.	.	.	+1414 1419	349	667	950	1207	1414	9952.7564
	10041.193	4	-		.	.	.	.	0109						9956.2464
1	10037.700	3	19992- 9955	0	5.5- 6.5	.	.	.	+0530 528						9959.7110
	10036.823	3S	-		.	.	.	.							9960.5813
1	10031.322	4P	23579-13548	17	4.5- 4.5	.	.	.	-0460* -475						9966.0435
	10031.158	3P	-		.	.	.	.	0000						9966.2065
1	10026.950	3	22521-12494	30	3.5- 4.5	.	.	.	+0620* 538*						9970.3890
	10025.830	3H	-		.	.	.	.	-1041	-254	501	701	881	1041	9971.5028
1	10024.482	2	25123-15099	-68	5.5- 5.5	.	.	.	0150 175*						9972.8437
1	10021.825	7	18728- 8706	0	5.5- 5.5	.	.	.	-0775* -754	-216	393	542	661	*	9975.4877
1	10021.253	6C	2831-12852	13	2.5- 2.5	.	.	.	+1700* 1533	457	865	*	*	*	9976.0571
	10016.290	3	-		.	.	.	.	+0440						9981.0002
1	10014.194	5	23002-12988	14	4.5- 5.5	.	.	.	-0340* -383	-083	170	255*	321*		9983.0892
	10013.690	3	-		.	.	.	.	+0430						9983.5917
	10011.166	3S	-		.	.	.	.							9986.1087
	10009.445	2S	-		.	.	.	.							9987.8257
	10006.500	2	-		.	.	.	.	-0180						9990.7653
1	10003.330	3	23491-13488	15	7.5- 6.5	.	.	.	0280 -256*						9993.9313
1	10001.310	3	25351-15350	5	3.5- 3.5	.	.	.	+0760 372*						9995.9498
	10000.037	2S	-		.	.	.	.							9997.2223
	9997.118	4	-		.	.	.	.	-1246	-315	591	847	1058	1246	10000.1413
	9994.164	3	-		.	.	.	.	-0766	-220	395	559	661	766	10003.0971
1	9992.790	2	23540-13548	0	5.5- 4.5	.	.	.	+0410 425						10004.4725
1	9990.900	4	21551-11560	30	5.5- 5.5	.	.	.	-0180 -232*						10006.3651
1	9990.266	4	29361-19371	36	5.5- 6.5	.	.	.	-200*						10007.0001
1	9989.680	2	24056-14067	20	2.5- 2.5	.	.	.	+0340 339*						10007.5871
	9988.572	5	-		.	.	.	.	-0572	-171	316	428	547	572	10008.6972
1	9987.337	7	17859- 7871	-3	5.5- 4.5	.	.	.	-1139 -1131	-345	620	835	1005	1139	10009.9349
	9977.855	5S	-		.	.	.	.							10019.4474
1	9975.500	4P	21453-11478	-30	4.5- 5.5	.	.	.	-0560 -571						10021.8128
	9973.525	3	-		.	.	.	.	+0558	145	265	374	470	558	10023.7974
1	9972.905	4	21355-11382	5	5.5- 6.5	.	.	.	+0658 627	158	304	427	545	658	10024.4205
1	9971.142	4S	25657-15686	7	5.5- 5.5	.	.	.	-12						10026.1929
	9968.345	3P	-		.	.	.	.	0070						10029.0062
1	9966.069	4	21920-11954	49	5.5- 4.5	.	.	.	0080 -98*						10031.2966
1	9961.728	5	25061-15099	8	5.5- 5.5	.	.	.	+0784 776	188	364	526	663	784	10035.6679
	9957.617	3S	-		.	.	.	.							10039.8111
	9953.850	4P	-		.	.	.	.	0060						10043.6107
1	9952.620	4	19646- 9694	30	4.5- 5.5	.	.	.	0160 -225						10044.8519
	9951.890	2	-		.	.	.	.	-0570						10045.5887
	9946.391	5	-		.	.	.	.	-0855	-236	442	613	755	855	10051.1426
	9944.550	4	-		.	.	.	.	+0447	089	181	272	364	447	10053.0033
	9935.516	4	-		.	.	.	.	+3090	862	1614	2256	2738	3090	10062.1442
	9931.000	6L	-		.	.	.	.	-1644	-709	1306	1644			10066.7199
1	9924.864	4S	21879-11954	-51	3.5- 4.5	.	.	.	62						10072.9436
1	9922.224	4	18200- 8278	-6	4.5- 3.5	.	.	.	+0450* 354	164	276				10075.6237

TABLE I (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS	ZEEMAN	DATA	WIDTH		HFS	DIAGONAL		COMPONENTS		WAVELENGTH
						G2	G1	DG	OBS	CALC	2	3	4	5	6	
1	9916.150	5	18194- 8278	0	2.5- 3.5	.	.	.	+0179	164						10081.7954
1	9910.886	4	26652-16741	-4	5.5- 6.5	.	.	.	+0982	997	249	475	670*	850	982	10087.1502
1	9906.130	9C	11940- 2033	0	4.5- 4.5	.	.	.	-0250*	-243	- 90*				250*	10091.9931
1	9896.960	5	21851-11954	-5	5.5- 4.5	.	.	.	+0390	420						10101.3438
1	9895.283	7C	17007- 7112	13	6.5- 5.5	.	.	.	-2072	-2072	-574	1061	1470	1805	2072	10103.0558
1	9892.730	4	26264-16371	5	6.5- 6.5	.	.	.	-0340	-370*						10105.6631
1	9888.921	4	28711-18822	-9	6.5- 7.5	.	.	.	+0832	825	187	363	534	681	832	10109.5555
1	9888.209	3S	20391-10502	-56	6.5- 7.5	.	.	.	-99*							10110.2835
	9887.772	3S	-		.	.	.	.								10110.7303
1	9884.000	5	24896-15012	-40	7.5- 6.5	.	.	.	-0230	-156*						10114.5889
1	9876.966	6	21156-11279	-19	7.5- 7.5	.	.	.	+0718	718	141	293	441	585	718	10121.7921
1	9865.323	4	25551-15686	8	5.5- 5.5	.	.	.	-0714	-689	-185	340	487	592	714	10133.7378
1	9864.232	8	16507- 6643	2	4.5- 4.5	.	.	.	+0400*	448	091	184	296	375*		10134.8586
	9861.400	4	-		.	.	.	.	+0220							10137.7692
	9852.947	4	-		.	.	.	.	-0997		-260	506	693	860	997	10146.4666
1	9851.713	3S	25474-15622	3	6.5- 7.5	.	.	.	-73							10147.7375
1	9846.101	5S	22895-13049	-4	6.5- 7.5	.	.	.	18*							10153.5214
	9841.506	3S	-		.	.	.	.								10158.2621
1	9839.051	6C	18117- 8278	1	3.5- 3.5	.	.	.	+1283	1311	439	777	1028	1242	1283*	10160.7968
1	9834.419	7	23540-13706	4	5.5- 6.5	.	.	.	+0892	892	230	433	611	764	892	10165.5825
1	9833.344	4	19788- 9955	4	5.5- 6.5	.	.	.	+0390*	388	105	195	278	350*		10166.6938
	9831.160	3P	-		.	.	.	.	0160							10168.9524
	9830.920	4P	-		.	.	.	.	+0740*							10169.2006
	9826.433	3S	-		.	.	.	.								10173.8442
1	9821.000	6	21640-11819	10	3.5- 3.5	.	.	.	0160	-116						10179.4724
1	9816.469	5P	23304-13488	9	6.5- 6.5	.	.	.	0000	72						10184.1709
1	9815.845	7C	16459- 6643	5	4.5- 4.5	.	.	.	+1328	1383	344	661	943	1179	1328	10184.8184
1	9813.969	7	26232-16418	-1	9.5- 9.5	.	.	.	-0400*	-449	-107	200	284	380		10186.7653
1	9811.883	3S	28711-18899	18	6.5- 6.5	.	.	.	8							10188.9310
1	9806.900	4P	19827-10020	0	7.5- 8.5	.	.	.	-1440*	-1430	-367	675*	970*	1230*	1430*	10194.1081
1	9806.792	7	22794-12988	32	4.5- 5.5	.	.	.	90*							10194.2204
1	9805.100	5	27531-17726	-15	8.5- 8.5	.	.	.	+0200*	215						10195.9795
1	9799.100	6	2831-12630	-150	2.5- 1.5	.	.	.	+0320*	318*						10202.2225
	9798.138	3S	-		.	.	.	.								10203.2242
1	9795.586	6	21355-11560	6	5.5- 5.5	.	.	.	+0440*	447	120	218*	327	398		10205.8824
	9793.391	4S	-		.	.	.	.								10208.1699
1	9791.279	4	17663- 7871	-6	4.5- 4.5	.	.	.	+0202*	268						10210.3718
	9785.020	3S	-		.	.	.	.								10216.9029
	9784.355	2S	-		.	.	.	.								10217.5973
	9783.888	2S	-		.	.	.	.								10218.0850
1	9782.927	5	16798- 7015	27	3.5- 2.5	.	.	.	41*							10219.0888
	9780.766	5	-		.	.	.	.								10221.3466
1	9777.770	8	18728- 8950	-10	5.5- 6.5	.	.	.	-0545*	-542						10224.4785
1	9776.992	8C	19646- 9869	2	4.5- 4.5	.	.	.	-1855*	-1869	- *	924	1303	1616	1855*	10225.2922
1	9768.200	6	5456-15224	-30	3.5- 2.5	.	.	.	30*							10234.4956
1	9760.630	5	21040-11279	-15	6.5- 7.5	.	.	.	-0180	-187						10242.4331
1	9755.960	3	22602-12846	-20	3.5- 4.5	.	.	.	+0430	432						10247.3360
	9754.784	4S	-		.	.	.	.								10248.5714
	9750.060	3S	-		.	.	.	.								10253.5369
	9745.200	3	-		.	.	.	.	0120							10258.6505
1	9738.387	3S	26110-16371	2	5.5- 6.5	.	.	.	55*							10265.8275
1	9734.780	3	22581-12846	-40	4.5- 4.5	.	.	.	0130	154						10269.6312
1	9726.607	3S	23731-14005	7	5.5- 6.5	.	.	.	-34*							10278.2606
	9725.016	3S	-		.	.	.	.								10279.9421
	9723.585	5H	-		.	.	.	.	-0736		-200	373	524	638	736	10281.4550

TABLE I (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS CALC	HFS 2	DIAGONAL 3	COMPONENTS 4	COMPONENTS 5	COMPONENTS 6	WAVELENGTH	
	9722.968	3S	-		. - .	.	.								10282.1074	
	9712.878	4	-		. - .	.	.		-1192	-274	541	776	1002	1192	10292.7888	
	9709.969	4	-		. - .	.	.								10295.8724	
1	9709.800	5	26110-16400	-50	5.5- 6.5	.	.		46*						10296.0516	
	9709.545	4	-		. - .	.	.		0111						10296.3220	
	9701.894	4	-		. - .	.	.		+1275	320	609	868	1093	1275	10304.4418	
	9699.466	4	-		. - .	.	.		-0606	-209	354	459			10307.0212	
1	9696.205	3	28713-19016	15	9.5-10.5	.	.		0180	-209					10310.4877	
1	9693.330	3	21253-11560	5	4.5- 5.5	.	.		0180	-171					10313.5457	
1	9688.990	4	27107-17418	0	4.5- 5.5	.	.		+0411	395	092	181	261		10318.1655	
1	9682.640	4	23416-13734	5	2.5- 3.5	.	.		0140	-174					10324.9323	
1	9677.500	7	19185- 9507	-30	2.5- 3.5	.	.		0100	121					10330.4162	
	9674.453	4	-		. - .	.	.		-1100*	-346	627	848	998		10333.6698	
1	9673.307	3S	24302-14629	112	3.5- 2.5	.	.		-47*						10334.8940	
1	9672.132	4	24684-15012	7	5.5- 6.5	.	.		+1370	1556*	415	772	1075	1280	1370	10336.1495
1	9669.130	4	23217-13548	10	3.5- 4.5	.	.		0080	-105*					10339.3586	
	9665.587	3	-		. - .	.	.		+0540		151	267	377	473	540	10343.1486
1	9660.820	4	19185- 9524	0	2.5- 2.5	.	.		0160*	155					10348.2523	
1	9657.508	7	21040-11382	3	6.5- 6.5	.	.		-1016	-1019	-312	560	753	905	1016	10351.8012
1	9655.869	4	25342-15686	-66	5.5- 5.5	.	.		-0560*	-525*	-151	282	381		10353.5584	
	9652.070	4	-		. - .	.	.		-1015	-286	526	719	892	1015	10357.6335	
	9644.525	3	-		. - .	.	.		-1492	-368	695	1001	1281	1492	10365.7364	
1	9637.900	4	22625-12988	0	5.5- 5.5	.	.		0040	73					10372.8617	
	9636.700	2	-		. - .	.	.		+0420						10374.1534	
	9633.790	5	-		. - .	.	.		-0850	-252	452	615	744	850	10377.2870	
1	9632.073	4	27358-17726	3	8.5- 8.5	.	.		+0743	731	155	309	455	602	743	10379.1369
	9630.640	3	-		. - .	.	.		-0410						10380.6812	
1	9629.994	4	21012-11382	4	5.5- 6.5	.	.		-0710*	-708	-204	377	509	624	710*	10381.3776
1	9628.361	3	25999-16371	16	5.5- 6.5	.	.		-0423	-416*	-102	192	276		10383.1383	
	9625.323	3P	-		. - .	.	.		0000						10386.4155	
1	9625.100	4P	25311-15686	0	5.5- 5.5	.	.		0120	-139*					10386.6562	
	9624.360	3P	-		. - .	.	.		+0840*		255	471	641		10387.4548	
	9620.122	3S	-		. - .	.	.								10392.0308	
	9619.890	3	-		. - .	.	.		0080						10392.2814	
1	9615.650	5	16507- 6892	0	4.5- 3.5	.	.		+0400*	358	089	170*	260*	340*	10396.8639	
1	9614.695	3S	26356-16741	45	6.5- 6.5	.	.		143						10397.8966	
1	9612.180	4	23407-13794	-5	8.5- 8.5	.	.		265*						10400.6172	
1	9605.632	4	24491-14885	7	5.5- 5.5	.	.		+0569	576	143	273	387	485	569	10407.7071
1	9602.430	5	24535-14933	20	3.5- 4.5	.	.		0200*	-77					10411.1777	
	9600.420	-	-		. - .	.	.		-0740						10413.3574	
1	9599.535	4	27153-17554	-5	6.5- 7.5	.	.		0060	-55*					10414.3175	
1	9598.317	3S	25213-15615	-3	5.5- 6.5	.	.		0*						10415.6390	
1	9596.730	4	21551-11954	80	5.5- 4.5	.	.		0160*	-227*					10417.3614	
	9596.110	3	-		. - .	.	.		0140						10418.0345	
	9594.185	4	-		. - .	.	.		-0320						10420.1248	
1	9593.490	3	22581-12988	30	4.5- 5.5	.	.		0140	138					10420.8797	
1	9593.053	4	26012-16418	-37	8.5- 9.5	.	.		0130	138					10421.3544	
	9592.208	5S	-		. - .	.	.								10422.2724	
	9589.826	4	-		. - .	.	.		+0544	181	341	461			10424.8612	
1	9581.760	6	19275- 9694	-5	6.5- 5.5	.	.		-0318*	-363	-108	195*	*	*	318*	10433.6370
	9581.706	4	-		. - .	.	.								10433.6958	
1	9577.794	4S	22602-13024	4	3.5- 3.5	.	.		-56						10437.9574	
1	9576.040	5P	22625-13049	-15	6.5- 7.5	.	.		0160	199					10439.8693	
	9575.772	3P	-		. - .	.	.		+0400*		093	182			10440.1614	
1	9574.790	4	20957-11382	30	7.5- 6.5	.	.		0060	-37					10441.2322	

TABLE I (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS	WIDTH CALC	HFS 2	DIAGONAL 3	DIAGONAL 4	COMPONENTS 5	COMPONENTS 6	WAVELENGTH
1	9570.393	2	25970-16400	-7	5.5- 6.5	.	.	.	-0560	-550	.	.	.	.	.	10446.0293
1	9567.270	5C	16459- 6892	10	4.5- 3.5	.	.	.	+1291	1293	343	654	921	1137	1291	10449.4392
1	9565.262	6	23053-13488	17	5.5- 6.5	.	.	.	.	66	.	.	.	.	.	10451.6328
1	9562.102	6	21040-11478	7	6.5- 5.5	.	.	.	-0825	-831	-241	437	597	724	825	10455.0868
1	9554.580	3	25241-15686	-20	5.5- 5.5	.	.	.	0200	-251	.	.	.	.	.	10463.3177
	9553.900	3	-	.	.	.	.	.	0090	.	.	.	.	.	.	10464.0625
	9552.617	4	-	.	.	.	.	.	-1158	.	-353	651	894	1058	1158	10465.4679
	9548.896	5	-	.	.	.	.	.	+1336	.	354	662	936	1163	1336	10469.5461
1	9548.067	5S	20050-10502	-23	6.5- 7.5	.	.	.	.	79	.	.	.	.	.	10470.4551
1	9544.556	5	23416-13872	1	2.5- 3.5	.	.	.	-60	.	.	.	.	.	.	10474.3067
1	9539.900	4	23412-13872	-20	3.5- 3.5	.	.	.	0160	191	.	.	.	.	.	10479.4187
	9537.893	5	-	.	.	.	.	.	-0742	.	-191	362	509	642	742	10481.6239
1	9536.480	5P	25969-16432	-15	3.5- 7.5	.	.	.	0480*	-505	.	.	.	.	.	10483.1769
1	9535.680	3P	23540-14005	-15	5.5- 6.5	.	.	.	+0400*	396	.	.	.	.	.	10484.0564
	9535.153	3P	-	.	.	.	.	.	+0460*	.	.	.	.	.	.	10484.6358
	9534.440	2	-	.	.	.	.	.	+0640	.	.	.	.	.	.	10485.4199
	9529.910	5	-	.	.	.	.	.	+0244	.	104	.	.	.	.	10490.4041
	9529.241	3	-	.	.	.	.	.	-0704	.	-160	323	469	604	704	10491.1406
1	9524.056	4S	24457-14933	1	3.5- 4.5	.	.	.	.	105*	.	.	.	.	.	10496.8521
1	9523.333	3	23304-13781	8	6.5- 7.5	.	.	.	-0380	-393	.	.	.	.	.	10497.6490
	9520.289	3S	-	.	.	.	.	.	.	.	.	.	.	.	.	10501.0055
1	9510.750	5	16154- 6643	-40	4.5- 4.5	.	.	.	+0200*	200	.	.	.	.	.	10511.5377
1	9508.832	4Q	20400-10892	47	2.5- 3.5	.	.	.	-0500*	-526	.	.	.	.	.	10513.6580
1	9506.879	2	24161-14654	-76	5.5- 4.5	.	.	.	-0522	-527*	.	.	.	.	.	10515.8178
1	9504.397	4	24390-14885	12	6.5- 5.5	.	.	.	-0476	-470	-116	219	306	392	476	10518.5640
1	9503.584	4	26245-16741	19	6.5- 6.5	.	.	.	+0884	898	227	428	608	752	884	10519.4638
1	9502.674	4S	20885-11382	14	5.5- 6.5	.	.	.	-77	.	.	.	.	.	.	10520.4712
1	9496.714	3S	22521-13024	-56	3.5- 3.5	.	.	.	258	.	.	.	.	.	.	10527.0737
1	9493.976	8	18200- 8706	6	4.5- 5.5	.	.	.	+0565*	567	172	309	414	500	565*	10530.1096
	9485.620	5	-	.	.	.	.	.	-0290	.	.	.	.	.	.	10539.3858
1	9485.043	4	24314-14829	3	4.5- 3.5	.	.	.	-1853	-1864	-552*	1025	1398	1667	1853	10540.0269
	9483.480	2	-	.	.	.	.	.	+0420	.	.	.	.	.	.	10541.7640
1	9480.195	5	21040-11560	10	6.5- 5.5	.	.	.	-1357	-1199	-354	641	877	1062	1211*	10545.4169
1	9477.414	5	5456-14933	-16	3.5- 4.5	.	.	.	-0425*	-375	-147	250	.	.	.	10548.5113
	9468.880	4	-	.	.	.	.	.	+1167	.	307	578	807	1003	1167	10558.0184
	9464.155	5	-	.	.	.	.	.	-0523	.	-145	270	374	460	523	10563.2895
1	9463.162	3S	17255- 7792	12	6.5- 6.5	.	.	.	.	70*	.	.	.	.	.	10564.3979
	9460.684	3S	-	.	.	.	.	.	.	.	.	.	.	.	.	10567.1650
1	9455.605	3	24110-14654	-10	3.5- 4.5	.	.	.	.	-6*	.	.	.	.	.	10572.8411
1	9454.094	4Q	23002-13548	-16	4.5- 4.5	.	.	.	0280*	-330	.	.	.	.	.	10574.5309
1	9452.580	5	25075-15622	0	6.5- 7.5	.	.	.	.	9	.	.	.	.	.	10576.2246
1	9451.570	7C	22303-12852	0	2.5- 2.5	.	.	.	-0592*	-650	-227	382*	.	.	.	10577.3548
1	9447.698	5	23242-13794	-7	7.5- 8.5	.	.	.	+0502	499	090	189	292	398	502	10581.6898
	9443.496	3	-	.	.	.	.	.	+1043	.	290	540	756	903	1043	10586.3983
	9436.898	3S	-	.	.	.	.	.	.	.	.	.	.	.	.	10593.8000
1	9434.840	5	24754-15319	-60	8.5- 9.5	.	.	.	-0215	-223	.	.	.	.	.	10596.1108
	9432.180	3	-	.	.	.	.	.	+0410	.	.	.	.	.	.	10599.0990
1	9430.587	5	16334- 6903	32	6.5- 7.5	.	.	.	-0863	-856	-232	429	602	742	863	10600.8894
1	9426.652	4	22414-12988	-58	5.5- 5.5	.	.	.	0080*	-25	.	.	.	.	.	10605.3146
1	9426.379	3	22521-13095	-51	3.5- 2.5	.	.	.	.	318*	.	.	.	.	.	10605.6217
1	9421.305	4	22409-12988	15	4.5- 5.5	.	.	.	+0389*	388	118	213	312	.	.	10611.3336
	9417.685	4	-	.	.	.	.	.	+1902	.	564	984	1369*	1679*	1902	10615.4124
	9412.980	3P	-	.	.	.	.	.	-0500*	.	.	.	.	.	.	10620.7185
	9412.540	2P	-	.	.	.	.	.	+0560*	.	.	.	.	.	.	10621.2149
1	9407.240	7	20885-11478	-10	5.5- 5.5	.	.	.	0100*	111	.	.	.	.	.	10627.1989

TABLE I (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS CALC	HFS 2	DIAGONAL 3	COMPONENTS 4	5	6	WAVELENGTH
	9402.048	2S	-												10633.0675
1	9401.353	5	21355-11954	-7	5.5- 4.5				+0457 452	129	240	339			10633.8535
1	9396.698	4S	22243-12846	-2	4.5- 4.5				-216						10639.1214
1	9395.312	7	16507- 7112	12	4.5- 5.5				-1180 -1178	-313	590	827	1023	1180	10640.6909
1	9392.093	4	24491-15099	3	5.5- 5.5				+0679 690	177	329	473	584	679	10644.3379
1	9385.520	4	25277-15892	-10	4.5- 4.5				0250 242*						10651.7925
1	9378.700	3	26245-16866	15	6.5- 7.5				-117						10659.5383
1	9378.700	3	27105-17726	0	8.5- 8.5				0060 -116*						10659.5383
1	9374.450	4	25061-15686	5	5.5- 5.5				+0340 362						10664.3709
1	9370.466	5C	22222-12852	-39	2.5- 2.5				-2000* -2044	-696	1242	1640*			10668.9050
1	9368.048	3	26110-16741	-2	5.5- 6.5				+0987 984*	258	466		837	987	10671.6588
1	9363.985	3	22210-12846	5	4.5- 4.5				-0832 -837	-202	404	569	729	832	10676.2892
1	9358.618	5	20836-11478	3	4.5- 5.5				+0485* 492	126	235	337	415*	485*	10682.4119
1	9350.970	3	23132-13781	10	8.5- 7.5				-1604 -1603	-404	760	1089	1350	1604	10691.1489
1	9349.606	3S	23416-14067	1	2.5- 2.5				-70						10692.7086
1	9346.900	8	16459- 7112	-10	4.5- 5.5				-0260* -243						10695.8042
1	9344.860	5	23412-14067	-110	3.5- 2.5				-0270 181						10698.1391
1	9343.975	4	28166-18822	0	7.5- 7.5				+1035 1042	253	486	695	883*	1035	10699.1524
1	9337.443	8C	23132-13794	8	8.5- 8.5				-0470* -442	-121	223	311	401		10706.6370
	9333.310	3S	-												10711.3782
	9328.008	5S	-												10717.4665
1	9325.360	8	20885-11560	20	5.5- 5.5				-0245* -257						10720.5098
1	9325.047	7	19827-10502	-3	7.5- 7.5				-1384* -1384	-	* 694	967	1195	1384	10720.8696
1	9320.700	6	19275- 9955	-5	6.5- 6.5				-0260* -278						10725.8696
	9319.141	3	-												10727.6640
	9316.908	5	-						-0607	-174	328	448	545*	607	10730.2351
1	9308.289	5	29283-19974	9	10.5- 9.5				-0780 -785	-186	359	515	653	780	10740.1708
1	9301.413	3	28673-19371	13	7.5- 6.5				-200*						10748.1104
1	9298.569	5	24985-15686	9	5.5- 5.5				52						10751.3977
	9297.426	4	-												10752.7195
	9293.841	4	-						-0556	-144	255	375	476	556	10756.8673
1	9290.000	5	22238-12947	-15	7.5- 8.5				0100 -162						10761.3148
1	9288.756	4	22276-12988	6	5.5- 5.5				-1055 -1058	-292	552	760	921	1055	10762.7560
	9280.246	3	-						-0512	-128	236	338	432	512	10772.6255
	9277.548	4	-						-0430						10775.7583
1	9276.692	4	20836-11560	-13	4.5- 5.5				0070 124						10776.7526
1	9275.910	4S	24161-14885	35	5.5- 5.5				-116						10777.6611
1	9273.900	5	20553-11279	0	7.5- 7.5				-0290 -309						10779.9970
	9271.985	4	-						+1290*						10782.2235
	9270.471	5	-						+0494	173	315				10783.9844
	9264.460	4	-						0230						10790.9813
1	9262.221	7	16154- 6892	11	4.5- 3.5				+0100* 110						10793.5899
	9253.108	4	-						+0894	247	485	651	791	894	10804.2201
1	9246.670	3	22794-13548	-20	4.5- 4.5				0100 143*						10811.7425
	9245.336	3S	-												10813.3026
1	9241.790	9	12692- 3450	15	3.5- 3.5				+0350* 341	065*	155*	235*	315*		10817.4515
1	9231.182	6C	19100- 9869	7	4.5- 4.5				-2168 -2165	-612	1132	1566	1911	2168	10829.8824
	9229.708	4	-												10831.6120
1	9221.594	7C	16334- 7112	19	6.5- 5.5				-2559 -2600	-706	1313	1828	2255	2559	10841.1427
1	9219.333	5	31459-22240	-2	10.5- 10.5				-0687 -692	-178	338	475	592	687*	10843.8014
1	9215.700	7	17007- 7792	20	6.5- 6.5				-0255 -278	-111				255	10848.0762
1	9212.884	4S	5456-14669	-16	3.5- 3.5				30*						10851.3921
1	9212.884	4S	25403-16190	-6	3.5- 2.5				-135*						10851.3921
1	9208.016	4	24141-14933	26	5.5- 4.5				0040 80*						10857.1289
1	9196.762	5P	24026-14829	-3	3.5- 3.5				-1080* -1076	-351	623	837			10870.4147

TABLE I (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS CALC	HFS 2	DIAGONAL 3 4	COMPONENTS 5 6	WAVELENGTH	
	9196.336	5P	-		. - .	.	.		0060				10870.9182	
	9195.896	5S	-		. - .	.	.						10871.4384	
	9192.140	4	-		. - .	.	.		-0300				10875.8806	
	9190.416	4	-		. - .	.	.		+1294	313	604 857	1088 1294	10877.9208	
1	9188.110	6	22238-13049	-5	7.5- 7.5	.	.		-0300*	-291	160*	251	10880.6509	
1	9179.980	3	29642-20462	-10	7.5- 8.5	.	.		0110	-173			10890.2870	
	9176.030	2	-		. - .	.	.		0120				10894.9750	
	9174.174	4	-		. - .	.	.		0090				10897.1791	
1	9173.253	5L	5456-14629	-2	3.5- 2.5	.	.		-0460*	-415	340		10898.2732	
1	9170.770	4	20553-11382	10	7.5- 6.5	.	.		-1183	-1141	573 788	985 1183*	10901.2239	
1	9169.460	4	27991-18822	25	7.5- 7.5	.	.		0160*	106			10902.7814	
	9165.688	4	-		. - .	.	.		-0998		509 698	874 998	10907.2682	
1	9162.516	5	20394-11231	36	3.5- 2.5	.	.		-1537	-1533	787 1103	1378 1537*	10911.0443	
	9157.700	4P	-		. - .	.	.		0080				10916.7824	
	9156.897	4P	-		. - .	.	.		-1529*	-503*	803 1072	1327 1529	10917.7397	
1	9153.879	6C	14338- 5184	4	5.5- 5.5	.	.		+1386	1396	589 886	1152 1386	10921.3392	
1	9152.638	8C	17859- 8706	-2	5.5- 5.5	.	.		-1010	-1003	554 746	899 1010	10922.8201	
1	9150.149	8C	20969-11819	14	3.5- 3.5	.	.		-1014	-1050	566 779	956 1014	10925.7913	
	9143.886	5	-		. - .	.	.		-0750*	-262	458 589	687	10933.2748	
	9142.300	6	-		. - .	.	.		+0200*				10935.1715	
	9138.513	3	-		. - .	.	.						10939.7030	
	9137.987	4P	-		. - .	.	.						10940.3327	
1	9137.630	4	22625-13488	5	5.5- 6.5	.	.		+0720*	733	211 387	532	10940.7602	
	9134.490	3	-		. - .	.	.		-0320				10944.5211	
	9132.426	2	-		. - .	.	.						10946.9947	
1	9127.590	2	22222-13095	-45	2.5- 2.5	.	.		-0750	-749*			10952.7946	
1	9125.124	3S	22175-13049	4	7.5- 7.5	.	.			18*			10955.7546	
	9124.865	3S	-		. - .	.	.						10956.0655	
	9118.300	4	-		. - .	.	.		0100				10963.9537	
	9113.444	4	-		. - .	.	.		-0270				10969.7957	
	9111.874	4	-		. - .	.	.		+0834	264	479 640	752 834	10971.6859	
	9103.693	4	-		. - .	.	.		-0637	-169	318 446	552 637	10981.5456	
1	9102.246	4	25969-16866	-54	3.5- 7.5	.	.		-0395*	-398	269		10983.2913	
1	9099.730	8	15743- 6643	-5	5.5- 4.5	.	.		-0260*	-261			10986.3281	
1	9092.486	3	27992-18899	1	5.5- 6.5	.	.		0080	-126			10995.0810	
	9088.890	3	-		. - .	.	.						10999.4312	
1	9076.220	3	22624-13548	0	5.5- 4.5	.	.		-0360	-376			11014.7859	
1	9074.138	3	25474-16400	28	6.5- 6.5	.	.		-0865	-869	414 595	751 865	11017.3132	
	9072.580	3	-		. - .	.	.		0170				11019.2052	
1	9062.692	4	27885-18822	-23	7.5- 7.5	.	.			140			11031.2279	
1	9060.114	5C	20879-11819	-21	3.5- 3.5	.	.		-1644	-1661	933 1290	1500 1644	11034.3667	
1	9058.449	3	21012-11954	-1	5.5- 4.5	.	.		-0885	-883	435 604*	740 885	11036.3949	
1	9056.446	3	20439-11382	-4	5.5- 6.5	.	.			-53*			11038.8358	
	9046.916	3	-		. - .	.	.						11050.4642	
	9044.643	5	-		. - .	.	.		-0842	-242	443 603	735 842	11053.2412	
1	9041.892	6C	16154- 7112	32	4.5- 5.5	.	.		-1422	-1426	696*	978 1227	1422	11056.6042
1	9040.298	4	25782-16741	-2	5.5- 6.5	.	.		+1165	1175	584 815	1008 1165	11058.5537	
1	9034.999	5	28673-19638	9	7.5- 7.5	.	.			87*			11065.0396	
1	9034.341	4	18728- 9694	-4	5.5- 5.5	.	.		-0880	-882	462 632	773 880	11065.8455	
1	9033.360	4	22581-13548	-30	4.5- 4.5	.	.		0130	191			11067.0472	
1	9032.500	4	21879-12846	-85	3.5- 4.5	.	.		0090*	148			11068.1009	
	9028.753	4	-		. - .	.	.		-0674		314 452	565 674	11072.6943	
	9027.756	4	-		. - .	.	.						11073.9171	
	9024.431	2	-		. - .	.	.		-0480				11077.9972	
	9019.985	5	-		. - .	.	.		-1188	-369	653 872*	1037 1188	11083.4577	

TABLE I (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS CALC	HFS 2	DIAGONAL 3	COMPONENTS 4	COMPONENTS 5	COMPONENTS 6	WAVELENGTH
1	9018.735	7	16810- 7792	5	5.5- 6.5	.	.	.	0020* 60*						11084.9938
1	9017.079	5	20836-11819	-16	4.5- 3.5	.	.	.	-0985 -984	-287	528	723	882	985	11087.0296
1	9014.000	4	23899-14885	25	5.5- 5.5	.	.	.	0140 -147						11090.8167
1	9008.720	4	22058-13049	20	6.5- 7.5	.	.	.	0180* -218						11097.3171
1	9004.627	6	21851-12846	-8	5.5- 4.5	.	.	.	+0500* 506	156	281	381	467		11102.3613
1	9001.480	4	23967-14965	115	4.5- 5.5	.	.	.	0130 50*						11106.2428
1	9001.480	4	27005-18003	-20	6.5- 7.5	.	.	.	0130 -190						11106.2428
	8996.581	3	-		.	.	.	.							11112.2906
	8996.466	4	-		.	.	.	.	-1184	-297	565	811*	1011	1184	11112.4326
	8996.135	3	-		.	.	.	.							11112.8415
	8994.222	2	-		.	.	.	.	+0370						11115.2051
1	8993.009	4	22787-13794	14	3.5- 8.5	.	.	.	+1112 988*	282*	542	735	855	1112*	11116.7044
	8989.480	5L	-		.	.	.	.	+0250*						11121.0685
1	8987.420	4	29478-20491	30	7.5- 7.5	.	.	.	+0605 602	142	274	407	502	605	11123.6175
	8985.143	2	-		.	.	.	.	+0480						11126.4365
1	8982.885	4	27882-18899	-15	5.5- 6.5	.	.	.	0040 31						11129.2333
	8980.270	2	-		.	.	.	.	+0807	223	416	567	677	807	11132.4741
	8978.875	4	-		.	.	.	.	-1546	-343	679	996	1286	1546	11134.2037
	8977.065	3	-		.	.	.	.							11136.4486
	8974.925	3	-		.	.	.	.	-0440*						11139.1040
1	8966.232	3	23899-14933	2	5.5- 4.5	.	.	.	-0410* -303						11149.9037
	8965.140	2	-		.	.	.	.	0170						11151.2618
	8961.617	4	-		.	.	.	.	+0441*	114	218	314			11155.6456
1	8956.588	4	17663- 8706	3	4.5- 5.5	.	.	.	+0401* 396	96	189*	280	341	401*	11161.9094
1	8954.410	3	22004-13049	15	6.5- 7.5	.	.	.	0180 -224						11164.6243
	8946.949	3	-		.	.	.	.	+0865	205	399	578	749	865	11173.9347
	8943.460	5	-		.	.	.	.	-0120*						11178.2938
1	8940.069	3	25311-16371	-1	5.5- 6.5	.	.	.	45*						11182.5338
	8939.361	3	-		.	.	.	.	-0629*	-178	308	439	535		11183.4195
1	8938.890	4	16810- 7871	0	5.5- 4.5	.	.	.	0060 -133*						11184.0088
	8935.561	3	-		.	.	.	.	+0370						11188.1754
1	8926.463	6	22414-13488	28	5.5- 6.5	.	.	.	+0647 635	176	325	450	554	647	11199.5786
1	8926.314	5P	16798- 7871	94	3.5- 4.5	.	.	.	215*						11199.7656
1	8908.590	6	17859- 8950	-5	5.5- 6.5	.	.	.	-0788 -791	-236	429	585	702	788	11222.0480
1	8906.100	5	24528-15622	-30	7.5- 7.5	.	.	.	0120* 244						11225.1855
	8897.704	4	-		.	.	.	.	+0519*	166	283	380	449	519*	11235.7778
	8896.288	4L	-		.	.	.	.	+1062	460	946	1062			11237.5662
	8892.170	2	-		.	.	.	.	-0480						11242.7704
1	8890.770	4	22895-14005	-15	5.5- 6.5	.	.	.	0070 -84*						11244.5407
	8881.068	3	-		.	.	.	.	0130						11256.8247
1	8880.472	4	18388- 9507	52	3.5- 3.5	.	.	.	109						11257.5802
	8875.030	5	-		.	.	.	.	0060						11264.4831
	8874.755	5L	-		.	.	.	.	0120						11264.8322
	8871.920	4	-		.	.	.	.							11268.4318
1	8869.573	4S	25241-16371	3	5.5- 6.5	.	.	.	-67*						11271.4136
1	8868.380	3	22602-13734	10	3.5- 3.5	.	.	.	+0250 252						11272.9299
1	8865.100	6	22895-14030	-50	6.5- 5.5	.	.	.	-81*						11277.1008
1	8863.712	5	18388- 9524	2	3.5- 2.5	.	.	.	0060 143						11278.8667
1	8861.228	5	22409-13548	8	4.5- 4.5	.	.	.	+0432* 441	149	264	349			11282.0284
	8860.020	4P	-		.	.	.	.							11283.5667
1	8859.980	5	28497-19638	10	7.5- 7.5	.	.	.	-0485 -467	-140*	250*	339	423	485	11283.6176
1	8858.741	6	18728- 9869	-4	5.5- 4.5	.	.	.	-2515* -2526	-674*	1279*	1780	2192	2515	11285.1957
1	8858.600	5	25291-16432	20	6.5- 7.5	.	.	.	0090 168						11285.3754
	8856.950	2	-		.	.	.	.	-0330						11287.4778
	8853.378	4	-		.	.	.	.	+1063*	267	513	729	926	1063*	11292.0319

TABLE I (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS CALC	HFS 2	DIAGONAL 3	COMPONENTS 4	COMPONENTS 5	COMPONENTS 6	WAVELENGTH	
1	8847.069	4	-		. - .	.	.								11300.0844	
1	8845.976	3	26264-17418	26	6.5- 5.5	.	.		-112						11301.4807	
1	8844.560	3	22625-13781	70	6.5- 7.5	.	.		268						11303.2900	
	8842.737	5	-		. - .	.	.		+0289	126	225				11305.6203	
	8836.921	3	-		. - .	.	.								11313.0611	
	8834.790	3	-		. - .	.	.		0070						11315.7898	
1	8832.619	2	24056-15224	-11	2.5- 2.5	.	.		207*						11318.5712	
	8832.055	3	-		. - .	.	.		+0500*	142	247	339	429		11319.2940	
	8826.434	3S	-		. - .	.	.								11326.5025	
1	8824.787	3	26264-17439	-3	6.5- 6.5	.	.		0030	25					11328.6165	
1	8814.886	3	21839-13024	16	4.5- 3.5	.	.		-0676	-635	-196	351	481	594	676	11341.3409
	8809.760	3P	-		. - .	.	.		0230						11347.9400	
1	8808.768	5	19700-10892	98	2.5- 3.5	.	.		+0765	771	236	433	585	697	765	11349.2179
	8807.510	3	-		. - .	.	.		+0770						11350.8390	
1	8804.810	3	24491-15686	-5	5.5- 5.5	.	.		0250	276					11354.3197	
1	8800.446	4	23899-15099	6	5.5- 5.5	.	.		0050	-33					11359.9501	
1	8798.250	4	23731-14933	-5	5.5- 4.5	.	.		0160	155*					11362.7855	
	8795.855	3	-		. - .	.	.		+1678		420	789	1104	1421	1678	11365.8795
1	8794.054	5C	21640-12846	4	3.5- 4.5	.	.		+1076	1083	314	579	796	967	1076	11368.2072
1	8788.530	4B	22276-13488	55	5.5- 6.5	.	.		-398						11375.3527	
1	8788.366	6B	21640-12852	-24	3.5- 2.5	.	.		-0630*	-640	-238	429	547		11375.5649	
1	8787.485	4P	23416-14629	-65	2.5- 2.5	.	.		+0190*	243	100*	190*			11376.7054	
	8783.065	5	-		. - .	.	.		+0600*		201	344	430*		11382.4307	
	8779.645	3	-		. - .	.	.		+0500		137	255	348	430	500	11386.8646
1	8778.390	3	28150-19371	-30	5.5- 6.5	.	.		0060	75*					11388.4925	
1	8773.308	5	18728- 9955	23	5.5- 6.5	.	.		-0788	-797	-212	370	560	691	788	11395.0894
1	8767.599	3P	23779-15012	-86	5.5- 6.5	.	.		0000	-20*					11402.5093	
1	8767.599	3P	24390-15622	-11	6.5- 7.5	.	.		0000	201					11402.5093	
	8766.454	5	-		. - .	.	.		-0534*		-175	320	429		11403.9986	
1	8762.770	6	22251-13488	5	6.5- 6.5	.	.		0080*	-119					11408.7930	
	8752.698	4	-		. - .	.	.		-0842*		-273	485	647	762	11421.9215	
1	8752.249	4	25123-16371	4	5.5- 6.5	.	.		-55*						11422.5074	
1	8749.670	3	22238-13488	-15	7.5- 6.5	.	.		0230	243					11425.8743	
	8739.860	4	-		. - .	.	.		-0906*		-262	477	636	791	906*	11438.6992
1	8738.270	5Q	28713-19974	-10	9.5- 9.5	.	.		-0455	-479	-135	245	335		455	11440.7806
1	8732.317	4	25474-16741	7	6.5- 6.5	.	.			69					11448.5800	
1	8729.692	3	27552-18822	7	7.5- 7.5	.	.		+0613	623	146	276	399	513	613	11452.0226
	8725.189	4	-		. - .	.	.		+0645		164	314	446	554	645	11457.9329
	8714.870	3	-		. - .	.	.								11471.4999	
1	8709.090	3	22581-13872	-40	4.5- 3.5	.	.		0080	88					11479.1132	
1	8708.284	5	22414-13706	19	5.5- 6.5	.	.		+0460	495	137	254	354	439	460	11480.1757
1	8703.578	4	24390-15686	3	6.5- 5.5	.	.		-0775	-770	-198	375	530	661	775	11486.3830
1	8695.271	4P	22243-13548	1	4.5- 4.5	.	.		-179						11497.3565	
	8694.610	3	-		. - .	.	.								11498.2306	
	8694.443	3	-		. - .	.	.								11498.4515	
	8694.147	3	-		. - .	.	.								11498.8429	
1	8693.600	3	23579-14885	-10	4.5- 5.5	.	.		0050	-159					11499.5664	
	8691.340	4	-		. - .	.	.		+0320*						11502.5567	
	8684.454	3	-		. - .	.	.		0100*						11511.6772	
	8681.300	7	-		. - .	.	.		+0250*						11515.8595	
	8678.764	4S	-		. - .	.	.								11519.2245	
1	8670.007	4S	18194- 9524	-3	2.5- 2.5	.	.		-3						11530.8594	
1	8668.112	2	20050-11382	2	6.5- 6.5	.	.		-43						11533.3802	
	8666.734	5	-		. - .	.	.		-0874		-261	490	661	776	874	11535.2140
	8665.432	4S	-		. - .	.	.								11536.9472	

TABLE I (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS CALC	HFS 2	DIAGONAL 3	COMPONENTS 4	5	6	WAVELENGTH
	8665.051	3S	-		. - .	.	.								11537.4545
	8664.573	4	-		. - .	.	.								11538.0910
1	8663.717	3	19992-11329	7	5.5- 4.5	.	.		+0420* 405	141	237	322			11539.2310
	8663.162	5	-		. - .	.	.		-0639	-171	313	441	542	639	11539.9702
	8659.660	5	-		. - .	.	.		0170						11544.6370
	8657.430	4	-		. - .	.	.		0150						11547.6107
1	8656.900	4	19985-11329	-5	4.5- 4.5	.	.		0220* 111						11548.3177
1	8655.091	4	23540-14885	-4	5.5- 5.5	.	.		+0734 741	192	362	513	619*	734	11550.7314
	8653.600	6	-		. - .	.	.								11552.7216
1	8649.682	4P	22383-13734	12	3.5- 3.5	.	.		-0690* -587	-189	329				11557.9546
1	8649.300	4P	22521-13872	30	3.5- 3.5	.	.		+0640* 680	182	367				11558.4651
	8647.742	5	-		. - .	.	.								11560.5475
1	8644.599	4	25044-16400	39	7.5- 6.5	.	.		0070 -117						11564.7507
1	8643.850	3	24535-15892	10	3.5- 4.5	.	.		-0210 -210						11565.7528
1	8641.050	2	25507-16866	20	8.5- 7.5	.	.		0150 -101*						11569.5005
	8637.836	3	-		. - .	.	.								11573.8053
1	8635.863	7	16507- 7871	-7	4.5- 4.5	.	.		+0430* 423	091	182	270*	360*	430*	11576.4495
	8634.882	4	-		. - .	.	.		0030						11577.7647
	8633.950	3	-		. - .	.	.		-0330						11579.0145
1	8630.813	7C	15743- 7112	8	5.5- 5.5	.	.		-1888 -1887	-502	942	1320	1635	1888	11583.2231
	8628.270	4	-		. - .	.	.		+0633	170	321	452	559	633	11586.6370
1	8620.700	6	22625-14005	-35	6.5- 6.5	.	.		0050 97						11596.8115
1	8615.860	5	21640-13024	0	3.5- 3.5	.	.		+0565 595	166	305				11603.3261
1	8607.439	6	25474-16866	9	6.5- 7.5	.	.		-0961 -946	-232	441	643	817	961	11614.6781
1	8599.300	5	24491-15892	-10	5.5- 4.5	.	.		0260 287						11625.6711
1	8595.070	7	22625-14030	-30	6.5- 5.5	.	.		0082* 100						11631.3926
1	8587.890	2	23217-14629	35	3.5- 2.5	.	.		0090 95*						11641.1172
	8586.529	4	-		. - .	.	.		+1197	316	605	849	1023	1197	11642.9623
	8585.678	4	-		. - .	.	.		-0435	-120	247				11644.1164
	8585.075	4	-		. - .	.	.		0020						11644.9342
1	8582.901	6C	23412-14829	26	3.5- 3.5	.	.		-1390* -1384	-418	767	1043		1390*	11647.8838
1	8581.058	6C	20400-11819	-167	2.5- 3.5	.	.		-1490* -1490	-490*	882	1177	1384	1490*	11650.3855
	8574.041	3	-		. - .	.	.								11659.9202
	8570.876	3P	-		. - .	.	.		+0604	170	320	426	523*	604	11664.2259
1	8570.285	6	22058-13488	15	5.5- 6.5	.	.		+0300* 316	085	168	220*	300*		11665.0303
	8567.870	3	-		. - .	.	.		0180						11668.3183
	8565.847	4	-		. - .	.	.		-0453* -144	246	353				11671.0740
1	8562.940	5	21551-12988	-20	5.5- 5.5	.	.		0140 -157*						11675.0362
	8557.961	4	-		. - .	.	.								11681.8287
	8557.594	4	-		. - .	.	.								11682.3297
1	8548.213	9C	19827-11279	3	7.5- 7.5	.	.		-0673 -674	-188	346	478	585	673	11695.1502
1	8542.818	6	21592-13049	3	6.5- 7.5	.	.		-0500* -485	-133	246	343	433*		11702.5360
1	8541.989	7	16334- 7792	4	6.5- 6.5	.	.		-0801 -806	-245	439	596	714	801	11703.6717
1	8535.296	4	22602-14067	-44	3.5- 2.5	.	.		0316 356	119	212	316			11712.8492
1	8531.014	2	25970-17439	14	5.5- 6.5	.	.		0120 -146						11718.7283
1	8526.022	3	24141-15615	2	5.5- 6.5	.	.		-25*						11725.5896
1	8523.478	4	19906-11382	23	5.5- 6.5	.	.		+0590* 442	169	317	438		590*	11729.0894
	8522.070	4	-		. - .	.	.		-0674	-165	318	453	574	674	11731.0272
1	8519.740	5	16798- 8278	-40	3.5- 3.5	.	.		0130 130*						11734.2355
1	8518.511	8	18388- 9869	1	3.5- 4.5	.	.		-1245 -1249	-302	595	862	1083	1245	11735.9284
	8516.560	4	-		. - .	.	.		0180						11738.6169
1	8514.585	7	19992-11478	5	5.5- 5.5	.	.		+0741 751	170	334	488	627	741	11741.3398
1	8511.586	4	22383-13872	-4	3.5- 3.5	.	.		-0518* -473	-149	272	363			11745.4768
1	8506.602	6	26232-17726	42	9.5- 8.5	.	.		-0686* -669	-174	328	457	574	686*	11752.3584
1	8504.389	4	22052-13548	-56	4.5- 4.5	.	.			145*					11755.4166

TABLE I (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH		HFS 2	DIAGONAL		COMPONENTS		WAVELENGTH
									OBS	CALC		3	4	5	6	
1	8489.060	9	11940-3450	-40	4.5-3.5	.	.		-0300*	-293	-111	200*	240*			11776.6438
1	8487.656	5	22303-13816	26	2.5-1.5	.	.		-155	-147						11778.5919
	8487.509	4P	-	-	-	.	.									11778.7959
1	8480.094	3	23579-15099	19	4.5-5.5	.	.			37						11789.0953
1	8478.770	5P	23412-14933	30	3.5-4.5	.	.		+0480*	454	141	250	350			11790.9362
	8470.395	3	-	-	-	.	.		0070							11802.5944
	8467.336	3S	-	-	-	.	.									11806.8584
	8466.738	3	-	-	-	.	.		0050							11807.6923
	8463.035	4	-	-	-	.	.		0030							11812.8587
1	8459.380	8	19788-11329	30	5.5-4.5	.	.			265	101	195				11817.9627
1	8454.951	3	24141-15686	26	5.5-5.5	.	.		0060	-64*						11824.1533
	8448.191	3	-	-	-	.	.		0030							11833.6147
	8447.697	3	-	-	-	.	.		0120*							11834.3067
1	8445.076	4	19827-11382	6	7.5-6.5	.	.		-1508	-1506	-413	768	1056	1305*	1508	11837.9796
1	8443.029	4	22238-13794	4	7.5-8.5	.	.		+0942	939	232	447	624	799	942	11840.8497
1	8441.562	4	23540-15099	2	5.5-5.5	.	.		+0851	855	225	426	597	740	851	11842.9074
	8438.027	3	-	-	-	.	.		0050							11847.8689
	8432.743	5	-	-	-	.	.		0280*							11855.2928
1	8432.072	4	21920-13488	17	5.5-6.5	.	.		+0565	632*	145	268	361	475	565	11856.2363
1	8430.513	5C	21282-12852	3	2.5-2.5	.	.		-1800*	-1857	-600	1092	1470*			11858.4288
	8429.651	4	-	-	-	.	.		-1261		-317	677	953	1143	1261	11859.6414
1	8428.044	6	19906-11478	-1	5.5-5.5	.	.		+0632	630	168	313	437	543	632	11861.9027
1	8426.310	3	24798-16371	-75	6.5-6.5	.	.		0090	30*						11864.3437
1	8425.605	4	37412-28986	-5	1.5-1.5	.	.		0050							11865.3364
1	8422.340	5	24314-15892	5	4.5-4.5	.	.		0130	-159						11869.9361
	8416.581	3	-	-	-	.	.		-0755							11878.0581
	8414.156	3S	-	-	-	.	.									11881.4814
1	8410.140	5	23343-14933	-10	4.5-4.5	.	.		+0210	227						11887.1551
1	8409.555	4S	22414-14005	10	5.5-6.5	.	.			-1						11887.9820
1	8406.774	3	21253-12846	-1	4.5-4.5	.	.			-80						11891.9146
1	8406.518	5L	22222-13816	-47	2.5-1.5	.	.		-1100*	-1549	-616	891	1061			11892.2767
1	8405.630	6	19788-11382	0	5.5-6.5	.	.		+0420*	423	089	179	265	349	420*	11893.5331
	8398.899	4L	-	-	-	.	.		+0279*		108	184				11903.0647
	8394.600	6	-	-	-	.	.									11909.1605
1	8394.330	4	21246-12852	0	1.5-2.5	.	.		0090	-278						11909.5435
1	8393.579	3	22175-13781	24	7.5-7.5	.	.			87*						11910.6091
	8388.821	3	-	-	-	.	.									11917.3647
1	8383.903	3S	22414-14030	-7	5.5-5.5	.	.			2						11924.3554
	8373.259	2S	-	-	-	.	.									11939.5135
1	8372.267	3	21920-13548	7	5.5-4.5	.	.			25*						11940.9282
	8371.000	4	-	-	-	.	.									11942.7356
	8369.382	3S	-	-	-	.	.									11945.0444
1	8367.688	4	21355-12988	18	5.5-5.5	.	.		+0528*	522	154	296	378			11947.4626
	8362.273	5	-	-	-	.	.		0030							11955.1992
	8358.370	4	-	-	-	.	.		-0360*							11960.7818
1	8352.085	5	22058-13706	-15	6.5-6.5	.	.		0120	176						11969.7824
	8347.630	4	-	-	-	.	.		0110							11976.1705
	8346.048	4	-	-	-	.	.		-0300*							11978.4406
1	8343.344	3	24390-16046	4	6.5-5.5	.	.		-0853*	-809	-186	369	534			11982.3227
1	8342.694	4	25782-17439	-6	5.5-6.5	.	.		+0655	641	195	352	478	564	655	11983.2563
	8341.213	4	-	-	-	.	.		+1168		364	659	854	1043	1168	11985.3839
1	8333.180	2	25075-16741	0	6.5-6.5	.	.		0080	151						11996.9376
1	8330.901	7	18200-9869	11	4.5-4.5	.	.		-1204	-1205	-298	576	828	1040	1204	12000.2195
	8317.931	3	-	-	-	.	.		+0540*							12018.9312
	8314.337	2	-	-	-	.	.		-0650							12024.1266

TABLE I (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH		HFS 2	DIAGONAL			COMPONENTS		WAVELENGTH
									OBS	CALC		3	4	5	6		
1	8304.500	5	17255- 8950	-65	6.5- 6.5	.	.	.	0180*	217*							12038.3697
1	8303.198	7	21851-13548	-7	5.5- 4.5	.	.	.	+0540*	543	142	271	383	478	540*		12040.2574
1	8301.140	3	17007- 8706	0	6.5- 5.5	.	.	.	-0320*	-343							12043.2424
1	8300.121	3	19700-11400	21	2.5- 1.5	.	.	.	+0670*	698*	185	337	474	571	670		12044.7209
	8294.394	2S	-		.	.	.	.									12053.0374
1	8293.130	5	19185-10892	50	2.5- 3.5	.	.	.	0200*	203							12054.8745
	8291.580	4	-		.	.	.	.	-0439*		-128	239					12057.1280
	8287.864	3	-		.	.	.	.	-0370								12062.5340
1	8285.700	7	26012-17726	20	3.5- 8.5	.	.	.		-82							12065.6844
1	8282.450	6	16154- 7871	20	4.5- 4.5	.	.	.	0140*	175							12070.4190
1	8279.828	4L	21131-12852	448	2.5- 2.5	.	.	.	-1880*	-2370	-784	1401					12074.2414
1	8278.165	4	5456-13734	-5	3.5- 3.5	.	.	.	0060	2							12076.6670
	8277.631	4	-		.	.	.	.	+0463		135	244	338				12077.4460
	8272.011	3	-		.	.	.	.	-0470								12085.6515
	8263.487	4	-		.	.	.	.	-0712		-164	348	479	618	712		12098.1182
	8262.180	3	-		.	.	.	.	+0390								12100.0320
	8261.120	3P	-		.	.	.	.	-0410*								12101.5845
1	8260.840	3P	26264-18003	0	6.5- 7.5	.	.	.	-0370*	-410							12101.9947
	8255.800	5	-		.	.	.	.	-0320								12109.3828
1	8247.650	6	18117- 9869	-60	3.5- 4.5	.	.	.	-0250*	-248							12121.3488
1	8242.023	2	26245-18003	8	6.5- 7.5	.	.	.	0060	-71							12129.6243
	8241.070	2	-		.	.	.	.	0220								12131.0270
	8240.693	3	-		.	.	.	.	0050								12131.5820
1	8232.808	3	22238-14005	13	7.5- 6.5	.	.	.	-0390	-393							12143.2011
1	8229.434	9	16507- 8278	4	4.5- 3.5	.	.	.	+0400*	338	126	224	302				12148.1797
1	8228.320	6	19788-11560	10	5.5- 5.5	.	.	.	0190	243							12149.8244
1	8222.825	4	22004-13781	-5	6.5- 7.5	.	.	.	0110	-155							12157.9437
1	8218.177	3	25657-17439	7	5.5- 6.5	.	.	.	+0595	567	171	315	419	514	595		12164.8199
	8211.278	3	-		.	.	.	.	+0510								12175.0406
1	8208.660	3P	19100-10892	25	4.5- 3.5	.	.	.	-0730	-725	-211						12178.9237
	8208.570	3P	-		.	.	.	.	+0260								12179.0572
1	8205.999	5	21058-12852	-31	1.5- 2.5	.	.	.	-1110*	-985	-321	585	780	920*	980*		12182.8730
1	8205.474	3W	23304-15099	39	6.5- 5.5	.	.	.	-105								12183.6525
	8201.831	4	-		.	.	.	.	-1635*		-575	1004	1304	1475			12189.0641
	8199.263	3	-		.	.	.	.									12192.8817
	8192.740	3	-		.	.	.	.	0120								12202.5896
1	8188.740	4	27011-18822	5	7.5- 7.5	.	.	.	0110	-157							12208.5503
	8187.879	4	-		.	.	.	.	+0616*		183	335	457*	546	616*		12209.8341
	8185.092	4	-		.	.	.	.	+0944		298	523	710	842	944		12213.9915
1	8181.040	8C	16459- 8278	0	4.5- 3.5	.	.	.	+1270	1273	379	692	944	1138	1270		12220.0410
1	8177.880	2	25044-16866	0	7.5- 7.5	.	.	.	0150	-194							12224.7629
	8175.136	4	-		.	.	.	.	+0625*		197	340	470	555	625*		12228.8662
	8173.002	2	-		.	.	.	.	+0923		298	537	724	837	923		12232.0592
1	8171.805	2	27543-19371	75	5.5- 6.5	.	.	.		100*							12233.8510
1	8168.400	4	19646-11478	-10	4.5- 5.5	.	.	.	0040	83							12238.9507
1	8167.760	3	23053-14885	5	5.5- 5.5	.	.	.	0190	-225							12239.9097
1	8165.157	5C	17859- 9694	-3	5.5- 5.5	.	.	.	-1130	-1131	-343	620	838	999	1130		12243.8117
1	8155.849	5S	26992-18836	119	1.5- 2.5	.	.	.		123*							12257.7852
1	8144.947	6	21879-13734	-28	3.5- 3.5	.	.	.		-32							12274.1922
	8137.981	4	-		.	.	.	.	-0586		-139	275	398	493	586		12284.6988
1	8134.048	5	24026-15892	-12	3.5- 4.5	.	.	.	+0600*	629	158	300	424	531	600*		12290.6387
	8130.840	4L	-		.	.	.	.	-1176		-276	508					12295.4880
1	8123.160	4	20969-12846	-35	3.5- 4.5	.	.	.	0140	149							12307.1127
	8122.710	4	-		.	.	.	.	0250								12307.7945
1	8119.789	4	24491-16371	4	5.5- 6.5	.	.	.	+0448*	460*	111	217	312				12312.2221

TABLE I (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS CALC	HFS 2	DIAGONAL 3	COMPONENTS 4	5	6	WAVELENGTH
1	8117.537	7C	20969-12852	2	3.5- 2.5	.	.	.	-1600* -1574	-487	889	*	*	*	12315.6378
	8117.000	6	-	.	.	.	.	.	+0340*						12316.4526
	8111.620	3	-	.	.	.	.	.	0060						12324.6215
	8106.500	4S	-	.	.	.	.	.							12332.4056
1	8104.387	6	21592-13488	2	6.5- 6.5	.	.	.	0040* 49						12335.6210
1	8104.207	7S	16810- 8706	17	5.5- 5.5	.	.	.	-5*						12335.8949
	8099.923	6L	-	.	.	.	.	.	-0700*	-209	384	519	611		12342.4193
1	8096.057	6	24528-16432	12	7.5- 7.5	.	.	.	-0736 -736	-194	364	509	632	736	12348.3131
1	8092.624	5	21640-13548	4	3.5- 4.5	.	.	.	+1106 1120	297	566	792	985	1106	12353.5514
1	8077.020	9	12692- 4615	-10	3.5- 2.5	.	.	.	+0250* 295						12377.4173
	8072.470	3	-	.	.	.	.	.	0030						12384.3937
1	8060.992	4S	2831-10892	-88	2.5- 3.5	.	.	.	45						12402.0278
1	8057.120	9	17007- 8950	25	6.5- 6.5	.	.	.	-0120* -131						12407.9879
1	8056.091	6	28385-20329	96	3.5- 2.5	.	.	.	-70*						12409.5728
	8053.228	4S	-	.	.	.	.	.							12413.9845
	8046.790	5	-	.	.	.	.	.	+0215						12423.9166
1	8034.713	4	25474-17439	3	6.5- 6.5	.	.	.	-0470 -465	-100	201	294	377	470	12442.5910
	8033.381	4	-	.	.	.	.	.							12444.6541
1	8027.730	3	22058-14030	-15	6.5- 5.5	.	.	.	-0270* -317						12453.4144
	8020.365	4	-	.	.	.	.	.	-0200*						12464.8502
1	8018.555	4	24390-16371	10	5.5- 6.5	.	.	.	-0585 -586*	-142	272	384	490	585	12467.6638
1	8009.571	3	20957-12947	-14	7.5- 8.5	.	.	.	113						12481.6483
1	8006.825	5	21879-13872	-70	3.5- 3.5	.	.	.	0030* 82						12485.9290
1	7996.123	6	19275-11279	-12	6.5- 7.5	.	.	.	+0587 589	144	274	391	494	587	12502.6402
1	7990.422	6	21040-13049	-8	6.5- 7.5	.	.	.	-1020 -998	-334	576	770*	916	1020	12511.5606
1	7989.566	7C	17859- 9869	6	5.5- 4.5	.	.	.	-2776 -2775	-770*	1431*	1983	2430	2776	12512.9011
	7985.201	3S	-	.	.	.	.	.							12519.7411
	7982.046	4	-	.	.	.	.	.	0080						12524.6897
	7978.938	6	-	.	.	.	.	.	-0390*	-127	229	325		390*	12529.5684
	7974.216	3S	-	.	.	.	.	.							12536.9879
	7973.980	3	-	.	.	.	.	.	0080						12537.3589
1	7973.430	4	22004-14030	-10	5.5- 5.5	.	.	.	0310 -323						12538.2238
	7959.247	3Q	-	.	.	.	.	.	-1000*						12560.5663
1	7954.230	4	23053-15099	10	5.5- 5.5	.	.	.	0090 -111						12568.4887
1	7953.600	4	19185-11231	0	2.5- 2.5	.	.	.	0160 116						12569.4842
	7952.161	4	-	.	.	.	.	.	+0804	238	444	622	733	804	12571.7588
1	7951.218	5	15743- 7792	3	5.5- 6.5	.	.	.	0070 -93						12573.2498
1	7948.198	4	27322-19373	-42	4.5- 3.5	.	.	.	+0492 389	138	249	345	422*	492	12578.0271
	7947.020	4	-	.	.	.	.	.	0100						12579.8916
1	7945.020	5	20969-13024	15	3.5- 3.5	.	.	.	-0380 -339						12583.0583
1	7938.308	2	2831-10769	-2	2.5- 2.5	.	.	.	0140 44						12593.6976
	7926.130	4	-	.	.	.	.	.	0100						12613.0470
1	7924.080	4	25342-17418	-50	5.5- 5.5	.	.	.	-83*						12616.3101
1	7915.180	4	21920-14005	15	5.5- 6.5	.	.	.	0070 -4*						12630.4962
1	7907.689	4	20957-13049	4	7.5- 7.5	.	.	.	0030 -16						12642.4612
1	7906.465	5C	21640-13734	25	3.5- 3.5	.	.	.	+0880* 903	244*	470*	650*		880*	12644.4183
1	7905.615	5	21453-13548	-25	4.5- 4.5	.	.	.	-0801 -811	-244*	470*	650*		880*	12645.7779
1	7904.097	8	17859- 9955	-3	5.5- 6.5	.	.	.	-1046 -1046	-303	556	763	925	1046	12648.2065
1	7902.870	2	23002-15099	-10	4.5- 5.5	.	.	.	0075 108						12650.1703
	7900.250	3	-	.	.	.	.	.	0260						12654.3655
	7898.587	3	-	.	.	.	.	.	+0770	196	358	512	651	770	12657.0298
1	7897.420	4	20885-12988	-10	5.5- 5.5	.	.	.	0130 -182						12658.9002
1	7896.373	3	21384-13488	28	7.5- 6.5	.	.	.	-9						12660.5786
1	7893.010	6	19275-11382	15	6.5- 6.5	.	.	.	-0240* -243						12665.9730
1	7892.399	4	22521-14629	134	3.5- 2.5	.	.	.	+1100* 983	314	572	784			12666.9535

TABLE I (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS CALC	HFS 2	DIAGONAL 3	COMPONENTS 4	5	6	WAVELENGTH
1	7889.542	3	21920-14030	12	5.5- 5.5	.	.	.	0050 -1*						12671.5406
1	7886.234	5	21592-13706	19	6.5- 6.5	.	.	.	-91						12676.8558
1	7881.130	7	19700-11819	20	2.5- 3.5	.	.	.	0160 -193						12685.0657
1	7879.114	5	24314-16435	-21	4.5- 3.5	.	.	.	-0449* -409	-114	215	306	389*	449*	12688.3114
1	7875.960	7	16154- 8278	-30	4.5- 3.5	.	.	.	+0120* 90						12693.3925
	7873.367	2S	-		.	.	.	.							12697.5730
	7871.840	4P	-		.	.	.	.	+0670*						12700.0361
1	7871.380	5P	15743- 7871	5	5.5- 4.5	.	.	.	-0310* -286						12700.7783
	7871.140	5P	-		.	.	.	.	-1310*						12701.1655
	7869.846	3	-		.	.	.	.	-0437*	-133	230				12703.2539
	7864.609	5H	-		.	.	.	.	-1227	-278	544	797	1027	1227	12711.7130
1	7861.190	5	22794-14933	-60	4.5- 4.5	.	.	.	+0280* 303*						12717.2416
1	7860.150	7	16810- 8950	5	5.5- 6.5	.	.	.	+0220* 207*						12718.9242
1	7854.274	5	23540-15686	-11	5.5- 5.5	.	.	.	+0420* 441	108	204	291	370*	420*	12728.4396
	7849.620	3	-		.	.	.	.							12735.9863
1	7844.530	4	21551-13706	15	5.5- 6.5	.	.	.	+0442* 363*	106	192				12744.2501
	7837.862	4	-		.	.	.	.	+1049	305	528	732	900	1049	12755.0922
	7835.110	4	-		.	.	.	.	0110						12759.5723
1	7834.090	3	19788-11954	0	5.5- 4.5	.	.	.	0240 248						12761.2336
	7833.140	3	-		.	.	.	.	0220						12762.7813
1	7829.588	3	14721- 6892	18	4.5- 3.5	.	.	.	-0536* -524	-165	288				12768.5713
	7824.609	2	-		.	.	.	.	0020						12776.6963
	7820.790	4	-		.	.	.	.	0105						12782.9354
	7814.460	3	-		.	.	.	.	-0360*						12793.2900
	7812.850	2	-		.	.	.	.	0140						12795.9264
1	7811.872	5	21879-14067	-73	3.5- 2.5	.	.	.	0090 72						12797.5283
1	7811.248	3	21592-13781	-2	6.5- 7.5	.	.	.	-0413* -416	-101	195	276	362	413*	12798.5507
1	7807.630	3	21355-13548	30	5.5- 4.5	.	.	.	+0660* 575	177	330	485	593		12804.4814
1	7801.158	6	16507- 8706	-12	4.5- 5.5	.	.	.	+0535* 551	130	243*	360	400	535*	12815.1043
1	7793.507	5C	17663- 9869	2	4.5- 4.5	.	.	.	-1371 -1376	-378	705	984*	1208	1371	12827.6851
	7792.739	4	-		.	.	.	.	-2010*	-572	1061	1469	1777	2010*	12828.9493
	7790.679	2P	-		.	.	.	.							12832.3416
1	7786.747	4	24528-16741	17	7.5- 6.5	.	.	.	+0374* 386	079	161	234			12838.8214
	7783.183	3	-		.	.	.	.	+0523*	140	267	373			12844.7004
	7778.610	3	-		.	.	.	.	+0420*						12852.2518
	7775.860	2	-		.	.	.	.	+1105	264	505	732	938	1105	12856.7971
1	7773.233	5C	22602-14829	-12	3.5- 3.5	.	.	.	-1214 -1209	-402	718	957	1114	1214	12861.1421
1	7771.720	4	19100-11329	-5	4.5- 4.5	.	.	.	-0566* -559	-143	277	391	487		12863.6459
1	7770.586	5Q	20400-12630	-29	2.5- 1.5	.	.	.	-0520* -799*						12865.5232
	7769.452	2	-		.	.	.	.	0050						12867.4010
1	7768.350	3C	21640-13872	-10	3.5- 3.5	.	.	.	+0960* 1017	283	520*	720*	960*	960*	12869.2263
	7760.525	3	-		.	.	.	.	+1141	233	505	734	952	1141	12882.2025
	7755.891	5	-		.	.	.	.	-1337	-270	537	782	1048*	1337*	12889.8994
1	7755.289	4	19233-11478	9	4.5- 5.5	.	.	.	-0420 -437						12890.9000
	7752.450	4	-		.	.	.	.	+0260						12895.6207
	7744.442	2	-		.	.	.	.							12908.9552
1	7740.280	3	22409-14669	-30	4.5- 3.5	.	.	.	0140 196*						12915.8965
	7739.315	4L	-		.	.	.	.	+0916*	361	660	916			12917.5069
	7731.930	4	-		.	.	.	.	+0575*	187	335	455			12929.8448
	7727.352	4	-		.	.	.	.	+0873	294	514	652*	782	873	12937.5050
	7725.490	3	-		.	.	.	.	0140						12940.6232
1	7724.241	5Q	24489-16764	-39	2.5- 1.5	.	.	.	-1300*	-395	756				12942.7157
	7723.234	2	-		.	.	.	.							12944.4033
1	7720.380	3	27358-19638	0	8.5- 7.5	.	.	.	-0220* -253						12949.1885
1	7719.459	4Q	21453-13734	-1	4.5- 3.5	.	.	.	-1015* -1028	-281	526	746	905	1015*	12950.7334

TABLE I (Contd.)

C	WAVENUMBER	T	T2 - T1	O-C	J2 - J1	OBS	ZEEMAN	DATA	WIDTH		HFS	DIAGONAL		COMPONENTS		WAVELENGTH
						G2	G1	DG	OBS	CALC	2	3	4	5	6	
1	7719.459	4Q	21453-13734	-1	4.5- 3.5	.	.	.	-1015*	-1028	-281	526	746	905	1015*	12950.7334
	7717.496	3	-	-	.	.	.	.	+0647	.	149	295	424	546	647	12954.0275
1	7716.580	3	24088-16371	0	5.5- 6.5	.	.	.	0090	245*	.	.	.	.	.	12955.5652
1	7715.674	5	19275-11560	-1	6.5- 5.5	.	.	.	-0450*	-423	-123	227	313	410	450*	12957.0865
	7714.531	4	-	-	.	.	.	.	+0701*	.	210	383	517	623	.	12959.0063
	7704.646	3	-	-	.	.	.	.	+0859	.	223	415	581	726	859	12975.6326
1	7703.480	4	24136-16432	0	6.5- 7.5	.	.	.	0080	-88*	.	.	.	.	.	12977.5966
1	7692.233	7	22521-14829	8	3.5- 3.5	.	.	.	-0900*	-895	-316	548	714	828	900*	12996.5715
1	7687.280	4	23579-15892	-15	4.5- 4.5	.	.	.	-0404	-448	-121	244	.	.	.	13004.9454
	7685.690	3	-	-	.	.	.	.	+0589*	.	151	288	414	499	.	13007.6358
	7684.919	3	-	-	.	.	.	.	-0410*	.	-112	211	300	.	.	13008.9408
1	7682.193	3	23304-15622	-2	6.5- 7.5	.	.	.	+0462*	452	93	195	283	381	.	13013.5570
	7681.237	4P	-	-	.	.	.	.	-0780*	.	.	.	.	.	.	13015.1767
	7680.464	4P	-	-	.	.	.	.	+1164*	.	317	590	820	.	.	13016.4866
1	7674.980	4	24110-16435	-40	3.5- 3.5	.	.	.	0210	-134*	.	.	.	.	.	13025.7873
1	7674.316	4	22303-14629	-219	2.5- 2.5	.	.	.	+1190*	1310	417	772	.	.	.	13026.9143
1	7673.372	2	19233-11560	2	4.5- 5.5	.	.	.	-0820*	-805	.	.	.	.	.	13028.5169
	7671.030	2	-	-	.	.	.	.	+0500*	.	.	.	.	.	.	13032.4946
1	7668.340	2	21156-13488	0	7.5- 6.5	.	.	.	+0350*	441	.	.	.	.	.	13037.0663
	7666.897	3	-	-	.	.	.	.	.	.	.	.	.	.	.	13039.5200
	7664.924	3	-	-	.	.	.	.	-0380*	.	.	.	.	.	.	13042.8765
	7663.156	6	-	-	.	.	.	.	-1025	.	-288	529	725	890	1025	13045.8857
1	7661.861	5	24528-16866	11	7.5- 7.5	.	.	.	-0627	-629	-167	313	436	540	627	13048.0907
	7661.037	4	-	-	.	.	.	.	0100*	.	.	.	.	.	.	13049.4941
	7658.733	4L	-	-	.	.	.	.	+0622*	.	227	401	525	.	.	13053.4198
	7656.453	4	-	-	.	.	.	.	+0860*	.	259	488	675	801	.	13057.3070
	7654.220	2	-	-	.	.	.	.	0135	.	.	.	.	.	.	13061.1162
	7649.690	4P	-	-	.	.	.	.	-0880*	.	.	.	.	.	.	13068.8508
1	7648.217	5	24390-16741	7	5.5- 6.5	.	.	.	+0330	343	.	.	.	.	.	13071.3678
1	7627.449	6	16334- 8706	4	6.5- 5.5	.	.	.	-0868	-871	-264	472*	638	767	868	13106.9585
1	7620.130	7C	23242-15622	30	7.5- 7.5	.	.	.	0150	183	.	.	.	.	.	13119.5476
	7617.901	4	-	-	.	.	.	.	0070	.	.	.	.	.	.	13123.3864
	7604.830	3	-	-	.	.	.	.	0170	.	.	.	.	.	.	13145.9426
	7599.084	4	-	-	.	.	.	.	-0933	.	-207	402	606	780	933	13155.8828
1	7589.693	4Q	21384-13794	8	7.5- 8.5	.	.	.	+0690	687	180	344	481	590	690	13172.1611
1	7587.493	5	21592-14005	-2	6.5- 6.5	.	.	.	-0590	-587	-156	294	409	506	590	13175.9804
	7582.380	2	-	-	.	.	.	.	-0300*	.	.	.	.	.	.	13184.8653
1	7581.366	4	21453-13872	-14	4.5- 3.5	.	.	.	-0939	-914	-250	463	641	799	939*	13186.6288
1	7575.700	3	23191-15615	-10	6.5- 6.5	.	.	.	0090	-150*	.	.	.	.	.	13196.4913
	7573.670	2	-	-	.	.	.	.	.	.	.	.	.	.	.	13200.0284
	7570.089	3	-	-	.	.	.	.	0095	.	.	.	.	.	.	13206.2726
	7565.070	2	-	-	.	.	.	.	-0280	.	.	.	.	.	.	13215.0343
	7563.696	3	-	-	.	.	.	.	.	.	.	.	.	.	.	13217.4349
1	7561.861	2	21592-14030	1	6.5- 5.5	.	.	.	-0584	-584	-133	259	389	499	584	13220.6423
	7559.860	3H	-	-	.	.	.	.	-1706	.	-414	789	1139	1439	1706	13224.1416
1	7554.544	5C	22383-14829	-1	3.5- 3.5	.	.	.	-2155*	-2048	-648	1162	1566	1858	2055*	13233.4472
1	7552.003	7C	21040-13488	3	6.5- 6.5	.	.	.	-0435*	-464	-151	265	360*	.	435*	13237.8999
1	7547.440	6C	20394-12846	-20	3.5- 4.5	.	.	.	-1211	-1211	-356	657	905	1088*	1211*	13245.9032
1	7545.820	3	21551-14005	25	5.5- 6.5	.	.	.	0090	-133*	.	.	.	.	.	13248.7469
1	7541.754	4	20394-12852	-46	3.5- 2.5	.	.	.	-2916	-2934	-914	1662	2248	2665	2916	13255.8898
	7536.773	4	-	-	.	.	.	.	+1492	.	389	733	1011	1285	1492	13264.6505
	7535.741	2	-	-	.	.	.	.	-0420	.	.	.	.	.	.	13266.4671
1	7532.573	3	23579-16046	8	4.5- 5.5	.	.	.	-0520*	-498	-107	222	333	435	520*	13272.0466
1	7530.350	3	27168-19638	60	8.5- 7.5	.	.	.	0140	187*	.	.	.	.	.	13275.9646
1	7528.962	4	22414-14885	17	5.5- 5.5	.	.	.	+0355*	344	096	186	255	.	.	13278.4121

TABLE I (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS CALC	HFS 2	DIAGONAL 3	COMPONENTS 4	5	6	WAVELENGTH
1	7526.997	2P	-		. . .	.	.								13281.8786
1	7523.330	4	20573-13049	15	7.5- 7.5	.	.		-0.663 -697	-163	312	451	576	663	13288.3524
1	7520.187	2	21551-14030	27	5.5- 5.5	.	.		0.070 -130*						13293.9062
	7516.169	3	-		. . .	.	.		-0.746*	-197	367	499	646*	746*	13301.0128
	7512.572	2	-		. . .	.	.		-0.482*	-112	221	307	396	482	13307.3813
	7511.467	5	-		. . .	.	.		0.050						13309.3390
1	7509.828	7	23132-15622	-2	3.5- 7.5	.	.		-0.747 -758	-194	364	510	637	747	13312.2437
1	7503.720	2	23903-16400	0	6.5- 6.5	.	.		0.070 83						13323.0798
1	7500.960	4	27991-20491	20	7.5- 7.5	.	.		+0.290* 311						13327.9821
1	7495.970	4	18388-10892	0	3.5- 3.5	.	.		0.220 191						13336.8545
	7495.290	3	-		. . .	.	.		-0.540*						13338.0644
	7487.030	2	-		. . .	.	.		0.090						13352.7795
	7486.070	5L	-		. . .	.	.		-0.921	-282	524	720	921		13354.4919
	7483.755	2	-		. . .	.	.		+1.024	279	520	731	894	1024	13358.6229
1	7481.190	3	22414-14933	-10	5.5- 4.5	.	.		+0.215* 188						13363.2031
1	7476.930	4	25358-17881	-65	3.5- 3.5	.	.		+0.260* 694*						13370.8168
	7472.127	5	-		. . .	.	.		-1.665	-455	838	1156	1426	1665	13379.4114
1	7469.265	2	20957-13488	10	7.5- 6.5	.	.		+0.530 518						13384.5380
1	7466.600	6C	21282-13816	30	2.5- 1.5	.	.		-1.200* -1362	-521	908	1188			13389.3153
	7461.930	2	-		. . .	.	.		+0.720						13397.6949
	7461.320	3	-		. . .	.	.		0.080						13398.7902
	7453.170	2	-		. . .	.	.		0.080						13413.4418
1	7451.550	3	23343-15892	-30	4.5- 4.5	.	.		0.070 94						13416.3579
1	7450.450	2	22383-14933	40	3.5- 4.5	.	.		-0.200 -210						13418.3387
1	7447.765	6	16154- 8706	35	4.5- 5.5	.	.		+0.295* 303	084	163			295*	13423.1762
	7446.608	4S	-		. . .	.	.								13425.2618
	7437.831	4P	-		. . .	.	.		+0.731	175	341	487	610	731	13441.1043
	7437.282	4P	-		. . .	.	.		+0.630*	163	318	453	556	630*	13442.0965
	7432.860	3	-		. . .	.	.		-0.360						13450.0935
1	7430.343	6C	21246-13816	-47	1.5- 1.5	.	.		+0.212 217	046		212			13454.6497
1	7424.969	2S	18194-10769	-71	2.5- 2.5	.	.		46						13464.3879
1	7411.818	6C	22241-14829	-2	2.5- 3.5	.	.		-1.446 -1443	-447	820	1112	1333	1446	13488.2782
1	7397.158	4	20885-13488	3	5.5- 6.5	.	.		+0.505* 478	124	235	334	415*	505*	13515.0098
1	7390.985	6C	22276-14885	0	5.5- 5.5	.	.		-0.699 -689	-204	371	503	614	699	13526.2977
1	7383.396	8C	16334- 8950	-4	6.5- 6.5	.	.		-0.655 -659	-201	357	480	581	655	13540.2007
1	7373.267	4	27011-19638	7	7.5- 7.5	.	.		-1.252 -1250	-317	603	851	1071	1252	13558.8015
	7367.580	4	-		. . .	.	.		+0.180						13569.2675
1	7366.950	5	23053-15686	5	5.5- 5.5	.	.		-0.550 -525	-135	262	371	459	550	13570.4279
1	7365.485	6C	19185-11819	-35	2.5- 3.5	.	.		-0.745* -761	-263	461	585*	681	745*	13573.1271
	7360.600	4	-		. . .	.	.		0.090						13582.1351
1	7360.160	3	23731-16371	0	5.5- 6.5	.	.		0.150 195*						13582.9471
1	7358.441	3	24798-17439	-9	6.5- 6.5	.	.		+0.437 425	112	209	305			13586.1202
1	7357.500	3	22243-14885	-75	4.5- 5.5	.	.		0.100 137						13587.8578
1	7343.250	6P	22276-14933	10	5.5- 4.5	.	.		-0.840* -845	-207*	402*	573*	722*	845*	13614.2259
1	7342.730	5P	26242-18899	50	7.5- 6.5	.	.		-12						13615.1900
	7341.430	2	-		. . .	.	.								13617.6010
1	7337.360	5	20885-13548	0	5.5- 4.5	.	.		0.040 -129						13625.1546
1	7333.831	6	21040-13706	1	6.5- 6.5	.	.		-0.615 -604	-185	334	449	545	615	13631.7110
	7320.987	3	-		. . .	.	.		-0.717	-173	331	476	605	717	13655.6266
	7316.320	4S	-		. . .	.	.								13664.3374
	7309.700	4	-		. . .	.	.		0.180						13676.7125
1	7308.350	2	18200-10892	0	4.5- 3.5	.	.		+0.230 235						13679.2388
1	7302.284	3	18194-10892	14	2.5- 3.5	.	.		0.120* 45						13690.6022
1	7300.085	4S	17255- 9955	15	6.5- 6.5	.	.		-38*						13694.7262
1	7281.047	6	19100-11819	-28	4.5- 3.5	.	.		-1.693 -1689	-493	914	1242	1509	1693	13730.5343

TABLE I (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS CALC	HFS 2	DIAGONAL 3	COMPONENTS 4	5	6	WAVELENGTH
	7269.565	4P	-		. . .	.	.		0080						13752.2212
	7269.280	3P	-		. . .	.	.		+0360*						13752.7604
1	7264.582	3S	22276-15012	42	5.5- 6.5	.	.		0*						13761.6543
1	7250.163	6	18728-11478	-2	5.5- 5.5	.	.		-0591 -574	-155	291	404	502	591	13789.0233
	7248.926	3	-		. . .	.	.		-0535	-169	277	373	441	535	13791.3763
	7237.672	5	-		. . .	.	.		+0512	123	244	356	456*	512	13812.8209
	7232.817	2	-		. . .	.	.								13822.0927
	7231.457	2	-		. . .	.	.								13824.6922
	7230.524	4S	-		. . .	.	.								13826.4760
1	7226.421	9	14338- 7112	-19	5.5- 5.5	.	.		-0300* -263	-124					13834.3264
	7223.498	5	-		. . .	.	.		-1967	-529	1041	1442	1754	1967	13839.9245
	7189.720	3P	-		. . .	.	.		+0841	217	426	577	735	841	13904.9459
1	7189.488	4P	26012-18822	23	8.5- 7.5	.	.		0030 27						13905.3946
1	7177.452	6	22276-15099	2	5.5- 5.5	.	.		-0570* -575	-169	309	421	510*	570*	13928.7129
	7174.781	4	-		. . .	.	.		-1560	-418	776	1088*	1348	1560	13933.8982
1	7172.772	4S	22058-14885	-8	5.5- 5.5	.	.		25						13937.8009
	7172.065	2S	-		. . .	.	.								13939.1749
1	7168.280	4	18728-11560	25	5.5- 5.5	.	.		-0962 -942	-283*	473	690	841	962	13946.5351
	7163.930	3	-		. . .	.	.		+0852	298	502*	656	756	852	13955.0035
1	7159.608	3	22383-15224	-2	3.5- 2.5	.	.		-0674 -615*	-210	382	503	594	674	13963.4277
1	7156.440	4	18388-11231	-50	3.5- 2.5	.	.		+0180 104						13969.6090
	7153.390	3	-		. . .	.	.		0090						13975.5652
	7152.360	3	-		. . .	.	.		-0240*						13977.5778
	7149.342	2S	-		. . .	.	.								13983.4783
	7147.517	3	-		. . .	.	.		-0681	-161	315	437	561	681	13987.0488
1	7146.121	3	19992-12846	1	5.5- 4.5	.	.		+0460 474						13989.7811
1	7144.092	3	23579-16435	-3	4.5- 3.5	.	.		-0710 -698						13993.7544
	7134.713	3S	-		. . .	.	.								14012.1500
	7122.212	2	-		. . .	.	.		0040						14036.7444
1	7119.987	4	23491-16371	2	7.5- 6.5	.	.		-0606 -663*	-163	305	424	535	606	14041.1309
1	7118.474	2	22004-14885	-1	6.5- 5.5	.	.		19						14044.1153
1	7116.740	4	16810- 9694	30	5.5- 5.5	.	.		0100 -133*						14047.5371
	7112.063	3	-		. . .	.	.		-0480						14056.7750
	7109.872	3	-		. . .	.	.		+0764*	269	466	600	694	764*	14061.1068
	7103.824	3S	-		. . .	.	.								14073.0781
1	7102.544	4	20836-13734	-1	4.5- 3.5	.	.		35						14075.6143
1	7100.385	2S	25999-18899	-5	5.5- 6.5	.	.		2						14079.8942
	7099.195	2S	-		. . .	.	.								14082.2544
	7098.911	2S	-		. . .	.	.								14082.8177
	7096.963	2S	-		. . .	.	.								14086.6833
1	7087.811	4	13384-20471	-44	3.5- 3.5	.	.		-1655* -1661	-491	899	1234	1490*	1655*	14104.8724
1	7084.867	5	20573-13488	-18	7.5- 6.5	.	.		0030 -163						14110.7335
	7081.974	2S	-		. . .	.	.								14116.4978
	7081.208	2S	-		. . .	.	.								14118.0248
	7080.919	2S	-		. . .	.	.								14118.6010
	7076.371	2S	-		. . .	.	.								14127.6751
1	7064.254	5L	21131-14067	-146	2.5- 2.5	.	.		-0699 -723	-244	437	580	699		14151.9077
1	7062.890	2	20050-12988	10	6.5- 5.5	.	.		0120 -148						14154.6408
	7062.370	2	-		. . .	.	.		0110						14155.6830
1	7059.550	3	19906-12846	-35	5.5- 4.5	.	.		+0370* 353						14161.3376
1	7059.000	3	18388-11329	-60	3.5- 4.5	.	.		+0360* 357						14162.4410
	7057.791	5	-		. . .	.	.		0100						14164.8670
1	7052.595	4	17007- 9955	-5	6.5- 6.5	.	.		-0381* -386	-132	226				14175.3030
1	7049.795	5C	21879-14829	-55	3.5- 3.5	.	.		-1503 -1493	-481	861	1150	1370	1503	14180.9330
	7048.190	2S	-		. . .	.	.								14184.1623

TABLE I (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS CALC	HFS 2	DIAGONAL 3	COMPONENTS 4	5	6	WAVELENGTH
	7046.191	4	-		. . .	.	.		+0624	130	268	390	515	624	14188.1864
1	7042.520	3	29283-22240	45	10.5-10.5	.	.		-0450*	-472					14195.5821
	7041.820	2	-		. . .	.	.		-0440*						14196.9933
	7037.366	4	-		. . .	.	.		-0310*						14205.9787
1	7036.690	7	15743-8706	15	5.5-5.5	.	.		0150*	-158					14207.3434
1	7035.098	5	21040-14005	-12	6.5-6.5	.	.		-1100	-1100	-324	593	806	971 1100	14210.5584
	7033.990	2	-		. . .	.	.		0140						14212.7969
1	7026.990	3	23217-16190	-60	3.5-2.5	.	.		-0500*	-485*					14226.9551
	7024.420	3	-		. . .	.	.		+0820*						14232.1603
	7019.910	4	-		. . .	.	.		+1120		308	575	800	988 1120	14241.3039
1	7009.465	4	21040-14030	-10	6.5-5.5	.	.		-1105	-1097	-303	559	773	949 1105	14262.5253
	7003.419	3	-		. . .	.	.								14274.8380
1	7001.029	4	20050-13049	-6	6.5-7.5	.	.			-22					14279.7112
1	7000.010	5	16507-9507	10	4.5-3.5	.	.		0120	137					14281.7899
	6999.951	5S	-		. . .	.	.								14281.9103
	6997.104	3	-		. . .	.	.		0040						14287.7213
	6986.655	4	-		. . .	.	.		+0680		189	365	507	600 680	14309.0896
	6980.254	3	-		. . .	.	.		-0768		-197	366	516	648 768	14322.2113
	6975.760	2	-		. . .	.	.		-0730						14331.4381
	6973.952	3	-		. . .	.	.		-0556*		-183	323	420		14335.1535
	6969.900	2	-		. . .	.	.		+0710*						14343.4874
	6968.292	2S	-		. . .	.	.								14346.7973
1	6965.504	5	21851-14885	-6	5.5-5.5	.	.		+0862	859	204	401	578	732 862	14352.5397
1	6964.440	5	20836-13872	-25	4.5-3.5	.	.		0105	149					14354.7324
1	6962.789	4	18194-11231	-1	2.5-2.5	.	.			-42					14358.1362
1	6959.235	3	22058-15099	-10	6.5-5.5	.	.		0090	139					14365.4687
1	6950.570	2	24390-17439	-40	6.5-6.5	.	.		0130	-191					14383.3776
1	6945.494	6C	13384-20329	-1	3.5-2.5	.	.		-2389	-2391	-781	1403	1878	2205 2389	14393.8895
1	6941.764	5	19788-12846	4	5.5-4.5	.	.		+0309	334	127	223			14401.6237
1	6933.140	2	23304-16371	10	6.5-6.5	.	.		-0170*	-335*					14419.5377
	6922.964	3	-		. . .	.	.		-0821		-213	397	551	691 821	14440.7328
	6922.283	2S	-		. . .	.	.								14442.1535
1	6917.764	5	21851-14933	-1	5.5-4.5	.	.		+0698	703	189	351	492	613 698	14451.5878
	6910.910	3	-		. . .	.	.		-0200						14465.9204
1	6909.256	3	24327-17418	16	5.5-5.5	.	.		+0630	653	193	342	475		14469.3834
	6908.044	2S	-		. . .	.	.								14471.9220
	6907.458	3S	-		. . .	.	.								14473.1497
1	6906.180	3	21839-14933	-10	4.5-4.5	.	.		0160	50					14475.8280
	6902.935	4S	-		. . .	.	.		-0330*						14482.6330
1	6902.601	4	20969-14067	46	3.5-2.5	.	.		0300*	73					14483.3338
1	6902.601	4	22794-15892	-79	4.5-4.5	.	.		0300*	170*					14483.3338
	6898.801	3	-		. . .	.	.		+0560						14491.3115
	6898.400	2	-		. . .	.	.		-0410						14492.1539
1	6895.757	4S	27358-20462	-3	3.5-8.5	.	.			-42					14497.7084
	6895.508	3	-		. . .	.	.		-1271		*	597	892	1105 1271	14498.2319
1	6894.248	4	26869-19974	-22	8.5-9.5	.	.		+0413	409	078	161	245	331 413	14500.8816
1	6892.763	4	24896-18003	3	7.5-7.5	.	.		-1017	-1001	-241	459	669	850 1017	14504.0058
1	6891.160	3	20439-13548	10	5.5-4.5	.	.		0140	-105*					14507.3796
	6889.483	2P	-		. . .	.	.								14510.9110
	6888.622	2	-		. . .	.	.		0020						14512.7247
	6887.970	2	-		. . .	.	.		-0370						14514.0984
	6887.009	4P	-		. . .	.	.		-1160*						14516.1237
	6886.800	4P	-		. . .	.	.		0130						14516.5642
1	6886.518	3P	18200-25087	-12	4.5-3.5	.	.								14517.1587
1	6885.437	3P	23257-16371	-18	6.5-6.5	.	.			-5*					14519.4378

TABLE I (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS CALC	HFS 2	DIAGONAL 3	COMPONENTS 4	5	6	WAVELENGTH
	6885.036	2S	-		. - .	.	.								14520.2835
	6880.912	3	-		. - .	.	.		+0340						14528.9861
1	6880.270	3	20885-14005	5	5.5- 6.5	.	.		0110 -158						14530.3419
	6877.452	2S	-		. - .	.	.								14536.2955
	6874.984	5	-		. - .	.	.								14541.5138
1	6872.113	2	23304-16432	3	6.5- 7.5	.	.		-0544 -528	-129	251	355	443	544	14547.5889
1	6871.490	4	18200-11329	50	4.5- 4.5	.	.		0090 401						14548.9078
1	6871.159	4S	21930-15059	29	7.5- 8.5	.	.		-159*						14549.6087
	6870.691	3	-		. - .	.	.		-0567*	-152	286	392			14550.5998
1	6867.360	3	27358-20491	0	8.5- 7.5	.	.		+1034 1045	244	484	696	881	1034	14557.6575
	6866.124	4	-		. - .	.	.		+2200*	570	1101	1540			14560.2781
	6865.592	3S	-		. - .	.	.								14561.4063
	6865.023	3	-		. - .	.	.		0080						14562.6132
1	6855.657	6S	16810- 9955	7	5.5- 6.5	.	.		-48*						14582.5083
1	6846.010	5C	20394-13548	-20	3.5- 4.5	.	.		-1230* -1174	-366	666	899			14603.0572
	6843.132	4	-		. - .	.	.		+1229	325	617	863	1075	1229	14609.1987
	6838.297	3	-		. - .	.	.		-0689	-147	301	431	569	689	14619.5281
1	6836.059	4	24390-17554	-1	6.5- 7.5	.	.		-0684 -686	-181	341	470	593	684	14624.3143
	6830.581	4	-		. - .	.	.								14636.0428
	6828.160	4	-		. - .	.	.		-0250						14641.2321
	6826.560	4	-		. - .	.	.		-0655	-188	348	476	578	655	14644.6637
	6825.431	3	-		. - .	.	.		+0594	161	289	407	515	594	14647.0861
	6820.354	4P	-		. - .	.	.		+1784*	490	898	1272	1567		14657.9893
1	6819.584	2P	23191-16371	-1	5.5- 6.5	.	.		0000 -5*						14659.6443
	6817.075	3Q	-		. - .	.	.		0250						14665.0398
1	6813.685	3	16507- 9694	-5	4.5- 5.5	.	.		+0429 423	084	184*	268	362*	429	14672.3360
1	6811.318	3	21640-14829	3	3.5- 3.5	.	.		-0611* -558	-218	373	466			14677.4348
1	6810.013	5	23242-16432	-2	7.5- 7.5	.	.		-0798 -797	-214	400	556	693	798	14680.2475
	6805.572	3	-		. - .	.	.		-1718*	-491	917	1263	1548	1717*	14689.8271
	6804.950	4	-		. - .	.	.		0480						14691.1698
1	6800.400	5	19788-12988	0	5.5- 5.5	.	.		+0300 318						14700.9994
1	6798.885	3	23540-16741	-35	5.5- 6.5	.	.		+1400* 1554	391					14704.2752
	6792.819	4S	-		. - .	.	.								14717.4062
1	6792.616	7	15743- 8950	-14	5.5- 6.5	.	.		54						14717.8460
1	6788.256	4	18117-11329	-4	3.5- 4.5	.	.		+1361 1358	445	785	1048	1243	1361	14727.2991
1	6781.878	4	23217-16435	-32	3.5- 3.5	.	.		-0410 -328*						14741.1494
	6769.563	4	-		. - .	.	.		+0717	113*	315	457	590	717	14767.9661
1	6768.097	6C	13384-20152	-3	3.5- 3.5	.	.		-2299 -2299	-690	1265	1724	2069	2299	14771.1649
1	6756.006	5C	13384-20140	-1	3.5- 3.5	.	.		-1800* -1769	-522	962	1320	1588	*	14797.6004
1	6755.110	3	11940- 5184	40	4.5- 5.5	.	.		-0220* -241						14799.5632
	6753.830	2	-		. - .	.	.		-0410*						14802.3680
1	6751.996	4P	21851-15099	21	5.5- 5.5	.	.		+0974* 973	239*	484*	662	825	974	14806.3887
	6751.512	4P	-		. - .	.	.		-0993*	-246*	484*	676	848	993*	14807.4501
	6741.086	3	-		. - .	.	.		+0320*						14830.3519
	6738.720	4L	-		. - .	.	.		-0419*	-239*	419*				14835.5589
1	6736.120	3	22787-16051	-30	9.5-10.5	.	.		+0220 -12*						14841.2851
	6728.861	3	-		. - .	.	.		+0669	206	370	504	599	669	14857.2957
1	6728.137	3S	22414-15686	2	5.5- 5.5	.	.		44						14858.8945
	6725.154	3	-		. - .	.	.		-0540						14865.4853
1	6722.720	3P	22409-15686	5	4.5- 5.5	.	.		+0460* 457						14870.8674
1	6722.315	5	18200-11478	5	4.5- 5.5	.	.		+0789* 747	233	414	569*	699*	789*	14871.7634
	6717.239	5L	-		. - .	.	.		-0292*	-152	292*				14883.0015
1	6706.890	3	21592-14885	-5	6.5- 5.5	.	.		0220 -242						14905.9666
	6701.340	2	-		. - .	.	.		+0630*						14918.3116
1	6698.970	2	18388-25087	60	3.5- 3.5	.	.		+0210*						14923.5895

TABLE I (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS CALC	HFS 2	DIAGONAL 3	COMPONENTS 4	5	6	WAVELENGTH	
1	6697.120	3P	-		. - .	.	.		-0530						14927.7120	
	6696.829	2P	25351-18654	34	3.5- 2.5	.	.		-415*						14928.3606	
	6696.510	3L	-		. - .	.	.		+0280	095					14929.0718	
	6693.856	6	-		. - .	.	.		-1200*	-377	680	910	*	*	14934.9909	
1	6693.280	3P	2831- 9524	-60	2.5- 2.5	.	.		+0290*	93					14936.2762	
	6692.050	2	-		. - .	.	.		0100						14939.0215	
	6685.710	3Q	-		. - .	.	.		-0410						14953.1880	
1	6681.910	6	23053-16371	-5	5.5- 6.5	.	.		0110	-341*					14961.6919	
1	6676.514	3	2831- 9507	-116	2.5- 3.5	.	.		0040	127					14973.7840	
	6674.525	2	-		. - .	.	.								14978.2462	
1	6672.239	2	23104-16432	4	7.5- 7.5	.	.		32*						14983.3780	
1	6666.536	4L	20400-13734	-139	2.5- 3.5	.	.		-0469*	-471	-182	313	409		14996.1958	
	6661.225	4	-		. - .	.	.		+0813*	288	498	644	753	813*	15008.1523	
1	6658.600	3	19646-12988	10	4.5- 5.5	.	.		0180	-210					15014.0689	
	6655.950	2S	-		. - .	.	.								15020.0466	
1	6654.870	3	21879-15224	-45	3.5- 2.5	.	.		0190	-60*					15022.4842	
1	6653.580	2	21282-14629	105	2.5- 2.5	.	.		0070	103					15025.3968	
	6652.980	3	-		. - .	.	.		+0570						15026.7518	
1	6652.324	2S	25551-18899	-6	5.5- 6.5	.	.		-87						15028.2336	
1	6651.740	3	25474-18822	-15	6.5- 7.5	.	.		+0370	375					15029.5531	
	6651.250	3	-		. - .	.	.		-0730						15030.6603	
1	6646.620	4	16154- 9507	60	4.5- 3.5	.	.		0130	-111					15041.1306	
	6642.080	2	-		. - .	.	.		-0450						15051.4115	
1	6639.971	4	16334- 9694	6	6.5- 5.5	.	.		-0993	-999	-304	535	724	875	993	15056.1922
	6639.280	2	-		. - .	.	.		0100						15057.7592	
1	6638.115	7	16507- 9869	25	4.5- 4.5	.	.		-1222	-1221	-342	613	882	1077	1222	15060.4019
	6629.680	2	-		. - .	.	.		0070						15079.5634	
1	6628.500	5	22251-15622	0	6.5- 7.5	.	.		0200	261					15082.2478	
	6627.140	2	-		. - .	.	.		-0360						15085.3430	
1	6623.881	2	24056-17433	-79	2.5- 1.5	.	.		7*						15092.7651	
1	6622.490	2	22238-15615	10	7.5- 6.5	.	.		0150	-309*					15095.9352	
1	6621.750	3	19646-13024	-10	4.5- 3.5	.	.		-0690	-682	-137	291	450	590	690	15097.6222
	6618.957	4C	-		. - .	.	.		+1700*	515	945	1286	1520	1700*	15103.9930	
1	6617.464	2	21551-14933	14	5.5- 4.5	.	.		56*						15107.4007	
	6616.410	2	-		. - .	.	.		0140						15109.8073	
1	6615.425	3	22238-15622	5	7.5- 7.5	.	.		+0633	623	165	310	434	538	633	15112.0571
	6611.534	3	-		. - .	.	.		+0400						15120.9508	
	6606.615	2S	-		. - .	.	.								15132.2092	
	6600.560	2	-		. - .	.	.		-0550						15146.0907	
	6598.470	2	-		. - .	.	.		+0550						15150.8881	
	6597.100	3P	-		. - .	.	.		0000						15154.0344	
	6596.838	4P	-		. - .	.	.		-0834		*	439	599	733	834	15154.6363
	6595.390	3	-		. - .	.	.		-0460*						15157.9634	
1	6589.700	8C	16459- 9869	0	4.5- 4.5	.	.		-0400*	-286	-089	165*	268	365*	15171.0519	
	6578.560	3	-		. - .	.	.		0080						15196.7423	
1	6574.693	4	25474-18899	3	5.5- 6.5	.	.		-0426	-442	-097	190	279	363	426	15205.6805
	6568.280	2	-		. - .	.	.		-0370*						15220.5267	
1	6566.884	3	23002-16435	-16	4.5- 3.5	.	.		-0560	-553	-133	256	365	468	560	15223.7623
1	6562.591	7	20050-13488	-14	6.5- 6.5	.	.		+0509	512	111	223	329	426	509	15233.7211
1	6556.720	3	7315-13872	-40	4.5- 3.5	.	.		0120*	-112*					15247.3617	
	6555.240	3	-		. - .	.	.		0130						15250.8041	
1	6554.920	3	19185-12630	10	2.5- 1.5	.	.		0080	-70*					15251.5487	
	6553.983	3S	-		. - .	.	.								15253.7291	
	6548.990	2Q	-		. - .	.	.		-0260*						15265.3587	
	6548.240	2P	-		. - .	.	.		-0740						15267.1071	

TABLE I (Contd.)

C	WAVENUMBER	T	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS CALC	HFS 2	DIAGONAL 3	COMPONENTS 4	5	6	WAVELENGTH
1	6546.857	4C	14338-7792	7	5.5- 6.5	.	.		+1549 1531	335	677	995	1281	1535*	15270.3322
	6532.392	5S	-		.	.	.								15304.1461
1	6530.109	6	17859-11329	-1	5.5- 4.5	.	.		-1171 -1169	-309	580	813	1009	1171	15309.4966
1	6524.049	3	22210-15686	4	4.5- 5.5	.	.		-0795 -784	-229	430	590	711	795	15323.7172
1	6522.580	2	23389-16866	20	7.5- 7.5	.	.		0100 -141*						15327.1684
	6515.700	4	-		.	.	.		0085						15343.3525
	6513.153	3	-		.	.	.		+0943	250	466	665	812	943	15349.3526
	6507.092	3S	-		.	.	.								15363.6497
	6506.720	2	-		.	.	.		0170						15364.5281
1	6504.489	5	19992-13488	4	5.5- 6.5	.	.		+1111 1118	253	508	737	936	1111	15369.7980
	6502.960	5	-		.	.	.		0030						15373.4119
1	6502.415	30	21131-14629	70	2.5- 2.5	.	.		0300* -410						15374.7004
1	6500.710	4	23242-16741	10	7.5- 6.5	.	.		+0315 325						15378.7328
1	6495.810	3	22895-16400	0	6.5- 6.5	.	.		0110 136*						15390.3335
	6495.098	2S	-		.	.	.								15392.0206
1	6493.350	4	21592-15099	-10	6.5- 5.5	.	.		0100 -128						15396.1642
	6490.800	2	-		.	.	.		-0690						15402.2128
1	6488.010	2	21453-14965	-10	4.5- 5.5	.	.		-0780 -906*						15408.8361
	6483.400	2	-		.	.	.		+0640						15419.7925
1	6481.361	2S	23899-17418	1	5.5- 5.5	.	.		-5						15424.6435
	6471.960	2	-		.	.	.		0110						15447.0490
1	6469.901	4	21355-14885	-4	5.5- 5.5	.	.		+0901 891	246	458	636	793	901	15451.9649
	6467.177	2S	-		.	.	.								15458.4733
1	6467.011	5	14338-7871	1	5.5- 4.5	.	.		+1338 1338	281	576	862	1121	1338	15458.8701
1	6464.280	2	23903-17439	-40	6.5- 6.5	.	.		+0510 487						15465.4011
1	6460.280	4	16154-9694	30	4.5- 5.5	.	.		0165 175						15474.9768
1	6451.670	2	21551-15099	10	5.5- 5.5	.	.		+0340 326*						15495.6288
1	6444.686	4	19992-13548	-4	5.5- 4.5	.	.		+0489 511	123	230	339	431	489	15512.4212
1	6443.361	3	14721-8278	11	4.5- 3.5	.	.		-0543 -544	-129	248	360	464	543	15515.6111
1	6435.987	6	22058-15622	-18	6.5- 7.5	.	.		+0693 696	170	326	401	585	693	15533.3881
	6430.290	3	-		.	.	.		-1090*						15547.1501
	6426.885	2S	-		.	.	.								15555.3871
	6426.240	2S	-		.	.	.								15556.9484
	6424.338	3	-		.	.	.								15561.5542
	6423.744	6	-		.	.	.		+0726	171	343	495	630	726	15562.9932
1	6422.163	5	21355-14933	3	5.5- 4.5	.	.		+0740* 735	226	411	555	664	740*	15566.8244
1	6417.945	5	19906-13488	-5	5.5- 6.5	.	.		+1001 997	249	481	680	854	1001	15577.0553
	6415.764	5	-		.	.	.		+2278	629	1180	1644	2028*	2278	15582.3506
1	6410.620	5Q	24136-17726	0	7.5- 8.5	.	.		0050* -24						15594.8542
	6408.354	3	-		.	.	.		+0916	234	439	619	783	916	15600.3686
1	6406.419	3	26869-20462	9	8.5- 8.5	.	.		-0594 -597	-149	284	404	509	594	15605.0805
	6405.963	2	-		.	.	.								15606.1913
	6397.799	4	-		.	.	.		0015						15626.1059
	6394.338	2S	-		.	.	.								15634.5637
1	6389.991	5	21355-14965	11	5.5- 5.5	.	.		+0495 480*	131	246	344	433	495	15645.1996
1	6387.596	5	22074-15686	21	5.5- 5.5	.	.		+1082 1084	287	536	754	935	1082	15651.0657
1	6386.664	5	24390-18003	4	6.5- 7.5	.	.		-0620 -626	-160	302	433	531	620	15653.3497
1	6384.665	5	22276-15892	-5	5.5- 4.5	.	.		-0987 -978	-282	511	701	860	987	15658.2506
1	6380.981	3C	17859-11478	1	5.5- 5.5	.	.		-0826 -823	-246	446	608	733	826	15667.2908
1	6378.902	4	16334-9955	-3	6.5- 6.5	.	.		-0914 -914	-260	479	645	798	914	15672.3970
	6377.580	3	-		.	.	.		0190						15675.6458
1	6375.815	5	23242-16866	-5	7.5- 7.5	.	.		-0695 -690	-190	353	488	599	695	15679.9852
1	6373.980	3	26012-19638	-10	8.5- 7.5	.	.		-1090 -1066	-300	565*	750*	942	1095	15684.4993
1	6369.054	5C	13384-7015	94	3.5- 2.5	.	.		+1493 1511	438	823	1138	1348	1493	15696.6301
1	6367.893	4S	22414-16046	-7	5.5- 5.5	.	.		5						15699.4920

TABLE I (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS CALC	HFS 2	DIAGONAL 3	COMPONENTS 4	5	6	WAVELENGTH
	6168.342	5	-		. - .	.	.		-1095	-308	584	780	* 1095		16207.3842
	6166.345	4	-		. - .	.	.		+1122	334	617	842	1010 1122		16212.6331
	6157.840	2	-		. - .	.	.		+0580*						16235.0255
1	6154.509	4	21040-14885	-1	6.5- 5.5	.	.		-0752 -755	-222	400	547	656 752		16243.8123
	6153.750	2	-		. - .	.	.		0080						16245.8158
	6152.430	2	-		. - .	.	.		0100						16249.3014
1	6148.027	2	22241-16093	-8	2.5- 1.5	.	.		-10*						16260.9386
1	6143.507	5C	12692-18836	-23	3.5- 2.5	.	.		+1200* 1154	358	656	892	1050		16272.9023
	6140.309	3	-		. - .	.	.		-0670						16281.3776
	6135.698	6	-		. - .	.	.		+0771	210	390	541	669 771		16293.6131
	6134.660	2	-		. - .	.	.		+0650						16296.3701
1	6133.431	4	24136-18003	21	7.5- 7.5	.	.		-1207 -1190	-317	591	830	1026 1207		16299.6355
1	6132.620	2	24136-18003	5	6.5- 7.5	.	.		65*						16301.7910
1	6123.280	3	18969-12846	75	4.5- 4.5	.	.		0160 140						16326.6566
1	6121.415	3P	19827-13706	20	7.5- 6.5	.	.		-0906* -1091	-288	526		767* 906*		16331.6308
	6121.174	5P	-		. - .	.	.		+0641	153*	292*	429	533* 641		16332.2738
	6120.054	2S	-		. - .	.	.								16335.2627
1	6112.780	3	19100-12988	5	4.5- 5.5	.	.		-0510* -506						16354.7011
	6112.649	2S	-		. - .	.	.								16355.0516
	6109.780	3	-		. - .	.	.		+0884	222	414	591	750 884		16362.7316
	6107.774	2	-		. - .	.	.								16368.1056
1	6098.500	5P	19646-13548	-20	4.5- 4.5	.	.		0100 -157						16392.9967
	6096.370	2	-		. - .	.	.		+0270						16398.7242
	6094.536	2	-		. - .	.	.		-0580*						16403.6590
	6089.048	2	-		. - .	.	.		+0540*						16418.4435
	6087.130	3S	-		. - .	.	.								16423.6168
	6085.160	3	-		. - .	.	.		+1052	282	552*	807	945 1052		16428.9338
1	6081.959	3	19788-13706	4	5.5- 6.5	.	.		+0842 838	219	410	581	714 842		16437.5805
1	6073.750	2	24896-18822	-5	7.5- 7.5	.	.		+0260 274						16459.7968
	6070.535	4	-		. - .	.	.		+0635	148	296	427	539 635		16468.5140
1	6049.210	2	12692- 6643	-30	3.5- 4.5	.	.		-0250 360						16526.5698
1	6045.720	3	20050-14005	5	6.5- 6.5	.	.		0110 -124						16536.1100
1	6043.110	3	22414-16371	5	5.5- 6.5	.	.		+0220 228*						16543.2520
1	6037.260	3	26012-19974	30	8.5- 9.5	.	.		0120 151						16559.2821
1	6036.360	3	20969-14933	35	3.5- 4.5	.	.		+0390 346						16561.7510
	6030.510	3	-		. - .	.	.		0280						16577.8171
1	6028.630	2	16798-10769	-40	3.5- 2.5	.	.		0080 12*						16582.9868
1	6028.140	2	21040-15012	75	6.5- 6.5	.	.		0190 -66*						16584.3347
	6027.110	3L	-		. - .	.	.		+0880*	370	615	775			16587.1689
1	6020.070	2	20050-14030	-10	6.5- 5.5	.	.		0100 -121						16606.5663
	6015.375	4L	-		0.5- 0.5	.	.		-0723	-438	723				16619.5278
	6010.494	3	-		. - .	.	.		-0580*						16633.0242
1	6007.419	5C	20836-14829	-1	4.5- 3.5	.	.		-1433 -1426	-440	794	1075	1287 1433		16641.5381
	6002.020	2	-		. - .	.	.		-0740						16656.5077
	6001.128	3	-		. - .	.	.		+1034	274	502	716*	885 1034		16658.9835
	6000.220	2	-		. - .	.	.		0150						16661.5044
	5994.425	3	-		. - .	.	.		+0597	148	281	396	503 597		16677.6116
	5992.840	3Q	-		. - .	.	.		0180						16682.0226
1	5989.648	4P	13384-19373	-82	3.5- 3.5	.	.		-2804* -2639	-807	1470	2000	2417 2804*		16690.9128
	5987.930	3	-		. - .	.	.		+0741*	191	357	539	647 741*		16695.7016
	5979.737	4	-		. - .	.	.		+2126	544	1026	1473	1838 2126		16718.5768
1	5971.880	3	25241-19269	80	5.5- 4.5	.	.		-0600 -512*						16740.5729
1	5970.840	4	25342-19371	-110	5.5- 6.5	.	.		-0472 -486*	-106	202	294	392 472		16743.4888
1	5970.107	4	21592-15622	-13	6.5- 7.5	.	.		+0438 429	106	198	289	370 438		16745.5445
	5968.300	2	-		. - .	.	.		0110						16750.6145

TABLE I (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS CALC	HFS 2	DIAGONAL 3	COMPONENTS 4	5	6	WAVELENGTH
1	5959.180	3	21851-15892	-15	5.5- 4.5	.	.	.	+0560 570						16776.2499
	5957.818	2	-	-	.	.	.	.	-0580						16780.0851
	5952.968	4	-	-	.	.	.	.	-1070	-343	611	822	980	1070	16793.7562
1	5951.916	2	20885-14933	-4	5.5- 4.5	.	.	.	31						16796.7244
1	5945.333	3	20957-15012	13	7.5- 6.5	.	.	.	+0916 916*	265	488	672	806	916	16815.3227
1	5945.333	3	24767-18822	18	8.5- 7.5	.	.	.	+0916 916	265	488	672	806	916	16815.3227
	5942.600	2	-	-	.	.	.	.	-0470						16823.0561
1	5940.977	6	21040-15099	21	6.5- 5.5	.	.	.	-0635 -641	-187	339	461	559	635	16827.6519
	5936.150	4	-	-	.	.	.	.	0190						16841.3354
	5933.589	3	-	-	.	.	.	.	-0532*	-161	306	432	532*		16848.6043
	5931.491	4	-	-	.	.	.	.	+0669	152	296	428	555*	669	16854.5638
	5931.308	7	-	-	.	.	.	.	-0535*	-159	287	385*	467	535*	16855.0838
	5923.193	4	-	-	.	.	.	.	+0631	145	267	395	517	631	16878.1759
	5919.710	4	-	-	.	.	.	.	-1809	-416	817	1186	1519	1809	16888.1066
	5916.565	3S	-	-	.	.	.	.							16897.0836
	5914.385	3	-	-	.	.	.	.	+0854*	170	350	519	686	854*	16903.3118
1	5912.348	5	19646-13734	8	4.5- 3.5	.	.	.	-0350* -374						16909.1355
1	5908.059	2	23326-17418	4	5.5- 5.5	.	.	.	+0620 606						16921.4109
1	5905.968	2	16798-10892	68	3.5- 3.5	.	.	.	11*						16927.4019
1	5904.842	3	17859-11954	-8	5.5- 4.5	.	.	.	-1194 -1186	-350	632	877	1054	1194	16930.6298
	5903.630	2S	-	-	.	.	.	.							16934.1056
1	5903.281	3	20836-14933	-4	4.5- 4.5	.	.	.	+0410 412						16935.1067
	5893.120	2	-	-	.	.	.	.	+0640						16964.3065
	5891.990	2	-	-	.	.	.	.							16967.5600
	5891.051	2	-	-	.	.	.	.							16970.2646
	5886.013	3	-	-	.	.	.	.	+1364	348	655	936	1173	1364	16984.7899
1	5884.570	4Q	19700-13816	0	2.5- 1.5	.	.	.	-0330 -222						16988.9549
1	5881.694	5	18728-12846	-11	5.5- 4.5	.	.	.	-0848 -851	-190	378	554	710	848	16997.2621
	5880.215	4	-	-	.	.	.	.	+0604*	190	329	447			17001.5372
1	5879.441	3	22251-16371	6	6.5- 6.5	.	.	.	-0530 -526*						17003.7754
	5875.179	3	-	-	.	.	.	.							17016.1104
1	5873.580	5	15743- 9869	-15	5.5- 4.5	.	.	.	-1935 -1930	-529	1003*	1372	1680	1935	17020.7428
1	5873.520	2	21920-16046	0	5.5- 5.5	.	.	.	2*						17020.9167
1	5872.392	2	17255-11382	32	6.5- 6.5	.	.	.	-3*						17024.1861
	5868.113	2S	-	-	.	.	.	.							17036.6001
	5867.390	2	-	-	.	.	.	.	-0320*						17038.6994
	5866.978	5	-	-	.	.	.	.	+0688*	154	303	440	573*	688*	17039.8959
	5855.588	2S	-	-	.	.	.	.							17073.0411
	5850.150	2	-	-	.	.	.	.	-0560						17088.9114
	5848.977	2S	-	-	.	.	.	.							17092.3385
	5845.137	3L	-	-	.	.	.	.	+0563	227	390	496	563		17103.5674
1	5837.830	4	22238-16400	10	7.5- 6.5	.	.	.	0110 -173						17124.9754
	5831.308	7	-	-	.	.	.	.	-0535*	-159	287	385*	467	535*	17144.1288
	5830.319	6	-	-	.	.	.	.	+0653	171	319	448	558	653	17147.0369
1	5828.528	3	19700-13872	48	2.5- 3.5	.	.	.	+0927*	940	304	545	727	847	17152.3059
	5826.606	2S	-	-	.	.	.	.							17157.9639
	5824.640	4	-	-	.	.	.	.	-1147*	-333	607	831	1007	1147*	17163.7552
	5823.936	3	-	-	.	.	.	.	+1009*	324	566				17165.8300
	5818.970	2	-	-	.	.	.	.	-0360*						17180.4796
1	5808.016	2	22243-16435	-44	4.5- 3.5	.	.	.	-0410 -402						17212.8823
	5804.449	2	-	-	5.5- 6.5	.	.	.							17223.4601
1	5800.670	6	12692- 6892	10	3.5- 3.5	.	.	.	+0260*	270	050*	110*	200*	260*	17234.6808
1	5795.900	2	24632-18836	-10	3.5- 2.5	.	.	.	+0210 210*						17248.8649
	5794.300	2L	-	-	.	.	.	.	-0340						17253.6278
	5792.869	3	-	-	.	.	.	.	+0670						17257.8900

TABLE I (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS CALC	HFS 2	DIAGONAL 3	COMPONENTS 4	COMPONENTS 5	COMPONENTS 6	WAVELENGTH
	5789.746	2S	-		. - .	.	.								17267.1989
1	5788.130	7	15743-9955	-5	5.5-6.5	.	.		-0180* -201						17272.0198
1	5787.480	5	19275-13488	-10	6.5-6.5	.	.		+0280* 312	092	140*	210*		280*	17273.9596
1	5783.239	5	19788-14005	4	5.5-6.5	.	.		+0325* 342						17286.6271
	5780.487	3	-		. - .	.	.		-1180						17294.8570
1	5776.960	2	17255-11478	10	6.5-5.5	.	.		0160 185*						17305.4160
1	5775.440	3	5456-11231	-100	3.5-2.5	.	.		+0330 144						17309.9705
	5774.314	4	-		. - .	.	.								17313.3460
	5774.080	3	-		. - .	.	.		0120*						17314.0476
	5771.820	4Q	-		. - .	.	.		+0240						17320.8271
1	5771.586	4	20400-14629	-4	2.5-2.5	.	.		-54						17321.5293
	5768.820	2	-		. - .	.	.								17329.8346
1	5764.871	5	20394-14629	106	3.5-2.5	.	.		-0974 -974	-267	493	686	860	974	17341.7057
1	5757.591	4	19788-14030	-9	5.5-5.5	.	.		+0320* 345						17363.6329
	5756.187	2	-		. - .	.	.		0045						17367.8681
1	5750.348	6	14721-20471	3	4.5-3.5	.	.		+0495 483	130	242	334	438	495	17385.5037
	5746.568	2S	-		. - .	.	.								17396.9397
	5744.330	3	-		. - .	.	.		0250*						17403.7175
	5742.803	3	-		. - .	.	.								17408.3452
1	5742.340	2S	22175-16432	0	7.5-7.5	.	.		-48*						17409.7488
1	5740.348	5	18728-12988	3	5.5-5.5	.	.		-0870 -867	-229	429	603	750	870	17415.7903
	5737.767	3	-		. - .	.	.		+0770						17423.6244
	5736.957	2S	-		. - .	.	.								17426.0844
	5716.060	3	-		. - .	.	.		0190						17489.7914
	5715.070	5Q	-		. - .	.	.		+1160*						17492.8211
	5714.770	5P	-		. - .	.	.		0170*						17493.7394
1	5688.547	3	23242-17554	-3	7.5-7.5	.	.		-0708 -704	-209	373	508	619	708	17574.3819
	5687.674	4	-		. - .	.	.		+0893	238	449	618	771	893	17577.0794
1	5685.392	3	19233-13548	2	4.5-4.5	.	.		-0680 -677						17584.1345
	5684.283	3	-		. - .	.	.		-1180*						17587.5652
	5683.618	2	-		. - .	.	.								17589.6230
	5679.901	3	-		. - .	.	.		0060						17601.1339
1	5677.580	7	12692-7015	20	3.5-2.5	.	.		0130 161						17608.3292
1	5672.776	4	22414-16741	6	5.5-6.5	.	.		+1154 1157	294	560	790	988	1154	17623.2409
1	5672.420	2P	7315-12988	-10	4.5-5.5	.	.		-162*						17624.3469
1	5669.085	6	21355-15686	-10	5.5-5.5	.	.		+0590* 591	164	305	421	515	590*	17634.7150
	5666.139	5	-		. - .	.	.		-0492	-144	263	358			17643.8838
	5658.229	2S	-		. - .	.	.								17668.5493
	5637.005	6	-		. - .	.	.		+0620	145	281	410	520	620	17735.0736
1	5635.157	4S	23053-17418	17	5.5-5.5	.	.		-83						17740.8897
	5634.673	4	-		. - .	.	.		-0890	-214	437	620	764	890	17742.4136
1	5633.020	2S	25403-31035	105	3.5-3.5	.	.		0*						17747.6200
1	5632.312	5C	14338-8706	2	5.5-5.5	.	.		+1471 1466	318	640		* 1235	1471	17749.8510
1	5629.120	2	24528-18899	10	7.5-6.5	.	.		0080 -125						17759.9161
	5626.461	3	-		. - .	.	.		+0630						17768.3092
	5626.017	2S	-		. - .	.	.								17769.7115
	5625.167	3	-		. - .	.	.		-0510						17772.3966
	5616.692	2S	-		. - .	.	.								17799.2133
1	5604.050	3Q	22004-16400	-50	6.5-6.5	.	.		0090 -106						17839.3660
	5599.000	3	-		. - .	.	.		-0790						17855.4562
	5583.120	2	-		. - .	.	.		0170						17906.2423
	5574.250	4	-		. - .	.	.		0110						17934.7356
	5567.631	2S	-		. - .	.	.								17956.0570
	5567.342	3	-		. - .	.	.		+0235*						17956.9891
	5566.621	3S	-		. - .	.	.								17959.3150

TABLE I (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS CALC	HFS 2	DIAGONAL 3	COMPONENTS 4	5	6	WAVELENGTH
1	5564.120	3	18194-12630	20	2.5- 1.5	.	.	.	0200 -228*						17967.3875
1	5559.183	2S	21930-16371	-7	7.5- 6.5	.	.	.	45*						17983.3439
1	5552.699	4	19100-13548	-6	4.5- 4.5	.	.	.	-0434 -453	-126	236	326			18004.3435
1	5549.384	3	26012-20462	14	8.5- 8.5	.	.	.	-0885 -855	-229	430	609	744	885	18015.0986
1	5535.773	5C	18388-12852	-37	3.5- 2.5	.	.	.	-1275 -1297	-367	692	967	1174	1275	18059.3930
1	5534.801	3	22276-16741	-9	5.5- 6.5	.	.	.	124						18062.5646
1	5531.000	4	7315-12846	-70	4.5- 4.5	.	.	.	0160 -178*						18074.9775
1	5529.510	7	17007-11478	30	6.5- 5.5	.	.	.	-0170 -163						18079.8480
	5521.375	4	-	.	.	.	.	.	+1939	606	1075	1441		1939	18106.4863
1	5509.100	4	22251-16741	0	5.5- 6.5	.	.	.	+0390* 403	097	185				18146.8299
	5508.412	2S	-	.	.	.	.	.							18149.0965
1	5506.526	2S	25969-20462	-4	8.5- 8.5	.	.	.	41						18155.3126
1	5504.120	3	21551-16046	-30	5.5- 5.5	.	.	.	0060 -127*						18163.2488
	5499.438	4L	-	.	.	.	.	.	-0442	-234	442				18178.7123
1	5478.127	4	25969-20491	-3	8.5- 7.5	.	.	.	+1121 1128	268	518	753	941	1121	18249.4311
	5468.273	5S	-	.	.	.	.	.							18282.3172
	5467.943	4S	-	.	.	.	.	.							18283.4206
	5467.255	2	-	.	.	.	.	.	0100						18285.7214
	5459.090	2S	-	.	.	.	.	.							18313.0708
1	5447.570	6	17007-11560	0	6.5- 5.5	.	.	.	-0550* -531	-184	321	423	513		18351.7976
	5446.638	3	-	.	.	.	.	.							18354.9378
1	5430.680	6C	14721-20152	90	4.5- 3.5	.	.	.	-0134 -155						18408.8737
1	5418.548	7	14721-20140	51	4.5- 3.5	.	.	.	+0394* 375	100	186	269	343	394*	18450.0908
	5415.970	3	-	.	.	.	.	.	+0280						18458.8730
1	5406.079	4	23132-17726	-11	8.5- 8.5	.	.	.	-0451* -419	-127	231	319			18492.6455
	5403.246	5L	-	.	.	.	.	.	+0907* 321	563	734	847			18502.3415
	5369.366	2S	-	.	.	.	.	.							18619.0890
1	5366.534	5	19100-13734	9	4.5- 3.5	.	.	.	-0671 -670	-180	338	471	579	671	18628.9145
1	5361.133	4	19233-13872	31	4.5- 3.5	.	.	.	-0778 -780	-193	375	530	675	778	18647.6820
	5359.791	3	-	.	.	.	.	.							18652.3511
	5346.186	3S	-	.	.	.	.	.							18699.8177
	5332.735	2S	-	.	.	.	.	.							18746.9851
1	5332.520	4	16810-11478	-10	5.5- 5.5	.	.	.	0170 175*						18747.7410
1	5314.392	4	24136-18822	-13	7.5- 7.5	.	.	.	85						18811.6917
	5295.550	3	-	.	.	.	.	.	+0340*						18878.6253
1	5292.937	2S	18388-13095	-3	3.5- 2.5	.	.	.	-2*						18887.9453
1	5270.689	7	13384-18654	-1	3.5- 2.5	.	.	.	-1083 -1083	-346	621	829	985	1083	18967.6729
1	5265.145	7C	18117-12852	135	3.5- 2.5	.	.	.	-0300* -296	-080*	165*	250*			18987.6451
1	5239.143	4P	23242-18003	-7	7.5- 7.5	.	.	.	-0643* -644	-189	350				19081.8814
	5237.419	6	-	.	.	.	.	.	-2655	-853	1531	2047	2420	2655	19088.1626
1	5228.444	6	19100-13872	-1	4.5- 3.5	.	.	.	-0571 -556	-125	273*	388	493*	571	19120.9288
1	5212.501	4	18200-12988	11	4.5- 5.5	.	.	.	+0436* 454	163	277	360			19179.4123
	5194.855	3	-	.	.	.	.	.	+0700*						19244.5614
	5187.460	3	-	.	.	.	.	.	0100						19271.9956
	5183.500	3	-	.	.	.	.	.	+1540*						19286.7187
	5183.420	2P	-	.	.	.	.	.							19287.0163
1	5180.266	5	18728-13548	-9	5.5- 4.5	.	.	.	-0810 -814	-200	384	549	692	810	19298.7592
1	5179.340	3	21551-16371	-15	5.5- 6.5	.	.	.	96*						19302.2096
	5151.655	4L	-	.	.	.	.	.	+0629*	274	495	629			19405.9398
	5144.906	2	-	.	.	.	.	.							19431.3962
	5144.628	2	-	.	.	.	.	.							19432.4462
1	5138.684	3	23961-18822	-51	7.5- 7.5	.	.	.	+0790 800	193	382	533	679	790	19454.9240
1	5129.850	4	24767-19638	10	8.5- 7.5	.	.	.	0250 -177						19488.4270
	5110.583	2S	-	.	.	.	.	.							19561.8988
	5101.911	3	-	.	.	.	.	.	0180						19595.1492

TABLE I (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH		HFS 2	DIAGONAL			COMPONENTS		WAVELENGTH
									OBS	CALC		3	4	5	6		
1	5092.475	5	18117-13024	-5	3.5- 3.5	.	.		+0920*	939	324	567	747	849	920*	19631.4577	
	5086.502	4	-	-	. - .	.	.		+0870		229*	471	648	786	870	19654.5106	
	5082.670	4	-	-	. - .	.	.		0095							19669.3289	
	5066.020	5	-	-	. - .	.	.		-1048		-326	590	801	950	1048	19733.9742	
	5063.913	4	-	-	. - .	.	.		+0622		156	293	406	516	622	19742.1852	
1	5061.629	3S	23961-18899	-41	7.5- 6.5	.	.			-17						19751.0936	
1	5047.980	3	11940- 6892	-5	4.5- 3.5	.	.		-0360*	-364						19804.4977	
1	5043.928	4L	20394-15350	108	3.5- 3.5	.	.		-1045*	-1057*	-313	576	794		1045*	19820.4075	
	5041.892	2S	-	-	. - .	.	.									19828.4113	
	5031.165	3	-	-	. - .	.	.		+0362*		121	218				19870.6877	
1	5029.511	3	16507-11478	1	4.5- 5.5	.	.		+0690	731	190	350	501			19877.2224	
1	5012.515	6	17859-12846	-5	5.5- 4.5	.	.		-1102	-1100	-283	532	753	944	1102	19944.6204	
	5005.130	2	-	-	. - .	.	.		+0320							19974.0484	
1	4996.343	3	22414-17418	13	5.5- 5.5	.	.		+0500	486						20009.1765	
1	4993.430	4P	21040-16046	-35	6.5- 5.5	.	.		-1103	-1094	-292	577*	827*	973	1103	20020.8492	
1	4993.358	5	20885-15892	8	5.5- 4.5	.	.		0060	-102						20021.1379	
1	4981.130	5C	16459-11478	10	4.5- 5.5	.	.		+1654	1666	*	840	1173	1434	1654	20070.2871	
	4980.144	4	-	-	. - .	.	.		+2500*		845	1549	1923*			20074.2608	
	4965.146	3	-	-	. - .	.	.		+0530*							20134.8983	
1	4950.616	7C	13384-18334	1	3.5- 2.5	.	.		-2138	-2142	-673	1229	1659	1967	2138	20193.9940	
	4941.975	3	-	-	. - .	.	.		+0470							20229.3031	
	4933.136	2S	-	-	. - .	.	.									20265.5492	
	4922.230	4	-	-	. - .	.	.		+0140*							20310.4508	
	4919.425	2S	-	-	. - .	.	.									20322.0316	
	4917.910	3	-	-	. - .	.	.		0040							20328.2920	
1	4913.209	2S	22794-17881	24	4.5- 3.5	.	.			-52*						20347.7423	
	4903.650	2	-	-	. - .	.	.		0090							20387.4074	
	4903.397	2	-	-	. - .	.	.		0050							20388.4594	
	4896.900	3	-	-	. - .	.	.		-1116		-310	576	800	996*	1116	20415.5099	
1	4871.165	5	17859-12988	5	5.5- 5.5	.	.		-1121	-1116	-318	587	806	981	1121	20523.3678	
	4863.744	2S	-	-	. - .	.	.									20554.6820	
1	4858.378	4	22276-17418	8	5.5- 5.5	.	.		-0568	-547	-138	260	373	473	568	20577.3843	
1	4855.792	6	16334-11478	7	6.5- 5.5	.	.		-0692	-691	-202	366	497	602	692	20588.3430	
1	4840.025	4	18388-13548	-15	3.5- 4.5	.	.		+0490*	463						20655.4122	
	4833.394	3	-	-	. - .	.	.		+0562*							20683.7497	
1	4827.643	8C	11940- 7112	8	4.5- 5.5	.	.		-1900	-1900	-517	967	1348	1658	1900	20708.3895	
1	4825.140	2	16154-11329	-60	4.5- 4.5	.	.		0150	137						20719.1318	
1	4820.890	5	12692- 7871	10	3.5- 4.5	.	.		+0300*	335	050*	130*	200*	270*		20737.3974	
1	4817.208	5C	19646-14829	-7	4.5- 3.5	.	.		-1828	-1835	-524	973	1340	1628	1828	20753.2479	
	4795.130	2	-	-	. - .	.	.		0080							20848.8012	
	4781.915	4L	-	-	. - .	.	.		+0485*		178	330				20906.4177	
	4774.597	5	-	-	. - .	.	.		-0825*		-223	429	590*	731	825*	20938.4609	
1	4773.882	5	16334-11560	7	5.5- 5.5	.	.		-1057	-1059	-299	555	760	919	1057	20941.5969	
	4763.500	3	-	-	. - .	.	.		-1200*							20987.2389	
1	4760.770	2	19646-14885	-55	4.5- 5.5	.	.		0160	159						20999.2738	
	4755.271	2S	-	-	. - .	.	.									21023.5574	
1	4725.835	3	21592-16866	-5	6.5- 7.5	.	.		-0446	-444	-101	198	289	372	446	21154.5078	
1	4723.154	4	18728-14005	-26	5.5- 6.5	.	.		-0853	-843	-242	457	616*	750	853	21166.5157	
	4717.243	3	-	-	. - .	.	.		+0510							21193.0387	
	4716.113	2S	-	-	. - .	.	.									21198.1166	
	4715.810	2	-	-	. - .	.	.		0210							21199.4786	
1	4699.889	2S	22581-17881	4	4.5- 3.5	.	.			-4*						21271.2925	
	4697.700	2	-	-	. - .	.	.		-0970*							21281.2043	
	4690.120	2	-	-	. - .	.	.		0130							21315.5983	
1	4687.968	5C	16507-11819	-22	4.5- 3.5	.	.		-0775	-745	-223	409	562	699	775	21325.3831	

TABLE I (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS CALC	HFS 2	DIAGONAL 3	COMPONENTS 4	5	6	WAVELENGTH	
	4685.380	2	-		. - .	.	.		0220						21337.1624	
	4679.600	3	-		. - .	.	.		0100						21363.5169	
	4672.310	2	-		. - .	.	.		-0680						21396.8495	
1	4668.668	4	21040-16371	-2	6.5- 6.5	.	.		-0872	-871*	-245	455	625	766	872	21413.5411
1	4655.800	3	22074-17418	30	5.5- 5.5	.	.		+1538	1526	438	798	1098	1228*	1538	21472.7252
1	4652.188	5L	14721-19373	-32	4.5- 3.5	.	.		-0522	-495	-190	327	431		522	21489.3969
	4648.526	2S	-		. - .	.	.									21506.3257
1	4639.620	7	16459-11819	20	4.5- 3.5	.	.		0190	190						21547.6083
	4622.360	2	-		. - .	.	.		0040							21628.0676
	4617.630	2	-		. - .	.	.		0070							21650.2220
1	4613.720	2	21355-16741	-10	5.5- 6.5	.	.		+1676	1704	445	836	1166	1462	1676	21668.5700
	4610.790	2	-		. - .	.	.		+1080							21682.3396
1	4607.640	3	21040-16432	-10	6.5- 7.5	.	.		-1072	-1064	-295	545	755	924	1072	21697.1627
1	4594.188	2	16154-11560	28	4.5- 5.5	.	.		0080	115						21760.6931
	4581.160	2	-		. - .	.	.		+0420*							21822.5767
1	4553.360	3	16507-11954	-20	4.5- 4.5	.	.		+0360*	368						21955.8119
	4550.710	2	-		. - .	.	.		+0440*							21968.5974
	4543.984	3	-		. - .	.	.		-1827		-570	1019	1368	1647	1827	22001.1153
	4541.400	2	-		. - .	.	.		+0580*							22013.6336
1	4527.700	3	22409-17881	-15	4.5- 3.5	.	.		+0250*	246*						22080.2429
1	4511.678	2	22238-17726	-2	7.5- 8.5	.	.		+0940*	962	233	441	624	805*	940*	22158.6550
	4507.630	2	-		. - .	.	.		0100							22178.5542
	4507.110	2	-		. - .	.	.		+0640							22181.1130
1	4498.935	4	24136-19638	5	7.5- 7.5	.	.		-1043	-1008	-278	528	737	907	1043	22221.4183
1	4495.260	2	11940-16435	5	4.5- 3.5	.	.		+0400*	454						22239.5849
	4481.486	3	-		. - .	.	.		-0800							22307.9391
	4479.110	3	-		. - .	.	.		+0714*							22319.7726
1	4469.240	7	14338- 9869	10	5.5- 4.5	.	.		-0300*	-306						22369.0643
1	4461.692	6C	13384-17845	-3	3.5- 2.5	.	.		-1780*	-1771	-542	997	1359	1623	1780*	22406.9068
	4451.200	2	-		. - .	.	.		0070							22459.7226
	4450.490	4	-		. - .	.	.		+0280*							22463.3056
1	4446.102	2	19100-14654	12	4.5- 4.5	.	.		-0570*	-548*						22485.4754
	4433.300	2	-		. - .	.	.		0130							22550.4065
	4431.568	3	-		. - .	.	.		0030							22559.2200
	4431.273	2	-		. - .	.	.		+0880*							22560.7218
	4427.700	4L	-		0.5- 0.5	.	.		+0653							22578.9275
	4417.690	2	-		. - .	.	.		-0450							22630.0889
1	4414.440	2	12692- 8278	0	3.5- 3.5	.	.		+0290*	250						22646.7497
	4412.847	2	-		. - .	.	.		0020							22654.9249
	4406.964	3	-		. - .	.	.		+0590							22685.1678
1	4405.244	2	24896-20491	-16	7.5- 7.5	.	.		+0570	479						22694.0250
	4398.718	4	-		. - .	.	.		0035							22727.6942
	4398.121	3	-		. - .	.	.		+0460							22730.7793
	4397.400	2	-		. - .	.	.		+0590*							22734.5063
1	4383.771	4	14338- 9955	1	5.5- 6.5	.	.		+1435	1423	327	628	935	1206	1435	22805.1871
	4378.606	2S	-		. - .	.	.									22832.0881
1	4378.203	2C	18194-13816	33	2.5- 1.5	.	.		-948	-403	686*					22834.1897
1	4370.870	2	17859-13488	-15	5.5- 6.5	.	.		-0470	-456						22872.4986
1	4364.296	5	20050-15686	-9	6.5- 5.5	.	.		0060	-79						22906.9518
	4363.220	2	-		. - .	.	.		+0460*							22912.6008
1	4360.440	2	15743-11382	15	5.5- 6.5	.	.		0170	-166						22927.2088
	4354.050	1S	-		. - .	.	.									22960.8568
1	4343.070	2	23242-18899	-10	7.5- 6.5	.	.		0160	-186						23018.9056
1	4334.558	4	16154-11819	8	4.5- 3.5	.	.		-0988	-993	-268	507	710	874	988	23064.1091
1	4328.170	2	18200-13872	10	4.5- 3.5	.	.		+0560*	404						23098.1497

TABLE I (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH		HFS 2	DIAGONAL		COMPONENTS		WAVELENGTH
									OBS	CALC		3	4	5	6	
	4327.253	2	-		. - .	.	.									23103.0445
	4317.917	4Q	-		. - .	.	.		+0981							23152.9969
1	4311.086	6	17859-13548	-4	5.5- 4.5	.	.		-1065	-1063	-294	669	841	981	1065	23189.6833
1	4309.850	2	23132-18822	-25	8.5- 7.5	.	.		-0310*	-310						23196.3337
1	4298.342	2	21040-16741	7	6.5- 6.5	.	.		0030	58						23258.4376
	4277.656	2S	-		. - .	.	.									23370.9114
	4277.255	2S	-		. - .	.	.									23373.1025
1	4271.398	4C	19100-14829	-2	4.5- 3.5	.	.		-2136	-2131	-647	1171	1588	1914	2136	23405.1520
	4265.150	2P	-		. - .	.	.		0180							23439.4381
1	4265.013	5P	15743-11478	-2	5.5- 5.5	.	.			22						23440.1911
	4263.160	3	-		. - .	.	.		+0360							23450.3794
	4254.150	2	-		. - .	.	.		0080							23500.0458
	4232.328	2S	-		. - .	.	.									23621.2127
	4220.740	3	-		. - .	.	.		0120							23686.0646
	4213.340	2	-		. - .	.	.		+0920*							23727.6650
1	4205.298	3P	19827-15622	-2	7.5- 7.5	.	.		-0560*	-571						23773.0407
1	4199.930	2	16154-11954	-10	4.5- 4.5	.	.		0110	120						23803.4254
1	4184.031	2P	2831- 7015	-49	2.5- 2.5	.	.		-0320*	15						23893.8766
1	4183.100	2	15743-11560	-5	5.5- 5.5	.	.		-0360*	-346						23899.1945
	4179.490	3	-		. - .	.	.		+0580*							23919.8373
	4174.120	2	-		. - .	.	.		+0240*							23950.6101
1	4169.660	2	18200-14030	-30	4.5- 5.5	.	.		+0450*	481						23976.2285
	4162.870	2	-		. - .	.	.		0100							24015.3358
	4162.640	1S	-		. - .	.	.									24016.6627
1	4152.700	3	17859-13706	-15	5.5- 6.5	.	.		-0625*	-596	-193	350	462		625*	24074.1496
	4144.730	1S	-		. - .	.	.									24120.4424
1	4132.580	2	21551-17418	0	5.5- 5.5	.	.		+0370*	354*						24191.3578
	4126.300	3	-		. - .	.	.		-0450*							24228.1757
	4126.015	4	-		. - .	.	.		0070							24229.8492
	4114.250	2	-		. - .	.	.		-0280*							24299.1363
	4072.082	2S	-		. - .	.	.									24550.7635
1	4068.180	4	11940- 7871	-25	4.5- 4.5	.	.		-0300*	-299						24574.3114
	4067.985	2S	-		. - .	.	.									24575.4894
1	4060.900	2	2831- 6892	-80	2.5- 3.5	.	.		0140*	-94						24618.3659
	4038.550	2	-		. - .	.	.		+0640*							24754.6081
	4020.270	2	-		. - .	.	.		-1400*							24867.1663
1	4001.480	2S	19100-15099	5	4.5- 5.5	.	.			-15						24983.9367
	3996.470	2S	-		. - .	.	.									25015.2567
	3996.290	2S	-		. - .	.	.									25016.3834
	3995.580	2S	-		. - .	.	.									25020.8288
	3995.210	2S	-		. - .	.	.									25023.1460
	3984.400	4	-		. - .	.	.		+1400*							25091.0358
	3980.260	1	-		. - .	.	.		0390							25117.1338
1	3964.060	2S	16810-12846	-10	5.5- 4.5	.	.			-102*						25219.7806
	3961.330	2S	-		. - .	.	.									25237.1611
	3928.220	2	-		. - .	.	.		0250							25449.8790
	3906.880	4	-		. - .	.	.		-1000*							25588.8904
	3810.600	2	-		. - .	.	.									26235.4289
	3810.190	1	-		. - .	.	.		0090							26238.2520
	3809.930	2S	-		. - .	.	.									26240.0425
	3793.600	1S	-		. - .	.	.									26352.9959

6101 CARDS PROCESSED

TABLE II. Classified Lines, Sorted on Odd Levels

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS CALC	HFS 2	DIAGONAL 3	COMPONENTS 4	5	6	WAVELENGTH	
1	26417.594	2S	39467-13049	59	7.5- 7.5	.	.		-82*						3784.2813	
1	23095.784	0	39467-16371	9	7.5- 6.5	.	.		45*						4328.5774	
1	23034.714	0	39467-16432	-41	7.5- 7.5	.	.		-148*						4340.0536	
1	25889.179	1	38819-12930	9	8.5- 9.5	.	.		42*						3861.5228	
1	25871.411	3W	38819-12947	96	8.5- 8.5	.	.		47*						3864.1749	
1	25769.430	1S	38819-13049	15	8.5- 7.5	.	.		-82*						3879.4675	
1	21952.466	1S	38819-16866	26	8.5- 7.5	.	.		-41*						4554.0203	
1	27887.647	1S	37412- 9524	27	1.5- 2.5	.	.		-25*						3584.7939	
1	23344.787	1P	37412-14067	47	1.5- 2.5	.	.		182*						4282.4066	
1	8425.605	4	37412-28986	-5	1.5- 1.5	.	.		0050						11865.3364	
1	25483.140	2S	35985-10502	10	7.5- 7.5	.	.		-31*						3923.0523	
1	23037.923	0	35985-12947	-52	7.5- 8.5	.	.		-3*						4339.4491	
1	22279.483	0	35985-13706	8	7.5- 6.5	.	.		262*						4487.1755	
1	23192.551	0	34472-11279	1	7.5- 7.5	.	.		-71*						4310.5168	
1	20765.763	0	34472-13706	28	7.5- 6.5	.	.		-0449	-488*	-146				4814.2734	
1	14834.219	2H	34472-19638	9	7.5- 7.5	.	.		-0719*	-613*					6739.3102	
1	30645.861	2R	34148- 3502	11	6.5- 6.5	.	.		-4*						3262.1428	
1	28963.696	2	34148- 5184	11	6.5- 5.5	.	.		-65*						3451.6091	
1	26356.639	1S	34148- 7792	-21	6.5- 6.5	.	.		70*						3793.0334	
1	30071.529	2R	33574- 3502	29	6.5- 6.5	.	.								3324.4481	
1	28389.388	3W	33574- 5184	53	6.5- 5.5	.	.								3521.4361	
1	25113.807	1S	33392- 8278	27	3.5- 3.5	.	.		170						3980.7474	
1	22499.919	0S	33392-10892	19	3.5- 3.5	.	.		51						4443.2131	
1	31332.966	1S	33366- 2033	1	5.5- 4.5	.	.		8*						3190.6043	
1	29864.064	2R	33366- 3502	-6	5.5- 6.5	.	.		+0000*	71*					3347.5437	
1	28181.942	0S	33366- 5184	37	5.5- 5.5	.	.		10*						3547.3580	
1	26723.435	1S	33366- 6643	35	5.5- 4.5	.	.		-23*						3740.9703	
1	23411.835	0S	33366- 9955	35	5.5- 6.5	.	.		37*						4270.1422	
1	22789.502	1	33292-10502	12	7.5- 7.5	.	.		-81*	-358					4386.7528	
1	20344.344	0	33292-12947	9	7.5- 8.5	.	.		-53*						4913.9991	
1	29509.943	1S	32960- 3450	-17	3.5- 3.5	.	.	.433	-17*						3387.7158	
1	28345.256	2S	32960- 4615	41	3.5- 2.5	.	.	.353	-63*						3526.9189	
1	29321.590	1	32824- 3502	20	6.5- 6.5	.	.		96*						3409.4781	
1	27639.467	0	32824- 5184	62	6.5- 5.5	.	.		35*						3616.9833	
1	25032.377	0	32824- 7792	-3	6.5- 6.5	.	.		170*						3993.6970	
1	23130.352	0	32824- 9694	-8	6.5- 5.5	.	.		-23*						4322.1083	
1	16737.820	4H	32789-16051	0	11.5-10.5	.	.		-2260*	-2277	-524	1013	1470	2260*	5972.8392	
1	10549.190	2P	32789-22240	125	11.5-10.5	.	.		-0670	-728	-155*	300*	445*	555*	670*	9476.8011
1	30717.707	2	32751- 2033	12	4.5- 4.5	.	.		33*						3254.5127	
1	29300.664	1	32751- 3450	-1	4.5- 3.5	.	.		-17*						3411.9132	
1	27566.647	0S	32751- 5184	12	4.5- 5.5	.	.		35*						3626.5382	

TABLE II (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEAMAN G1	DATA DG	WIDTH OBS	WIDTH CALC	HFS 2	DIAGONAL 3	COMPONENTS 4	COMPONENTS 5	COMPONENTS 6	WAVELENGTH
1	26108.283	3B	32751- 6643	153	4.5- 4.5	.	.	.	2*							3829.1156
1	29206.189	2	32657- 3450	-1	3.5- 3.5	.	.	.415	-17*							3422.9502
1	28041.494	2	32657- 4615	49	3.5- 2.5	1.01	.66	.350	-63*							3565.1257
1	29194.143	1P	32645- 3450	-67	2.5- 3.5	.	.	.351	-17*							3424.3626
1	28029.466	2	32645- 4615	1	2.5- 2.5	.	.	.280	-63*							3566.6556
1	25753.002	1	32645- 6892	-93	2.5- 3.5	.	.	.	-88*							3881.9422
1	30555.832	3R	32589- 2033	-3	3.5- 4.5	.	.	.392	+0000*	33*						3271.7546
1	29138.803	1S	32589- 3450	-2	3.5- 3.5	.	.	.424	-17*							3430.8663
1	27974.097	2P	32589- 4615	37	3.5- 2.5	1.01	.66	.352	-63*							3573.7152
1	17920.840	4	32589-14669	90	3.5- 3.5	.	.	.	-200*							5578.5466
1	13934.860	4	32589-18654	-80	3.5- 2.5	.	.	.	-625*	-188	356	492	608	701		7174.2697
1	13320.302	2	32589-19269	-53	3.5- 4.5	.	.	.	-200*							7505.2706
1	29060.038	2	32562- 3502	38	6.5- 6.5	.	.	.	-4*							3440.1657
1	27377.894	1	32562- 5184	59	6.5- 5.5	.	.	.	-65*							3651.5415
1	24770.840	3S	32562- 7792	30	6.5- 6.5	.	.	.	70*							4035.8644
1	28993.412	3R	32444- 3450	2	3.5- 3.5	.970	.590	.383	-17*							3448.0714
1	27828.692	3P	32444- 4615	27	3.5- 2.5	.97	.66	.310	-63*							3592.3884
1	28957.533	1	32408- 3450	-2	3.5- 3.5	1.185	.590	.595								3452.3437
1	14526.921	1	32408-17881	36	3.5- 3.5	.	.	.								6881.8725
1	25439.128	3V	32342- 6903	-22	7.5- 7.5	.	.	.	-180*							3929.8397
1	22321.640	0	32342-10020	20	7.5- 8.5	.	.	.	-127*							4478.7008
1	21839.785	1S	32342-10502	15	7.5- 7.5	.	.	.	-81*							4577.5168
1	21063.001	1	32342-11279	71	7.5- 7.5	.	.	.	+0500*	629*	117	236				4746.3341
1	12704.555	2	32342-19638	-35	7.5- 7.5	.	.	.	87*							7869.0278
1	32321.252	1S	32321- 0	2	5.5- 5.5	.	.	.	51*							3093.0416
1	28818.408	2W	32321- 3502	-12	5.5- 6.5	.	.	.	71*							3469.0109
1	25677.783	2S	32321- 6643	33	5.5- 4.5	.	.	.	-23*							3893.3140
1	25208.926	2Q	32321- 7112	106	5.5- 5.5	.	.	.	-1357	-1649*	-365	695	985	1212	1357	3965.7268
1	30213.433	0S	32247- 2033	-7	3.5- 4.5	.	.	.	33*							3308.8336
1	28796.408	3R	32247- 3450	-2	3.5- 3.5	.900	.590	.310	-17*							3471.6612
1	27631.694	2S	32247- 4615	29	3.5- 2.5	.	.	.230	-63*							3618.0008
1	30118.059	1	32151- 2033	19	3.5- 4.5	.	.	.	33*							3319.3119
1	28701.011	1	32151- 3450	1	3.5- 3.5	.	.	.367	-17*							3483.2008
1	30099.107	2	32133- 2033	22	3.5- 4.5	.	.	.340	33*							3321.4020
1	28682.056	2P	32133- 3450	1	3.5- 3.5	.	.	.	-17*							3485.5028
1	27517.368	3	32133- 4615	58	3.5- 2.5	.95	.65	.304	-63*							3633.0329
1	14287.258	2	32133-17845	73	3.5- 2.5	.	.	.	63*							6997.3139
1	32061.348	2P	32061- 0	78	5.5- 5.5	.	.	.	-314							3118.1162
1	30027.380	1	32061- 2033	45	5.5- 4.5	.	.	.	-357							3329.3362
1	28558.497	1	32061- 3502	57	5.5- 6.5	.	.	.	-294							3500.5833
1	24948.867	3	32061- 7112	27	5.5- 5.5	.	.	.	-2010	-2014	-514	977	1392	1730	2010	4007.0652
1	23110.736	0S	32061- 8950	71	5.5- 6.5	.	.	.	-73							4325.7769
1	22191.661	3	32061- 9869	31	5.5- 4.5	.	.	.	-2063	-2057	-526	1002	1415	1769	2063	4504.9335

TABLE II (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS CALC	HFS 2	DIAGONAL 3	COMPONENTS 4	5	6	WAVELENGTH
1	18354.760	1	32061-13706	-25	5.5- 6.5	.	.		122						5446.6642
1	16014.420	3	32061-16046	0	5.5- 5.5	.	.		-368						6242.6454
1	29915.400	2R	31949- 2033	10	4.5- 4.5	.	.		+0000*	143					3341.7990
1	26764.364	1	31949- 5184	34	4.5- 5.5	.	.		145						3735.2494
1	25057.306	5W	31949- 6892	61	4.5- 3.5	.	.		22						3989.7237
1	24836.925	2	31949- 7112	30	4.5- 5.5	.	.		-1509	-1514	-380	726	1046	1233	4025.1258
1	22441.626	0S	31949- 9507	31	4.5- 3.5	.	.		-199						4454.7547
1	31773.961	1R	31773- 0	1	6.5- 5.5	.	.		-24*						3146.3198
1	28271.137	1	31773- 3502	7	6.5- 6.5	.	.		-4*						3536.1658
1	23981.962	0S	31773- 7792	22	6.5- 6.5	.985	.985		70*						4168.6255
1	21740.309	2	31761-10020	-11	9.5- 8.5	.	.		-0939	-1047*	-287	507	666	890	4598.4623
1	18813.290	3	31761-12947	-25	9.5- 8.5	.	.		-0994	-973*	-241	454*		795	5313.9130
1	14035.020	2	31761-17726	40	9.5- 8.5	.	.		151*						7123.0707
1	11786.509	6	31761-19974	-21	9.5- 9.5	.	.		+0389	384*	075	154	233	312	8481.9459
1	29501.819	2S	31535- 2033	-16	5.5- 4.5	.	.		-17*						3388.6487
1	28032.931	3S	31535- 3502	-9	5.5- 6.5	.	.		46*						3566.2147
1	26350.803	1S	31535- 5184	28	5.5- 5.5	.	.		-15*						3793.8735
1	28026.150	3	31528- 3502	0	6.5- 6.5	1.091	.873	.218	-4*						3567.0776
1	26344.079	3	31528- 5184	94	6.5- 5.5	.	.		-65*						3794.8418
1	18529.810	4H	31459-12930	30	10.5- 9.5	.	.		-2370	-2367	-558	1074	1538		5395.2094
1	16140.320	5H	31459-15319	-30	10.5- 9.5	.	.		-2357	-2362	-566	1079	1553	1973	6193.9502
1	15407.940	4H	31459-16051	-150	10.5-10.5	.	.		-2318	-2261					6488.3674
1	12442.961	4	31459-19016	-89	10.5-10.5	.	.		-0734	-735	-190	358	503	628	8034.4628
1	9219.333	5	31459-22240	-2	10.5-10.5	.	.		-0687	-692	-178	338	475	592	10843.8014
1	31431.660	1S	31431- 0	40	6.5- 5.5	.	.		26*						3180.5856
1	26246.634	2	31431- 5184	9	6.5- 5.5	.	.		-15*						3808.9312
1	14998.994	2	31431-16432	39	6.5- 7.5	.	.		2*						6665.2734
1	14013.247	2	31431-17418	47	6.5- 5.5	.	.		-0499*	453*	+154	292			7134.1382
1	31341.883	1S	31341- 0	3	4.5- 5.5	.	.		26*						3189.6965
1	29307.953	1	31341- 2033	8	4.5- 4.5	.	.		-17*						3411.0646
1	27890.915	3	31341- 3450	0	4.5- 3.5	.	.		-67*						3584.3738
1	21647.751	0	31341- 9694	-89	4.5- 5.5	.	.		-73*						4618.1240
1	18287.850	5H	31217-12930	0	9.5- 9.5	.	.		-1418	-1428	-329	646	923	1187	5466.5922
1	18270.000	5H	31217-12947	5	9.5- 8.5	.	.		-1428	-1423	-332	635	927	1185	5471.9332
1	14799.073	3S	31217-16418	3	9.5- 9.5	.	.		-9*						6755.3153
1	12201.114	5	31217-19016	-6	9.5-10.5	1.08	1.08		+0134*	274*					8193.7203
1	11243.210	4	31217-19974	0	9.5- 9.5	.	.		4*						8891.8157
1	31214.878	2R	31214- 0	8	5.5- 5.5	.	.		-338						3202.6750
1	29180.936	4W	31214- 2033	1	5.5- 4.5	.904	.612	.292	-381						3425.9125
1	24102.496	1	31214- 7112	56	5.5- 5.5	.	.		-2045*	-2038	-559	1023	1453		4147.7782
1	21345.300	2	31214- 9869	70	5.5- 4.5	.	.		-2077	-2081	-556	1039	1465	1798	4683.5612
1	19736.710	4	31214-11478	60	5.5- 5.5	.	.		-129						5065.2884
1	31093.199	0S	31093- 0	9	6.5- 5.5	.	.		-24*						3215.2087
1	27590.378	0S	31093- 3502	18	6.5- 6.5	.	.		-4*						3623.4188

TABLE II (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS CALC	HFS 2	DIAGONAL 3	COMPONENTS 4	5	6	WAVELENGTH
1	25908.194	2S	31093- 5184	-1	6.5- 5.5	.	.		-65*						3858.6886
1	24189.780	0S	31093- 6903	40	6.5- 7.5	.	.		20*						4132.8115
1	14660.577	2	31093-16432	52	6.5- 7.5	.	.		-48*						6819.1321
1	30950.787	1S	30950- 0	-3	5.5- 5.5	.	.		26*						3230.0032
1	28916.868	1S	30950- 2033	13	5.5- 4.5	.	.		-17*						3457.1988
1	25765.814	0S	30950- 5184	19	5.5- 5.5	.	.		-15*						3880.0119
1	14579.147	1S	30950-16371	2	5.5- 6.5	.	.		195*						6857.2198
1	30762.113	3R	30762- 0	3	4.5- 5.5	.	.		+0000*						3249.8145
1	28728.176	1S	30762- 2033	1	4.5- 4.5	.	.		33*						3479.9070
1	27311.148	3S	30762- 3450	3	4.5- 3.5	1.038	.585	.453	-17*						3660.4658
1	25577.147	1S	30762- 5184	32	4.5- 5.5	.	.		35*						3908.6330
1	14715.290	2S	30762-16046	30	4.5- 5.5	.	.		22*						6793.7777
1	27209.490	2P	30712- 3502	-30	5.5- 6.5	.	.		46*						3674.1421
1	22840.500	0	30712- 7871	10	5.5- 4.5	.	.		-73*						4376.9580
1	17865.704	0S	30712-12846	34	5.5- 4.5	.	.		-42*						5595.7629
1	15778.790	6	30712-14933	-10	5.5- 4.5	.	.		155*						6335.8697
1	14820.234	1	30712-15892	4	5.5- 4.5	.	.		22*						6745.6697
1	11340.800	4	30712-19371	50	5.5- 6.5	.	.		50*						8815.2994
1	30649.681	3R	30649- 0	1	4.5- 5.5	.	.		176*						3261.7362
1	28615.699	3R	30649- 2033	-46	4.5- 4.5	1.011	.610	.401	133*						3493.5855
1	22371.390	0S	30649- 8278	10	4.5- 3.5	.	.		-8*						4468.7408
1	14214.431	2	30649-16435	71	4.5- 3.5	.	.		-78*						7033.1645
1	30639.953	3R	30639- 0	3	5.5- 5.5	.	.		+0000*						3262.7718
1	28606.014	3R	30639- 2033	-1	5.5- 4.5	.977	.618	.359	+0000*						3494.7684
1	21933.277	0	30639- 8706	-113	5.5- 5.5	.	.		80*						4558.0046
1	30596.070	3R	30596- 0	0	4.5- 5.5	.	.		+0000*						3267.4517
1	28562.141	2R	30596- 2033	6	4.5- 4.5	.97	.61	.361	+0000*						3500.1367
1	27145.107	2S	30596- 3450	2	4.5- 3.5	.	.		-42*						3682.8566
1	14703.984	2S	30596-15892	34	4.5- 4.5	.	.		47*						6799.0015
1	14549.247	1S	30596-16046	27	4.5- 5.5	.	.		-3*						6871.3121
1	30579.569	2W	30579- 0	-11	5.5- 5.5	.	.		76*						3269.2149
1	28545.648	3	30579- 2033	3	5.5- 4.5	.	.		-0458						3502.1590
1	27076.800	2	30579- 3502	50	5.5- 6.5	.	.		96*						3692.1477
1	14880.548	1	30549-15668	38	0.5- 1.5	.	.								6718.3279
1	14207.180	2	30549-16342	0	0.5- 1.5	.	.		+0180*						7036.7541
1	13784.326	2	30549-16764	-34	0.5- 1.5	.	.		-0335*						7252.6180
1	30540.776	1S	30540- 0	26	5.5- 5.5	.	.		1*						3273.3676
1	28506.812	2S	30540- 2033	-3	5.5- 4.5	.	.		-42*						3506.9303
1	27037.937	2S	30540- 3502	17	5.5- 6.5	.	.	.130	21*						3697.4547
1	30467.620	3R	30467- 0	10	4.5- 5.5	.	.		+0000*						3281.2276
1	28433.679	2R	30467- 2033	4	4.5- 4.5	.	.		+0000*						3515.9506
1	27016.637	2S	30467- 3450	-8	4.5- 3.5	.	.		-17*						3700.3699
1	14780.989	3S	30467-15686	-6	4.5- 5.5	.	.		61*						6763.5803
1	14420.736	2	30467-16046	-24	4.5- 5.5	.	.		22*						6932.5465
1	13952.696	2	30371-16418	-24	8.5- 9.5	.	.		+0207*						7165.0987

TABLE II (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS	ZEEMAN	DATA	WIDTH		HFS	DIAGONAL		COMPONENTS		WAVELENGTH
						G2	G1	DG	OBS	CALC	2	3	4	5	6	
1	13938.903	4	30371-16432	-62	8.5- 7.5	.	.		-0.946	-955	-229	445	617	793	946	7172.1888
1	12645.347	3	30371-17726	37	8.5- 8.5	.	.			364						7905.8723
1	26916.106	0S	30367- 3450	1	3.5- 3.5	.	.	.356		-17*						3714.1910
1	25751.364	1	30367- 4615	4	3.5- 2.5	.	.			-63*						3882.1892
1	23723.662	0S	30367- 6643	92	3.5- 4.5	.	.			2*						4214.0138
1	22495.272	0S	30367- 7871	62	3.5- 4.5	.	.			-23*						4444.1310
1	14474.907	2	30367-15892	-43	3.5- 4.5	.	.			72*						6906.6019
1	13931.752	3	30367-16435	2	3.5- 3.5	.	.		-0.268*	-178*						7175.8702
1	30340.516	4R	30340- 0	-4	4.5- 5.5	.	.			26*						3294.9739
1	28306.584	4W	30340- 2033	-1	4.5- 4.5	.	.			-17*						3531.7375
1	26889.565	2W	30340- 3450	10	4.5- 3.5	.950	.590	.360		-67*						3717.8572
1	14653.916	1	30340-15686	11	4.5- 5.5	.	.		+0.163*	11*						6822.2318
1	13802.599	3	30221-16418	19	9.5- 9.5	.	.		+0.133*	201*						7243.0163
1	12495.173	2	30221-17726	3	9.5- 8.5	.	.			-19*						8000.8900
1	14526.921	1	30195-15668	21	1.5- 1.5	.	.									6881.8725
1	14005.433	1	30195-16190	-7	1.5- 2.5	.	.			65*						7138.1186
1	13853.573	1	30195-16342	3	1.5- 1.5	.	.		-0.207*							7216.3656
1	13430.759	2	30195-16764	9	1.5- 1.5	.	.									7443.5455
1	12762.599	2	30195-17433	-1	1.5- 1.5	.	.			0*						7833.2394
1	30155.768	4R	30155- 0	28	4.5- 5.5	.	.			-24*						3315.1611
1	28121.803	4	30155- 2033	-2	4.5- 4.5	.90	.60	.303	-0.326	-67*	-116					3554.9443
1	13720.462	1S	30155-16435	42	4.5- 3.5	.	.			-278*						7286.3766
1	30139.806	2R	30139- 0	6	6.5- 5.5	.	.			-224*						3316.9169
1	26636.985	3P	30139- 3502	15	6.5- 6.5	.	.			-204*						3753.1119
1	24954.824	3	30139- 5184	19	6.5- 5.5	.	.		-0.428	-265*	-147					4006.1087
1	22347.819	0	30139- 7792	39	6.5- 6.5	.	.			-130*						4473.4543
1	21189.208	0S	30139- 8950	13	6.5- 6.5	.	.			17*						4718.0636
1	14517.174	2	30139-15622	-46	6.5- 7.5	.	.		+0.968*	732*	275	489	692			6886.4931
1	30084.558	3R	30084- 0	28	4.5- 5.5	.	.			76*						3323.0083
1	28050.587	3P	30084- 2033	-8	4.5- 4.5	.	.			33*						3563.9700
1	26633.568	3S	30084- 3450	3	4.5- 3.5	.935	.599	.336		-17*						3753.5934
1	24899.546	1	30084- 5184	11	4.5- 5.5	.	.			35*						4015.0026
1	23441.092	1S	30084- 6643	62	4.5- 4.5	.	.			2*						4264.8125
1	14397.989	2	30084-15686	74	4.5- 5.5	.	.		+0.199*	61*						6943.4991
1	14192.493	1	30084-15892	83	4.5- 4.5	.	.		-0.235*	72*						7044.0361
1	10815.060	5	30084-19269	-55	4.5- 4.5	.	.		0.060	-200*						9243.8291
1	14366.323	5L	30035-15668	-67	0.5- 1.5	.	.		-0.395*		-161	277				6958.8039
1	13270.267	3	30035-16764	27	0.5- 1.5	.	.		-0.310*		-101					7533.5691
1	14300.024	3	29968-15668	-6	0.5- 1.5	.	.		-0.247*							6991.0671
1	13626.785	2	29968-16342	85	0.5- 1.5	.	.									7336.4670
1	13203.879	2S	29968-16764	-1	0.5- 1.5	.	.									7571.4474
1	13513.489	4	29946-16432	4	7.5- 7.5	.	.		-1.099	-1124	-284	531	757	949	1099	7397.9757
1	13204.186	1	29946-16741	16	7.5- 6.5	.	.			-2						7571.2714
1	19829.230	4	29850-10020	80	8.5- 8.5	.	.		-0.953	-947	-235	454				5041.6543

TABLE II (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS	ZEEMAN	DATA	WIDTH		HFS	DIAGONAL		COMPONENTS		WAVELENGTH
						G2	G1	DG	OBS	CALC	2	3	4	5	6	
1	14530.554	2C	29850-15319	-16	8.5- 9.5	.	.		-0831	-873	-409	735	831			6880.1518
1	13417.490	4	29850-16432	25	8.5- 7.5	.	.		-1051	-1068	-268	489	711	894	1051	7450.9068
1	10212.126	4H	29850-19638	6	8.5- 7.5	.	.		-0742	-733	-196	368	519	641	742	9789.5958
1	29803.365	2R	29803- 0	15	6.5- 5.5	.	.			144*						3354.3617
1	26300.447	1	29803- 3502	-73	6.5- 6.5	.	.			164*						3801.1376
1	24618.359	1S	29803- 5184	4	6.5- 5.5	.	.			103*						4060.8623
1	22011.411	1S	29803- 7792	81	6.5- 6.5	.	.			238*						4541.8247
1	13431.635	2	29803-16371	-20	6.5- 6.5	.	.		+0315*	313*						7443.0324
1	27738.161	2S	29772- 2033	1	5.5- 4.5	.	.	.467		-17*						3604.1135
1	26269.233	1S	29772- 3502	-32	5.5- 6.5	.	.			46*						3805.6543
1	24587.121	0S	29772- 5184	21	5.5- 5.5	.	.			-15*						4066.0217
1	14662.549	2	29761-15099	-1	6.5- 5.5	.	.		-0600*	-675*	-176	323	453			6818.2150
1	13390.247	3	29761-16371	2	6.5- 6.5	.	.		-0902*	-905*	-316	569	694			7466.0660
1	13019.936	2	29761-16741	26	6.5- 6.5	.	.			24*						7678.4159
1	29673.289	2R	29673- 0	-146	6.5- 5.5	.	.			-24*						3369.0664
1	26170.604	1S	29673- 3502	-1	6.5- 6.5	1.06	.873	.191		-4*						3819.9970
1	14057.834	1	29673-15615	-81	6.5- 6.5	.	.			0*						7111.5108
1	27631.137	1S	29665- 2033	2	3.5- 4.5	.	.			8*						3618.0737
1	26214.096	1S	29665- 3450	-9	3.5- 3.5	.985	.590	.397		-42*						3813.6591
1	21793.286	0S	29665- 7871	76	3.5- 4.5	.	.			-48*						4587.2838
1	14731.564	1	29665-14933	44	3.5- 4.5	.	.			180*						6786.2725
1	13229.706	3B	29665-16435	-44	3.5- 3.5	.	.			-203*						7556.6664
1	11819.162	2	29665-17845	-73	3.5- 2.5	.	.			38*						8458.5126
1	14020.072	3	29642-15622	32	7.5- 7.5	.	.		-0229*	261						7130.6653
1	12900.722	3	29642-16741	82	7.5- 6.5	.	.		+0482	403	133	272	401	482		7749.3716
1	11916.312	6	29642-17726	12	7.5- 8.5	.	.		+0609	600	149	279	403	511	609	8389.5526
1	10820.097	3	29642-18822	12	7.5- 7.5	.	.		+0700*	709	185	351	502			9239.5259
1	9179.980	3	29642-20462	-10	7.5- 8.5	.	.		0110	-173						10890.2870
1	29579.011	2R	29579- 0	11	4.5- 5.5	.	.	.402		51*						3379.8051
1	27545.041	2	29579- 2033	-24	4.5- 4.5	.	.			8*						3629.3828
1	26128.033	2	29579- 3450	-2	4.5- 3.5	.	.			-42*						3826.2212
1	22687.012	0	29579- 6892	92	4.5- 3.5	.	.			-113*						4406.5706
1	13818.095	1S	29486-15668	35	1.5- 1.5	.	.									7234.8938
1	13393.671	3	29486-16093	91	1.5- 1.5	.	.		+0502*	350*	143	279	391			7464.1573
1	13144.746	2S	29486-16342	16	1.5- 1.5	.	.									7605.5086
1	12721.884	2S	29486-16764	-26	1.5- 1.5	.	.									7858.3090
1	12053.764	3	29486-17433	4	1.5- 1.5	.	.		0084*	150*						8293.8841
1	25975.588	3	29478- 3502	-2	7.5- 6.5	.	.		-0998	-987	-262	480	666	841	998	3848.6769
1	13855.841	2	29478-15622	1	7.5- 7.5	.	.			-51						7215.1844
1	12736.476	2	29478-16741	36	7.5- 6.5	.	.			91						7849.3058
1	12611.581	3	29478-16866	21	7.5- 7.5	.	.		-0915	-924	-233	443	601	771	915	7927.0394
1	8987.420	4	29478-20491	30	7.5- 7.5	.	.		+0605	602	142	274	407	502	605	11123.6175
1	19391.590	4	29412-10020	-20	9.5- 8.5	.	.		-1136	-1147*	-276	538				5155.4386
1	14093.135	5H	29412-15319	105	9.5- 9.5	.	.		-0914	-1073*	-270	517	732	914		7093.6976
1	12993.710	3	29412-16418	30	9.5- 9.5	.	.		+0226*	271*						7693.9138

TABLE II (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS CALC	HFS 2	DIAGONAL 3	COMPONENTS 4	5	6	WAVELENGTH
1	11686.360	2S	29412-17726	90	9.5- 8.5	.	.		51*						8554.6342
1	29361.832	3R	29361- 0	2	5.5- 5.5	.	.		-224*						3404.8051
1	27327.808	2W	29361- 2033	-87	5.5- 4.5	.	.		-267*						3658.2341
1	22718.397	0	29361- 6643	67	5.5- 4.5	.	.		-298*						4400.4829
1	21569.750	4	29361- 7792	-60	5.5- 6.5	.	.		-130*						4634.8244
1	14475.956	2S	29361-14885	-69	5.5- 5.5	.	.		61*						6906.1014
1	9990.266	4	29361-19371	36	5.5- 6.5	.	.		-200*						10007.0001
1	24742.836	1S	29358- 4615	126	2.5- 2.5	.	.		137*						4040.4323
1	22343.266	0	29358- 7015	26	2.5- 2.5	.	.		3*						4474.3658
1	15624.030	6	29358-13734	-100	2.5- 3.5	.	.		28*						6398.6286
1	15291.121	0S	29358-14067	21	2.5- 2.5	.	.		132*						6537.9367
1	14134.083	1	29358-15224	13	2.5- 2.5	.	.		0*						7073.1462
1	13265.216	2	29358-16093	-4	2.5- 1.5	.	.		0*						7536.4376
1	13168.225	2	29358-16190	-15	2.5- 2.5	.	.		-0.123*	-135*					7591.9478
1	11925.409	4	29358-17433	9	2.5- 1.5	.	.		-0.102*	-200*					8383.1529
1	16407.794	3	29355-12947	-61	8.5- 8.5	.	.		-0.541	-564	-149	276	386	474	6092.9778
1	16305.960	5	29355-13049	5	8.5- 7.5	.	.		-0.663	-693	-188	350	481	591	6131.0300
1	29336.191	2	29336- 0	-9	5.5- 5.5	.	.		-304*						3407.7811
1	27302.289	2	29336- 2033	24	5.5- 4.5	.	.		-347*						3661.6535
1	24151.239	0S	29336- 5184	34	5.5- 5.5	.	.		-345*						4139.4068
1	16352.980	5H	29283-12930	60	10.5- 9.5	.	.		-2100*	-2147					6113.4012
1	13963.410	4	29283-15319	-80	10.5- 9.5	.	.		-2131	-2142	-495	961	1389	1764	7159.6009
1	13231.229	5C	29283-16051	-1	10.5-10.5	.	.		-2043	-2041	-471	909	1318	1700	7555.7966
1	12864.130	4	29283-16418	-10	10.5- 9.5	.	.		-0750	-798	-176	333	485	636	7771.4148
1	10266.187	5	29283-19016	-3	10.5-10.5	.	.		-0515	-515	-126	238	342	434	9738.0443
1	9308.289	5	29283-19974	9	10.5- 9.5	.	.		-0780	-785	-186	359	515	653	10740.1708
1	7042.520	3	29283-22240	45	10.5-10.5	.	.		-0450*	-472					14195.5821
1	29229.611	2R	29229- 0	1	4.5- 5.5	1.009	.669	.340	+0000*	51*					3420.2073
1	27195.655	2S	29229- 2033	-20	4.5- 4.5	.99	.60	.388		8*					3676.0112
1	13337.447	3	29229-15892	-43	4.5- 4.5	.	.			47*					7495.6227
1	13182.725	3	29229-16046	-35	4.5- 5.5	.	.			-3*					7583.5972
1	29043.029	1	29043- 0	-1	5.5- 5.5	.	.			1*					3442.1805
1	27008.998	0S	29043- 2033	-97	5.5- 4.5	.	.			-42*					3701.4165
1	25540.109	1S	29043- 3502	-91	5.5- 6.5	.	.			21*					3914.3014
1	13943.616	3	29043-15099	-74	5.5- 5.5	.	.		+0518*	400*	124	251			7169.7646
1	12671.321	2	29043-16371	-64	5.5- 6.5	.	.			170*					7889.6666
1	22083.696	1	28975- 6892	-14	3.5- 3.5	.	.			-88*					4526.9581
1	21103.937	0S	28975- 7871	7	3.5- 4.5	.	.			-23*					4737.1273
1	14346.420	3	28975-14629	5	3.5- 2.5	.	.			245*					6968.4580
1	13625.536	2	28975-15350	66	3.5- 3.5	.	.		+0167*	162*					7337.1395
1	28888.416	4R	28888- 0	1	4.5- 5.5	1.045	.660	.385	+0000*	76*					3460.6039
1	21996.383	1S	28888- 6892	48	4.5- 3.5	.	.			-88*					4544.9278
1	15016.043	2S	28888-13872	-2	4.5- 3.5	.	.			-58*					6657.7057
1	25364.400	4S	28867- 3502	-20	7.5- 6.5	.	.			35					3941.4179
1	21963.911	1S	28867- 6903	111	7.5- 7.5	.	.			59					4551.6472

TABLE II (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS	CALC	HFS 2	DIAGONAL 3	4	COMPONENTS 5	6	WAVELENGTH
1	21075.338	0S	28867- 7792	108	7.5- 6.5	.	.	.	.	109						4743.5556
1	19916.706	1S	28867- 8950	61	7.5- 6.5	.	.	.	.	256						5019.5106
1	17587.590	4	28867-11279	10	7.5- 7.5	.	.	.	+0889	868	215	415	589	747	889	5684.2501
1	12434.594	3S	28867-16432	9	7.5- 7.5	.	.	.	.	-9						8039.8690
1	10044.714	4	28867-18822	-1	7.5- 7.5	.	.	.	+1414	1419	349	667	950	1207	1414	9952.7564
1	28831.252	4R	28831- 0	2	6.5- 5.5	.990	.662	.328	+0000*	-24*						3467.4654
1	25328.413	0S	28831- 3502	-7	6.5- 6.5	.	.	.	.	-4*						3947.0181
1	21927.897	0S	28831- 6903	97	6.5- 7.5	.	.	.	.	20*						4559.1229
1	14800.424	2	28831-14030	14	6.5- 5.5	.	.	.	.	-81*						6754.6987
1	13731.982	2	28831-15099	72	6.5- 5.5	.	.	.	-0213*	375*						7280.2639
1	18692.280	2	28713-10020	210	9.5- 8.5	.	.	.	-1929*	-1910	-482*	880*	1279*	1615*	1929*	5348.3146
1	15765.070	6H	28713-12947	5	9.5- 8.5	.	.	.	-1821	-1836	-451	860	1223	1583	1821	6341.3837
1	14918.114	2	28713-13794	39	9.5- 8.5	.	.	.	-0713	-735	-193	342	498	612	713	6701.4101
1	12294.103	5	28713-16418	-37	9.5- 9.5	1.10	1.10	.	-0411*	-492	-123	230				8131.7452
1	9696.205	3	28713-19016	15	9.5-10.5	.	.	.	0180	-209						10310.4877
1	8738.270	5Q	28713-19974	-10	9.5- 9.5	.	.	.	-0455	-479	-135	245	335		455	11440.7806
1	28711.463	6R	28711- 0	-2	6.5- 5.5	.955	.660	.295	-0555	-579	-126	250	369	476	555	3481.9327
1	21599.093	4	28711- 7112	58	6.5- 5.5	.	.	.	-2288	-2279	-604	1137	1566	1961	2288	4628.5277
1	17233.229	1	28711-11478	-16	6.5- 5.5	.	.	.	.	-370						5801.1345
1	14706.253	3	28711-14005	-7	6.5- 6.5	.	.	.	-0586*	-639	-177	347				6797.9525
1	13825.693	2	28711-14885	33	6.5- 5.5	.	.	.	-0247*	-294						7230.9178
1	9888.921	4	28711-18822	-9	6.5- 7.5	.	.	.	+0832	825	187	363	534	681	832	10109.5555
1	9811.883	3S	28711-18899	18	6.5- 6.5	.	.	.	.	8						10188.9310
1	21769.592	1	28673- 6903	42	7.5- 7.5	.	.	.	-180*							4592.2766
1	14891.550	1	28673-13781	0	7.5- 7.5	.	.	.	-113*							6713.3643
1	9301.413	3	28673-19371	13	7.5- 6.5	.	.	.	-200*							10748.1104
1	9034.999	5	28673-19638	9	7.5- 7.5	.	.	.	.	87*						11065.0396
1	28621.946	4R	28621- 0	1	5.5- 5.5	.995	.662	.333	+0000*	51*						3492.8230
1	26587.992	1S	28621- 2033	-18	5.5- 4.5	.	.	.	.	8*						3760.0278
1	14915.481	3	28621-13706	21	5.5- 6.5	.	.	.	+0556*	487*	108	233	352			6702.5931
1	28551.045	6W	28551- 0	-100	5.5- 5.5	.93	.66	.265	.	-414						3501.4970
1	23366.168	1	28551- 5184	18	5.5- 5.5	.	.	.	.	-446						4278.4879
1	21438.713	5	28551- 7112	-2	5.5- 5.5	.	.	.	-2109	-2105	-583	1078	1493	1836	2109	4663.1536
1	14545.915	3C	28551-14005	5	5.5- 6.5	.	.	.	.	-474						6872.8861
1	26498.029	1S	28531- 2033	14	4.5- 4.5	.	.	.	.	-28*						3772.7938
1	25080.985	2S	28531- 3450	0	4.5- 3.5	.	.	.	.	-78*						3985.9569
1	23347.027	1S	28531- 5184	72	4.5- 5.5	.	.	.	.	-26*						4281.9957
1	21888.527	0S	28531- 6643	77	4.5- 4.5	.	.	.	.	-59*						4567.3233
1	21639.964	0S	28531- 6892	94	4.5- 3.5	.	.	.	.	-149*						4619.7858
1	14983.757	4	28531-13548	-83	4.5- 4.5	.	.	.	.	-16*						6672.0513
1	14659.623	2S	28531-13872	43	4.5- 3.5	.	.	.	.	-119*						6819.5759
1	13598.415	2	28531-14933	15	4.5- 4.5	.	.	.	-0369*	144*						7351.7729
1	13432.661	3	28531-15099	51	4.5- 5.5	.	.	.	+0496	414*	123	227	308	416	496	7442.4916
1	28526.642	3P	28526- 0	2	5.5- 5.5	1.11	.67	.442	.	-24*						3504.4924
1	23341.552	1W	28526- 5184	-93	6.5- 5.5	.	.	.	.	-65*						4283.0001
1	21623.182	0	28526- 6903	-8	6.5- 7.5	.	.	.	.	20*						4623.3713
1	13560.902	2	28526-14965	-8	6.5- 5.5	.	.	.	.	-150*						7372.1100

TABLE II (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS CALC	HFS 2	DIAGONAL 3	COMPONENTS 4	5	6	WAVELENGTH
1	15009.704	2	28497-13488	39	7.5- 6.5	.	.	.	-202						6660.5174
1	14791.563	1	28497-13706	68	7.5- 6.5	.	.	.	-0342*	-342					6758.7452
1	14716.543	3	28497-13781	13	7.5- 7.5	.	.	.	-0639*	-667	-147	294			6793.1992
1	12875.424	4	28497-15622	24	7.5- 7.5	.	.	.	+0173*	178					7764.5978
1	12097.823	4	28497-16400	23	7.5- 6.5	.	.	.	-0590	-618	-162	293	418	511	8263.6785
1	10771.670	2	28497-17726	10	7.5- 8.5	.	.	.	+0522	517					9281.0648
1	8859.980	5	28497-19638	10	7.5- 7.5	.	.	.	-0485	-467	-140*	250*	339	423	11283.6176
1	28454.812	4W	28454- 0	27	4.5- 5.5	.	.	.	-307*						3513.3393
1	26420.844	1W	28454- 2033	-6	4.5- 4.5	.	.	.	-350*						3783.8158
1	23269.854	3W	28454- 5184	64	4.5- 5.5	.	.	.	-348*						4296.1969
1	14720.477	3	28454-13734	-18	4.5- 3.5	.	.	.	-0541*	-555*	-150	283	392		6791.3838
1	13355.427	3S	28454-15099	-18	4.5- 5.5	.	.	.	-0100*	92*					7485.5315
1	24954.824	3	28405- 3450	14	3.5- 3.5	.	.	.	-0428	-67*	-147				4006.1087
1	14857.664	1	28405-13548	-1	3.5- 4.5	.	.	.	-5*						6728.6757
1	13776.421	3	28405-14629	21	3.5- 2.5	.	.	.	195*						7256.7796
1	24897.512	3S	28400- 3502	2	7.5- 6.5	.	.	.	-148*						4015.3306
1	21496.956	4S	28400- 6903	66	7.5- 7.5	.	.	.	-124*						4650.5193
1	20608.351	0S	28400- 7792	31	7.5- 6.5	.	.	.	-74*						4851.0466
1	19449.703	1S	28400- 8950	-32	7.5- 6.5	.	.	.	73*						5140.0346
1	18445.281	0	28400- 9955	41	7.5- 6.5	.	.	.	-182*						5419.9342
1	17897.503	1S	28400-10502	-7	7.5- 7.5	.	.	.	-25*						5585.8206
1	14912.030	3	28400-13488	5	7.5- 6.5	.	.	.	0384*	408*					6704.1442
1	14693.853	3	28400-13706	-2	7.5- 6.5	.	.	.	0240*	268*					6803.6893
1	14618.893	3S	28400-13781	3	7.5- 7.5	.	.	.	-57*						6838.5762
1	14605.354	3	28400-13794	-11	7.5- 8.5	.	.	.	+1086	1104*	266	506	728	928	6844.9155
1	14395.155	3S	28400-14005	20	7.5- 6.5	.	.	.	-228*						6944.8661
1	12777.750	3	28400-15622	-10	7.5- 7.5	.	.	.	+0776	788*	195	381	538	677	7823.9513
1	11967.657	3	28400-16432	-18	7.5- 7.5	.	.	.	-0164*	-192*					8353.5587
1	14837.526	3	28385-13548	6	3.5- 4.5	.	.	.	-0692	-708*	-163	308	454	582	6737.8081
1	14318.224	2	28385-14067	-86	3.5- 2.5	.	.	.	-0686*	-821*	-200	349	513		6982.1807
1	13756.245	2	28385-14629	-10	3.5- 2.5	.	.	.	-0378*	-508*					7267.4231
1	13035.320	2	28385-15350	10	3.5- 3.5	.	.	.	-591*						7669.3539
1	8056.091	6	28385-20329	96	3.5- 2.5	.	.	.	-70*						12409.5728
1	28355.827	4	28355- 0	2	5.5- 5.5	1.06	.64	.423	-24*						3525.6041
1	24853.003	2W	28355- 3502	8	5.5- 6.5	.	.	.	-4*						4022.5217
1	14324.885	1	28355-14030	-100	5.5- 5.5	.	.	.	-81*						6978.9340
1	13470.052	3	28355-14885	32	5.5- 5.5	.	.	.	261*						7421.8321
1	23709.656	0S	28325- 4615	6	3.5- 2.5	1.03	.66	.37	87*						4216.5032
1	21681.930	0S	28325- 6643	70	3.5- 4.5	.	.	.	152*						4610.8439
1	14591.105	2S	28325-13734	35	3.5- 3.5	.	.	.	-22*						6851.6000
1	12433.252	2	28325-15892	12	3.5- 4.5	.	.	.	+0203*	222*					8040.7368
1	26239.702	2S	28273- 2033	-23	5.5- 4.5	.	.	.	-17*						3809.9374
1	24770.840	3S	28273- 3502	10	5.5- 6.5	.	.	.	46*						4035.8644
1	23088.709	2S	28273- 5184	44	5.5- 5.5	.	.	.	-15*						4329.9038
1	14725.551	3S	28273-13548	1	5.5- 4.5	.	.	.	-5*						6789.0436
1	12226.811	3	28273-16046	1	5.5- 5.5	.	.	.	-28*						8176.4996
1	28222.809	4S	28222- 0	9	4.5- 5.5	1.03	.68	.358	51*						3542.2212

TABLE II (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS CALC	HFS 2	DIAGONAL 3	COMPONENTS 4	5	6	WAVELENGTH
1	26188.856	1S	28222- 2033	-9	4.5- 4.5	.	.	.	8*						3817.3346
1	24771.830	1S	28222- 3450	-5	4.5- 3.5	.	.	.	-42*						4035.7031
1	14674.696	2S	28222-13548	6	4.5- 4.5	.	.	.	20*						6812.5712
1	13337.038	4	28222-14885	43	4.5- 5.5	.	.	.	+0285*	336*					7495.8525
1	13289.208	2	28222-14933	-42	4.5- 4.5	.	.	.	-0212*	180*					7522.8315
1	12330.692	3	28222-15892	12	4.5- 4.5	.	.	.	47*						8107.6156
1	12175.928	3	28222-16046	-22	4.5- 5.5	.	.	.	0 197*	-3*					8210.6692
1	16661.490	2	28221-11560	-70	5.5- 5.5	.	.	.	-1328*	-1329	-305	567	817	1026	6000.2023
1	14216.492	3	28221-14005	7	6.5- 6.5	.	.	.	-1218	-1230	-309	585	850	1015	7032.1449
1	11479.721	3	28221-16741	11	6.5- 6.5	.	.	.	-72						8708.6213
1	11354.836	3	28221-16866	6	6.5- 7.5	.	.	.	-1088	-1087	-254	492	711	908	8804.4026
1	24663.689	2	28166- 3502	9	7.5- 6.5	.	.	.	-342						4053.3985
1	14678.205	4	28166-13488	10	7.5- 6.5	.	.	.	214						6810.9425
1	14460.045	2	28166-13706	20	7.5- 6.5	.	.	.	74						6913.7005
1	14385.082	1	28166-13781	22	7.5- 7.5	.	.	.	-251						6949.7292
1	14371.443	2	28166-13794	-92	7.5- 8.5	.	.	.	+1004*	910	264	476	666	857	6956.3248
1	9343.975	4	28166-18822	0	7.5- 7.5	.	.	.	+1035	1042	253	486	695	883*	10699.1524
1	28150.020	4S	28150- 0	0	5.5- 5.5	1.142	.660	.482	51*						3551.3808
1	26116.087	2S	28150- 2033	2	5.5- 4.5	1.150	.615	.535	8*						3827.9714
1	16195.688	4	28150-11954	18	5.5- 4.5	.	.	.	-103*						6172.7748
1	13264.247	3	28150-14885	32	5.5- 5.5	.	.	.	+0542	336*	137	276	401		7536.9882
1	8778.390	3	28150-19371	-30	5.5- 6.5	.	.	.	0060	75*					11388.4925
1	14582.253	2S	28130-13548	-2	3.5- 4.5	.	.	.	-5*						6855.7592
1	14258.000	3	28130-13872	5	3.5- 3.5	.	.	.	-108*						7011.6727
1	13500.998	2	28130-14629	8	3.5- 2.5	.	.	.	-0 209	195*					7404.8202
1	11694.963	2	28130-16435	-82	3.5- 3.5	.	.	.	-228*						8548.3413
1	14316.907	4	28111-13794	32	8.5- 8.5	.	.	.	+0486	484	106	193			6982.8230
1	12489.281	2	28111-15622	11	8.5- 7.5	.	.	.	+0136*	168					8004.6645
1	11692.929	4	28111-16418	-11	3.5- 9.5	.	.	.	+0734	727	171	326	463	609	8549.8283
1	28060.398	1S	28060- 0	68	4.5- 5.5	.	.	.	51*						3562.7238
1	26026.463	2P	28060- 2033	68	4.5- 4.5	.	.	.	8*						3841.1536
1	24609.383	0S	28060- 3450	18	4.5- 3.5	.	.	.	-42*						4062.3434
1	14188.045	1	28060-13872	85	4.5- 3.5	.	.	.	-83*						7046.2444
1	12961.011	3	28060-15099	21	4.5- 5.5	.	.	.	458*						7713.3247
1	28019.790	5	28019- 0	0	5.5- 5.5	1.061	.657	.404	+0309	330	100	181			3567.8873
1	25985.805	2P	28019- 2033	-50	5.5- 4.5	.	.	.	287						3847.1637
1	15031.799	2	28019-12988	49	5.5- 5.5	.	.	.	246						6650.7272
1	14531.512	2	28019-13488	37	5.5- 6.5	.	.	.	+0916	906	227	432	619	758	6879.6982
1	13365.091	2	28019-14654	26	5.5- 4.5	.	.	.	204*						7480.1188
1	27992.086	4	27992- 0	1	5.5- 5.5	.	.	.	-0689	-713	-172	335	480	603	3571.4186
1	25958.153	2	27992- 2033	3	5.5- 4.5	.	.	.	-0754	-756	-228	393	558	661	3851.2620
1	15004.067	2	27992-12988	22	5.5- 5.5	.	.	.	-0759*	-797	-230	417	573		6663.0198
1	14285.659	2	27992-13706	59	5.5- 6.5	.	.	.	0217*	-277					6998.0971
1	9092.486	3	27992-18899	1	5.5- 6.5	.	.	.	0080	-126					10995.0810
1	24489.134	3	27991- 3502	-6	7.5- 6.5	.	.	.	-1255	-1278	-306	547	840	1044	4082.2912
1	19041.390	4	27991- 8950	25	7.5- 6.5	.	.	.	-1033	-1057	-263	490	693	869	5250.2560

TABLE II (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS CALC	HFS 2	DIAGONAL 3	COMPONENTS 4	5	6	WAVELENGTH
1	17489.140	4	27991-10502	0	7.5- 7.5	.	.		-1150 -1155	-302	574	791	996	1150	5716.2482
1	14503.727	2	27991-13488	72	7.5- 6.5	.	.		-0704 -722	-174	333	483	605	704	6892.8779
1	14197.043	3S	27991-13794	48	7.5- 8.5	.	.		-26						7041.7785
1	10265.699	4S	27991-17726	49	7.5- 8.5	.	.		-3						9738.5073
1	9169.460	4	27991-18822	25	7.5- 7.5	.	.		0160* 106						10902.7814
1	7500.960	4	27991-20491	20	7.5- 7.5	.	.		+0290* 311						13327.9821
<hr/>															
1	27929.829	2	27929- 0	-1	4.5- 5.5	.	.		76*						3579.3796
1	24478.844	3S	27929- 3450	-21	4.5- 3.5	.85	.58	.268	-17*						4084.0073
1	20058.012	1S	27929- 7871	42	4.5- 4.5	.	.		-23*						4984.1484
1	13898.994	2	27929-14030	4	4.5- 5.5	.	.		19*						7192.7829
1	12996.224	2	27929-14933	-56	4.5- 4.5	.	.		-0206* 205*						7692.4255
<hr/>															
1	24382.393	3	27885- 3502	-27	7.5- 6.5	.	.		-1235 -1244	-306	577	824	1047	1235	4100.1630
1	18934.660	4	27885- 8950	15	7.5- 6.5	.	.		-1010 -1023	-260	494	685	857	1010	5279.8508
1	14178.807	3	27885-13706	42	7.5- 6.5	.	.		-0794 -828	-214	397	568	699	794	7050.8353
1	14090.312	1S	27885-13794	37	7.5- 8.5	.	.		8						7095.1188
1	10158.962	4S	27885-17726	32	7.5- 8.5	.	.		31						9840.8270
1	9062.692	4	27885-18822	-23	7.5- 7.5	.	.		140						11031.2279
<hr/>															
1	27882.464	3W	27882- 0	-36	5.5- 5.5	.	.		-556						3585.4602
1	22697.542	3	27882- 5184	37	5.5- 5.5	.	.		-0577 -597	-161	303	452	537	577	4404.5262
1	14894.465	4	27882-12988	5	5.5- 5.5	.	.		-0610 -640	-131	285	416	526	610	6712.0504
1	14394.187	3S	27882-13488	21	5.5- 6.5	.	.		20						6945.3331
1	14176.029	2	27882-13706	14	5.5- 6.5	.	.		-120						7052.2171
1	8982.885	4	27882-18899	-15	5.5- 6.5	.	.		0040 31						11129.2333
<hr/>															
1	17846.760	6	27867-10020	0	8.5- 8.5	1.13	1.13		-0538 -527*	-129					5601.7028
1	14937.643	3	27867-12930	33	8.5- 9.5	.	.		-0469* -458*	-114					6692.6488
1	14919.771	3	27867-12947	16	8.5- 8.5	.	.		-0420* -453*	-124					6700.6658
1	14072.793	4	27867-13794	28	8.5- 8.5	.	.		+0541 648*	136	286	427	541		7103.9515
1	11448.800	4	27867-16418	-30	8.5- 9.5	.	.		+0924 891*	203	394	585	765	924	8732.1417
<hr/>															
1	27824.915	5W	27824- 0	25	5.5- 5.5	.	.		-487						3592.8761
1	25790.951	3	27824- 2033	-4	5.5- 4.5	.95	.61	.341	-0402 -530	-131					3876.2302
1	21181.334	0	27824- 6643	-56	5.5- 4.5	.	.		-561						4719.8175
1	19953.070	3	27824- 7871	40	5.5- 4.5	.	.		-0579 -586	-147					5010.3625
1	14336.601	1	27824-13488	26	5.5- 6.5	.	.		89						6973.2307
1	10406.476	2	27824-17418	61	5.5- 5.5	.	.		-60						9606.7660
<hr/>															
1	14929.529	1	27776-12846	9	4.5- 4.5	.	.		-42*						6696.2862
1	14228.093	1	27776-13548	31	4.5- 4.5	.	.		-5*						7026.4111
1	13903.828	1S	27776-13872	-2	4.5- 3.5	.	.		-108*						7190.2821
1	11340.800	4	27776-16435	-80	4.5- 3.5	.	.		-228*						8815.2994
<hr/>															
1	27743.720	4S	27743- 0	0	4.5- 5.5	.874	.641	.233	13*						3603.3913
1	25709.784	2S	27743- 2033	-1	4.5- 4.5	.	.		-30*						3888.4679
1	24292.760	2S	27743- 3450	5	4.5- 3.5	.907	.594	.313	-80*						4115.2916
1	22558.757	1S	27743- 5184	32	4.5- 5.5	.	.		-28*						4431.6240
1	20851.713	0	27743- 6892	73	4.5- 3.5	.	.		-151*						4794.4288
1	14896.952	2	27743-12846	-88	4.5- 4.5	.	.		-55*						6710.9299
1	14718.869	1	27743-13024	19	4.5- 3.5	.	.		-0468* -543*						6792.1257
1	14195.596	1S	27743-13548	-14	4.5- 4.5	.	.		-18*						7042.4963
1	14009.503	1	27743-13734	73	4.5- 3.5	.	.		-235*						7136.0448
1	13871.354	3S	27743-13872	4	4.5- 3.5	.	.		-121*						7207.1153

TABLE II (Contd.)

C	WAVENUMBER	T	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS	CALC	HFS 2	DIAGONAL 3	COMPONENTS 4	5	6	WAVELENGTH
1	12810.233	3	27743-14933	63	4.5- 4.5	.	.			142*						7804.1119
1	12057.084	5S	27743-15686	-21	4.5- 5.5	.	.		+0000	-2*						8291.6003
1	11851.584	3S	27743-15892	-16	4.5- 4.5	.	.		+0000	9*						8435.3728
1	14873.871	2	27720-12846	-29	4.5- 4.5	.	.			83*						6721.3438
1	14695.749	2	27720-13024	39	4.5- 3.5	.	.		-0735*	-405*	*		480	623	735*	6802.8115
1	13848.235	1S	27720-13872	25	4.5- 3.5	.	.			17*						7219.1473
1	12834.776	3	27720-14885	1	4.5- 5.5	.	.		+0417*	436*	098	176	298	382	417*	7789.1886
1	11828.461	3S	27720-15892	1	4.5- 4.5	.	.			147*						8451.8629
1	13931.752	3	27666-13734	2	3.5- 3.5	.	.		-0268*	-422*						7175.8702
1	13036.660	3	27666-14629	-5	3.5- 2.5	.	.			-5*						7668.5656
1	12315.736	4	27666-15350	16	3.5- 3.5	.	.		0173	-88*						8117.4614
1	27609.369	4W	27609- 0	-1	5.5- 5.5	1.051	.657	.394		239*						3620.9264
1	25575.373	2P	27609- 2033	-62	5.5- 4.5	1.05	.60	.445		196*						3908.9042
1	14762.665	1	27609-12846	-25	5.5- 4.5	.	.			171*						6771.9756
1	14621.391	2	27609-12988	61	5.5- 5.5	.	.		+0196*	155*						6837.4078
1	13902.906	3	27609-13706	21	5.5- 6.5	.	.		+0712	675*	163	319	448	577	712	7190.7590
1	25549.500	2P	27583- 2033	-10	4.5- 4.5	.	.			233*						3912.8627
1	24132.482	3P	27583- 3450	2	4.5- 3.5	.85	.58	.269		183*						4142.6243
1	14035.380	2	27583-13548	45	4.5- 4.5	.	.		-0274*	245*						7122.8880
1	13849.194	3	27583-13734	39	4.5- 3.5	.	.			28*						7218.6474
1	12928.749	3	27583-14654	29	4.5- 4.5	.	.			150*						7732.5724
1	12649.944	4	27583-14933	49	4.5- 4.5	.	.		+0473*	405*	116	232				7902.9993
1	11896.881	4	27583-15686	51	4.5- 5.5	.	.		+0255	261*						8403.2552
1	27569.893	4	27569- 0	-2	5.5- 5.5	.912	.660	.252	+0347	356	124					3626.1112
1	25535.898	2P	27569- 2033	-62	5.5- 4.5	.	.			313						3914.9469
1	24067.030	1W	27569- 3502	-35	5.5- 6.5	.	.			376						4153.8907
1	22384.932	0	27569- 5184	32	5.5- 5.5	.	.			315						4466.0374
1	14723.173	1	27569-12846	-42	5.5- 4.5	.	.			288						6790.1402
1	14081.603	2	27569-13488	23	5.5- 6.5	.	.		+0927	932	238	442	637	776	927	7099.5069
1	14021.814	1	27569-13548	29	5.5- 4.5	.	.		+0302*	325						7129.7794
1	12604.117	2	27569-14965	-48	5.5- 5.5	.	.			230*						7931.7338
1	12470.561	3	27569-15099	6	5.5- 5.5	.	.		+0771	755	198	372	535	648	771	8016.6807
1	24049.409	2	27552- 3502	19	7.5- 6.5	.	.		-0697	-761	-167	314				4156.9343
1	14604.309	3	27552-12947	74	7.5- 8.5	.	.		-0425*	-610						6845.4053
1	14502.380	3	27552-13049	45	7.5- 7.5	.	.		-0733	-739	-202	378	501	629	733	6893.5181
1	13845.746	2	27552-13706	11	7.5- 6.5	.	.		-0370*	-345						7220.4451
1	13757.279	3	27552-13794	34	7.5- 8.5	.	.		+0480	491	100	205	315	405	480	7266.8768
1	12492.535	3	27552-15059	20	7.5- 8.5	.	.		-0816	-816	-260	457	601	723	816	8002.5795
1	8729.692	3	27552-18822	7	7.5- 7.5	.	.		+0613	623	146	276	399	513	613	11452.0226
1	24040.511	2S	27543- 3502	11	5.5- 6.5	.	.			96*						4158.4729
1	20899.843	0	27543- 6643	13	5.5- 4.5	.	.			2*						4783.3876
1	13836.865	3	27543-13706	20	5.5- 6.5	.	.		+0478*	512*	108	214				7225.0794
1	12609.841	2	27543-14933	61	5.5- 4.5	.	.		+0312*	205*						7928.1333
1	8171.805	2	27543-19371	75	5.5- 6.5	.	.			100*						12233.8510
1	20628.070	5	27531- 6903	85	8.5- 7.5	.	.		-1044	-1036	-233	459	673	868	1044	4846.4092
1	14601.347	5	27531-12930	42	8.5- 9.5	.	.		-0920	-914	-206	407	597	768	920	6846.7939
1	14481.606	3	27531-13049	56	8.5- 7.5	.	.		-1058	-1038	-284	526	716	901	1058	6903.4070

TABLE II (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS CALC	HFS 2	DIAGONAL 3	COMPONENTS 4	5	6	WAVELENGTH
1	12471.728	2	27531-15059	-2	8.5- 8.5	.	.	.	-1080 -1115	-317	570	815	970	1080	8015.9306
1	12211.884	4	27531-15319	9	8.5- 9.5	.	.	.	-0909 -909	-217	421	602	767	909	8186.4940
1	11112.523	6	27531-16418	-2	8.5- 9.5	.	.	.	+0462 435	104	203	296	384	462	8996.3869
1	9805.100	5	27531-17726	-15	8.5- 8.5	.	.	.	+0200* 215						10195.9795
1	27440.511	2	27440- 0	1	5.5- 5.5	1.000	.656	.344	183						3643.2087
1	25406.542	4S	27440- 2033	-33	5.5- 4.5	1.009	.618	.391	140						3934.8801
1	14452.488	3	27440-12988	18	5.5- 5.5	.	.	.	99						6917.3156
1	13734.044	4	27440-13706	19	5.5- 6.5	.	.	.	+0634 619	160	303	421	534	634	7279.1709
1	13435.319	3	27440-14005	14	5.5- 6.5	.	.	.	123						7441.0192
1	12785.688	3	27440-14654	-97	5.5- 4.5	.	.	.	57*						7819.0937
1	27428.122	2S	27428- 0	7	4.5- 5.5	.	.	.	-174*						3644.8544
1	23977.171	2S	27428- 3450	21	4.5- 3.5	.	.	.	-267*						4169.4585
1	13693.886	2	27428-13734	61	4.5- 3.5	.	.	.	-0325* -422*						7300.5175
1	13555.730	1	27428-13872	-15	4.5- 3.5	.	.	.	-0248* -308*						7374.9227
1	13397.284	2	27428-14030	9	4.5- 5.5	.	.	.	+0127* -231*						7462.1444
1	12542.317	3	27428-14885	7	4.5- 5.5	.	.	.	+0119* 111*						7970.8161
1	12494.568	3	27428-14933	3	4.5- 4.5	.	.	.	-0359* -45*						8001.2774
1	23863.926	1S	27366- 3502	-4	7.5- 6.5	.	.	.	-104*						4189.2448
1	14418.781	1S	27366-12947	6	7.5- 8.5	.	.	.	47*						6933.4864
1	13585.313	2S	27366-13781	3	7.5- 7.5	.	.	.	-13*						7358.8632
1	9632.073	4	27358-17726	3	8.5- 8.5	.	.	.	+0743 731	155	309	455	602	743	10379.1369
1	7720.380	3	27358-19638	0	8.5- 7.5	.	.	.	-0220* -253						12949.1885
1	6895.757	4S	27358-20462	-3	8.5- 8.5	.	.	.	-42						14497.7084
1	6867.360	3	27358-20491	0	8.5- 7.5	.	.	.	+1034 1045	244	484	696	881	1034	14557.6575
1	20693.691	0S	27337- 6643	11	5.5- 4.5	.	.	.	-48*						4831.0408
1	13789.072	2	27337-13548	2	5.5- 4.5	.	.	.	-5*						7250.1217
1	13331.962	3	27337-14005	-13	5.5- 6.5	.	.	.	-34*						7498.7065
1	13306.360	2	27337-14030	20	5.5- 5.5	.	.	.	-31*						7513.1344
1	25288.194	2	27322- 2033	19	4.5- 4.5	.	.	.	-0506 -509	-169	311				3953.2957
1	15993.029	0	27322-11329	9	4.5- 4.5	.	.	.	-603						6250.9951
1	13587.847	2	27322-13734	27	4.5- 3.5	.	.	.	-0701* -714	-189	363				7357.4908
1	13449.749	4	27322-13872	9	4.5- 3.5	.	.	.	-0598 -600	-313	495	598			7433.0358
1	12388.561	3	27322-14933	1	4.5- 4.5	.	.	.	-0318* -337	-098					8069.7434
1	7948.198	4	27322-19373	-42	4.5- 3.5	.	.	.	+0492 389	138	249	345	422*	492	12578.0271
1	25276.586	2	27310- 2033	16	5.5- 4.5	.	.	.	-17*						3955.1112
1	23807.666	1P	27310- 3502	-9	5.5- 6.5	.	.	.	46*						4199.1446
1	22125.507	1W	27310- 5184	-3	5.5- 5.5	.	.	.	-15*						4518.4032
1	14463.857	2S	27310-12846	32	5.5- 4.5	.	.	.	-42*						6911.8784
1	11694.963	2	27310-15615	-22	5.5- 6.5	.	.	.	50*						8548.3413
1	11263.662	4S	27310-16046	7	5.5- 5.5	.	.	.	-28*						8875.6703
1	25182.548	0	27216- 2033	3	5.5- 4.5	.	.	.	-267*						3969.8809
1	14721.739	3	27216-12494	-21	5.5- 4.5	.	.	.	-0555 -500*	-211	352	470	555*		6790.8016
1	14228.476	2	27216-12988	36	5.5- 5.5	.	.	.	-308*						7026.2220
1	13509.999	2	27216-13706	4	5.5- 6.5	.	.	.	212*						7399.8868
1	13211.339	3	27216-14005	64	5.5- 6.5	.	.	.	-0179* -284*						7567.1721
1	12330.692	3	27216-14885	17	5.5- 5.5	.	.	.	61*						8107.6156
1	12282.920	4	27216-14933	-10	5.5- 4.5	.	.	.	-0290* -95*						8139.1487

TABLE II (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS ZEEMAN DATA			WIDTH		HFS	DIAGONAL COMPONENTS					WAVELENGTH
						G2	G1	DG	OBS	CALC		2	3	4	5	6	
1	14238.154	1	27168-12930	-16	8.5- 9.5	.	.			42*							7021.4461
1	14220.361	2S	27168-12947	46	8.5- 8.5	.	.			47*							7030.2316
1	14118.414	4S	27168-13049	-1	8.5- 7.5	.	.			-82*							7080.9962
1	13386.846	4S	27168-13781	-4	8.5- 7.5	.	.			-13*							7467.9628
1	7530.350	3	27168-19638	60	8.5- 7.5	.	.		0140	187*							13275.9646
1	27153.671	3S	27153- 0	1	6.5- 5.5	.981	.667	.314		-124*							3681.6951
1	23650.859	2S	27153- 3502	19	6.5- 6.5	.	.			-104*							4226.9858
1	13447.193	4	27153-13706	8	6.5- 6.5	.	.		+0250*	312*							7434.4486
1	10286.808	5	27153-16866	-2	6.5- 7.5	.	.			-41*							9718.5233
1	9599.535	4	27153-17554	-5	6.5- 7.5	.	.		0060	-55*							10414.3175
1	27149.739	3	27149- 0	-1	5.5- 5.5	1.141	.681	.460		51*							3682.2283
1	23646.937	2	27149- 3502	27	5.5- 6.5	.	.			71*							4227.6869
1	21964.804	1W	27149- 5184	59	5.5- 5.5	.	.			10*							4551.4622
1	13570.612	2	27118-13548	2	5.5- 4.5	.	.		-0211*	-225*							7366.8351
1	13087.880	3	27118-14030	0	5.5- 5.5	.	.			-251*							7638.5542
1	12185.174	2W	27118-14933	4	5.5- 4.5	.	.			-65*							8204.4390
1	12019.362	3	27118-15099	-18	5.5- 5.5	.	.		+0118*	205*							8317.6231
1	27108.244	4P	27108- 0	-1	5.5- 5.5	1.051	.633	.418									3687.8649
1	23605.447	1	27108- 3502	32	5.5- 6.5	.	.										4235.1178
1	12142.490	2	27108-14965	-25	5.5- 5.5	.	.		-0231*								8233.2799
1	25073.479	0	27107- 2033	4	4.5- 4.5	.	.			-75							3987.1502
1	23656.420	2P	27107- 3450	-25	4.5- 3.5	.	.			-125							4225.9921
1	15629.256	0	27107-11478	66	4.5- 5.5	.	.			177							6396.4890
1	13559.311	2	27107-13548	11	4.5- 4.5	.	.			-63							7372.9750
1	13235.044	3	27107-13872	4	4.5- 3.5	.	.			-166							7553.6186
1	9688.990	4	27107-17418	0	4.5- 5.5	.	.		+0411	395	092	181	261				10318.1655
1	14157.058	4C	27105-12947	23	8.5- 8.5	.	.		-1056	-1240*	-488	817	1056				7061.6674
1	9378.700	3	27105-17726	0	8.5- 8.5	.	.		0060	-116*							10659.5383
1	27063.764	3P	27063- 0	29	4.5- 5.5	.	.			136*							3693.9262
1	23612.771	2W	27063- 3450	1	4.5- 3.5	1.115	.590	.52		43*							4233.8041
1	21878.830	1	27063- 5184	90	4.5- 5.5	.	.			95*							4569.3477
1	13191.456	3	27063-13872	91	4.5- 3.5	.	.		+0187*	2*							7578.5779
1	23508.395	2	27011- 3502	-45	7.5- 6.5	.	.		-1518	-1541	-371	691	1011	1253	1518		4252.6024
1	16990.320	4	27011-10020	30	7.5- 8.5	.	.		-1440	-1464	-348	676	963	1224	1440		5884.0736
1	15628.550	5	27011-11382	90	7.5- 6.5	.	.		-1508	-1540	-411	749	1051	1300	1508		6396.7780
1	13961.297	4	27011-13049	-88	7.5- 7.5	.	.		-1467	-1519	-380*	734	1028	1280	1467		7160.6845
1	13304.815	4	27011-13706	30	7.5- 6.5	.	.		-1108	-1125	-278	524	744	922	1108		7514.0069
1	13216.323	4	27011-13794	28	7.5- 8.5	.	.		-0248*	-289							7564.3184
1	11388.708	3	27011-15622	18	7.5- 7.5	.	.		-0568	-605	-149	279	389	486	568		8778.2166
1	10269.310	3	27011-16741	20	7.5- 6.5	.	.		-0430	-463							9735.0829
1	10144.422	4	27011-16866	12	7.5- 7.5	.	.		-1419*	-1478	-358	687	989	1221	1419*		9854.9319
1	8188.740	4	27011-18822	5	7.5- 7.5	.	.		0110	-157							12208.5503
1	7373.267	4	27011-19638	7	7.5- 7.5	.	.		-1252	-1250	-317	603	851	1071	1252		13558.8015
1	19212.984	0	27005- 7792	-26	6.5- 6.5	.	.			-225							5203.3647
1	13955.089	3	27005-13049	-56	6.5- 7.5	.	.		-0212*	-277							7163.8700

TABLE II (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS CALC	HFS 2	DIAGONAL 3	COMPONENTS 4	5	6	WAVELENGTH
1	13516.710	5	27005-13488	-51	6.5- 6.5	.	.	.13	-0.204* 257						7396.2127
1	12999.841	3	27005-14005	161	6.5- 6.5	.	.		-0.342* -379						7690.2852
1	12974.186	2	27005-14030	-41	6.5- 5.5	.	.		-0.281* -376						7705.4919
1	11382.444	5	27005-15622	-61	6.5- 7.5	.	.		+0.651 637	163	308	436	550	651	8783.0475
1	10263.045	4	27005-16741	-51	6.5- 6.5	.	.		+0.775 779	203	380	534	669	775	9741.0256
1	10138.140	3	27005-16866	-301	6.5- 7.5	.	.		-0.190* -236						9861.0384
1	9001.480	4	27005-18003	-201	6.5- 7.5	.	.		0.130 -190						11106.2428
1	14139.652	2	26992-12852	-81	1.5- 2.5	.	.		-80*						7070.3604
1	13175.717	2	26992-13816	-31	1.5- 1.5	.	.		+0.414* 415*						7587.6309
1	8155.849	5S	26992-18836	1191	1.5- 2.5	.	.		123*						12257.7852
1	13990.175	2S	26920-12930	51	9.5- 9.5	.	.		-18*						7145.9036
1	13972.320	1S	26920-12947	51	9.5- 8.5	.	.		-13*						7155.0353
1	23450.361	2	26901- 3450	11	3.5- 3.5	.	.		33*						4263.1267
1	22285.669	2	26901- 4615	541	3.5- 2.5	.955	.649	.306	-13*						4485.9300
1	19029.432	0	26901- 7871	-331	3.5- 4.5	.	.		27*						5253.5553
1	14946.985	2S	26901-11954	101	3.5- 4.5	.	.		-28*						6688.4658
1	23381.813	2S	26884- 3502	81	5.5- 6.5	.	.		68						4275.6251
1	21699.672	2S	26884- 5184	321	5.5- 5.5	.	.		7						4607.0740
1	14930.285	3	26884-11954	01	5.5- 4.5	.	.		-106						6695.9471
1	13396.327	4	26884-13488	71	5.5- 6.5	.	.		+0.621 624	149	290	418	534	621	7462.6775
1	13336.520	2S	26884-13548	-51	5.5- 4.5	.	.		17						7496.1437
1	13178.232	2	26884-13706	821	5.5- 6.5	.	.		0.494* 484						7586.1828
1	19965.460	4	26869- 6903	-1301	8.5- 7.5	.	.		-1071 -1075	-248	480	699	894	1071	5007.2532
1	16848.040	4	26869-10020	-201	8.5- 8.5	.	.		-1029 -1022	-246	470	676	863	1029	5933.7645
1	13921.085	5	26869-12947	301	8.5- 8.5	.	.		-0.944 -948	-239	451	640	806	944	7181.3688
1	13819.183	5	26869-13049	281	8.5- 7.5	.	.		-1077 -1077	-279	535	737	919	1077	7234.3242
1	13087.625	3	26869-13781	351	8.5- 7.5	.	.		-0.984 -1008	-199	453	651	852	984	7638.7030
1	13074.099	5	26869-13794	341	8.5- 8.5	.	.	.10	+0.107* 153						7646.6058
1	11549.491	3	26869-15319	111	8.5- 9.5	.	.		-0.934 -948	-230	440	628	795	934	8656.0127
1	6894.248	4	26869-19974	-221	8.5- 9.5	.	.		+0.413 409	078	161	245	331	413	14500.8816
1	6406.419	3	26869-20462	91	8.5- 8.5	.	.		-0.594 -597	-149	284	404	509	594	15605.0805
1	13854.309	2S	26784-12930	91	8.5- 9.5	.	.		92*						7215.9823
1	13836.457	1	26784-12947	121	8.5- 8.5	.	.		-0.128* 97*						7225.2925
1	10351.754	5S	26784-16432	-111	8.5- 7.5	.	.		-98*						9657.5500
1	26652.882	4S	26652- 0	121	5.5- 5.5	.876	.658	.218	-101						3750.8733
1	24618.934	4S	26652- 2033	-11	5.5- 4.5	.883	.620	.263	-144						4060.7674
1	21467.930	1S	26652- 5184	551	5.5- 5.5	.	.		-142						4656.8072
1	19540.510	4	26652- 7112	701	5.5- 5.5	.	.		-1790 -1801	-483	892	1264	1545	1790	5116.1480
1	17702.240	4	26652- 8950	-251	5.5- 6.5	.	.		140						5647.4352
1	14698.502	2	26652-11954	-181	5.5- 4.5	.	.		-0.279* -255						6801.5373
1	13806.194	3S	26652-12846	41	5.5- 4.5	.85	.85		-169						7241.1303
1	13664.909	2	26652-12988	791	5.5- 5.5	.	.		-0.193* -185						7315.9987
1	12946.393	3	26652-13706	81	5.5- 6.5	.	.		+0.306* 335						7722.0340
1	10966.270	2W	26652-15686	151	5.5- 5.5	.	.		0.160* -116						9116.3687
1	9910.886	4	26652-16741	-41	5.5- 6.5	.	.		+0.982 997	249	475	670*	850	982	10087.1502
1	24595.368	2S	26629- 2033	131	4.5- 4.5	.	.		-22						4064.6593
1	23178.318	0	26629- 3450	-71	4.5- 3.5	.	.		-72						4313.1638

TABLE II (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS	WIDTH CALC	HFS 2	DIAGONAL 3	COMPONENTS 4	COMPONENTS 5	COMPONENTS 6	WAVELENGTH
1	19985.770	4	26629- 6643	-20	4.5- 4.5	.	.	.		-53		19986	Q			5002.1647
1	24476.090	0W	26509- 2033	45	5.5- 4.5	.	.	.		-367*						4084.4668
1	15031.799	2	26509-11478	39	5.5- 5.5	.	.	.		-115*						6650.7272
1	13521.905	3	26509-12988	-35	5.5- 5.5	.	.	.	-0480*	-408*	-120	254				7393.3712
1	13021.674	2	26509-13488	9	5.5- 6.5	.	.	.		252*						7677.3910
1	12803.526	4	26509-13706	31	5.5- 6.5	1.08	.85	.232		112*						7808.2000
1	26495.768	2S	26495- 0	8	6.5- 5.5	.	.	.		-34						3773.1157
1	22992.953	2S	26495- 3502	23	6.5- 6.5	.	.	.		-14						4347.9364
1	21310.806	0S	26495- 5184	41	6.5- 5.5	.	.	.		-75						4691.1422
1	19592.321	1S	26495- 6903	11	6.5- 7.5	.	.	.		10						5102.6184
1	13445.895	4S	26495-13049	20	6.5- 7.5	.	.	.		8						7435.1663
1	12714.307	4	26495-13781	-3	5.5- 7.5	.94	1.00	.06		77						7862.9921
1	12490.561	3	26495-14005	6	6.5- 6.5	.	.	.		-94						8003.8442
1	10873.193	3	26495-15622	13	6.5- 7.5	.	.	.	+0935	922	233	446	632	788	935	9194.4072
1	22875.091	2W	26377- 3502	11	7.5- 6.5	.	.	.		-347						4370.3392
1	19474.513	2	26377- 6903	53	7.5- 7.5	.	.	.		-323						5133.4863
1	14995.103	1	26377-11382	3	7.5- 6.5	.	.	.		-346						6667.0029
1	13429.924	4	26377-12947	-1	7.5- 8.5	.	.	.	+0183*	-196						7444.0083
1	12582.917	5	26377-13794	-18	7.5- 8.5	.	.	.	+0902	905	214	412	596	758	902	7945.0974
1	14878.355	2	26356-11478	-55	6.5- 5.5	.	.	.	-0820*	-746	-183	353	534			6719.3182
1	12351.422	5	26356-14005	-3	6.5- 6.5	.	.	.	-1010	-1015	-313	553	752	897	1010	8094.0081
1	10734.051	4P	26356-15622	1	6.5- 7.5	.	.	.	0070	1						9313.5918
1	9614.695	3S	26356-16741	45	6.5- 6.5	.	.	.		143						10397.8966
1	24300.375	2P	26334- 2033	0	3.5- 4.5	1.015	.615	.400		83*						4114.0020
1	14379.980	1	26334-11954	20	3.5- 4.5	.	.	.		-28*						6952.1950
1	13487.668	3	26334-12846	38	3.5- 4.5	.	.	.	+0197*	58*						7412.1385
1	12786.203	3	26334-13548	3	3.5- 4.5	.	.	.	+0110*	95*						7818.7788
1	10442.150	5	26334-15892	-40	3.5- 4.5	.	.	.	0120	122*						9573.9458
1	26264.354	4	26264- 0	-16	6.5- 5.5	.	.	.	-0502	-539	- 93	207	315	428	502	3806.3613
1	16570.340	3	26264- 9694	10	6.5- 5.5	.	.	.	-0611	-638	-177	321	442			6033.2085
1	12776.057	4S	26264-13488	2	6.5- 6.5	.	.	.		37						7824.9881
1	11165.065	2	26264-15099	35	6.5- 5.5	.	.	.		-140						8954.0503
1	10577.760	2	26264-15686	5	6.5- 5.5	.	.	.	-0560	-554						9451.2046
1	9892.730	4	26264-16371	5	6.5- 6.5	.	.	.	-0340	-370*						10105.6631
1	8845.976	3	26264-17418	26	6.5- 5.5	.	.	.		-112						11301.4807
1	8824.787	3	26264-17439	-3	6.5- 6.5	.	.	.	0030	25						11328.6165
1	8260.840	3P	26264-18003	0	6.5- 7.5	.	.	.	-0370*	-410						12101.9947
1	22742.727	2	26245- 3502	12	6.5- 6.5	.	.	.		-180						4395.7752
1	19133.060	4	26245- 7112	-55	6.5- 5.5	.	.	.	-1920	-1900	-506	942	1324	1666	1920	5225.1008
1	18453.586	0S	26245- 7792	61	6.5- 6.5	.	.	.		-106						5417.4949
1	14965.882	3	26245-11279	7	6.5- 7.5	.	.	.	+0660	653	158	304	437	562	660	6680.0204
1	14685.404	2	26245-11560	-11	6.5- 5.5	.	.	.	-0409*	-359						6807.6037
1	10622.972	5	26245-15622	7	6.5- 7.5	.	.	.	+0760	756	183	351	504	641	760	9410.9796
1	9503.584	4	26245-16741	19	6.5- 6.5	.	.	.	+0884	898	227	428	608	752	884	10519.4638
1	9378.700	3	26245-16866	15	6.5- 7.5	.	.	.		-117						10659.5383
1	8242.023	2	26245-18003	8	6.5- 7.5	.	.	.	0060	-71						12129.6243
1	13294.227	3	26242-12947	-68	7.5- 8.5	.	.	.	-0434*	-428						7519.9913

TABLE II (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS	ZEE MAN	DATA	WIDTH		HFS	DIAGONAL		COMPONENTS		WAVELENGTH
						G2	G1	DG	OBS	CALC	2	3	4	5	6	
1	13192.363	2	26242-13049	-32	7.5- 7.5	.	.		-0521*	-557	-128	255	373			7578.0568
1	12753.975	4S	26242-13488	10	7.5- 6.5	.	.			-23						7838.5362
1	12460.832	3	26242-13781	2	7.5- 7.5	.	.		-0465	-488	-114	222	315	403	465	8022.9399
1	12447.301	5	26242-13794	-4	7.5- 8.5	.	.		+0668	673	160	304	440	563	668	8031.6614
1	10619.710	2	26242-15622	10	7.5- 7.5	.	.		+0350	357						9413.8703
1	7342.730	5P	26242-18899	50	7.5- 6.5	.	.			-12						13615.1900
<hr/>																
1	16211.898	3	26232-10020	-2	9.5- 8.5	.	.		-1871	-1867	-445	853	1215	1569	1871	6166.6027
1	13302.799	6C	26232-12930	49	9.5- 9.5	1.16	1.16		-1800	-1798	-422	816	1176	1505	1800	7515.1456
1	13284.840	5C	26232-12947	-55	9.5- 8.5	.	.		-1792	-1793	-434	835	1190	1512	1792	7525.3050
1	12437.946	4	26232-13794	41	9.5- 8.5	.	.		-0703	-692	-166	317	455	577	703	8037.7023
1	10913.349	3	26232-15319	29	9.5- 9.5	.	.		-1790	-1793	-440	821	1200	1520	1790	9160.5760
1	9813.969	7	26232-16418	-1	9.5- 9.5	.	.		-0400*	-449	-107	200	284	380		10186.7653
1	8506.602	6	26232-17726	42	9.5- 8.5	.	.		-0686*	-669	-174	328	457	574	686*	11752.3584
1	6258.110	4	26232-19974	0	9.5- 9.5	.	.		-0447*	-436	-117	217	305	387	447*	15974.9009
<hr/>																
1	26110.040	2S	26110- 0	10	5.5- 5.5	.	.			-114*						3828.8580
1	24076.138	0S	26110- 2033	43	5.5- 4.5	.	.			-157*						4152.3192
1	20925.074	0S	26110- 5184	39	5.5- 5.5	.	.			-155*						4777.6198
1	14727.242	3S	26110-11382	22	5.5- 6.5	.	.			-93*						6788.2641
1	14631.818	2	26110-11478	8	5.5- 5.5	.	.			95*						6832.5353
1	14155.688	2	26110-11954	8	5.5- 4.5	.	.		-0257*	-268*						7062.3508
1	12621.708	3	26110-13488	-7	5.5- 6.5	.	.		+0471*	462*	116	223	309			7920.6792
1	10423.420	2	26110-15686	5	5.5- 5.5	.	.		0120*	-129*						9591.1495
1	9738.387	3S	26110-16371	2	5.5- 6.5	.	.			55*						10265.8275
1	9709.800	5	26110-16400	-50	5.5- 6.5	.	.			46*						10296.0516
1	9368.048	3	26110-16741	-2	5.5- 6.5	.	.		+0987	984*	258	466		837	987	10671.6588
<hr/>																
1	19108.550	2	26012- 6903	0	8.5- 7.5	.	.		-1360	-1333						5231.8030
1	15991.160	5	26012-10020	140	8.5- 8.5	.	.		-1301	-1280	-322	639	873	1102	1301	6251.7257
1	15509.208	2	26012-10502	38	8.5- 7.5	.	.		-1227	-1234	-336	622	873	1064	1227	6446.0010
1	13081.895	3	26012-12930	25	8.5- 9.5	.	.		-1231	-1211	-315	589	825	1050	1231	7642.0489
1	13064.038	4	26012-12947	23	8.5- 8.5	.	.		-1219	-1206	-323	601	838	1047	1219	7652.4947
1	12962.147	4	26012-13049	32	8.5- 7.5	.	.		-1340	-1335	-370	676	934	1155	1340	7712.6487
1	12230.571	3C	26012-13781	21	8.5- 7.5	.	.		-1076	-1266	-335	610	863	1076		8173.9859
1	12217.010	6B	26012-13794	-15	8.5- 8.5	1.10	1.10		-0215*	-105	-052	109	161	215		8183.0591
1	9593.053	4	26012-16418	-37	8.5- 9.5	.	.		0130	138						10421.3544
1	8285.700	7	26012-17726	20	8.5- 8.5	.	.			-82						12065.6844
1	7189.488	4P	26012-18822	23	8.5- 7.5	.	.		0030	27						13905.3946
1	6373.980	3	26012-19638	-10	8.5- 7.5	.	.		-1090	-1066	-300	565*	750*	942	1095	15684.4993
1	6037.260	3	26012-19974	30	8.5- 9.5	.	.		0120	151						16559.2821
1	5549.384	3	26012-20462	14	8.5- 8.5	.	.		-0885	-855	-229	430	609	744	885	18015.0986
<hr/>																
1	23966.056	2	25999- 2033	1	5.5- 4.5	.	.	.450	-0581	-628	-145	304				4171.3922
1	16305.960	5	25999- 9694	10	5.5- 5.5	.	.		-0663	-684	-188	350	481	591	663	6131.0300
1	16044.843	1W	25999- 9955	-47	5.5- 6.5	.	.			-599						6230.8085
1	14670.914	4	25999-11329	14	5.5- 4.5	.	.		-0701	-722	-140	291	442	586	701	6814.3274
1	14439.871	3	25999-11560	11	5.5- 5.5	.	.		-0790	-744	-204	388	532	677	790	6923.3597
1	14045.653	4	25999-11954	13	5.5- 4.5	.	.		-0739	-739	-206	370	519	635	739	7117.6783
1	12511.684	4S	25999-13488	9	5.5- 6.5	.	.	.180		-9						7990.3316
1	12451.885	3	25999-13548	5	5.5- 4.5	.	.		-0595	-616	-134	264	383	499	595	8028.7046
1	11969.143	3	25999-14030	-7	5.5- 5.5	.	.		-0604*	-642	-147	287	434			8352.5216
1	10900.670	3	25999-15099	20	5.5- 5.5	.	.		-0150	-186						9171.2311
1	9628.361	3	25999-16371	16	5.5- 6.5	.	.		-0423	-416*	-102	192	276			10383.1383
1	7100.385	2S	25999-18899	-5	5.5- 6.5	.	.			2						14079.8942

TABLE II (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS CALC	HFS 2	DIAGONAL 3	COMPONENTS 4	5	6	WAVELENGTH	
1	25970.543	4	25970-	0	-37	5.5-	5.5	.	-0717	-710	-162	321	463	601	717	3849.4246
1	23936.754	2	25970-	2033	109	5.5-	4.5	.	-0612	-753	-148					4176.4987
1	22467.761	1W	25970-	3502	11	5.5-	6.5	.		-690						4449.5727
1	18858.130	2	25970-	7112	-20	5.5-	5.5	.	-2407	-2410	-659	1218	1690	2078	2407	5301.2777
1	17019.980	4	25970-	8950	5	5.5-	6.5	.	-0454	-469	-122	236				5873.8196
1	16276.500	5	25970-	9694	-40	5.5-	5.5	.	-0809	-809	-236	428	580	710	809	6142.1271
1	16015.380	3	25970-	9955	-100	5.5-	6.5	.	-0700*	-724	-191	362	509			6242.2712
1	14016.231	5	25970-	11954	1	5.5-	4.5	.	-0694*	-864	-239	419	550			7132.6194
1	12264.096	4	25970-	13706	1	5.5-	6.5	.	-0240*	-274						8151.6415
1	9570.393	2	25970-	16400	-7	5.5-	6.5	.	-0560	-550						10446.0293
1	8531.014	2	25970-	17439	14	5.5-	6.5	.	0120	-146						11718.7283
1	19065.721	1	25969-	6903	11	8.5-	7.5	.	-0417	-437	-114	214				5243.5558
1	13021.177	3	25969-	12947	2	8.5-	8.5	.	-0264*	-310						7677.6841
1	12919.320	2	25969-	13049	45	8.5-	7.5	.	-0377*	-439						7738.2159
1	12174.170	5	25969-	13794	-15	8.5-	8.5	.	+0786	791	158	324	487	644	786	8211.8549
1	9536.480	5P	25969-	16432	-15	8.5-	7.5	.	0480*	-505						10483.1769
1	9102.246	4	25969-	16866	-54	8.5-	7.5	.	-0395*	-398	-114	269				10983.2913
1	5506.526	2S	25969-	20462	-4	8.5-	8.5	.		41						18155.3126
1	5478.127	4	25969-	20491	-3	8.5-	7.5	.	+1121	1128	268	518	753	941	1121	18249.4311
1	25812.044	2	25812-	0	-16	5.5-	5.5	.		76*						3873.0626
1	23778.180	1	25812-	2033	55	5.5-	4.5	.		33*						4204.3518
1	14482.992	1S	25812-	11329	22	5.5-	4.5	.		-61*						6902.7463
1	14251.960	1S	25812-	11560	30	5.5-	5.5	.		-83*						7014.6443
1	13857.724	2	25812-	11954	14	5.5-	4.5	.		-78*						7214.2040
1	13317.379	2	25812-	12494	39	5.5-	4.5	.	-0285*	-200*						7506.9179
1	12965.374	3	25812-	12846	-6	5.5-	4.5	.		8*						7710.7290
1	12824.024	2S	25812-	12988	4	5.5-	5.5	.		-8*						7795.7193
1	10125.429	2S	25812-	15686	-16	5.5-	5.5	.		61*						9873.4176
1	25782.261	3S	25782-	0	-19	5.5-	5.5	.925		77						3877.5367
1	23748.337	4S	25782-	2033	-8	5.5-	4.5	.930		34						4209.6353
1	22279.483	0	25782-	3502	33	5.5-	6.5	.		97						4487.1755
1	16831.590	5	25782-	8950	-85	5.5-	6.5	.		318						5939.5637
1	14304.067	1	25782-	11478	7	5.5-	5.5	.	+0283*	286						6989.0911
1	14222.175	1	25782-	11560	25	5.5-	5.5	.		-82						7029.3349
1	11777.056	6S	25782-	14005	-19	5.5-	6.5	.	+0000	17						8488.7541
1	11751.414	3S	25782-	14030	-26	5.5-	5.5	.		20						8507.2769
1	10896.490	3	25782-	14885	15	5.5-	5.5	.	+0350	362						9174.7492
1	10682.950	3P	25782-	15099	10	5.5-	5.5	.	+0580*	476	141	266				9358.1427
1	9040.298	4	25782-	16741	-2	5.5-	6.5	.	+1165	1175	319	584	815	1008	1165	11058.5537
1	8342.694	4	25782-	17439	-6	5.5-	6.5	.	+0655	641	195	352	478	564	655	11983.2563
1	12736.476	2	25666-	12930	-14	9.5-	9.5	.		-18*						7849.3058
1	12718.637	2S	25666-	12947	2	9.5-	8.5	.		-13*						7860.3152
1	10606.914	3S	25666-	15059	-1	9.5-	8.5	.		-219*						9425.2271
1	23623.845	3S	25657-	2033	30	5.5-	4.5	1.025		-40						4231.8195
1	20472.792	0	25657-	5184	37	5.5-	5.5	.		-38						4883.1679
1	17865.704	0S	25657-	7792	-26	5.5-	6.5	.		97						5595.7629
1	14328.661	3	25657-	11329	1	5.5-	4.5	.		-134						6977.0948
1	14274.952	4S	25657-	11382	12	5.5-	6.5	.		24						7003.3461
1	14179.597	1	25657-	11478	67	5.5-	5.5	.		212						7050.4425

TABLE II (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS CALC	HFS 2	DIAGONAL 3	COMPONENTS 4	5	6	WAVELENGTH	
1	14097.663	2	25657-11560	43	5.5- 5.5	.	.		-156						7091.4191	
1	12811.054	3	25657-12846	-16	5.5- 4.5	.	.		-65						7803.6118	
1	12169.433	3	25657-13488	-2	5.5- 6.5	.	.		+0602	579	153	291	405	505	602	8215.0514
1	11951.265	4	25657-13706	0	5.5- 6.5	.	.		+0457*	439	122	223	315			8365.0162
1	11652.538	3S	25657-14005	-7	5.5- 6.5	.	.		-57							8579.4645
1	9971.142	4S	25657-15686	7	5.5- 5.5	.	.		-12							10026.1929
1	8218.177	3	25657-17439	7	5.5- 6.5	.	.		+0595	567	171	315	419	514	595	12164.8199
1	25589.641	3W	25589- 0	-19	4.5- 5.5	.	.		76*							3906.7246
1	23555.720	1S	25589- 2033	-5	4.5- 4.5	.	.	.32	33*							4244.0584
1	22138.722	2S	25589- 3450	27	4.5- 3.5	.94	.60	.347	-17*							4515.7061
1	14697.519	3	25589-10892	39	4.5- 3.5	.	.		-227*							6801.9922
1	14029.527	1	25589-11560	-3	4.5- 5.5	.	.		-83*							7125.8596
1	25551.895	5	25551- 0	-35	5.5- 5.5	.	.		-0660	-674	-144	286	432	557	660	3912.4959
1	23518.004	4	25551- 2033	9	5.5- 4.5	.	.	.49	-0701	-717	-195	358	494	604	701	4250.8648
1	18439.400	0	25551- 7112	-100	5.5- 5.5	.	.		-2340	-2374	-590	1160	1648	2035	2340	5421.6628
1	16601.270	3	25551- 8950	-55	5.5- 6.5	.	.		-0384	-433	-105	198				6021.9678
1	14169.129	4	25551-11382	9	5.5- 6.5	.	.		-0619*	-653	-187	341	482			7055.6513
1	13991.821	3	25551-11560	21	5.5- 5.5	.	.		-0822	-833	-229	417	572	720	822	7145.0630
1	12063.617	6	25551-13488	2	5.5- 6.5	.	.		-98							8287.1100
1	11845.454	4	25551-13706	9	5.5- 6.5	.	.		-0180*	-238						8439.7381
1	9865.323	4	25551-15686	8	5.5- 5.5	.	.		-0714	-689	-185	340	487	592	714	10133.7378
1	12063.617	6	25551-13488	2	5.5- 6.5	.	.		-0060*	-98						8287.1100
1	6652.324	2S	25551-18899	-6	5.5- 6.5	.	.		-87							15028.2336
1	22060.667	0	25511- 3450	72	3.5- 3.5	.	.		-156							4531.6838
1	20895.918	0	25511- 4615	68	3.5- 2.5	.	.		-202							4784.2861
1	14742.156	1	25511-10769	6	3.5- 2.5	.	.		-0313*	-365						6781.3967
1	14182.512	3S	25511-11329	42	3.5- 4.5	.	.		-200							7048.9934
1	13557.266	2	25511-11954	56	3.5- 4.5	.	.		-0165*	-217						7374.0871
1	12659.181	3C	25511-12852	-39	3.5- 2.5	.	.		-1688	-1854	-572	1056	1413	1688		7897.2327
1	15005.061	2	25507-10502	1	8.5- 7.5	.	.		-41*							6662.5784
1	12559.913	2	25507-12947	8	8.5- 8.5	.	.		-13*							7959.6492
1	8641.050	2	25507-16866	20	8.5- 7.5	.	.		0150	-101*						11569.5005
1	20289.318	3	25474- 5184	23	6.5- 5.5	.	.		-1091	-1070	-286	524	735	907	1091	4927.3264
1	18361.860	4	25474- 7112	0	6.5- 5.5	.	.		-2738	-2729	-710	1336	1876	2336	2738	5444.5581
1	16767.740	2	25474- 8706	10	6.5- 5.5	.	.		-0995	-1000	-262	496	691	858	995	5962.1813
1	15519.260	4	25474- 9955	70	6.5- 6.5	.	.		-1057	-1043	-260	497	706	901	1057	6441.8258
1	14971.438	2	25474-10502	-22	6.5- 7.5	.	.		-0883	-886	-241	455	616	772	883	6677.5414
1	14194.631	2	25474-11279	11	6.5- 7.5	.	.		-176							7042.9751
1	14091.491	5	25474-11382	11	6.5- 6.5	.	.		-1015	-1008	-270	506	704	869	1015	7094.5252
1	13914.193	6	25474-11560	33	6.5- 5.5	.	.		-1210	-1188	-318	597	832	1040	1210	7184.9259
1	11985.979	5	25474-13488	4	6.5- 6.5	.	.		-0447	-453	-102	208	305	379	447	8340.7892
1	11767.824	4	25474-13706	19	6.5- 6.5	.	.		-0587	-593	-147	279	406	508	587	8495.4136
1	9851.713	3S	25474-15622	3	6.5- 7.5	.	.		-73							10147.7375
1	9074.138	3	25474-16400	28	6.5- 6.5	.	.		-0865	-869	-225	414	595	751	865	11017.3132
1	8732.317	4	25474-16741	7	6.5- 6.5	.	.		69							11448.5800
1	8607.439	6	25474-16866	9	6.5- 7.5	.	.		-0961	-946	-232	441	643	817	961	11614.6781
1	8034.713	4	25474-17439	3	6.5- 6.5	.	.		-0470	-465	-100	201	294	377	470	12442.5910
1	6651.740	3	25474-18822	-15	6.5- 7.5	.	.		+0370	375						15029.5531
1	6574.693	4	25474-18899	3	6.5- 6.5	.	.		-0426	-442	-097	190	279	363	426	15205.6805
1	18528.844	0	25432- 6903	24	8.5- 7.5	.	.		-211							5395.4906

TABLE II (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1		OBS ZEEMAN DATA			WIDTH		HFS	DIAGONAL COMPONENTS					WAVELENGTH
							G2	G1	DG	OBS	CALC		2	3	4	5	6	
1	14929.529	1	25432-10502	89	8.5-	7.5	.	.			-112							6696.2862
1	12502.140	4	25432-12930	0	8.5-	9.5	.	.			-89							7996.4314
1	12484.279	3S	25432-12947	-6	8.5-	8.5	.	.			-84							8007.8717
1	11637.289	4	25432-13794	-6	8.5-	8.5	.	.		+1034	1017	219	438	643	839	1034		8590.7068
1	10112.695	2S	25432-15319	-15	8.5-	9.5	.	.			-84							9885.8503
1	14633.648	3	25403-10769	-12	3.5-	2.5	.	.			-26*							6831.6808
1	14510.867	1S	25403-10892	-23	3.5-	3.5	.	.			-27*							6889.4862
1	11668.783	2S	25403-13734	3	3.5-	3.5	.	.			28*							8567.5204
1	9212.884	4S	25403-16190	-6	3.5-	2.5	.	.			-135*							10851.3921
1	5633.020	2S	25403-31035	105	3.5-	3.5	.	.			0*							17747.6200
1	15850.900	2	25358- 9507	20	3.5-	3.5	.	.		+0511	535	209						6307.0459
1	15834.120	4	25358- 9524	-50	3.5-	2.5	.	.		+0527	569	193	347					6313.7297
1	14589.115	3L	25358-10769	-85	3.5-	2.5	.	.		+0490	618	185	351	490				6852.5346
1	14466.515	3	25358-10892	85	3.5-	3.5	.	.		+0608	617	161	310	435	547	608		6910.6084
1	12511.929	3	25358-12846	-1	3.5-	4.5	.	.		+0834	852	262	443	627	742	834		7990.1751
1	12506.271	4C	25358-12852	1	3.5-	2.5	.	.		-0897	-871	-297	525	699	812	897		7993.7900
1	11810.543	5	25358-13548	43	3.5-	4.5	.	.		+0895	889	239	435	630	781	895		8464.6854
1	14582.253	2S	25351-10769	38	3.5-	2.5	.	.			-16*							6855.7592
1	14459.453	2	25351-10892	8	3.5-	3.5	.	.			-17*							6913.9836
1	13397.284	2	25351-11954	9	3.5-	4.5	.	.		+0127*	132*							7462.1444
1	12856.870	5	25351-12494	-35	3.5-	4.5	.	.			10*							7775.8031
1	12504.930	3	25351-12846	-15	3.5-	4.5	.	.		+0131*	218*							7994.6472
1	12256.468	2	25351-13095	53	3.5-	2.5	.	.			-210*							8156.7148
1	10001.310	3	25351-15350	5	3.5-	3.5	.	.		+0760	372*							9995.9498
1	6696.829	2P	25351-18654	34	3.5-	2.5	.	.			-415*							14928.3606
1	25342.535	2W	25342- 0	-15	5.5-	5.5	.	.			-510*							3944.8186
1	23308.643	2W	25342- 2033	28	5.5-	4.5	.	.			-553*							4289.0473
1	13864.319	2	25342-11478	-11	5.5-	5.5	.	.		-0229*	-301*							7210.7723
1	13782.375	4	25342-11560	-45	5.5-	5.5	.	.		-0651*	-669*	-203	370	496				7253.6447
1	10456.730	3	25342-14885	-15	5.5-	5.5	.	.		0170	-225*							9560.5967
1	10243.160	5	25342-15099	-50	5.5-	5.5	.	.		0060	-111*							9759.9359
1	9655.869	4	25342-15686	-66	5.5-	5.5	.	.		-0560*	-525*	-151	282	381				10353.5584
1	7924.080	4	25342-17418	-50	5.5-	5.5	.	.			-83*							12616.3101
1	5970.840	4	25342-19371	-110	5.5-	6.5	.	.		-0472	-486*	-106	202	294	392	472		16743.4888
1	25311.708	4	25311- 0	-7	5.5-	5.5	.946	.653	.293		-124*							3949.6231
1	23277.826	3	25311- 2033	46	5.5-	4.5	1.066	.616	.450		-167*							4294.7256
1	21808.959	0S	25311- 3502	74	5.5-	6.5	.	.			-104*							4583.9871
1	17439.810	4	25311- 7871	-45	5.5-	4.5	.	.			-223*							5732.4173
1	13928.946	3	25311-11382	41	5.5-	6.5	.	.		+0124*	-103*							7177.3158
1	13833.485	3S	25311-11478	-10	5.5-	5.5	.	.			85*							7226.8448
1	13357.367	2	25311-11954	2	5.5-	4.5	.	.		-0256*	-278*							7484.4443
1	12323.668	3	25311-12988	-7	5.5-	5.5	.	.		-0224*	-208*							8112.2367
1	10425.916	3	25311-14885	6	5.5-	5.5	.	.		0110*	161*							9588.8533
1	10378.167	4S	25311-14933	2	5.5-	4.5	.	.			5*							9632.9709
1	9625.100	4P	25311-15686	0	5.5-	5.5	.	.		0120	-139*							10386.6562
1	8940.069	3	25311-16371	-1	5.5-	6.5	.	.			45*							11182.5338
1	20106.282	0S	25291- 5184	32	6.5-	5.5	.	.			151							4972.1825
1	15336.106	0	25291- 9955	-39	6.5-	6.5	.	.			178							6518.7590
1	14788.390	4	25291-10502	-25	6.5-	7.5	.	.		+0337*	335							6760.1954

TABLE II (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS CALC	HFS 2	DIAGONAL 3	COMPONENTS 4	COMPONENTS 5	COMPONENTS 6	WAVELENGTH
1	13908.450	4	25291-11382	15	6.5- 6.5	.	.	.	+0211* 213						7187.8927
1	12303.170	3	25291-12988	-35	6.5- 5.5	.	.	.	0088* 108						8125.7523
1	11509.802	5	25291-13781	7	6.5- 7.5	.	.	.	+0320* 303	107	189	250	300		8685.8611
1	11260.412	3	25291-14030	7	6.5- 5.5	.	.	.	135						8878.2321
1	10405.438	4	25291-14885	-2	6.5- 5.5	.	.	.	+0491 477	156	279	378			9607.7243
1	10191.908	4	25291-15099	3	6.5- 5.5	.	.	.	+0670* 591	191	346	471			9809.0158
1	8858.600	5	25291-16432	20	6.5- 7.5	.	.	.	0090 168						11285.3754
1	25277.641	1	25277- 0	-9	4.5- 5.5	.	.	.	246*						3954.9461
1	23243.721	1	25277- 2033	6	4.5- 4.5	.	.	.	203*						4301.0272
1	21826.689	0	25277- 3450	4	4.5- 3.5	.	.	.	153*						4580.2634
1	14385.508	1S	25277-10892	38	4.5- 3.5	.	.	.	-57*						6949.5234
1	13717.577	2	25277-11560	57	4.5- 5.5	.	.	.	+0126* 87*						7287.9091
1	12289.616	3	25277-12988	6	4.5- 5.5	.	.	.	+0150* 162*						8134.7141
1	11543.372	2S	25277-13734	12	4.5- 3.5	.	.	.	-2*						8660.6011
1	10178.317	5	25277-15099	7	4.5- 5.5	.	.	.	+0694 653*	174	330	471	590	694	9822.1137
1	9385.520	4	25277-15892	-10	4.5- 4.5	.	.	.	0250 242*						10651.7925
1	25241.221	1	25241- 0	6	5.5- 5.5	.	.	.	-236						3960.6528
1	20056.291	1	25241- 5184	71	5.5- 5.5	.	.	.	-277						4984.5760
1	13912.133	4	25241-11329	8	5.5- 4.5	.	.	.	-0319* -373						7185.9898
1	13858.437	4	25241-11382	32	5.5- 6.5	.	.	.	-0188* -215						7213.8328
1	13763.018	4	25241-11478	23	5.5- 5.5	.	.	.	-27						7263.8466
1	13681.079	4	25241-11560	-6	5.5- 5.5	.	.	.	-0359* -395	-109	210	293			7307.3517
1	12394.472	3	25241-12846	-63	5.5- 4.5	.	.	.	-0214* -304						8065.8949
1	11752.885	5	25241-13488	-15	5.5- 6.5	.	.	.	+0360 340	086	158	233	315	360	8506.2121
1	10355.405	4S	25241-14885	-5	5.5- 5.5	.	.	.	49						9654.1450
1	10307.668	2S	25241-14933	3	5.5- 4.5	.	.	.	-107						9698.8555
1	10275.494	4	25241-14965	9	5.5- 5.5	.	.	.	-0493 -362*	-123	229	334			9729.2241
1	10141.850	4	25241-15099	-25	5.5- 5.5	.	.	.	0120 164						9857.4312
1	9554.580	3	25241-15686	-20	5.5- 5.5	.	.	.	0200 -251						10463.3177
1	8869.573	4S	25241-16371	3	5.5- 6.5	.	.	.	-67*						11271.4136
1	5971.880	3	25241-19269	80	5.5- 4.5	.	.	.	-0600 -512*						16740.5729
1	25213.921	2S	25213- 0	81	5.5- 5.5	.	.	.	-24*						3964.9412
1	16507.280	6	25213- 8706	0	5.5- 5.5	.	.	.	5*						6056.2563
1	13831.052	2S	25213-11382	22	5.5- 6.5	.	.	.	-3*						7228.1161
1	13735.617	2	25213-11478	-3	5.5- 5.5	.	.	.	+0174* 185*						7278.3373
1	13259.553	4S	25213-11954	63	5.5- 4.5	.	.	.	-178*						7539.6564
1	9598.317	3S	25213-15615	-3	5.5- 6.5	.	.	.	0*						10415.6390
1	23089.991	1	25123- 2033	36	5.5- 4.5	.	.	.	-267*						4329.6634
1	13645.679	4	25123-11478	9	5.5- 5.5	.	.	.	-15*						7326.3087
1	11635.559	6	25123-13488	-16	5.5- 6.5	.	.	.	+0365* 352*	80	153	230			8591.9840
1	11417.360	2L	25123-13706	-45	5.5- 6.5	.	.	.	212*						8756.1875
1	10024.482	2	25123-15099	-68	5.5- 5.5	.	.	.	0150 175*						9972.8437
1	8752.249	4	25123-16371	4	5.5- 6.5	.	.	.	-55*						11422.5074
1	25075.129	6	25075- 0	-31	6.5- 5.5	.	.	.	-0938 -947	-226	438	624	793	938	3986.8878
1	21572.320	5	25075- 3502	-10	6.5- 6.5	.	.	.	-0922 -927	-227	435	620	772	922	4634.2722
1	17962.487	4	25075- 7112	-243	6.5- 5.5	.	.	.	-2648 -2647	- * 1321	2280				5565.6123
1	17283.100	6	25075- 7792	-40	6.5- 6.5	.	.	.	-0846 -853	-238	437	606	745	846	5784.3950
1	16124.570	6	25075- 8950	15	6.5- 6.5	.	.	.	-0685 -706	-187	348	484	600	685	6200.0003
1	15381.140	5	25075- 9694	20	6.5- 5.5	.	.	.	-1026 -1046	-293	533	730	900	1026	6499.6728
1	14572.318	5	25075-10502	-12	6.5- 7.5	.	.	.	-0779 -804	-224	411	569	698	779	6860.4333

TABLE II (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS	CALC	HFS 2	DIAGONAL 3	COMPONENTS 4	5	6	WAVELENGTH
1	13515.035	3	25075-11560	5	6.5- 5.5	.	.		-1114	-1106	-308	566	770	940	1114	7397.1294
1	11368.682	2	25075-13706	7	6.5- 6.5	.	.		-0504	-511	-141	259	347	439	504	8793.6796
1	9452.580	5	25075-15622	0	6.5- 7.5	.	.			9						10576.2246
1	8333.180	2	25075-16741	0	6.5- 6.5	.	.		0080	151						11996.9376
<hr/>																
1	25061.044	3W	25061- 0	-16	5.5- 5.5	.	.			377						3999.1286
1	23027.144	0	25061- 2033	19	5.5- 4.5	.	.			334						4341.4804
1	13731.982	2	25061-11329	12	5.5- 4.5	.	.		-0213*	240						7280.2639
1	13678.237	2	25061-11382	-13	5.5- 6.5	.	.		-0388	398	-166	285	388			7308.8700
1	13582.957	2	25061-11478	117	5.5- 5.5	.	.		+0550*	586	095	252	376	466		7360.1396
1	13106.757	3	25061-11954	47	5.5- 4.5	.	.		+0229*	223						7627.5527
1	10175.256	4	25061-14885	1	5.5- 5.5	.	.		+0676	662	160	302	440	556	676	9825.0685
1	9961.728	5	25061-15099	8	5.5- 5.5	.	.		+0784	776	188	364	526	663	784	10035.6679
1	9374.450	4	25061-15686	5	5.5- 5.5	.	.		+0340	362						10664.3709
<hr/>																
1	15023.787	4	25044-10020	27	7.5- 8.5	.	.			-180						6654.2739
1	13765.111	4	25044-11279	41	7.5- 7.5	.	.		+0573	576	146	271	397	486	573	7262.7421
1	12096.759	5	25044-12947	4	7.5- 8.5	1.06	1.06			-106						8264.4054
1	11249.790	5	25044-13794	25	7.5- 8.5	.	.		+0994	995	242	463	661	838	994	8886.6149
1	8644.599	4	25044-16400	39	7.5- 6.5	.	.		0070	-117						11564.7507
1	8177.880	2	25044-16866	0	7.5- 7.5	.	.		0150	-194						12224.7629
<hr/>																
1	24985.170	1S	24985- 0	-5	5.5- 5.5	.	.			67						4001.2429
1	22951.239	4S	24985- 2033	-1	5.5- 4.5	1.015	.614	.401		24						4355.8389
1	16034.640	5	24985- 8950	70	5.5- 6.5	.	.			308						6234.7732
1	15291.121	0S	24985- 9694	-14	5.5- 5.5	.	.			-32						6537.9367
1	13656.078	5	24985-11329	-7	5.5- 4.5	1.016	1.14	.13		-70						7320.7298
1	13602.372	2	24985-11382	7	5.5- 6.5	.	.			88						7349.6342
1	13506.978	3	24985-11478	23	5.5- 5.5	.	.		+0339*	276						7401.5419
1	11496.877	4	24985-13488	17	5.5- 6.5	.	.		+0641	643	162	310	436	549	641	8695.6260
1	10979.979	3S	24985-14005	9	5.5- 6.5	.	.			7						9104.9865
1	10099.380	2	24985-14885	10	5.5- 5.5	.	.		+0340	352						9898.8838
1	9298.569	5	24985-15686	9	5.5- 5.5	.	.			52						10751.3977
<hr/>																
1	17104.330	4	24896- 7792	60	7.5- 6.5	.	.		-1042	-1036	-254	477	690	871	1042	5844.8525
1	14941.220	4	24896- 9955	30	7.5- 6.5	.	.		-1135	-1144	-257	492*	744	949	1135	6691.0465
1	14875.346	6H	24896-10020	36	7.5- 8.5	.	.		-1031	-1033	-228	454	669	860	1031	6720.6774
1	13616.629	4	24896-11279	9	7.5- 7.5	.	.		-0231*	-277						7341.9389
1	11948.275	6	24896-12947	-30	7.5- 8.5	.	.		-0959	-959	-231	446	640	812	959	8367.1095
1	11846.393	3	24896-13049	-12	7.5- 7.5	.	.		-1078	-1088	-269	521	739	905	1078	8439.0691
1	11101.303	6	24896-13794	-12	7.5- 8.5	.	.			142						9005.4795
1	9884.000	5	24896-15012	-40	7.5- 6.5	.	.		-0230	-156*						10114.5889
1	6892.763	4	24896-18003	3	7.5- 7.5	.	.		-1017	-1001	-241	459	669	850	1017	14504.0058
1	6073.750	2	24896-18822	-5	7.5- 7.5	.	.		+0260	274						16459.7968
1	4405.244	2	24896-20491	-16	7.5- 7.5	.	.		+0570	479						22694.0250
<hr/>																
1	24798.038	4	24798- 0	8	6.5- 5.5	.867	.672	.195		-139						4031.4379
1	21295.224	4S	24798- 3502	24	6.5- 6.5	.	.			-119						4694.5748
1	19613.020	0S	24798- 5184	-15	6.5- 5.5	.	.			-180						5097.2332
1	17685.600	6	24798- 7112	0	6.5- 5.5	.	.		-1821	-1839	-491	918	1282	1578	1821	5652.7488
1	17006.060	4	24798- 7792	50	6.5- 6.5	.	.			-45						5878.6275
1	16091.499	1	24798- 8706	29	6.5- 5.5	.	.			-110						6212.7426
1	14842.944	3	24798- 9955	14	6.5- 6.5	.	.			-153						6735.3486
1	14295.193	3S	24798-10502	-7	6.5- 7.5	.	.			4						6993.4298
1	13518.357	4	24798-11279	-3	6.5- 7.5	.	.		+0729	714	169	315	464	590	729	7395.3116

TABLE II (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS CALC	HFS 2	DIAGONAL 3	COMPONENTS 4	COMPONENTS 5	COMPONENTS 6	WAVELENGTH
1	13415.257	4	24798-11382	37	6.5- 6.5	.	.	.	-118						7452.1470
1	13237.968	3	24798-11560	68	6.5- 5.5	.	.	.	-0257*	-298	-104				7551.9501
1	11091.560	3	24798-13706	15	6.5- 6.5	.	.	.	+0308	297					9013.3901
1	10792.860	1	24798-14005	35	6.5- 6.5	.	.	.	0170*	-199					9262.8429
1	8426.310	3	24798-16371	-75	6.5- 6.5	.	.	.	0090	30*					11864.3437
1	7358.441	3	24798-17439	-9	6.5- 6.5	.	.	.	+0437	425	112	209	305		13586.1202
1	14746.824	1	24767-10020	-46	8.5- 8.5	.	.	.	-0304*	-391					6779.2500
1	10986.540	3H	24767-13781	140	8.5- 7.5	.	.	.	-0481	-377	-109	213	314	402	9099.5491
1	5945.333	3	24767-18822	18	8.5- 7.5	.	.	.	+0916	916	265	488	672	806	16815.3227
1	5129.850	4	24767-19638	10	8.5- 7.5	.	.	.	0250	-177					19488.4270
1	11824.327	6	24754-12930	-3	8.5- 9.5	.	.	.	-0209*	-228	-053	106		209*	8454.8178
1	11806.435	0	24754-12947	-40	8.5- 8.5	.	.	.	-0221*	-223	-043	088		221*	8467.6307
1	9434.840	5	24754-15319	-60	8.5- 9.5	.	.	.	-0215	-223					10596.1108
1	24684.361	4	24684- 0	-14	5.5- 5.5	.	.	.	+0597	582	179	338	446	532	4050.0039
1	22650.431	2W	24684- 2033	-9	5.5- 4.5	.	.	.		539					4413.6875
1	15733.690	2	24684- 8950	-80	5.5- 6.5	.	.	.	+0800*	823	222	418			6354.0313
1	14814.749	4	24684- 9869	14	5.5- 4.5	.	.	.	-1156	-1161	-305	584	808	986	6748.1673
1	14729.280	3	24684- 9955	5	5.5- 6.5	.	.	.	+0579*	568	154	289			6787.3248
1	13355.306	3	24684-11329	21	5.5- 4.5	.	.	.	+0500*	445	153	279			7485.5993
1	13206.152	3	24684-11478	-3	5.5- 5.5	.	.	.	+0811	791	223	430	586	719	7570.1443
1	12730.029	3	24684-11954	4	5.5- 4.5	.	.	.	+0434*	428	111	227			7853.2810
1	11196.082	5	24684-13488	22	5.5- 6.5	.	.	.	+1165	1158	306	576	807	1005	8929.2444
1	9672.132	4	24684-15012	7	5.5- 6.5	.	.	.	+1370	1556*	415	772	1075	1280	10336.1495
1	12812.457	3	24632-11819	17	3.5- 3.5	.	.	.	+0476*	531*					7802.7573
1	11779.852	5S	24632-12852	12	3.5- 2.5	.	.	.		7*					8486.7392
1	5795.900	2	24632-18836	-10	3.5- 2.5	.	.	.	+0210	210*					17248.8649
1	22502.077	2W	24535- 2033	52	3.5- 4.5	.	.	.		-249					4442.7870
1	13766.548	3	24535-10769	-2	3.5- 2.5	.	.	.	-0573*	-508	-138	236	354		7261.9840
1	12581.575	4	24535-11954	-35	3.5- 4.5	.	.	.	-0341*	-360	-131	226			7945.9449
1	10987.830	4	24535-13548	-20	3.5- 4.5	.	.	.	-0220	-237					9098.4808
1	9602.430	5	24535-14933	20	3.5- 4.5	.	.	.	0200*	-77					10411.1777
1	8643.850	3	24535-15892	10	3.5- 4.5	.	.	.	-0210	-210					11565.7528
1	21025.900	3	24528- 3502	20	7.5- 6.5	.	.	.	-0668	-692	-167	325	465	578	4754.7093
1	17625.282	3	24528- 6903	22	7.5- 7.5	.	.	.	-0661	-668	-169	321	454	571	5672.0941
1	16736.690	4	24528- 7792	0	7.5- 6.5	.	.	.	-0613	-618					5973.2424
1	14573.635	3C	24528- 9955	25	7.5- 6.5	.	.	.	-0692	-726	-345	605	692		6859.8133
1	14507.758	2	24528-10020	28	7.5- 8.5	.	.	.	-0604	-615	-147	298	431	536	6890.9626
1	11580.729	3	24528-12947	4	7.5- 8.5	.	.	.	-0538	-541	-161	284	394	476	8632.6637
1	11040.412	3	24528-13488	17	7.5- 6.5	.	.	.	+0100	-136					9055.1474
1	10747.279	5	24528-13781	19	7.5- 7.5	.	.	.	-0600	-601	-168	309	427	519	9302.1283
1	10733.744	6P	24528-13794	9	7.5- 8.5	.	.	.	+0520*	560	111	226	343		9313.8581
1	8906.100	5	24528-15622	-30	7.5- 7.5	.	.	.	0120*	244					11225.1855
1	8096.057	6	24528-16432	12	7.5- 7.5	.	.	.	-0736	-736	-194	364	509	632	12348.3131
1	7786.747	4	24528-16741	17	7.5- 6.5	.	.	.	+0374*	386	079	161	234		12838.8214
1	7661.861	5	24528-16866	11	7.5- 7.5	.	.	.	-0627	-629	-167	313	436	540	13048.0907
1	5629.120	2	24528-18899	10	7.5- 6.5	.	.	.	0080	-125					17759.9161
1	24491.454	4W	24491- 0	24	5.5- 5.5	.	.	.		291					4081.9045
1	14797.414	2	24491- 9694	24	5.5- 5.5	.	.	.		192					6756.0727

TABLE II (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS CALC	HFS 2	DIAGONAL 3	COMPONENTS 4	COMPONENTS 5	COMPONENTS 6	WAVELENGTH
1	14536.402	1	24491- 9955	72	5.5- 6.5	.	.	.	277						6877.3839
1	12537.104	3	24491-11954	24	5.5- 4.5	.	.	.	+0204*	137					7974.1305
1	11644.728	2	24491-12846	-22	5.5- 4.5	.	.	.	+0275*	223					8585.2187
1	10943.340	3	24491-13548	20	5.5- 4.5	.	.	.	+0230	260					9135.4707
1	9605.632	4	24491-14885	7	5.5- 5.5	.	.	.	+0569	576	143	273	387	485	10407.7071
1	9392.093	4	24491-15099	3	5.5- 5.5	.	.	.	+0679	690	177	329	473	584	10644.3379
1	8804.810	3	24491-15686	-5	5.5- 5.5	.	.	.	0250	276					11354.3197
1	8599.300	5	24491-15892	-10	5.5- 4.5	.	.	.	0260	287					11625.6711
1	8119.789	4	24491-16371	4	5.5- 6.5	.	.	.	+0448*	460*	111	217	312		12312.2221
<hr/>															
1	18014.790	3	24489- 6474	-70	2.5- 1.5	.	.	.	44*						5549.4533
1	14981.453	1S	24489- 9507	33	2.5- 3.5	.	.	.	-9*						6673.0775
1	14964.786	1	24489- 9524	76	2.5- 2.5	.	.	.	25*						6680.5096
1	13719.748	1S	24489-10769	8	2.5- 2.5	.	.	.	74*						7286.7558
1	13597.053	1	24489-10892	83	2.5- 3.5	.	.	.	73*						7352.5093
1	13257.449	3	24489-11231	-41	2.5- 2.5	.	.	.	+0172*	-14*					7540.8530
1	7724.241	5Q	24489-16764	-39	2.5- 1.5	.	.	.	-1300*		-395	756			12942.7157
<hr/>															
1	13688.204	3	24457-10769	9	3.5- 2.5	.	.	.	-0431*	-326*	-119	222			7303.5480
1	10585.240	4S	24457-13872	5	3.5- 3.5	.	.	.	-158*						9444.5259
1	9524.056	4S	24457-14933	1	3.5- 4.5	.	.	.	105*						10496.8521
<hr/>															
1	14926.005	2	24433- 9507	-25	2.5- 3.5	.	.	.	+0551	583*	229	386	551		6697.8672
1	14909.277	4L	24433- 9524	-43	2.5- 2.5	.	.	.	+0582*	617*	228	400			6705.3821
1	13541.634	2	24433-10892	54	2.5- 3.5	.	.	.	+0711*	665*	187	367			7382.5996
1	13202.152	3	24433-11231	52	2.5- 2.5	.	.	.	+0538	578*	238	424	538		7572.4379
1	12614.022	4	24433-11819	2	2.5- 3.5	.	.	.	+0247*	-299*					7925.5054
1	11408.890	2	24433-13024	0	2.5- 3.5	.	.	.	+0460	412*					8762.6882
<hr/>															
1	24390.185	5	24390- 0	-5	6.5- 5.5	.	.	.	-0748	-755	-161	324	480	622	4098.8530
1	20887.389	0	24390- 3502	29	6.5- 6.5	.	.	.	-0720	-735	-162	323	474	606	4786.2397
1	19205.120	3	24390- 5184	-75	6.5- 5.5	.	.	.	-0795	-796	-221	406	561	704	5205.4953
1	17486.740	5	24390- 6903	0	6.5- 7.5	.	.	.	-0706	-711	-162	320	464	591	5717.0328
1	17277.754	3	24390- 7112	-6	6.5- 5.5	.	.	.	-2453	-2455	-627	1201	1698	2119	5786.1848
1	14696.155	6	24390- 9694	5	6.5- 5.5	.	.	.	-0834	-854	-258	460	614	741	6802.6235
1	13887.361	5	24390-10502	1	6.5- 7.5	.	.	.	-0596	-612	-163	304	431	528	7198.8081
1	13110.505	3	24390-11279	-15	6.5- 7.5	.94	.94	.	98						7625.3722
1	12911.968	4	24390-11478	-2	6.5- 5.5	.	.	.	-0504	-546	-129	24	357	438	7742.6220
1	12830.086	3	24390-11560	26	6.5- 5.5	.	.	.	-0901	-914	-230	438	646	785	7792.0359
1	10683.740	5	24390-13706	35	6.5- 6.5	.	.	.	-0290	-319					9357.4507
1	10384.990	3P	24390-14005	5	6.5- 6.5	.	.	.	-0821	-815	-217	405	563		9626.6420
1	9504.397	4	24390-14885	12	6.5- 5.5	.	.	.	-0476	-470	-116	219	306	392	10518.5640
1	8767.599	3P	24390-15622	-11	6.5- 7.5	.	.	.	0000	201					11402.5093
1	8703.578	4	24390-15686	3	6.5- 5.5	.	.	.	-0775	-770	-198	375	530	661	11486.3830
1	8343.344	3	24390-16046	4	6.5- 5.5	.	.	.	-0853*	-809	-186	369	534		11982.3227
1	8018.555	4	24390-16371	10	6.5- 6.5	.	.	.	-0585	-586*	-142	272	384	490	12467.6638
1	7648.217	5	24390-16741	7	6.5- 6.5	.	.	.	+0330	343					13071.3678
1	6950.570	2	24390-17439	-40	6.5- 6.5	.	.	.	0130	-191					14383.3776
1	6836.059	4	24390-17554	-1	6.5- 7.5	.	.	.	-0684	-686	-181	341	470	593	14624.3143
1	6386.664	5	24390-18003	4	6.5- 7.5	.	.	.	-0620	-626	-160	302	433	531	15653.3497
<hr/>															
1	22293.722	2S	24327- 2033	-3	5.5- 4.5	.918	.611	.307	183						4484.3095
1	14633.648	3	24327- 9694	28	5.5- 5.5	.	.	.	127						6831.6808
1	14372.619	2	24327- 9955	59	5.5- 6.5	.	.	.	+0224*	212					6955.7556
1	12998.651	2	24327-11329	81	5.5- 4.5	.	.	.	+0121*	89					7690.9892

TABLE II (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS CALC	HFS 2	DIAGONAL 3	COMPONENTS 4	5	6	WAVELENGTH
1	10621.204	5P	24327-13706	29	5.5- 6.5	.	.		+0718 662	162	312				9412.5461
1	6909.256	3	24327-17418	16	5.5- 5.5	.	.		+0630 653	193	342	475			14469.3834
1	24314.503	2S	24314- 0	48	4.5- 5.5	.	.		-155						4111.6115
1	22280.545	1	24314- 2033	25	4.5- 4.5	.	.		-198						4486.9617
1	14806.755	5	24314- 9507	30	4.5- 3.5	.	.		-0528 -540	-	208	332	437	528	6751.8105
1	14620.471	4	24314- 9694	56	4.5- 5.5	.	.		-254						6837.8381
1	14444.812	5C	24314- 9869	-3	4.5- 4.5	.	.		-1898 -1898	-538	995	1384	1675	1898	6920.9915
1	12836.237	4S	24314-11478	2	4.5- 5.5	.	.		54						7788.3021
1	11467.750	3	24314-12846	-25	4.5- 4.5	.	.		-0280 -223						8717.7121
1	9485.043	4	24314-14829	3	4.5- 3.5	.	.		-1853 -1864	-552*	1025	1398	1667	1853	10540.0259
1	8422.340	5	24314-15892	5	4.5- 4.5	.	.		0130 -159						11869.9361
1	7879.114	5	24314-16435	-21	4.5- 3.5	.	.		-0449* -409	-114	215	306	389*	449*	12688.3114
1	22268.706	1	24302- 2033	71	3.5- 4.5	.	.		-259*						4489.3472
1	13533.156	3	24302-10769	-4	3.5- 2.5	.	.		-0484* -518*	-132	255				7387.2245
1	13410.436	3	24302-10892	46	3.5- 3.5	.	.		-0510 -519*	-177	303	398			7454.8260
1	12973.484	2	24302-11329	4	3.5- 4.5	.	.		-0261* -353*						7705.9089
1	12482.796	4C	24302-11819	-34	3.5- 3.5	.	.		-1446 -1483*	-445	819	1115	1328	1446	8008.8231
1	9673.307	3S	24302-14629	112	3.5- 2.5	.	.		-47*						10334.8940
1	12601.551	3	24161-11560	1	5.5- 5.5	.	.		-0581* -560	-159	295	406			7933.3489
1	10613.560	2	24161-13548	-10	5.5- 4.5	.	.		-0560 -432						9419.3252
1	10455.206	3S	24161-13706	11	5.5- 6.5	.	.		35						9561.9903
1	9506.879	2	24161-14654	-76	5.5- 4.5	.	.		-0522 -527*						10515.8178
1	9275.910	4S	24161-14885	35	5.5- 5.5	.	.		-116						10777.6611
1	22107.634	1S	24141- 2033	29	5.5- 4.5	.	.		-92*						4522.0562
1	20638.739	0S	24141- 3502	29	5.5- 6.5	.	.		-29*						4843.9039
1	18956.543	0S	24141- 5184	-2	5.5- 5.5	.	.		-90*						5273.7558
1	15190.931	0	24141- 8950	-4	5.5- 6.5	.	.		192*						6581.0572
1	14447.554	2	24141- 9694	54	5.5- 5.5	.	.		-148*						6919.6780
1	12663.340	3	24141-11478	20	5.5- 5.5	.	.		+0092* 160*						7894.6390
1	10593.466	3	24141-13548	36	5.5- 4.5	.	.		0070 -80*						9437.1921
1	10435.080	2	24141-13706	25	5.5- 6.5	.	.		+0320 387*						9580.4324
1	9208.016	4	24141-14933	26	5.5- 4.5	.	.		0040 80*						10857.1289
1	8526.022	3	24141-15615	2	5.5- 6.5	.	.		-25*						11725.5896
1	8454.951	3	24141-15686	26	5.5- 5.5	.	.		0060 -64*						11824.1533
1	20634.138	3	24136- 3502	28	7.5- 6.5	.	.		-1225* -1299	-319	612	890	1123		4844.9840
1	13634.119	6	24136-10502	9	7.5- 7.5	1.08	1.08		-1156* -1176	-319	597	838	1031	1156*	7332.5205
1	12857.273	5	24136-11279	3	7.5- 7.5	.	.		-0427* -466	-129	247				7775.5594
1	12754.143	5	24136-11382	13	7.5- 6.5	.	.		-1274 -1298	-360	666	919	1127	1274	7838.4329
1	11188.960	4	24136-12947	5	7.5- 8.5	.	.		-1170 -1148	-311	582	826	997	1170	8934.9281
1	10430.485	3P	24136-13706	30	7.5- 6.5	.	.		-0865 -883	-233	444	627	770	865	9584.6530
1	10341.990	5	24136-13794	25	7.5- 8.5	.	.		-47						9666.6678
1	6410.620	5Q	24136-17726	0	7.5- 8.5	.	.		0050* -24						15594.8542
1	6133.431	4	24136-18003	21	7.5- 7.5	.	.		-1207 -1190	-317	591	830	1026	1207	16299.6355
1	5314.392	4	24136-18822	-13	7.5- 7.5	.	.		85						18811.6917
1	4498.935	4	24136-19638	5	7.5- 7.5	.	.		-1043 -1008	-278	528	737	907	1043	22221.4183
1	24136.169	4S	24136- 0	24	6.5- 5.5	.990	.657	.333	-64*						4141.9914
1	20633.312	2	24136- 3502	-3	6.5- 6.5	.	.		-44*						4845.1780
1	17232.700	3S	24136- 6903	5	6.5- 7.5	.	.		-20*						5801.3126
1	15185.486	2S	24136- 8950	-54	6.5- 6.5	.	.	.213	177*						6583.4170

TABLE II (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS	ZEEMAN	DATA	WIDTH		HFS	DIAGONAL			COMPONENTS		WAVELENGTH
						G2	G1	DG	OBS	CALC	2	3	4	5	6		
1	14181.103	4	24136-9955	58	6.5-6.5	.	.		0210*	-78*						7049.6938	
1	13633.326	4	24136-10502	11	6.5-7.5	.	.			79*						7332.9470	
1	12856.422	6	24136-11279	-53	6.5-7.5	.	.		+0488*	789*	139	278	400	488		7776.0741	
1	12753.344	4	24136-11382	9	6.5-6.5	.	.		0107*	-43*						7838.9240	
1	12657.884	2S	24136-11478	-41	6.5-5.5	.	.			145*						7898.0419	
1	12576.043	3	24136-11560	28	6.5-5.5	.	.		-0262*	-223*						7949.4402	
1	10354.711	3	24136-13781	16	6.5-7.5	.	.		0060	47*						9654.7920	
1	7703.480	4	24136-16432	0	6.5-7.5	.	.		0080	-88*						12977.5966	
1	6132.620	2	24136-18003	5	6.5-7.5	.	.			65*						16301.7910	
1	15832.056	1S	24110-8278	16	3.5-3.5	.	.			-64*						6314.5528	
1	14602.715	3	24110-9507	105	3.5-3.5	.	.		-0234*	-265*						6846.1525	
1	14585.941	4	24110-9524	41	3.5-2.5	.	.		-0207*	-231*						6854.0257	
1	13340.986	2	24110-10769	56	3.5-2.5	.	.			-182*						7493.6343	
1	13218.244	4	24110-10892	84	3.5-3.5	.	.		-0227*	-183*						7563.2191	
1	12781.245	3	24110-11329	-5	3.5-4.5	.	.			-17*						7821.8118	
1	12290.568	3C	24110-11819	-32	3.5-3.5	.	.		-0874	-1147*	-357	652	874			8134.0840	
1	12156.010	3	24110-11954	20	3.5-4.5	.	.			-34*						8224.1227	
1	11263.662	4S	24110-12846	2	3.5-4.5	.	.			52*						8875.6703	
1	10562.230	3S	24110-13548	0	3.5-4.5	.	.			89*						9465.1011	
1	9455.605	3	24110-14654	-10	3.5-4.5	.	.			-6*						10572.8411	
1	7674.980	4	24110-16435	-40	3.5-3.5	.	.		0210	-134*						13025.7873	
1	22054.318	2W	24088-2033	28	5.5-4.5	.	.			33*						4532.9884	
1	14394.187	3S	24088-9694	2	5.5-5.5	.	.			-23*						6945.3331	
1	12528.101	3	24088-11560	6	5.5-5.5	.	.		-0187*	-83*						7979.8609	
1	7716.580	3	24088-16371	0	5.5-6.5	.	.		0090	245*						12955.5652	
1	20605.948	1	24056-3450	-67	2.5-3.5	.	.			390*						4851.6123	
1	19441.186	0	24056-4615	-84	2.5-2.5	.	.		+0307	344*	117					5142.2865	
1	14549.247	1S	24056-9507	-3	2.5-3.5	.	.			98*						6871.3121	
1	14532.570	3	24056-9524	30	2.5-2.5	.	.			132*						6879.1974	
1	12825.326	3	24056-11231	6	2.5-2.5	.	.			93*						7794.9279	
1	12656.223	3	24056-11400	-7	2.5-1.5	.	.		+0120*	107*						7899.0784	
1	12237.213	4	24056-11819	-27	2.5-3.5	.	.		-0786*	-784*	-261	465			786*	8169.5493	
1	9989.680	2	24056-14067	20	2.5-2.5	.	.		+0340	339*						10007.5871	
1	8832.619	2	24056-15224	-11	2.5-2.5	.	.			207*						11318.5712	
1	6623.881	2	24056-17433	-79	2.5-1.5	.	.			7*						15092.7651	
1	6175.448	2S	24056-17881	83	2.5-3.5	.	.			257*						16188.7346	
1	21992.296	3	24026-2033	51	3.5-4.5	.	.		+0555	590	138	262	368			4545.7724	
1	20575.221	1	24026-3450	6	3.5-3.5	.	.			540						4858.8578	
1	17011.000	4	24026-7015	0	3.5-2.5	.	.			360						5876.9203	
1	14501.742	4L	24026-9524	2	3.5-2.5	.	.		+0222	282	102	182	222			6893.8214	
1	12206.404	4	24026-11819	-36	3.5-3.5	.	.		-0725	-634	-197	359	493	592	725	8190.1693	
1	10478.068	5	24026-13548	-2	3.5-4.5	.	.		+0585*	602	168	311	431	527	585*	9541.1270	
1	9196.762	5P	24026-14829	-3	3.5-3.5	.	.		-1080*	-1076	-351	623	837			10870.4147	
1	8134.048	5	24026-15892	-12	3.5-4.5	.	.		+0600*	629	158	300	424	531	600*	12290.6387	
1	6180.260	2	24026-17845	-85	3.5-2.5	.	.		+0620	620						16176.1299	
1	21933.277	0	23967-2033	117	4.5-4.5	.	.			133*						4558.0046	
1	13074.896	2	23967-10892	-19	4.5-3.5	.	.			-127*						7646.1397	
1	12637.965	2	23967-11329	-40	4.5-4.5	.	.			39*						7910.4903	
1	12012.718	3	23967-11954	-27	4.5-4.5	.	.			22*						8322.2234	
1	10418.990	2	23967-13548	5	4.5-4.5	.	.		0200	145*						9595.2275	

TABLE II (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	FIDTH OBS CALC	HFS 2	DIAGONAL 3	COMPONENTS 4	5	6	WAVELENGTH
1	10232.811	2S	23967-13734	6	4.5- 3.5	.	.		-72*						9769.8067
1	9001.480	4	23967-14965	115	4.5- 5.5	.	.		0 130 50*						11106.2428
1	20458.458	0	23961- 3502	18	7.5- 6.5	.	.		-0581 -584	-111	239	345	464	581	4886.5892
1	17057.851	0	23961- 6903	31	7.5- 7.5	.	.		-560						5860.7787
1	15010.610	2	23961- 8950	-55	7.5- 6.5	.	.		-0315* -363						6660.1154
1	14006.135	1	23961- 9955	-35	7.5- 6.5	.	.		-0538* -618	-153	287				7137.7608
1	13458.469	2	23961-10502	29	7.5- 7.5	.	.		-0217* -461						7428.2197
1	12681.559	4	23961-11279	-41	7.5- 7.5	.	.		+0206* 249						7883.2971
1	10911.372	2	23961-13049	-13	7.5- 7.5	.	.		-0560 -562						9162.2358
1	10254.730	4P	23961-13706	-55	7.5- 6.5	.	.		-0140* -168						9748.9241
1	10179.790	2P	23961-13781	-30	7.5- 7.5	.	.		-0500* -493						9820.6925
1	10166.266	4	23961-13794	-29	7.5- 8.5	.	.		+0671 668	169	318	448	566	671	9833.7568
1	6234.908	4	23961-17726	-42	7.5- 8.5	.	.		+0667 691	159	305	440	561	667	16034.3485
1	5138.684	3	23961-18822	-51	7.5- 7.5	.	.		+0790 800	193	382	533	679	790	19454.9240
1	5061.629	3S	23961-18899	-41	7.5- 6.5	.	.		-17						19751.0936
1	23903.952	2S	23903- 0	52	6.5- 5.5	.	.		-77						4182.2300
1	20401.088	0S	23903- 3502	18	6.5- 6.5	.	.		-57						4900.3310
1	17000.471	1	23903- 6903	21	6.5- 7.5	.	.		-33						5880.5602
1	14953.287	3	23903- 8950	-8	6.5- 6.5	.	.	.296	164						6685.6469
1	14209.872	2	23903- 9694	12	6.5- 5.5	.	.		-176						7035.4210
1	13948.759	2	23903- 9955	-41	6.5- 6.5	.	.		-91						7167.1210
1	13401.055	3S	23903-10502	-15	6.5- 7.5	.	.		66						7460.0446
1	12624.196	5	23903-11279	-34	6.5- 7.5	.	.		+0783 776	186	359	517	656	783	7919.1181
1	12521.084	3S	23903-11382	-6	6.5- 6.5	.	.		-56						7984.3330
1	12425.748	2S	23903-11478	68	6.5- 5.5	.	.		132						8045.5927
1	7503.720	2	23903-16400	0	6.5- 6.5	.	.		0070 83						13323.0798
1	6464.280	2	23903-17439	-40	6.5- 6.5	.	.		+0510 487						15465.4011
1	21865.890	1W	23899- 2033	45	5.5- 4.5	.	.		-475						4572.0518
1	14949.217	4	23899- 8950	42	5.5- 6.5	.	.		+0230* -191						6687.4672
1	12570.644	2	23899-11329	-46	5.5- 4.5	.	.		-0588* -569	-153	317	408			7952.8544
1	12339.653	3	23899-11560	3	5.5- 5.5	.	.		-0606 -591	-201	353	492	606		8101.7279
1	10411.462	4	23899-13488	-3	5.5- 6.5	.	.		144						9602.1653
1	10193.310	5S	23899-13706	15	5.5- 6.5	.	.		4						9807.6667
1	9014.000	4	23899-14885	25	5.5- 5.5	.	.		0140 -147						11090.8167
1	8966.232	3	23899-14933	2	5.5- 4.5	.	.		-0410* -303						11149.9037
1	8800.446	4	23899-15099	6	5.5- 5.5	.	.		0050 -33						11359.9501
1	6481.361	2S	23899-17418	1	5.5- 5.5	.	.		-5						15424.6435
1	23837.213	2P	23837- 0	83	6.5- 5.5	.79	.66	.13	-323						4193.9395
1	18652.200	4	23837- 5184	65	5.5- 5.5	.	.		-0450 -364	-180					5359.8073
1	16724.700	3	23837- 7112	0	6.5- 5.5	.	.		-2023 -2023	-504	975	1385	1731	2023	5977.5247
1	14886.555	4	23837- 8950	30	6.5- 6.5	.	.		+0412* -82						6715.6169
1	13882.048	4	23837- 9955	18	6.5- 6.5	.	.		-0279* -337						7201.5633
1	12358.937	5	23837-11478	27	6.5- 5.5	.	.		-114						8089.0865
1	12277.017	4	23837-11560	17	6.5- 5.5	.	.		-0485 -482	-117	251	347	435	485	8143.0622
1	10130.678	4	23837-13706	33	6.5- 6.5	.	.		0050 113						9868.3019
1	23779.942	3	23779- 0	7	5.5- 5.5	.	.		-0986 -994	-241	459	666	845	986	4204.0403
1	21746.156	2	23779- 2033	156	5.5- 4.5	.	.		-1005* -1037	-261	503	696			4597.2258
1	14085.890	3	23779- 9694	-5	5.5- 5.5	.	.		-1040 -1093	-307	565	765	940	1040	7097.3462
1	12301.712	4	23779-11478	-3	5.5- 5.5	.	.		-0760 -785	-207	388	544	669	760	8126.7154
1	10073.455	4	23779-13706	5	5.5- 6.5	.	.		-0534 -558	-160	289	396			9924.3597

TABLE II (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS	ZEEMAN	DATA	WIDTH	HFS	DIAGONAL	COMPONENTS				WAVELENGTH
						G2	G1	DG	OBS	CALC	2	3	4	5	6	
1	8767.599	3P	23779-15012	-86	5.5- 6.5	.	.		0000	-20*						11402.5093
1	23731.835	3W	23731- 0	30	5.5- 5.5	.	.			26*						4212.5625
1	21697.915	2V	23731- 2033	45	5.5- 4.5	.	.			-17*						4607.4470
1	17088.350	1	23731- 6643	45	5.5- 4.5	.	.			-48*						5850.3184
1	13862.297	3C	23731- 9869	132	5.5- 4.5	.	.		-1854	-1717*	-583	1098	1497	1854		7211.8241
1	9726.607	3S	23731-14005	7	5.5- 6.5	.	.			-34*						10278.2606
1	8798.250	4	23731-14933	-5	5.5- 4.5	.	.		0160	155*						11362.7855
1	7360.160	3	23731-16371	0	5.5- 6.5	.	.		0150	195*						13582.9471
1	18394.428	2	23579- 5184	8	4.5- 5.5	.	.		-0445	-485	-134					5434.9183
1	16935.900	5	23579- 6643	-15	4.5- 4.5	.	.		-0500	-518	-163	287				5902.9810
1	14872.922	5	23579- 8706	67	4.5- 5.5	.	.		-0359*	-415	-115					6721.7727
1	13885.396	4	23579- 9694	21	4.5- 5.5	.	.		-0474*	-543	-157	279				7199.8268
1	13709.780	4	23579- 9869	5	4.5- 4.5	.	.		-2200*	-2187	-590	1130				7292.0539
1	12687.291	3	23579-10892	56	4.5- 3.5	.	.		-0716	-747	-197	360	515	629	716	7879.7355
1	12101.216	5	23579-11478	21	4.5- 5.5	.	.		-0177*	-235						8261.3615
1	10732.740	2	23579-12846	5	4.5- 4.5	.	.		-0511	-512						9314.7294
1	10031.322	4P	23579-13548	17	4.5- 4.5	.	.		-0460*	-475						9966.0435
1	8693.600	3	23579-14885	-10	4.5- 5.5	.	.		0050	-159						11499.5664
1	8480.094	3	23579-15099	19	4.5- 5.5	.	.			37						11789.0953
1	7687.280	4	23579-15892	-15	4.5- 4.5	.	.		-0404	-448	-121	244				13004.9454
1	7532.573	3	23579-16046	8	4.5- 5.5	.	.		-0520*	-498	-107	222	333	435	520*	13272.0466
1	7144.092	3	23579-16435	-3	4.5- 3.5	.	.		-0710	-698						13993.7544
1	23568.347	1S	23568- 0	2	6.5- 5.5	.835	.660	.175		1*						4241.7846
1	13613.264	1	23568- 9955	19	6.5- 6.5	.	.			-13*						7343.7537
1	23540.898	5	23540- 0	-2	5.5- 5.5	.	.	.19	+0448	456	146	267				4246.7307
1	21506.970	4W	23540- 2033	5	5.5- 4.5	.	.			413						4648.3539
1	18355.870	4	23540- 5184	-35	5.5- 5.5	.	.			415						5446.3349
1	16428.630	2	23540- 7112	160	5.5- 5.5	.	.		-1235	-1244	-309	613	851	1068	1235	6085.2502
1	14590.274	4	23540- 8950	-21	5.5- 6.5	.	.		+0701	697	179	331	478	598	701	6851.9902
1	13846.859	4	23540- 9694	-1	5.5- 5.5	.	.		+0370*	357						7219.8647
1	13671.263	5	23540- 9869	3	5.5- 4.5	.	.		-1289	-1287	-358	666	926	1120	1289	7312.5984
1	12062.685	6	23540-11478	5	5.5- 5.5	.	.		+0662	665	174	328	462	573	662	8287.7503
1	10052.589	5	23540-13488	4	5.5- 6.5	.	.		+1023	1032	262	497	703	877	1023	9944.9596
1	9992.790	2	23540-13548	0	5.5- 4.5	.	.		+0410	425						10004.4725
1	9834.419	7	23540-13706	4	5.5- 6.5	.	.		+0892	892	230	433	611	764	892	10165.5825
1	9535.680	3P	23540-14005	-15	5.5- 6.5	.	.		+0400*	396						10484.0564
1	8655.091	4	23540-14885	-4	5.5- 5.5	.	.		+0734	741	192	362	513	619*	734	11550.7314
1	8441.562	4	23540-15099	2	5.5- 5.5	.	.		+0851	855	225	426	597	740	851	11842.9074
1	7854.274	5	23540-15686	-11	5.5- 5.5	.	.		+0420*	441	108	204	291	370*	420*	12728.4396
1	6798.885	3	23540-16741	-35	5.5- 6.5	.	.		+1400*	1554	391					14704.2752
1	13470.657	3	23491-10020	7	7.5- 8.5	.	.		-0741	-735*	-235	401	536	651	741	7421.4988
1	10003.330	3	23491-13488	15	7.5- 6.5	.	.		0280	-256*						9993.9313
1	7119.987	4	23491-16371	2	7.5- 6.5	.	.		-0606	-663*	-163	305	424	535	606	14041.1309
1	12185.379	2W	23416-11231	114	2.5- 2.5	.	.			-316						8204.3010
1	11597.226	5C	23416-11819	41	2.5- 3.5	.	.		-1200*	-1193	-373	683	929	1110	1180	8620.3838
1	10392.057	3P	23416-13024	2	2.5- 3.5	.	.			-482						9620.0954
1	9682.640	4	23416-13734	5	2.5- 3.5	.	.		0140	-174						10324.9323
1	9544.556	5	23416-13872	1	2.5- 3.5	.	.			-60						10474.3067
1	9349.606	3S	23416-14067	1	2.5- 2.5	.	.			-70						10692.7086

TABLE II (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS CALC	HFS 2	DIAGONAL 3	COMPONENTS 4	5	6	WAVELENGTH
1	8787.485	4P	23416-14629	-65	2.5- 2.5	.	.		+0190* 243	100*	190*				11376.7054
1	21378.395	0	23412- 2033	40	3.5- 4.5	.	.		282						4676.3107
1	18796.574	0	23412- 4615	-6	3.5- 2.5	.	.		186						5318.6388
1	15540.434	0	23412- 7871	4	3.5- 4.5	.	.		226						6433.0487
1	13887.890	4	23412- 9524	40	3.5- 2.5	.	.		-26						7198.5339
1	12642.833	3	23412-10769	-47	3.5- 2.5	.	.		23						7907.4444
1	10565.610	4	23412-12846	0	3.5- 4.5	.	.		+0230 257						9462.0731
1	10317.079	3S	23412-13095	-1	3.5- 2.5	.	.		-171*						9690.0084
1	9539.900	4	23412-13872	-20	3.5- 3.5	.	.		0160 191						10479.4187
1	9344.860	5	23412-14067	-110	3.5- 2.5	.	.		-0270 181						10698.1391
1	8582.901	6C	23412-14829	26	3.5- 3.5	.	.		-1390* -1384	-418	767	1043		1390*	11647.8838
1	8478.770	5P	23412-14933	30	3.5- 4.5	.	.		+0480* 454	141	250	350			11790.9362
1	13386.193	3	23407-10020	13	8.5- 8.5	.	.		-0909 -910*	-210	377	562	780	909	7468.3271
1	12127.497	3	23407-11279	7	8.5- 7.5	.	.		0276 -154*						8243.4586
1	9612.180	4	23407-13794	-5	8.5- 8.5	.	.		265*						10400.6172
1	14438.833	1	23389- 8950	18	7.5- 6.5	.	.		17*						6923.8575
1	6522.580	2	23389-16866	20	7.5- 7.5	.	.		0100 -141*						15327.1684
1	21309.765	2S	23343- 2033	0	4.5- 4.5	.	.		55						4691.3714
1	19892.782	1S	23343- 3450	47	4.5- 3.5	.	.		5						5025.5474
1	18158.703	2S	23343- 5184	-2	4.5- 5.5	.	.		57						5505.4718
1	15471.888	1S	23343- 7871	48	4.5- 4.5	.	.	.121	-1						6461.5496
1	14637.136	1	23343- 8706	-4	4.5- 5.5	.	.		127						6830.0529
1	13836.006	2	23343- 9507	36	4.5- 3.5	.	.		-0242* -287						7225.5280
1	13474.066	5C	23343- 9869	6	4.5- 4.5	.	.		-1634 -1645	-456	846	1177	1441	1634	7419.6211
1	11865.484	6	23343-11478	4	4.5- 5.5	.	.		+0314 307	075	144	208	264	314	8425.4910
1	11783.608	5	23343-11560	38	4.5- 5.5	.	.		0109* -61						8484.0341
1	8410.140	5	23343-14933	-10	4.5- 4.5	.	.		+0210 227						11887.1551
1	7451.550	3	23343-15892	-30	4.5- 4.5	.	.		0070 94						13416.3579
1	16682.968	0S	23326- 6643	-7	5.5- 4.5	.	.		105						5992.4775
1	10479.798	4	23326-12846	3	5.5- 4.5	.	.		0090 111						9539.5519
1	5908.059	2	23326-17418	4	5.5- 5.5	.	.		+0620 606						16921.4109
1	23304.869	2W	23304- 0	94	6.5- 5.5	.	.		-504						4289.7419
1	19801.979	2	23304- 3502	34	6.5- 6.5	.	.		-0470 -484	-111	213	310	398	470	5048.5926
1	16192.390	4H	23304- 7112	45	6.5- 5.5	.	.		-2200* -2204	-576	1092	1517	1881	2200	6174.0321
1	15512.854	3	23304- 7792	99	6.5- 6.5	.	.		-0386 -410	-126					6444.4860
1	14598.266	1	23304- 8706	51	6.5- 5.5	.	.		-0412* -475	-140					6848.2390
1	14354.198	5	23304- 8950	28	6.5- 6.5	.	.		-0207* -263						6964.6821
1	13610.748	4	23304- 9694	13	6.5- 5.5	.	.		-0561* -603	-179	314	431			7345.1113
1	13349.685	4	23304- 9955	10	6.5- 6.5	.	.		-0489* -518	-134	256	350			7488.7512
1	12801.891	3	23304-10502	-54	6.5- 7.5	.	.		-0350* -361	-110	228*				7809.1973
1	12025.098	6	23304-11279	-7	5.5- 7.5	.	.		+0367 349	077	153	227	299	367	8313.6556
1	11826.595	3	23304-11478	40	6.5- 5.5	.	.		-0253* -295						8453.1964
1	10254.901	5P	23304-13049	11	6.5- 7.5	.	.		-0500* -462	-141	254	*	*	*	9748.7616
1	9816.469	5P	23304-13488	9	6.5- 6.5	.	.		0000 72						10184.1709
1	9523.333	3	23304-13781	8	6.5- 7.5	.	.		-0380 -393						10497.6490
1	8205.474	3W	23304-15099	39	6.5- 5.5	.	.		-105						12183.6525
1	7682.193	3	23304-15622	-2	6.5- 7.5	.	.		+0462* 452	93	195	283	381		13013.5570
1	6933.140	2	23304-16371	10	6.5- 6.5	.	.		-0170* -335*						14419.5377
1	6872.113	2	23304-16432	3	6.5- 7.5	.	.		-0544 -528	-129	251	355	443	544	14547.5889

TABLE II (Contd.)

C	WAVENUMBER	T	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS CALC	HFS 2	DIAGONAL 3	COMPONENTS 4	5	6	WAVELENGTH
1	23257.139	0	23257-	0	39	6.5-	5.5	.	.	-174*					4298.5458
1	14306.519	2	23257-	8950	24	6.5-	6.5	.	.	+0286*					6987.8933
1	11778.919	4S	23257-	11478	39	6.5-	5.5	.	.	35*					8487.4114
1	11696.981	4	23257-	11560	11	6.5-	5.5	.	.	-0345*	-120	226			8546.8665
1	6885.437	3P	23257-	16371	-18	6.5-	6.5	.	.	-5*					14519.4378
1	16339.270	4	23242-	6903	40	7.5-	7.5	.	.	-0712	-729	-174	345	487	6118.5309
1	15450.668	4	23242-	7792	8	7.5-	6.5	.	.	-0667	-679	-204	370	500	6470.4240
1	14292.062	4	23242-	8950	-13	7.5-	6.5	.	.	-0502*	-532	-154	278		6994.9618
1	13221.723	4	23242-	10020	23	7.5-	8.5	.	.	-0667	-676	-187	339	482	7561.2290
1	12739.840	4	23242-	10502	-10	7.5-	7.5	.	.	-0628	-630	-192	343	464	7847.2332
1	11963.027	6S	23242-	11279	17	7.5-	7.5	.	.	80					8356.7917
1	11859.866	5	23242-	11382	-4	7.5-	6.5	.	.	-0749	-752	-232	414	556	8429.4822
1	9447.698	5	23242-	13794	-7	7.5-	8.5	.	.	+0502	499	090	189	292	10581.6898
1	7620.130	7C	23242-	15622	30	7.5-	7.5	.	.	0150	183				13119.5476
1	6810.013	5	23242-	16432	-2	7.5-	7.5	.	.	-0798	-797	-214	400	556	14680.2475
1	6500.710	4	23242-	16741	10	7.5-	6.5	.	.	+0315	325				15378.7328
1	6375.815	5	23242-	16866	-5	7.5-	7.5	.	.	-0695	-690	-190	353	488	15679.9852
1	5688.547	3	23242-	17554	-3	7.5-	7.5	.	.	-0708	-704	-209	373	508	17574.3819
1	5239.143	4P	23242-	18003	-7	7.5-	7.5	.	.	-0643*	-644	-189	350		19081.8814
1	4343.070	2	23242-	18899	-10	7.5-	6.5	.	.	0160	-186				23018.9056
1	21183.334	0S	23217-	2033	39	3.5-	4.5	.	.	-117*					4719.3719
1	18601.544	0	23217-	4615	24	3.5-	2.5	.	.	-213*					5374.4033
1	16573.766	2	23217-	6643	36	3.5-	4.5	.	.	-148*					6031.9613
1	14938.930	4	23217-	8278	0	3.5-	3.5	.	.	-0262*	-258*				6692.0722
1	12325.061	5	23217-	10892	11	3.5-	3.5	.	.	-0385*	-377*	-117	228		8111.3198
1	10370.545	3	23217-	12846	-5	3.5-	4.5	.	.	0090*	-142*				9640.0508
1	10192.356	4	23217-	13024	-4	3.5-	3.5	.	.	-0651	-630*	-172	325		9808.5847
1	9669.130	4	23217-	13548	10	3.5-	4.5	.	.	0080	-105*				10339.3586
1	8587.890	2	23217-	14629	35	3.5-	2.5	.	.	0090	95*				11641.1172
1	7026.990	3	23217-	16190	-60	3.5-	2.5	.	.	-0500*	-485*				14226.9551
1	6781.878	4	23217-	16435	-32	3.5-	3.5	.	.	-0410	-328*				14741.1494
1	23191.255	0	23191-	0	25	6.5-	5.5	.	.	-174*					4310.7577
1	14240.636	1	23191-	8950	11	6.5-	6.5	.	.	67*					7020.2223
1	13497.169	3	23191-	9694	-21	6.5-	5.5	.	.	-273*					7406.9209
1	12688.408	2	23191-	10502	8	6.5-	7.5	.	.	-31*					7879.0418
1	7575.700	3	23191-	15615	-10	6.5-	6.5	.	.	0090	-150*				13196.4913
1	6819.584	2P	23191-	16371	-1	6.5-	6.5	.	.	0000	-5*				14659.6443
1	14429.834	2	23136-	8706	4	6.5-	5.5	.	.	-0206*	-251*				6928.1755
1	13442.360	2	23136-	9694	10	6.5-	5.5	.	.	-0294*	-379*				7437.1216
1	11856.687	4	23136-	11279	-33	6.5-	7.5	.	.	+0598*	573*	141	267	390	8431.7423
1	10086.510	2	23136-	13049	5	6.5-	7.5	.	.	-0210	-238*				9911.5145
1	16228.968	4	23132-	6903	8	8.5-	7.5	.	.	-1673	-1670	-403	774	1105	6160.1165
1	13111.443	6C	23132-	10020	13	8.5-	8.5	1.12	1.12	-1625	-1617	-393	752	1075	7624.8266
1	12629.563	4C	23132-	10502	-17	8.5-	7.5	.	.	-1559	-1571	-404	758	1108	7915.7528
1	11852.738	5	23132-	11279	-2	8.5-	7.5	.	.	-0850	-861	-217	409	579	8434.5515
1	10202.280	3	23132-	12930	0	8.5-	9.5	.	.	-1540	-1548	-350	700	1010	9799.0436
1	10184.425	5	23132-	12947	0	8.5-	8.5	.	.	-1536	-1543	-393	732	1044	9816.2230
1	9350.970	3	23132-	13781	10	8.5-	7.5	.	.	-1604	-1603	-404	760	1089	10691.1489
1	9337.443	8C	23132-	13794	8	8.5-	8.5	.	.	-0470*	-442	-121	223	311	10706.6370

TABLE II (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS CALC	HFS 2	DIAGONAL 3	COMPONENTS 4	5	6	WAVELENGTH
1	7509.828	7	23132-15622	-2	8.5- 7.5	.	.	.	-0747 -758	-194	364	510	637	747	13312.2437
1	5406.079	4	23132-17726	-11	8.5- 8.5	.	.	.	-0451* -419	-127	231	319			18492.6455
1	4309.850	2	23132-18822	-25	8.5- 7.5	.	.	.	-0310* -310						23196.3337
1	13083.860	2	23104-10020	-60	7.5- 8.5	.	.	.	153*						7640.9011
1	10156.916	3	23104-12947	1	7.5- 8.5	.	.	.	+0240 227*						9842.8093
1	6672.239	2	23104-16432	4	7.5- 7.5	.	.	.	32*						14983.3780
1	23053.589	5P	23053- 0	29	5.5- 5.5	.	.	.	-510						4336.5001
1	21019.719	0	23053- 2033	94	5.5- 4.5	.	.	.	-0530* -553	-142	265				4756.1075
1	19550.747	2	23053- 3502	17	5.5- 6.5	.	.	.	-0484 -490	- 91	202	309	412	484	5113.4691
1	17868.587	4	23053- 5184	22	5.5- 5.5	.	.	.	-0619 -551	-221	354	460			5594.8600
1	15941.250	4	23053- 7112	120	5.5- 5.5	.	.	.	-2222 -2210	-570	1087	1529	1911	2222	6271.2992
1	15261.518	3	23053- 7792	-22	5.5- 6.5	.	.	.	-0426 -416	-110	205	299			6550.6185
1	14347.010	5	23053- 8706	10	5.5- 5.5	.	.	.	-0475* -481	-128	245	331			6968.1715
1	14102.987	5	23053- 8950	32	5.5- 6.5	.	.	.	-0251* -269						7088.7420
1	13098.472	4	23053- 9955	12	5.5- 6.5	.845	.845	.	-0518 -524	-120	242	352	447	518	7632.3773
1	11670.749	6	23053-11382	-1	5.5- 6.5	.	.	.	-0487 -489	-140	263	360	432	487	8566.0771
1	11575.363	2	23053-11478	23	5.5- 5.5	.	.	.	-0315* -301	-069	138	202			8636.6656
1	9565.262	6	23053-13488	17	5.5- 6.5	.	.	.	66						10451.6328
1	8167.760	3	23053-14885	5	5.5- 5.5	.	.	.	0190 -225						12239.9097
1	7954.230	4	23053-15099	10	5.5- 5.5	.	.	.	0090 -111						12568.4887
1	7366.950	5	23053-15686	5	5.5- 5.5	.	.	.	-0550 -525	-135	262	371	459	550	13570.4279
1	6681.910	6	23053-16371	-5	5.5- 6.5	.	.	.	0110 -341*						14961.6919
1	5635.157	4S	23053-17418	17	5.5- 5.5	.	.	.	-83						17740.8897
1	13024.499	4	23045-10020	9	9.5- 8.5	.	.	.	-77*						7675.7258
1	10115.364	2S	23045-12930	24	9.5- 9.5	.	.	.	-8*						9883.2419
1	10097.450	3S	23045-12947	-35	9.5- 8.5	.	.	.	-3*						9900.7759
1	23002.308	3P	23002- 0	88	4.5- 5.5	.	.	.	-299						4346.1680
1	20968.330	3W	23002- 2033	45	4.5- 4.5	.	.	.	-342						4767.7638
1	16358.720	4	23002- 6643	0	4.5- 4.5	.	.	.	-0432 -373	-106					6111.2561
1	14723.857	3	23002- 8278	-63	4.5- 3.5	.	.	.	-0442* -483						6789.8247
1	13132.564	0	23002- 9869	-16	4.5- 4.5	.	.	.	-2015* -2042	-500	1007				7612.5636
1	12110.077	5	23002-10892	37	4.5- 3.5	.	.	.	-0576 -602	-146	270	395	493	576	8255.3166
1	11524.015	5	23002-11478	15	4.5- 5.5	.	.	.	0020* -90						8675.1485
1	11442.090	2	23002-11560	0	4.5- 5.5	.	.	.	-0470 -458	-130	250	330	*	470	8737.2625
1	11047.860	2	23002-11954	-10	4.5- 4.5	.	.	.	-0480 -453	-110	220				9049.0428
1	10155.550	5	23002-12846	10	4.5- 4.5	.	.	.	-0320* -367						9844.1333
1	10014.194	5	23002-12988	14	4.5- 5.5	.	.	.	-0340* -383	-083	170	255*	321*		9983.0892
1	9454.094	4Q	23002-13548	-16	4.5- 4.5	.	.	.	0280* -330						10574.5309
1	7902.870	2	23002-15099	-10	4.5- 5.5	.	.	.	0075 108						12650.1703
1	6566.884	3	23002-16435	-16	4.5- 3.5	.	.	.	-0560 -553	-133	256	365	468	560	15223.7623
1	22895.996	0S	22895- 0	6	6.5- 5.5	.	.	.	-24*						4366.3488
1	14189.427	1S	22895- 8706	-3	5.5- 5.5	.	.	.	5*						7045.5581
1	13945.359	3	22895- 8950	-26	6.5- 6.5	.	.	.	+0185* 217*						7168.8684
1	12940.874	3S	22895- 9955	-16	6.5- 6.5	.	.	.	-38*						7725.3273
1	12393.199	5	22895-10502	39	6.5- 7.5	1.05	1.05	.	119*						8066.7234
1	11513.190	2S	22895-11382	10	6.5- 6.5	.	.	.	-3*						8683.3051
1	9846.101	5S	22895-13049	-4	6.5- 7.5	.	.	.	18*						10153.5214
1	8890.770	4	22895-14005	-15	6.5- 6.5	.	.	.	0070 -84*						11244.5407
1	8865.100	6	22895-14030	-50	6.5- 5.5	.	.	.	-81*						11277.1008
1	6495.810	3	22895-16400	0	6.5- 6.5	.	.	.	0110 136*						15390.3335

TABLE II (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS CALC	HFS 2	DIAGONAL 3	COMPONENTS 4	5	6	WAVELENGTH
1	22794.867	3	22794-	0	67	4.5-	5.5	.	174*						4385.7203
1	20760.887	2	22794-	2033	22	4.5-	4.5	.	131*						4815.4041
1	19343.822	0S	22794-	3450	-13	4.5-	3.5	.	81*						5168.1697
1	17609.820	4	22794-	5184	15	4.5-	5.5	.	133*						5677.0744
1	15682.410	4	22794-	7112	40	4.5-	5.5	.	-1521	-1526*	-405	747	1060	1329	6374.8086
1	14088.302	3	22794-	8706	62	4.5-	5.5	.	+0214*	203*					7096.1311
1	13287.046	5	22794-	9507	-24	4.5-	3.5	.	-0202*	-211*					7524.0556
1	13100.773	2	22794-	9694	13	4.5-	5.5	.	75*						7631.0367
1	11902.667	4	22794-	10892	47	4.5-	3.5	.	-0129*	-129*					8399.1703
1	11316.620	3	22794-	11478	40	4.5-	5.5	.	0370*	383*					8834.1350
1	11234.711	5	22794-	11560	41	4.5-	5.5	.	15*						8898.5424
1	10840.471	4S	22794-	11954	21	4.5-	4.5	.	20*						9222.1607
1	9806.792	7	22794-	12988	32	4.5-	5.5	.	90*						10194.2204
1	9246.670	3	22794-	13548	-20	4.5-	4.5	.	0100	143*					10811.7425
1	7861.190	5	22794-	14933	-60	4.5-	4.5	.	+0280*	303*					12717.2416
1	6902.601	4	22794-	15892	-79	4.5-	4.5	.	0300*	170*					14483.3338
1	4913.209	2S	22794-	17881	24	4.5-	3.5	.	-52*						20347.7423
1	8993.009	4	22787-	13794	14	9.5-	8.5	.	+1112	988*	282*	542	735	855	11116.7044
1	6736.120	3	22787-	16051	-30	9.5-	10.5	.	+0220	-12*					14841.2851
1	14951.034	1	22743-	7792	14	6.5-	6.5	.	-0471*	-322					6686.6544
1	14036.470	2	22743-	8706	-10	6.5-	5.5	.	-0392*	-387	-129				7122.3349
1	12787.853	4	22743-	9955	-87	6.5-	6.5	.	-0397*	-430	-117	211			7817.7700
1	6310.370	2	22743-	16432	-5	6.5-	7.5	.	-0430	-440					15842.6029
1	13919.400	2	22625-	8706	20	6.5-	5.5	.	+0151*	186					7182.2381
1	13675.318	3	22625-	8950	-17	6.5-	6.5	.	+0396*	398	110	207			7310.4301
1	12123.122	2	22625-	10502	12	6.5-	7.5	.	-0375*	300	-093				8246.4335
1	11346.259	4	22625-	11279	-11	6.5-	7.5	.	+1027	1010	265	492	700	880	8811.0581
1	11065.816	2	22625-	11560	6	6.5-	5.5	.	-2						9034.3593
1	9637.900	4	22625-	12988	0	6.5-	5.5	.	0040	73					10372.8617
1	9576.040	5P	22625-	13049	-15	6.5-	7.5	.	0160	199					10439.8693
1	9137.630	4	22625-	13488	5	6.5-	6.5	.	+0720*	733	211	387	532		10940.7602
1	8844.560	3	22625-	13781	70	6.5-	7.5	.	+0270	268					11303.2900
1	8620.700	6	22625-	14005	-35	6.5-	6.5	.	0050	97					11596.8115
1	8595.070	7	22625-	14030	-30	6.5-	5.5	.	0082*	100					11631.3926
1	6225.760	4	22625-	16400	0	6.5-	6.5	.	+0280*	317					16057.9090
1	14832.350	1	22624-	7792	40	5.5-	6.5	.	-0247*	-251					6740.1594
1	13673.736	3S	22624-	8950	11	5.5-	6.5	.	-104						7311.2759
1	11146.113	3	22624-	11478	3	5.5-	5.5	.	-136						8969.2752
1	9076.220	3	22624-	13548	0	5.5-	4.5	.	-0360	-376					11014.7859
1	20568.745	2	22602-	2033	20	3.5-	4.5	.	457						4860.3876
1	14730.816	2	22602-	7871	16	3.5-	4.5	.	+0338*	401					6786.6171
1	12733.009	6	22602-	9869	-11	3.5-	4.5	.	-1242	-1243	-368	672	919	1106	7851.4431
1	11710.530	4	22602-	10892	50	3.5-	3.5	.	+0223*	197					8536.9778
1	9755.960	3	22602-	12846	-20	3.5-	4.5	.	+0430	432					10247.3360
1	9577.794	4S	22602-	13024	4	3.5-	3.5	.	-56						10437.9574
1	8868.380	3	22602-	13734	10	3.5-	3.5	.	+0250	252					11272.9299
1	8535.296	4	22602-	14067	-44	3.5-	2.5	.	0316	356	119	212	316		11712.8492
1	7773.233	5C	22602-	14829	-12	3.5-	3.5	.	-1214	-1209	-402	718	957	1114	12861.1421
1	17396.490	4	22581-	5184	-15	4.5-	5.5	.	181						5746.6920

TABLE II (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS CALC	HFS 2	DIAGONAL 3	COMPONENTS 4	5	6	WAVELENGTH
1	14709.673	1	22581- 7871	33	4.5- 4.5	.	.		123						6796.3720
1	14303.170	3	22581- 8278	-30	4.5- 3.5	.	.		38						6989.5294
1	12887.457	3	22581- 9694	-3	4.5- 5.5	.	.		123						7757.3480
1	12711.876	3	22581- 9869	16	4.5- 4.5	.	.		-1551 -1521	-434	795	1096	1382	1551	7864.4958
1	11689.334	4	22581-10892	14	4.5- 3.5	.	.		-0146* -81						8552.4578
1	11103.307	4	22581-11478	27	4.5- 5.5	.	.		+0400 431	105	199				9003.8541
1	11021.400	4S	22581-11560	30	4.5- 5.5	.	.		63						9070.7677
1	10627.160	3S	22581-11954	10	4.5- 4.5	.	.		68						9407.2708
1	9734.780	3	22581-12846	-40	4.5- 4.5	.	.		0130 154						10269.6312
1	9593.490	3	22581-12988	30	4.5- 5.5	.	.		0140 138						10420.8797
1	9033.360	4	22581-13548	-30	4.5- 4.5	.	.		0130 191						11067.0472
1	8709.090	3	22581-13872	-40	4.5- 3.5	.	.		0080 88						11479.1132
1	4699.889	2S	22581-17881	4	4.5- 3.5	.	.		-4*						21271.2925
1	20487.740	4	22521- 2033	35	3.5- 4.5	.	.		+0758 771	165	342	507	652	758	4879.6050
1	12652.001	6	22521- 9869	1	3.5- 4.5	.	.		-0922 -929	-285	514	692	829	922	7901.7144
1	11752.212	5	22521-10769	-18	3.5- 2.5	.	.		+0465 512	139	270	374	465		8506.6992
1	11629.503	4	22521-10892	43	3.5- 3.5	.	.		+0511 511	118	238	349	444	511	8596.4583
1	10701.870	4	22521-11819	-30	3.5- 3.5	.	.		-0446 -453						9341.5982
1	10567.291	5	22521-11954	1	3.5- 4.5	.	.		+0664 660	143	294	437	561	664	9460.5679
1	10026.950	3	22521-12494	30	3.5- 4.5	.	.		+0620* 538*						9970.3890
1	9496.714	3S	22521-13024	-56	3.5- 3.5	.	.		258						10527.0737
1	9426.379	3	22521-13095	-51	3.5- 2.5	.	.		318*						10605.6217
1	8649.300	4P	22521-13872	30	3.5- 3.5	.	.		+0640* 680	182	367				11558.4651
1	7892.399	4	22521-14629	134	3.5- 2.5	.	.		+1100* 983	314	572	784			12666.9535
1	7692.233	7	22521-14829	8	3.5- 3.5	.	.		-0900* -895	-316	548	714	828	900*	12996.5715
1	22414.780	5S	22414- 0	30	5.5- 5.5	.881	.657	.224	59						4460.0902
1	18911.913	2S	22414- 3502	-7	5.5- 6.5	.	.		79						5286.2014
1	15302.480	5	22414- 7112	160	5.5- 5.5	.	.		-1650* -1641	-443*	823	1152	1424	1650*	6533.0836
1	14622.690	4	22414- 7792	-40	5.5- 6.5	.	.		+0253 153	117					6836.8004
1	14542.907	4C	22414- 7871	17	5.5- 4.5	.	.		-40						6874.3077
1	13708.205	3	22414- 8706	15	5.5- 5.5	.	.		88						7292.8917
1	13464.158	4	22414- 8950	13	5.5- 6.5	.	.		+0346* 300	079					7425.0811
1	12459.652	5	22414- 9955	2	5.5- 6.5	.926	.926		45						8023.6997
1	11031.949	3	22414-11382	9	5.5- 6.5	.	.		80	179					9062.0940
1	10460.420	3	22414-11954	20	5.5- 4.5	.	.		0040* -95						9557.2241
1	9426.652	4	22414-12988	-58	5.5- 5.5	.	.		0080* -25						10605.3146
1	8926.463	6	22414-13488	28	5.5- 6.5	.	.		+0647 635	176	325	450	554	647	11199.5786
1	8708.284	5	22414-13706	19	5.5- 6.5	.	.		+0460 495	137	254	354	439	460	11480.1757
1	8409.555	4S	22414-14005	10	5.5- 6.5	.	.		-1						11887.9820
1	8383.903	3S	22414-14030	-7	5.5- 5.5	.	.		2						11924.3554
1	7528.962	4	22414-14885	17	5.5- 5.5	.	.		+0355* 344	096	186	255			13278.4121
1	7481.190	3	22414-14933	-10	5.5- 4.5	.	.		+0215* 188						13363.2031
1	6728.137	3S	22414-15686	2	5.5- 5.5	.	.		4						14858.8945
1	6367.893	4S	22414-16046	-7	5.5- 5.5	.	.		5						15699.4920
1	6043.110	3	22414-16371	5	5.5- 6.5	.	.		+0220 228*						16543.2520
1	5672.776	4	22414-16741	6	5.5- 6.5	.	.		+1154 1157	294	560	790	988	1154	17623.2409
1	4996.343	3	22414-17418	13	5.5- 5.5	.	.		+0500 486						20009.1765
1	17224.308	2W	22409- 5184	-27	4.5- 5.5	.	.		431						5804.1391
1	15765.875	2P	22409- 6643	45	4.5- 4.5	.	.		398						6341.0599
1	14537.439	2	22409- 7871	-31	4.5- 4.5	.	.		+0332 373						6876.8933
1	14131.026	4	22409- 8278	-4	4.5- 3.5	.	.		+0293* 288	120					7074.6764
1	13702.777	5	22409- 8706	7	4.5- 5.5	.	.		+0511 501	132	242	347	438	511	7295.7806

TABLE II (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS	ZEEMAN	DATA	WIDTH		HFS	DIAGONAL		COMPONENTS		WAVELENGTH
						G2	G1	DG	OBS	CALC	2	3	4	5	6	
1	12901.623	2	22409- 9507	23	4.5- 3.5	.	.	.		87						7748.8304
1	12715.284	3	22409- 9694	-6	4.5- 5.5	.	.	.	+0382*	373	093	175	248			7862.3880
1	11517.180	3	22409-10892	30	4.5- 3.5	.	.	.	+0180	169						8680.2969
1	10931.124	6	22409-11478	14	4.5- 5.5	.	.	.	+0690	681	192	354	491	600	690	9145.6800
1	10849.210	3	22409-11560	10	4.5- 5.5	.	.	.	+0300	313						9214.7322
1	10589.580	3	22409-11819	-10	4.5- 3.5	.	.	.	-0824	-795	-218	414	584	714	824	9440.6552
1	10454.980	3	22409-11954	0	4.5- 4.5	.	.	.	+0390*	318						9562.1970
1	9421.305	4	22409-12988	15	4.5- 5.5	.	.	.	+0389*	388	118	213	314			10611.3336
1	8861.228	5	22409-13548	8	4.5- 4.5	.	.	.	+0432*	441	149	264	349			11282.0284
1	7740.280	3	22409-14669	-30	4.5- 3.5	.	.	.	0140	196*						12915.8965
1	6722.720	3P	22409-15686	5	4.5- 5.5	.	.	.	+0460*	457						14870.8674
1	4527.700	3	22409-17881	-15	4.5- 3.5	.	.	.	+0250*	246*						22080.2429

1	20350.169	1	22383- 2033	144	3.5- 4.5	.	.	.		-382						4912.5925
1	15491.920	4	22383- 6892	40	3.5- 3.5	.	.	.	-0563	-503	-166	290				6453.1944
1	14512.034	1	22383- 7871	-66	3.5- 4.5	.	.	.	-0438*	-438						6888.9322
1	12859.564	3	22383- 9524	44	3.5- 2.5	.	.	.	-0685	-690	-165	320	456	595	685	7774.1741
1	12514.313	4C	22383- 9869	-7	3.5- 4.5	.	.	.	-2121	-2082	-620	1130	1557	1863	2121	7988.6530
1	10429.600	4	22383-11954	-10	3.5- 4.5	.	.	.	0080	-493						9585.4663
1	8649.682	4P	22383-13734	12	3.5- 3.5	.	.	.	-0690*	-587	-189	329				11557.9546
1	8511.586	4	22383-13872	-4	3.5- 3.5	.	.	.	-0518*	-473	-149	272	363			11745.4768
1	7554.544	5C	22383-14829	-1	3.5- 3.5	.	.	.	-2155*	-2048	-648	1162	1566	1858	2055*	13233.4472
1	7450.450	2	22383-14933	40	3.5- 4.5	.	.	.	-0200	-210						13418.3387
1	7159.608	3	22383-15224	-2	3.5- 2.5	.	.	.	-0674	-615*	-210	382	503	594	674	13963.4277

1	17688.100	5	22303- 4615	-100	2.5- 2.5	.	.	.	+0863	1002	329					5651.9498
1	15829.571	5C	22303- 6474	-49	2.5- 1.5	.	.	.	+0756	809	304	551	750			6315.5441
1	12779.526	4C	22303- 9524	56	2.5- 2.5	.	.	.	+0768	790	262	481	687	768		7822.8640
1	10484.170	5	22303-11819	0	2.5- 3.5	.	.	.	0100	-126						9535.5738
1	9451.570	7C	22303-12852	0	2.5- 2.5	.	.	.	-0592*	-650	-227	382*				10577.3548
1	8487.656	5	22303-13816	26	2.5- 1.5	.	.	.	-155	-147						11778.5919
1	7674.316	4	22303-14629	-219	2.5- 2.5	.	.	.	+1190*	1310	417	772				13026.9143

1	22276.792	2	22276- 0	2	5.5- 5.5	.	.	.	-1031	-974	-255	469	665	858	1031	4487.7176
1	18773.940	4	22276- 3502	-20	5.5- 6.5	.	.	.	-0965	-954	-248	477	669	827	965	5325.0511
1	17091.854	3	22276- 5184	59	5.5- 5.5	.	.	.	-0970	-1015	-301	576				5849.1190
1	15633.352	4	22276- 6643	62	5.5- 4.5	.	.	.	-1067	-1048	-318	575	778	938	1067	6394.8131
1	12407.147	3	22276- 9869	-3	5.5- 4.5	.	.	.	-2749	-2717	-757	1398	1941		2749	8057.6548
1	12321.676	4	22276- 9955	-14	5.5- 6.5	.	.	.	-0992	-988	-279	515	710	865	982	8113.5481
1	10798.583	4	22276-11478	13	5.5- 5.5	.	.	.	-0768	-765	-220	403	557	671	768	9257.9338
1	10716.671	6C	22276-11560	11	5.5- 5.5	.	.	.	-1149	-1133	-336	612	837	1013	1149	9328.6963
1	10322.440	5	22276-11954	0	5.5- 4.5	.	.	.	-1125	-1128	-325*	591	810	986	1125	9684.9759
1	9288.756	4	22276-12988	6	5.5- 5.5	.	.	.	-1055	-1058	-292	552	760	921	1055	10762.7560
1	8788.530	4B	22276-13488	55	5.5- 6.5	.	.	.		-398						11375.3527
1	7390.985	6C	22276-14885	0	5.5- 5.5	.	.	.	-0699	-689	-204	371	503	614	699	13526.2977
1	7343.250	6P	22276-14933	10	5.5- 4.5	.	.	.	-0840*	-845	-207*	402*	573*	722*	845*	13614.2259
1	7264.582	3S	22276-15012	42	5.5- 6.5	.	.	.		0*						13761.6543
1	7177.452	6	22276-15099	2	5.5- 5.5	.	.	.	-0570*	-575	-169	309	421	510*	570*	13928.7129
1	6384.665	5	22276-15892	-5	5.5- 4.5	.	.	.	-0987	-978	-282	511	701	860	987	15658.2506
1	6229.938	3	22276-16046	-2	5.5- 5.5	.	.	.	-1053	-1028	-270	510	701	894	1053	16047.1401
1	5534.801	3	22276-16741	-9	5.5- 6.5	.	.	.		124						18062.5646
1	4858.378	4	22276-17418	8	5.5- 5.5	.	.	.	-0568	-547	-138	260	373	473	568	20577.3843

1	22251.078	4	22251- 0	-2	5.5- 5.5	.	.	.	-0685	-695	-141	291	437	573	685	4492.9038
1	18748.226	4	22251- 3502	-24	6.5- 6.5	.	.	.	-0650	-675	-150	292	441	556	650	5332.3547

TABLE II (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH		HFS 2	DIAGONAL		COMPONENTS		WAVELENGTH
									OBS	CALC		3	4	5	6	
1	15347.640	5	22251- 6903	10	6.5- 7.5	.	.		-0634	-651	-145	275	415	533	634	6513.8600
1	13544.519	6	22251- 8706	-1	6.5- 5.5	.	.		-0646	-666	-179	331	461	568	646	7381.0271
1	13300.476	5	22251- 8950	1	6.5- 6.5	.	.		-0403*	-454	-110	208	293			7516.4582
1	12295.972	4	22251- 9955	-8	6.5- 6.5	.	.		-0657	-709	-472	332	453	594	657	8130.5091
1	11748.232	6	22251-10502	-18	6.5- 7.5	.	.		-0545	-552	-149	277	386	476	545	8509.5811
1	10971.410	7	22251-11279	0	6.5- 7.5	.	.		0130*	158						9112.0978
1	8762.770	6	22251-13488	5	6.5- 6.5	.	.		0080*	-119						11408.7930
1	6628.500	5	22251-15622	0	6.5- 7.5	.	.		0200	261						15082.2478
1	6204.230	2	22251-16046	0	6.5- 5.5	.	.		-0760	-749	-169	339	478	624*	760*	16113.6335
1	5879.441	3	22251-16371	6	6.5- 6.5	.	.		-0530	-526*						17003.7754
1	5509.100	4	22251-16741	0	6.5- 6.5	.	.		+0390*	403	097	185				18146.8299

1	22243.411	3S	22243- 0	31	4.5- 5.5	1.018	.656	.362		-148						4494.4525
1	20209.455	0	22243- 2033	10	4.5- 4.5	.	.			-191						4946.7983
1	13536.809	4	22243- 8706	-11	4.5- 5.5	.	.			-119						7385.2310
1	12549.332	5	22243- 9694	-8	4.5- 5.5	.98	.98		+0196	-247						7966.3605
1	12373.719	4	22243- 9869	-21	4.5- 4.5	.	.		-1850*	-1891	-499	928	1331	1641		8079.4230
1	11351.225	4	22243-10892	25	4.5- 3.5	.	.		-0436	-451	-102	198	287	369	436	8807.2034
1	10765.130	3S	22243-11478	-30	4.5- 5.5	.	.			61						9286.7033
1	10683.260	5	22243-11560	10	4.5- 5.5	.	.		-0260*	-307						9357.8712
1	10288.970	6	22243-11954	-60	4.5- 4.5	.	.		-0300*	-302	-089	195*	250*			9716.4812
1	9396.698	4S	22243-12846	-2	4.5- 4.5	.	.			-216						10639.1214
1	8695.271	4P	22243-13548	1	4.5- 4.5	.	.			-179						11497.3565
1	7357.500	3	22243-14885	-75	4.5- 5.5	.	.		0100	137						13587.8578
1	5808.016	2	22243-16435	-44	4.5- 3.5	.	.		-0410	-402						17212.8823

1	12716.763	4S	22241- 9524	-32	2.5- 2.5	.	.			-85						7861.4735
1	7411.818	6C	22241-14829	-2	2.5- 3.5	.	.		-1446	-1443	-447	820	1112	1333	1446	13488.2782
1	6148.027	2	22241-16093	-8	2.5- 1.5	.	.			-10*						16260.9386

1	14446.006	3	22238- 7792	26	7.5- 6.5	.	.		-0146*	-239						6920.4195
1	12282.920	4	22238- 9955	20	7.5- 6.5	.	.		-0290*	-347						8139.1487
1	12217.010	6B	22238-10020	-10	7.5- 8.5	1.10	1.10		-0215*	-236	-052	109	161	215		8183.0591
1	11735.172	5	22238-10502	21	7.5- 7.5	.	.		-0170*	-190	-042	085				8519.0514
1	10958.350	4	22238-11279	20	7.5- 7.5	.	.		+0522	520	141	262	366	456	522	9122.9575
1	10855.210	3	22238-11382	20	7.5- 6.5	.	.		-0290	-312						9209.6389
1	9290.000	5	22238-12947	-15	7.5- 8.5	.	.		0100	-162						10761.3148
1	9188.110	6	22238-13049	-5	7.5- 7.5	.	.		-0300*	-291	-070*	160*	251			10880.6509
1	8749.670	3	22238-13488	-15	7.5- 6.5	.	.		0230	243						11425.8743
1	8443.029	4	22238-13794	4	7.5- 8.5	.	.		+0942	939	232	447	624	799	942	11840.8497
1	8232.808	3	22238-14005	13	7.5- 6.5	.	.		-0390	-393						12143.2011
1	6622.490	2	22238-15615	10	7.5- 6.5	.	.		0150	-309*						15095.9352
1	6615.425	3	22238-15622	5	7.5- 7.5	.	.		+0633	623	165	310	434	538	633	15112.0571
1	5837.830	4	22238-16400	10	7.5- 6.5	.	.		0110	-173						17124.9754
1	4511.678	2	22238-17726	-2	7.5- 8.5	.	.		+0940*	962	233	441	624	805*	940*	22158.6550

1	9370.466	5C	22222-12852	-39	2.5- 2.5	.	.		-2000*	-2044	-696	1242	1640*			10668.9050
1	9127.590	2	22222-13095	-45	2.5- 2.5	.	.		-0750	-749*						10952.7946
1	8406.518	5L	22222-13816	-47	2.5- 1.5	.	.		-1100*	-1549	-616	891	1061			11892.2767

1	13932.377	5	22210- 8278	17	4.5- 3.5	.	.		-0951*	-953	-221	439	635	773	951*	7175.5483
1	13504.116	3	22210- 8706	16	4.5- 5.5	.	.		-0818	-740	-180	374	517	643	818	7403.1105
1	12516.625	4C	22210- 9694	5	4.5- 5.5	.	.		-0846	-868	-266	479	656	778	846	7987.1774
1	11318.540	3C	22210-10892	60	4.5- 3.5	.	.		-1072*	-1072	-295	544	750*	950*	1072*	8832.6364
1	10650.555	5	22210-11560	25	4.5- 5.5	.	.		-0940	-928	-280	514	702	841	940	9386.6068

TABLE II (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEAMAN G1	DATA DG	WIDTH OBS CALC	HFS 2	DIAGONAL 3	COMPONENTS 4	5	6	WAVELENGTH
1	10256.325	5	22210-11954	15	4.5- 4.5	.	.		-0922 -923	-277	462	673	814	922	9747.4080
1	9363.985	3	22210-12846	5	4.5- 4.5	.	.		-0832 -837	-202	404	569	729	832	10676.2892
1	6524.049	3	22210-15686	4	4.5- 5.5	.	.		-0795 -784	-229	430	590	711	795	15323.7172
1	9125.124	3S	22175-13049	4	7.5- 7.5	.	.		18*						10955.7546
1	8393.579	3	22175-13781	24	7.5- 7.5	.	.		87*						11910.6091
1	5742.340	2S	22175-16432	0	7.5- 7.5	.	.		-48*						17409.7488
1	14961.794	2	22074- 7112	34	5.5- 5.5	.	.		-0564* -601	-147	277	393			6681.8456
1	14282.192	5	22074- 7792	22	5.5- 6.5	.	.		+1194 1193	301	573	817	1024	1194	6999.7959
1	14202.360	6	22074- 7871	30	5.5- 4.5	.	.		+0997 1000	257	486	693	868	997	7039.1423
1	13367.666	4	22074- 8706	36	5.5- 5.5	.	.		+1140 1128	282	555	781	989	1140	7478.6779
1	13123.575	2	22074- 8950	-10	5.5- 6.5	.	.		+1359 1340	352	675	943	1172	1359	7617.7779
1	12204.579	5	22074- 9869	29	5.5- 4.5	.	.		-0624 -644	-177	330	457	557	624	8191.3941
1	6387.596	5	22074-15686	21	5.5- 5.5	.	.		+1082 1084	287	536	754	935	1082	15651.0657
1	4655.800	3	22074-17418	30	5.5- 5.5	.	.		+1538 1526	438	798	1098	1228*	1538	21472.7252
1	22058.666	4P	22058- 0	81	6.5- 5.5	.994	.661	.333	-260						4532.0949
1	18555.752	3	22058- 3502	-3	6.5- 6.5	.	.		-240						5387.6665
1	16873.517	1	22058- 5184	-73	6.5- 5.5	.	.		-301						5924.8051
1	15155.162	0	22058- 6903	27	6.5- 7.5	.	.		-216						6596.5899
1	14946.157	2	22058- 7112	2	6.5- 5.5	.	.		-1947 -1960	-479	946	1345	1649	1947	6688.8363
1	14266.583	2S	22058- 7792	18	6.5- 6.5	.	.		-166						7007.4544
1	13107.972	6S	22058- 8950	-8	6.5- 6.5	.980	.765	.216	-19						7626.8457
1	12364.525	3	22058- 9694	-20	6.5- 5.5	.	.		-0334* -359	-096	191	280			8085.4307
1	12103.476	5	22058- 9955	-9	6.5- 6.5	.	.		-0269* -274	-062	121	178	269*		8259.8189
1	11555.728	2	22058-10502	-27	6.5- 7.5	.	.		0090* -117						8651.3407
1	10778.911	5	22058-11279	-4	6.5- 7.5	.	.		+0595 593	148	279	397	501	595	9274.8300
1	10675.770	4	22058-11382	-5	6.5- 6.5	.	.		-0230 -239						9364.4366
1	9008.720	4	22058-13049	20	6.5- 7.5	.	.		0180* -218						11097.3171
1	8570.285	6	22058-13488	15	6.5- 6.5	.	.		+0300* 316	085	168	220*	300*		11665.0303
1	8352.085	5	22058-13706	-15	6.5- 6.5	.	.		0120 176						11969.7824
1	8027.730	3	22058-14030	-15	6.5- 5.5	.	.		-0270* -317						12453.4144
1	7172.772	4S	22058-14885	-8	6.5- 5.5	.	.		25						13937.8009
1	6959.235	3	22058-15099	-10	6.5- 5.5	.	.		0090 139						14365.4687
1	6435.987	6	22058-15622	-18	6.5- 7.5	.	.		+0693 696	170	326	461	585	693	15533.3881
1	20018.623	1S	22052- 2033	3	4.5- 4.5	.85	.64	.213	133*						4993.9554
1	14180.702	2	22052- 7871	7	4.5- 4.5	.	.		+0271* 77*						7049.8931
1	12544.859	5	22052- 9507	34	4.5- 3.5	.83	.83		0184* -209*						7969.2010
1	11160.395	4	22052-10892	20	4.5- 3.5	.	.		-0150 -127*						8957.7971
1	10098.186	4	22052-11954	-19	4.5- 4.5	.	.		0040 22*						9900.0543
1	8504.389	4	22052-13548	-56	4.5- 4.5	.	.		145*						11755.4166
1	16819.210	4	22004- 5184	-75	6.5- 5.5	.	.		-307						5943.9357
1	15100.827	2	22004- 6903	-3	6.5- 7.5	.	.		-222						6620.3255
1	13053.670	4S	22004- 8950	-5	6.5- 6.5	1.010	.765	.245	-25						7658.5728
1	12049.189	4	22004- 9955	9	6.5- 6.5	.	.		0225* -280						8297.0333
1	11501.440	5	22004-10502	-10	5.5- 7.5	.	.		-0080* -123						8692.1761
1	10724.610	6	22004-11279	0	6.5- 7.5	.	.		+0602 587	149	282	402	507	602	9321.7906
1	10621.470	3	22004-11382	0	6.5- 6.5	.	.		-0280* -245						9412.3104
1	10526.060	3	22004-11478	0	6.5- 5.5	.	.		-57						9497.6255
1	10444.160	2	22004-11560	10	6.5- 5.5	.	.		-0400* -425						9572.1033
1	8954.410	3	22004-13049	15	6.5- 7.5	.	.		0180 -224						11164.6243
1	8222.825	4	22004-13781	-5	6.5- 7.5	.	.		0110 -155						12157.9437

TABLE II (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH		HFS 2	DIAGONAL COMPONENTS				WAVELENGTH
									OBS	CALC		3	4	5	6	
1	7973.430	4	22004-14030	-10	6.5- 5.5	.	.		0310	-323						12538.2238
1	7118.474	2	22004-14885	-1	5.5- 5.5	.	.			19						14044.1153
1	5604.050	3Q	22004-16400	-50	6.5- 6.5	.	.		0090	-106						17839.3660
1	14861.459	3	21973- 7112	14	5.5- 5.5	.	.		-2461	-2462	-633	1214	1676*	2118	2461	6726.9574
1	14181.866	4	21973- 7792	11	5.5- 6.5	.	.		-0639	-668	-169	329	466	568	639	7049.3145
1	14102.019	4	21973- 7871	4	5.5- 4.5	.	.		-0874	-861	-240	438	612	757	874	7089.2286
1	10591.070	3	21973-11382	5	5.5- 6.5	.	.		-0743	-741	-209	398	545	653	743	9439.3271
1	10413.749	3	21973-11560	4	5.5- 5.5	.	.		-0953	-921	-264	495	693	833	953	9600.0566
1	15027.388	3S	21930- 6903	3	7.5- 7.5	.	.			-80*						6652.6794
1	6871.159	4S	21930-15059	29	7.5- 8.5	.	.			-159*						14549.6087
1	5559.183	2S	21930-16371	-7	7.5- 6.5	.	.			45*						17983.3439
1	21920.449	1S	21920- 0	79	5.5- 5.5	.	.			56*						4560.6720
1	14128.364	2S	21920- 7792	14	5.5- 6.5	.	.			150*						7076.0093
1	14048.551	4	21920- 7871	41	5.5- 4.5	.	.			-43*						7116.2100
1	13213.839	5	21920- 8706	29	5.5- 5.5	1.035	.930	.104		85*						7565.7404
1	12969.784	4	21920- 8950	19	5.5- 6.5	1.025	.765	.260	+0234*	297*						7708.1072
1	11965.276	5S	21920- 9955	6	5.5- 6.5	.	.			42*						8355.2210
1	10537.592	5S	21920-11382	32	5.5- 6.5	.	.			77*						9487.2316
1	10442.150	5	21920-11478	0	5.5- 5.5	.	.		0120	265*						9573.9458
1	10360.300	4	21920-11560	60	5.5- 5.5	.	.		0150*	-103*						9649.5836
1	9966.069	4	21920-11954	49	5.5- 4.5	.	.		0080	-98*						10031.2966
1	8432.072	4	21920-13488	17	5.5- 6.5	.	.		+0565	632*	145	268	361	475	565	11856.2363
1	8372.267	3	21920-13548	7	5.5- 4.5	.	.			25*						11940.9282
1	7915.180	4	21920-14005	15	5.5- 6.5	.	.		0070	-4*						12630.4962
1	7889.542	3	21920-14030	12	5.5- 5.5	.	.		0050	-1*						12671.5406
1	5873.520	2	21920-16046	0	5.5- 5.5	.	.			2*						17020.9167
1	19845.330	1S	21879- 2033	0	3.5- 4.5	.	.			173						5037.5641
1	14987.145	1S	21879- 6892	-40	3.5- 3.5	.	.			52						6670.5431
1	14864.076	2B	21879- 7015	-9	3.5- 2.5	.	.	.264		-57						6725.7731
1	14007.404	4	21879- 7871	-1	3.5- 4.5	.	.		+0141*	117						7137.1141
1	12371.537	4	21879- 9507	2	3.5- 3.5	.82	.82		-0125*	-169						8080.8480
1	11109.809	5S	21879-10769	-46	3.5- 2.5	.	.			-86						8998.5846
1	10987.112	4	21879-10892	27	3.5- 3.5	.	.		0100	-87						9099.0754
1	9924.864	4S	21879-11954	-51	3.5- 4.5	.	.			62						10072.9436
1	9032.500	4	21879-12846	-85	3.5- 4.5	.	.		0090*	148						11068.1009
1	8144.947	6	21879-13734	-28	3.5- 3.5	.	.			-32						12274.1922
1	8006.825	5	21879-13872	-70	3.5- 3.5	.	.		0030*	82						12485.9290
1	7811.872	5	21879-14067	-73	3.5- 2.5	.	.		0090	72						12797.5283
1	7049.795	5C	21879-14829	-55	3.5- 3.5	.	.		-1503	-1493	-481	861	1150	1370	1503	14180.9330
1	6654.870	3	21879-15224	-45	3.5- 2.5	.	.		0190	-60*						15022.4842
1	21851.373	5	21851- 0	58	5.5- 5.5	.	.		+0556	574	162	296	413			4575.0893
1	19817.400	6	21851- 2033	20	5.5- 4.5	.	.		+0524	531	104	215	337			5044.6640
1	14738.892	5	21851- 7112	7	5.5- 5.5	.	.		-1123	-1126	-308	574	799	987	1123	6782.8984
1	14059.262	4C	21851- 7792	-33	5.5- 6.5	.	.		+0618	668	308	499	618			7110.7885
1	13144.856	0W	21851- 8706	101	5.5- 5.5	.	.			603						7605.4449
1	11981.664	5	21851- 9869	-11	5.5- 4.5	.	.		-1170	-1169	-343	625	855	1039	1170	8343.7930
1	10373.101	6	21851-11478	6	5.5- 5.5	.	.		+0785	783	191	369	529	671	785	9637.6754
1	10291.191	6	21851-11560	6	5.5- 5.5	.	.		+0400*	415	060*	161	247	354	400*	9714.3842
1	9896.960	5	21851-11954	-5	5.5- 4.5	.	.		+0390	420						10101.3438
1	9004.627	6	21851-12846	-8	5.5- 4.5	.	.		+0500*	506	156	281	381	467		11102.3613

TABLE II (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS CALC	HFS 2	DIAGONAL 3	COMPONENTS 4 5 6	WAVELENGTH
1	8303.198	7	21851-13548	-7	5.5- 4.5	.	.		+0540* 543	142	271 383	478 540*	12040.2574
1	6965.504	5	21851-14885	-6	5.5- 5.5	.	.		+0862 859	204	401 578	732 862	14352.5397
1	6917.764	5	21851-14933	-1	5.5- 4.5	.	.		+0698 703	189	351 492	613 698	14451.5878
1	6751.996	4P	21851-15099	21	5.5- 5.5	.	.		+0974* 973	239*	484* 662	825 974	14806.3887
1	5959.180	3	21851-15892	-15	5.5- 4.5	.	.		+0560 570				16776.2499

1	21839.785	1S	21839- 0	45	4.5- 5.5	.	.		-79				4577.5168
1	8814.886	3	21839-13024	16	4.5- 3.5	.	.		-0676 -635	-196	351 481	594 676	11341.3409
1	6906.180	3	21839-14933	-10	4.5- 4.5	.	.		0160 50				14475.8280

1	18189.720	4	21640- 3450	-45	3.5- 3.5	.	.		+1036 1058	254	502		5496.0838
1	14997.233	4	21640- 6643	3	3.5- 4.5	.	.		+1045 1077	240	449 704	902 1045	6666.0560
1	14625.592	4	21640- 7015	42	3.5- 2.5	.	.		+0800 878	217	442 645	800	6835.4439
1	13362.442	2	21640- 8278	12	3.5- 3.5	.	.		+1189 967	286	531 755	960 1189	7481.6017
1	11771.101	6	21640- 9869	11	3.5- 4.5	.	.		-0590 -592	-188	326 437	526 590	8493.0485
1	10871.320	3C	21640-10769	0	3.5- 2.5	.	.		+0866 849	243	457 630*	866	9195.9913
1	9821.000	6	21640-11819	10	3.5- 3.5	.	.		0160 -116				10179.4724
1	8794.054	5C	21640-12846	4	3.5- 4.5	.	.		+1076 1083	314	579 796	967 1076	11368.2072
1	8788.366	6B	21640-12852	-24	3.5- 2.5	.	.		-0630* -640	-238	429 547		11375.5649
1	8615.860	5	21640-13024	0	3.5- 3.5	.	.		+0565 595	166	305		11603.3261
1	8092.624	5	21640-13548	4	3.5- 4.5	.	.		+1106 1120	297	566 792	985 1106	12353.5514
1	7906.465	5C	21640-13734	25	3.5- 3.5	.	.		+0890* 903	244*	470* 650*	880*	12644.4183
1	7768.350	3C	21640-13872	-10	3.5- 3.5	.	.		+0960* 1017	283	520* 720*	960* 960*	12869.2263
1	6811.318	3	21640-14829	3	3.5- 3.5	.	.		-0611* -558	-218	373 406		14677.4348

1	14689.278	6	21592- 6903	28	5.5- 7.5	.	.		-0451* -483	-089	199 295		6805.8083
1	13800.697	3	21592- 7792	17	6.5- 6.5	.	.		-0403* -433	-114	207		7244.0146
1	12642.095	5	21592- 8950	0	6.5- 6.5	.	.		-0202* -286				7907.9060
1	11089.869	5	21592-10502	-1	6.5- 7.5	.	.		-0380 -384	-100	191		9014.7644
1	10313.030	5	21592-11279	0	6.5- 7.5	.	.		+0230* 326	088	150* 230*		9693.8129
1	10209.901	3	21592-11382	11	6.5- 6.5	.	.		-0503 -506	-145	265 375		9791.7292
1	8542.818	6	21592-13049	3	5.5- 7.5	.	.		-0500* -485	-133	246 343	433*	11702.5360
1	8104.387	6	21592-13488	2	6.5- 6.5	.	.		0040* 49				12335.6210
1	7886.234	5	21592-13706	19	6.5- 6.5	.	.		-91				12676.8558
1	7811.248	3	21592-13781	-2	6.5- 7.5	.	.		-0413* -416	-101	195 276	362 413*	12798.5507
1	7587.493	5	21592-14005	-2	6.5- 6.5	.	.		-0590 -587	-156	294 409	506 590	13175.9804
1	7561.861	2	21592-14030	1	5.5- 5.5	.	.		-0584 -584	-133	259 389	499 584	13220.6423
1	6706.890	3	21592-14885	-5	6.5- 5.5	.	.		0220 -242				14905.9666
1	6493.350	4	21592-15099	-10	6.5- 5.5	.	.		0100 -128				15396.1642
1	5970.107	4	21592-15622	-13	6.5- 7.5	.	.		+0438 429	106	198 289	370 438	16745.5445
1	4725.835	3	21592-16866	-5	5.5- 7.5	.	.		-0446 -444	-101	198 289	372 446	21154.5078

1	19517.066	1S	21551- 2033	1	5.5- 4.5	1.005	.615	.390	-116*				5122.2936
1	14907.531	4	21551- 6643	31	5.5- 4.5	.	.		-147*				6706.1675
1	14438.596	3	21551- 7112	26	5.5- 5.5	.	.		-1759 -1773*	-483	873 1215	1534 1759	6923.9711
1	13679.156	5	21551- 7871	16	5.5- 4.5	.	.		-0287* -172*				7308.3789
1	12844.449	5S	21551- 8706	9	5.5- 5.5	.995	.930	.065	-44*				7783.3226
1	12600.383	4	21551- 8950	-12	5.5- 6.5	.985	.765	.220	+0136* 168*				7934.0843
1	11856.991	4	21551- 9694	31	5.5- 5.5	.	.		0119* -172*				8431.5261
1	11595.919	4	21551- 9955	19	5.5- 6.5	.995	.884	.111	0025* -87*				8621.3554
1	10221.870	3P	21551-11329	-40	5.5- 4.5	.	.		+0190* -210*				9780.2639
1	10168.216	6S	21551-11382	26	5.5- 6.5	.	.		-52*				9831.8709
1	10072.800	6	21551-11478	20	5.5- 5.5	.	.		0140* 136*				9925.0050
1	9990.900	4	21551-11560	30	5.5- 5.5	.	.		-0180 -232*				10006.3651
1	9596.730	4	21551-11954	80	5.5- 4.5	.	.		0160* -227*				10417.3614

TABLE II (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS CALC	HFS 2	DIAGONAL 3	COMPONENTS 4	5	6	WAVELENGTH
1	8562.940	5	21551-12988	-20	5.5- 5.5	.	.	.	0.140 -157*						11675.0362
1	7844.530	4	21551-13706	15	5.5- 6.5	.	.	.	+0442* 363*	106	192				12744.2501
1	7545.820	3	21551-14005	25	5.5- 6.5	.	.	.	0.090 -133*						13248.7469
1	7520.187	2	21551-14030	27	5.5- 5.5	.	.	.	0.070 -130*						13293.9062
1	6617.464	2	21551-14933	14	5.5- 4.5	.	.	.	56*						15107.4007
1	6451.670	2	21551-15099	10	5.5- 5.5	.	.	.	+0340 326*						15495.6288
1	5504.120	3	21551-16046	-30	5.5- 5.5	.	.	.	0.060 -127*						18163.2488
1	5179.340	3	21551-16371	-15	5.5- 6.5	.	.	.	96*						19302.2096
1	4132.580	2	21551-17418	0	5.5- 5.5	.	.	.	+0370* 354*						24191.3578
1	21453.800	2	21453- 0	50	4.5- 5.5	.	.	.	-0759 -780	-184	381	530	645	759	4659.8743
1	14561.663	6	21453- 6892	-7	4.5- 3.5	.	.	.	-0944 -944	-283	506	684	830	944	6865.4532
1	14341.342	3	21453- 7112	22	4.5- 5.5	.	.	.	-2464* -2480	-670	1232	1731	2152*		6970.9255
1	12747.171	4	21453- 8706	-19	4.5- 5.5	.	.	.	-0775 -751	-241	433	570	694	775	7842.7201
1	9975.500	4P	21453-11478	-30	4.5- 5.5	.	.	.	-0560 -571						10021.8128
1	7905.615	5	21453-13548	-25	4.5- 4.5	.	.	.	-0801 -811	-244*	470*	650*		880*	12645.7779
1	7719.459	4Q	21453-13734	-1	4.5- 3.5	.	.	.	-1015* -1028	-281	526	746	905	1015*	12950.7334
1	7719.459	4Q	21453-13734	-1	4.5- 3.5	.	.	.	-1015* -1028	-281	526	746	905	1015*	12950.7334
1	7581.366	4	21453-13872	-14	4.5- 3.5	.	.	.	-0939 -914	-250	463	641	799	939*	13186.6288
1	6488.010	2	21453-14965	-10	4.5- 5.5	.	.	.	-0780 -906*						15408.8361
1	12434.040	3	21384- 8950	-15	7.5- 6.5	.	.	.	-0460 -344	-153	274				8040.2272
1	7896.373	3	21384-13488	28	7.5- 6.5	.	.	.	-9						12660.5786
1	7589.693	4Q	21384-13794	8	7.5- 8.5	.	.	.	+0690 687	180	344	481	590	690	13172.1611
1	21355.710	5	21355- 0	0	5.5- 5.5	.	.	.	+0591 606	203	354	482			4681.2781
1	19321.711	3	21355- 2033	-64	5.5- 4.5	.	.	.	+0437 563	135	255				5174.0840
1	17852.807	1	21355- 3502	-73	5.5- 6.5	.	.	.	+0623 626	199	351				5599.8054
1	16170.650	4	21355- 5184	-65	5.5- 5.5	.	.	.	+0573 565	155	286	401	491	573	6182.3326
1	14712.198	6	21355- 6643	-12	5.5- 4.5	.	.	.	+0501 532	123	241	363	448	501	6795.2055
1	14243.289	6	21355- 7112	9	5.5- 5.5	.	.	.	-1077 -1094	-277	521	739	922	1077	7018.9147
1	13563.687	6	21355- 7792	-3	5.5- 6.5	.	.	.	+0698 700	185	346	489	609	698	7370.5963
1	13483.847	5	21355- 7871	-3	5.5- 4.5	.	.	.	+0510 507	128	247	350	439	510	7414.2390
1	12649.138	3	21355- 8706	-12	5.5- 5.5	.	.	.	+0649* 635	166	316	446			7903.5029
1	12405.093	5	21355- 8950	-12	5.5- 6.5	.	.	.	+0856 847	237	439	609	748	856	8058.9890
1	11661.653	5	21355- 9694	-17	5.5- 5.5	.	.	.	+0531 507	128	247	353	454	531	8572.7586
1	9972.905	4	21355-11382	5	5.5- 6.5	.	.	.	+0658 627	158	304	427	545	658	10024.4205
1	9795.586	6	21355-11560	6	5.5- 5.5	.	.	.	+0440* 447	120	218*	327	398		10205.8824
1	9401.353	5	21355-11954	-7	5.5- 4.5	.	.	.	+0457 452	129	240	339			10633.8535
1	8367.688	4	21355-12988	18	5.5- 5.5	.	.	.	+0528* 522	154	296	378			11947.4626
1	7807.630	3	21355-13548	30	5.5- 4.5	.	.	.	+0660* 575	177	330	485	593		12804.4814
1	6469.901	4	21355-14885	-4	5.5- 5.5	.	.	.	+0901 891	246	458	636	793	901	15451.9649
1	6422.163	5	21355-14933	3	5.5- 4.5	.	.	.	+0740* 735	226	411	555	664	740*	15566.8244
1	6389.991	5	21355-14965	11	5.5- 5.5	.	.	.	+0495 480*	131	246	344	433	495	15645.1996
1	6256.372	3	21355-15099	2	5.5- 5.5	.	.	.	+1018 1015	282	525	726	889	1018	15979.3387
1	5669.085	6	21355-15686	-10	5.5- 5.5	.	.	.	+0590* 591	164	305	421	515	590*	17634.7150
1	4613.720	2	21355-16741	-10	5.5- 6.5	.	.	.	+1676 1704	445	836	1166	1462	1676	21668.5700
1	17831.974	1	21282- 3450	89	2.5- 3.5	.96	.60	.358	-159						5606.3477
1	16667.127	0S	21282- 4615	-13	2.5- 2.5	.	.	.	-205						5998.1730
1	14808.559	1	21282- 6474	-1	2.5- 1.5	.	.	.	-398						6750.9880
1	14390.850	5	21282- 6892	80	2.5- 3.5	.	.	.	-0201* -230						6946.9436
1	14267.761	2	21282- 7015	91	2.5- 2.5	.	.	.	-0367* -339						7006.8758
1	13004.618	3	21282- 8278	68	2.5- 3.5	.	.	.	-0161* -250						7687.4603
1	11775.250	1	21282- 9507	130	2.5- 3.5	.	.	.	-0500* -451						8490.0560

TABLE II (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH		HFS 2	DIAGONAL		COMPONENTS		WAVELENGTH
									OBS	CALC		3	4	5	6	
1	8430.513	5C	21282-12852	31	2.5- 2.5	.	.	.	-1800*	-1857	-600	1092	1470*			11858.4288
1	7466.600	6C	21282-13816	30	2.5- 1.5	.	.	.	-1200*	-1362	-521	908	1188			13389.3153
1	6653.580	2	21282-14629	105	2.5- 2.5	.	.	.	0070	103						15025.3968
1	21253.464	1S	21253- 0	9	4.5- 5.5	.	.	.		-12						4703.7991
1	14140.972	4C	21253- 7112	-53	4.5- 5.5	.	.	.	-1707	-1712	-485	899	1247	1486	1717	7069.7004
1	12975.077	3	21253- 8278	-78	4.5- 3.5	.	.	.	-0195*	-196						7704.9628
1	11383.760	2	21253- 9869	-55	4.5- 4.5	.	.	.	-1762	-1755	-516	952	1282	1562	1762	8782.0322
1	9693.330	3	21253-11560	5	4.5- 5.5	.	.	.	0180	-171						10313.5457
1	8406.774	3	21253-12846	-1	4.5- 4.5	.	.	.		-80						11891.9146
1	16630.960	6P	21246- 4615	0	1.5- 2.5	.	.	.	+1328*	1374	543	958	1328			6011.2172
1	14772.251	4C	21246- 6474	-129	1.5- 1.5	.	.	.	+0671	1181	328	671				6767.5811
1	14231.570	5C	21246- 7015	80	1.5- 2.5	.	.	.	+1197	1240	451	829	1197			7024.6945
1	8394.330	4	21246-12852	0	1.5- 2.5	.	.	.	0090	-278						11909.5435
1	7430.343	6C	21246-13816	-47	1.5- 1.5	.	.	.	+0212	217	046		212			13454.6497
1	14253.236	6	21156- 6903	31	7.5- 7.5	.	.	.		-91						7014.0163
1	11135.667	3	21156-10020	-8	7.5- 8.5	.	.	.		-38						8977.6890
1	9876.966	6	21156-11279	-19	7.5- 7.5	.	.	.	+0718	718	141	293	441	585	718	10121.7921
1	7668.340	2	21156-13488	0	7.5- 6.5	.	.	.	+0350*	441						13037.0663
1	16515.999	0	21131- 4615	-11	2.5- 2.5	.	.	.	-0682	-718	-231	434	574			6053.0591
1	14657.408	4	21131- 6474	-22	2.5- 1.5	.	.	.	-0860*	-911	-257	454				6820.6064
1	14239.677	4C	21131- 6892	37	2.5- 3.5	.	.	.	-0625	-743	-299	494	625			7020.6951
1	14116.559	3C	21131- 7015	19	2.5- 2.5	.	.	.	-0819	-852	-346	558		819		7081.9267
1	12853.259	4	21131- 8278	-161	2.5- 3.5	.	.	.	-0641	-763	-243	457	641			7777.9877
1	11623.951	6	21131- 9507	-39	2.5- 3.5	.	.	.	-0939	-964	-279	510	706	851	939	8600.5643
1	8279.828	4L	21131-12852	448	2.5- 2.5	.	.	.	-1880*	-2370	-784	1401				12074.2414
1	7064.254	5L	21131-14067	-146	2.5- 2.5	.	.	.	-0699	-723	-244	437	580	699		14151.9077
1	6502.415	3Q	21131-14629	70	2.5- 2.5	.	.	.	0300*	-410						15374.7004
1	16442.680	6	21058- 4615	20	1.5- 2.5	.	.	.	+0616	667	234	410	531			6080.0504
1	14584.070	4L	21058- 6474	-10	1.5- 1.5	.	.	.	+0446	474	197	347	446			6854.9050
1	14043.218	3	21058- 7015	28	1.5- 2.5	.	.	.	+0546	533	133	281	385			7118.9125
1	8205.999	5	21058-12852	-31	1.5- 2.5	.	.	.	-1110*	-985	-321	585	780	920*	980*	12182.8730
1	21040.316	3	21040- 0	1	6.5- 5.5	.	.	.	-1032	-1040			698	848	1032	4751.4515
1	17537.445	5	21040- 3502	-40	6.5- 6.5	.	.	.	-1015	-1020	-267	501	703	873	1015	5700.5033
1	15855.351	3	21040- 5184	31	6.5- 5.5	.	.	.	-1087	-1081	-325	582	784	951	1084	6305.2753
1	13927.900	4	21040- 7112	15	6.5- 5.5	.	.	.	-2735*	-2740	-741	1383	1919	2372*	2735*	7177.8549
1	13248.310	6	21040- 7792	15	6.5- 6.5	.	.	.	-0935	-946	-285	514	695	839	935	7546.0549
1	12333.747	5	21040- 8706	-8	6.5- 5.5	.	.	.	-1009	-1011	-304	542	736	892	1009	8105.6074
1	11085.221	5	21040- 9955	6	6.5- 6.5	.	.	.	-1046	-1054	-297	545	742	914	1046	9018.5443
1	10537.475	6	21040-10502	-10	6.5- 7.5	.	.	.	-0893	-897	-273	490	663	796	893	9487.3369
1	9760.630	5	21040-11279	-15	5.5- 7.5	.	.	.	-0180	-187						10242.4331
1	9657.508	7	21040-11382	3	6.5- 6.5	.	.	.	-1016	-1019	-312	560	753	905	1016	10351.8012
1	9562.102	6	21040-11478	7	6.5- 5.5	.	.	.	-0825	-831	-241	437	597	724	825	10455.0868
1	9480.195	5	21040-11560	10	6.5- 5.5	.	.	.	-1357	-1199	-354	641	877	1062	1211*	10545.4169
1	7990.422	6	21040-13049	-8	6.5- 7.5	.	.	.	-1020	-998	-334	576	770*	916	1020	12511.5606
1	7552.003	7C	21040-13488	3	6.5- 6.5	.	.	.	-0435*	-464	-151	265	360*		435*	13237.8999
1	7333.831	6	21040-13706	1	6.5- 6.5	.	.	.	-0615	-604	-185	334	449	545	615	13631.7110
1	7035.098	5	21040-14005	-12	6.5- 6.5	.	.	.	-1100	-1100	-324	593	806	971	1100	14210.5584
1	7009.465	4	21040-14030	-10	6.5- 5.5	.	.	.	-1105	-1097	-303	559	773	949	1105	14262.5253
1	6154.509	4	21040-14885	-1	6.5- 5.5	.	.	.	-0752	-755	-222	400	547	656	752	16243.8123

TABLE II (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS CALC	HFS 2	DIAGONAL 3	COMPONENTS 4	5	6	WAVELENGTH
1	6028.140	2	21040-15012	75	5.5- 6.5	.	.	.	0190 -66*						16584.3347
1	5940.977	6	21040-15099	21	6.5- 5.5	.	.	.	-0635 -641	-187	339	461	559	635	16827.6519
1	4993.430	4P	21040-16046	-35	6.5- 5.5	.	.	.	-1103 -1094	-292	577*	827*	973	1103	20020.8492
1	4668.668	4	21040-16371	-21	6.5- 6.5	.	.	.	-0872 -871*	-245	455	625	766	872	21413.5411
1	4607.640	3	21040-16432	-101	6.5- 7.5	.	.	.	-1072 -1064	-295	545	755	924	1072	21697.1627
1	4298.342	2	21040-16741	7	6.5- 6.5	.	.	.	0030 58						23258.4376
1	14369.301	4	21012- 6643	1	5.5- 4.5	.	.	.	-0815 -803	-238	421	588	711	815	6957.3617
1	13220.796	3	21012- 7792	161	5.5- 6.5	.	.	.	-0609 -635	-179	326	450	550	609	7561.7591
1	12306.311	3	21012- 8706	71	5.5- 5.5	.	.	.	-0796 -700	-218	452	655	796		8123.6783
1	11057.690	2	21012- 9955	-10	5.5- 6.5	.	.	.	-0731 -743	-211	371	521	641	731	9040.9984
1	9629.994	4	21012-11382	4	5.5- 6.5	.	.	.	-0710* -708	-204	377	509	624	710*	10381.3776
1	9058.449	3	21012-11954	-1	5.5- 4.5	.	.	.	-0885 -883	-239	435	604*	740	885	11036.3949
1	18935.918	1S	20969- 2033	-22	3.5- 4.5	.	.	.		174					5279.5000
1	14326.468	5	20969- 6643	93	3.5- 4.5	.674	.860	.186	+0201* 143						6978.1629
1	14077.836	5	20969- 6892	41	3.5- 3.5	.	.	.128	53						7101.4066
1	13098.033	4S	20969- 7871	18	3.5- 4.5	.674	.961	.287	118						7632.6331
1	11462.151	2	20969- 9507	61	3.5- 3.5	.	.	.	-168						8721.9706
1	11445.450	2	20969- 9524	15	3.5- 2.5	.	.	.	-0150* -134						8734.6976
1	11100.275	7C	20969- 9869	40	3.5- 4.5	.	.	.	-1517 -1526	-425	796	1102	1344	1517	9006.3135
1	9150.149	8C	20969-11819	14	3.5- 3.5	.	.	.	-1014 -1050	-305	566	779	956	1014	10925.7913
1	8123.160	4	20969-12846	-35	3.5- 4.5	.	.	.	0140 149						12307.1127
1	8117.537	7C	20969-12852	21	3.5- 2.5	.	.	.	-1600* -1574	-487	889	*	*	*	12315.6378
1	7945.020	5	20969-13024	151	3.5- 3.5	.	.	.	-0380 -339						12583.0583
1	6902.601	4	20969-14067	46	3.5- 2.5	.	.	.	0300* 73						14483.3338
1	6340.534	3	20969-14629	34	3.5- 2.5	.	.	.	+0400* 386	159	272	365*			15767.2344
1	6036.360	3	20969-14933	35	3.5- 4.5	.	.	.	+0390 346						16561.7510
1	9574.790	4	20957-11382	30	7.5- 6.5	.	.	.	0060 -37						10441.2322
1	8009.571	3	20957-12947	-14	7.5- 8.5	.	.	.	113						12481.6483
1	7907.689	4	20957-13049	4	7.5- 7.5	.	.	.	0030 -16						12642.4612
1	7469.265	2	20957-13488	10	7.5- 6.5	.	.	.	+0530 518						13384.5380
1	5945.333	3	20957-15012	13	7.5- 6.5	.	.	.	+0916 916*	265	488	672	806	916	16815.3227
1	20885.526	0S	20885- 0	56	5.5- 5.5	.	.	.	-98						4786.6667
1	18851.533	1S	20885- 2033	-2	5.5- 4.5	.	.	.	-141						5303.1329
1	17382.618	2S	20885- 3502	-22	5.5- 6.5	.	.	.	-78						5751.2782
1	15700.492	2	20885- 5184	17	5.5- 5.5	.	.	.	-139						6367.4668
1	14241.999	2	20885- 6643	29	5.5- 4.5	.	.	.	-172						7019.5505
1	13773.072	5C	20885- 7112	32	5.5- 5.5	.	.	.285	-1752 -1798	-467	886	1250	1543	1752	7258.5442
1	13093.455	2S	20885- 7792	51	5.5- 6.5	.	.	.	-4						7635.3018
1	13013.605	3	20885- 7871	-5	5.5- 4.5	.	.	.	-0147* -197						7682.1514
1	12178.910	3	20885- 8706	01	5.5- 5.5	.	.	.	-69						8208.6588
1	11934.890	6	20885- 8950	25	5.5- 6.5	.84	.84	.	0276* 143						8376.4933
1	11015.852	4	20885- 9869	22	5.5- 4.5	.	.	.	-1824 -1841	-495	921	1291	1598	1824	9075.3361
1	10930.370	7	20885- 9955	01	5.5- 6.5	.	.	.	-112						9146.3109
1	9502.674	4S	20885-11382	14	5.5- 6.5	.	.	.	-77						10520.4712
1	9407.240	7	20885-11478	-10	5.5- 5.5	.	.	.	0100* 111						10627.1989
1	9325.360	8	20885-11560	20	5.5- 5.5	.	.	.	-0245* -257						10720.5098
1	7897.420	4	20885-12988	-10	5.5- 5.5	.	.	.	0130 -182						12658.9002
1	7397.158	4	20885-13488	31	5.5- 6.5	.	.	.	+0505* 478	124	235	334	415*	505*	13515.0098
1	7337.360	5	20885-13548	01	5.5- 4.5	.	.	.	0040 -129						13625.1546
1	6880.270	3	20885-14005	5	5.5- 6.5	.	.	.	0110 -158						14530.3418
1	5951.916	2	20885-14933	-4	5.5- 4.5	.	.	.	31						16796.7244

TABLE II (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS CALC	HFS 2	DIAGONAL 3	COMPONENTS 4	5	6	WAVELENGTH
1	4993.358	5	20885-15892	8	5.5- 4.5	.	.	.	0060 -102						20021.1379
1	16264.192	4	20879- 4615	27	3.5- 2.5	.	.	.	-0502* -533	-122	264				6146.7752
1	14236.482	5L	20879- 6643	107	3.5- 4.5	.	.	.	-0435 -468	-195	328	435			7022.2707
1	13987.826	3	20879- 6892	31	3.5- 3.5	.	.	.	-0647* -558	-201	329				7147.1036
1	11010.242	3C	20879- 9869	7	3.5- 4.5	.	.	.	-2137 -2137	-630	1159	1585	1909	2137	9079.9602
1	9060.114	5C	20879-11819	-21	3.5- 3.5	.	.	.	-1644 -1661	-509	933	1290	1500	1644	11034.3667
1	6250.600	2	20879-14629	100	3.5- 2.5	.	.	.	-0180* -225						15994.0945
1	20836.879	3P	20836- 0	44	4.5- 5.5	.	.	.		283					4797.8421
1	18802.863	2	20836- 2033	-37	4.5- 4.5	.	.	.		240					5316.8599
1	17385.800	4	20836- 3450	-70	4.5- 3.5	.	.	.		190					5750.2255
1	15651.882	4P	20836- 5184	42	4.5- 5.5	.	.	.		242					6387.2423
1	14193.358	3	20836- 6643	23	4.5- 4.5	.	.	.	+0232* 209						7043.6068
1	13944.724	5S	20836- 6892	-31	4.5- 3.5	.69	.814	.12		119					7169.1949
1	13724.417	6C	20836- 7112	12	4.5- 5.5	.	.	.24*	-1411 -1417	-380	714	995	1231	1411	7284.2769
1	12964.929	2	20836- 7871	-46	4.5- 4.5	.	.	.		184					7710.9937
1	12558.474	2	20836- 8278	-61	4.5- 3.5	.	.	.	0089* 99						7960.5613
1	10967.205	6	20836- 9869	10	4.5- 4.5	.	.	.	-1459 -1460	-406	756	1048	1285	1459	9115.5915
1	10765.130	3S	20836-31601	40	4.5- 4.5	.	.	.							9286.7033
1	9358.618	5	20836-11478	3	4.5- 5.5	.	.	.	+0485* 492	126	235	337	415*	485*	10682.4119
1	9276.692	4	20836-11560	-13	4.5- 5.5	.	.	.	0070 124						10776.7526
1	9017.079	5	20836-11819	-16	4.5- 3.5	.	.	.	-0985 -984	-287	528	723	882	985	11087.0296
1	7102.544	4	20836-13734	-1	4.5- 3.5	.	.	.		35					14075.6143
1	6964.440	5	20836-13872	-25	4.5- 3.5	.	.	.	0105 149						14354.7324
1	6007.419	5C	20836-14829	-1	4.5- 3.5	.	.	.	-1433 -1426	-440	794	1075	1287	1433	16641.5381
1	5903.281	3	20836-14933	-4	4.5- 4.5	.	.	.	+0410 412						16935.1067
1	13669.753	2	20573- 6903	3	7.5- 7.5	.	.	.	-0433* -695	-140	263				7313.4062
1	7523.330	4	20573-13049	15	7.5- 7.5	.	.	.	-0663 -697	-163	312	451	576	663	13288.3524
1	7084.867	5	20573-13488	-18	7.5- 6.5	.	.	.	0030 -163						14110.7335
1	12761.565	3	20553- 7792	15	7.5- 6.5	.	.	.	-1056 -1068	-270	481	723	904	1056	7833.8741
1	9273.900	5	20553-11279	0	7.5- 7.5	.	.	.	-0290 -309						10779.9970
1	9170.770	4	20553-11382	10	7.5- 6.5	.	.	.	-1183 -1141	-306*	573	788	985	1183*	10901.2239
1	11488.630	2	20439- 8950	-25	5.5- 6.5	.	.	.		167*					8701.8681
1	10484.170	5	20439- 9955	10	5.5- 6.5	.	.	.	0100 -88*						9535.5738
1	9056.446	3	20439-11382	-4	5.5- 6.5	.	.	.		-53*					11038.8358
1	6891.160	3	20439-13548	10	5.5- 4.5	.	.	.	0140 -105*						14507.3796
1	16949.964	3	20400- 3450	-36	2.5- 3.5	.	.	.	-0288 -316	-184					5898.0830
1	15785.151	2P	20400- 4615	-104	2.5- 2.5	.	.	.		-362					6333.3165
1	13926.651	4	20400- 6474	-24	2.5- 1.5	.	.	.705	-0519* -555	-141	263				7178.4986
1	12122.490	4	20400- 8278	-175	2.5- 3.5	.	.	.	-0483* -407	-147	271	363			8246.8634
1	10893.184	5L	20400- 9507	-51	2.5- 3.5	.	.	.	-0573 -608	-171	332	467	573		9177.5337
1	9508.832	4Q	20400-10892	47	2.5- 3.5	.	.	.	-0500* -526						10513.6580
1	8581.058	6C	20400-11819	-167	2.5- 3.5	.	.	.	-1490* -1490	-490*	882	1177	1384	1490*	11650.3855
1	7770.586	5Q	20400-12630	-29	2.5- 1.5	.	.	.	-0520* -799*						12865.5232
1	6666.536	4L	20400-13734	-139	2.5- 3.5	.	.	.	-0469* -471	-182	313	409			14996.1958
1	6201.020	3	20400-26602	-55	2.5- 3.5	.	.	.	0210 199*						16121.9748
1	5771.586	4	20400-14629	-4	2.5- 2.5	.	.	.		-54					17321.5293
1	16943.251	4C	20394- 3450	76	3.5- 3.5	.	.	.	-1261 -1236	-418	739	948			5900.4199
1	15778.489	4	20394- 4615	59	3.5- 2.5	.	.	.	-1329 -1282	-355	663	926			6335.9905

TABLE II (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS CALC	HFS 2	DIAGONAL 3	COMPONENTS 4	5	6	WAVELENGTH
1	13750.627	5C	20394- 6643	-13	3.5- 4.5	.	.	.	-1218 -1217	-425	748	988	1143	1218	7270.3923
1	13378.973	5C	20394- 7015	13	3.5- 2.5	.	.	.	-1428 -1416	-442	793	1064	1273	1428	7472.3574
1	12522.254	4C	20394- 7871	-26	3.5- 4.5	.	.	.	-1241 -1242	-420	744	988	1149	1241	7983.5869
1	10524.498	2	20394- 9869	-2	3.5- 4.5	.	.	.	-2900 -2886	-855	1567	2155			9499.0351
1	9162.516	5	20394-11231	36	3.5- 2.5	.	.	.	-1537 -1533	-412	787	1103	1378	1537*	10911.0443
1	7547.440	6C	20394-12846	-20	3.5- 4.5	.	.	.	-1211 -1211	-356	657	905	1088*	1211*	13245.9032
1	7541.754	4	20394-12852	-46	3.5- 2.5	.	.	.	-2916 -2934	-914	1602	2248	2665	2916	13255.8898
1	6846.010	5C	20394-13548	-20	3.5- 4.5	.	.	.	-1230* -1174	-366	666	899			14603.0572
1	6326.821	5C	20394-14067	1	3.5- 2.5	.	.	.	-1341 -1287	-366	675	932	1136	1341	15801.4089
1	5764.871	5	20394-14629	106	3.5- 2.5	.	.	.	-0974 -974	-267	493	686	860	974	17341.7057
1	5043.928	4L	20394-15350	108	3.5- 3.5	.	.	.	-1045* -1057*	-313	576	794		1045*	19820.4075
1	13487.668	3	20391- 6903	23	6.5- 7.5	.	.	.	+0197* 198*						7412.1385
1	13278.668	3C	20391- 7112	3	6.5- 5.5	.	.	.	-1942 -1942*	-479	1029	1513	1942		7528.8028
1	12599.074	3	20391- 7792	-1	6.5- 6.5	.	.	.	-0095* -148*						7934.9086
1	9888.209	3S	20391-10502	-56	6.5- 7.5	.	.	.	-99*						10110.2835
1	20050.935	4S	20050- 0	15	6.5- 5.5	.782	.657	.125		-64					4985.9075
1	16548.065	3S	20050- 3502	-25	6.5- 6.5	.	.	.085		-44					6041.3297
1	14865.937	5	20050- 5184	12	6.5- 5.5	.	.	.		-105					6724.9311
1	13147.461	2S	20050- 6903	-9	6.5- 7.5	.	.	.		-20					7603.9380
1	12938.486	5	20050- 7112	-4	6.5- 5.5	.	.	.	-1762 -1764	-482	889	1236	1524	1762	7726.7531
1	12258.885	6S	20050- 7792	-15	6.5- 6.5	.673	.858	.185		30					8155.1066
1	11344.367	5	20050- 8706	7	6.5- 5.5	.776	.930	.154	0020*	-35					8812.5276
1	11100.275	3	20050- 8950	-40	6.5- 6.5	.	.	.		177					9006.3135
1	10356.910	3	20050- 9694	30	6.5- 5.5	.	.	.	-0150*	-163					9652.7421
1	10095.812	7	20050- 9955	-8	6.5- 6.5	.	.	.		-78					9902.3823
1	9548.067	5S	20050-10502	-23	6.5- 7.5	.	.	.		79					10470.4551
1	8668.112	2	20050-11382	2	6.5- 6.5	.	.	.		-43					11533.3802
1	7062.890	2	20050-12988	10	6.5- 5.5	.	.	.	0120	-148					14154.6408
1	7001.029	4	20050-13049	-6	6.5- 7.5	.	.	.		-22					14279.7112
1	6562.591	7	20050-13488	-14	6.5- 6.5	.	.	.	+0509	512	111	223	329	426	15233.7211
1	6344.438	6C	20050-13706	3	6.5- 6.5	.	.	.	+0370*	372	083	176	249	320*	15757.5321
1	6269.452	2S	20050-13781	-18	6.5- 7.5	.	.	.		47					15946.0009
1	6045.720	3	20050-14005	5	6.5- 6.5	.	.	.	0110	-124					16536.1100
1	6020.070	2	20050-14030	-10	6.5- 5.5	.	.	.	0100	-121					16606.5663
1	4364.296	5	20050-15686	-9	6.5- 5.5	.	.	.	0060	-79					22906.9518
1	19992.835	5	19992- 0	35	5.5- 5.5	.	.	.	+0531	542	145	268	369	467	5000.3970
1	14807.836	6	19992- 5184	31	5.5- 5.5	.	.	.	+0493*	501					6751.3176
1	12880.374	6	19992- 7112	4	5.5- 5.5	.	.	.	-1158 -1158	-335	610	839	1019	1158	7761.6138
1	12200.771	4	19992- 7792	-9	5.5- 6.5	.	.	.	+0606*	636	126	262	408		8193.9507
1	10123.173	4	19992- 9869	13	5.5- 4.5	.	.	.	-1210 -1201	-361	656	896	1084	1210	9875.6179
1	10037.700	3	19992- 9955	0	5.5- 6.5	.	.	.	+0530	528					9959.7110
1	8663.717	3	19992-11329	7	5.5- 4.5	.	.	.	+0420*	405	141	237	322		11539.2310
1	8514.585	7	19992-11478	5	5.5- 5.5	.	.	.	+0741	751	170	334	488	627	11741.3398
1	7146.121	3	19992-12846	1	5.5- 4.5	.	.	.	+0460	474					13989.7811
1	6504.489	5	19992-13488	4	5.5- 6.5	.	.	.	+1111	1118	253	508	737	936	15369.7980
1	6444.686	4	19992-13548	-4	5.5- 4.5	.	.	.	+0489	511	123	236	339	431	15512.4212
1	6286.318	3	19992-13706	3	5.5- 6.5	.	.	.	+0966	978	221*	438	639	813	15903.2182
1	19986.042	0	19985- 0	47	4.5- 5.5	1.02	.66	.362		248					5002.0966
1	14801.038	4	19985- 5184	38	4.5- 5.5	.	.	.	+0352*	207					6754.4185
1	13342.533	3	19985- 6643	38	4.5- 4.5	.	.	.	+0226*	174					7492.7654
1	13093.890	3	19985- 6892	-25	4.5- 3.5	1.027	.814	.213		84					7635.0481

TABLE II (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS CALC	HFS 2	DIAGONAL 3	COMPONENTS 4	5	6	WAVELENGTH
1	12873.520	7C	19985- 7112	-45	4.5- 5.5	.	.	.	-1441 -1452	-368	703	1000	1247	1441	7765.7462
1	12114.130	4	19985- 7871	-5	4.5- 4.5	.	.	.	+0184* 149						8252.5546
1	11696.241	3	19985-31682	61	4.5- 3.5	.	.	.	0189*						8547.4072
1	11279.440	5Q	19985- 8706	5	4.5- 5.5	.	.	.	+0280* 277	074	138	193	245		8863.2547
1	10291.940	3	19985- 9694	-15	4.5- 5.5	.	.	.	+0140* 149						9713.6773
1	10116.358	6C	19985- 9869	3	4.5- 4.5	.	.	.	-1492 -1495	-396	749	1053	1302	1492	9882.2708
1	8656.900	4	19985-11329	-5	4.5- 4.5	.	.	.	0220* 111						11548.3177
1	19906.285	3	19906- 0	20	5.5- 5.5	.89	.66	.227	+0415 421	143	244				5022.1384
1	14721.283	5	19906- 5184	13	5.5- 5.5	.	.	.	+0396* 380						6791.0119
1	13262.747	4	19906- 6643	-18	5.5- 4.5	.	.	.	+0319* 347						7537.8406
1	12793.831	5C	19906- 7112	-4	5.5- 5.5	.	.	.	-1276 -1279	-338	634	890	1104	1276	7814.1170
1	11199.730	2	19906- 8706	25	5.5- 5.5	.	.	.	+0460* 450						8926.3360
1	10955.651	2	19906- 8950	-9	5.5- 6.5	.	.	.	+0670 662						9125.2050
1	8523.478	4	19906-11382	23	5.5- 6.5	.	.	.	+0590* 442	169	317	438		590*	11729.0894
1	8428.044	6	19906-11478	-1	5.5- 5.5	.	.	.	+0632 630	168	313	437	543	632	11861.9027
1	7059.550	3	19906-12846	-35	5.5- 4.5	.	.	.	+0370* 353						14161.3376
1	6417.945	5	19906-13488	-5	5.5- 6.5	.	.	.	+1001 997	249	481	680	854	1001	15577.0553
1	6358.147	3	19906-13548	-8	5.5- 4.5	.	.	.	+0400* 390						15723.5568
1	16325.038	4	19827- 3502	-12	7.5- 6.5	.	.	.	-1513 -1507	-374	710	1016	1284	1513	6123.8650
1	12924.455	7C	19827- 6903	25	7.5- 7.5	.	.	.015	-1486 -1483	-370	708	1002	1261	1486	7735.1414
1	12035.860	6	19827- 7792	0	7.5- 6.5	.	.	.	-1434 -1433	-388	719	998	1235	1434	8306.2218
1	10877.286	6	19827- 8950	11	7.5- 6.5	.	.	.	-1282 -1286	-335	625	878	1101	1282	9190.9475
1	9806.900	4P	19827-10020	0	7.5- 8.5	.	.	.	-1440* -1430	-367	675*	970*	1230*	1430*	10194.1081
1	9325.047	7	19827-10502	-3	7.5- 7.5	.	.	.	-1384* -1384	-*	694	967	1195	1384	10720.8696
1	8548.213	9C	19827-11279	3	7.5- 7.5	.	.	.	-0673 -674	-188	346	478	585	673	11695.1502
1	8445.076	4	19827-11382	6	7.5- 6.5	.	.	.	-1508 -1506	-413	768	1056	1305*	1508	11837.9796
1	6339.576	7	19827-13488	11	7.5- 6.5	.	.	.	-0951 -951	-253	471	657	816	951	15769.6170
1	6121.415	3P	19827-13706	20	7.5- 6.5	.	.	.	-0906* -1091	-288	526		767*	906*	16331.6308
1	4205.298	3P	19827-15622	-2	7.5- 7.5	.	.	.	-0560* -571						23773.0407
1	13144.856	0W	19788- 6643	-84	5.5- 4.5	.	.	.		328					7605.4449
1	11996.426	3	19788- 7792	6	5.5- 6.5	.	.	.	+0490 496	119	227	317	410	490	8333.5257
1	11081.890	5	19788- 8706	10	5.5- 5.5	.	.	.	+0428 431	100	198	287			9021.2551
1	10837.830	4	19788- 8950	-5	5.5- 6.5	.	.	.	+0639 643	169	311	445	555	639	9224.4080
1	10094.300	7	19788- 9694	-100	5.5- 5.5	.	.	.	+0300 303						9903.8655
1	9833.344	4	19788- 9955	4	5.5- 6.5	.	.	.	+0390* 388	105	195	278	350*		10166.6938
1	8459.380	8	19788-11329	30	5.5- 4.5	.	.	.	265	101	195				11817.9627
1	8405.630	6	19788-11382	0	5.5- 6.5	.	.	.	+0420* 423	089	179	265	349	420*	11893.5331
1	8228.320	6	19788-11560	10	5.5- 5.5	.	.	.	0190 243						12149.8244
1	7834.090	3	19788-11954	0	5.5- 4.5	.	.	.	0240 248						12761.2336
1	6941.764	5	19788-12846	4	5.5- 4.5	.	.	.	+0309 334	127	223				14401.6237
1	6800.400	5	19788-12988	0	5.5- 5.5	.	.	.	+0300 318						14700.9994
1	6081.959	3	19788-13706	4	5.5- 6.5	.	.	.	+0842 838	219	410	581	714	842	16437.5805
1	5783.239	5	19788-14005	4	5.5- 6.5	.	.	.	+0325* 342						17286.6271
1	5757.591	4	19788-14030	-9	5.5- 5.5	.	.	.	+0320* 345						17363.6329
1	16249.913	4L	19700- 3450	28	2.5- 3.5	.	.	.	+0995 981	271	518	708	866	995	6152.1765
1	13226.541	4C	19700- 6474	-19	2.5- 1.5	.	.	.	+0715 742	315	556	715			7558.4747
1	12808.817	5C	19700- 6892	47	2.5- 3.5	.	.	.	+0907 910	262	497	678	814	907	7804.9747
1	12685.791	3C	19700- 7015	121	2.5- 2.5	.	.	.	+0794 801	242	503				7880.6672
1	11422.590	2	19700- 8278	40	2.5- 3.5	.	.	.	+1060 890						8752.1784
1	10193.079	6	19700- 9507	-41	2.5- 3.5	.	.	.	+0647 689	231	*				9807.8889
1	8808.768	5	19700-10892	98	2.5- 3.5	.	.	.	+0765 771	236	433	585	697	765	11349.2179

TABLE II (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS CALC	HFS 2	DIAGONAL 3	COMPONENTS 4	5	6	WAVELENGTH
1	8300.121	3	19700-11400	21	2.5- 1.5	.	.	.	+0670* 698*	185	337	474	571	670	12044.7209
1	7881.130	7	19700-11819	20	2.5- 3.5	.	.	.	0 160 -193						12685.0657
1	5884.570	4Q	19700-13816	0	2.5- 1.5	.	.	.	-0330 -222						16988.9549
1	5828.528	3	19700-13872	48	2.5- 3.5	.	.	.	+0927* 940	304	545	727	847	927*	17152.3059
1	19646.657	2S	19646- 0	27	4.5- 5.5	.	.	.	-126						5088.5061
1	17612.677	2S	19646- 2033	-18	4.5- 4.5	.	.	.	-169						5676.1535
1	16195.688	4	19646- 3450	23	4.5- 3.5	.742	.580	.162	-219						6172.7748
1	14461.691	6	19646- 5184	56	4.5- 5.5	.734	.862	.128	0 328* -167						6912.9136
1	13003.144	2	19646- 6643	14	4.5- 4.5	.	.	.	-0146* -200						7688.3317
1	12534.195	6C	19646- 7112	-5	4.5- 5.5	.	.	.36*	-1818 -1826	-465	889	1263	1576	1818	7975.9812
1	11774.786	5	19646- 7871	16	4.5- 4.5	.	.	.	-0210 -225	-098	147	205			8490.3906
1	10940.071	6	19646- 8706	1	4.5- 5.5	.	.	.	-97						9138.2005
1	9952.620	4	19646- 9694	30	4.5- 5.5	.	.	.	0 160 -225						10044.8519
1	9776.992	8C	19646- 9869	2	4.5- 4.5	.	.	.	-1855* -1869	*	924	1303	1616	1855*	10225.2922
1	8168.400	4	19646-11478	-10	4.5- 5.5	.	.	.	0040 83						12238.9507
1	6658.600	3	19646-12988	10	4.5- 5.5	.	.	.	0190 -210						15014.0689
1	6621.750	3	19646-13024	-10	4.5- 3.5	.	.	.	-0690 -682	-137	291	450	590	690	15097.6222
1	6098.500	5P	19646-13548	-20	4.5- 4.5	.	.	.	0100 -157						16392.9967
1	5912.348	5	19646-13734	8	4.5- 3.5	.	.	.	-0350* -374						16909.1355
1	4817.208	5C	19646-14829	-7	4.5- 3.5	.	.	.	-1828 -1835	-524	973	1340	1628	1828	20753.2479
1	4760.770	2	19646-14885	-55	4.5- 5.5	.	.	.	0 160 159						20999.2738
1	14090.844	4	19275- 5184	34	6.5- 5.5	.	.	.	-0237* -305						7094.8509
1	12372.349	6	19275- 6903	-6	6.5- 7.5	.98	.98	.	0 302* -220						8080.3176
1	11483.800	6	19275- 7792	15	6.5- 6.5	.	.	.	0 160* -170						8705.5280
1	10569.245	5	19275- 8706	0	5.5- 5.5	.	.	.	-0250* -235						9458.8189
1	10325.193	7	19275- 8950	-7	6.5- 6.5	.	.	.	-23						9682.3936
1	9581.760	6	19275- 9694	-5	6.5- 5.5	.	.	.	-0318* -363	-108	195*	*	*	318*	10433.6370
1	9320.700	6	19275- 9955	-5	6.5- 6.5	.	.	.	-0260* -278						10725.8696
1	7996.123	6	19275-11279	-12	6.5- 7.5	.	.	.	+0587 589	144	274	391	494	587	12502.6402
1	7893.010	6	19275-11382	15	6.5- 6.5	.	.	.	-0240* -243						12665.9730
1	7715.674	5	19275-11560	-1	6.5- 5.5	.	.	.	-0450* -423	-123	227	313	410	450*	12957.0865
1	6287.768	4	19275-12988	3	6.5- 5.5	.	.	.	-0340 -348						15899.5508
1	6225.960	6	19275-13049	40	6.5- 7.5	.	.	.	-0210 -222						16057.3932
1	5787.480	5	19275-13488	-10	6.5- 6.5	.	.	.	+0280* 312	092	140*	210*		280*	17273.9596
1	19233.510	4	19233- 0	10	4.5- 5.5	.	.	.	-0650 -646	-156	313	449	563	650	5197.8116
1	17199.530	4	19233- 2033	-35	4.5- 4.5	.	.	.	-0874 -689	-205	374	521			5812.5008
1	15782.614	4	19233- 3450	79	4.5- 3.5	.	.	.	-0725 -739	-228	394	526			6334.3345
1	12589.999	4	19233- 6643	-1	4.5- 4.5	.	.	.	-0733 -720	-233	401	543	673	733	7940.6282
1	12341.420	3	19233- 6892	0	4.5- 3.5	.	.	.	-0807 -810	-224	430	570	693	807	8100.5679
1	12121.080	6C	19233- 7112	10	4.5- 5.5	.	.	.	-2342 -2346	-630	1183	1657	2044	2342	8247.8227
1	11361.645	4	19233- 7871	5	4.5- 4.5	.	.	.	-0741 -745	-229	413	557	668	741	8799.1261
1	10526.949	4	19233- 8706	9	4.5- 5.5	.	.	.	-0612 -617	-188	343	464			9496.8234
1	7755.289	4	19233-11478	9	4.5- 5.5	.	.	.	-0420 -437						12890.9000
1	7673.372	2	19233-11560	2	4.5- 5.5	.	.	.	-0820* -805						13028.5169
1	6245.450	2	19233-12988	-10	4.5- 5.5	.	.	.	-0720 -730						16007.2833
1	5685.392	3	19233-13548	2	4.5- 4.5	.	.	.	-0680 -677						17584.1345
1	5361.133	4	19233-13872	3	4.5- 3.5	.	.	.	-0778 -780	-193	375	530	675	778	18647.6820
1	15734.297	4P	19185- 3450	2	2.5- 3.5	.	.	.231	+0307 413	96					6353.7862
1	14569.562	4	19185- 4615	12	2.5- 2.5	.	.	.	+0353 367						6861.7310
1	12710.713	4	19185- 6474	-257	2.5- 1.5	.	.	.	+0427* 174	106	208				7865.2154
1	12293.244	4	19185- 6892	64	2.5- 3.5	.	.	.	+0321* 342	104	188				8132.3134

TABLE II (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEHAN G1	DATA DG	WIDTH		HFS 2	DIAGONAL COMPONENTS			WAVELENGTH	
									OBS	CALC		3	4	5	6	
1	12170.094	3	19185- 7015	14	2.5- 2.5	.	.		+0234*	233						8214.6052
1	9677.500	7	19185- 9507	-30	2.5- 3.5	.	.		0100	121						10330.4162
1	9660.820	4	19185- 9524	0	2.5- 2.5	.	.		0160*	155						10348.2523
1	8293.130	5	19185-10892	50	2.5- 3.5	.	.		0200*	203						12054.8745
1	7953.600	4	19185-11231	0	2.5- 2.5	.	.		0160	116						12569.4842
1	7365.485	6C	19185-11819	-35	2.5- 3.5	.	.		-0745*	-761	-263	461	585*	681	745*	13573.1271
1	6554.920	3	19185-12630	10	2.5- 1.5	.	.		0080	-70*						15251.5487
<hr/>																
1	19100.860	3	19100- 0	45	4.5- 5.5	.	.		-0431	-422						5233.9093
1	17066.919	5	19100- 2033	39	4.5- 4.5	.	.		-0460	-465	-284					5857.6647
1	15649.872	5L	19100- 3450	22	4.5- 3.5	.	.		-0502	-515	-178	303				6388.0627
1	13915.827	5	19100- 5184	7	4.5- 5.5	.	.		-0438*	-463	-157	276				7184.0822
1	12457.302	5	19100- 6643	-13	4.5- 4.5	.	.		-0487*	-496	-177	309	402			8025.2133
1	12208.728	6	19100- 6892	-7	4.5- 3.5	.	.		-0573*	-586	-181	321	431			8188.6103
1	11988.381	7C	19100- 7112	-4	4.5- 5.5	.	.		-2122	-2122	-584	1088	1514	1857	2122	8339.1180
1	11228.955	5	19100- 7871	0	4.5- 4.5	.	.		-0525	-521	-177	311	406	474	525	8903.1038
1	10822.517	4	19100- 8278	2	4.5- 3.5	.	.		-0590	-606	-146	283	406	517	590	9237.4598
1	10394.256	5	19100- 8706	1	4.5- 5.5	.	.		-0360*	-393	-145	248	358			9618.0602
1	9231.182	6C	19100- 9869	7	4.5- 4.5	.	.		-2168	-2165	-612	1132	1566	1911	2168	10829.8824
1	8208.660	3P	19100-10892	25	4.5- 3.5	.	.		-0730	-725	-211					12178.9237
1	7771.720	4	19100-11329	-5	4.5- 4.5	.	.		-0566*	-559	-143	277	391	487		12863.6459
1	7281.047	6	19100-11819	-28	4.5- 3.5	.	.		-1693	-1689	-493	914	1242	1509	1693	13730.5343
1	6254.128	5	19100-12846	-7	4.5- 4.5	.	.		-0493	-490	-112	225	330	419	493	15985.0721
1	6112.780	3	19100-12988	5	4.5- 5.5	.	.		-0510*	-506						16354.7011
1	5552.699	4	19100-13548	-6	4.5- 4.5	.	.		-0434	-453	-126	236	326			18004.3435
1	5366.534	5	19100-13734	9	4.5- 3.5	.	.		-0671	-670	-180	338	471	579	671	18628.9145
1	5228.444	6	19100-13872	-1	4.5- 3.5	.	.		-0571	-556	-125	273*	388	493*	571	19120.9288
1	4446.102	2	19100-14654	12	4.5- 4.5	.	.		-0570*	-548*						22485.4754
1	4271.398	4C	19100-14829	-2	4.5- 3.5	.	.		-2136	-2131	-647	1171	1588	1914	2136	23405.1520
1	4001.480	2S	19100-15099	5	4.5- 5.5	.	.			-15						24983.9367
<hr/>																
1	13784.875	2	18969- 5184	-15	4.5- 5.5	.	.		+0182*	167						7252.3292
1	12326.366	3	18969- 6643	-19	4.5- 4.5	.	.			134						8110.4610
1	12077.808	5	18969- 6892	3	4.5- 3.5	1.042	.818	.224		44						8277.3729
1	6123.280	3	18969-12846	75	4.5- 4.5	.	.		0160	140						16326.6566
<hr/>																
1	18728.406	3	18728- 0	21	5.5- 5.5	.	.		-0785	-783	-182	369	522	666	785	5337.9979
1	16694.459	5	18728- 2033	9	5.5- 4.5	.	.		-0837	-826	-236	431	592	737	837	5988.3527
1	15225.516	6	18728- 3502	-39	5.5- 6.5	.	.		-0766	-763	-187	364	522	659	766	6566.1081
1	13543.384	6	18728- 5184	-6	5.5- 5.5	.	.		-0813	-824	-237	423	598	728	813	7381.6456
1	12084.898	5	18728- 6643	13	5.5- 4.5	.	.		-0868	-857	-255	475	626	765	868	8272.5167
1	11615.951	4	18728- 7112	-4	5.5- 5.5	.	.		-2492	-2483	-663	1259	1736	2156	2492	8606.4876
1	10936.365	8	18728- 7792	0	5.5- 6.5	.	.		-0686	-689	-195	363	501	610	686	9141.2971
1	10021.825	7	18728- 8706	0	5.5- 5.5	.	.		-0775*	-754	-216	393	542	661	*	9975.4877
1	9777.770	8	18728- 8950	-10	5.5- 6.5	.	.		-0545*	-542						10224.4785
1	9034.341	4	18728- 9694	-4	5.5- 5.5	.	.		-0880	-882	-255	462	632	773	880	11065.8455
1	8858.741	6	18728- 9869	-4	5.5- 4.5	.	.		-2515*	-2526	-674*	1279*	1780	2192	2515	11285.1957
1	8773.308	5	18728- 9955	23	5.5- 6.5	.	.		-0788	-797	-212	370	560	691	788	11395.0894
1	7250.163	6	18728-11478	-2	5.5- 5.5	.	.		-0591	-574	-155	291	404	502	591	13789.0233
1	7168.280	4	18728-11560	25	5.5- 5.5	.	.		-0962	-942	-283*	473	690	841	962	13946.5351
1	5881.694	5	18728-12846	-11	5.5- 4.5	.	.		-0848	-851	-190	376	554	710	848	16997.2621
1	5740.348	5	18728-12988	3	5.5- 5.5	.	.		-0870	-867	-229	429	603	750	870	17415.7903
1	5180.266	5	18728-13548	-9	5.5- 4.5	.	.		-0810	-814	-200	384	549	692	810	19298.7592
1	4723.154	4	18728-14005	-26	5.5- 6.5	.	.		-0853	-843	-242	457	616*	750	853	21166.5157
<hr/>																
1	16354.183	4	18388- 2033	-32	3.5- 4.5	.	.		+0497	451						6112.9515

TABLE II (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS CALC	HFS 2	DIAGONAL 3	COMPONENTS 4	COMPONENTS 5	COMPONENTS 6	WAVELENGTH
1	14937.183	2	18388- 3450	-2	3.5- 3.5	.	.	.	+0433*	401	125	250			6692.8549
1	13772.436	4S	18388- 4615	-4	3.5- 2.5	.57	.57	.	+0349*	355	175				7258.8794
1	11744.631	6	18388- 6643	-19	3.5- 4.5	.571	.860	.289	+0437*	420	129	225	296	364	8512.1902
1	11496.080	7	18388- 6892	10	3.5- 3.5	.575	.810	.235	+0360*	330	132	232			8696.2288
1	11372.930	5	18388- 7015	-40	3.5- 2.5	.	.	.	+0350*	221	108	180*			8790.3950
1	10516.286	7	18388- 7871	-4	3.5- 4.5	.	.	.	+0360*	395	130	228	322	360*	9506.4528
1	10109.820	6	18388- 8278	-30	3.5- 3.5	.	.	.	+0330*	310					9888.6616
1	8880.472	4	18388- 9507	52	3.5- 3.5	.	.	.		109					11257.5802
1	8863.712	5	18388- 9524	2	3.5- 2.5	.	.	.	0060	143					11278.8667
1	8518.511	8	18388- 9869	1	3.5- 4.5	.	.	.	-1245	-1249	-302	595	862	1083	11735.9284
1	7495.970	4	18388-10892	0	3.5- 3.5	.	.	.	0220	191					13336.8545
1	7156.440	4	18388-11231	-50	3.5- 2.5	.	.	.	+0180	104					13969.6090
1	7059.000	3	18388-11329	-60	3.5- 4.5	.	.	.	+0360*	357					14162.4410
1	6698.970	2	18388-25087	60	3.5- 3.5	.	.	.	+0210*						14923.5895
1	5535.773	5C	18388-12852	-37	3.5- 2.5	.	.	.	-1275	-1297	-367	692	967	1174	18059.3930
1	5292.937	2S	18388-13095	-3	3.5- 2.5	.	.	.	-2*						18887.9453
1	4840.025	4	18388-13548	-15	3.5- 4.5	.	.	.	+0490*	463					20655.4122
<hr/>															
1	18200.435	3	18200- 0	-95	4.5- 5.5	.	.	.	+0524	538	200				5492.8481
1	14749.553	5	18200- 3450	-12	4.5- 3.5	.	.	.	+0420*	445	137	248			6777.9957
1	13015.542	6	18200- 5184	7	4.5- 5.5	.675	.862	.187	+0500	497	154	274	367	433	7681.0081
1	11557.047	5	18200- 6643	17	4.5- 4.5	.	.	.	+0454	464	135	246	334	400	8650.3533
1	11308.470	5	18200- 6892	20	4.5- 3.5	.	.	.		374	133	238	311	366	8840.5018
1	11088.122	9	18200- 7112	22	4.5- 5.5	.	.	.	-1162	-1162	-270	532	776	988	9016.1848
1	10328.677	8	18200- 7871	7	4.5- 4.5	.	.	.	+0400*	439	137	248	352	400*	9679.1276
1	9922.224	4	18200- 8278	-6	4.5- 3.5	.	.	.	+0450*	354	164	276			10075.6237
1	9493.976	8	18200- 8706	6	4.5- 5.5	.	.	.	+0565*	567	172	309	414	500	10530.1096
1	8330.901	7	18200- 9869	11	4.5- 4.5	.	.	.	-1204	-1205	-298	576	828	1040	12000.2195
1	7308.350	2	18200-10892	0	4.5- 3.5	.	.	.	+0230	235					13679.2388
1	6886.518	3P	18200-25087	-12	4.5- 3.5	.	.	.							14517.1587
1	6871.490	4	18200-11329	50	4.5- 4.5	.	.	.	0090	401					14548.9078
1	6722.315	5	18200-11478	5	4.5- 5.5	.	.	.	+0789*	747	233	414	569*	699*	14871.7634
1	6246.170	3	18200-11954	-10	4.5- 4.5	.	.	.	+0410	384					16005.4381
1	5212.501	4	18200-12988	11	4.5- 5.5	.	.	.	+0436*	454	163	277	360		19179.4123
1	4328.170	2	18200-13872	10	4.5- 3.5	.	.	.	+0560*	404					23098.1497
1	4169.660	2	18200-14030	-30	4.5- 5.5	.	.	.	+0450*	481					23976.2285
<hr/>															
1	14743.500	5	18194- 3450	15	2.5- 3.5	.	.	.	+0304*	255					6780.7785
1	13578.736	3	18194- 4615	-4	2.5- 2.5	.	.	.295	0232*	209					7362.4275
1	11720.163	8	18194- 6474	3	2.5- 1.5	.	.	.		16					8529.9611
1	11302.370	6	18194- 6892	0	2.5- 3.5	.364	.803	.439	0180*	184					8845.2731
1	11179.240	7S	18194- 7015	-30	2.5- 2.5	.376	.576	.200		75					8942.6968
1	9916.150	5	18194- 8278	0	2.5- 3.5	.	.	.	+0179	164					10081.7954
1	8670.007	4S	18194- 9524	-3	2.5- 2.5	.	.	.		-3					11530.8594
1	7424.969	2S	18194-10769	-71	2.5- 2.5	.	.	.		46					13464.3879
1	7302.284	3	18194-10892	14	2.5- 3.5	.	.	.	0120*	45					13690.6022
1	6962.789	4	18194-11231	-1	2.5- 2.5	.	.	.		-42					14358.1362
1	5564.120	3	18194-12630	20	2.5- 1.5	.	.	.	0200	-228*					17967.3875
1	4378.203	2C	18194-13816	33	2.5- 1.5	.	.	.	-948		-403	686*			22834.1897
<hr/>															
1	16083.338	6C	18117- 2033	-77	3.5- 4.5	.	.	.	+1431	1452	430	774	1068	1281	6215.8951
1	14666.367	6C	18117- 3450	-18	3.5- 3.5	.	.	.	+1370	1402	410	759	1046	1282	6816.4400
1	11473.854	5C	18117- 6643	4	3.5- 4.5	.	.	.	+1401	1421	404	745	1025	1245	8713.0744
1	11225.281	7C	18117- 6892	11	3.5- 3.5	.	.	.	+1305	1331	404	738	1004	1204	8906.0178
1	11102.203	7C	18117- 7015	33	3.5- 2.5	.	.	.	+1200*	1222	382	699	948	1129	9004.7494

TABLE II (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS CALC	HFS 2	DIAGONAL 3	COMPONENTS 4	5	6	WAVELENGTH
1	10245.484	6C	18117- 7871	-6	3.5- 4.5	.	.	.	+1384 1396	405	743	1019	1233	1384	9757.7220
1	9839.051	6C	18117- 8278	1	3.5- 3.5	.	.	.	+1283 1311	439	777	1028	1242	1283*	10160.7968
1	8247.650	6	18117- 9869	-60	3.5- 4.5	.	.	.	-0250* -248	.	.	.	.	.	12121.3488
1	6788.256	4	18117-11329	-4	3.5- 4.5	.	.	.	+1361 1358	445	785	1048	1243	1361	14727.2991
1	6297.620	6C	18117-11819	10	3.5- 3.5	.	.	.	+0285* 228	101	185*	.	.	285*	15874.6775
1	5265.145	7C	18117-12852	135	3.5- 2.5	.	.	.	-0300* -296	-080*	165*	250*	.	.	18987.6451
1	5092.475	5	18117-13024	-5	3.5- 3.5	.	.	.	+0920* 939	324	567	747	849	920*	19631.4577
1	17859.203	4	17859- 0	3	5.5- 5.5	.	.	.	-1027 -1032	-271	509	715	888	1027	5597.7999
1	15825.252	5	17859- 2033	-13	5.5- 4.5	.	.	.	-1092 -1075	-327	588	791	956	1092	6317.2678
1	14356.362	6	17859- 3502	-8	5.5- 6.5	.	.	.	-1017 -1012	-277	519	720	891	1017	6963.6323
1	12674.194	6C	17859- 5184	-11	5.5- 5.5	.	.	.	-1076 -1073	-329	589	797	955	1076	7887.8781
1	11215.708	5	17859- 6643	8	5.5- 4.5	.	.	.	-1126 -1106	-346	616	828	993	1126	8913.6194
1	10067.178	8	17859- 7792	-2	5.5- 6.5	.	.	.	-0944 -938	-290	524	705	845	944	9930.5476
1	9987.337	7	17859- 7871	-3	5.5- 4.5	.	.	.	-1139 -1131	-345	620	835	1005	1139	10009.9349
1	9152.638	8C	17859- 8706	-2	5.5- 5.5	.	.	.	-1010 -1003	-307	554	746	899	1010	10922.8201
1	8908.590	6	17859- 8950	-5	5.5- 6.5	.	.	.	-0788 -791	-236	429	585	702	788	11222.0480
1	8165.157	5C	17859- 9694	-3	5.5- 5.5	.	.	.	-1130 -1131	-343	620	838	999	1130	12243.8117
1	7989.566	7C	17859- 9869	6	5.5- 4.5	.	.	.	-2776 -2775	-770*	1431*	1983	2430	2776	12512.9011
1	7904.097	8	17859- 9955	-3	5.5- 6.5	.	.	.	-1046 -1046	-303	556	763	925	1046	12648.2065
1	6530.109	6	17859-11329	-1	5.5- 4.5	.	.	.	-1171 -1169	-309	580	813	1009	1171	15309.4966
1	6380.981	9C	17859-11478	1	5.5- 5.5	.	.	.	-0826 -823	-246	446	608	733	826	15667.2908
1	6299.071	6C	17859-11560	1	5.5- 5.5	.	.	.	-1209 -1191	-360	653	888	1085*	1209	15871.0207
1	5904.842	3	17859-11954	-8	5.5- 4.5	.	.	.	-1194 -1186	-350	632	877	1054	1194	16930.6298
1	5012.515	6	17859-12846	-5	5.5- 4.5	.	.	.	-1102 -1100	-283	532	753	944	1102	19944.6204
1	4871.165	5	17859-12988	5	5.5- 5.5	.	.	.	-1121 -1116	-318	587	806	981	1121	20523.3678
1	4370.870	2	17859-13488	-15	5.5- 6.5	.	.	.	-0470 -456	.	.	.	.	.	22872.4986
1	4311.086	6	17859-13548	-4	5.5- 4.5	.	.	.	-1065 -1063	-294	542	749	923	1065	23189.6833
1	4152.700	3	17859-13706	-15	5.5- 6.5	.	.	.	-0625* -596	-193	350	462	.	625*	24074.1496
1	14212.182	3	17663- 3450	2	4.5- 3.5	.	.	.	+0228* 274	.	.	.	.	.	7034.2775
1	12478.130	5	17663- 5184	-20	4.5- 5.5	.68	.862	.180	+0332* 326	.	.	.	.	.	8011.8179
1	10771.070	4	17663- 6892	5	4.5- 3.5	.	.	.	+0180 203	.	.	.	.	.	9281.5818
1	10550.727	7	17663- 7112	12	4.5- 5.5	.	.	.	-1328 -1333	-348	661	931	1153	1328	9475.4205
1	9791.279	4	17663- 7871	-6	4.5- 4.5	.	.	.	+0202* 268	.	.	.	.	.	10210.3718
1	8956.588	4	17663- 8706	3	4.5- 5.5	.	.	.	+0401* 396	96	189*	280	341	401*	11161.9094
1	7793.507	5C	17663- 9869	2	4.5- 4.5	.	.	.	-1371 -1376	-378	705	984*	1208	1371	12827.6851
1	6184.924	4	17663-11478	-1	4.5- 5.5	.	.	.	+0590* 576	163	293	400	498	590*	16163.9316
1	13752.369	5	17255- 3502	29	6.5- 6.5	.930	.873	.057	-4*	.	.	.	.	.	7269.4713
1	9463.162	3S	17255- 7792	12	6.5- 6.5	.	.	.	70*	.	.	.	.	.	10564.3979
1	8304.500	5	17255- 8950	-65	6.5- 6.5	.	.	.	0180* 217*	.	.	.	.	.	12038.3697
1	7300.085	4S	17255- 9955	15	6.5- 6.5	.	.	.	-38*	.	.	.	.	.	13694.7262
1	5872.392	2	17255-11382	32	6.5- 6.5	.	.	.	-3*	.	.	.	.	.	17024.1861
1	5776.960	2	17255-11478	10	6.5- 5.5	.	.	.	0160 185*	.	.	.	.	.	17305.4160
1	17007.749	6P	17007- 0	49	6.5- 5.5	.790	.660	.130	-0400* -372	.	.	.	.	.	5878.0437
1	13504.867	6C	17007- 3502	-3	6.5- 6.5	.	.	.08*	-0352 -352	-100	184	252	312	352	7402.6988
1	11822.686	6	17007- 5184	-19	6.5- 5.5	.	.	.	-0400* -413	-152	259	.	.	.	8455.9913
1	10104.270	3	17007- 6903	20	6.5- 7.5	.	.	.	-0320 -328	.	.	.	.	.	9894.0932
1	9895.283	7C	17007- 7112	13	6.5- 5.5	.	.	.	-2072 -2072	-574	1061	1470	1805	2072	10103.0558
1	9215.700	7	17007- 7792	20	6.5- 6.5	.	.	.	-0255 -278	-111	.	.	.	255	10848.0762
1	8301.140	3	17007- 8706	0	6.5- 5.5	.	.	.	-0320* -343	.	.	.	.	.	12043.2424
1	8057.120	9	17007- 8950	25	6.5- 6.5	.	.	.	-0120* -131	.	.	.	.	.	12407.9879
1	7052.595	4	17007- 9955	-5	6.5- 6.5	.	.	.	-0381* -386	-132	226	.	.	.	14175.3030

TABLE II (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS CALC	HFS 2	DIAGONAL 3	COMPONENTS 4	5	6	WAVELENGTH
1	5529.510	7	17007-11478	30	6.5- 5.5	.	.	.	-0170 -163						18079.8480
1	5447.570	6	17007-11560	0	6.5- 5.5	.	.	.	-0550* -531	-184	321	423	513		18351.7976
1	14776.828	4S	16810- 2033	13	5.5- 4.5	.	.	.	-77*						6765.4848
1	13307.986	6	16810- 3502	66	5.5- 6.5	.	.	.	+0225* -14*						7512.2165
1	11625.839	6	16810- 5184	84	5.5- 5.5	.	.	.	0189* -75*						8599.1676
1	10167.258	6	16810- 6643	8	5.5- 4.5	.	.	.	-108*						9832.7973
1	9018.735	7	16810- 7792	5	5.5- 6.5	.	.	.	0020* 60*						11084.9938
1	8938.890	4	16810- 7871	0	5.5- 4.5	.	.	.	0060 -133*						11184.0088
1	8104.207	7S	16810- 8706	17	5.5- 5.5	.	.	.	-5*						12335.8949
1	7860.150	7	16810- 8950	5	5.5- 6.5	.	.	.	+0220* 207*						12718.9242
1	7116.740	4	16810- 9694	30	5.5- 5.5	.	.	.	0100 -133*						14047.5371
1	6855.657	6S	16810- 9955	7	5.5- 6.5	.	.	.	-48*						14582.5083
1	5332.520	4	16810-11478	-10	5.5- 5.5	.	.	.	0170 175*						18747.7410
1	3964.060	2S	16810-12846	-10	5.5- 4.5	.	.	.	-102*						25219.7806
1	14884.134	4S	16798-31682	39	3.5- 3.5	.	.	.							6716.7093
1	13347.139	4	16798- 3450	24	3.5- 3.5	1.05	.59	.46	+0277* 221*						7490.1797
1	12182.361	3	16798- 4615	-9	3.5- 2.5	.	.	.	+0183* 175*						8206.3335
1	10154.600	3	16798- 6643	20	3.5- 4.5	.	.	.	0140* 240*						9845.0542
1	9782.927	5	16798- 7015	27	3.5- 2.5	.	.	.	41*						10219.0888
1	8926.314	5P	16798- 7871	94	3.5- 4.5	.	.	.	215*						11199.7656
1	8519.740	5	16798- 8278	-40	3.5- 3.5	.	.	.	0130 130*						11734.2355
1	6028.630	2	16798-10769	-40	3.5- 2.5	.	.	.	0080 12*						16582.9868
1	5905.968	2	16798-10892	68	3.5- 3.5	.	.	.	11*						16927.4019
1	16507.783	1	16507- 0	53	4.5- 5.5	.	.	.	+0506 522						6056.0718
1	14473.791	6	16507- 2033	-4	4.5- 4.5	.870	.611	.259	+0441* 479	117	210	310			6907.1344
1	13056.747	5	16507- 3450	-18	4.5- 3.5	.875	.590	.285	+0411 429	82	185	279	356	411	7656.7679
1	11322.734	6	16507- 5184	-1	4.5- 5.5	.	.	.	+0480 481	110	216	315	404	480	8829.3648
1	9864.232	8	16507- 6643	2	4.5- 4.5	.	.	.	+0400* 448	091	184	296	375*		10134.8586
1	9615.650	5	16507- 6892	0	4.5- 3.5	.	.	.	+0400* 358	089	170*	260*	340*		10396.8639
1	9395.312	7	16507- 7112	12	4.5- 5.5	.	.	.	-1180 -1178	-313	590	827	1023	1180	10640.6909
1	8635.863	7	16507- 7871	-7	4.5- 4.5	.	.	.	+0430* 423	091	182	270*	360*	430*	11576.4495
1	8229.434	9	16507- 8278	4	4.5- 3.5	.	.	.	+0400* 338	126	224	302			12148.1797
1	7801.158	6	16507- 8706	-12	4.5- 5.5	.	.	.	+0535* 551	130	243*	360	400	535*	12815.1043
1	7000.010	5	16507- 9507	10	4.5- 3.5	.	.	.	0120 137						14281.7899
1	6813.685	3	16507- 9694	-5	4.5- 5.5	.	.	.	+0429 423	084	184*	268	362*	429	14672.3360
1	6638.115	7	16507- 9869	25	4.5- 4.5	.	.	.	-1222 -1221	-342	613	882	1077	1222	15060.4019
1	5029.511	3	16507-11478	1	4.5- 5.5	.	.	.	+0690 731	190	350	501			19877.2224
1	4687.968	5C	16507-11819	-22	4.5- 3.5	.	.	.	-0775 -745	-223	409	562	699	775	21325.3831
1	4553.360	3	16507-11954	-20	4.5- 4.5	.	.	.	+0360* 368						21955.8119
1	16459.338	6C	16459- 0	-2	4.5- 5.5	.	.	.	+1438 1457	412	761	1049	1271	1438	6073.8969
1	14425.390	7C	16459- 2033	-15	4.5- 4.5	.	.	.	+1392 1414	363	693	979	1217	1392	6930.3098
1	13008.362	6C	16459- 3450	-13	4.5- 3.5	.	.	.	+1362 1364	347	673	960	1194	1362	7685.2477
1	11274.347	6C	16459- 5184	2	4.5- 5.5	.	.	.	+1411 1416	364	692	978	1219	1411	8867.2586
1	9815.845	7C	16459- 6643	5	4.5- 4.5	.	.	.	+1328 1383	344	661	943	1179	1328	10184.8184
1	9567.270	5C	16459- 6892	10	4.5- 3.5	.	.	.	+1291 1293	343	654	921	1137	1291	10449.4392
1	9346.900	8	16459- 7112	-10	4.5- 5.5	.	.	.	-0260* -243						10695.8042
1	8181.040	8C	16459- 8278	0	4.5- 3.5	.	.	.	+1270 1273	379	632	944	1138	1270	12220.0410
1	6589.700	8C	16459- 9869	0	4.5- 4.5	.	.	.	-0400* -286	-089	165*	268	365*		15171.0519
1	4981.130	5C	16459-11478	10	4.5- 5.5	.	.	.	+1654 1666	*	840	1178	1434	1654	20070.2871
1	4639.620	7	16459-11819	20	4.5- 3.5	.	.	.	0190 190						21547.6083
1	16334.038	6C	16334- 0	33	6.5- 5.5	.	.	.	-0900 -900	-226	431	615	770	900	6120.4907

TABLE II (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS CALC	HFS 2	DIAGONAL 3	COMPONENTS 4	COMPONENTS 5	COMPONENTS 6	WAVELENGTH
1	12831.162	7	16334- 3502	-13	6.5- 6.5	.	.	.	-0874 -880	-233	438	611	759	874	7791.3825
1	11149.017	5	16334- 5184	7	6.5- 5.5	.	.	.	-0934* -941	-282	506	682	829	934*	8966.9389
1	9430.587	5	16334- 6903	32	6.5- 7.5	.	.	.	-0863 -856	-232	429	602	742	863	10600.8894
1	9221.594	7C	16334- 7112	19	6.5- 5.5	.	.	.	-2559 -2600	-706	1313	1828	2255	2559	10841.1427
1	8541.989	7	16334- 7792	4	6.5- 6.5	.	.	.	-0801 -806	-245	439	596	714	801	11703.6717
1	7627.449	6	16334- 8706	4	6.5- 5.5	.	.	.	-0868 -871	-264	472*	638	767	868	13106.9585
1	7383.396	8C	16334- 8950	-4	6.5- 6.5	.	.	.	-0655 -659	-201	357	480	581	655	13540.2007
1	6639.971	4	16334- 9694	6	6.5- 5.5	.	.	.	-0993 -999	-304	535	724	875	993	15056.1922
1	6378.902	4	16334- 9955	-3	6.5- 6.5	.	.	.	-0914 -914	-260	479	645	798	914	15672.3970
1	4855.792	6	16334-11478	7	6.5- 5.5	.	.	.	-0692 -691	-202	366	497	602	692	20588.3430
1	4773.882	5	16334-11560	7	6.5- 5.5	.	.	.	-1057 -1059	-299	555	760	919	1057	20941.5969

1	16154.290	6R	16154- 0	0	4.5- 5.5	.	.	.	274						6188.5937
1	14120.386	6	16154- 2033	31	4.5- 4.5	.778	.610	.168	+0281* 231						7080.0073
1	12703.310	4	16154- 3450	-15	4.5- 3.5	.797	.590	.207	+0155 181						7869.7990
1	9510.750	5	16154- 6643	-40	4.5- 4.5	.	.	.	+0200* 200						10511.5377
1	9262.221	7	16154- 6892	11	4.5- 3.5	.	.	.	+0100* 110						10793.5899
1	9041.892	6C	16154- 7112	32	4.5- 5.5	.	.	.	-1422 -1426	-361*	696*	978	1227	1422	11056.6042
1	8282.450	6	16154- 7871	20	4.5- 4.5	.	.	.	0140* 175						12070.4190
1	7875.960	7	16154- 8278	-30	4.5- 3.5	.	.	.	+0120* 90						12693.3925
1	7447.765	6	16154- 8706	35	4.5- 5.5	.	.	.	+0295* 303	084	163			295*	13423.1762
1	6646.620	4	16154- 9507	60	4.5- 3.5	.	.	.	0130 -111						15041.1306
1	6460.280	4	16154- 9694	30	4.5- 5.5	.	.	.	0165 175						15474.9768
1	6284.679	7C	16154- 9869	29	4.5- 4.5	.	.	.	-1472 -1469	-389	736	1034	1281	1472	15907.3656
1	4825.140	2	16154-11329	-60	4.5- 4.5	.	.	.	0150 137						20719.1318
1	4594.188	2	16154-11560	28	4.5- 5.5	.	.	.	0080 115						21760.6931
1	4334.558	4	16154-11819	8	4.5- 3.5	.	.	.	-0988 -993	-268	507	710	874	988	23064.1091
1	4199.930	2	16154-11954	-10	4.5- 4.5	.	.	.	0110 120						23803.4254

1	13709.334	6	15743- 2033	34	5.5- 4.5	.887	.615	.272	-0294* -230						7292.2911
1	12240.406	6	15743- 3502	1	5.5- 6.5	.84	.84	.	-0145 -167						8167.4182
1	10558.260	8	15743- 5184	20	5.5- 5.5	.	.	.	-0210* -228						9468.6601
1	9099.730	8	15743- 6643	-5	5.5- 4.5	.	.	.	-0260* -261						10986.3281
1	8630.813	7C	15743- 7112	8	5.5- 5.5	.	.	.	-1888 -1887	-502	942	1320	1635	1888	11583.2231
1	7951.218	5	15743- 7792	3	5.5- 6.5	.	.	.	0070 -93						12573.2498
1	7871.380	5P	15743- 7871	5	5.5- 4.5	.	.	.	-0310* -286						12700.7783
1	7036.690	7	15743- 8706	15	5.5- 5.5	.	.	.	0150* -158						14207.3434
1	6792.616	7	15743- 8950	-14	5.5- 6.5	.	.	.	54						14717.8460
1	5873.580	5	15743- 9869	-15	5.5- 4.5	.	.	.	-1935 -1930	-529	1003*	1372	1680	1935	17020.7428
1	5788.130	7	15743- 9955	-5	5.5- 6.5	.	.	.	-0180* -201						17272.0198
1	4360.440	2	15743-11382	15	5.5- 6.5	.	.	.	0170 -166						22927.2088
1	4265.013	5P	15743-11478	-2	5.5- 5.5	.	.	.	22						23440.1911
1	4183.100	2	15743-11560	-5	5.5- 5.5	.	.	.	-0360* -346						23899.1945

1	11270.680	4	14721- 3450	-5	4.5- 3.5	.	.	.	-0442 -453	-158	265	339	403	442	8870.1436
1	7829.588	3	14721- 6892	18	4.5- 3.5	.	.	.	-0536* -524	-165	288				12768.5713
1	6443.361	3	14721- 8278	11	4.5- 3.5	.	.	.	-0543 -544	-129	248	360	464	543	15515.6111
1	5750.348	6	14721-20471	3	4.5- 3.5	.	.	.	+0495 483	130	242	334	438	495	17385.5037
1	5430.680	6C	14721-20152	90	4.5- 3.5	.	.	.	-0134 -155						18408.8737
1	5418.548	7	14721-20140	51	4.5- 3.5	.	.	.	+0394* 375	100	186	269	343	394*	18450.0908
1	4652.188	5L	14721-19373	-32	4.5- 3.5	.	.	.	-0522 -495	-190	327	431		522	21489.3969

1	14338.949	8C	14338- 0	79	5.5- 5.5	.	.	.	+1424 1437	348	674	968	1224	1424	6972.0888
1	12304.923	6C	14338- 2033	-12	5.5- 4.5	.	.	.	+1394 1394	299	607	905	1171	1394	8124.5947
1	10836.047	6C	14338- 3502	7	5.5- 6.5	.	.	.	+1459 1457	348	677	975	1237	1459	9225.9258

TABLE II (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS CALC	HFS 2	DIAGONAL 3	COMPONENTS 4	5	6	WAVELENGTH
1	9153.879	6C	14338- 5184	4	5.5- 5.5	.	.	.	+1386 1396	282	589	886	1152	1386	10921.3392
1	7226.421	9	14338- 7112	-19	5.5- 5.5	.	.	.	-0300* -263	-124					13834.3264
1	6546.857	4C	14338- 7792	7	5.5- 6.5	.	.	.	+1549 1531	335	677	995	1281	1535*	15270.3322
1	6467.011	5	14338- 7871	1	5.5- 4.5	.	.	.	+1338 1338	281	576	862	1121	1338	15458.8701
1	5632.312	5C	14338- 8706	2	5.5- 5.5	.	.	.	+1471 1466	318	640	*	1235	1471	17749.8510
1	4469.240	7	14338- 9869	10	5.5- 4.5	.	.	.	-0300* -306						22369.0643
1	4383.771	4	14338- 9955	1	5.5- 6.5	.	.	.	+1435 1423	327	628	935	1206	1435	22805.1871
1	7087.811	4	13384-20471	-44	3.5- 3.5	.	.	.	-1655* -1661	-491	899	1234	1490*	1655*	14104.8724
1	6945.494	6C	13384-20329	-1	3.5- 2.5	.	.	.	-2389 -2391	-781	1403	1878	2205	2389	14393.8895
1	6768.097	6C	13384-20152	-3	3.5- 3.5	.	.	.	-2299 -2299	-690	1265	1724	2069	2299	14771.1649
1	6756.006	5C	13384-20140	-1	3.5- 3.5	.	.	.	-1800* -1769	-522	962	1320	1588	*	14797.6004
1	6369.054	5C	13384- 7015	94	3.5- 2.5	.	.	.	+1493 1511	438	823	1138	1348	1493	15696.6301
1	5989.648	4P	13384-19373	-82	3.5- 3.5	.	.	.	-2804* -2639	-807	1470	2000	2417	2804*	16690.9128
1	5270.689	7	13384-18654	-1	3.5- 2.5	.	.	.	-1083 -1083	-346	621	829	985	1083	18967.6729
1	4950.616	7C	13384-18334	1	3.5- 2.5	.	.	.	-2138 -2142	-673	1229	1659	1967	2138	20193.9940
1	4461.692	6C	13384-17845	-3	3.5- 2.5	.	.	.	-1780* -1771	-542	997	1359	1623	1780*	22406.9068
1	10658.823	8	12692- 2033	18	3.5- 4.5	.	.	.	+0320* 391	089	171	268	320*		9379.3256
1	9241.790	9	12692- 3450	15	3.5- 3.5	.	.	.	+0350* 341	065*	155*	235*	315*		10817.4515
1	8077.020	9	12692- 4615	-10	3.5- 2.5	.	.	.	+0250* 295						12377.4173
1	6143.507	5C	12692-18836	-23	3.5- 2.5	.	.	.	+1200* 1154	358	656	892	1050		16272.9023
1	6049.210	2	12692- 6643	-30	3.5- 4.5	.	.	.	-0250 360						16526.5698
1	5800.670	6	12692- 6892	10	3.5- 3.5	.	.	.	+0260* 270	050*	110*	200*		260*	17234.6808
1	5677.580	7	12692- 7015	20	3.5- 2.5	.	.	.	0130 161						17608.3292
1	4820.890	5	12692- 7871	10	3.5- 4.5	.	.	.	+0300* 335	050*	130*	200*	270*		20737.3974
1	4414.440	2	12692- 8278	0	3.5- 3.5	.	.	.	+0290* 250						22646.7497
1	14293.595	1	11940-26233	100	4.5- 3.5	.	.	.	-0225*						6994.2116
1	11940.036	8R	11940- 0	-29	4.5- 5.5	.67	.67	.	0167* -200						8372.8831
1	9906.130	9C	11940- 2033	0	4.5- 4.5	.	.	.	-0250* -243	- 90*				250*	10091.9931
1	8489.060	9	11940- 3450	-40	4.5- 3.5	.	.	.	-0300* -293	-111	200*	240*			11776.6438
1	6755.110	3	11940- 5184	40	4.5- 5.5	.	.	.	-0220* -241						14799.5632
1	5047.980	3	11940- 6892	-5	4.5- 3.5	.	.	.	-0360* -364						19804.4977
1	4827.643	8C	11940- 7112	8	4.5- 5.5	.	.	.	-1900 -1900	-517	967	1348	1658	1900	20708.3895
1	4495.260	2	11940-16435	5	4.5- 3.5	.	.	.	+0400* 454						22239.5849
1	4068.180	4	11940- 7871	-25	4.5- 4.5	.	.	.	-0300* -299						24574.3114
1	21796.971	1S	7315-29112	41	4.5- 3.5	.	.	.	30*						4586.5082
1	6556.720	3	7315-13872	-40	4.5- 3.5	.	.	.	0120* -112*						15247.3617
1	5672.420	2P	7315-12988	-10	4.5- 5.5	.	.	.	-162*						17624.3469
1	5531.000	4	7315-12846	-70	4.5- 4.5	.	.	.	0160 -178*						18074.9775
1	26226.054	2S	5456-31682	-1	3.5- 3.5	.85	1.05	.203							3811.9202
1	26145.801	2S	5456-31601	-4	3.5- 4.5	.85	1.02	.168							3823.6209
1	26076.129	3S	5456-31532	-6	3.5- 3.5	.87	1.10	.227							3833.8374
1	25579.842	3	5456-31035	-23	3.5- 3.5	.	.	.	30*						3908.2212
1	23656.420	2P	5456-29112	0	3.5- 3.5	.85	1.13	.288	30*						4225.9921
1	23296.306	1	5456-28752	31	3.5- 2.5	.	.	.	30*						4291.3187
1	22013.468	0S	5456-27469	43	3.5- 3.5	.	.	.	30*						4541.4003
1	21650.816	0	5456-27106	26	3.5- 3.5	.	.	.	30*						4617.4702
1	20469.615	0	5456-25925	5	3.5- 3.5	.	.	.	30*						4883.9258
1	14684.030	2	5456-20140	3	3.5- 3.5	.	.	.	-0337* -231	-132					6808.2407
1	13917.726	3	5456-19373	-24	3.5- 3.5	.	.	.	-1180 -1101	-395	698	919	1045	1180	7183.1020
1	13813.273	5	5456-19269	-22	3.5- 4.5	.873	1.065	.192	30*						7237.4194

TABLE II (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZFEMAN G1	DATA DG	WIDTH OBS CALC	HPS 2	DIAGONAL 3	COMPONENTS 4	5	6	WAVELENGTH
1	13198.710	4	5456-18654	0	3.5- 2.5	.86	.71	.15	+0385*	455	061	139	232		7574.4127
1	12425.505	2	5456-17881	10	3.5- 3.5	.	.		-20*						8045.7500
1	11375.750	4	5456-16831	-50	3.5- 2.5	.	.		0170*	130*					8788.2159
1	10734.051	4P	5456-16190	-9	3.5- 2.5	.	.		0070	165					9313.5918
1	10436.000	2	5456-15892	0	3.5- 4.5	.	.		-0270	-242					9579.5878
1	9768.200	6	5456-15224	-30	3.5- 2.5	.	.		30*						10234.4956
1	9477.414	5	5456-14933	-16	3.5- 4.5	.	.		-0425*	-375	-147	250			10548.5113
1	9212.884	4S	5456-14669	-16	3.5- 3.5	.	.		30*						10851.3921
1	9173.253	5L	5456-14629	-2	3.5- 2.5	.	.		-0460*	-415	-210	340			10898.2732
1	8278.165	4	5456-13734	-5	3.5- 3.5	.	.		0060	2					12076.6670
1	6363.623	3C	5456-11819	3	3.5- 3.5	.	.		+0900*	1021	258	502*	705*	865*	15710.0264
1	5775.440	3	5456-11231	-100	3.5- 2.5	.	.		+0330	144					17309.9705
1	28204.837	1	2831-31035	-48	2.5- 3.5	.	.		18*						3544.4783
1	26192.666	4P	2831-29023	1	2.5- 2.5	.432	1.075	.643							3816.7794
1	26155.348	3P	2831-28986	-2	2.5- 1.5	.43	1.22	.788							3822.2252
1	25921.243	3P	2831-28752	-52	2.5- 2.5	.	.		18*						3856.7460
1	24638.393	3S	2831-27469	-52	2.5- 3.5	.432	1.069	.637	18*						4057.5602
1	24275.759	3S	2831-27106	-51	2.5- 3.5	.430	1.112	.682	18*						4118.1738
1	23770.942	2W	2831-26602	2	2.5- 3.5	.430	1.155	.725	-282*						4205.6320
1	23577.043	2S	2831-26408	3	2.5- 3.5	.431	.993	.562							4240.2201
1	23402.456	2S	2831-26233	-4	2.5- 3.5	.428	1.07	.642							4271.8535
1	23094.579	3W	2831-25925	-51	2.5- 3.5	.42	.98	.557	18*						4328.8033
1	22255.958	2S	2831-25087	-2	2.5- 3.5	.431	1.121	.690							4491.9187
1	22124.097	1S	2831-24955	-3	2.5- 3.5	.43	1.00	.571							4518.6912
1	17640.910	4	2831-20471	15	2.5- 3.5	.	.		-135						5667.0691
1	17321.138	3L	2831-20152	-2	2.5- 3.5	.	.		-0772	-773	-264	441	584	705	5771.6921
1	17309.099	2W	2831-20140	52	2.5- 3.5	.430	1.040	.610	-243						5775.7065
1	16542.720	4	2831-19373	-50	2.5- 3.5	.	.		-1146	-1113	-383	659	866	1018	6043.2817
1	15823.830	6	2831-18654	100	2.5- 2.5	.	.		+0418	443					6317.8355
1	15050.467	1S	2831-17881	-48	2.5- 3.5	.	.	.535	-32*						6642.4778
1	14000.769	5	2831-16831	-51	2.5- 2.5	.431	1.088	.657	+0237*	118*					7140.4965
1	13933.770	6	2831-16764	0	2.5- 1.5	.43	1.44	1.01	-0429*		-103	225			7174.8310
1	13604.222	4	2831-16435	2	2.5- 3.5	.432	.79	.359	-4						7348.6348
1	13510.953	5	2831-16342	3	2.5- 1.5	.43	1.41	.980	+0259*						7399.3643
1	13359.097	5	2831-16190	17	2.5- 2.5	.430	.962	.532	+0253*	153					7483.4751
1	12837.620	6	2831-15668	0	2.5- 1.5	.434	.772	.337							7787.4630
1	12519.235	3	2831-15350	15	2.5- 3.5	.	.		-0626*	-344*	-186	329			7985.5122
1	12393.199	5	2831-15224	-51	2.5- 2.5	.435	.940	.505	18*						8066.7234
1	11837.869	4	2831-14669	-51	2.5- 3.5	.47	1.10	.63	18*						8445.1458
1	11798.133	2	2831-14629	-142	2.5- 2.5	.	.		-0480*	-427		293			8473.5891
1	11236.207	4L	2831-14067	-13	2.5- 2.5	.	.		-0238	-114	-104	238			8897.3576
1	11041.265	4C	2831-13872	-5	2.5- 3.5	.	.		-0151*	-124	-69	100	115	128	9054.4479
1	10985.180	6L	2831-13816	0	2.5- 1.5	.	.		+1029	1038	379	675	905		9100.6757
1	10903.175	5S	2831-13734	-15	2.5- 3.5	.	.		-0030*	-10					9169.1240
1	10021.253	6C	2831-12852	13	2.5- 2.5	.	.		+1700*	1533	457	865	*	*	9976.0571
1	9799.100	6	2831-12630	-150	2.5- 1.5	.	.		+0320*	318*					10202.2225
1	8060.992	4S	2831-10892	-88	2.5- 3.5	.	.		45						12402.0278
1	7938.308	2	2831-10769	-2	2.5- 2.5	.	.		0140	44					12593.6976
1	6693.280	3P	2831- 9524	-60	2.5- 2.5	.	.		+0290*	93					14936.2762
1	6676.514	3	2831- 9507	-116	2.5- 3.5	.	.		0040	127					14973.7840
1	4184.031	2P	2831- 7015	-49	2.5- 2.5	.	.		-0320*	15					23893.8766
1	4060.900	2	2831- 6892	-80	2.5- 3.5	.	.		0140*	-94					24618.3659

2535 CARDS PROCESSED

TABLE III. Classified Lines, Sorted on Even Levels

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS CALC	HFS 2	DIAGONAL 3	COMPONENTS 4	5	6	WAVELENGTH
<hr/>															
1	11696.241	3	19985-31682	61	4.5- 3.5	.	.		0189*						8547.4072
1	14884.134	4S	16798-31682	39	3.5- 3.5	.	.								6716.7093
1	26226.054	2S	5456-31682	-1	3.5- 3.5	.85	1.05	.203							3811.9202
<hr/>															
1	10765.130	3S	20836-31601	40	4.5- 4.5	.	.								9286.7033
1	26145.801	2S	5456-31601	-4	3.5- 4.5	.85	1.02	.168							3823.6209
<hr/>															
1	26076.129	3S	5456-31532	-6	3.5- 3.5	.87	1.10	.227	30*						3833.8374
<hr/>															
1	5633.020	2S	25403-31035	105	3.5- 3.5	.	.		0*						17747.6200
1	25579.842	3	5456-31035	-23	3.5- 3.5	.	.		30*						3908.2212
1	28204.837	1	2831-31035	-48	2.5- 3.5	.	.		18*						3544.4783
<hr/>															
1	21796.971	1S	7315-29112	41	4.5- 3.5	.	.		30*						4586.5082
1	23656.420	2P	5456-29112	0	3.5- 3.5	.85	1.13	.288							4225.9921
<hr/>															
1	26192.666	4P	2831-29023	1	2.5- 2.5	.432	1.075	.643							3816.7794
<hr/>															
1	8425.605	4	37412-28986	-5	1.5- 1.5	.	.		0050						11865.3364
1	26155.348	3P	2831-28986	-2	2.5- 1.5	.43	1.22	.788							3822.2252
<hr/>															
1	23296.306	1	5456-28752	31	3.5- 2.5	.	.		30*						4291.3187
1	25921.243	3P	2831-28752	-52	2.5- 2.5	.	.		18*						3856.7460
<hr/>															
1	22013.468	0S	5456-27469	43	3.5- 3.5	.	.		30*						4541.4003
1	24638.393	3S	2831-27469	-52	2.5- 3.5	.432	1.069	.637	18*						4057.5602
<hr/>															
1	21650.816	0	5456-27106	26	3.5- 3.5	.	.		30*						4617.4702
1	24275.759	3S	2831-27106	-51	2.5- 3.5	.430	1.112	.682	18*						4118.1738
<hr/>															
1	6201.020	3	20400-26602	-55	2.5- 3.5	.	.		0210 199*						16121.9748
1	23770.942	2W	2831-26602	2	2.5- 3.5	.430	1.155	.725	-282*						4205.6320
<hr/>															
1	23577.043	2S	2831-26408	3	2.5- 3.5	.431	.993	.562							4240.2201
<hr/>															
1	14293.595	1	11940-26233	100	4.5- 3.5	.	.		-0225*						6994.2116
1	23402.456	2S	2831-26233	-4	2.5- 3.5	.428	1.07	.642							4271.8535
<hr/>															
1	20469.615	0	5456-25925	5	3.5- 3.5	.	.		30*						4883.9258
1	23094.579	3W	2831-25925	-51	2.5- 3.5	.42	.98	.557	18*						4328.8033
<hr/>															
1	6698.970	2	18388-25087	60	3.5- 3.5	.	.		+0210*						14923.5895
1	6886.518	3P	18200-25087	-12	4.5- 3.5	.	.								14517.1587
1	22255.958	2S	2831-25087	-2	2.5- 3.5	.431	1.121	.690							4491.9187
<hr/>															
1	22124.097	1S	2831-24955	-3	2.5- 3.5	.43	1.00	.571							4518.6912
<hr/>															
1	10549.190	2P	32789-22240	125	11.5-10.5	.	.		-0670 -728	-155*	300*	445*	555*	670*	9476.8011
1	9219.333	5	31459-22240	-2	10.5-10.5	.	.		-0687 -692	-178	338	475	592	687*	10843.8014
1	7042.520	3	29283-22240	45	10.5-10.5	.	.		-0450* -472						14195.5821
<hr/>															
1	8987.420	4	29478-20491	30	7.5- 7.5	.	.		+0605 602	142	274	407	502	605	11123.6175
1	7500.960	4	27991-20491	20	7.5- 7.5	.	.		+0290* 311						13327.9821
1	6867.360	3	27358-20491	0	8.5- 7.5	.	.		+1034 1045	244	484	696	881	1034	14557.6575

TABLE III (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS	CALC	HFS 2	DIAGONAL 3	4	COMPONENTS 5	6	WAVELENGTH
1	5478.127	4	25969-20491	-3	8.5- 7.5	.	.		+1121	1128	268	518	753	941	1121	18249.4311
1	4405.244	2	24896-20491	-16	7.5- 7.5	.	.		+0570	479						22694.0250
1	5750.348	6	14721-20471	3	4.5- 3.5	.	.		+0495	483	130	242	334	438	495	17385.5037
1	7087.811	4	13384-20471	-44	3.5- 3.5	.	.		-1655*	-1661	-491	899	1234	1490*	1655*	14104.8724
1	17640.910	4	2831-20471	15	2.5- 3.5	.	.			-135						5667.0691
1	9179.980	3	29642-20462	-10	7.5- 8.5	.	.		0110	-173						10890.2870
1	6895.757	4S	27358-20462	-3	8.5- 8.5	.	.			-42						14497.7084
1	6406.419	3	26869-20462	9	8.5- 8.5	.	.		-0594	-597	-149	284	404	509	594	15605.0805
1	5549.384	3	26012-20462	14	8.5- 8.5	.	.		-0885	-855	-229	430	609	744	885	18015.0986
1	5506.526	2S	25969-20462	-4	8.5- 8.5	.	.			41						18155.3126
1	8056.091	6	28385-20329	96	3.5- 2.5	.	.			-70*						12409.5728
1	6945.494	6C	13384-20329	-1	3.5- 2.5	.	.		-2389	-2391	-781	1403	1878	2205	2389	14393.8895
1	5430.680	6C	14721-20152	90	4.5- 3.5	.	.		-0134	-155						18408.8737
1	6768.097	6C	13384-20152	-3	3.5- 3.5	.	.		-2299	-2299	-690	1265	1724	2069	2299	14771.1649
1	17321.138	3L	2831-20152	-2	2.5- 3.5	.	.		-0772	-773	-264	441	584	705	772	5771.6921
1	5418.548	7	14721-20140	51	4.5- 3.5	.	.		+0394*	375	100	186	269	343	394*	18450.0908
1	6756.006	5C	13384-20140	-1	3.5- 3.5	.	.		-1800*	-1769	-522	962	1320	1588	*	14797.6004
1	14684.030	2	5456-20140	3	3.5- 3.5	.	.		-0337*	-231	-132					6808.2407
1	17309.099	2W	2831-20140	52	2.5- 3.5	.430	1.040	.610		-243						5775.7065
1	11786.509	6	31761-19974	-21	9.5- 9.5	.	.		+0389	384*	075	154	233	312	389	8481.9459
1	11243.210	4	31217-19974	0	9.5- 9.5	.	.			4*						8891.8157
1	9308.289	5	29283-19974	9	10.5- 9.5	.	.		-0780	-785	-186	359	515	653	780	10740.1708
1	8738.270	5Q	28713-19974	-10	9.5- 9.5	.	.		-0455	-479	-135	245	335		455	11440.7806
1	6894.248	4	26869-19974	-22	8.5- 9.5	.	.		+0413	409	078	161	245	331	413	14500.8816
1	6258.110	4	26232-19974	0	9.5- 9.5	.	.		-0447*	-436	-117	217	305	387	447*	15974.9009
1	6037.260	3	26012-19974	30	8.5- 9.5	.	.		0120	151						16559.2821
1	14834.219	2H	34472-19638	9	7.5- 7.5	.	.		-0719*	-613*						6739.3102
1	12704.555	2	32342-19638	-35	7.5- 7.5	.	.			87*						7869.0278
1	10212.126	4H	29850-19638	6	8.5- 7.5	.	.		-0742	-733	-196	368	519	641	742	9789.5958
1	9034.999	5	28673-19638	9	7.5- 7.5	.	.			87*						11065.0396
1	8859.980	5	28497-19638	10	7.5- 7.5	.	.		-0485	-467	-140*	250*	339	423	485	11283.6176
1	7720.380	3	27358-19638	0	8.5- 7.5	.	.		-0220*	-253						12949.1885
1	7530.350	3	27168-19638	60	8.5- 7.5	.	.		0140	187*						13275.9646
1	7373.267	4	27011-19638	7	7.5- 7.5	.	.		-1252	-1250	-317	603	851	1071	1252	13558.8015
1	6373.980	3	26012-19638	-10	8.5- 7.5	.	.		-1090	-1066	-300	565*	750*	942	1095	15684.4993
1	5129.850	4	24767-19638	10	8.5- 7.5	.	.		0250	-177						19488.4270
1	4498.935	4	24136-19638	5	7.5- 7.5	.	.		-1043	-1008	-278	528	737	907	1043	22221.4183
1	7948.198	4	27322-19373	-42	4.5- 3.5	.	.		+0492	389	138	249	345	422*	492	12578.0271
1	4652.188	5L	14721-19373	-32	4.5- 3.5	.	.		-0522	-495	-190	327	431		522	21489.3969
1	5989.648	4P	13384-19373	-82	3.5- 3.5	.	.		-2804*	-2639	-807	1470	2000	2417	2804*	16690.9128
1	13917.726	3	5456-19373	-24	3.5- 3.5	.	.		-1180	-1101	-395	698	919	1045	1180	7183.1020
1	16542.720	4	2831-19373	-50	2.5- 3.5	.	.		-1146	-1113	-383	659	866	1018	1146	6043.2817
1	11340.800	4	30712-19371	50	5.5- 6.5	.	.			50*						8815.2994
1	9990.266	4	29361-19371	36	5.5- 6.5	.	.			-200*						10007.0001
1	9301.413	3	28673-19371	13	7.5- 6.5	.	.			-200*						10748.1104
1	8778.390	3	28150-19371	-30	5.5- 6.5	.	.		0060	75*						11388.4925

TABLE III (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEFMAN G1	DATA DG	WIDTH OBS CALC	HFS 2	DIAGONAL 3	COMPONENTS 4	5	6	WAVELENGTH
1	8171.805	2	27543-19371	75	5.5- 6.5	.	.		100*						12233.8510
1	5970.840	4	25342-19371	-110	5.5- 6.5	.	.		-0472 -486*	-106	202	294	392	472	16743.4888
1	13320.302	2	32589-19269	-53	3.5- 4.5	.	.		-200*						7505.2706
1	10815.060	5	30084-19269	-55	4.5- 4.5	.	.		0060 -200*						9243.8291
1	5971.880	3	25241-19269	80	5.5- 4.5	.	.		-0600 -512*						16740.5729
1	13813.273	5	5456-19269	-22	3.5- 4.5	.873	1.065	.192	30*						7237.4194
1	12442.961	4	31459-19016	-89	10.5-10.5	.	.		-0734 -735	-190	358	503	628	734	8034.4628
1	12201.114	5	31217-19016	-6	9.5-10.5	1.08	1.08		+0134* 274*						8193.7203
1	10266.187	5	29283-19016	-3	10.5-10.5	.	.		-0515 -515	-126	238	342	434	515	9738.0443
1	9696.205	3	28713-19016	15	9.5-10.5	.	.		0180 -209						10310.4877
1	9811.883	3S	28711-18899	18	6.5- 6.5	.	.		8						10188.9310
1	9092.486	3	27992-18899	1	5.5- 6.5	.	.		0080 -126						10995.0810
1	8982.885	4	27882-18899	-15	5.5- 6.5	.	.		0040 31						11129.2333
1	7342.730	5P	26242-18899	50	7.5- 6.5	.	.		-12						13615.1900
1	7100.385	2S	25999-18899	-5	5.5- 6.5	.	.		2						14079.8942
1	6652.324	2S	25551-18899	-6	5.5- 6.5	.	.		-87						15028.2336
1	6574.693	4	25474-18899	3	6.5- 6.5	.	.		-0426 -442	-097	190	279	363	426	15205.6805
1	5629.120	2	24528-18899	10	7.5- 6.5	.	.		0080 -125						17759.9161
1	5061.629	3S	23961-18899	-41	7.5- 6.5	.	.		-17						19751.0936
1	4343.070	2	23242-18899	-10	7.5- 6.5	.	.		0160 -186						23018.9056
1	8155.849	5S	26992-18836	119	1.5- 2.5	.	.		123*						12257.7852
1	5795.900	2	24632-18836	-10	3.5- 2.5	.	.		+0210 210*						17248.8649
1	6143.507	5C	12692-18836	-23	3.5- 2.5	.	.		+1200* 1154	358	656	892	1050		16272.9023
1	10820.097	3	29642-18822	12	7.5- 7.5	.	.		+0700* 709	185	351	502			9239.5259
1	10044.714	4	28867-18822	-1	7.5- 7.5	.	.		+1414 1419	349	667	950	1207	1414	9952.7564
1	9888.921	4	28711-18822	-9	6.5- 7.5	.	.		+0832 825	187	363	534	681	832	10109.5555
1	9343.975	4	28166-18822	0	7.5- 7.5	.	.		+1035 1042	253	486	695	883*	1035	10699.1524
1	9169.460	4	27991-18822	25	7.5- 7.5	.	.		0160* 106						10902.7814
1	9062.692	4	27885-18822	-23	7.5- 7.5	.	.		140						11031.2279
1	8729.692	3	27552-18822	7	7.5- 7.5	.	.		+0613 623	146	276	399	513	613	11452.0226
1	8188.740	4	27011-18822	5	7.5- 7.5	.	.		0110 -157						12208.5503
1	7189.488	4P	26012-18822	23	8.5- 7.5	.	.		0030 27						13905.3946
1	6651.740	3	25474-18822	-15	6.5- 7.5	.	.		+0370 375						15029.5531
1	6073.750	2	24896-18822	-5	7.5- 7.5	.	.		+0260 274						16459.7968
1	5945.333	3	24767-18822	18	8.5- 7.5	.	.		+0916 916	265	488	672	806	916	16815.3227
1	5314.392	4	24136-18822	-13	7.5- 7.5	.	.		85						18811.6917
1	5138.684	3	23961-18822	-51	7.5- 7.5	.	.		+0790 800	193	382	533	679	790	19454.9240
1	4309.850	2	23132-18822	-25	8.5- 7.5	.	.		-0310* -310						23196.3337
1	13934.860	4	32589-18654	-80	3.5- 2.5	.	.		-0701 -625*	-188	356	492	608	701	7174.2697
1	6696.829	2P	25351-18654	34	3.5- 2.5	.	.		-415*						14928.3606
1	5270.689	7	13384-18654	-1	3.5- 2.5	.	.		-1083 -1083	-346	621	829	985	1083	18967.6729
1	13198.710	4	5456-18654	0	3.5- 2.5	.86	.71	.15	+0385* 455	061	139	232			7574.4127
1	15823.830	6	2831-18654	100	2.5- 2.5	.	.		+0418 443						6317.8355
1	4950.616	7C	13384-18334	1	3.5- 2.5	.	.		-2138 -2142	-673	1229	1659	1967	2138	20193.9940
1	9001.480	4	27005-18003	-20	6.5- 7.5	.	.		0130 -190						11106.2428
1	8260.840	3P	26264-18003	0	6.5- 7.5	.	.		-0370* -410						12101.9947
1	8242.023	2	26245-18003	8	6.5- 7.5	.	.		0060 -71						12129.6243

TABLE III (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS	ZEEAMAN	DATA	WIDTH		HFS	DIAGONAL		COMPONENTS		WAVELENGTH
						G2	G1	DG	OBS	CALC	2	3	4	5	6	
1	6892.763	4	24896-18003	3	7.5- 7.5	.	.	.	-1017	-1001	-241	459	669	850	1017	14504.0058
1	6386.664	5	24390-18003	4	6.5- 7.5	.	.	.	-0620	-626	-160	302	433	531	620	15653.3497
1	6133.431	4	24136-18003	21	7.5- 7.5	.	.	.	-1207	-1190	-317	591	830	1026	1207	16299.6355
1	6132.620	2	24136-18003	5	6.5- 7.5	.	.	.		65*						16301.7910
1	5239.143	4P	23242-18003	-7	7.5- 7.5	.	.	.	-0643*	-644	-189	350				19081.8814

1	14526.921	1	32408-17881	36	3.5- 3.5	.	.	.								6881.8725
1	6175.448	2S	24056-17881	83	2.5- 3.5	.	.	.		257*						16188.7346
1	4913.209	2S	22794-17881	24	4.5- 3.5	.	.	.		-52*						20347.7423
1	4699.889	2S	22581-17881	4	4.5- 3.5	.	.	.		-4*						21271.2925
1	4527.700	3	22409-17881	-15	4.5- 3.5	.	.	.	+0250*	246*						22080.2429
1	12425.505	2	5456-17881	10	3.5- 3.5	.	.	.		-20*						8045.7500
1	15050.467	1S	2831-17881	-48	2.5- 3.5	.	.	.535		-32*						6642.4778

1	14287.258	2	32133-17845	73	3.5- 2.5	.	.	.		63*						6997.3139
1	11819.162	2	29665-17845	-73	3.5- 2.5	.	.	.		38*						8458.5126
1	6180.260	2	24026-17845	-85	3.5- 2.5	.	.	.	+0620	620						16176.1299
1	4461.692	6C	13384-17845	-3	3.5- 2.5	.	.	.	-1780*	-1771	-542	997	1359	1623	1780*	22406.9068

1	14035.020	2	31761-17726	40	9.5- 8.5	.	.	.		151*						7123.0707
1	12645.347	3	30371-17726	37	8.5- 8.5	.	.	.		364						7905.8723
1	12495.173	2	30221-17726	3	9.5- 8.5	.	.	.		-19*						8000.8900
1	11916.312	6	29642-17726	12	7.5- 8.5	.	.	.	+0609	600	149	279	403	511	609	8389.5526
1	11686.360	2S	29412-17726	90	9.5- 8.5	.	.	.		51*						8554.6342
1	10771.670	2	28497-17726	10	7.5- 8.5	.	.	.	+0522	517						9281.0648
1	10265.699	4S	27991-17726	49	7.5- 8.5	.	.	.		-3						9738.5073
1	10158.962	4S	27885-17726	32	7.5- 8.5	.	.	.		31						9840.8270
1	9805.100	5	27531-17726	-15	8.5- 8.5	.	.	.	+0200*	215						10195.9795
1	9632.073	4	27358-17726	3	8.5- 8.5	.	.	.	+0743	731	155	309	455	602	743	10379.1369
1	9378.700	3	27105-17726	0	8.5- 8.5	.	.	.	0060	-116*						10659.5383
1	8506.602	6	26232-17726	42	9.5- 8.5	.	.	.	-0686*	-669	-174	328	457	574	686*	11752.3584
1	8285.700	7	26012-17726	20	8.5- 8.5	.	.	.		-82						12065.6844
1	6410.620	5Q	24136-17726	0	7.5- 8.5	.	.	.	0050*	-24						15594.8542
1	6234.908	4	23961-17726	-42	7.5- 8.5	.	.	.	+0667	691	159	305	440	561	667	16034.3485
1	5406.079	4	23132-17726	-11	8.5- 8.5	.	.	.	-0451*	-419	-127	231	319			18492.6455
1	4511.678	2	22238-17726	-2	7.5- 8.5	.	.	.	+0940*	962	233	441	624	805*	940*	22158.6550

1	9599.535	4	27153-17554	-5	6.5- 7.5	.	.	.	0060	-55*						10414.3175
1	6836.059	4	24390-17554	-1	6.5- 7.5	.	.	.	-0684	-686	-181	341	470	593	684	14624.3143
1	5688.547	3	23242-17554	-3	7.5- 7.5	.	.	.	-0708	-704	-209	373	508	619	708	17574.3819

1	8824.787	3	26264-17439	-3	6.5- 6.5	.	.	.	0030	25						11328.6165
1	8531.014	2	25970-17439	14	5.5- 6.5	.	.	.	0120	-146						11718.7283
1	8342.694	4	25782-17439	-6	5.5- 6.5	.	.	.	+0655	641	195	352	478	564	655	11983.2563
1	8218.177	3	25657-17439	7	5.5- 6.5	.	.	.	+0595	567	171	315	419	514	595	12164.8199
1	8034.713	4	25474-17439	3	6.5- 6.5	.	.	.	-0470	-465	-100	201	294	377	470	12442.5910
1	7358.441	3	24798-17439	-9	6.5- 6.5	.	.	.	+0437	425	112	209	305			13586.1202
1	6950.570	2	24390-17439	-40	6.5- 6.5	.	.	.	0130	-191						14383.3776
1	6464.280	2	23903-17439	-40	6.5- 6.5	.	.	.	+0510	487						15465.4011

1	12762.599	2	30195-17433	-1	1.5- 1.5	.	.	.		0*						7833.2394
1	12053.764	3	29486-17433	4	1.5- 1.5	.	.	.	0084*	150*						8293.8841
1	11925.409	4	29358-17433	9	2.5- 1.5	.	.	.	-0102*	-200*						8383.1529
1	6623.881	2	24056-17433	-79	2.5- 1.5	.	.	.		7*						15092.7651

1	14013.247	2	31431-17418	47	6.5- 5.5	.	.	.	-0499*	453*	+154	292				7134.1382

TABLE III (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS	WIDTH CALC	HFS 2	DIAGONAL 3	COMPONENTS 4	COMPONENTS 5	COMPONENTS 6	WAVELENGTH
1	10406.476	2	27824-17418	61	5.5- 5.5	.	.	.		-60						9606.7660
1	9688.990	4	27107-17418	04	4.5- 5.5	.	.	.	+0411	395	092	181	261			10318.1655
1	8845.976	3	26264-17418	261	6.5- 5.5	.	.	.		-112						11301.4807
1	7924.080	4	25342-17418	-501	5.5- 5.5	.	.	.		-83*						12616.3101
1	6909.256	3	24327-17418	161	5.5- 5.5	.	.	.	+0630	653	193	342	475			14469.3834
1	6481.361	2S	23899-17418	11	5.5- 5.5	.	.	.		-5						15424.6435
1	5908.059	2	23326-17418	41	5.5- 5.5	.	.	.	+0620	606						16921.4109
1	5635.157	4S	23053-17418	171	5.5- 5.5	.	.	.		-83						17740.8897
1	4996.343	3	22414-17418	131	5.5- 5.5	.	.	.	+0500	486						20009.1765
1	4858.378	4	22276-17418	81	5.5- 5.5	.	.	.	-0568	-547	-138	260	373	473	568	20577.3843
1	4655.800	3	22074-17418	301	5.5- 5.5	.	.	.	+1538	1526	438	798	1098	1228*	1538	21472.7252
1	4132.580	2	21551-17418	01	5.5- 5.5	.	.	.	+0370*	354*						24191.3578
1	21952.466	1S	38819-16866	261	8.5- 7.5	.	.	.		-41*						4554.0203
1	12611.581	3	29478-16866	211	7.5- 7.5	.	.	.	-0915	-924	-233	443	601	771	915	7927.0394
1	11354.836	3	28221-16866	61	6.5- 7.5	.	.	.	-1088	-1087	-254	492	711	908	1088	8804.4026
1	10286.808	5	27153-16866	-21	6.5- 7.5	.	.	.		-41*						9718.5233
1	10144.422	4	27011-16866	121	7.5- 7.5	.	.	.	-1419*	-1478	-358	687	989	1221	1419*	9854.9319
1	10138.140	3	27005-16866	-301	6.5- 7.5	.	.	.	-0190*	-236						9861.0384
1	9378.700	3	26245-16866	151	6.5- 7.5	.	.	.		-117						10659.5383
1	9102.246	4	25969-16866	-541	8.5- 7.5	.	.	.	-0395*	-398	-114	269				10983.2913
1	8641.050	2	25507-16866	201	8.5- 7.5	.	.	.	0150	-101*						11569.5005
1	8607.439	6	25474-16866	91	6.5- 7.5	.	.	.	-0961	-946	-232	441	643	817	961	11614.6781
1	8177.880	2	25044-16866	01	7.5- 7.5	.	.	.	0150	-194						12224.7629
1	7661.861	5	24528-16866	111	7.5- 7.5	.	.	.	-0627	-629	-167	313	436	540	627	13048.0907
1	6522.580	2	23389-16866	201	7.5- 7.5	.	.	.	0100	-141*						15327.1684
1	6375.815	5	23242-16866	-51	7.5- 7.5	.	.	.	-0695	-690	-190	353	488	599	695	15679.9852
1	4725.835	3	21592-16866	-51	6.5- 7.5	.	.	.	-0446	-444	-101	198	289	372	446	21154.5078
1	11375.750	4	5456-16831	-501	3.5- 2.5	.	.	.	0170*	130*						8788.2159
1	14000.769	5	2831-16831	-511	2.5- 2.5	.431	1.088	.657	+0237*	118*						7140.4965
1	13784.326	2	30549-16764	-341	0.5- 1.5	.	.	.	-0335*							7252.6180
1	13430.759	2	30195-16764	91	1.5- 1.5	.	.	.								7443.5455
1	13270.267	3	30035-16764	271	0.5- 1.5	.	.	.	-0310*		-101					7533.5691
1	13203.879	2S	29968-16764	-11	0.5- 1.5	.	.	.								7571.4474
1	12721.884	2S	29486-16764	-261	1.5- 1.5	.	.	.								7858.3090
1	7724.241	5Q	24489-16764	-391	2.5- 1.5	.	.	.	-1300*		-395	756				12942.7157
1	13933.770	6	2831-16764	01	2.5- 1.5	.43	1.44	1.01	-0429*		-103	225				7174.8310
1	13204.186	1	29946-16741	161	7.5- 6.5	.	.	.		-2						7571.2714
1	13019.936	2	29761-16741	261	6.5- 6.5	.	.	.		24*						7678.4159
1	12900.722	3	29642-16741	821	7.5- 6.5	.	.	.	+0482	403	133	272	401	482		7749.3716
1	12736.476	2	29478-16741	361	7.5- 6.5	.	.	.		91						7849.3058
1	11479.721	3	28221-16741	111	6.5- 6.5	.	.	.		-72						8708.6213
1	10269.310	3	27011-16741	201	7.5- 6.5	.	.	.	-0430	-463						9735.0829
1	10263.045	4	27005-16741	-51	6.5- 6.5	.	.	.	+0775	779	203	380	534	669	775	9741.0256
1	9910.886	4	26652-16741	-41	5.5- 6.5	.	.	.	+0982	997	249	475	670*	850	982	10087.1502
1	9614.695	3S	26356-16741	451	6.5- 6.5	.	.	.		143						10397.8966
1	9503.584	4	26245-16741	191	6.5- 6.5	.	.	.	+0884	898	227	428	608	752	884	10519.4638
1	9368.048	3	26110-16741	-21	5.5- 6.5	.	.	.	+0987	984*	258	466		837	987	10671.6588
1	9040.298	4	25782-16741	-21	5.5- 6.5	.	.	.	+1165	1175	319	584	815	1008	1165	11058.5537
1	8732.317	4	25474-16741	71	6.5- 6.5	.	.	.		69						11448.5800
1	8333.180	2	25075-16741	01	6.5- 6.5	.	.	.	0080	151						11996.9376
1	7786.747	4	24528-16741	171	7.5- 6.5	.	.	.	+0374*	386	079	161	234			12838.8214

TABLE III (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS CALC	HFS 2	DIAGONAL 3	COMPONENTS 4 5 6			WAVELENGTH
1	7648.217	5	24390-16741	7	6.5- 6.5	.	.	.	+0330 343						13071.3678
1	6798.885	3	23540-16741	-35	5.5- 6.5	.	.	.	+1400* 1554	391					14704.2752
1	6500.710	4	23242-16741	10	7.5- 6.5	.	.	.	+0315 325						15378.7328
1	5672.776	4	22414-16741	6	5.5- 6.5	.	.	.	+1154 1157	294	560	790	988	1154	17623.2409
1	5534.801	3	22276-16741	-9	5.5- 6.5	.	.	.	124						18062.5646
1	5509.100	4	22251-16741	0	6.5- 6.5	.	.	.	+0390* 403	097	185				18146.8299
1	4613.720	2	21355-16741	-10	5.5- 6.5	.	.	.	+1676 1704	445	836	1166	1462	1676	21668.5700
1	4298.342	2	21040-16741	7	6.5- 6.5	.	.	.	0030 58						23258.4376

1	14214.431	2	30649-16435	71	4.5- 3.5	.	.	.	-78*						7033.1645
1	13931.752	3	30367-16435	2	3.5- 3.5	.	.	.	-0268* -178*						7175.8702
1	13720.462	1S	30155-16435	42	4.5- 3.5	.	.	.	-278*						7286.3766
1	13229.706	3B	29665-16435	-44	3.5- 3.5	.	.	.	-203*						7556.6664
1	11694.963	2	28130-16435	-82	3.5- 3.5	.	.	.	-228*						8548.3413
1	11340.800	4	27776-16435	-80	4.5- 3.5	.	.	.	-228*						8815.2994
1	7879.114	5	24314-16435	-21	4.5- 3.5	.	.	.	-0449* -409	-114	215	306	389*	449*	12688.3114
1	7674.980	4	24110-16435	-40	3.5- 3.5	.	.	.	0210 -134*						13025.7873
1	7144.092	3	23579-16435	-3	4.5- 3.5	.	.	.	-0710 -698						13993.7544
1	6781.878	4	23217-16435	-32	3.5- 3.5	.	.	.	-0410 -328*						14741.1494
1	6566.884	3	23002-16435	-16	4.5- 3.5	.	.	.	-0560 -553	-133	256	365	468	560	15223.7623
1	5808.016	2	22243-16435	-44	4.5- 3.5	.	.	.	-0410 -402						17212.8823
1	4495.260	2	11940-16435	5	4.5- 3.5	.	.	.	+0400* 454						22239.5849
1	13604.222	4	2831-16435	2	2.5- 3.5	.432	.79	.359	-4						7348.6348

1	23034.714	0	39467-16432	-41	7.5- 7.5	.	.	.	-148*						4340.0536
1	14998.994	2	31431-16432	39	6.5- 7.5	.	.	.	2*						6665.2734
1	14660.577	2	31093-16432	52	6.5- 7.5	.	.	.	-48*						6819.1321
1	13938.903	4	30371-16432	-62	8.5- 7.5	.	.	.	-0946 -955	-229	445	617	793	946	7172.1888
1	13513.489	4	29946-16432	4	7.5- 7.5	.	.	.	-1099 -1124	-284	531	757	949	1099	7397.9757
1	13417.490	4	29850-16432	25	8.5- 7.5	.	.	.	-1051 -1068	-268	489	711	894	1051	7450.9068
1	12434.594	3S	28867-16432	9	7.5- 7.5	.	.	.	-9						8039.8690
1	11967.657	3	28400-16432	-18	7.5- 7.5	.	.	.	-0164* -192*						8353.5587
1	10351.754	5S	26784-16432	-11	8.5- 7.5	.	.	.	-98*						9657.5500
1	9536.480	5P	25969-16432	-15	8.5- 7.5	.	.	.	0480* -505						10483.1769
1	8858.600	5	25291-16432	20	6.5- 7.5	.	.	.	0090 168						11285.3754
1	8096.057	6	24528-16432	12	7.5- 7.5	.	.	.	-0736 -736	-194	364	509	632	736	12348.3131
1	7703.480	4	24136-16432	0	6.5- 7.5	.	.	.	0080 -88*						12977.5966
1	6872.113	2	23304-16432	3	6.5- 7.5	.	.	.	-0544 -528	-129	251	355	443	544	14547.5889
1	6810.013	5	23242-16432	-2	7.5- 7.5	.	.	.	-0798 -797	-214	400	556	693	798	14680.2475
1	6672.239	2	23104-16432	4	7.5- 7.5	.	.	.	32*						14983.3780
1	6310.370	2	22743-16432	-5	6.5- 7.5	.	.	.	-0430 -440						15842.6029
1	5742.340	2S	22175-16432	0	7.5- 7.5	.	.	.	-48*						17409.7488
1	4607.640	3	21040-16432	-10	6.5- 7.5	.	.	.	-1072 -1064	-295	545	755	924	1072	21697.1627

1	14799.073	3S	31217-16418	3	9.5- 9.5	.	.	.	-9*						6755.3153
1	13952.696	2	30371-16418	-24	8.5- 9.5	.	.	.	+0207* 584						7165.0987
1	13802.599	3	30221-16418	19	9.5- 9.5	.	.	.	+0133* 201*						7243.0163
1	12993.710	3	29412-16418	30	9.5- 9.5	.	.	.	+0226* 271*						7693.9138
1	12864.130	4	29283-16418	-10	10.5- 9.5	.	.	.	-0750 -798	-176	333	485	636	750	7771.4148
1	12294.103	5	28713-16418	-37	9.5- 9.5	1.10	1.10	.	-0411* -492	-123	230				8131.7452
1	11692.929	4	28111-16418	-11	8.5- 9.5	.	.	.	+0734 727	171	326	463	609	734	8549.8283
1	11448.800	4	27867-16418	-30	8.5- 9.5	.	.	.	+0924 891*	203	394	585	765	924	8732.1417
1	11112.523	6	27531-16418	-2	8.5- 9.5	.	.	.	+0462 435	104	203	296	384	462	8996.3869
1	9813.969	7	26232-16418	-1	9.5- 9.5	.	.	.	-0400* -449	-107	200	284	380		10186.7653
1	9593.053	4	26012-16418	-37	8.5- 9.5	.	.	.	0130 138						10421.3544

TABLE III (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS CALC	HFS 2	DIAGONAL 3	COMPONENTS 4	5	6	WAVELENGTH
1	12097.823	4	28497-16400	23	7.5- 6.5	.	.		-0590 -618	-162	293	418	511	590	8263.6785
1	9709.800	5	26110-16400	-50	5.5- 6.5	.	.		46*						10296.0516
1	9570.393	2	25970-16400	-7	5.5- 6.5	.	.		-0560 -550						10446.0293
1	9074.138	3	25474-16400	28	5.5- 6.5	.	.		-0865 -869	-225	414	595	751	865	11017.3132
1	8644.599	4	25044-16400	39	7.5- 6.5	.	.		0070 -117						11564.7507
1	7503.720	2	23903-16400	0	6.5- 6.5	.	.		0070 83						13323.0798
1	6495.810	3	22895-16400	0	6.5- 6.5	.	.		0110 136*						15390.3335
1	6225.760	4	22625-16400	0	6.5- 6.5	.	.		+0280* 317						16057.9090
1	5837.830	4	22238-16400	10	7.5- 6.5	.	.		0110 -173						17124.9754
1	5604.050	3Q	22004-16400	-50	5.5- 6.5	.	.		0090 -106						17839.3660
1	23095.784	0	39467-16371	9	7.5- 6.5	.	.		45*						4328.5774
1	14579.147	1S	30950-16371	2	5.5- 6.5	.	.		195*						6857.2198
1	13431.685	2	29803-16371	-20	6.5- 6.5	.	.		+0315* 313*						7443.0324
1	13390.247	3	29761-16371	2	6.5- 6.5	.	.		-0902* -905*	-316	569	694			7466.0660
1	12671.321	2	29043-16371	-64	5.5- 6.5	.	.		170*						7889.6666
1	9892.730	4	26264-16371	5	6.5- 6.5	.	.		-0340 -370*						10105.6631
1	9738.387	3S	26110-16371	2	5.5- 6.5	.	.		55*						10265.8275
1	9628.361	3	25999-16371	16	5.5- 6.5	.	.		-0423 -416*	-102	192	276			10383.1383
1	8940.069	3	25311-16371	-1	5.5- 6.5	.	.		45*						11182.5338
1	8869.573	4S	25241-16371	3	5.5- 6.5	.	.		-67*						11271.4136
1	8752.249	4	25123-16371	4	5.5- 6.5	.	.		-55*						11422.5074
1	8426.310	3	24798-16371	-75	6.5- 6.5	.	.		0090 30*						11864.3437
1	8119.789	4	24491-16371	4	5.5- 6.5	.	.		+0448* 460*	111	217	312			12312.2221
1	8018.555	4	24390-16371	10	6.5- 6.5	.	.		-0585 -586*	-142	272	384	490	585	12467.6638
1	7716.580	3	24088-16371	0	5.5- 6.5	.	.		0090 245*						12955.5652
1	7360.160	3	23731-16371	0	5.5- 6.5	.	.		0150 195*						13582.9471
1	7119.987	4	23491-16371	2	7.5- 6.5	.	.		-0606 -663*	-163	305	424	535	606	14041.1309
1	6933.140	2	23304-16371	10	6.5- 6.5	.	.		-0170* -335*						14419.5377
1	6885.437	3P	23257-16371	-18	6.5- 6.5	.	.		-5*						14519.4378
1	6819.584	2P	23191-16371	-1	6.5- 6.5	.	.		0000 -5*						14659.6443
1	6681.910	6	23053-16371	-5	5.5- 6.5	.	.		0110 -341*						14961.6919
1	6043.110	3	22414-16371	5	5.5- 6.5	.	.		+0220 228*						16543.2520
1	5879.441	3	22251-16371	6	6.5- 6.5	.	.		-0530 -526*						17003.7754
1	5559.183	2S	21930-16371	-7	7.5- 6.5	.	.		45*						17983.3439
1	5179.340	3	21551-16371	-15	5.5- 6.5	.	.		96*						19302.2096
1	4668.668	4	21040-16371	-2	6.5- 6.5	.	.		-0872 -871*	-245	455	625	766	872	21413.5411
1	14207.180	2	30549-16342	0	0.5- 1.5	.	.		+0180*						7036.7541
1	13853.573	1	30195-16342	3	1.5- 1.5	.	.		-0207*						7216.3656
1	13626.785	2	29968-16342	85	0.5- 1.5	.	.								7336.4670
1	13144.746	2S	29486-16342	16	1.5- 1.5	.	.								7605.5086
1	13510.953	5	2831-16342	3	2.5- 1.5	.43	1.41	.980	+0259*						7399.3643
1	14005.433	1	30195-16190	-7	1.5- 2.5	.	.		65*						7138.1186
1	13168.225	2	29358-16190	-15	2.5- 2.5	.	.		-0123* -135*						7591.9478
1	9212.884	4S	25403-16190	-6	3.5- 2.5	.	.		-135*						10851.3921
1	7026.990	3	23217-16190	-60	3.5- 2.5	.	.		-0500* -485*						14226.9551
1	10734.051	4P	5456-16190	-9	3.5- 2.5	.	.		0070 165						9313.5918
1	13359.097	5	2831-16190	17	2.5- 2.5	.430	.962	.532	+0253* 153						7483.4751
1	13393.671	3	29486-16093	91	1.5- 1.5	.	.		+0502* 350*	143	279	391			7464.1573
1	13265.216	2	29358-16093	-4	2.5- 1.5	.	.		0*						7536.4376
1	6148.027	2	22241-16093	-8	2.5- 1.5	.	.		-10*						16260.9386

TABLE III (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS CALC	HFS 2	DIAGONAL 3	COMPONENTS 4	5	6	WAVELENGTH
1	16737.820	4H	32789-16051	0	11.5-10.5	.	.	.	-2260* -2277	-524	1013	1470		2260*	5972.8392
1	15407.940	4H	31459-16051	-150	10.5-10.5	.	.	.	-2318 -2261						6488.3674
1	13231.229	5C	29283-16051	-1	10.5-10.5	.	.	.	-2043 -2041	-471	909	1318	1700	2043	7555.7966
1	6736.120	3	22787-16051	-30	9.5-10.5	.	.	.	+0220 -12*						14841.2851
1	16014.420	3	32061-16046	0	5.5- 5.5	.	.	.							6242.6454
1	14715.290	2S	30762-16046	30	4.5- 5.5	.	.	.	-368						6793.7777
1	14549.247	1S	30596-16046	27	4.5- 5.5	.	.	.	22*						6871.3121
1	14420.736	2	30467-16046	-24	4.5- 5.5	.	.	.	-3*						6932.5465
1	13182.725	3	29229-16046	-35	4.5- 5.5	.	.	.	22*						7583.5972
1	12226.811	3	28273-16046	1	5.5- 5.5	.	.	.	-3*						8176.4996
1	12175.928	3	28222-16046	-22	4.5- 5.5	.	.	.	-28*						8210.6692
1	11263.662	4S	27310-16046	7	5.5- 5.5	.	.	.	0187*						8875.6703
1	8343.344	3	24390-16046	4	6.5- 5.5	.	.	.	-28*						11982.3227
1	7532.573	3	23579-16046	8	4.5- 5.5	.	.	.	-0853* -809	-186	369	534			13272.0466
1	6367.893	4S	22414-16046	-7	5.5- 5.5	.	.	.	-0520* -498	-107	222	333	435	520*	15699.4920
1	6229.938	3	22276-16046	-2	5.5- 5.5	.	.	.	5						16047.1401
1	6204.230	2	22251-16046	0	6.5- 5.5	.	.	.	-1053 -1028	-270	510	701	894	1053	16113.6335
1	5873.520	2	21920-16046	0	5.5- 5.5	.	.	.	-0760 -749	-169	339	478	624*	760*	17020.9167
1	5504.120	3	21551-16046	-30	5.5- 5.5	.	.	.	2*						18163.2488
1	4993.430	4P	21040-16046	-35	6.5- 5.5	.	.	.	0060 -127*						20020.8492
1	14820.234	1	30712-15892	4	5.5- 4.5	.	.	.	-1103 -1094	-292	577*	827*	973	1103	6745.6697
1	14703.984	2S	30596-15892	34	4.5- 4.5	.	.	.							6799.0015
1	14474.907	2	30367-15892	-43	3.5- 4.5	.	.	.	22*						6906.6019
1	14192.493	1	30084-15892	83	4.5- 4.5	.	.	.	72*						7044.0361
1	13337.447	3	29229-15892	-43	4.5- 4.5	.	.	.	-0235* 72*						7495.6227
1	12433.252	2	28325-15892	12	3.5- 4.5	.	.	.	47*						8040.7368
1	12330.692	3	28222-15892	12	4.5- 4.5	.	.	.	+0203* 222*						8107.6156
1	11851.584	3S	27743-15892	-16	4.5- 4.5	.	.	.	47*						8435.3728
1	11828.461	3S	27720-15892	1	4.5- 4.5	.	.	.	+0000 9*						8451.8629
1	10442.150	5	26334-15892	-40	3.5- 4.5	.	.	.	147*						9573.9458
1	9385.520	4	25277-15892	-10	4.5- 4.5	.	.	.	0120 122*						10651.7925
1	8643.850	3	24535-15892	10	3.5- 4.5	.	.	.	0250 242*						11565.7528
1	8599.300	5	24491-15892	-10	5.5- 4.5	.	.	.	-0210 -210						11625.6711
1	8422.340	5	24314-15892	5	4.5- 4.5	.	.	.	0260 287						11869.9361
1	8134.048	5	24026-15892	-12	3.5- 4.5	.	.	.	0130 -159						12290.6387
1	7687.280	4	23579-15892	-15	4.5- 4.5	.	.	.	+0600* 629	158	300	424	531	600*	13004.9454
1	7451.550	3	23343-15892	-30	4.5- 4.5	.	.	.	-0404 -448	-121	244				13416.3579
1	6902.601	4	22794-15892	-79	4.5- 4.5	.	.	.	0070 94						14483.3338
1	6384.665	5	22276-15892	-5	5.5- 4.5	.	.	.	0300* 170*						15658.2506
1	5959.180	3	21851-15892	-15	5.5- 4.5	.	.	.	-0987 -978	-282	511	701	860	987	16776.2499
1	4993.358	5	20885-15892	8	5.5- 4.5	.	.	.	+0560 570						20021.1379
1	10436.000	2	5456-15892	0	3.5- 4.5	.	.	.	0060 -102						9579.5878
1	14780.989	3S	30467-15686	-6	4.5- 5.5	.	.	.	-0270 -242						6763.5803
1	14653.916	1	30340-15686	11	4.5- 5.5	.	.	.							6822.2318
1	14397.989	2	30084-15686	74	4.5- 5.5	.	.	.	+0163* 11*						6943.4991
1	12057.084	5S	27743-15686	-21	4.5- 5.5	.	.	.	+0199* 61*						8291.6003
1	11896.881	4	27583-15686	51	4.5- 5.5	.	.	.	+0000 -2*						8403.2552
1	10966.270	2W	26652-15686	15	5.5- 5.5	.	.	.	+0255 261*						9116.3687
1	10577.760	2	26264-15686	5	6.5- 5.5	.	.	.	0160* -116						9451.2046
1	10423.420	2	26110-15686	5	5.5- 5.5	.	.	.	-0560 -554						9591.1495
1	10125.429	2S	25812-15686	-16	5.5- 5.5	.	.	.	0120* -129*						9873.4176
									61*						

TABLE III (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS CALC	HFS 2	DIAGONAL 3	COMPONENTS 4	COMPONENTS 5	COMPONENTS 6	WAVELENGTH	
1	9971.142	4S	25657-15686	7	5.5- 5.5	.	.	.	-12						10026.1929	
1	9865.323	4	25551-15686	8	5.5- 5.5	.	.	.	-0714	-689	-185	340	487	592	714	10133.7378
1	9655.869	4	25342-15686	-66	5.5- 5.5	.	.	.	-0560*	-525*	-151	282	381			10353.5584
1	9625.100	4P	25311-15686	0	5.5- 5.5	.	.	.	0120	-139*						10386.6562
1	9554.580	3	25241-15686	-20	5.5- 5.5	.	.	.	0200	-251						10463.3177
1	9374.450	4	25061-15686	5	5.5- 5.5	.	.	.	+0340	362						10664.3709
1	9298.569	5	24985-15686	9	5.5- 5.5	.	.	.		52						10751.3977
1	8804.810	3	24491-15686	-5	5.5- 5.5	.	.	.	0250	276						11354.3197
1	8703.578	4	24390-15686	3	6.5- 5.5	.	.	.	-0775	-770	-198	375	530	661	775	11486.3830
1	8454.951	3	24141-15686	26	5.5- 5.5	.	.	.	0060	-64*						11824.1533
1	7854.274	5	23540-15686	-11	5.5- 5.5	.	.	.	+0420*	441	108	204	291	370*	420*	12728.4396
1	7366.950	5	23053-15686	5	5.5- 5.5	.	.	.	-0550	-525	-135	262	371	459	550	13570.4279
1	6728.137	3S	22414-15686	2	5.5- 5.5	.	.	.		44						14858.8945
1	6722.720	3P	22409-15686	5	4.5- 5.5	.	.	.	+0460*	457						14870.8674
1	6524.049	3	22210-15686	4	4.5- 5.5	.	.	.	-0795	-784	-229	430	590	711	795	15323.7172
1	6387.596	5	22074-15686	21	5.5- 5.5	.	.	.	+1082	1084	287	536	754	935	1082	15651.0657
1	5669.085	6	21355-15686	-10	5.5- 5.5	.	.	.	+0590*	591	164	305	421	515	590*	17634.7150
1	4364.296	5	20050-15686	-9	6.5- 5.5	.	.	.	0060	-79						22906.9518
1	14880.548	1	30549-15668	38	0.5- 1.5	.	.	.								6718.3279
1	14526.921	1	30195-15668	21	1.5- 1.5	.	.	.								6881.8725
1	14366.323	5L	30035-15668	-67	0.5- 1.5	.	.	.	-0395*		-161	277				6958.8039
1	14300.024	3	29968-15668	-6	0.5- 1.5	.	.	.	-0247*							6991.0671
1	13818.095	1S	29486-15668	35	1.5- 1.5	.	.	.								7234.8938
1	12837.620	6	2831-15668	0	2.5- 1.5	.434	.772	.337								7787.4630
1	14517.174	2	30139-15622	-46	6.5- 7.5	.	.	.	+0968*	732*	275	489	692			6886.4931
1	14020.072	3	29642-15622	32	7.5- 7.5	.	.	.	-0229*	261						7130.6653
1	13855.841	2	29478-15622	1	7.5- 7.5	.	.	.	-51							7215.1844
1	12875.424	4	28497-15622	24	7.5- 7.5	.	.	.	+0173*	178						7764.5978
1	12777.750	3	28400-15622	-10	7.5- 7.5	.	.	.	+0776	788*	195	381	538	677	776	7823.9513
1	12489.281	2	28111-15622	11	8.5- 7.5	.	.	.	+0136*	168						8004.6645
1	11388.708	3	27011-15622	18	7.5- 7.5	.	.	.	-0568	-605	-149	279	389	486	568	8778.2166
1	11382.444	5	27005-15622	-6	6.5- 7.5	.	.	.	+0651	637	163	308	436	550	651	8783.0475
1	10873.193	3	26495-15622	13	6.5- 7.5	.	.	.	+0935	922	233	446	632	788	935	9194.4072
1	10734.051	4P	26356-15622	1	6.5- 7.5	.	.	.	0070	1						9313.5918
1	10622.972	5	26245-15622	7	6.5- 7.5	.	.	.	+0760	756	183	351	504	641	760	9410.9796
1	10619.710	2	26242-15622	10	7.5- 7.5	.	.	.	+0350	357						9413.8703
1	9851.713	3S	25474-15622	3	6.5- 7.5	.	.	.	-73							10147.7375
1	9452.580	5	25075-15622	0	6.5- 7.5	.	.	.		9						10576.2246
1	8906.100	5	24528-15622	-30	7.5- 7.5	.	.	.	0120*	244						11225.1855
1	8767.599	3P	24390-15622	-11	6.5- 7.5	.	.	.	0000	201						11402.5093
1	7682.193	3	23304-15622	-2	6.5- 7.5	.	.	.	+0462*	452	93	195	283	381		13013.5570
1	7620.130	7C	23242-15622	30	7.5- 7.5	.	.	.	0150	183						13119.5476
1	7509.828	7	23132-15622	-2	8.5- 7.5	.	.	.	-0747	-758	-194	364	510	637	747	13312.2437
1	6628.500	5	22251-15622	0	6.5- 7.5	.	.	.	0200	261						15082.2478
1	6615.425	3	22238-15622	5	7.5- 7.5	.	.	.	+0633	623	165	310	434	538	633	15112.0571
1	6435.987	6	22058-15622	-18	6.5- 7.5	.	.	.	+0693	696	170	326	461	585	693	15533.3881
1	5970.107	4	21592-15622	-13	6.5- 7.5	.	.	.	+0438	429	106	198	289	370	438	16745.5445
1	4205.298	3P	19827-15622	-2	7.5- 7.5	.	.	.	-0560*	-571						23773.0407
1	14057.834	1	29673-15615	-81	6.5- 6.5	.	.	.	0*							7111.5108
1	11694.963	2	27310-15615	-22	5.5- 6.5	.	.	.	50*							8548.3413
1	9598.317	3S	25213-15615	-3	5.5- 6.5	.	.	.	0*							10415.6390
1	8526.022	3	24141-15615	2	5.5- 6.5	.	.	.	-25*							11725.5896

TABLE III (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH		HFS 2	DIAGONAL 3	COMPONENTS			WAVELENGTH
									OBS	CALC			4	5	6	
1	7575.700	3	23191-15615	-10	6.5- 6.5	.	.	.	0090	-150*						13196.4913
1	6622.490	2	22238-15615	10	7.5- 6.5	.	.	.	0150	-309*						15095.9352
1	13625.536	2	28975-15350	66	3.5- 3.5	.	.	.	+0167*	162*						7337.1395
1	13035.320	2	28385-15350	10	3.5- 3.5	.	.	.		-591*						7669.3539
1	12315.736	4	27666-15350	16	3.5- 3.5	.	.	.	0173	-88*						8117.4614
1	10001.310	3	25351-15350	5	3.5- 3.5	.	.	.	+0760	372*						9995.9498
1	5043.928	4L	20394-15350	108	3.5- 3.5	.	.	.	-1045*	-1057*	-313	576	794		1045*	19820.4075
1	12519.235	3	2831-15350	15	2.5- 3.5	.	.	.	-0626*	-344*	-186	329				7985.5122
1	16140.320	5H	31459-15319	-30	10.5- 9.5	.	.	.	-2357	-2362	-566	1079	1553	1973	2357	6193.9502
1	14530.554	2C	29850-15319	-16	8.5- 9.5	.	.	.	-0831	-873	-409	735	831			6880.1518
1	14093.135	5H	29412-15319	105	9.5- 9.5	.	.	.	-0914	-1073*	-270	517	732	914		7093.6976
1	13963.410	4	29283-15319	-80	10.5- 9.5	.	.	.	-2131	-2142	-495	961	1389	1764	2131	7159.6009
1	12211.884	4	27531-15319	9	8.5- 9.5	.	.	.	-0909	-909	-217	421	602	767	909	8186.4940
1	11549.491	3	26869-15319	11	8.5- 9.5	.	.	.	-0934	-948	-230	440	628	795	934	8656.0127
1	10913.349	3	26232-15319	29	9.5- 9.5	.	.	.	-1790	-1793	-440	821	1200	1520	1790	9160.5760
1	10112.695	2S	25432-15319	-15	8.5- 9.5	.	.	.		-84						9885.8503
1	9434.840	5	24754-15319	-60	8.5- 9.5	.	.	.	-0215	-223						10596.1108
1	14134.083	1	29358-15224	13	2.5- 2.5	.	.	.		0*						7073.1462
1	8832.619	2	24056-15224	-11	2.5- 2.5	.	.	.		207*						11318.5712
1	7159.608	3	22383-15224	-2	3.5- 2.5	.	.	.	-0674	-615*	-210	382	503	594	674	13963.4277
1	6654.870	3	21879-15224	-45	3.5- 2.5	.	.	.	0190	-60*						15022.4842
1	9768.200	6	5456-15224	-30	3.5- 2.5	.	.	.		30*						10234.4956
1	12393.199	5	2831-15224	-51	2.5- 2.5	.435	.940	.505		18*						8066.7234
1	14662.549	2	29761-15099	-1	6.5- 5.5	.	.	.	-0600*	-675*	-176	323	453			6818.2150
1	13943.616	3	29043-15099	-74	5.5- 5.5	.	.	.	+0518*	400*	124	251				7169.7646
1	13731.982	2	28831-15099	72	6.5- 5.5	.	.	.	-0213*	375*						7280.2639
1	13432.661	3	28531-15099	51	4.5- 5.5	.	.	.	+0496	414*	123	227	308	416	496	7442.4916
1	13355.427	3S	28454-15099	-18	4.5- 5.5	.	.	.	-0100*	92*						7485.5315
1	12961.011	3	28060-15099	21	4.5- 5.5	.	.	.		458*						7713.3247
1	12470.561	3	27569-15099	6	5.5- 5.5	.	.	.	+0771	755	198	372	535	648	771	8016.6807
1	12019.362	3	27118-15099	-18	5.5- 5.5	.	.	.	+0118*	205*						8317.6231
1	11165.065	2	26264-15099	35	6.5- 5.5	.	.	.		-140						8954.0503
1	10900.670	3	25999-15099	20	5.5- 5.5	.	.	.	-0150	-186						9171.2311
1	10682.950	3P	25782-15099	10	5.5- 5.5	.	.	.	+0580*	476	141	266				9358.1427
1	10243.160	5	25342-15099	-50	5.5- 5.5	.	.	.	0060	-111*						9759.9359
1	10191.908	4	25291-15099	3	6.5- 5.5	.	.	.	+0670*	591	191	346	471			9809.0158
1	10178.317	5	25277-15099	7	4.5- 5.5	.	.	.	+0694	653*	174	330	471	590	694	9822.1137
1	10141.850	4	25241-15099	-25	5.5- 5.5	.	.	.	0120	164						9857.4312
1	10024.482	2	25123-15099	-68	5.5- 5.5	.	.	.	0150	175*						9972.8437
1	9961.728	5	25061-15099	8	5.5- 5.5	.	.	.	+0784	776	188	364	526	663	784	10035.6679
1	9392.093	4	24491-15099	3	5.5- 5.5	.	.	.	+0679	690	177	329	473	584	679	10644.3379
1	8800.446	4	23899-15099	6	5.5- 5.5	.	.	.	0050	-33						11359.9501
1	8480.094	3	23579-15099	19	4.5- 5.5	.	.	.		37						11789.0953
1	8441.562	4	23540-15099	2	5.5- 5.5	.	.	.	+0851	855	225	426	597	740	851	11842.9074
1	8205.474	3W	23304-15099	39	6.5- 5.5	.	.	.		-105						12183.6525
1	7954.230	4	23053-15099	10	5.5- 5.5	.	.	.	0090	-111						12568.4887
1	7902.870	2	23002-15099	-10	4.5- 5.5	.	.	.	0075	108						12650.1703
1	7177.452	6	22276-15099	2	5.5- 5.5	.	.	.	-0570*	-575	-169	309	421	510*	570*	13928.7129
1	6959.235	3	22058-15099	-10	6.5- 5.5	.	.	.	0090	139						14365.4687
1	6751.996	4P	21851-15099	21	5.5- 5.5	.	.	.	+0974*	973	239*	484*	662	825	974	14806.3887
1	6493.350	4	21592-15099	-10	6.5- 5.5	.	.	.	0100	-128						15396.1642

TABLE III (Contd.)

C	WAVENUMBER	T	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS CALC	HFS 2	DIAGONAL 3	COMPONENTS 4	5	6	WAVELENGTH
1	6451.670	2	21551-15099	10	5.5- 5.5	.	.	.	+0340 326*						15495.6288
1	6256.372	3	21355-15099	2	5.5- 5.5	.	.	.	+1018 1015	282	525	726	889	1018	15979.3387
1	5940.977	6	21040-15099	2	6.5- 5.5	.	.	.	-0635 -641	-187	339	461	559	635	16827.6519
1	4001.480	2S	19100-15099	5	4.5- 5.5	.	.	.	-15						24983.9367
1	12492.535	3	27552-15059	20	7.5- 8.5	.	.	.	-0816 -816	-260	457	601	723	816	8002.5795
1	12471.728	2	27531-15059	-2	8.5- 8.5	.	.	.	-1080 -1115	-317	570	815	970	1080	8015.9306
1	10606.914	3S	25666-15059	-1	9.5- 8.5	.	.	.	-219*						9425.2271
1	6871.159	4S	21930-15059	29	7.5- 8.5	.	.	.	-159*						14549.6087
1	9884.000	5	24896-15012	-40	7.5- 6.5	.	.	.	-0230 -156*						10114.5889
1	9672.132	4	24684-15012	7	5.5- 6.5	.	.	.	+1370 1556*	415	772	1075	1280	1370	10336.1495
1	8767.599	3P	23779-15012	-86	5.5- 6.5	.	.	.	0000 -20*						11402.5093
1	7264.582	3S	22276-15012	42	5.5- 6.5	.	.	.	0*						13761.6543
1	6028.140	2	21040-15012	75	6.5- 6.5	.	.	.	0190 -66*						16584.3347
1	5945.333	3	20957-15012	13	7.5- 6.5	.	.	.	+0916 916*	265	488	672	806	916	16815.3227
1	13560.902	2	28526-14965	-8	6.5- 5.5	.	.	.	-150*						7372.1100
1	12604.117	2	27569-14965	-48	5.5- 5.5	.	.	.	230*						7931.7338
1	12142.490	2	27108-14965	-25	5.5- 5.5	.	.	.	-0231*						8233.2799
1	10275.494	4	25241-14965	9	5.5- 5.5	.	.	.	-0493 -362*	-123	229	334			9729.2241
1	9001.480	4	23967-14965	115	4.5- 5.5	.	.	.	0130 50*						11106.2428
1	6488.010	2	21453-14965	-10	4.5- 5.5	.	.	.	-0780 -906*						15408.8361
1	6389.991	5	21355-14965	11	5.5- 5.5	.	.	.	+0495 480*	131	246	344	433	495	15645.1996
1	15778.790	6	30712-14933	-10	5.5- 4.5	.	.	.	155*						6335.8697
1	14731.564	1	29665-14933	44	3.5- 4.5	.	.	.	180*						6786.2725
1	13598.415	2	28531-14933	15	4.5- 4.5	.	.	.	-0369*						7351.7729
1	13289.208	2	28222-14933	-42	4.5- 4.5	.	.	.	-0212*						7522.8315
1	12996.224	2	27929-14933	-56	4.5- 4.5	.	.	.	-0206*						7692.4255
1	12810.233	3	27743-14933	63	4.5- 4.5	.	.	.	142*						7804.1119
1	12649.944	4	27583-14933	49	4.5- 4.5	.	.	.	+0473*	405*	116	232			7902.9993
1	12609.841	2	27543-14933	61	5.5- 4.5	.	.	.	+0312*	205*					7928.1333
1	12494.568	3	27428-14933	3	4.5- 4.5	.	.	.	-0359*	-45*					8001.2774
1	12388.561	3	27322-14933	1	4.5- 4.5	.	.	.	-0318*	-337	-098				8069.7434
1	12282.920	4	27216-14933	-10	5.5- 4.5	.	.	.	-0290*	-95*					8139.1487
1	12185.174	2W	27118-14933	4	5.5- 4.5	.	.	.	-65*						8204.4390
1	10378.167	4S	25311-14933	2	5.5- 4.5	.	.	.	5*						9632.9709
1	10307.668	2S	25241-14933	3	5.5- 4.5	.	.	.	-107						9698.8555
1	9602.430	5	24535-14933	20	3.5- 4.5	.	.	.	0200*	-77					10411.1777
1	9524.056	4S	24457-14933	1	3.5- 4.5	.	.	.	105*						10496.8521
1	9208.016	4	24141-14933	26	5.5- 4.5	.	.	.	0040 80*						10857.1289
1	8966.232	3	23899-14933	2	5.5- 4.5	.	.	.	-0410*	-303					11149.9037
1	8798.250	4	23731-14933	-5	5.5- 4.5	.	.	.	0160 155*						11362.7855
1	8478.770	5P	23412-14933	30	3.5- 4.5	.	.	.	+0480*	454	141	250	350		11790.9362
1	8410.140	5	23343-14933	-10	4.5- 4.5	.	.	.	+0210 227						11887.1551
1	7861.190	5	22794-14933	-60	4.5- 4.5	.	.	.	+0280*	303*					12717.2416
1	7481.190	3	22414-14933	-10	5.5- 4.5	.	.	.	+0215*	188					13363.2031
1	7450.450	2	22383-14933	40	3.5- 4.5	.	.	.	-0200 -210						13418.3387
1	7343.250	6P	22276-14933	10	5.5- 4.5	.	.	.	-0840*	-845	-207*	402*	573*	722*	13614.2259
1	6917.764	5	21851-14933	-1	5.5- 4.5	.	.	.	+0698 703	189	351	492	613	698	14451.5878
1	6906.180	3	21839-14933	-10	4.5- 4.5	.	.	.	0160 50						14475.8280
1	6617.464	2	21551-14933	14	5.5- 4.5	.	.	.	56*						15107.4007
1	6422.163	5	21355-14933	3	5.5- 4.5	.	.	.	+0740*	735	226	411	555	664	15566.8244
1	6036.360	3	20969-14933	35	3.5- 4.5	.	.	.	+0390 346						16561.7510

TABLE III (Contd.)

C	WAVENUMBER	T	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS CALC	HFS 2	DIAGONAL 3	COMPONENTS 4	COMPONENTS 5	COMPONENTS 6	WAVELENGTH
1	5951.916	2	20885-14933	-4	5.5- 4.5	.	.	.	31						16796.7244
1	5903.281	3	20836-14933	-4	4.5- 4.5	.	.	.	+0410 412						16935.1067
1	9477.414	5	5456-14933	-16	3.5- 4.5	.	.	.	-0425* -375	-147	250				10548.5113
1	14475.956	2S	29361-14885	-69	5.5- 5.5	.	.	.	61*						6906.1014
1	13825.693	2	28711-14885	33	6.5- 5.5	.	.	.	-0247* -294						7230.9178
1	13470.052	3	28355-14885	32	5.5- 5.5	.	.	.	261*						7421.8321
1	13337.038	4	28222-14885	43	4.5- 5.5	.	.	.	+0285* 336*						7495.8525
1	13264.247	3	28150-14885	32	5.5- 5.5	.	.	.	+0542 336*	137	276	401			7536.9882
1	12834.776	3	27720-14885	1	4.5- 5.5	.	.	.	+0417* 436*	098	176	298	382	417*	7789.1886
1	12542.317	3	27428-14885	7	4.5- 5.5	.	.	.	+0119* 111*						7970.8161
1	12330.692	3	27216-14885	17	5.5- 5.5	.	.	.	61*						8107.6156
1	10896.490	3	25782-14885	15	5.5- 5.5	.	.	.	+0350 362						9174.7492
1	10456.730	3	25342-14885	-15	5.5- 5.5	.	.	.	0170 -225*						9560.5967
1	10425.916	3	25311-14885	6	5.5- 5.5	.	.	.	0110* 161*						9588.8533
1	10405.438	4	25291-14885	-2	6.5- 5.5	.	.	.	+0491 477	156	279	378			9607.7243
1	10355.405	4S	25241-14885	-5	5.5- 5.5	.	.	.	49						9654.1450
1	10175.256	4	25061-14885	1	5.5- 5.5	.	.	.	+0676 662	160	302	440	556	676	9825.0685
1	10099.380	2	24985-14885	10	5.5- 5.5	.	.	.	+0340 352						9898.8838
1	9605.632	4	24491-14885	7	5.5- 5.5	.	.	.	+0569 576	143	273	387	485	569	10407.7071
1	9504.397	4	24390-14885	12	6.5- 5.5	.	.	.	-0476 -470	-116	219	306	392	476	10518.5640
1	9275.910	4S	24161-14885	35	5.5- 5.5	.	.	.	-116						10777.6611
1	9014.000	4	23899-14885	25	5.5- 5.5	.	.	.	0140 -147						11090.8167
1	8693.600	3	23579-14885	-10	4.5- 5.5	.	.	.	0050 -159						11499.5664
1	8655.091	4	23540-14885	-4	5.5- 5.5	.	.	.	+0734 741	192	362	513	619*	734	11550.7314
1	8167.760	3	23053-14885	5	5.5- 5.5	.	.	.	0190 -225						12239.9097
1	7528.962	4	22414-14885	17	5.5- 5.5	.	.	.	+0355* 344	096	186	255			13278.4121
1	7390.985	6C	22276-14885	0	5.5- 5.5	.	.	.	-0699 -689	-204	371	503	614	699	13526.2977
1	7357.500	3	22243-14885	-75	4.5- 5.5	.	.	.	0100 137						13587.8578
1	7172.772	4S	22058-14885	-8	6.5- 5.5	.	.	.	25						13937.8009
1	7118.474	2	22004-14885	-1	6.5- 5.5	.	.	.	19						14044.1153
1	6965.504	5	21851-14885	-6	5.5- 5.5	.	.	.	+0862 859	204	401	578	732	862	14352.5397
1	6706.890	3	21592-14885	-5	6.5- 5.5	.	.	.	0220 -242						14905.9666
1	6469.901	4	21355-14885	-4	5.5- 5.5	.	.	.	+0901 891	246	458	636	793	901	15451.9649
1	6154.509	4	21040-14885	-1	6.5- 5.5	.	.	.	-0752 -755	-222	400	547	656	752	16243.8123
1	4760.770	2	19646-14885	-55	4.5- 5.5	.	.	.	0160 159						20999.2738
1	9485.043	4	24314-14829	3	4.5- 3.5	.	.	.	-1853 -1864	-552*	1025	1398	1667	1853	10540.0269
1	9196.762	5P	24026-14829	-3	3.5- 3.5	.	.	.	-1080* -1076	-351	623	837			10870.4147
1	8582.901	6C	23412-14829	26	3.5- 3.5	.	.	.	-1390* -1384	-418	767	1043			11647.8838
1	7773.233	5C	22602-14829	-12	3.5- 3.5	.	.	.	-1214 -1209	-402	718	957	1114	1214	12861.1421
1	7692.233	7	22521-14829	8	3.5- 3.5	.	.	.	-0900* -895	-316	548	714	828	900*	12996.5715
1	7554.544	5C	22383-14829	-1	3.5- 3.5	.	.	.	-2155* -2048	-648	1162	1566	1858	2055*	13233.4472
1	7411.818	6C	22241-14829	-2	2.5- 3.5	.	.	.	-1446 -1443	-447	820	1112	1333	1446	13488.2782
1	7049.795	5C	21879-14829	-55	3.5- 3.5	.	.	.	-1503 -1493	-481	861	1150	1370	1503	14180.9330
1	6811.318	3	21640-14829	3	3.5- 3.5	.	.	.	-0611* -558	-218	373	466			14677.4348
1	6007.419	5C	20836-14829	-1	4.5- 3.5	.	.	.	-1433 -1426	-440	794	1075	1287	1433	16641.5381
1	4817.208	5C	19646-14829	-7	4.5- 3.5	.	.	.	-1828 -1835	-524	973	1340	1628	1828	20753.2479
1	4271.398	4C	19100-14829	-2	4.5- 3.5	.	.	.	-2136 -2131	-647	1171	1588	1914	2136	23405.1520
1	17920.840	4	32589-14669	90	3.5- 3.5	.	.	.	-200*						5578.5466
1	7740.280	3	22409-14669	-30	4.5- 3.5	.	.	.	0140 196*						12915.8965
1	9212.884	4S	5456-14669	-16	3.5- 3.5	.	.	.	30*						10851.3921
1	11837.869	4	2831-14669	-51	2.5- 3.5	.47	1.10	.63	18*						8445.1458
1	13365.091	2	28019-14654	26	5.5- 4.5	.	.	.	204*						7480.1188

TABLE III (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS CALC	HFS 2	DIAGONAL 3	COMPONENTS 4	5	6	WAVELENGTH
1	12928.749	3	27583-14654	29	4.5- 4.5	.	.	.	150*						7732.5724
1	12785.688	3	27440-14654	-97	5.5- 4.5	.	.	.	57*						7819.0937
1	9506.879	2	24161-14654	-76	5.5- 4.5	.	.	.	-0522 -527*						10515.8178
1	9455.605	3	24110-14654	-10	3.5- 4.5	.	.	.	-6*						10572.8411
1	4446.102	2	19100-14654	12	4.5- 4.5	.	.	.	-0570* -548*						22485.4754
1	14346.420	3	28975-14629	5	3.5- 2.5	.	.	.	245*						6968.4580
1	13776.421	3	28405-14629	21	3.5- 2.5	.	.	.	195*						7256.7796
1	13756.245	2	28385-14629	-10	3.5- 2.5	.	.	.	-0378* -508*						7267.4231
1	13500.998	2	28130-14629	8	3.5- 2.5	.	.	.	-0209 195*						7404.8202
1	13036.660	3	27666-14629	-5	3.5- 2.5	.	.	.	-5*						7668.5656
1	9673.307	3S	24302-14629	112	3.5- 2.5	.	.	.	-47*						10334.8940
1	8787.485	4P	23416-14629	-65	2.5- 2.5	.	.	.	+0190* 243	100*	190*				11376.7054
1	8587.890	2	23217-14629	35	3.5- 2.5	.	.	.	0090 95*						11641.1172
1	7892.399	4	22521-14629	134	3.5- 2.5	.	.	.	+1100* 983	314	572	784			12666.9535
1	7674.316	4	22303-14629	-219	2.5- 2.5	.	.	.	+1190* 1310	417	772				13026.9143
1	6653.580	2	21282-14629	105	2.5- 2.5	.	.	.	0070 103						15025.3968
1	6502.415	3Q	21131-14629	70	2.5- 2.5	.	.	.	0300* -410						15374.7004
1	6340.534	3	20969-14629	34	3.5- 2.5	.	.	.	+0400* 386	159	272	365*			15767.2344
1	6250.600	2	20879-14629	100	3.5- 2.5	.	.	.	-0180* -225						15994.0945
1	5771.586	4	20400-14629	-4	2.5- 2.5	.	.	.	-54						17321.5293
1	5764.871	5	20394-14629	106	3.5- 2.5	.	.	.	-0974 -974	-267	493	686	860	974	17341.7057
1	9173.253	5L	5456-14629	-2	3.5- 2.5	.	.	.	-0460* -415	-210	340				10898.2732
1	11798.133	2	2831-14629	-142	2.5- 2.5	.	.	.	-0480* -427	-157	293				8473.5891
1	23344.787	1P	37412-14067	47	1.5- 2.5	.	.	.	182*						4282.4066
1	15291.121	0S	29358-14067	21	2.5- 2.5	.	.	.	132*						6537.9367
1	14318.224	2	28385-14067	-86	3.5- 2.5	.	.	.	-0686* -821*	-200	349	513			6982.1807
1	9989.680	2	24056-14067	20	2.5- 2.5	.	.	.	+0340 339*						10007.5871
1	9349.606	3S	23416-14067	1	2.5- 2.5	.	.	.	-70						10692.7086
1	9344.860	5	23412-14067	-110	3.5- 2.5	.	.	.	-0270 181						10698.1391
1	8535.296	4	22602-14067	-44	3.5- 2.5	.	.	.	0316 356	119	212	316			11712.8492
1	7811.872	5	21879-14067	-73	3.5- 2.5	.	.	.	0090 72						12797.5283
1	7064.254	5L	21131-14067	-146	2.5- 2.5	.	.	.	-0699 -723	-244	437	580	699		14151.9077
1	6902.601	4	20969-14067	46	3.5- 2.5	.	.	.	0300* 73						14483.3338
1	6326.821	5C	20394-14067	1	3.5- 2.5	.	.	.	-1341 -1287	-366	675	932	1136	1341	15801.4089
1	11236.207	4L	2831-14067	-13	2.5- 2.5	.	.	.	-0238 -114	-104	238				8897.3576
1	14800.424	2	28831-14030	14	6.5- 5.5	.	.	.	-81*						6754.6987
1	14324.885	1	28355-14030	-100	5.5- 5.5	.	.	.	-81*						6978.9340
1	13898.994	2	27929-14030	4	4.5- 5.5	.	.	.	19*						7192.7829
1	13397.284	2	27428-14030	9	4.5- 5.5	.	.	.	+0127* -231*						7462.1444
1	13306.360	2	27337-14030	20	5.5- 5.5	.	.	.	-31*						7513.1344
1	13087.880	3	27118-14030	0	5.5- 5.5	.	.	.	-251*						7638.5542
1	12974.186	2	27005-14030	-4	6.5- 5.5	.	.	.	-0281* -376						7705.4919
1	11969.143	3	25999-14030	-7	5.5- 5.5	.	.	.	-0604* -642	-147	287	434			8352.5216
1	11751.414	3S	25782-14030	-26	5.5- 5.5	.	.	.	20						8507.2769
1	11260.412	3	25291-14030	7	6.5- 5.5	.	.	.	135						8878.2321
1	8865.100	6	22895-14030	-50	6.5- 5.5	.	.	.	-81*						11277.1008
1	8595.070	7	22625-14030	-30	6.5- 5.5	.	.	.	0082* 100						11631.3926
1	8383.903	3S	22414-14030	-7	5.5- 5.5	.	.	.	2						11924.3554
1	8027.730	3	22058-14030	-15	6.5- 5.5	.	.	.	-0270* -317						12453.4144
1	7973.430	4	22004-14030	-10	6.5- 5.5	.	.	.	0310 -323						12538.2238
1	7889.542	3	21920-14030	12	5.5- 5.5	.	.	.	0050 -1*						12671.5406
1	7561.861	2	21592-14030	1	6.5- 5.5	.	.	.	-0584 -584	-133	259	389	499	584	13220.6423

TABLE III (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS CALC	HFS 2	DIAGONAL 3	COMPONENTS 4	5	6	WAVELENGTH
1	7520.187	2	21551-14030	27	5.5- 5.5	.	.	.	0070 -130*						13293.9062
1	7009.465	4	21040-14030	-10	6.5- 5.5	.	.	.	-1105 -1097	-303	559	773	949	1105	14262.5253
1	6020.070	2	20050-14030	-10	6.5- 5.5	.	.	.	0100 -121						16606.5663
1	5757.591	4	19788-14030	-9	5.5- 5.5	.	.	.	+0320* 345						17363.6329
1	4169.660	2	18200-14030	-30	4.5- 5.5	.	.	.	+0450* 481						23976.2285
1	14706.253	3	28711-14005	-7	6.5- 6.5	.	.	.	-0586* -639	-177	347				6797.9525
1	14545.915	3C	28551-14005	5	5.5- 6.5	.	.	.	-474						6872.8861
1	14395.155	3S	28400-14005	20	7.5- 6.5	.	.	.	-228*						6944.8661
1	14216.492	3	28221-14005	7	6.5- 6.5	.	.	.	-1218 -1230	-309	585	850	1015	1218	7032.1449
1	13435.319	3	27440-14005	14	5.5- 6.5	.	.	.	123						7441.0192
1	13331.962	3	27337-14005	-13	5.5- 6.5	.	.	.	-34*						7498.7065
1	13211.339	3	27216-14005	64	5.5- 6.5	.	.	.	-0179* -284*						7567.1721
1	12999.841	3	27005-14005	16	6.5- 6.5	.	.	.	-0342* -379						7690.2852
1	12490.561	3	26495-14005	6	6.5- 6.5	.	.	.	-94						8003.8442
1	12351.422	5	26356-14005	-3	5.5- 6.5	.	.	.	-1010 -1015	-313	553	752	897	1010	8094.0081
1	11777.056	6S	25782-14005	-19	5.5- 6.5	.	.	.	+0000 17						8488.7541
1	11652.538	3S	25657-14005	-7	5.5- 6.5	.	.	.	-57						8579.4645
1	10979.979	3S	24985-14005	9	5.5- 6.5	.	.	.	7						9104.9865
1	10792.860	1	24798-14005	35	6.5- 6.5	.	.	.	0170* -199						9262.8429
1	10384.990	3P	24390-14005	5	6.5- 6.5	.	.	.	-0821 -815	-217	405	563			9626.6420
1	9726.607	3S	23731-14005	7	5.5- 6.5	.	.	.	-34*						10278.2606
1	9535.680	3P	23540-14005	-15	5.5- 6.5	.	.	.	+0400* 396						10484.0564
1	8890.770	4	22895-14005	-15	6.5- 6.5	.	.	.	0070 -84*						11244.5407
1	8620.700	6	22625-14005	-35	6.5- 6.5	.	.	.	0050 97						11596.8115
1	8409.555	4S	22414-14005	10	5.5- 6.5	.	.	.	-1						11887.9820
1	8232.808	3	22238-14005	13	7.5- 6.5	.	.	.	-0390 -393						12143.2011
1	7915.180	4	21920-14005	15	5.5- 6.5	.	.	.	0070 -4*						12630.4962
1	7587.493	5	21592-14005	-2	6.5- 6.5	.	.	.	-0590 -587	-156	294	409	506	590	13175.9804
1	7545.820	3	21551-14005	25	5.5- 6.5	.	.	.	0090 -133*						13248.7469
1	7035.098	5	21040-14005	-12	6.5- 6.5	.	.	.	-1100 -1100	-324	593	806	971	1100	14210.5584
1	6880.270	3	20885-14005	5	5.5- 6.5	.	.	.	0110 -158						14530.3418
1	6045.720	3	20050-14005	5	5.5- 6.5	.	.	.	0110 -124						16536.1100
1	5783.239	5	19788-14005	4	5.5- 6.5	.	.	.	+0325* 342						17286.6271
1	4723.154	4	18728-14005	-26	5.5- 6.5	.	.	.	-0853 -843	-242	457	616*	750	853	21166.5157
1	15016.043	2S	28888-13872	-2	4.5- 3.5	.	.	.	-58*						6657.7057
1	14659.623	2S	28531-13872	43	4.5- 3.5	.	.	.	-119*						6819.5759
1	14258.000	3	28130-13872	5	3.5- 3.5	.	.	.	-108*						7011.6727
1	14188.045	1	28060-13872	85	4.5- 3.5	.	.	.	-83*						7046.2444
1	13903.828	1S	27776-13872	-2	4.5- 3.5	.	.	.	-108*						7190.2821
1	13871.354	3S	27743-13872	4	4.5- 3.5	.	.	.	-121*						7207.1153
1	13848.235	1S	27720-13872	25	4.5- 3.5	.	.	.	17*						7219.1473
1	13555.730	1	27428-13872	-15	4.5- 3.5	.	.	.	-0248* -308*						7374.9227
1	13449.749	4	27322-13872	9	4.5- 3.5	.	.	.	-0598 -600	-313	495	598			7433.0358
1	13235.044	3	27107-13872	4	4.5- 3.5	.	.	.	-166						7553.6186
1	13191.456	3	27063-13872	91	4.5- 3.5	.	.	.	+0187* 2*						7578.5779
1	10585.240	4S	24457-13872	5	3.5- 3.5	.	.	.	-158*						9444.5259
1	9544.556	5	23416-13872	1	2.5- 3.5	.	.	.	-60						10474.3067
1	9539.900	4	23412-13872	-20	3.5- 3.5	.	.	.	0160 191						10479.4187
1	8709.090	3	22581-13872	-40	4.5- 3.5	.	.	.	0080 88						11479.1132
1	8649.300	4P	22521-13872	30	3.5- 3.5	.	.	.	+0640* 680	182	367				11558.4651
1	8511.586	4	22383-13872	-4	3.5- 3.5	.	.	.	-0518* -473	-149	272	363			11745.4768
1	8006.825	5	21879-13872	-70	3.5- 3.5	.	.	.	0030* 82						12485.9290
1	7768.350	3C	21640-13872	-10	3.5- 3.5	.	.	.	+0960* 1017	283	520*	720*	960*	960*	12869.2263

TABLE III (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS CALC	HFS 2	DIAGONAL 3	COMPONENTS 4	5	6	WAVELENGTH
1	7581.366	4	21453-13872	-14	4.5- 3.5	.	.	.	-0939 -914	-250	463	641	799	939*	13186.6288
1	6964.440	5	20836-13872	-25	4.5- 3.5	.	.	.	0105 149						14354.7324
1	5828.528	3	19700-13872	48	2.5- 3.5	.	.	.	+0927* 940	304	545	727	847	927*	17152.3059
1	5361.133	4	19233-13872	3	4.5- 3.5	.	.	.	-0778 -780	-193	375	530	675	778	18647.6820
1	5228.444	6	19100-13872	-1	4.5- 3.5	.	.	.	-0571 -556	-125	273*	388	493*	571	19120.9288
1	4328.170	2	18200-13872	10	4.5- 3.5	.	.	.	+0560* 404						23098.1497
1	6556.720	3	7315-13872	-40	4.5- 3.5	.	.	.	0120* -112*						15247.3617
1	11041.265	4C	2831-13872	-5	2.5- 3.5	.	.	.	-0151* -124	-69	100	115	128	151*	9054.4479
1	13175.717	2	26992-13816	-3	1.5- 1.5	.	.	.	+0414* 415*						7587.6309
1	8487.656	5	22303-13816	26	2.5- 1.5	.	.	.	-155 -147						11778.5919
1	8406.518	5L	22222-13816	-47	2.5- 1.5	.	.	.	-1100* -1549	-616	891	1061			11892.2767
1	7466.600	6C	21282-13816	30	2.5- 1.5	.	.	.	-1200* -1362	-521	908	1188			13389.3153
1	7430.343	6C	21246-13816	-47	1.5- 1.5	.	.	.	+0212 217	046		212			13454.6497
1	5884.570	4Q	19700-13816	0	2.5- 1.5	.	.	.	-0330 -222						16988.9549
1	4378.203	2C	18194-13816	33	2.5- 1.5	.	.	.	-948 -403	686*					22834.1897
1	10985.180	6L	2831-13816	0	2.5- 1.5	.	.	.	+1029 1038	379	675	905			9100.6757
1	14918.114	2	28713-13794	39	9.5- 8.5	.	.	.	-0713 -735	-193	342	498	612	713	6701.4101
1	14605.354	3	28400-13794	-11	7.5- 8.5	.	.	.	+1086 1104*	266	506	728	928	1086	6844.9155
1	14371.443	2	28166-13794	-92	7.5- 8.5	.	.	.	+1004* 910	264	476	666	857	1004*	6956.3248
1	14316.907	4	28111-13794	32	8.5- 8.5	.	.	.	+0486 484	106	193				6982.8230
1	14197.043	3S	27991-13794	48	7.5- 8.5	.	.	.	-26						7041.7785
1	14090.312	1S	27885-13794	37	7.5- 8.5	.	.	.	8						7095.1188
1	14072.793	4	27867-13794	28	8.5- 8.5	.	.	.	+0541 648*	136	286	427	541		7103.9515
1	13757.279	3	27552-13794	34	7.5- 8.5	.	.	.	+0480 491	100	205	315	405	480	7266.8768
1	13216.323	4	27011-13794	28	7.5- 8.5	.	.	.	-0248* -289						7564.3184
1	13074.099	5	26869-13794	34	8.5- 8.5	.	.	.10	+0107* 153						7646.6058
1	12582.917	5	26377-13794	-18	7.5- 8.5	.	.	.	+0902 905	214	412	596	758	902	7945.0974
1	12447.301	5	26242-13794	-4	7.5- 8.5	.	.	.	+0668 673	160	304	440	563	668	8031.6614
1	12437.946	4	26232-13794	41	9.5- 8.5	.	.	.	-0703 -692	-166	317	455	577	703	8037.7023
1	12217.010	6B	26012-13794	-15	8.5- 8.5	1.10	1.10	.	-0215* -105	-052	109	161	215		8183.0591
1	12174.170	5	25969-13794	-15	8.5- 8.5	.	.	.	+0786 791	158	324	487	644	786	8211.8549
1	11637.289	4	25432-13794	-6	8.5- 8.5	.	.	.	+1034 1017	219	438	643	839	1034	8590.7068
1	11249.790	5	25044-13794	25	7.5- 8.5	.	.	.	+0994 995	242	463	661	838	994	8886.6149
1	11101.303	6	24896-13794	-12	7.5- 8.5	.	.	.	142						9005.4795
1	10733.744	6P	24528-13794	9	7.5- 8.5	.	.	.	+0520* 560	111	226	343			9313.8581
1	10341.990	5	24136-13794	25	7.5- 8.5	.	.	.	-47						9666.6678
1	10166.266	4	23961-13794	-29	7.5- 8.5	.	.	.	+0671 668	169	318	448	566	671	9833.7568
1	9612.180	4	23407-13794	-5	8.5- 8.5	.	.	.	265*						10400.6172
1	9447.698	5	23242-13794	-7	7.5- 8.5	.	.	.	+0502 499	090	189	292	398	502	10581.6898
1	9337.443	8C	23132-13794	8	8.5- 8.5	.	.	.	-0470* -442	-121	223	311	401		10706.6370
1	8993.009	4	22787-13794	14	9.5- 8.5	.	.	.	+1112 988*	282*	542	735	855	1112*	11116.7044
1	8443.029	4	22238-13794	4	7.5- 8.5	.	.	.	+0942 939	232	447	624	799	942	11840.8497
1	7589.693	4Q	21384-13794	8	7.5- 8.5	.	.	.	+0690 687	180	344	481	590	690	13172.1611
1	14891.550	1	28673-13781	0	7.5- 7.5	.	.	.	-113*						6713.3643
1	14716.543	3	28497-13781	13	7.5- 7.5	.	.	.	-0639* -667	-147	294				6793.1992
1	14618.893	3S	28400-13781	3	7.5- 7.5	.	.	.	-57*						6838.5762
1	14385.082	1	28166-13781	22	7.5- 7.5	.	.	.	-251						6949.7292
1	13585.313	2S	27366-13781	3	7.5- 7.5	.	.	.	-13*						7358.8632
1	13386.846	4S	27168-13781	-4	8.5- 7.5	.	.	.	-13*						7467.9628
1	13087.625	3	26869-13781	35	8.5- 7.5	.	.	.	-0984 -1008	-199	453	651	852	984	7638.7030
1	12714.307	4	26495-13781	-3	6.5- 7.5	.94	1.00	.06	77						7862.9921
1	12460.832	3	26242-13781	2	7.5- 7.5	.	.	.	-0465 -488	-114	222	315	403	465	8022.9399

TABLE III (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH		HFS 2	DIAGONAL		COMPONENTS		WAVELENGTH
									OBS	CALC		3	4	5	6	
1	12230.571	3C	26012-13781	21	8.5- 7.5	.	.	.	-1076	-1266	-335	610	863	1076		8173.9859
1	11509.802	5	25291-13781	7	6.5- 7.5	.	.	.	+0320*	303	107	189	250	300		8685.8611
1	10986.540	3H	24767-13781	140	8.5- 7.5	.	.	.	-0481	-377	-109	213	314	402	481	9099.5491
1	10747.279	5	24528-13781	19	7.5- 7.5	.	.	.	-0600	-601	-168	309	427	519	600	9302.1283
1	10354.711	3	24136-13781	16	6.5- 7.5	.	.	.	0060	47*						9654.7920
1	10179.790	2P	23961-13781	-30	7.5- 7.5	.	.	.	-0500*	-493						9820.6925
1	9523.333	3	23304-13781	8	6.5- 7.5	.	.	.	-0380	-393						10497.6490
1	9350.970	3	23132-13781	10	8.5- 7.5	.	.	.	-1604	-1603	-404	760	1089	1350	1604	10691.1489
1	8844.560	3	22625-13781	70	6.5- 7.5	.	.	.	+0270	268						11303.2900
1	8393.579	3	22175-13781	24	7.5- 7.5	.	.	.		87*						11910.6091
1	8222.825	4	22004-13781	-5	6.5- 7.5	.	.	.	0110	-155						12157.9437
1	7811.248	3	21592-13781	-2	6.5- 7.5	.	.	.	-0413*	-416	-101	195	276	362	413*	12798.5507
1	6269.452	2S	20050-13781	-18	6.5- 7.5	.	.	.		47						15946.0009
<hr/>																
1	15624.030	6	29358-13734	-100	2.5- 3.5	.	.	.		28*						6398.6286
1	14720.477	3	28454-13734	-18	4.5- 3.5	.	.	.	-0541*	-555*	-150	283	392			6791.3838
1	14591.105	2S	28325-13734	35	3.5- 3.5	.	.	.		-22*						6851.6000
1	14009.503	1	27743-13734	73	4.5- 3.5	.	.	.		-235*						7136.0448
1	13931.752	3	27666-13734	2	3.5- 3.5	.	.	.	-0268*	-422*						7175.8702
1	13849.194	3	27583-13734	39	4.5- 3.5	.	.	.		28*						7218.6474
1	13693.886	2	27428-13734	61	4.5- 3.5	.	.	.	-0325*	-422*						7300.5175
1	13587.847	2	27322-13734	27	4.5- 3.5	.	.	.	-0701*	-714	-189	363				7357.4908
1	11668.783	2S	25403-13734	3	3.5- 3.5	.	.	.		28*						8567.5204
1	11543.372	2S	25277-13734	12	4.5- 3.5	.	.	.		-2*						8660.6011
1	10232.811	2S	23967-13734	6	4.5- 3.5	.	.	.		-72*						9769.8067
1	9682.640	4	23416-13734	5	2.5- 3.5	.	.	.	0140	-174						10324.9323
1	8868.380	3	22602-13734	10	3.5- 3.5	.	.	.	+0250	252						11272.9299
1	8649.682	4P	22383-13734	12	3.5- 3.5	.	.	.	-0690*	-587	-189	329				11557.9546
1	8144.947	6	21879-13734	-28	3.5- 3.5	.	.	.		-32						12274.1922
1	7906.465	5C	21640-13734	25	3.5- 3.5	.	.	.	+0880*	903	244*	470*	650*		880*	12644.4183
1	7719.459	4Q	21453-13734	-1	4.5- 3.5	.	.	.	-1015*	-1028	-281	526	746	905	1015*	12950.7334
1	7719.459	4Q	21453-13734	-1	4.5- 3.5	.	.	.	-1015*	-1028	-281	526	746	905	1015*	12950.7334
1	7102.544	4	20836-13734	-1	4.5- 3.5	.	.	.		35						14075.6143
1	6666.536	4L	20400-13734	-139	2.5- 3.5	.	.	.	-0469*	-471	-182	313	409			14996.1958
1	5912.348	5	19646-13734	8	4.5- 3.5	.	.	.	-0350*	-374						16909.1355
1	5366.534	5	19100-13734	9	4.5- 3.5	.	.	.	-0671	-670	-180	338	471	579	671	18628.9145
1	8278.165	4	5456-13734	-5	3.5- 3.5	.	.	.	0060	2						12076.6670
1	10903.175	5S	2831-13734	-15	2.5- 3.5	.	.	.	-0030*	-10						9169.1240
<hr/>																
1	22279.483	0	35985-13706	8	7.5- 6.5	.	.	.		262*						4487.1755
1	20765.763	0	34472-13706	28	7.5- 6.5	.	.	.	-0449	-488*	-146					4814.2734
1	18354.760	1	32061-13706	-25	5.5- 6.5	.	.	.		122						5446.6642
1	14915.481	3	28621-13706	21	5.5- 6.5	.	.	.	+0556*	487*	108	233	352			6702.5931
1	14791.563	1	28497-13706	68	7.5- 6.5	.	.	.	-0342*	-342						6758.7452
1	14693.853	3	28400-13706	-2	7.5- 6.5	.	.	.	0240*	268*						6803.6893
1	14460.045	2	28166-13706	20	7.5- 6.5	.	.	.		74						6913.7005
1	14285.659	2	27992-13706	59	5.5- 6.5	.	.	.	0217*	-277						6998.0971
1	14178.807	3	27885-13706	42	7.5- 6.5	.	.	.	-0794	-828	-214	397	568	699	794	7050.8353
1	14176.029	2	27882-13706	14	5.5- 6.5	.	.	.		-120						7052.2171
1	13902.906	3	27609-13706	21	5.5- 6.5	.	.	.	+0712	675*	163	319	448	577	712	7190.7590
1	13845.746	2	27552-13706	11	7.5- 6.5	.	.	.	-0370*	-345						7220.4451
1	13836.865	3	27543-13706	20	5.5- 6.5	.	.	.	+0478*	512*	108	214				7225.0794
1	13734.044	4	27440-13706	19	5.5- 6.5	.	.	.	+0634	619	160	303	421	534	634	7279.1709
1	13509.999	2	27216-13706	4	5.5- 6.5	.	.	.		212*						7399.8868
1	13447.193	4	27153-13706	8	6.5- 6.5	.	.	.	+0250*	312*						7434.4486

TABLE III (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS	ZEEMAN	DATA	WIDTH		HFS	DIAGONAL		COMPONENTS		WAVELENGTH
						G2	G1	DG	OBS	CALC	2	3	4	5	6	
1	13304.815	4	27011-13706	30	7.5- 6.5	.	.	.	-1108	-1125	-278	524	744	922	1108	7514.0069
1	13178.232	2	26884-13706	82	5.5- 6.5	.	.	.	0494*	484						7586.1828
1	12946.393	3	26652-13706	8	5.5- 6.5	.	.	.	+0306*	335						7722.0340
1	12803.526	4	26509-13706	31	5.5- 6.5	1.08	.85	.232	+0306*	112*						7808.2000
1	12264.096	4	25970-13706	1	5.5- 6.5	.	.	.	-0240*	-274						8151.6415
1	11951.265	4	25657-13706	0	5.5- 6.5	.	.	.	+0457*	439	122	223	315			8365.0162
1	11845.454	4	25551-13706	9	5.5- 6.5	.	.	.	-0180*	-238						8439.7381
1	11767.824	4	25474-13706	19	6.5- 6.5	.	.	.	-0587	-593	-147	279	406	508	587	8495.4136
1	11417.360	2L	25123-13706	-45	5.5- 6.5	.	.	.		212*						8756.1875
1	11368.682	2	25075-13706	7	6.5- 6.5	.	.	.	-0504	-511	-141	259	347	439	504	8793.6796
1	11091.560	3	24798-13706	15	6.5- 6.5	.	.	.	+0308	297						9013.3901
1	10683.740	5	24390-13706	35	6.5- 6.5	.	.	.	-0290	-319						9357.4507
1	10621.204	5P	24327-13706	29	5.5- 6.5	.	.	.	+0718	662	162	312				9412.5461
1	10455.206	3S	24161-13706	11	5.5- 6.5	.	.	.		35						9561.9903
1	10435.080	2	24141-13706	25	5.5- 6.5	.	.	.	+0320	387*						9580.4324
1	10430.485	3P	24136-13706	30	7.5- 6.5	.	.	.	-0865	-883	-233	444	627	770	865	9584.6530
1	10254.730	4P	23961-13706	-55	7.5- 6.5	.	.	.	-0140*	-168						9748.9241
1	10193.310	5S	23899-13706	15	5.5- 6.5	.	.	.		4						9807.6667
1	10130.678	4	23837-13706	33	6.5- 6.5	.	.	.	0050	113						9868.3019
1	10073.455	4	23779-13706	5	5.5- 6.5	.	.	.	-0534	-558	-160	289	396			9924.3597
1	9834.419	7	23540-13706	4	5.5- 6.5	.	.	.	+0892	892	230	433	611	764	892	10165.5825
1	8708.284	5	22414-13706	19	5.5- 6.5	.	.	.	+0460	495	137	254	354	439	460	11480.1757
1	8352.085	5	22058-13706	-15	6.5- 6.5	.	.	.	0120	176						11969.7824
1	7886.234	5	21592-13706	19	6.5- 6.5	.	.	.		-91						12676.8558
1	7844.530	4	21551-13706	15	5.5- 6.5	.	.	.	+0442*	363*	106	192				12744.2501
1	7333.831	6	21040-13706	1	6.5- 6.5	.	.	.	-0615	-604	-185	334	449	545	615	13631.7110
1	6344.438	6C	20050-13706	3	6.5- 6.5	.	.	.	+0370*	372	083	176	249	320*	370*	15757.5321
1	6286.318	3	19992-13706	3	5.5- 6.5	.	.	.	+0966	978	221*	438	639	813	966	15903.2182
1	6121.415	3P	19827-13706	20	7.5- 6.5	.	.	.	-0906*	-1091	-288	526		767*	906*	16331.6308
1	6081.959	3	19788-13706	4	5.5- 6.5	.	.	.	+0842	838	219	410	581	714	842	16437.5805
1	4152.700	3	17859-13706	-15	5.5- 6.5	.	.	.	-0625*	-596	-193	350	462		625*	24074.1496
<hr/>																
1	14983.757	4	28531-13548	-83	4.5- 4.5	.	.	.		-16*						6672.0513
1	14857.664	1	28405-13548	-1	3.5- 4.5	.	.	.		-5*						6728.6757
1	14837.526	3	28385-13548	6	3.5- 4.5	.	.	.	-0692	-708*	-163	308	454	582	692	6737.8081
1	14725.551	3S	28273-13548	1	5.5- 4.5	.	.	.		-5*						6789.0436
1	14674.696	2S	28222-13548	6	4.5- 4.5	.	.	.		20*						6812.5712
1	14582.253	2S	28130-13548	-2	3.5- 4.5	.	.	.		-5*						6855.7592
1	14228.093	1	27776-13548	3	4.5- 4.5	.	.	.		-5*						7026.4111
1	14195.596	1S	27743-13548	-14	4.5- 4.5	.	.	.		-18*						7042.4963
1	14035.380	2	27583-13548	45	4.5- 4.5	.	.	.	-0274*	245*						7122.8880
1	14021.814	1	27569-13548	29	5.5- 4.5	.	.	.	+0302*	325						7129.7794
1	13789.072	2	27337-13548	2	5.5- 4.5	.	.	.		-5*						7250.1217
1	13570.612	2	27118-13548	2	5.5- 4.5	.	.	.	-0211*	-225*						7366.8351
1	13559.311	2	27107-13548	11	4.5- 4.5	.	.	.		-63						7372.9750
1	13336.520	2S	26884-13548	-5	5.5- 4.5	.	.	.		17						7496.1437
1	12786.203	3	26334-13548	3	3.5- 4.5	.	.	.	+0110*	95*						7818.7788
1	12451.885	3	25999-13548	5	5.5- 4.5	.	.	.	-0595	-616	-134	264	383	499	595	8028.7046
1	11810.543	5	25358-13548	43	3.5- 4.5	.	.	.	+0895	889	239	435	630	781	895	8464.6854
1	10987.830	4	24535-13548	-20	3.5- 4.5	.	.	.	-0220	-237						9098.4808
1	10943.340	3	24491-13548	20	5.5- 4.5	.	.	.	+0230	260						9135.4707
1	10613.560	2	24161-13548	-10	5.5- 4.5	.	.	.	-0560	-432						9419.3252
1	10593.466	3	24141-13548	36	5.5- 4.5	.	.	.	0070	-80*						9437.1921
1	10562.230	3S	24110-13548	0	3.5- 4.5	.	.	.		89*						9465.1011
1	10478.068	5	24026-13548	-2	3.5- 4.5	.	.	.	+0585*	602	168	311	431	527	585*	9541.1270

TABLE III (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS CALC	HFS 2	DIAGONAL 3	COMPONENTS 4	5	6	WAVELENGTH
1	10418.990	2	23967-13548	5	4.5- 4.5	.	.	.	0200 145*						9595.2275
1	10031.322	4P	23579-13548	17	4.5- 4.5	.	.	.	-0460* -475						9966.0435
1	9992.790	2	23540-13548	0	5.5- 4.5	.	.	.	+0410 425						10004.4725
1	9669.130	4	23217-13548	10	3.5- 4.5	.	.	.	0080 -105*						10339.3586
1	9454.094	4Q	23002-13548	-16	4.5- 4.5	.	.	.	0280* -330						10574.5309
1	9246.670	3	22794-13548	-20	4.5- 4.5	.	.	.	0100 143*						10811.7425
1	9076.220	3	22624-13548	0	5.5- 4.5	.	.	.	-0360 -376						11014.7859
1	9033.360	4	22581-13548	-30	4.5- 4.5	.	.	.	0130 191						11067.0472
1	8861.228	5	22409-13548	8	4.5- 4.5	.	.	.	+0432* 441	149	264	349			11282.0284
1	8695.271	4P	22243-13548	1	4.5- 4.5	.	.	.	-179						11497.3565
1	8504.389	4	22052-13548	-56	4.5- 4.5	.	.	.	145*						11755.4166
1	8372.267	3	21920-13548	7	5.5- 4.5	.	.	.	25*						11940.9282
1	8303.198	7	21851-13548	-7	5.5- 4.5	.	.	.	+0540* 543	142	271	383	478	540*	12040.2574
1	8092.624	5	21640-13548	4	3.5- 4.5	.	.	.	+1106 1120	297	566	792	985	1106	12353.5514
1	7905.615	5	21453-13548	-25	4.5- 4.5	.	.	.	-0801 -811	-244*	470*	650*		880*	12645.7779
1	7807.630	3	21355-13548	30	5.5- 4.5	.	.	.	+0660* 575	177	330	485	593		12804.4814
1	7337.360	5	20885-13548	0	5.5- 4.5	.	.	.	0040 -129						13625.1546
1	6891.160	3	20439-13548	10	5.5- 4.5	.	.	.	0140 -105*						14507.3796
1	6846.010	5C	20394-13548	-20	3.5- 4.5	.	.	.	-1230* -1174	-366	666	899			14603.0572
1	6444.686	4	19992-13548	-4	5.5- 4.5	.	.	.	+0489 511	123	236	339	431	489	15512.4212
1	6358.147	3	19906-13548	-8	5.5- 4.5	.	.	.	+0400* 390						15723.5568
1	6098.500	5P	19646-13548	-20	4.5- 4.5	.	.	.	0100 -157						16392.9967
1	5685.392	3	19233-13548	2	4.5- 4.5	.	.	.	-0680 -677						17584.1345
1	5552.699	4	19100-13548	-6	4.5- 4.5	.	.	.	-0434 -453	-126	236	326			18004.3435
1	5180.266	5	18728-13548	-9	5.5- 4.5	.	.	.	-0810 -814	-200	384	549	692	810	19298.7592
1	4840.025	4	18388-13548	-15	3.5- 4.5	.	.	.	+0490* 463						20655.4122
1	4311.086	6	17859-13548	-4	5.5- 4.5	.	.	.	-1065 -1063	-294	542	749	923	1065	23189.6833
1	15009.704	2	28497-13488	39	7.5- 6.5	.	.	.	-202						6660.5174
1	14912.030	3	28400-13488	5	7.5- 6.5	.	.	.	0384* 408*						6704.1442
1	14678.205	4	28166-13488	10	7.5- 6.5	.	.	.	214						6810.9425
1	14531.512	2	28019-13488	37	5.5- 6.5	.	.	.	+0916 906	227	432	619	758	916	6879.6982
1	14503.727	2	27991-13488	72	7.5- 6.5	.	.	.	-0704 -722	-174	333	483	605	704	6892.8779
1	14394.187	3S	27882-13488	2	5.5- 6.5	.	.	.	20						6945.3331
1	14336.601	1	27824-13488	26	5.5- 6.5	.	.	.	89						6973.2307
1	14081.603	2	27569-13488	23	5.5- 6.5	.	.	.	+0927 932	238	442	637	776	927	7099.5069
1	13516.710	5	27005-13488	-5	6.5- 6.5	.	.	.13	-0204* 257						7396.2127
1	13396.327	4	26884-13488	7	5.5- 6.5	.	.	.	+0621 624	149	290	418	534	621	7462.6775
1	13021.674	2	26509-13488	9	5.5- 6.5	.	.	.	252*						7677.3910
1	12776.057	4S	26264-13488	2	6.5- 6.5	.	.	.	37						7824.9881
1	12753.975	4S	26242-13488	10	7.5- 6.5	.	.	.	-23						7838.5362
1	12621.708	3	26110-13488	-7	5.5- 6.5	.	.	.	+0471* 462*	116	223	309			7920.6792
1	12511.684	4S	25999-13488	9	5.5- 6.5	.	.	.180	-9						7990.3316
1	12169.433	3	25657-13488	-2	5.5- 6.5	.	.	.	+0602 579	153	291	405	505	602	8215.0514
1	12063.617	6	25551-13488	2	5.5- 6.5	.	.	.	-0060* -98						8287.1100
1	11985.979	5	25474-13488	4	6.5- 6.5	.	.	.	-0447 -453	-102	208	305	379	447	8340.7892
1	11752.885	5	25241-13488	-15	5.5- 6.5	.	.	.	+0360 340	086	158	233	315	360	8506.2121
1	11635.559	6	25123-13488	-16	5.5- 6.5	.	.	.	+0365* 352*	80	153	230			8591.9840
1	11496.877	4	24985-13488	17	5.5- 6.5	.	.	.	+0641 643	162	310	436	549	641	8695.6260
1	11196.082	5	24684-13488	22	5.5- 6.5	.	.	.	+1165 1158	306	576	807	1005	1165	8929.2444
1	11040.412	3	24528-13488	17	7.5- 6.5	.	.	.	+0100 -136						9055.1474
1	10411.462	4	23899-13488	-3	5.5- 6.5	.	.	.	144						9602.1653
1	10052.589	5	23540-13488	4	5.5- 6.5	.	.	.	+1023 1032	262	497	703	877	1023	9944.9596
1	10003.330	3	23491-13488	15	7.5- 6.5	.	.	.	0280 -256*						9993.9313
1	9816.469	5P	23304-13488	9	6.5- 6.5	.	.	.	0000 72						10184.1709

TABLE III (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS	WIDTH CALC	HFS 2	DIAGONAL 3	DIAGONAL 4	COMPONENTS 5	COMPONENTS 6	WAVELENGTH
1	9565.262	6	23053-13488	17	5.5- 6.5	.	.	.	66							10451.6328
1	9137.630	4	22625-13488	5	6.5- 6.5	.	.	.	+0720*	733	211	387	532			10940.7602
1	8926.463	6	22414-13488	28	5.5- 6.5	.	.	.	+0647	635	176	325	450	554	647	11199.5786
1	8788.530	4B	22276-13488	55	5.5- 6.5	.	.	.		-398						11375.3527
1	8762.770	6	22251-13488	5	6.5- 6.5	.	.	.	0080*	-119						11408.7930
1	8749.670	3	22238-13488	-15	7.5- 6.5	.	.	.	0230	243						11425.8743
1	8570.285	6	22058-13488	15	5.5- 6.5	.	.	.	+0300*	316	085	168	220*	300*		11665.0303
1	8432.072	4	21920-13488	17	5.5- 6.5	.	.	.	+0565	632*	145	268	361	475	565	11856.2363
1	8104.387	6	21592-13488	2	6.5- 6.5	.	.	.	0040*	49						12335.6210
1	7896.373	3	21384-13488	28	7.5- 6.5	.	.	.		-9						12660.5786
1	7668.340	2	21156-13488	0	7.5- 6.5	.	.	.	+0350*	441						13037.0663
1	7552.003	7C	21040-13488	3	6.5- 6.5	.	.	.	-0435*	-464	-151	265	360*		435*	13237.8999
1	7469.265	2	20957-13488	10	7.5- 6.5	.	.	.	+0530	518						13384.5380
1	7397.158	4	20885-13488	3	5.5- 6.5	.	.	.	+0505*	478	124	235	334	415*	505*	13515.0098
1	7084.867	5	20573-13488	-18	7.5- 6.5	.	.	.	0030	-163						14110.7335
1	6562.591	7	20050-13488	-14	6.5- 6.5	.	.	.	+0509	512	111	223	329	426	509	15233.7211
1	6504.489	5	19992-13488	4	5.5- 6.5	.	.	.	+1111	1118	253	508	737	936	1111	15369.7980
1	6417.945	5	19906-13488	-5	5.5- 6.5	.	.	.	+1001	997	249	481	680	854	1001	15577.0553
1	6339.576	7	19827-13488	11	7.5- 6.5	.	.	.	-0951	-951	-253	471	657	816	951	15769.6170
1	5787.480	5	19275-13488	-10	6.5- 6.5	.	.	.	+0280*	312	092	140*	210*		280*	17273.9596
1	4370.870	2	17859-13488	-15	5.5- 6.5	.	.	.	-0470	-456						22872.4986
<hr/>																
1	12256.468	2	25351-13095	53	3.5- 2.5	.	.	.		-210*						8156.7148
1	10317.079	3S	23412-13095	-1	3.5- 2.5	.	.	.		-171*						9690.0084
1	9426.379	3	22521-13095	-51	3.5- 2.5	.	.	.		318*						10605.6217
1	9127.590	2	22222-13095	-45	2.5- 2.5	.	.	.	-0750	-749*						10952.7946
1	5292.937	2S	18388-13095	-3	3.5- 2.5	.	.	.		-2*						18887.9453
<hr/>																
1	26417.594	2S	39467-13049	59	7.5- 7.5	.	.	.		-82*						3784.2813
1	25769.430	1S	38819-13049	15	8.5- 7.5	.	.	.		-82*						3879.4675
1	16305.960	5	29355-13049	5	8.5- 7.5	.	.	.	-0663	-693	-188	350	481	591	663	6131.0300
1	14502.380	3	27552-13049	45	7.5- 7.5	.	.	.	-0733	-739	-202	378	501	629	733	6893.5181
1	14481.606	3	27531-13049	56	8.5- 7.5	.	.	.	-1058	-1038	-284	526	716	901	1058	6903.4070
1	14118.414	4S	27168-13049	-1	8.5- 7.5	.	.	.		-82*						7080.9962
1	13961.297	4	27011-13049	-88	7.5- 7.5	.	.	.	-1467	-1519	-380*	734	1028	1280	1467	7160.6845
1	13955.089	3	27005-13049	-56	6.5- 7.5	.	.	.	-0212*	-277						7163.8700
1	13819.183	5	26869-13049	28	8.5- 7.5	.	.	.	-1077	-1077	-279	535	737	919	1077	7234.3242
1	13445.895	4S	26495-13049	20	6.5- 7.5	.	.	.		8						7435.1663
1	13192.363	2	26242-13049	-32	7.5- 7.5	.	.	.	-0521*	-557	-128	255	373			7578.0568
1	12962.147	4	26012-13049	32	8.5- 7.5	.	.	.	-1340	-1335	-370	676	934	1155	1340	7712.6487
1	12919.320	2	25969-13049	45	8.5- 7.5	.	.	.	-0377*	-439						7738.2159
1	11846.393	3	24896-13049	-12	7.5- 7.5	.	.	.	-1078	-1088	-269	521	739	905	1078	8439.0691
1	10911.372	2	23961-13049	-13	7.5- 7.5	.	.	.	-0560	-562						9162.2358
1	10254.901	5P	23304-13049	11	6.5- 7.5	.	.	.	-0500*	-462	-141	254	*	*	*	9748.7616
1	10086.510	2	23136-13049	5	6.5- 7.5	.	.	.	-0210	-238*						9911.5145
1	9846.101	5S	22895-13049	-4	6.5- 7.5	.	.	.		18*						10153.5214
1	9576.040	5P	22625-13049	-15	6.5- 7.5	.	.	.	0160	199						10439.8693
1	9188.110	6	22238-13049	-5	7.5- 7.5	.	.	.	-0300*	-291	-070*	160*	251			10880.6509
1	9125.124	3S	22175-13049	4	7.5- 7.5	.	.	.		18*						10955.7546
1	9008.720	4	22058-13049	20	6.5- 7.5	.	.	.	0180*	-218						11097.3171
1	8954.410	3	22004-13049	15	6.5- 7.5	.	.	.	0180	-224						11164.6243
1	8542.818	6	21592-13049	3	6.5- 7.5	.	.	.	-0500*	-485	-133	246	343	433*		11702.5360
1	7990.422	6	21040-13049	-8	6.5- 7.5	.	.	.	-1020	-998	-334	576	770*	916	1020	12511.5606
1	7907.689	4	20957-13049	4	7.5- 7.5	.	.	.	0030	-16						12642.4612
1	7523.330	4	20573-13049	15	7.5- 7.5	.	.	.	-0663	-697	-163	312	451	576	663	13288.3524

TABLE III (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS	CALC	HFS 2	DIAGONAL 3	COMPONENTS 4	5	6	WAVELENGTH
1	7001.029	4	20050-13049	-6	6.5- 7.5	.	.			-22						14279.7112
1	6225.960	6	19275-13049	40	6.5- 7.5	.	.		-0210	-222						16057.3932
1	14718.869	1	27743-13024	19	4.5- 3.5	.	.		-0468*	-543*						6792.1257
1	14695.749	2	27720-13024	39	4.5- 3.5	.	.		-0735*	-405*	-	*	480	623	735*	6802.8115
1	11408.890	2	24433-13024	0	2.5- 3.5	.	.		+0460	412*						8762.6882
1	10392.057	3P	23416-13024	2	2.5- 3.5	.	.			-482						9620.0954
1	10192.356	4	23217-13024	-4	3.5- 3.5	.	.		-0651	-630*	-172	325				9808.5847
1	9577.794	4S	22602-13024	4	3.5- 3.5	.	.			-56						10437.9574
1	9496.714	3S	22521-13024	-56	3.5- 3.5	.	.			258						10527.0737
1	8814.886	3	21839-13024	16	4.5- 3.5	.	.		-0676	-635	-196	351	481	594	676	11341.3409
1	8615.860	5	21640-13024	0	3.5- 3.5	.	.		+0565	595	166	305				11603.3261
1	7945.020	5	20969-13024	15	3.5- 3.5	.	.		-0380	-339						12583.0583
1	6621.750	3	19646-13024	-10	4.5- 3.5	.	.		-0690	-682	-137	291	450	590	690	15097.6222
1	5092.475	5	18117-13024	-5	3.5- 3.5	.	.		+0920*	939	324	567	747	849	920*	19631.4577
1	15031.799	2	28019-12988	49	5.5- 5.5	.	.			246						6650.7272
1	15004.067	2	27992-12988	22	5.5- 5.5	.	.		-0759*	-797	-230	417	573			6663.0198
1	14894.465	4	27882-12988	5	5.5- 5.5	.	.		-0610	-640	-131	285	416	526	610	6712.0504
1	14621.391	2	27609-12988	61	5.5- 5.5	.	.		+0196*	155*						6837.4078
1	14452.488	3	27440-12988	18	5.5- 5.5	.	.			99						6917.3156
1	14228.476	2	27216-12988	36	5.5- 5.5	.	.			-308*						7026.2220
1	13664.909	2	26652-12988	79	5.5- 5.5	.	.		-0193*	-185						7315.9987
1	13521.905	3	26509-12988	-35	5.5- 5.5	.	.		-0480*	-408*	-120	254				7393.3712
1	12824.024	2S	25812-12988	4	5.5- 5.5	.	.			-8*						7795.7193
1	12323.668	3	25311-12988	-7	5.5- 5.5	.	.		-0224*	-208*						8112.2367
1	12303.170	3	25291-12988	-35	6.5- 5.5	.	.		0088*	108						8125.7523
1	12289.616	3	25277-12988	6	4.5- 5.5	.	.		+0150*	162*						8134.7141
1	10014.194	5	23002-12988	14	4.5- 5.5	.	.		-0340*	-383	-083	170	255*	321*		9983.0892
1	9806.792	7	22794-12988	32	4.5- 5.5	.	.			90*						10194.2204
1	9637.900	4	22625-12988	0	6.5- 5.5	.	.		0040	73						10372.8617
1	9593.490	3	22581-12988	30	4.5- 5.5	.	.		0140	138						10420.8797
1	9426.652	4	22414-12988	-58	5.5- 5.5	.	.		0080*	-25						10605.3146
1	9421.305	4	22409-12988	15	4.5- 5.5	.	.		+0389*	388	118	213	312			10611.3336
1	9288.756	4	22276-12988	6	5.5- 5.5	.	.		-1055	-1058	-292	552	760	921	1055	10762.7560
1	8562.940	5	21551-12988	-20	5.5- 5.5	.	.		0140	-157*						11675.0362
1	8367.688	4	21355-12988	18	5.5- 5.5	.	.		+0528*	522	154	296	378			11947.4626
1	7897.420	4	20885-12988	-10	5.5- 5.5	.	.		0130	-182						12658.9002
1	7062.890	2	20050-12988	10	6.5- 5.5	.	.		0120	-148						14154.6408
1	6800.400	5	19788-12988	0	5.5- 5.5	.	.		+0300	318						14700.9994
1	6658.600	3	19646-12988	10	4.5- 5.5	.	.		0180	-210						15014.0689
1	6287.768	4	19275-12988	3	6.5- 5.5	.	.		-0340	-348						15899.5508
1	6245.450	2	19233-12988	-10	4.5- 5.5	.	.		-0720	-730						16007.2833
1	6112.780	3	19100-12988	5	4.5- 5.5	.	.		-0510*	-506						16354.7011
1	5740.348	5	18728-12988	3	5.5- 5.5	.	.		-0870	-867	-229	429	603	750	870	17415.7903
1	5212.501	4	18200-12988	11	4.5- 5.5	.	.		+0436*	454	163	277	360			19179.4123
1	4871.165	5	17859-12988	5	5.5- 5.5	.	.		-1121	-1116	-318	587	806	981	1121	20523.3678
1	5672.420	2P	7315-12988	-10	4.5- 5.5	.	.			-162*						17624.3469
1	25871.411	3W	38819-12947	96	8.5- 8.5	.	.			47*						3864.1749
1	23037.923	0	35985-12947	-52	7.5- 8.5	.	.			-3*						4339.4491
1	20344.344	0	33292-12947	9	7.5- 8.5	.	.			-53*						4913.9991
1	18813.290	3	31761-12947	-25	9.5- 8.5	.	.		-0994	-973*	-241	454*		795	994	5313.9130
1	18270.000	5H	31217-12947	5	9.5- 8.5	.	.		-1428	-1423	-332	635	927	1185	1428	5471.9332
1	16407.794	3	29355-12947	-61	8.5- 8.5	.	.		-0541	-564	-149	276	386	474	541	6092.9778

TABLE III (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH		HFS 2	DIAGONAL		COMPONENTS		WAVELENGTH
									OBS	CALC		3	4	5	6	
1	15765.070	6H	28713-12947	5	9.5- 8.5	.	.	.	-1821	-1836	-451	860	1223	1583	1821	6341.3837
1	14919.771	3	27867-12947	16	8.5- 8.5	.	.	.	-0420*	-453*	-124					6700.6658
1	14604.309	3	27552-12947	74	7.5- 8.5	.	.	.	-0425*	-610						6845.4053
1	14418.781	1S	27366-12947	6	7.5- 8.5	.	.	.		47*						6933.4864
1	14220.361	2S	27168-12947	46	8.5- 8.5	.	.	.		47*						7030.2315
1	14157.058	4C	27105-12947	23	8.5- 8.5	.	.	.	-1056	-1240*	-488	817	1056			7061.6674
1	13972.320	1S	26920-12947	5	9.5- 8.5	.	.	.		-13*						7155.0353
1	13921.085	5	26869-12947	30	8.5- 8.5	.	.	.	-0944	-948	-239	451	640	806	944	7181.3688
1	13836.457	1	26784-12947	12	8.5- 8.5	.	.	.	-0128*	97*						7225.2925
1	13429.924	4	26377-12947	-1	7.5- 8.5	.	.	.	+0183*	-196						7444.0383
1	13294.227	3	26242-12947	-68	7.5- 8.5	.	.	.	-0434*	-428						7519.9913
1	13284.840	5C	26232-12947	-55	9.5- 8.5	.	.	.	-1792	-1793	-434	835	1190	1512	1792	7525.3050
1	13064.038	4	26012-12947	23	8.5- 8.5	.	.	.	-1219	-1206	-323	601	838	1047	1219	7652.4947
1	13021.177	3	25969-12947	2	8.5- 8.5	.	.	.	-0264*	-310						7677.6841
1	12718.637	2S	25666-12947	2	9.5- 8.5	.	.	.		-13*						7860.3152
1	12559.913	2	25507-12947	8	8.5- 8.5	.	.	.		-13*						7959.6492
1	12484.279	3S	25432-12947	-6	8.5- 8.5	.	.	.		-84						8007.8717
1	12096.759	5	25044-12947	4	7.5- 8.5	1.06	1.06	.		-106						8264.4054
1	11948.275	6	24896-12947	-30	7.5- 8.5	.	.	.	-0959	-959	-231	446	640	812	959	8367.1095
1	11806.435	0	24754-12947	-40	8.5- 8.5	.	.	.	-0221*	-223	-043	088			221*	8467.6307
1	11580.729	3	24528-12947	4	7.5- 8.5	.	.	.	-0538	-541	-161	284	394	476	538	8632.6637
1	11188.960	4	24136-12947	5	7.5- 8.5	.	.	.	-1170	-1148	-311	582	826	997	1170	8934.9281
1	10184.425	5	23132-12947	0	8.5- 8.5	.	.	.	-1536	-1543	-393	732	1044	1310	1536	9816.2230
1	10156.916	3	23104-12947	1	7.5- 8.5	.	.	.	+0240	227*						9842.8093
1	10097.450	3S	23045-12947	-35	9.5- 8.5	.	.	.		-3*						9900.7759
1	9290.000	5	22238-12947	-15	7.5- 8.5	.	.	.	0100	-162						10761.3148
1	8009.571	3	20957-12947	-14	7.5- 8.5	.	.	.		113						12481.6483
<hr/>																
1	25889.179	1	38819-12930	9	8.5- 9.5	.	.	.		42*						3861.5228
1	18529.810	4H	31459-12930	30	10.5- 9.5	.	.	.	-2370	-2367	-558	1074	1538			5395.2094
1	18287.850	5H	31217-12930	0	9.5- 9.5	.	.	.	-1418	-1428	-329	646	923	1187	1418	5466.5922
1	16352.980	5H	29283-12930	60	10.5- 9.5	.	.	.	-2100*	-2147						6113.4012
1	14937.643	3	27867-12930	33	8.5- 9.5	.	.	.	-0469*	-458*	-114					6692.6488
1	14601.347	5	27531-12930	42	8.5- 9.5	.	.	.	-0920	-914	-206	407	597	768	920	6846.7939
1	14238.154	1	27168-12930	-16	8.5- 9.5	.	.	.		42*						7021.4461
1	13990.175	2S	26920-12930	5	9.5- 9.5	.	.	.		-18*						7145.9036
1	13854.309	2S	26784-12930	9	8.5- 9.5	.	.	.		92*						7215.9823
1	13302.799	6C	26232-12930	49	9.5- 9.5	1.16	1.16	.	-1800	-1798	-422	816	1176	1505	1800	7515.1456
1	13081.895	3	26012-12930	25	8.5- 9.5	.	.	.	-1231	-1211	-315	589	825	1050	1231	7642.0489
1	12736.476	2	25666-12930	-14	9.5- 9.5	.	.	.		-18*						7849.3058
1	12502.140	4	25432-12930	0	8.5- 9.5	.	.	.		-89						7996.4314
1	11824.327	6	24754-12930	-3	8.5- 9.5	.	.	.	-0209*	-228	-053	106			209*	8454.8178
1	10202.280	3	23132-12930	0	8.5- 9.5	.	.	.	-1540	-1548	-350	700	1010	1290	1520	9799.0436
1	10115.364	2S	23045-12930	24	9.5- 9.5	.	.	.		-8*						9883.2419
<hr/>																
1	14139.652	2	26992-12852	-8	1.5- 2.5	.	.	.		-80*						7070.3604
1	12659.181	3C	25511-12852	-39	3.5- 2.5	.	.	.	-1688	-1854	-572	1056	1413	1688		7897.2327
1	12506.271	4C	25358-12852	1	3.5- 2.5	.	.	.	-0897	-871	-297	525	699	812	897	7993.7900
1	11779.852	5S	24632-12852	12	3.5- 2.5	.	.	.		7*						8486.7392
1	9451.570	7C	22303-12852	0	2.5- 2.5	.	.	.	-0592*	-650	-1227	382*				10577.3548
1	9370.466	5C	22222-12852	-39	2.5- 2.5	.	.	.	-2000*	-2044	-696	1242	1640*			10668.9050
1	8788.366	6B	21640-12852	-24	3.5- 2.5	.	.	.	-0630*	-640	-238	423	547			11375.5649
1	8430.513	5C	21282-12852	3	2.5- 2.5	.	.	.	-1800*	-1857	-600	1092	1470*			11858.4288
1	8394.330	4	21246-12852	0	1.5- 2.5	.	.	.	0090	-278						11909.5435
1	8279.828	4L	21131-12852	448	2.5- 2.5	.	.	.	-1880*	-2370	-784	1401				12074.2414

TABLE III (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS	ZEEMAN	DATA	WIDTH	HFS	DIAGONAL	COMPONENTS		WAVELENGTH		
						G2	G1	DG	OBS	CALC	2	3	4	5	6	
1	8205.999	5	21058-12852	-31	1.5- 2.5	.	.		-1110*	-985	-321	585	780	920*	980*	12182.8730
1	8117.537	7C	20969-12852	2	3.5- 2.5	.	.		-1600*	-1574	-487	889	*	*	*	12315.6378
1	7541.754	4	20394-12852	-46	3.5- 2.5	.	.		-2916	-2934	-914	1662	2248	2665	2916	13255.8898
1	5535.773	5C	18388-12852	-37	3.5- 2.5	.	.		-1275	-1297	-367	692	967	1174	1275	18059.3930
1	5265.145	7C	18117-12852	135	3.5- 2.5	.	.		-0300*	-296	-080*	165*	250*			18987.6451
1	10021.253	6C	2831-12852	13	2.5- 2.5	.	.		+1700*	1533	457	865	*	*	*	9976.0571
<hr/>																
1	17865.704	0S	30712-12846	34	5.5- 4.5	.	.		-42*							5595.7629
1	14929.529	1	27776-12846	9	4.5- 4.5	.	.		-42*							6696.2862
1	14896.952	2	27743-12846	-88	4.5- 4.5	.	.		-55*							6710.9299
1	14873.871	2	27720-12846	-29	4.5- 4.5	.	.		83*							6721.3438
1	14762.665	1	27609-12846	-25	5.5- 4.5	.	.		171*							6771.9756
1	14723.173	1	27569-12846	-42	5.5- 4.5	.	.		288							6790.1402
1	14463.857	2S	27310-12846	32	5.5- 4.5	.	.		-42*							6911.8784
1	13806.194	3S	26652-12846	4	5.5- 4.5	.85	.85		-169							7241.1303
1	13487.668	3	26334-12846	38	3.5- 4.5	.	.		+0197*	58*						7412.1385
1	12965.374	3	25812-12846	-61	5.5- 4.5	.	.		8*							7710.7290
1	12811.054	3	25657-12846	-16	5.5- 4.5	.	.		-65							7803.6118
1	12511.929	3	25358-12846	-1	3.5- 4.5	.	.		+0834	852	262	443	627	742	834	7990.1751
1	12504.930	3	25351-12846	-15	3.5- 4.5	.	.		+0131*	218*						7994.6472
1	12394.472	3	25241-12846	-63	5.5- 4.5	.	.		-0214*	-304						8065.8949
1	11644.728	2	24491-12846	-22	5.5- 4.5	.	.		+0275*	223						8585.2187
1	11467.750	3	24314-12846	-25	4.5- 4.5	.	.		-0280	-223						8717.7121
1	11263.662	4S	24110-12846	2	3.5- 4.5	.	.		52*							8875.6703
1	10732.740	2	23579-12846	5	4.5- 4.5	.	.		-0511	-512						9314.7294
1	10565.610	4	23412-12846	0	3.5- 4.5	.	.		+0230	257						9462.0731
1	10479.798	4	23326-12846	3	5.5- 4.5	.	.		0090	111						9539.5519
1	10370.545	3	23217-12846	-5	3.5- 4.5	.	.		0090*	-142*						9640.0508
1	10155.550	5	23002-12846	10	4.5- 4.5	.	.		-0320*	-367						9844.1333
1	9755.960	3	22602-12846	-20	3.5- 4.5	.	.		+0430	432						10247.3360
1	9734.780	3	22581-12846	-40	4.5- 4.5	.	.		0130	154						10269.6312
1	9396.698	4S	22243-12846	-2	4.5- 4.5	.	.		-216							10639.1214
1	9363.985	3	22210-12846	5	4.5- 4.5	.	.		-0832	-837	-202	404	569	729	832	10676.2892
1	9032.500	4	21879-12846	-85	3.5- 4.5	.	.		0090*	148						11068.1009
1	9004.627	6	21851-12846	-8	5.5- 4.5	.	.		+0500*	506	156	281	381	467		11102.3613
1	8794.054	5C	21640-12846	4	3.5- 4.5	.	.		+1076	1083	314	579	796	967	1076	11368.2072
1	8406.774	3	21253-12846	-1	4.5- 4.5	.	.		-80							11891.9146
1	8123.160	4	20969-12846	-35	3.5- 4.5	.	.		0140	149						12307.1127
1	7547.440	6C	20394-12846	-20	3.5- 4.5	.	.		-1211	-1211	-356	657	905	1088*	1211*	13245.9032
1	7146.121	3	19992-12846	1	5.5- 4.5	.	.		+0460	474						13989.7811
1	7059.550	3	19906-12846	-35	5.5- 4.5	.	.		+0370*	353						14161.3376
1	6941.764	5	19788-12846	4	5.5- 4.5	.	.		+0309	334	127	223				14401.6237
1	6254.128	5	19100-12846	-7	4.5- 4.5	.	.		-0493	-490	-112	225	330	419	493	15985.0721
1	6123.280	3	18969-12846	75	4.5- 4.5	.	.		0160	140						16326.6566
1	5881.694	5	18728-12846	-11	5.5- 4.5	.	.		-0848	-851	-190	378	554	710	848	16997.2621
1	5012.515	6	17859-12846	-5	5.5- 4.5	.	.		-1102	-1100	-283	532	753	944	1102	19944.6204
1	3964.060	2S	16810-12846	-10	5.5- 4.5	.	.		-102*							25219.7806
1	5531.000	4	7315-12846	-70	4.5- 4.5	.	.		0160	-178*						18074.9775
<hr/>																
1	7770.586	5Q	20400-12630	-29	2.5- 1.5	.	.		-0520*	-799*						12865.5232
1	6554.920	3	19185-12630	10	2.5- 1.5	.	.		0080	-70*						15251.5487
1	5564.120	3	18194-12630	20	2.5- 1.5	.	.		0200	-228*						17967.3875
1	9799.100	6	2831-12630	-150	2.5- 1.5	.	.		+0320*	318*						10202.2225
<hr/>																
1	14721.739	3	27216-12494	-21	5.5- 4.5	.	.		-0555	-500*	-211	352	470	555*		6790.8016

TABLE III (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS	CALC	HFS 2	DIAGONAL 3	4	COMPONENTS 5	6	WAVELENGTH
1	13317.379	2	25812-12494	39	5.5- 4.5	.	.		-0285*	-200*						7506.9179
1	12856.870	5	25351-12494	-35	3.5- 4.5	.	.			10*						7775.8031
1	10026.950	3	22521-12494	30	3.5- 4.5	.	.		+0620*	538*						9970.3890
1	16195.688	4	28150-11954	18	5.5- 4.5	.	.			-103*						6172.7748
1	14946.985	2S	26901-11954	10	3.5- 4.5	.	.			-28*						6688.4658
1	14930.285	3	26884-11954	0	5.5- 4.5	.	.			-106						6695.9471
1	14698.502	2	26652-11954	-18	5.5- 4.5	.	.		-0279*	-255						6801.5373
1	14379.980	1	26334-11954	20	3.5- 4.5	.	.			-28*						6952.1950
1	14155.688	2	26110-11954	8	5.5- 4.5	.	.		-0257*	-268*						7062.3508
1	14045.653	4	25999-11954	13	5.5- 4.5	.	.		-0739	-739	-206	370	519	635	739	7117.6783
1	14016.231	5	25970-11954	1	5.5- 4.5	.	.		-0694*	-864	-239	419	550			7132.6194
1	13857.724	2	25812-11954	14	5.5- 4.5	.	.			-78*						7214.2040
1	13557.266	2	25511-11954	56	3.5- 4.5	.	.		-0165*	-217						7374.0871
1	13397.284	2	25351-11954	9	3.5- 4.5	.	.		+0127*	132*						7462.1444
1	13357.367	2	25311-11954	2	5.5- 4.5	.	.		-0256*	-278*						7484.4443
1	13259.553	4S	25213-11954	63	5.5- 4.5	.	.			-178*						7539.6564
1	13106.757	3	25061-11954	47	5.5- 4.5	.	.		+0229*	223						7627.5527
1	12730.029	3	24684-11954	4	5.5- 4.5	.	.		+0434*	428	111	227				7853.2810
1	12581.575	4	24535-11954	-35	3.5- 4.5	.	.		-0341*	-360	-131	226				7945.9449
1	12537.104	3	24491-11954	24	5.5- 4.5	.	.		+0204*	137						7974.1305
1	12156.010	3	24110-11954	20	3.5- 4.5	.	.			-34*						8224.1227
1	12012.718	3	23967-11954	-27	4.5- 4.5	.	.			22*						8322.2234
1	11047.860	2	23002-11954	-10	4.5- 4.5	.	.		-0480	-453	-110	220				9049.0428
1	10840.471	4S	22794-11954	21	4.5- 4.5	.	.			20*						9222.1607
1	10627.160	3S	22581-11954	10	4.5- 4.5	.	.			68						9407.2708
1	10567.291	5	22521-11954	1	3.5- 4.5	.	.		+0664	660	143	294	437	561	664	9460.5679
1	10460.420	3	22414-11954	20	5.5- 4.5	.	.		0040*	-95						9557.2241
1	10454.980	3	22409-11954	0	4.5- 4.5	.	.		+0390*	318						9562.1970
1	10429.600	4	22383-11954	-10	3.5- 4.5	.	.		0080	-493						9585.4663
1	10322.440	5	22276-11954	0	5.5- 4.5	.	.		-1125	-1128	-325*	591	810	986	1125	9684.9759
1	10288.970	6	22243-11954	-60	4.5- 4.5	.	.		-0300*	-302	-089	195*	250*			9716.4812
1	10256.325	5	22210-11954	15	4.5- 4.5	.	.		-0922	-923	-277	462	673	814	922	9747.4080
1	10098.186	4	22052-11954	-19	4.5- 4.5	.	.		0040	22*						9900.0543
1	9966.069	4	21920-11954	49	5.5- 4.5	.	.		0080	-98*						10031.2966
1	9924.864	4S	21879-11954	-51	3.5- 4.5	.	.			62						10072.9436
1	9896.960	5	21851-11954	-5	5.5- 4.5	.	.		+0390	420						10101.3438
1	9596.730	4	21551-11954	80	5.5- 4.5	.	.		0160*	-227*						10417.3614
1	9401.353	5	21355-11954	-7	5.5- 4.5	.	.		+0457	452	129	240	339			10633.8535
1	9058.449	3	21012-11954	-1	5.5- 4.5	.	.		-0885	-883	-239	435	604*	740	885	11036.3949
1	7834.090	3	19788-11954	0	5.5- 4.5	.	.		0240	248						12761.2336
1	6246.170	3	18200-11954	-10	4.5- 4.5	.	.		+0410	384						16005.4381
1	5904.842	3	17859-11954	-8	5.5- 4.5	.	.		-1194	-1186	-350	632	877	1054	1194	16930.6298
1	4553.360	3	16507-11954	-20	4.5- 4.5	.	.		+0360*	368						21955.8119
1	4199.930	2	16154-11954	-10	4.5- 4.5	.	.		0110	120						23803.4254
1	12812.457	3	24632-11819	17	3.5- 3.5	.	.		+0476*	531*						7802.7573
1	12614.022	4	24433-11819	2	2.5- 3.5	.	.		+0247*	-299*						7925.5054
1	12482.796	4C	24302-11819	-34	3.5- 3.5	.	.		-1446	-1483*	-445	819	1115	1328	1446	8008.8231
1	12290.568	3C	24110-11819	-32	3.5- 3.5	.	.		-0874	-1147*	-357	652	874			8134.0840
1	12237.213	4	24056-11819	-27	2.5- 3.5	.	.		-0786*	-784*	-261	465			786*	8169.5493
1	12206.404	4	24026-11819	-36	3.5- 3.5	.	.		-0725	-634	-197	359	493	592	725	8190.1693
1	11597.226	5C	23416-11819	41	2.5- 3.5	.	.		-1200*	-1193	-373	683	929	1110	1180	8620.3838
1	10701.870	4	22521-11819	-30	3.5- 3.5	.	.		-0446	-453						9341.5982
1	10589.580	3	22409-11819	-10	4.5- 3.5	.	.		-0824	-795	-218	414	584	714	824	9440.6552

TABLE III (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS CALC	HFS 2	DIAGONAL 3	4	COMPONENTS 5	6	WAVELENGTH
1	10484.170	5	22303-11819	0	2.5- 3.5	.	.	.	0100 -126						9535.5738
1	9821.000	6	21640-11819	10	3.5- 3.5	.	.	.	0160 -116						10179.4724
1	9150.149	8C	20969-11819	14	3.5- 3.5	.	.	.	-1014 -1050	-305	566	779	956	1014	10925.7913
1	9060.114	5C	20879-11819	-21	3.5- 3.5	.	.	.	-1644 -1661	-509	933	1290	1500	1644	11034.3667
1	9017.679	5	20836-11819	-16	4.5- 3.5	.	.	.	-0985 -984	-287	528	723	882	985	11087.0296
1	8581.058	6C	20400-11819	-167	2.5- 3.5	.	.	.	-1490* -1490	-490*	882	1177	1384	1490*	11650.3855
1	7881.130	7	19700-11819	20	2.5- 3.5	.	.	.	0160 -193						12685.0657
1	7365.485	6C	19185-11819	-35	2.5- 3.5	.	.	.	-0745* -761	-263	461	585*	681	745*	13573.1271
1	7281.047	6	19100-11819	-28	4.5- 3.5	.	.	.	-1693 -1689	-493	914	1242	1509	1693	13730.5343
1	6297.620	6C	18117-11819	10	3.5- 3.5	.	.	.	+0285* 228	101	185*			285*	15874.6775
1	4687.968	5C	16507-11819	-22	4.5- 3.5	.	.	.	-0775 -745	-223	409	562	699	775	21325.3831
1	4639.620	7	16459-11819	20	4.5- 3.5	.	.	.	0190 190						21547.6083
1	4334.558	4	16154-11819	8	4.5- 3.5	.	.	.	-0988 -993	-268	507	710	874	988	23064.1091
1	6363.623	3C	5456-11819	3	3.5- 3.5	.	.	.	+0900* 1021	258	502*	705*	865*		15710.0264
<hr/>															
1	16661.490	2	28221-11560	-70	5.5- 5.5	.	.	.	-1328* -1329	-305	567	817	1026	1328	6000.2023
1	14685.404	2	26245-11560	-11	6.5- 5.5	.	.	.	-0409* -359						6807.6037
1	14439.871	3	25999-11560	11	5.5- 5.5	.	.	.	-0790 -744	-204	388	532	677	790	6923.3597
1	14251.960	1S	25812-11560	30	5.5- 5.5	.	.	.	-83* -82						7014.6443
1	14222.175	1	25782-11560	25	5.5- 5.5	.	.	.	-82 -156						7029.3349
1	14097.663	2	25657-11560	43	5.5- 5.5	.	.	.	-83* -83						7091.4191
1	14029.527	1	25589-11560	-3	4.5- 5.5	.	.	.	-0822 -833	-229	417	572	720	822	7125.8596
1	13991.821	3	25551-11560	21	5.5- 5.5	.	.	.	-1210 -1188	-318	597	832	1040	1210	7145.0630
1	13914.193	6	25474-11560	33	6.5- 5.5	.	.	.	-0651* -669*	-203	370	496			7184.9259
1	13782.375	4	25342-11560	-45	5.5- 5.5	.	.	.	+0126* 87*						7253.6447
1	13717.577	2	25277-11560	57	4.5- 5.5	.	.	.	-0359* -395	-109	210	293			7287.9091
1	13681.079	4	25241-11560	-6	5.5- 5.5	.	.	.	-1114 -1106	-308	566	770	940	1114	7307.3517
1	13515.035	3	25075-11560	5	6.5- 5.5	.	.	.	-0257* -298	-104					7397.1294
1	13237.968	3	24798-11560	68	6.5- 5.5	.	.	.	-0901 -914	-230	438	646	785	901	7551.9501
1	12830.086	3	24390-11560	26	6.5- 5.5	.	.	.	-0581* -560	-159	295	406			7792.0359
1	12601.551	3	24161-11560	1	5.5- 5.5	.	.	.	-0262* -223*						7933.3489
1	12576.043	3	24136-11560	28	6.5- 5.5	.	.	.	-0187* -83*						7949.4402
1	12528.101	3	24088-11560	6	5.5- 5.5	.	.	.	-0606 -591	-201	353	492	606		7979.8609
1	12339.653	3	23899-11560	3	5.5- 5.5	.	.	.	-0485 -482	-117	251	347	435	485	8101.7279
1	12277.017	4	23837-11560	17	6.5- 5.5	.	.	.	0109* -61						8143.0622
1	11783.608	5	23343-11560	38	4.5- 5.5	.	.	.	-0345* -333*	-120	226				8484.0341
1	11696.981	4	23257-11560	11	6.5- 5.5	.	.	.	-0470 -458	-130	250	330	*	470	8546.8665
1	11442.090	2	23002-11560	0	4.5- 5.5	.	.	.	15* -2						8737.2625
1	11234.711	5	22794-11560	41	4.5- 5.5	.	.	.	63						8898.5424
1	11065.816	2	22625-11560	6	6.5- 5.5	.	.	.	+0300 313						9034.3593
1	11021.400	4S	22581-11560	30	4.5- 5.5	.	.	.	-1149 -1133	-336	612	837	1013	1149	9070.7677
1	10849.210	3	22409-11560	10	4.5- 5.5	.	.	.	-0260* -307						9214.7322
1	10716.671	6C	22276-11560	11	5.5- 5.5	.	.	.	-0940 -928	-280	514	702	841	940	9328.6963
1	10683.260	5	22243-11560	10	4.5- 5.5	.	.	.	-0400* -425						9357.8712
1	10650.555	5	22210-11560	25	4.5- 5.5	.	.	.	-0953 -921	-264	495	693	833	953	9386.6068
1	10444.160	2	22004-11560	10	6.5- 5.5	.	.	.	0150* -103*						9572.1033
1	10413.749	3	21973-11560	4	5.5- 5.5	.	.	.	+0400* 415	060*	161	247	354	400*	9600.0566
1	10360.300	4	21920-11560	60	5.5- 5.5	.	.	.	-0180 -232*						9649.5836
1	10291.191	6	21851-11560	6	5.5- 5.5	.	.	.	+0440* 447	120	218*	327	398		9714.3842
1	9990.900	4	21551-11560	30	5.5- 5.5	.	.	.	0180 -171						10006.3651
1	9795.586	6	21355-11560	6	5.5- 5.5	.	.	.	-1357 -1199	-354	641	877	1062	1211*	10205.8824
1	9693.330	3	21253-11560	5	4.5- 5.5	.	.	.	-0245* -257						10313.5457
1	9480.195	5	21040-11560	10	6.5- 5.5	.	.	.	0070 124						10545.4169
1	9325.360	8	20885-11560	20	5.5- 5.5	.	.	.							10720.5098
1	9276.692	4	20836-11560	-13	4.5- 5.5	.	.	.							10776.7526

TABLE III (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS CALC	HFS 2	DIAGONAL 3	COMPONENTS 4	5	6	WAVELENGTH
1	8228.320	6	19788-11560	10	5.5- 5.5	.	.	.	0190 243						12149.8244
1	7715.674	5	19275-11560	-1	6.5- 5.5	.	.	.	-0450* -423	-123	227	313	410	450*	12957.0865
1	7673.372	2	19233-11560	2	4.5- 5.5	.	.	.	-0820* -805						13028.5169
1	7168.280	4	18728-11560	25	5.5- 5.5	.	.	.	-0962 -942	-283*	473	690	841	962	13946.5351
1	6299.071	6C	17859-11560	1	5.5- 5.5	.	.	.	-1209 -1191	-360	653	888	1085*	1209	15871.0207
1	5447.570	6	17007-11560	0	6.5- 5.5	.	.	.	-0550* -531	-184	321	423	513		18351.7976
1	4773.882	5	16334-11560	7	6.5- 5.5	.	.	.	-1057 -1059	-299	555	760	919	1057	20941.5969
1	4594.188	2	16154-11560	28	4.5- 5.5	.	.	.	0080 115						21760.6931
1	4183.100	2	15743-11560	-5	5.5- 5.5	.	.	.	-0360* -346						23899.1945
1	19736.710	4	31214-11478	60	5.5- 5.5	.	.	.	-129						5065.2884
1	17233.229	1	28711-11478	-16	6.5- 5.5	.	.	.	-370						5801.1345
1	15629.256	0	27107-11478	66	4.5- 5.5	.	.	.	177						6396.4890
1	15031.799	2	26509-11478	39	5.5- 5.5	.	.	.	-115*						6650.7272
1	14878.355	2	26356-11478	-55	6.5- 5.5	.	.	.	-0820* -746	-183	353	534			6719.3182
1	14631.818	2	26110-11478	8	5.5- 5.5	.	.	.	95*						6832.5353
1	14304.067	1	25782-11478	7	5.5- 5.5	.	.	.	+0283* 286						6989.0911
1	14179.597	1	25657-11478	67	5.5- 5.5	.	.	.	212						7050.4425
1	13864.319	2	25342-11478	-11	5.5- 5.5	.	.	.	-0229* -301*						7210.7723
1	13833.485	3S	25311-11478	-10	5.5- 5.5	.	.	.	85*						7226.8448
1	13763.018	4	25241-11478	23	5.5- 5.5	.	.	.	-27						7263.8466
1	13735.617	2	25213-11478	-3	5.5- 5.5	.	.	.	+0174* 185*						7278.3373
1	13645.679	4	25123-11478	9	5.5- 5.5	.	.	.205	-15*						7326.3087
1	13582.957	2	25061-11478	117	5.5- 5.5	.	.	.	+0550* 586	095	252	376	466		7360.1396
1	13506.978	3	24985-11478	23	5.5- 5.5	.	.	.	+0339* 276						7401.5419
1	13206.152	3	24684-11478	-3	5.5- 5.5	.	.	.	+0811 791	223	430	586	719	811	7570.1443
1	12911.968	4	24390-11478	-2	6.5- 5.5	.	.	.	-0504 -546	-129	24	357	438	504	7742.6220
1	12836.237	4S	24314-11478	2	4.5- 5.5	.	.	.	54						7788.3021
1	12663.340	3	24141-11478	20	5.5- 5.5	.	.	.	+0092* 160*						7894.6390
1	12657.884	2S	24136-11478	-41	6.5- 5.5	.	.	.	145*						7898.0419
1	12425.748	2S	23903-11478	68	6.5- 5.5	.	.	.	132						8045.5927
1	12358.937	5	23837-11478	27	6.5- 5.5	.	.	.	-114						8089.0865
1	12301.712	4	23779-11478	-3	5.5- 5.5	.	.	.	-0760 -785	-207	388	544	669	760	8126.7154
1	12101.216	5	23579-11478	21	4.5- 5.5	.	.	.	-0177* -235						8261.3615
1	12062.685	6	23540-11478	5	5.5- 5.5	.	.	.	+0662 665	174	328	462	573	662	8287.7503
1	11865.484	6	23343-11478	4	4.5- 5.5	.	.	.	+0314 307	075	144	208	264	314	8425.4910
1	11826.595	3	23304-11478	40	6.5- 5.5	.	.	.	-0253* -295						8453.1964
1	11778.919	4S	23257-11478	39	6.5- 5.5	.	.	.	35*						8487.4114
1	11575.363	2	23053-11478	23	5.5- 5.5	.	.	.	-0315* -301	-069	138	202			8636.6656
1	11524.015	5	23002-11478	15	4.5- 5.5	.	.	.	0020* -90						8675.1485
1	11316.620	3	22794-11478	40	4.5- 5.5	.	.	.	0370* 383*						8834.1350
1	11146.113	3	22624-11478	3	5.5- 5.5	.	.	.	-136						8969.2752
1	11103.307	4	22581-11478	27	4.5- 5.5	.	.	.	+0400 431	105	199				9003.8541
1	10931.124	6	22409-11478	14	4.5- 5.5	.	.	.	+0690 681	192	354	491	600	690	9145.6800
1	10798.583	4	22276-11478	13	5.5- 5.5	.	.	.	-0768 -765	-220	403	557	671	768	9257.9338
1	10765.130	3S	22243-11478	-30	4.5- 5.5	.	.	.	61						9286.7033
1	10526.060	3	22004-11478	0	6.5- 5.5	.	.	.	-57						9497.6255
1	10442.150	5	21920-11478	0	5.5- 5.5	.	.	.	0120 265*						9573.9458
1	10373.101	6	21851-11478	6	5.5- 5.5	.	.	.	+0785 783	191	369	529	671	785	9637.6754
1	10072.800	6	21551-11478	20	5.5- 5.5	.	.	.	0140* 136*						9925.0050
1	9975.500	4P	21453-11478	-30	4.5- 5.5	.	.	.	-0560 -571						10021.8128
1	9562.102	6	21040-11478	7	5.5- 5.5	.	.	.	-0825 -831	-241	437	597	724	825	10455.0868
1	9407.240	7	20885-11478	-10	5.5- 5.5	.	.	.	0100* 111						10627.1989
1	9358.618	5	20836-11478	3	4.5- 5.5	.	.	.	+0495* 492	126	235	337	415*	485*	10682.4119
1	8514.585	7	19992-11478	5	5.5- 5.5	.	.	.	+0741 751	170	334	488	627	741	11741.3398

TABLE III (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEAMAN G1	DATA DG	WIDTH OBS CALC	HFS 2	DIAGONAL 3	COMPONENTS 4	5	6	WAVELENGTH
1	8428.044	6	19906-11478	-1	5.5- 5.5	.	.	.	+0632 630	168	313	437	543	632	11861.9027
1	8168.400	4	19646-11478	-10	4.5- 5.5	.	.	.	0040 83						12238.9507
1	7755.289	4	19233-11478	9	4.5- 5.5	.	.	.	-0420 -437						12890.9000
1	7250.163	6	18728-11478	-2	5.5- 5.5	.	.	.	-0591 -574	-155	291	404	502	591	13789.0233
1	6722.315	5	18200-11478	5	4.5- 5.5	.	.	.	+0789* 747	233	414	569*	699*	789*	14871.7634
1	6380.981	8C	17859-11478	1	5.5- 5.5	.	.	.	-0826 -823	-246	446	608	733	826	15667.2908
1	6184.924	4	17663-11478	-1	4.5- 5.5	.	.	.	+0590* 576	163	293	400	498	590*	16163.9316
1	5776.960	2	17255-11478	10	6.5- 5.5	.	.	.	0160 185*						17305.4160
1	5529.510	7	17007-11478	30	6.5- 5.5	.	.	.	-0170 -163						18079.8480
1	5332.520	4	16810-11478	-10	5.5- 5.5	.	.	.	0170 175*						18747.7410
1	5029.511	3	16507-11478	1	4.5- 5.5	.	.	.	+0690 731	190	350	501			19877.2224
1	4981.130	5C	16459-11478	10	4.5- 5.5	.	.	.	+1654 1666	*	840	1178	1434	1654	20070.2871
1	4855.792	6	16334-11478	7	6.5- 5.5	.	.	.	-0692 -691	-202	366	497	602	692	20588.3430
1	4265.013	5P	15743-11478	-2	5.5- 5.5	.	.	.	22						23440.1911
<hr/>															
1	12656.223	3	24056-11400	-7	2.5- 1.5	.	.	.	+0120* 107*						7899.0784
1	8300.121	3	19700-11400	21	2.5- 1.5	.	.	.	+0670* 698*	185	337	474	571	670	12044.7209
<hr/>															
1	15628.550	5	27011-11382	90	7.5- 6.5	.	.	.	-1508 -1540	-411	749	1051	1300	1508	6396.7780
1	14995.103	1	26377-11382	3	7.5- 6.5	.	.	.	-346						6667.0029
1	14727.242	3S	26110-11382	22	5.5- 6.5	.	.	.	-93*						6788.2641
1	14274.952	4S	25657-11382	12	5.5- 6.5	.	.	.	24						7003.3461
1	14169.129	4	25551-11382	9	5.5- 6.5	.	.	.	-0619* -653	-187	341	482			7055.6513
1	14091.491	5	25474-11382	11	6.5- 6.5	.	.	.	-1015 -1008	-270	506	704	869	1015	7094.5252
1	13928.946	3	25311-11382	41	5.5- 6.5	.	.	.	+0124* -103*						7177.3158
1	13908.450	4	25291-11382	15	6.5- 6.5	.	.	.	+0211* 213						7187.8927
1	13858.437	4	25241-11382	32	5.5- 6.5	.	.	.	-0188* -215						7213.8328
1	13831.052	2S	25213-11382	22	5.5- 6.5	.	.	.	-3*						7228.1161
1	13678.237	2	25061-11382	-13	5.5- 6.5	.	.	.	-0388 398	-166	285	388			7308.8700
1	13602.372	2	24985-11382	7	5.5- 6.5	.	.	.	88						7349.6342
1	13415.257	4	24798-11382	37	6.5- 6.5	.	.	.	-118						7452.1470
1	12754.143	5	24136-11382	13	7.5- 6.5	.	.	.	-1274 -1298	-360	666	919	1127	1274	7838.4329
1	12753.344	4	24136-11382	9	6.5- 6.5	.	.	.	0107* -43*						7838.9240
1	12521.084	3S	23903-11382	-6	5.5- 6.5	.	.	.	-56						7984.3330
1	11859.866	5	23242-11382	-4	7.5- 6.5	.	.	.	-0749 -752	-232	414	556	667	749	8429.4822
1	11670.749	6	23053-11382	-1	5.5- 6.5	.	.	.	-0487 -489	-140	263	360	432	487	8566.0771
1	11513.190	2S	22895-11382	10	6.5- 6.5	.	.	.	-3*						8683.3051
1	11031.949	3	22414-11382	9	5.5- 6.5	.	.	.	80	179					9062.0940
1	10855.210	3	22238-11382	20	7.5- 6.5	.	.	.	-0290 -312						9209.6389
1	10675.770	4	22058-11382	-5	6.5- 6.5	.	.	.	-0230 -239						9364.4366
1	10621.470	3	22004-11382	0	6.5- 6.5	.	.	.	-0280* -245						9412.3104
1	10591.070	3	21973-11382	5	5.5- 6.5	.	.	.	-0743 -741	-209	398	545	653	743	9439.3271
1	10537.592	5S	21920-11382	32	5.5- 6.5	.	.	.	77*						9487.2316
1	10209.901	3	21592-11382	11	6.5- 6.5	.	.	.	-0503 -506	-145	265	375			9791.7292
1	10168.216	6S	21551-11382	26	5.5- 6.5	.	.	.	-52*						9831.8709
1	9972.905	4	21355-11382	5	5.5- 6.5	.	.	.	+0658 627	158	304	427	545	658	10024.4205
1	9657.508	7	21040-11382	3	6.5- 6.5	.	.	.	-1016 -1019	-312	560	753	905	1016	10351.8012
1	9629.994	4	21012-11382	4	5.5- 6.5	.	.	.	-0710* -708	-204	377	509	624	710*	10381.3776
1	9574.790	4	20957-11382	30	7.5- 6.5	.	.	.	0060 -37						10441.2322
1	9502.674	4S	20885-11382	14	5.5- 6.5	.	.	.	-77						10520.4712
1	9170.770	4	20553-11382	10	7.5- 6.5	.	.	.	-1183 -1141	-306*	573	788	985	1183*	10901.2239
1	9056.446	3	20439-11382	-4	5.5- 6.5	.	.	.	-53*						11038.8358
1	8668.112	2	20050-11382	2	6.5- 6.5	.	.	.	-43						11533.3802
1	8523.478	4	19906-11382	23	5.5- 6.5	.	.	.	+0590* 442	169	317	438		590*	11729.0894
1	8445.076	4	19827-11382	6	7.5- 6.5	.	.	.	-1508 -1506	-413	768	1056	1305*	1508	11837.9796

TABLE III (Contd.)

C	WAVENUMBER	J	T2 - T1	O-C	J2 - J1	OBS	ZEEMAN	DATA	WIDTH		HFS	DIAGONAL			COMPONENTS	WAVELENGTH
						G2	G1	DG	OBS	CALC	2	3	4	5	6	
1	8405.630	6	19788-11382	0	5.5- 6.5	.	.		+0420*	423	089	179	265	349	420*	11893.5331
1	7893.010	6	19275-11382	15	6.5- 6.5	.	.		-0240*	-243						12665.9730
1	5872.392	2	17255-11382	32	6.5- 6.5	.	.			-3*						17024.1861
1	4360.440	2	15743-11382	15	5.5- 6.5	.	.		0170	-166						22927.2088
1	15993.029	0	27322-11329	9	4.5- 4.5	.	.			-603						6250.9951
1	14670.914	4	25999-11329	14	5.5- 4.5	.	.		-0701	-722	140	291	442	586	701	6814.3274
1	14482.992	1S	25812-11329	22	5.5- 4.5	.	.			-61*						6902.7463
1	14328.661	3	25657-11329	1	5.5- 4.5	.	.			-134						6977.0948
1	14182.512	3S	25511-11329	42	3.5- 4.5	.	.			-200						7048.9934
1	13912.133	4	25241-11329	8	5.5- 4.5	.	.		-0319*	-373						7185.9898
1	13731.982	2	25061-11329	12	5.5- 4.5	.	.		-0213*	240						7280.2639
1	13656.078	5	24985-11329	-7	5.5- 4.5	1.015	1.14	.13		-70						7320.7298
1	13355.306	3	24684-11329	21	5.5- 4.5	.	.		+0500*	445	153	279				7485.5993
1	12998.651	2	24327-11329	81	5.5- 4.5	.	.		+0121*	89						7690.9892
1	12973.484	2	24302-11329	4	3.5- 4.5	.	.		-0261*	-353*						7705.9089
1	12781.245	3	24110-11329	-5	3.5- 4.5	.	.			-17*						7821.8118
1	12637.965	2	23967-11329	-40	4.5- 4.5	.	.			39*						7910.4903
1	12570.644	2	23899-11329	-46	5.5- 4.5	.	.		-0588*	-569	153	317	408			7952.8544
1	10221.870	3P	21551-11329	-40	5.5- 4.5	.	.		+0190*	-210*						9780.2639
1	8663.717	3	19992-11329	7	5.5- 4.5	.	.		+0420*	405	141	237	322			11539.2310
1	8656.900	4	19985-11329	-5	4.5- 4.5	.	.		0220*	111						11548.3177
1	8459.380	8	19788-11329	30	5.5- 4.5	.	.			265	101	195				11817.9627
1	7771.720	4	19100-11329	-5	4.5- 4.5	.	.		-0566*	-559	143	277	391	487		12863.6459
1	7059.000	3	18388-11329	-60	3.5- 4.5	.	.		+0360*	357						14162.4410
1	6871.490	4	18200-11329	50	4.5- 4.5	.	.		0090	401						14548.9078
1	6788.256	4	18117-11329	-4	3.5- 4.5	.	.		+1361	1358	445	785	1048	1243	1361	14727.2991
1	6530.109	6	17859-11329	-1	5.5- 4.5	.	.		-1171	-1169	309	580	813	1009	1171	15309.4966
1	4825.140	2	16154-11329	-60	4.5- 4.5	.	.		0150	137						20719.1318
1	23192.551	0	34472-11279	1	7.5- 7.5	.	.			-71*						4310.5168
1	21063.001	1	32342-11279	71	7.5- 7.5	.	.		+0500*	629*	117	236				4746.3341
1	17587.590	4	28867-11279	10	7.5- 7.5	.	.		+0889	868	215	415	589	747	889	5684.2501
1	14965.882	3	26245-11279	7	6.5- 7.5	.	.		+0660	653	158	304	437	562	660	6680.0204
1	14194.631	2	25474-11279	11	6.5- 7.5	.	.			-176						7042.9751
1	13765.111	4	25044-11279	41	7.5- 7.5	.	.		+0573	576	146	271	397	486	573	7262.7421
1	13616.629	4	24896-11279	9	7.5- 7.5	.	.		-0231*	-277						7341.9389
1	13518.357	4	24798-11279	-3	6.5- 7.5	.	.		+0729	714	169	315	464	590	729	7395.3116
1	13110.505	3	24390-11279	-15	6.5- 7.5	.94	.94			98						7625.3722
1	12857.273	5	24136-11279	3	7.5- 7.5	.	.		-0427*	-466	129	247				7775.5594
1	12856.422	6	24136-11279	-53	6.5- 7.5	.	.		+0488*	789*	139	278	400	488		7776.0741
1	12681.559	4	23961-11279	-41	7.5- 7.5	.	.		+0206*	249						7883.2971
1	12624.196	5	23903-11279	-34	6.5- 7.5	.	.		+0783	776	186	359	517	656	783	7919.1181
1	12127.497	3	23407-11279	7	8.5- 7.5	.	.		0276	-154*						8243.4586
1	12025.098	6	23304-11279	-7	6.5- 7.5	.	.		+0367	349	077	153	227	299	367	8313.6556
1	11963.027	6S	23242-11279	17	7.5- 7.5	.	.			80						8356.7917
1	11856.687	4	23136-11279	-33	6.5- 7.5	.	.		+0598*	573*	141	267	390			8431.7423
1	11852.738	5	23132-11279	-2	8.5- 7.5	.	.		-0850	-861	217	409	579	726	850	8434.5515
1	11346.259	4	22625-11279	-11	6.5- 7.5	.	.		+1027	1010	265	492	700	880	1027	8811.0581
1	10971.410	7	22251-11279	0	6.5- 7.5	.	.		0130*	158						9112.0978
1	10958.350	4	22238-11279	20	7.5- 7.5	.	.		+0522	520	141	262	366	456	522	9122.9575
1	10778.911	5	22058-11279	-4	6.5- 7.5	.	.		+0595	593	148	279	397	501	595	9274.8300
1	10724.610	6	22004-11279	0	6.5- 7.5	.	.		+0602	587	149	282	402	507	602	9321.7906
1	10313.030	5	21592-11279	0	6.5- 7.5	.	.		+0230*	326	088	150*	230*			9693.8129
1	9876.966	6	21156-11279	-19	7.5- 7.5	.	.		+0718	718	141	293	441	585	718	10121.7921

TABLE III (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS	ZERMAN	DATA	WIDTH		HFS	DIAGONAL		COMPONENTS		WAVELENGTH
						G2	G1	DG	OBS	CALC	2	3	4	5	6	
1	9760.630	5	21040-11279	-15	6.5- 7.5	.	.		-0.180	-187						10242.4331
1	9273.900	5	20553-11279	0	7.5- 7.5	.	.		-0.290	-309						10779.9970
1	8548.213	9C	19827-11279	3	7.5- 7.5	.	.		-0.673	-674	-188	346	478	585	673	11695.1502
1	7996.123	6	19275-11279	-12	6.5- 7.5	.	.		+0.587	589	144	274	391	494	587	12502.6402
1	13257.449	3	24489-11231	-41	2.5- 2.5	.	.		+0.172*	-14*						7540.8530
1	13202.152	3	24433-11231	52	2.5- 2.5	.	.		+0.538	578*	238	424	538			7572.4379
1	12825.326	3	24056-11231	6	2.5- 2.5	.	.			93*						7794.9279
1	12185.379	2W	23416-11231	114	2.5- 2.5	.	.			-316						8204.3010
1	9162.516	5	20394-11231	36	3.5- 2.5	.	.		-1.537	-1533	-412	787	1103	1378	1537*	10911.0443
1	7953.600	4	19185-11231	0	2.5- 2.5	.	.		0.160	116						12569.4842
1	7156.440	4	18388-11231	-50	3.5- 2.5	.	.		+0.180	104						13969.6090
1	6962.789	4	18194-11231	-1	2.5- 2.5	.	.			-42						14358.1362
1	5775.440	3	5456-11231	-100	3.5- 2.5	.	.		+0.330	144						17309.9705
1	22499.919	0S	33392-10892	19	3.5- 3.5	.	.			51						4443.2131
1	14697.519	3	25589-10892	39	4.5- 3.5	.	.			-227*						6801.9922
1	14510.867	1S	25403-10892	-23	3.5- 3.5	.	.			-27*						6889.4862
1	14466.515	3	25358-10892	85	3.5- 3.5	.	.		+0.608	617	161	310	435	547	608	6910.6084
1	14459.453	2	25351-10892	8	3.5- 3.5	.	.			-17*						6913.9836
1	14385.508	1S	25277-10892	38	4.5- 3.5	.	.			-57*						6949.5234
1	13597.053	1	24489-10892	83	2.5- 3.5	.	.			73*						7352.5093
1	13541.634	2	24433-10892	54	2.5- 3.5	.	.		+0.711*	665*	187	367				7382.5996
1	13410.436	3	24302-10892	46	3.5- 3.5	.	.		-0.510	-519*	-177	303	398			7454.8260
1	13218.244	4	24110-10892	84	3.5- 3.5	.	.		-0.227*	-183*						7563.2191
1	13074.896	2	23967-10892	-19	4.5- 3.5	.	.			-127*						7646.1397
1	12687.291	3	23579-10892	56	4.5- 3.5	.	.		-0.716	-747	-197	360	515	629	716	7879.7355
1	12325.061	5	23217-10892	11	3.5- 3.5	.	.		-0.385*	-377*	-117	228				8111.3198
1	12110.077	5	23002-10892	37	4.5- 3.5	.	.		-0.576	-602	-146	270	395	493	576	8255.3166
1	11902.667	4	22794-10892	47	4.5- 3.5	.	.		-0.129*	-129*						8399.1703
1	11710.530	4	22602-10892	50	3.5- 3.5	.	.		+0.223*	197						8536.9778
1	11689.334	4	22581-10892	14	4.5- 3.5	.	.		-0.146*	-81						8552.4578
1	11629.503	4	22521-10892	43	3.5- 3.5	.	.		+0.511	511	118	238	349	444	511	8596.4583
1	11517.180	3	22409-10892	30	4.5- 3.5	.	.		+0.180	169						8680.2969
1	11351.225	4	22243-10892	25	4.5- 3.5	.	.		-0.436	-451	-102	198	287	369	436	8807.2034
1	11318.540	3C	22210-10892	60	4.5- 3.5	.	.		-1.072*	-1072	-295	544	750*	950*	1072*	8832.6364
1	11160.395	4	22052-10892	20	4.5- 3.5	.	.		-0.150	-127*						8957.7971
1	10987.112	4	21879-10892	27	3.5- 3.5	.	.		0.100	-87						9099.0754
1	9508.832	4Q	20400-10892	47	2.5- 3.5	.	.		-0.500*	-526						10513.6580
1	8808.768	5	19700-10892	98	2.5- 3.5	.	.		+0.765	771	236	433	585	697	765	11349.2179
1	8293.130	5	19185-10892	50	2.5- 3.5	.	.		0.200*	203						12054.8745
1	8208.660	3P	19100-10892	25	4.5- 3.5	.	.		-0.730	-725	-211					12178.9237
1	7495.970	4	18388-10892	0	3.5- 3.5	.	.		0.220	191						13336.8545
1	7308.350	2	18200-10892	0	4.5- 3.5	.	.		+0.230	235						13679.2388
1	7302.284	3	18194-10892	14	2.5- 3.5	.	.		0.120*	45						13690.6022
1	5905.968	2	16798-10892	68	3.5- 3.5	.	.			11*						16927.4019
1	8060.992	4S	2831-10892	-88	2.5- 3.5	.	.			45						12402.0278
1	14742.156	1	25511-10769	6	3.5- 2.5	.	.		-0.313*	-365						6781.3967
1	14633.648	3	25403-10769	-12	3.5- 2.5	.	.			-26*						6831.6808
1	14589.115	3L	25358-10769	-85	3.5- 2.5	.	.		+0.490	618	185	351	490			6852.5346
1	14582.253	2S	25351-10769	38	3.5- 2.5	.	.			-16*						6855.7592
1	13766.548	3	24535-10769	-2	3.5- 2.5	.	.		-0.573*	-508	-138	236	354			7261.9840
1	13719.748	1S	24489-10769	8	2.5- 2.5	.	.			74*						7286.7558
1	13688.204	3	24457-10769	9	3.5- 2.5	.	.		-0.431*	-326*	-119	222				7303.5480

TABLE III (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS CALC	HFS 2	DIAGONAL 3	COMPONENTS 4	COMPONENTS 5	COMPONENTS 6	WAVELENGTH
1	13533.156	3	24302-10769	-4	3.5- 2.5	.	.	.	-0484* -518*	-132	255				7387.2245
1	13340.986	2	24110-10769	56	3.5- 2.5	.	.	.	-182*						7493.6343
1	12642.833	3	23412-10769	-47	3.5- 2.5	.	.	.	23						7907.4444
1	11752.212	5	22521-10769	-18	3.5- 2.5	.	.	.	+0465 512	139	270	374	465		8506.6992
1	11109.809	5S	21879-10769	-46	3.5- 2.5	.	.	.	-86						8998.5846
1	10871.320	3C	21640-10769	0	3.5- 2.5	.	.	.	+0866 849	243	457	630*		866	9195.9913
1	7424.969	2S	18194-10769	-71	2.5- 2.5	.	.	.	46						13464.3879
1	6028.630	2	16798-10769	-40	3.5- 2.5	.	.	.	0080 12*						16582.9868
1	7938.308	2	2831-10769	-2	2.5- 2.5	.	.	.	0140 44						12593.6976
1	25483.140	2S	35985-10502	10	7.5- 7.5	.	.	.	-31*						3923.0523
1	22789.502	1	33292-10502	12	7.5- 7.5	.	.	.	-81*	-358					4386.7528
1	21839.785	1S	32342-10502	15	7.5- 7.5	.	.	.	-81*						4577.5168
1	17897.503	1S	28400-10502	-7	7.5- 7.5	.	.	.	-25*						5585.8206
1	17489.140	4	27991-10502	0	7.5- 7.5	.	.	.	-1155 -1155	-302	574	791	996	1150	5716.2482
1	15509.208	2	26012-10502	38	8.5- 7.5	.	.	.	-1227 -1234	-336	622	873	1064	1227	6446.0010
1	15005.061	2	25507-10502	1	8.5- 7.5	.	.	.	-41*						6662.5784
1	14971.438	2	25474-10502	-22	6.5- 7.5	.	.	.	-0883 -886	-241	455	616	772	883	6677.5414
1	14929.529	1	25432-10502	89	8.5- 7.5	.	.	.	-112						6696.2862
1	14788.390	4	25291-10502	-25	6.5- 7.5	.	.	.	+0337* 335						6760.1954
1	14572.318	5	25075-10502	-12	6.5- 7.5	.	.	.	-0779 -804	-224	411	569	698	779	6860.4333
1	14295.193	3S	24798-10502	-7	6.5- 7.5	.	.	.	4						6993.4298
1	13887.361	5	24390-10502	1	5.5- 7.5	.	.	.	-0596 -612	-163	304	431	528	596	7198.8081
1	13634.119	6	24136-10502	9	7.5- 7.5	1.08	1.08	.	-1156* -1176	-319	597	838	1031	1156*	7332.5205
1	13633.326	4	24136-10502	11	6.5- 7.5	.	.	.	79*						7332.9470
1	13458.469	2	23961-10502	29	7.5- 7.5	.	.	.	-0217* -461						7428.2197
1	13401.055	3S	23903-10502	-15	6.5- 7.5	.	.	.	66						7460.0446
1	12801.891	3	23304-10502	-54	6.5- 7.5	.	.	.	-0350* -361	-110	228*				7809.1973
1	12739.840	4	23242-10502	-10	7.5- 7.5	.	.	.	-0628 -630	-192	343	464	557	628	7847.2332
1	12688.408	2	23191-10502	8	6.5- 7.5	.	.	.	-31*						7879.0418
1	12629.563	4C	23132-10502	-17	8.5- 7.5	.	.	.	-1559 -1571	-404	758	1108	1330	1559	7915.7528
1	12393.199	5	22895-10502	39	6.5- 7.5	1.05	1.05	.	119*						8066.7234
1	12123.122	2	22625-10502	12	6.5- 7.5	.	.	.	-0375* 300	-093					8246.4335
1	11748.232	6	22251-10502	-18	5.5- 7.5	.	.	.	-0545 -552	-149	277	386	476	545	8509.5811
1	11735.172	5	22238-10502	2	7.5- 7.5	.	.	.	-0170* -190	-042	085				8519.0514
1	11555.728	2	22058-10502	-27	6.5- 7.5	.	.	.	0090* -117						8651.3407
1	11501.440	5	22004-10502	-10	6.5- 7.5	.	.	.	-0080* -123						8692.1761
1	11089.869	5	21592-10502	-1	6.5- 7.5	.	.	.	-0380 -384	-100	191				9014.7644
1	10537.475	6	21040-10502	-10	6.5- 7.5	.	.	.	-0893 -897	-273	490	663	796	893	9487.3369
1	9888.209	3S	20391-10502	-56	6.5- 7.5	.	.	.	-99*						10110.2835
1	9548.067	5S	20050-10502	-23	6.5- 7.5	.	.	.	79						10470.4551
1	9325.047	7	19827-10502	-3	7.5- 7.5	.	.	.	-1384* -1384	-	*	694	967	1195	10720.8696
1	22321.640	0	32342-10020	20	7.5- 8.5	.	.	.	-127*						4478.7008
1	21740.309	2	31761-10020	-11	9.5- 8.5	.	.	.	-0939 -1047*	-287	507	666	890	939	4598.4623
1	19829.230	4	29850-10020	80	8.5- 8.5	.	.	.	-0953 -947	-235	454				5041.6543
1	19391.590	4	29412-10020	-20	9.5- 8.5	.	.	.	-1136 -1147*	-276	538				5155.4386
1	18692.280	2	28713-10020	210	9.5- 8.5	.	.	.	-1929* -1910	-482*	880*	1279*	1615*	1929*	5348.3146
1	17846.760	6	27867-10020	0	8.5- 8.5	1.13	1.13	.	-0538 -527*	-129					5601.7028
1	16990.320	4	27011-10020	30	7.5- 8.5	.	.	.	-1440 -1464	-348	676	963	1224	1440	5884.0736
1	16848.040	4	26869-10020	-20	8.5- 8.5	.	.	.	-1029 -1022	-246	470	676	863	1029	5933.7645
1	16211.898	3	26232-10020	-2	9.5- 8.5	.	.	.	-1871 -1867	-445	853	1215	1569	1871	6166.6027
1	15991.160	5	26012-10020	140	8.5- 8.5	.	.	.	-1301 -1280	-322	639	873	1102	1301	6251.7257
1	15023.787	4	25044-10020	27	7.5- 8.5	.	.	.	-180						6654.2739
1	14875.346	5H	24896-10020	36	7.5- 8.5	.	.	.	-1031 -1033	-228	454	669	860	1031	6720.6774

TABLE III (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEHAN G1	DATA DG	WIDTH		HFS 2	DIAGONAL		COMPONENTS		WAVELENGTH
									OBS	CALC		3	4	5	6	
1	14746.824	1	24767-10020	-46	8.5- 8.5	.	.	.	-0304*	-391						6779.2500
1	14507.758	2	24528-10020	28	7.5- 8.5	.	.	.	-0604	-615	-147	298	431	536	604	6890.9626
1	13470.657	3	23491-10020	7	7.5- 8.5	.	.	.	-0741	-735*	-235	401	536	651	741	7421.4988
1	13386.193	3	23407-10020	13	8.5- 8.5	.	.	.	-0909	-910*	-210	377	562	780	909	7468.3271
1	13221.723	4	23242-10020	23	7.5- 8.5	.	.	.	-0667	-676	-187	339	482	588	667	7561.2290
1	13111.443	6C	23132-10020	13	8.5- 8.5	1.12	1.12	.	-1625	-1617	-393	752	1075	1364	1625	7624.8266
1	13083.860	2	23104-10020	-60	7.5- 8.5	.	.	.		153*						7640.9011
1	13024.499	4	23045-10020	9	9.5- 8.5	.	.	.		-77*						7675.7258
1	12217.010	6B	22238-10020	-10	7.5- 8.5	1.10	1.10	.	-0215*	-236	-052	109	161	215		8183.0591
1	11135.667	3	21156-10020	-8	7.5- 8.5	.	.	.		-38						8977.6890
1	9806.900	4P	19827-10020	0	7.5- 8.5	.	.	.	-1440*	-1430	-367	675*	970*	1230*	1430*	10194.1081
<hr/>																
1	23411.835	0S	33366- 9955	35	5.5- 6.5	.	.	.		37*						4270.1422
1	18445.281	0	28400- 9955	41	7.5- 6.5	.	.	.		-182*						5419.9342
1	16044.843	1W	25999- 9955	-47	5.5- 6.5	.	.	.		-599						6230.8085
1	16015.380	3	25970- 9955	-100	5.5- 6.5	.	.	.	-0700*	-724	-191	362	509			6242.2712
1	15519.260	4	25474- 9955	70	6.5- 6.5	.	.	.	-1057	-1043	-260	497	706	901	1057	6441.8258
1	15336.106	0	25291- 9955	-39	6.5- 6.5	.	.	.		178						6518.7590
1	14941.220	4	24896- 9955	30	7.5- 6.5	.	.	.	-1135	-1144	-257	492*	744	949	1135	6691.0465
1	14842.944	3	24798- 9955	14	6.5- 6.5	.	.	.		-153						6735.3486
1	14729.280	3	24684- 9955	5	5.5- 6.5	.	.	.	+0579*	568	154	289				6787.3248
1	14573.635	3C	24528- 9955	25	7.5- 6.5	.	.	.	-0692	-726	-345	605	692			6859.8133
1	14536.402	1	24491- 9955	72	5.5- 6.5	.	.	.		277						6877.3839
1	14372.619	2	24327- 9955	59	5.5- 6.5	.	.	.	+0224*	212						6955.7556
1	14181.103	4	24136- 9955	58	6.5- 6.5	.	.	.	0210*	-78*						7049.6938
1	14006.135	1	23961- 9955	-35	7.5- 6.5	.	.	.	-0538*	-618	-153	287				7137.7608
1	13948.759	2	23903- 9955	-41	6.5- 6.5	.	.	.		-91						7167.1210
1	13882.048	4	23837- 9955	18	6.5- 6.5	.	.	.	-0279*	-337						7201.5633
1	13613.264	1	23568- 9955	19	6.5- 6.5	.	.	.		-13*						7343.7537
1	13349.685	4	23304- 9955	10	6.5- 6.5	.	.	.	-0489*	-518	-134	256	350			7488.7512
1	13098.472	4	23053- 9955	12	5.5- 6.5	.845	.845	.	-0518	-524	-120	242	352	447	518	7632.3773
1	12940.874	3S	22895- 9955	-16	6.5- 6.5	.	.	.		-38*						7725.3273
1	12787.853	4	22743- 9955	-87	6.5- 6.5	.	.	.	-0397*	-430	-117	211				7817.7700
1	12459.652	5	22414- 9955	2	5.5- 6.5	.926	.926	.		45						8023.6997
1	12321.676	4	22276- 9955	-14	5.5- 6.5	.	.	.	-0982	-988	-279	515	710	865	982	8113.5481
1	12295.972	4	22251- 9955	-8	6.5- 6.5	.	.	.	-0657	-709	-172	332	453	594	657	8130.5091
1	12282.920	4	22238- 9955	20	7.5- 6.5	.	.	.	-0290*	-347						8139.1487
1	12103.476	5	22058- 9955	-9	6.5- 6.5	.	.	.	-0269*	-274	-062	121	178	269*		8259.8189
1	12049.189	4	22004- 9955	9	6.5- 6.5	.	.	.	0225*	-280						8297.0333
1	11965.276	5S	21920- 9955	6	5.5- 6.5	.	.	.		42*						8355.2210
1	11595.919	4	21551- 9955	19	5.5- 6.5	.995	.884	.111	0025*	-87*						8621.3554
1	11085.221	5	21040- 9955	6	6.5- 6.5	.	.	.	-1046	-1054	-297	545	742	914	1046	9018.5443
1	11057.690	2	21012- 9955	-10	5.5- 6.5	.	.	.	-0731	-743	-211	371	521	641	731	9040.9984
1	10930.370	7	20885- 9955	0	5.5- 6.5	.	.	.		-112						9146.3109
1	10484.170	5	20439- 9955	10	5.5- 6.5	.	.	.	0100	-88*						9535.5738
1	10095.812	7	20050- 9955	-8	6.5- 6.5	.	.	.		-78						9902.3823
1	10037.700	3	19992- 9955	0	5.5- 6.5	.	.	.	+0530	528						9959.7110
1	9833.344	4	19788- 9955	4	5.5- 6.5	.	.	.	+0390*	388	105	195	278	350*		10166.6938
1	9320.700	6	19275- 9955	-5	6.5- 6.5	.	.	.	-0260*	-278						10725.8696
1	8773.308	5	18728- 9955	23	5.5- 6.5	.	.	.	-0788	-797	-212	370	560	691	788	11395.0894
1	7904.097	8	17859- 9955	-3	5.5- 6.5	.	.	.	-1046	-1046	-303	556	763	925	1046	12648.2065
1	7300.085	4S	17255- 9955	15	6.5- 6.5	.	.	.		-38*						13694.7262
1	7052.595	4	17007- 9955	-5	6.5- 6.5	.	.	.	-0381*	-386	-132	226				14175.3030
1	6855.657	6S	16810- 9955	7	5.5- 6.5	.	.	.		-48*						14582.5083
1	6378.902	4	16334- 9955	-3	6.5- 6.5	.	.	.	-0914	-914	-260	479	645	798	914	15672.3970

TABLE III (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH		HFS 2	DIAGONAL 3	COMPONENTS 4	5	6	WAVELENGTH
									OBS	CALC						
1	5788.130	7	15743-	9955	-5	5.5-	6.5	.	-0180*	-201						17272.0198
1	4383.771	4	14338-	9955	1	5.5-	6.5	.	+1435	1423	327	628	935	1206	1435	22805.1871
1	22191.661	3	32061-	9869	31	5.5-	4.5	.	-2063	-2057	-526	1002	1415	1769	2063	4504.9335
1	21345.300	2	31214-	9869	70	5.5-	4.5	.	-2077	-2081	-556	1039	1465	1798	2077	4683.5612
1	14814.749	4	24684-	9869	14	5.5-	4.5	.	-1156	-1161	-305	584	808	986	1156	6748.1673
1	14444.812	5C	24314-	9869	-3	4.5-	4.5	.	-1898	-1898	-538	995	1384	1675	1898	6920.9915
1	13862.297	3C	23731-	9869	132	5.5-	4.5	.	-1854	-1717*	-583	1098	1497	1854		7211.8241
1	13709.780	4	23579-	9869	5	4.5-	4.5	.	-2200*	-2187	-590	1130				7292.0539
1	13671.263	5	23540-	9869	3	5.5-	4.5	.	-1289	-1287	-358	666	926	1120	1289	7312.5984
1	13474.066	5C	23343-	9869	6	4.5-	4.5	.	-1634	-1645	-456	846	1177	1441	1634	7419.6211
1	13132.564	0	23002-	9869	-16	4.5-	4.5	.	-2015*	-2042	-500	1007				7612.5636
1	12733.009	6	22602-	9869	-11	3.5-	4.5	.	-1242	-1243	-368	672	919	1106	1242	7851.4431
1	12711.876	3	22581-	9869	16	4.5-	4.5	.	-1551	-1521	-434	795	1096	1382	1551	7864.4958
1	12652.001	6	22521-	9869	1	3.5-	4.5	.	-0922	-929	-285	514	692	829	922	7901.7144
1	12514.313	4C	22383-	9869	-7	3.5-	4.5	.	-2121	-2082	-620	1130	1557	1863	2121	7988.6530
1	12407.147	3	22276-	9869	-3	5.5-	4.5	.	-2749	-2717	-757	1398	1941		2749	8057.6548
1	12373.719	4	22243-	9869	-21	4.5-	4.5	.	-1850*	-1891	-499	928	1331	1641		8079.4230
1	12204.579	5	22074-	9869	29	5.5-	4.5	.	-0624	-644	-177	330	457	557	624	8191.3941
1	11981.664	5	21851-	9869	-11	5.5-	4.5	.	-1170	-1169	-343	625	855	1039	1170	8343.7930
1	11771.101	6	21640-	9869	11	3.5-	4.5	.	-0590	-592	-188	326	437	526	590	8493.0485
1	11383.760	2	21253-	9869	-55	4.5-	4.5	.	-1762	-1755	-516	952	1282	1562	1762	8782.0322
1	11100.275	7C	20969-	9869	40	3.5-	4.5	.	-1517	-1526	-425	796	1102	1344	1517	9006.3135
1	11015.852	4	20885-	9869	22	5.5-	4.5	.	-1824	-1841	-495	921	1291	1598	1824	9075.3361
1	11010.242	3C	20879-	9869	7	3.5-	4.5	.	-2137	-2137	-630	1159	1585	1909	2137	9079.9602
1	10967.205	6	20836-	9869	10	4.5-	4.5	.	-1459	-1460	-406	756	1048	1285	1459	9115.5915
1	10524.498	2	20394-	9869	-2	3.5-	4.5	.	-2900	-2886	-855	1567	2155			9499.0351
1	10123.173	4	19992-	9869	13	5.5-	4.5	.	-1210	-1201	-361	656	896	1084	1210	9875.6179
1	10116.358	6C	19985-	9869	3	4.5-	4.5	.	-1492	-1495	-396	749	1053	1302	1492	9882.2708
1	9776.992	8C	19646-	9869	2	4.5-	4.5	.	-1855*	-1869	*	924	1303	1616	1855*	10225.2922
1	9231.182	6C	19100-	9869	7	4.5-	4.5	.	-2168	-2165	-612	1132	1566	1911	2168	10829.8824
1	8858.741	6	18728-	9869	-4	5.5-	4.5	.	-2515*	-2526	-674*	1279*	1780	2192	2515	11285.1957
1	8518.511	8	18388-	9869	1	3.5-	4.5	.	-1245	-1249	-302	595	862	1083	1245	11735.9284
1	8330.901	7	18200-	9869	11	4.5-	4.5	.	-1204	-1205	-298	576	828	1040	1204	12000.2195
1	8247.650	6	18117-	9869	-60	3.5-	4.5	.	-0250*	-248						12121.3488
1	7989.566	7C	17859-	9869	6	5.5-	4.5	.	-2776	-2775	-770*	1431*	1983	2430	2776	12512.9011
1	7793.507	5C	17663-	9869	2	4.5-	4.5	.	-1371	-1376	-378	705	984*	1208	1371	12827.6851
1	6638.115	7	16507-	9869	25	4.5-	4.5	.	-1222	-1221	-342	613	882	1077	1222	15060.4019
1	6589.700	8C	16459-	9869	0	4.5-	4.5	.	-0400*	-286	-089	165*	268	365*		15171.0519
1	6284.679	7C	16154-	9869	29	4.5-	4.5	.	-1472	-1469	-389	736	1034	1281	1472	15907.3656
1	5873.580	5	15743-	9869	-15	5.5-	4.5	.	-1935	-1930	-529	1003*	1372	1680	1935	17020.7428
1	4469.240	7	14338-	9869	10	5.5-	4.5	.	-0300*	-306						22369.0643
1	23130.352	0	32824-	9694	-8	6.5-	5.5	.		-23*						4322.1083
1	21647.751	0	31341-	9694	-89	4.5-	5.5	.		-73*						4618.1240
1	16570.340	3	26264-	9694	10	6.5-	5.5	.	-0611	-638	-177	321	442			6033.2085
1	16305.960	5	25999-	9694	10	5.5-	5.5	.	-0663	-684	-188	350	481	591	663	6131.0300
1	16276.500	5	25970-	9694	-40	5.5-	5.5	.	-0809	-809	-236	428	580	710	809	6142.1271
1	15381.140	5	25075-	9694	20	6.5-	5.5	.	-1026	-1046	-293	533	730	900	1026	6499.6728
1	15291.121	0S	24985-	9694	-14	5.5-	5.5	.		-32						6537.9367
1	14797.414	2	24491-	9694	24	5.5-	5.5	.		192						6756.0727
1	14696.155	6	24390-	9694	5	6.5-	5.5	.	-0834	-854	-258	460	614	741	834	6802.6235
1	14633.648	3	24327-	9694	28	5.5-	5.5	.		127						6831.6808
1	14620.471	4	24314-	9694	56	4.5-	5.5	.		-254						6837.8381
1	14447.554	2	24141-	9694	54	5.5-	5.5	.		-148*						6919.6780

TABLE III (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS CALC	HFS 2	DIAGONAL 3	COMPONENTS 4	COMPONENTS 5	COMPONENTS 6	WAVELENGTH
1	14394.187	3S	24088- 9694	2	5.5- 5.5	.	.	.	-23*						6945.3331
1	14209.872	2	23903- 9694	12	6.5- 5.5	.	.	.	-176						7035.4210
1	14085.890	3	23779- 9694	-5	5.5- 5.5	.	.	.	-1040 -1093	-307	565	765	940	1040	7097.3462
1	13885.396	4	23579- 9694	21	4.5- 5.5	.	.	.	-0474* -543	-157	279				7199.8268
1	13846.859	4	23540- 9694	-1	5.5- 5.5	.	.	.	+0370* 357						7219.8647
1	13610.748	4	23304- 9694	13	6.5- 5.5	.	.	.	-0561* -603	-179	314	431			7345.1113
1	13497.169	3	23191- 9694	-21	6.5- 5.5	.	.	.	-273*						7406.9209
1	13442.360	2	23136- 9694	10	6.5- 5.5	.	.	.	-0294* -379*						7437.1216
1	13100.773	2	22794- 9694	13	4.5- 5.5	.	.	.	75*						7631.0367
1	12887.457	3	22581- 9694	-3	4.5- 5.5	.	.	.	123						7757.3480
1	12715.284	3	22409- 9694	-6	4.5- 5.5	.	.	.	+0382* 373	093	175	248			7862.3880
1	12549.332	5	22243- 9694	-8	4.5- 5.5	.98	.98	.	+0196 -247						7966.3605
1	12516.625	4C	22210- 9694	5	4.5- 5.5	.	.	.	-0846 -868	-266	479	656	778	846	7987.1774
1	12364.525	3	22058- 9694	-20	6.5- 5.5	.	.	.	-0334* -359	-096	191	280			8085.4307
1	11856.991	4	21551- 9694	31	5.5- 5.5	.	.	.	0119* -172*						8431.5261
1	11661.653	5	21355- 9694	-17	5.5- 5.5	.	.	.	+0531 507	128	247	353	454	531	8572.7586
1	10356.910	3	20050- 9694	30	6.5- 5.5	.	.	.	-0150* -163						9652.7421
1	10291.940	3	19985- 9694	-15	4.5- 5.5	.	.	.	+0140* 149						9713.6773
1	10094.300	7	19788- 9694	-100	5.5- 5.5	.	.	.	+0300 303						9903.8655
1	9952.620	4	19646- 9694	30	4.5- 5.5	.	.	.	0160 -225						10044.8519
1	9581.760	6	19275- 9694	-5	6.5- 5.5	.	.	.	-0318* -363	-108	195*	*	*	318*	10433.6370
1	9034.341	4	18728- 9694	-4	5.5- 5.5	.	.	.	-0880 -882	-255	462	632	773	880	11065.8455
1	8165.157	5C	17859- 9694	-3	5.5- 5.5	.	.	.	-1130 -1131	-343	620	838	999	1130	12243.8117
1	7116.740	4	16810- 9694	30	5.5- 5.5	.	.	.	0100 -133*						14047.5371
1	6813.685	3	16507- 9694	-5	4.5- 5.5	.	.	.	+0429 423	084	184*	268	362*	429	14672.3360
1	6639.971	4	16334- 9694	6	6.5- 5.5	.	.	.	-0993 -999	-304	535	724	875	993	15056.1922
1	6460.280	4	16154- 9694	30	4.5- 5.5	.	.	.	0165 175						15474.9768
<hr/>															
1	27887.647	1S	37412- 9524	27	1.5- 2.5	.	.	.	-25*						3584.7939
1	15834.120	4	25358- 9524	-50	3.5- 2.5	.	.	.	+0527 569	193	347				6313.7297
1	14964.786	1	24489- 9524	76	2.5- 2.5	.	.	.	25*						6680.5096
1	14909.277	4L	24433- 9524	-43	2.5- 2.5	.	.	.	+0582* 617*	228	400				6705.3821
1	14585.941	4	24110- 9524	41	3.5- 2.5	.	.	.	-0207* -231*						6854.0257
1	14532.570	3	24056- 9524	30	2.5- 2.5	.	.	.	132*						6879.1974
1	14501.742	4L	24026- 9524	2	3.5- 2.5	.	.	.	+0222 282	102	182	222			6893.8214
1	13887.890	4	23412- 9524	40	3.5- 2.5	.	.	.	-26						7198.5339
1	12859.564	3	22383- 9524	44	3.5- 2.5	.	.	.	-0685 -690	-165	320	456	595	685	7774.1741
1	12779.526	4C	22303- 9524	56	2.5- 2.5	.	.	.	+0768 790	262	481	687	768		7822.8640
1	12716.763	4S	22241- 9524	-32	2.5- 2.5	.	.	.	-85						7861.4735
1	11445.450	2	20969- 9524	15	3.5- 2.5	.	.	.	-0150* -134						8734.6976
1	9660.820	4	19185- 9524	0	2.5- 2.5	.	.	.	0160* 155						10348.2523
1	8863.712	5	18388- 9524	2	3.5- 2.5	.	.	.	0060 143						11278.8667
1	8670.007	4S	18194- 9524	-3	2.5- 2.5	.	.	.	-3						11530.8594
1	6693.280	3P	2831- 9524	-60	2.5- 2.5	.	.	.	+0290* 93						14936.2762
<hr/>															
1	22441.626	0S	31949- 9507	31	4.5- 3.5	.	.	.	-199						4454.7547
1	15850.900	2	25358- 9507	20	3.5- 3.5	.	.	.	+0511 535	209					6307.0459
1	14981.453	1S	24489- 9507	33	2.5- 3.5	.	.	.	-9*						6673.0775
1	14926.005	2	24433- 9507	-25	2.5- 3.5	.	.	.	+0551 583*	229	386	551			6697.8672
1	14806.755	5	24314- 9507	30	4.5- 3.5	.	.	.	-0528 -540	-	208	332	437	528	6751.8105
1	14602.715	3	24110- 9507	105	3.5- 3.5	.	.	.	-0234* -265*						6846.1525
1	14549.247	1S	24056- 9507	-3	2.5- 3.5	.	.	.	98*						6871.3121
1	13836.006	2	23343- 9507	36	4.5- 3.5	.	.	.	-0242* -287						7225.5280
1	13287.046	5	22794- 9507	-24	4.5- 3.5	.	.	.	-0202* -211*						7524.0556
1	12901.623	2	22409- 9507	23	4.5- 3.5	.	.	.	87						7748.8304

TABLE III (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS CALC	HFS 2	DIAGONAL 3	COMPONENTS 4 5 6	WAVELENGTH
1	12544.859	5	22052-	9507	34 4.5- 3.5	.83	.83		0184* -209*				7969.2010
1	12371.537	4	21879-	9507	2 3.5- 3.5	.82	.82		-0125* -169				8080.8480
1	11775.250	1	21282-	9507	130 2.5- 3.5	.	.		-0500* -451				8490.0560
1	11623.951	6	21131-	9507	-39 2.5- 3.5	.	.		-0939 -964	-279	510	706 851 939	8600.5643
1	11462.151	2	20969-	9507	6 3.5- 3.5	.	.		-168				8721.9706
1	10893.184	5L	20400-	9507	-51 2.5- 3.5	.	.		-0573 -608	-171	332	467 573	9177.5337
1	10193.079	6	19700-	9507	-41 2.5- 3.5	.	.		+0647 689	231	*		9807.8889
1	9677.500	7	19185-	9507	-30 2.5- 3.5	.	.		0100 121				10330.4162
1	8880.472	4	18388-	9507	52 3.5- 3.5	.	.		109				11257.5802
1	7000.010	5	16507-	9507	10 4.5- 3.5	.	.		0120 137				14281.7899
1	6646.620	4	16154-	9507	60 4.5- 3.5	.	.		0130 -111				15041.1306
1	6676.514	3	2831-	9507	-116 2.5- 3.5	.	.		0040 127				14973.7840
1	23110.736	0S	32061-	8950	71 5.5- 6.5	.	.		-73				4325.7769
1	21189.208	0S	30139-	8950	13 6.5- 6.5	.	.		17*				4718.0636
1	19916.706	1S	28867-	8950	61 7.5- 6.5	.	.		256				5019.5106
1	19449.703	1S	28400-	8950	-32 7.5- 6.5	.	.		73*				5140.0346
1	19041.390	4	27991-	8950	25 7.5- 6.5	.	.		-1033 -1057	-263	490	69J 869 1033	5250.2560
1	18934.660	4	27885-	8950	15 7.5- 6.5	.	.		-1010 -1023	-260	494	685 857 1010	5279.8508
1	17702.240	4	26652-	8950	-25 5.5- 6.5	.	.		140				5647.4352
1	17019.980	4	25970-	8950	5 5.5- 6.5	.	.		-0454 -469	-122	236		5873.8196
1	16831.590	5	25782-	8950	-85 5.5- 6.5	.	.		318				5939.5637
1	16601.270	3	25551-	8950	-55 5.5- 6.5	.	.		-0384 -433	-105	198		6021.9678
1	16124.570	6	25075-	8950	15 6.5- 6.5	.	.		-0685 -706	-187	348	484 600 685	6200.0003
1	16034.640	5	24985-	8950	70 5.5- 6.5	.	.		308				6234.7732
1	15733.690	2	24684-	8950	-80 5.5- 6.5	.	.		+0800* 823	222	418		6354.0313
1	15190.931	0	24141-	8950	-4 5.5- 6.5	.	.		192*				6581.0572
1	15185.486	2S	24136-	8950	-54 6.5- 6.5	.	.	.213	177*				6583.4170
1	15010.610	2	23961-	8950	-55 7.5- 6.5	.	.		-0315* -363				6660.1154
1	14953.287	3	23903-	8950	-8 6.5- 6.5	.	.	.296	164				6685.6469
1	14949.217	4	23899-	8950	42 5.5- 6.5	.	.		+0230* -191				6687.4672
1	14886.555	4	23837-	8950	30 6.5- 6.5	.	.		+0412* -82				6715.6169
1	14590.274	4	23540-	8950	-21 5.5- 6.5	.	.		+0701 697	179	331	478 598 701	6851.9902
1	14438.833	1	23389-	8950	18 7.5- 6.5	.	.		17*				6923.8575
1	14354.198	5	23304-	8950	28 6.5- 6.5	.	.		-0207* -263				6964.6821
1	14306.519	2	23257-	8950	24 6.5- 6.5	.	.		+0286* 67*				6987.8933
1	14292.062	4	23242-	8950	-13 7.5- 6.5	.	.		-0502* -532	-154	278		6994.9618
1	14240.636	1	23191-	8950	11 6.5- 6.5	.	.		67*				7020.2223
1	14102.987	5	23053-	8950	32 5.5- 6.5	.	.		-0251* -269				7088.7420
1	13945.359	3	22895-	8950	-26 6.5- 6.5	.	.		+0185* 217*				7168.8684
1	13675.318	3	22625-	8950	-17 6.5- 6.5	.	.		+0396* 398	110	207		7310.4301
1	13673.736	3S	22624-	8950	11 5.5- 6.5	.	.		-104				7311.2759
1	13464.158	4	22414-	8950	13 5.5- 6.5	.	.		+0346* 300	079			7425.0811
1	13300.476	5	22251-	8950	1 6.5- 6.5	.	.		-0403* -454	-110	208	293	7516.4582
1	13123.575	2	22074-	8950	-10 5.5- 6.5	.	.		+1359 1340	352	675	943 1172 1359	7617.7779
1	13107.972	6S	22058-	8950	-8 6.5- 6.5	.980	.765	.216	-19				7626.8457
1	13053.670	4S	22004-	8950	-5 6.5- 6.5	1.010	.765	.245	-25				7658.5728
1	12969.784	4	21920-	8950	19 5.5- 6.5	1.025	.765	.260	+0234* 297*				7708.1072
1	12642.095	5	21592-	8950	0 6.5- 6.5	.	.		-0202* -286				7907.9060
1	12600.383	4	21551-	8950	-12 5.5- 6.5	.985	.765	.220	+0136* 168*				7934.0843
1	12434.040	3	21384-	8950	-15 7.5- 6.5	.	.		-0460 -344	-153	274		8040.2272
1	12405.093	5	21355-	8950	-12 5.5- 6.5	.	.		+0856 847	237	439	609 748 856	8058.9890
1	11934.890	6	20885-	8950	25 5.5- 6.5	.84	.84		0276* 143				8376.4933
1	11488.630	2	20439-	8950	-25 5.5- 6.5	.	.		167*				8701.8681
1	11100.275	3	20050-	8950	-40 6.5- 6.5	.	.		177				9006.3135

TABLE III (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEAMAN G1	DATA DG	WIDTH OBS CALC	HFS 2	DIAGONAL 3	COMPONENTS 4	COMPONENTS 5	COMPONENTS 6	WAVELENGTH
1	10955.651	2	19906- 8950	-9	5.5- 6.5	.	.	.	+0670 662						9125.2050
1	10877.286	6	19827- 8950	11	7.5- 6.5	.	.	.	-1282 -1286	-335	625	878	1101	1282	9190.9475
1	10837.830	4	19788- 8950	-5	5.5- 6.5	.	.	.	+0639 643	169	311	445	555	639	9224.4080
1	10325.193	7	19275- 8950	-7	6.5- 6.5	.	.	.	-23						9682.3936
1	9777.770	8	18728- 8950	-10	5.5- 6.5	.	.	.	-0545* -542						10224.4785
1	8908.590	6	17859- 8950	-5	5.5- 6.5	.	.	.	-078R -791	-236	429	585	702	788	11222.0480
1	8304.500	5	17255- 8950	-65	6.5- 6.5	.	.	.	0180* 217*						12038.3697
1	8057.120	9	17007- 8950	25	6.5- 6.5	.	.	.	-0120* -131						12407.9879
1	7860.150	7	16810- 8950	5	5.5- 6.5	.	.	.	+0220* 207*						12718.9242
1	7383.396	8C	16334- 8950	-4	6.5- 6.5	.	.	.	-0655 -659	-201	357	480	581	655	13540.2007
1	6792.616	7	15743- 8950	-14	5.5- 6.5	.	.	.	54						14717.8460
1	21933.277	0	30639- 8706	-113	5.5- 5.5	.	.	.	80*						4558.0046
1	16767.740	2	25474- 8706	10	6.5- 5.5	.	.	.	-0995 -1000	-262	496	691	858	995	5962.1813
1	16507.280	6	25213- 8706	0	5.5- 5.5	.	.	.	5*						6056.2563
1	16091.499	1	24798- 8706	29	6.5- 5.5	.	.	.	-110						6212.7426
1	14872.922	5	23579- 8706	67	4.5- 5.5	.	.	.	-0359* -415	-115					6721.7727
1	14637.136	1	23343- 8706	-4	4.5- 5.5	.	.	.	127						6830.0529
1	14598.266	1	23304- 8706	51	6.5- 5.5	.	.	.	-0412* -475	-140					6848.2390
1	14429.834	2	23136- 8706	4	6.5- 5.5	.	.	.	-0206* -251*						6928.1755
1	14347.010	5	23053- 8706	10	5.5- 5.5	.	.	.	-0475* -481	-128	245	331			6968.1715
1	14189.427	1S	22895- 8706	-3	6.5- 5.5	.	.	.	5*						7045.5581
1	14088.302	3	22794- 8706	62	4.5- 5.5	.	.	.	+0214* 203*						7096.1311
1	14036.470	2	22743- 8706	-10	6.5- 5.5	.	.	.	-0392* -387	-129					7122.3349
1	13919.400	2	22625- 8706	20	6.5- 5.5	.	.	.	+0151* 186						7182.2381
1	13708.205	3	22414- 8706	15	5.5- 5.5	.	.	.	88						7292.8917
1	13702.777	5	22409- 8706	7	4.5- 5.5	.	.	.	+0511 501	132	242	347	438	511	7295.7806
1	13544.519	6	22251- 8706	-1	5.5- 5.5	.	.	.	-0646 -666	-179	331	461	568	646	7381.0271
1	13536.809	4	22243- 8706	-11	4.5- 5.5	.	.	.	-119						7385.2310
1	13504.116	3	22210- 8706	16	4.5- 5.5	.	.	.	-0818 -740	-180	374	517	643	818	7403.1105
1	13367.666	4	22074- 8706	36	5.5- 5.5	.	.	.	+1140 1128	282	555	781	989	1140	7478.6779
1	13213.839	5	21920- 8706	29	5.5- 5.5	1.035	.930	.104	85*						7565.7404
1	13144.856	0W	21851- 8706	101	5.5- 5.5	.	.	.	603						7605.4449
1	12844.449	5S	21551- 8706	9	5.5- 5.5	.995	.930	.065	-44*						7783.3226
1	12747.171	4	21453- 8706	-19	4.5- 5.5	.	.	.	-0775 -751	-241	433	570	694	775	7842.7201
1	12649.138	3	21355- 8706	-12	5.5- 5.5	.	.	.	+0649* 635	166	316	446			7903.5029
1	12333.747	5	21040- 8706	-8	6.5- 5.5	.	.	.	-1009 -1011	-304	542	736	892	1009	8105.6074
1	12306.311	3	21012- 8706	71	5.5- 5.5	.	.	.	-0796 -700	-218	452	655	796		8123.6783
1	12178.910	3	20885- 8706	0	5.5- 5.5	.	.	.	-69						8208.6588
1	11344.367	5	20050- 8706	7	6.5- 5.5	.776	.930	.154	0020* -35						8812.5276
1	11279.440	5Q	19985- 8706	5	4.5- 5.5	.	.	.	+0280* 277	074	138	193	245		8863.2547
1	11199.730	2	19906- 8706	25	5.5- 5.5	.	.	.	+0460* 450						8926.3360
1	11081.890	5	19788- 8706	10	5.5- 5.5	.	.	.	+0428 431	100	198	287			9021.2551
1	10940.071	6	19646- 8706	1	4.5- 5.5	.	.	.	-97						9138.2005
1	10569.245	5	19275- 8706	0	6.5- 5.5	.	.	.	-0250* -235						9458.8189
1	10526.949	4	19233- 8706	9	4.5- 5.5	.	.	.	-0612 -617	-188	343	464			9496.8234
1	10394.256	5	19100- 8706	1	4.5- 5.5	.	.	.	-0360* -393	-145	248	358			9618.0602
1	10021.825	7	18728- 8706	0	5.5- 5.5	.	.	.	-0775* -754	-216	393	542	661	*	9975.4877
1	9493.976	8	18200- 8706	6	4.5- 5.5	.	.	.	+0565* 567	172	309	414	500	565*	10530.1096
1	9152.638	8C	17859- 8706	-2	5.5- 5.5	.	.	.	-1010 -1003	-307	554	746	899	1010	10922.8201
1	8956.588	4	17663- 8706	3	4.5- 5.5	.	.	.	+0401* 396	96	189*	280	341	401*	11161.9094
1	8301.140	3	17007- 8706	0	6.5- 5.5	.	.	.	-0320* -343						12043.2424
1	8104.207	7S	16810- 8706	17	5.5- 5.5	.	.	.	-5*						12335.8949
1	7801.158	6	16507- 8706	-12	4.5- 5.5	.	.	.	+0535* 551	130	243*	360	400	535*	12815.1043
1	7627.449	6	16334- 8706	4	6.5- 5.5	.	.	.	-0868 -871	-264	472*	638	767	868	13106.9585

TABLE III (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS CALC	HFS 2	DIAGONAL 3	COMPONENTS 4	5	6	WAVELENGTH
1	7447.765	6	16154-	8706	35	4.5-	5.5	.	+0295*	303	084	163		295*	13423.1762
1	7036.690	7	15743-	8706	15	5.5-	5.5	.	0150*	-158					14207.3434
1	5632.312	5C	14338-	8706	2	5.5-	5.5	.	+1471	1466	318	640	*	1235 1471	17749.8510
1	25113.807	1S	33392-	8278	27	3.5-	3.5	.		170					3980.7474
1	22371.390	0S	30649-	8278	10	4.5-	3.5	.		-8*					4468.7408
1	15832.056	1S	24110-	8278	16	3.5-	3.5	.		-64*					6314.5528
1	14938.930	4	23217-	8278	0	3.5-	3.5	.		-0262*	-258*				6692.0722
1	14723.857	3	23002-	8278	-63	4.5-	3.5	.		-0442*	-483				6789.8247
1	14303.170	3	22581-	8278	-30	4.5-	3.5	.			38				6989.5294
1	14131.026	4	22409-	8278	-4	4.5-	3.5	.		+0293*	288	120			7074.6764
1	13932.377	5	22210-	8278	17	4.5-	3.5	.		-0951*	-953	-221	439	635	7175.5483
1	13362.442	2	21640-	8278	12	3.5-	3.5	.		+1189	967	286	531	755	7481.6017
1	13004.618	3	21282-	8278	68	2.5-	3.5	.		-0161*	-250				7687.4603
1	12975.077	3	21253-	8278	-78	4.5-	3.5	.		-0195*	-196				7704.9628
1	12853.259	4	21131-	8278	-161	2.5-	3.5	.		-0641	-763	-243	457	641	7777.9877
1	12558.474	2	20836-	8278	-61	4.5-	3.5	.		0089*	99				7960.5613
1	12122.490	4	20400-	8278	-175	2.5-	3.5	.		-0483*	-407	-147	271	363	8246.8634
1	11422.590	2	19700-	8278	40	2.5-	3.5	.		+1060	890				8752.1784
1	10822.517	4	19100-	8278	2	4.5-	3.5	.		-0590	-606	-146	283	406	9237.4598
1	10109.820	6	18388-	8278	-30	3.5-	3.5	.		+0330*	310				9888.6616
1	9922.224	4	18200-	8278	-6	4.5-	3.5	.		+0450*	354	164	276		10075.6237
1	9916.150	5	18194-	8278	0	2.5-	3.5	.		+0179	164				10081.7954
1	9839.051	6C	18117-	8278	1	3.5-	3.5	.		+1283	1311	439	777	1028	10160.7968
1	8519.740	5	16798-	8278	-40	3.5-	3.5	.		0130	130*				11734.2355
1	8229.434	9	16507-	8278	4	4.5-	3.5	.		+0400*	338	126	224	302	12148.1797
1	8181.040	8C	16459-	8278	0	4.5-	3.5	.		+1270	1273	379	692	944	12220.0410
1	7875.960	7	16154-	8278	-30	4.5-	3.5	.		+0120*	90				12693.3925
1	6443.361	3	14721-	8278	11	4.5-	3.5	.		-0543	-544	-129	248	360	15515.6111
1	4414.440	2	12692-	8278	0	3.5-	3.5	.		+0290*	250				22646.7497
1	22840.500	0	30712-	7871	10	5.5-	4.5	.		-73*					4376.9580
1	22495.272	0S	30367-	7871	62	3.5-	4.5	.		-23*					4444.1310
1	21793.286	0S	29665-	7871	76	3.5-	4.5	.		-48*					4587.2838
1	21103.937	0S	28975-	7871	7	3.5-	4.5	.		-23*					4737.1273
1	20058.012	1S	27929-	7871	42	4.5-	4.5	.		-23*					4984.1484
1	19953.070	3	27824-	7871	40	5.5-	4.5	.		-0579	-586	-147			5010.3625
1	19029.432	0	26901-	7871	-33	3.5-	4.5	.			27*				5253.5553
1	17439.810	4	25311-	7871	-45	5.5-	4.5	.			-223*				5732.4173
1	15540.434	0	23412-	7871	4	3.5-	4.5	.			226				6433.0487
1	15471.888	1S	23343-	7871	48	4.5-	4.5	.			-1				6461.5496
1	14730.816	2	22602-	7871	16	3.5-	4.5	.		+0338*	401				6786.6171
1	14709.673	1	22581-	7871	33	4.5-	4.5	.			123				6796.3720
1	14542.907	4C	22414-	7871	17	5.5-	4.5	.			-40				6874.3077
1	14537.439	2	22409-	7871	-31	4.5-	4.5	.		+0332	373				6876.8933
1	14512.034	1	22383-	7871	-66	3.5-	4.5	.		-0438*	-438				6888.9322
1	14202.360	6	22074-	7871	30	5.5-	4.5	.		+0997	1000	257	486	693	7039.1423
1	14180.702	2	22052-	7871	7	4.5-	4.5	.		+0271*	77*				7049.8931
1	14102.019	4	21973-	7871	4	5.5-	4.5	.		-0874	-861	-240	438	612	7089.2286
1	14048.551	4	21920-	7871	41	5.5-	4.5	.			-43*				7116.2100
1	14007.404	4	21879-	7871	-1	3.5-	4.5	.		+0141*	117				7137.1141
1	13679.156	5	21551-	7871	16	5.5-	4.5	.		-0287*	-172*				7308.3789
1	13483.847	5	21355-	7871	-3	5.5-	4.5	.		+0510	507	128	247	350	7414.2390
1	13098.033	4S	20969-	7871	18	3.5-	4.5	.674	.961	.287	118				7632.6331
1	13013.605	3	20885-	7871	-5	5.5-	4.5	.		-0147*	-197				7682.1514

TABLE III (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS	ZEEMAN	DATA	WIDTH		HFS	DIAGONAL		COMPONENTS		WAVELENGTH
						G2	G1	DG	OBS	CALC	2	3	4	5	6	
1	12964.929	2	20836- 7871	-46	4.5- 4.5	.	.	.		184						7710.9937
1	12522.254	4C	20394- 7871	-26	3.5- 4.5	.	.	.	-1241	-1242	-420	744	988	1149	1241	7983.5869
1	12114.130	4	19985- 7871	-5	4.5- 4.5	.	.	.	+0184*	149						8252.5546
1	11774.786	5	19646- 7871	16	4.5- 4.5	.	.	.	-0210	-225	-098	147	205			8490.3906
1	11361.645	4	19233- 7871	5	4.5- 4.5	.	.	.	-0741	-745	-229	413	557	668	741	8799.1261
1	11228.955	5	19100- 7871	0	4.5- 4.5	.	.	.	-0525	-521	-177	311	406	474	525	8903.1038
1	10516.286	7	18388- 7871	-4	3.5- 4.5	.	.	.	+0360*	395	130	228	322		360*	9506.4528
1	10328.677	8	18200- 7871	7	4.5- 4.5	.	.	.	+0400*	439	137	248	352	400*		9679.1276
1	10245.484	6C	18117- 7871	-6	3.5- 4.5	.	.	.	+1384	1396	405	743	1019	1233	1384	9757.7220
1	9987.337	7	17859- 7871	-3	5.5- 4.5	.	.	.	-1139	-1131	-345	620	835	1005	1139	10009.9349
1	9791.279	4	17663- 7871	-6	4.5- 4.5	.	.	.	+0202*	268						10210.3718
1	8938.890	4	16810- 7871	0	5.5- 4.5	.	.	.	0060	-133*						11184.0088
1	8926.314	5P	16798- 7871	94	3.5- 4.5	.	.	.		215*						11199.7656
1	8635.863	7	16507- 7871	-7	4.5- 4.5	.	.	.	+0430*	423	091	182	270*	360*	430*	11576.4495
1	8282.450	6	16154- 7871	20	4.5- 4.5	.	.	.	0140*	175						12070.4190
1	7871.380	5P	15743- 7871	5	5.5- 4.5	.	.	.	-0310*	-286						12700.7783
1	6467.011	5	14338- 7871	1	5.5- 4.5	.	.	.	+1338	1338	281	576	862	1121	1338	15458.8701
1	4820.890	5	12692- 7871	10	3.5- 4.5	.	.	.	+0300*	335	050*	130*	200*	270*		20737.3974
1	4068.180	4	11940- 7871	-25	4.5- 4.5	.	.	.	-0300*	-299						24574.3114
<hr/>																
1	26356.639	1S	34148- 7792	-21	5.5- 6.5	.	.	.		70*						3793.0334
1	25032.377	0	32824- 7792	-3	6.5- 6.5	.	.	.		170*						3993.6970
1	24770.840	3S	32562- 7792	30	6.5- 6.5	.	.	.		70*						4035.8644
1	23981.962	0S	31773- 7792	22	6.5- 6.5	.985	.985	.		70*						4168.6255
1	22347.819	0	30139- 7792	39	6.5- 6.5	.	.	.		-130*						4473.4543
1	22011.411	1S	29803- 7792	81	6.5- 6.5	.	.	.		238*						4541.8247
1	21569.750	4	29361- 7792	-60	5.5- 6.5	.	.	.		-130*						4634.8244
1	21075.338	0S	28867- 7792	108	7.5- 6.5	.	.	.		109						4743.5556
1	20608.351	0S	28400- 7792	31	7.5- 6.5	.	.	.		-74*						4851.0466
1	19212.984	0	27005- 7792	-26	6.5- 6.5	.	.	.		-225						5203.3647
1	18453.586	0S	26245- 7792	61	6.5- 6.5	.	.	.		-106						5417.4949
1	17865.704	0S	25657- 7792	-26	5.5- 6.5	.	.	.		97						5595.7629
1	17283.100	6	25075- 7792	-40	6.5- 6.5	.	.	.	-0846	-853	-238	437	606	745	846	5784.3950
1	17104.330	4	24896- 7792	60	7.5- 6.5	.	.	.	-1042	-1036	-254	477	690	871	1042	5844.8525
1	17006.060	4	24798- 7792	50	6.5- 6.5	.	.	.		-45						5878.6275
1	16736.690	4	24528- 7792	0	7.5- 6.5	.	.	.	-0613	-618						5973.2424
1	15512.854	3	23304- 7792	99	6.5- 6.5	.	.	.	-0386	-410	-126					6444.4860
1	15450.668	4	23242- 7792	8	7.5- 6.5	.	.	.	-0667	-679	-204	370	500	598	667	6470.4240
1	15261.518	3	23053- 7792	-22	5.5- 6.5	.	.	.	-0426	-416	-110	205	299			6550.6185
1	14951.034	1	22743- 7792	14	6.5- 6.5	.	.	.	-0471*	-322						6686.6544
1	14832.350	1	22624- 7792	40	5.5- 6.5	.	.	.	-0247*	-251						6740.1594
1	14622.690	4	22414- 7792	-40	5.5- 6.5	.	.	.	+0253	153	117					6836.8004
1	14446.006	3	22238- 7792	26	7.5- 6.5	.	.	.	-0146*	-239						6920.4195
1	14282.192	5	22074- 7792	22	5.5- 6.5	.	.	.	+1194	1193	301	573	817	1024	1194	6999.7959
1	14266.583	2S	22058- 7792	18	6.5- 6.5	.	.	.		-166						7007.4544
1	14181.866	4	21973- 7792	11	5.5- 6.5	.	.	.	-0639	-668	-169	329	466	568	639	7049.3145
1	14128.364	2S	21920- 7792	14	5.5- 6.5	.	.	.		150*						7076.0093
1	14059.262	4C	21851- 7792	-33	5.5- 6.5	.	.	.	+0618	668	308	499	618			7110.7885
1	13800.697	3	21592- 7792	17	6.5- 6.5	.	.	.	-0403*	-433	-114	207				7244.0146
1	13563.687	6	21355- 7792	-3	5.5- 6.5	.	.	.	+0698	700	185	346	489	609	698	7370.5963
1	13248.310	6	21040- 7792	15	6.5- 6.5	.	.	.	-0935	-946	-285	514	695	839	935	7546.0549
1	13220.796	3	21012- 7792	16	5.5- 6.5	.	.	.	-0609	-635	-179	326	450	550	609	7561.7591
1	13093.455	2S	20885- 7792	5	5.5- 6.5	.	.	.		-4						7635.3018
1	12761.565	3	20553- 7792	15	7.5- 6.5	.	.	.	-1056	-1068	-270	481	723	904	1056	7833.8741
1	12599.074	3	20391- 7792	-1	6.5- 6.5	.	.	.	-0095*	-148*						7934.9086

TABLE III (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS CALC	HFS 2	DIAGONAL 3	COMPONENTS 4	5	6	WAVELENGTH
1	12258.885	6S	20050-7792	-15	6.5-6.5	.673	.858	.185	30						8155.1066
1	12200.771	4	19992-7792	-9	5.5-6.5	.	.	.	+0606*	636	126	262	408		8193.9507
1	12035.860	6	19827-7792	0	7.5-6.5	.	.	.	-1434	-1433	-388	719	998	1235	8306.2218
1	11996.426	3	19788-7792	6	5.5-6.5	.	.	.	+0490	496	119	227	317	410	8333.5257
1	11483.800	6	19275-7792	15	6.5-6.5	.	.	.	0160*	-170					8705.5280
1	10936.365	8	18728-7792	0	5.5-6.5	.	.	.	-0686	-689	-195	363	501	610	9141.2971
1	10067.178	8	17859-7792	-2	5.5-6.5	.	.	.	-0944	-938	-290	524	705	845	9930.5476
1	9463.162	3S	17255-7792	12	6.5-6.5	.	.	.	70*						10564.3979
1	9215.700	7	17007-7792	20	6.5-6.5	.	.	.	-0255	-278	-111			255	10848.0762
1	9018.735	7	16810-7792	5	5.5-6.5	.	.	.	0020*	60*					11084.9938
1	8541.989	7	16334-7792	4	6.5-6.5	.	.	.	-0801	-806	-245	439	596	714	11703.6717
1	7951.218	5	15743-7792	3	5.5-6.5	.	.	.	0070	-93					12573.2498
1	6546.857	4C	14338-7792	7	5.5-6.5	.	.	.	+1549	1531	335	677	995	1281	15270.3322
1	25208.926	2Q	32321-7112	106	5.5-5.5	.	.	.	-1357	-1649*	-365	695	985	1212	3965.7268
1	24948.867	3	32061-7112	27	5.5-5.5	.	.	.	-2010	-2014	-514	977	1392	1730	4007.0652
1	24836.925	2	31949-7112	30	4.5-5.5	.	.	.	-1509	-1514	-380	726	1046	1233	4025.1258
1	24102.496	1	31214-7112	56	5.5-5.5	.	.	.	-2045*	-2038	-559	1023	1453		4147.7782
1	21599.093	4	28711-7112	58	6.5-5.5	.	.	.	-2288	-2279	-604	1137	1566	1961	4628.5277
1	21438.713	5	28551-7112	-2	5.5-5.5	.	.	.	-2109	-2105	-583	1078	1493	1836	4663.1536
1	19540.510	4	26652-7112	70	5.5-5.5	.	.	.	-1790	-1801	-483	892	1264	1545	5116.1480
1	19133.060	4	26245-7112	-55	6.5-5.5	.	.	.	-1920	-1900	-506	942	1324	1666	5225.1008
1	18858.130	2	25970-7112	-20	5.5-5.5	.	.	.	-2407	-2410	-659	1218	1690	2078	5301.2777
1	18439.400	0	25551-7112	-100	5.5-5.5	.	.	.	-2340	-2374	-590	1160	1648	2035	5421.6628
1	18361.860	4	25474-7112	0	6.5-5.5	.	.	.	-2738	-2729	-710	1336	1876	2336	5444.5581
1	17962.487	4	25075-7112	-243	6.5-5.5	.	.	.	-2648	-2647	*	1321	2280		5565.6123
1	17685.600	6	24798-7112	0	6.5-5.5	.	.	.	-1821	-1839	-491	918	1282	1578	5652.7488
1	17277.754	3	24390-7112	-6	6.5-5.5	.	.	.	-2453	-2455	-627	1201	1698	2119	5786.1848
1	16724.700	3	23837-7112	0	5.5-5.5	.	.	.	-2023	-2023	-504	975	1385	1731	5977.5247
1	16428.630	2	23540-7112	160	5.5-5.5	.	.	.	-1235	-1244	-309	613	851	1068	6085.2502
1	16192.390	4H	23304-7112	45	6.5-5.5	.	.	.	-2200*	-2204	-576	1092	1517	1881	6174.0321
1	15941.250	4	23053-7112	120	5.5-5.5	.	.	.	-2222	-2210	-570	1087	1529	1911	6271.2992
1	15682.410	4	22794-7112	40	4.5-5.5	.	.	.	-1521	-1526*	-405	747	1060	1329	6374.8086
1	15302.480	5	22414-7112	160	5.5-5.5	.	.	.	-1650*	-1641	-443*	823	1152	1424	6533.0836
1	14961.794	2	22074-7112	34	5.5-5.5	.	.	.	-0564*	-601	-147	277	393		6681.8456
1	14946.157	2	22058-7112	21	6.5-5.5	.	.	.	-1947	-1960	-479	946	1345	1649	6688.8363
1	14861.459	3	21973-7112	14	5.5-5.5	.	.	.	-2461	-2462	-633	1214	1676*	2118	6726.9574
1	14738.892	5	21851-7112	7	5.5-5.5	.	.	.	-1123	-1126	-308	574	799	987	6782.8984
1	14438.596	3	21551-7112	26	5.5-5.5	.	.	.	-1759	-1773*	-483	873	1215	1534	6923.9711
1	14341.342	3	21453-7112	22	4.5-5.5	.	.	.	-2464*	-2480	-670	1232	1731	2152*	6970.9255
1	14243.289	6	21355-7112	9	5.5-5.5	.	.	.	-1077	-1094	-277	521	739	922	7018.9147
1	14140.972	4C	21253-7112	-53	4.5-5.5	.	.	.	-1707	-1712	-485	899	1247	1486	7069.7004
1	13927.900	4	21040-7112	15	6.5-5.5	.	.	.	-2735*	-2740	-741	1383	1919	2372*	7177.8549
1	13773.072	5C	20885-7112	32	5.5-5.5	.	.	.	-1752	-1798	-467	886	1250	1543	7258.5442
1	13724.417	6C	20836-7112	12	4.5-5.5	.	.	.	-1411	-1417	-380	714	995	1231	7284.2769
1	13278.668	3C	20391-7112	3	6.5-5.5	.	.	.	-1942	-1942*	-479	1029	1513	1942	7528.8028
1	12938.486	5	20050-7112	-4	6.5-5.5	.	.	.	-1762	-1764	-482	889	1236	1524	7726.7531
1	12880.374	6	19992-7112	4	5.5-5.5	.	.	.	-1158	-1158	-335	610	839	1019	7761.6138
1	12873.520	7C	19985-7112	-45	4.5-5.5	.	.	.	-1441	-1452	-368	703	1000	1247	7765.7462
1	12793.831	5C	19906-7112	-4	5.5-5.5	.	.	.	-1276	-1279	-338	634	890	1104	7814.1170
1	12534.195	6C	19646-7112	-5	4.5-5.5	.	.	.	-1818	-1826	-465	889	1263	1576	7975.9812
1	12121.080	6C	19233-7112	10	4.5-5.5	.	.	.	-2342	-2346	-630	1183	1657	2044	8247.8227
1	11988.381	7C	19100-7112	-4	4.5-5.5	.	.	.	-2122	-2122	-584	1088	1514	1857	8339.1180
1	11615.951	4	18728-7112	-4	5.5-5.5	.	.	.	-2492	-2483	-663	1259	1736	2156	8606.4876
1	11088.122	9	18200-7112	22	4.5-5.5	.	.	.	-1162	-1162	-270	532	776	988	9016.1848

TABLE III (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEHAN G1	DATA DG	WIDTH OBS	CALC	HFS 2	DIAGONAL 3	COMPONENTS 4	COMPONENTS 5	COMPONENTS 6	WAVELENGTH
1	10550.727	7	17663- 7112	12	4.5- 5.5	.	.		-1328	-1333	-348	661	931	1153	1328	9475.4205
1	9895.283	7C	17007- 7112	13	6.5- 5.5	.	.		-2072	-2072	-574	1061	1470	1805	2072	10103.0558
1	9395.312	7	16507- 7112	12	4.5- 5.5	.	.		-1180	-1178	-313	590	827	1023	1180	10640.6909
1	9346.900	8	16459- 7112	-10	4.5- 5.5	.	.		-0260*	-243						10695.8042
1	9221.594	7C	16334- 7112	19	6.5- 5.5	.	.		-2559	-2600	-706	1313	1828	2255	2559	10841.1427
1	9041.892	6C	16154- 7112	32	4.5- 5.5	.	.		-1422	-1426	-361*	696*	978	1227	1422	11056.6042
1	8630.813	7C	15743- 7112	8	5.5- 5.5	.	.		-1888	-1887	-502	942	1320	1635	1888	11583.2231
1	7226.421	9	14338- 7112	-19	5.5- 5.5	.	.		-0300*	-263	-124					13834.3264
1	4827.643	8C	11940- 7112	8	4.5- 5.5	.	.		-1900	-1900	-517	967	1348	1658	1900	20708.3895
<hr/>																
1	22343.266	0	29358- 7015	26	2.5- 2.5	.	.			3*						4474.3658
1	17011.000	4	24026- 7015	0	3.5- 2.5	.	.			360						5876.9203
1	14864.076	2B	21879- 7015	-9	3.5- 2.5	.	.	.264		-57						6725.7731
1	14625.592	4	21640- 7015	42	3.5- 2.5	.	.		+0800	878	217	442	645	800		6835.4439
1	14267.761	2	21282- 7015	91	2.5- 2.5	.	.		-0367*	-339						7006.8758
1	14231.570	5C	21246- 7015	80	1.5- 2.5	.	.		+1197	1240	451	829	1197			7024.6945
1	14116.559	3C	21131- 7015	19	2.5- 2.5	.	.		-0819	-852	-346	558		819		7081.9267
1	14043.218	3	21058- 7015	28	1.5- 2.5	.	.		+0546	533	133	281	385			7118.9125
1	13378.973	5C	20394- 7015	13	3.5- 2.5	.	.		-1428	-1416	-442	793	1064	1273	1428	7472.3574
1	12685.791	3C	19700- 7015	121	2.5- 2.5	.	.		+0794	801	242	503				7880.6672
1	12170.094	3	19185- 7015	14	2.5- 2.5	.	.		+0234*	233						8214.6052
1	11372.930	5	18388- 7015	-40	3.5- 2.5	.	.		+0350*	221	108	180*				8790.3950
1	11179.240	7S	18194- 7015	-30	2.5- 2.5	.376	.576	.200		75						8942.6968
1	11102.203	7C	18117- 7015	33	3.5- 2.5	.	.		+1200*	1222	382	699	948	1129	1205*	9004.7494
1	9782.927	5	16798- 7015	27	3.5- 2.5	.	.			41*						10219.0888
1	6369.054	5C	13384- 7015	94	3.5- 2.5	.	.		+1493	1511	438	823	1138	1348	1493	15696.6301
1	5677.580	7	12692- 7015	20	3.5- 2.5	.	.		0130	161						17608.3292
1	4184.031	2P	2831- 7015	-49	2.5- 2.5	.	.		-0320*	15						23893.8766
<hr/>																
1	25439.128	3W	32342- 6903	-22	7.5- 7.5	.	.			-180*						3929.8397
1	24189.780	0S	31093- 6903	40	6.5- 7.5	.	.			20*						4132.8115
1	21963.911	1S	28867- 6903	111	7.5- 7.5	.	.			59						4551.6472
1	21927.897	0S	28831- 6903	97	6.5- 7.5	.	.			20*						4559.1229
1	21769.592	1	28673- 6903	42	7.5- 7.5	.	.			-180*						4592.2766
1	21623.182	0	28526- 6903	-8	6.5- 7.5	.	.			20*						4623.3713
1	21496.956	4S	28400- 6903	66	7.5- 7.5	.	.			-124*						4650.5193
1	20628.070	5	27531- 6903	85	8.5- 7.5	.	.		-1044	-1036	-233	459	673	868	1044	4846.4092
1	19965.460	4	26869- 6903	-130	8.5- 7.5	.	.		-1071	-1075	-248	480	699	894	1071	5007.2532
1	19592.321	1S	26495- 6903	11	6.5- 7.5	.	.			10						5102.6184
1	19474.513	2	26377- 6903	53	7.5- 7.5	.	.			-323						5133.4863
1	19108.550	2	26012- 6903	0	8.5- 7.5	.	.		-1360	-1333						5231.8030
1	19065.721	1	25969- 6903	11	8.5- 7.5	.	.		-0417	-437	-114	214				5243.5558
1	18528.844	0	25432- 6903	24	8.5- 7.5	.	.			-211						5395.4906
1	17625.282	3	24528- 6903	22	7.5- 7.5	.	.		-0661	-668	-169	321	454	571	661	5672.0941
1	17486.740	5	24390- 6903	0	5.5- 7.5	.	.		-0706	-711	-162	320	464	591	706	5717.0328
1	17232.700	3S	24136- 6903	5	6.5- 7.5	.	.			-20*						5801.3126
1	17057.851	0	23961- 6903	31	7.5- 7.5	.	.			-560						5860.7787
1	17000.471	1	23903- 6903	21	6.5- 7.5	.	.			-33						5880.5602
1	16339.270	4	23242- 6903	40	7.5- 7.5	.	.		-0712	-729	-174	345	487	612	712	6118.5309
1	16228.968	4	23132- 6903	8	8.5- 7.5	.	.		-1673	-1670	-403	774	1105	1404	1673	6160.1165
1	15347.640	5	22251- 6903	10	6.5- 7.5	.	.		-0634	-651	-145	275	415	533	634	6513.8600
1	15155.162	0	22058- 6903	27	6.5- 7.5	.	.			-216						6596.5899
1	15100.827	2	22004- 6903	-3	6.5- 7.5	.	.			-222						6620.3255
1	15027.388	3S	21930- 6903	3	7.5- 7.5	.	.			-80*						6652.6794
1	14689.278	6	21592- 6903	28	6.5- 7.5	.	.		-0451*	-483	-089	199	295			6805.8083

TABLE III (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEAMAN G1	DATA DG	WIDTH OBS CALC	HFS 2	DIAGONAL 3	COMPONENTS 4	5	6	WAVELENGTH
1	14253.236	6	21156- 6903	31	7.5- 7.5	.	.	.	-91						7014.0163
1	13669.753	2	20573- 6903	3	7.5- 7.5	.	.	.	-0433*	-695	-140	263			7313.4062
1	13487.668	3	20391- 6903	23	6.5- 7.5	.	.	.	+0197*	198*					7412.1385
1	13147.461	2S	20050- 6903	-9	6.5- 7.5	.	.	.	-20						7603.9380
1	12924.455	7C	19827- 6903	25	7.5- 7.5	.	.	.015	-1486	-1483	-370	708	1002	1261	7735.1414
1	12372.349	6	19275- 6903	-6	6.5- 7.5	.98	.98	.	0302*	-220					8080.3176
1	10104.270	3	17007- 6903	20	6.5- 7.5	.	.	.	-0320	-328					9894.0932
1	9430.587	5	16334- 6903	32	6.5- 7.5	.	.	.	-0863	-856	-232	429	602	742	10600.8894
1	25753.002	1	32645- 6892	-93	2.5- 3.5	.	.	.	-88*						3881.9422
1	25057.306	5W	31949- 6892	61	4.5- 3.5	.	.	.	22						3989.7237
1	22687.012	0	29579- 6892	92	4.5- 3.5	.	.	.	-113*						4406.5706
1	22083.696	1	28975- 6892	-14	3.5- 3.5	.	.	.	-88*						4526.9581
1	21996.383	1S	28888- 6892	48	4.5- 3.5	.	.	.	-88*						4544.9278
1	21639.964	0S	28531- 6892	94	4.5- 3.5	.	.	.	-149*						4619.7858
1	20851.713	0	27743- 6892	73	4.5- 3.5	.	.	.	-151*						4794.4288
1	15491.920	4	22383- 6892	40	3.5- 3.5	.	.	.	-0563	-503	-166	290			6453.1944
1	14987.145	1S	21879- 6892	-40	3.5- 3.5	.	.	.	52						6670.5431
1	14561.663	6	21453- 6892	-7	4.5- 3.5	.	.	.	-0944	-944	-283	506	684	830	6865.4532
1	14390.850	5	21282- 6892	80	2.5- 3.5	.	.	.	-0201*	-230					6946.9436
1	14239.677	4C	21131- 6892	37	2.5- 3.5	.	.	.	-0625	-743	-299	494	625		7020.6951
1	14077.836	5	20969- 6892	41	3.5- 3.5	.	.	.128	53						7101.4066
1	13987.826	3	20879- 6892	31	3.5- 3.5	.	.	.	-0647*	-558	-201	329			7147.1036
1	13944.724	5S	20836- 6892	-31	4.5- 3.5	.69	.814	.12	119						7169.1949
1	13093.890	3	19985- 6892	-25	4.5- 3.5	1.027	.814	.213	84						7635.0481
1	12808.817	5C	19700- 6892	47	2.5- 3.5	.	.	.	+0907	910	262	497	678	814	7804.9747
1	12341.420	3	19233- 6892	0	4.5- 3.5	.	.	.	-0807	-810	-224	430	570	693	8100.5679
1	12293.244	4	19185- 6892	64	2.5- 3.5	.	.	.	+0321*	342	104	188			8132.3134
1	12208.728	6	19100- 6892	-7	4.5- 3.5	.	.	.	-0573*	-586	-181	321	431		8188.6103
1	12077.808	5	18969- 6892	3	4.5- 3.5	1.042	.818	.224	44						8277.3729
1	11496.080	7	18388- 6892	10	3.5- 3.5	.575	.810	.235	+0360*	330	132	232			8696.2288
1	11308.470	5	18200- 6892	20	4.5- 3.5	.	.	.	374	133	238	311	366		8840.5018
1	11302.370	6	18194- 6892	0	2.5- 3.5	.364	.803	.439	0180*	184					8845.2731
1	11225.281	7C	18117- 6892	11	3.5- 3.5	.	.	.	+1305	1331	404	738	1004	1204	8906.0178
1	10771.070	4	17663- 6892	5	4.5- 3.5	.	.	.	+0180	203					9281.5818
1	9615.650	5	16507- 6892	0	4.5- 3.5	.	.	.	+0400*	358	089	170*	260*	340*	10396.8639
1	9567.270	5C	16459- 6892	10	4.5- 3.5	.	.	.	+1291	1293	343	654	921	1137	10449.4392
1	9262.221	7	16154- 6892	11	4.5- 3.5	.	.	.	+0100*	110					10793.5899
1	7829.588	3	14721- 6892	18	4.5- 3.5	.	.	.	-0536*	-524	-165	288			12768.5713
1	5800.670	6	12692- 6892	10	3.5- 3.5	.	.	.	+0260*	270	050*	110*	200*	260*	17234.6808
1	5047.980	3	11940- 6892	-5	4.5- 3.5	.	.	.	-0360*	-364					19804.4977
1	4060.900	2	2831- 6892	-80	2.5- 3.5	.	.	.	0140*	-94					24618.3659
1	26723.435	1S	33366- 6643	35	5.5- 4.5	.	.	.	-23*						3740.9703
1	26108.283	3B	32751- 6643	153	4.5- 4.5	.	.	.	2*						3829.1156
1	25677.783	2S	32321- 6643	33	5.5- 4.5	.	.	.	-23*						3893.3140
1	23723.662	0S	30367- 6643	92	3.5- 4.5	.	.	.	2*						4214.0138
1	23441.092	1S	30084- 6643	62	4.5- 4.5	.	.	.	2*						4264.8125
1	22718.397	0	29361- 6643	67	5.5- 4.5	.	.	.	-298*						4400.4829
1	21888.527	0S	28531- 6643	77	4.5- 4.5	.	.	.	-59*						4567.3233
1	21681.930	0S	28325- 6643	70	3.5- 4.5	.	.	.	152*						4610.8439
1	21181.334	0	27824- 6643	-56	5.5- 4.5	.	.	.	-561						4719.8175
1	20899.843	0	27543- 6643	13	5.5- 4.5	.	.	.	2*						4783.3876
1	20693.691	0S	27337- 6643	11	5.5- 4.5	.	.	.	-48*						4831.0408
1	19985.770	4	26629- 6643	-20	4.5- 4.5	.	.	.	-53		19986	Q			5002.1647

TABLE III (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS CALC	HFS 2	DIAGONAL 3	COMPONENTS 4	5	6	WAVELENGTH
1	17088.350	1	23731- 6643	45	5.5- 4.5	.	.	.	-48*						5850.3184
1	16935.900	5	23579- 6643	-15	4.5- 4.5	.	.	.	-518	-163	287				5902.9810
1	16682.968	OS	23326- 6643	-7	5.5- 4.5	.	.	.	105						5992.4775
1	16573.766	2	23217- 6643	36	3.5- 4.5	.	.	.	-148*						6031.9613
1	16358.720	4	23002- 6643	0	4.5- 4.5	.	.	.	-373	-106					6111.2561
1	15765.875	2P	22409- 6643	45	4.5- 4.5	.	.	.	398						6341.0599
1	15633.352	4	22276- 6643	62	5.5- 4.5	.	.	.	-1067	-318	575	778	938	1067	6394.8131
1	14997.233	4	21640- 6643	3	3.5- 4.5	.	.	.	+1045	1077	240	489	704	902	6666.0560
1	14907.531	4	21551- 6643	31	5.5- 4.5	.	.	.	-147*						6706.1675
1	14712.198	6	21355- 6643	-12	5.5- 4.5	.	.	.	+0501	532	123	241	363	448	6795.2055
1	14369.301	4	21012- 6643	1	5.5- 4.5	.	.	.	-0815	-803	-238	421	588	711	6957.3617
1	14326.468	5	20969- 6643	93	3.5- 4.5	.674	.860	.186	+0201*	143					6978.1629
1	14241.999	2	20885- 6643	29	5.5- 4.5	.	.	.	-172						7019.5505
1	14236.482	5L	20879- 6643	107	3.5- 4.5	.	.	.	-0435	-468	-195	328	435		7022.2707
1	14193.358	3	20836- 6643	23	4.5- 4.5	.	.	.	+0232*	209					7043.6068
1	13750.627	5C	20394- 6643	-13	3.5- 4.5	.	.	.	-1218	-1217	-425	748	988	1143	7270.3923
1	13342.533	3	19985- 6643	38	4.5- 4.5	.	.	.	+0226*	174					7492.7654
1	13262.747	4	19906- 6643	-18	5.5- 4.5	.	.	.	+0319*	347					7537.8406
1	13144.856	OW	19788- 6643	-84	5.5- 4.5	.	.	.	328						7605.4449
1	13003.144	2	19646- 6643	14	4.5- 4.5	.	.	.	-0146*	-200					7688.3317
1	12589.999	4	19233- 6643	-11	4.5- 4.5	.	.	.	-0733	-720	-233	401	543	673	7940.6282
1	12457.302	5	19100- 6643	-13	4.5- 4.5	.	.	.	-0487*	-496	-177	309	402		8025.2133
1	12326.366	3	18969- 6643	-19	4.5- 4.5	.	.	.	134						8110.4610
1	12084.898	5	18728- 6643	13	5.5- 4.5	.	.	.	-0868	-857	-255	475	626	765	8272.5167
1	11744.631	6	18388- 6643	-19	3.5- 4.5	.571	.860	.289	+0437*	420	129	225	296	364	8512.1902
1	11557.047	5	18200- 6643	17	4.5- 4.5	.	.	.	+0454	464	135	246	334	400	8650.3533
1	11473.854	5C	18117- 6643	4	3.5- 4.5	.	.	.	+1401	1421	404	745	1025	1245	8713.0744
1	11215.708	5	17859- 6643	8	5.5- 4.5	.	.	.	-1126	-1106	-346	616	828	993	8913.6194
1	10167.258	6	16810- 6643	8	5.5- 4.5	.	.	.	-108*						9832.7973
1	10154.600	3	16798- 6643	20	3.5- 4.5	.	.	.	0140*	240*					9845.0542
1	9864.232	8	16507- 6643	2	4.5- 4.5	.	.	.	+0400*	448	091	184	296	375*	10134.8586
1	9815.845	7C	16459- 6643	5	4.5- 4.5	.	.	.	+1328	1383	344	661	943	1179	10184.8184
1	9510.750	5	16154- 6643	-40	4.5- 4.5	.	.	.	+0200*	200					10511.5377
1	9099.730	8	15743- 6643	-5	5.5- 4.5	.	.	.	-0260*	-261					10986.3281
1	6049.210	2	12692- 6643	-30	3.5- 4.5	.	.	.	-0250	360					16526.5698
1	18014.790	3	24489- 6474	-70	2.5- 1.5	.	.	.	44*						5549.4533
1	15829.571	5C	22303- 6474	-49	2.5- 1.5	.	.	.	+0756	809	304	551	756		6315.5441
1	14808.559	1	21282- 6474	-1	2.5- 1.5	.	.	.	-398						6750.9880
1	14772.251	4C	21246- 6474	-129	1.5- 1.5	.	.	.	+0671	1181	328	671			6767.5811
1	14657.408	4	21131- 6474	-22	2.5- 1.5	.	.	.	-0860*	-911	-257	454			6820.6064
1	14584.070	4L	21058- 6474	-10	1.5- 1.5	.	.	.	+0446	474	197	347	446		6854.9050
1	13926.651	4	20400- 6474	-24	2.5- 1.5	.	.	.705	-0519*	-555	-141	263			7178.4986
1	13226.541	4C	19700- 6474	-19	2.5- 1.5	.	.	.	+0715	742	315	556	715		7558.4747
1	12710.713	4	19185- 6474	-257	2.5- 1.5	.	.	.	+0427*	174	106	208			7865.2154
1	11720.163	8	18194- 6474	3	2.5- 1.5	.	.	.	16						8529.9611
1	28963.696	2	34148- 5184	11	6.5- 5.5	.	.	.	-65*						3451.6091
1	28389.388	3W	33574- 5184	53	6.5- 5.5	.	.	.							3521.4361
1	28181.942	OS	33366- 5184	37	5.5- 5.5	.	.	.	10*						3547.3580
1	27639.467	0	32824- 5184	62	6.5- 5.5	.	.	.	35*						3616.9833
1	27566.647	OS	32751- 5184	12	4.5- 5.5	.	.	.	35*						3626.5382
1	27377.894	1	32562- 5184	59	6.5- 5.5	.	.	.	-65*						3651.5415
1	26764.364	1	31949- 5184	34	4.5- 5.5	.	.	.	145						3735.2494
1	26350.803	1S	31535- 5184	28	5.5- 5.5	.	.	.	-15*						3793.8735

TABLE III (Contd.)

C	WAVENUMBER	I	T2	-	T1	O-C	J2	-	J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS	WIDTH CALC	HFS 2	DIAGONAL 3	4	COMPONENTS 5	6	WAVELENGTH
1	26344.079	3	31528-		5184	94	6.5-		5.5	.	.			-65*						3794.8418
1	26246.634	2	31431-		5184	9	6.5-		5.5	.	.			-15*						3808.9312
1	25908.194	2S	31093-		5184	-1	6.5-		5.5	.	.			-65*						3858.6886
1	25765.814	0S	30950-		5184	19	5.5-		5.5	.	.			-15*						3880.0119
1	25577.147	1S	30762-		5184	32	4.5-		5.5	.	.			35*						3908.6330
1	24954.824	3	30139-		5184	19	6.5-		5.5	.	.		-0428	-265*	-147					4006.1087
1	24899.546	1	30084-		5184	11	4.5-		5.5	.	.			35*						4015.0026
1	24618.359	1S	29803-		5184	4	6.5-		5.5	.	.			103*						4060.8623
1	24587.121	0S	29772-		5184	21	5.5-		5.5	.	.			-15*						4066.0217
1	24151.239	0S	29336-		5184	34	5.5-		5.5	.	.			-345*						4139.4068
1	23366.168	1	28551-		5184	18	5.5-		5.5	.	.			-446						4278.4879
1	23347.027	1S	28531-		5184	72	4.5-		5.5	.	.			-26*						4281.9957
1	23341.552	1W	28526-		5184	-93	6.5-		5.5	.	.			-65*						4283.0001
1	23269.854	3W	28454-		5184	64	4.5-		5.5	.	.			-348*						4296.1969
1	23088.709	2S	28273-		5184	44	5.5-		5.5	.	.			-15*						4329.9038
1	22697.542	3	27882-		5184	37	5.5-		5.5	.	.		-0577	-597	-161	303	452	537	577	4404.5262
1	22558.757	1S	27743-		5184	32	4.5-		5.5	.	.			-28*						4431.6240
1	22384.932	0	27569-		5184	32	5.5-		5.5	.	.			315						4466.0374
1	22125.507	1W	27310-		5184	-3	5.5-		5.5	.	.			-15*						4518.4032
1	21964.804	1W	27149-		5184	59	5.5-		5.5	.	.			10*						4551.4622
1	21878.830	1	27063-		5184	90	4.5-		5.5	.	.			95*						4569.3477
1	21699.672	2S	26884-		5184	32	5.5-		5.5	.	.			7						4607.0740
1	21467.930	1S	26652-		5184	55	5.5-		5.5	.	.			-142						4656.8072
1	21310.806	0S	26495-		5184	41	6.5-		5.5	.	.			-75						4691.1422
1	20925.074	0S	26110-		5184	39	5.5-		5.5	.	.			-155*						4777.6198
1	20472.792	0	25657-		5184	37	5.5-		5.5	.	.			-38						4883.1679
1	20289.318	3	25474-		5184	23	6.5-		5.5	.	.		-1091	-1070	-286	524	735	907	1091	4927.3264
1	20106.282	0S	25291-		5184	32	6.5-		5.5	.	.			151						4972.1825
1	20056.291	1	25241-		5184	71	5.5-		5.5	.	.			-277						4984.5760
1	19613.020	0S	24798-		5184	-15	6.5-		5.5	.	.			-180						5097.2332
1	19205.120	3	24390-		5184	-75	6.5-		5.5	.	.		-0795	-796	-221	406	561	704	795	5205.4953
1	18956.543	0S	24141-		5184	-2	5.5-		5.5	.	.			-90*						5273.7558
1	18652.200	4	23837-		5184	65	6.5-		5.5	.	.		-0450	-364	-180					5359.8073
1	18394.428	2	23579-		5184	8	4.5-		5.5	.	.		-0445	-485	-134					5434.9183
1	18355.870	4	23540-		5184	-35	5.5-		5.5	.	.			415						5446.3349
1	18158.703	2S	23343-		5184	-2	4.5-		5.5	.	.			57						5505.4718
1	17868.587	4	23053-		5184	22	5.5-		5.5	.	.		-0619	-551	-221	354	460			5594.8600
1	17609.820	4	22794-		5184	15	4.5-		5.5	.	.			133*						5677.0744
1	17396.490	4	22581-		5184	-15	4.5-		5.5	.	.			181						5746.6920
1	17224.308	2W	22409-		5184	-27	4.5-		5.5	.	.			431						5804.1391
1	17091.854	3	22276-		5184	59	5.5-		5.5	.	.		-0970	-1015	-301	576				5849.1190
1	16873.517	1	22058-		5184	-73	6.5-		5.5	.	.			-301						5924.8051
1	16819.210	4	22004-		5184	-75	6.5-		5.5	.	.			-307						5943.9357
1	16170.650	4	21355-		5184	-65	5.5-		5.5	.	.		+0573	565	155	286	401	491	573	6182.3326
1	15855.351	3	21040-		5184	31	6.5-		5.5	.	.		-1087	-1081	-325	582	784	951	1084	6305.2753
1	15700.492	2	20885-		5184	17	5.5-		5.5	.	.			-139						6367.4668
1	15651.882	4P	20836-		5184	42	4.5-		5.5	.	.			242						6387.2423
1	14865.937	5	20050-		5184	12	6.5-		5.5	.	.			-105						6724.9311
1	14807.836	6	19992-		5184	31	5.5-		5.5	.	.		+0493*	501						6751.3176
1	14801.038	4	19985-		5184	38	4.5-		5.5	.	.		+0352*	207						6754.4185
1	14721.283	5	19906-		5184	13	5.5-		5.5	.	.		+0396*	380						6791.0119
1	14461.691	6	19646-		5184	56	4.5-		5.5	.734	.862	.128	0328*	-167						6912.9136
1	14090.844	4	19275-		5184	34	6.5-		5.5	.	.		-0237*	-305						7094.8509
1	13915.827	5	19100-		5184	7	4.5-		5.5	.	.		-0438*	-463	-157	276				7184.0822
1	13784.875	2	18969-		5184	-15	4.5-		5.5	.	.		+0182*	167						7252.3292

TABLE III (Contd.)

C	WAVENUMBER	T	T2 - T1	O-C	J2 - J1	OBS G2	ZEEAMAN G1	DATA DG	WIDTH OBS CALC	HFS 2	DIAGONAL 3	COMPONENTS 4 5 6	WAVELENGTH
1	13543.384	6	18728- 5184	-6	5.5- 5.5	.	.	.	-0813 -824	-237	423	598 728 813	7381.6456
1	13015.542	6	18200- 5184	7	4.5- 5.5	.675	.862	.187	+0500 497	154	274	367 433 500	7681.0081
1	12674.194	6C	17859- 5184	-11	5.5- 5.5	.	.	.	-1076 -1073	-329	589	797 955 1076	7887.8781
1	12478.130	5	17663- 5184	-20	4.5- 5.5	.68	.862	.180	+0332* 326				8011.8179
1	11822.686	6	17007- 5184	-19	6.5- 5.5	.	.	.	-0400* -413	-152	259		8455.9913
1	11625.839	6	16810- 5184	84	5.5- 5.5	.	.	.	0189* -75*				8599.1676
1	11322.734	6	16507- 5184	-1	4.5- 5.5	.	.	.	+0480 481	110	216	315 404 480	8829.3648
1	11274.347	6C	16459- 5184	2	4.5- 5.5	.	.	.	+1411 1416	364	692	978 1219 1411	8867.2586
1	11149.017	5	16334- 5184	7	6.5- 5.5	.	.	.	-0934* -941	-282	506	682 829 934*	8966.9389
1	10558.260	8	15743- 5184	20	5.5- 5.5	.	.	.	-0210* -228				9468.6601
1	9153.879	6C	14338- 5184	4	5.5- 5.5	.	.	.	+1386 1396	282	589	886 1152 1386	10921.3392
1	6755.110	3	11940- 5184	40	4.5- 5.5	.	.	.	-0220* -241				14799.5632
<hr/>													
1	28345.256	2S	32960- 4615	41	3.5- 2.5	.	.	.353		-63*			3526.9189
1	28041.494	2	32657- 4615	49	3.5- 2.5	1.01	.66	.350		-63*			3565.1257
1	28029.466	2	32645- 4615	1	2.5- 2.5	.	.	.280		-63*			3566.6556
1	27974.097	2P	32589- 4615	37	3.5- 2.5	1.01	.66	.352		-63*			3573.7152
1	27828.692	3P	32444- 4615	27	3.5- 2.5	.97	.66	.310		-63*			3592.3884
1	27631.694	2S	32247- 4615	29	3.5- 2.5	.	.	.230		-63*			3618.0008
1	27517.368	3	32133- 4615	58	3.5- 2.5	.95	.65	.304		-63*			3633.0329
1	25751.364	1	30367- 4615	4	3.5- 2.5	.	.	.		-63*			3882.1892
1	24742.836	1S	29358- 4615	126	2.5- 2.5	.	.	.		137*			4040.4323
1	23709.656	0S	28325- 4615	6	3.5- 2.5	1.03	.66	.37		87*			4216.5032
1	22285.669	2	26901- 4615	54	3.5- 2.5	.955	.649	.306		-13*			4485.9300
1	20895.918	0	25511- 4615	68	3.5- 2.5	.	.	.		-202			4784.2861
1	19441.186	0	24056- 4615	-84	2.5- 2.5	.	.	.	+0307 344*	117			5142.2865
1	18796.574	0	23412- 4615	-6	3.5- 2.5	.	.	.		186			5318.6388
1	18601.544	0	23217- 4615	24	3.5- 2.5	.	.	.		-213*			5374.4033
1	17688.100	5	22303- 4615	-100	2.5- 2.5	.	.	.	+0863 1002	329			5651.9498
1	16667.127	0S	21282- 4615	-13	2.5- 2.5	.	.	.		-205			5998.1730
1	16630.960	6P	21246- 4615	0	1.5- 2.5	.	.	.	+1328* 1374	543	958	1328	6011.2172
1	16515.999	0	21131- 4615	-11	2.5- 2.5	.	.	.	-0682 -718	-231	434	574	6053.0591
1	16442.680	6	21058- 4615	20	1.5- 2.5	.	.	.	+0616 667	234	410	531	6080.0504
1	16264.192	4	20879- 4615	27	3.5- 2.5	.	.	.	-0502* -533	-122	264		6146.7752
1	15785.151	2P	20400- 4615	-104	2.5- 2.5	.	.	.		-362			6333.3165
1	15778.489	4	20394- 4615	59	3.5- 2.5	.	.	.	-1329 -1282	-355	663	926	6335.9905
1	14569.562	4	19185- 4615	12	2.5- 2.5	.	.	.	+0353 367				6861.7310
1	13772.436	4S	18388- 4615	-4	3.5- 2.5	.57	.57	.	+0349* 355	175			7258.8794
1	13578.736	3	18194- 4615	-4	2.5- 2.5	.	.	.295	0232* 209				7362.4275
1	12182.361	3	16798- 4615	-9	3.5- 2.5	.	.	.	+0183* 175*				8206.3335
1	8077.020	9	12692- 4615	-10	3.5- 2.5	.	.	.	+0250* 295				12377.4173
<hr/>													
1	30645.861	2R	34148- 3502	11	6.5- 6.5	.	.	.		-4*			3262.1428
1	30071.529	2R	33574- 3502	29	6.5- 6.5	.	.	.					3324.4481
1	29864.064	2R	33366- 3502	-6	5.5- 6.5	.	.	.	+0000* 71*				3347.5437
1	29321.590	1	32824- 3502	20	6.5- 6.5	.	.	.		96*			3409.4781
1	29060.038	2	32562- 3502	38	6.5- 6.5	.	.	.		-4*			3440.1657
1	28818.408	2W	32321- 3502	-12	5.5- 6.5	.	.	.		71*			3469.0109
1	28558.497	1	32061- 3502	57	5.5- 6.5	.	.	.		-294			3500.5833
1	28271.137	1	31773- 3502	7	6.5- 6.5	.	.	.		-4*			3536.1658
1	28032.931	3S	31535- 3502	-9	5.5- 6.5	.	.	.		46*			3566.2147
1	28026.150	3	31528- 3502	0	6.5- 6.5	1.091	.873	.218		-4*			3567.0776
1	27590.378	0S	31093- 3502	18	6.5- 6.5	.	.	.		-4*			3623.4188
1	27209.490	2P	30712- 3502	-30	5.5- 6.5	.	.	.		46*			3674.1421
1	27076.800	2	30579- 3502	50	5.5- 6.5	.	.	.		96*			3692.1477

TABLE III (Contd.)

C	WAVENUMBER	T	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS CALC	HFS 2	DIAGONAL 3	COMPONENTS 4	COMPONENTS 5	COMPONENTS 6	WAVELENGTH	
1	27037.937	2S	30540- 3502	17	5.5- 6.5	.	.	.130	21*						3697.4547	
1	26636.985	3P	30139- 3502	15	6.5- 6.5	.	.		-204*						3753.1119	
1	26300.447	1	29803- 3502	-73	6.5- 6.5	.	.		164*						3801.1376	
1	26269.233	1S	29772- 3502	-32	5.5- 6.5	.	.		46*						3805.6543	
1	26170.604	1S	29673- 3502	-1	6.5- 6.5	1.06	.873	.191	-4*						3819.9970	
1	25975.588	3	29478- 3502	-2	7.5- 6.5	.	.		-0998	-987	-262	480	666	841	998	3848.6769
1	25540.109	1S	29043- 3502	-91	5.5- 6.5	.	.		21*						3914.3014	
1	25364.400	4S	28867- 3502	-20	7.5- 6.5	.	.		35						3941.4179	
1	25328.413	0S	28831- 3502	-7	6.5- 6.5	.	.		-4*						3947.0181	
1	24897.512	3S	28400- 3502	2	7.5- 6.5	.	.		-148*						4015.3306	
1	24853.003	2W	28355- 3502	8	5.5- 6.5	.	.		-4*						4022.5217	
1	24770.840	3S	28273- 3502	10	5.5- 6.5	.	.		46*						4035.8644	
1	24663.689	2	28166- 3502	9	7.5- 6.5	.	.		-342						4053.3985	
1	24489.134	3	27991- 3502	-6	7.5- 6.5	.	.		-1255	-1278	-306	547	840	1044	1255	4082.2912
1	24382.393	3	27885- 3502	-27	7.5- 6.5	.	.		-1235	-1244	-306	577	824	1047	1235	4100.1630
1	24067.030	1W	27569- 3502	-35	5.5- 6.5	.	.		376						4153.8907	
1	24049.409	2	27552- 3502	19	7.5- 6.5	.	.		-0697	-761	-167	314			4156.9343	
1	24040.511	2S	27543- 3502	11	5.5- 6.5	.	.		96*						4158.4729	
1	23863.926	1S	27366- 3502	-4	7.5- 6.5	.	.		-104*						4189.2448	
1	23807.666	1P	27310- 3502	-9	5.5- 6.5	.	.		46*						4199.1446	
1	23650.859	2S	27153- 3502	19	6.5- 6.5	.	.		-104*						4226.9858	
1	23646.937	2	27149- 3502	27	5.5- 6.5	.	.		71*						4227.6869	
1	23605.447	1	27108- 3502	32	5.5- 6.5	.	.								4235.1178	
1	23508.395	2	27011- 3502	-45	7.5- 6.5	.	.		-1518	-1541	-371	691	1011	1253	1518	4252.6024
1	23381.813	2S	26884- 3502	8	5.5- 6.5	.	.		68						4275.6251	
1	22992.953	2S	26495- 3502	23	6.5- 6.5	.	.		-14						4347.9364	
1	22875.091	2W	26377- 3502	11	7.5- 6.5	.	.		-347						4370.3392	
1	22742.727	2	26245- 3502	12	6.5- 6.5	.	.		-180						4395.7752	
1	22467.761	1W	25970- 3502	11	5.5- 6.5	.	.		-690						4449.5727	
1	22279.483	0	25782- 3502	33	5.5- 6.5	.	.		97						4487.1755	
1	21808.959	0S	25311- 3502	74	5.5- 6.5	.	.		-104*						4583.9871	
1	21572.320	5	25075- 3502	-104	6.5- 6.5	.	.		-0922	-927	-227	435	620	772	922	4634.2722
1	21295.224	4S	24798- 3502	24	6.5- 6.5	.	.		-119						4694.5748	
1	21025.900	3	24528- 3502	20	7.5- 6.5	.	.		-0668	-692	-167	325	465	578	668	4754.7093
1	20887.389	0	24390- 3502	29	6.5- 6.5	.	.		-0720	-735	-162	323	474	606	720	4786.2397
1	20638.739	0S	24141- 3502	29	5.5- 6.5	.	.		-29*						4843.9039	
1	20634.138	3	24136- 3502	28	7.5- 6.5	.	.		-1225*	-1299	-319	612	890	1123		4844.9840
1	20633.312	2	24136- 3502	-3	6.5- 6.5	.	.		-44*						4845.1780	
1	20458.458	0	23961- 3502	18	7.5- 6.5	.	.		-0581	-584	-111	239	345	464	581	4886.5892
1	20401.088	0S	23903- 3502	18	6.5- 6.5	.	.		-57						4900.3310	
1	19801.979	2	23304- 3502	34	6.5- 6.5	.	.		-0470	-484	-111	213	310	398	470	5048.5926
1	19550.747	2	23053- 3502	17	5.5- 6.5	.	.		-0484	-490	-91	202	309	412	484	5113.4691
1	18911.913	2S	22414- 3502	-7	5.5- 6.5	.	.		79						5286.2014	
1	18773.940	4	22276- 3502	-20	5.5- 6.5	.	.		-0965	-954	-248	477	669	827	965	5325.0511
1	18748.226	4	22251- 3502	-24	6.5- 6.5	.	.		-0650	-675	-150	292	441	556	650	5332.3547
1	18555.752	3	22058- 3502	-3	6.5- 6.5	.	.		-240						5387.6665	
1	17852.807	1	21355- 3502	-73	5.5- 6.5	.	.		+0623	626	199	351			5599.8054	
1	17537.445	5	21040- 3502	-40	6.5- 6.5	.	.		-1015	-1020	-267	501	703	873	1015	5700.5033
1	17382.618	2S	20885- 3502	-22	5.5- 6.5	.	.		-78						5751.2782	
1	16548.065	3S	20050- 3502	-25	6.5- 6.5	.	.	.085	-44						6041.3297	
1	16325.038	4	19827- 3502	-12	7.5- 6.5	.	.		-1513	-1507	-374	710	1016	1284	1513	6123.8650
1	15225.516	6	18728- 3502	-39	5.5- 6.5	.	.		-0766	-763	-187	364	522	659	766	6566.1081
1	14356.362	6	17859- 3502	-8	5.5- 6.5	.	.		-1017	-1012	-277	519	720	891	1017	6963.6323
1	13752.369	5	17255- 3502	29	6.5- 6.5	.930	.873	.057	-4*						7269.4713	
1	13504.867	6C	17007- 3502	-3	6.5- 6.5	.	.	.08*	-0352	-352	-100	184	252	312	352	7402.6988

TABLE III (Contd.)

C	WAVENUMBER	I	T2	-	T1	O-C	J2	-	J1	OBS	ZEEMAN	DATA	WIDTH	HFS	DIAGONAL	COMPONENTS	WAVELENGTH			
										G2	G1	DG	OBS	CALC	2	3	4	5	6	
1	13307.986	6	16810-		3502	66	5.5-		6.5	.	.		+0225*	-14*						7512.2165
1	12831.162	7	16334-		3502	-13	6.5-		6.5	.	.		-0874	-880	-233	438	611	759	874	7791.3825
1	12240.406	6	15743-		3502	1	5.5-		6.5	.84	.84		-0145	-167						8167.4182
1	10836.047	6C	14338-		3502	7	5.5-		6.5	.	.		+1459	1457	348	677	975	1237	1459	9225.9258
1	29509.943	1S	32960-		3450	-17	3.5-		3.5	.	.	.433		-17*						3387.7158
1	29300.664	1	32751-		3450	-1	4.5-		3.5	.	.			-17*						3411.9132
1	29206.189	2	32657-		3450	-1	3.5-		3.5	.	.	.415		-17*						3422.9502
1	29194.143	1P	32645-		3450	-67	2.5-		3.5	.	.	.351		-17*						3424.3626
1	29138.803	1S	32589-		3450	-2	3.5-		3.5	.	.	.424		-17*						3430.8663
1	28993.412	3R	32444-		3450	2	3.5-		3.5	.970	.590	.383		-17*						3448.0714
1	28957.533	1	32408-		3450	-2	3.5-		3.5	1.185	.590	.595								3452.3437
1	28796.408	3R	32247-		3450	-2	3.5-		3.5	.900	.590	.310		-17*						3471.6612
1	28701.011	1	32151-		3450	1	3.5-		3.5	.	.	.367		-17*						3483.2008
1	28682.056	2P	32133-		3450	1	3.5-		3.5	.	.			-17*						3485.5028
1	27890.915	3	31341-		3450	0	4.5-		3.5	.	.			-67*						3584.3738
1	27311.148	3S	30762-		3450	3	4.5-		3.5	1.038	.585	.453		-17*						3660.4658
1	27145.107	2S	30596-		3450	2	4.5-		3.5	.	.			-42*						3682.8566
1	27016.637	2S	30467-		3450	-8	4.5-		3.5	.	.			-17*						3700.3699
1	26916.106	0S	30367-		3450	1	3.5-		3.5	.	.	.356		-17*						3714.1910
1	26889.565	2W	30340-		3450	10	4.5-		3.5	.950	.590	.360		-67*						3717.8572
1	26633.568	3S	30084-		3450	3	4.5-		3.5	.935	.599	.336		-17*						3753.5934
1	26214.096	1S	29665-		3450	-9	3.5-		3.5	.985	.590	.397		-42*						3813.6591
1	26128.033	2	29579-		3450	-2	4.5-		3.5	.	.			-42*						3826.2212
1	25080.985	2S	28531-		3450	0	4.5-		3.5	.	.			-78*						3985.9569
1	24954.824	3	28405-		3450	14	3.5-		3.5	.	.		-0428	-67*	-147					4006.1087
1	24771.830	1S	28222-		3450	-5	4.5-		3.5	.	.			-42*						4035.7031
1	24609.383	0S	28060-		3450	18	4.5-		3.5	.	.			-42*						4062.3434
1	24478.844	3S	27929-		3450	-21	4.5-		3.5	.85	.58	.268		-17*						4084.0073
1	24292.760	2S	27743-		3450	5	4.5-		3.5	.907	.594	.313		-80*						4115.2916
1	24132.482	3P	27583-		3450	2	4.5-		3.5	.85	.58	.269		183*						4142.6243
1	23977.171	2S	27428-		3450	21	4.5-		3.5	.	.			-267*						4169.4585
1	23656.420	2P	27107-		3450	-25	4.5-		3.5	.	.			-125						4225.9921
1	23612.771	2W	27063-		3450	1	4.5-		3.5	1.115	.590	.52		43*						4233.8041
1	23450.361	2	26901-		3450	1	3.5-		3.5	.	.			33*						4263.1267
1	23178.318	0	26629-		3450	-7	4.5-		3.5	.	.			-72						4313.1638
1	22138.722	2S	25589-		3450	27	4.5-		3.5	.94	.60	.347		-17*						4515.7061
1	22060.667	0	25511-		3450	72	3.5-		3.5	.	.			-156						4531.6838
1	21826.689	0	25277-		3450	4	4.5-		3.5	.	.			153*						4580.2634
1	20605.948	1	24056-		3450	-67	2.5-		3.5	.	.			390*						4851.6123
1	20575.221	1	24026-		3450	6	3.5-		3.5	.	.			540						4858.8578
1	19892.782	1S	23343-		3450	47	4.5-		3.5	.	.			5						5025.5474
1	19343.822	0S	22794-		3450	-13	4.5-		3.5	.	.			81*						5168.1697
1	18189.720	4	21640-		3450	-45	3.5-		3.5	.	.		+1036	1058	254	502				5496.0838
1	17831.974	1	21282-		3450	89	2.5-		3.5	.96	.60	.358		-159						5606.3477
1	17385.800	4	20836-		3450	-70	4.5-		3.5	.	.			190						5750.2255
1	16949.964	3	20400-		3450	-36	2.5-		3.5	.	.		-0288	-316	-184					5898.0830
1	16943.251	4C	20394-		3450	76	3.5-		3.5	.	.		-1261	-1236	-418	739	948			5900.4199
1	16249.913	4L	19700-		3450	28	2.5-		3.5	.	.		+0995	981	271	518	708	866	995	6152.1765
1	16195.688	4	19646-		3450	23	4.5-		3.5	.742	.580	.162		-219						6172.7748
1	15782.614	4	19233-		3450	79	4.5-		3.5	.	.		-0725	-739	-228	394	526			6334.3345
1	15734.297	4P	19185-		3450	2	2.5-		3.5	.	.	.231	+0307	413	96					6353.7862
1	15649.872	5L	19100-		3450	22	4.5-		3.5	.	.		-0502	-515	-178	303				6398.0627
1	14937.183	2	18388-		3450	-2	3.5-		3.5	.	.		+0433*	401	125	250				6692.8549
1	14749.553	5	18200-		3450	-12	4.5-		3.5	.	.		+0420*	445	137	248				6777.9957

TABLE III (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS	WIDTH CALC	HFS 2	DIAGONAL 3	DIAGONAL 4	COMPONENTS 5	COMPONENTS 6	WAVELENGTH
1	14743.500	5	18194- 3450	15	2.5- 3.5	.	.	.	+0304*	255						6780.7785
1	14666.367	6C	18117- 3450	-18	3.5- 3.5	.	.	.	+1370	1402	410	759	1046	1282	1370	6816.4400
1	14212.182	3	17663- 3450	2	4.5- 3.5	.	.	.	+0228*	274						7034.2775
1	13347.139	4	16798- 3450	24	3.5- 3.5	1.05	.59	.46	+0277*	221*						7490.1797
1	13056.747	5	16507- 3450	-18	4.5- 3.5	.875	.590	.285	+0411	429	82	185	279	356	411	7656.7679
1	13008.362	6C	16459- 3450	-13	4.5- 3.5	.	.	.	+1362	1364	347	673	960	1194	1362	7685.2477
1	12703.310	4	16154- 3450	-15	4.5- 3.5	.797	.590	.207	+0155	181						7869.7990
1	11270.680	4	14721- 3450	-5	4.5- 3.5	.	.	.	-0442	-453	-158	265	339	403	442	8870.1436
1	9241.790	9	12692- 3450	15	3.5- 3.5	.	.	.	+0350*	341	065*	155*	235*	315*		10817.4515
1	8489.060	9	11940- 3450	-40	4.5- 3.5	.	.	.	-0300*	-293	-111	200*	240*			11776.6438
1	31332.966	1S	33366- 2033	1	5.5- 4.5	.	.	.	8*							3190.6043
1	30717.707	2	32751- 2033	12	4.5- 4.5	.	.	.	33*							3254.5127
1	30555.832	3R	32589- 2033	-3	3.5- 4.5	.	.	.392	+0000*	33*						3271.7546
1	30213.433	0S	32247- 2033	-7	3.5- 4.5	.	.	.	33*							3308.8336
1	30118.059	1	32151- 2033	19	3.5- 4.5	.	.	.	33*							3319.3119
1	30099.107	2	32133- 2033	22	3.5- 4.5	.	.	.340	33*							3321.4020
1	30027.380	1	32061- 2033	45	5.5- 4.5	.	.	.	-357							3329.3362
1	29915.400	2R	31949- 2033	10	4.5- 4.5	.	.	.	+0000*	143						3341.7990
1	29501.819	2S	31535- 2033	-16	5.5- 4.5	.	.	.	-17*							3388.6487
1	29307.953	1	31341- 2033	8	4.5- 4.5	.	.	.	-17*							3411.0646
1	29180.936	4W	31214- 2033	1	5.5- 4.5	.904	.612	.292	-381							3425.9125
1	28916.868	1S	30950- 2033	13	5.5- 4.5	.	.	.	-17*							3457.1988
1	28728.176	1S	30762- 2033	1	4.5- 4.5	.	.	.	33*							3479.9070
1	28615.699	3R	30649- 2033	-46	4.5- 4.5	1.011	.610	.401	133*							3493.5855
1	28606.014	3R	30639- 2033	-1	5.5- 4.5	.977	.618	.359	+0000*	8*						3494.7684
1	28562.141	2R	30596- 2033	6	4.5- 4.5	.97	.61	.361	+0000*	8*						3500.1367
1	28545.648	3	30579- 2033	3	5.5- 4.5	.	.	.	-0458	33*	-164					3502.1590
1	28506.812	2S	30540- 2033	-3	5.5- 4.5	.	.	.	-42*							3506.9303
1	28433.679	2R	30467- 2033	4	4.5- 4.5	.	.	.	+0000*	33*						3515.9506
1	28306.584	4W	30340- 2033	-1	4.5- 4.5	.	.	.	-17*							3531.7375
1	28121.803	4	30155- 2033	-2	4.5- 4.5	.90	.60	.303	-0326	-67*	-116					3554.9443
1	28050.587	3P	30084- 2033	-8	4.5- 4.5	.	.	.	33*							3563.9700
1	27738.161	2S	29772- 2033	1	5.5- 4.5	.	.	.467	-17*							3604.1135
1	27631.137	1S	29665- 2033	2	3.5- 4.5	.	.	.	8*							3618.0737
1	27545.041	2	29579- 2033	-24	4.5- 4.5	.	.	.	8*							3629.3828
1	27327.808	2W	29361- 2033	-87	5.5- 4.5	.	.	.	-267*							3658.2341
1	27302.289	2	29336- 2033	24	5.5- 4.5	.	.	.	-347*							3661.6535
1	27195.655	2S	29229- 2033	-20	4.5- 4.5	.99	.60	.388	8*							3676.0112
1	27008.998	0S	29043- 2033	-97	5.5- 4.5	.	.	.	-42*							3701.4165
1	26587.992	1S	28621- 2033	-18	5.5- 4.5	.	.	.	8*							3760.0278
1	26498.029	1S	28531- 2033	14	4.5- 4.5	.	.	.	-28*							3772.7938
1	26420.844	1W	28454- 2033	-6	4.5- 4.5	.	.	.	-350*							3783.8158
1	26239.702	2S	28273- 2033	-23	5.5- 4.5	.	.	.	-17*							3809.9374
1	26188.856	1S	28222- 2033	-9	4.5- 4.5	.	.	.	8*							3817.3346
1	26116.087	2S	28150- 2033	2	5.5- 4.5	1.150	.615	.535	8*							3827.9714
1	26026.463	2P	28060- 2033	68	4.5- 4.5	.	.	.	8*							3841.1536
1	25985.805	2P	28019- 2033	-50	5.5- 4.5	.	.	.	287							3847.1637
1	25958.153	2	27992- 2033	3	5.5- 4.5	.	.	.	-0754	-756	-228	393	558	661	754	3851.2620
1	25790.951	3	27824- 2033	-4	5.5- 4.5	.95	.61	.341	-0402	-530	-131					3876.2302
1	25709.784	2S	27743- 2033	-1	4.5- 4.5	.	.	.	-30*							3888.4679
1	25575.373	2P	27609- 2033	-62	5.5- 4.5	1.05	.60	.445	196*							3908.9042
1	25549.500	2P	27583- 2033	-10	4.5- 4.5	.	.	.	233*							3912.8627
1	25535.898	2P	27569- 2033	-62	5.5- 4.5	.	.	.	313							3914.9469
1	25406.542	4S	27440- 2033	-33	5.5- 4.5	1.009	.618	.391	140							3934.8801

TABLE III (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEFMAN G1	DATA DG	WIDTH OBS	WIDTH CALC	HFS 2	DIAGONAL 3	COMPONENTS 4	COMPONENTS 5	COMPONENTS 6	WAVELENGTH
1	25288.194	2	27322- 2033	19	4.5- 4.5	.	.	.	-0506	-509	-169	311				3953.2957
1	25276.586	2	27310- 2033	16	5.5- 4.5	.	.	.		-17*						3955.1112
1	25182.548	0	27216- 2033	3	5.5- 4.5	.	.	.		-267*						3969.8809
1	25073.479	0	27107- 2033	4	4.5- 4.5	.	.	.		-75						3987.1502
1	24618.934	4S	26652- 2033	-1	5.5- 4.5	.883	.620	.263		-144						4060.7674
1	24595.368	2S	26629- 2033	13	4.5- 4.5	.	.	.		-22						4064.6583
1	24476.090	0W	26509- 2033	45	5.5- 4.5	.	.	.		-367*						4084.4668
1	24300.375	2P	26334- 2033	0	3.5- 4.5	1.015	.615	.400		83*						4114.0020
1	24076.138	0S	26110- 2033	43	5.5- 4.5	.	.	.		-157*						4152.3192
1	23966.056	2	25999- 2033	1	5.5- 4.5	.	.	.450	-0581	-628	-145	304				4171.3922
1	23936.754	2	25970- 2033	109	5.5- 4.5	.	.	.	-0612	-753	-148					4176.4987
1	23778.180	1	25812- 2033	55	5.5- 4.5	.	.	.		33*						4204.3518
1	23748.337	4S	25782- 2033	-8	5.5- 4.5	.930	.617	.313		34						4209.6353
1	23623.845	3S	25657- 2033	30	5.5- 4.5	1.025	.617	.408		-40						4231.8195
1	23555.720	1S	25589- 2033	-5	4.5- 4.5	.	.	.32		33*						4244.0584
1	23518.004	4	25551- 2033	9	5.5- 4.5	.	.	.49	-0701	-717	-195	358	494	604	701	4250.8648
1	23308.643	2W	25342- 2033	28	5.5- 4.5	.	.	.		-553*						4289.0473
1	23277.826	3	25311- 2033	46	5.5- 4.5	1.066	.616	.450		-167*						4294.7256
1	23243.721	1	25277- 2033	6	4.5- 4.5	.	.	.		203*						4301.0272
1	23089.991	1	25123- 2033	36	5.5- 4.5	.	.	.		-267*						4329.6634
1	23027.144	0	25061- 2033	19	5.5- 4.5	.	.	.		334						4341.4804
1	22951.239	4S	24985- 2033	-1	5.5- 4.5	1.015	.614	.401		24						4355.8389
1	22650.431	2W	24684- 2033	-9	5.5- 4.5	.	.	.		539						4413.6875
1	22502.077	2W	24535- 2033	52	3.5- 4.5	.	.	.		-249						4442.7870
1	22293.722	2S	24327- 2033	-3	5.5- 4.5	.918	.611	.307		183						4484.3095
1	22280.545	1	24314- 2033	25	4.5- 4.5	.	.	.		-198						4486.9617
1	22268.706	1	24302- 2033	71	3.5- 4.5	.	.	.		-259*						4489.3472
1	22107.634	1S	24141- 2033	29	5.5- 4.5	.	.	.		-92*						4522.0562
1	22054.318	2W	24088- 2033	28	5.5- 4.5	.	.	.		33*						4532.9884
1	21992.296	3	24026- 2033	51	3.5- 4.5	.	.	.	+0555	590	138	262	368			4545.7724
1	21933.277	0	23967- 2033	117	4.5- 4.5	.	.	.		133*						4558.0046
1	21865.890	1W	23899- 2033	45	5.5- 4.5	.	.	.		-475						4572.0518
1	21746.156	2	23779- 2033	156	5.5- 4.5	.	.	.	-1005*	-1037	-261	503	696			4597.2258
1	21697.915	2W	23731- 2033	45	5.5- 4.5	.	.	.		-17*						4607.4470
1	21506.970	4W	23540- 2033	5	5.5- 4.5	.	.	.		413						4648.3539
1	21378.395	0	23412- 2033	40	3.5- 4.5	.	.	.		282						4676.3107
1	21309.765	2S	23343- 2033	0	4.5- 4.5	.	.	.		55						4691.3714
1	21183.334	0S	23217- 2033	39	3.5- 4.5	.	.	.		-117*						4719.3719
1	21019.719	0	23053- 2033	94	5.5- 4.5	.	.	.	-0530*	-553	-142	265				4756.1075
1	20968.330	3W	23002- 2033	45	4.5- 4.5	.	.	.		-342						4767.7638
1	20760.887	2	22794- 2033	22	4.5- 4.5	.	.	.		131*						4815.4041
1	20568.745	2	22602- 2033	20	3.5- 4.5	.	.	.		457						4860.3876
1	20487.740	4	22521- 2033	35	3.5- 4.5	.	.	.	+0758	771	165	342	507	652	758	4879.6050
1	20350.169	1	22383- 2033	144	3.5- 4.5	.	.	.		-382						4912.5925
1	20209.455	0	22243- 2033	10	4.5- 4.5	.	.	.		-191						4946.7983
1	20018.623	1S	22052- 2033	3	4.5- 4.5	.85	.64	.213		133*						4993.9554
1	19845.330	1S	21879- 2033	0	3.5- 4.5	.	.	.		173						5037.5641
1	19817.400	6	21851- 2033	20	5.5- 4.5	.	.	.	+0524	531	104	215	337			5044.6640
1	19517.066	1S	21551- 2033	1	5.5- 4.5	1.005	.615	.390		-116*						5122.2936
1	19321.711	3	21355- 2033	-64	5.5- 4.5	.	.	.	+0437	563	135	255				5174.0840
1	18935.918	1S	20969- 2033	-22	3.5- 4.5	.	.	.		174						5279.5000
1	18851.533	1S	20885- 2033	-2	5.5- 4.5	.	.	.		-141						5303.1329
1	18802.863	2	20836- 2033	-37	4.5- 4.5	.	.	.		240						5316.8599
1	17612.677	2S	19646- 2033	-18	4.5- 4.5	.	.	.		-169						5676.1535
1	17199.530	4	19233- 2033	-35	4.5- 4.5	.	.	.	-0874	-689	-205	374	521			5812.5008

TABLE III (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS CALC	HFS 2	DIAGONAL 3	COMPONENTS 4	COMPONENTS 5	COMPONENTS 6	WAVELENGTH
1	17066.919	5	19100- 2033	39	4.5- 4.5	.	.	.	-0460 -465	-284					5857.6647
1	16694.459	5	18728- 2033	9	5.5- 4.5	.	.	.	-0837 -826	-236	431	592	737	837	5988.3527
1	16354.183	4	18388- 2033	-32	3.5- 4.5	.	.	.	+0497 451						6112.9515
1	16083.338	6C	18117- 2033	-77	3.5- 4.5	.	.	.	+1431 1452	430	774	1068	1281	1431	6215.8951
1	15825.252	5	17859- 2033	-13	5.5- 4.5	.	.	.	-1092 -1075	-327	588	791	956	1092	6317.2678
1	14776.828	4S	16810- 2033	13	5.5- 4.5	.	.	.	-77*						6765.4848
1	14473.791	6	16507- 2033	-4	4.5- 4.5	.870	.611	.259	+0441* 479	117	210	310			6907.1344
1	14425.390	7C	16459- 2033	-15	4.5- 4.5	.	.	.	+1392 1414	363	693	979	1217	1392	6930.3098
1	14120.386	6	16154- 2033	31	4.5- 4.5	.778	.610	.168	+0281* 231						7080.0073
1	13709.334	6	15743- 2033	34	5.5- 4.5	.887	.615	.272	-0294* -230						7292.2911
1	12304.923	6C	14338- 2033	-12	5.5- 4.5	.	.	.	+1394 1394	299	607	905	1171	1394	8124.5947
1	10658.823	8	12692- 2033	18	3.5- 4.5	.	.	.	+0320* 391	089	171	268	320*		9379.3256
1	9906.130	9C	11940- 2033	0	4.5- 4.5	.	.	.	-0250* -243	-90*				250*	10091.9931
1	32321.252	1S	32321-	0	2	5.5- 5.5	.	.	51*						3093.0416
1	32061.348	2P	32061-	0	78	5.5- 5.5	.	.	-314						3118.1162
1	31773.961	1R	31773-	0	1	6.5- 5.5	.	.	-24*						3146.3198
1	31431.660	1S	31431-	0	40	6.5- 5.5	.	.	26*						3180.5856
1	31341.883	1S	31341-	0	3	4.5- 5.5	.	.	26*						3189.6965
1	31214.878	2R	31214-	0	8	5.5- 5.5	.	.	-338						3202.6750
1	31093.199	0S	31093-	0	9	6.5- 5.5	.	.	-24*						3215.2087
1	30950.787	1S	30950-	0	-3	5.5- 5.5	.	.	26*						3230.0032
1	30762.113	3R	30762-	0	3	4.5- 5.5	.	.	+0000* 76*						3249.8145
1	30649.681	3R	30649-	0	1	4.5- 5.5	.	.	176*						3261.7362
1	30639.953	3R	30639-	0	3	5.5- 5.5	.	.	+0000* 51*						3262.7718
1	30596.070	3R	30596-	0	0	4.5- 5.5	.	.	+0000* 51*						3267.4517
1	30579.569	2W	30579-	0	-11	5.5- 5.5	.	.	76*						3269.2149
1	30540.776	1S	30540-	0	26	5.5- 5.5	.	.	1*						3273.3676
1	30467.620	3R	30467-	0	10	4.5- 5.5	.	.	+0000* 76*						3281.2276
1	30340.516	4R	30340-	0	-4	4.5- 5.5	.	.	26*						3294.9739
1	30155.768	4R	30155-	0	28	4.5- 5.5	.	.	-24*						3315.1611
1	30139.806	2R	30139-	0	6	6.5- 5.5	.	.	-224*						3316.9169
1	30084.558	3R	30084-	0	28	4.5- 5.5	.	.	76*						3323.0083
1	29803.365	2R	29803-	0	15	6.5- 5.5	.	.	144*						3354.3617
1	29673.289	2R	29673-	0	-146	6.5- 5.5	.	.	-24*						3369.0664
1	29579.011	2R	29579-	0	11	4.5- 5.5	.	.	51*						3379.8051
1	29361.832	3R	29361-	0	2	5.5- 5.5	.	.	-224*						3404.8051
1	29336.191	2	29336-	0	-9	5.5- 5.5	.	.	-304*						3407.7811
1	29229.611	2R	29229-	0	1	4.5- 5.5	1.009	.669	+0000* 51*						3420.2073
1	29043.029	1	29043-	0	-1	5.5- 5.5	.	.	1*						3442.1805
1	28888.416	4R	28888-	0	1	4.5- 5.5	1.045	.660	+0000* 76*						3460.6039
1	28831.252	4R	28831-	0	2	5.5- 5.5	.990	.662	+0000* -24*						3467.4654
1	28711.463	6R	28711-	0	-2	6.5- 5.5	.955	.660	-579 -126	250	369	476	555		3481.9327
1	28621.946	4R	28621-	0	1	5.5- 5.5	.995	.662	+0000* 51*						3492.8230
1	28551.045	6W	28551-	0	-100	5.5- 5.5	.93	.66	-414						3501.4970
1	28526.642	3P	28526-	0	2	6.5- 5.5	1.11	.67	-24*						3504.4924
1	28454.812	4W	28454-	0	27	4.5- 5.5	.	.	-307*						3513.3393
1	28355.827	4	28355-	0	2	5.5- 5.5	1.06	.64	-24*						3525.6041
1	28222.809	4S	28222-	0	9	4.5- 5.5	1.03	.68	51*						3542.2212
1	28150.020	4S	28150-	0	0	5.5- 5.5	1.142	.660	51*						3551.3808
1	28060.398	1S	28060-	0	68	4.5- 5.5	.	.	51*						3562.7238
1	28019.790	5	28019-	0	0	5.5- 5.5	1.061	.657	+0309 330	100	181				3567.8873
1	27992.086	4	27992-	0	1	5.5- 5.5	.	.	-0689 -713	-172	335	480	603	689	3571.4186
1	27929.829	2	27929-	0	-1	4.5- 5.5	.	.	76*						3579.3796
1	27882.464	3W	27882-	0	-36	5.5- 5.5	.	.	-556						3585.4602

TABLE III (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS G2	ZEEMAN G1	DATA DG	WIDTH OBS	CALC	HFS 2	DIAGONAL 3	COMPONENTS 4	5	6	WAVELENGTH
1	27824.915	5W	27824-	0	25	5.5-	5.5	.	.	-487						3592.876 1
1	27743.720	4S	27743-	0	0	4.5-	5.5	.874	.641	.233						3603.391 3
1	27609.369	4W	27609-	0	-1	5.5-	5.5	1.051	.657	.394						3620.926 4
1	27569.893	4	27569-	0	-2	5.5-	5.5	.912	.660	.252	+0347					3626.111 2
1	27440.511	2	27440-	0	1	5.5-	5.5	1.000	.656	.344						3643.208 7
1	27428.122	2S	27428-	0	7	4.5-	5.5	.	.	-174*						3644.854 4
1	27153.671	3S	27153-	0	1	6.5-	5.5	.981	.667	.314						3681.695 1
1	27149.739	3	27149-	0	-1	5.5-	5.5	1.141	.681	.460						3682.228 3
1	27108.244	4P	27108-	0	-1	5.5-	5.5	1.051	.633	.418						3687.864 9
1	27063.764	3P	27063-	0	29	4.5-	5.5	.	.	136*						3693.926 2
1	26652.882	4S	26652-	0	12	5.5-	5.5	.876	.658	.218						3756.873 3
1	26495.768	2S	26495-	0	8	6.5-	5.5	.	.	-34						3773.115 7
1	26264.354	4	26264-	0	-16	6.5-	5.5	.	.	-0502						3806.361 3
1	26110.040	2S	26110-	0	10	5.5-	5.5	.	.	-114*						3828.858 0
1	25970.543	4	25970-	0	-37	5.5-	5.5	.	.	-0717						3849.424 6
1	25812.044	2	25812-	0	-16	5.5-	5.5	.	.	76*						3873.062 6
1	25782.261	3S	25782-	0	-19	5.5-	5.5	.925	.657	.268						3877.536 7
1	25589.641	3W	25589-	0	-19	4.5-	5.5	.	.	76*						3906.724 6
1	25551.895	5	25551-	0	-35	5.5-	5.5	.	.	-0660						3912.495 9
1	25342.535	2W	25342-	0	-15	5.5-	5.5	.	.	-510*						3944.818 6
1	25311.708	4	25311-	0	-7	5.5-	5.5	.946	.653	.293						3949.623 1
1	25277.641	1	25277-	0	-9	4.5-	5.5	.	.	246*						3954.946 1
1	25241.221	1	25241-	0	6	5.5-	5.5	.	.	-236						3960.652 8
1	25213.921	2S	25213-	0	81	5.5-	5.5	.	.	-24*						3964.941 2
1	25075.129	6	25075-	0	-31	6.5-	5.5	.	.	-0938						3986.887 8
1	25061.044	3W	25061-	0	-16	5.5-	5.5	.	.	377						3989.128 6
1	24985.170	1S	24985-	0	-5	5.5-	5.5	.	.	67						4001.242 9
1	24798.038	4	24798-	0	8	6.5-	5.5	.867	.672	.195						4031.437 9
1	24684.361	4	24684-	0	-14	5.5-	5.5	.	.	+0597						4050.003 9
1	24491.454	4W	24491-	0	24	5.5-	5.5	.	.	291						4081.904 5
1	24390.185	5	24390-	0	-5	6.5-	5.5	.	.	-0748						4098.853 0
1	24314.503	2S	24314-	0	48	4.5-	5.5	.	.	-155						4111.611 5
1	24136.169	4S	24136-	0	24	6.5-	5.5	.990	.657	.333						4141.991 4
1	23903.952	2S	23903-	0	52	6.5-	5.5	.	.	-77						4182.230 0
1	23837.213	2P	23837-	0	83	6.5-	5.5	.79	.66	.13						4193.939 5
1	23779.942	3	23779-	0	7	5.5-	5.5	.	.	-0986						4204.040 3
1	23731.835	3W	23731-	0	30	5.5-	5.5	.	.	26*						4212.562 5
1	23568.347	1S	23568-	0	2	6.5-	5.5	.835	.660	.175						4241.784 6
1	23540.898	5	23540-	0	-2	5.5-	5.5	.	.	.19	+0448					4246.730 7
1	23304.869	2W	23304-	0	94	6.5-	5.5	.	.	-504						4289.741 9
1	23257.139	0	23257-	0	39	6.5-	5.5	.	.	-174*						4298.545 8
1	23191.255	0	23191-	0	25	6.5-	5.5	.	.	-174*						4310.757 7
1	23053.589	5P	23053-	0	29	5.5-	5.5	.	.	-510						4336.500 1
1	23002.308	3P	23002-	0	88	4.5-	5.5	.	.	-299						4346.168 0
1	22895.996	0S	22895-	0	6	6.5-	5.5	.	.	-24*						4366.348 8
1	22794.867	3	22794-	0	67	4.5-	5.5	.	.	174*						4385.720 3
1	22414.780	5S	22414-	0	30	5.5-	5.5	.881	.657	.224						4460.090 2
1	22276.792	2	22276-	0	2	5.5-	5.5	.	.	-1031						4487.717 6
1	22251.078	4	22251-	0	-2	6.5-	5.5	.	.	-0685						4492.903 8
1	22243.411	3S	22243-	0	31	4.5-	5.5	1.018	.656	.362						4494.452 5
1	22058.666	4P	22058-	0	81	6.5-	5.5	.994	.661	.333						4532.094 9
1	21920.449	1S	21920-	0	79	5.5-	5.5	.	.	56*						4560.672 0
1	21851.373	5	21851-	0	58	5.5-	5.5	.	.	+0556						4575.089 3
1	21839.785	1S	21839-	0	45	4.5-	5.5	.	.	-79						4577.516 8
1	21453.800	2	21453-	0	50	4.5-	5.5	.	.	-0759						4659.874 3

TABLE III (Contd.)

C	WAVENUMBER	I	T2 - T1	O-C	J2 - J1	OBS	ZEE MAN	DATA	WIDTH		HFS	DIAGONAL		COMPONENTS		WAVELENGTH
						G2	G1	DG	OBS	CALC	2	3	4	5	6	
1	21355.710	5	21355-	0	0	5.5-	5.5	.	.	+0591	606	203	354	482		4681.2781
1	21253.464	1S	21253-	0	9	4.5-	5.5	.	.	-12						4703.7991
1	21040.316	3	21040-	0	1	6.5-	5.5	.	.	-1032	-1040	-		698	848	4751.4515
1	20885.526	0S	20885-	0	56	5.5-	5.5	.	.	-98						4786.6667
1	20836.879	3P	20836-	0	44	4.5-	5.5	.	.	283						4797.8421
1	20050.935	4S	20050-	0	15	6.5-	5.5	.782	.657	125						4985.9075
1	19992.835	5	19992-	0	35	5.5-	5.5	.	.	+0531	542	145	268	369	467	5000.3970
1	19986.042	0	19985-	0	47	4.5-	5.5	1.02	.66	.362	248					5002.0966
1	19906.285	3	19906-	0	20	5.5-	5.5	.89	.66	.227	+0415	421	143	244		5022.1384
1	19646.657	2S	19646-	0	27	4.5-	5.5	.	.	-126						5088.5061
1	19233.510	4	19233-	0	10	4.5-	5.5	.	.	-0650	-646	-156	313	449	563	5197.8116
1	19100.860	3	19100-	0	45	4.5-	5.5	.	.	-0431	-422					5233.9093
1	18728.406	3	18728-	0	21	5.5-	5.5	.	.	-0785	-783	-182	369	522	666	5337.9979
1	18200.435	3	18200-	0	-95	4.5-	5.5	.	.	+0524	538	200				5492.8481
1	17859.203	4	17859-	0	3	5.5-	5.5	.	.	-1027	-1032	-271	509	715	888	5597.7999
1	17007.749	6P	17007-	0	49	6.5-	5.5	.790	.660	.130	-0400*	-372				5878.0437
1	16507.783	1	16507-	0	53	4.5-	5.5	.	.	+0506	522					6056.0718
1	16459.338	6C	16459-	0	-2	4.5-	5.5	.	.	+1438	1457	412	761	1049	1271	6073.8969
1	16334.038	6C	16334-	0	33	6.5-	5.5	.	.	-0900	-900	-226	431	615	770	6120.4907
1	16154.290	6R	16154-	0	0	4.5-	5.5	.	.	274						6188.5937
1	14338.949	8C	14338-	0	79	5.5-	5.5	.	.	+1424	1437	348	674	968	1224	6972.0888
1	11940.036	8R	11940-	0	-29	4.5-	5.5	.67	.67	0167*	-200					8372.8831

2534 CARDS PROCESSED

TABLE IV. Odd Parity Levels

T	J	W	G	NAME	A	B	INTERVALS						NO.
2831.100	2.5	-0518	.430	F5S2 6H	32.30	-74.3	-117	251	374	468	518	40	
5456.120	3.5	-0530	.860	F5S2 6H	24.90	-110.	-093	214	339	448	530	24	
7315.610	4.5	-0530*	.	F5S2 6H	21.*							4	
11940.065	4.5	-0976	.67 *	F4 5I4S2P05	38.86	-20.4	-263	494	692	853	976	9	
12692.740	3.5	-0342	.	F4 5I4S2P05	16.69	-26.9	-086	169	242	300	342	9	
13384.140	3.5	+1008	.	F5DS 8K	-50.77	-26.2	318	573	770	914	1008	9	
14338.870	5.5	+0661	.	F4DSP 8M	-21.50	92.7	132	273	414	546	661	10	
14721.650	4.5	-1136	.	F5DS 8K	45.30	-15.1	-310	581	810	995	1136	7	
15743.235	5.5	-0963	.887	F4 5I5S2P05	31.99	-20.9	-247	469	663	829	963	14	
16154.290	4.5	-0502	.797		19.53	-67.2	-105	218	327	424	502	16	
16334.005	6.5	-1676	.	F4DSP 8M	48.05	44.6	-451	840	1172	1449	1676	12	
16459.340	4.5	+0681	.	F4DSP 8L	-27.28	-7.9	195	359	494	601	681	11	
16507.730	4.5	-0254	.874	F4 5I5S2P05	9.96	-22.7	-59	117	171	217	254	16	
16798.080	3.5	-0462*	1.05									9	
16810.750	5.5	-0810*	.89 *									12	
17007.700	6.5	-1148	.790	F4DSP	33.00	52.4	-319	588	814	999	1148	11	
17255.170	6.5	-0800*	.930	F4DSP								6	
17663.145	4.5	-0409	.68		16.04	-38.9	-94	188	274	347	409	8	
17859.200	5.5	-1808	.	F4DSP 8L	60.42	27.5	-495	921	1280	1575	1808	21	
18117.350	3.5	+0719	.	F4DSP 8K	-36.95	-67.3	256	444	576	665	719	12	
18194.450	2.5	-0428	.375	F4 5I4S2P15*	28.45*	-2.1*	-141	255	341	399	428	12	
18200.530	4.5	-0238	.675		8.70	-99.6	-14	59	119	182	238	18	
18388.150	3.5	-0282	.57		12.55	-108.5	-020	078	153	226	282	18	
18728.385	5.5	-1559	.	F4 5I4S2P15	51.83	-27.3	-403	763	1078	1344	1559	18	
18969.885	4.5	-0568	1.04									4	
19100.815	4.5	-1198	.	F4 5I4S2P15	47.81	-12.1	-329	615	856	1051	1198	22	
19185.260	2.5	-0270	.82		18.32	11.1	-098	171	222	254	270	11	
19233.500	4.5	-1422	.	F4) SP 8K	56.50	-45.1	-375	711	1001	1239	1422	13	
19275.805	6.5	-1040	.98	F4 5I6S2P05	29.68	-12.6	-262	498	707	888	1040	13	
19646.630	4.5	-0902	.74	F4DSP	35.40	-81.3	-210	416	606	771	902	17	
19700.850	2.5	+0298	.	F4DSP 8I*	-20.55	-23.7	117	198	251	283	298	11	
19788.440	5.5	-0374	.	F4 5I6S2P05	12.32	-27.7	-086	170	248	316	374	15	
19827.880	7.5	-2303	1.04 *	F4DSP 8M	57.69	42.2	-594	1118	1576	1970	2303	11	
19906.265	5.5	-0355	.89		11.72	-20.2	-085	164	239	302	355	11	
19985.995	4.5	-0528	1.02		20.55	-66.1	-113	231	345	446	528	11	
19992.800	5.5	-0234	.		7.99	34.8	-79	138	182	213	234	12	
20050.920	6.5	-0840	.78	F3D2S2 6M	24.11	26.6	-228	424	590	728	840	20	
20391.095	6.5	-1018*	.	F4DSP 8L	39.35*	-240.*	-255	544	846	1140	1377	4	
20394.140	3.5	-1919	.		95.78	-12.0	-569	1047	1433	1724	1919	13	
20400.965	2.5	-0999	.	F4 5F2S2P05	66.32	-9.3	-326	592	794	930	999	11	
20439.260	5.5	-0850*	.									4	
20553.570	7.5	-1938	.		48.42	-4.2	-483	918	1306	1645	1938	3	
20573.200	7.5	-1515	.		37.60	-97.3	-337	664	974	1260	1515	3	
20836.835	4.5	-0493	.69	F4DSP	19.49	-18.3	-123	238	340	426	493	18	
20879.875	3.5	-1170	.	F4DSP 8I	58.39	-6.4	-347	639	874	1051	1170	6	
20885.470	5.5	-0874	.76	F3D2S2 6L Q	28.90	-39.2	-214	413	591	746	874	21	
20957.570	7.5	-0834	.									5	
20969.875	3.5	-0559	.780		27.33	-44.8	-141	276	396	492	559	14	
21012.800	5.5	-1505	.	F4DSP 8K	50.00	-29.5	-387	734	1038	1296	1505	6	
21040.315	6.5	-1816	.	F4DSP 8L	52.07	51.2	-490	912	1271	1571	1816	24	
21058.370	1.5	+0030	.	F4 5F2S2P05	-4.00	-13.7	027	033	030			4	
21131.720	2.5	-1355	.		90.16	-4.7	-448	809	1081	1263	1355	9	
21156.655	7.5	-0911	.		23.02	83.1	-263	480	657	799	911	4	
21246.670	1.5	+0737	.	F4DSP 8H	-81.92	-1.6	329	574	737			5	
21253.455	4.5	-0788	1.075		31.80	32.7	-238	431	584	702	788	6	

TABLE IV (Contd.)

T	J	W	G	NAME	A	B	INTERVALS					NO.
21282.850	2.5	-0842	.95		55.27	-28.8	-259	482	658	780	842	10
21355.710	5.5	-0170	.		5.33	-60.3	-016	048	088	130	170	22
21384.660	7.5	-1361	.									3
21453.750	4.5	-1556	.		62.16	-12.9	-429	801	1114	1366	1556	10
21551.000	5.5	-0849*	.995		28.02*	-53.7*	-201	392	567	721	849*	22
21592.700	6.5	-1303	.		37.08	-35.6	-319	612	875	1106	1303	16
21640.730	3.5	+0375	.	F4D SP 6I	-18.44	20.8	100	191	270	332	375	14
21839.740	4.5	-0855	.		34.70	56.7	-269	482	645	769	855	3
21851.315	5.5	-0202	.		6.77	6.5	-057	105	145	177	202	15
21879.265	3.5	-0560	.939		28.00	0.0	-168	308	420	504	560	14
21920.370	5.5	-0720*	1.03									15
21930.835	7.5	-0900*	.									3
21973.875	5.5	-1538	.		51.07	-35.3	-393	747	1058	1323	1538	5
22004.280	6.5	-1042	1.010		29.61	-39.6	-250	483	694	881	1042	14
22052.555	4.5	-0600*	.828	F4DSP 6K								6
22058.585	6.5	-1036	.99	F3D2S2 6L	29.53	-18.0	-258	493	701	883	1036	19
22074.190	5.5	+0323	.	F4D SP 6L	-10.97	-41.7	106	187	247	291	323	8
22175.005	7.5	-0800*	.									3
22210.660	4.5	-1545	.	F4DSP 8I	61.57	-25.5	-419	787	1099	1352	1545	8
22222.845	2.5	-1029	.		69.10	16.0	-355	630	832	964	1029	3
22238.000	7.5	-1109	.	F4 5I7S2P05	27.62	-36.4	-262	510	730	932	1109	15
22241.235	2.5	-0510	.		32.50	-48.0	-134	267	382	466	510	3
22243.380	4.5	-0924	1.01		36.33	-73.6	-220	433	626	792	924	13
22251.080	6.5	-1471	.	F4 5I5S2P15	41.78	-27.2	-366	699	995	1253	1471	13
22276.790	5.5	-1750	.	F4D SP 8K	58.39	8.7	-471	880	1230	1519	1750	19
22303.910	2.5	+0365	.		-24.00	10.0	114	211	286	339	365	7
22383.960	3.5	-1115	.		55.73	0.0	-335	613	836	1003	1115	11
22409.330	4.5	-0304	.		11.76	-48.0	-060	127	194	254	304	17
22414.750	5.5	-0717	.88		23.65	-46.8	-169	330	478	608	717	22
22521.640	3.5	+0038	.	F4 5I5S2P15	-1.60	22.0	002	006	017	029	038	12
22581.500	4.5	-0554	.	F4 5I5S2P15	22.08	-9.5	-150	282	394	485	554	14
22602.660	3.5	-0276	.		13.83	3.5	-085	154	209	249	276	9
22624.330	5.5	-1121	.	F4 5I5S2P15								4
22625.940	6.5	-0619	.	F4 5I7S2P05	17.46	-56.0	-134	268	396	515	619	12
22743.040	6.5	-1192	.									4
22787.970	9.5	-1060*	.		20.95*	-148.*	-195	407	627	846	1060*	2
22794.800	4.5	-0602*	.									17
22895.990	6.5	-0800*	1.05 *									10
23002.220	4.5	-1075	.	F4D SP 8I	42.30	-84.7	-257	504	730	923	1075	14
23045.470	9.5	-0950*	.									3
23053.560	5.5	-1286	.85		42.62	-47.3	-320	614	876	1101	1286	17
23104.900	7.5	-0720*	.									3
23132.410	8.5	-2490	1.12	F4D SP 8M	55.40	34.9	-623	1181	1677	2112	2490	11
23136.390	6.5	-1056*	.		30.06*	-26.4*	-260	498	711	898	1056*	4
23191.230	6.5	-0950*	.									6
23217.230	3.5	-0850*	.	F4D SP 8H Q	40.*		-243	452				11
23242.680	7.5	-1549	.	F4D SP 8L	38.87	53.2	-410	766	1072	1332	1549	15
23257.100	6.5	-0950*	.									5
23304.775	6.5	-1280	.		36.57	0.*	-329	622	878	1097	1280	18
23326.475	5.5	-0597	.									3
23343.700	4.5	-0678	.		26.88	-26.4	-176	335	474	589	678	11
23389.420	7.5	-1000*	.									2
23407.160	8.5	-1783*	.		39.55*	-28.0*	-424	816	1175	1495	1783*	3
23412.290	3.5	-0451	.	F4 5F3S2P05	21.85	-50.0	-105	213	312	393	451	11
23416.925	2.5	-0702	.		45.80	-32.3	-210	395	544	648	702	7

TABLE IV (Contd.)

T	J	W	G	NAME	A	B	INTERVALS						NO.
23491.630	7.5	-1608*	.		40.20*	0.*	-402	764	1085	1367	1608*		3
23540.900	5.5	-0320	.85		10.57	-15.0	-078	151	216	273	320		16
23568.345	6.5	-0775*	.835										2
23579.415	4.5	-1220	.		48.30	-59.9	-310	595	847	1057	1220		14
23731.805	5.5	-0750*	.										7
23779.935	5.5	-1770	.	F4D SP 8I	58.86	-24.7	-460	870	1226	1527	1770		6
23837.130	6.5	-1099	.79		31.20	-53.0	-259	503	727	927	1099		8
23899.780	5.5	-1208	.										10
23903.900	6.5	-0853	.		24.32	-14.2	-213	406	578	727	853		12
23961.270	7.5	-1380	.		34.40	-30.1	-332	638	916	1164	1380		13
23967.095	4.5	-0600*	.										7
24026.180	3.5	-0143	.	F4S 2P	6.89	-19.7	-031	065	097	125	143		9
24056.980	2.5	-0293*	.	F4 5F3S2P05	19.48*	-.67*	-097	175	234	273	293*		11
24088.225	5.5	-0700*	.										4
24110.340	3.5	-0656*	.		32.80*	0.*	-197*	361*	492*	590*	656*		12
24136.145	6.5	-0840*	.										13
24136.940	7.5	-2095	.99	F4D SP 8L	52.50	42.7	-542	1020	1436	1793	2095		11
24141.540	5.5	-0825*	.										11
24161.680	5.5	-1177	.		38.92Q	-36.7Q	-295	564	803	1007	1177		5
24302.570	3.5	-0992*	.		49.3*	-21.*	-285	531	733	887	992*		6
24314.455	4.5	-0931	.		37.19	-6.9	-257	480	667	818	931		10
24327.660	5.5	-0550	.922										6
24390.190	6.5	-1531	.94	F4D SP 6L	43.62	-32.0	-379	725	1033	1303	1531		21
24433.760	2.5	+0192*	.		-13.20*	-13.5*	074	126	160	182	192*		6
24457.605	3.5	-0800*	.										3
24489.150	2.5	-0400*	.	F4 5G2S2P05									7
24491.430	5.5	-0485	.		16.14	-7.2	-126	238	336	418	485		11
24528.710	7.5	-1488	.		37.31	39.7	-389	729	1024	1276	1488		14
24535.960	3.5	-0982	.										6
24632.180	3.5	+1022*	.										3
24684.375	5.5	-0194	.		6.30	-29.3	-038	079	121	160	194		10
24754.460	8.5	-1170	.	F4 5I8S2P05									3
24767.850Q	8.5	-1264	.										4
24798.030	6.5	-0915	.85		26.16	4.0	-237	447	629	785	915		15
24896.290	7.5	-1906	.	F4D SP 8K	47.49	-54.8	-453	874	1259	1604	1906		11
24985.175	5.5	-0709	1.015		23.47	-26.7	-176	338	482	606	709		11
25044.740	7.5	-1053	1.06		26.30	-9.8	-259	495	706	892	1053		6
25061.060	5.5	-0399	.		13.38	18.0	-114	209	287	350	399		9
25075.160	6.5	-1723	.		49.02	8.8	-445	838	1180	1472	1714		11
25123.890	5.5	-1000*	.	F4D SP 8IQ									6
25213.840	5.5	-0800*	.										6
25241.215	5.5	-1012	.		33.62	-18.8	-261	494	699	872	1012		15
25277.650	4.5	-0530*	.										9
25291.245	6.5	-0584	.										10
25311.715	5.5	-0900*	1.00										12
25342.550	5.5	-1286*	.	F4D SP 8H	42.8*	-8.*	-339	638	896	1112*	1286*		9
25351.625	3.5	-0490*	.										8
25358.610	3.5	+0144	.		-7.20	0.0	043	079	108	130	144		7
25403.070	3.5	-0500*	.										5
25432.270	8.5	-1031	.		23.05	61.3	-277	515	718	889	1031		6
25474.290	6.5	-1805	.	F4DSP 8I	51.46	-24.6	-453	862	1225	1540	1805		17
25507.890	8.5	-0960*	.	F4 5I6S2P15									3
25511.560	3.5	-0839	.	F4 5G3S2P05	41.40	-37.5	-229	435	609	745	839		6
25551.930	5.5	-1450	1.105		48.06	-49.0	-363	695	990	1243	1450		10
25589.660	4.5	-0700*	.937	F4 5I6S2P15									5

TABLE IV (Contd.)

T	J	W	G	NAME	A	B	INTERVALS						NO.
27867.740	8.5	-1400*	.										5
27882.500	5.5	-1332	.		44.05	-63.3	-325	627	900	1136	1332		6
27885.250	7.5	-2040	.		51.09	30.3	-523	986	1392	1743	2040		6
27929.830	4.5	-0700*	.858										5
27991.970	7.5	-2074	.		51.90	14.9	-525	994	1408	1767	2074		8
27992.085	5.5	-1489	.		49.60	-5.8	-394	741	1039	1289	1489		5
28019.790	5.5	-0446	1.064		14.86	-2.0	-118	222	311	386	446		5
28060.330	4.5	-0725*	.										5
28111.850	8.5	-1564	.	F4 5I7S2P15									3
28130.365	3.5	-0750*	.										4
28150.020	5.5	-0725*	1.142										5
28166.510	7.5	-1138	.		28.40	-15.6	-278	532	760	963	1138		6
28221.690	6.5	-1946	.		55.40	-55.2	-476	913	1307	1652	1946		4
28222.800	4.5	-0725*	1.018										8
28273.660	5.5	-0750*	.										5
28325.360	3.5	-0550*	1.03										4
28355.825	5.5	-0800*	1.083										4
28385.630	3.5	-1453*	.										5
28400.340	7.5	-0944*	.		23.55*	-13.8*	-230	440	630	798	944*		13
28405.775	3.5	-0750*	.										3
28454.785	4.5	-1083*	.		43.30*	0.*	-303	563	779	953	1083*		5
28497.980	7.5	-1554	.		38.78	-18.7	-384	727	1039	1315	1554		7
28526.640	6.5	-0800*	1.102										4
28531.950	4.5	-0761*	.		25.10*	-48.0*	-187	363	508	646	761*		9
28551.115	5.5	-1181	.925		39.48	20.2	-325	603	837	1029	1181		4
28621.945	5.5	-0725*	.995										3
28673.000	7.5	-1000*	.	F4 5I7S2P15									4
28711.465	6.5	-1355	.955		38.68	-3.6	-347	656	927	1160	1355		7
28713.050	9.5	-2783	1.10 *	F4D SP 8L	55.68	12.6	-673	1287	1843	2341	2783		6
28831.250	6.5	-0800*	.988										5
28867.250	7.5	-0761	.		18.98	-18.7	-182	351	505	642	761		7
28888.415	4.5	-0700*	1.045										3
28975.790	3.5	-0700*	.										4
29043.030	5.5	-0775*	.										5
29229.610	4.5	-0725*	1.000										4
29283.050	10.5	-3089	.	F4DSP 8M	56.16	0.0	-730	1404	2022	2583	3089		7
29336.200	5.5	-1080*	.										3
29355.840	8.5	-1511	.		33.56	-5.3	-367	702	1005	1274	1511		2
29358.420	2.50	-0500*	.										8
29361.830	5.5	-1000*	.										6
29412.590	9.5	-2020*	.		40.26*	-39.*	-498	946	1346	1699	2020*		4
29478.420	7.5	-1783	.		44.72	47.1	-466	874	1227	1530	1783		5
29486.780	1.50	-0150*	.										5
29579.000	4.5	-0725*	1.002										4
29642.620	7.5	-1471	.		36.62	-54.6	-344	668	966	1234	1471		5
29665.070	3.5	-0725*	.985										6
29673.435	6.5	-0800*	1.06										3
29761.890	6.5	-1850*	.										3
29772.095	5.5	-0750*	.										3
29803.350	6.5	-0632*	.										5
29850.130	8.5	-1820	.										4
29946.150	7.5	-1876	.		46.98	27.5	-481	907	1280	1603	1876		2
29968.750	0.5		.										3
30035.110	0.5		.										2
30084.530	4.5	-0700*	.926										8

TABLE V. Even Parity Levels

T	J	W	G	NAME	A	B	INTERVALS					NO.
0.0	5.5	-0776	.660	F4DS2 6L	25.96	21.5	-217	401	557	678	776	118
2033.935	4.5	-0733	.615	F4DS2 6K	28.73	-72.0	-167	335	490	625	733	112
3450.965	3.5	-0683	.590	F4DS2 6I	32.92	-88.0	-152	314	466	593	683	60
3502.830	6.5	-0796	.873	F4DS2 6L	22.86	29.0	-218	404	561	691	796	72
4615.710	2.5	-0637	.663	F4DS2 4G	42.54	2.2	-214	384	511	595	637	28
5184.995	5.5	-0735	.862	F4DS2 6K	24.19	-56.0	-169	333	485	621	735	75
6474.290	1.5	-0444	.	F4DS2 6G	49.00	-6.4	-191	341	444			10
6643.500	4.5	-0702	.860	F4DS2 6I	26.75	-86.7	-147	301	449	580	702	47
6892.080	3.5	-0612	.814	F4DS2 4H, 6I	29.78	-59.5	-148	295	427	536	612	33
6903.450	7.5	-0820	1.01	F4DS2 6L	20.60	32.7	-219	408	571	704	820	34
7015.180	2.5	-0503	.575	F4DS2 6H	31.80	-56.7	-125	256	372	458	503	18
7112.430	5.5	+0924	.45 *	F4D2S 8M	-30.91	-18.1	255	473	656	806	924	50
7792.020	6.5	-0870	.961	F4DS2 6K	24.71	-39.0	-206	400	577	735	870	48
7871.860	4.5	-0677	.	F4DS2 4H	26.45	-75.1	-150	303	448	575	677	43
8278.300	3.5	-0592	.	F4DS2 6H	29.74	10.5	-184	333	449	535	592	26
8706.560	5.5	-0805	.930	F4DS2 6I	26.52	-57.0	-187	368	534	682	805	46
8950.605	6.5	-1017	.765	F4D2S 8M	29.04	-7.0	-258	490	694	870	1017	53
9507.730	3.5	-0391	.85	F4DS2 5F6H	20.45	62.8	-155	260	327	368	391	22
9524.440	2.5	-0425	.	F4DS2 5F6H	28.65	10.5	-150	264	345	399	425	16
9694.040	5.5	-0677	1.01	F4DS2 6I	22.24	-59.3	-152	302	443	569	677	39
9869.640	4.5	+0967	.	F4D2S 8L	-38.87	-23.3	283	518	708	857	967	39
9955.100	6.5	-0762	.885	F4DS2 4L	21.74	-6.8	-193	366	519	651	762	45
10020.980	8.5	-0873	1.12	F4D S2 6L	19.48	40.0	-230	429	602	749	873	23
10502.830	7.5	-0919	1.08	F4DS2 6K	22.91	-22.2	-223	424	609	775	919	32
10769.410	2.5	-0474	.	F4DS2 6G, 4G	31.20	-12.7	-148	274	372	439	474	16
10892.180	3.5	-0473	.	F4DS2 6G, 6H	23.10	-36.8	-120	234	335	416	473	32
11231.660	2.5	-0386	.	F4DS2 5F6H*	29.30	38.0	-157	262	329	368	386	9
11279.670	7.5	-1629	.94	F4D2S 8M	40.72	-5.6	-406	772	1098	1384	1629	29
11329.090	4.5	-0639	1.14	F4DS2 6G, 6H	25.61	5.6	-182	336	463	564	639	24
11382.810	6.5	-0797	.	F4DS2 6I	22.54	-59.8	-178	352	516	666	797	41
11400.750Q	1.5	-0400*	.									2
11478.220	5.5	-0985	.	F4D2S 8L	32.68	-28.5	-249	475	675	846	985	59
11560.130	5.5	-0617	.	F4D S2 4H, 6H	20.22	-60.8	-135	271	401	516	617	49
11819.740	3.5	+0491	.	F4D2S 8K	-24.97	-27.6	164	290	383	449	491	23
11954.350	4.5	-0622	.	F4DS2 6H	24.44	-53.5	-146	289	420	533	622	41
12494.720	4.5	-0500*	.									4
12630.350	1.5	-0200*	.	F4DS2 5F6F								4
12846.680	4.5	-0708	.85	F4DS2 5G6I*	28.52	25.9	-212	385	523	630	708	41
12852.340	2.5	+1015	.	F4D2S 8I	-67.76	-4.1	341	612	814	948	1015	16
12930.130	9.5	-0942	1.16	F4D S2 6L	18.88	24.9	-236	447	634	798	942	16
12947.985	8.5	-0947	1.06	F4DS2 6K	20.98	-24.5	-221	428	619	792	947	33
12988.040	5.5	-0692	.	F4DS2 4K	22.95	-19.3	-175	334	474	594	692	32
13024.870	3.5	-0220	.	F4D S2 5F6G*	11.05	2.7	-068	123	167	199	220	12
13049.885	7.5	-0818	.	F4DS2 6I	20.28	-57.2	-180	356	523	679	818	29
13095.210	2.5	-0280*	.	F4DS2 5F6G								5
13488.315	6.5	-1352	.76	F4D2S 8L	38.57	-16.6	-340	647	919	1154	1352	48
13548.110	4.5	-0745	.	F4D2S 8K	29.69	-14.8	-201	378	529	652	745	50
13706.485	6.5	-1212	.85 Q	F4D2S 6M	34.62	-8.4	-308	584	827	1037	1212	47
13734.290	3.5	-0528	.	F4DS2 5G6H	26.15	-19.2	-147	277	386	471	528	24
13781.450	7.5	-0887	1.00	F4DS2 4L, 6I*	22.16	-1.6	-221	420	598	753	887	22
13794.975	8.5	-2048	.	F4D2S 8M	45.52	0.8	-501	956	1366	1730	2048	27
13816.280	1.5	+0520	.	F4D2S 8H	-59.30	-31.0	262	426	520			8
13872.370	3.5	-0642	.	F4D2S 8I	31.85	-15.8	-183	342	473	573	642	27
14005.205	6.5	-0716	.	F4DS2 4H, 6H*	20.28	-49.2	-162	319	465	600	716	29
14030.840	5.5	-0719	.	F4DS2 6H	23.92	-10.8	-187	353	498	620	719	22

TABLE V (Contd.)

T	J	W	G	NAME	A	B	INTERVALS					NO.
14067.320	2.5	-0632	.	F4DS2 5G6H	41.87	-9.0	-204	372	501	588	632	12
14629.375	2.5	-0945	.	F4D2S 8H	62.50	-16.0	-303	554	747	879	945	18
14654.725	4.5	-0650*	.	F4DS2 4H								6
14669.020	3.5	-0500*	1.06	F4D S2 4G								4
14829.415	3.5	+0933	.	F4D2S 3P8K	-47.45	-55.5	313	553	730	855	933	12
14885.805	5.5	-1061	.	F4D 2S 8K	35.17	-40.5	-264	506	722	909	1061	32
14933.550	4.5	-0905	.	F4D2S 8I	36.00	-22.4	-242	456	640	790	905	33
14965.730	5.5	-0650*	.	F4DS2 6G,4I								7
15012.250	6.5	-1750*	.									6
15059.705	8.5	-0741	.	F4D S2 6I								4
15099.340	5.5	-1175	.	F4D2S 8K	39.04	-22.2	-302	573	810	1013	1175	32
15224.350	2.5	-0500*	.94	F4DS2 5P6G								6
15319.560	9.5	-0947	.	F4DS2 6K*	33.80	9.9	-221	441	630	798	947	9
15350.320	3.5	-0862*	.	F4D 2S 8H	43.02	-4.1*	-256	471	644	774	862*	6
15615.520	6.5	-0800*	.									6
15622.580	7.5	-1732	.	F4D 2S 8L	43.28	-8.4	-429	818	1165	1470	1732	24
15668.720	1.5		.77									6
15686.615	5.5	-0761	.	F4D2S 6LQ	25.12	-46.7	-181	352	507	647	761	27
15892.120	4.5	-0772	.	F4DS2 5G6I*	30.55	-38.5	-196	376	535	669	772	22
16046.850	5.5	-0722	.	F4DS2 5P6H	24.22	25.3	-205	377	519	633	722	16
16051.820	10.5	-1048	.	F4D S2 6L	19.10	32.0	-260	494	702	886	1048	4
16093.200	1.5Q	-0500*	.									3
16190.180	2.5	-0365	.960									6
16342.050	1.5		1.41									5
16371.645	6.5	-0945	.		26.98	-4.4	-241	456	648	808	945	26
16400.180	6.5	-0936	.	F4D S2 6H*	26.60	-30.0	-227	436	626	793	936	10
16418.910	9.5	-2291	1.10 *	F4D 2S 8M	45.85	21.9	-558	1066	1523	1930	2291	11
16432.665	7.5	-0752	.	F4D2S 6MQ	18.84	16.3	-195	366	516	644	752	19
16435.320	3.5	-0522	.79	F4D 2S 6I	25.33	-54.5	-124	249	362	456	522	14
16741.980	6.5	-1874	.	F4D 2S 8K	53.40	-34.0	-466	890	1267	1596	1874	23
16764.870	1.5		1.44									7
16831.920	2.5	-0400*	1.087	F4D2S 6H								2
16866.860	7.5	-0859	.	F4DS2 3K24M	21.52	12.1	-220	415	586	734	859	15
17418.420	5.5	-1203	.	F4D 2S	40.32	42.3	-341	627	864	1054	1203	13
17433.020	1.5Q	-0300*	.	F4D2S 6GQ								4
17439.580	6.5	-1340	.	F4D 2S 6LQ	38.38	22.0	-355	664	930	1155	1340	8
17554.130	7.5	-0845	.	F4DS2 6H								3
17726.320	8.5	-2071	.	F4D 2S 8L	45.94	-35.7	-491	947	1363	1738	2071	17
17845.835	2.5	-0763	.		49.62	-41.1	-224	425	588	704	763	4
17881.615	3.5	-0550*	.965									7
18003.530	7.5	-0905	.	F4D S2 6H,6I*	22.62	-2.1	-225	429	610	769	905*	8
18334.755	2.5	-1134	.		74.68	-30.7	-355	656	891	1052	1134	1
18654.830	2.5	-0075	.71	F5SP 8I								5
18822.535	7.5	-2180	.	F4D 2S 8K	54.42	-32.2	-531	1017	1456	1844	2180	15
18836.270	2.5	+0812	.	F5SP	-54.15	0.0	271	487	650	758	812	3
18899.600	6.5	-1363	.	F4D2S 8I	39.02	20.4	-360	674	945	1174	1363	10
19016.860	10.5	-2574	.	F4D 2S 8M	46.78	-12.0	-604	1164	1679	2149	2574	4
19269.415	4.5	-0500*	1.05									4
19371.600	6.5	-0800*	.									6
19373.870	3.5	-1631	.	F5S P 8I	82.60	12.3	-497	910	1240	1487	1631	5
19638.010	7.5	-1087	.	F4DS2 5P6H*	26.97	-74.2	-240	474	697	903	1087	11
19974.770	9.5	-2304	.	F4D2S 8L	46.04	-24.9	-543	1046	1509	1928	2304	7
20140.147	3.5	-0761	1.040	F5SP 8H	37.45	-40.5	-204	390	549	674	761	4
20152.240	3.5	-1291	.		64.17	25.4	-372	692	954	1155	1291	3
20329.635Q	2.5	-1383	.		92.29	2.6	-463	832	1108	1291	1383	2

TABLE V (Contd.)

T	J	W	G	NAME	A	B	INTERVALS					NO.
20462.630	8.5	-1298	.		28.86	10.9	-322	612	871	1099	1298	5
20471.995	3.5	-0653	.		32.25	-26.8	-180	340	475	581	653	3
20491.030	7.5	-2385	.	F4D 2S 8I	59.70	27.1	-608	1148	1623	2035	2385	5
22240.575	10.5	-2617	1.06	F4D 2S 8L	47.58	-10.7	-615	1184	1708	2186	2617	3
24955.200Q	3.5		1.00									1
25087.060	3.5		1.12									3
25925.730	3.5	-0500*	.99									2
26233.560	3.5		1.07									2
26408.140Q	3.5		.993									1
26602.040	3.5	-0800*	1.155									2
27106.910	3.5	-0500*	1.112									2
27469.545	3.5	-0500*	1.067									2
28752.395	2.5	-0500*	.									2
28986.450	1.5		1.22									2
29023.765	2.5		1.075									1
29112.540	3.5	-0500*	1.14									2
31035.985	3.5	-0500*	.									3
31532.255	3.5	-0500*	1.09									1
31601.925	4.5		1.03									2
31682.175	3.5		1.06									3

ACKNOWLEDGMENTS

We are indebted to Geoffrey Smith (Oxford) for the measurement of a large number of Zeeman patterns on the Argonne exposures, and to H. Delouis (LAC) for development of the computer program used in the Fourier-transform measurements.

REFERENCES

1. F. S. Tomkins and M. Fred, *The Spectra of the Heavy Elements*, J. Opt. Soc. Am. 39, 357-363 (1949).
2. J. Haaland, *Wave-length and Intensity Measurements in the Spark-excited Spectrum of Neptunium*, Report KR-1, Kjeller Research Establishment, Norway (1959).
3. L. Bovey and E. B. M. Steers, *Optical Spectra of Some Rare Earth and Transuronic Elements. IV. Spectrum of Np*, Report AERE-R3118, Atomic Energy Research Establishment, Harwell, Berkshire, U. K. (1959).
4. F. S. Tomkins and M. Fred, *Electrodeless Discharge Tubes Containing Rare Earth and Heavy Element Halides*, J. Opt. Soc. Am. 47, 1087-1091 (1957).
5. A. Giacchetti, Organization of American States, Washington, D.C., private communication.
6. L. Brewer, *Energies of the Electronic Configurations of the Lanthanide and Actinide Neutral Atoms*, J. Opt. Soc. Am. 61, 1101-1111 (1971).
7. M. Fred, F. S. Tomkins, J. E. Blaise, P. Camus, and J. Vergès, *Term Analysis of Neutral Neptunium (Np I)*, J. Opt. Soc. Am. (to be published).