DOE/ER/13772--5

DOE/ER/13772--5

DE92 019745

KINETICS AND DYNAMICS OF OXIDATION REACTIONS INVOLVING AN ADSORBED CO SPECIES

Michael P. Harold
W. Curtis Conner

Department of Chemical Engineering
University of Massachusetts, Amherst, MA 01003

Second Year Annual Report
Period: 1/1/92 - 12/31/92

Support by U.S. Department of Energy
Office of Basic Energy Sciences
Chemical Sciences Division

Grant no. DE-FG02-87ER13772

July, 1992

Project Duration: Three years
Type of Business: Non-profit

Starting Date: 1/1/91
Budget: \$217,000

Principal Investigator: Michael P. Harold
Associate Professor of Chemical Engineering

Co-Investigator: W. Curtis Conner
Associate Professor of Chemical Engineering

Business Contact: Dorothy Baronas
Acting Director, Office of Grants and Contracts

DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

MASTER

DISTRIBUTION OF THIS DOCUMENT IS UNLIMITED

Research Scope and Objectives

This project focuses on oxidation reactions in which CO is a key player - be it a reactant, adsorbed intermediate, and/or partial oxidation product - in the catalytic sequence and chemistry. Reaction systems studied include CO and methanol oxidation by O_2 , CO oxidation by NO, and ethylene oxidation by O_2 , on both noble metal and metal oxide catalysts. Each of these reactions are known to exhibit complex steady state and dynamic behavior, such as multiple rate controlling steps, rate multiplicity, long transients, and/or oscillatory phenomena. The origins of such phenomena are rooted in some of the central issues of catalysis, including adsorbate interactions, reaction-transport interactions, and surface structure and chemical transformations such as reconstruction and oxidation-reduction. The project has both a kinetic modeling/mechanistic sequence development objective and a catalyst development objective.

The first objective is to formulate kinetic models based on sound surface chemistry for these oxidation reactions which can predict the observed steady-state and dynamic features. Successfully meeting this main objective requires an approach which integrates experiments and theoretical modeling. Our research couples basic kinetic measurements, *in situ* infrared monitoring of the catalyst surface, mechanistic sequence and kinetic model development, and nonlinear and numerical analyses. The 'best' model should be able to predict all the experimentally measured features, including the basic kinetic trends spanning a wide range of temperature and pressure (e.g., apparent reaction orders and activation energy), the location and shape of the operating condition region for which the rate is multi-valued or periodic, trends in the adsorbed and/or solid state composition, and, when combined with descriptions of heat and mass transport processes, the key reaction-transport interactions.

The second objective is to develop bifunctional catalysts for the selective oxidation of hydrocarbons using insight gained from studies of the noble metal and transition metal oxide catalyzed oxidations. Our aim is to synthesize and characterize catalysts comprised of noble metals supported on active oxide layers. These bifunctional catalysts combine the high activity of the noble metal with the selectivity of the metal oxide. Example systems of interest include the use of Pd/ V_2O_5 to carry out the partial oxidation of ethylene to acetaldehyde while minimizing carbon oxide formation, and of Pt/ CeO_2/Al_2O_3 to carry out the complete oxidation of methanol to CO_2 while minimizing CO formation.

Accomplishments During Second Year of Project

In the past year we have focused our efforts on three items which are now summarized.

- *Development of Fourier transform infrared emission spectroscopy to monitor near IR under reaction conditions: ethylene oxidation on V_2O_5 .*

A key aspect of this project is to develop Fourier transform infrared emission spectroscopy (FTIRES) as an *in situ* probe of the catalyst surface. The principal motivation is to monitor changes in the composition of a metal oxide during a hydrocarbon oxidation, and, if possible, adsorbed species as well. The coupling between oxidation and reduction of a particular metal oxide is a crucial process in determining the activity and selectivity. Moreover, the interaction of the reaction exothermicity and redox chemistry can lead to complex steady state features (e.g., multiplicity) and dynamic behavior (e.g., long

transients, oscillations. Thus, knowledge of the catalyst composition under reaction conditions can provide insight into the identification of active sites and their reactivity.

In the past year we have successfully demonstrated the use of FTIRES as an *in situ* catalyst surface probe (Sullivan et al., 1992). In recent months we have focused our efforts on near-IR monitoring of V_2O_5 during reaction between ethylene and oxygen (to acetaldehyde and carbon oxides). This reaction was chosen because of the trade-off between selectivity and activity, and the redox chemistry involving the vanadium oxides. Our goal is to correlate changes in the oxide surface composition with activity and selectivity, while spanning a wide range of operating conditions (catalyst temperature, ethylene/oxygen feed ratio). To this end, in the past year a dedicated kinetics/FTIRES experiment has been constructed, a simplified schematic of which is shown in Figure 1. Detailed kinetics data are obtained in the isothermal packed bed microreactor. FTIRES Spectra are obtained in the *in situ* cell. Our decision to get the rate and spectra data in different units was necessitated by the minute amount of powdered catalyst that must be used in the emission cell. Thus, differential rates are obtained with the the microreactor setup. The same gas is flowed over the catalyst sample held at the same temperature within the cell for *in situ* emission characterization of the surface.

Figures 2 and 3 show representative spectra of the V_2O_5 in different atmospheres and temperatures. The fully oxidized sample has a sharp peak at 1030 cm^{-1} and a broader one at $800\text{--}850\text{ cm}^{-1}$ (Fig. 2). These peaks are assigned to terminally-bonded $V=O$ and $V-O-V$, respectively. In contrast, a severely reduced sample shows no features (Fig. 2). A partially reduced sample has an additional peak at 915 cm^{-1} (Fig. 3). These initial results are encouraging since they imply a correlation between the IR features and the degree of surface oxidation. We hope to more specifically link the IR features to composition by carrying out *ex situ* chemical analyses of the vanadium oxide mixture containing V^{5+} , V^{4+} , and V^{3+} (following Niwa and Murakami, 1982). Presently we are collecting detailed kinetics data to map out conditions of maximum acetaldehyde yield. Below some more details are provided about work planned for the upcoming year.

- *Kinetics study of methanol oxidation on supported Pt catalysts.*

At the same time we are commencing with a detailed kinetics study of Pt-catalyzed methanol oxidation. This work follows our detailed study of Pt-catalyzed CO oxidation at earlier phases in this research project. In the past year we have constructed a second microreactor setup (see Figure 4). This part of the research project involves detailed kinetic model development. To this end, the experiment permits the spanning of a wide range of methanol/oxygen feed ratios and catalyst temperatures. Our initial results reveal an interesting product selectivity issue: A methanol-rich feed the yield of CO_2 exhibits a maximum at an intermediate temperature. This appears to be due to an increasing desorption rate of CO as temperature increases (i.e., the CO yield is an increasing function of temperature). The key issues of this study are the following:

- Identification of conditions of maximum yield of CO_2 (complete oxidation is desired)
- Modification of catalyst formulation in order to inhibit CO desorption - here we plan to examine different supports which might reduce the undesired production of CO at high temperatures. For example, the addition of cerium oxide or of vanadium oxide may provide oxygen storage/supply capabilities. Under oxygen-lean conditions oxygen provided by the oxide may be used to oxidize CO produced by the partial oxidation of methanol on the Pt crystallites.

Figure 1

V₂O₅ Spectra under oxidizing, reducing conditions

Cygnus 100
Microns

9.0 10.0 11.0 12.0 13.0 14 16 18 20

115

• Reference: Thick V₂O₅
Sample @ 100°C

110

%

• V₂O₅ reduced in H₂/He
• @ 400°C for 25 minutes
• Spectra in He @ 100°C

T

r

a

n

s

m

i

s

s

i

o

n

820cm⁻¹

1020cm⁻¹

• V₂O₅ fully oxidized in O₂/He
• for 11 hours @ 100°C
• Spectra in He @ 100°C

65

1200

Wavenumber

cm⁻¹

VC. 003.03. ras

Figure 2

V_2O_5 spectra under partially reduced conditions

Cygnus 100
Microns

- V_2O_5 partially reduced in H_2/He for 5 min. @ 400°C
- Spectra taken at 400°C
- Reference: thick V_2O_5 sample @ 100°C

VO. HY400. ros

Figure 3

- Identification of key surface species during reaction - our plan is to use FTIR transmission spectroscopy to resolve the controversy of whether carbon oxide formation proceeds through an adsorbed CO, formaldehyde, or methoxy species.

Our plans for the upcoming year are outlined below.

- *Comparative kinetics study of CO oxidation on Pt, Pd, and Rh.*

This part of the project is one final phase of our study of CO oxidation on noble metal catalysts. Models which we have developed for CO oxidation on Pt are currently being tested and modified in order to help explain the kinetic differences observed with Pd and Rh. Rate data obtained by Coulston and Haller (1991) on Pt, Pd, and Rh foils reveal distinct differences in the location of the maximum in the dependence of rate on catalyst temperature, and of apparent reaction orders beyond the maximum. Our approach is to formulate the simplest possible revisions in the Pt kinetic model that will explain the trends.

To date, computer codes have been written to carry out the data regression and analysis. Details for the completion of this problem are provided below.

Plans for the Third Year of Project

An outline for work planned in the upcoming year is provided below.

- *Kinetics/FTIRES study of ethylene oxidation on vanadium oxide*
 - Completion of FTIRES spectra analysis of vanadium oxide over wide range of feed ratios (ethylene: oxygen) and catalyst temperatures.
 - Completion of *ex situ* chemical analysis of vanadium oxide: This step is intended to correlate the near-IR spectra features with a more quantitative assessment of the degree of oxidation of the vanadium oxide.
 - Completion of kinetics study of ethylene oxidation on vanadium oxide for the same range of feed ratios (ethylene: oxygen) and catalyst temperatures.
 - Development of mechanistic picture of olefin oxidation on vanadium oxide: Knowledge of the vanadium oxide surface composition as a function of the activity and selectivity will be the basis for this step.
- *Kinetic study of Pt-catalyzed methanol oxidation*
 - Completion of kinetics study with differential reactor: Reaction orders and apparent activation energies will be obtained over a wide range of feed ratios and temperatures for a Pt/Al₂O₃ catalyst. The Pt/Al₂O₃ catalyst kinetic results will serve as the base comparison to modified catalysts. Particular attention will be placed on rate multiplicity and oscillations which have been known to occur during this reaction.
 - Formulation of candidate mechanistic sequences for methanol oxidation on Pt/Al₂O₃: Our approach here will be similar to the method we developed for CO oxidation on Pt.

- Design and construction of transmission IR cell and flow system: Initial steps towards carrying out an *in situ* FTIR study will be completed. The timing for this step requires that we wait for the completion of the ethylene oxidation study.

- *Comparative kinetics study of CO oxidation on Pt, Pd, and Rh.*

Regression analysis of the Coulston and Haller kinetic data will be carried out using several candidate kinetic models. Possible revisions of the CO oxidation on Pt model include the incorporation of a reversible metal oxide formation step; i.e., there is evidence that Pd and Rh more easily form these less active oxide species. A successful comparison should help to explain the pitfalls in going too far in generalizing the CO oxidation reaction on the entire family of noble metals.

Graduate Students Participating in Project

- David Sullivan - FTIRES/kinetics study of ethylene oxidation on V_2O_5 . Dave will be completing his PhD thesis in the upcoming year.
- Andrew Oliveiro - Kinetics study of methanol oxidation on Pt; comparative kinetics of CO oxidation on Pt, Pd, Rh
- New student (yet to be determined) - Will carry out development and analysis of bifunctional Pd/ V_2O_5 catalysts for ethylene oxidation.

Publications and Presentations in the Past Year

Publications

- Garske, M.E. and M.P. Harold, "Observed Kinetics of an Exothermic Reaction on a Temperature-Controlled Catalytic Wire," Chem. Eng. Sci., **47**, no. 3, 623-644.
- Sullivan, D. H., W. C. Conner, and M. P. Harold, "Surface Analysis with FT-IR Emission Spectroscopy," J. Appl. Spectroscopy, **46**, no. 5, 811-818.

Presentations

- Harold, M.P., "Kinetics and Dynamics of Oxidation Reactions Involving an Adsorbed CO Species," DOE Review of Catalysis Program, Gaithersburg, MD, 1992.
- Sullivan, D. H., W. C. Conner, and M. P. Harold, "Monitoring Oxidation-Reduction During Reaction with FTIR Emission Spectroscopy: Ethylene Oxidation on V_2O_5 ," to be presented in "Fundamentals of Oxide Catalysts" session at 1992 AIChE Meeting, Miami Beach.

Proposed Budget for the Third Year of Project

The budget proposed for the period of 1/1/93 - 12/31/93 is attached.

END

**DATE
FILMED**

10 / 7 / 92