AIM

Association for Information and Image Management

1100 Wayne Avenue, Suite 1100
Silver Spring, Maryland 20910
301/587-8202

Centimeter

Inches

MANUFACTURED TO AIM STANDARDS
BY APPLIED IMAGE, INC.

1 of 1

VECTORIAL ELECTRON TRANSFER IN SPATIALLY ORDERED ARRAYS

Progress Report

Jan. 1992 – Jan. 1993

Marye Anne Fox

Department of Chemistry

University of Texas at Austin

Austin, TX 78721

Feb. 1993

PREPARED FOR THE U.S. DEPARTMENT OF ENERGY UNDER GRANT NUMBER
DE-FG05-85ER13387 AMD A007

DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

MASTER

Report Narrative:

Progress on "Vectorial Electron Transfer in Spatially Ordered Arrays (DE-FG05-85ER13387), Jan 1992-Jan. 1993

by Marye Anne Fox

I. Research Results

Progress has been made in four areas: a) the synthesis of new materials for directional electron transfer; b) the preparation and characterization of anisotropic composites bearing organic and inorganic components; c) the elaboration of mechanisms of electrocatalysis; and d) the development of new methods for surface modification of metals and semiconductors.

In pursuing the first objective, we have prepared several new classes of block copolymers and helical oligopeptides. By using anionic polymerization methods, block copolymers containing variable lengths of poly-2-vinylnaphthalene and poly-*p*-N,N-dimethylmethylstyrene have been prepared.¹ The efficiency of fluorescence quenching of the maphthyl excimer by the appended amino group correlates with the appearance of charged radical ions in the transient absorption spectrum. Conformational folding of the flexible polymer backbone permits strong through-space interaction of the donor-acceptor pairs in oligomeric models containing about twenty monomer units. The importance of this folding diminishes as the length of the polymer is increased, with phase-separation providing discrete regions for each of the blocks in the higher molecular weight homologs. The intermediate weight oligomers can be induced to open to an extended conformation by including the oligomer within a polymeric micelle.

Synthetic work has continued in preparing a series of modest length peptides (10 – 26 units) which can be conformationally held in a helical conformation. The initial work has defined solubility limitations for polyalanines and has shown that electron transfer rate studies can be used as sensitive probes for conformational folding in complex molecules.² The inclusion of aminoisobutyric acid units as alternating groups with functionalized alanines has solved the solubility problem, permitting the formation of a [3,10] helix, as established by nmr and circular dichroism measurements. The synthetic methods used provide sufficient flexibility to place the donor and acceptor groups at variable positions along the chain, both with and against the dipole moment gradient enforced by the network of hydrogen bonds responsible for helix formation.³ Rate measurements now being conducted will specify unambiguously the magnitude of the through-bond coupling of a hydrogen bond, a value which has only been indirectly estimated through rough models in

biologically relevant work. A comparison of these macroscopically graded materials with microscopic analogs formed by functionalization along an oligopeptide backbone is anticipated.

Synthetic work has also progressed in developing new methodologies for block polymerization. Both ring-opening metathesis polymerization⁴ and group transfer polymerization⁵ methods are being pursued. Both organic and inorganic electron transfer relays are being incorporated into these new composite polymers.

Efforts continue toward the construction of organic / inorganic composites which show special reactivity deriving from the controlled local environment surrounding a photosensitizer probe.⁶ This work supplements previous studies in this group on environmental effects of quantized CdS clusters in micelles,⁷ of composites in which a sensitizer initiates electron transfer over long distances to a RuO₂ cluster capable of gas evolution,⁸ and of a coupled porphyrin-spacer-viologen supermolecule in which conformational equilibration can be controlled by dispersion within an inverse micelle.⁹

The search for new redox-activated catalysts has led us to investigate redox reactions induced by complex bases and reducing agents. This class of compound relies on aggregative activation for the high reactivity observed. We have determined that a reversible Ni(0) complex is involved in these reactions,¹⁰ whose activity can be mimicked on modified electrode surfaces.

Progress has also continued in exploring new methods for characterizing chemically modified electrode surfaces. Our previous success in preparing self-assembled monolayers based on gold-thiol interactions¹¹ has been elaborated with photophysical probes for intramonolayer interactions and for cross-membrane energy and electron transfer.¹² Our initial studies have focussed on the preparation of thioalkylpyrenes and thioalkylperylene of varying chain lengths which are being characterized as surface-modified coatings by single photon counting. We have also developed methods for covalent attachment of several previously studied coordination polymers to metal oxide and metal surfaces.¹³ Preliminary results suggest that these layers may exhibit anisotropic conduction as we have previously seen when electropolymerization of conducting polymers was conducted from either a liquid crystalline electrolyte¹⁴ or from a pre-organized micelle.¹⁵ Our studies of the electrochemical properties of these polymer-modified surfaces is continuing.

References

1. Fox, M.A.; Lin, J. *Macromol.* **1993**, submitted for publication.
2. Meier, M.S.; Fox, M.A.; Miller, J.R.J. *Org. Chem.* **1991**, *56*, 5380.
3. Fox, M.A.; Batchelder, T. , unpublished work.

4. Fox, M.A.; Watkins, D., unpublished work.
5. Fox, M.A.; Thompson, H., unpublished work.
6. Fox, M.A.; Chambers, C., unpublished work.
7. Barzykin, A.V.; Fox, M.A. *Isr. J. Chem.* **1991**, submitted for publication.
8. Resch, U.; Fox, M.A. *J. Phys. Chem.* **1991**, *95*, 6169.
9. Resch, U.; Hubig, S.; Fox, M.A. *Langmuir* **1991**, *7*, 2923.
10. Fox, M.A.; Merkert, J.R.; Caubere, P. *Tetrahedron Lett.* **1993**, submitted.
11. Collard, D.M.; Fox, M.A. *Langmuir*, **1991**, *7*, 1192.
12. Fox, M.A.; Jones, W., unpublished work.
13. Fox, M.A.; Wang, P.W., unpublished work.
14. Toores, W.; Fox, M.A. *Chem. Mater.* **1992**, *4*, 583.
15. Collard, D.M.; Fox, M.A. *J. Am. Chem. Soc.* **1991**, *113*, 9414.

II. Publications Acknowledging DOE Support in Calendar 1992

A. Reprints of Work Described as Submitted for Publication or In Press in the Previous Progress Report

"Influence of Steric Bulk on the Relative Stability and Interchangeability of the Various Oxidation States for Nickel Complexed with 1,2-bis(dialkylphosphino) benzene," Marye Anne Fox, Daniel A. Chandler, and Evan P. Kyba, *J. Coord. Chem.* **1992**, *25*, 1.

"Electronic Excitation Transport and Trapping in Micellar Systems: Monte Carlo Simulations and Density Expansion Approximation," A.V. Barzykin, N.S. Barzykina, and M.A. Fox, *Chem. Phys.* **1992**, *163*, 1.

"Electrosynthesis of Polypyrrole in a Nematic Liquid Crystal," Walter Torres and Marye Anne Fox, *Chem. Mater.* **1992**, *4*, 583.

"Graded Spatial Distribution in Conducting Co-polymers of Pyrrole and Thiphenes," Walter Torres and Marye Anne Fox, *Chem. Mater.* **1992**, *4*, 146.

"Charge Migration in Columnar Aggregates of Peripherally Substituted Porphyrins," Pieter G. Schouten, John M. Warman, Marye Anne Fox, and Horng-long Pan, *Nature*. **1991**, *353*, 736.

"Photosensitization of Semiconductor Electrodes by Adsorbed Polymeric Layers," Marye Anne Fox and Phillip F. Britt, *New J. Chem.* **1992**, *16*, 113.

B. Reprints of Papers Not Mentioned in Previous Progress Reports

"Heterogeneous Photocatalysis," Marye Anne Fox and Maria T. Dulay, *Chem. Rev.* **1993**, *93*, 341.

"Polymeric and Supramolecular Arrays for Directional Energy and Electron Transport over Macroscopic Distances," Marye Anne Fox, *Accs. Chem. Res.* **1992**, *25*, 569.

"Photocatalysis: Decontamination with Sunlight," Marye Anne Fox, *Chemtech* **1992**, (11) 680.

C. Accepted Papers for Which Reprints are Not Yet Available

"A Picosecond Study of the Photophysics of CdS Clusters Grown in Situ in Reversed Micelles," A.V. Barzykin and Marye Anne Fox, *Isr. J. Chem.* **1993**, in press.

"Light Harvesting Polymeric Assemblies," Marye Anne Fox, Wayne Jones, and Diana Watkins, *Chem. & Engin. News*, **1993**, in press. (Although this paper does not acknowledge any funding source by editorial policy, this article deals completely with DOE-sponsored work. It was prepared by invitation.)

D. Papers Submitted for Publication Currently Being Reviewed

"Fluorescence Quenching as a Probe of Chain Conformation and Phase Separation in a Chromophore-rich Block Copolymer," Marye Anne Fox and Jun Lin, *Macromol.* **1993**, submitted for publication.

An *in situ* Preparation of Ni(0) Bipyridine (Ni(bpy)₂) as a Contributor to Aggregative Activation in Complex Reducing Agents," Marye Anne Fox, Jon R. Merkert, and Paul Caubere, *Tetrahedron Lett.* **1993**, submitted.

III. Invited Lectures dealing Wholly or Partially with DOE-Sponsored Research (calendar 1992): Regular University seminar visits are not included.

Structure and Chemistry of Environmental Interfaces, American Vacuum Society National Meeting, Chicago, Nov. 1992, "Physical Probes for the Mechanism of Heterogeneous Catalysis."

Chemistry in the 21st Century, Hanover, NH, Sept. 1992, "Can Physical Organic Principles at the Microscopic Level Control Macroscopic Properties of Materials?"

Sixth International Conference on Reactive Free Radicals, Leiden, The Netherlands, Aug. 1992, "Generation of Reactive Free Radicals on Photoreactive Surfaces."

IUPAC Conference on Physical Organic Chemistry, Aug. 1992, Ithaca, NY, "Three Dimensionally Ordered Materials for Controlled Electron Transfer."

Honors Colloquium, University of Texas, July 1992, "Designing Properties in New Materials."

16th DOE Solar Photochemistry Research Conference, Lake Geneva, WI, June 1992, "Anisotropic Conduction in Synthetic Thin Films," with W. Torres and D.M. Collard.

Kendall Award Symposium, American Chemical Society National Meeting, San Francisco, April, 1992, "Photophysical Probes for Structure in Reversed Micelles," with A. Barzykin.

American Chemical Society Division of Chemical Education Symposium on Electron Transfer Processes in Inorganic, Organic, and Biochemical Systems," American Chemical Society National Meeting, San Francisco, April, 1992, "Dimensionally Controlled Electron Transfer from Photoexcited Organic Donors."

Gordon Research Conference, Electrochemistry, Ventura, CA, Jan. 1992, "Polymeric Arrays for Catalytic Redox Chemistry".

**DATE
FILMED**

8 / 24 / 93

END