LA-6652-MS

Informal Report

GJBX-48 '77

Special Distribution

Issued: May 1977

**Uranium Hydrogeochemical and Stream
Sediment Reconnaissance in Lincoln and
Flathead Counties, Northwest Montana**

by

Paul L. Aamodt

NOTICE

PORTIONS OF THIS REPORT ARE ILLEGIBLE. It
has been reproduced from the best available
copy to permit the broadest possible avail-
ability.

los alamos
scientific laboratory
of the University of California
LOS ALAMOS, NEW MEXICO 87545

An Affirmative Action/Equal Opportunity Employer

UNITED STATES
ENERGY RESEARCH AND DEVELOPMENT ADMINISTRATION
CONTRACT W-7405-ENG. 36

MASTER

DISTRIBUTION OF THIS DOCUMENT IS UNLIMITED

This work was supported by the US Energy Research and Development Administration,
Division of Uranium Resources and Enrichment. Program Code B048.

This report was prepared as an account of work sponsored by the United States Government. Neither the United States nor the United States Energy Research and Development Administration, nor any of their employees, nor any of their contractors, sub-contractors, or their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights.

CONTENTS

LIST OF ILLUSTRATIONS	v
LIST OF TABLES	vi
ABSTRACT	1
I. INTRODUCTION	2
Field Sampling	2
Sample Analysis	4
II. GEOGRAPHIC SETTING	4
Climate	5
III. HYDROLOGY	6
IV. GEOLOGY	8
Igneous Rocks in the Area	11
Structural Setting	12
Mineral Occurrences in the Area	12
Uranium Occurrences in the Area	16
V. GEOCHEMICAL NATURE OF URANIUM	17
VI. STATISTICAL AND EMPIRICAL EVALUATION OF THE WATER DATA	19
VII. STATISTICAL AND EMPIRICAL EVALUATION OF THE SEDIMENT DATA	25
VIII. SUMMARY AND CONCLUSIONS	33
ACKNOWLEDGMENTS	36
REFERENCES	37
APPENDIX A - Summary of Standard Procedures used by the LASL in the US ERDA National Uranium Resource Evaluation Hydrogeochemical and Stream Sediment Reconnaissance	A-1
APPENDIX B - Histograms of Uranium Concentrations in Water and Sediment Samples from Lincoln and Flathead Counties, Northwest Montana	B-1
B-I - Raw Data and Log Data Histograms for Uranium in Water	B-1
B-II - Raw Data and Log Data Histograms for Uranium in Sediment	B-7

NOTICE

This report was prepared as an account of work sponsored by the United States Government. Neither the United States nor the United States Energy Research and Development Administration, nor any of their employees, nor any of their contractors, subcontractors, or their employees makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness or usefulness of any information, apparatus, product or process disclosed, or represents that its use would not infringe privately owned rights.

RECEIVED
JUL 11 1978

DISTRIBUTION OF THIS DOCUMENT IS UNLIMITED

APPENDIX C - Listings of Field Data and Uranium Concentrations for Filtered and Acidified Water Samples from Lincoln and Flathead Counties, Northwest Montana	C-1
C-I - Water Samples Analyzed by Fluorometry	C-1
C-II - Water Samples Analyzed by Delayed-Neutron Counting	C-35
APPENDIX D - Listings of Field Data and Uranium Concentrations for Sediment Samples	D-1
APPENDIX E - Code to Data Listings and Sample Types Used by the LASL in the National Uranium Resource Evaluation Hydrogeochemical and Stream Sediment Reconnaissance	E-1
E-I - Explanation of Code Use	E-1
E-II - Abbreviated Numerical Key and Specifications for Common Sample Types	E-6

LIST OF ILLUSTRATIONS

Fig. No.

1.	Location of northwest Montana reconnaissance survey area.	3
2.	Major rivers and mountain ranges in northwest Montana.	5
3.	Simplified correlation of Precambrian sedimentary units in northwestern Montana with post-Precambrian stratigraphy in northwest Flathead County.	10
4.	Tectonic map--northwest Montana.	13
5.	Mining districts and mineral deposits--northwest Montana.	14

Plate No.

I.	Generalized geology (parts of Lincoln and Flathead Counties), northwest Montana.	Pocket
II.	Water and sediment sample locations in Lincoln and Flathead Counties, northwest Montana.	Pocket
III.	Graphic plot of uranium concentrations in water samples from Lincoln and Flathead Counties, northwest Montana (overlay).	Pocket
IV.	Graphic plot of uranium concentrations in sediment samples from Lincoln and Flathead Counties, northwest Montana (overlay).	Pocket

LIST OF TABLES

Table No.

I.	AVERAGE ANNUAL TEMPERATURE AND PRECIPITATION AT SELECTED WEATHER STATIONS IN NORTHWEST MONTANA FOR THE YEARS 1970-1975	7
II.	SUMMARY OF AVERAGE MONTHLY TEMPERATURE AND PRECIPITATION AT SELECTED WEATHER STATIONS IN NORTHWEST MONTANA FOR THE MONTHS OF MAY AND JUNE 1976	7
III.	SUMMARY DESCRIPTIONS OF MAJOR MINING DISTRICTS IN LINCOLN AND FLATHEAD COUNTIES, NORTHWEST MONTANA	15
IV.	SUMMARY OF URANIUM DATA FOR FILTERED AND ACIDIFIED WATER SAMPLES COLLECTED IN NORTHWEST MONTANA	20
V.	SUMMARY OF URANIUM DATA FOR SEDIMENT SAMPLES COLLECTED IN NORTHWEST MONTANA	25
VI.	LOCATION NUMBERS AND RELEVANT DATA FOR ISOLATED HIGH AND/OR ANOMALOUS SEDIMENT SAMPLES, NORTHWESTERN MONTANA	34

URANIUM HYDROGEOCHEMICAL AND STREAM SEDIMENT RECONNAISSANCE
IN LINCOLN AND FLATHEAD COUNTIES, NORTHWEST MONTANA

by

Paul L. Aamodt

ABSTRACT

Between mid-May and late June 1976, 3409 water and water-transported sediment samples were collected from 1781 locations spread over an approximate 17 000-km² area of northwestern Montana. All of the samples were analyzed for total uranium at the LASL, using standardized procedures and rigorous quality controls--the waters by fluorometry and the sediment (and those waters with >10 ppb uranium) by delayed-neutron counting methods. The 1684 water samples were collected from five sources, including 1582 streams, 44 natural ponds, 41 springs, 14 artificial ponds, and 3 wells. Of the 1725 sediment samples, 1542 were from active streams, 87 were from dry streams, 41 from wet natural ponds, 38 from flowing springs, 14 from wet artificial ponds, and 3 from other sources. All of the field collection, treatment, and packaging of the samples was performed following strict LASL specifications. The uranium concentrations measured in the waters range from undetectable (<0.2) ppb to 173.6 ppb, but average only 0.66 ppb. The low uranium concentrations in the waters of this area are thought to be due primarily to a general lack of readily soluble uranium and dilution with spring runoff. Those locations which did have abnormally high uranium were examined more closely, and follow-up field examinations are recommended in the vicinity of some of these sites. The uranium content of the sediment samples range from 0.5 ppm to 52.2 ppm and average 4.56 ppm. Sample locations with high and/or anomalous uranium values were examined with respect to the local geology, water chemistry, and other relevant factors. A distinct correlation between the high uranium in sediment and epithermal and mesothermal veins associated with nearby faults and folds is evident at several locations. Areas believed to be favorable for follow-up field investigations based on the sediment data are indicated. A correlation between high uranium in water and high uranium in sediment is evident at only a single location, that of a flowing spring. The generally low uranium concentrations in water and moderate concentrations in sediment seem to indicate that most of the uranium that does exist in this area is bound up in resistant minerals.

I. INTRODUCTION

This report describes work done by the Los Alamos Scientific Laboratory (LASL) for the Energy Research and Development Administration (ERDA). The ERDA Grand Junction, Colorado, Office (GJO) is responsible for administering a nationwide Hydrogeochemical and Stream Sediment Reconnaissance (HSSR) as part of their National Uranium Resource Evaluation (NURE) program. The HSSR is designed to identify areas within the continental United States and Alaska having higher than normal concentrations of uranium in surface water, groundwater and waterborne sediment. By identifying such areas, the HSSR will aid in the overall assessment of the nation's energy resources, and in addition, it can provide guidance to the private sector for selecting promising areas for future uranium exploration.

The LASL is responsible for completing the HSSR program throughout the Rocky Mountain states of New Mexico, Colorado, Wyoming, and Montana and the state of Alaska. This report covers an area of approximately 17 000 km² in extreme northwestern Montana, which is generally bounded by latitude 48° north on the south, the Canadian border on the north, the Idaho state line on the west, and the western boundary of Glacier National Park and longitude 113° 30' on the east. Fig. 1 shows the location of the survey area and the boundaries of the three 1:250 000-scale National Topographic Map Series (NTMS) sheets which, taken together, cover it. Plate I, in the rear pocket, is a geologic base map of the area and is provided for use in evaluating the reported data in relation to the local geology. The appropriate NTMS sheets (Sandpoint, Kalispell, and Cut Bank) can be used in conjunction with the translucent overlays, Plates II, III, and IV (also at a scale of 1:250 000), in the rear pocket, as base maps for identifying drainages, access, relief, etc., in the report area. A few locations sampled near, but just outside, the study area are included to provide overlap and a basis for comparison with areas to be surveyed later. Although this area is not noted for uranium mineralization, its geologic similarity to uraniferous areas farther west (around Spokane, Washington) was considered when selecting it for this survey.

Field Sampling

During the period from May 18 to June 26, 1976, 1781 locations throughout the northwestern Montana study area were sampled for water and/or water transported sediment by field personnel employed by a commercial firm under contract to the LASL. The sample locations, sample treatments, and field

Fig. 1. Location of northwest Montana reconnaissance survey area.

procedures were as specified by the LASL and are briefly described in Appendix A. All samples and field measurements were taken using equipment and materials furnished by the LASL. Throughout the survey, every effort was made to standardize each operation so that the resulting data would be inter-comparable to the greatest extent possible.

Sample Analysis

Upon delivery to the LASL, all samples were inventoried and then distributed to two LASL analytical laboratories for analysis. All of the water samples were initially analyzed by fluorometry, and those found to exceed 10 parts per billion (ppb) uranium (the upper limit of detection without recalibration of the fluorometer) were also analyzed by a delayed-neutron counting (DNC) technique. A comparison of the uranium in waters analyzed by both fluorometry and DNC has shown that the two analytical methods as used at the LASL are comparable.¹ All of the sediment samples were analyzed for uranium in the parts per million (ppm) range, using the DNC method. Both of the analytical procedures used are described in more detail in Appendix A and in LASL HSSR Quarterly Progress Reports.²⁻⁸ In addition, a report describing the fluorometric method utilized at the LASL is available from the ERDA GJO and other ERDA repositories.⁹ As with the field procedures, all of the analytical work was performed using standard techniques and stringent controls to assure maximum accuracy and precision of the uranium data. Histograms for the uranium concentrations measured in the water samples, both combined and separated as to source, and for the sediment samples, likewise combined and separated as to source, are presented in Appendix B.

II. GEOGRAPHIC SETTING

The report area includes nearly all of Lincoln County and the western three quarters of Flathead County, both in extreme northwestern Montana. The primary industries in this part of Montana are lumbering, ranching, agriculture and tourism. The combined population of Lincoln and Flathead counties is approximately 60 000. The largest towns are Kalispell, Whitefish, and Columbia Falls in Flathead County, and Libby and Troy in Lincoln County. Approximately 80% of the land in the survey area lies within the boundaries of the Kootenai and Flathead National Forests, and the remaining land is either privately held (~15%) or state owned (~5%).

The study area lies totally within the Northern Rocky Mountain Province,¹⁰ which is characterized by parallel, north- and northwest-trending mountain ranges separated by long deep valleys (Fig. 2). The mountains stand 2200 to 2700 m in height, while the valleys are commonly 600 to 1200 m above sea level. Most of the major topographic features in northwestern Montana are related to regional faulting, continental and alpine glaciation, and stream erosion. The mountains are covered with dense forests of pine, tamarack, and fir, while the valleys, except where cleared for agriculture or other purposes, are covered with both evergreen and deciduous trees and shrubs.

Climate

The climate of northwestern Montana is generally classified as a modified maritime type being dominantly influenced by the Pacific Ocean.¹¹ Although the temperature and precipitation are normally controlled by Pacific weather, there are times during the winter months when extremely cold, continental

Fig. 2. Major rivers and mountain ranges in northwest Montana.

weather will penetrate from the east, causing relatively brief intervals of extreme cold. The average annual temperature range is from about 7°C in the valleys to less than 2°C in the higher elevations. Summers are typically warm and sunny, while the winter months are cool and cloudy. Annual precipitation ranges from 36.3 cm in the Kalispell valley to more than 100 cm in the mountainous areas, largely as a result of heavy winter snowfall. Table I summarizes the average annual temperature and precipitation for selected weather stations throughout the study area for the years 1970 through 1975. Table II summarizes the temperature and precipitation at these stations during the months in 1976 that the field sampling was performed. For easy reference, the number to the left of each station name in Table II corresponds to the same number on Fig. 1.

III. HYDROLOGY

Water draining the mountainous regions in Lincoln and Flathead counties flows into the valleys via many short and relatively steep tributaries to the primary streams and rivers. The metasedimentary Belt rocks, the predominant bedrock lithology in the region, are typically dense and impervious. Consequently, groundwater availability in the mountains is generally limited to those areas where the bedrock is fractured, fissured, or faulted. In the larger intermontane valleys, considerable thicknesses of glacial material (till, moraine, and outwash) have been deposited, and in these areas groundwater is plentiful. Recharge takes place along the flanks of the mountains where the glacial deposits pinch out, and discharge is primarily into the streams, rivers, and lakes on the valley floor. In the more populated valleys, a considerable amount of groundwater is pumped from wells for domestic and agricultural use.¹¹

Streams and lakes are numerous throughout the area, being fed by heavy winter snow accumulations and moderate summer rains. Many of the numerous small lakes in the area were formed as impoundments behind glacial moraines deposited as the alpine and continental ice sheets retreated. The major intermontane valleys contain well developed (mature) river drainages fed by streams draining the mountain slopes to the west and east. Two large reservoirs, the Hungry Horse, in Flathead County, and Koocanusa, in Lincoln County, are contained by dams. Hungry Horse Dam is on the South Fork of the Flathead River, northeast of Kalispell, while Lake Koocanusa is formed behind

TABLE I

AVERAGE ANNUAL TEMPERATURE AND PRECIPITATION AT SELECTED
WEATHER STATIONS IN NORTHWEST MONTANA FOR THE YEARS 1970-1975^a

Station	Average Annual Temperature(°C)						Average Annual Precipitation (cm)					
	1970	1971	1972	1973	1974	1975	1970	1971	1972	1973	1974	1975
Heron 2 NW	6.8	6.4	6.2	7.0	7.1	6.0	97.2	99.3	88.3	74.5	95.1	91.6
Troy 18 N	5.9	6.1	5.8	6.1	6.0	5.3	80.5	99.4	92.1	89.8	116.8	103.7
Libby Dam	6.1	6.7	6.2	6.6	7.4	6.1	41.7	48.0	42.5	28.9	38.4	42.7
Eureka R.S.	6.6	7.0	6.2	7.3	8.3	6.6	32.8	34.0	34.9	23.8	26.6	33.6
Kalispell A.P.	5.6	5.7	5.5	6.7	6.8	5.3	44.1	41.8	37.2	30.1	35.5	43.1
Polebridge		3.7	3.7	4.6			66.0	86.2	65.0	54.7	61.6	66.3
West Glacier	5.3	5.2	4.9	6.0	6.2	4.8	89.9	91.8	80.4	64.2	75.0	82.7
Summit	1.9	1.4	2.6	2.1		0.7	114.7	108.4	110.9	75.6	108.0	103.3

^a See Ref. 12.

TABLE II

SUMMARY OF AVERAGE MONTHLY TEMPERATURE AND PRECIPITATION AT
SELECTED WEATHER STATIONS IN NORTHWEST MONTANA FOR
THE MONTHS OF MAY AND JUNE 1976^a

No. on Fig.	Station	MAY 1976 Temperature(°C)			Total Precip. (cm)	JUNE 1976 Temperature(°C)			Total Precip. (cm)
		Ave.	Ave. High	Ave. Low		Ave.	Ave. High	Ave. Low	
1.	Heron 2 NW	11.6	20.7	2.4	4.75	12.6	20.2	4.9	5.84
2.	Troy 18 N	11.3	20.6	2.1	4.57	12.3	20.1	4.6	5.49
3.	Libby Dam	11.8	21.6	2.1	2.72	12.9	20.8	5.1	2.26
4.	Eureka R.S.	10.2	22.7	3.6	3.20	13.9	21.8	5.9	4.93
5.	Kalispell A.P.	11.9	19.8	3.9	4.55	13.3	20.2	6.8	4.29
6.	Polebridge	9.5	18.9	0.1	5.03	10.2	17.9	2.5	6.10
7.	West Glacier	11.1	20.0	2.2	7.19	12.4	19.2	5.7	8.36
8.	Summit	7.8	15.3	0.2	5.21	8.9	15.1	2.8	6.10

^a See Ref. 12.

Libby Dam on the Kootenai River, east of Libby. Flathead Lake, south of Kalispell, was originally impounded behind glacial material but is now controlled by a dam at its southern end. Detailed information about the water resources of Lincoln and Flathead Counties is available in a water resources survey report issued by the Montana State Engineer's Office.¹¹

The waters of northwestern Montana are generally classified as a calcium bicarbonate type having a dissolved-solids range of between 50 and 500 ppm.¹³ Various water chemistry measurements taken at selected river and stream sites in this part of Montana are available in the US Geological Survey (USGS) Water Supply Papers published by the US Government Printing Office, Washington, DC, as annual reports, entitled, Quality of Surface Waters of the United States (year), Parts 12-16. Included in these reports are data on water temperature, flow rate, sediment load, hardness, dissolved solids, pH, specific conductance, silica, iron, calcium, magnesium, sodium, potassium, bicarbonate, carbonate, sulfate, chloride, fluoride, nitrate, and boron. Although the measurement sites are almost all located on the primary streams and rivers in northwest Montana (which were usually not sampled for the HSSR), the surface water chemistry is quite uniform throughout the area, and therefore the data are generally representative of the smaller streams as well.

IV. GEOLOGY

The following brief descriptions of the geology, structure, mineral districts, and mines in Lincoln and Flathead counties have been compiled largely from a report by W. M. Johns, published in 1970.¹⁴ Other references are cited where appropriate.

Nearly all of northwestern Montana is underlain by thick sequences of Precambrian metasedimentary rocks broadly classed as the Belt supergroup. The Belt strata have been divided into four major subdivisions, which, in ascending order, are the pre-Ravalli, Ravalli, Piegan, and Missoula groups. The lower (pre-Ravalli and Ravalli) and the upper (Missoula) groups are composed primarily of clastic material (originally clay, silt, and sand) altered to argillite, siltite, and quartzite. The middle (Piegan) group is predominantly carbonate (limestone and dolomite) with the clastic content increasing near the upper and lower contacts. The carbonate sequence is thought to have been deposited in shallow to moderate water depths during repeated encroachments of a westerly sea. The total thickness of the Belt

supergroup in northwestern Montana has not yet been determined. However, the maximum measured thickness of combined sections is 20 400 m, measured at two exposures near Alberton, Montana, just south of the survey area.¹⁵

Incomplete sections measured elsewhere in northwest Montana range from 12 200 m (in western Lincoln County) to 6100 m (in the Mission Mountains southeast of Flathead Lake).¹⁶ The names and general stratigraphic relationships of important subunits within the Belt supergroup in northwestern Montana are shown in Fig. 3, along with a generalized post-Precambrian stratigraphic section for units in the northern Whitefish Mountain Range, northwestern Flathead County.

Paleozoic rocks occur at only a few places within the survey area. Cambrian, Devonian, Mississippian, and Pennsylvanian-Permian rocks have been mapped at a few localities in western Lincoln County and northern Flathead County. The Cambrian, Devonian, and Mississippian rocks are predominantly carbonates (limestones and dolomites) and interbedded shales. The basal Cambrian unit is a light gray to brown, medium-grained, quartzitic sandstone. The Pennsylvanian-Permian rocks are well-sorted, fine-grained quartzite, exposed in the northern part of the Whitefish Range near the Canadian border.

Mesozoic rocks are exposed both in the Whitefish Range, and in the Swan Range, south of Hungry Horse Reservoir. Included in the Mesozoic strata are limestones, dolomites, and shales of Jurassic and Cretaceous age. Triassic siltstones and shales, which underlie Jurassic limestone and shale elsewhere in Montana, have not been identified within the survey area.

Cenozoic rocks are exposed in the Northfork and Southfork valleys of the Flathead River, northeast of Kalispell. These limited outcrops include arenaceous shales, vari-colored sandstones, and minor conglomeratic facies. Lignite beds having up to 10 m of aggregate thickness occur in the Tertiary strata (Kishenehn fm) in the Northfork valley. Lignite beds have also been identified in Tertiary strata in the Southfork and Middlefork valleys of the Flathead River.

Quaternary deposits are distributed in all of the intermontane valleys of northwestern Montana. Glacial deposits consisting of till, moraine and outwash material, and lacustrine clay and silt are especially prevalent in the northern valleys and canyons. Recent alluvium is commonly distributed along the drainages of present day rivers and streams.

GATEWAY* - DESCRIBED BY SHELDON (1961) AS EQUIVALENT SHEPARD FORMATION

AFTER W. JOHNS (1970)

Fig. 3. Simplified correlation of Precambrian sedimentary units in northwestern Montana with post-Precambrian stratigraphy in northwest Flathead County.

Igneous Rocks in the Area

During late Precambrian and Mesozoic-Cenozoic times, the Belt strata were invaded by a variety of extrusive and intrusive rock types. The Purcell lava (andesite and basalt) was extruded during late Precambrian time as two broad sheets across a large area west of what is now Glacier National Park and extending north into Canada. The Purcell flows generally thicken to the north and west, being as much as 225 m thick in a section measured near Eureka, Montana. East and west of the Eureka area the Purcell lava ranges from 100 to 140 m in thickness. Other basic rocks occur as intrusive dikes and sills at various localities in Lincoln and Flathead Counties. In Lincoln County they are compositionally described as equivalent to metagabbro, hornblende gabbro, amphibolite, and metadiorte. In Flathead County, near Glacier Park, they are described as being metagabbros, but farther south, equivalent intrusives are classified as quartz diorites. The age of these intrusives has not been definitely determined; however, early investigators assigned the more basic units (diorites) to the Precambrian, probably being equivalent to the Purcell lava. The diabasic dikes and sills have been tentatively assigned to the Cretaceous due to their proximity and structural relationship to granitic stocks and dikes of that age described below.

During Late Cretaceous (Laramide) time, diastrophic stress and its subsequent release created the Northern Rocky Mountains. During this period of mountain building, the Precambrian metasediments were intruded by many granitic dikes and stocks. The exposed areas of most of these intrusive bodies are quite limited within the survey area, but farther to the south and southeast, large plutons of Laramide age (Idaho and Boulder Batholiths) are exposed. The intrusive bodies are notable, because nearly all of the significant mining districts in Lincoln and Flathead counties are associated with them. Descriptions of the intrusive bodies are provided in reports by Gibson^{17,18} and Gibson, et al.¹⁹⁻²¹ Additionally, the report by Johns¹⁴ synthesizes most of the available information on these bodies in considerable detail. Finally, the USGS has conducted airborne geophysical surveys over parts of Lincoln and Flathead Counties, and the resulting aeromagnetic maps (GP-830²², -682²³, -683²⁴, and -684²⁵) are useful for locating the larger intrusive areas and fault zones, and also for identifying lithologies having relatively high percentages of magnetite.

Volcanic intrusive and extrusive rocks of Tertiary age occur just south of the survey area and approximately 20 km west of Flathead Lake. They are

the host rocks for important silver and lead deposits in the Hog Heaven mining district. The volcanics have been classified as porphyritic andesites, latites, andesitic tuffs, and basalts and are exposed over a 250-km² area.²⁶ A few of the streams draining the Hog Heaven district flow northward and enter the study area along its south-central border.

Structural Setting

Structurally, northwestern Montana is comprised of an ancient anticlinorium (the Purcell anticlinorium, initially formed in Late Precambrian)²⁷ of north-northwest-trending folds and faults, which during the Laramide orogeny underwent further folding, extensive block faulting, and thrusting.²² During Tertiary time, additional, but less extensive, movement took place along some of the major fault systems in the area. The primary tectonic features of northwestern Montana are shown in Fig. 4.

Precambrian strike-slip fault movement has been documented along the western part of the Lewis and Clark line, southwest of the survey area, by Hobbs, et al.²⁸ Harrison has indicated evidence for Precambrian movement along the Hope fault, which cuts across the extreme southwestern corner of the survey area.¹⁵ Subsequent block faulting during late Mesozoic time resulted in the formation of the Purcell trench, the Libby trough, and the Rocky Mountain trench, all of which are graben structures.¹⁵ During this same period, the Montana "disturbed belt," which trends to the northwest along the eastern boundary of the survey area, and the Kootenai "mobile belt," west of the survey area in Idaho and Washington, were developing. In addition to the gross structural features mentioned, there are numerous other faults, fissures, and joints which are related, either in time or space, to these larger structures. Many of them are described in considerable detail in the 1970 report by Johns.¹⁴ It is important to recognize that most of the intrusive rock occurrences, which are the hosts for nearly all of the economically important mineral deposits in northwest Montana, are associated with structural features.

Mineral Occurrences in the Area

Since the late 1800's, sporadic mining in eight districts within the survey area has produced several million dollars worth of silver, lead, gold,

Fig. 4. Tectonic map--northwest Montana.

zinc, and copper, as well as a small amount of tungsten. Most of this ore was produced or originated (in the case of placer deposits) from mesothermal and epithermal veins filling fissures and fractures associated with large faults and folds. Placer gold has been recovered from several stream beds in the western part of the survey area (Lincoln County), and a few streams in the eastern part (Flathead County). The value of the gold and minor quantities of silver produced from placer deposits has been relatively small when compared to the direct production from veins. Non-metallic minerals, in order of decreasing economic importance within the area, include vermiculite, barite, coal, tremolite (asbestos), talc, and limestone. Of these, only the first three have been mined to any significant extent, and only vermiculite is actively produced at present. The locations of mineral producing districts in the study area are given in Fig. 5, and summary descriptions of the major ones are provided in Table III.

NOTE:
Areas of numerous or widespread occurrences of one or more minerals are shown by a dotted outline. Symbols are shown inside the outlined area or by a leader. An isolated occurrence of a different mineral within such an area is shown by a dot and a leader.

X Mine or prospect where mineral is known

METALS:

- ALUMINUM
- ARSENIC
- COPPER
- GOLD
- IRON
- LEAD
- MANGANESE
- SILVER
- TUNGSTEN
- URANIUM
- VANADIUM
- ZINC
- ZIRCONIUM AND HAFNIUM

NONMETALS:

- ABRASIVES
- ASBESTOS
- BARITE
- FELDSPAR
- FLUORSPAR
- LIGNITE
- LIMESTONE
- MICA
- SILICA
- STRONTIUM MINERALS
- TALC
- VERMICULITE
- WOLLASTONITE

MAP NO.	ORE	OCCURRENCE	MINE OR DISTRICT NAME
1	Au	placer	Solo Joe
2	Ls	beds	Stahl
3	Cu, Ag	veins	Eureka
4	Ag, pb	veins	Jager
5	Au, pb, Ag, Zn	veins	Yaak River (Sylvanite)
6	Au, Ag, Cu, pb, Zn	veins	Pine Creek
7	Au	placer	Snipetown
8	Pb, Ag, Zn, Au, Cu	veins	Troy-Grouse Mtn.
9	Au	veins	Hayt (N. Star)
10	pb, Zn, Au, Cu	veins	Marland
11	Lignite	beds	North Fork
12	Vermiculite	Intrusive	Rainy Creek
13	Au, Ag, pb	veins	Lukens Hazel
14	Au	placer	Tidman, Big Eight, Darling
15	Cu, Ag	veins	Star Meadow (Foolsberg, West Virginia)
16	Cu, Au	veins	Essex
17	Ag, pb, Zn	veins	Blue Creek, Heron
18	Ag, pb, Au, Zn	veins	Libby (Snowshoe)
19	Au, Ag	veins	Novon
20	Au, W, pb, Zn, Cu, Ag	veins	West Fisher (Cabinet)
21	Au, Ag, Cu, pb, T	veins	Higgs

Fig. 5. Mining districts and mineral deposits--northwest Montana.

TABLE III

SUMMARY DESCRIPTIONS OF MAJOR MINING DISTRICTS
IN LINCOLN AND FLATHEAD COUNTIES, NORTHWEST MONTANA^a
(With reference to locations as shown on Fig. 5)

Lincoln County

Libby District (Nos. 18 and 19 on Fig. 5)--Located on the western flanks of the Cabinet Mountains approximately 35 km south of Libby. Mines in the district have produced lead, silver, and gold (largely from the Snowshoe Mine). Ore occurs in replacement veins in shear zones and faults in Precambrian argillite.

Troy District (No. 8 on Fig. 5)
--Located in the northwest Cabinet Mountains approximately 10 km southwest of Troy. Mines in the district have produced lead, zinc, copper, and some gold and silver (most prior to 1930). Barite veins also occur in the area. Ore is from replacement veins and fillings in metadiorite dikes cutting Precambrian argillite.

West Fisher District (Nos. 20 and 21 on Fig. 5)--Located near the headwaters of the West Fisher River approximately 40 km south of Libby. Gold, silver, and small amounts of tungsten and sulfide minerals have been produced from quartz veins cutting Precambrian argillite and quartzite of the Prichard Formation.

Sylvanite District (No. 5 on Fig. 5)
--Located in the Purcell Mountains, on the west side of the Yaak River, approximately 30 km north of Troy. Gold, lead, silver, and zinc have been produced from vein filled fissures.

Warland District (No. 10 on Fig. 5)
--Located a few km northeast of Warland in the Salish Mountains.

Gold, copper, lead, and zinc have reportedly been mined from quartz veins cutting a syenite stock.

Rainy Creek District (No. 12 on Fig. 5)--Located approximately 15 km northeast of Libby in the Purcell Mountains (Vermiculite Mountain). Large open pit vermiculite mine produces up to 500 tons of concentrate per day from the Rainy Creek Pluton. Other minerals known to occur in the biotite-magnetite-pyroxenite and syenite pluton include tremolite (amphibole asbestos), chalcopyrite, bornite, sphalerite, fluorite, pyrite aegirine, rutile, and calcite. Feldspar, biotite, magnetite, apatite, and pyroxene have been described as being possible future resources.

Flathead County

Star Meadows District (No. 15 on Fig. 5)--Located approximately 40 km northwest of Kalispell and west of Tally Lake. Silver, gold, and copper are associated with quartz and siderite veins in faults cutting Precambrian argillite.

Hog Heaven District (not shown on Fig. 5)--Located approximately 5 km south of the survey area and 25 km west of Flathead Lake, in the Salish Mountains. Silver and lead are mined from dikes and plugs intruding volcanic rocks, from replacement deposits in the volcanics, and from fumarole holes penetrating Precambrian metasediments adjacent to the igneous bodies.

^a See Ref. 29.

Uranium Occurrences in the Area

Production of uranium or associated radioactive minerals is not known in northwestern Montana. There are, however, a few locations within or adjacent to the survey area where notable, but minor, occurrences of radioactive minerals have been identified. These local areas having known or suspected uranium mineralization are described below.

In Lincoln County, approximately 10 km west of the town of Troy, Montana, the Oro Mine is located near the headwaters of Ruby Creek. The mine is developed in a quartz vein cutting a metadiorite dike which strikes N40°W. The ore consists of galena, anglesite, chalcopyrite, and pyrite in quartz. Vuggy material within the vein contains abundant iron oxides (~3.3% iron) and assays 5.1% lead. It also has minor amounts of silver and traces of gold, copper, and zinc. At least one assay showed 0.5% nickel in disseminated ore from this locality.¹⁴ In a reconnaissance of the Oro Mine, it is reported that the detectable radiation levels along the quartz veins are locally four to ten times higher than the regional background.³⁰ The specific radioactive minerals are not identified at this location.

A second location having radioactive mineralization in Lincoln County is situated approximately 7 km east of Libby (3.5 km southwest of Vermiculite Mountain), in the Rainy Creek district. Twelve claims along two parallel quartz-bearing shear zones have been explored. The westerly shear zone (Raven group) contains galena, cerussite, chrysocolla, malachite, and tremolite. The easterly zone (Lucky Mac group) is located approximately 0.4 km to the east, and contains (in addition to quartz) galena, fluorite, and sparse radioactive autunite (calcium uranium phosphate). The radioactivity was detected in bulldozer cuts and pits and has been traced along the shear zone for some 500 m. Although selected vein samples have assayed as high as 17.0% lead and 7.5% zirconium oxide, and show a trace of silver, no production has been reported from the Lucky Mac group.¹⁴

Approximately 9 km east of Libby and on the southern contact of the Vermiculite Mountain pluton, scintillometer readings made in the mid-1950's indicated local radioactivity. Trenching exposed a diorite dike locally stained with iron and copper oxides and containing pyrite crystals up to 0.6 cm in size. Samples from two locations along the 0.8-km exposure of the dike showed traces of copper, silver, and zinc, and up to 0.2% (U_3O_8). It has been speculated that the dike and surrounding country rock (Wallace fm)

contain sparse amounts of autunite. The Kennedy group, as the above claims are known (due to their proximity to Kennedy Gulch), have not been developed beyond the few prospect trenches mentioned.¹⁴

A fourth radioactive mineral area where autunite has been reported is located approximately 0.8 km northwest of Yaak, in the northwestern corner of the study area. This occurrence, staked as the Esther May claims in 1946, is associated with a 7.6-cm thick syenite vein exposed in a small exploratory pit. The claims have not been developed except for the shallow pit and several exploratory drill holes. The Esther May claims were originally staked on the basis of the tremolite (asbestos) in small veins in the area.¹⁴

A fifth area described as having minor uranium mineralization is shown on Fig. 5 as being 5 km north-northeast of Troy. No other information about the mineralization at this location was found, and no other occurrences of radioactive minerals in northwestern Montana were noted in the literature. It seems likely, however, that similar but yet unidentified occurrences might exist here, particularly in association with the acidic intrusive rocks. The following sections present a brief evaluation of the survey results, which it is hoped will provide some useful direction for those making a more thorough study of these data.

V. GEOCHEMICAL NATURE OF URANIUM

There are numerous written reports on hydrogeochemical and stream sediment reconnaissance methods of prospecting for uranium which show that properly designed surveys can be a valuable tool, both for regional resource assessment and as a guide for exploration.³¹ The reasons for this, while complex, are basically founded in the fact that uranium is an oxyphile element readily dissolved in and transported by circulating waters under a wide range of natural conditions.³² It is also easily adsorbed, over a wide pH range, on certain clays, organics, and other carbonaceous matter with which the waters come into contact.³³ Because all natural surface and ground waters do carry uranium in solution in greater or lesser amounts, depending on numerous chemical and physical conditions, they provide an excellent sample medium with which to delineate favorable and unfavorable areas for uranium enrichment.^{34,35} Additionally, fine grained, organic rich, water transported sediment provides a complementary sample medium in regions where surface waters are plentiful.

Some of the more important chemical factors which act to control the solubility of uranium in water are pH, specific conductance, Eh, and alkalinity. Of these, pH and specific conductance, which can be quickly and easily determined in the field, were measured in this survey and are included in the data listings of Appendixes C and D. Some of the physical factors acting to control the uranium contents in both water and sediment include the geology, geochemistry, and hydrology of an area, the availability of soluble uranium, the residence time of the waters, the amount of colloids, clays, and organic matter in the water and sediment, the water temperature, the seasonal climate, the weather, and the relationship between surface and ground waters.³⁶⁻³⁸

Summarized below are some of the important relationships of the chemical and physical parameters provided in the data listings of Appendixes C and D to uranium contents as measured in water and sediment.

pH - Uranium is soluble over a wide range of pH,³² and it is only when extreme high or low values are encountered that it becomes important to interpretation.³⁹ As pH decreases, uranium content increases.^{36,40}

Specific conductance - An increase in total dissolved solids (approximated by specific conductance) will usually be accompanied by an increase in uranium in natural waters.^{38,41-44}

Equivalent uranium - A measurement of surface radioactivity (uranium and thorium daughter products) at each location is provided for use alone, or with NURE airborne radiometric results when they become available. An abnormally high value is indicative of local radioactive mineralization.⁴⁵

Temperature - The temperature of the water may influence the measured concentration of uranium to some extent since it controls the rate of certain chemical reactions and biological activity.^{36,39}

Geology - Uranium content is generally higher in waters draining certain lithologies (such as acid igneous types).^{46,47} Oxidizing groundwaters often circulate in highly fractured, fissured, and faulted terrains and can act to introduce dissolved uranium into the surface waters in favorable areas.^{33,34,36,38,48-50}

Organics - The organic content can be crudely approximated from the water description, bottom sediment description, density and type of local vegetation, and water temperature as recorded at the time of sampling. High organic content tends to rapidly adsorb uranium from water and correspondingly

increase uranium in sediment.^{38,51} In heavily vegetated terraines, short dispersion trains in stream water, and to a lesser extent in sediment, can therefore result.^{33,42}

Relief - Surface waters draining mountainous regions tend to have relatively short dispersion trains of uranium.^{52,53}

Weather - Seasonal climatic and weather conditions tend to change the uranium concentrations in surface waters and, to some extent, in sediment.^{33,36,37,54} During periods of rapid snowmelt and high runoff, the normal uranium concentrations may be diminished by a factor of 1 to 3 times, due to dilution. Following periods of drought, the uranium content in rainwater runoff has been found to sharply increase for a brief period.^{40,54,55} In standing waters, where evaporation is prevalent (lakes and ponds) the uranium content tends to increase.^{37,56} Hydrogeochemical surveys should be completed over a short period of time to minimize the influence of seasonal change.^{49,57}

Contaminants - The identification of potential sources of contamination, such as metal mines, dump residues, and acid mine waters, can be important to making a correct interpretation of the uranium data.^{40,52,58} The use of uranium-rich phosphate fertilizers might increase the uranium concentration of waters in certain agricultural areas.⁵⁹

VI. STATISTICAL AND EMPIRICAL EVALUATION OF THE WATER DATA

The following section presents basic statistical data for the uranium analyses of water samples from northwestern Montana. All of the sample locations mentioned are designated by number (with the first two digits dropped) on the overlay of Plate II, and the uranium concentrations in water are graphically portrayed on the overlay of Plate III. A summary of the uranium data for all of the water samples combined, as well as for the various individual source types, is provided in Table IV.

Of the total of 1684 water samples reported from within the survey area, 821 were found to have less than detectable concentrations of uranium (<0.2 ppb). All waters analyzed by fluorometry were done in duplicate, with the values shown being the average of the two determinations. Occasionally, one split of a sample would result in a concentration at or slightly above the detectable limit, while the other was below the limit. In such cases, the lower concentration of uranium (<0.2 ppb) was arbitrarily assigned a value of

TABLE IV

SUMMARY OF URANIUM DATA FOR FILTERED AND ACIDIFIED WATER SAMPLES
COLLECTED IN NORTHWEST MONTANA

<u>Sample Source</u>	<u>No. of Samples</u>	<u>Range (ppb)</u>	<u>Mean (ppb)</u>	<u>Standard Dev. (ppb)</u>
All waters	1684	0.10-173.60	0.66	4.53
Stream waters	1582	0.10- 22.00	0.47	1.12
Natural pond waters	44	0.10-173.60	5.16	26.24
Spring waters	41	0.10- 31.40	2.95	6.62
Artificial pond waters	14	0.10- 5.45	1.18	1.79
Well waters	3	0.10- 0.10	--	--

0.1 ppb, and then it and the higher value were averaged. Values for water in the data listings of Appendix C which are between 0.1 and 0.2 ppb were arrived at in this manner. Because of the high number of very low concentrations (<0.2 ppb), it is almost certain that the statistical distribution for the uranium in waters is skewed somewhat toward the high side (i.e., had the actual low concentrations been measured, the mean value (M) for the whole population might be slightly lower than it is when these low concentrations are arbitrarily assigned a value of 0.1 ppb).

There are probably several reasons for so many of the water concentrations being below 0.2 ppb uranium. The most important ones are believed to be seasonal dilution, rapid transit times of the stream waters, and quite possibly a general lack of leachable uranium in this area of Montana. It has been shown that there is a discernable decrease in the amount of dissolved uranium in surface waters at higher latitudes,³⁸ and this may also be reflected in the numerous low concentrations in northwestern Montana waters.

When evaluating uranium results from mixed water sample populations (different source types), it is important to recognize that they are usually not directly comparable. Several reasons for this are alluded to in the previous section on the geochemical nature of uranium. The results of the

analyses of water samples from northwestern Montana indicate that they are somewhat more statistically comparable than would normally be expected. Only the natural pond waters and spring waters, which have populations of 44 and 41 samples respectively, have notably higher mean values and larger standard deviations (σ) from the mean than the other sample types. In both cases, these statistical values (Table IV) are skewed to the high side due to the existence within the populations of a few very high uranium concentrations.

In the case of the natural pond waters, if the two highest uranium concentrations (173.60 and 23.50 ppb) are removed, the mean for the remaining 39 samples is 0.71 ppb, which is very close to 0.66 ppb, the mean for all of the water samples combined. The range of these 39 samples is 0.10 to 7.25 ppb, which is well within two standard deviations from the mean for all of the water samples combined.

For the spring waters, it is necessary to remove the six highest values (31.40, 25.20, 19.10, 5.93, 5.72 and 4.02 ppb) to bring the mean of the remaining 35 down to 0.83 ppb, close to the mean for all samples. If only the three highest values are dropped from the spring waters, the mean for the remaining 38 samples is 1.20 ppb uranium. This probably indicates that the spring water population does in fact have a slightly higher average uranium concentration than the other sample types. This is not unexpected, inasmuch as groundwaters generally have been found to contain somewhat higher concentrations of dissolved uranium.¹ For the purpose of a gross interpretation of these data, the difference between the statistical results for the total water population and the small spring water population is not believed to be so great as to require separate evaluations. The histograms provided in Appendix B, however, do separate the uranium data on the basis of sample type (with the exception of three well water samples which were not plotted) and the results portrayed there can be used for making separate and more refined evaluations, if desired. Histograms for both the raw data and log-data distributions are included in Appendix B, but no attempt has been made here to establish which distribution (if either) better represents the data for purposes of interpretation. It should be noted that the concentration intervals used for the histograms in Appendix B were selected arbitrarily on the basis of the range of uranium concentrations and not on the statistical distribution from the mean value, as used on Plates III and IV in the rear pocket.

In a uranium HSSR study of samples from the Estancia Valley, New Mexico, by Olsen, published earlier in 1977,⁶⁰ the uranium concentration in waters (grouped by source type) appeared to have a Poisson-like distribution (where $M \approx \text{variance}$). The differences between the mean concentration values and the variance from the mean for all samples combined, and for each grouping by source type, indicates that the northwestern Montana waters probably do not possess a Poisson-type uranium distribution as was indicated for the samples in the New Mexico study. Here again, however, the large number of very low uranium concentrations (<0.2 ppb) may be effectively masking or altering the true statistical distribution, and thus any conclusions derived solely from a statistical treatment of these data are only tentative.

The question of just what constitutes an anomalously high (or low) concentration of uranium in natural waters is difficult to determine, particularly in regional surveys where background concentrations can change from area to area within the region. A simple and reasonably effective guide which is commonly used to select anomaly cutoffs is based on the statistical distribution of the results. Some geochemists use $M + 2\sigma$ (or the high side of the 95% confidence limit) as the anomaly threshold in hydrogeochemical prospecting, while others use $M + 3\sigma$ (the high side of the 99% confidence limit).⁶¹ The uranium concentrations plotted graphically on Plate III are differentiated, to the extent possible, using full and half deviations from the mean for all of the samples combined. This was done so that investigators wishing to use either of the above statistical values (or an intermediate one) as anomaly thresholds could do so directly.

There are eight water samples having measured uranium concentrations greater than 14.25 ppb, which is the anomaly threshold, using $M + 3\sigma$, for all northwest Montana water samples combined. These eight, plus one additional sample having 12.90 ppb uranium, are all listed in Appendix C-1 as waters analyzed by delayed-neutron counting (DNC). Three of these anomalous uranium concentrations are in spring waters which apparently emanate from Precambrian Belt metasedimentary rock (Plate I). The water from sample location No. 303365 (LASL) was collected ~9 km northwest of Kalispell (Lat. $48^{\circ} 13' 26''$, Long. $114^{\circ} 26' 00''$). Agricultural activity was noted on the field data form at this location, but contamination from fertilizers, or other sources which might cause the high uranium concentration (31.40 ppb), is not known. A sediment sample taken at this same location, and described in the following

section, measured 16.60 ppm uranium, which is greater than three standard deviations above the mean for all of the sediment samples combined. The combination of anomalous uranium in both the water and sediment samples collected at this site might well warrant additional investigation. The two other anomalous spring waters (LASL Nos. 303761 and 303778) were collected at separate locations, each approximately 45 km west of Kalispell. Sample location No. 303761 (25.20 ppb uranium) is situated just north of Fisher River (Lat. 48° 07'54", Long. 114° 55'02"). The site is shown on Plate I as being Quaternary alluvium (possibly underlain by Precambrian Ravalli quartzite or argillite). A large fault trending to the north and northwest is mapped just west of the location. No possible sources of contamination or other abnormal conditions were noted on the field data form for this location. In the Pleasant Valley Creek drainage, about 7 km north of the location just mentioned, spring water from location No. 303778 was collected in an agricultural area on the north side of the valley (Lat. 48° 11'27", Long. 114° 55'21"). This site is also mapped on Plate I as covered by Quaternary alluvium and is probably underlain by Precambrian Ravalli metasedimentary bedrock. The fault described as passing to the west of location No. 303761, discussed above, passes just to the east of location No. 303778. It is conceivable that both springs are actually closer to the fault than indicated on the geologic base map (Plate I), and, if so, they may be reflecting mineralization associated with the fault. Sediment samples collected at these two locations do not show corresponding high uranium contents.

Three stream water samples were found to contain more than 14.25 ppb uranium. Two of these samples (LASL Nos. 304722 and 304724) were collected in a single drainage, a tributary of Wolf Creek, located approximately 55 km west of Kalispell (Lat. 48° 16'31", Long. 115° 03'23" and Lat. 48° 16'05", Long. 115° 02'10", respectively). This tributary drains the western slope of Surprise Hill, which is mapped on Plate I as Precambrian Pritchard quartzite. Location No. 304724 (22.00 ppb uranium) is located ~2 km upstream from No. 304722 (19.80 ppb uranium). Agricultural activity was noted in the vicinity of both of these sample locations, but actual contamination due to the use of uranium-rich phosphate fertilizers, or other causes, was not confirmed. It is also notable that ~5 km to the northeast, on Little Wolf Creek, stream water samples taken at location Nos. 304737 and 304739 also have somewhat higher uranium concentrations (5.48 and 5.98 ppb uranium respectively) than other

surface waters in the area. Little Wolf Creek drains the northern slopes of Surprise Hill, as well as mountainous areas to the north and east. The third stream water sample (No. 303381) having an anomalous concentration of uranium (19.80 ppb) was collected from a small easterly flowing stream at Kila (Lat. $48^{\circ} 07'14''$, Long. $114^{\circ} 28'05''$). The sample was collected in an area mapped as Quaternary alluvium near its contact with the Precambrian Siyeh limestone and dolomite (Plate I). Again, agricultural activity was noted at this location, but none of the other field data appear unusual.

Using the mean plus three standard deviations to define the anomaly threshold, two natural pond water samples are found to have anomalous uranium concentrations. One is from a pond located just below Lake Rogers (No. 303905, Lat. $48^{\circ} 03'47''$, Long. $114^{\circ} 36'54''$). This site is described on the field data form as being a muddy, stagnant pond, but no contamination is noted. The geology here is mapped as Quaternary glacial material and it is probably underlain at depth by Precambrian quartzite and/or argillite (Ravalli fm). The measured uranium concentration of 23.50 ppb may be partly a result of evaporative concentration. Also, the specific conductance of 605 $\mu\text{hos/cm}$ measured at the site is somewhat higher than normal for this area. The second anomalous natural pond water sample, No. 303361 (Lat. $48^{\circ} 10'42''$, Long. $114^{\circ} 21'50''$), has the highest measured uranium concentration of any water sample collected in this survey, (173.60 ppb). The sample location is 4 km southwest of Kalispell and just north of Foy Lake. The surface geology at the location is mapped as Quaternary glacial material (underlain by Precambrian Piegán metasedimentary bedrock). Contamination due to urbanization is indicated on the field data form, but even more significant is the very high specific conductance of the water, $>5000 \mu\text{hos/cm}$, which appears to be the key to explaining the high uranium content. Note that the specific conductance listed in Appendix C is simply $5000 \mu\text{hos/cm}$, not >5000 as it should be. Normally, the LASL-furnished conductivity meters can measure to 50,000 $\mu\text{hos/cm}$, using a $\times 10$ range extender insert, but in this case the field notes indicate that the sampler did not bring along the necessary part to make the higher reading. Considering the urban location of the pond, its high specific conductance, and the absence of other high uranium concentrations nearby, the measured uranium content in the water from this site is probably less significant than it first appears. However, a follow-up investigation to determine the uranium source here would certainly seem appropriate.

There are no other anomalously high concentrations of uranium (using the $M + 3\sigma$ cutoff) in water samples from this area of Montana. However, there is a general trend of increased uranium concentrations (higher background level) in waters sampled in proximity to and south-southeast of the Vermiculite Mountain pluton, east of Libby. These locations are nearly all underlain by Precambrian Wallace metasedimentary rocks (undifferentiated argillites, dolomites, and limestones). Structurally, the area includes a large northwest-trending fault, roughly paralleling the Fisher River Valley. West of the primary fault is a synclinal fold, faulted along its northwest-trending axis. The significance of the relatively high uranium concentrations in the waters of this area is not known.

VII. STATISTICAL AND EMPIRICAL EVALUATION OF THE SEDIMENT DATA

The following section presents basic statistical data for the uranium analyses of waterborne sediment samples from northwestern Montana. There were a total of 1725 locations sampled for sediment in the survey area, and the statistical results, by source type, are summarized in Table V, below.

TABLE V
SUMMARY OF URANIUM DATA FOR SEDIMENT SAMPLES
COLLECTED IN NORTHWEST MONTANA

<u>Source</u>	<u>Treatment</u>	<u>No.</u>	<u>Range (ppm)</u>	<u>Mean (ppm)</u>	<u>Standard Dev. (ppm)</u>
All sediment	Dried $\leq 100^{\circ}\text{C}$, Sieved -100 mesh	1725	0.50-52.20	4.56	3.25
Wet stream sediment	" "	1542	0.50-52.20	4.56	3.11
Dry stream sediment	" "	87	0.80-17.60	3.86	2.28
Wet natural pond sediment	" "	41	1.40-26.00	5.99	5.63
Wet spring sediment	" "	38	1.40-33.90	5.19	6.30
Wet artificial pond sediment	" "	14	2.10- 6.20	3.52	1.21
Dry spring sediment	" "	2	1.90& 2.60	--	--
Dry natural pond sediment	" "	1	2.40	--	--

Included in this total are samples from 1542 wet streams, 87 dry streams, 41 wet natural ponds, 38 wet springs, 14 wet artificial ponds, 2 dry springs, and 1 dry natural pond. The uranium concentration for each individual sediment sample is given in Appendix D, where it should be noted that Type 99 designates the dry spring samples. An explanation of the designators used for all other sample types collected is given on the last page of Appendix E.

All of the sediment samples were analyzed by DNC as described in Appendix A. The measured uranium contents range from a low of 0.50 ppm to a high of 52.20 ppm. The mean uranium concentration for all of the samples combined is 4.56 ppm, and the standard deviation from the mean is 3.25 ppm. Statistical distributions, both for raw uranium data and log uranium data for all of the samples combined and for the individual groups of samples by source type, are presented as histograms in Appendix B-II. The sample locations are again designated by number (with the first two digits dropped) on the overlay of Plate II, and the uranium concentrations found in the various samples are plotted graphically on the overlay of Plate IV.

For purposes of the following discussion, an anomaly threshold value of $M + 3\sigma$ (14.31 ppm) as determined for all samples combined is used. On this basis, there are 28 samples which can be considered anomalous. Twenty of these are from wet streams, four are from wet natural ponds, three are from wet springs, and one is from a dry stream. For the most part, these anomalous samples occur at isolated locations scattered throughout the survey area. Consequently, only those locations where an obvious clustering of high values occur on Plate IV will be discussed here. This does not mean that the other high concentrations are insignificant, but only that their significance is difficult, if not impossible, to establish on the basis of available data. Except where there is evidence of contamination, follow-up studies at these isolated high uranium locations, including geologic and geochemical checks, might prove worthwhile. These isolated high-uranium sediment locations are listed in Table VI at the end of this section, along with some brief comments about each.

There are two sediment samples from sites located near Kilbrannon Lake, approximately 14 km north of Troy, which have anomalous uranium contents. Sample location No. 303860 (Lat. $48^{\circ} 35'50''$, Long. $115^{\circ} 53'08''$) is a wet spring having sediment with a measured uranium content of 33.9 ppm. Approximately 1.5 km south of the spring is location No. 303859 (Lat. 48°

35'12", Long. 115° 52'48"), a stream providing sediment with a uranium content of 20.2 ppm. These two locations are on separate tributaries, both of which enter O'Brian Creek a few kilometers to the south. The geology at both sites is mapped on Plate I as Precambrian Ravalli quartzite and argillite, undifferentiated. A northwest-trending fault is projected to pass just to the southwest of both locations. Furthermore, uranium mineralization is indicated in the literature at a location approximately 10 km downstream.²⁹ An adequate description of this mineralization was not found; however, in this area it is probable that it is associated with fissure filling veins, possibly along the above mentioned fault. The anomalous uranium content of sediments from location Nos. 303860 and 303859, upstream, may also be caused by local mineralization along the fault zone, but a field check is needed for verification of this.

A second stream drainage where a pair of high uranium concentrations in sediment occur is on Keeler Creek, near the western boundary of the study area. Samples taken at location Nos. 303990 (Lat. 48° 20'13", Long. 115° 57'36") and 303991 (Lat. 48° 20'04", Long. 115° 58'36") have measured uranium contents of 11.9 ppm and 22.7 ppm respectively. Possible contamination due to logging activity near site No. 303990 was noted as a comment on the field data form (and listed in the appropriate column of the data listing as being a possible source of contamination "other" than that for which a specific code number is provided). The specific conductance of the water at these sites is very low, 17 and 10 μ mhos/cm respectively, and the pH is also quite low, being reported as 5.2 pH units at both sites. The low pH of the water would indicate a slightly enhanced capacity to dissolve and transport soluble uranium, and thus the low uranium content of the water at both sites (0.1 ppb) and the high uranium content in the sediment might be explained by the uranium being bound up (possibly in resistate minerals) in the sediment. The lithology at both sites is mapped on Plate I as Precambrian Ravalli fm, quartzite and argillite, undifferentiated. Additionally, there are numerous quartz veins filling fractures in this general area and they too might contribute a substantial quantity of resistate detritus into the local drainages. It is also probable that the vein material contains relatively high uranium mineralization compared to the country rock.

Granite Creek, which flows to the northeast from Big Loaf Mountain, is located approximately 15 km south-southwest of Libby. The core of Big Loaf

Mountain is mapped on Plate I as a granite stock, and several mines or prospects are indicated on the topographic maps of the area. Gold, silver, and lead minerals have been mined from vein deposits in this vicinity (see No. 13 on Fig. 5). Sediment samples from location Nos. 304643 (Lat. $48^{\circ} 16'49''$, Long. $115^{\circ} 41'20''$), 304645 (Lat. $48^{\circ} 17'22''$, Long. $115^{\circ} 40'43''$), 304646 (Lat. $48^{\circ} 17'26''$, Long. $115^{\circ} 40'26''$), and 304647 (Lat. $48^{\circ} 17'45''$, Long. $115^{\circ} 39'40''$) have measured uranium contents of 10.5, 28.2, 7.7 and 10.9 ppm respectively. The water data from these sites are similar to those from Keeler Creek discussed above (low pH, conductivity, and uranium), and it is probable that the uranium in the Granite Creek sediment is also tied up in resistate minerals. The possibility of contamination from recreational activity in Granite Creek Canyon was noted on the field data forms, but its true significance is unknown.

Sample No. 304165 (Lat. $48^{\circ} 24'34''$, Long. $115^{\circ} 21'40''$), collected in a stream drainage on the southeast flank of Vermiculite Mountain approximately 14 km east-northeast of Libby, had a measured uranium content of 15.8 ppm. Since uranium mineralization was noted in the literature at other places on Vermiculite Mountain (Rainy Creek District), this high content of uranium in sediment might be indicative of local mineralization upstream. The only suspect source of contamination noted at location No. 304165 is from logging activity. Samples collected elsewhere on Vermiculite Mountain (including a dry stream sediment sample from location No. 304681 (4.0 ppm U), in Kennedy Gulch, downslope (?) from an intrusive dike containing some radioactive minerals) generally contain the normal range of uranium for the whole study area.

Three stream sediment samples collected from Warland Creek, approximately 25 km northeast of Libby, all have uranium concentrations notably higher than the average for this area, although none were above the anomaly threshold of $M + 3\sigma$. The samples from location Nos. 304893 (Lat. $48^{\circ} 30'10''$, Long. $115^{\circ} 09'57''$) with 10.8 ppm uranium, 304894 (Lat. $48^{\circ} 30'19''$, Long. $115^{\circ} 12'40''$) with 10.7 ppm uranium, and 304895 (Lat. $48^{\circ} 30'12''$, Long. $115^{\circ} 15'05''$) with 11.3 ppm uranium were collected along a 6-km stretch of the creek. Possible agricultural contamination was noted at location Nos. 304894 and 304895, both downstream from No. 304893. Bedrock along Warland Creek is mapped on Plate I as Precambrian Pritchard quartzite. The stream channel follows along the eastward extension of a long fault which trends to the west and northwest

across the Purcell Mountains. The corresponding water samples from Warland Creek had relatively low uranium concentrations (<0.42 ppb). The pH and conductivity readings were typical for waters in this general region (pH between 6.1 and 6.6 pH units; conductivity <100 μ mhos/cm). The bottom sediment at each location is described as gravel, and there is no indication that the sediment from any of these locations contained excessive organic material (which might increase the uranium contents somewhat, as described previously).

Two sediment samples collected in the Dry Fork Creek drainage, approximately 35 km east of Libby, have anomalous uranium concentrations. The sample from location No. 304747 (Lat. $48^{\circ} 22'01''$, Long. $115^{\circ} 02'16''$) had a measured uranium content of 17.60 ppm. This sample was collected from a dry stream bed which drains to the southwest into Dry Fork Creek. Approximately 2 km to the northwest of this site, on Dry Fork Creek itself, a wet stream sediment sample having 16.6 ppm uranium was collected at location No. 304748 (Lat. $48^{\circ} 22'28''$, Long. $115^{\circ} 03'41''$). The geology at both sites is mapped as Quaternary glacial deposits (Plate I), probably overlying Precambrian Pritchard quartzite. A north-trending fault is projected to pass very close to location No. 304747 and just to the east of No. 304748. Detritus from vein material weathered from fissures within the fault zone may account for the high uranium concentrations at these two locations. However, a field check is needed for confirmation.

Three streams draining a mountainous area north and northwest of Dahl Lake (about 40 km west of Kalispell) provide sediment samples with relatively high uranium contents. A sediment sample taken from a stream which flows directly into Dahl Lake from the north (location No. 304712, Lat. $48^{\circ} 09'45''$, Long. $114^{\circ} 48'35''$), shows a uranium content of 15.0 ppm. About 8 km to the northwest, a stream sediment sample collected on a tributary of Pleasant Valley Creek (location No. 303781, Lat. $48^{\circ} 12'42''$, Long. $114^{\circ} 54'17''$) shows a uranium content of 14.7 ppm. About 4 km north of this location, on Coniff Creek, there are three additional sample locations where the uranium concentrations in stream sediment are notably above average for this general area. These are location Nos. 303783 (Lat. $48^{\circ} 14'21''$, Long. $114^{\circ} 55'45''$) with 13.9 ppm uranium; 303784 (Lat. $48^{\circ} 14'67''$, Long. $114^{\circ} 52'47''$) with 10.8 ppm uranium; and 303785 (Lat. $48^{\circ} 14'14''$, Long. $114^{\circ} 56'19''$) with 10.8 ppm uranium. All of these locations are in drainages originating on Pleasant

Valley Mountain, an anticlinal structure mapped as Precambrian Ravalli quartzite and argillite, undifferentiated (Plate I). Possible contamination due to agricultural activity was noted at all five locations. Even so, the source of uranium in these sediment samples is again most likely mineralized veins cutting the local country rock, but this cannot be verified without a field check.

Approximately 15 to 20 km west of Flathead Lake, along the southern boundary of the study area, there are four stream sediment sample locations which have notably high uranium concentrations (Plate IV). These locations, Nos. 303394 (Lat. $48^{\circ} 03'21''$, Long. $114^{\circ} 25'36''$) with 10.8 ppm uranium; 303396 (Lat. $48^{\circ} 01'55''$, Long. $114^{\circ} 24'44''$) with 15.7 ppm uranium; 303397 (Lat. $48^{\circ} 00'51''$, Long. $114^{\circ} 24'15''$) with 13.4 ppm uranium; and 303398 (Lat. $48^{\circ} 00'04''$, Long. $114^{\circ} 26'32''$) with 12.0 ppm uranium, are located on Wild Bill Creek and a tributary which runs nearly parallel to it on the east. Both creeks originate on Blacktail Mountain and flow northward toward Smith Lake. On the southern slope of Blacktail Mountain, about 8 km southeast of Wild Bill Creek (just south of the map boundary), is a local mining area (Jumbo, Big Four, and Mosher mines) where lead, silver, and copper have been mined from northwest-trending veins that cut Precambrian Ravalli quartzite and argillite.¹² Geologically, the Wild Bill Creek sample area is very similar to the mining area to the south. The lithology and structure shown on Plate I continue to the southeast through the mineralized area. It is possible that mineralized veins equivalent to those in the mining area also occur in the vicinity of Wild Bill Creek. If so, they could be the source of the increased uranium contents in sediment from that area. Possible contamination due to agricultural activity was noted at all locations except No. 303394, though it is doubtful that this is affecting appreciably the uranium content of the sediment sample. The pH and specific conductance values of the stream waters were all within normal ranges for this area, (i.e., pH < 6.0; conductivity between 20 and 530 $\mu\text{mhos/cm}$).

A sediment sample taken from a pond at location No. 303387 (Lat. $48^{\circ} 07'47''$, Long. $114^{\circ} 26'22''$), below Smith Lake (about 10 km downstream from the Wild Bill Creek locations), has a uranium content of 24.7 ppm. This location is described as being a marshy area, with the sediment being rich organic muck. The site is also described as being within a recreational area. The pH of the water is 6.5, which is typical of this region, while the conductivity

of 650 $\mu\text{mhos/cm}$ is slightly above average. The water is described as algal. The high uranium content of the sediment at this location is quite possibly the result of adsorptive concentration in the organic-rich sediment.

Approximately 10 km due north of Smith Lake is a spring, at sample location No. 303365 (Lat. $48^{\circ} 13'26''$, Long. $114^{\circ} 26'00''$), which has anomalous uranium in both the sediment (16.6 ppm) and the water (31.4 ppb). As mentioned in the previous section, this is the only location in the survey area having high concentrations of uranium in both the water and sediment samples. The location is along a fault contact between Precambrian Lower Piegan argillite and/or quartzite and Precambrian Ravalli, quartzite and argillite, undifferentiated (Plate I). The site is described as densely vegetated with nearby agricultural activity. The spring sediment is described as a gray mud, and an above-average content of clays and/or organics, if present, could account for the high uranium content of the sediment. The pH (7.2 pH units) and conductivity (625 $\mu\text{mhos/cm}$) are slightly higher than usual for the area, but still not abnormal, particularly for groundwater. The temperature of the water was 13.2°C . It is also possible that uranium mineralization along the fault (at an unknown depth) is being reflected at the surface here in both the water and sediment. A follow-up investigation at this site and along the northwest-trending fault is definitely suggested by these data.

East of Flathead Lake, in Flathead Valley, there are seven stream locations with anomalous, or notably high, uranium concentrations in the sediment. Each of the streams have their headwaters in the Swan Range to the east. The sample location Nos. 303502 (Lat. $48^{\circ} 00'38''$, Long. $113^{\circ} 55'38''$) through 303506 (Lat. $48^{\circ} 03'27''$, Long. $113^{\circ} 58'10''$) and 303509 (Lat. $48^{\circ} 06'21''$, Long. $113^{\circ} 56'31''$) are all shown on Plate I as being in an area of alluvial cover. Their headwaters are in an area of Precambrian argillites and quartzites comprising the Grinnell and Appekuny formations. One small fault, trending to the northeast, is mapped near location No. 303509 on Wolf Creek. Possible contamination sources were not noted in the field data at any of these sites. The recorded pH ranges from 4.8 at location No. 303509 to 5.8 at No. 303503, and the specific conductance of the waters is between 44 $\mu\text{mhos/cm}$ at location No. 303504 and 88 $\mu\text{mhos/cm}$ at No. 303505. The uranium content of the sediment from these locations ranges from a low of 5.0 ppm at location No. 303506 to 40.7 ppm at No. 303504, on Schmidt Creek. The source of the uranium

in the sediments of these streams is unknown, but an examination of the geology in the area of their headwaters in the Swan Range is certainly called for. The high uranium content of the pond sediments from location Nos. 303322 (Lat. 48° 09'38", Long. 114° 04'43") with 26.0 ppm uranium and 303337 (Lat. 48° 05'35", Long. 114° 04'23") with 15.1 ppm uranium might also be a reflection of mineralization farther east in the Swan Range.

A group of four sediment samples from locations along Emery Creek and its tributaries, which flow generally south from Desert Mountain into Hungry Horse Reservoir, has uranium contents above the average for this area even though not anomalous, using the $M + 3\sigma$ threshold. These locations, Nos. 303093 (Lat. 48° 23'50", Long. 113° 54'48") to 303096 (Lat. 48° 25'19", Long. 113° 56'06"), have uranium contents ranging from 5.6 ppm at No. 303093 to 9.8 ppm at No. 303095 (Lat. 48° 25'38", Long. 113° 55'51"). The conductivity of the water reported at location No. 303095 (224 μ mhos/cm) is 5 to 10 times higher than reported at the other sites, but it is unlikely that this would cause an increase in the uranium content of the sediment. The corresponding water samples from these locations all have uranium concentrations below 0.2 ppb. Emery Creek follows a fault separating Precambrian Grinnell argillite on the east from Missoula argillite and quartzite on the west. Uranium mineralization associated with the fault is again a distinct possibility in this area.

The last remaining locality in which several sediment samples from a single drainage system within the survey area have notably high uranium concentrations is along Yakinikak Creek, about 25 km east of Eureka and 10 km south of the Canadian border. The geology in this area is complex, with three Precambrian formations, the Roosville, Phillips, and Kintla, exposed. Numerous faults also occur in the vicinity and one, which trends northward, is followed by the two headwater branches of Yakinikak Creek. At these sample locations, Nos. 304814 (Lat. 48° 54'49", Long. 114° 37'42") to 304819 (Lat. 48° 53'20", Long. 114° 41'00"), the uranium in sediment ranges from a high of 15.1 ppm (No. 304814) to a low of 8.7 ppm (No. 304819). No possible contaminants are indicated at any of these locations, and the water pH and conductivity values are normal for the region. Here again, detritus from mineralized veins along the fault is indicated as the probable source of the higher uranium concentrations in the stream sediment. A follow-up field reconnaissance in the upper reaches of Yakinikak Creek might verify both the source and extent of the mineralization in this drainage.

In addition to the localities in northwestern Montana providing two or more sediment samples with noteworthy uranium content and discussed above, a number of others are found where only a single, isolated, high-uranium sediment sample is in evidence. These latter sites are listed in Table VI, along with their location numbers and other relevant data.

VIII. SUMMARY AND CONCLUSIONS

Natural water and waterborne sediment samples were collected at a density of about 1 per 10 km² over a 17 000-km² area in Lincoln and Flathead Counties, northwest Montana. Sample collection was carried out during a six-week period between mid-May and late June 1976. A total of 1781 locations were sampled, with 1684 water samples and 1725 sediment samples, for a total of 3409 samples in all being collected. All of the water samples were filtered through a 0.45-μ membrane filter and acidified to a pH of ~1 with 8N reagent-grade HNO₃. All of the sediment samples were dried at ≤100°C and sieved to retain the -100 mesh fraction for analysis.

Geographically, northwest Montana is dominated by northwest-trending ranges and intermontane valleys. The area is heavily forested, and streams and rivers, fed primarily by winter snows, are numerous. The temperate climate is classified as a modified maritime type, and precipitation is fairly uniformly distributed throughout the year. Geologically, Precambrian Belt metasediments are the predominant bedrock in the area, and these are complexly folded and faulted. Igneous dikes and stocks, often related to major structural features, are common. Quartzitic replacement veins filling fractures and fissures along fault zones and fold axes are also common, particularly in the western part of the survey area. Gold, silver, zinc, and copper have been mined from local placers and vein deposits at a number of places. Vermiculite and associated non-metals are currently mined from a small intrusive pluton in Lincoln County. At least five minor occurrences of radioactive mineralization are noted in the literature on the area, and all are associated with mesothermal or epithermal veins in western Lincoln County.

The water samples were analyzed either by fluorometry (those ≤10 ppb uranium) or by DNC (those >10 ppb uranium). The measured uranium concentrations in the waters range from <0.2 ppb, the lower detection limit of the fluorometric method as used at the LASL at the time, to 173.6 ppb. The highest uranium content in water is in a natural pond sample having the

TABLE VI

LOCATION NUMBERS AND RELEVANT DATA FOR ISOLATED HIGH AND/OR
ANOMALOUS SEDIMENT SAMPLES, NORTHWESTERN MONTANA

LOCATION NO.	LATITUDE	LONGITUDE	TOTAL URANIUM (PPM)	PH	SPECIFIC CONDUCTANCE (CMHOS)	DRAINAGE ^a	GEOLOGY ^b	CONTAMINANTS	PROBABLE URANIUM SOURCE
303102	48°18'02"	115°45'31"	44.2	5.9	98	RIVERSIDE CREEK	UNMAPPED	N/A	UNKNOWN
303197	48°36'59"	114°17'34"	17.7	6.5	65	TRIBUTARY OF BIG CREEK	P&K, NW FAULT	N/A	VEIN DETRITUS FROM FAULT ZONE
303245	48°15'50"	114°06'40"	22.1	5.6	49	UNNAMED STREAM FLOWING WEST OFF BLAIN MOUNTAIN	P&G, NW FAULT	N/A	VEIN DETRITUS FROM FAULT ZONE
303338	48°01'38"	114°03'46"	11.5	6.5	268	UNNAMED CREEK FLOWING WEST INTO FLATHEAD LAKE	P&RU, N & NE FAULTS	AGRICULTURE	VEIN DETRITUS FROM FAULT ZONE
303420	48°28'28"	114°19'56"	17.3	6.3	64	HEADWATERS HASKILL CREEK	Q&P&G	RECREATION	UNKNOWN
303483	48°41'12"	114°46'27"	15.0	5.3	150	UNNAMED CREEK SOUTHEAST OF DICKEY LAKE	P&G, NW FAULT	N/A	VEIN DETRITUS (?)
303649	48°28'30"	115°31'04"	11.6	6.4	118	TRIBUTARY OF PIPE CREEK	P&W, NW FAULT	AGRICULTURE	VEIN DETRITUS
303728	48°06'23"	115°10'49"	12.7	6.5	110	UNNAMED CREEK NORTH OF HORSESHOE LAKE	Q&P&W-P&SP, NW FAULTS	N/A	VEIN DETRITUS
303750	48°06'25"	114°52'06"	14.0	6.1	125	UNNAMED TRIBUTARY OF FISHER RIVER	Q&P&RU, N ANTICLINE	AGRICULTURE	VEIN DETRITUS (?)
303759	48°02'00"	114°55'19"	16.7	-	-	MCGREGOR CREEK	Q&P&RU	N/A	UNKNOWN
303770	48°04'00"	115°02'42"	13.5	6.4	225	UNNAMED POND ON STREAM NORTH OF THOMPSON LAKES	P&W, NW FAULT	N/A	HIGH ORGANIC CONTENT (?), VEIN DETRITUS (?)
303816	48°37'33"	114°31'34"	15.3	5.0	505	TRIBUTARY OF SWIFT CREEK	P&G-P&AP-P&S, NW FAULT	RECREATION	VEIN DETRITUS
303824	48°34'40"	114°33'57"	15.1	6.5	175	POND NEAR LAZY CREEK	Q&G, NW FAULT	RECREATION	VEIN DETRITUS (?), HIGH ORGANICS (?)
303837	48°43'28"	114°43'46"	52.2	6.0	260	STILLWATER CREEK	P&G, NW FAULT	RECREATION	VEIN DETRITUS
303907	48°02'35"	114°39'01"	23.2	6.3	109	SPRING SOUTHWEST OF LAKE ROGERS	Q&P&RU, NW FAULT	AGRICULTURE	MINERALIZED GROUND WATER ALONG FAULT ZONE
303915	48°05'47"	114°41'07"	13.2	6.4	332	UNNAMED STREAM SOUTHEAST OF LITTLE BITTERROOT LAKE	Q&G	AGRICULTURE	UNKNOWN
303931	48°08'38"	114°34'33"	14.9	6.8	250	UNNAMED STREAM ENTERING LONE LAKE	P&S, NW & NE FAULTS	AGRICULTURE	VEIN DETRITUS
304031	48°38'19"	115°43'23"	12.9	5.7	29	SEVENTEEN MILE CREEK	P&W	RECREATION	VEIN DETRITUS (?)
304137	48°01'13"	115°54'22"	15.8	5.5	26	TRIBUTARY OF ELK CREEK	P&W	LOGGING	VEIN DETRITUS (?)
304149	48°29'26"	115°39'50"	11.8	5.1	20	TRIBUTARY OF QUARTZ CREEK	Q&P&L	N/A	VEIN DETRITUS (?)
304188	48°23'00"	115°15'44"	12.5	5.7	117	DUNN CREEK	P&RU	N/A	VEIN DETRITUS (?)
304198	48°25'02"	115°12'38"	12.1	5.7	47	CANYON CREEK	P&RU, NW FAULT	N/A	VEIN DETRITUS
304652	48°42'41"	116°02'46"	12.2	6.0	43	PINE CREEK	Q&G-P&W, NW FAULT	AGRICULTURE	VEIN DETRITUS
304751	48°21'57"	115°13'55"	12.5	5.7	36	DUNN CREEK	P&RU	N/A	VEIN DETRITUS (?)
304835	48°44'22"	114°23'10"	12.9	5.5	65	MORAN CREEK	P&PH, NW FAULT	N/A	VEIN DETRITUS (?)
304911	48°16'03"	114°39'42"	11.3	6.5	365	HEADWATER LOGAN CREEK	P&S, NE FAULT	N/A	VEIN DETRITUS (?)

^a AS SHOWN ON APPROPRIATE NIMS 2° SHEET.

^b AS SHOWN AND DESCRIBED ON PLATE I.

highest specific conductance ($>5000 \mu\text{mhos}$) of any site sampled in northwestern Montana. There are 821 water samples with uranium contents $<0.2 \text{ ppb}$, and, in order to treat the results statistically, these samples are arbitrarily assigned a value of 0.1 ppb . On this basis, the mean uranium value for all water samples combined is 0.66 ppb . After dropping the two or three highest values from each sample type (source) population, only the spring waters show a significantly higher mean uranium value (1.2 ppb) than that of all types combined. This greater average uranium content in groundwater corresponds to findings of other investigators in other areas. The results from the water samples do not directly define any of the five known or suspected uranium locations, but this can be explained by any one of several circumstances:

A. The known radioactive mineralization is quite localized and low grade.

B. The known radioactive minerals in the area are associated with quartzitic veins and are likely to be largely of primary type or bound up in resistates.

C. Water samples from the vicinity of the reported radioactive veins are typically several kilometers or more downstream.

D. Dilution of the sample waters by mixing with snowmelt or tributary stream waters from unmineralized areas would limit the extent of any local uranium haloes in northwestern Montana.

Nevertheless, the analysis of water samples did result in identification of several areas where above average uranium concentrations in the waters are clustered. A few of these localities appear to be good candidates for follow-up investigations.

All of the sediment samples collected in northwestern Montana were analyzed for total uranium, using DNC. The measured concentrations range from 0.5 to 52.2 ppm and, taken together (all sources combined), have a mean uranium content of 4.56 ppm . Using an anomaly cutoff equivalent to the mean value plus three standard deviations ($M + 3\sigma$), 28 samples were found to be anomalous. For the most part, these anomalous samples come from isolated locations scattered throughout the survey area. There are, however, several local areas which have clusters of sediment samples with significantly higher than average uranium concentrations. In almost every case, the sediment samples having high concentrations of uranium are found to have come directly from, or very close to, major fault zones or fold axes. The association of

the high uranium in sediment with structures which are often interlaced with veins indicates that vein detritus might well be the source of the uranium in the water-transported sediment. Furthermore, the generally low uranium content in the local waters would seem to support the premise that most of the uranium is bound up in resistate gangue minerals, such as quartz, which are a major constituent of many veins in the area.

An areal evaluation of the sediment sample data from northwestern Montana indicates that there are several localities where sediments with above average uranium concentrations cluster. Field investigation along structural lineaments and near intrusive bodies upslope from these areas is suggested by the data as holding greatest promise.

ACKNOWLEDGMENTS

The author gratefully acknowledges the help and encouragement of the following groups and individuals without whose support this report would not have been possible: the LASL Analytical Chemistry Group, CMB-1, who performed the fluorometric analyses of the water samples; the LASL Research Reactor Experiments Group, P-2, who performed the delayed neutron counting of the sediment samples; the LASL Energy Systems and Statistics Group, Q-12, who were responsible for data storage and control, statistical treatments, and graphic plots. Special thanks goes to the following members of the LASL Applied Geochemistry Group, G-5: Patricia O'Rourke and Judy Wilkinson for their help in editing and typing the text, John Tubb for preparing all of the figures and plates included in the report, and Robert R. Sharp, Jr. for his critical review and helpful suggestions.

REFERENCES

1. Sharp, R. R., Jr. and Aamodt, P. L., 1976, Uranium concentrations in natural waters, South Park, Colorado, GJBX-28(76), US ERDA, Grand Junction, CO, 34 p.
2. Sharp, R. R., Jr., 1976, Hydrogeochemical and stream sediment survey of the National Uranium Resource Evaluation program, the Rocky Mountain states of New Mexico, Colorado, Wyoming, and Montana and the state of Alaska, April-June 1975, GJBX-19(76), US ERDA, Grand Junction, CO, 48 p.
3. Sharp, R. R., Jr. and Morris, W. A., 1976, Hydrogeochemical and stream sediment survey of the National Uranium Resource Evaluation program, the Rocky Mountain states of New Mexico, Colorado, Wyoming, and Montana and the state of Alaska, July-September 1975, GJBX-25(76), US ERDA, Grand Junction, CO, 47 p.
4. Sharp, R. R., Jr. and Aamodt, P. L., 1976, Hydrogeochemical and stream sediment survey of the National Uranium Resource Evaluation program, the Rocky Mountain states of New Mexico, Colorado, Wyoming, and Montana and the state of Alaska, October-December 1975, GJBX-38(76), US ERDA, Grand Junction, CO, 86 p.
5. Sharp, R. R., Jr., Morris, W. A., and Aamodt, P. L., 1976, Hydrogeochemical and stream sediment survey of the National Uranium Resource Evaluation program, the Rocky Mountain states of New Mexico, Colorado, Wyoming, and Montana and the state of Alaska, January-March 1976, GJBX-39(76), US ERDA, Grand Junction, CO, 56 p.
6. Morris, W. A. and Aamodt, P. L., 1976, Hydrogeochemical and stream sediment reconnaissance of the National Uranium Resource Evaluation program, the Rocky Mountain states of New Mexico, Colorado, Wyoming, and Montana and the state of Alaska, April-June 1976, GJBX-65(76), US ERDA, Grand Junction, CO, 25 p.
7. Morris, W. A., 1977, Hydrogeochemical and stream sediment reconnaissance of the National Uranium Resource Evaluation program, the Rocky Mountain states of New Mexico, Colorado, Wyoming, and Montana and the state of Alaska, July-September 1976, GJBX-12(77), US ERDA, Grand Junction, CO, 22 p.
8. Aamodt, P. L., Hansel, J. M., Jr., Minor, M. M., and Beckman, R. J., 1977, Hydrogeochemical and stream sediment reconnaissance of the National Uranium Resource Evaluation program, the Rocky Mountain states of New Mexico, Colorado, Wyoming, and Montana and the state of Alaska, October-December 1976, GJBX-20(77), US ERDA, Grand Junction, CO, 27 p.
9. Hues, A. D., Henicksman, A. L., Ashley, W. H., and Romero, D., 1977, The fluorometric determination of uranium in natural waters at the Los Alamos Scientific Laboratory, Los Alamos, NM, GJBX-24-77, US ERDA, Grand Junction, CO, 11 p.

10. Fenneman, N. M., 1931, Physiography of the western United States, McGraw-Hill Book Co., New York, NY, pp. 183-224.
11. Montana State Engineers Office, 1965, Water resources survey, Flathead and Lincoln Counties, Montana, Parts I and II, Helena.
12. US Department of Commerce, 1970-1976, Climatological Data, Montana, Annual Summaries 1970-1976, NOAA, Environmental Data Service, v. 73-79, no. 13 (in each case), Ashville, NC.
13. US Geological Survey and Montana Bureau of Mines and Geology, 1963, Mineral and water resources of Montana, US Govt. Print. Off., Washington, DC, 166 p.
14. Johns, W. M., 1970, Geology and mineral deposits of Lincoln and Flathead Counties, Montana, Bull. 79, Montana Bureau of Mines and Geology, Butte, 182 p.
15. Harrison, J. E., 1972, Precambrian Belt basin of northwestern United States: It's geometry, sedimentation, and copper occurrences, Geol. Soc. Am. Bull., v. 83, pp. 1215-1240.
16. Harrison, J. E. and Grimes, D. J., 1970, Mineralogy and geochemistry of some Belt rocks, Montana and Idaho, USGS Bull. 1312-0, Washington, DC, 49 p.
17. Gibson, R., 1934, Gold-quartz veins south of Libby, Montana, USGS Circ. 7, Washington, DC, 25 p.
18. Gibson, R., 1948, Geology and ore deposits of the Libby quadrangle, Montana, USGS Bull. 956, Washington, DC, 131 p.
19. Gibson, R., Campbell, I., and Jenks, W. F., 1938, Quartz monzonite and related rocks of the Libby quadrangle, Montana, and the effects on them of deuteric processes, Am. Jour. Sci., v. 35, pp. 345-369.
20. Gibson, R. and Jenks, W. F., 1938, Amphibolization of sills and dikes in the Libby quadrangle, Montana, Am. Mineralogist, v. 23, pp. 302-313.
21. Gibson, R., Jenks, W. F., and Campbell, I., 1941, Stratigraphy of the Belt Series in Libby and Trout Creek quadrangles, northwestern Montana and northern Idaho, Geol. Soc. Am. Bull., v. 52, pp. 363-379.
22. Kleinkopf, M. D., Harrison, J. E., and Zartman, R. E., 1972, Aeromagnetic and geologic map of part of northwestern Montana and northern Idaho, USGS Geophysical Investigations Map GP-830, Washington, DC.
23. US Geological Survey, 1969, Aeromagnetic map of the Libby and Mt. Pend Oreille quadrangles, Lincoln and Sanders Counties, Montana, and Bonner County, Idaho, Geophysical Investigations Map GP-682, Washington, DC.
24. US Geological Survey, 1969, Aeromagnetic map of the Thompson Lakes quadrangle, Lincoln, Sanders, and Flathead Counties, Montana, Geophysical Investigations Map GP-683, Washington, DC.

25. US Geological Survey, 1969, Aeromagnetic map of the McGregor Lake-Tally Lake area, Flathead and Lincoln Counties, Montana, Geophysical Investigations Map GP-684, Washington, DC.
26. Johns, W. M., Smith, A. G., Barnes, W. C., Gilmour, E. H., and Page, W. D., 1963, Geologic investigations in the Kootenai-Flathead area, northwest Montana, No. 5, Western Flathead County and part of Lincoln County, Montana Bureau of Mines and Geology Bull. 36, 68 p.
27. White, W. H., 1959, Cordilleran tectonics in British Columbia, Bull. Am. Assn. Petr. Geol., v. 43, pp. 60-100.
28. Hobbs, S. W., Griggs, A. B., Wallace, R. E., and Campbell, A. B., 1965, Geology of the Cour d' Alene district, Shoshone County, Idaho, USGS Prof. Paper 478, Washington, DC, 139 p.
29. Bentley, C. B. and Mowat, G. D., 1967, Reported occurrences of selected minerals in Montana, USGS Mineral Investigations Resource Map MR-50 Washington, DC.
30. Vhay, J. S., 1951, Reconnaissance examination for uranium at six mines and properties in Idaho and Montana, USGS/AEC, TEM-30A, Tech. Info. Ser., Oak Ridge, TN, 21 p.
31. Sharp, R. R., Jr., 1977, The LASL approach to uranium geochemical reconnaissance, paper (LA-UR-77-1122) presented at the March 1977 Symposium on Hydrogeochemical and Stream Sediment Reconnaissance for Uranium in the United States, sponsored by the ERDA GJO and Bendix Field Eng. Corp., Grand Junction, CO, 21 p.
32. Grimbert, A. and Loriod, R., 1968, Geochemical prospecting for uranium, AEC-tr-7579 (trans. from French), US AEC, Tech. Info. Center, Springfield, VA, 38 p.
33. Doi, K., Hirono, S., and Sakamaki, Y., 1975, Uranium mineralization by ground water in sedimentary rocks, Japan, Econ. Geol., v. 70, pp. 628-646.
34. Fauth, H., 1973, Hydrogeochemical reconnaissance prospecting (with discussion), Uranium Exploration Methods, IAEA, 1972, Vienna, pp. 209-218.
35. Brown, B. W., 1971, Geochemistry and ore exploration, Geochemical Exploration, Spec. Vol. 11, Canadian Inst. Min. Met., pp. 113-115.
36. Fix, P. F., 1956, Geochemical prospecting for uranium by sampling ground and surface waters, Proc. UN Int. Conf. on Atomic Energy, 1955, v. 6, pp. 788-791.
37. Germanov, A. E., Batulin, S. G., Volkov, G. A., Lisitsin, A. K., and Serebrennikov, V. S., 1958, Some regularities of uranium distribution in underground water, Proc. 2nd UN Int. Conf. on Atomic Energy, Geneva, v. 2, pp. 161-177.

38. Dyck, W.. 1975, Geochemistry applied to uranium exploration, Geol. Surv. Canada Paper 75-26, Info. Canada, Ottawa, pp. 33-47.
39. Ostle, D. and Ball, T. K., 1973, Some aspects of geochemical surveys for uranium (with discussion), Uranium Exploration Methods, IAEA, 1972, Vienna, pp. 171-187.
40. Ostle, D., 1954, Geochemical prospecting for uranium, Min. Mag., v. 9, pp. 201-208.
41. Scott, R. C. and Barker, F. B., 1958, Radium and uranium in ground water of the United States, 2nd UN Int. Conf. on Atomic Energy, 1958, v. 2, pp. 153-157,
42. Dall'Aglia, M., 1971, A study of the circulation of uranium in the supergene environment in the Italian Alpine Range, Geochem. et Cosmochim. Acta, v. 35, pp. 47-59.
43. Illsley, C. T., Bills, C. W., and Pollock, J. W., 1958, Some geochemical methods of uranium exploration, Proc. 2nd UN Int. Conf. on Atomic Energy, Geneva, v. 2, pp. 126-130.
44. MacDonald, J. A., 1969, An orientation study of the uranium distribution in lake waters, Beaverlodge District, Saskatchewan, Colorado School of Mines Quarterly, v. 64, pp. 357-376.
45. Whitehead, N. E. and Brooks, R. R., 1969, A comparative evaluation of scintillometric, geochemical, and biogeochemical methods of prospecting for uranium, Econ. Geol., v. 64, pp. 50-56.
46. Boyle, R. W., 1969, Uranium, subsection in: Elemental associations in mineral deposits and indicator elements of interest in geochemical prospecting, Geol. Surv. Canada Paper 68-58, Queen's Printer, Ottawa, pp. 21-23.
47. US Atomic Energy Commission and Geological Survey, 1956, Techniques for prospecting for uranium and thorium, Proc. UN Int. Conf. on Atomic Energy, 1955, v. 6, pp. 752-755.
48. Cameron, E. M. and Allen, R. J., 1973, Distribution of uranium in the crust of the northwestern Canadian shield as shown by lake-sediment analysis, Jour. Geochem. Expl., no. 2, pp. 237-250.
49. Boyle, R. W., Hornbrook, E. H. W., Allen, R. J., Dyke, W., and Smith, A. Y., 1971, Hydrogeochemical methods--application in the Canadian Shield, Geochemical Exploration in the Canadian Shield, State of the Art--Water, Canadian Min. Met. Bull., v. 64, pp. 60-71.
50. King, J., Tauchid, M., Frey, D., and Basset, M., 1976, Exploration for uranium in southwestern Anatolia--a case study, Paper SM/208/06, presented at Int. Symp. Expl. of Uranium Ore Deposits, IAEA, Vienna, 22 p.

51. Dyck, W., Dass, A. S., Durham, C. C., Hobbs, J. D., Pelchat, J. C., and Galbraith, J. H., 1971, Comparison of regional geochemical uranium exploration methods in the Beaverlodge area, Saskatchewan, Geochemical Exploration, Spec. Vol. 11, Canadian Inst. Min. Met., pp. 132-150.
52. Murakami, Y., Fujiwara, S., Sato, M., and Ohashi, S., 1958, Chemical prospecting of uranium deposits in Japan, Proc. 2nd UN Int. Conf. on Atomic Energy, Geneva, v. 2, pp. 131-139.
53. Chamberlain, J. A., 1964, Hydrogeochemistry of uranium in the Bancroft-Haliburton Region, Ontario, Geol. Surv. Canada Bull. 118, Queen's Printer, Ottawa, 19 p.
54. Wodzicki, A., 1959, Geochemical prospecting for uranium in the lower Buller Gorge, New Zealand, NZ Jour. Geol. Geophys., v. 2, pp. 602-612.
55. Peacock, J. D., 1961, Uranium in British surface and underground waters, Nature, v. 191, pp. 1189-1190.
56. Lopatkina, A. P., 1964, Characteristics of migration of uranium in the natural waters of humid regions and their use in the determination of the geochemical background for uranium, Geochem. Int., no. 4, pp. 788-795.
57. Saukoff, A. A., 1956, Radiohydrogeological method in prospecting for uranium deposits, Proc. UN Int. Conf. on Atomic Energy, 1955, Geneva, v. 6, pp. 756-759.
58. Lovering, T. S., Lakin, H. W., Ward, F. M., and Canney, F. C., 1956, The use of geochemical techniques and methods in prospecting for uranium, USGS Prof. Paper 300, 1955, Washington, DC, pp. 659-665.
59. Boberg, W. W. and Runnells, D. D., 1971, Reconnaissance study of uranium in the South Platte River, Colorado, Econ. Geol., v. 66, pp. 435-450.
60. Olsen, C. E., 1977, Uranium hydrogeochemical and stream sediment pilot survey of the Estancia Valley--Bernalillo, Santa Fe, San Miguel, and Torrance Counties, New Mexico, GJBX-21(77), US ERDA, Grand Junction, CO, 32 p. and appendixes.
61. Wainerdi, R. E. and Uken, E. A., 1971, Modern methods of geochemical analysis, Plenum Press, New York, NY, 397 p.

APPENDIX A
SUMMARY OF STANDARD PROCEDURES
USED BY
THE LOS ALAMOS SCIENTIFIC LABORATORY (LASL)
IN THE
US ENERGY RESEARCH AND DEVELOPMENT ADMINISTRATION (ERDA)
NATIONAL URANIUM RESOURCE EVALUATION (NURE)
HYDROGEOCHEMICAL AND STREAM SEDIMENT RECONNAISSANCE (HSSR)
(PAGES A-1 THROUGH A-4)

SUMMARY OF STANDARD PROCEDURES
USED BY
THE LOS ALAMOS SCIENTIFIC LABORATORY (LASL)
IN THE
US ENERGY RESEARCH AND DEVELOPMENT ADMINISTRATION (ERDA)
NATIONAL URANIUM RESOURCE EVALUATION (NURE)
HYDROGEOCHEMICAL AND STREAM SEDIMENT RECONNAISSANCE (HSSR)

I. FIELD PROCEDURES

Water Sampling

Water samples are taken directly from the source wherever possible, filtered through a 0.45-micron membrane filter into one each, prewashed and sealed, 41-ml reactor "rabbit" and 25-ml vial (both polyethylene), and both are then acidified to a $\text{pH} \leq 1$ with 8N, reagent grade, HNO_3 . All sample containers are doubly labeled with preprinted, adhesive labels carrying the same sample location number preprinted on the field data form. Springs are sampled as near to their point of emergence as possible; stream waters are taken from fast-flowing current away from the bank; ponds (including small lakes and reservoirs) are sampled from just below the surface, away from the bank; and well waters are taken near the wellhead if the well is pumping or from a holding tank if not.

Sediment Sampling (Wet or Dry)

Enough fine-grained, organic-rich, water-transported sediment to yield a composite sample of 25 g after processing (as indicated below) is taken from beneath the water level (where water exists) at three closely adjacent spots at each location. This is done with a polyethylene scoop, after the water sample (if any) is taken. The sediment is put into a new, clean, and originally sealed, rip-top polyethylene bag and properly double-labeled for delivery (with the field data form) to the contractor's drying facility. After drying at $\leq 100^\circ\text{C}$, each sample is sieved through stainless steel sieves to -100 mesh. The -100 mesh fraction is put into a prewashed, 25-ml polyethylene vial, appropriately double-labeled (using labels from the data form), and sealed for shipment to the LASL.

Field Measurements

The air temperature, taken in the shade at the time of sampling, is recorded to the nearest whole degree centigrade. The water temperature is measured in the source water and recorded to the nearest one-half degree centigrade. All temperature measurements are made with quality, precalibrated thermometers. The pH of the source water is measured with a calibrated, portable pH meter or multi-range pH paper, and recorded to the nearest one-tenth of a pH unit. The specific conductance ($\mu\text{mho/cm}$) of the source water is measured with a calibrated, temperature compensated (25°C) portable meter after the attached sample cup has first been rinsed three times in the source water. The scintillometer readings, taken on a flat, dry spot within a few meters of the sample location, are measured with a portable scintillometer. Two readings are recorded, the first with a radiation shield in place (blocking out ground radiation), and the second with the shield removed. The readings (in counts/s) are converted by computer to give the equivalent uranium (eU) value set forth in the data listing.

Field Observations

These represent the best subjective judgment of the field sampler on location, and include very general descriptions of the local bedrock, sediment, water, vegetation, terrain, weather, possible contaminants, and water well configuration, if applicable.

Sample Location Verification

Each contractor is supplied field maps with the desired sample types and locations symbolically premarked at the LASL. The maps are normally USGS Quadrangles (either 7.5' or 15'), but where not available, Forest Service, State Highway, or other reasonably detailed maps are provided. As each location is sampled, a unique sample location number, preprinted on transparent adhesive labels provided with the identically numbered field data forms, is pasted over the precisely marked site on the field map. The latitude and longitude of each location is computed by the sampling contractor. Every location is later checked (and corrected if necessary) at the LASL by overlaying computer produced location plots on the field maps used. The latitudes and/or longitudes are corrected if the overlay locations are displaced by more than 300 m from the locations marked on the field maps. When a desired location cannot be sampled as specified, an alternate sample type or location as near as possible to the original one is picked, and the new sample type and/or location is/are marked on the field map and properly labeled as above.

II. ANALYTICAL PROCEDURES

Water Samples Analyzed for Uranium By Fluorometry

In a controlled laboratory environment, a NaF (98%)-LiF (2%) flux pellet is prepared and placed on a platinum dish. The 25-ml water vial is vigorously shaken and a 0.25-ml aliquot of water is withdrawn and dropped onto a flux pellet, then evaporated under a heat lamp. The sample flux is then heated until fused. After it cools, it is excited with ultra-violet radiation in the fluorometer, and the measured fluorescence is read, recorded, and put through a computer routine using standards and blanks run at the same time to obtain the uranium concentration. Water samples which have uranium concentrations in excess of 10 ppb (the upper limit of detection of the fluorometry system without recalibration) are reanalyzed using the delayed neutron counting technique described below.

Water Samples Analyzed for Uranium by Delayed Neutron Counting (DNC)

Only waters with >10 ppb uranium are assayed using DNC. Samples taken in the 41-ml rabbits are thoroughly cleaned (exterior) before analysis. Samples received in 25-ml vials (used exclusively in some of the early work) are transferred to clean, labeled, 41-ml rabbits before being analyzed. Each water sample is weighed, and its weight (less that of the rabbit) and location number are recorded. The rabbits are then loaded into a 25-sample transfer clip. The reactor pneumatic transfer system and background radiation levels are checked, and the system is calibrated using four standards. The transfer clip is installed on the pneumatic feed line, and the count control is set (typically, a 60-s irradiation, a 30-s delay, and a 60-s count is used, but

this can be changed to accommodate abnormally high or low uranium concentrations). The samples are cycled through the system and the uranium concentration is automatically measured, computed in ppb, and entered into the data base.

Uranium Analysis of Sediment Samples

All sediment samples are analyzed for total uranium by DNC. A split of each sample (dried and sieved as described) is transferred to a clean 4-ml rabbit, weighed (less the tare), and recorded along with the appropriate location number. The readied rabbits are loaded into a 50-sample transfer clip. The reactor pneumatic transfer system and background radiation levels are checked, and the system is calibrated as above. The transfer clip is installed and the count control is set (typically, a 20-s irradiation, a 10-s delay, and a 20-s count is used). The samples are cycled through the system and the uranium concentration is automatically measured, computed in ppm, and entered into the data base.

APPENDIX B

HISTOGRAMS OF URANIUM CONCENTRATIONS
IN WATER AND SEDIMENT SAMPLES FROM LINCOLN AND FLATHEAD COUNTIES,
NORTHWEST MONTANA

APPENDIX B-I

RAW DATA AND LOG DATA HISTOGRAMS

FOR URANIUM IN WATER

(PAGES B-2 THROUGH B-6)

ALL CONCENTRATIONS SHOWN ARE TOTAL URANIUM IN
PARTS PER BILLION (PPB) FOR FILTERED AND ACIDIFIED SAMPLES
ANALYZED BY FLUOROMETRY IF ≤ 10 PPB OR
DELAYED NEUTRON COUNTING IF > 10 PPB

Range		Frequency
0.0	0.2	821
0.2	0.4	338
0.4	0.6	191
0.6	0.8	87
0.8	1.0	62
1.0	1.2	30
1.2	1.4	33
1.4	1.6	30
1.6	1.8	17
1.8	2.0	8
2.0	2.2	10
2.2	2.4	8
2.4	2.6	6
2.6	2.8	7
2.8	3.0	2
3.0	3.2	2
3.2	3.4	2
3.4	3.6	4
3.6	3.8	0
3.8	4.0	1
4.0	4.2	1
4.2	4.4	0
4.4	4.6	3
4.6	4.8	1
4.8	173.6	20

Range		Frequency
-1.00	-0.82	671
-0.82	-0.64	193
-0.64	-0.46	220
-0.46	-0.28	199
-0.28	-0.10	151
-0.10	0.08	95
0.08	0.26	80
0.26	0.44	38
0.44	0.62	13
0.62	0.80	14
0.80	0.98	1
0.98	1.16	1
1.16	1.34	3
1.34	1.52	4
1.52	1.70	0
1.70	1.88	0
1.88	2.06	0
2.06	2.24	1

URANIUM IN WATER---ALL SAMPLES COMBINED

Range		Frequency
0.0	0.2	824
0.2	0.5	342
0.5	0.7	166
0.7	0.9	73
0.9	1.1	46
1.1	1.4	34
1.4	1.6	26
1.6	1.8	15
1.8	2.1	9
2.1	2.3	8
2.3	2.5	6
2.5	2.7	9
2.7	3.0	3
3.0	3.2	2
3.2	3.4	1
3.4	3.7	3
3.7	3.9	0
3.9	4.1	1
4.1	4.3	0
4.3	4.6	1
4.6	4.8	3
4.8	22.0	10

Range		Frequency
-1.0	-0.87	619
-0.87	-0.74	113
-0.74	-0.61	145
-0.61	-0.48	151
-0.48	-0.35	126
-0.35	-0.22	132
-0.22	-0.09	88
-0.09	0.04	69
0.04	0.17	54
0.17	0.30	34
0.30	0.43	25
0.43	0.56	11
0.56	0.69	6
0.69	0.82	5
0.82	0.95	0
0.95	1.08	0
1.08	1.21	1
1.21	1.34	3

URANIUM IN WATER FROM STREAMS ONLY

Range		Frequency
0.0	0.4	26
0.4	0.8	8
0.8	1.2	1
1.2	1.6	3
1.6	2.0	1
2.0	2.4	0
2.4	2.8	0
2.8	3.2	0
3.2	3.6	2
3.6	4.0	0
4.0	4.4	0
4.4	4.8	0
4.8	173.6	3

Range		Frequency
-1.00	-0.68	21
-0.68	-0.35	6
-0.35	-0.03	7
-0.03	0.30	5
0.30	0.62	2
0.62	0.94	1
0.94	1.27	0
1.27	1.59	1
1.59	1.92	0
1.92	2.24	1

URANIUM IN WATER FROM NATURAL PONDS ONLY

Range		Frequency
0.0	0.4	12
0.4	0.8	9
0.8	1.2	1
1.2	1.6	7
1.6	2.0	4
2.0	2.4	1
2.4	2.8	1
2.8	3.2	0
3.2	3.6	0
3.6	4.0	0
4.0	4.4	1
4.4	4.8	0
4.8	31.4	5

Range		Frequency
-1.00	-0.75	7
-0.75	-0.50	2
-0.50	-0.25	10
-0.25	-0.00	3
-0.00	0.25	9
0.25	0.50	4
0.50	0.75	1
0.75	1.00	2
1.00	1.25	0
1.25	1.50	3

URANIUM IN WATER FROM SPRINGS ONLY

Range		Frequency
0.0	0.5	9
0.5	1.1	1
1.1	1.6	1
1.6	2.1	0
2.1	2.7	1
2.7	3.2	0
3.2	3.7	0
3.7	4.3	0
4.3	4.8	0
4.8	5.4	2

Range		Frequency
-1.00	-0.75	6
-0.75	-0.50	0
-0.50	-0.26	3
-0.26	-0.01	1
-0.01	0.24	1
0.24	0.49	1
0.49	0.74	2

URANIUM IN WATER FROM ARTIFICIAL PONDS ONLY

APPENDIX B-II
RAW DATA AND LOG DATA HISTOGRAMS
FOR URANIUM IN SEDIMENT
(PAGES B-8 THROUGH B-13)

ALL CONCENTRATIONS SHOWN ARE TOTAL URANIUM IN
PARTS PER MILLION (PPM) FOR DRIED AND SIEVED (100 MESH FRACTION)
SAMPLES ANALYZED BY DELAYED NEUTRON COUNTING

Range		Frequency
0.0	0.5	1
0.5	1.0	5
1.0	1.6	15
1.6	2.1	37
2.1	2.6	189
2.6	3.1	256
3.1	3.7	291
3.7	4.2	247
4.2	4.7	196
4.7	5.2	96
5.2	5.8	84
5.8	6.3	67
6.3	6.8	51
6.8	7.3	29
7.3	7.9	26
7.9	8.4	20
8.4	8.9	20
8.9	9.4	12
9.4	10.0	11
10.0	10.5	9
10.5	11.0	13
11.0	52.2	50

Range		Frequency
-0.30	-0.19	1
-0.19	-0.08	2
-0.08	0.04	3
0.04	0.15	11
0.15	0.26	19
0.26	0.37	95
0.37	0.48	311
0.48	0.60	510
0.60	0.71	357
0.71	0.82	217
0.82	0.93	89
0.93	1.04	60
1.04	1.16	22
1.16	1.27	16
1.27	1.38	4
1.38	1.49	4
1.49	1.61	1
1.61	1.72	3

URANIUM IN SEDIMENT--ALL SAMPLES COMBINED

Range		Frequency
0.0	0.6	1
0.6	1.2	4
1.2	1.7	20
1.7	2.3	73
2.3	2.9	171
2.9	3.5	295
3.5	4.1	310
4.1	4.6	205
4.6	5.2	110
5.2	5.8	77
5.8	6.4	72
6.4	6.9	41
6.9	7.5	30
7.5	8.1	28
8.1	8.6	12
8.6	9.2	18
9.2	9.8	10
9.8	10.4	11
10.4	11.0	13
11.0	11.5	41

Range		Frequency
-0.30	-0.19	1
-0.19	-0.08	1
-0.08	0.04	3
0.04	0.15	8
0.15	0.26	14
0.26	0.37	71
0.37	0.48	260
0.48	0.60	478
0.60	0.71	329
0.71	0.82	201
0.82	0.93	81
0.93	1.04	54
1.04	1.16	21
1.16	1.27	12
1.27	1.38	3
1.38	1.49	2
1.49	1.61	0
1.61	1.72	3

URANIUM IN SEDIMENT FROM WET STREAMS ONLY

Range		Frequency
0.0	0.8	1
0.8	1.7	2
1.7	2.5	19
2.5	3.4	22
3.4	4.2	18
4.2	5.1	10
5.1	5.9	4
5.9	6.8	3
6.8	7.6	3
7.6	8.5	2
8.5	9.3	2
9.3	10.2	0
10.2	11.0	0
11.0	17.6	1

Range		Frequency
-0.10	0.01	1
0.01	0.13	0
0.13	0.24	2
0.24	0.35	10
0.35	0.46	25
0.46	0.57	16
0.57	0.69	17
0.69	0.80	5
0.80	0.91	7
0.91	1.02	3
1.02	1.13	0
1.13	1.25	1

URANIUM IN SEDIMENT FROM DRY STREAMS ONLY

Range		Frequency
0.0	1.1	0
1.1	2.2	6
2.2	3.3	10
3.3	4.4	8
4.4	5.5	4
5.5	6.6	3
6.6	7.7	1
7.7	8.8	1
8.8	9.9	2
9.9	11.0	1
11.0	12.1	5

Range		Frequency
0.15	0.27	3
0.27	0.40	4
0.40	0.53	9
0.53	0.65	8
0.65	0.78	6
0.78	0.91	2
0.91	1.03	4
1.03	1.16	1
1.16	1.29	2
1.29	1.41	2

URANIUM IN SEDIMENT FROM WET NATURAL PONDS ONLY

Range		Frequency
0.0	0.9	0
0.9	1.8	3
1.8	2.7	12
2.7	3.6	7
3.6	4.5	7
4.5	5.5	0
5.5	6.4	3
6.4	7.3	2
7.3	8.2	0
8.2	9.1	1
9.1	10.0	0
10.0	11.0	0
11.0	33.9	3

Range		Frequency
0.15	0.28	3
0.28	0.42	11
0.42	0.56	8
0.56	0.70	7
0.70	0.84	5
0.84	0.98	1
0.98	1.11	0
1.11	1.25	1
1.25	1.39	1
1.39	1.53	1

URANIUM IN SEDIMENT FROM WET SPRINGS ONLY

URANIUM IN SEDIMENT FROM WET ARTIFICIAL PONDS ONLY

APPENDIX C
LISTINGS OF FIELD DATA AND URANIUM CONCENTRATIONS
FOR
FILTERED AND ACIDIFIED WATER SAMPLES
FROM
LINCOLN AND FLATHEAD COUNTIES,
NORTHWEST MONTANA

APPENDIX C-I
WATER SAMPLES ANALYZED BY FLUOROMETRY
(PAGES C-2 THROUGH C-34)

(See Appendix E for codes to listings)

U.S. Uranium Hydrogeochemical and Stream Sediment Reconnaissance Data Listing

[illegible]

LASL Uranium Hydrogeochemical and Stream Sediment Reconnaissance Data Listing

ERDA SAMPLE NUMBER						LASL SAMPLE NUMBER AND FIELD DATA																				U CONCENTRATION									
STATE	LATITUDE	LONGITUDE	ERDA LAB	SAMPLE TYPE	REPLICATE	LASL SAMPLE NUMBER	TIME SAMPLED		AIR TEMPERATURE	WATER TEMPERATURE	COMMENTS	SPECIAL MEASUREMENTS	PH	SPECIFIC GRAVITY (G/CM ³)	SAND FINE (LBS/CM)	SCINTILLOMETER (40 PPM)	ROCK TYPE	ROCK COLOR	SEDIMENT TYPE	SEDIMENT COLOR	WATER FLOW	WATER LEVEL	STREAM CHANNEL	VEGETATION TYPE	VEGETATION DENSITY	RELIEF	WEATHER	OWNERSHIP	CONTAMINANTS	WELL TYPE	WELL NUMBER (INCHES)	WELL DEPTH (FEET)	WATER DEPTH (FEET)	SAMPLE TYPES IN BOX	SAMPLE TYPES SC. 900 SEC. 900 IN BOX
							DATE	HOUR																											
30-68	2945-113.2962-2-07-	0-303073-05/24/76-18	15-11-30	6.7	260	4-6-2-4-5-2-4-4-1-1-4-5-2-2-1-30	0.25																												
30-68	2945-113.2962-2-07-	0-303073-05/24/76-18	15-11-30	6.7	123	2-2-7-2-7-4-4-1-2-1-4-5-2-2-1-30	0.23																												
30-68	2945-113.2962-2-07-	0-303073-05/24/76-18	15-11-30	6.7	101	11-2-7-2-7-4-4-1-2-1-4-5-2-2-1-30	0.41																												
30-68	2945-113.2962-2-07-	0-303073-05/24/76-18	15-11-30	6.7	132	11-2-7-2-7-4-4-1-2-1-4-5-2-2-1-30	0.10																												
30-68	2945-113.2962-2-07-	0-303073-05/24/76-18	15-11-30	6.7	60	12-2-6-7-2-7-4-4-1-2-1-4-5-2-2-1-30	0.22																												
30-68	2945-113.2962-2-07-	0-303073-05/24/76-18	15-11-30	6.7	47	12-2-7-2-7-4-4-1-2-1-4-5-2-2-1-30	0.23																												
30-68	2945-113.2962-2-07-	0-303073-05/24/76-18	15-11-30	6.7	129	7-2-7-2-7-4-4-1-2-1-4-5-2-2-1-30	0.10																												
30-68	2945-113.2962-2-07-	0-303073-05/24/76-18	15-11-30	6.7	102	7-2-7-2-7-4-4-1-2-1-4-5-2-2-1-30	0.58																												
30-68	2945-113.2962-2-07-	0-303073-05/24/76-18	15-11-30	6.7	121	4-2-7-2-7-4-4-1-2-1-4-5-2-2-1-30	0.10																												
30-68	2945-113.2962-2-07-	0-303073-05/24/76-18	15-11-30	6.7	91	11-2-7-2-7-4-4-1-2-1-4-5-2-2-1-30	0.10																												
30-68	2945-113.2962-2-07-	0-303073-05/24/76-18	15-11-30	6.7	172	12-2-7-2-7-4-4-1-2-1-4-5-2-2-1-30	0.10																												
30-68	2945-113.2962-2-07-	0-303073-05/24/76-18	15-11-30	6.7	226	12-2-7-2-7-4-4-1-2-1-4-5-2-2-1-30	0.50																												
30-68	2945-113.2962-2-07-	0-303073-05/24/76-18	15-11-30	6.7	101	5-2-7-2-7-4-4-1-2-1-4-5-2-2-1-30	0.10																												
30-68	2945-113.2962-2-07-	0-303073-05/24/76-18	15-11-30	6.7	173	5-1-7-4-1-3-4-1-1-1-4-5-2-2-1-30	0.10																												
30-68	2945-113.2962-2-07-	0-303073-05/24/76-18	15-11-30	6.7	119	4-1-7-4-1-3-4-1-1-1-4-5-2-2-1-30	0.10																												
30-68	2945-113.2962-2-07-	0-303073-05/24/76-18	15-11-30	6.7	110	12-2-7-3-1-5-4-1-2-1-4-5-2-2-1-30	0.10																												
30-68	2945-113.2962-2-07-	0-303073-05/24/76-18	15-11-30	6.7	107	21-2-5-2-5-4-4-1-2-1-4-5-2-2-1-30	0.10																												
30-68	2945-113.2962-2-07-	0-303073-05/24/76-18	15-11-30	6.7	119	4-2-5-2-7-4-4-1-2-1-4-5-2-2-1-30	0.17																												
30-68	2945-113.2962-2-07-	0-303073-05/24/76-18	15-11-30	6.7	133	11-2-5-2-7-4-4-1-2-1-4-5-2-2-1-30	0.10																												
30-68	2945-113.2962-2-07-	0-303073-05/24/76-18	15-11-30	6.7	141	7-1-1-5-6-3-4-1-2-1-4-5-2-2-1-30	0.10																												
30-68	2945-113.2962-2-07-	0-303073-05/24/76-18	15-11-30	6.7	71	11-1-7-2-7-4-4-1-2-1-4-5-2-2-1-30	0.10																												
30-68	2945-113.2962-2-07-	0-303073-05/24/76-18	15-11-30	6.7	42	12-2-7-2-7-4-4-1-2-1-4-5-2-2-1-30	0.35																												
30-68	2945-113.2962-2-07-	0-303073-05/24/76-18	15-11-30	6.7	148	7-2-4-3-4-3-4-1-2-1-4-5-2-2-1-30	0.31																												
30-68	2945-113.2962-2-07-	0-303073-05/24/76-18	15-11-30	6.7	36	11-1-1-4-1-2-3-1-2-1-4-5-2-2-1-30	0.10																												
30-68	2945-113.2962-2-07-	0-303073-05/24/76-18	15-11-30	6.7	69	11-1-1-4-1-2-3-1-2-1-4-5-2-2-1-30	0.10																												
30-68	2945-113.2962-2-07-	0-303073-05/24/76-18	15-11-30	6.7	270	4-1-1-4-1-3-4-1-1-1-4-5-2-2-1-30	0.41																												
30-68	2945-113.2962-2-07-	0-303073-05/24/76-18	15-11-30	6.7	255	9-2-6-3-6-4-4-1-2-1-4-5-2-2-1-30	0.10																												
30-68	2945-113.2962-2-07-	0-303073-05/24/76-18	15-11-30	6.7	123	7-2-7-3-7-4-4-1-2-1-4-5-2-2-1-30	0.10																												
30-68	2945-113.2962-2-07-	0-303073-05/24/76-18	15-11-30	6.7	66	4-2-7-2-7-4-4-1-2-1-4-5-2-2-1-30	0.10																												
30-68	2945-113.2962-2-07-	0-303073-05/24/76-18	15-11-30	6.7	21	11-2-7-3-7-4-4-1-2-1-4-5-2-2-1-30	0.10																												
30-68	2945-113.2962-2-07-	0-303073-05/24/76-18	15-11-30	6.7	224	7-2-7-3-6-4-4-1-2-1-4-5-2-2-1-30	0.10																												
30-68	2945-113.2962-2-07-	0-303073-05/24/76-18	15-11-30	6.7	72	3-2-7-3-7-4-4-1-2-1-4-5-2-2-1-30	0.10																												
30-68	2945-113.2962-2-07-	0-303073-05/24/76-18	15-11-30	6.7	33	11-2-4-3-4-5-4-1-2-1-4-5-2-2-1-30	0.10																												
30-68	2945-113.2962-2-07-	0-303073-05/24/76-18	15-11-30	6.7	79	10-2-4-3-6-4-4-1-2-1-4-5-2-2-1-30	0.27																												
30-68	2945-113.2962-2-07-	0-303073-05/24/76-18	15-11-30	6.7	100	10-2-4-3-4-4-4-1-2-1-4-5-2-2-1-30	0.28																												
30-68	2945-113.2962-2-07-	0-303073-05/24/76-18	15-11-30	6.7	95	10-2-7-3-7-4-4-1-2-1-4-5-2-2-1-30	0.10																												
30-68	2945-113.2962-2-07-	0-303073-05/24/76-18	15-11-30	6.7	98	10-2-7-3-7-4-4-1-2-1-4-5-2-2-1-30	0.39																												
30-68	2945-113.2962-2-07-	0-303073-05/24/76-18	15-11-30	6.7	107	14-2-7-3-7-3-4-1-2-1-4-5-2-2-1-30	0.10																												
30-68	2945-113.2962-2-07-	0-303073-05/24/76-18	15-11-30	6.7	145	12-2-7-3-7-3-4-1-2-1-4-5-2-2-1-30	0.64																												
30-68	2945-113.2962-2-07-	0-303073-05/24/76-18	15-11-30	6.7	132	12-2-7-2-7-4-4-1-2-1-4-5-2-2-1-30	0.15																												
30-68	2945-113.2962-2-07-	0-303073-05/24/76-18	15-11-30	6.7	104	7-2-7-2-7-4-4-1-2-1-4-5-2-2-1-30	0.16																												
30-68	2945-113.2962-2-07-	0-303073-05/24/76-18	15-11-30	6.7	85	7-2-7-2-7-4-4-1-2-1-4-5-2-2-1-30	0.22																												
30-68	2945-113.2962-2-07-	0-303073-05/24/76-18	15-11-30	6.7	20	4-2-7-1-7-3-3-1-2-1-4-5-2-2-1-30	0.14																												
30-68	2945-113.2962-2-07-	0-303073-05/24/76-18	15-11-30	6.7	49	11-2-7-3-7-3-3-1-2-1-4-5-2-2-1-30	0.19																												
30-68	2945-113.2962-2-07-	0-303073-05/24/76-18	15-11-30	6.7	60	10-2-7-2-7-4-4-1-2-1-4-5-2-2-1-30	0.45																												
30-68	2945-113.2962-2-07-	0-303073-05/24/76-18	15-11-30	6.7	229	5-1-1-6-1-3-3-4-1-2-1-4-5-2-2-1-30	0.10																												
30-68	2945-113.2962-2-07-	0-303073-05/24/76-18	15-11-30	6.7	220	4-1-1-7-1-7-4-4-1-2-1-4-5-2-2-1-30	0.19																												
30-68	2945-113.2962-2-07-	0-303073-05/24/76-18	15-11-30	6.7	170	11-1-7-3-7-4-4-1-2-1-4-5-2-2-1-30	0.19																												
30-68	2945-113.2962-2-07-	0-303073-05/24/76-18	15-11-30	6.7	170	7-2-7-1-7-5-5-1-2-1-4-5-2-2-1-30	0.15																												
30-68	2945-113.2962-2-07-	0-303073-05/24/76-18	15-11-30	6.7	170	7-2-7-2-7-5-5-1-2-1-4-5-2-2-1-30	0.72																												
30-68	2945-113.2962-2-07-	0-303073-05/24/76-18	15-11-30	6.7	170	4-2-7-1-7-4-4-1-2-1-4-5-2-2-1-30	0.10																												

[illegible]

LASL Uranium Hydrogeochemical and Stream Sediment Reconnaissance Data Listing

[illegible]

LASL Uranium Hydrogeochemical and Stream Sediment Reconnaissance Data Listing

[illegible]

LASL Uranium Hydrogeochemical and Stream Sediment Reconnaissance Data Listing

ERDA SAMPLE NUMBER				LAST SAMPLE NUMBER AND FIELD DATA																				U CONCENTRATION									
STATE	LATITUDE	LONGITUDE	ERDA LAB SAMPLE TYPE	REPLICATE	LAST SAMPLE NUMBER	TIME SAMPLED	DATE	HOUR	AIR TEMPERATURE	WATER TEMPERATURE	COMMENTS	SPECIAL MEASUREMENTS	pH	SPECIFIC CONDUCTANCE (µmhos/cm)	SCINTILLOMETER (µCi/gm)	ROCK TYPE	SEDIMENT TYPE	SEDIMENT COLOR	WATER FLOW	WATER LEVEL	STREAM CHANNEL	VEGETATION TYPE	VEGETATION DENSITY	RELIEF	WEATHER	OWNERSHIP	CONTAMINANTS	WELL TYPE	WELL NUMBER (THICKNESS)	WELL DEPTH (FEET)	WATER DEPTH	SAMPLE TYPES 1-10 WATER 11-20 SEDIMENT 21-30	
30-AR	1861-114.047	-2-07	n-303328-05/19/76-19	16	7.5	-	6.4	248	1-1-1-4-7-4-4-1-2-1-4-3-2	-1	-	-	-	0.97																			
30-AR	1555-114.048	-2-07	n-303329-05/19/76-20	16	8.0	-	6.1	335	9-1-1-6-3-4-3-1-2-1-3-1-2	-3	-	-	-	0.89																			
30-AR	2177-114.058	-2-07	n-303330-05/19/76-21	16	7.0	-	6.4	240	15-1-5-3-7-4-4-1-2-1-4-3-2	-8	-	-	-	0.26																			
30-AR	2206-114.059	-2-07	n-303331-05/19/76-21	13	7.0	-	6.4	260	1-1-1-7-3-7-4-4-1-2-2-1-2-2	-3	-	-	-	0.26																			
30-AR	2413-114.055	-2-07	n-303332-05/19/76-22	12	6.0	-	6.4	200	9-1-1-7-1-4-4-1-2-2-1-3-2	-8	-	-	-	0.27																			
30-AR	2444-114.055	-2-07	n-303333-05/19/76-22	11	6.5	-	6.4	210	13-1-7-3-6-5-4-1-2-1-4-4-2	-8	-	-	-	0.55																			
30-AR	2477-114.136	-2-07	n-303334-05/19/76-23	15	15.0	-	6.4	500	8-1-1-5-8-1-3-2-1-4-3-1-3	-3	-	-	-	0.79																			
30-AR	1350-114.038	-2-07	n-303335-05/20/76-11	9	10.1	-	7.2	242	7-1-7-5-8-1-3-2-1-4-4-2-3	-3	-	-	-	0.10																			
30-AR	0938-114.0736	-2-09	n-303337-05/20/76-12	9	11.2	-	6.4	375	10-1-7-6-8-1-3-1-1-4-4-2-3	-3	-	-	-	1.96																			
30-AR	0727-114.0927	-2-07	n-303338-05/20/76-12	6	6.0	-	6.5	268	12-1-7-6-8-2-3-1-1-2-2-3-2-3	-3	-	-	-	1.14																			
30-AR	0211-114.0033	-2-04	n-303339-05/20/76-13	11	13.0	-	6.2	45	13-1-7-5-7-4-3-1-1-6-1-2-4-2	-8	-	-	-	0.10																			
30-AR	0444-114.0186	-2-09	n-303340-05/20/76-14	9	11.9	-	6.2	22	14-1-7-6-8-3-3-2-1-6-1-2-4-2	-3	-	-	-	0.10																			
30-AR	0130-114.0475	-2-07	n-303341-05/20/76-14	8	8.6	-	6.2	410	21-1-7-6-8-1-3-1-1-6-4-2-3	-3	-	-	-	3.91																			
30-AR	1000-114.1747	-2-09	n-303342-05/20/76-14	9	11.1	-	8.1	5000	4-1-9-5-6-6-3-5-1-6-2-1-3	-3	-	-	-	7.25																			
30-AR	0341-114.2333	-2-07	n-303344-05/20/76-17	8	9.1	-	6.9	70	9-1-7-5-8-1-2-2-1-6-1-2-2	-3	-	-	-	2.96																			
30-AR	0130-114.2406	-2-07	n-303348-05/20/76-16	10	8.5	-	6.6	127	4-1-7-3-6-4-4-2-2-2-1-2-2	-3	-	-	-	0.31																			
30-AR	0150-114.2930	-2-07	n-303349-05/20/76-18	11	7.1	-	7.2	905	9-1-7-3-1-4-4-1-2-2-2-4-3-2	-8	-	-	-	1.38																			
30-AR	0130-114.2931	-2-07	n-303350-05/20/76-18	11	7.3	-	7.0	424	9-1-7-1-4-4-1-2-2-2-4-3-2	-8	-	-	-	1.41																			
30-AR	0034-114.3061	-2-07	n-303351-05/20/76-18	11	5.0	-	6.3	1160	10-1-7-3-9-4-4-2-2-2-5-3-2	-8	-	-	-	0.10																			
30-AR	0008-114.3052	-2-07	n-303352-05/20/76-19	7	6.0	-	6.0	40	6-1-7-3-7-4-4-1-2-2-4-1-2	-6	-	-	-	0.10																			
30-AR	1338-114.2455	-2-07	n-303353-05/20/76-20	13	12.1	-	7.4	490	6-1-7-6-8-2-3-2-1-6-3-1-3	-3	-	-	-	0.67																			
30-AR	1314-114.2704	-2-08	n-303354-05/20/76-20	14	14.5	-	6.8	400	5-1-1-6-8-1-3-1-1-6-1-2-2	-3	-	-	-	5.78																			
30-AR	0722-114.3311	-2-07	n-303355-05/20/76-21	8	5.0	-	6.3	400	15-1-1-5-7-3-3-1-1-1-1-3-2	-3	-	-	-	0.45																			
30-AR	0405-114.3271	-2-07	n-303356-05/20/76-22	4	5.1	-	6.9	420	15-1-7-3-6-4-3-1-1-2-2-2-1-2	-3	-	-	-	1.07																			
30-AR	0905-114.3281	-2-07	n-303357-05/20/76-22	4	5.0	-	7.1	435	12-1-7-5-6-4-3-1-1-2-2-3-2-2	-3	-	-	-	0.94																			
30-AR	1001-114.3250	-2-07	n-303358-05/20/76-22	4	4.7	-	7.4	462	13-1-7-3-4-4-3-1-1-2-2-4-2-2	-3	-	-	-	0.71																			
30-AR	1402-114.3925	-2-07	n-303360-05/21/76-10	11	9.8	-	6.4	470	1-1-1-5-6-3-3-1-1-2-2-2-1-1	-3	-	-	-	1.61																			
30-AR	2683-114.3313	-2-09	n-303362-05/21/76-11	25	11.0	-	6.7	260	1-1-1-5-6-4-4-5-2-1-1-2-2-2-1	-3	-	-	-	1.50																			
30-AR	2272-114.3871	-2-06	n-303363-05/21/76-11	23	12.0	-	6.9	425	18-1-1-1-6-1-3-1-1-4-4-2-1-1	-3	-	-	-	1.21																			
30-AR	2477-114.4011	-2-07	n-303364-05/21/76-11	20	11.0	-	6.4	382	1-1-1-5-6-6-4-6-2-1-1-4-4-2-1	-3	-	-	-	0.81																			
30-AR	2406-114.4935	-2-07	n-303366-05/21/76-11	22	9.0	-	6.5	450	37-1-1-1-6-4-7-3-3-1-1-2-2-2-1	-3	-	-	-	1.59																			
30-AR	2405-114.4927	-2-07	n-303367-05/21/76-11	12	8.0	-	6.8	400	12-1-1-6-7-3-3-1-1-1-1-3-3-1	-8	-	-	-	2.27																			
30-AR	2255-114.4847	-2-00	n-303368-05/21/76-11	23	16.1	-	6.0	100	9-1-1-1-5-7-1-3-3-5-1-1-1-3-1-1	-8	-	-	-	0.49																			
30-AR	2272-114.4955	-2-06	n-303369-05/21/76-12	13	14.1	-	5.9	450	6-1-1-6-6-6-2-3-1-1-1-4-3-1-1	-8	-	-	-	0.72																			
30-AR	2044-114.4861	-2-00	n-303370-05/21/76-12	14	13.8	-	5.3	525	14-1-1-5-6-4-2-3-1-1-3-4-1-4-1	-8	-	-	-	1.52																			
30-AR	1905-114.4912	-2-06	n-303371-05/21/76-12	23	14.0	-	6.9	320	11-1-1-5-6-4-2-3-3-5-3-4-3-6-1	-8	-	-	-	0.64																			
30-AR	1905-114.4855	-2-07	n-303372-05/21/76-13	23	12.2	-	7.2	460	9-1-1-6-4-7-3-3-1-1-2-2-3-1-1	-3	-	-	-	1.25																			
30-AR	1755-114.4877	-2-07	n-303373-05/21/76-14	25	16.6	-	6.8	525	3-1-1-5-6-6-4-3-3-1-1-2-1-3-1	-3	-	-	-	2.68																			
30-AR	1750-114.4877	-2-07	n-303374-05/21/76-14	18	13.1	-	6.1	325	3-1-1-5-7-4-3-3-1-2-2-4-3-1-1	-3	-	-	-	1.37																			
30-AR	1627-114.4422	-2-07	n-303375-05/21/76-14	22	14.2	-	6.6	470	1-1-1-3-3-1-3-3-2-1-1-2-2-2-1	-3	-	-	-	0.84																			
30-AR	1972-114.4305	-2-06	n-303376-05/21/76-15	18	13.1	-	7.4	420	3-1-1-5-8-2-3-2-3-2-2-2-2-1	-3	-	-	-	5.93																			
30-AR	1911-114.4366	-2-06	n-303377-05/21/76-16	20	22.1	-	6.3	500	13-1-1-1-6-6-2-3-3-2-1-4-4-2-1	-3	-	-	-	1.60																			
30-AR	1622-114.4704	-2-06	n-303379-05/21/76-17	23	13.3	-	6.9	50	12-1-1-5-7-2-3-1-1-3-2-1-3-1	-3	-	-	-	1.36																			
30-AR	1344-114.4872	-2-07	n-303380-05/21/76-17	21	12.2	-	7.1	500	15-1-1-1-5-7-3-3-2-1-1-2-2-2-1	-3	-	-	-	3.47																			
30-AR	1040-114.4983	-2-07	n-303383-05/21/76-22	11	6.5	-	6.1	565	7-1-1-1-5-7-1-3-1-1-1-2-1-4-1	-4	-	-	-	2.41																			
30-AR	1001-114.3972	-2-06	n-303384-05/21/76-22	11	7.0	-	6.6	525	1-1-1-5-6-7-2-2-1-1-1-2-1-6-1	-6	-	-	-	1.95																			
30-AR	1100-114.4344	-2-07	n-303385-05/21/76-23	11	9.0	-	6.2	450	7-1-1-5-6-6-3-3-1-1-2-2-2-1	-3	-	-	-	4.44																			
30-AR	1297-114.4394	-2-07	n-303387-05/21/76-24	16	14.5	-	6.6	650	2-1-1-6-8-1-1-5-5-1-1-6-4-1-1	-8	-	-	-	3.39																			
30-AR	1416-114.4233	-2-10	n-303388-05/21/76-25	16	13.5	-	6.9	750	6-1-1-5-6-2-2-3-2-3-3-1-3-1	-3	-	-	-	5.45																			
30-AR	0830-114.4363	-2-07	n-303389-05/24/76-10	14	9.1	-	7.3	91	10-1-1-4-6-6-4-4-2-1-1-2-1-3-2	-3	-	-	-	0.19																			
30-AR	0713-114.4133	-2-07	n-303390-05/24/76-11	14	14.3	-	7.1	490	5-1-7-1-5-6-4-3-3-1-1-4-1-2-2	-3	-	-	-	3.45																			

[illegible]

STATE	LATITUDE	LONGITUDE	EMPA LAB	SAMPLE TYPE	REPLICATE	LAST SAMPLE NUMBER	TIME SAMPLED		AIR TEMPERATURE	WATER TEMPERATURE	COMMENTS	SPECIAL MEASUREMENTS	PH	SPECIFIC GRAVITY (g/cm ³)	SCINTILLOMETER (cpm)	ROCK TYPE	ROCK COLOR	SEDIMENT TYPE	SEDIMENT COLOR	WATER FLOW	WATER LEVEL	WATER COLOR	VEGETATION TYPE	RELIEF	WEATHER	CONTAMINANTS	WELL TYPE	WELL DEPTH (FEET)	WELL DIAMETER (INCHES)	WATER DEPTH (FEET)	SAMPLE TYPE	SECTIDY		
							DATE	HOUR																										
30-00	3706-11.4	7707-10.7	-01	-01	-01	303440-05	10/17/16	16	7-5.2	-	-	3.9	1.52	11-4	2-3	3-3	1-1	4-5	-	1-1	1-4	2-3	3-3	1-1	4-5	-	1-1	1-4	2-3	3-3	1-1	4-5	-	1-1
30-00	3772-13.4	7653-00.0	-01	-01	-01	303440-05	10/17/16	16	7-5.2	-	-	3.9	1.52	11-4	2-3	3-3	1-1	4-5	-	1-1	1-4	2-3	3-3	1-1	4-5	-	1-1	1-4	2-3	3-3	1-1	4-5	-	1-1
30-00	2613-11.4	3955-00.0	-01	-01	-01	303440-05	10/17/16	16	7-5.2	-	-	3.9	1.52	11-4	2-3	3-3	1-1	4-5	-	1-1	1-4	2-3	3-3	1-1	4-5	-	1-1	1-4	2-3	3-3	1-1	4-5	-	1-1
30-00	2656-11.4	4534-00.0	-01	-01	-01	303440-05	10/17/16	16	7-5.2	-	-	3.9	1.52	11-4	2-3	3-3	1-1	4-5	-	1-1	1-4	2-3	3-3	1-1	4-5	-	1-1	1-4	2-3	3-3	1-1	4-5	-	1-1
30-00	2656-11.4	4534-00.0	-01	-01	-01	303440-05	10/17/16	16	7-5.2	-	-	3.9	1.52	11-4	2-3	3-3	1-1	4-5	-	1-1	1-4	2-3	3-3	1-1	4-5	-	1-1	1-4	2-3	3-3	1-1	4-5	-	1-1
30-00	2656-11.4	4534-00.0	-01	-01	-01	303440-05	10/17/16	16	7-5.2	-	-	3.9	1.52	11-4	2-3	3-3	1-1	4-5	-	1-1	1-4	2-3	3-3	1-1	4-5	-	1-1	1-4	2-3	3-3	1-1	4-5	-	1-1
30-00	2656-11.4	4534-00.0	-01	-01	-01	303440-05	10/17/16	16	7-5.2	-	-	3.9	1.52	11-4	2-3	3-3	1-1	4-5	-	1-1	1-4	2-3	3-3	1-1	4-5	-	1-1	1-4	2-3	3-3	1-1	4-5	-	1-1
30-00	2656-11.4	4534-00.0	-01	-01	-01	303440-05	10/17/16	16	7-5.2	-	-	3.9	1.52	11-4	2-3	3-3	1-1	4-5	-	1-1	1-4	2-3	3-3	1-1	4-5	-	1-1	1-4	2-3	3-3	1-1	4-5	-	1-1
30-00	2656-11.4	4534-00.0	-01	-01	-01	303440-05	10/17/16	16	7-5.2	-	-	3.9	1.52	11-4	2-3	3-3	1-1	4-5	-	1-1	1-4	2-3	3-3	1-1	4-5	-	1-1	1-4	2-3	3-3	1-1	4-5	-	1-1
30-00	2656-11.4	4534-00.0	-01	-01	-01	303440-05	10/17/16	16	7-5.2	-	-	3.9	1.52	11-4	2-3	3-3	1-1	4-5	-	1-1	1-4	2-3	3-3	1-1	4-5	-	1-1	1-4	2-3	3-3	1-1	4-5	-	1-1
30-00	2656-11.4	4534-00.0	-01	-01	-01	303440-05	10/17/16	16	7-5.2	-	-	3.9	1.52	11-4	2-3	3-3	1-1	4-5	-	1-1	1-4	2-3	3-3	1-1	4-5	-	1-1	1-4	2-3	3-3	1-1	4-5	-	

LASL Uranium Hydrogeochemical and Stream Sediment Reconnaissance Data Listing[illegible]

TABLE 1. Uranium Hydrogeochemical and Stream Sediment Reconnaissance Data Listing

[illegible]

LASL Uranium Hydrogeochemical and Stream Sediment Reconnaissance Data Listing

ERDA SAMPLE NUMBER					LASL SAMPLE NUMBER AND FIELD DATA																				U CONCENTRATION											
STATE	LATITUDE	LONGITUDE	ERDA LAB	SAMPLE TYPE	REPLICATE	LASL SAMPLE NUMBER	TIME SAMPLED		AIR TEMPERATURE	WATER TEMPERATURE	COMMENTS	SPECIAL MEASUREMENTS	PH	SPECIFIC CONDUCTANCE (µmhos/cm)	SCINTILLOMETER (µddm)	ROCK TYPE	ROCK COLOR	SEDIMENT TYPE	SEDIMENT COLOR	WATER FLOW	WATER LEVEL	WATER COLOR	STREAM CHANNEL	VEGETATION TYPE	VEGETATION DENSITY	RELIEF	WEATHER	OWNERSHIP	CONTAMINANTS	WELL TYPE	WELL NUMBER	WELL DEPTH (INCHES)	WELL DEPTH (FEET)	WATER DEPTH (FEET)	SAMPLE TYPES	SAMPLE TYPES
							DATE	HOUR																											1-10 µg/g	11-20 µg/g
30-66A	0322-116.4133-2-07-	0-303405-05/25/74-13-	0-303405-05/25/74-13-	10-5.4-	6.2-	31-	4-6-	5-6-3-4-1-2-2-3-4-3-	1-	0.10																										
30-66A	0107-118.3375-2-07-	0-303406-05/25/74-13-	10-5.4-	6.2-	59-	4-6-	5-6-3-4-1-2-2-3-4-3-	1-	0.10																											
30-66A	0352-116.4141-2-07-	0-303407-05/25/74-13-	10-5.4-	6.2-	75-	4-6-	5-6-3-4-1-2-2-3-4-3-	1-	0.24																											
30-66A	0606-116.4227-2-07-	0-303408-05/25/74-13-	10-9.2-C	6.9-	232-	7-6-	5-6-3-4-1-2-2-3-4-3-	1-	0.10																											
30-66A	0300-116.4019-2-07-	0-303409-05/25/74-14-	9-4.9-	6.6-	72-	12-3-7-2-6-4-4-1-2-1-3-5-3-	1-	0.10																												
30-66A	0650-116.4011-2-07-	0-303410-05/25/74-14-	14-4.8-	7.0-	165-	12-2-6-7-2-6-4-4-1-2-1-4-5-2-	1-	0.39																												
30-66A	0731-116.4252-2-07-	0-303411-05/25/74-14-	9-6.6-	6.8-	148-	15-2-6-7-2-6-4-4-1-2-2-4-5-3-	1-	0.27																												
30-66A	0575-116.3901-2-07-	0-303412-05/25/74-14-	9-6.6-	6.7-	145-	12-2-6-7-2-6-4-4-1-2-1-4-4-3-	1-	0.10																												
30-66A	0551-116.3963-2-07-	0-303413-05/25/74-15-	9-7.1-	6.6-	140-	12-2-6-7-2-6-4-4-1-2-1-4-4-3-	1-	0.10																												
30-66A	0955-116.4247-2-07-	0-303414-05/25/74-17-	11-5.4-	6.8-	112-	6-2-7-2-6-4-4-1-2-1-4-5-3-	1-	0.10																												
30-66A	0225-116.2451-2-07-	0-303415-05/25/74-17-	9-6.6-	6.6-	64-	6-2-7-2-6-4-4-1-2-1-4-4-3-	1-	0.23																												
30-66A	0225-116.2755-2-07-	0-303416-05/25/74-18-	9-6.6-	6.5-	60-	6-2-7-2-6-4-4-1-2-1-4-4-3-	1-	0.10																												
30-66A	0106-116.2411-2-07-	0-303417-05/25/74-18-	9-5.6-	6.4-	65-	6-2-7-2-6-4-4-1-2-1-4-4-3-	1-	0.55																												
30-66A	0077-116.3191-2-08-	0-303418-05/25/74-18-	9-8.2-C	6.8-	165-	4-2-7-2-6-4-4-1-2-1-3-3-3-	1-6-8-	0.10																												
30-66A	0572-116.3003-2-07-	0-303419-05/25/74-18-	7-7.8-C	7.1-	362-	13-4-	5-6-3-3-5-1-2-1-3-3-3-	1-	0.44																											
30-66A	0802-116.4755-2-07-	0-303420-05/26/74-11-	9-4.5-	7.0-	135-	4-2-6-1-6-4-4-3-1-2-1-4-5-3-	1-	0.29																												
30-66A	0322-116.4333-2-07-	0-303421-05/26/74-12-	10-4.6-	6.9-	200-	3-2-6-1-6-3-4-1-2-1-3-4-2-	1-	0.17																												
30-66A	0627-116.3434-2-07-	0-303422-05/26/74-12-	11-4.7-	6.9-	205-	12-2-7-2-6-4-4-1-2-1-4-4-2-	1-	0.10																												
30-66A	0211-116.4013-2-07-	0-303423-05/26/74-13-	12-4.4-	6.7-	162-	15-2-6-7-2-6-4-4-1-2-1-4-3-2-	1-	0.10																												
30-66A	0352-116.4045-2-07-	0-303424-05/26/74-13-	12-5.5-	6.7-	98-	3-2-7-2-6-4-3-4-1-2-1-3-4-2-	1-	0.22																												
30-66A	0349-116.4066-2-07-	0-303425-05/26/74-13-	12-6.7-	6.6-	162-	9-2-7-1-6-4-4-1-2-1-4-4-2-	1-	0.58																												
30-66A	0430-116.4058-2-07-	0-303426-05/26/74-13-	13-5.1-	6.8-	110-	4-4-	2-2-6-4-4-1-2-2-3-3-2-	1-	0.10																											
30-66A	0403-116.4772-2-07-	0-303427-05/26/74-14-	12-6.7-	7.1-	192-	6-4-7-2-6-4-4-1-2-1-3-4-2-	1-	0.10																												
30-66A	0703-116.4225-2-07-	0-303428-05/26/74-14-	12-8.9-	7.3-	270-	6-4-	3-6-3-4-4-1-2-2-3-3-2-	1-	0.10																											
30-66A	0301-116.3819-2-07-	0-303429-05/26/74-16-	16-6.7-	6.7-	112-	3-2-7-2-6-4-3-1-2-1-4-4-2-	1-	0.19																												
30-66A	0541-116.4091-2-07-	0-303430-05/26/74-16-	16-6.6-	6.0-	115-	4-2-7-2-6-4-3-1-2-1-4-4-2-	1-	0.42																												
30-66A	0607-116.4231-2-07-	0-303431-05/26/74-17-	16-6.9-	6.0-	115-	4-2-7-3-6-3-4-1-2-1-3-3-2-	1-	0.10																												
30-66A	0652-116.4272-2-07-	0-303432-05/26/74-17-	16-6.6-	6.9-	110-	6-2-7-2-6-3-4-1-2-1-3-4-2-	1-	0.10																												
30-66A	1503-116.2252-2-07-	0-303433-05/26/74-18-	16-10.2-	7.4-	246-	9-2-7-3-6-3-4-1-2-1-3-3-2-	1-	0.16																												
30-66A	0603-116.6055-2-07-	0-303434-05/31/74-11-	10-6.1-	6.6-	70-	7-2-7-3-6-2-3-1-2-1-3-4-4-	3-	0.26																												
30-66A	0805-116.6075-2-07-	0-303435-05/31/74-11-	12-6.5-	6.6-	40-	12-2-7-2-6-3-3-1-2-1-4-4-4-	1-	0.20																												
30-66A	0800-116.6040-2-07-	0-303436-05/31/74-11-	12-6.3-	5.9-	38-	12-2-7-1-7-4-3-1-2-1-4-4-4-	1-	0.16																												
30-66A	0427-116.6016-2-07-	0-303437-05/31/74-12-	11-5.2-	6.1-	39-	6-2-6-2-6-4-3-1-2-1-4-4-3-	1-	0.29																												
30-66A	0447-116.6044-2-07-	0-303438-05/31/74-12-	12-4.4-	6.6-	27-	13-2-6-1-6-4-4-3-1-2-1-4-5-3-	1-	0.10																												
30-66A	0137-116.5119-2-07-	0-303439-05/31/74-13-	15-8.4-C	6.6-	32-	17-2-6-2-6-2-2-1-2-1-3-4-2-	1-	0.10																												
30-66A	0333-116.5441-2-07-	0-303440-05/31/74-13-	13-7.8-	6.9-	150-	10-2-6-3-6-3-1-2-1-3-4-2-	2-	0.32																												
30-66A	0117-116.5488-2-07-	0-303441-05/31/74-14-	10-5.4-	6.3-	49-	18-2-7-1-6-3-3-1-2-2-3-4-3-	2-	0.18																												
30-66A	0014-116.5413-2-07-	0-303442-05/31/74-14-	10-5.7-	5.6-	29-	18-2-7-2-6-4-4-3-1-2-1-3-4-3-	2-	0.41																												
30-66A	0027-116.5444-2-07-	0-303443-05/31/74-15-	14-5.5-	5.7-	21-	15-2-7-1-7-3-3-1-2-1-4-4-2-	1-	0.35																												
30-66A	0266-116.5404-2-07-	0-303444-05/31/74-15-	15-11.6-	6.6-	52-	13-2-7-3-6-3-3-2-2-2-3-3-3-	3-	0.28																												
30-66A	0372-116.5119-2-07-	0-303445-05/31/74-16-	13-11.4-C	7.8-	420-	15-2-7-5-6-3-3-	1-	2.29																												
30-66A	0452-116.5077-2-07-	0-303446-05/31/74-16-	8-10.1-	6.8-	262-	11-4-	3-6-4-3-3-1-2-1-3-4-4-	1-	0.06																											
30-66A	0629-116.5083-2-07-	0-303447-05/31/74-16-	8-10.1-	6.9-	260-	7-2-7-3-6-3-3-1-2-1-3-4-4-	1-	0.99																												
30-66A	0438-116.5210-2-07-	0-303448-05/31/74-18-	8-7.8-	6.9-	112-	4-2-7-2-6-3-3-1-2-1-3-4-4-	1-	0.25																												
30-66A	0750-116.5117-2-07-	0-303449-05/31/74-18-	4-8.4-C	6.8-	118-	12-2-7-5-6-2-2-1-2-1-4-4-4-	3-	0.43																												
30-66A	0100-116.5310-2-07-	0-303450-05/31/74-18-	10-8.3-	6.7-	100-	12-2-6-3-6-2-3-1-2-2-3-4-3-	3-	0.22																												
30-66A	0213-116.6001-2-07-	0-303451-05/31/74-18-	10-8.9-	7.1-	165-	10-2-7-2-6-3-3-1-2-2-3-4-2-	3-	0.45																												
30-66A	0308-116.5947-2-07-	0-303452-05/31/74-19-	10-8.9-	6.9-	125-	7-2-7-2-6-3-3-1-2-2-3-4-2-	3-	0.22																												
30-66A	0730-116.5838-2-07-	0-303453-05/31/74-19-	10-9.0-	6.9-	140-	7-2-7-2-6-3-3-1-2-2-3-3-2-	3-	0.33																												
30-66A	0608-116.5325-2-07-	0-303454-06/01/74-11-	17-7.8-	5.7-	34-	11-2-7-2-6-3-3-1-2-2-4-6-3-	1-	0.20																												
30-66A	0219-116.5811-2-07-	0-303455-06/01/74-11-	15-7.2-	6.0-	30-	9-2-7-2-6-3-3-1-2-2-1-4-5-3-	1-	0.20																												

LAST Uranium Hydrogeochemical and Stream Sediment Reconnaissance Data Listing

[illegible]

LAST Uranium Hydrogeochemical and Stream Sediment Reconnaissance Data Listing

DATE	LATITUDE	LONGITUDE	EDRA LAB	SAMPLE TYPE	REPLICATE	LAST SAMPLE NUMBER	TIME SAMPLED	AIR TEMPERATURE	WATER TEMPERATURE	COMMENTS	SPECIAL MEASUREMENTS	PH	SPECIFIC CONDUCTANCE (umhos/cm)	SCINTILLATION (cpm)	ROCK TYPE	ROCK COLOR	SEDIMENT TYPE	SEDIMENT COLOR	WATER FLOW	WATER LEVEL	WATER COLOR	STREAM CHANNEL	VEGETATION TYPE	VEGETATION DENSITY	RELIEF	WEATHER	CONTAMINANTS	WELL TYPE	WELL DIAMETER (INCHES)	WELL DEPTH (FEET)	WATER DEPTH (FEET)	U CONCENTRATION (PPM)	U CONCENTRATION (PPM)	
30-08-2350-114.0533-2-07						030765	06/17/74	17	10-18	-	-	6.4	204	204	14-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1
30-08-1091-114.0533-2-07						030766	06/17/74	15	22-18	A	-	6.4	244	244	15-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1
30-08-1091-114.0533-2-07						030767	06/17/74	15	21-18	A	-	6.4	244	244	15-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1
30-08-0660-114.0505-2-07						030770	06/17/74	16	18-18	C	-	6.4	224	224	14-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1
30-08-0010-114.0576-2-00						030771	06/17/74	17	18-15	H-C	-	6.2	205	205	14-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1
30-08-0180-114.0591-2-07						030772	06/17/74	17	13-15	C	-	6.4	180	180	14-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1
30-08-0310-114.1122-2-07						030773	06/17/74	17	20-25	A	-	6.4	190	190	14-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1
30-08-0147-114.1216-2-07						030774	06/17/74	18	22-25	A	-	6.4	145	145	14-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1
30-08-0152-114.1222-2-07						030775	06/17/74	18	11-17	-	-	6.4	145	145	14-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1
30-08-0310-114.1122-2-07						030776	06/17/74	18	20-17	-	-	6.4	145	145	14-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1
30-08-0510-114.0555-2-07						030777	06/17/74	19	18-12	-	-	5.6	14	14	20-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1
30-08-0510-114.0555-2-07						030778	06/17/74	19	6	-	-	6.4	180	180	14-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1
30-08-0510-114.0555-2-07						030779	06/17/74	19	6	-	-	6.4	180	180	14-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1
30-08-0510-114.0555-2-07						030780	06/17/74	19	6	-	-	6.4	180	180	14-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1
30-08-0510-114.0555-2-07						030781	06/17/74	19	6	-	-	6.4	180	180	14-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1
30-08-1752-114.0263-2-06						030782	06/17/74	10	13-11	-	-	6.4	131	131	17-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1
30-08-0510-114.0555-2-07						030783	06/17/74	10	11-9	-	-	6.4	279	279	12-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1
30-08-0510-114.0555-2-07						030784	06/17/74	10	10-9	-	-	6.4	280	280	12-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1
30-08-0510-114.0555-2-07						030785	06/17/74	10	9-9	-	-	6.4	280	280	12-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1
30-08-0510-114.0555-2-07						030786	06/17/74	12	16-18	-	-	6.4	116	116	17-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1
30-08-0510-114.0555-2-07						030787	06/17/74	12	16-18	-	-	6.4	116	116	17-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1
30-08-0510-114.0555-2-07						030788	06/17/74	12	16-18	-	-	6.4	116	116	17-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1
30-08-0510-114.0555-2-07						030789	06/17/74	13	12-10	-	-	6.4	90	90	17-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1
30-08-0510-114.0555-2-07						030790	06/17/74	13	12-10	-	-	6.4	90	90	17-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1
30-08-0510-114.0555-2-07						030791	06/17/74	14	13-7	-	-	5.8	60	60	15-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1
30-08-0510-114.0555-2-07						030792	06/17/74	14	13-7	-	-	5.8	60	60	15-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1
30-08-0510-114.0555-2-07						030793	06/17/74	15	15-16	-	-	6.2	60	60	15-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1
30-08-0510-114.0555-2-07						030794	06/17/74	15	15-16	-	-	6.2	60	60	15-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1
30-08-0510-114.0555-2-07						030795	06/17/74	15	15-16	-	-	6.2	60	60	15-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1
30-08-0510-114.0555-2-07						030796	06/17/74	15	15-16	-	-	6.2	60	60	15-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1
30-08-0510-114.0555-2-07						030797	06/17/74	17	19	-	-	6.4	320	320	10-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1
30-08-0510-114.0555-2-07						030798	06/17/74	17	19	-	-	6.4	320	320	10-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1
30-08-0510-114.0555-2-07						030799	06/17/74	17	19	-	-	6.4	320	320	10-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1
30-08-0510-114.0555-2-07						030800	06/17/74	17	19	-	-	6.4	320	320	10-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1
30-08-0510-114.0555-2-07						030801	06/17/74	17	19	-	-	6.4	320	320	10-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1
30-08-0510-114.0555-2-07						030802	06/17/74	17	19	-	-	6.4	320	320	10-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1
30-08-0510-114.0555-2-07						030803	06/17/74	17	19	-	-	6.4	320	320	10-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1
30-08-0510-114.0555-2-07						030804	06/17/74	17	19	-	-	6.4	320	320	10-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1
30-08-0510-114.0555-2-07						030805	06/17/74	17	19	-	-	6.4	320	320	10-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1
30-08-0510-114.0555-2-07						030806	06/17/74	17	19	-	-	6.4	320	320	10-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1
30-08-0510-114.0555-2-07						030807	06/17/74	17	19	-	-	6.4	320	320	10-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1	1-1
30-08-0510-114.0555-2-07						030808	06/17/74	17	19	-	-	6.																						

[illegible]

[illegible]

LASL Uranium Hydrogeochemical and Stream Sediment Reconnaissance Data Listing[illegible]

STATE	LATITUDE	LONGITUDE	EPA LAB	SAMPLE TYPE	REPLICATE	LAST SAMPLE NUMBER	TIME SAMPLED		AIR TEMPERATURE	WATER TEMPERATURE	SPECIAL MEASUREMENTS	COMMENTS	PH	SPECIFIC CONDUCTANCE (microhm/cm)	SCINTILLATION (cpm)	ROCK TYPE	ROCK COLOR	SEDIMENT TYPE	SEDIMENT COLOR	WATER LEVEL	WATER FLOW	WATER COLOR	VEGETATION DENSITY	RELIEF	WEATHER	OWNERSHIP	CONTAMINANTS	WELL TYPE	WELL DEPTH (FEET)	WATER DEPTH (FEET)	SAMPLE TYPE	U CONCENTRATION	
							DATE	HOUR																									
30-08	3654.15	8329.27		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
30-08	3654.15	8329.27		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
30-08	3654.15	8329.27		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
30-08	3654.15	8329.27		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
30-08	3654.15	8329.27		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
30-08	3654.15	8329.27		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
30-08	3654.15	8329.27		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
30-08	3654.15	8329.27		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
30-08	3654.15	8329.27		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
30-08	3654.15	8329.27		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
30-08	3654.15	8329.27		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
30-08	3654.15	8329.27		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
30-08	3654.15	8329.27		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
30-08	3654.15	8329.27		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
30-08	3654.15	8329.27																															

LAST Uranium Hydrogeochemical and Stream Sediment Reconnaissance Data Listing

[illegible]

LAAS Uranium Hydrogeochemical and Stream Sediment Reconnaissance Data Listing[illegible]

LAST Uranium Hydrogeochemical and Stream Sediment Reconnaissance Data Listing

[illegible]

LAST Uranium Hydrogeochemical and Stream Sediment Reconnaissance Data Listing

[illegible]

LASL Uranium Hydrogeochemical and Stream Sediment Reconnaissance Data Listing

ERDA SAMPLE NUMBER						LASL SAMPLE NUMBER AND FIELD DATA																							U CONCENTRATIONS						
STATE	LATITUDE	LONGITUDE	ERDA LAB	SAMPLE TYPE	REPLICATE	LASL SAMPLE NUMBER	TIME SAMPLED		AIR TEMPERATURE	WATER TEMPERATURE	COMMENTS	SPECIAL MEASUREMENTS	PH	SPECIFIC CONDUCTANCE (micromhos/cm)	SCINTILLOMETER (40 ppm)	ROCK TYPE	ROCK COLOR	SEGMENT TYPE	SEGMENT COLOR	WATER FLOW	WATER LEVEL	WATER COLOR	STREAM CHANNEL	VEGETATION TYPE	VEGETATION DENSITY	RELIEF	WEATHER	OWNERSHIP	CONTAMINANTS	WELL TYPE	WELL DIAMETER (INCHES)	WELL DEPTH (FEET)	WATER DEPTH (FEET)	SAMPLE TYPES 1-10 11-20 21-30	SAMPLE TYPES 1-20 21-30 31-40
							DATE	HOUR																											
30-49	0422-115	1027-2-07	n-304324-06/73/74-21			8-1	6.4	-	5.2	72					4-1-7-2-7-4-4-1-2-1-4-5-2	-1																		0.24	
30-49	0422-115	1027-2-07	n-304324-06/73/74-21			8-1	6.4	-	5.2	72					4-1-7-2-7-4-4-1-2-1-4-5-2	-1																		0.10	
30-49	0422-115	1027-2-07	n-304324-06/73/74-21			8-1	6.4	-	5.2	72					4-1-7-2-7-4-4-1-2-1-4-5-2	-1																		0.10	
30-49	0422-115	1027-2-07	n-304324-06/73/74-21			8-1	6.4	-	5.2	72					4-1-7-2-7-4-4-1-2-1-4-5-2	-1																		0.96	
30-49	0422-115	1027-2-07	n-304324-06/73/74-21			8-1	6.4	-	5.2	72					4-1-7-2-7-4-4-1-2-1-4-5-2	-1																		0.16	
30-49	0422-115	1027-2-07	n-304324-06/73/74-21			8-1	6.4	-	5.2	72					4-1-7-2-7-4-4-1-2-1-4-5-2	-1																		0.10	
30-49	0422-115	1027-2-07	n-304324-06/73/74-21			8-1	6.4	-	5.2	72					4-1-7-2-7-4-4-1-2-1-4-5-2	-1																		0.10	
30-49	0422-115	1027-2-07	n-304324-06/73/74-21			8-1	6.4	-	5.2	72					4-1-7-2-7-4-4-1-2-1-4-5-2	-1																		0.63	
30-49	0422-115	1027-2-07	n-304324-06/73/74-21			8-1	6.4	-	5.2	72					4-1-7-2-7-4-4-1-2-1-4-5-2	-1																		0.21	
30-49	0422-115	1027-2-07	n-304324-06/73/74-21			8-1	6.4	-	5.2	72					4-1-7-2-7-4-4-1-2-1-4-5-2	-1																		0.35	
30-49	0422-115	1027-2-07	n-304324-06/73/74-21			8-1	6.4	-	5.2	72					4-1-7-2-7-4-4-1-2-1-4-5-2	-1																		0.26	
30-49	0422-115	1027-2-07	n-304324-06/73/74-21			8-1	6.4	-	5.2	72					4-1-7-2-7-4-4-1-2-1-4-5-2	-1																		0.16	
30-49	0422-115	1027-2-07	n-304324-06/73/74-21			8-1	6.4	-	5.2	72					4-1-7-2-7-4-4-1-2-1-4-5-2	-1																		0.16	
30-49	0422-115	1027-2-07	n-304324-06/73/74-21			8-1	6.4	-	5.2	72					4-1-7-2-7-4-4-1-2-1-4-5-2	-1																		0.61	
30-49	0422-115	1027-2-07	n-304324-06/73/74-21			8-1	6.4	-	5.2	72					4-1-7-2-7-4-4-1-2-1-4-5-2	-1																		0.83	
30-49	0422-115	1027-2-07	n-304324-06/73/74-21			8-1	6.4	-	5.2	72					4-1-7-2-7-4-4-1-2-1-4-5-2	-1																		0.38	
30-49	0422-115	1027-2-07	n-304324-06/73/74-21			8-1	6.4	-	5.2	72					4-1-7-2-7-4-4-1-2-1-4-5-2	-1																		0.17	
30-49	0422-115	1027-2-07	n-304324-06/73/74-21			8-1	6.4	-	5.2	72					4-1-7-2-7-4-4-1-2-1-4-5-2	-1																		0.45	
30-49	0422-115	1027-2-07	n-304324-06/73/74-21			8-1	6.4	-	5.2	72					4-1-7-2-7-4-4-1-2-1-4-5-2	-1																		0.45	
30-49	0422-115	1027-2-07	n-304324-06/73/74-21			8-1	6.4	-	5.2	72					4-1-7-2-7-4-4-1-2-1-4-5-2	-1																		1.17	
30-49	0422-115	1027-2-07	n-304324-06/73/74-21			8-1	6.4	-	5.2	72					4-1-7-2-7-4-4-1-2-1-4-5-2	-1																		1.59	
30-49	0422-115	1027-2-07	n-304324-06/73/74-21			8-1	6.4	-	5.2	72					4-1-7-2-7-4-4-1-2-1-4-5-2	-1																		0.39	
30-49	0422-115	1027-2-07	n-304324-06/73/74-21			8-1	6.4	-	5.2	72					4-1-7-2-7-4-4-1-2-1-4-5-2	-1																		0.10	
30-49	0422-115	1027-2-07	n-304324-06/73/74-21			8-1	6.4	-	5.2	72					4-1-7-2-7-4-4-1-2-1-4-5-2	-1																		0.10	
30-49	0422-115	1027-2-07	n-304324-06/73/74-21			8-1	6.4	-	5.2	72					4-1-7-2-7-4-4-1-2-1-4-5-2	-1																		0.26	
30-49	0422-115	1027-2-07	n-304324-06/73/74-21			8-1	6.4	-	5.2	72					4-1-7-2-7-4-4-1-2-1-4-5-2	-1																		0.60	
30-49	0422-115	1027-2-07	n-304324-06/73/74-21			8-1	6.4	-	5.2	72					4-1-7-2-7-4-4-1-2-1-4-5-2	-1																		0.59	
30-49	0422-115	1027-2-07	n-304324-06/73/74-21			8-1	6.4	-	5.2	72					4-1-7-2-7-4-4-1-2-1-4-5-2	-1																		0.42	
30-49	0422-115	1027-2-07	n-304324-06/73/74-21			8-1	6.4	-	5.2	72					4-1-7-2-7-4-4-1-2-1-4-5-2	-1																		0.45	
30-49	0422-115	1027-2-07	n-304324-06/73/74-21			8-1	6.4	-	5.2	72					4-1-7-2-7-4-4-1-2-1-4-5-2	-1																		0.45	
30-49	0422-115	1027-2-07	n-304324-06/73/74-21			8-1	6.4	-	5.2	72					4-1-7-2-7-4-4-1-2-1-4-5-2	-1																		0.15	
30-49	0422-115	1027-2-07	n-304324-06/73/74-21			8-1	6.4	-	5.2	72					4-1-7-2-7-4-4-1-2-1-4-5-2	-1																		0.65	
30-49	0422-115	1027-2-07	n-304324-06/73/74-21			8-1	6.4	-	5.2	72					4-1-7-2-7-4-4-1-2-1-4-5-2	-1																		0.10	
30-49	0422-115	1027-2-07	n-304324-06/73/74-21			8-1	6.4	-	5.2	72					4-1-7-2-7-4-4-1-2-1-4-5-2	-1																		1.02	
30-49	0422-115	1027-2-07	n-304324-06/73/74-21			8-1	6.4	-	5.2	72					4-1-7-2-7-4-4-1-2-1-4-5-2	-1																		1.11	
30-49	0422-115	1027-2-07	n-304324-06/73/74-21			8-1	6.4	-	5.2	72					4-1-7-2-7-4-4-1-2-1-4-5-2	-1																		0.68	
30-49	0422-115	1027-2-07	n-304324-06/73/74-21			8-1	6.4	-	5.2	72					4-1-7-2-7-4-4-1-2-1-4-5-2	-1																		0.18	
30-49	0422-115	1027-2-07	n-304324-06/73/74-21			8-1	6.4	-	5.2	72					4-1-7-2-7-4-4-1-2-1-4-5-2	-1																		0.16	
30-49	0422-115	1027-2-07	n-304324-06/73/74-21			8-1	6.4	-	5.2	72					4-1-7-2-7-4-4-1-2-1-4-5-2	-1																		0.38	
30-49	0422-115	1027-2-07	n-304324-06/73/74-21			8-1	6.4	-	5.2	72					4-1-7-2-7-4-4-1-2-1-4-5-2	-1																		0.26	
30-49	0422-115	1027-2-07	n-304324-06/73/74-21			8-1	6.4	-	5.2	72					4-1-7-2-7-4-4-1-2-1-4-5-2	-1																		0.43	
30-49	0422-115	1027-2-07	n-304324-06/73/74-21			8-1	6.4	-	5.2	72					4-1-7-2-7-4-4-1-2-1-4-5-2	-1																		0.41	
30-49	0422-115	1027-2-07	n-304324-06/73/74-21			8-1	6.4	-	5.2	72					4-1-7-2-7-4-4-1-2-1-4-5-2	-1																		0.18	
30-49	0422-115	1027-2-07	n-304324-06/73/74-21			8-1	6.4	-	5.2	72					4-1-7-2-7-4-4-1-2-1-4-5-2	-1																		0.10	
30-49	0422-115	1027-2-07	n-304324-06/73/74-21			8-1	6.4	-	5.2	72					4-1-7-2-7-4-4-1-2-1-4-5-2	-1																		0.10	
30-49	0422-115	1027-2-07	n-304324-06/73/74-21			8-1	6.4	-	5.2	72					4-1-7-2-7-4-4-1-2-1-4-5-2	-1																		0.10	
30-49	0422-115	1027-2-07	n-304324-06/73/74-21			8-1	6.4	-	5.2	72					4-1-7-2-7-4-4-1-2-1-4-5-2	-1																		0.10	
30-49	0422-115	1027-2-07	n-304324-06/73/74-21			8-1	6.4	-	5.2	72					4-1-7-2-7-4-4-1-2-1-4-5-2	-1																		0.10	
30-49	0422-115	1027-2-07	n-304324-06/73/74-21			8-1	6.4	-	5.2	72					4-1-7-2-7-4-4-1-2-1-4-5-2	-1																		0.32	
30-49	0422-115	1027-2-07	n-304324-06/73/74-21			8-1	6.4	-	5.2	72					4-1-7-2-7-4-4-1-2-1-4-5-2	-1																			

LASL Uranium Hydrogeochemical and Stream Sediment Reconnaissance Data Listing[illegible]

LASL Uranium Hydrogeochemical and Stream Sediment Reconnaissance Data Listing

ERDA SAMPLE NUMBER			LATITUDE	LONGITUDE	ERDA LAB	SAMPLE TYPE	REPLICATE	SAMPLE NUMBER	TIME SAMPLED		AIR TEMPERATURE	WATER TEMPERATURE	COMMENTS	SPECIAL MEASUREMENTS	PH	SPECIFIC CONDUCTANCE (umhos/cm)	SCINTILLOMETER (cpm)	MOCK TYPE	ROCK COLOR	SEDIMENT TYPE	SEDIMENT COLOR	WATER FLOW	WATER LEVEL	VEGETATION TYPE	RELIEF	WEATHER	OWNERSHIP	CONTAMINANTS	WELL TYPE	WELL DIAMETER (INCHES)	WELL DEPTH (FEET)	WATER DEPTH (FEET)	U CONCENTRATION																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
STATE	SECTION	DATE							HOUR	LAKE																							WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER	LAKE	WATER

LAKE URMUMU HYDROGEOCHEMICAL AND STREAM SEDIMENT RECONNAISSANCE DATA LISTING

ERDA SAMPLE NUMBER

LAST SAMPLE NUMBER AND FIELD DATA

U CONCENTRATIONS

STATE	LATITUDE	LONGITUDE	ERDA LAD	SAMPLE TYPE	REPLICATE	LAST SAMPLE NUMBER	TIME SAMPLED		AIR TEMPERATURE	WATER TEMPERATURE	COMMENTS	SPECIAL MEASUREMENTS	pH	SPECIFIC CONDUCTANCE (µmhos/cm)	SCINTILLOMETER (αD ppm)	ROCK TYPE	ROCK COLOR	SEDIMENT TYPE	SEDIMENT COLOR	WATER FLOW	WATER LEVEL	WATER COLOR	STREAM CHANNEL	VEGETATION TYPE	VEGETATION DENSITY	RELIEF	WEATHER	OWNERSHIP	CONTAMINANTS	WELL TYPE	WELL DIAMETER (INCHES)	WELL DEPTH (FEET)	WATER DEPTH (FEET)	SAMPLE TIME 1-10 AM	SAMPLE TIME 11-12 PM	SAMPLE TIME 1-10 PM	SAMPLE TIME 11-12 PM	SAMPLE TIME 1-10 PM	SAMPLE TIME 11-12 PM	SAMPLE TIME 1-10 PM	SAMPLE TIME 11-12 PM	SAMPLE TIME 1-10 PM	SAMPLE TIME 11-12 PM	SAMPLE TIME 1-10 PM	SAMPLE TIME 11-12 PM	SAMPLE TIME 1-10 PM	SAMPLE TIME 11-12 PM	SAMPLE TIME 1-10 PM	SAMPLE TIME 11-12 PM	SAMPLE TIME 1-10 PM	SAMPLE TIME 11-12 PM	SAMPLE TIME 1-10 PM	SAMPLE TIME 11-12 PM	SAMPLE TIME 1-10 PM	SAMPLE TIME 11-12 PM	SAMPLE TIME 1-10 PM	SAMPLE TIME 11-12 PM	SAMPLE TIME 1-10 PM	SAMPLE TIME 11-12 PM	SAMPLE TIME 1-10 PM	SAMPLE TIME 11-12 PM	SAMPLE TIME 1-10 PM	SAMPLE TIME 11-12 PM	SAMPLE TIME 1-10 PM	SAMPLE TIME 11-12 PM	SAMPLE TIME 1-10 PM	SAMPLE TIME 11-12 PM	SAMPLE TIME 1-10 PM	SAMPLE TIME 11-12 PM	SAMPLE TIME 1-10 PM	SAMPLE TIME 11-12 PM	SAMPLE TIME 1-10 PM	SAMPLE TIME 11-12 PM	SAMPLE TIME 1-10 PM	SAMPLE TIME 11-12 PM	SAMPLE TIME 1-10 PM	SAMPLE TIME 11-12 PM	SAMPLE TIME 1-10 PM	SAMPLE TIME 11-12 PM	SAMPLE TIME 1-10 PM	SAMPLE TIME 11-12 PM	SAMPLE TIME 1-10 PM	SAMPLE TIME 11-12 PM	SAMPLE TIME 1-10 PM	SAMPLE TIME 11-12 PM	SAMPLE TIME 1-10 PM	SAMPLE TIME 11-12 PM	SAMPLE TIME 1-10 PM	SAMPLE TIME 11-12 PM	SAMPLE TIME 1-10 PM	SAMPLE TIME 11-12 PM	SAMPLE TIME 1-10 PM	SAMPLE TIME 11-12 PM	SAMPLE TIME 1-10 PM	SAMPLE TIME 11-12 PM	SAMPLE TIME 1-10 PM	SAMPLE TIME 11-12 PM	SAMPLE TIME 1-10 PM	SAMPLE TIME 11-12 PM	SAMPLE TIME 1-10 PM	SAMPLE TIME 11-12 PM	SAMPLE TIME 1-10 PM	SAMPLE TIME 11-12 PM	SAMPLE TIME 1-10 PM	SAMPLE TIME 11-12 PM	SAMPLE TIME 1-10 PM	SAMPLE TIME 11-12 PM	SAMPLE TIME 1-10 PM	SAMPLE TIME 11-12 PM	SAMPLE TIME 1-10 PM	SAMPLE TIME 11-12 PM	SAMPLE TIME 1-10 PM	SAMPLE TIME 11-12 PM	SAMPLE TIME 1-10 PM	SAMPLE TIME 11-12 PM	SAMPLE TIME 1-10 PM	SAMPLE TIME 11-12 PM	SAMPLE TIME 1-10 PM	SAMPLE TIME 11-12 PM	SAMPLE TIME 1-10 PM	SAMPLE TIME 11-12 PM	SAMPLE TIME 1-10 PM	SAMPLE TIME 11-12 PM	SAMPLE TIME 1-10 PM	SAMPLE TIME 11-12 PM	SAMPLE TIME 1-10 PM	SAMPLE TIME 11-12 PM	SAMPLE TIME 1-10 PM	SAMPLE TIME 11-12 PM	SAMPLE TIME 1-10 PM	SAMPLE TIME 11-12 PM	SAMPLE TIME 1-10 PM	SAMPLE TIME 11-12 PM	SAMPLE TIME 1-10 PM	SAMPLE TIME 11-12 PM	SAMPLE TIME 1-10 PM	SAMPLE TIME 11-12 PM	SAMPLE TIME 1-10 PM	SAMPLE TIME 11-12 PM	SAMPLE TIME 1-10 PM	SAMPLE TIME 11-12 PM	SAMPLE TIME 1-10 PM	SAMPLE TIME 11-12 PM	SAMPLE TIME 1-10 PM	SAMPLE TIME 11-12 PM	SAMPLE TIME 1-10 PM	SAMPLE TIME 11-12 PM	SAMPLE TIME 1-10 PM	SAMPLE TIME 11-12 PM	SAMPLE TIME 1-10 PM	SAMPLE TIME 11-12 PM	SAMPLE TIME 1-10 PM	SAMPLE TIME 11-12 PM	SAMPLE TIME 1-10 PM	SAMPLE TIME 11-12 PM	SAMPLE TIME 1-10 PM	SAMPLE TIME 11-12 PM	SAMPLE TIME 1-10 PM	SAMPLE TIME 11-12 PM	SAMPLE TIME 1-10 PM	SAMPLE TIME 11-12 PM	SAMPLE TIME 1-10 PM	SAMPLE TIME 11-12 PM	SAMPLE TIME 1-10 PM	SAMPLE TIME 11-12 PM	SAMPLE TIME 1-10 PM	SAMPLE TIME 11-12 PM	SAMPLE TIME 1-10 PM	SAMPLE TIME 11-12 PM	SAMPLE TIME 1-10 PM	SAMPLE TIME 11-12 PM	SAMPLE TIME 1-10 PM	SAMPLE TIME 11-12 PM	SAMPLE TIME 1-10 PM	SAMPLE TIME 11-12 PM	SAMPLE TIME 1-10 PM	SAMPLE TIME 11-12 PM	SAMPLE TIME 1-10 PM	SAMPLE TIME 11-12 PM	SAMPLE TIME 1-10 PM	SAMPLE TIME 11-12 PM	SAMPLE TIME 1-10 PM	SAMPLE TIME 11-12 PM	SAMPLE TIME 1-10 PM	SAMPLE TIME 11-12 PM	SAMPLE TIME 1-10 PM	SAMPLE TIME 11-12 PM	SAMPLE TIME 1-10 PM	SAMPLE TIME 11-12 PM	SAMPLE TIME 1-10 PM	SAMPLE TIME 11-12 PM	SAMPLE TIME 1-10 PM	SAMPLE TIME 11-12 PM	SAMPLE TIME 1-10 PM	SAMPLE TIME 11-12 PM	SAMPLE TIME 1-10 PM	SAMPLE TIME 11-12 PM	SAMPLE TIME 1-10 PM	SAMPLE TIME 11-12 PM	SAMPLE TIME 1-10 PM	SAMPLE TIME 11-12 PM	SAMPLE TIME 1-10 PM	SAMPLE TIME 11-12 PM	SAMPLE TIME 1-10 PM	SAMPLE TIME 11-12 PM	SAMPLE TIME 1-10 PM	SAMPLE TIME 11-12 PM	SAMPLE TIME 1-10 PM	SAMPLE TIME 11-12 PM	SAMPLE TIME 1-10 PM	SAMPLE TIME 11-12 PM	SAMPLE TIME 1-10 PM	SAMPLE TIME 11-12 PM	SAMPLE TIME 1-10 PM	SAMPLE TIME 11-12 PM	SAMPLE TIME 1-10 PM	SAMPLE TIME 11-12 PM	SAMPLE TIME 1-10 PM	SAMPLE TIME 11-12 PM	SAMPLE TIME 1-10 PM	SAMPLE TIME 11-12 PM	SAMPLE TIME 1-10 PM	SAMPLE TIME 11-12 PM	SAMPLE TIME 1-10 PM	SAMPLE TIME 11-12 PM	SAMPLE TIME 1-10 PM	SAMPLE TIME 11-12 PM	SAMPLE TIME 1-10 PM	SAMPLE TIME 11-12 PM	SAMPLE TIME 1-10 PM	SAMPLE TIME 11-12 PM	SAMPLE TIME 1-10 PM	SAMPLE TIME 11-12 PM	SAMPLE TIME 1-10 PM	SAMPLE TIME 11-12 PM	SAMPLE TIME 1-10 PM	SAMPLE TIME 11-12 PM	SAMPLE TIME 1-10 PM	SAMPLE TIME 11-12 PM	SAMPLE TIME 1-10 PM	SAMPLE TIME 11-12 PM	SAMPLE TIME 1-10 PM	SAMPLE TIME 11-12 PM	SAMPLE TIME 1-10 PM	SAMPLE TIME 11-12 PM	SAMPLE TIME 1-10 PM	SAMPLE TIME 11-12 PM	SAMPLE TIME 1-10 PM	SAMPLE TIME 11-12 PM	SAMPLE TIME 1-10 PM	SAMPLE TIME 11-12 PM	SAMPLE TIME 1-10 PM	SAMPLE TIME 11-12 PM	SAMPLE TIME 1-10 PM	SAMPLE TIME 11-12 PM	SAMPLE TIME 1-10 PM	SAMPLE TIME 11-12 PM	SAMPLE TIME 1-10 PM	SAMPLE TIME 11-12 PM	SAMPLE TIME 1-10 PM	SAMPLE TIME 11-12 PM	SAMPLE TIME 1-10 PM	SAMPLE TIME 11-12 PM	SAMPLE TIME 1-10 PM	SAMPLE TIME 11-12 PM	SAMPLE TIME 1-10 PM	SAMPLE TIME 11-12 PM	SAMPLE TIME 1-10 PM	SAMPLE TIME 11-12 PM	SAMPLE TIME 1-10 PM	SAMPLE TIME 11-12 PM	SAMPLE TIME 1-10 PM	SAMPLE TIME 11-12 PM	SAMPLE TIME 1-10 PM	SAMPLE TIME 11-12 PM	SAMPLE TIME 1-10 PM	SAMPLE TIME 11-12 PM	SAMPLE TIME 1-10 PM	SAMPLE TIME 11-12 PM	SAMPLE TIME 1-10 PM	SAMPLE TIME 11-12 PM	SAMPLE TIME 1-10 PM	SAMPLE TIME 11-12 PM	SAMPLE TIME 1-10 PM	SAMPLE TIME 11-12 PM	SAMPLE TIME 1-10 PM	SAMPLE TIME 11-12 PM	SAMPLE TIME 1-10 PM	SAMPLE TIME 11-12 PM	SAMPLE TIME 1-10 PM	SAMPLE TIME 11-12 PM	SAMPLE TIME 1-10 PM	SAMPLE TIME 11-12 PM	SAMPLE TIME 1-10 PM	SAMPLE TIME 11-12 PM	SAMPLE TIME 1-10 PM	SAMPLE TIME 11-12 PM	SAMPLE TIME 1-10 PM	SAMPLE TIME 11-12 PM	SAMPLE TIME 1-10 PM	SAMPLE TIME 11-12 PM
-------	----------	-----------	----------	-------------	-----------	--------------------	--------------	--	-----------------	-------------------	----------	----------------------	----	---------------------------------	-------------------------	-----------	------------	---------------	----------------	------------	-------------	-------------	----------------	-----------------	--------------------	--------	---------	-----------	--------------	-----------	------------------------	-------------------	--------------------	---------------------	----------------------	---------------------	----------------------	---------------------	----------------------	---------------------	----------------------	---------------------	----------------------	---------------------	----------------------	---------------------	----------------------	---------------------	----------------------	---------------------	----------------------	---------------------	----------------------	---------------------	----------------------	---------------------	----------------------	---------------------	----------------------	---------------------	----------------------	---------------------	----------------------	---------------------	----------------------	---------------------	----------------------	---------------------	----------------------	---------------------	----------------------	---------------------	----------------------	---------------------	----------------------	---------------------	----------------------	---------------------	----------------------	---------------------	----------------------	---------------------	----------------------	---------------------	----------------------	---------------------	----------------------	---------------------	----------------------	---------------------	----------------------	---------------------	----------------------	---------------------	----------------------	---------------------	----------------------	---------------------	----------------------	---------------------	----------------------	---------------------	----------------------	---------------------	----------------------	---------------------	----------------------	---------------------	----------------------	---------------------	----------------------	---------------------	----------------------	---------------------	----------------------	---------------------	----------------------	---------------------	----------------------	---------------------	----------------------	---------------------	----------------------	---------------------	----------------------	---------------------	----------------------	---------------------	----------------------	---------------------	----------------------	---------------------	----------------------	---------------------	----------------------	---------------------	----------------------	---------------------	----------------------	---------------------	----------------------	---------------------	----------------------	---------------------	----------------------	---------------------	----------------------	---------------------	----------------------	---------------------	----------------------	---------------------	----------------------	---------------------	----------------------	---------------------	----------------------	---------------------	----------------------	---------------------	----------------------	---------------------	----------------------	---------------------	----------------------	---------------------	----------------------	---------------------	----------------------	---------------------	----------------------	---------------------	----------------------	---------------------	----------------------	---------------------	----------------------	---------------------	----------------------	---------------------	----------------------	---------------------	----------------------	---------------------	----------------------	---------------------	----------------------	---------------------	----------------------	---------------------	----------------------	---------------------	----------------------	---------------------	----------------------	---------------------	----------------------	---------------------	----------------------	---------------------	----------------------	---------------------	----------------------	---------------------	----------------------	---------------------	----------------------	---------------------	----------------------	---------------------	----------------------	---------------------	----------------------	---------------------	----------------------	---------------------	----------------------	---------------------	----------------------	---------------------	----------------------	---------------------	----------------------	---------------------	----------------------	---------------------	----------------------	---------------------	----------------------	---------------------	----------------------	---------------------	----------------------	---------------------	----------------------	---------------------	----------------------	---------------------	----------------------	---------------------	----------------------	---------------------	----------------------	---------------------	----------------------	---------------------	----------------------	---------------------	----------------------	---------------------	----------------------	---------------------	----------------------	---------------------	----------------------	---------------------	----------------------	---------------------	----------------------	---------------------	----------------------	---------------------	----------------------	---------------------	----------------------	---------------------	----------------------	---------------------	----------------------	---------------------	----------------------	---------------------	----------------------	---------------------	----------------------	---------------------	----------------------	---------------------	----------------------	---------------------	----------------------	---------------------	----------------------	---------------------	----------------------	---------------------	----------------------	---------------------	----------------------	---------------------	----------------------	---------------------	----------------------	---------------------	----------------------	---------------------	----------------------	---------------------	----------------------	---------------------	----------------------

LASt Uranium Hydrogeochemical and Stream Sediment Reconnaissance Data Listing[illegible]

[illegible]

LASL Uranium Hydrogeochemical and Stream Sediment Reconnaissance Data Listing

[illegible]

LASL Uranium Hydrogeochemical and Stream Sediment Reconnaissance Data Listing

STATE	GROSS SAMPLE NUMBER			LASL SAMPLE NUMBER	TIME SAMPLED		AIR TEMPERATURE	WATER TEMPERATURE	COMMENTS	PH	SPECIFIC CONDUCTANCE (umhos/cm)	SCINTILLOMETER (uDDM)	ROCK TYPE	ROCK COLOR	SEDIMENT TYPE	SEDIMENT COLOR	WATER FLOW	WATER LEVEL	STREAM CHANNEL	VEGETATION TYPE	RELIEF	WEATHER	CONTAMINANTS	WELL TYPE	WELL NAME	WELL DEPTH (FEET)	WATER DEPTH (FEET)	U CONCENTRATION	
	LATITUDE	LONGITUDE	ERDA LAD		DATE	HOUR																						SAMPLE TYPE 3	SAMPLE TYPE 5
30-AR	119-113.4291	-2-07		301446	25/74	15	5	4.2		5.0	14	15	1-1-6-4-6-6-6-1-2-1-5-4-5-1-1															0.10	
30-AR	119-113.5246	-2-01		301447	25/74	17	6	5.2		5.6	50	11	1-1-6-4-6-5-4-1-2-2-5-5-6-0-1															0.10	
30-AR	120-114.0111	-2-10		301445	24/74	12	22	18.2		8.0	501	6	1-1-7-4-6-2-3-1-1-1-1-4-1-1-3															0.10	
30-AR	141-114.2737	-2-07		301442	24/74	13	23	10.6	C	8.1	405	4	2-2-7-3-6-3-3-1-2-2-1-4-1-1-3															1.08	
30-AR	140-114.0101	-2-07		301443	24/74	13	22	9.4	C	8.2	200	7	4-4-5-6-2-3-1-2-2-1-4-1-1-1															0.22	
30-AR	139-114.0105	-2-07		301444	24/74	13	22	12.2	C	7.0	500	1	2-2-7-4-1-2-3-3-2-2-1-4-1-1-1															0.48	
30-AR	133-114.0077	-2-07		301445	24/74	14	22	9.4	C	8.2	399	4	4-4-6-3-3-1-2-2-1-4-1-1-1															0.44	
30-AR	140-114.4408	-2-07		301440	24/74	14	22	13.2		7.9	655	1	2-2-7-4-4-2-3-1-2-2-1-4-1-1-1															0.16	
30-AR	124-114.4566	-2-07		301447	24/74	15	22	11.6	C	8.0	510	2	2-2-7-4-6-3-3-1-2-2-1-4-1-1-1															0.10	
30-AR	123-114.4622	-2-04		301448	24/74	16	21	20.2	C	7.7	700	2	2-2-7-4-5-2-2-5-6-4-4-1-1-3															0.43	
30-AR	104-114.0147	-2-07		301449	24/74	16	18	7.4	C	8.0	200	10	2-2-6-2-6-3-3-1-2-1-1-4-2-1-1															0.34	
30-AR	107-114.0177	-2-07		301440	24/74	16	18	8.2	C	7.9	315	9	2-2-6-3-6-3-3-1-2-1-1-4-2-1-1															0.42	
30-AR	105-114.0177	-2-07		301441	26/74	10	18	6.3	C	7.3	42	1	2-2-6-2-6-3-3-1-2-1-1-4-2-1-1															0.11	
30-AR	103-114.0177	-2-07		301442	26/74	10	18	7.4	C	7.4	80	4	2-2-6-3-6-3-3-1-2-1-1-4-2-1-1															0.10	
30-AR	122-114.0738	-2-07		301443	26/74	10	18	9.2	C	8.1	220	15	2-2-7-1-6-3-3-1-2-1-1-4-2-1-1															0.48	
30-AR	134-114.0544	-2-07		301444	26/74	10	19	9.4		7.5	62	3	2-2-7-3-6-3-3-1-2-1-1-4-2-1-1															0.19	
30-AR	144-114.0313	-2-07		301445	26/74	11	19	7.9		8.1	200	0	2-2-7-3-6-3-3-1-2-1-1-4-2-1-1															0.26	
30-AR	115-114.0245	-2-07		301446	26/74	11	19	8.0		7.9	98	12	2-2-7-2-6-3-3-1-2-1-1-4-2-1-1															0.23	
30-AR	107-114.1133	-2-07		301447	26/74	11	19	9.3		7.5	264	13	2-2-7-3-6-3-3-1-2-1-1-4-2-1-1															0.21	
30-AR	103-114.0544	-2-07		301448	26/74	12	19	8.8		7.5	60	4	2-2-7-2-6-3-3-1-2-1-1-4-2-1-1															0.10	
30-AR	103-114.0545	-2-07		301449	26/74	12	18	7.6		8.0	275	9	2-2-7-1-6-3-3-1-2-1-1-4-2-1-1															0.48	
30-AR	105-114.1180	-2-07		301450	26/74	12	18	8.4	C	6.8	98	10	2-2-7-1-7-4-3-1-2-1-1-4-2-1-1															0.16	
30-AR	105-114.1361	-2-07		301451	26/74	12	16	9.2		6.2	89	4	2-2-7-1-7-4-3-1-2-1-1-4-2-1-1															0.10	
30-AR	102-114.1319	-2-07		301452	26/74	13	16	7.8		6.1	105	9	2-2-7-1-6-4-4-1-2-1-1-4-2-1-1															0.10	
30-AR	101-114.1368	-2-07		301453	26/74	14	18	9.2		6.0	31	9	2-2-7-3-6-3-3-1-2-1-1-4-2-1-1															0.10	
30-AR	101-114.0063	-2-07		301454	26/74	14	20	10.4	C	5.8	27	15	2-2-7-2-6-3-3-1-2-1-1-4-2-1-1															0.10	
30-AR	100-114.1361	-2-07		301455	26/74	14	20	9.2		5.8	32	12	2-2-7-3-6-3-3-1-2-1-1-4-2-1-1															0.17	
30-AR	107-114.6033	-2-07		301456	26/74	11	10	9.2		7.2	182	9	1-1-7-3-6-3-3-1-2-1-1-4-2-1-1															0.17	
30-AR	103-114.0747	-2-07		301457	26/74	11	11	9.4		7.2	275	7	1-1-7-3-6-2-4-1-1-1-4-4-3-6-3															0.23	
30-AR	102-114.0205	-2-07		301458	26/74	10	17	7.2	C	6.8	218	10	2-2-6-2-6-3-3-1-2-1-1-4-2-1-1															0.55	
30-AR	101-114.0244	-2-07		301459	26/74	10	17	5.4		6.4	130	4	2-2-7-3-6-2-3-1-2-1-1-4-2-1-1															0.18	
30-AR	100-114.0761	-2-07		301460	26/74	10	16	8.2	C	6.8	19	7	1-1-6-3-6-3-3-1-2-1-1-4-2-1-1															0.10	
30-AR	104-114.1041	-2-07		301461	26/74	11	16	7.8		5.7	25	9	1-1-6-2-6-3-3-1-2-1-1-4-2-1-1															0.10	
30-AR	104-114.1354	-2-07		301462	26/74	11	16	8.7		5.0	94	9	1-1-6-3-6-3-3-1-2-1-1-4-2-1-1															0.10	
30-AR	103-114.0234	-2-07		301463	26/74	11	16	9.4		5.7	18	10	1-1-6-3-6-2-4-1-1-1-4-4-3-3-3															0.10	
30-AR	103-114.0244	-2-07		301464	26/74	11	16	10.4		6.4	180	11	1-1-6-3-6-2-4-1-1-1-4-4-3-3-3															0.41	
30-AR	103-114.0388	-2-10		301465	26/74	12	16	11.4	C	6.0	115	3	3-1-6-4-6-3-4-2-2-1-1-4-4-3-3															0.10	
30-AR	103-114.0400	-2-07		301466	26/74	12	16	8.4		5.8	33	15	1-1-7-1-7-4-3-1-2-2-1-4-2-1-1															0.10	
30-AR	102-114.0452	-2-07		301467	26/74	11	16	10.4		5.8	49	4	1-1-7-2-6-3-3-1-2-1-1-4-2-1-1															0.10	
30-AR	111-114.0913	-2-07		301468	26/74	11	16	4.4		5.4	30	4	1-1-7-2-6-3-3-1-2-1-1-4-2-1-1															0.10	
30-AR	103-114.0934	-2-07		301469	26/74	11	15	7.8	C	5.7	40	4	1-1-7-2-6-4-3-1-2-1-1-4-2-1-1															0.10	
30-AR	103-114.1077	-2-07		301470	26/74	12	16	8.4		5.9	45	11	1-1-7-3-6-3-3-1-2-2-1-4-2-1-1															0.10	
30-AR	103-114.1130	-2-07		301471	26/74	12	16	7.6		6.0	60	4	1-1-7-3-6-3-3-1-2-2-1-4-2-1-1															0.10	
30-AR	103-114.2113	-2-07		301472	26/74	12	16	7.8		6.0	65	4	1-1-6-3-6-3-3-1-2-2-1-4-2-1-1															0.10	
30-AR	102-114.1354	-2-07		301473	26/74	12	16	7.4		6.1	69	3	2-1-7-3-6-1-1-1-2-2-1-4-2-1-1															0.24	
30-AR	102-114.2111	-2-07		301474	26/74	12	16	8.2		6.2	60	7	1-1-6-3-6-3-3-1-2-2-1-4-2-1-1															0.42	
30-AR	103-114.2913	-2-07		301475	26/74	12	16	8.8		6.4	69	15	1-1-7-1-7-3-1-1-2-2-1-4-2-1-1															0.10	
30-AR	103-114.2922	-2-07		301476	26/74	12	16	8.2		5.8	18	9	1-1-6-1-6-4-3-1-2-2-1-4-2-1-1															0.16	
30-AR	103-114.1722	-2-07		301477	26/74	13	15	7.0		5.8	10	10	1-1-7-1-7-4-3-1-2-2-1-4-2-1-1															0.10	
30-AR	101-114.1111	-2-07		301478	26/74	13	15	6.8		5.8	20	12	1-1-7-1-7-4-3-1-2-2-1-4-2-1-1															0.20	
30-AR	103-114.3101	-2-07		301479	26/74	16	16	9.8	C	5.7	19	18	1-1-7-1-7-4-3-1-2-2-1-4-2-1-1															0.10	

LAST Uranium Hydrogeochemical and Stream Sediment Reconnaissance Data Listing

ERDA SAMPLE NUMBER		LAST SAMPLE NUMBER AND FIELD DATA		U CONCENTRATION																														
STATE	LATITUDE	LONGITUDE	ERDA LAB	SAMPLE TYPE	REPLICATE	LAST SAMPLE NUMBER	DATE	HOUR	AIR TEMPERATURE	WATER TEMPERATURE	COMMENTS	SPECIAL MEASUREMENTS	pH	SPECIFIC CONDUCTANCE (umhos/cm)	SCINTILLOMETER (WU ppm)	ROCK TYPE	ROCK COLOR	SEDIMENT TYPE	SEDIMENT COLOR	WATER FLOW	WATER LEVEL	WATER COLOR	STREAM CHANNEL	VEGETATION TYPE	VEGETATION DENSITY	RELIEF	WEATHER	OWNERSHIP	CONTAMINANTS	WELL TYPE	WELL DIAMETER (INCHES)	WELL DEPTH (FEET)	WATER DEPTH (FEET)	U CONCENTRATION (PPM)
30-49	7601-11	1345-20	U-1			0-10300-06/24/74-10	15	9-4	5-6	15	12-1	7-1	0-4	-1	2-1	4-5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.10	
30-49	0111-11	1403-20	U-1			0-10300-06/20/74-17	14	7-0	5-6	12	1-1	7-1	0-4	-1	2-1	4-5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.10		
30-49	0335-11	1423-20	U-1			0-10300-06/22/74-12	14	12-9	5-6	25	1-1	7-1	0-4	-1	2-1	4-5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.10		
30-49	0552-11	1424-20	U-1			0-10300-06/22/74-12	13	14-2	5-6	19	1-1	7-1	0-4	-1	2-1	4-5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.10		
30-49	0650-11	1440-20	U-1			0-10300-06/22/74-18	9	5-2	5-6	27	1-1	7-1	0-4	-1	2-1	4-5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.10		
30-49	0820-11	1442-20	U-1			0-10300-06/22/74-20	9	7-2	5-6	30	1-1	7-1	0-4	-1	2-1	4-5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.10		
30-49	0851-11	1462-20	U-1			0-10300-06/23/74-20	10	4-4	5-6	29	1-1	7-1	0-4	-1	2-1	4-5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.10		
30-49	0851-11	1462-20	U-1			0-10300-06/23/74-10	8	4-4	5-6	29	1-1	7-1	0-4	-1	2-1	4-5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.10		
30-49	0851-11	1462-20	U-1			0-10300-06/23/74-10	7	3-4	5-6	15	1-1	7-1	0-4	-1	2-1	4-5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.10		
30-49	0851-11	1462-20	U-1			0-10300-06/23/74-10	9	7-0	5-6	15	1-1	7-1	0-4	-1	2-1	4-5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.10		
30-49	0851-11	1462-20	U-1			0-10300-06/23/74-10	11	5-2	5-6	35	1-1	7-1	0-4	-1	2-1	4-5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.10		
30-49	0851-11	1462-20	U-1			0-10300-06/23/74-10	7	8-0	5-6	20	1-1	7-1	0-4	-1	2-1	4-5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.10		
30-49	0851-11	1462-20	U-1			0-10300-06/23/74-10	4	8-2	5-6	30	1-1	7-1	0-4	-1	2-1	4-5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.10		
30-49	0851-11	1462-20	U-1			0-10300-06/23/74-10	4	8-2	5-6	21	1-1	7-1	0-4	-1	2-1	4-5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.10		
30-49	0851-11	1462-20	U-1			0-10300-06/23/74-10	12	4-4	5-6	19	1-1	7-1	0-4	-1	2-1	4-5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.10		
30-49	0851-11	1462-20	U-1			0-10300-06/23/74-10	5	4-5	5-6	46	1-1	7-1	0-4	-1	2-1	4-5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.10		
30-49	0851-11	1462-20	U-1			0-10300-06/23/74-10	7	4-4	5-6	23	1-1	7-1	0-4	-1	2-1	4-5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.10		
30-49	0851-11	1462-20	U-1			0-10300-06/23/74-10	15	7-0	5-6	21	1-1	7-1	0-4	-1	2-1	4-5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.10		
30-49	0851-11	1462-20	U-1			0-10300-06/23/74-10	15	8-0	5-6	20	1-1	7-1	0-4	-1	2-1	4-5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.10		
30-49	0851-11	1462-20	U-1			0-10300-06/23/74-10	15	8-0	5-6	18	1-1	7-1	0-4	-1	2-1	4-5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.10		
30-49	0851-11	1462-20	U-1			0-10300-06/23/74-10	15	8-0	5-6	20	1-1	7-1	0-4	-1	2-1	4-5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.10		
30-49	0851-11	1462-20	U-1			0-10300-06/23/74-10	15	8-0	5-6	20	1-1	7-1	0-4	-1	2-1	4-5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.10		
30-49	0851-11	1462-20	U-1			0-10300-06/23/74-10	15	8-0	5-6	20	1-1	7-1	0-4	-1	2-1	4-5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.10		
30-49	0851-11	1462-20	U-1			0-10300-06/23/74-10	15	8-0	5-6	20	1-1	7-1	0-4	-1	2-1	4-5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.10		
30-49	0851-11	1462-20	U-1			0-10300-06/23/74-10	15	8-0	5-6	20	1-1	7-1	0-4	-1	2-1	4-5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.10		
30-49	0851-11	1462-20	U-1			0-10300-06/23/74-10	15	8-0	5-6	20	1-1	7-1	0-4	-1	2-1	4-5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.10		
30-49	0851-11	1462-20	U-1			0-10300-06/23/74-10	15	8-0	5-6	20	1-1	7-1	0-4	-1	2-1	4-5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.10		
30-49	0851-11	1462-20	U-1			0-10300-06/23/74-10	15	8-0	5-6	20	1-1	7-1	0-4	-1	2-1	4-5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.10		
30-49	0851-11	1462-20	U-1			0-10300-06/23/74-10	15	8-0	5-6	20	1-1	7-1	0-4	-1	2-1	4-5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.10		
30-49	0851-11	1462-20	U-1			0-10300-06/23/74-10	15	8-0	5-6	20	1-1	7-1	0-4	-1	2-1	4-5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.10		
30-49	0851-11	1462-20	U-1			0-10300-06/23/74-10	15	8-0	5-6	20	1-1	7-1	0-4	-1	2-1	4-5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.10		
30-49	0851-11	1462-20	U-1			0-10300-06/23/74-10	15	8-0	5-6	20	1-1	7-1	0-4	-1	2-1	4-5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.10		
30-49	0851-11	1462-20	U-1			0-10300-06/23/74-10	15	8-0	5-6	20	1-1	7-1	0-4	-1	2-1	4-5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.10		
30-49	0851-11	1462-20	U-1			0-10300-06/23/74-10	15	8-0	5-6	20	1-1	7-1	0-4	-1	2-1	4-5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.10		
30-49	0851-11	1462-20	U-1			0-10300-06/23/74-10	15	8-0	5-6	20	1-1	7-1	0-4	-1	2-1	4-5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.10		
30-49	0851-11	1462-20	U-1			0-10300-06/23/74-10	15	8-0	5-6	20	1-1	7-1	0-4	-1	2-1	4-5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.10		
30-49	0851-11	1462-20	U-1			0-10300-06/23/74-10	15	8-0	5-6	20	1-1	7-1	0-4	-1	2-1	4-5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.10		
30-49	0851-11	1462-20	U-1			0-10300-06/23/74-10	15	8-0	5-6	20	1-1	7-1	0-4	-1	2-1	4-5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.10		
30-49	0851-11	1462-20	U-1			0-10300-06/23/74-10	15	8-0	5-6	20	1-1	7-1	0-4	-1	2-1	4-5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.10		
30-49	0851-11	1462-20	U-1			0-10300-06/23/74-10	15	8-0	5-6	20	1-1	7-1	0-4	-1	2-1	4-5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.10		
30-49	0851-11	1462-20	U-1			0-10300-06/23/74-10	15	8-0	5-6	20	1-1	7-1	0-4	-1	2-1	4-5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.10		
30-49	0851-11	1462-20	U-1			0-10300-06/23/74-10	15	8-0	5-6	20	1-1	7-1	0-4	-1	2-1	4-5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.10		
30-49	0851-11	1462-20	U-1			0-10300-06/23/74-10	15	8-0	5-6	20	1-1	7-1	0-4	-1	2-1	4-5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.10		
30-49	0851-11	1462-20	U-1			0-10300-06/23/74-10	15	8-0	5-6	20	1-1	7-1	0-4	-1	2-1	4-5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.10		
30-49	0851-11	1462-20	U-1			0-10300-06/23/74-10	15	8-0	5-6	20	1-1	7-1	0-4	-1	2-1	4-5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.10		
30-49	0851-11	1462-20	U-1			0-10300-06/23/74-10	15	8-0	5-6	20	1-1	7-1	0-4	-1	2-1	4-5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.10		
30-49	0851-11	1462-20	U-1			0-10300-06/23/74-10	15	8-0	5-6	20	1-1	7-1	0-4	-1	2-1	4-5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.10		
30-49	0851-11	1462-20	U-1			0-10300-06/23/74-10	15	8-0	5-6	20	1-1	7-1	0-4	-1	2-1	4-5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.10		
30-49	0851-11	1462-20	U-1			0-10300-06/23/74-10	15	8-0	5-6	20	1-1	7-1	0-4	-1	2-1	4-5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.10		
30-49	0851-11	1462-20	U-1																															

APPENDIX C-II

WATER SAMPLES ANALYZED BY DELAYED-NEUTRON COUNTING

(PAGE C-36)

LASL Uranium Hydrogeochemical and Stream Sediment Reconnaissance Data Listing

[illegible]

APPENDIX D

LISTINGS OF FIELD DATA AND URANIUM CONCENTRATIONS

FOR

SEDIMENT SAMPLES

SIEVED TO -100 MESH

FROM

LINCOLN AND FLATHEAD COUNTIES,

NORTHWEST MONTANA

SAMPLES ANALYZED BY DELAYED-NEUTRON COUNTING

(PAGES D-2 THROUGH D-35)

(See Appendix E for codes to listings)

LASL Uranium Hydrogeochemical and Stream Sediment Reconnaissance Data Listing

[illegible]

LASL Uranium Hydrogeochemical and Stream Sediment Reconnaissance Data Listing

[illegible]

LASL Uranium Hydrogeochemical and Stream Sediment Reconnaissance Data Listing

[illegible]

LAST Uranium Hydrogeological and Stream Sediment Reconnaissance Data Listing

[illegible]

LASL Uranium Hydrogeochemical and Stream Sediment Reconnaissance Data Listing

ERDA SAMPLE NUMBER			LAST SAMPLE NUMBER AND FIELD DATA										U CONCENTRATION																																																																																																																																																																																																																																																																																																																																																																																									
STATE	LATITUDE	LONGITUDE	ERDA LAB	SAMPLE TYPE	REPLICATE	LAST SAMPLE NUMBER	TIME SAMPLED		AIR TEMPERATURE	WATER TEMPERATURE	COMMENTS	SPECIAL MEASUREMENTS	PH	SPECIFIC CONDUCTANCE (umhos/cm)	SCINTILLOMETER (cpm)	ROCK TYPE	ROCK COLOR	SEDIMENT TYPE	SEDIMENT COLOR	WATER FLOW	WATER LEVEL	WATER COLOR	VEGETATION TYPE	VEGETATION DENSITY	RELIEF	WEATHER	OWNERSHIP	CONTAMINANTS	WELL TYPE	WELL DEPTH (INCHES)	WELL DEPTH (FEET)	WATER DEPTH (FEET)	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	SAMPLE TYPES	

LASL Uranium Hydrogeochemical and Stream Sediment Reconnaissance Data Listing

STATE	LATITUDE	LONGITUDE	ERDA LAB	SAMPLE TYPE	REPLICATE	LASL SAMPLE NUMBER	TIME SAMPLED		AIR TEMPERATURE	WATER TEMPERATURE	COMMENTS	SPECIAL MEASUREMENTS	PH	SPECIFIC CONDUCTANCE (umhos/cm)	SCINTILLATION (cpm)	ROCK TYPE	SEDIMENT COLOR	WATER FLOW	WATER LEVEL	WATER COLOR	STREAM CHANNEL	VEGETATION TYPE	VEGETATION DENSITY	RELIEF	WEATHER	OWNERSHIP	CONTAMINANTS	WELL TYPE	WELL DEPTH (INCHES)	WELL DEPTH (FEET)	WATER DEPTH (FEET)	U CONCENTRATION			
							DATE	HOUR																								SAMPLE TYPE	SAMPLE TYPE		
LASL SAMPLE NUMBER	LATITUDE	LONGITUDE	ERDA LAB	SAMPLE TYPE	REPLICATE	LASL SAMPLE NUMBER	DATE	HOUR	AIR TEMPERATURE	WATER TEMPERATURE	COMMENTS	SPECIAL MEASUREMENTS	PH	SPECIFIC CONDUCTANCE (umhos/cm)	SCINTILLATION (cpm)	ROCK TYPE	SEDIMENT COLOR	WATER FLOW	WATER LEVEL	WATER COLOR	STREAM CHANNEL	VEGETATION TYPE	VEGETATION DENSITY	RELIEF	WEATHER	OWNERSHIP	CONTAMINANTS	WELL TYPE	WELL DEPTH (INCHES)	WELL DEPTH (FEET)	WATER DEPTH (FEET)	SAMPLE TYPE	SAMPLE TYPE		
30-48, 1891-114, 0097-2-12						0-303328-05/19/74-14	15	7.5					6.8	248	101-1-4-7-6-4-3-2-1-4-3-2-1	10-1-1-5-3-7-4-4-1-2-1-4-3-2-1																2.70	2.70		
30-48, 2177-114, 0088-2-12						0-303330-05/19/74-21	16	7.0					6.8	240	101-1-5-3-7-4-4-1-2-1-4-3-2-1	10-1-1-5-3-7-4-4-1-2-1-4-3-2-1																3.10	3.10		
30-48, 2208-114, 0088-2-12						0-303331-05/19/74-21	13	7.0					6.8	240	101-1-7-3-7-4-4-1-2-1-4-3-2-1	10-1-1-7-3-7-4-4-1-2-1-4-3-2-1																3.30	3.30		
30-48, 2413-114, 0095-2-12						0-303332-05/19/74-22	12	6.0					6.8	200	101-1-7-3-7-4-4-1-2-1-4-3-2-1	10-1-1-7-3-7-4-4-1-2-1-4-3-2-1																3.30	3.30		
30-48, 2446-114, 0095-2-12						0-303333-05/19/74-22	11	6.5					6.8	210	101-1-7-3-7-4-4-1-2-1-4-3-2-1	10-1-1-7-3-7-4-4-1-2-1-4-3-2-1																3.30	3.30		
30-48, 2477-114, 0095-2-12						0-303334-05/19/74-23	15	6.5					6.5	500	101-1-5-3-7-4-4-1-2-1-4-3-2-1	10-1-1-5-3-7-4-4-1-2-1-4-3-2-1																2.50	2.50		
30-48, 1350-114, 0094-2-13						0-303335-05/20/74-11	9	14.1					7.2	242	101-1-7-3-7-4-4-1-2-1-4-3-2-1	10-1-1-7-3-7-4-4-1-2-1-4-3-2-1																6.20	6.20		
30-48, 1222-114, 0091-2-13						0-303336-05/20/74-11	11																											6.20	6.20
30-48, 0630-114, 0076-2-13						0-303337-05/20/74-12	9	11.2					6.8	375	101-1-7-3-7-4-4-1-2-1-4-3-2-1	10-1-1-7-3-7-4-4-1-2-1-4-3-2-1																15.10	15.10		
30-48, 0272-114, 0067-2-13						0-303338-05/20/74-12	9	6.0					6.8	260	101-1-7-3-7-4-4-1-2-1-4-3-2-1	10-1-1-7-3-7-4-4-1-2-1-4-3-2-1																11.50	11.50		
30-48, 0464-114, 0066-2-13						0-303340-05/20/74-14	9	11.9					6.8	22	101-1-7-3-7-4-4-1-2-1-4-3-2-1	10-1-1-7-3-7-4-4-1-2-1-4-3-2-1																1.40	1.40		
30-48, 0130-114, 0075-2-12						0-303341-05/20/74-14	8	8.6					6.8	410	101-1-7-3-7-4-4-1-2-1-4-3-2-1	10-1-1-7-3-7-4-4-1-2-1-4-3-2-1																4.10	4.10		
30-48, 1080-114, 0075-2-12						0-303342-05/20/74-14	9	11.1					8.1	500	101-1-7-3-7-4-4-1-2-1-4-3-2-1	10-1-1-7-3-7-4-4-1-2-1-4-3-2-1																2.60	2.60		
30-48, 0793-114, 0075-2-12						0-303343-05/20/74-15	11																											2.00	2.00
30-48, 0805-114, 0075-2-15						0-303344-05/20/74-15	18																											2.30	2.30
30-48, 0508-114, 0068-2-13						0-303345-05/20/74-15	18																											2.50	2.50
30-48, 0347-114, 0067-2-13						0-303346-05/20/74-17	8	9.1					6.0	70	101-1-7-3-7-4-4-1-2-1-4-3-2-1	10-1-1-7-3-7-4-4-1-2-1-4-3-2-1																2.40	2.40		
30-48, 0136-114, 0066-2-13						0-303347-05/20/74-17	8																											2.30	2.30
30-48, 0136-114, 0066-2-13						0-303348-05/20/74-18	10	8.5					6.4	127	101-1-7-3-7-4-4-1-2-1-4-3-2-1	10-1-1-7-3-7-4-4-1-2-1-4-3-2-1																3.40	3.40		
30-48, 0158-114, 0066-2-13						0-303349-05/20/74-18	11	7.1					7.2	905	101-1-7-3-7-4-4-1-2-1-4-3-2-1	10-1-1-7-3-7-4-4-1-2-1-4-3-2-1																2.10	2.10		
30-48, 0136-114, 0061-2-13						0-303350-05/20/74-18	11	7.3					7.2	420	101-1-7-3-7-4-4-1-2-1-4-3-2-1	10-1-1-7-3-7-4-4-1-2-1-4-3-2-1																2.30	2.30		
30-48, 0058-114, 0061-2-13						0-303351-05/20/74-18	11	5.0					6.5	1100	101-1-7-3-7-4-4-1-2-1-4-3-2-1	10-1-1-7-3-7-4-4-1-2-1-4-3-2-1																2.90	2.90		
30-48, 0008-114, 0052-2-13						0-303352-05/20/74-19	7	6.0					6.0	40	101-1-7-3-7-4-4-1-2-1-4-3-2-1	10-1-1-7-3-7-4-4-1-2-1-4-3-2-1																8.90	8.90		
30-48, 1338-114, 0045-2-13						0-303353-05/20/74-20	13	12.1					7.4	490	101-1-7-3-7-4-4-1-2-1-4-3-2-1	10-1-1-7-3-7-4-4-1-2-1-4-3-2-1																2.90	2.90		
30-48, 1319-114, 0046-2-13						0-303354-05/20/74-20	10	14.5					6.8	600	101-1-7-3-7-4-4-1-2-1-4-3-2-1	10-1-1-7-3-7-4-4-1-2-1-4-3-2-1																2.70	2.70		
30-48, 0722-114, 0031-2-13						0-303355-05/20/74-21	8	5.0					6.3	400	101-1-7-3-7-4-4-1-2-1-4-3-2-1	10-1-1-7-3-7-4-4-1-2-1-4-3-2-1																1.90	1.90		
30-48, 0905-114, 0031-2-13						0-303356-05/20/74-22	4	5.0					6.9	420	101-1-7-3-7-4-4-1-2-1-4-3-2-1	10-1-1-7-3-7-4-4-1-2-1-4-3-2-1																2.20	2.20		
30-48, 0905-114, 0031-2-13						0-303357-05/20/74-22	6	5.0					7.1	415	101-1-7-3-7-4-4-1-2-1-4-3-2-1	10-1-1-7-3-7-4-4-1-2-1-4-3-2-1																2.40	2.40		
30-48, 1061-114, 0025-2-13						0-303358-05/20/74-22	4	5.0					7.0	465	101-1-7-3-7-4-4-1-2-1-4-3-2-1	10-1-1-7-3-7-4-4-1-2-1-4-3-2-1																2.80	2.80		
30-48, 1305-114, 0012-2-13						0-303359-05/20/74-23	4																											1.60	1.60
30-48, 1402-114, 0005-2-13						0-303360-05/21/74-10	11	9.8					6.8	470	101-1-7-3-7-4-4-1-2-1-4-3-2-1	10-1-1-7-3-7-4-4-1-2-1-4-3-2-1																3.40	3.40		
30-48, 1703-114, 0034-2-13						0-303361-05/21/74-10	16	11.5					6.8	500	101-1-7-3-7-4-4-1-2-1-4-3-2-1	10-1-1-7-3-7-4-4-1-2-1-4-3-2-1																10.00	10.00		
30-48, 2083-114, 0034-2-13						0-303362-05/21/74-11	25	11.6					6.7	240	101-1-7-3-7-4-4-1-2-1-4-3-2-1	10-1-1-7-3-7-4-4-1-2-1-4-3-2-1																2.90	2.90		
30-48, 2272-114, 0031-2-13						0-303363-05/21/74-11	23	12.0					6.9	425	101-1-7-3-7-4-4-1-2-1-4-3-2-1	10-1-1-7-3-7-4-4-1-2-1-4-3-2-1																2.30	2.30		
30-48, 2477-114, 0011-2-13						0-303364-05/21/74-11	20	11.0					6.8	382	101-1-7-3-7-4-4-1-2-1-4-3-2-1	10-1-1-7-3-7-4-4-1-2-1-4-3-2-1																1.60	1.60		
30-48, 2238-114, 0011-2-13						0-303365-05/21/74-11	23	13.2					7.2	620	101-1-7-3-7-4-4-1-2-1-4-3-2-1	10-1-1-7-3-7-4-4-1-2-1-4-3-2-1																3.00	3.00		
30-48, 2446-114, 0005-2-13						0-303366-05/21/74-11	22	9.0					6.8	450	101-1-7-3-7-4-4-1-2-1-4-3-2-1	10-1-1-7-3-7-4-4-1-2-1-4-3-2-1																2.10	2.10		
30-48, 2405-114, 0005-2-13						0-303367-05/21/74-11	12	8.0					6.8	490	101-1-7-3-7-4-4-1-2-1-4-3-2-1	10-1-1-7-3-7-4-4-1-2-1-4-3-2-1																4.30	4.30		
30-48, 2255-114, 0007-2-13						0-303368-05/21/74-11	23	15.1					6.0	105	101-1-7-3-7-4-4-1-2-1-4-3-2-1	10-1-1-7-3-7-4-4-1-2-1-4-3-2-1																2.60	2.60		
30-48, 2272-114, 0005-2-13						0-303369-05/21/74-12	13																												

LASL Uranium Hydrogeochemical and Stream Sediment Reconnaissance Data Listing

STATE	LATITUDE	LONGITUDE	ERDA LAB	SAMPLE TYPE	REPLICATE	LAST SAMPLE NUMBER	TIME SAMPLED		AIR TEMPERATURE	WATER TEMPERATURE	COMMENTS	SPECIAL MEASUREMENTS	PH	SPECIFIC CONDUCTANCE (umhos/cm)	SCINTILLOMETER (cpm)	ROCK TYPE	ROCK COLOR	SEDIMENT TYPE	SEDIMENT COLOR	WATER FLOW	WATER LEVEL	WATER COLOR	STREAM CHANNEL	VEGETATION TYPE	VEGETATION DENSITY	RELIEF	WEATHER	OWNERSHIP	CONTAMINANTS	WELL TYPE	WELL DIAMETER (INCHES)	WELL DEPTH (FEET)	WATER DEPTH (FEET)	U CONCENTRATION			
							DATE	HOUR	SAMPLE TYPE																									SAMPLE TYPE			
																																		1:10	1:10		
30-48	1205-114.4680-2-12					0-301181	05/21/74	17	21	12			6.8	240		4-1-1-5-6-2-3-2	1-2	3-2-1	3														2.40	2.40			
30-48	1061-114.4375-2-15					0-301182	05/21/74	23	11		-C					4-1-1-7-6	1	2-3-1	8														4.90	4.90			
30-48	1030-114.4083-2-12					0-301183	05/21/74	26	11	6.5		6.1	565			7-1-1-5-7-3-3	1-2	4-1	8														1.40	1.40			
30-48	1061-114.3977-2-11					0-301184	05/21/74	28	11	7.0		6.6	525			9-1-1-5-7-2-2	1-1	2-5-1	8														2.40	2.40			
30-48	1100-114.4346-2-12					0-301185	05/21/74	23	11	9.0		6.8	650			7-1-1-5-6-3-3	1-2	2-2-1	3														2.40	2.40			
30-48	1325-114.4327-2-99					0-301186	05/21/74	26	11		-C					12-1-1-7-6	1	2-2-1	3														2.40	2.40			
30-48	1297-114.4394-2-13					0-301187	05/21/74	26	16	14.5		6.5	650			2-1-1-4-8-5	1-5	6-1-1	8														24.70	24.70			
30-48	1416-114.4233-2-14					0-301188	05/21/74	25	16	13.5		6.9	750			19-1-1-4-6-4	2-1	2-3-2	3														2.30	2.30			
30-48	0836-114.4563-2-12					0-301189	05/24/74	10	14	14.3		7.1	490			5-1-1-7-5-6	4-3	1-4-3-2	3														7.00	7.00			
30-48	0713-114.4133-2-12					0-301190	05/24/74	11	14							0-1-1-5-8	1	3-4-3-2	3														2.40	2.40			
30-48	0722-114.4150-2-15					0-301191	05/24/74	11	14							16-1-1-5-6-2	2-1	1-3-3-2	3														2.40	2.40			
30-48	0772-114.3913-2-11					0-301192	05/24/74	11	10	7.2		6.4	112			12-1-1-4-6-4	2-1	2-3-2	8														3.70	3.70			
30-48	0577-114.4250-2-12					0-301193	05/24/74	12	12	7.5		5.9	530			13-1-1-7-5-6	4-1	1-2-4-2	3														10.40	10.40			
30-48	0558-114.4264-2-12					0-301194	05/24/74	12	12	7.1		6.2	110			12-1-1-4-6-4	2-1	1-2-4-2	3															4.90	4.90		
30-48	0502-114.3944-2-12					0-301195	05/24/74	13	14	9.1		6.0	30			12-1-1-4-6-4	2-1	1-2-4-2	3															15.70	15.70		
30-48	0311-114.4127-2-12					0-301196	05/24/74	13	14	7.5		6.0	20			19-1-1-7-6	4-4	1-1-4-2	3															13.40	13.40		
30-48	0141-114.4041-2-12					0-301197	05/24/74	13	14	10.5		6.0	45			7-1-1-5-6-4	5-1	1-2-2-2	3															6.10	6.10		
30-48	0011-114.4627-2-12					0-301198	05/24/74	13	14	10.5		6.3	60			18-1-1-7-4-6	4-3	1-2-2-2	3															5.50	5.50		
30-48	0300-114.4600-2-12					0-301199	05/24/74	13	14	10.2		5.2	140			9-2-1-2-7	4-4	2-1-1-3-1	1															2.80	2.80		
30-48	0811-114.4933-2-12					0-301200	05/24/74	15	14	14.1		5.2	114			5-1-1-7-5-6	4-3	1-2-2-2	3															4.10	4.10		
30-48	0025-113.7033-2-12					0-301201	05/22/74	12	10	5.2		5.9	114			10-2-1-7-4-4	2-1	1-5-2	1															3.40	3.40		
30-48	0488-113.6422-2-12					0-301202	05/22/74	13	16	6.2		5.7	17			5-1-1-7-4-4	2-1	1-5-2	1																4.90	4.90	
30-48	0261-113.7086-2-12					0-301203	05/22/74	13	16	5.3		5.8	142			7-2-1-2-7	4-4	2-1-1-3-1	1																3.90	3.90	
30-48	0225-113.7469-2-12					0-301204	05/22/74	13	17	5.2		6.2	38			10-2-1-7-4-4	2-1	1-5-2	1																5.00	5.00	
30-48	0169-113.7647-2-12					0-301205	05/22/74	13	17	5.2		6.2	38			15-2-1-7-4-4	2-1	1-5-2	1																4.90	4.90	
30-48	0155-113.7519-2-12					0-301206	05/22/74	13	17	5.2		6.2	38			10-2-1-7-4-4	2-1	1-5-2	1																3.10	3.10	
30-48	0077-113.8005-2-12					0-301207	05/22/74	13	12	4.9	-C					15-2-1-7-4-4	2-1	1-5-2	1																4.90	4.90	
30-48	0097-113.8030-2-12					0-301208	05/22/74	13	12	5.4		6.1	70			15-2-1-7-4-4	2-1	1-5-2	1																4.90	4.90	
30-48	0127-113.8136-2-12					0-301209	05/22/74	13	9	3.1		5.6	23			5-2-1-7-4-4	2-1	1-5-2	1																5.00	5.00	
30-48	0227-113.8259-2-12					0-301210	05/22/74	13	8	6.2		5.9	69			8-2-1-7-4-4	2-1	1-5-2	1																5.20	5.20	
30-48	0225-113.8261-2-12					0-301211	05/22/74	13	10	5.2		5.9	69			8-2-1-7-4-4	2-1	1-5-2	1																3.60	3.60	
30-48	0350-113.8450-2-12					0-301212	05/22/74	13	8	4.6		5.7	91			8-2-1-7-4-4	2-1	1-5-2	1																4.90	4.90	
30-48	2458-113.7847-2-12					0-301213	05/24/74	10	6	4.5		6.1	109			12-2-1-7-4-4	2-1	1-5-2	1																3.90	3.90	
30-48	2138-113.7625-2-12					0-301214	05/24/74	10	7	4.4		6.4	103			10-2-1-7-4-4	2-1	1-5-2	1																3.50	3.50	
30-48	2000-113.7469-2-12					0-301215	05/24/74	11	8	5.1		6.1	95			10-2-1-7-4-4	2-1	1-5-2	1																2.70	2.70	
30-48	2272-114.3284-2-12					0-301216	05/25/74	9	8	10.5		6.9	450			4-6-5-6-2-3	1-2	3-2	1																	2.70	2.70
30-48	4330-114.3284-2-11					0-301217	05/25/74	9	9	9.5		7.2	500			6-4-5-6-2-3	1-2	3-2	1																2.40	2.40	
30-48	4758-114.3468-2-12					0-301218	05/25/74	10	5	5.2		6.6	85			9-2-1-2-5-6-3	1-2	1-5-2	1																3.40	3.40	
30-48	4736-114.3313-2-12					0-301219	05/25/74	11	5	3.5		6.0	85			9-2-1-2-5-6-3	1-2	1-5-2	1																3.40	3.40	
30-48	4744-114.3322-2-12					0-301220	05/25/74	11	6	4.0		6.3	85			10-4-5-6-2-3	1-1	1-5-2	1																17.10	17.10	
30-48	4619-114.3272-2-13					0-301221	05/25/74	11	6	5.2		6.9	110			10-4-5-6-2-3	1-1	1-5-2	1																5.90	5.90	
30-48	4616-114.3713-2-11					0-301222	05/25/74	12	5	3.5		6.2	110			8-4-2-5-6-4	2-1	1-5-2	1																4.70	4.70	
30-48	4600-114.2933-2-12					0-301223	05/25/74	12	5	3.5		6.9	130			9-4-4-6-3-4	1-2	1-5-2	1																4.60	4.60	
30-48	4525-114.2750-2-12					0-301224	05/25/74	13	7	6.5		6.9	220			9-4-4-6-3-4	1-2	1-5-2	1																3.10	3.10	
30-48	4416-114.2822-2-12					0-301225	05/25/74	13	7	4.8		6.6	120			5-4-4-6-3-4	1-2	1-5-2	1																3.00	3.00	
30-48	4136-114.2712-2-12					0-301226	05/25/74	13	7	8.3		7.2	275			10-4-5-6-2-3</																					

LA SL Uranium Hydrogeochemical and Stream Sediment Reconnaissance Data Listing

ERDA SAMPLE NUMBER				LAST SAMPLE NUMBER AND FIELD DATA				U CONCENTRATION																																																																																																																																																																																																																								
STATE	LATITUDE	LONGITUDE	ERDA LAB	SAMPLE TYPE	REPLICATE	TIME SAMPLED		AIR TEMPERATURE	WATER TEMPERATURE	COMMENTS	SPECIAL MEASUREMENTS	PH	SPECIFIC CONDUCTANCE (µmhos/cm)	SCINTILLATION (cpm)	ROCK TYPE	SEDIMENT TYPE	SEDIMENT COLOR	WATER FLOW	WATER LEVEL	WATER COLOR	VEGETATION TYPE	VEGETATION DENSITY	RELIEF	WEATHER	OWNERSHIP	CONTAMINANTS	WELL DIAMETER (INCHES)	WELL DEPTH (FEET)	WATER DEPTH (FEET)	SAMPLE TYPE	1-10 mg WATER	11-20 mg WATER	21-30 mg WATER	31-40 mg WATER	41-50 mg WATER	51-60 mg WATER	61-70 mg WATER	71-80 mg WATER	81-90 mg WATER	91-100 mg WATER	101-110 mg WATER	111-120 mg WATER	121-130 mg WATER	131-140 mg WATER	141-150 mg WATER	151-160 mg WATER	161-170 mg WATER	171-180 mg WATER	181-190 mg WATER	191-200 mg WATER	201-210 mg WATER	211-220 mg WATER	221-230 mg WATER	231-240 mg WATER	241-250 mg WATER	251-260 mg WATER	261-270 mg WATER	271-280 mg WATER	281-290 mg WATER	291-300 mg WATER	301-310 mg WATER	311-320 mg WATER	321-330 mg WATER	331-340 mg WATER	341-350 mg WATER	351-360 mg WATER	361-370 mg WATER	371-380 mg WATER	381-390 mg WATER	391-400 mg WATER	401-410 mg WATER	411-420 mg WATER	421-430 mg WATER	431-440 mg WATER	441-450 mg WATER	451-460 mg WATER	461-470 mg WATER	471-480 mg WATER	481-490 mg WATER	491-500 mg WATER	501-510 mg WATER	511-520 mg WATER	521-530 mg WATER	531-540 mg WATER	541-550 mg WATER	551-560 mg WATER	561-570 mg WATER	571-580 mg WATER	581-590 mg WATER	591-600 mg WATER	601-610 mg WATER	611-620 mg WATER	621-630 mg WATER	631-640 mg WATER	641-650 mg WATER	651-660 mg WATER	661-670 mg WATER	671-680 mg WATER	681-690 mg WATER	691-700 mg WATER	701-710 mg WATER	711-720 mg WATER	721-730 mg WATER	731-740 mg WATER	741-750 mg WATER	751-760 mg WATER	761-770 mg WATER	771-780 mg WATER	781-790 mg WATER	791-800 mg WATER	801-810 mg WATER	811-820 mg WATER	821-830 mg WATER	831-840 mg WATER	841-850 mg WATER	851-860 mg WATER	861-870 mg WATER	871-880 mg WATER	881-890 mg WATER	891-900 mg WATER	901-910 mg WATER	911-920 mg WATER	921-930 mg WATER	931-940 mg WATER	941-950 mg WATER	951-960 mg WATER	961-970 mg WATER	971-980 mg WATER	981-990 mg WATER	991-1000 mg WATER	1001-1010 mg WATER	1011-1020 mg WATER	1021-1030 mg WATER	1031-1040 mg WATER	1041-1050 mg WATER	1051-1060 mg WATER	1061-1070 mg WATER	1071-1080 mg WATER	1081-1090 mg WATER	1091-1100 mg WATER	1101-1110 mg WATER	1111-1120 mg WATER	1121-1130 mg WATER	1131-1140 mg WATER	1141-1150 mg WATER	1151-1160 mg WATER	1161-1170 mg WATER	1171-1180 mg WATER	1181-1190 mg WATER	1191-1200 mg WATER	1201-1210 mg WATER	1211-1220 mg WATER	1221-1230 mg WATER	1231-1240 mg WATER	1241-1250 mg WATER	1251-1260 mg WATER	1261-1270 mg WATER	1271-1280 mg WATER	1281-1290 mg WATER	1291-1300 mg WATER	1301-1310 mg WATER	1311-1320 mg WATER	1321-1330 mg WATER	1331-1340 mg WATER	1341-1350 mg WATER	1351-1360 mg WATER	1361-1370 mg WATER	1371-1380 mg WATER	1381-1390 mg WATER	1391-1400 mg WATER	1401-1410 mg WATER	1411-1420 mg WATER	1421-1430 mg WATER	1431-1440 mg WATER	1441-1450 mg WATER	1451-1460 mg WATER	1461-1470 mg WATER	1471-1480 mg WATER	1481-1490 mg WATER	1491-1500 mg WATER	1501-1510 mg WATER	1511-1520 mg WATER	1521-1530 mg WATER	1531-1540 mg WATER	1541-1550 mg WATER	1551-1560 mg WATER	1561-1570 mg WATER	1571-1580 mg WATER	1581-1590 mg WATER	1591-1600 mg WATER	1601-1610 mg WATER	1611-1620 mg WATER	1621-1630 mg WATER	1631-1640 mg WATER	1641-1650 mg WATER	1651-1660 mg WATER	1661-1670 mg WATER	1671-1680 mg WATER	1681-1690 mg WATER	1691-1700 mg WATER	1701-1710 mg WATER	1711-1720 mg WATER	1721-1730 mg WATER	1731-1740 mg WATER	1741-1750 mg WATER	1751-1760 mg WATER	1761-1770 mg WATER	1771-1780 mg WATER	1781-1790 mg WATER	1791-1800 mg WATER	1801-1810 mg WATER	1811-1820 mg WATER	1821-1830 mg WATER	1831-1840 mg WATER	1841-1850 mg WATER	1851-1860 mg WATER	1861-1870 mg WATER	1871-1880 mg WATER	1881-1890 mg WATER	1891-1900 mg WATER	1901-1910 mg WATER	1911-1920 mg WATER	1921-1930 mg WATER	1931-19

LAASL Uranium Hydrogeochemical and Stream Sediment Reconnaissance Data Listing

[illegible]

LASL Uranium Hydrogeochemical and Stream Sediment Reconnaissance Data Listing

ERDA SAMPLE NUMBER					LASL SAMPLE NUMBER AND FIELD DATA																						U CONCENTRATION							
STATE	LATITUDE	LONGITUDE	ERDA LAB	SAMPLE TYPE	REPLICATE	LASL SAMPLE NUMBER	TIME SAMPLED		AIR TEMPERATURE	WATER TEMPERATURE	COMMENTS	SPECIFIC CONDUCTANCE (µmhos/cm)	PH	SCINTILLOMETER (µCi/gm)	ROCK TYPE	ROCK COLOR	SEDIMENT TYPE	SEDIMENT COLOR	WATER FLOW	WATER LEVEL	WATER COLOR	STREAM CHANNEL	VEGETATION TYPE	VEGETATION DENSITY	RELIEF	WEATHER	OWNERSHIP	CONTAMINANTS	WELL TYPE	WELL DIAMETER (INCHES)	WELL DEPTH (FEET)	WATER DEPTH (FEET)	SAMPLE TYPE 1. 10 ggs WATER in ggs	SAMPLE TYPE 11. 20 ggs SEDIMENT in ggs
							DATE	HOUR																										
30-4A	8969-114	800H-2-12				0-303534-05/28/74-14	9	3.9	6.4	179	4-1-7-1-7-6-4-2-2-1-3-4-2-1	3.50																						
30-4A	8961-114	79H3-2-12				0-303537-05/28/74-15	9	5.1	6.1	97	7-1-7-2-7-3-4-2-2-1-3-4-2-1	4.00																						
30-4A	8986-114	8006-2-12				0-303538-05/28/74-14	10	4.8	6.2	99	10-1-7-2-7-3-4-2-2-1-3-4-2-1	4.40																						
30-4A	8647-114	8094-2-12				0-303539-05/28/74-15	11	5.1	6.5	238	8-1-7-2-7-6-4-2-2-1-3-4-2-1	3.00																						
30-4A	8266-114	8602-2-12				0-303540-05/28/74-16	8	5.1	6.4	137	8-1-7-3-7-6-4-3-2-1-3-4-2-1	3.10																						
30-4A	8207-114	8216-2-12				0-303541-05/28/74-17	11	5.1	6.4	267	5-1-7-3-7-6-4-1-2-1-3-4-2-1	2.70																						
30-4A	8300-114	8405-2-12				0-303542-05/28/74-17	11	4.8	6.4	177	10-1-7-2-7-6-4-1-2-1-3-4-2-1	2.60																						
30-4A	8386-114	8361-2-12				0-303543-05/28/74-17	9	4.6	6.4	181	4-1-7-2-7-6-4-1-2-1-3-4-2-1	2.20																						
30-4A	8594-114	8205-2-12				0-303544-05/28/74-18	10	4.9	6.3	185	5-1-7-1-7-6-4-1-2-1-3-4-2-1	2.70																						
30-4A	7638-114	8652-2-12				0-303545-05/28/74-19	8	5.1	6.4	140	11-1-1-5-6-4-5-3-2-1-2-3-2-1	3.50																						
30-4A	7644-114	8691-2-12				0-303546-05/28/74-19	9	6.3	6.5	145	8-1-1-4-6-4-5-3-2-1-2-3-2-1	3.40																						
30-4A	7886-114	8311-2-12				0-303547-05/28/74-19	6	4.8	6.3	121	8-1-7-2-7-6-4-1-2-1-3-4-2-1	3.60																						
30-4A	7930-114	7891-2-12				0-303548-05/28/74-20	7	4.9	6.4	152	17-1-7-2-7-6-4-1-2-1-3-4-2-1	3.30																						
30-4A	7888-114	7847-2-12				0-303549-05/28/74-20	6	3.8	5.9	104	15-1-7-2-7-6-4-1-2-1-3-4-2-1	4.40																						
30-4A	7877-114	7600-2-12				0-303550-05/28/74-20	5	4.6	6.1	75	15-1-7-2-7-6-4-1-2-1-3-4-2-1	5.40																						
30-4A	7661-114	8333-2-12				0-303551-05/29/74-17	17	8.6	6.9	259	10-1-7-3-7-3-3-1-2-1-3-4-2-1	3.00																						
30-4A	8475-114	9808-2-12				0-303552-05/29/74-10	16	6.3	6.4	350	8-1-7-5-6-2-3-1-2-4-3-3-3	2.50																						
30-4A	8355-114	9677-2-12				0-303553-05/29/74-10	15	6.1	6.9	290	7-1-7-5-6-3-4-2-1-3-3-3-3	2.90																						
30-4A	8347-114	9664-2-12				0-303554-05/29/74-11	16	6.1	6.8	288	4-1-7-5-6-3-4-2-1-3-3-3-3	2.50																						
30-4A	8466-114	9377-2-12				0-303555-05/29/74-11	16	14.1	6.9	430	8-1-7-4-6-2-3-1-2-4-3-3-3	2.70																						
30-4A	8488-114	9088-2-12				0-303557-05/29/74-12	8	6.8	6.4	250	10-1-7-4-6-3-4-1-2-1-3-3-3-3	3.10																						
30-4A	8466-114	8597-2-12				0-303558-05/29/74-13	20	8.8	6.4	415	12-1-7-4-6-2-2-1-2-1-4-4-3-3	3.10																						
30-4A	8505-114	8983-2-12				0-303559-05/29/74-13	12	6.3	6.9	432	10-1-7-4-6-3-3-1-2-2-4-3-3-3	2.90																						
30-4A	8100-114	8986-2-12				0-303560-05/29/74-14	14	4.9	6.4	145	12-1-7-2-7-3-4-1-2-2-3-3-3-3	3.00																						
30-4A	7977-114	9516-2-12				0-303561-05/29/74-14	14	5.4	6.4	150	12-1-7-2-6-6-4-1-2-2-4-3-3-1	3.30																						
30-4A	7977-114	9527-2-12				0-303562-05/29/74-14	12	8.3	6.4	215	17-1-7-2-6-6-4-1-2-2-4-3-3-1	2.30																						
30-4A	7904-114	9994-2-12				0-303563-05/29/74-15	16	9.8	6.4	550	5-1-7-5-6-2-3-1-2-1-4-3-2-1	1.70																						
30-4A	7541-114	9777-2-12				0-303564-05/29/74-15	19	11.2	7.1	465	7-1-7-2-7-3-3-1-2-1-3-3-2-1	2.00																						
30-4A	7761-114	9344-2-12				0-303565-05/29/74-16	19	12.0	6.9	472	11-1-7-5-6-3-3-1-2-1-3-3-2-1	2.10																						
30-4A	7536-114	8933-2-12				0-303566-05/29/74-16	18	14.2	6.5	232	11-1-7-3-7-3-3-1-2-4-3-3-2-3	2.70																						
30-4A	7538-114	8944-2-12				0-303567-05/29/74-16	17	12.4	6.7	222	11-1-7-3-7-3-3-1-2-4-3-3-2-3	2.50																						
30-4A	7786-114	8961-2-12				0-303568-05/29/74-17	16	14.0	6.8	223	8-1-7-3-7-3-3-1-2-4-3-3-2-3	2.50																						
30-4A	8103-114	9436-2-12				0-303569-05/29/74-17	18	11.2	6.8	378	10-1-7-5-6-2-3-1-2-1-4-3-2-1	2.40																						
30-4A	8354-114	9352-2-12				0-303570-05/29/74-18	18	8.7	6.9	261	4-1-7-4-6-3-4-1-2-1-3-4-2-1	3.20																						
30-4A	7583-114	6638-2-12				0-303571-05/31/74-11	9	3.9	6.5	132	12-2-7-2-7-4-4-2-2-4-3-4-4	4.30																						
30-4A	7764-114	7055-2-12				0-303572-05/31/74-12	4	3.7	6.1	95	11-2-7-2-7-4-6-2-2-1-4-4-4-1	5.20																						
30-4A	7408-114	7302-2-12				0-303573-05/31/74-13	10	4.0	6.1	85	14-2-7-2-7-4-6-2-2-1-4-4-4-1	6.30																						
30-4A	7530-114	7508-2-12				0-303574-05/31/74-14	9	4.0	5.8	30	10-2-7-3-7-4-4-1-2-1-3-4-3-1	4.20																						
30-4A	7522-114	7511-2-12				0-303575-05/31/74-18	9	3.8	6.3	159	7-2-7-3-7-4-4-1-2-1-3-4-3-1	3.00																						
30-4A	8008-114	9569-2-12				0-303576-05/31/74-18	10	5.8	6.1	184	8-1-7-2-7-6-4-1-2-1-3-4-3-1	3.20																						
30-4A	8997-114	9547-2-12				0-303577-05/31/74-18	10	5.9	6.3	184	12-1-7-2-7-6-4-1-2-1-3-4-3-1	3.20																						
30-4A	8875-114	9352-2-12				0-303578-05/31/74-18	9	15.8	6.4	415	11-1-7-3-7-6-4-1-2-1-3-4-3-1	2.80																						
30-4A	8758-114	9005-2-12				0-303579-05/31/74-19	10	4.9	6.3	226	10-1-7-3-7-6-4-1-2-1-4-4-3-1	3.20																						
30-4A	8761-114	9016-2-12				0-303580-05/31/74-19	10	5.2	6.5	250	7-1-7-3-6-6-4-1-2-4-4-4-3-1	3.30																						
30-4A	8805-114	9075-2-12				0-303581-05/31/74-19	9	5.2	6.2	265	12-1-7-3-6-3-4-2-1-4-4-3-1	3.10																						
30-4A	8252-114	0016-2-12				0-303582-06/02/74-11	14	17.7	8.4	1260	7-2-7-5-6-3-3-1-2-1-4-4-3-1	5.10																						
30-4A	8197-114	0100-2-12				0-303583-06/02/74-12	14	18.1	8.1	1880	7-2-7-5-6-2-2-2-2-1-3-4-3-1	2.30																						
30-4A	8344-114	0552-2-13				0-303584-06/02/74-13	16	16.7	8.0	495	5-2-7-4-6-1-3-2-1-3-3-3-3	2.00																						
30-4A	7575-114	0158-2-15				0-303585-06/02/74-14	16				8-1-7-3-6-1-1-2-1-3-5-3-1	2.10																						
30-4A	7561-114	0775-2-12				0-303587-06/02/74-15	15	7.3	6.3	70	8-3-7-4-6-3-3-2-2-1-3-4-3-1	3.50																						
30-4A	8147-114	1197-2-12				0-303588-06/02/74-15	14	8.5	6.9	550	7-3-7-4-7-2-2-3-1-2-1-3-4-3-1	1.20																						

LAST: Uranium Hydrogeochemical and Stream Sediment Reconnaissance Data Listing

ERDA SAMPLE NUMBER										LAST SAMPLE NUMBER AND FIELD DATA										U CONCENTRATION														
STATE	LATITUDE	LONGITUDE	ERDA LAB	SAMPLE TYPE	REPLICATE	LASL SAMPLE NUMBER	TIME SAMPLED		AIR TEMPERATURE	WATER TEMPERATURE	COMMENTS	SPECIAL MEASUREMENTS	pH	SPECIFIC CONDUCTANCE (µmhos/cm)	SCINTILLOMETER (µu ppm)	ROCK TYPE	ROCK COLOR	SEDIMENT TYPE	SEDIMENT COLOR	WATER FLOW	WATER LEVEL	WATER COLOR	STREAM CHANNEL	VEGETATION TYPE	VEGETATION DENSITY	RELIEF	WEATHER	OWNERSHIP	WELL TYPE	WELL DIAMETER (INCHES)	WELL DEPTH (FEET)	WATER DEPTH (FEET)	U CONCENTRATION	
30-68	17-55-15	124-4-2-12			0-303589-06/52/77-15	15	8.4	9	5.9	79	11-3-7-2-7-3-3-2-1-1-4-4-3	-3		3.20																				
30-68	17-27-15	0216-2-14			0-303590-06/52/77-15	15	7.2	9	31.50	11-1-7-6-7-1-3-3-2-1-1-4-4-3	-3		3.40																					
30-68	16-33-15	0111-2-12			0-303591-06/52/77-16	14	6.9	9	8.4	10-3-7-6-6-2-2-2-1-1-4-4-3	-3		2.50																					
30-68	18-11-15	0072-2-12			0-303592-06/52/77-17	15	7.4	9	218	10-1-7-3-6-3-3-1-2-1-1-4-4-3	-3		2.90																					
30-68	18-61-15	0111-2-12			0-303593-06/52/77-18	14	7.4	9	405	10-1-7-3-6-3-3-1-2-1-1-4-4-3	-3		2.70																					
30-68	18-59-15	0055-2-12			0-303594-06/52/77-19	17	8.4	7	278	10-1-7-3-7-3-3-1-2-1-1-4-4-3	-3		2.80																					
30-68	18-61-15	1155-2-12			0-303595-06/52/77-19	17	8.4	7	188	10-1-7-3-7-3-3-1-2-1-1-4-4-3	-3		3.00																					
30-68	18-67-15	0083-2-12			0-303596-06/52/77-19	15	9.1	9	222	11-1-7-3-7-4-4-4-2-2-2-2-2	-3		2.80																					
30-68	18-67-15	0083-2-12			0-303597-06/52/77-19	15	9.1	9	488	10-1-7-3-7-4-4-4-2-2-2-2-2	-3		2.80																					
30-68	19-66-15	0033-2-11			0-303598-06/52/77-19	15	9.1	9	232	10-1-7-3-7-4-4-4-2-2-2-2-2	-3		2.30																					
30-68	19-67-15	0083-2-12			0-303599-06/52/77-19	15	13.7	9	333	10-1-7-3-7-4-4-4-2-2-2-2-2	-3		2.50																					
30-68	19-72-15	0083-2-12			0-303600-06/52/77-19	15	11.0	9	294	10-1-7-3-7-4-4-4-2-2-2-2-2	-3		2.40																					
30-68	19-11-15	0350-7-12			0-303601-06/52/77-19	15	11.0	9	45	10-1-7-3-7-4-4-4-2-2-2-2-2	-3		4.20																					
30-68	17-66-15	1338-2-12			0-303602-06/52/77-19	10	4.8	9	102																									

LASL Uranium Hydrogeochemical and Stream Sediment Reconnaissance Data Listing

[illegible]

LASL Uranium Hydrogeochemical and Stream Sediment Reconnaissance Data Listing

STATE	LATITUDE	LONGITUDE	ERDA SAMPLE NUMBER			LASL SAMPLE NUMBER	TIME SAMPLED		AIR TEMPERATURE	WATER TEMPERATURE	COMMENTS	SPECIFIC CONDUCTANCE (umhos/cm)	PH	LASL SAMPLE NUMBER AND FIELD DATA														U CONCENTRATION	
			ERDA LAB	SAMPLE TYPE	REPLICATE		DATE	HOUR																				SAMPLE TYPES 10 g/g WATER IN CUB	SAMPLE TYPES 20 g/g SEDIMENT IN g/g
30-4A	1072-115.5548	-7-12-	0-301494-0A/03/74-17-	9	5.0	5.5	11-	3-2-7-2-6-4-3-1-2-1-6-5-3-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	4.00
30-4A	1388-115.5355	-7-12-	0-301495-0A/03/74-17-	9	4.7	5.4	11-	12-2-7-1-6-4-3-1-2-1-6-5-3-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	3.80
30-4A	1388-115.5336	-7-12-	0-301496-0A/03/74-17-	10	7.7	5.4	21-	12-2-7-2-6-4-3-1-2-1-6-5-3-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	4.00
30-4A	1494-115.5275	-7-12-	0-301497-0A/03/74-18-	10	4.9	5.8	17-	9-2-7-2-6-3-3-1-2-2-3-5-3-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	4.80
30-4A	1502-115.5211	-2-12-	0-301498-0A/03/74-18-	11	6.1	5.2	20-	9-2-7-2-6-4-3-1-2-2-3-5-2-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	3.90
30-4A	4255-115.4113	-7-12-	0-301499-0A/08/74-11-	17	11.2	7.6	373-	15-2-6-1-6-3-3-1-2-2-4-5-2-	2-	2-	2-	2-	2-	2-	2-	2-	2-	2-	2-	2-	2-	2-	2-	2-	2-	2-	2-	2-	2.20
30-4A	4416-115.4250	-7-12-	0-301700-0A/08/74-11-	17	11.8	7.8	325-	9-2-7-3-6-3-3-1-2-1-3-5-2-	2-	2-	2-	2-	2-	2-	2-	2-	2-	2-	2-	2-	2-	2-	2-	2-	2-	2-	2-	2-	3.20
30-4A	3852-114.6994	-7-12-	0-301701-05/27/74-16-	17	7.5	6.1	180-	14-1-1-6-1-3-3-1-2-1-3-3-2-	3-	3-	3-	3-	3-	3-	3-	3-	3-	3-	3-	3-	3-	3-	3-	3-	3-	3-	3-	3-	4.90
30-4A	3722-114.6816	-7-12-	0-301702-05/27/74-16-	17	9.2	5.0	110-	10-1-1-6-6-4-4-1-3-3-3-2-2-	3-	3-	3-	3-	3-	3-	3-	3-	3-	3-	3-	3-	3-	3-	3-	3-	3-	3-	3-	3-	5.20
30-4A	3558-114.7094	-7-15-	0-301703-05/27/74-17-	14				12-1-1-5-6-6-1-2-1-3-6-2-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	6.50
30-4A	3519-114.6947	-7-12-	0-301704-05/27/74-18-	16	8.0	6.1	220-	14-1-1-6-8-4-4-1-2-1-2-6-4-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	3.30
30-4A	3516-114.7233	-2-11-	0-301705-05/27/74-19-	13	9.0	5.0	120-	18-1-1-3-6-2-3-1-2-1-3-3-4-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	4.10
30-4A	3244-114.7427	-7-12-	0-301706-05/27/74-19-	17	5.2	6.3	190-	18-1-1-3-6-4-4-1-2-1-6-4-4-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	4.10
30-4A	3894-114.6219	-2-12-	0-301707-05/27/74-20-	14	8.0	6.3	280-	17-1-1-3-6-3-3-1-2-1-3-3-2-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	2.40
30-4A	3969-114.6516	-7-12-	0-301708-05/27/74-20-	14	8.0	6.3	300-	15-1-1-6-6-3-3-1-2-1-6-3-2-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	2.30
30-4A	3969-114.6525	-7-12-	0-301709-05/27/74-21-	13	10.0	5.0	416-	7-1-1-6-6-2-3-2-3-1-4-2-2-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	3.50
30-4A	3602-114.6561	-2-12-	0-301710-05/27/74-21-	13	6.2	6.5	320-	9-1-1-3-6-4-3-1-2-1-6-3-2-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	2.70
30-4A	3591-114.6244	-2-12-	0-301711-05/27/74-21-	13	8.2	6.3	330-	18-1-1-6-8-4-3-1-2-1-6-3-6-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	2.70
30-4A	4819-114.5338	-7-12-	0-301712-05/28/74-13-	13	9.1	6.1	180-	12-1-1-3-5-6-6-1-2-1-6-3-2-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	2.80
30-4A	4466-114.6283	-7-12-	0-301713-05/28/74-15-	12	10.5	5.0	135-	15-1-1-3-6-4-4-1-3-1-4-2-2-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	2.80
30-4A	4369-114.6338	-7-12-	0-301714-05/28/74-15-	13	11.8	6.0	80-	17-1-1-3-6-3-3-1-2-1-6-3-2-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	5.70
30-4A	3266-114.6408	-7-12-	0-301715-05/28/74-16-	9	8.0	6.1	210-	17-1-1-3-6-4-3-1-2-1-6-3-2-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	3.50
30-4A	2922-114.6508	-7-12-	0-301716-05/28/74-16-	9	5.0	6.4	175-	15-1-1-3-6-4-3-1-2-1-7-6-2-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	3.40
30-4A	3272-114.6555	-2-12-	0-301717-05/28/74-17-	8	4.8	6.1	180-	4-1-1-3-6-6-3-1-2-1-6-4-2-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	3.70
30-4A	3027-114.6408	-7-12-	0-301718-05/28/74-17-	7	8.1	6.3	355-	12-1-1-5-6-4-3-1-2-1-6-3-2-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	2.00
30-4A	0033-115.1686	-7-12-	0-301719-05/31/74-11-	9	12.0	6.5	185-	4-1-1-3-6-3-3-1-2-1-3-3-2-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	4.80
30-4A	0241-115.1919	-2-12-	0-301720-05/31/74-11-	10	7.8	6.3	170-	9-1-1-3-6-2-3-1-2-1-3-3-2-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	4.10
30-4A	0247-115.1914	-2-12-	0-301721-05/31/74-11-	8	7.3	6.2	110-	7-1-1-3-6-3-3-1-2-1-3-3-2-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	3.70
30-4A	0052-115.2230	-2-12-	0-301722-05/31/74-12-	9	9.2	6.4	160-	18-1-1-3-6-1-2-1-3-1-3-2-4-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	4.90
30-4A	0188-115.2447	-7-12-	0-301723-05/31/74-10-	12	11.5	6.4	170-	23-1-1-3-1-3-3-5-2-1-6-3-2-	3-	3-	3-	3-	3-	3-	3-	3-	3-	3-	3-	3-	3-	3-	3-	3-	3-	3-	3-	3-	3.70
30-4A	0425-115.2113	-7-12-	0-301724-05/31/74-13-	10	8.8	6.4	192-	18-1-1-7-1-3-3-1-2-1-3-2-2-	3-	3-	3-	3-	3-	3-	3-	3-	3-	3-	3-	3-	3-	3-	3-	3-	3-	3-	3-	3-	3.70
30-4A	0647-115.2094	-7-12-	0-301725-05/31/74-13-	14	9.5	6.3	155-	18-1-1-6-6-2-3-1-3-1-3-2-2-	3-	3-	3-	3-	3-	3-	3-	3-	3-	3-	3-	3-	3-	3-	3-	3-	3-	3-	3-	3-	3.80
30-4A	0794-115.2408	-7-11-	0-301726-05/31/74-14-	12	8.5	6.3	189-	12-1-1-3-6-2-3-1-2-3-2-6-2-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	4.20
30-4A	0875-115.2150	-7-12-	0-301727-05/31/74-15-	12	13.8	6.2	185-	12-1-1-6-8-1-2-1-3-1-3-2-2-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	4.50
30-4A	1063-115.1802	-7-12-	0-301728-05/31/74-15-	10	6.9	6.3	110-	14-1-1-6-6-3-3-1-2-1-3-2-2-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	12.70
30-4A	1094-115.1561	-2-12-	0-301729-05/31/74-16-	7	7.0	6.0	40-	12-1-1-6-6-3-3-1-2-3-4-6-2-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	5.40
30-4A	1013-115.1280	-2-12-	0-301730-05/31/74-16-	11	12.8	6.5	410-	12-1-1-3-6-3-4-1-2-1-3-3-2-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	2.90
30-4A	1205-115.1277	-7-12-	0-301731-05/31/74-16-	10	7.2	6.2	31-	21-1-1-3-6-4-3-1-2-1-3-3-2-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	5.80
30-4A	1155-115.0986	-2-12-	0-301732-05/31/74-17-	9	5.8	6.3	220-	7-1-1-3-6-4-4-1-2-1-3-4-1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	2.60
30-4A	0541-115.0763	-2-12-	0-301733-05/31/74-18-	10	14.2	6.4	480-	9-1-1-6-6-3-4-1-2-1-3-2-4-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	2.30
30-4A	0427-115.0822	-7-12-	0-301734-05/31/74-18-	10	9.9	6.2	340-	10-1-1-3-7-3-4-1-2-1-3-2-3-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	3.10
30-4A	0325-115.0977	-7-12-	0-301735-05/31/74-18-	9	14.0	6.2	235-	14-1-1-6-6-2-4-1-3-1-3-2-3-	0-	0-	0-	0-	0-	0-	0-	0-	0-	0-	0-	0-	0-	0-	0-	0-	0-	0-	0-	0-	3.40
30-4A	0358-115.0022	-7-12-	0-301736-05/31/74-18-	8	8.5	6.2	91-	18-1-1-6-6-3-4-1-2-1-3-2-3-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	3.90
30-4A	0497-115.0111	-2-12-	0-301737-05/31/74-19-	8	8.0	5.8	80-	15-1-1-3-6-3-3-1-2-1-3-3-4-	0-	0-	0-	0-	0-	0-	0-	0-	0-	0-	0-	0-	0-	0-	0-	0-	0-	0-	0-	0-	3.60
30-4A	0597-115.0208	-7-12-	0-301738-05/31/74-19-	7	6.1	5.9	40-	17-1-1-3-6-4-3-1-2-1-4-3-3-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	1-	9.30
30-4A	0188-114.7883	-2-12-	0-301739-0A/03/74-13-																										

LASL Uranium Hydrogeochemical and Stream Sediment Reconnaissance Data Listing

[illegible]

LAST Uranium Hydrogeochemical and Stream Sediment Reconnaissance Data Listing

ERDA SAMPLE NUMBER										LAST SAMPLE NUMBER AND FIELD DATA										U CONCENTRATION													
STATE	LATITUDE	LONGITUDE	ERDA LAB	SAMPLE TYPE	REPLICATE	LAST SAMPLE NUMBER	TIME SAMPLED		AIR TEMPERATURE	WATER TEMPERATURE	COMMENTS	SPECIAL MEASUREMENTS	PH	SPECIFIC CONDUCTANCE (umhos/cm)	SCINTILLOMETER (cpm)	ROCK TYPE	GROK COLOR	SEDIMENT TYPE	SEDIMENT COLOR	WATER FLOW	WATER LEVEL	WATER COLOR	STEAM CHANNEL	VEGETATION DENSITY	RELIEF	WEATHER	OWNERSHIP	CONTAMINANTS	WELL DIAMETER (INCHES)	WELL DEPTH (FEET)	WATER DEPTH (FEET)	SAMPLE TYPE	CONCENTRATION
							DATE	HOUR																									
30-48	5116-114.6255-12			-12		0-30400	05/25/74	10	8	9.2	-	-	6.4	300	-	0-4	-5-6-2-5-2-1-2-5-2-2	-8	-	-	-	-	-	-	-	-	-	-	-	-	-	2.70	
30-48	5030-114.6300-2-12			-12		0-30406	05/25/74	10	9	6.2	-	-	6.4	240	-	0-4	-5-6-4-1-1-2-4-2-2	-8	-	-	-	-	-	-	-	-	-	-	-	-	-	2.10	
30-48	5208-114.6797-2-12			-12		0-30406	05/25/74	10	7	6.2	-	-	6.4	250	-	0-4	-5-6-4-1-1-2-4-2-2	-8	-	-	-	-	-	-	-	-	-	-	-	-	-	2.90	
30-48	5133-114.7315-2-12			-12		0-30406	05/25/74	11	8	5.1	-	-	6.4	255	-	0-3	-3-6-4-1-1-2-4-2-2	-8	-	-	-	-	-	-	-	-	-	-	-	-	-	3.70	
30-48	5305-114.7491-12			-12		0-30406	05/25/74	11	7	5.1	-	-	6.4	255	-	0-3	-3-6-4-1-1-2-4-2-2	-8	-	-	-	-	-	-	-	-	-	-	-	-	-	3.70	
30-48	5597-114.6951-2-12			-12		0-30408	05/25/74	11	9	6.2	-	-	6.4	250	-	0-3	-3-6-4-1-1-2-4-2-2	-8	-	-	-	-	-	-	-	-	-	-	-	-	-	2.90	
30-48	5735-114.6951-2-15			-15		0-30408	05/25/74	11	9	6.2	-	-	6.4	250	-	0-3	-3-6-4-1-1-2-4-2-2	-8	-	-	-	-	-	-	-	-	-	-	-	-	-	2.90	
30-48	5753-114.6702-2-12			-12		0-30410	05/25/74	12	14	8.1	-	-	6.4	310	-	0-3	-3-6-4-1-1-2-4-2-2	-8	-	-	-	-	-	-	-	-	-	-	-	-	-	2.20	
30-48	5538-114.6558-2-12			-12		0-30410	05/25/74	12	14	8.1	-	-	6.4	260	-	0-3	-3-6-4-1-1-2-4-2-2	-8	-	-	-	-	-	-	-	-	-	-	-	-	-	3.30	
30-48	5539-114.6588-2-12			-12		0-30411	05/25/74	12	11	6.2	-	-	7.2	280	-	0-3	-3-6-4-1-1-2-4-2-2	-8	-	-	-	-	-	-	-	-	-	-	-	-	-	2.40	
30-48	6033-114.5041-2-12			-12		0-30412	05/25/74	13	12	11.1	C	-	7.2	280	-	0-3	-3-6-4-1-1-2-4-2-2	-8	-	-	-	-	-	-	-	-	-	-	-	-	-	6.00	
30-48	6088-114.5152-2-12			-12		0-30413	05/25/74	14	9	6.5	-	-	6.4	90	-	0-3	-3-6-4-1-1-2-4-2-2	-8	-	-	-	-	-	-	-	-	-	-	-	-	-	4.20	
30-48	6280-114.5544-2-12			-12		0-30414	05/25/74	15	9	5.5	-	-	6.4	130	-	0-3	-3-6-4-1-1-2-4-2-2	-8	-	-	-	-	-	-	-	-	-	-	-	-	-	3.60	
30-48	6280-114.5544-2-12			-12		0-30415	05/25/74	15	5	5.1	-	-	6.4	120	-	0-3	-3-6-4-1-1-2-4-2-2	-8	-	-	-	-	-	-	-	-	-	-	-	-	-	3.50	
30-48	6550-114.5486-2-12			-12		0-30416	05/25/74	15	5	5.1	-	-	6.4	305	-	0-3	-3-6-4-1-1-2-4-2-2	-8	-	-	-	-	-	-	-	-	-	-	-	-	-	15.30	
30-48	6647-114.5936-2-12			-12		0-30417	05/25/74	15	7	4.5	-	-	6.4	45	-	0-3	-3-6-4-1-1-2-4-2-2	-8	-	-	-	-	-	-	-	-	-	-	-	-	-	3.10	
30-48	6836-114.5727-2-13			-13		0-30418	05/25/74	15	7	5.1	-	-	6.4	245	-	0-3	-3-6-4-1-1-2-4-2-2	-8	-	-	-	-	-	-	-	-	-	-	-	-	-	3.90	
30-48	7016-114.5815-2-12			-12		0-30419	05/25/74	16	8	6.4	-	-	6.4	85	-	0-3	-3-6-4-1-1-2-4-2-2	-8	-	-	-	-	-	-	-	-	-	-	-	-	-	5.00	
30-48	7211-114.5894-2-12			-12		0-30420	05/25/74	16	6	4.2	-	-	6.3	300	-	0-3	-3-6-4-1-1-2-4-2-2	-8	-	-	-	-	-	-	-	-	-	-	-	-	-	4.30	
30-48	7211-114.5894-2-12			-12		0-30420	05/25/74	16	5	3.3	-	-	5.5	255	-	0-3	-3-6-4-1-1-2-4-2-2	-8	-	-	-	-	-	-	-	-	-	-	-	-	-	3.10	
30-48	7303-114.5730-2-12			-12		0-30423	05/25/74	16	9	9.1	-	-	6.4	175	-	0-3	-3-6-4-1-1-2-4-2-2	-8	-	-	-	-	-	-	-	-	-	-	-	-	-	5.30	
30-48	5777-114.5558-2-13			-13		0-30424	05/25/74	16	9	9.1	-	-	6.4	150	-	0-3	-3-6-4-1-1-2-4-2-2	-8	-	-	-	-	-	-	-	-	-	-	-	-	-	15.10	
30-48	5980-114.5794-2-12			-12		0-30425	05/25/74	16	9	9.1	-	-	6.4	150	-	0-3	-3-6-4-1-1-2-4-2-2	-8	-	-	-	-	-	-	-	-	-	-	-	-	-	2.20	
30-48	6222-114.6046-2-12			-12		0-30426	05/25/74	16	9	9.1	-	-	6.4	180	-	0-3	-3-6-4-1-1-2-4-2-2	-8	-	-	-	-	-	-	-	-	-	-	-	-	-	5.40	
30-48	6352-114.6357-2-12			-12		0-30427	05/25/74	16	7	6.2	-	-	6.4	200	-	0-3	-3-6-4-1-1-2-4-2-2	-8	-	-	-	-	-	-	-	-	-	-	-	-	-	5.00	
30-48	6169-114.6311-2-12			-12		0-30430	05/25/74	16	8	6.2	-	-	6.4	200	-	0-3	-3-6-4-1-1-2-4-2-2	-8	-	-	-	-	-	-	-	-	-	-	-	-	-	5.40	
30-48	6358-114.6938-2-12			-12		0-30433	05/25/74	16	8	6.0	-	-	6.4	188	-	0-3	-3-6-4-1-1-2-4-2-2	-8	-	-	-	-	-	-	-	-	-	-	-	-	-	5.80	
30-48	6350-114.6938-2-12			-12		0-30433	05/25/74	16	8	6.3	-	-	6.4	150	-	0-3	-3-6-4-1-1-2-4-2-2	-8	-	-	-	-	-	-	-	-	-	-	-	-	-	3.00	
30-48	6794-114.7422-2-12			-12		0-30432	05/25/74	16	10	9.0	-	-	6.4	215	-	0-3	-3-6-4-1-1-2-4-2-2	-8	-	-	-	-	-	-	-	-	-	-	-	-	-	3.00	
30-48	6944-114.7922-2-11			-11		0-30433	05/25/74	16	10	9.0	-	-	6.4	215	-	0-3	-3-6-4-1-1-2-4-2-2	-8	-	-	-	-	-	-	-	-	-	-	-	-	-	3.00	
30-48	6944-114.7922-2-12			-12		0-30433	05/25/74	16	13	7.3	-	-	6.3	346	-	0-3	-3-6-4-1-1-2-4-2-2	-8	-	-	-	-	-	-	-	-	-	-	-	-	-	3.80	
30-48	6694-114.7175-2-12			-12		0-30433	05/25/74	16	13	7.5	-	-	6.4	340	-	0-3	-3-6-4-1-1-2-4-2-2	-8	-	-	-	-	-	-	-	-	-	-	-	-	-	3.80	
30-48	6694-114.7175-2-12			-12		0-30433	05/25/74	16	13	7.5	-	-	6.4	340	-	0-3	-3-6-4-1-1-2-4-2-2	-8	-	-	-	-	-	-	-	-	-	-	-	-	-	3.80	
30-48	6972-114.7305-2-12			-12		0-30435	05/25/74	16	13	6.9	-	-	6.4	270	-	0-3	-3-6-4-1-1-2-4-2-2	-8	-	-	-	-	-	-	-	-	-	-	-	-	-	3.80	
30-48	6983-114.7316-2-12			-12		0-30435	05/25/74	16	13	6.7	-	-	6.4	240	-	0-3	-3-6-4-1-1-2-4-2-2	-8	-	-	-	-	-	-	-	-	-	-	-	-	-	4.00	
30-48	7244-114.7294-2-12			-12		0-30437	05/25/74	16	13	7.0	-	-	6.4	260	-	0-3	-3-6-4-1-1-2-4-2-2	-8	-	-	-	-	-	-	-	-	-	-	-	-	-	5.80	
30-48	7272-114.7327-2-12			-12		0-30438	05/25/74	16	13	7.0	-	-	6.4	210	-	0-3	-3-6-4-1-1-2-4-2-2	-8	-	-	-	-	-	-	-	-	-	-	-	-	-	5.20	
30-48	7375-114.7697-2-12			-12		0-30438	05/25/74	16	13	7.0	-	-	6.4	210	-	0-3	-3-6-4-1-1-2-4-2-2	-8	-	-	-	-	-	-	-	-	-	-	-	-	-	5.20	
30-48	7375-114.7697-2-12			-12		0-30438	05/25/74	16	13	7.0	-	-	6.4	210	-	0-3	-3-6-4-1-1-2-4-2-2	-8	-	-	-	-	-	-	-	-	-	-	-	-	-	5.20	
30-48	7405-114.7711-2-12			-12		0-30440	05/25/74	16	11	6.0	-	-	6.4	188	-	0-3	-3-6-4-1-1-2-4-2-2	-8	-	-	-	-	-	-	-	-	-	-	-	-	-	3.90	
30-48	7397-114.7347-2-12			-12		0-30440	05/25/74	16	11	6.0	-	-	6.4	188	-	0-3	-3-6-4-1-1-2-4-2-2	-8	-	-	-	-	-	-	-	-	-	-	-	-	-	3.90	
30-48	7475-114.6736-2-12			-12		0-30441	05/25/74	16	11	6.2	-	-	6.4	195	-	0-3	-3-6-4-1-1-2-4-2-2	-8	-	-	-	-	-	-	-	-	-	-	-	-	-	5.30	
30-48	7475-114.6736-2-12			-12		0-30441	05/25/74	16	9	6.1	-	-	6.4	195	-	0-3	-3-6-4-1-1-2-4-2-2	-8	-	-	-	-	-	-	-	-	-	-	-	-	-	5.30	
30-48	7475-114.6736-2-12			-12		0-30443	05/25/74	16	11																								

[illegible]

LA51 Uranium Hydrogeochemical and Stream Sediment Reconnaissance Data Listing

[illegible]

[illegible]

LASL Uranium Hydrogeochemical and Stream Sediment Reconnaissance Data Listing

ERDA SAMPLE NUMBER					LASL SAMPLE NUMBER AND FIELD DATA																						U CONCENTRATION								
STATE	LATITUDE	LONGITUDE	ERDA LAB	SAMPLE TYPE	REPLICATE	LASL SAMPLE NUMBER	TIME SAMPLED		AIR TEMPERATURE	WATER TEMPERATURE	COMMENTS	SOIL MEASUREMENTS	pH	SPECIFIC CONDUCTANCE (µmhos/cm)	SCHLUMMETER (40 ppm)	ROCK TYPE	ROCK COLOR	SEDIMENT TYPE	SEDIMENT COLOR	WATER FLOW	WATER LEVEL	WATER COLOR	STREAM CHANNEL	VEGETATION TYPE	VEGETATION DENSITY	RELIEF	WEATHER	OWNERSHIP	CONTAMINANTS	WELL TYPE	WELL DIAMETER (INCHES)	WELL DEPTH (FEET)	WATER DEPTH (FEET)	SAMPLE TYPE 1-10 mg WATER in 100 ml	SAMPLE TYPE 1-20 mg SEDIMENT in 100 ml
							DATE	HOUR																											
30-4A	9346-115	9144-2-12				n-304016-n4/23/74-15	8	4.00	5.5	45						A-1-7-4-7-4-4-1-1-1-3-5-4-8																		2.70	
30-4A	9263-115	9334-2-12				n-304017-n4/23/74-16	7	3.00	5.2	23						3-1-7-4-7-4-4-1-1-1-3-5-5-8																		2.40	
30-4A	9534-115	8805-2-12				n-304018-n4/23/74-16	9	5.00	5.2	16						n-1-7-4-6-4-4-1-1-1-3-5-5-8																		2.90	
30-4A	9486-115	9155-2-12				n-304019-n4/23/74-16	7	4.10	5.2	45						3-1-7-3-7-4-4-1-1-1-4-5-4-8																		2.30	
30-4A	5127-115	9550-2-12				n-304021-n4/23/74-16	11	7.10	6.0	41						9-1-7-3-6-4-4-1-1-2-3-3-2-8																		3.00	
30-4A	5127-115	9552-2-12				n-304022-n4/23/74-16	11	7.00	5.8	38						6-1-7-3-6-4-4-1-1-1-4-3-2-8																		2.60	
30-4A	5013-115	9366-2-12				n-304023-n4/23/74-16	10	4.40	5.7	30						n-1-7-4-6-4-4-1-1-1-4-3-2-8																		2.50	
30-4A	5355-115	9318-2-12				n-304024-n4/24/74-9	8	7.00-C	6.0	120						15-1-7-3-7-3-3-1-1-2-3-2-8																		3.50	
30-4A	6730-115	8133-2-12				n-304025-n4/24/74-10	8	5.00	5.4	25						6-1-7-5-6-3-3-1-1-1-4-3-2-8																		3.60	
30-4A	6650-115	7827-2-12				n-304026-n4/24/74-10	10	5.90-C	6.1	24						9-1-7-3-7-3-3-1-1-2-4-3-2-8																		4.40	
30-4A	6600-115	7663-2-12				n-304027-n4/24/74-10	10	6.10	6.2	27						7-1-7-5-6-4-4-1-1-1-4-3-2-8																		3.60	
30-4A	6444-115	7347-2-12				n-304028-n4/24/74-10	10	6.00	6.2	26						7-1-7-3-6-4-4-1-1-2-4-3-2-8																		4.60	
30-4A	6586-115	7713-2-12				n-304029-n4/24/74-11	10	6.00	5.7	22						9-1-7-3-6-4-3-1-1-2-4-3-2-8																		4.70	
30-4A	6441-115	7300-2-12				n-304030-n4/24/74-11	10	6.00	5.5	100						13-1-7-4-7-4-4-2-1-2-3-3-2-8																		2.40	
30-4A	6386-115	7230-2-12				n-304031-n4/24/74-11	10	5.50-C	5.7	29						12-1-7-4-6-4-4-1-1-2-4-3-2-8																		12.00	
30-4A	6071-115	7052-2-12				n-304032-n4/24/74-12	10	5.50	6.1	90						A-1-7-3-6-4-4-1-1-2-4-3-2-8																		3.20	
30-4A	6005-115	7472-2-12				n-304033-n4/24/74-12		A.20	5.9	95						7-1-7-4-6-4-4-1-1-1-3-3-2-8																		3.70	
30-4A	6061-115	7736-2-12				n-304034-n4/24/74-13	7									3-1-7-4-6-2-2-1-1-1-2-4-5-8																		3.60	
30-4A	6244-115	7138-2-12				n-304035-n4/24/74-13	12	7.00	6.1	200						12-1-7-4-6-4-4-1-1-2-4-3-2-8																		2.80	
30-4A	6261-115	7019-2-12				n-304036-n4/24/74-14	12	8.20	6.2	125						7-1-1-4-6-3-3-1-1-2-3-3-2-8																		2.80	
30-4A	5972-115	6707-2-12				n-304037-n4/24/74-14	11-12	1.00								6-1-1-4-6-3-3-1-1-2-3-3-2-8																		2.90	
30-4A	5933-115	6591-2-12				n-304038-n4/24/74-15	11	8.10	6.2	90						15-1-1-5-6-3-3-1-1-2-4-3-2-8																		6.10	
30-4A	5819-115	7130-2-12				n-304039-n4/24/74-15	9	5.90-C	5.7	22						A-1-7-4-6-3-3-1-1-1-4-4-2-8																		4.50	
30-4A	5844-115	6919-2-12				n-304041-n4/24/74-16	9	6.00	5.7	32						14-1-7-5-6-4-4-1-1-2-3-4-2-8																		3.50	
30-4A	5583-115	6611-2-12				n-304042-n4/24/74-16	10	7.00-C	5.7	49						12-1-7-3-6-4-4-1-1-1-3-4-2-8																		7.00	
30-4A	5584-115	6622-2-12				n-304043-n4/24/74-16	9	7.00	5.9	80						13-1-1-4-8-3-3-1-1-2-3-3-2-8																		7.50	
30-4A	5413-115	6619-2-12				n-304044-n4/24/74-16	8	7.00	6.1	70						12-1-7-5-6-3-3-1-1-1-3-3-2-8																		7.40	
30-4A	5183-115	6372-2-12				n-304045-n4/24/74-16	9	7.10	6.1	65						15-1-7-4-6-4-4-1-1-1-3-3-2-8																		6.60	
30-4A	5155-115	7038-2-12				n-304046-n4/24/74-16	8	6.00	5.9	41						12-1-7-4-6-4-4-1-1-1-3-3-2-8																		6.00	
30-4A	5275-115	7233-2-12				n-304047-n4/24/74-17	7	5.80	5.4	28						10-1-7-4-6-4-4-1-1-1-3-4-2-8																		5.20	
30-4A	5269-115	7230-2-12				n-304048-n4/24/74-17	7	5.60-C	5.7	26						13-1-7-3-6-4-4-1-1-1-3-4-2-8																		5.30	
30-4A	5011-115	6333-2-12				n-304049-n4/24/74-17	10	8.10	5.7	55						7-1-7-4-6-4-4-1-1-1-3-4-2-8																		4.90	
30-4A	5416-115	5323-2-12				n-304050-n4/27/74-10	13	8.00	6.4	130						10-1-7-4-6-4-4-1-1-2-3-3-3-8																		4.50	
30-4A	5422-115	5311-2-12				n-304051-n4/27/74-10	13	8.40	6.4	70						10-1-7-4-6-3-3-1-1-2-3-3-3-8																		3.90	
30-4A	5305-115	5338-2-12				n-304052-n4/27/74-10	13	8.50	6.4	230						12-1-7-3-6-3-3-1-1-2-3-3-4-8																		3.00	
30-4A	5338-115	5255-2-12				n-304053-n4/27/74-10	13	9.20	6.4	130						12-1-7-4-6-4-4-1-1-2-3-3-3-8																		3.90	
30-4A	5564-115	5455-2-12				n-304054-n4/27/74-10	14	8.00	6.5	170						6-1-7-5-6-3-3-1-1-2-3-3-3-8																		3.60	
30-4A	5608-115	5266-2-12				n-304055-n4/27/74-10	13	8.50	6.4	130						9-1-7-4-6-3-3-1-1-2-3-3-3-8																		3.50	
30-4A	5916-115	5611-2-12				n-304056-n4/27/74-11	15	8.20	6.1	130						10-1-7-4-6-4-4-1-1-1-4-4-3-8																		3.60	
30-4A	5730-115	5336-2-12				n-304058-n4/27/74-11	13	9.00	6.2	130						9-1-7-4-6-4-4-1-1-2-3-3-3-8																		4.80	
30-4A	5800-115	5927-2-12				n-304059-n4/27/74-11	15	9.00	6.4	235						7-1-7-4-6-4-4-1-1-2-3-3-3-8																		2.70	
30-4A	5819-115	6169-2-12				n-304060-n4/27/74-11	13	9.20	6.5	130						12-1-7-4-6-4-4-1-1-2-4-3-3-8																		4.50	
30-4A	6169-115	6172-2-12				n-304061-n4/27/74-11	14	8.20	6.1	95						3-1-7-4-6-4-4-1-1-2-3-3-3-8																		6.20	
30-4A	6177-115	6194-2-12				n-304062-n4/27/74-11	14	9.30	6.2	175						7-1-7-5-6-3-3-1-1-2-4-3-3-8																		4.30	
30-4A	6458-115	6344-2-12				n-304063-n4/27/74-12	11	6.50	6.4	210						12-1-7-3-6-2-2-1-1-1-4-3-3-8																		2.50	
30-4A	7208-115	6436-2-12				n-304064-n4/27/74-12	12	6.20	6.4	170						4-1-1-3-6-4-3-1-1-2-4-3-3-8																			

LAST Uranium Hydrogeochemical and Stream Sediment Reconnaissance Data Listing

ERDA SAMPLE NUMBER										LAST SAMPLE NUMBER AND FIELD DATA																			U CONCENTRATION							
STATE	LATITUDE	LONGITUDE	ERDA LAB	SAMPLE TYPE	REPLICATE	LAST SAMPLE NUMBER	TIME SAMPLED		DATE	AIR TEMPERATURE	WATER TEMPERATURE	COMMENTS	SPECIAL MEASUREMENTS	PH	SPECIFIC CONDUCTANCE ($\mu\text{mhos/cm}$)	SCINTILLOMETER (cpm)	ROCK TYPE	ROCK COLOR	SEDIMENT TYPE	SEDIMENT COLOR	WATER FLOW	WATER LEVEL	WATER COLOR	STREAM CHANNEL	VEGETATION TYPE	VEGETATION DENSITY	RELIEF	WEATHER	OWNERSHIP	CONTAMINANTS	WELL TYPE	WELL DIAMETER (INCHES)	WELL DEPTH (FEET)	WATER DEPTH (FEET)	SAMPLE TYPES 1-10 mg	SAMPLE TYPES 11-20 mg
30-46	7283-15	7608-2-12				0-304070-04	7/74-16	11	7-9						11	6-1-7-3-6-4-4-1-1-1-4-4-3																		4.50		
30-46	7475-15	8180-2-12				0-304071-04	7/74-16	13	8-2						17	6-1-7-3-6-4-4-1-1-1-3-3-3																		3.10		
30-46	7477-15	8180-2-12				0-304072-04	7/74-16	13	8-1						12	6-1-7-3-6-4-4-1-1-1-3-3-3																		3.10		
30-46	7383-15	8280-2-12				0-304073-04	7/74-16	14	8-2						20	3-1-7-3-6-4-4-1-1-1-4-4-2																		3.10		
30-46	8194-15	7258-2-12				0-304074-04	7/74-17	14	8-1						22	0-1-7-3-6-4-4-1-1-1-4-4-2																		3.10		
30-46	5088-15	6038-2-12				0-304075-04	7/74-11	12	8-2						95	4-1-7-3-6-4-4-1-1-1-4-4-3																		4.20		
30-46	6244-15	5916-2-12				0-304076-04	7/74-11	12	8-1						75	1-3-1-7-3-6-4-4-1-1-1-2-3-2																		5.50		
30-46	6250-15	5917-2-12				0-304077-04	7/74-11	13	9-2						41	0-1-7-3-6-4-4-1-1-1-2-4-2																		5.50		
30-46	6475-15	5844-2-12				0-304078-04	7/74-11	14	9-5						65	15-1-7-3-6-4-4-1-1-1-2-4-2																		3.80		
30-46	6472-15	5836-2-12				0-304079-04	7/74-11	14	7-0						55	15-1-7-3-6-4-4-1-1-1-2-4-2																		7.30		
30-46	6611-15	5619-2-12				0-304080-04	7/74-12	14	6-5-C						47	0-1-7-3-6-4-4-1-1-1-2-1-4-2																		6.20		
30-46	6711-15	5511-2-12				0-304081-04	7/74-12	15	9-0						51	0-1-7-3-6-4-4-1-1-1-2-1-4-2																		3.90		
30-46	6633-15	5733-2-12				0-304082-04	7/74-12	12	8-5						50	0-1-7-3-6-4-4-1-1-1-1-4-2																		3.90		
30-46	6622-15	5736-2-12				0-304083-04	7/74-12	12	10-1						130	1-3-1-7-3-6-4-4-1-1-1-2-1-4-2																		3.70		
30-46	6783-15	5961-2-12				0-304084-04	7/74-12	14	10-0						58	1-2-1-7-3-6-4-4-1-1-1-2-1-4-2																		6.90		
30-46	6666-15	6083-2-12				0-304085-04	7/74-12	15	9-5						80	15-1-7-3-6-4-4-1-1-1-2-3-2																		3.40		
30-46	6688-15	5205-2-12				0-304086-04	7/74-13	14	8-1						12	10-1-7-3-6-4-4-1-1-1-2-3-2																		3.40		
30-46	6633-15	5161-2-12				0-304087-04	7/74-13	12	8-0						12	9-1-7-3-6-4-4-1-1-1-1-3-2																		3.00		
30-46	6677-15	4983-2-12				0-304088-04	7/74-15	14	9-0						14	1-7-3-6-4-4-1-1-1-1-4-2																		4.20		
30-46	6677-15	4986-2-12				0-304089-04	7/74-15	14	8-4						12	1-7-3-6-4-4-1-1-1-1-4-2																		4.20		
30-46	6600-15	4755-2-12				0-304090-04	7/74-15	14	8-5						14	7-1-7-3-6-4-4-1-1-1-1-4-2																		3.50		
30-46	6664-15	4711-2-12				0-304091-04	7/74-15	14	8-5						15	9-1-7-3-6-4-4-1-1-1-1-4-2																		3.50		
30-46	7613-15	4822-2-12				0-304092-04	7/74-16	13	8-5						16	10-1-7-3-6-4-4-1-1-1-1-4-2																		4.00		
30-46	7191-15	4627-2-12				0-304093-04	7/74-16	11	8-5						17	2-1-7-3-6-4-4-1-1-1-1-4-2																		3.90		
30-46	5425-15	4461-2-12				0-304094-04	7/74-11	14	12-2						30	1-1-7-3-6-4-4-1-1-1-1-4-2																		3.50		
30-46	5419-15	4450-2-12				0-304095-04	7/74-11	14	8-2						84	1-1-7-3-6-4-4-1-1-1-1-4-2																		7.00		
30-46	5338-15	4494-2-12				0-304096-04	7/74-12	14	1-0						22	9-1-7-3-6-4-4-1-1-1-1-4-2																		3.80		
30-46	5280-15	4396-2-12				0-304097-04	7/74-12	14	1-0						51	1-1-7-3-6-4-4-1-1-1-1-4-2																		6.30		
30-46	5155-15	4377-2-12				0-304098-04	7/74-12	15	8-2						41	10-1-7-3-6-4-4-1-1-1-2-4-2																		3.60		
30-46	2472-15	8350-2-12				0-304099-04	7/74-12	12	6-0						60	1-1-7-3-6-4-4-1-1-1-2-3-2																		3.90		
30-46	2431-15	8361-2-12				0-304100-04	7/74-20	9	6-1						34	1-2-6-4-4-4-1-1-1-2-3-2																		8.00		
30-46	2069-15	8691-2-12				0-304101-04	7/74-10	6	4-5						98	4-1-7-3-6-4-4-1-1-1-2-3-2																		5.30		
30-46	2097-15	8644-2-12				0-304102-04	7/74-10	5	4-4						92	1-2-1-7-3-6-4-4-1-1-1-2-3-2																		4.00		
30-46	2075-15	9000-2-12				0-304103-04	7/74-11	10	4-9						43	8-1-7-3-6-4-4-1-1-1-1-4-2																		8.00		
30-46	2466-15	8558-2-12				0-304104-04	7/74-11	10	5-0						43	8-1-7-3-6-4-4-1-1-1-1-4-2																		7.40		
30-46	1947-15	8516-2-15				0-304105-04	7/74-11	10	5-0						20	4-1-7-3-6-4-4-1-1-1-2-2-2																		3.40		
30-46	1961-15	8088-2-12				0-304106-04	7/74-12	12	4-3						43	9-3-1-6-4-4-3-1-1-2-1-4-2																		6.10		
30-46	1966-15	8094-2-12				0-304107-04	7/74-12	12	4-3						43	9-3-1-6-4-4-3-1-1-2-1-4-2																		5.20		
30-46	1722-15	7825-2-12				0-304108-04	7/74-13	10	5-1						40	1-2-1-6-4-4-3-1-1-1-3-2																		3.30		
30-46	1661-15	7814-2-12				0-304109-04	7/74-13	10	4-8						76	1-2-3-1-6-4-4-3-1-1-1-3-2																		3.50		
30-46	1586-15	7938-2-12				0-304110-04	7/74-13	13	4-4						92	1-2-3-1-6-4-4-3-1-1-1-3-2																		6.00		
30-46	1173-15	8713-2-12				0-304111-04	7/74-14	13	6-3						22	1-2-1-6-4-4-3-1-1-1-3-2																		3.10		
30-46	1508-15	8752-2-12				0-304112-04	7/74-14	11	5-0						12	1-2-1-6-4-4-3-1-1-1-3-2																		3.90		
30-46	1538-15	9019-2-12				0-304113-04	7/74-14	12	5-9						20	4-1-1-6-4-4-3-1-1-1-4-2																		4.20		
30-46	1538-15	9003-2-12				0-304114-04	7/74-15	10	4-7-C						7	4-1-1-6-4-4-3-1-1-1-4-2																		4.20		
30-46	1227-15	8533-2-12				0-304115-04	7/74-14	11	5-2						33	1-2-1-6-4-4-3-1-1-1-4-2																		5.90		
30-46	1119-15	8533-2-12				0-304116-04	7/74-13	11	5-7-C						25	2-1-1-6-4-4-3-1-1-1-2-1-4-2																		8.00		
30-46	1161-15	7792-2-15				0-304117-04	7/74-14	10							47	1-1-1-6-4-4-3-1-1-1-2-1-4-2																		4.10		
30-46	1100-15	7791-2-12				0-304118-04	7/74-14	14	5-9						70	4-1-1-6-4-4-3-1-1-1-2-1-4-2																		4.10		
30-46	0861-15	7704-2-12				0-304119-04	7/74-15	16	7-8-C																											

LASL Uranium Hydrogeochemical and Stream Sediment Reconnaissance Data Listing

[illegible]

LASL Uranium Hydrogeochemical and Stream Sediment Reconnaissance Data Listing

[illegible]

LAST Uranium Hydrogeochemical and Stream Sediment Reconnaissance Data Listing

ERDA SAMPLE NUMBER										LAST SAMPLE NUMBER AND FIELD DATA										U CONCENTRATION													
STATE	LATITUDE	LONGITUDE	ERDA LAB	SAMPLE TYPE	REPLICATE	LAST SAMPLE NUMBER	DATE	AIR TEMPERATURE	WATER TEMPERATURE	COMMENTS	SPECIAL MEASUREMENTS	pH	SPECIFIC CONDUCTANCE (µmhos/cm)	SCINTILLOMETER (±U ppm)	ROCK TYPE	ROCK COLOR	SEDIMENT TYPE	SEDIMENT COLOR	WATER FLOW	WATER LEVEL	WATER COLOR	STREAM CHANNEL	VEGETATION TYPE	VEGETATION DENSITY	RELIEF	WEATHER	OWNERSHIP	CONTAMINANTS	WELL TYPE	WELL DIAMETER (INCHES)	WELL DEPTH (FEET)	WATER DEPTH (FEET)	SAMPLE TYPES 1-10 mg WATER 100 mg 100 mg SOIL 10 mg
30-68	5977-14	8325-2-12				0-306231-06/73774-19	7-6-06	7-2	370				12-6	-3-3-2-3-1-1-1-7-5-4-1																		0.80	
30-68	5986-14	8347-2-12				0-306232-06/73774-19	6-5-2	7.1	370				7-6	-4-1-3-3-1-1-1-4-5-6-1																		5.80	
30-68	6725-14	8622-2-12				0-306233-06/73774-19	9-6-06	6.4	410				11-1	-4-6-3-3-1-1-1-4-4-5-6-1																		3.10	
30-68	6793-13	5033-2-12				0-306290-06/73774-19	9-6-06	5.4	90				7-1	-7-5-6-2-2-1-1-4-4-5-6-1																		2.70	
30-68	6793-14	7336-2-13				0-306292-06/73774-19	12-11-06	7.1	240				15-1	-7-5-6-4-3-1-1-2-4-5-6-1																		5.70	
30-68	3397-13	7063-2-12				0-306293-06/73774-19	8-5-06	6.3	140				9-1	-6-6-7-4-4-3-1-1-2-4-5-6-1																		3.70	
30-68	3394-13	7058-2-12				0-306294-06/73774-19	11-7-06	5.4	85				15-1	-7-6-6-4-4-3-1-1-2-4-5-6-1																		5.40	
30-68	7150-14	5263-2-12				0-306295-06/73774-19	8-4-5-06	5.4	40				15-1	-7-6-6-4-4-3-1-1-2-4-5-6-1																		5.80	
30-68	6663-14	5002-2-12				0-306297-06/73774-19	11-6-06	6.6	100				15-1	-7-6-6-4-4-3-1-1-2-4-5-6-1																		5.40	
30-68	6941-14	6036-2-12				0-306298-06/73774-19	11-6-06	6.3	135				15-1	-7-6-6-4-4-3-1-1-2-4-5-6-1																		3.40	
30-68	6944-14	6030-2-12				0-306299-06/73774-19	11-6-06	6.3	135				15-1	-7-6-6-4-4-3-1-1-2-4-5-6-1																		3.40	
30-68	9383-15	0555-2-12				0-306302-06/73774-20	11-10-06	6.5	471				12-1	-7-6-6-4-4-3-1-1-2-4-5-6-1																		2.70	
30-68	9350-15	0341-2-12				0-306303-06/73774-20	12-10-06	6.3	124				10-1	-7-3-6-3-3-1-2-4-5-6-1																		2.80	
30-68	9683-15	0339-2-12				0-306304-06/73774-20	12-11-06	6.4	143				10-1	-6-4-6-3-3-1-2-4-5-6-1																		3.10	
30-68	9755-15	1386-2-15				0-306307-06/73774-12	12-11-06	6.4	103				10-1	-6-3-6-3-3-1-2-4-5-6-1																		2.50	
30-68	9827-15	1375-2-15				0-306308-06/73774-12	12-11-06	6.4	103				10-1	-6-3-6-3-3-1-2-4-5-6-1																		2.50	
30-68	9850-15	1527-2-12				0-306309-06/73774-12	12-11-06	6.4	103				10-1	-6-3-6-3-3-1-2-4-5-6-1																		2.50	
30-68	9897-15	2297-2-12				0-306310-06/73774-12	12-11-06	6.4	103				10-1	-6-3-6-3-3-1-2-4-5-6-1																		2.50	
30-68	9925-15	2211-2-12				0-306311-06/73774-12	12-11-06	6.4	103				10-1	-6-3-6-3-3-1-2-4-5-6-1																		2.50	
30-68	9950-15	2248-2-12				0-306312-06/73774-12	12-11-06	6.4	103				10-1	-6-3-6-3-3-1-2-4-5-6-1																		2.50	
30-68	9950-15	2248-2-12				0-306313-06/73774-12	12-11-06	6.4	103				10-1	-6-3-6-3-3-1-2-4-5-6-1																		2.50	
30-68	9950-15	2248-2-12				0-306314-06/73774-12	12-11-06	6.4	103				10-1	-6-3-6-3-3-1-2-4-5-6-1																		2.50	
30-68	9950-15	2248-2-12				0-306315-06/73774-12	12-11-06	6.4	103				10-1	-6-3-6-3-3-1-2-4-5-6-1																		2.50	
30-68	9950-15	2248-2-12				0-306316-06/73774-12	12-11-06	6.4	103				10-1	-6-3-6-3-3-1-2-4-5-6-1																		2.50	
 																			

LAST Uranium Hydrogeochemical and Stream Sediment Reconnaissance Data Listing

ERDA SAMPLE NUMBER			LAST SAMPLE NUMBER AND FIELD DATA			TIME SAMPLED			SPECIAL MEASUREMENTS			PH			SPECIFIC CONDUCTANCE (umhos/cm)			SCINTILLOMETER (ndpm)			ROCK TYPE			SEDIMENT COLOR			WATER FLOW			WATER LEVEL			WATER COLOR			STREAM CHANNEL			VEGETATION DENSITY			RELIEF			WEATHER			OWNERSHIP			WELL TYPE			WELL DIAMETER (INCHES)			WELL DEPTH (FEET)			WATER DEPTH (FEET)			U CONCENTRATION																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
STATE	LATITUDE	LONGITUDE	ERDA LAB	SAMPLE TYPE	REPLICATE	LAST SAMPLE NUMBER	DATE	HOUR	AIR TEMPERATURE	WATER TEMPERATURE	COMMENTS	PH	SPECIFIC CONDUCTANCE (umhos/cm)	SCINTILLOMETER (ndpm)	ROCK TYPE	SEDIMENT COLOR	WATER FLOW	WATER LEVEL	WATER COLOR	STREAM CHANNEL	VEGETATION DENSITY	RELIEF	WEATHER	OWNERSHIP	WELL TYPE	WELL DIAMETER (INCHES)	WELL DEPTH (FEET)	WATER DEPTH (FEET)	SAMPLE TYPES	WATER TYPES	U CONCENTRATION																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
30-4A	9483-115.6372-2-12					0-304436-04/15/74-15	04/15/74	15	10	6.2		6.7	218		5-1	7-2	7-3	3-3	2-1	2-1	2-1	4-3	1-1																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	</

28

28

LAST Uranium Hydrogeochemical and Stream Sediment Reconnaissance Data Listing

ERDA SAMPLE NUMBER										LAST SAMPLE NUMBER AND FIELD DATA										U CONCENTRATION															
STATE	LATITUDE	LONGITUDE	ERDA LAB	SAMPLE TYPE	REPLICATE	LASL SAMPLE NUMBER	TIME SAMPLED		AIR TEMPERATURE	WATER TEMPERATURE	COMMENTS	SPECIAL MEASUREMENTS	pH	SPECIFIC CONDUCTANCE (µmhos/cm)	SCINTILLOMETER (cpm)	ROCK TYPE	ROCK COLOR	SEDIMENT TYPE	SEDIMENT COLOR	WATER FLOW	WATER LEVEL	WATER COLOR	STREAM CHANNEL	VEGETATION TYPE	VEGETATION DENSITY	RELIEF	WEATHER	OWNERSHIP	CONTAMINANTS	WELL TYPE	WELL DIAMETER (INCHES)	WELL DEPTH (FEET)	WATER DEPTH (FEET)	SAMPLE TYPE	U CONCENTRATION
							DATE	HOUR																											
30-68	1925-11.5	6513-2-12				0-304513-06	09/77-12	19	5.8					5.8	36	13-2-72-6-3-3-1	-2-1	-5-2	-1																4.10
30-68	1924-11.5	5961-2-12				0-304513-06	09/77-12	21	6.2					37	12-2-71-6-3-3-1	-2-1	-5-2	-1																	3.80
30-68	2133-11.5	5744-2-12				0-304513-06	09/77-12	21	6.5					28	9-2-72-6-3-3-1	-2-1	-5-2	-1																	4.30
30-68	2127-11.5	5744-2-12				0-304513-06	09/77-12	22	6.2					34	19-2-72-6-3-3-1	-2-1	-5-2	-1																	4.70
30-68	1933-11.5	5734-2-12				0-304513-06	09/77-12	22	6.4					7	7-2-6-3-3-3-1	-2-1	-5-2	-1																	3.60
30-68	1933-11.5	5734-2-12				0-304513-06	09/77-12	24	6.4					52	4-2-72-6-3-3-1	-2-1	-5-2	-1																	3.50
30-68	1694-11.5	5961-2-12				0-304520-06	09/77-14	20	6.4					33	9-2-72-6-3-3-1	-2-1	-5-2	-1																	6.00
30-68	1694-11.5	5718-2-12				0-304520-06	09/77-14	21	5.2					16	12-2-71-6-3-3-1	-2-1	-5-2	-1																	6.90
30-68	1094-11.5	6077-2-12				0-304520-06	09/77-14	15	5.8					7	15-1-71-7-4-3-1	-2-1	-5-2	-1																	4.80
30-68	1183-11.5	5908-2-12				0-304520-06	09/77-14	15	5.8					10	15-1-71-7-4-3-1	-2-1	-5-2	-1																	5.00
30-68	1083-11.5	5908-2-12				0-304520-06	09/77-14	16	4.8					12	6-2-6-1-7-4-3-1	-2-1	-5-2	-1																	4.40
30-68	1205-11.5	5927-2-12				0-304520-06	09/77-14	17	21	6.4				90	13-2-6-3-3-3-1	-2-1	-5-2	-1																	3.50
30-68	1205-11.5	5927-2-12				0-304520-06	09/77-14	18	7.5					15	7-2-6-3-3-3-1	-2-1	-5-2	-1			</														

LASL Uranium Hydrogeochemical and Stream Sediment Reconnaissance Data Listing

ERDA SAMPLE NUMBER			LAST SAMPLE NUMBER AND FIELD DATA										U CONCENTRATION																				
STATE	LATITUDE	LONGITUDE	ERDA LAB	SAMPLE TYPE	REPLICATE	LAST SAMPLE NUMBER	TIME SAMPLED		AIR TEMPERATURE	WATER TEMPERATURE	COMMENTS	pH	SPECIFIC CONDUCTANCE (umhos/cm)	SCINTILLOMETER (cpm)	ROCK TYPE	ROCK COLOR	SEDIMENT TYPE	SEDIMENT COLOR	WATER FLOW	WATER LEVEL	WATER COLOR	VEGETATION DENSITY	RELIEF	WEATHER	MEMBERSHIP	WELL TYPE	WELL DIAMETER (INCHES)	WELL DEPTH (FEET)	WATER DEPTH (FEET)	SAMPLE TYPE	1000 FT. SAMPLE DEPTH (IN)	11-20 GRA IN PER CENT	SEDIMENT IN PER CENT
							DATE	HOUR																									
30-68	1072-115	6752-2-12		12-		u-30427-u-30428-u-30429-u-30430	12/27/15	15-	9-5.2	-	-	5.5	70-	10-17-64-6-4-1-1-1-5-4-6-8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.3	
30-68	1408-115	7011-2-12		12-		u-30427-u-30428-u-30429-u-30430	12/27/15	15-	7-4.2	-	-	5.5	60-	12-17-64-6-5-1-1-1-4-4-8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.50	
30-68	1413-115	7011-2-12		12-		u-30427-u-30428-u-30429-u-30430	12/27/15	15-	7-4.2	-	-	5.5	55-	9-17-64-6-5-1-1-1-4-4-8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.60	
30-68	8394-115	6055-2-12		12-		u-30430-u-30431-u-30432-u-30433	12/27/15	10-	9-6.0	-	-	5.2	32-	16-17-5-6-4-4-1-1-1-4-4-8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	9.30	
30-68	9383-115	6055-2-12		12-		u-30430-u-30431-u-30432-u-30433	12/27/15	10-	9-6.0	-	-	5.6	40-	15-17-5-6-4-4-1-1-1-4-2-8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6.00	
30-68	9545-115	5944-2-12		12-		u-30430-u-30431-u-30432-u-30433	12/27/15	10-	9-6.0	-	-	5.5	32-	12-17-6-4-6-4-4-1-1-1-4-2-8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.10	
30-68	9577-115	5347-2-12		12-		u-30430-u-30431-u-30432-u-30433	12/27/15	13-	9-6.5	-	-	5.7	40-	12-17-7-6-4-4-4-1-1-1-4-2-8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.20	
30-68	9566-115	5347-2-12		12-		u-30430-u-30431-u-30432-u-30433	12/27/15	13-	7-7.0	-	-	5.5	36-	7-17-6-6-4-4-4-1-1-1-4-2-8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.50	
30-68	9252-115	7758-2-12		12-		u-30433-u-30434-u-30435-u-30436	12/27/15	11-	7-7.0	-	-	5.2	40-	9-17-5-6-4-4-4-1-2-1-3-4-2-8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5.40	
30-68	9391-115	7427-2-12		12-		u-30433-u-30434-u-30435-u-30436	12/27/15	11-	9-6.0	-	-	5.7	40-	10-17-6-4-4-4-4-1-1-1-5-4-8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5.40	
30-68	9388-115	7427-2-12		12-		u-30433-u-30434-u-30435-u-30436	12/27/15	11-	9-6.5	-	-	5.7	40-	10-17-6-4-4-4-4-1-1-1-5-4-8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6.10	
30-68	9325-115	7524-2-12		12-		u-30433-u-30434-u-30435-u-30436	12/27/15	16-	9-5.0	-	-	5.5	20-	12-17-6-3-7-4-4-4-1-1-1-5-2-8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5.40	
30-68	2105-115	7255-2-12		12-		u-30433-u-30434-u-30435-u-30436	12/27/15	17-	8-5.2	-	-	5.7	30-	10-17-6-3-7-4-4-4-1-1-1-5-2-8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6.20	
30-68	2130-115	7441-2-12		12-		u																											

LASL Uranium Hydrogeochemical and Stream Sediment Reconnaissance Data Listing

[illegible]

LAST Uranium Hydrogeochemical and Stream Sediment Reconnaissance Data Listing

ERDA SAMPLE NUMBER										LAST SAMPLE NUMBER AND FIELD DATA										U CONCENTRATION															
STATE	LATITUDE	LONGITUDE	ERDA LAB	SAMPLE TYPE	REPLICATE	LAST SAMPLE NUMBER	TIME SAMPLED		AIR TEMPERATURE	WATER TEMPERATURE	COMMENTS	SPECIAL MEASUREMENTS	pH	SPECIFIC CONDUCTANCE (umhos/cm)	SCINTILLOMETER (cpm)	ROCK TYPE	ROCK COLOR	SEDIMENT TYPE	SEDIMENT COLOR	WATER FLOW	WATER LEVEL	WATER COLOR	STREAM CHANNEL	VEGETATION TYPE	VEGETATION DENSITY	RELIEF	WEATHER	OWNERSHIP	CONTAMINANTS	WELL TYPE	WELL DIAMETER (INCHES)	WELL DEPTH (FEET)	WATER DEPTH (FEET)	SAMPLE TYPES 10 mg in 100 ml sediment	SAMPLE TYPES 11, 20 mg in 100 ml sediment
							DATE	HOUR																											
30-44A	2990-115.0011	-2-12				0-304738-04/15/74-11	15-12	15-12	6.5	15.5				15.5	3-1-1-6-8-3-1-3-1-2-2-3																			5.40	
30-44A	2977-114.9283	-2-12				0-304739-06/15/74-12	18-14	18-14	6.4	37.5				10-1-1-6-8-2-2-1-2-3-2-3																				6.10	
30-44A	2961-114.9250	-2-12				0-304740-06/15/74-12	17-11	17-11	6.4	120				13-1-1-3-6-3-3-1-2-3-2-3																				5.10	
30-44A	2927-114.9443	-2-12				0-304741-06/15/74-12	13-12	13-12	6.4	178				7-1-1-6-8-2-3-2-3-4-3-2-3																				5.80	
30-44A	3063-114.9443	-2-12				0-304742-06/15/74-12	17-11	17-11	6.4	141				17-1-1-6-8-3-3-2-3-1-3-2-3																				5.60	
30-44A	3094-114.9472	-2-12				0-304743-06/15/74-12	17-11	17-11	6.4	95				17-1-1-6-8-3-3-2-3-1-3-2-3																				5.80	
30-44A	3130-114.9113	-2-12				0-304744-06/15/74-12	12-12	12-12	6.4	172				17-1-1-6-8-2-2-1-2-3-1-3-2-3																				8.70	
30-44A	2930-114.9019	-2-12				0-304745-06/15/74-12	12-12	12-12	6.4	172				17-1-1-6-8-2-2-1-2-3-1-3-2-3																				7.50	
30-44A	2930-114.9022	-2-12				0-304746-06/15/74-12	11-12	11-12	6.4	80				17-1-1-6-8-2-2-1-2-3-1-3-2-3																				17.50	
30-44A	3663-115.0377	-2-15				0-304747-06/15/74-15	15-12	15-12	6.4	43				14-1-1-3-6-3-3-1-2-1-3-4-1																				16.60	
30-44A	3744-115.0513	-2-12				0-304748-06/15/74-15	15-12	15-12	6.4	369				14-1-1-3-6-3-3-1-2-1-3-4-1																				3.60	
30-44A	3744-115.0623	-2-12				0-304749-06/15/74-15	14-12	14-12	6.4	369				14-1-1-3-6-3-3-1-2-1-3-4-1																				2.70	
30-44A	3811-115.0715	-2-15				0-304750-06/15/74-15	15-12	15-12	6.4	369				14-1-1-3-6-3-3-1-2-1-3-4-1																				12.50	
30-44A	3658-115.2319	-2-12				0-304751-06/15/74-15	10-12	10-12	6.4	369				14-1-1-3-6-3-3-1-2-1-3-4-1																				2.20	
30-44A	2711-115.3563	-2-15				0-304753-06/14/74-12	14-12	14-12	6.4	210				10-1-1-5-1-3-6-1-1-1-3-3-1																				2.60	
30-44A	2555-115.2100	-2-15				0-304754-06/14/74-13	13-12	13-12	6.4	280				10-1-1-5-1-3-6-1-1-1-3-3-1																				3.10	
30-44A	2722-115.2061	-2-12				0-304755-06/14/74-13	19-12	19-12	6.4	32				10-1-1-5-1-3-6-1-1-1-3-3-1																				6.50	
30-44A	2866-115.2072	-2-12				0-304756-06/14/74-13	19-12	19-12	6.4	32				10-1-1-5-1-3-6-1-1-1-3-3-1																				7.80	
30-44A	2630-115.1283	-2-12				0-304760-06/14/74-15	19-12	19-12	6.4	32				10-1-1-5-1-3-6-1-1-1-3-3-1																				5.40	
30-44A	2630-115.1283	-2-12				0-304761-06/14/74-15	17-12	17-12	6.4	32				10-1-1-5-1-3-6-1-1-1-3-3-1																				4.30	
30-44A	3431-115.1604	-2-12				0-304762-06/15/74-12	13-12	13-12	6.4	32				10-1-1-5-1-3-6-1-1-1-3-3-1																				4.60	
30-44A	3431-115.1604	-2-12				0-304763-06/15/74-12	13-12	13-12	6.4	32				10-1-1-5-1-3-6-1-1-1-3-3-1																				6.30	
30-44A	3563-115.2152	-2-15				0-304764-06/15/74-12	12-12	12-12	6.4	32				10-1-1-5-1-3-6-1-1-1-3-3-1																				9.70	
30-44A	3563-115.2152	-2-15				0-304765-06/15/74-12	11-12	11-12	6.4	32				10-1-1-5-1-3-6-1-1-1-3-3-1																				3.70	
30-44A	3563-115.2152	-2-15				0-304766-06/15/74-12	11-12	11-12	6.4	32				10-1-1-5-1-3-6-1-1-1-3-3-1																				6.40	
30-44A	3563-115.2152	-2-15				0-304767-06/15/74-12	11-12	11-12	6.4	32				10-1-1-5-1-3-6-1-1-1-3-3-1																				3.10	
30-44A	3563-115.2152	-2-15				0-304768-06/15/74-12	11-12	11-12	6.4	32				10-1-1-5-1-3-6-1-1-1-3-3-1																				2.60	
30-44A	3563-115.2152	-2-15				0-304769-06/15/74-12	11-12	11-12	6.4	32				10-1-1-5-1-3-6-1-1-1-3-3-1																				2.60	
30-44A	3563-115.2152	-2-15				0-304770-06/15/74-12	11-12	11-12	6.4	32				10-1-1-5-1-3-6-1-1-1-3-3-1																				2.60	
30-44A	3563-115.2152	-2-15				0-304771-06/15/74-12	11-12	11-12	6.4	32				10-1-1-5-1-3-6-1-1-1-3-3-1																				2.60	
30-44A	3563-115.2152	-2-15				0-304772-06/15/74-12	11-12	11-12	6.4	32				10-1-1-5-1-3-6-1-1-1-3-3-1																				2.60	
30-44A	3563-115.2152	-2-15				0-304773-06/15/74-12	11-12	11-12	6.4	32				10-1-1-5-1-3-6-1-1-1-3-3-1																				2.60	
30-44A	3563-115.2152	-2-15				0-304774-06/15/74-12	11-12	11-12	6.4	32				10-1-1-5-1-3-6-1-1-1-3-3-1																				2.60	
30-44A	3563-115.2152	-2-15				0-304775-06/15/74-12	11-12	11-12	6.4	32				10-1-1-5-1-3-6-1-1-1-3-3-1																				2.60	
30-44A	3563-115.2152	-2-15				0-304776-06/15/74-12	11-12	11-12	6.4	32				10-1-1-5-1-3-6-1-1-1-3-3-1																				2.60	
30-44A	3563-115.2152	-2-15				0-304777-06/15/74-12	11-12	11-12	6.4	32				10-1-1-5-1-3-6-1-1-1-3-3-1																				2.60	
30-44A	3563-115.2152	-2-15				0-304778-06/15/74-12	11-12	11-12	6.4	32				10-1-1-5-1-3-6-1-1-1-3-3-1																				2.60	
30-44A	3563-115.2152	-2-15				0-304779-06/15/74-12	11-12	11-12	6.4	32				10-1-1-5-1-3-6-1-1-1-3-3-1																				2.60	
30-44A	3563-115.2152	-2-15				0-304780-06/15/74-12	11-12	11-12	6.4	32				10-1-1-5-1-3-6-1-1-1-3-3-1																				2.60	
30-44A	3563-115.2152	-2-15				0-304781-06/15/74-12	11-12	11-12	6.4	32				10-1-1-5-1-3-6-1-1-1-3-3-1																				2.60	
30-44A	3563-115.2152	-2-15				0-304782-06/15/74-12	11-12	11-12	6.4	32				10-1-1-5-1-3-6-1-1-1-3-3-1																				2.60	
30-44A	3563-115.2152	-2-15				0-304783-06/15/74-12	11-12	11-12	6.4	32				10-1-1-5-1-3-6-1-1-1-3-3-1																				2.60	
30-44A	3563-115.2152	-2-15				0-304784-06/15/74-12	11-12	11-12	6.4	32				10-1-1-5-1-3-6-1-1-1-3-3-1																				2.60	
30-44A	3563-115.2152	-2-15				0-304785-06/15/74-12	11-12	11-12	6.4	32				10-1-1-5-1-3-6-1-1-1-3-3-1																				2.60	
30-44A	3563-115.2152	-2-15				0-304786-06/15/74-12	11-12	11-12	6.4	32				10-1-1-5-1-3-6-1-1-1-3-3-1																				2.60	
30-44A	3563-115.2152	-2-15				0-304787-06/15/74-12	11-12	11-12	6.4	32				10-1-1-5-1-3-6-1-1-1-3-3-1																				2.60	
30-44A	3563-115.2152	-2-15				0-304788-																													

U.S. Geological Survey Hydrogeochemical and Stream Sediment Reconnaissance Data Listing

[illegible]

LASL Uranium Hydrogeochemical and Stream Sediment Reconnaissance Data Listing

ERDA SAMPLE NUMBER						LAST SAMPLE NUMBER AND FIELD DATA																							U CONCENTRATION						
STATE	LATITUDE	LONG. °E	ERDA LAB	SAMPLE TYPE	REPL. DATE	LAST SAMPLE NUMBER	DATE	MOON	AIR TEMPERATURE	WATER TEMPERATURE	COMMENTS	SPEC. MEASUREMENTS	PH	SPECIFIC GRAVITY (1000 gm)	SEINF. LAMETER (microm)	ROCK TYPE	ROCK COLOR	SECT. MEAS. TYPE	SECT. MEAS. COLOR	WATER FLOW	WATER LEVEL	WATER COLOR	SYSTEM ANALYSIS	VEGETATION TYPE	VEGETATION DENSITY	RELIEF	WEATHER	CLOUDS	CONTAMINANTS	WELL TYPE	WELL DIAMETER (INCHES)	WELL DEPTH (FEET)	WATER DEPTH (FEET)	SAMPLE TYPE 1 TO 1000	SAMPLE TYPE 1 TO 2000
30-44	0141-11.5291-2-12		30-4444-44/25/74-15			5	4.2		5.0					78	12-1-6-4-6-6-6-1-2-1-5-4-5	-1																		4.00	
30-44	0141-11.5296-2-12		30-4444-44/25/74-17			5	4.2		5.0					50	12-1-6-4-6-6-6-1-2-1-5-4-5	-1																		4.00	
30-44	7204-11.9111-2-12		30-4451-44/18/74-16			26	18.2		8.1					51	4-1-7-3-6-3-3-1-2-1-3-4-4	-1																		2.10	
30-44	7413-11.9433-2-12		30-4452-44/18/74-13			23	10.6		8.1					65	4-2-7-1-6-3-3-1-2-2-7-4-1	-1																		3.10	
30-44	7402-11.9100-2-12		30-4453-44/18/74-13			22	9.6		8.2					50	7-4-5-5-2-3-3-1-2-2-7-4-1	-1																		2.00	
30-44	7391-11.9175-2-12		30-4454-44/18/74-13			22	10.2		7.5					50	1-2-7-4-1-2-3-7-2-2-3-4-1	-1																		1.90	
30-44	7336-11.9077-2-12		30-4455-44/18/74-14			22	9.8		7.2					39	4-6-4-6-3-3-1-2-2-6-4-1	-1																		2.10	
30-44	7404-11.9434-2-12		30-4456-44/18/74-14			22	12.5		7.2					45	1-2-7-4-6-6-2-3-1-2-2-6-4-1	-1																		2.90	
30-44	7291-11.9344-2-12		30-4457-44/18/74-15			22	15.6		8.5					51	7-2-7-4-6-6-3-3-1-2-2-7-4-1	-1																		2.00	
30-44	7238-11.9522-2-13		30-4458-44/18/74-16			21	20.2		7.1					70	4-2-7-4-5-2-2-5-5-6-4-4-1	-3																		1.80	
30-44	6841-11.9167-2-12		30-4459-44/19/74-4			18	7.6		8.2					20	1-2-6-2-6-3-3-1-2-1-7-4-2	-1																		2.90	
30-44	6733-11.9177-2-12		30-4460-44/19/74-4			18	8.2		7.8					35	9-2-6-3-6-3-3-1-2-1-7-4-2	-1																		3.20	
30-44	6577-11.9041-2-12		30-4461-44/19/74-10			18	6.3		7.1					52	1-2-6-2-6-3-3-1-2-1-7-4-2	-1																		10.00	
30-44	6369-11.9272-2-12		30-4462-44/19/74-10			18	7.8		7.5					80	4-2-6-3-6-3-3-1-2-1-7-4-2	-1																		6.40	
30-44	7122-11.9139-2-12		30-4463-44/19/74-10			18	9.2		8.1					220	15-2-7-1-6-3-3-1-2-1-7-4-2	-9																		3.20	
30-44	7347-11.9594-2-12		30-4464-44/19/74-10			19	8.2		7.4					62	3-2-7-3-6-3-3-1-2-1-6-4-2	-3																		4.00	
30-44	7444-11.9313-2-12		30-4465-44/19/74-11			18	7.8		8.1					290	9-2-7-3-6-3-3-1-2-1-7-4-2	-1																		3.30	
30-44	7150-11.9325-2-12		30-4466-44/19/74-11			19	8.0		7.8					98	12-2-7-2-6-3-3-1-2-1-7-4-2	-3																		3.50	
30-44	6734-11.9133-2-12		30-4467-44/19/74-11			19	9.3		7.0					26	13-2-7-3-6-3-3-1-2-1-6-4-2	-1																		3.00	
30-44	6847-11.9384-2-12		30-4468-44/19/74-12			19	8.8		7.5					60	4-2-7-2-6-3-3-1-2-1-7-4-2	-1																		3.40	
30-44	6963-11.9355-2-12		30-4469-44/19/74-12			18	7.6		8.0					275	4-2-7-1-6-3-3-1-2-1-7-4-2	-1																		3.70	
30-44	6504-11.9180-2-12		30-4470-44/19/74-12			18	8.8		6.0					98	10-2-7-1-7-4-3-1-2-1-7-5-2	-1																		3.60	
30-44	6554-11.9341-2-12		30-4471-44/19/74-12			16	9.2		6.2					89	4-2-7-1-7-4-3-1-2-1-7-5-3	-1																		3.00	
30-44	6261-11.9319-2-12		30-4472-44/19/74-13			16	7.8		5.1					185	4-2-7-1-6-4-4-1-2-1-7-5-3	-1																		8.60	
30-44	6186-11.9764-2-12		30-4473-44/19/74-14			18	9.2		6.0					71	9-2-7-3-6-3-3-1-2-1-7-5-2	-1																		4.40	
30-44	5961-11.9563-2-12		30-4474-44/19/74-14			20	10.6		5.8					27	15-2-7-2-6-3-3-1-2-1-7-5-2	-1																		3.90	
30-44	5966-11.9561-2-12		30-4475-44/19/74-14			20	9.2		5.9					32	12-2-7-3-6-3-3-1-2-1-7-5-2	-1																		4.50	
30-44	5763-11.6033-2-13		30-4476-44/21/74-1			10	9.2		7.2					162	9-1-7-3-6-3-3-1-2-1-6-4-4	-8																		3.00	
30-44	5035-11.5747-2-12		30-4477-44/21/74-11			11	9.4		7.2					275	7-1-7-3-6-2-4-1-1-4-6-1-4	-3																		3.00	
30-44	6122-11.9205-2-12		30-4478-44/22/74-10			17	7.2		6.2					218	10-2-6-2-6-3-3-1-2-1-3-4-3	-3																		3.90	
30-44	5905-11.9761-2-12		30-4480-44/22/74-10			16	8.2		6.2					39	7-1-6-3-6-3-3-1-2-1-6-5-3	-9																		3.50	
30-44	5847-11.9361-2-12		30-4481-44/22/74-11			16	7.8		5.2					25	9-1-6-2-6-3-3-1-2-1-6-4-3	-1																		5.60	
30-44	5438-11.9105-2-12		30-4482-44/22/74-11			16	4.7		5.0					34	9-1-6-3-6-3-3-1-2-1-6-4-3	-1																		5.40	
30-44	5950-11.9239-2-12		30-4483-44/22/74-11			16	9.4		5.7					38	10-1-6-3-6-2-4-1-1-3-6-1-3	-3																		3.30	
30-44	5875-11.9208-2-12		30-4484-44/22/74-11			16	10.0		6.8					180	13-1-6-3-6-2-4-1-1-2-7-3-3	-3																		3.40	
30-44	5613-11.9388-2-14		30-4485-44/22/74-12			15	11.4		6.9					115	3-1-6-6-6-3-6-2-2-1-3-4-4	-3																		6.20	
30-44	5527-11.9500-2-12		30-4486-44/22/74-12			14	8.4		5.9					33	15-1-7-1-7-4-3-1-2-2-7-5-3	-1																		5.20	
30-44	5261-11.9705-2-12		30-4487-44/24/74-11			14	10.0		5.8					35	4-1-7-2-6-3-3-1-2-1-7-5-2	-1																		5.60	
30-44	5116-11.9413-2-12		30-4488-44/24/74-11			14	9.5		5.4					30	6-1-7-2-6-3-3-1-2-1-7-5-2	-1																		4.50	
30-44	5330-11.9538-2-12		30-4489-44/24/74-11			15	7.8		5.7					40	4-1-7-2-6-4-3-1-2-1-6-5-2	-9																		4.20	
30-44	5358-11.9697-2-12		30-4490-44/24/74-12			16	6.6		5.9					45	10-1-7-3-6-3-3-1-2-2-7-5-2	-3																		6.40	
30-44	5344-11.9700-2-12		30-4491-44/24/74-12			16	7.6		6.0					60	6-1-7-3-6-3-3-1-2-2-6-5-2	-3																		4.70	
30-44	5402-11.9211-2-12		30-4492-44/24/74-12			16	7.8		6.2					65	4-1-6-3-6-3-3-1-2-3-7-5-2	-3																		3.80	
30-44	5027-11.9658-2-12		30-4493-44/24/74-12			16	7.9		6.1					59	9-1-7-3-6-3-3-1-2-2-7-5-2	-1																		10.80	
30-44	5052-11.9211-2-12		30-4494-44/24/74-12			16	8.2		6.2					60	9-1-6-3-6-3-3-1-2-2-7-6-2	-3																		10.70	
30-44	5033-11.9513-2-12		30-4495-44/24/74-12			16	8.8		6.1					69	15-1-7-1-7-3-3-1-2-2-7-4-2	-3																		11.30	
30-44	5961-11.9200-2-12		30-4496-44/24/74-12			15	8.2		5.8					18	9-1-6-1-6-6-4-3-1-2-2-7-4-2	-1																		5.20	
30-44	6094-11.9152-2-12		30-4497-44/24/74-13			15	7.0		5.6					10	10-1-7-1-7-4-3-1-2-1-6-5-2	-1																		4.30	
30-44	6186-11.9711-2-14		30-4498-44/24/74-13			15	6.8		5.2					20	12-1-7-1-6-6-4-3-1-2-1-6-5-2	-1																		3.80	
30-44	7355-11.9191-2-12		30-4499-44/24/74-16			16	9.8		5.7					19	18-1-7-1-7-4-3-1-2-1-7-5-3	-1																		3.70	
30-																																			

LASL Uranium Hydrogeochemical and Stream Sediment Reconnaissance Data Listing

ERDA SAMPLE NUMBER					LASL SAMPLE NUMBER AND FIELD DATA															U CONCENTRATION													
STATE	LATITUDE	LONGITUDE	ERDA LAB	SAMPLE TYPE	REPLICATE	LASL SAMPLE NUMBER	TIME SAMPLED		AIR TEMPERATURE	WATER TEMPERATURE	COMMENTS	SPECIAL MEASUREMENTS	pH	SPECIFIC CONDUCTANCE (µmhos/cm)	SCINTILLOMETER (µCi/gm)	ROCK TYPE	ROCK COLOR	SEDIMENT TYPE	SEDIMENT COLOR	WATER FLOW	WATER LEVEL	WATER COLOR	STREAM CHANNEL	VEGETATION TYPE	RELIEF	WEATHER	OWNERSHIP	CONTAMINANTS	WELL TYPE	WELL DIAMETER (INCHES)	WELL DEPTH (FEET)	WATER DEPTH (FEET)	SAMPLE TYPES 1. 10 mg WATER 10 ppm 11. 20 mg SEDIMENT 10 ppm
30-4A	0119-115	4712-2-12	n-304901	n-304901	n-304901	n-304901	DATE	HOUR	14	7.0			5.2	12	6-1-1-3-6-4-3-1-2-1-6-3-2-1																		3.70
30-4A	0355-115	2331-2-12	n-304902	n-304902	n-304902	n-304902	DATE	HOUR	14	7.0			5.2	255	17-1-1-6-6-3-3-1-2-1-6-3-3-1																		3.90
30-4A	0522-115	1244-2-12	n-304903	n-304903	n-304903	n-304903	DATE	HOUR	13	4.2			5.1	151	17-1-1-6-6-3-3-1-3-1-3-3-3-1																		4.30
30-4A	3480-114	8407-2-12	n-304904	n-304904	n-304904	n-304904	DATE	HOUR	9	5.2			5.2	27	15-1-1-6-6-3-3-1-2-1-6-3-2-1																		3.90
30-4A	2925-114	6452-2-12	n-304905	n-304905	n-304905	n-304905	DATE	HOUR	9	7.2			5.4	340	2-1-1-6-6-3-3-1-2-1-6-3-2-1																		2.60
30-4A	7186-114	6277-2-12	n-304906	n-304906	n-304906	n-304906	DATE	HOUR	10	4.4			5.1	249	14-1-1-6-6-3-3-1-2-1-6-4-3-1																		3.60
30-4A	7089-114	6275-2-12	n-304907	n-304907	n-304907	n-304907	DATE	HOUR	8	4.5			5.2	150	15-1-1-3-6-4-5-1-2-1-6-3-3-1																		6.10
30-4A	6872-114	6397-2-12	n-304908	n-304908	n-304908	n-304908	DATE	HOUR	7	3.4			5.4	152	14-1-1-3-6-5-4-1-2-1-6-4-2-1																		3.70
30-4A	4244-114	7230-2-12	n-304909	n-304909	n-304909	n-304909	DATE	HOUR	8	7.2			5.2	165	14-1-1-3-6-6-3-1-2-1-6-3-2-1																		6.00
30-4A	3905-114	4897-2-12	n-304910	n-304910	n-304910	n-304910	DATE	HOUR	11	5.2			5.1	32	14-1-1-6-6-3-3-1-2-2-7-3-2-1																		5.90
30-4A	2688-114	6616-2-12	n-304911	n-304911	n-304911	n-304911	DATE	HOUR	7	6.0			6.5	365	4-1-1-6-6-2-3-1-1-1-6-3-2-1																		11.30
30-4A	2688-114	6625-2-12	n-304912	n-304912	n-304912	n-304912	DATE	HOUR	7	8.1			6.5	220	15-1-1-3-6-3-3-1-2-1-6-3-2-1																		3.70
30-4A	2800-114	6619-2-12	n-304913	n-304913	n-304913	n-304913	DATE	HOUR	8	4.2			6.1	300	4-1-1-6-6-3-3-1-2-1-6-3-2-1																		7.10
30-4A	7269-115	2349-2-12	n-304914	n-304914	n-304914	n-304914	DATE	HOUR	12	5.2			5.2	22	12-1-1-6-6-4-3-1-2-1-6-4-3-1																		2.90
30-4A	7175-115	1758-2-12	n-304915	n-304915	n-304915	n-304915	DATE	HOUR	6	5.4			5.4	21	12-1-1-6-6-4-3-1-2-1-6-4-3-1																		2.80
30-4A	7280-115	1780-2-12	n-304916	n-304916	n-304916	n-304916	DATE	HOUR	5	4.5			5.1	19	15-1-1-6-6-4-3-2-2-1-6-4-3-1																		3.30
30-4A	7411-115	1252-2-12	n-304917	n-304917	n-304917	n-304917	DATE	HOUR	5	4.8			5.5	46	14-1-1-3-6-4-3-2-2-1-6-4-3-1																		4.10
30-4A	6405-115	2152-2-12	n-304918	n-304918	n-304918	n-304918	DATE	HOUR	7	6.7			5.5	23	21-1-1-6-6-4-3-1-2-1-6-4-3-1																		5.50
30-4A	6705-115	3336-2-12	n-304921	n-304921	n-304921	n-304921	DATE	HOUR	15	8.1	C		5.1	23	12-1-7-1-7-4-3-1-2-1-7-5-3-1																		3.90
30-4A	6755-115	3400-2-12	n-304922	n-304922	n-304922	n-304922	DATE	HOUR	15	7.4			5.5	20	12-1-7-1-7-4-3-1-2-1-6-5-3-1																		3.70
30-4A	6863-115	3345-2-12	n-304923	n-304923	n-304923	n-304923	DATE	HOUR	15	8.7	C		5.6	22	2-1-7-1-7-3-3-1-2-1-3-5-3-1																		4.30
30-4A	6269-115	2744-2-12	n-304924	n-304924	n-304924	n-304924	DATE	HOUR	15	8.6	C		5.1	14	14-1-7-1-7-4-3-1-2-1-6-5-3-1																		3.70
30-4A	6027-115	2544-2-12	n-304925	n-304925	n-304925	n-304925	DATE	HOUR	15	8.2	C		5.5	20	15-1-7-1-7-4-3-1-2-1-6-5-3-1																		3.70
30-4A	5000-115	2347-2-12	n-304927	n-304927	n-304927	n-304927	DATE	HOUR	15	8.9	C		5.4	80	12-1-7-3-6-2-2-1-2-1-7-5-6-1																		5.60
30-4A	6283-115	2748-2-12	n-304928	n-304928	n-304928	n-304928	DATE	HOUR	12	8.4	C		5.5	21	9-1-7-1-7-3-3-1-2-2-7-5-4-1																		2.70
30-4A	6261-115	3350-2-14	n-304929	n-304929	n-304929	n-304929	DATE	HOUR	13	8.2	C		5.7	19	15-1-7-1-7-2-3-1-2-1-6-5-6-1																		3.50
30-4A	6497-115	2725-2-12	n-304930	n-304930	n-304930	n-304930	DATE	HOUR	11	7.8			5.5	15	12-1-7-1-7-4-3-1-2-1-6-5-6-1																		4.10
30-4A	7280-115	3025-2-12	n-304931	n-304931	n-304931	n-304931	DATE	HOUR	11	8.0	C		5.6	22	15-1-7-1-7-4-3-1-2-1-6-5-6-1																		2.80
30-4A	6406-115	3364-2-12	n-304932	n-304932	n-304932	n-304932	DATE	HOUR	10	5.6			5.7	15	15-1-7-1-7-4-3-1-2-1-6-5-6-1																		3.80
30-4A	6484-115	3369-2-12	n-304933	n-304933	n-304933	n-304933	DATE	HOUR	16	5.6			5.5	20	12-1-7-1-7-4-3-1-2-1-6-5-6-1																		4.80
30-4A	6447-115	2753-2-12	n-304934	n-304934	n-304934	n-304934	DATE	HOUR	14	8.0			5.0	35	4-1-7-2-6-3-3-1-2-1-7-5-4-1																		6.20
30-4A	5547-115	2725-2-12	n-304935	n-304935	n-304935	n-304935	DATE	HOUR	15	7.8			5.7	30	15-1-7-1-7-3-3-1-2-2-6-5-3-1																		3.70
30-4A	5886-115	2747-2-12	n-304936	n-304936	n-304936	n-304936	DATE	HOUR	12	8.6			5.7	12	12-1-7-1-6-3-3-1-2-1-7-5-3-1																		3.10
30-4A	5530-115	3275-2-12	n-304937	n-304937	n-304937	n-304937	DATE	HOUR	11	7.4			5.6	22	15-1-6-3-6-3-3-1-2-1-3-5-3-1																		3.70
30-4A	5500-115	3350-2-12	n-304938	n-304938	n-304938	n-304938	DATE	HOUR	12	6.9			5.6	19	2-1-6-2-6-3-3-1-2-1-7-5-3-1																		4.00
30-4A	5597-115	3377-2-12	n-304939	n-304939	n-304939	n-304939	DATE	HOUR	12	7.2			5.7	22	15-1-6-3-6-3-3-1-2-1-6-5-3-1																		3.10
30-4A	5611-115	3375-2-12	n-304940	n-304940	n-304940	n-304940	DATE	HOUR	12	8.6			5.6	17	12-1-6-2-6-3-3-1-2-1-6-5-3-1																		3.30
30-4A	5166-115	3225-2-12	n-304941	n-304941	n-304941	n-304941	DATE	HOUR	13	9.8			6.6	75	21-1-7-1-7-4-3-1-2-1-6-5-3-1																		5.00
30-4A	5266-115	3688-2-12	n-304942	n-304942	n-304942	n-304942	DATE	HOUR	13	9.6			6.7	70	22-1-7-1-7-4-3-1-2-1-6-5-3-1																		5.10
30-4A	5150-115	3016-2-12	n-304943	n-304943	n-304943	n-304943	DATE	HOUR	14	10.1	C		6.7	90	9-1-6-2-6-3-3-1-2-1-7-5-3-1																		5.90
30-4A	5466-115	2908-2-12	n-304944	n-304944	n-304944	n-304944	DATE	HOUR	14	9.9	C		6.6	180	7-1-7-1-7-2-2-1-2-1-7-5-3-1																		7.60
30-4A	0266-117	6163-2-12	n-304965	n-304965	n-304965	n-304965	DATE	HOUR	6	8.0			5.2	26	14-1-4-4-4-5-4-1-2-1-6-6-6-1																		3.70

APPENDIX E
CODE TO DATA LISTINGS AND SAMPLE TYPES USED
BY
THE LOS ALAMOS SCIENTIFIC LABORATORY
IN THE
NURE HYDROGEOCHEMICAL AND STREAM SEDIMENT RECONNAISSANCE

ITEM E-I
EXPLANATION OF CODE USED IN LASL HSSR DATA LISTINGS
(PAGES E-1 THROUGH E-5)

ITEM E-II
NUMERICAL KEY AND SPECIFICATIONS
FOR SAMPLE TYPES TAKEN BY THE LASL
(PAGE E-6)

APPENDIX ITEM I

EXPLANATION OF CODE USED IN OPEN-FILE LISTINGS OF HYDROGEOCHEMICAL AND STREAM SEDIMENT RECONNAISSANCE DATA PROVIDED BY THE LOS ALAMOS SCIENTIFIC LABORATORY

ERDA SAMPLE NUMBER

STATE: A two-digit Federal Information Processing Standards (FIPS) code, designating the state from which each sample came. For the states being covered by the LASL, the code numbers are:

Alaska	= 02	New Mexico	= 35
Colorado	= 08	Wyoming	= 56
Montana	= 30		

LATITUDE AND LONGITUDE: Sample location, in degrees and decimal degrees to four places. However, though generally much better, locational accuracy cannot be guaranteed closer than about 300 m (1000 ft).

ERDA LAB: An Energy Research and Development Administration (ERDA) one-digit identifier designating the national laboratory responsible for taking the sample and the data shown in the listing, as well as providing the analysis giving the uranium and other elemental concentrations, if any. The LASL is designated by the numeral 2.

SAMPLE TYPE: A two-digit identifier which specifically designates the pertinent properties defining the sample type to which the listed data relate. For explanation of the code used, refer to the attached "Numerical Key and Specifications for Sample Types Taken by the LASL."

REPLICATE: A three-digit sequential number assigned to indicate a multiple sample of a single sample type from a single location. The largest number in use indicates the most recent sample taken, and there will always be smaller sequential numbers representing earlier samples back to 000, which is the initial sample from any given location. Except in the case of special studies, there will be no replicate samples and this entry will therefore be 000.

LASL SAMPLE NUMBER AND FIELD DATA

LASL SAMPLE NUMBER: A unique six-digit number permanently assigned by the LASL to every location sampled in each state. For internal use, these numbers are assigned in blocks to the various areas individually treated and reported upon, and therefore serve to generally locate the samples within the various states as follows.

	<u>Location Numbers</u>		<u>State</u>
from	000 001 through 099 999	=	New Mexico
from	100 001 through 199 999	=	Colorado
from	200 001 through 299 999	=	Wyoming
from	300 001 through 399 999	=	Montana
from	400 001 through and above	=	Alaska

TIME SAMPLED: The DATE that the sample was taken, in terms of the number of the MONTH, followed by the DAY and finally the YEAR, separated by slashes, and then the TIME it was taken on that date to the nearest whole HOUR on a military (24-hour) clock.

AIR TEMPERATURE: The temperature that was measured in the shade at the time of sampling, to the nearest whole degree Celsius ($^{\circ}\text{C}$).

WATER TEMPERATURE: The temperature that was measured in the sample water (in situ whenever possible) at the time of sampling, to the nearest one-tenth of a degree Celsius (0.1°C).

COMMENTS: A "C" in this column indicates that some secondary comment not included in the listing was recorded at the sample location. This information will be used by the LASL in evaluating the data and, if appropriate, it will be mentioned in the final report.

SPECIAL MEASUREMENTS: An "S" in this column indicates that one or more field measurements in addition to those listed were made at the sample location. A description of any special parameters measured and the measured value at each sample location will be included in the final HSSR survey report on the area.

pH: The pH, to the nearest one-tenth (0.1) of a pH unit, that was measured in the water at the sample location at the time of sampling.

SPECIFIC CONDUCTANCE: The conductivity, in $\mu\text{mhos/cm}$, that was measured in the water at the sample location at the time of sampling.

SCINTILLOMETER: The equivalent uranium (eU), in parts per million (ppm), as measured on a flat ground surface within 10 m of the sample location using a scintillometer fitted with a differential gamma sampler (DGS). The effect of the DGS is to introduce a fixed geometry into the measurement and remove the background.

ROCK TYPE: The single digit in this column provides a general description of the dominant lithologic regime at or near the sample location, as given below.

1 = Sedimentary	3 = Igneous
2 = Metamorphic	4 = Unknown

ROCK COLOR: The single digit in this column provides an indication of the observed dominant color of local bedrock exposures at or near the sample location, as given below.

1 = White/Buff	4 = Pink/Red	7 = Gray
2 = Yellow	5 = Green	8 = Black
3 = Orange	6 = Brown	9 = Other

SEDIMENT TYPE: The single digit in this column provides a subjective evaluation of the dominant sediment type at the sample location, as given below.

1 = Boulders	4 = Sand	7 = Other
2 = Cobbles	5 = Mud	
3 = Gravel	6 = Muck	

SEDIMENT COLOR: The single digit in this column indicates the observed dominant color of the bottom sediment (stream channel, lake bed, etc.) at the sample location at the time of sampling, as given below.

1 = White/Buff	4 = Pink/Red	7 = Gray
2 = Yellow	5 = Green	8 = Black
3 = Orange	6 = Brown	9 = Other

WATER FLOW: The single digit in this column provides a subjective evaluation of the water movement at the sample location at the time of sampling, as given below.

1 = Stagnant	3 = Moderate	5 = Torrent
2 = Slow	4 = Fast	

WATER LEVEL: The single digit in this column provides a subjective estimate of water quantity at the time of sampling, relative to its usual condition at the sample location, as given below.

1 = Dry	3 = Normal	5 = Flood
2 = Low	4 = High	

WATER COLOR: The single digit in this column provides a subjective evaluation of suspended load in the sample water as, given below.

1 = Clear	3 = Cloudy	5 = Algal
2 = Murky	4 = Muddy	6 = Other

STREAM CHANNEL: The single digit here gives a subjective evaluation of stream channel character at the sample location at the time of sampling, as given below.

1 = Depositing	2 = Eroding	3 = Unknown
----------------	-------------	-------------

VEGETATION TYPE: The single digit in this column provides a subjective evaluation of the dominant plant type in the vicinity of the sample location, according to the key below.

1 = Conifers	4 = Grass	7 = Other
2 = Deciduous	5 = Moss	
3 = Brush	6 = Marsh	

VEGETATION DENSITY: The single digit in this column provides a subjective estimate of the amount of plant cover in the vicinity of the sample location, according to the key below.

1 = Barren	3 = Moderate	5 = Very Dense
2 = Sparse	4 = Dense	

RELIEF: The single digit in this column provides a subjective evaluation of the topography within a few hundred meters of the sample location, according to the key below.

1 = Flat	3 = Gentle (15-60 m)	5 = High (>300 m)
2 = Low (<15 m)	4 = Moderate (60-300 m)	6 = Other

WEATHER: The single digit in this column gives the observed climatic condition at the sample location at the time of sampling, as given by the key below.

1 = Clear	3 = Overcast	5 = Snowy
2 = Partly cloudy	4 = Rainy	6 = Other

OWNERSHIP: The single digit here gives a broad classification of administrative responsibility or general ownership of the land at the sample location, according to the key below.

1 = Federal	3 = Private	5 = Other
2 = State	4 = Indian	

CONTAMINANTS: The single digit here indicates known or suspected local factors likely to influence analytical results, according to the key below.

1 = None	4 = Industry	7 = Urban
2 = Mining	5 = Sewage	8 = Recreation
3 = Agriculture	6 = Power generation	9 = Other

WELL TYPE: The single digit in this column provides a general description of the type of water well from which the sample was taken (if, in fact, it was a well sample), according to the key below.

1 = Windmill-stock	4 = Suction pump	7 = Hand bail
2 = Windmill-domestic	5 = Jet pump	8 = Unknown
3 = Submersible pump	6 = Large turbine	9 = Other

WELL DIAMETER: The one or two digits (if any) in this column give the measured or estimated inside diameter, in inches, of the casing of the well from which the sample (if taken from a well) came.

WELL DEPTH: The one, two, or three digits (if any) in this column give the total drilled depth from the surface, in feet, of the well from which the sample (if taken from a well) came. Three 9s in this column indicates a well depth greater than 1000 ft.

WATER DEPTH: The one, two, or three digits in this column give the depth, in feet, from the surface to the standing water in the well, if known (if the sample was taken from a well). A -1 in this column indicates a flowing artesian well.

URANIUM CONCENTRATION: The value given in this column is the analytically derived value of the uranium concentration found in the water sample in parts per billion (ppb), or in the sediment sample in parts per million (ppm). Sample Types No. 1 through 10 and 21 through 30 are water samples, with their uranium concentrations given in ppb, while Sample Types No. 11 through 20 and 31 through 40 are sediment samples, with their uranium concentration given in ppm.

APPENDIX ITEM II

ABBREVIATED NUMERICAL KEY AND SPECIFICATIONS FOR COMMON SAMPLE TYPES TAKEN BY THE LOS ALAMOS SCIENTIFIC LABORATORY (LASL) IN THE NATIONAL URANIUM RESOURCE EVALUATION (NURE) HYDROGEOCHEMICAL AND STREAM SEDIMENT RECONNAISSANCE (HSSR)

This numerical key provides the necessary tie between the specific type or form of each sample taken in the LASL HSSR program and each individual suite of field and laboratory data to which the sample relates. It defines the various sample types generally to be collected by the LASL in the ERDA HSSR for uranium.

The two-digit key number assigned to each sample type herein designates three distinct properties of the most common types of samples taken by the LASL in the NURE HSSR project. These properties are: (a) The general sample source (spring or stream or dry stream, etc.); (b) The sample medium (water or sediment, etc.); and (c) The treatment given the sample in the field or laboratory prior to its analysis by the LASL.

The key numbers are inserted in the appropriate columns of the specially formatted ERDA sample numbering system to positively identify the sample type for all LASL sample data submitted. An expanded version of this key, which includes sample types less commonly used by the LASL, will be provided whenever data from such samples are submitted.

KEY NO.	<u>SOURCE</u> / <u>MEDIUM</u> / <u>TREATMENT</u>
01 -	<u>Spring water</u> sample <u>untreated</u> .
02 -	<u>Stream water</u> sample <u>untreated</u> .
03 -	<u>Well water</u> sample <u>untreated</u> .
04 -	<u>Natural pond water</u> sample <u>untreated</u> .
05 -	<u>Artificial pond water</u> sample <u>untreated</u> .
06 -	<u>Spring water</u> sample <u>filtered</u> through an 0.45- μ membrane filter and <u>acidified</u> to a pH of ≤ 1 with reagent-grade nitric acid (HNO_3).
07 -	<u>Stream water</u> sample <u>filtered</u> through an 0.45- μ membrane filter and <u>acidified</u> to a pH of ≤ 1 with reagent-grade nitric acid (HNO_3).
08 -	<u>Well water</u> sample <u>filtered</u> through an 0.45- μ membrane filter and <u>acidified</u> to a pH of ≤ 1 with reagent-grade nitric acid (HNO_3).
09 -	<u>Natural pond water</u> sample <u>filtered</u> through an 0.45- μ membrane filter and <u>acidified</u> to a pH of ≤ 1 with reagent-grade nitric acid (HNO_3).
10 -	<u>Artificial pond water</u> sample <u>filtered</u> through an 0.45- μ membrane filter and <u>acidified</u> to a pH of ≤ 1 with reagent-grade nitric acid (HNO_3).

- 11 - Wet spring sediment sample dried at $\leq 100^{\circ}\text{C}$ and sieved to -100 mesh
through stainless steel sieves.
- 12 - Wet stream sediment sample dried at $\leq 100^{\circ}\text{C}$ and sieved to -100 mesh
through stainless steel sieves.
- 13 - Wet natural pond sediment sample dried at $\leq 100^{\circ}\text{C}$ and sieved to -100
mesh through stainless steel sieves.
- 14 - Wet artificial pond sediment sample dried at $\leq 100^{\circ}\text{C}$ and sieved to -100
mesh through stainless steel sieves.
- 15 - Dry stream sediment sample dried at $\leq 100^{\circ}\text{C}$ (if necessary) and sieved to
-100 mesh through stainless steel sieves.
- 96 - Dry natural pond sediment sample dried at $\leq 100^{\circ}\text{C}$ (if necessary) and
sieved to -100 mesh through stainless steel sieves.
- 97 - Dry artificial pond sediment sample dried at $\leq 100^{\circ}\text{C}$ (if necessary) and
sieved to -100 mesh through stainless steel sieves.
- 98 - Other water These key numbers are to be used only for water (98) or
sediment (99) samples coming from a special source and/
99 - Other sediment or given a special treatment not described for any of
the types of samples above. When used in the listings
published herein, the source and treatment given the
samples so designated are described in the text.

30'

LEGEND

4

Modified After W. M. JOHNS
and others
(1970)

15'

115°00'

45'

6

PLATE I
GENERALIZED GEOLOGICAL MAP
(PARTS OF LINCOLN AND FLATHEAD COUNTIES)
NORTHWEST MONTANA

☆ U.S. GOVERNMENT PRINTING OFFICE 1977-777-018/55

LOGY
(THEAD COUNTIES)
TANA

30

2

30'

15'

14°00'

KALISPELL
(NTMS)

3

PLATE II

6

PLATE

WATER AND SEDIMENT S
LINCOLN AND FLATHEAD COUNT

SCALE 1:250 000

8

△
N
▽

SANDPOINT
(NTMS)

45'

30'

30°00'

45'

30'

15'

115°00'

45'

2

30'

15'

14°00'

KALISPELL
(NTMS)

3

PLATE III

LEGEND

WELL WATER	SPRING WATER	ARTIFICIAL POND WATER	NATURAL LAKE OR POND WATER	SURFACE STREAM WATER	TOTAL URANIUM (ppb)
○	◇	▽	△	□	<0.20 [<LOWER DETECTION LIMIT]
○	◇	▽	△	□	0.20-0.66 (0.20 to M)
○	◇	▽	△	□	0.66-5.19 [M to (M+1σ)]
○	◇	▽	△	□	5.19-7.46 [(M+1σ) to (M+1.5σ)]
○	◇	▽	△	□	7.46-9.72 [(M+1.5σ) to (M+2σ)]
○	◇	▽	△	□	9.72-11.99 [(M+2σ) to (M+2.5σ)]
○	◇	▽	△	□	11.99-14.25 [(M+2.5σ) to (M+3σ)]
○	◇	▽	△	□	>14.25 [>(M+3σ)]

NOTE:

M=0.66 ppb=MEAN U VALUE FOR ALL WATER SAMPLE COMBINED.

(σ) STANDARD DEVIATION = 4.53

SAMPLES ≤10 ppb WERE ANALYZED BY FLUOROMETRY, SAMPLES >10 WERE ANALYZED BY DELAYED NEUTRON COUNTING.

E FOR
SAMPLES

4.53 ppb

ALYZED
>10 ppb
ED

6

PLATE III

GRAPHIC PLOT OF URANIUM CONCENTR
FROM LINCOLN AND FLATHEAD COUN

(OVERLAY)

III

CONCENTRATIONS IN WATER SAMPLES COUNTIES, NORTHWEST MONTANA

SCALE 1:250 000

8

30'

15'

114°00'

KALISPELL
(NTMS)

3

PLATE IV

LEGEND

DRY POND SEDIMENT	DRY SPRING SEDIMENT	WET SPRING SEDIMENT	WET ARTIFICIAL POND SEDIMENT	WET NATURAL LAKE OR POND SEDIMENT	DRY STREAM SEDIMENT	WET STREAM SEDIMENT	TOTAL URANIUM (ppm)
○	+	◊	▽	△	■	◻	0-1.31 [0 to (M - 1σ)]
○	+	◊	▽	△	⊠	◻	1.31-4.56 [(M - 1σ) to M]
○	+	◊	▽	△	⊠	◻	4.56-7.82 [M to (M + 1σ)]
○	+	◊	▽	△	⊠	◻	7.82-9.45 [(M + 1σ) to (M + 1.5σ)]
○	+	◊	▽	△	⊠	◻	9.45-11.07 [(M + 1.5σ) to (M + 2σ)]
○	+	◊	▽	△	⊠	◻	11.07-12.70 [(M + 2σ) to (M + 2.5σ)]
○	+	◊	▽	△	⊠	◻	12.70-14.32 [(M + 2.5σ) to (M + 3σ)]
○	+	◊	▽	△	⊠	◻	>14.32 [>(M + 3σ)]

NOTE:

M = 4.56 ppm = MEAN U VALUE FOR
ALL SEDIMENT SAMPLES
COMBINED.

(σ) STANDARD DEVIATION = 3.25 ppm

ALL SAMPLES ANALYZED BY
DELAYED NEUTRON COUNTING.

E FOR
SAMPLES

3.25 ppm

Y
KG.

6

PLATE IV

GRAPHIC PLOT OF URANIUM CONCENTRA
FROM LINCOLN AND FLATHEAD COU
(OVERLAY)

7

IV
 DISTRIBUTIONS IN SEDIMENT SAMPLES
 COUNTIES, NORTHWEST MONTANA
 (AY)

SCALE 1:250 000

△
N
▽

8