The Volumetric Properties of Aqueous
Sodium Chloride Solutions from 0° to
500°C at Pressures up to 2000 Bars
Based on a Regression of Available Data
in the Literature

GEOLOGICAL SURVEY BULLETIN 1421-C

MASTER

DISTRIBUTION OF THIS DOCUMENT IS UNLIMITED

DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency Thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

DISCLAIMER

Portions of this document may be illegible in electronic image products. Images are produced from the best available original document.

The Volumetric Properties of Aqueous
Sodium Chloride Solutions from 0° to
500°C at Pressures up to 2000 Bars
Based on a Regression of Available Data
in the Literature

By ROBERT W. POTTER II and DAVID L. BROWN

PRELIMINARY STEAM TABLES FOR NaCl SOLUTIONS

GEOLOGICAL SURVEY BULLETIN 1421-C

DISTRIBUTION OF THIS DOCUMENT IS UNLIMITED

UNITED STATES DEPARTMENT OF THE INTERIOR

GEOLOGICAL SURVEY

V. E. McKelvey, *Director*

Library of Congress Cataloging in Publications Data

Potter, Robert W.

The volumetric properties of aqueous sodium chloride solutions from 0° to 500° C at pressures up to 2000 bars based on a regression of available data in the literature.

(Preliminary steam tables for NaCl solutions)

Geological Survey Bulletin 1421-C

Bibliography: p. 5-6.

Supt. of Docs., no.: I 19.3.1421-C.

1. Thermochemistry—Tables, etc. 2. Salt—Tables.

I. Brown, David Leslie, 1954- joint author. II. Title. III. Series.

IV. Series:

United States Geological Survey Bulletin 1421-C.

QE75.B9 no. 1421-C [QD511.8] 557.3'08s [546'.382'24] 76-608267

For sale by the Superintendent of Documents, U. S. Government Printing Office

Washington, D. C. 20402

Stock Number 024-001-02946-4

CONTENTS

	Page
Abstract	C1
Introduction	1
Data regression methods	2
Results	4
References cited	5

TABLES

	Page
TABLE 1. Densities of vapor-saturated NaCl solutions, g/cm ³	C8
2. Densities of vapor-saturated NaCl solutions, g/cm ³	9
3. Densities of 0.5 molal NaCl solutions, g/cm ³	10
4. Densities of 1 molal NaCl solutions, g/cm ³	11
5. Densities of 1.5 molal NaCl solutions, g/cm ³	12
6. Densities of 2 molal NaCl solutions, g/cm ³	13
7. Densities of 2.5 molal NaCl solutions, g/cm ³	14
8. Densities of 3 molal NaCl solutions, g/cm ³	15
9. Densities of 3.5 molal NaCl solutions, g/cm ³	16
10. Densities of 4 molal NaCl solutions, g/cm ³	17
11. Densities of 4.5 molal NaCl solutions, g/cm ³	18
12. Densities of 5 molal NaCl solutions, g/cm ³	19
13. Densities of 5.5 molal NaCl solutions, g/cm ³	20
14. Densities of 5 molal NaCl solutions, g/cm ³	21
15. Densities of 1 weight percent NaCl solutions, g/cm ³	22
16. Densities of 3 weight percent NaCl solutions, g/cm ³	23
17. Densities of 5 weight percent NaCl solutions, g/cm ³	24
18. Densities of 7 weight percent NaCl solutions, g/cm ³	25
19. Densities of 9 weight percent NaCl solutions, g/cm ³	26
20. Densities of 11 weight percent NaCl solutions, g/cm ³	27
21. Densities of 13 weight percent NaCl solutions, g/cm ³	28
22. Densities of 15 weight percent NaCl solutions, g/cm ³	29
23. Densities of 17 weight percent NaCl solutions, g/cm ³	30
24. Densities of 19 weight percent NaCl solutions, g/cm ³	31
25. Densities of 21 weight percent NaCl solutions, g/cm ³	32
26. Densities of 23 weight percent NaCl solutions, g/cm ³	33
27. Densities of 25 weight percent NaCl solutions, g/cm ³	34
28. Interpolation coefficients for NaCl solutions	35
29. NaCl interpolation formula coefficients	36

**THE VOLUMETRIC PROPERTIES OF
AQUEOUS SODIUM CHLORIDE SOLUTIONS
FROM 0° TO 500°C AT PRESSURES UP TO
2000 BARS BASED ON A REGRESSION OF
AVAILABLE DATA IN THE
LITERATURE**

By ROBERT W. POTTER II and DAVID L. BROWN

ABSTRACT

The volumetric properties of aqueous sodium chloride solutions from 0° to 500°C at pressures up to 2000 bars for concentrations ranging from infinite dilution to as high as 8.0 molal have been obtained by a computer regression of the available experimental data from the literature. The regression was done using (1) the simplest forms of equations capable of describing the experimental data, (2) unsmoothed data where possible, and (3) a least-squares regression technique in which the individual data points were weighted with respect to their relative uncertainty. By following this procedure, a set of internally consistent data was generated. The results are presented in 27 tables of density data at various concentrations, temperatures, and pressures. Two tables of empirical constants capable of generating the tables of density values as well as interpolating the tabulated values are also given.

INTRODUCTION

Pressure-volume-temperature-composition (P-V-T-X) data for brines are required to establish optimum operating temperatures, pressures, and flow rates for the production of geothermal brine fields, to minimize scaling and corrosion, and to design intelligently turbines for production of electricity. One of the prerequisites for successful chemical modeling of geothermal brine systems, as well as reservoir modeling, is thermodynamic data derived from the volumetric properties of brines, for example, partial and apparent molal volumes. In view of the critical importance of P-V-T-X data to the utilization and understanding of geothermal brine systems, a compilation of the available data from the literature and a critical evaluation of these data are required. The compilation of the available data from the literature has been completed (Potter and others, 1975), and this chapter presents a critical evaluation of the volumetric data for aqueous sodium chloride solutions.

The volumetric properties of aqueous sodium chloride solutions have been the focus of experimental investigation since 1854. The experimental data prior to 1928, from a total of 103 published references, have been collected, critically evaluated, and published as smoothed values in the International Critical Tables (National Research Council, 1928). The data published since 1928 have been collected and summarized by Potter, Shaw, and Haas (1975). The 119 references covered by them produced a total of 2,453 volumetric measurements as well as 802 smoothed densities. These data and the data presented in the International Critical Tables served as the data base used in this critical evaluation of the volumetric properties of aqueous sodium chloride solutions.

Prior to the present evaluation, the only fairly extensive tabulations of smoothed volumetric data for aqueous, vapor-saturated sodium chloride solutions were: International Critical Tables (National Research Council, 1928) for 0.5–26 weight percent solutions from 0°–100°C; Fabuss and Korosi (1968) for 0.1–3.5 molal (also given in weight percent and molarity) solutions from 20°–150°C (tables also in °F); and Haas (1970) for 0–8.0 molal solutions from 75°–325°C. There are no critical compilations of smoothed data available for solutions at pressures greater than the saturation vapor pressure (Potter, 1976). The limited range of critically evaluated numbers is further evidence of a need for a critical evaluation of all the data over the whole P-V-T-X space if it is available, despite the fact that experimental data summarized by Potter, Shaw, and Haas (1975) are for solutions from 10^{-6} –15.8 molal over the temperature range 0°–770°C at pressures up to 12000 bars.

DATA REGRESSION METHODS

The intent of this critical evaluation of aqueous sodium chloride solutions is to produce a set of internally consistent densities that describes the available volumetric data without introducing any theoretical bias. Hence only the raw experimental values were used in the regression of the volumetric properties, except for the pre-1928 data. Since many of these data are unavailable, the smoothed data from the International Critical Tables (National Research Council, 1928) were used in their place. These data were converted to a common system of units and were then fit to the simplest form of an equation that would adequately describe the experimental data. A minimum amount of data points were rejected using statistical criterion, and the data were then refit to an equation of the same form. The equations that were finally derived in this fashion were used to generate the smoothed density values.

The experimental data for the volumetric properties of aqueous

sodium chloride solutions are reported in the literature in every unit imaginable, from densities in $\text{ft}^3/\text{lb-mol}$ to pressure in amagats. Hence all the volumetric property data had to be converted to a common system of units before they could be evaluated. The system of units used was bars, $^{\circ}\text{C}$, g/cm^3 , and molality for the pressure, temperature, density, and composition, respectively. All these units at the present time are acceptable SI units (Page and Vigoureux, 1972).

A less tractable problem was that of converting the data to a common reference base for the volumetric properties of pure water. Most workers used water either directly or indirectly as a standard for their volumetric measurements, and hence their reported values depend on the set of volumetric data for pure water that the investigator chose to employ. Wherever possible, the volumetric data for aqueous sodium chloride solutions used in the regression were corrected to the reference base for pure water of Kell and Whalley (1965) below 150°C and Keenan, Keyes, Hill, and Moore (1969) at higher temperatures.

Each datum of the data base was evaluated as to its relative uncertainty. In general, the uncertainty was taken to be the precision as stated by the original investigator. However, in those cases where no precision or estimate of uncertainty was stated, an estimated value for the uncertainty was supplied. The precision was estimated as one in the last decimal place of the reported data or on the basis of the precision that could be expected from the method employed under normal conditions. The estimate that yielded the largest uncertainty was the estimate used to weight the data for the regression.

After several trial fittings of the density as a function of composition at constant temperature and pressure, the following equations were found to be the simplest equations that could most precisely describe the experimental data:

$$d = \frac{1000d_0 + M_2md_0}{1000 + A_0md_0 + B_0m^{3/2}d_0 + C_0m^2d_0} \quad (T, P \text{ constant}) \quad (1)$$

and

$$d = A_1 + B_1m^{1/2} + C_1m \quad (T, P \text{ constant}) \quad (2)$$

where d is the density of the aqueous sodium chloride solution, d_0 is the density of pure water at the temperature and pressure of consideration; m is the molality; M_2 is the molecular weight of sodium chloride; and A_0, A_1, B_0, B_1, C_0 , and C_1 are empirical constants. Equation (1) was required to be able to fit the highly precise data, that is, $\pm 10^{-6}$ – $\pm 10^{-4}$ g/cm^3 , which were available below 100°C . At higher temperatures where most of the data had a precision of ± 0.001 –

$\pm 0.005 \text{ g/cm}^3$, equation (2) proved adequate to describe the experimental data. The density as a function of temperature at constant composition and pressure was found to be adequately described by an equation of the following form:

$$d = A + BT + CT^2 \quad (\text{Composition, } P \text{ constant}) \quad (3)$$

where A , B , and C are empirical constants.

The smoothed densities were obtained from a computer regression of the P-V-T-X data base previously described. The regression of these data was accomplished by using a least-squares method in which the individual data points were weighted with respect to their relative uncertainty (Meyer, 1975). The experimental data were first regressed at constant temperature and pressure as a function of composition, then the resulting smoothed densities were regressed as a function of temperature at constant composition and pressure. After the initial fit as a function of composition, the experimental data were evaluated via Chauvenet's criterion and the inappropriate data were rejected. The remaining data were then refit to either equation (1) or (2) depending on the temperature, and the subsequent smoothed values were used in the final regression. This was the only stage in the regression at which data were rejected.

RESULTS

Table 1 summarizes the densities for the vapor-saturated aqueous sodium chloride solutions from 0° – 500°C for various concentrations expressed as molality. The densities for vapor-saturated aqueous sodium chloride solutions with concentration expressed in weight percent (table 2) were derived by interpolating the expressions for density as a function of the molality. The densities for various molalities, 0.5–6.0 molal in 0.5 molal steps, at pressures greater than the saturation vapor pressure up to 2000 bars from 25° – 500°C are summarized in tables 3–14; the densities for various sodium chloride solutions with concentration expressed in weight percent, 1–25 weight percent in 2 weight percent increments, for the same pressure and temperature range are summarized in tables 15–27. The regression constants for the equations used to generate tables 1–27 are tabulated in tables 28 and 29.

The uncertainties for the densities given in tables 1–27 are the mean deviation of the experimental values from the final regressed equations. The extrapolated densities have been assigned an uncertainty of 10 times the mean standard deviation for the final regressed equations (tables 28 and 29). These assignments were made because of the simple form of the equations used; for although the equations

fit the data well, they cannot be readily extrapolated with any certainty. Data is available for higher temperatures, pressures, and concentrations than those summarized in tables 1-27; however, in general, these data are not consistent with the lower temperature, pressure, and concentration data or not extensive enough to allow for a reliable regression that would yield internally consistent P-V-T-X data.

As has been previously stated, there are three critical compilations of density data for limited temperature ranges previous to this study: International Critical Tables (National Research Council, 1928), Fabuss and Korosi (1968), and Haas (1970). The observed mean standard deviations between these data sets and the data in this study are $\pm 0.0003 \text{ g/cm}^3$, $\pm 0.0007 \text{ g/cm}^3$, and $\pm 0.0036 \text{ g/cm}^3$, respectively. The percentages of the smoothed points from the previous compilations that lie within the error bands determined for this study are 69.2 percent, 85.7 percent, and 82.0 percent for the International Critical Tables, Fabuss and Korosi, and Haas, respectively.

The tabulations given here will differ from those given in Chapters A and B of this Bulletin (Haas, 1976a, b) because these results were not available when the earlier chapters were prepared. Haas used an earlier formulation for the density of NaCl solutions to calculate the density and specific volume of the vapor-saturated solutions and to estimate the partial molal volumes of the H_2O and NaCl components. As indicated in the foregoing analysis, these differences are minor in nature when the precision and accuracy of the available data are considered.

The density data obtained from smoothing all the available experimental data are in substantial agreement with previous studies of a similar nature. The smoothed values presented in tables 1-27 represent a reliable set of internally consistent data that describes the available experimental data for the volumetric properties of aqueous sodium chloride solutions. Their wider scope, both in temperature-pressure-composition space and in completeness of data considered, makes these tabulations superior to the previously available compilations. The data as presented in tables 1-27 appear to be of significant precision for engineering purposes; however the precision is such that only preliminary thermochemical data can be extracted from the data set (Potter, 1976).

REFERENCES CITED

- Fabuss, B. M., and Korosi, Alexander, 1968, Properties of seawater and solutions containing sodium chloride, potassium chloride, sodium sulfate, and magnesium sulfate: U.S. Office Saline Water, Research Develop. Progress Rept. No. 384, 133 p.

- Haas, J. L., Jr., 1970, Equation for the density of vapor saturated NaCl-H₂O solutions from 75° to 325°C: *Am. Jour. Sci.*, v. 269, p. 490-494.
- 1976a, Physical properties of the coexisting phases and thermochemical properties of the H₂O component in boiling NaCl solutions: *U.S. Geol. Survey Bull.* 1421-A, 73 p.
- 1976b, Thermodynamic properties of the coexisting phases and thermochemical properties of the NaCl component in boiling NaCl solutions: *U.S. Geol. Survey Bull.* 1421-B 71 p.
- Keenan, J. H., Keyes, F. G., Hill, P. G., and Moore, J. G., 1969, *Steam tables: Thermodynamic properties of water including vapor, liquid and solid phases*: New York, John Wiley and Sons, 162 p.
- Kell, G. S., and Whalley, E., 1965, The PVT properties of water. I. Liquid water in the temperature range 0° to 150°C and at pressures up to 1Kb: *Royal Soc. London Philos. Trans.*, v. 258, p. 565-617.
- Meyer, S. L., 1975, *Data analysis for scientists and engineers*: New York, John Wiley and Sons, 513 p.
- National Research Council, 1928, *International critical tables of numerical data, physics, chemistry and technology*: New York, McGraw-Hill Book Co., v. 3, 444 p.
- Page, C. H., and Vigoureux, Paul, 1972, *The international system of units*: National Bureau Standards Spec. Pub. 330, 42 p.
- Potter, R. W., II, 1976, An assessment of the status of the available data on the P-V-T properties for the major components in geothermal brines: *U.N. Symposium on the Development of Use of Geothermal Resources*, 2d, San Francisco, Proc., v. 1, p. 826-829.
- Potter, R. W., II, Shaw, D. R., and Haas, J. L., Jr., 1975, Annotated bibliography of studies on the density and other volumetric properties for major components in geothermal waters 1928-74: *U.S. Geol. Survey Bull.* 1417, 78 p.

TABLES 1-29

TABLE 1.—*Densities of vapor-saturated NaCl solutions, g/cm³*

[The uncertainties in the densities are: 5-place figures $\pm 10^{-5}$, 50° data $\pm 10^{-4}$, 75° data $\pm 5 \times 10^{-4}$, 3-place figures ± 0.005 , 2-place figures ± 0.05 .]

Temp °C	Molality															
	0.5	1.0	1.5	2.0	2.5	3.0	3.5	4.0	4.5	5.0	5.5	6.0	6.5	7.0	7.5*	8.0*
0	1.02190	1.04244	1.06206	1.08086	1.09891	1.11625	1.13292	1.14895	1.16437	1.17920	1.19347	1.20719	--	--	--	--
25	1.01710	1.03621	1.05458	1.07227	1.08932	1.10576	1.12162	1.13691	1.15167	1.16591	1.17964	1.19288	--	--	--	--
50	1.0074	1.0259	1.0437	1.0609	1.0775	1.0936	1.1092	1.1242	1.1389	1.1530	1.1667	1.1801	--	--	--	--
75	0.9941	1.0126	1.0304	1.0477	1.0645	1.0807	1.0963	1.1115	1.1263	1.1405	1.1543	1.1677	--	--	--	--
100	0.978	0.997	1.014	1.031	1.046	1.062	1.078	1.093	1.107	1.122	1.136	1.151	1.165	--	--	--
125	0.961	0.980	0.998	1.013	1.028	1.044	1.060	1.075	1.089	1.104	1.118	1.133	1.147	--	--	--
150	0.941	0.960	0.979	0.993	1.008	1.024	1.040	1.055	1.070	1.084	1.099	1.114	1.128	1.143	--	--
175	0.916	0.937	0.957	0.971	0.985	1.003	1.018	1.034	1.049	1.064	1.079	1.094	1.108	1.123	1.14	--
200	0.888	0.910	0.932	0.947	0.961	0.979	0.996	1.011	1.027	1.042	1.057	1.072	1.088	1.103	1.12	1.14
225	0.856	0.880	0.903	0.920	0.934	0.955	0.971	0.987	1.004	1.019	1.035	1.050	1.066	1.081	1.10	1.12
250	0.820	0.846	0.872	0.890	0.905	0.928	0.945	0.962	0.980	0.996	1.012	1.027	1.043	1.058	1.08	1.10
275	0.780	0.810	0.838	0.859	0.874	0.899	0.918	0.936	0.954	0.971	0.987	1.003	1.019	1.034	1.05	1.08
300	0.736	0.769	0.801	0.824	0.842	0.869	0.889	0.908	0.927	0.945	0.962	0.978	0.994	1.009	1.03	1.05
325	0.689	0.726	0.760	0.788	0.807	0.837	0.859	0.880	0.899	0.917	0.935	0.952	0.968	0.984	1.00	1.02
350	0.637	0.679	0.717	0.749	0.770	0.804	0.827	0.849	0.870	0.889	0.907	0.925	0.941	0.957	0.97	0.99
375	0.56	0.629	0.671	0.708	0.730	0.768	0.794	0.818	0.839	0.860	0.878	0.896	0.913	0.929	0.94	0.95
400	--	0.56	0.621	0.665	0.689	0.731	0.760	0.785	0.808	0.829	0.849	0.867	0.884	0.900	0.90	0.91
425	--	--	0.569	0.619	0.646	0.693	0.724	0.751	0.775	0.797	0.818	0.837	0.854	0.869	0.87	0.87
450*	--	--	--	0.57	0.60	0.65	0.67	0.72	0.74	0.76	0.79	0.81	0.82	0.84	0.83	0.82
475*	--	--	--	--	--	0.61	0.65	0.68	0.71	0.73	0.75	0.77	0.79	0.81	0.79	0.77
500*	--	--	--	--	--	--	0.61	0.64	0.67	0.70	0.72	0.74	0.76	0.77	0.75	0.72

* Extrapolated values

TABLE 2.—Densities of vapor-saturated NaCl solutions, g/cm³

[The uncertainties in the densities are: 5-place figures $\pm 10^{-5}$, 50° data $\pm 10^{-4}$, 75° data $\pm 5 \times 10^{-4}$, 3-place figures ± 0.005 , 2-place figures ± 0.05 .]

Temp °C	Weight percent													
	1	3	5	7	9	11	13	15	17	19	21	23	25	30*
0	1.00755	1.02283	1.03814	1.05354	1.06908	1.08476	1.10060	1.11660	1.13276	1.14906	1.16551	1.18210	1.19880	--
25	1.00411	1.01823	1.03247	1.04688	1.06146	1.07624	1.09122	1.10639	1.12176	1.13732	1.15307	1.16900	1.18509	--
50	0.9948	1.0085	1.0222	1.0362	1.0503	1.0647	1.0793	1.0942	1.1093	1.1247	1.1403	1.1561	1.1722	--
75	0.9816	0.9952	1.0090	1.0229	1.0372	1.0516	1.0663	1.0813	1.0965	1.1119	1.1277	1.1436	1.1598	--
100	0.963	0.979	0.993	1.007	1.021	1.035	1.049	1.063	1.078	1.093	1.109	1.125	1.142	--
125	0.947	0.962	0.976	0.990	1.003	1.017	1.031	1.045	1.060	1.075	1.091	1.107	1.124	--
150	0.926	0.942	0.956	0.970	0.984	0.997	1.011	1.025	1.040	1.055	1.071	1.088	1.105	--
175	0.901	0.917	0.932	0.947	0.961	0.975	0.989	1.003	1.018	1.034	1.050	1.067	1.085	1.14
200	0.871	0.889	0.905	0.921	0.936	0.950	0.965	0.980	0.995	1.011	1.028	1.046	1.064	1.12
225	0.836	0.857	0.875	0.892	0.908	0.923	0.939	0.955	0.971	0.988	1.005	1.023	1.041	1.10
250	0.797	0.822	0.842	0.860	0.878	0.894	0.912	0.928	0.945	0.963	0.981	0.999	1.018	1.07
275	0.753	0.782	0.805	0.825	0.845	0.863	0.882	0.900	0.918	0.937	0.955	0.974	0.994	1.05
300	0.705	0.739	0.765	0.787	0.809	0.830	0.850	0.870	0.890	0.909	0.928	0.948	0.968	1.02
325	0.652	0.692	0.721	0.745	0.771	0.794	0.817	0.838	0.859	0.880	0.901	0.921	0.942	1.00
350	0.594	0.641	0.675	0.701	0.730	0.756	0.781	0.805	0.828	0.850	0.872	0.893	0.914	0.97
375	0.532	0.586	0.624	0.654	0.686	0.716	0.744	0.770	0.795	0.819	0.841	0.864	0.886	0.93
400	--	--	0.571	0.603	0.640	0.674	0.704	0.733	0.760	0.786	0.810	0.833	0.856	0.90
425	--	--	--	0.550	0.591	0.630	0.663	0.694	0.724	0.752	0.778	0.802	0.825	0.87
450*	--	--	--	--	0.54	0.58	0.62	0.65	0.69	0.72	0.74	0.77	0.79	0.83
475*	--	--	--	--	--	--	--	0.61	0.65	0.68	0.71	0.74	0.76	0.79
500*	--	--	--	--	--	--	--	--	0.61	0.64	0.67	0.70	0.73	0.75

* Extrapolated values

TABLE 3.—Densities of 0.5 molal NaCl solutions, g/cm³[The uncertainties in the densities are: 3-place figures ± 0.005 and ± 0.05 for 2-place figures.]

Temp °C	Pressure (bars)													
	100	200	300	400	500	600	700	800	900	1000	1250	1500	1750	2000
25	1.018	1.022	1.027	1.031	1.035	1.039	1.043	1.048	1.051	1.055	1.064	1.072	1.080	1.088
50	1.012	1.015	1.020	1.026	1.030	1.034	1.039	1.042	1.046	1.050	1.058	1.067	1.075	1.083
75	1.002	1.005	1.009	1.017	1.021	1.026	1.032	1.034	1.038	1.042	1.051	1.059	1.069	1.077
100	0.989	0.991	0.996	1.005	1.010	1.015	1.021	1.024	1.028	1.032	1.041	1.050	1.060	1.069
125	0.971	0.975	0.980	0.990	0.995	1.000	1.008	1.011	1.015	1.020	1.029	1.039	1.050	1.059
150	0.950	0.955	0.960	0.971	0.977	0.983	0.992	0.995	1.000	1.005	1.015	1.026	1.038	1.048
175	0.925	0.931	0.938	0.950	0.956	0.963	0.972	0.976	0.982	0.988	0.999	1.011	1.024	1.035
200	0.897	0.905	0.913	0.925	0.933	0.940	0.950	0.955	0.961	0.968	0.981	0.994	1.009	1.020
225	0.865	0.875	0.884	0.897	0.906	0.914	0.924	0.931	0.938	0.946	0.961	0.975	0.992	1.004
250	0.829	0.842	0.853	0.866	0.876	0.885	0.896	0.904	0.913	0.921	0.939	0.955	0.972	0.986
275	0.789	0.806	0.818	0.831	0.843	0.854	0.864	0.875	0.885	0.894	0.915	0.932	0.951	0.967
300	0.746	0.767	0.780	0.793	0.806	0.819	0.830	0.843	0.854	0.865	0.888	0.908	0.929	0.946
325	--	0.724	0.740	0.752	0.767	0.781	0.792	0.808	0.821	0.833	0.860	0.882	0.904	0.923
350	--	0.68*	0.70*	0.71*	0.725	0.741	0.752	0.771	0.785	0.798	0.829	0.854	0.878	0.899
375	--	0.63*	0.65*	0.66*	0.68*	0.70*	0.71*	0.731	0.747	0.762	0.797	0.824	0.850	0.873
400	--	--	--	--	0.63*	0.65*	0.66*	0.69*	0.71*	0.722	0.762	0.792	0.820	0.846
425	--	--	--	--	--	--	--	0.64*	0.66*	0.68*	0.725	0.758	0.788	0.816
450	--	--	--	--	--	--	--	--	--	0.64*	0.69*	0.723	0.755	0.786
475	--	--	--	--	--	--	--	--	--	--	0.64*	0.685	0.719	0.753
500	--	--	--	--	--	--	--	--	--	--	--	0.65*	0.68*	0.719

*Extrapolated values

TABLE 4.—*Densities of 1 molal NaCl solutions, g/cm³*[The uncertainties in the densities are: 3-place figures ± 0.005 and ± 0.05 for 2-place figures.]

Temp °C	Pressure (bars)													
	100	200	300	400	500	600	700	800	900	1000	1250	1500	1750	2000
25	1.038	1.042	1.046	1.052	1.055	1.059	1.064	1.067	1.071	1.075	1.083	1.092	1.100	1.107
50	1.031	1.035	1.038	1.045	1.050	1.054	1.057	1.060	1.065	1.068	1.077	1.086	1.094	1.102
75	1.020	1.024	1.028	1.036	1.042	1.046	1.048	1.051	1.057	1.060	1.069	1.078	1.087	1.095
100	1.006	1.010	1.015	1.024	1.030	1.035	1.037	1.039	1.046	1.049	1.060	1.069	1.078	1.087
125	0.989	0.993	0.999	1.009	1.016	1.021	1.023	1.026	1.033	1.036	1.048	1.057	1.068	1.077
150	0.968	0.974	0.980	0.991	0.999	1.005	1.006	1.010	1.018	1.022	1.034	1.044	1.056	1.066
175	0.945	0.951	0.958	0.970	0.979	0.985	0.987	0.993	1.000	1.005	1.019	1.030	1.043	1.053
200	0.918	0.926	0.934	0.946	0.956	0.963	0.966	0.973	0.980	0.986	1.001	1.013	1.027	1.039
225	0.888	0.898	0.907	0.919	0.930	0.938	0.942	0.951	0.958	0.964	0.982	0.995	1.011	1.023
250	0.856	0.866	0.877	0.889	0.900	0.910	0.916	0.927	0.934	0.941	0.960	0.976	0.992	1.006
275	0.819	0.832	0.845	0.856	0.868	0.880	0.882	0.901	0.908	0.916	0.937	0.954	0.972	0.987
300	0.780	0.795	0.809	0.821	0.833	0.846	0.856	0.873	0.879	0.888	0.912	0.931	0.951	0.967
325	--	0.755	0.771	0.782	0.795	0.810	0.822	0.843	0.848	0.859	0.885	0.906	0.928	0.946
350	--	0.71*	0.730	0.741	0.754	0.771	0.785	0.810	0.815	0.827	0.856	0.879	0.903	0.923
375	--	0.67*	0.69*	0.70*	0.710	0.729	0.747	0.776	0.779	0.793	0.826	0.851	0.877	0.898
400	--	--	0.64*	0.65*	0.663	0.685	0.705	0.740	0.741	0.758	0.793	0.821	0.849	0.873
425	--	--	--	--	0.613	0.638	0.662	0.701	0.701	0.720	0.758	0.789	0.819	0.845
450	--	--	--	--	0.56*	0.59*	0.615	0.660	0.659	0.680	0.722	0.756	0.788	0.816
475	--	--	--	--	0.50*	0.53*	0.57*	0.62*	0.614	0.637	0.68*	0.721	0.755	0.786
500	--	--	--	--	0.44*	0.48*	0.52*	0.57*	0.57*	0.593	0.64*	0.684	0.72*	0.754

*Extrapolated values

TABLE 5.—*Densities of 1.5 molal NaCl solutions, g/cm³*[The uncertainties in the densities are: 3-place figures ± 0.005 and ± 0.05 for 2-place figures.]

Temp °C	Pressure (bars)													
	100	200	300	400	500	600	700	800	900	1000	1250	1500	1750	2000
25	1.058	1.062	1.065	1.071	1.074	1.078	1.082	1.085	1.089	1.093	1.101	1.109	1.117	1.124
50	1.049	1.053	1.057	1.064	1.068	1.072	1.076	1.079	1.083	1.086	1.094	1.103	1.110	1.118
75	1.038	1.042	1.046	1.054	1.059	1.063	1.067	1.071	1.074	1.078	1.086	1.095	1.102	1.110
100	1.024	1.028	1.032	1.042	1.047	1.052	1.056	1.060	1.064	1.067	1.076	1.085	1.093	1.101
125	1.007	1.011	1.017	1.027	1.033	1.038	1.043	1.047	1.051	1.055	1.064	1.074	1.082	1.091
150	0.987	0.992	0.998	1.010	1.016	1.022	1.027	1.032	1.036	1.040	1.050	1.062	1.070	1.080
175	0.964	0.971	0.977	0.989	0.996	1.003	1.009	1.014	1.019	1.024	1.035	1.047	1.057	1.067
200	0.938	0.946	0.954	0.967	0.974	0.982	0.988	0.995	1.000	1.006	1.018	1.032	1.042	1.053
225	0.910	0.919	0.928	0.941	0.950	0.958	0.966	0.973	0.979	0.986	1.000	1.015	1.026	1.038
250	0.878	0.890	0.899	0.913	0.922	0.932	0.941	0.949	0.956	0.963	0.979	0.996	1.009	1.022
275	0.844	0.857	0.868	0.882	0.893	0.903	0.913	0.922	0.931	0.939	0.957	0.976	0.990	1.004
300	0.807	0.822	0.835	0.848	0.860	0.872	0.883	0.894	0.903	0.913	0.934	0.954	0.970	0.986
325	0.77	0.785	0.799	0.812	0.826	0.838	0.851	0.863	0.874	0.885	0.909	0.931	0.949	0.966
350	--	0.745	0.760	0.773	0.788	0.802	0.817	0.830	0.842	0.845	0.882	0.906	0.926	0.944
375	--	0.70*	0.72*	0.731	0.748	0.764	0.780	0.794	0.809	0.822	0.853	0.880	0.902	0.922
400	--	0.66*	0.68*	0.69*	0.71*	0.72*	0.741	0.757	0.773	0.788	0.823	0.852	0.877	0.898
425	--	--	--	0.64*	0.66*	0.68*	0.70*	0.72*	0.735	0.752	0.791	0.822	0.850	0.874
450	--	--	--	--	--	--	0.66*	0.68*	0.70*	0.73*	0.758	0.791	0.822	0.847
475	--	--	--	--	--	--	--	--	0.65*	0.67*	0.72*	0.759	0.793	0.820
500	--	--	--	--	--	--	--	--	--	--	0.68*	0.725	0.762	0.792

*Extrapolated values

TABLE 6.—Densities of 2 molal NaCl solutions, g/cm³[The uncertainties in the densities are: 3-place figures ± 0.005 and ± 0.05 for 2-place figures.]

Temp °C	Pressure (bars)													
	100	200	300	400	500	600	700	800	900	1000	1250	1500	1750	2000
25	1.075	1.079	1.081	1.088	1.091	1.095	1.098	1.102	1.106	1.109	1.118	1.125	1.133	1.140
50	1.065	1.071	1.072	1.081	1.086	1.089	1.902	1.096	1.099	1.103	1.111	1.119	1.126	1.134
75	1.053	1.059	1.061	1.071	1.078	1.081	1.085	1.088	1.091	1.094	1.102	1.111	1.119	1.126
100	1.038	1.045	1.048	1.059	1.067	1.071	1.075	1.077	1.080	1.084	1.092	1.101	1.109	1.117
125	1.020	1.028	1.032	1.044	1.054	1.058	1.063	1.065	1.068	1.071	1.081	1.091	1.099	1.107
150	1.000	1.007	1.014	1.027	1.038	1.042	1.048	1.050	1.053	1.057	1.068	1.078	1.088	1.096
175	0.976	0.984	0.994	1.007	1.019	1.024	1.032	1.034	1.037	1.042	1.053	1.065	1.075	1.084
200	0.950	0.958	0.972	0.985	0.998	1.004	1.013	1.015	1.019	1.024	1.036	1.050	1.061	1.071
225	0.921	0.929	0.947	0.961	0.974	0.981	0.992	0.994	0.999	1.004	1.019	1.033	1.045	1.056
250	0.889	0.897	0.920	0.934	0.947	0.955	0.968	0.970	0.976	0.983	0.999	1.015	1.028	1.040
275	0.854	0.862	0.891	0.905	0.917	0.927	0.943	0.945	0.952	0.960	0.978	0.996	1.010	1.023
300	0.82*	0.83*	0.859	0.873	0.885	0.897	0.915	0.917	0.926	0.935	0.955	0.975	0.991	1.005
325	--	--	0.825	0.839	0.850	0.863	0.885	0.888	0.898	0.908	0.931	0.953	0.971	0.986
350	--	--	0.790	0.802	0.812	0.828	0.853	0.856	0.868	0.879	0.905	0.929	0.949	0.966
375	--	--	0.71*	0.763	0.772	0.790	0.818	0.822	0.836	0.849	0.878	0.904	0.926	0.944
400	--	--	--	0.72*	0.728	0.749	0.782	0.786	0.802	0.816	0.849	0.877	0.901	0.922
425	--	--	--	0.68*	0.683	0.706	0.743	0.747	0.766	0.782	0.819	0.849	0.876	0.898
450	--	--	--	--	0.634	0.660	0.701	0.707	0.728	0.746	0.787	0.820	0.849	0.873
475	--	--	--	--	0.58*	0.61*	0.658	0.664	0.688	0.71*	0.753	0.789	0.821	0.847
500	--	--	--	--	0.53*	0.56*	0.61*	0.62*	0.646	0.67*	0.72*	0.757	0.791	0.820

* Extrapolated values

TABLE 7.—Densities of 2.5 molal NaCl solutions, g/cm³[The uncertainties in the densities are: 3-place figures ± 0.005 and ± 0.05 for 2-place figures.]

	Pressure (bars)													
Temp °C	100	200	300	400	500	600	700	800	900	1000	1250	1500	1750	2000
25	1.092	1.096	1.099	1.104	1.108	1.111	1.114	1.118	1.122	1.125	1.133	1.141	1.149	1.156
50	1.084	1.087	1.090	1.097	1.101	1.104	1.109	1.112	1.115	1.118	1.126	1.134	1.142	1.149
75	1.072	1.075	1.078	1.087	1.091	1.095	1.101	1.103	1.107	1.110	1.118	1.126	1.133	1.141
100	1.057	1.061	1.064	1.075	1.079	1.084	1.091	1.093	1.096	1.100	1.108	1.117	1.124	1.132
125	1.040	1.044	1.048	1.060	1.066	1.071	1.078	1.080	1.084	1.088	1.096	1.106	1.114	1.122
150	1.019	1.024	1.031	1.043	1.049	1.055	1.064	1.066	1.070	1.074	1.083	1.094	1.102	1.111
175	0.995	1.001	1.011	1.024	1.031	1.037	1.048	1.049	1.054	1.058	1.069	1.080	1.089	1.099
200	0.968	0.976	0.989	1.003	1.010	1.017	1.029	1.031	1.036	1.041	1.053	1.066	1.075	1.086
225	0.938	0.948	0.965	0.979	0.988	0.995	1.008	1.010	1.016	1.022	1.035	1.049	1.060	1.072
250	0.906	0.918	0.939	0.953	0.963	0.971	0.985	0.988	0.994	1.001	1.016	1.032	1.044	1.057
275	0.87	0.884	0.911	0.925	0.935	0.945	0.960	0.963	0.971	0.979	0.996	1.013	1.026	1.040
300	0.84	0.848	0.881	0.894	0.906	0.916	0.933	0.937	0.946	0.954	0.974	0.993	1.008	1.023
325	--	0.81	0.849	0.862	0.874	0.886	0.903	0.908	0.918	0.928	0.951	0.971	0.988	1.004
350	--	0.77	0.814	0.826	0.840	0.853	0.872	0.878	0.889	0.900	0.926	0.948	0.967	0.984
375	--	--	0.78	0.789	0.804	0.818	0.838	0.846	0.858	0.871	0.900	0.924	0.945	0.963
400	--	--	0.74*	0.75*	0.765	0.781	0.802	0.811	0.826	0.840	0.872	0.898	0.922	0.942
425	--	--	--	0.71*	0.73*	0.74*	0.764	0.775	0.791	0.807	0.843	0.871	0.897	0.919
450	--	--	--	--	0.68*	0.70*	0.72*	0.74*	0.75*	0.772	0.812	0.843	0.872	0.894
475	--	--	--	--	--	--	0.68*	0.70*	0.72*	0.74*	0.780	0.813	0.845	0.868
500	--	--	--	--	--	--	--	--	--	0.70*	0.75*	0.782	0.817	0.843

*Extrapolated values

TABLE 8.—*Densities of 3 molar NaCl solutions, g/cm³*[The uncertainties in the densities are: 3-place figures ± 0.005 and ± 0.05 for 2-place figures.]

Temp °C	Pressure (bars)													
	100	200	300	400	500	600	700	800	900	1000	1250	1500	1750	2000
25	1.108	1.112	1.115	1.120	1.123	1.126	1.130	1.133	1.136	1.140	1.148	1.156	1.163	1.170
50	1.098	1.102	1.105	1.112	1.118	1.121	1.124	1.128	1.131	1.134	1.142	1.149	1.157	1.164
75	1.086	1.091	1.093	1.102	1.110	1.113	1.116	1.122	1.124	1.127	1.133	1.141	1.149	1.157
100	1.071	1.076	1.079	1.090	1.099	1.103	1.106	1.113	1.115	1.117	1.123	1.132	1.140	1.148
125	1.054	1.059	1.064	1.076	1.087	1.090	1.094	1.102	1.104	1.106	1.112	1.122	1.130	1.139
150	1.034	1.040	1.046	1.059	1.071	1.075	1.079	1.088	1.090	1.093	1.099	1.110	1.119	1.128
175	1.012	1.018	1.027	1.040	1.054	1.058	1.063	1.072	1.075	1.078	1.085	1.097	1.106	1.116
200	0.987	0.994	1.006	1.019	1.033	1.039	1.044	1.054	1.057	1.061	1.069	1.082	1.092	1.104
225	0.960	0.967	0.982	0.996	1.011	1.017	1.023	1.034	1.038	1.042	1.052	1.066	1.078	1.090
250	0.930	0.938	0.957	0.971	0.985	0.993	1.000	1.011	1.016	1.021	1.033	1.049	1.062	1.075
275	0.898	0.906	0.931	0.944	0.958	0.967	0.975	0.986	0.992	0.998	1.013	1.031	1.045	1.059
300	0.864	0.872	0.902	0.914	0.927	0.938	0.948	0.959	0.969	0.974	0.991	1.011	1.026	1.041
325	--	0.837	0.871	0.882	0.895	0.907	0.919	0.930	0.940	0.948	0.968	0.990	1.007	1.023
350	--	--	0.839	0.848	0.860	0.874	0.887	0.898	0.909	0.921	0.943	0.967	0.986	1.004
375	--	--	0.804	0.812	0.822	0.838	0.853	0.864	0.875	0.892	0.917	0.943	0.964	0.983
400	--	--	0.768	0.773	0.782	0.800	0.817	0.828	0.839	0.861	0.889	0.918	0.941	0.961
425	--	--	0.73*	0.74*	0.74*	0.760	0.779	0.789	0.800	0.829	0.860	0.892	0.917	0.939
450	--	--	0.69*	0.70*	0.70*	0.718	0.739	0.749	0.759	0.795	0.825	0.864	0.892	0.915
475	--	--	--	--	--	0.673	0.697	0.705	0.716	0.76*	0.797	0.825	0.865	0.890
500	--	--	--	--	--	0.63*	0.65*	0.66*	0.670	0.72*	0.764	0.804	0.838	0.864

*Extrapolated values

TABLE 9.—Densities of 3.5 molal NaCl solutions, g/cm³[The uncertainties in the densities are: 3-place figures ± 0.005 and ± 0.05 for 2-place figures.]

Temp °C	Pressure (bars)													
	100	200	300	400	500	600	700	800	900	1000	1250	1500	1750	2000
25	1.126	1.028	1.130	1.134	1.139	1.142	1.045	1.149	1.152	1.155	1.165	1.171	1.178	1.185
50	1.113	1.117	1.120	1.127	1.133	1.136	1.139	1.143	1.146	1.149	1.157	1.164	1.172	1.178
75	1.100	1.106	1.108	1.117	1.125	1.128	1.131	1.137	1.139	1.142	1.148	1.156	1.163	1.171
100	1.083	1.091	1.094	1.105	1.114	1.118	1.121	1.128	1.130	1.132	1.138	1.147	1.154	1.162
125	1.066	1.074	1.079	1.091	1.102	1.105	1.108	1.117	1.119	1.121	1.127	1.137	1.144	1.153
150	1.047	1.055	1.061	1.074	1.086	1.090	1.094	1.103	1.105	1.108	1.114	1.125	1.133	1.142
175	1.026	1.034	1.043	1.055	1.068	1.073	1.078	1.087	1.090	1.093	1.100	1.112	1.121	1.131
200	1.002	1.011	1.022	1.035	1.049	1.054	1.059	1.069	1.072	1.076	1.084	1.097	1.107	1.119
225	0.977	0.984	0.998	1.012	1.027	1.033	1.039	1.050	1.054	1.058	1.068	1.081	1.093	1.105
250	0.950	0.956	0.974	0.988	1.002	1.010	1.017	1.028	1.032	1.037	1.049	1.065	1.078	1.090
275	0.921	0.926	0.949	0.962	0.975	0.984	0.992	1.003	1.009	1.015	1.030	1.047	1.061	1.075
300	0.886	0.893	0.921	0.933	0.946	0.956	0.966	0.977	0.986	0.991	1.008	1.028	1.042	1.057
325	0.85*	0.860	0.892	0.903	0.915	0.927	0.938	0.949	0.958	0.966	0.986	1.007	1.024	1.040
350	--	0.82*	0.861	0.870	0.882	0.895	0.907	0.918	0.928	0.940	0.961	0.985	1.004	1.021
375	--	0.78*	0.821	0.834	0.844	0.860	0.874	0.885	0.896	0.912	0.936	0.962	1.982	1.001
400	--	--	0.79*	0.796	0.805	0.823	0.840	0.851	0.862	0.882	0.909	0.937	0.960	0.979
425	--	--	--	0.76*	0.77*	0.791	0.811	0.821	0.832	0.852	0.881	0.912	0.937	0.958
450	--	--	--	--	--	0.739	0.759	0.770	0.780	0.815	0.845	0.885	0.912	0.935
475	--	--	--	--	--	0.708	0.734	0.746	0.757	0.787	0.817	0.857	0.887	0.911
500	--	--	--	--	--	0.67*	0.69*	0.72*	0.74*	0.75*	0.789	0.829	0.863	0.888

*Extrapolated values

TABLE 10—*Densities of 4 molal NaCl solutions, g/cm³*[The uncertainties in the densities are: 3-place figures ± 0.005 and ± 0.05 for 2-place figures.]

Temp °C	Pressure (bars)													
	100	200	300	400	500	600	700	800	900	1000	1250	1500	1750	2000
25	1.140	1.142	1.145	1.150	1.153	1.157	1.159	1.163	1.166	1.169	1.177	1.184	1.192	1.198
50	1.128	1.131	1.135	1.141	1.145	1.149	1.153	1.156	1.160	1.163	1.170	1.178	1.185	1.193
75	1.115	1.119	1.123	1.131	1.136	1.140	1.145	1.148	1.151	1.154	1.162	1.171	1.178	1.187
100	1.099	1.105	1.109	1.119	1.124	1.129	1.135	1.137	1.141	1.144	1.153	1.162	1.169	1.180
125	1.083	1.089	1.094	1.105	1.110	1.116	1.123	1.125	1.129	1.133	1.142	1.152	1.159	1.171
150	1.064	1.071	1.077	1.089	1.095	1.101	1.109	1.111	1.115	1.120	1.130	1.140	1.148	1.161
175	1.044	1.052	1.058	1.071	1.078	1.084	1.093	1.095	1.100	1.105	1.116	1.127	1.136	1.150
200	1.022	1.031	1.037	1.051	1.058	1.066	1.075	1.077	1.083	1.089	1.101	1.113	1.123	1.137
225	0.999	1.008	1.015	1.029	1.037	1.045	1.055	1.058	1.065	1.071	1.084	1.098	1.109	1.124
250	0.974	0.984	0.992	1.005	1.014	1.023	1.033	1.037	1.044	1.051	1.066	1.081	1.093	1.109
275	0.947	0.958	0.966	0.980	0.989	0.998	1.009	1.014	1.022	1.030	1.047	1.063	1.077	1.093
300	0.919	0.930	0.939	0.952	0.962	0.972	0.983	0.989	0.999	1.007	1.026	1.044	1.059	1.075
325	0.889	0.901	0.910	0.923	0.933	0.944	0.955	0.962	0.973	0.982	1.004	1.023	1.040	1.057
350	--	0.870	0.880	0.892	0.902	0.914	0.925	0.934	0.946	0.956	0.981	1.001	1.021	1.037
375	--	0.837	0.848	0.858	0.870	0.882	0.893	0.903	0.917	0.929	0.956	0.978	1.000	1.016
400	--	0.803	0.814	0.823	0.835	0.848	0.859	0.871	0.887	0.899	0.929	0.953	0.978	0.995
425	--	0.77*	0.78*	0.786	0.798	0.812	0.823	0.838	0.855	0.869	0.902	0.928	0.954	0.975
450	--	0.73*	0.74*	0.75*	0.76*	0.77*	0.785	0.802	0.821	0.836	0.872	0.900	0.930	0.952
475	--	--	--	0.71*	0.72*	0.73*	0.745	0.765	0.785	0.802	0.842	0.872	0.905	0.930
500	--	--	--	--	--	--	0.703	0.725	0.748	0.766	0.810	0.842	0.878	0.909

*Extrapolated values

TABLE 11.—*Densities of 4.5 molal NaCl solutions, g/cm³*[The uncertainties in the densities are: 3-place figures ± 0.005 and ± 0.05 for 2-place figures.]

Temp °C	Pressure (bars)													
	100	200	300	400	500	600	700	800	900	1000	1250	1500	1750	2000
25	1.155	1.158	1.161	1.165	1.168	1.171	1.174	1.177	1.181	1.184	1.191	1.198	1.205	1.212
50	1.142	1.146	1.149	1.155	1.159	1.163	1.167	1.170	1.173	1.177	1.184	1.192	1.199	1.206
75	1.128	1.133	1.136	1.145	1.149	1.153	1.157	1.161	1.165	1.168	1.176	1.184	1.191	1.199
100	1.113	1.118	1.122	1.132	1.137	1.142	1.146	1.151	1.154	1.158	1.166	1.175	1.183	1.191
125	1.096	1.102	1.107	1.118	1.123	1.129	1.133	1.138	1.142	1.146	1.155	1.165	1.173	1.182
150	1.078	1.084	1.090	1.102	1.108	1.114	1.119	1.125	1.129	1.133	1.143	1.154	1.162	1.172
175	1.058	1.065	1.071	1.084	1.091	1.097	1.103	1.109	1.114	1.118	1.129	1.141	1.150	1.161
200	1.037	1.045	1.051	1.064	1.072	1.079	1.085	1.092	1.097	1.102	1.114	1.127	1.137	1.148
225	1.014	1.023	1.030	1.043	1.051	1.059	1.066	1.073	1.079	1.084	1.098	1.112	1.123	1.135
250	0.990	1.000	1.007	1.020	1.029	1.037	1.045	1.052	1.059	1.065	1.080	1.095	1.108	1.121
275	0.965	0.975	0.983	0.996	1.005	1.013	1.022	1.030	1.037	1.045	1.062	1.078	1.092	1.106
300	0.938	0.949	0.957	0.970	0.979	0.988	0.997	1.007	1.014	1.022	1.041	1.059	1.074	1.090
325	0.904	0.922	0.930	0.942	0.951	0.961	0.971	0.981	0.989	0.999	1.020	1.038	1.056	1.072
350	--	0.893	0.902	0.912	0.922	0.933	0.943	0.954	0.963	0.973	0.997	1.017	1.036	1.054
375	--	0.863	0.872	0.880	0.891	0.902	0.914	0.925	0.936	0.946	0.972	0.994	1.015	1.034
400	--	0.831	0.841	0.847	0.858	0.870	0.883	0.895	0.906	0.918	0.947	0.970	0.993	1.014
425	--	0.80*	0.81*	0.81*	0.82*	0.836	0.850	0.863	0.875	0.888	0.920	0.945	0.970	0.993
450	--	0.76*	0.77*	0.78*	0.79*	0.80*	0.82*	0.83*	0.843	0.857	0.892	0.919	0.946	0.970
475	--	--	--	--	--	0.76*	0.78*	0.79*	0.81*	0.82*	0.862	0.891	0.921	0.947
500	--	--	--	--	--	--	--	--	0.77*	0.79*	0.831	0.862	0.895	0.922

*Extrapolated values

TABLE 12.—Densities of 5 molal NaCl solutions, g/cm³[The uncertainties in the densities are: 3-place figures ± 0.005 and ± 0.05 for 2-place figures.]

Temp °C	Pressure (bars)													
	100	200	300	400	500	600	700	800	900	1000	1250	1500	1750	2000
25	1.168	1.172	1.175	1.179	1.182	1.185	1.188	1.191	1.194	1.198	1.205	1.212	1.219	1.225
50	1.153	1.160	1.163	1.170	1.173	1.177	1.180	1.184	1.187	1.190	1.198	1.205	1.212	1.219
75	1.137	1.147	1.151	1.158	1.163	1.167	1.171	1.175	1.178	1.181	1.189	1.197	1.204	1.212
100	1.119	1.132	1.136	1.146	1.151	1.156	1.160	1.164	1.167	1.171	1.180	1.188	1.195	1.203
125	1.101	1.116	1.121	1.132	1.137	1.142	1.147	1.152	1.155	1.159	1.169	1.178	1.185	1.194
150	1.083	1.099	1.104	1.116	1.122	1.128	1.133	1.138	1.142	1.146	1.157	1.166	1.175	1.184
175	1.063	1.080	1.086	1.098	1.105	1.111	1.117	1.123	1.127	1.132	1.143	1.154	1.163	1.173
200	1.042	1.060	1.066	1.079	1.086	1.093	1.099	1.106	1.110	1.116	1.128	1.140	1.150	1.161
225	1.021	1.038	1.045	1.058	1.066	1.073	1.080	1.087	1.092	1.098	1.112	1.125	1.136	1.148
250	0.998	1.016	1.023	1.036	1.044	1.052	1.059	1.067	1.073	1.079	1.095	1.109	1.121	1.134
275	0.975	0.991	0.999	1.011	1.020	1.029	1.037	1.045	1.052	1.059	1.076	1.091	1.105	1.119
300	0.950	0.966	0.974	0.986	0.995	1.004	1.013	1.022	1.029	1.037	1.056	1.073	1.088	1.103
325	0.922	0.939	0.947	0.958	0.968	0.978	0.987	0.997	1.005	1.014	1.035	1.053	1.070	1.086
350	--	0.910	0.919	0.929	0.939	0.950	0.960	0.970	0.979	0.989	1.012	1.032	1.051	1.068
375	--	0.881	0.890	0.899	0.909	0.920	0.931	0.942	0.952	0.963	0.989	1.010	1.031	1.049
400	--	0.850	0.860	0.867	0.877	0.889	0.901	0.912	0.924	0.936	0.964	0.987	1.010	1.030
425	--	0.82*	0.83*	0.83*	0.844	0.856	0.869	0.880	0.894	0.907	0.937	0.963	0.988	1.009
450	--	0.78*	0.80*	0.80*	0.81*	0.82*	0.84*	0.847	0.862	0.876	0.909	0.937	0.965	0.987
475	--	--	--	--	0.77*	0.79*	0.80*	0.812	0.829	0.845	0.880	0.910	0.940	0.965
500	--	--	--	--	--	--	--	0.78*	0.80*	0.811	0.850	0.883	0.915	0.941

*Extrapolated values

TABLE 13.—Densities of 5.5 molal NaCl solutions, g/cm³[The uncertainties in the densities are: 3-place figures ± 0.005 and ± 0.05 for 2-place figures.]

Temp °C	Pressure (bars)													
	100	200	300	400	500	600	700	800	900	1000	1250	1500	1750	2000
25	1.183	1.186	1.189	1.193	1.196	1.199	1.202	1.205	1.209	1.211	1.218	1.225	1.232	1.238
50	1.171	1.174	1.177	1.183	1.187	1.191	1.194	1.197	1.201	1.204	1.211	1.128	1.225	1.232
75	1.157	1.161	1.164	1.172	1.176	1.180	1.184	1.188	1.192	1.195	1.202	1.210	1.217	1.224
100	1.142	1.146	1.150	1.159	1.164	1.169	1.173	1.177	1.181	1.184	1.193	1.200	1.208	1.215
125	1.125	1.130	1.135	1.145	1.150	1.156	1.160	1.165	1.169	1.173	1.182	1.190	1.198	1.206
150	1.107	1.113	1.118	1.129	1.135	1.141	1.146	1.151	1.156	1.160	1.169	1.178	1.187	1.196
175	1.088	1.094	1.100	1.112	1.118	1.124	1.130	1.135	1.141	1.145	1.156	1.166	1.175	1.185
200	1.068	1.074	1.080	1.093	1.100	1.107	1.112	1.119	1.124	1.129	1.141	1.152	1.162	1.172
225	1.046	1.053	1.059	1.072	1.080	1.087	1.094	1.100	1.106	1.112	1.125	1.137	1.148	1.160
250	1.024	1.030	1.037	1.050	1.058	1.066	1.073	1.080	1.087	1.093	1.108	1.121	1.133	1.146
275	0.999	1.007	1.014	1.027	1.035	1.043	1.051	1.059	1.066	1.073	1.090	1.104	1.118	1.131
300	0.974	0.982	0.989	1.001	1.010	1.019	1.028	1.036	1.044	1.052	1.070	1.086	1.101	1.116
325	0.947	0.955	0.963	0.975	0.984	0.993	1.002	1.012	1.021	1.029	1.049	1.067	1.083	1.099
350	0.919	0.928	0.936	0.946	0.956	0.966	0.976	0.986	0.995	1.005	1.027	1.046	1.065	1.082
375	0.89*	0.899	0.908	0.916	0.926	0.937	0.948	0.959	0.969	0.979	1.004	1.025	1.045	1.064
400	0.85*	0.868	0.878	0.885	0.895	0.907	0.918	0.930	0.941	0.952	0.979	1.002	1.025	1.044
425	--	0.84*	0.846	0.852	0.863	0.875	0.887	0.899	0.912	0.924	0.954	0.979	1.003	1.024
450	--	0.80*	0.81*	0.82*	0.83*	0.84*	0.854	0.868	0.881	0.894	0.927	0.954	0.981	1.004
475	--	--	0.78*	0.78*	0.79*	0.81*	0.82*	0.83*	0.85*	0.863	0.898	0.928	0.958	0.982
500	--	--	--	--	--	--	0.78*	0.80*	0.82*	0.83*	0.869	0.902	0.934	0.959

*Extrapolated values

TABLE 14.—*Densities of 6 molal NaCl solutions, g/cm³*[The uncertainties in the densities are: 3-place figures ± 0.005 and ± 0.05 for 2-place figures.]

	Pressure (bars)													
Temp °C	100	200	300	400	500	600	700	800	900	1000	1250	1500	1750	2000
25	1.198	1.201	1.203	1.207	1.210	1.213	1.216	1.219	1.222	1.225	1.232	1.239	1.245	1.251
50	1.184	1.188	1.191	1.196	1.200	1.203	1.207	1.211	1.214	1.217	1.224	1.231	1.238	1.244
75	1.170	1.174	1.178	1.184	1.189	1.192	1.196	1.201	1.204	1.207	1.215	1.222	1.229	1.236
100	1.154	1.159	1.163	1.171	1.176	1.180	1.184	1.190	1.193	1.197	1.205	1.213	1.220	1.228
125	1.138	1.142	1.147	1.156	1.161	1.166	1.171	1.177	1.181	1.185	1.193	1.202	1.210	1.218
150	1.120	1.125	1.130	1.140	1.146	1.151	1.157	1.163	1.167	1.171	1.181	1.191	1.199	1.208
175	1.101	1.107	1.112	1.123	1.129	1.135	1.141	1.148	1.152	1.157	1.167	1.178	1.187	1.197
200	1.081	1.087	1.093	1.104	1.111	1.117	1.123	1.131	1.136	1.141	1.153	1.164	1.174	1.185
225	1.060	1.067	1.073	1.084	1.091	1.098	1.105	1.113	1.118	1.124	1.137	1.149	1.161	1.172
250	1.038	1.045	1.052	1.063	1.071	1.078	1.085	1.094	1.099	1.106	1.120	1.134	1.146	1.158
275	1.015	1.022	1.029	1.040	1.048	1.056	1.064	1.073	1.079	1.086	1.102	1.117	1.130	1.143
300	0.991	0.998	1.006	1.016	1.025	1.033	1.041	1.050	1.057	1.065	1.083	1.099	1.114	1.128
325	0.965	0.973	0.981	0.991	1.000	1.009	1.018	1.027	1.035	1.043	1.063	1.080	1.097	1.112
350	0.939	0.947	0.955	0.964	0.974	0.983	0.992	1.002	1.010	1.020	1.041	1.061	1.078	1.095
375	0.91*	0.919	0.928	0.938	0.946	0.956	0.966	0.975	0.985	0.995	1.019	1.040	1.059	1.077
400	0.88*	0.891	0.900	0.907	0.917	0.928	0.938	0.947	0.958	0.969	0.995	1.018	1.039	1.058
425	--	0.86*	0.87*	0.88*	0.89*	0.898	0.909	0.918	0.930	0.942	0.971	0.995	1.018	1.039
450	--	0.83*	0.84*	0.85*	0.86*	0.87*	0.88*	0.888	0.900	0.913	0.945	0.971	0.996	1.018
475	--	--	--	--	--	0.84*	0.85*	0.856	0.869	0.883	0.918	0.946	0.974	0.997
500	--	--	--	--	--	--	--	0.822	0.837	0.852	0.890	0.920	0.950	0.975

*Extrapolated values

TABLE 15.—Densities of 1 weight percent NaCl solutions, g/cm³[The uncertainties in the densities are: 3-place figures ± 0.005 and ± 0.05 for 2-place figures.]

Temp °C	Pressure (bars)													
	100	200	300	400	500	600	700	800	900	1000	1250	1500	1750	2000
25	1.003	1.010	1.015	1.019	1.023	1.027	1.032	1.036	1.040	1.044	1.052	1.061	1.069	1.077
50	1.000	1.003	1.008	1.014	1.017	1.021	1.027	1.029	1.034	1.038	1.046	1.055	1.063	1.071
75	0.991	0.993	0.997	1.004	1.007	1.013	1.018	1.020	1.025	1.029	1.039	1.047	1.058	1.065
100	0.978	0.979	0.984	0.992	0.996	1.001	1.008	1.010	1.015	1.019	1.029	1.038	1.049	1.058
125	0.960	0.963	0.968	0.977	0.980	0.986	0.993	0.996	1.001	1.007	1.017	1.027	1.039	1.047
150	0.939	0.943	0.947	0.957	0.962	0.968	0.978	0.980	0.985	0.991	1.003	1.014	1.026	1.037
175	0.914	0.919	0.924	0.936	0.940	0.947	0.957	0.961	0.967	0.974	0.986	0.998	1.012	1.023
200	0.886	0.893	0.899	0.910	0.916	0.923	0.934	0.939	0.945	0.953	0.968	0.980	0.997	1.008
225	0.853	0.862	0.869	0.881	0.888	0.897	0.908	0.914	0.921	0.930	0.947	0.961	0.979	0.991
250	0.817	0.829	0.837	0.849	0.858	0.867	0.879	0.886	0.896	0.905	0.924	0.940	0.958	0.972
275	0.776	0.793	0.800	0.813	0.824	0.835	0.845	0.856	0.867	0.877	0.900	0.916	0.936	0.953
300	--	0.754	0.761	0.773	0.786	0.799	0.810	0.823	0.834	0.847	0.872	0.891	0.914	0.931
325	--	0.71*	0.719	0.731	0.746	0.760	0.770	0.788	0.801	0.814	0.843	0.864	0.887	0.907
350	--	--	0.68*	0.69*	0.703	0.719	0.729	0.750	0.764	0.777	0.811	0.835	0.860	0.882
375	--	--	--	--	0.66*	0.67*	0.68*	0.709	0.726	0.740	0.778	0.804	0.831	0.855
400	--	--	--	--	--	--	0.66*	0.68*	0.698	0.741	0.771	0.800	0.827	
425	--	--	--	--	--	--	--	--	0.65*	0.699	0.735	0.766	0.796	
450	--	--	--	--	--	--	--	--	--	0.65*	0.699	0.732	0.764	
475	--	--	--	--	--	--	--	--	--	--	0.659	0.694	0.730	
500	--	--	--	--	--	--	--	--	--	--	--	0.67*	0.695	

*Extrapolated values

TABLE 16.—Densities of 3 weight percent NaCl solutions, g/cm³[The uncertainties in the densities are: 3-place figures ± 0.005 and ± 0.05 for 2-place figures.]

Temp °C	Pressure (bars)													
	100	200	300	400	500	600	700	800	900	1000	1250	1500	1750	2000
25	1.018	1.024	1.028	1.033	1.037	1.041	1.045	1.050	1.053	1.057	1.065	1.074	1.082	1.090
50	1.014	1.017	1.021	1.028	1.031	1.035	1.040	1.043	1.047	1.051	1.059	1.068	1.076	1.084
75	1.003	1.006	1.010	1.018	1.022	1.027	1.033	1.035	1.039	1.043	1.052	1.060	1.070	1.078
100	0.990	0.992	0.997	1.006	1.011	1.016	1.022	1.025	1.029	1.033	1.042	1.051	1.061	1.070
125	0.973	0.976	0.981	0.991	0.996	1.001	1.009	1.012	1.016	1.021	1.030	1.040	1.051	1.060
150	0.952	0.956	0.961	0.972	0.978	0.984	0.993	0.996	1.001	1.006	1.016	1.027	1.039	1.049
175	0.927	0.932	0.939	0.951	0.957	0.964	0.973	0.977	0.983	0.989	1.000	1.012	1.025	1.036
200	0.899	0.906	0.914	0.926	0.934	0.941	0.951	0.956	0.962	0.969	0.982	0.995	1.010	1.021
225	0.867	0.876	0.885	0.898	0.907	0.915	0.925	0.932	0.939	0.947	0.962	0.976	0.993	1.005
250	0.832	0.843	0.854	0.867	0.877	0.886	0.897	0.905	0.914	0.922	0.940	0.956	0.973	0.987
275	0.793	0.807	0.819	0.832	0.844	0.855	0.865	0.876	0.886	0.895	0.916	0.933	0.952	0.968
300	0.747	0.768	0.781	0.794	0.807	0.820	0.831	0.844	0.855	0.866	0.889	0.909	0.930	0.947
325	--	0.725	0.741	0.753	0.768	0.782	0.793	0.809	0.822	0.834	0.861	0.883	0.905	0.924
350	--	--	0.70*	0.71*	0.726	0.742	0.753	0.772	0.786	0.799	0.830	0.855	0.879	0.900
375	--	--	--	--	0.68*	0.70*	0.71*	0.732	0.748	0.763	0.798	0.825	0.851	0.874
400	--	--	--	--	--	--	--	0.69*	0.70*	0.724	0.763	0.793	0.821	0.847
425	--	--	--	--	--	--	--	--	--	0.68*	0.723	0.759	0.789	0.817
450	--	--	--	--	--	--	--	--	--	--	0.68*	0.725	0.757	0.787
475	--	--	--	--	--	--	--	--	--	--	--	0.687	0.721	0.755
500	--	--	--	--	--	--	--	--	--	--	--	0.66*	0.69*	0.722

*Extrapolated values

TABLE 17.—Densities of 5 weight percent NaCl solutions, g/cm³[The uncertainties in the densities are: 3-place figures ± 0.005 and ± 0.05 for 2-place figures.]

	Pressure (bars)													
Temp °C	100	200	300	400	500	600	700	800	900	1000	1250	1500	1750	2000
25	1.033	1.038	1.042	1.046	1.051	1.055	1.059	1.063	1.067	1.070	1.079	1.087	1.095	1.103
50	1.027	1.031	1.034	1.041	1.046	1.049	1.054	1.057	1.061	1.064	1.073	1.081	1.089	1.097
75	1.016	1.020	1.023	1.032	1.037	1.042	1.047	1.050	1.053	1.057	1.065	1.073	1.083	1.091
100	1.003	1.006	1.010	1.020	1.026	1.031	1.036	1.040	1.044	1.047	1.055	1.064	1.074	1.082
125	0.985	0.989	0.995	1.005	1.012	1.017	1.024	1.028	1.031	1.035	1.043	1.053	1.064	1.073
150	0.964	0.970	0.975	0.986	0.994	1.000	1.008	1.012	1.017	1.021	1.030	1.041	1.052	1.062
175	0.940	0.946	0.953	0.966	0.974	0.980	0.988	0.994	0.999	1.004	1.014	1.026	1.038	1.049
200	0.913	0.920	0.929	0.941	0.952	0.958	0.967	0.973	0.978	0.985	0.996	1.010	1.023	1.035
225	0.882	0.890	0.901	0.914	0.926	0.933	0.942	0.951	0.957	0.963	0.977	0.991	1.007	1.019
250	0.848	0.857	0.871	0.885	0.896	0.905	0.915	0.924	0.932	0.939	0.955	0.971	0.987	1.002
275	0.809	0.821	0.838	0.851	0.864	0.875	0.884	0.896	0.905	0.913	0.932	0.950	0.967	0.983
300	0.765	0.783	0.802	0.815	0.828	0.841	0.852	0.865	0.876	0.885	0.906	0.926	0.946	0.963
325	--	0.741	0.764	0.776	0.790	0.804	0.816	0.831	0.843	0.854	0.879	0.902	0.922	0.941
350	--	0.70*	0.72*	0.734	0.749	0.765	0.777	0.794	0.808	0.821	0.849	0.875	0.897	0.918
375	--	0.66*	0.68*	0.69*	0.700	0.709	0.725	0.755	0.770	0.786	0.819	0.846	0.871	0.893
400	--	--	--	--	0.678	0.694	0.709	0.720	0.731	0.748	0.785	0.815	0.842	0.867
425	--	--	--	--	0.64*	0.65*	0.666	0.676	0.687	0.716	0.747	0.783	0.812	0.839
450	--	--	--	--	--	--	0.625	0.635	0.645	0.681	0.711	0.750	0.781	0.810
475	--	--	--	--	--	--	--	--	--	0.64*	0.676	0.714	0.747	0.779
500	--	--	--	--	--	--	--	--	--	--	0.63*	0.677	0.718	0.748

*Extrapolated values

TABLE 18.—*Densities of 7 weight percent NaCl solutions, g/cm³*[The uncertainties in the densities are: 3-place figures ± 0.005 and ± 0.05 for 2-place figures.]

Temp °C	Pressure (bars)													
	100	200	300	400	500	600	700	800	900	1000	1250	1500	1750	2000
25	1.049	1.052	1.055	1.060	1.065	1.069	1.073	1.077	1.080	1.084	1.093	1.101	1.109	1.116
50	1.041	1.045	1.048	1.055	1.060	1.064	1.068	1.071	1.075	1.078	1.086	1.094	1.102	1.110
75	1.030	1.034	1.037	1.046	1.052	1.056	1.061	1.064	1.067	1.071	1.078	1.085	1.096	1.104
100	1.015	1.020	1.024	1.034	1.041	1.046	1.050	1.055	1.058	1.061	1.068	1.077	1.087	1.095
125	0.998	1.003	1.008	1.019	1.028	1.032	1.038	1.043	1.046	1.050	1.057	1.067	1.077	1.086
150	0.977	0.983	0.988	1.001	1.011	1.016	1.022	1.028	1.032	1.036	1.043	1.054	1.065	1.075
175	0.954	0.960	0.968	0.980	0.991	0.997	1.004	1.011	1.015	1.019	1.028	1.040	1.051	1.062
200	0.927	0.934	0.944	0.957	0.969	0.975	0.983	0.990	0.995	1.001	1.011	1.024	1.037	1.048
225	0.897	0.904	0.917	0.931	0.944	0.951	0.959	0.968	0.974	0.980	0.992	1.006	1.021	1.033
250	0.864	0.872	0.888	0.902	0.915	0.924	0.933	0.942	0.949	0.956	0.971	0.987	1.003	1.016
275	0.827	0.837	0.857	0.870	0.884	0.894	0.903	0.915	0.923	0.930	0.948	0.966	0.983	0.998
300	0.784	0.799	0.823	0.835	0.849	0.861	0.872	0.884	0.895	0.903	0.923	0.944	0.962	0.978
325	--	0.758	0.786	0.798	0.812	0.826	0.837	0.851	0.863	0.873	0.897	0.920	0.940	0.957
350	--	0.72*	0.74*	0.757	0.772	0.788	0.800	0.816	0.829	0.842	0.869	0.894	0.916	0.935
375	--	0.68*	0.70*	0.71*	0.732	0.748	0.764	0.778	0.792	0.808	0.839	0.866	0.890	0.911
400	--	--	--	--	0.69*	0.70*	0.725	0.741	0.757	0.772	0.807	0.837	0.863	0.886
425	--	--	--	--	--	--	0.69*	0.71*	0.715	0.732	0.771	0.806	0.834	0.860
450	--	--	--	--	--	--	--	--	0.67*	0.69*	0.741	0.774	0.804	0.832
475	--	--	--	--	--	--	--	--	--	--	0.71*	0.740	0.772	0.802
500	--	--	--	--	--	--	--	--	--	--	--	0.707	0.744	0.774

*Extrapolated values

TABLE 19.—*Densities of 9 weight percent NaCl solutions, g/cm³*[The uncertainties in the densities are: 3-place figures ± 0.005 and ± 0.05 for 2-place figures.]

	Pressure (bars)													
Temp °C	100	200	300	400	500	600	700	800	900	1000	1250	1500	1750	2000
25	1.064	1.067	1.070	1.074	1.079	1.083	1.087	1.091	1.094	1.098	1.107	1.114	1.122	1.129
50	1.055	1.059	1.062	1.069	1.075	1.078	1.082	1.085	1.089	1.092	1.100	1.108	1.116	1.123
75	1.043	1.048	1.051	1.060	1.067	1.070	1.074	1.079	1.082	1.085	1.092	1.100	1.109	1.117
100	1.029	1.034	1.037	1.048	1.056	1.060	1.064	1.070	1.073	1.075	1.082	1.091	1.100	1.108
125	1.011	1.017	1.022	1.034	1.043	1.047	1.052	1.059	1.061	1.064	1.071	1.081	1.090	1.099
150	0.991	0.997	1.003	1.016	1.026	1.031	1.037	1.044	1.047	1.050	1.057	1.068	1.078	1.088
175	0.967	0.974	0.983	0.995	1.008	1.013	1.019	1.027	1.031	1.034	1.042	1.055	1.065	1.075
200	0.941	0.949	0.960	0.973	0.985	0.992	0.998	1.007	1.011	1.016	1.025	1.039	1.050	1.062
225	0.912	0.919	0.933	0.947	0.961	0.968	0.975	0.985	0.991	0.996	1.007	1.021	1.035	1.047
250	0.880	0.888	0.906	0.920	0.933	0.942	0.950	0.960	0.967	0.972	0.986	1.003	1.018	1.031
275	0.845	0.853	0.876	0.889	0.903	0.913	0.922	0.933	0.941	0.948	0.965	0.983	0.999	1.014
300	0.803	0.816	0.843	0.855	0.869	0.881	0.892	0.904	0.915	0.921	0.940	0.961	0.978	0.994
325	--	0.777	0.808	0.819	0.834	0.847	0.859	0.872	0.883	0.893	0.915	0.938	0.957	0.974
350	--	0.73*	0.773	0.785	0.795	0.810	0.823	0.837	0.850	0.862	0.888	0.912	0.934	0.953
375	--	0.69*	0.73*	0.737	0.754	0.770	0.786	0.800	0.813	0.830	0.859	0.886	0.909	0.930
400	--	--	--	0.69*	0.71*	0.73*	0.748	0.764	0.780	0.795	0.828	0.858	0.883	0.905
425	--	--	--	--	--	--	0.70*	0.72*	0.738	0.755	0.794	0.829	0.856	0.880
450	--	--	--	--	--	--	--	--	0.69*	0.71*	0.765	0.798	0.827	0.853
475	--	--	--	--	--	--	--	--	--	--	0.734	0.765	0.796	0.825
500	--	--	--	--	--	--	--	--	--	--	0.70*	0.733	0.770	0.798

*Extrapolated values

TABLE 20.—Densities of 11 weight percent NaCl solutions, g/cm³[The uncertainties in the densities are: 3-place figures ± 0.005 and ± 0.05 for 2-place figures.]

Temp °C	Pressure (bars)													
	100	200	300	400	500	600	700	800	900	1000	1250	1500	1750	2000
25	1.080	1.082	1.085	1.089	1.094	1.098	1.101	1.105	1.108	1.112	1.121	1.128	1.136	1.143
50	1.069	1.073	1.076	1.084	1.089	1.092	1.096	1.100	1.103	1.106	1.114	1.122	1.130	1.137
75	1.057	1.063	1.065	1.074	1.081	1.085	1.088	1.094	1.096	1.099	1.106	1.114	1.122	1.130
100	1.042	1.048	1.051	1.062	1.071	1.075	1.078	1.085	1.087	1.089	1.096	1.105	1.113	1.121
125	1.025	1.031	1.036	1.048	1.058	1.062	1.066	1.073	1.076	1.078	1.084	1.095	1.103	1.112
150	1.004	1.012	1.017	1.030	1.042	1.046	1.051	1.059	1.061	1.065	1.071	1.082	1.092	1.101
175	0.982	0.989	0.997	1.011	1.024	1.028	1.034	1.042	1.046	1.049	1.057	1.069	1.079	1.089
200	0.956	0.964	0.975	0.988	1.002	1.008	1.014	1.024	1.027	1.031	1.040	1.053	1.064	1.076
225	0.928	0.935	0.950	0.964	0.978	0.985	0.991	1.002	1.007	1.012	1.022	1.036	1.050	1.062
250	0.897	0.904	0.923	0.937	0.951	0.959	0.967	0.978	0.984	0.989	1.002	1.019	1.033	1.046
275	0.863	0.870	0.895	0.908	0.922	0.932	0.940	0.951	0.958	0.965	0.981	0.999	1.015	1.029
300	0.823	0.834	0.863	0.875	0.889	0.901	0.911	0.923	0.933	0.939	0.957	0.978	0.994	1.010
325	--	0.796	0.829	0.841	0.855	0.867	0.879	0.892	0.903	0.911	0.933	0.956	0.974	0.990
350	--	0.76*	0.795	0.807	0.817	0.832	0.845	0.858	0.870	0.882	0.906	0.931	0.951	0.970
375	--	--	0.75*	0.763	0.772	0.790	0.818	0.822	0.834	0.851	0.879	0.905	0.928	0.948
400	--	--	--	0.72*	0.730	0.751	0.784	0.788	0.804	0.818	0.849	0.879	0.903	0.924
425	--	--	--	--	0.69*	0.702	0.741	0.745	0.764	0.780	0.817	0.851	0.877	0.900
450	--	--	--	--	--	0.67*	0.703	0.709	0.730	0.748	0.789	0.821	0.850	0.875
475	--	--	--	--	--	--	0.66*	0.67*	0.69*	0.71*	0.761	0.789	0.820	0.847
500	--	--	--	--	--	--	--	--	--	--	0.73*	0.760	0.794	0.822

*Extrapolated values

TABLE 21.—Densities of 13 weight percent NaCl solutions, g/cm³[The uncertainties in the densities are: 3-place figures ± 0.005 and ± 0.05 for 2-place figures.]

Temp °C	Pressure (bars)													
	100	200	300	400	500	600	700	800	900	1000	1250	1500	1750	2000
25	1.095	1.097	1.100	1.103	1.109	1.112	1.116	1.119	1.123	1.126	1.135	1.142	1.150	1.157
50	1.083	1.088	1.090	1.098	1.104	1.107	1.110	1.114	1.117	1.120	1.128	1.135	1.144	1.151
75	1.071	1.077	1.079	1.088	1.096	1.099	1.102	1.108	1.110	1.113	1.119	1.129	1.136	1.144
100	1.055	1.062	1.065	1.076	1.085	1.089	1.092	1.099	1.101	1.103	1.109	1.119	1.127	1.135
125	1.038	1.045	1.050	1.062	1.073	1.076	1.080	1.088	1.090	1.092	1.098	1.108	1.117	1.126
150	1.018	1.026	1.032	1.045	1.057	1.061	1.065	1.074	1.076	1.079	1.085	1.096	1.106	1.115
175	0.996	1.003	1.013	1.026	1.040	1.044	1.049	1.058	1.061	1.064	1.071	1.083	1.093	1.103
200	0.971	0.979	0.991	1.004	1.018	1.024	1.030	1.039	1.042	1.047	1.055	1.068	1.078	1.090
225	0.944	0.951	0.966	0.980	0.995	1.002	1.008	1.019	1.023	1.027	1.037	1.052	1.064	1.076
250	0.914	0.921	0.940	0.954	0.968	0.976	0.984	0.995	1.000	1.006	1.018	1.034	1.048	1.061
275	0.882	0.888	0.913	0.926	0.940	0.950	0.958	0.969	0.975	0.982	0.997	1.016	1.030	1.044
300	0.843	0.853	0.883	0.895	0.908	0.920	0.930	0.941	0.952	0.957	0.974	0.995	1.011	1.026
325	--	0.816	0.850	0.862	0.875	0.888	0.900	0.911	0.922	0.930	0.951	0.973	0.990	1.007
350	--	0.77*	0.818	0.827	0.839	0.853	0.866	0.878	0.890	0.902	0.925	0.949	0.969	0.987
375	--	--	0.782	0.791	0.801	0.817	0.832	0.843	0.855	0.872	0.898	0.925	0.946	0.966
400	--	--	0.770	0.777	0.786	0.794	0.811	0.822	0.833	0.840	0.869	0.899	0.922	0.943
425	--	--	0.71*	0.72*	0.73*	0.738	0.757	0.767	0.778	0.808	0.839	0.872	0.897	0.920
450	--	--	--	--	--	0.704	0.724	0.735	0.745	0.774	0.803	0.843	0.871	0.895
475	--	--	--	--	--	0.67*	0.69*	0.701	0.713	0.746	0.773	0.813	0.843	0.869
500	--	--	--	--	--	--	--	0.67*	0.68*	0.70*	0.743	0.775	0.820	0.845

*Extrapolated values

TABLE 22.—Densities of 15 weight percent NaCl solutions, g/cm³[The uncertainties in the densities are: 3-place figures ± 0.005 and ± 0.05 for 2-place figures.]

Temp°C	Pressure (bars)													
	100	200	300	400	500	600	700	800	900	1000	1250	1500	1750	2000
25	1.111	1.112	1.115	1.119	1.124	1.127	1.130	1.134	1.137	1.141	1.150	1.156	1.164	1.171
50	1.098	1.103	1.105	1.113	1.119	1.122	1.125	1.129	1.132	1.135	1.143	1.150	1.158	1.165
75	1.085	1.092	1.094	1.103	1.111	1.114	1.117	1.123	1.125	1.128	1.134	1.142	1.150	1.158
100	1.069	1.077	1.080	1.091	1.100	1.104	1.107	1.114	1.116	1.118	1.124	1.133	1.141	1.149
125	1.052	1.060	1.065	1.077	1.088	1.091	1.095	1.103	1.105	1.107	1.113	1.123	1.131	1.140
150	1.033	1.041	1.047	1.060	1.072	1.076	1.080	1.089	1.091	1.094	1.100	1.111	1.120	1.129
175	1.011	1.019	1.028	1.041	1.055	1.059	1.064	1.073	1.076	1.079	1.086	1.098	1.107	1.117
200	0.987	0.995	1.007	1.020	1.034	1.040	1.045	1.055	1.059	1.062	1.070	1.083	1.093	1.105
225	0.961	0.967	0.982	0.996	1.012	1.018	1.024	1.035	1.039	1.043	1.053	1.067	1.079	1.091
250	0.932	0.938	0.957	0.971	0.985	0.993	1.001	1.012	1.017	1.022	1.034	1.050	1.063	1.076
275	0.901	0.907	0.931	0.944	0.958	0.967	0.975	0.986	0.992	0.998	1.014	1.032	1.046	1.060
300	0.865	0.873	0.902	0.914	0.927	0.938	0.948	0.959	0.969	0.974	0.991	1.012	1.027	1.042
325	--	0.838	0.871	0.882	0.895	0.907	0.919	0.930	0.940	0.948	0.968	0.990	1.008	1.024
350	--	0.79*	0.839	0.848	0.860	0.874	0.887	0.898	0.909	0.921	0.943	0.967	0.986	1.005
375	--	--	0.804	0.812	0.822	0.838	0.853	0.864	0.875	0.892	0.917	0.943	0.964	0.983
400	--	--	0.768	0.773	0.782	0.800	0.817	0.828	0.839	0.861	0.889	0.918	0.941	0.961
425	--	--	0.73*	0.74*	0.75*	0.760	0.779	0.789	0.800	0.829	0.860	0.892	0.917	0.939
450	--	--	--	--	--	0.718	0.739	0.749	0.759	0.794	0.824	0.865	0.892	0.915
475	--	--	--	--	--	0.67*	0.69*	0.705	0.716	0.762	0.795	0.835	0.865	0.890
500	--	--	--	--	--	--	--	0.66*	0.68*	0.72*	0.768	0.808	0.842	0.867

*Extrapolated values

TABLE 23.—Densities of 17 weight percent NaCl solutions, g/cm³[The uncertainties in the densities are: 3-place figures ± 0.005 and ± 0.05 for 2-place figures.]

Temp °C	Pressure (bars)													
	100	200	300	400	500	600	700	800	900	1000	1250	1500	1750	2000
25	1.126	1.128	1.131	1.134	1.139	1.142	1.145	1.149	1.152	1.155	1.165	1.171	1.178	1.185
50	1.113	1.118	1.120	1.128	1.133	1.136	1.139	1.143	1.146	1.149	1.157	1.164	1.172	1.179
75	1.100	1.105	1.108	1.117	1.125	1.128	1.131	1.137	1.139	1.142	1.148	1.155	1.164	1.171
100	1.084	1.091	1.094	1.105	1.114	1.118	1.121	1.128	1.130	1.132	1.138	1.147	1.155	1.163
125	1.067	1.074	1.079	1.091	1.102	1.105	1.109	1.117	1.119	1.121	1.127	1.137	1.145	1.153
150	1.047	1.055	1.061	1.074	1.086	1.090	1.094	1.103	1.105	1.108	1.114	1.125	1.134	1.143
175	1.026	1.034	1.043	1.056	1.069	1.073	1.078	1.087	1.090	1.093	1.100	1.112	1.121	1.131
200	1.002	1.011	1.022	1.035	1.049	1.055	1.059	1.069	1.073	1.076	1.085	1.097	1.107	1.119
225	0.977	0.985	0.999	1.013	1.027	1.033	1.039	1.050	1.054	1.058	1.068	1.082	1.093	1.105
250	0.950	0.956	0.975	0.988	1.002	1.010	1.017	1.028	1.032	1.037	1.049	1.065	1.078	1.091
275	0.921	0.926	0.949	0.962	0.976	0.984	0.992	1.003	1.009	1.015	1.030	1.048	1.061	1.075
300	0.886	0.894	0.922	0.933	0.946	0.956	0.966	0.977	0.986	0.991	1.008	1.028	1.043	1.057
325	0.85*	0.860	0.892	0.903	0.915	0.927	0.938	0.949	0.958	0.966	0.986	1.008	1.024	1.040
350	--	0.82*	0.861	0.870	0.882	0.895	0.908	0.918	0.928	0.940	0.961	0.985	1.004	1.022
375	--	0.78*	0.821	0.834	0.844	0.860	0.874	0.885	0.896	0.912	0.936	0.962	0.982	1.001
400	--	--	0.79*	0.796	0.805	0.823	0.840	0.851	0.862	0.882	0.909	0.937	0.960	0.979
425	--	--	--	0.76*	0.77*	0.791	0.811	0.821	0.832	0.852	0.882	0.912	0.937	0.958
450	--	--	--	--	--	0.739	0.759	0.770	0.780	0.815	0.845	0.885	0.913	0.935
475	--	--	--	--	--	0.708	0.734	0.746	0.757	0.787	0.817	0.857	0.887	0.911
500	--	--	--	--	--	0.67*	0.69*	0.72*	0.74*	0.75*	0.789	0.829	0.863	0.888

*Extrapolated values

TABLE 24.—*Densities of 19 weight percent NaCl solutions, g/cm³*[The uncertainties in the densities are: 3-place figures ± 0.005 and ± 0.05 for 2-place figures.]

Temp °C	Pressure (bars)													
	100	200	300	400	500	600	700	800	900	1000	1250	1500	1750	2000
25	1.141	1.144	1.146	1.150	1.154	1.158	1.161	1.164	1.167	1.170	1.180	1.185	1.193	1.199
50	1.128	1.133	1.135	1.142	1.148	1.151	1.154	1.158	1.161	1.164	1.172	1.179	1.186	1.193
75	1.114	1.121	1.123	1.132	1.139	1.142	1.145	1.151	1.153	1.156	1.163	1.170	1.178	1.186
100	1.098	1.106	1.109	1.120	1.128	1.132	1.135	1.142	1.144	1.146	1.153	1.161	1.169	1.177
125	1.081	1.089	1.094	1.105	1.115	1.119	1.123	1.131	1.133	1.135	1.141	1.151	1.159	1.168
150	1.062	1.071	1.076	1.089	1.100	1.104	1.108	1.117	1.119	1.122	1.129	1.139	1.148	1.157
175	1.041	1.050	1.058	1.071	1.083	1.088	1.092	1.101	1.104	1.108	1.115	1.127	1.135	1.145
200	1.019	1.027	1.038	1.051	1.063	1.069	1.074	1.084	1.087	1.091	1.100	1.112	1.122	1.133
225	0.995	1.002	1.015	1.029	1.042	1.048	1.054	1.065	1.069	1.073	1.083	1.097	1.108	1.120
250	0.969	0.975	0.992	1.005	1.018	1.026	1.033	1.043	1.048	1.053	1.065	1.081	1.093	1.105
275	0.941	0.946	0.967	0.980	0.992	1.001	1.009	1.020	1.025	1.031	1.046	1.063	1.077	1.090
300	0.908	0.915	0.941	0.952	0.964	0.974	0.984	0.994	1.003	1.009	1.025	1.044	1.059	1.073
325	0.87*	0.884	0.912	0.923	0.935	0.946	0.957	0.967	0.976	0.984	1.004	1.024	1.041	1.056
350	--	0.870	0.880	0.892	0.903	0.915	0.927	0.937	0.947	0.959	0.979	1.003	1.021	1.038
375	--	0.837	0.848	0.858	0.870	0.882	0.893	0.906	0.916	0.931	0.955	0.980	1.000	1.018
400	--	0.803	0.814	0.823	0.835	0.848	0.859	0.871	0.887	0.899	0.929	0.956	0.978	0.997
425	--	0.77*	0.78*	0.786	0.796	0.812	0.823	0.838	0.855	0.869	0.902	0.932	0.956	0.977
450	--	--	--	0.75*	0.76*	0.77*	0.785	0.803	0.821	0.836	0.872	0.904	0.932	0.954
475	--	--	--	--	--	--	0.745	0.765	0.786	0.802	0.842	0.876	0.908	0.931
500	--	--	--	--	--	--	0.70*	0.725	0.748	0.766	0.810	0.842	0.880	0.909

*Extrapolated values

TABLE 25.—Densities of 21 weight percent NaCl solutions, g/cm³[The uncertainties in the densities are: 3-place figures ± 0.005 and ± 0.05 for 2-place figures.]

	Pressure (bars)													
Temp °C	100	200	300	400	500	600	700	800	900	1000	1250	1500	1750	2000
25	1.157	1.160	1.162	1.166	1.170	1.173	1.176	1.179	1.182	1.185	1.195	1.200	1.207	1.214
50	1.143	1.148	1.151	1.158	1.163	1.166	1.169	1.173	1.176	1.179	1.187	1.193	1.201	1.207
75	1.129	1.136	1.139	1.147	1.154	1.157	1.160	1.166	1.168	1.171	1.177	1.185	1.192	1.200
100	1.113	1.121	1.124	1.134	1.142	1.146	1.149	1.156	1.158	1.161	1.167	1.176	1.183	1.191
125	1.096	1.104	1.109	1.120	1.129	1.133	1.137	1.144	1.147	1.149	1.156	1.166	1.173	1.182
150	1.077	1.086	1.092	1.104	1.114	1.118	1.122	1.130	1.133	1.136	1.144	1.154	1.162	1.171
175	1.057	1.066	1.073	1.086	1.097	1.102	1.107	1.115	1.118	1.122	1.130	1.141	1.150	1.160
200	1.035	1.044	1.054	1.066	1.078	1.083	1.088	1.098	1.102	1.106	1.115	1.127	1.136	1.148
225	1.012	1.020	1.032	1.045	1.057	1.063	1.069	1.079	1.083	1.088	1.099	1.112	1.123	1.135
250	0.988	0.994	1.009	1.022	1.034	1.041	1.048	1.058	1.063	1.069	1.081	1.096	1.108	1.121
275	0.962	0.967	0.985	0.997	1.009	1.018	1.025	1.036	1.041	1.047	1.062	1.079	1.092	1.105
300	0.931	0.938	0.960	0.971	0.982	0.991	1.001	1.019	1.025	1.042	1.060	1.070	1.079	1.089
325	0.901	0.908	0.932	0.943	0.954	0.964	0.975	0.985	0.993	1.002	1.021	1.041	1.057	1.072
350	--	0.893	0.902	0.912	0.923	0.935	0.947	0.956	0.966	0.977	0.997	1.020	1.037	1.055
375	--	0.864	0.873	0.880	0.892	0.904	0.914	0.926	0.936	0.950	0.974	0.997	1.017	1.036
400	--	0.832	0.843	0.849	0.858	0.872	0.885	0.899	0.910	0.922	0.948	0.974	0.996	1.015
425	--	0.80*	0.81*	0.82*	0.83*	0.837	0.852	0.863	0.872	0.890	0.922	0.951	0.974	0.995
450	--	--	--	--	--	0.80*	0.82*	0.83*	0.849	0.863	0.898	0.925	0.951	0.973
475	--	--	--	--	--	--	--	--	0.819	0.835	0.868	0.899	0.927	0.951
500	--	--	--	--	--	--	--	--	0.78*	0.80*	0.837	0.868	0.903	0.928

*Extrapolated values

TABLE 26.—*Densities of 23 weight percent NaCl solutions, g/cm³*[The uncertainties in the densities are: 3-place figures ± 0.005 and ± 0.05 for 2-place figures.]

	Pressure (bars)													
Temp °C	100	200	300	400	500	600	700	800	900	1000	1250	1500	1750	2000
25	1.172	1.176	1.179	1.182	1.186	1.189	1.192	1.195	1.198	1.201	1.211	1.215	1.222	1.228
50	1.159	1.164	1.167	1.173	1.178	1.181	1.184	1.188	1.191	1.194	1.202	1.208	1.216	1.222
75	1.145	1.151	1.154	1.162	1.168	1.171	1.174	1.180	1.182	1.185	1.192	1.200	1.207	1.214
100	1.128	1.136	1.140	1.149	1.156	1.160	1.163	1.170	1.172	1.175	1.182	1.191	1.198	1.206
125	1.111	1.119	1.124	1.134	1.142	1.146	1.151	1.158	1.161	1.164	1.171	1.180	1.188	1.196
150	1.093	1.102	1.107	1.118	1.127	1.131	1.136	1.144	1.147	1.150	1.159	1.169	1.177	1.186
175	1.073	1.082	1.089	1.101	1.110	1.115	1.121	1.129	1.132	1.136	1.145	1.156	1.165	1.175
200	1.052	1.061	1.069	1.081	1.091	1.097	1.102	1.112	1.116	1.120	1.130	1.142	1.151	1.163
225	1.030	1.039	1.048	1.061	1.071	1.078	1.084	1.093	1.098	1.103	1.114	1.127	1.138	1.150
250	1.007	1.015	1.027	1.039	1.049	1.056	1.063	1.073	1.078	1.084	1.097	1.111	1.123	1.136
275	0.983	0.989	1.003	1.015	1.025	1.033	1.041	1.051	1.057	1.063	1.078	1.094	1.107	1.120
300	0.955	0.961	0.978	0.989	0.999	1.009	1.017	1.027	1.035	1.041	1.059	1.076	1.090	1.105
325	0.927	0.933	0.952	0.962	0.973	0.982	0.993	1.002	1.011	1.018	1.038	1.057	1.073	1.088
350	0.90*	0.915	0.924	0.934	0.944	0.955	0.965	0.975	0.984	0.994	1.015	1.037	1.054	1.071
375	--	0.886	0.895	0.904	0.914	0.925	0.936	0.946	0.956	0.968	0.992	1.015	1.034	1.052
400	--	0.855	0.865	0.872	0.882	0.894	0.906	0.917	0.928	0.941	0.967	0.992	1.014	1.033
425	--	0.825	0.836	0.843	0.849	0.861	0.874	0.885	0.898	0.912	0.942	0.969	0.992	1.013
450	--	0.78*	0.79*	0.80*	0.813	0.823	0.843	0.855	0.868	0.882	0.915	0.944	0.970	0.991
475	--	--	--	--	0.77*	0.79*	0.80*	0.820	0.837	0.853	0.888	0.918	0.947	0.970
500	--	--	--	--	--	--	--	0.78*	0.80*	0.817	0.856	0.889	0.922	0.947

*Extrapolated values

TABLE 27.—Densities of 25 weight percent NaCl solutions, g/cm³[The uncertainties in the densities are: 3-place figures ± 0.005 and ± 0.05 for 2-place figures.]

	Pressure (bars)													
Temp °C	100	200	300	400	500	600	700	800	900	1000	1250	1500	1750	2000
25	1.188	1.192	1.195	1.199	1.202	1.205	1.207	1.211	1.213	1.217	1.226	1.231	1.237	1.243
50	1.175	1.179	1.183	1.188	1.193	1.196	1.200	1.204	1.207	1.210	1.217	1.224	1.231	1.237
75	1.160	1.167	1.170	1.177	1.182	1.185	1.189	1.194	1.197	1.200	1.208	1.215	1.222	1.229
100	1.143	1.152	1.155	1.164	1.169	1.173	1.177	1.183	1.186	1.190	1.198	1.206	1.213	1.221
125	1.127	1.135	1.140	1.149	1.155	1.160	1.164	1.171	1.174	1.178	1.186	1.195	1.203	1.211
150	1.109	1.117	1.122	1.133	1.140	1.145	1.150	1.157	1.161	1.164	1.174	1.184	1.192	1.201
175	1.090	1.099	1.104	1.116	1.123	1.129	1.134	1.142	1.146	1.150	1.160	1.171	1.180	1.190
200	1.070	1.078	1.085	1.097	1.105	1.111	1.116	1.125	1.129	1.134	1.146	1.157	1.167	1.178
225	1.049	1.058	1.065	1.075	1.085	1.091	1.098	1.107	1.111	1.117	1.130	1.142	1.154	1.165
250	1.027	1.035	1.044	1.055	1.064	1.071	1.078	1.087	1.092	1.099	1.112	1.127	1.139	1.151
275	1.004	1.011	1.021	1.032	1.041	1.049	1.057	1.066	1.072	1.079	1.094	1.110	1.123	1.136
300	0.979	0.986	0.997	1.007	1.017	1.025	1.033	1.043	1.050	1.057	1.075	1.092	1.106	1.120
325	0.952	0.960	0.971	0.981	0.991	1.001	1.010	1.019	1.027	1.035	1.055	1.073	1.089	1.104
350	0.926	0.937	0.945	0.954	0.964	0.974	0.983	0.993	1.002	1.012	1.033	1.053	1.070	1.087
375	0.90*	0.908	0.917	0.924	0.934	0.945	0.955	0.965	0.975	0.986	1.010	1.032	1.051	1.069
400	0.87*	0.877	0.886	0.893	0.903	0.915	0.925	0.936	0.947	0.960	0.986	1.010	1.031	1.050
425	--	0.84*	0.855	0.861	0.871	0.883	0.894	0.905	0.918	0.932	0.961	0.986	1.010	1.031
450	--	--	0.81*	0.82*	0.83*	0.848	0.861	0.874	0.887	0.902	0.934	0.963	0.988	1.010
475	--	--	--	--	--	0.81*	0.82*	0.836	0.857	0.871	0.905	0.937	0.965	0.988
500	--	--	--	--	--	--	--	0.812	0.827	0.842	0.880	0.910	0.940	0.965

*Extrapolated values

TABLE 28.—*Interpolation coefficients for NaCl solutions*

$$[d = \frac{1000d_0 + M_2md_0}{1000 + A_0md_0 + B_0m^{3/2}d_0 + C_0m^2d_0}]$$

where d_0 = density of water at temperature in g/cm^3
and M_2 = molecular weight of NaCl.]

Temp ($^{\circ}\text{C}$)	A_0	B_0	C_0	d_0
0	12.43	3.07	-.02	.999839
25	16.62	1.773	.098	.997047
50	18.00	1.66	.002	.988038
75	18.18	1.19	.12	.974844

TABLE 29.—NaCl interpolation formula coefficients

[d = A + BT + CT ² .]																
Molality	Pressure (bars)															
	Sat.	100	200	300	400	500	600	700	800	900	1000	1250	1500	1750	2000	
0.5	A	1.0059	1.021	1.026	1.031	1.034	1.038	1.042	1.044	1.050	1.053	1.057	1.067	1.076	1.083	1.091
	-10 ⁴ xB	-0.318	0.239	0.868	1.077	0.305	0.376	0.365	0.110	0.460	0.508	0.553	0.924	1.081	0.834	0.914
	-10 ⁶ xC	3.099	2.974	2.592	2.427	2.569	2.446	2.355	2.421	2.147	2.044	1.954	1.675	1.502	1.437	1.304
1.0	A	1.0312	1.043	1.047	1.051	1.055	1.057	1.062	1.068	1.072	1.075	1.079	1.088	1.096	1.104	1.111
	-10 ⁴ xB	0.743	1.200	1.399	1.417	0.843	0.294	0.476	1.093	1.605	1.137	1.314	1.280	1.401	1.248	1.267
	-10 ⁶ xC	2.661	2.520	2.336	2.213	2.326	2.392	2.238	1.991	1.678	1.803	1.681	1.522	1.370	1.280	1.174
1.5	A	1.049	1.063	1.068	1.071	1.075	1.078	1.082	1.086	1.089	1.093	1.097	1.106	1.114	1.122	1.130
	-10 ⁴ xB	1.028	1.613	1.869	1.878	1.121	1.112	1.060	1.098	1.164	1.305	1.413	1.752	1.682	1.856	1.869
	-10 ⁶ xC	2.413	2.314	2.102	2.001	2.430	2.052	1.981	1.882	1.788	1.676	1.578	1.334	1.221	1.067	0.979
2.0	A	1.077	1.081	1.085	1.088	1.093	1.093	1.097	1.101	1.106	1.110	1.114	1.123	1.131	1.138	1.146
	-10 ⁴ xB	2.769	1.994	1.602	2.222	1.418	0.422	0.655	0.819	1.151	1.425	1.565	1.800	1.770	1.829	1.918
	-10 ⁶ xC	1.888	2.276	2.368	1.803	1.967	2.174	2.014	1.790	1.715	1.572	1.471	1.261	1.140	1.022	0.921
2.5	A	1.099	1.098	1.102	1.107	1.109	1.113	1.116	1.118	1.123	1.127	1.130	1.139	1.146	1.154	1.161
	-10 ⁴ xB	3.602	1.666	1.939	2.631	1.622	1.535	1.479	1.008	1.441	1.561	1.653	1.939	1.860	2.088	1.997
	-10 ⁶ xC	1.601	2.411	2.173	1.635	1.847	1.788	1.726	1.720	1.586	1.491	1.403	1.183	1.086	0.932	0.873
3.0	A	1.117	1.116	1.119	1.123	1.125	1.126	1.129	1.133	1.135	1.137	1.145	1.154	1.161	1.169	1.175
	-10 ⁴ xB	4.136	2.548	2.239	2.894	1.798	0.673	0.841	1.028	0.401	0.0006	1.603	1.827	1.812	1.932	1.820
	-10 ⁶ xC	1.378	1.955	1.994	1.496	1.752	1.982	1.846	1.718	1.819	1.867	1.372	1.195	1.064	0.938	0.882
3.5	A	1.137	1.135	1.135	1.138	1.140	1.142	1.147	1.151	1.153	1.155	1.162	1.170	1.177	1.184	1.190
	-10 ⁴ xB	4.746	3.439	2.608	2.855	1.914	0.926	1.226	1.449	0.965	0.878	1.660	1.972	1.970	2.104	1.947
	-10 ⁶ xC	1.174	1.593	1.820	1.464	1.608	1.872	1.706	1.568	1.636	1.604	1.328	1.141	1.001	0.8712	0.825
4.0	A	1.155	1.150	1.152	1.154	1.156	1.159	1.162	1.164	1.168	1.171	1.175	1.182	1.189	1.197	1.202
	-10 ⁴ xB	5.106	3.741	3.354	3.161	2.233	1.989	1.777	1.269	1.686	1.701	1.724	1.820	1.714	1.918	1.249
	-10 ⁶ xC	1.033	1.318	1.343	1.338	1.525	1.529	1.520	1.587	1.434	1.354	1.288	1.127	1.047	0.892	0.992
4.5	A	1.168	1.166	1.168	1.170	1.172	1.175	1.177	1.180	1.183	1.186	1.189	1.197	1.204	1.210	1.217
	-10 ⁴ xB	5.084	4.103	3.881	3.688	2.644	2.367	2.160	2.077	1.922	1.941	1.923	1.991	1.837	1.868	1.759
	-10 ⁶ xC	0.980	1.165	1.137	1.138	1.369	1.387	1.381	1.342	1.320	1.265	1.213	1.064	0.998	0.889	0.828
5.0	A	1.184	1.183	1.183	1.185	1.187	1.189	1.192	1.195	1.197	1.201	1.203	1.211	1.218	1.224	1.231
	-10 ⁴ xB	5.334	5.588	3.967	3.772	2.793	2.533	2.325	2.227	1.981	2.119	2.077	2.056	2.021	2.094	1.955
	-10 ⁶ xC	0.887	0.717	1.091	1.090	1.303	1.317	1.311	1.281	1.289	1.200	1.154	1.031	0.936	0.818	0.767
5.5	A	1.198	1.194	1.197	1.199	1.201	1.204	1.206	1.209	1.212	1.215	1.217	1.224	1.231	1.238	1.244
	-10 ⁴ xB	5.292	4.266	4.066	3.870	2.932	2.679	2.471	2.377	2.250	2.226	2.164	2.204	2.220	2.290	2.174
	-10 ⁶ xC	0.858	1.028	1.038	1.043	1.242	1.256	1.253	1.224	1.198	1.156	1.112	0.981	0.875	0.760	0.705
6.0	A	1.213	1.210	1.212	1.215	1.217	1.219	1.221	1.224	1.226	1.229	1.231	1.239	1.245	1.252	1.258
	-10 ⁴ xB	5.428	4.642	4.467	4.294	3.543	3.269	3.079	2.909	2.510	2.537	2.464	2.503	2.407	2.416	2.319
	-10 ⁶ xC	0.805	0.885	0.892	0.891	1.047	1.069	1.065	1.059	1.112	1.059	1.024	0.895	0.819	0.723	0.665
6.5	A	1.225	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	-10 ⁴ xB	5.242	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	-10 ⁶ xC	0.825	--	--	--	--	--	--	--	--	--	--	--	--	--	--
7.0	A	1.238	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	-10 ⁴ xB	5.094	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	-10 ⁶ xC	0.843	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Preliminary Steam Tables for NaCl Solutions

G E O L O G I C A L S U R V E Y B U L L E T I N 1 4 2 1

*This volume was published
as separate chapters A-C*

UNITED STATES DEPARTMENT OF THE INTERIOR

GEOLOGICAL SURVEY

V. E. McKelvey, *Director*

**For sale by the Superintendent of Documents, U. S. Government Printing Office
Washington, D. C. 20402**

CONTENTS

[Letters designate the chapters]

- (A) Physical properties of the coexisting phases and thermochemical properties of the H_2O component in boiling NaCl solutions, by J. L. Hass, Jr.
- (B) Thermodynamic properties of the coexisting phases and thermochemical properties of the NaCl component in boiling NaCl solutions, by J. L. Hass, Jr.
- (C) The volumetric properties of aqueous sodium chloride solutions from 0° to 500°C at pressures up to 2000 bars based on a regression of available data in the literature, by Robert W. Potter II and David L. Brown.