LECTURE NOTES FOR INTRODUCTION TO SAFETY AND HEALTH

by

Frank Biele

March 1992

ESTIM 0311
JUL 27 1992

DEPARTMENT OF NUCLEAR ENERGY
BROOKHAVEN NATIONAL LABORATORY, ASSOCIATED UNIVERSITIES, INC.
UPTON, NEW YORK 11973

UNITED STATES DEPARTMENT OF ENERGY
CONTRACT NO. DE-AC02-76-CH00016

DISTRIBUTION OF THIS DOCUMENT IS UNLIMITED

DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, nor any of their contractors, subcontractors, or their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency, contractor or subcontractor thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency, contractor or subcontractor thereof.

BNL--47692

DE92 018166

LECTURE NOTES FOR INTRODUCTION TO SAFETY AND HEALTH

Prepared by:

Frank Biele
Engineering Technology Division
Department of Nuclear Energy
Brookhaven National Laboratory/Associated Universities, Inc.
Upton, New York 11973

March 1992

Prepared for:

U.S. Department of Energy
Washington, D.C. 20585

DISTRIBUTION OF THIS DOCUMENT IS UNLIMITED

ABSTRACT

This lecture specifically addresses the Occupational Safety and Health (OSH) program for the U.S. Department of Energy (DOE) contractor employees at government-owned contractor-operated (GOCO) facilities. In an overview, safety and health is defined and the driving forces behind the implementation of a strong program are examined. An examination of how OSHA standards were created, as well as the complexities of the DOE-prescribed Occupational Safety and Health Act (OSHA) program. The program makes the listener aware that more than three different agencies and five industrial societies combine to make up the Act, and the focus is directed on areas identified by DOE as requiring training.

CONTENTS

	<u>Page</u>
ABSTRACT	iii
ACRONYMS	vii
 I. Introduction	 1
Overview	
II. What is Safety and Health?	2
A. Definition - Webster	2
B. Definition - Occupational Safety and Health Act (OSHA) 1970	2
III. Remarks by James Watkins, Secretary of Energy, June 27, 1989	2
A. Disagreed with Philosophy of DOE	2
IV. OSHA Study, December 1990	3
A. OSHA Evaluations of DOE's GOCO Facilities	3
V. Tiger Team Assessments	5
A. Numerous Environmental, Safety and Health problems	5
VI. Training Response to OSHA's Evaluation of DOE's GOCO Facilities	6
A. DOE Evaluated OSHA's Report	6
VII. OSHA Overview	9
A. Subjects Regulated by OSHA Standards	9
B. Standards for Different Industries	12
C. Standards Incorporated into Other Standards by Reference	12
D. Variances and Exceptions	13
E. General Duty Clause	15
VIII. Occupational Safety and Health (OSH) Program for DOE Contractor Employees at Government-Owned Contractor-Operated (GOCO) Facilities	 15
A. Purpose	16
IX. Compliance Inspections	16
A. Occupational Safety and Health Professionals	16

ACRONYMS

ANSI	American National Standards Institute
CFR	Code of Federal Regulations
CPR	Cardiopulmonary Resuscitation
DEAR	Department of Energy Acquisition Regulation
DOE	Department of Energy
GHO	Government Accounting Office
GOCO	Government-Owned Contractor-Operated
HQ	Headquarters
JSA	Job Safety Analysis
MSDS	Material Safety Data Sheet
OSHA	Occupational Safety and Health Act
SARs	Safety Analysis Reports

LECTURE NOTES
FOR
INTRODUCTION TO SAFETY AND HEALTH

I. Introduction

A. Occupation Safety and Health Act – 1970

1. No one opposed sound legislation (mood of country)
2. Demographics – 1970
 - a. 14,000 deaths
 - b. 2,000,000 injuries
 - c. 390,000 occupational diseases
 - d. 60% of asbestos workers incurred cancer or respiratory illness over 10 years.
3. Ralph Nader upon the scene
4. Public law governing maritime safety enacted 1958.
 - a. Accident frequency of long shoremen dropped 53% – 1970.
 - b. Accident frequency of shipyard workers dropped 41% – 1970.
5. Since OSHA enacted in 1970
 - a. Death rate per 100,000 dropped from 18 to 9. – 50%.
 - b. Disabling injuries 2,200/1,000 to 1,700/1000.

B. Because of time, we can't discuss everything in depth however, we will discuss;

1. Overview of OSHA as it applies to DOE.
2. Certain applications with emphasis on where to find accurate information.
 - a. Code of Federal Regulations.
 - b. DOE Orders (emphasis on DOE 5483.1A).
 - c. OSHA manuals *(OSHA Technical Manual).

C. We will discuss OSHA as it applies to GOCO activities.

D. Radiation and radiation hazards will not be discussed because they are covered in other courses.

II. What is Safety and Health?

A. Definition – Webster

1. Webster defines;

a. Safety – as freedom from danger, injury or damage; security.

b. Health – as physical and mental well being; freedom from disease, pain or defect;

normality of physical and mental functions; soundness.

B. Definition – Occupational Safety and Health Act (OSHA) – 1970

1. Congressional purpose and intent;

a. "To assure as far as possible every working man and woman in the Nation, safe and healthful working conditions and to preserve our human resources".

C. Definition – Hazard

1. Recognized if;

a. Common knowledge in industry

b. Detectable (sight, smell, touch, hear)

c. Wide, general recognition in the industry even if not detected by senses there are test for existence.

III. Remarks by James Watkins, Secretary of Energy - June 27, 1989.

A. **Disagreed with philosophy of DOE** that adequate production of defense nuclear materials and a healthy, safe environment were not compatible objectives. Requested greater role for State agencies, EPA, NAS, and National Laboratories to provide greater influence on scientific data used to make decision-affecting public health, safety, and the environment.

1. Instituted a ten-point initiative (Appendix Fig. 1, A-1).

2. Award fees for defense production contractors will be 51 percent at the available award based on compliance with environmental safety and health plus additional stipulations.

3. "Tiger Teams" formed with an emphasis on assessing facility performance in meeting environmentally-regulated schedules.

4. All points emphasize safety and health with an intention to ensure compliance with OSHA standards not only in defense facilities but in non-defense facilities.

IV. OSHA Study – December 1990

A. OSHA evaluation of DOE's GOCO facilities requested by Secretary of Energy J. Watkins to assist in determining actions needed to assure DOE has an exemplary safety and health program in place at GOCOs.

1. OSHA evaluated DOE programs from two perspectives;

a. Standard of performance outlined in Secretary Watkins Ten-Point Initiative and required by DOE orders.

b. OSHA's criteria outlined in Voluntary Protection Program for private sector employers.

2. Summary of OSHA evaluation

a. None of the GOCOs have an excellent worker safety and health program when judged by two perspectives.

b. Major program deficiencies include:

1) Lack of effective employee participation

2) Ineffective hazard recognition and abatement procedures.

3) Improper recording of injuries and illnesses.

4) Lack of effective employee complaint programs

c. OSHA rates GOCOs compared to other industries of this size as "average" not the worst nor the best.

3. Findings in DOE operation office safety and health programs have not consistently been implemented revealing.

a. Incomplete inspections

b. Lack of followup to ensure contractors correct identified hazards

c. Failure to investigate employee complaints and allegations of reprisal.

d. Conflict of missions between production and safety.

4. Finding at GOCO facilities

a. Safety and health not a priority for all GOCO managers, supervisors, employees and unions.

b. Specific planning and budgeting not in effect.

5. Specific findings were:

a. Energy control (lockout/tagout) – OSHA 1910.147: Not all facilities had written programs or they were incomplete.

b. Hazard communication training: usually video taped and not properly supplemented by hazard-specific training.

c. Confined space entry: Most facilities had written program but had problems implementing it.

d. Trenching: failure to perform soil analysis, identify location of underground utilities, provide proper shoring and identify a competent person.

e. Blood-borne diseases: Emergency medical facilities and clinics not in compliance. Lack of personal protection equipment, contaminated laundry and dressings were not always placed in labeled impermeable bags and written programs not developed. Emergency medical workers at risk of contracting blood-borne diseases, such as hepatitis and A.I.D.S.

6. Work place problem included.

a. Long term uncorrected hazards.

b. Serious recordkeeping problems especially in lost time injuries.

c. Job hazard analysis not conducted for routine operations.

d. Accident investigations frequently blamed employee rather than looking for underlying causes.

e. Physical examinations not provided as often as required.

f. Work restrictions used to minimize number of recordable injuries.

g. Personnel not trained in safety and health hazards of jobs and span of control.

7. Conclusion: The problem listed are only the more important findings. OSHA states the underlying reason for deficiencies is traced to a low priority placed on occupational safety and health.

V. Tiger Team Assessments

A. **Because of numerous environmental, safety and health problems** found at DOE defense nuclear facilities the House of Representatives have had the General Accounting Office (GAO) review conditions at the Pantex Plant. The findings were a result of a Tiger Team assessment which found:

1. 168 violations that had the potential to result in death or serious physical harm.

2. Safety analysis reports (SARs) provide basis for demonstrating potential hazards and accident consequences have been analyzed and for determining reasonable measure that should be taken to eliminate and/or mitigate the hazards.

a. Most of Pantex's SARs have not been completed and DOE cannot adequately ensure that the plant is operating safely.

3. OSHA inspectors state PANTEX was unaware of what needed to be done to comply with OSHA standards.

4. The contractors own assessment of violations indicated:

a. Lack of familiarity with OSHA standards

b. Inadequate enforcement of OSHA regulations, and

c. Insufficient emphasis on training on OSHA regulations.

5. G.A.O. identifies inadequate oversight as one underlying cause of safety and health short comings.

VI. Training Response to OSHA's Evaluations of DOE's, GOCO Facilities

A. DOE evaluated OSHA report and identified an area of concern in the DOE/GOCO OSH training program. DOE initiated a review of deficiencies and determined it needs a more clearly defined OSH Training Program.

1. DOE-HQ has established a Training Working Group to assist GOCO's and DOE in improving OSH Training throughout the DOE complex.

2. Personnel classification identified for training are:

GOCO staff needing OSH training

- a. Management Officials**
- b. Supervisors**
- c. OSH Professional Personnel**
- d. OSH Compliance Specialists**
- e. Collateral duty OSH personnel and committee members**
- f. Employees**
- g. Employee representatives**

DOE staff needing OSH training

- a. Management Officials with GOCO Oversight**
- b. OSH Professional Personnel (HQ and Operations Offices)**
- c. OSH Compliance Specialists**

3. Training requirements for the ten categories were then established (Appendix Fig. 2,A-2).

4. Immediate high priority training needs are identified as:

a. Management of DOE and GOCO Occupational OSH Programs, for DOE Management Officials with GOCO Oversight and GOCO Management Officials.

b. OSH Standards (29 CFR 1910, 1926 and 1960) course, and specialized inspection/audit/evaluation and compliance courses (particularly in the areas of construction standards and electrical standards) for DOE and GOCO OSH Compliance Specialists.

c. OSH Standards (29 CFR 1910, 1926 and 1960) course, and specialized OSH courses (particularly in the areas of Hazardous Communications, machine guarding, lock and tag requirements, bloodborne diseases and hearing conservation) for DOE and GOCO OSH Professional Personnel.

d. OSH orientation program and standards (29 CFR 1910, 1926 and 1960) courses (particularly in the areas of accident assessment, hazard identification, hazard evaluation and hazard reduction) for GOCO supervisors.

e. OSH program and standards (29 CFR 1910, 1926 and 1960) courses for GOCO Collateral Duty OSH Personnel and Committee Members.

f. Hazardous communications, motor vehicle safety, electrical safety, lock and tag, construction safety, trenching and shoring, hazardous waste, noise control, hoisting and rigging safety and confined space training, for GOCO employees.

Additional, high priority training needs identified include:

a. OSHA compliance assessment and internal self assessment training for DOE and GOCO OSH Compliance Specialists.

b. Crossover training and training on recent changes to standards, such as the Lab Standard and the Carcinogen Program for DOE and GOCO OSH Professional Personnel.

c. Training on DOE and GOCO procedures for reporting hazards and procedures for reporting and investigation of safety concerns, for GOCO supervisors.

d. Training on excavation safety, material handling, respiratory protection, first aid and CPR for DOE and GOCO employees.

5. Additional areas of training are strongly recommended:

a. Job Safety Analysis (JSA)

b. Department of Transportation (DOT) Regulations, especially labeling

c. Accident Investigation

d. Confined Space Entry (DRAFT 29 CFR 1910.146)

- e. First Aid
- f. CPR
- g. DOE Record Keeping
- h. Motor Vehicle Safety
- i. Voluntary Prevention Program
- j. Industrial Hygiene for Safety Professionals
- k. Safety for Industrial Hygienists
- l. Ergonomics
- m. Material Handling
- n. Crane Operation
- o. Forklift Operations
- p. Selected parts of OSHA TED 1.12, "Training Operations Program for OSHA Compliance Personnel"
- q. Laser Safety

Many of these topics are currently being addressed in proposed OSHA standards as well as other pertinent consensus standards.

6. Periodic refresher training items recommended for OSHA

- a. Occupational Noise Exposure, 29 CFR 1910.95(k)(2)
- b. Abestos, 29 CFR 1910.1001(j)(5)(ii)
- c. VinylChloride, 29 CFR 1910.1017(j)(1)
- d. Inorganic Arsenic, 29 CFR 1910.1018.(o)(i)
- e. Lead, 29 CFR 1910.1025(l)(1)
- f. Acrylonitrile, 29 CFR 1910.1045(o)(1)
- g. Hazardous waste operations and emergency response, 29 CRR 910.120(e)(8)
- h. Ethylene oxide, 29 CFR 1910.1047(j)(3)
- i. Fire Brigades, 29 CFRF 1910.156(c)(1)

- j. Hazardous waste operations and emergency response, 29 CFR 1910.120(1)(3)
- k. Portable Fire Extinguishers, 29 CFR 1910.157(g)
- l. Ladders and stairways, 29 CFR 1926. 1060, as necessary
- m. Asbestos, tremolite, anthophyllite, and Actinolite, 29 CFR 1910.58(k)
- n. Tunnels and shafts, 29 CFR 1926.800(e)
- o. Occupational exposure to hazardous chemicals in laboratories, 29 CFR 1910.1450(f)
- p. Guarding of farm field equipment, 29 CFR 1928.57(a)
- q. Control of Hazardous Energy, 29 CFR 1910.147(c)(7)(iii), "employee retaining".

7. Periodic refresher training items recommended for DOE

- a. Poster Briefing, DOE 5483.1A, Chapter 1
- b. Rights and Responsibilities, DOE 5483.1A, Chapter 1

VII. OSHA Overview

A. Subjects Regulated by OSHA Standards

1. Common requirements:

- a. Physical conditions of workplace
- b. Machines
- c. Equipment and materials

2. Estimated 20,000 OSHA Standards

a. OSHA "Standards"

- 1) Vary in interpretation from inspector to inspector, and judge to judge.
- 2) Many are common sense application of long-standing and well-understood rules of safe work practices and procedures.
- 3) By following accepted safety practices individuals are complying with OSHA standards.

4) Most people observe all applicable laws and regulations.

5) One cannot observe a requirement until one knows that it exists and knows what it requires.

6) Noncompliance results from lack of information about OSHA standards.

7) Summary of Tiger Team Assessments indicate a lack of information exchange (Appendix Fig. 3,A-34).

8) "Ignorance of the law is no excuse". – Application of that rule will not improve working conditions or reduce the incidence of employee injuries and illnesses.

3. Misleading Indexing

a. Spray Booths 29 CFR s1910.107(b) cleaning – s1910.107(b)(9) OSHA says no – regulated under s1910.107(g)(2) (Appendix Fig. 4, A-42).

4. Employee Training Standards

a. Employer must provide training to employees. Some examples are;

b. 29 CFR s1910.178(1), states: "Only trained and authorized operators shall be permitted to operate a powered industrial truck".

c. 29 CFR s1926.20(b)(4), states: "The employer shall permit only those employees qualified by training and experience to operate equipment and machinery".

d. 29 CFR s1910.134(b)(3) requires that an employee using a respirator "shall be instructed and trained in the proper use of respirators and their limitations".

e. Inspectors have discovered accident or incidents are the result of employers failure to provide proper training.

CAUTION

Disgruntled employees sometimes advise they did not receive proper training. Some employers lessen this effect by obtaining signed acknowledgment of training.

5. Training provision vague and indefinite

a. 29 CFR 1910.217(f)(2) "The employer shall train and instruct the operator in the safe method of work before starting work on any operation covered by this section. The employer shall ensure by adequate supervision that correct operating procedures are being followed".

b. Standard does not address;

- 1) Nature,
- 2) Quality,
- 3) Length, or
- 4) Measurement of effectiveness of training and instruction
- 5) "Safe method of work".
- 6) "Adequate supervision".
- 7) "Correct operating procedures".

c. Standard does not satisfy constitutional requirements to:

- 1) "Provide an employer fair warning of the conduct it prohibits or requires".
- 2) "Provide a reasonably clear standard of capability to circumscribe the description of the entering authority and its agents".

d. Courts hold-no employer should be subject to sanctions for renderhance to standards without "adequate notice in the regulations of the exact contours of his responsibility".

6. Locating and identifying the OSHA standard that applies to a particular business operation.

- a. OSHA 2254 – "Training Requirements in OSHA Standards".
- b. OSHA advises that a draft came out in 1988 but it is presently out of print.
- c. Complete and accurate index needed.

B. Standards for Different Industries

1. Title 29 of Code of Federal Regulations originally three categories.

- a. 29 CFR Part 1926 Construction Standards**
- b. 29 CFR Part 1915 Maritime Standards**
- c. 29 CFR Part 1910 General Industry Standards.**

2. OSH Act: 1970

a. Three categories transformed into OSHA standards and additional "general industry" standards added to round out the act.

b. Not in logical order.

1) There is a natural tendency for people engaged in the construction and maritime industries, for examples, to believe that they will find all applicable OSHA standards by consulting the standards labeled by those headings. Those who think along those lines are mistaken. The general industry standards also apply to both of these industries.

c. Similar requirements for head protection (wearing of hard hats) covered in;

- 1) s1910.135, general industry,**
- 2) s1926.100, construction,**
- 3) s1917.93 and 1918.105, maritime (Appendix Fig. 5, A-43).**

d. Hazard communication covered in;

- 1) s1910.1200, general industry**
- 2) s1915.99, maritime**
- 3) s1917.28, maritime**
- 4) s1918.90, maritime**
- 5) s1926.59, construction (Appendix Fig. 6, A-44).**

C. Standards Incorporated into Other Standards by Reference (Appendix Fig. 7, A-45).

1. Technique used to incorporate non-government, mostly, American National Standards Institute (ANSI), standards

a. 29 CFR §1926.302(e)(12) references ANSI A10.3-1970 Safety Requirements for Explosive-Activated Fastening Tools.

b. ANSI no longer has the document in print and it is not currently an ANSI standard. ANSI revised and superseded that standard in 1972. OSHA must be contacted to get a copy of that document.

c. Six other ANSI standards are referred to and they have been superceded and in turn reference other ANSI standards.

1) Successfully contested in court however, most employees so cited, do not contest such matter.

D. Variances and Exceptions

1. DOE and GOCO organizations subject to DOE 5480.4 and DOE 5483.1A are required to comply with CFR 1910, 1915, 1918, 1926 and 1928. Releases from the standards are "variances and exceptions".

a. A temporary variance can be granted by the Director of Operational Safety (EH-32) if the request establishes that the contractor;

1) Is unable to comply with the standard because of unavailability of professional or technical personnel, materials or equipment, funding needed to come into compliance with the standard, or because necessary construction or alteration of facilities must be completed in order to comply;

2) Has taken available steps to safeguard employees against hazards covered by standards; and

3) Has an effective program for coming into compliance with the standard as quickly as practicable.

4) Can receive variance for no longer than the period needed by the contractor to achieve compliances with the standard or 1 year, whichever is shorter, funding may cause an extension not more than once.

5) Some employers who qualify for a variance, but do not bother to apply for one, choose this course because the same facts needed to obtain a variance would also be a defense to a citation for non compliance.

6) All "EXIT" signs must be red 29 CFR s1910.37(9)(6). Example of variance.

7) Application in many cases appear to be request for clarification rather than variance.

b. If permanent variance can be granted by the Assistant Secretary Environmental Protection, Safety, and Emergency Preparedness EH-1 through EH-32 it is determined that the contractor;

1) Demonstrates the conditions, practices, means, methods, operators or processes to be used will provide employment and a place of employment which is as safe and healthful as those which would prevail if the contractor complied with the standard.

c. An exception may be granted by the CO or CO representative after evaluation of a contractors' request for a temporary or permanent variance.

1) Contractor demonstrates employees will be provided protection equivalent to that provided by the standard(s) for which the temporary or permanent variance is being requested.

2) Execution effective only until a decision on the issuance of a variance by Headquarters, in no case longer than 180 days.

3) Variances are useless to employees who claim no practical way of meeting DOE-OSH standard(s).

NOTE

Safety and Health Standards are also found in
Environmental Protection, Safety, and Health
Protection Standards (ES&H).

E. General Duty Clause

1. Congress intended that OSHA standards would specify what employers should and should not do in order that the Act's purpose of improved job safety and health could be achieved, and that enforcement of the Act would be confined almost exclusively to citations for nonobservance of those standards. However, a "general duty" requirement was added to the Act in order to fill gaps that might exist in the standards. Section 5, PL91-596.

a. DOE does not reference section 5 in PL91-596 neither it is referenced from any DOE-prescribed OSHA standard.

VIII. Occupational Safety and Health (OSH) Program for DOE Contractor Employees at Government-Owned Contractor-Operated (GOCO) Facilities

A. Purpose – To establish requirements and procedures to assure that occupational safety and health standards prescribed pursuant to the Atomic Energy Act of 1954, as amended, the Energy Reorganization Act of 1974, and the department of Energy Organization Act of 1977, provide occupational safety and health protection for Department of Energy (DOE) contractor employees in Government-owned contractor-operated (GOCO) facilities which is consistent with the protection afforded private industry employees by the occupational safety and health standards promulgated under the Occupational Safety and Health Act of 1970 (OSHA), Public Law 91-596.

1. **DOE-PRESCRIBED OSHA STANDARDS.** (Appendix Fig. 8, A-46.) As applicable to their work in GOCO facilities, contractors shall comply with the following DOE-prescribed OSHA standards:

- a. "Occupational Safety and Health Standards," Title 29 CFR Part 1910.
- b. "Safety and Health Regulations for Construction," Title 29 CFR Part 1926.
- c. "Occupational Safety and Health Standards for Shipyard Employees," Title 29 CFR Part 1915.
- d. "Safety and Health Regulation for Longshoring," title 29 CFR Part 1918.

e. "Occupational Safety and Health Standards for Agriculture," Title 29 CFR Part 1928.

2. DOE-ORDERS for Safety and Health (Appendix Fig. 9, A-51).

a. DOE 1324.2, Records Disposition. 5-28-80.

b. DOE 5480.1A. 8-13-81. Incorporated in DOE 5480.1B 9-23-86 Attachment 1. Environmental Protection, Safety, and Health Protection Program for DOE Operations.

c. DOE 5484.1 Environmental Protection, Safety, and Health Protection Information Reporting Requirements 2-24-81.

d. DOE 5483.1A Occupational Safety and Health Program for DOE Contractor Employees at Government and Contractor Operated Facilities.

e. DOE F5480.2 "Occupational Safety and Health Protection".

f. DOE F5480.4 Environmental Protection, Safety, and Health Protection Standards.

3. Department of Energy Acquisition Regulations (DEARs) (Appendix Fig. 10, A-52).

a. DOE PR 9-50-704-2(a) now DEAR 952.223-71 specifies standard clause in contracts where DOE elects to enforce occupational safety and health requirements.

b. DOE PR 9-50.704-2(b) now DEAR 970.5204-2 (Appendix Fig. 11, A-53). Specifies standard clause used in contracts where DOE elects to enforce radiation protection and nuclear criticality safety requirements.

IX. Compliance Inspections

A. Occupational safety and health professionals of field organizations shall conduct unannounced compliance inspections of GOCO facilities, using the DOE-prescribed OSHA standards as requirements. These inspections are in addition to occupational safety and health appraisals or audits required by any other DOE Order, and shall be conducted on a priority basis with respect to the safety and health hazards involved and the number of employees affected. (See DOE 5483.1A.)

1. Compliance inspection may be separate or part of other safety health-related purposes.

2. Inspections should be once a year and include a representative sample;

a. large and small buildings

b. variety of operations

3. The contractor shall not be notified in advance of compliance inspections, except for consultation programs, self-assessment, or situations involving contractor employee complaint allegations of imminent danger where DOE may elect to notify the contractor immediately to assure elimination of the danger and or removal of employees from the danger (page II-2, paragraph 3b) before the inspection is conducted.

4. DOE representatives should have a pre-inspection checklist based on specific needs of the facility:

a. Review all pertinent file information including contract and compliance status

b. Objective, Tasks, procedures, resources and schedules.

c. Inspection Instruments (Appendix Fig. 12, A-54).

d. Inspection Documents and Terms

e. Safety Equipment

f. Sampling Equipment

g. Security Clearance for areas of Intended Inspection.

5. DOE inspector(s) shall meet with contractor management of the specific operation, building, location, and activity to be inspected and,

a. Present credentials

b. Explain scope and nature of the inspection

c. Request if the employees have a representative authorized by the employees and verify it.

d. Employees may be represented by third party of their choice who is not an employee (industrial hygienist or safety engineer).

e. If impossible to determine the authorized representative, consult with the CO or CO representative and appropriate elements of the field organization to make a determination.

f. If no authorized representative the inspector shall consult with a reasonable number of employees concerning safety and health in the workplace.

g. Request OSHA 200 form and request "TOTAL hours worked" for the year and compute Lost Workday Injury Rate. Form may indicate machines or processes that should be observed. (Appendix Fig. 13, A-55).

h. Once finished with a review of record a "walk around" can begin.

i. When the inspection party moves from one section of the facility to another, or where the security restrictions would prevent access, a different representative authorized by the employees may accompany the inspector.

j. DOE personnel may be assisted by third party specialists when needed. The contractor shall provide such assistance and information as may be required by the inspector to aid in the inspection.

k. If an imminent danger situation presents itself, take immediate and effective remedial action.

1) The field organization and the contractor shall assure that the matter is investigated and that prompt actions are taken to preclude recurrence.

l. Upon completion of the inspection, the DOE inspector shall hold a closeout meeting with the contractor management and, if requested, with the employees or authorized employee representatives to inform them of the inspection findings. A combined meeting may be held if the participants agree.

6. Violation

a. When the inspection discloses a violation of the DOE-prescribed OSHA standards, a copy of the notice of violation with abatement dates will be transmitted formally from the CO or CO representative within 30 days after the completion of the inspection.

b. The contractor shall notify the CO or CO representative in writing as soon as practicable, but not later than 30 days after receipt of the written findings, of the planned or completed abatement actions taken in response to the notice of the violation(s). Copies of the notice of violation(s) shall be posted conspicuously by the contractor in the general area of the violation for a period of 5 working days or until the violation is corrected, whichever is longer.

c. Contractor employees or authorized representatives of employees may file written notices with the CO or CO representative in situations where they believe that the time fixed for abatement is unreasonable. The CO or CO representative, the safety and health director, and other appropriate elements of the field organization shall review the written notice and provide a written response thereto within 15 days of receipt.

7. Referrals

a. If not satisfied with the field organization's response, the employee or representative thereof may refer, in writing, unresolved differences to the Director of Operational Safety (EH-32) for resolution.

b. EH-32 shall review and evidence such referrals in consultation with the appropriate program office(s). Based on their evaluation, a recommended course of action to resolve the problem shall be provided to the field organization. Within 30 days of the request, EH-32 shall provide a written response to the employee or representative thereof which details the actions taken and the rationale therefore.

8. Noncompliance

a. In a situation where a contractor is unable to correct a violation or comply with the standards in a reasonable length of time due to funding limitations or other DOE-imposed restrictions, the contractor shall provide the CO or CO representative with full details and an alternate plan to provide safety and health protection equivalent to that provided by the standard(s) during the period of noncompliance.

b. In such cases, the CO or CO representative shall consult with the safety and health director and other appropriate elements of the field organization. Based upon this consultation, the CO or CO representative shall determine an appropriate course of action to be followed and also shall advise the contractor to notify employees of this course of action through the posting procedure.

9. Serious violation

a. There are two essential elements to proof (in addition to noncompliance).

1) A substantial probability that employee, death or serious physical harm could result. "Significant risk or harm".

2) Cited employer knew of the presence of the condition, or could have known with the exercise of reasonable diligence – Proof of "employer knowledge".

X. Recordkeeping and Imminent Dangers

A. Reason for recordkeeping

1. To first know the particulars of job injury and illness problem before beginning to solve it. Records must be developed or provide the knowledge.

2. Department of Labor, OSHA rules and definition shall govern the recording and measuring of work injury experience.

3. OSHA prescribed regulations require employers to maintain a log and summary of all "recordable occupational injuries and illness". Minor injuries requiring only first aid are excluded (Appendix Figure 14, A-61).

a. Implementing regulations appear in 29 CFR 1904.

b. Recordkeeping Guidelines, for Occupational Injuries and Illnesses – OSHA, Supplemental instructions for the OSHA recordkeeping forms (OSHA No's 200, 101, and 200-S). Workers Compensation forms CA1 and 2 may be used in lieu of Form 5484.3 for Federal Employees (Appendix Fig. 15, A-62).

NOTE

Employers claim the guidelines for recordkeeping are confusing, vague and ambiguous. Most employees use the booklets other than the regulations themselves and lose the definitions and the legal translations.

4. Recordkeeping requirements

a. Employer uses five step analysis to decide whether an illness or injury is recordable or not. Was there:

- 1) A death,
- 2) An illness,
- 3) An injury
- 4) See Chart 1 (Appendix Fig. 16, A-71).

b. If answer is yes, employer determines if case occurred in work environment.

- 1) See Chart 2 (Appendix Fig. 17, A-71).

c. If yes, record in proper portion of OSHA Form No. 200.

5. Medical Treatment/First Aid.

a. Distinguishing between medical treatment and first aid can cause the employer a headache that itself may necessitate "medical treatment." Generally speaking, onetime visits to a medical facility or subsequent visits requiring more observation by medical personnel are not considered to constitute "medical treatment." Subsequent visits for further treatment do constitute "medical treatment" and must be recorded.

b. Consider the following situation. An employee receives a cut on his hand in the course of the performance of his duties. He visits a doctor. If the visit results in the application of an antiseptic to the wound, the treatment provided would be considered first aid rather than medical treatment – therefore nonrecordable. If there is then a follow-up visit by the employee at which the doctor or nurse merely observes the cut without reapplying antiseptic, the injury

would still be considered nonrecordable. However, if the doctor or nurse reapplies antiseptic to the cut as a precautionary measure during the second visit, OSHA would regard this procedure as the provision of medical treatment and thus a recordable injury. The employer would therefore be obliged to enter the cut hand incident on his OSHA form 200.

6. Recordkeeping Compliance

a. Some employers are reluctant to put all injuries or illnesses on the OSHA 200 form for fear of increase in incidence rates and an increase in workers compensation rates.

b. Some employers may over report for fear of not reporting enough and thereby distort the data base.

7. Recordkeeping form storage

a. OSHA forms 200 and 101. If workers are operating from a fixed or non-fixed location the records are kept:

1) Fixed location – at the site.

2) Fixed location – at the site where payed or where personnel records are stored.

8. Records Retention:

a. Employers are obligated to retain their OSHA 200 and 101 forms for a period of five years beyond the date to which they relate.

9. Access to Records

a. Purpose of 1910.20 records-access rule is to facilitate the identification of both the scope of, and the adverse health impacts emanating from, employee exposure to "toxic substances and harmful physical agents."

b. 1910.20 authorizes government access to employee exposure and medical records.

c. Employers are obligated to provide Form No. 200 logs and summaries as well as Form No. 101 supplementary reports to designated governmental officials.

d. Employers have voiced fears that disclosure of employee medical records to government investigators violates the privacy rights of employees and will result in disclosure of trade secrets.

e. U.S.V. Westinghouse (1990) – employer could not unilaterally withhold employee medical records by invoking on their behalf employees right to privacy. Court ruled individuals possess no absolute right to privacy in their medical histories and the right to privacy may be outweighed by a compelling public interest favoring disclosure.

f. 29 CFR 1960 – Recordkeeping and Reporting for Federal Agency Safety and Health Program.

- 1) Executive Order 12196

- 2) Identifies unsafe and unhealthful working conditions and establishes program priorities

- 3) Directs forms to be used for reporting

- 4) Reporting of serious accidents

- 5) Locations and utilizations of records and reports

- 6) Access to records

10. Imminent Dangers

a. DOE defines imminent dangers as any condition or practice which is such that a hazard exists that could reasonably be expected to cause death or serious physical harm to employees (permanent or prolonged impairment of the body or temporary disablement requiring hospitalization), unless immediate actions are taken to mitigate the effects of the hazard and or remove employees from the hazard.

- 1) In the event that an inspector discovers, or if a contractor employee alleges an imminent danger to contractor employees safety and health, he or she shall take immediate and effective remedial action to assure that employees are removed from the danger area and/or that the danger is eliminated.

2) DOE differs from OSHA by virtue of taking immediate action if on the site or by notifying the contractor to take immediate action if off the site.

3) Immediate action also involves an inspection ASAP to assure that appropriate actions have been taken to preclude recurrence.

4) Follow-up compliance inspections shall be considered as appropriate.

11. Measuring and Monitoring

a. OSHA limitations on airborne toxic substances and noise are not absolute limitations. They are employee exposure limits.

b. Limitations are phrased as averages. Usually employer fails to consider "average" exposure over a normal 8-hour workday.

c. Flawed results can be obtained if all forms are not considered such as:

1) Sampling method

2) particular employees

3) Place

4) Manner

5) Time

6) Monitoring and inspection equipment (Appendix Figure 12,A-54)

XI. Disclosing Information

A. Trade secrets

1. The possibility exists of disclosing trade secrets or proprietary information for methods of performing processes are disclosed to another company in an effort to help them perform safely.

2. Chemicals that are trade secrets may be withheld from the safety data sheet provided that:

a. The information withheld can be supported

b. Information contained on the material safety data sheet concerning properties and effects of hazardous chemicals is disclosed:

c. The master safety data sheet indicates that specific chemical identity is being withheld as a trade secret.

d. Specific chemical identity is made available to health professionals, employees, and designated representatives.

e. If a medical emergency exists the chemical maintenance importer, or employer shall **immediately** disclose the specific chemical identity of a trade secret. Paperwork may follow later.

f. In non-emergency situations shall upon request disclose specific chemical identity to authorized persons for;

- 1) Hazard assessment
- 2) Workplace atmospheric
- 3) Medical surveillance
- 4) Medical treatment
- 5) Assess protective equipment
- 6) Engineering controls
- 7) Health effects of exposure
- 8) See 29 CFR s1910.1200(h)(i)

g. Written request must describe in detail what and how information is to be handled and how confidentiality is to be maintained.

XII. Employers Written Compliance Programs

A. A number of OSHA standards require employers to adopt a written program that describe means and methods used to meet standard requirements.

1. Hazard Communication program, describing;

- a. list of hazardous chemicals,
- b. labels and other forms of warning, material safety data sheets, and
- c. Employee information and training
- d. See 29 CFR s1910.1200(e)(1) and Para. IX.

2. The word **written** does not appear in the OSHA Hearing Conservation Program (see 29 CFR §1910.95).

a. A Noise Monitoring program is necessary only when exposures are at or above 85dB.

3. Factors which suggest noise exposure in the workplace may be at this level include;

a. Employee complaints

b. Indications that employees are losing their hearing

c. Noisy conditions which make normal conversation difficult

d. Actual workplace noise measurements.

4. 29 CFR 1910.9(1)(3) states that the employer shall provide, upon request all material related to the employer's **training and education program** to OSHA. (DOE).

5. Respiratory protection program describing;

a. Written standard operating procedures governing selection and use of respirators (see 29 CFR §1910.134),

b. Respirators selected on basis of hazards to which worker exposed.

c. User instructed and trained in the proper use of respirators and their limitations.

d. Respirator cleaning, disinfecting, storage and inspection

e. Surveillance at work area condition and degree of employee exposure or stress

f. Regular inspection and evaluation to determine effectiveness of progress.

g. Persons should not be assigned to tasks requiring use of respirators unless it has been determined that they are physically able to perform the work and use the equipment.

h. local physician shall determine what health and physical conditions are pertinent.

i. Respirator users medical status should be reviewed periodically (annually).

j. The respirator furnished shall provide adequate respiratory protection against the particular for which it was designed in accordance with standards established by competent authorities.

k. U.S. Department of Interior, Bureau of Mines and U.S. Department of Agriculture are recognized as authorities.

l. Selection of respirators in accordance with American National Standard Practices for Respiratory Protection 288.2-1969.

6. Presence of any airborne contaminant regulated by OSHA in amount at or above OSHA permissible exposure limit.

a. Written procedure shall be provided covering safe use of respirators in dangerous atmospheres that might be encountered in normal operations or in emergencies. Personnel shall be familiar with these procedures and the available respirators.

b. A qualified individual supervising the respiratory protection program shall specify the correct respirator for each job.

XIII. Employee Complaints

A. **Complainant** wishes to remain anonymous or the complainant believes unsafe/unhealthful conditions still exist or violations still remain after being brought to the attention of and addressed by contractor management,

1. Submit complaints directly to DOE field organization safety and health manager or the CO or CO representative.

2. If anonymity is requested, the DOE shall not divulge complainant's identity to contractor personnel or to any other persons not essential to the processing and investigation of complaint.

B. Inspections

1. If contractor receives a complaint from an employee or authorized representative, contractor will confer with either party and conduct a joint inspection of the condition or circumstances.

2. If the field organization receives a complaint, it shall be reviewed, and if necessary by DOE an inspection shall be made as immediately as possible and within 15 days. A follow-up inspection shall be conducted as appropriate.

C. Imminent Danger

1. Any employee or authorized representative of employees who believes that an imminent danger exists, shall bring this matter to the attention of the appropriate contractor, supervisor, or designated official. If the imminent danger is determined to be valid, the contractor shall take immediate and effective remedial actions to remove employees from the danger area and or eliminate the danger.

2. The contractor shall conduct an inspection as soon as possible thereafter to assure that appropriate actions have been taken to preclude recurrence of the imminent danger situation.

3. The employee or the authorized representative also may visit or call the DOE at the field organization level to request an immediate elimination of the danger and an inspection of the alleged imminent danger situation.

4. DOE shall ascertain immediately whether there is a reasonable basis for the imminent danger complaint. If the complaint is determined to be valid, DOE shall take immediate and effective actions to remove employees from the danger area and or eliminate the danger. This may be accomplished by conducting an immediate DOE inspection and or by contacting the contractor immediately.

5. Response to complaints

a. The contractor shall inform each complainant of the results of the inspection and the actions taken to address and or correct the safety and health concerns, problems, and or violations of the DOE-prescribed OSHA standards noted by a complaint filed with the contractor.

b. For complaints filed with DOE, DOE shall provide a written response to the complaint within 15 days after the completion of the complaint inspection, except, obviously, in those situations where the complainant's identity cannot be determined. The response shall be sent to the complainant's home address, unless he or she has specifically requested that mail be sent to his or her place of employment. The response shall provide the results of the DOE inspection prompted by the complaint, and shall document all actions taken.

c. If it is determined that no inspection is necessary, DOE shall respond to the complainant within 15 days of receipt of the complaint, and state why an inspection was not conducted.

6. Complaint resolution

a. Contractor employees or representatives thereof who are not satisfied with the adequacy or effectiveness of the field organization's investigation of or response to their complaint allegations may submit a written request for complaint resolution to the Director of Operational Safety (EH-32). The request must include the pertinent facts and particulars, and the basis for the request along with a copy of the original complaint and the field organization's response thereto.

b. EH-32 shall conduct an investigation of the situation, in coordination with the appropriate program office(s). Within 30 days of receipt of the request, EH-32 shall provide a written response to the employee or representative thereof, and to the field organization. The response shall indicate the actions taken or planned as a result of the request for complaint resolution.

XIV. Hazard Communication Standard (HCS)

A. Included in all five DOE-prescribed OSHA standards:

1. Purpose to alert workers to the existence of potentially dangerous substances in the workplace and the proper means and methods to protect themselves against them.

a. HCS and some state right-to-know laws are same in purpose but different recordkeeping, education, and training provisions.

b. Some employers don't know about it and others believe that it only covers hazardous chemicals and "we don't use chemicals in our business." They are wrong on both counts.

c. OSHA's contention that a "hazardous chemical" includes ordinary household detergents and that a chemical manufacturer is any employer who supplies his customer with a product which, in its normal use or a foreseeable emergency, will release or otherwise result in exposure to a hazardous chemical. If either of these apply, so does HCS.

d. Any employer that uses hazardous chemicals is obligated to observe OSHA HCS.

2. Standard requires:

a. Chemical manufacturers and importers assess the hazards of chemicals they produce or import and furnish detailed information to their customers on those that are hazardous.

b. Employers must provide that information to their employees by means of a hazard communication program, labels on containers, material safety data sheets and access to written records and documents 29 CFR 1910.1200.

3. Employers are frequently unaware of the dangerous nature of the materials in their plants,

a. Doctors treating an employee after exposure to a chemical substance have sometimes been unable to do so because the employer is unable or unwilling to fully identify the substance.

b. Communities surrounding industrial complexes do not know the nature of chemical vapor in the air nor hazards that go with them.

c. Public Health Officials may not be able to advise them because they, too, do not have necessary information.

d. Fire departments have been unable to get precise information to fight chemical fires.

4. The four principal provisions of HCS are:

- a. Preparation, distribution and use of the Material Safety Data Sheet (MSDS).
- b. Education and training of employees.
- c. Container labels.
- d. Written hazard communication program.

5. Material Safety Data Sheet (MSDS)

a. An MSDS is essentially a technical bulletin, usually 2 to 4 pages in length, that contains information about a hazardous chemical or a product containing one or more hazardous chemicals, such as its composition, its chemical and physical characteristics, its health and safety hazards, the precautions for safe handling and use.

b. The MSDS is the centerpiece of the Hazard Communication Standard. Labels are keyed to it and the employee training and information requirements are based upon it.

c. The MSDS serves as the primary vehicle for transmitting detailed hazard information to both employers and employees.

6. Creating MSDS

- a. Responsibility of chemical manufacturer, importer or distributor.
- b. Must be prepared or obtained for every product that contains hazardous chemical.

1) Exception – hazardous waste, tobacco products, wood products and "articles".

2) Articles are defined essentially as manufactured items which are formed into a specific shape or design for a particular end-use function and which will not release or otherwise result in exposure to a hazardous chemical under normal conditions of use.

3) Example – tools, nuts and bolts.

4) Clothes are not "articles", it is possible that an MSDS will be required for some kinds of clothing.

7. Hazard determination

a. Manufacturer, distributor, or importer must evaluate chemicals they produce or import to determine if they are hazardous.

8. Information to be contained on MSDS.

a. Must be in English and includes 12 categories (Appendix Fig. 17, A-72).

b. No blanks are allowed on form (Appendix Fig. 15 A-69 and A-70).

c. MSDS must be provided at time of initial shipment from manufacturer, distribution or imported. It may be mailed in advance or at same time or transmitted via computer link-ups.

9. Copies of MSDS

a. Must be readily accessible to employees during their work shift.

b. Must be retained by each employer who uses hazardous chemicals (or products containing them).

c. MSDS does not have to be in the same format at time of receipt. It can be included as part of operating procedures, work instruction or employees handbook.

10. User of chemicals must have MSDS

a. Employers generally don't know what hazardous chemicals are already on the premises and what is brought on each day.

b. If open purchase items such as detergent paint, or solvents for clean-up, as well as outside contractors bring chemicals on site. MSDS is **mandatory**.

c. Areas where chemicals may be found without MSDS.

1) Cafeteria

2) First Aid Kit (hydrogen peroxide)

3) Cleaning Stations (bleach, ammonia, cleaners).

11. Information and Training Requirements

a. Employer must provide training that explains and reinforces the information presented to employees through the MSDS and container labels.

b. Four basic minimums for which training must be given:

1) The methods and observations that may be used to detect the presence or release of a hazardous chemical in the work area, such as monitoring devices, odor, visual appearance, etc.

2) Both the physical and health hazards of the particular chemicals to which such employee may be exposed.

3) The measures the employee can take to protect himself from these hazards, like evacuation or other emergency procedures, protective clothing and equipment, etc.

4) The details of the written hazard communication program which each employer is required to adopt pursuant to subsection(e) of the standard. That includes an explanation of container labels, MSDS's and how employees can obtain and use the appropriate hazard information.

c. Employees must be furnished with information about their own work area.

1) Location and availability of written hazard communication program.

2) Four minimal OSHA training requirements.

d. Employee who simultaneously works with a number of hazardous chemicals need not be trained to each individually rather keyed to the process or operation.

12. Labeling requirements

a. Three items must appear as a label (Figure 18,A-73).

1) Identity of the hazardous chemical contained therein, which does not necessarily mean its official chemical name. ("Formula 500").

2) An appropriate hazard warning.

3) Name and address of the chemical manufacturer, importer or other responsible party.

13. Label contents

a. Purpose of label to serve as immediate warning and a reminder of more detailed information on MSDS and provided as part of standards employee training requirements.

b. Courts attitude toward labeling;

1) "A chemical which may be dangerous in any concentration and under any circumstances is a hazardous chemical under all circumstances – that a manufacturer's duty to label is to be based upon a worst-case scenario."

c. There are some exceptions to labeling such as piping, portable containers, containers in laboratory and four exclusions not subject to OSHA.

1) Pesticides labeled pursuant to EPA regulation.

2) Substances labeled under Food and Drug Administration requirements. Those include food, food additives, color additives, drugs and cosmetics, as well as materials intended for use in such products (e.g., flavors and fragrances).

3) Beer, ale, wine, and beverage alcohols intended for nonindustrial use and subject to labeling rules of the Bureau of Alcohol, Tobacco and Firearms.

4) Consumer products and hazardous substances that are subject to consumer product safety standards or labeling requirements of the Consumer Product Safety Commission.

14. Emergency response plan

a. Clean-up 29 CFR 1910.120.

15. Written Hazard Communication Program

a. Employer must develop and implement a "hazard communication program" in writing. The three items that must be in the program are:

1) A list of the hazardous chemicals known to be present. It must be cross-referenced to the appropriate MSDS. It may be compiled for the workplace as a whole or broken up by work areas, production lines, etc.

2) The methods to be used to inform employees of non-routine tasks like cleaning of reactor vessels and the means you will use to apprise employees of the hazards of the chemical in pipes and piping systems, including protective measures they can take in the even of exposure situations.

3) The methods to be used to advise outside contractors whose employees are working on your premises of the hazardous chemicals to which they may be exposed while they are there, and any suggestions for appropriate protective measures.

16. Process Safety management at highly hazardous chemicals – 29 CFR 1910.119-1.

a. Purpose – Prevent or minimize catastrophic release of Toxic, reactive, flammable or explosive chemicals.

1) Employer – written plan of employee participation informing of known potential fire, explosion or toxic release hazards.

2) Hazard analysis

3) Emergency action plan

4) List of highly hazardous chemicals, toxic's and reactives.

XV. REFERENCE SOURCES

ES&H Tiger Team Assessment, Brookhaven National Laboratory, Brookhaven, New York, June 1990.

DOE Tiger Team OSHA – Assessment, PANTEX PLANT, Amarillo Texas, 1989.

GAO-NUCLEAR HEALTH AND SAFETY GAO/RCED-91-103, April 1991.

GAO-OSHA'S Oversight of Federal Agency Safety and Health Problem, GAO/T-HRD-91-31, May 1991.

OSHA HANDBOOK Second Edition, R. Moran Government Institutes, Inc.

Recordkeeping Guidelines for Occupational Injuries and Illnesses, D.O.L., BLS, OMB No. 1220-0029.

OSHA Field Operations Manual Third Edition, Government Institutes, Inc., Public Law 91-596 "Occupational Safety and Health Act of 1970, Executive Order 12196, "Occupational Safety and Health Programs for Federal Employees".

29 CFR Part 1910, "Occupational Safety and Health Standards".

29 CFR Part 1926, "Safety and Health Regulations for Construction".

29 CFR Part 1915, "Occupational Safety and Health Standards for Shipyard Employees".

29 CFR Part 1918, "Safety and Health Regulations for Longshoring".

29 CFR Part 1928, "Occupational Safety and Health Standards for Agriculture".

DOE Order 1324.2, Records Disposition

DOE Order 5480.1A Incorporated in

DOE Order 5480.1B Environmental Protection, Safety and Health Protection Program for DOE Operations.

DOE Order 5484.1 "Environmental Protection, Safety, and Health Protection Information Reporting Requirements".

DOE Order 5483.1A "Occupational Safety and Health Program for DOE Contractor Employees at Government Owned Contractor Operated Facilities".

DOE Order F5480.2 "Occupational Safety and Health Protection".

DOE Order F5480.4 "Environmental Protection, Safety and Health Protection Standards".

DEAR 952.223-71 "Safety and Health (Government-owned or leased facility)."

DEAR 970.5204-2 "Safety and Health (Government-owned or leased facility)."

OSHA FAP2.1B "Evaluation of Federal Agency Occupational Safety and Health Programs."

DOE Order 3790.1A "Federal Employee Occupational Safety and Health Program."

DOE Order 5480.5 "Safety of Nuclear Facilities".

OSHA 2254 "Training Requirements in OSHA Standards."

49 CFR 100-199, "Research and Special Program Administration, DOT (Parts 100-199).

29 CFR Part 1960, "Recordkeeping and Reporting for Federal Agency Safety and Health Programs."

Executive Order 12196. J. Carter.

Remark by James D. Watkins Secretary of energy, June 27, 1987. 100-199).

This 10-point initiative includes:

- o Resetting of priorities to reflect environment, safety and health as more heavily weighted than production. As a result, we are beginning negotiations with those States hosting DOE nuclear facilities to allow direct access and enhance State monitoring capabilities;**
- o modifying the criteria for awarding contractor fees to reflect increased emphasis of environment, safety and health;**
- o establishing independent "tiger teams" to conduct environmental compliance assessments;**
- o improving the way in which DOE complies with the National Environmental Policy Act (NEPA) documentation and by coordinating its activities with the Governors of the States which host DOE facilities;**
- o establishing an entirely new management team within the Department's Office of Defense Programs, under the leadership of Victor Stello, Jr., currently the Executive Director of Operations at the Nuclear Regulatory Commission to again emphasize safety over production;**
- o strengthening the environment, safety and health technical capabilities of line managers within the DOE organizational structure;**
- o appointing an independent panel to help restructure the Department's epidemiology program, including the creation of a new standing committee by the National Academy of Sciences to oversee epidemiologic research requests;**
- o establishing a comprehensive epidemiological data repository containing information on past and present DOE workers that may be used by any qualified researcher;**
- o requiring that milestones to achieve full compliance with Occupational Safety and Health Administration (OSHA) standards must be included in the Defense Facilities Modernization Five-Year Plan now under development; and,**
- o accelerating the cleanup of DOE facilities through the allocation of an additional \$300 million for FY 1990 activities consistent with the Environmental Restoration and Waste Management Five-Year Plan.**

**Secretary of Energy J. Watkins Ten-Point Initiative
Figure 1**

PURPOSE

This attachment presents a list of OSH training requirements for ten categories of personnel

GOCO staff needing OSH training

- a. Management Officials
- b. Supervisors
- c. OSH Professional Personnel
- d. OSH Compliance Specialists
- e. Collateral duty OSH personnel and committee members
- f. Employees
- g. Employee representatives

DOE staff needing OSH training

- a. Management Officials with GOCO Oversight
- b. OSH Professional Personnel (HQ and Operations Offices)
- c. OSH Compliance Specialists

In addition the methodology used to determine these requirements are explained. Figure 1 depicts how to apply the requirement tables to each classification. Figure 2 is a matrix to use for training needs analysis.

Tables 1 through 10 delineate the OSH training requirements for the above named categories. Table 11 lists additional training required by certain OSHA standards for "designated", "qualified", and "competent" personnel. These tables are described in detail.

METHOD

OSH training requirements promulgated by both OSHA and DOE were identified, and analyzed for their applicability to each of the above ten categories of personnel, via the following steps:

Step 1

OSHA 2254, "Training Requirements in OSHA Standards and Training Guidelines", published in 1988, provided the basis for the analysis of OSHA training requirements. OSHA 2254 is a consolidation of OSHA training requirements from the following standards and guidelines:

- a. Voluntary Training Guidelines
- b. 29 CFR 1910, General Industry Standards
- c. 29 CFR 1915, 1917, 1918, Maritime Standards
- d. 29 CFR 1926, Construction Standards
- e. 29 CFR 1928, Agricultural Standards
- f. 29 CFR 1960, Federal Employee Standards

Training Requirements for DOE and GOCO Personnel

Figure 2

Training requirements from this document were analyzed for their applicability to the ten designated categories of personnel.

Step 2

Changes and additions to OSHA standards which have occurred since OSHA 2254 was published in 1988 were then analyzed. The training requirements from these documents were then added to the requirements identified in Step 1. Affected standards include:

- a. 29 CFR 1910.120, "Hazardous Waste Operations and Emergency Response"
- b. 29 CFR 1910.147, "Control of Hazardous Energy"
- c. 29 CFR 1910.332, "Electrical training"
- d. 29 CFR 1910.1450, "Occupational Exposure and Hazardous Chemicals in Laboratories"
- e. 29 CFR 1926 Subpart P, "Excavations"
- f. 29 CFR 1926 Subpart X, "Stairways and Ladders"

Step 3

OSH training requirements from the following DOE Orders were then analyzed for their applicability to the ten categories of personnel:

- a. DOE Order 5480.4, "Environmental Protection, Safety, and Health Protection Standards"
- b. DOE Order 5480.7, "Fire Protection"
- c. DOE Order 5480.8, "Contractor Occupational Medical Program"
- d. DOE Order 5480.9, "Construction Safety and Health Program"
- e. DOE Order 5480.10, "Contractor Industrial Hygiene Program"
- f. DOE Order 5480.19, "Conduct of Operations Requirements for DOE Facilities"
- g. DOE Order 5482.1B, "Environment, Safety and Health Appraisal Program"
- h. DOE Order 5483.1A, "Occupational Safety and Health program for DOE Contractor Employees at GOCO Facilities"
- i. DOE Order 5484.1, "Environmental Protection-Safety and Health Protection Information Reporting Requirements"

Step 4

Results of the analyses completed in Steps 1-3 are tabulated in Tables 1-10.

Note:

It may be necessary to analyze additional types of regulations, (ie., MSHA, DOT) to complete the tables.

Figure 2

RESULTS

Table 1 contains a list of the OSHA and DOE requirements for safety and health training at the Employee level. These requirements include:

- a. General - OSH training which applies to all ten categories of personnel, ie., initial entry training for employees covering the DOE and GOCO OSH program including: policy, employee rights and responsibilities, requirements to follow DOE and GOCO prescribed standards, procedures to report safety and health concerns, policy and procedures on discrimination, procedures to report emergencies and respond to warning signals, and access to employee exposure monitoring data and medical records.
- b. Job specific - training commensurate with the potential hazards and OSH requirements the employees job duties and work areas will present, and the requirements and procedures to control those hazards, including emergency actions.

Of these job specific training requirements, employees must be trained for the specific hazards they are exposed to. Employees will not need to be trained for hazards they are not exposed to.

Note:

Personnel in each of the ten categories, are considered employees. Therefore, Table 1, "DOE Safety and Health Training Requirements for GOCO Employees", represents a starting point for identifying training requirements for the remaining nine personnel categories.

Additional requirements have been identified, for the remaining nine personnel categories, as illustrated in Figure 1 and Tables 2 through 10. Again, it is important to note that supervisors, managers, OSH Compliance Specialists, etc. must be trained for the specific hazards they are exposed to. It is highly unlikely that an individual would have to be trained for all of the hazards listed on a particular table.

Table 2 contains a list of additional OSHA and DOE requirements for OSH training at the GOCO Supervisor level. These requirements include:

Supervisor's responsibility for providing and maintaining safe and healthful working conditions, the DOE and GOCO OSH program, OSH standards applicable to the workplaces of assigned supervision, DOE and GOCO procedures for reporting hazards, and procedures for abatement of hazards. Supervisors must also receive training that will enable them to recognize and eliminate or reduce OSH hazards in their work areas. Supervisors must also receive instructions on the training and motivation of subordinates toward assuring safe and healthful work practices.

Figure 2

Table 3 contains a list of additional OSHA and DOE requirements for OSH training at the Employee Representative level. These requirements include:

Introductory and specialized courses and materials that will enable employee representative groups to function appropriately in ensuring safe and healthful working conditions and practices, and enable them to effectively assist in conducting OSH inspections and resolving safety and health concerns.

Table 4 contains a list of additional OSHA and DOE requirements for OSH training at the GOCO Collateral Duty OSH Personnel and Committee Member level. These requirements include:

The DOE and GOCO OSH program; Section 19 of the Act; Executive Order 12196; MOU between AEC and OSHA dated 1974; DOE and GOCO procedure for reporting, evaluation and abatement of hazards, procedures for reporting and investigation of safety concerns, recognition of safety concerns, recognition of hazardous conditions and environments; identification and use of DOE and GOCO OSH standards; and other appropriate requirements.

Table 5 contains a list of additional OSHA and DOE requirements for OSH training at the GOCO OSH Professional Personnel level. These requirements include:

OSH courses, laboratory experiences, field study, etc., which prepare the professional to perform the necessary technical monitoring, consulting, testing, inspecting, designing, and other tasks related to the DOE and GOCO program development and implementation. Training must also include hazard recognition, evaluation and control, equipment and facility design, standards, analysis of accident injury and illness data, and other related tasks.

Table 6 contains a list of additional OSHA and DOE requirements for OSH training at the GOCO OSH Compliance Specialists level. These requirements include:

DOE and GOCO required safety standards and interpretations, and appropriate training on the use of equipment and testing procedures necessary to identify and evaluate hazards, and suggest general abatement procedures. Compliance specialists must also be trained on inspection techniques, preparation of reports and other documentation to support the inspection findings.

Table 7 contains a list of the OSHA and DOE requirements for OSH training at the GOCO Management Official level. These requirements include:

Orientations and other experiences that will enable them to manage the OSH program, and fulfill their responsibilities. Such orientations include Section 19 of the Act, Executive Order 12196, AEC-OSHA MOU of 1974, the requirements of the Act and the DOE and GOCO OSH program and implementation.

Figure 2

Table 8 contains a list of additional OSHA and DOE requirements for OSH training at the DOE OSH Professional Personnel level. These requirements include:

OSH courses, laboratory experiences, field study, etc., which prepare the professional to perform the necessary technical monitoring, consulting, testing, inspecting, designing, and other tasks related to the DOE and GOCO program development and implementation. Training must also include hazard recognition, evaluation and control, equipment and facility design, standards, analysis of accident injury and illness data, and other related tasks.

Table 9 contains a list of additional OSHA and DOE requirements for OSH training at the DOE OSH Compliance Specialists level. These requirements include:

DOE and GOCO required safety standards and interpretations, and appropriate training on the use of equipment and testing procedures necessary to identify and evaluate hazards, and suggest general abatement procedures. Compliance specialists must also be trained on inspection techniques, preparation of reports and other documentation to support the inspection findings.

Table 10 contains a list of additional OSHA and DOE requirements for OSH training at the DOE Management Officials with GOCO Oversight level. These requirements include:

Orientations and other experiences that will enable them to manage the OSH program, and fulfill their responsibilities. Such orientations include Section 19 of the Act, Executive Order 12196, AEC-OSHA MOU of 1974, the requirements of the Act and the DOE and GOCO OSH program and implementation.

Table 11 contains a list of those areas where the OSHA standards make it the employer's responsibility to limit certain job assignments to employees who are "competent", "qualified", or "certified". Specialized training is required in these areas to designate an employee as competent, qualified, or certified.

INTERPRETATION OF RESULTS

It is important to note, that although training requirements have been identified, for each personnel category, the extent to which a given training requirement must be applied has yet to be determined.

For example, both employees and supervisors have been identified as requiring training on 29CFR 1910.95(k)(2), ie.,

29CFR 1910.95(k) (2) The (hearing conservation) training program shall be repeated annually for each employee included in the hearing conservation program. Information provided in the training program shall be updated to be consistent with changes in protective equipment and work processes.

Further analysis, presumably at the individual training department level, is necessary to determine the specific training required for an individual or group of individuals, who must be trained on this standard. This additional analysis will address issues, such as:

- Does the employee work in a high noise environment?
- Does the supervisor work in a high noise environment?
- Is the employee (or supervisor) a designated "competent" (qualified, certified, authorized) person in this area?
- Etc.

Special attention must be given to certain job assignments where the DOE and GOCO prescribed OSH requirements call for employees who are "certified", "competent", or "qualified".

In summary, Tables 1 through 10 identify only those standards which must be addressed in the training programs. How they must be addressed is a separate issue.

Figure 2

Table 1 lists the OSHA and DOE requirements for OSH training at the EMPLOYEE level. Tables 2 through 10 list additional requirements for the remaining nine personnel categories.

Personnel Category	Additional Training Requirements	Reference Table
GOCO Employees		TABLE 1
GOCO Supervisors	supervisor specifics	TABLE 2
GOCO Employee Representatives	EH supervisor specifics	TABLE 3
GOCO Collateral Duty OSH Personnel and Committee Members	supervisor and collateral duty OSH personnel and committee member specifics	TABLE 4
GOCO OSH Professional Personnel	supervisor and OSH Professional Personnel specifics	TABLE 5
GOCO OSH Compliance Specialists	supervisor and OSH Compliance Specialists specifics	TABLE 6
GOCO Management Officials	management specifics	TABLE 7
DOE OSH Professional Personnel	supervisor and OSH Professional Personnel specifics	TABLE 8
DOE OSH Compliance Specialists	supervisor and OSH Compliance Specialists specifics	TABLE 9
DOE Management Officials with GOCO oversight	management specifics	TABLE 10

Training Requirements for DOE and GOCO Personnel

Figure 2

DOE OSH Training Needs Analysis

Personnel Classification	Training Requirements	Training Presently Available	Training Deficiencies	Additional Training
DOE PERSONNEL Top Management Officials				
OSH Professional Personnel				
OSH Compliance Specialists				
GOCO PERSONNEL Top Management Officials				
Supervisors				
Collateral OSH Personnel and Committee Members				
Employees				
Employee Representatives				
OSH Professional Personnel				
OSH Compliance Specialists				

Figure 2

DOE OSH TRAINING REQUIREMENTS
TABLE 1. GOCO Employees

SUBJECT	29 CFR. SUBPART .##		
GENERAL INDUSTRY			
Employee Emergency Plans	1910	E	.38(a)(5)(i), (ii), (iii)
and Fire Prevention Plans	1910	E	.38 (b)(4)(i) and (ii)
Ventilation	1910	G	.94(d)(9)(i)
	1910	G	.94(d)(11)(v) and (vi)
Occupational Noise Exposure	1910	G	.95(k) and (l)
Ionizing Radiation	1910	G	.96(f)(3)(viii)
	1910	G	.96(i)(2)
Hydrogen	1910	H	.103(c)(4)(ii)
Flammable and Combustible Liquids	1910	H	.106(b)(5)(vi)(v) (2) and (3)
Explosives and Blasting Agents	1910	H	.109(d)(1)(iii)
	1910	H	.109(d)(2)(iii)(b)
	1910	H	.109(d)(3)(i)
	1910	H	.109(d)(3)(iii)
	1910	H	.109(g)(3)(iii)(a)
	1910	H	.109(g)(3)(iv)(c)
	1910	H	.109(h)(4)(i)(a)
Storage and Handling of	1910	H	.110(b)(16)
Liquefied Petroleum Gases	1910	H	.110(d)(12)(i)
	1910	H	.110(h)(11)(vii)
Storage and Handling of Anhydrous Ammonia	1910	H	.111(b)(10)(i)
	1910	H	.111(b)(13)(ii)
Hazardous Waste Operations and	1910	H	.120(e)
Emergency Response Interim Rule	1910	H	.120(i)
	1910	H	.120(l)(3)(iv)
	1910	H	.120(p)(7)(i)(ii)(iii)
	1910	H	.120(p)(8)(iii)
	1910	H	.120(q)(6)(i)
	1910	H	.120(q)(7)
	1910	H	.120(q)(8)
	1910	H	.120(l)(3)(i)
Respiratory Protection	1910	I	.134(a)(3)
	1910	I	.134(b)(3)
	1910	I	.134(b)(3)
	1910	I	.134(e)(2)(3)(4), and .
Specifications for Accident Prevention	1910	J	.145(c)(1)(ii), (2)(ii) and (3)
Signs and Tags	1910	J	.147(c)(7)
	1910	J	.147(c)(7)(i)(ii)(iii)(iv)

Figure 2

DOE OSH TRAINING REQUIREMENTS
TABLE 1. continued

SUBJECT	29 CFR. SUBPART ##		
Lockout/Tagout	1910	J	.147(c)(7)
	1910	J	.147(c)(7)(i), (ii), (iii), (iv)
Portable Fire Extinguishers	1910	L	.157(g)
Fixed Extinguishing Systems	1910	L	.160(b)(10)
Fire Detection Systems	1910	L	.164(c)(4)
Safety Relief Devices for Cargo and Portable Tanks Storing Compressed Gases	1910	M	.168(b)(4)(ii)
Servicing of Single Piece and Multi-Piece Rim Wheels	1910	N	.177(c)(1)(2) and (3)
Powered Industrial Trucks	1910	N	.178(ii)
Overhead and Gantry Cranes	1910	N	.179(b)(8)
	1910	N	.179(o)(3)
Crawler Locomotive and Truck Cranes	1910	N	.180(b)(3)
	1910	N	.180(ii)(5)(ii)
Derricks	1910	N	.181(b)(3)
	1910	N	.181(j)(3)(ii)
Woodworking Machinery Requirements	1910	O	.213(s)(5)
Mechanical Power Presses	1910	O	.217(e)(3)
	1910	O	.217(f)(2)
Forging Machines	1910	O	.218(a)(2)(iii)
Welding, Cutting, and Brazing	1910	Q	.252(b)(1)(iii)
	1910	Q	.252(b)(4)(i) and (ix) (a)
	1910	Q	.252(c)(1)(i) and (iii)
	1910	Q	.252(c)(6)
	1910	Q	.252(d)(2)(iii)(b)
	1910	Q	.252(d)(2)(xiii)(c)
	1910	Q	.252(f)(13)
Pulp, Paper, and Paperboard Mills	1910	R	.261(h)(3)(ii)
Laundry Machinery and Operations	1910	R	.264(d)(1)(v)
Sawmills	1910	R	.265(c)(3)(x)
Pulpwood Logging	1910	R	.266(c)(5)(1) and (ii)
	1910	R	.266(c)(6)(i), (vi), (vii), (ix), (x)

Figure 2

DOE OSH TRAINING REQUIREMENTS
TABLE 1. continued

SUBJECT	29 CFR. SUBPART .##		
Pulpwood Logging (continued)	1910	R	.266(c)(6)(xiii) through (xxi)
	1910	R	.266(c)(7)
	1910	R	.266(e)(2)(i) and (ii)
Telecommunications	1910	R	.268(c)
	1910	R	.268(g)(3)(ii)
	1910	R	.268(h)(1)
	1910	R	.268(j)(1)(i) and (ii)
	1910	R	.268(j)(4)(iv)(d) and (f)
	1910	R	.268(l)(1)
	1910	R	.268(o)(1)(ii), and (o)(3)
	1910	R	.268(q)(1)(ii)(a)
	1910	R	.268(q)(1)(ii)(b) through (d)
	1910	R	.268(q)(2)(iii) and (iv)
Electrical Training	1910	S	.332
Qualifications of Dive Team	1910	T	.410(a)(1) through (4)
Asbestos	1910	Z	.1001(j)(5)
4-Nitrobiphenyl	1910	Z	.1003(e)(5)(i) and (ii)
Alpha-Naphthylamine	1910	Z	.1004(e)(5)(i) and (ii)
Methyl Chloromethyl Ether	1910	Z	.1006(e)(5)(i) and (ii)
3,3'-Dichlorobenzidine (and its salts)	1910	Z	.1007(e)(5)(i) and (ii)
Beta-Naphthylamine	1910	Z	.1009'e)(5)(i) and (ii)
Benzidine	1910	Z	.1010(e)(5)(i) and (ii)
4-Aminodiphenyl	1910	Z	.1011(e)(5)(i) and (ii)
Ethyleneimine	1910	Z	.1012(e)(5)(i) and (ii)
Beta-Propiolactone	1910	Z	.1013(e)(5)(i) and (ii)
2-Acetylaminofluorene	1910	Z	.1014(e)(5)(i) and (ii)
4-Dimethylaminoazobenzene	1910	Z	.1015(e)(5)(i) and (ii)
N-Nitrosodimethylamine	1910	Z	.1016(e)(5)(i) and (ii)
Vinyl Chloride	1910	Z	.1017(j)(1)(i) through (x)
Inorganic Arsenic	1910	Z	.1018(o)(1) and (2)
Lead	1910	Z	.1025(l)(1) and (2)

Figure 2

DOE OSH TRAINING REQUIREMENTS
TABLE 1. continued

SUBJECT	29 CFR. SUBPART .##		
Cotton Dust	1910	Z	.1043(i)(1) and (2)
1,2-Dibromo-3-Chloropropane	1910	Z	.1044(n)(1) and (2)
Acrylonitrile (Vinyl Cyanide)	1910	Z	.1045(o)(1) and (2)
Ethylene Oxide	1910	Z	.1047(j)(3)(iii)
Hazard Communication	1910	Z	.1200(h)(2)
Employee Information and Training	1910	Z	.1450(f)(1) through (4)
MARINE TERMINALS			
Fumigants, Pesticides, Insecticides and Hazardous Preservatives	1917		.25(e)(2)
General Rules Applicable to Vehicles	1917		.44(o)(3)
LONGSHORING			
Respiratory Protection	1918		.102(a)(4)
CONSTRUCTION			
Safety Training and Education	1926	C	.21(b)(1)
Nonionizing Radiation	1926	D	.54(a) and (b)
Gases, Vapors, Fumes, Dusts and Mists	1926	D	.55(b)
Asbestos, Tremolite, Anthophyllite, and Actinolite	1926	D	.58(k)(3)
Hearing Protection	1926	E	.101(b)
Respiratory Protection	1926	E	.103(c)(1)
Fire Protection	1926	F	.150(c)(1)(viii) "1120"
Signaling	1926	G	.201(a)(2)
Power-Operated Hand Tools	1926	I	.302(e)(1)
Woodworking Tools	1926	I	.304(f)
Gas Welding and Cutting	1926	J	.350(d)(1) through (6)
	1926	J	.350(j)
Arc Welding and Cutting	1926	J	.351(d)(1) through (5)

Figure 2

DOE OSH TRAINING REQUIREMENTS
TABLE 1. continued

SUBJECT	29 CFR. SUBPART .##		
Welding, Cutting and Heating in Way of Preservative Coatings	1926	J	.354(a)
	1926	L	.451(c)(4) and (5)
	1926	L	.451(g)(3)
	1926	L	.451(h)(6) and (14)
	1926	L	.451(k)(10)
Scaffolding	1926	L	.451(c)(4) and (5)
	1926	L	.451(g)(3)
	1926	L	.451(h)(6) and (14)
	1926	L	.451(k)(10)
Guarding of Low-Pitched Roof Perimeters During the Performance of Built-up Roofing Work	1926	M	.500(g)(6)
Material Handling Equipment	1926	O	.602(c)
Site Clearing	1926	O	.604(a)(1)
General Protection Requirements (Excavations, Trenching, and Shoring)	1926	P	.651(c) and (9)
Specific Excavation Requirements	1926	P	.652(a), (d)
Tunnels and Shafts	1926	Q	.800(c)(2)(iii) and (iv)
Compressed Air	1926	S	.803(a)(1) and (2)
	1926	S	.803(e)(1)
	1926	S	.803(h)(1)
Chutes	1926	T	.852(c)
Blaster Qualifications	1926	U	.901(c), (d), and (e)
Surface Transportation of Explosives	1926	U	.902(b) and (i)
Firing the Blast	1926	U	.909(a)
Stairways and Ladders	1926	X	.1060
AGRICULTURAL			
Roll-Over Protective Structures (ROPS) for Tractors Used in Agricultural Operations	1928		.51(d)
Guarding of Farm Field Equipment, Farmstead Equipment, and Cotton Gins	1928		.57(a)(6)(i) through (v)
	1928		.57(d)(1)(vii)

Figure 2

DOE OSH TRAINING REQUIREMENTS
TABLE 1. continued

SUBJECT	29 CFR. SUBPART .##	
DOE ORDERS		
OSHA Standard Compliance	5483.1A	Chapter I
Reporting and Responding	5483.1A	Chapter I
Poster Briefing	5483.1A	Chapter I
Rights and Responsibilities	5483.1A	Chapter I
Contractor Requirements Monitoring	5483.1A	Chapter I
Access to Personal Medical Information	5483.1A	Chapter I
Mandatory Occupational Safety	5480.4	Attachment 1, 2e
Mandatory Occupational Safety	5480.4	Attachment 2, 2e
Mandatory Industrial Hygiene	5480.4	Attachment 2, 2d(3)
Employee Education (Health)	5480.10	9b.(5)
Employee Education (Carcinogens)	5480.10	9c(4)
Safety Planning Requirements	5480.19	Attachment I, Chapter I c 6
Lock and Tag	5480.19	Attachment I, Chapter IX c 10

Figure 2

DOE OSH TRAINING REQUIREMENTS
TABLE 2. GOCO Supervisors

SUBJECT	29 CFR. SUBPART .##		
GENERAL INDUSTRY			
Lockout/Tagout	1910	J	.147(c)(7)
	1910	J	.147(c)(7)(i), (ii), (iii), (iv)
Qualifications of Dive Team	1910	T	.410(b)(1)
MARINE TERMINALS			
Terminal Facilities Handling Menhaden and Similar Species of Fish	1917		.73(d)
Welding, Cutting and Heating (hot work)	1917		.152(c)(4)
CONSTRUCTION			
Safety Training and Education	1926	C	.21(a)
	1926	C	.21(b)(1)
Medical Services and First Aid	1926	D	.50(c)
Asbestos, Tremolite, Anthophyllite, and Actinolite	1926	D	.58(k)(4)(ii)
Fire Protection	1926	F	.150(c)(1)(viii)
Power-Operated Hand Tools	1926	I	.302(e)(12)
Woodworking Tools	1926	I	.304(f)
Ground-Fault Protection	1926	K	.404(b)(iii)(B)
Scaffolding	1926	L	.451(b)(16)
	1926	L	.451(d)(9)
	1926	L	.451(k)(10)
Cranes and Derricks	1926	N	.550(a)(1)
Material Hoists, Personnel Hoists and Elevators	1926	N	.552(a)(1)
	1926	N	.552(b)(7)
Material Handling Equipment	1926	O	.602(c)(1)(vi)
Forms and Shoring	1926	Q	.701(a)(4)
	1926	Q	.701(d)(3)

Figure 2

DOE OSH TRAINING REQUIREMENTS
TABLE 2. continued

SUBJECT	29 CFR. SUBPART .##		
Tunnels and Shafts	1926	Q	.800(e)(1)(xii)
Compressed Air	1926	S	.803(b)(1) and (10)
General Provisions (Blasting and Use of Explosives)	1926	U	.900(k)(3)(i)
General Requirements (Power Transmission and Distribution)	1926	V	.950(d)(1)(ii), (vi), and (vii)
	1926	V	.950(d)(2)(ii)
	1926	V	.950(e)(1) and (2)
Overhead Cranes	1926	V	.955(b)(3)(i)
	1926	V	.955(b)(8) and (d)(i)
	1926	V	.955(e)(1)
Underground Lines	1926	V	.956(b)(1)
DOE ORDERS			
Industrial Hygiene	5480.10	9 b. (5) 9 c. (4)	
Mandatory Occupational Safety Occupational Safety	5480.4	Attachment 1, 2 e.Mandatory Attachment 2, 2e.	
	5480.4		
Mandatory Industrial Hygiene	5480.4	Attachment 2, 2d. (3)	
Occupational Safety and Health Program for Contractor Employees at GOCO	5483.1A		

Figure 2

DOE OSH TRAINING REQUIREMENTS

TABLE 3. GOCO Employee Representatives

SUBJECT	29 CFR. SUBPART .##		
GENERAL INDUSTRY			
Lockout/Tagout	1910	J	.147(c)(7)
	1910	J	.147(c)(7)(i), (ii), (iii), (iv)
Qualifications of Dive Team	1910	T	.410(b)(1)
MARINE TERMINALS			
Terminal Facilities Handling Menhaden and Similar Species of Fish	1917		.73(d)
Welding, Cutting and Heating (hot work)	1917		.152(c)(4)
CONSTRUCTION			
Safety Training and Education	1926	C	.21(a)
	1926	C	.21(b)(1)
Medical Services and First Aid	1926	D	.50(c)
Asbestos, Tremolite, Anthophyllite, and Actinolite	1926	D	.58(k)(4)(ii)
Fire Protection	1926	F	.150(c)(1)(viii)
Power-Operated Hand Tools	1926	I	.302(e)(12)
Woodworking Tools	1926	I	.304(f)
Ground-Fault Protection	1926	K	.404(b)(iii)(B)
Scaffolding	1926	L	.451(b)(16)
	1926	L	.451(d)(9)
	1926	L	.451(k)(10)
Cranes and Derricks	1926	N	.550(a)(1)
Material Hoists, Personnel Hoists and Elevators	1926	N	.552(a)(1)
	1926	N	.552(b)(7)
Material Handling Equipment	1926	O	.602(c)(1)(vi)
Forms and Shoring	1926	Q	.701(a)(4)
	1926	Q	.701(d)(3)
Tunnels and Shafts	1926	Q	.800(e)(1)(xii)

Figure 2

DOE OSH TRAINING REQUIREMENTS
TABLE 3. continued

SUBJECT	29 CFR. SUBPART .##		
Compressed Air	1926	S	.803(b)(1) and (10)
General Provisions (Blasting and Use of Explosives)	1926	U	.900(k)(3)(i)
General Requirements (Power Transmission and Distribution)	1926	V	.950(d)(1)(ii), (vi), and
	1926	V	.950(d)(2)(ii)
	1926	V	.950(e)(1) and (2)
Overhead Cranes	1926	V	.955(b)(3)(i)
	1926	V	.955(b)(8) and (d)(i)
	1926	V	.955(e)(1) and (4)
Underground Lines	1926	V	.956(b)(1)
DOE ORDER			
Occupational Safety and Health Program for Contractor Employees at GOCO	5481.1A		

Figure 2

DOE OSH TRAINING REQUIREMENTS

TABLE 4. GOCO Collateral Duty OSH Personnel and Committee Members

SUBJECT	29 CFR. SUBPART .##		
GENERAL INDUSTRY			
Lockout/Tagout	1910	J	.147(c)(7)
	1910	J	.147(c)(7)(i), (ii), (iii), (iv)
Qualifications of Dive Team	1910	T	.410(b)(1)
MARINE TERMINALS			
Terminal Facilities Handling Menhaden and Similar Species of Fish	1917		.73(d)
Welding, Cutting and Heating (hot work)	1917		.152(c)(4)
CONSTRUCTION			
Safety Training and Education	1926	C	.21(a)
	1926	C	.21(b)(1)
Medical Services and First Aid	1926	D	.50(c)
Asbestos, Tremolite, Anthophyllite, and Actinolite	1926	D	.58(k)(4)(ii)
Fire Protection	1926	F	.150(c)(1)(viii)
Power-Operated Hand Tools	1926	I	.302(e)(12)
Woodworking Tools	1926	I	.304(f)
Ground-Fault Protection	1926	K	.404(b)(iii)(B)
Scaffolding	1926	L	.451(b)(16)
	1926	L	.451(d)(9)
	1926	L	.451(k)(10)
Cranes and Derricks	1926	N	.550(a)(1)
Material Hoists, Personnel Hoists and Elevators	1926	N	.552(a)(1)
	1926	N	.552(b)(7)
Material Handling Equipment	1926	O	.602(c)(1)(vi)
Forms and Shoring	1926	Q	.701(a)(4)
	1926	Q	.701(d)(3)

Figure 2

DOE OSH TRAINING REQUIREMENTS
TABLE 4. continued

SUBJECT	29 CFR. SUBPART .##		
Tunnels and Shafts	1926	Q	.800(e)(1)(xii)
Compressed Air	1926	S	.803(b)(1) and (10)
General Provisions (Blasting and Use of Explosives)	1926	U	.900(k)(3)(i)
General Requirements (Power Transmission and Distribution)	1926	V	.950(d)(1)(ii), (vi), and (vii)
	1926	V	.950(d)(2)(ii)
	1926	V	.950(e)(1) and (2)
Overhead Cranes	1926	V	.955(b)(3)(i)
	1926	V	.955(b)(8) and (d)(i)
	1926	V	.955(e)(1) and (4)
Underground Lines	1926	V	.956(b)(1)
DOE ORDER			
Occupational Safety and Health Program for Contractor Employees at GOCO	5483.1A		
Industrial Hygiene	5480.10		
Mandatory Occupational Safety	5480.4		

Figure 2

DOE OSH TRAINING REQUIREMENTS

TABLE 5. GOCO OSH Professional Personnel

SUBJECT	29 CFR. SUBPART .##		
GENERAL INDUSTRY			
Lockout/Tagout	1910	J	.147(c)(7)
	1910	J	.147(c)(7)(i), (ii), (iii), (iv)
Qualifications of Dive Team	1910	T	.410(b)(1)
MARINE TERMINALS			
Terminal Facilities Handling Menhaden and Similar Species of Fish	1917		.73(d)
Welding, Cutting and Heating (hot work)	1917		.73(c)(4)
CONSTRUCTION			
Safety Training and Education	1926	C	.21(a)
	1926	C	.21(b)(1)
Medical Services and First Aid	1926	D	.50(c)
Asbestos, Tremolite, Anthophyllite, and Actinolite	1926	D	.58(k)(4)(ii)
Fire Protection	1926	F	.150(c)(1)(viii)
Power-Operated Hand Tools	1926	I	.302(e)(12)
Woodworking Tools	1926	I	.304(f)
Ground-Fault Protection	1926	K	.404(b)(iii)(B)
Scaffolding	1926	L	.451(b)(16)
	1926	L	.451(d)(9)
	1926	L	.451(k)(10)
Cranes and Derricks	1926	N	.550(a)(1)
Material Hoists, Personnel Hoists and Elevators	1926	N	.552(a)(1)
	1926	N	.552(b)(7)
Material Handling Equipment	1926	O	.602(c)(1)(vi)
Forms and Shoring	1926	Q	.701(a)(4)
	1926	Q	.701(d)(3)
Tunnels and Shafts	1926	Q	.800(e)(1)(xii)

Figure 2

DOE OSH TRAINING REQUIREMENTS
TABLE 5. continued

SUBJECT	29 CFR. SUBPART .##		
Compressed Air	1926	S	.803(b)(1) and (10)
General Provisions (Blasting and Use of Explosives)	1926	U	.900(k)(3)(i)
General Requirements (Power Transmission and Distribution)	1926	V	.950(d)(1)(ii), (vi), and (vii)
	1926	V	.950(d)(2)(ii)
	1926	V	.950(e)(1) and (2)
Overhead Cranes	1926	V	.955(b)(3)(i)
	1926	V	.955(b)(8) and (d)(i)
	1926	V	.955(e)(1)
Underground Lines	1926	V	.956(b)(1)
DOE ORDER			
Environmental Protection			
Safety and Health Protection			
Information Reporting Requirements	5484.1		
Occupational Safety and Health Program for Contractor Employees at GOCO	5483.1A		
Mandatory Occupational Safety	5480.4		
Fire Protection	5480.7		
Construction Safety and Health Program	5480.9		
Industrial Hygiene	5480.10		
Conduct of Operations, Requirements for DOE Facilities	5480.19		

Figure 2

OSHA OSH TRAINING REQUIREMENTS

TABLE 6. GOCO OSH Compliance Specialist

SUBJECT	29 CFR. SUBPART .##		
GENERAL INDUSTRY			
Lockout/Tagout	1910	J	.147(c)(7)
	1910	J	.147(c)(7)(i), (ii), (iii), (iv)
Qualifications of Dive Team	1910	T	.410(b)(1)
MARINE TERMINALS			
Terminal Facilities Handling Menhaden and Similar Species of Fish	1917		.73(d)
Welding, Cutting and Heating (hot work)	1917		.73(c)(4)
CONSTRUCTION			
Safety Training and Education	1926	C	.21(a)
	1926	C	.21(b)(1)
Medical Services and First Aid	1926	D	.50(c)
Asbestos, Tremolite, Anthophyllite, and Actinolite	1926	D	.58(k)(4)(iii)
Fire Protection	1926	F	.150(c)(1)(viii)
Power-Operated Hand Tools	1926	I	.302(e)(12)
Woodworking Tools	1926	I	.304(f)
Ground-Fault Protection	1926	K	.404(b)(iii)(B)
Scaffolding	1926	L	.451(b)(16)
	1926	L	.451(d)(9)
	1926	L	.451(k)(10)
Cranes and Derricks	1926	N	.550(a)(1)
Material Hoists, Personnel Hoists and Elevators	1926	N	.552(a)(1)
	1926	N	.552(b)(7)
Material Handling Equipment	1926	O	.602(c)(1)(vi)
Forms and Shoring	1926	Q	.701(a)(4)
	1926	Q	.701(d)(3)
Tunnels and Shafts	1926	Q	.800(e)(1)(xii)

Figure 2

DOE OSH TRAINING REQUIREMENTS
TABLE 6. continued

SUBJECT	29 CFR. SUBPART .##		
Compressed Air	1926	S	.803(b)(1) and (10)
General Provisions (Blasting and Use of Explosives)	1926	U	.900(k)(3)(i)
General Requirements (Power Transmission and Distribution	1926	V	.950(d)(1)(ii), (vi), and (vii)
	1926	V	.950(d)(2)(ii)
	1926	V	.950(e)(1) and (2)
Overhead Cranes	1926	V	.955(b)(3)(i)
	1926	V	.955(b)(8) and (d)(i)
	1926	V	.955(e)(1)
Underground Lines	1926	V	.956(b)(1)
DOE ORDER			
Environmental Protection			
Safety and Health Protection			
Information Reporting Requirements	5484.1		
Occupational Safety and Health Program for Contractor Employees at GOCO	5483.1A		
Mandatory Occupational Safety	5480.4		
Fire Protection	5480.7		
Construction Safety and Health Program	5480.9		
Industrial Hygiene	5480.10		
Conduct of Operations, Requirements for DOE Facilities	5480.19		

Figure 2

DOE OSH TRAINING REQUIREMENTS
TABLE 7. GOCO Management Officials

SUBJECT	29 CFR. SUBPART .##		
GENERAL INDUSTRY			
Employee Emergency Plans and Fire Prevention Plans	1910	E	.38(a)(5)(i), (ii), and (iii)
Occupational Noise Exposure	1910	G	.95(l)
Explosives and Blasting Agents	1910	H	.109(d)(1)(iii)
	1910	H	.109(g)(5)(vii)
Storage and Handling of Anhydrous Ammonia	1910	H	.111(b)(1)(iv)
Hazardous Waste Operations and Emergency Response Interim Rule	1910	H	.120(e) (i) thr (vii)
Medical Services and First Aid	1910	K	.151(a) and (b)
Fire Brigades	1910	K	.156(c) (1) thr (4)
Portable Fire Extinguishers	1910	L	.157(g)
Fire Detection Systems	1910	L	.164(c)(4)
Safety Relief Devices for Cargo and Portable Tanks Storing Compressed Gases	1910	L	.168(b)(4)(ii)
Hazard Communication	1910	Z	.1200(h)(2)
Occupational Exposure to Hazardous Chemicals in Laboratories	1910	Z	.1450(f)(1) thr (4), (4), (ii)
DOE ORDER			
Occupational Safety and Health Program for Contractor Employees at GOCO	5483.1A		
Mandatory Occupational Safety	5480.4		
Fire Protection	5480.7		
Industrial Hygiene	5480.10		
Conduct of Operations, Requirements for DOE Facilities	5480.19		

Figure 2

DOE OSH TRAINING REQUIREMENTS

TABLE 8. DOE OSH Professional Personnel

SUBJECT	29 CFR. SUBPART .##		
GENERAL INDUSTRY			
Lockout/Tagout	1910	J	.147(c)(7)
	1910	J	.147(c)(7)(i), (ii), (iii), (iv)
Qualifications of Dive Team	1910	T	.410(b)(1)
MARINE TERMINALS			
Terminal Facilities Handling Menhaden and Similar Species of Fish	1917		.73(d)
Welding, Cutting and Heating (hot work)	1917		.73(c)(4)
CONSTRUCTION			
Safety Training and Education	1926	C	.21(a)
	1926	C	.21(b)(1)
Medical Services and First Aid	1926	D	.50(c)
Asbestos, Tremolite, Anthophyllite, and Actinolite	1926	D	.58(k)(4)(ii)
Fire Protection	1926	F	.150(c)(1)(viii)
Power-Operated Hand Tools	1926	I	.302(e)(12)
Woodworking Tools	1926	I	.304(f)
Ground-Fault Protection	1926	K	.404(b)(iii)(B)
Scaffolding	1926	L	.451(b)(16)
	1926	L	.451(d)(9)
	1926	L	.451(k)(10)
Cranes and Derricks	1926	N	.550(a)(1)
Material Hoists, Personnel Hoists and Elevators	1926	N	.552(a)(1)
	1926	N	.552(b)(7)
Material Handling Equipment	1926	O	.602(c)(1)(vi)
Forms and Shoring	1926	Q	.701(a)(4)
	1926	Q	.701(d)(3)
Tunnels and Shafts	1926	Q	.800(e)(1)(xii)

Figure 2

DOE OSH TRAINING REQUIREMENTS
TABLE 8. continued

SUBJECT	29 CFR. SUBPART .##		
Compressed Air	1926	S	.803(b)(1) and (10)
General Provisions (Blasting and Use of Explosives)	1926	U	.900(k)(3)(i)
General Requirements (Power Transmission and Distribution)	1926	V	.950(d)(1)(ii), (vi), and (vii)
	1926	V	.950(d)(2)(ii)
	1926	V	.950(e)(1) and (2)
Overhead Cranes	1926	V	.955(b)(3)(i)
	1926	V	.955(b)(8) and (d)(i)
	1926	V	.955(e)(1)
Underground Lines	1926	V	.956(b)(1)
DOE ORDER			
Environmental Protection			
Safety and Health Protection			
Information Reporting Requirements	5484.1		
Occupational Safety and Health Program for Contractor Employees at GOCO	5483.1A		
Mandatory Occupational Safety	5480.4		
Fire Protection	5480.7		
Construction Safety and Health Program	5480.9		
Industrial Hygiene	5480.10		
Conduct of Operations, Requirements for DOE Facilities	5480.19		

Figure 2

TABLE 9. DOE OSH Compliance Specialist

SUBJECT	29 CFR. SUBPART .##		
GENERAL INDUSTRY			
Lockout/Tagout	1910	J	.147(c)(7)
	1910	J	.147(c)(7)(i), (ii), (iii), (iv)
Qualifications of Dive Team	1910	T	.410(b)(1)
MARINE TERMINALS			
Terminal Facilities Handling Menhaden and Similar Species of Fish	1917		.73(d)
Welding, Cutting and Heating (hot work)	1917		.73(c)(4)
CONSTRUCTION			
Safety Training and Education	1926	C	.21(a)
	1926	C	.21(b)(1)
Medical Services and First Aid	1926	D	.50(c)
Asbestos, Tremolite, Anthophyllite, and Actinolite	1926	D	.58(k)(4)(ii)
Fire Protection	1926	F	.150(c)(1)(viii)
Power-Operated Hand Tools	1926	I	.302(e)(12)
Woodworking Tools	1926	I	.304(f)
Ground-Fault Protection	1926	K	.404(b)(iii)(B)
Scaffolding	1926	L	.451(b)(16)
	1926	L	.451(d)(9)
	1926	L	.451(k)(10)
Cranes and Derricks	1926	N	.550(a)(1)
Material Hoists, Personnel Hoists and Elevators	1926	N	.552(a)(1)
	1926	N	.552(b)(7)
Material Handling Equipment	1926	O	.602(c)(1)(vi)
Forms and Shoring	1926	Q	.701(a)(4)
	1926	Q	.701(d)(3)
Tunnels and Shafts	1926	Q	.800(e)(1)(xii)

Figure 2

DOE OSH TRAINING REQUIREMENTS
TABLE 9. continued

SUBJECT	29 CFR. SUBPART .##		
Compressed Air	1926	S	.803(b)(1) and (10)
General Provisions (Blasting and Use of Explosives)	1926	U	.900(k)(3)(i)
General Requirements (Power Transmission and Distribution)	1926	V	.950(d)(1)(ii), (vi), and (vii)
	1926	V	.950(d)(2)(ii)
	1926	V	.950(e)(1) and (2)
Overhead Cranes	1926	V	.955(b)(3)(i)
	1926	V	.955(b)(8) and (d)(i)
	1926	V	.955(e)(1)
Underground Lines	1926	V	.956(b)(1)
DOE ORDER			
Environmental Protection			
Safety and Health Protection			
Information Reporting Requirements	5484.1		
Occupational Safety and Health Program for Contractor Employees at GOCO	5483.1A		
Mandatory Occupational Safety	5480.4		
Fire Protection	5480.7		
Construction Safety and Health Program	5480.9		
Industrial Hygiene	5480.10		
Conduct of Operations, Requirements for DOE Facilities	5480.19		

Figure 2

DOE OSH TRAINING REQUIREMENTS

TABLE 10. DOE Management Officials with GOCO Oversight

SUBJECT	29 CFR. SUBPART .##		
GENERAL INDUSTRY			
Employee Emergency Plans and Fire Prevention Plans	1910	E	.38(a)(5)(i), (ii), and (iii)
Occupational Noise Exposure	1910	G	.95(l)
Explosives and Blasting Agents	1910	H	.109(d)(1)(iii)
	1910	H	.109(g)(5)(vii)
Storage and Handling of Anhydrous Ammonia	1910	H	.111(b)(1)(iv)
Hazardous Waste Operations and Emergency Response Interim Rule	1910	H	.120(e) (i) thr (vii)
Medical Services and First Aid	1910	K	.151(a) and (b)
Fire Brigades	1910	K	.156(c) (1) thr (4)
Portable Fire Extinguishers	1910	L	.157(g)
Fire Detection Systems	1910	L	.164(c)(4)
Safety Relief Devices for Cargo and Portable Tanks Storing Compressed Gases	1910	L	.163(b)(4)(ii)
Hazard Communication	1910	Z	.1200(h)(2)
Occupational Exposure to Hazardous Chemicals in Laboratories	1910	Z	.1450(f)(1) thr (4), (4), (ii)
FEDERAL EMPLOYEE PROGRAMS			
Financial Management	1960	B	.7(c)(1)
Qualifications of Safety and Health Inspectors and Agency Inspections	1960	D	.25(a)
Safety and Health Services	1960	E	.34(e)(1)
Agency Responsibilities	1960	F	.39(b)
Training of Top Management Officials	1960	H	.54

Figure 2

DOE OSH TRAINING REQUIREMENTS
TABLE 10. continued

SUBJECT	29 CFR. SUBPART .##
DOE ORDER	
Occupational Safety and Health Program for Contractor Employees at GOCO	5483.1A
Mandatory Occupational Safety	5480.4
Fire Protection	5480.7
Industrial Hygiene	5480.10
Conduct of Operations, Requirements for DOE Facilities	5480.19

Figure 2

OF OSH TRAINING REQUIREMENTS

TABLE 11. Designate "Competent" / "Qualified" personnel

SUBJECT	29 CFR. SUBPART .##		
GENERAL INDUSTRY			
Manlifts	1910	F	.68(e)(1)
Ventilation	1910	G	.94(d)(9)(i) (vi)
Explosives and Blasting Agents	1910	H	.109(g)(5)(vii)
Welding, Cutting & Brazing	1910	Q	.252(c)
Qualifications of Dive Team	1910	T	.410(c)(2)
MARINE TERMINALS			
Personnel	1917		.227(a) and (b)(2)
CONSTRUCTION			
General Safety and Health Provisions	1926	C	.20(b)(2) and (4)
Non-ionizing radiation	1926	D	.54(a) and (b)
Scaffolding	1926	L	.451(a)(3)
	1926	L	.451(h)(14)
Cranes and Derricks	1926	N	.550(a)(5), and (6)
Hoists and elevators	1926	N	.552(c)(17)
Specific Excavation Requirements	1926	N	.651(f)
Material Hoists, Personnel Hoists and Elevators	1926	N	.551(c)(15) and (17)(i)
Bolting, Riveting, Fitting-Up, and Plumbing-Up	1926	R	.752(d)(4)
Tunnels and Shafts	1926	Q	.800(k)(1)
Preparatory Operations	1926	T	.850(a)
Mechanical Demolition	1926	T	.859(g)
General Provisions (Blasting and Use of Explosives)	1926	U	.900(a)
	1926	U	.900(q)
Surface Transportation of Explosives	1926	U	.902(b)
Overhead Cranes	1926	V	.955(e)(4)
Construction in Energized Substations	1926	V	.957(a)(1)
		V	.957(d)(1)
		V	.957(e)(1)

Figure 2

Figure 2

Summary of Tiger Team Assessments

Figure 3

A-34

TRAINING DEFICIENCY	PERSONNEL CLASSIFICATIONS	TIGER TEAM ASSESSMENT	KEY WORDS CONTENT/PROGRAM
1. Failure to maintain adequate sized staff of trained, qualified safety and health professionals. This is attributed to a lesser priority toward proactive safety programs.	Managers OSII Professional Personnel OSII Compliance Specialists	<ul style="list-style-type: none"> - Trends Review - Y-12 - Mound - PANTEX - Kansas City Plant - Savannah River 	<ul style="list-style-type: none"> OSH Staffing OSH Professional Personnel
2. Training as a major safety concept has no implementing strategy. Safety program is generally evaluated in terms of statistical performance rather than a definitive education process and policy or manual.	Managers Supervisors Employees	<ul style="list-style-type: none"> - Trends Reviews - FMPC-Fernald - Portsmouth - Brookhaven - Nevada Test Site - Paducah - Kansas City Plant - Argonne-E - Pinellas Plant - Lawrence Livermore 	<ul style="list-style-type: none"> OSH Policy OSH Training Program
3. Hazard identification skills are not effectively communicated to assure timely correction or basic compliance with required standards. These deficiencies include both occupational safety and health hazards in the workplace.	Supervisors Employees	<ul style="list-style-type: none"> - Trends Review - Y-12 - Mound - Lawrence Livermore - Brookhaven - Hanford - Argonne-E 	<ul style="list-style-type: none"> Hazard Identification
4. Instructor qualification and training is loosely defined and policy inconsistent for selection and requalifying of instructors/trainers.	OSII Instructors	<ul style="list-style-type: none"> - West Valley - Mound - Savannah River 	<ul style="list-style-type: none"> OSII Instructor Qualifications

Figure 3

TRAINING DEFICIENCY	PERSONNEL CLASSIFICATIONS	TIGER TEAM ASSESSMENT	KEY WORDS CONTENT/PROGRAM
5. Training and qualification programs do not utilize structured evaluation mechanisms. These are to include written examination development, control and administration, as well as course objectives, lesson plans, and feedback in order to be recognized as adequate, performance-based instruction.	Managers OSH Instructors	<ul style="list-style-type: none"> - West Valley - Mound - Nevada Test Site - Lawrence Livermore - Brookhaven - Argonne-E 	OSH Training Program
6. No methods are in place to identify required content of training and qualification courses or programs.	Managers OSH Instructors	<ul style="list-style-type: none"> - West Valley - Argonne-E 	OSH Training Program
7. Hazard communication programs prepared by specific facilities within a site showed deficiencies and inconsistencies for chemical assessments, labeling requirements, and chemical inventories maintenance, and related training content.	Employees Supervisors	<ul style="list-style-type: none"> - Y-12 - Mound - Berkeley 	HAZCOM
8. Fire Brigade training and qualification requirements are less than adequate to mitigate fire situations.	Managers Supervisors Employees	<ul style="list-style-type: none"> - Y-12 - Nevada Test Site - Paducah 	Fire Protection
9. Emergency squads with responsibility for chemical spill containment and handling are less than adequate for timely, safe or effective hazard reduction.	Supervisors Employees	<ul style="list-style-type: none"> - Y-12 	Hazardous Materials

Figure 3

TRAINING DEFICIENCY	PERSONNEL CLASSIFICATIONS	TIGER TEAM ASSESSMENT	KEY WORDS CONTENT/PROGRAM
10. Fire Extinguisher training is not kept current for employees who reportedly would attempt to use one at the incipient fire stage.	Employees Supervisors	- Y-12 - Savannah River	Fire Protection
11. Asbestos training and related industrial hygiene activities do not effectively meet requirements in terms of awareness, general employee training or monitoring documentation.	OSII Professional Personnel OSII Compliance Specialists Supervisors Employees	- PANTEX	Asbestos Industrial Hygiene
12. Retraining requirements and information data are not being managed as required for asbestos programs.	Managers Supervisors Employees	- PANTEX	Asbestos
13. Supervisors responsible for training direct reports in Hazard Communication do not demonstrate adequate technical knowledge to do so.	Supervisors Employees	- PANTEX - Mound - Nevada Test Site	HAZCOM
14. Construction operations demonstrate low priority for safety training functions. Contractors do not train employees to effectively recognize or correct safety hazards on construction sites.	Supervisors Employees	- Mound - Argonne-E	OSH Training Program

Figure 3

TRAINING DEFICIENCY	PERSONNEL CLASSIFICATIONS	TIGER TEAM ASSESSMENT	KEY WORDS CONTENT/PROGRAM
15. Hazard Communication training is conducted on an informal basis or elements of the required training are omitted. Employees are not adequately apprised of chemical hazards.	Supervisors Employees	<ul style="list-style-type: none"> - Paducah - Mound - Portsmouth - Nevada Test Site - Pinellas Plant - Savannah River - Argonne-E - Brookhaven - Berkeley 	HAZCOM
16. DOE Safety/Health professionals have no definitive training programs which assure adequate knowledge to conduct quality inspections.	OSII Professional Personnel OSII Compliance Specialists	<ul style="list-style-type: none"> - Mound - Argonne-E 	OSH Training Program
17. In a chemical-related emergency, there is evidence that training is not adequate to effectively or safely respond to the various emergency signals and alarms. Personnel are unsure of the proper responses and individuals in charge have varied levels of understanding, increasing the potential for injury or illness in a real emergency.	Supervisors Employees	<ul style="list-style-type: none"> - Portsmouth - Berkeley - Lawrence Livermore - Paducah 	Hazardous Materials
18. On-the-job training is being informally utilized to accommodate health and safety knowledge. Lack of structure results in less than adequate employee safety readiness in job specific applications.	Supervisors OSII Instructors	<ul style="list-style-type: none"> - Portsmouth - Nevada Test Site - Pinellas Plant - Lawrence Livermore - Paducah - Berkeley 	OSH Training Program

Figure 3

TRAINING DEFICIENCY	PERSONNEL CLASSIFICATIONS	TIGER TEAM ASSESSMENT	KEY WORDS CONTENT/PROGRAM
19. Training records and documentation for recall lacks definition. Retention of file requirements, retraining and other inconsistencies are ineffectively managed.	OSH Instructors Supervisors Employees	<ul style="list-style-type: none"> - Nevada Test Site - Pinellas Plant - Savannah River - Lawrence Livermore - Brookhaven - Argonne-E - Hanford - Paducah - Berkeley 	OSH Training Program
20. The initial site safety briefing is not kept current in terms of prevailing codes, standards or regulations.	Employees OSH Instructors Visitors	<ul style="list-style-type: none"> - Nevada Test Site - Brookhaven - Argonne-E 	General Employee Training (GET)
21. SCBA training for fire fighters is out of compliance. Failure to maintain an appropriate number of qualified SCBA users places personnel and property at undue risk.	Supervisors Employees	<ul style="list-style-type: none"> - Nevada Test Site 	Fire Protection Respiratory Protection
22. Confined space details and access to medical records of exposures to particular gaseous contaminants are withheld from employees.	Supervisors Employees	<ul style="list-style-type: none"> - Nevada Test Site - Savannah River 	Confined Spaces Respiratory Protection Medical Records
23. Operators of overhead cranes are not trained and qualified. Cranes are not restricted to designated crane operator's.	Supervisors Employees	<ul style="list-style-type: none"> - Nevada Test Site - Argonne-E 	Material Handling

Figure 3

TRAINING DEFICIENCY	PERSONNEL CLASSIFICATIONS	TIGER TEAM ASSESSMENT	KEY WORDS CONTENT/PROGRAM
24. Full development, implementation, and employee training of Lock Out/Tag Out (LOTO) is not complete.	Supervisors Employees	<ul style="list-style-type: none"> - Kansas City Plant - Brookhaven - Hanford - Argonne-E 	Lock Out/Tag Out (LOCO)
25. A lack of a comprehensive on-site Safety, Health and Environment Manual results in a failure to inform employees of prevailing safety policies and approved, consistent work practices.	Managers OSI Professional Personnel OSI Compliance Specialists	<ul style="list-style-type: none"> - Kansas City Plant 	OSI Training Program
26. No comprehensive electrical safety training program exists. This program should include high voltage training, hazard recognition, refresher sessions for electricians and other prescribed electrical training.	Supervisors Employees	<ul style="list-style-type: none"> - Kansas City Plant 	Electrical Safety
27. Job-specific training was found to be non-existent in the following areas: cryogenics, hoisting and rigging, power press operator, confined space entry.	Supervisors Employees	<ul style="list-style-type: none"> - Pinellas 	Cryogenics Hoisting & Rigging Power Press Operator Confined Space Entry
28. Collateral safety duties are being assigned to Health and Safety Technicians who have not completed established qualification requirements.	Managers Supervisors Collateral Duty Personnel	<ul style="list-style-type: none"> - Lawrence Livermore - Argonne-E 	OSI Training Program

Figure 3

TRAINING DEFICIENCY	PERSONNEL CLASSIFICATIONS	TIGER TEAM ASSESSMENT	KEY WORDS CONTENT/PROGRAM
29. A carcinogen control program has not been fully implemented as required. Job-specific training and general carcinogen awareness training has not been conducted.	Managers Supervisors Employees	- Paducah	Carcinogen Control

Figure 3

2, 1975; 43 FR 49746, Oct. 24, 1978; 43 FR 51759, Nov. 7, 1978; 47 FR 39164, Sept. 7, 1982; 51 FR 34560, Sept. 29, 1986; 53 FR 12121, Apr. 12, 1988; 55 FR 32015, Aug. 6, 1990.

§ 1910.107 Spray finishing using flammable and combustible materials.

(a) *Definitions applicable to this section*—(1) *Aerated solid powders.* Aerated powders shall mean any powdered material used as a coating material which shall be fluidized within a container by passing air uniformly from below. It is common practice to fluidize such materials to form a fluidized powder bed and then dip the part to be coated into the bed in a manner similar to that used in liquid dipping. Such beds are also used as sources for powder spray operations.

(2) *Spraying area.* Any area in which dangerous quantities of flammable vapors or mists, or combustible residues, dusts, or deposits are present due to the operation of spraying processes.

(3) *Spray booth.* A power-ventilated structure provided to enclose or accommodate a spraying operation to confine and limit the escape of spray.

aerated from below so as to form an air-supported expanded cloud of such material through which the preheated object to be coated is immersed and transported.

(7) *Electrostatic fluidized bed.* A container holding powder coating material which is aerated from below so as to form an air-supported expanded cloud of such material which is electrically charged with a charge opposite to the charge of the object to be coated; such object is transported, through the container immediately above the charged and aerated materials in order to be coated.

(8) *Approved.* Shall mean approved and listed by a nationally recognized testing laboratory. Refer to § 1910.7 for definition of nationally recognized testing laboratory.

(9) *Listed.* See "approved" in § 1910.107(a)(8).

(b) *Spray booths*—(1) *Construction.* Spray booths shall be substantially constructed of steel, securely and rigidly supported, or of concrete or masonry except that aluminum or other substantial noncombustible material

extinguishers shall be installed near all spraying areas.

(g) *Operations and maintenance*—(1) *Spraying.* Spraying shall not be conducted outside of predetermined spraying areas.

(2) *Cleaning.* All spraying areas shall be kept as free from the accumulation of deposits of combustible residues as practical, with cleaning conducted daily if necessary. Scrapers, spuds, or other such tools used for cleaning purposes shall be of nonsparking material.

operations, shall be not less than 100 linear feet per minute. Electrostatic spraying operations may be conducted with an air velocity over the open face of the booth of not less than 60 linear feet per minute, or more, depending on the volume of the finishing material being applied and its flammability and explosion characteristics. Visible gauges or audible alarm or pressure activated devices shall be installed to indicate or insure that the required air

such partition or wall as to reduce the danger from juxtaposition of hazardous operations. See also paragraph (c)(1) of this section.

(9) *Cleaning.* Spray booths shall be so installed that all portions are readily accessible for cleaning. A clear space of not less than 3 feet on all sides shall be kept free from storage of combustible construction.

(10) *Illumination.* When spraying areas are illuminated through

Misleading Indexing
Figure 4

§ 1910.135 Occupational head protection.

Helmets for the protection of heads of occupational workers from impact and penetration from falling and flying objects and from limited electric shock and burn shall meet the requirements and specifications established in American National Standard Safety Requirements for Industrial Head Protection, Z89.1-1969.

§ 1917.92 Respiratory protection.

(a)(2)(viii)

§ 1917.93 Head protection.

(a) The employer shall direct that employees exposed to impact, falling or flying objects, or electric shocks or burns wear protective hats.

(b) Protective hats shall bear identifying marks or labels indicating compliance with the manufacturing provisions of American National Standard Safety Requirements for Industrial Head Protection, ANSI Z89.1-1969.

(c) Protective hats previously worn shall be cleaned and disinfected before issuance by the employer to another employee.

§ 1918.105 Head protection.

(a) Employees shall be protected by protective hats meeting the specifications contained in the American National Standard Safety Requirements for Industrial Head Protection, Z89.1 (1969).

(b) Protective hats which have been previously worn shall be cleaned and disinfected before they are issued by the employer to another employee.

(29 U.S.C. 653, 655, 657); Secretary of Labor's Order No. 12-71 (36 FR 8754), 8-76 (41 FR 25059), or 9-83 (48 FR 35722)

§ 1926.100 Head protection.

(a) Employees working in areas where there is a possible danger of head injury from impact, or from falling or flying objects, or from electrical shock and burns, shall be protected by protective helmets.

(b) Helmets for the protection of employees against impact and penetration of falling and flying objects shall meet the specifications contained in American National Standards Institute, Z89.1-1969, Safety Requirements for Industrial Head Protection.

(c) Helmets for the head protection of employees exposed to high voltage electrical shock and burns shall meet the specifications contained in American National Standards Institute, Z89.2-1971.

Similar Requirements for Head Protection

Figure 5

§ 1910.1200 Hazard communication.

(a) *Purpose.* (1) The purpose of this section is to ensure that the hazards of all chemicals produced or imported are evaluated, and that information concerning their hazards is transmitted to employers and employees. This transmittal of information is to be accomplished by means of comprehensive hazard communication programs, which are to include container labeling and other forms of warning, material safety data sheets and employee training.

§ 1915.99 Hazard communication.

(a) *Purpose.* (1) The purpose of this section is to ensure that the hazards of all chemicals produced or imported are evaluated, and that information concerning their hazards is transmitted to employers and employees. This transmittal of information is to be accomplished by means of comprehensive hazard communication programs, which are to include container labeling and other forms of warning, material safety data sheets and employee training.

(2) This occupational safety and health standard is intended to address

Subpart I—General Working Conditions

§ 1918.90 Hazard communication.

(a) *Purpose.* (1) The purpose of this section is to ensure that the hazards of all chemicals produced or imported are evaluated, and that information concerning their hazards is transmitted to employers and employees. This transmittal of information is to be accomplished by means of comprehensive hazard communication programs, which are to include container labeling and other forms of warning, material safety data sheets and employee training.

§ 1917.28 Hazard communication.

(a) *Purpose.* (1) The purpose of this section is to ensure that the hazards of all chemicals produced or imported are evaluated, and that information concerning their hazards is transmitted to employers and employees. This transmittal of information is to be accomplished by means of comprehensive hazard communication programs, which are to include container labeling and other forms of warning, material safety data sheets and employee training.

(2) This occupational safety and health standard is intended to address comprehensively the issue of evaluating the potential hazards of chemicals, and communicating information concerning

50687 Dec. 14, 1991

§ 1926.59 Hazard communication.

(a) *Purpose.* (1) The purpose of this section is to ensure that the hazards of all chemicals produced or imported are evaluated, and that information concerning their hazards is transmitted to employers and employees. This transmittal of information is to be accomplished by means of comprehensive hazard communication programs, which are to include container labeling and other forms of warning, material safety data sheets and employee training.

(2) This occupational safety and health standard is intended to address comprehensively the issue of evaluating the potential hazards of chemicals, and communicating information concerning

Hazard Communication
Figure 6

§ 1915.5

skin contact; or (7) in the course of normal operations, may produce dusts, gases, fumes, vapors, mists, or smokes which have one or more of the above characteristics.

§ 1915.5 Reference specifications, standards and codes.

Specifications, standards, and codes of agencies of the U.S. Government, to the extent specified in the text, form a part of the regulations of this part. In addition, under the authority vested in the Secretary under the Act, the specifications, standards, and codes of organizations which are not agencies of the U.S. Government, in effect on the date of the promulgation of the regulations of this part as listed below, to the extent specified in the text, form a part of the regulations of this part.

National Fire Protection Association, 60 Batterymarch Park, Quincy, Massachusetts 02269. Subpart B, § 1915.14(a).

Underwriter's Laboratories, Inc., 207 East Ohio Street, Chicago, Illinois 60611. Subpart B, § 1915.13(b) and (f); Subpart C, §§ 1915.35(b)(7), 1915.38(a)(4); Subpart H, § 1915.132(a).

American National Standards Institute Safety Code for Portable Wood Ladders, A14.1-1959, American National Standards Institute, 10 East 40th Street, New York, New York 10016. Subpart E, § 1915.72(a)(6).

American National Standards Institute Safety Code for Portable Metal Ladders, A14.2-1956, American National Standards Institute, 10 East 40th Street, New York, New York 10016. Subpart E, § 1915.72(a)(4).

American National Standards Institute Safety Code for Head, Eye, and Respiratory Protection, Z2.1-1959, American National Standards Institute, 10 East 40th Street, New York, New York 10016. Subpart I, §§ 1915.151(a)(1), 1915.153(b).

American Society of Mechanical Engineers, Boiler and Pressure Vessel Code, Section VIII, Rules for Construction of Unfired Pressure Vessels, 1963, American Society of Mechanical Engineers, 345 East 47th Street, New York, New York 10017. Subpart K, § 1915.172(a).

Threshold Limit Values, 1970, American Conference of Governmental Industrial Hygienists, 1014 Broadway, Cincinnati, Ohio 45202. Subpart B, § 1915.12(a)(3) and (b)(3); Subpart C, § 1915.32(b).

American National Standards Institute Safety Code for the Use, Care, and Protection of Abrasive Wheels, B7.1-1964, United States of America Standards Institute, Inc., 10 East 40th Street, New York, New York 10016. Subpart H, § 1915.134(c).

29 CFR Ch. XVII (7-1-89 Edition)

§ 1915.6 Commerical diving operations.

Commerical diving operations shall be subject to Subpart T of Part 1910, §§ 1910.401-1910.441 of this chapter.

§ 1915.7 Competent person.

(a) *Designation.* (1) For the purposes of Subparts B, C, D, and H of this part, except for §§ 1915.35(b)(8) and 1915.36(a)(5), one or more competent persons shall be designated by the employer in accordance with the applicable requirements of this section unless the requirements of Subparts B, C, D, and H of this part are always carried out by a National Fire Protection Association Certified Marine Chemist.

(2) The employer shall indicate on U.S. Department of Labor Form OSHA 73 "Designation of Competent Person" either those employees designated as competent persons or that the prescribed functions of such persons are always carried out by a National Fire Protection Association Certified Marine Chemist in addition to his professional duties. When additions or changes are made in the personnel so designated, a new Form OSHA 73 shall be executed. A copy of this executed form shall be forwarded to the nearest Area Office of the Occupational Safety and Health Administration.

(b) *Criteria.* The following criteria shall guide the employer in designating employees as competent persons:

(1) Ability to understand the meaning of designations on certificates and of any qualifications relating thereto and to carry out any instructions, either written or oral, left by the National Fire Protection Association Certified Marine Chemist or person authorized by the U.S. Coast Guard referred to in § 1915.14.

(2) Ability to use and interpret the readings of an oxygen indicator and a combustible gas indicator. The ability to use and interpret the readings of a carbon monoxide indicator and a carbon dioxide indicator, if the operations involved such hazardous gases.

(3) Familiarity with and understanding of Subparts B, C, D, and H of this part.

(4) Familiarity with the structure and knowledge of the location and des-

Standards Incorporated into Other Standards by Reference
Figure 7

APPENDIX

1. Library Reference Materials.

- a. ANSI Standards.
- b. National Electric Code.
- c. General Texts on Cranes, Elevators and Construction.
- d. General Texts on Hoisting and Rigging
- e. General Texts on Construction
- f. General Texts on Explosives
- g. National Fire Codes.
- h. National Safety Council Manual.
- i. NFPA Hazardous Materials Guide.
- j. Technical Bulletins, Brochures, and Criteria Documents.
- k. Industrial Hygiene Textbooks.
- l. Safety Textbooks.

2. 29 CFR 1910 General Industry Standards and Related Hazard Recognition

- a. Subpart C – General Safety and Health Provisions (Access to Records).
- b. Subpart D – Walking-Working Surfaces.
- c. Subpart E – Means of Egress.
- d. Subpart F – Powered Platforms, Manlifts, and Vehicle-Mounted Work Platforms.
- e. Subpart G – Occupational Health and Environmental Control.
- f. Subpart H – Hazardous Materials.
- g. Subpart I – Personal Protective Equipment.
- h. Subpart J – General Environmental Controls.
- i. Subpart K – Medical and First Aid.
- j. Subpart L – Fire Protection
- k. Subpart M – Compressed Gas and Compressed Air Equipment.
- l. Subpart N – Materials, Handling, and Storage.
- m. Subpart O – Machinery and Machine Guarding.
- n. Subpart P – Hand and Portable Powered Tools and Other Hand Held Equipment.

DOE-prescribed OSHA Standards
Figure 8

cont'd)

- o. Subpart Q – Welding, Cutting and Brazing.
- p. Subpart R – Special Industries.
- q. Subpart S – Electrical.
- r. Subpart T – Commercial Diving Operations.
- s. Subpart Z – Toxic and Hazardous Substances.

29 CFR 1926 Construction Standards and Related Hazard Recognition

- a. Subpart C – General Safety and Health Provisions.
- b. Subpart D – Occupational Health and Environmental Controls.
- c. Subpart E – Personal Protective and Life Saving Equipment.
- d. Subpart F – Fire Protection and Prevention.
- e. Subpart G – Signs, Signals and Barricades.
- f. Subpart H – Materials, Handling Storage, Use, and Disposal.
- g. Subpart I – Tools – Hand and Powered.
- h. Subpart J – Welding and Cutting.
- i. Subpart K – Electrical
- j. Subpart L – Ladders and Scaffolding.
- k. Subpart M – Floors and Wall Openings and Stairways.
- l. Subpart N – Cranes, Derricks, Hoists, Elevators, and Conveyors.
- m. Subpart O – Motor Vehicles, Mechanized Equipment, and Mazrine Operations.
- n. Subpart P – Excavation, Trenching, and Shoring.
- o. Subpart Q – Concrete, Concrete Forms and Shoring.
- p. Subpart R – Steel Erection.
- q. Subpart S – Tunnels and Shafts, Caissons, Cofferdams, and Compressed Air.
- r. Subpart T – Demolition.
- s. Subpart U – Blasting and Use of Explosives.
- t. Subpart V – Power Transmission and Distribution.
- u. Subpart W – Rollover Protective Structures; Rollover Protection.

Figure 8

4A PART 1915—OCCUPATIONAL SAFETY AND HEALTH STANDARDS FOR SHIPYARD EMPLOYMENT

Subpart A—General Provisions

- Sec.
- 1915.1 Purpose and authority.
 - 1915.2 Scope and application.
 - 1915.3 Responsibility.
 - 1915.4 Definitions.
 - 1915.5 Reference specifications, standards and codes.
 - 1915.6 Commercial diving operations.
 - 1915.7 Competent person.

Subpart B—Explosive and Other Dangerous Atmospheres

- 1915.11 Scope and application of subpart.
- 1915.12 Precautions before entering.
- 1915.13 Cleaning and other cold work.
- 1915.14 Certification before hot work is begun.
- 1915.15 Maintaining gas-free conditions.
- 1915.16 Warning signs.

Subpart C—Surface Preparation and Preservation

- 1915.31 Scope and application of subpart.
- 1915.32 Toxic cleaning solvents.
- 1915.33 Chemical paint and preservative removers.
- 1915.34 Mechanical paint removers.
- 1915.35 Painting.
- 1915.36 Flammable liquids.

Subpart D—Welding, Cutting and Heating

- 1915.51 Ventilation and protection in welding, cutting and heating.
- 1915.52 Fire prevention.
- 1915.53 Welding, cutting and heating in way of preservative coatings.
- 1915.54 Welding, cutting and heating of hollow metal containers and structures not covered by § 1915.12.
- 1915.55 Gas welding and cutting.
- 1915.56 Arc welding and cutting.
- 1915.57 Uses of fissionable material in ship repairing and shipbuilding.

Subpart E—Scaffolds, Ladders and Other Working Surfaces

- 1915.71 Scaffolds or staging.
- 1915.72 Ladders.
- 1915.73 Guarding of deck openings and edges.
- 1915.74 Access to vessels.
- 1915.75 Access to cargo spaces and confined spaces.
- 1915.77 Working surfaces.

Subpart F—General Working Conditions

- 1915.91 Housekeeping.
- 1915.92 Illumination.
- 1915.93 Utilities.
- 1915.94 Work in confined or isolated spaces.
- 1915.95 Ship repairing and shipbuilding work on or in the vicinity of radar and radio.
- 1915.96 Work in or on lifeboats.
- 1915.97 Health and sanitation.
- 1915.98 First aid.
- 1915.99 Hazard communication.

Subpart G—Gear and Equipment for Rigging and Materials Handling

- 1915.111 Inspection.
- 1915.112 Ropes, chains and slings.
- 1915.113 Shackles and hooks.
- 1915.114 Chain falls and pull-lifts.
- 1915.115 Hoisting and handling equipment.
- 1915.116 Use of gear.
- 1915.117 Qualifications of operators.
- 1915.118 Tables.

Subpart H—Tools and Related Equipment

- 1915.131 General precautions.
- 1915.132 Portable electric tools.
- 1915.133 Hand tools.
- 1915.134 Abrasive wheels.
- 1915.135 Power actuated fastening tools.
- 1915.136 Internal combustion engines other than ship's equipment.

Subpart I—Personal Protective Equipment

- 1915.151 Eye protection.
- 1915.152 Respiratory protection.
- 1915.153 Head, foot and body protection.
- 1915.154 Lifesaving equipment.

Figure 8

Subpart J—Ship's Machinery and Piping Systems

- 1915.161 Scope and application of subpart.
- 1915.162 Ship's boilers.
- 1915.163 Ship's piping systems.
- 1915.164 Ship's propulsion machinery.
- 1915.165 Ship's deck machinery.

Subpart K—Portable, Unfired Pressure Vessels, Drums and Containers, Other Than Ship's Equipment

- 1915.171 Scope and application of subpart.
- 1915.172 Portable air receivers and other unfired pressure vessels.
- 1915.173 Drums and containers.

Subpart L—Electrical Machinery

- 1915.181 Electrical circuits and distribution boards.

4 B PART 1918—SAFETY AND HEALTH REGULATIONS FOR LONGSHORING**Subpart A—General Provisions****Sec.**

- 1918.1 Purpose and authority.
- 1918.2 Scope and responsibility.
- 1918.3 Definitions.
- 1918.4—1918.5 [Reserved]
- 1918.6 Standards incorporated by reference.
- 1918.7 [Reserved]
- 1918.8 Amendment of this part.

Subpart B—Gangways and Gear Certification

- 1918.11 Gangways.
- 1918.12 Gear certification.
- 1918.13 Certification of shore-based material handling devices.
- 1918.14 Container cranes.
- 1918.15 Effective date of §§ 1918.13 and 1918.14.

Subpart C—Means of Access

- 1918.21 Gangways and other means of access.
- 1918.22 Jacob's ladders.
- 1918.23 Access of barges and river tow-boats.
- 1918.24 Bridge plates and ramps.
- 1918.25 Ladders.

Subpart D—Working Surfaces

- 1918.31 Hatch coverings.
- 1918.32 Stowed cargo and temporary landing platforms.
- 1918.33 Deck loads.
- 1918.34 Skeleton decks.
- 1918.35 Open hatches.
- 1918.36 Weather deck rails.
- 1918.37 Barges.
- 1918.38 Freshly oiled decks.

Subpart E—Opening and Closing Hatches

- 1918.41 Coaming clearances.
- 1918.42 Beam and pontoon bridges.
- 1918.43 Handling beams and covers.

Subpart F—Ship's Cargo Handling Gear

- 1918.51 General requirements.
- 1918.52 Specific requirements.
- 1918.53 Cargo winches.
- 1918.54 Rigging gear.
- 1918.55 Cranes.

Subpart G—Cargo Handling Gear and Equipment Other Than Ship's Gear

- 1918.61 General.
- 1918.62 Fiber rope and fiber rope slings.
- 1918.63 Wire rope and wire rope slings.
- 1918.64 Chains and chain slings.
- 1918.65 Shackles.
- 1918.66 Hooks other than hand hooks.
- 1918.67 Pallets.
- 1918.68 Chutes, gravity conveyors and rollers.
- 1918.69 Powered conveyors.
- 1918.70 Portable stowing winches.
- 1918.71 Rain tents.
- 1918.72 Tools.
- 1918.73 Mechanically-powered vehicles used aboard vessels.
- 1918.74 Cranes and derricks other than vessel's gear.
- 1918.75 Notifying ship's officers before using certain equipment.
- 1918.76 Grounding.

Subpart H—Handling Cargo

- 1918.81 Slings.
- 1918.82 Building drafts.
- 1918.83 Stowed cargo, tiering and breaking down.
- 1918.84 Hulling cargo.
- 1918.85 Containerized cargo.
- 1918.86 Hazardous cargo.

Figure 8

(cont'd)

Subpart I—General Working Conditions

- 1918.90 Hazard communication.
- 1918.91 Housekeeping.
- 1918.92 Illumination.
- 1918.93 Ventilation and atmospheric conditions.
- 1918.94 Sanitation and drinking water.
- 1918.95 Longshoring operations in the vicinity of repair and maintenance work.
- 1918.96 First aid and life saving equipment.
- 1918.97 Qualification of machinery operators.
- 1918.98 Grain fitting.
- 1918.99 Commercial diving operations.

Subpart J—Personal Protective Equipment

- 1918.101 Eye protection.
- 1918.102 Respiratory protection.
- 1918.103 Protective clothing.
- 1918.104 Foot protection.
- 1918.105 Head protection.
- 1918.106 Protection against drowning.

E. PART 1928—OCCUPATIONAL SAFETY AND HEALTH STANDARDS FOR AGRICULTURE

Subpart A—General

Sec.

- 1928.1 Purpose and scope.

Subpart B—Applicability of Standards

- 1928.21 Applicable standards in 29 CFR Part 1910.

Subpart C—Roll-Over Protective Structures

- 1928.51 Roll-over protective structures (ROPS) for tractors, used in agricultural operations.
- 1928.52 Protective frames for wheel type agricultural tractors—test procedures and performance requirements.
- 1928.53 Protective enclosures for wheel type agricultural tractors—test procedures and performance requirements.

APPENDICES TO SUBPART C

APPENDIX A—EMPLOYEE OPERATING INSTRUCTIONS

APPENDIX B—FIGURES C-1—C-16

Subpart D—Safety for Agricultural Equipment

- 1928.57 Guarding of farm field equipment, farmstead equipment, and cotton gins.

Subparts E—H—[Reserved]

Subpart I—General Environmental Controls

- 1928.110 Field sanitation.

Other 29 CFR Regulations

- a. 1903—Inspections, Citations, and Proposed Penalties.
- b. 1904—Recordkeeping.
- c. 1905—Variances.
- d. 1908—Consultation.
- e. 1913—Access to Records.
- f. 1960—Federal Employee OSH Programs.

Figure 8

DOE Directives

Note: The DOE order system, as it relates to occupational safety and health, is in the process of being revised. Review not only current Orders, but also those in Draft form. When a Draft is finalized review the new Order upon its publication.

- a. 1300.2 Department of Energy Standards Program
- b. 4700.1 Project Management System
- c. 5000.3A Occurrence Reporting and Processing of Operations Information
- d. 5400.1 General Environmental Protection Program
- e. 5440.1C National Environmental Policy Act
- f. 5480.1B Environment, Safety, and Health Program for DOE Operations
- g. 5480.3 Safety Requirements for Packaging and Transportation of Hazardous Material
- h. 5480.4 Environmental Protection Safety, and Health Protection Standards
- i. 5480.7 Fire Protection
- j. 5480.7 Industrial Hygiene
- k. 5480.17 Site Safety Representatives
- l. 5481.1B Safety Analysis and Review System
- m. 5482.1B Environmental, Safety, and Health Appraisal Program
- n. 5483.1A Occupational Safety and Health program for DOE Contractor Employees at Government-Owned Contractor Operated Facilities
- o. 5484.1 Environmental Protection, Safety, and Health Protection Information Reporting Requirements
- p. 5500.1A Emergency Management System
- q. 5500.2A Emergency Notification, Reporting, and Response Levels
- r. 5500.3 Reactor and Non-reactor Nuclear Facility Emergency Planning, Preparedness and Response Program for DOE Operations
- s. 5500.4 Public Affairs Policy and Planning Requirements for Emergencies
- t. 5700.6B Quality Assurances

DOE-ORDERS
Figure 9

970.5204-1 Security.

Use the clauses at 952.204-2, 952.204-3, and 952.204-4.

970.5204-2 Safety and health (Government-owned or leased).

Safety and Health (Government Owned or Leased) (Apr 1984)

The contractor shall take all reasonable precautions in the performance of the work under this contract to protect the safety and health of employees and of members of the public and shall comply with all applicable safety and health regulations and requirements (including reporting requirements) of DOE. The contracting officer shall notify the contractor, in writing, of any noncompliance with the provisions of the clause and the corrective action to be taken. After receipt of such notification, the contractor shall immediately take corrective action. The contractor shall submit a management program and implementation plan to the contracting officer for review and approval within 30 days after the date of award of this contract. In the event that the contractor fails to comply with said regulations or requirements of DOE, the contracting officer may, without prejudice to any other legal or contractual rights of DOE, issue an order stopping all or any part of the work; thereafter, a start order for resumption of the work may be issued at the discretion of the contracting officer. The contractor shall make no claim for an extension of time or for compensation or damages by reason of, or in connection with, such work stoppage.

970.5204-3 Buy American Act-Construction materials

Include the clause at FAR 52.229-10, which contains construction materials.

Include the clause at FAR 52.229-10, which contains construction materials.

See FAR 52.229-10.

ions on which
with your bid,
rd.
ts.

cept the report shall be submitted quarterly rather annually and additionally shall indicate at the re the number and dollar amount of awards made to area concerns to the extent such reporting terms of their contract, and (iv) comply with the instructions at

organization
ocal govern
le Cost
e "Su

il orga-
2.216 by
11.2 the
(R)." for

agraph
irect C
abstitu
licitat
d deve
templ

952.223 Clauses related to environment, conservation, and occupational safety.

952.223-71 Safety and health (Government-owned or leased facility).

The clause set forth at 970.5204-2 shall be included in all contracts and subcontracts for, and be made applicable to, work to be performed at a government-owned or leased facility where DOE has elected to assert its statutory authority to establish and enforce occupational safety and health standards applicable to the work conditions of contractor and subcontractor employees, and to the protection of the public health and safety.

952.223-72 Radiation protection and nuclear criticality.

The clause set forth at 970.5204-2 shall be included in the contracts and be made applicable to the work to be performed at a government-owned or leased facility where DOE has elected to assert its statutory authority to establish and enforce radiation protection and nuclear criticality standards applicable to the work conditions of contractor and subcontractor employees, and to the protection of the public health and safety.

the information
(b) Inspection
records relat
and by DOE at
retention provid
proper facilities f
(c) Audit of sub
respect to any s
contracts or purch
costs incurred are
subcontractor of a
costs or arrange
government audit
(d) Disposition
with the contractor
supporting docu
revenues, and oth
property of the G
or otherwise repo
may from time to
event, as the contr
tion of this contin
provided in this c
tractor relating to
a period of three
wise disposed of i
and the cost
(e) Reports. Th
schedules, financi
work under this c
time require.
(f) Inspections
and activities of t
manner as it shall

Department of Energy Acquisition Regulations (DEARs)
Figure 10

ARTICLE 40. DEAR 970.5204-2 SAFETY AND HEALTH (GOVERNMENT-OWNED OR
LEASED) - (APR 1984) (MODIFIED)

The Contractor shall take all reasonable precautions in the performance of the work under this contract to protect the safety and health of employees and of members of the public and shall comply with all applicable safety and health regulations and requirements (including reporting requirements) of DOE which are communicated to the Contractor. The Contracting Officer shall notify the Contractor, in writing, of any noncompliance with the provisions of the clause and the corrective action to be taken. After receipt of such notice, the Contractor shall immediately take corrective action. The Contractor shall submit a management program and implementation plan to the Contracting Officer for review and approval within 30 days after the date of award of this contract. In the event that the Contractor fails to comply with said regulations or requirements of DOE, the Contracting Officer may, without prejudice to any other legal or contractual rights of DOE, issue an order stopping all or any part of the work; thereafter, a start order for resumption of the work may be issued at the discretion of the Contracting Officer.

Monitoring and inspection equipment consists of;

- a. Air Flow Measuring Devices.
- b. Air Pressure Gauge.
- c. Camera.
- d. Combustible Gas, Oxygen and Related Toxics Meter.
- e. Detector Tube Pump.
- f. Noise Dosimeter, including calibration and readout.
- g. Carbon Monoxide Meters.
- h. Ecos Testers
- i. Ground Loop Impedance Tester.
- j. Octave Band Analyzer
- k. Medium and Low Flow Pumps
- l. Sound Level Meters and Calibrators.
- m. Tic Tracer.
- m. Light Meter.

Monitoring and Inspection Equipment
Figure 12

Procedures for Determining Lost Workday Injury (LWDI) Rate.

- (1) Reference Years. The number of years from which injury and employment data will be used in the calculation of the LWDI rate is dependent upon the average number of employee hours worked or the average number of workers employed in the establishment during the previous 3 years.
- (a) Average employee hours worked may be obtained, if available, from the employer payroll records for the years involved.
- (b) Average annual employment may be determined by adding the number of workers employed in the establishment in each month included in the reference years, totaling the sum of the monthly employment figures and dividing the total by the number of months involved, rounding to the nearest tenth. Count all full- and part-time workers, including seasonal, temporary, administrative, supervisory and clerical.

EXAMPLE: Monthly employment for 1980:

Jan.	0	April	30	July	0	Oct.	20
Feb.	0	May	30	Aug.	0	Nov.	20
March	20	June	0	Sept.	20	Dec.	20

Total 160

$$\frac{160 \text{ employees}}{12 \text{ months}} = 13.3 \text{ (average annual employment).}$$

- 1 For establishments with an average number of employee hours worked of less than 40,000 (20 x 2,000) hours or an

Lost Workday Injury Rate (LWDI)
Figure 13

annual employment of 20 or fewer employees in any of the 3 preceding calendar years, use data from all 3 years.

- 2 For establishments with an average number of employee hours worked of 40,000 hours or more or an average annual employment of more than 20 employees in each of the 3 preceding calendar years, use data from the past 2 years.

- (2) Special Circumstances. There may be occasions when the records required in (a) and (b) above are not available, or are only partial records. The following are examples of such circumstances and how to handle them:
- (a) If injury data from any or all of the reference years are not available because the employer was not in business or was not required to keep records, the LWDI rate shall be calculated on the basis of the reference years for which data are available, with a minimum of data from 12 months. Data from the current calendar year may be used to fulfill the 12-month minimum data requirement.
 - (b) If the employer was required to maintain records in any or all of the reference years but has no records or has only partial records, the LWDI rate shall not be calculated. Records from years outside of the reference years shall not be used in calculating an employer's LWDI rate. The *** shall advise the employer of the apparent violations of the recordkeeping requirements and proceed with the inspection.
 - (c) When ownership has substantially changed, records from previous owners of an establishment shall not be used in the LWDI rate calculation.
 - (d) If verifiable injury data is obtained, the employer shall be given the opportunity to correct or complete the OSHA-200 Form(s) whenever only minor errors are found or if no recordable injuries or illnesses occurred during the reference year(s). The LWDI rate shall be calculated from the corrected forms. Citations shall be issued for violations of the regulations.
- (3) Employment Data. Request the number of hours worked by the employees in each of the reference years. If this information is not available, request the average annual employment. The procedure used shall be indicated in the case file.
- (a) Employee Hours. Obtain the number of hours worked by employees in each of the reference years. Do not include any nonworking time, even though paid, such as vacations, sick leave, etc. The employer might locate such information in payroll or time records.

*** investigator

Figure 13

- (3) (b) Average Annual Employment. Compute the average annual employment as explained in (1).
- (4) Injury and Illness Records Review. Review the OSHA-200 logs and record in the narrative section of the case file the number of LWDIs that occurred in each of the reference years. (LWDIs are defined as injuries involving days away from work and/or days of restricted work activity--Column 2 of the OSHA-200.) As usual, record OSHA-200 data on the OSHA-1 for the most recent full calendar year.
- (a) Illnesses. Although cases of illness will not be used in calculating the LWDI rate, the CSHO conducting a safety inspection shall make note of any significant recorded illnesses and submit a health referral if appropriate. The employer and the employee representatives shall be advised of the possibility of a referral health inspection.
- (b) Verification of Records. The *** shall verify the accuracy of the OSHA-200 logs by carefully checking them against workers' compensation first reports of injury or OSHA-101s and first aid records, when such first aid records are no more detailed than the type of information contained in the OSHA-101. It may also be appropriate to check OSHA-200 logs against more detailed first aid and medical records located at the establishment or at other locations.

NOTE: Access to the more detailed first aid and/or medical records may require a written medical access order or the express consent of each employee with a medical record. Such records may be sought in cases where there is evidence of widespread recordkeeping violations.

- 1 These documents must be examined carefully to ensure that all work-related injuries and illnesses are being properly recorded on the OSHA-200.
- a If time allows, all workers' compensation first reports of injury or the OSHA-101s and first aid records shall be reviewed to determine if:
- o Treatment was given that could qualify as medical treatment;

*** investigator

Figure 13

- o There were any lost time injuries or injuries that resulted in restricted work activities or transfer to another job;
 - o Any injuries resulted in loss of consciousness;
 - o Any illnesses were diagnosed; or
 - o Anything else that would indicate that a recordable injury or illness occurred.
- b If all reports cannot be examined, a representative sample shall be extracted for closer review as indicated in the preceding subsection.
- c If any cases noted under a are found, the OSHA-200 shall be checked to ensure that they have been properly recorded.
- 2 The company representative responsible for maintaining injury and illness records shall be interviewed to determine what the company's recording policy is. This individual shall be identified in the case file.
- 3 Injury and illness records shall be reviewed and verified with employee representatives or other informed employees.
- 4 If the verification process indicates that the OSHA-200 does not accurately reflect the lost workday injury experience at the establishment or that the employer is not properly recording injuries or illnesses, this shall be documented in the case file. Data from the log shall not be used for calculation of the LWDI rate. (See (2)(d) for special verification circumstances.) The *** shall advise the employer of the problem and proceed with the inspection.
- 5 If the credibility of the records has been verified, the CSHO shall proceed with the calculation of the LWDI rate.
- (5) Calculation of the LWDI Rate. The *** shall calculate the LWDI rate according to the following formula:
- (a) If the number of employee hours worked is available from the employer, use:

$$\text{LWDI Rate} = \frac{\# \text{ LWDI's} \times 200,000}{\# \text{ employee hours worked}}$$

*** investigator

Figure 13

Where:

LWDI's = sum of LWDI's in the reference years.

employee hours worked = sum of employee hours in the reference years.

200,000 = base for 100 full-time workers, working 40 hours per week, 50 weeks per year.

EXAMPLE: An establishment scheduled for inspection in October 1981 employed an average of 54 workers in 1980, 50 workers in 1979, and 50 workers in 1978. Therefore, injury and employment data for the 2 preceding calendar years will be used.

LWDI's in 1979 = 5

LWDI's in 1980 = 3

Employee hours worked in 1979 = 100,000

Employee hours worked in 1980 = 108,000

$$\text{LWDI Rate} = \frac{(5 + 3) \times 200,000}{100,000 + 108,000}$$

$$= \frac{1,600,000}{208,000}$$

$$= 7.69 \text{ (rounded to 7.7)}$$

NOTE: Carry out calculations to the hundredths place and round to the tenths place. Round up for ".5."

EXAMPLES: Round 6.55 to 6.6; round 4.12 to 4.1.

- (5) (b) If data on employee hours worked are not available, the following procedure is to be used to establish the number of equivalent employee hours:

- 1 Obtain the average number of full-time employees. (A full-time employee is one who works 40 hours per week for 50 weeks per year.)
- 2 Ask the employer to estimate the number of full-time equivalents corresponding to the number of part-time employees, if any.

Figure 13

- 3 Add the number of full-time equivalent employees to the average number of full-time employees.
- 4 Multiply the resulting sum by 2000 to obtain the approximate number of employee hours worked at the establishment.
- 5 Use the formula given in (5)(a) to calculate the employer's LWDI rate.

EXAMPLE: An employer has an average of 18 full-time employees and 7 part-time employees for the year. Five of the part-time employees work 15 hours each a week and the other two work 25 hours each a week for a total of 125 part-time hours per week. This would be equivalent to three additional full-time employees (rounding to the closest 40-hour multiple). Adding 18 and 3 gives 21 full-time equivalent employees, and, multiplying by 2000, results in approximately 42,000 employee hours at the establishment for the year. Repeat the same procedure for each year to be considered in the LWDI rate calculation. The sum of these hours is then used as the divisor in accordance with the formula given in (5)(a).

Figure 13

Recordable injuries and illnesses have to be entered on the OSHA 200 or its equivalent. These terms are defined as an occupational injury or illness which results in one or more of the following;

1. A fatality
2. One or more lost workdays
3. Transfer to another job
4. Termination of employment
5. Medical treatment other than first aid
6. Loss of consciousness
7. Restrictions on performance of normal job functions
8. Restriction of motion
9. A diagnosed occupational illness which is reported to the employer.

29 C.F.R. § 1904.12(c). Three of these terms are further defined:

"Medical Treatment" - includes treatment administered by a physician or by registered professional personnel under the standing orders of a physician. Medical treatment does not include first aid treatment even though provided by a physician or registered professional personnel.

"First Aid" - is any one-time treatment, and any follow up visit for the purpose of observation of minor scratches, cuts, burns, splinters, and so forth, which do not ordinarily require medical care. Such one-time treatment, and follow up visit for the purpose of observation, is considered first aid even though provided by a physician or registered professional personnel. § 1904.12(e).

"Lost Workdays": The number of days (consecutive or not) after, but not including, the day of injury or illness during which the employee would have worked but could not do so; that is, could not perform all or any part of his normal assignment during all or any part of the workday or shift, because of the occupational injury or illness. § 1904.12(f).

Recordable Injuries and Illnesses
Figure 14

Case or File No. 2601

Supplementary Record of Occupational Injuries and Illnesses

EMPLOYER

1. Name Columbia Construction
2. Mail address P. O. Box 3652 Hudson, New York
(No. and street) (City or town) (State)
3. Location, if different from mail address _____

INJURED OR ILL EMPLOYEE

4. Name Ralph C. Lewis Social Security No. 039-61-4179
(First name) (Middle name) (Last name)
5. Home address 16 Remsen Road Bingham, New York
(No. and street) (City or town) (State)
6. Age 29 7. Sex: Male X Female _____ (Check one)
8. Occupation Machine Repair
(Enter regular job title, not the specific activity he was performing at time of injury)
9. Department Crafts Services
(Enter name of department or division in which the injured person is regularly employed, even though he may have been temporarily working in another department at the time of injury.)

THE ACCIDENT OR EXPOSURE TO OCCUPATIONAL ILLNESS

10. Place of accident or exposure Same as (2)
(No. and street) (City or town) (State)
If accident or exposure occurred at the place of employment, give the name of plant or establishment in which it occurred. Do not indicate the specific activity he was performing at the time of injury. If accident occurred outside employer's premises at an identifiable address, give that address. If it occurred on a public highway or at any other place which cannot be identified by number and street, please provide place references locating the place of injury as accurately as possible.

11. Was place of accident or exposure on employer's premises? Yes (Yes or No)
12. What was the employee doing when injured? Dismantling a Power Saw
(Be specific. If he was using tools or equipment or handling material)
Using a socket wrench to remove a bolt
(Name them and tell what he was doing with them.)

13. How did the accident occur? The wrench slipped and right thumb struck sharp edge of saw.
(Describe fully the events which resulted in the injury or occupational illness. Tell what happened and how it happened. Name any object or substances involved and tell how they were involved. Give full details on all factors which led or contributed to the accident. Use separate sheet for additional space.)

OCCUPATIONAL INJURY OR OCCUPATIONAL ILLNESS

14. Describe the injury or illness in detail and indicate the part of body affected. Laceration of right thumb - 6 sutures required
(e.g.: amputation of right index finger)
15. Name the object or substance which directly injured the employee. (For example, the machine or thing he struck against or which struck him; the vapor or poison he inhaled or swallowed; the chemical or radiation which irritated his skin; or in cases of strains, hernias, etc., the thing he was lifting, pulling, etc.)
Edge of saw

16. Date of injury or initial diagnosis of occupational illness 6/1/79
17. Did employee die? No (Yes or No) (Date)

OTHER

18. Name and address of physician Dr. Rooney, Site Physician
19. If hospitalized, name and address of hospital Outpatient, Bingham Hospital
Emergency Room
Date of report 7/6/79 Prepared by Y. McCamy
Official position Safety Auditor

(Complete reverse for lost workday cases.)

U.S. DEPARTMENT OF ENERGY

REPORT OF PROPERTY DAMAGE OR LOSS

Use form to report any accident causing loss (use and occupancy excepted) or damage to DOE-owned property in excess of amounts shown in section 4 below

1. GENERAL							
a. FIELD ORGANIZATION Department of Energy Ashville, Kentucky				b. CONTRACTOR ACCOUNTABLE FOR PROPERTY (If subcontractor, also state contractor) Martin Brothers			
c. LOCATION OF ACCIDENT L-4638 South Warehouse				d. DATE OF ACCIDENT 7-23-80		e. TIME OF ACCIDENT 1908	
2. TYPE OF ACTIVITY				3. PERSONNEL EFFECTS			
☐ GOVERNMENT		☐ COST PLUS CONSTRUCTION		f. FATALITY		DOE	
☒ PRODUCTION		☐ LUMP SUM CONSTRUCTION				ONES	
☐ RESEARCH		☐ ARCHITECT/ENGINEER		b. OCCUPATIONAL INJURY		0 0	
☐ SERVICES				c. OCCUPATIONAL ILLNESS		0 0	
4. ACCIDENT TYPE							
a. FIRE (Refractors excluded) INVOLVING LOSS OVER \$1,000:				e. TRANSPORTATION LOSS OVER \$1,000 (Cargo only, all causes) ☐			
1. Building and Contents ☐				f. MECHANICALLY CAUSED DAMAGE LOSS OVER \$1,000 ☐			
2. Brush and Forest ☐				g. RADIATION AND NUCLEAR ACCIDENTS LOSS OVER \$1,000:			
3. Other (Specify) ☐				1. Contamination (Spills, leaks, releases, etc.) ☐			
b. EXPLOSION (Refractors excluded) INVOLVING LOSS OVER \$1,000				2. Other (Specify) ☐			
1. Air-flammable vapor (or gas) ☐				a. Eruption (Damage from uncontrolled reaction) ☐			
2. Chemical reaction ☐				b. Radiation from inadequate cooling ☐			
3. Compressed fluids ☐				c. Radioactive material spill or leak ☐			
4. High explosives ☐				d. Nonradioactive material spill or leak ☐			
5. Dust ☐				e. Fire ☐			
c. NATURAL CAUSES INVOLVING LOSS OVER \$1,000:				f. Other (Specify) ☐			
1. Wind, rain, flood or waves ☐				h. OTHER (Specify) Furnace liner melted			
2. Lightning ☐							
3. Earthquake ☐							
d. ELECTRICAL FAULT OR FAILURE LOSS OVER \$1,000 ☐							
5. MONETARY DAMAGE OR LOSS BY ACCIDENT TYPE							
ACCIDENT TYPE	TO DOE OWNED PROPERTY					DOE Total	TO OTHER PUBLIC OR PRIVATE PROPERTY TOTAL
	From Contamination (In Building)	Outside	From Fire	From Explosion	From Other		
liner burnout					\$34,642	\$34,642	
TOTALS							
6. DESCRIPTION OF DAMAGE OR LOSS							
1. Molten metal burned through refractory liner and electrical coils of induction furnace.							
2. Damage to some instrumentation and power cables.							
7. EFFECT ON PRODUCTION OR OPERATION CAPABILITY							
None							

Figure 15

POST ONLY THIS PORTION OF THE LAST PAGE NO LATER THAN FEBRUARY 1.

A-64

A-65

PERFECTED CARE. You are required to record information about every occupational death or event occurred in occupational illness, and those related occupational injuries which involve any one of the following: loss of workday, type of compensation, satisfaction of such an action, legal action, or other information.

LOG OF FEDERAL OCCUPATIONAL INJURIES AND ILLNESSES

Due to the capacity for the Children Present 1 i. Military (See Appendix) Present 1

- EXTENT OF AND OUTCOME OF CASES									
DESCRIPTION OF INJURY OR ILLNESS					LOST WORKDAY CASES				
Details of Injury or Illness and Period of Incapacity Body Affected Part(s) Involved Cause of Injury or Illness Description of Injury or Illness Treatment Received Date of Onset Date of Last Day of Incapacity Date of Return to Work Date of Last Day									

Department of Energy		Before Cuts		After Cuts	
1980-81 (Actuals and Estimates) - (in Lakhs of Rs.)		1980-81		1981-82	
10	544	544	544	544	544
11	544	544	544	544	544
12	544	544	544	544	544
13	544	544	544	544	544
14	544	544	544	544	544
15	544	544	544	544	544
16	544	544	544	544	544
17	544	544	544	544	544
18	544	544	544	544	544
19	544	544	544	544	544
20	544	544	544	544	544
21	544	544	544	544	544
22	544	544	544	544	544
23	544	544	544	544	544
24	544	544	544	544	544
25	544	544	544	544	544
26	544	544	544	544	544
27	544	544	544	544	544
28	544	544	544	544	544
29	544	544	544	544	544
30	544	544	544	544	544
31	544	544	544	544	544
32	544	544	544	544	544
33	544	544	544	544	544
34	544	544	544	544	544
35	544	544	544	544	544
36	544	544	544	544	544
37	544	544	544	544	544
38	544	544	544	544	544
39	544	544	544	544	544
40	544	544	544	544	544
41	544	544	544	544	544
42	544	544	544	544	544
43	544	544	544	544	544
44	544	544	544	544	544
45	544	544	544	544	544
46	544	544	544	544	544
47	544	544	544	544	544
48	544	544	544	544	544
49	544	544	544	544	544
50	544	544	544	544	544
51	544	544	544	544	544
52	544	544	544	544	544
53	544	544	544	544	544
54	544	544	544	544	544
55	544	544	544	544	544
56	544	544	544	544	544
57	544	544	544	544	544
58	544	544	544	544	544
59	544	544	544	544	544
60	544	544	544	544	544
61	544	544	544	544	544
62	544	544	544	544	544
63	544	544	544	544	544
64	544	544	544	544	544
65	544	544	544	544	544
66	544	544	544	544	544
67	544	544	544	544	544
68	544	544	544	544	544
69	544	544	544	544	544
70	544	544	544	544	544
71	544	544	544	544	544
72	544	544	544	544	544
73	544	544	544	544	544
74	544	544	544	544	544
75	544	544	544	544	544
76</					

SECRET

Figure 15

[illegible]

RECOVERABLE OCCUPATIONAL INJURIES AND ILL-
NESSES are any occupational injuries or illnesses which result

- 2) FATALITIES, regardless of the time between the injury and death, or the length of the illness, or
- 2) LOST WORKDAYS CASES, where those employers that result in lost workdays, or
- 2) HOSPITAL CASES WITHOUT LOST WORKDAYS.

which result in transfer to another job or termination of employment, or request medical treatment for the defined subject, or withdrawal of your resources for restriction of work or motion. This category also includes any diagnosed occupational disease which are reported to the Agency but are not classified as fatalities on this workday.

As a physician and by registered professional personnel under the teaching orders of a physician Medical Personnel does NOT hold: new treatment and treatment from some treatment and subsequent observation of many workers, etc. Some, patients, and so forth, who do not or deny require much of their care through a physician or registered professional personnel.

ESAMINISTAS: A degree physical education where degree is earned by either letter or informal equivalent are

If a witness desires separate interviews, an attempt should be made to obtain physical evidence from a contact conversation. Interviews should be made from the same place as the phone or a nearby place. Each interview shall be treated as a separate interview.

Agencies engaged in a broader look at operations, including the use of information technology, management systems, and risk, and the use of personnel, which may be globally deployed, may be assessed at a place to which employees report each day.

However, for personnel who do not generally report to such a "single relationship," such as traveling to home bases, engineers, etc., they are maintained at the home base when they are placed on the base from which personnel operate to carry out their

under

WORK ENVIRONMENT is comprised of the physical factors, i.e., noise, equipment, materials processed or used, and the kinds of operations performed by an employee in the performance of his or her job. Whether on or off the Agency's premises

should not include the day of injury or onset of illness in the days on which the employee would not have worked (e.g. through sick or vacation leave).

NOTE: For employees not having a regularly scheduled workday, certain work-related, construction-related, post-work activities may be necessary to protect the members of the general community of that locality. It will be based on the work-related nature of that activity and the employee's position, and on an informed employer determination that is an exception of the no required employer certification rule.

When 90-DAY WORKHOURS—DAYS OF RESTION FOR WORK ACTIVITIES

If the employer was assigned to another job on a temporary basis.

By the employee worked as a permanent job less than full time.

If the employee worked as a permanently assigned job but could not perform at duties directly connected with it. The number of lost workdays should not include the days of injury on rest of illness or any days on which the employee would not have worked even though able to work.

Column 16 - MONITORIAL CASES WITHOUT INFO DATE

Enter a check in Column 16 for all cases of occupational injury or illness, which did not involve fatalities or lost workdays but did result in:

- Transfer to another job or termination of employment or

- Kind of treatment, other than first aid, or
- Duration of a respiratory illness, or
- Level of contamination, or
- Restrictions of work or activities

Question 11 - TRANSFER TO ANOTHER JOB OR TERMINATION OF EMPLOYMENT WITHIN THE LOSS WEEK

DATE

Each hour entry regarding an exceptional injury or illness over number check in Column 15.

[illegible]

If there is a change in an experimental inquiry as shown (2-4) which affects either the (1) or (2) or (3) first order

[illegible]

An essay may be based on a story found in the scriptures. The following inquiry is offered:

should not include the day of injury as one of those to be paid, as when the employee would not have worked a day through able to work.

NOTE: For employees not having a regularly scheduled, i.e., certain fixed dates, commemorative events, per the employees, etc., it may be necessary to estimate the number of the employee's presence at the meetings that he held on any work day of the employee and days worked by employees, not otherwise reported, within the department and as a signature of the ill or injured employee.

ALLIANCE WITH
WILL NOT BE AVOID-
SITUATION NOT-
ON (page)

and the number of words per sentence is not as high as in the other two conditions. The number of words per sentence is not as high as in the other two conditions.

2) the employer would be a permanent job less than full time.

2) The employee worked at a permanently assigned job but could not perform at present activity level - not a The number of days on sick leave was 14 days. The employee was on sick leave for 14 days on any day on which the employee would not have worked even though he was not

**Column 16 - MONITORIAL (A-34) WITHOUT (NOT) WRITE-
DAYS**
Enter check in Column 16 for all cases of occupational injury or illness, which did not involve fatalities or lost workdays but did result in:

- Transfer to another job or termination of employment, or
- Death of trainee, either trainee first or,
- Termination of an operational school, or
- Loss of trainee, instructor, or
- Reversion of work to another

Volume II - TRANSFER TO ANOTHER JOB OR TERMINATION.

TOWN OF EMPLOYMENT WITHOUT LINE THREE DATES

If the birth in Column 10 represented a transfer to another job or termination of employment with no later workdays, enter number zero in Column 11.

Each law entry regarding an extrapolated injury or illness shall be recorded on the right hand margin by the person responsible for the accuracy of the entry. Changes to an entry also shall be indicated on the right hand margin.

SECRET
BY AUTHORITY OF THE COMPTROLLER GENERAL
OF THE UNITED STATES GOVERNMENT

If there is a change in an occupational injury or illness rate which affects either the C-numbers 9, 10 or 11, the first entry should be heard and such a new entry made for example of an injured employee as first required only made at 20 percent and later five weeks later, the first on C-number 10 should be heard and the number of first weeks entered at 20 percent.

In another example, if an employee with an unimpaired effort lost workdays, returned to work, and then died of the illness, the workdays entry in Column 1 should be based not on the date of death entered in Column 3.

Figure 15

Section V — Reactivity Data

Stability	Unstable	Conditions to Avoid
	Stable	

Incompatibility (Materials to Avoid)

Hazardous Decomposition or Byproducts

Hazardous Polymerization	May Occur	Conditions to Avoid
	Will Not Occur	

Section VI — Health Hazard Data

Routes of Entry: Ingestion? Skin? Ingestion?

Health Hazards (Acute and Chronic)

Carcinogenicity: NTP? IARC Monographs? OSHA Regulated?

Signs and Symptoms of Exposure

Medical Conditions
Generally Aggravated by Exposure

Emergency and First Aid Procedures

Section VII — Precautions for Safe Handling and Use

Steps to Be Taken in Case Material is Released or Spilled

Waste Disposal Method

Precautions to Be Taken in Handling and Storing

Other Precautions

Section VIII — Control Measures

Respiratory Protection (Specify Type)

Ventilation	Local Exhaust	Special
	Mechanical (General)	Other

Protective Gloves Eye Protection

Other Protective Clothing or Equipment

Work/Hygiene Practices

Page 2

Figure 15

Chart 1. Guide to recordability of cases under the Occupational Safety and Health Act

Chart 2. Guidelines for establishing work relationship

Recordkeeping Requirements
Figure 16

MATERIAL SAFETY DATA SHEET (M.S.D.S.)

(1). The chemical or common name of each included element and chemical compound which contributes to its hazardous nature. The name used must be the same as the name used on the label of the container in which the chemical is kept.

(2). The physical and chemical characteristics of the subject of the MSDS, such as vapor pressure and flash point.

(3). Its physical hazards such as its potential for fire, explosion and reactivity.

(4). Its health hazards, including signs and symptoms which exposure produces, and any medical conditions which are generally recognized to be aggravated by exposure to it.

(5). Its primary route of entry into a person's body such as breathing, ingestion or through the skin.

(6). Its OSHA permissible exposure limit (PEL) if there is one, its Threshold Limit Value (TLV), and any other exposure limit used or recommended by the preparer of the MSDS.

(7). Whether it is an actual or potential carcinogen.

(8). The generally applicable precautions for its safe handling and use, including appropriate hygiene practices, protective measures during repair and maintenance of contaminated equipment, and procedures for clean-up of spills and leaks.

(9). The generally applicable control measures such as appropriate engineering controls, work practices, or personal protective equipment.

(10). Emergency and first aid procedures.

(11). The calendar date on which the MSDS was prepared or updated.

(12). The name, address and telephone number of the manufacturer, importer or other party who prepared the MSDS. This has to be someone who can provide additional information and appropriate emergency procedures on the subject covered by the MSDS.

Information on MSDS

Figure 17

Hazardous Chemical or Material Identification Label.

Hazardous Chemical or Material Identification Label
Figure 18

INTRODUCTION TO SAFETY AND HEALTH

Prepared by

Frank Biele

1992

**Engineering Technology Division
Department of Nuclear Energy
Brookhaven National Laboratory**

INTRODUCTION

OCCUPATION SAFETY AND HEALTH ACT - 1970

MOOD OF COUNTRY

1970 - TOLL

- **14,000 deaths**
- **2,000,000 injuries**
- **390,000 diseases**
- **asbestos workers - 60% lung problems**

INTRODUCTION (Cont'd)

LEGISLATION CAN CAUSE A DIFFERENCE

MARITIME SAFETY 1958 - 1970

- Death rate dropped 53%
- Disabling injuries 41%

SINCE OSHA ENACTED 1970 - PRESENT

- Death rate dropped 50%
- Disabling injuries dropped 23%

INTRODUCTION (Cont'd)

OVERVIEW OF OSHA

CERTAIN APPLICATIONS

- Code of Federal Regulations
- DOE Orders (DOE 5483.1A)
- OSHA Manuals

Radiation and radiation hazards will not be discussed

WHAT IS SAFETY & HEALTH?

WEBSTER DEFINES:

- Safety - freedom from danger, injury or damage; security
- Health - physical and mental well being: freedom from disease, pain or defect; normality of physical and mental functions: soundness.

OCCUPATIONAL SAFETY AND HEALTH ACT (OSHA) DEFINES:

- To assure, as far as possible, every working man and woman in the Nation, safe and healthful working conditions and to preserve our human resources.

WHAT IS SAFETY AND HEALTH (Cont'd)

DEFINITION - HAZARD - SOURCE OF DANGER

RECOGNIZED IF:

- Common knowledge
- Detectable (senses)
- Wide general recognition in industry

REMARKS BY JAMES WATKINS, SECRETARY OF ENERGY, JUNE 27, 1989

DISAGREED WITH PHILOSOPHY OF DOE

- Compatible objectives
- Ten-point initiative
- Award fees - 51%
- Tiger Teams
- OSHA Compliance

A-1

3-1

OSHA STUDY - DECEMBER 1990

OSHA EVALUATED DOE FROM TWO PERSPECTIVES

- Ten-point Initiative and DOE Orders
- OSHA's Voluntary Protection Program

OSHA STUDY (Cont'd)

SUMMARY OF OSHA EVALUATION

- No GOCO's have excellent safety and health programs

DEFICIENCIES

- Lack of effective employee participation
- Ineffective hazard recognition
- Improper recording of injuries and illnesses
- Lack of effective employee complaint programs

OSHA STUDY (Cont'd)

OSHA RATES GOCOS AS "AVERAGE"

DOE operation office safety and health programs not consistent

- Incomplete inspections
- Lack of followup to ensure contractors correct hazards
- Failure to investigate
- Conflict between production and safety

OSHA STUDY (Cont'd)

FINDINGS AT GOCO FACILITIES

- Safety and Health not a priority for managers, supervisors, employees, and unions.
- Specific planning and budgeting not in effect.

SPECIFIC FINDINGS WERE:

- Lockout/tagout - incomplete or no written program
- Hazard communication training - video with no hazard specific training

OSHA STUDY (Cont'd)

- Confined space entry - written programs but problem implementing them
- Trenching - no soil analysis, location of underground utilities, proper sharing and identify a COMPETENT person

BLOOD-BORNE DISEASES (Hepatitis and AIDS)

- Personal protection
- Impermeable bags
- No written programs

OSHA STUDY (Cont'd)

WORK PLACE PROBLEMS

- Uncorrected hazards
- Recordkeeping (lost time)
- No job hazard analysis for routine operation
- Did not look for root cause in accidents
- Physical exams not scheduled as required
- Work restrictions used to minimize recordable injuries
- Personnel not trained in safety and health hazards of jobs

OSHA STUDY (Cont'd)

CONCLUSION

- LOW PRIORITY PLACED ON OCCUPATION
SAFETY AND HEALTH

TIGER TEAM ASSESSMENTS

GAO REVIEWS PANTEX 1989 - 1991

- 168 Violations - cause death or serious physical harm
- Required 66 SARS (1976)
- 32 SARS completed (1991)
- OSHA says PANTEX unaware how to comply with OSHA standards

TIGER TEAM ASSESSMENTS (Cont'd)

CONTRACTORS ASSESSMENT OF VIOLATIONS

- Lack of:
 - Familiarity with OSHA standard
 - Enforcement of OSHA regulations
 - Emphasis on OSHA regulation training

CONCLUSION

- Inadequate oversight similar problems found at other DOE facilities. See Appendix Figure 3, A-34

TRAINING RESPONSE TO OSHA's EVALUATION OF DOE's GOCO FACILITIES

DOE NEEDS MORE CLEARLY DEFINED OSH TRAINING PROGRAM

GOCO STAFF NEEDING OSH TRAINING

- ALL (VI A., 2.)

A-2

6-1

TRAINING RESPONSE (Cont'd)

DOE STAFF NEEDING OSH TRAINING

- **Management Officials with GOCO Oversight**
- **OSH Professional Personnel**
- **OSH Compliance Specialists**

TRAINING REQUIREMENTS FOR 10 CATEGORIES

(APPENDIX FIG. 2A-2)

TRAINING RESPONSE (Cont'd)

HIGH PRIORITY TRAINING NEEDS (immediate)

DOE AND GOCO MANAGEMENT OFFICIALS

- How to manage DOE and GOCO OSH programs

DOE AND GOCO OSH COMPLIANCE SPECIALISTS

- OSH Standards (29 CFR 1910-1926-1960)
- Inspection/audit/evaluation and compliance (construction and electrical)

TRAINING RESPONSE (Cont'd)

DOE AND COGO OSH PROFESSIONAL PERSONNEL

- OSH Standards (20 CFR 1910-1926-1960)

Hazardous communications, machine guarding,
lock and tag, bloodborne diseases, and
hearing conservation

TRAINING RESPONSE (Cont'd)

GOCO SUPERVISORS

- OSH orientation and standards (29 CFR 1910-1926-1960)
Accident assessment, hazard identification, evaluation
and reduction

TRAINING RESPONSE (Cont'd)

GOCO COLLATERAL DUTY OSH PERSONNEL AND COMMITTEE MEMBERS

- OSH Program and Standards (29 CFR 1910-1926-1960)

GOCO EMPLOYEES

- Hazardous communications, motor vehicle safety, electrical safety, lock and tag, construction safety, trenching and sharing, hazardous waste, noise control, hoisting and rigging and confined space.

TRAINING RESPONSE (Cont'd)

HIGH PRIORITY TRAINING NEEDS (additional)

DOE AND GOCO OSH COMPLIANCE SPECIALISTS

- OSHA compliance assessment and internal self-assessment training

DOE AND GOCO OSH PROFESSIONAL PERSONNEL

- Crossover and recent changes to standards (Lab Standard Carcinogen Program)

TRAINING RESPONSE (Cont'd)

GOCO SUPERVISORS

- DOE and GOCO procedures for reporting hazards and safety concerns

DOE AND GOCO EMPLOYEES

- Excavation safety, material handling, respiratory protection, first aid and CPR

TRAINING RESPONSE (Cont'd)

ADDITIONAL AREAS OF TRAINING (Strongly Recommended)

17 AREAS (VI A., 5.)

PERIODIC REFRESHER TRAINING (Recommended for OSHA)

17 ITEMS (VI A., 6.)

TRAINING RESPONSE (Cont'd)

PERIODIC REFRESHER TRAINING ITEMS (Recommended for DOE)

- Poster Briefing DOE 5483.1A, Chapt. 1
- Rights and Responsibilities, DOE 5483.1A, Chapt. 1

OSHA OVERVIEW

- **SUBJECTS REGULATED BY OSHA STANDARDS:**
 - Physical conditions of workplace
 - Machines
 - Equipment and materials

OSHA OVERVIEW (Cont'd)

- ESTIMATED 20,000 OSHA STANDARDS
 - Vary in interpretation from inspector to inspector, and judge to judge.
 - Many are common sense applications of long-standing and well-understood rules of safe work practices and procedures.
 - By following accepted safety practices individuals are complying with OSHA standards.

OSHA OVERVIEW (Cont'd)

- Most people observe all applicable laws and regulations.
- One cannot observe a requirement until one knows that it exists and knows what it requires.
- Noncompliance results from lack of information about OSHA standards.

OSHA OVERVIEW (Cont'd)

- Summary of Tiger Team Assessments indicate a lack of information exchange.
- "*Ignorance of the law is no excuse.*" - Application of that rule will not improve working conditions or reduce the incidence of employee injuries and illnesses.

A-34

7-4

OSHA OVERVIEW (Cont'd)

- MISLEADING INDEXING
 - Spray Booths 29 CFR s1910.107(b) cleaning - s1910.107(b)(9) OSHA says no - regulated under s1910.107(g)(2)

OSHA OVERVIEW (Cont'd)

EMPLOYEE TRAINING STANDARDS

- **EMPLOYER MUST PROVIDE TRAINING. EXAMPLES:**

- 29CFR s1190.178(1), states: "Only trained and authorized operators shall be permitted to operate a powered industrial truck."
- 29CFR s1926.20(b)(4), states: "The employer shall permit only those employees qualified by training and experience to operate equipment and machinery."

OSHA OVERVIEW (Cont'd)

- 29CFR s1910.134(b)(3) requires that an employee using a respirator "shall be instructed and trained in the proper use of respirators and their limitations."
- Inspectors have discovered accident or incidents are the result of employers failure to provide proper training.

CAUTION: Disgruntled employees sometimes advise they did not receive proper training. Some employers lessen this effect by obtaining signed acknowledgement of training.

OSHA OVERVIEW (Cont'd)

TRAINING PROVISION VAGUE AND INDEFINITE

- 29CFR1910.217(f)(2) -

"The employer shall train and instruct the operator in the safe method of work before starting work on any operation covered by this section. The employer shall ensure by adequate supervision that correct operating procedures are being followed."

OSHA OVERVIEW (Cont'd)

- Standard does not address:
 - Nature
 - Quality
 - Length, or
 - Measurement of effectiveness of training and instruction
 - Safe method of work
 - Adequate supervision
 - Correct operating procedures

OSHA OVERVIEW (Cont'd)

- STANDARD DOES NOT SATISFY CONSTITUTIONAL REQUIREMENTS TO:
 - Provide an employer fair warning of the conduct it prohibits or requires.
 - Provide a reasonably clear standard of capability to circumscribe the description of the entering authority and its agents.

OSHA OVERVIEW (Cont'd)

- **COURTS HOLD -**

No employer should be subject to sanctions for renderance to standards without "adequate notice in the regulations of the exact contours of his responsibility."

OSHA OVERVIEW (Cont'd)

- **LOCATING AND IDENTIFYING THE OSHA STANDARD THAT APPLIES TO A PARTICULAR BUSINESS OPERATION**

- **OSHA 2254 - "Training Requirements in OSHA Standards."**
- **OSHA advises that a draft came out in 1988 but it is presently out of print.**
- **Complete and accurate index needed.**

OSHA OVERVIEW (Cont'd)

- **STANDARDS FOR DIFFERENT INDUSTRIES**

Title 29 of Code of Federal Regulations originally three categories.

- **29 CFR Part 1926 Construction Standards**
- **29 CFR Part 1915 Maritime Standards**
- **29 CFR Part 1910 General Industry Standards**

OSHA OVERVIEW (Cont'd)

- **OSH ACT: 1970**
- **Three categories transformed into OSHA standards and additional "general industry" standards added to round out the act.**

OSHA OVERVIEW (Cont'd)

- Not in logical order.

There is a natural tendency for people engaged in the construction and maritime industries, for examples, to believe that they will find all applicable

OSHA standards by consulting the standards labeled by those headings.

Those who think along those lines are *mistaken*. The general industry

standards also apply to *both* of these industries.

OSHA OVERVIEW (Cont'd)

- **SIMILAR REQUIREMENTS FOR HEAD PROTECTION (wearing of hard hats) COVERED IN:**

- s1910.135, general industry
- s1926.100, construction
- s1917.93 and 1918.105, maritime

OSHA OVERVIEW (Cont'd)

- **HAZARD COMMUNICATION COVERED IN:**

- s1910.1200, general industry

- s1915.99, maritime

- s1917.28, maritime

- s1918.90, maritime

- s1926.59, construction

A-44

7-17

OSHA OVERVIEW (Cont'd)

- **STANDARDS INCORPORATED INTO OTHER STANDARDS BY REFERENCE**

Technique used to incorporate non-government, mostly, American National Standards Institute (ANSI), standards:

- 29 CFR s1926.302(e)(12) references ANSI A10.3-1970
Safety Requirements for Explosive-Activated
Fastening Tools

OSHA OVERVIEW (Cont'd)

- ANSI no longer has the document in print and it is not currently an ANSI standard. ANSI revised and superseded that standard in 1972. OSHA must be contacted to get a copy of that document
- Six other ANSI standards are referred to and they have been superseded and in turn reference other ANSI standards

Successfully contested in court however, most employees so cited, do not contest such matters.

OSHA OVERVIEW (Cont'd)

VARIANCES AND EXCEPTIONS

DOE AND GOCO ORGANIZATIONS SUBJECT TO DOE 5483.1A SHALL COMPLY WITH CFR's. RELEASES FROM THE STANDARDS ARE "VARIANCES AND EXCEPTIONS" AND FOUND IN DOE 5483.1A.

- Temporary variance granted by EH-32 if;
 - Unable to comply
 - Safeguarded employees against hazard
 - Program coming into compliance
 - Variance up to one year with one extension
 - Exit signs

OSHA OVERVIEW (Cont'd)

- **Permanent variance granted if;**
 - **Demonstrates conditions safe and healthful**
- **Exception after evaluation of request if;**
 - **Employees provided equal protection**
 - **Effective until issuance of variance or 180 days**

GENERAL DUTY CLAUSE

CONGRESSIONAL INTENT TO FILL GAPS IN SPECIFIC STANDARDS SECTION 5 PL91-596

- DOE does not reference Section 5 PL 91-506

OCCUPATIONAL SAFETY AND HEALTH (OSH) PROGRAM FOR
DOE CONTRACTOR EMPLOYEES AT GOVERNMENT-OWNED
CONTRACTOR - OPERATED (GOCO) FACILITIES

- **PURPOSE**

To establish requirements and procedures to assure that occupational safety and health standards prescribed pursuant to:

Atomic Energy Act - 1954 - as amended
Energy Reorganization Act - 1974
DOE Organization Act - 1977

to provide occupational safety and health protection for DOE contractor employees in GOCO facilities which is consistent with the protection afforded private industry employees under OSHA Public Law 91-596.

DOE PRESCRIBED OSHA STANDARDS

As applicable to their work in GOCO facilities, contractors shall comply with the following DOE prescribed OSHA standards:

- "Occupational Safety and Health Standards," Title 29 CFR Part 1910
- "Safety and Health Regulations for Construction," Title 29 CFR Part 1926
- "Occupational Safety and Health Standards for Shipyard Employees," Title 29 CFR Part 1915
- "Safety and Health Regulation for Longshoring," Title CFR Part 1918
- "Occupational Safety and Health Standards for Agriculture," Title 29 CFR Part 1928

A-46

8-2

DOE ORDERS FOR SAFETY AND HEALTH

- DOE 1324.2, RECORDS DISPOSITION 5-28-80
- DOE 5480.1A. 8-13-81. INCORPORATED IN DOE 5480.1B 9-23-86
ATTACHMENT 1. ENVIRONMENTAL PROTECTION, SAFETY AND HEALTH
PROTECTION PROGRAM FOR DOE OPERATIONS
- DOE 5484.1 ENVIRONMENTAL PROTECTION, SAFETY, AND HEALTH
PROTECTION INFORMATION REPORTING REQUIREMENTS 2-24-81

A-51

8-3

DOE ORDERS FOR SAFETY AND HEALTH (Cont'd)

- **DOE 5483.1A OCCUPATIONAL SAFETY AND HEALTH PROGRAM FOR DOE CONTRACTOR EMPLOYEES AT GOVERNMENT AND CONTRACTOR OPERATED FACILITIES**
- **DOE F5480.2 OCCUPATIONAL SAFETY AND HEALTH PROTECTION**
- **DOE F5480.4 ENVIRONMENTAL PROTECTION, SAFETY AND HEALTH PROTECTION STANDARDS**

DEPARTMENT OF ENERGY ACQUISITION REGULATIONS (DEARs)

- DOE PR 9-50-704-2(a) now DEAR 952.223-71 specifies standard clause in contracts where DOE elects to enforce occupational safety and health requirements.
- DOE PR 9-50-704-2(b) now DEAR 970.5204-2 specifies standard clause used in contracts where DOE elects to enforce radiation protection and nuclear criticality safety requirements.

A-52
A-53

8-5

COMPLIANCE INSPECTIONS

UNANNOUNCED - OCCUPATIONAL SAFETY AND HEALTH

PROFESSIONAL'S OF FIELD ORGANIZATIONS

- Priority basis
- Safety and health hazards involved

ONCE A YEAR - REPRESENTATIVE

- Large and small buildings
- Variety of operations

COMPLIANCE INSPECTIONS (Cont'd)

CONTRACTOR NOT NOTIFIED IN ADVANCE

EXCEPT FOR:

- *Consultation programs*
- *Self-assessment*
- *Allegation of imminent danger -*

notify contractor and or remove employees

COMPLIANCE INSPECTIONS (Cont'd)

PRE-INSPECTION CHECKLIST

- (VIII A., 4.)

DOE INSPECTION PROCEDURE

- (VIII A., 5)

A-54
A-55

9-3

COMPLIANCE INSPECTIONS (Cont'd)

VIOLATION

Notice with abatement dates transmitted from CO

- 30 days

Contractor shall notify CO no longer than

- 30 days

Copies of notice of violation posted in area of violation

- 5 working days or until violation is corrected
whichever is longer

COMPLIANCE INSPECTIONS (Cont'd)

Contractor employees or representatives may file if time unreasonable

- 15 days for field organization response

REFERRALS

If not satisfied;

- Appeal to Director of Operational Safety (EH-32)
- EH-32 will provide field office with course of action
and response to employee or representative within 30 days

COMPLIANCE INSPECTIONS (Cont'd)

NONCOMPLIANCE

Contractor unable to correct violation due to funding or other DOE imposed restrictions

- Provide CO with full details and alternate plan to provide S&H protection
- CO or CO representative consults with S&H director
- CO or CO representative advises contractor on course of action
- Contractor advises employees on course of action

COMPLIANCE INSPECTIONS (Cont'd)

SERIOUS VIOLATION

Two elements of proof (in addition to noncompliance)

- Substantial probability that employee death or serious physical harm could result - "*Significant Risk or Harm*".
- Employee knew of presence or could have known with exercise of reasonable diligence - Proof of "*employer knowledge*".

RECORDKEEPING AND IMMINENT DANGERS

REASON FOR RECORDKEEPING

- Records of injuries and illnesses
- OSHA rules

A-61
A-62

10-1

REASON FOR RECORDKEEPING (Cont'd)

Log and Summary of "Recordable Occupational Injuries and Illnesses"

- 29CFR 1904 implementing regulation
- Reference book - Recordkeeping Guidelines for Guidelines for Occupational Injuries and Illnesses - OSHA
- OSHA No's 200, 101 and 200s
- Workers Comp. CA1 and 2 instead of Form 5484.3 for Federal Employees

RECORDKEEPING AND IMMINENT DANGERS (Ccnt'd)

RECORDKEEPING REQUIREMENTS

Five step analysis for recordability:

- Death
- Illness
- Injury
- Chart 1

Did case occur in work environment?

- Chart 2

Record on OSHA Form No. 200

A-71

10-3

RECORDKEEPING AND IMMINENT DANGERS (Cont'd)

MEDICAL TREATMENT/FIRST AID

One time visits to medical facility or subsequent visits requiring observation - no medical treatment - not recordable

Subsequent visits for further treatment - medical treatment
- recordable

RECORDKEEPING AND IMMINENT DANGERS (Cont'd)

RECORDKEEPING COMPLIANCE

- Reluctance to report on OSHA 200 for fear of increase in rates
- Over report for fear of not reporting enough

RECORDKEEPING AND IMMINENT DANGERS (Cont'd)

RECORDKEEPING FORM STORAGE

OSHA forms 200 and 101 kept:

- Fixed location - at site
- Non-fixed location - at site where paid or Personnel records stored

RECORDKEEPING AND IMMINENT DANGERS (Cont'd)

RECORDS RETENTION

- OSHA 200 and 101 - 5 years

ACCESS TO RECORDS

- Records access rule 1910.20

Employee exposure to "toxic substance and harmful physical agents".

- Obligation to provide Form No. 200 logs and summaries as well as Form 101 to designated government officials.

- Disclosure of Employee Medical records

RECORDKEEPING AND IMMINENT DANGERS (Cont'd)

U.S. VS. WESTINGHOUSE

- No absolute right to privacy - outweighed by compelling public interest
- 29 CFR 1960 - Recordkeeping for Federal Safety & Health
 - Executive Order 12196
 - Identifies unsafe and unhealthful working conditions
 - Forms
 - Reporting of serious accidents
 - Location of records and reports
 - Access to records

RECORDKEEPING AND IMMINENT DANGERS (Cont'd)

IMMINENT DANGERS

DEFINITION - HAZARD CAUSING DEATH OR PHYSICAL HARM

- If discovered or alleged - immediate and effective remedial action necessary
 - remove employees
 - eliminate danger
- DOE VS OSHA
- Follow up inspection ASAP

RECORDKEEPING AND IMMINENT DANGERS (Cont'd)

MEASURING AND MONITORING

- EMPLOYEE EXPOSURE LIMITS
- AVERAGES
- HOW ARE RESULTS OBTAINED (flawed or accurate?)
 - Sampling method
 - Employees
 - Place
 - Manner
 - Time
 - Monitoring and inspection equipment

DISCLOSING INFORMATION

TRADE SECRETS

Giving information to another company in effort to enable compliance may cause disclosure.

Chemicals that are trade secrets may be withheld from safety data sheet provided

- Information withheld can be supported.
- Information on MSDS – is disclosed.
- Master safety data sheet shows chemical identity withheld is trade secret.
- If medical emergency exists importer or employer shall immediately disclose.

DISCLOSING INFORMATION (Cont'd)

Non-Emergency Shall Disclose to

- **(XI A,2.f.)**

Written request must detail how information handled and confidentiality maintained.

EMPLOYER WRITTEN COMPLIANCE PROGRAM

A NUMBER OF OSHA STANDARDS REQUIRE EMPLOYERS TO ADOPT WRITTEN

PROCEDURES

HAZARD COMMUNICATIONS

• LIST – LABELS – MSDS – Employee Information and Training

EMPLOYERS WRITTEN COMPLIANCE PROGRAM (Cont'd)

OSHA HEARING CONSERVATION – NO WRITTEN PROGRAM

Noise Monitoring

- Only above 85 dB.

FACTORS SUGGESTING HIGH LEVEL NOISE

- Complaints
- Employees losing hearing
- Conversation difficult
- Workplace noise measurements

EMPLOYERS WRITTEN COMPLIANCE PROGRAM (Cont'd)

**EMPLOYER SHALL PROVIDE, UPON REQUEST ALL MATERIAL FOR TRAINING AND
EDUCATION PROGRAMMING**

RESPIRATORY PROTECTION PROGRAM

- (XII A., 5)

EMPLOYERS WRITTEN COMPLIANCE PROGRAM (Cont'd)

AIRBORNE CONTAMINANTS REGULATED BY OSHA IN AMOUNTS AT OR ABOVE

PERMISSIBLE LEVEL

- Written procedure for use of respirators in dangerous atmospheres – normal or emergency
- Personnel familiar with procedures and available respirators
- Qualified individual shall specify correct respirator.

EMPLOYEE COMPLAINTS

COMPLAINANT

Believe unsafe/unhealthful condition still exist after being addressed

- **Submit complaints to DOE field organization S&H Manager or the CO or the CO representative.**
- **Remain anonymous**
- **DOE shall not divulge identity to contractor personnel or any other person not essential to investigation.**

EMPLOYEES COMPLAINTS (Cont'd)

INSPECTIONS

COMPLAINT FROM EMPLOYEE OR AUTHORIZED REPRESENTATIVE

- Confer with either party and conduct joint investigation

COMPLAINT TO FIELD ORGANIZATION

- Reviewed and if necessary DOE inspection made as immediately as possible and within 15 days.
- Follow up inspection as appropriate.

EMPLOYEES COMPLAINTS (Cont'd)

IMMINENT DANGER

IF CONTRACTOR, SUPERVISOR, OR DESIGNATED OFFICIAL IS MADE AWARE OF

IMMINENT DANGER

- Determined to be valid.

CONTRACTOR SHALL

- Immediate and effective action – remove employees – eliminate danger.
- Conduct inspection as soon as possible to ensure actions preclude recurrence.

EMPLOYEES COMPLAINTS (Cont'd)

Employee or authorized representative may visit or call DOE field organization level.

- **Request immediate elimination and inspection of alleged imminent danger situation.**

DOE SHALL:

- **Ascertain immediate if basis for complaint. If valid:**
- **Immediate and effective action – remove employees – eliminate the danger by conducting DOE inspection or contacting contractor immediately.**

EMPLOYEES COMPLAINTS (Cont'd)

RESPONSE TO COMPLAINTS

CONTRACTOR SHALL INFORM EACH COMPLAINANT OF ACTIONS TO ADDRESS S&H

CONCERNS

COMPLAINTS FILED WITH DOE

- Written response within 15 days
- Results sent to complainants home – inspection or reason why not done.

EMPLOYEES COMPLAINTS (Cont'd)

CONTRACTOR EMPLOYEES OR REPRESENTATIVES NOT SATISFIED WITH FIELD

ORGANIZATIONS RESPONSE

- Submit request to Director of Operational Safety (EH-32) – original complaint – response.
- EH-32 – investigation – 30 day response – actions taken or planned.

HAZARD COMMUNICATION STANDARD (HCS)

INCLUDED IN ALL FIVE DOE – PRESCRIBED OSHA STANDARDS

PURPOSE

- Alert workers to potentially dangerous substances
- Proper means and methods to protect against

HCS AND SOME STATE RIGHT-TO-KNOW

- Same in purpose
- Different recordkeeping, education, and training.

HAZARD COMMUNICATION STANDARD (HCS) (Cont'd)

EMPLOYERS

- Don't know or believe it covers hazardous chemical only.

HAZARDOUS CHEMICALS INCLUDE HOUSEHOLD DETERGENTS

CHEMICAL MANUFACTURER

- Definition – (XIV A., C)

HAZARD COMMUNICATION STANDARD (HCS) (Cont'd)

ANY EMPLOYER USING HAZARDOUS CHEMICALS – OBLIGATED TO OBSERVE

OSHA HCS

STANDARD REQUIRES

- Chemical manufacturers and importers assess hazards and furnish detailed information to customers.
- Employees provide that information to employees by HAZCOM program, labels on containers, MSDS, and access to written records.

HAZARD COMMUNICATION STANDARD (HCS) (Cont'd)

EMPLOYERS FREQUENTLY UNAWARE OF HAZARDOUS MATERIALS IN PLANT

- Doctors need information to effectively treat exposure to chemical substance
- Surrounding communities need information for Public Health and Fire Departments.

HAZARD COMMUNICATION STANDARD (HCS) (Cont'd)

THE FOUR PROVISIONS OF HCS

- Preparation, distribution and use of Material Safety Data Sheet
- Education and training of employees
- Container Labels
- Written HAZCOM program

HAZARD COMMUNICATION STANDARD (HCS) (Cont'd)

MATERIAL SAFETY DATA SHEET (MSDS)

TECHNICAL BULLETIN CONTAINING

- Composition-chemical and physical characteristics
- Health and Safety Hazards
- Precautions for safe handling and use.

HAZARD COMMUNICATION STANDARD (HCS) (Cont'd)

MSDS – CENTERPIECE OF HAZCOM STANDARD

- LABELS
- TRAINING

CREATING MSDS

- Responsibility of chemical manufacturer, importer or distributor
- Must be prepared or obtained for every product containing hazardous chemicals.

EXCEPTION

- Hazardous Waste
- Tobacco products
- Wood products and "articles"

HAZARD COMMUNICATION STANDARD (HCS) (Cont'd)

ARTICLES

- **Manufactured items will not release or result in exposure to hazardous chemical under normal conditions. – TOOLS – NUTS – BOLTS.**
- **Clothing not an articles.**

HAZARD COMMUNICATION STANDARD (HCS) (Cont'd)

HAZARD DETERMINATION

MANUFACTURER DISTRIBUTOR OR IMPORTER MUST EVALUATE CHEMICALS – ARE THEY HAZARDOUS

MSDS – INFORMATION

- English – 12 categories
- No Blanks
- MSDS provided at time of initial shipment – mailed in advance – transmitted electronically.

A-72

A-69 A-70

HAZARD COMMUNICATION STANDARD (HCS) (Cont'd)

COPIES OF MSDS

- Readily accessible to employees during work shift
- Retained by employer
- MSDS format – operating procedures – work instructor or employees handbook.

HAZARD COMMUNICATION STANDARD (HCS) (Cont'd)

USER MUST HAVE MSDS

- Employers need to know what hazardous chemicals are on premises and what is brought on each day
- Open purchase – point – solvents – MSDS mandatory.
- Areas with chemicals without MSDS – cafeteria, first-aid kit – cleaning stations.

INFORMATION AND TRAINING REQUIREMENTS

EMPLOYER TRAINING – MSDS AND CONTAINER LABELS

FOUR MINIMUMS FOR WHICH TRAINING GIVEN.

- Detect presence or release of hazardous chemical monitoring devices, odor, visual appearance
- Employee protection – clothing
- Physical and health hazards
- Explanation of container labels – MSDS – how to use hazard information

HAZARD COMMUNICATION STANDARD (HCS) (Cont'd)

EMPLOYEES FURNISHED WITH INFORMATION ABOUT WORK AREA

- Location and availability of written hazard communication programs.
- Four minimal OSHA training requirements.

HAZARD COMMUNICATION STANDARD (HCS) (Cont'd)

LABELING

Three items on label

- Identity
- Appropriate hazard warning
- Name and address of manufacturer, importer, or other responsible party.

LABELING

LABEL CONTENTS

- Serve immediate warning and reminder of more detailed information on MSDS

COURT ATTITUDE

- "Chemical dangerous in any concentration, under any circumstances is hazardous under all circumstances, Manufacturers duty – based on worst case scenario".

HAZARD COMMUNICATION STANDARD (HCS) (Cont'd)

EXCEPTIONS

- Piping
- Portable containers
- Containers in laboratory

Four Exclusions Not Subject to OSHA

- Pesticides – EPA
- Food, flavors, coloring, fragrances – Food and Drug Admin.
- Beer, ale, wine – Alcohol, Tobacco and Firearms
- Consumer products – Consumer Product Safety Commission.

EMPLOYER MUST HAVE

- Emergency Response Plan
- Clean-up

WRITTEN HAZARD COMMUNICATION PROGRAM

- List of hazardous chemicals cross referenced to MSDS.
- Method used to inform employees of non-routine tasks and protective measures.
- Outside contractors advised of hazardous chemicals they might be exposed to and appropriate protective measures.

PROCESS SAFETY MANAGEMENT OF HIGHLY HAZARDOUS CHEMICALS

- 29 CFR 1910.119

END

**DATE
FILMED**

8 / 31 / 92