Using Alternative and Augmentative Communication (AAC) to Improve the Daily Lives of Children with Autism

Kelsey Rodriguez^{1*}

Abstract

Children with autism often have difficulties expressing themselves in verbal communication. However, methods of communication for those with autism spectrum disorder can be supplemented using alternative and augmentative devices (AAC). While there is a variety of alternative and augmentative devices to choose from, there are benefits and drawbacks inherent to each technology. However, finding the best communication solution is important to the quality of outcome for AAC users. In order to institute these solutions, there must be an analysis of the users, their environments and the alternative and augmentative devices that are most commonly used. In this paper, I look at the different types of AAC devices and briefly describe some of the benefits and limitations of each kind.

Keywords

Augmentative and Alternative Communication — AAC — Autism Spectrum Disorder

¹Department of Audiology and Speech Language Pathology, University of North Texas
*Faculty Mentor: Dr. Tom Miles

Contents

Introduction	1
1 How AAC Works	1
2 The Need for Assessment and Support	1
2.1 Analysis of Barriers to AAC Use	2
2.2 Symbol-Based Devices	2
2.3 Problems with the Devices	3
3 Recommendations	3
4 Conclusion	3
Author Biography	4
References	4

Introduction

With the diagnosis of autism spectrum disorder (ASD) comes a plethora of complications. Communication difficulties are perhaps the most prevalent among these challenges. The DSM-5 lists communication deficits as one of two trademarks of ASD. For many with ASD, the processes of gaining verbal communication abilities can be frustrating and extremely difficult. For people who fall on the autism spectrum, communication is a major struggle that can last a lifetime, and sometimes means never gaining speech abilities. However, there have been many devices, apps, and picture based communication systems that have been developed to help with this struggle. These alternative and augmentative communication (AAC) devices can be used to facilitate speech, and in some

cases, be a transition to verbal communication. AAC devices have been used to help individuals with similar disorders, such as ALS.[1] Ideally, AAC would perfectly and completely ease the strain that comes from the communication disorder, but realistically AAC devices are not without imperfection.

1. How AAC Works

AAC use begins with the basis of symbol combinations. These combinations can include letters, words, pictures, or a combination of pictures with words. The goal is for the person to become familiar with the symbols, and to show them that these symbols have certain meanings. When the user understands the meanings of the symbols and how to use them, they can begin requesting for items, learning curriculum and having conversations.[2, 3, 4] Learning to use the device will likely involve using the least-to-most prompting method. This system of prompting is often used when teaching those who have ASD It requires first using the least, and most natural, amount of prompting towards the AAC user to get a response using the AAC device. Then, prompting with more support and less naturalness as needed.

2. The Need for Assessment and Support

For children, success in reaching targets in coordination with the use of AAC has shown to be successful.[5] The amount of cuing and or prompting needed to reach communication goals tends to decrease. This has been shown for children with varying levels of communication abilities.[6] Overall, this can

lead to increases in proper expressive language skills.[7]

Teaching children to use AAC devices is an extremely important aspect to consider. This has a huge part in determining the success of the user's experience with the device. In Mechlins study, the AAC device was used to order food at a restaurant. The utilization of this device was shown to increase independent ability to order. Although the time to adjust may vary, the results ultimately came to the same conclusion. The AAC improved the ability of the students to order independently in a community-based environment. Initially, this is done with much dependency on the caregiver or teacher. With the least-to-most prompting method, children are weaned of the dependency of their caretaker and increase independent communication. In addition, as the user learns to use their device, much prompting will likely be needed. Often, even when the user becomes proficient they will need prompting in scenarios they have not learned to react properly to. Though percentage errors are low, dependency is not completely eliminated. Teaching and using AAC with children in general has many common components. Perhaps the most prominent is the need to consider the individual child's capabilities when deciding goals. This is especially important for children with ASD since they have ranging and differing communication capabilities and difficulties. Another component involved with AAC use with children with ASD is the need for scaffolding. When learning to use AAC, scaffolding can be used in addition to least-to-most prompting. Lastly, early intervention is key in teaching proficiency with any AAC device. The earlier the intervention, the better the outcome. Practices like these help children with ASD to be successful in learning to use their AAC devices effectively.[8]

When using an AAC device, factors that influence how well a child will do with the device must be considered. One major factor is the opinion of the family. If the family's opinion is not fully understood or received, they are less likely to use the device at home, defeating the whole purpose. Family can also give the best idea of what kind of vocabulary the child will be around and what areas need the most improvement. Finally, parents set the goals for independence which will be reached by using the device.[9] When the family is invested and on board with the device, then a child is more likely to use the device and be successful.

Another major factor impacting the success of AAC use is peer familiarity. Children spend a large portion of their time around school peers, thus their classmates' perceptions of AAC use often defines what kind of communication the child will have in school with his/her peer groups. It can also influence whether the child will want to continue improving on the device or not. It is shown that gender and peer familiarity with AAC majorly impacts communication. Meaning, if the child is female and surrounded by peers that are familiarized with AAC, then that child will be more likely to be more proficient on the device. In addition, it has been shown that communication amongst AAC users and non-AAC users improves communication for the AAC user, while improving

attitudes of peers towards AAC.[10]

Over the years, AAC devices techniques expanded from sign language to a wide array of devices. AAC's purpose is to enhance the individual's communication abilities. As a result, there are many things to consider when choosing a device. First is the intended length and extent of use of AAC, for which there are varying results. Depending on the user, AAC use can range from long-term or short term while transitioning to verbal communication, or it can be used as a permanent means of communication. In addition, there are two broad categories of AAC type. These categories are aided and unaided. Aided AAC refers to an external tool being used, and unaided refers to no external tool being used. When using aided AAC, low-tech (nonelectronic) or high-tech (electronic) tools can be used. Examples of unaided AAC would be sign language, facial expressions, or simple vocalizations, while aided AAC includes writing, pictures, or speech generating devices.[11]

2.1 Analysis of Barriers to AAC Use

Although there are a variety of AAC devices to choose from, there are some barriers that can limit the function of the devices. These limitations begin with the setting of instruction in using the device. While it is necessary to have an experimental setting to test the validity and reliability of AAC devices or to instruct, this results in a very regulated experience involving the user and the device.[12] Even in teaching scenarios in schools, the settings tend to be more regulated and not generalized. This can lead to difficulty when using the device in real life situations, such as at the stores and restaurants, or even with peers. Another limitation that arises from the controlled settings is the inauthentic language style that results. In addition, the caregiver's knowledge of the device and how to use it can greatly affect how well the user utilizes the device. If the caregiver's skills are not adequate then the user is likely to have inadequate skills.[13] With AAC that has voice output, the voice that is used often does not accurately represent the user. A female child might be reluctant to use a device that sounds like a grown male.

2.2 Symbol-Based Devices

Symbol based devices make up a majority of AAC devices. Putting pictures together to communicate enhances and increases communication functions, such as requesting and engaging with peers. Such is the case with the Thiemann-Borquez study using the Picture Exchange Communication system (PECS) where having peer conversations improved, as well as requesting.[14]

One of the most common choices of symbol-based AAC is iPad applications. These symbol-based applications are easy to install, they are common in many homes, there is ease of access, and the convenient portability. These features make iPad AAC a very common choice. This is shown with a popular iPad application: Proloquo2go. This symbol-based AAC iPad application includes many categories such as feelings,

Figure 1. Picture Exchange Communication System (PECS)

objects, and directions. It possible to add even more words. However, this popular AAC device can be problematic.

Figure 2. Proloquo Symbol-Based App

Children with ASD often have stereotypy that is difficult to control. This often occurs as repeated flapping or tapping hand movements. Since proloquo2go is iPad based, this can lead to many errors in pressing the intended symbol. Learning to navigate the app can be a problem as well. Symbols can be in multiple places. They can be in the original category, the recently used, or the popular categories. The symbols in these categories can alternate with use. Though this is meant as a convenience, this can cause confusion and disruption to the user's learning. The amount of words available can be excessive and be tedious to scroll through to find the needed word. Some categories such as WH words (when, how, who etc.) are concepts that are difficult for ASD children to grasp and tend to be unused and confusing.[15] For those who cannot read and go off picture symbols alone, one symbol replies are common rather than functional correct sentence structure.

2.3 Problems with the Devices

Many individuals have difficulties using questions and prepositions. Some of the observed problems and/or complications frequently encountered are listed below.

- **Learning to navigate:** words can be found in different places in the app—such as the recently used or frequently used section as well as in a permanent spot—and understanding category concepts (food versus drinks, feelings vs activities). Find a desired word can be difficult.
- **Excessive words:** most words are not utilized by the user and only clutter and are unnecessary and confusing; it takes a while to find word actually needed.
- **Scrolling:** hassle to find category and word, takes a while and can cause user to become frustrated and give up.
- **Stereotypy:** motor difficulties make scrolling more difficult, stereotypy is repetitive movements with hands and is very common among autistic persons.

All of this together can be overwhelming and requires a combination of assessment and evaluation of the AAC user to find the best device or technique to facilitate ease of communication. Therapists must also support the user throughout the experience depending on the length and usage of the AAC technique.

3. Recommendations

In order to have the best outcome with AAC use, the caregivers must setup the user for success, starting with deciding what AAC device is best for the child. When considering AAC devices it is important that the caregivers consider the child's abilities and cognitive functioning, as well as physical attributes like stereotypy. In regards to the teaching setting, more generalization is needed. A controlled setting is practical initially, but to increase functionality naturalistic settings are needed. This includes incorporating conversation-based intervention with peers and caregivers, which improves natural and proper sentence structure. An emphasis on peer interactions and improved language skill overall overcome typecasts about AAC users. Devices with voice output can be improved by synthesizing a voice that more accurately reflects the user's own voice. This can help the user feel more comfortable using the device and increase quality of communication. Lastly, caregivers must have training in using the device as well and have support available when issues do arise in order to help the users become proficient.

4. Conclusion

After reviewing various AAC devices and taking into account the user's potential needs, it can be understood that the impact of AAC is potentially great. AAC devices can make all the difference for someone who is unable to communicate their

wants and needs. However, while these devices are a great help there are still some issues to be addressed. These issues can be solved by analyzing individual need to choose the most fitting form of AAC, parental/caregiver involvement, and thorough AAC usage training. The latter of which is something that extends over time and requires much involvement. Lastly, the makers of AAC devices must consider the needs of those with ASD. Regardless of the imperfections of these devices, they are very much needed and appreciated. Doing all this can ease the difficulty in learning to use an AAC device to communicate needs and wants, while increasing independence.

Author Biography

Kelsey Rodriguez is currently a senior at the University of North Texas. She is studying speech-pathology with an emphasis in child development. In spring 2016 she presented an analysis of alternative and augmentative communication in daily life. She is interested in autism research and treatment, as well as autism advocacy. She currently works with children with autism spectrum disorder.

References

- [1] Alisa Brownlee and Merisa Palovcak. The role of augmentative communication devices in the medical management of als. *NeuroRehabilitation*, 22(6):445–450, 2007.
- [2] Anna C Schmidt-Naylor, Kathryn J Saunders, and Nancy C Brady. Developing the alphabetic principle to aid text-based augmentative and alternative communication use by adults with low speech intelligibility and intellectual disabilities. *American Journal of Speech-Language Pathology*, 26(2):397–412, 2017.
- [3] Gloria Soto and Michael T Clarke. Effects of a conversation-based intervention on the linguistic skills of children with motor speech disorders who use augmentative and alternative communication. *Journal of Speech, Language, and Hearing Research*, 60(7):1980–1998, 2017.
- [4] Cathy Binger, Jennifer Kent-Walsh, Marika King, Eliza Webb, and Eljia Buenviaje. Early sentence productions of 5-year-old children who use augmentative and alternative communication. *Communication Disorders Quarterly*, 38(3):131–142, 2017.
- [5] Erinn H Finke, Jennifer M Davis, Morgan Benedict, Lauren Goga, Jennifer Kelly, Lauren Palumbo, Tanika Peart, and Samantha Waters. Effects of a least-to-most prompting procedure on multisymbol message production in children with autism spectrum disorder who use augmentative and alternative communication. *American journal of speech-language pathology*, 26(1):81–98, 2017.
- [6] Cathy Binger, Jennifer Kent-Walsh, and Marika King. Dynamic assessment for 3-and 4-year-old children who use augmentative and alternative communication: Evaluating expressive syntax. *Journal of Speech, Language, and Hearing Research*, pages 1–13, 2017.
- [7] Shelley K Lund, Wendy Quach, Kristy Weissling, Miechelle McKelvey, and Aimee Dietz. Assessment with children who need augmentative and alternative communication (aac): Clinical decisions of aac specialists. *Language, speech, and hearing services in schools*, 48(1):56–68, 2017.
- [8] Linda C Mechling and Beth Cronin. Computer-based video instruction to teach the use of augmentative and alternative communication devices for ordering at fast-food restaurants. *The Journal of Special Education*, 39(4):234–245, 2006.
- [9] Rita L Bailey, Howard P Parette, Julia B Stoner, Maureen E Angell, and Kathleen Carroll. Family members' perceptions of augmentative and alternative communication device use. *Language, Speech, and Hearing Services in Schools*, 37(1):50–60, 2006.
- [10] Ann R Beck, James R Thompson, Kullaya Kosuwan, and Jessica M Prochnow. The development and utilization of a scale to measure adolescents' attitudes toward peers who use augmentative and alternative communication (aac) devices. *Journal of Speech, Language, and Hearing Research*, 53(3):572–587, 2010.
- [11] ASHA. Augmentative and alternative communication: Key issues. http://www.asha.org/PRPSpecificTopic.aspx?folderid=8589942773ion=Key_Issues. Accessed: 2017-10-3.
- [12] Susan Baxter, Pam Enderby, Philippa Evans, and Simon Judge. Barriers and facilitators to the use of high-technology augmentative and alternative communication devices: a systematic review and qualitative synthesis. *International Journal of Language & Communication Disorders*, 47(2):115–129, 2012.
- [13] Gloria Soto, Betty Yu, and Solana Henneberry. Supporting the development of narrative skills of an eight-year old child who uses an augmentative and alternative communication device. *Child Language Teaching and Therapy*, 23(1):27–45, 2007.
- [14] Kathy Thiemann-Bourque, Nancy Brady, Sara McGuff, Keenan Stump, and Amy Naylor. Picture exchange communication system and pals: A peer-mediated augmentative and alternative communication intervention for minimally verbal preschoolers with autism. *Journal of Speech, Language, and Hearing Research*, 59(5):1133–1145, 2016.
- [15] Tracy A Shepherd and Stacy McDougall. Communication access in the library for individuals who use augmentative and alternative communication. *Augmentative and Alternative Communication*, 24(4):313–322, 2008.