

- A01 -
 MAINE AERIAL SURVEY EDMUNDSTON QUADRANGLE, CARSON GEOSCIENCE INC., 1980

LINE NO. 10

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
47313	0	0	1	0	Unknon	47.4394	69.2544	26.8	714.4	493	56920.	484	0.3	0.0	3.1	0.1	0.1	0.1	24	2.8
47314	0	0	1	0	Unknon	47.4394	69.2539	26.8	714.7	484	56922.	496	0.5	-0.8	5.4	0.1	0.1	0.1	23	2.7
47315	0	0	1	0	Unknon	47.4394	69.2533	26.8	715.0	472	56924.	553	0.7	0.1	1.7	0.1	0.1	2.4	21	2.6
47316	0	0	1	0	Unknon	47.4395	69.2528	26.9	715.3	451	56926.	600	0.8	-0.7	4.1	0.1	0.1	5.8	30	2.2
47317	0	0	1	0	Unknon	47.4395	69.2523	26.9	715.5	443	56929.	616	0.6	0.6	3.4	0.1	0.1	5.6	29	2.2
47318	0	0	1	0	Unknon	47.4395	69.2518	26.9	715.6	429	56934.	684	0.9	0.8	2.9	0.1	0.1	3.4	23	2.2
47319	0	0	1	0	Unknon	47.4395	69.2513	26.9	715.7	422	56937.	674	0.8	0.8	2.4	0.1	0.1	3.4	20	2.2
47320	0	0	1	0	Unknon	47.4395	69.2508	26.9	715.8	423	56938.	718	0.6	0.8	3.7	0.1	0.1	7.1	23	2.2
47321	0	0	1	0	Unknon	47.4395	69.2503	27.0	715.9	425	56937.	780	1.1	0.2	2.5	0.1	0.1	2.3	28	2.2
47322	0	0	1	0	Unknon	47.4395	69.2497	27.0	715.9	433	56937.	880	1.2	0.2	6.5	0.1	0.1	5.7	28	2.2
47323	0	0	1	0	Unknon	47.4395	69.2492	27.0	715.9	439	56936.	902	1.1	-0.6	6.1	0.1	0.1	5.9	26	1.9
47324	0	0	1	0	Unknon	47.4395	69.2487	27.0	715.9	449	56933.	892	0.9	0.7	4.5	0.1	0.1	5.4	26	1.6
47325	0	0	1	0	Unknon	47.4395	69.2482	27.0	716.0	453	56931.	905	1.0	1.2	5.5	0.1	0.1	5.8	27	1.6
47326	0	0	1	0	Unknon	47.4395	69.2477	27.0	716.0	445	56932.	847	1.3	-0.6	4.0	0.1	0.1	3.3	17	1.6
47327	0	0	1	0	Unknon	47.4395	69.2472	27.1	716.0	431	56931.	819	1.0	0.7	3.5	0.1	0.1	3.5	29	1.3
47328	0	0	0	0	Unknon	47.4395	69.2467	27.1	716.0	411	56929.	795	1.1	1.7	2.6	1.7	0.7	2.5	21	1.1
47329	0	0	1	0	Unknon	47.4395	69.2461	27.1	715.9	404	56926.	781	0.8	0.8	2.8	0.1	0.1	3.6	24	0.9
47330	0	0	1	0	Unknon	47.4395	69.2456	27.1	715.9	400	56926.	812	1.1	0.8	2.9	0.1	0.1	2.8	26	0.7
47331	0	0	0	0	Unknon	47.4394	69.2451	27.1	715.8	394	56926.	813	0.9	1.3	5.3	1.6	0.3	6.6	23	0.7
47332	0	0	1	0	OEpa	47.4394	69.2446	27.1	715.7	381	56926.	761	0.8	0.8	5.0	0.1	0.1	6.6	25	0.7
47333	0	0	1	0	OEpa	47.4394	69.2440	27.1	715.6	363	56926.	705	0.8	0.9	2.3	0.1	0.1	3.0	23	0.7
47334	0	0	1	0	OEpa	47.4394	69.2435	27.1	715.5	348	56925.	689	1.0	0.7	2.7	0.1	0.1	3.0	30	0.7
47335	0	0	1	0	OEpa	47.4394	69.2430	27.1	715.3	337	56924.	689	0.8	0.1	4.1	0.1	0.1	5.5	24	0.7
47336	0	0	1	0	OEpa	47.4394	69.2425	27.1	715.2	331	56922.	668	0.6	0.6	4.0	0.1	0.1	7.1	15	0.7
47337	0	0	1	0	OEpa	47.4394	69.2420	27.1	715.1	331	56922.	660	0.5	0.9	2.4	0.1	0.1	0.1	26	0.7
47338	0	0	1	1	OEpa	47.4394	69.2414	27.1	714.9	336	56924.	601	0.6	0.9	1.0	0.1	0.1	0.1	28	0.7
47339	0	0	0	0	OEpa	47.4393	69.2409	27.1	714.7	342	56925.	639	0.8	1.1	3.7	1.4	0.3	5.0	22	0.7
47340	0	0	1	0	OEpa	47.4393	69.2404	27.1	714.5	348	56926.	614	0.5	0.9	3.0	0.1	0.1	0.1	17	0.7
47341	0	0	1	0	OEpa	47.4393	69.2399	27.1	714.3	353	56926.	564	0.6	0.6	2.0	0.1	0.1	3.8	30	0.9
47342	0	0	1	0	OEpa	47.4393	69.2394	27.1	714.1	357	56926.	593	0.5	0.3	2.5	0.1	0.1	0.1	18	0.8
47343	0	0	1	0	OEpa	47.4393	69.2388	27.1	713.9	362	56929.	626	0.6	0.6	4.8	0.1	0.1	8.0	16	0.7
47344	0	0	1	0	OEpa	47.4393	69.2383	27.1	713.7	364	56931.	609	0.7	0.2	1.9	0.1	0.1	3.1	20	0.7
47345	0	0	1	0	OEpa	47.4392	69.2378	27.1	713.5	365	56929.	593	0.6	0.3	2.9	0.1	0.1	5.6	32	0.6
47346	0	0	1	0	OEpa	47.4392	69.2373	27.1	713.2	365	56926.	631	0.8	0.3	2.0	0.1	0.1	2.6	25	0.6
47347	0	0	0	0	OEpa	47.4392	69.2367	27.1	713.0	365	56923.	669	0.8	1.2	2.9	1.7	0.5	4.2	25	0.5
47348	0	0	0	0	OEpa	47.4392	69.2362	27.1	712.7	367	56922.	683	0.7	1.1	4.0	1.6	0.3	5.8	27	0.7
47349	0	0	1	0	OEpa	47.4392	69.2357	27.1	712.4	368	56921.	763	0.8	0.2	2.8	0.1	0.1	3.7	34	0.9
47350	0	0	1	0	OEpa	47.4392	69.2352	27.1	712.1	369	56922.	819	0.9	0.5	4.7	0.1	0.1	5.5	23	0.9
47351	0	0	1	0	OEpa	47.4392	69.2347	27.1	711.8	368	56923.	869	1.2	0.5	3.6	0.1	0.1	3.2	28	0.8
47352	0	0	1	0	OEpa	47.4392	69.2341	27.1	711.4	368	56922.	847	1.4	0.2	2.3	0.1	0.1	1.8	26	1.0
47353	0	0	1	0	OEpa	47.4391	69.2336	27.1	711.1	370	56922.	766	0.9	0.0	3.5	0.1	0.1	3.9	19	1.2
47354	0	0	1	0	OEpa	47.4391	69.2331	27.1	710.8	374	56923.	767	0.9	-0.5	3.9	0.1	0.1	4.4	29	1.4
47355	0	0	0	0	OEpa	47.4391	69.2326	27.1	710.4	379	56924.	662	0.7	1.4	4.3	2.1	0.4	6.5	30	1.6
47356	0	0	1	0	OEpa	47.4391	69.2321	27.1	710.1	384	56924.	635	0.7	0.9	3.7	0.1	0.1	5.7	27	1.6
47357	0	0	1	0	OEpa	47.4391	69.2315	27.1	709.7	388	56926.	611	0.6	0.2	2.6	0.1	0.1	4.7	21	1.6
47358	0	0	1	1	OEpa	47.4391	69.2310	27.1	709.4	393	56925.	563	0.6	0.9	1.1	0.1	0.1	0.1	35	1.7
47359	0	0	1	0	OEpa	47.4391	69.2305	27.1	709.1	398	56921.	552	0.6	0.3	2.5	0.1	0.1	4.2	26	1.7
47360	0	0	1	0	OEpa	47.4390	69.2300	27.1	708.8	404	56917.	586	0.6	0.2	3.0	0.1	0.1	5.5	22	1.8
47361	0	0	1	0	OEpa	47.4390	69.2295	27.1	708.6	406	56915.	645	0.6	0.0	2.9	0.1	0.1	5.3	22	1.8
47362	0	0	1	0	OEpa	47.4390	69.2289	27.2	708.3	402	56915.	677	0.9	0.9	3.7	0.1	0.1	4.5	34	1.8

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
47363	0	0	1	0	0Epa	47.4390	69.2284	27.2	708.1	389	56915.	606	0.8	-1.0	3.7	0.1	0.1	4.7	34	1.8
47364	0	0	1	0	0Epa	47.4390	69.2279	27.2	707.9	371	56913.	673	0.8	-0.1	3.5	0.1	0.1	4.9	24	1.8
47365	0	0	1	0	0Epa	47.4390	69.2274	27.2	707.8	353	56912.	647	0.6	0.1	2.9	0.1	0.1	5.2	29	1.8
47366	0	0	0	0	0Epa	47.4390	69.2268	27.2	707.6	339	56912.	662	0.9	1.1	3.6	1.4	0.3	4.3	26	1.9
47367	0	0	1	0	0Epa	47.4389	69.2263	27.2	707.6	330	56915.	607	0.6	-0.2	1.5	0.1	0.1	2.6	26	1.9
47368	0	0	1	0	0Epa	47.4389	69.2258	27.2	707.5	327	56917.	590	0.9	-0.1	2.7	0.1	0.1	3.0	29	2.0
47369	0	0	1	0	0Epa	47.4389	69.2253	27.2	707.5	330	56916.	617	0.8	0.0	1.8	0.1	0.1	2.3	35	2.1
47370	0	0	1	0	0Epa	47.4389	69.2248	27.2	707.6	339	56915.	581	0.7	0.0	3.2	0.1	0.1	5.0	22	2.1
47371	0	0	0	0	0Epa	47.4389	69.2242	27.2	707.7	353	56915.	623	0.6	1.5	2.3	2.6	0.7	3.9	23	2.2
47372	0	0	1	0	0Epa	47.4389	69.2237	27.2	707.8	367	56917.	618	0.7	0.2	4.3	0.1	0.1	6.2	21	2.2
47373	0	0	1	0	0Epa	47.4389	69.2232	27.2	708.0	379	56917.	656	0.6	0.3	3.0	0.1	0.1	5.0	25	2.3
47374	0	0	0	0	0Epa	47.4389	69.2227	27.2	708.2	388	56915.	614	0.6	1.3	1.9	2.4	0.7	3.5	28	2.3
47375	0	0	1	0	0Epa	47.4388	69.2222	27.2	708.5	395	56913.	620	0.6	0.3	1.7	0.1	0.1	2.8	31	2.3
47376	0	0	1	0	0Epa	47.4388	69.2216	27.2	708.8	397	56911.	643	0.8	0.4	1.7	0.1	0.1	2.1	36	2.4
47377	0	0	1	0	0Epa	47.4388	69.2211	27.2	709.0	397	56909.	594	0.7	1.1	2.8	0.1	0.1	4.5	29	2.5
47378	0	0	1	0	0Epa	47.4388	69.2206	27.2	709.4	395	56909.	672	0.6	-0.8	4.5	0.1	0.1	7.8	16	2.5
47379	0	0	1	0	0Epa	47.4388	69.2201	27.2	709.7	392	56909.	619	0.8	0.8	3.7	0.1	0.1	4.9	22	2.5
47380	0	0	1	0	0Epa	47.4388	69.2196	27.2	710.0	387	56909.	608	0.5	0.6	2.5	0.1	0.1	0.1	30	2.5
47381	0	0	1	0	0Epa	47.4388	69.2190	27.2	710.3	384	56909.	587	0.8	0.4	2.9	0.1	0.1	3.7	25	2.6
47382	0	0	1	0	0Epa	47.4387	69.2185	27.2	710.7	382	56909.	551	0.7	-0.6	2.9	0.1	0.1	4.3	30	2.6
47383	0	0	1	0	0Epa	47.4387	69.2180	27.2	710.9	381	56908.	565	0.6	-0.5	4.1	0.1	0.1	6.6	17	2.6
47384	0	0	1	0	0Epa	47.4387	69.2175	27.2	711.2	383	56906.	612	0.7	0.0	2.6	0.1	0.1	3.8	25	2.5
47385	0	0	1	0	0Epa	47.4387	69.2169	27.2	711.5	387	56903.	527	0.4	-0.2	2.3	0.1	0.1	0.1	25	2.5
47386	0	0	1	0	0Epa	47.4387	69.2164	27.2	711.7	394	56902.	564	0.6	-0.3	3.3	0.1	0.1	5.7	35	2.5
47387	0	0	1	0	0Epa	47.4387	69.2159	27.2	711.9	398	56903.	520	0.7	0.4	1.3	0.1	0.1	2.0	33	2.4
47388	0	0	0	0	0Epa	47.4387	69.2154	27.2	712.1	399	56904.	509	0.4	1.2	2.1	0.1	0.6	0.1	24	2.5
47389	0	0	1	0	0Epa	47.4386	69.2149	27.2	712.3	398	56905.	457	0.4	0.8	2.4	0.1	0.1	0.1	14	2.6
47390	0	0	1	0	0Epa	47.4386	69.2143	27.2	712.4	395	56904.	461	0.3	0.2	1.3	0.1	0.1	0.1	18	2.6
47391	0	0	1	0	0Epa	47.4386	69.2138	27.2	712.5	393	56902.	404	0.4	-0.1	1.2	0.1	0.1	0.1	21	2.6
47392	0	0	1	0	0Epa	47.4386	69.2133	27.2	712.6	393	56901.	409	0.3	0.6	2.7	0.1	0.1	0.1	26	2.7
47393	0	0	1	0	0Epa	47.4386	69.2128	27.2	712.6	393	56902.	359	0.5	-0.4	2.3	0.1	0.1	0.1	20	2.7
47394	0	0	1	0	0Epa	47.4386	69.2122	27.2	712.7	393	56903.	353	0.3	0.4	1.6	0.1	0.1	0.1	13	2.7
47396	0	1	1	1	0Epa	47.4385	69.2112	27.2	712.7	386	56905.	364	0.2	0.5	0.6	0.1	0.1	0.1	34	2.7
47397	0	0	1	0	0Epa	47.4385	69.2107	27.2	712.7	377	56906.	361	0.4	-0.3	2.6	0.1	0.1	0.1	18	2.7
47398	0	0	1	0	0Epa	47.4385	69.2102	27.2	712.7	367	56907.	390	0.3	0.5	2.9	0.1	0.1	0.1	15	2.7
47399	0	0	1	0	0Epa	47.4385	69.2096	27.2	712.7	362	56908.	415	0.4	0.8	1.6	0.1	0.1	0.1	33	2.7
47400	0	0	1	0	0Epa	47.4385	69.2091	27.2	712.6	360	56907.	524	0.6	0.2	2.0	0.1	0.1	3.8	19	2.7
47401	0	0	1	0	0Epa	47.4385	69.2086	27.2	712.6	360	56907.	537	0.5	0.0	3.7	0.1	0.1	0.1	24	2.4
47402	0	0	1	0	0Epa	47.4385	69.2081	27.2	712.5	361	56906.	576	0.6	-0.2	3.0	0.1	0.1	5.5	18	2.2
47403	0	0	1	0	0Epa	47.4385	69.2076	27.2	712.5	364	56904.	619	0.9	0.1	3.0	0.1	0.1	3.6	33	1.9
47404	0	0	1	0	0Epa	47.4384	69.2070	27.2	712.4	362	56905.	628	0.7	0.9	1.3	0.1	0.1	1.9	20	1.6
47405	0	0	1	0	0Epa	47.4384	69.2065	27.2	712.3	372	56909.	608	0.7	0.0	3.0	0.1	0.1	4.7	24	1.4
47406	0	0	1	0	0Epa	47.4384	69.2060	27.2	712.2	373	56911.	583	0.7	0.6	1.2	0.1	0.1	1.8	28	1.1
47407	0	0	1	0	0Epa	47.4384	69.2055	27.2	712.2	369	56910.	593	0.7	0.2	1.6	0.1	0.1	2.3	21	0.9
47408	0	0	1	0	0Epa	47.4384	69.2050	27.2	712.1	361	56908.	613	0.8	0.8	2.7	0.1	0.1	3.8	18	0.6
47409	0	0	0	0	0Epa	47.4384	69.2044	27.2	712.0	353	56907.	688	0.7	1.5	3.3	2.4	0.5	5.2	27	0.3
47410	0	0	0	0	0Epa	47.4384	69.2039	27.2	711.9	347	56908.	662	0.5	1.6	4.1	0.1	0.4	0.1	17	0.1
47411	0	0	1	0	0Epa	47.4384	69.2034	27.2	711.8	343	56908.	661	0.6	0.9	3.9	0.1	0.1	6.6	29	0.0
47412	0	0	1	0	0Epa	47.4383	69.2029	27.2	711.6	339	56906.	697	0.8	0.0	5.6	0.1	0.1	7.1	28	0.0
47413	0	0	0	0	0Epa	47.4383	69.2023	27.2	711.5	337	56904.	692	0.7	1.4	4.6	2.1	0.3	7.2	24	0.0

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI			
												CPS	%	PPM	PPM							CPS	CPS
47414	0	0	1	0	0Epq	47.4383	69.2018	27.2	711.5	339	56906.	667	0.8	-0.6	4.1	0.1	0.1	5.3	20	0.0			
47415	0	0	1	0	0Epq	47.4383	69.2013	27.2	711.4	343	56908.	680	0.8	-0.4	3.7	0.1	0.1	5.2	29	0.0			
47416	0	0	1	0	0Epq	47.4383	69.2008	27.2	711.3	346	56907.	647	0.6	-0.3	5.3	0.1	0.1	9.1	17	0.0			
47417	0	0	1	0	0Epq	47.4383	69.2003	27.2	711.3	350	56907.	636	0.7	-0.2	4.4	0.1	0.1	6.4	27	0.0			
47418	0	0	1	0	0Epq	47.4382	69.1997	27.2	711.2	355	56906.	669	0.6	0.9	3.7	0.1	0.1	6.4	27	0.0			
47419	0	0	1	0	0Epq	47.4382	69.1992	27.2	711.2	361	56906.	659	0.6	0.6	2.6	0.1	0.1	4.8	31	0.0			
47420	0	0	1	0	0Epq	47.4382	69.1987	27.2	711.1	367	56905.	649	0.7	-0.2	4.5	0.1	0.1	6.7	21	0.0			
47421	0	0	1	0	0Epq	47.4382	69.1982	27.2	711.1	370	56905.	708	0.7	1.0	3.1	0.1	0.1	5.0	41	0.0			
47422	0	0	0	0	0Epq	47.4382	69.1977	27.2	711.1	369	56907.	706	0.7	1.2	3.0	1.8	0.4	4.5	19	0.0			
47423	0	0	1	0	0Epq	47.4382	69.1971	27.2	711.1	367	56909.	679	0.7	0.3	4.6	0.1	0.1	6.6	29	0.0			
47424	0	0	1	0	0Epq	47.4382	69.1966	27.2	711.2	366	56909.	676	0.7	0.3	4.4	0.1	0.1	6.3	24	0.0			
47425	0	0	1	0	0Epq	47.4382	69.1961	27.3	709.9	360	56912.	718	0.8	1.1	1.7	0.1	0.1	2.2	22	0.0			
47426	0	0	1	0	0Epq	47.4381	69.1956	27.3	709.8	358	56913.	713	0.8	0.7	2.9	0.1	0.1	3.7	28	0.0			
47427	0	0	1	0	0Epq	47.4381	69.1950	27.3	709.6	357	56913.	705	0.7	0.7	3.9	0.1	0.1	5.9	38	0.0			
47428	0	0	1	0	0Epq	47.4381	69.1945	27.3	709.5	360	56914.	682	0.5	0.9	3.6	0.1	0.1	0.1	26	0.0			
47429	0	0	1	0	0Epq	47.4381	69.1940	27.3	709.3	366	56916.	699	0.6	0.1	3.9	0.1	0.1	6.8	17	0.0			
47430	0	0	1	0	0Epq	47.4381	69.1935	27.2	709.1	371	56917.	659	0.6	0.6	3.1	0.1	0.1	5.3	31	0.0			
47431	0	0	1	0	0Epq	47.4381	69.1930	27.2	708.9	378	56918.	580	0.4	0.6	2.9	0.1	0.1	0.1	32	0.0			
47432	0	0	0	0	0Epq	47.4381	69.1924	27.2	708.7	384	56921.	611	0.5	1.2	3.5	0.1	0.4	0.1	24	0.0			
47433	0	0	0	0	0Eixq	47.4380	69.1919	27.2	708.5	394	56924.	690	0.8	1.2	3.7	1.6	0.4	5.0	20	0.0			
47434	0	0	1	0	0Eixq	47.4380	69.1914	27.2	708.3	404	56926.	601	0.6	0.4	2.8	0.1	0.1	5.3	20	0.0			
47435	0	0	0	0	0Eixq	47.4380	69.1909	27.2	708.2	413	56925.	582	0.6	1.4	3.1	2.5	0.5	5.7	23	0.0			
47436	0	0	1	0	0Eixq	47.4380	69.1904	27.2	708.1	420	56925.	604	0.6	1.1	3.3	0.1	0.1	6.2	31	0.0			
47437	0	0	1	0	0Epq	47.4380	69.1898	27.2	707.9	422	56924.	604	0.9	0.2	1.4	0.1	0.1	1.6	20	0.0			
47438	0	0	1	0	0Epq	47.4380	69.1893	27.2	707.8	423	56922.	547	0.6	-0.3	2.2	0.1	0.1	3.7	31	0.0			
47439	0	0	0	0	0Epq	47.4380	69.1888	27.2	707.8	424	56921.	631	0.7	1.7	3.0	2.7	0.6	4.9	28	0.0			
47440	0	0	1	0	0Epq	47.4380	69.1883	27.2	707.7	427	56921.	640	0.7	0.6	2.6	0.1	0.1	4.2	26	0.0			
47441	0	0	1	0	0Epq	47.4379	69.1878	27.2	707.7	428	56923.	579	0.5	-0.2	2.9	0.1	0.1	0.1	16	0.0			
47442	0	0	1	0	0Epq	47.4379	69.1872	27.2	707.6	427	56924.	655	0.9	-0.3	3.7	0.1	0.1	4.4	22	0.0			
47443	0	0	0	0	0Epq	47.4379	69.1867	27.2	707.6	425	56925.	647	0.6	1.7	2.4	3.0	0.8	4.2	23	0.0			
47444	0	0	1	0	0Epq	47.4379	69.1862	27.2	707.6	424	56923.	659	0.8	0.3	1.8	0.1	0.1	2.2	24	0.0			
47445	0	0	1	0	0Eixq	47.4379	69.1857	27.2	707.6	423	56922.	672	0.7	1.1	2.8	0.1	0.1	4.1	34	0.0			
47446	0	0	1	0	0Epq	47.4379	69.1852	27.2	707.7	420	56922.	687	0.9	0.1	4.9	0.1	0.1	6.1	24	0.0			
47447	0	0	1	0	0Epq	47.4378	69.1846	27.2	707.7	414	56921.	671	0.6	-0.4	6.1	0.1	0.1	10.2	19	0.0			
47448	0	0	1	0	0Epq	47.4378	69.1841	27.2	707.7	408	56921.	640	0.6	1.0	3.6	0.1	0.1	6.5	18	0.0			
47449	0	0	0	0	0Epq	47.4378	69.1836	27.2	707.8	405	56923.	769	0.7	2.2	2.8	3.3	0.8	4.1	30	0.0			
47450	0	0	0	0	0Epq	47.4378	69.1831	27.2	707.8	406	56925.	696	0.6	1.7	3.5	2.9	0.5	6.2	26	0.0			
47451	0	0	1	0	0Epq	47.4378	69.1825	27.2	707.9	410	56927.	677	0.6	0.1	4.8	0.1	0.1	8.3	24	0.0			
47452	0	0	1	0	0Epq	47.4378	69.1820	27.2	708.0	415	56929.	667	0.5	0.2	4.1	0.1	0.1	0.1	22	0.0			
47453	0	0	0	0	0Epq	47.4378	69.1815	27.2	708.1	420	56932.	643	0.7	1.7	2.3	2.6	0.8	3.6	26	0.0			
47454	0	0	1	0	0Epq	47.4378	69.1810	27.2	708.1	423	56934.	583	0.5	0.0	3.1	0.1	0.1	0.1	20	0.0			
47455	0	0	1	0	0Epq	47.4377	69.1805	27.2	708.2	424	56935.	596	0.7	0.7	3.8	0.1	0.1	6.0	32	0.0			
47456	0	0	1	0	0Epq	47.4377	69.1799	27.2	708.3	426	56936.	547	0.4	0.6	2.3	0.1	0.1	0.1	28	0.0			
47457	0	0	1	0	0Epq	47.4377	69.1794	27.2	708.4	428	56937.	555	0.5	0.0	3.4	0.1	0.1	0.1	23	0.0			
47458	0	0	1	0	0Epq	47.4377	69.1789	27.2	708.5	433	56940.	604	0.6	0.7	3.3	0.1	0.1	6.2	20	0.0			
47459	0	0	1	0	0Epq	47.4377	69.1784	27.2	708.6	437	56942.	650	0.6	0.9	3.4	0.1	0.1	5.7	25	0.0			
47460	0	0	0	0	0Epq	47.4377	69.1778	27.2	708.8	442	56943.	613	0.8	1.9	1.9	2.6	1.0	2.7	22	0.0			
47461	0	0	1	0	0Epq	47.4377	69.1773	27.2	708.9	446	56943.	632	0.8	0.9	4.3	0.1	0.1	6.0	30	0.0			
47462	0	0	0	0	0Epq	47.4376	69.1768	27.2	709.1	452	56943.	594	0.9	1.4	2.4	1.6	0.6	2.6	29	0.0			
47463	0	0	1	0	0Epq	47.4376	69.1763	27.2	709.3	457	56944.	701	1.0	0.2	4.4	0.1	0.1	4.7	27	0.0			

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFCANCE TEST OR IS OTHERWISE UNRELIABLE.

- D01 -
 MAINE AERIAL SURVEY EDMUNDSTON QUADRANGLE, CARSON GEOSCIENCE INC., 1980

LINE NO. 10

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
47464	0	0	1	0	0Epa	47.4376	69.1758	27.2	709.4	463	56943.	593	0.8	0.4	2.4	0.1	0.1	3.1	20	0.0
47465	0	0	1	0	0Epa	47.4376	69.1752	27.2	709.6	465	56942.	670	0.6	0.6	4.2	0.1	0.1	8.2	29	0.0
47466	0	0	1	0	0Epa	47.4376	69.1747	27.2	709.8	470	56940.	653	0.8	-0.4	4.2	0.1	0.1	5.8	25	0.0
47467	0	0	1	0	0Epa	47.4376	69.1742	27.2	710.0	474	56938.	573	0.6	0.1	4.1	0.1	0.1	7.1	21	0.0
47468	0	0	1	0	0Epa	47.4376	69.1737	27.2	710.2	476	56938.	709	0.8	1.0	3.6	0.1	0.1	5.1	23	0.0
47469	0	0	1	0	0Epa	47.4375	69.1732	27.2	710.3	475	56936.	618	0.6	1.0	3.6	0.1	0.1	6.0	24	0.0
47470	0	0	1	0	0Epa	47.4375	69.1726	27.2	710.5	470	56934.	626	0.8	0.0	2.7	0.1	0.1	3.4	20	0.0
47471	0	0	1	0	0Epa	47.4375	69.1721	27.2	710.6	465	56932.	629	0.6	0.3	4.7	0.1	0.1	8.6	32	0.0
47472	0	0	1	0	0Epa	47.4375	69.1716	27.2	710.7	459	56933.	528	0.6	-0.2	2.9	0.1	0.1	5.0	25	0.0
47473	0	0	1	0	0Epa	47.4375	69.1711	27.2	710.7	456	56935.	589	0.8	1.0	2.4	0.1	0.1	3.2	19	0.0
47474	0	0	1	0	0Epa	47.4375	69.1705	27.2	710.8	451	56935.	577	0.8	0.2	1.9	0.1	0.1	2.4	28	0.0
47475	0	0	1	0	0Epa	47.4375	69.1700	27.2	710.9	445	56935.	610	0.5	0.6	2.8	0.1	0.1	0.1	20	0.0
47476	0	0	1	0	0Epa	47.4375	69.1695	27.2	710.9	440	56935.	645	0.7	0.6	3.3	0.1	0.1	5.0	24	0.0
47477	0	0	1	0	0Epa	47.4374	69.1690	27.2	710.9	436	56936.	708	0.6	-0.5	3.4	0.1	0.1	5.6	21	0.0
47478	0	0	1	0	0Epa	47.4374	69.1685	27.2	710.9	433	56938.	688	0.9	1.1	2.9	0.1	0.1	3.5	22	0.0
47479	0	0	0	0	0Epa	47.4374	69.1679	27.2	710.9	431	56940.	768	0.7	2.0	4.0	2.9	0.6	5.7	19	0.0
47480	0	0	0	0	0Epa	47.4374	69.1674	27.2	710.9	430	56940.	727	0.6	1.4	3.2	2.3	0.5	5.3	16	0.0
47481	0	0	0	0	0Epa	47.4374	69.1669	27.4	712.6	415	56939.	752	1.1	1.3	2.1	1.3	0.6	2.1	39	0.0
47482	0	0	1	0	0Epa	47.4374	69.1664	27.4	712.8	410	56939.	779	1.0	-0.1	2.3	0.1	0.1	2.5	40	0.0
47483	0	0	1	0	0Epa	47.4374	69.1659	27.4	713.1	404	56939.	908	1.1	0.9	4.7	0.1	0.1	4.3	28	0.0
47484	0	0	1	0	0Epa	47.4373	69.1653	27.4	713.3	403	56938.	860	1.0	0.1	4.6	0.1	0.1	5.0	21	0.0
47485	0	0	1	0	0Epa	47.4373	69.1648	27.4	713.6	406	56936.	767	0.9	0.2	3.6	0.1	0.1	4.2	24	0.0
47486	0	0	1	0	0Epa	47.4373	69.1643	27.4	713.9	412	56935.	830	0.9	0.3	5.6	0.1	0.1	6.7	26	0.0
47487	0	0	0	0	0Epa	47.4373	69.1638	27.5	714.2	416	56934.	815	1.0	1.4	3.7	1.4	0.4	3.7	25	0.0
47488	0	0	1	0	0Epa	47.4373	69.1632	27.5	714.4	415	56934.	776	1.1	-0.2	3.8	0.1	0.1	3.5	22	0.0
47489	0	0	1	0	0Epa	47.4373	69.1627	27.5	714.7	410	56932.	716	0.6	0.3	3.6	0.1	0.1	6.1	24	0.0
47490	0	0	1	0	0Epa	47.4373	69.1622	27.5	715.0	409	56928.	685	0.9	0.6	4.4	0.1	0.1	5.1	30	0.0
47492	0	0	1	0	0Epa	47.4372	69.1612	27.5	715.3	413	56925.	682	0.7	0.2	3.3	0.1	0.1	5.1	21	0.0
47493	0	0	0	0	0Epa	47.4372	69.1606	27.5	715.6	425	56923.	691	0.9	1.7	3.8	2.1	0.5	4.7	23	0.0
47494	0	0	1	0	0Epa	47.4372	69.1601	27.5	715.9	438	56921.	652	0.6	0.5	3.4	0.1	0.1	5.8	16	0.0
47495	0	0	1	0	0Epa	47.4372	69.1596	27.5	716.1	448	56920.	687	0.8	-0.1	4.8	0.1	0.1	6.3	23	0.1
47496	0	0	1	0	0Epa	47.4372	69.1591	27.5	716.3	450	56920.	673	0.8	0.1	5.8	0.1	0.1	8.0	30	0.1
47497	0	0	1	0	0Epa	47.4372	69.1586	27.5	716.5	445	56921.	686	0.6	1.3	2.5	0.1	0.1	4.5	28	0.1
47498	0	0	1	0	0Epa	47.4371	69.1580	27.5	716.7	435	56922.	559	0.5	-0.3	5.2	0.1	0.1	0.1	30	0.2
47499	0	0	1	0	0Epa	47.4371	69.1575	27.5	716.9	424	56923.	587	0.7	0.1	3.3	0.1	0.1	4.9	22	0.3
47500	0	0	1	0	0Epa	47.4371	69.1570	27.5	717.1	417	56923.	584	0.7	-0.3	3.5	0.1	0.1	5.2	32	0.3
47501	0	0	1	0	0Epa	47.4371	69.1565	27.5	717.3	411	56923.	524	0.5	1.1	2.1	0.1	0.1	0.1	37	0.4
47502	0	0	1	0	0Epa	47.4371	69.1560	27.5	717.4	406	56923.	550	0.5	0.9	3.0	0.1	0.1	0.1	29	0.4
47503	0	0	1	0	0Epa	47.4370	69.1555	27.5	717.6	402	56921.	508	0.6	-0.1	3.5	0.1	0.1	6.0	27	0.4
47504	0	0	1	0	0Epa	47.4370	69.1550	27.5	717.7	398	56915.	542	0.5	0.3	3.5	0.1	0.1	0.1	21	0.5
47505	0	0	1	0	0Epa	47.4370	69.1544	27.5	717.8	397	56911.	607	0.6	0.4	2.6	0.1	0.1	4.9	28	0.5
47506	0	0	1	0	0Epa	47.4370	69.1539	27.5	717.9	397	56910.	544	0.5	1.1	4.7	0.1	0.1	0.1	20	0.6
47507	0	0	1	0	0Epa	47.4369	69.1534	27.5	718.0	394	56909.	579	0.5	-0.3	3.3	0.1	0.1	0.1	33	0.6
47508	0	0	1	0	0Epa	47.4369	69.1529	27.5	718.0	386	56906.	584	0.6	0.1	2.8	0.1	0.1	5.1	24	0.6
47509	0	0	1	0	0Epa	47.4369	69.1524	27.5	718.1	377	56903.	595	0.7	0.3	3.7	0.1	0.1	5.7	15	0.6
47510	0	0	1	0	0Epa	47.4369	69.1519	27.6	718.1	370	56903.	587	0.6	0.5	2.2	0.1	0.1	3.9	15	0.7
47511	0	0	1	0	0Epa	47.4368	69.1514	27.6	718.1	365	56904.	583	0.6	1.1	2.9	0.1	0.1	5.2	28	0.7
47512	0	0	1	0	0Epa	47.4368	69.1509	27.6	718.1	361	56904.	626	0.8	0.5	3.7	0.1	0.1	4.9	24	0.7
47513	0	0	1	0	0Epa	47.4368	69.1504	27.6	718.1	359	56905.	596	0.9	-0.6	2.3	0.1	0.1	2.8	28	0.7
47514	0	0	1	0	0Epa	47.4367	69.1499	27.6	718.1	358	56907.	677	0.7	0.0	3.4	0.1	0.1	5.1	30	0.7

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI			
												CPS	%	PPM	PPM							CPS	CPS
47515	0	0	1	0	OEpa	47.4367	69.1494	27.6	718.1	358	56909.	670	0.7	0.7	3.7	0.1	0.1	5.7	19	0.7			
47516	0	0	0	0	OEpa	47.4367	69.1488	27.6	718.1	358	56909.	645	0.6	1.5	4.9	2.6	0.3	8.7	21	0.8			
47517	0	0	1	0	OEpa	47.4367	69.1483	27.6	718.0	357	56909.	674	0.6	0.3	3.6	0.1	0.1	7.1	17	0.8			
47518	0	0	1	0	OEpn	47.4366	69.1478	27.6	718.0	353	56908.	726	0.8	1.0	2.8	0.1	0.1	3.8	34	0.9			
47519	0	0	1	0	OEpa	47.4366	69.1473	27.6	718.0	350	56908.	673	0.7	-0.1	3.9	0.1	0.1	6.1	21	0.9			
47520	0	0	1	0	OEpa	47.4366	69.1468	27.6	718.0	349	56908.	714	0.6	1.0	3.0	0.1	0.1	5.0	20	0.9			
47521	0	0	1	0	OEpa	47.4366	69.1463	27.6	718.0	350	56906.	706	0.6	0.7	3.0	0.1	0.1	4.1	19	0.9			
47522	0	0	1	0	OEpa	47.4365	69.1458	27.6	718.0	349	56904.	769	1.1	-0.4	4.4	0.1	0.1	4.2	27	1.0			
47523	0	0	1	0	OEpa	47.4365	69.1453	27.6	718.1	346	56903.	740	0.9	0.3	4.5	0.1	0.1	5.0	17	1.0			
47524	0	0	1	0	OEpa	47.4365	69.1448	27.6	718.1	343	56903.	794	1.0	0.0	3.5	0.1	0.1	3.8	28	1.0			
47525	0	0	1	0	OEpa	47.4365	69.1443	27.6	718.1	339	56903.	796	0.8	-0.5	5.7	0.1	0.1	7.3	26	1.0			
47526	0	0	1	0	OEpa	47.4364	69.1438	27.6	718.1	335	56904.	815	0.8	0.2	4.6	0.1	0.1	5.9	17	1.0			
47527	0	0	1	0	OEpa	47.4364	69.1432	27.6	718.1	334	56906.	804	0.8	0.4	3.6	0.1	0.1	4.5	17	1.0			
47528	0	0	1	0	OEpa	47.4364	69.1427	27.6	718.1	337	56908.	794	0.8	0.6	4.4	0.1	0.1	5.7	14	0.8			
47529	0	0	1	0	OEpa	47.4364	69.1422	27.6	718.1	340	56909.	798	1.1	0.7	3.9	0.1	0.1	3.7	21	0.6			
47530	0	0	1	0	OEpa	47.4363	69.1417	27.6	718.1	345	56911.	736	0.8	0.5	2.8	0.1	0.1	3.8	29	0.5			
47531	0	0	1	0	OEpa	47.4363	69.1412	27.6	718.1	351	56909.	712	0.7	0.4	4.7	0.1	0.1	7.0	28	0.3			
47532	0	0	1	0	OEpa	47.4363	69.1407	27.6	718.2	356	56907.	699	0.7	1.0	3.8	0.1	0.1	6.0	25	0.2			
47533	0	0	1	0	OEpa	47.4362	69.1402	27.5	718.2	360	56905.	656	0.8	0.8	2.5	0.1	0.1	3.5	36	0.0			
47534	0	0	1	0	OEpa	47.4362	69.1397	27.5	718.2	358	56903.	745	0.8	0.8	3.8	0.1	0.1	5.3	25	0.0			
47535	0	0	1	0	OEpa	47.4362	69.1392	27.5	718.2	358	56904.	705	0.9	0.1	4.0	0.1	0.1	4.9	23	0.0			
47536	0	0	1	0	OEpa	47.4362	69.1387	27.5	718.2	356	56905.	680	0.9	0.6	3.5	0.1	0.1	4.3	26	0.0			
47537	0	0	0	0	OEpa	47.4361	69.1382	27.5	718.2	357	56904.	730	0.7	1.3	2.1	2.1	0.6	3.5	27	0.0			
47538	0	0	1	0	OEpa	47.4361	69.1376	27.9	719.0	359	56904.	707	0.6	0.3	4.7	0.1	0.1	8.8	23	0.0			
47539	0	0	1	0	OEpa	47.4361	69.1371	27.9	719.1	364	56905.	719	0.8	0.7	6.7	0.1	0.1	8.6	19	0.0			
47540	0	0	1	0	OEpa	47.4361	69.1366	27.9	719.2	371	56905.	709	0.7	0.5	1.2	0.1	0.1	1.8	21	0.0			
47541	0	0	0	0	OEpa	47.4360	69.1361	27.9	719.3	379	56905.	667	0.7	1.4	1.8	2.4	0.9	2.7	24	0.0			
47542	0	0	1	0	OEpa	47.4360	69.1356	27.9	719.4	380	56907.	677	0.8	0.8	3.8	0.1	0.1	5.1	22	0.0			
47543	0	0	1	0	OEpa	47.4360	69.1351	27.9	719.5	373	56908.	589	0.5	0.5	1.8	0.1	0.1	0.1	31	0.0			
47544	0	0	1	0	OEpa	47.4360	69.1346	27.9	719.6	363	56906.	531	0.5	0.0	1.9	0.1	0.1	0.1	21	0.0			
47545	0	0	1	0	DSu	47.4359	69.1341	27.9	719.7	353	56903.	473	0.5	-0.2	3.6	0.1	0.1	0.1	32	0.0			
47546	0	0	1	0	DSu	47.4359	69.1336	27.9	719.8	356	56902.	430	0.3	0.1	2.3	0.1	0.1	0.1	16	0.0			
47547	0	0	1	0	DSu	47.4359	69.1331	27.9	719.9	361	56903.	492	0.6	0.9	2.9	0.1	0.1	5.6	24	0.0			
47548	0	0	1	0	DSu	47.4358	69.1326	27.9	719.9	368	56904.	533	0.7	0.2	1.6	0.1	0.1	2.5	23	0.0			
47549	0	0	1	0	DSu	47.4358	69.1320	27.9	720.0	366	56906.	629	0.6	0.3	3.5	0.1	0.1	6.9	29	0.0			
47550	0	0	1	0	DSu	47.4358	69.1315	27.9	720.0	367	56906.	594	0.5	0.6	3.5	0.1	0.1	0.1	15	0.0			
47551	0	0	1	0	DSu	47.4358	69.1310	27.9	720.1	368	56907.	608	0.6	0.7	4.6	0.1	0.1	7.6	17	0.0			
47552	0	0	1	0	DSu	47.4357	69.1305	28.0	720.1	376	56908.	620	0.6	0.8	3.9	0.1	0.1	7.7	29	0.0			
47553	0	0	1	0	DSu	47.4357	69.1300	28.0	720.1	382	56909.	585	0.6	0.6	1.8	0.1	0.1	3.4	19	0.0			
47554	0	0	1	0	DSu	47.4357	69.1295	28.0	720.2	386	56910.	607	0.5	1.0	3.0	0.1	0.1	0.1	22	0.0			
47555	0	0	1	0	DSu	47.4357	69.1290	28.0	720.2	388	56908.	587	0.5	0.0	4.2	0.1	0.1	0.1	16	0.0			
47556	0	0	1	0	DSu	47.4356	69.1285	28.0	720.2	390	56907.	562	0.6	0.6	2.0	0.1	0.1	3.3	24	0.0			
47557	0	0	1	0	DSu	47.4356	69.1280	28.0	720.2	393	56906.	603	0.7	0.5	3.4	0.1	0.1	5.0	36	0.0			
47558	0	0	1	0	DSu	47.4356	69.1275	28.0	720.2	397	56909.	630	0.7	0.1	2.5	0.1	0.1	3.8	34	0.0			
47559	0	0	1	0	DSu	47.4356	69.1269	28.0	720.2	401	56911.	572	0.7	0.9	2.8	0.1	0.1	4.5	27	0.0			
47560	0	0	1	0	DSu	47.4355	69.1264	28.0	720.3	403	56909.	583	0.4	0.9	2.2	0.1	0.1	0.1	21	0.0			
47561	0	0	1	0	DSu	47.4355	69.1259	28.0	720.3	400	56910.	538	0.6	0.6	2.3	0.1	0.1	4.3	21	0.0			
47562	0	0	0	0	DSu	47.4355	69.1254	28.0	720.3	395	56913.	571	0.7	1.4	3.7	2.2	0.4	6.0	17	0.0			
47563	0	0	1	1	DSu	47.4354	69.1249	28.0	720.3	392	56913.	551	0.7	0.5	0.5	0.1	0.1	0.1	27	0.0			
47564	0	0	1	0	DSu	47.4354	69.1244	28.0	720.3	395	56911.	577	0.6	0.3	1.7	0.1	0.1	2.8	24	0.0			

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
47565	0	0	1	0	DSU	47.4354	69.1239	28.0	720.3	400	56910.	540	0.5	0.3	2.6	0.1	0.1	0.1	22	0.0
47566	0	0	1	0	DSU	47.4354	69.1234	28.0	720.3	404	56907.	561	0.6	0.1	2.5	0.1	0.1	4.4	17	0.0
47567	0	0	0	0	DSU	47.4353	69.1229	28.0	720.3	407	56904.	576	0.4	1.9	3.7	0.1	0.5	0.1	13	0.0
47568	0	0	1	0	DSU	47.4353	69.1224	28.0	720.3	409	56903.	568	0.5	0.3	2.8	0.1	0.1	0.1	30	0.0
47569	0	0	1	1	DSU	47.4353	69.1219	28.0	720.4	407	56904.	520	0.6	0.8	0.9	0.1	0.1	0.1	15	0.0
47570	0	0	1	0	DSU	47.4353	69.1213	28.0	720.4	400	56907.	528	0.5	-0.2	4.0	0.1	0.1	0.1	25	0.0
47571	0	0	1	C	DSU	47.4352	69.1208	28.0	720.4	391	56910.	502	0.6	-0.4	3.9	0.1	0.1	7.7	24	0.0
47572	0	0	1	0	DSU	47.4352	69.1203	28.0	720.5	382	56912.	503	0.5	0.8	2.6	0.1	0.1	0.1	17	0.0
47573	0	0	0	0	DSU	47.4352	69.1198	28.0	720.5	382	56911.	473	0.5	1.6	3.1	0.1	0.6	0.1	25	0.0
47574	0	0	1	0	DSU	47.4352	69.1193	28.0	720.6	388	56908.	461	0.4	-0.2	2.1	0.1	0.1	0.1	31	0.0
47575	0	0	1	0	DSU	47.4351	69.1188	28.0	720.6	399	56905.	451	0.5	0.8	3.1	0.1	0.1	0.1	13	0.0
47576	0	0	1	0	DSU	47.4351	69.1183	28.0	720.7	407	56903.	467	0.3	0.5	2.5	0.1	0.1	0.1	29	0.0
47577	0	0	1	0	DSU	47.4351	69.1178	28.0	720.7	412	56902.	518	0.6	0.3	2.5	0.1	0.1	4.2	19	0.0
47578	0	0	1	0	DSU	47.4350	69.1173	28.0	720.8	415	56901.	540	0.6	0.9	2.3	0.1	0.1	4.4	27	0.0
47579	0	0	1	0	DSU	47.4350	69.1168	28.0	720.9	417	56900.	540	0.6	0.9	2.3	0.1	0.1	4.5	17	0.0
47580	0	0	1	0	DSU	47.4350	69.1163	28.0	721.0	416	56901.	576	0.6	1.1	3.9	0.1	0.1	6.6	18	0.0
47581	0	0	1	0	DSU	47.4350	69.1157	28.0	721.1	414	56900.	561	0.7	-0.2	2.3	0.1	0.1	3.5	27	0.0
47582	0	0	1	0	DSU	47.4349	69.1152	28.0	721.1	412	56900.	606	0.7	0.5	2.2	0.1	0.1	3.2	19	0.0
47583	0	0	1	0	DSU	47.4349	69.1147	28.0	721.2	400	56900.	552	0.5	0.9	2.8	0.1	0.1	0.1	18	0.0
47584	0	0	0	0	DSU	47.4349	69.1142	28.0	721.3	382	56900.	552	0.5	1.4	2.5	0.1	0.6	0.1	22	0.0
47585	0	0	1	0	DSU	47.4349	69.1137	28.0	721.3	362	56899.	608	0.8	0.5	1.6	0.1	0.1	2.2	22	0.0
47587	0	0	1	0	DSU	47.4348	69.1127	28.0	721.3	353	56898.	483	0.5	-0.7	2.0	0.1	0.1	0.1	29	0.0
47588	0	0	1	0	DSU	47.4348	69.1122	28.0	721.4	349	56897.	536	0.6	0.5	3.5	0.1	0.1	6.1	33	0.0
47589	0	0	1	0	DSU	47.4348	69.1117	28.0	721.4	348	56897.	543	0.6	1.0	1.8	0.1	0.1	3.6	25	0.0
47590	0	0	1	0	DSU	47.4347	69.1112	28.0	721.4	349	56897.	584	0.5	0.3	1.7	0.1	0.1	0.1	28	0.0
47591	0	0	0	0	DSU	47.4347	69.1106	28.0	721.5	353	56896.	603	0.5	1.1	3.4	0.1	0.4	0.1	17	0.0
47592	0	0	1	0	DSU	47.4347	69.1101	28.0	721.5	356	56896.	629	0.7	0.3	3.7	0.1	0.1	5.4	24	0.0
47593	0	0	0	0	DSU	47.4347	69.1096	28.0	721.5	359	56897.	556	0.6	1.5	3.0	2.5	0.5	5.2	22	0.0
47594	0	0	1	0	DSU	47.4347	69.1091	28.0	721.5	362	56897.	601	0.8	0.5	2.3	0.1	0.1	3.3	22	0.0
47595	0	0	0	0	Water	47.4347	69.1086	28.0	721.5	361	56897.	581	0.6	1.3	3.5	2.5	0.4	6.9	21	0.0
47596	0	0	1	0	Water	47.4346	69.1080	28.0	721.5	361	56897.	590	0.7	0.7	2.8	0.1	0.1	4.3	21	0.0
47597	0	0	1	0	Water	47.4346	69.1075	28.0	721.5	368	56895.	612	0.6	-0.2	2.9	0.1	0.1	4.7	20	0.0
47598	0	0	1	0	Water	47.4346	69.1070	28.0	721.5	381	56893.	573	0.8	0.6	2.2	0.1	0.1	2.8	22	0.0
47599	0	0	1	0	Water	47.4346	69.1065	28.0	721.5	396	56891.	666	0.6	1.1	4.1	0.1	0.1	7.4	18	0.0
47600	0	0	1	0	Water	47.4346	69.1060	28.0	721.5	402	56890.	655	0.7	0.2	3.8	0.1	0.1	5.8	18	0.0
47601	0	0	1	0	Water	47.4346	69.1055	28.0	721.5	406	56889.	668	0.8	0.9	3.8	0.1	0.1	4.7	32	0.0
47602	0	0	1	0	Water	47.4345	69.1049	28.0	721.5	407	56889.	644	0.8	0.2	2.4	0.1	0.1	3.2	21	0.0

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI			
												CPS	%	PPM	PPM							CPS	CPS
45431	0	0	1	0	Unknon	47.3805	69.3131	23.3	690.6	404	56895.	797	1.1	0.2	3.4	0.1	0.1	3.1	34	0.4			
45432	0	0	1	0	Unknon	47.3804	69.3125	23.4	690.6	408	56900.	766	1.0	0.5	2.1	0.1	0.1	2.2	39	0.1			
45433	0	0	1	0	Unknon	47.3803	69.3120	23.4	690.7	407	56904.	813	1.0	0.3	4.4	0.1	0.1	4.5	32	0.4			
45434	0	0	1	0	Unknon	47.3802	69.3114	23.4	690.8	407	56906.	824	0.9	0.5	3.4	0.1	0.1	4.0	31	0.8			
45435	0	0	1	0	Unknon	47.3801	69.3108	23.4	690.9	410	56905.	840	1.2	-0.4	3.0	0.1	0.1	2.7	25	1.1			
45436	0	0	1	0	Unknon	47.3800	69.3102	23.4	691.0	417	56901.	816	1.1	0.3	3.8	0.1	0.1	3.6	39	1.5			
45437	0	0	0	0	Unknon	47.3799	69.3096	23.5	691.1	424	56896.	834	0.9	1.9	3.2	2.3	0.6	3.9	27	1.8			
45438	0	0	1	0	Unknon	47.3798	69.3090	23.5	691.2	431	56894.	812	0.9	0.1	4.6	0.1	0.1	5.1	25	2.1			
45439	0	0	1	0	Unknon	47.3797	69.3084	23.5	691.3	432	56895.	757	0.9	-0.2	2.2	0.1	0.1	2.6	25	2.5			
45440	0	0	1	0	Unknon	47.3796	69.3078	23.5	691.5	432	56896.	766	0.9	0.6	2.9	0.1	0.1	3.5	31	2.8			
45441	0	0	1	0	Unknon	47.3795	69.3072	23.6	691.7	429	56897.	739	0.9	-0.6	4.3	0.1	0.1	5.0	32	2.8			
45442	0	0	1	0	Unknon	47.3794	69.3066	23.6	691.9	431	56897.	771	0.9	0.5	3.0	0.1	0.1	3.3	23	2.8			
45443	0	0	1	0	Unknon	47.3793	69.3060	23.6	692.0	435	56898.	715	1.0	0.4	4.1	0.1	0.1	4.5	24	2.8			
45444	0	0	1	0	Unknon	47.3792	69.3055	23.6	692.2	441	56898.	694	0.9	0.4	2.0	0.1	0.1	2.4	43	2.5			
45445	0	0	1	0	Unknon	47.3791	69.3049	23.6	692.5	448	56897.	773	0.8	0.9	2.5	0.1	0.1	3.3	27	2.3			
45446	0	0	0	0	Unknon	47.3789	69.3043	23.7	692.7	457	56896.	845	1.3	1.5	3.0	1.3	0.6	2.5	24	2.0			
45447	0	0	0	0	Unknon	47.3788	69.3038	23.7	693.0	465	56894.	789	1.1	1.4	5.1	1.4	0.3	4.9	20	1.8			
45448	0	0	1	0	Unknon	47.3787	69.3032	23.7	693.2	474	56894.	838	0.9	0.1	2.8	0.1	0.1	3.4	28	1.3			
45449	0	0	1	0	Unknon	47.3786	69.3026	23.8	693.5	480	56894.	803	1.0	0.0	4.9	0.1	0.1	4.9	29	1.1			
45450	0	0	1	0	Unknon	47.3785	69.3020	23.8	693.8	483	56896.	731	1.0	0.1	4.2	0.1	0.1	4.4	36	0.8			
45451	0	0	1	0	Unknon	47.3784	69.3015	23.8	694.0	482	56897.	696	1.0	0.3	3.1	0.1	0.1	3.4	33	0.5			
45452	0	0	1	0	Unknon	47.3783	69.3009	23.8	694.3	479	56896.	712	0.8	0.7	3.7	0.1	0.1	5.2	26	0.3			
45453	0	0	0	0	Unknon	47.3782	69.3003	23.9	694.5	471	56895.	700	0.8	1.8	3.4	2.3	0.6	4.5	26	0.1			
45454	0	0	1	0	Unknon	47.3781	69.2998	23.9	694.8	461	56892.	618	0.6	-0.4	3.9	0.1	0.1	7.4	25	0.0			
45455	0	0	1	0	Unknon	47.3780	69.2992	23.9	695.1	447	56890.	588	0.5	0.8	1.2	0.1	0.1	0.1	24	0.0			
45456	0	0	0	0	Unknon	47.3779	69.2986	24.0	695.4	432	56888.	628	0.4	1.3	3.0	0.1	0.5	0.1	19	0.0			
45457	0	0	1	0	Unknon	47.3778	69.2980	24.0	695.7	419	56887.	539	0.6	0.9	2.2	0.1	0.1	4.1	28	0.0			
45458	0	0	0	0	Unknon	47.3777	69.2975	24.0	696.0	409	56887.	523	0.6	1.8	2.4	3.2	0.8	4.2	33	0.0			
45459	0	0	1	0	Unknon	47.3776	69.2969	24.1	696.3	403	56887.	504	0.7	0.5	2.7	0.1	0.1	4.3	31	0.0			
45460	0	0	1	0	Pzqs	47.3775	69.2963	24.1	696.6	399	56886.	517	0.5	0.7	1.6	0.1	0.1	0.1	36	0.0			
45461	0	0	1	0	Pzqs	47.3774	69.2958	24.2	697.0	400	56886.	535	0.7	0.8	1.4	0.1	0.1	2.3	30	0.0			
45462	0	0	1	0	Pzqs	47.3773	69.2952	24.2	697.3	406	56888.	490	0.3	0.7	2.5	0.1	0.1	0.1	27	0.0			
45463	0	0	1	0	Pzqs	47.3772	69.2946	24.3	697.6	419	56890.	565	0.6	0.7	4.6	0.1	0.1	7.9	12	0.0			
45464	0	0	1	0	Pzqs	47.3771	69.2940	24.3	697.9	431	56889.	598	0.6	0.6	2.4	0.1	0.1	4.3	35	0.0			
45465	0	0	1	0	Pzqs	47.3770	69.2935	24.4	698.3	442	56886.	592	0.5	0.4	2.4	0.1	0.1	0.1	15	0.0			
45466	0	0	1	0	Pzqs	47.3769	69.2929	24.4	698.6	450	56883.	550	0.6	1.1	3.4	0.1	0.1	6.4	30	0.0			
45467	0	0	1	0	Pzqs	47.3768	69.2923	24.5	698.9	458	56881.	627	0.5	0.6	2.2	0.1	0.1	0.1	19	0.0			
45468	0	0	0	0	0Epa	47.3766	69.2918	24.5	699.2	464	56880.	615	0.4	1.6	3.1	0.1	0.6	0.1	34	0.0			
45470	0	0	0	0	0Epa	47.3764	69.2906	24.5	699.5	465	56880.	669	0.6	1.6	2.7	2.6	0.6	4.4	25	0.0			
45471	0	0	1	0	0Epa	47.3763	69.2900	24.6	699.8	462	56880.	616	0.8	-0.2	2.0	0.1	0.1	2.5	33	0.0			
45472	0	0	1	0	0Epa	47.3762	69.2895	24.6	700.1	460	56880.	602	0.7	0.4	2.2	0.1	0.1	3.5	18	0.0			
45473	0	0	1	0	0Epa	47.3761	69.2889	24.7	700.3	461	56879.	554	0.6	0.4	2.9	0.1	0.1	5.1	41	0.0			
45474	0	0	1	0	0Epa	47.3760	69.2883	24.7	700.6	465	56878.	611	0.7	0.2	2.3	0.1	0.1	3.4	30	0.0			
45475	0	0	1	0	0Epa	47.3759	69.2878	24.7	700.8	465	56878.	578	0.9	1.0	2.5	0.1	0.1	3.1	25	0.0			
45476	0	0	1	0	0Epa	47.3758	69.2873	24.7	700.9	467	56879.	589	0.5	0.6	3.3	0.1	0.1	0.1	27	0.0			
45477	0	0	1	0	0Epa	47.3756	69.2868	24.7	701.1	464	56880.	561	0.7	0.0	3.8	0.1	0.1	5.8	35	0.0			
45478	0	0	1	0	0Epa	47.3755	69.2863	24.8	701.3	462	56881.	540	0.7	-0.1	3.4	0.1	0.1	5.1	26	0.0			
45479	0	0	1	0	0Epa	47.3754	69.2858	24.8	701.5	452	56880.	489	0.4	-0.2	3.2	0.1	0.1	0.1	21	0.0			
45480	0	0	1	0	0Epa	47.3753	69.2853	24.8	701.7	440	56878.	525	0.6	0.0	2.2	0.1	0.1	3.6	31	0.0			
45481	0	0	0	0	0Epa	47.3751	69.2848	24.9	701.8	427	56877.	530	0.6	1.2	1.8	2.0	0.7	3.2	22	0.0			

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI			
												CPS	%	PPM	PPM							CPS	CPS
45482	0	0	1	0	0Epq	47.3750	69.2843	24.9	701.9	415	56876.	468	0.5	0.5	2.4	0.1	0.1	0.1	30	0.0			
45483	0	0	1	0	0Epq	47.3749	69.2838	24.9	702.0	406	56874.	478	0.5	0.6	2.6	0.1	0.1	0.1	29	0.0			
45484	0	0	1	0	0Epq	47.3747	69.2833	24.9	702.1	399	56874.	570	0.6	0.7	2.4	0.1	0.1	4.3	28	0.0			
45485	0	0	1	0	0Epq	47.3746	69.2828	25.0	702.2	396	56875.	601	0.4	0.5	2.5	0.1	0.1	0.1	21	0.0			
45486	0	0	1	0	0Epq	47.3745	69.2823	25.0	702.2	396	56876.	609	0.7	0.3	3.5	0.1	0.1	5.6	21	0.0			
45487	0	0	1	0	0Epq	47.3743	69.2818	25.0	702.2	398	56876.	623	0.7	-0.2	3.1	0.1	0.1	4.8	23	0.0			
45488	0	0	1	0	0Epq	47.3742	69.2814	25.0	702.2	400	56876.	604	0.6	-0.2	1.6	0.1	0.1	2.9	30	0.0			
45489	0	0	1	0	0Epq	47.3741	69.2809	25.1	702.2	399	56876.	586	0.9	0.6	3.8	0.1	0.1	4.8	32	0.0			
45490	0	0	1	0	0Epq	47.3739	69.2804	25.1	702.2	396	56875.	558	0.6	0.0	4.1	0.1	0.1	7.1	27	0.0			
45491	0	0	0	0	0Epq	47.3738	69.2799	25.1	702.2	394	56874.	604	0.5	1.4	1.8	0.1	0.8	0.1	23	0.0			
45492	0	0	1	0	0Epq	47.3737	69.2794	25.1	702.1	392	56874.	639	0.7	0.9	2.8	0.1	0.1	4.5	24	0.0			
45493	0	0	1	0	0Epq	47.3735	69.2789	25.2	702.1	391	56873.	605	0.6	0.0	2.7	0.1	0.1	5.0	24	0.0			
45494	0	0	1	0	0Epq	47.3734	69.2784	25.2	702.0	387	56872.	588	0.8	0.2	3.7	0.1	0.1	4.9	24	0.0			
45495	0	0	1	0	0Epq	47.3733	69.2779	25.2	701.9	385	56872.	615	0.6	0.6	3.3	0.1	0.1	5.8	17	0.0			
45496	0	0	1	0	0Epq	47.3731	69.2774	25.2	701.8	383	56872.	576	0.8	0.1	2.8	0.1	0.1	3.8	28	0.0			
45497	0	0	0	0	0Epq	47.3730	69.2769	25.2	701.8	381	56873.	596	0.5	1.6	2.7	0.1	0.6	0.1	25	0.0			
45498	0	0	1	0	0Epq	47.3729	69.2764	25.2	701.7	378	56875.	612	0.6	0.5	2.3	0.1	0.1	4.1	29	0.0			
45499	0	0	0	0	0Epq	47.3727	69.2759	25.3	701.6	374	56875.	643	0.7	1.2	2.5	1.9	0.5	3.9	15	0.0			
45500	0	0	1	0	0Epq	47.3726	69.2755	25.3	701.6	369	56874.	604	0.5	0.9	3.6	0.1	0.1	0.1	36	0.0			
45501	0	0	0	0	0Epq	47.3725	69.2750	25.3	701.5	364	56872.	682	0.7	1.5	2.8	2.1	0.6	4.1	31	0.0			
45502	0	0	1	0	0Epq	47.3723	69.2745	25.3	701.5	360	56871.	678	0.7	0.4	1.3	0.1	0.1	1.9	30	0.0			
45503	0	0	1	0	0Epq	47.3722	69.2740	25.3	701.4	356	56871.	717	0.8	1.0	2.9	0.1	0.1	3.9	30	0.0			
45504	0	0	1	0	0Epq	47.3721	69.2735	25.3	701.4	355	56873.	668	0.7	0.3	3.3	0.1	0.1	4.9	16	0.1			
45505	0	0	0	0	0Epq	47.3719	69.2730	25.3	701.4	357	56875.	620	0.7	1.1	3.0	1.6	0.4	4.4	28	0.2			
45506	0	0	0	0	0Epq	47.3718	69.2725	25.4	701.4	362	56876.	634	0.7	1.4	2.8	2.0	0.5	4.1	28	0.2			
45507	0	0	1	0	0Epq	47.3717	69.2720	25.4	701.5	366	56876.	663	0.6	0.4	4.7	0.1	0.1	8.1	35	0.3			
45508	0	0	1	0	0Epq	47.3715	69.2715	25.4	701.6	370	56875.	621	0.8	0.7	3.2	0.1	0.1	4.3	26	0.6			
45509	0	0	1	0	0Epq	47.3714	69.2710	25.4	701.7	372	56874.	637	0.7	0.0	4.2	0.1	0.1	6.5	28	0.8			
45510	0	0	1	0	0Epq	47.3713	69.2705	25.4	701.8	378	56875.	577	0.6	0.1	3.2	0.1	0.1	5.9	21	1.1			
45511	0	0	1	0	0Epq	47.3711	69.2700	25.4	702.0	383	56876.	661	0.8	0.1	3.2	0.1	0.1	4.1	27	1.4			
45512	0	0	1	0	0Epq	47.3710	69.2695	25.4	702.1	387	56876.	631	0.8	0.8	2.4	0.1	0.1	3.4	16	1.4			
45513	0	0	1	0	0Epq	47.3709	69.2690	25.4	702.3	388	56875.	636	0.7	-0.2	3.7	0.1	0.1	5.9	27	1.3			
45514	0	0	1	0	0Epq	47.3708	69.2685	25.4	702.5	387	56874.	668	0.7	0.7	4.9	0.1	0.1	7.2	20	1.2			
45515	0	0	0	0	0Epq	47.3706	69.2681	25.5	702.7	386	56874.	697	0.5	1.3	4.6	0.1	0.3	0.1	23	1.1			
45516	0	0	0	0	0Epq	47.3705	69.2676	25.5	702.9	382	56873.	595	0.4	1.2	2.6	0.1	0.5	0.1	24	1.4			
45517	0	0	1	1	0Epq	47.3704	69.2671	25.5	703.1	375	56873.	574	0.5	1.0	1.1	0.1	0.1	0.1	36	1.6			
45518	0	0	1	0	0Epq	47.3702	69.2666	25.5	703.4	367	56872.	568	0.7	1.0	3.0	0.1	0.1	4.5	29	1.7			
45519	0	0	1	0	0Epq	47.3701	69.2661	25.5	703.6	363	56869.	577	0.6	0.7	2.5	0.1	0.1	4.9	20	1.8			
45520	0	0	1	0	0Epq	47.3700	69.2656	25.5	703.8	364	56867.	617	0.5	0.8	2.9	0.1	0.1	0.1	22	2.1			
45521	0	0	1	0	0Epq	47.3698	69.2651	25.5	704.0	368	56867.	591	0.6	0.6	2.5	0.1	0.1	4.4	31	2.4			
45522	0	0	1	0	0Epq	47.3697	69.2646	25.5	704.2	369	56868.	530	0.6	-0.2	2.4	0.1	0.1	4.7	28	2.7			
45523	0	0	1	0	0Epq	47.3696	69.2641	25.6	704.5	370	56868.	481	0.6	0.3	2.5	0.1	0.1	4.1	31	2.8			
45524	0	0	1	0	0Epq	47.3694	69.2636	25.6	704.6	372	56866.	555	0.6	0.3	1.9	0.1	0.1	3.2	29	2.8			
45525	0	0	1	0	0Epq	47.3693	69.2631	25.6	704.7	377	56863.	532	0.3	0.5	2.9	0.1	0.1	0.1	36	2.9			
45526	0	0	1	0	0Epq	47.3692	69.2626	25.6	704.9	379	56861.	533	0.6	0.5	2.5	0.1	0.1	5.0	21	3.0			
45527	0	0	1	0	0Epq	47.3690	69.2621	25.6	705.0	382	56861.	546	0.6	-1.1	3.1	0.1	0.1	5.4	17	3.0			
45528	0	0	1	0	0Epq	47.3689	69.2617	25.6	705.1	381	56862.	509	0.4	-0.3	3.0	0.1	0.1	0.1	26	3.0			
45529	0	0	0	0	0Epq	47.3688	69.2612	25.6	705.2	383	56863.	512	0.8	1.2	1.7	1.6	0.7	2.4	29	3.1			
45530	0	0	1	0	0Epq	47.3686	69.2607	25.6	705.2	384	56864.	485	0.5	0.2	2.5	0.1	0.1	0.1	23	3.2			
45531	0	0	1	0	0Epq	47.3685	69.2602	25.6	705.3	385	56866.	519	0.5	-0.6	3.1	0.1	0.1	0.1	32	3.3			

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI			
												CPS	%	PPM	PPM							CPS	CPS
45532	0	0	1	0	0Epq	47.3684	69.2597	25.6	705.3	384	56868.	545	0.6	0.2	3.8	0.1	0.1	6.8	25	3.4			
45533	0	0	1	0	0Epq	47.3682	69.2592	25.6	705.3	380	56867.	552	0.3	0.4	3.5	0.1	0.1	0.1	22	3.2			
45534	0	0	1	0	0Epq	47.3681	69.2587	25.6	705.3	377	56866.	548	0.6	0.0	2.8	0.1	0.1	4.7	23	3.1			
45535	0	0	1	0	0Epq	47.3680	69.2582	25.6	705.3	374	56865.	538	0.5	-0.4	4.3	0.1	0.1	0.1	25	3.0			
45536	0	0	1	0	0Epq	47.3678	69.2577	25.8	707.3	381	56868.	576	0.6	-0.3	3.6	0.1	0.1	6.4	23	2.6			
45537	0	0	1	0	0Epq	47.3677	69.2572	25.8	707.4	382	56871.	578	0.6	0.3	4.1	0.1	0.1	7.4	28	2.6			
45538	0	0	1	0	0Epq	47.3676	69.2567	25.8	707.6	385	56874.	541	0.5	-0.8	2.2	0.1	0.1	0.1	19	2.8			
45539	0	0	1	0	0Epq	47.3674	69.2562	25.8	707.8	389	56878.	564	0.7	-0.2	3.3	0.1	0.1	5.3	21	2.8			
45540	0	0	1	0	0Epq	47.3673	69.2557	25.8	707.9	394	56881.	561	0.6	0.0	1.8	0.1	0.1	3.1	23	2.8			
45541	0	0	1	0	0Epq	47.3672	69.2552	25.9	708.1	400	56882.	534	0.4	0.0	2.7	0.1	0.1	0.1	22	2.8			
45542	0	0	1	0	0Epq	47.3671	69.2547	25.9	708.2	403	56882.	547	0.5	-0.2	2.9	0.1	0.1	0.1	23	2.6			
45543	0	0	1	0	0Epq	47.3669	69.2543	25.9	708.4	407	56883.	488	0.5	-0.4	1.8	0.1	0.1	0.1	32	2.5			
45544	0	0	1	0	0Epq	47.3668	69.2538	25.9	708.6	410	56883.	465	0.4	-0.1	2.0	0.1	0.1	0.1	31	2.3			
45545	0	0	1	0	0Epq	47.3667	69.2533	26.0	708.8	413	56881.	548	0.7	-0.7	4.3	0.1	0.1	6.9	16	1.9			
45546	0	0	1	0	0Epq	47.3665	69.2528	26.0	708.9	412	56878.	522	0.7	0.1	3.4	0.1	0.1	5.2	29	1.4			
45547	0	0	1	0	0Epq	47.3664	69.2523	26.0	709.1	415	56878.	538	0.5	-0.2	2.2	0.1	0.1	0.1	22	1.0			
45548	0	0	1	0	0Epq	47.3663	69.2518	26.0	709.3	411	56880.	566	0.7	0.6	2.1	0.1	0.1	3.0	24	0.7			
45549	0	0	1	0	0Epq	47.3661	69.2513	26.1	709.5	404	56882.	541	0.8	0.0	3.6	0.1	0.1	5.2	25	0.3			
45550	0	0	1	0	0Epq	47.3660	69.2508	26.1	709.6	394	56884.	556	0.5	0.2	3.3	0.1	0.1	0.1	19	0.0			
45551	0	0	0	0	0Epq	47.3659	69.2503	26.1	709.8	391	56886.	518	0.5	1.4	1.6	0.1	1.0	0.1	29	0.0			
45552	0	0	1	0	0Epq	47.3657	69.2498	26.1	709.9	391	56888.	558	0.6	0.8	2.6	0.1	0.1	4.6	17	0.0			
45553	0	0	1	0	0Epq	47.3656	69.2493	26.1	710.0	389	56891.	601	0.7	0.2	2.8	0.1	0.1	4.2	17	0.0			
45554	0	0	1	0	0Epq	47.3655	69.2488	26.2	710.2	389	56895.	532	0.4	-0.5	3.3	0.1	0.1	0.1	34	0.0			
45555	0	0	1	0	0Epq	47.3653	69.2484	26.2	710.3	392	56898.	498	0.6	0.2	1.8	0.1	0.1	3.1	26	0.0			
45556	0	0	1	0	0Epq	47.3652	69.2478	26.2	710.5	391	56899.	545	0.5	0.0	2.9	0.1	0.1	0.1	23	0.0			
45557	0	0	0	0	0Epq	47.3651	69.2474	26.2	710.7	390	56898.	570	0.4	1.2	3.7	0.1	0.4	0.1	17	0.0			
45558	0	0	1	0	0Epq	47.3649	69.2469	26.2	710.8	381	56898.	491	0.4	0.5	2.4	0.1	0.1	0.1	28	0.0			
45559	0	0	1	0	0Epq	47.3648	69.2464	26.3	711.0	381	56899.	536	0.5	0.6	2.3	0.1	0.1	0.1	25	0.0			
45560	0	0	1	0	0Epq	47.3647	69.2459	26.3	711.2	382	56901.	499	0.5	0.0	2.0	0.1	0.1	0.1	32	0.0			
45561	0	0	1	0	0Epq	47.3645	69.2454	26.3	711.3	386	56905.	576	0.6	0.2	5.0	0.1	0.1	8.4	30	0.0			
45562	0	0	1	0	0Epq	47.3644	69.2449	26.3	711.5	381	56907.	551	0.7	-0.4	3.3	0.1	0.1	5.0	24	0.0			
45563	0	0	1	0	0Epq	47.3643	69.2444	26.3	711.6	372	56909.	637	0.7	0.3	2.3	0.1	0.1	3.4	18	0.0			
45564	0	0	1	0	0Epq	47.3641	69.2439	26.4	711.8	365	56909.	676	0.9	0.3	3.3	0.1	0.1	3.7	23	0.0			
45566	0	0	1	0	0Epq	47.3639	69.2429	26.4	712.0	361	56910.	656	0.6	0.7	4.2	0.1	0.1	8.0	28	0.0			
45567	0	0	1	0	0Epq	47.3638	69.2424	26.4	712.1	360	56911.	617	0.7	0.1	2.9	0.1	0.1	4.3	23	0.0			
45568	0	0	1	0	0Epq	47.3636	69.2419	26.4	712.3	360	56912.	657	0.7	0.1	2.5	0.1	0.1	3.6	21	0.0			
45569	0	0	1	0	0Epq	47.3635	69.2414	26.5	712.4	366	56915.	684	0.7	-0.1	4.7	0.1	0.1	7.3	26	0.0			
45570	0	0	1	0	0Epq	47.3633	69.2410	26.5	712.6	373	56918.	625	0.7	0.0	4.0	0.1	0.1	5.8	35	0.0			
45571	0	0	1	0	0Epq	47.3632	69.2405	26.5	712.7	379	56920.	577	0.6	1.1	2.9	0.1	0.1	5.1	28	0.0			
45572	0	0	1	0	0Epq	47.3631	69.2400	26.5	712.9	379	56921.	599	0.8	0.3	3.2	0.1	0.1	4.0	28	0.0			
45573	0	0	1	0	0Epq	47.3629	69.2395	26.6	713.0	377	56922.	612	0.5	0.6	3.9	0.1	0.1	0.1	22	0.0			
45574	0	0	1	0	0Epq	47.3628	69.2390	26.6	713.2	370	56922.	585	0.6	0.7	3.1	0.1	0.1	5.8	16	0.0			
45575	0	0	1	0	0Epq	47.3627	69.2385	26.6	713.3	365	56919.	535	0.5	0.4	2.6	0.1	0.1	0.1	17	0.0			
45576	0	0	1	0	0Epq	47.3626	69.2380	26.6	713.4	361	56917.	498	0.5	0.5	2.0	0.1	0.1	0.1	23	0.0			
45577	0	0	1	0	0Epq	47.3624	69.2375	26.6	713.6	360	56915.	439	0.4	0.1	2.8	0.1	0.1	0.1	23	0.0			
45578	0	0	1	0	0Epq	47.3623	69.2370	26.7	713.7	356	56915.	422	0.6	0.3	2.5	0.1	0.1	4.4	25	0.0			
45579	0	0	1	1	0Epq	47.3622	69.2365	26.7	713.8	347	56915.	421	0.4	0.5	0.6	0.1	0.1	0.1	29	0.0			
45580	0	0	1	0	0Epq	47.3620	69.2360	26.7	713.9	338	56915.	376	0.5	-0.2	2.4	0.1	0.1	0.1	20	0.0			
45581	0	0	0	0	0Epq	47.3619	69.2355	26.7	714.0	334	56915.	424	0.4	1.4	1.3	0.1	1.1	0.1	27	0.0			
45582	0	0	1	0	0Epq	47.3618	69.2350	26.7	714.0	337	56915.	403	0.3	-0.2	1.3	0.1	0.1	0.1	30	0.0			

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
45583	0	0	1	0	OEpa	47.3616	69.2346	26.7	714.1	343	56915.	504	0.6	0.1	2.6	0.1	0.1	5.1	25	0.0
45584	0	0	1	0	OEpa	47.3615	69.2341	26.7	714.1	354	56915.	495	0.6	0.4	2.8	0.1	0.1	4.9	22	0.0
45585	0	0	0	0	OEpa	47.3614	69.2336	26.7	714.2	366	56916.	591	0.5	1.4	2.5	0.1	0.6	0.1	32	0.0
45586	0	0	1	0	OEpa	47.3614	69.2331	26.7	714.2	375	56917.	549	0.6	0.4	2.4	0.1	0.1	4.4	21	0.0
45587	0	0	0	0	OEpa	47.3613	69.2326	26.7	714.2	380	56917.	604	0.7	1.3	2.0	2.1	0.7	3.1	25	0.0
45588	0	0	0	0	OEpa	47.3612	69.2321	26.7	714.2	384	56917.	593	0.6	1.2	2.0	2.2	0.6	3.7	30	0.0
45589	0	0	1	0	OEpa	47.3612	69.2317	26.7	714.2	389	56918.	618	0.5	0.7	3.0	0.1	0.1	0.1	32	0.0
45590	0	0	1	0	OEpa	47.3611	69.2312	26.7	714.2	396	56919.	688	0.8	-0.2	2.8	0.1	0.1	3.6	22	0.0
45591	0	0	1	C	OEpa	47.3611	69.2307	26.7	714.2	398	56919.	666	0.8	1.0	2.5	0.1	0.1	3.5	19	0.0
45592	0	0	0	0	OEpa	47.3610	69.2302	26.7	714.2	402	56919.	617	0.6	1.2	2.8	2.2	0.5	5.0	23	0.0
45593	0	0	1	0	OEpa	47.3610	69.2297	26.8	715.0	402	56919.	704	0.8	0.2	5.1	0.1	0.1	6.6	28	0.0
45594	0	0	1	0	OEpa	47.3609	69.2293	26.8	715.1	402	56918.	650	0.9	-0.3	4.7	0.1	0.1	5.8	23	0.0
45595	0	0	1	0	OEpa	47.3608	69.2288	26.8	715.2	404	56916.	709	0.9	0.1	1.5	0.1	0.1	1.8	20	0.0
45596	0	0	1	0	OEpa	47.3608	69.2283	26.8	715.2	404	56915.	688	0.8	0.7	3.0	0.1	0.1	3.9	22	0.0
45597	0	0	1	0	DSU	47.3607	69.2278	26.8	715.3	410	56914.	612	0.7	0.0	2.5	0.1	0.1	3.9	25	0.0
45598	0	0	1	0	DSU	47.3606	69.2273	26.9	715.4	414	56913.	602	0.6	0.3	3.8	0.1	0.1	7.4	26	0.0
45599	0	0	1	0	DSU	47.3606	69.2269	26.9	715.4	420	56913.	549	0.4	0.7	3.2	0.1	0.1	0.1	21	0.0
45600	0	0	1	0	DSU	47.3605	69.2264	26.9	715.4	422	56913.	564	0.5	0.3	3.1	0.1	0.1	0.1	24	0.0
45601	0	0	1	0	DSU	47.3605	69.2259	26.9	715.4	424	56914.	546	0.6	0.1	5.0	0.1	0.1	9.1	17	0.0
45602	0	0	1	0	DSU	47.3604	69.2254	26.9	715.4	423	56916.	590	0.6	0.3	3.4	0.1	0.1	6.2	10	0.0
45603	0	0	1	0	DSU	47.3603	69.2249	26.9	715.3	426	56920.	589	0.7	0.4	4.0	0.1	0.1	6.2	17	0.0
45604	0	0	1	0	DSU	47.3603	69.2245	26.9	715.2	432	56922.	571	0.4	0.5	2.0	0.1	0.1	0.1	18	0.0
45605	0	0	1	0	DSU	47.3602	69.2240	26.9	715.1	444	56922.	660	0.6	0.3	3.8	0.1	0.1	7.4	23	0.0
45606	0	0	0	0	DSU	47.3601	69.2235	27.0	715.0	448	56921.	609	0.7	1.3	3.2	2.0	0.5	4.8	23	0.0
45607	0	0	1	0	DSU	47.3601	69.2230	27.0	714.9	446	56923.	641	0.6	1.0	3.3	0.1	0.1	5.5	25	0.0
45608	0	0	1	0	DSU	47.3600	69.2225	27.0	714.7	433	56925.	680	0.9	0.6	2.9	0.1	0.1	3.6	29	0.0
45609	0	0	1	0	DSU	47.3600	69.2221	27.0	714.5	419	56925.	698	0.6	1.2	3.2	0.1	0.1	5.8	15	0.0
45610	0	0	1	0	DSU	47.3599	69.2216	27.0	714.3	408	56924.	711	0.6	1.1	4.2	0.1	0.1	8.0	26	0.0
45611	0	0	1	0	DSU	47.3598	69.2211	27.0	714.0	409	56923.	726	0.8	0.4	3.5	0.1	0.1	4.4	21	0.0
45612	0	0	0	0	DSU	47.3598	69.2206	27.0	713.8	414	56925.	776	1.1	1.6	2.1	1.5	0.8	2.0	17	0.0
45613	0	0	1	0	DSU	47.3597	69.2202	27.0	713.6	421	56929.	801	0.8	1.0	4.1	0.1	0.1	5.2	27	0.0
45614	0	0	1	0	DSU	47.3597	69.2197	27.0	713.3	426	56933.	741	1.2	0.4	3.5	0.1	0.1	2.9	26	0.0
45615	0	0	1	0	DSU	47.3596	69.2192	27.0	713.1	421	56933.	767	0.9	0.8	3.2	0.1	0.1	3.8	24	0.0
45616	0	0	1	0	DSU	47.3595	69.2187	27.0	712.9	411	56935.	725	0.8	0.1	4.1	0.1	0.1	5.3	23	0.0
45617	0	0	1	0	DSU	47.3595	69.2182	27.1	712.7	395	56938.	715	0.7	1.0	2.6	0.1	0.1	4.0	20	0.0
45618	0	0	1	0	DSU	47.3594	69.2178	27.1	712.4	379	56939.	720	0.7	0.6	5.0	0.1	0.1	7.2	23	0.0
45619	0	0	0	0	DSU	47.3593	69.2173	27.1	712.2	364	56939.	616	0.7	1.2	3.8	1.9	0.4	6.0	24	0.0
45620	0	0	1	0	DSU	47.3593	69.2168	27.1	712.0	352	56939.	642	0.6	0.5	3.3	0.1	0.1	5.9	26	0.0
45621	0	0	0	0	DSU	47.3592	69.2163	27.1	711.8	345	56941.	668	0.6	1.1	2.0	1.9	0.6	3.5	14	0.0
45622	0	0	1	0	DSU	47.3592	69.2158	27.1	711.6	340	56943.	685	0.8	0.9	4.3	0.1	0.1	5.6	19	0.0
45623	0	0	1	0	DSU	47.3591	69.2154	27.1	711.4	340	56944.	608	0.7	0.2	2.1	0.1	0.1	3.0	30	0.0
45624	0	0	0	0	DSU	47.3590	69.2149	27.1	711.3	342	56945.	604	0.5	1.0	2.0	0.1	0.5	0.1	20	0.0
45625	0	0	0	0	DSU	47.3590	69.2144	27.1	711.1	344	56947.	615	0.7	1.4	1.9	2.1	0.8	2.9	30	0.0
45626	0	0	1	0	DSU	47.3589	69.2139	27.1	710.9	347	56949.	577	0.7	-0.3	1.5	0.1	0.1	2.5	21	0.0
45627	0	0	0	0	DSU	47.3589	69.2134	27.1	710.8	353	56950.	624	0.6	1.6	4.5	2.8	0.4	8.1	31	0.0
45628	0	0	1	0	DSU	47.3588	69.2130	27.1	710.6	368	56949.	604	0.7	0.0	3.4	0.1	0.1	4.9	22	0.0
45629	0	0	1	0	DSU	47.3587	69.2125	27.1	710.4	386	56947.	616	0.7	-0.2	2.7	0.1	0.1	4.3	26	0.0
45630	0	0	1	0	DSU	47.3587	69.2120	27.1	710.3	406	56945.	627	0.6	0.8	4.1	0.1	0.1	7.1	27	0.0
45631	0	0	1	C	DSU	47.3586	69.2115	27.1	710.1	426	56947.	548	0.6	0.6	2.3	0.1	0.1	4.4	18	0.0
45632	0	0	1	0	DSU	47.3586	69.2111	27.1	709.9	444	56952.	617	0.7	0.3	1.9	0.1	0.1	2.8	34	0.0

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
45633	0	0	1	0	DSu	47.3585	69.2106	27.1	709.7	457	56961.	541	0.4	0.3	3.4	0.1	0.1	0.1	21	0.0
45634	0	0	0	0	DSu	47.3584	69.2101	27.1	709.6	459	56975.	603	0.7	1.3	1.5	1.9	0.9	2.3	17	0.0
45635	0	0	1	0	DSu	47.3584	69.2096	27.1	709.4	455	56994.	585	0.5	0.5	2.7	0.1	0.1	0.1	24	0.0
45636	0	0	1	0	DSu	47.3583	69.2091	27.1	709.2	446	57020.	568	0.9	1.0	2.1	0.1	0.1	2.6	29	0.0
45637	0	0	1	0	DSu	47.3582	69.2086	27.1	709.1	436	57050.	581	0.6	0.4	2.6	0.1	0.1	4.3	29	0.0
45638	0	0	1	0	DSu	47.3582	69.2082	27.1	709.0	420	57080.	586	0.7	0.0	2.4	0.1	0.1	3.6	15	0.0
45639	0	0	1	0	DSu	47.3581	69.2077	27.1	708.9	401	57099.	548	0.6	0.9	2.1	0.1	0.1	3.8	25	0.0
45640	0	0	1	0	DSu	47.3581	69.2072	27.1	708.9	383	57098.	548	0.6	0.6	3.0	0.1	0.1	5.3	23	0.0
45641	0	0	1	C	DSu	47.3580	69.2067	27.1	708.8	370	57078.	544	0.5	0.1	2.6	0.1	0.1	0.1	20	0.0
45642	0	0	1	0	DSu	47.3579	69.2063	27.1	708.7	364	57048.	633	0.7	0.3	3.5	0.1	0.1	5.0	22	0.0
45643	0	0	1	0	DSu	47.3579	69.2058	27.1	708.7	361	57019.	579	0.6	0.5	4.3	0.1	0.1	7.4	27	0.0
45644	0	0	1	0	DSu	47.3578	69.2053	27.1	708.6	362	56997.	690	0.6	0.2	3.3	0.1	0.1	5.6	23	0.0
45645	0	0	1	0	DSu	47.3578	69.2048	27.1	708.6	365	56981.	656	0.8	0.7	2.4	0.1	0.1	3.1	17	0.0
45646	0	0	1	0	DSu	47.3577	69.2043	27.1	708.6	370	56970.	640	0.7	0.7	2.9	0.1	0.1	4.6	20	0.0
45647	0	0	1	0	DSu	47.3576	69.2039	27.1	708.6	373	56961.	682	0.6	0.9	3.6	0.1	0.1	6.8	20	0.0
45648	0	0	1	0	DSu	47.3576	69.2034	27.1	708.7	375	56957.	646	0.7	0.5	2.3	0.1	0.1	3.6	36	0.0
45649	0	0	0	0	DSu	47.3575	69.2029	27.0	707.4	380	56950.	705	0.8	1.9	3.3	2.4	0.6	4.1	27	0.0
45650	0	0	1	0	DSu	47.3574	69.2024	27.0	707.3	382	56944.	637	0.7	0.8	1.9	0.1	0.1	3.0	24	0.0
45651	0	0	1	0	DSu	47.3574	69.2019	27.0	707.2	385	56939.	678	0.8	0.9	2.2	0.1	0.1	2.8	40	0.0
45652	0	0	1	0	DSu	47.3573	69.2015	27.0	707.0	388	56936.	657	0.7	-0.6	2.9	0.1	0.1	4.3	31	0.0
45653	0	0	1	0	DSu	47.3573	69.2010	27.0	706.9	390	56934.	635	0.8	0.3	3.4	0.1	0.1	4.4	32	0.0
45654	0	0	1	0	DSu	47.3572	69.2005	27.0	706.8	389	56934.	639	0.6	0.8	2.9	0.1	0.1	5.2	18	0.0
45655	0	0	1	0	DSu	47.3571	69.2000	27.0	706.6	385	56933.	625	0.6	0.2	3.7	0.1	0.1	6.8	33	0.0
45656	0	0	0	0	DSu	47.3571	69.1995	27.0	706.5	383	56932.	705	0.8	1.3	2.9	1.7	0.5	3.8	32	0.0
45657	0	0	1	0	DSu	47.3570	69.1991	26.9	706.3	385	56930.	649	0.7	0.4	3.3	0.1	0.1	4.9	26	0.0
45658	0	0	1	0	DSu	47.3570	69.1986	26.9	706.2	391	56928.	671	0.9	0.4	3.0	0.1	0.1	3.6	26	0.0
45659	0	0	0	0	DSu	47.3569	69.1981	26.9	706.1	400	56927.	732	0.9	1.4	2.9	1.6	0.5	3.4	31	0.0
45661	0	0	1	0	DSu	47.3568	69.1972	26.9	705.9	407	56926.	698	0.9	0.4	1.5	0.1	0.1	1.8	30	0.0
45662	0	0	0	0	DSu	47.3567	69.1967	26.9	705.8	412	56925.	717	0.8	2.2	3.9	2.9	0.6	5.1	22	0.0
45663	0	0	1	0	DSu	47.3566	69.1962	26.9	705.7	412	56924.	752	0.9	0.7	2.0	0.1	0.1	2.3	29	0.0
45664	0	0	1	0	DSu	47.3566	69.1957	26.9	705.6	410	56923.	772	0.9	0.7	2.9	0.1	0.1	3.6	36	0.0
45665	0	0	1	0	DSu	47.3565	69.1952	26.9	705.5	408	56923.	737	0.8	-0.1	3.6	0.1	0.1	4.8	14	0.0
45666	0	0	1	0	DSu	47.3565	69.1947	26.8	705.4	404	56921.	729	0.9	0.4	4.0	0.1	0.1	5.0	32	0.0
45667	0	0	0	0	DSu	47.3564	69.1943	26.8	705.4	403	56919.	738	0.8	1.6	3.3	2.1	0.5	4.4	28	0.0
45668	0	0	1	0	DSu	47.3563	69.1938	26.8	705.4	402	56918.	625	0.5	0.3	3.0	0.1	0.1	0.1	30	0.0
45669	0	0	1	0	DSu	47.3563	69.1933	26.8	705.4	400	56916.	571	0.6	0.8	2.8	0.1	0.1	5.0	32	0.0
45670	0	0	1	0	DSu	47.3562	69.1928	26.8	705.3	397	56914.	587	0.6	0.2	2.5	0.1	0.1	4.1	22	0.0
45671	0	0	1	0	DSu	47.3562	69.1923	26.8	705.3	395	56912.	643	0.6	0.9	3.1	0.1	0.1	5.5	22	0.0
45672	0	0	1	0	DSu	47.3561	69.1919	26.8	705.3	398	56910.	609	0.5	0.2	2.8	0.1	0.1	0.1	17	0.0
45673	0	0	1	0	DSu	47.3560	69.1914	26.7	705.3	405	56908.	602	0.4	1.1	3.8	0.1	0.1	0.1	21	0.0
45674	0	0	1	0	DSu	47.3560	69.1909	26.7	705.3	412	56906.	617	0.7	-0.1	2.5	0.1	0.1	3.8	30	0.0
45675	0	0	1	0	DSu	47.3559	69.1904	26.7	705.3	415	56903.	556	0.6	0.5	4.8	0.1	0.1	9.4	24	0.0
45676	0	0	1	0	DSu	47.3559	69.1900	26.7	705.4	416	56901.	558	0.6	0.9	3.0	0.1	0.1	5.2	25	0.0
45677	0	0	1	0	DSu	47.3558	69.1895	26.7	705.4	414	56899.	674	0.7	0.5	2.3	0.1	0.1	3.6	33	0.0
45678	0	0	1	0	DSu	47.3557	69.1890	26.7	705.5	411	56897.	572	0.6	1.0	4.7	0.1	0.1	9.1	17	0.0
45679	0	0	1	0	DSu	47.3557	69.1885	26.7	705.5	405	56897.	611	0.5	0.6	3.7	0.1	0.1	0.1	29	0.0
45680	0	0	1	0	DSu	47.3556	69.1880	26.6	705.5	395	56897.	540	0.5	-0.3	3.7	0.1	0.1	0.1	29	0.0
45681	0	0	1	0	DSu	47.3555	69.1876	26.6	705.5	382	56898.	472	0.4	-0.2	3.1	0.1	0.1	0.1	26	0.0
45682	0	0	0	0	DSu	47.3555	69.1871	26.6	705.5	371	56900.	558	0.7	1.1	3.0	1.7	0.4	4.7	34	0.0
45683	0	0	1	0	DSu	47.3554	69.1866	26.6	705.6	364	56901.	557	0.6	0.3	2.5	0.1	0.1	4.9	19	0.0

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
45684	0	0	1	0	DSu	47.3554	69.1861	26.6	705.6	360	56900.	550	0.6	-0.8	2.8	0.1	0.1	4.9	28	0.0
45685	0	0	1	0	DSu	47.3553	69.1856	26.6	705.6	357	56897.	499	0.5	0.4	3.1	0.1	0.1	0.1	18	0.0
45686	0	0	1	0	DSu	47.3552	69.1852	26.6	705.6	356	56893.	477	0.3	0.2	1.6	0.1	0.1	0.1	30	0.0
45687	0	0	1	0	DSu	47.3552	69.1847	26.6	705.7	354	56890.	522	0.6	0.7	2.1	0.1	0.1	3.6	26	0.0
45688	0	0	1	0	DSu	47.3551	69.1842	26.5	705.7	355	56891.	533	0.6	0.2	2.4	0.1	0.1	4.5	22	0.0
45689	0	0	1	0	DSu	47.3551	69.1837	26.5	705.7	355	56892.	545	0.6	-0.1	2.2	0.1	0.1	4.4	22	0.0
45690	0	0	1	0	DSu	47.3550	69.1833	26.5	705.7	356	56892.	541	0.5	0.4	3.2	0.1	0.1	0.1	23	0.0
45691	0	0	1	0	DSu	47.3549	69.1828	26.5	705.7	357	56892.	545	0.6	0.1	3.4	0.1	0.1	6.1	23	0.0
45692	0	0	1	0	DSu	47.3549	69.1823	26.5	705.8	359	56892.	566	0.6	0.9	2.5	0.1	0.1	4.9	22	0.0
45693	0	0	0	0	DSu	47.3548	69.1818	26.5	705.8	362	56892.	501	0.3	1.3	1.9	0.1	0.7	0.1	29	0.0
45694	0	0	1	0	DSu	47.3547	69.1813	26.5	705.8	364	56890.	465	0.5	0.2	1.8	0.1	0.1	0.1	28	0.0
45695	0	0	1	0	DSu	47.3547	69.1808	26.5	705.8	364	56890.	472	0.4	0.5	3.7	0.1	0.1	0.1	22	0.0
45696	0	0	1	0	DSu	47.3546	69.1804	26.5	705.8	359	56890.	494	0.5	0.3	3.1	0.1	0.1	0.1	19	0.0
45697	0	0	1	0	DSu	47.3546	69.1799	26.5	705.8	353	56890.	502	0.5	0.2	2.8	0.1	0.1	0.1	38	0.0
45698	0	0	0	0	DSu	47.3545	69.1794	26.5	705.8	347	56888.	556	0.4	1.0	2.6	0.1	0.4	0.1	25	0.0
45699	0	0	1	0	DSu	47.3545	69.1789	26.5	705.9	342	56886.	665	0.6	0.8	2.7	0.1	0.1	4.9	18	0.0
45700	0	0	1	0	DSu	47.3544	69.1785	26.5	705.8	340	56884.	677	0.8	0.7	2.7	0.1	0.1	3.7	17	0.0
45701	0	0	1	0	DSu	47.3543	69.1780	26.5	705.8	343	56883.	683	0.8	0.7	4.4	0.1	0.1	5.9	21	0.0
45702	0	0	1	0	DSu	47.3543	69.1775	26.5	705.8	350	56883.	654	0.7	0.3	3.9	0.1	0.1	6.3	30	0.0
45703	0	0	1	0	DSu	47.3542	69.1770	26.5	705.8	359	56883.	642	0.7	0.8	3.0	0.1	0.1	4.5	20	0.0
45704	0	0	0	0	DSu	47.3541	69.1765	26.5	705.8	364	56884.	661	0.6	1.8	2.8	3.1	0.7	4.9	18	0.0
45705	0	0	1	0	DSu	47.3541	69.1761	26.5	705.6	367	56884.	577	0.6	0.2	3.6	0.1	0.1	6.6	18	0.0
45706	0	0	1	0	DSu	47.3540	69.1756	26.4	705.4	372	56882.	593	0.5	0.1	3.6	0.1	0.1	0.1	24	0.0
45707	0	0	0	0	DSu	47.3540	69.1751	26.4	705.3	369	56880.	650	0.5	1.0	3.3	0.1	0.3	0.1	22	0.0
45708	0	0	0	1	DSu	47.3540	69.1746	26.4	705.2	368	56880.	612	0.5	2.8	0.8	0.1	0.1	0.1	29	0.0
45709	0	0	1	0	DSu	47.3540	69.1741	26.4	705.1	372	56880.	560	0.7	0.3	2.0	0.1	0.1	3.2	30	0.1
45710	0	0	1	0	DSu	47.3541	69.1736	26.4	705.0	375	56879.	629	0.8	-0.2	3.8	0.1	0.1	5.3	34	0.0
45711	0	0	1	0	DSu	47.3541	69.1731	26.4	704.9	375	56877.	711	0.9	-0.3	3.9	0.1	0.1	4.7	30	0.0
45712	0	0	1	0	DSu	47.3541	69.1726	26.4	704.7	372	56876.	673	0.8	0.4	4.3	0.1	0.1	5.8	22	0.0
45713	0	0	0	0	DSu	47.3541	69.1721	26.4	704.6	371	56875.	653	0.8	1.2	2.8	1.7	0.5	3.8	27	0.0
45714	0	0	1	0	DSu	47.3542	69.1716	26.4	704.5	371	56874.	693	0.7	0.1	3.7	0.1	0.1	5.3	43	0.0
45715	0	0	0	0	DSu	47.3542	69.1711	26.4	704.3	370	56872.	720	0.9	2.2	2.1	2.5	1.1	2.4	23	0.0
45716	0	0	1	0	DSu	47.3542	69.1706	26.4	704.2	366	56872.	700	0.7	0.1	3.1	0.1	0.1	4.8	27	0.0
45717	0	0	1	0	DSu	47.3543	69.1701	26.4	704.0	360	56871.	645	0.7	0.9	3.5	0.1	0.1	5.5	21	0.0
45718	0	0	1	0	DSu	47.3543	69.1696	26.4	703.9	355	56870.	697	0.7	0.2	2.4	0.1	0.1	3.6	29	0.0
45719	0	0	1	0	DSu	47.3543	69.1691	26.4	703.7	354	56870.	713	0.7	-0.5	4.4	0.1	0.1	6.3	21	0.0
45720	0	0	1	0	DSu	47.3544	69.1686	26.4	703.6	357	56870.	704	0.4	0.6	3.5	0.1	0.1	0.1	22	0.0
45721	0	0	0	0	DSu	47.3544	69.1682	26.4	703.5	362	56870.	745	0.5	1.3	4.7	0.1	0.3	0.1	21	0.0
45722	0	0	0	0	DSu	47.3545	69.1676	26.4	703.4	369	56871.	730	0.8	1.3	3.4	1.8	0.4	4.7	24	0.0
45723	0	0	1	0	DSu	47.3545	69.1671	26.4	703.3	378	56873.	742	0.7	0.9	5.6	0.1	0.1	8.9	25	0.0
45724	0	0	0	0	DSu	47.3545	69.1667	26.4	703.2	369	56874.	710	0.8	1.6	3.7	2.1	0.5	5.0	23	0.0
45725	0	0	1	0	DSu	47.3545	69.1662	26.4	703.2	401	56876.	746	0.6	0.9	3.6	0.1	0.1	5.9	21	0.0
45726	0	0	0	0	DSu	47.3546	69.1657	26.4	703.2	414	56877.	714	0.6	1.5	3.4	2.4	0.5	5.6	26	0.0
45727	0	0	0	0	DSu	47.3546	69.1652	26.4	703.2	428	56878.	728	0.7	1.7	4.7	2.4	0.4	6.8	26	0.0
45728	0	0	1	0	DSu	47.3546	69.1647	26.4	703.2	440	56881.	764	0.8	0.2	3.0	0.1	0.1	4.1	25	0.0
45729	0	0	1	0	DSu	47.3547	69.1642	26.4	703.2	452	56885.	682	0.9	0.1	2.9	0.1	0.1	3.2	31	0.0
45730	0	0	0	0	DSu	47.3547	69.1637	26.4	703.2	463	56886.	673	0.9	1.5	2.7	1.8	0.6	3.2	29	0.0
45731	0	0	0	0	DSu	47.3547	69.1632	26.4	703.3	470	56886.	711	0.8	1.9	3.0	2.5	0.7	4.2	26	0.0
45732	0	0	1	0	DSu	47.3548	69.1627	26.4	703.3	471	56885.	676	0.5	0.4	2.1	0.1	0.1	0.1	34	0.0
45733	0	0	1	0	DSu	47.3548	69.1622	26.4	703.3	471	56882.	689	0.8	0.8	4.1	0.1	0.1	5.3	25	0.0

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI			
												CPS	%	PPM	PPM							CPS	CPS
45734	0	0	1	0	DSU	47.3548	69.1617	26.4	703.3	471	56880.	734	0.8	0.6	4.7	0.1	0.1	6.2	22	0.0			
45735	0	0	1	0	DSU	47.3549	69.1612	26.4	703.3	470	56878.	731	0.9	0.3	4.4	0.1	0.1	5.0	27	0.0			
45736	0	0	1	0	DSU	47.3549	69.1607	26.4	703.3	462	56874.	684	0.7	0.6	5.2	0.1	0.1	8.3	21	0.0			
45737	0	0	1	0	DSU	47.3549	69.1602	26.4	703.2	451	56870.	719	0.6	0.5	4.8	0.1	0.1	8.4	21	0.0			
45738	0	0	1	0	DSU	47.3550	69.1597	26.4	703.1	442	56868.	711	0.8	1.1	4.1	0.1	0.1	5.2	31	0.0			
45739	0	0	1	0	DSU	47.3550	69.1592	26.4	702.9	433	56868.	718	0.9	1.1	1.8	0.1	0.1	2.1	20	0.0			
45740	0	0	1	0	DSU	47.3550	69.1587	26.4	702.7	422	56869.	779	0.8	0.3	4.4	0.1	0.1	5.9	22	0.0			
45741	0	0	1	0	DSU	47.3551	69.1582	26.4	702.4	409	56870.	792	0.9	0.4	3.4	0.1	0.1	4.0	31	0.0			
45742	0	0	1	0	DSU	47.3551	69.1577	26.4	702.1	394	56868.	830	1.0	0.9		0.1	0.1	3.8	33	0.0			
45743	0	0	0	0	DSU	47.3551	69.1572	26.4	701.9	377	56865.	881	1.1	1.6	4.	0.6	0.4	4.4	27	0.0			
45744	0	0	0	0	DSU	47.3552	69.1567	26.3	701.5	358	56860.	870	0.9	2.0	5.0	0.4	0.4	6.1	30	0.0			
45745	0	0	1	0	DSU	47.3552	69.1562	26.3	701.2	344	56857.	838	1.0	-0.6	2.9	0.1	0.1	3.0	15	0.0			
45746	0	0	1	0	DSU	47.3552	69.1557	26.3	700.9	338	56856.	769	0.9	-0.2	2.7	0.1	0.1	3.2	27	0.0			
45747	0	0	0	0	DSU	47.3553	69.1552	26.3	700.5	346	56856.	719	0.8	1.1	4.4	1.5	0.3	6.1	36	0.0			
45748	0	0	1	0	DSU	47.3553	69.1547	26.3	700.2	364	56857.	672	0.7	0.5	2.7	0.1	0.1	4.0	24	0.0			
45749	0	0	0	0	DSU	47.3553	69.1543	26.3	699.8	390	56858.	658	0.9	1.6	3.3	1.9	0.5	4.0	23	0.0			
45750	0	0	1	0	DSU	47.3554	69.1537	26.3	699.6	415	56859.	659	0.7	0.8	2.0	0.1	0.1	3.1	30	0.0			
45751	0	0	1	0	DSU	47.3554	69.1533	26.3	699.5	435	56858.	584	0.7	0.2	3.3	0.1	0.1	5.0	35	0.0			
45752	0	0	0	0	DSU	47.3554	69.1528	26.3	699.3	456	56859.	628	0.7	1.4	1.8	2.1	0.8	2.7	27	0.0			
45753	0	0	1	0	DSU	47.3554	69.1523	26.3	699.2	475	56863.	590	0.5	0.6	2.4	0.1	0.1	0.1	26	0.0			
45754	0	0	1	0	DSU	47.3555	69.1518	26.3	699.0	483	56868.	612	0.6	0.4	2.6	0.1	0.1	5.0	19	0.0			
45756	0	0	0	0	DSU	47.3555	69.1508	26.3	698.9	482	56872.	605	0.9	1.8	2.3	2.0	0.8	2.6	30	0.0			
45757	0	0	1	0	DSU	47.3556	69.1503	26.3	698.8	477	56873.	643	0.5	0.4	3.1	0.1	0.1	0.1	32	0.0			
45758	0	0	1	0	DSU	47.3556	69.1498	26.3	698.8	477	56873.	629	0.6	0.5	4.8	0.1	0.1	9.2	29	0.0			
45759	0	0	1	0	DSU	47.3556	69.1493	26.3	698.7	477	56872.	631	0.8	0.1	3.4	0.1	0.1	4.4	28	0.0			
45760	0	0	1	0	DSU	47.3557	69.1488	26.3	698.7	477	56871.	604	0.6	0.9	3.7	0.1	0.1	6.3	24	0.0			
45761	0	0	1	0	DSU	47.3557	69.1483	26.3	698.8	478	56871.	620	0.7	0.8	4.4	0.1	0.1	7.0	31	0.0			
45762	0	0	1	0	DSU	47.3557	69.1478	26.3	698.9	478	56871.	620	0.7	-0.7	3.7	0.1	0.1	5.5	21	0.0			
45763	0	0	1	0	DSU	47.3558	69.1473	26.2	697.2	477	56875.	598	0.7	0.4	4.4	0.1	0.1	7.1	23	0.0			
45764	0	0	1	0	DSU	47.3558	69.1468	26.2	697.1	477	56878.	637	0.4	0.3	4.9	0.1	0.1	0.1	31	0.0			
45765	0	0	1	0	DSU	47.3558	69.1463	26.2	697.0	477	56881.	627	0.6	0.8	4.9	0.1	0.1	9.0	20	0.0			
45766	0	0	1	0	DSU	47.3559	69.1458	26.1	697.0	475	56884.	651	1.0	0.7	3.7	0.1	0.1	3.8	26	0.0			
45767	0	0	1	0	DSU	47.3559	69.1453	26.1	696.9	474	56888.	608	0.9	-0.2	3.0	0.1	0.1	3.5	36	0.0			
45768	0	0	1	0	DSU	47.3559	69.1448	26.1	696.8	473	56892.	677	0.7	1.1	3.0	0.1	0.1	4.7	24	0.0			
45769	0	0	0	0	DSU	47.3560	69.1443	26.1	696.8	473	56892.	697	0.6	2.3	2.3	3.9	1.0	3.9	32	0.0			
45770	0	0	1	0	DSU	47.3560	69.1438	26.1	696.8	472	56889.	643	0.5	0.7	6.6	0.1	0.1	0.1	24	0.0			
45771	0	0	1	0	DSU	47.3560	69.1433	26.1	696.8	469	56886.	670	0.6	1.2	4.3	0.1	0.1	8.5	25	0.0			
45772	0	0	0	0	DSU	47.3561	69.1428	26.0	696.8	465	56884.	645	0.5	1.6	2.9	0.1	0.6	0.1	19	0.0			
45773	0	0	1	0	DSU	47.3561	69.1423	26.0	696.8	459	56882.	610	0.6	0.9	2.0	0.1	0.1	3.5	25	0.0			
45774	0	0	1	0	DSU	47.3561	69.1418	26.0	696.9	451	56882.	630	0.7	0.6	2.9	0.1	0.1	4.1	37	0.0			
45775	0	0	1	0	DSU	47.3562	69.1413	26.0	696.9	444	56883.	646	0.5	0.6	3.0	0.1	0.1	0.1	36	0.0			
45776	0	0	1	0	DSU	47.3562	69.1408	26.0	697.0	441	56884.	621	0.8	0.9	3.2	0.1	0.1	4.5	26	0.0			
45777	0	0	1	0	DSU	47.3562	69.1404	26.0	697.1	445	56884.	610	0.4	1.2	1.7	0.1	0.1	0.1	30	0.0			
45778	0	0	1	0	DSU	47.3563	69.1398	25.9	697.2	455	56881.	596	0.8	0.1	3.7	0.1	0.1	5.3	26	0.0			
45779	0	0	1	0	DSU	47.3563	69.1394	25.9	697.4	465	56877.	608	0.6	0.3	2.8	0.1	0.1	4.7	26	0.0			
45780	0	0	1	0	DSU	47.3563	69.1389	25.9	697.5	471	56874.	689	0.8	0.0	2.9	0.1	0.1	3.9	32	0.0			
45781	0	0	1	0	DSU	47.3564	69.1384	25.9	697.6	473	56871.	701	0.8	0.9	4.1	0.1	0.1	5.1	17	0.0			
45782	0	0	1	0	DSU	47.3564	69.1379	25.9	697.7	474	56868.	684	0.7	0.9	3.1	0.1	0.1	4.5	30	0.0			
45783	0	0	0	0	DSU	47.3564	69.1374	25.9	697.7	477	56867.	632	0.4	1.5	3.9	0.1	0.4	0.1	30	0.0			
45784	0	0	1	0	DSU	47.3565	69.1369	25.9	697.7	482	56867.	651	0.7	1.2	1.9	0.1	0.1	2.8	17	0.0			

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI			
												CPS	%	PPM	PPM							CPS	CPS
45785	0	0	1	0	DSu	47.3565	69.1364	25.9	697.7	488	56868.	625	0.8	0.4	4.8	0.1	0.1	6.5	39	0.0			
45786	0	0	1	0	DSu	47.3565	69.1359	25.8	697.6	490	56867.	602	0.4	-0.2	2.5	0.1	0.1	0.1	32	0.0			
45787	0	0	1	0	DSu	47.3566	69.1354	25.8	697.6	486	56866.	617	0.8	0.8	3.4	0.1	0.1	4.7	31	0.0			
45788	0	0	1	0	DSu	47.3566	69.1349	25.8	697.5	477	56865.	654	0.9	-1.2	3.6	0.1	0.1	4.3	29	0.0			
45789	0	0	1	0	DSu	47.3566	69.1344	25.8	697.4	462	56862.	706	0.9	-0.2	2.6	0.1	0.1	2.9	26	0.0			
45790	0	0	1	0	DSu	47.3567	69.1339	25.8	697.2	444	56858.	755	0.8	1.1	4.5	0.1	0.1	5.9	24	0.0			
45791	0	0	1	0	DSu	47.3567	69.1334	25.8	697.1	425	56856.	678	0.6	0.9	3.4	0.1	0.1	5.8	33	0.0			
45792	0	0	1	0	DSu	47.3567	69.1329	25.8	696.9	409	56856.	682	0.6	0.1	5.5	0.1	0.1	9.3	24	0.0			
45793	0	0	1	0	DSu	47.3568	69.1324	25.8	696.8	397	56858.	685	0.6	1.1	2.8	0.1	0.1	4.6	27	0.0			
45794	0	0	1	0	DSu	47.3568	69.1319	25.8	696.6	389	56860.	681	0.9	-0.3	4.7	0.1	0.1	5.4	27	0.0			
45795	0	0	1	0	DSu	47.3568	69.1314	25.8	696.5	387	56863.	645	0.7	-0.4	2.7	0.1	0.1	3.9	26	0.0			
45796	0	0	1	0	DSu	47.3568	69.1309	25.8	696.4	388	56866.	679	0.8	0.7	3.1	0.1	0.1	4.3	24	0.0			
45797	0	0	1	0	DSu	47.3569	69.1304	25.7	696.4	386	56870.	657	0.8	0.4	3.3	0.1	0.1	4.5	22	0.0			
45798	0	0	1	0	DSu	47.3569	69.1299	25.7	696.4	382	56872.	671	0.9	0.3	3.0	0.1	0.1	3.5	34	0.0			
45799	0	0	1	0	DSu	47.3569	69.1294	25.7	696.4	374	56873.	696	0.7	0.6	3.4	0.1	0.1	5.1	21	0.0			
45800	0	0	1	0	DSu	47.3570	69.1289	25.7	696.5	374	56873.	714	0.7	0.9	3.5	0.1	0.1	5.4	24	0.0			
45801	0	0	1	0	DSu	47.3570	69.1284	25.7	696.7	379	56873.	748	0.9	0.4	2.7	0.1	0.1	3.3	26	0.0			
45802	0	0	0	0	DSu	47.3570	69.1279	25.7	696.9	391	56870.	745	1.0	1.4	2.4	1.6	0.6	2.7	41	0.0			
45803	0	0	1	0	DSu	47.3571	69.1274	25.7	697.1	410	56866.	760	0.9	0.9	2.0	0.1	0.1	2.3	24	0.0			
45804	0	0	1	0	DSu	47.3571	69.1269	25.7	697.4	430	56864.	747	0.8	0.6	4.9	0.1	0.1	6.2	32	0.0			
45805	0	0	1	0	DSu	47.3571	69.1264	25.7	697.7	449	56863.	766	1.1	0.0	3.3	0.1	0.1	3.1	22	0.0			
45806	0	0	0	0	DSu	47.3572	69.1259	25.7	698.1	464	56861.	806	0.8	2.2	4.7	2.9	0.5	6.1	32	0.0			
45807	0	0	1	0	DSu	47.3572	69.1255	25.7	698.3	474	56860.	708	0.8	0.9	3.9	0.1	0.1	5.1	33	0.0			
45808	0	0	1	0	DSu	47.3572	69.1250	25.7	698.5	483	56858.	754	0.9	0.0	5.2	0.1	0.1	6.1	30	0.0			
45809	0	0	1	0	DSu	47.3573	69.1245	25.7	698.7	492	56856.	707	1.0	1.2	3.1	0.1	0.1	3.3	34	0.0			
45810	0	0	1	0	DSu	47.3573	69.1240	25.7	698.8	500	56854.	751	1.0	0.4	5.6	0.1	0.1	5.6	24	0.0			
45811	0	0	1	0	DSu	47.3573	69.1235	25.7	699.0	507	56852.	785	1.1	0.1	4.3	0.1	0.1	4.1	25	0.0			
45812	0	0	1	0	DSu	47.3574	69.1230	25.7	699.2	512	56851.	754	0.7	0.2	6.5	0.1	0.1	10.0	25	0.0			
45813	0	0	1	0	DSu	47.3574	69.1225	25.7	699.3	516	56851.	694	0.9	0.3	3.4	0.1	0.1	3.7	29	0.0			
45814	0	0	0	0	DSu	47.3574	69.1220	25.7	699.5	517	56850.	756	0.8	1.6	4.1	2.3	0.4	5.7	22	0.0			
45815	0	0	1	0	DSu	47.3575	69.1215	25.7	699.5	516	56851.	807	0.9	0.8	5.3	0.1	0.1	6.2	26	0.0			
45816	0	0	1	0	DSu	47.3575	69.1210	25.7	699.6	510	56851.	726	1.0	-0.2	3.3	0.1	0.1	3.5	21	0.0			
45817	0	0	1	0	DSu	47.3575	69.1205	25.7	699.5	507	56851.	710	0.8	-0.1	5.6	0.1	0.1	7.6	19	0.0			
45818	0	0	1	0	DSu	47.3576	69.1200	25.7	699.4	503	56851.	749	0.7	-0.1	5.5	0.1	0.1	8.3	20	0.0			
45819	0	0	1	0	DSu	47.3576	69.1195	25.7	703.7	480	56852.	686	0.8	-0.5	2.2	0.1	0.1	2.9	27	0.0			
45820	0	0	1	0	DSu	47.3576	69.1190	25.7	704.1	466	56853.	684	0.9	-1.1	5.9	0.1	0.1	6.8	33	0.0			
45821	0	0	1	0	DSu	47.3577	69.1185	25.8	704.6	448	56854.	677	1.0	0.4	2.8	0.1	0.1	2.8	22	0.0			
45822	0	0	1	0	DSu	47.3577	69.1180	25.8	705.1	434	56855.	636	0.6	0.1	2.8	0.1	0.1	5.0	32	0.0			
45823	0	0	1	0	DSu	47.3577	69.1175	25.8	705.5	422	56855.	724	0.8	0.3	4.5	0.1	0.1	5.9	33	0.0			
45824	0	0	1	0	DSu	47.3578	69.1170	25.8	706.0	415	56855.	660	0.7	0.6	3.8	0.1	0.1	5.7	33	0.0			
45825	0	0	1	0	DSu	47.3578	69.1165	25.8	706.4	406	56854.	660	0.8	0.5	2.2	0.1	0.1	3.0	23	0.0			
45826	0	0	1	0	DSu	47.3578	69.1160	25.8	706.8	396	56854.	648	0.8	-0.2	4.1	0.1	0.1	5.6	29	0.0			
45827	0	0	1	0	Os	47.3579	69.1155	25.9	707.2	384	56853.	652	0.4	-0.3	2.7	0.1	0.1	0.1	24	0.0			
45828	0	0	1	0	Os	47.3579	69.1150	25.9	707.6	375	56853.	637	0.7	0.9	4.5	0.1	0.1	7.2	27	0.0			
45829	0	0	1	0	Os	47.3579	69.1145	25.9	708.0	369	56856.	606	0.6	0.1	4.0	0.1	0.1	7.6	29	0.0			
45830	0	0	1	0	Os	47.3580	69.1140	25.9	708.4	365	56859.	574	0.6	0.3	1.2	0.1	0.1	2.3	24	0.0			
45831	0	0	1	0	Os	47.3580	69.1135	25.9	708.9	361	56859.	601	0.6	0.7	3.0	0.1	0.1	5.2	29	0.0			
45832	0	0	1	0	Os	47.3580	69.1130	26.0	709.1	355	56857.	645	0.7	0.2	4.2	0.1	0.1	6.8	21	0.0			
45833	0	0	1	0	Os	47.3580	69.1125	26.0	709.4	351	56853.	612	0.9	0.3	3.8	0.1	0.1	4.7	23	0.0			
45834	0	0	1	0	Os	47.3581	69.1120	26.0	709.6	350	56851.	637	0.5	0.5	4.4	0.1	0.1	0.1	24	0.0			

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI			
												CPS	%	PPM	PPM							CPS	CPS
45835	0	0	1	0	0s	47.3581	69.1116	26.0	709.8	355	56851.	585	0.8	0.6	2.6	0.1	0.1	3.3	21	0.0			
45836	0	0	1	0	0s	47.3582	69.1111	26.1	710.0	359	56853.	588	0.5	0.0	3.0	0.1	0.1	0.1	22	0.0			
45837	0	0	1	0	0s	47.3582	69.1106	26.1	710.1	364	56856.	577	0.7	-0.2	3.1	0.1	0.1	4.6	18	0.0			
45838	0	0	1	0	0s	47.3582	69.1101	26.1	710.2	375	56859.	510	0.6	0.6	1.9	0.1	0.1	3.1	31	0.0			
45839	0	0	1	0	0s	47.3583	69.1096	26.1	710.4	386	56860.	471	0.6	0.9	1.7	0.1	0.1	2.7	24	0.0			
45840	0	0	1	0	0s	47.3585	69.1091	26.2	710.5	391	56861.	355	0.3	0.0	2.9	0.1	0.1	0.1	30	0.0			
45841	0	0	1	1	0s	47.3586	69.1086	26.2	710.6	384	56860.	283	0.3	-0.3	0.1	0.1	0.1	0.1	29	0.0			
45842	0	1	1	0	0s	47.3587	69.1081	26.2	710.7	376	56858.	261	0.2	-0.1	2.7	0.1	0.1	0.1	27	0.0			
45843	0	0	1	0	0s	47.3588	69.1077	26.2	710.8	369	56857.	319	0.2	-0.6	2.4	0.1	0.1	0.1	24	0.0			
45844	0	0	1	0	0s	47.3589	69.1072	26.3	710.8	365	56858.	323	0.3	0.2	3.2	0.1	0.1	0.1	35	0.0			
45845	0	0	1	0	0s	47.3591	69.1067	26.3	710.8	364	56860.	358	0.2	0.5	2.1	0.1	0.1	0.1	26	0.0			
45846	0	0	0	0	0s	47.3592	69.1062	26.3	710.8	364	56862.	412	0.3	1.1	2.7	0.1	0.5	0.1	13	0.0			
45847	0	0	1	0	0s	47.3593	69.1058	26.3	710.8	364	56863.	439	0.5	0.6	3.5	0.1	0.1	0.1	21	0.0			
45848	0	0	1	0	0s	47.3594	69.1053	26.4	710.8	366	56864.	444	0.4	-0.4	1.6	0.1	0.1	0.1	18	0.0			
45849	0	0	1	0	0s	47.3596	69.1048	26.4	710.8	367	56866.	503	0.4	-0.4	4.4	0.1	0.1	0.1	21	0.0			
45850	0	0	1	0	0s	47.3597	69.1043	26.4	710.8	367	56869.	490	0.5	0.0	2.6	0.1	0.1	0.1	22	0.0			
45852	0	0	1	0	0s	47.3599	69.1034	26.4	710.8	365	56870.	503	0.4	0.3	4.0	0.1	0.1	0.1	24	0.0			
45853	0	0	1	0	0s	47.3601	69.1029	26.5	710.8	364	56869.	551	0.5	-0.2	2.9	0.1	0.1	0.1	21	0.0			
45854	0	0	1	0	0s	47.3602	69.1024	26.5	710.7	365	56868.	574	0.6	0.1	3.9	0.1	0.1	7.1	32	0.0			
45855	0	0	1	0	0s	47.3603	69.1019	26.5	710.7	365	56869.	579	0.5	0.8	3.1	0.1	0.1	0.1	31	0.0			
45856	0	0	0	0	0s	47.3604	69.1014	26.5	710.7	367	56870.	609	0.7	1.1	2.4	1.6	0.5	3.6	26	0.0			
45857	0	0	0	0	0s	47.3605	69.1010	26.6	710.7	371	56868.	603	0.4	1.2	1.4	0.1	0.9	0.1	14	0.0			
45858	0	0	0	0	0s	47.3607	69.1005	26.6	710.6	375	56868.	639	0.7	1.1	3.8	1.6	0.3	5.4	20	0.0			
45859	0	0	1	0	0s	47.3608	69.1000	26.6	710.6	378	56870.	655	0.8	0.6	3.9	0.1	0.1	5.3	20	0.0			
45860	0	0	1	0	0s	47.3609	69.0995	26.6	710.6	379	56871.	586	0.7	-0.2	4.6	0.1	0.1	6.5	14	0.0			
45861	0	0	1	0	0s	47.3610	69.0991	26.6	710.5	379	56871.	599	0.4	0.5	2.6	0.1	0.1	0.1	26	0.0			
45862	0	0	1	0	0s	47.3612	69.0986	26.7	710.5	382	56870.	552	0.7	0.6	2.5	0.1	0.1	4.1	27	0.0			
45863	0	0	1	0	0s	47.3613	69.0981	26.7	710.5	386	56871.	567	0.6	0.6	1.5	0.1	0.1	2.7	28	0.0			
45864	0	0	1	0	0s	47.3614	69.0976	26.7	710.5	395	56870.	568	0.6	0.1	5.3	0.1	0.1	8.8	16	0.0			
45865	0	0	1	0	0s	47.3615	69.0971	26.7	710.5	405	56869.	502	0.5	-0.1	2.7	0.1	0.1	0.1	22	0.0			
45866	0	0	1	1	0s	47.3616	69.0967	26.7	710.5	405	56868.	472	0.5	0.6	0.9	0.1	0.1	0.1	21	0.0			
45867	0	0	1	0	0s	47.3618	69.0962	26.7	710.4	394	56868.	525	0.6	0.5	3.8	0.1	0.1	6.9	30	0.0			
45868	0	0	1	0	0s	47.3619	69.0957	26.7	710.4	378	56868.	537	0.5	0.0	2.9	0.1	0.1	0.1	26	0.0			
45869	0	0	1	0	0s	47.3620	69.0952	26.7	710.4	370	56869.	612	0.6	1.0	2.2	0.1	0.1	3.9	33	0.0			
45870	0	0	1	0	0s	47.3621	69.0947	26.7	710.4	368	56868.	680	0.7	0.4	3.1	0.1	0.1	4.8	28	0.0			
45871	0	0	1	0	0s	47.3623	69.0943	26.7	710.4	367	56866.	722	0.6	-0.1	4.3	0.1	0.1	7.9	22	0.0			
45872	0	0	1	0	0s	47.3624	69.0938	26.7	710.4	367	56865.	728	0.8	0.4	4.8	0.1	0.1	6.2	22	0.1			
45873	0	0	1	0	0s	47.3625	69.0933	26.7	710.4	368	56865.	752	0.7	-0.1	4.7	0.1	0.1	6.8	27	0.3			
45874	0	0	1	0	0s	47.3626	69.0928	26.7	710.4	370	56865.	786	0.8	0.2	4.7	0.1	0.1	6.0	29	0.8			
45875	0	0	1	0	0s	47.3627	69.0924	26.7	710.4	371	56865.	764	0.8	-0.1	5.3	0.1	0.1	7.2	15	1.1			
45876	0	0	1	0	0s	47.3629	69.0919	26.8	709.3	380	56863.	800	0.7	1.2	4.3	0.1	0.1	6.8	18	1.4			
45877	0	0	1	0	0s	47.3630	69.0914	26.8	709.2	386	56862.	792	0.6	0.6	3.8	0.1	0.1	6.7	32	1.5			
45878	0	0	0	0	0s	47.3631	69.0909	26.8	709.0	392	56862.	802	1.1	1.4	3.1	1.3	0.5	2.9	18	1.6			
45879	0	0	0	0	0s	47.3632	69.0904	26.8	708.9	396	56863.	772	0.8	1.3	2.4	1.6	0.6	3.1	21	1.8			
45880	0	0	1	0	0s	47.3634	69.0900	26.8	708.8	401	56867.	644	0.6	0.8	3.1	0.1	0.1	5.2	30	1.6			
45881	0	0	1	0	0s	47.3635	69.0895	26.8	708.6	405	56872.	707	0.8	0.3	2.7	0.1	0.1	3.7	32	1.3			
45882	0	0	1	0	0s	47.3636	69.0890	26.8	708.6	408	56873.	708	0.7	1.1	1.7	0.1	0.1	2.6	26	1.0			
45883	0	0	1	0	0s	47.3637	69.0885	26.8	708.5	411	56871.	730	0.8	1.0	3.5	0.1	0.1	4.9	23	0.9			
45884	0	0	1	0	0s	47.3639	69.0881	26.8	708.5	415	56869.	782	0.7	0.1	4.0	0.1	0.1	6.5	18	0.6			
45885	0	0	1	0	0s	47.3640	69.0876	26.8	708.5	423	56869.	727	0.9	0.3	4.4	0.1	0.1	5.2	23	0.5			

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

- C02 -
 MAINE AERIAL SURVEY EDMUNDSTON QUADRANGLE, CARSON GEOSCIENCE INC., 1980

LINE NO. 20

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
45886	0	0	1	0	0s	47.3641	69.0871	26.8	708.5	429	56868.	709	0.7	0.8	2.9	0.1	0.1	4.4	23	0.4
45887	0	0	1	0	0s	47.3642	69.0866	26.8	708.5	433	56866.	732	0.9	0.8	4.4	0.1	0.1	4.8	27	0.4
45888	0	0	0	0	0s	47.3643	69.0861	26.9	708.5	434	56865.	728	0.7	1.3	1.7	2.0	0.8	2.6	32	0.4
45889	0	0	1	0	0s	47.3645	69.0857	26.9	708.6	432	56864.	690	0.9	0.5	3.5	0.1	0.1	4.3	24	0.5
45890	0	0	1	0	0s	47.3646	69.0852	26.9	708.7	429	56863.	731	0.7	0.9	3.4	0.1	0.1	4.9	17	0.7
45891	0	0	1	0	0s	47.3647	69.0847	26.9	708.8	426	56862.	697	0.7	1.1	3.9	0.1	0.1	5.8	30	0.9
45892	0	0	1	0	0s	47.3648	69.0842	26.9	708.9	422	56861.	675	0.8	0.4	3.6	0.1	0.1	4.9	19	1.0
45893	0	0	0	0	0s	47.3650	69.0837	26.9	709.0	418	56861.	737	0.7	1.9	4.3	3.0	0.5	6.8	20	1.1
45894	0	0	1	0	0s	47.3651	69.0833	26.9	709.2	412	56859.	702	0.5	0.3	3.9	0.1	0.1	0.1	28	0.9
45895	0	0	0	0	0s	47.3652	69.0828	26.9	709.3	408	56857.	619	0.5	1.3	2.8	0.1	0.5	0.1	35	0.7
45896	0	0	1	0	0s	47.3653	69.0823	26.9	709.5	408	56856.	624	0.6	-0.6	2.8	0.1	0.1	4.9	24	0.5
45897	0	0	1	0	0s	47.3654	69.0818	26.9	709.7	411	56857.	594	0.7	0.0	4.2	0.1	0.1	6.0	32	0.3
45898	0	0	0	0	0s	47.3656	69.0813	26.9	709.9	415	56858.	602	0.7	1.6	5.0	2.4	0.4	7.6	25	0.1
45899	0	0	1	1	0s	47.3657	69.0809	26.9	710.0	417	56860.	494	0.3	0.2	1.0	0.1	0.1	0.1	23	0.0
45900	0	0	1	0	0s	47.3658	69.0804	26.9	710.2	417	56861.	522	0.4	0.2	3.8	0.1	0.1	0.1	22	0.0
45901	0	0	1	0	0s	47.3659	69.0799	26.9	710.4	415	56862.	515	0.5	0.1	1.5	0.1	0.1	0.1	17	0.0
45902	0	0	1	0	0s	47.3661	69.0794	26.9	710.6	411	56864.	520	0.6	1.0	3.2	0.1	0.1	5.6	28	0.0
45903	0	0	1	0	0s	47.3662	69.0790	26.9	710.9	407	56864.	461	0.5	0.4	2.0	0.1	0.1	0.1	25	0.0
45904	0	0	1	0	0s	47.3663	69.0785	26.9	711.1	405	56864.	457	0.4	0.3	3.4	0.1	0.1	0.1	26	0.0
45905	0	0	1	0	0s	47.3664	69.0780	26.9	711.4	405	56863.	434	0.3	-0.2	2.4	0.1	0.1	0.1	37	0.0
45906	0	0	1	0	0s	47.3666	69.0775	26.9	711.6	403	56861.	516	0.5	0.3	2.4	0.1	0.1	0.1	23	0.0
45907	0	0	1	0	0s	47.3667	69.0770	26.9	711.9	401	56858.	581	0.6	0.8	2.2	0.1	0.1	3.6	23	0.0
45908	0	0	1	0	0s	47.3667	69.0765	26.9	712.2	396	56856.	617	0.7	0.3	3.8	0.1	0.1	5.8	23	0.0
45909	0	0	1	0	0s	47.3667	69.0759	26.9	712.5	393	56854.	595	0.6	-0.3	2.6	0.1	0.1	4.8	27	0.0
45910	0	0	1	0	0s	47.3667	69.0753	26.9	712.8	390	56854.	587	0.6	0.4	1.8	0.1	0.1	3.3	26	0.0
45911	0	0	1	0	0s	47.3667	69.0747	26.9	713.1	390	56854.	708	0.9	0.0	2.9	0.1	0.1	3.5	30	0.0
45912	0	0	1	0	0s	47.3668	69.0741	26.9	713.5	387	56852.	645	0.7	0.7	3.9	0.1	0.1	5.8	14	0.0
45913	0	0	0	0	DSu	47.3668	69.0735	26.9	713.8	379	56851.	684	0.5	1.2	3.6	0.1	0.4	0.1	16	0.0
45914	0	0	1	0	DSu	47.3668	69.0729	26.9	714.2	372	56851.	671	0.7	1.0	3.7	0.1	0.1	5.3	27	0.0
45915	0	0	1	0	DSu	47.3668	69.0724	26.9	714.5	369	56850.	678	0.8	0.7	3.2	0.1	0.1	4.1	15	0.0
45916	0	0	1	0	DSu	47.3668	69.0718	26.9	714.9	373	56851.	752	0.7	0.9	4.5	0.1	0.1	6.7	30	0.0
45917	0	0	1	0	DSu	47.3669	69.0712	26.9	715.3	382	56852.	757	0.8	0.8	1.9	0.1	0.1	2.6	28	0.0
45918	0	0	0	0	DSu	47.3669	69.0706	26.9	715.7	393	56850.	871	1.2	2.0	3.4	1.7	0.6	2.9	27	0.0
45919	0	0	0	0	DSu	47.3669	69.0700	26.9	716.1	402	56849.	789	0.8	1.5	3.9	2.1	0.4	5.4	32	0.0
45920	0	0	0	0	DSu	47.3669	69.0694	26.9	716.6	407	56848.	745	0.9	1.3	2.1	1.4	0.6	2.4	27	0.0
45921	0	0	1	0	DSu	47.3669	69.0688	26.9	717.0	410	56847.	753	1.0	0.9	3.1	0.1	0.1	3.2	26	0.0
45922	0	0	1	0	DSu	47.3670	69.0683	26.9	717.4	412	56847.	776	0.9	0.1	5.4	0.1	0.1	6.2	37	0.0
45923	0	0	1	0	DSu	47.3670	69.0677	27.0	717.9	412	56848.	761	0.8	0.8	3.6	0.1	0.1	4.6	24	0.0
45924	0	0	0	0	DSu	47.3670	69.0671	27.0	718.3	413	56849.	741	0.8	1.5	1.9	2.0	0.9	2.5	23	0.0
45925	0	0	0	0	DSu	47.3670	69.0665	27.0	718.8	412	56851.	746	0.8	2.4	2.8	3.2	0.9	3.8	32	0.0
45926	0	0	1	0	DSu	47.3670	69.0659	27.0	719.2	408	56852.	710	0.6	1.2	2.7	0.1	0.1	4.4	22	0.0
45927	0	0	0	0	DSu	47.3671	69.0653	27.0	719.6	398	56851.	697	0.7	2.3	3.2	3.7	0.8	5.2	19	0.0
45928	0	0	0	0	DSu	47.3671	69.0648	27.0	720.0	385	56852.	657	0.5	1.7	3.1	0.1	0.6	0.1	20	0.0
45929	0	0	0	0	DSu	47.3671	69.0642	27.0	720.4	373	56852.	616	0.6	2.0	1.9	3.4	1.1	3.3	34	0.0
45930	0	0	1	0	DSu	47.3671	69.0636	27.1	720.8	365	56852.	724	0.6	-0.2	2.9	0.1	0.1	5.4	27	0.0
45931	0	0	0	0	DSu	47.3671	69.0630	27.1	721.1	356	56852.	644	0.6	1.4	3.7	2.6	0.4	7.1	31	0.0
45932	0	0	0	0	DSu	47.3671	69.0624	27.1	721.4	348	56853.	716	0.8	1.1	1.6	1.5	0.7	2.2	24	0.0
45933	0	0	1	0	DSu	47.3672	69.0618	27.1	721.7	343	56854.	624	0.8	0.5	3.0	0.1	0.1	4.2	22	0.0
45934	0	0	1	0	Water	47.3672	69.0612	27.1	722.0	348	56855.	563	0.7	0.1	1.5	0.1	0.1	2.1	26	0.0
45935	0	0	1	0	Water	47.3672	69.0606	27.2	722.3	357	56857.	398	0.5	0.3	3.1	0.1	0.1	0.1	19	0.0

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	SI
												CPS	%	PPM	PPM				CPS	CPS
45936	0	0	1	0	Water	47.3672	69.0600	27.2	722.5	365	56859.	303	0.5	0.4	2.2	0.1	0.1	0.1	23	0.0
45937	0	1	1	0	Water	47.3672	69.0594	27.2	722.7	368	56863.	130	0.1	-1.0	1.3	0.1	0.1	0.1	27	0.0
45938	0	1	1	0	Water	47.3672	69.0588	27.2	722.9	365	56866.	54	0.1	-0.3	1.9	0.1	0.1	0.1	28	0.0
45939	0	1	1	1	Water	47.3672	69.0582	27.2	723.0	361	56867.	36	0.1	-0.5	-0.1	0.1	0.1	0.1	30	0.0
45940	0	1	1	1	Water	47.3671	69.0576	27.3	723.2	357	56868.	-21	0.2	-0.2	-0.1	0.1	0.1	0.1	21	0.0
45941	0	0	1	1	Water	47.3671	69.0570	27.3	723.3	353	56867.	5	0.2	0.0	-0.1	0.1	0.1	0.1	21	0.0
45942	0	1	1	1	Water	47.3671	69.0564	27.3	723.4	350	56867.	-32	0.1	-0.4	0.5	0.1	0.1	0.1	25	0.0
45943	0	1	1	1	Water	47.3671	69.0558	27.3	723.5	346	56866.	-51	0.1	0.2	0.4	0.1	0.1	0.1	25	0.0
45944	0	1	1	1	Water	47.3671	69.0552	27.3	723.5	344	56864.	-32	0.1	-0.7	-0.1	0.1	0.1	0.1	33	0.0
45945	0	1	1	0	Water	47.3671	69.0546	27.4	723.6	344	56862.	-33	0.0	-0.3	1.5	0.1	0.1	0.1	21	0.0
45947	0	1	1	1	Water	47.3671	69.0534	27.4	723.6	345	56862.	13	0.0	-0.5	0.9	0.1	0.1	0.1	18	0.0
45948	0	1	1	1	Water	47.3671	69.0528	27.4	723.6	348	56862.	5	0.1	0.0	0.7	0.1	0.1	0.1	12	0.0
45949	0	1	1	1	Water	47.3671	69.0522	27.4	723.6	351	56861.	-22	0.1	-0.1	0.2	0.1	0.1	0.1	24	0.0
45950	0	1	1	1	Water	47.3671	69.0516	27.4	723.6	355	56861.	-37	0.0	-0.4	0.1	0.1	0.1	0.1	22	0.0
45951	0	1	1	1	Water	47.3671	69.0510	27.4	723.7	359	56862.	-42	0.0	-0.3	-0.1	0.1	0.1	0.1	24	0.0
45952	0	1	1	1	Water	47.3671	69.0504	27.4	723.7	364	56861.	-43	0.1	0.0	0.0	0.1	0.1	0.1	21	0.0
45953	0	1	1	1	Water	47.3671	69.0498	27.4	723.6	369	56857.	-22	0.0	0.3	-0.3	0.1	0.1	0.1	24	0.0
45954	0	1	1	1	Water	47.3671	69.0491	27.4	723.6	374	56851.	-25	0.0	-0.2	0.1	0.1	0.1	0.1	24	0.0
45955	0	1	1	1	Water	47.3671	69.0485	27.4	723.6	376	56846.	-17	0.1	-0.2	-0.3	0.1	0.1	0.1	21	0.0
45956	0	1	1	1	Water	47.3671	69.0479	27.4	723.6	378	56843.	39	0.2	-0.1	0.0	0.1	0.1	0.1	25	0.0

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
46894	0	0	1	0	Unkon	47.2824	69.4126	27.3	705.4	449	56875.	534	0.6	0.4	2.0	0.1	0.1	3.9	29	0.0
46893	0	0	1	0	Unkon	47.2824	69.4119	27.3	705.4	447	56875.	524	0.5	-0.9	4.7	0.1	0.1	0.1	24	0.0
46892	0	0	1	0	Unkon	47.2824	69.4112	27.3	705.4	442	56875.	503	0.6	0.7	2.2	0.1	0.1	4.1	35	0.0
46891	0	0	1	0	Unkon	47.2825	69.4105	27.3	705.4	436	56873.	504	0.4	0.9	2.4	0.1	0.1	0.1	29	0.0
46890	0	0	0	0	Unkon	47.2825	69.4099	27.3	705.4	432	56874.	551	0.7	1.4	1.9	2.1	0.8	2.9	21	0.0
46889	0	0	1	0	Unkon	47.2825	69.4092	27.3	705.3	430	56875.	518	0.4	0.4	2.6	0.1	0.1	0.1	25	0.0
46888	0	0	1	0	Unkon	47.2825	69.4085	27.3	705.3	427	56876.	523	0.6	0.9	2.3	0.1	0.1	4.2	23	0.0
46887	0	0	1	0	Unkon	47.2826	69.4078	27.3	705.3	420	56875.	544	0.5	0.7	3.0	0.1	0.1	0.1	22	0.0
46886	0	0	1	0	Unkon	47.2826	69.4072	27.3	705.3	409	56875.	522	0.4	-0.2	5.1	0.1	0.1	0.1	29	0.0
46885	0	0	1	0	Unkon	47.2826	69.4066	27.3	705.3	395	56875.	541	0.6	0.5	2.5	0.1	0.1	4.8	29	0.0
46884	0	0	1	0	Unkon	47.2826	69.4060	27.3	705.4	382	56875.	549	0.5	0.0	3.1	0.1	0.1	0.1	24	0.0
46883	0	0	1	0	Unkon	47.2826	69.4054	27.3	705.4	374	56876.	579	0.7	0.7	2.6	0.1	0.1	4.1	24	0.0
46882	0	0	0	0	Unkon	47.2827	69.4048	27.3	705.5	373	56876.	604	0.9	1.1	1.5	1.3	0.7	1.8	26	0.0
46881	0	0	1	0	OEpa	47.2827	69.4042	27.3	705.6	377	56876.	628	0.8	0.3	2.5	0.1	0.1	3.4	25	0.0
46880	0	0	1	0	OEpa	47.2827	69.4036	27.3	705.7	385	56877.	584	0.6	1.1	4.7	0.1	0.1	8.4	32	0.0
46879	0	0	1	0	OEpa	47.2827	69.4030	27.3	705.8	393	56877.	547	0.6	0.5	1.8	0.1	0.1	3.0	30	0.0
46878	0	0	1	0	OEpa	47.2827	69.4024	27.3	705.9	403	56876.	639	0.7	0.2	3.1	0.1	0.1	4.5	29	0.0
46877	0	0	1	0	OEpa	47.2827	69.4018	27.3	706.1	410	56875.	614	1.0	0.1	3.5	0.1	0.1	3.7	29	0.0
46876	0	0	1	0	OEpa	47.2827	69.4012	27.3	706.4	414	56875.	602	0.7	-0.6	2.5	0.1	0.1	3.6	25	0.0
46875	0	0	1	0	OEpa	47.2827	69.4006	27.3	706.7	414	56873.	659	0.6	0.6	3.8	0.1	0.1	7.0	21	0.0
46874	0	0	1	0	OEpa	47.2828	69.4000	27.3	707.0	414	56874.	677	0.8	0.7	2.0	0.1	0.1	2.7	20	0.0
46873	0	0	1	0	OEpa	47.2828	69.3994	27.3	707.3	415	56877.	671	0.7	0.5	3.9	0.1	0.1	6.1	19	0.0
46872	0	0	1	0	OEpa	47.2828	69.3988	27.3	707.6	419	56878.	702	0.7	0.3	2.6	0.1	0.1	4.1	25	0.0
46871	0	0	1	0	OEpa	47.2828	69.3982	27.3	708.0	422	56877.	598	0.7	0.2	3.4	0.1	0.1	4.9	27	0.0
46870	0	0	1	0	OEpa	47.2828	69.3976	27.3	708.4	424	56877.	650	0.8	0.5	4.0	0.1	0.1	5.0	20	0.0
46869	0	0	1	0	OEpa	47.2828	69.3970	27.3	708.7	420	56876.	635	0.7	0.3	3.2	0.1	0.1	4.6	28	0.0
46868	0	0	1	0	OEpa	47.2828	69.3964	27.3	709.1	412	56875.	585	0.8	-0.3	3.2	0.1	0.1	4.4	24	0.0
46867	0	0	1	0	OEpa	47.2828	69.3958	27.3	709.5	404	56874.	620	0.9	0.4	2.6	0.1	0.1	3.1	19	0.0
46866	0	0	1	0	OEpa	47.2829	69.3952	27.3	709.8	401	56874.	629	0.5	-0.3	3.2	0.1	0.1	0.1	23	0.0
46865	0	0	0	0	OEpa	47.2829	69.3946	27.3	710.2	404	56876.	695	0.6	1.6	4.4	2.6	0.4	7.4	30	0.0
46864	0	0	1	0	OEpa	47.2829	69.3940	27.3	710.6	415	56877.	652	0.5	0.7	5.2	0.1	0.1	0.1	14	0.0
46863	0	0	1	0	OEpa	47.2829	69.3934	27.3	710.9	431	56876.	668	0.7	0.5	2.4	0.1	0.1	3.6	25	0.0
46861	0	0	1	0	OEpa	47.2829	69.3922	27.3	711.3	450	56874.	692	0.9	1.3	4.1	0.1	0.1	4.8	32	0.0
46860	0	0	1	0	OEpa	47.2829	69.3916	27.3	711.6	461	56874.	690	0.5	0.0	5.0	0.1	0.1	0.1	21	0.0
46859	0	0	1	0	OEpa	47.2830	69.3910	27.3	712.0	465	56875.	617	0.8	0.6	2.6	0.1	0.1	3.6	23	0.0
46858	0	0	1	0	OEpa	47.2830	69.3904	27.3	712.3	460	56875.	506	0.6	0.2	2.6	0.1	0.1	4.6	31	0.0
46857	0	0	0	0	OEpa	47.2830	69.3898	27.3	712.7	455	56875.	465	0.7	1.4	1.7	2.0	0.9	2.5	30	0.0
46856	0	0	1	1	OEpa	47.2830	69.3892	27.3	713.0	446	56876.	309	0.3	0.5	0.1	0.1	0.1	0.1	26	0.0
46855	0	0	1	1	OEpa	47.2830	69.3886	27.3	713.3	436	56875.	244	0.2	-0.2	0.5	0.1	0.1	0.1	25	0.0
46854	0	0	1	1	OEpa	47.2830	69.3880	27.3	713.6	424	56875.	214	0.2	1.0	1.0	0.1	0.1	0.1	18	0.0
46853	0	1	1	0	OEpa	47.2830	69.3874	27.3	713.9	413	56875.	257	0.2	0.7	1.2	0.1	0.1	0.1	19	0.0
46852	0	0	1	0	OEpa	47.2831	69.3868	27.3	714.2	404	56877.	340	0.3	0.5	1.1	0.1	0.1	0.1	22	0.0
46851	0	0	1	0	OEpa	47.2831	69.3862	27.3	714.4	398	56878.	395	0.3	0.8	2.3	0.1	0.1	0.1	21	0.0
46850	0	0	1	0	OEpa	47.2831	69.3856	27.3	714.6	395	56877.	350	0.4	-0.8	2.9	0.1	0.1	0.1	16	0.0
46849	0	0	1	0	OEpa	47.2831	69.3850	27.3	714.8	395	56875.	392	0.3	-0.2	1.9	0.1	0.1	0.1	30	0.0
46848	0	0	1	0	OEpa	47.2831	69.3844	27.3	715.0	400	56875.	470	0.5	0.4	2.8	0.1	0.1	0.1	23	0.0
46847	0	0	1	0	OEpa	47.2831	69.3838	27.3	715.1	407	56873.	438	0.3	-0.1	2.1	0.1	0.1	0.1	19	0.0
46846	0	0	0	0	OEpa	47.2831	69.3832	27.3	715.2	416	56872.	521	0.5	1.2	2.2	0.1	0.6	0.1	21	0.0
46845	0	0	1	0	OEpa	47.2831	69.3826	27.3	715.2	422	56871.	489	0.4	-0.1	3.4	0.1	0.1	0.1	23	0.0
46844	0	0	1	0	OEpa	47.2831	69.3820	27.3	715.2	430	56869.	559	0.7	0.6	3.1	0.1	0.1	5.1	26	0.0

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
46843	0	0	0	0	0Epa	47.2832	69.3814	27.3	715.2	435	56868.	560	0.5	1.3	2.6	0.1	0.5	0.1	21	0.0
46842	0	0	1	0	Pzqs	47.2832	69.3808	27.3	715.2	440	56869.	566	0.6	0.8	1.7	0.1	0.1	3.2	23	0.0
46841	0	0	0	0	Pzqs	47.2832	69.3802	27.3	715.1	440	56869.	525	0.6	1.2	2.6	2.0	0.5	4.4	18	0.0
46840	0	0	1	0	Pzqs	47.2832	69.3796	27.3	715.0	437	56868.	522	0.8	-0.3	2.1	0.1	0.1	2.8	25	0.0
46839	0	0	1	0	Pzqs	47.2831	69.3790	27.3	715.0	432	56867.	521	0.6	-0.6	2.7	0.1	0.1	4.8	24	0.0
46838	0	0	1	0	Pzqs	47.2831	69.3785	27.3	714.9	426	56867.	493	0.7	-0.3	2.9	0.1	0.1	4.3	16	0.0
46837	0	0	1	0	Pzqs	47.2831	69.3779	27.3	714.8	418	56867.	450	0.5	-0.1	2.2	0.1	0.1	0.1	30	0.0
46836	0	0	1	0	Pzqs	47.2831	69.3773	27.3	714.8	406	56866.	378	0.3	-0.2	2.7	0.1	0.1	0.1	20	0.0
46835	0	0	1	0	Pzqs	47.2830	69.3767	27.3	714.7	392	56865.	306	0.5	0.2	2.7	0.1	0.1	0.1	26	0.0
46834	0	0	1	0	Pzqs	47.2830	69.3761	27.2	714.7	386	56865.	269	0.2	-0.2	1.1	0.1	0.1	0.1	17	0.0
46833	0	0	1	0	Pzqs	47.2830	69.3756	27.2	714.6	386	56865.	281	0.4	-0.3	1.3	0.1	0.1	0.1	20	0.0
46832	0	1	1	0	Pzqs	47.2829	69.3750	27.2	714.6	393	56866.	262	0.0	-0.2	2.3	0.1	0.1	0.1	22	0.0
46831	0	0	1	0	Pzqs	47.2829	69.3744	27.2	714.6	394	56865.	331	0.3	0.2	1.5	0.1	0.1	0.1	21	0.0
46830	0	0	1	0	Pzqs	47.2829	69.3738	27.0	714.3	395	56866.	376	0.3	0.3	2.7	0.1	0.1	0.1	12	0.0
46829	0	0	1	0	Pzqs	47.2828	69.3732	27.0	714.3	398	56866.	431	0.3	0.4	2.3	0.1	0.1	0.1	31	0.0
46828	0	0	1	0	Pzqs	47.2828	69.3727	27.0	714.3	399	56866.	491	0.4	0.8	2.7	0.1	0.1	0.1	26	0.0
46827	0	0	1	0	Pzqs	47.2828	69.3721	27.0	714.3	402	56866.	599	0.8	0.1	1.9	0.1	0.1	2.6	23	0.0
46826	0	0	1	0	Pzqs	47.2828	69.3715	27.0	714.3	400	56866.	560	0.9	-0.1	2.3	0.1	0.1	2.7	24	0.0
46825	0	0	1	0	Pzqs	47.2827	69.3709	27.0	714.3	396	56865.	595	0.8	0.3	3.2	0.1	0.1	4.4	17	0.0
46824	0	0	1	0	Pzqs	47.2827	69.3703	27.0	714.3	390	56864.	710	0.7	0.6	4.1	0.1	0.1	6.2	23	0.0
46823	0	0	1	0	Pzqs	47.2827	69.3698	27.0	714.2	386	56863.	574	0.7	0.6	2.2	0.1	0.1	3.3	22	0.0
46822	0	0	1	0	Pzqs	47.2827	69.3692	27.0	714.2	385	56862.	613	0.6	0.6	3.2	0.1	0.1	5.9	21	0.0
46821	0	0	1	0	Pzqs	47.2826	69.3686	27.0	714.1	386	56861.	617	0.6	-0.4	2.8	0.1	0.1	5.5	29	0.0
46820	0	0	1	0	Pzqs	47.2826	69.3680	27.0	714.1	388	56862.	589	0.6	0.7	3.0	0.1	0.1	5.4	26	0.0
46819	0	0	1	0	Pzqs	47.2826	69.3675	27.0	714.1	393	56861.	568	0.5	0.5	2.3	0.1	0.1	0.1	22	0.0
46818	0	0	1	0	Pzqs	47.2825	69.3669	27.0	714.0	399	56859.	555	0.7	1.0	2.6	0.1	0.1	3.8	31	0.0
46817	0	0	1	0	Pzqs	47.2825	69.3663	27.0	713.9	407	56860.	577	0.6	-0.3	2.0	0.1	0.1	3.9	25	0.0
46816	0	0	0	0	Pzqs	47.2825	69.3657	27.0	713.8	414	56859.	563	0.7	1.5	2.8	2.4	0.6	4.6	18	0.0
46815	0	0	1	0	Pzqs	47.2825	69.3651	27.0	713.8	424	56853.	532	0.6	0.3	3.1	0.1	0.1	5.3	21	0.0
46814	0	0	1	0	Pzqs	47.2824	69.3646	27.0	713.7	429	56859.	530	0.5	0.3	2.8	0.1	0.1	0.1	30	0.0
46813	0	0	1	0	Pzqs	47.2824	69.3640	27.0	713.6	434	56860.	460	0.4	0.5	2.7	0.1	0.1	0.1	22	0.0
46812	0	0	1	0	0Epa	47.2824	69.3634	27.0	713.5	435	56859.	452	0.3	0.9	2.0	0.1	0.1	0.1	29	0.0
46811	0	0	1	0	0Epa	47.2823	69.3628	27.0	713.5	440	56859.	474	0.5	-0.2	4.3	0.1	0.1	0.1	23	0.0
46810	0	0	1	0	0Epa	47.2823	69.3623	27.0	713.4	441	56860.	535	0.4	0.9	2.6	0.1	0.1	0.1	21	0.0
46809	0	0	1	0	0Epa	47.2823	69.3617	27.0	713.4	438	56860.	597	0.6	0.4	3.2	0.1	0.1	5.2	23	0.0
46808	0	0	1	0	0Epa	47.2823	69.3611	27.0	713.3	432	56860.	559	0.6	0.4	2.4	0.1	0.1	4.2	25	0.0
46807	0	0	1	0	0Epa	47.2822	69.3605	27.0	713.3	427	56861.	544	0.8	1.0	2.4	0.1	0.1	3.3	28	0.0
46806	0	0	1	0	0Epa	47.2822	69.3599	27.0	713.3	423	56861.	588	0.7	0.1	2.2	0.1	0.1	3.4	26	0.0
46805	0	0	1	0	0Epa	47.2822	69.3593	27.0	713.4	420	56860.	665	0.8	0.9	3.7	0.1	0.1	5.1	24	0.0
46804	0	0	1	0	0Epa	47.2822	69.3588	27.0	713.4	414	56859.	695	0.8	1.1	2.3	0.1	0.1	2.9	21	0.0
46803	U	0	1	0	0Epa	47.2821	69.3582	27.0	713.4	407	56860.	673	0.8	-0.5	4.3	0.1	0.1	5.8	21	0.0
46802	0	0	1	0	0Epa	47.2821	69.3576	27.0	713.5	400	56860.	700	0.7	-0.2	2.0	0.1	0.1	3.2	38	0.0
46801	0	0	1	0	0Epa	47.2821	69.3570	27.0	713.6	394	56859.	703	0.9	0.0	3.1	0.1	0.1	3.6	24	0.0
46800	0	0	1	0	0Epa	47.2821	69.3565	27.0	713.7	384	56859.	746	0.6	0.6	2.5	0.1	0.1	4.3	26	0.0
46799	0	0	0	0	0Epa	47.2821	69.3559	27.0	713.9	373	56859.	761	0.9	1.7	2.2	1.9	0.8	2.5	23	0.0
46798	0	0	0	0	0Epa	47.2821	69.3553	27.0	714.0	360	56859.	755	0.8	1.4	3.1	2.0	0.5	4.3	27	0.0
46797	0	0	0	0	0Epa	47.2821	69.3548	27.0	714.1	352	56859.	742	0.8	1.4	2.3	1.9	0.6	3.2	27	0.0
46796	0	0	1	0	0Epa	47.2820	69.3542	27.0	714.2	348	56858.	738	0.9	0.9	3.0	0.1	0.1	3.6	27	0.0
46795	0	0	0	0	0Epa	47.2820	69.3536	27.0	714.4	351	56857.	751	0.7	1.6	4.2	2.5	0.4	6.8	26	0.0
46794	0	0	1	0	0Epa	47.2820	69.3531	27.0	714.5	356	56856.	823	0.9	0.3	5.1	0.1	0.1	6.1	31	0.0

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
46793	0	0	0	0	OEpa	47.2820	69.3525	27.0	714.6	361	56858.	869	0.8	1.2	4.4	1.5	0.3	5.8	22	0.0
46792	0	0	0	0	OEpa	47.2820	69.3519	27.0	714.7	365	56858.	820	1.0	1.1	2.0	1.1	0.6	2.0	21	0.0
46791	0	0	1	0	OEpa	47.2820	69.3513	27.0	714.9	366	56857.	774	0.8	1.0	4.8	0.1	0.1	6.3	20	0.0
46790	0	0	1	0	OEpa	47.2820	69.3508	27.0	715.0	368	56857.	753	0.9	-0.1	1.4	0.1	0.1	1.7	23	0.0
46789	0	0	1	0	OEpa	47.2820	69.3502	27.0	715.1	369	56857.	789	0.9	0.2	4.7	0.1	0.1	5.2	32	0.0
46788	0	0	1	0	OEpa	47.2820	69.3496	27.0	715.3	374	56857.	683	0.8	0.1	4.2	0.1	0.1	5.5	29	0.0
46787	0	0	1	0	OEpa	47.2820	69.3491	27.0	715.4	381	56855.	661	0.7	-0.3	2.1	0.1	0.1	3.2	28	0.0
46786	0	0	1	0	OEpa	47.2820	69.3485	27.0	715.4	393	56854.	659	0.5	0.2	4.3	0.1	0.1	0.1	18	0.0
46785	0	0	1	0	OEpa	47.2820	69.3477	27.0	715.4	407	56853.	634	0.7	0.9	3.8	0.1	0.1	5.6	15	0.0
46784	0	0	0	0	OEpa	47.2820	69.3474	27.0	715.5	422	56853.	599	0.6	1.8	4.1	3.4	0.5	7.9	35	0.0
46783	0	0	0	0	OEpa	47.2820	69.3468	27.0	715.5	433	56851.	625	0.6	1.6	1.4	2.8	1.2	2.4	17	0.0
46782	0	0	1	0	OEpa	47.2820	69.3462	27.0	715.5	439	56849.	560	0.6	0.7	3.2	0.1	0.1	5.8	23	0.0
46781	0	0	1	0	OEpa	47.2820	69.3457	27.0	715.5	441	56851.	576	0.4	1.1	3.5	0.1	0.1	0.1	25	0.0
46780	0	0	1	0	OEpa	47.2820	69.3451	27.0	715.4	437	56851.	581	0.6	0.4	2.9	0.1	0.1	4.8	26	0.0
46779	0	0	1	0	OEpa	47.2820	69.3445	27.0	715.4	430	56851.	562	0.6	0.2	2.6	0.1	0.1	4.3	18	0.0
46778	0	0	1	1	OEpa	47.2820	69.3440	27.0	715.3	416	56851.	562	0.6	0.1	1.0	0.1	0.1	0.1	28	0.0
46777	0	0	1	0	OEpa	47.2820	69.3434	27.0	715.2	402	56850.	610	0.7	-0.1	4.0	0.1	0.1	6.3	16	0.0
46776	0	0	1	0	OEpa	47.2820	69.3428	27.0	715.1	395	56849.	514	0.4	-0.2	2.4	0.1	0.1	0.1	20	0.0
46775	0	0	1	0	OEpa	47.2820	69.3422	27.0	715.0	398	56851.	494	0.4	0.4	3.2	0.1	0.1	0.1	34	0.0
46774	0	0	1	0	OEpa	47.2820	69.3417	26.7	714.3	403	56850.	580	0.3	0.9	2.9	0.1	0.1	0.1	18	0.0
46773	0	0	0	0	OEpa	47.2820	69.3411	26.7	714.3	408	56850.	592	0.6	1.3	4.4	2.4	0.3	8.2	29	0.0
46772	0	0	1	0	OEpa	47.2820	69.3405	26.7	714.3	416	56848.	632	0.5	0.6	1.8	0.1	0.1	0.1	19	0.0
46771	0	0	1	0	OEpa	47.2820	69.3400	26.7	714.3	424	56847.	657	0.8	0.5	4.3	0.1	0.1	5.5	30	0.0
46770	0	0	1	0	OEpa	47.2820	69.3394	26.7	714.3	423	56846.	617	0.6	-0.5	4.0	0.1	0.1	7.2	21	0.0
46769	0	0	1	0	OEpa	47.2820	69.3388	26.7	714.3	414	56846.	647	0.8	-0.2	3.0	0.1	0.1	3.8	32	0.0
46768	0	0	1	0	OEpa	47.2820	69.3383	26.7	714.3	404	56847.	626	0.8	-0.1	2.8	0.1	0.1	3.6	30	0.0
46766	0	0	0	0	OEpa	47.2820	69.3371	26.7	714.3	397	56849.	648	0.6	2.3	3.7	4.3	0.7	7.0	21	0.0
46765	0	0	0	0	OEpa	47.2820	69.3366	26.7	714.3	391	56851.	661	0.6	1.3	4.3	2.2	0.3	7.2	17	0.0
46764	0	0	1	0	DSu	47.2820	69.3360	26.7	714.3	390	56852.	652	0.6	0.5	2.9	0.1	0.1	4.9	22	0.0
46763	0	0	1	0	DSu	47.2819	69.3354	26.7	714.2	389	56850.	590	0.6	1.0	2.7	0.1	0.1	4.7	27	0.0
46762	0	0	1	0	DSu	47.2819	69.3349	26.7	714.2	388	56849.	688	0.8	0.7	2.4	0.1	0.1	3.1	25	0.0
46761	0	0	0	0	DSu	47.2819	69.3343	26.7	714.2	384	56848.	688	0.5	1.3	4.6	0.1	0.3	0.1	22	0.0
46760	0	0	1	0	DSu	47.2820	69.3337	26.7	714.2	382	56849.	657	0.8	1.0	1.4	0.1	0.1	1.9	25	0.0
46759	0	0	1	0	DSu	47.2820	69.3332	26.7	714.2	382	56850.	599	0.6	0.0	3.3	0.1	0.1	5.4	29	0.0
46758	0	0	1	0	DSu	47.2820	69.3326	26.7	714.1	383	56849.	637	0.8	0.3	2.1	0.1	0.1	2.9	16	0.0
46757	0	0	0	0	DSu	47.2820	69.3321	26.7	714.1	381	56848.	606	0.5	1.5	1.9	0.1	0.8	0.1	36	0.0
46756	0	0	0	0	DSu	47.2820	69.3315	26.7	714.1	384	56848.	570	0.8	1.5	2.6	2.1	0.6	3.6	31	0.0
46755	0	0	1	0	DSu	47.2820	69.3310	26.7	714.0	386	56847.	639	0.6	0.2	2.7	0.1	0.1	5.3	25	0.0
46754	0	0	0	0	DSu	47.2820	69.3304	26.7	713.9	389	56847.	628	0.6	2.0	2.9	3.3	0.7	4.8	20	0.0
46753	0	0	1	0	DSu	47.2820	69.3299	26.7	713.9	389	56847.	640	0.7	-0.4	2.5	0.1	0.1	3.8	24	0.0
46752	0	0	1	0	DSu	47.2820	69.3293	26.7	713.7	389	56847.	704	0.8	0.3	2.2	0.1	0.1	3.0	28	0.0
46751	0	0	1	0	DSu	47.2820	69.3288	26.7	713.6	394	56845.	713	0.8	1.0	4.2	0.1	0.1	5.5	26	0.0
46750	0	0	1	0	DSu	47.2821	69.3282	26.7	713.5	400	56843.	592	0.7	0.5	2.5	0.1	0.1	3.9	24	0.0
46749	0	0	0	0	DSu	47.2821	69.3277	26.7	713.3	403	56844.	668	0.8	1.8	2.9	2.3	0.6	3.9	17	0.0
46748	0	0	1	0	DSu	47.2821	69.3271	26.7	713.1	409	56845.	687	0.6	0.0	3.3	0.1	0.1	5.4	18	0.0
46747	0	0	1	0	DSu	47.2821	69.3265	26.7	713.0	414	56845.	594	0.6	-0.4	4.0	0.1	0.1	6.5	27	0.0
46746	0	0	0	0	DSu	47.2821	69.3260	26.7	712.8	419	56845.	678	0.7	1.9	2.2	2.8	0.9	3.3	24	0.0
46745	0	0	1	0	DSu	47.2821	69.3254	26.7	712.6	412	56845.	639	0.6	0.7	2.3	0.1	0.1	4.4	23	0.0
46744	0	0	1	0	DSu	47.2821	69.3249	26.7	712.4	401	56845.	643	0.6	0.1	2.8	0.1	0.1	5.1	37	0.0
46743	0	0	1	0	DSu	47.2821	69.3243	26.7	712.2	392	56843.	616	0.6	-0.3	4.5	0.1	0.1	8.3	19	0.0

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

- H02 -
 MAINE AERIAL SURVEY EDMUNDSTON QUADRANGLE, CARSON GEOSCIENCE INC., 1980

LINE NO. 30

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
46742	0	0	1	0	DSu	47.2822	69.3238	26.7	711.9	390	56142.	667	0.7	0.2	3.1	0.1	0.1	4.8	15	0.0
46741	0	0	1	0	DSu	47.2822	69.3232	26.7	711.7	394	56142.	593	0.7	-0.1	3.7	0.1	0.1	6.0	24	0.0
46740	0	0	1	0	DSu	47.2822	69.3227	26.7	711.5	399	56142.	616	0.6	0.5	4.1	0.1	0.1	6.9	32	0.0
46739	0	0	1	0	DSu	47.2822	69.3221	26.7	711.2	402	56842.	615	0.9	0.5	2.8	0.1	0.1	3.4	22	0.0
46738	0	0	1	0	DSu	47.2822	69.3216	26.7	711.0	401	56841.	598	0.6	0.3	2.4	0.1	0.1	4.8	23	0.0
46737	0	0	1	0	DSu	47.2822	69.3210	26.7	710.8	393	56841.	576	0.4	0.3	2.9	0.1	0.1	0.1	30	0.0
46736	0	0	0	0	DSu	47.2822	69.3204	26.7	710.6	392	56841.	561	0.7	1.9	1.4	2.9	1.4	2.2	37	0.0
46735	0	0	1	0	DSu	47.2822	69.3199	26.7	710.4	390	56841.	600	0.7	-0.2	3.5	0.1	0.1	5.8	28	0.0
46734	0	0	1	0	DSu	47.2822	69.3194	26.7	710.2	390	56841.	598	0.4	0.3	3.6	0.1	0.1	0.1	27	0.0
46733	0	0	1	0	DSu	47.2822	69.3188	26.7	710.1	384	56841.	660	0.7	0.1	4.5	0.1	0.1	6.8	27	0.0
46732	0	0	1	0	DSu	47.2823	69.3182	26.7	709.9	379	56841.	657	0.7	0.1	3.2	0.1	0.1	4.6	21	0.0
46731	0	0	1	0	DSu	47.2823	69.3177	26.7	709.8	378	56840.	673	0.7	0.9	3.9	0.1	0.1	5.7	19	0.0
46730	0	0	0	0	DSu	47.2823	69.3171	26.7	709.6	378	56839.	620	0.6	1.4	3.3	2.6	0.5	6.0	22	0.0
46729	0	0	1	0	DSu	47.2823	69.3166	26.7	709.4	382	56840.	594	0.6	0.5	3.5	0.1	0.1	6.6	22	0.0
46728	0	0	1	0	DSu	47.2823	69.3160	26.7	709.3	389	56841.	616	0.2	0.3	4.1	0.1	0.1	0.1	27	0.0
46727	0	0	1	0	DSu	47.2823	69.3155	26.7	709.1	397	56839.	646	0.6	-0.1	3.0	0.1	0.1	5.3	21	0.0
46726	0	0	1	0	DSu	47.2823	69.3149	26.7	709.0	399	56838.	628	0.5	0.2	3.5	0.1	0.1	0.1	18	0.0
46725	0	0	1	0	DSu	47.2823	69.3144	26.7	708.9	403	56840.	591	0.5	1.0	4.0	0.1	0.1	0.1	22	0.0
46724	0	0	1	0	DSu	47.2823	69.3138	26.7	708.7	404	56841.	608	0.3	0.7	4.0	0.1	0.1	0.1	21	0.0
46723	0	0	0	0	DSu	47.2823	69.3133	26.7	708.6	408	56840.	641	0.7	1.6	4.5	2.4	0.4	6.7	23	0.0
46722	0	0	1	0	DSu	47.2824	69.3127	26.7	708.5	409	56839.	607	0.4	-0.2	2.4	0.1	0.1	0.1	26	0.0
46721	0	0	1	0	DSu	47.2824	69.3121	26.7	708.4	417	56840.	569	0.8	0.5	3.7	0.1	0.1	5.1	20	0.0
46720	0	0	1	0	DSu	47.2824	69.3116	26.7	708.3	426	56840.	546	0.8	0.4	2.8	0.1	0.1	3.9	35	0.0
46719	0	0	1	0	DSu	47.2824	69.3111	26.7	708.2	436	56840.	496	0.4	0.2	2.5	0.1	0.1	0.1	18	0.0
46718	0	0	1	0	DSu	47.2824	69.3105	26.7	708.1	441	56839.	463	0.5	-0.4	3.6	0.1	0.1	0.1	23	0.0
46717	0	0	1	0	DSu	47.2824	69.3099	26.8	706.9	456	56839.	351	0.3	0.7	1.6	0.1	0.1	0.1	22	0.0
46716	0	0	1	0	DSu	47.2824	69.3094	26.8	706.9	459	56838.	360	0.3	0.3	1.7	0.1	0.1	0.1	21	0.0
46715	0	0	1	0	DSu	47.2824	69.3088	26.8	706.9	463	56837.	348	0.3	0.1	2.2	0.1	0.1	0.1	20	0.0
46714	0	1	1	0	DSu	47.2824	69.3083	26.8	706.9	468	56837.	293	0.2	0.5	1.8	0.1	0.1	0.1	20	0.0
46713	0	0	1	0	DSu	47.2825	69.3077	26.8	706.9	472	56837.	385	0.3	-1.3	2.3	0.1	0.1	0.1	36	0.0
46712	0	0	1	0	DSu	47.2825	69.3072	26.8	706.8	472	56837.	449	0.5	0.1	3.4	0.1	0.1	0.1	25	0.0
46711	0	0	1	0	DSu	47.2825	69.3066	26.8	706.8	471	56836.	474	0.4	0.2	4.3	0.1	0.1	0.1	18	0.0
46710	0	0	1	0	DSu	47.2825	69.3061	26.8	706.7	469	56837.	504	0.6	1.0	3.1	0.1	0.1	5.5	32	0.0
46709	0	0	1	0	DSu	47.2825	69.3055	26.8	706.6	468	56837.	518	0.5	0.8	2.5	0.1	0.1	0.1	26	0.0
46708	0	0	1	0	DSu	47.2825	69.3050	26.8	706.6	468	56836.	560	0.6	0.1	5.2	0.1	0.1	9.7	28	0.0
46707	0	0	1	0	DSu	47.2825	69.3044	26.8	706.5	469	56837.	543	0.7	-0.8	2.2	0.1	0.1	3.3	22	0.0
46706	0	0	0	1	DSu	47.2825	69.3038	26.8	706.5	469	56837.	564	0.6	1.3	1.1	2.3	0.1	0.1	18	0.0
46705	0	0	1	0	DSu	47.2825	69.3033	26.8	706.4	468	56836.	586	0.6	0.1	3.2	0.1	0.1	5.9	18	0.0
46704	0	0	1	0	DSu	47.2825	69.3027	26.8	706.3	466	56835.	563	0.6	-0.2	3.4	0.1	0.1	6.3	20	0.0
46703	0	0	1	0	DSu	47.2826	69.3022	26.8	706.2	463	56836.	555	0.5	0.2	3.6	0.1	0.1	0.1	17	0.0
46702	0	0	1	0	DSu	47.2826	69.3016	26.8	706.1	460	56837.	618	0.6	0.1	3.6	0.1	0.1	6.2	26	0.0
46701	0	0	1	0	DSu	47.2826	69.3011	26.8	706.0	458	56838.	570	0.5	0.9	2.7	0.1	0.1	0.1	16	0.0
46700	0	0	1	1	DSu	47.2826	69.3005	26.8	706.0	455	56838.	504	0.6	0.7	0.3	0.1	0.1	0.1	34	0.0
46699	0	0	1	0	DSu	47.2826	69.3000	26.8	705.9	454	56837.	521	0.3	-0.2	2.7	0.1	0.1	0.1	32	0.0
46698	0	0	1	0	DSu	47.2826	69.2994	26.8	705.9	452	56837.	448	0.5	0.8	1.5	0.1	0.1	0.1	21	0.0
46697	0	0	1	0	DSu	47.2826	69.2989	26.8	705.9	452	56837.	492	0.4	0.2	3.0	0.1	0.1	0.1	29	0.0
46696	0	0	1	0	DSu	47.2826	69.2983	26.8	705.9	453	56837.	494	0.6	0.0	1.9	0.1	0.1	3.5	24	0.0
46695	0	0	1	0	DSu	47.2826	69.2978	26.8	705.9	451	56836.	406	0.3	-0.1	3.5	0.1	0.1	0.1	26	0.0
46694	0	0	1	1	DSu	47.2827	69.2972	26.8	705.9	449	56836.	376	0.4	-0.6	1.3	0.1	0.1	0.1	33	0.0
46693	0	0	1	0	DSu	47.2827	69.2967	26.8	706.0	444	56836.	432	0.5	0.1	1.8	0.1	0.1	0.1	27	0.0

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
46692	0	0	1	0	DSU	47.2827	69.2961	26.9	706.0	435	56836.	491	0.5	0.1	3.3	0.1	0.1	0.1	22	0.0
46691	0	0	1	0	DSU	47.2827	69.2955	26.9	706.1	424	56837.	476	0.5	0.4	2.8	0.1	0.1	0.1	27	0.0
46690	0	0	1	0	DSU	47.2827	69.2950	26.9	706.2	412	56838.	486	0.6	-0.8	2.7	0.1	0.1	4.4	25	0.0
46689	0	0	1	0	DSU	47.2827	69.2944	26.9	706.3	404	56836.	487	0.5	-0.1	2.3	0.1	0.1	0.1	24	0.0
46688	0	0	0	0	DSU	47.2827	69.2939	26.9	706.4	399	56835.	454	0.4	1.2	1.6	0.1	0.8	0.1	19	0.0
46687	0	0	1	0	DSU	47.2827	69.2933	26.9	706.5	400	56835.	546	0.6	0.4	2.0	0.1	0.1	3.6	37	0.0
46686	0	0	1	0	DSU	47.2827	69.2928	26.9	706.6	404	56835.	512	0.4	0.3	2.1	0.1	0.1	0.1	26	0.0
46685	0	0	1	0	DSU	47.2827	69.2922	26.9	706.7	411	56834.	520	0.6	0.3	2.2	0.1	0.1	4.1	30	0.0
46684	0	0	1	0	DSU	47.2828	69.2917	26.9	706.9	417	56834.	553	0.4	1.0	3.0	0.1	0.1	0.1	25	0.0
46683	0	0	1	0	DSU	47.2828	69.2911	26.9	707.0	421	56833.	582	0.6	0.6	3.4	0.1	0.1	6.2	28	0.0
46682	0	0	1	0	DSU	47.2828	69.2906	26.9	707.2	419	56833.	510	0.6	0.6	3.9	0.1	0.1	6.8	28	0.0
46681	0	0	1	0	DSU	47.2828	69.2900	26.9	707.4	415	56834.	543	0.7	-1.1	3.0	0.1	0.1	4.6	24	0.0
46680	0	0	1	0	DSU	47.2828	69.2895	26.9	707.5	414	56833.	549	0.8	-1.0	3.4	0.1	0.1	4.8	29	0.0
46679	0	0	1	0	DSU	47.2828	69.2889	26.9	707.7	415	56830.	532	0.5	-0.3	4.0	0.1	0.1	0.1	23	0.0
46678	0	0	1	0	DSU	47.2828	69.2884	26.9	707.9	416	56830.	493	0.6	0.8	2.2	0.1	0.1	4.1	33	0.0
46677	0	0	1	0	DSU	47.2828	69.2878	26.9	708.1	415	56830.	559	0.3	-0.1	4.1	0.1	0.1	0.1	22	0.0
46676	0	0	1	0	DSU	47.2828	69.2872	26.9	708.3	415	56831.	567	0.5	0.0	4.6	0.1	0.1	0.1	17	0.0
46675	0	0	1	0	DSU	47.2829	69.2867	26.9	708.5	419	56833.	550	0.7	0.7	2.7	0.1	0.1	4.0	23	0.0
46674	0	0	1	0	DSU	47.2829	69.2861	26.9	708.8	422	56833.	571	0.6	-0.2	4.6	0.1	0.1	7.6	28	0.0
46673	0	0	1	0	DSU	47.2829	69.2856	26.9	709.0	426	56832.	580	0.5	-0.2	3.2	0.1	0.1	0.1	17	0.0
46671	0	0	1	0	DSU	47.2829	69.2845	26.9	709.3	426	56833.	630	0.8	-0.1	2.5	0.1	0.1	3.3	25	0.0
46670	0	0	1	0	DSU	47.2829	69.2839	26.9	709.6	426	56833.	614	0.8	0.5	4.5	0.1	0.1	6.1	14	0.0
46669	0	0	1	0	DSU	47.2829	69.2834	26.9	709.9	425	56833.	614	0.6	0.2	2.7	0.1	0.1	5.1	25	0.0
46668	0	0	0	0	DSU	47.2829	69.2828	26.9	710.2	426	56835.	662	0.7	1.5	3.0	2.1	0.5	4.4	36	0.0
46667	0	0	1	0	DSU	47.2829	69.2823	26.9	710.5	426	56836.	670	0.8	0.6	3.3	0.1	0.1	4.7	27	0.0
46666	0	0	0	0	DSU	47.2830	69.2817	27.0	710.8	423	56836.	706	0.6	1.4	5.1	2.7	0.3	9.4	22	0.0
46665	0	0	1	0	DSU	47.2830	69.2812	27.0	711.0	418	56833.	729	0.7	0.0	4.0	0.1	0.1	6.5	28	0.0
46664	0	0	1	0	DSU	47.2830	69.2806	27.0	711.3	412	56831.	714	0.8	0.8	2.7	0.1	0.1	3.9	28	0.0
46663	0	0	1	0	DSU	47.2830	69.2801	27.0	711.5	408	56832.	721	0.8	0.4	4.5	0.1	0.1	5.6	27	0.0
46662	0	0	1	0	DSU	47.2830	69.2795	27.0	711.8	404	56833.	702	0.8	0.7	3.0	0.1	0.1	4.2	21	0.0
46661	0	0	1	0	DSU	47.2830	69.2789	27.0	712.0	401	56833.	758	0.8	0.2	3.9	0.1	0.1	5.3	24	0.0
46660	0	0	1	0	DSU	47.2830	69.2784	26.9	713.7	402	56835.	764	0.9	0.6	3.5	0.1	0.1	4.3	21	0.0
46659	0	0	1	0	DSU	47.2830	69.2778	26.9	713.7	405	56836.	792	0.8	0.4	3.2	0.1	0.1	4.1	27	0.0
46658	0	0	1	0	DSU	47.2830	69.2773	26.9	713.7	409	56835.	843	0.9	0.4	4.4	0.1	0.1	5.1	23	0.0
46657	0	0	1	1	DSU	47.2831	69.2767	26.9	713.7	412	56834.	759	1.1	0.5	1.0	0.1	0.1	0.1	21	0.0
46656	0	0	1	0	DSU	47.2831	69.2762	26.9	713.7	411	56835.	846	0.9	1.0	3.7	0.1	0.1	4.4	20	0.0
46655	0	0	0	0	DSU	47.2831	69.2756	26.9	713.7	408	56835.	854	0.9	1.7	5.0	1.9	0.4	5.9	32	0.0
46654	0	0	0	0	DSU	47.2831	69.2751	26.9	713.7	406	56833.	824	0.7	2.0	1.9	2.9	1.1	2.9	22	0.0
46653	0	0	1	0	DSU	47.2831	69.2745	26.9	713.8	404	56833.	791	0.9	-0.2	3.7	0.1	0.1	4.5	23	0.0
46652	0	0	1	0	DSU	47.2831	69.2740	26.9	713.9	397	56834.	847	0.8	1.2	3.5	0.1	0.1	4.5	21	0.0
46651	0	0	1	0	DSU	47.2831	69.2734	26.9	713.9	385	56834.	833	0.9	0.5	4.1	0.1	0.1	4.8	19	0.0
46650	0	0	1	0	DSU	47.2831	69.2729	26.9	714.0	372	56835.	826	0.9	0.6	3.2	0.1	0.1	3.8	25	0.0
46649	0	0	1	0	DSU	47.2831	69.2723	26.9	714.1	361	56834.	800	0.9	0.6	4.3	0.1	0.1	5.3	26	0.0
46648	0	0	0	0	DSU	47.2831	69.2718	26.9	714.2	355	56833.	872	0.9	1.3	3.4	1.5	0.4	4.0	17	0.0
46647	0	0	1	0	DSU	47.2832	69.2712	26.9	714.4	351	56833.	814	0.9	0.3	2.4	0.1	0.1	2.9	20	0.0
46646	0	0	0	0	DSU	47.2832	69.2706	26.9	714.6	351	56833.	767	0.8	2.1	5.3	2.6	0.4	6.6	25	0.0
46645	0	0	1	0	DSU	47.2832	69.2701	26.9	714.7	353	56833.	783	0.6	0.9	4.2	0.1	0.1	7.1	21	0.0
46644	0	0	1	0	DSU	47.2832	69.2695	26.9	714.9	359	56833.	896	1.3	0.9	5.5	0.1	0.1	4.5	19	0.0
46643	0	0	1	0	DSU	47.2832	69.2690	26.9	715.1	366	56833.	858	1.1	-0.5	2.7	0.1	0.1	2.6	18	0.0
46642	0	0	1	0	DSU	47.2832	69.2684	26.9	715.3	375	56832.	841	1.0	1.0	3.6	0.1	0.1	3.8	14	0.0

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PFM	PPM			CPS	CPS	
46641	0	0	0	0	DSu	47.2832	69.2679	26.9	715.5	385	56832.	762	0.7	1.6	2.8	2.3	0.6	4.0	28	0.0
46640	0	0	1	0	DSu	47.2832	69.2673	26.9	715.6	394	56833.	749	1.0	0.8	4.5	0.1	0.1	4.5	20	0.0
46639	0	0	0	0	DSu	47.2832	69.2668	26.9	715.8	397	56834.	675	0.7	1.6	3.5	2.3	0.5	5.0	24	0.0
46638	0	0	1	0	DSu	47.2832	69.2662	26.9	716.0	397	56834.	644	0.6	0.8	1.8	0.1	0.1	3.0	27	0.0
46637	0	0	1	0	DSu	47.2833	69.2657	26.9	716.1	391	56833.	533	0.6	0.6	3.6	0.1	0.1	6.6	23	0.0
46636	0	0	1	0	DSu	47.2833	69.2651	26.9	716.3	389	56831.	521	0.6	0.5	2.6	0.1	0.1	5.1	25	0.0
46635	0	0	1	0	DSu	47.2833	69.2646	26.9	716.4	387	56831.	540	0.6	-0.4	2.3	0.1	0.1	4.1	25	0.0
46634	0	0	1	0	DSu	47.2833	69.2640	26.9	716.5	388	56831.	495	0.5	0.5	1.8	0.1	0.1	0.1	22	0.0
46633	0	0	1	0	DSu	47.2833	69.2635	26.9	716.6	385	56831.	482	0.5	-0.3	3.0	0.1	0.1	0.1	20	0.0
46632	0	0	1	0	DSu	47.2833	69.2629	26.9	716.6	386	56831.	447	0.5	0.3	3.1	0.1	0.1	0.1	23	0.0
46631	0	0	1	0	DSu	47.2834	69.2623	26.9	716.6	390	56831.	431	0.4	0.4	2.7	0.1	0.1	0.1	26	0.0
46630	0	0	0	0	DSu	47.2834	69.2617	26.9	716.6	395	56830.	458	0.5	1.1	2.5	0.1	0.5	0.1	31	0.0
46629	0	0	1	1	DSu	47.2835	69.2611	26.9	716.5	397	56830.	490	0.4	0.9	0.8	0.1	0.1	0.1	24	0.0
46628	0	0	1	1	DSu	47.2836	69.2604	26.9	716.4	398	56830.	450	0.6	1.0	1.0	0.1	0.1	0.1	25	0.0
46627	0	0	1	0	DSu	47.2836	69.2598	26.9	716.2	402	56830.	517	0.6	0.9	2.8	0.1	0.1	5.0	24	0.0
46626	0	0	1	0	DSu	47.2837	69.2592	26.9	716.1	405	56829.	483	0.5	1.0	2.6	0.1	0.1	0.1	17	0.0
46625	0	0	1	0	DSu	47.2837	69.2586	26.9	715.9	407	56828.	512	0.4	-0.4	1.5	0.1	0.1	0.1	20	0.0
46624	0	0	1	0	DSu	47.2838	69.2580	26.9	715.6	410	56827.	491	0.5	0.3	1.8	0.1	0.1	0.1	27	0.0
46623	0	0	1	0	DSu	47.2838	69.2574	26.9	715.4	413	56827.	474	0.4	-0.5	1.3	0.1	0.1	0.1	25	0.0
46622	0	0	0	0	DSu	47.2839	69.2568	26.9	715.1	419	56827.	511	0.4	1.3	2.8	0.1	0.5	0.1	25	0.0
46621	0	0	0	0	DSu	47.2839	69.2561	26.9	714.8	423	56828.	565	0.4	1.2	1.5	0.1	0.9	0.1	25	0.0
46620	0	0	0	0	DSu	47.2840	69.2555	26.9	714.6	428	56828.	681	0.6	1.3	2.8	2.3	0.5	5.1	26	0.0
46619	0	0	1	0	DSu	47.2841	69.2549	26.9	714.3	427	56827.	777	1.0	1.2	4.0	0.1	0.1	4.3	23	0.0
46618	0	0	1	0	DSu	47.2841	69.2543	26.9	714.0	423	56827.	773	0.7	-0.2	5.2	0.1	0.1	7.9	23	0.0
46617	0	0	1	0	DSu	47.2842	69.2537	26.9	713.7	411	56828.	706	0.9	0.5	4.2	0.1	0.1	5.0	24	0.0
46616	0	0	1	0	DSu	47.2842	69.2531	26.9	713.4	395	56828.	738	0.8	0.3	3.2	0.1	0.1	4.3	31	0.0
46615	0	0	1	0	DSu	47.2843	69.2524	26.9	713.2	378	56828.	788	0.8	0.7	3.4	0.1	0.1	4.4	22	0.0
46614	0	0	1	0	DSu	47.2843	69.2518	26.9	712.9	364	56829.	805	0.9	0.8	3.7	0.1	0.1	4.5	32	0.0
46613	0	0	0	0	DSu	47.2844	69.2512	26.9	712.7	355	56830.	768	0.8	1.8	2.1	2.5	0.9	2.9	17	0.0
46612	0	0	1	0	DSu	47.2845	69.2506	26.9	712.5	350	56831.	636	0.5	0.3	3.2	0.1	0.1	0.1	22	0.0
46611	0	0	1	0	DSu	47.2845	69.2500	26.9	712.3	348	56830.	687	0.7	0.7	3.3	0.1	0.1	5.3	26	0.0
46610	0	0	1	0	DSu	47.2846	69.2494	26.9	712.1	351	56829.	667	0.6	0.8	3.1	0.1	0.1	5.2	29	0.0
46609	0	0	1	0	DSu	47.2846	69.2488	26.9	711.9	358	56829.	651	0.8	-0.1	3.0	0.1	0.1	3.8	29	0.0
46608	0	0	1	0	DSu	47.2847	69.2481	26.9	711.7	370	56829.	656	0.7	0.8	4.3	0.1	0.1	6.2	15	0.0
46607	0	0	1	0	DSu	47.2847	69.2475	26.9	711.5	382	56828.	635	0.5	1.0	2.4	0.1	0.1	0.1	23	0.0
46606	0	0	1	0	DSu	47.2848	69.2469	26.9	711.4	394	56829.	698	0.9	0.7	3.3	0.1	0.1	4.0	29	0.0
46605	0	0	1	0	DSu	47.2849	69.2463	26.9	711.2	403	56830.	617	0.8	0.3	2.3	0.1	0.1	3.1	24	0.0
46604	0	0	1	0	DSu	47.2849	69.2457	26.7	709.5	422	56828.	648	0.5	1.1	3.0	0.1	0.1	0.1	29	0.0
46603	0	0	1	0	DSu	47.2850	69.2451	26.7	709.6	424	56828.	627	0.6	-0.4	5.1	0.1	0.1	9.2	15	0.0
46602	0	0	1	0	DSu	47.2850	69.2444	26.7	709.6	428	56826.	663	0.8	0.4	3.6	0.1	0.1	4.9	24	0.0
46601	0	0	1	0	DSu	47.2851	69.2438	26.7	709.6	433	56824.	602	0.6	0.5	2.5	0.1	0.1	4.5	23	0.0
46600	0	0	1	0	DSu	47.2851	69.2432	26.7	709.5	435	56825.	602	0.6	0.3	5.2	0.1	0.1	9.0	35	0.0
46599	0	0	1	0	DSu	47.2852	69.2426	26.7	709.5	434	56828.	635	0.8	-0.1	3.2	0.1	0.1	4.6	20	0.0
46598	0	0	1	0	DSu	47.2853	69.2420	26.7	709.4	433	56828.	734	0.6	1.2	2.9	0.1	0.1	5.0	22	0.0
46597	0	0	1	0	DSu	47.2853	69.2414	26.7	709.4	434	56828.	763	0.8	1.2	4.8	0.1	0.1	6.8	28	0.0
46596	0	0	0	0	DSu	47.2854	69.2408	26.7	709.3	439	56827.	776	0.7	1.3	3.6	1.8	0.4	5.2	22	0.0
46595	0	0	1	0	DSu	47.2854	69.2402	26.7	709.2	445	56826.	773	0.9	0.3	4.5	0.1	0.1	5.5	21	0.0
46594	0	0	1	0	DSu	47.2855	69.2395	26.7	709.1	451	56826.	761	0.9	0.9	3.7	0.1	0.1	4.5	15	0.0
46593	0	0	1	0	DSu	47.2855	69.2389	26.7	709.0	455	56825.	809	1.0	0.9	5.1	0.1	0.1	5.3	25	0.0
46592	0	0	1	0	DSu	47.2856	69.2383	26.7	708.9	457	56825.	834	0.9	0.6	5.0	0.1	0.1	5.7	21	0.0

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

- K02 -
 MAINE AERIAL SURVEY EDMUNDSTON QUADRANGLE, CARSON GEOSCIENCE INC., 1980

LINE NO. 30

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI			
												CPS	%	PPM	PPM							CPS	CPS
46591	0	0	1	0	DSu	47.2857	69.2377	26.7	708.7	459	56825.	812	1.2	0.4	2.6	0.1	0.1	2.3	23	0.0			
46590	0	0	1	0	DSu	47.2856	69.2372	26.7	708.5	461	56827.	690	0.8	-0.2	4.2	0.1	0.1	5.3	33	0.0			
46589	0	0	1	0	DSu	47.2855	69.2367	26.7	708.3	460	56828.	607	0.7	0.0	5.0	0.1	0.1	8.1	18	0.0			
46588	0	0	0	0	DSu	47.2855	69.2363	26.7	708.1	457	56829.	708	1.0	1.5	2.3	1.6	0.7	2.5	26	0.0			
46587	0	0	0	0	DSu	47.2854	69.2358	26.7	708.0	452	56829.	687	0.9	1.9	2.9	2.2	0.7	3.3	21	0.0			
46586	0	0	1	0	DSu	47.2853	69.2353	26.7	707.8	450	56829.	705	0.8	0.7	4.0	0.1	0.1	5.3	28	0.0			
46585	0	0	1	0	DSu	47.2853	69.2348	26.7	707.7	447	56830.	677	0.9	0.8	3.3	0.1	0.1	4.1	20	0.0			
46584	0	0	1	0	DSu	47.2852	69.2343	26.7	707.6	442	56832.	671	0.9	0.9	2.8	0.1	0.1	3.2	28	0.0			
46583	0	0	1	0	DSu	47.2852	69.2339	26.7	707.5	433	56833.	656	0.7	0.5	2.5	0.1	0.1	3.7	36	0.0			
46582	0	0	1	0	DSu	47.2851	69.2334	26.7	707.5	424	56835.	667	0.7	0.8	2.3	0.1	0.1	3.7	17	0.0			
46581	0	0	1	0	DSu	47.2850	69.2329	26.7	707.5	416	56835.	710	0.9	0.7	3.5	0.1	0.1	4.3	24	0.0			
46580	0	0	1	0	DSu	47.2850	69.2324	26.7	707.5	411	56835.	794	0.9	0.3	3.0	0.1	0.1	5.9	16	0.0			
46579	0	0	1	0	DSu	47.2849	69.2320	26.7	707.6	410	56835.	800	0.8	0.8	4.8	0.1	0.1	6.1	21	0.0			
46578	0	0	1	0	DSu	47.2849	69.2315	26.7	707.6	415	56833.	852	1.1	0.3	5.3	0.1	0.1	5.1	22	0.0			
46577	0	0	1	0	DSu	47.2848	69.2310	26.7	707.8	427	56830.	870	0.9	1.0	3.5	0.1	0.1	4.2	26	0.0			
46575	0	0	1	0	DSu	47.2847	69.2301	26.7	707.9	444	56828.	879	1.0	1.2	4.8	0.1	0.1	5.1	25	0.0			
46574	0	0	1	0	DSu	47.2846	69.2296	26.7	708.1	459	56829.	953	1.0	1.1	2.7	0.1	0.1	3.0	22	0.0			
46573	0	0	0	0	DSu	47.2846	69.2291	26.7	708.2	468	56831.	802	1.2	1.8	3.4	1.6	0.6	3.0	19	0.0			
46572	0	0	1	0	DSu	47.2845	69.2286	26.7	708.4	468	56832.	817	1.0	0.9	3.5	0.1	0.1	3.5	33	0.0			
46571	0	0	1	0	DSu	47.2844	69.2282	26.7	708.6	462	56832.	759	0.8	0.6	5.5	0.1	0.1	7.3	34	0.0			
46570	0	0	1	0	DSu	47.2844	69.2277	26.7	708.9	453	56831.	777	0.8	-0.3	3.5	0.1	0.1	4.7	24	0.0			
46569	0	0	1	0	DSu	47.2843	69.2272	26.7	709.1	445	56830.	705	0.9	0.1	4.7	0.1	0.1	5.7	24	0.0			
46568	0	0	1	0	DSu	47.2842	69.2267	26.7	709.4	439	56831.	760	1.1	0.6	2.5	0.1	0.1	2.3	24	0.0			
46567	0	0	1	0	DSu	47.2842	69.2262	26.7	709.6	435	56833.	755	0.7	0.7	3.1	0.1	0.1	4.7	26	0.2			
46566	0	0	1	0	DSu	47.2841	69.2258	26.7	709.9	433	56831.	759	0.6	0.1	5.5	0.1	0.1	9.2	21	0.5			
46565	0	0	1	0	DSu	47.2841	69.2253	26.7	710.1	431	56829.	724	0.7	0.4	4.7	0.1	0.1	6.8	20	0.6			
46564	0	0	1	0	DSu	47.2840	69.2248	26.7	710.4	431	56831.	698	0.8	0.9	1.7	0.1	0.1	2.4	20	0.8			
46563	0	0	0	0	DSu	47.2839	69.2243	26.7	710.6	427	56832.	716	0.8	1.3	3.8	1.6	0.4	4.8	21	1.0			
46562	0	0	0	0	DSu	47.2839	69.2239	26.7	710.9	425	56833.	644	0.6	1.3	3.1	2.3	0.5	5.5	28	1.2			
46561	0	0	1	0	DSu	47.2838	69.2234	26.7	711.1	419	56833.	679	0.8	-0.3	2.5	0.1	0.1	3.3	22	1.2			
46560	0	0	1	0	DSu	47.2838	69.2229	26.7	711.4	417	56833.	649	0.9	-0.4	2.9	0.1	0.1	3.3	25	1.2			
46559	0	0	1	0	DSu	47.2837	69.2224	26.7	711.6	416	56833.	695	0.8	0.6	3.3	0.1	0.1	4.4	29	1.2			
46558	0	0	0	0	DSu	47.2836	69.2220	26.7	711.8	419	56834.	690	0.9	1.6	2.9	1.9	0.6	3.5	20	1.2			
46557	0	0	0	0	DSu	47.2836	69.2215	26.7	712.0	418	56834.	738	0.9	1.4	2.8	1.7	0.6	3.3	28	1.2			
46556	0	0	1	0	DSu	47.2835	69.2210	26.7	712.3	416	56835.	692	0.8	1.1	1.4	0.1	0.1	1.9	24	1.2			
46555	0	0	1	0	DSu	47.2834	69.2205	26.7	712.5	411	56836.	713	0.8	0.6	5.3	0.1	0.1	6.7	29	1.2			
46554	0	0	1	0	DSu	47.2834	69.2201	26.7	712.7	407	56838.	707	0.9	-0.8	3.0	0.1	0.1	3.4	26	1.2			
46553	0	0	1	0	DSu	47.2833	69.2196	26.7	712.9	403	56838.	728	0.7	0.8	3.0	0.1	0.1	4.4	30	1.2			
46552	0	0	1	0	DSu	47.2833	69.2191	26.7	713.1	399	56840.	702	0.6	0.5	4.5	0.1	0.1	8.2	27	1.2			
46551	0	0	0	0	DSu	47.2832	69.2186	26.7	713.2	397	56843.	672	0.8	2.3	3.4	3.1	0.7	4.6	31	1.2			
46550	0	0	1	0	DSu	47.2831	69.2181	26.7	713.4	393	56842.	664	0.6	0.2	2.1	0.1	0.1	3.6	21	1.2			
46549	0	0	1	0	DSu	47.2831	69.2177	26.7	713.6	392	56837.	655	0.8	-0.5	2.9	0.1	0.1	4.1	24	1.2			
46548	0	0	0	0	DSu	47.2830	69.2172	26.7	713.8	390	56830.	666	0.8	1.3	3.3	1.6	0.4	4.2	21	1.2			
46547	0	0	1	0	DSu	47.2830	69.2167	26.2	714.7	400	56826.	627	0.6	0.2	2.7	0.1	0.1	4.6	28	1.2			
46546	0	0	1	0	DSu	47.2829	69.2162	26.2	714.7	401	56827.	715	0.9	0.7	3.2	0.1	0.1	3.6	22	1.2			
46545	0	0	1	0	DSu	47.2828	69.2158	26.2	714.7	401	56828.	705	0.8	0.3	3.8	0.1	0.1	5.2	23	1.2			
46544	0	0	0	0	DSu	47.2828	69.2153	26.2	714.7	402	56827.	659	0.8	1.4	2.0	1.8	0.7	2.6	31	1.2			
46543	0	0	1	0	DSu	47.2827	69.2148	26.3	714.7	401	56827.	543	0.6	0.4	1.7	0.1	0.1	3.1	29	1.2			
46542	0	0	1	1	DSu	47.2827	69.2143	26.3	714.7	396	56826.	548	0.5	0.9	1.2	0.1	0.1	0.1	33	1.2			
46541	0	0	1	0	DSu	47.2826	69.2139	26.3	714.7	391	56826.	552	0.6	-0.3	3.8	0.1	0.1	6.5	16	1.2			

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
46540	0	0	1	0	DSu	47.2825	69.2134	26.3	714.7	392	56824.	512	0.7	0.3	1.7	0.1	0.1	2.5	23	1.2
46539	0	0	1	0	DSu	47.2825	69.2129	26.3	714.7	399	56822.	519	0.6	0.2	3.9	0.1	0.1	7.5	26	1.2
46538	0	0	1	0	DSu	47.2824	69.2124	26.3	714.7	410	56820.	468	0.4	-0.6	2.8	0.1	0.1	0.1	25	1.2
46537	0	0	1	0	DSu	47.2823	69.2120	26.3	714.7	421	56819.	413	0.5	-0.3	3.0	0.1	0.1	0.1	23	1.3
46536	0	0	1	1	DSu	47.2823	69.2115	26.3	714.7	431	56819.	381	0.4	-0.1	1.0	0.1	0.1	0.1	26	1.3
46535	0	0	1	0	DSu	47.2822	69.2110	26.3	714.6	434	56817.	356	0.4	0.6	2.2	0.1	0.1	0.1	23	1.2
46534	0	0	1	0	Ocp	47.2822	69.2105	26.3	714.5	431	56816.	347	0.4	0.6	1.9	0.1	0.1	0.1	29	1.2
46533	0	0	1	1	Ocp	47.2821	69.2100	26.3	714.5	430	56815.	332	0.3	0.2	1.0	0.1	0.1	0.1	16	1.3
46532	0	0	1	1	Ocp	47.2820	69.2096	26.3	714.4	432	56815.	313	0.2	1.0	0.3	0.1	0.1	0.1	28	1.3
46531	0	0	1	0	Ocp	47.2820	69.2091	26.3	714.2	437	56815.	336	0.4	-0.2	1.2	0.1	0.1	0.1	19	1.3
46530	0	1	1	0	Ocp	47.2819	69.2086	26.3	714.1	445	56814.	310	0.2	0.2	2.6	0.1	0.1	0.1	23	1.3
46529	0	0	1	1	Ocp	47.2819	69.2081	26.3	714.0	453	56815.	329	0.3	0.6	1.3	0.1	0.1	0.1	28	1.3
46528	0	0	1	1	Ocp	47.2818	69.2077	26.3	713.8	462	56815.	288	0.3	0.0	1.3	0.1	0.1	0.1	32	1.3
46527	0	0	1	0	Ocp	47.2817	69.2072	26.3	713.6	467	56814.	376	0.3	0.4	3.1	0.1	0.1	0.1	22	1.4
46526	0	0	1	0	Ocp	47.2817	69.2067	26.3	713.4	467	56812.	405	0.4	-0.5	1.6	0.1	0.1	0.1	12	1.4
46525	0	0	1	0	Ocp	47.2816	69.2062	26.3	713.2	459	56810.	493	0.6	-0.2	3.8	0.1	0.1	7.3	14	1.4
46524	0	0	1	0	Ocp	47.2816	69.2058	26.3	713.0	448	56809.	411	0.5	0.1	1.6	0.1	0.1	0.1	24	1.4
46523	0	0	1	0	Ocp	47.2815	69.2053	26.3	712.8	439	56807.	453	0.6	0.2	2.4	0.1	0.1	4.7	21	1.4
46522	0	0	1	0	Ocp	47.2814	69.2048	26.3	712.6	435	56806.	465	0.3	0.9	2.4	0.1	0.1	0.1	22	1.4
46521	0	0	0	0	Ocp	47.2814	69.2043	26.3	712.3	437	56808.	553	0.3	1.5	2.9	0.1	0.6	0.1	16	1.3
46520	0	0	1	0	Ocp	47.2813	69.2039	26.3	712.1	440	56810.	630	0.6	0.6	3.9	0.1	0.1	7.1	24	1.3
46519	0	0	1	0	Ocp	47.2813	69.2034	26.2	711.9	443	56810.	674	0.8	0.7	2.9	0.1	0.1	4.0	22	1.3
46518	0	0	1	0	Ocp	47.2812	69.2029	26.2	711.7	445	56810.	643	0.6	1.2	3.3	0.1	0.1	5.8	34	1.3
46517	0	0	1	0	Ocp	47.2811	69.2024	26.2	711.4	439	56810.	617	0.7	0.8	3.3	0.1	0.1	5.3	16	1.3
46516	0	0	1	0	Ocp	47.2811	69.2019	26.2	711.2	436	56811.	684	0.5	0.7	2.9	0.1	0.1	0.1	35	1.2
46515	0	0	0	0	Ocp	47.2810	69.2013	26.2	711.0	433	56811.	714	0.6	1.9	2.6	3.4	0.8	4.6	31	1.2
46514	0	0	0	0	Ocp	47.2810	69.2007	26.2	710.8	432	56812.	687	0.7	1.9	2.2	2.8	0.9	3.1	27	1.1
46513	0	0	0	0	Ocp	47.2810	69.2002	26.2	710.5	430	56812.	728	0.7	2.2	1.9	3.3	1.2	2.8	23	1.0
46512	0	0	0	0	Ocp	47.2809	69.1996	26.2	710.3	422	56812.	705	0.8	1.3	3.9	1.7	0.4	5.3	26	0.9
46511	0	0	1	0	Ocp	47.2809	69.1991	26.2	710.0	413	56811.	723	0.7	1.0	4.8	0.1	0.1	7.2	26	0.9
46510	0	0	1	0	Ocp	47.2808	69.1985	26.2	709.7	404	56810.	749	0.8	0.1	3.9	0.1	0.1	5.3	20	0.9
46509	0	0	1	0	Ocp	47.2808	69.1979	26.2	709.5	397	56808.	706	0.8	0.3	2.2	0.1	0.1	3.0	22	0.9
46508	0	0	1	0	Ocp	47.2808	69.1974	26.2	709.2	392	56808.	702	0.6	0.7	3.9	0.1	0.1	6.4	27	0.8
46507	0	0	1	0	Ocp	47.2807	69.1968	26.2	709.0	388	56809.	712	0.8	0.5	2.9	0.1	0.1	3.9	26	0.8
46506	0	0	0	0	Ocp	47.2807	69.1963	26.2	708.7	389	56809.	714	0.7	1.1	5.2	1.7	0.3	7.9	27	0.7
46505	0	0	1	0	Ocp	47.2806	69.1957	26.2	708.4	391	56809.	657	0.7	-0.2	3.6	0.1	0.1	5.7	28	0.7
46504	0	0	1	0	Ocp	47.2806	69.1951	26.2	708.1	396	56808.	609	0.9	-1.0	3.2	0.1	0.1	3.7	21	0.7
46503	0	0	1	0	Ocp	47.2805	69.1946	26.2	707.8	399	56808.	601	0.8	0.5	4.1	0.1	0.1	5.4	33	0.6
46502	0	0	1	0	Ocp	47.2805	69.1940	26.2	707.5	402	56808.	572	0.8	0.1	3.8	0.1	0.1	5.0	26	0.5
46501	0	0	1	0	Ocp	47.2805	69.1934	26.2	707.2	406	56809.	609	0.9	-0.2	2.9	0.1	0.1	3.5	16	0.5
46500	0	0	1	0	Ocp	47.2804	69.1929	26.2	706.9	409	56810.	599	0.7	-0.2	4.0	0.1	0.1	6.4	30	0.4
46499	0	0	1	0	Ocp	47.2804	69.1923	26.2	706.6	411	56809.	575	0.7	0.0	2.1	0.1	0.1	3.3	32	0.4
46498	0	0	1	0	Ocp	47.2803	69.1918	26.2	706.3	413	56809.	604	0.5	0.2	3.7	0.1	0.1	0.1	19	0.4
46497	0	0	1	0	Ocp	47.2803	69.1912	26.2	706.1	414	56809.	633	0.5	0.8	2.9	0.1	0.1	0.1	30	0.4
46496	0	0	1	0	Ocp	47.2803	69.1906	26.2	705.8	415	56808.	644	0.7	1.1	3.1	0.1	0.1	5.1	30	0.4
46495	0	0	1	0	Ocp	47.2802	69.1901	26.2	705.6	414	56809.	647	0.7	0.2	2.7	0.1	0.1	4.3	24	0.3
46494	0	0	1	0	Ocp	47.2802	69.1895	26.2	705.4	409	56810.	706	0.9	-0.2	3.9	0.1	0.1	4.4	29	0.3
46493	0	0	1	0	Ocp	47.2801	69.1889	26.1	705.2	397	56810.	716	0.9	0.2	5.2	0.1	0.1	6.1	23	0.2
46492	0	0	1	0	Ocp	47.2801	69.1884	26.1	705.1	386	56810.	697	0.6	0.8	4.8	0.1	0.1	8.5	23	0.2
46491	0	0	1	0	Ocp	47.2801	69.1878	26.1	705.4	375	56810.	701	0.7	0.4	3.1	0.1	0.1	4.8	21	0.1

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
46490	0	0	1	0	Ocp	47.2800	69.1873	26.1	705.3	376	56811.	729	0.6	1.0	4.9	0.1	0.1	8.8	29	0.0
46489	0	0	0	0	Ocp	47.2800	69.1867	26.1	705.3	380	56811.	695	0.8	2.0	2.2	2.8	0.9	3.1	38	0.0
46488	0	0	1	0	Ocp	47.2799	69.1861	26.1	705.3	392	56811.	671	0.7	1.0	3.6	0.1	0.1	5.5	24	0.0
46487	0	0	1	0	Ocp	47.2799	69.1856	26.1	705.3	408	56811.	668	0.7	-0.1	3.9	0.1	0.1	6.2	31	0.0
46486	0	0	0	0	Ocp	47.2799	69.1850	26.1	705.3	431	56813.	688	0.8	1.6	3.8	2.2	0.5	5.3	29	0.0
46485	0	0	1	0	Ocp	47.2798	69.1845	26.1	705.4	441	56813.	735	0.9	-0.5	5.1	0.1	0.1	5.7	28	0.0
46484	0	0	1	0	Ocp	47.2797	69.1840	26.1	705.5	443	56813.	684	0.9	1.0	1.4	0.1	0.1	1.8	27	0.0
46483	0	0	1	0	Ocp	47.2796	69.1835	26.1	705.5	430	56813.	697	0.6	1.0	3.7	0.1	0.1	6.6	24	0.0
46482	0	0	1	0	Ocp	47.2794	69.1830	26.1	705.6	421	56811.	670	0.6	0.3	3.1	0.1	0.1	5.6	21	0.0
46480	0	0	1	0	Ocp	47.2792	69.1821	26.1	705.7	416	56809.	654	0.6	0.6	3.9	0.1	0.1	6.7	35	0.0
46479	0	0	1	0	Ocp	47.2791	69.1816	26.1	705.8	414	56809.	626	0.7	0.9	2.2	0.1	0.1	3.6	17	0.0
46478	0	0	1	0	Ocp	47.2790	69.1811	26.1	705.9	421	56810.	637	0.5	0.5	3.8	0.1	0.1	0.1	21	0.0
46477	0	0	1	0	Ocp	47.2788	69.1807	26.1	706.0	428	56810.	618	0.7	0.5	3.2	0.1	0.1	4.8	17	0.0
46476	0	0	1	0	Ocp	47.2787	69.1802	26.1	706.2	433	56809.	645	0.5	0.1	4.0	0.1	0.1	0.1	22	0.0
46475	0	0	1	0	Ocp	47.2786	69.1797	26.1	706.3	431	56808.	645	0.8	0.3	3.0	0.1	0.1	4.0	28	0.0
46474	0	0	0	0	Ocp	47.2785	69.1792	26.1	706.4	427	56807.	701	0.8	1.3	3.9	1.6	0.4	5.0	28	0.0
46473	0	0	1	0	Ocp	47.2784	69.1788	26.1	706.5	422	56805.	740	1.0	0.9	3.6	0.1	0.1	3.7	20	0.0
46472	0	0	1	0	Ocp	47.2782	69.1783	26.1	706.6	414	56804.	741	0.7	1.1	2.8	0.1	0.1	4.3	22	0.0
46471	0	0	1	0	Ocp	47.2781	69.1778	26.1	706.6	404	56805.	748	0.7	0.1	2.8	0.1	0.1	4.1	33	0.0
46470	0	0	1	0	Ocp	47.2780	69.1773	26.1	706.6	392	56806.	781	0.8	0.7	4.2	0.1	0.1	5.9	26	0.0
46469	0	0	1	0	Ocp	47.2779	69.1768	26.1	706.6	383	56807.	833	0.7	1.2	5.2	0.1	0.1	8.0	33	0.0
46468	0	0	1	0	Ocp	47.2778	69.1764	26.1	706.6	377	56806.	832	0.8	0.5	5.1	0.1	0.1	6.5	26	0.0
46467	0	0	1	0	Ocp	47.2776	69.1759	26.1	706.6	374	56806.	889	1.0	0.0	5.1	0.1	0.1	5.5	17	0.0
46466	0	0	1	0	Ocp	47.2775	69.1754	26.1	706.5	375	56808.	819	0.9	0.2	3.4	0.1	0.1	4.0	26	0.0
46465	0	0	1	0	Ocp	47.2774	69.1749	26.1	706.5	380	56809.	806	0.9	0.5	5.1	0.1	0.1	5.9	33	0.0
46464	0	0	1	0	Ocp	47.2773	69.1745	26.1	706.4	385	56809.	824	1.0	0.6	3.0	0.1	0.1	3.1	20	0.0
46463	0	0	0	0	Ocp	47.2772	69.1740	26.1	706.3	391	56806.	861	1.0	2.1	4.0	2.1	0.6	4.0	22	0.0
46462	0	0	1	0	Ocp	47.2770	69.1735	26.1	706.2	392	56804.	729	0.8	0.1	4.4	0.1	0.1	5.6	33	0.0
46461	0	0	1	0	Ocp	47.2769	69.1730	26.1	706.1	393	56804.	717	0.8	0.1	4.9	0.1	0.1	6.5	24	0.0
46460	0	0	1	0	Ocp	47.2768	69.1726	26.1	706.0	395	56803.	768	0.9	-0.4	3.6	0.1	0.1	4.0	29	0.0
46459	0	0	1	0	Ocp	47.2767	69.1721	26.1	705.9	402	56803.	737	0.7	0.8	2.7	0.1	0.1	4.0	27	0.0
46458	0	0	1	0	S)	47.2766	69.1716	26.1	705.8	412	56803.	793	1.1	-0.5	4.3	0.1	0.1	4.3	28	0.0
46457	0	0	1	0	S)	47.2764	69.1712	26.1	705.7	420	56804.	830	1.2	1.0	3.4	0.1	0.1	3.1	20	0.0
46456	0	0	0	0	S)	47.2763	69.1707	26.1	705.6	422	56803.	841	0.9	1.9	3.0	2.1	0.7	3.3	29	0.0
46455	0	0	1	0	S)	47.2762	69.1702	26.1	705.4	420	56803.	788	0.9	0.5	4.9	0.1	0.1	5.5	21	0.0
46454	0	0	1	0	S)	47.2761	69.1697	26.1	705.3	420	56802.	767	1.0	-0.7	3.7	0.1	0.1	3.8	20	0.0
46453	0	0	1	0	S)	47.2760	69.1693	26.1	705.1	424	56801.	795	1.0	0.1	5.0	0.1	0.1	5.0	21	0.0
46452	0	0	1	0	S)	47.2758	69.1688	26.1	704.9	429	56802.	709	0.9	-0.4	5.1	0.1	0.1	6.2	25	0.0
46451	0	0	1	0	S)	47.2757	69.1683	26.1	704.8	432	56805.	679	0.6	0.5	2.8	0.1	0.1	5.2	34	0.0
46450	0	0	1	0	S)	47.2756	69.1678	26.1	704.6	434	56806.	665	1.0	0.0	2.8	0.1	0.1	3.1	32	0.0
46449	0	0	1	0	S)	47.2755	69.1674	26.1	704.5	432	56807.	744	0.8	0.2	5.0	0.1	0.1	6.3	30	0.0
46448	0	0	1	0	S)	47.2753	69.1669	26.1	704.3	428	56808.	703	0.6	1.1	4.5	0.1	0.1	8.4	29	0.0
46447	0	0	1	0	S)	47.2752	69.1664	26.1	704.1	422	56809.	743	0.7	-0.5	3.2	0.1	0.1	5.1	33	0.0
46446	0	0	1	0	S)	47.2751	69.1659	26.1	704.0	415	56808.	647	0.6	0.8	3.5	0.1	0.1	5.8	23	0.0
46445	0	0	1	0	S)	47.2750	69.1655	26.1	703.8	407	56807.	689	0.6	0.8	3.2	0.1	0.1	5.6	31	0.0
46444	0	0	1	0	S)	47.2749	69.1650	26.1	703.6	401	56808.	584	0.6	0.1	3.8	0.1	0.1	6.2	24	0.0
46443	0	0	1	0	S)	47.2747	69.1645	26.1	703.5	397	56808.	657	0.8	0.9	1.6	0.1	0.1	2.1	20	0.0
46442	0	0	1	0	S)	47.2746	69.1640	26.1	703.4	395	56808.	665	0.7	0.7	4.2	0.1	0.1	6.3	19	0.0
46441	0	0	1	0	S)	47.2745	69.1636	26.1	703.3	398	56809.	623	0.7	0.4	3.8	0.1	0.1	5.8	25	0.0
46440	0	0	1	0	S)	47.2744	69.1631	26.1	703.2	403	56808.	597	0.7	0.2	3.8	0.1	0.1	6.1	17	0.0

*** NOTE *** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARN	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
46439	0	0	1	0	Sj	47.2743	69.1626	26.1	703.1	408	56807.	567	0.6	0.2	3.3	0.1	0.1	5.8	21	0.0
46438	0	0	1	0	Sj	47.2741	69.1621	26.1	703.1	413	56806.	570	0.5	0.1	3.9	0.1	0.1	0.1	31	0.0
46437	0	0	1	0	Sj	47.2740	69.1617	26.1	703.0	422	56807.	497	0.4	0.7	2.2	0.1	0.1	0.1	20	0.0
46436	0	0	1	0	Sj	47.2739	69.1612	26.1	702.9	433	56808.	492	0.5	0.3	3.7	0.1	0.1	0.1	17	0.0
46435	0	0	1	0	Sj	47.2738	69.1607	26.1	702.9	442	56809.	401	0.6	0.3	1.3	0.1	0.1	2.6	28	0.0
46434	0	0	1	0	Sj	47.2737	69.1602	26.4	702.2	453	56811.	327	0.4	0.4	1.2	0.1	0.1	0.1	17	0.0
46433	0	0	1	0	Sj	47.2735	69.1598	26.4	702.2	453	56812.	355	0.3	0.4	2.3	0.1	0.1	0.1	19	0.0
46432	0	1	1	0	Sj	47.2736	69.1593	26.4	702.2	453	56812.	282	0.2	0.3	1.8	0.1	0.1	0.1	24	0.0
46431	0	0	1	0	Sj	47.2736	69.1588	26.4	702.2	452	56810.	299	0.3	-0.4	2.5	0.1	0.1	0.1	27	0.0
46430	0	0	0	1	Sj	47.2737	69.1584	26.4	702.2	450	56811.	347	0.3	1.2	0.9	0.1	0.1	0.1	26	0.0
46429	0	0	1	0	Sj	47.2737	69.1579	26.4	702.2	442	56812.	310	0.3	0.1	1.4	0.1	0.1	0.1	28	0.0
46428	0	0	1	1	Sj	47.2738	69.1575	26.4	702.2	434	56815.	363	0.5	0.8	1.0	0.1	0.1	0.1	22	0.0
46427	0	0	1	0	Sj	47.2738	69.1570	26.4	702.2	425	56816.	407	0.5	0.6	1.2	0.1	0.1	0.1	26	0.0
46426	0	0	1	1	Sj	47.2739	69.1565	26.4	702.1	421	56816.	398	0.3	0.0	1.0	0.1	0.1	0.1	20	0.0
46425	0	0	0	0	Sj	47.2739	69.1561	26.4	702.1	415	56814.	493	0.5	1.9	2.8	0.1	0.7	0.1	30	0.0
46424	0	0	1	0	DSu	47.2740	69.1556	26.4	702.1	412	56812.	455	0.6	0.1	1.5	0.1	0.1	2.7	34	0.0
46423	0	0	1	0	DSu	47.2740	69.1552	26.4	702.1	411	56812.	407	0.4	0.2	2.7	0.1	0.1	0.1	27	0.0
46422	0	0	1	0	DSu	47.2740	69.1547	26.4	702.1	416	56811.	476	0.4	0.7	1.6	0.1	0.1	0.1	37	0.0
46421	0	0	1	0	DSu	47.2741	69.1543	26.4	702.0	423	56810.	443	0.5	1.0	1.8	0.1	0.1	0.1	35	0.0
46420	0	0	1	0	DSu	47.2741	69.1538	26.4	701.9	430	56810.	486	0.5	0.8	2.8	0.1	0.1	0.1	24	0.0
46419	0	0	1	0	DSu	47.2742	69.1534	26.4	701.9	436	56808.	471	0.5	-0.2	2.5	0.1	0.1	0.1	21	0.0
46418	0	0	1	0	DSu	47.2742	69.1529	26.4	701.8	441	56808.	488	0.5	1.0	2.2	0.1	0.1	0.1	21	0.0
46417	0	0	1	0	DSu	47.2743	69.1525	26.4	701.8	445	56808.	445	0.6	0.9	2.0	0.1	0.1	3.2	24	0.0
46416	0	0	1	0	DSu	47.2743	69.1520	26.4	701.7	452	56809.	518	0.4	-0.2	2.4	0.1	0.1	0.1	31	0.0
46415	0	0	1	0	DSu	47.2744	69.1515	26.4	701.6	457	56809.	624	0.5	0.4	3.2	0.1	0.1	0.1	27	0.0
46414	0	0	1	0	DSu	47.2744	69.1511	26.4	701.6	462	56809.	620	0.9	-0.5	3.3	0.1	0.1	4.0	24	0.0
46413	0	0	1	0	DSu	47.2745	69.1506	26.4	701.5	463	56809.	695	0.9	0.9	5.1	0.1	0.1	6.2	23	0.0
46412	0	0	1	0	DSu	47.2745	69.1502	26.4	701.4	461	56807.	744	0.7	1.1	4.5	0.1	0.1	6.5	19	0.0
46411	0	0	1	0	DSu	47.2746	69.1497	26.4	701.4	458	56806.	659	0.5	0.5	3.5	0.1	0.1	0.1	22	0.0
46410	0	0	1	0	DSu	47.2746	69.1493	26.5	701.3	457	56806.	680	0.6	0.2	3.9	0.1	0.1	7.2	26	0.0
46409	0	0	1	0	DSu	47.2747	69.1488	26.5	701.3	460	56806.	617	0.4	1.3	2.2	0.1	0.1	0.1	39	0.0
46408	0	0	1	0	DSu	47.2747	69.1483	26.5	701.2	462	56806.	631	0.7	1.1	2.9	0.1	0.1	4.5	31	0.0
46407	0	0	1	0	DSu	47.2747	69.1479	26.5	701.2	464	56805.	618	0.7	0.0	2.3	0.1	0.1	3.5	31	0.0
46406	0	0	1	0	DSu	47.2748	69.1474	26.5	701.2	464	56804.	648	0.6	0.6	3.5	0.1	0.1	5.8	24	0.0
46405	0	0	1	0	DSu	47.2748	69.1470	26.5	701.2	463	56803.	659	0.6	-0.4	3.1	0.1	0.1	5.2	21	0.0
46404	0	0	0	0	DSu	47.2749	69.1465	26.5	701.2	457	56801.	631	0.5	1.4	2.5	0.1	0.6	0.1	37	0.0
46403	0	0	1	0	DSu	47.2749	69.1461	26.5	701.2	448	56801.	568	0.7	-0.4	4.1	0.1	0.1	6.2	33	0.0
46402	0	0	1	0	DSu	47.2750	69.1456	26.5	701.3	435	56803.	650	0.8	-0.2	3.3	0.1	0.1	4.3	37	0.0
46401	0	0	1	0	DSu	47.2750	69.1451	26.5	701.3	419	56804.	693	0.6	0.0	4.3	0.1	0.1	7.2	33	0.0
46400	0	0	0	0	DSu	47.2751	69.1447	26.5	701.5	400	56804.	692	0.7	1.9	3.7	2.7	0.6	5.2	25	0.0
46399	0	0	1	0	DSu	47.2751	69.1442	26.5	701.6	381	56806.	747	0.8	0.7	3.3	0.1	0.1	4.4	23	0.0
46398	0	0	1	0	DSu	47.2752	69.1438	26.5	701.8	367	56809.	782	0.6	0.8	4.2	0.1	0.1	7.3	29	0.0
46397	0	0	0	0	DSu	47.2752	69.1433	26.5	702.1	360	56810.	805	0.6	2.5	3.9	4.0	0.7	6.4	20	0.0
46396	0	0	0	0	DSu	47.2752	69.1429	26.5	702.4	361	56809.	751	0.8	1.1	3.4	1.5	0.4	4.7	27	0.0
46395	0	0	0	0	DSu	47.2753	69.1424	26.6	702.7	369	56807.	757	0.9	1.4	3.3	1.7	0.5	4.0	26	0.0
46394	0	0	1	0	DSu	47.2753	69.1420	26.6	703.0	380	56806.	739	0.7	0.2	3.8	0.1	0.1	5.8	32	0.0
46393	0	0	1	0	DSu	47.2754	69.1415	26.6	703.3	391	56804.	736	0.8	1.0	4.0	0.1	0.1	5.1	22	0.0
46392	0	0	1	0	DSu	47.2754	69.1410	26.6	703.7	400	56804.	739	1.1	-0.1	3.5	0.1	0.1	3.5	28	0.0
46391	0	0	1	0	DSu	47.2755	69.1406	26.6	704.0	410	56805.	742	0.8	0.7	4.8	0.1	0.1	6.1	20	0.0
46390	0	0	1	0	DSu	47.2755	69.1401	26.6	704.5	421	56806.	749	0.7	0.7	5.2	0.1	0.1	7.5	14	0.0

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
46389	0	0	1	0	DSU	47.2756	69.1397	26.6	704.9	433	56806.	789	0.8	0.6	3.6	0.1	0.1	4.6	26	0.0
46388	0	0	1	0	DSU	47.2756	69.1392	26.6	705.4	443	56804.	767	0.8	0.5	4.7	0.1	0.1	6.3	27	0.0
46387	0	0	1	0	DSU	47.2757	69.1388	26.6	705.8	453	56804.	796	0.9	1.3	3.8	0.1	0.1	4.3	26	0.0
46385	0	0	1	0	DSU	47.2757	69.1378	26.6	706.1	465	56804.	732	0.6	0.9	3.7	0.1	0.1	6.3	21	0.0
46384	0	0	0	0	DSU	47.2758	69.1374	26.6	706.5	477	56804.	708	0.8	1.4	3.5	2.0	0.5	4.9	29	0.1
46383	0	0	1	0	DSU	47.2758	69.1369	26.6	706.8	486	56805.	743	0.8	0.1	5.4	0.1	0.1	7.2	27	0.1
46382	0	0	1	0	DSU	47.2759	69.1365	26.7	707.1	492	56806.	671	0.7	0.3	3.1	0.1	0.1	5.1	32	0.2
46381	0	0	0	0	DSU	47.2759	69.1360	26.7	707.4	493	56805.	684	0.7	1.5	4.5	2.2	0.4	6.7	26	0.2
46380	0	0	1	0	DSU	47.2760	69.1356	26.7	707.6	489	56805.	709	0.6	1.4	4.8	0.1	0.1	8.2	28	0.2
46379	0	0	1	0	DSU	47.2760	69.1351	26.7	707.9	477	56806.	599	0.6	0.5	2.9	0.1	0.1	5.6	19	0.1
46378	0	0	0	0	DSU	47.2761	69.1347	26.7	708.2	463	56809.	700	0.9	2.1	3.7	2.3	0.6	4.1	33	0.3
46377	0	0	1	0	DSU	47.2761	69.1342	26.9	711.1	436	56808.	668	0.5	1.1	3.3	0.1	0.1	0.1	24	0.5
46376	0	0	0	0	DSU	47.2762	69.1338	26.9	711.0	432	56808.	738	0.9	1.9	3.0	2.2	0.7	3.5	18	0.7
46375	0	0	1	0	DSU	47.2762	69.1333	26.9	711.0	427	56808.	734	0.7	0.2	3.4	0.1	0.1	5.0	32	0.7
46374	0	0	1	0	DSU	47.2763	69.1328	26.9	711.0	417	56807.	720	0.5	0.7	4.7	0.1	0.1	0.1	28	0.9
46373	0	0	1	0	DSU	47.2763	69.1324	26.9	711.0	408	56803.	785	0.8	1.0	4.8	0.1	0.1	6.8	27	1.0
46372	0	0	1	0	DSU	47.2763	69.1319	26.9	711.1	399	56802.	743	0.8	0.5	3.7	0.1	0.1	5.3	27	1.0
46371	0	0	1	0	DSU	47.2764	69.1315	26.9	711.2	393	56805.	747	0.8	0.7	2.5	0.1	0.1	3.6	23	1.1
46370	0	0	1	0	DSU	47.2764	69.1310	26.9	711.3	385	56809.	814	0.8	0.7	5.3	0.1	0.1	7.0	22	1.1
46369	0	0	1	0	DSU	47.2765	69.1306	26.9	711.4	375	56809.	853	0.9	0.7	5.1	0.1	0.1	5.7	34	1.1
46368	0	0	1	0	DSU	47.2765	69.1301	26.9	711.6	365	56808.	790	0.9	1.0	3.3	0.1	0.1	3.9	40	1.1
46367	0	0	1	0	DSU	47.2766	69.1296	26.9	711.7	357	56808.	790	0.6	1.0	4.3	0.1	0.1	8.2	19	1.1
46366	0	0	0	0	DSU	47.2766	69.1292	26.9	711.9	353	56809.	859	0.7	1.2	3.8	1.8	0.3	5.9	25	1.1
46365	0	0	0	0	DSU	47.2767	69.1287	26.9	712.1	350	56810.	793	0.6	2.5	3.9	4.6	0.7	7.1	23	1.0
46364	0	0	0	0	DSU	47.2767	69.1283	26.9	712.4	347	56809.	820	0.7	1.8	3.2	2.6	0.6	4.7	26	0.9
46363	0	0	1	0	DSU	47.2768	69.1278	26.9	712.7	347	56807.	747	0.8	0.6	5.0	0.1	0.1	6.9	23	0.9
46362	0	0	1	0	DSU	47.2768	69.1274	26.9	713.0	346	56806.	808	0.9	0.5	5.7	0.1	0.1	6.9	14	0.9
46361	0	0	1	0	DSU	47.2769	69.1269	26.9	713.3	346	56808.	822	0.9	0.3	5.2	0.1	0.1	6.3	24	0.9
46360	0	0	1	0	DSU	47.2769	69.1264	26.9	713.6	347	56811.	793	0.7	0.6	2.9	0.1	0.1	4.3	23	0.9
46359	0	0	1	0	DSU	47.2769	69.1260	26.9	713.9	345	56812.	704	0.9	0.9	4.2	0.1	0.1	5.0	20	0.9
46358	0	0	0	0	DSU	47.2770	69.1255	26.9	714.2	341	56812.	678	0.6	1.0	3.8	1.7	0.3	6.2	33	0.8
46357	0	0	0	0	DSU	47.2770	69.1251	26.9	714.5	336	56811.	681	0.7	1.3	2.3	1.8	0.6	3.4	34	0.7
46356	0	0	1	0	DSU	47.2771	69.1246	26.9	714.7	337	56809.	674	0.6	0.8	1.9	0.1	0.1	3.5	12	0.7
46355	0	0	1	0	DSU	47.2771	69.1242	26.9	714.9	343	56808.	672	0.7	0.4	3.8	0.1	0.1	6.1	24	0.7
46354	0	0	1	0	DSU	47.2772	69.1237	26.9	715.1	349	56809.	667	0.7	0.5	2.6	0.1	0.1	4.2	21	0.6
46353	0	0	1	0	DSU	47.2772	69.1233	26.9	715.2	357	56812.	629	0.6	0.7	2.5	0.1	0.1	4.2	29	0.6
46352	0	0	1	0	DSU	47.2773	69.1228	26.9	715.3	365	56811.	589	0.5	0.9	2.0	0.1	0.1	0.1	21	0.5
46351	0	0	1	0	DSU	47.2773	69.1223	26.9	715.4	376	56809.	525	0.5	0.9	2.8	0.1	0.1	0.1	17	0.5
46350	0	0	1	0	DSU	47.2773	69.1217	26.9	715.5	387	56808.	429	0.4	-0.6	3.2	0.1	0.1	0.1	20	0.4
46349	0	0	1	0	DSU	47.2773	69.1212	26.9	715.5	396	56807.	392	0.4	-0.2	2.8	0.1	0.1	0.1	24	0.4
46348	0	1	1	1	DSU	47.2773	69.1206	26.9	715.5	398	56808.	344	0.2	0.2	1.0	0.1	0.1	0.1	21	0.3
46347	0	0	0	1	DSU	47.2773	69.1200	26.9	715.5	395	56811.	376	0.3	1.1	1.0	0.1	0.1	0.1	24	0.2
46346	0	0	1	1	DSU	47.2773	69.1194	26.9	715.3	394	56811.	293	0.3	0.7	0.7	0.1	0.1	0.1	21	0.1
46345	0	0	1	1	DSU	47.2773	69.1188	26.9	715.2	394	56810.	408	0.2	0.5	0.5	0.1	0.1	0.1	27	0.0
46344	0	0	1	0	DSU	47.2773	69.1182	26.9	715.0	398	56808.	453	0.4	0.0	3.6	0.1	0.1	0.1	22	0.0
46343	0	0	1	0	DSU	47.2773	69.1176	26.9	714.7	393	56806.	510	0.8	0.8	1.7	0.1	0.1	2.2	19	0.0
46342	0	0	1	0	DSU	47.2773	69.1170	26.9	714.5	386	56805.	519	0.5	0.6	1.1	0.1	0.1	0.1	20	0.0
46341	0	0	0	0	DSU	47.2773	69.1164	26.9	714.2	383	56806.	548	0.4	1.0	3.2	0.1	0.4	0.1	26	0.0
46340	0	0	1	0	DSU	47.2773	69.1158	26.9	714.0	389	56806.	581	0.6	0.5	3.8	0.1	0.1	7.3	21	0.0
46339	0	0	1	0	DSU	47.2773	69.1152	26.9	713.7	397	56805.	615	0.6	0.3	2.7	0.1	0.1	4.4	35	0.0

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI			
												CPS	%	PPM	PPM							CPS	CPS
46338	0	0	1	0	DSU	47.2772	69.1146	26.9	713.3	400	56803.	655	0.4	0.9	4.5	0.1	0.1	0.1	12	0.0			
46337	0	0	0	0	DSU	47.2772	69.1140	26.9	712.9	402	56802.	745	0.8	1.9	3.6	2.5	0.6	4.9	20	0.0			
46336	0	0	0	0	DSU	47.2772	69.1134	26.9	712.6	401	56803.	716	0.9	1.8	1.9	2.0	1.0	2.1	22	0.0			
46335	0	0	1	0	DSU	47.2772	69.1128	26.9	712.2	398	56804.	683	0.7	0.7	2.5	0.1	0.1	3.5	32	0.0			
46334	0	0	1	0	DSU	47.2772	69.1123	26.9	711.8	392	56804.	723	0.8	1.1	3.4	0.1	0.1	4.6	24	0.0			
46333	0	0	1	0	DSU	47.2772	69.1117	26.9	711.4	386	56803.	679	0.6	0.0	4.3	0.1	0.1	7.4	27	0.0			
46332	0	0	1	0	DSU	47.2772	69.1111	26.9	711.0	381	56803.	638	0.6	0.7	5.1	0.1	0.1	8.9	28	0.0			
46331	0	0	1	0	DSU	47.2772	69.1105	26.9	710.7	378	56804.	642	0.7	0.8	2.9	0.1	0.1	4.3	28	0.0			
46330	0	0	1	0	DSU	47.2772	69.1099	26.9	710.3	376	56806.	633	0.4	0.6	5.1	0.1	0.1	0.1	22	0.0			
46329	0	0	1	0	DSU	47.2772	69.1093	26.9	710.0	376	56809.	600	0.5	0.7	3.6	0.1	0.1	0.1	17	0.0			
46328	0	0	0	0	DSU	47.2772	69.1087	26.9	709.7	378	56810.	688	0.5	1.1	4.7	0.1	0.3	0.1	23	0.0			
46327	0	0	1	0	DSU	47.2772	69.1081	26.9	709.4	386	56808.	613	0.6	0.8	1.9	0.1	0.1	3.3	29	0.0			
46326	0	0	1	0	DSU	47.2772	69.1075	26.9	709.1	397	56806.	634	0.8	0.7	2.7	0.1	0.1	3.8	25	0.0			
46325	0	0	1	0	DSU	47.2772	69.1069	26.9	708.9	409	56803.	661	0.6	-0.2	4.0	0.1	0.1	6.8	20	0.0			
46324	0	0	1	0	DSU	47.2772	69.1063	26.9	708.7	421	56802.	705	0.6	1.1	4.2	0.1	0.1	7.1	19	0.0			
46323	0	0	1	0	DSU	47.2772	69.1057	26.9	708.5	430	56803.	653	0.4	0.6	4.5	0.1	0.1	0.1	16	0.0			
46322	0	0	1	0	DSU	47.2772	69.1051	26.9	708.3	439	56803.	651	0.6	0.1	6.0	0.1	0.1	11.8	24	0.0			
46321	0	0	0	0	DSU	47.2772	69.1045	27.1	706.1	441	56802.	700	0.5	1.3	5.2	0.1	0.3	0.1	28	0.0			
46320	0	0	1	0	DSU	47.2772	69.1040	27.1	706.3	441	56803.	697	0.6	-0.6	4.4	0.1	0.1	8.2	14	0.0			
46319	0	0	1	0	DSU	47.2772	69.1034	27.1	706.3	444	56804.	720	0.9	0.5	3.9	0.1	0.1	4.6	24	0.0			
46318	0	0	1	0	DSU	47.2771	69.1028	27.0	706.2	448	56804.	685	0.9	0.6	3.3	0.1	0.1	3.9	20	0.0			
46317	0	0	1	0	DSU	47.2771	69.1022	27.0	706.2	452	56804.	688	0.7	1.3	1.8	0.1	0.1	2.6	31	0.0			
46316	0	0	1	0	DSU	47.2771	69.1016	27.0	706.1	452	56804.	626	0.6	0.3	3.7	0.1	0.1	6.7	26	0.0			
46315	0	0	1	0	DSU	47.2771	69.1010	27.0	705.9	450	56806.	608	0.9	-0.2	3.1	0.1	0.1	3.6	28	0.0			
46314	0	0	0	0	DSU	47.2771	69.1004	27.0	705.8	450	56807.	626	0.6	1.6	3.3	2.7	0.5	5.7	28	0.0			
46313	0	0	1	0	DSU	47.2771	69.0998	27.0	705.7	449	56807.	678	0.7	0.4	3.2	0.1	0.1	4.8	17	0.0			
46312	0	0	1	0	DSU	47.2771	69.0992	27.0	705.6	449	56807.	680	0.6	0.2	5.0	0.1	0.1	9.5	23	0.0			
46311	0	0	1	0	DSU	47.2771	69.0986	27.0	705.4	448	56807.	602	0.5	-0.1	1.6	0.1	0.1	0.1	25	0.0			
46310	0	0	1	0	DSU	47.2771	69.0980	27.0	705.3	446	56806.	642	0.8	0.3	4.1	0.1	0.1	5.6	35	0.0			
46309	0	0	0	0	DSU	47.2771	69.0974	27.0	705.1	443	56804.	699	0.5	1.9	5.3	0.1	0.4	0.1	27	0.0			
46308	0	0	1	0	DSU	47.2771	69.0968	27.0	704.8	440	56803.	618	0.7	-0.1	3.4	0.1	0.1	5.2	22	0.0			
46307	0	0	1	0	DSU	47.2771	69.0962	27.0	704.5	439	56803.	608	0.6	0.3	4.5	0.1	0.1	8.7	28	0.0			
46306	0	0	1	0	DSU	47.2771	69.0956	27.0	704.3	443	56803.	619	0.6	-0.1	2.8	0.1	0.1	5.0	19	0.0			
46305	0	0	0	0	DSU	47.2771	69.0950	27.1	704.0	448	56803.	684	0.9	1.5	4.2	1.6	0.4	4.7	27	0.0			
46304	0	0	1	0	DSU	47.2771	69.0945	27.1	703.8	453	56804.	551	0.4	0.7	3.6	0.1	0.1	0.1	13	0.0			
46303	0	0	1	0	DSU	47.2771	69.0939	27.1	703.5	456	56806.	683	0.6	-0.4	5.0	0.1	0.1	8.4	29	0.0			
46302	0	0	1	0	DSU	47.2771	69.0933	27.1	703.4	458	56808.	564	0.4	0.3	5.0	0.1	0.1	0.1	26	0.0			
46301	0	0	1	0	DSU	47.2771	69.0927	27.1	703.2	461	56809.	638	0.7	0.4	2.7	0.1	0.1	4.3	19	0.0			
46300	0	0	1	0	DSU	47.2771	69.0921	27.1	703.0	468	56808.	624	0.6	0.7	4.7	0.1	0.1	8.8	20	0.0			
46299	0	0	1	0	DSU	47.2771	69.0915	27.1	702.9	479	56806.	662	0.6	0.3	2.4	0.1	0.1	4.5	22	0.0			
46298	0	0	1	0	DSU	47.2771	69.0909	27.1	702.7	490	56806.	571	0.7	0.7	3.0	0.1	0.1	4.6	22	0.0			
46297	0	0	1	0	DSU	47.2770	69.0903	27.1	702.6	497	56807.	640	0.9	0.7	2.9	0.1	0.1	3.3	32	0.0			
46296	0	0	1	0	DSU	47.2770	69.0897	27.1	702.4	499	56809.	604	0.3	0.7	4.3	0.1	0.1	0.1	23	0.0			
46295	0	0	1	0	DSU	47.2770	69.0891	27.1	702.3	500	56810.	571	0.8	0.0	3.5	0.1	0.1	4.7	25	0.0			
46294	0	0	1	0	DSU	47.2770	69.0885	27.1	702.3	499	56809.	623	0.6	1.4	2.8	0.1	0.1	4.9	26	0.0			
46293	0	0	1	0	DSU	47.2770	69.0879	27.1	702.2	498	56808.	605	0.6	0.3	3.9	0.1	0.1	7.0	22	0.0			
46292	0	0	1	0	DSU	47.2770	69.0873	27.1	702.1	495	56807.	592	0.5	0.4	3.8	0.1	0.1	0.1	23	0.0			
46291	0	0	1	0	DSU	47.2770	69.0867	27.2	702.1	492	56807.	606	0.5	0.4	2.9	0.1	0.1	0.1	30	0.0			
46289	0	0	1	0	DSU	47.2770	69.0856	27.2	702.1	484	56809.	608	0.8	0.3	2.7	0.1	0.1	3.7	31	0.0			
46288	0	0	1	0	DSU	47.2770	69.0850	27.2	702.1	471	56812.	700	0.8	0.0	2.3	0.1	0.1	2.8	42	0.0			

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
46287	0	0	0	0	DSU	47.2770	69.0844	27.2	702.2	458	56813.	659	0.8	1.6	4.8	2.1	0.4	6.2	26	0.0
46286	0	0	1	0	DSU	47.2770	69.0838	27.2	702.3	451	56813.	683	0.7	1.1	3.7	0.1	0.1	5.5	29	0.0
46285	0	0	1	0	DSU	47.2770	69.0832	27.2	702.5	451	56813.	635	0.7	-0.2	4.3	0.1	0.1	6.5	28	0.0
46284	0	0	1	0	DSU	47.2770	69.0826	27.2	702.6	455	56814.	652	0.8	-0.1	2.6	0.1	0.1	3.3	26	0.0
46283	0	0	0	0	DSU	47.2770	69.0820	27.2	702.8	461	56815.	715	0.9	1.9	2.7	2.3	0.8	3.2	25	0.0
46282	0	0	1	0	DSU	47.2770	69.0814	27.2	703.1	467	56816.	648	0.7	0.3	2.5	0.1	0.1	3.8	23	0.3
46281	0	0	1	0	DSU	47.2770	69.0808	27.2	703.3	469	56818.	607	0.9	-0.6	3.8	0.1	0.1	4.7	34	0.5
46280	0	0	1	0	DSU	47.2770	69.0802	27.3	703.6	467	56819.	572	0.8	1.0	2.6	0.1	0.1	3.6	22	0.7
46279	0	0	0	0	DSU	47.2769	69.0796	27.3	703.9	463	56819.	595	0.7	1.3	3.1	1.9	0.5	4.7	16	0.9
46278	0	0	0	0	DSU	47.2769	69.0790	27.3	704.3	456	56817.	647	0.7	1.6	2.7	2.4	0.6	4.2	15	1.0
46277	0	0	1	0	DSU	47.2769	69.0784	27.3	704.6	448	56816.	660	0.7	0.5	2.7	0.1	0.1	4.2	22	1.0
46276	0	0	1	0	DSU	47.2769	69.0778	27.3	705.0	441	56814.	643	0.5	0.2	2.8	0.1	0.1	0.1	32	1.0
46275	0	0	1	0	DSU	47.2769	69.0772	27.3	705.3	437	56811.	561	0.6	0.9	4.1	0.1	0.1	6.8	19	1.2
46274	0	0	1	0	DSU	47.2769	69.0766	27.3	705.7	435	56812.	534	0.6	0.1	2.2	0.1	0.1	3.8	35	1.4
46273	0	0	1	0	DSU	47.2769	69.0761	27.3	706.0	429	56814.	569	0.5	0.5	3.2	0.1	0.1	0.1	26	1.4
46272	0	0	1	0	DSU	47.2769	69.0755	27.3	706.3	423	56815.	546	0.6	-0.5	1.8	0.1	0.1	3.0	22	1.4
46271	0	0	1	0	DSU	47.2769	69.0749	27.3	706.7	415	56818.	600	0.8	1.1	2.1	0.1	0.1	2.8	34	1.4
46270	0	0	1	0	DSU	47.2769	69.0743	27.4	707.1	408	56819.	602	0.6	0.9	2.9	0.1	0.1	5.5	23	1.4
46269	0	0	1	0	DSU	47.2769	69.0737	27.4	707.5	402	56818.	600	0.7	0.4	2.5	0.1	0.1	3.9	31	1.4
46268	0	0	1	0	DSU	47.2769	69.0731	27.4	707.8	399	56819.	643	0.5	0.0	3.7	0.1	0.1	0.1	30	1.4
46267	0	0	1	0	DSU	47.2769	69.0725	27.4	708.2	403	56819.	646	0.6	0.9	2.7	0.1	0.1	4.6	18	1.3
46266	0	0	1	0	DSU	47.2769	69.0719	27.4	708.6	409	56817.	594	0.6	0.1	4.1	0.1	0.1	7.5	35	1.3
46265	0	0	0	0	DSU	47.2770	69.0714	27.5	709.0	415	56816.	551	0.6	1.8	2.7	3.5	0.7	5.2	22	1.3
46264	0	0	1	1	DSU	47.2771	69.0709	27.5	709.4	420	56814.	532	0.4	0.3	1.2	0.1	0.1	0.1	25	1.4
46263	0	0	1	0	DSU	47.2772	69.0704	27.5	709.8	428	56814.	626	0.8	0.4	5.5	0.1	0.1	7.6	26	1.4
46262	0	0	1	0	DSU	47.2773	69.0699	27.5	710.1	438	56815.	539	0.6	-0.6	1.9	0.1	0.1	3.6	12	1.4
46261	0	0	1	0	DSU	47.2774	69.0695	27.5	710.5	448	56815.	480	0.5	0.1	3.3	0.1	0.1	0.1	17	1.5
46260	0	0	0	0	DSU	47.2775	69.0690	27.6	710.9	456	56813.	508	0.5	1.8	1.9	0.1	1.0	0.1	23	1.5
46259	0	0	1	0	DSU	47.2776	69.0685	27.6	711.2	463	56813.	480	0.6	-0.2	2.6	0.1	0.1	4.6	28	1.5
46258	0	0	1	0	DSU	47.2777	69.0680	27.6	711.6	468	56814.	501	0.4	-1.1	3.4	0.1	0.1	0.1	24	1.4
46257	0	0	1	0	DSU	47.2777	69.0675	27.6	711.9	471	56814.	507	0.3	-0.1	5.1	0.1	0.1	0.1	22	1.3
46256	0	0	1	0	DSU	47.2778	69.0670	27.6	712.3	465	56815.	482	0.4	1.1	2.8	0.1	0.1	0.1	27	1.3
46255	0	0	1	0	DSU	47.2779	69.0665	27.6	712.6	454	56816.	552	0.7	0.1	4.3	0.1	0.1	6.6	20	1.2
46254	0	0	1	0	DSU	47.2780	69.0660	27.6	712.9	439	56815.	566	0.6	-0.9	4.1	0.1	0.1	6.9	28	1.1
46253	0	0	1	0	DSU	47.2781	69.0655	27.7	713.3	427	56815.	562	0.6	-0.3	3.1	0.1	0.1	5.7	24	1.0
46252	0	0	1	0	DSU	47.2782	69.0650	27.7	713.7	418	56814.	604	0.7	0.7	3.5	0.1	0.1	5.4	26	0.9
46251	0	0	1	0	DSU	47.2783	69.0645	27.7	714.0	409	56813.	626	0.5	0.9	2.4	0.1	0.1	0.1	23	0.8
46250	0	0	1	0	DSU	47.2784	69.0641	27.7	714.3	398	56812.	605	0.7	0.8	3.0	0.1	0.1	4.6	24	0.7
46249	0	0	1	0	DSU	47.2785	69.0636	27.7	714.6	388	56810.	606	0.8	0.6	3.3	0.1	0.1	4.7	27	0.6
46248	0	0	1	0	DSU	47.2786	69.0631	27.7	714.9	379	56808.	690	0.7	0.8	3.3	0.1	0.1	5.0	20	0.4
46247	0	0	0	0	DSU	47.2787	69.0626	27.7	715.2	373	56807.	647	0.5	2.2	3.6	0.1	0.6	0.1	24	0.2
46246	0	0	1	0	DSU	47.2788	69.0621	27.7	715.6	368	56807.	637	0.5	0.1	2.9	0.1	0.1	0.1	22	0.1
46245	0	0	1	0	DSU	47.2789	69.0616	27.8	715.9	364	56807.	636	0.8	-0.4	3.4	0.1	0.1	4.6	21	0.0
46244	0	0	0	0	DSU	47.2790	69.0611	27.8	716.2	364	56809.	688	0.5	1.3	2.9	0.1	0.5	0.1	31	0.0
46243	0	0	0	0	DSU	47.2791	69.0606	27.8	716.6	368	56809.	673	0.5	1.3	2.5	0.1	0.5	0.1	29	0.0
46242	0	0	1	0	DSU	47.2792	69.0601	27.8	716.9	374	56809.	646	0.5	0.9	3.6	0.1	0.1	0.1	26	0.0
46241	0	0	0	0	DSU	47.2793	69.0596	27.8	717.3	380	56809.	794	0.8	1.5	3.6	1.9	0.5	4.5	19	0.0
46240	0	0	1	0	DSU	47.2794	69.0592	27.8	717.7	383	56809.	828	0.9	1.1	4.6	0.1	0.1	5.2	19	0.0
46239	0	0	1	0	DSU	47.2795	69.0587	27.8	718.1	384	56810.	711	0.7	1.0	3.3	0.1	0.1	5.0	26	0.0
46238	0	0	1	0	DSU	47.2796	69.0582	27.8	718.5	383	56810.	729	0.7	0.2	5.1	0.1	0.1	8.1	23	0.0

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

- E03 -
 MAINE AERIAL SURVEY EDMUNDSTON QUADRANGLE, CARSON GEOSCIENCE INC., 1980

LINE NO. 30

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
46237	0	0	1	0	DSu	47.2797	69.0577	27.8	718.9	382	56810.	738	0.7	0.3	3.4	0.1	0.1	5.3	19	0.0
46236	0	0	1	0	DSu	47.2798	69.0572	27.8	719.3	381	56810.	643	0.5	1.0	4.1	0.1	0.1	0.1	22	0.0
46235	0	0	1	0	DSu	47.2799	69.0567	27.9	719.7	384	56809.	615	0.5	0.1	1.9	0.1	0.1	0.1	24	0.0
46234	0	0	1	0	DSu	47.2800	69.0562	27.9	720.1	386	56809.	602	0.8	-0.1	3.3	0.1	0.1	4.3	18	0.0
46233	0	0	1	0	DSu	47.2800	69.0557	27.9	720.5	387	56810.	646	0.6	0.3	4.0	0.1	0.1	6.7	17	0.0
46232	0	0	1	0	DSu	47.2801	69.0552	27.9	720.9	386	56811.	633	0.7	0.5	3.5	0.1	0.1	5.2	31	0.0
46231	0	0	1	0	DSu	47.2803	69.0547	27.9	721.2	385	56812.	657	0.7	0.6	2.9	0.1	0.1	4.7	23	0.0
46230	0	0	1	0	DSu	47.2803	69.0542	27.9	721.6	383	56811.	664	0.9	0.2	3.9	0.1	0.1	4.8	25	0.0
46229	0	0	1	0	DSu	47.2804	69.0538	27.9	721.9	383	56809.	631	0.5	0.3	3.5	0.1	0.1	0.1	22	0.0
46228	0	0	1	0	Water	47.2805	69.0533	27.9	722.1	385	56810.	506	0.6	-0.2	3.3	0.1	0.1	6.3	24	0.0
46227	0	0	0	0	Water	47.2806	69.0528	27.9	722.3	397	56811.	522	0.6	1.3	2.0	2.5	0.7	3.9	29	0.0
46226	0	0	0	0	Water	47.2807	69.0523	27.9	722.5	405	56813.	480	0.5	1.7	1.8	0.1	0.9	0.1	16	0.0
46225	0	0	1	0	Water	47.2808	69.0518	27.9	722.7	407	56816.	418	0.4	0.1	2.1	0.1	0.1	0.1	26	0.0
46224	0	0	1	0	Water	47.2809	69.0513	27.9	722.9	393	56818.	473	0.5	0.1	3.1	0.1	0.1	0.1	23	0.0
46223	0	0	0	0	Unknon	47.2810	69.0508	27.9	723.0	376	56821.	437	0.5	1.2	3.3	0.1	0.4	0.1	24	0.0
46222	0	0	1	0	Unknon	47.2811	69.0503	27.9	723.1	357	56825.	496	0.5	0.5	2.9	0.1	0.1	0.1	19	0.0
46221	0	0	1	0	Unknon	47.2811	69.0498	27.9	723.2	346	56829.	604	0.6	0.5	3.7	0.1	0.1	6.5	26	0.0
46220	0	0	1	0	Unknon	47.2812	69.0493	27.9	723.3	342	56832.	622	0.9	0.4	3.5	0.1	0.1	4.3	20	0.0
46219	0	0	1	0	Unknon	47.2813	69.0489	27.9	723.3	340	56834.	600	0.5	0.0	2.9	0.1	0.1	0.1	23	0.0
46218	0	0	0	0	Unknon	47.2813	69.0484	27.9	723.4	340	56836.	615	0.5	1.1	3.8	0.1	0.3	0.1	16	0.0
46217	0	0	0	0	Unknon	47.2814	69.0479	27.9	723.4	345	56836.	587	0.6	1.4	2.5	2.4	0.6	4.4	31	0.0
46216	0	0	1	0	Unknon	47.2815	69.0474	27.9	723.4	365	56837.	599	0.7	0.5	2.5	0.1	0.1	3.9	18	0.0
46215	0	0	1	0	Unknon	47.2815	69.0469	27.9	723.4	378	56841.	613	0.6	-0.1	3.1	0.1	0.1	5.2	21	0.0
46214	0	0	1	0	Unknon	47.2816	69.0464	27.9	723.4	379	56843.	679	0.7	0.0	4.9	0.1	0.1	7.1	22	0.0
46213	0	0	0	0	Unknon	47.2817	69.0459	27.9	723.4	365	56846.	648	0.5	1.5	3.3	0.1	0.5	0.1	19	0.0
46212	0	0	1	0	Unknon	47.2817	69.0454	27.9	723.3	355	56850.	702	0.7	0.6	3.9	0.1	0.1	6.1	18	0.0
46211	0	0	1	0	Unknon	47.2818	69.0449	27.9	723.3	353	56853.	726	0.7	0.8	4.3	0.1	0.1	6.6	18	0.0
46210	0	0	0	0	Unknon	47.2819	69.0445	27.9	723.3	353	56855.	754	0.7	1.7	3.8	2.8	0.5	6.1	33	0.0
46209	0	0	0	0	Unknon	47.2820	69.0440	27.9	723.2	356	56856.	714	0.7	1.2	2.7	2.0	0.5	4.3	10	0.0

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
37363	0	0	1	0		47.2836	68.5942	26.1	724.8	377	56832.	941	0.9	0.4	4.5	0.1	0.1	4.9	26	1.9
37362	0	0	0	0	Unkn	47.2836	68.5937	26.1	724.8	372	56832.	991	0.9	1.9	6.4	2.3	0.3	7.6	27	1.8
37361	0	0	0	0	Unkn	47.2836	68.5932	26.1	724.8	368	56831.	978	0.9	2.7	3.7	3.2	0.8	4.4	26	1.8
37360	0	0	1	0	Unkn	47.2836	68.5927	26.1	724.9	364	56832.	956	0.9	1.1	4.3	0.1	0.1	5.1	24	1.8
37359	0	0	1	0	Unkn	47.2836	68.5922	26.1	724.9	360	56833.	877	0.9	-0.2	4.0	0.1	0.1	4.5	33	1.8
37358	0	0	1	0	Unkn	47.2836	68.5917	26.1	725.0	355	56833.	1011	1.0	-0.3	8.0	0.1	0.1	8.4	26	1.9
37357	0	0	1	0	Unkn	47.2836	68.5911	26.1	725.1	354	56832.	988	1.1	0.6	4.5	0.1	0.1	4.3	15	1.9
37356	0	0	0	0	Unkn	47.2836	68.5906	26.1	725.2	354	56832.	949	0.9	1.5	6.4	1.7	0.3	7.2	20	1.9
37355	0	0	1	0	Unkn	47.2836	68.5901	26.1	725.3	358	56832.	948	1.0	0.6	4.5	0.1	0.1	4.9	17	1.8
37354	0	0	0	0	Unkn	47.2836	68.5896	26.1	725.3	363	56833.	954	0.9	1.6	5.1	1.8	0.3	5.9	22	1.8
37353	0	0	1	0	Unkn	47.2836	68.5891	26.1	725.4	369	56833.	975	0.9	0.9	5.6	0.1	0.1	6.2	23	1.8
37352	0	0	1	0	Unkn	47.2836	68.5886	26.1	725.6	376	56833.	980	1.0	0.5	4.6	0.1	0.1	4.8	23	1.9
37351	0	0	1	0	Unkn	47.2835	68.5881	26.1	725.8	383	56833.	920	1.1	1.3	7.0	0.1	0.1	6.5	28	1.9
37350	0	0	1	0	Unkn	47.2835	68.5875	26.1	726.0	391	56834.	867	0.8	0.1	4.6	0.1	0.1	5.9	22	1.9
37349	0	0	1	0	Water	47.2835	68.5870	26.1	726.1	398	56833.	786	0.8	0.6	5.6	0.1	0.1	7.6	22	1.9
37348	0	0	1	0	Water	47.2835	68.5865	26.1	726.3	403	56833.	663	0.6	0.7	4.3	0.1	0.1	7.6	12	2.0
37347	0	0	1	0	Water	47.2835	68.5860	26.1	726.4	403	56832.	524	0.4	0.1	2.3	0.1	0.1	0.1	29	2.0
37346	0	0	1	0	Water	47.2835	68.5855	26.1	726.5	400	56832.	458	0.6	0.2	4.3	0.1	0.1	7.2	19	2.0
37345	0	0	1	0	Water	47.2835	68.5849	26.1	726.6	394	56831.	447	0.4	0.0	1.8	0.1	0.1	0.1	23	2.1
37344	0	0	0	0	Water	47.2835	68.5844	26.1	726.7	388	56831.	510	0.6	1.2	3.2	2.1	0.4	5.9	16	2.1
37343	0	0	0	0	DSu	47.2835	68.5839	26.1	726.8	381	56830.	623	0.8	1.2	2.0	1.5	0.6	2.5	29	2.1
37342	0	0	1	0	DSu	47.2835	68.5834	26.1	726.9	374	56831.	676	0.8	0.7	2.9	0.1	0.1	3.8	19	2.1
37341	0	0	1	0	DSu	47.2835	68.5829	26.1	726.9	370	56831.	719	0.7	-0.4	3.7	0.1	0.1	5.7	29	2.1
37340	0	0	1	0	DSu	47.2835	68.5824	26.1	727.0	369	56831.	833	0.8	0.9	5.7	0.1	0.1	7.2	33	2.1
37339	0	0	1	0	DSu	47.2835	68.5818	26.1	727.0	372	56832.	901	1.0	0.3	5.6	0.1	0.1	5.8	26	2.1
37338	0	0	0	0	DSu	47.2835	68.5813	26.1	727.0	376	56832.	934	0.9	1.6	7.0	1.9	0.3	8.6	23	2.1
37337	0	0	1	0	DSu	47.2835	68.5808	26.1	727.0	381	56831.	898	1.1	1.2	4.2	0.1	0.1	3.8	16	2.2
37336	0	0	1	0	DSu	47.2834	68.5803	26.1	727.0	388	56831.	893	1.0	0.6	4.9	0.1	0.1	5.3	30	2.2
37335	0	0	1	0	DSu	47.2834	68.5798	26.1	727.0	393	56831.	913	1.1	0.6	4.9	0.1	0.1	4.6	22	2.2
37334	0	0	1	0	DSu	47.2834	68.5793	26.1	727.0	395	56830.	965	1.2	-0.1	5.4	0.1	0.1	4.6	24	2.3
37333	0	0	0	0	DSu	47.2834	68.5788	26.1	727.0	393	56831.	929	1.1	1.4	4.6	1.3	0.3	4.4	24	2.2
37332	0	0	0	0	DSu	47.2834	68.5782	26.1	727.0	389	56831.	932	0.9	1.6	2.8	1.8	0.6	3.1	21	2.2
37331	0	0	1	0	DSu	47.2834	68.5777	26.1	727.0	386	56831.	940	1.1	0.6	5.4	0.1	0.1	5.0	14	2.2
37330	0	0	1	0	DSu	47.2834	68.5772	26.1	727.0	384	56831.	907	1.0	0.6	4.3	0.1	0.1	4.3	19	2.3
37329	0	0	0	0	DSu	47.2834	68.5767	26.1	726.9	385	56831.	912	1.0	1.3	5.6	1.4	0.3	6.0	17	2.3
37328	0	0	1	0	DSu	47.2833	68.5761	26.1	726.9	386	56831.	868	1.0	0.9	6.4	0.1	0.1	6.6	18	2.3
37327	0	0	1	0	DSu	47.2833	68.5756	26.1	726.9	388	56832.	867	1.2	-0.1	5.2	0.1	0.1	4.5	29	2.3
37326	0	0	1	0	DSu	47.2833	68.5751	26.1	726.9	390	56832.	833	0.9	0.9	3.9	0.1	0.1	4.4	23	2.3
37325	0	0	1	0	DSu	47.2833	68.5746	26.1	726.9	392	56832.	873	1.1	-0.8	4.9	0.1	0.1	4.8	16	2.3
37324	0	0	1	0	DSu	47.2833	68.5741	26.1	726.9	392	56833.	843	0.9	0.8	5.4	0.1	0.1	6.4	21	2.3
37323	0	0	0	0	DSu	47.2833	68.5735	26.2	726.9	389	56834.	864	1.1	1.4	4.8	1.3	0.3	4.6	18	2.3
37322	0	0	1	0	DSu	47.2832	68.5730	26.2	726.9	383	56834.	867	0.9	-0.8	5.7	0.1	0.1	6.5	25	2.3
37321	0	0	1	0	DSu	47.2832	68.5725	26.2	726.9	376	56833.	817	0.7	0.6	4.5	0.1	0.1	6.5	22	2.3
37320	0	0	1	0	DSu	47.2832	68.5720	26.2	726.9	370	56833.	879	0.9	0.6	6.6	0.1	0.1	7.3	23	2.3
37319	0	0	1	0	DSu	47.2832	68.5715	26.2	726.9	366	56834.	837	0.9	-0.1	4.3	0.1	0.1	5.3	15	2.3
37318	0	0	1	0	DSu	47.2832	68.5709	26.2	726.9	362	56835.	831	1.0	1.1	4.4	0.1	0.1	4.4	25	2.3
37317	0	0	1	0	DSu	47.2832	68.5704	26.2	726.9	355	56834.	767	0.7	0.2	4.8	0.1	0.1	7.4	31	2.3
37316	0	0	1	0	DSu	47.2832	68.5699	26.2	726.9	349	56834.	734	0.8	0.7	2.5	0.1	0.1	3.1	25	2.3
37315	0	0	1	0	DSu	47.2831	68.5694	26.2	726.9	346	56834.	720	1.0	0.4	5.3	0.1	0.1	5.8	22	2.3
37314	0	0	1	0	DSu	47.2831	68.5688	26.2	726.9	348	56834.	757	0.9	-0.2	4.5	0.1	0.1	5.1	25	2.3

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
37313	0	0	1	0	DSu	47.2831	68.5683	26.2	726.9	353	56834.	759	0.9	0.2	6.4	0.1	0.1	7.1	21	2.3
37312	0	0	1	0	DSu	47.2831	68.5678	26.2	726.9	361	56834.	739	0.8	-0.3	4.6	0.1	0.1	6.3	14	2.3
37311	0	0	1	0	DSu	47.2831	68.5673	26.2	726.9	375	56832.	807	0.9	0.6	4.7	0.1	0.1	5.4	29	2.3
37310	0	0	1	0	DSu	47.2831	68.5668	26.2	726.9	388	56832.	750	0.7	0.3	5.2	0.1	0.1	8.1	20	2.3
37309	0	0	1	0	DSu	47.2830	68.5662	26.2	726.9	397	56833.	847	1.0	0.7	4.7	0.1	0.1	4.8	19	2.3
37308	0	0	1	0	DSu	47.2830	68.5657	26.2	726.9	398	56834.	787	1.0	0.1	4.1	0.1	0.1	4.1	25	2.3
37307	0	0	1	0	DSu	47.2830	68.5652	26.2	726.9	396	56833.	798	0.9	0.1	4.3	0.1	0.1	5.0	40	2.3
37306	0	0	1	0	DSu	47.2830	68.5647	26.3	726.9	394	56832.	790	1.0	-0.6	4.0	0.1	0.1	4.3	19	2.3
37305	0	0	0	0	DSu	47.2830	68.5641	26.3	726.9	391	56832.	763	0.9	1.4	4.6	1.6	0.3	5.2	13	2.3
37304	0	0	0	0	Water	47.2830	68.5636	26.3	726.9	390	56831.	811	0.9	1.4	3.9	1.5	0.4	4.3	26	2.3
37303	0	0	1	0	Water	47.2829	68.5631	26.3	726.9	388	56831.	751	0.9	-0.2	4.1	0.1	0.1	5.1	25	2.2
37302	0	0	1	0	Water	47.2829	68.5626	26.3	726.9	387	56831.	679	0.8	-0.2	5.9	0.1	0.1	8.1	25	2.2
37301	0	0	1	0	Water	47.2829	68.5621	26.3	726.9	385	56832.	636	0.9	-0.3	3.3	0.1	0.1	3.9	29	2.2
37300	0	0	1	0	Water	47.2829	68.5615	26.3	726.9	387	56831.	618	0.8	0.1	2.2	0.1	0.1	2.8	24	2.2
37299	0	0	0	0	Water	47.2829	68.5610	26.4	727.0	390	56829.	583	0.5	1.5	3.4	0.1	0.5	0.1	15	2.1
37298	0	0	1	0	Water	47.2829	68.5605	26.4	727.0	395	56828.	469	0.7	-0.2	3.6	0.1	0.1	5.8	20	2.1
37297	0	0	1	0	Water	47.2828	68.5600	26.4	727.0	397	56829.	418	0.5	-0.3	3.5	0.1	0.1	0.1	17	2.1
37296	0	0	1	0	Water	47.2828	68.5595	26.4	727.0	398	56830.	348	0.4	0.8	2.8	0.1	0.1	0.1	18	2.0
37295	0	0	1	0	Water	47.2828	68.5589	26.4	727.0	399	56831.	298	0.3	0.3	1.2	0.1	0.1	0.1	22	2.0
37294	0	0	1	0	Water	47.2828	68.5584	26.4	727.0	400	56831.	285	0.5	0.9	2.8	0.1	0.1	0.1	32	1.9
37293	0	0	1	0	Water	47.2828	68.5579	26.4	727.0	399	56830.	265	0.3	-0.1	2.0	0.1	0.1	0.1	21	1.8
37292	0	0	1	0	Water	47.2828	68.5574	26.5	727.0	398	56829.	233	0.4	0.2	1.8	0.1	0.1	0.1	21	1.8
37291	0	0	1	0	Water	47.2827	68.5568	26.5	727.0	394	56830.	224	0.3	-0.5	2.3	0.1	0.1	0.1	24	1.7
37290	0	0	1	1	Water	47.2827	68.5563	26.5	727.0	389	56830.	180	0.2	-0.3	0.5	0.1	0.1	0.1	22	1.6
37289	0	0	1	0	Water	47.2827	68.5558	26.5	727.0	383	56830.	223	0.2	0.1	1.9	0.1	0.1	0.1	31	1.6
37288	0	0	1	0	Water	47.2827	68.5553	26.5	727.1	379	56833.	225	0.5	0.3	1.7	0.1	0.1	0.1	15	1.5
37287	0	0	1	1	Water	47.2827	68.5548	26.5	727.1	377	56833.	240	0.3	0.1	0.6	0.1	0.1	0.1	23	1.4
37286	0	0	1	0	Water	47.2827	68.5542	26.5	727.1	377	56831.	258	0.4	0.1	1.3	0.1	0.1	0.1	20	1.3
37285	0	0	1	0	Water	47.2826	68.5537	26.5	727.1	377	56829.	291	0.3	-0.1	2.4	0.1	0.1	0.1	25	1.2
37284	0	0	1	0	Water	47.2826	68.5532	26.6	727.1	377	56830.	297	0.3	0.0	1.6	0.1	0.1	0.1	19	1.2
37283	0	0	1	0	Water	47.2826	68.5527	26.6	727.0	375	56831.	279	0.3	-0.8	1.8	0.1	0.1	0.1	22	1.1
37282	0	0	1	0	Water	47.2826	68.5522	26.6	727.0	374	56831.	302	0.2	1.0	2.6	0.1	0.1	0.1	22	1.0
37281	0	0	1	0	Water	47.2826	68.5517	26.6	727.0	372	56831.	293	0.4	-0.1	2.1	0.1	0.1	0.1	13	0.9
37280	0	0	1	0	Water	47.2826	68.5512	26.6	727.0	370	56831.	300	0.2	0.2	2.3	0.1	0.1	0.1	19	0.9
37279	0	0	1	0	Water	47.2826	68.5507	26.6	726.9	366	56831.	316	0.4	-0.3	2.0	0.1	0.1	0.1	22	0.8
37278	0	0	1	0	Water	47.2826	68.5502	26.6	726.8	360	56832.	305	0.3	0.8	1.4	0.1	0.1	0.1	26	0.8
37277	0	0	1	0	Water	47.2826	68.5497	26.6	726.8	356	56832.	282	0.2	-0.3	2.1	0.1	0.1	0.1	16	0.7
37275	0	0	1	0	Water	47.2826	68.5488	26.6	726.7	353	56832.	287	0.2	0.8	1.5	0.1	0.1	0.1	26	0.6
37274	0	0	1	0	Water	47.2826	68.5483	26.7	726.6	353	56832.	327	0.3	0.1	1.9	0.1	0.1	0.1	32	0.6
37273	0	0	1	0	Water	47.2826	68.5478	26.7	726.4	355	56834.	328	0.5	0.2	1.9	0.1	0.1	0.1	11	0.4
37272	0	0	1	0	Water	47.2826	68.5473	26.7	726.3	361	56834.	432	0.6	-0.1	2.1	0.1	0.1	3.8	26	0.2
37271	0	0	0	0	Water	47.2826	68.5468	26.7	726.0	370	56833.	474	0.4	1.3	3.1	0.1	0.5	0.1	19	0.0
37270	0	0	0	0	Water	47.2826	68.5463	26.7	725.7	381	56831.	512	0.6	1.1	3.3	2.0	0.4	6.2	18	0.0
37269	0	0	1	0	Water	47.2826	68.5458	26.7	725.5	391	56829.	651	0.5	1.0	2.3	0.1	0.1	0.1	19	0.0
37268	0	0	0	0	Water	47.2826	68.5453	26.7	725.2	399	56828.	700	0.8	1.3	2.8	1.7	0.5	3.5	19	0.0
37267	0	0	0	0	Water	47.2826	68.5448	26.7	724.9	401	56828.	812	0.8	1.7	4.6	2.1	0.4	5.8	29	0.0
37266	0	0	1	0	Water	47.2826	68.5443	26.7	724.6	397	56826.	850	1.0	0.5	5.5	0.1	0.1	5.5	24	0.0
37265	0	0	1	0	Water	47.2826	68.5438	26.8	724.4	384	56824.	840	1.0	0.2	4.5	0.1	0.1	5.0	27	0.0
37264	0	0	1	0	Water	47.2826	68.5434	26.8	724.1	373	56823.	975	1.1	1.1	5.1	0.1	0.1	4.6	19	0.0
37263	0	0	0	0	DSu	47.2826	68.5429	26.8	723.8	366	56823.	987	1.0	1.5	6.0	1.5	0.3	6.1	17	0.0

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
37262	0	0	0	0	DSu	47.2826	68.5424	26.8	723.4	365	56823.	999	1.0	1.6	4.6	1.6	0.4	4.7	20	0.0
37261	0	0	1	0	DSu	47.2826	68.5419	26.8	723.1	366	56823.	1105	1.0	1.1	4.9	0.1	0.1	5.0	14	0.0
37260	0	0	1	0	DSu	47.2826	68.5414	26.9	722.8	371	56824.	1079	1.3	0.4	5.3	0.1	0.1	4.1	10	0.0
37259	0	0	0	0	DSu	47.2826	68.5409	27.8	719.4	381	56824.	1158	0.9	2.8	7.3	3.1	0.4	8.2	28	0.0
37258	0	0	0	0	DSu	47.2826	68.5404	27.8	719.5	379	56825.	1250	1.4	1.6	5.7	1.2	0.3	4.2	22	0.0
37257	0	0	0	0	DSu	47.2826	68.5399	27.8	719.6	380	56824.	1246	1.1	2.7	5.5	2.6	0.5	5.3	22	0.0
37256	0	0	0	0	DSu	47.2826	68.5394	27.8	719.6	382	56823.	1271	1.3	2.3	5.9	1.9	0.4	4.8	19	0.0
37255	0	0	0	0	DSu	47.2826	68.5389	27.8	719.5	389	56822.	1260	1.3	2.6	6.7	2.0	0.4	5.3	16	0.0
37254	0	0	0	0	DSu	47.2826	68.5385	27.8	719.4	391	56822.	1250	1.4	1.7	4.6	1.3	0.4	3.4	25	0.0
37253	0	0	1	0	DSu	47.2826	68.5380	27.8	719.3	393	56822.	1286	1.6	1.1	6.9	0.1	0.1	4.6	26	0.0
37252	0	0	0	0	DSu	47.2826	68.5375	27.8	719.1	393	56821.	1270	1.3	1.7	7.2	1.4	0.3	5.9	18	0.0
37251	0	0	0	0	DSu	47.2826	68.5370	27.8	718.9	396	56821.	1333	1.3	1.8	6.9	1.4	0.3	5.3	26	0.0
37250	0	0	0	0	DSu	47.2826	68.5365	27.8	718.7	397	56822.	1313	1.7	1.6	6.8	1.0	0.3	4.1	27	0.0
37249	0	0	0	0	DSu	47.2826	68.5360	27.8	718.5	393	56823.	1357	1.5	2.7	5.7	1.9	0.5	4.0	23	0.0
37248	0	0	0	0	DSu	47.2826	68.5355	27.8	718.3	388	56822.	1296	1.3	3.3	4.3	2.5	0.8	3.3	24	0.0
37247	0	0	0	0	DSu	47.2826	68.5350	27.8	718.1	382	56822.	1191	1.1	1.6	4.2	1.5	0.4	3.8	19	0.0
37246	0	0	0	0	DSu	47.2826	68.5345	27.8	717.6	378	56822.	1240	1.4	2.4	5.6	1.8	0.5	4.1	18	0.0
37245	0	0	1	0	DSu	47.2826	68.5340	27.8	717.1	374	56823.	1135	1.2	0.8	5.4	0.1	0.1	4.8	23	0.0
37244	0	0	1	0	DSu	47.2826	68.5336	27.8	716.7	369	56824.	1114	1.4	1.1	6.8	0.1	0.1	5.0	25	0.0
37243	0	0	0	0	DSu	47.2826	68.5331	27.8	716.3	365	56825.	1221	1.2	1.5	7.1	1.2	0.3	6.0	16	0.0
37242	0	0	1	0	DSu	47.2826	68.5326	27.8	715.9	362	56825.	1158	1.1	0.9	5.7	0.1	0.1	5.3	20	0.2
37241	0	0	0	0	DSu	47.2826	68.5321	27.8	715.5	358	56826.	1092	1.4	1.5	5.2	1.1	0.3	3.8	30	0.3
37240	0	0	0	0	DSu	47.2826	68.5316	27.8	715.2	352	56827.	1128	1.3	2.2	5.5	1.8	0.5	4.5	24	0.5
37239	0	0	0	0	DSu	47.2826	68.5311	27.8	714.8	347	56828.	1130	1.4	1.8	6.6	1.4	0.3	5.0	27	0.7
37238	0	0	1	0	DSu	47.2825	68.5306	27.8	714.5	345	56830.	1160	1.4	0.0	5.6	0.1	0.1	4.2	28	0.9
37237	0	0	0	0	DSu	47.2825	68.5301	27.8	714.2	345	56830.	1166	1.5	1.6	4.2	1.1	0.4	3.0	24	0.9
37236	0	0	1	0	DSu	47.2825	68.5296	27.8	714.0	348	56830.	1235	1.6	0.3	6.0	0.1	0.1	4.0	27	0.9
37235	0	0	0	0	DSu	47.2825	68.5292	27.8	713.8	347	56831.	1182	1.4	2.1	5.9	1.5	0.4	4.3	17	0.9
37234	0	0	1	0	DSu	47.2825	68.5287	27.8	713.6	339	56832.	1251	1.2	1.1	7.3	0.1	0.1	6.2	29	0.9
37233	0	0	1	0	DSu	47.2825	68.5282	27.8	713.5	329	56832.	1143	1.1	1.0	8.0	0.1	0.1	7.3	23	1.0
37232	0	0	1	0	DSu	47.2825	68.5277	27.8	713.4	321	56834.	1140	1.4	0.6	7.2	0.1	0.1	5.5	17	1.0
37231	0	0	0	0	DSu	47.2825	68.5272	27.8	713.4	321	56837.	1168	1.4	1.5	6.8	1.1	0.3	5.0	28	1.0
37230	0	0	1	0	DSu	47.2825	68.5267	27.8	713.4	329	56838.	1162	1.2	1.1	5.2	0.1	0.1	4.4	26	1.0
37229	0	0	1	0	DSu	47.2825	68.5262	27.8	713.4	341	56836.	1228	1.3	0.8	7.9	0.1	0.1	6.5	26	1.0
37228	0	0	1	0	DSu	47.2825	68.5257	27.8	713.4	356	56837.	1193	1.4	0.1	5.2	0.1	0.1	3.7	20	1.1
37227	0	0	1	0	DSu	47.2825	68.5252	27.8	713.5	366	56838.	1163	1.3	0.8	6.0	0.1	0.1	4.7	23	1.1
37226	0	0	0	0	DSu	47.2825	68.5247	27.8	713.6	377	56838.	1204	1.2	1.4	5.9	1.2	0.3	4.9	15	1.1
37225	0	0	0	0	DSu	47.2825	68.5242	27.8	713.8	385	56838.	1170	1.2	2.2	4.8	1.9	0.5	4.2	24	1.1
37224	0	0	1	0	DSu	47.2825	68.5238	27.9	714.0	393	56840.	1066	1.2	1.0	5.8	0.1	0.1	5.2	28	1.2
37223	0	0	1	0	DSu	47.2825	68.5232	27.9	714.1	399	56841.	982	0.9	0.6	4.6	0.1	0.1	5.6	22	1.2
37222	0	0	0	0	DSu	47.2826	68.5227	27.9	714.3	417	56841.	1119	1.2	1.6	7.1	1.4	0.3	6.1	17	1.3
37221	0	0	1	0	DSu	47.2826	68.5222	27.9	714.5	437	56839.	1112	1.3	1.1	7.1	0.1	0.1	5.7	17	1.3
37220	0	0	0	0	DSu	47.2826	68.5216	27.9	714.7	451	56839.	1156	1.2	1.6	6.0	1.4	0.3	5.2	25	1.3
37219	0	0	1	0	DSu	47.2826	68.5211	27.9	714.9	450	56839.	1137	1.2	0.4	6.2	0.1	0.1	5.2	19	1.3
37218	0	0	0	0	DSu	47.2826	68.5206	27.9	715.0	445	56839.	1210	1.3	1.7	5.9	1.4	0.3	4.8	25	1.3
37217	0	0	1	0	DSu	47.2826	68.5200	27.9	715.2	437	56839.	1276	1.1	0.8	8.0	0.1	0.1	7.3	33	1.3
37216	0	0	1	0	DSu	47.2826	68.5195	27.9	715.4	428	56840.	1375	1.6	1.2	8.7	0.1	0.1	5.6	30	1.4
37215	0	0	0	0	DSu	47.2826	68.5190	27.9	715.6	417	56840.	1311	1.2	3.2	7.0	2.7	0.5	5.8	20	1.4
37214	0	0	0	0	DSu	47.2826	68.5184	27.9	715.8	406	56839.	1360	1.6	3.5	4.5	2.3	0.8	3.0	25	1.3
37213	0	0	0	0	DSu	47.2827	68.5179	27.9	716.0	395	56837.	1215	1.3	2.7	5.2	2.1	0.6	4.0	30	1.3

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	K ²	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
37212	0	0	0	0	DSu	47.2827	68.5174	27.9	716.2	386	56836.	1199	1.3	1.8	6.1	1.4	0.3	4.8	23	1.2
37211	0	0	0	0	DSu	47.2827	68.5168	27.9	716.4	376	56836.	1176	1.2	1.5	6.1	1.3	0.3	5.2	34	1.2
37210	0	0	0	0	DSu	47.2827	68.5163	27.9	716.6	367	56837.	1175	1.3	1.6	5.9	1.3	0.3	4.5	34	1.3
37209	0	0	1	0	DSu	47.2827	68.5158	27.9	716.8	361	56839.	1143	0.9	-0.3	6.8	0.1	0.1	7.6	15	1.3
37208	0	0	0	0	DSu	47.2827	68.5152	28.0	717.0	359	56840.	1109	1.0	1.4	7.2	1.5	0.2	7.9	18	1.3
37207	0	0	0	0	DSu	47.2827	68.5147	28.0	717.2	357	56841.	1053	1.1	1.4	7.1	1.4	0.2	6.0	25	1.3
37206	0	0	0	0	DSu	47.2827	68.5142	28.0	717.4	357	56841.	1041	1.1	1.4	4.9	1.3	0.3	4.5	15	1.3
37205	0	0	0	0	DSu	47.2828	68.5136	28.0	717.5	358	56843.	1019	0.9	1.3	4.1	1.6	0.4	5.0	27	1.3
37204	0	0	0	0	DSu	47.2828	68.5131	28.0	717.7	360	56842.	970	0.9	1.3	4.8	1.5	0.3	5.4	23	1.3
37203	0	0	1	0	DSu	47.2828	68.5126	28.2	719.1	362	56840.	920	1.0	0.4	4.6	0.1	0.1	4.6	7	1.3
37202	0	0	1	0	DSu	47.2828	68.5120	28.2	719.0	363	56841.	984	0.9	0.3	5.3	0.1	0.1	6.4	17	1.4
37201	0	0	1	0	DSu	47.2828	68.5115	28.2	719.0	366	56840.	921	1.0	0.7	4.7	0.1	0.1	4.8	20	1.4
37200	0	0	0	0	DSu	47.2828	68.5110	28.2	719.0	369	56840.	895	0.8	1.3	4.3	1.6	0.3	5.6	24	4
37199	0	0	1	0	DSu	47.2828	68.5104	28.2	719.0	374	56840.	964	1.1	0.6	5.4	0.1	0.1	5.3	18	1.
37198	0	0	1	0	DSu	47.2828	68.5099	28.2	719.1	378	56841.	870	1.0	0.6	4.5	0.1	0.1	4.9	36	1.4
37197	0	0	1	0	DSu	47.2828	68.5094	28.2	719.1	385	56841.	948	0.8	0.8	5.3	0.1	0.1	7.0	29	1.4
37196	0	0	1	0	DSu	47.2829	68.5089	28.2	719.1	391	56841.	934	1.2	0.9	1.2	0.1	0.1	1.0	26	1.4
37195	0	0	1	0	DSu	47.2829	68.5083	28.2	719.2	395	56839.	999	1.2	1.3	5.8	0.1	0.1	5.3	12	1.4
37194	0	0	0	0	DSu	47.2829	68.5078	28.2	719.2	395	56836.	999	0.9	1.5	5.5	1.8	0.3	6.5	19	1.4
37193	0	0	1	0	DSu	47.2829	68.5073	28.2	719.2	394	56836.	985	0.9	1.1	6.5	0.1	0.1	7.9	16	1.4
37192	0	0	1	0	DSu	47.2829	68.5067	28.2	719.3	392	56837.	994	1.2	1.2	4.1	0.1	0.1	3.5	28	1.4
37191	0	0	1	0	DSu	47.2829	68.5062	28.2	719.3	391	56837.	1023	0.8	0.6	4.1	0.1	0.1	5.2	25	1.4
37190	0	0	0	0	DSu	47.2829	68.5057	28.2	719.4	387	56838.	1104	1.1	2.0	5.7	1.8	0.4	5.2	20	1.4
37189	0	0	1	0	DSu	47.2829	68.5051	28.2	719.5	383	56838.	1012	1.0	0.5	4.9	0.1	0.1	5.2	23	1.5
37188	0	0	1	0	DSu	47.2830	68.5046	28.2	719.7	379	56836.	1141	1.3	1.1	4.8	0.1	0.1	3.8	27	1.5
37187	0	0	0	0	DSu	47.2830	68.5041	28.2	719.8	380	56835.	1086	1.1	1.6	4.7	1.5	0.4	4.5	21	1.5
37186	0	0	0	0	DSu	47.2830	68.5035	28.2	719.9	382	56837.	1145	1.5	2.1	6.3	1.4	0.4	4.4	19	1.5
37185	0	0	0	0	DSu	47.2830	68.5030	28.2	720.0	384	56838.	1247	1.2	1.8	4.6	1.5	0.4	3.9	26	1.5
37184	0	0	0	0	DSu	47.2830	68.5025	28.2	720.2	383	56839.	1268	1.4	1.9	6.0	1.4	0.3	4.6	12	1.4
37183	0	0	1	0	DSu	47.2830	68.5019	28.2	720.3	382	56839.	1238	1.5	0.7	5.3	0.1	0.1	3.6	18	1.4
37182	0	0	0	0	DSu	47.2830	68.5014	28.2	720.5	384	56840.	1316	1.3	1.7	7.6	1.4	0.3	6.0	26	1.4
37181	0	0	1	0	DSu	47.2830	68.5009	28.2	720.7	386	56839.	1306	1.6	1.1	8.1	0.1	0.1	5.1	20	1.4
37179	0	0	1	0	DSu	47.2831	68.4998	28.2	720.8	389	56838.	1220	1.4	0.9	8.1	0.1	0.1	6.2	31	1.5
37178	0	0	0	0	DSu	47.2831	68.4993	28.2	721.0	390	56838.	1207	1.2	1.6	6.9	1.4	0.3	5.9	28	1.5
37177	0	0	1	0	DSu	47.2831	68.4987	28.2	721.1	393	56837.	1243	1.2	1.0	5.2	0.1	0.1	4.5	13	1.4
37176	0	0	0	0	DSu	47.2831	68.4982	28.2	721.3	399	56837.	1271	1.2	2.1	7.0	1.9	0.3	6.3	17	1.4
37175	0	0	0	0	DSu	47.2831	68.4976	28.2	721.4	408	56836.	1273	1.5	1.9	6.5	1.3	0.3	4.3	19	1.3
37174	0	0	0	0	DSu	47.2831	68.4970	28.2	721.5	417	56835.	1256	1.1	1.8	4.9	1.6	0.4	4.5	30	1.3
37173	0	0	0	0	DSu	47.2831	68.4964	28.2	721.6	421	56836.	1368	1.2	2.3	4.9	1.9	0.5	4.1	27	1.3
37172	0	0	0	0	DSu	47.2830	68.4958	28.2	721.7	420	56837.	1309	1.4	2.4	6.3	1.8	0.4	4.8	21	1.2
37171	0	0	1	0	DSu	47.2830	68.4952	28.2	721.7	413	56838.	1366	1.3	1.2	6.5	0.1	0.1	5.3	16	1.2
37170	0	0	0	0	DSu	47.2830	68.4946	28.2	721.7	404	56838.	1350	1.3	1.5	6.5	1.1	0.3	5.1	34	1.2
37169	0	0	1	0	DSu	47.2830	68.4940	28.2	721.7	401	56839.	1368	1.3	1.5	7.1	0.1	0.1	5.6	26	1.2
37168	0	0	1	0	DSu	47.2830	68.4934	28.2	721.7	392	56838.	1270	1.4	1.2	9.0	0.1	0.1	6.4	35	1.2
37167	0	0	0	0	DSu	47.2830	68.4928	28.2	721.6	383	56838.	1235	1.3	1.5	7.2	1.3	0.3	5.9	29	1.2
37166	0	0	1	0	DSu	47.2830	68.4922	28.2	721.5	367	56838.	1182	1.5	1.3	6.2	0.1	0.1	4.4	20	1.2
37165	0	0	1	0	DSu	47.2829	68.4916	28.2	721.4	359	56837.	1054	1.2	0.3	4.5	0.1	0.1	3.9	21	1.2
37164	0	0	1	0	DSu	47.2829	68.4910	28.2	721.3	352	56837.	1124	1.3	0.5	5.2	0.1	0.1	4.1	34	1.3
37163	0	0	1	0	DSu	47.2829	68.4904	28.2	721.2	346	56838.	1144	1.2	0.8	7.7	0.1	0.1	6.5	33	1.3
37162	0	0	0	0	DSu	47.2829	68.4898	28.2	721.0	348	56839.	1114	1.0	1.5	5.5	1.6	0.3	5.8	20	1.3

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
37161	0	0	0	1	DSu	47.2829	68.4892	28.2	720.9	357	56839.	1184	1.2	1.8	6.5	1.6	0.3	5.9	20	1.3
37160	0	0	1	0	DSu	47.2829	68.4886	28.2	720.7	375	56839.	1143	1.1	1.2	6.8	0.1	0.1	6.5	18	1.3
37159	0	0	0	0	DSu	47.2829	68.4879	28.2	720.6	390	56838.	1257	1.4	2.6	7.1	1.9	0.4	5.1	17	1.3
37158	0	0	1	0	DSu	47.2828	68.4874	28.2	720.5	398	56835.	1244	1.2	0.8	7.0	0.1	0.1	6.1	18	1.3
37157	0	0	0	0	DSu	47.2828	68.4867	28.2	720.3	398	56836.	1256	1.2	3.1	5.3	2.8	0.6	4.7	25	1.3
37156	0	0	1	0	DSu	47.2828	68.4861	28.2	720.2	396	56838.	1370	1.6	1.1	7.9	0.1	0.1	5.0	24	1.2
37155	0	0	0	0	DSu	47.2828	68.4855	28.2	720.1	391	56838.	1341	1.5	2.3	5.7	1.6	0.4	4.0	21	1.2
37154	0	0	0	0	DSu	47.2828	68.4849	28.2	719.9	389	56839.	1261	1.6	1.8	5.5	1.1	0.4	3.4	20	1.2
37153	0	0	1	0	DSu	47.2828	68.4843	28.2	719.8	389	56840.	1347	1.4	0.6	6.6	0.1	0.1	4.9	30	1.2
37152	0	0	0	0	DSu	47.2828	68.4837	28.2	719.7	390	56842.	1403	1.6	2.1	8.7	1.3	0.3	5.6	29	1.2
37151	0	0	1	0	DSu	47.2827	68.4831	28.2	719.7	393	56844.	1358	1.8	0.6	7.6	0.1	0.1	4.4	27	1.3
37150	0	0	1	0	DSu	47.2827	68.4825	28.2	719.6	396	56845.	1258	1.5	0.9	4.8	0.1	0.1	3.4	24	1.3
37149	0	0	0	0	DSu	47.2827	68.4819	28.2	719.5	401	56844.	1253	1.3	2.8	5.2	2.2	0.6	4.1	20	1.3
37148	0	0	1	0	DSu	47.2827	68.4813	28.2	719.5	406	56843.	1232	1.3	0.7	7.2	0.1	0.1	5.6	34	1.3
37147	0	0	1	0	DSu	47.2827	68.4807	28.2	719.5	405	56843.	1180	1.2	0.6	5.8	0.1	0.1	4.8	31	1.3
37146	0	0	0	0	DSu	47.2827	68.4801	28.2	720.1	389	56843.	1221	1.2	1.6	5.9	1.3	0.3	4.9	25	1.4
37145	0	0	1	0	DSu	47.2827	68.4795	28.2	720.1	390	56844.	1177	1.2	0.8	5.6	0.1	0.1	5.0	24	1.4
37144	0	0	0	0	DSu	47.2827	68.4789	28.2	720.1	395	56843.	1285	1.6	1.7	8.4	1.1	0.3	5.3	24	1.4
37143	0	0	1	0	DSu	47.2826	68.4783	28.2	720.1	396	56842.	1245	1.5	0.4	7.3	0.1	0.1	5.2	20	1.4
37142	0	0	1	0	DSu	47.2826	68.4777	28.2	720.1	395	56843.	1355	1.4	1.1	10.0	0.1	0.1	7.6	22	1.4
37141	0	0	0	0	DSu	47.2826	68.4771	28.2	720.1	388	56844.	1375	1.5	1.5	5.0	1.0	0.3	3.3	16	1.4
37140	0	0	0	0	DSu	47.2826	68.4765	28.2	720.2	383	56844.	1340	1.3	2.3	6.6	1.8	0.4	5.2	23	1.4
37139	0	0	1	0	DSu	47.2826	68.4759	28.2	720.3	381	56844.	1343	1.5	1.3	8.3	0.1	0.1	5.9	29	1.4
37138	0	0	1	0	DSu	47.2826	68.4753	28.2	720.3	382	56845.	1364	1.7	0.0	8.4	0.1	0.1	5.0	29	1.4
37137	0	0	0	0	DSu	47.2826	68.4747	28.2	720.4	383	56846.	1410	1.7	1.7	7.4	1.1	0.3	4.5	26	1.4
37136	0	0	0	0	DSu	47.2825	68.4741	28.3	720.5	384	56845.	1378	1.5	1.6	5.4	1.1	0.3	3.7	25	1.4
37135	0	0	1	0	DSu	47.2825	68.4735	28.3	720.6	387	56844.	1376	1.5	0.5	5.5	0.1	0.1	3.8	24	1.4
37134	0	0	0	0	DSu	47.2825	68.4729	28.3	720.6	394	56843.	1314	1.6	3.6	6.3	2.3	0.6	4.1	26	1.4
37133	0	0	1	0	DSu	47.2825	68.4723	28.3	720.8	406	56841.	1330	1.2	1.2	6.5	0.1	0.1	5.6	22	1.5
37132	0	0	1	0	DSu	47.2825	68.4717	28.3	720.9	421	56841.	1288	1.5	0.5	6.3	0.1	0.1	4.4	27	1.5
37131	0	0	0	0	DSu	47.2825	68.4711	28.3	721.0	436	56840.	1203	1.1	3.0	7.5	2.8	0.4	7.0	27	1.5
37130	0	0	1	0	DSu	47.2825	68.4705	28.3	721.1	445	56839.	1100	1.1	0.6	6.4	0.1	0.1	5.9	30	1.5
37129	0	0	1	0	DSu	47.2824	68.4699	28.3	721.1	442	56838.	1011	1.1	1.0	5.0	0.1	0.1	4.9	34	1.6
37128	0	0	1	0	DSu	47.2824	68.4693	28.3	721.1	428	56839.	1033	1.0	0.8	4.8	0.1	0.1	5.0	32	1.6
37127	0	0	0	0	DSu	47.2824	68.4687	28.3	721.2	411	56840.	1042	1.0	2.2	3.4	2.2	0.7	3.4	20	1.6
37126	0	0	0	0	DSu	47.2824	68.4680	28.3	721.2	397	56842.	1017	0.8	2.9	5.6	3.7	0.6	7.2	25	1.5
37125	0	0	0	0	DSu	47.2824	68.4674	28.3	721.2	384	56842.	1054	1.0	2.0	4.9	2.0	0.4	5.1	24	1.5
37124	0	0	0	0	DSu	47.2824	68.4668	28.3	721.2	371	56843.	1059	1.1	1.9	4.7	1.8	0.4	4.6	19	1.5
37123	0	0	1	0	DSu	47.2824	68.4662	28.3	721.3	360	56844.	934	0.7	0.7	4.7	0.1	0.1	6.9	31	1.5
37122	0	0	1	0	DSu	47.2823	68.4656	28.3	721.3	355	56844.	1067	1.3	1.0	4.4	0.1	0.1	3.4	31	1.5
37121	0	0	0	0	DSu	47.2823	68.4650	28.3	721.4	358	56843.	1020	1.1	1.7	3.8	1.6	0.5	3.6	16	1.5
37120	0	0	0	0	DSu	47.2823	68.4644	28.3	721.4	366	56842.	1075	1.2	1.8	6.6	1.6	0.3	5.9	17	1.5
37119	0	0	0	0	DSu	47.2823	68.4638	28.3	721.5	379	56840.	1054	1.0	1.6	5.7	1.7	0.3	6.2	19	1.5
37118	0	0	1	0	DSu	47.2823	68.4632	28.3	721.7	389	56839.	1107	1.1	-0.2	6.4	0.1	0.1	6.3	24	1.5
37117	0	0	0	0	DSu	47.2823	68.4626	28.3	721.8	392	56840.	1148	1.0	3.0	4.6	3.0	0.7	4.7	24	1.5
37116	0	0	1	0	DSu	47.2823	68.4620	28.3	722.0	383	56842.	1082	1.1	0.2	6.5	0.1	0.1	5.9	24	1.6
37115	0	0	1	0	DSu	47.2822	68.4614	28.3	722.3	368	56843.	1063	1.0	1.2	6.6	0.1	0.1	6.9	19	1.6
37114	0	0	0	0	DSu	47.2822	68.4608	28.3	722.5	359	56843.	989	1.0	1.4	5.3	1.5	0.3	5.6	16	1.6
37113	0	0	1	0	DSu	47.2822	68.4602	28.3	722.8	357	56843.	1012	1.0	0.5	6.2	0.1	0.1	6.6	29	1.6
37112	0	0	1	0	DSu	47.2822	68.4596	28.3	723.1	361	56843.	998	0.8	1.0	4.5	0.1	0.1	6.0	15	1.6

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
37111	0	0	0	0	DSu	47.2822	68.4590	28.3	723.3	368	56841.	1083	1.2	2.4	6.8	2.1	0.4	6.0	14	1.6
37110	0	0	1	0	DSu	47.2822	68.4584	28.3	723.6	380	56840.	1050	1.1	0.7	6.9	0.1	0.1	6.8	19	1.7
37109	0	0	1	0	DSu	47.2822	68.4578	28.3	723.8	411	56840.	1135	1.6	0.2	4.8	0.1	0.1	3.1	23	1.7
37108	0	0	1	0	DSu	47.2822	68.4572	28.3	724.1	448	56842.	1117	1.2	1.2	7.3	0.1	0.1	6.1	22	1.8
37107	0	0	1	0	DSu	47.2821	68.4566	28.3	724.3	471	56844.	1173	1.5	1.4	5.6	0.1	0.1	3.8	21	1.8
37106	0	0	0	0	DSu	47.2821	68.4560	28.3	724.6	468	56845.	1173	1.6	2.0	4.2	1.3	0.5	2.8	25	1.9
37105	0	0	1	0	DSu	47.2821	68.4554	28.3	724.9	453	56845.	1078	1.1	0.0	5.6	0.1	0.1	5.4	23	1.9
37104	0	0	1	0	DSu	47.2821	68.4548	28.3	725.1	449	56843.	1110	1.2	0.8	5.5	0.1	0.1	4.5	26	1.9
37103	0	0	1	0	DSu	47.2821	68.4542	28.3	725.3	450	56841.	1012	1.4	0.8	3.6	0.1	0.1	2.7	20	2.0
37102	0	0	1	0	DSu	47.2821	68.4536	28.3	725.5	449	56840.	954	1.1	1.1	5.6	0.1	0.1	5.5	18	2.0
37101	0	0	1	0	DSu	47.2821	68.4530	28.3	725.7	445	56840.	927	0.8	1.0	5.7	0.1	0.1	7.4	32	2.1
37100	0	0	1	0	DSu	47.2820	68.4524	28.3	725.9	442	56840.	927	0.9	0.9	5.7	0.1	0.1	6.6	20	2.2
37099	0	0	1	0	DSu	47.2820	68.4518	28.3	726.0	440	56841.	911	1.0	0.6	4.8	0.1	0.1	4.9	20	2.2
37098	0	0	1	0	DSu	47.2820	68.4513	28.3	726.2	439	56842.	857	0.8	0.7	4.8	0.1	0.1	6.7	19	2.2
37097	0	0	1	0	DSu	47.2820	68.4507	28.4	726.3	439	56843.	788	1.0	1.2	6.5	0.1	0.1	6.7	23	2.3
37096	0	0	1	0	DSu	47.2820	68.4502	28.4	726.4	439	56842.	792	0.6	1.0	3.8	0.1	0.1	7.0	27	2.3
37095	0	0	1	0	DSu	47.2820	68.4496	28.4	726.5	440	56840.	761	0.7	0.3	4.8	0.1	0.1	7.8	21	2.4
37094	0	0	1	0	DSu	47.2820	68.4491	28.4	726.6	440	56840.	755	1.1	-0.8	4.7	0.1	0.1	4.5	20	2.4
37093	0	0	1	0	DSu	47.2820	68.4485	28.4	726.6	439	56842.	624	0.8	-0.3	3.5	0.1	0.1	4.7	24	2.5
37092	0	0	1	0	DSu	47.2820	68.4480	28.4	726.6	436	56842.	687	0.9	0.3	3.1	0.1	0.1	3.8	21	2.5
37091	0	0	1	0	DSu	47.2820	68.4474	28.4	726.7	433	56842.	687	0.7	-0.1	4.4	0.1	0.1	6.9	19	2.6
37090	0	0	1	0	DSu	47.2820	68.4469	28.3	726.7	433	56841.	660	0.7	-0.8	3.9	0.1	0.1	6.1	17	2.7
37089	0	0	1	0	DSu	47.2820	68.4463	28.3	726.7	433	56840.	585	0.8	-0.2	2.6	0.1	0.1	3.3	20	2.7
37088	0	0	1	0	DSu	47.2820	68.4458	28.3	726.7	433	56839.	565	0.4	0.4	2.8	0.1	0.1	0.1	31	2.7
37087	0	0	1	0	DSu	47.2820	68.4452	28.3	726.7	432	56840.	623	0.6	0.2	4.7	0.1	0.1	7.7	22	2.8
37086	0	0	1	0	DSu	47.2820	68.4446	28.3	726.7	430	56840.	487	0.5	0.2	3.7	0.1	0.1	0.1	28	2.8
37084	0	0	1	0	DSu	47.2820	68.4436	28.3	726.6	428	56841.	473	0.7	-0.4	3.2	0.1	0.1	4.6	29	2.9
37083	0	0	1	0	DSu	47.2820	68.4430	28.3	726.6	427	56843.	421	0.5	0.4	2.9	0.1	0.1	0.1	24	2.9
37082	0	0	1	0	DSu	47.2820	68.4425	28.3	726.6	428	56845.	433	0.4	0.4	2.6	0.1	0.1	0.1	25	2.9
37081	0	0	1	0	DSu	47.2820	68.4419	28.3	726.7	431	56845.	430	0.6	-0.3	2.6	0.1	0.1	4.9	26	2.9
37080	0	0	1	0	DSu	47.2820	68.4413	28.3	726.6	433	56843.	439	0.4	1.0	2.7	0.1	0.1	0.1	24	2.9
37079	0	0	1	0	DSu	47.2820	68.4408	28.3	726.6	435	56841.	527	0.6	0.6	3.1	0.1	0.1	5.9	31	2.9
37078	0	0	1	0	DSu	47.2820	68.4402	28.3	726.6	435	56840.	600	0.7	-0.2	4.1	0.1	0.1	6.2	24	2.9
37077	0	0	1	0	DSu	47.2820	68.4397	28.3	726.6	435	56839.	617	0.7	0.4	4.1	0.1	0.1	6.3	22	2.9
37076	0	0	1	0	DSu	47.2820	68.4391	28.3	726.6	437	56838.	600	0.7	0.5	5.0	0.1	0.1	7.9	15	2.9
37075	0	0	1	0	DSu	47.2820	68.4386	28.3	726.5	442	56837.	499	0.6	-0.3	3.5	0.1	0.1	6.9	35	2.9
37074	0	0	1	0	DSu	47.2820	68.4380	28.3	726.5	448	56838.	454	0.6	-0.3	2.6	0.1	0.1	4.5	30	2.9
37073	0	0	1	0	DSu	47.2820	68.4375	28.3	726.5	453	56839.	399	0.5	0.5	2.8	0.1	0.1	0.1	21	3.0
37072	0	0	1	0	DSu	47.2820	68.4369	28.3	726.4	458	56837.	405	0.5	-0.9	2.0	0.1	0.1	0.1	34	3.0
37071	0	0	1	0	DSu	47.2819	68.4364	28.3	726.4	461	56838.	406	0.5	-0.3	1.8	0.1	0.1	0.1	16	3.0
37070	0	0	1	0	DSu	47.2819	68.4358	28.3	726.4	462	56838.	416	0.6	-0.6	3.0	0.1	0.1	5.5	26	3.0
37069	0	0	1	0	DSu	47.2819	68.4353	28.3	726.3	460	56837.	445	0.6	0.2	2.2	0.1	0.1	4.1	21	3.0
37068	0	0	1	0	DSu	47.2819	68.4347	28.3	726.3	457	56836.	465	0.3	-0.4	4.0	0.1	0.1	0.1	24	3.0
37067	0	0	1	0	DSu	47.2819	68.4342	28.3	726.3	454	56837.	504	0.7	-1.1	3.0	0.1	0.1	4.6	18	3.0
37066	0	0	1	0	DSu	47.2819	68.4336	28.3	726.3	452	56840.	500	0.3	0.3	2.6	0.1	0.1	0.1	23	3.0
37065	0	0	1	1	DSu	47.2819	68.4331	28.3	726.3	450	56839.	549	0.6	1.1	1.1	0.1	0.1	0.1	17	2.9
37064	0	0	0	0	DSu	47.2819	68.4325	28.3	726.3	448	56838.	602	0.6	1.4	3.1	2.5	0.5	5.5	24	2.9
37063	0	0	1	0	DSu	47.2819	68.4320	28.3	726.3	446	56840.	595	0.5	-0.3	2.6	0.1	0.1	0.1	22	2.8
37062	0	0	1	0	DSu	47.2819	68.4314	28.3	726.4	445	56841.	627	0.7	-0.2	4.9	0.1	0.1	7.4	28	2.8
37061	0	0	0	0	DSu	47.2819	68.4309	28.3	726.4	445	56840.	616	0.8	1.6	2.6	2.0	0.6	3.4	21	2.8

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
37060	0	0	1	0	DSu	47.2819	68.4303	28.3	726.5	445	56841.	675	0.9	0.0	3.3	0.1	0.1	3.8	19	2.8
37059	0	0	1	0	DSu	47.2819	68.4297	28.3	726.5	443	56843.	630	0.7	0.4	3.4	0.1	0.1	5.1	19	2.8
37058	0	0	0	0	DSu	47.2820	68.4291	28.3	726.5	438	56843.	600	0.7	1.6	2.8	2.4	0.6	4.2	17	2.7
37057	0	0	1	0	DSu	47.2820	68.4285	28.3	726.6	432	56843.	612	0.5	0.0	3.2	0.1	0.1	0.1	20	2.7
37056	0	0	1	0	DSu	47.2820	68.4279	28.3	726.6	427	56842.	525	0.6	-0.1	4.1	0.1	0.1	7.5	16	2.7
37055	0	0	1	0	DSu	47.2820	68.4273	28.3	726.7	423	56842.	428	0.5	0.7	1.9	0.1	0.1	0.1	34	2.7
37054	0	0	1	0	DSu	47.2821	68.4267	28.3	726.7	422	56842.	468	0.5	0.0	2.8	0.1	0.1	0.1	25	2.7
37053	0	0	1	0	DSu	47.2821	68.4260	28.3	726.7	422	56841.	518	0.7	0.4	3.5	0.1	0.1	5.5	22	2.7
37052	0	0	1	0	DSu	47.2821	68.4254	28.3	726.7	421	56841.	609	0.7	0.3	3.7	0.1	0.1	5.5	19	2.7
37051	0	0	1	0	DSu	47.2822	68.4248	28.3	726.8	418	56840.	691	0.9	0.2	3.5	0.1	0.1	4.3	30	2.7
37050	0	0	1	0	DSu	47.2822	68.4242	28.3	726.8	409	56840.	772	0.9	0.4	5.4	0.1	0.1	6.4	23	2.6
37049	0	0	1	0	DSu	47.2822	68.4236	28.3	726.8	400	56841.	897	0.9	0.1	4.6	0.1	0.1	5.1	18	2.6
37048	0	0	1	0	DSu	47.2822	68.4230	28.3	726.7	386	56842.	866	0.8	0.8	3.8	0.1	0.1	4.9	23	2.6
37047	0	0	1	0	DSu	47.2823	68.4224	28.3	726.7	382	56844.	882	0.8	0.6	4.4	0.1	0.1	5.7	15	2.5
37046	0	0	0	0	DSu	47.2823	68.4218	28.3	726.7	381	56845.	990	1.1	2.0	6.4	1.9	0.3	6.2	24	2.5
37045	0	0	0	0	DSu	47.2823	68.4212	28.3	726.6	386	56845.	971	0.9	1.5	7.1	1.6	0.3	7.9	26	2.4
37044	0	0	1	0	DSu	47.2823	68.4205	28.3	726.6	389	56844.	977	0.8	1.1	3.8	0.1	0.1	4.8	15	2.4
37043	0	0	1	0	DSu	47.2824	68.4199	28.3	726.5	391	56844.	914	1.2	0.5	4.7	0.1	0.1	4.0	25	2.3
37042	0	0	0	0	DSu	47.2824	68.4193	28.3	726.4	393	56843.	951	1.2	1.5	4.6	1.3	0.4	4.1	31	2.3
37041	0	0	0	0	DSu	47.2824	68.4187	28.3	726.3	395	56844.	887	1.0	1.5	4.9	1.6	0.3	5.2	24	2.2
37040	0	0	1	0	DSu	47.2824	68.4181	28.3	726.2	398	56846.	883	1.0	0.7	3.8	0.1	0.1	3.8	26	2.2
37039	0	0	1	0	DSu	47.2825	68.4175	28.3	726.1	400	56847.	943	1.0	1.1	4.8	0.1	0.1	5.2	24	2.2
37038	0	0	0	0	DSu	47.2825	68.4169	28.3	726.1	401	56847.	977	0.9	1.9	6.5	2.3	0.3	7.9	15	2.2
37037	0	0	1	0	DSu	47.2825	68.4162	28.3	726.0	405	56845.	1000	1.1	0.8	3.4	0.1	0.1	3.3	25	2.2
37036	0	0	1	0	DSu	47.2825	68.4156	28.3	725.9	407	56844.	964	1.3	1.0	6.2	0.1	0.1	5.1	26	2.1
37035	0	0	1	0	DSu	47.2826	68.4150	28.3	725.8	410	56845.	965	1.0	0.1	5.7	0.1	0.1	6.3	26	2.2
37034	0	0	1	0	DSu	47.2826	68.4144	28.3	725.7	410	56845.	966	0.9	0.1	7.3	0.1	0.1	8.1	21	2.2
37033	0	0	1	0	DSu	47.2826	68.4138	28.1	725.3	411	56844.	1032	1.1	1.1	5.7	0.1	0.1	5.3	20	2.2
37032	0	0	1	0	DSu	47.2826	68.4132	28.1	725.3	412	56844.	1026	1.0	0.0	6.5	0.1	0.1	6.6	17	2.1
37031	0	0	1	0	DSu	47.2827	68.4126	28.1	725.3	414	56845.	1013	1.0	0.4	5.4	0.1	0.1	5.6	21	2.1
37030	0	0	1	0	DSu	47.2827	68.4120	28.1	725.3	417	56845.	1063	1.3	0.7	8.2	0.1	0.1	6.7	19	2.1
37029	0	0	1	0	DSu	47.2827	68.4113	28.1	725.3	422	56845.	1084	1.2	1.4	5.6	0.1	0.1	4.7	25	2.1
37028	0	0	1	0	DSu	47.2827	68.4107	28.1	725.3	426	56845.	1044	1.2	0.2	7.0	0.1	0.1	6.0	17	2.1
37027	0	0	1	0	DSu	47.2828	68.4101	28.1	725.3	430	56845.	1117	1.2	0.6	7.0	0.1	0.1	5.9	25	2.1
37026	0	0	0	0	DSu	47.2828	68.4095	28.1	725.2	433	56846.	956	0.9	2.0	6.0	2.3	0.4	6.9	32	2.1
37025	0	0	1	0	DSu	47.2828	68.4089	28.1	725.3	436	56846.	1015	1.2	1.1	3.4	0.1	0.1	2.8	31	2.1
37024	0	0	1	0	DSu	47.2829	68.4083	28.1	725.3	440	56846.	1010	1.0	1.0	5.3	0.1	0.1	5.3	25	2.0
37023	0	0	1	0	DSu	47.2829	68.4077	28.1	725.3	442	56849.	985	1.0	0.5	5.7	0.1	0.1	5.9	21	2.0
37022	0	0	0	0	DSu	47.2829	68.4071	28.1	725.4	441	56852.	1033	1.2	2.5	5.3	2.1	0.5	4.6	37	2.1
37021	0	0	1	0	DSu	47.2829	68.4065	28.1	725.4	437	56850.	1086	1.1	0.6	6.3	0.1	0.1	5.8	15	2.1
37020	0	0	1	0	DSu	47.2830	68.4058	28.1	725.5	431	56849.	1094	0.9	1.3	6.5	0.1	0.1	7.4	27	2.1
37019	0	0	1	0	DSu	47.2830	68.4052	28.1	725.6	439	56848.	1149	1.2	-0.3	6.9	0.1	0.1	6.2	24	2.1
37018	0	0	1	0	DSu	47.2830	68.4046	28.1	725.7	427	56846.	1083	1.3	0.4	5.1	0.1	0.1	4.0	27	2.2
37017	0	0	1	0	DSu	47.2830	68.4040	28.1	725.8	427	56846.	1119	1.4	1.2	6.2	0.1	0.1	4.5	21	2.2
37016	0	0	1	0	DSu	47.2831	68.4034	28.1	725.9	426	56847.	1096	1.3	0.9	7.9	0.1	0.1	6.4	22	2.2
37015	0	0	1	0	DSu	47.2831	68.4028	28.1	726.1	423	56847.	1013	1.2	0.6	5.2	0.1	0.1	4.5	22	2.2
37014	0	0	1	0	DSu	47.2831	68.4022	28.1	726.2	420	56847.	984	1.1	1.0	7.0	0.1	0.1	6.8	26	2.2
37013	0	0	1	0	DSu	47.2831	68.4016	28.1	726.4	417	56847.	979	1.1	0.5	4.9	0.1	0.1	4.8	16	2.2
37012	0	0	1	0	DSu	47.2832	68.4009	28.1	726.6	414	56848.	956	1.2	0.9	4.8	0.1	0.1	4.0	19	2.2
37011	0	0	0	0	DSu	47.2832	68.4003	28.1	726.7	410	56849.	911	0.8	1.5	3.9	2.1	0.4	5.5	26	2.2

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
37010	0	0	0	0	DSu	47.2832	68.3997	28.1	726.9	407	56850.	890	1.0	1.4	4.4	1.5	0.4	4.5	19	2.2
37009	0	0	1	0	DSu	47.2832	68.3991	28.1	727.1	405	56848.	785	0.8	0.8	6.9	0.1	0.1	9.2	19	2.2
37008	0	0	1	0	DSu	47.2833	68.3985	28.1	727.2	406	56845.	722	0.6	0.4	4.2	0.1	0.1	6.9	26	2.2
37007	0	0	1	0	DSu	47.2832	68.3979	28.1	727.3	405	56845.	777	0.9	0.4	2.6	0.1	0.1	3.1	29	2.2
37006	0	0	1	0	DSu	47.2832	68.3973	28.1	727.4	403	56846.	790	0.6	1.2	5.0	0.1	0.1	8.4	33	2.2
37005	0	0	1	0	DSu	47.2832	68.3967	28.1	727.6	396	56848.	787	0.7	1.1	3.9	0.1	0.1	6.2	20	2.2
37004	0	0	1	0	DSu	47.2831	68.3961	28.1	727.7	390	56849.	766	0.9	0.8	4.4	0.1	0.1	5.1	19	2.2
37003	0	0	1	0	DSu	47.2831	68.3955	28.1	727.7	386	56850.	786	0.6	0.1	4.1	0.1	0.1	6.8	16	2.2
37002	0	0	1	0	DSu	47.2831	68.3949	28.1	727.8	386	56848.	744	1.0	0.2	3.9	0.1	0.1	4.0	23	2.2
37001	0	0	1	0	DSu	47.2830	68.3943	28.1	727.9	387	56847.	769	1.0	1.2	3.9	0.1	0.1	4.1	26	2.2
37000	0	0	1	0	DSu	47.2830	68.3937	28.1	727.9	388	56848.	727	0.7	0.5	2.7	0.1	0.1	4.1	26	2.2
36999	0	0	1	0	DSu	47.2830	68.3931	28.1	728.0	388	56847.	791	0.8	1.0	5.0	0.1	0.1	6.3	22	2.2
36998	0	0	1	0	DSu	47.2829	68.3925	28.1	728.0	388	56849.	694	0.7	1.1	3.4	0.1	0.1	5.4	17	2.2
36997	0	0	1	0	DSu	47.2829	68.3919	28.1	728.0	387	56850.	744	0.7	-0.2	4.1	0.1	0.1	6.0	23	2.2
36996	0	0	1	0	DSu	47.2829	68.3914	28.1	728.0	387	56849.	768	0.8	1.1	4.1	0.1	0.1	5.5	11	2.3
36995	0	0	0	0	DSu	47.2828	68.3908	28.1	728.0	387	56847.	732	0.7	1.2	2.8	1.8	0.5	4.3	22	2.2
36994	0	0	1	0	DSu	47.2828	68.3902	28.1	728.0	389	56845.	695	0.8	0.6	3.2	0.1	0.1	4.4	28	2.2
36993	0	0	1	0	DSu	47.2828	68.3896	28.1	728.0	391	56844.	684	0.8	0.3	2.7	0.1	0.1	3.5	20	2.2
36992	0	0	1	0	DSu	47.2827	68.3890	28.1	728.0	392	56846.	654	0.7	0.6	3.4	0.1	0.1	5.3	26	2.2
36991	0	0	1	0	DSu	47.2827	68.3884	28.1	728.0	390	56849.	649	0.7	-0.2	3.1	0.1	0.1	4.4	23	2.2
36990	0	0	1	0	DSu	47.2827	68.3878	28.1	727.9	385	56849.	576	0.6	0.9	2.9	0.1	0.1	5.6	21	2.2
36988	0	0	1	0	DSu	47.2826	68.3866	28.1	727.9	381	56850.	661	0.8	0.6	3.4	0.1	0.1	4.4	28	2.2
36987	0	0	1	0	DSu	47.2826	68.3860	28.1	727.9	377	56851.	705	0.6	0.8	4.5	0.1	0.1	8.1	20	2.2
36986	0	0	1	0	DSu	47.2825	68.3854	28.1	727.8	373	56850.	670	0.9	0.1	3.8	0.1	0.1	4.6	21	2.3
36985	0	0	1	0	DSu	47.2825	68.3848	28.1	727.8	372	56848.	682	0.8	-0.6	5.4	0.1	0.1	7.1	22	2.3
36984	0	0	1	0	DSu	47.2825	68.3842	28.1	727.8	373	56848.	739	0.8	0.1	5.3	0.1	0.1	6.9	23	2.3
36983	0	0	1	0	DSu	47.2825	68.3836	28.1	727.8	378	56847.	716	0.8	0.7	4.4	0.1	0.1	6.0	18	2.3
36982	0	0	1	0	DSu	47.2825	68.3830	28.0	727.7	385	56845.	702	0.6	0.2	3.6	0.1	0.1	6.1	23	2.3
36981	0	0	1	0	DSu	47.2825	68.3824	28.0	727.6	395	56843.	690	0.9	0.8	4.2	0.1	0.1	5.1	21	2.3
36980	0	0	0	0	DSu	47.2825	68.3818	28.0	727.5	406	56842.	744	0.7	1.4	5.3	2.1	0.3	8.2	21	2.3
36979	0	0	1	0	DSu	47.2826	68.3812	28.0	727.5	414	56842.	779	0.6	0.2	3.4	0.1	0.1	5.7	29	2.3
36978	0	0	1	0	DSu	47.2826	68.3806	28.0	727.4	419	56843.	871	1.1	0.7	5.9	0.1	0.1	5.8	28	2.3
36977	0	0	0	0	DSu	47.2826	68.3800	28.0	727.3	420	56844.	957	1.0	1.6	5.7	1.6	0.3	5.8	16	2.3
36976	0	0	0	0	DSu	47.2826	68.3794	27.6	726.2	418	56845.	1018	1.0	1.5	4.9	1.6	0.3	5.3	18	2.2
36975	0	0	1	0	DSu	47.2826	68.3788	27.6	726.2	419	56846.	1038	1.1	0.0	5.4	0.1	0.1	5.3	23	2.2
36974	0	0	0	0	DSu	47.2827	68.3782	27.6	726.2	417	56847.	1005	0.9	2.0	7.7	2.4	0.3	9.1	20	2.2
36973	0	0	0	0	DSu	47.2827	68.3776	27.6	726.2	414	56848.	987	0.9	1.4	4.1	1.7	0.4	5.0	28	2.2
36972	0	0	1	0	DSu	47.2827	68.3770	27.6	726.2	407	56850.	934	1.1	0.9	4.0	0.1	0.1	3.9	21	2.2
36971	0	0	0	0	DSu	47.2827	68.3764	27.6	726.2	398	56850.	887	0.9	2.1	4.4	2.4	0.5	5.2	18	2.2
36970	0	0	0	0	DSu	47.2827	68.3757	27.6	726.2	388	56850.	902	0.8	1.8	4.2	2.5	0.5	5.7	24	2.1
36969	0	0	1	0	DSu	47.2828	68.3751	27.6	726.2	379	56850.	911	0.8	0.5	5.3	0.1	0.1	7.4	29	2.1
36968	0	0	0	0	DSu	47.2828	68.3745	27.6	726.2	374	56850.	912	0.8	1.9	5.9	2.6	0.4	8.1	20	2.1
36967	0	0	1	0	DSu	47.2828	68.3739	27.6	726.2	373	56850.	875	0.8	1.0	3.9	0.1	0.1	5.4	19	2.1
36966	0	0	0	0	DSu	47.2828	68.3733	27.6	726.2	378	56851.	920	0.9	1.4	5.1	1.7	0.3	6.1	28	2.0
36965	0	0	1	0	DSu	47.2828	68.3727	27.6	726.2	388	56850.	849	0.9	1.1	3.8	0.1	0.1	4.4	16	2.0
36964	0	0	1	0	DSu	47.2829	68.3721	27.6	726.2	398	56849.	904	1.0	0.6	4.4	0.1	0.1	4.6	23	2.0
36963	0	0	1	0	DSu	47.2829	68.3715	27.6	726.2	403	56850.	898	0.9	0.7	6.3	0.1	0.1	7.3	24	2.0
36962	0	0	1	0	DSu	47.2829	68.3709	27.6	726.3	402	56851.	910	1.0	0.2	5.2	0.1	0.1	5.5	16	2.0
36961	0	0	1	0	DSu	47.2829	68.3703	27.6	726.3	399	56850.	867	0.9	0.3	5.1	0.1	0.1	6.2	24	2.0
36960	0	0	1	0	DSu	47.2830	68.3697	27.6	726.3	398	56849.	904	1.2	0.4	5.8	0.1	0.1	5.0	23	2.0

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
36959	0	0	1	0	DSU	47.2830	68.3691	27.6	726.4	402	56849.	711	0.7	0.6	4.6	0.1	0.1	7.0	19	2.0
36958	0	0	1	0	DSU	47.2830	68.3685	27.6	726.4	407	56849.	554	0.3	0.9	3.2	0.1	0.1	0.1	21	2.0
36957	0	0	1	0	DSU	47.2830	68.3679	27.6	726.4	409	56850.	410	0.4	0.6	1.6	0.1	0.1	0.1	23	2.0
36956	0	0	0	0	DSU	47.2830	68.3673	27.6	726.4	407	56852.	349	0.5	1.1	1.4	0.1	0.8	0.1	22	2.0
36955	0	0	1	0	DSU	47.2831	68.3667	27.6	726.4	405	56851.	279	0.3	-0.2	1.6	0.1	0.1	0.1	24	2.0
36954	0	0	1	1	DSU	47.2831	68.3661	27.6	726.5	403	56851.	213	0.2	-0.4	0.8	0.1	0.1	0.1	22	2.0
36953	0	1	1	0	DSU	47.2831	68.3655	27.6	726.4	403	56851.	207	0.1	-0.2	1.2	0.1	0.1	0.1	22	2.0
36952	0	0	1	0	DSU	47.2831	68.3648	27.6	726.4	403	56848.	243	0.3	-0.3	1.3	0.1	0.1	0.1	23	2.1
36951	0	0	1	0	DSU	47.2831	68.3643	27.6	726.4	403	56848.	301	0.3	-0.7	1.9	0.1	0.1	0.1	19	2.1
36950	0	0	1	0	DSU	47.2832	68.3636	27.6	726.3	402	56849.	452	0.4	0.3	1.3	0.1	0.1	0.1	34	2.1
36949	0	0	1	0	DSU	47.2832	68.3630	27.6	726.2	394	56849.	574	0.7	0.2	2.8	0.1	0.1	4.4	29	2.1
36948	0	0	1	0	DSU	47.2832	68.3624	27.6	726.1	385	56848.	770	0.9	0.8	4.0	0.1	0.1	4.8	18	2.2
36947	0	0	1	0	DSU	47.2832	68.3618	27.6	726.0	374	56847.	890	1.1	0.4	5.1	0.1	0.1	4.8	21	2.2
36946	0	0	1	0	DSU	47.2832	68.3612	27.6	725.9	372	56848.	898	1.1	1.1	3.4	0.1	0.1	3.1	22	2.2
36945	0	C	0	0	DSU	47.2833	68.3606	27.6	725.7	369	56849.	959	0.8	1.8	3.5	2.3	0.5	4.7	22	2.1
36944	0	0	1	0	DSU	47.2833	68.3600	27.6	725.6	367	56849.	1036	1.0	0.6	5.8	0.1	0.1	6.1	21	2.1
36943	0	0	0	0	DSU	47.2833	68.3594	27.6	725.5	364	56847.	1005	1.2	1.6	5.7	1.4	0.3	4.8	24	2.1
36942	0	0	1	0	DSU	47.2833	68.3588	27.6	725.3	367	56845.	1021	1.0	0.1	4.9	0.1	0.1	5.1	23	2.1
36941	0	0	0	0	DSU	47.2833	68.3582	27.6	725.2	376	56844.	1025	1.2	1.5	7.1	1.4	0.3	6.4	21	2.1
36940	0	0	1	0	DSU	47.2834	68.3576	27.6	725.0	387	56846.	1015	1.1	0.6	4.9	0.1	0.1	4.7	21	2.1
36939	0	0	1	0	DSU	47.2834	68.3570	27.6	724.8	402	56848.	1121	1.3	1.2	5.3	0.1	0.1	4.1	20	2.1
36938	0	0	1	0	DSU	47.2834	68.3564	27.5	724.6	411	56847.	1074	1.3	0.6	6.2	0.1	0.1	4.8	29	2.1
36937	0	0	1	0	DSU	47.2834	68.3558	27.5	724.5	416	56846.	1057	0.9	1.0	5.6	0.1	0.1	6.3	19	2.0
36936	0	0	0	0	DSU	47.2834	68.3551	27.5	724.3	413	56847.	1096	1.2	1.5	6.4	1.3	0.3	5.4	17	2.0
36935	0	0	0	0	DSU	47.2834	68.3545	27.5	724.1	410	56847.	1134	1.5	1.6	4.7	1.1	0.4	3.2	19	1.9
36934	0	0	1	0	DSU	47.2834	68.3539	27.5	723.9	408	56847.	1113	1.1	0.1	6.7	0.1	0.1	6.0	20	1.9
36933	0	0	1	0	DSU	47.2834	68.3533	27.5	723.8	407	56846.	1262	1.6	1.0	7.3	0.1	0.1	4.8	25	1.9
36932	0	0	1	0	DSU	47.2834	68.3526	27.5	723.5	408	56846.	1158	1.5	-0.7	6.8	0.1	0.1	4.7	21	1.9
36931	0	0	0	0	DSU	47.2834	68.3520	27.5	723.2	409	56846.	1200	1.3	1.4	7.2	1.1	0.2	5.6	25	1.9
36930	0	0	0	0	DSU	47.2834	68.3514	27.5	723.0	407	56846.	1216	1.4	2.4	3.8	1.8	0.7	2.8	20	1.8
36929	0	0	0	0	DSU	47.2834	68.3507	27.5	722.8	405	56846.	1251	1.2	1.5	5.9	1.3	0.3	5.0	22	1.7
36928	0	0	0	0	DSU	47.2834	68.3501	27.5	722.5	403	56846.	1212	1.2	1.5	9.4	1.3	0.2	8.0	35	1.6
36927	0	0	1	0	DSU	47.2834	68.3495	27.5	722.3	406	56845.	1141	1.3	1.0	6.9	0.1	0.1	5.7	18	1.6
36926	0	0	1	0	DSU	47.2834	68.3489	27.5	722.1	412	56845.	1164	1.6	0.1	7.3	0.1	0.1	4.7	15	1.5
36925	0	0	0	0	DSU	47.2834	68.3482	27.5	721.9	420	56845.	1233	1.4	2.0	6.5	1.5	0.3	4.7	15	1.5
36924	0	0	0	0	DSU	47.2833	68.3476	27.5	721.7	427	56845.	1252	1.0	3.1	6.5	3.3	0.5	6.8	27	1.4
36923	0	0	1	0	DSU	47.2833	68.3470	27.4	721.5	432	56846.	1123	1.3	0.7	6.6	0.1	0.1	5.3	16	1.4
36922	0	0	0	0	DSU	47.2833	68.3463	27.4	721.4	438	56846.	1176	1.2	1.4	4.6	1.3	0.3	4.1	26	1.4
36921	0	0	1	0	DSU	47.2833	68.3457	27.4	721.1	444	56847.	1143	1.2	0.8	6.1	0.1	0.1	5.3	17	1.4
36920	0	0	1	0	DSU	47.2833	68.3451	27.4	719.3	454	56846.	1128	1.0	0.7	6.7	0.1	0.1	7.0	19	1.4
36919	0	0	0	0	DSU	47.2833	68.3445	27.4	719.4	455	56846.	1084	0.8	2.2	7.3	3.1	0.3	10.3	22	1.4
36918	0	0	0	0	DSU	47.2833	68.3438	27.4	719.4	456	56847.	1115	1.0	3.5	6.4	3.7	0.6	6.7	25	1.4
36917	0	0	1	0	DSU	47.2833	68.3432	27.4	719.4	456	56847.	1119	1.3	0.0	5.4	0.1	0.1	4.3	21	1.4
36916	0	0	1	0	DSU	47.2833	68.3426	27.4	719.3	455	56847.	1177	1.1	0.3	6.5	0.1	0.1	6.4	29	1.4
36915	0	0	1	0	DSU	47.2833	68.3419	27.4	719.3	452	56846.	1225	1.4	0.2	6.7	0.1	0.1	5.0	24	1.4
36914	0	0	1	0	DSU	47.2833	68.3413	27.4	719.2	447	56846.	1217	1.4	1.2	8.6	0.1	0.1	6.1	21	1.4
36913	0	0	1	0	DSU	47.2833	68.3407	27.4	719.2	439	56846.	1180	1.1	-0.2	5.8	0.1	0.1	5.6	20	1.2
36912	0	0	0	0	DSU	47.2833	68.3400	27.4	719.1	426	56847.	1178	1.2	1.5	4.7	1.3	0.3	4.0	30	1.2
36911	0	0	1	0	DSU	47.2833	68.3394	27.4	719.0	410	56848.	1191	1.3	0.6	6.2	0.1	0.1	4.8	20	1.1
36910	0	0	1	0	DSU	47.2832	68.3388	27.5	719.0	395	56849.	1119	1.2	0.8	6.9	0.1	0.1	6.0	27	0.8

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
36909	0	0	0	0	DSu	47.2832	68.3382	27.5	718.9	388	56849.	1157	1.2	3.0	5.4	2.7	0.6	4.8	22	0.8
36908	0	0	1	0	DSu	47.2832	68.3375	27.5	718.8	385	56849.	1225	1.2	1.3	7.9	0.1	0.1	6.9	26	0.7
36907	0	0	0	0	DSu	47.2832	68.3369	27.5	718.7	381	56850.	1157	1.2	2.0	6.1	1.8	0.4	5.4	23	0.7
36906	0	0	1	0	DSu	47.2832	68.3363	27.5	718.6	375	56850.	1145	1.3	-0.2	7.2	0.1	0.1	5.6	18	0.7
36905	0	0	0	0	DSu	47.2832	68.3356	27.5	718.5	369	56850.	1081	0.9	1.8	8.1	2.0	0.3	8.9	25	0.7
36904	0	0	1	0	DSu	47.2832	68.3350	27.5	718.4	368	56850.	1131	1.0	0.6	6.7	0.1	0.1	7.1	11	0.8
36903	0	0	1	0	DSu	47.2832	68.3344	27.5	718.3	370	56852.	1073	0.9	0.9	5.2	0.1	0.1	5.9	27	0.8
36902	0	0	1	0	DSu	47.2832	68.3338	27.5	718.2	381	56852.	1048	0.9	0.8	7.9	0.1	0.1	9.5	20	0.8
36901	0	0	1	0	DSu	47.2832	68.3331	27.5	718.2	394	56851.	1007	0.9	0.5	5.8	0.1	0.1	6.8	28	0.8
36900	0	0	0	0	DSu	47.2832	68.3325	27.5	718.1	407	56849.	1023	1.1	1.9	8.1	1.8	0.3	7.6	31	0.9
36899	0	0	1	0	DSu	47.2832	68.3319	27.5	718.1	407	56848.	987	1.1	0.4	6.3	0.1	0.1	6.1	21	0.9
36898	0	0	1	0	DSu	47.2832	68.3312	27.5	718.1	405	56848.	929	0.9	1.1	5.1	0.1	0.1	5.7	21	1.0
36897	0	0	0	0	DSu	47.2832	68.3306	27.5	718.0	402	56848.	918	0.9	1.3	2.6	1.5	0.6	2.9	24	1.0
36896	0	0	0	0	DSu	47.2832	68.3300	27.5	718.0	404	56850.	987	1.2	1.7	4.7	1.5	0.4	4.0	24	1.0
36895	0	0	1	0	DSu	47.2831	68.3294	27.5	718.0	405	56850.	917	0.8	0.7	4.3	0.1	0.1	5.8	17	1.0
36893	0	0	0	0	DSu	47.2831	68.3281	27.5	717.9	408	56852.	999	0.9	1.4	5.9	1.6	0.3	6.9	27	1.0
36892	0	0	1	0	DSu	47.2831	68.3275	27.5	717.9	409	56853.	872	0.6	-0.2	4.5	0.1	0.1	7.4	19	1.0
36891	0	0	0	0	DSu	47.2831	68.3268	27.5	717.8	407	56852.	995	1.1	1.6	6.1	1.5	0.3	5.6	30	1.1
36890	0	0	1	0	DSu	47.2831	68.3262	27.5	717.8	398	56851.	849	0.8	1.2	3.5	0.1	0.1	4.5	15	1.0
36889	0	0	0	0	DSu	47.2831	68.3256	27.5	717.7	389	56851.	918	1.0	1.3	4.9	1.2	0.3	4.9	22	1.0
36888	0	0	1	0	DSu	47.2831	68.3250	27.5	717.7	381	56850.	866	0.8	-0.1	5.3	0.1	0.1	7.5	25	1.0
36887	0	0	0	0	DSu	47.2831	68.3243	27.5	717.6	374	56849.	896	0.8	1.5	7.2	2.0	0.3	9.4	10	1.2
36886	0	0	1	0	DSu	47.2831	68.3237	27.5	717.5	371	56848.	960	1.0	1.1	4.1	0.1	0.1	4.1	16	1.2
36885	0	0	1	0	DSu	47.2831	68.3231	27.5	717.5	375	56848.	967	1.1	0.1	5.7	0.1	0.1	5.5	13	1.4
36884	0	0	0	0	DSu	47.2831	68.3224	27.5	717.4	384	56848.	1047	1.2	1.4	6.5	1.2	0.3	5.4	25	1.6
36883	0	0	1	0	DSu	47.2831	68.3218	27.5	717.3	392	56850.	1084	1.1	0.4	5.3	0.1	0.1	5.2	25	1.7
36882	0	0	1	0	DSu	47.2831	68.3212	27.5	717.2	398	56851.	1120	1.3	0.3	6.6	0.1	0.1	5.4	21	1.7
36881	0	0	1	0	DSu	47.2831	68.3205	27.5	717.1	400	56851.	1114	1.3	0.5	5.9	0.1	0.1	4.8	42	1.8
36880	0	0	1	0	DSu	47.2831	68.3199	27.5	716.9	403	56850.	1189	1.2	0.9	6.4	0.1	0.1	5.7	27	1.8
36879	0	0	0	0	DSu	47.2830	68.3193	27.5	716.8	404	56850.	1237	1.2	1.8	7.6	1.6	0.3	6.8	22	1.7
36878	0	0	1	0	DSu	47.2830	68.3187	27.5	716.7	406	56850.	1260	1.3	1.3	8.4	0.1	0.1	6.8	18	1.7
36877	0	0	1	0	DSu	47.2830	68.3180	27.5	716.6	410	56850.	1163	1.3	-0.4	4.2	0.1	0.1	3.5	24	1.7
36876	0	0	1	0	DSu	47.2830	68.3174	27.5	716.4	416	56850.	1188	1.3	0.5	8.0	0.1	0.1	6.3	17	1.7
36875	0	0	0	0	DSu	47.2830	68.3168	27.5	716.3	421	56850.	1222	1.2	2.4	6.4	2.1	0.4	5.7	22	1.7
36874	0	0	1	0	DSu	47.2830	68.3161	27.5	716.1	429	56849.	1185	1.1	0.9	6.1	0.1	0.1	5.5	39	1.6
36873	0	0	1	0	DSu	47.2830	68.3155	27.5	716.0	436	56850.	1210	1.1	1.4	8.1	0.1	0.1	7.8	22	1.6
36872	0	0	1	0	DSu	47.2830	68.3149	27.5	715.9	447	56849.	1170	1.2	1.2	7.0	0.1	0.1	6.0	21	1.6
36871	0	0	1	0	DSu	47.2830	68.3143	27.5	715.7	457	56848.	1159	1.2	1.3	5.3	0.1	0.1	4.4	24	1.6
36870	0	0	0	0	DSu	47.2830	68.3136	27.5	715.6	468	56849.	1127	1.0	2.3	4.8	2.5	0.5	5.2	31	1.5
36869	0	0	1	0	DSu	47.2830	68.3130	27.5	715.5	475	56849.	1165	1.2	1.2	6.7	0.1	0.1	5.7	30	1.5
36868	0	0	1	0	DSu	47.2830	68.3124	27.5	715.3	480	56850.	1166	1.3	0.3	5.6	0.1	0.1	4.4	22	1.5
36867	0	0	1	0	DSu	47.2830	68.3117	27.5	715.2	480	56852.	1117	1.2	1.1	5.0	0.1	0.1	4.1	31	1.5
36866	0	0	1	0	DSu	47.2829	68.3111	27.5	715.1	479	56853.	1114	1.2	0.7	6.1	0.1	0.1	5.2	20	1.4
36865	0	0	1	0	DSu	47.2829	68.3105	27.5	715.0	472	56852.	1146	0.9	1.4	6.2	0.1	0.1	7.0	31	1.4
36864	0	0	0	0	DSu	47.2829	68.3099	27.5	714.9	465	56851.	1100	1.3	2.2	4.3	1.8	0.6	3.5	24	1.3
36863	0	0	1	0	DSu	47.2829	68.3092	27.7	714.8	442	56851.	1116	1.1	0.6	6.9	0.1	0.1	6.3	29	1.3
36862	0	0	1	0	DSu	47.2829	68.3086	27.7	714.7	440	56851.	1100	1.3	0.8	5.6	0.1	0.1	4.5	20	1.2
36861	0	0	1	0	DSu	47.2829	68.3080	27.7	714.7	444	56852.	1121	1.1	1.1	7.0	0.1	0.1	6.7	20	1.2
36860	0	0	1	0	DSu	47.2829	68.3073	27.7	714.7	442	56853.	1149	1.1	-0.2	7.4	0.1	0.1	6.9	20	1.2
36859	0	0	1	0	DSu	47.2829	68.3067	27.7	714.7	438	56856.	1248	1.3	1.2	8.5	0.1	0.1	6.7	26	1.1

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI	
												CPS	%	PPM	PPM					CPS	CPS
36858	0	0	0	0	DSU	47.2829	68.3061	27.7	714.7	425	56857.	1249	1.3	1.7	6.6	1.3	0.3	5.1	30	1.0	
36857	0	0	1	0	DSU	47.2829	68.3055	27.7	714.8	415	56855.	1221	1.4	1.0	6.4	0.1	0.1	4.8	36	1.0	
36856	0	0	1	0	DU	47.2829	68.3048	27.7	714.8	409	56853.	1237	1.3	0.9	6.9	0.1	0.1	5.4	23	0.9	
36855	0	0	1	0	DU	47.2829	68.3042	27.7	714.9	408	56852.	1265	1.3	1.4	7.2	0.1	0.1	5.9	17	0.8	
36854	0	0	0	0	DU	47.2829	68.3036	27.7	714.9	407	56853.	1298	1.5	2.5	5.9	1.7	0.5	4.0	30	0.8	
36853	0	0	1	0	DU	47.2829	68.3029	27.7	715.0	405	56852.	1300	1.3	0.0	8.4	0.1	0.1	6.4	28	0.8	
36852	0	0	1	0	DU	47.2829	68.3023	27.7	715.0	403	56851.	1205	1.6	0.3	9.0	0.1	0.1	5.7	23	0.7	
36851	0	0	1	0	DU	47.2828	68.3017	27.7	715.1	399	56852.	1209	1.2	1.2	6.6	0.1	0.1	5.7	34	0.6	
36850	0	0	0	0	DU	47.2828	68.3010	27.7	715.3	391	56853.	1236	1.3	2.3	6.0	1.9	0.4	5.0	26	0.6	
36849	0	0	1	0	DU	47.2828	68.3004	27.7	715.4	381	56854.	1189	1.5	1.1	5.3	0.1	0.1	3.7	16	0.5	
36848	0	0	0	0	DU	47.2828	68.2998	27.7	715.6	372	56854.	1297	1.4	1.7	8.3	1.3	0.2	6.2	23	0.5	
36847	0	0	0	0	DU	47.2828	68.2992	27.7	715.8	368	56854.	1236	1.2	1.9	8.3	1.6	0.3	7.0	20	0.4	
36846	0	0	0	0	DU	47.2828	68.2985	27.7	716.0	371	56852.	1224	1.3	1.9	5.8	1.5	0.4	4.5	25	0.3	
36845	0	0	1	0	DU	47.2828	68.2979	27.7	716.2	376	56851.	1149	1.3	0.1	6.3	0.1	0.1	5.1	18	0.3	
36844	0	0	0	0	DU	47.2828	68.2973	27.7	716.4	379	56852.	1144	1.2	1.7	6.9	1.5	0.3	6.0	32	0.2	
36843	0	0	0	0	DU	47.2828	68.2966	27.7	716.6	376	56854.	1130	1.1	2.0	7.2	1.8	0.3	6.6	17	0.2	
36842	0	0	0	0	DU	47.2828	68.2960	27.7	716.8	375	56853.	1103	1.1	1.8	5.9	1.7	0.3	5.6	22	0.1	
36841	0	0	1	0	DU	47.2828	68.2954	27.7	717.1	379	56853.	1115	1.4	0.3	6.9	0.1	0.1	5.0	22	0.1	
36840	0	0	1	0	DU	47.2828	68.2948	27.7	717.3	386	56854.	1188	1.3	1.0	7.8	0.1	0.1	6.4	25	0.1	
36839	0	0	1	0	DU	47.2828	68.2941	27.7	717.6	388	56855.	1143	1.1	0.9	6.2	0.1	0.1	6.0	31	0.1	
36838	0	0	1	0	DU	47.2828	68.2935	27.7	717.8	385	56855.	1143	1.4	0.8	5.5	0.1	0.1	4.0	26	0.1	
36837	0	0	0	0	DU	47.2827	68.2929	27.7	718.0	381	56854.	1083	1.4	2.3	4.6	1.7	0.6	3.3	21	0.0	
36836	0	0	0	0	DU	47.2827	68.2923	27.7	718.3	381	56854.	1171	1.1	2.5	6.2	2.4	0.4	5.9	28	0.0	
36835	0	0	1	0	DU	47.2827	68.2917	27.7	718.5	382	56855.	1143	1.3	1.2	5.9	0.1	0.1	4.8	21	0.0	
36834	0	0	0	0	DU	47.2827	68.2912	27.7	718.7	383	56855.	1090	1.3	1.6	5.4	1.3	0.3	4.4	15	0.0	
36833	0	0	1	0	DU	47.2828	68.2907	27.7	718.9	385	56855.	979	0.9	0.4	5.1	0.1	0.1	5.7	25	0.0	
36832	0	0	0	0	DU	47.2828	68.2902	27.8	719.1	389	56855.	1086	1.1	1.5	4.9	1.4	0.3	4.6	21	0.0	
36831	0	0	0	0	DU	47.2828	68.2897	27.8	719.2	396	56855.	1055	1.0	1.9	6.7	1.9	0.3	6.9	28	0.0	
36830	0	0	0	0	DU	47.2828	68.2892	27.8	719.4	403	56854.	1007	0.9	3.8	5.3	4.2	0.8	5.9	22	0.0	
36829	0	0	1	0	DU	47.2828	68.2887	27.8	719.5	407	56853.	982	0.6	1.0	5.2	0.1	0.1	9.2	19	0.0	
36828	0	0	0	0	DU	47.2828	68.2882	27.8	719.6	409	56852.	1058	1.1	2.3	7.2	2.2	0.4	6.8	13	0.0	
36827	0	0	0	0	DU	47.2828	68.2877	27.8	719.7	410	56851.	1149	1.2	2.1	4.9	1.7	0.5	4.1	29	0.0	
36826	0	0	0	0	DU	47.2828	68.2872	27.8	719.7	411	56851.	1176	1.1	1.6	7.7	1.6	0.3	7.6	18	0.0	
36825	0	0	0	0	DU	47.2828	68.2867	27.8	719.7	411	56850.	1178	1.2	2.1	5.9	1.8	0.4	5.1	24	0.0	
36824	0	0	1	0	DU	47.2828	68.2862	27.8	719.7	410	56849.	1124	1.2	0.1	4.9	0.1	0.1	4.1	34	0.0	
36823	0	0	1	0	DU	47.2828	68.2857	27.8	719.6	407	56848.	1062	1.0	1.1	7.8	0.1	0.1	7.7	18	0.0	
36822	0	0	1	0	DU	47.2828	68.2852	27.8	719.5	397	56849.	1073	1.0	1.0	5.2	0.1	0.1	5.2	20	0.0	
36821	0	0	1	0	DU	47.2828	68.2847	27.8	719.4	387	56850.	1126	1.1	0.7	5.5	0.1	0.1	5.1	19	0.0	
36820	0	0	1	0	DU	47.2828	68.2842	27.8	719.2	382	56850.	1096	1.2	1.3	6.2	0.1	0.1	5.3	19	0.0	
36819	0	0	1	0	DU	47.2828	68.2837	27.8	719.0	387	56850.	1070	0.9	0.3	7.6	0.1	0.1	8.5	25	0.1	
36818	0	0	1	0	DU	47.2828	68.2832	27.8	718.8	400	56850.	1191	1.4	0.2	9.3	0.1	0.1	6.8	20	0.1	
36817	0	0	1	0	DU	47.2828	68.2827	27.8	718.6	412	56850.	1180	1.3	1.4	4.7	0.1	0.1	3.9	34	0.1	
36816	0	0	0	0	DU	47.2828	68.2822	27.8	718.4	421	56850.	1172	1.2	3.0	5.6	2.7	0.6	4.9	26	0.1	
36815	0	0	0	0	DU	47.2828	68.2817	27.8	718.1	423	56850.	1311	1.1	2.0	6.7	1.9	0.3	6.3	26	0.1	
36814	0	0	0	0	DU	47.2828	68.2812	27.8	717.9	419	56848.	1209	1.3	2.5	6.9	2.0	0.4	5.7	28	0.1	
36813	0	0	0	0	DU	47.2828	68.2807	27.8	717.7	412	56848.	1213	1.4	1.5	4.5	1.1	0.4	3.4	19	0.1	
36812	0	0	0	0	DU	47.2828	68.2802	27.7	717.4	401	56850.	1271	1.3	1.8	6.7	1.4	0.3	5.2	24	0.1	
36811	0	0	0	0	DU	47.2828	68.2797	27.7	717.2	392	56851.	1128	1.3	1.6	6.1	1.3	0.3	5.0	23	0.1	
36810	0	0	1	0	DU	47.2828	68.2792	27.7	717.0	387	56852.	1172	1.1	1.2	5.6	0.1	0.1	5.6	24	0.1	
36809	0	0	0	0	DU	47.2828	68.2787	27.7	716.8	389	56852.	1188	1.3	1.5	5.7	1.2	0.3	4.7	24	0.1	

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
36808	0	0	0	0	Du	47.2828	68.2782	27.7	716.7	394	56852.	1193	1.0	3.0	5.5	3.0	0.6	5.5	26	0.1
36807	0	0	1	0	Du	47.2828	68.2777	27.9	716.5	397	56852.	1290	1.5	0.8	6.2	0.1	0.1	4.4	19	0.3
36806	0	0	0	0	Du	47.2828	68.2772	27.9	716.4	397	56851.	1287	1.2	2.3	5.3	2.0	0.5	4.7	18	0.5
36805	0	0	1	0	Du	47.2828	68.2767	27.9	716.4	397	56852.	1343	1.4	1.3	7.0	0.1	0.1	5.2	19	0.5
36804	0	0	1	0	Du	47.2828	68.2762	27.9	716.4	397	56854.	1316	1.5	0.9	7.7	0.1	0.1	5.2	24	0.6
36803	0	0	1	0	Du	47.2828	68.2757	27.9	716.4	395	56854.	1264	1.5	1.1	7.1	0.1	0.1	5.0	22	0.6
36802	0	0	0	0	Du	47.2828	68.2752	27.9	716.4	393	56853.	1376	1.5	2.7	6.7	1.9	0.5	4.7	29	0.5
36801	0	0	0	0	Du	47.2828	68.2747	27.9	716.4	391	56854.	1365	1.6	2.4	6.6	1.5	0.4	4.1	18	0.5
36800	0	0	0	0	Du	47.2828	68.2742	27.9	716.5	390	56853.	1439	1.5	1.8	7.5	1.2	0.3	5.1	23	0.5
36798	0	0	1	0	Du	47.2828	68.2732	27.9	716.5	390	56853.	1339	1.6	0.7	8.0	0.1	0.1	5.1	24	0.5
36797	0	0	1	0	Du	47.2829	68.2727	27.9	716.5	389	56852.	1340	1.6	0.3	8.2	0.1	0.1	5.2	24	0.5
36796	0	0	0	0	Du	47.2829	68.2722	27.9	716.6	388	56852.	1360	1.5	1.5	8.4	1.0	0.2	5.7	31	0.5
36795	0	0	1	0	Du	47.2829	68.2717	27.9	716.6	385	56853.	1410	1.6	1.4	7.5	0.1	0.1	4.9	22	0.5
36794	0	0	0	0	Du	47.2829	68.2712	27.9	716.7	381	56854.	1339	1.2	1.5	8.0	1.3	0.2	7.0	22	0.5
36793	0	0	1	0	Du	47.2829	68.2707	27.9	716.8	378	56854.	1383	1.4	1.1	8.0	0.1	0.1	5.9	32	0.4
36792	0	0	0	0	Du	47.2829	68.2702	27.9	716.9	376	56852.	1190	1.4	1.7	6.6	1.3	0.3	5.0	29	0.4
36791	0	0	0	0	Du	47.2829	68.2697	27.9	717.0	372	56852.	1114	1.2	1.3	4.6	1.1	0.3	3.9	27	0.4
36790	0	0	0	0	Du	47.2829	68.2692	27.9	717.1	362	56852.	1081	1.1	1.6	4.0	1.5	0.4	3.8	26	0.4
36789	0	0	0	0	Du	47.2829	68.2687	27.9	717.2	351	56853.	1107	1.2	1.8	6.5	1.6	0.3	5.8	24	0.4
36788	0	0	0	0	Du	47.2829	68.2682	27.9	717.4	342	56854.	979	0.9	1.5	4.5	1.8	0.4	5.6	27	0.4
36787	0	0	0	0	Du	47.2829	68.2677	27.9	717.6	342	56855.	1067	1.1	1.2	6.2	1.2	0.2	5.8	30	0.4
36786	0	0	0	0	Du	47.2829	68.2672	27.9	717.8	344	56856.	1067	1.3	1.9	6.2	1.5	0.3	5.0	30	0.4
36785	0	0	0	0	Du	47.2829	68.2667	27.9	718.0	348	56855.	1161	1.1	2.4	6.2	2.2	0.4	5.6	29	0.4
36784	0	0	1	0	Du	47.2829	68.2662	27.9	718.2	354	56855.	1229	1.1	1.1	6.2	0.1	0.1	5.7	18	0.4
36783	0	0	1	0	Du	47.2829	68.2657	28.0	718.5	361	56855.	1174	1.4	1.0	5.7	0.1	0.1	4.2	37	0.5
36782	0	0	1	0	Du	47.2829	68.2652	28.0	718.7	366	56855.	1197	1.2	1.2	6.4	0.1	0.1	5.3	27	0.5
36781	0	0	1	0	Du	47.2829	68.2647	28.0	718.9	369	56855.	1134	1.3	0.5	3.4	0.1	0.1	2.8	41	0.3
36780	0	0	1	0	Du	47.2829	68.2642	28.0	719.1	374	56854.	1049	1.2	0.6	6.6	0.1	0.1	5.8	20	0.2
36779	0	0	0	0	Du	47.2829	68.2637	28.0	719.4	383	56854.	1119	1.1	1.6	4.8	1.4	0.4	4.3	25	0.3
36778	0	0	1	0	Du	47.2829	68.2632	28.0	719.6	391	56854.	1031	1.3	-0.2	5.8	0.1	0.1	4.8	28	0.3
36777	0	0	0	0	Du	47.2829	68.2627	28.0	719.8	388	56854.	962	1.0	1.3	4.4	1.3	0.3	4.7	22	0.3
36776	0	0	0	0	Du	47.2829	68.2622	28.0	720.0	383	56854.	969	0.9	1.5	4.6	1.7	0.4	5.1	29	0.4
36775	0	0	1	0	Du	47.2829	68.2617	28.0	720.2	376	56853.	1031	1.1	1.2	4.4	0.1	0.1	4.1	17	0.5
36774	0	0	0	0	Du	47.2829	68.2612	28.0	720.3	372	56853.	1018	1.1	2.2	5.3	2.1	0.5	5.1	27	0.5
36773	0	0	0	0	Du	47.2829	68.2607	28.0	720.4	367	56854.	991	1.0	1.5	4.4	1.6	0.4	4.6	29	0.5
36772	0	0	1	0	Du	47.2829	68.2602	28.0	720.5	362	56854.	1014	0.8	1.0	5.6	0.1	0.1	7.6	28	0.6
36771	0	0	1	0	Du	47.2829	68.2597	28.0	720.6	361	56854.	1078	1.0	0.7	5.3	0.1	0.1	5.4	18	0.6
36770	0	0	0	0	Du	47.2829	68.2592	28.0	720.7	357	56854.	1056	1.0	1.7	4.7	1.8	0.4	4.9	20	0.6
36769	0	0	0	0	Du	47.2829	68.2587	28.0	720.8	355	56854.	1169	1.4	1.4	5.0	1.1	0.3	3.8	22	0.7
36768	0	0	0	0	Du	47.2829	68.2582	28.0	720.8	358	56855.	1294	1.4	2.4	7.3	1.7	0.4	5.2	12	0.7
36767	0	0	0	0	Du	47.2829	68.2577	28.0	720.9	364	56854.	1300	1.4	2.3	4.1	1.7	0.6	3.0	25	0.7
36766	0	0	1	0	Du	47.2829	68.2572	28.0	720.9	369	56853.	1257	1.3	1.1	6.8	0.1	0.1	5.4	23	0.7
36765	0	0	1	0	Du	47.2829	68.2567	28.0	720.9	368	56854.	1385	2.0	1.2	7.6	0.1	0.1	4.0	27	0.8
36764	0	0	1	0	Du	47.2829	68.2562	28.0	721.0	367	56855.	1392	1.8	0.6	8.6	0.1	0.1	5.0	25	0.9
36763	0	0	1	0	Du	47.2829	68.2557	28.0	721.0	365	56855.	1357	1.8	0.9	6.6	0.1	0.1	3.8	24	0.9
36762	0	0	0	0	Du	47.2829	68.2552	28.0	721.0	364	56855.	1369	1.8	1.7	5.6	1.0	0.3	3.3	14	1.0
36761	0	0	1	0	Du	47.2830	68.2547	28.0	721.1	364	56855.	1315	1.4	1.1	7.8	0.1	0.1	5.6	25	1.0
36760	0	0	0	0	Du	47.2830	68.2542	28.0	721.2	367	56855.	1345	1.4	2.0	6.9	1.5	0.3	5.0	26	1.1
36759	0	0	0	0	Du	47.2830	68.2537	28.0	721.2	372	56855.	1231	1.0	2.0	7.3	2.0	0.3	7.3	22	1.1
36758	0	0	0	0	Du	47.2830	68.2532	28.0	721.2	380	56855.	1325	1.5	1.8	7.7	1.2	0.3	5.2	19	1.1

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	FPM	PPM			CPS	CPS	
36757	0	0	1	0	DU	47.2830	68.2527	28.0	721.2	391	56854.	1223	1.2	0.6	7.0	0.1	0.1	6.1	19	1.1
36756	0	0	0	0	DU	47.2830	68.2521	28.0	721.2	401	56854.	974	1.0	1.4	4.6	1.5	0.3	5.0	24	1.1
36755	0	0	0	0	DU	47.2830	68.2516	28.0	721.2	410	56854.	998	1.1	2.2	3.6	2.0	0.6	3.4	26	1.1
36754	0	0	1	0	DU	47.2830	68.2510	28.0	721.2	417	56855.	864	0.9	0.1	4.2	0.1	0.1	4.8	26	1.1
36753	0	0	1	0	DU	47.2830	68.2504	28.0	721.2	418	56855.	840	0.9	1.1	3.8	0.1	0.1	4.5	28	1.1
36752	0	0	1	0	DU	47.2829	68.2498	28.0	721.2	421	56854.	741	0.7	0.5	3.9	0.1	0.1	6.3	22	1.1
36751	0	0	1	0	DU	47.2829	68.2492	28.0	721.2	421	56853.	608	0.6	0.3	2.3	0.1	0.1	3.9	16	1.2
36750	0	0	1	0	DU	47.2829	68.2486	28.0	721.3	415	56855.	538	0.5	0.1	2.7	0.1	0.1	0.1	21	1.2
36749	0	0	0	0	DU	47.2829	68.2481	28.0	721.2	414	56855.	615	0.6	1.5	3.2	2.5	0.5	5.4	24	1.2
36748	0	0	1	0	DU	47.2829	68.2475	28.0	721.2	414	56855.	617	0.6	-0.2	3.3	0.1	0.1	6.1	23	1.2
36747	0	0	1	0	DU	47.2829	68.2469	28.0	721.2	412	56855.	765	0.7	-0.4	3.7	0.1	0.1	5.4	28	1.2
36746	0	0	0	0	DU	47.2829	68.2463	28.0	721.2	406	56855.	791	0.9	1.5	4.8	1.7	0.3	5.5	20	1.2
36745	0	0	1	0	DU	47.2829	68.2457	28.0	721.3	397	56856.	736	0.7	-0.5	3.8	0.1	0.1	6.1	28	1.2
36744	0	0	1	0	DU	47.2829	68.2452	28.0	721.3	389	56856.	803	1.0	0.5	4.4	0.1	0.1	4.5	11	1.2
36743	0	0	1	0	DU	47.2829	68.2446	28.0	721.3	386	56856.	798	0.6	1.1	5.6	0.1	0.1	9.6	23	1.2
36742	0	0	1	0	DU	47.2829	68.2440	28.0	721.4	385	56855.	744	0.8	0.4	3.3	0.1	0.1	4.4	20	1.2
36741	0	0	1	0	DU	47.2829	68.2434	28.0	721.4	383	56855.	733	0.7	0.6	3.8	0.1	0.1	6.0	39	1.2
36740	0	0	0	0	DU	47.2829	68.2428	28.0	721.4	382	56856.	712	0.6	1.3	4.0	2.3	0.4	7.2	17	1.2
36739	0	0	1	0	DU	47.2829	68.2423	28.0	721.5	381	56856.	741	0.6	0.9	3.3	0.1	0.1	6.3	14	1.1
36738	0	0	1	0	DU	47.2829	68.2417	28.0	721.5	380	56855.	730	0.9	0.6	4.1	0.1	0.1	5.1	24	1.1
36737	0	0	1	0	DU	47.2829	68.2411	28.0	721.6	375	56855.	812	1.0	1.2	4.5	0.1	0.1	4.8	21	1.1
36736	0	0	1	0	DU	47.2829	68.2405	29.0	721.7	370	56856.	777	0.9	0.2	3.5	0.1	0.1	4.1	27	1.1
36735	0	0	0	0	DU	47.2829	68.2399	28.0	721.7	367	56857.	772	0.6	1.3	4.5	2.2	0.3	7.9	19	1.1
36734	0	0	1	0	DU	47.2829	68.2393	28.0	721.8	367	56857.	741	0.7	0.7	3.3	0.1	0.1	5.1	19	1.1
36733	0	0	1	0	DU	47.2829	68.2388	28.0	721.9	368	56856.	750	0.5	0.4	5.3	0.1	0.1	0.1	23	1.1
36732	0	0	0	0	DU	47.2829	68.2382	28.0	721.9	373	56855.	761	0.7	1.4	3.7	2.2	0.4	6.0	16	1.1
36731	0	0	0	0	DU	47.2829	68.2376	28.0	722.0	375	56856.	735	0.7	1.2	3.7	1.7	0.3	5.5	21	1.0
36730	0	0	1	0	DU	47.2829	68.2370	28.0	722.0	375	56856.	710	0.6	0.9	3.4	0.1	0.1	5.8	20	1.0
36729	0	0	1	0	DU	47.2829	68.2364	28.0	722.0	374	56855.	743	0.8	0.8	4.6	0.1	0.1	6.0	22	1.0
36728	0	0	0	0	DU	47.2829	68.2359	28.1	722.0	377	56855.	791	0.7	1.7	4.0	2.5	0.5	6.2	19	0.9
36727	0	0	1	0	DU	47.2829	68.2353	28.1	722.0	382	56856.	720	0.8	1.0	3.6	0.1	0.1	5.1	19	0.9
36726	0	0	0	0	DU	47.2829	68.2347	28.1	722.1	386	56856.	670	0.6	1.3	3.4	2.4	0.4	6.5	23	0.8
36725	0	0	1	0	DU	47.2829	68.2341	28.1	722.1	391	56856.	638	0.8	0.4	2.6	0.1	0.1	3.6	16	0.9
36724	0	0	1	0	DU	47.2829	68.2335	28.1	722.1	397	56857.	614	0.6	1.1	3.4	0.1	0.1	6.6	24	0.9
36723	0	0	1	0	DU	47.2829	68.2329	28.1	722.1	400	56858.	534	0.5	0.6	5.1	0.1	0.1	0.1	15	0.9
36722	0	0	1	0	DU	47.2829	68.2322	28.1	722.1	398	56858.	476	0.5	0.5	2.5	0.1	0.1	0.1	19	0.9
36721	0	0	1	0	DU	47.2828	68.2316	28.1	722.1	395	56858.	431	0.4	0.3	1.9	0.1	0.1	0.1	20	0.9
36720	0	0	1	0	DU	47.2828	68.2310	28.1	722.1	393	56858.	342	0.4	0.1	1.8	0.1	0.1	0.1	18	0.9
36719	0	0	1	0	DU	47.2828	68.2304	28.1	722.0	392	56857.	254	0.2	-0.3	1.6	0.1	0.1	0.1	28	0.9
36718	0	1	1	0	DU	47.2828	68.2298	28.1	722.0	391	56857.	270	0.2	0.8	1.2	0.1	0.1	0.1	23	1.0
36717	0	0	1	0	DU	47.2828	68.2291	28.1	722.0	390	56857.	300	0.3	-0.2	1.9	0.1	0.1	0.1	24	1.0
36716	0	0	1	0	DU	47.2828	68.2285	28.1	722.0	385	56857.	407	0.4	0.1	1.5	0.1	0.1	0.1	23	1.0
36715	0	0	1	0	DU	47.2828	68.2279	28.1	722.0	381	56857.	537	0.5	0.6	3.3	0.1	0.1	0.1	13	1.0
36714	0	0	1	0	DU	47.2828	68.2273	28.1	721.9	377	56858.	678	0.4	0.0	4.2	0.1	0.1	0.1	26	1.0
36713	0	0	0	0	DU	47.2828	68.2266	28.1	721.9	381	56858.	704	0.6	1.5	4.7	2.7	0.3	8.8	27	1.0
36712	0	0	1	0	DU	47.2828	68.2260	28.1	721.9	385	56858.	701	0.6	1.1	3.0	0.1	0.1	5.9	31	1.0
36711	0	0	1	0	DU	47.2828	68.2254	28.1	721.8	390	56858.	748	1.0	0.5	2.8	0.1	0.1	3.1	20	1.0
36710	0	0	1	0	DU	47.2828	68.2248	28.1	721.7	393	56858.	782	0.9	0.1	5.3	0.1	0.1	5.8	24	1.0
36709	0	0	1	0	DU	47.2828	68.2242	28.1	721.7	393	56858.	817	0.9	0.6	5.1	0.1	0.1	6.3	23	0.9
36708	0	0	0	0	DU	47.2828	68.2235	28.1	721.6	394	56857.	846	0.8	3.0	4.6	4.0	0.7	6.2	29	0.9

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
36707	0	0	1	0	Du	47.2828	68.2229	28.1	721.5	401	56855.	926	0.7	0.6	5.2	0.1	0.1	8.3	24	0.9
36706	0	0	1	0	Du	47.2828	68.2223	28.1	721.4	412	56854.	971	0.8	1.3	4.1	0.1	0.1	5.7	24	0.9
36705	0	0	0	0	Du	47.2828	68.2217	28.1	721.4	420	56853.	1131	1.1	2.5	7.6	2.5	0.4	7.4	20	0.9
36704	0	0	1	0	Du	47.2828	68.2211	28.1	721.3	421	56854.	1004	1.1	0.3	6.2	0.1	0.1	5.9	25	0.9
36702	0	0	1	0	Du	47.2828	68.2198	28.1	721.2	418	56854.	1157	1.3	1.1	6.8	0.1	0.1	5.5	28	0.9
36701	0	0	1	0	Du	47.2828	68.2192	28.1	721.2	414	56854.	1135	1.0	-0.7	7.4	0.1	0.1	7.3	30	1.0
36700	0	0	1	0	Du	47.2828	68.2186	28.1	721.2	411	56854.	1205	1.4	1.2	7.8	0.1	0.1	5.8	18	0.9
36699	0	0	1	0	Du	47.2828	68.2179	28.1	721.1	406	56854.	1196	1.2	0.6	7.6	0.1	0.1	6.4	20	0.9
36698	0	0	1	0	Du	47.2828	68.2173	28.1	721.1	402	56855.	1188	1.2	0.3	5.4	0.1	0.1	4.5	19	0.9
36697	0	0	0	0	Du	47.2828	68.2167	28.1	721.1	397	56855.	1152	1.3	2.1	6.1	1.7	0.4	4.9	30	0.8
36696	0	0	1	0	Du	47.2828	68.2161	28.1	721.0	394	56856.	1152	1.3	1.2	8.6	0.1	0.1	6.6	24	0.7
36695	0	0	0	0	Du	47.2828	68.2155	28.1	721.0	393	56856.	1161	0.8	3.0	6.5	3.8	0.5	8.3	25	0.7
36694	0	0	1	0	Du	47.2828	68.2148	28.1	721.1	393	56855.	1199	1.3	0.4	7.3	0.1	0.1	5.7	30	0.7
36693	0	0	1	0	Du	47.2828	68.2142	28.2	721.5	396	56855.	1218	1.4	1.2	6.7	0.1	0.1	4.9	19	0.6
36692	0	0	1	0	Du	47.2828	68.2136	28.2	721.4	396	56856.	1231	1.3	-0.1	7.2	0.1	0.1	5.5	24	0.6
36691	0	0	0	0	Du	47.2828	68.2130	28.2	721.4	396	56856.	1235	1.2	2.4	8.6	2.1	0.3	7.7	26	0.6
36690	0	0	1	0	Du	47.2828	68.2123	28.2	721.4	396	56855.	1173	1.2	0.9	7.5	0.1	0.1	6.5	23	0.5
36689	0	0	1	0	Du	47.2827	68.2117	28.2	721.4	395	56855.	1218	1.6	1.2	7.4	0.1	0.1	4.9	19	0.5
36688	0	0	1	0	Du	47.2827	68.2111	28.2	721.4	394	56856.	1174	1.5	0.7	7.0	0.1	0.1	4.7	20	0.5
36687	0	0	1	0	Du	47.2827	68.2105	28.2	721.5	393	56855.	1110	1.2	1.3	5.7	0.1	0.1	4.8	27	0.4
36686	0	0	0	0	Du	47.2827	68.2099	28.2	721.5	392	56854.	1185	1.5	2.8	6.0	1.9	0.5	4.0	20	0.4
36685	0	0	1	0	Du	47.2827	68.2092	28.2	721.5	391	56855.	1229	1.4	0.3	6.4	0.1	0.1	4.9	26	0.4
36684	0	0	0	0	Du	47.2827	68.2086	28.2	721.6	388	56856.	1241	1.4	3.0	7.7	2.3	0.4	5.7	19	0.3
36683	0	0	1	0	Du	47.2827	68.2080	28.2	721.7	383	56855.	1236	1.3	0.1	6.6	0.1	0.1	5.4	20	0.3
36682	0	0	0	0	Du	47.2827	68.2074	28.2	721.7	375	56857.	1241	1.3	1.8	6.6	1.5	0.3	5.4	21	0.3
36681	0	0	0	0	Du	47.2827	68.2067	28.2	721.8	368	56859.	1137	1.3	1.9	5.6	1.5	0.4	4.3	27	0.3
36680	0	0	1	0	Du	47.2827	68.2061	28.2	722.0	362	56859.	1180	1.3	1.0	7.6	0.1	0.1	6.2	22	0.3
36679	0	0	1	0	Du	47.2827	68.2055	28.2	722.1	358	56858.	1201	1.2	0.9	7.6	0.1	0.1	6.3	19	0.3
36678	0	0	1	0	Du	47.2827	68.2049	28.2	722.3	356	56858.	1232	1.4	1.2	6.3	0.1	0.1	4.7	22	0.2
36677	0	0	0	0	Du	47.2827	68.2043	28.2	722.4	357	56857.	1121	1.1	1.5	6.5	1.5	0.3	6.2	20	0.2
36676	0	0	0	0	Du	47.2827	68.2036	28.2	722.6	360	56858.	1124	1.3	1.4	5.3	1.1	0.3	4.2	28	0.1
36675	0	0	0	0	Du	47.2827	68.2030	28.2	722.7	364	56858.	1150	1.1	2.0	6.4	1.8	0.4	5.8	25	0.0
36674	0	0	0	0	Du	47.2827	68.2024	28.2	722.9	368	56857.	1062	1.1	2.8	2.9	2.6	1.0	2.8	20	0.0
36673	0	0	0	0	Du	47.2827	68.2018	28.2	723.0	370	56856.	1042	1.2	1.3	5.0	1.1	0.3	4.2	24	0.0
36672	0	0	0	0	Du	47.2827	68.2013	28.2	723.1	376	56855.	915	0.8	1.5	3.9	1.9	0.4	5.0	21	0.0
36671	0	0	0	0	Du	47.2827	68.2007	28.2	723.1	383	56855.	894	0.9	1.9	4.6	2.1	0.5	5.1	21	0.0
36670	0	0	1	0	Du	47.2827	68.2001	28.2	723.2	394	56855.	797	1.0	0.1	3.3	0.1	0.1	3.3	27	0.0
36669	0	0	1	0	Du	47.2827	68.1996	28.2	723.2	402	56854.	694	0.8	1.0	5.2	0.1	0.1	6.5	24	0.0
36668	0	0	1	0	Du	47.2828	68.1990	28.2	723.1	409	56856.	679	0.7	0.3	3.3	0.1	0.1	5.0	33	0.0
36667	0	0	1	0	Du	47.2828	68.1984	28.2	723.1	414	56856.	729	0.8	0.6	2.2	0.1	0.1	2.8	27	0.0
36666	0	0	0	0	Du	47.2828	68.1979	28.2	723.0	418	56854.	789	0.8	1.7	3.9	2.4	0.5	5.5	14	0.0
36665	0	0	1	0	Du	47.2828	68.1973	28.2	722.9	421	56853.	876	0.9	0.5	5.2	0.1	0.1	6.0	25	0.1
36664	0	0	1	0	Du	47.2828	68.1968	28.2	722.7	423	56855.	976	1.2	0.8	5.1	0.1	0.1	4.5	22	0.1
36663	0	0	1	0	Du	47.2828	68.1962	28.2	722.5	423	56855.	1066	0.9	1.0	4.6	0.1	0.1	5.3	16	0.1
36662	0	0	0	0	Du	47.2828	68.1956	28.2	722.4	421	56855.	1054	1.3	2.1	6.3	1.7	0.4	5.2	27	0.1
36661	0	0	1	0	Du	47.2828	68.1951	28.2	722.1	418	56855.	1096	1.2	1.2	4.0	0.1	0.1	3.6	21	0.1
36660	0	0	0	0	Du	47.2828	68.1945	28.2	721.9	416	56854.	1186	1.2	2.6	4.2	2.3	0.7	3.7	25	0.1
36659	0	0	1	0	Du	47.2828	68.1939	28.2	721.7	415	56854.	1191	1.2	1.1	7.1	0.1	0.1	5.9	26	0.1
36658	0	0	1	0	Du	47.2828	68.1934	28.2	721.4	416	56854.	1063	1.2	-0.3	7.1	0.1	0.1	6.0	23	0.2
36657	0	0	1	0	Du	47.2829	68.1928	28.2	721.1	418	56854.	1201	1.5	1.1	8.0	0.1	0.1	5.6	33	0.2

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
36656	0	0	1	0	DU	47.2829	68.1922	28.2	720.8	418	56854.	1188	1.2	1.2	7.4	0.1	0.1	6.6	27	0.2
36655	0	0	0	0	DU	47.2829	68.1917	28.2	720.6	415	56853.	1226	1.3	1.5	7.1	1.2	0.3	5.8	25	0.3
36654	0	0	1	0	DU	47.2829	68.1911	28.2	720.3	411	56853.	1197	1.1	1.2	6.5	0.1	0.1	6.1	15	0.3
36653	0	0	0	0	DU	47.2829	68.1906	28.2	720.0	405	56854.	1152	1.0	1.6	5.8	1.6	0.3	5.8	24	0.3
36652	0	0	0	0	DU	47.2829	68.1900	28.2	719.8	401	56854.	1173	1.2	2.1	7.7	1.8	0.3	6.8	20	0.3
36651	0	0	1	0	DU	47.2829	68.1894	28.2	719.5	397	56856.	1204	1.4	1.2	6.6	0.1	0.1	4.9	17	0.3
36650	0	0	0	0	DU	47.2829	68.1889	28.2	719.3	394	56856.	1218	1.6	1.4	5.4	0.9	0.3	3.4	28	0.4
36649	0	0	1	0	DU	47.2829	68.1883	28.2	719.1	390	56856.	1191	1.2	1.3	6.6	0.1	0.1	5.6	23	0.4
36648	0	0	0	0	DU	47.2829	68.1877	28.2	718.9	388	56857.	1247	1.3	1.9	7.9	1.6	0.3	6.4	28	0.4
36647	0	0	1	0	DU	47.2829	68.1872	28.2	718.8	387	56856.	1253	1.6	0.5	6.5	0.1	0.1	4.2	19	0.4
36646	0	0	0	0	DU	47.2829	68.1866	28.2	718.6	388	56854.	1249	1.4	2.0	7.4	1.5	0.3	5.6	30	0.5
36645	0	0	1	0	DU	47.2830	68.1860	28.2	718.5	390	56855.	1208	1.3	0.9	8.2	0.1	0.1	6.7	23	0.5
36644	0	0	0	0	DU	47.2830	68.1855	28.2	718.4	392	56856.	1213	1.4	1.8	6.9	1.3	0.3	5.1	15	0.4
36643	0	0	1	0	DU	47.2830	68.1849	28.2	718.3	395	56856.	1249	1.5	0.9	7.6	0.1	0.1	5.3	16	0.4
36642	0	0	1	0	DU	47.2830	68.1843	28.2	718.2	399	56854.	1213	1.3	1.2	5.7	0.1	0.1	4.6	30	0.4
36641	0	0	0	0	DU	47.2830	68.1838	28.2	718.2	404	56855.	1261	1.5	1.7	5.1	1.2	0.4	3.6	32	0.4
36640	0	0	0	0	DU	47.2830	68.1832	28.2	718.1	409	56855.	1266	1.4	1.5	5.5	1.1	0.3	3.9	11	0.4
36639	0	0	0	0	DU	47.2830	68.1826	28.2	718.0	414	56855.	1261	1.7	1.5	7.7	0.9	0.2	4.6	22	0.4
36638	0	0	0	0	DU	47.2830	68.1821	28.2	718.0	419	56855.	1146	1.2	1.5	4.7	1.3	0.3	4.1	23	0.4
36637	0	0	0	0	DU	47.2830	68.1815	28.4	717.6	428	56856.	1157	1.3	3.0	5.5	2.3	0.6	4.2	23	0.4
36636	0	0	0	0	DU	47.2830	68.1810	28.4	717.6	429	56856.	1187	1.2	1.6	6.9	1.4	0.3	6.2	18	0.4
36635	0	0	1	0	DU	47.2831	68.1804	28.4	717.6	430	56855.	1130	1.2	1.0	6.2	0.1	0.1	5.2	28	0.5
36634	0	0	1	0	DU	47.2831	68.1798	28.4	717.6	431	56855.	1134	1.4	-0.2	7.1	0.1	0.1	5.1	21	0.5
36633	0	0	1	0	DU	47.2831	68.1793	28.4	717.6	432	56856.	1032	1.4	1.3	5.7	0.1	0.1	4.3	29	0.5
36632	0	0	1	0	DU	47.2831	68.1787	28.4	717.6	431	56856.	993	1.0	0.1	7.2	0.1	0.1	7.3	18	0.5
36631	0	0	1	0	DU	47.2831	68.1781	28.4	717.6	437	56856.	999	1.1	0.0	6.7	0.1	0.1	6.4	20	0.6
36630	0	0	1	0	DU	47.2831	68.1776	28.4	717.6	446	56855.	1013	1.2	1.3	7.4	0.1	0.1	6.5	30	0.7
36629	0	0	1	0	DU	47.2831	68.1770	28.4	717.6	462	56854.	1011	1.2	1.6	6.0	0.1	0.1	5.3	32	0.7
36628	0	0	1	0	DU	47.2831	68.1764	28.4	717.6	473	56856.	1040	1.2	0.5	5.1	0.1	0.1	4.6	28	0.7
36627	0	0	0	0	DU	47.2831	68.1759	28.4	717.5	482	56858.	1094	1.3	3.0	6.9	2.3	0.5	5.3	20	0.8
36626	0	0	1	0	DU	47.2831	68.1753	28.4	717.5	483	56857.	1101	1.0	1.3	6.2	0.1	0.1	6.3	26	0.8
36625	0	0	1	0	DU	47.2831	68.1748	28.4	717.5	480	56856.	1157	1.3	1.1	5.8	0.1	0.1	4.7	24	0.9
36624	0	0	1	0	DU	47.2831	68.1742	28.4	717.5	473	56856.	1167	1.6	1.4	5.0	0.1	0.1	3.3	23	0.9
36623	0	0	1	0	DU	47.2831	68.1736	28.4	717.5	463	56857.	1251	1.4	1.3	7.2	0.1	0.1	5.2	26	1.0
36622	0	0	0	0	DU	47.2832	68.1731	28.4	717.5	454	56858.	1212	1.3	2.8	7.0	2.1	0.4	5.4	18	1.0
36621	0	0	1	0	DU	47.2832	68.1725	28.4	717.6	446	56858.	1226	1.6	1.2	5.2	0.1	0.1	3.3	30	1.0
36620	0	0	1	0	DU	47.2832	68.1719	28.4	717.6	438	56859.	1216	1.5	0.7	6.8	0.1	0.1	4.7	19	1.1
36619	0	0	1	0	DU	47.2832	68.1714	28.4	717.6	430	56859.	1233	1.2	0.3	7.3	0.1	0.1	6.3	17	1.1
36618	0	0	0	0	DU	47.2832	68.1709	28.4	717.7	422	56859.	1185	1.2	1.5	7.2	1.3	0.3	6.3	32	1.2
36617	0	0	0	0	DU	47.2832	68.1704	28.4	717.8	416	56858.	1243	1.4	2.0	6.8	1.5	0.3	5.0	22	1.2
36616	0	0	0	0	DU	47.2831	68.1699	28.4	717.9	410	56857.	1177	1.6	2.0	5.4	1.3	0.4	3.6	31	1.2
36615	0	0	1	0	DU	47.2831	68.1694	28.4	718.0	405	56858.	1229	1.5	1.1	6.2	0.1	0.1	4.3	28	1.2
36614	0	0	0	0	DU	47.2831	68.1689	28.4	718.0	402	56859.	1187	1.3	1.5	5.9	1.2	0.3	4.7	20	1.3
36613	0	0	1	0	DU	47.2831	68.1684	28.4	718.1	400	56858.	1189	1.1	1.0	7.5	0.1	0.1	6.8	25	1.3
36612	0	0	0	0	DU	47.2831	68.1679	28.4	718.2	399	56859.	1207	1.2	2.5	5.2	2.2	0.5	4.7	18	1.3
36611	0	0	0	0	DU	47.2831	68.1674	28.4	718.3	397	56860.	1176	1.4	1.7	6.3	1.2	0.3	4.7	19	1.3
36610	0	0	1	0	DU	47.2831	68.1669	28.4	718.4	396	56860.	1195	1.3	1.0	7.6	0.1	0.1	6.2	27	1.3
36609	0	0	1	0	DU	47.2831	68.1664	28.4	718.5	393	56859.	1210	1.5	1.2	7.6	0.1	0.1	5.3	24	1.3
36607	0	0	0	0	DU	47.2831	68.1654	28.4	718.6	390	56858.	1167	1.1	2.2	7.5	2.1	0.3	7.3	20	1.3
36606	0	0	1	0	DU	47.2831	68.1649	28.4	718.6	387	56861.	1185	1.2	1.0	7.6	0.1	0.1	6.3	19	1.2

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI			
												CPS	%	PPM	PPM							CPS	CPS
36605	0	0	0	0	Du	47.2831	68.1644	28.4	718.7	384	56864.	1114	1.3	1.7	5.8	1.4	0.3	4.7	21	1.2			
36604	0	0	1	0	Du	47.2831	68.1638	28.4	718.8	381	56864.	1212	1.3	1.1	5.4	0.1	0.1	4.3	16	1.1			
36603	0	0	0	0	Du	47.2831	68.1633	28.5	718.8	378	56863.	1172	1.3	1.8	6.0	1.4	0.3	4.9	20	1.1			
36602	0	0	0	0	Du	47.2831	68.1628	28.5	718.9	378	56861.	1118	1.2	2.0	5.5	1.7	0.4	4.8	28	1.1			
36601	0	0	1	0	Du	47.2831	68.1623	28.5	719.0	379	56860.	1071	1.1	0.8	5.7	0.1	0.1	5.6	26	1.1			
36600	0	0	0	0	Du	47.2831	68.1618	28.5	719.0	381	56860.	1053	1.1	1.4	6.7	1.3	0.2	6.4	28	1.1			
36599	0	0	1	0	Du	47.2830	68.1613	28.5	719.1	383	56860.	994	1.1	-0.1	5.3	0.1	0.1	4.8	37	1.1			
36598	0	0	0	0	Du	47.2830	68.1608	28.5	719.2	386	56860.	1006	1.0	1.8	4.9	1.9	0.4	5.1	31	1.1			
36597	0	0	1	0	Du	47.2830	68.1603	28.5	719.2	390	56859.	1050	1.1	-0.2	4.7	0.1	0.1	4.3	23	1.1			
36596	0	0	0	0	Du	47.2830	68.1598	28.5	719.3	391	56859.	1034	1.1	2.0	5.1	1.9	0.4	4.7	21	1.0			
36595	0	0	1	0	Du	47.2830	68.1593	28.5	719.3	392	56860.	1105	1.1	1.1	5.4	0.1	0.1	5.0	26	1.0			
36594	0	0	1	0	Du	47.2830	68.1588	28.5	719.4	390	56860.	1136	1.0	0.8	5.0	0.1	0.1	5.2	21	1.0			
36593	0	0	0	0	Du	47.2830	68.1583	28.5	719.4	388	56861.	1155	0.9	3.6	6.4	4.0	0.6	7.2	25	0.9			
36592	0	0	1	0	Du	47.2830	68.1578	28.5	719.5	387	56862.	1061	1.2	0.5	5.6	0.1	0.1	5.0	25	0.9			
36591	0	0	1	0	Du	47.2830	68.1573	28.5	719.5	384	56862.	1015	1.2	0.5	5.6	0.1	0.1	4.9	19	0.9			
36590	0	0	0	0	Du	47.2830	68.1568	28.5	719.6	384	56860.	1039	1.2	1.4	6.6	1.2	0.3	5.6	34	0.9			
36589	0	0	1	0	Du	47.2830	68.1563	28.5	719.6	389	56859.	1013	1.1	1.0	4.9	0.1	0.1	4.5	41	0.9			
36588	0	0	1	0	Du	47.2830	68.1558	28.5	719.7	400	56857.	1042	1.1	1.1	6.2	0.1	0.1	5.9	13	0.8			
36587	0	0	0	0	Du	47.2830	68.1553	28.5	719.7	419	56858.	1044	1.1	2.3	6.3	2.2	0.4	5.9	21	0.8			
36586	0	0	0	0	Du	47.2830	68.1547	28.5	719.7	432	56860.	1108	1.3	2.5	4.4	2.1	0.6	3.6	16	0.8			
36585	0	0	1	0	Du	47.2830	68.1543	28.6	719.8	437	56861.	1127	1.4	0.4	7.3	0.1	0.1	5.5	26	0.8			
36584	0	0	1	0	Du	47.2829	68.1537	28.6	719.8	427	56860.	1069	1.3	1.2	7.2	0.1	0.1	5.8	23	0.7			
36583	0	0	0	0	Du	47.2829	68.1532	28.6	719.9	412	56857.	1241	1.2	2.7	7.9	2.4	0.4	7.0	23	0.7			
36582	0	0	1	0	Su	47.2829	68.1527	28.6	719.9	394	56852.	1175	1.1	1.3	6.5	0.1	0.1	5.8	24	0.6			
36581	0	0	0	0	Su	47.2829	68.1522	28.6	720.0	380	56852.	1178	1.3	1.6	7.3	1.3	0.3	5.7	20	0.6			
36580	0	0	0	0	Su	47.2829	68.1517	28.8	721.4	361	56857.	1144	1.1	1.4	5.1	1.3	0.3	4.7	25	0.6			
36579	0	0	1	0	Su	47.2829	68.1512	28.8	721.3	359	56858.	1148	1.4	0.4	6.4	0.1	0.1	4.9	32	0.6			
36578	0	0	0	0	Su	47.2829	68.1507	28.8	721.3	357	56859.	1235	1.1	2.1	5.7	1.9	0.4	5.2	16	0.5			
36577	0	0	1	0	Su	47.2829	68.1502	28.8	721.3	354	56859.	1249	1.1	1.1	7.3	0.1	0.1	7.0	24	0.5			
36576	0	0	1	0	Su	47.2829	68.1497	28.8	721.3	353	56857.	1239	1.4	1.1	6.1	0.1	0.1	4.3	25	0.5			
36575	0	0	1	0	Su	47.2829	68.1492	28.8	721.4	353	56857.	1209	1.4	0.9	4.5	0.1	0.1	3.4	29	0.4			
36574	0	0	0	0	Su	47.2829	68.1487	28.8	721.5	355	56858.	1180	1.0	1.6	6.7	1.6	0.3	6.7	37	0.3			
36573	0	0	0	0	Su	47.2829	68.1482	28.8	721.6	358	56859.	1184	1.1	2.7	5.6	2.6	0.5	5.5	27	0.2			
36572	0	0	0	0	Su	47.2829	68.1477	28.8	721.7	365	56859.	1201	1.2	1.4	4.4	1.2	0.4	3.7	27	0.1			
36571	0	0	0	0	Su	47.2829	68.1472	28.8	721.8	373	56858.	1249	1.4	2.9	5.8	2.1	0.5	4.3	22	0.0			
36570	0	0	1	0	Su	47.2829	68.1467	28.8	721.9	381	56858.	1177	1.2	1.0	6.6	0.1	0.1	5.5	27	0.0			
36569	0	0	0	0	Su	47.2828	68.1462	28.8	722.0	388	56857.	1204	1.2	2.9	5.0	2.5	0.6	4.2	26	0.0			
36568	0	0	0	0	Su	47.2828	68.1456	28.8	722.2	395	56857.	1268	1.5	1.3	7.0	0.9	0.2	4.8	33	0.0			
36567	0	0	1	0	Su	47.2828	68.1451	28.8	722.4	400	56858.	1258	1.3	1.3	5.5	0.1	0.1	4.3	28	0.0			
36566	0	0	1	0	Su	47.2828	68.1446	28.8	722.7	404	56859.	1233	1.2	1.0	7.8	0.1	0.1	6.5	25	0.0			
36565	0	0	0	0	Su	47.2828	68.1441	28.8	723.0	404	56858.	1248	1.2	1.6	6.6	1.4	0.3	5.8	25	0.0			
36564	0	0	0	0	Su	47.2828	68.1436	28.8	723.3	403	56858.	1176	1.2	1.9	9.0	1.6	0.3	7.5	20	0.0			
36563	0	0	1	0	Su	47.2828	68.1431	28.8	723.6	401	56857.	1125	0.9	1.0	6.5	0.1	0.1	7.3	19	0.0			
36562	0	0	1	0	Su	47.2828	68.1426	28.8	723.9	399	56856.	1096	0.9	0.7	5.9	0.1	0.1	6.8	24	0.0			
36561	0	0	1	0	Su	47.2828	68.1421	28.8	724.1	396	56857.	1025	0.9	1.3	6.5	0.1	0.1	7.9	18	0.0			
36560	0	0	0	0	Su	47.2828	68.1416	28.8	724.4	392	56857.	985	0.8	1.5	4.6	1.9	0.4	5.8	19	0.0			
36559	0	0	0	0	Su	47.2828	68.1410	28.8	724.7	389	56857.	981	0.9	1.6	5.2	1.9	0.3	6.1	26	0.0			
36558	0	0	0	0	Su	47.2828	68.1404	28.8	724.9	387	56858.	892	0.9	1.5	4.3	1.8	0.4	5.3	26	0.0			
36557	0	0	1	0	Su	47.2828	68.1397	28.8	725.1	388	56860.	825	0.9	-0.3	5.2	0.1	0.1	6.0	21	0.0			
36556	0	0	0	0	Su	47.2828	68.1391	28.8	725.3	389	56861.	782	0.6	1.6	5.3	2.6	0.3	8.8	19	0.0			

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
36555	0	0	1	0	SU	47.2828	68.1385	28.8	725.5	391	56860.	710	0.7	0.2	2.4	0.1	0.1	3.8	17	0.0
36554	0	0	0	0	SU	47.2828	68.1379	28.8	725.7	393	56859.	722	0.7	1.8	3.3	2.6	0.6	4.8	17	0.0
36553	0	0	0	0	SU	47.2828	68.1372	28.8	725.8	397	56862.	760	0.7	1.3	2.3	1.9	0.6	3.6	28	0.0
36552	0	0	1	0	SU	47.2828	68.1366	28.8	725.9	401	56862.	725	0.7	0.5	3.3	0.1	0.1	4.7	19	0.0
36551	0	0	1	0	SU	47.2828	68.1360	28.8	726.0	404	56862.	761	0.9	0.5	2.2	0.1	0.1	2.5	34	0.0
36550	0	0	1	0	SU	47.2828	68.1354	28.8	726.1	405	56860.	757	1.0	-0.2	4.4	0.1	0.1	4.4	22	0.0
36549	0	0	1	0	SU	47.2828	68.1347	28.8	726.1	400	56860.	767	0.6	1.1	3.8	0.1	0.1	6.4	17	0.0
36548	0	0	1	0	SU	47.2828	68.1341	28.8	726.2	399	56862.	840	0.9	1.1	3.2	0.1	0.1	3.8	22	0.0
36547	0	0	1	0	SU	47.2828	68.1335	28.8	726.2	401	56862.	819	1.0	0.7	3.4	0.1	0.1	3.5	23	0.0
36546	0	0	0	0	SU	47.2828	68.1329	28.8	726.2	409	56861.	879	0.7	1.4	4.4	2.1	0.4	6.3	18	0.0
36545	0	0	0	0	SU	47.2828	68.1322	28.8	726.3	412	56857.	954	0.8	1.3	5.8	1.7	0.3	7.6	25	0.0
36544	0	0	0	0	SU	47.2828	68.1316	28.9	726.3	407	56857.	958	1.0	1.4	3.4	1.5	0.5	3.6	31	0.0
36543	0	0	0	0	SU	47.2828	68.1310	28.9	726.4	400	56857.	1136	1.2	1.4	6.4	1.2	0.3	5.5	26	0.0
36542	0	0	0	0	SU	47.2828	68.1304	28.9	726.4	397	56855.	1138	1.3	1.7	8.5	1.4	0.3	7.0	25	0.0
36541	0	0	1	0	SU	47.2828	68.1297	28.9	726.4	403	56857.	1183	1.0	1.0	6.9	0.1	0.1	7.3	25	0.0
36540	0	0	1	0	SU	47.2828	68.1291	28.9	726.4	416	56862.	1248	1.3	1.1	8.0	0.1	0.1	6.2	22	0.0
36539	0	0	0	0	SU	47.2828	68.1285	28.9	726.5	428	56864.	1280	1.6	2.6	6.1	1.7	0.5	4.0	16	0.0
36538	0	0	1	0	SU	47.2828	68.1279	28.9	726.5	437	56862.	1335	1.8	1.1	6.7	0.1	0.1	3.8	24	0.0
36537	0	0	1	0	SU	47.2828	68.1273	28.9	726.6	442	56860.	1225	1.4	0.5	6.6	0.1	0.1	4.9	24	0.0
36536	0	0	1	0	SU	47.2828	68.1266	28.9	726.6	443	56861.	1108	1.3	1.1	8.0	0.1	0.1	6.1	15	0.0
36535	0	0	1	0	SU	47.2828	68.1260	28.9	726.6	445	56863.	1060	1.4	-1.2	5.8	0.1	0.1	4.4	33	0.0
36534	0	0	1	0	SU	47.2828	68.1254	28.9	726.7	450	56862.	1005	1.2	1.0	4.7	0.1	0.1	4.0	18	0.0
36533	0	0	1	0	SU	47.2828	68.1248	28.9	726.7	457	56862.	1042	1.3	1.2	3.7	0.1	0.1	3.1	27	0.0
36532	0	0	0	0	SU	47.2828	68.1241	28.9	726.7	460	56862.	1029	1.1	1.5	6.4	1.4	0.3	6.2	17	0.0
36531	0	0	1	0	SU	47.2828	68.1235	28.9	726.8	459	56862.	956	0.9	0.5	5.8	0.1	0.1	6.8	17	0.0
36530	0	0	0	0	SU	47.2828	68.1229	28.9	726.8	457	56864.	1046	1.3	1.6	5.0	1.3	0.4	4.0	18	0.0
36529	0	0	1	0	SU	47.2828	68.1223	28.9	726.9	453	56865.	1025	1.0	1.0	7.9	0.1	0.1	8.6	27	0.0
36528	0	0	0	0	SU	47.2828	68.1216	28.9	727.0	450	56864.	1083	1.4	1.7	5.8	1.3	0.3	4.4	22	0.0
36527	0	0	1	0	SU	47.2828	68.1210	28.9	727.0	447	56864.	1026	1.1	0.6	5.4	0.1	0.1	5.0	25	0.0
36526	0	0	1	0	SU	47.2828	68.1204	28.9	727.1	445	56863.	956	1.2	1.2	5.8	0.1	0.1	4.9	26	0.0
36525	0	0	1	0	SU	47.2828	68.1198	28.9	727.2	446	56861.	873	1.3	1.0	3.4	0.1	0.1	2.8	27	0.0
36524	0	0	1	0	SU	47.2828	68.1191	28.9	727.3	446	56860.	978	1.1	0.6	5.4	0.1	0.1	5.0	29	0.0
36523	0	0	0	0	SU	47.2828	68.1185	28.9	727.4	445	56861.	1003	1.2	0.1	6.6	0.1	0.1	5.9	19	0.0
36522	0	0	0	0	SU	47.2828	68.1179	28.9	727.5	441	56862.	1023	1.1	1.5	4.2	1.4	0.4	4.0	24	0.0
36521	0	0	0	0	SU	47.2828	68.1172	28.9	727.6	437	56863.	980	0.9	1.8	5.8	2.1	0.4	6.5	26	0.0
36520	0	0	1	0	SU	47.2828	68.1166	28.9	727.6	433	56863.	929	0.8	0.8	4.0	0.1	0.1	5.1	19	0.0
36519	0	0	0	0	SU	47.2828	68.1160	28.9	727.7	430	56864.	913	0.8	1.6	4.9	2.1	0.4	6.3	21	0.0
36518	0	0	1	0	SU	47.2828	68.1154	28.9	727.8	428	56864.	813	0.7	1.2	5.0	0.1	0.1	7.2	18	0.0
36517	0	0	0	0	SU	47.2828	68.1147	28.9	727.9	425	56862.	903	0.8	1.4	4.6	1.9	0.3	6.1	19	0.0
36516	0	0	1	0	SU	47.2828	68.1141	28.9	727.9	424	56861.	811	0.9	0.5	5.1	0.1	0.1	6.0	15	0.0
36515	0	0	1	0	SU	47.2828	68.1135	28.9	728.0	423	56860.	815	0.8	1.1	6.0	0.1	0.1	7.9	21	0.0
36514	0	0	1	0	SU	47.2828	68.1129	28.9	728.1	425	56857.	687	0.8	0.9	3.0	0.1	0.1	4.0	23	0.0
36512	0	0	1	0	SU	47.2828	68.1116	28.9	728.1	429	56857.	684	0.8	0.8	5.3	0.1	0.1	7.4	24	0.0
36511	0	0	1	0	Water	47.2828	68.1110	28.9	728.1	425	56861.	593	0.6	1.2	3.9	0.1	0.1	6.5	15	0.0
36510	0	0	1	0	Water	47.2827	68.1104	28.9	728.2	442	56859.	545	0.5	0.6	1.6	0.1	0.1	0.1	21	0.0
36509	0	0	1	0	Water	47.2827	68.1097	28.9	728.2	448	56859.	700	0.4	0.7	3.1	0.1	0.1	6.2	17	0.0
36508	0	0	1	0	Water	47.2827	68.1091	28.9	728.2	451	56856.	403	0.6	-0.7	2.1	0.1	0.1	5.1	14	0.0
36507	0	0	1	0	Water	47.2827	68.1085	28.9	728.2	450	56857.	350	0.5	0.1	3.0	0.1	0.1	0.1	31	0.0
36506	0	0	1	0	Water	47.2827	68.1078	28.9	728.3	447	56858.	269	0.3	-0.4	1.4	0.1	0.1	0.1	22	0.0
36505	0	0	1	0	Water	47.2827	68.1072	28.9	728.3	443	56857.	279	0.4	0.2	3.3	0.1	0.1	0.1	21	0.0

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
36504	0	0	1	0	Water	47.2827	68.1066	28.9	728.3	441	56856.	276	0.4	0.3	1.5	0.1	0.1	0.1	10	0.0
36503	0	0	1	1	Water	47.2827	68.1059	28.9	728.3	440	56857.	217	0.3	-0.2	0.6	0.1	0.1	0.1	22	0.0
36502	0	0	1	0	Water	47.2827	68.1053	28.9	728.3	441	56859.	191	0.3	-0.2	1.3	0.1	0.1	0.1	23	0.0
36501	0	1	1	1	Water	47.2827	68.1047	28.9	728.3	444	56860.	246	0.1	0.3	1.1	0.1	0.1	0.1	22	0.0
36500	0	1	1	0	Unknon	47.2827	68.1041	28.9	728.3	447	56859.	227	0.1	0.6	2.6	0.1	0.1	0.1	26	0.0
36499	0	0	1	0	Unknon	47.2827	68.1034	28.9	728.3	449	56859.	279	0.3	0.5	2.3	0.1	0.1	0.1	23	0.0
36498	0	0	1	0	Unknon	47.2827	68.1028	28.9	728.4	450	56860.	352	0.5	0.5	1.8	0.1	0.1	0.1	18	0.0
36497	0	0	1	0	Unknon	47.2827	68.1022	28.9	728.4	449	56861.	390	0.4	0.5	2.3	0.1	0.1	0.1	29	0.0
36496	0	0	1	0	Unknon	47.2827	68.1016	28.9	728.4	445	56860.	491	0.6	1.0	2.2	0.1	0.1	4.0	20	0.0
36495	0	0	1	0	Unknon	47.2827	68.1009	28.9	728.4	437	56861.	651	0.8	0.5	4.5	0.1	0.1	6.1	23	0.0
36494	0	0	1	0	Unknon	47.2827	68.1003	28.9	728.4	424	56863.	740	0.8	0.0	4.3	0.1	0.1	6.0	30	0.0
36493	0	0	1	0	Unknon	47.2826	68.0997	28.9	728.4	410	56864.	891	1.3	0.6	5.0	0.1	0.1	4.1	19	0.0
36492	0	0	1	0	Unknon	47.2826	68.0990	28.9	728.5	397	56864.	951	1.2	0.6	4.6	0.1	0.1	4.0	18	0.0
36491	0	0	0	0	Unknon	47.2826	68.0984	28.9	728.5	389	56865.	1007	1.3	1.6	4.3	1.2	0.4	3.3	17	0.0
36490	0	0	1	0	Unknon	47.2826	68.0978	28.9	728.5	386	56866.	1015	1.2	0.6	4.5	0.1	0.1	3.8	21	0.0
36489	0	0	0	0	Unknon	47.2826	68.0972	28.9	728.6	385	56867.	1011	1.2	1.4	7.1	1.2	0.2	6.1	17	0.0
36488	0	0	1	0	Unknon	47.2826	68.0965	28.9	728.6	387	56865.	1062	1.6	0.5	6.7	0.1	0.1	4.2	32	0.0
36487	0	0	1	0	Unknon	47.2826	68.0959	28.9	728.7	392	56864.	1030	1.2	0.0	6.1	0.1	0.1	5.4	18	0.0

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
44301	0	0	1	0	0Epa	47.1953	69.5103	25.6	701.8	416	56831.	660	0.7	1.1	3.4	0.1	0.1	5.0	20	0.8
44300	0	0	1	0	0Epa	47.1954	69.5097	25.6	701.9	426	56832.	657	0.8	0.2	4.7	0.1	0.1	6.5	29	0.8
44299	0	0	1	0	0Epa	47.1954	69.5092	25.6	702.0	443	56831.	631	0.8	0.4	2.2	0.1	0.1	2.9	18	0.9
44298	0	0	1	0	0Epa	47.1954	69.5087	25.6	702.0	455	56831.	667	0.9	0.1	4.1	0.1	0.1	4.9	24	0.9
44297	0	0	1	0	0Epa	47.1954	69.5082	25.6	702.1	461	56831.	525	0.4	-0.3	1.7	0.1	0.1	0.1	27	0.9
44296	0	0	0	0	0Epa	47.1954	69.5077	25.6	702.2	458	56830.	561	0.6	1.2	3.6	2.1	0.4	6.3	27	0.9
44295	0	0	1	0	0Epa	47.1954	69.5072	25.6	702.3	455	56830.	560	0.7	-0.2	2.1	0.1	0.1	3.1	23	0.9
44294	0	0	1	0	0Epa	47.1954	69.5066	25.6	702.5	454	56830.	559	0.5	0.4	2.4	0.1	0.1	0.1	29	0.9
44293	0	0	1	C	0Epa	47.1955	69.5061	25.6	702.6	454	56830.	582	0.4	1.1	2.1	0.1	0.1	0.1	18	0.9
44292	0	0	1	0	0Epa	47.1955	69.5056	25.6	702.7	453	56829.	580	0.6	0.6	4.3	0.1	0.1	8.1	19	0.9
44291	0	0	1	0	0Epa	47.1955	69.5051	25.6	702.9	448	56828.	604	0.7	0.9	2.2	0.1	0.1	3.2	25	0.9
44289	0	0	1	0	0Epa	47.1955	69.5041	25.6	703.0	445	56829.	552	0.5	1.0	2.8	0.1	0.1	0.1	24	0.9
44288	0	0	1	0	0Epa	47.1955	69.5035	25.6	703.2	444	56830.	566	0.5	0.9	3.7	0.1	0.1	0.1	21	0.9
44287	0	0	1	0	0Epa	47.1956	69.5030	25.6	703.3	445	56830.	621	0.8	0.8	2.8	0.1	0.1	3.6	33	0.9
44286	0	0	1	0	0Epa	47.1956	69.5025	25.6	703.4	445	56829.	665	1.0	-0.3	1.8	0.1	0.1	2.0	20	0.9
44285	0	0	1	0	0Epa	47.1956	69.5020	25.6	703.5	444	56829.	616	0.7	-0.2	3.8	0.1	0.1	5.7	23	0.9
44284	0	0	1	0	0Epa	47.1956	69.5015	25.6	703.6	444	56829.	696	0.7	1.1	2.9	0.1	0.1	4.4	29	0.9
44283	0	0	1	0	0Epa	47.1956	69.5010	25.7	703.8	442	56829.	641	0.9	0.3	3.1	0.1	0.1	3.8	14	0.8
44282	0	0	1	0	0Epa	47.1956	69.5004	25.7	703.8	438	56829.	655	0.9	-0.3	3.5	0.1	0.1	3.8	34	0.8
44281	0	0	1	0	0Epa	47.1957	69.4999	25.7	703.9	428	56828.	643	0.7	0.5	3.3	0.1	0.1	4.8	25	0.8
44280	0	0	1	0	0Epa	47.1957	69.4994	25.7	704.0	418	56826.	666	0.7	-0.4	5.4	0.1	0.1	8.3	23	0.8
44279	0	0	1	0	0Epa	47.1957	69.4989	25.7	704.1	409	56827.	582	0.6	0.3	3.1	0.1	0.1	5.6	25	0.8
44278	0	0	1	0	0Epa	47.1957	69.4984	25.7	705.3	411	56828.	663	0.6	0.8	2.8	0.1	0.1	4.8	30	0.8
44277	0	0	1	0	0Epa	47.1957	69.4978	25.7	705.2	412	56828.	645	0.7	0.9	3.8	0.1	0.1	5.6	25	0.7
44276	0	0	1	0	0Epa	47.1957	69.4973	25.7	705.2	414	56828.	688	0.9	0.6	1.7	0.1	0.1	2.0	22	0.7
44275	0	0	1	0	0Epa	47.1958	69.4968	25.7	705.2	420	56828.	695	0.7	0.6	2.8	0.1	0.1	4.2	28	0.7
44274	0	0	1	0	0Epa	47.1958	69.4963	25.7	705.2	427	56827.	655	0.6	0.8	4.4	0.1	0.1	8.1	23	0.6
44273	0	0	1	0	0Epa	47.1958	69.4958	25.7	705.2	435	56825.	717	0.7	0.9	2.6	0.1	0.1	4.1	24	0.6
44272	0	0	1	0	0Epa	47.1958	69.4953	25.7	705.3	444	56826.	709	0.6	0.6	3.6	0.1	0.1	7.0	26	0.6
44271	0	0	0	0	0Epa	47.1958	69.4948	25.7	705.3	454	56829.	783	0.9	1.7	4.7	1.9	0.4	5.4	21	0.5
44270	0	0	1	0	0Epa	47.1959	69.4942	25.7	705.4	467	56830.	749	0.7	0.9	5.3	0.1	0.1	8.0	26	0.5
44269	0	0	1	0	0Epa	47.1959	69.4937	25.7	705.5	475	56830.	748	1.1	1.0	3.3	0.1	0.1	3.2	26	0.5
44268	0	0	1	0	0Epa	47.1959	69.4932	25.7	705.6	480	56830.	723	0.9	0.7	3.4	0.1	0.1	3.8	34	0.4
44267	0	0	1	0	0Epa	47.1959	69.4927	25.7	705.7	478	56828.	727	0.7	1.1	4.5	0.1	0.1	6.9	21	0.4
44266	0	0	1	0	0Epa	47.1959	69.4922	25.7	705.8	475	56826.	667	0.7	0.0	4.5	0.1	0.1	6.4	31	0.4
44265	0	0	1	0	0Epa	47.1959	69.4916	25.7	706.0	470	56827.	645	0.9	-0.3	3.2	0.1	0.1	3.7	34	0.3
44264	0	0	1	0	0Epa	47.1959	69.4911	25.7	706.2	464	56828.	704	0.8	0.3	4.0	0.1	0.1	5.3	21	0.3
44263	0	0	1	0	0Epa	47.1960	69.4906	25.7	706.4	459	56828.	579	0.7	-0.2	4.9	0.1	0.1	7.8	25	0.1
44262	0	0	1	0	0Epa	47.1960	69.4901	25.7	706.7	454	56827.	561	0.5	0.4	2.5	0.1	0.1	0.1	23	0.0
44261	0	0	1	0	0Epa	47.1960	69.4896	25.7	706.9	449	56826.	548	0.6	0.5	4.8	0.1	0.1	9.5	33	0.0
44260	0	0	1	0	0Epa	47.1960	69.4891	25.7	707.1	441	56827.	530	0.6	-0.2	1.8	0.1	0.1	3.1	24	0.0
44259	0	0	1	0	0Epa	47.1960	69.4885	25.7	707.3	434	56827.	534	0.5	0.7	3.0	0.1	0.1	0.1	19	0.0
44258	0	0	1	0	0Epa	47.1960	69.4880	25.7	707.5	429	56828.	527	0.6	-0.5	1.3	0.1	0.1	2.3	26	0.0
44257	0	0	1	0	0Epa	47.1961	69.4875	25.7	707.6	425	56830.	531	0.4	0.1	2.2	0.1	0.1	0.1	22	0.0
44256	0	0	1	0	0Epa	47.1961	69.4870	25.7	707.8	421	56831.	503	0.4	0.2	1.5	0.1	0.1	0.1	33	0.0
44255	0	0	1	0	0Epa	47.1961	69.4865	25.7	708.0	414	56830.	545	0.6	1.0	2.3	0.1	0.1	4.4	25	0.0
44254	0	0	1	0	0Epa	47.1961	69.4860	25.7	708.1	406	56830.	533	0.6	0.6	3.1	0.1	0.1	5.3	22	0.0
44253	0	0	0	0	0Epa	47.1961	69.4855	25.7	708.2	398	56830.	533	0.6	1.7	1.1	2.8	1.6	1.8	22	0.0
44252	0	0	1	0	0Epa	47.1961	69.4849	25.7	708.3	385	56830.	468	0.5	-0.2	1.8	0.1	0.1	0.1	22	0.0
44251	0	0	1	0	0Epa	47.1962	69.4844	25.7	708.4	376	56830.	425	0.5	0.2	2.1	0.1	0.1	0.1	17	0.0

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
44250	0	0	1	0	OEpq	47.1962	69.4839	25.7	708.5	372	56829.	380	0.3	0.1	2.5	0.1	0.1	0.1	25	0.0
44249	0	0	1	0	OEpq	47.1962	69.4834	25.7	708.5	382	56828.	322	0.2	0.2	1.2	0.1	0.1	0.1	34	0.0
44248	0	0	1	0	OEpq	47.1962	69.4829	25.7	708.5	393	56828.	356	0.5	0.0	1.8	0.1	0.1	0.1	22	0.0
44247	0	0	1	0	OEpq	47.1962	69.4823	25.7	708.5	403	56830.	353	0.2	0.0	1.3	0.1	0.1	0.1	26	0.0
44246	0	0	1	0	OEpq	47.1962	69.4818	25.7	708.5	411	56831.	303	0.4	-0.2	1.3	0.1	0.1	0.1	26	0.0
44245	0	0	1	0	OEpq	47.1963	69.4813	25.7	708.4	422	56831.	313	0.2	-0.3	2.1	0.1	0.1	0.1	27	0.0
44244	0	1	1	0	OEpq	47.1963	69.4808	25.7	708.4	428	56831.	241	0.1	0.2	2.1	0.1	0.1	0.1	15	0.0
44243	0	0	1	0	OEpq	47.1963	69.4803	25.7	708.3	430	56833.	280	0.4	0.2	1.4	0.1	0.1	0.1	22	0.0
44242	0	0	1	0	OEpq	47.1963	69.4798	25.7	708.2	429	56834.	294	0.4	0.2	1.8	0.1	0.1	0.1	27	0.0
44241	0	0	1	0	OEpq	47.1963	69.4792	25.7	708.1	433	56835.	330	0.3	0.4	1.4	0.1	0.1	0.1	25	0.0
44240	0	0	1	0	OEpq	47.1963	69.4787	25.7	708.0	437	56838.	382	0.3	1.1	2.2	0.1	0.1	0.1	25	0.0
44239	0	0	1	0	OEpq	47.1964	69.4782	25.7	707.9	433	56838.	454	0.4	1.0	3.3	0.1	0.1	0.1	16	0.0
44238	0	0	1	0	OEpq	47.1964	69.4777	25.7	707.9	424	56837.	435	0.5	-0.2	2.0	0.1	0.1	0.1	30	0.1
44237	0	0	1	0	OEpq	47.1964	69.4772	25.7	707.8	413	56835.	460	0.6	-0.5	2.4	0.1	0.1	4.3	31	0.3
44236	0	0	1	0	OEpq	47.1964	69.4767	25.7	707.7	407	56834.	477	0.4	0.8	3.0	0.1	0.1	0.1	25	0.5
44235	0	0	1	0	OEpq	47.1964	69.4762	25.7	707.6	403	56835.	482	0.6	0.7	3.2	0.1	0.1	5.8	31	0.7
44234	0	0	1	0	OEpq	47.1964	69.4756	25.7	707.5	399	56835.	470	0.5	-0.1	2.7	0.1	0.1	0.1	22	0.9
44233	0	0	1	0	OEpq	47.1964	69.4751	25.7	707.4	395	56835.	485	0.5	0.1	1.2	0.1	0.1	0.1	24	1.0
44232	0	0	1	0	OEpq	47.1965	69.4746	25.7	707.3	391	56835.	442	0.6	-0.5	2.1	0.1	0.1	4.2	30	1.2
44231	0	0	1	0	OEpq	47.1965	69.4741	25.7	707.2	388	56835.	517	0.5	0.4	1.7	0.1	0.1	0.1	36	1.4
44230	0	0	1	0	OEpq	47.1965	69.4736	25.7	707.1	386	56835.	490	0.4	0.3	2.4	0.1	0.1	0.1	31	1.4
44229	0	0	1	0	OEpq	47.1965	69.4730	25.7	707.0	386	56836.	502	0.5	0.5	3.4	0.1	0.1	0.1	32	1.4
44228	0	0	1	1	OEpq	47.1965	69.4725	25.7	706.9	387	56835.	454	0.5	0.9	1.1	0.1	0.1	0.1	24	1.4
44227	0	0	1	1	OEpq	47.1965	69.4720	25.6	706.8	392	56833.	466	0.6	0.0	0.9	0.1	0.1	0.1	25	1.4
44226	0	0	0	0	OEpq	47.1966	69.4715	25.6	706.7	399	56835.	566	0.5	1.5	3.7	0.1	0.4	0.1	24	1.3
44225	0	0	1	0	OEpq	47.1966	69.4710	25.6	706.5	409	56838.	555	0.5	-0.3	2.7	0.1	0.1	0.1	20	1.3
44224	0	0	1	0	OEpq	47.1966	69.4705	25.6	706.4	414	56839.	639	0.7	0.2	3.2	0.1	0.1	5.1	12	1.3
44223	0	0	1	0	OEpq	47.1966	69.4699	25.6	706.2	416	56839.	688	0.6	1.0	3.1	0.1	0.1	5.3	27	1.2
44222	0	0	1	0	OEpq	47.1966	69.4694	25.6	704.7	419	56841.	632	0.7	0.7	2.3	0.1	0.1	3.6	19	1.2
44221	0	0	1	0	OEpq	47.1966	69.4689	25.6	704.7	421	56841.	626	0.7	0.6	3.7	0.1	0.1	6.0	21	1.1
44220	0	0	0	0	OEpq	47.1967	69.4684	25.6	704.7	424	56841.	647	0.5	1.4	3.2	0.1	0.5	0.1	23	1.1
44219	0	0	0	0	OEpq	47.1967	69.4679	25.6	704.7	428	56842.	673	0.8	1.4	2.5	1.9	0.6	3.4	24	1.0
44218	0	0	1	0	OEpq	47.1967	69.4674	25.6	704.7	430	56842.	719	0.8	-0.1	4.9	0.1	0.1	6.5	27	1.0
44217	0	0	1	0	OEpq	47.1967	69.4669	25.6	704.7	433	56843.	690	0.9	0.5	4.8	0.1	0.1	6.1	18	1.0
44216	0	0	1	0	OEpq	47.1967	69.4663	25.6	704.6	437	56843.	758	1.1	0.3	3.5	0.1	0.1	3.3	18	1.0
44215	0	0	1	0	OEpq	47.1968	69.4658	25.6	704.5	442	56845.	698	0.8	-0.2	4.2	0.1	0.1	5.5	23	1.0
44214	0	0	1	0	OEpq	47.1968	69.4653	25.6	704.5	444	56845.	720	0.8	0.7	3.0	0.1	0.1	3.8	31	1.0
44213	0	0	1	0	OEpq	47.1968	69.4648	25.6	704.5	440	56846.	682	0.7	0.1	2.2	0.1	0.1	3.2	33	0.9
44212	0	0	1	0	OEpq	47.1968	69.4643	25.6	704.4	432	56848.	726	0.8	0.3	5.0	0.1	0.1	6.9	22	0.9
44211	0	0	0	0	OEpq	47.1968	69.4637	25.6	704.4	425	56846.	733	0.6	1.3	3.1	2.3	0.5	5.3	24	0.9
44210	0	0	1	0	OEpq	47.1968	69.4632	25.6	704.3	419	56843.	661	0.6	1.2	3.8	0.1	0.1	6.8	20	0.8
44209	0	0	1	0	OEpq	47.1968	69.4627	25.6	704.2	416	56843.	689	0.7	0.3	2.5	0.1	0.1	3.7	27	0.8
44208	0	0	1	0	OEpq	47.1969	69.4622	25.6	704.2	415	56844.	641	0.8	-0.1	4.3	0.1	0.1	5.9	18	0.8
44207	0	0	1	0	OEpq	47.1969	69.4617	25.6	704.1	418	56845.	702	0.8	0.8	3.6	0.1	0.1	4.8	20	0.7
44206	0	0	1	0	OEpq	47.1969	69.4612	25.6	704.0	422	56845.	675	0.8	-0.1	3.6	0.1	0.1	4.8	28	0.7
44205	0	0	1	0	OEpq	47.1969	69.4606	25.6	704.0	425	56844.	599	0.4	-0.5	6.0	0.1	0.1	0.1	19	0.7
44204	0	0	1	0	DSu	47.1969	69.4601	25.6	703.9	430	56844.	694	0.7	0.5	2.8	0.1	0.1	4.6	24	0.7
44203	0	0	0	0	DSu	47.1969	69.4596	25.6	703.9	433	56844.	701	0.6	1.5	3.7	2.5	0.5	6.1	20	0.6
44202	0	0	1	0	DSu	47.1970	69.4591	25.6	703.8	436	56842.	686	0.6	0.4	2.3	0.1	0.1	3.9	31	0.6
44201	0	0	1	0	DSu	47.1970	69.4586	25.6	703.7	434	56841.	691	0.7	1.1	2.1	0.1	0.1	3.3	16	0.6

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARH	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI			
												CPS	%	PPM	PPM							CPS	CPS
44200	0	0	1	0	DSu	47.1970	69.4581	25.6	703.7	435	56840.	682	0.7	1.2	4.1	0.1	0.1	6.4	27	0.5			
44199	0	0	1	0	DSu	47.1970	69.4576	25.6	703.6	430	56839.	685	0.7	1.1	4.5	0.1	0.1	6.7	22	0.4			
44198	0	0	1	0	DSu	47.1970	69.4570	25.6	703.5	424	56841.	721	0.6	0.8	3.3	0.1	0.1	5.6	32	0.4			
44197	0	0	0	0	DSu	47.1970	69.4565	25.6	703.5	414	56841.	600	0.4	1.2	3.6	0.1	0.4	0.1	21	0.3			
44196	0	0	0	0	DSu	47.1971	69.4560	25.6	703.4	405	56839.	691	0.7	1.2	2.7	1.7	0.5	3.9	28	0.3			
44194	0	0	1	0	DSu	47.1971	69.4550	25.6	703.3	398	56837.	725	0.9	0.4	5.1	0.1	0.1	6.3	26	0.2			
44193	0	0	1	0	DSu	47.1971	69.4544	25.6	703.2	392	56836.	712	0.7	0.9	3.9	0.1	0.1	5.6	21	0.2			
44192	0	0	1	0	DSu	47.1971	69.4539	25.6	703.2	389	56835.	660	0.8	0.4	1.6	0.1	0.1	2.1	30	0.1			
44191	0	0	0	0	DSu	47.1972	69.4534	25.6	703.1	385	56836.	717	0.8	1.5	3.9	2.0	0.4	5.1	22	0.1			
44190	0	0	1	0	DSu	47.1972	69.4529	25.6	703.0	380	56836.	695	0.9	0.0	3.4	0.1	0.1	3.9	23	0.0			
44189	0	0	1	0	DSu	47.1972	69.4524	25.6	702.9	378	56834.	659	0.8	0.4	3.0	0.1	0.1	4.1	27	0.0			
44188	0	0	1	0	DSu	47.1972	69.4519	25.6	702.9	379	56833.	708	0.8	0.5	2.9	0.1	0.1	3.8	29	0.0			
44187	0	0	1	0	DSu	47.1972	69.4513	25.6	702.9	379	56832.	671	0.5	0.1	4.1	0.1	0.1	0.1	26	0.0			
44186	0	0	1	0	DSu	47.1973	69.4508	25.6	702.9	377	56830.	670	0.8	-0.4	3.3	0.1	0.1	4.5	20	0.0			
44185	0	0	1	0	DSu	47.1973	69.4503	25.6	702.8	375	56830.	699	1.1	0.0	4.1	0.1	0.1	4.1	29	0.0			
44184	0	0	1	0	DSu	47.1973	69.4498	25.6	702.8	377	56830.	678	0.6	-0.4	3.0	0.1	0.1	5.4	24	0.0			
44183	0	0	1	0	DSu	47.1973	69.4493	25.7	702.8	383	56829.	697	0.8	0.6	4.9	0.1	0.1	6.5	17	0.0			
44182	0	0	1	0	DSu	47.1973	69.4488	25.7	702.7	389	56828.	751	0.9	0.1	2.8	0.1	0.1	3.1	30	0.0			
44181	0	0	1	0	DSu	47.1973	69.4483	25.7	702.7	396	56827.	722	0.7	0.8	2.3	0.1	0.1	3.5	25	0.0			
44180	0	0	0	0	DSu	47.1974	69.4477	25.7	702.7	402	56826.	739	0.5	1.9	3.4	0.1	0.6	0.1	26	0.0			
44179	0	0	0	0	DSu	47.1974	69.4472	25.7	702.6	409	56825.	701	0.8	1.7	2.8	2.2	0.6	3.7	18	0.0			
44178	0	0	1	0	DSu	47.1974	69.4467	25.7	702.6	419	56825.	666	0.8	0.0	3.4	0.1	0.1	4.6	27	0.0			
44177	0	0	1	0	DSu	47.1974	69.4462	25.7	702.6	430	56825.	729	0.9	0.7	3.6	0.1	0.1	4.4	19	0.0			
44176	0	0	1	0	DSu	47.1974	69.4457	25.7	702.7	442	56824.	708	0.7	0.7	2.9	0.1	0.1	4.6	20	0.0			
44175	0	0	1	0	DSu	47.1975	69.4452	25.7	702.7	453	56823.	670	0.8	0.3	4.2	0.1	0.1	5.9	17	0.0			
44174	0	0	1	0	DSu	47.1975	69.4446	25.7	702.7	465	56823.	675	1.1	0.5	2.5	0.1	0.1	2.4	37	0.0			
44173	0	0	1	0	DSu	47.1975	69.4441	25.7	702.7	470	56823.	609	0.8	0.5	2.8	0.1	0.1	4.0	25	0.0			
44172	0	0	1	0	DSu	47.1975	69.4436	25.7	702.7	474	56823.	565	0.6	0.7	1.4	0.1	0.1	2.7	23	0.0			
44171	0	0	1	0	DSu	47.1975	69.4431	25.7	702.7	479	56822.	570	0.6	0.6	1.8	0.1	0.1	3.4	23	0.0			
44170	0	0	1	0	DSu	47.1975	69.4426	25.7	702.7	494	56821.	562	0.7	0.5	3.4	0.1	0.1	5.0	24	0.0			
44169	0	0	0	0	DSu	47.1976	69.4421	25.7	702.8	508	56820.	617	0.5	1.5	4.7	0.1	0.3	0.1	26	0.0			
44168	0	0	1	0	DSu	47.1976	69.4416	25.7	702.8	518	56821.	595	0.7	0.6	3.9	0.1	0.1	5.6	33	0.0			
44167	0	0	1	0	DSu	47.1976	69.4410	25.7	702.8	520	56821.	589	0.9	0.4	4.1	0.1	0.1	4.8	33	0.0			
44166	0	0	1	0	DSu	47.1976	69.4405	25.7	702.9	519	56819.	646	0.8	-0.1	2.3	0.1	0.1	2.9	19	0.0			
44165	0	0	1	0	DSu	47.1976	69.4400	25.7	703.7	510	56818.	652	0.9	0.0	4.1	0.1	0.1	5.0	26	0.0			
44164	0	0	1	0	DSu	47.1977	69.4395	25.7	703.7	504	56818.	611	0.9	-0.4	3.8	0.1	0.1	4.2	30	0.0			
44163	0	0	1	0	DSu	47.1977	69.4390	25.7	703.6	502	56819.	643	0.8	-0.9	2.8	0.1	0.1	3.9	20	0.0			
44162	0	0	1	0	DSu	47.1977	69.4385	25.7	703.6	496	56820.	706	1.0	0.7	4.1	0.1	0.1	4.3	25	0.0			
44161	0	0	1	0	DSu	47.1977	69.4379	25.7	703.7	495	56819.	708	0.7	1.3	3.8	0.1	0.1	5.6	26	0.0			
44160	0	0	1	0	DSu	47.1977	69.4374	25.7	703.7	492	56817.	616	0.8	0.2	2.4	0.1	0.1	3.3	22	0.0			
44159	0	0	0	0	DSu	47.1978	69.4369	25.7	703.7	490	56816.	689	0.6	1.9	3.2	3.2	0.6	5.5	28	0.0			
44158	0	0	0	0	DSu	47.1978	69.4364	25.7	703.8	488	56817.	589	0.5	1.7	2.3	0.1	0.8	0.1	36	0.0			
44157	0	0	1	0	DSu	47.1978	69.4359	25.7	703.9	486	56818.	613	0.6	0.7	2.3	0.1	0.1	4.1	25	0.0			
44156	0	0	1	0	DSu	47.1978	69.4354	25.7	704.0	483	56818.	617	0.5	1.2	3.1	0.1	0.1	0.1	34	0.0			
44155	0	0	1	0	DSu	47.1978	69.4348	25.7	704.0	477	56817.	646	0.6	-0.3	6.2	0.1	0.1	10.4	24	0.0			
44154	0	0	1	0	DSu	47.1978	69.4343	25.7	704.1	471	56817.	656	0.6	-0.2	3.3	0.1	0.1	6.0	33	0.0			
44153	0	0	1	0	DSu	47.1979	69.4338	25.7	704.2	460	56818.	664	0.7	0.4	5.2	0.1	0.1	7.8	22	0.0			
44152	0	0	1	0	DSu	47.1979	69.4333	25.7	704.4	452	56818.	599	0.7	0.0	3.9	0.1	0.1	5.8	15	0.0			
44151	0	0	0	0	DSu	47.1979	69.4328	25.7	704.6	443	56818.	661	0.8	1.9	1.3	2.5	1.4	1.8	32	0.0			
44150	0	0	0	0	DSu	47.1979	69.4323	25.7	704.8	440	56818.	592	0.6	1.2	3.7	2.1	0.4	6.6	21	0.0			

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
44149	0	0	1	0	DSu	47.1979	69.4317	25.7	705.0	437	56817.	553	0.8	-0.7	2.9	0.1	0.1	4.1	22	0.0
44148	0	0	1	0	DSu	47.1979	69.4312	25.7	705.2	436	56814.	640	0.9	0.0	4.3	0.1	0.1	5.2	25	0.0
44147	0	0	1	0	DSu	47.1980	69.4307	25.7	705.4	435	56811.	642	0.8	0.5	3.5	0.1	0.1	4.6	22	0.0
44146	0	0	1	0	DSu	47.1980	69.4302	25.7	705.6	432	56809.	631	0.6	1.0	2.5	0.1	0.1	4.1	24	0.0
44145	0	0	1	0	DSu	47.1980	69.4297	25.7	705.8	431	56809.	636	0.8	0.6	2.2	0.1	0.1	2.8	35	0.0
44144	0	0	1	0	DSu	47.1980	69.4292	25.7	706.0	428	56809.	575	0.5	0.0	3.2	0.1	0.1	0.1	24	0.0
44143	0	0	1	0	DSu	47.1980	69.4286	25.7	706.2	428	56809.	587	0.5	0.6	3.7	0.1	0.1	0.1	20	0.0
44142	0	0	1	0	DSu	47.1981	69.4281	25.7	706.4	427	56808.	588	0.6	0.6	3.9	0.1	0.1	6.7	30	0.0
44141	0	0	1	0	DSu	47.1981	69.4276	25.7	706.6	426	56806.	572	0.7	0.6	2.4	0.1	0.1	3.7	34	0.0
44140	0	0	1	0	DSu	47.1981	69.4271	25.7	706.8	423	56805.	549	0.8	0.0	2.6	0.1	0.1	3.6	29	0.0
44139	0	0	1	0	DSu	47.1981	69.4266	25.7	707.0	418	56806.	531	0.7	0.2	2.4	0.1	0.1	3.6	23	0.0
44138	0	0	1	0	DSu	47.1981	69.4261	25.7	707.1	413	56806.	541	0.6	-0.2	2.1	0.1	0.1	3.8	27	0.0
44137	0	0	0	0	DSu	47.1982	69.4256	25.7	707.3	409	56806.	459	0.5	1.4	1.5	0.1	1.0	0.1	29	0.0
44136	0	0	1	0	DSu	47.1982	69.4250	25.7	707.4	405	56806.	416	0.5	-0.2	1.7	0.1	0.1	0.1	25	0.0
44135	0	0	1	0	DSu	47.1982	69.4245	25.7	707.5	403	56806.	375	0.6	0.1	2.1	0.1	0.1	4.1	33	0.0
44134	0	0	1	0	DSu	47.1982	69.4240	25.7	707.6	401	56806.	388	0.4	0.0	2.7	0.1	0.1	0.1	27	0.0
44133	0	0	1	1	DSu	47.1982	69.4235	25.7	707.7	403	56806.	312	0.3	0.2	1.2	0.1	0.1	0.1	27	0.0
44132	0	0	1	1	DSu	47.1982	69.4230	25.7	707.7	406	56805.	298	0.3	0.2	1.0	0.1	0.1	0.1	42	0.0
44131	0	0	1	0	DSu	47.1983	69.4225	25.7	707.8	410	56805.	340	0.5	-0.6	1.4	0.1	0.1	0.1	33	0.0
44130	0	0	1	0	DSu	47.1983	69.4220	25.7	707.8	415	56804.	422	0.5	0.4	1.4	0.1	0.1	0.1	18	0.0
44129	0	0	1	0	DSu	47.1983	69.4214	25.7	707.8	419	56802.	428	0.4	0.3	2.2	0.1	0.1	0.1	18	0.0
44128	0	0	1	0	DSu	47.1983	69.4209	25.7	707.8	422	56802.	464	0.3	0.0	2.2	0.1	0.1	0.1	24	0.0
44127	0	0	1	0	DSu	47.1983	69.4204	25.7	707.8	423	56802.	516	0.6	-0.5	1.7	0.1	0.1	3.3	25	0.0
44126	0	0	1	0	DSu	47.1983	69.4197	25.7	707.8	424	56803.	513	0.6	0.4	2.6	0.1	0.1	4.7	21	0.0
44125	0	0	1	0	DSu	47.1983	69.4189	25.7	707.7	427	56804.	483	0.5	0.8	2.1	0.1	0.1	0.1	27	0.0
44124	0	0	1	0	DSu	47.1983	69.4182	25.7	707.7	433	56804.	439	0.5	0.7	2.4	0.1	0.1	0.1	26	0.0
44123	0	0	1	1	DSu	47.1983	69.4174	25.7	707.6	442	56803.	436	0.5	0.7	0.9	0.1	0.1	0.1	25	0.0
44122	0	0	1	0	DSu	47.1983	69.4167	25.7	707.5	451	56802.	440	0.4	0.3	1.6	0.1	0.1	0.1	18	0.0
44121	0	0	1	0	DSu	47.1983	69.4160	25.7	707.3	460	56803.	355	0.4	-0.2	1.4	0.1	0.1	0.1	24	0.0
44120	0	0	1	1	DSu	47.1983	69.4152	25.7	707.3	464	56802.	262	0.2	0.5	0.9	0.1	0.1	0.1	16	0.0
44119	0	1	1	0	DSu	47.1983	69.4145	25.7	707.2	466	56801.	240	0.2	0.3	1.4	0.1	0.1	0.1	33	0.0
44118	0	1	1	1	DSu	47.1983	69.4138	25.7	707.1	464	56800.	188	0.0	-0.4	0.5	0.1	0.1	0.1	26	0.0
44117	0	0	1	0	DSu	47.1983	69.4130	25.7	707.0	461	56800.	236	0.3	0.4	1.3	0.1	0.1	0.1	22	0.0
44116	0	1	1	0	DSu	47.1983	69.4123	25.7	706.9	459	56800.	188	0.1	0.0	1.2	0.1	0.1	0.1	20	0.0
44115	0	0	1	1	DSu	47.1983	69.4116	25.7	706.8	460	56801.	204	0.2	0.7	0.2	0.1	0.1	0.1	22	0.0
44114	0	1	1	0	DSu	47.1983	69.4108	25.7	706.6	461	56802.	199	0.1	0.3	1.2	0.1	0.1	0.1	23	0.0
44113	0	1	1	1	DSu	47.1983	69.4101	25.7	706.5	464	56802.	234	0.2	-0.4	0.1	0.1	0.1	0.1	33	0.0
44112	0	0	1	0	DSu	47.1983	69.4094	25.7	706.4	465	56802.	310	0.5	0.1	1.5	0.1	0.1	0.1	29	0.0
44111	0	0	1	0	DSu	47.1983	69.4086	25.7	706.3	464	56803.	386	0.4	0.3	1.4	0.1	0.1	0.1	23	0.0
44110	0	0	1	0	DSu	47.1983	69.4079	25.7	706.3	465	56803.	497	0.5	0.9	1.8	0.1	0.1	0.1	23	0.0
44109	0	0	1	0	DSu	47.1983	69.4072	25.6	706.2	463	56802.	551	0.5	0.2	2.7	0.1	0.1	0.1	20	0.0
44108	0	0	1	0	DSu	47.1983	69.4064	25.6	706.2	460	56802.	481	0.7	0.0	1.7	0.1	0.1	2.6	25	0.0
44107	0	0	1	0	DSu	47.1982	69.4057	25.6	706.2	456	56803.	562	0.6	0.6	2.1	0.1	0.1	3.6	34	0.0
44106	0	0	1	0	DSu	47.1982	69.4049	25.6	706.2	454	56803.	540	0.5	0.7	2.7	0.1	0.1	0.1	24	0.0
44105	0	0	1	0	DSu	47.1982	69.4042	25.6	706.2	453	56801.	595	0.7	1.1	1.7	0.1	0.1	2.6	29	0.0
44104	0	0	1	0	DSu	47.1982	69.4035	25.6	706.2	450	56800.	610	0.7	0.4	3.2	0.1	0.1	4.9	32	0.0
44103	0	0	1	0	DSu	47.1982	69.4027	25.6	706.2	441	56800.	644	0.7	-0.2	2.0	0.1	0.1	3.2	28	0.0
44102	0	0	1	0	DSu	47.1982	69.4020	25.6	706.3	431	56801.	658	0.8	0.5	2.9	0.1	0.1	4.1	26	0.0
44101	0	0	1	0	DSu	47.1982	69.4013	25.6	706.3	419	56801.	703	0.9	0.3	3.9	0.1	0.1	4.6	24	0.0
44099	0	0	1	0	DSu	47.1982	69.3998	25.6	706.3	407	56802.	761	0.9	0.6	2.2	0.1	0.1	2.7	33	0.0

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI		
												CPS	%	PPM	PPM						CPS	CPS
44098	0	0	0	0	DSu	47.1982	69.3991	25.6	706.4	400	56803.	707	0.8	1.5	4.2	1.9	0.4	5.5	26	0.0		
44097	0	0	1	0	DSu	47.1982	69.3983	25.6	706.4	397	56802.	690	1.0	0.7	2.3	0.1	0.1	2.5	35	0.0		
44096	0	0	1	0	DSu	47.1982	69.3976	25.6	706.4	396	56802.	604	0.7	0.1	3.7	0.1	0.1	5.8	24	0.0		
44095	0	0	1	0	DSu	47.1982	69.3969	25.6	706.5	396	56801.	635	0.8	1.0	1.8	0.1	0.1	2.6	23	0.0		
44094	0	0	1	0	DSu	47.1982	69.3961	25.6	706.6	400	56799.	564	0.6	0.9	2.3	0.1	0.1	3.9	27	0.0		
44093	0	0	1	0	DSu	47.1982	69.3954	25.6	706.6	405	56799.	595	0.5	0.9	2.2	0.1	0.1	0.1	20	0.0		
44092	0	0	1	0	DSu	47.1982	69.3946	25.6	706.7	410	56800.	549	0.6	1.0	1.7	0.1	0.1	3.3	20	0.0		
44091	0	0	0	0	DSu	47.1982	69.3939	25.6	706.7	413	56801.	487	0.5	1.2	1.3	0.1	1.0	0.1	29	0.0		
44090	0	0	1	0	DSu	47.1982	69.3932	25.6	706.7	415	56802.	472	0.4	0.2	1.9	0.1	0.1	0.1	22	0.1		
44089	0	0	0	0	DSu	47.1982	69.3924	25.6	706.8	417	56801.	467	0.5	1.3	2.6	0.1	0.5	0.1	16	0.3		
44088	0	0	1	0	DSu	47.1982	69.3917	25.6	706.8	420	56799.	507	0.4	-0.1	3.8	0.1	0.1	0.1	31	0.5		
44087	0	0	1	0	DSu	47.1982	69.3910	25.6	706.7	423	56797.	468	0.5	0.3	1.8	0.1	0.1	0.1	18	0.7		
44086	0	0	1	0	DSu	47.1982	69.3902	25.6	706.7	427	56797.	535	0.6	-0.2	3.2	0.1	0.1	5.5	24	0.9		
44085	0	0	1	0	DSu	47.1982	69.3895	25.6	706.6	429	56797.	470	0.6	-0.6	2.3	0.1	0.1	3.9	25	1.1		
44084	0	0	1	0	DSu	47.1982	69.3887	25.6	706.6	431	56797.	506	0.6	0.8	1.8	0.1	0.1	3.3	29	1.3		
44083	0	0	1	0	DSu	47.1982	69.3880	25.6	706.5	430	56797.	464	0.5	-0.3	3.0	0.1	0.1	0.1	38	1.3		
44082	0	0	1	0	DSu	47.1982	69.3873	25.6	706.4	432	56797.	535	0.5	0.4	4.9	0.1	0.1	0.1	30	1.3		
44081	0	0	1	0	DSu	47.1981	69.3866	25.6	706.3	434	56796.	495	0.5	0.2	1.9	0.1	0.1	0.1	18	1.3		
44080	0	0	0	0	DSu	47.1981	69.3858	25.6	706.2	442	56794.	579	0.5	1.7	3.4	0.1	0.6	0.1	17	1.2		
44079	0	0	1	0	DSu	47.1981	69.3851	25.6	706.1	445	56793.	538	0.7	-0.4	4.3	0.1	0.1	6.8	25	1.2		
44078	0	0	1	0	DSu	47.1981	69.3843	25.6	706.0	450	56792.	543	0.5	-0.1	6.2	0.1	0.1	0.1	25	1.2		
44077	0	0	1	0	DSu	47.1981	69.3836	25.6	705.9	451	56792.	517	0.7	1.0	2.0	0.1	0.1	3.2	26	1.2		
44076	0	0	1	0	DSu	47.1981	69.3829	25.6	705.8	452	56791.	561	0.7	-0.8	3.7	0.1	0.1	5.5	26	1.2		
44075	0	0	1	0	DSu	47.1981	69.3821	25.6	705.7	449	56792.	608	0.6	0.3	2.8	0.1	0.1	5.3	25	1.2		
44074	0	0	1	0	DSu	47.1981	69.3814	25.6	705.6	447	56794.	582	0.7	-0.6	5.8	0.1	0.1	8.9	20	1.3		
44073	0	0	1	0	DSu	47.1981	69.3807	25.6	705.6	439	56795.	577	0.6	-0.9	2.6	0.1	0.1	5.1	29	1.3		
44072	0	0	1	0	DSu	47.1981	69.3799	25.6	705.5	437	56795.	601	0.8	0.8	2.5	0.1	0.1	3.6	36	1.3		
44071	0	0	1	1	DSu	47.1981	69.3792	25.6	705.4	437	56794.	559	0.6	1.0	0.7	0.1	0.1	0.1	30	1.3		
44070	0	0	1	0	DSu	47.1981	69.3784	25.6	705.3	443	56794.	620	0.6	0.8	3.0	0.1	0.1	5.6	28	1.5		
44069	0	0	1	0	DSu	47.1981	69.3777	25.6	705.2	442	56794.	690	0.8	0.1	3.3	0.1	0.1	4.6	13	1.5		
44068	0	0	1	0	DSu	47.1981	69.3770	25.6	705.1	439	56793.	652	0.8	-0.1	3.6	0.1	0.1	5.0	25	1.5		
44067	0	0	1	0	DSu	47.1981	69.3762	25.6	705.1	441	56793.	680	0.8	0.1	4.0	0.1	0.1	5.0	27	1.6		
44066	0	0	1	0	DSu	47.1981	69.3755	25.6	705.0	445	56793.	694	0.8	0.2	2.7	0.1	0.1	3.7	20	1.6		
44065	0	0	1	0	DSu	47.1981	69.3748	25.6	704.9	444	56794.	701	0.7	0.3	4.1	0.1	0.1	6.0	27	1.6		
44064	0	0	1	0	DSu	47.1981	69.3740	25.6	704.8	438	56795.	635	0.8	0.3	2.2	0.1	0.1	3.1	21	1.6		
44063	0	0	1	0	DSu	47.1981	69.3733	25.6	704.8	431	56795.	736	0.9	0.8	2.6	0.1	0.1	2.9	30	1.6		
44062	0	0	1	0	DSu	47.1981	69.3726	25.6	704.7	423	56794.	684	0.9	0.0	2.1	0.1	0.1	2.6	19	1.6		
44061	0	0	1	0	DSu	47.1981	69.3718	25.6	704.7	415	56794.	692	0.8	0.8	3.8	0.1	0.1	5.2	32	1.5		
44060	0	0	1	0	DSu	47.1980	69.3711	25.6	704.6	408	56794.	726	0.7	0.9	2.7	0.1	0.1	4.1	19	1.5		
44059	0	0	1	0	DSu	47.1980	69.3704	25.6	704.6	402	56795.	666	0.7	0.7	4.1	0.1	0.1	6.6	26	1.5		
44058	0	0	1	0	DSu	47.1980	69.3696	25.6	704.5	399	56794.	661	0.8	0.0	4.1	0.1	0.1	5.3	27	1.5		
44057	0	0	1	0	DSu	47.1980	69.3689	25.6	704.5	396	56794.	691	0.6	0.7	2.7	0.1	0.1	4.7	21	1.6		
44056	0	0	1	0	DSu	47.1980	69.3681	25.6	704.5	394	56796.	649	0.8	0.7	3.9	0.1	0.1	5.4	26	1.6		
44055	0	0	1	0	DSu	47.1980	69.3674	25.6	704.5	394	56795.	693	0.8	0.0	3.7	0.1	0.1	5.0	23	1.6		
44054	0	0	1	0	DSu	47.1980	69.3667	25.6	704.5	395	56793.	700	0.8	0.9	3.7	0.1	0.1	5.0	26	1.6		
44053	0	0	1	0	DSu	47.1980	69.3659	25.6	704.5	396	56792.	708	0.6	-0.2	3.8	0.1	0.1	6.3	22	1.6		
44052	0	0	1	0	DSu	47.1980	69.3652	25.5	704.3	403	56792.	633	0.8	0.4	3.3	0.1	0.1	4.4	23	1.4		
44051	0	0	1	0	DSu	47.1980	69.3645	25.5	704.3	408	56792.	690	0.8	-0.4	5.7	0.1	0.1	8.1	22	1.5		
44050	0	0	1	0	DSu	47.1980	69.3637	25.5	704.3	414	56792.	648	0.5	0.4	3.7	0.1	0.1	0.1	23	1.5		
44049	0	0	1	0	DSu	47.1980	69.3630	25.5	704.3	422	56792.	590	0.6	0.5	1.5	0.1	0.1	2.9	25	1.3		

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

- C05 -
 MAINE AERIAL SURVEY EDMUNDSTON QUADRANGLE, CARSON GEOSCIENCE INC., 1980

LINE NO. 40

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI	
												CPS	%	PPM	PPM					CPS	CPS
44048	0	0	1	0	DSu	47.1980	69.3623	25.5	704.3	430	56792.	553	0.6	0.3	1.8	0.1	0.1	3.4	29	1.3	
44047	0	0	1	0	DSu	47.1980	69.3615	25.5	704.3	438	56791.	494	0.6	0.7	2.8	0.1	0.1	5.3	24	1.4	
44046	0	0	1	0	DSu	47.1980	69.3608	25.5	704.3	447	56791.	497	0.3	-0.3	2.6	0.1	0.1	0.1	27	1.4	
44045	0	0	1	0	DSu	47.1980	69.3600	25.5	704.3	454	56789.	417	0.5	0.2	1.7	0.1	0.1	0.1	33	1.5	
44044	0	0	1	0	DSu	47.1980	69.3593	25.5	704.3	460	56789.	446	0.4	-0.3	1.9	0.1	0.1	0.1	31	1.5	
44043	0	0	1	1	DSu	47.1980	69.3586	25.5	704.3	465	56789.	481	0.4	0.0	0.9	0.1	0.1	0.1	38	1.6	
44042	0	0	1	0	DSu	47.1980	69.3578	25.5	704.2	469	56789.	506	0.5	-0.3	3.5	0.1	0.1	0.1	21	1.6	
44041	0	0	1	0	DSu	47.1980	69.3571	25.5	704.2	468	56789.	623	0.8	1.2	1.8	0.1	0.1	2.4	26	1.6	
44040	0	0	1	0	DSu	47.1980	69.3564	25.5	704.2	470	56788.	580	0.6	0.1	2.1	0.1	0.1	3.8	22	1.6	
44039	0	0	0	0	DSu	47.1980	69.3556	25.5	704.1	465	56788.	628	0.6	1.4	3.1	2.7	0.5	6.1	19	1.6	
44038	0	0	1	0	DSu	47.1980	69.3549	25.5	704.0	459	56787.	646	0.3	0.2	3.7	0.1	0.1	0.1	17	1.6	
44037	0	0	1	0	DSu	47.1980	69.3542	25.5	704.0	450	56788.	594	0.4	0.8	3.7	0.1	0.1	0.1	29	1.6	
44036	0	0	1	0	DSu	47.1979	69.3534	25.5	703.9	441	56790.	634	0.6	0.5	3.4	0.1	0.1	5.8	28	1.7	
44035	0	0	1	0	DSu	47.1979	69.3527	25.5	703.9	431	56791.	624	0.6	1.0	4.9	0.1	0.1	8.6	19	1.7	
44034	0	0	1	0	DSu	47.1979	69.3520	25.5	703.8	421	56790.	571	0.5	0.3	3.5	0.1	0.1	0.1	19	1.6	
44033	0	0	1	0	DSu	47.1979	69.3512	25.5	703.8	411	56788.	625	0.8	0.6	3.4	0.1	0.1	4.6	35	1.6	
44032	0	0	1	0	DSu	47.1979	69.3505	25.5	703.8	403	56786.	620	0.6	0.9	3.4	0.1	0.1	6.2	23	1.6	
44031	0	0	1	0	DSu	47.1979	69.3497	25.5	703.8	395	56785.	649	0.6	0.2	2.5	0.1	0.1	4.1	25	1.6	
44030	0	0	0	0	DSu	47.1979	69.3490	25.5	703.9	388	56786.	564	0.5	1.3	4.7	0.1	0.3	0.1	31	1.6	
44029	0	0	1	0	DSu	47.1979	69.3483	25.5	703.9	381	56787.	582	0.6	-0.6	3.2	0.1	0.1	5.5	23	1.6	
44028	0	0	1	0	DSu	47.1979	69.3475	25.5	704.0	375	56787.	608	0.7	0.6	3.0	0.1	0.1	5.0	34	1.5	
44027	0	0	1	0	DSu	47.1979	69.3468	25.5	704.1	368	56788.	609	0.7	0.4	3.3	0.1	0.1	5.1	20	1.7	
44026	0	0	1	0	DSu	47.1979	69.3461	25.5	704.2	362	56788.	681	0.9	-0.2	2.8	0.1	0.1	3.3	22	1.6	
44025	0	0	1	0	DSu	47.1979	69.3453	25.5	704.4	358	56788.	705	0.7	0.2	3.3	0.1	0.1	5.2	21	1.6	
44024	0	0	1	0	DSu	47.1979	69.3446	25.5	704.5	357	56790.	725	0.6	0.2	4.3	0.1	0.1	7.1	24	1.7	
44023	0	0	1	0	DSu	47.1979	69.3439	25.5	704.7	359	56790.	733	0.8	-0.1	2.9	0.1	0.1	3.7	23	1.7	
44022	0	0	1	0	DSu	47.1979	69.3431	25.5	704.8	363	56790.	728	0.9	0.4	3.7	0.1	0.1	4.4	24	1.6	
44021	0	0	1	0	DSu	47.1979	69.3424	25.5	705.0	369	56789.	761	0.9	0.9	2.4	0.1	0.1	2.8	27	1.5	
44020	0	0	1	0	DSu	47.1979	69.3417	25.5	705.1	375	56790.	689	0.9	0.6	3.9	0.1	0.1	4.9	21	1.4	
44019	0	0	1	0	DSu	47.1979	69.3409	25.5	705.3	378	56791.	703	0.7	0.7	2.9	0.1	0.1	4.6	21	1.3	
44018	0	0	1	0	DSu	47.1979	69.3402	25.5	705.5	381	56790.	740	0.9	0.6	4.3	0.1	0.1	5.3	30	1.2	
44017	0	0	1	0	DSu	47.1979	69.3394	25.5	705.7	382	56790.	690	0.7	-0.7	2.5	0.1	0.1	3.8	20	1.2	
44016	0	0	0	0	DSu	47.1979	69.3387	25.5	705.8	382	56790.	739	0.7	1.4	3.9	2.2	0.4	6.1	24	1.1	
44015	0	0	1	0	DSu	47.1979	69.3380	25.5	706.0	377	56790.	653	0.6	1.1	3.5	0.1	0.1	6.3	20	0.9	
44014	0	0	1	0	Os	47.1979	69.3372	25.5	706.1	375	56790.	652	0.6	0.4	2.9	0.1	0.1	5.4	27	0.8	
44013	0	0	1	0	Os	47.1978	69.3365	25.5	706.3	376	56790.	745	0.7	0.7	4.7	0.1	0.1	6.9	24	0.7	
44012	0	0	1	0	Os	47.1978	69.3358	25.5	706.4	377	56789.	582	0.5	-0.4	3.3	0.1	0.1	0.1	23	0.6	
44011	0	0	1	0	Os	47.1978	69.3350	25.5	706.5	376	56789.	602	0.7	-0.1	2.3	0.1	0.1	3.4	26	0.5	
44010	0	0	1	0	Os	47.1978	69.3343	25.5	706.6	373	56789.	591	0.5	-0.5	4.0	0.1	0.1	0.1	24	0.3	
44009	0	0	0	0	Os	47.1978	69.3336	25.5	706.7	370	56790.	592	0.6	1.8	2.9	3.3	0.7	5.3	29	0.2	
44008	0	0	1	0	Os	47.1978	69.3328	25.5	706.8	366	56791.	599	0.5	0.8	3.1	0.1	0.1	0.1	21	0.0	
44007	0	0	1	0	Os	47.1978	69.3321	25.5	706.9	363	56791.	638	0.6	0.9	4.2	0.1	0.1	7.4	17	0.0	
44006	0	0	1	0	Os	47.1978	69.3313	25.5	706.9	361	56792.	580	0.5	0.2	2.9	0.1	0.1	0.1	22	0.0	
44005	0	0	1	0	Os	47.1978	69.3306	25.5	706.9	360	56791.	533	0.6	0.6	2.7	0.1	0.1	4.8	24	0.0	
44003	0	0	1	0	Os	47.1978	69.3291	25.5	707.0	359	56791.	565	0.5	0.7	2.7	0.1	0.1	0.1	25	0.0	
44002	0	0	1	0	Os	47.1978	69.3284	25.5	707.0	358	56790.	565	0.6	0.8	1.8	0.1	0.1	2.9	24	0.0	
44001	0	0	1	0	Os	47.1978	69.3277	25.5	707.0	355	56789.	549	0.5	0.7	2.2	0.1	0.1	0.1	25	0.0	
44000	0	0	1	0	Os	47.1978	69.3269	25.5	707.0	354	56788.	531	0.5	1.0	2.6	0.1	0.1	0.1	24	0.0	
43999	0	0	1	0	Os	47.1978	69.3262	25.5	707.0	357	56788.	599	0.6	0.9	2.0	0.1	0.1	3.4	16	0.0	
43998	0	0	1	0	Os	47.1978	69.3255	25.5	706.9	367	56788.	597	0.3	0.9	3.0	0.1	0.1	0.1	25	0.0	

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

- D05 -
 MAINE AERIAL SURVEY EDMUNDSTON QUADRANGLE, CARSON GEOSCIENCE INC., 1980

LINE NO. 40

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
43997	0	0	1	0	Os	47.1978	69.3247	25.5	706.9	376	56787.	630	0.7	0.8	3.7	0.1	0.1	5.6	17	0.0
43996	0	0	1	0	Os	47.1978	69.3240	25.5	706.8	382	56787.	578	0.7	0.3	2.7	0.1	0.1	4.1	26	0.0
43995	0	0	1	0	Os	47.1978	69.3233	25.3	705.5	383	56788.	571	0.6	0.8	1.4	0.1	0.1	2.7	30	0.0
43994	0	0	1	0	Os	47.1978	69.3225	25.3	705.6	384	56788.	627	0.6	-0.1	1.6	0.1	0.1	2.9	22	0.0
43993	0	0	0	0	Os	47.1978	69.3218	25.3	705.6	384	56787.	616	0.7	1.2	3.6	1.9	0.4	5.9	27	0.0
43992	0	0	1	0	Os	47.1978	69.3210	25.3	705.5	385	56786.	639	0.5	0.5	3.6	0.1	0.1	0.1	18	0.0
43991	0	0	1	0	Os	47.1978	69.3203	25.3	705.5	384	56786.	633	0.7	0.1	1.0	0.1	0.1	1.5	25	0.0
43990	0	0	0	0	Os	47.1978	69.3196	25.3	705.5	381	56785.	629	0.8	1.2	3.0	1.7	0.5	4.2	29	0.0
43989	0	0	0	0	Os	47.1978	69.3188	25.3	705.5	379	56784.	606	0.6	1.3	3.5	2.3	0.4	5.9	21	0.0
43988	0	0	1	0	Ocp	47.1978	69.3181	25.3	705.4	374	56784.	598	0.6	0.0	2.3	0.1	0.1	4.2	24	0.0
43987	0	0	1	0	Ocp	47.1977	69.3174	25.4	705.3	373	56785.	642	0.7	0.2	3.1	0.1	0.1	4.7	28	0.0
43986	0	0	1	0	Ocp	47.1977	69.3166	25.4	705.3	373	56785.	641	0.6	-0.1	2.2	0.1	0.1	3.6	24	0.0
43985	0	0	1	0	Ocp	47.1977	69.3159	25.4	705.2	375	56785.	623	0.7	-0.2	3.9	0.1	0.1	5.9	30	0.0
43984	0	0	1	0	Ocp	47.1977	69.3152	25.4	705.1	374	56785.	575	0.5	0.7	2.5	0.1	0.1	0.1	12	0.0
43983	0	0	1	0	Ocp	47.1977	69.3144	25.4	705.1	372	56786.	591	0.7	0.4	3.1	0.1	0.1	4.9	18	0.0
43982	0	0	1	0	Ocp	47.1977	69.3137	25.4	704.9	372	56788.	592	0.7	0.2	1.9	0.1	0.1	2.9	22	0.0
43981	0	0	1	0	Ocp	47.1977	69.3130	25.4	704.8	372	56789.	611	0.6	0.3	2.4	0.1	0.1	4.3	31	0.0
43980	0	0	0	0	Ocp	47.1977	69.3122	25.4	704.7	369	56788.	609	0.6	1.7	3.1	3.3	0.6	6.1	23	0.0
43979	0	0	0	0	Ocp	47.1977	69.3115	25.4	704.6	364	56788.	671	0.6	1.2	3.6	2.3	0.4	7.2	17	0.0
43978	0	0	1	0	Ocp	47.1977	69.3107	25.4	704.5	360	56788.	609	0.6	1.0	2.3	0.1	0.1	4.6	31	0.0
43977	0	0	1	0	Os	47.1977	69.3100	25.4	704.4	360	56787.	687	0.7	0.4	3.5	0.1	0.1	5.2	28	0.0
43976	0	0	1	0	Os	47.1977	69.3093	25.4	704.4	362	56786.	621	0.9	0.0	3.9	0.1	0.1	4.6	32	0.0
43975	0	0	1	0	Os	47.1977	69.3085	25.4	704.3	368	56785.	629	0.6	0.2	2.8	0.1	0.1	5.4	29	0.0
43974	0	0	1	0	Os	47.1977	69.3078	25.4	704.2	376	56785.	643	0.8	0.0	2.2	0.1	0.1	2.9	20	0.0
43973	0	0	1	0	Os	47.1977	69.3071	25.4	704.1	386	56785.	693	0.6	0.9	2.6	0.1	0.1	4.4	35	0.0
43972	0	0	1	0	Os	47.1977	69.3063	25.4	704.0	396	56786.	649	0.6	0.7	3.9	0.1	0.1	6.4	25	0.0
43971	0	0	1	0	Os	47.1977	69.3056	25.4	703.9	405	56787.	645	0.7	0.5	1.8	0.1	0.1	2.6	32	0.0
43970	0	0	1	0	Os	47.1977	69.3049	25.4	703.8	409	56787.	592	0.7	0.2	3.1	0.1	0.1	4.8	26	0.0
43969	0	0	1	0	Os	47.1977	69.3041	25.4	703.7	407	56788.	542	0.6	0.6	3.4	0.1	0.1	6.5	26	0.0
43968	0	0	0	0	Os	47.1977	69.3034	25.4	703.6	399	56788.	586	0.6	1.3	1.5	2.2	0.9	2.6	30	0.0
43967	0	0	1	0	Os	47.1977	69.3027	25.4	703.5	390	56787.	528	0.3	0.4	2.3	0.1	0.1	0.1	26	0.0
43966	0	0	1	0	Os	47.1977	69.3019	25.4	703.4	381	56786.	499	0.4	0.7	2.4	0.1	0.1	0.1	22	0.0
43965	0	0	1	0	Os	47.1976	69.3012	25.4	703.3	374	56785.	481	0.5	0.1	3.8	0.1	0.1	0.1	23	0.0
43964	0	0	1	0	Ss	47.1976	69.3004	25.4	703.1	370	56785.	448	0.3	-0.1	2.9	0.1	0.1	0.1	20	0.0
43963	0	0	1	0	Ss	47.1976	69.2997	25.4	703.0	367	56785.	416	0.4	0.5	1.6	0.1	0.1	0.1	34	0.0
43962	0	0	1	0	Ss	47.1976	69.2990	25.4	702.8	369	56786.	426	0.2	0.5	2.3	0.1	0.1	0.1	21	0.0
43961	0	0	1	0	Ss	47.1976	69.2982	25.4	702.7	377	56787.	455	0.4	-0.3	3.0	0.1	0.1	0.1	21	0.0
43960	0	0	1	0	Ss	47.1976	69.2975	25.4	702.6	390	56786.	471	0.4	0.7	1.9	0.1	0.1	0.1	24	0.0
43959	0	0	1	0	Ss	47.1976	69.2968	25.4	702.5	399	56785.	474	0.4	0.8	2.3	0.1	0.1	0.1	21	0.0
43958	0	0	1	0	Ss	47.1976	69.2960	25.4	702.3	403	56785.	410	0.3	0.0	3.1	0.1	0.1	0.1	25	0.0
43957	0	0	1	1	Ss	47.1976	69.2953	25.4	702.2	404	56786.	335	0.4	0.7	0.4	0.1	0.1	0.1	25	0.0
43956	0	0	1	0	Ss	47.1976	69.2946	25.4	702.0	405	56786.	392	0.3	1.0	1.7	0.1	0.1	0.1	25	0.0
43955	0	0	1	0	Ss	47.1976	69.2938	25.4	701.9	406	56786.	337	0.3	0.1	1.3	0.1	0.1	0.1	22	0.0
43954	0	0	1	0	Ss	47.1976	69.2931	25.4	701.7	405	56787.	291	0.3	0.7	1.4	0.1	0.1	0.1	16	0.0
43953	0	0	1	0	Ss	47.1976	69.2924	25.4	701.5	408	56787.	275	0.3	0.1	1.2	0.1	0.1	0.1	26	0.0
43952	0	0	1	0	Ss	47.1976	69.2916	25.4	701.3	417	56788.	318	0.3	0.3	2.6	0.1	0.1	0.1	26	0.0
43951	0	0	1	1	Ss	47.1976	69.2909	25.4	701.1	426	56789.	330	0.3	-0.9	0.9	0.1	0.1	0.1	31	0.0
43950	0	0	1	0	Ss	47.1976	69.2901	25.4	700.9	432	56788.	358	0.6	-0.8	1.5	0.1	0.1	3.0	22	0.0
43949	0	0	1	0	Ss	47.1976	69.2894	25.4	700.6	436	56788.	381	0.4	-0.5	3.1	0.1	0.1	0.1	28	0.0
43948	0	0	1	0	Ss	47.1976	69.2887	25.4	700.4	442	56788.	410	0.4	0.5	1.9	0.1	0.1	3.7	21	0.0

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI		
												CPS	%	PPM	PPM						CPS	CPS
43947	0	0	1	0	Ss	47.1976	69.2879	25.4	700.2	446	56789.	423	0.4	0.6	1.8	0.1	0.1	0.1	30	0.0		
43946	0	0	1	0	Svql	47.1976	69.2872	25.4	700.0	448	56790.	507	0.5	0.3	4.1	0.1	0.1	0.1	22	0.0		
43945	0	0	1	0	Svql	47.1976	69.2865	25.4	699.8	450	56790.	529	0.5	0.8	3.5	0.1	0.1	0.1	27	0.0		
43944	0	0	1	0	Svql	47.1976	69.2857	25.4	699.6	450	56789.	609	0.6	1.1	2.5	0.1	0.1	4.8	28	0.0		
43943	0	0	1	0	Svql	47.1976	69.2850	25.4	699.4	444	56790.	563	0.5	0.3	2.4	0.1	0.1	0.1	21	0.0		
43942	0	0	1	0	Svql	47.1975	69.2843	25.4	699.1	435	56791.	622	0.5	0.9	3.4	0.1	0.1	0.1	28	0.0		
43941	0	0	1	0	Svql	47.1975	69.2835	25.4	698.9	422	56790.	679	0.6	0.5	3.6	0.1	0.1	6.7	25	0.0		
43940	0	0	1	0	Svql	47.1975	69.2828	25.4	698.7	413	56791.	638	0.8	-0.2	1.7	0.1	0.1	2.3	27	0.0		
43939	0	0	1	0	Svql	47.1975	69.2821	25.6	697.3	406	56793.	650	0.5	0.8	5.0	0.1	0.1	0.1	28	0.0		
43938	0	0	1	0	Svql	47.1975	69.2813	25.6	697.3	406	56792.	673	0.5	0.0	4.6	0.1	0.1	0.1	23	0.0		
43937	0	0	0	0	Svql	47.1975	69.2806	25.6	697.3	405	56793.	677	0.7	1.2	4.3	1.7	0.3	6.2	30	0.0		
43936	0	0	1	0	Svql	47.1975	69.2798	25.6	697.3	403	56793.	623	0.7	1.1	3.3	0.1	0.1	5.3	29	0.0		
43935	0	0	1	0	Svql	47.1975	69.2791	25.6	697.3	401	56793.	617	0.6	-0.2	4.5	0.1	0.1	7.7	33	0.0		
43934	0	0	1	0	Svql	47.1975	69.2784	25.6	697.3	399	56793.	669	0.8	0.0	3.9	0.1	0.1	5.4	24	0.0		
43933	0	0	0	0	Svql	47.1975	69.2776	25.6	697.3	398	56792.	621	0.6	1.4	2.9	2.5	0.5	5.0	20	0.0		
43932	0	0	1	0	Svql	47.1975	69.2769	25.6	697.3	403	56793.	657	0.6	1.0	3.9	0.1	0.1	6.9	15	0.0		
43931	0	0	1	0	Sls	47.1975	69.2762	25.6	697.3	412	56793.	588	0.7	0.0	1.8	0.1	0.1	2.6	24	0.2		
43930	0	0	1	0	Sls	47.1975	69.2754	25.6	697.3	430	56794.	510	0.7	0.0	2.3	0.1	0.1	3.5	30	0.5		
43929	0	0	1	0	Sls	47.1975	69.2747	25.6	697.3	445	56794.	548	0.6	0.0	4.3	0.1	0.1	7.9	30	0.7		
43928	0	0	1	0	Sls	47.1975	69.2739	25.6	697.3	459	56795.	609	0.7	-0.5	2.1	0.1	0.1	3.0	22	0.8		
43927	0	0	1	0	Sls	47.1975	69.2732	25.6	697.3	463	56794.	556	0.5	1.3	2.7	0.1	0.1	0.1	19	1.0		
43926	0	0	1	0	Sls	47.1975	69.2725	25.6	697.3	466	56795.	601	0.6	-0.3	3.1	0.1	0.1	5.4	36	1.2		
43925	0	0	1	0	Sls	47.1975	69.2718	25.6	697.3	464	56795.	623	0.7	1.2	4.8	0.1	0.1	7.2	29	1.3		
43924	0	0	1	0	Sls	47.1975	69.2710	25.6	697.3	457	56794.	647	0.7	-0.3	3.7	0.1	0.1	5.5	25	1.5		
43923	0	0	1	0	Sls	47.1975	69.2703	25.7	697.4	450	56794.	739	0.9	-0.1	4.7	0.1	0.1	5.5	22	1.6		
43922	0	0	1	0	Sls	47.1975	69.2695	25.7	697.5	441	56795.	647	0.7	-0.5	3.3	0.1	0.1	5.0	33	1.8		
43921	0	0	1	0	Sls	47.1975	69.2688	25.7	697.5	434	56797.	616	0.6	0.8	1.9	0.1	0.1	3.2	29	1.9		
43920	0	0	1	0	Sls	47.1975	69.2681	25.7	697.6	423	56799.	673	0.8	0.8	3.5	0.1	0.1	4.4	28	1.8		
43919	0	0	0	0	Sls	47.1975	69.2673	25.7	697.7	414	56799.	678	0.7	1.6	1.4	2.5	1.2	2.1	21	1.7		
43918	0	0	1	0	Sls	47.1974	69.2666	25.7	697.8	408	56798.	611	0.7	0.6	1.4	0.1	0.1	2.1	18	1.6		
43917	0	0	1	0	Sls	47.1974	69.2659	25.7	697.9	405	56798.	631	0.7	1.0	2.4	0.1	0.1	3.8	39	1.5		
43916	0	0	1	0	Sls	47.1974	69.2651	25.7	698.0	403	56798.	608	0.6	0.8	1.9	0.1	0.1	3.2	34	1.4		
43915	0	0	1	0	Sls	47.1974	69.2644	25.7	698.1	402	56798.	617	0.7	0.7	1.9	0.1	0.1	2.8	32	1.3		
43914	0	0	1	0	Sls	47.1974	69.2636	25.7	698.2	402	56798.	665	0.6	0.4	3.6	0.1	0.1	6.6	28	1.3		
43913	0	0	1	0	Sls	47.1974	69.2629	25.7	698.4	402	56798.	664	0.8	0.2	4.7	0.1	0.1	5.8	17	1.2		
43912	0	0	1	0	Sls	47.1974	69.2622	25.7	698.5	403	56796.	635	0.6	-0.2	3.5	0.1	0.1	6.4	23	1.1		
43911	0	0	1	0	Sls	47.1974	69.2614	25.7	698.7	404	56796.	658	0.9	0.5	4.8	0.1	0.1	5.7	28	1.0		
43910	0	0	1	0	Sls	47.1974	69.2607	25.7	698.8	406	56796.	700	0.9	-0.2	2.8	0.1	0.1	3.3	19	0.9		
43908	0	0	1	0	Sls	47.1974	69.2592	25.7	699.0	410	56797.	645	0.7	0.2	3.5	0.1	0.1	5.8	22	0.8		
43907	0	0	1	0	Sls	47.1974	69.2585	25.7	699.1	416	56797.	606	0.5	-0.2	2.5	0.1	0.1	0.1	24	0.7		
43906	0	0	1	0	Sls	47.1974	69.2578	25.7	699.3	420	56797.	592	0.6	0.0	4.3	0.1	0.1	7.5	32	0.6		
43905	0	0	1	0	Sls	47.1974	69.2570	25.7	699.4	420	56798.	578	0.6	0.0	4.5	0.1	0.1	8.8	18	0.5		
43904	0	0	1	0	Sls	47.1974	69.2563	25.7	699.5	413	56798.	586	0.6	0.1	3.4	0.1	0.1	6.4	19	0.4		
43903	0	0	1	0	Sls	47.1974	69.2556	25.7	699.6	404	56797.	610	0.8	0.5	3.2	0.1	0.1	4.4	28	0.3		
43902	0	0	1	0	Sls	47.1974	69.2548	25.7	699.7	400	56798.	622	0.6	0.5	3.1	0.1	0.1	5.5	33	0.2		
43901	0	0	0	0	Sls	47.1974	69.2541	25.7	699.8	402	56799.	575	0.3	1.2	1.4	0.1	0.9	0.1	21	0.0		
43900	0	0	0	0	Sls	47.1974	69.2533	25.7	699.9	407	56800.	591	0.6	1.8	2.9	3.1	0.6	5.2	26	0.0		
43899	0	0	1	0	DSq	47.1974	69.2526	25.7	700.0	409	56800.	621	0.7	0.5	3.5	0.1	0.1	5.5	24	0.0		
43898	0	0	1	0	DSq	47.1974	69.2519	25.8	700.1	416	56799.	558	0.7	-0.1	2.9	0.1	0.1	4.6	26	0.0		
43897	0	0	1	0	DSq	47.1974	69.2511	25.8	700.1	429	56799.	553	0.5	0.1	2.6	0.1	0.1	0.1	19	0.0		

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI	
												CPS	%	PPM	PPM					CPS	CPS
43896	0	0	1	0	DSq	47.1974	69.2504	25.8	700.2	443	56799.	459	0.4	0.7	2.0	0.1	0.1	0.1	25	0.0	
43895	0	0	1	0	DSq	47.1973	69.2497	25.8	700.2	458	56797.	464	0.4	-0.2	2.5	0.1	0.1	0.1	28	0.0	
43894	0	0	1	0	DSq	47.1973	69.2489	25.8	700.2	465	56798.	425	0.4	1.0	3.2	0.1	0.1	0.1	25	0.0	
43893	0	0	1	0	DSq	47.1973	69.2482	25.8	700.2	466	56798.	423	0.3	-0.2	2.8	0.1	0.1	0.1	25	0.0	
43892	0	0	1	0	DSq	47.1973	69.2475	25.8	700.1	463	56799.	501	0.5	-0.2	3.3	0.1	0.1	0.1	26	0.0	
43891	0	0	1	0	DSq	47.1973	69.2467	25.8	700.1	461	56799.	465	0.4	0.6	2.3	0.1	0.1	0.1	23	0.0	
43890	0	0	1	0	DSq	47.1973	69.2460	25.8	700.0	462	56800.	550	0.7	0.5	1.9	0.1	0.1	2.8	31	0.0	
43889	0	0	1	0	DSq	47.1973	69.2452	25.8	700.0	464	56799.	579	0.3	1.0	4.2	0.1	0.1	0.1	29	0.0	
43888	0	0	1	0	DSq	47.1973	69.2445	25.8	699.9	467	56799.	595	0.7	0.7	1.6	0.1	0.1	2.4	22	0.0	
43887	0	0	0	0	DSq	47.1973	69.2438	25.8	699.8	469	56799.	599	0.6	1.9	3.3	3.3	0.6	6.0	25	0.0	
43886	0	0	1	0	DSq	47.1973	69.2430	25.8	699.7	468	56801.	587	0.6	-1.0	3.9	0.1	0.1	6.9	23	0.0	
43885	0	0	1	0	DSq	47.1973	69.2423	25.8	699.7	465	56802.	617	0.8	0.6	4.2	0.1	0.1	5.8	30	0.0	
43884	0	0	1	0	DSq	47.1973	69.2416	25.9	699.7	459	56800.	705	0.6	1.1	4.0	0.1	0.1	7.1	30	0.0	
43883	0	0	1	0	DSq	47.1973	69.2408	25.9	699.6	454	56799.	710	0.7	0.3	4.1	0.1	0.1	6.3	23	0.0	
43882	0	0	0	0	DSq	47.1973	69.2401	26.3	700.2	444	56801.	611	0.7	1.3	3.3	1.8	0.4	4.6	24	0.0	
43881	0	0	1	0	DSq	47.1973	69.2394	26.3	700.2	441	56802.	636	0.8	-0.5	3.1	0.1	0.1	4.0	28	0.0	
43880	0	0	1	0	DSq	47.1973	69.2386	26.3	700.1	436	56804.	689	0.9	0.7	4.2	0.1	0.1	5.1	22	0.0	
43879	0	0	1	0	DSq	47.1973	69.2379	26.3	700.2	428	56805.	578	0.4	0.2	4.8	0.1	0.1	0.1	28	0.0	
43878	0	0	1	1	DSq	47.1973	69.2372	26.3	700.2	421	56805.	642	0.8	0.9	0.6	0.1	0.1	0.1	37	0.0	
43877	0	0	0	0	DSq	47.1973	69.2364	26.3	700.2	414	56805.	582	0.6	1.4	3.4	2.6	0.5	6.1	30	0.0	
43876	0	0	0	0	DSq	47.1973	69.2357	26.3	700.3	407	56805.	589	0.6	1.1	1.1	2.1	1.0	2.1	19	0.0	
43875	0	0	0	0	DSq	47.1973	69.2349	26.3	700.3	400	56805.	604	0.6	1.3	3.9	2.4	0.4	7.1	15	0.0	
43874	0	0	0	0	DSq	47.1973	69.2342	26.3	700.4	393	56804.	595	0.6	1.2	3.6	2.3	0.4	7.0	22	0.0	
43873	0	0	1	0	DSq	47.1973	69.2335	26.3	700.4	386	56803.	660	0.6	0.3	3.7	0.1	0.1	6.8	22	0.0	
43872	0	0	1	0	DSq	47.1973	69.2327	26.3	700.5	381	56804.	651	0.6	1.0	3.7	0.1	0.1	6.8	21	0.0	
43871	0	0	1	0	DSq	47.1973	69.2320	26.3	700.6	379	56205.	702	0.8	0.2	4.3	0.1	0.1	5.4	30	0.0	
43870	0	0	1	0	DSq	47.1973	69.2313	26.3	700.7	380	56805.	630	0.7	0.2	3.1	0.1	0.1	4.5	26	0.0	
43869	0	0	1	0	DSq	47.1972	69.2305	26.3	700.9	385	56805.	651	0.8	0.1	3.9	0.1	0.1	5.1	42	0.0	
43868	0	0	1	0	DSq	47.1972	69.2298	26.3	701.0	393	56804.	640	0.8	-0.4	4.3	0.1	0.1	6.1	17	0.0	
43867	0	0	1	0	DSu	47.1972	69.2291	26.3	701.2	402	56804.	570	0.6	0.5	3.2	0.1	0.1	5.9	19	0.0	
43866	0	0	1	0	DSu	47.1972	69.2283	26.3	701.3	409	56805.	584	0.5	0.0	3.9	0.1	0.1	0.1	28	0.0	
43865	0	0	1	0	DSu	47.1972	69.2276	26.7	701.4	415	56806.	496	0.6	0.2	1.3	0.1	0.1	2.5	27	0.0	
43864	0	0	1	0	DSu	47.1972	69.2269	26.3	701.6	420	56807.	442	0.5	0.6	2.0	0.1	0.1	0.1	14	0.0	
43863	0	0	0	0	DSu	47.1972	69.2261	26.3	701.7	424	56808.	418	0.3	1.3	2.0	0.1	0.7	0.1	32	0.0	
43862	0	1	1	1	DSu	47.1972	69.2254	26.3	701.8	427	56807.	316	0.1	0.7	0.3	0.1	0.1	0.1	27	0.0	
43861	0	0	1	0	DSu	47.1972	69.2246	26.3	701.9	431	56807.	360	0.4	0.3	1.1	0.1	0.1	0.1	28	0.0	
43860	0	0	1	0	DSu	47.1972	69.2239	26.3	702.1	437	56806.	406	0.5	-0.3	2.8	0.1	0.1	0.1	20	0.0	
43859	0	0	1	0	DSu	47.1972	69.2232	26.3	702.2	448	56806.	433	0.3	-0.2	2.6	0.1	0.1	0.1	28	0.0	
43858	0	0	1	0	DSu	47.1972	69.2224	26.3	702.3	463	56807.	514	0.6	-0.3	3.1	0.1	0.1	5.4	21	0.0	
43857	0	0	1	0	DSu	47.1972	69.2217	26.4	702.3	477	56809.	624	0.6	-0.2	2.4	0.1	0.1	4.4	30	0.0	
43856	0	0	1	0	DSu	47.1972	69.2210	26.4	702.4	482	56810.	597	0.5	0.7	3.4	0.1	0.1	0.1	20	0.0	
43855	0	0	1	0	DSu	47.1972	69.2202	26.4	702.5	478	56810.	648	0.6	1.2	2.6	0.1	0.1	5.1	17	0.0	
43854	0	0	1	0	DSu	47.1972	69.2195	26.4	702.6	472	56809.	639	0.6	0.8	5.0	0.1	0.1	9.1	24	0.0	
43853	0	0	1	0	DSu	47.1972	69.2188	26.4	702.7	465	56808.	606	0.6	-0.5	4.0	0.1	0.1	7.2	26	0.0	
43852	0	0	1	0	DSu	47.1972	69.2180	26.4	702.8	461	56810.	628	0.8	0.8	2.4	0.1	0.1	3.4	23	0.0	
43851	0	0	1	0	DSu	47.1972	69.2173	26.4	702.9	455	56809.	693	0.9	0.1	4.3	0.1	0.1	5.4	28	0.0	
43850	0	0	1	0	DSu	47.1972	69.2165	26.4	703.0	452	56808.	688	0.8	0.5	2.4	0.1	0.1	3.1	29	0.0	
43849	0	0	1	0	DSu	47.1972	69.2158	26.4	703.2	448	56809.	602	0.5	-0.3	2.8	0.1	0.1	0.1	17	0.0	
43848	0	0	0	0	DSu	47.1972	69.2151	26.4	703.3	445	56812.	649	0.8	1.7	4.2	2.3	0.5	5.6	28	0.0	
43847	0	0	0	0	DSu	47.1971	69.2143	26.4	703.4	442	56812.	620	0.6	1.5	2.7	2.4	0.6	4.5	23	0.0	

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI	
												CPS	%	PPM	PPM					CPS	CPS
43846	0	0	1	0	DSu	47.1971	69.2136	26.4	703.6	444	56811.	625	0.8	0.8	3.8	0.1	0.1	5.4	26	0.0	
43845	0	0	1	0	DSu	47.1971	69.2129	26.4	703.8	445	56812.	598	0.5	1.1	1.1	0.1	0.1	0.1	20	0.0	
43844	0	0	1	0	DSu	47.1971	69.2121	26.4	704.0	444	56813.	550	0.6	1.0	1.8	0.1	0.1	3.3	28	0.0	
43843	0	0	0	0	DSu	47.1971	69.2114	26.4	704.2	442	56813.	565	0.7	1.2	3.5	1.8	0.4	5.4	41	0.0	
43842	0	0	1	0	DSu	47.1971	69.2107	26.5	704.4	439	56814.	532	0.5	0.9	1.6	0.1	0.1	0.1	22	0.0	
43841	0	0	0	0	DSu	47.1971	69.2099	26.5	704.6	438	56814.	590	0.4	1.4	3.3	0.1	0.5	0.1	25	0.0	
43840	0	0	1	0	DSu	47.1971	69.2092	26.5	704.8	437	56815.	635	0.7	0.6	5.3	0.1	0.1	7.7	21	0.0	
43839	0	0	0	0	DSu	47.1971	69.2085	26.5	705.0	437	56815.	587	0.6	1.4	3.9	2.6	0.4	7.4	28	0.0	
43838	0	0	1	0	DSu	47.1971	69.2077	26.5	705.2	440	56815.	598	0.6	0.4	1.8	0.1	0.1	3.4	26	0.0	
43837	0	0	1	0	DSu	47.1971	69.2070	26.5	705.5	443	56816.	629	0.8	0.5	2.0	0.1	0.1	2.7	29	0.0	
43836	0	0	0	0	DSu	47.1971	69.2062	26.5	705.7	449	56816.	606	0.7	1.3	2.7	2.0	0.5	4.1	29	0.0	
43835	0	0	1	0	DSu	47.1971	69.2055	26.5	705.9	456	56814.	639	0.6	0.6	3.3	0.1	0.1	6.2	23	0.0	
43834	0	0	1	0	DSu	47.1971	69.2048	26.5	706.1	463	56814.	608	0.6	0.9	3.4	0.1	0.1	6.4	21	0.0	
43833	0	0	1	0	DSu	47.1971	69.2040	26.5	706.3	470	56814.	615	0.9	-0.4	3.4	0.1	0.1	4.2	24	0.0	
43832	0	0	1	0	DSu	47.1971	69.2033	26.6	706.5	476	56814.	619	0.8	-0.2	2.0	0.1	0.1	2.8	24	0.0	
43831	0	0	1	0	DSu	47.1971	69.2027	26.6	706.7	479	56814.	630	0.6	1.4	5.0	0.1	0.1	8.6	21	0.0	
43830	0	0	1	0	DSu	47.1971	69.2021	26.6	706.8	479	56815.	589	0.4	-0.1	3.9	0.1	0.1	0.1	32	0.0	
43829	0	0	1	0	DSu	47.1971	69.2015	26.6	707.0	476	56815.	598	0.9	0.7	2.8	0.1	0.1	3.1	20	0.0	
43828	0	0	1	0	DSu	47.1971	69.2009	26.6	707.2	470	56816.	663	0.6	0.8	2.7	0.1	0.1	5.3	26	0.0	
43827	0	0	0	0	DSu	47.1971	69.2003	26.6	707.4	461	56817.	641	0.7	1.6	3.7	2.3	0.5	5.5	32	0.0	
43826	0	0	1	0	DSu	47.1971	69.1997	26.9	709.5	448	56819.	681	0.4	0.6	5.9	0.1	0.1	0.1	30	0.0	
43825	0	0	1	0	DSu	47.1971	69.1991	26.9	709.4	447	56819.	634	0.7	0.2	2.4	0.1	0.1	3.8	26	0.0	
43824	0	0	1	0	DSu	47.1971	69.1985	26.9	709.3	445	56818.	681	0.7	0.0	3.1	0.1	0.1	4.5	31	0.0	
43823	0	0	0	0	DSu	47.1971	69.1979	26.9	709.3	442	56818.	701	0.8	1.7	2.1	2.3	0.9	2.7	32	0.0	
43822	0	0	1	0	DSu	47.1971	69.1973	26.9	709.4	438	56819.	730	0.8	0.1	2.4	0.1	0.1	3.1	32	0.0	
43821	0	0	0	0	DSu	47.1971	69.1967	26.9	709.4	435	56818.	768	0.8	1.6	4.1	2.2	0.4	5.7	24	0.0	
43820	0	0	1	0	DSu	47.1971	69.1961	26.9	709.5	430	56819.	710	0.8	0.9	4.4	0.1	0.1	6.0	32	0.0	
43819	0	0	1	0	DSu	47.1971	69.1955	26.9	709.6	426	56819.	775	0.7	1.1	3.9	0.1	0.1	5.7	24	0.0	
43818	0	0	1	0	DSu	47.1971	69.1949	26.9	709.7	421	56818.	755	0.8	0.7	3.0	0.1	0.1	4.1	21	0.0	
43817	0	0	0	0	DSu	47.1971	69.1943	26.9	709.9	416	56818.	714	0.6	1.5	5.3	2.6	0.3	8.9	21	0.0	
43816	0	0	1	0	DSu	47.1971	69.1937	26.9	710.1	409	56820.	786	0.8	0.8	5.4	0.1	0.1	6.8	33	0.0	
43815	0	0	1	0	DSu	47.1971	69.1930	26.9	710.2	403	56821.	715	0.6	0.1	3.3	0.1	0.1	5.8	20	0.0	
43813	0	0	1	0	DSu	47.1971	69.1918	26.9	710.4	401	56820.	783	0.9	1.0	4.0	0.1	0.1	4.9	28	0.0	
43812	0	0	1	0	DSu	47.1971	69.1912	26.9	710.7	404	56821.	748	0.8	0.6	4.3	0.1	0.1	5.5	21	0.0	
43811	0	0	0	0	DSu	47.1971	69.1906	26.9	711.1	407	56822.	708	0.6	1.2	3.4	2.1	0.4	5.9	17	0.0	
43810	0	0	0	0	DSu	47.1971	69.1900	26.9	711.4	413	56822.	780	0.8	1.3	2.9	1.8	0.5	4.1	36	0.0	
43809	0	0	1	0	DSu	47.1971	69.1894	26.9	711.8	419	56821.	705	0.7	0.5	5.0	0.1	0.1	8.1	21	0.0	
43808	0	0	1	0	DSu	47.1971	69.1888	26.9	712.1	427	56820.	701	0.7	0.5	4.2	0.1	0.1	6.7	22	0.0	
43807	0	0	1	0	DSu	47.1971	69.1882	26.9	712.4	432	56821.	604	0.5	0.6	3.0	0.1	0.1	0.1	19	0.0	
43806	0	0	0	0	DSu	47.1971	69.1876	26.9	712.8	434	56822.	647	0.8	2.1	2.1	2.7	1.0	2.8	33	0.0	
43805	0	0	0	0	DSu	47.1971	69.1870	26.9	713.2	432	56822.	635	0.6	1.3	4.6	2.2	0.3	8.1	26	0.0	
43804	0	0	1	0	DSu	47.1971	69.1864	26.9	713.5	427	56822.	578	0.5	0.0	1.7	0.1	0.1	0.1	23	0.0	
43803	0	0	0	0	DSu	47.1971	69.1858	26.9	713.8	423	56822.	654	0.6	1.6	3.5	2.6	0.5	5.8	18	0.0	
43802	0	0	1	0	DSu	47.1971	69.1852	26.9	714.2	416	56823.	685	0.6	0.9	3.9	0.1	0.1	6.4	18	0.0	
43801	0	0	1	0	DSu	47.1971	69.1846	26.9	714.5	408	56825.	683	0.6	0.3	2.9	0.1	0.1	4.8	24	0.0	
43800	0	0	1	0	DSu	47.1971	69.1840	26.9	714.8	401	56824.	612	0.5	0.3	4.2	0.1	0.1	0.1	20	0.0	
43799	0	0	1	0	DSu	47.1971	69.1834	26.9	715.2	397	56822.	734	0.8	0.8	5.8	0.1	0.1	8.0	27	0.0	
43798	0	0	1	0	DSu	47.1971	69.1828	26.9	715.5	395	56823.	690	0.6	0.5	3.7	0.1	0.1	6.5	27	0.0	
43797	0	0	0	0	DSu	47.1971	69.1822	26.9	715.8	390	56824.	664	0.7	1.2	1.5	1.8	0.8	2.4	26	0.0	
43796	0	0	1	0	DSu	47.1971	69.1816	26.9	716.1	381	56825.	696	0.7	0.4	4.3	0.1	0.1	6.4	33	0.0	

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

- H05 -
 MAINE AERIAL SURVEY EDMUNDSTON QUADRANGLE, CARSON GEOSCIENCE INC., 1980

LINE NO. 40

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
43795	0	0	1	0	DSu	47.1971	69.1810	26.9	716.5	367	56824.	662	0.8	0.9	3.4	0.1	0.1	4.5	28	0.0
43794	0	0	1	0	DSu	47.1971	69.1804	26.9	716.8	356	56825.	654	1.0	-0.2	3.2	0.1	0.1	3.4	24	0.0
43793	0	0	1	0	DSu	47.1971	69.1798	26.9	717.2	350	56826.	706	0.8	0.3	4.8	0.1	0.1	6.3	29	0.0
43792	0	0	1	0	DSu	47.1971	69.1792	26.9	717.6	350	56826.	726	0.7	0.6	3.2	0.1	0.1	4.7	21	0.0
43791	0	0	1	0	DSu	47.1971	69.1786	26.9	717.9	357	56826.	704	0.7	0.3	3.5	0.1	0.1	5.5	28	0.0
43790	0	0	1	0	DSu	47.1971	69.1780	26.9	718.3	367	56826.	717	0.7	0.3	2.6	0.1	0.1	3.7	18	0.0
43789	0	0	0	0	DSu	47.1971	69.1774	26.9	718.6	378	56826.	554	0.4	1.3	2.5	0.1	0.6	0.1	26	0.0
43788	0	0	0	0	DSu	47.1971	69.1768	26.9	719.0	388	56826.	529	0.4	2.2	2.1	0.1	1.1	0.1	20	0.0
43787	0	0	1	0	DSu	47.1971	69.1762	26.9	719.3	394	56827.	457	0.3	-0.1	2.2	0.1	0.1	0.1	25	0.0
43786	0	0	1	0	DSu	47.1971	69.1756	26.9	719.6	399	56828.	371	0.2	0.9	2.5	0.1	0.1	0.1	33	0.0
43785	0	0	1	0	DSu	47.1971	69.1750	26.9	719.9	402	56829.	306	0.4	0.4	1.2	0.1	0.1	0.1	29	0.0
43784	0	0	1	1	DSu	47.1971	69.1744	26.9	720.2	405	56830.	199	0.3	0.3	0.2	0.1	0.1	0.1	27	0.0
43783	0	1	0	1	DSu	47.1971	69.1738	26.9	720.5	411	56831.	161	0.2	1.2	0.1	0.1	0.1	0.1	29	0.0
43782	0	1	1	1	DSu	47.1971	69.1731	26.9	720.7	414	56831.	120	0.1	-0.2	0.7	0.1	0.1	0.1	13	0.0
43781	0	0	1	1	DSu	47.1971	69.1725	26.9	720.9	414	56833.	68	0.3	-0.3	-0.2	0.1	0.1	0.1	26	0.0
43780	0	1	1	1	DSu	47.1971	69.1720	26.9	721.0	409	56834.	112	0.1	-0.3	0.4	0.1	0.1	0.1	34	0.0
43779	0	0	1	0	DSu	47.1971	69.1713	26.9	721.1	403	56834.	156	0.4	-0.8	1.3	0.1	0.1	0.1	19	0.0
43778	0	0	1	0	DSu	47.1971	69.1707	26.9	721.2	396	56833.	213	0.2	-0.1	1.5	0.1	0.1	0.1	25	0.0
43777	0	1	1	0	DSu	47.1971	69.1701	26.9	721.2	393	56833.	251	0.2	-0.2	3.0	0.1	0.1	0.1	28	0.0
43776	0	0	1	1	DSu	47.1972	69.1696	26.9	721.2	399	56832.	231	0.4	-0.8	0.6	0.1	0.1	0.1	24	0.0
43775	0	0	1	1	DSu	47.1972	69.1690	26.9	721.2	409	56831.	202	0.2	0.2	0.6	0.1	0.1	0.1	29	0.0
43774	0	1	1	0	DSu	47.1973	69.1685	26.9	721.2	418	56830.	175	0.1	0.3	1.4	0.1	0.1	0.1	26	0.0
43773	0	1	1	0	DSu	47.1973	69.1679	26.9	721.2	422	56829.	203	0.1	0.8	1.2	0.1	0.1	0.1	26	0.0
43772	0	1	1	1	DSu	47.1974	69.1674	26.9	721.2	424	56828.	192	0.2	0.0	0.3	0.1	0.1	0.1	28	0.0
43771	0	1	1	1	DSu	47.1974	69.1668	26.9	721.1	427	56827.	175	0.0	-0.3	0.4	0.1	0.1	0.1	22	0.0
43770	0	1	1	1	DSu	47.1974	69.1662	26.9	721.0	424	56825.	141	0.1	0.0	0.2	0.1	0.1	0.1	21	0.0
43769	0	1	1	1	DSu	47.1975	69.1657	26.5	720.0	419	56825.	144	0.1	-0.3	0.3	0.1	0.1	0.1	21	0.0
43768	0	0	1	1	DSu	47.1975	69.1651	26.5	720.0	420	56826.	136	0.3	-0.8	0.2	0.1	0.1	0.1	25	0.0
43767	0	1	1	1	DSu	47.1976	69.1646	26.5	720.1	416	56827.	191	0.2	0.2	1.0	0.1	0.1	0.1	31	0.0
43766	0	0	1	1	DSu	47.1976	69.1640	26.5	720.1	406	56827.	218	0.2	-0.2	-0.3	0.1	0.1	0.1	21	0.0
43765	0	0	1	0	DSu	47.1977	69.1634	26.5	720.1	388	56825.	298	0.3	0.0	1.4	0.1	0.1	0.1	11	0.0
43764	0	0	1	0	DSu	47.1977	69.1629	26.5	720.1	373	56824.	324	0.4	-0.1	1.9	0.1	0.1	0.1	25	0.0
43763	0	0	1	0	DSu	47.1978	69.1623	26.5	720.1	368	56824.	304	0.4	0.3	1.9	0.1	0.1	0.1	27	0.0
43762	0	0	1	1	DSu	47.1978	69.1618	26.5	720.0	374	56823.	274	0.3	-0.1	0.9	0.1	0.1	0.1	27	0.0
43761	0	0	1	1	DSu	47.1978	69.1612	26.5	720.0	388	56821.	260	0.3	-0.2	0.2	0.1	0.1	0.1	20	0.0
43760	0	0	1	1	DSu	47.1979	69.1606	26.5	719.9	402	56819.	279	0.3	-0.5	0.6	0.1	0.1	0.1	20	0.0
43759	0	0	1	0	DSu	47.1979	69.1601	26.5	719.8	414	56818.	295	0.3	-0.5	1.1	0.1	0.1	0.1	26	0.0
43758	0	0	1	0	DSu	47.1980	69.1595	26.5	719.7	421	56817.	340	0.3	0.4	1.9	0.1	0.1	0.1	22	0.0
43757	0	0	1	0	DSu	47.1980	69.1590	26.5	719.6	423	56818.	347	0.3	-0.1	1.9	0.1	0.1	0.1	21	0.0
43756	0	0	1	0	DSu	47.1981	69.1584	26.5	719.5	424	56818.	371	0.5	0.4	1.8	0.1	0.1	0.1	23	0.0
43755	0	0	1	1	DSu	47.1981	69.1578	26.5	719.4	425	56817.	366	0.4	0.4	0.8	0.1	0.1	0.1	30	0.0
43754	0	0	1	0	DSu	47.1982	69.1573	26.5	719.2	427	56818.	399	0.5	0.0	2.0	0.1	0.1	0.1	23	0.0
43753	0	0	1	0	DSu	47.1982	69.1567	26.5	719.0	429	56818.	447	0.5	-0.6	3.7	0.1	0.1	0.1	22	0.0
43752	0	0	1	0	DSu	47.1983	69.1562	26.5	718.8	431	56819.	495	0.4	0.4	2.1	0.1	0.1	0.1	29	0.0
43751	0	0	0	0	DSu	47.1983	69.1556	26.5	718.6	434	56819.	568	0.6	1.3	5.4	2.4	0.3	10.1	25	0.0
43750	0	0	1	0	DSu	47.1983	69.1551	26.5	718.4	433	56819.	519	0.4	0.4	2.3	0.1	0.1	0.1	21	0.0
43749	0	0	0	0	DSu	47.1984	69.1545	26.5	718.3	430	56820.	535	0.5	1.6	2.6	0.1	0.7	0.1	22	0.0
43748	0	0	1	0	DSu	47.1984	69.1539	26.5	718.1	423	56822.	491	0.5	0.5	2.1	0.1	0.1	0.1	19	0.1
43747	0	0	1	0	DSu	47.1985	69.1534	26.5	718.0	418	56822.	539	0.6	-0.2	2.5	0.1	0.1	4.6	21	0.2
43746	0	0	1	0	DSu	47.1985	69.1528	26.5	717.9	413	56823.	476	0.6	0.2	2.5	0.1	0.1	4.4	25	0.1

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
43745	0	0	1	0	DSu	47.1986	69.1523	26.5	717.9	410	56824.	489	0.4	0.3	4.0	0.1	0.1	0.1	23	0.0
43744	0	0	1	0	DSu	47.1986	69.1517	26.5	717.8	406	56826.	482	0.6	-0.1	2.8	0.1	0.1	5.2	26	0.0
43743	0	0	1	0	DSu	47.1987	69.1511	26.5	717.8	404	56826.	495	0.6	0.5	2.1	0.1	0.1	3.4	14	0.0
43742	0	0	1	0	DSu	47.1987	69.1506	26.5	717.7	401	56826.	528	0.4	0.5	2.2	0.1	0.1	0.1	32	0.0
43741	0	0	1	0	DSu	47.1987	69.1500	26.5	717.7	397	56826.	510	0.7	0.9	2.3	0.1	0.1	3.7	22	0.0
43740	0	0	1	0	DSu	47.1988	69.1495	26.5	717.7	392	56824.	471	0.5	0.7	1.5	0.1	0.1	0.1	30	0.0
43739	0	0	1	0	DSu	47.1988	69.1489	26.5	717.7	389	56823.	506	0.4	-0.6	3.3	0.1	0.1	0.1	25	0.0
43738	0	0	1	0	DSu	47.1987	69.1484	26.5	717.7	390	56822.	506	0.6	0.8	1.3	0.1	0.1	2.5	25	0.0
43737	0	0	1	0	DSu	47.1989	69.1478	26.5	717.7	390	56822.	518	0.4	0.6	2.3	0.1	0.1	0.1	16	0.0
43736	0	0	1	0	DSu	47.1990	69.1472	26.5	717.7	387	56822.	535	0.6	0.8	3.2	0.1	0.1	6.0	28	0.0
43735	0	0	1	0	DSu	47.1990	69.1467	26.5	717.7	381	56821.	479	0.6	0.5	1.7	0.1	0.1	3.0	35	0.0
43734	0	0	1	0	DSu	47.1991	69.1461	26.5	717.7	373	56819.	470	0.5	0.6	1.3	0.1	0.1	0.1	28	0.0
43733	0	0	1	0	DSu	47.1991	69.1456	26.5	717.6	368	56819.	509	0.4	0.0	2.2	0.1	0.1	0.1	16	0.0
43732	0	0	1	0	DSu	47.1992	69.1450	26.5	717.6	365	56819.	482	0.5	0.5	3.3	0.1	0.1	0.1	27	0.0
43731	0	0	1	0	DSu	47.1992	69.1444	26.5	717.5	370	56819.	468	0.5	0.9	3.3	0.1	0.1	0.1	23	0.0
43730	0	0	1	0	DSu	47.1992	69.1439	26.5	717.4	381	56819.	451	0.4	-0.1	2.0	0.1	0.1	0.1	21	0.0
43729	0	0	1	0	DSu	47.1993	69.1433	26.5	717.3	401	56818.	458	0.4	0.3	2.5	0.1	0.1	0.1	15	0.0
43728	0	0	0	0	DSu	47.1993	69.1427	26.5	717.2	418	56819.	504	0.4	1.1	3.0	0.1	0.4	0.1	22	0.0
43727	0	0	1	0	DSu	47.1992	69.1421	26.5	717.0	428	56820.	470	0.3	0.2	2.2	0.1	0.1	0.1	24	0.0
43726	0	0	1	0	DSu	47.1992	69.1415	26.5	716.9	429	56820.	437	0.4	1.0	1.8	0.1	0.1	0.1	21	0.0
43725	0	0	1	0	DSu	47.1992	69.1409	26.5	716.7	428	56819.	454	0.5	-0.1	3.4	0.1	0.1	0.1	20	0.0
43724	0	0	1	0	DSu	47.1991	69.1403	26.5	716.5	427	56819.	423	0.4	-0.2	2.4	0.1	0.1	0.1	27	0.0
43723	0	0	1	0	DSu	47.1991	69.1396	26.5	716.4	428	56820.	435	0.4	0.9	2.9	0.1	0.1	0.1	21	0.0
43722	0	0	1	0	DSu	47.1991	69.1390	26.5	716.2	429	56821.	450	0.4	0.9	1.3	0.1	0.1	0.1	24	0.0
43721	0	1	1	0	DSu	47.1990	69.1384	26.5	716.0	432	56822.	430	0.2	1.0	3.7	0.1	0.1	0.1	23	0.0
43720	0	0	1	0	DSu	47.1990	69.1378	26.5	715.8	437	56821.	491	0.5	0.6	2.7	0.1	0.1	0.1	31	0.0
43719	0	0	1	0	DSu	47.1990	69.1372	26.5	715.6	441	56821.	464	0.4	0.2	2.6	0.1	0.1	0.1	31	0.0
43717	0	0	1	0	DSu	47.1989	69.1360	26.5	715.4	446	56822.	491	0.5	-0.5	3.9	0.1	0.1	0.1	19	0.0
43716	0	0	1	0	DSu	47.1989	69.1353	26.5	715.3	449	56821.	525	0.7	-0.2	3.1	0.1	0.1	4.8	29	0.0
43715	0	0	1	0	DSu	47.1988	69.1347	26.5	715.1	453	56821.	547	0.5	0.9	3.1	0.1	0.1	0.1	17	0.0
43714	0	0	1	0	DSu	47.1988	69.1341	26.5	715.0	452	56820.	595	0.5	0.8	2.9	0.1	0.1	0.1	26	0.0
43713	0	0	0	0	DSu	47.1988	69.1335	26.4	714.9	450	56820.	656	0.4	1.5	2.7	0.1	0.6	0.1	26	0.0
43712	0	0	1	0	DSu	47.1987	69.1329	26.1	714.4	441	56818.	686	0.7	1.0	4.3	0.1	0.1	6.4	18	0.0
43711	0	0	1	0	DSu	47.1987	69.1323	26.1	714.4	438	56819.	724	0.7	1.2	2.4	0.1	0.1	3.7	21	0.0
43710	0	0	1	0	DSu	47.1987	69.1317	26.1	714.3	433	56820.	704	0.8	0.9	3.6	0.1	0.1	5.0	18	0.0
43709	0	0	1	0	DSu	47.1987	69.1310	26.1	714.3	424	56821.	756	0.8	0.0	5.1	0.1	0.1	6.5	17	0.0
43708	0	0	1	0	DSu	47.1986	69.1304	26.1	714.3	413	56822.	701	0.7	0.7	3.5	0.1	0.1	5.2	18	0.0
43707	0	0	0	0	DSu	47.1986	69.1298	26.1	714.4	402	56822.	726	0.7	1.4	3.3	2.1	0.5	5.1	23	0.0
43706	0	0	1	0	DSu	47.1986	69.1292	26.1	714.4	390	56823.	712	0.7	0.2	4.0	0.1	0.1	6.4	24	0.0
43705	0	0	1	0	DSu	47.1985	69.1286	26.1	714.4	378	56825.	655	0.6	-0.5	4.4	0.1	0.1	7.8	20	0.0
43704	0	0	1	0	DSu	47.1985	69.1280	26.1	714.5	367	56825.	672	0.7	0.7	3.1	0.1	0.1	4.7	20	0.0
43703	0	0	1	0	DSu	47.1985	69.1274	26.1	714.5	360	56823.	567	0.6	0.5	4.4	0.1	0.1	8.7	32	0.0
43702	0	0	1	0	DSu	47.1984	69.1267	26.1	714.6	362	56822.	536	0.6	0.2	3.1	0.1	0.1	6.1	28	0.0
43701	0	0	1	0	DSu	47.1984	69.1261	26.1	714.6	366	56822.	520	0.8	0.2	2.3	0.1	0.1	3.0	19	0.0
43700	0	0	1	0	DSu	47.1984	69.1255	26.1	714.6	375	56821.	415	0.3	0.2	2.0	0.1	0.1	0.1	29	0.0
43699	0	1	1	0	DSu	47.1983	69.1249	26.1	714.6	379	56820.	334	0.2	0.3	2.0	0.1	0.1	0.1	21	0.0
43698	0	0	1	1	DSu	47.1983	69.1243	26.1	714.7	384	56821.	313	0.4	0.8	0.5	0.1	0.1	0.1	20	0.0
43697	0	0	1	1	DSu	47.1983	69.1237	26.1	714.7	385	56820.	315	0.2	0.7	0.1	0.1	0.1	0.1	25	0.0
43696	0	0	1	0	DSu	47.1982	69.1230	26.1	714.7	386	56819.	351	0.3	0.4	1.8	0.1	0.1	0.1	15	0.0
43695	0	0	1	0	DSu	47.1982	69.1224	26.1	714.7	387	56819.	367	0.3	0.0	2.4	0.1	0.1	0.1	21	0.0

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
43694	0	0	0	0	DSu	47.1982	69.1218	26.1	714.6	382	56819.	439	0.3	1.3	3.3	0.1	0.4	0.1	18	0.0
43693	0	0	1	0	DSu	47.1982	69.1212	26.1	714.6	378	56820.	517	0.5	0.9	1.8	0.1	0.1	0.1	18	0.0
43692	0	0	1	0	DSu	47.1981	69.1206	26.1	714.4	375	56820.	590	0.5	0.2	2.8	0.1	0.1	0.1	19	0.0
43691	0	0	0	0	DSu	47.1981	69.1200	26.1	714.3	372	56821.	575	0.5	1.5	2.9	0.1	0.6	0.1	22	0.0
43690	0	0	1	0	DSu	47.1981	69.1194	26.1	714.1	367	56821.	635	0.6	0.2	2.8	0.1	0.1	5.2	24	0.0
43689	0	0	0	0	DSu	47.1980	69.1188	26.1	714.0	362	56821.	591	0.6	1.2	3.0	2.1	0.4	5.4	30	0.0
43688	0	0	0	0	DSu	47.1980	69.1181	26.1	713.8	364	56821.	624	0.7	1.4	3.0	2.1	0.5	4.6	24	0.0
43687	0	0	1	0	DSu	47.1980	69.1175	26.1	713.5	371	56820.	558	0.4	0.7	2.0	0.1	0.1	0.1	41	0.0
43686	0	0	1	0	DSu	47.1979	69.1169	26.1	713.3	379	56819.	617	0.4	0.3	4.0	0.1	0.1	0.1	23	0.0
43685	0	0	1	0	DSu	47.1979	69.1163	26.1	713.0	387	56817.	698	0.6	1.1	4.1	0.1	0.1	7.0	20	0.0
43684	0	0	1	0	DSu	47.1979	69.1157	26.1	712.7	393	56817.	631	0.6	0.4	2.5	0.1	0.1	4.4	28	0.0
43683	0	0	1	0	DSu	47.1978	69.1151	26.1	712.4	392	56819.	686	0.8	0.8	5.9	0.1	0.1	7.7	20	0.0
43682	0	0	1	0	DSu	47.1978	69.1144	26.1	712.2	385	56818.	673	0.8	0.5	4.3	0.1	0.1	5.8	26	0.0
43681	0	0	1	0	DSu	47.1978	69.1138	26.1	711.9	378	56818.	662	0.7	-0.2	3.1	0.1	0.1	4.6	27	0.0
43680	0	0	0	0	DSu	47.1978	69.1132	26.1	711.6	374	56819.	714	0.7	1.5	5.0	2.2	0.3	7.2	28	0.0
43679	0	0	1	0	DSu	47.1977	69.1126	26.1	711.3	376	56820.	736	0.7	-0.2	3.1	0.1	0.1	5.0	19	0.0
43678	0	0	1	0	DSu	47.1977	69.1120	26.1	711.1	379	56821.	704	0.8	0.3	3.4	0.1	0.1	4.3	35	0.0
43677	0	0	1	0	DSu	47.1976	69.1114	26.1	710.9	382	56822.	725	0.8	0.2	3.5	0.1	0.1	5.0	34	0.0
43676	0	0	0	0	DSu	47.1976	69.1108	26.1	710.7	387	56822.	708	0.6	1.2	5.4	2.4	0.3	10.6	23	0.0
43675	0	0	1	0	DSu	47.1976	69.1101	26.1	710.5	395	56823.	757	0.7	0.3	3.3	0.1	0.1	4.7	28	0.0
43674	0	0	1	0	DSu	47.1976	69.1095	26.1	710.3	406	56823.	795	1.0	1.2	3.8	0.1	0.1	4.0	26	0.0
43673	0	0	1	0	DSu	47.1975	69.1089	26.1	710.2	415	56822.	762	0.9	1.0	3.1	0.1	0.1	3.9	35	0.0
43672	0	0	1	0	DSu	47.1975	69.1083	26.1	710.2	420	56822.	718	0.7	0.5	2.9	0.1	0.1	4.5	27	0.0
43671	0	0	1	0	DSu	47.1975	69.1077	26.1	710.1	419	56824.	675	0.7	0.4	3.9	0.1	0.1	5.7	23	0.0
43670	0	0	0	0	DSu	47.1974	69.1071	26.1	710.1	419	56825.	693	0.7	1.7	2.8	2.7	0.6	4.5	37	0.0
43669	0	0	1	0	DSu	47.1974	69.1065	26.1	710.1	421	56825.	682	0.7	1.0	4.2	0.1	0.1	6.5	16	0.0
43668	0	0	1	0	DSu	47.1974	69.1058	26.1	710.0	428	56825.	733	0.7	0.2	2.9	0.1	0.1	4.4	23	0.0
43667	0	0	1	0	DSu	47.1973	69.1052	26.1	709.9	430	56825.	731	0.7	0.6	2.7	0.1	0.1	4.3	30	0.0
43666	0	0	0	0	DSu	47.1973	69.1047	26.1	709.8	425	56824.	748	0.7	1.4	3.2	2.0	0.5	4.7	27	0.0
43665	0	0	1	0	DSu	47.1973	69.1041	26.1	709.7	414	56824.	708	0.7	1.0	2.8	0.1	0.1	4.4	25	0.0
43664	0	0	1	0	DSu	47.1973	69.1035	26.1	709.6	407	56823.	765	0.9	0.3	3.4	0.1	0.1	4.1	29	0.0
43663	0	0	1	0	DSu	47.1973	69.1030	26.1	709.5	406	56822.	756	0.8	-0.1	5.0	0.1	0.1	6.9	26	0.0
43662	0	0	1	0	DSu	47.1973	69.1024	26.1	709.3	410	56822.	771	0.7	0.9	4.8	0.1	0.1	7.7	17	0.0
43661	0	0	0	0	DSu	47.1973	69.1019	26.1	709.1	417	56822.	788	0.6	1.9	4.9	3.2	0.4	8.2	16	0.0
43660	0	0	0	0	DSu	47.1973	69.1013	26.1	708.9	425	56821.	795	0.8	1.6	1.7	2.1	0.9	2.3	31	0.0
43659	0	0	1	0	DSu	47.1974	69.1007	26.1	708.7	431	56820.	786	0.9	1.2	4.8	0.1	0.1	5.8	20	0.0
43658	0	0	1	0	DSu	47.1974	69.1002	26.1	708.5	434	56821.	779	0.9	-0.3	3.9	0.1	0.1	4.5	24	0.0
43657	0	0	1	0	DSu	47.1974	69.0996	26.1	708.2	435	56821.	783	0.9	1.2	5.7	0.1	0.1	7.1	18	0.0
43656	0	0	1	0	DSu	47.1974	69.0990	26.1	706.0	438	56821.	807	1.1	-0.9	2.9	0.1	0.1	2.6	22	0.0
43655	0	0	1	0	DSu	47.1974	69.0985	26.1	706.0	438	56822.	757	0.9	0.6	3.9	0.1	0.1	4.3	33	0.0
43654	0	0	1	0	DSu	47.1974	69.0979	26.1	706.0	435	56823.	752	0.6	1.2	4.6	0.1	0.1	7.8	27	0.0
43653	0	0	1	0	DSu	47.1974	69.0974	26.1	706.0	431	56822.	754	0.7	0.3	3.5	0.1	0.1	5.3	33	0.0
43652	0	0	0	0	DSu	47.1974	69.0968	26.1	705.9	423	56822.	670	0.8	1.8	4.6	2.5	0.4	6.6	17	0.0
43651	0	0	1	0	DSu	47.1974	69.0962	26.1	705.9	419	56821.	687	0.7	-0.9	5.2	0.1	0.1	8.5	24	0.0
43650	0	0	1	0	DSu	47.1974	69.0957	26.1	705.8	415	56821.	674	0.5	0.5	3.5	0.1	0.1	0.1	34	0.0
43649	0	0	0	0	DSu	47.1974	69.0951	26.1	705.8	413	56823.	707	0.7	1.4	3.5	2.3	0.5	5.2	29	0.0
43648	0	0	1	0	DSu	47.1974	69.0946	26.1	705.7	406	56825.	707	0.6	0.6	4.5	0.1	0.1	7.7	33	0.0
43647	0	0	1	0	DSu	47.1974	69.0940	26.1	705.7	395	56825.	684	0.8	0.2	3.5	0.1	0.1	4.5	34	0.0
43646	0	0	1	0	DSu	47.1974	69.0934	26.2	705.7	383	56824.	701	0.9	1.0	1.6	0.1	0.1	1.7	27	0.0
43645	0	0	1	0	DSu	47.1974	69.0929	26.2	705.7	372	56824.	743	1.0	0.5	5.5	0.1	0.1	5.9	33	0.0

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI	
												CPS	%	PPM	PPM					CPS	CPS
43644	0	0	1	0	DSU	47.1974	69.0923	26.2	705.6	365	56824.	714	0.9	0.4	3.4	0.1	0.1	4.0	26	0.0	
43643	0	0	1	0	DSU	47.1974	69.0917	26.2	705.6	359	56825.	705	0.7	0.7	3.7	0.1	0.1	5.4	25	0.0	
43642	0	0	1	0	DSU	47.1974	69.0912	26.2	705.5	357	56825.	714	0.8	-0.2	4.6	0.1	0.1	6.0	30	0.0	
43641	0	0	1	0	DSU	47.1974	69.0906	26.2	705.5	357	56826.	702	0.7	0.2	4.8	0.1	0.1	7.1	28	0.0	
43640	0	0	1	0	DSU	47.1974	69.0900	26.2	705.6	359	56827.	727	0.7	1.0	2.2	0.1	0.1	3.3	23	0.0	
43639	0	0	1	0	DSU	47.1974	69.0895	26.2	705.7	362	56827.	631	0.7	0.8	4.5	0.1	0.1	7.3	24	0.0	
43638	0	0	1	0	DSU	47.1974	69.0889	26.2	705.8	367	56826.	674	0.7	0.0	2.2	0.1	0.1	3.2	25	0.0	
43637	0	0	0	0	DSU	47.1974	69.0884	26.2	705.9	373	56825.	627	0.7	1.3	2.4	1.9	0.6	3.6	37	0.0	
43636	0	0	1	0	DSU	47.1974	69.0879	26.2	706.1	381	56826.	626	0.6	1.0	1.4	0.1	0.1	2.5	29	0.0	
43635	0	0	1	0	DSU	47.1974	69.0872	26.2	706.3	388	56827.	609	0.8	-0.4	2.5	0.1	0.1	3.2	25	0.0	
43634	0	0	1	0	DSU	47.1974	69.0867	26.2	706.5	391	56828.	662	0.7	0.2	4.9	0.1	0.1	7.2	29	0.0	
43633	0	0	1	0	DSU	47.1974	69.0861	26.2	706.8	390	56828.	604	0.6	0.3	3.2	0.1	0.1	5.3	27	0.2	
43632	0	0	1	0	DSU	47.1974	69.0856	26.2	707.0	387	56828.	636	0.6	0.0	2.7	0.1	0.1	5.1	30	0.3	
43631	0	0	1	0	DSU	47.1974	69.0850	26.2	707.2	384	56828.	665	0.5	0.9	5.4	0.1	0.1	0.1	18	0.5	
43630	0	0	1	0	DSU	47.1974	69.0844	26.2	707.5	384	56827.	590	0.4	0.6	3.2	0.1	0.1	0.1	18	0.4	
43629	0	0	0	0	DSU	47.1974	69.0839	26.2	707.7	388	56827.	616	0.5	1.7	3.7	0.1	0.5	0.1	25	0.3	
43628	0	0	1	0	DSU	47.1974	69.0833	26.2	707.9	389	56826.	632	0.7	0.4	2.4	0.1	0.1	3.9	16	0.3	
43627	0	0	0	0	DSU	47.1974	69.0827	26.2	708.1	393	56825.	494	0.3	1.2	2.3	0.1	0.6	0.1	26	0.2	
43626	0	0	0	0	DSU	47.1974	69.0822	26.2	708.2	394	56825.	565	0.5	1.3	1.7	0.1	0.8	0.1	33	0.2	
43625	0	0	1	0	DSU	47.1974	69.0816	26.2	708.3	404	56825.	595	0.3	-0.4	3.4	0.1	0.1	0.1	34	0.1	
43624	0	0	0	0	DSU	47.1974	69.0811	26.2	708.4	419	56825.	629	0.6	1.6	2.8	2.7	0.6	4.6	13	0.1	
43622	0	0	1	0	DSU	47.1974	69.0799	26.2	708.4	440	56825.	680	0.9	0.8	2.4	0.1	0.1	2.9	29	0.0	
43621	0	0	1	0	DSU	47.1974	69.0794	26.2	708.4	452	56823.	672	0.5	0.2	4.2	0.1	0.1	0.1	22	0.0	
43620	0	0	1	0	DSU	47.1974	69.0788	26.2	708.3	453	56822.	653	0.7	-0.1	3.9	0.1	0.1	5.9	27	0.0	
43619	0	0	1	0	DSU	47.1974	69.0782	26.2	708.1	441	56823.	692	0.8	-0.5	3.4	0.1	0.1	4.3	28	0.0	
43618	0	0	1	0	DSU	47.1974	69.0777	26.2	708.0	429	56823.	699	1.0	0.2	3.4	0.1	0.1	3.7	18	0.0	
43617	0	0	0	0	DSU	47.1974	69.0771	26.2	707.8	417	56823.	710	0.7	1.2	1.6	1.8	0.8	2.3	28	0.0	
43616	0	0	1	0	DSU	47.1974	69.0765	26.2	707.6	408	56823.	665	0.6	0.6	3.3	0.1	0.1	5.3	27	0.0	
43615	0	0	1	0	DSU	47.1974	69.0760	26.2	707.4	400	56822.	640	0.7	0.8	3.3	0.1	0.1	4.9	28	0.0	
43614	0	0	1	0	DSU	47.1974	69.0754	26.2	707.2	391	56821.	698	0.9	0.1	5.4	0.1	0.1	6.5	30	0.0	
43613	0	0	1	0	DSU	47.1974	69.0749	26.2	706.9	383	56820.	632	0.5	-0.3	2.7	0.1	0.1	0.1	29	0.0	
43612	0	0	0	0	DSU	47.1974	69.0743	26.2	706.7	376	56821.	710	0.6	2.2	3.5	3.6	0.7	5.8	23	0.0	
43611	0	0	1	0	DSU	47.1974	69.0737	26.2	706.3	372	56821.	674	0.5	0.7	3.1	0.1	0.1	0.1	30	0.0	
43610	0	0	1	0	DSU	47.1974	69.0732	26.2	706.0	374	56821.	737	0.8	1.0	2.7	0.1	0.1	3.8	33	0.0	
43609	0	0	1	0	DSU	47.1974	69.0726	26.2	705.7	380	56821.	744	0.8	0.7	3.5	0.1	0.1	4.6	28	0.0	
43608	0	0	1	0	DSU	47.1974	69.0721	26.2	705.4	388	56820.	734	1.0	0.5	3.1	0.1	0.1	3.3	24	0.0	
43607	0	0	1	0	DSU	47.1974	69.0715	26.2	705.1	395	56820.	661	0.8	0.2	2.1	0.1	0.1	2.7	26	0.0	
43606	0	0	1	0	DSU	47.1974	69.0709	26.2	704.8	400	56820.	655	0.7	1.1	2.3	0.1	0.1	3.7	40	0.0	
43605	0	0	1	0	DSU	47.1974	69.0704	26.3	704.5	404	56819.	669	0.6	0.8	2.8	0.1	0.1	5.0	33	0.0	
43604	0	0	1	0	DSU	47.1974	69.0698	26.3	704.2	405	56820.	713	0.7	-0.2	4.7	0.1	0.1	7.3	29	0.0	
43603	0	0	1	0	DSU	47.1974	69.0692	26.3	703.9	405	56819.	764	0.6	0.6	4.1	0.1	0.1	7.8	13	0.0	
43602	0	0	1	0	DSU	47.1974	69.0687	26.3	703.6	404	56819.	755	0.9	0.0	4.9	0.1	0.1	6.0	25	0.0	
43601	0	0	1	0	DSU	47.1974	69.0681	26.3	703.3	404	56821.	802	0.8	1.2	5.2	0.1	0.1	6.8	35	0.0	
43600	0	0	1	0	DSU	47.1974	69.0675	26.3	703.0	406	56821.	777	1.0	-0.4	4.5	0.1	0.1	4.5	32	0.0	
43599	0	0	1	0	DSU	47.1974	69.0670	26.5	701.9	420	56818.	803	0.7	0.2	6.9	0.1	0.1	10.3	18	0.0	
43598	0	0	1	0	DSU	47.1974	69.0664	26.5	701.9	424	56819.	812	0.9	-0.4	3.8	0.1	0.1	4.2	37	0.0	
43597	0	0	1	0	DSU	47.1974	69.0658	26.5	701.8	430	56820.	826	0.8	0.6	6.1	0.1	0.1	7.7	23	0.0	
43596	0	0	0	0	DSU	47.1974	69.0653	26.5	701.8	439	56821.	842	0.9	2.1	5.1	2.6	0.5	6.3	22	0.0	
43595	0	0	1	0	DSU	47.1974	69.0647	26.5	701.8	438	56822.	928	1.1	0.9	3.9	0.1	0.1	3.8	16	0.0	
43594	0	0	1	0	DSU	47.1974	69.0642	26.5	701.8	429	56825.	872	0.9	0.3	4.2	0.1	0.1	4.6	18	0.0	

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI	
												CPS	%	PPM	PPM					CPS	CPS
43593	0	0	1	0	DSu	47.1974	69.0636	26.5	701.9	414	56826.	864	1.1	1.0	4.2	0.1	0.1	3.9	22	0.0	
43592	0	0	1	0	DSu	47.1974	69.0630	26.5	701.9	400	56824.	962	0.9	0.8	4.3	0.1	0.1	4.9	21	0.0	
43591	0	0	1	0	DSu	47.1974	69.0625	26.5	702.0	386	56824.	882	0.9	1.0	5.4	0.1	0.1	6.2	22	0.0	
43590	0	0	1	0	DSu	47.1974	69.0619	26.5	702.1	375	56825.	874	0.9	1.2	4.1	0.1	0.1	4.7	22	0.0	
43589	0	0	0	0	DSu	47.1974	69.0613	26.5	702.2	367	56825.	901	0.9	1.9	4.1	2.1	0.5	4.5	26	0.0	
43588	0	0	0	0	DSu	47.1974	69.0608	26.5	702.3	365	56826.	876	0.6	1.5	4.1	2.5	0.4	6.7	20	0.0	
43587	0	0	0	0	DSu	47.1974	69.0602	26.5	702.4	370	56825.	853	0.7	1.5	5.0	2.2	0.3	7.3	33	0.0	
43586	0	0	1	0	DSu	47.1974	69.0596	26.5	702.6	382	56824.	908	0.9	0.5	4.4	0.1	0.1	5.2	21	0.0	
43585	0	0	0	0	DSu	47.1974	69.0591	26.6	702.8	398	56824.	809	0.8	1.5	4.0	2.2	0.4	5.6	26	0.0	
43584	0	0	0	0	DSu	47.1974	69.0585	26.6	703.1	415	56826.	878	1.0	1.7	5.0	1.7	0.4	5.0	29	0.0	
43583	0	0	1	0	DSu	47.1974	69.0580	26.6	703.3	428	56826.	918	0.9	0.1	5.7	0.1	0.1	6.2	31	0.0	
43582	0	0	1	0	DSu	47.1974	69.0574	26.6	703.6	437	56825.	904	0.9	1.1	5.0	0.1	0.1	5.8	18	0.0	
43581	0	0	1	0	DSu	47.1974	69.0568	26.6	703.8	442	56825.	900	1.0	1.1	5.4	0.1	0.1	5.6	26	0.0	
43580	0	0	1	0	DSu	47.1974	69.0563	26.6	704.1	445	56826.	841	1.1	0.2	4.4	0.1	0.1	4.2	18	0.0	
43579	0	0	1	0	DSu	47.1974	69.0557	26.6	704.4	445	56827.	865	0.8	0.6	4.1	0.1	0.1	5.2	23	0.0	
43578	0	0	1	0	DSu	47.1974	69.0551	26.6	704.7	442	56827.	923	1.0	-0.2	6.5	0.1	0.1	7.1	26	0.0	
43577	0	0	1	0	DSu	47.1974	69.0546	26.6	705.0	436	56828.	920	0.8	0.4	5.9	0.1	0.1	7.4	23	0.0	
43576	0	0	1	0	DSu	47.1974	69.0540	26.6	705.4	432	56826.	921	1.1	0.9	4.7	0.1	0.1	4.3	10	0.0	
43575	0	0	1	0	DSu	47.1974	69.0535	26.6	705.8	431	56826.	862	0.7	0.8	4.3	0.1	0.1	6.4	24	0.0	
43574	0	0	0	0	DSu	47.1974	69.0529	26.6	706.2	436	56827.	796	0.8	2.1	3.5	2.8	0.6	4.6	22	0.0	
43573	0	0	1	0	DSu	47.1974	69.0523	26.6	706.6	444	56827.	848	0.9	0.6	3.2	0.1	0.1	3.9	26	0.0	
43572	0	0	0	0	DSu	47.1974	69.0518	26.6	707.0	452	56828.	771	0.8	1.3	3.8	1.7	0.4	5.0	15	0.0	
43571	0	0	0	0	DSu	47.1974	69.0512	26.6	707.5	456	56828.	841	1.1	1.5	3.8	1.4	0.4	3.6	16	0.0	
43570	0	0	0	0	DSu	47.1974	69.0506	26.6	707.9	459	56829.	738	0.6	1.7	3.0	3.0	0.6	5.1	31	0.0	
43569	0	0	1	0	DSu	47.1974	69.0501	26.6	708.4	459	56829.	734	0.6	0.6	4.7	0.1	0.1	8.8	25	0.0	
43568	0	0	0	0	DSu	47.1974	69.0495	26.7	708.8	458	56829.	687	0.6	1.5	5.5	2.5	0.3	9.3	22	0.0	
43567	0	0	1	0	DSu	47.1974	69.0490	26.7	709.3	459	56829.	699	0.5	-0.1	4.5	0.1	0.1	0.1	23	0.0	
43566	0	0	1	0	DSu	47.1974	69.0484	26.7	709.7	458	56828.	712	1.0	0.3	3.7	0.1	0.1	3.8	12	0.0	
43565	0	0	1	0	DSu	47.1974	69.0478	26.7	710.1	458	56829.	765	0.8	0.6	4.1	0.1	0.1	5.3	21	0.0	
43564	0	0	1	0	DSu	47.1974	69.0473	26.7	710.5	453	56830.	652	0.6	0.3	3.3	0.1	0.1	5.7	28	0.0	
43563	0	0	1	0	DSu	47.1974	69.0467	26.7	710.9	442	56830.	665	0.8	1.1	4.1	0.1	0.1	5.8	20	0.0	
43562	0	0	1	0	DSu	47.1974	69.0461	26.7	711.2	428	56829.	625	0.6	-0.3	2.0	0.1	0.1	3.4	31	0.0	
43561	0	0	1	0	DSu	47.1974	69.0456	26.7	711.6	419	56827.	623	0.7	0.8	2.5	0.1	0.1	3.8	29	0.0	
43560	0	0	1	0	DSu	47.1974	69.0450	26.7	711.9	417	56828.	658	0.6	0.4	2.1	0.1	0.1	3.8	21	0.0	
43559	0	0	1	0	DSu	47.1974	69.0444	26.7	712.2	421	56829.	659	0.6	-0.2	3.0	0.1	0.1	5.8	18	0.0	
43558	0	0	1	0	DSu	47.1974	69.0439	26.7	712.5	427	56829.	649	0.9	-0.1	4.3	0.1	0.1	5.0	27	0.0	
43557	0	0	1	0	DSu	47.1974	69.0433	26.7	712.8	433	56830.	689	0.8	-0.3	3.5	0.1	0.1	4.9	16	0.0	
43556	0	0	1	0	DSu	47.1974	69.0427	26.7	713.1	435	56831.	668	0.8	1.2	2.8	0.1	0.1	3.6	24	0.0	
43555	0	0	0	0	DSu	47.1974	69.0422	26.7	713.4	437	56831.	608	0.7	1.5	3.1	2.1	0.5	4.4	26	0.0	
43554	0	0	1	0	DSu	47.1974	69.0416	26.7	713.6	438	56831.	668	0.8	0.6	3.3	0.1	0.1	4.1	23	0.0	
43553	0	0	1	0	DSu	47.1974	69.0411	26.7	713.9	438	56831.	633	0.6	0.2	3.0	0.1	0.1	5.1	28	0.0	
43552	0	0	0	0	DSu	47.1974	69.0405	26.7	714.1	430	56830.	702	0.6	2.5	2.4	4.2	1.1	4.1	15	0.0	
43551	0	0	1	0	DSu	47.1974	69.0399	26.7	714.3	421	56830.	687	0.8	0.2	2.3	0.1	0.1	3.2	31	0.0	
43550	0	0	0	0	DSu	47.1974	69.0394	26.8	714.6	407	56830.	624	0.6	1.2	4.4	2.3	0.3	8.5	24	0.0	
43549	0	0	1	0	DSu	47.1974	69.0388	26.8	714.7	400	56830.	679	0.7	0.1	4.5	0.1	0.1	6.7	27	0.0	
43548	0	0	1	0	DSu	47.1974	69.0382	26.8	714.9	386	56831.	700	0.8	-0.3	3.5	0.1	0.1	4.5	46	0.0	
43547	0	0	1	0	DSu	47.1974	69.0377	26.8	715.0	381	56832.	743	0.9	-0.1	3.3	0.1	0.1	4.0	27	0.0	
43546	0	0	1	0	DSu	47.1974	69.0371	26.8	715.2	374	56830.	809	1.0	0.8	6.4	0.1	0.1	6.8	20	0.0	
43545	0	0	1	0	DSu	47.1974	69.0365	26.8	715.3	382	56829.	837	0.9	-0.4	3.7	0.1	0.1	4.5	18	0.0	
43544	0	0	0	0	DSu	47.1974	69.0360	26.8	715.5	390	56830.	792	0.8	1.5	3.6	2.1	0.5	5.0	17	0.0	

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI	
												CPS	%	PPM	PPM					CPS	CPS
43543	0	0	0	0	DSu	47.1974	69.0354	26.8	716.7	403	56831.	735	0.8	1.3	5.1	1.7	0.3	6.4	17	0.0	
43542	0	0	1	0	DSu	47.1974	69.0349	26.8	716.7	405	56832.	813	1.0	-0.1	4.1	0.1	0.1	4.3	25	0.0	
43541	0	0	0	0	DSu	47.1974	69.0343	26.8	716.6	409	56832.	726	0.7	1.5	4.0	2.5	0.4	6.4	23	0.0	
43540	0	0	1	0	DSu	47.1974	69.0337	26.8	716.6	415	56832.	680	0.6	0.2	4.3	0.1	0.1	7.4	21	0.0	
43539	0	0	1	0	DSu	47.1974	69.0332	26.8	716.7	419	56832.	555	0.3	0.2	3.2	0.1	0.1	0.1	26	0.0	
43538	0	0	1	0	DSu	47.1974	69.0326	26.8	716.7	420	56832.	551	0.5	0.7	4.3	0.1	0.1	0.1	26	0.0	
43537	0	0	1	0	DSu	47.1974	69.0320	26.8	716.7	416	56831.	557	0.2	0.1	2.3	0.1	0.1	0.1	23	0.0	
43536	0	0	1	0	DSu	47.1974	69.0315	26.8	716.8	405	56830.	630	0.5	0.2	4.9	0.1	0.1	0.1	22	0.0	
43535	0	0	1	0	DSu	47.1974	69.0309	26.8	716.8	393	56831.	652	0.6	0.3	4.7	0.1	0.1	8.6	25	0.0	
43534	0	0	1	0	DSu	47.1974	69.0303	26.8	716.9	382	56832.	611	0.6	0.4	2.0	0.1	0.1	3.3	25	0.0	
43533	0	0	1	0	DSu	47.1974	69.0298	26.8	717.0	382	56833.	621	0.8	0.8	1.8	0.1	0.1	2.5	18	0.0	
43532	0	0	0	0	DSu	47.1974	69.0292	26.8	717.0	386	56833.	678	0.6	1.0	2.4	1.9	0.5	4.4	24	0.0	
43531	0	0	1	0	DSu	47.1974	69.0287	26.8	717.1	393	56832.	654	0.7	0.5	4.1	0.1	0.1	6.1	26	0.0	
43530	0	0	0	0	DSu	47.1974	69.0281	26.8	717.2	396	56831.	705	0.7	1.8	2.5	2.6	0.7	3.7	28	0.0	
43529	0	0	1	0	DSu	47.1974	69.0275	26.8	717.3	398	56831.	650	0.6	0.9	3.3	0.1	0.1	5.7	20	0.0	
43527	0	0	1	0	DSu	47.1974	69.0264	26.8	717.4	399	56831.	605	0.6	0.8	3.4	0.1	0.1	6.0	27	0.0	
43526	0	0	1	0	DSu	47.1974	69.0258	26.8	717.5	405	56829.	640	0.7	0.9	3.7	0.1	0.1	5.4	27	0.0	
43525	0	0	1	0	DSu	47.1974	69.0253	26.8	717.6	412	56830.	658	0.6	1.0	4.8	0.1	0.1	8.4	20	0.0	
43524	0	0	1	0	DSu	47.1974	69.0247	26.8	717.7	418	56831.	620	0.6	0.1	2.8	0.1	0.1	4.9	24	0.0	
43523	0	0	1	0	DSu	47.1973	69.0241	26.8	717.8	417	56829.	539	0.5	0.7	3.0	0.1	0.1	0.1	19	0.0	
43522	0	0	1	0	DSu	47.1973	69.0236	26.8	717.8	412	56829.	457	0.4	0.2	1.1	0.1	0.1	0.1	16	0.0	
43521	0	0	1	0	DSu	47.1973	69.0230	26.8	717.8	406	56830.	444	0.2	0.1	2.7	0.1	0.1	0.1	26	0.0	
43520	0	0	0	0	DSu	47.1973	69.0225	26.8	717.8	402	56830.	402	0.2	1.2	1.9	0.1	0.7	0.1	24	0.0	
43519	0	0	1	1	DSu	47.1973	69.0219	26.8	717.9	400	56828.	402	0.3	0.5	1.0	0.1	0.1	0.1	23	0.0	
43518	0	0	1	0	DSu	47.1973	69.0213	26.8	717.9	396	56828.	474	0.4	0.7	2.2	0.1	0.1	0.1	15	0.0	
43517	0	0	0	0	DSu	47.1973	69.0208	26.8	717.8	389	56827.	511	0.5	1.1	2.1	0.1	0.6	0.1	26	0.0	
43516	0	0	1	0	DSu	47.1973	69.0202	26.8	717.8	386	56827.	503	0.6	0.2	2.4	0.1	0.1	4.5	18	0.0	
43515	0	0	1	0	DSu	47.1973	69.0196	26.8	717.7	392	56825.	568	0.5	0.6	2.9	0.1	0.1	0.1	28	0.0	
43514	0	0	1	0	DSu	47.1973	69.0190	26.8	717.7	403	56825.	584	0.6	0.8	3.5	0.1	0.1	6.5	23	0.0	
43513	0	0	1	0	DSu	47.1973	69.0184	26.8	717.6	420	56826.	624	0.5	0.3	1.9	0.1	0.1	0.1	15	0.0	
43512	0	0	1	0	DSu	47.1973	69.0178	26.8	717.5	430	56826.	674	0.9	0.4	4.4	0.1	0.1	5.3	21	0.0	
43511	0	0	1	0	DSu	47.1973	69.0172	26.8	717.4	440	56826.	635	0.7	0.0	3.5	0.1	0.1	5.1	25	0.0	
43510	0	0	1	0	DSu	47.1973	69.0166	26.8	717.2	434	56827.	618	0.6	0.8	3.9	0.1	0.1	7.2	26	0.0	
43509	0	0	1	0	DSu	47.1973	69.0160	26.8	717.1	430	56828.	577	0.5	0.7	3.5	0.1	0.1	0.1	30	0.0	
43508	0	0	1	0	DSu	47.1973	69.0154	26.8	716.9	427	56827.	556	0.6	1.1	2.0	0.1	0.1	3.8	17	0.0	
43507	0	0	1	0	DSu	47.1973	69.0147	26.8	716.8	428	56828.	603	0.5	0.4	4.7	0.1	0.1	0.1	24	0.0	
43506	0	0	1	0	DSu	47.1973	69.0141	26.8	716.6	430	56828.	665	0.5	0.3	4.2	0.1	0.1	0.1	32	0.0	
43505	0	0	1	0	DSu	47.1973	69.0135	26.8	716.4	431	56828.	657	0.8	0.5	4.5	0.1	0.1	5.7	25	0.0	
43504	0	0	1	0	DSu	47.1973	69.0129	26.8	716.3	431	56828.	737	0.8	0.6	4.5	0.1	0.1	5.8	27	0.0	
43503	0	0	1	0	DSu	47.1973	69.0123	26.8	716.1	429	56829.	693	1.0	1.0	3.8	0.1	0.1	4.2	25	0.0	
43502	0	0	1	0	DSu	47.1973	69.0117	26.8	716.0	427	56829.	747	0.8	0.7	4.0	0.1	0.1	5.5	27	0.0	
43501	0	0	1	0	DSu	47.1973	69.0111	26.8	715.9	424	56829.	723	0.8	1.2	4.4	0.1	0.1	5.7	25	0.0	
43500	0	0	1	0	DSu	47.1973	69.0104	26.8	715.8	422	56829.	715	0.6	0.1	4.8	0.1	0.1	8.9	32	0.0	
43499	0	0	1	0	DSu	47.1973	69.0098	26.8	715.7	421	56830.	693	0.6	1.1	6.2	0.1	0.1	10.2	27	0.0	
43498	0	0	1	0	DSu	47.1973	69.0092	26.8	715.6	424	56829.	740	0.6	0.4	2.8	0.1	0.1	4.6	18	0.0	
43497	0	0	0	0	DSu	47.1973	69.0086	26.8	715.6	430	56829.	803	0.7	1.3	3.5	1.9	0.4	5.0	33	0.0	
43496	0	0	0	0	DSu	47.1973	69.0080	26.8	715.6	440	56828.	798	0.6	1.3	4.4	2.3	0.3	7.7	24	0.0	
43495	0	0	1	0	DSu	47.1973	69.0074	26.8	715.6	453	56827.	837	0.7	0.2	4.0	0.1	0.1	6.3	21	0.0	
43494	0	0	1	0	DSu	47.1973	69.0068	26.8	715.6	465	56828.	905	0.9	0.3	5.8	0.1	0.1	6.6	33	0.0	
43493	0	0	1	0	DSu	47.1973	69.0062	26.8	715.6	466	56829.	931	1.0	0.8	7.0	0.1	0.1	6.9	27	0.0	

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI	
												CPS	%	PPM	PPM					CPS	CPS
43492	0	0	1	0	DSu	47.1973	69.0055	26.8	715.7	459	56829.	818	0.6	1.0	7.2	0.1	0.1	11.8	16	0.0	
43491	0	0	1	0	DSu	47.1973	69.0049	26.8	715.7	448	56829.	767	0.6	0.5	3.8	0.1	0.1	6.2	21	0.0	
43490	0	0	1	0	DSu	47.1973	69.0043	26.8	715.8	439	56830.	802	0.6	0.8	3.5	0.1	0.1	6.1	26	0.0	
43489	0	0	1	0	DSu	47.1973	69.0037	26.8	715.9	431	56830.	757	0.7	0.8	4.1	0.1	0.1	5.9	19	0.0	
43488	0	0	1	0	DSu	47.1973	69.0031	26.8	716.0	425	56830.	723	0.9	0.4	4.5	0.1	0.1	5.1	29	0.0	
43487	0	0	1	0	DSu	47.1973	69.0025	26.8	716.1	422	56829.	806	0.7	0.3	3.4	0.1	0.1	5.2	17	0.0	
43486	0	0	0	0	DSu	47.1973	69.0019	26.7	716.9	418	56829.	799	0.7	2.2	3.6	3.5	0.6	5.8	22	0.0	
43485	0	0	1	0	DSu	47.1973	69.0013	26.7	716.9	418	56829.	847	0.6	0.8	3.9	0.1	0.1	6.8	32	0.0	
43484	0	0	0	0	DSu	47.1973	69.0006	26.7	716.9	416	56830.	803	0.9	1.4	5.9	1.6	0.3	7.1	23	0.0	
43483	0	0	1	0	DSu	47.1973	69.0000	26.7	716.9	412	56830.	749	0.6	0.7	4.5	0.1	0.1	8.6	29	0.0	
43482	0	0	0	0	DSu	47.1973	68.9994	26.7	716.9	405	56830.	680	0.7	1.4	1.6	2.3	0.9	2.6	24	0.0	
43481	0	0	1	0	DSu	47.1973	68.9988	26.7	716.9	399	56830.	707	0.8	0.4	3.9	0.1	0.1	5.2	27	0.0	
43480	0	0	1	0	DSu	47.1973	68.9982	26.7	716.9	395	56831.	748	0.8	0.8	2.7	0.1	0.1	3.5	22	0.0	
43479	0	0	1	0	DSu	47.1973	68.9976	26.7	716.9	394	56831.	727	0.8	1.0	4.2	0.1	0.1	5.4	17	0.0	
43478	0	0	1	0	DSu	47.1973	68.9970	26.7	716.9	398	56831.	722	0.6	0.9	2.8	0.1	0.1	5.3	26	0.0	
43477	0	0	0	0	DSu	47.1973	68.9963	26.7	716.9	405	56830.	687	0.6	1.2	3.1	2.3	0.4	5.9	19	0.0	
43476	0	0	1	0	DSu	47.1973	68.9957	26.7	716.9	407	56831.	708	0.7	0.9	3.4	0.1	0.1	5.4	22	0.0	
43475	0	0	1	0	DSu	47.1973	68.9951	26.7	716.9	403	56833.	677	0.7	1.0	2.0	0.1	0.1	3.2	29	0.0	
43474	0	0	0	0	DSu	47.1973	68.9945	26.7	716.9	396	56832.	596	0.6	1.4	4.4	2.4	0.4	7.5	32	0.0	
43473	0	0	1	0	DSu	47.1973	68.9939	26.7	716.8	391	56831.	586	0.6	0.0	2.0	0.1	0.1	3.3	23	0.0	
43472	0	0	1	0	DSu	47.1973	68.9933	26.7	716.8	392	56829.	643	0.5	1.0	4.0	0.1	0.1	0.1	17	0.0	
43471	0	0	0	0	DSu	47.1973	68.9927	26.7	716.7	392	56829.	585	0.6	1.4	3.5	2.4	0.4	6.1	25	0.0	
43470	0	0	1	0	DSu	47.1973	68.9921	26.7	716.6	394	56829.	532	0.6	0.5	3.1	0.1	0.1	5.8	17	0.0	
43469	0	0	0	0	DSu	47.1973	68.9914	26.7	716.5	396	56828.	609	0.5	1.6	2.6	0.1	0.6	0.1	22	0.0	
43468	0	0	1	0	DSu	47.1973	68.9908	26.7	716.3	402	56828.	621	0.7	0.9	3.2	0.1	0.1	4.7	30	0.0	
43467	0	0	1	0	DSu	47.1973	68.9902	26.7	716.1	411	56827.	608	0.7	0.7	3.3	0.1	0.1	5.0	21	0.0	
43466	0	0	1	0	DSu	47.1973	68.9896	26.7	715.9	418	56826.	559	0.5	0.1	1.5	0.1	0.1	0.1	24	0.0	
43465	0	0	1	0	DSu	47.1972	68.9890	26.7	715.7	417	56825.	624	0.7	0.2	4.1	0.1	0.1	5.9	25	0.0	
43464	0	0	1	0	DSu	47.1972	68.9884	26.7	715.5	408	56825.	618	0.7	-0.1	4.4	0.1	0.1	6.9	30	0.1	
43463	0	0	1	0	DSu	47.1972	68.9878	26.7	715.3	392	56825.	686	0.8	-0.2	3.4	0.1	0.1	4.8	24	0.3	
43462	0	0	1	0	DSu	47.1972	68.9871	26.7	715.0	379	56827.	674	0.6	0.0	3.0	0.1	0.1	5.4	27	0.5	
43461	0	0	1	0	DSu	47.1972	68.9865	26.7	714.8	372	56828.	655	0.5	1.1	4.9	0.1	0.1	0.1	19	0.8	
43460	0	0	1	0	DSu	47.1972	68.9859	26.7	714.6	374	56828.	655	0.7	0.7	3.4	0.1	0.1	5.0	26	1.0	
43459	0	0	1	0	DSu	47.1972	68.9853	26.7	714.4	379	56829.	703	0.4	0.9	3.1	0.1	0.1	0.1	21	1.1	
43458	0	0	0	0	DSu	47.1972	68.9847	26.7	714.2	382	56831.	727	0.9	2.5	3.3	3.0	0.8	4.1	29	1.3	
43457	0	0	1	0	DSu	47.1972	68.9841	26.7	714.1	385	56832.	660	0.6	0.7	2.2	0.1	0.1	4.2	20	1.5	
43456	0	0	0	0	DSu	47.1972	68.9835	26.7	713.9	384	56832.	745	0.6	2.1	5.2	3.7	0.5	9.0	13	1.6	
43455	0	0	1	0	DSu	47.1972	68.9828	26.7	713.8	383	56831.	639	0.6	0.6	2.5	0.1	0.1	4.5	22	1.8	
43454	0	0	1	0	DSu	47.1972	68.9822	26.7	713.7	380	56830.	644	0.6	0.5	3.9	0.1	0.1	6.5	32	2.0	
43453	0	0	1	0	DSu	47.1972	68.9816	26.7	713.6	377	56830.	638	0.8	0.1	2.2	0.1	0.1	3.0	23	2.0	
43452	0	0	1	0	DSu	47.1972	68.9810	26.7	713.5	374	56831.	623	0.7	0.1	3.9	0.1	0.1	5.8	22	2.0	
43451	0	0	1	0	DSu	47.1972	68.9804	26.7	713.5	369	56831.	642	0.5	0.4	2.9	0.1	0.1	0.1	21	2.0	
43450	0	0	0	0	DSu	47.1972	68.9798	26.7	713.4	369	56829.	614	0.8	1.1	2.5	1.5	0.5	3.5	25	1.9	
43449	0	0	0	0	DSu	47.1972	68.9792	26.7	713.3	374	56828.	604	0.5	1.3	3.1	0.1	0.5	0.1	14	1.9	
43448	0	0	0	0	DSu	47.1972	68.9786	26.7	713.2	382	56827.	653	0.5	1.9	3.8	0.1	0.6	0.1	21	1.8	
43447	0	0	1	0	DSu	47.1972	68.9779	26.7	713.1	391	56827.	574	0.5	0.0	3.0	0.1	0.1	0.1	35	1.8	
43446	0	0	1	0	DSu	47.1972	68.9773	26.7	713.0	401	56826.	647	0.6	-0.2	5.0	0.1	0.1	9.1	29	1.8	
43445	0	0	1	0	DSu	47.1972	68.9767	26.7	712.8	417	56826.	661	0.7	0.3	4.4	0.1	0.1	6.7	20	1.8	
43444	0	0	1	0	DSu	47.1972	68.9761	26.7	712.7	430	56825.	630	0.7	-0.2	4.1	0.1	0.1	6.3	21	1.8	
43443	0	0	1	0	DSu	47.1972	68.9755	26.7	712.5	440	56826.	574	0.6	0.9	2.3	0.1	0.1	4.0	26	1.8	

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI	
												CPS	%	PPM	PPM					CPS	CPS
43442	0	0	1	0	DSu	47.1972	68.9749	26.7	712.4	448	56826.	612	0.6	0.4	3.1	0.1	0.1	5.3	33	1.7	
43441	0	0	1	0	DSu	47.1972	68.9743	26.7	712.3	459	56826.	617	0.7	0.4	2.7	0.1	0.1	4.2	24	1.7	
43440	0	0	1	0	DSu	47.1972	68.9736	26.7	712.1	470	56826.	676	0.8	0.1	4.8	0.1	0.1	6.1	25	1.6	
43439	0	0	1	0	DSu	47.1972	68.9730	26.7	712.0	476	56826.	673	0.5	1.1	3.3	0.1	0.1	0.1	18	1.6	
43438	0	0	1	0	DSu	47.1972	68.9724	26.7	711.9	472	56827.	664	0.6	0.3	2.9	0.1	0.1	5.0	27	1.5	
43437	0	0	1	0	DSu	47.1972	68.9718	26.7	711.9	457	56830.	664	0.7	1.0	1.8	0.1	0.1	2.7	33	1.4	
43436	0	0	0	0	DSu	47.1972	68.9712	26.7	711.9	435	56832.	721	0.7	1.6	4.3	2.4	0.4	6.7	27	1.4	
43435	0	0	0	0	DSu	47.1972	68.9706	26.7	711.9	410	56832.	672	0.6	1.5	3.2	2.7	0.5	5.9	24	1.3	
43434	0	0	1	0	DSu	47.1972	68.9700	26.7	711.9	388	56832.	712	0.9	0.5	4.7	0.1	0.1	5.3	26	1.3	
43432	0	0	1	0	DSu	47.1972	68.9688	26.7	712.0	372	56835.	668	0.7	0.5	3.5	0.1	0.1	5.4	23	1.3	
43431	0	0	0	0	DSu	47.1972	68.9681	26.7	712.1	364	56834.	691	0.8	1.7	3.1	2.3	0.6	4.1	22	1.2	
43430	0	0	1	0	DSu	47.1972	68.9675	26.7	712.2	360	56834.	673	0.6	0.6	3.1	0.1	0.1	5.5	22	1.2	
43429	0	0	1	0	DSu	47.1972	68.9669	26.6	715.2	369	56833.	644	0.8	0.3	2.6	0.1	0.1	3.3	27	1.1	
43428	0	0	1	0	DSu	47.1972	68.9663	26.6	715.0	372	56834.	707	0.7	0.5	3.8	0.1	0.1	5.8	23	1.0	
43427	0	0	0	0	DSu	47.1972	68.9657	26.6	715.0	374	56834.	648	0.4	1.6	2.7	0.1	0.6	0.1	19	0.9	
43426	0	0	0	0	DSu	47.1972	68.9651	26.6	715.0	378	56833.	621	0.6	1.5	2.1	2.6	0.8	3.7	20	0.8	
43425	0	0	1	0	DSu	47.1972	68.9644	26.6	715.1	380	56835.	631	0.6	0.8	1.4	0.1	0.1	2.2	25	0.7	
43424	0	0	1	0	DSu	47.1972	68.9638	26.6	715.2	381	56837.	626	0.6	1.0	2.0	0.1	0.1	3.9	18	0.6	
43423	0	0	1	0	DSu	47.1972	68.9632	26.6	715.3	382	56836.	643	0.6	1.1	3.4	0.1	0.1	6.3	28	0.5	
43422	0	0	1	0	DSu	47.1971	68.9626	26.6	715.4	384	56835.	581	0.7	-0.2	5.0	0.1	0.1	8.1	28	0.3	
43421	0	0	1	0	DSu	47.1971	68.9620	26.6	715.6	386	56836.	642	0.7	0.4	3.1	0.1	0.1	4.9	27	0.2	
43420	0	0	1	0	DSu	47.1971	68.9614	26.6	715.8	388	56836.	678	0.6	0.5	3.9	0.1	0.1	7.2	27	0.1	
43419	0	0	1	0	DSu	47.1971	68.9608	26.6	716.0	389	56835.	605	0.7	0.5	4.4	0.1	0.1	6.8	21	0.0	
43418	0	0	1	0	DSu	47.1971	68.9602	26.6	716.1	388	56835.	604	0.5	0.1	2.6	0.1	0.1	0.1	21	0.0	
43417	0	0	1	0	DSu	47.1971	68.9595	26.6	716.3	388	56835.	566	0.6	0.0	2.4	0.1	0.1	4.0	20	0.0	
43416	0	0	1	0	DSu	47.1971	68.9589	26.6	716.7	387	56836.	593	0.4	0.0	5.0	0.1	0.1	0.1	24	0.0	
43415	0	0	1	0	DSu	47.1971	68.9583	26.6	717.1	387	56836.	589	0.6	0.7	2.3	0.1	0.1	4.1	25	0.0	
43414	0	0	1	0	DSu	47.1971	68.9577	26.6	717.4	385	56836.	553	0.5	0.6	3.3	0.1	0.1	0.1	20	0.0	
43413	0	0	1	0	DSu	47.1971	68.9571	26.6	717.8	383	56837.	548	0.6	0.8	3.1	0.1	0.1	5.8	26	0.0	
43412	0	0	1	0	DSu	47.1971	68.9565	26.6	718.0	381	56836.	566	0.7	0.6	1.8	0.1	0.1	2.5	18	0.0	
43411	0	0	1	0	DSu	47.1971	68.9559	26.6	718.3	381	56835.	549	0.6	0.1	2.3	0.1	0.1	4.3	28	0.0	
43410	0	0	0	0	DSu	47.1971	68.9552	26.6	718.5	381	56833.	528	0.5	1.3	3.7	0.1	0.4	0.1	21	0.0	
43409	0	0	1	0	DSu	47.1971	68.9546	26.6	718.7	382	56831.	582	0.6	0.3	1.9	0.1	0.1	3.4	24	0.0	
43408	0	0	1	0	DSu	47.1971	68.9540	26.6	718.8	382	56833.	560	0.6	0.2	3.2	0.1	0.1	5.9	17	0.0	
43407	0	0	1	0	DSu	47.1971	68.9534	26.6	718.9	391	56833.	580	0.5	0.9	4.4	0.1	0.1	0.1	22	0.0	
43406	0	0	0	0	DSu	47.1971	68.9528	26.6	719.0	400	56832.	633	0.5	1.5	3.8	0.1	0.4	0.1	17	0.0	
43405	0	0	0	0	DSu	47.1971	68.9522	26.6	719.1	412	56832.	660	0.6	1.3	2.0	2.4	0.7	3.7	16	0.0	
43404	0	0	1	0	DSu	47.1971	68.9516	26.6	719.1	411	56834.	626	0.6	0.5	3.8	0.1	0.1	7.1	21	0.0	
43403	0	0	1	0	DSu	47.1971	68.9509	26.6	719.1	406	56833.	645	0.6	0.6	1.9	0.1	0.1	3.2	27	0.0	
43402	0	0	1	0	DSu	47.1971	68.9503	26.6	719.0	401	56831.	605	0.7	0.9	2.0	0.1	0.1	3.1	22	0.0	
43401	0	0	1	0	DSu	47.1971	68.9497	26.6	718.9	403	56831.	636	0.7	0.5	1.8	0.1	0.1	2.8	20	0.0	
43400	0	0	1	0	DSu	47.1971	68.9491	26.6	718.8	408	56831.	660	0.9	0.0	6.1	0.1	0.1	7.2	21	0.0	
43399	0	0	1	0	DSu	47.1971	68.9484	26.6	718.7	411	56831.	631	0.6	-0.2	2.7	0.1	0.1	4.5	14	0.0	
43398	0	0	1	0	DSu	47.1971	68.9478	26.6	718.5	415	56830.	669	0.7	1.1	3.3	0.1	0.1	5.3	29	0.0	
43397	0	0	1	0	DSu	47.1971	68.9472	26.6	718.4	419	56830.	687	0.8	0.0	3.2	0.1	0.1	4.1	25	0.0	
43396	0	0	1	0	DSu	47.1970	68.9465	26.6	718.2	421	56829.	727	0.6	1.0	4.4	0.1	0.1	7.8	19	0.0	
43395	0	0	0	0	DSu	47.1970	68.9459	26.6	718.0	424	56829.	779	0.7	1.3	4.3	2.0	0.3	6.6	19	0.0	
43394	0	0	1	0	DSu	47.1970	68.9453	26.6	717.8	427	56828.	794	0.8	1.0	5.4	0.1	0.1	7.2	26	0.0	
43393	0	0	1	0	DSu	47.1970	68.9447	26.6	717.6	429	56827.	811	1.1	0.0	3.5	0.1	0.1	3.4	19	0.0	
43392	0	0	1	0	DSu	47.1970	68.9440	26.6	717.4	426	56827.	907	1.3	0.8	5.0	0.1	0.1	4.1	21	0.0	

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI	
												CPS	%	PPM	PPM					CPS	CPS
43391	0	0	1	0	DSu	47.1970	68.9434	26.6	717.1	417	56828.	986	1.2	1.0	5.8	0.1	0.1	5.1	18	0.0	
43390	0	0	1	0	DSu	47.1970	68.9428	26.6	716.9	412	56830.	970	1.1	0.7	5.4	0.1	0.1	5.0	21	0.0	
43389	0	0	0	0	DSu	47.1970	68.9422	26.6	716.8	409	56832.	986	1.1	1.6	5.0	1.5	0.3	4.9	22	0.0	
43388	0	0	1	0	DSu	47.1970	68.9415	26.6	716.6	412	56834.	931	0.7	1.0	5.7	0.1	0.1	8.2	28	0.0	
43387	0	0	1	0	DSu	47.1970	68.9409	26.6	716.6	414	56835.	950	0.9	0.9	4.7	0.1	0.1	5.7	25	0.0	
43386	0	0	0	0	DSu	47.1970	68.9403	26.6	716.5	409	56835.	948	0.9	1.5	5.2	1.7	0.3	5.9	21	0.0	
43385	0	0	1	0	DSu	47.1970	68.9397	26.6	716.5	403	56834.	970	1.1	0.1	3.3	0.1	0.1	3.1	20	0.0	
43384	0	0	1	0	DSu	47.1969	68.9390	26.6	716.6	400	56835.	937	1.1	1.1	3.5	0.1	0.1	3.2	26	0.0	
43383	0	0	0	0	DSu	47.1969	68.9384	26.6	716.6	405	56836.	939	1.0	1.3	5.9	1.4	0.3	6.0	30	0.0	
43382	0	0	1	0	DSu	47.1969	68.9378	26.6	716.8	418	56834.	952	1.1	1.1	4.5	0.1	0.1	4.2	28	0.0	
43381	0	0	0	0	DSu	47.1969	68.9371	26.6	717.0	429	56834.	1040	0.9	1.7	4.7	1.9	0.4	5.3	19	0.0	
43380	0	0	1	0	DSu	47.1969	68.9365	26.6	717.1	441	56834.	1025	1.2	0.6	6.0	0.1	0.1	5.0	20	0.0	
43379	0	0	1	0	DSu	47.1969	68.9359	26.6	717.4	447	56834.	949	1.0	0.8	6.6	0.1	0.1	7.1	20	0.0	
43378	0	0	1	0	DSu	47.1969	68.9353	26.6	717.6	452	56834.	877	1.0	0.1	3.3	0.1	0.1	3.3	21	0.0	
43377	0	0	1	0	DSu	47.1969	68.9346	26.6	717.8	454	56833.	928	0.9	1.2	5.9	0.1	0.1	7.3	27	0.0	
43376	0	0	0	0	DSu	47.1969	68.9340	26.6	718.0	456	56833.	795	0.9	1.6	2.9	1.8	0.6	3.2	28	0.0	
43375	0	0	1	0	DSu	47.1969	68.9334	26.6	718.2	456	56834.	774	1.0	0.0	3.8	0.1	0.1	3.9	20	0.0	
43374	0	0	1	0	DSu	47.1969	68.9327	26.5	718.4	455	56835.	751	0.6	0.5	4.3	0.1	0.1	7.2	23	0.0	
43373	0	0	1	0	Water	47.1969	68.9321	26.3	719.2	450	56833.	638	0.5	0.4	4.3	0.1	0.1	0.1	21	0.0	
43372	0	0	1	0	Water	47.1969	68.9315	26.3	719.3	451	56835.	603	0.7	0.6	5.7	0.1	0.1	8.8	18	0.0	
43371	0	0	1	0	Water	47.1968	68.9309	26.3	719.3	455	56836.	667	0.7	0.2	5.7	0.1	0.1	8.4	30	0.0	
43370	0	0	1	0	Water	47.1968	68.9302	26.3	719.3	467	56836.	635	0.5	0.9	4.0	0.1	0.1	0.1	24	0.0	
43369	0	0	1	0	Water	47.1968	68.9296	26.3	719.3	478	56837.	643	0.7	0.1	4.3	0.1	0.1	6.2	10	0.0	
43368	0	0	1	0	Water	47.1968	68.9290	26.3	719.3	484	56838.	691	0.8	0.3	3.7	0.1	0.1	5.2	28	0.0	
43367	0	0	1	0	Water	47.1968	68.9284	26.3	719.3	484	56838.	637	0.7	1.1	3.6	0.1	0.1	5.3	17	0.0	
43366	0	0	1	0	Water	47.1968	68.9277	26.3	719.3	482	56837.	684	0.8	0.1	5.3	0.1	0.1	7.4	20	0.0	
43365	0	0	1	0	Water	47.1968	68.9271	26.3	719.2	481	56838.	617	0.6	0.2	5.3	0.1	0.1	9.8	22	0.0	
43364	0	0	1	0	Water	47.1968	68.9264	26.3	719.1	479	56838.	659	0.7	1.3	3.5	0.1	0.1	5.4	16	0.0	
43363	0	0	1	0	Water	47.1968	68.9257	26.3	719.0	486	56837.	697	0.7	0.6	2.7	0.1	0.1	4.3	26	0.0	
43362	0	0	1	0	Water	47.1968	68.9250	26.3	718.9	496	56836.	693	0.7	0.3	3.0	0.1	0.1	4.8	23	0.0	
43361	0	0	1	0	Water	47.1968	68.9244	26.3	718.8	513	56836.	726	0.8	0.1	3.8	0.1	0.1	5.0	28	0.0	
43360	0	0	1	0	Water	47.1968	68.9237	26.3	718.7	519	56835.	785	0.7	0.2	5.4	0.1	0.1	8.2	20	0.0	
43359	0	0	1	0	Water	47.1968	68.9230	26.3	718.4	521	56835.	787	0.9	1.0	6.2	0.1	0.1	6.8	15	0.0	
43358	0	0	1	0	Unknon	47.1968	68.9223	26.3	718.2	511	56834.	784	0.9	0.0	4.1	0.1	0.1	5.1	20	0.0	
43357	0	0	1	0	Unknon	47.1968	68.9216	26.3	717.9	513	56832.	709	0.8	0.6	4.5	0.1	0.1	5.9	20	0.0	
43356	0	0	1	0	Unknon	47.1968	68.9209	26.3	717.6	524	56830.	690	0.6	0.2	4.3	0.1	0.1	7.4	28	0.0	
43355	0	0	1	0	Unknon	47.1968	68.9202	26.3	717.2	548	56828.	730	0.7	1.0	4.9	0.1	0.1	7.3	30	0.0	
43354	0	0	1	0	Unknon	47.1968	68.9195	26.3	716.9	568	56826.	670	0.7	-2.2	6.7	0.1	0.1	10.0	26	0.0	
43353	0	0	1	0	Unknon	47.1968	68.9189	26.3	716.5	578	56824.	793	1.1	-0.8	5.7	0.1	0.1	5.3	25	0.0	
43352	0	0	1	0	Unknon	47.1968	68.9182	26.3	716.1	578	56822.	788	0.8	-0.4	5.1	0.1	0.1	7.0	20	0.0	
43351	0	0	0	0	Unknon	47.1968	68.9175	26.3	715.7	567	56822.	778	0.9	2.0	3.3	2.4	0.6	4.0	27	0.0	
43350	0	0	1	0	Unknon	47.1968	68.9168	26.3	715.2	551	56821.	869	1.1	0.2	4.9	0.1	0.1	4.7	16	0.0	
43349	0	0	0	0	Unknon	47.1968	68.9161	26.3	714.8	530	56820.	926	1.2	2.0	5.6	1.7	0.4	4.7	27	0.0	
43348	0	0	1	0	Unknon	47.1968	68.9154	26.3	714.3	515	56820.	942	0.9	1.5	3.4	0.1	0.1	3.9	21	0.0	
43347	0	0	0	0	Unknon	47.1968	68.9147	26.3	713.9	502	56821.	934	0.7	2.4	4.9	3.8	0.5	7.7	15	0.0	
43346	0	0	0	0	Unknon	47.1968	68.9141	26.3	713.4	493	56822.	937	0.9	1.8	5.5	2.1	0.4	6.5	24	0.0	
43345	0	0	1	0	Unknon	47.1968	68.9134	26.3	713.0	489	56824.	868	0.7	1.3	4.8	0.1	0.1	7.6	25	0.0	
43344	0	0	0	0	Unknon	47.1968	68.9127	26.3	712.5	489	56824.	817	0.8	1.7	4.4	2.4	0.4	6.2	35	0.0	
43343	0	0	0	0	Unknon	47.1968	68.9120	26.3	712.1	495	56823.	874	0.8	1.8	5.8	2.5	0.3	8.1	20	0.0	
43342	0	0	0	0	Unknon	47.1968	68.9113	26.3	711.6	505	56822.	908	0.8	1.6	5.8	2.2	0.3	7.9	28	0.0	

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
43341	0	0	1	0	Unknon	47.1968	68.9106	26.3	711.2	514	56822.	975	0.9	-0.1	4.7	0.1	0.1	5.3	13	0.0
43340	0	0	1	0	Unknon	47.1968	68.9099	26.3	710.8	519	56823.	853	1.1	0.7	3.7	0.1	0.1	3.5	27	0.0
43339	0	0	1	0	Unknon	47.1968	68.9092	26.3	710.4	515	56825.	901	1.0	0.9	5.3	0.1	0.1	5.5	34	0.0
43338	0	0	0	0	Unknon	47.1968	68.9086	26.3	710.1	509	56828.	915	0.9	1.7	5.3	2.0	0.4	6.0	28	0.0
43336	0	0	0	0	Unknon	47.1968	68.9072	26.3	709.7	495	56831.	911	0.9	3.0	4.6	3.5	0.7	5.4	32	0.0
43335	0	0	1	0	Unknon	47.1968	68.9065	26.3	709.5	476	56833.	976	1.0	0.9	6.2	0.1	0.1	6.6	27	0.0
43334	0	0	1	0	Unknon	47.1968	68.9058	26.3	709.3	449	56833.	849	0.8	1.1	5.2	0.1	0.1	7.0	22	0.0
43333	0	0	0	0	Unknon	47.1968	68.9051	26.3	709.1	426	56833.	993	0.9	1.7	4.1	2.1	0.5	5.1	21	0.0
43332	0	0	1	0	Unknon	47.1968	68.9044	26.3	709.0	407	56833.	916	0.9	1.0	6.2	0.1	0.1	7.5	19	0.0
43331	0	0	1	0	Unknon	47.1968	68.9038	26.3	708.9	399	56833.	892	0.8	0.7	2.8	0.1	0.1	4.0	27	0.0
43330	0	0	1	0	Unknon	47.1968	68.9031	26.3	708.9	404	56832.	858	0.9	0.4	2.4	0.1	0.1	2.7	33	0.0
43329	0	0	1	0	Unknon	47.1968	68.9024	26.3	708.9	421	56831.	959	1.1	0.8	5.4	0.1	0.1	5.0	30	0.0
43328	0	0	1	0	Unknon	47.1968	68.9017	26.3	709.0	441	56832.	903	1.3	0.9	3.3	0.1	0.1	2.7	26	0.0
43327	0	0	1	0	Unknon	47.1968	68.9010	26.4	709.2	454	56833.	927	1.2	0.7	2.5	0.1	0.1	2.2	28	0.0
43326	0	0	1	0	Unknon	47.1968	68.9003	26.4	709.4	460	56833.	953	1.0	0.1	6.8	0.1	0.1	7.3	33	0.0
43325	0	0	1	0	Unknon	47.1968	68.8996	26.4	709.6	463	56834.	910	1.1	0.4	5.2	0.1	0.1	4.8	22	0.0
43324	0	0	0	0	Unknon	47.1968	68.8989	26.4	709.9	467	56836.	889	0.9	2.2	5.1	2.5	0.5	5.9	29	0.0
43323	0	0	1	0	Unknon	47.1968	68.8983	26.4	710.1	471	56839.	896	0.9	1.3	3.7	0.1	0.1	4.2	23	0.0
43322	0	0	0	0	Unknon	47.1968	68.8976	26.4	710.4	474	56839.	1029	1.0	1.8	5.7	1.8	0.4	5.7	23	0.0
43321	0	0	1	0	Unknon	47.1968	68.8969	26.4	710.7	478	56837.	971	1.3	0.7	4.5	0.1	0.1	3.7	30	0.0
43320	0	0	1	0	Unknon	47.1968	68.8962	26.4	711.0	484	56837.	1008	1.3	0.6	6.3	0.1	0.1	5.2	25	0.0
43319	0	0	1	0	Unknon	47.1968	68.8955	26.4	711.3	497	56838.	1011	0.9	0.4	4.7	0.1	0.1	5.5	30	0.0
43318	0	0	1	0	Unknon	47.1968	68.8948	26.4	711.6	523	56839.	982	1.1	1.5	4.6	0.1	0.1	4.3	26	0.0
43317	0	0	1	0	Unknon	47.1968	68.8941	26.4	712.0	558	56838.	919	0.9	1.4	4.9	0.1	0.1	5.8	19	0.0
43316	0	0	1	0	Unknon	47.1968	68.8935	26.6	714.4	620	56838.	1103	1.2	1.1	4.8	0.1	0.1	4.0	27	0.0
43315	0	0	0	0	Unknon	47.1968	68.8928	26.6	714.3	624	56837.	1058	1.0	2.0	5.4	2.1	0.4	5.5	15	0.0
43314	0	0	0	0	Unknon	47.1968	68.8921	26.6	714.3	629	56836.	995	0.8	2.5	4.8	3.3	0.6	6.6	28	0.0
43313	0	0	0	0	Unknon	47.1968	68.8914	26.6	714.3	639	56837.	988	0.9	2.8	5.1	3.3	0.6	5.9	18	0.0
43312	0	0	0	0	Unknon	47.1968	68.8907	26.6	714.3	645	56837.	1022	1.3	2.9	2.7	2.2	1.1	2.1	18	0.0
43311	0	0	0	0	Unknon	47.1968	68.8900	26.6	714.3	649	56838.	922	0.9	2.3	2.9	2.8	0.8	3.5	26	0.0
43310	0	0	1	0	Unknon	47.1968	68.8893	26.6	714.4	642	56837.	931	1.1	0.9	4.8	0.1	0.1	4.7	25	0.0
43309	0	0	1	0	Unknon	47.1968	68.8886	26.6	714.5	629	56837.	1014	1.2	1.7	4.8	0.1	0.1	4.1	23	0.0
43308	0	0	1	0	Unknon	47.1968	68.8880	26.6	714.5	610	56838.	1000	1.3	1.3	5.1	0.1	0.1	4.0	18	0.0
43307	0	0	1	0	Unknon	47.1968	68.8873	26.6	714.6	599	56838.	1029	1.1	1.5	5.4	0.1	0.1	5.0	25	0.0
43306	0	0	0	0	Unknon	47.1968	68.8866	26.6	714.7	587	56838.	915	0.9	1.8	3.9	2.1	0.5	4.7	14	0.0
43305	0	0	1	0	Unknon	47.1968	68.8859	26.6	714.8	568	56838.	952	1.2	1.3	5.6	0.1	0.1	5.1	33	0.0
43304	0	0	1	0	Unknon	47.1968	68.8852	26.6	714.9	537	56839.	949	1.2	0.1	3.7	0.1	0.1	3.1	31	0.0
43303	0	0	1	0	Unknon	47.1968	68.8845	26.6	715.1	506	56840.	851	1.1	0.5	6.2	0.1	0.1	6.0	16	0.0
43302	0	0	1	0	Unknon	47.1968	68.8839	26.6	715.3	480	56839.	803	0.7	0.2	4.4	0.1	0.1	7.0	36	0.0
43301	0	0	0	0	Unknon	47.1968	68.8832	26.6	715.5	459	56839.	868	0.9	1.8	4.7	2.0	0.4	5.3	28	0.0
43300	0	0	1	0	Unknon	47.1968	68.8825	26.6	715.7	442	56839.	889	1.0	0.9	3.7	0.1	0.1	3.9	27	0.0
43299	0	0	1	0	Unknon	47.1968	68.8818	26.6	715.9	430	56839.	931	1.3	0.9	2.6	0.1	0.1	2.1	23	0.0
43298	0	0	1	0	Unknon	47.1968	68.8811	26.6	716.1	420	56840.	891	0.9	0.8	5.2	0.1	0.1	5.9	16	0.2
43297	0	0	1	0	Unknon	47.1968	68.8804	26.6	716.3	413	56840.	989	1.0	1.2	5.9	0.1	0.1	6.3	22	0.4
43296	0	0	1	0	Unknon	47.1968	68.8797	26.6	716.5	404	56840.	979	1.3	-0.6	6.0	0.1	0.1	4.7	17	0.6
43295	0	0	1	0	Unknon	47.1968	68.8790	26.6	716.7	398	56841.	925	1.0	0.8	4.4	0.1	0.1	4.8	28	0.7
43294	0	0	1	0	Unknon	47.1968	68.8783	26.6	716.9	395	56841.	888	1.0	-0.4	6.2	0.1	0.1	6.6	22	0.9
43293	0	0	1	0	Unknon	47.1968	68.8777	26.6	717.1	392	56843.	931	1.0	0.1	6.5	0.1	0.1	6.7	17	1.1
43292	0	0	1	0	Unknon	47.1968	68.8770	26.6	717.3	390	56844.	910	1.1	1.1	3.9	0.1	0.1	3.9	20	1.2
43291	0	0	1	0	Unknon	47.1968	68.8763	26.6	717.5	389	56843.	840	0.7	0.2	7.0	0.1	0.1	11.0	20	1.1

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI	
												CPS	%	PPM	PPM					CPS	CPS
43290	0	0	1	0	Unkn	47.1968	68.8756	26.6	717.7	389	56843.	799	0.8	1.0	5.5	0.1	0.1	7.8	22	1.1	
43289	0	0	1	0	Unkn	47.1968	68.8749	26.6	717.9	389	56842.	786	0.8	0.8	3.9	0.1	0.1	5.3	25	1.0	
43288	0	0	1	0	Unkn	47.1968	68.8742	26.6	718.2	390	56841.	742	0.8	0.1	3.6	0.1	0.1	4.9	25	1.0	
43287	0	0	1	0	Unkn	47.1968	68.8736	26.6	718.4	393	56840.	777	0.7	0.0	3.1	0.1	0.1	4.9	18	0.9	
43286	0	0	1	0	Unkn	47.1968	68.8729	26.6	718.6	399	56839.	750	0.8	0.9	4.3	0.1	0.1	5.4	24	0.8	
43285	0	0	1	0	Unkn	47.1968	68.8722	26.6	718.8	410	56840.	762	0.7	0.6	3.2	0.1	0.1	4.8	22	0.7	
43284	0	0	1	0	Unkn	47.1968	68.8715	26.6	719.0	424	56839.	724	0.7	0.3	4.8	0.1	0.1	7.8	24	0.6	
43283	0	0	1	0	Unkn	47.1968	68.8708	26.6	719.2	439	56839.	725	0.5	0.5	4.1	0.1	0.1	0.1	30	0.5	
43282	0	0	0	0	Unkn	47.1968	68.8701	26.6	719.4	456	56841.	777	0.7	1.8	5.5	2.9	0.4	8.8	35	0.4	
43281	0	0	1	0	Unkn	47.1968	68.8694	26.6	719.5	465	56842.	811	1.0	0.0	5.5	0.1	0.1	5.9	23	0.3	
43280	0	0	1	0	Unkn	47.1968	68.8687	26.6	719.7	473	56840.	906	0.7	0.3	4.9	0.1	0.1	7.4	21	0.2	
43279	0	0	0	0	Unkn	47.1968	68.8680	26.6	719.9	469	56840.	928	0.9	2.6	4.9	3.1	0.6	5.9	20	0.1	
43278	0	0	1	0	Unkn	47.1968	68.8674	26.6	720.0	463	56839.	932	1.1	1.1	6.6	0.1	0.1	6.5	15	0.0	
43277	0	0	0	0	Unkn	47.1968	68.8667	26.6	720.2	446	56840.	936	1.2	2.2	5.4	1.9	0.4	4.8	30	0.0	
43276	0	0	0	0	Unkn	47.1968	68.8660	26.6	720.3	432	56839.	908	0.8	2.0	5.1	2.7	0.4	6.9	35	0.0	
43275	0	0	0	0	Unkn	47.1968	68.8653	26.6	720.4	422	56839.	935	0.8	2.0	5.2	2.7	0.4	6.9	21	0.0	
43274	0	0	1	0	Unkn	47.1968	68.8646	26.6	720.5	422	56839.	907	0.9	0.7	5.7	0.1	0.1	6.5	22	0.0	
43273	0	0	1	0	Unkn	47.1968	68.8639	26.6	720.6	426	56837.	768	0.7	0.2	3.5	0.1	0.1	5.6	18	0.0	
43272	0	0	1	0	Unkn	47.1968	68.8633	26.6	720.7	433	56837.	894	0.9	-0.2	6.5	0.1	0.1	7.4	28	0.0	
43271	0	0	1	0	Unkn	47.1968	68.8626	26.6	720.8	440	56837.	741	0.8	0.2	5.0	0.1	0.1	6.7	25	0.0	
43270	0	0	0	0	Unkn	47.1968	68.8619	26.6	721.0	451	56838.	687	0.6	1.5	4.5	2.6	0.4	7.9	25	0.0	
43269	0	0	1	0	Unkn	47.1968	68.8612	26.6	721.1	463	56840.	625	0.7	1.0	3.5	0.1	0.1	5.1	16	0.0	
43268	0	0	1	0	Unkn	47.1968	68.8605	26.6	721.2	473	56840.	783	0.9	0.6	2.8	0.1	0.1	3.4	29	0.0	
43267	0	0	1	0	Unkn	47.1968	68.8598	26.6	721.4	479	56841.	690	0.7	1.3	4.6	0.1	0.1	6.6	12	0.0	
43266	0	0	1	0	Unkn	47.1968	68.8591	26.6	721.5	479	56841.	783	0.9	-1.1	5.9	0.1	0.1	7.1	31	0.0	
43265	0	0	0	0	Unkn	47.1968	68.8584	26.6	721.7	476	56841.	722	0.8	1.4	4.8	1.9	0.3	6.5	24	0.0	
43264	0	0	1	0	Unkn	47.1968	68.8577	26.6	721.8	469	56842.	702	0.8	0.2	4.1	0.1	0.1	5.2	24	0.0	
43263	0	0	0	0	Unkn	47.1968	68.8571	26.6	722.0	464	56841.	778	1.0	1.5	4.1	1.6	0.4	4.4	21	0.0	
43262	0	0	1	0	Unkn	47.1968	68.8564	26.6	722.1	457	56841.	835	0.9	-0.3	2.7	0.1	0.1	3.0	21	0.0	
43261	0	0	1	0	Unkn	47.1968	68.8557	26.6	722.3	451	56842.	770	0.8	1.0	3.8	0.1	0.1	4.8	22	0.0	
43260	0	0	1	0	Unkn	47.1968	68.8550	26.4	723.5	448	56844.	795	0.8	0.3	3.1	0.1	0.1	4.2	29	0.0	
43259	0	0	0	0	Unkn	47.1968	68.8543	26.4	723.5	451	56843.	808	0.8	1.6	3.6	2.1	0.5	4.8	23	0.0	
43258	0	0	1	0	Unkn	47.1968	68.8536	26.4	723.5	452	56840.	772	0.8	0.6	4.5	0.1	0.1	6.2	32	0.0	
43257	0	0	1	0	Unkn	47.1968	68.8530	26.4	723.5	454	56838.	808	1.0	0.6	3.8	0.1	0.1	3.9	28	0.0	
43256	0	0	1	0	Unkn	47.1968	68.8523	26.4	723.5	454	56839.	823	0.9	0.2	4.7	0.1	0.1	5.5	26	0.0	
43255	0	0	0	0	Unkn	47.1968	68.8516	26.4	723.5	451	56841.	853	1.0	1.5	3.9	1.6	0.4	4.2	18	0.0	
43254	0	0	1	0	Unkn	47.1968	68.8509	26.4	723.5	447	56841.	771	0.7	0.8	3.3	0.1	0.1	5.3	17	0.0	
43253	0	0	0	0	Unkn	47.1968	68.8502	26.4	723.6	442	56841.	702	0.8	1.4	3.2	2.0	0.5	4.4	28	0.0	
43252	0	0	1	0	Unkn	47.1968	68.8495	26.4	723.6	439	56842.	578	0.6	-0.8	1.8	0.1	0.1	3.0	19	0.0	
43251	0	0	1	0	Unkn	47.1968	68.8488	26.4	723.7	437	56842.	444	0.6	0.5	3.2	0.1	0.1	5.3	21	0.0	
43250	0	0	1	0	Unkn	47.1968	68.8481	26.4	723.7	434	56843.	402	0.3	-0.1	2.6	0.1	0.1	0.1	25	0.0	
43249	0	0	0	0	Unkn	47.1968	68.8475	26.4	723.7	429	56844.	485	0.4	1.4	2.2	0.1	0.7	0.1	21	0.0	
43248	0	0	0	0	Unkn	47.1968	68.8468	26.4	723.8	424	56845.	504	0.6	1.4	1.6	2.7	0.9	3.0	19	0.0	
43247	0	0	1	0	Water	47.1968	68.8461	26.4	723.8	419	56845.	550	0.6	0.9	3.9	0.1	0.1	7.7	18	0.0	
43246	0	0	0	0	Water	47.1968	68.8454	26.4	723.9	415	56844.	600	0.6	1.9	3.8	3.2	0.5	6.6	12	0.0	
43245	0	0	1	0	Water	47.1968	68.8447	26.4	724.0	410	56845.	593	0.9	0.4	2.5	0.1	0.1	3.0	26	0.0	
43244	0	0	0	0	Water	47.1968	68.8440	26.4	724.0	407	56845.	669	0.6	1.3	2.5	2.1	0.5	4.2	21	0.0	
43243	0	0	0	0	DSu	47.1968	68.8433	26.4	724.1	402	56844.	734	1.0	1.4	3.3	1.4	0.5	3.4	35	0.0	
43241	0	0	1	0	DSu	47.1968	68.8420	26.4	724.1	398	56844.	750	0.9	0.7	3.9	0.1	0.1	4.5	21	0.0	
43240	0	0	0	0	DSu	47.1968	68.8413	26.4	724.2	396	56844.	816	0.9	1.6	5.5	1.7	0.3	6.0	24	0.0	

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
43239	0	0	1	0	DSu	47.1968	68.8406	26.4	724.2	396	56844.	860	0.9	1.0	4.3	0.1	0.1	5.2	29	0.0
43238	0	0	0	0	DSu	47.1968	68.8399	26.4	724.2	396	56845.	779	0.8	1.5	2.3	1.9	0.7	2.9	28	0.0
43237	0	0	1	0	DSu	47.1968	68.8392	26.4	724.1	397	56845.	852	0.9	0.9	6.2	0.1	0.1	7.3	25	0.0
43236	0	0	1	0	DSu	47.1968	68.8385	26.4	724.1	403	56846.	863	1.0	1.2	4.7	0.1	0.1	4.8	24	0.0
43235	0	0	1	0	DSu	47.1968	68.8378	26.4	724.1	410	56846.	782	0.7	0.2	6.1	0.1	0.1	9.6	22	0.0
43234	0	0	1	0	DSu	47.1968	68.8372	26.4	724.0	420	56845.	685	0.9	0.9	1.9	0.1	0.1	2.2	21	0.0
43233	0	0	1	0	DSu	47.1968	68.8365	26.4	723.9	427	56843.	728	0.9	0.7	4.1	0.1	0.1	4.6	20	0.0
43232	0	0	1	0	DSu	47.1968	68.8358	26.4	723.8	433	56842.	727	0.8	-0.4	4.6	0.1	0.1	6.1	24	0.0
43231	0	0	1	0	DSu	47.1968	68.8351	26.4	723.7	435	56843.	726	0.6	0.8	3.5	0.1	0.1	5.8	23	0.0
43230	0	0	1	0	DSu	47.1968	68.8345	26.4	723.5	435	56843.	692	0.9	1.3	5.9	0.1	0.1	6.6	22	0.0
43229	0	0	1	0	DSu	47.1967	68.8338	26.4	723.4	435	56842.	692	0.6	0.1	4.9	0.1	0.1	9.2	30	0.0
43228	0	0	1	0	DSu	47.1967	68.8331	26.4	723.3	435	56841.	676	0.7	0.6	5.3	0.1	0.1	8.6	27	0.0
43227	0	0	1	0	DSu	47.1967	68.8325	26.4	723.2	436	56841.	704	1.1	0.0	3.6	0.1	0.1	3.4	18	0.0
43226	0	0	1	0	DSu	47.1967	68.8318	26.4	723.1	439	56842.	652	0.8	-0.2	3.3	0.1	0.1	4.4	22	0.0
43225	0	0	1	0	DSu	47.1966	68.8311	26.4	722.9	442	56842.	588	0.6	0.3	1.8	0.1	0.1	3.2	25	0.0
43224	0	0	1	0	DSu	47.1966	68.8305	26.4	722.8	443	56841.	582	0.6	-0.3	5.0	0.1	0.1	9.8	22	0.0
43223	0	0	1	0	DSu	47.1966	68.8298	26.4	722.7	441	56840.	548	0.6	0.0	4.4	0.1	0.1	8.3	25	0.0
43222	0	0	1	0	DSu	47.1966	68.8291	26.4	722.6	433	56839.	479	0.3	-0.1	4.2	0.1	0.1	0.1	20	0.0
43221	0	0	1	0	DSu	47.1965	68.8285	26.4	722.5	421	56840.	489	0.5	0.6	1.9	0.1	0.1	0.1	25	0.0
43220	0	0	1	0	DSu	47.1965	68.8278	26.4	722.4	412	56841.	485	0.4	0.2	2.7	0.1	0.1	0.1	19	0.0
43219	0	0	1	0	DSu	47.1965	68.8271	26.4	722.3	409	56843.	527	0.6	0.6	2.3	0.1	0.1	4.3	30	0.0
43218	0	0	1	0	DSu	47.1965	68.8265	26.4	722.2	410	56844.	481	0.6	-0.3	1.4	0.1	0.1	2.5	29	0.0
43217	0	0	1	0	DSu	47.1964	68.8258	26.4	722.1	412	56843.	534	0.5	0.1	3.7	0.1	0.1	0.1	20	0.0
43216	0	0	1	0	DSu	47.1964	68.8251	26.4	722.0	413	56842.	569	0.5	0.5	4.3	0.1	0.1	0.1	21	0.0
43215	0	0	1	0	DSu	47.1964	68.8245	26.4	722.0	417	56842.	610	0.4	1.2	3.2	0.1	0.1	0.1	17	0.0
43214	0	0	1	0	DSu	47.1964	68.8238	26.4	721.9	419	56842.	662	0.7	1.1	4.1	0.1	0.1	6.6	21	0.0
43213	0	0	1	0	DSu	47.1963	68.8232	26.4	721.8	420	56842.	749	0.8	0.6	4.8	0.1	0.1	6.4	10	0.0
43212	0	0	1	0	DSu	47.1963	68.8225	26.4	721.8	415	56840.	660	0.9	0.0	3.0	0.1	0.1	3.5	19	0.0
43211	0	0	1	0	DSu	47.1963	68.8218	26.4	721.7	411	56840.	641	0.7	0.2	2.8	0.1	0.1	4.2	35	0.2
43210	0	0	1	0	DSu	47.1963	68.8212	26.4	721.6	409	56840.	696	0.6	1.0	4.6	0.1	0.1	8.1	26	0.4
43209	0	0	1	0	DSu	47.1962	68.8205	26.4	721.5	409	56839.	662	0.7	-0.2	3.3	0.1	0.1	5.2	25	0.7
43208	0	0	1	0	DSu	47.1962	68.8198	26.3	721.5	413	56840.	656	0.8	0.3	3.7	0.1	0.1	5.3	24	0.9
43207	0	0	1	0	DSu	47.1962	68.8191	26.3	721.4	419	56840.	616	0.6	-0.4	2.8	0.1	0.1	4.7	22	1.1
43206	0	0	1	0	DSu	47.1962	68.8185	26.3	721.4	422	56840.	534	0.5	0.4	4.3	0.1	0.1	0.1	24	1.3
43205	0	0	1	0	DSu	47.1961	68.8178	26.3	721.3	426	56841.	525	0.6	0.3	3.1	0.1	0.1	5.6	25	1.5
43204	0	0	1	0	DSu	47.1961	68.8172	26.3	721.3	433	56843.	478	0.6	0.1	2.5	0.1	0.1	4.7	29	1.7
43203	0	0	0	0	DSu	47.1961	68.8165	26.1	721.1	432	56842.	547	0.3	1.4	1.9	0.1	0.8	0.1	28	1.7
43202	0	1	1	0	DSu	47.1961	68.8158	26.1	721.1	432	56842.	506	0.2	-0.3	4.1	0.1	0.1	0.1	23	1.7
43201	0	0	1	0	DSu	47.1960	68.8152	26.1	721.1	430	56842.	552	0.4	0.7	3.0	0.1	0.1	0.1	22	1.8
43200	0	0	1	0	DSu	47.1960	68.8145	26.1	721.1	425	56841.	594	0.5	0.0	3.2	0.1	0.1	0.1	26	1.8
43199	0	0	1	0	DSu	47.1960	68.8138	26.1	721.0	421	56842.	677	0.7	0.1	3.5	0.1	0.1	5.1	20	1.8
43198	0	0	1	0	DSu	47.1960	68.8132	26.1	721.0	417	56843.	736	0.6	0.0	5.3	0.1	0.1	9.3	21	1.8
43197	0	0	1	0	DSu	47.1959	68.8125	26.1	721.0	417	56843.	720	0.6	0.6	5.5	0.1	0.1	9.8	18	1.9
43196	0	0	1	0	DSu	47.1959	68.8118	26.1	721.0	411	56844.	770	0.7	0.9	4.4	0.1	0.1	6.7	18	1.7
43195	0	0	1	0	DSu	47.1959	68.8112	26.1	721.0	403	56844.	735	0.6	0.0	4.0	0.1	0.1	7.8	26	1.5
43194	0	0	1	0	DSu	47.1959	68.8105	26.1	721.0	395	56844.	743	0.7	0.4	3.7	0.1	0.1	5.8	20	1.5
43193	0	0	1	0	DSu	47.1958	68.8098	26.1	721.0	390	56844.	760	0.7	1.0	4.7	0.1	0.1	6.8	22	1.5
43192	0	0	1	0	DSu	47.1958	68.8092	26.1	721.0	387	56845.	751	0.9	0.5	3.6	0.1	0.1	4.1	17	1.5
43191	0	0	1	0	DSu	47.1958	68.8085	26.1	721.0	385	56846.	791	0.7	0.4	3.3	0.1	0.1	5.3	20	1.6
43190	0	0	0	0	DSu	47.1958	68.8078	26.1	721.0	384	56846.	708	0.6	1.2	3.3	2.1	0.4	5.8	24	1.6

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
43189	0	0	0	0	DSu	47.1957	68.8072	26.1	721.0	383	56845.	695	0.6	1.2	4.1	2.3	0.3	8.0	21	1.6
43188	0	0	1	0	DSu	47.1957	68.8065	26.1	721.0	384	56845.	707	0.8	0.0	3.9	0.1	0.1	5.1	20	1.6
43187	0	0	0	0	DSu	47.1957	68.8058	26.1	721.0	385	56845.	771	0.6	1.6	3.5	3.2	0.5	6.9	15	1.7
43186	0	0	1	0	DSu	47.1957	68.8052	26.1	721.0	390	56844.	747	0.8	0.2	2.7	0.1	0.1	3.4	28	1.7
43185	0	0	1	0	DSu	47.1956	68.8045	26.1	721.0	397	56843.	824	0.7	0.8	4.4	0.1	0.1	7.2	16	1.7
43184	0	0	1	0	DSu	47.1956	68.8038	26.1	720.9	407	56842.	817	0.9	0.9	4.5	0.1	0.1	5.3	28	1.7
43183	0	0	1	0	DSu	47.1956	68.8032	26.1	720.9	413	56841.	845	0.9	0.8	4.7	0.1	0.1	5.2	26	1.7
43182	0	0	1	0	DSu	47.1956	68.8025	26.1	720.8	418	56841.	758	0.8	1.0	4.2	0.1	0.1	5.2	23	1.7
43181	0	0	0	0	DSu	47.1955	68.8018	26.1	720.8	421	56841.	727	0.4	1.9	3.2	0.1	0.6	0.1	18	1.7
43180	0	0	1	0	DSu	47.1955	68.8012	26.1	720.7	431	56841.	801	0.9	1.3	4.6	0.1	0.1	5.3	15	1.7
43179	0	0	1	0	DSu	47.1955	68.8005	26.1	720.6	437	56841.	747	0.8	-0.3	2.5	0.1	0.1	3.4	24	1.8
43178	0	0	1	0	DSu	47.1955	68.7998	26.1	720.5	444	56840.	781	0.6	0.6	5.9	0.1	0.1	10.4	21	1.8
43177	0	0	0	0	DSu	47.1954	68.7992	26.1	720.4	446	56839.	755	0.8	1.5	3.5	2.1	0.5	4.9	26	1.8
38005	0	0	0	0	DSu	47.1978	68.7989	26.4	721.6	369	56837.	812	0.5	1.8	4.3	0.1	0.5	0.1	28	0.6
38006	0	0	1	0	DSu	47.1978	68.7984	26.4	721.7	361	56836.	772	0.7	0.9	3.1	0.1	0.1	4.4	20	0.6
38007	0	0	1	0	DSu	47.1978	68.7979	26.3	720.6	331	56836.	769	0.9	0.8	4.0	0.1	0.1	4.8	23	0.7
38008	0	0	0	0	DSu	47.1978	68.7974	26.3	720.5	320	56837.	696	0.6	1.4	4.4	2.4	0.4	7.5	26	0.7
38009	0	0	0	0	DSu	47.1979	68.7969	26.3	720.3	313	56838.	745	0.8	1.1	4.1	1.6	0.3	5.9	23	0.8
38010	0	0	1	0	DSu	47.1979	68.7964	26.3	720.2	315	56839.	691	0.5	0.7	3.8	0.1	0.1	0.1	22	0.8
38011	0	0	0	0	DSu	47.1979	68.7959	26.3	720.1	322	56839.	773	0.5	1.7	3.8	0.1	0.5	0.1	30	0.8
38012	0	0	0	0	DSu	47.1979	68.7954	26.3	720.0	334	56840.	694	0.5	2.0	3.7	0.1	0.6	0.1	28	0.9
38013	0	0	1	0	DSu	47.1979	68.7949	26.3	719.8	352	56844.	825	0.6	0.9	6.0	0.1	0.1	11.9	23	0.9
38014	0	0	0	0	DSu	47.1979	68.7944	26.2	719.7	370	56848.	851	0.8	1.5	5.7	2.0	0.3	7.7	30	1.0
38015	0	0	1	0	DSu	47.1979	68.7939	26.2	719.6	384	56851.	797	0.8	0.9	3.7	0.1	0.1	4.8	15	1.0
38016	0	0	0	0	DSu	47.1979	68.7934	26.2	719.5	392	56851.	840	0.9	1.4	4.8	1.7	0.3	5.9	19	1.0
38017	0	0	0	0	DSu	47.1980	68.7929	26.2	719.4	396	56851.	905	0.8	1.6	5.3	2.2	0.3	7.3	20	1.1
38018	0	0	1	0	DSu	47.1980	68.7924	26.2	719.3	398	56851.	830	0.8	-0.1	6.2	0.1	0.1	8.0	18	1.1
38019	0	0	0	0	DSu	47.1980	68.7919	26.2	719.3	396	56848.	831	0.7	1.5	4.9	2.4	0.3	7.8	28	1.1
38020	0	0	1	0	DSu	47.1980	68.7914	26.2	719.2	394	56846.	778	0.5	0.4	4.6	0.1	0.1	0.1	23	1.2
38021	0	0	1	0	DSu	47.1980	68.7909	26.2	719.2	394	56845.	808	0.7	0.8	5.2	0.1	0.1	8.3	20	1.2
38022	0	0	0	0	DSu	47.1980	68.7904	26.2	719.1	397	56844.	750	0.6	2.0	4.2	4.0	0.5	8.4	27	1.3
38023	0	0	1	0	DSu	47.1980	68.7899	26.2	719.1	400	56844.	798	0.8	1.3	3.9	0.1	0.1	5.3	23	1.3
38024	0	0	1	0	DSu	47.1980	68.7894	26.2	719.0	400	56845.	791	0.8	0.7	4.3	0.1	0.1	5.9	14	1.4
38025	0	0	1	0	DSu	47.1981	68.7889	26.2	718.9	399	56846.	857	0.8	0.4	6.2	0.1	0.1	8.1	35	1.4
38026	0	0	0	0	DSu	47.1981	68.7884	26.2	718.8	398	56845.	862	0.8	1.6	4.4	2.2	0.4	6.1	18	1.5
38027	0	0	1	0	DSu	47.1981	68.7879	26.2	718.7	393	56846.	874	0.8	0.7	5.2	0.1	0.1	6.8	34	1.5
38028	0	0	1	0	DSu	47.1981	68.7874	26.2	718.6	386	56847.	858	0.7	1.0	2.8	0.1	0.1	4.4	28	1.6
38029	0	0	1	0	DSu	47.1981	68.7869	26.2	718.5	375	56848.	966	1.0	0.0	5.0	0.1	0.1	5.1	20	1.6
38030	0	0	0	0	DSu	47.1981	68.7864	26.2	718.5	363	56847.	866	0.7	1.5	4.4	2.2	0.4	6.6	23	1.6
38031	0	0	1	0	DSu	47.1981	68.7859	26.2	718.4	351	56843.	944	0.9	1.1	4.7	0.1	0.1	5.4	18	1.7
38033	0	0	1	0	DSu	47.1982	68.7849	26.2	718.4	341	56840.	933	1.0	1.0	5.1	0.1	0.1	5.2	19	1.5
38034	0	0	1	0	DSu	47.1982	68.7844	26.2	718.3	338	56838.	890	0.5	1.0	3.1	0.1	0.1	0.1	33	1.4
38035	0	0	0	0	DSu	47.1982	68.7839	26.2	718.2	340	56838.	844	0.8	1.8	3.4	2.4	0.6	4.8	11	1.2
38036	0	0	0	0	DSu	47.1982	68.7834	26.2	718.2	345	56840.	875	0.9	1.6	4.6	1.8	0.4	5.3	16	1.1
38037	0	0	0	0	DSu	47.1982	68.7829	26.2	718.1	354	56845.	840	0.9	1.6	4.0	1.8	0.4	4.7	19	1.0
38038	0	0	0	0	DSu	47.1982	68.7824	26.2	718.1	368	56850.	842	0.8	1.3	7.0	1.9	0.2	9.9	23	0.8
38039	0	0	1	0	DSu	47.1982	68.7819	26.2	718.1	382	56854.	760	0.7	0.1	3.8	0.1	0.1	5.5	21	0.6
38040	0	0	1	0	DSu	47.1983	68.7814	26.2	718.1	388	56855.	746	1.0	0.8	2.9	0.1	0.1	3.1	24	0.4
38041	0	0	1	0	DSu	47.1983	68.7809	26.2	718.1	387	56852.	750	0.9	0.7	4.5	0.1	0.1	5.3	26	0.2
38042	0	0	1	0	DSu	47.1983	68.7804	26.2	718.1	389	56847.	679	0.6	1.1	4.1	0.1	0.1	7.0	21	0.0

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
38043	0	0	0	0	DSU	47.1983	68.7799	26.2	718.1	393	56844.	695	0.5	1.6	3.7	0.1	0.5	0.1	21	0.0
38044	0	0	1	0	DSU	47.1983	68.7794	26.2	718.1	397	56843.	671	0.7	0.1	3.4	0.1	0.1	5.1	25	0.0
38045	0	0	1	0	DSU	47.1983	68.7789	26.2	718.1	398	56843.	574	0.5	0.2	4.5	0.1	0.1	0.1	25	0.0
38046	0	0	1	0	DSU	47.1983	68.7784	26.2	718.1	399	56845.	455	0.4	-0.1	3.4	0.1	0.1	0.1	22	0.0
38047	0	0	1	0	DSU	47.1983	68.7779	26.2	718.1	398	56846.	486	0.6	0.2	2.6	0.1	0.1	4.4	27	0.0
38048	0	0	1	0	DSU	47.1984	68.7774	26.2	718.0	394	56847.	503	0.6	0.3	2.9	0.1	0.1	5.5	28	0.0
38049	0	0	1	0	DSU	47.1984	68.7769	26.1	718.0	387	56844.	483	0.5	0.3	2.6	0.1	0.1	0.1	21	0.0
38050	0	0	1	0	DSU	47.1984	68.7764	26.1	718.0	377	56842.	570	0.4	0.9	3.6	0.1	0.1	0.1	21	0.0
38051	0	0	0	0	DSU	47.1984	68.7759	26.1	717.9	369	56842.	598	0.5	1.2	2.0	0.1	0.6	0.1	24	0.0
38052	0	0	0	0	DSU	47.1984	68.7754	26.1	717.9	362	56844.	643	0.5	1.3	4.7	0.1	0.3	0.1	16	0.0
38053	0	0	1	0	DSU	47.1984	68.7749	26.1	717.9	357	56846.	621	0.5	0.2	5.1	0.1	0.1	0.1	22	0.0
38054	0	0	1	0	DSU	47.1984	68.7744	26.1	717.9	354	56847.	663	0.6	0.7	3.1	0.1	0.1	5.4	22	0.0
38055	0	0	1	0	DSU	47.1985	68.7739	26.1	717.9	353	56848.	703	0.8	1.0	3.6	0.1	0.1	5.0	27	0.0
38056	0	0	1	0	DSU	47.1985	68.7734	26.1	717.9	354	56849.	691	0.7	0.8	3.2	0.1	0.1	5.0	35	0.0
38057	0	0	1	0	DSU	47.1985	68.7729	26.1	717.9	356	56850.	693	0.7	0.8	2.6	0.1	0.1	3.9	24	0.0
38058	0	0	1	0	DSU	47.1985	68.7724	26.1	717.9	362	56851.	725	0.8	0.7	5.3	0.1	0.1	6.8	17	0.0
38059	0	0	1	0	DSU	47.1985	68.7719	26.1	717.9	374	56850.	680	0.8	-0.2	4.5	0.1	0.1	5.8	29	0.0
38060	0	0	1	0	DSU	47.1985	68.7714	26.1	717.9	388	56848.	733	1.0	0.6	5.3	0.1	0.1	5.7	22	0.0
38061	0	0	1	0	DSU	47.1985	68.7709	26.1	717.9	402	56846.	738	0.9	-0.3	4.4	0.1	0.1	4.9	13	0.0
38062	0	0	1	0	DSU	47.1985	68.7704	26.1	717.9	408	56843.	705	0.8	0.6	4.1	0.1	0.1	5.2	35	0.0
38063	0	0	1	0	DSU	47.1986	68.7699	26.1	717.9	412	56841.	725	0.6	1.1	3.6	0.1	0.1	6.6	21	0.0
38064	0	0	1	0	DSU	47.1986	68.7694	25.9	717.1	431	56838.	734	0.7	0.2	3.6	0.1	0.1	5.5	17	0.0
38065	0	0	1	0	DSU	47.1986	68.7689	25.9	716.9	442	56836.	741	0.9	0.2	4.1	0.1	0.1	4.6	25	0.0
38066	0	0	1	0	DSU	47.1986	68.7683	25.9	716.7	447	56835.	712	1.0	0.7	2.8	0.1	0.1	2.9	24	0.0
38067	0	0	1	0	DSU	47.1985	68.7678	25.9	716.4	443	56834.	725	0.5	0.7	3.4	0.1	0.1	0.1	15	0.0
38068	0	0	1	0	DSU	47.1985	68.7672	25.9	716.1	435	56832.	759	0.9	1.2	3.3	0.1	0.1	3.9	27	0.0
38069	0	0	1	0	DSU	47.1985	68.7666	25.9	715.9	428	56830.	774	0.8	0.9	4.2	0.1	0.1	5.5	27	0.0
38070	0	0	1	0	DSU	47.1985	68.7661	25.9	715.6	423	56828.	765	0.9	0.9	3.0	0.1	0.1	3.6	22	0.0
38071	0	0	1	0	DSU	47.1984	68.7655	25.9	715.3	419	56829.	770	0.9	1.2	2.5	0.1	0.1	2.9	27	0.0
38072	0	0	0	0	DSU	47.1984	68.7650	25.8	715.0	412	56833.	758	0.9	2.0	4.7	2.4	0.5	5.5	34	0.0
38073	0	0	1	0	DSU	47.1984	68.7644	25.8	714.8	402	56834.	725	0.6	1.0	2.6	0.1	0.1	4.8	24	0.0
38074	0	0	0	0	DSU	47.1984	68.7638	25.8	714.5	388	56836.	826	0.6	2.3	4.4	3.9	0.6	7.3	19	0.0
38075	0	0	1	0	DSU	47.1984	68.7633	25.8	714.2	371	56839.	872	0.8	0.0	6.0	0.1	0.1	7.6	25	0.0
38076	0	0	0	0	DSU	47.1983	68.7627	25.8	714.0	353	56843.	774	0.6	2.0	1.9	3.5	1.1	3.4	25	0.2
38077	0	0	0	0	DSU	47.1983	68.7622	25.8	713.8	339	56847.	854	0.8	2.2	4.0	3.0	0.6	5.5	21	0.3
38078	0	0	1	0	DSU	47.1983	68.7616	25.8	713.7	331	56848.	809	0.7	0.6	4.6	0.1	0.1	6.6	25	0.4
38079	0	0	1	0	DSU	47.1983	68.7610	25.8	713.6	330	56849.	804	0.9	0.9	3.5	0.1	0.1	4.3	28	0.4
38080	0	0	0	0	DSU	47.1982	68.7605	25.8	713.5	335	56850.	798	0.8	1.6	3.8	2.2	0.5	5.2	31	0.5
38081	0	0	1	0	DSU	47.1982	68.7599	25.8	713.5	346	56852.	812	1.1	-0.4	3.6	0.1	0.1	3.5	11	0.5
38082	0	0	1	0	DSU	47.1982	68.7594	25.8	713.5	358	56851.	847	0.7	0.6	5.7	0.1	0.1	8.5	27	0.6
38083	0	0	1	0	DSU	47.1982	68.7588	25.8	713.6	371	56851.	910	0.9	0.7	4.6	0.1	0.1	5.2	18	0.6
38084	0	0	0	0	DSU	47.1982	68.7582	25.8	713.7	379	56850.	851	0.8	1.7	5.9	2.3	0.3	8.1	28	0.6
38085	0	0	1	0	DSU	47.1981	68.7577	25.8	713.8	380	56848.	896	1.0	0.8	5.8	0.1	0.1	6.0	25	0.6
38086	0	0	1	0	DSU	47.1981	68.7571	25.8	713.9	376	56844.	801	0.8	0.7	3.1	0.1	0.1	3.8	28	0.7
38087	0	0	0	0	DSU	47.1981	68.7566	25.8	714.1	372	56843.	924	1.0	1.2	4.1	1.2	0.3	4.2	32	0.6
38088	0	0	1	0	DSU	47.1981	68.7560	25.8	714.3	374	56840.	899	0.9	0.5	4.4	0.1	0.1	5.2	20	0.6
38089	0	0	1	0	DSU	47.1981	68.7554	25.8	714.6	379	56837.	894	0.9	0.7	4.4	0.1	0.1	5.2	29	0.6
38090	0	0	0	0	DSU	47.1980	68.7549	25.8	714.8	386	56835.	949	0.8	1.7	5.8	2.3	0.3	7.9	24	0.7
38091	0	0	1	0	DSU	47.1980	68.7543	25.8	714.9	390	56834.	926	0.9	1.0	5.0	0.1	0.1	6.2	28	0.7
38092	0	0	1	0	DSU	47.1980	68.7538	25.8	715.1	392	56833.	882	1.0	0.1	3.7	0.1	0.1	3.9	30	0.8

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
38093	0	0	1	0	DSu	47.1980	68.7532	25.8	715.3	391	56831.	829	1.0	0.9	4.7	0.1	0.1	4.7	17	0.8
38094	0	0	1	0	DSu	47.1979	68.7526	25.8	715.4	388	56830.	772	0.7	0.3	6.2	0.1	0.1	10.1	25	0.8
38095	0	0	1	0	DSu	47.1979	68.7521	25.8	715.6	384	56831.	799	0.9	0.2	4.4	0.1	0.1	5.4	30	0.9
38096	0	0	1	0	DSu	47.1979	68.7515	25.8	715.7	377	56833.	763	0.6	0.9	4.2	0.1	0.1	8.2	25	0.9
38097	0	0	0	0	DSu	47.1979	68.7510	25.7	715.8	370	56836.	738	0.7	2.0	3.6	3.1	0.6	5.6	20	0.9
38098	0	0	1	0	DSu	47.1979	68.7504	25.7	715.9	364	56840.	852	0.8	-0.1	4.0	0.1	0.1	5.0	21	1.0
38099	0	0	0	0	DSu	47.1978	68.7498	25.7	716.0	358	56843.	804	0.8	1.3	4.8	1.8	0.3	6.4	18	1.1
38100	0	0	1	0	DSu	47.1978	68.7493	25.7	716.1	354	56845.	762	0.7	0.1	2.4	0.1	0.1	3.7	19	1.1
38101	0	0	1	0	DSu	47.1978	68.7487	25.7	716.1	353	56845.	735	0.9	0.2	3.8	0.1	0.1	4.2	25	1.2
38102	0	0	1	0	DSu	47.1978	68.7482	25.7	716.2	356	56845.	767	0.8	1.0	4.4	0.1	0.1	6.2	18	1.2
38103	0	0	0	0	DSu	47.1977	68.7476	25.7	716.3	361	56846.	731	0.5	1.9	4.4	0.1	0.5	0.1	35	1.3
38104	0	0	1	0	DSu	47.1977	68.7470	25.7	716.3	363	56847.	730	0.5	0.1	4.6	0.1	0.1	0.1	26	1.3
38105	0	0	1	0	DSu	47.1977	68.7465	25.7	716.4	364	56846.	755	0.7	0.8	6.5	0.1	0.1	9.4	20	1.4
38106	0	0	1	0	DSu	47.1977	68.7459	25.7	716.4	364	56847.	735	0.6	-0.6	4.2	0.1	0.1	7.8	19	1.4
38107	0	0	1	0	DSu	47.1977	68.7454	25.7	716.5	362	56850.	724	0.8	1.1	3.6	0.1	0.1	4.6	21	1.5
38108	0	0	1	0	DSu	47.1976	68.7448	25.7	716.5	357	56850.	737	0.6	0.5	4.7	0.1	0.1	8.3	20	1.5
38109	0	0	1	0	DSu	47.1976	68.7442	25.7	716.5	350	56848.	709	0.9	0.5	3.7	0.1	0.1	4.5	23	1.6
38110	0	0	0	0	DSu	47.1976	68.7437	25.7	716.5	346	56847.	791	0.8	1.7	3.2	2.2	0.6	4.2	22	1.6
38111	0	0	0	0	DSu	47.1976	68.7431	25.7	716.6	344	56846.	692	0.4	1.1	4.1	0.1	0.3	0.1	18	1.6
38112	0	0	0	0	DSu	47.1975	68.7426	25.7	716.6	345	56845.	682	0.6	1.8	2.6	3.0	0.7	4.4	28	1.6
38113	0	0	0	0	DSu	47.1975	68.7420	25.7	716.6	348	56844.	754	0.6	1.2	4.6	2.3	0.3	8.7	14	1.7
38114	0	0	1	0	DSu	47.1975	68.7415	25.7	716.6	353	56844.	742	0.7	0.5	3.7	0.1	0.1	5.5	25	1.8
38115	0	0	1	0	DSu	47.1975	68.7409	25.7	716.5	357	56845.	712	0.7	0.2	3.5	0.1	0.1	5.6	26	1.8
38116	0	0	1	0	DSu	47.1975	68.7403	25.7	716.5	363	56845.	726	0.7	0.3	3.6	0.1	0.1	5.2	22	1.9
38117	0	0	1	0	DSu	47.1974	68.7398	25.7	716.5	369	56846.	674	0.8	-0.4	5.1	0.1	0.1	6.6	30	1.9
38118	0	0	1	0	DSu	47.1974	68.7392	25.7	716.5	373	56848.	751	0.8	1.1	4.3	0.1	0.1	5.5	20	1.9
38119	0	0	1	0	DSu	47.1974	68.7387	25.7	716.5	375	56850.	708	0.7	-0.1	5.2	0.1	0.1	7.4	27	1.9
38120	0	0	1	0	DSu	47.1974	68.7381	25.8	716.1	412	56852.	739	0.7	-0.7	5.0	0.1	0.1	7.6	27	1.9
38121	0	0	1	0	DSu	47.1973	68.7375	25.8	716.0	433	56854.	782	0.9	0.6	6.0	0.1	0.1	7.0	26	2.0
38122	0	0	1	0	DSu	47.1973	68.7370	25.8	716.0	449	56855.	802	0.7	1.4	4.6	0.1	0.1	7.2	23	2.0
38123	0	0	1	0	DSu	47.1973	68.7364	25.8	716.0	457	56856.	791	0.7	1.4	5.4	0.1	0.1	8.6	18	2.0
38124	0	0	1	0	DSu	47.1973	68.7359	25.8	715.9	461	56856.	802	0.7	0.3	3.0	0.1	0.1	4.8	22	2.0
38125	0	0	0	0	DSu	47.1973	68.7353	25.8	715.9	460	56856.	797	0.8	1.9	3.8	2.6	0.5	5.3	17	2.0
38126	0	0	1	0	DSu	47.1972	68.7347	25.8	715.9	457	56852.	742	0.9	0.9	3.4	0.1	0.1	4.1	25	2.1
38127	0	0	1	0	DSu	47.1972	68.7342	25.8	715.9	454	56848.	801	0.8	0.7	2.9	0.1	0.1	3.6	17	2.1
38129	0	0	1	0	DSu	47.1972	68.7331	25.8	715.9	453	56847.	850	0.9	0.6	5.0	0.1	0.1	5.9	15	2.1
38130	0	0	1	0	DSu	47.1971	68.7325	25.8	715.9	454	56847.	818	0.7	0.6	4.4	0.1	0.1	6.8	19	2.2
38131	0	0	1	0	DSu	47.1971	68.7319	25.8	715.9	454	56848.	823	0.6	1.0	5.9	0.1	0.1	10.0	24	2.2
38132	0	0	1	0	DSu	47.1971	68.7314	25.8	715.9	454	56849.	814	0.8	0.3	4.6	0.1	0.1	5.8	23	2.2
38133	0	0	0	0	DSu	47.1971	68.7308	25.8	715.9	454	56848.	754	0.7	1.9	3.2	2.9	0.6	5.0	23	2.2
38134	0	0	1	0	DSu	47.1971	68.7303	25.8	715.9	449	56846.	691	0.5	0.7	3.2	0.1	0.1	0.1	25	2.3
38135	0	0	1	0	DSu	47.1970	68.7297	25.8	716.0	442	56849.	752	0.7	0.9	4.0	0.1	0.1	5.9	17	2.3
38136	0	0	1	0	DSu	47.1970	68.7291	25.8	716.0	432	56851.	638	0.5	0.2	3.5	0.1	0.1	0.1	28	2.3
38137	0	0	1	0	DSu	47.1970	68.7286	25.8	716.0	430	56850.	704	0.8	0.1	3.2	0.1	0.1	4.1	14	2.4
38138	0	0	1	0	DSu	47.1970	68.7280	25.8	716.1	431	56848.	567	0.6	0.8	2.6	0.1	0.1	5.1	20	2.4
38139	0	0	1	0	DSu	47.1969	68.7275	25.8	716.1	436	56844.	480	0.4	-0.1	2.1	0.1	0.1	0.1	13	2.4
38140	0	0	1	0	DSu	47.1969	68.7269	25.8	716.1	438	56842.	416	0.3	-0.3	2.7	0.1	0.1	0.1	31	2.4
38141	0	0	1	0	DSu	47.1969	68.7263	25.8	716.1	435	56842.	425	0.6	-0.6	2.1	0.1	0.1	3.9	29	2.4
38142	0	0	1	0	DSu	47.1969	68.7258	25.8	716.0	425	56842.	469	0.7	-0.4	2.5	0.1	0.1	3.8	29	2.4
38143	0	0	1	0	DSu	47.1969	68.7252	25.8	716.0	415	56843.	437	0.5	-0.7	2.6	0.1	0.1	0.1	18	2.4

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
38144	0	0	1	0	DSU	47.1969	68.7247	25.8	716.0	406	56845.	526	0.4	0.8	2.5	0.1	0.1	0.1	26	2.4
38145	0	0	1	0	DSU	47.1968	68.7242	25.8	715.9	402	56843.	544	0.5	0.8	3.2	0.1	0.1	0.1	25	2.4
38146	0	0	1	0	DSU	47.1968	68.7237	25.3	715.9	396	56842.	632	0.6	0.7	4.3	0.1	0.1	7.6	25	2.4
38147	0	0	1	0	DSU	47.1968	68.7231	25.8	715.9	393	56843.	681	0.6	1.0	3.7	0.1	0.1	6.3	25	2.4
38148	0	0	1	0	DSU	47.1968	68.7226	25.8	715.9	393	56842.	651	0.5	0.4	4.2	0.1	0.1	0.1	25	2.4
38149	0	0	0	0	DSU	47.1968	68.7221	25.8	715.9	398	56841.	763	0.6	1.7	5.0	2.8	0.4	8.3	19	2.5
38150	0	0	1	0	DSU	47.1968	68.7216	25.8	715.8	406	56841.	671	0.9	0.8	2.9	0.1	0.1	3.4	17	2.5
38151	0	0	1	0	DSU	47.1968	68.7210	25.8	715.8	415	56843.	679	0.7	0.4	2.9	0.1	0.1	4.7	18	2.5
38152	0	0	1	0	DSU	47.1968	68.7205	25.8	715.8	421	56844.	735	0.7	0.6	5.3	0.1	0.1	8.1	33	2.5
38153	0	0	1	0	DSU	47.1968	68.7200	25.8	715.7	425	56844.	721	0.7	0.0	5.7	0.1	0.1	8.7	26	2.5
38154	0	0	1	0	DSU	47.1968	68.7195	25.8	715.7	427	56845.	745	0.7	-0.2	3.7	0.1	0.1	6.0	27	2.5
38155	0	0	1	0	DSU	47.1968	68.7189	25.8	715.6	428	56846.	673	0.9	-0.1	3.7	0.1	0.1	4.6	25	2.5
38156	0	0	1	0	DSU	47.1968	68.7184	25.8	715.6	428	56846.	735	0.8	1.0	4.5	0.1	0.1	6.0	22	2.4
38157	0	0	1	0	DSU	47.1968	68.7179	25.8	715.5	426	56845.	734	0.5	0.6	4.9	0.1	0.1	0.1	26	2.4
38158	0	0	1	0	DSU	47.1968	68.7174	25.8	715.4	427	56843.	740	0.8	-0.1	3.5	0.1	0.1	4.5	19	2.4
38159	0	0	1	0	DSU	47.1968	68.7168	25.8	715.3	430	56844.	720	0.9	1.0	2.7	0.1	0.1	3.2	23	2.4
38160	0	0	1	0	DSU	47.1968	68.7163	25.8	715.2	436	56845.	647	0.6	1.1	3.6	0.1	0.1	5.9	16	2.4
38161	0	0	1	0	DSU	47.1968	68.7158	25.8	715.1	442	56847.	685	0.7	0.6	4.7	0.1	0.1	7.1	20	2.4
38162	0	0	1	0	DSU	47.1968	68.7153	25.8	715.0	447	56849.	694	0.7	0.7	3.6	0.1	0.1	5.2	20	2.4
38163	0	0	1	0	DSU	47.1968	68.7147	25.8	714.9	452	56850.	653	0.7	0.3	4.7	0.1	0.1	7.2	15	2.4
38164	0	0	1	0	DSU	47.1968	68.7142	25.8	714.8	458	56849.	688	0.7	-0.2	2.7	0.1	0.1	4.2	29	2.4
38165	0	0	1	0	DSU	47.1968	68.7137	25.8	714.7	465	56847.	652	0.7	1.1	2.3	0.1	0.1	3.6	18	2.3
38166	0	0	1	0	DSU	47.1968	68.7132	25.8	714.7	470	56846.	689	0.6	0.5	4.5	0.1	0.1	7.5	39	2.2
38167	0	0	1	0	DSU	47.1968	68.7126	25.8	714.7	472	56847.	632	0.9	1.2	4.2	0.1	0.1	5.0	30	2.1
38168	0	0	1	0	DSU	47.1968	68.7121	25.8	714.6	472	56846.	675	0.6	0.3	3.0	0.1	0.1	5.9	19	2.1
38169	0	0	1	0	DSU	47.1968	68.7116	25.8	714.6	470	56845.	712	0.6	0.8	2.7	0.1	0.1	4.5	22	2.1
38170	0	0	1	0	DSU	47.1968	68.7111	25.8	714.5	467	56844.	697	0.8	0.1	2.1	0.1	0.1	2.6	30	2.0
38171	0	0	1	0	DSU	47.1968	68.7105	25.8	714.5	460	56842.	765	0.7	1.1	4.4	0.1	0.1	6.7	22	2.0
38172	0	0	1	0	DSU	47.1968	68.7100	25.8	714.5	451	56839.	854	0.8	1.2	2.6	0.1	0.1	3.4	26	1.9
38173	0	0	1	0	DSU	47.1968	68.7095	25.8	714.5	444	56837.	814	0.8	0.1	5.3	0.1	0.1	6.9	23	1.8
38174	0	0	0	0	DSU	47.1968	68.7090	25.8	714.5	438	56836.	819	0.9	1.9	3.4	2.1	0.6	3.7	27	1.8
38175	0	0	1	0	DSU	47.1968	68.7085	25.8	714.5	436	56836.	886	0.9	0.3	4.2	0.1	0.1	5.0	28	1.7
38176	0	0	0	0	DSU	47.1968	68.7079	25.8	714.5	435	56835.	827	0.7	2.1	3.6	3.1	0.6	5.2	28	1.7
38177	0	0	1	0	DSU	47.1968	68.7074	25.7	713.2	433	56839.	861	0.7	1.4	5.2	0.1	0.1	7.8	24	1.6
38178	0	0	1	0	DSU	47.1968	68.7069	25.7	713.1	428	56842.	864	0.7	-0.1	5.0	0.1	0.1	7.1	21	1.5
38179	0	0	1	0	DSU	47.1968	68.7064	25.7	713.0	422	56845.	1041	1.5	1.2	5.5	0.1	0.1	3.8	27	1.4
38180	0	0	0	0	DSU	47.1968	68.7058	25.7	712.8	412	56847.	899	0.7	1.8	3.3	2.6	0.6	4.7	27	1.3
38181	0	0	0	0	DSU	47.1968	68.7053	25.7	712.7	399	56848.	943	0.7	2.5	6.5	4.0	0.4	10.6	21	1.2
38182	0	0	1	0	DSU	47.1968	68.7048	25.7	712.6	383	56848.	998	1.1	-0.3	4.8	0.1	0.1	4.7	23	1.1
38183	0	0	1	0	DSU	47.1968	68.7043	25.6	712.6	369	56849.	977	1.1	-0.2	6.3	0.1	0.1	6.2	28	1.0
38184	0	0	1	0	DSU	47.1968	68.7037	25.6	712.5	359	56850.	965	1.1	0.3	5.0	0.1	0.1	4.9	31	0.8
38185	0	0	1	0	DSU	47.1968	68.7032	25.6	712.5	357	56850.	1060	1.1	0.6	5.5	0.1	0.1	5.1	24	0.7
38186	0	0	1	0	DSU	47.1968	68.7027	25.6	712.5	359	56849.	1081	1.3	1.0	5.7	0.1	0.1	4.5	31	0.6
38187	0	0	1	0	DSU	47.1968	68.7022	25.6	712.4	362	56848.	1127	1.4	1.0	5.3	0.1	0.1	3.8	23	0.5
38188	0	0	0	0	DSU	47.1968	68.7016	25.6	712.4	362	56847.	1080	1.4	1.8	4.6	1.3	0.4	3.5	10	0.4
38189	0	0	0	0	DSU	47.1968	68.7011	25.6	712.4	359	56847.	1077	1.1	2.3	5.8	2.2	0.4	5.6	29	0.3
38190	0	0	1	0	DSU	47.1968	68.7006	25.6	712.4	357	56847.	1116	1.1	1.1	5.0	0.1	0.1	4.8	18	0.3
38191	0	0	0	0	DSU	47.1968	68.7001	25.6	712.5	356	56848.	1106	1.2	1.4	6.6	1.2	0.3	5.6	20	0.2
38192	0	0	1	0	DSU	47.1968	68.6995	25.6	712.5	358	56850.	1021	0.9	0.3	5.2	0.1	0.1	5.7	29	0.2
38193	0	0	1	0	DSU	47.1968	68.6990	25.6	712.6	362	56850.	1092	1.0	0.7	6.8	0.1	0.1	7.2	14	0.1

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
38194	0	0	1	0	DSu	47.1968	68.6985	25.6	712.6	369	56847.	1041	1.0	0.4	5.9	0.1	0.1	6.3	29	0.0
38195	0	0	1	0	DSu	47.1968	68.6980	25.6	712.7	380	56845.	976	0.9	0.6	6.2	0.1	0.1	7.0	20	0.0
38196	0	0	0	0	DSu	47.1968	68.6974	25.6	712.6	392	56844.	964	1.1	1.4	6.0	1.4	0.3	5.7	24	0.0
38197	0	0	0	0	DSu	47.1968	68.6969	25.6	712.6	401	56844.	1037	0.9	2.7	4.7	3.0	0.6	5.3	21	0.0
38198	0	0	0	0	DSu	47.1968	68.6964	25.6	712.5	406	56845.	976	0.8	1.4	7.0	1.9	0.2	9.3	25	0.0
38199	0	0	1	0	DSu	47.1968	68.6959	25.6	712.4	404	56844.	1083	1.2	1.2	4.3	0.1	0.1	3.8	31	0.0
38200	0	0	1	0	DSu	47.1968	68.6954	25.6	712.3	399	56844.	1054	0.9	0.9	6.2	0.1	0.1	7.6	13	0.0
38201	0	0	0	0	DSu	47.1968	68.6948	25.6	712.2	388	56842.	1103	1.0	2.1	6.4	2.3	0.4	7.0	17	0.0
38202	0	0	0	0	DSu	47.1968	68.6943	25.6	712.1	375	56838.	1202	1.1	1.7	6.1	1.6	0.3	5.6	26	0.0
38203	0	0	0	0	DSu	47.1968	68.6938	25.6	712.0	359	56836.	1256	1.0	2.4	5.9	2.6	0.5	6.4	16	0.0
38204	0	0	0	0	DSu	47.1968	68.6932	25.6	711.9	342	56834.	1219	1.2	2.0	4.4	1.7	0.5	3.9	30	0.0
38205	0	0	0	0	DSu	47.1968	68.6927	25.6	711.8	325	56834.	1304	1.3	1.6	6.8	1.3	0.3	5.6	18	0.0
38206	0	0	0	0	DSu	47.1968	68.6922	25.6	711.6	309	56835.	1411	1.4	1.3	8.3	0.9	0.2	6.2	34	0.0
38207	0	0	0	0	DSu	47.1968	68.6917	25.6	711.5	298	56838.	1374	1.5	1.6	8.6	1.1	0.2	6.0	26	0.0
38208	0	0	0	0	DSu	47.1968	68.6912	25.6	711.3	294	56841.	1313	1.3	1.3	6.0	1.0	0.3	4.6	31	0.0
38209	0	0	0	0	DSu	47.1968	68.6906	25.6	711.2	297	56847.	1253	1.3	1.6	6.1	1.3	0.3	4.8	27	0.1
38210	0	0	0	0	DSu	47.1968	68.6901	25.6	711.0	306	56854.	1209	1.3	1.3	6.9	1.0	0.2	5.3	27	0.1
38211	0	0	0	0	DSu	47.1968	68.6896	25.5	710.9	316	56856.	1210	1.2	1.9	7.2	1.7	0.3	6.3	18	0.2
38212	0	0	1	0	DSu	47.1968	68.6891	25.5	710.8	326	56852.	1238	1.4	0.9	6.6	0.1	0.1	4.7	27	0.2
38213	0	0	1	0	DSu	47.1968	68.6885	25.5	710.7	331	56847.	1215	1.4	1.0	7.0	0.1	0.1	5.3	25	0.3
38214	0	0	0	0	DSu	47.1968	68.6880	25.5	710.6	337	56842.	1172	1.2	1.6	5.0	1.4	0.3	4.5	25	0.3
38215	0	0	0	0	DSu	47.1968	68.6875	25.5	710.4	343	56838.	1139	1.3	1.5	6.4	1.2	0.3	5.2	30	0.4
38216	0	0	0	0	DSu	47.1968	68.6870	25.5	710.3	353	56837.	1132	1.0	1.9	5.6	1.9	0.4	5.6	20	0.5
38217	0	0	1	0	DSu	47.1968	68.6864	25.5	710.2	362	56837.	1101	1.1	1.2	5.4	0.1	0.1	5.1	26	0.5
38218	0	0	1	0	DSu	47.1968	68.6859	25.5	710.0	366	56835.	1144	1.4	1.2	7.1	0.1	0.1	5.3	22	0.6
38219	0	0	1	0	DSu	47.1967	68.6854	25.5	709.9	365	56835.	1122	1.1	1.1	8.0	0.1	0.1	7.6	29	0.7
38220	0	0	1	0	DSu	47.1967	68.6849	25.5	709.8	363	56835.	1129	1.1	1.2	4.6	0.1	0.1	4.4	28	0.7
38221	0	0	0	0	DSu	47.1967	68.6843	25.5	709.8	363	56837.	1201	1.0	1.5	6.4	1.5	0.3	6.6	29	0.8
38222	0	0	1	0	DSu	47.1967	68.6838	25.5	709.7	363	56839.	1132	1.3	-0.1	5.7	0.1	0.1	4.4	24	0.9
38224	0	0	1	0	DSu	47.1967	68.6828	25.5	709.7	362	56841.	1239	1.7	0.6	8.2	0.1	0.1	4.9	19	0.9
38225	0	0	1	0	DSu	47.1967	68.6823	25.5	709.6	355	56844.	1214	1.2	0.3	7.8	0.1	0.1	6.7	23	0.9
38226	0	0	1	0	DSu	47.1967	68.6817	25.5	709.6	344	56846.	1183	1.3	1.2	7.4	0.1	0.1	6.1	33	0.9
38227	0	0	1	0	DSu	47.1967	68.6812	25.5	709.6	329	56847.	1103	1.1	0.8	5.5	0.1	0.1	5.3	30	1.0
38228	0	0	0	0	DSu	47.1967	68.6807	25.5	709.6	318	56849.	1118	1.2	1.8	5.7	1.6	0.4	4.9	17	1.0
38229	0	0	1	0	DSu	47.1967	68.6801	25.5	709.5	316	56850.	1106	0.9	0.6	7.0	0.1	0.1	7.7	30	1.1
38230	0	0	0	0	DSu	47.1967	68.6796	25.5	709.5	324	56850.	1076	1.0	1.9	3.2	2.0	0.6	3.3	25	1.2
38231	0	0	0	0	DSu	47.1967	68.6791	25.5	709.5	338	56850.	1071	1.0	1.4	5.7	1.4	0.3	5.7	15	1.2
38232	0	0	0	0	DSu	47.1967	68.6786	25.5	709.5	346	56850.	1034	1.0	1.7	4.7	1.9	0.4	5.1	21	1.3
38233	0	0	0	0	DSu	47.1967	68.6780	25.5	709.6	352	56849.	1085	0.9	1.4	6.6	1.8	0.3	8.1	26	1.4
38234	0	0	0	0	DSu	47.1967	68.6775	25.3	710.4	372	56847.	1013	0.9	2.1	4.3	2.4	0.5	5.0	30	1.5
38235	0	0	1	0	DSu	47.1967	68.6770	25.3	710.6	375	56842.	983	1.3	1.2	5.6	0.1	0.1	4.5	24	1.5
38236	0	0	1	0	DSu	47.1967	68.6765	25.3	710.8	376	56838.	971	0.9	1.1	6.0	0.1	0.1	6.7	19	1.6
38237	0	0	1	0	DSu	47.1967	68.6760	25.3	711.0	371	56837.	959	1.0	0.9	5.4	0.1	0.1	5.6	24	1.6
38238	0	0	1	0	DSu	47.1967	68.6754	25.3	711.2	366	56837.	997	1.0	0.1	6.6	0.1	0.1	6.7	24	1.6
38239	0	0	1	0	DSu	47.1967	68.6749	25.3	711.4	365	56837.	1040	1.1	1.0	4.9	0.1	0.1	4.6	19	1.6
38240	0	0	0	0	DSu	47.1967	68.6744	25.3	711.6	369	56837.	1041	0.9	1.7	6.1	2.0	0.3	7.2	20	1.6
38241	0	0	1	0	DSu	47.1967	68.6739	25.3	711.8	377	56838.	1069	1.4	0.9	5.7	0.1	0.1	4.1	21	1.6
38242	0	0	1	0	DSu	47.1967	68.6733	25.3	711.9	385	56838.	1006	1.0	0.5	4.2	0.1	0.1	4.5	26	1.6
38243	0	0	1	0	DSu	47.1967	68.6728	25.3	712.1	392	56840.	1024	1.0	1.0	7.6	0.1	0.1	7.5	17	1.6
38244	0	0	1	0	DSu	47.1967	68.6723	25.2	712.2	396	56842.	1006	1.0	0.8	5.1	0.1	0.1	5.4	25	1.6

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
38245	0	0	1	0	DSu	47.1967	68.6718	25.2	712.4	402	56843.	937	1.0	0.0	6.2	0.1	0.1	6.3	24	1.6
38246	0	0	1	0	DSu	47.1967	68.6712	25.2	712.5	411	56843.	904	1.0	-0.2	3.7	0.1	0.1	4.0	32	1.6
38247	0	0	1	0	DSu	47.1967	68.6707	25.2	712.6	420	56842.	843	0.8	1.3	5.8	0.1	0.1	7.4	26	1.6
38248	0	0	0	0	DSu	47.1967	68.6702	25.2	712.6	426	56841.	896	0.8	1.9	5.6	2.4	0.4	7.0	21	1.6
38249	0	0	1	0	DSu	47.1967	68.6697	25.2	712.7	429	56840.	885	1.0	0.8	6.0	0.1	0.1	6.0	27	1.6
38250	0	0	1	0	DSu	47.1967	68.6691	25.2	712.6	434	56840.	858	1.0	0.3	5.3	0.1	0.1	5.3	22	1.6
38251	0	0	1	0	DSu	47.1967	68.6686	25.2	712.6	442	56840.	878	1.1	0.6	4.1	0.1	0.1	3.7	20	1.5
38252	0	0	1	0	DSu	47.1967	68.6681	25.2	712.5	443	56840.	988	1.0	0.6	7.1	0.1	0.1	7.3	25	1.5
38253	0	0	1	0	DSu	47.1967	68.6675	25.2	712.4	437	56840.	941	1.1	0.4	3.6	0.1	0.1	3.4	21	1.5
38254	0	0	1	0	DSu	47.1967	68.6670	25.2	712.2	427	56839.	973	0.9	1.1	5.9	0.1	0.1	7.4	31	1.5
38255	0	0	1	0	DSu	47.1967	68.6665	25.2	712.0	424	56838.	996	1.1	0.1	7.0	0.1	0.1	6.7	25	1.5
38256	0	0	1	0	DSu	47.1967	68.6659	25.2	711.9	421	56837.	992	1.0	0.5	7.7	0.1	0.1	7.7	15	1.5
38257	0	0	1	0	DSu	47.1967	68.6654	25.2	711.6	416	56836.	991	1.0	0.0	4.9	0.1	0.1	5.2	20	1.5
38258	0	0	0	0	DSu	47.1967	68.6648	25.2	711.4	407	56836.	1055	1.4	1.7	6.0	1.3	0.3	4.5	24	1.5
38259	0	0	0	0	DSu	47.1967	68.6643	25.2	711.2	398	56835.	1084	1.2	1.4	5.5	1.2	0.3	4.8	29	1.4
38260	0	0	1	0	DSu	47.1967	68.6638	25.2	711.0	391	56836.	1007	1.4	1.2	5.5	0.1	0.1	4.1	28	1.5
38261	0	0	1	0	DSu	47.1967	68.6632	25.2	710.8	385	56837.	1011	1.1	1.0	4.3	0.1	0.1	4.0	26	1.5
38262	0	0	1	0	DSu	47.1967	68.6627	25.2	710.6	384	56839.	1079	1.1	1.2	5.8	0.1	0.1	5.4	15	1.3
38263	0	0	1	0	DSu	47.1967	68.6622	25.2	710.4	384	56842.	1066	1.0	0.9	6.1	0.1	0.1	6.4	24	1.2
38264	0	0	0	0	DSu	47.1967	68.6616	25.2	710.3	385	56844.	1023	1.1	2.3	5.7	2.2	0.4	5.5	35	1.0
38265	0	0	1	0	DSu	47.1966	68.6611	25.2	710.1	384	56846.	981	1.0	0.6	5.5	0.1	0.1	5.5	28	0.7
38266	0	0	0	0	DSu	47.1966	68.6605	25.2	710.0	384	56849.	1089	1.1	2.5	5.4	2.3	0.5	4.9	23	0.7
38267	0	0	0	0	DSu	47.1966	68.6600	25.2	709.9	376	56851.	1029	1.1	2.1	6.2	2.0	0.4	5.9	23	0.7
38268	0	0	1	0	DSu	47.1966	68.6595	25.2	709.8	364	56851.	1118	1.0	1.1	5.9	0.1	0.1	6.1	25	0.8
38269	0	0	1	0	DSu	47.1966	68.6589	25.2	709.7	345	56850.	1002	0.8	-0.5	7.8	0.1	0.1	10.0	29	0.7
38270	0	0	0	0	DSu	47.1966	68.6584	25.2	709.7	332	56848.	1105	1.1	1.4	5.6	1.4	0.3	5.3	23	0.7
38271	0	0	0	0	DSu	47.1966	68.6579	25.2	709.6	323	56847.	1105	1.2	1.8	6.9	1.6	0.3	6.2	26	0.7
38272	0	0	0	0	DSu	47.1966	68.6573	25.2	709.5	321	56847.	1154	1.3	1.7	5.1	1.4	0.4	4.1	35	0.7
38273	0	0	1	0	DSu	47.1966	68.6568	25.1	709.4	323	56847.	1132	1.1	0.7	5.2	0.1	0.1	4.9	22	0.7
38274	0	0	1	0	DSu	47.1966	68.6563	25.1	709.4	326	56847.	1159	1.1	0.9	7.5	0.1	0.1	6.8	20	0.7
38275	0	0	0	0	DSu	47.1966	68.6557	25.1	709.3	334	56846.	1155	1.2	1.9	5.5	1.6	0.4	4.8	20	0.7
38276	0	0	0	0	DSu	47.1966	68.6552	25.1	709.2	344	56845.	1169	1.1	1.7	6.6	1.6	0.3	6.2	25	0.7
38277	0	0	1	0	DSu	47.1966	68.6546	25.1	709.2	356	56845.	1165	1.4	0.8	5.8	0.1	0.1	4.3	20	0.8
38278	0	0	1	0	DSu	47.1966	68.6541	25.1	709.2	369	56844.	1202	1.3	-0.1	5.6	0.1	0.1	4.4	30	0.8
38279	0	0	1	0	DSu	47.1966	68.6536	25.1	709.1	378	56843.	1153	1.4	0.3	8.2	0.1	0.1	6.0	30	0.8
38280	0	0	1	0	DSu	47.1966	68.6530	25.1	709.1	388	56843.	1117	1.1	1.3	6.5	0.1	0.1	6.3	29	0.8
38281	0	0	0	0	DSu	47.1966	68.6525	25.1	709.1	394	56842.	1131	1.4	1.4	5.8	1.0	0.3	4.2	19	0.7
38282	0	0	1	0	DSu	47.1966	68.6519	25.1	709.0	401	56842.	1147	1.0	1.1	5.0	0.1	0.1	5.0	23	0.7
38283	0	0	0	0	DSu	47.1966	68.6514	25.1	709.0	401	56843.	1164	1.4	1.4	4.6	1.1	0.3	3.4	19	0.6
38284	0	0	1	0	DSu	47.1966	68.6509	25.1	709.0	393	56843.	1216	1.3	1.2	5.9	0.1	0.1	4.8	25	0.6
38285	0	0	1	0	DSu	47.1966	68.6503	25.1	708.9	382	56844.	1199	1.4	0.8	6.3	0.1	0.1	4.6	26	0.5
38286	0	0	1	0	DSu	47.1966	68.6498	25.1	708.9	371	56845.	1122	1.2	0.3	6.7	0.1	0.1	6.0	27	0.5
38287	0	0	0	0	DSu	47.1966	68.6492	25.1	708.9	361	56846.	1118	1.1	3.1	4.4	2.8	0.7	4.0	36	0.7
38288	0	0	0	0	DSu	47.1966	68.6487	25.1	709.0	357	56847.	1089	1.1	2.6	6.0	2.6	0.5	5.8	21	0.6
38289	0	0	0	0	DSu	47.1966	68.6482	25.1	709.0	354	56847.	1030	0.9	1.2	5.0	1.3	0.3	5.7	17	0.9
38290	0	0	0	0	DSu	47.1966	68.6476	25.0	709.4	354	56848.	987	0.9	1.5	5.5	1.7	0.3	6.2	26	1.1
38291	0	0	1	0	DSu	47.1966	68.6471	25.0	709.5	358	56848.	971	1.2	-0.1	4.9	0.1	0.1	4.4	27	1.0
38292	0	0	1	0	DSu	47.1966	68.6466	25.0	709.7	365	56848.	1044	1.2	1.0	6.2	0.1	0.1	5.5	22	1.0
38293	0	0	1	0	DSu	47.1966	68.6460	25.0	709.9	372	56847.	1033	1.1	1.0	4.5	0.1	0.1	4.4	17	1.0
38294	0	0	1	0	DSu	47.1966	68.6455	25.0	710.2	381	56846.	1065	1.0	0.7	8.0	0.1	0.1	8.3	16	1.0

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
38295	0	0	1	0	DSu	47.1966	68.6450	25.0	710.4	393	56845.	1030	1.1	0.6	6.1	0.1	0.1	6.0	21	1.0
38296	0	0	1	0	DSu	47.1966	68.6444	25.0	710.6	409	56843.	1048	1.2	1.3	5.2	0.1	0.1	4.6	19	0.9
38297	0	0	0	0	DSu	47.1966	68.6439	25.0	710.8	428	56841.	1123	1.0	1.7	6.5	1.7	0.3	6.5	25	0.9
38298	0	0	0	0	DSu	47.1965	68.6433	25.0	711.1	445	56840.	1109	1.2	2.4	5.2	2.0	0.5	4.4	33	0.9
38299	0	0	1	0	DSu	47.1965	68.6428	25.0	711.3	456	56838.	1131	1.1	0.8	5.5	0.1	0.1	5.3	18	0.9
38300	0	0	0	0	DSu	47.1965	68.6423	25.0	711.5	455	56838.	1164	1.2	2.1	6.9	1.8	0.3	5.8	22	0.8
38301	0	0	1	0	DSu	47.1965	68.6417	25.0	711.7	451	56838.	1057	0.9	1.0	4.7	0.1	0.1	5.6	31	0.8
38302	0	0	1	0	DSu	47.1965	68.6412	25.0	711.9	442	56838.	971	0.9	0.7	6.5	0.1	0.1	8.1	23	0.8
38303	0	0	1	0	DSu	47.1965	68.6406	25.0	712.1	436	56838.	905	1.2	-0.5	5.2	0.1	0.1	4.6	20	0.8
38304	0	0	1	0	DSu	47.1965	68.6401	25.0	712.3	431	56839.	884	1.2	0.4	4.9	0.1	0.1	4.2	25	0.8
38305	0	0	1	0	DSu	47.1965	68.6396	25.0	712.4	426	56839.	815	0.8	0.3	5.7	0.1	0.1	7.7	30	0.7
38306	0	0	0	0	DSu	47.1965	68.6390	25.0	712.6	423	56839.	884	0.8	1.4	6.0	1.8	0.3	7.5	15	0.7
38307	0	0	0	0	DSu	47.1965	68.6385	25.0	712.7	419	56840.	894	1.1	1.5	5.1	1.4	0.3	5.0	21	0.7
38308	0	0	0	0	DSu	47.1965	68.6380	25.0	712.9	412	56843.	971	1.0	1.4	3.6	1.5	0.4	3.8	26	0.7
38309	0	0	1	0	DSu	47.1965	68.6374	25.0	713.0	410	56845.	1051	1.1	0.6	5.7	0.1	0.1	5.2	23	0.7
38310	0	0	0	0	DSu	47.1965	68.6369	25.0	713.1	409	56845.	1080	1.2	1.8	5.5	1.6	0.4	5.0	24	0.8
38311	0	0	1	0	DSu	47.1965	68.6363	25.0	713.2	411	56846.	1105	1.3	1.1	5.7	0.1	0.1	4.5	30	0.7
38312	0	0	1	0	DSu	47.1965	68.6358	25.0	713.4	409	56848.	1165	1.2	1.2	5.5	0.1	0.1	4.7	21	0.7
38313	0	0	0	0	DSu	47.1965	68.6353	25.0	713.5	408	56849.	1281	1.3	1.6	6.3	1.2	0.3	4.9	20	0.7
38314	0	0	0	0	DSu	47.1965	68.6347	25.0	713.6	408	56850.	1272	1.6	1.5	3.7	1.0	0.4	2.5	23	0.7
38315	0	0	1	0	DSu	47.1965	68.6342	25.0	713.7	410	56850.	1286	1.6	1.0	6.7	0.1	0.1	4.4	26	0.7
38316	0	0	0	0	DSu	47.1965	68.6337	25.0	713.8	413	56849.	1364	1.7	1.9	4.5	1.1	0.5	2.6	21	0.7
38317	0	0	1	0	DSu	47.1965	68.6331	25.0	713.9	415	56848.	1283	1.2	1.1	6.7	0.1	0.1	5.6	17	0.7
38319	0	0	0	0	DSu	47.1965	68.6320	25.0	713.9	418	56849.	1277	1.5	2.9	5.9	2.0	0.5	4.1	20	0.6
38320	0	0	0	0	DSu	47.1965	68.6315	25.0	714.0	415	56850.	1254	1.4	2.7	5.7	2.0	0.5	4.2	20	0.6
38321	0	0	0	0	DSu	47.1965	68.6310	25.0	714.0	409	56849.	1193	1.2	1.4	7.2	1.2	0.2	6.1	30	0.7
38322	0	0	1	0	DSu	47.1965	68.6304	25.0	714.0	401	56848.	1221	1.3	0.9	6.2	0.1	0.1	5.0	23	0.7
38323	0	0	1	0	DSu	47.1965	68.6299	25.0	714.0	399	56846.	1162	1.3	0.9	6.0	0.1	0.1	4.9	24	0.7
38324	0	0	0	0	DSu	47.1965	68.6293	25.0	714.0	406	56845.	1154	1.5	2.8	7.3	1.9	0.4	5.1	15	0.8
38325	0	0	1	0	DSu	47.1965	68.6288	25.0	714.0	414	56846.	1116	1.2	-0.6	4.6	0.1	0.1	3.9	27	0.8
38326	0	0	0	0	DSu	47.1965	68.6283	25.0	714.0	422	56847.	1113	1.1	2.1	8.1	2.0	0.3	8.0	24	0.8
38327	0	0	1	0	DSu	47.1965	68.6277	25.0	713.9	422	56848.	1143	1.2	0.9	5.4	0.1	0.1	4.6	25	0.8
38328	0	0	1	0	DSu	47.1965	68.6272	25.0	713.8	424	56851.	1165	1.5	-1.2	8.8	0.1	0.1	5.9	18	0.8
38329	0	0	1	0	DSu	47.1965	68.6267	25.0	713.7	425	56851.	1227	1.2	1.4	9.4	0.1	0.1	8.4	28	0.7
38330	0	0	0	0	DSu	47.1965	68.6261	25.0	713.6	426	56850.	1237	1.3	1.9	6.0	1.6	0.4	4.9	26	0.8
38331	0	0	0	0	DSu	47.1964	68.6256	25.0	713.5	426	56850.	1405	1.8	2.2	7.4	1.3	0.3	4.4	26	0.8
38332	0	0	0	0	DSu	47.1964	68.6250	25.0	713.4	423	56850.	1421	1.4	2.2	7.4	1.6	0.3	5.4	22	0.8
38333	0	0	1	0	DSu	47.1964	68.6245	25.0	713.2	418	56850.	1384	1.5	1.0	7.2	0.1	0.1	4.9	29	0.8
38334	0	0	0	0	DSu	47.1964	68.6240	25.0	713.1	410	56851.	1438	1.7	1.7	8.2	1.1	0.3	5.0	21	0.8
38335	0	0	1	0	DSu	47.1964	68.6234	25.0	713.1	401	56852.	1488	1.7	0.6	9.3	0.1	0.1	5.7	29	0.8
38336	0	0	0	0	DSu	47.1964	68.6229	25.0	713.0	392	56852.	1481	1.7	2.8	8.7	1.7	0.4	5.4	8	0.8
38337	0	0	0	0	DSu	47.1964	68.6224	25.0	712.9	384	56852.	1521	1.8	2.0	7.1	1.2	0.3	4.1	22	0.9
38338	0	0	1	0	DSu	47.1964	68.6218	25.0	712.9	378	56852.	1450	1.7	1.4	7.4	0.1	0.1	4.6	22	1.0
38339	0	0	0	0	DSu	47.1964	68.6213	25.0	712.8	376	56852.	1518	1.8	1.9	9.1	1.1	0.3	5.3	24	1.0
38340	0	0	0	0	DSu	47.1964	68.6207	25.0	712.8	376	56851.	1467	1.6	2.1	8.6	1.4	0.3	5.7	26	1.0
38341	0	0	0	0	DSu	47.1964	68.6202	25.0	712.7	380	56851.	1442	1.8	1.9	7.7	1.1	0.3	4.4	26	1.1
38342	0	0	1	0	DSu	47.1964	68.6197	25.0	712.7	385	56850.	1472	1.7	0.9	8.6	0.1	0.1	5.1	20	1.1
38343	0	0	0	0	DSu	47.1964	68.6191	25.0	712.7	392	56849.	1485	1.9	2.8	6.0	1.6	0.5	3.3	22	1.2
38344	0	0	0	0	DSu	47.1964	68.6186	25.0	712.7	400	56849.	1507	1.7	2.3	7.3	1.4	0.3	4.6	21	1.3
38345	0	0	1	0	DSu	47.1964	68.6180	25.0	712.7	404	56850.	1416	1.6	0.8	7.0	0.1	0.1	4.5	19	1.3

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
38346	0	0	1	0	DSu	47.1964	68.6175	25.0	712.7	406	56850.	1486	1.8	0.6	9.1	0.1	0.1	5.2	26	1.3
38347	0	0	0	0	DSu	47.1964	68.6170	25.2	712.1	420	56849.	1449	1.7	1.7	7.5	1.0	0.3	4.5	21	1.3
38348	0	0	1	0	DSu	47.1964	68.6164	25.2	712.1	427	56849.	1453	1.6	-0.2	8.1	0.1	0.1	5.3	24	1.3
38349	0	0	0	0	DSu	47.1964	68.6159	25.2	712.1	433	56850.	1433	1.7	2.3	6.7	1.4	0.4	3.9	23	1.3
38350	0	0	0	0	DSu	47.1964	68.6154	25.2	712.2	435	56852.	1480	1.7	2.6	9.4	1.5	0.3	5.6	23	1.3
38351	0	0	0	0	DSu	47.1964	68.6148	25.2	712.3	434	56852.	1449	1.6	1.9	6.4	1.2	0.3	4.1	22	1.4
38352	0	0	0	0	DSu	47.1964	68.6143	25.2	712.3	430	56850.	1387	1.7	2.5	5.7	1.6	0.5	3.5	24	1.4
38353	0	0	1	0	DSu	47.1964	68.6137	25.2	712.4	419	56847.	1335	1.1	1.4	8.3	0.1	0.1	7.5	24	1.5
38354	0	0	1	0	DSu	47.1964	68.6132	25.2	712.5	409	56847.	1215	1.2	0.2	6.6	0.1	0.1	5.8	30	1.3
38355	0	0	0	0	DSu	47.1964	68.6127	25.2	712.5	398	56848.	1169	1.0	1.6	5.5	1.6	0.3	5.5	17	1.1
38356	0	0	0	0	DSu	47.1964	68.6121	25.2	712.6	392	56848.	1180	1.2	2.0	5.7	1.6	0.4	4.7	22	1.2
38357	0	0	0	0	DSu	47.1964	68.6116	25.2	712.6	386	56849.	1072	1.1	1.7	6.4	1.5	0.3	5.9	26	1.2
38358	0	0	0	0	DSu	47.1964	68.6111	25.2	712.6	383	56850.	1025	1.2	1.8	4.5	1.6	0.4	3.9	28	1.3
38359	0	0	1	0	DSu	47.1964	68.6105	25.2	712.7	385	56851.	1111	1.2	0.6	6.4	0.1	0.1	5.8	24	1.1
38360	0	0	0	0	DSu	47.1964	68.6100	25.2	712.8	389	56851.	1079	1.1	1.5	5.0	1.4	0.3	4.9	28	1.0
38361	0	0	1	0	DSu	47.1964	68.6095	25.2	712.8	397	56850.	1063	1.2	-0.1	5.1	0.1	0.1	4.4	29	1.0
38362	0	0	0	0	DSu	47.1964	68.6089	25.2	712.9	403	56849.	1168	1.5	1.8	6.2	1.2	0.3	4.2	30	0.8
38363	0	0	1	0	DSu	47.1964	68.6084	25.2	713.0	406	56850.	1068	1.3	1.0	6.3	0.1	0.1	5.0	25	0.6
38364	0	0	1	0	DSu	47.1964	68.6078	25.2	713.0	407	56851.	1192	1.1	1.3	7.1	0.1	0.1	6.8	21	0.4
38365	0	0	1	0	DSu	47.1964	68.6073	25.2	713.1	408	56852.	1149	1.2	0.3	7.4	0.1	0.1	6.6	16	0.2
38366	0	0	1	0	DSu	47.1964	68.6068	25.2	713.2	417	56853.	1229	1.5	0.9	7.8	0.1	0.1	5.5	28	0.0
38367	0	0	1	0	DSu	47.1964	68.6062	25.2	713.3	433	56854.	1287	1.3	1.3	7.3	0.1	0.1	5.8	26	0.0
38368	0	0	0	0	DSu	47.1964	68.6057	25.2	713.4	445	56854.	1318	1.7	1.5	5.9	0.9	0.3	3.6	19	0.0
38369	0	0	0	0	DSu	47.1964	68.6052	25.2	713.6	450	56853.	1280	1.5	1.7	5.7	1.2	0.3	3.9	20	0.0
38370	0	0	0	0	DSu	47.1964	68.6046	25.2	713.8	453	56853.	1213	1.2	2.1	4.9	1.8	0.5	4.2	18	0.0
38371	0	0	0	0	DSu	47.1964	68.6041	25.2	714.0	468	56854.	1186	1.5	2.2	5.7	1.6	0.4	4.0	25	0.0
38372	0	0	0	0	DSu	47.1964	68.6036	25.2	714.3	484	56855.	1258	1.3	2.2	5.6	1.7	0.4	4.4	21	0.0
38373	0	0	1	0	DSu	47.1964	68.6030	25.2	714.5	487	56857.	1332	1.4	1.6	6.5	0.1	0.1	4.8	21	0.0
38374	0	0	0	0	DSu	47.1964	68.6025	25.2	714.9	476	56857.	1218	1.5	2.0	6.7	1.4	0.3	4.7	25	0.0
38375	0	0	1	0	DSu	47.1964	68.6020	25.2	715.2	460	56856.	1171	1.0	1.4	6.9	0.1	0.1	7.5	27	0.0
38376	0	0	0	0	DSu	47.1964	68.6014	25.2	715.5	451	56853.	1138	1.4	1.6	7.8	1.2	0.3	5.7	26	0.0
38377	0	0	1	0	DSu	47.1964	68.6009	25.2	715.8	448	56849.	1135	1.2	0.2	7.0	0.1	0.1	6.1	34	0.0
38378	0	0	1	0	DSu	47.1964	68.6003	25.2	716.2	451	56845.	1149	1.4	0.7	5.9	0.1	0.1	4.3	19	0.0
38379	0	0	1	0	DSu	47.1964	68.5998	25.2	716.6	457	56844.	1236	1.3	1.2	6.8	0.1	0.1	5.6	29	0.0
38380	0	0	1	0	DSu	47.1964	68.5993	25.2	717.0	463	56845.	1305	1.3	1.2	6.3	0.1	0.1	4.9	27	0.0
38381	0	0	1	0	DSu	47.1964	68.5987	25.2	717.3	466	56846.	1230	1.4	1.5	7.4	0.1	0.1	5.5	27	0.0
38382	0	0	1	0	DSu	47.1964	68.5982	25.2	717.7	470	56846.	1297	1.6	1.3	7.7	0.1	0.1	4.9	29	0.0
38383	0	0	1	0	DSu	47.1964	68.5977	25.2	718.1	473	56847.	1261	1.5	0.5	7.7	0.1	0.1	5.3	25	0.0
38384	0	0	1	0	DSu	47.1964	68.5971	25.2	718.4	477	56848.	1223	1.3	0.6	6.6	0.1	0.1	5.2	15	0.0
38385	0	0	1	0	DSu	47.1964	68.5966	25.2	718.7	478	56847.	1272	1.6	1.2	6.2	0.1	0.1	3.9	12	0.0
38386	0	0	1	0	DSu	47.1964	68.5960	25.2	719.1	475	56847.	1172	1.0	0.3	6.9	0.1	0.1	7.2	14	0.0
38387	0	0	1	0	DSu	47.1964	68.5955	25.2	719.3	472	56846.	1106	1.0	1.4	8.0	0.1	0.1	8.2	21	0.0
38388	0	0	0	0	DSu	47.1964	68.5950	25.2	719.6	468	56846.	1039	1.1	3.1	6.1	3.0	0.5	6.0	21	0.0
38389	0	0	1	0	DSu	47.1964	68.5944	25.2	719.8	455	56848.	825	0.8	1.2	4.0	0.1	0.1	5.4	28	0.0
38390	0	0	0	0	DSu	47.1964	68.5939	25.2	720.1	442	56849.	837	0.8	1.5	4.9	1.9	0.3	6.4	28	0.0
38391	0	0	0	0	DSu	47.1964	68.5934	25.2	720.2	433	56848.	835	0.9	1.5	4.4	1.8	0.4	5.3	20	0.0
38392	0	0	1	0	Water	47.1964	68.5928	25.2	720.4	440	56847.	805	0.7	0.8	4.2	0.1	0.1	6.5	28	0.0
38393	0	0	1	0	Water	47.1964	68.5923	25.2	720.4	453	56845.	791	0.8	0.3	3.9	0.1	0.1	5.2	23	0.0
38394	0	0	1	0	Water	47.1964	68.5917	25.2	720.5	466	56844.	802	0.9	0.3	4.5	0.1	0.1	5.4	17	0.0
38395	0	0	1	0	Water	47.1964	68.5911	25.2	720.6	475	56846.	722	0.5	0.5	4.8	0.1	0.1	0.1	30	0.0

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
38396	0	0	1	0	DSu	47.1964	68.5906	25.1	720.6	478	56849.	695	0.8	0.7	3.7	0.1	0.1	4.8	20	0.0
38397	0	0	1	1	DSu	47.1964	68.5900	25.1	720.6	478	56852.	684	0.9	0.2	0.8	0.1	0.1	0.1	19	0.0
38398	0	0	1	0	DSu	47.1964	68.5895	25.1	720.6	478	56853.	708	0.9	0.4	4.5	0.1	0.1	5.3	28	0.0
38399	0	0	1	0	DSu	47.1964	68.5889	25.1	720.6	478	56853.	690	0.6	0.5	4.2	0.1	0.1	8.3	19	0.0
38400	0	0	1	0	DSu	47.1964	68.5884	25.1	720.7	473	56853.	633	0.8	1.3	3.6	0.1	0.1	4.7	26	0.0
38401	0	0	1	0	DSu	47.1964	68.5878	25.1	720.6	469	56853.	733	0.7	0.8	2.7	0.1	0.1	4.0	25	0.0
38402	0	0	1	0	DSu	47.1965	68.5872	25.1	720.6	462	56853.	678	0.7	0.2	4.9	0.1	0.1	7.3	17	0.0
38403	0	0	1	0	DSu	47.1965	68.5867	25.5	720.5	435	56852.	770	0.9	-0.2	4.8	0.1	0.1	5.5	25	0.0
38404	0	0	1	0	DSu	47.1965	68.5861	25.6	720.5	423	56852.	808	0.6	1.0	6.6	0.1	0.1	11.0	18	0.0
38405	0	0	1	0	DSu	47.1965	68.5856	25.6	720.4	409	56855.	788	0.6	1.2	3.6	0.1	0.1	7.0	32	0.0
38406	0	0	0	0	DSu	47.1965	68.5850	25.7	720.2	401	56857.	833	0.7	1.8	5.2	2.8	0.4	7.9	16	0.0
38407	0	0	1	0	DSu	47.1965	68.5844	25.7	720.1	399	56856.	870	0.7	-0.4	5.5	0.1	0.1	8.4	17	0.0
38408	0	0	0	0	DSu	47.1965	68.5839	25.7	720.0	404	56856.	893	1.0	1.9	4.4	1.9	0.5	4.5	27	0.0
38409	0	0	1	0	DSu	47.1965	68.5833	25.7	719.9	410	56857.	978	1.0	0.9	5.3	0.1	0.1	5.6	24	0.0
38410	0	0	1	0	DSu	47.1966	68.5828	25.7	719.9	415	56857.	1015	1.4	0.2	5.6	0.1	0.1	4.1	19	0.0
38411	0	0	1	0	DSu	47.1966	68.5822	25.7	719.8	416	56858.	1074	1.4	1.0	8.1	0.1	0.1	5.9	30	0.0
38412	0	0	1	0	DSu	47.1966	68.5817	25.7	719.7	416	56858.	1120	1.1	0.8	5.3	0.1	0.1	4.8	24	0.0
38413	0	0	0	0	DSu	47.1966	68.5811	25.7	719.6	416	56858.	1154	1.3	2.5	7.2	2.1	0.4	5.9	28	0.0
38415	0	0	0	0	DSu	47.1966	68.5800	25.7	719.5	417	56857.	1189	1.4	2.5	4.8	1.9	0.6	3.6	22	0.0
38416	0	0	0	0	DSu	47.1966	68.5794	25.7	719.5	418	56856.	1079	0.8	1.6	5.4	2.1	0.3	7.1	23	0.0
38417	0	0	0	0	DSu	47.1966	68.5789	25.7	719.4	420	56856.	1080	1.1	2.5	6.5	2.4	0.4	6.2	20	0.0
38418	0	0	0	0	DSu	47.1966	68.5783	25.7	719.3	421	56858.	1012	1.1	1.4	4.5	1.3	0.3	4.2	28	0.0
38419	0	0	0	0	DSu	47.1967	68.5778	25.7	719.2	416	56858.	1025	1.1	1.9	4.1	1.8	0.5	3.8	26	0.0
38420	0	0	1	0	DSu	47.1967	68.5772	25.7	719.1	405	56855.	971	0.8	0.8	4.0	0.1	0.1	5.2	20	0.0
38421	0	0	1	0	DSu	47.1967	68.5766	25.7	719.0	391	56854.	931	1.0	0.8	4.8	0.1	0.1	5.3	28	0.1
38422	0	0	0	0	DSu	47.1967	68.5761	25.7	718.9	381	56853.	1035	1.0	2.4	4.9	2.6	0.5	5.2	19	0.2
38423	0	0	0	0	DSu	47.1967	68.5755	25.7	718.7	384	56853.	1076	1.0	2.3	4.7	2.4	0.5	4.9	28	0.3
38424	0	0	0	0	DSu	47.1967	68.5750	25.7	718.6	394	56853.	1187	1.4	1.8	6.8	1.3	0.3	5.1	29	0.4
38425	0	0	1	0	DSu	47.1967	68.5744	25.7	718.4	408	56854.	1196	1.5	0.3	6.3	0.1	0.1	4.2	25	0.5
38426	0	0	1	0	DSu	47.1968	68.5738	25.7	718.3	414	56856.	1307	1.5	1.1	6.8	0.1	0.1	4.6	31	0.5
38427	0	0	1	0	DSu	47.1968	68.5733	25.7	718.1	418	56857.	1281	1.5	1.1	5.6	0.1	0.1	3.7	27	0.6
38428	0	0	1	0	DSu	47.1968	68.5727	25.7	717.9	420	56856.	1428	1.7	-0.6	8.6	0.1	0.1	5.3	22	0.7
38429	0	0	1	0	DSu	47.1968	68.5722	25.7	717.8	423	56855.	1377	1.4	1.1	5.9	0.1	0.1	4.3	18	0.7
38430	0	0	0	0	DSu	47.1968	68.5716	25.7	717.6	425	56854.	1429	1.8	2.1	8.3	1.2	0.3	4.8	24	0.8
38431	0	0	1	0	DSu	47.1968	68.5710	25.7	717.4	429	56855.	1425	1.6	-0.4	8.6	0.1	0.1	5.6	26	0.9
38432	0	0	0	0	DSu	47.1968	68.5705	25.7	717.2	433	56856.	1535	2.0	2.3	10.1	1.2	0.3	5.1	21	0.9
38433	0	0	1	0	DSu	47.1968	68.5699	25.7	717.0	436	56858.	1442	2.0	-0.6	8.7	0.1	0.1	4.6	26	1.0
38434	0	0	1	0	DSu	47.1968	68.5694	25.7	716.7	436	56860.	1441	1.9	0.2	9.8	0.1	0.1	5.3	33	1.0
38435	0	0	0	0	DSu	47.1968	68.5688	25.7	716.5	435	56860.	1414	1.8	2.3	7.3	1.3	0.4	4.1	20	1.0
38436	0	0	0	0	DSu	47.1969	68.5683	25.7	716.3	434	56859.	1415	1.6	2.6	6.1	1.7	0.5	3.9	22	1.0
38437	0	0	0	0	DSu	47.1969	68.5677	25.7	716.1	433	56858.	1363	1.6	1.9	7.6	1.2	0.3	4.8	26	1.1
38438	0	0	1	0	DSu	47.1969	68.5671	25.7	715.9	433	56858.	1449	1.6	0.8	7.7	0.1	0.1	4.8	23	1.1
38439	0	0	1	0	DSu	47.1969	68.5666	25.7	715.7	435	56857.	1363	1.4	0.8	10.0	0.1	0.1	7.4	23	1.1
38440	0	0	0	0	DSu	47.1969	68.5660	25.7	715.6	438	56857.	1426	1.7	2.2	6.0	1.3	0.4	3.6	21	1.1
38441	0	0	0	0	DSu	47.1969	68.5655	25.7	715.4	441	56857.	1401	1.4	3.7	8.3	2.8	0.5	6.2	22	1.1
38442	0	0	1	0	DSu	47.1969	68.5649	25.7	715.2	445	56859.	1406	1.8	0.7	7.4	0.1	0.1	4.3	34	1.1
38443	0	0	1	0	DSu	47.1969	68.5643	25.7	715.0	451	56861.	1365	1.6	1.3	9.9	0.1	0.1	6.5	22	1.1
38444	0	0	0	0	DSu	47.1970	68.5638	25.7	714.8	458	56862.	1410	1.8	1.6	5.5	1.0	0.3	3.2	16	1.1
38445	0	0	1	0	DSu	47.1970	68.5632	25.7	714.6	463	56861.	1389	1.7	0.7	6.7	0.1	0.1	4.1	19	1.1
38446	0	0	1	0	DSu	47.1970	68.5627	25.7	714.4	466	56859.	1412	1.9	1.6	6.8	0.1	0.1	3.8	27	1.0

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
38447	0	0	1	0	DSU	47.1970	68.5622	25.7	714.2	465	56858.	1417	1.7	1.0	8.4	0.1	0.1	5.0	24	1.0
38448	0	0	1	0	DSU	47.1970	68.5617	25.7	714.1	461	56857.	1442	1.4	0.8	9.8	0.1	0.1	6.9	15	1.0
38449	0	0	0	0	DSU	47.1970	68.5612	25.7	714.0	453	56857.	1492	2.0	2.1	4.7	1.1	0.5	2.4	21	1.0
38450	0	0	0	0	DSU	47.1970	68.5607	25.7	713.9	444	56857.	1469	1.6	1.9	9.1	1.2	0.3	6.0	21	1.0
38451	0	0	1	0	DSU	47.1970	68.5602	25.7	713.8	434	56857.	1496	1.8	1.4	8.2	0.1	0.1	4.8	24	1.0
38452	0	0	1	0	DSU	47.1970	68.5597	25.7	713.7	424	56857.	1459	1.7	0.9	8.5	0.1	0.1	5.2	19	1.1
38453	0	0	1	0	DSU	47.1970	68.5592	25.7	713.6	414	56857.	1414	1.5	0.5	10.1	0.1	0.1	6.7	30	1.1
38454	0	0	1	0	DSU	47.1970	68.5587	25.7	713.6	406	56857.	1345	1.5	0.7	7.3	0.1	0.1	4.9	28	1.1
38455	0	0	1	0	DSU	47.1970	68.5583	25.7	713.5	402	56856.	1445	1.7	0.6	9.5	0.1	0.1	5.7	30	1.1
38456	0	0	1	0	DSU	47.1970	68.5577	25.7	713.5	404	56854.	1401	1.9	0.5	9.4	0.1	0.1	5.1	18	1.1
38457	0	0	1	0	DSU	47.1970	68.5573	25.7	713.5	411	56853.	1350	1.3	1.1	6.8	0.1	0.1	5.6	24	1.1
38458	0	0	0	0	DSU	47.1970	68.5567	25.7	713.5	415	56853.	1338	1.4	1.8	7.5	1.3	0.3	5.4	35	1.1
38459	0	0	1	0	DSU	47.1970	68.5563	25.7	713.6	418	56852.	1381	1.6	0.2	7.1	0.1	0.1	4.6	16	1.1
38460	0	0	1	0	DSU	47.1970	68.5558	25.6	711.0	422	56853.	1418	1.6	1.5	10.6	0.1	0.1	6.8	28	1.1
38461	0	0	1	0	DSU	47.1970	68.5553	25.6	710.7	422	56855.	1447	1.4	1.3	10.5	0.1	0.1	8.0	16	1.2
38462	0	0	1	0	DSU	47.1970	68.5548	25.6	710.5	421	56856.	1369	1.5	1.3	7.8	0.1	0.1	5.4	22	1.2
38463	0	0	0	0	DSU	47.1970	68.5543	25.6	710.2	420	56857.	1399	1.5	1.7	6.5	1.2	0.3	4.4	15	1.2
38464	0	0	1	0	DSU	47.1970	68.5538	25.6	710.0	418	56858.	1390	1.8	1.0	7.2	0.1	0.1	4.1	27	1.3
38465	0	0	1	0	DSU	47.1970	68.5533	25.6	709.8	417	56860.	1263	1.3	1.1	7.6	0.1	0.1	5.8	27	1.3
38466	0	0	0	0	DSU	47.1971	68.5528	25.6	709.6	417	56862.	1302	1.6	2.3	7.6	1.5	0.3	4.8	23	1.4
38467	0	0	1	0	DSU	47.1971	68.5523	25.6	709.5	419	56862.	1211	1.4	1.0	5.1	0.1	0.1	3.7	27	1.4
38468	0	0	1	0	DSU	47.1971	68.5518	25.6	709.3	422	56860.	1224	1.7	0.4	6.5	0.1	0.1	4.0	29	1.4
38469	0	0	0	0	DSU	47.1971	68.5513	25.6	709.2	421	56860.	1217	1.5	2.0	5.5	1.3	0.4	3.7	27	1.5
38470	0	0	1	0	DSU	47.1971	68.5508	25.6	709.0	419	56861.	1096	1.2	1.2	7.1	0.1	0.1	6.3	16	1.5
38471	0	0	1	0	DSU	47.1971	68.5503	25.6	708.9	418	56862.	1139	1.1	0.6	4.1	0.1	0.1	3.8	31	1.6
38472	0	0	1	0	DSU	47.1971	68.5498	25.6	708.7	424	56861.	1053	1.4	0.6	7.2	0.1	0.1	5.3	22	1.6
38473	0	0	1	0	DSU	47.1971	68.5493	25.6	708.6	434	56861.	1000	1.2	0.9	6.1	0.1	0.1	5.1	23	1.6
38474	0	0	1	0	DSU	47.1971	68.5488	25.6	708.6	444	56860.	966	1.3	-0.1	4.8	0.1	0.1	3.9	23	1.6
38475	0	0	1	0	DSU	47.1971	68.5483	25.6	708.6	451	56860.	965	1.2	0.4	4.4	0.1	0.1	3.9	19	1.6
38476	0	0	1	0	DSU	47.1971	68.5478	25.5	708.5	451	56860.	958	1.0	1.0	5.2	0.1	0.1	5.1	27	1.6
38477	0	0	1	0	DSU	47.1971	68.5473	25.5	708.5	453	56860.	1010	1.1	0.4	5.3	0.1	0.1	5.1	29	1.6
38478	0	0	1	0	DSU	47.1971	68.5468	25.5	708.4	453	56860.	1057	1.2	0.0	5.3	0.1	0.1	4.6	28	1.6
38479	0	0	0	0	DSU	47.1971	68.5463	25.5	708.4	456	56862.	1244	1.3	1.8	5.8	1.4	0.3	4.5	21	1.6
38480	0	0	0	0	DSU	47.1971	68.5458	25.5	708.4	450	56863.	1220	1.4	1.7	7.5	1.3	0.3	5.6	19	1.6
38481	0	0	1	0	DSU	47.1971	68.5453	25.5	708.4	443	56863.	1224	1.5	0.8	7.5	0.1	0.1	5.0	33	1.6
38482	0	0	1	0	DSU	47.1971	68.5448	25.5	708.4	434	56862.	1263	1.4	-0.2	7.0	0.1	0.1	5.1	32	1.5
38483	0	0	0	0	DSU	47.1971	68.5443	25.5	708.4	428	56862.	1281	1.4	1.6	7.9	1.2	0.2	5.7	34	1.5
38484	0	0	1	0	DSU	47.1971	68.5438	25.5	708.4	423	56861.	1267	1.4	0.5	8.5	0.1	0.1	6.3	11	1.5
38485	0	0	1	0	DSU	47.1971	68.5433	25.5	708.4	419	56861.	1352	1.6	1.2	8.9	0.1	0.1	5.6	23	1.5
38486	0	0	1	0	DSU	47.1971	68.5428	25.5	708.4	416	56860.	1315	1.3	1.2	7.5	0.1	0.1	6.1	34	1.5
38487	0	0	0	0	DSU	47.1971	68.5423	25.5	708.4	414	56860.	1249	1.8	1.5	6.3	0.9	0.3	3.7	16	1.6
38488	0	0	1	0	DSU	47.1971	68.5418	25.5	708.4	412	56859.	1337	1.7	0.6	7.5	0.1	0.1	4.7	29	1.6
38489	0	0	1	0	DSU	47.1972	68.5413	25.5	708.4	411	56857.	1284	1.8	0.7	7.5	0.1	0.1	4.2	37	1.6
38490	0	0	0	0	DSU	47.1972	68.5408	25.5	708.4	411	56855.	1279	1.3	1.7	6.6	1.4	0.3	5.4	18	1.6
38491	0	0	1	0	DSU	47.1972	68.5403	25.5	708.4	414	56853.	1341	1.5	0.6	8.8	0.1	0.1	6.0	24	1.6
38492	0	0	0	0	DSU	47.1972	68.5398	25.5	708.5	417	56853.	1322	1.5	1.9	8.4	1.3	0.3	5.6	35	1.7
38493	0	0	1	0	DSU	47.1972	68.5393	25.5	708.5	419	56854.	1245	1.5	0.8	9.6	0.1	0.1	6.7	22	1.7
38494	0	0	1	0	DSU	47.1972	68.5388	25.5	708.6	419	56854.	1347	1.6	1.2	5.5	0.1	0.1	3.7	29	1.7
38495	0	0	0	0	DSU	47.1972	68.5383	25.5	708.6	420	56854.	1334	1.7	1.6	7.5	1.0	0.3	4.6	20	1.6
38496	0	0	0	0	DSU	47.1972	68.5378	25.5	708.7	424	56855.	1368	1.8	1.9	6.9	1.0	0.3	3.9	24	1.7

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
38497	0	0	0	0	DSu	47.1972	68.5373	25.5	708.8	431	56855.	1291	1.5	2.0	7.4	1.4	0.3	5.2	26	1.7
38498	0	0	0	0	DSu	47.1972	68.5368	25.5	708.9	436	56854.	1261	1.5	2.3	5.9	1.5	0.4	4.0	24	1.7
38499	0	0	1	0	DSu	47.1972	68.5363	25.5	709.1	439	56853.	1297	1.8	0.5	5.5	0.1	0.1	3.2	22	1.7
38500	0	0	1	0	DSu	47.1972	68.5358	25.5	709.2	440	56854.	1313	1.2	1.3	8.1	0.1	0.1	6.9	27	1.7
38501	0	0	0	0	DSu	47.1972	68.5353	25.5	709.4	441	56854.	1392	1.7	1.9	6.1	1.1	0.3	3.6	22	1.7
38502	0	0	0	0	DSu	47.1972	68.5348	25.5	709.6	442	56852.	1350	1.4	2.2	4.5	1.6	0.5	3.2	29	1.8
38503	0	0	0	0	DSu	47.1972	68.5343	25.5	709.7	442	56850.	1325	1.4	1.6	5.5	1.2	0.3	4.2	23	1.8
38504	0	0	0	0	DSu	47.1972	68.5338	25.5	709.8	440	56850.	1370	1.6	1.8	5.5	1.2	0.4	3.5	20	1.8
38505	0	0	0	0	DSu	47.1972	68.5333	25.5	709.9	435	56850.	1314	1.5	1.5	6.1	1.0	0.3	4.2	17	1.9
38506	0	0	0	0	DSu	47.1972	68.5328	25.5	710.0	429	56849.	1292	1.4	2.6	4.7	1.9	0.6	3.4	29	1.9
38507	0	0	1	0	DSu	47.1972	68.5323	25.5	710.1	427	56849.	1200	1.3	0.9	6.4	0.1	0.1	5.0	28	1.9
38508	0	0	1	0	DSu	47.1972	68.5318	25.5	710.2	427	56850.	1268	1.4	0.9	7.9	0.1	0.1	5.8	29	2.0
38510	0	0	0	0	DSu	47.1973	68.5306	25.5	710.3	432	56852.	1319	1.3	2.8	8.4	2.2	0.4	6.5	18	2.0
38511	0	0	1	0	DSu	47.1973	68.5300	25.5	710.3	440	56855.	1253	1.2	-1.4	5.8	0.1	0.1	4.8	33	2.0
38512	0	0	1	0	DSu	47.1973	68.5294	25.5	710.4	445	56857.	1194	1.5	-0.5	7.1	0.1	0.1	4.8	23	2.0
38513	0	0	0	0	DSu	47.1973	68.5288	25.5	710.4	440	56858.	1259	1.3	1.8	6.1	1.4	0.3	4.8	18	2.0
38514	0	0	1	0	DSu	47.1973	68.5282	25.5	710.4	427	56857.	1127	1.0	0.1	5.6	0.1	0.1	6.0	19	2.0
38515	0	0	1	0	DSu	47.1973	68.5276	25.5	710.4	418	56857.	1186	1.4	0.6	8.5	0.1	0.1	6.3	27	2.0
38516	0	0	1	0	DSu	47.1973	68.5270	25.5	710.3	415	56856.	1204	1.2	1.3	6.0	0.1	0.1	5.3	17	2.0
38517	0	0	1	0	DSu	47.1973	68.5264	25.5	712.5	404	56857.	1248	1.4	0.8	6.4	0.1	0.1	4.7	28	2.0
38518	0	0	1	0	DSu	47.1973	68.5258	25.5	712.7	402	56860.	1194	1.6	0.9	8.5	0.1	0.1	5.5	20	2.0
38519	0	0	0	0	DSu	47.1973	68.5252	25.5	713.0	408	56861.	1231	1.0	1.7	5.2	1.7	0.4	5.3	32	2.0
38520	0	0	0	0	DSu	47.1973	68.5246	25.6	713.2	417	56862.	1246	1.2	1.7	6.6	1.5	0.3	5.9	18	2.0
38521	0	0	1	0	DSu	47.1973	68.5240	25.6	713.5	429	56861.	1326	1.8	1.2	6.1	0.1	0.1	3.5	30	2.0
38522	0	0	1	0	DSu	47.1973	68.5233	25.6	713.8	439	56860.	1278	1.5	1.4	8.1	0.1	0.1	5.7	35	2.0
38523	0	0	0	0	DSu	47.1973	68.5228	25.6	714.1	448	56860.	1405	1.5	1.9	9.6	1.3	0.2	6.5	16	2.0
38524	0	0	1	0	DSu	47.1973	68.5221	25.6	714.4	454	56860.	1428	1.7	1.0	8.2	0.1	0.1	5.1	29	1.9
38525	0	0	1	0	DSu	47.1973	68.5215	25.6	714.7	455	56861.	1365	1.8	1.3	6.7	0.1	0.1	3.8	16	1.9
38526	0	0	1	0	DSu	47.1973	68.5209	25.6	715.0	454	56863.	1452	2.0	-0.2	8.4	0.1	0.1	4.3	14	1.9
38527	0	0	0	0	DSu	47.1973	68.5203	25.6	715.3	452	56864.	1512	2.1	1.9	7.7	1.0	0.3	3.7	22	1.9
38528	0	0	1	0	DSu	47.1973	68.5197	25.6	715.6	449	56864.	1435	1.5	0.4	8.3	0.1	0.1	5.6	18	1.8
38529	0	0	1	0	DSu	47.1974	68.5191	25.6	715.9	448	56866.	1451	1.8	0.9	10.4	0.1	0.1	5.8	28	1.8
38530	0	0	1	0	DSu	47.1974	68.5185	25.6	716.2	448	56866.	1363	1.5	0.0	5.6	0.1	0.1	3.8	25	1.8
38531	0	0	0	0	DSu	47.1974	68.5179	25.6	716.4	448	56865.	1396	1.7	1.6	6.3	1.0	0.3	3.8	31	1.8
38532	0	0	1	0	DSu	47.1974	68.5173	25.6	716.6	449	56864.	1330	1.5	0.0	5.6	0.1	0.1	3.9	25	1.8
38533	0	0	0	0	DSu	47.1974	68.5168	25.6	716.8	455	56864.	1339	1.6	1.9	8.1	1.3	0.3	5.3	38	1.7
38534	0	0	1	0	DSu	47.1974	68.5163	25.6	716.9	463	56866.	1285	1.3	1.3	9.4	0.1	0.1	7.5	18	1.7
38535	0	0	0	0	DSu	47.1974	68.5157	25.6	717.1	472	56866.	1304	1.6	1.7	9.2	1.1	0.2	5.9	19	1.7
38536	0	0	1	0	DSu	47.1974	68.5152	25.6	717.2	475	56865.	1163	1.2	1.1	7.5	0.1	0.1	6.2	21	1.7
38537	0	0	1	0	DSu	47.1974	68.5147	25.6	717.4	475	56864.	1087	1.4	-0.5	5.7	0.1	0.1	4.3	32	1.7
38538	0	0	1	0	DSu	47.1974	68.5142	25.6	717.5	474	56863.	1023	1.1	0.6	5.1	0.1	0.1	4.8	21	1.6
38539	0	0	0	0	DSu	47.1975	68.5136	25.6	717.6	470	56861.	909	0.8	2.2	3.6	2.8	0.6	4.5	26	1.6
38540	0	0	0	0	DSu	47.1975	68.5131	25.6	717.7	465	56861.	901	1.1	1.6	3.6	1.5	0.5	3.5	26	1.6
38541	0	0	1	0	DSu	47.1975	68.5126	25.6	717.7	454	56862.	915	0.8	0.6	4.7	0.1	0.1	6.1	17	1.6
38542	0	0	1	0	DSu	47.1975	68.5121	25.6	717.8	436	56861.	946	1.0	1.0	5.9	0.1	0.1	6.2	19	1.6
38543	0	0	0	0	DSu	47.1975	68.5116	25.6	717.8	412	56858.	978	1.2	1.8	4.7	1.6	0.4	4.2	25	1.5
38544	0	0	1	0	DSu	47.1975	68.5110	25.6	717.9	391	56857.	941	1.1	1.1	4.1	0.1	0.1	4.0	26	1.5
38545	0	0	0	0	DSu	47.1975	68.5105	25.6	717.9	380	56856.	1003	1.0	1.3	5.2	1.4	0.3	5.5	23	1.5
38546	0	0	0	0	DSu	47.1976	68.5100	25.6	717.9	378	56856.	1124	1.1	2.0	6.9	2.0	0.3	6.8	16	1.6
38547	0	0	0	0	DSu	47.1976	68.5095	25.6	717.9	375	56857.	1083	1.0	1.9	5.3	2.0	0.4	5.7	21	1.6

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
38548	0	0	0	0	DSu	47.1976	68.5090	25.6	717.9	371	56859.	1058	1.2	1.6	6.8	1.4	0.3	6.0	20	1.6
38549	0	0	1	0	DSu	47.1976	68.5084	25.6	717.9	366	56860.	1082	0.9	1.2	7.1	0.1	0.1	8.0	27	1.7
38550	0	0	0	0	DSu	47.1976	68.5079	25.6	717.9	365	56861.	1106	1.0	1.9	5.9	2.1	0.4	6.3	25	1.7
38551	0	0	0	0	DSu	47.1976	68.5074	25.6	717.9	366	56862.	1121	1.2	1.5	4.5	1.3	0.4	4.0	21	1.7
38552	0	0	1	0	DSu	47.1976	68.5069	25.6	718.0	364	56863.	1002	1.0	0.6	5.7	0.1	0.1	5.7	17	1.7
38553	0	0	0	0	DSu	47.1976	68.5063	25.6	717.9	361	56865.	1125	1.4	1.3	5.0	1.0	0.3	3.7	16	1.8
38554	0	0	1	0	DSu	47.1977	68.5058	25.6	717.9	359	56866.	1033	1.0	1.0	4.3	0.1	0.1	4.7	20	1.8
38555	0	0	1	0	DSu	47.1977	68.5053	25.6	717.9	360	56866.	1083	1.3	0.7	5.1	0.1	0.1	4.2	28	1.8
38556	0	0	1	0	DSu	47.1977	68.5048	25.6	717.9	364	56866.	1065	1.0	1.2	4.9	0.1	0.1	4.9	23	1.8
38557	0	0	1	0	DSu	47.1977	68.5043	25.6	717.8	370	56867.	1122	1.1	0.9	7.2	0.1	0.1	6.7	29	1.8
38558	0	0	1	0	DSu	47.1977	68.5037	25.6	717.8	374	56866.	1217	1.6	0.6	5.8	0.1	0.1	3.7	24	1.8
38559	0	0	0	0	DSu	47.1977	68.5032	25.6	717.8	369	56866.	1170	1.3	1.6	5.8	1.3	0.3	4.7	17	1.8
38560	0	0	1	0	DSu	47.1977	68.5027	25.6	717.7	366	56866.	1135	1.3	1.2	5.4	0.1	0.1	4.3	29	1.8
38561	0	0	1	0	DSu	47.1978	68.5022	25.6	717.7	367	56865.	1182	1.3	0.7	7.6	0.1	0.1	6.2	26	1.9
38562	0	0	0	0	DSu	47.1978	68.5016	25.6	717.7	377	56865.	1176	1.3	2.1	7.0	1.7	0.3	5.7	28	1.9
38563	0	0	0	0	DSu	47.1978	68.5011	25.6	717.6	381	56865.	1111	1.1	1.6	6.5	1.6	0.3	6.3	20	1.9
38564	0	0	1	0	DSu	47.1978	68.5006	25.6	717.6	382	56865.	1059	1.3	0.5	5.6	0.1	0.1	4.3	19	2.0
38565	0	0	1	0	DSu	47.1978	68.5001	25.6	717.6	383	56866.	957	1.1	-0.4	5.9	0.1	0.1	5.8	12	1.9
38566	0	0	1	0	DSu	47.1978	68.4996	25.6	717.5	388	56867.	932	1.0	0.9	6.4	0.1	0.1	6.6	20	1.9
38567	0	0	0	0	DSu	47.1978	68.4990	25.6	717.5	392	56867.	833	0.6	1.5	4.5	2.6	0.4	7.9	34	1.9
38568	0	0	0	0	DSu	47.1978	68.4985	25.6	717.5	392	56867.	796	0.9	1.5	5.9	1.8	0.3	7.2	28	1.9
38569	0	0	1	0	DSu	47.1978	68.4980	25.6	717.5	390	56866.	765	0.8	0.2	2.7	0.1	0.1	3.7	22	1.9
38570	0	0	1	0	DSu	47.1979	68.4975	25.6	717.5	386	56867.	796	1.0	0.4	5.1	0.1	0.1	5.5	22	1.9
38571	0	0	1	0	DSu	47.1979	68.4969	25.6	717.5	385	56867.	828	0.7	1.2	4.3	0.1	0.1	6.6	24	1.9
38572	0	0	1	0	DSu	47.1979	68.4964	25.6	717.6	383	56867.	790	0.9	0.6	4.9	0.1	0.1	5.9	23	1.9
38573	0	0	1	0	DSu	47.1979	68.4959	25.8	716.9	371	56866.	870	0.8	0.5	4.7	0.1	0.1	6.2	26	1.9
38574	0	0	1	0	DSu	47.1979	68.4954	25.8	716.8	370	56866.	902	0.8	0.7	4.8	0.1	0.1	6.0	14	1.9
38575	0	0	1	0	DSu	47.1979	68.4949	25.8	716.7	373	56866.	956	1.2	0.9	4.0	0.1	0.1	3.5	19	1.9
38576	0	0	1	0	DSu	47.1979	68.4943	25.8	716.6	383	56866.	977	1.0	0.3	5.7	0.1	0.1	5.7	30	1.9
38577	0	0	1	0	DSu	47.1979	68.4938	25.8	716.5	391	56867.	970	0.8	0.9	6.4	0.1	0.1	8.3	20	1.8
38578	0	0	1	0	DSu	47.1980	68.4933	25.7	716.4	399	56868.	956	1.1	0.4	5.9	0.1	0.1	5.8	19	1.8
38579	0	0	1	0	DSu	47.1980	68.4928	25.7	716.3	406	56868.	934	0.8	0.8	5.9	0.1	0.1	8.5	21	1.8
38580	0	0	1	0	DSu	47.1980	68.4923	25.7	716.2	416	56868.	1009	1.1	0.9	7.8	0.1	0.1	7.3	16	1.8
38581	0	0	0	0	DSu	47.1980	68.4917	25.7	716.2	427	56869.	911	0.9	1.9	6.6	2.1	0.3	7.3	18	1.8
38582	0	0	0	0	DSu	47.1980	68.4912	25.7	716.1	434	56871.	947	1.1	1.4	4.2	1.3	0.4	3.8	23	1.8
38583	0	0	1	0	DSu	47.1980	68.4907	25.7	716.0	438	56871.	916	1.2	0.6	5.6	0.1	0.1	5.0	19	1.8
38584	0	0	1	0	DSu	47.1980	68.4902	25.7	715.9	437	56869.	945	1.3	0.1	5.0	0.1	0.1	4.1	20	1.8
38585	0	0	1	0	DSu	47.1980	68.4896	25.7	715.8	431	56869.	1033	1.2	0.8	7.7	0.1	0.1	6.5	21	1.7
38586	0	0	1	0	DSu	47.1981	68.4891	25.7	715.7	420	56870.	989	0.9	0.2	5.1	0.1	0.1	6.0	28	1.6
38587	0	0	0	0	DSu	47.1981	68.4886	25.7	715.6	408	56869.	1059	1.2	1.6	7.4	1.4	0.3	6.5	21	1.6
38588	0	0	1	0	DSu	47.1981	68.4881	25.7	715.5	404	56867.	961	0.8	1.1	7.2	0.1	0.1	9.9	23	1.6
38589	0	0	0	0	DSu	47.1981	68.4876	25.7	715.3	409	56865.	1103	1.2	1.9	6.1	1.7	0.3	5.4	16	1.6
38590	0	0	0	0	DSu	47.1981	68.4870	25.7	715.2	418	56863.	1131	0.9	1.9	6.5	2.2	0.3	7.8	27	1.6
38591	0	0	1	0	DSu	47.1981	68.4865	25.7	715.1	419	56862.	1145	1.3	0.9	5.6	0.1	0.1	4.3	18	1.6
38592	0	0	1	0	DSu	47.1981	68.4860	25.7	714.9	409	56860.	1186	1.3	1.2	7.1	0.1	0.1	5.9	23	1.5
38593	0	0	0	0	DSu	47.1982	68.4855	25.7	714.8	392	56858.	1181	1.3	2.2	6.3	1.8	0.4	5.1	13	1.5
38594	0	0	1	0	DSu	47.1982	68.4849	25.7	714.6	374	56858.	1082	1.3	0.8	6.6	0.1	0.1	5.1	24	1.5
38595	0	0	1	0	DSu	47.1982	68.4844	25.7	714.4	360	56857.	1015	1.0	0.2	5.0	0.1	0.1	5.4	26	1.5
38596	0	0	0	0	DSu	47.1982	68.4839	25.7	714.3	349	56857.	1000	0.9	1.9	5.9	2.1	0.4	6.6	25	1.5
38597	0	0	1	0	DSu	47.1982	68.4834	25.7	714.1	344	56858.	947	1.1	-0.2	5.8	0.1	0.1	5.7	26	1.5

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI	
												CPS	%	PPM	PPM					CPS	CPS
38598	0	0	1	0	DSU	47.1982	68.4829	25.7	713.9	344	56861.	954	1.0	0.9	4.8	0.1	0.1	5.3	14	1.5	
38599	0	0	1	0	DSU	47.1982	68.4823	25.7	713.7	344	56863.	951	0.9	0.3	5.5	0.1	0.1	6.7	21	1.4	
38600	0	0	0	0	DSU	47.1982	68.4818	25.7	713.6	342	56864.	981	1.0	2.4	5.3	2.4	0.5	5.3	20	1.4	
38601	0	0	0	0	DSU	47.1983	68.4813	25.7	713.4	338	56865.	1061	0.6	2.0	6.5	3.3	0.3	10.7	29	1.5	
38602	0	0	0	0	DSU	47.1982	68.4807	25.7	713.2	335	56864.	1059	1.1	1.4	6.1	1.3	0.3	5.6	23	1.5	
38603	0	0	1	0	DSU	47.1982	68.4801	25.7	713.0	335	56864.	1172	1.3	0.3	7.0	0.1	0.1	5.5	22	1.5	
38605	0	0	1	0	DSU	47.1981	68.4790	25.7	712.8	343	56863.	1189	1.5	0.3	7.7	0.1	0.1	5.5	19	1.5	
38606	0	0	1	0	DSU	47.1981	68.4784	25.7	712.6	355	56862.	1287	1.5	0.8	4.6	0.1	0.1	3.2	27	1.5	
38607	0	0	0	0	DSU	47.1981	68.4779	25.7	712.3	368	56862.	1320	1.4	2.0	8.9	1.4	0.3	6.4	22	1.4	
38608	0	0	1	0	DSU	47.1980	68.4772	25.7	712.1	373	56863.	1276	1.6	0.0	7.8	0.1	0.1	4.9	24	1.4	
38609	0	0	0	0	DSU	47.1980	68.4766	25.7	711.9	370	56865.	1310	1.1	1.5	8.4	1.3	0.2	7.7	18	1.4	
38610	0	0	1	0	DSU	47.1980	68.4761	25.7	711.7	366	56866.	1298	1.3	0.9	5.8	0.1	0.1	4.5	21	1.4	
38611	0	0	0	0	DSU	47.1980	68.4755	25.7	711.6	367	56867.	1228	1.4	2.3	6.7	1.7	0.4	5.0	34	1.4	
38612	0	0	0	0	DSU	47.1979	68.4749	25.7	711.4	372	56866.	1312	1.4	1.9	5.6	1.5	0.4	4.2	18	1.4	
38613	0	0	1	0	DSU	47.1979	68.4743	25.7	711.3	379	56865.	1340	1.2	0.3	7.1	0.1	0.1	6.1	22	1.4	
38614	0	0	1	0	DSU	47.1979	68.4737	25.7	711.1	382	56866.	1323	1.6	1.0	7.3	0.1	0.1	4.8	23	1.3	
38615	0	0	0	0	DSU	47.1978	68.4731	25.7	711.0	386	56867.	1415	1.5	1.7	7.6	1.2	0.3	5.1	19	1.2	
38616	0	0	0	0	DSU	47.1978	68.4726	25.7	710.9	390	56869.	1315	1.4	1.8	6.5	1.4	0.3	5.0	26	1.2	
38617	0	0	1	0	DSU	47.1978	68.4720	25.7	710.9	394	56869.	1345	1.6	0.9	5.2	0.1	0.1	3.4	24	1.2	
38618	0	0	0	0	DSU	47.1978	68.4714	25.7	710.8	396	56870.	1301	1.5	1.9	8.8	1.3	0.3	6.0	19	1.2	
38619	0	0	1	0	DSU	47.1977	68.4708	25.7	710.8	395	56871.	1361	1.4	1.1	7.2	0.1	0.1	5.4	22	1.1	
38620	0	0	0	0	DSU	47.1977	68.4702	25.7	710.8	396	56872.	1180	1.1	1.4	5.9	1.3	0.3	5.4	18	1.1	
38621	0	0	1	0	DSU	47.1977	68.4697	25.7	710.8	404	56871.	1310	1.7	1.2	6.8	0.1	0.1	4.1	18	1.1	
38622	0	0	0	0	DSU	47.1976	68.4691	25.7	710.8	425	56871.	1255	1.5	2.0	4.4	1.4	0.5	3.1	25	1.0	
38623	0	0	1	0	DSU	47.1976	68.4685	25.7	710.8	449	56870.	1325	1.3	0.9	6.9	0.1	0.1	5.6	20	0.9	
38624	0	0	0	0	DSU	47.1976	68.4679	25.7	710.7	469	56869.	1299	1.3	2.9	7.4	2.2	0.4	5.7	18	0.9	
38625	0	0	0	0	DSU	47.1975	68.4673	25.7	710.7	478	56866.	1163	1.3	1.7	3.5	1.3	0.5	2.7	35	0.8	
38626	0	0	0	0	DSU	47.1975	68.4668	25.7	710.7	481	56863.	1257	1.4	2.2	6.8	1.6	0.4	5.0	25	0.7	
38627	0	0	1	0	DSU	47.1975	68.4662	25.6	710.7	481	56862.	1187	1.4	0.1	6.6	0.1	0.1	5.0	36	0.7	
38628	0	0	0	0	DSU	47.1975	68.4656	25.6	710.8	480	56861.	1136	1.1	2.6	5.9	2.5	0.5	5.8	20	0.7	
38629	0	0	0	0	DSU	47.1974	68.4650	25.6	710.8	480	56861.	1205	1.0	2.0	5.7	2.0	0.4	5.7	21	0.6	
38630	0	0	1	0	DSU	47.1974	68.4644	25.5	711.0	469	56862.	1147	1.5	1.2	2.5	0.1	0.1	1.7	26	0.6	
38631	0	0	1	0	DSU	47.1974	68.4638	25.5	711.0	458	56864.	1100	1.2	0.8	6.3	0.1	0.1	5.3	31	0.6	
38632	0	0	0	0	DSU	47.1973	68.4633	25.5	711.0	445	56865.	1230	1.3	1.8	6.1	1.4	0.3	4.8	41	0.6	
38633	0	0	1	0	DSU	47.1973	68.4627	25.5	711.0	433	56865.	1289	1.6	1.1	6.9	0.1	0.1	4.5	16	0.6	
38634	0	0	1	0	DSU	47.1973	68.4621	25.5	711.0	423	56864.	1424	1.6	0.3	8.1	0.1	0.1	5.3	23	0.5	
38635	0	0	0	0	DSU	47.1973	68.4615	25.5	711.0	413	56865.	1399	1.5	2.4	8.6	1.7	0.3	5.9	23	0.5	
38636	0	0	0	0	DSU	47.1972	68.4609	25.5	710.9	402	56865.	1439	1.6	2.3	4.6	1.5	0.5	3.0	18	0.4	
38637	0	0	0	0	DSU	47.1972	68.4604	25.5	710.9	392	56865.	1377	1.4	2.2	6.5	1.6	0.4	4.6	32	0.4	
38638	0	0	0	0	DSU	47.1972	68.4598	25.5	710.9	386	56864.	1398	1.6	3.0	7.2	1.9	0.5	4.6	33	0.5	
38639	0	0	0	0	DSU	47.1971	68.4592	25.5	710.8	387	56864.	1460	1.7	1.9	9.7	1.1	0.2	5.7	21	0.5	
38640	0	0	1	0	DSU	47.1971	68.4586	25.5	710.8	390	56863.	1426	1.8	0.6	6.3	0.1	0.1	3.6	24	0.5	
38641	0	0	1	0	DSU	47.1971	68.4580	25.5	710.8	395	56863.	1426	1.6	0.3	7.8	0.1	0.1	4.9	25	0.5	
38642	0	0	0	0	DSU	47.1970	68.4574	25.5	710.7	395	56863.	1446	1.8	1.4	7.7	0.8	0.2	4.4	34	0.5	
38643	0	0	0	0	DSU	47.1970	68.4569	25.5	710.7	394	56864.	1391	1.6	2.0	6.5	1.3	0.3	4.3	16	0.5	
38644	0	0	0	0	DSU	47.1970	68.4563	25.5	710.6	394	56865.	1438	1.9	2.3	6.6	1.2	0.4	3.6	23	0.5	
38645	0	0	1	0	DSU	47.1970	68.4558	25.5	710.5	398	56866.	1370	1.6	-0.3	8.2	0.1	0.1	5.2	32	0.5	
38646	0	0	0	0	DSU	47.1970	68.4553	25.5	710.5	401	56867.	1367	1.4	1.9	7.2	1.4	0.3	5.3	32	0.5	
38647	0	0	0	0	DSU	47.1970	68.4548	25.5	710.4	401	56867.	1392	1.2	2.9	7.1	2.6	0.5	6.3	29	0.5	
38648	0	0	0	0	DSU	47.1970	68.4542	25.5	710.3	398	56867.	1447	1.6	1.9	7.5	1.2	0.3	4.7	32	0.6	

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI			
												CPS	%	PPM	PPM							CPS	CPS
38649	0	0	0	0	DSu	47.1970	68.4537	25.4	710.2	395	56867.	1310	1.5	3.0	7.4	2.1	0.4	5.2	22	0.7			
38650	0	0	1	0	DSu	47.1970	68.4532	25.4	710.2	396	56867.	1381	1.3	1.0	7.6	0.1	0.1	6.1	18	0.7			
38651	0	0	0	0	DSu	47.1970	68.4526	25.4	710.1	400	56866.	1444	1.7	2.3	8.8	1.4	0.3	5.2	18	0.8			
38652	0	0	1	0	DSu	47.1970	68.4521	25.4	710.1	408	56866.	1429	1.6	0.9	7.1	0.1	0.1	4.5	21	0.8			
38653	0	0	0	0	DSu	47.1970	68.4516	25.4	710.0	418	56867.	1350	1.4	2.0	5.3	1.5	0.4	3.9	24	0.8			
38654	0	0	0	0	DSu	47.1971	68.4510	25.4	710.0	429	56867.	1298	1.1	1.9	8.4	1.7	0.3	7.6	23	0.8			
38655	0	0	1	0	DSu	47.1971	68.4505	25.4	710.0	439	56867.	1314	1.6	1.4	7.6	0.1	0.1	4.8	35	0.8			
38656	0	0	0	0	DSu	47.1971	68.4500	25.4	710.0	445	56868.	1243	1.2	2.1	6.1	1.9	0.4	5.4	29	0.8			
38657	0	0	0	0	DSu	47.1971	68.4495	25.4	710.0	449	56870.	1328	1.3	1.6	7.8	1.3	0.3	6.4	25	0.8			
38658	0	0	1	0	DSu	47.1971	68.4489	25.4	710.1	450	56870.	1281	1.4	1.4	8.6	0.1	0.1	6.3	15	0.9			
38659	0	C	1	0	DSu	47.1971	68.4484	25.4	710.1	443	56867.	1099	1.2	0.5	6.3	0.1	0.1	5.4	23	0.8			
38660	0	0	1	0	DSu	47.1971	68.4479	25.4	710.2	437	56864.	1230	1.2	1.1	7.6	0.1	0.1	6.6	24	0.8			
38661	0	0	1	0	DSu	47.1971	68.4474	25.4	710.3	437	56864.	1149	1.1	0.1	8.7	0.1	0.1	8.2	23	0.8			
38662	0	0	0	0	DSu	47.1971	68.4468	25.4	710.4	445	56864.	1118	1.2	1.6	6.0	1.3	0.3	5.0	24	0.8			
38663	0	0	0	0	DSu	47.1971	68.4463	25.4	710.6	453	56865.	1170	1.3	1.8	5.6	1.5	0.4	4.6	25	0.8			
38664	0	0	1	0	DSu	47.1971	68.4458	25.4	710.7	452	56865.	1116	1.0	0.0	6.8	0.1	0.1	7.1	19	0.8			
38665	0	0	1	0	DSu	47.1971	68.4453	25.4	710.8	450	56866.	1129	1.2	1.3	7.3	0.1	0.1	6.1	26	0.8			
38666	0	0	1	0	DSu	47.1971	68.4447	25.4	711.0	444	56867.	1087	1.1	0.4	6.5	0.1	0.1	5.9	22	0.8			
38667	0	0	1	0	DSu	47.1971	68.4442	25.4	711.1	440	56868.	1042	1.0	-0.1	8.4	0.1	0.1	9.2	25	0.9			
38668	0	0	1	0	DSu	47.1971	68.4437	25.4	711.3	435	56868.	1049	1.3	0.5	5.3	0.1	0.1	4.3	23	0.8			
38669	0	0	0	0	DSu	47.1971	68.4431	25.4	711.5	428	56869.	1071	1.0	2.4	5.2	2.6	0.5	5.6	21	0.8			
38670	0	0	0	0	DSu	47.1971	68.4426	25.4	711.6	418	56866.	1077	0.9	2.4	8.0	2.8	0.3	9.2	20	0.9			
38671	0	0	1	0	DSu	47.1971	68.4421	25.4	711.8	410	56864.	1074	1.1	1.0	4.6	0.1	0.1	4.5	25	1.0			
38672	0	0	1	0	DSu	47.1971	68.4416	25.4	711.9	412	56863.	1115	1.4	0.3	6.1	0.1	0.1	4.5	17	1.0			
38673	0	0	1	0	DSu	47.1971	68.4410	25.4	712.1	418	56864.	1228	1.1	1.2	8.5	0.1	0.1	8.1	30	1.0			
38674	0	0	0	0	DSu	47.1971	68.4405	25.4	712.2	423	56865.	1198	1.3	1.7	8.9	1.4	0.2	7.2	17	1.0			
38675	0	0	0	0	DSu	47.1971	68.4400	25.4	712.3	414	56867.	1261	1.2	1.7	6.3	1.4	0.3	5.2	29	1.0			
38676	0	0	1	0	DSu	47.1971	68.4394	25.4	712.3	400	56868.	1268	1.7	0.9	7.4	0.1	0.1	4.5	24	1.0			
38677	0	0	1	0	DSu	47.1971	68.4389	25.4	712.4	386	56870.	1126	1.3	0.1	6.5	0.1	0.1	5.3	25	1.0			
38678	0	0	0	0	DSu	47.1971	68.4384	25.4	712.4	379	56870.	1213	1.5	1.4	7.4	1.0	0.2	5.0	18	0.9			
38679	0	0	0	0	DSu	47.1971	68.4379	25.4	712.5	380	56870.	996	1.0	1.7	4.9	1.8	0.4	5.3	22	0.9			
38680	0	0	1	0	DSu	47.1971	68.4373	25.4	712.5	386	56870.	960	1.0	0.8	4.6	0.1	0.1	4.8	24	0.9			
38681	0	0	1	0	DSu	47.1971	68.4368	25.4	712.6	396	56870.	1006	1.1	1.2	4.9	0.1	0.1	4.8	20	0.8			
38682	0	0	1	0	DSu	47.1971	68.4363	25.4	712.6	407	56870.	1018	1.0	0.7	4.7	0.1	0.1	4.6	22	0.8			
38683	0	0	1	0	DSu	47.1972	68.4357	25.4	712.6	418	56870.	987	0.8	1.3	5.7	0.1	0.1	7.9	29	0.8			
38684	0	0	0	0	DSu	47.1972	68.4352	25.4	712.5	423	56869.	1047	1.1	2.5	5.1	2.4	0.5	5.0	16	0.8			
38685	0	0	1	0	DSu	47.1972	68.4347	25.4	712.5	426	56868.	1044	1.0	1.0	6.5	0.1	0.1	6.8	24	0.9			
38686	0	0	0	0	DSu	47.1972	68.4342	25.4	713.6	440	56866.	951	1.0	1.4	5.0	1.5	0.3	5.3	20	0.9			
38687	0	0	0	0	DSu	47.1972	68.4336	25.4	713.7	445	56865.	957	0.8	2.5	2.7	3.3	1.0	3.5	32	0.9			
38688	0	0	1	0	DSu	47.1972	68.4331	25.4	713.9	455	56864.	1040	1.3	0.5	6.5	0.1	0.1	5.2	24	1.0			
38689	0	0	1	0	DSu	47.1972	68.4326	25.4	714.1	461	56863.	967	1.2	-0.1	8.3	0.1	0.1	7.3	26	1.0			
38690	0	0	1	0	DSu	47.1972	68.4321	25.4	714.4	462	56861.	923	1.1	0.2	4.7	0.1	0.1	4.6	28	1.0			
38691	0	0	1	0	DSu	47.1972	68.4315	25.5	714.6	455	56858.	966	1.1	0.6	4.8	0.1	0.1	4.3	22	1.1			
38692	0	0	1	0	DSu	47.1972	68.4310	25.5	714.8	443	56856.	953	0.9	1.2	6.0	0.1	0.1	6.9	23	1.1			
38693	0	0	1	0	DSu	47.1972	68.4305	25.5	715.1	431	56856.	996	1.2	1.3	4.4	0.1	0.1	3.9	14	1.1			
38694	0	0	1	0	DSu	47.1972	68.4299	25.5	715.3	419	56856.	904	0.9	0.1	6.8	0.1	0.1	7.5	25	1.2			
38695	0	0	1	0	Du	47.1972	68.4294	25.5	715.6	407	56857.	1026	1.2	1.1	5.7	0.1	0.1	5.0	29	1.2			
38696	0	0	1	0	Du	47.1972	68.4289	25.5	715.9	395	56858.	1087	1.1	1.0	4.5	0.1	0.1	4.3	27	1.1			
38697	0	0	1	0	Du	47.1972	68.4284	25.5	716.1	384	56859.	967	1.0	0.5	4.4	0.1	0.1	4.7	31	1.1			
38698	0	0	0	0	Du	47.1972	68.4278	25.5	716.4	375	56860.	948	0.8	1.9	5.9	2.4	0.4	7.5	16	1.1			

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
38699	0	0	1	0	Du	47.1972	68.4273	25.5	716.7	369	56861.	1080	1.2	1.1	4.8	0.1	0.1	4.1	18	1.1
38701	0	0	1	0	Du	47.1972	68.4262	25.5	716.9	366	56862.	986	1.0	0.3	4.0	0.1	0.1	4.3	26	1.2
38702	0	0	1	0	Du	47.1972	68.4257	25.5	717.2	365	56862.	1042	1.1	0.3	7.5	0.1	0.1	6.9	21	1.2
38703	0	0	1	0	Du	47.1972	68.4252	25.5	717.5	365	56862.	1058	1.0	1.1	6.3	0.1	0.1	6.5	15	1.2
38704	0	0	0	0	Du	47.1972	68.4247	25.5	717.7	368	56863.	1106	1.2	1.7	4.9	1.5	0.4	4.3	18	1.3
38705	0	0	0	0	Du	47.1972	68.4241	25.5	718.0	374	56865.	1086	1.1	2.4	5.1	2.3	0.5	4.9	24	1.3
38706	0	0	0	0	Du	47.1972	68.4236	25.5	718.3	383	56866.	1187	1.4	2.3	6.2	1.8	0.4	4.7	19	1.4
38707	0	0	1	0	Du	47.1972	68.4231	25.5	718.5	390	56867.	1212	1.0	0.3	6.5	0.1	0.1	6.6	27	1.5
38708	0	0	1	0	Du	47.1972	68.4226	25.5	718.8	394	56867.	1193	1.2	1.2	7.3	0.1	0.1	6.0	32	1.6
38709	0	0	1	0	Du	47.1972	68.4220	25.5	719.0	400	56866.	1275	1.6	0.3	5.7	0.1	0.1	3.7	19	1.6
38710	0	0	1	0	Du	47.1973	68.4215	25.5	719.3	409	56865.	1258	1.6	-0.4	6.4	0.1	0.1	4.1	27	1.7
38711	0	0	0	0	Du	47.1973	68.4210	25.5	719.5	419	56863.	1276	1.3	2.1	7.6	1.7	0.3	6.0	16	1.7
38712	0	0	1	0	Du	47.1973	68.4204	25.5	719.7	424	56862.	1242	1.5	1.1	8.1	0.1	0.1	5.6	28	1.7
38713	0	0	1	0	Du	47.1973	68.4199	25.5	719.9	426	56862.	1134	1.3	0.9	5.2	0.1	0.1	4.2	26	1.7
38714	0	0	1	0	Du	47.1973	68.4194	25.5	720.1	429	56862.	1026	1.3	0.6	6.7	0.1	0.1	5.2	20	1.8
38715	0	0	1	0	Du	47.1973	68.4189	25.5	720.2	431	56862.	1015	0.9	0.4	5.6	0.1	0.1	6.6	24	1.8
38716	0	0	1	0	Du	47.1973	68.4183	25.5	720.4	428	56862.	899	0.9	-0.8	6.3	0.1	0.1	7.2	22	1.8
38717	0	0	1	0	Du	47.1973	68.4178	25.5	720.5	413	56863.	833	1.1	0.2	3.2	0.1	0.1	3.1	22	1.7
38718	0	0	1	0	Du	47.1973	68.4173	25.5	720.5	393	56863.	832	0.9	0.8	3.8	0.1	0.1	4.4	13	1.7
38719	0	0	1	0	Du	47.1973	68.4168	25.5	720.6	375	56863.	868	0.9	0.8	3.5	0.1	0.1	4.2	22	1.7
38720	0	0	1	0	Du	47.1973	68.4162	25.5	720.6	363	56863.	869	1.1	0.9	4.0	0.1	0.1	3.8	25	1.7
38721	0	0	0	0	Du	47.1973	68.4157	25.5	720.6	357	56863.	981	0.9	1.4	6.4	1.6	0.3	7.6	15	1.7
38722	0	0	1	0	Du	47.1973	68.4152	25.5	720.6	359	56863.	1035	1.0	0.5	4.6	0.1	0.1	4.8	24	1.7
38723	0	0	1	0	Du	47.1973	68.4146	25.5	720.5	366	56863.	1036	1.1	1.3	6.6	0.1	0.1	6.2	24	1.7
38724	0	0	1	0	Du	47.1973	68.4141	25.5	720.5	376	56863.	1102	1.3	0.7	5.6	0.1	0.1	4.4	36	1.7
38725	0	0	1	0	Du	47.1973	68.4136	25.5	720.5	383	56864.	1151	1.4	1.1	6.8	0.1	0.1	5.2	23	1.7
38726	0	0	1	0	Du	47.1973	68.4131	25.5	720.4	393	56864.	1160	1.4	0.9	5.7	0.1	0.1	4.1	18	1.7
38727	0	0	1	0	Du	47.1973	68.4125	25.5	720.4	405	56865.	1150	1.2	1.3	6.1	0.1	0.1	5.1	27	1.7
38728	0	0	1	0	Du	47.1973	68.4120	25.5	720.4	417	56865.	1170	1.5	1.1	6.9	0.1	0.1	4.7	23	1.8
38729	0	0	1	0	Du	47.1973	68.4115	25.5	720.4	430	56866.	1101	1.2	0.8	6.6	0.1	0.1	5.7	17	1.8
38730	0	0	0	0	Du	47.1973	68.4109	25.5	720.4	441	56866.	1094	1.4	1.9	4.5	1.4	0.5	3.3	25	1.8
38731	0	0	1	0	Du	47.1973	68.4104	25.5	720.4	449	56867.	1267	1.4	0.6	8.4	0.1	0.1	6.3	27	1.8
38732	0	0	1	0	Du	47.1973	68.4099	25.5	720.4	453	56869.	1150	1.1	0.3	6.5	0.1	0.1	6.1	25	1.7
38733	0	0	1	0	Du	47.1973	68.4094	25.5	720.3	451	56870.	1101	1.5	0.5	7.0	0.1	0.1	4.6	25	1.7
38734	0	0	1	0	Du	47.1973	68.4088	25.5	720.4	442	56870.	1125	1.2	1.0	5.4	0.1	0.1	4.5	27	1.6
38735	0	0	1	0	Du	47.1973	68.4083	25.5	720.4	428	56868.	1003	1.0	-0.3	4.5	0.1	0.1	4.8	22	1.6
38736	0	0	0	0	Du	47.1973	68.4078	25.5	720.4	415	56864.	1104	1.3	2.5	6.8	2.0	0.4	5.4	24	1.6
38737	0	0	1	0	Du	47.1973	68.4073	25.5	720.4	410	56861.	1091	1.1	0.5	5.8	0.1	0.1	5.6	23	1.5
38738	0	0	1	0	Du	47.1973	68.4067	25.5	720.5	411	56859.	1122	0.9	0.5	8.0	0.1	0.1	9.2	10	1.5
38739	0	0	1	0	Du	47.1973	68.4062	25.5	720.5	414	56858.	1218	1.2	1.3	7.7	0.1	0.1	6.9	19	1.5
38740	0	0	1	0	Du	47.1973	68.4057	25.5	720.5	417	56858.	1231	1.1	0.8	7.0	0.1	0.1	6.5	19	1.4
38741	0	0	0	0	Du	47.1973	68.4052	25.5	720.5	419	56858.	1248	1.6	1.8	7.9	1.2	0.3	5.2	29	1.4
38742	0	0	0	0	Du	47.1974	68.4046	25.5	720.4	420	56859.	1220	1.1	2.6	7.1	2.4	0.4	6.7	25	1.4
38743	0	0	1	0	Du	47.1974	68.4041	25.8	720.2	424	56860.	1271	1.5	0.9	5.1	0.1	0.1	3.5	24	1.4
38744	0	0	1	0	Du	47.1974	68.4036	25.8	720.1	425	56859.	1323	1.8	1.2	7.3	0.1	0.1	4.2	36	1.4
38745	0	0	1	0	Du	47.1974	68.4030	25.8	720.0	427	56859.	1305	1.2	0.8	10.3	0.1	0.1	8.6	21	1.4
38746	0	0	1	0	Du	47.1974	68.4025	25.8	719.9	427	56858.	1315	1.2	1.4	9.1	0.1	0.1	7.7	20	1.3
38747	0	0	0	0	Du	47.1974	68.4020	25.8	719.9	428	56857.	1317	1.3	3.5	8.5	2.6	0.4	6.7	25	1.3
38748	0	0	1	0	Du	47.1974	68.4015	25.8	719.8	427	56855.	1381	1.5	1.0	7.0	0.1	0.1	4.8	16	1.2
38749	0	0	1	0	Du	47.1974	68.4009	25.8	719.8	425	56853.	1356	1.6	1.5	9.9	0.1	0.1	6.4	21	1.2

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
38750	0	0	0	0	Du	47.1974	68.4004	25.8	719.7	422	56852.	1426	1.3	1.7	7.8	1.3	0.3	6.0	19	1.2
38751	0	0	1	0	Du	47.1974	68.3999	25.8	719.7	417	56853.	1342	1.9	1.1	6.7	0.1	0.1	3.6	25	1.2
38752	0	0	1	0	Du	47.1974	68.3993	25.8	719.6	411	56853.	1418	1.7	0.6	9.0	0.1	0.1	5.6	28	1.2
38753	0	0	1	0	Du	47.1974	68.3988	25.8	719.5	404	56855.	1419	1.6	1.5	9.2	0.1	0.1	6.0	16	1.1
38754	0	0	1	0	Du	47.1974	68.3983	25.8	719.5	397	56857.	1313	1.8	0.9	6.3	0.1	0.1	3.6	22	1.1
38755	0	0	0	0	Du	47.1974	68.3978	25.8	719.4	393	56859.	1302	1.4	1.7	6.1	1.3	0.3	4.7	32	1.0
38756	0	0	0	0	Du	47.1974	68.3972	25.8	719.4	390	56860.	1277	1.2	2.0	5.2	1.7	0.4	4.5	19	1.0
38757	0	0	0	0	Du	47.1974	68.3967	25.8	719.4	383	56861.	1364	1.5	1.7	6.3	1.2	0.3	4.2	23	1.0
38758	0	0	0	0	Du	47.1974	68.3962	25.8	719.4	376	56861.	1285	1.4	1.6	6.4	1.2	0.3	4.6	27	0.9
38759	0	0	0	0	Du	47.1974	68.3956	25.8	719.4	368	56861.	1293	1.4	1.7	7.3	1.3	0.3	5.5	17	0.9
38760	0	0	0	0	Du	47.1974	68.3951	25.8	719.5	368	56862.	1290	1.4	1.9	6.8	1.4	0.3	4.9	16	0.9
38761	0	0	0	0	Du	47.1974	68.3946	25.8	719.5	368	56862.	1352	1.4	1.8	8.1	1.3	0.3	6.1	18	0.9
38762	0	0	1	0	Du	47.1974	68.3941	25.8	719.5	369	56863.	1309	1.5	0.9	5.3	0.1	0.1	3.6	34	0.8
38763	0	0	0	0	Du	47.1974	68.3935	25.8	719.5	364	56865.	1384	1.9	1.6	6.8	0.9	0.3	3.6	15	0.8
38764	0	0	0	0	Du	47.1974	68.3930	25.8	719.5	360	56866.	1407	1.8	1.4	7.1	0.9	0.2	4.1	28	0.7
38765	0	0	0	0	Du	47.1974	68.3925	25.8	719.5	357	56868.	1431	1.5	1.4	8.3	1.0	0.2	5.8	24	0.6
38766	0	0	0	0	Du	47.1974	68.3920	25.8	719.5	356	56868.	1382	1.7	1.9	5.2	1.2	0.4	3.1	18	0.6
38767	0	0	0	0	Du	47.1974	68.3914	25.8	719.6	362	56867.	1374	1.3	1.9	9.4	1.5	0.2	7.6	14	0.6
38768	0	0	1	0	Du	47.1974	68.3909	25.8	719.7	369	56866.	1396	1.6	0.3	8.3	0.1	0.1	5.4	22	0.5
38769	0	0	1	0	Du	47.1974	68.3904	25.8	719.7	380	56865.	1470	1.6	1.0	8.1	0.1	0.1	5.2	22	0.5
38770	0	0	0	0	Du	47.1974	68.3898	25.8	719.8	386	56864.	1445	1.8	1.9	7.1	1.1	0.3	4.2	25	0.4
38771	0	0	0	0	Du	47.1975	68.3893	25.8	719.9	390	56863.	1500	1.6	1.9	9.6	1.3	0.2	6.2	23	0.4
38772	0	0	1	0	Du	47.1975	68.3888	25.8	720.0	393	56863.	1363	1.6	1.3	7.4	0.1	0.1	4.8	24	0.4
38773	0	0	1	0	Du	47.1975	68.3883	25.8	720.1	397	56863.	1417	1.5	0.8	7.5	0.1	0.1	5.0	13	0.5
38774	0	0	1	0	Du	47.1975	68.3877	25.8	720.2	402	56864.	1377	1.6	0.6	8.4	0.1	0.1	5.4	25	0.5
38775	0	0	1	0	Du	47.1975	68.3872	25.8	720.3	406	56864.	1305	1.4	0.5	6.9	0.1	0.1	5.3	34	0.4
38776	0	0	0	0	Du	47.1975	68.3867	25.8	720.4	406	56864.	1328	1.2	2.0	8.4	1.7	0.3	7.3	24	0.3
38777	0	0	0	0	Du	47.1975	68.3861	25.8	720.5	402	56862.	1321	1.3	1.8	6.3	1.5	0.3	4.9	39	0.2
38778	0	0	0	0	Du	47.1975	68.3856	25.8	720.6	395	56860.	1333	1.6	2.7	4.8	1.8	0.6	3.2	17	0.2
38779	0	0	0	0	Du	47.1975	68.3851	25.8	720.7	387	56860.	1363	1.6	2.8	4.7	1.7	0.6	2.9	21	0.2
38780	0	0	0	0	Du	47.1975	68.3846	25.8	720.8	381	56860.	1330	1.5	2.1	6.1	1.4	0.4	4.1	28	0.2
38781	0	0	0	0	Du	47.1975	68.3840	25.8	720.9	377	56859.	1263	1.2	1.9	7.8	1.6	0.3	6.6	26	0.1
38782	0	0	0	0	Du	47.1975	68.3835	25.8	720.9	375	56858.	1335	1.3	2.1	7.5	1.7	0.3	6.0	25	0.1
38783	0	0	0	0	Du	47.1975	68.3830	25.8	721.0	374	56858.	1277	1.4	1.9	7.2	1.3	0.3	5.2	24	0.1
38784	0	0	0	0	Du	47.1975	68.3825	25.8	721.0	373	56859.	1449	1.6	2.4	8.0	1.5	0.3	5.0	20	0.0
38785	0	0	1	0	Du	47.1975	68.3819	25.8	721.1	373	56861.	1341	1.6	1.0	6.4	0.1	0.1	4.1	25	0.0
38786	0	0	0	0	Du	47.1975	68.3814	25.8	721.1	371	56862.	1455	1.7	1.6	9.5	1.0	0.2	5.7	24	0.0
38787	0	0	0	0	Du	47.1975	68.3809	25.8	721.1	369	56863.	1445	1.7	1.8	5.8	1.1	0.3	3.6	26	0.0
38788	0	0	0	0	Du	47.1975	68.3803	25.8	721.1	365	56863.	1456	1.6	2.0	6.8	1.3	0.3	4.5	27	0.0
38789	0	0	0	0	Du	47.1975	68.3798	25.8	721.1	361	56864.	1504	1.7	2.8	10.1	1.7	0.3	6.3	21	0.0
38790	0	0	1	0	Du	47.1975	68.3793	25.8	721.1	359	56864.	1402	1.4	0.6	7.0	0.1	0.1	5.1	20	0.1
38791	0	0	0	0	Du	47.1975	68.3788	25.8	721.1	358	56864.	1396	1.7	1.3	8.5	0.8	0.2	5.1	21	0.1
38792	0	0	1	0	Du	47.1975	68.3782	25.8	721.1	357	56864.	1386	1.6	1.1	7.1	0.1	0.1	4.6	18	0.1
38793	0	0	0	0	Du	47.1975	68.3777	25.8	721.2	356	56863.	1388	1.4	1.5	6.2	1.1	0.3	4.4	28	0.2
38794	0	0	0	0	Du	47.1975	68.3772	25.8	721.1	357	56862.	1439	1.6	2.5	7.8	1.6	0.4	4.9	18	0.2
38796	0	0	0	0	Du	47.1975	68.3761	25.8	721.1	362	56862.	1445	1.5	2.2	8.1	1.5	0.3	5.6	36	0.2
38797	0	0	1	0	Du	47.1975	68.3756	25.8	721.1	369	56863.	1441	1.8	1.0	7.8	0.1	0.1	4.3	41	0.3
38798	0	0	1	0	Du	47.1975	68.3750	25.8	721.1	373	56863.	1385	1.8	0.9	7.4	0.1	0.1	4.2	23	0.4
38799	0	0	0	0	Du	47.1975	68.3745	25.8	721.1	376	56863.	1364	1.8	1.6	7.6	0.9	0.3	4.2	26	0.4
38800	0	0	0	0	Du	47.1975	68.3739	25.9	721.2	389	56867.	1483	1.7	2.1	6.5	1.3	0.4	4.0	21	0.3

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
38801	0	0	0	0	Du	47.1975	68.3734	25.9	721.3	392	56868.	1468	1.6	1.9	7.3	1.3	0.3	4.8	14	0.1
38802	0	0	1	0	Du	47.1975	68.3728	25.9	721.5	395	56867.	1502	2.0	1.3	8.8	0.1	0.1	4.6	28	0.0
38803	0	0	0	0	Du	47.1975	68.3723	25.9	721.6	395	56864.	1503	1.9	2.4	6.2	1.3	0.4	3.4	38	0.0
38804	0	0	0	0	Du	47.1975	68.3718	25.9	721.8	396	56861.	1516	1.7	1.8	8.4	1.1	0.3	5.0	20	0.0
38805	0	0	1	0	Du	47.1975	68.3712	25.9	721.9	398	56859.	1491	1.8	1.0	5.4	0.1	0.1	3.0	24	0.0
38806	0	0	0	0	Du	47.1975	68.3707	25.9	722.1	401	56858.	1476	1.8	1.9	8.6	1.1	0.3	5.0	22	0.0
38807	0	0	0	0	Du	47.1975	68.3701	25.9	722.3	403	56857.	1429	1.7	2.6	7.5	1.6	0.4	4.5	23	0.0
38808	0	0	0	0	Du	47.1975	68.3696	25.9	722.5	402	56857.	1423	1.6	1.5	7.9	1.0	0.2	5.2	27	0.0
38809	0	0	0	0	Du	47.1975	68.3690	25.9	722.6	400	56857.	1389	1.3	2.5	5.5	1.9	0.5	4.3	23	0.0
38810	0	0	0	0	Du	47.1975	68.3685	25.9	722.8	397	56856.	1345	1.6	2.1	4.7	1.3	0.5	2.9	18	0.0
38811	0	0	1	0	Du	47.1975	68.3679	25.9	722.9	395	56855.	1239	1.5	1.2	7.8	0.1	0.1	5.4	18	0.0
38812	0	0	1	0	Du	47.1975	68.3674	25.9	723.1	395	56854.	1093	1.0	1.2	5.7	0.1	0.1	5.8	16	0.0
38813	0	0	1	0	Du	47.1975	68.3668	25.9	723.2	393	56855.	992	1.1	1.0	4.3	0.1	0.1	3.9	22	0.0
38814	0	0	1	0	Du	47.1975	68.3663	25.9	723.3	390	56857.	821	1.0	0.9	3.3	0.1	0.1	3.6	20	0.0
38815	0	0	1	0	Du	47.1975	68.3657	25.9	723.4	388	56859.	589	0.8	0.6	3.4	0.1	0.1	4.5	30	0.0
38816	0	0	1	0	Du	47.1975	68.3652	25.9	723.5	388	56861.	540	0.8	0.6	2.6	0.1	0.1	3.7	21	0.0
38817	0	0	1	0	Du	47.1975	68.3646	25.9	723.6	389	56863.	407	0.5	0.3	1.3	0.1	0.1	0.1	18	0.0
38818	0	0	1	1	Du	47.1975	68.3641	25.9	723.6	389	56862.	289	0.3	-0.1	0.6	0.1	0.1	0.1	17	0.0
38819	0	0	1	1	Du	47.1975	68.3635	25.9	723.7	387	56863.	260	0.3	0.5	0.5	0.1	0.1	0.1	25	0.0
38820	0	1	1	1	Du	47.1975	68.3630	25.9	723.7	384	56863.	184	0.2	0.3	0.3	0.1	0.1	0.1	31	0.0
38821	0	1	1	1	Du	47.1975	68.3624	25.9	723.7	381	56862.	153	0.1	-0.2	0.8	0.1	0.1	0.1	22	0.0
38822	0	0	1	0	Du	47.1974	68.3619	25.9	723.7	379	56861.	150	0.2	-0.4	1.1	0.1	0.1	0.1	22	0.0
38823	0	1	1	1	Du	47.1974	68.3614	25.9	723.6	369	56860.	129	0.1	-0.4	1.0	0.1	0.1	0.1	28	0.0
38824	0	1	1	0	Du	47.1974	68.3608	25.9	723.6	361	56859.	150	0.1	-0.4	1.1	0.1	0.1	0.1	10	0.0
38825	0	1	1	1	Du	47.1973	68.3603	25.9	723.5	352	56860.	122	0.1	0.0	0.6	0.1	0.1	0.1	22	0.0
38826	0	1	1	1	Du	47.1973	68.3597	25.9	723.4	351	56862.	93	0.0	-0.5	0.2	0.1	0.1	0.1	24	0.0
38827	0	1	1	1	Du	47.1973	68.3592	25.9	723.3	349	56863.	135	0.1	0.1	0.4	0.1	0.1	0.1	20	0.0
38828	0	1	1	0	Du	47.1972	68.3587	25.9	723.2	352	56863.	108	0.1	-0.1	1.2	0.1	0.1	0.1	14	0.0
38829	0	1	1	0	Du	47.1972	68.3581	25.9	723.1	359	56863.	103	0.1	-0.2	1.0	0.1	0.1	0.1	20	0.0
38830	0	1	1	0	Du	47.1972	68.3576	25.9	723.0	370	56865.	159	0.1	0.2	1.4	0.1	0.1	0.1	14	0.0
38831	0	1	1	0	Du	47.1971	68.3571	25.9	722.9	381	56868.	240	0.2	-0.2	1.2	0.1	0.1	0.1	20	0.0
38832	0	0	1	0	Du	47.1971	68.3565	25.9	722.8	389	56870.	334	0.2	0.7	1.6	0.1	0.1	0.1	26	0.0
38833	0	0	1	0	Du	47.1971	68.3560	25.9	722.7	391	56871.	424	0.3	0.6	2.5	0.1	0.1	0.1	18	0.0
38834	0	0	1	0	Du	47.1970	68.3554	25.9	722.6	392	56872.	545	0.6	-0.2	3.7	0.1	0.1	6.3	22	0.0
38835	0	0	1	0	Du	47.1970	68.3549	25.9	722.6	393	56872.	651	0.5	0.6	4.2	0.1	0.1	0.1	19	0.0
38836	0	0	1	0	Du	47.1970	68.3544	25.9	722.6	395	56870.	653	0.7	0.4	4.2	0.1	0.1	6.0	19	0.0
38837	0	0	1	0	Du	47.1969	68.3538	25.9	722.5	397	56868.	693	0.6	0.6	4.2	0.1	0.1	7.9	17	0.0
38838	0	0	1	0	Du	47.1969	68.3533	25.9	722.5	399	56868.	728	0.7	0.2	4.5	0.1	0.1	6.7	20	0.0
38839	0	0	0	0	Du	47.1969	68.3527	25.9	722.4	401	56869.	669	0.7	1.3	4.3	2.0	0.3	6.5	25	0.0
38840	0	0	0	0	Du	47.1968	68.3522	25.9	722.4	407	56869.	676	0.5	1.4	5.4	0.1	0.3	0.1	16	0.0
38841	0	0	1	0	Du	47.1968	68.3517	25.9	722.4	410	56869.	761	0.6	0.1	4.1	0.1	0.1	7.4	19	0.0
38842	0	0	0	0	Du	47.1968	68.3511	25.9	722.4	410	56868.	715	0.7	1.2	3.9	1.9	0.3	6.0	20	0.0
38843	0	0	0	0	Du	47.1968	68.3506	25.9	722.4	404	56866.	709	0.6	2.1	3.1	4.1	0.7	6.2	17	0.0
38844	0	0	1	0	Du	47.1967	68.3501	25.9	722.4	397	56864.	755	0.7	0.4	4.0	0.1	0.1	5.8	19	0.0
38845	0	0	0	0	Du	47.1967	68.3495	25.9	722.4	390	56863.	739	0.9	1.6	3.1	2.0	0.6	3.8	16	0.0
38846	0	0	1	0	Du	47.1966	68.3490	25.9	722.4	385	56861.	877	0.9	1.0	5.2	0.1	0.1	6.0	18	0.0
38847	0	0	1	0	Du	47.1966	68.3484	25.9	722.4	383	56860.	828	0.6	1.1	4.1	0.1	0.1	7.9	15	0.0
38848	0	0	1	0	Du	47.1966	68.3479	25.9	722.4	384	56861.	786	0.9	0.9	3.1	0.1	0.1	3.8	28	0.0
38849	0	0	1	0	Du	47.1965	68.3474	25.9	722.3	386	56863.	828	1.1	0.4	4.9	0.1	0.1	4.7	18	0.0
38850	0	0	0	0	Du	47.1965	68.3468	25.9	722.3	386	56865.	806	0.7	1.3	4.3	1.9	0.3	6.1	32	0.0

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
38851	0	0	1	0	Du	47.1965	68.3463	25.9	722.4	382	56865.	871	0.9	0.4	3.8	0.1	0.1	4.3	33	0.0
38852	0	0	1	0	Du	47.1965	68.3457	25.9	722.4	377	56867.	839	0.8	0.4	3.5	0.1	0.1	4.5	31	0.0
38853	0	0	1	0	Du	47.1964	68.3452	25.9	722.4	373	56867.	835	1.0	0.8	2.7	0.1	0.1	2.8	28	0.0
38854	0	0	0	0	Du	47.1964	68.3447	25.9	722.4	372	56866.	880	0.9	1.5	3.8	1.7	0.4	4.4	21	0.0
38855	0	0	1	0	Du	47.1964	68.3441	25.9	722.4	372	56866.	865	0.9	0.4	4.8	0.1	0.1	5.7	19	0.0
38856	0	0	0	0	Du	47.1963	68.3436	26.1	722.2	370	56866.	809	1.1	2.0	3.0	2.0	0.7	2.9	16	0.0
38857	0	0	1	0	Du	47.1963	68.3431	26.1	722.2	367	56866.	806	0.8	0.6	4.7	0.1	0.1	5.9	27	0.0
38858	0	0	1	0	Du	47.1963	68.3425	26.1	722.2	366	56865.	762	0.8	0.5	4.0	0.1	0.1	5.5	24	0.0
38859	0	0	0	0	Du	47.1962	68.3420	26.1	722.2	369	56866.	750	0.8	1.4	4.1	1.8	0.4	5.3	21	0.0
38860	0	0	1	0	Du	47.1962	68.3414	26.1	722.2	373	56866.	637	0.7	0.5	1.9	0.1	0.1	2.9	21	0.0
38861	0	0	1	0	Du	47.1962	68.3409	26.1	722.3	381	56866.	585	0.6	0.7	2.7	0.1	0.1	5.2	12	0.0
38862	0	0	1	0	Du	47.1961	68.3404	26.2	722.3	397	56868.	593	0.5	-0.1	3.1	0.1	0.1	0.1	17	0.0
38863	0	0	1	0	Du	47.1961	68.3398	26.2	722.4	394	56869.	478	0.6	0.6	2.1	0.1	0.1	3.9	22	0.0
38864	0	0	1	0	Du	47.1961	68.3393	26.2	722.5	400	56866.	389	0.4	0.1	3.7	0.1	0.1	0.1	24	0.0
38865	0	0	1	0	Du	47.1960	68.3387	26.2	722.5	405	56864.	332	0.3	-0.7	3.1	0.1	0.1	0.1	17	0.0
38866	0	0	1	1	Du	47.1960	68.3382	26.2	722.6	406	56864.	260	0.2	0.8	0.9	0.1	0.1	0.1	25	0.0
38867	0	1	1	0	Du	47.1960	68.3377	26.2	722.6	403	56864.	195	0.2	-0.1	1.7	0.1	0.1	0.1	31	0.0
38868	0	1	1	1	Du	47.1959	68.3371	26.2	722.7	398	56864.	85	0.1	0.0	0.2	0.1	0.1	0.1	21	0.0
38869	0	1	1	1	Du	47.1959	68.3366	26.2	722.7	393	56864.	77	0.0	0.7	1.0	0.1	0.1	0.1	26	0.0
38870	0	1	1	1	Du	47.1959	68.3361	26.2	722.7	389	56864.	11	0.0	-0.4	-0.4	0.1	0.1	0.1	19	0.0
38871	0	1	1	1	Du	47.1958	68.3355	26.2	722.8	386	56865.	54	0.2	-0.5	0.9	0.1	0.1	0.1	28	0.0
38872	0	0	1	1	Du	47.1958	68.3350	26.2	722.8	383	56866.	68	0.2	-0.7	0.6	0.1	0.1	0.1	20	0.0
38873	0	0	1	1	Du	47.1958	68.3344	26.2	722.7	381	56867.	33	0.2	-0.3	0.3	0.1	0.1	0.1	23	0.0
38874	0	1	1	1	Du	47.1958	68.3337	26.2	722.7	380	56869.	77	0.1	0.0	-0.3	0.1	0.1	0.1	29	0.0
38875	0	1	1	1	Du	47.1957	68.3329	26.2	722.6	380	56870.	80	0.1	-0.2	0.9	0.1	0.1	0.1	14	0.0
38876	0	1	1	0	Du	47.1957	68.3321	26.2	722.5	381	56870.	114	0.1	0.2	2.2	0.1	0.1	0.1	22	0.0
38877	0	1	1	1	Du	47.1957	68.3313	26.2	722.4	378	56870.	169	0.1	-0.9	0.8	0.1	0.1	0.1	24	0.0
38878	0	0	1	0	Du	47.1957	68.3305	26.2	722.3	374	56870.	287	0.4	0.2	1.9	0.1	0.1	0.1	21	0.0
38879	0	1	1	0	Du	47.1957	68.3298	26.2	722.3	369	56868.	387	0.2	0.3	1.5	0.1	0.1	0.1	25	0.0
38880	0	0	0	0	Du	47.1957	68.3290	26.2	722.2	369	56866.	605	0.8	1.3	2.8	1.7	0.5	3.9	21	0.0
38881	0	0	1	0	Du	47.1957	68.3282	26.2	722.2	370	56866.	686	0.8	0.3	2.2	0.1	0.1	3.0	20	0.0
38882	0	0	0	0	Du	47.1957	68.3274	26.2	722.1	376	56868.	841	0.9	1.5	4.5	1.8	0.4	5.2	22	0.0
38883	0	0	0	0	Du	47.1956	68.3266	26.2	722.0	384	56870.	889	1.0	1.7	3.4	1.7	0.6	3.4	23	0.0
38884	0	0	0	0	Du	47.1956	68.3259	26.2	722.0	398	56871.	845	1.1	1.8	2.6	1.7	0.7	2.3	18	0.0
38885	0	0	1	0	Du	47.1956	68.3251	26.2	721.9	410	56871.	906	1.1	1.1	5.7	0.1	0.1	5.3	28	0.0
38886	0	0	0	0	Du	47.1956	68.3243	26.2	721.8	416	56871.	919	1.0	1.7	4.5	1.9	0.4	4.9	31	0.0
38887	0	0	0	0	Du	47.1956	68.3235	26.2	721.8	417	56871.	913	0.8	1.7	4.4	2.1	0.4	5.6	21	0.0
38888	0	0	1	0	Du	47.1956	68.3227	26.2	721.8	418	56871.	956	0.8	0.9	4.0	0.1	0.1	5.3	22	0.0
38889	0	0	0	0	Du	47.1956	68.3219	26.2	721.8	420	56871.	986	1.1	3.2	6.7	3.1	0.5	6.4	22	0.0
38891	0	0	0	0	Du	47.1955	68.3204	26.2	721.8	419	56871.	1017	1.1	2.1	4.5	2.0	0.5	4.4	20	0.0
38892	0	0	0	0	Du	47.1955	68.3196	26.2	721.8	416	56870.	1007	1.3	1.4	5.2	1.2	0.3	4.2	31	0.0
38893	0	0	1	0	Du	47.1955	68.3188	26.2	721.7	413	56868.	1061	1.3	0.7	5.3	0.1	0.1	4.3	26	0.0
38894	0	0	1	0	Du	47.1955	68.3180	26.2	721.7	400	56868.	1002	1.1	0.6	6.8	0.1	0.1	6.3	21	0.0
38895	0	0	1	0	Du	47.1955	68.3172	26.2	721.6	384	56868.	952	0.9	0.2	6.1	0.1	0.1	7.3	25	0.0
38896	0	0	1	0	Du	47.1955	68.3165	26.2	721.6	367	56868.	967	0.9	0.3	3.8	0.1	0.1	4.4	19	0.0
38897	0	0	0	0	Du	47.1955	68.3157	26.2	721.5	359	56868.	1002	0.9	1.9	6.0	2.2	0.4	6.9	20	0.0
38898	0	0	1	0	Du	47.1955	68.3149	26.2	721.5	355	56869.	942	1.0	1.0	4.7	0.1	0.1	5.0	13	0.0
38899	0	0	1	0	Du	47.1954	68.3141	26.2	721.4	356	56871.	963	0.9	0.7	5.3	0.1	0.1	6.1	19	0.0
38900	0	0	1	0	Du	47.1954	68.3133	26.2	721.4	358	56871.	921	1.0	0.8	3.5	0.1	0.1	3.6	24	0.0
38901	0	0	0	0	Du	47.1954	68.3125	26.2	721.4	362	56871.	937	0.9	1.5	5.5	1.8	0.3	6.5	30	0.0

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
38902	0	0	0	0	Du	47.1954	68.3118	26.2	721.4	366	56871.	934	1.0	2.1	5.4	2.3	0.4	5.9	18	0.0
38903	0	0	0	0	Du	47.1954	68.3110	26.2	721.4	372	56871.	995	1.1	1.8	5.2	1.6	0.4	4.7	19	0.0
38904	0	0	1	0	Du	47.1954	68.3102	26.2	721.3	379	56872.	934	0.9	-0.1	5.2	0.1	0.1	5.8	32	0.0
38905	0	0	1	0	Du	47.1954	68.3094	26.2	721.3	382	56874.	943	1.1	-0.1	5.0	0.1	0.1	4.7	27	0.0
38906	0	0	1	0	Du	47.1954	68.3086	26.2	721.3	384	56875.	943	1.1	1.0	5.0	0.1	0.1	4.9	22	0.0
38907	0	0	1	0	Du	47.1954	68.3079	26.2	721.3	385	56874.	962	1.1	1.2	5.6	0.1	0.1	5.3	30	0.0
38908	0	0	1	0	Du	47.1953	68.3071	26.2	721.3	393	56873.	954	1.2	0.3	3.5	0.1	0.1	3.1	26	0.0
38909	0	0	0	0	Du	47.1953	68.3063	26.2	721.3	406	56872.	925	0.9	2.0	5.2	2.3	0.4	6.1	18	0.0
38910	0	0	1	0	Du	47.1953	68.3055	26.2	721.4	422	56871.	930	1.0	1.2	2.8	0.1	0.1	2.8	23	0.0
38911	0	0	0	0	Du	47.1953	68.3047	26.2	721.4	431	56871.	923	1.2	1.8	4.7	1.6	0.4	4.1	21	0.0
38912	0	0	0	0	Du	47.1953	68.3039	26.2	721.4	435	56871.	948	1.1	1.5	2.3	1.5	0.7	2.2	26	0.0
38913	0	0	0	0	Du	47.1953	68.3032	26.3	721.8	431	56871.	741	0.8	1.7	3.5	2.1	0.5	4.5	28	0.0
38914	0	0	1	0	Du	47.1953	68.3024	26.3	721.8	430	56871.	807	0.9	0.9	6.4	0.1	0.1	7.5	24	0.0
38915	0	0	1	0	Du	47.1952	68.3016	26.3	721.9	434	56871.	671	0.6	-0.3	4.4	0.1	0.1	7.3	20	0.0
38916	0	0	1	0	Du	47.1952	68.3008	26.3	721.9	439	56870.	592	0.5	-0.2	2.7	0.1	0.1	0.1	28	0.0
38917	0	0	1	0	Du	47.1952	68.3000	26.3	722.0	436	56866.	433	0.5	0.7	1.7	0.1	0.1	0.1	26	0.0
38918	0	0	1	0	Du	47.1952	68.2992	26.3	722.0	428	56865.	377	0.5	0.2	2.9	0.1	0.1	0.1	25	0.0
38919	0	0	1	0	Du	47.1952	68.2986	26.3	722.1	415	56862.	276	0.2	-0.2	1.3	0.1	0.1	0.1	30	0.0
38920	0	1	1	0	Du	47.1953	68.2980	26.3	722.1	407	56862.	284	0.1	0.6	1.9	0.1	0.1	0.1	23	0.0
38921	0	0	1	0	Du	47.1953	68.2973	26.3	722.1	404	56863.	298	0.3	0.1	1.3	0.1	0.1	0.1	27	0.0
38922	0	0	1	0	Du	47.1953	68.2967	26.3	722.2	407	56863.	375	0.3	0.5	1.4	0.1	0.1	0.1	23	0.0
38923	0	0	1	0	Du	47.1953	68.2960	26.3	722.2	408	56863.	480	0.4	1.0	2.2	0.1	0.1	0.1	14	0.0
38924	0	0	1	0	Du	47.1953	68.2954	26.3	722.2	404	56864.	555	0.3	0.2	5.2	0.1	0.1	0.1	20	0.0
38925	0	0	1	0	Du	47.1954	68.2947	26.3	722.2	396	56865.	535	0.7	0.1	2.5	0.1	0.1	4.0	21	0.0
38926	0	0	1	0	Du	47.1954	68.2941	26.3	722.2	387	56866.	527	0.6	0.9	2.8	0.1	0.1	4.8	16	0.0
38927	0	0	0	0	Du	47.1954	68.2934	26.3	722.2	380	56868.	426	0.3	1.2	3.5	0.1	0.4	0.1	15	0.0
38928	0	0	1	0	Du	47.1954	68.2928	26.3	722.2	375	56869.	467	0.3	0.8	1.1	0.1	0.1	0.1	29	0.0
38929	0	0	1	0	Du	47.1954	68.2921	26.3	722.2	371	56869.	499	0.2	0.7	2.9	0.1	0.1	0.1	23	0.0
38930	0	0	1	0	Du	47.1955	68.2915	26.3	722.2	370	56868.	560	0.7	-0.8	4.2	0.1	0.1	6.6	14	0.0
38931	0	0	1	0	Du	47.1955	68.2908	26.3	722.2	376	56866.	665	0.7	0.4	4.4	0.1	0.1	6.6	20	0.0
38932	0	0	1	0	Du	47.1955	68.2902	26.3	722.1	385	56865.	703	0.6	0.6	3.4	0.1	0.1	5.6	18	0.0
38933	0	0	0	0	Du	47.1955	68.2896	26.3	722.1	396	56864.	651	0.6	1.2	2.7	2.2	0.5	5.0	22	0.0
38934	0	0	0	0	Du	47.1955	68.2889	26.3	722.0	402	56865.	643	0.6	1.7	3.9	3.0	0.5	6.8	21	0.0
38935	0	0	0	0	Du	47.1956	68.2883	26.3	721.9	399	56867.	605	0.4	1.4	3.7	0.1	0.4	0.1	22	0.0
38936	0	0	1	0	Du	47.1956	68.2876	26.3	721.8	394	56868.	656	0.5	0.6	2.9	0.1	0.1	0.1	23	0.1
38937	0	0	1	0	Du	47.1956	68.2870	26.3	721.8	387	56867.	596	0.4	1.1	3.6	0.1	0.1	0.1	12	0.1
38938	0	0	1	0	Du	47.1956	68.2863	26.3	721.7	387	56867.	578	0.3	0.8	2.6	0.1	0.1	0.1	32	0.1
38939	0	0	0	0	Du	47.1956	68.2857	26.3	721.6	387	56868.	588	0.4	1.2	3.4	0.1	0.4	0.1	23	0.1
38940	0	0	1	0	Du	47.1957	68.2850	26.3	721.5	389	56868.	614	0.5	1.1	3.5	0.1	0.1	0.1	15	0.1
38941	0	0	1	0	Du	47.1957	68.2844	26.3	721.4	392	56870.	619	0.4	1.0	2.5	0.1	0.1	0.1	22	0.1
38942	0	0	1	0	Du	47.1957	68.2837	26.3	721.3	398	56872.	607	0.5	0.1	4.4	0.1	0.1	0.1	24	0.1
38943	0	0	1	0	Du	47.1957	68.2831	26.3	721.2	407	56872.	765	0.8	0.3	5.4	0.1	0.1	7.4	20	0.1
38944	0	0	0	0	Du	47.1957	68.2824	26.3	721.1	414	56872.	754	0.7	1.4	4.4	2.2	0.4	6.8	26	0.3
38945	0	0	0	0	Du	47.1958	68.2818	26.3	721.0	418	56871.	929	0.9	1.7	4.0	2.0	0.5	4.6	28	0.5
38946	0	0	1	0	Du	47.1958	68.2812	26.3	720.9	418	56870.	1071	1.2	0.8	2.8	0.1	0.1	2.4	25	0.4
38947	0	0	1	0	Du	47.1958	68.2805	26.3	720.8	416	56869.	1166	1.5	0.8	7.9	0.1	0.1	5.6	21	0.4
38948	0	0	1	0	Du	47.1958	68.2799	26.3	720.8	414	56868.	1130	1.4	1.0	6.2	0.1	0.1	4.7	30	0.6
38949	0	0	1	0	Du	47.1958	68.2792	26.3	720.7	412	56867.	1263	1.7	1.4	8.9	0.1	0.1	5.5	17	0.5
38950	0	0	0	0	Du	47.1959	68.2786	26.3	720.7	411	56868.	1303	1.3	1.9	7.4	1.5	0.3	6.1	26	0.5
38951	0	0	0	0	Du	47.1959	68.2779	26.3	720.6	410	56869.	1348	1.5	4.6	7.9	3.2	0.6	5.5	25	0.5

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI			
												CPS	%	PPM	PPM							CPS	CPS
38952	0	0	0	0	DU	47.1959	68.2773	26.3	720.6	409	56870.	1321	1.5	2.1	6.8	1.4	0.3	4.6	27	0.6			
38953	0	0	1	0	DU	47.1959	68.2766	26.3	720.6	405	56867.	1298	1.6	1.3	6.5	0.1	0.1	4.3	27	0.6			
38954	0	0	0	0	DU	47.1959	68.2760	26.3	720.6	410	56863.	1302	1.4	2.1	7.8	1.6	0.3	5.8	17	0.6			
38955	0	0	0	0	DU	47.1960	68.2753	26.3	720.6	412	56862.	1278	1.4	2.0	7.2	1.5	0.3	5.4	13	0.7			
38956	0	0	0	0	DU	47.1960	68.2747	26.3	720.6	414	56863.	1210	1.2	2.2	7.0	1.9	0.4	5.8	23	0.7			
38957	0	0	0	0	DU	47.1960	68.2740	26.3	720.6	416	56864.	1071	0.9	1.6	4.9	1.8	0.4	5.8	21	0.7			
38958	0	0	1	0	DU	47.1960	68.2734	26.3	720.6	415	56863.	1031	1.1	0.6	5.3	0.1	0.1	5.1	19	0.7			
38959	0	0	0	0	DU	47.1960	68.2728	26.3	720.6	411	56862.	957	0.9	1.5	6.8	1.7	0.3	7.8	22	0.8			
38960	0	0	1	0	DU	47.1961	68.2721	26.3	720.6	405	56860.	977	1.2	0.7	5.5	0.1	0.1	4.6	28	0.8			
38961	0	0	0	0	DU	47.1961	68.2714	26.3	720.6	399	56858.	1046	1.4	1.5	4.5	1.2	0.4	3.4	25	0.8			
38962	0	0	0	0	DU	47.1961	68.2708	26.3	720.7	392	56858.	1046	1.1	2.0	5.1	2.0	0.4	4.9	20	0.8			
38963	0	0	1	0	DU	47.1961	68.2705	26.3	720.6	383	56858.	1113	1.3	0.8	8.4	0.1	0.1	6.7	17	0.8			
38964	0	0	0	0	DU	47.1961	68.2702	26.3	720.6	376	56860.	1054	1.3	2.1	4.4	1.7	0.5	3.5	23	0.9			
38965	0	0	1	0	DU	47.1961	68.2699	26.3	720.6	370	56862.	1172	1.2	1.3	6.5	0.1	0.1	5.5	25	0.9			
38966	0	0	0	0	DU	47.1962	68.2696	26.3	720.7	364	56864.	1209	1.4	1.5	7.4	1.1	0.2	5.4	28	1.0			
38967	0	0	1	0	DU	47.1962	68.2693	26.3	720.7	361	56865.	1278	1.4	0.6	9.0	0.1	0.1	6.6	14	1.0			
38968	0	0	1	0	DU	47.1962	68.2690	26.3	720.7	358	56866.	1224	1.4	0.9	5.5	0.1	0.1	4.2	17	1.1			
38969	0	0	0	0	DU	47.1962	68.2687	26.2	720.7	348	56864.	1334	1.5	1.4	5.7	1.0	0.3	3.8	15	1.1			
38970	0	0	0	0	DU	47.1962	68.2684	26.2	720.6	345	56863.	1345	1.6	2.0	6.1	1.3	0.4	3.9	27	1.1			
38971	0	0	0	0	DU	47.1962	68.2681	26.2	720.5	342	56863.	1385	1.7	1.5	8.3	0.9	0.2	5.1	21	1.2			
38972	0	0	0	0	DU	47.1962	68.2677	26.2	720.5	342	56863.	1277	1.3	2.1	7.7	1.7	0.3	6.2	23	1.2			
38973	0	0	1	0	DU	47.1962	68.2674	26.2	720.4	343	56863.	1237	1.6	0.9	8.3	0.1	0.1	5.4	24	1.2			
38974	0	0	0	0	DU	47.1963	68.2671	26.2	720.4	347	56862.	1256	1.5	2.3	6.9	1.6	0.4	4.8	24	1.3			
38975	0	0	0	0	DU	47.1963	68.2668	26.2	720.3	353	56861.	1205	1.1	1.5	5.6	1.4	0.3	5.2	18	1.3			
38976	0	0	1	0	DU	47.1963	68.2665	26.2	720.2	363	56861.	1211	1.4	0.9	7.9	0.1	0.1	5.9	19	1.4			
38977	0	0	0	0	DU	47.1963	68.2662	26.2	720.2	374	56861.	1194	1.5	1.6	5.9	1.1	0.3	3.9	22	1.4			
38978	0	0	1	0	DU	47.1963	68.2659	26.2	720.1	377	56861.	1083	1.0	0.4	5.7	0.1	0.1	5.6	26	1.4			
38979	0	0	0	0	DU	47.1963	68.2656	26.2	720.0	377	56862.	1028	1.1	1.5	5.3	1.4	0.3	5.0	28	1.4			
38980	0	0	0	0	DU	47.1963	68.2653	26.2	720.0	373	56864.	1024	1.2	1.8	3.1	1.4	0.6	2.8	26	1.4			
38981	0	0	0	0	DU	47.1963	68.2650	26.2	720.0	376	56866.	966	0.9	2.3	4.6	2.7	0.6	5.4	25	1.5			
38982	0	0	1	0	DU	47.1964	68.2647	26.2	720.0	377	56869.	896	0.9	-0.3	4.7	0.1	0.1	5.8	22	1.5			
38983	0	0	1	0	DU	47.1964	68.2644	26.1	720.0	380	56870.	897	1.1	0.4	4.2	0.1	0.1	3.8	25	1.5			
38984	0	0	1	0	DU	47.1964	68.2641	26.1	720.0	384	56870.	837	0.8	1.2	5.2	0.1	0.1	7.3	27	1.4			
38985	0	0	1	0	DU	47.1964	68.2638	26.1	720.0	391	56869.	852	0.8	0.6	4.5	0.1	0.1	6.4	22	1.4			
38987	0	0	0	0	DU	47.1964	68.2632	26.1	720.0	397	56870.	910	1.1	1.4	3.2	1.3	0.5	3.1	20	1.4			
38988	0	0	1	0	DU	47.1964	68.2628	26.1	720.0	402	56872.	850	1.0	0.3	3.6	0.1	0.1	3.9	17	1.4			
38989	0	0	1	0	DU	47.1964	68.2626	26.1	720.0	400	56874.	846	0.7	0.7	4.2	0.1	0.1	6.5	28	1.4			
38990	0	0	1	0	DU	47.1965	68.2622	26.1	720.1	396	56874.	856	0.9	0.9	4.9	0.1	0.1	6.1	23	1.4			
38991	0	0	1	0	DU	47.1965	68.2619	26.1	720.1	387	56874.	905	1.0	1.2	4.3	0.1	0.1	4.7	33	1.4			
38992	0	0	1	0	DU	47.1965	68.2616	26.1	720.1	378	56872.	850	0.8	0.4	4.0	0.1	0.1	5.3	18	1.4			
38993	0	0	1	0	DU	47.1965	68.2613	26.1	720.2	369	56871.	826	0.6	0.0	4.1	0.1	0.1	6.8	23	1.4			
38994	0	0	1	0	DU	47.1965	68.2610	26.1	720.2	361	56871.	931	0.9	0.7	4.1	0.1	0.1	4.6	14	1.4			
38995	0	0	0	0	DU	47.1965	68.2607	26.1	720.2	354	56871.	932	0.8	1.3	4.9	1.7	0.3	6.6	24	1.3			
38996	0	0	1	0	DU	47.1965	68.2604	26.1	720.2	347	56869.	1008	1.1	0.9	5.0	0.1	0.1	4.6	19	1.3			
38997	0	0	0	0	DU	47.1965	68.2601	26.1	720.2	343	56868.	1010	1.2	1.3	4.8	1.1	0.3	4.1	16	1.3			
38998	0	0	1	0	DU	47.1966	68.2598	26.1	720.3	348	56867.	1102	1.2	1.0	6.0	0.1	0.1	5.4	24	1.4			
38999	0	0	1	0	DU	47.1966	68.2595	26.1	720.3	357	56868.	1113	1.2	1.0	6.2	0.1	0.1	5.4	29	1.4			
39000	0	0	0	0	DU	47.1966	68.2592	26.1	720.3	366	56869.	1198	1.5	2.2	5.9	1.5	0.4	4.2	17	1.4			
39001	0	0	1	0	DU	47.1966	68.2589	26.1	720.3	370	56870.	1337	1.5	-0.1	6.9	0.1	0.1	4.9	21	1.4			
39002	0	0	0	0	DU	47.1966	68.2586	26.1	720.4	372	56870.	1334	1.3	1.9	8.3	1.5	0.3	6.7	24	1.4			

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
39003	0	0	0	0	Du	47.1966	68.2583	26.1	720.4	372	56870.	1330	1.6	1.5	5.7	1.0	0.3	3.8	17	1.4
39004	0	0	1	0	Du	47.1966	68.2580	26.1	720.4	373	56870.	1326	1.5	0.5	7.1	0.1	0.1	4.8	24	1.4
39005	0	0	1	0	Du	47.1966	68.2576	26.1	720.4	374	56870.	1368	1.6	0.9	6.3	0.1	0.1	4.2	21	1.3
39006	0	0	1	0	Du	47.1967	68.2573	26.1	720.5	377	56872.	1389	1.4	1.2	7.0	0.1	0.1	5.1	21	1.3
39007	0	0	1	0	Du	47.1967	68.2570	26.1	720.5	380	56874.	1223	1.3	1.2	6.2	0.1	0.1	4.8	22	1.3
39008	0	0	0	0	Du	47.1967	68.2567	26.1	720.5	382	56874.	1322	1.2	1.9	5.0	1.6	0.4	4.3	27	1.2
39009	0	0	0	0	Du	47.1967	68.2564	26.1	720.5	385	56873.	1393	1.2	2.4	6.6	2.0	0.4	5.6	17	1.2
39010	0	0	0	0	Du	47.1967	68.2561	26.1	720.6	387	56872.	1376	1.5	1.6	7.4	1.1	0.3	5.0	18	1.2
39011	0	0	0	0	Du	47.1967	68.2559	26.1	720.6	390	56872.	1336	1.3	2.5	5.7	1.9	0.5	4.4	23	1.2
39012	0	0	0	0	Du	47.1967	68.2555	26.1	720.6	389	56872.	1269	1.4	2.0	5.7	1.5	0.4	4.2	20	1.2
39013	0	0	1	0	Du	47.1967	68.2552	26.1	720.6	387	56873.	1111	1.3	0.1	6.1	0.1	0.1	4.9	25	1.2
39014	0	0	1	0	Du	47.1968	68.2549	26.1	720.6	382	56874.	1076	1.3	0.9	6.9	0.1	0.1	5.6	15	1.2
39015	0	0	0	0	Du	47.1968	68.2546	26.1	720.6	378	56875.	1026	1.2	1.6	5.5	1.3	0.3	4.6	28	1.2
39016	0	0	1	0	Du	47.1968	68.2543	26.1	720.6	374	56873.	952	1.2	0.7	4.9	0.1	0.1	4.3	22	1.2
39017	0	C	1	0	Du	47.1968	68.2540	26.1	720.6	374	56872.	968	1.0	0.8	5.8	0.1	0.1	6.3	22	1.2
39018	0	0	1	0	Du	47.1968	68.2537	26.1	720.6	380	56872.	1045	0.8	1.0	6.1	0.1	0.1	7.9	31	1.3
39019	0	0	1	0	Du	47.1968	68.2534	26.1	720.6	389	56872.	1190	1.5	1.1	5.6	0.1	0.1	3.8	28	1.3
39020	0	0	0	0	Du	47.1968	68.2531	26.1	720.6	397	56872.	1221	1.2	2.4	6.8	2.1	0.4	6.0	29	1.3
39021	0	0	1	0	Du	47.1968	68.2528	26.1	720.6	403	56874.	1213	1.4	0.8	5.8	0.1	0.1	4.4	19	1.4
39022	0	0	1	0	Du	47.1969	68.2524	26.1	720.6	407	56875.	1272	1.7	0.8	7.8	0.1	0.1	4.8	25	1.4
39023	0	0	1	0	Du	47.1969	68.2521	26.1	720.6	411	56876.	1282	1.7	0.8	6.5	0.1	0.1	4.0	28	1.5
39024	0	0	1	0	Du	47.1969	68.2518	26.1	720.6	413	56875.	1292	1.6	0.9	7.6	0.1	0.1	4.8	29	1.5
39025	0	0	0	0	Du	47.1969	68.2515	26.1	720.6	414	56875.	1264	1.4	2.0	7.8	1.5	0.3	5.6	26	1.5
39026	0	0	1	0	Du	47.1969	68.2512	26.0	720.9	421	56876.	1315	1.6	1.2	6.9	0.1	0.1	4.6	26	1.6
39027	0	0	0	0	Du	47.1969	68.2509	26.0	721.0	425	56877.	1285	1.4	1.9	9.2	1.5	0.3	7.0	23	1.4
39028	0	0	1	0	Du	47.1969	68.2506	26.0	721.1	430	56877.	1395	1.5	1.4	7.9	0.1	0.1	5.6	17	1.3
39029	0	0	1	0	Du	47.1969	68.2503	26.0	721.1	433	56878.	1326	1.4	0.8	7.1	0.1	0.1	5.3	20	1.2
39030	0	0	0	0	Du	47.1970	68.2500	26.0	721.2	436	56878.	1310	1.8	1.8	8.3	1.0	0.3	4.8	19	1.0
39031	0	0	0	0	Du	47.1970	68.2497	26.0	721.3	439	56879.	1342	1.4	2.1	7.6	1.5	0.3	5.6	28	0.9
39032	0	0	0	0	Du	47.1970	68.2494	26.1	721.3	443	56880.	1316	1.5	1.6	6.4	1.1	0.3	4.2	27	0.8
39033	0	0	1	0	Du	47.1970	68.2491	26.1	721.4	445	56880.	1259	1.3	1.0	8.3	0.1	0.1	6.6	26	0.6
39034	0	0	0	0	Du	47.1970	68.2488	26.1	721.5	448	56879.	1288	1.6	1.8	7.5	1.2	0.3	4.9	28	0.5
39035	0	0	0	0	Du	47.1970	68.2485	26.1	721.6	452	56876.	1274	1.6	1.6	6.3	1.1	0.3	4.1	28	0.3
39036	0	0	0	0	Du	47.1970	68.2482	26.1	721.7	455	56875.	1246	1.5	2.0	7.4	1.4	0.3	5.2	15	0.4
39037	0	0	1	0	Du	47.1970	68.2479	26.1	721.8	457	56875.	1314	1.6	1.4	6.1	0.1	0.1	3.9	23	0.5
39038	0	0	1	0	Du	47.1971	68.2476	26.1	721.9	457	56874.	1163	1.4	0.5	6.2	0.1	0.1	4.6	26	0.5
39039	0	0	1	0	Du	47.1971	68.2472	26.1	721.9	459	56875.	1166	1.5	-0.2	5.0	0.1	0.1	3.5	23	0.6
39040	0	0	1	0	Du	47.1971	68.2466	26.1	722.0	460	56877.	1045	1.2	1.3	5.6	0.1	0.1	5.0	27	0.6
39041	0	0	1	0	Du	47.1971	68.2460	26.1	722.1	461	56878.	805	0.7	-0.5	5.6	0.1	0.1	8.3	24	0.6
39042	0	0	0	0	Du	47.1971	68.2454	26.1	722.2	459	56876.	517	0.5	1.4	4.4	0.1	0.3	0.1	26	0.6
39043	0	0	1	0	Du	47.1971	68.2448	26.1	722.3	457	56874.	381	0.5	-0.2	2.4	0.1	0.1	0.1	24	0.6
39044	0	0	1	0	Du	47.1971	68.2442	26.1	722.4	454	56873.	276	0.3	-0.2	1.9	0.1	0.1	0.1	24	0.6
39045	0	C	1	0	Du	47.1971	68.2436	26.1	722.6	450	56873.	183	0.3	-0.1	1.3	0.1	0.1	0.1	33	0.6
39046	0	1	1	1	Water	47.1971	68.2430	26.1	722.7	447	56873.	154	0.2	0.2	1.3	0.1	0.1	0.1	26	0.6
39047	0	0	1	1	Water	47.1971	68.2423	26.1	722.8	444	56871.	81	0.3	-0.1	-0.1	0.1	0.1	0.1	27	0.6
39048	0	0	1	0	Water	47.1971	68.2417	26.1	722.9	443	56872.	65	0.2	-0.2	1.2	0.1	0.1	0.1	22	0.6
39049	0	1	1	1	Water	47.1971	68.2411	26.1	723.1	440	56877.	61	0.2	-0.5	0.6	0.1	0.1	0.1	28	0.5
39050	0	1	1	1	Water	47.1971	68.2405	26.1	723.2	436	56881.	41	0.1	-0.5	-0.2	0.1	0.1	0.1	22	0.5
39051	0	1	1	1	Water	47.1971	68.2399	26.1	723.3	429	56883.	53	0.2	-0.3	-0.6	0.1	0.1	0.1	25	0.5
39052	0	1	1	0	Water	47.1971	68.2393	26.1	723.5	419	56885.	49	0.1	0.3	1.4	0.1	0.1	0.1	32	0.7

*** NOTE *** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI			
												CPS	%	PPM	PPM							CPS	CPS
39053	0	1	1	1	Water	47.1971	68.2387	26.1	723.6	408	56887.	28	0.1	-0.2	0.0	0.1	0.1	0.1	14	0.7			
39054	0	0	1	1	Water	47.1971	68.2381	26.1	723.7	397	56887.	-9	0.2	-0.6	-0.2	0.1	0.1	0.1	20	0.7			
39055	0	1	1	1	Water	47.1971	68.2375	26.1	723.8	387	56887.	-8	0.1	-0.5	-0.1	0.1	0.1	0.1	25	0.6			
39056	0	1	1	1	Water	47.1971	68.2368	26.1	723.9	379	56888.	-40	0.0	-0.1	-0.1	0.1	0.1	0.1	16	0.6			
39057	0	1	1	1	Water	47.1971	68.2362	26.1	724.0	372	56888.	19	0.2	0.1	0.0	0.1	0.1	0.1	22	0.6			
39058	0	1	1	1	Water	47.1971	68.2356	26.1	724.0	367	56888.	4	0.0	-0.1	0.2	0.1	0.1	0.1	26	0.6			
39059	0	1	1	1	Water	47.1971	68.2350	26.1	724.1	362	56889.	-17	0.0	-0.4	0.1	0.1	0.1	0.1	24	0.6			
39060	0	1	1	1	Water	47.1971	68.2344	26.1	724.2	358	56888.	-29	0.0	0.0	-0.3	0.1	0.1	0.1	23	0.6			
39061	0	1	1	1	Water	47.1971	68.2339	26.1	724.2	353	56887.	-12	0.0	-0.6	0.4	0.1	0.1	0.1	21	0.4			
39062	0	1	1	0	Water	47.1971	68.2332	26.1	724.3	348	56888.	-18	0.1	0.4	1.2	0.1	0.1	0.1	24	0.2			
39063	0	1	1	1	Water	47.1971	68.2326	26.1	724.3	344	56888.	-24	0.1	-0.1	-0.1	0.1	0.1	0.1	24	0.0			
39064	0	1	1	1	Water	47.1971	68.2319	26.1	724.3	342	56888.	-34	0.1	-0.1	-0.4	0.1	0.1	0.1	11	0.0			
39065	0	1	1	1	Water	47.1971	68.2313	26.1	724.3	341	56887.	-29	0.0	-0.2	0.3	0.1	0.1	0.1	28	0.0			
39066	0	1	1	1	Water	47.1971	68.2307	26.1	724.3	342	56886.	-15	0.1	0.0	0.1	0.1	0.1	0.1	28	0.0			
39067	0	1	1	1	Water	47.1971	68.2301	26.1	724.4	343	56885.	-17	0.0	0.1	0.1	0.1	0.1	0.1	17	0.0			
39068	0	1	1	1	Water	47.1971	68.2295	26.1	724.4	346	56885.	-19	0.0	-0.2	-0.4	0.1	0.1	0.1	13	0.0			
39069	0	1	1	1	Water	47.1971	68.2289	26.1	724.4	348	56885.	-7	0.0	0.2	0.7	0.1	0.1	0.1	19	0.0			
39070	0	1	1	1	Water	47.1971	68.2283	26.1	724.4	350	56886.	-53	0.0	-0.7	0.5	0.1	0.1	0.1	20	0.0			
39071	0	1	1	1	Water	47.1971	68.2277	26.1	724.4	351	56887.	-58	0.0	-0.7	0.7	0.1	0.1	0.1	28	0.0			
39072	0	1	1	1	Water	47.1971	68.2271	26.1	724.4	351	56885.	-37	0.0	-0.5	0.8	0.1	0.1	0.1	24	0.0			
39073	0	1	1	1	Water	47.1971	68.2264	26.1	724.4	351	56884.	-48	0.1	-0.2	-0.3	0.1	0.1	0.1	24	0.0			
39074	0	1	1	1	Water	47.1971	68.2258	26.1	724.4	352	56883.	-55	0.0	-0.6	0.5	0.1	0.1	0.1	24	0.0			
39075	0	1	1	1	Water	47.1971	68.2252	26.1	724.4	354	56881.	-68	0.0	-0.1	-0.1	0.1	0.1	0.1	18	0.0			
39076	0	1	1	1	Water	47.1971	68.2246	26.1	724.4	357	56881.	-41	0.1	-0.3	-0.1	0.1	0.1	0.1	28	0.0			
39077	0	1	1	1	Water	47.1971	68.2240	26.1	724.4	359	56882.	-23	0.0	-0.2	0.0	0.1	0.1	0.1	34	0.0			
39078	0	1	1	1	Water	47.1971	68.2234	26.1	724.4	359	56882.	-51	0.1	-0.4	0.3	0.1	0.1	0.1	19	0.0			
39079	0	1	1	1	Water	47.1971	68.2228	26.1	724.4	358	56881.	-27	0.2	0.0	0.8	0.1	0.1	0.1	33	0.0			
39080	0	1	1	1	Water	47.1971	68.2222	26.1	724.4	357	56879.	-58	0.0	-0.8	-0.1	0.1	0.1	0.1	22	0.0			
39082	0	1	1	1	Water	47.1971	68.2209	26.1	724.4	356	56878.	-49	0.1	-0.3	-0.6	0.1	0.1	0.1	21	0.0			
39083	0	1	1	1	Water	47.1971	68.2203	26.2	724.4	352	56876.	-32	0.1	0.1	-0.5	0.1	0.1	0.1	25	0.0			
39084	0	1	1	1	Water	47.1971	68.2197	26.2	724.4	351	56875.	-24	0.0	0.1	0.3	0.1	0.1	0.1	16	0.0			
39085	0	1	1	1	Water	47.1971	68.2191	26.2	724.3	351	56875.	-24	0.0	-0.4	0.4	0.1	0.1	0.1	27	0.0			
39086	0	1	1	1	Water	47.1971	68.2185	26.2	724.3	352	56877.	-62	0.1	-0.4	-0.5	0.1	0.1	0.1	23	0.0			
39087	0	0	1	1	Water	47.1971	68.2179	26.2	724.3	354	56880.	-12	0.2	0.0	0.1	0.1	0.1	0.1	25	0.0			
39088	0	1	1	1	Water	47.1971	68.2173	26.2	724.3	355	56881.	-21	0.0	0.5	0.2	0.1	0.1	0.1	22	0.0			
39089	0	1	1	1	Water	47.1971	68.2167	26.2	724.2	358	56883.	-33	0.0	0.2	-0.3	0.1	0.1	0.1	11	0.0			
39090	0	1	1	1	Water	47.1971	68.2160	26.2	724.2	361	56883.	0	0.1	-0.1	0.0	0.1	0.1	0.1	21	0.0			
39091	0	1	1	1	Water	47.1971	68.2154	26.2	724.2	364	56881.	-54	0.1	-0.3	-0.5	0.1	0.1	0.1	22	0.0			
39092	0	1	1	1	Water	47.1971	68.2149	26.2	724.3	367	56880.	-20	0.0	0.1	-0.1	0.1	0.1	0.1	29	0.0			
39093	0	1	1	1	Water	47.1971	68.2142	26.2	724.3	369	56876.	-49	0.0	-0.7	0.8	0.1	0.1	0.1	32	0.0			
39094	0	1	1	1	Water	47.1971	68.2136	26.2	724.3	371	56869.	-28	0.1	-0.3	-0.3	0.1	0.1	0.1	32	0.0			
39095	0	1	1	1	Water	47.1971	68.2130	26.2	724.3	372	56860.	-26	0.1	0.1	-0.3	0.1	0.1	0.1	17	0.0			
39096	0	1	1	1	Water	47.1971	68.2124	26.2	724.3	374	56856.	-25	0.1	0.1	-0.4	0.1	0.1	0.1	21	0.0			
39097	0	1	1	1	Water	47.1971	68.2118	26.2	724.4	375	56857.	-26	0.1	-0.2	0.1	0.1	0.1	0.1	24	0.0			
39098	0	1	1	1	Water	47.1971	68.2112	26.2	724.4	376	56861.	-14	0.0	-0.1	0.7	0.1	0.1	0.1	17	0.0			
39099	0	1	1	0	Water	47.1971	68.2105	26.2	724.4	376	56864.	-10	0.0	-0.9	1.3	0.1	0.1	0.1	24	0.0			
39100	0	1	1	1	Water	47.1971	68.2099	26.2	724.4	375	56867.	-56	0.0	0.0	0.3	0.1	0.1	0.1	20	0.0			
39101	0	1	1	1	Water	47.1971	68.2093	26.2	724.4	374	56870.	-29	0.0	-0.4	-0.2	0.1	0.1	0.1	27	0.0			
39102	0	1	1	1	Water	47.1971	68.2087	26.2	724.3	374	56872.	8	0.0	-0.2	0.2	0.1	0.1	0.1	25	0.0			
39103	0	1	1	1	Water	47.1971	68.2081	26.2	724.3	374	56875.	25	-0.1	-0.1	0.6	0.1	0.1	0.1	16	0.0			

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
39104	0	1	1	0	Water	47.1971	68.2075	26.2	724.2	375	56878.	123	0.1	0.0	1.1	0.1	0.1	0.1	27	0.0
39105	0	1	1	0	SU	47.1971	68.2069	26.2	724.2	377	56882.	242	0.2	-0.1	1.7	0.1	0.1	0.1	26	0.0
39106	0	0	1	0	SU	47.1971	68.2062	26.2	724.1	380	56884.	339	0.3	0.1	1.4	0.1	0.1	0.1	18	0.0
39107	0	0	1	0	SU	47.1971	68.2056	26.2	724.0	384	56887.	524	0.7	-0.1	3.7	0.1	0.1	5.5	28	0.0
39108	0	0	1	0	SU	47.1971	68.2050	26.2	723.9	382	56890.	656	0.8	1.0	2.7	0.1	0.1	3.6	24	0.0
39109	0	0	1	0	SU	47.1971	68.2045	26.2	723.8	376	56893.	679	0.5	0.8	4.0	0.1	0.1	0.1	20	0.0
39110	0	0	1	0	SU	47.1971	68.2039	26.2	723.7	369	56894.	737	0.8	0.8	4.9	0.1	0.1	6.7	26	0.0
39111	0	0	1	0	SU	47.1971	68.2033	26.2	723.6	367	56893.	699	0.7	0.9	3.3	0.1	0.1	5.3	28	0.0
39112	0	0	0	0	SU	47.1971	68.2027	26.2	723.5	372	56893.	717	0.6	1.1	3.3	2.0	0.4	5.7	20	0.0
39113	0	0	0	0	SU	47.1970	68.2022	26.2	723.4	379	56893.	630	0.6	1.8	3.7	3.1	0.5	6.5	28	0.0
39114	0	0	1	0	SU	47.1970	68.2016	26.2	723.4	386	56892.	715	0.6	-0.3	3.3	0.1	0.1	5.5	19	0.0
39115	0	0	0	0	SU	47.1970	68.2010	26.2	723.3	391	56891.	643	0.5	1.3	2.4	0.1	0.6	0.1	20	0.0
39116	0	0	1	0	SU	47.1970	68.2005	26.2	723.2	398	56891.	571	0.5	0.3	2.4	0.1	0.1	0.1	29	0.0
39117	0	0	1	0	SU	47.1970	68.1999	26.2	723.1	400	56891.	551	0.5	0.8	1.6	0.1	0.1	0.1	30	0.0
39118	0	0	0	0	SU	47.1970	68.1993	26.2	723.0	403	56889.	529	0.5	1.5	2.2	0.1	0.8	0.1	24	0.0
39119	0	0	1	0	SU	47.1970	68.1987	26.2	722.9	401	56886.	459	0.4	-0.1	1.9	0.1	0.1	0.1	19	0.0
39120	0	0	1	0	SU	47.1970	68.1982	26.2	722.9	404	56883.	544	0.6	0.4	2.5	0.1	0.1	4.5	23	0.0
39121	0	0	1	0	SU	47.1969	68.1976	26.2	722.8	402	56883.	539	0.4	0.4	4.2	0.1	0.1	0.1	21	0.0
39122	0	0	1	0	SU	47.1969	68.1970	26.2	722.7	401	56882.	695	0.9	0.7	2.6	0.1	0.1	3.0	18	0.0
39123	0	0	1	0	SU	47.1969	68.1965	26.2	722.6	398	56881.	671	0.7	0.0	5.2	0.1	0.1	8.3	28	0.0
39124	0	0	1	0	SU	47.1969	68.1959	26.2	722.5	398	56881.	784	0.9	-0.5	3.4	0.1	0.1	3.7	19	0.0
39125	0	0	1	0	SU	47.1969	68.1953	26.2	722.3	400	56881.	723	0.7	-0.2	5.5	0.1	0.1	8.2	24	0.0
39126	0	0	1	0	SU	47.1969	68.1947	26.2	722.2	404	56881.	772	0.8	1.0	3.9	0.1	0.1	5.5	26	0.0
39127	0	0	1	0	SU	47.1969	68.1942	26.2	722.1	406	56882.	753	0.8	1.1	4.3	0.1	0.1	6.0	24	0.0
39128	0	0	0	0	SU	47.1969	68.1936	26.2	722.1	407	56883.	824	1.0	1.5	4.5	1.5	0.4	4.6	27	0.0
39129	0	0	0	0	SU	47.1968	68.1930	26.2	722.0	406	56883.	846	0.8	1.9	3.3	2.6	0.6	4.4	19	0.0
39130	0	0	0	0	SU	47.1968	68.1925	26.2	722.0	405	56883.	834	0.8	1.4	4.2	2.0	0.4	5.9	20	0.0
39131	0	0	1	0	Oml	47.1968	68.1919	26.2	721.9	403	56882.	810	0.9	0.6	4.6	0.1	0.1	5.4	19	0.0
39132	0	0	1	0	Oml	47.1968	68.1913	26.2	721.9	403	56881.	783	0.6	0.6	4.6	0.1	0.1	7.8	22	0.0
39133	0	0	0	0	Oml	47.1968	68.1908	26.2	721.8	407	56881.	799	0.6	1.6	4.9	2.7	0.4	8.1	23	0.0
39134	0	0	1	0	Oml	47.1968	68.1902	26.2	721.8	413	56881.	838	0.9	0.8	3.7	0.1	0.1	4.2	20	0.0
39135	0	0	1	0	Oml	47.1968	68.1896	26.2	721.8	416	56881.	837	0.6	0.0	5.3	0.1	0.1	8.7	25	0.0
39136	0	0	1	0	Oml	47.1968	68.1890	26.2	721.7	417	56880.	846	0.8	1.0	5.3	0.1	0.1	7.5	22	0.0
39137	0	0	0	0	Oml	47.1967	68.1885	26.2	721.8	416	56879.	856	0.7	1.3	2.9	2.0	0.5	4.5	25	0.0
39138	0	0	0	0	Oml	47.1967	68.1879	26.2	721.8	416	56879.	835	0.7	1.6	3.2	2.5	0.5	5.0	29	0.0
39139	0	0	1	0	Oml	47.1967	68.1873	25.9	719.3	424	56880.	859	1.1	0.6	3.8	0.1	0.1	3.7	28	0.0
39140	0	0	0	0	Oml	47.1967	68.1868	25.9	719.0	427	56881.	917	1.0	1.5	5.3	1.6	0.3	5.6	17	0.0
39141	0	0	0	0	Oml	47.1967	68.1862	25.9	718.7	430	56880.	949	1.1	1.9	4.6	1.9	0.5	4.5	15	0.0
39142	0	0	1	0	Oml	47.1967	68.1856	25.9	718.4	430	56880.	985	1.0	0.9	5.0	0.1	0.1	5.2	22	0.0
39143	0	0	1	0	Oml	47.1967	68.1851	25.9	718.0	429	56881.	970	0.9	1.0	3.6	0.1	0.1	4.4	22	0.0
39144	0	0	0	0	Oml	47.1966	68.1845	25.9	717.7	429	56880.	984	0.9	1.6	4.3	1.8	0.4	4.8	26	0.0
39145	0	0	0	0	Oml	47.1966	68.1839	25.9	717.3	429	56881.	1042	1.1	2.1	3.2	2.1	0.7	3.1	24	0.0
39146	0	0	1	0	Oml	47.1966	68.1833	25.9	716.9	428	56883.	1048	1.4	0.8	4.8	0.1	0.1	3.7	22	0.0
39147	0	0	1	0	Oml	47.1966	68.1828	25.9	716.6	427	56884.	955	0.9	1.3	6.5	0.1	0.1	7.4	24	0.0
39148	0	0	1	0	Oml	47.1966	68.1822	25.8	716.2	425	56883.	1025	1.1	0.6	6.3	0.1	0.1	6.0	24	0.0
39149	0	0	1	0	Oml	47.1966	68.1816	25.8	715.9	422	56882.	980	1.3	0.5	4.2	0.1	0.1	3.4	25	0.0
39150	0	0	1	0	Oml	47.1966	68.1810	25.8	715.5	418	56881.	893	1.2	0.2	4.4	0.1	0.1	3.9	22	0.0
39151	0	0	1	0	Oml	47.1966	68.1805	25.8	715.1	412	56880.	921	0.8	0.2	4.8	0.1	0.1	6.1	19	0.0
39152	0	0	1	0	Oml	47.1965	68.1799	25.8	714.9	404	56882.	1010	1.1	0.3	5.2	0.1	0.1	4.7	26	0.0
39153	0	0	1	0	Oml	47.1965	68.1793	25.8	714.6	393	56885.	888	0.9	0.4	4.7	0.1	0.1	5.7	27	0.0

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
39154	0	0	1	0	Oml	47.1965	68.1788	25.8	714.3	382	56886.	857	0.9	0.7	3.6	0.1	0.1	4.1	23	0.0
39155	0	0	1	0	Oml	47.1965	68.1782	25.8	714.1	373	56886.	857	1.0	0.9	4.0	0.1	0.1	4.2	34	0.0
39156	0	0	1	0	Oml	47.1965	68.1776	25.8	713.8	368	56887.	841	1.0	0.2	5.0	0.1	0.1	5.1	28	0.0
39157	0	0	1	0	Oml	47.1965	68.1771	25.8	713.6	365	56888.	849	1.1	0.7	5.0	0.1	0.1	4.9	28	0.0
39158	0	0	1	0	Oml	47.1965	68.1765	25.8	713.4	366	56888.	795	0.9	0.8	3.8	0.1	0.1	4.7	21	0.0
39159	0	0	1	0	Oml	47.1964	68.1759	25.8	713.2	367	56888.	880	0.9	0.4	4.5	0.1	0.1	5.3	32	0.0
39160	0	0	1	0	Oml	47.1964	68.1753	25.8	713.0	371	56886.	902	1.0	0.2	5.8	0.1	0.1	6.1	21	0.0
39161	0	0	1	0	Oml	47.1964	68.1748	25.8	712.8	376	56884.	871	1.0	1.1	4.1	0.1	0.1	4.5	21	0.0
39162	0	0	1	0	Oml	47.1964	68.1742	25.8	712.6	384	56883.	875	0.7	0.3	6.5	0.1	0.1	9.4	32	0.0
39163	0	0	1	0	Oml	47.1964	68.1736	25.8	712.5	395	56884.	894	0.9	0.6	5.9	0.1	0.1	7.1	13	0.0
39164	0	0	0	0	Oml	47.1964	68.1731	25.7	712.3	408	56884.	873	0.8	1.8	4.9	2.4	0.4	6.7	28	0.0
39165	0	0	1	0	Oml	47.1964	68.1725	25.7	712.2	422	56885.	818	0.9	0.7	2.7	0.1	0.1	3.0	23	0.0
39166	0	0	1	0	Oml	47.1964	68.1719	25.7	712.0	436	56885.	898	1.0	1.0	3.3	0.1	0.1	3.3	20	0.0
39167	0	0	1	0	Oml	47.1964	68.1713	25.7	711.9	448	56886.	873	1.1	1.0	4.1	0.1	0.1	3.7	23	0.0
39168	0	0	1	0	Oml	47.1963	68.1708	25.7	711.8	456	56885.	811	1.1	0.7	3.8	0.1	0.1	3.7	28	0.0
39169	0	0	0	0	Oml	47.1963	68.1702	25.7	711.7	460	56883.	767	0.7	2.1	2.6	3.0	0.9	3.7	27	0.0
39170	0	0	1	0	Oml	47.1963	68.1696	25.7	711.6	462	56882.	780	0.9	0.2	3.3	0.1	0.1	3.9	27	0.0
39171	0	0	1	0	Oml	47.1963	68.1691	25.7	711.5	463	56883.	785	1.0	0.9	4.2	0.1	0.1	4.5	16	0.0
39172	0	0	1	0	Oml	47.1963	68.1685	25.7	711.4	463	56884.	816	0.7	-0.2	3.6	0.1	0.1	5.1	19	0.0
39173	0	0	1	0	Oml	47.1963	68.1679	25.7	711.2	460	56885.	781	0.7	1.0	4.3	0.1	0.1	6.2	16	0.0
39174	0	0	1	0	Oml	47.1963	68.1674	25.7	711.2	453	56885.	849	0.7	1.3	3.4	0.1	0.1	5.2	22	0.0
39175	0	0	1	0	Oml	47.1962	68.1668	25.7	711.1	447	56885.	830	0.8	0.2	7.2	0.1	0.1	9.5	23	0.0
39176	0	0	1	0	Oml	47.1962	68.1662	25.7	711.0	444	56885.	860	0.8	0.7	5.6	0.1	0.1	7.2	19	0.0
39178	0	0	1	0	Oml	47.1962	68.1651	25.7	710.9	441	56884.	870	0.6	1.2	6.2	0.1	0.1	10.6	27	0.0
39179	0	0	1	0	Oml	47.1962	68.1645	25.7	710.9	439	56884.	872	1.0	0.5	4.0	0.1	0.1	4.3	19	0.0
39180	0	0	1	0	Oml	47.1962	68.1639	25.7	710.9	436	56885.	941	1.0	1.2	3.2	0.1	0.1	3.3	35	0.0
39181	0	0	0	0	Oml	47.1962	68.1634	25.7	710.9	438	56884.	938	0.9	1.7	5.7	2.0	0.3	6.9	26	0.0
39182	0	0	0	0	Oml	47.1961	68.1628	25.7	710.9	444	56884.	886	0.9	2.5	3.0	3.0	0.9	3.5	19	0.0
39183	0	0	1	0	Oml	47.1961	68.1622	25.7	711.0	451	56885.	941	1.0	1.4	5.9	0.1	0.1	6.0	33	0.0
39184	0	0	1	0	Oml	47.1961	68.1617	25.7	711.0	459	56887.	925	1.0	-0.4	6.6	0.1	0.1	6.8	19	0.0
39185	0	0	1	0	Oml	47.1961	68.1611	25.7	711.1	467	56888.	1001	1.0	0.4	5.9	0.1	0.1	6.2	21	0.0
39186	0	0	1	0	Oml	47.1961	68.1605	25.7	711.1	477	56887.	999	1.2	0.4	6.2	0.1	0.1	5.5	16	0.0
39187	0	0	1	0	Oml	47.1961	68.1599	25.7	711.1	483	56886.	1034	0.9	0.6	4.3	0.1	0.1	4.8	29	0.0
39188	0	0	1	0	Oml	47.1961	68.1594	25.7	711.2	488	56884.	1003	1.0	1.3	5.0	0.1	0.1	5.0	28	0.0
39189	0	0	1	0	Oml	47.1961	68.1588	25.7	711.2	490	56881.	1011	1.2	0.2	7.0	0.1	0.1	6.1	25	0.0
39190	0	0	1	0	Oml	47.1960	68.1582	25.7	711.3	487	56879.	1017	1.0	1.1	5.1	0.1	0.1	5.5	25	0.0
39191	0	0	0	0	Oml	47.1960	68.1576	25.7	711.3	477	56877.	1071	1.0	1.9	5.4	2.0	0.4	5.7	22	0.0
39192	0	0	0	0	Oml	47.1960	68.1571	25.7	711.4	462	56876.	1079	1.0	2.2	5.8	2.3	0.4	6.0	24	0.0
39193	0	0	1	0	Oml	47.1960	68.1565	25.7	711.4	449	56876.	1060	1.3	0.8	5.5	0.1	0.1	4.3	25	0.1
39194	0	0	1	0	Oml	47.1960	68.1559	25.7	711.5	444	56876.	1099	1.3	0.1	7.1	0.1	0.1	5.6	30	0.4
39195	0	0	1	0	Oml	47.1960	68.1554	25.7	711.4	442	56876.	1054	1.3	0.5	7.6	0.1	0.1	6.0	25	0.6
39196	0	0	1	0	Oml	47.1960	68.1548	25.5	713.6	442	56876.	1066	1.3	-0.7	4.5	0.1	0.1	3.7	25	0.8
39197	0	0	1	0	Oml	47.1960	68.1542	25.5	713.7	448	56876.	1062	1.1	0.8	5.0	0.1	0.1	4.7	38	0.9
39198	0	0	1	0	Oml	47.1960	68.1537	25.5	713.9	454	56876.	918	1.1	0.8	3.8	0.1	0.1	3.6	32	0.9
39199	0	0	1	0	Oml	47.1960	68.1532	25.5	714.0	457	56877.	959	0.3	0.1	4.1	0.1	0.1	5.3	27	0.9
39200	0	0	0	0	Oml	47.1960	68.1527	25.5	714.1	457	56879.	931	1.1	1.5	4.1	1.4	0.4	3.7	25	1.0
39201	0	0	1	0	Oml	47.1960	68.1522	25.5	714.1	457	56879.	815	0.7	0.8	2.3	0.1	0.1	3.3	23	1.1
39202	0	0	0	0	Oml	47.1960	68.1517	25.5	714.2	456	56879.	758	0.8	1.6	4.5	2.2	0.4	6.3	27	1.1
39203	0	0	1	0	Oml	47.1960	68.1512	25.5	714.2	455	56879.	749	0.9	-0.1	3.5	0.1	0.1	4.4	20	1.2
39204	0	0	1	0	Oml	47.1960	68.1507	25.5	714.3	453	56880.	709	1.0	-0.1	4.4	0.1	0.1	4.5	20	1.2

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
39205	0	0	1	0	Oml	47.1960	68.1502	25.5	714.3	450	56880.	747	0.9	0.0	5.4	0.1	0.1	6.1	27	1.3
39206	0	0	1	0	Oml	47.1960	68.1497	25.5	714.4	449	56882.	802	0.8	0.4	4.4	0.1	0.1	6.1	16	1.3
39207	0	0	1	0	Oml	47.1960	68.1492	25.5	714.4	449	56882.	884	0.9	0.8	4.8	0.1	0.1	5.6	19	1.4
39208	0	0	1	0	Oml	47.1960	68.1487	25.5	714.4	450	56885.	892	1.0	0.6	3.5	0.1	0.1	3.5	21	1.4
39209	0	0	1	0	Oml	47.1960	68.1482	25.5	714.4	449	56887.	883	1.0	0.9	6.0	0.1	0.1	6.5	22	1.5
39210	0	0	1	0	Oml	47.1960	68.1477	25.5	714.3	448	56888.	900	0.8	0.9	4.3	0.1	0.1	6.1	18	1.6
39211	0	0	0	0	Oml	47.1960	68.1472	25.5	714.3	449	56889.	899	0.7	1.8	6.1	2.6	0.3	8.9	22	1.7
39212	0	0	1	0	Oml	47.1960	68.1467	25.5	714.3	450	56890.	884	0.8	0.1	4.9	0.1	0.1	6.3	30	1.7
39213	0	0	1	0	Oml	47.1960	68.1462	25.5	714.3	449	56889.	901	1.1	0.3	4.1	0.1	0.1	3.9	23	1.8
39214	U	U	1	0	Oml	47.1960	68.1457	25.5	714.3	443	56887.	1008	1.1	1.2	6.3	0.1	0.1	5.8	29	1.8
39215	0	0	1	0	Oml	47.1960	68.1452	25.5	714.3	434	56886.	885	1.2	0.5	2.6	0.1	0.1	2.2	27	1.9
39216	0	0	1	0	Oml	47.1960	68.1447	25.5	714.3	424	56885.	965	0.9	1.1	4.2	0.1	0.1	5.1	26	1.9
39217	0	0	1	0	Oml	47.1960	68.1442	25.5	714.2	415	56886.	984	0.9	0.1	6.6	0.1	0.1	7.3	18	1.9
39218	0	0	1	0	Oml	47.1960	68.1437	25.5	714.2	408	56887.	950	0.9	1.3	6.6	0.1	0.1	7.4	29	2.0
39219	0	0	0	0	Oml	47.1960	68.1432	25.5	714.2	402	56888.	1042	1.1	2.0	4.2	1.9	0.5	3.9	27	2.0
39220	0	0	1	0	Oml	47.1960	68.1427	25.5	714.1	396	56888.	1074	1.0	0.1	5.6	0.1	0.1	5.8	24	2.0
39221	0	0	1	0	Oml	47.1960	68.1422	25.5	714.1	393	56889.	1027	1.1	1.0	6.8	0.1	0.1	6.5	30	2.1
39222	0	0	1	0	Oml	47.1960	68.1417	25.5	714.1	393	56889.	960	1.1	0.9	6.0	0.1	0.1	5.8	22	2.1
39223	0	0	1	0	Oml	47.1960	68.1412	25.5	714.1	398	56889.	1041	1.1	1.0	4.9	0.1	0.1	4.6	27	2.2
39224	0	0	1	0	Oml	47.1960	68.1407	25.5	714.1	410	56888.	984	1.2	0.2	5.5	0.1	0.1	4.8	21	2.2
39225	0	0	1	0	Oml	47.1960	68.1402	25.5	714.1	424	56887.	999	1.1	0.5	7.6	0.1	0.1	7.2	18	2.2
39226	0	0	1	0	Oml	47.1960	68.1397	25.5	714.1	440	56887.	952	0.9	-0.9	6.4	0.1	0.1	7.1	25	2.1
39227	0	0	1	0	Oml	47.1961	68.1392	25.5	714.2	452	56888.	886	1.1	1.4	3.8	0.1	0.1	3.6	23	2.1
39228	0	0	1	0	Oml	47.1961	68.1387	25.5	714.2	462	56887.	868	1.1	0.9	3.9	0.1	0.1	3.8	19	2.1
39229	0	0	1	0	Oml	47.1961	68.1382	25.5	714.3	466	56886.	780	0.9	-0.6	6.0	0.1	0.1	7.3	22	2.1
39230	0	0	1	0	Oml	47.1961	68.1377	25.5	714.3	465	56887.	788	0.9	-0.2	5.1	0.1	0.1	6.0	21	2.1
39231	0	0	1	0	Oml	47.1961	68.1372	25.4	714.4	460	56889.	817	1.1	0.5	3.6	0.1	0.1	3.4	20	2.0
39232	0	0	1	0	Oml	47.1961	68.1367	25.4	714.5	458	56890.	799	0.8	0.9	4.3	0.1	0.1	5.5	24	1.9
39233	0	0	1	0	Oml	47.1961	68.1362	25.4	714.6	451	56890.	800	0.9	0.2	4.7	0.1	0.1	5.9	17	1.9
39234	0	0	1	0	Oml	47.1961	68.1357	25.4	714.7	449	56890.	851	0.9	-0.4	5.5	0.1	0.1	6.3	22	1.9
39235	0	0	1	0	Oml	47.1961	68.1352	25.4	714.8	446	56890.	865	0.9	0.4	6.0	0.1	0.1	6.8	23	1.9
39236	0	0	1	0	Oml	47.1961	68.1347	25.4	714.9	441	56891.	839	0.9	0.9	4.5	0.1	0.1	6.1	26	1.9
39237	0	0	1	0	Oml	47.1961	68.1342	25.4	715.1	435	56891.	860	0.7	0.3	5.4	0.1	0.1	8.1	21	1.9
39238	0	0	1	0	Oml	47.1961	68.1337	25.4	715.3	430	56890.	971	1.1	0.9	6.5	0.1	0.1	5.9	26	1.9
39239	0	0	1	0	Oml	47.1961	68.1332	25.4	715.4	429	56889.	888	0.8	0.4	2.4	0.1	0.1	3.1	17	1.9
39240	0	0	0	0	Oml	47.1961	68.1327	25.4	715.5	435	56888.	891	0.8	1.4	3.3	1.9	0.5	4.5	29	1.9
39241	0	0	0	0	Oml	47.1961	68.1321	25.4	715.6	444	56888.	907	1.0	1.9	6.1	2.1	0.4	6.5	18	1.9
39242	0	0	1	0	Oml	47.1961	68.1315	25.4	715.7	459	56887.	936	1.0	1.2	6.1	0.1	0.1	6.6	27	1.9
39243	0	0	1	0	Oml	47.1961	68.1310	25.4	715.8	472	56886.	841	0.9	0.8	4.4	0.1	0.1	5.0	31	1.9
39244	0	0	0	0	Oml	47.1961	68.1304	25.4	715.8	484	56884.	958	1.0	1.7	6.4	1.7	0.3	6.5	27	1.9
39245	0	0	1	0	Oml	47.1961	68.1298	25.4	715.9	490	56884.	937	1.1	-0.3	3.1	0.1	0.1	3.1	22	1.8
39246	0	0	1	0	Oml	47.1962	68.1292	25.4	716.0	491	56884.	848	1.0	0.4	7.2	0.1	0.1	7.8	24	1.8
39247	0	0	1	0	Oml	47.1962	68.1287	25.4	716.0	486	56882.	916	0.9	-0.5	4.5	0.1	0.1	5.0	16	1.7
39248	0	0	1	0	Oml	47.1962	68.1281	25.4	716.0	473	56881.	1006	1.2	1.3	5.6	0.1	0.1	4.9	25	1.7
39249	0	0	1	0	Oml	47.1962	68.1275	25.4	716.1	449	56881.	1043	1.2	0.1	4.5	0.1	0.1	4.0	22	1.7
39250	0	0	0	0	Oml	47.1962	68.1270	25.4	716.1	435	56883.	986	1.0	3.4	4.7	3.6	0.8	5.1	20	1.7
39251	0	0	1	0	Oml	47.1962	68.1264	25.4	716.0	422	56884.	971	0.9	1.2	5.6	0.1	0.1	6.2	12	1.8
39252	0	0	1	0	Oml	47.1962	68.1258	25.5	716.5	392	56888.	1164	1.2	0.5	7.6	0.1	0.1	6.8	25	1.8
39253	0	0	1	0	Oml	47.1962	68.1253	25.5	716.5	381	56890.	1038	1.2	0.4	6.0	0.1	0.1	5.0	21	1.8
39254	0	0	0	0	Oml	47.1962	68.1247	25.5	716.5	375	56891.	1106	1.0	1.8	3.5	1.8	0.5	3.6	26	1.8

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
39255	0	0	0	0	Oml	47.1962	68.1241	25.5	716.5	378	56891.	1035	0.9	2.2	5.2	2.5	0.5	5.9	18	1.8
39256	0	0	0	0	Oml	47.1962	68.1235	25.5	716.5	388	56891.	1024	1.0	2.6	6.3	2.7	0.5	6.6	23	1.8
39257	0	0	0	0	Oml	47.1963	68.1230	25.5	716.5	404	56890.	955	1.0	2.1	4.1	2.2	0.6	4.2	25	1.9
39258	0	0	1	0	Oml	47.1963	68.1224	25.5	716.6	419	56890.	926	1.2	0.3	3.7	0.1	0.1	3.1	26	1.9
39259	0	0	1	0	Oml	47.1963	68.1218	25.5	716.6	431	56889.	983	1.2	0.8	5.7	0.1	0.1	4.8	13	1.9
39260	0	0	1	0	Oml	47.1963	68.1212	25.5	716.7	436	56890.	916	1.0	0.1	6.6	0.1	0.1	6.9	23	1.8
39261	0	0	1	0	Oml	47.1963	68.1207	25.5	716.7	431	56891.	912	0.8	0.5	6.2	0.1	0.1	8.8	23	1.8
39262	0	0	1	0	Oml	47.1963	68.1201	25.5	716.8	421	56892.	909	1.0	0.9	5.2	0.1	0.1	5.6	33	1.6
39263	0	0	1	0	Oml	47.1963	68.1195	25.5	716.9	411	56891.	897	1.1	0.7	5.8	0.1	0.1	5.7	25	1.3
39264	0	0	0	0	Oml	47.1963	68.1190	25.5	717.0	407	56891.	1004	1.3	2.0	4.6	1.5	0.5	3.6	22	1.1
39265	0	0	1	0	Oml	47.1963	68.1184	25.5	717.0	406	56892.	956	1.1	1.1	4.4	0.1	0.1	4.2	29	0.9
39266	0	0	0	0	Oml	47.1964	68.1178	25.5	717.1	408	56893.	904	0.8	1.5	6.0	2.0	0.3	6.0	22	0.7
39267	0	0	1	0	Oml	47.1964	68.1173	25.5	717.2	412	56893.	909	1.1	0.8	3.8	0.1	0.1	3.8	32	0.4
39268	0	0	1	0	Oml	47.1964	68.1167	25.5	717.2	414	56894.	913	1.0	1.2	4.2	0.1	0.1	4.2	22	0.2
39269	0	0	0	0	Oml	47.1964	68.1161	25.5	717.3	412	56894.	952	0.8	2.1	6.0	2.8	0.4	8.0	21	0.0
39270	0	0	1	0	Oml	47.1964	68.1155	25.5	717.4	408	56891.	865	0.7	1.3	4.9	0.1	0.1	7.1	23	0.0
39271	0	0	0	0	Oml	47.1964	68.1150	25.5	717.4	404	56889.	897	0.8	3.2	4.9	4.1	0.7	6.3	24	0.0
39273	0	0	0	0	Oml	47.1964	68.1138	25.5	717.5	399	56887.	916	1.0	1.5	4.0	1.5	0.4	4.0	19	0.0
39274	0	0	0	0	Oml	47.1964	68.1133	25.5	717.5	397	56886.	854	1.0	1.4	4.1	1.5	0.4	4.4	17	0.0
39275	0	0	1	0	Oml	47.1964	68.1127	25.5	717.6	400	56885.	866	0.9	0.4	4.0	0.1	0.1	4.7	40	0.0
39276	0	0	1	0	Oml	47.1964	68.1121	25.5	717.6	406	56887.	887	1.0	0.8	4.1	0.1	0.1	4.3	27	0.0
39277	0	0	1	0	Oml	47.1965	68.1115	25.5	717.6	408	56888.	865	0.9	0.9	3.3	0.1	0.1	3.7	21	0.0
39278	0	0	1	0	Oml	47.1965	68.1110	25.5	717.6	406	56890.	818	0.7	0.1	4.7	0.1	0.1	6.9	22	0.0
39279	0	0	1	0	Oml	47.1965	68.1104	25.5	717.5	399	56892.	777	0.6	0.6	5.3	0.1	0.1	9.2	26	0.0
39280	0	0	0	0	Oml	47.1965	68.1098	25.5	717.5	393	56893.	838	0.6	1.9	6.4	3.1	0.3	10.6	31	0.0
39281	0	0	0	0	Oml	47.1965	68.1093	25.5	717.5	388	56894.	875	0.9	1.5	3.9	1.7	0.4	4.5	21	0.0
39282	0	0	0	0	Oml	47.1965	68.1087	25.5	717.5	382	56893.	970	1.0	1.6	4.9	1.7	0.4	5.2	28	0.0
39283	0	0	1	0	Oml	47.1965	68.1081	25.5	717.5	377	56893.	835	0.8	0.9	4.2	0.1	0.1	5.6	22	0.0
39284	0	0	0	0	Oml	47.1965	68.1076	25.5	717.4	371	56894.	963	0.9	1.7	5.1	1.9	0.4	5.7	22	0.0
39285	0	0	0	0	Oml	47.1965	68.1070	25.5	717.4	366	56895.	901	0.7	1.3	2.8	2.0	0.5	4.2	18	0.0
39286	0	0	0	0	Oml	47.1965	68.1064	25.5	717.4	361	56895.	905	1.0	1.7	6.1	1.8	0.3	6.5	29	0.0
39287	0	0	1	0	Oml	47.1966	68.1058	25.5	717.4	358	56893.	886	1.0	0.9	5.6	0.1	0.1	6.0	20	0.0
39288	0	0	1	0	Oml	47.1966	68.1053	25.5	717.5	357	56892.	913	1.0	0.9	4.3	0.1	0.1	4.6	28	0.0
39289	0	0	0	0	Oml	47.1966	68.1047	25.5	717.5	355	56894.	913	0.8	1.6	2.5	2.1	0.7	3.1	32	0.0
39290	0	0	1	0	Oml	47.1966	68.1041	25.5	717.5	352	56896.	925	0.9	0.3	5.4	0.1	0.1	5.9	25	0.0
39291	0	0	0	0	Oml	47.1966	68.1035	25.5	717.6	350	56896.	964	0.9	1.2	5.3	1.4	0.3	6.1	21	0.0
39292	0	0	0	0	Oml	47.1966	68.1030	25.5	717.6	352	56897.	949	0.8	1.4	5.6	1.9	0.3	7.6	16	0.0
39293	0	0	1	0	Oml	47.1966	68.1024	25.5	717.7	357	56897.	902	0.9	1.0	4.9	0.1	0.1	5.5	19	0.0
39294	0	0	1	0	Oml	47.1966	68.1018	25.5	717.8	366	56897.	879	1.0	1.1	4.5	0.1	0.1	4.5	23	0.0
39295	0	0	1	0	Oml	47.1966	68.1013	25.5	717.9	372	56896.	898	0.9	0.3	4.6	0.1	0.1	5.4	28	0.0
39296	0	0	1	0	Oml	47.1966	68.1007	25.5	718.0	377	56895.	797	0.8	-0.4	4.9	0.1	0.1	6.4	23	0.0
39297	0	0	0	0	Oml	47.1966	68.1001	25.5	718.0	380	56894.	798	0.7	1.7	5.4	2.7	0.4	8.5	26	0.0
39298	0	0	1	0	Oml	47.1967	68.0995	25.5	718.1	385	56893.	804	0.9	0.4	2.5	0.1	0.1	3.0	29	0.0
39299	0	0	0	0	Oml	47.1967	68.0990	25.5	718.1	391	56892.	785	0.7	1.6	4.3	2.6	0.4	6.8	27	0.0
39300	0	0	0	0	Oml	47.1967	68.0984	25.5	718.1	398	56892.	808	0.8	1.6	3.2	2.1	0.5	4.2	23	0.0
39301	0	0	1	0	Oml	47.1967	68.0978	25.5	718.2	405	56892.	819	1.0	1.1	5.1	0.1	0.1	5.4	18	0.0
39302	0	0	1	0	Oml	47.1967	68.0973	25.5	718.2	416	56892.	916	0.9	0.6	3.5	0.1	0.1	3.9	21	0.0
39303	0	0	1	0	Oml	47.1967	68.0967	25.5	718.2	426	56892.	814	1.0	0.8	5.2	0.1	0.1	5.5	18	0.0
39304	0	0	1	0	Oml	47.1967	68.0961	25.5	718.2	431	56891.	802	0.9	0.2	3.2	0.1	0.1	3.8	25	0.0
39305	0	0	1	0	Oml	47.1967	68.0956	25.5	718.3	428	56891.	870	1.0	0.9	2.7	0.1	0.1	2.9	25	0.0

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
39306	0	0	1	0	Oml	47.1967	68.0950	25.5	718.3	424	56892.	902	1.1	0.7	4.7	0.1	0.1	4.5	18	0.0
39307	0	0	0	0	Oml	47.1968	68.0944	25.5	718.2	421	56893.	852	0.7	1.2	4.5	2.0	0.3	7.3	27	0.0
39308	0	0	1	0	Oml	47.1968	68.0938	25.5	718.2	420	56894.	905	0.8	0.6	3.4	0.1	0.1	4.4	26	0.0
39309	0	0	1	0	Oml	47.1968	68.0933	25.6	718.3	414	56893.	839	0.6	0.7	4.1	0.1	0.1	6.8	29	0.0
39310	0	0	0	0	Oml	47.1968	68.0927	25.6	718.3	415	56891.	914	1.1	1.2	5.7	1.2	0.3	5.6	18	0.0
39311	0	0	0	0	Oml	47.1968	68.0921	25.6	718.3	417	56889.	821	0.6	1.7	4.0	2.9	0.5	7.0	27	0.0
39312	0	0	1	0	Oml	47.1968	68.0915	25.6	718.3	421	56889.	837	0.8	0.9	3.4	0.1	0.1	4.6	19	0.0
39313	0	0	1	0	Oml	47.1968	68.0910	25.6	718.2	426	56891.	876	1.2	0.8	4.7	0.1	0.1	4.1	17	0.0
39314	0	0	1	0	Oml	47.1968	68.0904	25.6	718.2	432	56893.	899	0.9	-0.1	4.2	0.1	0.1	5.1	21	0.0
39315	0	0	1	0	Oml	47.1968	68.0898	25.6	718.3	435	56896.	827	1.0	0.6	3.6	0.1	0.1	3.9	26	0.0
39316	0	0	1	0	Oml	47.1968	68.0893	25.6	718.3	434	56898.	845	0.9	-0.4	6.8	0.1	0.1	8.4	20	0.0
39317	0	0	1	0	Oml	47.1968	68.0887	25.6	718.3	427	56899.	937	0.8	-0.4	4.9	0.1	0.1	6.5	19	0.0
39318	0	0	0	0	Oml	47.1969	68.0881	25.6	718.4	419	56898.	902	0.9	2.7	5.7	3.4	0.5	7.1	19	0.0
39319	0	0	1	0	Oml	47.1968	68.0877	25.6	718.5	411	56896.	903	0.9	0.1	3.6	0.1	0.1	4.5	26	0.0
39320	0	0	1	0	Oml	47.1968	68.0873	25.6	718.7	406	56896.	883	0.8	0.9	4.1	0.1	0.1	5.2	21	0.0
39321	0	0	1	0	Oml	47.1968	68.0868	25.6	718.8	404	56895.	887	0.9	0.9	4.8	0.1	0.1	5.6	35	0.0
39322	0	0	0	0	Oml	47.1968	68.0864	25.6	719.0	397	56893.	892	1.0	1.4	4.4	1.6	0.4	4.8	27	0.0
39323	0	0	1	0	Oml	47.1968	68.0860	25.6	719.2	389	56895.	856	0.7	0.9	4.4	0.1	0.1	6.8	22	0.0
39324	0	0	0	0	Oml	47.1968	68.0855	25.6	719.4	379	56896.	868	0.7	1.2	5.4	1.6	0.3	7.8	19	0.0
39325	0	0	0	0	Oml	47.1968	68.0851	25.6	719.6	374	56896.	806	0.8	2.4	4.0	3.3	0.6	5.4	18	0.0
39326	0	0	0	0	Oml	47.1968	68.0847	25.6	719.7	372	56895.	863	0.8	1.3	4.4	1.7	0.3	6.2	25	0.0
39327	0	0	0	0	Oml	47.1968	68.0842	25.6	719.9	371	56894.	865	0.7	1.2	3.1	1.7	0.4	4.6	29	0.0
39328	0	0	1	0	Oml	47.1968	68.0838	25.6	720.2	369	56895.	758	0.8	0.1	2.8	0.1	0.1	3.8	25	0.0
39329	0	0	0	0	Oml	47.1968	68.0834	25.6	720.4	364	56895.	838	0.9	1.1	3.7	1.4	0.3	4.5	27	0.0
39330	0	0	0	0	Oml	47.1968	68.0829	25.6	720.6	360	56895.	836	0.9	2.4	2.2	2.7	1.1	2.6	17	0.0
39331	0	0	1	0	Oml	47.1968	68.0825	25.6	720.8	359	56894.	765	0.9	0.0	2.3	0.1	0.1	2.8	28	0.0
39332	0	0	0	0	Oml	47.1968	68.0821	25.6	720.9	363	56892.	768	0.7	1.7	3.7	2.5	0.5	5.5	21	0.0
39333	0	0	0	0	Oml	47.1968	68.0816	25.6	721.1	370	56892.	743	0.9	1.7	5.0	2.1	0.4	6.2	23	0.0
39334	0	0	0	0	Oml	47.1968	68.0812	25.6	721.2	379	56894.	760	0.7	1.2	3.5	1.7	0.4	5.3	25	0.0
39335	0	0	1	0	Oml	47.1968	68.0808	25.6	721.3	392	56897.	774	1.0	1.0	3.9	0.1	0.1	4.1	36	0.0
39336	0	0	1	0	Oml	47.1968	68.0803	25.6	721.4	406	56898.	754	0.8	0.1	3.8	0.1	0.1	5.0	15	0.0
39337	0	0	0	0	Oml	47.1968	68.0799	25.6	721.5	416	56899.	770	0.8	1.8	4.1	2.5	0.5	5.7	28	0.0
39338	0	0	1	0	Oml	47.1968	68.0795	25.6	721.6	416	56898.	706	0.9	0.2	5.9	0.1	0.1	6.8	23	0.0
39339	0	0	1	0	Oml	47.1968	68.0790	25.6	721.6	405	56897.	705	0.8	0.3	3.4	0.1	0.1	4.8	20	0.0
39340	0	0	0	0	Oml	47.1968	68.0786	25.6	721.7	392	56896.	722	0.7	1.5	2.7	2.3	0.6	4.1	19	0.0
39341	0	0	1	0	Oml	47.1968	68.0782	25.6	721.8	380	56895.	730	0.8	1.1	2.9	0.1	0.1	3.8	23	0.0
39342	0	0	0	0	Oml	47.1968	68.0777	25.6	721.8	380	56896.	683	0.5	1.6	3.7	0.1	0.5	0.1	18	0.0
39343	0	0	0	0	Oml	47.1968	68.0773	25.6	721.8	385	56897.	666	0.9	1.2	3.4	1.5	0.4	4.2	29	0.0
39344	0	0	1	0	Oml	47.1968	68.0769	25.6	721.9	392	56897.	619	0.5	0.8	4.1	0.1	0.1	0.1	22	0.0
39345	0	0	1	0	Oml	47.1968	68.0764	25.6	721.9	398	56897.	624	0.6	0.5	1.6	0.1	0.1	2.7	20	0.0
39346	0	0	0	0	Oml	47.1968	68.0760	25.6	721.9	400	56898.	547	0.4	1.8	2.4	0.1	0.8	0.1	25	0.0
39347	0	0	1	0	Oml	47.1968	68.0756	25.6	721.9	404	56898.	460	0.3	0.7	1.3	0.1	0.1	0.1	19	0.0
39348	0	0	1	0	Oml	47.1968	68.0751	25.6	721.9	409	56895.	503	0.4	0.6	2.5	0.1	0.1	0.1	21	0.0
39349	0	0	1	0	Oml	47.1968	68.0747	25.6	721.9	416	56894.	530	0.4	0.7	2.2	0.1	0.1	0.1	17	0.0
39350	0	0	1	0	Oml	47.1968	68.0743	25.6	721.9	423	56896.	537	0.4	1.1	3.1	0.1	0.1	0.1	20	0.0
39351	0	0	1	0	Oml	47.1968	68.0738	25.6	721.9	431	56897.	584	0.4	1.2	2.9	0.1	0.1	0.1	26	0.0
39352	0	0	1	0	Oml	47.1968	68.0734	25.6	721.9	440	56898.	526	0.6	0.5	3.6	0.1	0.1	6.8	27	0.0
39353	0	0	1	0	Oml	47.1968	68.0730	25.6	721.9	450	56898.	609	0.6	0.6	3.1	0.1	0.1	5.3	28	0.0
39354	0	0	1	0	Oml	47.1968	68.0725	25.6	721.9	458	56896.	587	0.7	0.2	2.5	0.1	0.1	4.0	30	0.0
39355	0	0	1	0	Oml	47.1968	68.0721	25.6	721.9	464	56895.	663	0.9	0.9	2.6	0.1	0.1	3.1	35	0.0

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

- H08 -
MAINE AERIAL SURVEY EDMUNDSTON QUADRANGLE, CARSON GEOSCIENCE INC., 1980

LINE NO. 40

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
39356	0	0	1	0	Oml	47.1968	68.0717	25.6	721.9	469	56896.	660	0.7	0.6	2.9	0.1	0.1	4.2	23	0.0
39357	0	0	1	0	Oml	47.1968	68.0713	25.6	721.9	476	56898.	625	0.6	0.8	3.5	0.1	0.1	6.2	26	0.0
39358	0	0	0	0	Oml	47.1968	68.0708	25.6	721.9	485	56898.	619	0.6	2.7	2.1	4.6	1.3	3.6	23	0.0
39359	0	0	1	0	Oml	47.1968	68.0704	25.6	721.9	487	56898.	610	0.8	0.1	2.9	0.1	0.1	4.0	25	0.0
39360	0	0	1	0	Oml	47.1968	68.0699	25.6	721.9	481	56897.	584	0.5	0.8	5.1	0.1	0.1	0.1	24	0.0
39361	0	0	1	0	Oml	47.1968	68.0695	25.6	721.9	468	56896.	578	0.5	0.5	5.3	0.1	0.1	0.1	27	0.0
39362	0	0	0	0	Oml	47.1968	68.0691	25.6	721.9	453	56894.	635	0.6	1.3	3.3	2.4	0.5	5.8	24	0.0
39363	0	0	1	0	Oml	47.1967	68.0686	25.6	721.9	446	56893.	691	0.9	0.8	3.8	0.1	0.1	4.7	19	0.0
39364	0	0	1	0	Oml	47.1967	68.0682	25.6	721.9	440	56892.	633	0.5	1.0	5.4	0.1	0.1	0.1	18	0.0
39365	0	0	1	0	Oml	47.1967	68.0678	25.9	722.1	412	56893.	794	0.8	0.4	6.0	0.1	0.1	8.1	25	0.0
39366	0	0	1	0	Oml	47.1967	68.0673	25.9	722.2	401	56894.	793	0.8	-0.5	4.5	0.1	0.1	6.3	35	0.0
39368	0	0	1	0	Oml	47.1967	68.0665	25.9	722.2	394	56895.	783	0.7	0.2	5.2	0.1	0.1	7.7	21	0.0
39369	0	0	0	0	Oml	47.1967	68.0660	25.9	722.3	394	56895.	833	0.7	1.7	4.8	2.7	0.4	7.4	24	0.0
39370	0	0	0	0	Oml	47.1967	68.0656	25.9	722.4	396	56896.	810	0.6	1.3	3.7	2.2	0.4	6.1	18	0.0
39371	0	0	0	0	Oml	47.1967	68.0652	25.9	722.4	398	56897.	843	0.9	1.2	5.1	1.4	0.3	6.0	21	0.0
39372	0	0	1	0	Oml	47.1967	68.0648	25.9	722.5	398	56896.	775	0.7	-0.4	5.2	0.1	0.1	7.7	18	0.0
39373	0	0	1	0	Oml	47.1967	68.0643	25.9	722.6	401	56896.	704	0.9	0.5	3.9	0.1	0.1	4.6	29	0.0
39374	0	0	1	0	Oml	47.1967	68.0639	25.9	722.8	403	56896.	703	0.8	0.8	1.9	0.1	0.1	2.4	28	0.0
39375	0	0	1	0	Oml	47.1967	68.0635	25.9	722.9	405	56896.	646	0.7	0.4	3.6	0.1	0.1	5.3	32	0.0
39376	0	0	1	0	Oml	47.1967	68.0630	25.9	723.0	405	56897.	595	0.5	0.4	2.3	0.1	0.1	0.1	25	0.0
39377	0	0	1	1	Oml	47.1967	68.0626	25.9	723.2	403	56897.	505	0.4	0.4	0.7	0.1	0.1	0.1	25	0.0
39378	0	0	1	0	Oml	47.1967	68.0622	25.9	723.3	396	56896.	452	0.6	0.5	4.4	0.1	0.1	8.2	15	0.0
39379	0	0	1	0	Oml	47.1967	68.0617	25.9	723.4	387	56896.	381	0.3	-0.3	2.8	0.1	0.1	0.1	28	0.0
39380	0	0	1	0	Oml	47.1967	68.0613	25.9	723.5	377	56895.	403	0.4	1.0	3.5	0.1	0.1	0.1	16	0.0
39381	0	0	1	0	Oml	47.1967	68.0609	25.9	723.6	373	56895.	436	0.4	-0.1	3.4	0.1	0.1	0.1	22	0.0
39382	0	0	1	0	Oml	47.1967	68.0604	25.9	723.7	371	56894.	425	0.3	0.1	1.6	0.1	0.1	0.1	19	0.0
39383	0	0	0	0	Oml	47.1967	68.0600	25.9	723.8	371	56893.	506	0.4	1.1	3.4	0.1	0.4	0.1	23	0.0
39384	0	0	1	0	Oml	47.1967	68.0596	25.9	723.8	368	56892.	508	0.7	0.3	2.8	0.1	0.1	4.2	29	0.0
39385	0	0	1	1	Oml	47.1967	68.0591	25.9	723.8	365	56892.	565	0.6	0.7	0.6	0.1	0.1	0.1	18	0.0
39386	0	0	0	0	Oml	47.1967	68.0586	25.9	723.9	361	56893.	665	0.7	1.7	3.3	2.4	0.6	4.8	22	0.0
39387	0	0	1	0	Oml	47.1967	68.0582	25.9	723.9	363	56893.	625	0.6	0.1	3.8	0.1	0.1	7.2	21	0.0
39388	0	0	0	0	Oml	47.1967	68.0577	25.9	723.8	367	56893.	702	0.7	1.2	3.8	1.8	0.3	5.8	23	0.0
39389	0	0	0	0	Oml	47.1967	68.0572	25.9	723.8	373	56893.	686	0.6	1.3	3.5	2.3	0.4	6.4	26	0.0
39390	0	0	1	0	Oml	47.1967	68.0567	25.9	723.8	376	56893.	677	0.6	0.6	2.6	0.1	0.1	4.4	27	0.0
39391	0	0	1	0	Oml	47.1967	68.0562	25.9	723.7	377	56891.	663	0.7	1.0	3.3	0.1	0.1	5.4	24	0.0
39392	0	0	1	0	Oml	47.1967	68.0557	25.9	723.7	373	56890.	724	0.8	0.3	4.0	0.1	0.1	5.6	19	0.0
39393	0	0	1	0	Oml	47.1967	68.0552	25.9	723.7	369	56890.	651	0.6	0.7	2.5	0.1	0.1	4.1	23	0.0
39394	0	0	1	0	Oml	47.1967	68.0547	25.9	723.6	364	56892.	570	0.5	0.3	3.4	0.1	0.1	0.1	33	0.0
39395	0	0	1	0	Oml	47.1967	68.0542	25.9	723.5	363	56893.	575	0.4	1.0	3.1	0.1	0.1	0.1	22	0.0
39396	0	0	0	0	Oml	47.1967	68.0537	25.9	723.5	364	56894.	575	0.6	1.7	3.1	3.4	0.6	6.2	20	0.0
39397	0	0	1	0	Oml	47.1967	68.0532	25.9	723.4	367	56896.	536	0.4	0.0	3.6	0.1	0.1	0.1	31	0.0
39398	0	0	1	0	Oml	47.1967	68.0528	25.9	723.3	372	56897.	498	0.5	-0.2	2.3	0.1	0.1	0.1	25	0.0
39399	0	0	1	0	Oml	47.1967	68.0523	25.9	723.2	372	56897.	549	0.7	0.9	2.1	0.1	0.1	3.4	39	0.0
39400	0	0	1	0	Oml	47.1967	68.0518	25.9	723.2	366	56897.	613	0.6	0.3	3.6	0.1	0.1	7.0	23	0.0
39401	0	0	1	0	SOcm	47.1967	68.0513	25.9	723.1	352	56898.	680	0.6	0.9	2.7	0.1	0.1	4.8	26	0.0
39402	0	0	1	0	SOcm	47.1967	68.0508	25.9	723.0	338	56898.	706	0.7	0.5	3.6	0.1	0.1	5.7	23	0.0
39403	0	0	1	0	SOcm	47.1967	68.0503	25.9	723.0	327	56898.	714	0.7	0.8	3.2	0.1	0.1	4.7	26	0.0
39404	0	0	1	0	SOcm	47.1967	68.0498	25.9	722.9	322	56898.	722	0.7	0.8	4.2	0.1	0.1	6.9	23	0.0
39405	0	0	1	0	SOcm	47.1967	68.0493	25.9	722.8	323	56899.	777	0.7	0.9	4.6	0.1	0.1	6.5	25	0.0
39406	0	0	0	0	SOcm	47.1967	68.0488	25.9	722.7	331	56900.	803	0.8	1.2	3.0	1.5	0.4	3.7	18	0.0

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
39407	0	0	0	0	SOCm	47.1967	68.0483	25.9	722.6	349	56901.	823	0.7	1.5	2.8	2.2	0.6	4.0	23	0.0
39408	0	0	0	0	SOCm	47.1967	68.0479	25.9	722.6	370	56903.	826	0.8	2.1	5.3	2.9	0.4	7.4	27	0.0
39409	0	0	1	0	SOCm	47.1967	68.0474	25.9	722.5	387	56905.	748	0.8	0.3	4.9	0.1	0.1	6.4	18	0.0
39410	0	0	1	0	SOCm	47.1967	68.0469	25.9	722.5	392	56906.	850	0.9	1.1	5.3	0.1	0.1	5.9	16	0.0
39411	0	0	1	0	SOCm	47.1966	68.0464	25.9	722.5	393	56902.	843	0.7	0.3	3.6	0.1	0.1	5.2	19	0.0
39412	0	0	0	0	SOCm	47.1966	68.0459	25.9	722.5	392	56895.	889	0.8	1.5	6.4	1.9	0.3	8.6	17	0.0
39413	0	0	1	0	SOCm	47.1966	68.0454	25.9	722.4	393	56897.	891	1.0	0.1	4.6	0.1	0.1	4.8	23	0.0
39414	0	0	0	0	SOCm	47.1966	68.0449	25.9	722.4	394	56896.	955	1.0	1.9	6.2	2.0	0.3	6.4	30	0.0
39415	0	0	1	0	SU	47.1966	68.0444	25.9	722.4	395	56894.	946	0.9	0.8	5.2	0.1	0.1	6.1	27	0.0
39416	0	0	1	0	SU	47.1966	68.0439	25.9	722.4	394	56892.	921	0.9	0.1	5.6	0.1	0.1	6.3	29	0.0
39417	0	0	0	0	SU	47.1966	68.0434	25.9	722.4	390	56892.	975	1.0	1.8	5.3	2.0	0.4	5.8	17	0.0
39418	0	0	1	0	SU	47.1966	68.0430	25.9	722.3	383	56892.	863	0.7	0.5	4.3	0.1	0.1	6.5	15	0.0
39419	0	0	0	0	SU	47.1966	68.0425	25.9	722.3	376	56893.	817	1.0	1.2	4.8	1.2	0.3	4.8	27	0.0
39420	0	0	1	0	SU	47.1966	68.0420	25.9	722.3	372	56894.	733	0.8	-0.1	3.3	0.1	0.1	4.5	29	0.0
39421	0	0	1	0	SU	47.1966	68.0415	25.9	722.4	370	56895.	724	0.9	1.0	3.6	0.1	0.1	4.0	34	0.0
39422	0	0	1	0	SU	47.1966	68.0410	26.0	722.7	374	56895.	717	0.7	0.5	4.6	0.1	0.1	6.8	24	0.0
39423	0	0	1	0	SU	47.1966	68.0405	26.0	722.7	377	56894.	551	0.4	0.8	2.4	0.1	0.1	0.1	28	0.0
39424	0	0	1	0	SU	47.1966	68.0400	26.0	722.8	380	56892.	564	0.4	0.8	3.6	0.1	0.1	0.1	22	0.0
39425	0	0	1	0	SU	47.1966	68.0395	26.0	722.9	386	56889.	503	0.5	0.3	3.0	0.1	0.1	0.1	21	0.0
39426	0	0	1	0	SU	47.1966	68.0390	26.0	722.9	388	56888.	491	0.5	0.4	1.5	0.1	0.1	0.1	32	0.0
39427	0	0	1	1	SU	47.1966	68.0386	26.0	723.0	390	56888.	419	0.4	0.8	1.0	0.1	0.1	0.1	21	0.0
39428	0	0	1	0	SU	47.1966	68.0381	25.9	723.0	387	56888.	378	0.3	-0.2	1.9	0.1	0.1	0.1	31	0.0
39429	0	0	1	1	SU	47.1966	68.0376	25.9	723.1	382	56888.	239	0.2	0.3	1.0	0.1	0.1	0.1	26	0.0
39430	0	0	1	1	SU	47.1966	68.0371	25.9	723.1	376	56890.	220	0.2	-0.3	-0.1	0.1	0.1	0.1	31	0.0
39431	0	0	1	0	SU	47.1966	68.0366	25.9	723.1	374	56891.	261	0.2	0.8	1.2	0.1	0.1	0.1	24	0.0
39432	0	0	0	0	SU	47.1966	68.0361	25.9	723.1	376	56891.	297	0.3	1.4	2.8	0.1	0.5	0.1	28	0.0
39433	0	1	1	0	SU	47.1966	68.0356	25.9	723.1	376	56890.	309	0.2	-0.1	1.1	0.1	0.1	0.1	17	0.0
39434	0	0	1	0	SU	47.1966	68.0351	25.9	723.1	372	56889.	399	0.4	1.0	2.8	0.1	0.1	0.1	19	0.0
39435	0	0	1	0	SU	47.1966	68.0346	25.9	723.1	362	56887.	445	0.4	0.4	2.8	0.1	0.1	0.1	20	0.0
39436	0	0	1	0	SU	47.1966	68.0341	25.9	723.0	354	56887.	545	0.6	0.1	3.3	0.1	0.1	6.1	20	0.0
39437	0	0	1	0	SU	47.1966	68.0336	25.9	723.0	355	56887.	545	0.5	0.3	3.6	0.1	0.1	0.1	21	0.0
39438	0	0	1	0	SU	47.1966	68.0332	25.9	722.9	361	56889.	592	0.5	0.3	4.1	0.1	0.1	0.1	21	0.0
39439	0	0	0	0	SU	47.1966	68.0327	25.9	722.9	365	56889.	602	0.5	1.1	1.9	0.1	0.6	0.1	29	0.0
39440	0	0	1	0	SU	47.1966	68.0322	25.9	722.8	361	56888.	544	0.3	1.0	2.6	0.1	0.1	0.1	20	0.0
39441	0	0	1	0	SU	47.1966	68.0317	25.9	722.7	358	56886.	579	0.5	0.7	2.2	0.1	0.1	0.1	30	0.0
39442	0	0	1	0	SU	47.1966	68.0312	25.9	722.6	355	56885.	545	0.5	0.2	2.5	0.1	0.1	0.1	18	0.0
39443	0	0	1	0	SU	47.1966	68.0307	25.9	722.5	355	56884.	496	0.4	0.3	3.2	0.1	0.1	0.1	22	0.0
39444	0	0	1	0	SU	47.1966	68.0302	25.9	722.4	354	56884.	541	0.4	-0.5	3.1	0.1	0.1	0.1	21	0.0
39445	0	0	0	0	SU	47.1966	68.0297	25.9	722.3	352	56884.	612	0.6	1.3	2.3	2.1	0.6	3.7	20	0.0
39446	0	0	1	0	SU	47.1966	68.0293	25.9	722.2	350	56885.	607	0.4	-0.1	2.9	0.1	0.1	0.1	21	0.0
39447	0	0	0	0	SU	47.1966	68.0288	25.9	722.1	348	56886.	715	0.5	2.4	3.7	0.1	0.7	0.1	15	0.0
39448	0	0	1	0	SU	47.1966	68.0283	25.9	722.0	351	56886.	708	0.7	0.3	3.1	0.1	0.1	4.7	28	0.0
39449	0	0	0	0	SU	47.1966	68.0278	25.9	721.8	355	56886.	741	0.8	1.1	4.4	1.4	0.3	5.6	25	0.0
39450	0	0	1	0	SU	47.1966	68.0273	25.9	721.7	360	56885.	672	0.8	0.3	3.8	0.1	0.1	5.3	22	0.0
39451	0	0	1	0	SU	47.1966	68.0268	25.9	721.6	364	56885.	730	0.8	0.5	1.1	0.1	0.1	1.4	16	0.0
39452	0	0	0	0	SU	47.1966	68.0263	25.9	721.4	366	56885.	714	0.7	1.2	4.3	1.8	0.3	6.8	28	0.0
39453	0	0	0	0	SU	47.1966	68.0258	25.9	721.3	366	56885.	666	0.6	1.9	2.0	3.2	1.0	3.2	25	0.0
39454	0	0	1	0	SU	47.1966	68.0253	25.9	721.2	364	56887.	679	0.6	0.7	3.4	0.1	0.1	6.2	20	0.0
39455	0	0	0	0	SU	47.1966	68.0248	25.9	721.1	361	56888.	695	0.5	1.6	4.1	0.1	0.4	0.1	33	0.0
39456	0	0	0	0	SU	47.1966	68.0243	25.9	721.0	359	56886.	716	0.6	1.3	2.9	2.1	0.5	4.9	20	0.0

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

- JOB -
 MAINE AERIAL SURVEY EDMUNDSTON QUADRANGLE, CARSON GEOSCIENCE INC., 1980

LINE NO. 40

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
39457	0	0	1	0	SU	47.1966	68.0239	25.9	720.9	356	56885.	760	0.8	0.8	4.5	0.1	0.1	6.3	27	0.0
39458	0	0	0	0	SU	47.1966	68.0234	25.9	720.7	353	56884.	802	0.7	1.8	2.3	2.7	0.8	3.3	24	0.0
39459	0	0	0	0	SU	47.1966	68.0229	25.9	720.6	355	56884.	864	1.0	1.8	2.4	1.8	0.8	2.5	25	0.0
39460	0	0	0	0	SU	47.1966	68.0224	25.9	720.5	364	56885.	886	1.0	1.8	2.6	1.8	0.7	2.6	32	0.0
39461	0	0	0	0	SU	47.1966	68.0219	25.9	720.4	375	56886.	989	1.3	1.5	6.9	1.2	0.3	5.4	33	0.0
39462	0	0	1	0	SU	47.1966	68.0214	25.9	720.2	382	56885.	1041	1.3	0.8	4.5	0.1	0.1	3.5	17	0.0
39464	0	0	0	0	SU	47.1966	68.0206	25.9	720.1	383	56885.	1105	1.2	1.4	3.8	1.1	0.4	3.1	27	0.0
39465	0	0	0	0	SU	47.1966	68.0202	25.9	720.0	381	56885.	1263	1.1	2.5	6.6	2.5	0.4	6.5	18	0.0
39466	0	0	0	0	SU	47.1966	68.0198	25.9	719.9	379	56884.	1249	1.3	1.6	5.7	1.3	0.3	4.6	23	0.1
39467	0	0	0	0	SU	47.1966	68.0193	25.9	719.8	376	56883.	1240	1.5	1.9	6.0	1.3	0.4	4.1	25	0.2
39468	0	0	0	0	SU	47.1966	68.0189	25.9	719.7	374	56882.	1258	1.2	2.2	5.6	1.9	0.4	5.0	18	0.3
39469	0	0	1	0	SU	47.1966	68.0185	25.9	719.7	372	56883.	1295	1.3	0.9	8.1	0.1	0.1	6.3	26	0.4
39470	0	0	1	0	SU	47.1966	68.0181	25.9	719.6	371	56884.	1228	1.3	0.1	8.7	0.1	0.1	7.1	14	0.5
39471	0	0	1	0	SU	47.1965	68.0177	25.9	719.6	372	56884.	1265	1.6	1.2	6.9	0.1	0.1	4.6	28	0.6
39472	0	0	0	0	SU	47.1965	68.0173	25.9	719.5	374	56885.	1262	1.3	1.6	6.4	1.3	0.3	5.2	26	0.6
39473	0	0	0	0	SU	47.1965	68.0169	25.9	719.5	376	56887.	1342	1.5	1.5	8.7	1.0	0.2	5.9	16	0.7
39474	0	0	1	0	SU	47.1965	68.0165	25.9	719.5	378	56888.	1292	1.6	0.7	6.0	0.1	0.1	3.8	19	0.8
39475	0	0	0	0	SU	47.1965	68.0160	25.9	719.5	381	56887.	1281	1.3	1.4	7.2	1.1	0.2	5.5	19	0.9
39476	0	0	0	0	SU	47.1965	68.0156	25.9	719.5	386	56885.	1307	1.6	1.7	7.7	1.1	0.3	4.9	24	1.0
39477	0	0	0	0	SU	47.1965	68.0152	25.9	719.5	389	56883.	1233	1.4	2.6	6.2	2.0	0.5	4.5	26	1.1
39478	0	0	0	0	SU	47.1965	68.0148	25.9	719.5	392	56883.	1282	0.9	1.5	8.2	1.7	0.2	9.2	25	1.2
39479	0	0	1	0	SU	47.1965	68.0144	25.8	718.7	405	56883.	1148	1.1	0.1	6.5	0.1	0.1	6.2	14	1.3
39480	0	0	0	0	SU	47.1965	68.0140	25.8	718.6	411	56883.	1059	1.2	1.5	4.8	1.3	0.4	4.0	23	1.3
39481	0	0	1	0	SU	47.1965	68.0136	25.8	718.5	420	56884.	974	1.2	0.3	5.0	0.1	0.1	4.2	32	1.4
39482	0	0	0	0	SU	47.1965	68.0132	25.8	718.4	433	56884.	980	0.9	2.1	4.5	2.4	0.5	5.1	27	1.4
39483	0	0	1	0	SU	47.1965	68.0128	25.8	718.4	443	56885.	907	0.8	0.7	3.6	0.1	0.1	4.8	19	1.5
39484	0	0	1	0	SU	47.1965	68.0124	25.8	718.3	448	56886.	882	1.0	0.3	6.0	0.1	0.1	6.3	26	1.5
39485	0	0	0	0	SU	47.1965	68.0119	25.8	718.2	454	56885.	828	0.7	1.5	4.4	2.3	0.4	6.8	18	1.5
39486	0	0	0	0	SU	47.1965	68.0115	25.8	718.2	456	56885.	799	0.7	1.5	6.1	2.1	0.3	8.8	29	1.6
39487	0	0	1	0	SU	47.1965	68.0111	25.8	718.1	458	56887.	755	0.7	0.7	3.2	0.1	0.1	4.6	26	1.6
39488	0	0	1	0	SU	47.1965	68.0107	25.8	718.1	456	56886.	814	0.9	0.7	5.2	0.1	0.1	6.4	24	1.6
39489	0	0	1	0	SU	47.1965	68.0103	25.8	718.0	453	56885.	819	0.9	0.9	7.0	0.1	0.1	7.9	28	1.6
39490	0	0	1	0	SU	47.1965	68.0099	25.8	717.9	446	56885.	790	0.8	0.5	2.7	0.1	0.1	3.6	23	1.7
39491	0	0	0	0	SU	47.1965	68.0095	25.8	717.8	437	56887.	814	0.8	1.7	3.3	2.1	0.6	4.1	27	1.7
39492	0	0	1	0	SU	47.1965	68.0090	25.8	717.8	436	56885.	953	1.0	0.9	4.5	0.1	0.1	4.7	23	1.7
39493	0	0	0	0	SU	47.1965	68.0086	25.8	717.8	443	56883.	971	0.8	1.9	3.6	2.5	0.6	4.6	29	1.8
39494	0	0	1	0	SU	47.1965	68.0082	25.8	717.7	455	56880.	939	0.9	1.4	4.9	0.1	0.1	5.8	21	1.8
39495	0	0	1	0	SU	47.1965	68.0078	25.8	717.7	464	56880.	1031	1.1	0.5	5.0	0.1	0.1	4.7	23	1.8
39496	0	0	1	0	SU	47.1965	68.0072	25.8	717.7	471	56881.	1041	1.2	0.2	6.9	0.1	0.1	5.9	32	1.8
39497	0	0	1	0	SU	47.1965	68.0067	25.8	717.6	475	56882.	1050	1.3	0.6	5.2	0.1	0.1	4.3	22	1.8
39498	0	0	1	0	SU	47.1965	68.0061	25.8	717.6	477	56881.	974	0.9	1.5	6.2	0.1	0.1	7.6	29	1.7
39499	0	0	1	0	SU	47.1964	68.0055	25.8	717.6	478	56879.	1030	1.2	0.2	6.3	0.1	0.1	5.6	22	1.7
39500	0	0	1	0	SU	47.1964	68.0050	25.8	717.6	478	56877.	1042	1.3	0.3	7.2	0.1	0.1	5.7	31	1.7
39501	0	0	1	0	SU	47.1964	68.0044	25.8	717.6	475	56879.	1094	1.4	0.3	5.7	0.1	0.1	4.1	24	1.7
39502	0	0	1	0	SU	47.1964	68.0038	25.8	717.6	470	56881.	1184	1.0	1.4	5.3	0.1	0.1	5.5	21	1.7
39503	0	0	0	0	SU	47.1964	68.0033	25.8	717.6	463	56882.	1260	1.5	1.9	6.3	1.4	0.3	4.5	19	1.7
39504	0	0	1	0	SU	47.1964	68.0027	25.8	717.6	455	56883.	1174	1.2	0.3	7.1	0.1	0.1	6.2	21	1.7
39505	0	0	1	0	SU	47.1964	68.0021	25.8	717.6	442	56884.	1129	1.6	0.4	7.1	0.1	0.1	4.7	16	1.7
39506	0	0	1	0	SU	47.1964	68.0016	25.8	717.7	433	56886.	1254	1.4	1.2	5.8	0.1	0.1	4.2	13	1.7
39507	0	0	0	0	SU	47.1964	68.0010	25.8	717.7	426	56887.	1195	1.4	2.0	7.3	1.4	0.3	5.3	34	1.7

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	PPM	PPM			CPS	CPS		
39508	0	0	1	0	Su	47.1964	68.0004	25.8	717.7	427	56888.	1166	1.5	0.1	5.0	0.1	0.1	3.5	28	1.7
39509	0	0	1	0	Su	47.1964	67.9999	25.8	717.8	427	56887.	1180	1.6	1.3	7.9	0.1	0.1	5.2	25	1.8
39510	0	0	1	0	Su	47.1964	67.9993	25.8	717.8	428	56885.	1226	1.3	1.1	7.0	0.1	0.1	5.8	24	1.8
39511	0	0	1	0	Su	47.1964	67.9987	25.8	717.8	431	56885.	1188	1.4	1.2	5.6	0.1	0.1	4.3	22	1.8
39512	0	0	1	0	Su	47.1964	67.9981	25.8	717.8	435	56887.	1265	1.8	0.8	6.7	0.1	0.1	3.9	21	1.8
39513	0	0	1	0	Su	47.1964	67.9976	25.8	717.8	439	56888.	1225	1.2	1.1	6.4	0.1	0.1	5.6	27	1.9
39514	0	0	1	0	Su	47.1964	67.9970	25.8	717.9	440	56888.	1181	1.3	1.2	4.6	0.1	0.1	3.6	25	1.9
39515	0	0	1	0	Su	47.1964	67.9964	25.8	717.9	438	56887.	1180	1.5	1.4	6.9	0.1	0.1	4.8	24	1.9
39516	0	0	1	0	Su	47.1964	67.9959	25.8	717.9	435	56886.	1164	1.2	0.9	6.6	0.1	0.1	5.5	23	1.9
39517	0	0	1	0	Su	47.1964	67.9953	25.8	717.9	432	56887.	1114	1.1	0.9	6.3	0.1	0.1	5.8	24	1.9
39518	0	0	1	0	Su	47.1964	67.9947	25.8	717.9	429	56886.	1132	1.2	1.0	6.1	0.1	0.1	5.3	29	1.9
39519	0	0	0	0	Su	47.1964	67.9942	25.8	717.9	428	56884.	1178	1.1	1.8	7.6	1.7	0.3	7.2	26	1.9
39520	0	0	0	0	Su	47.1964	67.9936	25.8	717.9	428	56882.	1182	1.4	1.8	4.4	1.3	0.4	3.2	31	1.9
39521	0	0	0	0	Su	47.1964	67.9930	25.8	717.9	432	56882.	1074	1.0	3.1	3.9	3.3	0.9	4.1	27	2.0
39522	0	0	0	0	Su	47.1964	67.9925	25.8	717.9	438	56883.	1179	1.5	1.6	5.4	1.1	0.3	3.8	30	2.1
39523	0	0	0	0	Su	47.1964	67.9919	25.8	717.9	445	56885.	1186	1.4	2.0	4.2	1.4	0.5	3.1	21	2.1
39524	0	0	0	0	Su	47.1964	67.9913	25.9	717.9	453	56886.	1155	1.4	2.2	4.1	1.7	0.6	3.0	23	2.2
39525	0	0	1	0	Su	47.1964	67.9908	25.9	717.9	460	56885.	1241	1.4	1.5	7.3	0.1	0.1	5.5	19	2.2
39526	0	0	0	0	Su	47.1964	67.9902	25.9	718.0	465	56885.	1130	1.2	1.7	7.7	1.5	0.3	6.7	31	2.3
39527	0	0	1	0	Su	47.1964	67.9896	25.9	718.0	469	56884.	1130	1.1	1.1	6.6	0.1	0.1	6.3	20	2.3
39528	0	0	1	0	Su	47.1964	67.9891	25.9	718.1	471	56883.	1078	1.3	0.0	6.3	0.1	0.1	5.1	17	2.4
39529	0	0	1	0	Su	47.1964	67.9885	25.9	718.2	469	56885.	1117	1.2	1.6	8.1	0.1	0.1	7.1	27	2.4
39530	0	0	1	0	Su	47.1964	67.9879	25.9	718.4	466	56887.	1080	1.5	1.2	7.0	0.1	0.1	4.8	26	2.4
39531	0	0	1	0	Su	47.1964	67.9874	25.9	718.6	461	56887.	1101	1.0	1.3	5.5	0.1	0.1	5.5	28	2.4
39532	0	0	1	0	Su	47.1964	67.9868	25.9	718.7	458	56888.	1043	1.4	0.2	4.8	0.1	0.1	3.6	10	2.2
39533	0	0	1	0	Su	47.1963	67.9862	25.9	718.9	457	56888.	1142	1.4	1.1	6.2	0.1	0.1	4.7	22	2.2
39534	0	0	1	0	Su	47.1963	67.9856	25.9	719.2	461	56887.	1120	1.1	0.5	7.1	0.1	0.1	6.7	14	2.2
39535	0	0	1	0	Su	47.1963	67.9851	25.9	719.4	463	56886.	1085	1.2	-0.6	6.2	0.1	0.1	5.3	25	2.2
39536	0	0	1	0	Su	47.1963	67.9845	25.9	719.7	461	56884.	1087	0.9	0.3	7.7	0.1	0.1	8.8	15	2.2
39537	0	0	1	0	Su	47.1963	67.9839	25.9	720.0	455	56882.	932	0.7	0.4	6.8	0.1	0.1	10.3	19	2.0
39538	0	0	1	0	Su	47.1963	67.9834	25.9	720.3	454	56882.	957	1.1	1.0	4.1	0.1	0.1	4.0	18	1.8
39539	0	0	1	0	Su	47.1963	67.9827	25.9	720.6	461	56880.	887	1.1	1.2	4.8	0.1	0.1	4.6	17	1.8
39540	0	0	0	0	Su	47.1963	67.9819	25.9	720.9	473	56879.	857	0.8	1.9	4.2	2.4	0.5	5.4	23	1.6
39541	0	0	1	0	Su	47.1963	67.9812	25.9	721.2	483	56878.	808	1.0	0.7	3.1	0.1	0.1	3.3	30	1.4
39542	0	0	0	0	Su	47.1963	67.9805	26.0	721.5	482	56877.	772	1.0	2.4	6.4	2.5	0.4	6.6	24	1.2
39543	0	0	1	0	Su	47.1963	67.9798	26.0	721.7	471	56877.	659	0.6	0.5	3.0	0.1	0.1	5.1	25	1.0
39544	0	0	1	0	Su	47.1963	67.9791	26.0	721.9	458	56877.	603	0.9	0.8	2.8	0.1	0.1	3.5	21	0.8
39545	0	0	1	0	Su	47.1963	67.9784	26.0	722.1	450	56875.	510	0.4	0.3	1.6	0.1	0.1	0.1	24	0.6
39546	0	0	1	0	Su	47.1963	67.9777	26.0	722.3	444	56875.	425	0.4	-0.6	2.8	0.1	0.1	0.1	28	0.4
39547	0	0	1	0	Su	47.1963	67.9770	26.0	722.6	443	56876.	412	0.4	0.2	2.2	0.1	0.1	0.1	21	0.2
39548	0	0	1	0	Su	47.1963	67.9762	26.0	722.8	446	56877.	481	0.3	1.0	2.3	0.1	0.1	0.1	25	0.0
39549	0	0	1	0	Su	47.1963	67.9755	26.0	723.0	453	56878.	611	0.5	-0.5	4.6	0.1	0.1	0.1	22	0.0
39550	0	0	0	0	Su	47.1963	67.9748	26.0	723.2	459	56879.	699	0.8	1.4	4.4	1.9	0.3	6.1	18	0.0
39551	0	0	1	0	Su	47.1963	67.9741	26.0	723.4	464	56880.	737	0.7	-0.2	3.5	0.1	0.1	5.1	18	0.0
39552	0	0	1	0	Su	47.1963	67.9734	26.0	723.7	467	56881.	809	0.8	0.0	4.6	0.1	0.1	6.1	25	0.0
39553	0	0	0	0	Su	47.1963	67.9727	26.0	723.9	472	56882.	902	1.1	1.8	4.7	1.7	0.4	4.3	21	0.0
39554	0	0	0	0	Su	47.1963	67.9720	26.0	724.1	476	56882.	869	0.8	1.8	4.4	2.3	0.4	5.7	23	0.0
39555	0	0	0	0	Su	47.1963	67.9713	26.0	724.4	480	56881.	874	1.0	2.2	4.0	2.4	0.6	4.3	26	0.0
39556	0	0	0	0	Su	47.1963	67.9706	26.0	724.6	481	56881.	904	0.7	1.5	3.4	2.2	0.5	5.0	19	0.0
39557	0	0	1	0	Su	47.1963	67.9698	26.0	724.8	481	56881.	852	1.0	1.1	3.1	0.1	0.1	3.2	24	0.0

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
39559	0	0	1	0	Su	47.1963	67.9684	26.0	725.0	477	56880.	837	1.1	0.6	4.9	0.1	0.1	4.7	30	0.0
39560	0	0	1	0	Su	47.1963	67.9677	26.0	725.3	472	56880.	729	0.8	-0.4	3.7	0.1	0.1	4.9	19	0.0
39561	0	0	1	0	Su	47.1963	67.9670	26.0	725.4	465	56879.	795	1.0	1.0	5.0	0.1	0.1	5.2	17	0.0
39562	0	0	1	0	Su	47.1963	67.9663	26.0	725.6	458	56879.	670	0.6	0.8	4.8	0.1	0.1	8.7	22	0.0
39563	0	0	0	0	Su	47.1963	67.9656	26.0	725.8	451	56879.	666	0.7	1.5	1.2	2.2	1.3	1.7	19	0.0
39564	0	0	0	0	Su	47.1963	67.9649	26.0	725.9	446	56878.	789	1.0	1.7	4.4	1.8	0.4	4.5	26	0.0
39565	0	0	1	0	Su	47.1963	67.9641	26.0	726.1	443	56878.	749	0.6	0.5	2.9	0.1	0.1	5.0	23	0.0
39566	0	0	0	0	Su	47.1963	67.9634	26.0	726.2	440	56879.	798	0.8	1.6	5.3	2.1	0.3	7.0	32	0.0
39567	0	0	1	0	Water	47.1963	67.9627	26.0	726.3	437	56879.	777	1.1	1.2	3.8	0.1	0.1	3.7	19	0.0
39568	0	0	1	0	Water	47.1963	67.9620	26.0	726.4	438	56879.	713	0.8	0.7	5.1	0.1	0.1	7.0	18	0.0
39569	0	0	1	0	Water	47.1963	67.9613	26.0	726.5	439	56878.	568	0.7	0.2	2.7	0.1	0.1	4.3	26	0.0
39570	0	0	1	0	Water	47.1963	67.9606	26.0	726.7	441	56878.	424	0.6	-0.7	2.6	0.1	0.1	5.0	23	0.0
39571	0	0	1	0	Water	47.1963	67.9599	26.0	726.8	438	56878.	292	0.4	-0.2	3.3	0.1	0.1	0.1	25	0.0
39572	0	0	1	0	Water	47.1963	67.9591	26.0	726.8	435	56877.	224	0.2	-0.3	2.3	0.1	0.1	0.1	22	0.0
39573	0	1	1	1	Water	47.1963	67.9584	26.0	726.9	432	56876.	121	0.2	-0.6	0.7	0.1	0.1	0.1	29	0.0
39574	0	1	1	1	Water	47.1963	67.9577	26.0	726.9	431	56875.	137	0.2	0.1	0.8	0.1	0.1	0.1	32	0.0
39575	0	0	1	1	Water	47.1963	67.9570	26.0	727.0	428	56875.	241	0.4	-0.4	0.8	0.1	0.1	0.1	22	0.0
39576	0	0	1	0	Water	47.1963	67.9563	26.0	727.0	426	56876.	321	0.4	-0.2	3.3	0.1	0.1	0.1	17	0.0
39577	0	0	1	0	Water	47.1963	67.9556	26.0	727.0	426	56876.	370	0.4	0.3	2.0	0.1	0.1	0.1	28	0.0
39578	0	0	1	0	Water	47.1964	67.9549	26.0	727.0	427	56877.	375	0.4	0.5	1.9	0.1	0.1	0.1	20	0.0
39579	0	0	1	0	Water	47.1964	67.9541	26.0	727.1	426	56877.	286	0.4	0.1	2.8	0.1	0.1	0.1	23	0.0
39580	0	0	1	1	Water	47.1964	67.9534	26.0	727.1	423	56876.	241	0.2	0.3	1.1	0.1	0.1	0.1	15	0.0
39581	0	0	1	0	Unknon	47.1964	67.9527	26.0	727.1	421	56874.	200	0.3	-0.6	2.1	0.1	0.1	0.1	21	0.0
39582	0	0	1	1	Unknon	47.1965	67.9519	26.0	727.1	421	56873.	222	0.3	0.6	0.9	0.1	0.1	0.1	26	0.0
39583	0	0	1	0	Unknon	47.1965	67.9512	26.0	727.1	421	56870.	329	0.3	0.5	1.7	0.1	0.1	0.1	19	0.0

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI	
												CPS	%	PPM	PPM					CPS	CPS
49527	0	0	1	0	DSu	47.1101	69.5867	19.7	696.5	394	56850.	598	0.5	0.0	1.9	0.1	0.1	0.1	29	0.0	
49528	0	0	1	0	DSu	47.1101	69.5862	19.7	696.5	396	56850.	629	0.8	0.3	3.0	0.1	0.1	4.2	23	0.0	
49529	0	0	1	0	DSu	47.1101	69.5857	19.7	696.5	396	56850.	577	0.7	0.5	2.4	0.1	0.1	3.8	23	0.0	
49530	0	0	1	0	DSu	47.1101	69.5853	19.8	696.5	391	56852.	612	0.8	1.1	3.3	0.1	0.1	4.2	32	0.0	
49531	0	0	1	0	DSu	47.1101	69.5848	19.8	696.5	380	56852.	616	0.4	0.3	2.6	0.1	0.1	0.1	36	0.0	
49532	0	0	1	0	DSu	47.1101	69.5843	19.8	696.5	375	56849.	600	0.6	0.4	3.9	0.1	0.1	6.4	23	0.0	
49533	0	0	1	0	DSu	47.1101	69.5838	19.8	696.5	375	56845.	620	0.8	0.7	3.3	0.1	0.1	4.5	21	0.0	
49534	0	0	0	0	DSu	47.1101	69.5834	19.8	696.5	384	56841.	696	0.7	1.0	2.8	1.5	0.4	4.0	24	0.0	
49535	0	0	1	0	DSu	47.1102	69.5829	19.8	696.6	396	56840.	640	0.7	0.5	2.3	0.1	0.1	3.5	20	0.0	
49536	0	0	1	0	DSu	47.1102	69.5825	19.8	696.6	404	56841.	618	0.6	0.6	3.0	0.1	0.1	5.9	23	0.0	
49537	0	0	1	0	DSu	47.1102	69.5820	19.9	696.6	403	56841.	617	0.7	0.8	3.1	0.1	0.1	4.5	37	0.0	
49538	0	0	1	0	DSu	47.1102	69.5815	19.9	696.6	397	56838.	613	0.6	0.1	2.7	0.1	0.1	5.1	29	0.0	
49539	0	0	1	0	DSu	47.1102	69.5811	19.9	696.7	396	56835.	589	0.7	0.8	1.4	0.1	0.1	2.2	22	0.0	
49540	0	0	0	0	DSu	47.1102	69.5806	19.9	696.7	396	56835.	558	0.5	1.1	2.9	0.1	0.4	0.1	32	0.0	
49541	0	0	0	0	DSu	47.1103	69.5802	19.9	696.7	398	56837.	601	0.7	1.5	3.3	2.3	0.5	5.1	24	0.0	
49542	0	0	1	0	DSu	47.1103	69.5797	19.9	696.8	401	56837.	573	0.5	0.2	2.2	0.1	0.1	0.1	20	0.0	
49543	0	0	0	0	DSu	47.1103	69.5793	19.9	696.8	406	56836.	630	0.7	1.2	2.6	1.7	0.5	3.9	22	0.0	
49544	0	0	0	0	DSu	47.1103	69.5788	19.9	696.9	412	56835.	652	0.7	1.2	2.8	1.8	0.5	4.3	19	0.0	
49545	0	0	1	0	DSu	47.1103	69.5784	19.9	697.0	415	56836.	588	0.6	1.1	2.0	0.1	0.1	3.3	25	0.0	
49546	0	0	1	0	DSu	47.1104	69.5779	20.0	697.1	415	56838.	616	0.7	0.4	3.0	0.1	0.1	4.6	20	0.0	
49547	0	0	1	0	DSu	47.1104	69.5775	20.0	697.1	414	56840.	610	0.6	0.6	3.6	0.1	0.1	6.5	29	0.0	
49548	0	0	0	0	DSu	47.1104	69.5770	20.0	697.2	409	56841.	614	0.5	1.4	3.3	0.1	0.5	0.1	20	0.0	
49549	0	0	1	0	DSu	47.1104	69.5766	20.0	697.3	399	56839.	618	0.6	0.8	2.8	0.1	0.1	5.4	23	0.0	
49550	0	0	1	0	DSu	47.1104	69.5762	20.0	697.4	388	56836.	602	0.6	0.9	2.3	0.1	0.1	4.0	33	0.0	
49551	0	0	1	0	DSu	47.1105	69.5757	20.0	697.6	384	56834.	580	0.7	0.6	2.5	0.1	0.1	3.6	26	0.0	
49552	0	0	0	0	DSu	47.1105	69.5753	20.0	697.7	385	56834.	602	0.6	1.2	3.9	2.0	0.3	6.6	28	0.0	
49553	0	0	1	0	DSu	47.1105	69.5748	20.0	697.8	385	56836.	576	0.7	0.8	1.8	0.1	0.1	2.8	28	0.0	
49554	0	0	1	1	DSu	47.1105	69.5744	20.0	698.0	382	56837.	549	0.5	0.4	1.1	0.1	0.1	0.1	24	0.0	
49555	0	0	1	0	DSu	47.1105	69.5739	20.0	698.1	381	56835.	602	0.6	0.8	2.4	0.1	0.1	4.6	29	0.0	
49556	0	0	1	0	DSu	47.1106	69.5735	20.0	698.3	383	56832.	611	0.6	0.1	3.5	0.1	0.1	6.1	24	0.0	
49557	0	0	1	0	DSu	47.1106	69.5730	20.0	698.4	380	56832.	559	0.6	0.8	2.5	0.1	0.1	4.7	27	0.0	
49558	0	0	1	0	DSu	47.1106	69.5726	20.0	698.6	379	56832.	601	0.7	0.6	3.2	0.1	0.1	5.1	36	0.0	
49559	0	0	0	0	DSu	47.1106	69.5721	20.0	698.7	378	56834.	604	0.6	1.3	3.8	2.2	0.4	6.3	29	0.0	
49560	0	0	1	0	DSu	47.1106	69.5717	20.0	698.9	382	56836.	617	0.6	0.9	3.7	0.1	0.1	6.6	23	0.0	
49561	0	0	1	0	DSu	47.1107	69.5712	20.0	699.0	381	56837.	530	0.6	0.2	3.3	0.1	0.1	6.1	33	0.0	
49562	0	0	1	0	DSu	47.1107	69.5708	20.0	699.2	376	56835.	549	0.8	0.1	3.8	0.1	0.1	5.2	30	0.0	
49563	0	0	1	0	DSu	47.1107	69.5703	20.0	699.3	370	56833.	543	0.6	0.6	1.2	0.1	0.1	2.1	26	0.0	
49564	0	0	1	1	DSu	47.1107	69.5699	20.0	699.4	366	56830.	498	0.6	0.1	0.8	0.1	0.1	0.1	26	0.0	
49565	0	0	1	0	DSu	47.1107	69.5695	20.1	699.5	357	56829.	516	0.5	0.3	2.5	0.1	0.1	0.1	32	0.0	
49566	0	0	1	0	DSu	47.1108	69.5690	20.1	699.6	348	56831.	565	0.4	0.9	3.1	0.1	0.1	0.1	22	0.0	
49567	0	0	1	0	DSu	47.1108	69.5686	20.1	699.7	335	56833.	533	0.3	0.8	3.5	0.1	0.1	0.1	25	0.0	
49568	0	0	0	0	DSu	47.1108	69.5681	20.1	699.8	328	56835.	520	0.6	1.4	2.4	2.7	0.6	4.8	25	0.0	
49569	0	0	1	1	DSu	47.1108	69.5676	20.1	699.8	328	56834.	565	0.5	0.7	0.7	0.1	0.1	0.1	28	0.0	
49570	0	0	1	0	DSu	47.1108	69.5672	20.1	699.8	330	56831.	589	0.6	0.2	1.8	0.1	0.1	3.3	31	0.0	
49571	0	0	1	0	DSu	47.1109	69.5668	20.1	699.9	335	56829.	589	0.5	-0.2	2.2	0.1	0.1	0.1	20	0.0	
49572	0	0	1	0	DSu	47.1109	69.5663	20.1	699.9	336	56826.	554	0.6	0.9	2.8	0.1	0.1	5.0	22	0.0	
49573	0	0	1	0	DSu	47.1109	69.5659	20.1	699.9	337	56827.	532	0.6	0.1	2.4	0.1	0.1	4.6	29	0.0	
49574	0	0	1	0	DSu	47.1109	69.5654	20.1	699.8	337	56829.	594	0.4	0.9	2.3	0.1	0.1	0.1	26	0.0	
49575	0	0	1	0	DSu	47.1110	69.5650	20.1	699.8	337	56831.	591	0.6	0.5	3.1	0.1	0.1	6.1	22	0.0	
49576	0	0	0	0	DSu	47.1110	69.5645	20.1	699.7	338	56834.	598	0.6	1.3	3.1	2.5	0.5	5.9	25	0.0	

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
49577	0	0	1	0	DSu	47.1110	69.5641	20.1	699.6	337	56838.	535	0.6	-0.2	1.1	0.1	0.1	2.1	31	0.0
49578	0	0	1	0	DSu	47.1110	69.5636	20.1	699.6	336	56840.	565	0.6	0.4	2.7	0.1	0.1	4.4	33	0.0
49579	0	0	1	0	DSu	47.1110	69.5632	20.1	699.5	336	56841.	565	0.5	0.6	3.2	0.1	0.1	0.1	29	0.0
49580	0	0	0	0	DSu	47.1110	69.5627	20.1	699.4	337	56843.	611	0.5	1.1	2.2	0.1	0.5	0.1	31	0.0
49581	0	0	1	0	DSu	47.1111	69.5623	20.1	699.4	340	56844.	615	0.6	1.0	1.5	0.1	0.1	2.8	31	0.0
49582	0	0	1	0	DSu	47.1111	69.5618	20.1	699.4	345	56844.	610	0.5	-0.2	3.4	0.1	0.1	0.1	27	0.0
49583	0	0	1	0	DSu	47.1111	69.5614	20.1	699.3	350	56842.	642	0.7	-0.4	2.8	0.1	0.1	4.5	20	0.0
49585	0	0	0	0	DSu	47.1111	69.5605	20.1	699.3	359	56840.	614	0.5	1.7	2.1	0.1	0.9	0.1	32	0.0
49586	0	0	1	0	DSu	47.1112	69.5601	20.1	699.2	370	56840.	618	0.6	0.3	4.3	0.1	0.1	8.1	20	0.0
49587	0	0	1	0	DSu	47.1112	69.5596	20.2	699.2	383	56843.	612	0.6	0.7	3.3	0.1	0.1	6.0	23	0.0
49588	0	0	1	0	DSu	47.1112	69.5592	20.2	699.2	396	56844.	603	0.8	0.4	2.8	0.1	0.1	3.8	27	0.0
49589	0	0	1	0	DSu	47.1112	69.5587	20.2	699.2	408	56845.	611	0.8	0.1	3.2	0.1	0.1	4.3	31	0.0
49590	0	0	1	0	DSu	47.1112	69.5583	20.2	699.2	410	56847.	651	0.5	-0.2	4.3	0.1	0.1	0.1	25	0.0
49591	0	0	1	0	DSu	47.1113	69.5578	20.2	699.2	409	56846.	645	0.6	0.7	4.1	0.1	0.1	7.5	14	0.0
49592	0	0	1	0	DSu	47.1113	69.5574	20.2	699.2	402	56844.	603	0.6	0.1	2.8	0.1	0.1	5.3	22	0.0
49593	0	0	1	0	DSu	47.1113	69.5569	20.2	699.3	395	56845.	595	0.5	-0.2	2.9	0.1	0.1	0.1	25	0.0
49594	0	0	1	0	DSu	47.1113	69.5565	20.2	699.3	386	56844.	564	0.7	0.2	3.4	0.1	0.1	5.4	31	0.0
49595	0	0	1	0	DSu	47.1113	69.5560	20.2	699.3	382	56843.	607	0.5	0.7	2.7	0.1	0.1	0.1	22	0.0
49596	0	0	0	0	DSu	47.1114	69.5556	20.2	699.3	383	56845.	589	0.5	1.5	2.2	0.1	0.7	0.1	17	0.0
49597	0	0	1	0	DSu	47.1114	69.5551	20.2	699.2	387	56848.	587	0.6	0.4	4.2	0.1	0.1	7.7	33	0.0
49598	0	0	1	0	DSu	47.1114	69.5547	20.2	699.2	388	56850.	581	0.5	0.2	4.0	0.1	0.1	0.1	31	0.0
49599	0	0	1	0	DSu	47.1114	69.5542	20.2	699.2	390	56853.	581	0.7	0.5	3.0	0.1	0.1	4.9	32	0.0
49600	0	0	1	0	DSu	47.1115	69.5538	20.2	699.2	387	56852.	563	0.8	0.0	1.7	0.1	0.1	2.4	26	0.0
49601	0	0	1	0	DSu	47.1115	69.5533	20.2	699.2	389	56849.	640	0.8	1.0	3.6	0.1	0.1	4.5	22	0.0
49602	0	0	1	0	DSu	47.1115	69.5529	20.2	699.2	390	56847.	699	0.8	0.8	3.5	0.1	0.1	4.5	29	0.0
49603	0	0	1	0	DSu	47.1115	69.5524	20.2	699.2	394	56845.	638	0.5	-0.7	3.3	0.1	0.1	0.1	25	0.0
49604	0	0	1	0	DSu	47.1115	69.5520	20.2	699.1	399	56845.	704	1.1	0.2	3.3	0.1	0.1	3.2	28	0.0
49605	0	0	1	0	DSu	47.1115	69.5515	20.2	699.1	411	56847.	689	0.8	0.9	2.1	0.1	0.1	2.9	32	0.0
49606	0	0	0	0	DSu	47.1116	69.5511	20.2	699.1	424	56846.	721	0.7	1.8	3.8	2.5	0.5	5.6	31	0.0
49607	0	0	1	0	DSu	47.1116	69.5507	20.2	699.1	435	56847.	668	0.8	0.1	2.5	0.1	0.1	3.3	24	0.0
49608	0	0	1	0	DSu	47.1116	69.5502	20.2	699.2	441	56849.	668	0.8	0.4	3.2	0.1	0.1	4.3	25	0.0
49609	0	0	1	0	DSu	47.1116	69.5498	20.2	699.2	443	56851.	729	0.9	0.0	5.3	0.1	0.1	6.0	23	0.0
49610	0	0	1	0	DSu	47.1117	69.5493	20.2	699.2	447	56855.	670	0.6	0.9	2.6	0.1	0.1	5.1	32	0.0
49611	0	0	1	0	DSu	47.1117	69.5489	20.2	699.2	451	56857.	732	0.7	1.1	4.3	0.1	0.1	6.6	31	0.0
49612	0	0	1	0	DSu	47.1117	69.5484	20.2	699.3	458	56856.	632	0.6	0.4	3.6	0.1	0.1	6.0	21	0.0
49613	0	0	0	0	DSu	47.1117	69.5480	20.2	699.3	467	56854.	687	0.8	1.3	1.6	1.6	0.9	1.9	33	0.0
49614	0	0	1	0	DSu	47.1117	69.5475	20.2	699.4	477	56852.	684	0.8	0.8	3.2	0.1	0.1	4.1	20	0.0
49615	0	0	1	0	DSu	47.1118	69.5471	20.2	699.5	486	56847.	652	0.8	0.7	4.1	0.1	0.1	5.5	17	0.0
49616	0	0	1	0	DSu	47.1118	69.5466	20.2	699.6	492	56844.	599	0.8	0.8	3.9	0.1	0.1	5.1	25	0.0
49617	0	0	1	0	DSu	47.1118	69.5462	20.2	699.6	497	56843.	588	0.7	-0.1	2.7	0.1	0.1	4.0	16	0.0
49618	0	0	1	0	DSu	47.1118	69.5457	20.2	699.7	500	56843.	563	0.6	-0.5	2.9	0.1	0.1	5.1	16	0.0
49619	0	0	1	0	DSu	47.1118	69.5453	20.2	699.8	496	56845.	546	0.5	0.6	3.0	0.1	0.1	0.1	25	0.0
49620	0	0	1	0	DSu	47.1119	69.5448	20.2	699.9	489	56846.	443	0.5	0.3	1.8	0.1	0.1	0.1	36	0.0
49621	0	0	1	0	DSu	47.1119	69.5444	20.2	699.9	480	56846.	394	0.5	0.6	2.6	0.1	0.1	0.1	26	0.0
49622	0	0	1	0	DSu	47.1119	69.5439	20.2	700.0	473	56846.	388	0.5	-0.4	2.4	0.1	0.1	0.1	38	0.0
49623	0	1	1	1	DSu	47.1119	69.5435	20.2	700.0	466	56847.	359	0.2	0.7	0.0	0.1	0.1	0.1	31	0.0
49624	0	0	1	0	DSu	47.1119	69.5430	20.2	700.1	461	56848.	470	0.5	0.9	2.0	0.1	0.1	0.1	24	0.0
49625	0	0	1	0	DSu	47.1120	69.5426	20.2	700.1	460	56848.	427	0.6	-0.4	1.6	0.1	0.1	3.2	23	0.0
49626	0	0	1	0	DSu	47.1120	69.5421	20.2	700.1	460	56847.	527	0.4	0.5	3.4	0.1	0.1	0.1	24	0.0
49627	0	0	1	0	DSu	47.1120	69.5417	20.2	700.2	461	56844.	483	0.3	-0.1	3.1	0.1	0.1	0.1	22	0.0

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
49628	0	0	1	0	DSU	47.1120	69.5412	20.2	700.2	460	56840.	620	0.9	0.5	2.1	0.1	0.1	2.5	29	0.0
49629	0	0	1	0	DSU	47.1119	69.5407	20.2	700.2	456	56840.	632	0.6	0.3	2.1	0.1	0.1	3.5	25	0.0
49630	0	0	1	0	DSU	47.1118	69.5401	20.2	700.2	446	56842.	530	0.6	1.1	2.3	0.1	0.1	4.4	31	0.0
49631	0	0	0	0	DSU	47.1117	69.5396	20.2	700.2	434	56842.	621	0.7	1.4	2.7	2.0	0.6	3.9	23	0.0
49632	0	0	1	0	DSU	47.1116	69.5390	20.2	700.2	430	56841.	631	0.8	0.8	2.2	0.1	0.1	3.1	22	0.0
49633	0	0	1	0	DSU	47.1115	69.5385	20.2	700.2	428	56840.	720	0.7	0.9	3.4	0.1	0.1	5.3	17	0.0
49634	0	0	0	0	DSU	47.1114	69.5379	20.2	700.2	426	56842.	729	0.7	1.2	2.9	1.9	0.5	4.5	19	0.0
49635	0	0	1	0	DSU	47.1113	69.5374	20.2	700.2	420	56844.	645	0.7	0.1	1.8	0.1	0.1	2.7	19	0.0
49636	0	0	0	0	DSU	47.1112	69.5368	20.2	700.2	419	56844.	733	0.5	1.3	4.4	0.1	0.3	0.1	31	0.0
49637	0	0	1	0	DSU	47.1111	69.5363	20.3	700.3	416	56839.	709	0.7	0.9	2.5	0.1	0.1	3.7	24	0.0
49638	0	0	1	0	DSU	47.1110	69.5357	20.3	700.3	411	56835.	685	0.6	0.7	3.2	0.1	0.1	5.7	30	0.0
49639	0	0	1	0	DSU	47.1110	69.5352	20.3	700.3	408	56833.	700	0.9	0.6	1.4	0.1	0.1	1.7	24	0.0
49640	0	0	0	0	DSU	47.1109	69.5346	20.3	700.3	409	56831.	711	0.7	1.6	2.1	2.5	0.8	3.3	28	0.0
49641	0	0	1	0	DSU	47.1108	69.5341	20.4	700.4	415	56829.	760	0.8	0.8	2.6	0.1	0.1	3.5	21	0.0
49642	0	0	1	0	DSU	47.1107	69.5335	20.4	700.4	421	56832.	704	0.8	0.9	2.4	0.1	0.1	3.1	23	0.0
49643	0	0	1	0	DSU	47.1106	69.5330	20.4	700.5	429	56836.	735	0.9	0.9	3.2	0.1	0.1	3.8	23	0.0
49644	0	0	1	0	DSU	47.1105	69.5324	20.4	700.5	434	56838.	716	0.8	0.5	2.5	0.1	0.1	3.4	29	0.0
49645	0	0	1	0	DSU	47.1104	69.5318	20.4	700.6	441	56839.	758	0.9	0.5	3.8	0.1	0.1	4.2	22	0.0
49646	0	0	1	0	DSU	47.1103	69.5313	20.4	700.7	447	56839.	731	0.8	1.1	3.6	0.1	0.1	4.7	24	0.0
49647	0	0	0	0	DSU	47.1102	69.5307	20.4	700.8	450	56841.	738	0.8	2.0	3.9	2.6	0.6	5.0	26	0.0
49648	0	0	1	0	DSU	47.1101	69.5302	20.4	700.9	445	56842.	650	0.6	0.9	4.8	0.1	0.1	7.9	19	0.0
49649	0	0	1	0	DSU	47.1100	69.5296	20.4	701.0	439	56842.	665	0.6	1.1	5.2	0.1	0.1	8.5	29	0.0
49650	0	0	1	0	DSU	47.1099	69.5291	20.4	701.1	435	56839.	604	0.7	0.5	2.6	0.1	0.1	3.7	30	0.0
49651	0	0	1	0	DSU	47.1098	69.5285	20.4	701.2	438	56834.	561	0.4	-0.2	3.2	0.1	0.1	0.1	35	0.0
49652	0	0	1	0	DSU	47.1097	69.5280	20.4	701.3	443	56831.	607	0.7	0.6	2.4	0.1	0.1	3.5	33	0.0
49653	0	0	1	0	DSU	47.1096	69.5274	20.4	701.4	446	56833.	588	0.4	0.6	2.4	0.1	0.1	0.1	28	0.0
49654	0	0	0	0	DSU	47.1095	69.5269	20.4	701.5	449	56835.	662	0.6	2.6	4.0	4.3	0.7	6.6	28	0.0
49655	0	0	1	0	DSU	47.1094	69.5263	20.4	701.6	450	56835.	567	0.6	0.2	3.8	0.1	0.1	7.2	21	0.0
49656	0	0	1	0	DSU	47.1093	69.5258	20.4	701.7	449	56835.	590	0.7	-0.6	3.4	0.1	0.1	5.5	33	0.0
49657	0	0	1	0	DSU	47.1092	69.5252	20.4	701.8	445	56836.	543	0.6	0.0	4.0	0.1	0.1	6.7	26	0.0
49658	0	0	1	0	DSU	47.1091	69.5247	20.4	701.9	440	56837.	492	0.4	-0.7	3.2	0.1	0.1	0.1	26	0.0
49659	0	0	1	0	DSU	47.1090	69.5241	20.4	701.9	436	56838.	524	0.7	0.6	3.6	0.1	0.1	5.3	27	0.0
49660	0	0	1	0	DSU	47.1089	69.5236	20.4	702.0	429	56840.	485	0.5	0.8	2.0	0.1	0.1	0.1	23	0.0
49661	0	0	1	0	DSU	47.1088	69.5230	20.4	702.0	422	56839.	484	0.3	0.3	2.6	0.1	0.1	0.1	30	0.0
49662	0	0	1	0	DSU	47.1087	69.5225	20.4	702.1	414	56836.	544	0.5	-0.2	2.3	0.1	0.1	0.1	19	0.0
49663	0	0	1	0	DSU	47.1086	69.5219	20.4	702.1	409	56836.	624	0.5	0.6	2.7	0.1	0.1	0.1	25	0.0
49664	0	0	1	0	DSU	47.1085	69.5213	20.4	702.1	406	56836.	613	0.8	0.5	3.7	0.1	0.1	4.8	30	0.0
49665	0	0	1	0	DSU	47.1084	69.5208	20.4	702.1	403	56837.	605	0.7	-0.1	3.1	0.1	0.1	4.8	21	0.0
49666	0	0	1	0	DSU	47.1083	69.5202	20.4	702.1	401	56838.	644	0.8	0.4	3.0	0.1	0.1	3.8	21	0.0
49667	0	0	1	0	DSU	47.1082	69.5197	20.4	702.0	399	56839.	692	0.7	0.2	4.8	0.1	0.1	7.5	32	0.0
49668	0	0	1	0	DSU	47.1082	69.5191	20.4	702.0	397	56838.	745	0.7	0.9	4.3	0.1	0.1	6.3	23	0.0
49669	0	0	1	0	DSU	47.1081	69.5186	20.4	702.0	396	56835.	708	0.8	0.9	2.8	0.1	0.1	3.6	28	0.0
49670	0	0	1	0	DSU	47.1080	69.5180	20.4	701.9	396	56831.	641	0.7	1.1	3.0	0.1	0.1	4.2	28	0.0
49671	0	0	1	0	DSU	47.1079	69.5175	20.4	701.8	397	56831.	739	0.8	0.9	3.5	0.1	0.1	4.6	19	0.0
49672	0	0	0	0	DSU	47.1078	69.5169	20.4	701.8	397	56832.	695	0.9	1.5	3.1	1.7	0.5	3.5	36	0.0
49673	0	0	1	0	DSU	47.1077	69.5164	20.4	701.7	396	56834.	691	0.8	-0.3	1.9	0.1	0.1	2.4	24	0.0
49674	0	0	1	0	DSU	47.1076	69.5158	20.4	701.6	394	56835.	717	0.8	0.9	4.3	0.1	0.1	5.9	23	0.0
49675	0	0	0	0	DSU	47.1075	69.5153	20.4	701.5	395	56837.	696	0.7	1.5	4.0	2.3	0.4	6.0	21	0.0
49676	0	0	1	0	DSU	47.1074	69.5147	20.4	701.4	396	56838.	701	0.5	0.9	3.2	0.1	0.1	0.1	32	0.0
49677	0	0	1	0	DSU	47.1073	69.5142	20.4	701.4	401	56837.	649	0.6	0.1	3.4	0.1	0.1	5.8	28	0.0

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
49678	0	0	1	0	DSu	47.1072	69.5136	20.4	701.3	407	56836.	674	0.6	0.3	4.5	0.1	0.1	7.8	26	0.0
49679	0	0	1	0	DSu	47.1071	69.5131	20.4	701.2	414	56836.	683	0.6	1.0	4.8	0.1	0.1	9.5	28	0.0
49681	0	0	1	0	DSu	47.1069	69.5120	20.4	701.1	421	56840.	653	0.6	0.6	3.1	0.1	0.1	5.6	28	0.0
49682	0	0	1	0	DSu	47.1068	69.5114	20.4	701.0	428	56843.	605	0.7	1.1	2.2	0.1	0.1	3.4	22	0.0
49683	0	0	1	0	DSu	47.1067	69.5109	20.4	700.9	435	56843.	618	0.5	0.7	4.7	0.1	0.1	0.1	32	0.0
49684	0	0	1	0	DSu	47.1066	69.5103	20.4	700.9	438	56842.	653	0.6	-0.5	4.4	0.1	0.1	7.4	28	0.0
49685	0	0	1	0	DSu	47.1065	69.5098	20.4	700.9	436	56843.	610	0.5	0.6	2.5	0.1	0.1	0.1	37	0.0
49686	0	0	1	0	DSu	47.1064	69.5092	20.4	700.9	430	56846.	659	0.8	0.1	4.1	0.1	0.1	5.5	28	0.0
49687	0	0	1	0	DSu	47.1063	69.5086	20.4	700.9	419	56846.	682	0.9	0.3	2.8	0.1	0.1	3.3	26	0.0
49688	0	0	1	0	DSu	47.1062	69.5081	20.4	700.8	405	56843.	706	0.8	0.3	3.0	0.1	0.1	4.0	20	0.0
49689	0	0	1	0	DSu	47.1061	69.5075	20.4	700.8	390	56839.	840	0.9	0.6	5.0	0.1	0.1	5.9	28	0.0
49690	0	0	1	0	DSu	47.1060	69.5070	20.4	700.8	377	56835.	756	1.1	0.2	3.4	0.1	0.1	3.3	16	0.0
49691	0	0	1	0	DSu	47.1059	69.5064	20.4	700.8	369	56834.	768	0.5	0.5	3.9	0.1	0.1	0.1	31	0.0
49692	0	0	0	0	DSu	47.1058	69.5059	20.4	700.8	366	56836.	727	0.7	1.3	2.8	1.9	0.5	4.1	27	0.0
49693	0	0	0	0	DSu	47.1057	69.5053	20.4	700.8	365	56837.	748	0.7	1.3	3.4	1.8	0.4	5.0	20	0.0
49694	0	0	1	0	DSu	47.1056	69.5048	20.5	699.7	374	56839.	747	0.8	0.2	5.7	0.1	0.1	7.6	21	0.0
49695	0	0	1	0	DSu	47.1055	69.5042	20.5	699.5	375	56839.	751	0.9	0.8	4.8	0.1	0.1	6.0	34	0.0
49696	0	0	0	0	DSu	47.1054	69.5037	20.5	699.4	377	56840.	739	0.9	1.5	4.0	1.7	0.4	4.7	30	0.0
49697	0	0	1	0	DSu	47.1054	69.5031	20.5	699.3	377	56841.	742	0.8	-0.4	2.8	0.1	0.1	3.5	22	0.0
49698	0	0	0	0	DSu	47.1053	69.5026	20.5	699.2	376	56842.	725	0.6	1.1	3.5	2.2	0.4	6.6	19	0.0
49699	0	0	1	0	DSu	47.1052	69.5020	20.5	699.1	375	56844.	767	1.0	0.9	4.1	0.1	0.1	4.4	22	0.0
49700	0	0	1	0	DSu	47.1051	69.5015	20.5	699.0	374	56844.	758	0.8	0.9	4.1	0.1	0.1	5.2	31	0.0
49701	0	0	1	0	DSu	47.1050	69.5009	20.5	698.9	378	56845.	807	1.1	0.0	3.3	0.1	0.1	3.3	28	0.0
49702	0	0	1	0	DSu	47.1049	69.5004	20.5	698.7	386	56846.	760	0.8	0.2	4.6	0.1	0.1	6.4	36	0.0
49703	0	0	1	0	DSu	47.1048	69.4998	20.5	698.6	397	56847.	824	0.8	0.6	3.8	0.1	0.1	4.9	27	0.0
49704	0	0	0	0	DSu	47.1047	69.4992	20.5	698.6	410	56849.	791	1.1	1.2	4.7	1.2	0.3	4.6	25	0.0
49705	0	0	1	0	DSu	47.1046	69.4987	20.5	698.5	422	56853.	837	0.9	1.0	3.8	0.1	0.1	4.7	42	0.0
49706	0	0	1	0	DSu	47.1045	69.4981	20.5	698.4	432	56853.	737	0.7	0.7	3.9	0.1	0.1	6.0	22	0.0
49707	0	0	1	0	DSu	47.1044	69.4976	20.5	698.4	440	56851.	842	0.9	1.0	4.3	0.1	0.1	5.0	22	0.0
49708	0	0	1	0	DSu	47.1043	69.4970	20.5	698.4	449	56850.	858	0.9	-0.2	4.6	0.1	0.1	5.5	20	0.0
49709	0	0	1	0	DSu	47.1042	69.4965	20.5	698.5	456	56849.	848	0.8	0.4	5.9	0.1	0.1	7.8	32	0.0
49710	0	0	1	0	DSu	47.1041	69.4959	20.5	698.5	462	56849.	760	0.7	-0.7	2.8	0.1	0.1	4.5	20	0.0
49711	0	0	1	0	DSu	47.1040	69.4954	20.5	698.6	465	56849.	824	0.9	0.9	5.7	0.1	0.1	6.3	22	0.0
49712	0	0	1	0	DSu	47.1039	69.4948	20.5	698.8	458	56846.	808	0.9	1.0	3.5	0.1	0.1	4.3	26	0.0
49713	0	0	1	0	DSu	47.1038	69.4943	20.5	698.9	471	56845.	735	0.8	-0.2	2.7	0.1	0.1	3.7	27	0.0
49714	0	0	1	0	DSu	47.1037	69.4937	20.5	699.0	470	56847.	806	0.7	0.2	2.9	0.1	0.1	4.3	21	0.0
49715	0	0	1	0	DSu	47.1036	69.4932	20.5	699.2	469	56850.	683	1.0	0.8	3.5	0.1	0.1	3.7	33	0.0
49716	0	0	1	0	DSu	47.1035	69.4926	20.5	699.4	470	56852.	707	0.8	0.9	3.3	0.1	0.1	4.4	32	0.0
49717	0	0	1	0	DSu	47.1034	69.4921	20.5	699.6	469	56851.	664	0.4	1.1	2.8	0.1	0.1	0.1	42	0.0
49718	0	0	0	0	DSu	47.1033	69.4915	20.5	699.8	465	56848.	775	0.8	1.5	3.1	2.0	0.5	4.3	22	0.0
49719	0	0	1	0	DSu	47.1032	69.4910	20.5	700.0	462	56846.	775	0.9	0.1	3.7	0.1	0.1	4.1	20	0.0
49720	0	0	1	0	DSu	47.1031	69.4904	20.5	700.3	462	56846.	794	0.6	1.2	3.8	0.1	0.1	6.2	33	0.0
49721	0	0	1	0	DSu	47.1030	69.4899	20.5	700.5	463	56846.	855	0.8	0.3	3.6	0.1	0.1	4.6	35	0.0
49722	0	0	1	0	DSu	47.1029	69.4893	20.5	700.7	453	56845.	832	0.8	0.7	6.6	0.1	0.1	8.7	23	0.0
49723	0	0	1	0	DSu	47.1028	69.4887	20.5	700.9	438	56843.	795	0.8	0.2	4.2	0.1	0.1	5.5	20	0.0
49724	0	0	1	0	DSu	47.1027	69.4882	20.5	701.1	421	56842.	823	1.0	1.0	3.8	0.1	0.1	4.1	28	0.0
49725	0	0	1	0	DSu	47.1026	69.4876	20.5	701.2	411	56842.	813	0.7	1.1	4.0	0.1	0.1	5.8	24	0.0
49726	0	0	0	0	DSu	47.1026	69.4871	20.5	701.4	408	56840.	793	1.0	1.5	2.3	1.6	0.7	2.4	21	0.0
49727	0	0	0	0	DSu	47.1025	69.4865	20.5	701.6	408	56840.	835	0.9	1.2	3.6	1.5	0.4	4.3	27	0.0
49728	0	0	1	0	DSu	47.1024	69.4860	20.5	701.7	409	56839.	827	0.9	0.2	4.9	0.1	0.1	6.1	23	0.0

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
49729	0	0	1	0	DSu	47.1023	69.4854	20.5	701.9	407	56838.	845	0.9	1.1	3.7	0.1	0.1	4.4	32	0.0
49730	0	0	1	0	DSu	47.1022	69.4849	20.5	702.0	405	56840.	773	0.9	0.7	3.3	0.1	0.1	3.8	22	0.0
49731	0	0	1	0	DSu	47.1021	69.4843	20.5	702.1	406	56843.	755	0.9	0.6	3.6	0.1	0.1	4.0	31	0.0
49732	0	0	1	0	DSu	47.1020	69.4838	20.5	702.3	412	56847.	678	0.7	0.4	2.3	0.1	0.1	3.5	21	0.0
49733	0	0	0	0	DSu	47.1019	69.4832	20.5	702.4	421	56848.	719	0.5	1.4	5.1	0.1	0.3	0.1	29	0.0
49734	0	0	1	0	DSu	47.1018	69.4827	20.5	702.5	426	56851.	716	0.8	1.0	3.2	0.1	0.1	4.2	22	0.0
49735	0	0	0	0	DSu	47.1017	69.4821	20.5	702.6	430	56855.	673	0.5	1.3	3.8	0.1	0.4	0.1	18	0.0
49736	0	0	1	0	DSu	47.1016	69.4816	20.5	702.8	433	56853.	590	0.5	0.5	4.7	0.1	0.1	0.1	26	0.0
49737	0	0	0	0	DSu	47.1015	69.4810	20.5	702.9	435	56848.	529	0.6	1.3	2.1	2.4	0.6	4.0	21	0.0
49738	0	0	1	0	DSu	47.1014	69.4805	20.5	703.0	436	56844.	502	0.4	-0.3	2.9	0.1	0.1	0.1	30	0.0
49739	0	0	1	0	DSu	47.1013	69.4799	20.5	703.0	436	56842.	591	0.7	0.6	3.5	0.1	0.1	5.4	12	0.0
49740	0	0	1	0	DSu	47.1012	69.4794	20.5	703.1	436	56843.	540	0.7	0.3	2.9	0.1	0.1	4.5	37	0.0
49741	0	0	1	0	DSu	47.1011	69.4788	20.5	703.1	430	56846.	483	0.6	-0.2	1.8	0.1	0.1	3.3	23	0.0
49742	0	0	1	0	DSu	47.1010	69.4782	20.5	703.2	422	56851.	542	0.4	1.0	1.3	0.1	0.1	0.1	26	0.0
49743	0	0	0	0	DSu	47.1009	69.4777	20.5	703.2	412	56855.	482	0.3	1.4	3.4	0.1	0.5	0.1	22	0.0
49744	0	0	1	0	DSu	47.1008	69.4771	20.5	703.3	408	56854.	550	0.5	0.2	1.1	0.1	0.1	0.1	15	0.0
49745	0	0	1	0	DSu	47.1007	69.4766	20.5	703.3	404	56850.	542	0.7	0.5	1.7	0.1	0.1	2.6	10	0.0
49746	0	0	1	0	DSu	47.1006	69.4760	20.5	703.4	405	56845.	521	0.5	-0.7	4.3	0.1	0.1	0.1	36	0.0
49747	0	0	1	0	DSu	47.1005	69.4755	20.5	703.4	408	56845.	540	0.7	0.6	3.9	0.1	0.1	6.3	13	0.0
49748	0	0	1	0	DSu	47.1004	69.4749	20.5	703.4	412	56849.	600	0.5	-0.4	3.6	0.1	0.1	0.1	22	0.0
49749	0	0	1	0	DSu	47.1003	69.4744	20.5	703.3	413	56851.	557	0.6	-0.3	4.4	0.1	0.1	7.8	18	0.0
49750	0	0	0	0	DSu	47.1002	69.4738	20.8	704.7	406	56849.	569	0.6	1.3	2.2	2.3	0.6	4.0	34	0.0
49751	0	0	1	0	DSu	47.1001	69.4733	20.8	704.8	403	56847.	623	0.7	0.7	2.9	0.1	0.1	4.3	32	0.0
49752	0	0	1	0	DSu	47.1000	69.4727	20.8	704.9	399	56847.	620	0.6	0.3	1.4	0.1	0.1	2.7	21	0.0
49753	0	0	0	0	DSu	47.0999	69.4722	20.8	705.0	391	56847.	670	0.6	1.2	3.5	2.0	0.4	6.1	32	0.0
49754	0	0	0	1	DSu	47.0998	69.4716	20.8	705.2	386	56850.	687	0.6	1.1	0.4	2.1	0.1	0.1	27	0.0
49755	0	0	0	0	DSu	47.0998	69.4711	20.8	705.3	382	56851.	614	0.5	1.1	3.5	0.1	0.4	0.1	27	0.0
49756	0	0	0	0	DSu	47.0996	69.4705	20.8	705.5	382	56852.	724	0.6	1.7	2.4	2.9	0.7	4.2	21	0.0
49757	0	0	1	0	DSu	47.0996	69.4700	20.8	705.6	376	56848.	685	0.7	0.7	2.7	0.1	0.1	4.2	28	0.0
49758	0	0	1	0	DSu	47.0995	69.4694	20.8	705.8	372	56843.	642	0.6	0.6	4.6	0.1	0.1	7.7	27	0.0
49759	0	0	1	0	DSu	47.0994	69.4689	20.8	705.9	371	56842.	674	0.7	0.3	2.1	0.1	0.1	3.2	29	0.0
49760	0	0	0	0	DSu	47.0993	69.4683	20.9	706.0	377	56842.	654	0.7	1.4	2.1	2.1	0.7	3.2	20	0.0
49761	0	0	1	0	DSu	47.0992	69.4678	20.9	706.2	385	56844.	654	0.7	0.0	3.9	0.1	0.1	6.0	34	0.0
49762	0	0	1	0	DSu	47.0991	69.4672	20.9	706.3	388	56845.	668	0.7	1.0	2.4	0.1	0.1	3.6	18	0.0
49763	0	0	1	0	DSu	47.0990	69.4667	20.9	706.4	382	56846.	630	0.9	0.1	2.1	0.1	0.1	2.6	20	0.0
49764	0	0	1	0	DSu	47.0989	69.4661	20.9	706.6	370	56846.	525	0.5	0.5	3.2	0.1	0.1	0.1	33	0.0
49765	0	0	1	0	DSu	47.0988	69.4655	20.9	706.7	361	56842.	576	0.8	0.5	2.4	0.1	0.1	3.2	20	0.0
49766	0	0	1	0	DSu	47.0987	69.4650	20.9	706.8	361	56839.	592	0.7	1.0	3.1	0.1	0.1	4.8	36	0.0
49767	0	0	1	0	DSu	47.0986	69.4644	20.9	706.9	366	56839.	637	0.6	0.0	3.1	0.1	0.1	5.2	26	0.0
49768	0	0	1	0	DSu	47.0985	69.4639	20.9	707.0	382	56842.	681	0.6	0.8	3.1	0.1	0.1	5.1	19	0.0
49769	0	0	1	0	DSu	47.0984	69.4633	20.9	707.1	398	56846.	588	0.6	-0.1	3.7	0.1	0.1	6.1	19	0.0
49770	0	0	1	0	DSu	47.0983	69.4628	20.9	707.2	415	56848.	653	0.7	-0.3	5.2	0.1	0.1	7.6	23	0.0
49771	0	0	1	0	DSu	47.0982	69.4622	20.9	707.3	423	56850.	687	0.9	0.3	4.4	0.1	0.1	5.2	30	0.0
49772	0	0	0	0	DSu	47.0981	69.4617	20.9	707.4	428	56852.	695	0.7	1.3	3.7	2.0	0.4	5.8	21	0.0
49773	0	0	0	0	DSu	47.0980	69.4611	20.9	707.6	429	56854.	705	0.9	1.5	3.2	1.6	0.5	3.6	21	0.0
49774	0	0	1	0	DSu	47.0979	69.4606	20.9	707.7	428	56853.	712	0.7	0.6	6.0	0.1	0.1	9.7	32	0.0
49776	0	0	0	0	DSu	47.0977	69.4595	20.9	707.9	427	56849.	688	1.0	1.6	2.9	1.6	0.6	2.9	35	0.0
49777	0	0	1	0	DSu	47.0976	69.4589	20.9	708.0	428	56844.	745	0.9	0.2	3.9	0.1	0.1	4.6	20	0.0
49778	0	0	1	0	DSu	47.0975	69.4584	20.9	708.1	430	56841.	737	0.9	0.9	5.1	0.1	0.1	5.7	29	0.0
49779	0	0	1	0	DS	47.0974	69.4578	20.9	708.2	427	56839.	675	0.6	0.8	2.1	0.1	0.1	3.4	23	0.0

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
49780	0	0	0	0	0s	47.0973	69.4572	20.9	708.3	422	56838.	723	0.9	1.8	3.8	2.1	0.5	4.5	18	0.0
49781	0	0	1	0	0s	47.0972	69.4567	20.9	708.4	415	56838.	669	0.6	0.2	2.7	0.1	0.1	4.8	22	0.0
49782	0	0	1	0	0s	47.0971	69.4561	20.9	708.6	412	56839.	713	0.7	0.3	3.5	0.1	0.1	5.2	18	0.0
49783	0	0	1	0	0s	47.0970	69.4556	20.9	708.7	409	56840.	669	0.7	0.3	3.0	0.1	0.1	4.6	20	0.0
49784	0	0	1	0	0s	47.0970	69.4550	20.9	708.8	407	56839.	612	0.7	0.9	2.0	0.1	0.1	2.9	24	0.0
49785	0	0	1	0	0s	47.0968	69.4545	20.9	709.0	406	56836.	674	0.7	0.4	3.7	0.1	0.1	5.6	24	0.0
49786	0	0	1	0	0s	47.0968	69.4539	20.9	709.2	405	56834.	663	0.6	1.0	4.5	0.1	0.1	8.8	24	0.0
49787	0	0	1	0	0s	47.0967	69.4534	20.9	709.3	405	56835.	680	0.6	0.1	5.1	0.1	0.1	8.9	15	0.0
49788	0	0	1	0	0s	47.0966	69.4529	20.9	709.5	404	56839.	731	0.8	0.8	4.1	0.1	0.1	5.2	16	0.0
49789	0	0	1	0	0s	47.0965	69.4523	20.9	709.6	404	56841.	712	0.9	0.6	4.5	0.1	0.1	5.5	14	0.0
49790	0	0	0	0	0s	47.0964	69.4517	20.9	709.7	404	56844.	682	0.7	1.4	1.9	2.0	0.8	2.8	16	0.0
49791	0	0	1	0	0s	47.0963	69.4512	20.9	709.9	405	56847.	655	0.7	0.1	3.6	0.1	0.1	5.2	22	0.0
49792	0	0	1	0	0s	47.0962	69.4506	20.9	709.9	404	56851.	613	0.7	0.8	3.9	0.1	0.1	5.6	23	0.0
49793	0	0	1	0	0s	47.0961	69.4501	20.9	710.0	403	56855.	604	0.4	-0.5	3.7	0.1	0.1	0.1	21	0.0
49794	0	C	1	0	0s	47.0960	69.4495	20.9	710.1	400	56858.	577	0.6	0.1	4.7	0.1	0.1	8.2	24	0.0
49795	0	0	1	0	0s	47.0959	69.4490	20.9	710.1	398	56859.	541	0.6	0.6	2.2	0.1	0.1	4.0	20	0.0
49796	0	0	0	0	0s	47.0958	69.4484	20.9	710.1	397	56858.	548	0.5	1.4	2.6	0.1	0.6	0.1	28	0.0
49797	0	0	0	0	0s	47.0957	69.4479	20.9	710.2	398	56856.	562	0.5	1.3	1.9	0.1	0.8	0.1	24	0.0
49798	0	0	0	0	0s	47.0956	69.4473	20.9	710.2	398	56855.	511	0.5	1.5	1.4	0.1	1.2	0.1	12	0.0
49799	0	0	0	0	0s	47.0956	69.4467	20.9	710.2	398	56852.	574	0.5	1.4	1.7	0.1	0.9	0.1	31	0.0
49800	0	0	1	0	0s	47.0956	69.4461	20.9	710.2	401	56849.	490	0.5	0.9	2.7	0.1	0.1	0.1	21	0.0
49801	0	0	1	0	0s	47.0956	69.4455	20.9	710.2	405	56848.	578	0.5	0.7	1.3	0.1	0.1	0.1	23	0.0
49802	0	0	1	0	0s	47.0956	69.4450	20.9	710.1	411	56850.	530	0.6	-0.1	2.5	0.1	0.1	4.6	25	0.0
49803	0	0	1	0	0s	47.0956	69.4444	20.9	710.1	414	56852.	577	0.8	0.0	1.4	0.1	0.1	1.9	29	0.0
49804	0	0	1	0	0s	47.0956	69.4438	20.9	710.1	416	56855.	555	0.7	0.6	1.5	0.1	0.1	2.4	32	0.0
49805	0	0	1	0	0s	47.0956	69.4432	20.9	710.1	416	56857.	532	0.4	0.3	3.0	0.1	0.1	0.1	24	0.0
49806	0	0	0	0	0s	47.0956	69.4426	20.9	710.1	416	56857.	554	0.5	1.2	2.7	0.1	0.5	0.1	35	0.0
49807	0	0	1	0	0s	47.0956	69.4420	21.2	709.5	422	56860.	549	0.7	0.0	2.6	0.1	0.1	4.1	21	0.0
49808	0	0	1	0	0s	47.0956	69.4414	21.2	709.4	423	56862.	563	0.4	0.3	3.8	0.1	0.1	0.1	28	0.0
49809	0	0	1	0	0s	47.0956	69.4408	21.2	709.4	416	56862.	587	0.7	0.6	3.7	0.1	0.1	5.4	17	0.0
49810	0	0	1	0	0s	47.0956	69.4402	21.2	709.3	402	56862.	612	0.5	0.6	2.0	0.1	0.1	0.1	24	0.0
49811	0	0	1	0	0s	47.0956	69.4397	21.2	709.3	388	56859.	643	0.7	0.7	3.1	0.1	0.1	5.0	20	0.0
49812	0	0	1	0	0s	47.0956	69.4391	21.2	709.2	378	56855.	652	0.6	-0.3	3.8	0.1	0.1	6.5	23	0.0
49813	0	0	0	0	0s	47.0956	69.4385	21.2	709.1	373	56854.	674	0.9	1.6	2.2	1.9	0.8	2.6	30	0.0
49814	0	0	1	0	0s	47.0956	69.4379	21.2	709.0	369	56855.	655	0.7	0.9	1.6	0.1	0.1	2.5	32	0.0
49815	0	0	1	0	0s	47.0956	69.4373	21.2	708.9	369	56854.	658	0.7	0.7	4.2	0.1	0.1	6.3	24	0.0
49816	0	0	1	0	0s	47.0956	69.4367	21.2	708.8	364	56853.	584	0.8	0.2	2.3	0.1	0.1	3.1	29	0.0
49817	0	0	0	0	0s	47.0956	69.4361	21.2	708.7	354	56852.	643	0.6	1.9	1.6	3.5	1.2	2.9	31	0.0
49818	0	0	0	0	0s	47.0956	69.4355	21.2	708.6	343	56851.	624	0.4	1.7	2.9	0.1	0.6	0.1	15	0.0
49819	0	0	0	0	0s	47.0956	69.4350	21.2	708.5	338	56850.	684	0.7	1.2	2.6	1.9	0.5	4.1	23	0.0
49820	0	0	1	0	0s	47.0956	69.4344	21.2	708.4	339	56848.	664	0.7	-0.3	4.9	0.1	0.1	8.0	13	0.0
49821	0	0	1	0	0s	47.0956	69.4338	21.2	708.2	342	56847.	728	0.7	0.8	4.3	0.1	0.1	6.8	25	0.0
49822	0	0	1	0	0s	47.0957	69.4332	21.2	708.1	349	56848.	770	0.9	0.1	3.4	0.1	0.1	4.0	21	0.1
49823	0	0	0	0	0s	47.0957	69.4326	21.2	708.0	355	56853.	756	0.9	1.4	4.1	1.8	0.4	5.0	23	0.2
49824	0	0	1	0	0s	47.0957	69.4320	21.2	707.8	361	56857.	752	0.8	1.1	2.9	0.1	0.1	3.7	25	0.3
49825	0	0	0	0	0s	47.0957	69.4314	21.2	707.7	364	56859.	717	0.7	1.6	3.0	2.5	0.6	4.8	28	0.5
49826	0	0	1	0	0s	47.0957	69.4308	21.2	707.6	367	56858.	743	0.8	0.9	3.6	0.1	0.1	4.6	27	0.6
49827	0	0	1	0	0s	47.0957	69.4303	21.2	707.4	369	56855.	683	0.7	0.2	3.3	0.1	0.1	5.0	15	0.7
49828	0	0	1	0	0s	47.0957	69.4297	21.2	707.3	371	56853.	743	0.9	1.0	3.5	0.1	0.1	4.1	36	0.8
49829	0	0	1	0	0s	47.0957	69.4291	21.2	707.2	375	56850.	687	0.7	0.0	3.6	0.1	0.1	5.4	19	0.9

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
49830	0	0	1	0	Os	47.0957	69.4285	21.2	707.1	380	56850.	734	0.9	0.5	1.9	0.1	0.1	2.4	26	0.9
49831	0	0	1	0	Os	47.0957	69.4279	21.2	707.0	386	56852.	708	0.6	0.2	3.5	0.1	0.1	5.8	29	1.0
49832	0	0	1	0	Os	47.0957	69.4273	21.2	706.9	390	56853.	713	0.6	1.1	5.7	0.1	0.1	9.8	29	1.0
49833	0	0	1	0	Os	47.0957	69.4267	21.2	706.8	394	56853.	717	1.0	0.4	4.8	0.1	0.1	5.2	24	1.1
49834	0	0	1	0	Ss	47.0957	69.4261	21.2	706.8	399	56854.	694	0.7	0.6	3.5	0.1	0.1	5.7	29	1.2
49835	0	0	1	0	Ss	47.0957	69.4256	21.2	706.7	402	56854.	728	0.9	0.8	4.8	0.1	0.1	5.6	33	1.3
49836	0	0	1	0	Ss	47.0957	69.4250	21.2	706.7	405	56853.	732	0.9	-0.8	4.0	0.1	0.1	4.5	16	1.3
49837	0	0	1	0	Ss	47.0957	69.4244	21.2	706.8	409	56851.	752	1.0	-0.1	3.4	0.1	0.1	3.7	30	1.3
49838	0	0	1	0	Ss	47.0957	69.4239	21.2	706.8	417	56849.	704	0.6	0.0	4.6	0.1	0.1	8.0	26	1.4
49839	0	0	1	0	Ss	47.0957	69.4232	21.2	706.9	424	56848.	736	0.8	0.2	2.4	0.1	0.1	3.3	26	1.2
49840	0	0	1	0	Ss	47.0957	69.4226	21.2	707.1	429	56851.	745	1.0	0.2	5.0	0.1	0.1	5.4	23	1.0
49841	0	0	1	0	Ss	47.0957	69.4220	21.2	707.3	430	56851.	758	0.9	0.1	6.5	0.1	0.1	7.5	32	0.8
49842	0	0	1	0	Ss	47.0957	69.4214	21.2	707.5	431	56847.	784	1.2	0.4	5.3	0.1	0.1	4.6	26	0.6
49843	0	0	1	0	Ss	47.0957	69.4209	21.2	707.7	433	56844.	702	0.9	0.3	2.1	0.1	0.1	2.6	41	0.4
49844	0	0	0	0	Ss	47.0957	69.4203	21.2	708.0	434	56846.	765	0.9	1.4	3.7	1.6	0.4	4.3	33	0.2
49845	0	0	1	0	Ss	47.0957	69.4197	21.2	708.3	434	56848.	740	0.9	0.2	3.1	0.1	0.1	3.5	18	0.0
49846	0	0	0	0	Ss	47.0957	69.4191	21.2	708.6	430	56850.	774	0.9	1.6	4.2	2.0	0.4	5.3	24	0.0
49847	0	0	1	0	Ss	47.0957	69.4185	21.2	708.9	427	56851.	710	0.5	1.2	3.7	0.1	0.1	6.5	16	0.0
49848	0	0	0	0	Ss	47.0957	69.4179	21.2	709.2	418	56852.	798	0.7	1.8	4.6	2.6	0.4	6.7	27	0.0
49849	0	0	0	0	Ss	47.0957	69.4173	21.2	709.5	410	56852.	691	0.8	1.3	2.1	1.7	0.6	2.9	27	0.0
49850	0	0	0	0	Ss	47.0957	69.4167	21.2	709.7	399	56851.	740	0.9	1.3	1.8	1.5	0.8	2.0	30	0.0
49851	0	0	1	0	Ss	47.0957	69.4162	21.2	709.9	305	56851.	765	0.9	0.6	4.5	0.1	0.1	5.3	27	0.0
49852	0	0	1	0	Ss	47.0957	69.4156	21.2	710.1	393	56851.	822	1.0	1.1	4.0	0.1	0.1	4.0	29	0.0
49853	0	0	1	0	Ss	47.0957	69.4150	21.2	710.2	396	56852.	779	0.9	0.9	6.0	0.1	0.1	6.7	25	0.0
49854	0	0	1	0	Ss	47.0957	69.4144	21.2	710.3	393	56852.	750	0.8	0.2	3.5	0.1	0.1	4.6	30	0.0
49855	0	0	1	0	Ss	47.0957	69.4138	21.2	710.4	388	56851.	740	0.8	0.8	2.2	0.1	0.1	2.8	29	0.0
49856	0	0	0	0	Ss	47.0957	69.4132	21.2	710.5	377	56852.	714	0.9	1.4	3.4	1.7	0.5	4.2	28	0.0
49857	0	0	0	0	Ss	47.0957	69.4126	21.2	710.5	375	56851.	722	0.6	1.2	3.5	2.1	0.4	5.8	21	0.0
49858	0	0	1	0	Ss	47.0957	69.4120	21.2	710.6	379	56851.	727	0.8	0.1	3.5	0.1	0.1	4.7	23	0.0
49859	0	0	1	0	Ss	47.0957	69.4115	21.2	710.6	396	56853.	829	0.9	0.7	4.8	0.1	0.1	5.5	21	0.0
49860	0	0	1	0	Ss	47.0957	69.4109	21.2	710.5	415	56856.	834	0.8	-0.5	5.6	0.1	0.1	7.1	29	0.0
49861	0	0	1	0	Ss	47.0957	69.4103	21.2	710.5	428	56858.	800	1.2	1.2	4.2	0.1	0.1	3.6	21	0.0
49862	0	0	1	0	Ss	47.0957	69.4097	21.2	710.5	433	56859.	697	0.8	0.7	2.3	0.1	0.1	2.9	28	0.0
49863	0	0	1	0	Ss	47.0957	69.4091	21.5	711.3	430	56860.	625	0.9	-0.1	2.9	0.1	0.1	3.3	22	0.0
49864	0	0	1	0	Ss	47.0958	69.4085	21.5	711.4	426	56859.	621	0.8	-0.2	1.6	0.1	0.1	2.3	32	0.0
49865	0	0	0	1	Ss	47.0958	69.4079	21.5	711.5	428	56859.	567	0.7	1.8	0.2	2.8	0.1	0.1	19	0.0
49866	0	0	1	0	Ss	47.0958	69.4073	21.5	711.6	430	56863.	538	0.5	0.6	1.9	0.1	0.1	0.1	22	0.0
49867	0	0	1	0	Ss	47.0958	69.4067	21.5	711.7	434	56868.	542	0.6	0.5	1.8	0.1	0.1	3.3	19	0.0
49868	0	0	1	0	Ss	47.0958	69.4062	21.5	711.8	435	56872.	579	0.7	0.9	3.7	0.1	0.1	5.8	22	0.0
49869	0	0	1	0	Sls	47.0958	69.4056	21.5	711.9	435	56871.	491	0.6	0.8	1.5	0.1	0.1	2.7	28	0.0
49871	0	0	1	0	Sls	47.0958	69.4044	21.5	712.0	436	56864.	477	0.5	-0.6	2.9	0.1	0.1	0.1	15	0.0
49872	0	0	1	0	Sls	47.0958	69.4038	21.5	712.0	437	56859.	499	0.5	0.4	1.4	0.1	0.1	0.1	31	0.0
49873	0	0	1	0	Sls	47.0958	69.4032	21.5	712.1	436	56859.	490	0.7	0.0	2.5	0.1	0.1	3.8	31	0.0
49874	0	0	1	0	Sls	47.0958	69.4026	21.5	712.1	430	56860.	450	0.5	1.1	1.6	0.1	0.1	0.1	23	0.0
49875	0	0	1	0	Sls	47.0958	69.4020	21.5	712.1	425	56860.	448	0.4	-0.2	2.4	0.1	0.1	0.1	26	0.0
49876	0	0	0	0	Sls	47.0958	69.4015	21.5	712.1	422	56863.	473	0.4	1.4	1.6	0.1	0.9	0.1	27	0.0
49877	0	0	1	0	Sls	47.0958	69.4009	21.5	712.1	420	56868.	522	0.5	0.9	3.0	0.1	0.1	0.1	21	0.0
49878	0	0	1	0	Sls	47.0959	69.4003	21.5	712.0	416	56872.	442	0.4	0.3	2.9	0.1	0.1	0.1	17	0.0
49879	0	0	1	0	Sls	47.0961	69.3998	21.5	712.0	405	56873.	446	0.2	1.1	1.9	0.1	0.1	0.1	34	0.0
49880	0	0	1	1	Sls	47.0962	69.3993	21.5	711.9	395	56871.	394	0.4	0.0	0.9	0.1	0.1	0.1	25	0.0

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
49881	0	0	1	1	Sls	47.0963	69.3988	21.5	711.8	389	56866.	428	0.5	0.4	0.3	0.1	0.1	0.1	18	0.0
49882	0	0	1	0	Sls	47.0965	69.3982	21.5	711.7	393	56860.	400	0.3	0.2	3.2	0.1	0.1	0.1	32	0.0
49883	0	0	1	0	Sls	47.0966	69.3977	21.5	711.5	402	56862.	451	0.4	0.4	2.9	0.1	0.1	0.1	23	0.0
49884	0	0	1	0	Sls	47.0967	69.3972	21.5	711.4	410	56866.	457	0.6	-0.1	2.5	0.1	0.1	4.4	29	0.0
49885	0	0	1	0	Sls	47.0969	69.3967	21.5	711.3	417	56870.	522	0.6	0.4	2.1	0.1	0.1	4.0	29	0.0
49886	0	0	1	0	Sls	47.0970	69.3961	21.5	711.2	425	56875.	504	0.6	-0.1	3.5	0.1	0.1	6.5	21	0.0
49887	0	0	1	0	Sls	47.0971	69.3956	21.5	711.0	432	56877.	527	0.4	-0.5	3.3	0.1	0.1	0.1	26	0.0
49888	0	0	1	0	Sls	47.0973	69.3951	21.5	710.9	439	56871.	519	0.5	1.0	3.1	0.1	0.1	0.1	20	0.0
49889	0	0	1	0	Sls	47.0974	69.3946	21.5	710.7	442	56864.	589	0.5	0.8	2.4	0.1	0.1	0.1	25	0.0
49890	0	0	0	0	Sls	47.0975	69.3941	21.5	710.5	446	56858.	585	0.6	1.7	2.3	2.9	0.8	3.8	22	0.0
49891	0	0	1	0	Sls	47.0977	69.3935	21.5	710.3	447	56852.	548	0.8	0.0	2.1	0.1	0.1	2.9	31	0.0
49892	0	0	1	0	Sls	47.0978	69.3930	21.5	710.1	448	56852.	597	0.7	0.8	2.4	0.1	0.1	3.8	18	0.0
49893	0	0	1	0	Sls	47.0979	69.3925	21.5	709.9	442	56857.	608	0.7	0.8	4.2	0.1	0.1	6.7	28	0.0
49894	0	0	1	0	Sls	47.0981	69.3919	21.5	709.7	433	56860.	594	0.6	0.1	2.5	0.1	0.1	4.6	19	0.0
49895	0	0	1	0	Sls	47.0982	69.3914	21.5	709.5	424	56860.	595	0.6	0.3	1.8	0.1	0.1	3.0	25	0.0
49896	0	0	1	0	Sls	47.0984	69.3907	21.5	709.3	417	56858.	655	1.0	0.8	3.2	0.1	0.1	3.4	29	0.0
49897	0	0	1	0	Sls	47.0985	69.3904	21.5	709.1	414	56854.	650	0.9	-0.1	2.8	0.1	0.1	3.1	19	0.0
49898	0	0	1	0	Sls	47.0986	69.3898	21.5	708.9	409	56851.	632	0.6	0.6	3.3	0.1	0.1	6.5	28	0.0
49899	0	0	0	0	Sls	47.0987	69.3893	21.5	708.7	407	56856.	597	0.4	1.6	2.3	0.1	0.7	0.1	26	0.0
49900	0	0	1	0	Sls	47.0989	69.3888	21.5	708.6	405	56864.	655	0.7	0.7	2.5	0.1	0.1	3.9	30	0.0
49901	0	0	1	0	Sls	47.0990	69.3883	21.5	708.4	405	56871.	539	0.6	0.7	2.1	0.1	0.1	3.9	25	0.0
49902	0	0	1	0	Sls	47.0992	69.3877	21.5	708.3	402	56877.	531	0.5	1.0	2.1	0.1	0.1	0.1	28	0.0
49903	0	0	1	0	Sls	47.0993	69.3872	21.5	708.3	398	56881.	613	0.8	0.8	2.3	0.1	0.1	3.0	22	0.0
49904	0	0	1	0	Sls	47.0994	69.3867	21.5	708.2	396	56879.	654	0.7	0.3	3.0	0.1	0.1	4.6	36	0.0
49905	0	0	1	0	Sls	47.0996	69.3862	21.5	708.2	397	56876.	572	0.7	-1.1	4.1	0.1	0.1	5.9	28	0.0
49906	0	0	1	0	Sls	47.0997	69.3857	21.5	708.2	402	56876.	626	0.7	0.2	4.2	0.1	0.1	6.5	32	0.0
49907	0	0	1	0	Sls	47.0998	69.3851	21.5	708.1	409	56878.	706	0.6	0.7	3.5	0.1	0.1	6.2	18	0.0
49908	0	0	1	0	Sls	47.1000	69.3846	21.5	708.1	417	56880.	654	0.7	0.0	2.8	0.1	0.1	4.3	27	0.0
49909	0	0	1	0	Sls	47.1001	69.3841	21.5	708.1	423	56878.	621	0.6	1.1	4.0	0.1	0.1	7.2	23	0.0
49910	0	0	1	0	Sls	47.1002	69.3835	21.5	708.1	427	56873.	563	0.6	1.0	3.0	0.1	0.1	5.4	26	0.0
49911	0	0	1	0	Sls	47.1004	69.3830	21.5	708.1	431	56871.	640	0.6	-0.5	3.2	0.1	0.1	5.9	33	0.0
49912	0	0	1	0	Sls	47.1005	69.3825	21.5	708.1	435	56870.	594	0.8	0.1	3.8	0.1	0.1	4.9	22	0.0
49913	0	0	1	0	Sls	47.1006	69.3820	21.5	708.1	439	56866.	507	0.5	0.9	2.7	0.1	0.1	0.1	25	0.0
49914	0	0	1	0	Sls	47.1008	69.3814	21.5	708.2	442	56864.	489	0.5	-0.2	1.2	0.1	0.1	0.1	24	0.0
49915	0	0	1	0	Sls	47.1009	69.3809	21.5	708.2	442	56861.	490	0.4	0.2	3.0	0.1	0.1	0.1	20	0.0
49916	0	0	1	0	Sls	47.1010	69.3804	21.5	708.2	437	56862.	526	0.4	0.6	4.0	0.1	0.1	0.1	23	0.0
49917	0	0	1	0	Sls	47.1012	69.3799	21.5	708.2	431	56864.	540	0.5	0.2	2.7	0.1	0.1	0.1	20	0.0
49918	0	0	0	0	Sls	47.1013	69.3793	21.5	708.2	428	56862.	591	0.8	1.2	3.3	1.6	0.4	4.6	21	0.0
49919	0	0	1	0	Sls	47.1014	69.3788	21.5	708.1	427	56860.	636	0.8	-0.3	2.4	0.1	0.1	3.3	29	0.0
49920	0	0	1	0	Sls	47.1016	69.3783	21.6	708.0	429	56868.	667	0.7	0.0	3.0	0.1	0.1	4.9	25	0.0
49921	0	0	1	0	Sls	47.1017	69.3778	21.6	708.1	432	56870.	638	0.7	0.5	2.6	0.1	0.1	4.0	31	0.0
49922	0	0	1	0	Sls	47.1018	69.3773	21.6	708.1	432	56869.	715	0.9	0.5	3.5	0.1	0.1	4.1	25	0.0
49923	0	0	1	0	Sls	47.1020	69.3767	21.6	708.2	433	56870.	767	1.0	0.9	3.3	0.1	0.1	3.5	23	0.0
49924	0	0	1	0	Sls	47.1021	69.3762	21.6	708.3	434	56872.	733	0.8	1.0	3.0	0.1	0.1	3.8	23	0.0
49925	0	0	1	0	DSu	47.1023	69.3757	21.6	708.4	442	56872.	712	0.7	-0.1	3.2	0.1	0.1	4.5	21	0.0
49926	0	0	0	0	DSu	47.1024	69.3751	21.6	708.5	448	56871.	714	0.8	1.6	3.2	2.0	0.5	4.1	29	0.0
49927	0	0	1	0	DSu	47.1025	69.3746	21.6	708.6	458	56867.	762	0.9	0.3	3.2	0.1	0.1	3.5	23	0.0
49928	0	0	1	0	DSu	47.1027	69.3741	21.6	708.7	464	56864.	725	0.8	1.2	2.8	0.1	0.1	3.9	27	0.0
49929	0	0	1	0	DSu	47.1028	69.3736	21.6	708.8	469	56865.	630	0.7	0.9	4.0	0.1	0.1	5.8	24	0.0
49930	0	0	1	0	DSu	47.1029	69.3730	21.6	708.9	471	56864.	607	0.7	0.9	2.6	0.1	0.1	4.0	27	0.0

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

- H09 -
MAINE AERIAL SURVEY EDMUNDSTON QUADRANGLE, CARSON GEOSCIENCE INC., 1980

LINE NO. 50

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
49931	0	0	1	0	DSu	47.1031	69.3725	21.6	709.1	474	56863.	547	0.5	-0.2	3.3	0.1	0.1	0.1	12	0.0
49932	0	0	1	0	DSu	47.1032	69.3720	21.6	709.2	473	56861.	545	0.5	0.4	1.7	0.1	0.1	0.1	19	0.0
49933	0	0	1	0	DSu	47.1033	69.3715	21.6	709.4	474	56858.	456	0.6	1.3	1.3	0.1	0.1	2.4	25	0.0
49934	0	1	1	0	DSu	47.1035	69.3709	21.6	709.5	476	56857.	448	0.2	-0.1	2.2	0.1	0.1	0.1	29	0.0
49935	0	0	1	0	DSu	47.1036	69.3704	21.6	709.6	478	56861.	369	0.3	0.1	2.1	0.1	0.1	0.1	31	0.0
49936	0	0	1	0	DSu	47.1038	69.3702	21.6	709.6	474	56867.	398	0.5	0.2	2.3	0.1	0.1	0.1	22	0.0
49937	0	0	1	0	DSu	47.1041	69.3699	21.6	709.7	462	56871.	407	0.3	-0.1	2.2	0.1	0.1	0.1	25	0.0
49938	0	0	1	0	DSu	47.1043	69.3697	21.6	709.8	446	56870.	431	0.3	0.7	1.8	0.1	0.1	0.1	22	0.0
49939	0	0	1	0	DSu	47.1046	69.3694	21.6	709.8	429	56866.	407	0.5	-0.6	2.3	0.1	0.1	0.1	26	0.0
49940	0	0	1	0	DSu	47.1048	69.3692	21.6	709.9	412	56861.	436	0.6	-0.3	2.2	0.1	0.1	3.7	20	0.0
49941	0	0	1	0	DSu	47.1050	69.3689	21.6	709.9	398	56860.	425	0.5	0.0	2.7	0.1	0.1	0.1	27	0.0
49942	0	0	1	1	DSu	47.1053	69.3687	21.6	709.9	385	56859.	409	0.4	0.7	0.4	0.1	0.1	0.1	26	0.0
49943	0	0	1	0	DSu	47.1055	69.3684	21.6	709.8	382	56859.	392	0.5	-0.2	1.7	0.1	0.1	0.1	30	0.0
49944	0	0	1	1	DSu	47.1058	69.3682	21.6	709.8	379	56859.	428	0.5	0.8	1.1	0.1	0.1	0.1	27	0.1
49945	0	0	1	0	DSu	47.1060	69.3679	21.6	709.7	378	56860.	470	0.4	0.1	2.0	0.1	0.1	0.1	26	0.2
49946	0	0	1	0	DSu	47.1062	69.3677	21.6	709.6	379	56865.	479	0.6	0.6	2.9	0.1	0.1	5.5	30	0.3
49947	0	0	1	0	DSu	47.1065	69.3674	21.6	709.6	379	56871.	429	0.4	0.1	1.9	0.1	0.1	0.1	27	0.5
49948	0	0	1	0	DSu	47.1067	69.3672	21.6	709.5	374	56876.	426	0.4	-0.2	3.6	0.1	0.1	0.1	24	0.6
49949	0	0	0	0	DSu	47.1070	69.3669	21.6	709.4	369	56873.	437	0.4	1.6	2.2	0.1	0.8	0.1	17	0.7
49950	0	0	1	0	DSu	47.1072	69.3667	21.6	709.4	371	56867.	454	0.5	0.8	1.7	0.1	0.1	0.1	32	0.8
49951	0	0	1	0	DSu	47.1074	69.3664	21.6	709.3	380	56866.	435	0.4	0.8	1.7	0.1	0.1	0.1	24	1.0
49952	0	0	1	0	DSu	47.1077	69.3662	21.6	709.3	392	56864.	498	0.6	-0.2	2.1	0.1	0.1	4.0	29	1.1
49953	0	0	1	0	DSu	47.1079	69.3659	21.6	709.2	402	56862.	490	0.4	0.2	2.2	0.1	0.1	0.1	25	1.2
49954	0	0	1	0	DSu	47.1082	69.3657	21.6	709.2	409	56864.	492	0.6	0.0	3.3	0.1	0.1	6.4	21	1.3
49955	0	0	1	0	DSu	47.1084	69.3654	21.6	709.2	413	56869.	554	0.5	0.9	4.5	0.1	0.1	0.1	19	1.4
49956	0	0	1	0	DSu	47.1086	69.3652	21.6	709.1	418	56874.	484	0.5	0.1	3.8	0.1	0.1	0.1	26	1.5
49957	0	0	1	0	DSu	47.1089	69.3649	21.6	709.1	423	56874.	485	0.7	-0.9	2.8	0.1	0.1	4.3	24	1.6
49958	0	0	0	0	DSu	47.1091	69.3647	21.6	709.1	430	56870.	544	0.6	1.3	2.9	2.5	0.5	5.5	24	1.6
49959	0	0	1	1	DSu	47.1093	69.3644	21.6	709.1	434	56864.	516	0.4	1.1	1.2	0.1	0.1	0.1	25	1.7
49960	0	0	1	0	DSu	47.1096	69.3642	21.6	709.0	437	56860.	528	0.7	0.8	2.0	0.1	0.1	2.9	29	1.8
49961	0	0	1	0	SlS	47.1098	69.3639	21.6	709.0	440	56856.	501	0.5	0.0	2.1	0.1	0.1	0.1	20	1.9
49962	0	0	1	0	SlS	47.1101	69.3637	21.6	709.0	443	56851.	509	0.5	0.0	4.9	0.1	0.1	0.1	20	2.0
49963	0	0	1	0	SlS	47.1103	69.3634	21.6	709.1	447	56849.	455	0.4	-0.7	2.3	0.1	0.1	0.1	22	2.0
49964	0	0	1	0	SlS	47.1105	69.3632	21.6	709.0	449	56850.	488	0.6	0.3	2.8	0.1	0.1	4.9	25	2.1
49966	0	0	1	0	SlS	47.1110	69.3627	21.6	709.0	449	56852.	491	0.6	-1.4	4.6	0.1	0.1	7.8	27	2.1
49967	0	0	1	0	SlS	47.1113	69.3625	21.6	709.0	448	56853.	430	0.6	-0.5	2.3	0.1	0.1	4.3	19	2.1
49968	0	0	1	0	SlS	47.1115	69.3622	21.6	709.1	449	56852.	448	0.4	0.5	3.5	0.1	0.1	0.1	30	2.1
49969	0	0	1	0	SlS	47.1117	69.3620	21.6	709.1	450	56850.	410	0.5	-0.8	1.8	0.1	0.1	0.1	20	2.2
49970	0	0	1	0	SlS	47.1120	69.3617	21.6	709.1	452	56852.	514	0.6	-0.4	4.0	0.1	0.1	6.7	19	2.2
49971	0	0	1	0	SlS	47.1122	69.3615	21.6	709.1	450	56856.	475	0.4	-0.2	3.0	0.1	0.1	0.1	24	2.2
49972	0	0	1	0	SlS	47.1125	69.3612	21.6	709.1	445	56858.	478	0.5	-0.4	2.1	0.1	0.1	0.1	38	2.3
49973	0	0	1	0	SlS	47.1127	69.3610	21.6	709.1	439	56857.	502	0.8	-0.6	3.2	0.1	0.1	4.2	27	2.3
49974	0	0	1	0	SlS	47.1129	69.3607	21.6	709.1	433	56856.	530	0.7	-0.3	3.3	0.1	0.1	5.1	30	2.3
49975	0	0	1	0	SlS	47.1132	69.3605	21.6	709.1	430	56857.	486	0.8	-1.1	1.4	0.1	0.1	1.9	24	2.3
49976	0	0	1	0	SlS	47.1134	69.3602	21.6	709.1	427	56856.	550	0.6	0.5	5.0	0.1	0.1	8.4	21	2.3
49977	0	0	1	0	SlS	47.1137	69.3600	21.6	709.4	427	56855.	561	0.5	0.7	3.9	0.1	0.1	0.1	31	2.3
49978	0	0	1	0	SlS	47.1139	69.3597	21.6	709.3	432	56853.	646	0.7	0.6	2.0	0.1	0.1	2.9	23	2.3
49979	0	0	1	0	SlS	47.1141	69.3595	21.6	709.2	432	56854.	711	1.0	-0.2	3.8	0.1	0.1	3.9	30	2.3
49980	0	0	1	0	SlS	47.1144	69.3592	21.6	709.1	431	56856.	705	0.8	0.8	2.2	0.1	0.1	2.8	28	2.4
49981	0	0	1	0	SlS	47.1146	69.3590	21.6	709.0	429	56857.	679	0.7	-0.3	3.3	0.1	0.1	4.9	27	2.4

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI	
												CPS	%	PPM	PPM					CPS	CPS
49982	0	0	1	0	SlS	47.1147	69.3585	21.6	708.8	425	56857.	734	0.9	0.9	3.2	0.1	0.1	3.9	24	2.4	
49983	0	0	1	0	SlS	47.1147	69.3580	21.6	708.6	422	56856.	743	1.0	1.0	3.4	0.1	0.1	3.6	26	2.4	
49984	0	0	1	0	SlS	47.1148	69.3576	21.6	708.4	421	56854.	754	0.9	0.9	3.0	0.1	0.1	3.5	25	2.4	
49985	0	0	1	0	SlS	47.1149	69.3571	21.6	708.1	425	56851.	767	1.0	0.2	4.4	0.1	0.1	4.8	23	2.5	
49986	0	0	1	0	SlS	47.1149	69.3567	21.6	707.9	431	56851.	675	0.6	-0.2	4.4	0.1	0.1	7.4	27	2.5	
49987	0	0	1	0	SlS	47.1150	69.3562	21.6	707.6	434	56852.	671	0.5	0.9	3.3	0.1	0.1	0.1	25	2.5	
49988	0	0	1	0	SlS	47.1150	69.3558	21.6	707.3	437	56851.	728	0.8	0.2	3.3	0.1	0.1	4.2	24	2.5	
49989	0	0	1	0	SlS	47.1151	69.3553	21.6	707.0	441	56851.	753	0.7	0.5	3.1	0.1	0.1	4.8	24	2.5	
49990	0	0	1	0	DSu	47.1152	69.3548	21.6	706.7	452	56850.	752	0.5	1.0	3.7	0.1	0.1	0.1	27	2.5	
49991	0	0	1	0	DSu	47.1152	69.3544	21.6	706.4	465	56849.	757	0.7	0.3	3.3	0.1	0.1	4.7	23	2.5	
49992	0	0	1	0	DSu	47.1153	69.3539	21.6	706.0	477	56849.	831	0.9	1.5	5.2	0.1	0.1	6.0	23	2.6	
49993	0	0	1	0	DSu	47.1153	69.3535	21.6	705.7	483	56850.	839	1.0	0.7	3.2	0.1	0.1	3.2	20	2.6	
49994	0	0	1	0	DSu	47.1154	69.3530	21.6	705.5	480	56852.	903	1.0	-0.6	4.2	0.1	0.1	4.4	29	2.6	
49995	0	0	1	0	DSu	47.1155	69.3525	21.6	705.2	470	56854.	954	1.4	0.9	6.8	0.1	0.1	5.1	22	2.6	
49996	0	0	1	0	DSu	47.1155	69.3521	21.6	705.0	458	56856.	945	1.3	-0.1	2.8	0.1	0.1	2.2	30	2.6	
49997	0	0	1	0	DSu	47.1156	69.3516	21.6	704.8	447	56859.	991	1.2	0.1	4.3	0.1	0.1	3.7	32	2.6	
49998	0	0	1	0	DSu	47.1156	69.3512	21.6	704.6	436	56859.	961	1.1	0.9	5.5	0.1	0.1	5.1	32	2.6	
49999	0	0	0	0	DSu	47.1157	69.3507	21.6	704.4	426	56857.	920	1.0	1.8	4.2	1.9	0.5	4.5	27	2.7	
50000	0	0	1	0	DSu	47.1158	69.3503	21.6	704.3	422	56851.	904	1.0	0.7	4.2	0.1	0.1	4.5	32	2.7	
50001	0	0	1	0	DSu	47.1158	69.3498	21.6	704.2	426	56852.	911	0.9	0.5	4.6	0.1	0.1	5.3	21	2.7	
50002	0	0	1	0	DSu	47.1159	69.3493	21.6	704.1	438	56853.	851	1.0	-0.3	4.1	0.1	0.1	4.5	27	2.7	
50003	0	0	1	0	DSu	47.1159	69.3489	21.6	704.1	453	56855.	950	1.4	1.0	3.6	0.1	0.1	2.7	24	2.8	
50004	0	0	1	0	DSu	47.1160	69.3484	21.5	704.0	467	56856.	851	1.0	1.0	3.9	0.1	0.1	4.1	32	2.7	
50005	0	0	1	0	DSu	47.1161	69.3480	21.5	704.0	478	56855.	838	1.1	0.4	4.9	0.1	0.1	4.7	21	2.8	
50006	0	0	1	0	DSu	47.1161	69.3475	21.5	703.9	491	56852.	827	0.9	0.6	6.4	0.1	0.1	7.9	28	2.8	
50007	0	0	1	0	DSu	47.1162	69.3470	21.5	703.9	495	56849.	810	0.8	0.2	4.5	0.1	0.1	6.3	26	2.8	
50008	0	0	1	0	DSu	47.1162	69.3466	21.5	703.9	495	56849.	762	0.9	0.0	4.6	0.1	0.1	5.1	31	2.8	
50009	0	0	1	0	DSu	47.1163	69.3461	21.5	703.8	485	56850.	788	0.9	0.5	3.1	0.1	0.1	3.6	20	2.8	
50010	0	0	1	0	DSu	47.1164	69.3457	21.5	703.8	481	56851.	760	0.9	1.0	1.5	0.1	0.1	1.8	17	2.8	
50011	0	0	1	0	DSu	47.1164	69.3452	21.5	703.8	478	56850.	752	0.8	0.6	3.4	0.1	0.1	4.8	25	2.8	
50012	0	0	1	0	DSu	47.1165	69.3447	21.5	703.8	481	56847.	739	0.8	0.0	3.2	0.1	0.1	4.4	24	2.9	
50013	0	0	1	0	DSu	47.1166	69.3443	21.5	703.8	486	56842.	600	0.6	0.3	2.9	0.1	0.1	5.1	27	2.9	
50014	0	0	1	0	DSu	47.1166	69.3438	21.5	703.7	490	56838.	604	0.6	0.9	3.9	0.1	0.1	7.7	23	2.9	
50015	0	0	1	0	DSu	47.1167	69.3434	21.5	703.7	492	56836.	565	0.5	-0.2	2.6	0.1	0.1	0.1	33	2.9	
50016	0	0	1	0	DSu	47.1167	69.3429	21.5	703.6	492	56837.	553	0.4	-0.7	4.3	0.1	0.1	0.1	34	2.9	
50017	0	0	1	0	DSu	47.1168	69.3424	21.5	703.5	490	56839.	631	0.9	-0.1	3.6	0.1	0.1	4.0	20	2.9	
50018	0	0	1	0	DSu	47.1168	69.3420	21.5	703.5	487	56841.	529	0.8	0.1	2.8	0.1	0.1	3.8	31	2.9	
50019	0	0	1	0	DSu	47.1169	69.3415	21.5	703.4	476	56843.	550	0.5	0.0	1.5	0.1	0.1	0.1	35	2.8	
50020	0	0	1	0	DSu	47.1170	69.3411	21.5	703.3	461	56844.	593	0.8	0.3	4.9	0.1	0.1	6.3	29	2.8	
50021	0	0	1	0	DSu	47.1170	69.3406	21.5	703.3	443	56844.	577	0.6	0.0	2.6	0.1	0.1	5.1	25	2.8	
50022	0	0	1	0	DSu	47.1171	69.3402	21.5	703.3	430	56843.	558	0.5	1.0	2.4	0.1	0.1	0.1	21	2.8	
50023	0	0	1	0	DSu	47.1171	69.3397	21.5	703.2	416	56844.	604	0.6	0.8	3.0	0.1	0.1	5.9	28	2.8	
50024	0	0	1	0	DSu	47.1172	69.3392	21.5	703.2	407	56840.	566	0.5	-0.5	2.1	0.1	0.1	0.1	22	2.8	
50025	0	0	1	0	DSu	47.1173	69.3388	21.5	703.2	403	56838.	662	0.8	0.1	3.7	0.1	0.1	5.1	18	2.7	
50026	0	0	1	0	DSu	47.1173	69.3383	21.5	703.1	404	56839.	638	0.7	0.0	3.7	0.1	0.1	6.0	22	2.7	
50027	0	0	1	0	DSu	47.1174	69.3379	21.5	703.1	406	56841.	569	0.6	0.3	4.6	0.1	0.1	7.8	21	2.6	
50028	0	0	1	0	DSu	47.1175	69.3374	21.5	703.0	411	56846.	557	0.3	0.3	1.8	0.1	0.1	0.1	24	2.6	
50029	0	0	1	0	DSu	47.1175	69.3369	21.5	703.0	421	56849.	545	0.6	0.6	2.0	0.1	0.1	3.8	31	2.4	
50030	0	0	1	0	DSu	47.1176	69.3365	21.5	703.0	427	56848.	605	0.6	0.1	2.2	0.1	0.1	4.1	25	2.2	
50031	0	0	1	0	DSu	47.1176	69.3360	21.5	703.0	429	56846.	605	0.8	0.4	3.2	0.1	0.1	4.1	26	2.0	

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

- J09 -
 MAINE AERIAL SURVEY EDMUNDSTON QUADRANGLE, CARSON GEOSCIENCE INC., 1980

LINE NO. 50

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
50032	0	0	1	0	DSu	47.1177	69.3356	21.5	703.1	425	56845.	582	0.5	0.1	3.0	0.1	0.1	0.1	29	1.7
50033	0	0	1	0	DSu	47.1177	69.3351	21.5	702.6	420	56845.	626	0.6	-0.7	3.9	0.1	0.1	6.4	20	1.5
50034	0	0	1	0	DSu	47.1178	69.3346	21.5	702.6	421	56846.	608	0.5	-0.4	3.6	0.1	0.1	0.1	24	1.3
50035	0	0	1	0	DSu	47.1179	69.3342	21.5	702.6	424	56848.	672	0.8	-0.2	4.8	0.1	0.1	6.5	20	1.0
50036	0	0	1	0	DSu	47.1179	69.3337	21.5	702.6	432	56848.	672	0.6	0.1	3.3	0.1	0.1	5.7	41	0.7
50037	0	0	1	0	DSu	47.1180	69.3333	21.5	702.6	440	56846.	633	0.8	0.6	2.4	0.1	0.1	3.1	16	0.5
50038	0	0	1	0	DSu	47.1180	69.3328	21.5	702.6	447	56846.	660	0.7	1.1	3.9	0.1	0.1	6.3	23	0.2
50039	0	0	1	0	DSu	47.1181	69.3324	21.5	702.7	449	56844.	619	0.6	-0.3	3.5	0.1	0.1	6.5	33	0.0
50040	0	0	1	0	DSu	47.1182	69.3319	21.5	702.7	449	56843.	590	0.6	0.9	2.4	0.1	0.1	4.1	20	0.0
50041	0	0	1	0	DSu	47.1182	69.3314	21.5	702.7	444	56842.	486	0.3	1.0	1.3	0.1	0.1	0.1	16	0.0
50042	0	0	1	0	DSu	47.1183	69.3310	21.5	702.7	436	56842.	552	0.4	1.1	2.0	0.1	0.1	0.1	22	0.0
50043	0	0	1	0	DSu	47.1184	69.3305	21.5	702.7	427	56844.	481	0.4	0.7	3.3	0.1	0.1	0.1	26	0.0
50044	0	0	1	0	DSu	47.1184	69.3301	21.5	702.7	422	56844.	433	0.5	0.8	1.8	0.1	0.1	0.1	19	0.0
50045	0	0	1	0	DSu	47.1185	69.3296	21.5	702.7	420	56842.	443	0.4	0.6	2.0	0.1	0.1	0.1	26	0.0
50046	0	0	1	0	DSu	47.1185	69.3291	21.5	702.7	417	56842.	389	0.4	0.0	2.1	0.1	0.1	0.1	26	0.0
50047	0	0	1	0	DSu	47.1186	69.3287	21.5	702.8	418	56844.	362	0.3	0.3	1.9	0.1	0.1	0.1	20	0.0
50048	0	0	1	0	DSu	47.1187	69.3282	21.5	702.8	424	56844.	408	0.3	0.0	2.7	0.1	0.1	0.1	20	0.0
50049	0	0	0	0	DSu	47.1187	69.3278	21.5	702.9	428	56848.	444	0.5	1.8	1.3	0.1	1.4	0.1	22	0.0
50050	0	0	1	0	DSu	47.1188	69.3273	21.5	702.9	428	56848.	441	0.5	0.1	2.1	0.1	0.1	0.1	27	0.0
50051	0	0	1	0	DSu	47.1188	69.3269	21.5	703.0	425	56846.	441	0.3	0.2	2.9	0.1	0.1	0.1	23	0.0
50052	0	0	1	0	DSu	47.1189	69.3264	21.5	703.1	426	56843.	489	0.4	0.6	2.4	0.1	0.1	0.1	30	0.0
50053	0	0	1	0	DSu	47.1190	69.3259	21.5	703.2	433	56843.	425	0.4	0.5	2.1	0.1	0.1	0.1	24	0.0
50054	0	0	1	0	DSu	47.1190	69.3255	21.5	703.2	436	56842.	461	0.4	0.1	3.8	0.1	0.1	0.1	21	0.0
50055	0	0	1	0	DSu	47.1191	69.3250	21.5	703.3	437	56841.	398	0.4	0.0	2.5	0.1	0.1	0.1	21	0.0
50056	0	0	1	1	DSu	47.1191	69.3246	21.5	703.3	431	56844.	291	0.4	0.3	0.8	0.1	0.1	0.1	17	0.0
50057	0	0	1	1	DSu	47.1192	69.3241	21.5	703.4	426	56846.	260	0.3	0.1	0.7	0.1	0.1	0.1	25	0.0
50058	0	0	1	0	DSu	47.1193	69.3236	21.5	703.4	419	56846.	283	0.3	-0.2	2.3	0.1	0.1	0.1	20	0.0
50059	0	0	1	0	DSu	47.1193	69.3232	21.5	703.5	412	56844.	286	0.3	0.4	1.2	0.1	0.1	0.1	28	0.0
50060	0	0	1	0	DSu	47.1194	69.3227	21.5	703.5	404	56844.	314	0.4	0.6	2.8	0.1	0.1	0.1	30	0.0
50062	0	0	1	0	DSu	47.1195	69.3218	21.5	703.6	393	56847.	421	0.4	0.2	1.9	0.1	0.1	0.1	31	0.0
50063	0	0	1	0	DSu	47.1196	69.3214	21.5	703.6	381	56848.	442	0.3	-0.4	3.0	0.1	0.1	0.1	27	0.0
50064	0	0	0	0	DSu	47.1196	69.3209	21.5	703.6	370	56844.	525	0.6	1.4	1.4	2.4	1.1	2.3	26	0.0
50065	0	0	1	0	DSu	47.1197	69.3204	21.5	703.7	362	56839.	494	0.5	-0.2	2.3	0.1	0.1	0.1	30	0.0
50066	0	0	0	0	DSu	47.1197	69.3200	21.5	703.7	357	56838.	621	0.7	1.1	2.6	1.6	0.5	3.8	27	0.0
50067	0	0	1	0	DSu	47.1198	69.3195	21.5	703.7	358	56841.	618	0.6	0.1	2.6	0.1	0.1	5.2	20	0.0
50068	0	0	1	0	DSu	47.1199	69.3191	21.5	703.7	363	56844.	618	0.9	0.2	2.0	0.1	0.1	2.4	17	0.0
50069	0	0	1	0	DSu	47.1199	69.3186	21.5	703.7	369	56847.	691	0.7	0.9	4.9	0.1	0.1	7.7	35	0.0
50070	0	0	0	0	DSu	47.1200	69.3181	21.5	703.7	374	56850.	656	0.7	1.2	1.7	1.7	0.7	2.5	18	0.0
50071	0	0	1	0	DSu	47.1200	69.3177	21.5	703.7	373	56851.	650	0.8	0.6	3.2	0.1	0.1	4.3	26	0.0
50072	0	0	1	0	DSu	47.1201	69.3172	21.5	703.7	368	56852.	649	0.6	-0.5	4.6	0.1	0.1	8.4	30	0.0
50073	0	0	0	0	DSu	47.1202	69.3168	21.5	703.7	358	56852.	678	0.8	1.6	4.5	2.3	0.4	6.4	19	0.0
50074	0	0	1	0	DSu	47.1202	69.3163	21.5	703.7	348	56852.	692	0.5	0.5	3.0	0.1	0.1	0.1	25	0.0
50075	0	0	1	0	DSu	47.1203	69.3158	21.5	703.7	339	56850.	665	0.6	1.0	3.5	0.1	0.1	6.1	20	0.0
50076	0	0	1	0	DSu	47.1203	69.3154	21.5	703.7	334	56847.	655	0.5	0.9	3.1	0.1	0.1	0.1	29	0.0
50077	0	0	0	0	DSu	47.1204	69.3149	21.5	703.7	332	56847.	700	0.6	1.6	2.9	2.8	0.6	5.0	27	0.0
50078	0	0	0	0	DSu	47.1205	69.3145	21.5	703.7	332	56849.	666	0.6	1.3	2.7	2.5	0.5	5.2	30	0.0
50079	0	0	1	0	DSu	47.1205	69.3140	21.5	703.7	334	56850.	645	0.5	0.2	4.7	0.1	0.1	0.1	19	0.0
50080	0	0	1	0	DSu	47.1206	69.3135	21.5	703.7	337	56854.	628	0.6	0.3	4.3	0.1	0.1	8.1	26	0.0
50081	0	0	1	0	DSu	47.1206	69.3131	21.5	703.7	342	56860.	715	0.6	0.7	4.3	0.1	0.1	8.3	23	0.0
50082	0	0	1	0	DSu	47.1207	69.3126	21.5	703.7	346	56863.	682	0.6	0.7	3.6	0.1	0.1	6.5	16	0.0

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

- K09 -
 MAINE AERIAL SURVEY EDMUNDSTON QUADRANGLE, CARSON GEOSCIENCE INC., 1980

LINE NO. 50

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
50083	0	0	1	0	DSu	47.1208	69.3122	21.5	703.7	351	56863.	652	0.6	0.6	5.1	0.1	0.1	9.6	21	0.0
50084	0	0	1	0	DSu	47.1208	69.3117	21.5	703.7	353	56862.	630	0.9	0.1	2.5	0.1	0.1	3.1	26	0.0
50085	0	0	1	0	DSu	47.1209	69.3113	21.5	703.7	356	56861.	656	0.8	0.2	2.6	0.1	0.1	3.3	30	0.0
50086	0	0	1	0	DSu	47.1209	69.3108	21.5	703.7	359	56861.	725	0.7	0.4	3.6	0.1	0.1	5.3	32	0.0
50087	0	0	1	0	DSu	47.1210	69.3103	21.5	703.7	363	56862.	697	0.8	-0.1	3.7	0.1	0.1	5.0	27	0.0
50088	0	0	1	0	DSu	47.1211	69.3099	21.5	703.7	366	56862.	718	0.7	0.4	5.2	0.1	0.1	7.7	23	0.0
50089	0	0	1	0	DSu	47.1211	69.3094	21.5	703.7	367	56863.	720	0.7	0.0	4.1	0.1	0.1	6.1	31	0.0
50090	0	0	1	0	DSu	47.1212	69.3090	21.6	705.2	368	56863.	724	0.9	0.3	3.6	0.1	0.1	4.3	31	0.0
50091	0	0	1	0	DSu	47.1213	69.3085	21.6	705.5	371	56864.	723	0.7	0.6	3.4	0.1	0.1	5.1	28	0.0
50092	0	0	1	0	DSu	47.1213	69.3081	21.6	705.8	376	56864.	770	0.7	0.3	3.5	0.1	0.1	5.6	26	0.0
50093	0	0	0	0	DSu	47.1214	69.3076	21.6	706.2	383	56861.	708	0.6	1.5	4.6	2.8	0.4	8.9	20	0.0
50094	0	0	1	0	DSu	47.1214	69.3071	21.6	706.5	390	56858.	718	0.8	1.0	3.8	0.1	0.1	4.9	23	0.0
50095	0	0	1	0	DSu	47.1215	69.3067	21.6	706.8	395	56856.	678	0.7	0.3	4.2	0.1	0.1	6.1	20	0.0
50096	0	0	1	0	DSu	47.1215	69.3062	21.6	707.1	401	56855.	573	0.7	0.5	1.9	0.1	0.1	2.8	26	0.0
50097	0	0	1	0	DSu	47.1216	69.3057	21.6	707.5	403	56854.	592	0.5	1.0	3.7	0.1	0.1	0.1	28	0.0
50098	0	0	1	0	DSu	47.1217	69.3053	21.6	707.8	410	56853.	651	0.8	0.6	2.6	0.1	0.1	3.6	20	0.0
50099	0	0	1	0	DSu	47.1217	69.3048	21.6	708.2	415	56852.	581	0.6	0.7	2.5	0.1	0.1	4.6	20	0.0
50100	0	0	1	0	DSu	47.1218	69.3044	21.6	708.5	415	56851.	561	0.6	0.3	2.5	0.1	0.1	4.4	21	0.0
50101	0	0	1	0	DSu	47.1218	69.3039	21.6	708.7	404	56851.	507	0.5	0.7	1.7	0.1	0.1	0.1	24	0.0
50102	0	0	1	0	DSu	47.1219	69.3035	21.6	709.0	391	56849.	387	0.3	0.1	2.5	0.1	0.1	0.1	19	0.0
50103	0	0	1	0	DSu	47.1220	69.3030	21.6	709.2	383	56845.	323	0.3	-0.3	1.2	0.1	0.1	0.1	25	0.0
50104	0	1	1	1	DSu	47.1220	69.3025	21.6	709.3	384	56844.	241	0.1	0.5	0.4	0.1	0.1	0.1	24	0.0
50105	0	0	1	1	DSu	47.1221	69.3021	21.6	709.4	384	56847.	186	0.3	-0.3	0.3	0.1	0.1	0.1	33	0.0
50106	0	1	1	0	DSu	47.1222	69.3016	21.6	709.5	382	56850.	157	0.1	-0.1	1.2	0.1	0.1	0.1	26	0.0
50107	0	1	1	1	DSu	47.1222	69.3012	21.6	709.6	378	56854.	185	0.2	0.3	1.0	0.1	0.1	0.1	18	0.0
50108	0	0	1	1	DSu	47.1223	69.3007	21.6	709.7	377	56857.	170	0.2	0.1	0.2	0.1	0.1	0.1	27	0.0
50109	0	1	1	1	DSu	47.1223	69.3002	21.6	709.7	379	56860.	178	0.2	-0.1	0.9	0.1	0.1	0.1	24	0.0
50110	0	1	1	0	DSu	47.1224	69.2998	21.6	709.8	379	56862.	135	0.1	-0.8	2.5	0.1	0.1	0.1	20	0.0
50111	0	1	1	1	DSu	47.1224	69.2993	21.6	709.8	379	56863.	154	0.1	-0.3	0.9	0.1	0.1	0.1	38	0.0
50112	0	0	1	1	DSu	47.1225	69.2989	21.6	709.8	378	56863.	169	0.3	-0.2	0.7	0.1	0.1	0.1	16	0.0
50113	0	0	1	1	DSu	47.1226	69.2984	21.7	709.9	378	56863.	199	0.2	-0.1	0.8	0.1	0.1	0.1	18	0.0
50114	0	1	1	0	DSu	47.1226	69.2980	21.7	709.9	379	56863.	214	0.1	0.5	1.2	0.1	0.1	0.1	15	0.0
50115	0	0	1	1	DSu	47.1227	69.2975	21.7	709.9	384	56862.	246	0.2	-0.1	0.9	0.1	0.1	0.1	18	0.0
50116	0	1	1	0	DSu	47.1228	69.2970	21.7	709.9	391	56862.	255	0.2	0.3	1.3	0.1	0.1	0.1	29	0.0
50117	0	0	1	0	DSu	47.1228	69.2966	21.7	709.9	398	56862.	259	0.2	-0.1	1.9	0.1	0.1	0.1	23	0.0
50118	0	0	1	0	DSu	47.1229	69.2961	21.7	709.9	400	56860.	322	0.5	-0.7	1.2	0.1	0.1	0.1	27	0.0
50119	0	0	1	0	DSu	47.1229	69.2957	21.7	709.8	397	56859.	333	0.3	-0.3	1.7	0.1	0.1	0.1	21	0.0
50120	0	0	1	1	DSu	47.1230	69.2952	21.7	709.7	392	56860.	404	0.4	0.8	0.7	0.1	0.1	0.1	17	0.0
50121	0	0	1	0	DSu	47.1231	69.2947	21.7	709.7	387	56861.	449	0.4	-0.2	2.8	0.1	0.1	0.1	31	0.0
50122	0	0	1	0	DSu	47.1231	69.2943	21.7	709.5	382	56863.	471	0.3	0.4	1.3	0.1	0.1	0.1	18	0.0
50123	0	0	1	0	DSu	47.1232	69.2938	21.7	709.4	380	56864.	467	0.6	-0.3	1.7	0.1	0.1	3.2	22	0.0
50124	0	0	1	0	DSu	47.1232	69.2934	21.7	709.2	379	56864.	551	0.6	-0.7	3.9	0.1	0.1	7.3	37	0.0
50125	0	0	1	0	DSu	47.1233	69.2929	21.7	709.0	380	56863.	525	0.5	0.6	2.4	0.1	0.1	0.1	21	0.0
50126	0	0	1	0	DSu	47.1234	69.2924	21.7	708.9	383	56862.	551	0.4	1.0	1.5	0.1	0.1	0.1	28	0.0
50127	0	0	0	0	DSu	47.1234	69.2920	21.7	708.7	386	56862.	586	0.4	1.1	3.1	0.1	0.4	0.1	22	0.0
50128	0	0	0	0	DSu	47.1235	69.2915	21.7	708.5	389	56862.	654	0.5	1.2	3.5	0.1	0.4	0.1	24	0.0
50129	0	0	1	0	DSu	47.1235	69.2911	21.7	708.3	393	56860.	635	0.7	0.5	3.2	0.1	0.1	4.7	22	0.0
50130	0	0	1	0	DSu	47.1236	69.2906	21.7	708.1	397	56859.	717	0.9	0.9	4.2	0.1	0.1	4.6	27	0.0
50131	0	0	1	0	DSu	47.1237	69.2902	21.7	707.9	401	56860.	638	0.6	0.9	2.5	0.1	0.1	4.5	33	0.0
50132	0	0	1	0	DSu	47.1237	69.2897	21.7	707.7	407	56863.	683	0.7	0.4	2.0	0.1	0.1	3.1	38	0.0

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
50133	0	0	0	0	DSu	47.1238	69.2892	21.7	707.5	412	56863.	742	0.9	1.6	2.4	1.9	0.7	2.9	26	0.0
50134	0	0	1	0	DSu	47.1238	69.2888	21.7	707.3	417	56861.	761	0.9	0.2	2.8	0.1	0.1	3.2	17	0.0
50135	0	0	1	0	DSu	47.1239	69.2883	21.7	707.3	417	56862.	759	0.5	0.5	7.0	0.1	0.1	0.1	24	0.0
50136	0	0	0	0	DSu	47.1240	69.2879	21.7	707.2	409	56862.	785	0.7	1.4	4.3	2.2	0.3	7.0	16	0.0
50137	0	0	1	0	DSu	47.1240	69.2874	21.7	707.1	399	56860.	816	0.9	0.5	3.6	0.1	0.1	4.3	25	0.0
50138	0	0	1	0	DSu	47.1241	69.2869	21.7	707.0	390	56859.	757	0.9	0.9	3.6	0.1	0.1	4.3	23	0.0
50139	0	0	0	0	DSu	47.1241	69.2865	21.7	707.0	386	56857.	857	0.9	1.6	4.8	1.9	0.4	5.7	27	0.0
50140	0	0	0	0	DSu	47.1242	69.2860	21.7	706.9	383	56855.	797	0.6	1.4	3.0	2.3	0.5	5.0	29	0.0
50141	0	0	0	0	DSu	47.1243	69.2856	21.6	706.8	385	56853.	750	0.8	1.6	2.4	2.3	0.7	3.4	21	0.0
50142	0	0	1	0	DSu	47.1243	69.2851	21.6	706.8	386	56852.	771	0.6	0.5	4.2	0.1	0.1	8.2	25	0.0
50143	0	0	1	0	DSu	47.1244	69.2846	21.6	706.8	388	56851.	829	0.6	1.1	5.0	0.1	0.1	8.3	19	0.0
50144	0	0	1	0	DSu	47.1244	69.2842	21.6	706.8	388	56853.	804	1.1	0.2	4.8	0.1	0.1	4.7	17	0.0
50145	0	0	1	0	DSu	47.1245	69.2837	21.6	706.9	389	56854.	802	0.8	0.6	5.4	0.1	0.1	7.4	26	0.0
50146	0	0	0	0	DSu	47.1246	69.2833	21.6	706.7	395	56853.	762	0.8	1.5	3.8	2.0	0.4	5.2	31	0.0
50147	0	0	0	0	DSu	47.1246	69.2828	21.6	706.6	395	56853.	680	0.5	1.9	1.5	0.1	1.3	0.1	24	0.0
50148	0	0	0	0	DSu	47.1247	69.2824	21.6	706.5	392	56853.	711	0.7	1.3	5.7	2.0	0.3	9.2	23	0.0
50149	0	0	1	0	DSu	47.1247	69.2819	21.6	706.4	386	56855.	682	0.6	-0.4	3.1	0.1	0.1	5.2	27	0.0
50150	0	0	1	0	DSu	47.1248	69.2814	21.6	706.3	379	56857.	741	0.7	0.8	5.0	0.1	0.1	7.2	26	0.0
50151	0	0	0	0	DSu	47.1249	69.2810	21.6	706.2	371	56860.	791	0.7	1.3	4.5	1.9	0.3	6.5	24	0.0
50152	0	0	1	0	DSu	47.1249	69.2805	21.6	706.2	364	56862.	833	0.7	0.7	5.5	0.1	0.1	8.9	26	0.0
50153	0	0	1	0	DSu	47.1250	69.2801	21.6	706.1	358	56862.	777	0.6	0.6	5.8	0.1	0.1	10.6	31	0.0
50154	0	0	1	0	DSu	47.1250	69.2796	21.6	706.0	355	56863.	760	0.8	-0.4	4.3	0.1	0.1	5.8	26	0.0
50155	0	0	1	0	DSu	47.1251	69.2792	21.6	706.0	356	56864.	833	0.9	0.9	4.3	0.1	0.1	5.4	30	0.0
50157	0	0	1	0	DSu	47.1250	69.2780	21.6	704.9	359	56866.	840	0.7	0.8	3.9	0.1	0.1	5.9	26	0.0
50158	0	0	0	0	DSu	47.1249	69.2773	21.6	704.9	366	56868.	786	0.6	1.7	3.7	3.0	0.5	6.7	33	0.0
50159	0	0	1	0	DSu	47.1248	69.2765	21.6	704.8	374	56870.	805	0.8	0.9	3.3	0.1	0.1	4.3	30	0.0
50160	0	0	1	0	DSu	47.1247	69.2758	21.6	704.8	381	56870.	802	0.9	0.2	3.5	0.1	0.1	3.9	22	0.0
50161	0	0	1	0	DSu	47.1246	69.2751	21.6	704.9	387	56868.	734	0.8	-0.1	4.3	0.1	0.1	5.9	28	0.0
50162	0	0	1	0	DSu	47.1244	69.2744	21.6	704.9	390	56867.	667	0.6	0.4	4.3	0.1	0.1	8.2	30	0.0
50163	0	0	1	0	DSu	47.1243	69.2737	21.6	704.9	388	56869.	732	0.6	0.7	2.7	0.1	0.1	4.9	29	0.0
50164	0	0	1	0	DSu	47.1242	69.2730	21.6	705.0	383	56870.	702	0.7	0.3	3.3	0.1	0.1	5.0	34	0.0
50165	0	0	1	0	DSu	47.1241	69.2723	21.6	705.0	379	56870.	654	0.9	0.8	2.5	0.1	0.1	2.9	20	0.0
50166	0	0	1	0	DSu	47.1240	69.2715	21.6	705.1	379	56869.	664	0.7	0.4	3.5	0.1	0.1	5.2	23	0.0
50167	0	0	1	0	DSu	47.1238	69.2708	21.6	705.1	379	56867.	701	0.5	1.0	4.5	0.1	0.1	0.1	29	0.0
50168	0	0	1	0	DSu	47.1237	69.2701	21.6	705.2	377	56867.	605	0.6	0.6	3.2	0.1	0.1	5.6	30	0.0
50169	0	0	1	0	DSu	47.1236	69.2694	21.6	705.2	373	56867.	584	0.6	-0.4	2.4	0.1	0.1	4.6	30	0.0
50170	0	0	1	0	DSu	47.1235	69.2687	21.6	705.3	367	56867.	581	0.6	0.4	4.8	0.1	0.1	8.1	37	0.0
50171	0	0	1	0	DSu	47.1234	69.2680	21.6	705.3	359	56865.	481	0.5	-0.5	3.0	0.1	0.1	0.1	23	0.1
50172	0	0	1	0	DSu	47.1232	69.2673	21.6	705.4	354	56863.	501	0.5	0.0	3.1	0.1	0.1	0.1	21	0.1
50173	0	0	1	1	DSu	47.1231	69.2665	21.6	705.4	354	56861.	488	0.4	0.5	0.9	0.1	0.1	0.1	35	0.1
50174	0	0	1	0	DSu	47.1230	69.2658	21.6	705.4	358	56861.	498	0.7	0.9	2.2	0.1	0.1	3.3	23	0.2
50175	0	0	1	0	DSu	47.1229	69.2651	21.6	705.4	363	56863.	507	0.5	-0.1	1.9	0.1	0.1	0.1	24	0.2
50176	0	0	1	0	DSu	47.1228	69.2644	21.6	705.4	368	56861.	481	0.4	0.7	3.8	0.1	0.1	0.1	24	0.2
50177	0	0	1	0	DSu	47.1226	69.2637	21.6	705.4	371	56856.	476	0.5	0.6	2.8	0.1	0.1	0.1	26	0.2
50178	0	0	1	0	DSu	47.1225	69.2630	21.6	705.4	374	56855.	481	0.5	0.7	2.3	0.1	0.1	0.1	19	0.3
50179	0	0	1	0	DSu	47.1224	69.2623	21.6	705.5	374	56856.	529	0.6	0.7	2.2	0.1	0.1	4.1	20	0.3
50180	0	0	0	0	DSu	47.1223	69.2616	21.6	705.5	374	56854.	529	0.5	1.3	1.1	0.1	1.2	0.1	18	0.4
50181	0	0	1	0	DSu	47.1222	69.2608	21.6	705.5	374	56851.	572	0.6	0.3	3.6	0.1	0.1	6.9	27	0.4
50182	0	0	1	0	DSu	47.1220	69.2601	21.6	705.6	376	56851.	548	0.5	0.1	3.4	0.1	0.1	0.1	18	0.4
50183	0	0	1	0	DSu	47.1219	69.2594	21.6	705.6	381	56851.	662	0.7	0.9	3.4	0.1	0.1	4.9	15	0.4

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
50184	0	0	1	0	DSu	47.1218	69.2587	21.6	705.6	383	56853.	586	0.6	0.3	3.9	0.1	0.1	6.8	24	0.4
50185	0	0	1	0	DSu	47.1217	69.2580	21.6	705.6	386	56855.	623	0.7	1.0	5.3	0.1	0.1	7.9	28	0.4
50186	0	0	1	0	DSu	47.1215	69.2573	21.6	705.6	389	56856.	639	0.6	-0.6	2.5	0.1	0.1	4.4	30	0.5
50187	0	0	0	0	DSu	47.1214	69.2565	21.6	705.5	390	56856.	591	0.4	2.0	3.4	0.1	0.6	0.1	31	0.5
50188	0	0	0	0	DSu	47.1213	69.2558	21.6	705.5	389	56853.	615	0.5	2.1	2.6	0.1	0.9	0.1	27	0.6
50189	0	0	0	0	DSu	47.1212	69.2551	21.6	705.5	384	56850.	539	0.3	1.4	2.8	0.1	0.5	0.1	29	0.7
50190	0	0	1	0	DSu	47.1211	69.2544	21.6	705.5	378	56847.	540	0.6	0.1	3.3	0.1	0.1	6.5	24	0.8
50191	0	0	1	0	DSu	47.1209	69.2537	21.6	705.5	373	56843.	552	0.4	0.6	1.5	0.1	0.1	0.1	32	0.8
50192	0	0	1	0	DSu	47.1208	69.2530	21.6	705.5	373	56839.	494	0.6	0.7	1.4	0.1	0.1	2.8	22	0.9
50193	0	0	0	0	DSu	47.1207	69.2523	21.6	705.4	377	56836.	556	0.5	1.3	2.8	0.1	0.5	0.1	17	0.9
50194	0	0	1	0	DSu	47.1206	69.2515	21.6	705.4	384	56840.	536	0.5	0.6	2.5	0.1	0.1	0.1	29	1.0
50195	0	0	1	0	DSu	47.1205	69.2508	21.6	705.4	391	56845.	494	0.5	0.4	2.6	0.1	0.1	0.1	26	1.0
50196	0	0	1	0	DSu	47.1203	69.2501	21.6	705.3	395	56847.	511	0.3	0.7	2.8	0.1	0.1	0.1	33	1.0
50197	0	0	1	0	DSu	47.1202	69.2494	21.6	705.3	395	56848.	515	0.5	0.4	1.9	0.1	0.1	0.1	23	1.0
50198	0	0	1	0	DSu	47.1201	69.2487	21.6	705.3	393	56852.	537	0.5	0.3	4.5	0.1	0.1	0.1	24	1.0
50199	0	0	1	0	DSu	47.1200	69.2480	21.6	705.3	388	56854.	572	0.4	0.3	2.0	0.1	0.1	0.1	35	1.0
50200	0	0	0	0	DSu	47.1199	69.2473	21.6	705.3	385	56853.	620	0.5	1.9	1.8	0.1	1.1	0.1	18	1.1
50201	0	0	1	0	DSu	47.1197	69.2466	21.6	705.3	383	56852.	615	0.7	0.6	3.5	0.1	0.1	5.7	29	1.1
50202	0	0	1	0	DSu	47.1196	69.2458	21.6	705.3	383	56852.	610	0.6	0.0	2.3	0.1	0.1	4.2	28	1.2
50203	0	0	1	0	DSu	47.1195	69.2451	21.5	704.5	371	56858.	686	0.7	-0.2	4.0	0.1	0.1	5.7	27	1.3
50204	0	0	1	0	DSu	47.1194	69.2444	21.5	704.4	361	56861.	690	0.9	0.4	3.6	0.1	0.1	4.2	17	1.3
50205	0	0	1	0	DSu	47.1193	69.2437	21.5	704.2	349	56859.	709	0.7	0.0	3.6	0.1	0.1	5.3	21	1.3
50206	0	0	1	0	DSu	47.1191	69.2430	21.5	704.1	338	56860.	729	0.6	0.8	3.2	0.1	0.1	6.3	25	1.4
50207	0	0	1	0	DSu	47.1190	69.2423	21.5	704.0	328	56863.	722	0.7	0.6	2.7	0.1	0.1	4.1	30	1.5
50208	0	0	0	0	DSu	47.1189	69.2415	21.5	703.9	320	56864.	703	0.6	1.1	2.7	2.2	0.5	5.2	28	1.6
50209	0	0	1	0	DSu	47.1188	69.2408	21.5	703.8	315	56863.	739	0.6	0.9	4.1	0.1	0.1	6.8	37	1.7
50210	0	0	1	0	DSu	47.1187	69.2401	21.5	703.7	317	56862.	657	0.9	-0.2	3.0	0.1	0.1	3.6	30	1.8
50211	0	0	1	0	DSu	47.1185	69.2394	21.5	703.5	324	56863.	651	0.8	-0.1	3.9	0.1	0.1	5.6	21	1.8
50212	0	0	1	0	DSu	47.1184	69.2387	21.5	703.4	332	56865.	623	0.6	-0.1	3.4	0.1	0.1	5.6	31	1.7
50213	0	0	1	0	DSu	47.1183	69.2380	21.5	703.3	339	56866.	657	0.7	0.5	3.2	0.1	0.1	4.9	35	1.5
50214	0	0	1	0	DSu	47.1182	69.2373	21.5	703.2	345	56867.	663	0.7	0.5	2.5	0.1	0.1	3.8	32	1.3
50215	0	0	1	0	DSu	47.1180	69.2365	21.5	703.1	352	56867.	697	0.6	-0.3	3.2	0.1	0.1	6.1	25	1.1
50216	0	0	0	0	DSu	47.1179	69.2358	21.5	703.1	357	56867.	745	0.6	2.1	4.3	3.6	0.5	7.6	24	1.0
50217	0	0	1	0	DSu	47.1178	69.2351	21.5	703.0	361	56867.	688	0.8	-0.2	4.7	0.1	0.1	5.8	23	0.8
50218	0	0	1	0	DSu	47.1177	69.2344	21.5	703.0	365	56869.	733	0.9	0.3	4.2	0.1	0.1	4.9	29	0.6
50219	0	0	1	0	DSu	47.1176	69.2337	21.5	703.0	370	56873.	720	0.7	0.2	4.2	0.1	0.1	6.7	28	0.4
50220	0	0	1	0	DSu	47.1175	69.2330	21.5	703.0	379	56874.	674	0.5	0.9	3.5	0.1	0.1	0.1	18	0.2
50221	0	0	0	0	DSu	47.1173	69.2323	21.5	703.0	390	56874.	752	0.9	2.6	3.1	2.9	0.9	3.5	27	0.0
50222	0	0	1	0	DSu	47.1172	69.2315	21.5	703.0	403	56873.	689	0.7	0.4	2.4	0.1	0.1	3.7	23	0.0
50223	0	0	1	0	DSu	47.1171	69.2308	21.5	703.0	417	56871.	676	0.6	0.7	3.5	0.1	0.1	5.9	27	0.0
50224	0	0	1	0	DSu	47.1170	69.2301	21.5	703.0	431	56866.	685	0.8	1.1	5.0	0.1	0.1	6.8	19	0.0
50225	0	0	1	0	DSu	47.1168	69.2294	21.5	703.1	443	56860.	572	0.6	1.0	2.0	0.1	0.1	3.3	29	0.0
50226	0	0	1	0	DSu	47.1167	69.2287	21.5	703.1	452	56857.	531	0.6	0.5	2.5	0.1	0.1	4.0	27	0.0
50227	0	0	1	0	DSu	47.1166	69.2280	21.5	703.1	459	56853.	532	0.5	0.5	1.9	0.1	0.1	0.1	38	0.0
50228	0	0	1	0	DSu	47.1165	69.2273	21.4	703.2	465	56850.	480	0.5	0.0	2.8	0.1	0.1	0.1	22	0.0
50229	0	0	1	1	DSu	47.1164	69.2265	21.4	703.2	467	56848.	469	0.3	1.1	0.7	0.1	0.1	0.1	29	0.0
50230	0	0	1	0	DSu	47.1162	69.2258	21.4	703.3	465	56846.	507	0.5	0.1	4.4	0.1	0.1	0.1	22	0.0
50231	0	0	1	0	DSu	47.1161	69.2251	21.4	703.4	461	56846.	569	0.8	-1.0	2.9	0.1	0.1	3.9	23	0.0
50232	0	0	1	0	DSu	47.1160	69.2244	21.4	703.4	454	56846.	570	0.6	0.2	2.1	0.1	0.1	3.5	26	0.0
50233	0	0	1	0	DSu	47.1159	69.2237	21.4	703.5	448	56846.	576	0.5	0.3	2.9	0.1	0.1	0.1	25	0.0

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
50234	0	0	1	0	DSu	47.1158	69.2230	21.4	703.6	438	56846.	567	0.5	0.9	2.9	0.1	0.1	0.1	20	0.0
50235	0	0	1	0	DSu	47.1156	69.2223	21.4	703.8	429	56849.	546	0.5	0.4	5.1	0.1	0.1	0.1	21	0.0
50236	0	0	1	0	DSu	47.1155	69.2215	21.4	703.9	420	56851.	523	0.5	0.4	1.6	0.1	0.1	0.1	22	0.0
50237	0	0	1	0	DSu	47.1154	69.2208	21.4	704.0	413	56852.	565	0.5	0.2	3.0	0.1	0.1	0.1	33	0.0
50238	0	0	1	0	DSu	47.1153	69.2201	21.4	704.2	408	56851.	617	0.7	0.2	3.0	0.1	0.1	4.6	29	0.0
50239	0	0	1	0	DSu	47.1152	69.2194	21.4	704.3	404	56849.	666	0.6	-0.1	2.0	0.1	0.1	3.4	29	0.0
50240	0	0	1	0	DSu	47.1150	69.2187	21.4	704.5	402	56847.	638	0.6	0.6	3.5	0.1	0.1	6.2	31	0.0
50241	0	0	1	0	DSu	47.1149	69.2180	21.4	704.7	403	56848.	634	0.5	0.7	2.2	0.1	0.1	0.1	21	0.0
50242	0	0	1	0	DSu	47.1148	69.2173	21.4	704.9	403	56853.	643	0.8	0.6	2.3	0.1	0.1	2.9	18	0.0
50243	0	0	0	0	DSu	47.1147	69.2165	21.4	705.1	401	56855.	687	0.6	1.2	3.8	2.2	0.4	6.9	31	0.0
50244	0	0	1	0	DSu	47.1146	69.2158	21.4	705.3	396	56854.	640	0.6	0.8	2.4	0.1	0.1	4.3	28	0.0
50245	0	0	1	0	DSu	47.1144	69.2151	21.4	705.6	393	56851.	681	0.7	0.0	3.2	0.1	0.1	4.7	31	0.0
50246	0	0	1	0	DSu	47.1143	69.2144	21.4	705.8	391	56848.	656	0.6	0.3	2.1	0.1	0.1	3.6	16	0.0
50247	0	0	0	0	DSu	47.1142	69.2137	21.4	705.9	390	56847.	672	0.5	2.6	3.7	0.1	0.7	0.1	24	0.0
50248	0	0	1	0	DSu	47.1141	69.2130	21.4	706.0	391	56847.	672	0.6	0.6	3.1	0.1	0.1	5.1	29	0.0
50249	0	0	0	0	DSu	47.1139	69.2123	21.4	706.1	393	56846.	730	0.7	1.2	3.9	1.7	0.3	5.6	21	0.0
50250	0	0	1	0	DSu	47.1138	69.2116	21.4	706.2	395	56846.	666	0.7	0.0	3.8	0.1	0.1	6.2	32	0.0
50252	0	0	1	0	DSu	47.1136	69.2101	21.4	706.3	395	56847.	633	0.6	0.8	3.9	0.1	0.1	6.5	24	0.0
50253	0	0	1	0	DSu	47.1135	69.2094	21.4	706.4	394	56851.	669	0.8	0.4	3.1	0.1	0.1	4.1	23	0.0
50254	0	0	1	0	DSu	47.1133	69.2087	21.4	706.5	392	56855.	624	0.9	0.3	1.9	0.1	0.1	2.2	31	0.0
50255	0	0	1	0	DSu	47.1132	69.2080	21.4	706.5	389	56857.	647	0.7	0.7	3.4	0.1	0.1	5.1	24	0.0
50256	0	0	1	0	DSu	47.1131	69.2073	21.4	706.5	385	56856.	617	0.7	0.4	3.4	0.1	0.1	4.9	25	0.0
50257	0	0	1	0	DSu	47.1130	69.2066	21.4	706.5	387	56853.	539	0.6	1.1	2.6	0.1	0.1	5.1	28	0.0
50258	0	0	1	0	DSu	47.1129	69.2058	21.4	706.5	388	56851.	574	0.8	0.2	2.5	0.1	0.1	3.4	20	0.0
50259	0	0	1	0	DSu	47.1127	69.2051	21.4	706.4	392	56851.	572	0.6	0.0	1.7	0.1	0.1	3.3	38	0.0
50260	0	0	1	0	DSu	47.1127	69.2047	21.4	706.9	392	56850.	570	0.5	0.2	1.8	0.1	0.1	0.1	23	0.0
50261	0	0	1	0	DSu	47.1127	69.2042	21.4	706.8	387	56852.	615	0.5	0.7	3.6	0.1	0.1	0.1	31	0.0
50262	0	0	1	0	DSu	47.1126	69.2037	21.4	706.7	379	56852.	631	0.7	0.1	3.2	0.1	0.1	4.9	22	0.0
50263	0	0	1	0	DSu	47.1126	69.2033	21.4	706.6	371	56852.	682	0.8	0.9	3.7	0.1	0.1	5.0	29	0.0
50264	0	0	1	0	DSu	47.1125	69.2028	21.4	706.4	363	56851.	724	0.6	0.9	3.4	0.1	0.1	6.0	17	0.0
50265	0	0	1	0	DSu	47.1125	69.2023	21.4	706.2	355	56850.	672	0.7	0.6	3.5	0.1	0.1	5.0	31	0.0
50266	0	0	0	0	DSu	47.1125	69.2019	21.4	706.1	348	56849.	765	0.7	1.2	4.1	1.8	0.3	6.1	22	0.0
50267	0	0	1	0	DSu	47.1124	69.2014	21.4	705.9	342	56848.	740	0.6	0.9	6.1	0.1	0.1	10.3	28	0.0
50268	0	0	1	0	DSu	47.1124	69.2009	21.4	705.7	337	56848.	673	0.7	-0.1	3.0	0.1	0.1	4.3	21	0.0
50269	0	0	1	0	DSu	47.1123	69.2005	21.4	705.5	334	56848.	786	0.9	0.4	4.3	0.1	0.1	5.3	25	0.0
50270	0	0	1	0	DSu	47.1123	69.2000	21.4	705.3	330	56848.	700	0.5	1.1	3.8	0.1	0.1	0.1	29	0.0
50271	0	0	0	0	DSu	47.1122	69.1995	21.4	705.1	331	56849.	685	0.6	1.4	4.2	2.5	0.4	7.5	23	0.0
50272	0	0	1	0	DSu	47.1122	69.1991	21.4	704.9	332	56851.	764	0.9	0.1	5.1	0.1	0.1	6.2	27	0.0
50273	0	0	1	0	DSu	47.1122	69.1986	21.4	704.6	335	56850.	737	0.9	-0.2	4.0	0.1	0.1	4.9	31	0.0
50274	0	0	1	0	DSu	47.1121	69.1982	21.4	704.4	337	56850.	796	0.8	0.5	3.3	0.1	0.1	4.2	31	0.0
50275	0	0	1	0	DSu	47.1121	69.1977	21.4	704.2	339	56850.	710	0.8	0.7	3.0	0.1	0.1	4.0	27	0.0
50276	0	0	1	0	DSu	47.1120	69.1972	21.4	704.0	340	56850.	720	0.8	0.0	3.3	0.1	0.1	4.3	29	0.0
50277	0	0	0	0	DSu	47.1120	69.1968	21.4	703.8	344	56851.	695	0.8	1.6	3.4	2.1	0.5	4.3	25	0.0
50278	0	0	1	0	DSu	47.1120	69.1963	21.4	703.7	348	56851.	682	0.8	0.0	2.3	0.1	0.1	2.9	26	0.0
50279	0	0	1	0	DSu	47.1119	69.1958	21.4	703.5	354	56852.	696	0.9	0.7	3.1	0.1	0.1	3.6	30	0.0
50280	0	0	1	0	DSu	47.1119	69.1954	21.4	703.4	358	56855.	690	0.7	0.5	4.0	0.1	0.1	6.0	20	0.0
50281	0	0	0	0	DSu	47.1118	69.1949	21.4	703.3	361	56857.	658	0.6	1.6	1.6	2.7	1.1	2.6	29	0.0
50282	0	0	1	0	DSu	47.1118	69.1944	21.4	703.2	360	56858.	685	0.7	0.5	4.4	0.1	0.1	6.9	19	0.0
50283	0	0	1	0	DSu	47.1117	69.1940	21.4	703.2	357	56858.	674	0.6	0.8	3.1	0.1	0.1	5.5	22	0.0
50284	0	0	1	0	DSu	47.1117	69.1935	21.4	703.1	354	56857.	634	0.6	0.9	2.5	0.1	0.1	4.6	26	0.0

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
50285	0	0	1	0	DSu	47.1117	69.1930	21.4	703.1	353	56858.	675	0.7	1.0	3.9	0.1	0.1	6.1	28	0.0
50286	0	0	1	0	DSu	47.1116	69.1926	21.4	703.1	357	56859.	666	0.8	0.5	2.9	0.1	0.1	4.1	30	0.0
50287	0	0	1	0	DSu	47.1116	69.1921	21.4	703.2	363	56859.	696	0.8	0.2	2.9	0.1	0.1	3.9	20	0.0
50288	0	0	1	0	DSu	47.1115	69.1916	21.4	703.3	374	56859.	668	0.6	1.0	4.0	0.1	0.1	6.7	33	0.0
50289	0	0	1	0	DSu	47.1115	69.1912	21.4	703.4	386	56858.	663	0.8	0.8	3.3	0.1	0.1	4.3	17	0.0
50290	0	0	1	0	DSu	47.1115	69.1907	21.4	703.5	400	56856.	684	0.5	1.1	3.8	0.1	0.1	0.1	17	0.0
50291	0	0	1	0	DSu	47.1114	69.1902	21.4	703.6	413	56853.	669	0.7	0.5	4.3	0.1	0.1	6.2	25	0.0
50292	0	0	1	0	DSu	47.1114	69.1898	21.4	703.8	419	56851.	696	0.7	0.2	2.8	0.1	0.1	4.1	41	0.0
50293	0	0	1	0	DSu	47.1113	69.1893	21.4	703.9	410	56850.	699	0.8	0.6	3.2	0.1	0.1	4.1	28	0.0
50294	0	0	1	0	DSu	47.1113	69.1889	21.4	704.1	390	56849.	698	0.9	0.2	3.3	0.1	0.1	3.9	32	0.0
50295	0	0	1	0	DSu	47.1112	69.1884	21.4	704.3	369	56846.	749	0.8	1.0	3.9	0.1	0.1	5.3	15	0.0
50296	0	0	0	0	DSu	47.1112	69.1879	21.4	704.4	360	56844.	733	0.8	1.8	2.7	2.6	0.7	3.8	26	0.0
50297	0	0	0	0	DSu	47.1112	69.1875	21.4	704.6	361	56844.	684	0.7	1.0	2.1	1.5	0.5	3.2	24	0.0
50298	0	0	1	0	DSu	47.1111	69.1870	21.4	704.7	369	56846.	743	0.9	-0.1	1.7	0.1	0.1	2.0	35	0.0
50299	0	0	1	0	DSu	47.1111	69.1865	21.4	704.9	381	56847.	691	0.7	0.4	2.9	0.1	0.1	4.3	36	0.0
50300	0	0	0	0	DSu	47.1110	69.1861	21.4	705.0	393	56844.	683	0.7	1.3	3.1	2.0	0.5	5.0	23	0.0
50301	0	0	1	0	DSu	47.1110	69.1856	21.4	705.1	409	56841.	627	0.7	-0.4	3.8	0.1	0.1	5.8	22	0.0
50302	0	0	1	0	DSu	47.1110	69.1851	21.4	705.2	418	56841.	558	0.5	0.3	4.3	0.1	0.1	0.1	25	0.0
50303	0	0	1	0	DSu	47.1109	69.1846	21.4	705.4	419	56843.	480	0.6	0.3	3.3	0.1	0.1	6.3	23	0.0
50304	0	0	1	0	DSu	47.1109	69.1841	21.4	705.4	408	56846.	541	0.6	-0.2	3.2	0.1	0.1	5.8	19	0.0
50305	0	0	1	0	DSu	47.1109	69.1836	21.4	705.5	395	56849.	516	0.6	0.5	1.7	0.1	0.1	3.3	15	0.0
50306	0	0	1	0	DSu	47.1108	69.1831	21.4	705.5	382	56851.	568	0.6	0.0	3.2	0.1	0.1	5.6	29	0.0
50307	0	0	1	0	DSu	47.1108	69.1826	21.4	705.5	375	56850.	609	0.5	0.3	5.8	0.1	0.1	0.1	27	0.0
50308	0	0	1	0	DSu	47.1108	69.1821	21.4	705.5	377	56849.	569	0.5	0.8	2.7	0.1	0.1	0.1	24	0.0
50309	0	0	0	0	DSu	47.1107	69.1816	21.4	705.6	389	56851.	653	0.7	1.9	2.7	2.9	0.7	4.1	32	0.0
50310	0	0	1	0	DSu	47.1107	69.1811	21.4	705.6	401	56852.	615	0.9	-0.2	1.3	0.1	0.1	1.6	31	0.0
50311	0	0	1	0	DSu	47.1107	69.1806	21.4	705.6	409	56852.	659	0.6	0.3	5.1	0.1	0.1	8.9	20	0.0
50312	0	0	1	0	DSu	47.1107	69.1801	21.4	705.6	409	56852.	639	0.7	0.2	3.4	0.1	0.1	5.6	32	0.0
50313	0	0	1	0	DSu	47.1106	69.1796	21.4	705.6	408	56851.	653	0.6	0.9	2.8	0.1	0.1	4.7	24	0.0
50314	0	0	1	0	DSu	47.1106	69.1791	21.4	705.6	406	56851.	632	0.6	0.7	3.6	0.1	0.1	6.5	17	0.0
50315	0	0	1	0	DSu	47.1106	69.1786	21.4	705.6	407	56851.	633	0.8	-0.2	3.9	0.1	0.1	5.0	36	0.0
50316	0	0	0	0	DSu	47.1105	69.1781	21.5	706.5	404	56851.	674	0.7	1.4	2.7	2.1	0.6	3.9	19	0.0
50317	0	0	1	0	DSu	47.1105	69.1776	21.5	706.6	395	56853.	626	0.6	0.9	3.6	0.1	0.1	7.0	16	0.0
50318	0	0	1	0	DSu	47.1105	69.1771	21.5	706.6	385	56855.	642	0.5	1.0	2.8	0.1	0.1	0.1	27	0.0
50319	0	0	1	0	DSu	47.1104	69.1766	21.5	706.6	378	56856.	640	0.6	0.7	2.8	0.1	0.1	5.4	29	0.0
50320	0	0	1	0	DSu	47.1104	69.1761	21.5	706.7	377	56854.	635	0.6	0.3	3.3	0.1	0.1	5.7	31	0.0
50321	0	0	0	0	DSu	47.1104	69.1756	21.5	706.7	381	56852.	708	0.7	1.5	4.5	2.2	0.4	6.8	15	0.0
50322	0	0	1	0	DSu	47.1103	69.1751	21.5	706.7	387	56852.	661	0.6	0.6	2.8	0.1	0.1	5.2	25	0.0
50323	0	0	1	0	DSu	47.1103	69.1746	21.5	706.7	392	56855.	635	0.8	1.1	2.6	0.1	0.1	3.7	23	0.0
50324	0	0	1	0	DSu	47.1103	69.1741	21.5	706.7	393	56859.	611	0.7	0.9	3.1	0.1	0.1	4.5	31	0.0
50325	0	0	1	0	DSu	47.1103	69.1736	21.5	706.7	391	56863.	609	0.6	0.5	2.2	0.1	0.1	3.6	24	0.0
50326	0	0	1	0	DSu	47.1102	69.1731	21.5	706.8	386	56865.	656	0.7	0.3	3.7	0.1	0.1	5.8	38	0.0
50327	0	0	1	0	DSu	47.1102	69.1726	21.5	706.8	381	56866.	603	0.7	0.6	3.1	0.1	0.1	4.6	21	0.0
50328	0	0	1	0	DSu	47.1102	69.1721	21.5	706.9	375	56869.	684	0.6	0.9	3.8	0.1	0.1	7.4	14	0.0
50329	0	0	1	0	DSu	47.1101	69.1716	21.5	706.9	370	56874.	680	0.8	0.1	3.4	0.1	0.1	4.8	28	0.0
50330	0	0	1	0	DSu	47.1101	69.1711	21.5	707.0	363	56879.	704	0.9	0.9	3.3	0.1	0.1	3.8	21	0.0
50331	0	0	0	0	DSu	47.1101	69.1706	21.5	707.1	355	56878.	753	0.7	1.5	2.8	2.1	0.6	4.0	23	0.0
50332	0	0	0	0	DSu	47.1101	69.1701	21.5	707.1	349	56872.	748	0.6	2.1	3.3	3.6	0.7	5.6	23	0.0
50333	0	0	1	0	DSu	47.1100	69.1696	21.5	707.2	347	56867.	729	0.8	0.6	4.0	0.1	0.1	5.2	26	0.0
50334	0	0	0	0	DSu	47.1100	69.1691	21.5	707.2	349	56864.	716	0.6	1.2	5.2	2.3	0.3	9.7	23	0.0

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
50335	0	0	1	0	DSu	47.1099	69.1686	21.5	707.2	353	56863.	685	0.7	0.7	3.4	0.1	0.1	5.2	17	0.0
50336	0	0	0	0	DSu	47.1099	69.1681	21.5	707.2	355	56867.	708	0.6	1.5	3.1	2.8	0.5	5.7	20	0.0
50337	0	0	1	0	DSu	47.1099	69.1676	21.5	707.2	358	56869.	663	0.6	1.0	4.2	0.1	0.1	7.2	26	0.0
50338	0	0	0	0	DSu	47.1099	69.1671	21.5	707.2	361	56868.	686	0.6	1.1	1.9	1.9	0.6	3.3	24	0.0
50339	0	0	1	0	DSu	47.1098	69.1666	21.5	707.2	366	56865.	730	0.7	1.0	3.7	0.1	0.1	5.3	27	0.0
50340	0	0	1	0	DSu	47.1098	69.1661	21.5	707.1	376	56863.	774	0.8	0.6	4.8	0.1	0.1	6.0	25	0.0
50341	0	0	0	0	DSu	47.1098	69.1656	21.5	707.0	390	56864.	810	0.7	1.6	2.8	2.3	0.6	4.0	27	0.0
50342	0	0	1	0	DSu	47.1097	69.1651	21.5	707.0	403	56867.	781	0.8	0.3	3.6	0.1	0.1	4.6	16	0.0
50343	0	0	1	0	DSu	47.1097	69.1646	21.5	706.9	409	56871.	829	0.9	0.5	5.2	0.1	0.1	6.2	21	0.0
50344	0	0	0	0	DSu	47.1097	69.1641	21.5	706.8	409	56874.	806	0.9	1.5	2.3	1.7	0.7	2.6	34	0.0
50345	0	0	1	0	DSu	47.1096	69.1637	21.5	706.7	401	56874.	826	0.9	1.0	4.3	0.1	0.1	5.2	31	0.0
50346	0	0	0	0	DSu	47.1097	69.1631	21.5	706.6	394	56872.	813	1.1	1.3	4.4	1.2	0.3	4.2	23	0.1
50348	0	0	1	0	DSu	47.1097	69.1621	21.5	706.5	383	56871.	783	0.8	0.9	2.7	0.1	0.1	3.8	27	0.2
50349	0	0	1	0	DSu	47.1097	69.1615	21.5	706.5	373	56870.	780	0.8	0.8	3.8	0.1	0.1	5.2	21	0.3
50350	0	0	1	0	DSu	47.1098	69.1610	21.5	706.5	360	56873.	733	0.6	0.5	2.9	0.1	0.1	5.1	18	0.3
50351	0	0	1	0	DSu	47.1098	69.1605	21.5	706.5	346	56876.	792	0.8	0.4	3.2	0.1	0.1	4.3	29	0.4
50352	0	0	0	0	DSu	47.1098	69.1600	21.5	706.6	329	56877.	732	0.7	1.0	5.5	1.5	0.2	8.0	20	0.4
50353	0	0	1	0	DSu	47.1099	69.1594	21.5	706.7	316	56877.	751	0.7	0.3	2.7	0.1	0.1	3.9	23	0.5
50354	0	0	1	0	DSu	47.1099	69.1589	21.5	706.8	309	56877.	800	1.0	0.9	4.6	0.1	0.1	4.9	18	0.6
50355	0	0	1	0	DSu	47.1099	69.1584	21.5	707.0	311	56877.	744	0.9	0.0	3.3	0.1	0.1	3.7	34	0.7
50356	0	0	1	0	DSu	47.1099	69.1579	21.5	707.2	316	56881.	770	0.8	0.3	4.3	0.1	0.1	5.6	37	0.7
50357	0	0	1	0	DSu	47.1100	69.1573	21.5	707.5	320	56885.	763	0.9	0.6	1.8	0.1	0.1	2.1	26	0.8
50358	0	0	1	0	DSu	47.1100	69.1568	21.5	707.8	326	56888.	807	1.0	0.3	3.1	0.1	0.1	3.2	30	0.8
50359	0	0	1	0	DSu	47.1100	69.1563	21.5	708.1	330	56887.	775	0.9	0.8	2.4	0.1	0.1	2.7	23	0.9
50360	0	0	1	0	DSu	47.1100	69.1558	21.5	708.5	335	56882.	779	1.0	-0.2	2.8	0.1	0.1	2.8	28	1.0
50361	0	0	1	0	DSu	47.1101	69.1552	21.5	708.7	339	56874.	776	0.9	0.6	4.4	0.1	0.1	5.1	19	1.1
50362	0	0	1	0	DSu	47.1101	69.1547	21.5	708.9	343	56869.	755	0.9	0.8	4.0	0.1	0.1	4.8	30	1.1
50363	0	0	1	0	DSu	47.1101	69.1542	21.5	709.1	346	56867.	775	0.8	0.9	3.5	0.1	0.1	4.9	17	1.2
50364	0	0	1	0	DSu	47.1101	69.1537	21.5	709.2	349	56868.	789	0.8	0.6	3.3	0.1	0.1	4.3	23	1.3
50365	0	0	1	0	DSu	47.1102	69.1531	21.5	709.4	351	56869.	733	0.7	0.9	3.5	0.1	0.1	5.1	38	1.4
50366	0	0	0	0	DSu	47.1102	69.1526	21.5	709.6	353	56870.	711	0.5	1.3	3.1	0.1	0.5	0.1	22	1.5
50367	0	0	0	0	DSu	47.1102	69.1521	21.5	709.7	352	56872.	773	0.7	1.5	2.2	2.2	0.7	3.1	20	1.5
50368	0	0	0	0	DSu	47.1102	69.1516	21.5	709.8	351	56873.	795	0.7	1.4	3.7	2.1	0.4	5.4	29	1.7
50369	0	0	1	0	DSu	47.1103	69.1510	21.5	709.9	349	56877.	700	0.7	0.3	4.7	0.1	0.1	6.9	29	1.8
50370	0	0	1	0	DSu	47.1103	69.1505	21.5	709.9	345	56878.	706	0.7	0.2	3.1	0.1	0.1	4.7	19	1.9
50371	0	0	1	0	DSu	47.1103	69.1500	21.5	709.9	344	56875.	721	0.9	-0.8	3.2	0.1	0.1	3.7	26	1.9
50372	0	0	1	0	DSu	47.1103	69.1494	21.5	709.7	341	56873.	717	0.9	0.3	4.3	0.1	0.1	5.3	27	1.9
50373	0	0	1	0	DSu	47.1104	69.1489	21.9	713.2	327	56870.	694	0.6	-0.1	2.8	0.1	0.1	4.6	23	2.0
50374	0	0	1	0	DSu	47.1104	69.1484	21.9	713.5	321	56867.	728	0.8	0.8	4.5	0.1	0.1	5.9	29	2.0
50375	0	0	1	0	DSu	47.1104	69.1479	21.9	713.8	318	56865.	713	0.7	0.8	4.5	0.1	0.1	7.2	11	1.9
50376	0	0	0	0	DSu	47.1105	69.1473	21.9	714.1	321	56865.	754	0.7	1.0	2.3	1.5	0.5	3.4	17	1.7
50377	0	0	1	0	DSu	47.1105	69.1468	21.9	714.3	327	56865.	720	0.9	0.7	2.7	0.1	0.1	3.3	22	1.6
50378	0	0	1	0	DSu	47.1105	69.1463	21.9	714.5	336	56866.	667	0.7	0.3	3.7	0.1	0.1	5.8	32	1.4
50379	0	0	1	0	DSu	47.1105	69.1458	22.0	714.8	344	56869.	712	0.9	-0.2	2.1	0.1	0.1	2.5	24	1.3
50380	0	0	1	0	DSu	47.1106	69.1452	22.0	715.1	350	56875.	709	0.8	1.0	4.3	0.1	0.1	5.7	16	1.1
50381	0	0	1	0	DSu	47.1106	69.1447	22.0	715.4	356	56880.	700	0.6	0.6	3.2	0.1	0.1	5.4	28	0.9
50382	0	0	1	0	DSu	47.1106	69.1442	22.0	715.6	360	56882.	718	0.7	0.4	3.8	0.1	0.1	6.0	20	0.7
50383	0	0	1	0	DSu	47.1106	69.1437	22.0	715.9	364	56883.	674	0.8	0.0	5.5	0.1	0.1	7.3	18	0.5
50384	0	0	1	0	DSu	47.1107	69.1431	22.0	716.1	369	56882.	679	0.8	0.9	2.7	0.1	0.1	3.9	20	0.3
50385	0	0	1	0	DSu	47.1107	69.1426	22.0	716.4	374	56881.	616	0.7	-0.3	1.8	0.1	0.1	2.8	29	0.1

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
50386	0	0	1	0	DSu	47.1107	69.1421	22.0	716.6	378	56881.	584	0.6	0.3	3.3	0.1	0.1	6.0	24	0.0
50387	0	0	1	0	DSu	47.1107	69.1416	22.0	716.8	380	56882.	656	0.6	0.6	4.9	0.1	0.1	9.5	27	0.0
50388	0	0	1	0	DSu	47.1108	69.1410	22.0	717.1	382	56882.	623	0.6	0.0	2.9	0.1	0.1	5.4	20	0.0
50389	0	0	1	0	DSu	47.1108	69.1405	22.0	717.3	384	56879.	711	0.8	0.9	1.9	0.1	0.1	2.5	20	0.0
50390	0	0	0	0	DSu	47.1108	69.1400	22.0	717.6	384	56874.	757	0.8	1.5	4.5	2.1	0.4	6.2	22	0.0
50391	0	0	1	0	DSu	47.1108	69.1395	22.0	717.9	386	56871.	701	0.6	0.6	3.4	0.1	0.1	5.9	19	0.0
50392	0	0	1	0	DSu	47.1109	69.1389	22.1	718.1	392	56873.	679	0.7	0.7	3.7	0.1	0.1	6.0	21	0.0
50393	0	0	1	0	DSu	47.1109	69.1384	22.1	718.4	401	56878.	645	0.8	0.4	3.8	0.1	0.1	5.0	29	0.0
50394	0	0	1	0	DSu	47.1109	69.1379	22.1	718.6	407	56879.	630	0.6	0.1	4.5	0.1	0.1	7.3	37	0.0
50395	0	0	1	0	DSu	47.1110	69.1374	22.1	718.9	408	56879.	602	0.7	-0.3	5.1	0.1	0.1	7.4	25	0.0
50396	0	0	1	0	DSu	47.1110	69.1368	22.1	719.1	401	56878.	621	0.9	0.3	4.1	0.1	0.1	4.8	25	0.0
50397	0	0	1	0	DSu	47.1110	69.1363	22.1	719.3	393	56877.	560	0.6	0.3	2.4	0.1	0.1	4.2	26	0.0
50398	0	0	0	0	DSu	47.1110	69.1358	22.1	719.6	383	56876.	485	0.6	1.3	1.9	2.5	0.7	3.6	23	0.0
50399	0	0	1	0	DSu	47.1110	69.1353	22.1	719.8	384	56870.	489	0.6	0.3	3.2	0.1	0.1	6.3	24	0.0
50400	0	0	1	0	DSu	47.1110	69.1348	22.1	720.0	387	56863.	452	0.5	0.4	3.4	0.1	0.1	0.1	24	0.0
50401	0	0	1	0	DSu	47.1110	69.1343	22.1	720.2	395	56862.	452	0.6	0.6	3.3	0.1	0.1	6.6	18	0.0
50402	0	0	1	0	DSu	47.1110	69.1338	22.1	720.4	396	56866.	458	0.6	-0.1	1.4	0.1	0.1	2.8	27	0.0
50403	0	0	1	0	DSu	47.1110	69.1333	22.1	720.5	397	56871.	449	0.6	0.4	3.3	0.1	0.1	6.6	28	0.0
50404	0	0	0	0	DSu	47.1110	69.1328	22.1	720.6	397	56873.	463	0.4	1.6	2.3	0.1	0.8	0.1	23	0.0
50405	0	0	1	0	DSu	47.1110	69.1323	22.1	720.7	397	56873.	439	0.4	0.7	1.9	0.1	0.1	0.1	14	0.0
50406	0	0	1	0	DSu	47.1110	69.1318	22.1	720.9	396	56873.	540	0.7	0.0	3.7	0.1	0.1	6.0	31	0.0
50407	0	0	1	0	DSu	47.1110	69.1313	22.1	721.0	392	56875.	527	0.7	0.2	3.3	0.1	0.1	5.2	31	0.0
50408	0	0	1	0	DSu	47.1110	69.1307	22.1	721.1	387	56875.	554	0.6	-0.4	4.0	0.1	0.1	6.6	25	0.0
50409	0	0	0	0	DSu	47.1110	69.1302	22.1	721.2	380	56875.	496	0.6	1.2	2.1	2.3	0.6	4.0	29	0.0
50410	0	0	1	0	DSu	47.1110	69.1297	22.1	721.3	375	56871.	492	0.6	0.7	1.4	0.1	0.1	2.4	30	0.0
50411	0	0	1	0	DSu	47.1110	69.1292	22.1	721.3	372	56868.	547	0.7	0.8	3.7	0.1	0.1	5.8	23	0.0
50412	0	0	1	0	DSu	47.1110	69.1287	22.1	721.4	372	56869.	455	0.4	0.3	3.2	0.1	0.1	0.1	20	0.0
50413	0	0	1	0	DSu	47.1110	69.1282	22.1	721.4	373	56873.	396	0.5	-0.4	2.1	0.1	0.1	0.1	24	0.0
50414	0	0	1	0	Water	47.1110	69.1277	22.1	721.4	375	56877.	332	0.5	0.0	2.3	0.1	0.1	0.1	22	0.0
50415	0	0	1	0	Water	47.1110	69.1272	22.1	721.3	377	56880.	344	0.2	0.4	2.2	0.1	0.1	0.1	24	0.0
50416	0	0	1	0	Water	47.1110	69.1267	22.1	721.3	378	56882.	315	0.2	0.0	2.8	0.1	0.1	0.1	21	0.0
50417	0	0	1	0	Water	47.1110	69.1262	22.1	721.3	380	56882.	304	0.3	0.1	1.2	0.1	0.1	0.1	21	0.0
50418	0	0	1	1	Water	47.1110	69.1257	22.1	721.3	381	56882.	278	0.3	0.5	0.9	0.1	0.1	0.1	23	0.0
50419	0	0	1	0	Water	47.1110	69.1252	22.1	721.3	381	56882.	298	0.3	-0.1	2.1	0.1	0.1	0.1	17	0.0
50420	0	0	1	0	Water	47.1110	69.1247	22.1	721.3	381	56881.	331	0.5	-0.5	2.7	0.1	0.1	0.1	24	0.0
50421	0	0	1	0	Water	47.1110	69.1242	22.1	721.3	382	56879.	374	0.4	0.2	2.6	0.1	0.1	0.1	27	0.0
50422	0	0	1	0	Water	47.1110	69.1237	22.1	721.3	386	56876.	451	0.7	-0.1	3.5	0.1	0.1	5.5	31	0.0
50423	0	0	1	0	Water	47.1110	69.1232	22.1	721.3	393	56876.	544	0.6	-0.4	4.8	0.1	0.1	9.1	21	0.0
50424	0	0	1	0	Water	47.1110	69.1227	22.1	721.2	402	56879.	589	0.7	0.0	2.6	0.1	0.1	4.0	24	0.0
50425	0	0	1	0	Water	47.1110	69.1221	22.1	721.2	411	56884.	629	0.5	0.1	5.3	0.1	0.1	0.1	12	0.0
50426	0	0	1	0	Water	47.1110	69.1216	22.1	721.2	416	56889.	580	0.7	0.8	3.7	0.1	0.1	5.3	20	0.0
50427	0	0	1	0	Water	47.1110	69.1211	22.1	721.2	418	56888.	702	0.7	0.9	4.3	0.1	0.1	6.4	31	0.0
50428	0	0	0	0	Water	47.1109	69.1206	22.0	721.2	418	56887.	605	0.5	1.7	1.5	0.1	1.2	0.1	37	0.2
50429	0	0	0	0	Water	47.1109	69.1201	22.7	721.0	419	56884.	693	0.8	1.3	5.6	1.7	0.3	7.4	21	0.4
50430	0	0	1	0	Water	47.1109	69.1196	22.7	721.0	420	56882.	702	0.9	0.5	4.3	0.1	0.1	4.7	29	0.5
50431	0	0	1	0	Water	47.1109	69.1191	22.7	721.0	422	56882.	671	0.9	-0.2	4.3	0.1	0.1	4.9	23	0.5
50432	0	0	1	0	Water	47.1109	69.1186	22.7	721.0	424	56883.	668	0.9	0.1	4.5	0.1	0.1	5.1	15	0.6
50433	0	0	1	0	Water	47.1109	69.1181	22.7	720.9	426	56885.	656	0.6	-0.5	3.6	0.1	0.1	6.2	23	0.6
50434	0	0	0	0	Water	47.1109	69.1176	22.8	720.9	428	56888.	646	0.5	1.3	3.6	0.1	0.4	0.1	19	0.6
50435	0	0	1	0	Water	47.1109	69.1171	22.8	720.9	428	56883.	637	0.5	0.1	3.6	0.1	0.1	0.1	26	0.6

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
50436	0	0	1	0	Water	47.1109	69.1166	22.9	720.9	428	56876.	667	0.8	0.3	4.5	0.1	0.1	6.2	16	0.7
50437	0	0	1	0	Water	47.1109	69.1161	22.8	720.8	425	56875.	699	0.9	-0.1	4.7	0.1	0.1	5.6	21	0.7
50438	0	0	0	0	Water	47.1109	69.1156	22.8	720.8	420	56875.	685	1.0	2.0	4.5	2.1	0.5	4.8	16	0.7
50439	0	0	1	0	Water	47.1109	69.1151	22.8	720.7	415	56873.	680	0.7	-0.5	5.7	0.1	0.1	8.9	25	0.8
50440	0	0	1	0	Water	47.1109	69.1146	22.8	720.6	412	56871.	608	0.8	-0.1	3.3	0.1	0.1	4.5	25	0.8
50441	0	0	1	0	Water	47.1109	69.1141	22.8	720.5	410	56872.	719	0.8	0.1	4.6	0.1	0.1	6.0	22	0.8
50443	0	0	1	0	DSu	47.1109	69.1130	22.8	720.4	408	56872.	748	0.6	1.1	4.3	0.1	0.1	7.3	27	0.8
50444	0	0	1	0	DSu	47.1109	69.1125	22.8	720.4	407	56872.	709	0.8	0.7	3.3	0.1	0.1	4.5	21	0.8
50445	0	0	1	0	DSu	47.1109	69.1120	22.8	720.3	408	56874.	714	0.6	1.0	4.0	0.1	0.1	7.9	36	0.8
50446	0	0	0	0	DSu	47.1109	69.1114	22.8	720.2	410	56874.	741	0.8	1.6	3.9	2.2	0.4	5.4	19	0.8
50447	0	0	0	0	DSu	47.1109	69.1107	22.8	720.1	410	56873.	609	0.8	1.9	5.1	2.6	0.4	6.9	19	0.7
50448	0	0	1	0	DSu	47.1109	69.1100	22.8	720.0	410	56875.	734	0.8	0.6	3.0	0.1	0.1	4.0	24	0.5
50449	0	0	1	0	DSu	47.1110	69.1093	22.8	719.9	404	56879.	684	0.9	0.3	3.5	0.1	0.1	4.1	31	0.3
50450	0	0	1	0	DSu	47.1110	69.1087	22.8	719.8	394	56881.	681	0.6	0.8	4.2	0.1	0.1	7.3	19	0.1
50451	0	0	1	0	DSu	47.1110	69.1080	22.8	719.7	386	56878.	712	0.9	-0.5	4.1	0.1	0.1	5.1	22	0.0
50452	0	0	1	0	DSu	47.1110	69.1073	22.8	719.7	385	56876.	711	0.7	0.2	5.7	0.1	0.1	8.8	27	0.0
50453	0	0	1	0	DSu	47.1110	69.1066	22.8	719.6	387	56873.	724	0.9	0.6	3.4	0.1	0.1	4.1	22	0.0
50454	0	0	1	0	DSu	47.1110	69.1060	22.8	719.6	382	56870.	742	0.9	0.9	4.6	0.1	0.1	5.3	19	0.0
50455	0	0	1	0	DSu	47.1110	69.1053	22.8	719.5	377	56867.	718	0.6	0.7	2.7	0.1	0.1	4.6	23	0.0
50456	0	0	1	0	DSu	47.1110	69.1046	22.8	719.5	371	56866.	603	0.6	0.3	3.6	0.1	0.1	6.1	19	0.0
50457	0	0	1	0	DSu	47.1110	69.1039	22.8	719.5	373	56866.	683	0.7	1.0	3.3	0.1	0.1	5.0	23	0.0
50458	0	0	1	0	DSu	47.1110	69.1033	22.8	719.5	378	56864.	683	0.7	1.0	5.4	0.1	0.1	8.3	23	0.0
50459	0	0	0	0	DSu	47.1110	69.1026	22.8	719.5	384	56865.	646	0.7	1.2	2.9	2.0	0.5	4.7	18	0.0
50460	0	0	1	0	DSu	47.1110	69.1019	22.8	719.5	388	56867.	656	0.5	0.1	3.3	0.1	0.1	0.1	26	0.0
50461	0	0	1	0	DSu	47.1110	69.1012	22.8	719.5	391	56868.	645	0.6	1.2	2.4	0.1	0.1	4.1	31	0.0
50462	0	0	1	0	DSu	47.1110	69.1006	22.8	719.6	394	56868.	651	0.6	0.5	3.4	0.1	0.1	5.7	23	0.0
50463	0	0	1	0	DSu	47.1110	69.0999	22.8	719.6	393	56868.	622	0.6	0.6	3.0	0.1	0.1	5.2	16	0.0
50464	0	0	1	0	DSu	47.1110	69.0992	22.8	719.7	391	56867.	585	0.8	1.0	1.5	0.1	0.1	2.1	23	0.0
50465	0	0	1	0	DSu	47.1110	69.0985	22.8	719.8	388	56862.	663	0.7	1.1	3.5	0.1	0.1	5.1	23	0.0
50466	0	0	1	0	DSu	47.1110	69.0979	22.8	719.9	388	56859.	759	0.9	0.5	3.7	0.1	0.1	4.3	22	0.0
50467	0	0	0	0	DSu	47.1110	69.0972	22.8	720.0	393	56861.	728	0.5	2.0	4.2	0.1	0.5	0.1	33	0.0
50468	0	0	1	0	DSu	47.1110	69.0965	22.8	720.1	400	56865.	736	0.7	0.6	3.8	0.1	0.1	5.6	20	0.0
50469	0	0	1	0	DSu	47.1110	69.0959	22.8	720.3	407	56868.	742	0.8	0.5	4.6	0.1	0.1	6.1	22	0.0
50470	0	0	1	0	DSu	47.1110	69.0952	22.8	720.4	410	56871.	792	0.9	1.2	3.0	0.1	0.1	3.6	32	0.0
50471	0	0	0	0	DSu	47.1111	69.0945	22.8	720.5	411	56872.	774	0.7	1.3	4.8	1.9	0.3	7.3	23	0.0
50472	0	0	0	0	DSu	47.1111	69.0938	22.8	720.6	408	56874.	855	0.9	2.1	4.3	2.4	0.5	4.9	17	0.0
50473	0	0	1	0	DSu	47.1111	69.0932	22.8	720.7	400	56874.	767	0.9	0.1	3.8	0.1	0.1	4.6	24	0.0
50474	0	0	0	0	DSu	47.1111	69.0925	22.8	720.8	389	56872.	827	1.0	1.2	3.6	1.3	0.4	3.9	21	0.0
50475	0	0	1	0	DSu	47.1111	69.0918	22.8	720.9	379	56872.	829	1.0	0.6	5.9	0.1	0.1	6.3	19	0.0
50476	0	0	1	0	DSu	47.1111	69.0911	22.8	721.0	369	56874.	792	0.9	1.0	3.9	0.1	0.1	4.9	27	0.0
50477	0	0	1	0	DSu	47.1111	69.0905	22.8	721.0	361	56876.	720	0.9	0.3	3.8	0.1	0.1	4.4	30	0.0
50478	0	0	1	0	DSu	47.1111	69.0898	22.8	721.0	355	56877.	796	0.9	0.9	3.9	0.1	0.1	4.4	23	0.0
50479	0	0	1	0	Water	47.1111	69.0891	22.8	721.1	355	56877.	774	0.9	0.6	3.7	0.1	0.1	4.3	15	0.0
50480	0	0	0	0	Water	47.1111	69.0884	22.8	721.1	357	56877.	724	0.8	1.5	4.6	1.8	0.4	5.8	30	0.0
50481	0	0	1	0	Water	47.1111	69.0878	22.8	721.1	360	56877.	619	0.7	1.0	4.6	0.1	0.1	7.2	24	0.0
50482	0	0	1	0	Water	47.1111	69.0871	22.8	721.1	361	56875.	533	0.6	1.0	2.0	0.1	0.1	3.6	30	0.0
50483	0	0	1	0	Water	47.1111	69.0864	22.8	721.1	364	56872.	469	0.4	0.5	3.8	0.1	0.1	0.1	23	0.0
50484	0	0	1	0	DSu	47.1111	69.0857	22.8	721.1	365	56868.	398	0.6	0.1	3.0	0.1	0.1	5.2	20	0.0
50485	0	0	1	0	DSu	47.1111	69.0851	22.8	721.1	367	56866.	467	0.5	0.1	2.9	0.1	0.1	0.1	31	0.0
50486	0	0	1	0	DSu	47.1111	69.0844	22.9	719.9	384	56862.	527	0.5	0.6	2.2	0.1	0.1	0.1	21	0.0

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PFM	PPM			CPS	CPS	
50487	0	0	1	0	DSu	47.1111	69.0837	22.9	719.6	382	56858.	584	0.7	0.9	2.9	0.1	0.1	4.1	26	0.0
50488	0	0	0	0	DSu	47.1111	69.0832	22.9	719.3	373	56859.	632	0.8	1.4	3.7	1.9	0.4	5.1	23	0.0
50489	0	0	1	0	DSu	47.1111	69.0827	22.9	718.9	361	56861.	613	0.7	0.2	1.6	0.1	0.1	2.4	30	0.0
50490	0	0	0	0	DSu	47.1112	69.0823	22.9	718.6	357	56861.	660	0.6	1.2	4.1	2.1	0.3	7.6	20	0.0
50491	0	0	0	0	DSu	47.1112	69.0818	22.9	718.3	357	56861.	678	0.9	1.5	3.9	1.7	0.4	4.3	19	0.0
50492	0	0	1	0	DSu	47.1112	69.0813	22.9	718.0	354	56861.	620	0.6	1.0	3.3	0.1	0.1	6.4	21	0.0
50493	0	0	1	0	DSu	47.1112	69.0808	22.9	717.6	352	56862.	684	0.7	0.8	4.4	0.1	0.1	6.5	24	0.0
50494	0	0	1	0	DSu	47.1112	69.0803	22.9	717.2	349	56865.	660	0.8	0.7	2.6	0.1	0.1	3.6	19	0.0
50495	0	0	1	0	DSu	47.1112	69.0799	22.8	716.8	347	56871.	604	0.6	-0.6	5.2	0.1	0.1	8.8	28	0.0
50496	0	0	1	0	DSu	47.1112	69.0793	22.8	716.4	344	56875.	617	0.8	-0.6	3.1	0.1	0.1	3.9	30	0.0
50497	0	0	1	0	DSu	47.1112	69.0786	22.8	716.0	340	56878.	574	0.6	0.3	3.9	0.1	0.1	7.3	17	0.0
50498	0	0	1	0	DSu	47.1112	69.0784	22.8	715.6	337	56879.	657	0.7	1.0	4.3	0.1	0.1	6.6	28	0.0
50499	0	0	1	0	DSu	47.1112	69.0779	22.8	715.1	331	56879.	622	0.6	0.4	2.5	0.1	0.1	4.5	28	0.0
50500	0	0	1	0	DSu	47.1112	69.0774	22.8	714.7	322	56880.	573	0.6	0.8	2.3	0.1	0.1	3.9	21	0.0
50501	0	0	1	0	DSu	47.1112	69.0769	22.8	714.2	316	56877.	616	0.8	-0.1	2.2	0.1	0.1	3.1	26	0.0
50502	0	0	1	0	DSu	47.1112	69.0764	22.8	713.8	316	56871.	641	0.7	0.7	2.9	0.1	0.1	4.3	28	0.0
50503	0	0	1	0	DSu	47.1112	69.0759	22.8	713.4	323	56868.	644	0.6	0.7	3.2	0.1	0.1	5.8	21	0.0
50504	0	0	1	0	DSu	47.1113	69.0754	22.8	712.9	327	56868.	611	0.8	1.0	2.0	0.1	0.1	2.6	37	0.0
50505	0	0	0	0	DSu	47.1113	69.0749	22.8	712.4	331	56871.	611	0.5	1.1	2.2	0.1	0.5	0.1	28	0.0
50506	0	0	1	0	DSu	47.1113	69.0744	22.8	712.0	336	56874.	680	0.7	0.8	3.2	0.1	0.1	5.0	22	0.0
50507	0	0	1	0	DSu	47.1113	69.0740	22.8	711.5	342	56878.	569	0.7	0.7	3.2	0.1	0.1	4.7	24	0.0
50508	0	0	1	0	DSu	47.1113	69.0735	22.8	711.1	349	56880.	575	0.6	-0.4	2.9	0.1	0.1	4.8	29	0.0
50509	0	0	0	0	DSu	47.1113	69.0730	22.8	710.6	353	56879.	601	0.7	1.7	2.1	2.6	0.9	3.2	21	0.0
50510	0	0	1	0	DSu	47.1113	69.0725	22.8	710.2	356	56877.	575	0.7	0.1	2.8	0.1	0.1	4.3	23	0.0
50511	0	0	1	0	DSu	47.1113	69.0720	22.8	709.7	355	56875.	594	0.7	0.5	1.9	0.1	0.1	2.7	28	0.0
50512	0	0	1	0	DSu	47.1113	69.0715	22.8	709.3	357	56874.	601	0.7	-0.4	2.2	0.1	0.1	3.3	22	0.0
50513	0	0	0	0	DSu	47.1113	69.0710	22.8	708.9	359	56873.	644	0.6	1.2	3.4	2.2	0.4	6.6	30	0.0
50514	0	0	1	0	DSu	47.1113	69.0705	22.7	708.4	364	56873.	571	0.6	0.9	3.5	0.1	0.1	6.0	18	0.0
50515	0	0	1	0	DSu	47.1113	69.0701	22.7	708.0	371	56874.	594	0.6	0.0	2.8	0.1	0.1	5.0	30	0.0
50516	0	0	0	0	DSu	47.1113	69.0696	22.7	707.7	379	56877.	555	0.6	1.2	2.1	1.9	0.6	3.4	19	0.0
50517	0	0	0	0	DSu	47.1114	69.0691	22.7	707.3	389	56878.	622	0.6	1.9	2.3	3.3	0.9	4.0	30	0.0
50518	0	0	0	0	DSu	47.1114	69.0686	22.7	706.9	397	56876.	624	0.7	1.2	3.0	1.9	0.4	4.8	21	0.0
50519	0	0	0	0	DSu	47.1114	69.0681	22.7	706.5	402	56875.	693	0.7	1.4	4.6	2.1	0.3	6.9	17	0.0
50520	0	0	1	0	DSu	47.1114	69.0676	22.7	706.1	403	56874.	719	0.6	1.1	2.7	0.1	0.1	5.3	21	0.0
50521	0	0	1	0	DSu	47.1114	69.0671	22.7	705.8	401	56876.	671	1.0	0.2	3.3	0.1	0.1	3.5	23	0.0
50522	0	0	1	0	DSu	47.1114	69.0666	22.7	705.4	397	56879.	684	0.6	0.4	3.1	0.1	0.1	5.5	23	0.0
50523	0	0	1	0	DSu	47.1114	69.0661	22.7	705.1	390	56881.	688	0.9	0.8	2.8	0.1	0.1	3.2	28	0.0
50524	0	0	1	0	DSu	47.1114	69.0657	22.7	704.8	380	56875.	704	0.6	0.6	3.2	0.1	0.1	5.5	29	0.0
50525	0	0	1	0	DSu	47.1114	69.0652	22.7	704.4	368	56867.	789	0.9	-0.1	4.2	0.1	0.1	5.0	23	0.0
50526	0	0	1	0	DSu	47.1114	69.0647	22.7	704.1	353	56864.	843	0.9	-0.3	5.0	0.1	0.1	5.7	24	0.0
50527	0	0	1	0	DSu	47.1114	69.0642	22.7	703.8	337	56864.	853	0.9	0.6	4.3	0.1	0.1	5.3	17	0.0
50528	0	0	1	0	DSu	47.1114	69.0637	22.7	703.6	322	56867.	917	0.9	0.3	4.2	0.1	0.1	5.0	26	0.0
50529	0	0	1	0	DSu	47.1114	69.0632	22.7	703.3	310	56870.	840	0.7	0.9	5.5	0.1	0.1	7.8	28	0.0
50530	0	0	1	0	DSu	47.1115	69.0627	22.7	703.1	302	56873.	889	0.8	0.3	6.9	0.1	0.1	9.4	28	0.0
50531	0	0	1	0	DSu	47.1115	69.0622	22.7	703.0	300	56876.	827	1.1	0.2	4.3	0.1	0.1	3.8	25	0.0
50532	0	0	1	0	DSu	47.1115	69.0618	22.7	702.9	303	56877.	794	1.0	-0.1	3.3	0.1	0.1	3.5	28	0.0
50533	0	0	0	0	DSu	47.1115	69.0613	22.7	702.7	311	56878.	814	0.8	1.2	5.0	1.5	0.3	6.3	26	0.0
50534	0	0	1	0	DSu	47.1115	69.0608	22.7	702.6	323	56879.	814	0.9	0.8	2.8	0.1	0.1	3.1	25	0.0
50535	0	0	1	0	DSu	47.1115	69.0603	22.7	702.6	337	56879.	766	0.9	0.1	4.5	0.1	0.1	5.4	23	0.0
50536	0	0	1	0	DSu	47.1115	69.0598	22.7	702.5	352	56875.	843	0.8	0.9	4.6	0.1	0.1	6.3	34	0.0

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI			
												CPS	%	PPM	PPM							CPS	CPS
50538	0	0	1	0	DSu	47.1115	69.0588	22.7	702.5	367	56873.	766	1.0	0.3	3.8	0.1	0.1	4.0	31	0.0			
50539	0	0	1	0	DSu	47.1115	69.0583	22.7	702.5	384	56872.	755	0.9	-0.1	4.9	0.1	0.1	5.5	22	0.0			
50540	0	0	0	0	DSu	47.1115	69.0578	22.7	702.5	401	56872.	773	0.8	1.9	4.3	2.3	0.5	5.5	30	0.0			
50541	0	0	1	0	DSu	47.1115	69.0574	22.7	702.6	410	56871.	707	0.6	-0.3	2.9	0.1	0.1	5.3	32	0.0			
50542	0	0	1	0	DSu	47.1115	69.0569	22.7	702.6	416	56870.	767	0.8	0.7	3.7	0.1	0.1	4.9	25	0.0			
50543	0	0	1	0	DSu	47.1115	69.0564	22.2	702.8	423	56867.	709	0.6	0.9	2.9	0.1	0.1	5.1	19	0.0			
50544	0	0	1	0	DSu	47.1115	69.0559	22.2	703.0	425	56866.	680	0.8	0.1	2.7	0.1	0.1	3.5	40	0.0			
50545	0	0	1	0	DSu	47.1116	69.0554	22.2	703.1	426	56864.	727	0.7	0.7	3.1	0.1	0.1	4.5	30	0.0			
50546	0	0	1	0	DSu	47.1116	69.0549	22.2	703.3	424	56862.	770	0.8	0.9	4.0	0.1	0.1	5.1	27	0.0			
50547	0	0	1	0	DSu	47.1116	69.0544	22.1	703.4	419	56859.	770	0.6	1.0	3.5	0.1	0.1	6.1	30	0.0			
50548	0	0	1	0	DSu	47.1116	69.0539	22.1	703.5	410	56859.	758	0.8	0.5	4.8	0.1	0.1	6.3	29	0.0			
50549	0	0	1	0	DSu	47.1116	69.0535	22.1	703.6	400	56860.	764	0.8	0.2	4.5	0.1	0.1	5.6	17	0.0			
50550	0	0	1	0	DSu	47.1116	69.0530	22.1	703.7	392	56864.	703	0.7	1.1	4.7	0.1	0.1	7.5	23	0.0			
50551	0	0	1	0	DSu	47.1116	69.0525	22.1	703.8	387	56870.	772	0.8	0.7	4.3	0.1	0.1	5.8	21	0.0			
50552	0	0	0	0	DSu	47.1116	69.0520	22.1	703.9	382	56875.	782	0.6	1.6	4.9	2.6	0.4	8.0	22	0.0			
50553	0	0	1	0	DSu	47.1116	69.0515	22.1	704.0	372	56876.	696	0.8	-0.1	3.7	0.1	0.1	5.2	17	0.0			
50554	0	0	1	0	DSu	47.1116	69.0510	22.1	704.1	362	56873.	711	0.6	0.3	2.4	0.1	0.1	4.3	24	0.0			
50555	0	0	1	0	DSu	47.1116	69.0505	22.1	704.2	352	56869.	674	0.6	1.0	3.7	0.1	0.1	6.1	40	0.0			
50556	0	0	1	0	DSu	47.1116	69.0500	22.1	704.2	348	56861.	647	0.7	0.5	2.3	0.1	0.1	3.5	18	0.0			
50557	0	0	1	0	DSu	47.1116	69.0495	22.1	704.3	348	56857.	652	0.6	1.0	2.8	0.1	0.1	5.3	26	0.0			
50558	0	0	1	0	DSu	47.1117	69.0491	22.0	704.2	350	56857.	654	0.6	0.1	3.4	0.1	0.1	6.6	27	0.0			
50559	0	0	1	0	DSu	47.1117	69.0486	22.0	704.2	353	56856.	601	0.6	1.0	2.4	0.1	0.1	4.8	30	0.0			
50560	0	0	1	0	DSu	47.1117	69.0481	22.0	704.2	357	56858.	641	0.7	0.7	3.9	0.1	0.1	6.4	25	0.0			
50561	0	0	1	0	DSu	47.1117	69.0476	22.0	704.1	365	56861.	610	0.5	0.6	2.1	0.1	0.1	0.1	18	0.0			
50562	0	0	1	0	DSu	47.1117	69.0471	22.0	704.1	374	56864.	622	0.6	0.6	2.4	0.1	0.1	4.2	24	0.0			
50563	0	0	0	0	DSu	47.1117	69.0466	22.0	704.0	381	56866.	652	0.6	1.2	3.2	2.1	0.4	5.8	18	0.0			
50564	0	0	1	0	DSu	47.1117	69.0461	22.0	704.0	384	56867.	614	0.6	0.7	2.3	0.1	0.1	4.5	20	0.0			
50565	0	0	1	0	DSu	47.1117	69.0456	22.0	703.9	385	56868.	566	0.6	1.0	3.1	0.1	0.1	5.8	24	0.0			
50566	0	0	1	0	DSu	47.1117	69.0452	22.0	703.8	386	56868.	610	0.6	-0.3	4.8	0.1	0.1	8.5	35	0.0			
50567	0	0	1	0	DSu	47.1117	69.0447	22.0	703.8	389	56868.	597	0.6	0.4	3.6	0.1	0.1	6.8	31	0.0			
50568	0	0	1	0	DSu	47.1117	69.0442	22.0	703.7	392	56869.	590	0.5	-0.1	5.7	0.1	0.1	0.1	20	0.0			
50569	0	0	1	0	DSu	47.1117	69.0437	22.0	703.7	393	56871.	625	0.6	0.8	3.5	0.1	0.1	6.1	31	0.0			
50570	0	0	1	0	DSu	47.1117	69.0432	22.0	703.6	389	56872.	706	0.7	0.0	3.5	0.1	0.1	5.8	21	0.0			
50571	0	0	1	0	DSu	47.1117	69.0427	22.0	703.6	378	56870.	723	0.9	0.2	1.9	0.1	0.1	2.2	30	0.0			
50572	0	0	0	0	DSu	47.1118	69.0422	22.0	703.6	367	56868.	800	0.7	1.4	4.1	2.1	0.4	6.2	27	0.0			
50573	0	0	1	0	DSu	47.1118	69.0417	22.0	703.6	356	56867.	797	1.1	0.2	3.1	0.1	0.1	2.9	22	0.0			
50574	0	0	1	0	DSu	47.1118	69.0412	22.0	703.6	348	56867.	845	0.7	0.2	4.8	0.1	0.1	6.8	40	0.0			
50575	0	0	0	0	DSu	47.1118	69.0408	22.0	703.7	343	56865.	876	0.8	1.8	3.1	2.3	0.6	4.1	19	0.0			
50576	0	0	1	0	DSu	47.1118	69.0403	22.0	703.7	343	56864.	758	0.7	0.5	3.2	0.1	0.1	5.1	25	0.0			
50577	0	0	0	0	DSu	47.1118	69.0398	22.0	703.7	349	56865.	830	0.7	1.2	6.4	1.7	0.2	9.1	29	0.0			
50578	0	0	0	0	DSu	47.1118	69.0393	21.9	703.8	361	56869.	874	0.9	1.7	4.0	2.1	0.5	4.7	16	0.0			
50579	0	0	1	0	DSu	47.1118	69.0388	21.9	703.9	378	56873.	799	0.6	1.2	4.2	0.1	0.1	7.0	19	0.0			
50580	0	0	0	0	DSu	47.1118	69.0383	21.9	704.0	397	56876.	884	0.9	1.3	5.5	1.5	0.3	6.2	32	0.0			
50581	0	0	0	0	DSu	47.1118	69.0378	21.9	704.1	414	56875.	832	0.9	1.6	3.2	1.7	0.5	3.6	20	0.0			
50582	0	0	1	0	DSu	47.1118	69.0373	21.9	704.2	424	56874.	749	0.8	0.4	4.5	0.1	0.1	6.2	27	0.0			
50583	0	0	1	0	DSu	47.1118	69.0368	21.9	704.3	429	56874.	810	0.9	0.4	4.8	0.1	0.1	5.8	27	0.0			
50584	0	0	0	0	DSu	47.1118	69.0364	21.9	704.4	428	56872.	813	0.7	1.5	3.5	2.1	0.5	5.1	24	0.0			
50585	0	0	1	0	DSu	47.1118	69.0359	21.9	704.4	426	56868.	749	0.7	0.2	4.3	0.1	0.1	6.7	24	0.0			
50586	0	0	1	0	DSu	47.1119	69.0354	21.9	704.5	426	56865.	712	0.8	0.9	2.7	0.1	0.1	3.6	26	0.0			
50587	0	0	1	0	DSu	47.1119	69.0349	21.9	704.6	428	56862.	744	0.9	-0.4	6.0	0.1	0.1	7.2	29	0.0			

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
50588	0	0	0	0	DSu	47.1119	69.0344	21.9	704.6	430	56860.	710	0.5	1.5	4.3	0.1	0.4	0.1	30	0.0
50589	0	0	0	0	DSu	47.1119	69.0339	21.9	704.6	431	56859.	716	0.7	1.4	3.5	2.2	0.4	5.4	19	0.0
50590	0	0	1	0	DSu	47.1119	69.0334	21.9	704.6	429	56859.	711	0.9	1.2	1.7	0.1	0.1	2.1	27	0.0
50591	0	0	1	0	DSu	47.1119	69.0330	21.9	704.7	429	56857.	709	0.7	0.6	4.4	0.1	0.1	6.4	30	0.0
50592	0	0	0	0	DSu	47.1119	69.0324	21.9	704.6	425	56854.	761	0.6	1.8	5.2	3.2	0.4	9.3	21	0.0
50593	0	0	1	0	DSu	47.1119	69.0318	21.9	704.6	420	56854.	705	0.8	-0.1	3.2	0.1	0.1	4.4	23	0.0
50594	0	0	1	0	DSu	47.1119	69.0313	21.9	704.6	410	56856.	727	0.8	0.9	3.6	0.1	0.1	5.0	23	0.0
50595	0	0	1	0	DSu	47.1118	69.0307	21.9	704.6	399	56861.	641	0.6	1.1	2.4	0.1	0.1	4.1	26	0.0
50596	0	0	0	0	DSu	47.1118	69.0302	21.9	704.6	387	56865.	704	0.8	1.7	3.9	2.4	0.5	5.4	23	0.0
50597	0	0	0	0	DSu	47.1118	69.0296	21.9	704.6	381	56865.	736	0.6	1.2	3.3	2.1	0.4	6.0	30	0.0
50598	0	0	0	0	DSu	47.1118	69.0291	21.9	704.6	377	56863.	761	0.8	1.3	3.7	1.6	0.4	4.7	22	0.0
50599	0	0	1	0	DSu	47.1118	69.0285	21.7	705.7	360	56865.	846	0.9	0.4	4.7	0.1	0.1	5.6	27	0.0
50600	0	0	1	0	DSu	47.1118	69.0280	21.7	706.0	354	56866.	786	0.9	0.6	4.8	0.1	0.1	5.6	22	0.0
50601	0	0	1	0	DSu	47.1118	69.0275	21.7	706.4	352	56868.	782	0.9	-0.2	4.0	0.1	0.1	4.6	26	0.0
50602	0	0	1	0	DSu	47.1118	69.0269	21.7	706.7	357	56869.	858	1.0	-0.2	5.8	0.1	0.1	6.3	29	0.0
50603	0	0	1	0	DSu	47.1118	69.0263	21.7	707.2	367	56869.	883	0.9	0.5	3.7	0.1	0.1	4.4	21	0.0
50604	0	0	1	0	DSu	47.1117	69.0258	21.7	707.6	387	56867.	954	1.0	0.9	6.6	0.1	0.1	6.7	17	0.0
50605	0	0	1	0	DSu	47.1117	69.0252	21.7	708.1	410	56865.	981	1.0	0.6	5.5	0.1	0.1	5.7	22	0.0
50606	0	0	1	0	DSu	47.1117	69.0247	21.7	708.5	429	56863.	964	1.5	0.4	8.2	0.1	0.1	5.6	11	0.0
50607	0	0	1	0	DSu	47.1117	69.0241	21.7	709.0	437	56862.	952	1.0	-0.2	5.6	0.1	0.1	5.9	26	0.0
50608	0	0	1	0	DSu	47.1117	69.0236	21.7	709.4	440	56861.	910	1.0	0.7	4.3	0.1	0.1	4.6	31	0.0
50609	0	0	1	0	DSu	47.1117	69.0230	21.7	709.9	441	56860.	867	1.1	0.7	5.1	0.1	0.1	5.0	25	0.0
50610	0	0	1	0	DSu	47.1117	69.0225	21.7	710.3	445	56861.	851	0.8	0.5	2.4	0.1	0.1	3.1	25	0.0
50611	0	0	1	0	DSu	47.1117	69.0219	21.7	710.7	447	56862.	885	0.9	1.0	4.5	0.1	0.1	5.0	20	0.0
50612	0	0	0	0	DSu	47.1117	69.0214	21.7	711.1	447	56861.	826	0.9	1.4	4.9	1.5	0.3	5.4	20	0.0
50613	0	0	1	0	DSu	47.1116	69.0208	21.7	711.4	441	56863.	814	0.7	0.9	4.4	0.1	0.1	6.8	32	0.0
50614	0	0	1	0	DSu	47.1116	69.0203	21.7	711.7	426	56865.	717	0.9	-0.4	3.4	0.1	0.1	4.2	19	0.0
50615	0	0	1	0	DSu	47.1116	69.0197	21.7	712.0	408	56865.	726	0.7	1.2	4.5	0.1	0.1	6.9	23	0.0
50616	0	0	1	0	DSu	47.1116	69.0192	21.7	712.2	393	56862.	784	1.1	0.6	3.0	0.1	0.1	2.9	22	0.0
50617	0	0	1	0	DSu	47.1116	69.0186	21.7	712.4	388	56860.	738	0.7	1.0	4.3	0.1	0.1	6.7	17	0.0
50618	0	0	0	0	DSu	47.1116	69.0181	21.7	712.5	392	56859.	782	0.8	1.5	4.1	2.1	0.4	5.7	25	0.0
50619	0	0	0	0	DSu	47.1116	69.0175	21.7	712.6	407	56859.	768	0.7	1.5	3.8	2.2	0.4	5.7	25	0.0
50620	0	0	1	0	DSu	47.1116	69.0170	21.7	712.7	420	56860.	709	0.4	0.4	3.1	0.1	0.1	0.1	18	0.0
50621	0	0	1	0	DSu	47.1116	69.0164	21.7	712.7	422	56860.	822	0.9	1.2	5.5	0.1	0.1	6.9	21	0.0
50622	0	0	0	0	DSu	47.1115	69.0159	21.7	712.6	407	56864.	739	0.6	1.4	4.0	2.3	0.4	6.6	27	0.0
50623	0	0	0	0	DSu	47.1115	69.0153	21.7	712.6	390	56868.	730	0.7	1.5	3.1	2.3	0.5	4.5	15	0.0
50624	0	0	0	0	DSu	47.1115	69.0148	21.7	712.5	378	56868.	708	0.5	1.3	3.7	0.1	0.4	0.1	20	0.0
50625	0	0	1	0	DSu	47.1115	69.0142	21.7	712.3	373	56867.	692	0.9	0.7	2.6	0.1	0.1	3.2	16	0.0
50626	0	0	1	0	DSu	47.1115	69.0137	21.7	712.2	375	56864.	701	0.5	0.8	3.1	0.1	0.1	0.1	26	0.0
50627	0	0	0	0	DSu	47.1115	69.0131	21.7	712.0	379	56858.	731	0.7	1.2	3.5	1.9	0.4	5.4	29	0.0
50628	0	0	1	0	DSu	47.1115	69.0126	21.7	711.8	382	56856.	800	0.7	1.0	4.9	0.1	0.1	7.2	22	0.0
50629	0	0	0	0	DSu	47.1115	69.0120	21.7	711.7	382	56859.	827	0.8	1.3	2.9	1.7	0.5	3.6	17	0.0
50630	0	0	0	0	DSu	47.1115	69.0115	21.7	711.5	376	56865.	922	1.0	1.5	3.7	1.6	0.4	4.0	25	0.0
50631	0	0	0	0	DSu	47.1115	69.0109	21.7	711.3	368	56872.	880	0.8	1.2	3.8	1.5	0.3	5.0	24	0.0
50632	0	0	1	0	DSu	47.1114	69.0104	21.7	711.1	354	56877.	861	0.9	0.9	4.3	0.1	0.1	5.1	31	0.0
50634	0	0	1	0	DSu	47.1114	69.0093	21.7	711.0	339	56879.	869	1.0	0.4	4.4	0.1	0.1	4.6	27	0.0
50635	0	0	0	0	DSu	47.1114	69.0087	21.7	710.9	325	56881.	791	0.9	1.2	3.9	1.3	0.3	4.5	22	0.0
50636	0	0	1	0	DSu	47.1114	69.0082	21.7	710.8	318	56882.	797	0.7	0.2	5.7	0.1	0.1	8.1	30	0.0
50637	0	0	0	0	DSu	47.1114	69.0076	21.7	710.7	318	56883.	831	0.8	1.7	4.3	2.3	0.4	5.7	26	0.0
50638	0	0	0	0	DSu	47.1114	69.0071	21.7	710.6	326	56884.	837	0.9	2.0	4.6	2.4	0.5	5.6	33	0.0

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI			
												CPS	%	PPM	PPM							CPS	CPS
50639	0	0	0	0	DSu	47.1114	69.0065	21.7	710.5	346	56885.	855	0.8	2.1	3.2	2.8	0.7	4.3	17	0.0			
50640	0	0	1	0	DSu	47.1113	69.0060	21.7	710.5	368	56886.	793	0.8	1.1	2.7	0.1	0.1	3.5	26	0.0			
50641	0	0	1	0	DSu	47.1113	69.0054	21.7	710.4	389	56887.	780	0.6	1.1	3.6	0.1	0.1	6.7	29	0.0			
50642	0	0	1	0	DSu	47.1113	69.0049	21.7	710.4	397	56886.	737	0.8	0.3	4.2	0.1	0.1	5.8	26	0.0			
50643	0	0	1	0	DSu	47.1113	69.0043	21.7	710.3	403	56883.	832	1.0	-0.8	6.6	0.1	0.1	7.2	34	0.0			
50644	0	0	1	0	DSu	47.1113	69.0038	21.7	710.3	403	56890.	880	0.7	-0.2	3.9	0.1	0.1	6.0	27	0.0			
50645	0	0	0	0	DSu	47.1113	69.0032	21.7	710.3	407	56880.	943	1.0	2.1	5.0	2.1	0.5	5.1	19	0.0			
50646	0	0	1	0	DSu	47.1113	69.0027	21.7	710.3	410	56880.	1012	1.2	1.0	5.1	0.1	0.1	4.4	24	0.0			
50647	0	0	0	0	DSu	47.1113	69.0021	21.7	710.2	414	56879.	910	0.8	2.3	4.1	3.0	0.6	5.3	30	0.0			
50648	0	0	1	0	DSu	47.1112	69.0016	21.7	710.2	405	56880.	937	1.0	0.1	6.4	0.1	0.1	6.6	21	0.0			
50649	0	0	1	0	DSu	47.1112	69.0010	21.7	710.2	390	56881.	993	1.2	0.8	5.1	0.1	0.1	4.5	20	0.0			
50650	0	0	0	0	DSu	47.1112	69.0005	21.7	710.2	372	56882.	857	0.9	1.2	3.1	1.5	0.4	3.8	23	0.0			
50651	0	0	0	0	DSu	47.1112	68.9999	21.7	710.2	362	56881.	808	0.8	1.2	4.1	1.6	0.3	5.7	21	0.0			
50652	0	0	0	0	DSu	47.1112	68.9994	21.7	710.2	357	56879.	848	0.8	2.5	3.7	3.1	0.7	4.6	25	0.0			
50653	0	0	0	0	DSu	47.1112	68.9988	21.7	710.2	359	56879.	872	0.9	2.0	4.8	2.4	0.5	6.0	30	0.0			
50654	0	0	1	0	DSu	47.1112	68.9983	21.7	710.2	361	56878.	831	0.9	0.4	3.9	0.1	0.1	4.8	20	0.0			
50655	0	0	1	0	DSu	47.1112	68.9977	21.7	710.2	365	56876.	772	0.8	0.5	3.8	0.1	0.1	5.1	25	0.0			
50656	0	0	1	0	DSu	47.1112	68.9972	21.9	711.9	384	56871.	879	0.9	1.0	4.2	0.1	0.1	4.7	22	0.0			
50657	0	0	1	0	DSu	47.1111	68.9966	21.9	712.2	395	56867.	881	1.0	1.1	2.5	0.1	0.1	2.6	27	0.0			
50658	0	0	1	0	DSu	47.1111	68.9961	21.9	712.6	407	56865.	817	0.8	0.1	6.0	0.1	0.1	8.2	30	0.0			
50659	0	0	1	0	DSu	47.1111	68.9955	21.9	713.0	412	56862.	799	0.9	0.1	4.3	0.1	0.1	4.8	30	0.0			
50660	0	0	0	0	DSu	47.1111	68.9950	22.0	713.4	410	56859.	830	0.9	1.4	4.8	1.7	0.3	5.9	18	0.0			
50661	0	0	1	0	DSu	47.1111	68.9944	22.0	713.8	402	56857.	817	0.9	0.9	3.0	0.1	0.1	3.3	23	0.0			
50662	0	0	1	0	DSu	47.1111	68.9939	22.0	714.2	389	56855.	772	0.8	0.8	4.0	0.1	0.1	5.0	22	0.0			
50663	0	0	0	0	DSu	47.1111	68.9933	22.0	714.5	368	56855.	776	0.9	1.5	3.9	1.8	0.4	4.8	20	0.0			
50664	0	0	0	0	DSu	47.1111	68.9928	22.0	714.9	346	56856.	813	0.7	1.7	2.9	2.6	0.6	4.4	23	0.0			
50665	0	0	1	0	DSu	47.1111	68.9922	22.0	715.2	324	56857.	832	0.7	0.7	3.9	0.1	0.1	5.6	13	0.0			
50666	0	0	1	0	DSu	47.1110	68.9917	22.0	715.6	310	56859.	868	0.9	0.8	3.4	0.1	0.1	3.7	14	0.0			
50667	0	0	1	0	DSu	47.1110	68.9911	22.0	715.9	299	56859.	903	0.8	0.3	4.2	0.1	0.1	5.6	17	0.0			
50668	0	0	0	0	DSu	47.1110	68.9906	22.0	716.2	295	56858.	929	1.0	2.3	4.5	2.5	0.6	4.9	20	0.0			
50669	0	0	0	0	DSu	47.1110	68.9900	22.0	716.5	295	56859.	928	0.8	1.7	3.6	2.1	0.5	4.5	28	0.0			
50670	0	0	0	0	DSu	47.1110	68.9895	22.0	716.8	300	56862.	947	0.9	1.3	5.6	1.6	0.3	6.9	20	0.0			
50671	0	0	1	0	DSu	47.1110	68.9889	22.0	717.1	309	56864.	931	0.8	0.6	4.6	0.1	0.1	5.9	20	0.0			
50672	0	0	0	0	DSu	47.1110	68.9884	22.0	717.4	320	56867.	924	0.9	1.3	4.4	1.5	0.3	5.1	26	0.0			
50673	0	0	1	0	DSu	47.1110	68.9878	22.0	717.6	330	56870.	819	0.9	0.8	5.2	0.1	0.1	5.8	23	0.0			
50674	0	0	1	0	DSu	47.1110	68.9873	22.1	717.9	337	56872.	826	0.8	0.6	3.9	0.1	0.1	5.6	30	0.0			
50675	0	0	0	0	DSu	47.1110	68.9867	22.1	718.1	342	56876.	791	0.8	2.5	3.6	3.1	0.7	4.5	17	0.0			
50676	0	0	1	0	DSu	47.1109	68.9862	22.1	718.4	345	56879.	755	0.8	0.3	2.8	0.1	0.1	3.8	19	0.0			
50677	0	0	1	0	DSu	47.1109	68.9856	22.1	718.7	349	56878.	750	0.8	-0.1	3.5	0.1	0.1	4.9	31	0.0			
50678	0	0	1	0	DSu	47.1109	68.9851	22.1	719.0	353	56873.	702	0.8	-0.2	4.3	0.1	0.1	5.7	13	0.0			
50679	0	0	1	0	DSu	47.1109	68.9845	22.1	719.3	359	56871.	709	0.8	-0.2	4.0	0.1	0.1	5.1	32	0.0			
50680	0	0	0	0	DSu	47.1109	68.9840	22.1	719.5	362	56871.	651	0.7	1.2	3.7	1.7	0.4	5.3	19	0.0			
50681	0	0	1	0	DSu	47.1109	68.9834	22.1	719.8	365	56871.	672	0.5	0.1	2.2	0.1	0.1	0.1	29	0.0			
50682	0	0	0	0	DSu	47.1109	68.9829	22.1	720.1	371	56871.	622	0.6	2.0	2.9	3.5	0.8	4.9	23	0.0			
50683	0	0	1	0	DSu	47.1109	68.9823	22.1	720.4	376	56870.	595	0.5	1.0	3.1	0.1	0.1	0.1	23	0.0			
50684	0	0	1	0	DSu	47.1108	68.9818	22.1	720.5	376	56870.	517	0.3	0.3	3.8	0.1	0.1	0.1	25	0.0			
50685	0	0	1	0	DSu	47.1108	68.9812	22.1	720.7	369	56872.	419	0.3	0.3	2.3	0.1	0.1	0.1	31	0.0			
50686	0	0	1	0	DSu	47.1108	68.9807	22.1	720.9	370	56871.	397	0.5	0.7	1.8	0.1	0.1	0.1	19	0.0			
50687	0	0	1	0	DSu	47.1109	68.9801	22.1	721.1	375	56869.	360	0.3	-0.5	1.8	0.1	0.1	0.1	21	0.0			
50688	0	0	1	0	DSu	47.1109	68.9795	22.1	721.2	382	56868.	337	0.5	0.7	2.6	0.1	0.1	0.1	20	0.0			

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI			
												CPS	%	PPM	PPM							CPS	CPS
50689	0	0	1	0	DSu	47.1109	68.9790	22.1	721.4	382	56869.	326	0.3	-0.4	1.7	0.1	0.1	0.1	23	0.0			
50690	0	0	1	0	DSu	47.1109	68.9784	22.1	721.5	380	56868.	322	0.3	-0.3	2.4	0.1	0.1	0.1	18	0.0			
50691	0	0	1	0	DSu	47.1109	68.9779	22.1	721.6	378	56868.	316	0.6	0.5	3.3	0.1	0.1	6.3	27	0.0			
50692	0	0	1	0	Water	47.1109	68.9773	22.1	721.6	378	56871.	312	0.4	-0.8	2.6	0.1	0.1	0.1	26	0.0			
50693	0	0	1	0	Water	47.1110	68.9768	22.1	721.7	379	56874.	385	0.5	0.1	2.1	0.1	0.1	0.1	22	0.0			
50694	0	0	1	0	Water	47.1110	68.9762	22.1	721.7	371	56876.	421	0.3	0.5	2.1	0.1	0.1	0.1	28	0.0			
50695	0	0	1	0	Water	47.1110	68.9756	22.1	721.7	362	56876.	489	0.5	-0.1	3.6	0.1	0.1	0.1	23	0.0			
50696	0	0	1	0	Water	47.1110	68.9751	22.1	721.7	351	56880.	521	0.6	0.6	2.4	0.1	0.1	4.5	29	0.0			
50697	0	0	1	0	Water	47.1110	68.9745	22.1	721.8	352	56882.	561	0.6	0.2	3.8	0.1	0.1	6.7	23	0.0			
50698	0	0	1	0	Water	47.1110	68.9740	22.1	721.8	359	56881.	546	0.4	0.5	3.7	0.1	0.1	0.1	26	0.0			
50699	0	0	1	0	Water	47.1110	68.9734	22.1	721.8	370	56883.	649	0.9	0.2	3.9	0.1	0.1	4.3	20	0.0			
50700	0	0	1	0	Water	47.1110	68.9729	22.1	721.8	378	56886.	676	0.7	0.1	4.2	0.1	0.1	6.3	25	0.0			
50701	0	0	1	0	Water	47.1111	68.9723	22.1	721.8	382	56886.	709	0.7	0.8	3.6	0.1	0.1	5.4	27	0.0			
50702	0	0	1	0	Water	47.1111	68.9717	22.1	721.8	384	56883.	686	0.7	0.5	4.2	0.1	0.1	6.5	25	0.0			
50703	0	0	0	0	Water	47.1111	68.9712	22.1	721.8	386	56879.	698	0.8	1.3	3.7	1.7	0.4	4.8	26	0.0			
50704	0	0	1	0	Water	47.1111	68.9706	22.1	721.8	388	56881.	712	0.7	0.0	2.2	0.1	0.1	3.3	22	0.0			
50705	0	0	1	0	Water	47.1111	68.9701	22.1	721.8	391	56885.	755	0.9	1.0	2.6	0.1	0.1	2.9	21	0.0			
50706	0	0	0	0	Water	47.1111	68.9695	22.1	721.8	393	56885.	721	0.8	1.2	3.2	1.6	0.4	4.3	27	0.0			
50707	0	0	0	0	Water	47.1111	68.9689	22.1	721.8	398	56885.	710	0.7	1.5	4.1	2.2	0.4	6.0	20	0.0			
50708	0	0	1	0	Water	47.1111	68.9684	22.1	721.8	407	56884.	630	0.7	-0.2	3.3	0.1	0.1	5.0	22	0.0			
50709	0	0	1	0	Water	47.1112	68.9678	22.1	721.8	417	56883.	644	0.8	0.7	4.6	0.1	0.1	6.3	31	0.0			
50710	0	0	1	0	Water	47.1112	68.9673	22.1	721.8	423	56881.	541	0.5	0.0	3.0	0.1	0.1	0.1	17	0.0			
50711	0	0	1	0	Water	47.1112	68.9667	22.0	721.8	424	56880.	629	0.5	1.1	2.6	0.1	0.1	0.1	22	0.0			
50712	0	0	1	0	Water	47.1112	68.9662	22.5	721.7	424	56881.	558	0.7	0.6	2.5	0.1	0.1	3.9	19	0.0			
50713	0	0	1	0	Water	47.1112	68.9656	22.6	721.8	421	56882.	566	0.8	1.2	3.1	0.1	0.1	4.0	22	0.0			
50714	0	0	1	0	DSu	47.1112	68.9650	22.6	721.8	419	56883.	649	1.0	0.3	4.0	0.1	0.1	4.4	36	0.0			
50715	0	0	0	0	DSu	47.1112	68.9645	22.6	721.8	415	56882.	669	0.8	1.3	3.5	1.7	0.4	4.4	14	0.0			
50716	0	0	1	0	DSu	47.1112	68.9639	22.6	721.8	411	56882.	711	1.0	0.8	4.3	0.1	0.1	4.7	15	0.0			
50717	0	0	1	0	DSu	47.1112	68.9633	22.6	721.8	399	56885.	673	0.6	-0.1	4.0	0.1	0.1	7.1	29	0.0			
50718	0	0	1	0	DSu	47.1112	68.9627	22.6	721.8	386	56886.	679	0.7	0.9	3.4	0.1	0.1	5.0	17	0.0			
50719	0	0	1	0	DSu	47.1112	68.9621	22.6	721.8	370	56884.	724	0.8	0.9	4.2	0.1	0.1	6.0	24	0.0			
50720	0	0	1	0	DSu	47.1111	68.9615	22.6	721.8	362	56881.	713	0.8	0.3	4.2	0.1	0.1	5.3	24	0.0			
50721	0	0	1	0	DSu	47.1111	68.9609	22.6	721.8	358	56880.	639	0.7	0.7	3.7	0.1	0.1	5.5	17	0.0			
50722	0	0	0	0	DSu	47.1111	68.9603	22.6	721.7	360	56880.	654	0.9	1.7	3.6	2.0	0.5	4.2	20	0.0			
50723	0	0	1	0	DSu	47.1111	68.9597	22.6	721.7	359	56881.	667	0.5	0.4	5.4	0.1	0.1	0.1	22	0.0			
50724	0	0	1	0	DSu	47.1111	68.9591	22.6	721.7	358	56882.	655	0.6	0.0	3.7	0.1	0.1	6.9	27	0.0			
50725	0	0	1	0	DSu	47.1111	68.9585	22.6	721.7	352	56880.	646	0.5	1.0	3.1	0.1	0.1	0.1	28	0.0			
50726	0	0	0	0	DSu	47.1110	68.9579	22.6	721.7	350	56876.	702	0.7	1.5	4.1	2.2	0.4	5.9	22	0.0			
50727	0	0	1	0	DSu	47.1110	68.9573	22.6	721.6	348	56874.	698	0.6	0.7	3.9	0.1	0.1	6.7	20	0.0			
50729	0	0	1	0	DSu	47.1110	68.9561	22.6	721.6	349	56872.	694	0.7	0.2	4.5	0.1	0.1	6.5	21	0.0			
50730	0	0	1	0	DSu	47.1110	68.9555	22.6	721.6	356	56870.	685	0.8	1.0	3.0	0.1	0.1	4.0	18	0.0			
50731	0	0	0	0	DSu	47.1109	68.9549	22.6	721.6	374	56873.	675	0.7	1.8	3.1	2.6	0.6	4.5	32	0.0			
50732	0	0	1	0	DSu	47.1109	68.9543	22.6	721.5	397	56880.	706	0.6	0.5	4.8	0.1	0.1	8.1	8	0.0			
50733	0	0	1	0	DSu	47.1109	68.9537	22.6	721.5	415	56885.	697	0.7	0.6	3.5	0.1	0.1	5.2	21	0.0			
50734	0	0	0	0	DSu	47.1109	68.9531	22.6	721.5	423	56884.	679	0.7	1.6	1.6	2.5	1.0	2.5	19	0.0			
50735	0	0	1	0	DSu	47.1109	68.9525	22.6	721.5	426	56883.	690	0.8	0.6	2.4	0.1	0.1	3.1	17	0.0			
50736	0	0	1	0	DSu	47.1108	68.9519	22.6	721.5	426	56882.	602	0.7	-0.2	4.1	0.1	0.1	4.3	29	0.0			
50737	0	0	1	0	DSu	47.1108	68.9513	22.6	721.5	426	56881.	627	0.7	0.6	4.7	0.1	0.1	6.9	21	0.0			
50738	0	0	1	0	DSu	47.1108	68.9507	22.6	721.5	426	56880.	610	0.6	0.4	2.6	0.1	0.1	5.0	23	0.0			
50739	0	0	1	0	DSu	47.1108	68.9501	22.6	721.4	428	56878.	588	0.6	0.7	3.2	0.1	0.1	5.8	29	0.0			

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
50740	0	0	1	0	Water	47.1108	68.9495	22.6	721.4	431	56877.	553	0.7	0.9	2.4	0.1	0.1	3.5	26	0.0
50741	0	0	1	0	Water	47.1107	68.9489	22.6	721.3	435	56879.	534	0.6	0.6	2.9	0.1	0.1	4.8	21	0.0
50742	0	0	1	0	Water	47.1107	68.9483	22.6	721.3	439	56881.	599	0.8	0.7	3.5	0.1	0.1	5.0	24	0.0
50743	0	0	1	0	Water	47.1107	68.9477	22.6	721.2	442	56879.	514	0.7	0.3	3.0	0.1	0.1	4.4	17	0.0
50744	0	0	1	0	Water	47.1107	68.9471	22.6	721.1	444	56878.	581	0.8	0.3	2.7	0.1	0.1	3.5	25	0.0
50745	0	0	1	0	Water	47.1107	68.9465	22.6	721.0	448	56879.	539	0.8	0.7	3.8	0.1	0.1	5.1	21	0.0
50746	0	0	1	0	Water	47.1107	68.9459	22.6	720.8	453	56882.	632	0.8	0.1	4.5	0.1	0.1	6.3	25	0.0
50747	0	0	1	0	Water	47.1106	68.9453	22.6	720.7	444	56885.	639	0.6	0.8	5.4	0.1	0.1	10.6	18	0.0
50748	0	0	1	0	Water	47.1106	68.9447	22.6	720.5	425	56888.	612	0.7	0.8	4.2	0.1	0.1	6.1	21	0.0
50749	0	0	1	0	DSu	47.1106	68.9441	22.6	720.4	400	56891.	678	0.8	0.6	3.0	0.1	0.1	4.2	25	0.0
50750	0	0	0	0	DSu	47.1106	68.9435	22.6	720.2	390	56893.	777	0.9	1.2	3.8	1.4	0.3	4.7	18	0.0
50751	0	0	1	0	DSu	47.1106	68.9429	22.6	720.0	394	56891.	775	1.0	0.3	4.6	0.1	0.1	5.1	16	0.0
50752	0	0	1	0	DSu	47.1105	68.9423	22.6	719.9	405	56890.	750	1.0	0.1	4.4	0.1	0.1	4.6	28	0.0
50753	0	0	1	0	DSu	47.1105	68.9417	22.6	719.7	417	56890.	749	1.1	-0.7	5.0	0.1	0.1	4.8	26	0.0
50754	0	0	1	0	DSu	47.1105	68.9412	22.6	719.5	426	56891.	781	0.9	-0.6	5.3	0.1	0.1	6.0	28	0.0
50755	0	0	1	0	DSu	47.1105	68.9406	22.6	719.4	433	56890.	818	0.9	1.0	7.5	0.1	0.1	8.4	28	0.0
50756	0	0	0	0	DSu	47.1105	68.9401	22.6	719.2	438	56889.	790	0.8	1.5	3.7	1.9	0.4	4.6	21	0.0
50757	0	0	1	0	DSu	47.1105	68.9395	22.6	719.1	429	56888.	763	0.7	0.7	5.4	0.1	0.1	7.8	23	0.0
50758	0	0	1	0	DSu	47.1105	68.9390	22.6	719.1	414	56887.	765	0.8	1.0	3.6	0.1	0.1	4.8	30	0.0
50759	0	0	1	0	DSu	47.1105	68.9384	22.6	719.0	394	56885.	745	0.8	0.9	3.2	0.1	0.1	4.2	24	0.0
50760	0	0	1	0	DSu	47.1106	68.9379	22.6	718.9	382	56883.	653	0.6	0.5	1.7	0.1	0.1	3.3	31	0.0
50761	0	0	1	0	DSu	47.1106	68.9373	22.6	718.9	374	56881.	689	0.7	0.9	3.9	0.1	0.1	5.7	23	0.0
50762	0	0	1	0	DSu	47.1106	68.9368	22.6	718.8	370	56881.	763	0.8	0.5	3.6	0.1	0.1	4.7	26	0.0
50763	0	0	1	0	DSu	47.1106	68.9362	22.6	718.8	364	56880.	663	0.5	0.1	4.1	0.1	0.1	0.1	22	0.0
50764	0	0	1	0	DSu	47.1106	68.9357	22.6	718.8	359	56880.	704	0.7	0.1	3.9	0.1	0.1	6.1	22	0.0
50765	0	0	0	0	DSu	47.1106	68.9352	22.6	718.7	361	56882.	693	0.6	1.7	3.8	3.0	0.5	6.7	26	0.0
50766	0	0	1	0	DSu	47.1106	68.9346	22.6	718.7	372	56881.	708	0.6	0.5	3.8	0.1	0.1	6.5	23	0.0
50767	0	0	1	0	DSu	47.1106	68.9341	22.6	718.8	380	56877.	680	0.6	0.1	3.7	0.1	0.1	7.1	28	0.0
50768	0	0	1	0	DSu	47.1106	68.9335	22.6	718.8	387	56876.	698	0.8	0.3	4.2	0.1	0.1	5.6	27	0.0
50769	0	0	0	0	DSu	47.1106	68.9329	22.6	716.8	402	56877.	733	0.8	2.0	4.0	2.8	0.5	5.6	29	0.0
50770	0	0	0	0	DSu	47.1106	68.9324	22.6	716.5	402	56879.	670	0.8	1.4	1.8	1.9	0.8	2.4	31	0.0
50771	0	0	1	0	DSu	47.1106	68.9318	22.6	716.3	405	56882.	659	0.7	0.8	4.4	0.1	0.1	6.6	24	0.0
50772	0	0	1	0	DSu	47.1106	68.9313	22.6	716.0	402	56881.	706	0.8	0.5	2.5	0.1	0.1	3.5	27	0.0
50773	0	0	1	0	DSu	47.1106	68.9307	22.6	715.7	397	56882.	761	0.9	0.7	3.6	0.1	0.1	4.4	22	0.0
50774	0	0	1	0	DSu	47.1106	68.9302	22.5	715.4	389	56884.	726	0.9	1.0	4.3	0.1	0.1	5.0	16	0.0
50775	0	0	1	0	DSu	47.1106	68.9297	22.5	715.1	381	56885.	690	0.8	0.2	3.0	0.1	0.1	4.2	20	0.0
50776	0	0	0	0	DSu	47.1106	68.9291	22.5	714.8	372	56884.	705	0.7	1.5	4.0	2.2	0.4	5.7	36	0.0
50777	0	0	1	0	DSu	47.1106	68.9286	22.5	714.4	367	56883.	732	0.7	0.4	2.6	0.1	0.1	4.2	15	0.0
50778	0	0	1	0	DSu	47.1106	68.9280	22.5	714.1	363	56882.	787	0.7	0.2	5.2	0.1	0.1	8.0	18	0.0
50779	0	0	1	0	DSu	47.1106	68.9275	22.5	713.7	361	56881.	749	0.8	-0.1	4.1	0.1	0.1	5.3	19	0.0
50780	0	0	1	0	DSu	47.1106	68.9269	22.5	713.3	359	56885.	753	0.7	0.4	5.7	0.1	0.1	9.2	23	0.0
50781	0	0	1	0	DSu	47.1106	68.9264	22.5	712.9	357	56891.	735	0.6	0.6	3.1	0.1	0.1	5.1	18	0.0
50782	0	0	1	0	DSu	47.1106	68.9258	22.5	712.5	356	56896.	715	0.7	0.6	3.8	0.1	0.1	6.0	20	0.0
50783	0	0	0	0	DSu	47.1106	68.9253	22.5	712.1	354	56897.	732	0.8	1.3	5.2	1.9	0.3	7.2	33	0.0
50784	0	0	1	0	DSu	47.1106	68.9247	22.5	711.7	355	56896.	726	0.7	0.9	2.5	0.1	0.1	3.6	23	0.0
50785	0	0	1	0	DSu	47.1107	68.9242	22.5	711.3	357	56894.	770	0.9	1.0	4.0	0.1	0.1	4.7	17	0.0
50786	0	0	1	0	DSu	47.1107	68.9236	22.5	710.9	360	56893.	772	0.9	0.5	4.4	0.1	0.1	5.0	17	0.0
50787	0	0	1	0	DSu	47.1107	68.9231	22.5	710.5	362	56891.	789	0.9	1.0	3.4	0.1	0.1	3.7	28	0.0
50788	0	0	0	0	DSu	47.1107	68.9225	22.5	710.1	364	56886.	772	0.9	1.5	3.1	1.7	0.5	3.5	30	0.0
50789	0	0	1	0	DSu	47.1107	68.9220	22.4	709.6	363	56884.	806	0.7	0.3	5.6	0.1	0.1	8.4	13	0.1

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI			
												CPS	%	PPM	PPM							CPS	CPS
50790	0	0	1	0	DSu	47.1107	68.9214	22.4	709.2	359	56885.	785	0.8	0.4	4.9	0.1	0.1	6.9	33	0.1			
50791	0	0	1	0	DSu	47.1107	68.9209	22.4	708.8	351	56884.	743	0.6	0.5	3.3	0.1	0.1	5.9	28	0.2			
50792	0	0	1	0	DSu	47.1107	68.9203	22.4	708.4	346	56883.	748	0.7	1.0	5.5	0.1	0.1	8.5	32	0.3			
50793	0	0	1	0	DSu	47.1107	68.9198	22.4	708.0	343	56884.	734	0.9	0.1	4.7	0.1	0.1	5.7	18	0.4			
50794	0	0	1	0	DSu	47.1107	68.9192	22.4	707.6	343	56885.	734	0.7	-0.3	6.2	0.1	0.1	9.2	32	0.5			
50795	0	0	1	0	DSu	47.1107	68.9187	22.4	707.3	345	56886.	702	0.7	0.5	3.2	0.1	0.1	5.0	45	0.5			
50796	0	0	0	0	DSu	47.1107	68.9181	22.4	707.0	346	56888.	733	0.8	1.3	4.1	1.6	0.3	5.2	22	0.6			
50797	0	0	1	0	DSu	47.1107	68.9176	22.4	706.7	346	56889.	796	0.9	1.0	5.3	0.1	0.1	6.6	23	0.7			
50798	0	0	0	0	DSu	47.1107	68.9170	22.4	706.4	343	56892.	713	0.5	1.2	5.2	0.1	0.3	0.1	29	0.8			
50799	0	0	0	0	DSu	47.1107	68.9165	22.4	706.2	342	56895.	742	0.6	1.6	4.1	2.8	0.4	7.1	19	0.9			
50800	0	0	1	0	DSu	47.1107	68.9159	22.4	706.0	342	56897.	819	1.0	0.1	2.7	0.1	0.1	3.0	32	1.0			
50801	0	0	1	0	DSu	47.1107	68.9154	22.4	705.9	343	56897.	774	0.9	0.6	3.8	0.1	0.1	4.3	20	1.1			
50802	0	0	0	0	DSu	47.1107	68.9148	22.4	705.9	346	56896.	791	0.7	1.3	4.5	2.1	0.3	7.3	21	1.2			
50803	0	0	0	0	DSu	47.1107	68.9143	22.4	705.9	351	56896.	847	0.8	1.2	3.4	1.7	0.4	4.8	45	1.2			
50804	0	0	0	0	DSu	47.1107	68.9137	22.4	706.0	355	56896.	791	0.7	2.2	3.7	3.3	0.6	5.5	18	1.3			
50805	0	0	1	0	DSu	47.1107	68.9132	22.4	706.1	362	56894.	814	0.9	-0.2	4.3	0.1	0.1	5.0	28	1.4			
50806	0	0	1	0	DSu	47.1107	68.9126	22.3	706.2	370	56889.	870	1.0	0.2	4.5	0.1	0.1	4.6	28	1.5			
50807	0	0	1	0	DSu	47.1107	68.9121	22.3	706.4	382	56885.	855	1.1	0.5	3.5	0.1	0.1	3.4	24	1.5			
50808	0	0	1	0	DSu	47.1107	68.9115	22.3	706.6	395	56884.	852	1.0	0.9	4.7	0.1	0.1	4.8	31	1.5			
50809	0	0	1	0	DSu	47.1108	68.9110	22.3	706.9	410	56880.	838	0.9	0.2	5.5	0.1	0.1	6.3	20	1.5			
50810	0	0	1	0	DSu	47.1108	68.9104	22.3	707.2	424	56874.	934	1.1	0.0	4.8	0.1	0.1	4.7	21	1.6			
50811	0	0	1	0	DSu	47.1108	68.9099	22.3	707.5	435	56872.	857	0.8	1.2	4.0	0.1	0.1	5.6	32	1.6			
50812	0	0	0	0	DSu	47.1108	68.9093	22.3	707.9	448	56873.	884	1.0	1.8	3.3	1.9	0.6	3.3	23	1.6			
50813	0	0	1	0	DSu	47.1108	68.9088	22.3	708.0	459	56875.	915	0.9	0.3	4.5	0.1	0.1	5.4	20	1.4			
50814	0	0	1	0	DSu	47.1108	68.9082	22.3	708.2	473	56875.	874	1.0	0.7	4.7	0.1	0.1	4.7	26	1.2			
50815	0	0	1	0	DSu	47.1108	68.9077	22.3	708.3	484	56875.	885	1.1	1.0	4.4	0.1	0.1	4.0	32	0.9			
50816	0	0	1	0	DSu	47.1108	68.9071	22.3	708.4	497	56877.	847	0.9	0.6	4.7	0.1	0.1	5.7	28	0.7			
50817	0	0	1	0	DSu	47.1108	68.9066	22.3	708.6	503	56879.	818	0.6	1.2	3.9	0.1	0.1	6.9	26	0.5			
50818	0	0	1	0	DSu	47.1108	68.9060	22.3	708.7	502	56881.	819	0.9	0.2	4.3	0.1	0.1	4.9	24	0.2			
50819	0	0	1	0	DSu	47.1108	68.9055	22.3	708.8	496	56884.	741	0.7	0.2	5.8	0.1	0.1	8.7	22	0.0			
50820	0	0	1	0	DSu	47.1108	68.9049	22.3	708.9	492	56887.	727	0.9	0.4	3.2	0.1	0.1	3.8	29	0.0			
50821	0	0	1	0	DSu	47.1108	68.9044	22.3	708.9	489	56886.	720	1.0	1.3	4.3	0.1	0.1	4.6	17	0.0			
50822	0	0	U	U	DSu	47.1108	68.9038	22.3	709.0	486	56884.	754	0.7	1.7	4.7	2.4	0.4	6.7	18	0.0			
50824	0	0	1	0	DSu	47.1108	68.9027	22.3	708.9	483	56883.	789	0.8	0.6	3.0	0.1	0.1	4.0	24	0.0			
50825	0	0	1	0	DSu	47.1108	68.9022	22.3	708.9	480	56882.	739	0.8	0.8	6.2	0.1	0.1	8.5	20	0.0			
50826	0	0	1	0	DSu	47.1108	68.9016	22.2	710.6	472	56876.	751	0.9	0.2	5.3	0.1	0.1	6.0	25	0.0			
50827	0	0	1	0	DSu	47.1108	68.9011	22.2	710.6	461	56873.	722	0.8	-0.2	3.5	0.1	0.1	4.8	22	0.0			
50828	0	0	1	0	DSu	47.1108	68.9006	22.2	710.5	447	56871.	696	0.8	0.2	3.5	0.1	0.1	4.4	25	0.0			
50829	0	0	1	0	DSu	47.1108	68.9000	22.2	710.4	432	56875.	747	0.7	0.0	5.2	0.1	0.1	7.5	21	0.0			
50830	0	0	1	0	DSu	47.1108	68.8994	22.2	710.2	418	56880.	721	0.9	0.1	2.2	0.1	0.1	2.7	21	0.0			
50831	0	0	1	0	DSu	47.1108	68.8989	22.2	710.1	405	56882.	715	0.8	0.7	5.2	0.1	0.1	7.3	26	0.0			
50832	0	0	1	0	DSu	47.1108	68.8983	22.2	709.9	396	56882.	709	0.8	-0.6	3.6	0.1	0.1	5.1	29	0.0			
50833	0	0	1	0	DSu	47.1109	68.8978	22.2	709.7	392	56882.	720	0.8	0.9	2.6	0.1	0.1	3.5	23	0.0			
50834	0	0	1	0	DSu	47.1109	68.8973	22.2	709.5	390	56881.	665	0.9	0.4	3.8	0.1	0.1	4.6	25	0.0			
50835	0	0	1	0	DSu	47.1109	68.8967	22.2	709.2	390	56879.	719	0.9	0.0	2.7	0.1	0.1	3.1	23	0.0			
50836	0	0	1	0	DSu	47.1109	68.8962	22.2	709.0	393	56878.	800	0.8	1.1	5.3	0.1	0.1	7.6	24	0.0			
50837	0	0	1	0	DSu	47.1109	68.8956	22.2	708.8	401	56877.	745	0.6	1.2	4.0	0.1	0.1	6.5	24	0.0			
50838	0	0	1	0	DSu	47.1109	68.8951	22.2	708.6	410	56880.	676	0.7	0.6	3.1	0.1	0.1	4.5	26	0.0			
50839	0	0	0	0	DSu	47.1109	68.8945	22.2	708.3	420	56885.	766	0.6	1.6	3.8	2.8	0.5	6.5	21	0.0			
50840	0	0	0	0	DSu	47.1109	68.8940	22.2	708.0	423	56889.	779	0.7	2.3	3.9	3.5	0.6	5.9	27	0.0			

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
50841	0	0	1	0	DSU	47.1109	68.8934	22.2	707.8	421	56890.	791	0.8	-0.4	2.2	0.1	0.1	3.0	16	0.0
50842	0	0	0	0	DSU	47.1109	68.8929	22.2	707.5	411	56890.	860	1.1	1.2	6.5	1.2	0.2	6.4	30	0.0
50843	0	0	0	0	DSU	47.1109	68.8923	22.2	707.2	398	56891.	859	0.9	1.8	3.5	2.2	0.6	4.2	25	0.0
50844	0	0	0	0	DSU	47.1109	68.8918	22.1	707.0	386	56890.	868	0.8	1.8	3.1	2.3	0.6	4.1	25	0.0
50845	0	0	1	0	DSU	47.1109	68.8912	22.1	706.7	376	56886.	957	0.9	0.9	3.8	0.1	0.1	4.3	30	0.0
50846	0	0	1	0	DSU	47.1109	68.8907	22.1	706.4	368	56884.	982	0.9	0.9	5.6	0.1	0.1	6.2	25	0.0
50847	0	0	0	0	DSU	47.1109	68.8901	22.1	706.2	358	56884.	1021	1.1	2.0	4.7	1.9	0.5	4.5	29	0.0
50848	0	0	0	0	DSU	47.1109	68.8896	22.1	705.9	346	56882.	935	0.9	2.0	3.8	2.2	0.6	4.3	23	0.0
50849	0	0	0	0	DSU	47.1109	68.8890	22.1	705.6	341	56879.	953	1.0	1.9	4.0	2.0	0.5	4.2	24	0.0
50850	0	0	1	0	DSU	47.1109	68.8885	22.1	705.3	341	56877.	890	0.8	0.3	4.5	0.1	0.1	5.9	29	0.0
50851	0	0	1	0	DSU	47.1109	68.8879	22.1	705.0	344	56873.	896	1.0	0.5	4.0	0.1	0.1	4.0	31	0.0
50852	0	0	0	0	DSU	47.1109	68.8874	22.1	704.7	348	56871.	975	1.0	1.4	5.4	1.4	0.3	5.7	25	0.0
50853	0	0	1	0	DSU	47.1109	68.8868	22.1	704.4	351	56872.	925	0.9	0.9	4.6	0.1	0.1	5.1	26	0.0
50854	0	0	1	0	DSU	47.1109	68.8863	22.1	704.1	350	56873.	924	1.0	-0.5	3.2	0.1	0.1	3.3	26	0.0
50855	0	0	1	0	DSU	47.1110	68.8857	22.1	703.8	344	56875.	884	0.9	0.5	5.4	0.1	0.1	6.2	24	0.0
50856	0	0	0	0	DSU	47.1110	68.8852	22.1	703.6	338	56876.	883	0.8	2.5	3.7	3.3	0.7	4.8	20	0.0
50857	0	0	0	0	DSU	47.1110	68.8846	22.1	703.3	337	56877.	859	0.7	1.5	4.2	2.2	0.4	6.1	20	0.0
50858	0	0	0	0	DSU	47.1110	68.8841	22.1	703.1	341	56879.	802	0.8	1.4	3.7	1.9	0.4	5.0	34	0.0
50859	0	0	0	0	DSU	47.1110	68.8835	22.1	702.9	350	56880.	765	0.9	1.1	3.6	1.3	0.3	4.3	21	0.0
50860	0	0	0	0	DSU	47.1110	68.8830	22.1	702.7	363	56883.	747	0.8	1.4	3.0	1.9	0.5	4.2	25	0.0
50861	0	0	1	0	DSU	47.1110	68.8825	22.1	702.5	381	56885.	713	0.6	0.7	3.6	0.1	0.1	6.0	30	0.0
50862	0	0	1	0	DSU	47.1110	68.8820	22.1	702.3	393	56886.	788	0.9	0.6	5.0	0.1	0.1	6.2	23	0.0
50863	0	0	0	0	DSU	47.1110	68.8816	22.1	702.2	401	56886.	729	0.8	1.7	3.7	2.3	0.5	5.0	25	0.0
50864	0	0	1	0	DSU	47.1110	68.8811	22.1	702.1	402	56886.	708	0.6	0.2	3.1	0.1	0.1	6.0	31	0.0
50865	0	0	1	0	DSU	47.1110	68.8806	22.1	702.0	402	56887.	763	0.9	0.7	5.8	0.1	0.1	7.2	29	0.0
50866	0	0	1	0	DSU	47.1110	68.8801	22.1	701.9	406	56889.	796	0.9	-0.1	5.3	0.1	0.1	5.9	32	0.0
50867	0	0	1	0	DSU	47.1110	68.8797	22.1	701.8	411	56886.	825	1.0	-0.2	3.6	0.1	0.1	3.9	23	0.0
50868	0	0	1	0	DSU	47.1110	68.8792	22.1	701.7	415	56883.	776	0.8	0.8	3.9	0.1	0.1	5.4	34	0.0
50869	0	0	1	0	DSU	47.1110	68.8787	22.1	701.6	417	56882.	814	0.9	0.5	5.7	0.1	0.1	6.5	26	0.0
50870	0	0	0	0	DSU	47.1110	68.8782	22.1	701.6	417	56882.	795	0.9	1.4	6.2	1.7	0.3	7.2	27	0.0
50871	0	0	0	0	DSU	47.1110	68.8778	22.1	701.5	419	56880.	865	0.8	2.2	3.9	3.1	0.6	5.4	29	0.0
50872	0	0	1	0	DSU	47.1110	68.8773	22.0	701.5	417	56879.	845	0.9	1.1	5.5	0.1	0.1	6.8	25	0.0
50873	0	0	1	0	DSU	47.1110	68.8768	22.0	701.4	414	56879.	800	0.9	0.4	3.7	0.1	0.1	4.4	29	0.0
50874	0	0	1	0	DSU	47.1110	68.8764	22.0	701.4	412	56881.	789	0.9	0.8	5.3	0.1	0.1	6.1	25	0.0
50875	0	0	0	0	DSU	47.1110	68.8759	22.0	701.3	410	56882.	805	0.7	1.4	4.2	2.2	0.4	6.8	22	0.0
50876	0	0	0	0	DSU	47.1110	68.8754	22.0	701.3	409	56883.	826	0.7	1.9	3.9	2.9	0.5	6.0	23	0.0
50877	0	0	1	0	DSU	47.1110	68.8749	22.0	701.3	409	56881.	784	0.7	0.4	4.0	0.1	0.1	6.5	20	0.0
50878	0	0	0	0	DSU	47.1110	68.8745	22.0	701.3	412	56878.	786	0.7	1.5	5.4	2.4	0.3	8.4	26	0.0
50879	0	0	1	0	DSU	47.1110	68.8740	22.0	701.3	417	56877.	806	0.7	0.7	4.3	0.1	0.1	7.0	31	0.0
50880	0	0	1	0	DSU	47.1110	68.8735	22.0	701.3	420	56876.	806	1.0	1.1	4.3	0.1	0.1	4.5	20	0.0
50881	0	0	1	0	DSU	47.1110	68.8730	22.0	701.3	422	56875.	772	0.8	0.9	3.7	0.1	0.1	4.7	23	0.0
50882	0	0	1	0	DSU	47.1110	68.8726	21.6	700.2	416	56875.	735	0.7	0.3	4.8	0.1	0.1	7.8	29	0.0
50883	0	0	1	0	DSU	47.1110	68.8721	21.6	700.0	408	56873.	773	0.9	0.2	4.2	0.1	0.1	4.8	28	0.0
50884	0	0	1	0	DSU	47.1110	68.8716	21.6	699.8	400	56873.	736	0.7	0.9	3.4	0.1	0.1	5.3	33	0.0
50885	0	0	1	0	DSU	47.1110	68.8711	21.6	699.5	394	56876.	812	0.9	0.7	4.1	0.1	0.1	5.0	21	0.0
50886	0	0	1	0	DSU	47.1110	68.8707	21.5	699.2	392	56880.	778	0.9	-0.2	6.3	0.1	0.1	7.3	23	0.0
50887	0	0	1	0	DSU	47.1111	68.8702	21.5	699.0	394	56882.	806	1.0	-0.2	5.5	0.1	0.1	5.8	21	0.0
50888	0	0	1	0	DSU	47.1111	68.8697	21.5	698.7	396	56882.	737	0.8	-0.3	5.0	0.1	0.1	6.9	29	0.0
50889	0	0	1	0	DSU	47.1111	68.8692	21.5	698.5	397	56882.	853	0.7	0.6	5.4	0.1	0.1	8.0	30	0.0
50890	0	0	0	0	DSU	47.1111	68.8688	21.5	698.2	396	56880.	822	0.8	1.5	4.3	1.9	0.4	5.4	32	0.0

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
50891	0	0	1	0	DSu	47.1111	68.8683	21.5	697.9	392	56878.	845	0.7	0.6	4.2	0.1	0.1	6.1	21	0.0
50892	0	0	0	0	DSu	47.1111	68.8678	21.5	697.7	387	56879.	876	0.9	1.5	4.1	1.7	0.4	4.6	26	0.0
50893	0	0	1	0	DSu	47.1111	68.8674	21.5	697.5	380	56881.	871	1.0	0.9	3.4	0.1	0.1	3.5	30	0.0
50894	0	0	1	0	DSu	47.1111	68.8669	21.5	697.3	372	56882.	906	1.0	0.5	5.3	0.1	0.1	5.4	30	0.0
50895	0	0	1	0	DSu	47.1111	68.8664	21.5	697.1	364	56885.	789	0.8	0.0	3.4	0.1	0.1	4.5	21	0.0
50896	0	0	1	0	DSu	47.1111	68.8659	21.4	697.0	354	56889.	827	1.0	1.1	5.7	0.1	0.1	6.0	23	0.0
50897	0	0	0	0	DSu	47.1111	68.8655	21.4	696.9	341	56890.	871	0.8	2.4	4.8	3.2	0.6	6.4	30	0.0
50898	0	0	1	0	DSu	47.1111	68.8650	21.4	696.9	327	56892.	838	0.7	0.5	4.2	0.1	0.1	6.0	25	0.0
50899	0	0	1	0	DSu	47.1111	68.8645	21.4	696.9	314	56889.	904	0.8	0.9	4.2	0.1	0.1	5.8	30	0.0
50900	0	0	0	C	DSu	47.1111	68.8640	21.4	696.9	310	56886.	886	0.9	1.9	4.6	2.3	0.4	5.6	25	0.0
50901	0	0	0	0	DSu	47.1111	68.8636	21.4	697.0	308	56886.	921	0.9	1.0	4.5	1.2	0.3	5.1	25	0.0
50902	0	0	1	0	DSu	47.1111	68.8631	21.4	697.0	307	56884.	955	0.9	0.3	6.3	0.1	0.1	7.9	27	0.0
50903	0	0	0	0	DSu	47.1111	68.8626	21.4	697.1	303	56880.	920	1.0	1.5	4.8	1.6	0.3	5.0	34	0.0
50904	0	0	0	0	DSu	47.1111	68.8621	21.4	697.3	304	56879.	897	0.8	1.8	4.2	2.4	0.5	5.6	38	0.0
50905	0	0	1	0	DSu	47.1111	68.8617	21.4	697.5	311	56880.	888	0.8	0.9	4.6	0.1	0.1	6.1	31	0.0
50906	0	0	0	0	DSu	47.1111	68.8612	21.4	697.6	314	56881.	961	0.8	1.3	5.3	1.6	0.3	6.6	28	0.0
50907	0	0	0	0	DSu	47.1111	68.8607	21.4	697.9	313	56880.	950	1.0	1.6	4.5	1.7	0.4	4.7	32	0.0
50908	0	0	1	0	DSu	47.1111	68.8603	21.4	698.1	312	56880.	957	0.8	0.2	5.0	0.1	0.1	6.2	27	0.0
50909	0	0	1	0	DSu	47.1111	68.8598	21.4	698.3	308	56880.	951	1.0	0.7	4.9	0.1	0.1	5.3	31	0.0
50910	0	0	1	0	DSu	47.1111	68.8593	21.4	698.6	306	56880.	942	0.9	1.0	5.6	0.1	0.1	6.3	24	0.0
50911	0	0	0	0	DSu	47.1111	68.8588	21.3	698.8	298	56881.	856	0.7	1.7	4.1	2.6	0.5	6.2	24	0.0
50912	0	0	1	0	DSu	47.1111	68.8584	21.3	699.0	301	56881.	892	0.7	0.2	5.2	0.1	0.1	7.6	38	0.0
50913	0	0	1	0	DSu	47.1111	68.8579	21.3	699.2	312	56882.	891	0.9	0.3	4.0	0.1	0.1	4.8	24	0.0
50914	0	0	1	0	DSu	47.1111	68.8574	21.3	699.4	325	56882.	840	0.8	0.8	5.2	0.1	0.1	6.4	22	0.0
50915	0	0	1	0	DSu	47.1111	68.8569	21.3	699.7	332	56880.	933	1.0	0.9	4.2	0.1	0.1	4.5	28	0.0
50916	0	0	1	0	DSu	47.1112	68.8565	21.3	699.9	338	56880.	889	0.9	0.9	5.8	0.1	0.1	6.9	14	0.0
50917	0	0	1	0	DSu	47.1112	68.8560	21.3	700.1	340	56882.	916	0.8	0.9	6.2	0.1	0.1	8.3	20	0.0
50918	0	0	1	0	DSu	47.1112	68.8555	21.3	700.4	335	56886.	839	0.9	0.5	4.7	0.1	0.1	5.4	15	0.0
50920	0	0	1	0	DSu	47.1112	68.8546	21.3	700.6	323	56889.	847	0.8	0.3	4.0	0.1	0.1	5.4	40	0.0
50921	0	0	0	0	DSu	47.1112	68.8541	21.3	700.9	312	56888.	925	0.9	1.3	4.0	1.5	0.4	4.9	23	0.1
50922	0	0	1	0	DSu	47.1112	68.8536	21.3	701.1	306	56884.	931	0.8	0.6	4.8	0.1	0.1	6.2	20	0.1
50923	0	0	0	0	DSu	47.1112	68.8532	21.3	701.3	306	56883.	911	1.0	1.3	5.2	1.3	0.3	5.2	32	0.2
50924	0	0	0	0	DSu	47.1112	68.8527	21.3	701.6	313	56886.	871	0.9	1.1	4.3	1.3	0.3	5.0	14	0.3
50925	0	0	1	0	DSu	47.1112	68.8522	21.3	701.8	326	56889.	856	0.9	0.6	4.4	0.1	0.1	5.0	31	0.4
50926	0	0	0	0	DSu	47.1112	68.8517	21.3	702.1	345	56890.	832	0.8	1.6	4.2	2.2	0.4	5.7	32	0.5
50927	0	0	0	0	DSu	47.1112	68.8513	21.3	702.2	362	56890.	907	0.9	1.4	4.8	1.6	0.3	5.4	28	0.6
50928	0	0	1	0	DSu	47.1112	68.8508	21.3	702.4	376	56889.	881	1.0	0.2	5.0	0.1	0.1	5.2	30	0.6
50929	0	0	1	0	DSu	47.1112	68.8503	21.3	702.5	381	56888.	900	0.9	0.5	5.1	0.1	0.1	6.1	39	0.7
50930	0	0	1	0	DSu	47.1112	68.8498	21.3	702.6	385	56887.	818	0.9	0.2	3.6	0.1	0.1	4.3	32	0.7
50931	0	0	0	0	DSu	47.1112	68.8494	21.3	702.8	391	56886.	944	1.0	1.3	5.4	1.3	0.3	5.4	22	0.8
50932	0	0	1	0	DSu	47.1112	68.8489	21.3	702.9	403	56885.	934	0.9	0.6	5.0	0.1	0.1	5.8	17	0.9
50933	0	0	0	0	DSu	47.1112	68.8484	21.3	702.9	414	56887.	925	0.9	1.4	3.3	1.6	0.5	3.9	25	1.0
50934	0	0	1	0	DSu	47.1112	68.8479	21.3	702.9	421	56890.	925	1.0	0.6	6.0	0.1	0.1	6.0	39	1.0
50935	0	0	1	0	DSu	47.1112	68.8475	21.3	703.0	421	56893.	857	0.8	0.5	4.1	0.1	0.1	5.7	18	0.9
50936	0	0	1	0	DSu	47.1112	68.8470	21.3	703.0	417	56895.	794	1.0	0.1	3.3	0.1	0.1	3.7	26	0.7
50937	0	0	1	0	DSu	47.1112	68.8465	21.3	703.0	414	56900.	803	0.6	0.8	4.8	0.1	0.1	8.2	29	0.5
50938	0	0	1	0	DSu	47.1112	68.8461	21.3	702.9	411	56903.	797	0.8	0.2	3.6	0.1	0.1	5.0	31	0.4
50939	0	0	0	0	DSu	47.1112	68.8456	21.3	704.4	403	56903.	833	0.9	2.0	4.4	2.4	0.5	5.4	25	0.2
50940	0	0	0	0	DSu	47.1112	68.8451	21.3	704.5	401	56903.	845	0.6	2.1	4.8	3.5	0.5	8.3	20	0.0
50941	0	0	0	0	DSu	47.1112	68.8446	21.3	704.6	395	56907.	883	0.6	1.8	3.0	3.3	0.6	5.6	25	0.0

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
50942	0	0	1	0	DSu	47.1112	68.8442	21.3	704.8	387	56909.	940	0.9	0.8	4.6	0.1	0.1	5.4	28	0.0
50943	0	0	1	0	DSu	47.1112	68.8437	21.3	704.9	370	56909.	945	1.0	1.0	4.5	0.1	0.1	4.4	30	0.0
50944	0	0	0	0	DSu	47.1112	68.8432	21.3	705.1	351	56910.	921	0.8	1.8	5.1	2.3	0.4	6.5	13	0.0
50945	0	0	0	0	DSu	47.1112	68.8427	21.4	705.3	341	56908.	919	0.9	1.4	3.4	1.6	0.5	3.9	24	0.0
50946	0	0	1	0	DSu	47.1113	68.8423	21.4	705.5	349	56902.	933	1.3	1.0	4.9	0.1	0.1	4.0	19	0.0
50947	0	0	1	0	DSu	47.1113	68.8418	21.4	705.7	366	56898.	927	0.9	0.4	3.8	0.1	0.1	4.2	27	0.0
50948	0	0	1	0	DSu	47.1113	68.8413	21.4	705.9	387	56900.	900	0.9	0.9	4.6	0.1	0.1	5.3	20	0.0
50949	0	0	0	0	DSu	47.1113	68.8409	21.4	706.1	402	56902.	1009	1.1	1.9	5.9	1.9	0.4	5.7	22	0.0
50950	0	0	0	0	DSu	47.1113	68.8404	21.4	706.4	413	56902.	919	0.9	1.5	4.0	1.7	0.4	4.4	24	0.0
50951	0	0	1	0	DSu	47.1113	68.8399	21.4	706.7	417	56903.	909	0.9	0.4	2.6	0.1	0.1	3.0	31	0.0
50952	0	0	0	0	DSu	47.1113	68.8394	21.4	706.9	421	56904.	945	1.2	2.1	5.1	1.9	0.5	4.4	22	0.0
50953	0	0	1	0	DSu	47.1113	68.8390	21.4	707.1	423	56906.	933	1.0	0.9	5.5	0.1	0.1	6.0	34	0.0
50954	0	0	1	0	DSu	47.1113	68.8385	21.4	707.3	421	56905.	924	0.9	1.1	5.3	0.1	0.1	5.8	25	0.0
50955	0	0	1	0	DSu	47.1113	68.8380	21.4	707.6	414	56899.	821	0.9	0.5	4.4	0.1	0.1	5.1	16	0.0
50956	0	0	1	0	DSu	47.1113	68.8375	21.4	707.8	400	56894.	829	1.1	0.2	4.0	0.1	0.1	4.0	23	0.0
50957	0	0	1	0	DSu	47.1113	68.8371	21.5	708.0	386	56892.	802	1.1	-0.2	4.7	0.1	0.1	4.6	21	0.0
50958	0	0	0	0	DSu	47.1113	68.8366	21.5	708.3	374	56893.	719	0.6	1.6	4.3	3.2	0.4	8.4	26	0.0
50959	0	0	0	0	DSu	47.1113	68.8361	21.5	708.5	370	56896.	754	0.6	1.3	5.5	2.2	0.3	9.1	21	0.0
50960	0	0	1	0	DSu	47.1113	68.8356	21.5	708.7	368	56897.	683	0.4	1.0	3.2	0.1	0.1	0.1	23	0.0
50961	0	0	0	0	DSu	47.1113	68.8352	21.5	708.9	372	56894.	597	0.5	1.7	3.3	0.1	0.6	0.1	23	0.0
50962	0	0	1	0	DSu	47.1113	68.8347	21.5	709.1	375	56891.	507	0.4	0.0	3.2	0.1	0.1	0.1	19	0.0
50963	0	0	0	0	DSu	47.1113	68.8342	21.5	709.2	379	56892.	530	0.4	1.3	2.6	0.1	0.5	0.1	16	0.0
50964	0	0	1	0	DSu	47.1113	68.8337	21.5	709.4	380	56891.	411	0.3	-0.2	2.7	0.1	0.1	0.1	24	0.0
50965	0	0	1	0	DSu	47.1113	68.8333	21.5	709.6	380	56888.	338	0.2	0.1	1.4	0.1	0.1	0.1	22	0.0
50966	0	1	1	0	DSu	47.1113	68.8328	21.5	709.7	379	56885.	291	0.1	0.0	1.8	0.1	0.1	0.1	27	0.0
50967	0	1	1	0	DSu	47.1113	68.8323	21.5	709.9	377	56883.	264	0.2	-0.2	1.7	0.1	0.1	0.1	33	0.0
50968	0	1	1	1	DSu	47.1113	68.8318	21.5	710.0	374	56885.	186	0.1	0.3	0.9	0.1	0.1	0.1	27	0.0
50969	0	0	1	1	DSu	47.1113	68.8314	21.5	710.2	370	56887.	218	0.3	0.0	0.1	0.1	0.1	0.1	28	0.0
50970	0	0	1	1	DSu	47.1113	68.8309	21.6	710.3	356	56889.	241	0.2	0.6	1.0	0.1	0.1	0.1	27	0.0
50971	0	0	1	1	DSu	47.1113	68.8304	21.6	710.4	339	56892.	299	0.3	0.4	0.2	0.1	0.1	0.1	29	0.0
50972	0	0	1	0	DSu	47.1113	68.8300	21.6	710.4	329	56897.	388	0.5	0.3	1.9	0.1	0.1	0.1	24	0.0
50973	0	0	0	0	DSu	47.1113	68.8295	21.6	710.5	325	56899.	463	0.5	0.9	2.3	0.1	0.4	0.1	24	0.0
50974	0	0	1	1	DSu	47.1113	68.8290	21.6	710.5	326	56894.	398	0.4	0.5	0.8	0.1	0.1	0.1	25	0.0
50975	0	0	1	0	DSu	47.1113	68.8285	21.6	710.6	325	56890.	268	0.2	0.1	2.0	0.1	0.1	0.1	25	0.0
50976	0	0	1	0	DSu	47.1114	68.8281	21.6	710.6	329	56890.	214	0.2	-0.3	1.5	0.1	0.1	0.1	26	0.0
50977	0	0	1	0	DSu	47.1114	68.8276	21.6	710.6	341	56891.	200	0.2	0.4	1.6	0.1	0.1	0.1	21	0.0
50978	0	1	1	0	DSu	47.1114	68.8271	21.6	710.7	353	56890.	129	0.1	-0.1	1.0	0.1	0.1	0.1	24	0.0
50979	0	1	1	0	DSu	47.1114	68.8266	21.6	710.7	366	56890.	145	0.2	-1.1	1.0	0.1	0.1	0.1	20	0.0
50980	0	0	1	1	DSu	47.1114	68.8262	21.6	710.8	373	56892.	113	0.2	-0.4	0.3	0.1	0.1	0.1	30	0.0
50981	0	1	1	1	DSu	47.1114	68.8257	21.6	710.8	380	56895.	133	0.0	0.2	0.8	0.1	0.1	0.1	24	0.0
50982	0	1	0	1	DSu	47.1114	68.8252	21.6	710.9	384	56896.	87	0.1	0.9	0.0	0.1	0.1	0.1	21	0.0
50983	0	1	1	1	DSu	47.1114	68.8247	21.6	710.9	388	56896.	82	0.1	-0.2	0.7	0.1	0.1	0.1	29	0.0
50984	0	1	1	1	DSu	47.1114	68.8243	21.6	710.9	390	56893.	100	0.2	-0.4	0.9	0.1	0.1	0.1	23	0.0
50985	0	1	1	1	DSu	47.1114	68.8238	21.6	711.0	392	56892.	78	0.1	0.0	0.3	0.1	0.1	0.1	21	0.0
50986	0	1	1	0	DSu	47.1114	68.8233	21.6	711.0	391	56893.	59	0.1	-0.3	1.1	0.1	0.1	0.1	19	0.0
50987	0	1	1	1	DSu	47.1114	68.8229	21.7	711.0	390	56891.	40	0.1	0.3	-0.1	0.1	0.1	0.1	24	0.0
50988	0	1	1	1	DSu	47.1114	68.8224	21.7	711.0	387	56889.	28	0.0	0.0	0.6	0.1	0.1	0.1	22	0.0
50989	0	1	1	1	DSu	47.1114	68.8219	21.7	711.0	383	56889.	0	0.0	0.5	0.6	0.1	0.1	0.1	30	0.0
50990	0	1	1	1	DSu	47.1114	68.8214	21.7	711.0	380	56884.	41	0.1	0.3	-0.1	0.1	0.1	0.1	30	0.0
50991	0	0	1	1	DSu	47.1114	68.8210	21.7	711.0	378	56877.	29	0.2	0.0	0.3	0.1	0.1	0.1	14	0.0

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
50992	0	1	1	1	DSu	47.1114	68.8205	21.7	710.9	378	56876.	49	0.1	-0.4	0.7	0.1	0.1	0.1	20	0.0
50993	0	1	1	1	DSu	47.1114	68.8200	21.7	710.9	379	56879.	63	0.1	0.3	0.1	0.1	0.1	0.1	24	0.0
50994	0	1	1	0	DSu	47.1114	68.8195	21.7	710.8	382	56879.	186	0.1	0.7	1.8	0.1	0.1	0.1	23	0.0
50995	0	0	1	0	DSu	47.1114	68.8191	21.7	710.7	383	56879.	287	0.3	0.2	2.5	0.1	0.1	0.1	33	0.0
50996	0	0	0	0	DSu	47.1114	68.8186	21.7	710.6	376	56878.	431	0.4	1.1	1.7	0.1	0.7	0.1	11	0.0
50997	0	0	1	0	DSu	47.1114	68.8181	21.7	710.5	367	56878.	587	0.4	0.6	2.7	0.1	0.1	0.1	20	0.0
50998	0	0	1	0	DSu	47.1114	68.8176	21.7	710.4	359	56880.	644	0.6	0.6	4.5	0.1	0.1	7.6	19	0.0
50999	0	0	1	0	DSu	47.1114	68.8172	21.7	710.3	358	56882.	679	0.7	0.5	3.7	0.1	0.1	6.0	24	0.0
51000	0	0	0	0	DSu	47.1114	68.8167	21.7	710.2	358	56884.	792	0.7	1.5	5.2	2.2	0.3	7.6	28	0.0
51001	0	0	1	0	DSu	47.1114	68.8162	21.7	710.1	359	56885.	782	0.9	0.7	3.4	0.1	0.1	4.2	25	0.0
51002	0	0	1	0	DSu	47.1114	68.8157	21.7	710.0	362	56885.	795	0.9	0.7	3.3	0.1	0.1	4.1	30	0.0
51003	0	0	0	0	DSu	47.1114	68.8152	21.7	710.0	364	56884.	812	0.8	1.2	3.6	1.5	0.4	4.8	27	0.0
51004	0	0	0	0	DSu	47.1114	68.8148	21.7	710.0	365	56886.	772	0.9	1.2	4.2	1.4	0.3	5.1	11	0.0
51005	0	0	1	0	DSu	47.1114	68.8143	21.7	710.0	364	56889.	783	0.8	-0.1	3.5	0.1	0.1	5.0	20	0.0
51006	0	0	0	0	DSu	47.1114	68.8138	21.7	710.0	362	56890.	768	0.8	1.2	4.8	1.7	0.3	6.7	25	0.0
51007	0	0	1	0	DSu	47.1114	68.8133	21.7	710.0	360	56891.	816	0.9	0.5	4.2	0.1	0.1	4.9	26	0.0
51008	0	0	1	0	DSu	47.1114	68.8129	21.7	710.0	358	56893.	749	1.1	0.5	3.7	0.1	0.1	3.5	29	0.0
51009	0	0	1	0	DSu	47.1114	68.8124	21.7	710.1	358	56895.	798	0.6	1.1	6.2	0.1	0.1	10.2	18	0.0
51010	0	0	1	0	DSu	47.1114	68.8119	21.7	710.2	363	56897.	792	0.7	0.6	3.2	0.1	0.1	4.6	31	0.0
51011	0	0	0	0	DSu	47.1114	68.8114	21.7	710.3	373	56897.	866	1.0	1.2	4.4	1.2	0.3	4.4	22	0.1
51012	0	0	1	0	DSu	47.1114	68.8109	21.7	710.4	385	56896.	827	0.8	0.4	4.2	0.1	0.1	5.6	20	0.1
51013	0	0	1	0	DSu	47.1114	68.8104	21.7	710.6	393	56896.	822	0.9	1.0	4.5	0.1	0.1	5.2	25	0.1
51015	0	0	0	0	DSu	47.1114	68.8095	21.7	710.7	399	56892.	862	0.9	1.5	5.0	1.7	0.3	5.7	23	0.1
51016	0	0	1	0	DSu	47.1114	68.8090	21.7	710.9	398	56887.	849	0.8	1.3	3.0	0.1	0.1	3.8	26	0.2
51017	0	0	1	0	DSu	47.1114	68.8085	21.7	711.0	395	56883.	764	0.9	0.6	5.2	0.1	0.1	6.4	27	0.2
51018	0	0	1	0	DSu	47.1114	68.8081	21.7	711.1	389	56885.	729	1.0	-0.1	2.1	0.1	0.1	2.2	24	0.2
51019	0	0	1	0	DSu	47.1113	68.8076	21.7	711.3	381	56889.	733	0.7	-0.9	4.9	0.1	0.1	7.6	21	0.1
51020	0	0	1	0	DSu	47.1113	68.8071	21.7	711.4	375	56893.	754	0.8	0.8	4.7	0.1	0.1	6.3	22	0.1
51021	0	0	1	0	DSu	47.1113	68.8066	21.7	711.5	371	56893.	764	0.7	0.2	3.7	0.1	0.1	5.8	22	0.1
51022	0	0	0	0	DSu	47.1113	68.8061	21.7	711.6	371	56889.	734	0.8	1.3	3.9	1.8	0.4	5.5	34	0.0
51023	0	0	1	0	DSu	47.1113	68.8057	21.7	711.7	373	56884.	659	0.6	1.1	2.8	0.1	0.1	5.4	21	0.0
51024	0	0	1	0	DSu	47.1113	68.8052	21.7	711.8	374	56884.	668	0.5	0.2	3.4	0.1	0.1	0.1	28	0.0
51025	0	0	0	0	DSu	47.1113	68.8047	21.7	711.8	380	56884.	606	0.7	1.3	2.4	1.9	0.6	3.5	25	0.0
51026	0	0	0	0	DSu	47.1113	68.8042	21.7	711.8	384	56884.	605	0.8	1.1	2.2	1.6	0.6	3.1	27	0.0
51027	0	0	1	0	DSu	47.1113	68.8037	21.7	711.9	387	56886.	543	0.6	0.8	2.6	0.1	0.1	4.8	20	0.0
41556	0	0	0	0	DSu	47.1112	68.8035	25.6	713.2	385	56885.	792	0.7	1.6	5.5	2.5	0.3	8.8	18	0.0
41555	0	0	0	0	DSu	47.1112	68.8029	25.5	713.3	402	56885.	790	0.6	1.2	4.5	2.3	0.3	8.3	19	0.0
41554	0	0	1	0	DSu	47.1112	68.8022	25.5	713.3	408	56886.	626	0.6	1.0	3.0	0.1	0.1	5.2	29	0.0
41553	0	0	1	0	DSu	47.1112	68.8016	25.5	713.4	411	56887.	648	0.5	0.2	3.9	0.1	0.1	0.1	15	0.0
41552	0	0	1	0	DSu	47.1112	68.8009	25.5	713.4	412	56887.	592	0.5	0.5	3.3	0.1	0.1	0.1	17	0.0
41551	0	0	1	0	DSu	47.1112	68.8003	25.5	713.4	417	56887.	622	0.5	0.4	2.4	0.1	0.1	0.1	31	0.0
41550	0	0	1	0	DSu	47.1111	68.7996	25.5	713.4	428	56887.	733	0.8	1.1	3.0	0.1	0.1	3.9	19	0.0
41549	0	0	0	0	DSu	47.1111	68.7990	25.5	713.4	443	56886.	696	0.6	1.4	3.4	2.5	0.5	6.1	25	0.0
41548	0	0	1	0	DSu	47.1111	68.7983	25.5	713.3	458	56886.	631	0.6	0.6	3.6	0.1	0.1	6.2	32	0.0
41547	0	0	1	0	DSu	47.1111	68.7977	25.5	713.3	469	56885.	652	0.6	1.1	3.8	0.1	0.1	6.2	25	0.0
41546	0	0	1	0	DSu	47.1111	68.7970	25.5	713.2	474	56885.	572	0.4	0.9	2.2	0.1	0.1	0.1	36	0.0
41545	0	0	0	0	DSu	47.1111	68.7964	25.5	713.2	475	56887.	520	0.5	2.0	3.7	0.1	0.6	0.1	17	0.0
41544	0	1	1	0	DSu	47.1111	68.7957	25.5	713.1	474	56888.	464	0.2	0.3	2.1	0.1	0.1	0.1	21	0.0
41543	0	0	1	0	DSu	47.1111	68.7951	25.5	713.1	470	56890.	434	0.5	0.4	2.8	0.1	0.1	0.1	19	0.0
41542	0	0	1	1	DSu	47.1110	68.7944	25.5	713.1	462	56889.	444	0.4	0.6	0.7	0.1	0.1	0.1	35	0.0

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
41541	0	0	1	1	DSU	47.1110	68.7938	25.5	713.1	453	56888.	399	0.4	0.8	0.2	0.1	0.1	0.1	34	0.0
41540	0	0	1	0	DSU	47.1110	68.7932	25.5	713.1	444	56888.	466	0.5	0.6	2.7	0.1	0.1	0.1	27	0.0
41539	0	0	1	1	DSU	47.1110	68.7925	25.5	713.1	437	56888.	496	0.6	0.9	1.0	0.1	0.1	0.1	20	0.0
41538	0	0	1	0	DSU	47.1110	68.7919	25.5	713.2	432	56888.	508	0.4	0.6	1.6	0.1	0.1	0.1	27	0.0
41537	0	0	1	0	DSU	47.1110	68.7912	25.5	713.2	429	56888.	479	0.5	0.0	2.6	0.1	0.1	0.1	28	0.0
41536	0	0	1	0	DSU	47.1110	68.7906	25.5	713.3	429	56889.	429	0.5	0.8	2.0	0.1	0.1	0.1	22	0.0
41535	0	0	0	0	DSU	47.1110	68.7899	25.5	713.4	429	56890.	443	0.5	1.1	3.9	0.1	0.3	0.1	19	0.0
41534	0	0	1	0	DSU	47.1110	68.7893	25.4	713.5	424	56891.	408	0.4	-0.3	3.5	0.1	0.1	0.1	24	0.0
41533	0	0	1	1	DSU	47.1110	68.7886	25.4	713.6	416	56890.	468	0.5	1.1	0.9	0.1	0.1	0.1	21	0.0
41532	0	0	1	0	DSU	47.1109	68.7880	25.4	713.7	412	56890.	504	0.5	0.7	1.2	0.1	0.1	0.1	19	0.0
41531	0	0	0	0	DSU	47.1109	68.7873	25.4	713.8	414	56890.	459	0.3	1.2	1.6	0.1	0.8	0.1	19	0.0
41530	0	0	1	0	DSU	47.1109	68.7867	25.4	713.9	418	56890.	457	0.5	0.8	2.6	0.1	0.1	0.1	29	0.0
41529	0	0	1	0	DSU	47.1109	68.7860	25.4	713.9	423	56890.	389	0.5	-0.3	1.8	0.1	0.1	0.1	17	0.0
41528	0	0	1	0	DSU	47.1109	68.7854	25.4	714.0	429	56891.	348	0.5	-0.4	1.9	0.1	0.1	0.1	34	0.0
41527	0	0	1	1	DSU	47.1109	68.7848	25.4	714.1	434	56890.	338	0.3	0.2	0.8	0.1	0.1	0.1	31	0.0
41526	0	0	1	1	DSU	47.1109	68.7841	25.4	714.1	440	56889.	327	0.4	0.8	0.5	0.1	0.1	0.1	26	0.0
41525	0	0	1	1	DSU	47.1109	68.7835	25.4	714.2	444	56890.	235	0.2	0.1	0.5	0.1	0.1	0.1	20	0.0
41524	0	0	1	0	DSU	47.1108	68.7828	25.4	714.2	448	56892.	277	0.3	0.1	1.3	0.1	0.1	0.1	31	0.0
41523	0	0	1	1	DSU	47.1108	68.7822	25.4	714.3	450	56892.	288	0.3	0.5	1.1	0.1	0.1	0.1	27	0.0
41522	0	0	1	0	DSU	47.1108	68.7815	25.4	714.3	454	56890.	283	0.4	-0.2	1.3	0.1	0.1	0.1	16	0.0
41521	0	0	1	0	DSU	47.1108	68.7809	25.4	714.3	455	56888.	273	0.3	-0.4	1.6	0.1	0.1	0.1	24	0.0
41520	0	0	1	1	DSU	47.1108	68.7802	25.4	714.4	449	56888.	240	0.3	-0.7	1.1	0.1	0.1	0.1	23	0.0
41519	0	1	1	0	DSU	47.1108	68.7796	25.4	714.4	439	56891.	210	0.1	-0.6	1.5	0.1	0.1	0.1	13	0.0
41518	0	1	1	1	DSU	47.1108	68.7789	25.3	714.4	427	56893.	226	0.1	1.0	0.7	0.1	0.1	0.1	15	0.0
41517	0	1	1	0	DSU	47.1108	68.7783	25.3	714.5	416	56893.	166	0.1	-0.4	1.7	0.1	0.1	0.1	20	0.0
41516	0	0	1	0	DSU	47.1107	68.7776	25.3	714.5	404	56893.	153	0.3	0.0	1.1	0.1	0.1	0.1	28	0.0
41515	0	1	1	1	DSU	47.1107	68.7770	25.1	715.1	386	56892.	187	0.1	0.0	0.8	0.1	0.1	0.1	23	0.0
41514	0	1	1	0	DSU	47.1107	68.7764	25.1	715.1	383	56891.	194	0.1	0.1	1.1	0.1	0.1	0.1	20	0.0
41513	0	1	1	1	DSU	47.1107	68.7757	25.1	715.1	378	56892.	215	0.1	0.2	0.8	0.1	0.1	0.1	11	0.0
41512	0	0	1	0	DSU	47.1107	68.7751	25.1	715.1	373	56893.	236	0.2	0.4	1.2	0.1	0.1	0.1	25	0.0
41511	0	1	1	0	DSU	47.1107	68.7745	25.1	715.2	370	56892.	212	0.2	0.1	1.3	0.1	0.1	0.1	11	0.0
41510	0	1	1	1	DSU	47.1107	68.7739	25.1	715.1	365	56892.	180	0.1	0.2	0.8	0.1	0.1	0.1	25	0.0
41509	0	1	1	1	DSU	47.1107	68.7733	25.1	715.1	357	56892.	129	0.1	-0.6	0.7	0.1	0.1	0.1	22	0.0
41508	0	0	1	0	DSU	47.1107	68.7728	25.1	715.1	351	56891.	178	0.3	-0.3	1.2	0.1	0.1	0.1	26	0.0
41507	0	0	1	1	DSU	47.1107	68.7722	25.1	715.1	350	56892.	161	0.2	-0.5	0.8	0.1	0.1	0.1	18	0.0
41506	0	1	1	1	DSU	47.1107	68.7716	25.1	715.1	351	56892.	162	0.1	-0.2	0.9	0.1	0.1	0.1	31	0.0
41505	0	0	1	0	DSU	47.1107	68.7710	25.1	715.0	352	56891.	183	0.2	-0.8	1.1	0.1	0.1	0.1	29	0.0
41504	0	1	1	1	DSU	47.1107	68.7705	25.1	715.0	356	56891.	221	0.1	0.3	0.1	0.1	0.1	0.1	10	0.0
41503	0	1	1	0	DSU	47.1107	68.7699	25.1	714.9	362	56889.	277	0.1	0.5	1.6	0.1	0.1	0.1	21	0.0
41502	0	0	1	0	DSU	47.1107	68.7693	25.1	714.8	370	56888.	312	0.4	0.8	1.4	0.1	0.1	0.1	21	0.0
41501	0	0	1	0	DSU	47.1107	68.7687	25.1	714.7	380	56889.	287	0.3	-0.1	1.0	0.1	0.1	0.1	38	0.0
41500	0	0	1	0	DSU	47.1107	68.7682	25.1	714.5	392	56890.	316	0.2	0.6	1.7	0.1	0.1	0.1	18	0.0
41499	0	0	1	0	DSU	47.1108	68.7676	25.1	714.4	405	56892.	413	0.4	0.0	2.3	0.1	0.1	0.1	21	0.0
41498	0	0	0	0	DSU	47.1108	68.7670	25.1	714.2	417	56893.	546	0.4	1.2	3.3	0.1	0.4	0.1	21	0.0
41497	0	0	1	0	DSU	47.1108	68.7664	25.1	714.0	427	56892.	568	0.6	0.3	3.2	0.1	0.1	6.0	18	0.0
41496	0	0	1	0	DSU	47.1108	68.7659	25.1	713.8	435	56890.	632	0.6	-0.4	2.4	0.1	0.1	4.8	29	0.0
41495	0	0	0	0	DSU	47.1108	68.7653	25.1	713.6	442	56890.	656	0.6	1.4	3.1	2.4	0.5	5.3	18	0.0
41494	0	0	0	0	DSU	47.1108	68.7647	25.1	713.4	448	56890.	689	0.9	1.3	2.8	1.5	0.5	3.3	20	0.0
41493	0	0	1	0	DSU	47.1108	68.7641	25.1	713.2	451	56890.	652	0.5	0.5	3.6	0.1	0.1	0.1	20	0.0
41492	0	0	1	0	DSU	47.1108	68.7636	25.1	713.0	452	56890.	677	0.6	0.8	3.0	0.1	0.1	5.8	28	0.0

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
41491	0	0	1	0	DSu	47.1108	68.7630	25.1	712.8	453	56890.	747	1.0	1.3	4.4	0.1	0.1	4.8	20	0.0
41490	0	0	1	0	DSu	47.1108	68.7624	25.1	712.6	453	56890.	731	0.8	-0.2	2.1	0.1	0.1	2.7	24	0.0
41489	0	0	1	0	DSu	47.1108	68.7619	25.1	712.4	452	56890.	684	0.8	0.3	3.9	0.1	0.1	5.3	27	0.0
41488	0	0	1	0	DSu	47.1108	68.7613	25.1	712.2	449	56890.	716	0.8	-1.0	3.3	0.1	0.1	4.6	27	0.0
41487	0	0	0	0	DSu	47.1108	68.7607	25.1	712.1	443	56891.	753	0.8	3.0	3.1	3.9	1.0	4.0	23	0.0
41485	0	0	1	0	DSu	47.1108	68.7596	25.1	712.0	437	56892.	700	0.8	0.6	2.7	0.1	0.1	3.7	29	0.0
41484	0	0	1	0	DSu	47.1108	68.7590	25.1	711.9	430	56892.	727	0.8	0.8	3.9	0.1	0.1	4.9	34	0.0
41483	0	0	1	0	DSu	47.1108	68.7584	25.1	711.8	422	56893.	770	0.8	-0.2	4.5	0.1	0.1	5.8	25	0.0
41482	0	0	1	0	DSu	47.1108	68.7578	25.1	711.7	414	56893.	721	0.9	0.8	3.9	0.1	0.1	4.9	29	0.0
41481	0	0	1	0	DSu	47.1108	68.7573	25.1	711.6	407	56893.	794	0.8	0.5	4.4	0.1	0.1	5.5	22	0.0
41480	0	0	1	0	DSu	47.1108	68.7567	25.1	711.6	403	56895.	720	0.9	0.5	3.9	0.1	0.1	4.6	20	0.0
41479	0	0	1	0	DSu	47.1108	68.7561	25.1	711.5	398	56897.	790	0.9	0.7	4.4	0.1	0.1	5.3	20	0.0
41478	0	0	1	0	DSu	47.1108	68.7555	25.1	711.5	396	56897.	705	0.6	0.3	2.2	0.1	0.1	3.8	34	0.0
41477	0	0	0	0	DSu	47.1108	68.7550	25.1	711.5	399	56898.	727	0.8	1.8	3.5	2.4	0.6	4.8	24	0.0
41476	0	0	1	0	DSu	47.1108	68.7544	25.1	711.5	411	56898.	726	0.7	0.2	3.2	0.1	0.1	5.0	19	0.0
41475	0	0	1	0	DSu	47.1108	68.7538	25.1	711.5	426	56899.	683	0.6	1.0	3.6	0.1	0.1	6.1	21	0.0
41474	0	0	1	0	DSu	47.1108	68.7533	25.1	711.5	442	56899.	615	0.6	0.2	3.9	0.1	0.1	6.9	17	0.0
41473	0	0	0	0	DSu	47.1109	68.7527	25.1	711.5	452	56898.	597	0.7	1.8	1.9	2.8	1.0	3.0	35	0.0
41472	0	0	1	0	DSu	47.1109	68.7521	25.1	711.5	455	56898.	525	0.5	0.0	3.1	0.1	0.1	0.1	18	0.0
41471	0	0	1	0	DSu	47.1109	68.7515	25.1	711.5	452	56898.	585	0.5	0.4	3.1	0.1	0.1	0.1	36	0.0
41470	0	0	1	0	DSu	47.1109	68.7510	25.1	711.6	446	56896.	697	0.9	1.3	4.5	0.1	0.1	5.0	27	0.0
41469	0	0	1	0	DSu	47.1109	68.7504	25.1	711.6	439	56895.	764	0.7	0.1	3.0	0.1	0.1	4.6	28	0.0
41468	0	0	0	0	DSu	47.1109	68.7498	25.1	711.6	433	56895.	726	0.7	2.7	3.7	4.4	0.8	5.9	21	0.0
41467	0	0	1	0	DSu	47.1109	68.7492	25.1	711.6	429	56896.	768	0.9	0.5	4.3	0.1	0.1	4.9	27	0.0
41466	0	0	1	0	DSu	47.1109	68.7487	25.1	711.6	429	56896.	839	0.9	0.9	3.7	0.1	0.1	4.6	15	0.0
41465	0	0	1	0	DSu	47.1109	68.7481	25.1	711.6	430	56897.	783	1.0	0.2	3.9	0.1	0.1	3.9	21	0.0
41464	0	0	1	0	DSu	47.1109	68.7475	25.1	711.5	433	56896.	833	0.8	0.8	4.8	0.1	0.1	6.3	23	0.0
41463	0	0	1	0	DSu	47.1109	68.7469	25.1	711.5	436	56896.	893	0.9	0.6	4.2	0.1	0.1	5.2	27	0.0
41462	0	0	0	0	DSu	47.1109	68.7464	25.1	711.5	438	56897.	892	0.9	1.5	4.4	1.9	0.4	5.4	27	0.0
41461	0	0	1	0	DSu	47.1109	68.7458	25.1	711.4	438	56899.	929	1.0	1.3	5.2	0.1	0.1	5.5	22	0.0
41460	0	0	1	0	DSu	47.1109	68.7452	25.1	711.4	434	56902.	894	0.9	0.4	5.0	0.1	0.1	6.1	26	0.0
41459	0	0	1	0	DSu	47.1109	68.7446	25.1	711.3	429	56903.	832	1.0	1.0	5.3	0.1	0.1	5.7	30	0.2
41458	0	0	1	0	DSu	47.1109	68.7441	25.1	711.6	421	56904.	792	0.8	-0.3	3.0	0.1	0.1	4.2	38	0.4
41457	0	0	0	0	DSu	47.1109	68.7435	25.1	711.6	421	56904.	745	0.6	1.4	6.0	2.3	0.3	9.9	24	0.7
41456	0	0	1	0	DSu	47.1109	68.7429	25.1	711.6	419	56903.	745	0.8	0.6	3.1	0.1	0.1	4.1	18	0.9
41455	0	0	1	0	DSu	47.1109	68.7423	25.1	711.6	418	56903.	727	0.8	-0.2	3.7	0.1	0.1	5.1	26	1.2
41454	0	0	0	0	DSu	47.1109	68.7418	25.1	711.6	420	56905.	734	0.8	1.4	3.7	1.8	0.4	4.7	35	1.4
41453	0	0	0	0	DSu	47.1109	68.7412	25.1	711.6	426	56905.	681	0.8	1.3	2.9	1.8	0.5	3.9	21	1.5
41452	0	0	1	0	DSu	47.1109	68.7406	25.1	711.6	433	56905.	681	0.8	0.0	3.8	0.1	0.1	4.8	27	1.5
41451	0	0	1	0	DSu	47.1109	68.7401	25.1	711.6	437	56905.	712	0.6	0.3	4.2	0.1	0.1	6.9	21	1.6
41450	0	0	1	0	DSu	47.1110	68.7395	25.1	711.7	434	56905.	654	0.6	0.8	3.3	0.1	0.1	6.5	19	1.6
41449	0	0	1	0	DSu	47.1110	68.7389	25.1	711.7	428	56907.	557	0.6	0.8	4.0	0.1	0.1	7.9	28	1.7
41448	0	0	1	0	DSu	47.1110	68.7383	25.1	711.7	421	56907.	494	0.4	0.9	2.1	0.1	0.1	0.1	30	1.7
41447	0	0	1	0	DSu	47.1110	68.7378	25.1	711.7	416	56906.	452	0.5	-0.2	1.5	0.1	0.1	0.1	23	1.9
41446	0	0	1	0	DSu	47.1110	68.7372	25.1	711.7	414	56903.	394	0.5	0.2	2.7	0.1	0.1	0.1	18	2.0
41445	0	0	1	0	DSu	47.1110	68.7366	25.1	711.8	412	56901.	438	0.5	-0.1	3.6	0.1	0.1	0.1	23	2.0
41444	0	0	1	0	DSu	47.1110	68.7360	25.1	711.8	411	56900.	456	0.5	-0.6	3.4	0.1	0.1	0.1	26	2.3
41443	0	0	1	0	DSu	47.1110	68.7355	25.1	711.8	410	56900.	471	0.5	-0.7	2.8	0.1	0.1	0.1	24	2.5
41442	0	0	1	0	DSu	47.1110	68.7349	25.1	711.7	406	56899.	578	0.6	0.8	3.5	0.1	0.1	6.9	20	2.5
41441	0	0	1	0	DSu	47.1110	68.7343	25.1	711.7	401	56899.	648	0.5	-0.2	2.8	0.1	0.1	0.1	30	2.5

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
41440	0	0	1	0	DSu	47.1110	68.7337	25.1	711.6	397	56897.	697	0.7	1.2	4.6	0.1	0.1	6.6	20	2.5
41439	0	0	1	0	DSu	47.1110	68.7332	25.1	711.5	397	56897.	739	0.9	0.0	4.1	0.1	0.1	4.9	21	2.5
41438	0	0	1	0	DSu	47.1110	68.7326	25.1	711.3	398	56896.	805	0.9	0.1	4.5	0.1	0.1	5.1	22	2.5
41437	0	0	1	0	DSu	47.1110	68.7319	25.1	711.1	399	56895.	856	0.8	0.6	4.3	0.1	0.1	6.1	29	2.5
41436	0	0	1	0	DSu	47.1109	68.7313	25.1	710.8	400	56894.	862	1.1	0.7	5.5	0.1	0.1	5.2	15	2.5
41435	0	0	1	0	DSu	47.1109	68.7307	25.1	710.6	405	56895.	819	0.7	-0.1	4.4	0.1	0.1	6.2	23	2.5
41434	0	0	1	0	DSu	47.1109	68.7301	25.1	710.3	411	56896.	870	1.0	0.5	2.1	0.1	0.1	2.1	17	2.4
41433	0	0	0	0	DSu	47.1109	68.7295	25.1	710.0	419	56895.	876	0.7	1.5	5.8	2.3	0.3	8.7	38	2.4
41432	0	0	0	0	DSu	47.1108	68.7287	25.1	709.7	423	56895.	908	0.9	2.1	3.4	2.6	0.7	4.1	34	2.3
41431	0	0	1	0	DSu	47.1108	68.7282	25.1	709.3	428	56897.	865	0.7	0.1	4.8	0.1	0.1	6.9	17	2.3
41430	0	0	1	0	DSu	47.1108	68.7276	25.1	709.0	430	56897.	831	0.8	-0.1	6.1	0.1	0.1	8.6	27	2.3
41429	0	0	1	0	DSu	47.1108	68.7270	25.1	708.6	434	56897.	861	0.8	1.3	5.7	0.1	0.1	7.5	19	2.3
41428	0	0	1	0	DSu	47.1108	68.7264	25.1	708.3	437	56896.	900	0.8	0.1	2.8	0.1	0.1	3.7	33	2.2
41427	0	0	0	0	DSu	47.1108	68.7258	25.1	707.9	442	56895.	886	1.1	3.0	5.2	2.8	0.6	5.0	23	2.2
41426	0	0	1	0	DSu	47.1107	68.7252	25.1	707.6	447	56895.	820	0.8	0.8	4.9	0.1	0.1	6.3	31	2.1
41425	0	0	1	0	DSu	47.1107	68.7245	25.1	707.4	453	56896.	821	0.8	0.4	6.6	0.1	0.1	8.5	24	2.1
41424	0	0	1	0	DSu	47.1107	68.7239	25.1	707.2	457	56896.	812	0.9	-0.3	3.8	0.1	0.1	4.4	24	2.1
41423	0	0	1	0	DSu	47.1107	68.7233	25.1	707.0	457	56894.	839	0.9	1.4	5.0	0.1	0.1	5.8	23	2.0
41422	0	0	1	0	DSu	47.1107	68.7227	25.1	706.8	454	56894.	749	0.8	-0.1	5.4	0.1	0.1	7.5	24	2.0
41421	0	0	1	0	DSu	47.1106	68.7221	25.1	706.7	449	56895.	727	0.6	0.3	2.4	0.1	0.1	4.1	26	1.9
41420	0	0	1	0	DSu	47.1106	68.7215	25.1	706.5	441	56897.	717	0.8	0.6	3.1	0.1	0.1	3.9	22	1.9
41419	0	0	1	0	DSu	47.1106	68.7208	25.1	706.5	428	56898.	769	0.9	0.3	3.3	0.1	0.1	4.0	30	1.8
41418	0	0	1	0	DSu	47.1106	68.7202	25.1	706.5	410	56899.	782	1.0	0.8	5.3	0.1	0.1	5.5	18	1.8
41417	0	0	1	0	DSu	47.1106	68.7196	25.1	706.5	394	56900.	771	0.8	0.1	3.6	0.1	0.1	4.8	24	1.7
41416	0	0	1	0	DSu	47.1105	68.7190	25.1	706.6	383	56899.	902	1.1	1.1	4.7	0.1	0.1	4.5	17	1.7
41415	0	0	1	0	DSu	47.1105	68.7184	25.1	706.7	382	56899.	815	0.9	0.5	5.3	0.1	0.1	6.2	32	1.6
41414	0	0	1	0	DSu	47.1105	68.7178	25.2	706.8	387	56901.	806	0.8	0.6	4.6	0.1	0.1	6.1	26	1.6
41413	0	0	1	0	DSu	47.1105	68.7172	25.2	707.0	397	56901.	698	1.0	-0.1	5.8	0.1	0.1	5.9	20	1.5
41412	0	0	1	0	DSu	47.1105	68.7165	25.2	707.1	410	56900.	817	0.7	-0.2	5.6	0.1	0.1	8.1	16	1.5
41411	0	0	1	0	DSu	47.1104	68.7159	25.2	707.3	423	56900.	821	0.9	1.3	3.9	0.1	0.1	4.8	26	1.4
41410	0	0	1	0	DSu	47.1104	68.7153	25.2	707.5	439	56900.	824	0.7	0.1	5.3	0.1	0.1	8.3	23	1.3
41409	0	0	1	0	DSu	47.1104	68.7147	25.2	707.7	453	56899.	893	1.1	1.2	4.4	0.1	0.1	4.2	29	1.3
41408	0	0	1	0	DSu	47.1104	68.7141	25.2	707.8	467	56899.	803	0.6	-0.1	3.9	0.1	0.1	6.8	13	1.3
41407	0	0	1	0	DSu	47.1104	68.7135	25.2	708.0	479	56898.	748	0.7	0.5	5.4	0.1	0.1	8.4	27	1.2
41406	0	0	1	0	DSu	47.1103	68.7128	25.2	708.1	488	56898.	812	0.8	1.1	3.1	0.1	0.1	4.1	28	1.2
41405	0	0	1	0	DSu	47.1103	68.7122	25.2	708.3	495	56897.	733	0.7	-0.2	4.2	0.1	0.1	6.1	31	1.1
41404	0	0	1	0	DSu	47.1103	68.7116	25.2	708.4	497	56895.	809	0.6	0.9	5.3	0.1	0.1	9.5	15	1.1
41403	0	0	1	0	DSu	47.1103	68.7110	25.2	708.4	499	56894.	756	0.7	1.3	3.4	0.1	0.1	5.0	31	1.1
41402	0	0	1	0	DSu	47.1103	68.7104	25.3	708.6	499	56895.	781	0.6	0.1	5.3	0.1	0.1	8.9	29	0.8
41401	0	0	0	0	DSu	47.1102	68.7098	25.3	708.6	498	56895.	815	0.8	2.0	5.4	2.6	0.4	7.1	21	0.6
41400	0	0	1	0	DSu	47.1102	68.7091	25.3	708.5	494	56895.	723	0.6	0.4	3.4	0.1	0.1	5.6	36	0.4
41399	0	0	0	0	DSu	47.1102	68.7085	25.3	708.5	486	56896.	738	0.9	1.4	3.9	1.7	0.4	4.7	27	0.2
41398	0	0	1	0	DSu	47.1102	68.7079	25.3	708.5	477	56898.	734	0.9	0.8	6.1	0.1	0.1	6.9	31	0.0
41397	0	0	1	0	DSu	47.1102	68.7073	25.3	708.5	467	56898.	800	0.9	0.3	4.0	0.1	0.1	4.4	23	0.0
41396	0	0	0	0	DSu	47.1101	68.7067	25.3	708.6	456	56899.	780	0.5	1.4	3.7	0.1	0.4	0.1	23	0.0
41395	0	0	0	0	DSu	47.1101	68.7061	25.3	708.6	442	56900.	827	1.0	1.5	2.9	1.6	0.6	3.2	28	0.0
41394	0	0	0	0	DSu	47.1101	68.7055	25.3	708.6	429	56901.	845	1.0	2.1	4.6	2.3	0.5	5.0	31	0.0
41393	0	0	1	0	DSu	47.1101	68.7048	25.3	708.7	422	56902.	813	1.0	0.8	4.9	0.1	0.1	5.3	27	0.0
41392	0	0	1	0	DSu	47.1101	68.7042	25.3	708.8	418	56901.	879	1.1	1.2	3.8	0.1	0.1	3.6	28	0.0
41390	0	0	1	0	DSu	47.1100	68.7030	25.4	708.9	414	56900.	872	1.0	0.9	5.5	0.1	0.1	5.5	26	0.0

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
41389	0	0	1	0	DSu	47.1100	68.7024	25.4	709.0	408	56902.	849	0.9	1.0	3.6	0.1	0.1	4.2	27	0.0
41388	0	0	1	0	DSu	47.1100	68.7018	25.4	709.2	405	56904.	901	1.0	0.7	5.3	0.1	0.1	5.6	18	0.0
41387	0	0	1	0	DSu	47.1100	68.7011	25.4	709.3	406	56905.	904	1.1	1.2	5.1	0.1	0.1	4.7	32	0.0
41386	0	0	1	0	DSu	47.1100	68.7005	25.4	709.5	411	56906.	930	1.1	1.3	3.6	0.1	0.1	3.4	22	0.0
41385	0	0	0	0	DSu	47.1099	68.6999	25.4	709.8	418	56907.	931	1.0	2.0	6.3	2.1	0.4	6.7	23	0.0
41384	0	0	1	0	DSu	47.1099	68.6993	25.4	710.0	425	56907.	1003	1.1	-0.3	5.4	0.1	0.1	4.9	24	0.0
41383	0	0	1	U	DSu	47.1099	68.6987	25.4	710.2	427	56907.	997	1.3	0.9	5.3	0.1	0.1	4.2	33	0.0
41382	0	0	0	0	DSu	47.1099	68.6981	25.4	710.5	427	56907.	997	1.2	1.8	4.6	1.5	0.4	3.8	28	0.0
41381	U	U	1	0	DSu	47.1099	68.6975	25.4	710.7	426	56907.	957	0.9	1.0	4.7	0.1	0.1	5.2	18	0.0
41380	0	0	0	0	DSu	47.1098	68.6968	25.4	711.0	428	56907.	971	1.0	1.4	6.0	1.4	0.3	6.1	20	0.0
41379	0	0	1	0	DSu	47.1098	68.6962	25.4	711.2	431	56909.	953	1.0	0.5	5.6	0.1	0.1	5.6	28	0.0
41378	0	0	1	0	DSu	47.1098	68.6956	25.4	711.3	436	56908.	889	1.0	0.9	4.8	0.1	0.1	4.7	22	0.1
41377	0	0	1	0	DSu	47.1098	68.6950	25.4	711.5	442	56905.	868	0.9	0.3	5.5	0.1	0.1	6.8	27	0.1
41376	0	0	1	0	DSu	47.1098	68.6944	25.4	711.6	447	56903.	818	1.0	0.3	4.2	0.1	0.1	4.5	15	0.4
41375	0	0	1	0	DSu	47.1098	68.6938	25.4	711.6	452	56902.	809	1.1	0.2	4.1	0.1	0.1	3.9	20	0.6
41374	0	0	1	0	DSu	47.1098	68.6933	25.4	711.6	455	56902.	714	0.5	0.3	5.2	0.1	0.1	0.1	23	0.9
41373	0	0	1	0	DSu	47.1098	68.6927	25.4	711.6	455	56902.	722	0.9	0.7	3.8	0.1	0.1	4.6	28	1.1
41372	0	0	1	0	DSu	47.1098	68.6922	25.4	711.5	453	56901.	743	0.9	0.2	3.4	0.1	0.1	4.3	16	1.3
41371	0	0	1	0	DSu	47.1099	68.6916	25.4	711.4	450	56899.	819	0.9	1.3	3.5	0.1	0.1	4.2	23	1.5
41370	0	0	0	0	DSu	47.1099	68.6911	25.4	711.2	447	56899.	890	1.1	1.3	2.6	1.2	0.6	2.3	23	1.6
41369	0	0	1	0	DSu	47.1099	68.6905	25.4	711.0	442	56899.	940	1.0	0.6	4.8	0.1	0.1	5.2	31	1.6
41368	0	0	1	0	DSu	47.1099	68.6899	25.4	710.7	430	56900.	872	0.9	0.2	3.6	0.1	0.1	4.2	22	1.6
41367	0	0	1	0	DSu	47.1099	68.6894	25.4	710.4	413	56900.	911	0.8	0.9	4.3	0.1	0.1	5.4	29	1.7
41366	0	0	1	0	DSu	47.1100	68.6888	25.4	710.1	394	56900.	952	0.9	0.6	3.6	0.1	0.1	4.2	29	1.6
41365	0	0	0	0	DSu	47.1100	68.6883	25.4	709.8	382	56900.	892	0.7	2.7	3.4	4.0	0.8	5.0	19	1.6
41364	0	0	1	0	DSu	47.1100	68.6877	25.4	709.4	378	56900.	907	1.0	1.0	2.6	0.1	0.1	2.8	29	1.6
41363	0	0	1	0	DSu	47.1100	68.6872	25.4	709.0	380	56898.	856	0.9	0.2	5.5	0.1	0.1	6.1	34	1.7
41362	0	0	1	0	DSu	47.1100	68.6866	25.4	708.7	384	56898.	903	1.1	-0.1	5.9	0.1	0.1	5.5	24	1.7
41361	0	0	1	0	DSu	47.1101	68.6861	25.4	708.3	388	56898.	941	1.3	0.5	4.8	0.1	0.1	3.9	25	1.8
41360	0	0	1	0	DSu	47.1101	68.6855	25.4	707.9	387	56899.	830	0.9	0.3	2.8	0.1	0.1	3.1	21	1.8
41359	0	0	1	0	DSu	47.1101	68.6850	25.4	707.6	383	56901.	879	1.0	0.6	5.8	0.1	0.1	6.1	22	1.8
41358	0	0	0	0	DSu	47.1101	68.6844	25.4	707.3	376	56903.	879	1.0	1.4	4.5	1.5	0.3	4.8	32	1.8
41357	0	0	1	0	DSu	47.1101	68.6839	25.4	707.1	371	56904.	850	0.9	0.8	4.7	0.1	0.1	5.6	32	1.8
41356	0	0	1	0	DSu	47.1101	68.6833	25.4	707.0	371	56903.	864	1.0	0.9	3.8	0.1	0.1	3.9	21	1.8
41355	0	0	0	0	DSu	47.1102	68.6827	25.4	706.8	375	56902.	840	0.8	1.6	2.5	2.0	0.7	3.2	38	1.8
41354	0	0	1	0	DSu	47.1102	68.6822	25.4	706.7	382	56903.	906	1.1	-0.1	4.7	0.1	0.1	4.5	31	1.8
41353	0	0	1	0	DSu	47.1102	68.6816	25.4	706.7	389	56903.	799	1.0	-0.2	3.4	0.1	0.1	3.6	20	1.9
41352	0	0	1	0	DSu	47.1102	68.6811	25.4	706.6	394	56903.	919	0.9	0.7	5.6	0.1	0.1	6.5	26	1.9
41351	0	0	0	0	DSu	47.1102	68.6805	25.4	706.6	401	56903.	877	0.9	2.0	3.2	2.5	0.7	4.0	32	1.8
41350	0	0	1	0	DSu	47.1103	68.6800	25.4	706.7	408	56904.	927	0.9	0.7	4.2	0.1	0.1	4.8	20	1.8
41349	0	0	1	0	DSu	47.1103	68.6794	25.4	706.8	417	56904.	875	1.2	-0.2	4.2	0.1	0.1	3.5	27	1.7
41348	0	0	0	0	DSu	47.1103	68.6789	25.4	706.9	425	56904.	898	1.0	1.3	4.3	1.4	0.3	4.5	30	1.7
41347	0	0	1	0	DSu	47.1103	68.6783	25.4	707.0	433	56904.	907	0.8	1.1	3.9	0.1	0.1	5.5	29	1.7
41346	0	0	1	0	DSu	47.1103	68.6778	25.4	707.2	440	56904.	872	1.3	0.7	3.2	0.1	0.1	2.5	24	1.7
41345	0	0	1	0	DSu	47.1104	68.6772	25.6	709.2	452	56905.	846	0.8	1.1	5.5	0.1	0.1	7.7	39	1.6
41344	0	0	1	0	DSu	47.1104	68.6767	25.6	709.1	455	56905.	802	0.9	0.6	3.2	0.1	0.1	3.8	20	1.6
41343	0	0	1	0	DSu	47.1104	68.6761	25.6	709.1	458	56905.	851	1.0	1.0	3.8	0.1	0.1	4.2	29	1.6
41342	0	0	1	0	DSu	47.1104	68.6756	25.6	709.1	463	56905.	908	0.9	1.3	3.2	0.1	0.1	3.7	27	1.6
41341	0	0	1	0	DSu	47.1104	68.6750	25.6	709.1	465	56905.	853	0.8	-0.2	4.3	0.1	0.1	5.5	23	1.6
41340	0	0	0	0	DSu	47.1105	68.6744	25.6	709.2	463	56905.	829	0.8	1.6	4.5	2.1	0.4	6.1	24	1.6

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COC	SI
												CPS	%	PPM	PPM				CPS	CPS
41339	0	0	1	0	DSu	47.1105	68.6739	25.6	709.3	454	56905.	800	0.8	0.8	5.1	0.1	0.1	6.5	26	1.7
41338	0	0	1	0	DSu	47.1105	68.6733	25.6	709.4	438	56906.	783	0.7	1.3	5.0	0.1	0.1	7.9	17	1.6
41337	0	0	0	0	DSu	47.1105	68.6728	25.6	709.5	423	56907.	856	1.0	1.5	3.8	1.6	0.4	4.1	17	1.5
41336	0	0	1	0	DSu	47.1105	68.6722	25.6	709.6	411	56907.	796	0.5	0.7	3.9	0.1	0.1	0.1	20	1.5
41335	0	0	0	0	DSu	47.1106	68.6717	25.7	709.8	401	56907.	821	0.8	2.0	2.6	2.7	0.8	3.6	25	1.4
41334	0	0	1	0	DSu	47.1106	68.6711	25.7	709.9	393	56907.	838	0.9	0.2	4.9	0.1	0.1	6.0	20	1.4
41333	0	0	1	0	DSu	47.1106	68.6706	25.7	710.1	383	56906.	852	0.9	0.2	6.7	0.1	0.1	7.5	20	1.4
41332	0	0	1	0	DSu	47.1106	68.6700	25.7	710.4	374	56905.	790	0.9	0.2	1.9	0.1	0.1	2.2	16	1.4
41331	0	0	1	0	DSu	47.1106	68.6695	25.7	710.6	367	56905.	885	1.0	0.3	5.8	0.1	0.1	6.4	25	1.3
41330	0	0	0	0	DSu	47.1106	68.6689	25.7	710.9	367	56906.	872	0.7	2.4	4.9	3.6	0.5	7.4	18	1.3
41329	0	0	1	0	DSu	47.1107	68.6684	25.7	711.1	373	56907.	850	0.8	0.7	6.1	0.1	0.1	8.4	26	1.2
41328	0	0	1	0	DSu	47.1107	68.6678	25.7	711.4	387	56908.	874	0.8	0.3	4.5	0.1	0.1	5.6	25	1.2
41327	0	0	1	0	DSu	47.1107	68.6673	25.7	711.7	404	56908.	894	0.9	0.7	3.6	0.1	0.1	4.1	26	1.2
41326	0	0	0	0	DSu	47.1107	68.6667	25.7	711.9	419	56908.	888	0.9	1.5	4.0	1.7	0.4	4.6	27	1.1
41325	0	0	1	0	DSu	47.1107	68.6661	25.7	712.2	426	56908.	895	0.8	0.7	5.2	0.1	0.1	7.1	29	1.1
41324	0	0	0	0	DSu	47.1108	68.6656	25.7	712.4	425	56909.	915	0.7	1.7	3.9	2.6	0.5	6.1	23	1.1
41323	0	0	1	0	DSu	47.1108	68.6650	25.7	712.6	422	56908.	900	1.2	0.3	3.3	0.1	0.1	2.8	26	1.0
41322	0	0	1	0	DSu	47.1108	68.6645	25.7	712.8	420	56907.	921	0.7	0.3	5.8	0.1	0.1	9.1	15	1.0
41321	0	0	1	0	DSu	47.1108	68.6639	25.7	712.9	420	56906.	880	0.6	0.9	5.5	0.1	0.1	9.1	31	1.0
41320	0	0	1	0	DSu	47.1108	68.6634	25.7	713.1	429	56905.	838	0.8	0.5	4.8	0.1	0.1	6.0	17	1.0
41319	0	0	1	0	DSu	47.1108	68.6628	25.7	713.2	436	56906.	835	0.8	0.7	5.3	0.1	0.1	6.8	19	1.0
41318	0	0	1	0	DSu	47.1108	68.6622	25.7	713.3	436	56906.	771	0.8	0.0	5.2	0.1	0.1	6.6	21	1.0
41317	0	0	1	0	DSu	47.1108	68.6616	25.7	713.4	427	56907.	746	0.8	1.3	4.4	0.1	0.1	5.8	24	1.0
41316	0	0	0	0	DSu	47.1108	68.6611	25.7	713.4	419	56906.	808	0.6	1.3	4.2	2.5	0.4	7.7	34	1.0
41315	0	0	1	0	DSu	47.1108	68.6605	25.7	713.4	417	56906.	860	1.2	0.4	2.4	0.1	0.1	2.0	19	0.9
41314	0	0	0	0	DSu	47.1108	68.6599	25.7	713.4	415	56905.	885	1.1	1.3	4.7	1.2	0.3	4.5	30	0.9
41313	0	0	1	0	DSu	47.1108	68.6593	25.7	713.3	412	56904.	893	0.9	0.0	3.1	0.1	0.1	3.4	25	0.9
41312	0	0	1	0	DSu	47.1108	68.6587	25.7	713.2	417	56903.	911	1.2	-0.2	6.0	0.1	0.1	5.2	27	1.0
41311	0	0	1	0	DSu	47.1108	68.6582	25.7	713.0	421	56904.	887	1.0	0.4	5.9	0.1	0.1	6.4	30	1.0
41310	0	0	1	0	DSu	47.1108	68.6576	25.7	712.8	425	56904.	881	0.9	1.3	5.9	0.1	0.1	6.9	20	1.0
41309	0	0	1	0	DSu	47.1108	68.6570	25.7	712.6	421	56904.	891	0.9	0.9	3.8	0.1	0.1	4.5	23	1.0
41308	0	0	0	0	DSu	47.1108	68.6564	25.7	712.3	421	56902.	872	1.1	1.6	3.3	1.6	0.5	3.2	30	0.9
41307	0	0	1	0	DSu	47.1108	68.6559	25.7	712.1	426	56901.	907	1.0	0.7	2.8	0.1	0.1	2.9	33	0.9
41306	0	0	1	0	DSu	47.1108	68.6553	25.7	711.8	436	56901.	930	1.2	-0.2	2.3	0.1	0.1	2.0	29	1.0
41305	0	0	1	0	DSu	47.1108	68.6547	25.7	711.4	440	56900.	957	1.1	0.4	6.7	0.1	0.1	6.6	33	1.0
41304	0	0	1	0	DSu	47.1108	68.6541	25.7	711.1	444	56900.	911	0.8	0.9	5.3	0.1	0.1	6.6	18	1.0
41303	0	0	0	0	DSu	47.1108	68.6535	25.7	710.7	448	56901.	989	1.0	2.2	5.3	2.3	0.5	5.6	24	1.0
41302	0	0	1	0	DSu	47.1108	68.6530	25.7	710.3	458	56901.	951	1.0	0.3	5.1	0.1	0.1	5.2	27	1.0
41301	0	0	0	0	DSu	47.1108	68.6524	25.7	709.9	472	56900.	1073	0.9	1.9	5.1	2.2	0.4	5.8	20	1.0
41300	0	0	0	0	DSu	47.1108	68.6518	25.7	709.5	483	56900.	1093	1.3	2.3	5.2	1.8	0.5	4.2	20	1.0
41299	0	0	1	0	DSu	47.1108	68.6512	25.7	709.1	490	56900.	1043	1.3	1.4	5.2	0.1	0.1	4.1	22	1.0
41298	0	0	1	0	DSu	47.1108	68.6507	25.7	708.8	492	56900.	970	1.0	0.1	4.9	0.1	0.1	5.4	17	1.0
41297	0	0	1	0	DSu	47.1108	68.6501	25.7	708.4	489	56901.	930	1.1	0.9	4.0	0.1	0.1	3.9	35	1.0
41296	0	0	1	0	DSu	47.1108	68.6495	25.7	708.0	484	56902.	914	1.0	0.9	7.0	0.1	0.1	7.6	23	1.0
41294	0	0	1	0	DSu	47.1107	68.6483	25.7	707.7	474	56903.	860	0.8	0.3	4.2	0.1	0.1	5.4	18	1.0
41293	0	0	1	0	DSu	47.1107	68.6478	25.7	707.3	464	56905.	883	1.1	0.6	3.8	0.1	0.1	3.5	32	1.0
41292	0	0	1	0	DSu	47.1107	68.6472	25.7	707.1	455	56906.	874	1.1	0.0	6.5	0.1	0.1	6.4	22	1.0
41291	0	0	1	0	DSu	47.1107	68.6466	25.7	706.8	446	56905.	856	0.9	0.0	5.2	0.1	0.1	6.2	30	1.0
41290	0	0	1	0	DSu	47.1107	68.6460	25.8	706.6	442	56904.	832	0.9	0.8	3.3	0.1	0.1	4.1	34	1.1
41289	0	0	1	0	DSu	47.1107	68.6454	25.8	706.4	442	56904.	839	0.7	0.9	4.8	0.1	0.1	7.3	20	1.1

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
41288	0	0	1	0	DSu	47.1107	68.6449	26.1	706.8	451	56903.	903	1.0	1.4	3.7	0.1	0.1	4.0	30	1.0
41287	0	0	1	0	DSu	47.1107	68.6443	26.1	706.7	455	56903.	877	1.0	-0.1	5.8	0.1	0.1	5.7	25	1.0
41286	0	0	1	0	DSu	47.1107	68.6437	26.1	706.6	461	56903.	887	1.1	-0.2	6.2	0.1	0.1	5.8	33	1.0
41285	0	0	1	0	DSu	47.1107	68.6431	26.1	706.6	471	56904.	821	0.8	0.2	4.1	0.1	0.1	5.4	31	1.0
41284	0	0	1	0	DSu	47.1107	68.6425	26.1	706.7	478	56905.	884	1.1	0.9	6.7	0.1	0.1	6.2	18	1.0
41283	0	0	1	0	DSu	47.1107	68.6420	26.1	706.7	481	56905.	858	1.1	0.2	5.0	0.1	0.1	4.5	13	1.1
41282	0	0	1	0	DSu	47.1107	68.6414	26.1	706.8	481	56903.	780	1.0	0.8	3.5	0.1	0.1	3.7	30	1.1
41281	0	0	0	0	DSu	47.1107	68.6408	26.1	706.9	479	56901.	847	0.7	1.7	5.8	2.5	0.3	8.5	32	1.1
41280	0	0	1	0	DSu	47.1107	68.6402	26.1	707.0	475	56901.	818	0.9	1.1	5.4	0.1	0.1	6.2	27	1.1
41279	0	0	1	0	DSu	47.1107	68.6397	26.1	707.1	472	56901.	891	1.1	0.6	4.4	0.1	0.1	4.1	26	1.1
41278	0	0	1	0	DSu	47.1107	68.6391	26.1	707.3	470	56901.	890	1.1	-0.1	5.7	0.1	0.1	5.2	19	1.1
41277	0	0	0	0	DSu	47.1107	68.6385	26.1	707.4	468	56904.	907	1.3	1.4	2.8	1.1	0.6	2.2	31	1.1
41276	0	0	1	0	DSu	47.1107	68.6379	26.1	707.6	464	56906.	855	1.0	-0.1	4.3	0.1	0.1	4.3	27	1.1
41275	0	0	0	0	DSu	47.1107	68.6374	26.1	707.9	453	56905.	946	1.0	1.6	6.1	1.6	0.3	6.3	14	1.1
41274	0	0	1	0	DSu	47.1107	68.6368	26.1	708.3	437	56905.	965	0.9	1.0	4.0	0.1	0.1	4.5	28	1.1
41273	0	0	1	0	DSu	47.1107	68.6362	26.1	708.7	421	56905.	921	1.3	1.2	4.2	0.1	0.1	3.4	22	1.1
41272	0	0	1	0	DSu	47.1107	68.6356	26.1	709.1	412	56904.	934	1.1	1.0	3.2	0.1	0.1	3.0	30	1.1
41271	0	0	0	0	DSu	47.1107	68.6350	26.1	709.5	410	56904.	976	1.2	1.4	2.8	1.2	0.5	2.4	18	1.1
41270	0	0	1	0	DSu	47.1107	68.6344	26.1	709.9	410	56906.	965	1.1	1.1	4.7	0.1	0.1	4.7	27	1.0
41269	0	0	0	0	DSu	47.1107	68.6339	26.1	710.4	408	56906.	1014	1.1	1.8	5.2	1.7	0.4	4.9	28	1.0
41268	0	0	1	0	DSu	47.1107	68.6333	26.1	710.8	402	56907.	1019	0.8	-0.1	6.3	0.1	0.1	7.9	24	1.0
41267	0	0	1	0	DSu	47.1106	68.6327	26.2	711.3	395	56906.	973	0.8	0.9	4.0	0.1	0.1	5.1	27	1.0
41266	0	0	1	0	DSu	47.1106	68.6321	26.2	711.7	397	56905.	953	1.0	0.5	5.2	0.1	0.1	5.3	30	1.0
41265	0	0	0	0	DSu	47.1106	68.6316	26.2	712.2	407	56904.	979	0.9	1.7	6.5	2.0	0.3	7.9	25	1.0
41264	0	0	1	0	DSu	47.1106	68.6310	26.2	712.6	426	56904.	952	1.2	1.1	2.1	0.1	0.1	1.8	26	1.0
41263	0	0	0	0	DSu	47.1106	68.6304	26.2	713.0	440	56906.	884	0.9	2.8	4.6	3.2	0.6	5.3	29	1.0
41262	0	0	0	0	DSu	47.1106	68.6298	26.2	713.4	459	56908.	967	1.1	2.7	2.9	2.6	1.0	2.8	31	1.0
41261	0	0	1	0	DSu	47.1106	68.6292	26.2	713.8	471	56906.	941	1.0	0.7	4.7	0.1	0.1	5.0	31	0.9
41260	0	0	0	0	DSu	47.1106	68.6287	26.2	714.1	481	56904.	930	1.1	1.7	5.5	1.5	0.3	5.0	33	0.9
41259	0	0	1	0	DSu	47.1106	68.6281	26.2	714.4	482	56904.	815	1.0	0.1	5.1	0.1	0.1	5.5	26	1.0
41258	0	0	1	0	DSu	47.1106	68.6275	26.2	714.7	483	56904.	714	0.8	-0.3	2.7	0.1	0.1	3.5	22	1.0
41257	0	0	0	0	DSu	47.1106	68.6269	26.2	715.0	481	56903.	733	0.9	1.9	3.6	2.4	0.6	4.5	21	1.0
41256	0	0	1	0	DSu	47.1106	68.6264	26.2	715.2	477	56903.	576	0.6	0.4	2.8	0.1	0.1	4.9	26	1.0
41255	0	0	1	0	DSu	47.1106	68.6258	26.2	715.5	472	56903.	643	0.7	-0.5	2.9	0.1	0.1	4.2	29	1.1
41254	0	0	1	0	DSu	47.1106	68.6252	26.2	715.6	469	56902.	638	0.8	-0.3	5.0	0.1	0.1	6.4	30	1.1
41253	0	0	1	0	DSu	47.1106	68.6246	26.2	715.8	465	56901.	687	0.6	-0.1	3.7	0.1	0.1	6.8	32	1.1
41252	0	0	0	0	DSu	47.1105	68.6240	26.2	715.9	459	56901.	648	0.7	1.5	1.8	2.4	0.9	2.9	23	1.1
41251	0	0	1	0	DSu	47.1105	68.6235	26.2	716.0	447	56901.	713	0.7	1.2	3.5	0.1	0.1	5.3	21	1.2
41250	0	0	1	0	DSu	47.1105	68.6229	26.2	716.1	430	56903.	713	0.7	1.1	3.2	0.1	0.1	4.9	23	1.2
41249	0	0	1	0	DSu	47.1105	68.6223	26.2	716.2	411	56903.	859	0.6	0.8	2.8	0.1	0.1	5.0	32	1.2
41248	0	0	1	0	DSu	47.1105	68.6217	26.2	716.3	395	56903.	842	0.8	0.4	5.0	0.1	0.1	6.7	19	1.2
41247	0	0	1	0	DSu	47.1105	68.6211	26.2	716.3	383	56903.	865	0.9	0.7	4.8	0.1	0.1	5.4	22	1.2
41246	0	0	1	0	DSu	47.1104	68.6206	26.2	716.4	378	56902.	839	1.0	0.5	3.3	0.1	0.1	3.4	25	1.3
41245	0	0	1	0	DSu	47.1104	68.6200	26.2	716.5	381	56902.	922	1.0	0.8	7.0	0.1	0.1	7.2	34	1.3
41244	0	0	1	0	DSu	47.1104	68.6194	26.2	716.5	393	56905.	904	1.1	0.5	3.9	0.1	0.1	3.8	21	1.4
41243	0	0	1	0	DSu	47.1104	68.6188	26.2	716.5	410	56906.	853	0.9	-0.2	5.2	0.1	0.1	6.4	20	1.4
41242	0	0	1	0	DSu	47.1104	68.6182	26.2	716.6	433	56905.	764	0.6	1.2	2.6	0.1	0.1	4.4	31	1.4
41241	0	0	1	0	DSu	47.1104	68.6177	26.2	716.7	456	56903.	680	0.7	0.4	2.2	0.1	0.1	3.5	25	1.5
41240	0	0	1	0	DSu	47.1103	68.6171	26.2	716.7	473	56903.	630	0.7	-0.3	2.3	0.1	0.1	3.3	19	1.5
41239	0	0	1	0	DSu	47.1103	68.6165	26.2	716.7	484	56903.	616	0.7	0.5	3.3	0.1	0.1	4.7	31	1.6

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
41238	0	0	1	0	DSu	47.1103	68.6159	26.3	716.8	488	56904.	695	0.7	0.5	4.2	0.1	0.1	6.0	23	1.6
41237	0	0	1	0	DSu	47.1103	68.6153	26.3	716.8	487	56905.	773	0.4	1.4	4.1	0.1	0.1	0.1	19	1.7
41236	0	0	1	0	DSu	47.1103	68.6148	26.3	716.8	481	56907.	786	0.8	0.7	4.6	0.1	0.1	5.7	25	1.7
41235	0	0	1	0	DSu	47.1102	68.6142	26.3	716.8	473	56908.	788	1.0	-0.2	3.4	0.1	0.1	3.4	23	1.7
41234	0	0	1	0	DSu	47.1102	68.6136	26.3	716.8	463	56908.	865	1.3	-0.7	5.5	0.1	0.1	4.6	29	1.7
41233	0	0	1	0	DSu	47.1102	68.6130	26.3	716.8	453	56904.	873	1.2	-0.4	4.1	0.1	0.1	3.4	19	1.7
41232	0	0	1	0	DSu	47.1102	68.6124	26.4	716.8	427	56900.	867	0.8	0.3	5.7	0.1	0.1	7.7	33	1.7
41231	0	0	1	0	DSu	47.1102	68.6119	26.4	716.8	421	56901.	956	1.1	0.8	7.4	0.1	0.1	7.2	22	1.6
41230	0	0	0	0	DSu	47.1102	68.6113	26.4	716.7	413	56905.	972	0.7	2.9	4.9	4.2	0.6	7.1	25	1.5
41229	0	0	1	0	DSu	47.1101	68.6107	26.4	716.7	400	56907.	998	0.9	0.8	5.2	0.1	0.1	6.2	20	1.4
41228	0	0	1	0	DSu	47.1101	68.6101	26.4	716.7	388	56908.	973	1.0	1.0	3.3	0.1	0.1	3.4	21	1.3
41227	0	0	0	0	DSu	47.1101	68.6096	26.4	716.7	380	56908.	962	1.1	1.3	6.2	1.3	0.3	6.0	22	1.3
41226	0	0	0	0	DSu	47.1101	68.6090	26.4	716.8	382	56908.	1019	1.1	1.2	4.9	1.2	0.3	4.5	28	1.3
41225	0	0	1	0	DSu	47.1101	68.6084	26.4	716.8	396	56908.	967	1.0	1.1	4.8	0.1	0.1	5.0	33	1.2
41224	0	0	1	0	DSu	47.1101	68.6078	26.4	716.9	416	56909.	960	0.9	0.6	5.2	0.1	0.1	6.3	32	1.2
41223	0	0	1	0	DSu	47.1100	68.6072	26.4	716.9	434	56909.	875	0.9	1.4	4.4	0.1	0.1	5.0	23	1.2
41222	0	0	1	0	DSu	47.1100	68.6067	26.4	717.0	447	56907.	1073	1.2	0.7	7.0	0.1	0.1	6.0	20	1.2
41221	0	0	1	0	DSu	47.1100	68.6061	26.4	717.0	456	56906.	930	1.1	0.1	6.2	0.1	0.1	5.9	18	1.1
41220	0	0	1	0	DSu	47.1100	68.6055	26.4	717.1	464	56905.	965	1.0	0.5	5.2	0.1	0.1	5.4	19	1.1
41219	0	0	1	0	DSu	47.1100	68.6049	26.4	717.2	474	56906.	878	1.0	0.0	4.8	0.1	0.1	4.9	26	1.0
41218	0	0	1	0	DSu	47.1099	68.6043	26.4	717.3	484	56906.	935	1.3	-0.2	4.8	0.1	0.1	3.7	31	1.0
41217	0	0	1	0	DSu	47.1099	68.6038	26.4	717.4	491	56905.	905	1.1	0.1	7.0	0.1	0.1	6.7	34	0.9
41216	0	0	1	0	DSu	47.1099	68.6032	26.4	717.5	495	56905.	880	0.9	1.3	4.9	0.1	0.1	5.4	21	0.8
41215	0	0	0	0	DSu	47.1099	68.6026	26.4	717.7	492	56905.	965	0.9	1.6	4.4	1.9	0.4	5.1	22	0.7
41214	0	0	0	0	DSu	47.1099	68.6020	26.4	717.8	483	56905.	963	0.7	2.2	5.6	3.3	0.4	8.4	25	0.6
41213	0	0	1	0	DSu	47.1098	68.6014	26.4	718.0	464	56908.	1028	1.0	1.2	6.3	0.1	0.1	6.3	21	0.5
41212	0	0	1	0	DSu	47.1098	68.6009	26.4	718.1	445	56909.	1069	1.1	1.0	6.3	0.1	0.1	5.9	24	0.5
41211	0	0	1	0	DSu	47.1098	68.6003	26.4	718.3	427	56907.	983	1.1	-0.8	4.4	0.1	0.1	4.0	18	0.4
41210	0	0	0	0	DSu	47.1098	68.5997	26.4	718.4	417	56906.	1070	1.0	1.7	6.7	1.7	0.3	6.8	32	0.3
41209	0	0	1	0	DSu	47.1098	68.5991	26.4	718.6	410	56908.	1095	0.8	0.2	7.1	0.1	0.1	10.0	22	0.2
41208	0	0	1	0	DSu	47.1098	68.5985	26.4	718.8	403	56909.	1219	1.2	1.1	6.0	0.1	0.1	5.0	17	0.1
41207	0	0	1	0	DSu	47.1097	68.5980	26.4	718.9	397	56910.	1174	1.2	0.2	8.0	0.1	0.1	7.0	27	0.0
41206	0	0	1	0	DSu	47.1097	68.5974	26.4	719.1	392	56910.	1090	1.3	0.2	5.9	0.1	0.1	4.6	17	0.0
41205	0	0	1	0	DSu	47.1097	68.5968	26.4	719.3	390	56908.	1126	1.5	-0.5	6.8	0.1	0.1	4.7	27	0.0
41204	0	0	1	0	DSu	47.1097	68.5962	26.4	719.5	390	56907.	1164	1.3	1.3	8.5	0.1	0.1	6.7	20	0.0
41203	0	0	0	0	DSu	47.1097	68.5956	26.4	719.7	394	56907.	1160	1.2	2.5	6.6	2.1	0.4	5.7	23	0.0
41202	0	0	1	0	DSu	47.1096	68.5951	26.4	719.8	401	56907.	1170	1.2	0.5	6.0	0.1	0.1	5.0	34	0.0
41201	0	0	1	0	DSu	47.1096	68.5945	26.4	720.0	414	56908.	1269	1.5	1.1	7.7	0.1	0.1	5.2	22	0.0
41199	0	0	0	0	DSu	47.1096	68.5933	26.4	720.2	429	56909.	1263	1.4	2.3	7.0	1.7	0.4	5.2	28	0.0
41198	0	0	0	0	DSu	47.1096	68.5928	26.4	720.4	444	56909.	1277	1.4	2.0	5.1	1.5	0.4	3.7	17	0.0
41197	0	0	1	0	DSu	47.1096	68.5922	26.4	720.5	455	56908.	1226	1.4	0.8	6.1	0.1	0.1	4.5	30	0.0
41196	0	0	1	0	DSu	47.1095	68.5916	26.4	720.7	459	56907.	1136	1.1	0.3	8.4	0.1	0.1	7.8	31	0.0
41195	0	0	1	0	DSu	47.1095	68.5910	26.4	720.9	458	56908.	1056	1.2	0.9	5.9	0.1	0.1	5.1	22	0.0
41194	0	0	0	0	DSu	47.1095	68.5904	26.4	721.1	454	56908.	936	0.8	3.8	4.3	5.0	0.9	5.6	27	0.0
41193	0	0	0	0	DSu	47.1095	68.5899	26.4	721.2	447	56908.	887	0.7	2.4	4.2	3.8	0.6	6.6	23	0.0
41192	0	0	1	0	DSu	47.1095	68.5893	26.4	721.4	439	56908.	712	0.7	0.9	4.9	0.1	0.1	7.8	29	0.0
41191	0	0	0	0	DSu	47.1094	68.5887	26.4	721.5	432	56907.	727	0.5	1.8	3.5	0.1	0.5	0.1	23	0.0
41190	0	0	1	0	DSu	47.1094	68.5881	26.4	721.7	429	56906.	714	0.8	1.1	3.9	0.1	0.1	5.0	25	0.0
41189	0	0	1	0	DSu	47.1094	68.5875	26.4	721.8	424	56906.	745	0.8	1.2	2.8	0.1	0.1	3.6	21	0.0
41188	0	0	1	0	DSu	47.1094	68.5870	26.4	721.9	419	56905.	714	0.7	0.8	4.0	0.1	0.1	5.8	22	0.0

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
41187	0	0	1	0	DSu	47.1094	68.5864	26.4	722.0	416	56904.	709	0.8	1.1	2.3	0.1	0.1	3.2	24	0.0
41186	0	0	1	0	DSu	47.1094	68.5858	26.4	722.1	418	56904.	735	0.6	0.1	5.3	0.1	0.1	9.7	22	0.0
41185	0	0	1	0	DSu	47.1093	68.5852	26.4	722.1	430	56905.	660	0.8	1.1	4.9	0.1	0.1	6.2	15	0.0
41184	0	0	1	0	DSu	47.1093	68.5846	26.4	722.2	443	56907.	654	0.7	0.8	2.9	0.1	0.1	4.4	24	0.0
41183	0	0	0	0	DSu	47.1093	68.5841	26.4	722.2	453	56907.	702	0.7	1.5	4.3	2.3	0.4	6.6	25	0.0
41182	0	0	1	0	DSu	47.1093	68.5835	26.4	722.2	455	56906.	925	0.8	1.0	4.2	0.1	0.1	5.3	17	0.0
41181	0	0	1	0	DSu	47.1093	68.5830	26.4	722.2	456	56907.	905	1.1	0.9	3.2	0.1	0.1	3.0	26	0.0
41180	0	0	1	0	DSu	47.1093	68.5825	26.4	722.2	456	56908.	875	0.9	0.1	4.6	0.1	0.1	5.6	23	0.0
41179	0	0	0	0	DSu	47.1094	68.5819	26.4	722.1	455	56907.	1015	0.8	3.0	6.1	4.3	0.5	8.6	20	0.0
41178	0	0	0	0	DSu	47.1094	68.5814	26.4	722.1	448	56908.	999	0.9	2.6	5.6	3.0	0.5	6.4	19	0.0
41177	0	0	0	0	DSu	47.1094	68.5808	26.4	722.1	437	56909.	1000	1.2	1.9	3.5	1.6	0.6	3.0	19	0.0
41176	0	0	0	0	DSu	47.1094	68.5803	26.4	722.0	427	56910.	942	0.9	1.8	6.0	2.1	0.3	6.8	21	0.0
41175	0	0	1	0	DSu	47.1094	68.5797	26.2	721.7	424	56910.	900	1.0	1.0	3.7	0.1	0.1	4.1	26	0.0
41174	0	0	0	0	DSu	47.1094	68.5792	26.2	721.7	424	56910.	942	1.3	1.5	5.5	1.2	0.3	4.4	18	0.0
41173	0	0	1	0	DSu	47.1094	68.5786	26.2	721.7	425	56910.	833	1.0	-0.1	5.0	0.1	0.1	5.1	19	0.0
41172	0	0	1	0	DSu	47.1094	68.5781	26.2	721.7	424	56909.	753	0.9	-0.5	2.8	0.1	0.1	3.1	29	0.0
41171	0	0	1	0	DSu	47.1094	68.5775	26.2	721.7	426	56907.	735	0.9	0.7	3.7	0.1	0.1	4.1	25	0.0
41170	0	0	1	0	DSu	47.1094	68.5770	26.2	721.7	430	56905.	653	0.5	0.5	3.6	0.1	0.1	0.1	25	0.0
41169	0	0	1	0	DSu	47.1094	68.5764	26.2	721.7	442	56906.	553	0.5	-0.1	2.0	0.1	0.1	0.1	24	0.0
41168	0	0	0	0	DSu	47.1094	68.5759	26.2	721.7	451	56907.	490	0.6	1.9	2.6	3.4	0.8	4.8	26	0.0
41167	0	0	1	0	DSu	47.1094	68.5753	26.2	721.7	458	56908.	498	0.6	0.2	2.9	0.1	0.1	5.3	19	0.0
41166	0	0	1	0	DSu	47.1094	68.5748	26.2	721.7	455	56908.	429	0.4	0.2	3.1	0.1	0.1	0.1	17	0.0
41165	0	0	1	1	DSu	47.1094	68.5742	26.2	721.7	446	56907.	460	0.5	0.6	1.3	0.1	0.1	0.1	27	0.0
41164	0	0	1	0	DSu	47.1095	68.5737	26.2	721.7	432	56906.	532	0.5	0.0	2.8	0.1	0.1	0.1	38	0.0
41163	0	0	0	0	DSu	47.1095	68.5732	26.2	721.7	417	56907.	679	0.7	2.8	4.0	4.3	0.7	6.3	28	0.0
41162	0	0	1	0	DSu	47.1095	68.5726	26.2	721.7	403	56906.	767	0.7	0.1	4.2	0.1	0.1	6.1	21	0.0
41161	0	0	1	0	DSu	47.1095	68.5721	26.2	721.7	397	56906.	930	1.0	0.8	5.0	0.1	0.1	5.4	30	0.0
41160	0	0	1	0	DSu	47.1095	68.5715	26.2	721.7	390	56906.	877	0.8	-0.5	6.4	0.1	0.1	8.2	22	0.0
41159	0	0	1	0	DSu	47.1095	68.5710	26.2	721.6	386	56906.	953	1.1	1.1	4.2	0.1	0.1	4.0	24	0.0
41158	0	0	0	0	DSu	47.1095	68.5704	26.2	721.6	380	56906.	873	0.7	1.1	5.0	1.7	0.3	7.6	20	0.0
41157	0	0	1	0	DSu	47.1095	68.5699	26.2	721.6	380	56906.	797	0.8	0.2	4.6	0.1	0.1	5.9	17	0.0
41156	0	0	1	0	DSu	47.1095	68.5693	26.2	721.5	382	56907.	884	1.0	0.3	5.2	0.1	0.1	5.6	20	0.0
41155	0	0	1	0	DSu	47.1095	68.5688	26.2	721.5	385	56907.	923	0.8	0.8	6.1	0.1	0.1	8.6	15	0.0
41154	0	0	1	0	DSu	47.1095	68.5682	26.2	721.4	385	56906.	793	0.8	0.1	3.9	0.1	0.1	5.0	23	0.0
41153	0	0	1	0	DSu	47.1095	68.5677	26.2	721.3	385	56907.	836	1.0	0.2	4.8	0.1	0.1	4.8	26	0.1
41152	0	0	1	0	DSu	47.1095	68.5671	26.2	721.3	387	56906.	718	0.8	0.1	4.4	0.1	0.1	5.6	19	0.3
41151	0	0	0	0	DSu	47.1095	68.5666	26.2	721.2	389	56906.	640	0.5	1.2	2.2	0.1	0.6	0.1	27	0.5
41150	0	0	1	0	DSu	47.1096	68.5660	26.2	721.1	391	56906.	590	0.6	0.9	2.3	0.1	0.1	4.2	20	0.7
41149	0	0	1	0	DSu	47.1096	68.5655	26.2	721.0	392	56906.	589	0.6	0.9	1.9	0.1	0.1	3.5	32	0.8
41148	0	0	1	0	DSu	47.1096	68.5650	26.2	720.8	393	56906.	604	0.6	0.7	2.1	0.1	0.1	4.1	21	1.0
41147	0	0	0	0	DSu	47.1096	68.5644	26.2	720.7	395	56906.	682	0.5	1.2	3.9	0.1	0.3	0.1	29	1.1
41146	0	0	0	0	DSu	47.1096	68.5639	26.2	720.6	396	56905.	744	0.7	1.7	4.0	2.7	0.5	6.4	22	1.2
41145	0	0	1	0	DSu	47.1096	68.5633	26.2	720.4	396	56904.	756	0.7	1.1	3.8	0.1	0.1	5.5	30	1.4
41144	0	0	0	0	DSu	47.1096	68.5628	26.2	720.2	392	56903.	715	0.8	1.2	2.4	1.6	0.6	3.1	16	1.5
41143	0	0	0	0	DSu	47.1096	68.5622	26.2	720.0	392	56902.	667	0.6	1.5	3.4	2.4	0.5	5.7	19	1.4
41142	0	0	1	0	DSu	47.1096	68.5617	26.2	719.7	393	56901.	688	0.6	-0.3	4.0	0.1	0.1	6.6	28	1.4
41141	0	0	1	0	DSu	47.1096	68.5611	26.2	719.5	397	56901.	687	0.7	0.6	3.3	0.1	0.1	5.3	22	1.3
41140	0	0	1	0	DSu	47.1096	68.5606	26.2	719.2	396	56901.	760	0.8	0.7	4.4	0.1	0.1	6.0	29	1.5
41139	0	0	1	0	DSu	47.1096	68.5600	26.2	719.0	392	56901.	721	0.7	0.9	3.8	0.1	0.1	5.7	21	1.4
41138	0	0	1	0	DSu	47.1096	68.5595	26.2	718.7	387	56902.	788	0.8	0.1	5.4	0.1	0.1	7.6	23	1.4

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
41137	0	0	1	0	DSu	47.1096	68.5589	26.2	716.5	382	56905.	776	0.9	-0.3	4.6	0.1	0.1	5.2	20	1.3
41136	0	0	1	0	DSu	47.1096	68.5584	26.2	718.2	379	56906.	832	1.1	0.4	3.8	0.1	0.1	3.4	17	1.3
41135	0	0	1	0	DSu	47.1096	68.5578	26.2	717.9	377	56906.	837	0.9	-0.2	5.9	0.1	0.1	6.8	22	1.2
41134	0	0	1	0	DSu	47.1096	68.5573	26.2	717.7	378	56905.	848	0.8	0.4	4.1	0.1	0.1	5.7	19	1.1
41133	0	0	0	0	DSu	47.1097	68.5568	26.2	717.4	380	56905.	814	0.9	2.0	5.1	2.3	0.4	5.9	18	1.0
41132	0	0	1	0	DSu	47.1097	68.5562	26.2	717.2	384	56904.	829	0.9	0.3	3.3	0.1	0.1	3.8	21	0.9
41131	0	0	1	0	DSu	47.1097	68.5557	26.2	716.9	387	56903.	876	0.9	1.0	4.7	0.1	0.1	5.8	26	0.8
41130	0	0	0	0	DSu	47.1097	68.5551	26.2	716.7	387	56903.	882	0.7	1.9	4.8	2.7	0.4	6.9	25	0.7
41129	0	0	1	0	DSu	47.1097	68.5546	26.2	716.5	385	56903.	858	0.9	0.9	4.9	0.1	0.1	5.5	26	0.6
41128	0	0	1	0	DSu	47.1097	68.5540	26.2	716.4	383	56904.	859	0.8	1.0	4.0	0.1	0.1	5.4	20	0.4
41127	0	0	1	0	DSu	47.1097	68.5535	26.2	716.2	380	56904.	899	0.9	1.1	6.0	0.1	0.1	7.4	28	0.3
41126	0	0	0	0	DSu	47.1097	68.5529	26.2	716.1	377	56905.	920	0.9	1.4	5.6	1.7	0.3	6.9	27	0.2
41125	0	0	1	0	DSu	47.1097	68.5524	26.2	715.9	375	56905.	875	0.9	0.9	3.1	0.1	0.1	3.5	25	0.1
41124	0	0	1	0	DSu	47.1097	68.5518	26.2	715.8	378	56902.	910	0.9	0.6	3.6	0.1	0.1	3.9	31	0.0
41123	0	0	0	0	DSu	47.1097	68.5513	26.2	715.7	385	56901.	939	0.9	2.0	7.3	2.3	0.3	8.3	20	0.0
41122	0	0	1	0	DSu	47.1097	68.5507	26.2	715.6	395	56902.	887	1.0	0.4	6.7	0.1	0.1	7.1	17	0.0
41121	0	0	1	0	DSu	47.1097	68.5502	26.2	715.5	405	56902.	881	0.9	0.2	4.0	0.1	0.1	4.4	29	0.0
41120	0	0	1	0	DSu	47.1097	68.5496	26.2	715.4	412	56902.	917	1.0	0.3	5.2	0.1	0.1	5.7	21	0.0
41119	0	0	1	0	DSu	47.1097	68.5491	26.2	716.0	414	56902.	918	0.9	1.3	6.1	0.1	0.1	7.5	22	0.0
41118	0	0	1	0	DSu	47.1098	68.5485	26.2	715.9	410	56903.	930	1.2	0.3	4.6	0.1	0.1	3.9	21	0.0
41117	0	0	0	0	DSu	47.1098	68.5480	26.2	715.9	406	56904.	917	0.7	1.5	7.3	2.3	0.3	11.1	20	0.0
41116	0	0	0	0	DSu	47.1098	68.5475	26.2	715.9	398	56904.	894	0.9	1.3	4.6	1.4	0.3	5.0	21	0.0
41115	0	0	0	0	DSu	47.1098	68.5469	26.2	715.9	390	56905.	894	0.9	2.0	4.2	2.2	0.5	4.8	26	0.0
41114	0	0	0	0	DSu	47.1098	68.5464	26.2	715.9	383	56906.	986	1.0	2.4	7.0	2.6	0.4	7.6	26	0.0
41113	0	0	1	0	DSu	47.1098	68.5458	26.2	716.0	375	56907.	968	1.1	0.0	4.5	0.1	0.1	4.4	39	0.0
41112	0	0	1	0	DSu	47.1098	68.5453	26.2	716.1	368	56907.	954	1.2	-0.2	4.7	0.1	0.1	4.0	24	0.0
41111	0	0	1	0	DSu	47.1098	68.5447	26.3	716.2	361	56908.	946	1.1	0.2	6.2	0.1	0.1	6.0	14	0.0
41110	0	0	0	0	DSu	47.1098	68.5442	26.3	716.3	357	56908.	937	0.9	1.6	6.5	1.9	0.3	7.7	27	0.0
41109	0	0	1	0	DSu	47.1098	68.5436	26.3	716.5	360	56906.	963	1.0	0.9	3.4	0.1	0.1	3.5	17	0.0
41108	0	0	1	0	DSu	47.1098	68.5431	26.3	716.6	362	56906.	934	1.0	0.4	5.3	0.1	0.1	5.7	27	0.0
41107	0	0	0	0	DSu	47.1098	68.5425	26.3	716.7	365	56908.	877	0.9	1.3	4.5	1.5	0.3	5.2	27	0.0
41106	0	0	1	0	DSu	47.1098	68.5420	26.3	716.9	365	56909.	874	0.8	1.1	5.1	0.1	0.1	7.2	27	0.0
41104	0	0	1	0	DSu	47.1098	68.5409	26.3	717.1	370	56908.	823	0.8	0.6	3.3	0.1	0.1	4.5	20	0.0
41103	0	0	1	0	DSu	47.1098	68.5404	26.3	717.3	375	56908.	740	0.8	0.8	5.9	0.1	0.1	7.6	26	0.0
41102	0	0	1	0	DSu	47.1099	68.5398	26.3	717.5	380	56908.	802	0.6	0.3	4.4	0.1	0.1	7.2	22	0.0
41101	0	0	1	0	DSu	47.1099	68.5393	26.3	717.7	383	56908.	838	0.7	0.9	5.4	0.1	0.1	8.1	19	0.0
41100	0	0	1	0	DSu	47.1099	68.5387	26.3	717.9	385	56907.	780	0.8	0.8	4.8	0.1	0.1	6.1	27	0.0
41099	0	0	1	0	DSu	47.1099	68.5382	26.3	718.0	385	56907.	835	0.9	-0.3	4.8	0.1	0.1	5.7	25	0.0
41098	0	0	1	0	DSu	47.1099	68.5376	26.3	718.2	383	56908.	760	0.8	0.8	3.4	0.1	0.1	4.5	33	0.0
41097	0	0	0	0	DSu	47.1099	68.5371	26.3	718.3	378	56907.	810	0.7	1.4	4.7	2.0	0.3	6.7	27	0.0
41096	0	0	1	0	DSu	47.1099	68.5365	26.3	718.4	373	56907.	758	0.5	0.9	4.3	0.1	0.1	0.1	16	0.0
41095	0	0	1	0	DSu	47.1099	68.5360	26.3	718.5	367	56907.	747	0.7	0.9	2.2	0.1	0.1	3.4	18	0.0
41094	0	0	0	0	DSu	47.1099	68.5354	26.3	718.5	365	56907.	680	0.7	1.0	1.0	1.6	1.0	1.6	22	0.0
41093	0	0	0	0	DSu	47.1099	68.5349	26.3	718.6	366	56907.	695	0.7	1.6	2.8	2.6	0.6	4.5	24	0.0
41092	0	0	1	0	DSu	47.1099	68.5343	26.3	718.6	370	56907.	663	0.7	0.9	2.6	0.1	0.1	4.2	26	0.0
41091	0	0	0	0	DSu	47.1099	68.5338	26.3	718.6	372	56907.	680	0.8	1.8	1.7	2.5	1.1	2.3	27	0.0
41090	0	0	1	0	DSu	47.1099	68.5332	26.3	718.5	375	56907.	680	0.8	0.0	4.3	0.1	0.1	5.6	24	0.0
41089	0	0	0	0	DSu	47.1099	68.5327	26.3	718.5	378	56906.	681	0.6	1.8	2.8	3.3	0.7	5.3	26	0.0
41088	0	0	1	0	DSu	47.1099	68.5322	26.3	718.5	382	56904.	723	0.6	0.6	4.3	0.1	0.1	7.4	22	0.0
41087	0	0	1	0	DSu	47.1100	68.5316	26.3	718.4	384	56903.	797	0.7	1.2	5.5	0.1	0.1	8.4	15	0.0

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
41086	0	0	1	0	DSu	47.1100	68.5311	26.3	718.3	384	56904.	832	0.8	0.2	4.9	0.1	0.1	6.5	27	C.C
41085	0	0	1	0	DSu	47.1100	68.5305	26.3	718.2	381	56905.	869	0.9	0.9	5.5	0.1	0.1	6.8	16	U.U
41084	0	0	0	0	DSu	47.1100	68.5300	26.3	718.1	376	56905.	847	1.0	1.7	5.3	1.8	0.4	5.7	25	0.0
41083	0	0	1	0	DSu	47.1100	68.5294	26.3	718.0	370	56906.	936	1.1	0.7	4.3	0.1	0.1	4.1	27	0.0
41082	0	0	1	0	DSu	47.1100	68.5289	26.3	717.9	366	56906.	936	1.0	0.4	5.6	0.1	0.1	5.7	28	0.0
41081	0	0	1	0	DSu	47.1100	68.5283	26.3	717.7	362	56905.	940	1.0	0.4	6.3	0.1	0.1	6.6	24	0.0
41080	0	0	0	0	DSu	47.1100	68.5278	26.3	717.6	360	56905.	978	0.9	1.3	5.5	1.4	0.3	6.0	17	0.0
41079	0	0	1	0	DSu	47.1100	68.5272	26.3	717.5	359	56905.	998	1.0	0.0	4.8	0.1	0.1	5.2	26	0.0
41078	0	0	0	0	DSu	47.1100	68.5267	26.3	717.4	363	56905.	932	1.0	1.4	5.3	1.4	0.3	5.5	17	0.0
41077	0	0	0	0	DSu	47.1100	68.5261	26.3	717.3	366	56906.	959	0.8	1.5	3.5	2.0	0.5	4.6	16	0.0
41076	0	0	0	0	DSu	47.1100	68.5256	26.3	717.2	369	56905.	898	1.0	1.7	3.2	1.8	0.6	3.5	26	0.0
41075	0	0	1	0	DSu	47.1100	68.5250	26.3	717.1	373	56905.	927	0.8	1.1	4.7	0.1	0.1	5.8	23	0.0
41074	0	0	1	0	DSu	47.1100	68.5245	26.3	717.0	384	56904.	930	0.9	0.6	5.5	0.1	0.1	6.5	22	0.0
41073	0	0	1	0	DSu	47.1101	68.5239	26.3	717.0	396	56904.	976	1.2	0.2	5.1	0.1	0.1	4.6	32	0.0
41072	0	0	1	0	DSu	47.1101	68.5234	26.3	716.9	398	56903.	965	1.2	1.2	5.3	0.1	0.1	4.5	26	0.0
41071	0	0	0	0	DSu	47.1101	68.5229	26.3	716.9	395	56901.	931	0.9	1.7	5.4	1.9	0.4	5.9	19	0.0
41070	0	0	1	0	DSu	47.1101	68.5223	26.3	716.9	395	56902.	884	0.8	0.3	4.0	0.1	0.1	5.4	18	0.0
41069	0	0	0	0	DSu	47.1101	68.5218	26.3	716.8	407	56905.	921	0.9	1.9	4.7	2.1	0.4	5.2	23	0.0
41068	0	0	0	0	DSu	47.1101	68.5212	26.3	716.8	425	56906.	843	0.8	1.6	3.7	2.1	0.5	4.8	23	0.0
41067	0	0	0	0	DSu	47.1101	68.5207	26.3	716.8	445	56905.	904	0.9	1.8	3.7	1.9	0.5	4.0	17	0.0
41066	0	0	1	0	DSu	47.1101	68.5201	26.3	716.7	457	56905.	845	0.7	1.0	5.4	0.1	0.1	8.5	14	0.0
41065	0	0	0	0	DSu	47.1101	68.5196	26.3	716.7	458	56904.	950	1.2	1.6	4.8	1.4	0.4	4.3	28	0.0
41064	0	0	1	0	DSu	47.1101	68.5190	26.3	716.7	458	56904.	915	0.7	0.3	4.7	0.1	0.1	6.8	27	0.0
41063	0	0	1	0	DSu	47.1101	68.5185	26.3	716.7	461	56904.	1001	1.1	1.0	3.9	0.1	0.1	3.8	27	0.0
41062	0	0	1	0	DSu	47.1101	68.5179	26.4	716.7	471	56904.	978	1.0	1.3	4.1	0.1	0.1	4.3	25	0.0
41061	0	0	1	0	DSu	47.1101	68.5174	26.4	716.7	470	56904.	1000	1.1	1.0	5.3	0.1	0.1	4.9	29	0.0
41060	0	0	0	0	DSu	47.1101	68.5168	26.4	716.6	468	56904.	1030	1.1	1.5	5.6	1.5	0.3	5.4	17	0.0
41059	0	0	1	0	DSu	47.1101	68.5163	26.4	716.6	456	56903.	937	0.9	0.6	5.0	0.1	0.1	5.8	16	0.0
41058	0	0	1	0	DSu	47.1101	68.5157	26.4	716.6	447	56902.	975	1.2	0.7	4.6	0.1	0.1	3.8	25	0.0
41057	0	0	1	0	DSu	47.1101	68.5152	26.4	716.6	441	56900.	959	1.2	1.2	5.6	0.1	0.1	4.7	26	0.0
41056	0	0	1	0	DSu	47.1102	68.5147	26.4	716.6	441	56899.	980	1.0	0.7	3.4	0.1	0.1	3.5	23	0.0
41055	0	0	1	0	DSu	47.1102	68.5141	26.4	716.6	435	56901.	974	1.1	-0.2	5.7	0.1	0.1	5.3	20	0.0
41054	0	0	1	0	DSu	47.1102	68.5136	26.4	716.7	425	56903.	912	0.9	0.6	5.0	0.1	0.1	6.1	16	0.0
41053	0	0	1	0	DSu	47.1102	68.5130	26.4	716.8	414	56905.	940	0.9	0.3	3.9	0.1	0.1	4.7	27	0.0
41052	0	0	1	0	DSu	47.1102	68.5125	26.4	716.9	405	56906.	928	1.1	0.1	4.9	0.1	0.1	4.5	25	0.0
41051	0	0	1	0	DSu	47.1102	68.5119	26.4	717.0	400	56907.	978	1.1	0.9	4.7	0.1	0.1	4.3	27	0.0
41050	0	0	1	0	DSu	47.1102	68.5114	26.4	717.2	397	56907.	969	1.1	0.3	6.2	0.1	0.1	5.9	28	0.0
41049	0	0	0	0	DSu	47.1102	68.5108	26.4	717.4	396	56907.	937	0.8	2.0	3.7	2.6	0.6	4.7	37	0.1
41048	0	0	0	0	DSu	47.1102	68.5103	26.4	717.6	395	56907.	913	0.9	1.9	3.8	2.1	0.5	4.2	28	0.3
41047	0	0	0	0	DSu	47.1102	68.5097	26.4	717.9	396	56907.	873	0.9	2.1	5.1	2.4	0.5	5.7	20	0.2
41046	0	0	1	0	DSu	47.1102	68.5092	26.4	718.1	399	56907.	871	0.8	1.0	3.9	0.1	0.1	5.1	34	0.2
41045	0	0	1	0	DSu	47.1102	68.5086	26.4	718.4	403	56906.	848	1.0	0.7	5.5	0.1	0.1	5.8	18	0.4
41044	0	0	1	0	DSu	47.1102	68.5081	26.4	718.6	409	56906.	817	1.0	0.4	3.9	0.1	0.1	4.3	23	0.4
41043	0	0	1	0	DSu	47.1102	68.5075	26.4	718.9	418	56905.	764	1.0	0.2	5.7	0.1	0.1	5.8	20	0.3
41042	0	0	1	0	DSu	47.1102	68.5070	26.4	719.1	427	56904.	780	1.1	0.9	3.1	0.1	0.1	2.8	19	0.3
41041	0	0	1	0	DSu	47.1103	68.5065	26.4	719.4	432	56903.	716	0.9	0.0	4.2	0.1	0.1	4.8	38	0.2
41040	0	0	1	0	DSu	47.1103	68.5059	26.4	719.6	431	56904.	666	0.8	0.2	3.1	0.1	0.1	4.8	22	0.4
41039	0	0	1	0	DSu	47.1103	68.5054	26.4	719.8	424	56906.	698	0.6	0.4	5.5	0.1	0.1	9.7	22	0.5
41038	0	0	1	0	DSu	47.1103	68.5048	26.4	719.9	417	56907.	574	0.8	-0.1	2.3	0.1	0.1	3.0	30	0.6
41037	0	0	1	0	DSu	47.1103	68.5043	26.4	720.1	416	56907.	528	0.7	0.3	3.4	0.1	0.1	5.4	22	0.5

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
41036	0	0	1	0	DSu	47.1103	68.5037	26.4	720.2	423	56907.	382	0.5	0.1	2.8	0.1	0.1	0.1	25	0.5
41035	0	0	1	0	DSu	47.1103	68.5032	26.4	720.4	431	56907.	253	0.3	0.1	1.9	0.1	0.1	0.1	26	0.5
41034	0	0	1	1	DSu	47.1103	68.5026	26.4	720.5	435	56906.	127	0.2	-0.5	1.1	0.1	0.1	0.1	23	0.4
41033	0	1	1	0	DSu	47.1103	68.5020	26.4	720.6	437	56905.	123	0.1	-0.1	1.1	0.1	0.1	0.1	24	0.4
41032	0	1	1	1	DSu	47.1103	68.5014	26.4	720.6	441	56904.	93	0.2	0.4	1.0	0.1	0.1	0.1	21	0.3
41031	0	1	1	1	DSu	47.1103	68.5009	26.4	720.7	447	56905.	106	0.1	0.2	0.8	0.1	0.1	0.1	21	0.2
41030	0	0	1	0	DSu	47.1103	68.5003	26.4	720.7	451	56905.	278	0.3	0.4	1.6	0.1	0.1	0.1	22	0.2
41029	0	0	1	0	DSu	47.1103	68.4997	26.4	720.7	453	56905.	381	0.5	-0.9	3.3	0.1	0.1	0.1	20	0.0
41028	0	0	1	0	DSu	47.1104	68.4991	26.4	720.7	451	56905.	481	0.5	0.6	3.2	0.1	0.1	0.1	19	0.0
41027	0	0	1	0	DSu	47.1104	68.4985	26.4	720.6	443	56904.	685	1.0	0.7	3.7	0.1	0.1	3.7	18	0.0
41026	0	0	1	0	DSu	47.1104	68.4980	26.4	720.6	434	56903.	823	0.9	1.0	3.2	0.1	0.1	3.8	23	0.0
41025	0	0	0	0	DSu	47.1104	68.4974	26.5	720.5	424	56903.	880	1.2	2.0	3.5	1.7	0.6	3.1	19	0.0
41024	0	0	1	0	DSu	47.1104	68.4968	26.5	720.4	415	56903.	868	0.9	0.7	5.2	0.1	0.1	5.8	17	0.0
41023	0	0	1	0	DSu	47.1104	68.4962	26.5	720.3	416	56904.	894	0.7	1.2	4.6	0.1	0.1	6.7	21	0.0
41022	0	0	1	0	DSu	47.1104	68.4957	26.5	720.2	425	56905.	926	0.9	1.3	6.7	0.1	0.1	8.0	21	0.0
41021	0	0	1	0	DSu	47.1104	68.4951	26.5	720.1	433	56906.	869	1.0	0.5	2.9	0.1	0.1	3.2	39	0.0
41020	0	0	0	0	DSu	47.1104	68.4945	26.5	720.1	434	56906.	851	0.8	1.4	3.0	1.9	0.5	4.2	26	0.0
41019	0	0	0	0	DSu	47.1104	68.4939	26.5	720.0	432	56906.	828	0.7	1.7	3.0	2.5	0.6	4.5	24	0.0
41018	0	0	1	0	DSu	47.1105	68.4933	26.5	720.0	436	56906.	803	0.9	0.3	5.4	0.1	0.1	6.2	33	0.0
41017	0	0	0	0	DSu	47.1105	68.4928	26.5	720.0	446	56905.	830	1.0	2.2	4.0	2.3	0.6	4.1	20	0.0
41016	0	0	1	0	DSu	47.1105	68.4922	26.5	720.0	458	56904.	823	0.7	0.7	4.1	0.1	0.1	6.4	23	0.0
41015	0	0	1	0	DSu	47.1105	68.4916	26.5	720.1	473	56904.	729	0.9	0.1	3.8	0.1	0.1	4.5	33	0.0
41014	0	0	1	0	DSu	47.1105	68.4910	26.5	720.1	478	56905.	894	1.0	0.5	4.1	0.1	0.1	4.3	32	0.0
41013	0	0	0	0	DSu	47.1105	68.4904	26.5	720.1	478	56905.	801	0.9	1.4	3.3	1.7	0.5	3.9	29	0.0
41012	0	0	1	0	DSu	47.1105	68.4898	26.5	720.1	474	56905.	805	1.0	0.5	5.3	0.1	0.1	5.5	23	0.0
41011	0	0	1	0	DSu	47.1105	68.4893	26.5	720.2	474	56906.	794	0.9	0.8	4.5	0.1	0.1	5.6	21	0.0
41010	0	0	1	0	DSu	47.1105	68.4887	26.5	720.2	474	56906.	891	0.9	-0.5	4.6	0.1	0.1	5.2	19	0.0
41008	0	0	0	0	DSu	47.1105	68.4875	26.5	720.2	472	56904.	854	0.8	2.4	3.6	3.1	0.7	4.7	19	0.0
41007	0	0	0	0	DSu	47.1106	68.4870	26.5	720.3	466	56904.	858	0.9	2.6	2.5	3.1	1.1	3.1	26	0.0
41006	0	0	1	0	DSu	47.1106	68.4864	26.5	720.3	460	56905.	840	1.3	1.2	3.5	0.1	0.1	2.8	9	0.0
41005	0	0	1	0	DSu	47.1106	68.4858	26.3	721.2	446	56906.	965	1.0	0.8	5.1	0.1	0.1	5.2	26	0.0
41004	0	0	1	0	DSu	47.1106	68.4852	26.3	721.2	439	56905.	887	1.0	0.3	5.0	0.1	0.1	5.2	21	0.0
41003	0	0	0	0	DSu	47.1106	68.4846	26.3	721.1	431	56906.	954	1.0	1.9	4.8	2.0	0.4	5.1	26	0.0
41002	0	0	1	0	DSu	47.1106	68.4841	26.3	721.2	420	56908.	944	0.9	0.7	5.9	0.1	0.1	7.2	32	0.0
41001	0	0	1	0	DSu	47.1106	68.4835	26.3	721.2	421	56908.	1019	1.1	1.0	5.5	0.1	0.1	5.3	27	0.0
41000	0	0	1	0	DSu	47.1106	68.4829	26.3	721.3	427	56908.	973	0.9	0.2	3.5	0.1	0.1	4.0	28	0.0
40999	0	0	0	0	DSu	47.1106	68.4823	26.3	721.4	437	56908.	970	0.8	1.7	7.4	2.1	0.3	9.5	25	0.0
40998	0	0	1	0	DSu	47.1106	68.4817	26.3	721.5	442	56908.	911	1.0	0.2	5.6	0.1	0.1	5.7	25	0.0
40997	0	0	1	0	DSu	47.1106	68.4812	26.3	721.5	447	56908.	870	0.9	1.0	4.5	0.1	0.1	5.2	32	0.0
40996	0	0	0	0	Du	47.1107	68.4806	26.3	721.6	448	56909.	614	0.5	2.0	3.5	0.1	0.6	0.1	21	0.0
40995	0	0	1	0	Water	47.1107	68.4800	26.3	721.6	450	56909.	579	0.5	0.4	2.5	0.1	0.1	0.1	22	0.0
40994	0	0	0	0	Water	47.1107	68.4794	26.3	721.6	450	56909.	452	0.4	1.5	2.7	0.1	0.6	0.1	34	0.0
40993	0	0	1	0	Water	47.1107	68.4788	26.3	721.7	450	56907.	315	0.3	-0.4	1.8	0.1	0.1	0.1	21	0.0
40992	0	0	1	0	Water	47.1107	68.4781	26.3	721.9	448	56905.	340	0.5	0.2	1.8	0.1	0.1	0.1	24	0.0
40991	0	0	1	0	Water	47.1107	68.4774	26.3	722.0	446	56906.	269	0.3	0.0	1.9	0.1	0.1	0.1	22	0.0
40990	0	1	1	0	Water	47.1106	68.4768	26.3	722.1	445	56906.	244	0.1	0.3	2.2	0.1	0.1	0.1	16	0.0
40989	0	1	0	1	Water	47.1106	68.4761	26.3	722.2	444	56905.	236	0.2	1.4	-0.5	0.1	0.1	0.1	21	0.0
40988	0	1	1	1	Water	47.1106	68.4755	26.3	722.2	444	56905.	147	0.2	0.9	0.5	0.1	0.1	0.1	19	0.0
40987	0	0	1	1	Water	47.1106	68.4748	26.3	722.2	442	56906.	197	0.3	0.5	0.9	0.1	0.1	0.1	20	0.0
40986	0	1	1	1	Water	47.1106	68.4742	26.3	722.3	440	56907.	136	0.2	0.9	0.4	0.1	0.1	0.1	14	0.0

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI	
												CPS	%	PPM	PPM					CPS	CPS
40985	0	0	1	1	Water	47.1106	68.4735	26.3	722.3	437	56907.	137	0.2	0.2	0.9	0.1	0.1	0.1	23	0.0	
40984	0	0	1	0	Water	47.1106	68.4728	26.3	722.3	435	56907.	135	0.3	-0.5	1.6	0.1	0.1	0.1	25	0.0	
40983	0	0	1	0	Water	47.1106	68.4722	26.3	722.3	433	56906.	111	0.2	-0.4	2.0	0.1	0.1	0.1	13	0.0	
40982	0	0	1	0	Water	47.1106	68.4715	26.3	722.4	432	56904.	178	0.2	0.7	1.4	0.1	0.1	0.1	22	0.0	
40981	0	1	1	1	Water	47.1106	68.4708	26.3	722.4	429	56903.	124	0.1	-0.2	0.5	0.1	0.1	0.1	24	0.0	
40980	0	0	1	0	Water	47.1106	68.4702	26.3	722.4	425	56904.	166	0.2	0.1	1.2	0.1	0.1	0.1	30	0.0	
40979	0	1	1	1	Water	47.1106	68.4695	26.3	722.5	420	56905.	178	0.2	-0.6	0.6	0.1	0.1	0.1	23	0.0	
40978	0	1	1	0	Water	47.1106	68.4689	26.3	722.5	415	56904.	199	0.2	0.6	1.8	0.1	0.1	0.1	25	0.0	
40977	0	0	1	1	Water	47.1106	68.4682	26.3	722.5	413	56906.	154	0.3	0.9	0.9	0.1	0.1	0.1	34	0.0	
40976	0	1	1	0	Water	47.1105	68.4675	26.3	722.6	411	56906.	170	0.2	-0.2	1.2	0.1	0.1	0.1	23	0.0	
40975	0	0	1	0	Water	47.1105	68.4669	26.3	722.6	410	56906.	195	0.2	0.0	2.0	0.1	0.1	0.1	21	0.0	
40974	0	0	1	0	Water	47.1105	68.4662	26.3	722.6	410	56906.	219	0.3	-0.3	1.6	0.1	0.1	0.1	13	0.0	
40973	0	0	1	0	Water	47.1105	68.4656	26.3	722.6	410	56906.	203	0.3	0.5	1.3	0.1	0.1	0.1	15	0.0	
40972	0	1	1	0	Water	47.1105	68.4649	26.3	722.6	411	56905.	243	0.2	0.2	1.5	0.1	0.1	0.1	14	0.0	
40971	0	0	1	0	Water	47.1105	68.4642	26.3	722.7	412	56905.	254	0.4	0.2	2.5	0.1	0.1	0.1	22	0.0	
40970	0	1	1	0	Water	47.1105	68.4636	26.3	722.7	414	56906.	186	0.1	0.5	1.1	0.1	0.1	0.1	26	0.0	
40969	0	0	1	0	Water	47.1105	68.4629	26.3	722.6	416	56905.	226	0.3	0.4	1.1	0.1	0.1	0.1	15	0.0	
40968	0	0	1	0	Water	47.1105	68.4623	26.3	722.6	418	56904.	156	0.2	0.2	2.2	0.1	0.1	0.1	20	0.0	
40967	0	0	1	1	Water	47.1105	68.4616	26.3	722.6	420	56904.	197	0.2	0.5	0.2	0.1	0.1	0.1	21	0.0	
40966	0	0	1	0	Water	47.1105	68.4609	26.3	722.5	422	56903.	137	0.2	-0.1	1.2	0.1	0.1	0.1	19	0.0	
40965	0	0	1	1	Water	47.1105	68.4603	26.3	722.5	424	56904.	193	0.3	-0.5	0.1	0.1	0.1	0.1	22	0.0	
40964	0	0	1	0	Water	47.1105	68.4596	26.3	722.4	428	56904.	168	0.3	0.0	1.3	0.1	0.1	0.1	23	0.0	
40963	0	1	1	0	Water	47.1105	68.4590	26.3	722.3	433	56903.	167	0.2	-0.6	1.9	0.1	0.1	0.1	27	0.0	
40962	0	0	1	1	Water	47.1105	68.4583	26.3	722.2	439	56903.	177	0.4	-0.2	0.9	0.1	0.1	0.1	26	0.0	
40961	0	1	1	1	Water	47.1104	68.4576	26.3	722.2	446	56903.	201	0.2	0.8	1.1	0.1	0.1	0.1	23	0.0	
40960	0	0	1	1	Water	47.1104	68.4570	26.3	722.1	453	56902.	188	0.3	0.2	-0.1	0.1	0.1	0.1	24	0.0	
40959	0	0	1	1	Du	47.1104	68.4563	26.3	722.0	459	56902.	219	0.5	0.1	0.6	0.1	0.1	0.1	21	0.0	
40958	0	0	0	0	Du	47.1104	68.4557	26.3	721.9	464	56901.	284	0.3	1.1	1.6	0.1	0.8	0.1	24	0.0	
40957	0	0	1	1	Du	47.1104	68.4550	26.3	721.8	467	56901.	332	0.3	0.3	0.4	0.1	0.1	0.1	17	0.0	
40956	0	0	1	0	Du	47.1104	68.4543	26.3	721.6	467	56902.	447	0.6	-0.4	3.6	0.1	0.1	6.2	21	0.0	
40955	0	0	1	0	Du	47.1104	68.4537	26.2	721.5	464	56903.	519	0.4	1.1	2.6	0.1	0.1	0.1	19	0.0	
40954	0	0	1	0	Du	47.1104	68.4530	26.2	721.4	454	56903.	708	0.7	1.3	4.1	0.1	0.1	5.9	18	0.0	
40953	0	0	1	0	Du	47.1104	68.4524	26.2	721.3	444	56904.	695	0.7	0.1	5.1	0.1	0.1	7.9	27	0.0	
40952	0	0	1	0	Du	47.1104	68.4517	26.2	721.2	438	56904.	858	1.2	1.1	4.2	0.1	0.1	3.7	28	0.0	
40951	0	0	1	0	Du	47.1104	68.4510	26.2	721.1	440	56903.	822	0.9	0.0	4.1	0.1	0.1	4.6	22	0.0	
40950	0	0	0	0	Du	47.1104	68.4504	26.2	721.1	444	56903.	787	0.7	2.6	4.8	3.9	0.6	7.3	23	0.0	
40949	0	0	1	0	Du	47.1104	68.4497	26.0	721.0	447	56904.	800	0.8	0.1	5.0	0.1	0.1	6.7	31	0.0	
40948	0	0	0	0	Du	47.1104	68.4491	26.0	720.9	444	56904.	800	0.8	1.8	2.9	2.3	0.7	3.7	19	0.0	
40947	0	0	1	0	Du	47.1103	68.4484	26.0	720.9	447	56904.	840	0.8	0.9	3.9	0.1	0.1	5.3	17	0.0	
40946	0	0	1	0	Du	47.1103	68.4479	26.0	720.9	449	56905.	783	0.8	1.0	3.4	0.1	0.1	4.2	29	0.0	
40945	0	0	1	0	Du	47.1103	68.4471	26.0	720.9	460	56905.	705	0.9	-0.1	3.3	0.1	0.1	3.8	31	0.0	
40944	0	0	1	0	Du	47.1103	68.4464	26.0	720.9	467	56905.	816	0.9	0.9	4.1	0.1	0.1	4.7	29	0.0	
40943	0	0	1	0	Du	47.1103	68.4458	26.0	720.9	472	56905.	812	1.1	0.7	2.2	0.1	0.1	2.2	29	0.0	
40942	0	0	1	0	Du	47.1103	68.4451	26.0	720.9	462	56904.	798	1.1	1.1	3.9	0.1	0.1	3.7	22	0.0	
40941	0	0	1	0	Du	47.1103	68.4445	26.0	721.0	445	56904.	791	0.9	1.0	2.9	0.1	0.1	3.5	28	0.0	
40940	0	0	1	0	Du	47.1103	68.4438	26.0	721.0	427	56904.	761	0.6	0.7	4.2	0.1	0.1	7.8	22	0.0	
40939	0	0	1	0	Du	47.1103	68.4431	26.0	721.1	419	56905.	751	0.8	0.6	2.8	0.1	0.1	4.0	22	0.0	
40938	0	0	1	0	Du	47.1103	68.4425	26.0	721.1	421	56905.	744	0.9	0.6	5.2	0.1	0.1	5.7	20	0.0	
40937	0	0	1	0	Du	47.1103	68.4418	26.0	721.2	425	56905.	846	0.8	0.9	4.9	0.1	0.1	6.1	28	0.0	
40936	0	0	0	0	Du	47.1103	68.4412	26.0	721.3	432	56905.	858	0.8	1.8	3.1	2.3	0.6	3.8	23	0.0	

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
40935	0	0	1	0	DU	47.1103	68.4405	26.0	721.4	431	56905.	908	1.1	0.5	4.1	0.1	0.1	3.8	25	0.0
40934	0	0	1	0	DU	47.1103	68.4398	26.0	721.5	428	56905.	759	0.9	0.2	3.6	0.1	0.1	4.5	23	0.0
40933	0	0	1	0	DU	47.1103	68.4392	26.0	721.6	420	56905.	826	1.0	0.8	5.6	0.1	0.1	5.8	26	0.2
40932	0	0	1	0	DU	47.1102	68.4385	26.0	721.7	413	56906.	864	0.9	-0.2	4.1	0.1	0.1	4.8	28	0.4
40931	0	0	1	0	DU	47.1102	68.4379	26.0	721.8	407	56906.	889	1.0	1.2	4.5	0.1	0.1	4.8	19	0.6
40930	0	0	1	0	DU	47.1102	68.4372	26.0	721.9	406	56907.	761	0.8	0.3	6.5	0.1	0.1	8.4	15	0.8
40929	0	0	1	0	DU	47.1102	68.4366	26.0	722.0	410	56907.	841	0.8	0.2	4.3	0.1	0.1	5.5	16	1.0
40928	0	0	1	0	DU	47.1102	68.4360	26.0	722.0	415	56907.	878	1.0	1.0	4.3	0.1	0.1	4.6	22	1.3
40927	0	0	0	0	DU	47.1102	68.4354	26.0	722.1	414	56906.	865	0.8	2.1	3.7	2.6	0.6	4.8	28	1.5
40926	0	0	1	0	DU	47.1102	68.4348	26.0	722.2	411	56907.	893	1.0	0.7	3.6	0.1	0.1	3.6	24	1.7
40925	0	0	1	0	DU	47.1102	68.4342	26.0	722.2	412	56907.	885	1.1	0.8	5.1	0.1	0.1	4.9	20	1.9
40924	0	0	0	0	DU	47.1102	68.4336	26.0	722.3	415	56906.	869	0.8	1.4	3.2	1.9	0.5	4.3	17	1.9
40923	0	0	1	0	DU	47.1102	68.4330	26.0	722.3	417	56906.	918	0.9	-0.2	6.0	0.1	0.1	7.0	21	1.9
40922	0	0	1	0	DU	47.1102	68.4324	26.0	722.4	416	56905.	949	1.1	0.5	4.2	0.1	0.1	4.0	22	2.0
40921	0	0	1	0	DU	47.1102	68.4318	26.0	722.4	415	56905.	913	1.0	0.5	6.6	0.1	0.1	6.7	17	2.0
40920	0	0	1	0	DU	47.1102	68.4312	26.0	722.4	414	56907.	887	1.0	0.3	3.9	0.1	0.1	4.2	29	2.0
40919	0	0	0	0	DU	47.1102	68.4306	26.0	722.4	414	56906.	926	0.9	1.6	3.2	1.9	0.5	3.8	26	2.0
40918	0	0	1	0	DU	47.1102	68.4300	26.0	722.4	415	56906.	865	0.9	-0.2	5.7	0.1	0.1	6.5	27	2.0
40917	0	0	1	0	DU	47.1102	68.4294	26.0	722.4	415	56906.	850	0.8	0.5	4.2	0.1	0.1	5.3	23	2.1
40916	0	0	1	0	DU	47.1102	68.4288	26.0	722.4	415	56905.	894	0.8	0.4	4.5	0.1	0.1	6.3	23	2.1
40915	0	0	0	0	DU	47.1102	68.4282	26.0	722.4	415	56903.	852	0.8	1.5	4.4	2.1	0.4	6.1	19	2.1
40913	0	0	1	0	DU	47.1102	68.4270	26.0	722.4	417	56903.	868	0.9	1.0	3.6	0.1	0.1	4.1	19	2.1
40912	0	0	0	0	DU	47.1102	68.4264	26.0	722.3	420	56904.	906	0.7	1.9	5.6	2.8	0.4	8.3	18	2.1
40911	0	0	1	0	DU	47.1102	68.4258	26.0	722.3	423	56904.	873	0.9	0.1	5.0	0.1	0.1	5.7	32	2.2
40910	0	0	1	0	DU	47.1102	68.4252	26.0	722.3	426	56904.	841	0.9	0.3	2.4	0.1	0.1	2.9	35	2.2
40909	0	0	0	0	DU	47.1102	68.4246	26.0	722.2	429	56903.	869	0.7	1.9	5.1	2.8	0.4	7.6	25	2.2
40908	0	0	1	0	DU	47.1101	68.4240	26.0	722.2	433	56903.	904	0.9	1.2	5.3	0.1	0.1	6.1	32	2.3
40907	0	0	1	0	DU	47.1101	68.4234	26.0	722.2	437	56904.	765	0.9	1.0	5.0	0.1	0.1	6.0	25	2.3
40906	0	0	1	0	DU	47.1101	68.4228	26.0	722.1	440	56903.	742	0.7	-1.3	4.8	0.1	0.1	6.9	15	2.3
40905	0	0	1	0	DU	47.1101	68.4222	26.0	722.1	440	56903.	669	0.7	0.1	2.9	0.1	0.1	4.3	34	2.4
40904	0	0	1	0	DU	47.1101	68.4216	26.0	722.1	438	56903.	659	0.5	0.7	1.9	0.1	0.1	0.1	25	2.4
40903	0	0	1	0	DU	47.1101	68.4211	26.0	722.0	431	56902.	691	0.7	0.5	4.1	0.1	0.1	6.3	23	2.4
40902	0	0	1	0	DU	47.1101	68.4204	26.0	722.0	420	56903.	761	0.8	0.4	3.1	0.1	0.1	4.2	21	2.5
40901	0	0	1	0	DU	47.1101	68.4198	26.0	721.9	415	56903.	734	0.6	-0.2	5.0	0.1	0.1	9.4	27	2.5
40900	0	0	0	0	DU	47.1101	68.4193	26.0	721.9	418	56903.	813	0.8	1.6	5.2	2.0	0.3	6.5	23	2.5
40899	0	0	1	0	DU	47.1101	68.4187	26.0	721.9	427	56903.	784	0.8	0.8	3.5	0.1	0.1	4.6	18	2.5
40898	0	0	1	0	DU	47.1101	68.4181	26.0	721.8	426	56903.	833	0.9	0.5	3.8	0.1	0.1	4.3	22	2.5
40897	0	0	1	0	DU	47.1101	68.4175	26.0	721.8	426	56904.	838	1.0	-0.1	6.1	0.1	0.1	6.5	26	2.5
40896	0	0	1	0	DU	47.1101	68.4169	26.0	721.7	428	56904.	890	1.1	1.0	5.0	0.1	0.1	4.9	31	2.5
40895	0	0	0	0	DU	47.1101	68.4163	26.0	721.7	432	56904.	851	0.8	1.6	4.2	2.2	0.4	5.9	20	2.4
40894	0	0	1	0	DU	47.1101	68.4157	26.0	721.7	438	56903.	930	0.8	1.3	6.6	0.1	0.1	8.6	21	2.4
40893	0	0	1	0	DU	47.1101	68.4151	26.0	721.6	443	56903.	889	0.9	0.1	4.0	0.1	0.1	4.7	20	2.4
40892	0	0	0	0	DU	47.1101	68.4145	26.0	721.2	451	56903.	928	0.9	1.7	5.8	2.0	0.3	6.8	19	2.4
40891	0	0	1	0	DU	47.1101	68.4139	26.0	721.2	453	56903.	880	1.0	-1.3	4.4	0.1	0.1	4.6	34	2.4
40890	0	0	1	0	DU	47.1101	68.4133	26.0	721.3	453	56903.	860	0.9	0.3	4.3	0.1	0.1	5.2	25	2.4
40889	0	0	1	0	DU	47.1101	68.4127	26.0	721.3	455	56902.	891	0.7	0.2	6.1	0.1	0.1	9.0	21	2.4
40888	0	0	1	0	DU	47.1101	68.4121	26.0	721.2	453	56902.	838	1.1	0.7	3.0	0.1	0.1	2.8	18	2.5
40887	0	0	1	0	DU	47.1101	68.4115	26.0	721.2	447	56902.	852	0.8	0.1	5.5	0.1	0.1	7.3	24	2.5
40886	0	0	1	0	DU	47.1101	68.4109	26.0	721.2	441	56902.	892	1.0	1.3	4.7	0.1	0.1	5.0	25	2.5
40885	0	0	1	0	DU	47.1101	68.4103	26.0	721.2	435	56902.	837	0.8	0.4	3.8	0.1	0.1	4.8	27	2.5

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
40884	0	0	1	0	DU	47.1101	68.4097	26.0	721.2	428	56902.	850	0.8	0.6	5.2	0.1	0.1	6.5	19	2.5
40883	0	0	1	0	DU	47.1101	68.4091	26.0	721.1	422	56902.	863	0.9	0.2	5.3	0.1	0.1	6.4	26	2.5
40882	0	0	1	0	DU	47.1101	68.4085	26.0	721.1	420	56902.	869	1.0	-0.5	5.0	0.1	0.1	5.0	18	2.5
40881	0	0	1	0	DU	47.1101	68.4079	26.0	721.1	424	56901.	871	0.9	0.6	4.0	0.1	0.1	4.8	17	2.4
40880	0	0	1	0	DU	47.1101	68.4073	26.0	721.1	425	56901.	836	1.0	0.1	4.9	0.1	0.1	5.3	21	2.4
40879	0	0	1	0	DU	47.1100	68.4067	26.0	721.0	426	56900.	896	1.1	0.4	5.7	0.1	0.1	5.6	20	2.4
40878	0	0	1	0	DU	47.1100	68.4061	26.0	721.0	429	56900.	939	1.0	-0.2	5.4	0.1	0.1	5.5	22	2.4
40877	0	0	0	0	DU	47.1100	68.4055	26.0	720.9	434	56901.	882	1.2	1.4	3.3	1.3	0.5	2.9	31	2.4
40876	0	0	1	0	DU	47.1100	68.4049	26.0	720.9	439	56901.	921	0.9	-0.3	4.0	0.1	0.1	4.6	26	2.3
40875	0	0	1	0	DU	47.1100	68.4043	26.0	720.9	441	56901.	878	1.0	0.9	3.4	0.1	0.1	3.5	28	2.3
40874	0	0	1	0	DU	47.1100	68.4037	26.0	720.8	442	56901.	874	0.9	1.2	4.4	0.1	0.1	5.4	25	2.3
40873	0	0	1	0	DU	47.1100	68.4031	26.0	720.8	442	56901.	840	0.8	1.2	2.8	0.1	0.1	3.8	27	2.3
40872	0	0	1	0	DU	47.1100	68.4025	26.0	720.8	444	56902.	842	0.9	0.1	5.1	0.1	0.1	6.0	19	2.2
40871	0	0	1	0	DU	47.1100	68.4019	26.0	720.8	444	56902.	823	0.8	0.9	2.9	0.1	0.1	3.7	21	2.2
40870	0	0	1	0	DU	47.1100	68.4013	26.0	720.8	445	56903.	928	1.0	0.4	4.6	0.1	0.1	4.8	28	2.2
40869	0	0	1	0	DU	47.1100	68.4007	26.0	720.9	445	56903.	924	0.9	-0.8	5.6	0.1	0.1	6.8	22	2.2
40868	0	0	1	0	DU	47.1100	68.4001	26.0	720.9	441	56902.	891	1.0	-0.1	6.2	0.1	0.1	6.3	27	2.2
40867	0	0	1	0	DU	47.1100	68.3995	26.0	720.9	438	56903.	987	1.2	0.0	6.7	0.1	0.1	5.6	21	2.2
40866	0	0	1	0	DU	47.1100	68.3989	26.0	721.0	431	56904.	841	0.9	0.3	4.2	0.1	0.1	4.9	23	2.1
40865	0	0	1	0	DU	47.1100	68.3983	26.0	721.0	428	56903.	970	1.1	0.9	7.7	0.1	0.1	7.2	20	2.1
40864	0	0	1	0	DU	47.1100	68.3977	26.0	721.1	422	56902.	934	1.1	-1.3	5.8	0.1	0.1	5.3	18	2.1
40863	0	0	1	0	DU	47.1100	68.3971	26.0	721.2	418	56902.	920	0.8	-0.2	5.7	0.1	0.1	7.3	21	2.0
40862	0	0	0	0	DU	47.1100	68.3965	26.0	721.3	414	56902.	828	0.8	1.5	4.9	2.0	0.3	6.8	15	2.0
40861	0	0	1	0	DU	47.1100	68.3959	26.0	721.4	413	56902.	923	0.9	0.8	3.6	0.1	0.1	4.1	26	1.9
40860	0	0	1	0	DU	47.1100	68.3953	26.0	721.5	411	56903.	771	1.0	-0.6	3.1	0.1	0.1	3.4	31	1.8
40859	0	0	1	0	DU	47.1100	68.3947	26.0	721.6	409	56902.	827	0.8	-0.3	5.7	0.1	0.1	7.2	26	1.8
40858	0	0	1	0	DU	47.1100	68.3941	26.0	721.7	407	56901.	884	0.9	1.3	6.1	0.1	0.1	7.2	23	1.7
40857	0	0	1	0	DU	47.1100	68.3935	26.0	721.8	406	56901.	880	0.9	0.8	4.1	0.1	0.1	4.9	30	1.6
40856	0	0	1	0	DU	47.1100	68.3929	26.0	721.9	406	56901.	865	0.7	0.7	4.9	0.1	0.1	7.5	16	1.5
40855	0	0	1	0	DU	47.1099	68.3923	26.0	721.9	408	56900.	872	0.8	0.5	3.9	0.1	0.1	5.2	21	1.4
40854	0	0	1	0	DU	47.1099	68.3917	26.0	722.0	411	56900.	826	0.8	-0.2	4.5	0.1	0.1	6.1	25	1.4
40853	0	0	1	0	DU	47.1099	68.3912	26.0	722.1	410	56900.	835	0.8	0.1	4.9	0.1	0.1	7.0	28	1.3
40852	0	0	1	0	DU	47.1099	68.3905	26.0	722.1	408	56900.	888	1.0	0.1	5.1	0.1	0.1	5.1	23	1.3
40851	0	0	1	0	DU	47.1099	68.3899	26.0	722.1	402	56899.	881	1.0	1.2	2.8	0.1	0.1	2.9	30	1.2
40850	0	0	1	0	DU	47.1099	68.3894	26.0	722.1	399	56899.	887	0.9	0.1	5.9	0.1	0.1	6.8	19	1.1
40849	0	0	1	0	DU	47.1099	68.3888	26.0	722.1	399	56900.	956	0.9	0.3	4.5	0.1	0.1	5.2	18	1.0
40848	0	0	0	0	DU	47.1099	68.3882	26.0	722.2	402	56902.	898	1.0	2.3	3.9	2.4	0.6	4.2	20	0.9
40847	0	0	1	0	DU	47.1099	68.3876	26.0	722.2	407	56901.	925	1.1	0.9	5.7	0.1	0.1	5.2	30	0.8
40846	0	0	1	0	DU	47.1099	68.3870	26.0	722.2	411	56900.	848	0.8	0.9	4.1	0.1	0.1	5.2	24	0.7
40845	0	0	1	0	DU	47.1099	68.3864	26.0	722.2	415	56900.	871	0.9	1.1	4.7	0.1	0.1	5.4	20	0.6
40844	0	0	0	0	DU	47.1099	68.3858	26.0	722.1	419	56900.	795	0.6	1.3	3.7	2.5	0.4	7.0	29	0.5
40843	0	0	1	0	DU	47.1099	68.3852	26.0	722.1	421	56900.	832	0.8	0.7	4.4	0.1	0.1	5.7	20	0.4
40842	0	0	1	0	DU	47.1099	68.3846	26.0	722.1	422	56900.	870	0.9	1.1	5.8	0.1	0.1	6.5	22	0.3
40841	0	0	1	0	DU	47.1099	68.3840	26.0	722.1	424	56900.	834	0.9	1.2	3.9	0.1	0.1	4.7	19	0.3
40840	0	0	0	0	DU	47.1099	68.3834	26.0	722.1	426	56901.	835	0.8	1.4	3.0	1.8	0.5	7.9	11	0.2
40839	0	0	1	0	DU	47.1099	68.3828	26.0	722.1	426	56901.	829	1.0	0.8	3.4	0.1	0.1	3.7	16	0.1
40838	0	0	1	0	DU	47.1099	68.3822	26.0	722.2	424	56902.	863	1.1	0.2	4.5	0.1	0.1	4.2	16	0.0
40837	0	0	1	0	DU	47.1099	68.3816	26.0	722.2	423	56902.	960	0.8	0.2	4.3	0.1	0.1	5.6	21	0.0
40836	0	0	1	0	DU	47.1099	68.3810	25.9	722.5	421	56903.	870	0.8	0.9	2.8	0.1	0.1	3.7	31	0.0
40835	0	0	0	0	DU	47.1099	68.3804	25.9	722.5	421	56902.	896	0.8	1.5	4.9	2.1	0.3	6.8	28	0.0

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI			
												CPS	%	PPM	PPM							CPS	CPS
40834	0	0	1	0	DU	47.1099	68.3798	25.9	722.5	420	56902.	915	0.9	0.3	6.6	0.1	0.1	7.2	20	0.0			
40833	0	0	0	0	DU	47.1099	68.3792	25.9	722.5	421	56902.	868	0.8	1.4	5.6	2.0	0.3	7.8	14	0.0			
40832	0	0	1	0	DU	47.1099	68.3786	25.9	722.5	422	56902.	808	0.8	-0.5	5.0	0.1	0.1	6.6	21	0.0			
40831	0	0	1	0	DU	47.1099	68.3780	25.9	722.5	425	56902.	842	1.0	0.3	4.1	0.1	0.1	4.1	31	0.0			
40830	0	0	1	0	DU	47.1099	68.3774	25.9	722.5	425	56903.	845	1.0	0.6	4.9	0.1	0.1	4.9	25	0.0			
40829	0	0	1	0	DU	47.1098	68.3768	25.9	722.5	426	56903.	904	1.1	0.0	4.3	0.1	0.1	4.1	22	0.0			
40828	0	0	1	0	DU	47.1098	68.3762	25.9	722.5	427	56903.	798	0.9	0.8	4.5	0.1	0.1	5.2	20	0.0			
40827	0	0	1	0	DU	47.1098	68.3756	25.9	722.5	427	56902.	838	0.9	0.9	5.0	0.1	0.1	5.7	29	0.0			
40826	0	0	1	0	DU	47.1098	68.3750	25.9	722.6	425	56901.	799	0.8	-0.1	1.2	0.1	0.1	1.6	16	0.0			
40825	0	0	0	0	DU	47.1098	68.3744	25.9	722.6	422	56901.	820	0.9	1.5	4.8	1.7	0.3	5.7	23	0.0			
40824	0	0	0	0	DU	47.1098	68.3738	25.9	722.6	417	56902.	675	0.7	1.3	3.6	2.0	0.4	5.6	25	0.0			
40823	0	0	0	0	DU	47.1098	68.3732	25.9	722.7	411	56905.	578	0.4	1.8	2.6	0.1	0.8	0.1	24	0.0			
40822	0	0	1	0	DU	47.1098	68.3726	25.9	722.7	401	56904.	453	0.3	-0.1	3.5	0.1	0.1	0.1	19	0.0			
40821	0	0	1	0	DU	47.1098	68.3720	25.9	722.8	400	56900.	407	0.3	0.8	1.3	0.1	0.1	0.1	20	0.0			
40820	0	0	1	0	DU	47.1098	68.3714	25.9	722.8	404	56899.	345	0.3	0.5	1.8	0.1	0.1	0.1	18	0.0			
40818	0	1	1	1	DU	47.1098	68.3702	25.9	722.9	409	56900.	200	0.2	0.6	0.8	0.1	0.1	0.1	26	0.0			
40817	0	0	1	1	DU	47.1098	68.3696	25.9	723.0	406	56902.	202	0.3	0.8	0.3	0.1	0.1	0.1	33	0.0			
40816	0	1	1	1	DU	47.1098	68.3690	25.9	723.0	402	56902.	158	0.1	-0.4	0.5	0.1	0.1	0.1	19	0.0			
40815	0	0	1	0	DU	47.1098	68.3685	25.9	723.1	398	56903.	268	0.3	0.1	1.7	0.1	0.1	0.1	25	0.0			
40814	0	0	1	0	DU	47.1098	68.3679	25.9	723.2	397	56903.	364	0.4	0.4	2.0	0.1	0.1	0.1	19	0.0			
40813	0	0	1	0	DU	47.1098	68.3673	25.9	723.2	398	56903.	470	0.4	0.1	4.3	0.1	0.1	0.1	23	0.0			
40812	0	0	1	0	DU	47.1098	68.3667	25.9	723.3	399	56903.	653	0.8	1.0	4.2	0.1	0.1	5.6	22	0.0			
40811	0	0	0	0	DU	47.1098	68.3662	25.9	723.3	401	56902.	763	0.9	2.0	2.9	2.2	0.7	3.2	22	0.0			
40810	0	0	1	0	DU	47.1098	68.3656	25.9	723.3	403	56900.	725	0.8	0.2	3.0	0.1	0.1	4.2	21	0.0			
40809	0	0	1	0	DU	47.1098	68.3650	25.9	723.4	406	56900.	642	0.5	0.0	3.5	0.1	0.1	0.1	25	0.0			
40808	0	0	1	0	DU	47.1098	68.3644	25.9	723.4	409	56900.	602	0.8	0.4	2.1	0.1	0.1	2.9	25	0.0			
40807	0	0	1	0	DU	47.1098	68.3639	25.9	723.4	411	56901.	598	0.7	-0.5	3.3	0.1	0.1	5.3	28	0.0			
40806	0	0	1	0	DU	47.1098	68.3633	25.9	723.3	411	56902.	515	0.5	0.6	2.4	0.1	0.1	0.1	22	0.0			
40805	0	0	1	0	DU	47.1098	68.3627	25.9	723.3	410	56902.	515	0.4	1.1	2.1	0.1	0.1	0.1	21	0.0			
40804	0	0	1	1	DU	47.1098	68.3622	25.9	723.3	409	56902.	463	0.4	1.1	0.9	0.1	0.1	0.1	25	0.0			
40803	0	0	0	0	DU	47.1097	68.3616	25.9	723.3	408	56901.	488	0.5	1.6	3.2	0.1	0.5	0.1	22	0.0			
40802	0	0	1	0	DU	47.1097	68.3610	25.9	723.2	410	56902.	512	0.5	0.2	2.1	0.1	0.1	0.1	19	0.0			
40801	0	0	1	0	DU	47.1097	68.3604	25.9	723.2	412	56903.	586	0.6	-0.2	2.6	0.1	0.1	4.9	21	0.0			
40800	0	0	1	0	DU	47.1097	68.3599	25.9	723.1	416	56903.	527	0.4	0.7	3.8	0.1	0.1	0.1	28	0.0			
40799	0	0	1	0	DU	47.1097	68.3593	25.9	723.1	420	56902.	546	0.7	0.9	2.5	0.1	0.1	3.7	29	0.0			
40798	0	0	1	0	DU	47.1097	68.3587	25.9	723.0	425	56902.	526	0.4	0.3	2.1	0.1	0.1	0.1	26	0.0			
40797	0	0	1	0	DU	47.1097	68.3581	25.9	723.0	429	56901.	476	0.5	0.7	2.2	0.1	0.1	0.1	18	0.0			
40796	0	0	1	0	DU	47.1097	68.3576	25.9	723.0	430	56900.	436	0.4	0.7	2.3	0.1	0.1	0.1	22	0.0			
40795	0	0	1	0	DU	47.1097	68.3570	25.9	722.9	429	56901.	402	0.5	0.3	1.6	0.1	0.1	0.1	25	0.0			
40794	0	0	1	0	DU	47.1097	68.3564	25.9	722.9	425	56902.	328	0.4	0.6	1.5	0.1	0.1	0.1	27	0.0			
40793	0	0	1	1	DU	47.1097	68.3559	25.9	722.9	423	56902.	372	0.3	-0.2	0.7	0.1	0.1	0.1	23	0.0			
40792	0	0	1	0	DU	47.1097	68.3553	25.9	722.9	421	56902.	398	0.5	-0.2	1.8	0.1	0.1	0.1	19	0.0			
40791	0	0	1	0	DU	47.1097	68.3547	25.9	722.9	421	56902.	438	0.5	0.5	3.9	0.1	0.1	0.1	21	0.0			
40790	0	0	1	0	DU	47.1097	68.3541	25.9	722.8	421	56903.	387	0.3	0.6	2.4	0.1	0.1	0.1	21	0.0			
40789	0	0	1	1	DU	47.1097	68.3535	25.9	722.8	421	56903.	302	0.2	0.3	0.4	0.1	0.1	0.1	26	0.0			
40788	0	0	1	1	DU	47.1097	68.3530	25.9	722.8	420	56902.	319	0.3	0.7	-0.2	0.1	0.1	0.1	31	0.0			
40787	0	1	1	1	DU	47.1097	68.3524	25.9	722.8	418	56902.	295	0.2	0.9	0.6	0.1	0.1	0.1	31	0.0			
40786	0	0	1	0	DU	47.1097	68.3518	25.9	722.8	416	56904.	250	0.4	0.9	2.3	0.1	0.1	0.1	25	0.0			
40785	0	1	1	1	DU	47.1097	68.3513	25.9	722.8	416	56904.	261	0.1	0.0	0.6	0.1	0.1	0.1	16	0.0			
40784	0	1	1	0	DU	47.1097	68.3507	25.9	722.8	416	56903.	261	0.2	0.3	1.8	0.1	0.1	0.1	20	0.0			

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	CCS	BI
												CPS	%	PPM	PPM			CPS	CPS	
40783	0	0	1	0	Du	47.1097	68.3501	25.9	722.8	417	56902.	220	0.3	-0.3	1.4	0.1	0.1	0.1	21	0.0
40782	0	0	1	1	Du	47.1097	68.3495	25.8	722.8	417	56902.	230	0.3	-0.4	0.3	0.1	0.1	0.1	28	0.0
40781	0	1	1	1	Du	47.1097	68.3490	25.8	722.8	416	56903.	175	0.2	0.8	0.5	0.1	0.1	0.1	33	0.0
40780	0	1	1	1	Du	47.1097	68.3484	25.8	722.8	413	56903.	195	0.2	-0.1	0.8	0.1	0.1	0.1	26	0.0
40779	0	0	1	0	Du	47.1097	68.3478	25.6	722.7	410	56902.	264	0.2	0.4	1.4	0.1	0.1	0.1	14	0.0
40778	0	0	1	0	Du	47.1097	68.3472	25.6	722.7	411	56902.	322	0.4	0.4	1.4	0.1	0.1	0.1	18	0.0
40777	0	0	1	0	Du	47.1096	68.3467	25.6	722.7	411	56903.	334	0.2	0.3	1.8	0.1	0.1	0.1	18	0.0
40776	0	0	1	0	Du	47.1096	68.3461	25.6	722.7	412	56904.	418	0.2	0.6	2.2	0.1	0.1	0.1	21	0.0
40775	0	0	1	0	Du	47.1096	68.3455	25.6	722.7	415	56904.	485	0.4	1.1	1.2	0.1	0.1	0.1	22	0.0
40774	0	0	1	0	Du	47.1096	68.3449	25.6	722.7	416	56904.	445	0.4	1.1	2.2	0.1	0.1	0.1	25	0.0
40773	0	0	1	0	Du	47.1096	68.3444	25.6	722.7	422	56903.	497	0.5	0.1	3.5	0.1	0.1	0.1	25	0.0
40772	0	0	1	0	Du	47.1096	68.3438	25.6	722.7	431	56901.	496	0.4	1.1	3.7	0.1	0.1	0.1	21	0.0
40771	0	0	1	0	Du	47.1096	68.3432	25.6	722.6	441	56901.	512	0.7	0.9	3.3	0.1	0.1	5.3	25	0.0
40770	0	0	1	0	Du	47.1096	68.3427	25.6	722.6	451	56902.	540	0.5	-0.1	3.2	0.1	0.1	0.1	24	0.0
40769	0	0	1	0	Du	47.1096	68.3421	25.6	722.6	461	56904.	588	0.5	-0.1	1.7	0.1	0.1	0.1	18	0.0
40768	0	0	1	0	Du	47.1096	68.3415	25.6	722.5	469	56905.	629	0.6	1.0	1.5	0.1	0.1	2.6	25	0.0
40767	0	0	0	0	Du	47.1096	68.3409	25.6	722.5	474	56904.	676	0.6	1.9	4.0	3.3	0.5	6.9	18	0.0
40766	0	0	1	0	Du	47.1096	68.3404	25.6	722.4	477	56903.	672	0.6	0.0	2.1	0.1	0.1	3.8	21	0.0
40765	0	0	0	0	Du	47.1096	68.3398	25.6	722.4	476	56904.	700	0.6	1.7	3.7	3.0	0.5	6.4	24	0.0
40764	0	0	1	0	Du	47.1096	68.3392	25.6	722.4	473	56903.	742	0.6	-0.2	3.5	0.1	0.1	6.0	23	0.0
40763	0	0	1	0	Du	47.1096	68.3386	25.6	722.3	469	56903.	734	0.6	1.0	4.1	0.1	0.1	6.8	20	0.0
40762	0	0	1	0	Du	47.1096	68.3381	25.6	722.3	466	56902.	795	0.8	-0.4	3.8	0.1	0.1	4.8	19	0.0
40761	0	0	0	0	Du	47.1096	68.3375	25.6	722.3	464	56902.	738	0.7	1.6	3.5	2.6	0.5	5.7	27	0.0
40760	0	0	1	0	Du	47.1096	68.3369	25.6	722.3	462	56902.	762	0.9	0.7	5.1	0.1	0.1	6.3	28	0.0
40759	0	0	0	0	Du	47.1096	68.3363	25.6	722.3	459	56902.	732	0.7	1.5	3.7	2.3	0.4	5.8	27	0.0
40758	0	0	1	0	Du	47.1096	68.3358	25.6	722.4	457	56901.	809	0.9	0.8	3.5	0.1	0.1	3.9	15	0.0
40757	0	0	0	0	Du	47.1096	68.3352	25.6	722.4	456	56902.	742	0.6	1.5	1.7	2.8	0.9	3.1	21	0.0
40756	0	0	1	0	Du	47.1096	68.3346	25.6	722.5	458	56904.	677	0.6	0.4	4.2	0.1	0.1	7.8	23	0.0
40755	0	0	1	0	Du	47.1096	68.3340	25.6	722.5	462	56904.	631	0.8	0.4	3.0	0.1	0.1	4.0	22	0.0
40754	0	0	1	0	Du	47.1096	68.3335	25.6	722.6	465	56904.	588	0.8	0.6	3.6	0.1	0.1	5.0	25	0.0
40753	0	0	1	0	Water	47.1096	68.3329	25.6	722.6	467	56904.	369	0.5	0.0	2.5	0.1	0.1	0.1	24	0.0
40752	0	1	1	0	Water	47.1096	68.3323	25.6	722.7	464	56903.	218	0.1	-0.2	1.6	0.1	0.1	0.1	27	0.0
40751	0	1	1	0	Water	47.1096	68.3317	25.6	722.8	459	56903.	108	0.1	0.2	1.7	0.1	0.1	0.1	24	0.0
40750	0	1	1	1	Water	47.1096	68.3311	25.6	722.9	451	56904.	48	0.0	-1.0	0.7	0.1	0.1	0.1	20	0.0
40749	0	1	1	1	Water	47.1096	68.3305	25.6	723.0	442	56905.	14	0.1	0.1	0.3	0.1	0.1	0.1	19	0.0
40748	0	0	1	1	Water	47.1096	68.3299	25.6	723.1	435	56905.	0	0.2	-0.3	-0.2	0.1	0.1	0.1	27	0.0
40747	0	1	1	1	Water	47.1096	68.3293	25.6	723.2	429	56906.	-2	0.0	0.1	-0.2	0.1	0.1	0.1	32	0.0
40746	0	1	1	1	Water	47.1096	68.3287	25.6	723.2	427	56904.	-45	-0.1	-0.2	0.2	0.1	0.1	0.1	28	0.0
40745	0	1	1	0	Water	47.1096	68.3281	25.6	723.3	425	56902.	-27	0.0	-0.7	1.3	0.1	0.1	0.1	21	0.0
40744	0	1	1	1	Water	47.1096	68.3275	25.6	723.4	424	56903.	-36	0.0	-0.2	0.1	0.1	0.1	0.1	23	0.0
40743	0	1	1	1	Water	47.1096	68.3269	25.6	723.5	422	56903.	-10	0.0	-0.1	0.7	0.1	0.1	0.1	20	0.0
40742	0	1	1	1	Water	47.1096	68.3263	25.6	723.6	419	56904.	-45	0.0	-0.6	0.0	0.1	0.1	0.1	22	0.0
40741	0	1	1	1	Water	47.1096	68.3257	25.6	723.6	417	56904.	-16	0.1	0.0	0.2	0.1	0.1	0.1	13	0.0
40740	0	1	1	1	Water	47.1096	68.3251	25.6	723.7	414	56903.	-27	0.0	0.2	0.6	0.1	0.1	0.1	14	0.0
40739	0	1	1	1	Water	47.1096	68.3244	25.6	723.7	412	56903.	-35	-0.1	0.3	0.1	0.1	0.1	0.1	27	0.0
40738	0	1	1	1	Water	47.1096	68.3238	25.6	723.8	409	56904.	-22	0.0	0.2	-0.1	0.1	0.1	0.1	15	0.0
40737	0	1	1	1	Water	47.1096	68.3232	25.6	723.8	405	56904.	-26	0.1	0.0	-0.6	0.1	0.1	0.1	19	0.0
40736	0	1	1	1	Water	47.1096	68.3226	25.6	723.8	399	56904.	-16	0.0	-0.7	-0.2	0.1	0.1	0.1	22	0.0
40735	0	1	1	1	Water	47.1096	68.3220	25.6	723.8	393	56905.	-6	0.1	0.4	1.0	0.1	0.1	0.1	30	0.0
40734	0	1	1	1	Water	47.1096	68.3214	25.6	723.7	388	56907.	-27	0.0	-0.6	0.9	0.1	0.1	0.1	21	0.0

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI			
												CPS	%	PPM	PPM							CPS	CPS
40733	0	1	1	1	Water	47.1096	68.3208	25.6	723.7	385	56906.	-3	0.1	0.4	-0.4	0.1	0.1	0.1	19	0.0			
40732	0	1	1	1	Water	47.1096	68.3202	25.6	723.7	383	56905.	-49	0.0	-0.8	0.0	0.1	0.1	0.1	24	0.2			
40731	0	1	1	1	Water	47.1096	68.3196	25.6	723.6	383	56905.	5	0.0	0.6	0.3	0.1	0.1	0.1	20	0.4			
40730	0	1	1	1	Water	47.1096	68.3190	25.6	723.6	384	56905.	-14	0.0	0.0	0.5	0.1	0.1	0.1	20	0.6			
40729	0	1	1	1	Water	47.1097	68.3184	25.6	723.5	386	56906.	-44	-0.1	-0.4	0.5	0.1	0.1	0.1	19	0.9			
40728	0	1	1	1	Water	47.1097	68.3178	25.5	723.4	389	56905.	-10	0.1	0.5	0.1	0.1	0.1	0.1	22	1.1			
40727	0	1	1	1	Water	47.1097	68.3172	25.5	723.4	394	56905.	-9	0.0	-0.1	0.2	0.1	0.1	0.1	20	1.3			
40726	0	1	1	1	Water	47.1097	68.3166	25.5	723.3	399	56904.	-12	0.1	-0.6	0.3	0.1	0.1	0.1	20	1.6			
40725	0	1	1	1	Water	47.1097	68.3159	25.5	723.2	406	56905.	35	0.0	-0.5	0.1	0.1	0.1	0.1	30	1.8			
40724	0	1	1	1	Water	47.1097	68.3153	25.5	723.1	412	56905.	72	0.1	-0.3	-0.2	0.1	0.1	0.1	26	2.0			
40722	0	0	1	1	Water	47.1097	68.3141	25.2	721.1	422	56906.	139	0.3	0.3	0.9	0.1	0.1	0.1	13	2.2			
40721	0	1	1	0	Oml	47.1097	68.3135	25.2	721.2	425	56906.	207	0.2	-0.3	1.8	0.1	0.1	0.1	20	2.4			
40720	0	0	1	0	Oml	47.1097	68.3129	25.2	721.3	428	56906.	442	0.6	-1.4	4.5	0.1	0.1	8.4	22	2.6			
40719	0	0	1	0	Oml	47.1097	68.3123	25.2	721.3	432	56906.	584	0.7	0.0	3.6	0.1	0.1	5.9	19	2.6			
40718	0	0	1	0	Oml	47.1097	68.3117	25.2	721.2	433	56906.	782	0.8	0.9	2.7	0.1	0.1	3.7	22	2.5			
40717	0	0	1	0	Oml	47.1097	68.3111	25.2	721.2	431	56906.	810	0.9	1.0	5.4	0.1	0.1	6.1	22	2.5			
40716	0	0	1	0	Oml	47.1097	68.3105	25.2	721.1	427	56906.	895	1.1	0.0	4.8	0.1	0.1	4.5	25	2.4			
40715	0	0	0	0	Oml	47.1097	68.3099	25.2	721.0	426	56906.	866	1.0	1.4	3.8	1.4	0.4	3.9	35	2.4			
40714	0	0	1	0	Oml	47.1097	68.3093	25.2	720.8	429	56906.	882	0.9	0.3	5.5	0.1	0.1	6.7	20	2.5			
40713	0	0	1	0	Oml	47.1097	68.3087	25.2	720.7	433	56905.	833	0.7	-0.1	3.9	0.1	0.1	5.5	22	2.7			
40712	0	0	1	0	Oml	47.1097	68.3081	25.2	720.5	435	56905.	887	1.1	1.3	4.1	0.1	0.1	3.9	26	2.6			
40711	0	0	1	0	Oml	47.1097	68.3075	25.2	720.4	432	56907.	967	1.2	1.2	4.7	0.1	0.1	4.2	26	2.6			
40710	0	0	1	0	Oml	47.1097	68.3068	25.2	720.2	426	56907.	1011	1.0	0.2	5.3	0.1	0.1	5.4	20	2.5			
40709	0	0	0	0	Oml	47.1097	68.3063	25.2	719.9	419	56906.	1044	1.2	1.8	5.6	1.6	0.4	4.9	24	2.5			
40708	0	0	1	0	Oml	47.1097	68.3056	25.2	719.6	409	56906.	1072	1.2	-0.1	4.5	0.1	0.1	3.7	29	2.4			
40707	0	0	0	0	Oml	47.1097	68.3050	25.2	719.2	399	56905.	1236	1.3	1.8	5.5	1.5	0.4	4.6	21	2.3			
40706	0	0	0	0	Oml	47.1098	68.3044	25.2	718.9	393	56904.	1242	1.3	1.9	7.0	1.5	0.3	5.5	31	2.2			
40705	0	0	0	0	Oml	47.1098	68.3038	25.2	718.6	393	56905.	1361	1.4	1.4	7.1	1.0	0.2	5.2	22	2.2			
40704	0	0	1	0	Oml	47.1098	68.3032	25.2	718.2	397	56907.	1456	1.8	0.1	8.0	0.1	0.1	4.6	24	2.1			
40703	0	0	1	0	Oml	47.1098	68.3026	25.2	717.9	398	56908.	1423	1.5	0.4	9.6	0.1	0.1	6.5	29	2.1			
40702	0	0	0	0	Oml	47.1098	68.3020	25.2	717.6	398	56911.	1365	1.4	1.5	4.1	1.1	0.4	2.9	27	2.0			
40701	0	0	0	0	Oml	47.1098	68.3014	25.2	717.4	399	56912.	1506	1.6	1.5	6.9	1.0	0.3	4.6	28	1.9			
40700	0	0	0	0	Oml	47.1098	68.3008	25.2	717.1	401	56911.	1376	1.5	1.7	5.2	1.1	0.4	3.6	23	1.9			
40699	0	0	0	0	Oml	47.1098	68.3002	25.2	716.9	406	56910.	1374	1.4	2.1	6.0	1.5	0.4	4.5	26	1.8			
40698	0	0	1	0	Oml	47.1098	68.2996	25.2	716.7	411	56909.	1349	1.8	1.2	5.9	0.1	0.1	3.4	34	1.7			
40697	0	0	1	0	Oml	47.1098	68.2990	25.2	716.5	418	56909.	1369	1.6	1.3	7.2	0.1	0.1	4.5	24	1.7			
40696	0	0	0	0	Oml	47.1098	68.2984	25.2	716.3	422	56909.	1272	1.1	1.6	5.9	1.5	0.3	5.4	25	1.6			
40695	0	0	1	0	Oml	47.1098	68.2978	25.2	716.1	431	56907.	1329	1.3	0.1	6.3	0.1	0.1	4.9	22	1.6			
40694	0	0	0	0	Oml	47.1098	68.2972	25.2	715.9	439	56907.	1388	1.5	2.0	9.0	1.4	0.3	6.4	18	1.5			
40693	0	0	0	0	Oml	47.1098	68.2966	25.2	715.8	448	56907.	1456	1.8	2.2	6.4	1.3	0.4	3.7	23	1.5			
40692	0	0	0	0	Oml	47.1098	68.2960	25.2	715.6	450	56908.	1536	1.5	3.2	9.6	2.3	0.4	6.7	28	1.4			
40691	0	0	1	0	Oml	47.1099	68.2954	25.2	715.5	451	56909.	1565	1.6	1.0	7.5	0.1	0.1	4.7	16	1.4			
40690	0	0	1	0	Oml	47.1099	68.2948	25.2	715.4	452	56909.	1692	2.0	1.1	7.7	0.1	0.1	4.0	16	1.3			
40689	0	0	1	0	Oml	47.1099	68.2942	25.2	715.3	451	56909.	1661	2.2	1.2	7.5	0.1	0.1	3.5	36	1.3			
40688	0	0	0	0	Oml	47.1099	68.2936	25.2	715.3	450	56909.	1630	1.8	1.8	7.0	1.1	0.3	4.0	24	1.3			
40687	0	0	0	0	Oml	47.1099	68.2931	25.2	715.2	447	56909.	1596	2.1	1.9	7.4	1.0	0.3	3.7	16	1.2			
40686	0	0	0	0	Oml	47.1099	68.2925	25.2	715.1	444	56910.	1546	1.6	2.1	6.7	1.4	0.3	4.3	33	1.2			
40685	0	0	0	0	Oml	47.1099	68.2919	25.2	715.1	440	56912.	1508	1.8	2.0	6.1	1.1	0.4	3.4	23	1.2			
40684	0	0	1	0	Oml	47.1099	68.2913	25.2	715.1	437	56913.	1575	1.8	1.0	8.6	0.1	0.1	5.0	25	1.2			
40683	0	0	1	0	Oml	47.1100	68.2907	25.2	715.1	435	56914.	1502	1.8	1.0	8.7	0.1	0.1	4.9	22	1.2			

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
40682	0	0	0	0	Oml	47.1100	68.2901	25.2	715.1	435	56914.	1479	1.8	1.8	6.2	1.1	0.3	3.5	25	1.2
40681	0	0	0	0	Oml	47.1100	68.2895	25.2	715.2	435	56913.	1352	1.4	1.6	6.1	1.2	0.3	4.4	22	1.2
40680	0	0	0	0	Oml	47.1100	68.2889	25.2	715.2	436	56913.	1207	1.2	1.9	6.3	1.6	0.3	5.3	27	1.1
40679	0	0	1	0	Oml	47.1100	68.2884	25.2	715.3	436	56913.	1173	1.1	1.2	5.9	0.1	0.1	5.4	26	1.1
40678	0	0	1	0	Oml	47.1100	68.2878	25.2	715.3	437	56914.	1190	1.4	1.3	4.9	0.1	0.1	3.6	27	1.0
40677	0	0	0	0	Oml	47.1100	68.2872	25.2	715.4	437	56914.	1125	1.1	2.3	4.2	2.1	0.6	3.9	29	1.0
40676	0	0	0	0	Oml	47.1101	68.2866	25.2	715.5	435	56914.	1214	1.7	2.9	4.2	1.8	0.7	2.5	24	0.9
40675	0	0	1	0	Oml	47.1101	68.2860	25.2	715.6	431	56914.	1300	1.5	0.9	9.1	0.1	0.1	6.3	29	0.9
40674	0	0	0	0	Oml	47.1101	68.2854	25.2	715.7	426	56914.	1375	1.6	3.1	6.2	2.1	0.6	4.0	20	0.9
40673	0	0	0	0	Oml	47.1101	68.2848	25.2	715.8	420	56914.	1405	1.6	2.1	7.9	1.4	0.3	5.1	25	0.8
40672	0	0	1	0	Oml	47.1101	68.2842	25.2	715.9	413	56914.	1446	1.8	-0.3	8.8	0.1	0.1	4.9	25	0.8
40671	0	0	1	0	Oml	47.1101	68.2837	25.2	715.9	406	56914.	1490	1.7	0.6	8.3	0.1	0.1	4.9	27	0.8
40670	0	0	1	0	Oml	47.1101	68.2831	25.2	716.0	398	56914.	1572	1.6	1.2	9.4	0.1	0.1	6.1	18	0.8
40669	0	0	0	0	Oml	47.1101	68.2825	25.2	716.1	391	56914.	1517	1.5	2.7	7.2	1.9	0.4	5.1	15	0.7
40668	0	0	0	0	Oml	47.1101	68.2819	25.2	716.2	385	56913.	1587	1.6	2.0	8.1	1.3	0.3	5.4	15	0.7
40667	0	0	0	0	Oml	47.1102	68.2813	25.2	716.2	380	56914.	1497	1.5	1.9	8.5	1.3	0.3	5.8	18	0.7
40666	0	0	1	0	Oml	47.1102	68.2807	25.1	716.9	373	56916.	1384	1.7	0.3	8.4	0.1	0.1	5.0	27	0.7
40665	0	0	1	0	Oml	47.1102	68.2801	25.1	716.9	372	56916.	1392	1.8	1.1	7.2	0.1	0.1	4.1	25	0.7
40664	0	0	0	0	Oml	47.1102	68.2795	25.1	716.9	371	56916.	1352	1.5	2.1	7.4	1.5	0.3	5.1	31	0.6
40663	0	0	0	0	Oml	47.1102	68.2790	25.1	716.9	369	56916.	1394	1.6	3.1	6.2	2.0	0.6	3.9	20	0.5
40662	0	0	0	0	Oml	47.1102	68.2784	25.1	717.0	369	56916.	1359	1.5	1.6	7.5	1.1	0.3	5.3	25	0.5
40661	0	0	0	0	Oml	47.1102	68.2778	25.1	717.0	370	56915.	1364	1.5	1.5	9.2	1.0	0.2	6.1	28	0.6
40660	0	0	0	0	Oml	47.1103	68.2772	25.1	717.0	372	56915.	1238	1.3	1.4	6.7	1.1	0.3	5.2	26	0.6
40659	0	0	1	0	Oml	47.1103	68.2767	25.1	717.0	376	56915.	1128	1.2	1.1	5.5	0.1	0.1	4.6	27	0.6
40658	0	0	0	0	Oml	47.1103	68.2761	25.1	717.1	378	56914.	1084	1.0	1.6	6.0	1.6	0.3	6.2	22	0.6
40657	0	0	1	0	Oml	47.1103	68.2756	25.1	717.1	383	56913.	1068	1.1	0.8	6.1	0.1	0.1	5.9	25	0.6
40656	0	0	0	0	Oml	47.1103	68.2751	25.1	717.1	391	56912.	1009	0.9	1.9	3.6	2.1	0.6	4.0	19	0.6
40655	0	0	0	0	Oml	47.1103	68.2746	25.1	717.1	402	56913.	1001	0.7	2.0	4.7	3.2	0.5	7.7	20	0.7
40654	0	0	0	0	Oml	47.1103	68.2740	25.1	717.1	407	56913.	994	1.0	1.5	4.7	1.7	0.4	5.2	29	0.7
40653	0	0	1	0	Oml	47.1103	68.2735	25.1	717.1	405	56914.	971	1.1	1.1	2.9	0.1	0.1	2.8	26	0.7
40652	0	0	0	0	Oml	47.1103	68.2729	25.1	717.1	397	56915.	1017	1.0	1.8	3.7	1.9	0.5	4.0	15	0.8
40651	0	0	0	0	Oml	47.1103	68.2724	25.1	717.1	390	56914.	976	1.0	3.3	3.0	3.5	1.1	3.2	28	0.8
40650	0	0	0	0	Oml	47.1103	68.2719	25.1	717.1	392	56914.	940	1.1	1.4	5.1	1.3	0.3	4.9	17	0.9
40649	0	0	1	0	Oml	47.1103	68.2714	25.1	717.1	396	56916.	983	0.8	-0.1	4.4	0.1	0.1	5.6	24	0.9
40648	0	0	1	0	Oml	47.1103	68.2708	25.1	717.1	400	56914.	966	1.0	0.4	6.2	0.1	0.1	6.6	22	1.0
40647	0	0	0	0	Oml	47.1103	68.2703	25.1	717.1	398	56911.	999	1.2	2.8	4.1	2.4	0.7	3.5	20	1.0
40646	0	0	0	0	Oml	47.1103	68.2698	25.1	717.1	395	56913.	936	0.8	2.2	4.0	2.8	0.6	5.0	25	1.0
40645	0	0	0	0	Oml	47.1103	68.2692	25.1	717.0	391	56915.	985	0.8	1.4	5.1	1.8	0.3	6.7	26	1.1
40644	0	0	0	0	Oml	47.1103	68.2687	25.1	717.0	388	56916.	974	0.9	1.9	4.6	2.1	0.5	5.1	17	1.1
40643	0	0	0	0	Oml	47.1103	68.2682	25.1	717.0	384	56915.	979	1.0	1.7	5.0	1.8	0.4	5.3	29	1.2
40642	0	0	1	0	Oml	47.1103	68.2676	25.1	717.0	381	56913.	986	1.0	0.8	5.2	0.1	0.1	5.5	24	1.2
40641	0	0	1	0	Oml	47.1103	68.2671	25.1	717.0	380	56913.	972	1.0	0.4	6.0	0.1	0.1	6.4	20	1.2
40640	0	0	0	0	Oml	47.1103	68.2666	25.1	717.0	384	56913.	879	1.0	1.3	4.4	1.4	0.3	4.5	22	1.3
40639	0	0	1	0	Oml	47.1103	68.2661	25.1	717.0	389	56915.	988	1.0	0.5	4.9	0.1	0.1	4.9	35	1.4
40638	0	0	1	0	Oml	47.1103	68.2655	25.1	717.0	394	56915.	867	0.8	0.5	5.2	0.1	0.1	7.1	25	1.5
40637	0	0	1	0	Oml	47.1103	68.2650	25.1	717.0	393	56915.	962	1.1	1.1	5.5	0.1	0.1	5.0	23	1.5
40636	0	0	1	0	Oml	47.1103	68.2645	25.1	717.0	389	56915.	954	1.1	0.3	4.6	0.1	0.1	4.1	25	1.6
40635	0	0	1	0	Oml	47.1103	68.2639	25.1	717.0	384	56915.	979	0.9	0.9	5.0	0.1	0.1	6.1	32	1.6
40634	0	0	1	0	Oml	47.1103	68.2634	25.1	717.0	382	56916.	1001	0.8	1.1	5.3	0.1	0.1	7.1	25	1.6
40633	0	0	1	0	Oml	47.1103	68.2629	25.1	716.9	385	56915.	934	0.8	0.2	6.7	0.1	0.1	8.8	16	1.6

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	R.ADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
													CPS	%	PPM	PPM			CPS	CPS
40632	0	0	1	0	Oml	47.1103	68.2624	25.1	716.9	389	56915.	981	1.1	0.6	6.1	0.1	0.1	6.0	20	1.6
40631	0	0	1	0	Oml	47.1103	68.2618	25.1	716.8	395	56915.	958	1.0	0.6	3.0	0.1	0.1	3.1	30	1.7
40630	0	0	0	0	Oml	47.1103	68.2613	25.1	716.8	403	56915.	934	0.9	1.2	4.5	1.4	0.3	5.1	23	1.7
40629	0	0	1	0	Oml	47.1103	68.2608	25.1	716.7	414	56915.	962	0.8	0.2	3.9	0.1	0.1	5.2	19	1.7
40627	0	0	1	0	Oml	47.1103	68.2597	25.1	716.6	426	56916.	889	1.0	0.7	4.9	0.1	0.1	5.2	19	1.7
40626	0	0	1	0	Oml	47.1103	68.2592	25.1	716.5	437	56916.	912	1.0	0.6	3.8	0.1	0.1	4.1	17	1.7
40625	0	0	1	0	Oml	47.1103	68.2586	25.1	716.5	450	56915.	880	0.9	0.2	4.4	0.1	0.1	5.2	25	1.8
40624	0	0	1	0	Oml	47.1103	68.2581	25.1	716.4	460	56915.	849	1.0	-0.1	4.2	0.1	0.1	4.5	20	1.8
40623	0	0	1	0	Oml	47.1103	68.2576	25.1	716.3	465	56915.	898	0.8	0.2	5.2	0.1	0.1	6.6	42	1.8
40622	0	0	1	0	Oml	47.1103	68.2570	25.1	716.1	467	56915.	876	0.7	0.7	4.3	0.1	0.1	6.4	20	1.8
40621	0	0	1	0	Oml	47.1103	68.2565	25.1	716.0	468	56914.	1011	1.1	0.9	6.1	0.1	0.1	5.8	24	1.8
40620	0	0	1	0	Oml	47.1103	68.2560	25.1	715.9	470	56914.	1034	1.2	0.3	3.3	0.1	0.1	2.9	21	1.8
40619	0	0	1	0	Oml	47.1103	68.2554	25.1	715.8	469	56914.	983	0.9	1.1	6.5	0.1	0.1	8.1	27	1.8
40618	0	0	1	0	Oml	47.1103	68.2549	25.1	715.6	467	56915.	1052	1.1	-0.3	4.1	0.1	0.1	3.7	26	1.8
40617	0	0	0	0	Oml	47.1103	68.2544	25.1	715.5	459	56915.	1084	1.3	2.6	5.8	2.1	0.5	4.5	15	1.8
40616	0	0	1	0	Oml	47.1103	68.2539	25.1	715.4	451	56914.	1124	0.9	0.0	6.6	0.1	0.1	7.6	27	1.8
40615	0	0	0	0	Oml	47.1103	68.2533	25.1	715.3	440	56915.	1128	1.0	1.9	6.0	1.9	0.4	5.9	21	1.7
40614	0	0	0	0	Oml	47.1103	68.2528	25.1	715.2	427	56917.	1162	1.4	2.0	5.2	1.5	0.4	3.9	23	1.7
40613	0	0	0	0	Oml	47.1103	68.2523	25.1	715.1	415	56919.	1162	1.5	1.6	5.0	1.1	0.4	3.5	18	1.6
40612	0	0	1	0	Oml	47.1103	68.2517	25.1	715.0	403	56920.	1103	1.0	-0.1	7.0	0.1	0.1	7.4	21	1.6
40611	0	0	1	0	Oml	47.1103	68.2512	25.1	714.9	395	56922.	1049	1.4	0.9	4.6	0.1	0.1	3.4	24	1.6
40610	0	0	1	0	Oml	47.1103	68.2507	25.1	714.8	388	56924.	1128	1.2	1.2	6.5	0.1	0.1	5.6	23	1.5
40609	0	0	0	0	Oml	47.1103	68.2501	25.1	715.5	382	56924.	1101	1.2	1.7	4.3	1.5	0.4	3.8	25	1.4
40608	0	0	0	0	Oml	47.1103	68.2496	25.1	715.4	384	56923.	1093	1.1	2.4	4.5	2.3	0.6	4.4	24	1.3
40607	0	0	0	0	Oml	47.1103	68.2491	25.1	715.4	387	56922.	1076	1.1	1.6	5.7	1.5	0.3	5.5	24	1.3
40606	0	0	0	0	Oml	47.1103	68.2486	25.1	715.4	391	56922.	1171	0.9	1.6	6.5	1.8	0.3	7.2	27	1.2
40605	0	0	1	0	Oml	47.1104	68.2480	25.1	715.4	396	56924.	1102	1.3	0.8	6.2	0.1	0.1	4.8	16	1.1
40604	0	0	1	0	Oml	47.1104	68.2475	25.1	715.4	401	56925.	1117	1.2	1.3	6.2	0.1	0.1	5.5	19	1.1
40603	0	0	1	0	Oml	47.1104	68.2470	25.1	715.5	408	56925.	1078	0.9	1.3	8.0	0.1	0.1	9.9	21	1.0
40602	0	0	1	0	Oml	47.1104	68.2464	25.1	715.6	415	56924.	1121	1.3	0.4	5.3	0.1	0.1	4.1	16	1.0
40601	0	0	1	0	Oml	47.1104	68.2459	25.1	715.6	423	56923.	1032	1.3	-0.2	4.1	0.1	0.1	3.1	34	0.9
40600	0	0	0	0	Oml	47.1104	68.2454	25.1	715.7	427	56924.	1093	1.4	1.4	5.2	1.1	0.3	3.9	21	0.8
40599	0	0	1	0	Oml	47.1104	68.2449	25.1	715.7	429	56924.	1072	1.1	0.5	4.6	0.1	0.1	4.3	22	0.7
40598	0	0	0	0	Oml	47.1104	68.2443	25.1	715.8	428	56924.	1101	1.1	2.2	3.9	2.1	0.6	3.7	21	0.6
40597	0	0	1	0	Oml	47.1104	68.2438	25.1	715.8	427	56924.	1069	1.0	0.8	5.0	0.1	0.1	5.3	27	0.5
40596	0	0	0	0	Oml	47.1104	68.2432	25.1	716.0	425	56924.	1018	0.9	1.7	5.1	1.9	0.4	5.6	19	0.5
40595	0	0	1	0	Oml	47.1104	68.2427	25.1	716.1	420	56923.	1047	1.0	1.0	3.4	0.1	0.1	3.7	31	0.4
40594	0	0	1	0	Oml	47.1104	68.2422	25.1	716.2	409	56922.	1101	1.0	0.7	7.8	0.1	0.1	8.2	13	0.3
40593	0	0	1	0	Oml	47.1104	68.2417	25.1	716.3	395	56922.	998	1.0	1.0	5.5	0.1	0.1	5.8	31	0.2
40592	0	0	0	0	Oml	47.1104	68.2411	25.1	716.3	384	56922.	1072	1.2	1.4	6.0	1.3	0.3	5.4	29	0.1
40591	0	0	0	0	Oml	47.1104	68.2406	25.1	716.4	379	56922.	1042	1.1	1.5	4.4	1.4	0.4	4.2	17	0.0
40590	0	0	1	0	Oml	47.1104	68.2401	25.1	716.5	378	56921.	1072	1.1	0.9	8.1	0.1	0.1	7.6	16	0.0
40589	0	0	1	0	Oml	47.1104	68.2395	25.1	716.5	380	56922.	986	1.1	0.6	6.4	0.1	0.1	5.8	26	0.0
40588	0	0	1	0	Oml	47.1104	68.2390	25.1	716.6	388	56924.	1007	1.4	0.9	5.0	0.1	0.1	3.8	25	0.0
40587	0	0	1	0	Oml	47.1104	68.2385	25.1	716.6	397	56923.	1082	1.3	0.9	4.9	0.1	0.1	4.1	29	0.0
40586	0	0	0	0	Oml	47.1104	68.2379	25.1	716.6	411	56922.	1062	1.1	2.2	6.8	2.1	0.4	6.8	24	0.0
40585	0	0	0	0	Oml	47.1104	68.2374	25.1	716.7	420	56922.	1034	0.9	2.9	5.0	3.4	0.6	5.9	28	0.0
40584	0	0	1	0	Oml	47.1104	68.2369	25.1	716.7	424	56922.	988	1.1	0.2	4.8	0.1	0.1	4.6	22	0.0
40583	0	0	0	0	Oml	47.1104	68.2364	25.1	716.7	424	56922.	999	1.0	1.6	4.5	1.8	0.4	5.0	31	0.0
40582	0	0	0	0	Oml	47.1104	68.2358	25.1	716.7	429	56922.	916	1.0	1.6	3.2	1.6	0.5	3.3	29	0.0

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
40581	0	0	1	0	Oml	47.1104	68.2353	25.1	716.7	437	56920.	992	1.0	1.2	5.4	0.1	0.1	5.8	22	0.0
40580	0	0	0	0	Oml	47.1104	68.2348	25.1	716.7	450	56917.	921	0.9	1.3	5.1	1.6	0.3	6.0	25	0.0
40579	0	0	0	0	Oml	47.1104	68.2342	25.1	716.7	459	56916.	1033	1.4	1.8	4.2	1.4	0.5	3.2	22	0.0
40578	0	0	0	0	Oml	47.1104	68.2337	25.1	716.7	464	56916.	953	1.0	1.7	6.1	1.9	0.3	6.7	27	0.0
40577	0	0	1	0	Oml	47.1104	68.2332	25.1	716.6	468	56918.	886	0.8	0.6	5.7	0.1	0.1	7.9	18	0.0
40576	0	0	0	0	Oml	47.1104	68.2327	25.1	716.6	470	56920.	994	0.8	1.4	5.6	1.9	0.3	7.6	23	0.0
40575	0	0	1	0	Oml	47.1104	68.2321	25.1	716.6	472	56921.	1021	0.9	0.8	4.8	0.1	0.1	5.6	18	0.0
40574	0	0	0	0	Oml	47.1104	68.2316	25.1	716.5	469	56922.	1036	1.2	1.6	7.4	1.4	0.3	6.6	18	0.0
40573	0	0	1	0	Oml	47.1104	68.2311	25.1	716.5	464	56923.	966	0.9	1.1	5.1	0.1	0.1	5.8	18	0.0
40572	0	0	1	0	Oml	47.1104	68.2305	25.1	716.4	464	56922.	961	0.9	1.0	4.2	0.1	0.1	5.1	20	0.0
40571	0	0	1	0	Oml	47.1104	68.2300	25.1	716.4	464	56921.	936	1.0	0.8	5.6	0.1	0.1	5.6	21	0.0
40570	0	0	1	0	Oml	47.1104	68.2295	25.1	716.3	466	56921.	992	1.1	-0.2	4.8	0.1	0.1	4.7	18	0.0
40569	0	0	1	0	Oml	47.1104	68.2289	25.1	716.2	460	56921.	926	1.1	0.3	4.3	0.1	0.1	3.9	22	0.0
40568	0	0	1	0	Oml	47.1104	68.2284	25.1	716.2	451	56921.	902	0.9	0.5	5.6	0.1	0.1	6.4	26	0.0
40567	0	0	0	0	Oml	47.1104	68.2279	25.1	716.1	443	56921.	870	0.7	1.5	3.7	2.3	0.4	5.8	27	0.0
40566	0	0	1	0	Oml	47.1104	68.2273	25.1	716.0	440	56921.	923	1.0	1.0	3.9	0.1	0.1	4.0	29	0.0
40565	0	0	1	0	Oml	47.1104	68.2268	25.1	716.0	443	56920.	961	0.9	1.0	5.7	0.1	0.1	6.9	19	0.0
40564	0	0	1	0	Oml	47.1104	68.2263	25.1	715.9	451	56920.	863	1.0	1.2	4.0	0.1	0.1	4.1	19	0.0
40563	0	0	0	0	Oml	47.1104	68.2257	25.1	715.8	460	56919.	992	1.1	1.7	4.3	1.5	0.4	3.9	26	0.0
40562	0	0	1	0	Oml	47.1104	68.2252	25.1	715.7	465	56920.	883	0.9	0.8	2.6	0.1	0.1	2.9	26	0.0
40561	0	0	1	0	Oml	47.1104	68.2247	25.1	715.6	463	56921.	950	1.1	0.4	5.6	0.1	0.1	5.2	20	0.0
40560	0	0	1	0	Oml	47.1104	68.2242	25.1	715.5	455	56921.	918	1.1	0.7	2.4	0.1	0.1	2.2	25	0.0
40559	0	0	1	0	Oml	47.1104	68.2236	25.1	715.3	445	56921.	877	1.0	1.2	4.5	0.1	0.1	4.6	28	0.0
40558	0	0	1	0	Oml	47.1104	68.2231	25.1	715.3	436	56921.	884	1.1	0.1	5.4	0.1	0.1	5.3	22	0.0
40557	0	0	1	0	Oml	47.1104	68.2226	25.1	715.1	434	56920.	853	0.9	0.8	4.7	0.1	0.1	5.4	17	0.0
40556	0	0	1	0	Oml	47.1104	68.2220	25.1	715.0	437	56921.	889	0.7	0.9	3.5	0.1	0.1	5.2	27	0.0
40555	0	0	1	0	Oml	47.1104	68.2215	25.1	714.9	441	56922.	903	1.1	0.2	4.9	0.1	0.1	4.5	23	0.0
40554	0	0	1	0	Oml	47.1104	68.2210	25.1	714.8	445	56921.	872	0.9	1.0	4.0	0.1	0.1	4.8	20	0.0
40553	0	0	0	0	Oml	47.1104	68.2205	25.2	714.5	444	56923.	877	1.0	2.3	4.3	2.4	0.6	4.6	28	0.0
40552	0	0	0	0	Oml	47.1104	68.2199	25.2	714.5	444	56923.	921	1.0	1.5	4.9	1.5	0.3	4.9	25	0.0
40551	0	0	1	0	Oml	47.1104	68.2194	25.2	714.5	443	56924.	862	1.0	-0.3	2.8	0.1	0.1	2.8	24	0.0
40550	0	0	0	0	Oml	47.1104	68.2189	25.2	714.5	442	56925.	917	1.1	2.3	2.2	2.2	1.1	2.2	26	0.0
40549	0	0	0	0	Oml	47.1104	68.2183	25.2	714.5	441	56925.	889	0.7	1.4	4.6	2.2	0.3	7.2	28	0.0
40548	0	0	1	0	Oml	47.1105	68.2178	25.2	714.5	440	56926.	888	0.9	0.4	4.3	0.1	0.1	4.8	33	0.0
40547	0	0	1	0	Oml	47.1105	68.2173	25.2	714.5	443	56925.	832	1.0	0.4	3.6	0.1	0.1	3.8	29	0.0
40546	0	0	0	0	Oml	47.1105	68.2167	25.2	714.5	446	56924.	936	1.0	1.7	5.0	1.8	0.4	5.3	28	0.0
40545	0	0	1	0	Oml	47.1105	68.2162	25.2	714.5	452	56924.	900	0.9	-0.6	3.8	0.1	0.1	4.4	19	0.0
40544	0	0	1	0	Oml	47.1105	68.2157	25.2	714.5	456	56924.	827	0.7	0.3	5.5	0.1	0.1	8.7	27	0.0
40543	0	0	1	0	Oml	47.1105	68.2151	25.2	714.5	461	56926.	815	1.1	0.9	3.3	0.1	0.1	3.1	27	0.0
40542	0	0	1	0	Oml	47.1105	68.2146	25.2	714.5	465	56925.	829	0.8	0.7	4.6	0.1	0.1	6.3	32	0.0
40541	0	0	0	0	Oml	47.1105	68.2141	25.2	714.5	469	56924.	841	0.9	1.4	3.8	1.6	0.4	4.5	19	0.0
40540	0	0	1	0	Oml	47.1105	68.2135	25.2	714.6	473	56925.	828	0.9	1.0	4.6	0.1	0.1	5.1	27	0.0
40539	0	0	1	0	Oml	47.1105	68.2130	25.2	714.6	476	56926.	918	1.0	1.2	3.8	0.1	0.1	3.8	27	0.0
40538	0	0	1	0	Oml	47.1105	68.2125	25.2	714.7	480	56927.	918	1.0	1.1	5.6	0.1	0.1	5.9	26	0.0
40537	0	0	1	0	Oml	47.1105	68.2120	25.2	714.7	485	56926.	808	0.8	0.5	4.5	0.1	0.1	5.7	13	0.0
40536	0	0	0	0	Oml	47.1105	68.2114	25.2	714.8	488	56924.	856	0.8	2.0	4.2	2.5	0.5	5.3	20	0.0
40535	0	0	1	0	Oml	47.1105	68.2109	25.2	714.9	486	56925.	872	0.8	0.7	5.8	0.1	0.1	7.9	28	0.0
40534	0	0	1	0	Oml	47.1105	68.2104	25.2	715.0	477	56924.	811	0.8	1.5	3.9	0.1	0.1	5.5	23	0.0
40532	0	0	1	0	Oml	47.1105	68.2093	25.2	715.1	468	56925.	907	0.8	1.2	5.7	0.1	0.1	7.2	25	0.0
40531	0	0	0	0	Oml	47.1105	68.2088	25.2	715.2	461	56926.	912	1.3	1.4	3.9	1.1	0.4	3.1	32	0.0

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
40530	0	0	1	0	Oml	47.1105	68.2083	25.2	715.3	460	56927.	876	0.9	0.5	4.8	0.1	0.1	6.0	18	0.0
40529	0	0	1	0	Oml	47.1105	68.2077	25.2	715.4	460	56927.	889	1.0	0.1	5.1	0.1	0.1	5.2	30	0.0
40528	0	0	1	0	Oml	47.1105	68.2072	25.2	715.6	459	56926.	906	1.1	0.1	4.8	0.1	0.1	4.5	18	0.0
40527	0	0	1	0	Oml	47.1105	68.2067	25.2	715.8	451	56926.	875	0.9	0.1	6.6	0.1	0.1	7.8	19	0.0
40526	0	0	1	0	Oml	47.1105	68.2061	25.2	716.0	439	56927.	852	0.9	0.5	3.7	0.1	0.1	4.2	29	0.0
40525	0	0	1	0	Oml	47.1105	68.2056	25.2	716.1	428	56928.	860	0.9	0.1	4.9	0.1	0.1	5.6	25	0.0
40524	0	0	1	0	Oml	47.1105	68.2051	25.2	716.3	417	56927.	798	0.9	0.2	4.3	0.1	0.1	4.8	25	0.0
40523	0	0	1	0	Oml	47.1105	68.2045	25.2	716.6	411	56927.	860	1.1	-0.2	4.7	0.1	0.1	4.6	26	0.0
40522	C	0	1	0	Oml	47.1105	68.2040	25.2	716.8	407	56929.	838	1.1	1.1	4.0	0.1	0.1	3.9	29	0.0
40521	0	0	1	C	Oml	47.1105	68.2035	25.2	717.0	414	56931.	822	0.9	1.1	2.9	0.1	0.1	3.4	26	0.0
40520	0	0	1	0	Oml	47.1105	68.2029	25.2	717.2	426	56932.	764	0.7	1.1	3.2	0.1	0.1	4.6	34	0.0
40519	0	0	1	0	Oml	47.1105	68.2024	25.2	717.5	445	56930.	773	0.9	0.1	4.5	0.1	0.1	4.9	13	0.0
40518	0	0	0	0	Oml	47.1105	68.2019	25.2	717.7	465	56929.	876	0.8	1.7	4.4	2.4	0.4	6.1	28	0.0
40517	0	0	0	0	Oml	47.1105	68.2014	25.2	717.9	475	56928.	825	0.7	3.3	5.0	5.3	0.7	7.9	22	0.0
40516	0	0	1	0	Oml	47.1105	68.2008	25.2	718.1	472	56927.	918	1.2	0.7	5.3	0.1	0.1	4.6	32	0.0
40515	0	0	1	0	Oml	47.1105	68.2003	25.2	718.3	456	56928.	861	0.9	1.2	3.7	0.1	0.1	4.3	26	0.0
40514	0	0	1	0	Oml	47.1105	68.1998	25.2	718.5	439	56929.	910	0.9	-0.3	5.0	0.1	0.1	6.3	26	0.0
40513	0	0	1	0	Oml	47.1105	68.1992	25.2	718.6	427	56929.	874	0.8	1.0	7.8	0.1	0.1	9.9	20	0.0
40512	0	0	1	0	Oml	47.1105	68.1987	25.2	718.8	422	56929.	852	1.0	0.2	4.1	0.1	0.1	4.4	22	0.0
40511	0	0	1	0	Oml	47.1105	68.1982	25.2	719.0	428	56927.	811	0.8	0.1	4.7	0.1	0.1	6.6	20	0.0
40510	0	0	1	0	Oml	47.1105	68.1976	25.2	719.1	436	56927.	713	0.5	1.2	5.5	0.1	0.1	0.1	33	0.0
40509	0	0	1	0	Oml	47.1105	68.1971	25.2	719.3	444	56927.	738	0.7	0.8	4.5	0.1	0.1	7.2	17	0.1
40508	0	0	1	0	Oml	47.1105	68.1966	25.2	719.4	443	56928.	610	0.5	0.2	3.2	0.1	0.1	0.1	28	0.3
40507	0	0	1	1	Oml	47.1105	68.1960	25.2	719.4	436	56928.	504	0.5	1.0	1.1	0.1	0.1	0.1	29	0.6
40506	0	0	1	0	Oml	47.1105	68.1955	25.2	719.5	430	56928.	431	0.3	0.9	2.1	0.1	0.1	0.1	30	0.8
40505	0	0	1	0	Oml	47.1105	68.1950	25.2	719.6	420	56928.	476	0.7	0.5	3.3	0.1	0.1	4.9	27	1.0
40504	0	0	1	0	Oml	47.1105	68.1945	25.2	719.6	411	56928.	514	0.4	0.5	1.8	0.1	0.1	0.1	33	1.2
40503	0	0	0	0	Oml	47.1105	68.1939	25.2	719.7	400	56926.	615	0.6	1.5	2.2	2.7	0.7	4.1	21	1.4
40502	0	0	1	0	Oml	47.1105	68.1934	25.2	719.7	393	56927.	707	0.7	0.8	3.1	0.1	0.1	4.8	21	1.5
40501	0	0	1	0	Oml	47.1105	68.1929	25.2	719.8	384	56927.	747	0.8	0.1	4.0	0.1	0.1	5.3	20	1.7
40500	0	0	1	0	Oml	47.1105	68.1923	25.2	719.8	378	56928.	848	1.0	-0.3	5.1	0.1	0.1	5.1	25	1.9
40499	0	0	1	0	Oml	47.1105	68.1918	25.2	719.8	369	56929.	969	1.1	0.6	5.8	0.1	0.1	5.3	26	2.1
40498	0	0	1	0	Oml	47.1105	68.1913	25.2	719.8	364	56930.	923	0.9	0.8	5.8	0.1	0.1	6.8	16	2.3
40497	0	0	1	0	Oml	47.1105	68.1908	25.2	719.8	363	56930.	924	0.9	0.2	6.0	0.1	0.1	7.3	26	2.5
40496	0	0	1	0	Oml	47.1105	68.1902	25.1	718.7	371	56930.	869	0.9	0.8	4.6	0.1	0.1	5.5	32	2.4
40495	0	0	1	0	Oml	47.1105	68.1897	25.1	718.8	372	56929.	907	0.9	1.0	3.1	0.1	0.1	3.6	21	2.4
40494	0	0	1	0	Oml	47.1105	68.1892	25.1	718.8	376	56929.	878	0.9	0.7	5.1	0.1	0.1	6.1	22	2.4
40493	0	0	1	0	Oml	47.1105	68.1886	25.1	718.8	387	56927.	888	0.8	0.2	3.8	0.1	0.1	5.2	21	2.4
40492	0	0	1	0	Oml	47.1106	68.1881	25.1	718.8	399	56926.	864	1.1	0.9	3.6	0.1	0.1	3.6	22	2.4
40491	0	0	1	0	Oml	47.1106	68.1876	25.1	718.7	419	56926.	873	0.8	0.4	3.9	0.1	0.1	5.2	21	2.4
40490	0	0	1	0	Oml	47.1106	68.1868	25.1	718.6	432	56926.	880	1.1	1.4	5.0	0.1	0.1	4.9	20	2.4
40489	0	0	1	0	Oml	47.1106	68.1861	25.1	718.5	448	56925.	880	0.8	0.8	4.4	0.1	0.1	5.7	21	2.3
40488	0	0	1	0	Oml	47.1106	68.1853	25.1	718.3	452	56924.	964	1.0	0.3	5.5	0.1	0.1	5.6	17	2.3
40487	0	0	1	0	Oml	47.1107	68.1846	25.1	718.2	453	56924.	935	1.0	0.1	4.7	0.1	0.1	4.8	18	2.3
40486	0	0	1	0	Oml	47.1107	68.1838	25.1	718.1	449	56925.	923	0.9	0.7	3.8	0.1	0.1	4.4	19	2.3
40485	0	0	1	0	Oml	47.1107	68.1831	25.1	717.9	442	56925.	921	0.9	-0.3	6.3	0.1	0.1	7.6	19	2.3
40484	0	0	1	0	Oml	47.1107	68.1823	25.1	717.7	438	56925.	941	1.1	1.0	5.6	0.1	0.1	5.5	17	2.2
40483	0	0	1	0	Oml	47.1108	68.1816	25.1	717.4	429	56927.	975	1.1	0.6	5.1	0.1	0.1	5.0	28	2.2
40482	0	0	1	0	Oml	47.1108	68.1808	25.1	717.1	422	56927.	913	0.9	0.9	4.7	0.1	0.1	5.4	25	2.2
40481	0	0	1	0	Oml	47.1108	68.1801	25.1	716.8	416	56928.	965	1.0	1.0	6.3	0.1	0.1	6.6	32	2.2

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI			
												CPS	%	PPM	PPM							CPS	CPS
40480	0	0	1	0	Oml	47.1108	68.1793	25.1	716.5	415	56929.	919	0.9	-0.2	3.5	0.1	0.1	3.9	21	2.2			
40479	0	0	1	0	Oml	47.1109	68.1786	25.1	716.2	418	56928.	890	0.8	0.6	6.9	0.1	0.1	8.8	20	2.2			
40478	0	0	1	0	Oml	47.1109	68.1778	25.1	715.9	425	56927.	905	0.9	0.2	3.9	0.1	0.1	4.8	18	2.1			
40477	0	0	0	0	Oml	47.1109	68.1771	25.1	715.6	430	56928.	921	0.8	2.0	5.0	2.7	0.5	6.7	25	2.1			
40476	0	0	1	0	Oml	47.1109	68.1763	25.1	715.4	434	56928.	954	0.9	0.5	4.2	0.1	0.1	4.9	26	2.1			
40475	0	0	0	0	Oml	47.1110	68.1756	25.1	715.2	435	56929.	903	1.1	2.1	4.1	1.9	0.6	3.7	23	2.0			
40474	0	0	1	0	Oml	47.1110	68.1748	25.1	714.9	437	56930.	863	1.0	0.2	3.9	0.1	0.1	4.3	36	2.0			
40473	0	0	1	0	Oml	47.1110	68.1741	25.1	714.8	440	56928.	870	1.0	1.1	4.7	0.1	0.1	4.8	15	2.0			
40472	0	0	1	0	Oml	47.1110	68.1733	25.1	714.6	442	56927.	904	1.0	0.6	3.2	0.1	0.1	3.4	20	1.9			
40471	0	0	1	0	Oml	47.1110	68.1726	25.1	714.4	444	56927.	882	1.0	0.5	4.8	0.1	0.1	5.1	18	1.9			
40470	0	0	1	0	Oml	47.1111	68.1718	25.1	714.3	446	56927.	885	1.1	0.7	3.1	0.1	0.1	3.0	23	1.9			
40469	0	0	1	0	Oml	47.1111	68.1711	25.1	714.2	450	56927.	857	1.1	-0.1	4.6	0.1	0.1	4.4	27	1.9			
40468	0	0	1	0	Oml	47.1111	68.1703	25.1	714.1	453	56928.	892	1.1	0.2	3.7	0.1	0.1	3.5	27	1.8			
40467	0	0	1	0	Oml	47.1111	68.1696	25.1	714.0	455	56929.	870	0.9	1.3	4.3	0.1	0.1	5.1	22	1.8			
40466	0	0	0	0	Oml	47.1112	68.1688	25.1	713.9	456	56929.	939	0.8	1.8	3.4	2.3	0.6	4.4	18	1.7			
40465	0	0	0	0	Oml	47.1112	68.1681	25.1	713.8	455	56927.	779	0.8	2.0	2.6	2.6	0.8	3.5	20	1.6			
40464	0	0	0	0	Oml	47.1112	68.1673	25.1	713.8	452	56928.	882	1.0	1.6	5.4	1.8	0.3	6.0	19	1.6			
40463	0	0	1	0	Oml	47.1112	68.1666	25.1	713.8	451	56930.	848	0.8	0.2	4.3	0.1	0.1	5.8	29	1.6			
40462	0	0	1	0	Oml	47.1113	68.1658	25.1	713.8	448	56932.	865	0.9	-0.6	4.4	0.1	0.1	4.8	22	1.5			
40461	0	0	0	0	Oml	47.1113	68.1651	25.1	713.8	445	56932.	785	0.9	1.7	3.9	1.9	0.5	4.3	24	1.5			
40460	0	0	1	0	Oml	47.1113	68.1643	25.1	713.9	443	56931.	770	0.7	1.3	4.9	0.1	0.1	7.4	24	1.4			
40459	0	0	1	0	Oml	47.1113	68.1636	25.1	713.9	442	56930.	855	1.0	0.7	4.0	0.1	0.1	4.2	27	1.4			
40458	0	0	1	0	Oml	47.1114	68.1628	25.1	714.0	443	56929.	901	0.9	0.7	2.1	0.1	0.1	2.3	20	1.3			
40457	0	0	0	0	Oml	47.1114	68.1621	25.2	714.1	440	56929.	853	1.1	1.6	3.8	1.5	0.5	3.5	28	1.3			
40456	0	0	1	0	Oml	47.1114	68.1613	25.2	714.3	435	56931.	909	0.9	0.8	4.3	0.1	0.1	5.2	21	1.2			
40455	0	0	0	0	Oml	47.1115	68.1606	25.2	714.5	428	56932.	940	1.0	1.4	4.1	1.4	0.4	4.2	28	1.2			
40454	0	0	0	0	Oml	47.1115	68.1599	25.2	714.6	419	56932.	905	1.0	2.9	5.0	3.0	0.6	5.2	20	1.1			
40453	0	0	1	0	Oml	47.1115	68.1591	25.2	714.9	411	56930.	817	0.9	0.1	2.8	0.1	0.1	3.1	26	1.1			
40452	0	0	1	0	Oml	47.1115	68.1583	25.2	715.1	404	56929.	816	1.0	-0.2	3.3	0.1	0.1	3.6	26	1.1			
40451	0	0	1	0	Oml	47.1115	68.1576	25.2	715.3	402	56929.	842	1.0	0.9	4.6	0.1	0.1	4.8	17	1.1			
40450	0	0	1	0	Oml	47.1116	68.1568	25.2	715.6	405	56929.	825	0.9	-0.2	4.5	0.1	0.1	5.0	23	1.1			
40449	0	0	1	0	Oml	47.1116	68.1561	25.2	715.8	409	56930.	802	1.0	0.3	4.2	0.1	0.1	4.6	20	1.1			
40448	0	0	1	0	Oml	47.1116	68.1553	25.2	716.1	414	56930.	789	0.8	-0.2	5.1	0.1	0.1	6.4	21	1.1			
40447	0	0	1	0	Oml	47.1116	68.1546	25.2	716.3	417	56930.	770	0.6	0.3	4.7	0.1	0.1	8.2	24	1.1			
40446	0	0	1	0	Oml	47.1117	68.1538	25.2	716.6	417	56931.	713	0.7	0.3	4.7	0.1	0.1	6.9	40	1.1			
40445	0	0	1	0	Oml	47.1117	68.1531	25.2	716.8	416	56931.	683	0.7	0.3	3.0	0.1	0.1	4.7	20	1.1			
40444	0	0	0	0	Oml	47.1117	68.1524	25.2	717.0	410	56931.	815	0.7	1.7	4.0	2.5	0.5	5.8	22	1.0			
40443	0	0	1	0	Oml	47.1117	68.1516	25.2	717.2	404	56931.	740	0.5	0.8	5.4	0.1	0.1	0.1	23	1.0			
40442	0	0	0	0	Oml	47.1118	68.1509	25.2	717.4	398	56931.	741	0.7	1.8	4.0	2.8	0.5	6.2	28	1.0			
40441	0	0	1	0	Oml	47.1118	68.1501	25.2	717.6	399	56930.	697	0.4	1.0	3.7	0.1	0.1	0.1	33	1.0			
40440	0	0	1	0	Oml	47.1118	68.1494	25.2	718.5	393	56931.	779	0.7	-0.1	3.6	0.1	0.1	5.6	17	1.1			
40439	0	0	1	0	Oml	47.1118	68.1486	25.2	718.5	392	56930.	700	0.6	0.1	5.5	0.1	0.1	10.5	22	1.1			
40438	0	0	1	0	Oml	47.1119	68.1479	25.2	718.5	390	56931.	843	0.8	0.6	3.6	0.1	0.1	4.5	15	1.1			
40436	0	0	1	0	Oml	47.1119	68.1464	25.2	718.5	388	56933.	815	0.6	0.8	5.9	0.1	0.1	11.7	28	1.1			
40435	0	0	0	0	Oml	47.1119	68.1456	25.2	718.6	390	56932.	824	0.8	1.4	3.7	1.9	0.4	5.1	23	1.1			
40434	0	0	1	0	Oml	47.1120	68.1449	25.2	718.6	395	56931.	809	0.7	0.9	3.4	0.1	0.1	5.1	27	1.1			
40433	0	0	1	0	Oml	47.1120	68.1441	25.2	718.6	405	56931.	862	0.8	1.2	4.5	0.1	0.1	6.3	27	1.1			
40432	0	0	1	0	Oml	47.1120	68.1434	25.2	718.6	420	56930.	834	0.8	-0.5	5.0	0.1	0.1	6.7	26	1.1			
40431	0	0	1	0	Oml	47.1120	68.1426	25.2	718.6	437	56929.	893	0.9	0.8	2.9	0.1	0.1	3.3	30	1.2			
40430	0	0	1	0	Oml	47.1121	68.1419	25.2	718.6	453	56930.	839	0.7	1.0	5.0	0.1	0.1	7.5	15	1.2			

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
40429	0	0	0	0	Oml	47.1121	68.1411	25.2	718.5	464	56931.	771	0.8	1.7	3.5	2.3	0.5	4.6	22	1.2
40428	0	0	1	0	Oml	47.1121	68.1404	25.2	718.5	474	56931.	751	0.7	1.0	3.4	0.1	0.1	5.1	32	1.2
40427	0	0	1	0	Oml	47.1121	68.1396	25.2	718.5	480	56932.	635	0.5	0.6	3.9	0.1	0.1	0.1	31	1.3
40426	0	0	1	0	Oml	47.1122	68.1389	25.2	718.5	481	56931.	733	0.7	1.3	3.1	0.1	0.1	4.8	29	1.3
40425	0	0	1	0	Oml	47.1122	68.1381	25.2	718.5	479	56931.	851	0.9	0.8	3.7	0.1	0.1	4.2	24	1.3
40424	0	0	0	0	Oml	47.1122	68.1374	25.2	718.5	476	56931.	782	0.9	1.4	2.8	1.6	0.6	3.1	24	1.3
40423	0	0	1	0	Oml	47.1122	68.1366	25.2	718.5	475	56930.	765	0.7	1.0	3.1	0.1	0.1	4.7	17	1.2
40422	0	0	1	0	Oml	47.1123	68.1359	25.2	718.5	477	56930.	775	0.9	0.5	4.4	0.1	0.1	5.3	27	1.3
40421	0	0	1	0	Oml	47.1123	68.1351	25.2	718.5	481	56931.	700	0.8	0.0	3.6	0.1	0.1	5.0	23	1.3
40420	0	0	1	0	Oml	47.1123	68.1344	25.2	718.4	484	56931.	679	0.5	1.3	3.7	0.1	0.1	0.1	23	1.3
40419	0	0	0	0	Oml	47.1123	68.1336	25.2	718.4	484	56932.	640	0.5	2.3	3.8	0.1	0.7	0.1	30	1.3
40418	0	0	1	0	Oml	47.1124	68.1329	25.2	718.4	481	56933.	640	0.3	1.0	3.4	0.1	0.1	0.1	18	1.3
40417	0	0	0	0	Oml	47.1124	68.1321	25.2	718.4	478	56932.	637	0.6	1.5	4.5	2.9	0.4	8.5	21	1.3
40416	0	0	1	0	Oml	47.1124	68.1314	25.2	718.4	476	56931.	733	0.4	-0.3	4.7	0.1	0.1	0.1	19	1.4
40415	0	0	1	0	Oml	47.1124	68.1308	25.2	718.5	477	56931.	706	0.7	0.8	2.9	0.1	0.1	4.5	28	1.4
40414	0	0	1	0	Oml	47.1124	68.1303	25.2	718.5	472	56932.	753	0.4	0.9	3.7	0.1	0.1	0.1	22	1.4
40413	0	0	0	0	Oml	47.1124	68.1298	25.2	718.4	473	56932.	830	0.6	1.8	6.0	3.0	0.3	10.2	21	1.4
40412	0	0	1	0	Oml	47.1124	68.1292	25.2	718.4	472	56932.	847	0.9	0.2	3.0	0.1	0.1	3.5	19	1.5
40411	0	0	1	0	Oml	47.1124	68.1287	25.2	718.4	472	56933.	857	0.9	0.3	3.1	0.1	0.1	3.6	30	1.5
40410	0	0	0	0	Oml	47.1124	68.1282	25.2	718.4	465	56932.	939	0.9	2.2	3.8	2.6	0.6	4.6	16	1.6
40409	0	0	1	0	Su	47.1124	68.1276	25.2	718.4	456	56932.	886	1.0	1.3	4.3	0.1	0.1	4.5	27	1.6
40408	0	0	0	0	Su	47.1123	68.1271	25.2	718.4	444	56933.	879	0.9	2.4	4.8	2.8	0.6	5.4	29	1.7
40407	0	0	1	0	Su	47.1123	68.1266	25.2	718.4	441	56934.	860	0.6	0.5	5.4	0.1	0.1	8.9	19	1.7
40406	0	0	1	0	Su	47.1123	68.1260	25.2	718.5	439	56933.	943	0.7	1.0	5.7	0.1	0.1	9.1	24	1.7
40405	0	0	1	0	Su	47.1123	68.1255	25.2	718.5	440	56933.	893	0.8	0.5	7.2	0.1	0.1	9.8	25	1.8
40404	0	0	1	0	Su	47.1123	68.1250	25.2	718.5	432	56934.	827	0.9	-0.1	2.9	0.1	0.1	3.3	22	1.8
40403	0	0	1	0	Su	47.1123	68.1244	25.2	718.5	417	56934.	821	0.9	0.9	4.7	0.1	0.1	5.7	21	1.9
40402	0	0	1	0	Su	47.1123	68.1239	25.2	718.6	406	56934.	753	0.9	0.5	2.1	0.1	0.1	2.5	24	1.9
40401	0	0	1	0	Su	47.1123	68.1234	25.2	718.7	396	56931.	808	0.7	0.6	3.6	0.1	0.1	5.6	18	2.0
40400	0	0	1	0	Su	47.1123	68.1228	25.2	718.7	394	56931.	769	0.7	-0.3	5.7	0.1	0.1	8.7	21	2.0
40399	0	0	1	0	Su	47.1122	68.1223	25.2	718.9	391	56934.	735	0.8	0.2	3.7	0.1	0.1	4.9	18	2.1
40398	0	0	1	0	Su	47.1122	68.1218	25.2	719.0	390	56934.	714	0.7	0.7	3.9	0.1	0.1	6.0	6	2.1
40397	0	0	0	0	Su	47.1122	68.1212	25.2	719.1	388	56932.	711	0.6	1.3	4.0	2.6	0.4	7.8	21	2.1
40396	0	0	1	0	Su	47.1122	68.1207	25.2	719.2	384	56932.	726	0.7	0.2	4.6	0.1	0.1	6.7	24	2.2
40395	0	0	1	0	Su	47.1122	68.1202	25.2	719.3	379	56933.	685	0.6	0.3	4.7	0.1	0.1	7.7	15	2.2
40394	0	0	1	0	Su	47.1122	68.1196	25.2	719.4	373	56935.	724	0.8	0.6	2.8	0.1	0.1	3.8	28	2.3
40393	0	0	1	0	Su	47.1122	68.1191	25.2	719.6	370	56935.	755	0.8	0.0	2.1	0.1	0.1	2.8	26	2.3
40392	0	0	0	0	Su	47.1122	68.1186	25.2	719.7	368	56935.	805	0.8	1.6	4.5	2.2	0.4	6.1	23	2.3
40391	0	0	0	0	Su	47.1122	68.1180	25.2	719.8	373	56936.	788	0.6	1.2	3.3	2.1	0.4	5.7	21	2.3
40390	0	0	1	0	Su	47.1122	68.1175	25.2	720.0	381	56937.	824	0.9	1.1	3.5	0.1	0.1	4.1	29	2.3
40389	0	0	1	0	Su	47.1121	68.1170	25.2	720.1	389	56936.	824	0.9	0.8	2.8	0.1	0.1	3.3	27	2.3
40388	0	0	1	0	Su	47.1121	68.1164	25.2	720.2	390	56934.	784	0.9	-0.3	4.7	0.1	0.1	5.6	20	2.3
40387	0	0	1	0	Su	47.1121	68.1159	25.2	720.3	397	56932.	743	1.0	-0.1	4.6	0.1	0.1	4.9	21	2.3
40386	0	0	1	0	Su	47.1121	68.1154	25.2	720.4	404	56931.	684	0.8	0.3	3.8	0.1	0.1	5.3	14	2.3
40385	0	0	1	0	Su	47.1121	68.1148	25.2	720.5	415	56931.	597	0.4	0.3	3.3	0.1	0.1	0.1	23	2.4
40384	0	0	1	0	Su	47.1121	68.1143	25.2	720.6	417	56932.	638	0.4	0.3	4.7	0.1	0.1	0.1	19	2.4
40383	0	0	0	0	Su	47.1121	68.1138	25.0	720.1	423	56933.	598	0.3	1.3	1.4	0.1	1.0	0.1	12	2.4
40382	0	0	0	0	Su	47.1121	68.1132	25.0	720.1	424	56932.	619	0.6	1.3	2.9	2.3	0.5	5.2	16	2.4
40381	0	0	0	0	Su	47.1121	68.1127	25.0	720.2	421	56932.	594	0.4	1.4	2.1	0.1	0.7	0.1	23	2.3
40380	0	0	1	0	Su	47.1121	68.1122	25.0	720.2	418	56932.	649	0.6	0.7	4.5	0.1	0.1	7.4	25	2.3

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
40379	0	0	1	0	Su	47.1121	68.1116	25.0	720.1	411	56930.	715	0.6	0.3	3.1	0.1	0.1	5.4	20	2.3
40378	0	0	1	0	Su	47.1120	68.1111	25.0	720.1	406	56930.	699	0.6	-0.3	3.5	0.1	0.1	6.0	18	2.3
40377	0	0	0	0	Su	47.1120	68.1106	25.0	720.1	400	56930.	750	0.8	1.3	4.3	1.7	0.3	5.9	18	2.3
40376	0	0	1	0	Su	47.1120	68.1100	25.0	720.0	396	56930.	784	0.7	0.7	3.0	0.1	0.1	4.4	20	2.3
40375	0	0	0	0	Su	47.1120	68.1095	25.0	720.0	394	56929.	833	0.9	1.5	5.3	1.6	0.3	5.9	33	2.2
40374	0	0	0	0	Su	47.1120	68.1090	25.0	719.9	391	56928.	837	0.9	1.4	4.7	1.6	0.3	5.4	32	2.2
40373	0	0	1	0	Su	47.1120	68.1084	25.0	719.9	391	56927.	815	0.7	-0.6	5.2	0.1	0.1	8.2	32	2.2
40372	0	0	1	0	Su	47.1120	68.1079	25.0	719.8	393	56926.	817	0.8	0.8	7.2	0.1	0.1	9.9	23	2.3
40371	0	0	1	0	Su	47.1120	68.1074	25.0	719.8	395	56926.	858	0.8	1.1	3.1	0.1	0.1	4.2	22	2.2
40370	0	0	1	0	Su	47.1120	68.1068	25.0	719.6	397	56927.	813	1.0	0.8	4.1	0.1	0.1	4.4	23	2.2
40369	0	0	1	0	Su	47.1120	68.1063	25.0	719.5	403	56926.	731	0.9	0.6	4.4	0.1	0.1	5.4	28	2.1
40368	0	0	1	0	Su	47.1119	68.1058	25.0	719.4	407	56926.	710	0.8	0.7	2.0	0.1	0.1	2.7	28	2.1
40367	0	0	1	0	Su	47.1119	68.1052	25.0	719.3	414	56926.	538	0.4	0.8	2.7	0.1	0.1	0.1	18	2.1
40366	0	0	1	0	Su	47.1119	68.1047	25.0	719.1	415	56926.	554	0.3	0.8	2.8	0.1	0.1	0.1	27	2.1
40365	0	0	1	1	Su	47.1119	68.1042	25.0	719.0	421	56926.	443	0.4	0.6	0.4	0.1	0.1	0.1	19	2.1
40364	0	0	1	0	Su	47.1119	68.1036	25.0	718.8	426	56925.	415	0.3	1.0	2.2	0.1	0.1	0.1	18	2.1
40363	0	1	1	0	Su	47.1119	68.1031	25.0	718.7	431	56926.	382	0.2	-0.9	2.4	0.1	0.1	0.1	27	2.1
40362	0	0	1	0	Su	47.1119	68.1026	25.0	718.6	435	56926.	389	0.4	0.3	2.4	0.1	0.1	0.1	25	2.1
40361	0	0	1	0	Su	47.1119	68.1020	25.0	718.4	438	56926.	476	0.5	0.2	2.0	0.1	0.1	0.1	15	2.1
40360	0	0	1	0	Su	47.1119	68.1015	25.0	718.3	440	56925.	530	0.3	0.6	2.6	0.1	0.1	0.1	20	2.1
40359	0	0	1	0	Su	47.1119	68.1010	25.0	718.1	443	56922.	534	0.3	0.5	3.4	0.1	0.1	0.1	19	2.1
40358	0	0	1	0	Su	47.1118	68.1004	25.0	718.0	448	56921.	565	0.5	0.8	3.2	0.1	0.1	0.1	25	2.2
40357	0	0	1	0	Su	47.1118	68.0999	25.0	717.8	454	56920.	560	0.5	1.1	3.4	0.1	0.1	0.1	25	2.2
40356	0	0	1	0	Su	47.1118	68.0994	25.0	717.6	462	56922.	566	0.4	1.2	2.0	0.1	0.1	0.1	33	2.2
40355	0	0	1	0	Su	47.1118	68.0988	25.0	717.4	465	56923.	572	0.4	1.0	2.4	0.1	0.1	0.1	26	2.1
40354	0	0	1	0	Su	47.1118	68.0983	25.0	717.2	464	56922.	740	0.9	0.3	3.5	0.1	0.1	4.3	32	2.1
40353	0	0	1	0	Su	47.1118	68.0978	25.0	717.1	457	56921.	660	0.7	0.5	3.5	0.1	0.1	5.0	12	2.1
40352	0	0	1	0	Su	47.1118	68.0972	25.0	716.9	448	56922.	746	0.6	0.7	5.3	0.1	0.1	9.1	12	2.1
40351	0	0	1	0	Su	47.1118	68.0967	25.0	716.7	438	56923.	738	0.5	0.5	4.8	0.1	0.1	0.1	27	2.2
40350	0	0	1	0	Su	47.1118	68.0962	25.0	716.6	429	56924.	732	0.5	1.2	4.0	0.1	0.1	0.1	16	2.2
40349	0	0	1	0	Su	47.1118	68.0956	25.0	716.4	421	56923.	779	0.9	-0.3	4.8	0.1	0.1	5.7	21	2.2
40348	0	0	1	0	Su	47.1118	68.0951	25.0	716.3	412	56923.	761	1.0	0.2	2.7	0.1	0.1	2.9	22	2.2
40347	0	0	0	0	Su	47.1117	68.0946	25.0	716.2	403	56924.	774	0.8	1.5	4.7	2.0	0.4	6.4	26	2.2
40346	0	0	1	0	Su	47.1117	68.0940	25.0	716.1	396	56926.	752	0.6	0.0	2.7	0.1	0.1	5.0	19	2.3
40345	0	0	1	0	Su	47.1117	68.0935	25.0	716.1	390	56927.	793	0.6	0.8	6.1	0.1	0.1	10.6	20	2.3
40344	0	0	0	0	Su	47.1117	68.0930	25.0	716.1	383	56926.	679	0.6	1.3	4.9	2.3	0.3	8.8	28	2.4
40343	0	0	1	0	Su	47.1117	68.0924	25.0	716.1	378	56925.	645	0.5	-0.8	4.5	0.1	0.1	0.1	14	2.4
40341	0	0	1	0	Su	47.1117	68.0914	25.0	716.1	377	56924.	640	0.6	-0.6	3.2	0.1	0.1	6.3	19	2.5
40340	0	0	1	0	Su	47.1117	68.0908	25.0	716.1	380	56924.	608	0.5	0.3	3.9	0.1	0.1	0.1	22	2.5
40339	0	0	1	0	Su	47.1117	68.0903	25.0	716.1	386	56925.	586	0.5	0.1	4.8	0.1	0.1	0.1	29	2.6
40338	0	0	1	0	Su	47.1117	68.0898	25.0	716.1	391	56926.	539	0.3	0.5	4.1	0.1	0.1	0.1	23	2.6
40337	0	0	1	0	Su	47.1116	68.0892	25.0	716.1	395	56927.	483	0.4	0.5	3.0	0.1	0.1	0.1	18	2.5
40336	0	0	1	0	Su	47.1116	68.0887	25.0	716.1	395	56926.	466	0.3	-0.1	3.6	0.1	0.1	0.1	20	2.5
40335	0	0	1	0	Su	47.1116	68.0882	25.0	716.1	393	56925.	482	0.6	-1.0	2.5	0.1	0.1	4.7	35	2.5
40334	0	0	1	0	Su	47.1116	68.0876	25.0	716.0	392	56924.	408	0.5	-0.7	2.3	0.1	0.1	0.1	24	2.6
40333	0	0	1	0	Su	47.1116	68.0871	25.0	716.0	397	56924.	464	0.3	0.6	3.1	0.1	0.1	0.1	21	2.6
40332	0	0	1	1	Su	47.1116	68.0866	25.0	716.0	404	56924.	359	0.3	0.5	1.0	0.1	0.1	0.1	26	2.5
40331	0	1	1	0	Su	47.1116	68.0860	25.0	715.9	414	56923.	321	0.1	0.3	1.4	0.1	0.1	0.1	28	2.5
40330	0	1	1	0	Su	47.1116	68.0855	24.9	715.8	422	56922.	265	0.1	0.6	2.6	0.1	0.1	0.1	21	2.6
40329	0	1	1	0	Su	47.1116	68.0850	24.9	715.8	429	56921.	327	0.2	0.6	1.8	0.1	0.1	0.1	24	2.6

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
40328	0	0	1	0	Su	47.1116	68.0844	24.9	715.6	432	56921.	427	0.2	1.0	1.2	0.1	0.1	0.1	24	2.6
40327	0	0	1	0	Su	47.1115	68.0839	24.9	715.5	434	56921.	477	0.3	1.0	2.5	0.1	0.1	0.1	13	2.6
40326	0	0	1	0	Su	47.1115	68.0834	24.9	714.5	436	56922.	508	0.4	0.6	1.4	0.1	0.1	0.1	23	2.6
40325	0	0	1	0	Su	47.1115	68.0828	24.9	714.5	438	56922.	572	0.5	1.1	3.1	0.1	0.1	0.1	18	2.5
40324	0	0	1	0	Su	47.1115	68.0823	24.9	714.5	439	56923.	681	0.5	0.4	4.2	0.1	0.1	0.1	28	2.5
40323	0	0	1	0	Su	47.1115	68.0818	24.9	714.5	439	56922.	754	0.8	0.8	6.2	0.1	0.1	7.8	19	2.5
40322	0	0	1	0	Su	47.1115	68.0812	24.9	714.5	439	56922.	747	0.9	-0.3	5.0	0.1	0.1	6.1	26	2.5
40321	0	0	1	0	Su	47.1115	68.0807	24.9	714.5	436	56923.	743	1.0	0.9	3.5	0.1	0.1	3.7	26	2.5
40320	0	0	1	0	Su	47.1115	68.0802	24.9	714.5	432	56922.	740	0.7	0.2	4.3	0.1	0.1	6.5	22	2.5
40319	0	0	1	0	Su	47.1115	68.0796	24.9	714.5	424	56922.	731	0.6	0.5	4.6	0.1	0.1	8.9	19	2.5
40318	0	0	1	0	Su	47.1115	68.0791	24.9	714.5	415	56923.	727	0.8	-0.1	4.9	0.1	0.1	6.3	26	2.4
40317	0	0	0	0	Su	47.1115	68.0786	24.9	714.5	412	56923.	742	0.6	1.6	3.6	2.6	0.5	6.1	17	2.4
40316	0	0	1	0	Su	47.1114	68.0780	24.9	714.4	412	56923.	718	0.8	1.1	2.9	0.1	0.1	4.2	15	2.3
40315	0	0	1	0	Su	47.1114	68.0775	24.9	714.4	419	56924.	671	0.6	1.1	3.0	0.1	0.1	5.0	37	2.3
40314	0	0	0	0	Su	47.1114	68.0770	24.9	714.4	424	56924.	767	0.8	1.3	1.8	1.8	0.8	2.4	14	2.2
40313	0	0	1	0	Su	47.1114	68.0764	24.9	714.4	427	56924.	731	0.4	1.1	3.0	0.1	0.1	0.1	27	2.2
40312	0	0	1	0	Su	47.1114	68.0759	24.9	714.4	424	56925.	755	0.8	0.1	3.7	0.1	0.1	5.0	17	2.2
40311	0	0	1	0	Su	47.1114	68.0754	24.9	714.4	419	56926.	707	0.5	1.0	3.2	0.1	0.1	0.1	23	2.1
40310	0	0	1	0	Su	47.1114	68.0748	24.9	714.4	417	56925.	672	0.7	0.8	3.0	0.1	0.1	4.5	27	2.1
40309	0	0	1	0	Su	47.1114	68.0743	24.9	714.4	417	56925.	666	0.7	0.7	3.0	0.1	0.1	4.7	24	2.0
40308	0	0	1	0	Su	47.1114	68.0738	24.9	714.4	417	56925.	610	0.6	1.0	3.1	0.1	0.1	5.4	20	2.0
40307	0	0	1	0	Su	47.1114	68.0732	24.9	714.4	420	56924.	559	0.6	0.3	2.8	0.1	0.1	5.0	22	2.0
40306	0	0	1	0	Su	47.1113	68.0727	24.9	714.3	421	56924.	511	0.6	-0.1	2.5	0.1	0.1	5.0	22	2.0
40305	0	0	1	0	Su	47.1113	68.0722	24.9	714.3	426	56923.	379	0.4	0.4	2.1	0.1	0.1	0.1	19	2.0
40304	0	0	1	1	Su	47.1113	68.0716	24.9	714.3	429	56922.	283	0.4	-0.3	0.7	0.1	0.1	0.1	35	2.0
40303	0	0	1	1	Su	47.1113	68.0711	24.9	714.2	434	56923.	216	0.3	0.5	0.6	0.1	0.1	0.1	20	1.9
40302	0	0	1	0	Su	47.1113	68.0705	24.9	714.2	439	56922.	202	0.3	0.1	1.7	0.1	0.1	0.1	27	1.9
40301	0	1	1	0	Su	47.1113	68.0700	24.9	714.1	441	56922.	230	0.2	0.3	1.8	0.1	0.1	0.1	26	1.9
40300	0	0	1	0	Su	47.1113	68.0695	24.9	714.0	439	56921.	353	0.5	0.5	1.3	0.1	0.1	0.1	26	1.8
40299	0	0	1	0	Su	47.1113	68.0689	24.9	713.9	433	56920.	491	0.6	1.1	1.7	0.1	0.1	3.2	22	1.8
40298	0	0	1	0	Su	47.1113	68.0684	24.9	713.7	423	56920.	527	0.4	0.8	1.6	0.1	0.1	0.1	19	1.7
40297	0	0	0	0	Su	47.1113	68.0679	24.9	713.6	417	56919.	604	0.7	1.5	2.7	2.3	0.6	4.2	23	1.7
40296	0	0	1	0	Su	47.1113	68.0673	24.9	713.4	416	56919.	694	0.9	0.5	2.2	0.1	0.1	2.5	27	1.6
40295	0	0	1	0	Su	47.1112	68.0668	24.9	713.3	420	56919.	663	0.7	0.9	3.5	0.1	0.1	5.3	16	1.5
40294	0	0	0	0	Su	47.1112	68.0663	24.9	713.1	424	56919.	820	0.8	1.9	5.2	2.5	0.4	7.0	21	1.5
40293	0	0	1	0	Su	47.1112	68.0657	24.9	712.9	426	56919.	765	0.9	0.4	5.5	0.1	0.1	6.8	24	1.4
40292	0	0	1	0	Su	47.1112	68.0652	24.9	712.8	425	56919.	725	0.7	1.0	4.0	0.1	0.1	6.0	34	1.4
40291	0	0	1	0	Su	47.1112	68.0647	24.9	712.6	423	56919.	718	0.6	0.0	2.6	0.1	0.1	4.6	30	1.4
40290	0	0	0	0	Su	47.1112	68.0641	24.9	712.4	422	56920.	730	0.9	1.4	4.1	1.7	0.4	4.9	27	1.3
40289	0	0	1	0	Su	47.1112	68.0636	24.9	712.2	419	56920.	763	1.0	0.9	3.5	0.1	0.1	3.7	30	1.3
40288	0	0	1	0	Su	47.1112	68.0631	25.0	712.1	415	56920.	777	0.8	0.8	3.3	0.1	0.1	4.4	29	1.3
40287	0	0	1	0	Su	47.1112	68.0625	25.0	711.9	410	56920.	764	0.5	0.8	4.1	0.1	0.1	0.1	28	1.2
40286	0	0	1	0	Su	47.1112	68.0620	25.0	711.8	408	56920.	741	0.8	1.0	4.7	0.1	0.1	6.1	21	1.2
40285	0	0	1	0	Su	47.1112	68.0614	25.0	711.6	406	56920.	751	0.8	-0.3	4.1	0.1	0.1	5.6	34	1.2
40284	0	0	1	0	Su	47.1112	68.0609	25.0	711.5	405	56919.	700	0.8	0.1	2.7	0.1	0.1	3.4	19	1.2
40283	0	0	1	0	Su	47.1111	68.0604	25.0	711.4	405	56919.	714	0.7	0.6	4.8	0.1	0.1	6.9	34	1.1
40282	0	0	1	0	Su	47.1111	68.0598	25.0	711.3	406	56920.	699	0.7	0.9	4.3	0.1	0.1	7.0	18	1.1
40281	0	0	1	0	Su	47.1111	68.0593	25.0	711.2	410	56920.	705	1.1	0.6	3.0	0.1	0.1	3.0	22	1.1
40280	0	0	1	0	Su	47.1111	68.0588	25.0	711.2	412	56920.	689	0.7	0.0	4.7	0.1	0.1	6.7	31	1.0
40279	0	0	1	0	Su	47.1111	68.0582	25.0	711.1	414	56920.	630	0.6	0.1	2.4	0.1	0.1	4.4	22	1.0

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI	
												CPS	%	PPM	PPM					CPS	CPS
40278	0	0	1	0	Su	47.1111	68.0577	25.0	711.1	415	56920.	717	0.8	0.5	5.1	0.1	0.1	7.0	34	1.0	
40277	0	0	1	0	Su	47.1111	68.0572	25.0	711.1	413	56920.	742	0.7	0.1	3.8	0.1	0.1	5.5	16	1.0	
40276	0	0	0	0	Su	47.1111	68.0566	25.0	711.1	410	56920.	852	1.0	1.3	5.3	1.3	0.3	5.3	22	1.0	
40275	0	0	1	0	Su	47.1111	68.0561	25.0	711.1	408	56920.	702	0.7	-0.5	3.3	0.1	0.1	5.0	29	1.0	
40274	0	0	0	0	Su	47.1111	68.0556	25.0	711.1	408	56918.	851	0.9	1.7	6.1	2.2	0.3	7.5	21	1.0	
40273	0	0	1	0	Su	47.1111	68.0550	25.0	711.1	409	56917.	801	0.7	0.7	3.0	0.1	0.1	4.8	23	1.0	
40272	0	0	1	0	Su	47.1111	68.0545	25.0	711.1	412	56917.	849	0.9	0.4	4.3	0.1	0.1	4.9	20	1.0	
40271	0	0	0	0	Su	47.1111	68.0539	25.0	711.1	419	56916.	842	0.8	1.6	6.0	2.1	0.3	8.0	17	1.0	
40270	0	0	1	0	Su	47.1110	68.0534	25.3	712.1	435	56916.	774	0.7	0.4	3.6	0.1	0.1	5.3	28	1.0	
40269	0	0	1	0	Su	47.1110	68.0529	25.3	712.1	436	56915.	759	0.6	0.7	6.3	0.1	0.1	11.8	30	1.0	
40268	0	0	1	0	Su	47.1110	68.0523	25.3	712.0	435	56914.	759	0.7	1.0	4.8	0.1	0.1	7.4	26	1.0	
40267	0	0	0	0	Su	47.1110	68.0518	25.3	712.0	432	56915.	908	0.9	1.4	5.7	1.5	0.3	6.3	11	1.0	
40266	0	0	1	0	Su	47.1110	68.0513	25.3	712.0	426	56917.	812	0.6	1.0	2.4	0.1	0.1	4.3	19	0.9	
40265	0	0	1	0	Su	47.1110	68.0507	25.3	712.1	418	56918.	767	0.7	1.1	3.0	0.1	0.1	4.8	22	0.9	
40264	0	0	0	0	Su	47.1110	68.0502	25.3	712.2	411	56920.	668	0.5	1.6	2.2	0.1	0.8	0.1	28	0.9	
40263	0	0	0	0	Su	47.1110	68.0497	25.3	712.3	404	56921.	701	0.5	1.3	4.0	0.1	0.4	0.1	31	0.9	
40262	0	0	0	0	Su	47.1110	68.0491	25.3	712.4	400	56922.	673	0.7	2.0	3.6	2.9	0.6	5.4	30	0.9	
40261	0	0	1	0	Su	47.1110	68.0486	25.3	712.5	395	56924.	664	0.5	-0.5	4.5	0.1	0.1	0.1	26	0.9	
40260	0	0	1	0	Su	47.1110	68.0480	25.3	712.7	391	56924.	695	0.8	0.7	2.5	0.1	0.1	3.5	20	0.9	
40259	0	0	0	0	Su	47.1110	68.0475	25.3	712.8	387	56923.	647	0.7	1.6	3.2	2.6	0.6	5.0	33	0.9	
40258	0	0	1	0	Su	47.1110	68.0470	25.3	712.9	381	56922.	613	0.6	0.8	4.0	0.1	0.1	6.8	25	0.9	
40257	0	0	1	0	Su	47.1110	68.0464	25.3	713.2	376	56922.	617	0.5	0.3	3.1	0.1	0.1	0.1	23	0.9	
40256	0	0	1	0	Su	47.1109	68.0459	25.3	713.5	371	56922.	628	0.7	-0.8	3.7	0.1	0.1	6.0	27	0.9	
40255	0	0	1	0	Su	47.1109	68.0454	25.3	713.7	366	56921.	634	0.7	0.6	4.0	0.1	0.1	6.3	32	0.9	
40254	0	0	1	0	Su	47.1109	68.0448	25.3	714.0	363	56921.	600	0.6	0.9	3.7	0.1	0.1	6.6	23	0.9	
40253	0	0	1	0	Su	47.1109	68.0443	25.3	714.2	361	56920.	559	0.5	0.7	3.3	0.1	0.1	0.1	28	0.9	
40252	0	0	1	0	Su	47.1109	68.0438	25.3	714.4	362	56920.	572	0.6	-0.1	2.2	0.1	0.1	4.1	23	0.9	
40251	0	0	1	0	Su	47.1109	68.0432	25.3	714.5	365	56919.	533	0.5	0.1	2.3	0.1	0.1	0.1	20	0.8	
40250	0	0	1	0	Su	47.1109	68.0427	25.3	714.7	370	56919.	611	0.6	0.7	2.2	0.1	0.1	3.8	30	0.8	
40249	0	0	1	0	Su	47.1109	68.0422	25.3	714.8	377	56919.	552	0.5	0.7	2.5	0.1	0.1	0.1	21	0.7	
40248	0	0	1	0	Su	47.1109	68.0416	25.3	714.9	385	56918.	506	0.3	-0.1	2.4	0.1	0.1	0.1	28	0.7	
40247	0	0	1	0	Su	47.1109	68.0411	25.3	715.0	394	56918.	608	0.6	0.6	2.9	0.1	0.1	5.5	27	0.6	
40245	0	0	1	0	Su	47.1109	68.0400	25.3	715.1	401	56918.	635	0.4	0.7	2.8	0.1	0.1	0.1	14	0.6	
40244	0	0	0	0	Su	47.1108	68.0395	25.3	715.2	409	56918.	628	0.4	1.7	2.7	0.1	0.7	0.1	27	0.5	
40243	0	0	1	0	Su	47.1108	68.0389	25.3	715.2	417	56916.	558	0.3	0.7	2.9	0.1	0.1	0.1	23	0.4	
40242	0	0	1	0	Su	47.1108	68.0384	25.3	715.3	432	56917.	529	0.6	1.2	2.8	0.1	0.1	5.4	25	0.3	
40241	0	0	0	0	Su	47.1108	68.0379	25.3	715.3	442	56919.	578	0.5	2.0	2.1	0.1	1.0	0.1	34	0.2	
40240	0	0	0	1	Su	47.1108	68.0373	25.3	715.3	442	56918.	541	0.6	1.3	1.3	2.5	0.1	0.1	27	0.1	
40239	0	0	1	0	Su	47.1108	68.0368	25.3	715.3	429	56918.	557	0.6	0.6	3.5	0.1	0.1	5.9	24	0.1	
40238	0	0	1	0	Su	47.1108	68.0363	25.3	715.4	415	56916.	671	0.6	0.7	3.0	0.1	0.1	5.7	15	0.0	
40237	0	0	1	0	Su	47.1108	68.0357	25.3	715.4	410	56916.	648	0.4	0.4	3.9	0.1	0.1	0.1	22	0.0	
40236	0	0	1	0	Su	47.1108	68.0352	25.3	715.5	413	56916.	662	0.6	0.9	4.4	0.1	0.1	7.7	21	0.0	
40235	0	0	0	0	Su	47.1108	68.0347	25.3	715.5	414	56917.	641	0.6	1.6	3.1	2.9	0.6	5.8	18	0.0	
40234	0	0	1	0	Su	47.1108	68.0341	25.3	715.6	412	56917.	650	0.6	0.7	2.9	0.1	0.1	5.4	25	0.0	
40233	0	0	0	0	Su	47.1108	68.0336	25.3	715.6	408	56916.	702	0.6	1.3	3.6	2.4	0.4	6.6	22	0.0	
40232	0	0	1	0	Su	47.1107	68.0331	25.3	715.7	404	56917.	673	0.6	-0.1	4.5	0.1	0.1	8.6	30	0.0	
40231	0	0	1	0	Su	47.1107	68.0325	25.3	715.8	399	56920.	701	0.7	0.1	2.8	0.1	0.1	4.1	27	0.0	
40230	0	0	1	0	Su	47.1107	68.0320	25.3	715.9	392	56921.	671	0.6	0.5	4.0	0.1	0.1	6.7	20	0.0	
40229	0	0	0	0	Su	47.1108	68.0314	25.3	716.0	385	56921.	726	0.6	1.5	4.4	2.6	0.4	7.9	23	0.0	
40228	0	0	1	0	Su	47.1108	68.0308	25.3	716.1	380	56921.	799	0.7	0.6	4.1	0.1	0.1	6.0	22	0.0	

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

- D13 -
MAINE AERIAL SURVEY EDMUNDSTON QUADRANGLE, CARSON GEOSCIENCE INC., 1980

LINE NO. 50

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
40227	0	0	1	0	Su	47.1109	68.0303	25.4	716.3	379	56921.	755	0.7	0.5	5.4	0.1	0.1	8.0	16	0.0
40226	0	0	1	0	Su	47.1109	68.0297	25.4	716.4	381	56920.	787	0.8	0.2	3.4	0.1	0.1	4.8	17	0.0
40225	0	0	1	0	Su	47.1110	68.0291	25.4	716.6	386	56920.	741	0.7	0.4	4.4	0.1	0.1	6.5	27	0.0
40224	0	0	0	0	Su	47.1110	68.0285	25.4	716.8	390	56920.	728	0.6	1.5	3.9	2.6	0.4	6.6	26	0.0
40223	0	0	1	0	Su	47.1110	68.0280	25.4	717.0	394	56920.	748	0.7	0.1	5.6	0.1	0.1	9.0	25	0.0
40222	0	0	0	0	Su	47.1111	68.0274	25.4	717.2	395	56920.	810	0.8	1.4	5.5	1.9	0.3	7.7	25	0.0
40221	0	0	0	0	Su	47.1111	68.0268	25.4	717.4	395	56920.	810	0.7	1.3	3.6	2.1	0.4	5.7	21	0.0
40220	0	0	1	0	Su	47.1112	68.0262	25.4	717.6	395	56920.	730	0.5	0.7	3.8	0.1	0.1	0.1	29	0.0
40219	0	0	1	0	Su	47.1112	68.0257	25.4	717.8	395	56919.	716	0.7	0.3	4.0	0.1	0.1	6.1	20	0.0
40218	0	0	1	0	Su	47.1113	68.0251	25.4	718.0	396	56919.	723	0.6	0.5	5.7	0.1	0.1	9.7	28	0.0
40217	0	0	1	0	Su	47.1113	68.0245	25.4	718.1	393	56920.	703	0.7	0.0	3.3	0.1	0.1	4.9	26	0.0
40216	0	0	1	0	Su	47.1113	68.0239	25.4	718.3	391	56920.	715	0.7	0.3	5.0	0.1	0.1	7.6	30	0.0
40215	0	0	0	0	Su	47.1114	68.0234	25.4	718.5	391	56920.	654	0.5	1.2	3.0	0.1	0.4	0.1	24	0.0
40214	0	0	1	0	Su	47.1114	68.0228	25.4	718.6	392	56921.	677	0.8	0.0	5.1	0.1	0.1	6.6	29	0.0
40213	0	0	1	0	Su	47.1115	68.0222	25.4	719.7	394	56921.	586	0.8	0.4	4.3	0.1	0.1	6.1	18	0.0
40212	0	0	1	0	Su	47.1115	68.0216	25.4	719.7	394	56920.	649	0.7	-0.7	2.7	0.1	0.1	4.3	17	0.0
40211	0	0	1	0	Su	47.1116	68.0211	25.4	719.6	395	56920.	588	0.5	1.0	3.1	0.1	0.1	0.1	19	0.0
40210	0	1	0	0	Su	47.1116	68.0205	25.4	719.6	398	56921.	502	0.1	1.4	2.7	0.1	0.6	0.1	22	0.0
40209	0	0	1	0	Su	47.1117	68.0199	25.4	719.6	404	56921.	442	0.5	0.2	3.1	0.1	0.1	0.1	27	0.0
40208	0	0	1	0	Su	47.1117	68.0193	25.4	719.7	410	56922.	362	0.4	-0.6	2.3	0.1	0.1	0.1	27	0.0
40207	0	0	1	0	Su	47.1117	68.0188	25.4	719.7	415	56921.	332	0.3	-0.5	3.6	0.1	0.1	0.1	20	0.0
40206	0	1	1	0	Su	47.1118	68.0182	25.4	719.7	416	56920.	346	0.2	0.8	1.6	0.1	0.1	0.1	26	0.0
40205	0	0	1	0	Su	47.1118	68.0176	25.4	719.8	416	56919.	366	0.3	0.9	1.7	0.1	0.1	0.1	14	0.0
40204	0	0	1	0	Su	47.1119	68.0171	25.4	719.8	415	56919.	441	0.5	-0.1	1.3	0.1	0.1	0.1	23	0.0
40203	0	0	1	0	Su	47.1119	68.0165	25.4	719.9	418	56920.	455	0.4	0.4	2.0	0.1	0.1	0.1	21	0.0
40202	0	0	1	0	Su	47.1120	68.0159	25.4	719.9	421	56921.	516	0.5	0.6	3.3	0.1	0.1	0.1	26	0.0
40201	0	0	1	0	Su	47.1120	68.0153	25.4	720.0	422	56921.	604	0.8	0.6	3.8	0.1	0.1	5.3	21	0.0
40200	0	0	0	0	Su	47.1121	68.0148	25.4	720.1	419	56921.	669	0.6	1.4	3.0	2.6	0.5	5.4	20	0.0
40199	0	0	0	0	Su	47.1121	68.0142	25.4	720.1	412	56921.	762	0.8	1.5	1.9	2.1	0.9	2.6	14	0.0
40198	0	0	0	0	Su	47.1121	68.0136	25.4	720.2	403	56922.	745	0.8	1.4	3.4	1.9	0.5	4.6	19	0.0
40197	0	0	0	0	Su	47.1122	68.0130	25.4	720.3	394	56921.	802	0.8	1.5	3.6	2.1	0.5	4.8	30	0.0
40196	0	0	1	0	Su	47.1122	68.0125	25.4	720.4	381	56921.	808	1.0	0.1	3.1	0.1	0.1	3.1	28	0.0
40195	0	0	1	0	Su	47.1123	68.0119	25.4	720.5	370	56921.	853	0.9	0.9	3.0	0.1	0.1	3.4	19	0.0
40194	0	0	1	0	Su	47.1123	68.0113	25.4	720.5	364	56920.	759	0.9	1.0	3.2	0.1	0.1	3.8	29	0.0
40193	0	0	0	0	Su	47.1124	68.0107	25.4	720.6	368	56919.	807	0.7	1.4	4.1	2.1	0.4	6.1	21	0.0
40192	0	0	0	0	Su	47.1124	68.0102	25.4	720.6	380	56918.	820	0.8	1.6	3.4	2.3	0.5	4.8	22	0.0
40191	0	0	0	0	Su	47.1125	68.0096	25.4	720.6	392	56918.	779	0.8	1.5	2.8	2.0	0.6	3.7	25	0.0
40190	0	0	1	0	Su	47.1125	68.0090	25.4	720.6	406	56918.	781	0.9	1.1	3.5	0.1	0.1	4.4	26	0.0
40189	0	0	0	0	Su	47.1125	68.0084	25.4	720.6	414	56919.	757	0.9	2.1	4.2	2.5	0.6	5.0	20	0.0
40188	0	0	1	0	Su	47.1126	68.0079	25.4	720.6	416	56920.	698	0.5	0.0	3.4	0.1	0.1	0.1	29	0.0
40187	0	0	1	0	Su	47.1126	68.0073	25.4	720.5	412	56920.	697	0.9	-0.2	4.6	0.1	0.1	5.7	20	0.0
40186	0	0	1	0	Su	47.1127	68.0067	25.4	720.5	409	56919.	664	0.5	0.9	3.9	0.1	0.1	0.1	27	0.0
40185	0	0	1	0	Su	47.1127	68.0061	25.4	720.5	404	56920.	699	0.6	0.9	3.3	0.1	0.1	6.3	18	0.0
40184	0	0	0	0	Su	47.1128	68.0056	25.4	720.4	398	56922.	765	0.7	1.4	4.0	2.2	0.4	6.5	23	0.0
40183	0	0	1	0	Su	47.1128	68.0050	25.4	720.4	389	56922.	755	0.9	0.2	3.5	0.1	0.1	4.2	18	0.0
40182	0	0	1	0	Su	47.1129	68.0044	25.4	720.3	378	56922.	702	0.8	0.0	3.2	0.1	0.1	4.4	19	0.0
40181	0	0	1	0	Su	47.1129	68.0038	25.4	720.2	369	56922.	660	0.5	0.0	4.7	0.1	0.1	0.1	19	0.0
40180	0	0	1	0	Su	47.1129	68.0033	25.4	720.1	369	56921.	743	0.7	0.8	3.5	0.1	0.1	5.2	17	0.1
40179	0	0	1	0	Su	47.1130	68.0027	25.4	720.0	372	56920.	758	0.8	-0.3	4.1	0.1	0.1	5.1	30	0.4
40178	0	0	1	0	Su	47.1130	68.0021	25.4	719.9	370	56919.	803	0.8	1.1	5.5	0.1	0.1	7.7	13	0.6

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
40177	0	0	0	0	Su	47.1131	68.0015	25.4	719.8	366	56920.	813	0.9	1.6	4.6	1.9	0.4	5.3	15	0.8
40176	0	0	1	0	Su	47.1131	68.0010	25.4	719.7	366	56920.	835	0.8	0.4	2.7	0.1	0.1	3.7	19	0.9
40175	0	0	1	0	Su	47.1132	68.0004	25.4	719.6	377	56919.	900	0.9	1.0	4.4	0.1	0.1	5.5	21	1.2
40174	0	0	1	0	Su	47.1132	67.9998	25.4	719.5	390	56918.	1022	0.9	0.4	8.2	0.1	0.1	9.9	19	1.4
40173	0	0	1	0	Su	47.1132	67.9993	25.4	719.3	400	56918.	1135	1.2	1.2	7.1	0.1	0.1	6.2	29	1.6
40172	0	0	1	0	Su	47.1133	67.9987	25.4	719.1	401	56916.	1062	1.1	0.3	6.3	0.1	0.1	6.1	24	1.8
40171	0	0	0	0	Su	47.1133	67.9981	25.4	718.9	397	56915.	1170	1.0	2.1	6.0	2.2	0.4	6.3	21	2.0
40170	0	0	0	0	Su	47.1134	67.9975	25.4	718.7	392	56915.	1129	1.3	1.8	6.0	1.4	0.3	4.9	31	1.9
40169	0	0	0	0	Su	47.1134	67.9970	25.4	718.6	389	56916.	1125	1.4	1.6	6.8	1.2	0.3	5.0	26	2.1
40168	0	0	1	0	Su	47.1135	67.9964	25.4	718.4	387	56917.	1131	1.1	0.6	6.4	0.1	0.1	6.1	34	2.1
40167	0	0	1	0	Su	47.1135	67.9958	25.4	718.1	388	56918.	1103	1.2	0.8	6.3	0.1	0.1	5.3	27	2.1
40166	0	0	1	0	Su	47.1136	67.9952	25.4	718.0	392	56918.	1128	1.2	0.7	3.8	0.1	0.1	3.1	26	2.1
40165	0	0	0	0	Su	47.1136	67.9947	25.4	717.8	399	56918.	1125	1.4	1.9	7.1	1.5	0.3	5.4	29	2.1
40164	0	0	0	0	Su	47.1136	67.9941	25.4	717.6	404	56917.	1088	1.0	1.4	5.2	1.5	0.3	5.5	21	2.1
40163	0	0	1	0	Su	47.1137	67.9935	25.4	717.4	411	56917.	1015	0.9	0.9	7.2	0.1	0.1	8.4	25	2.1
40162	0	0	1	0	Su	47.1137	67.9929	25.4	717.2	424	56916.	1050	1.2	1.2	5.6	0.1	0.1	4.8	25	2.1
40161	0	0	1	0	Su	47.1138	67.9924	25.4	717.1	439	56917.	1102	1.3	-0.1	7.3	0.1	0.1	5.6	31	2.1
40160	0	0	0	0	Su	47.1138	67.9918	25.4	716.9	448	56918.	1222	1.3	1.6	6.3	1.3	0.3	5.1	19	2.0
40159	0	0	0	0	Su	47.1139	67.9912	25.4	716.8	445	56918.	1174	1.2	1.9	5.5	1.6	0.4	4.6	27	2.0
40158	0	0	1	0	Su	47.1139	67.9906	25.4	716.6	440	56918.	1162	1.4	1.0	6.3	0.1	0.1	4.7	20	2.0
40157	0	0	1	0	Su	47.1140	67.9901	25.5	716.2	437	56917.	1190	1.3	1.3	7.6	0.1	0.1	6.3	32	2.0
40156	0	0	0	0	Su	47.1140	67.9895	25.5	716.2	438	56917.	1126	1.2	1.7	5.2	1.4	0.4	4.4	21	1.9
40155	0	0	0	0	Su	47.1140	67.9889	25.5	716.2	438	56917.	1106	1.4	1.6	5.4	1.2	0.3	4.0	19	1.9
40154	0	0	1	0	Su	47.1141	67.9883	25.5	716.2	437	56917.	1167	1.6	0.3	7.2	0.1	0.1	4.6	20	1.9
40153	0	0	1	0	Su	47.1140	67.9878	25.5	716.2	435	56916.	1219	1.7	0.0	6.8	0.1	0.1	4.1	27	1.9
40152	0	0	1	0	Su	47.1140	67.9873	25.5	716.2	432	56916.	1259	1.8	0.6	6.8	0.1	0.1	4.0	24	1.9
40150	0	0	1	0	Su	47.1138	67.9863	25.5	716.2	429	56916.	1257	1.4	1.0	5.1	0.1	0.1	3.7	27	1.9
40149	0	0	1	0	Su	47.1138	67.9857	25.5	716.2	425	56917.	1253	1.5	1.3	9.5	0.1	0.1	6.6	29	1.9
40148	0	0	1	0	Su	47.1137	67.9852	25.5	716.2	423	56916.	1295	1.5	1.2	6.3	0.1	0.1	4.3	15	1.9
40147	0	0	0	0	Su	47.1137	67.9847	25.5	716.2	423	56916.	1315	1.7	1.5	5.9	0.9	0.3	3.6	20	1.9
40146	0	0	1	0	Su	47.1136	67.9841	25.5	716.2	425	56916.	1292	1.5	-0.2	7.5	0.1	0.1	5.0	27	1.9
40145	0	0	0	0	Su	47.1135	67.9836	25.5	716.2	429	56916.	1317	1.7	2.2	5.2	1.3	0.5	3.1	17	1.9
40144	0	0	1	0	Su	47.1135	67.9831	25.5	716.2	433	56916.	1365	1.7	1.1	5.0	0.1	0.1	3.1	22	1.9
40143	0	0	0	0	Su	47.1134	67.9826	25.5	716.2	436	56916.	1280	1.4	2.3	6.4	1.7	0.4	4.7	28	1.9
40142	0	0	1	0	Su	47.1133	67.9820	25.5	716.3	437	56916.	1294	1.4	1.4	5.3	0.1	0.1	4.0	25	1.9
40141	0	0	1	0	Su	47.1133	67.9815	25.5	716.3	436	56916.	1273	1.7	1.5	7.8	0.1	0.1	4.6	24	1.9
40140	0	0	1	0	Su	47.1132	67.9810	25.5	716.3	435	56916.	1177	1.3	1.3	7.8	0.1	0.1	6.0	30	1.9
40139	0	0	1	0	Su	47.1132	67.9805	25.5	716.3	435	56916.	1209	1.4	0.2	3.4	0.1	0.1	2.4	24	2.0
40138	0	0	1	0	Su	47.1131	67.9799	25.5	716.4	437	56916.	1271	1.5	0.7	5.3	0.1	0.1	3.6	36	2.0
40137	0	0	1	0	Su	47.1130	67.9794	25.5	716.4	441	56916.	1247	1.6	0.4	6.6	0.1	0.1	4.4	29	2.0
40136	0	0	1	0	Su	47.1130	67.9789	25.5	716.4	447	56916.	1186	1.2	1.4	6.8	0.1	0.1	6.0	23	2.0
40135	0	0	1	0	Su	47.1129	67.9784	25.5	716.4	453	56917.	1252	1.5	1.4	7.1	0.1	0.1	4.7	16	2.0
40134	0	0	1	0	Su	47.1129	67.9779	25.5	716.5	458	56917.	1268	1.1	1.5	8.9	0.1	0.1	8.7	23	2.0
40133	0	0	1	0	Su	47.1128	67.9773	25.5	716.5	461	56917.	1201	1.4	0.2	6.7	0.1	0.1	4.9	20	2.0
40132	0	0	1	0	Su	47.1127	67.9768	25.5	716.6	463	56916.	1053	1.1	0.6	5.2	0.1	0.1	4.8	21	2.0
40131	0	0	1	0	Su	47.1127	67.9763	25.5	716.6	464	56916.	1034	1.3	1.1	5.7	0.1	0.1	4.5	22	2.0
40130	0	0	0	0	Su	47.1126	67.9757	25.5	716.7	465	56917.	1018	1.0	1.8	4.9	1.9	0.4	5.2	31	2.0
40129	0	0	1	0	Su	47.1125	67.9752	25.5	716.7	467	56917.	1011	1.1	0.8	6.4	0.1	0.1	6.1	26	2.0
40128	0	0	0	0	Su	47.1125	67.9747	25.5	716.8	474	56918.	1032	1.3	1.6	5.7	1.3	0.3	4.6	27	2.0
40127	0	0	1	0	Su	47.1124	67.9742	25.5	716.8	482	56918.	1093	1.2	-0.2	5.4	0.1	0.1	4.7	20	2.0

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
40126	0	0	1	0	SU	47.1124	67.9736	25.5	716.9	487	56917.	1156	1.5	1.5	4.1	0.1	0.1	2.9	19	2.0
40125	0	0	1	0	SU	47.1123	67.9731	25.5	716.9	485	56917.	1184	1.4	0.6	6.9	0.1	0.1	5.1	29	2.0
40124	0	0	0	0	SU	47.1122	67.9726	25.6	717.0	480	56917.	1252	1.4	2.2	5.8	1.6	0.4	4.3	35	2.0
40123	0	0	0	0	SU	47.1122	67.9721	25.6	717.0	475	56916.	1194	1.3	2.5	7.9	2.1	0.4	6.5	26	1.9
40122	0	0	1	0	SU	47.1121	67.9715	25.6	717.1	470	56916.	1281	1.4	0.9	6.8	0.1	0.1	4.9	26	1.9
40121	0	0	1	0	SU	47.1120	67.9710	25.6	717.2	465	56914.	1322	1.8	1.2	7.7	0.1	0.1	4.3	31	1.9
40120	0	0	1	0	SU	47.1120	67.9705	25.6	717.2	460	56913.	1312	1.5	1.5	7.6	0.1	0.1	5.1	27	1.9
40119	0	0	1	0	SU	47.1119	67.9700	25.6	717.3	455	56913.	1356	1.5	0.8	10.7	0.1	0.1	7.3	23	1.9
40118	0	0	1	0	SU	47.1119	67.9695	25.6	717.4	451	56912.	1262	1.3	1.0	7.7	0.1	0.1	6.2	17	2.0
40117	0	0	0	0	SU	47.1118	67.9689	25.6	717.5	448	56912.	1263	1.0	2.1	8.2	2.1	0.3	8.1	23	2.0
40116	0	0	1	0	SU	47.1117	67.9684	25.6	717.5	447	56912.	1218	1.4	1.3	6.2	0.1	0.1	4.5	19	1.9
40115	0	0	1	0	SU	47.1117	67.9679	25.6	717.6	445	56912.	1282	1.6	0.3	8.6	0.1	0.1	5.5	17	1.9
40114	0	0	1	0	SU	47.1116	67.9673	25.6	717.7	443	56913.	1276	1.5	1.3	7.1	0.1	0.1	4.9	20	1.9
40113	0	0	1	0	SU	47.1116	67.9668	25.6	717.8	439	56915.	1269	1.4	1.3	5.0	0.1	0.1	3.8	15	1.9
40112	0	0	1	0	SU	47.1115	67.9663	25.6	718.0	436	56916.	1206	1.2	0.0	5.4	0.1	0.1	4.9	19	1.9
40111	0	0	1	0	SU	47.1114	67.9658	25.6	718.1	433	56916.	1292	1.7	0.9	9.3	0.1	0.1	5.7	26	1.9
40110	0	0	1	0	SU	47.1114	67.9652	25.6	718.3	430	56915.	1368	1.5	-1.3	7.5	0.1	0.1	5.2	26	1.9
40109	0	0	0	0	SU	47.1113	67.9647	25.6	718.5	427	56916.	1386	1.8	1.7	7.8	1.0	0.3	4.4	25	1.9
40108	0	0	0	0	SU	47.1112	67.9642	25.6	718.6	423	56916.	1300	1.4	1.9	3.3	1.4	0.6	2.5	20	1.9
40107	0	0	1	0	SU	47.1112	67.9637	25.6	718.8	419	56916.	1309	1.6	1.1	6.2	0.1	0.1	3.9	21	1.8
40106	0	0	0	0	SU	47.1111	67.9632	25.6	718.9	412	56917.	1333	1.2	2.2	7.7	1.9	0.3	6.7	23	1.8
40105	0	0	0	0	SU	47.1111	67.9626	25.7	719.1	406	56917.	1270	1.4	2.0	6.2	1.4	0.4	4.6	25	1.8
40104	0	0	0	0	SU	47.1110	67.9621	25.7	719.2	401	56916.	1279	1.4	2.6	6.3	1.9	0.5	4.7	37	1.7
40103	0	0	0	0	SU	47.1110	67.9616	25.7	719.4	403	56916.	1321	1.7	1.9	6.1	1.1	0.3	3.7	29	1.7
40102	0	0	0	0	SU	47.1109	67.9611	25.7	719.6	412	56918.	1295	1.6	1.6	6.5	1.0	0.3	4.1	31	1.6
40101	0	0	1	0	SU	47.1108	67.9605	25.7	719.7	422	56918.	1297	1.8	0.2	7.4	0.1	0.1	4.1	23	1.6
40100	0	0	1	0	SU	47.1108	67.9600	25.9	721.1	433	56914.	1225	1.5	0.0	4.0	0.1	0.1	2.8	30	1.6
40099	0	0	1	0	SU	47.1107	67.9595	25.9	721.0	434	56913.	1238	1.2	0.8	8.6	0.1	0.1	7.5	29	1.6
40098	0	0	0	0	SU	47.1105	67.9589	25.9	721.0	437	56913.	1292	1.5	2.3	6.6	1.6	0.4	4.4	34	1.6
40097	0	0	0	0	SU	47.1106	67.9584	25.9	721.0	443	56912.	1189	1.4	2.2	4.9	1.6	0.5	3.5	16	1.6
40096	0	0	0	0	SU	47.1105	67.9579	25.9	721.0	449	56909.	1222	1.3	2.6	5.0	2.1	0.6	4.0	32	1.6
40095	0	0	1	0	SU	47.1104	67.9574	25.9	721.1	454	56910.	1089	1.4	0.4	6.1	0.1	0.1	4.4	26	1.6
40094	0	0	0	0	SU	47.1104	67.9568	25.9	721.1	460	56913.	1118	1.3	1.8	6.2	1.4	0.3	4.8	27	1.6
40093	0	0	1	0	SU	47.1103	67.9563	25.9	721.2	463	56915.	1105	1.2	1.2	5.1	0.1	0.1	4.5	21	1.5
40092	0	0	0	0	SU	47.1103	67.9558	25.9	721.2	460	56915.	934	0.9	2.6	4.5	3.0	0.6	5.2	29	1.5
40091	0	0	1	0	SU	47.1102	67.9553	25.9	721.3	454	56914.	838	0.7	1.3	6.1	0.1	0.1	8.8	28	1.5
40090	0	0	1	0	SU	47.1101	67.9548	25.9	721.4	448	56915.	771	0.8	1.4	3.2	0.1	0.1	4.3	26	1.5
40089	0	0	1	0	SU	47.1101	67.9542	25.9	721.5	443	56913.	662	0.7	1.0	3.1	0.1	0.1	5.0	28	1.4
40088	0	0	1	0	SU	47.1100	67.9537	25.9	721.6	435	56912.	733	0.7	0.9	3.4	0.1	0.1	5.2	33	1.4
40087	0	0	1	0	SU	47.1100	67.9532	25.9	721.8	424	56914.	699	0.6	1.0	4.6	0.1	0.1	8.4	30	1.4
40086	0	0	1	0	SU	47.1099	67.9527	25.9	722.0	414	56917.	701	0.4	1.0	3.4	0.1	0.1	0.1	23	1.4
40085	0	0	1	0	SU	47.1098	67.9521	25.9	722.2	403	56917.	720	0.6	0.7	3.2	0.1	0.1	6.1	27	1.4
40084	0	0	1	0	SU	47.1098	67.9516	25.9	722.4	396	56917.	741	0.6	-0.8	5.4	0.1	0.1	9.1	28	1.4
40083	0	0	1	0	SU	47.1097	67.9511	25.9	722.7	393	56917.	763	0.7	0.4	4.4	0.1	0.1	6.6	20	1.4
40082	0	0	0	0	SU	47.1096	67.9505	25.9	722.9	397	56916.	790	0.8	1.5	3.0	2.0	0.5	4.1	30	1.5
40081	0	0	0	0	SU	47.1096	67.9500	25.9	723.1	404	56916.	867	1.0	2.5	3.7	2.7	0.7	3.9	16	1.5
40080	0	0	0	0	SU	47.1095	67.9495	25.9	723.3	412	56917.	874	0.8	1.8	4.8	2.4	0.4	6.3	30	1.5
40079	0	0	1	0	SOCm	47.1095	67.9490	25.9	723.5	418	56918.	927	0.9	0.9	6.9	0.1	0.1	8.1	21	1.5
40078	0	0	1	0	SOCm	47.1094	67.9484	25.9	723.6	423	56917.	923	0.9	0.9	5.8	0.1	0.1	6.5	28	1.6
40077	0	0	1	0	SOCm	47.1093	67.9479	25.9	723.8	431	56915.	1029	1.1	0.9	7.0	0.1	0.1	6.8	26	1.6

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
40076	0	0	1	0	S0cm	47.1093	67.9474	25.9	724.0	437	56914.	1044	1.3	0.0	5.9	0.1	0.1	4.6	22	1.7
40075	0	0	1	0	S0cm	47.1092	67.9469	25.9	724.1	441	56914.	1099	1.3	0.0	9.1	0.1	0.1	7.2	26	1.7
40074	0	0	1	0	S0cm	47.1092	67.9464	25.9	724.2	445	56913.	1080	1.2	-0.1	5.5	0.1	0.1	4.6	29	1.7
40073	0	0	0	0	S0cm	47.1091	67.9458	25.9	724.4	449	56912.	1202	1.4	1.9	7.1	1.4	0.3	5.3	12	1.7
40072	0	0	1	0	S0cm	47.1090	67.9453	25.9	724.4	454	56911.	1119	1.1	0.9	5.2	0.1	0.1	4.8	19	1.7
40071	0	0	1	0	S0cm	47.1090	67.9448	25.9	724.5	457	56909.	1104	1.3	1.3	6.8	0.1	0.1	5.5	21	1.8
40070	0	0	0	0	S0cm	47.1089	67.9443	25.9	724.6	457	56909.	1141	1.6	1.6	6.8	1.1	0.3	4.5	21	1.7
40069	0	0	1	0	S0cm	47.1088	67.9437	25.9	724.6	454	56909.	1138	1.4	1.3	5.5	0.1	0.1	4.1	20	1.7
40068	0	0	0	0	S0cm	47.1088	67.9432	25.9	724.7	450	56910.	1054	0.9	1.9	4.6	2.3	0.5	5.5	24	1.7
40067	0	0	0	0	S0cm	47.1087	67.9427	25.9	724.7	444	56911.	1069	1.2	2.0	5.7	1.7	0.4	4.8	23	1.8
40066	0	0	0	0	S0cm	47.1087	67.9421	25.9	724.8	439	56911.	1016	1.2	1.9	6.4	1.7	0.3	5.8	20	1.8
40065	0	0	1	0	S0cm	47.1086	67.9416	25.9	724.8	435	56911.	951	0.9	0.2	3.8	0.1	0.1	4.5	18	1.8
40064	0	0	1	0	S0cm	47.1085	67.9411	25.9	724.9	430	56911.	892	0.7	1.0	5.6	0.1	0.1	8.0	17	1.9
40063	0	0	1	0	S0cm	47.1085	67.9406	25.9	724.9	427	56911.	855	0.8	0.9	5.4	0.1	0.1	6.8	22	1.9
40062	0	0	1	0	S0cm	47.1084	67.9400	25.9	724.9	425	56910.	774	0.8	1.1	3.8	0.1	0.1	5.4	18	1.9
40061	0	0	0	0	S0cm	47.1084	67.9395	25.9	724.9	419	56909.	759	0.8	1.5	3.2	2.0	0.5	4.3	20	1.9
40060	0	0	1	0	S0cm	47.1083	67.9390	25.9	724.9	418	56907.	711	0.7	1.2	4.1	0.1	0.1	6.4	16	1.9
40059	0	0	1	0	S0cm	47.1082	67.9385	25.9	724.8	419	56906.	708	0.8	0.3	3.2	0.1	0.1	4.5	25	1.8
40058	0	0	0	0	S0cm	47.1082	67.9380	25.9	724.8	420	56907.	748	0.8	1.9	1.8	2.6	1.1	2.5	27	1.8
40057	0	0	1	0	S0cm	47.1081	67.9374	25.9	724.7	416	56907.	795	0.8	0.4	3.1	0.1	0.1	4.2	30	1.8
40055	0	0	1	0	S0cm	47.1080	67.9364	25.9	724.6	411	56906.	835	0.8	0.5	5.4	0.1	0.1	7.4	22	1.8
40054	0	0	0	0	S0cm	47.1079	67.9359	25.9	724.5	414	56904.	954	1.0	2.0	5.6	2.0	0.4	5.7	28	1.9
40053	0	0	1	0	S0cm	47.1079	67.9353	25.9	724.3	415	56902.	1015	1.0	1.0	6.0	0.1	0.1	6.5	19	1.8
40052	0	0	0	0	S0cm	47.1078	67.9348	25.9	724.2	414	56901.	1099	1.4	1.8	6.8	1.4	0.3	5.2	35	1.8
40051	0	0	0	0	S0cm	47.1077	67.9343	25.9	724.0	409	56902.	1117	1.1	2.3	5.9	2.2	0.4	5.6	28	1.8
40050	0	0	0	0	S0cm	47.1077	67.9337	25.9	723.8	406	56904.	1094	1.3	1.6	5.1	1.3	0.4	4.1	23	1.7
40049	0	0	1	0	S0cm	47.1076	67.9332	25.9	723.6	406	56904.	1188	1.4	1.2	4.7	0.1	0.1	3.4	19	1.7
40048	0	0	1	0	S0cm	47.1076	67.9327	25.9	723.4	408	56903.	1199	1.3	0.6	9.0	0.1	0.1	7.2	24	1.7
40047	0	0	1	0	S0cm	47.1075	67.9322	25.9	723.2	412	56903.	1207	1.2	1.0	6.8	0.1	0.1	5.8	28	1.7
40046	0	0	0	0	S0cm	47.1074	67.9316	25.9	723.0	418	56902.	1088	1.3	1.5	6.2	1.3	0.3	5.0	21	1.7
40045	0	0	1	0	S0cm	47.1074	67.9311	25.9	722.8	423	56900.	1168	1.4	0.9	5.8	0.1	0.1	4.2	26	1.6
40044	0	0	1	0	S0cm	47.1073	67.9306	25.9	722.6	426	56900.	1176	1.3	1.5	7.8	0.1	0.1	6.0	24	1.7
40043	0	0	0	0	S0cm	47.1073	67.9301	26.0	721.9	425	56902.	1209	1.2	1.9	8.6	1.6	0.3	7.4	21	1.7
40042	0	0	0	0	S0cm	47.1072	67.9296	26.0	721.9	422	56902.	1209	1.4	1.6	4.8	1.2	0.4	3.4	20	1.7
40041	0	0	0	0	S0cm	47.1071	67.9290	26.0	721.9	418	56902.	1210	1.4	2.0	4.9	1.5	0.5	3.7	24	1.7
40040	0	0	0	0	S0cm	47.1071	67.9285	26.0	721.9	410	56902.	1227	1.5	1.9	6.7	1.3	0.3	4.6	21	1.6
40039	0	0	0	0	S0cm	47.1070	67.9280	26.0	721.9	405	56901.	1293	1.4	2.3	7.3	1.7	0.4	5.2	25	1.6
40038	0	0	1	0	S0cm	47.1069	67.9275	26.0	721.9	404	56902.	1191	1.2	1.2	7.3	0.1	0.1	6.5	23	1.6
40037	0	0	1	0	S0cm	47.1069	67.9269	26.0	721.9	404	56905.	1177	1.2	1.3	6.4	0.1	0.1	5.4	20	1.6
40036	0	0	0	0	S0cm	47.1068	67.9264	26.0	721.9	406	56907.	1163	1.2	3.0	6.5	2.6	0.5	5.7	21	1.5
40035	0	0	1	0	S0cm	47.1068	67.9259	26.0	721.9	408	56907.	1147	1.2	0.5	5.6	0.1	0.1	4.8	27	1.5
40034	0	0	1	0	S0cm	47.1069	67.9254	26.0	721.9	411	56906.	1180	1.4	0.7	6.4	0.1	0.1	4.9	26	1.6
40033	0	0	1	0	S0cm	47.1069	67.9249	26.0	721.9	415	56905.	1219	1.4	0.7	7.8	0.1	0.1	6.0	27	1.6
40032	0	0	1	0	S0cm	47.1070	67.9243	26.0	721.9	419	56905.	1183	1.3	1.1	5.3	0.1	0.1	4.3	17	1.6
40031	0	0	0	0	S0cm	47.1070	67.9238	26.0	721.9	424	56905.	1233	1.3	1.6	7.8	1.2	0.2	6.1	29	1.6
40030	0	0	1	0	S0cm	47.1070	67.9233	26.0	721.8	429	56905.	1204	1.7	1.3	6.3	0.1	0.1	3.9	21	1.6
40029	0	0	0	0	S0cm	47.1071	67.9228	26.0	721.8	434	56905.	1182	1.2	3.0	7.7	2.6	0.4	6.7	20	1.6
40028	0	0	1	0	S0cm	47.1071	67.9223	26.0	721.8	438	56905.	1215	1.4	0.5	6.0	0.1	0.1	4.4	27	1.6
40027	0	0	1	0	S0cm	47.1071	67.9218	26.0	721.8	439	56903.	1221	1.4	0.9	6.6	0.1	0.1	4.8	21	1.6
40026	0	0	1	0	S0cm	47.1072	67.9213	26.0	721.8	436	56901.	1212	1.6	1.0	7.4	0.1	0.1	4.6	27	1.5

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
40025	0	0	1	0	S0cm	47.1072	67.9208	26.0	721.7	431	56901.	1184	1.3	1.1	6.9	0.1	0.1	5.4	27	1.7
40024	0	0	1	0	S0cm	47.1073	67.9203	26.0	721.7	426	56901.	1209	1.3	1.0	6.8	0.1	0.1	5.2	20	1.7
40023	0	0	0	0	S0cm	47.1073	67.9197	26.0	721.7	423	56901.	1213	1.2	1.9	5.3	1.6	0.4	4.6	27	1.7
40022	0	0	1	0	S0cm	47.1073	67.9192	26.1	721.7	420	56900.	1114	1.4	1.2	5.9	0.1	0.1	4.4	25	1.6
40021	0	0	0	0	S0cm	47.1074	67.9187	26.1	721.7	419	56901.	1110	1.1	2.8	5.0	2.7	0.6	4.7	27	1.6
40020	0	0	1	0	S0cm	47.1074	67.9182	26.1	721.6	420	56901.	1105	1.2	0.5	4.9	0.1	0.1	4.1	27	1.7
40019	0	0	1	0	S0cm	47.1074	67.9177	26.1	721.6	419	56903.	1056	1.2	0.9	5.6	0.1	0.1	4.9	20	1.7
40018	0	0	0	0	S0cm	47.1075	67.9172	26.1	721.6	417	56902.	952	1.0	1.5	4.7	1.6	0.3	5.0	24	1.7
40017	0	0	1	0	S0cm	47.1075	67.9167	26.1	721.6	407	56901.	931	1.0	-0.1	5.6	0.1	0.1	5.9	23	1.7
40016	0	0	1	0	S0cm	47.1076	67.9162	26.1	721.6	398	56900.	799	0.7	1.2	4.1	0.1	0.1	6.4	14	1.8
40015	0	0	0	0	S0cm	47.1076	67.9156	26.1	721.6	391	56899.	946	0.9	2.2	2.9	2.5	0.8	3.4	25	1.8
40014	0	0	0	0	S0cm	47.1076	67.9151	26.1	721.6	392	56900.	907	0.8	2.4	5.4	3.0	0.5	6.7	27	1.7
40013	0	0	0	0	S0cm	47.1077	67.9146	26.1	721.6	404	56900.	950	0.9	2.3	4.0	2.5	0.6	4.4	28	1.7
40012	0	0	1	0	S0cm	47.1077	67.9141	26.1	721.6	419	56899.	1064	1.1	1.0	4.8	0.1	0.1	4.3	35	1.7
40011	0	0	0	0	S0cm	47.1077	67.9136	26.1	721.5	436	56898.	1158	1.6	2.3	4.4	1.5	0.6	2.9	28	1.8
40010	0	0	1	0	S0cm	47.1078	67.9131	26.1	721.5	444	56899.	1169	1.7	0.3	5.8	0.1	0.1	3.6	21	1.8
40009	0	0	1	0	S0cm	47.1078	67.9126	26.1	721.4	451	56899.	1236	1.6	0.7	7.4	0.1	0.1	4.7	23	1.8
40008	0	0	1	0	S0cm	47.1079	67.9121	26.1	721.4	458	56897.	1142	1.5	-0.1	5.5	0.1	0.1	3.9	26	1.8
40007	0	0	1	0	S0cm	47.1079	67.9116	26.1	721.3	464	56898.	1173	1.5	0.3	6.8	0.1	0.1	4.7	19	1.8
40006	0	0	1	0	S0cm	47.1079	67.9110	26.1	721.3	467	56900.	1206	1.3	1.3	5.0	0.1	0.1	4.1	27	1.9
40005	0	0	0	0	S0cm	47.1080	67.9105	26.1	721.3	466	56899.	1272	1.6	1.9	7.3	1.2	0.3	4.7	20	1.9
40004	0	0	1	0	S0cm	47.1080	67.9100	26.1	721.2	461	56898.	1236	1.3	1.3	6.4	0.1	0.1	4.9	24	1.9
40003	0	0	1	0	S0cm	47.1080	67.9095	26.1	721.2	451	56898.	1179	1.5	-0.5	8.0	0.1	0.1	5.5	32	1.9
40002	0	0	1	0	S0cm	47.1081	67.9090	26.1	721.2	440	56898.	1175	1.5	0.1	6.5	0.1	0.1	4.4	35	1.9
40001	0	0	0	0	S0cm	47.1081	67.9085	26.1	721.2	429	56898.	1136	1.4	1.6	5.9	1.2	0.3	4.2	25	1.9
40000	0	0	1	0	S0cm	47.1082	67.9080	26.1	721.2	419	56897.	1223	1.1	1.2	6.5	0.1	0.1	6.0	25	1.9
39999	0	0	0	0	S0cm	47.1082	67.9075	26.1	721.3	410	56898.	1261	1.7	2.2	6.6	1.3	0.4	4.1	21	1.9
39998	0	0	1	0	S0cm	47.1082	67.9070	26.1	721.4	404	56900.	1276	1.4	0.6	6.1	0.1	0.1	4.4	19	1.9
39997	0	0	1	0	S0cm	47.1083	67.9064	26.1	721.5	400	56900.	1229	1.3	1.3	7.0	0.1	0.1	5.5	13	2.0
39996	0	0	1	0	S0cm	47.1083	67.9059	26.1	721.6	397	56900.	1359	1.5	1.0	5.9	0.1	0.1	4.1	36	2.0
39995	0	0	1	0	S0cm	47.1083	67.9054	26.1	721.8	396	56899.	1415	1.7	1.0	7.6	0.1	0.1	4.7	14	2.0
39994	0	0	1	0	S0cm	47.1084	67.9049	26.1	722.0	398	56899.	1311	1.4	0.8	7.7	0.1	0.1	5.8	26	2.0
39993	0	0	1	0	S0cm	47.1084	67.9044	26.2	722.1	401	56898.	1400	1.5	0.4	9.9	0.1	0.1	6.7	22	2.0
39992	0	0	1	0	S0cm	47.1084	67.9039	26.2	722.3	407	56898.	1305	1.6	0.8	8.2	0.1	0.1	5.3	26	2.0
39991	0	0	1	0	S0cm	47.1085	67.9034	26.2	722.5	413	56898.	1315	1.7	0.6	7.7	0.1	0.1	4.6	20	2.0
39990	0	0	1	0	S0cm	47.1085	67.9029	26.2	722.7	419	56898.	1338	1.8	0.6	6.8	0.1	0.1	3.9	20	2.1
39989	0	0	0	0	S0cm	47.1086	67.9024	26.2	722.9	425	56897.	1299	1.7	1.8	6.4	1.1	0.3	3.8	27	2.1
39988	0	0	0	0	S0cm	47.1086	67.9018	26.2	723.1	430	56897.	1266	1.7	1.6	4.6	1.0	0.4	2.8	26	2.1
39987	0	0	0	0	S0cm	47.1086	67.9013	26.2	723.3	433	56896.	1233	1.8	2.0	6.2	1.2	0.4	3.5	23	2.1
39986	0	0	1	0	S0cm	47.1087	67.9008	26.2	723.5	433	56896.	1292	1.6	0.3	6.8	0.1	0.1	4.2	20	2.1
39985	0	0	1	0	S0cm	47.1087	67.9003	26.2	723.7	431	56897.	1264	1.6	1.1	7.4	0.1	0.1	4.8	26	2.1
39984	0	0	1	0	S0cm	47.1087	67.8998	26.2	723.9	428	56897.	1209	1.6	1.1	6.3	0.1	0.1	4.1	21	2.1
39983	0	0	1	0	S0cm	47.1088	67.8993	26.2	724.1	421	56896.	1088	1.1	0.8	7.9	0.1	0.1	7.7	20	2.1
39982	0	0	1	0	S0cm	47.1088	67.8988	26.2	724.3	418	56895.	978	0.9	1.2	6.4	0.1	0.1	7.5	32	2.1
39981	0	0	1	0	S0cm	47.1089	67.8983	26.2	724.5	422	56895.	976	1.1	1.2	4.4	0.1	0.1	4.2	21	2.1
39980	0	0	0	0	S0cm	47.1089	67.8978	26.2	724.7	435	56896.	962	1.1	2.6	5.1	2.5	0.6	4.8	21	2.1
39979	0	0	1	0	S0cm	47.1089	67.8972	26.2	724.9	445	56897.	996	1.1	1.2	5.1	0.1	0.1	4.9	22	2.1
39978	0	0	1	0	S0cm	47.1090	67.8967	26.2	725.1	449	56898.	968	0.9	1.3	4.6	0.1	0.1	5.0	21	2.1
39977	0	0	1	0	S0cm	47.1090	67.8962	26.2	725.3	448	56897.	1000	1.0	-0.3	6.2	0.1	0.1	6.3	19	2.1
39976	0	0	0	0	S0cm	47.1090	67.8957	26.2	725.4	448	56896.	964	1.3	1.5	4.9	1.2	0.3	4.1	16	2.1

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
39975	0	0	1	0	S0cm	47.1091	67.8952	26.3	725.6	449	56896.	987	1.4	0.9	5.4	0.1	0.1	3.9	27	2.1
39974	0	0	1	0	S0cm	47.1091	67.8947	26.3	725.8	451	56896.	948	1.0	0.0	5.3	0.1	0.1	5.3	22	2.1
39973	0	0	1	0	S0cm	47.1092	67.8942	26.3	726.0	453	56895.	1001	1.0	1.5	6.3	0.1	0.1	6.5	23	2.2
39972	0	0	1	0	S0cm	47.1092	67.8937	26.3	726.2	454	56895.	974	1.1	0.9	7.4	0.1	0.1	7.3	21	2.2
39971	0	0	1	0	S0cm	47.1092	67.8932	26.3	726.4	453	56896.	1037	1.0	0.8	4.1	0.1	0.1	4.2	22	2.2
39970	0	0	0	0	S0cm	47.1093	67.8926	26.3	726.6	450	56899.	1005	1.1	1.6	6.7	1.5	0.3	6.4	18	2.2
39969	0	0	1	0	S0cm	47.1093	67.8921	26.3	726.7	445	56898.	980	1.2	0.1	6.5	0.1	0.1	5.8	17	2.2
39968	0	0	1	0	S0cm	47.1093	67.8916	26.3	726.9	439	56897.	962	1.2	0.1	6.4	0.1	0.1	5.3	21	2.2
39967	0	0	1	0	S0cm	47.1094	67.8911	26.3	727.1	433	56897.	858	1.0	-0.5	4.4	0.1	0.1	4.4	27	2.2
39966	0	0	1	0	Water	47.1094	67.8906	26.3	727.3	429	56898.	795	0.8	1.1	5.2	0.1	0.1	6.7	18	2.2
39965	0	0	0	0	Water	47.1094	67.8901	26.3	727.5	431	56896.	556	0.7	2.1	3.7	3.3	0.6	5.9	16	2.2
39964	0	0	1	0	Water	47.1095	67.8896	26.3	727.6	434	56894.	385	0.4	0.5	2.4	0.1	0.1	0.1	30	2.3
39963	0	0	1	1	Water	47.1095	67.8890	26.3	727.8	436	56893.	281	0.4	0.2	0.9	0.1	0.1	0.1	34	2.3
39962	0	0	1	0	Water	47.1095	67.8885	26.3	727.9	434	56892.	212	0.3	-0.1	1.1	0.1	0.1	0.1	18	2.3
39961	0	1	1	0	Water	47.1095	67.8880	26.3	728.0	432	56892.	207	0.2	-0.1	1.3	0.1	0.1	0.1	26	2.4
39959	0	0	1	0	Water	47.1096	67.8870	26.3	728.1	431	56894.	352	0.5	0.7	2.1	0.1	0.1	0.1	29	2.4
39958	0	0	1	0	Unknou	47.1096	67.8865	26.3	728.2	430	56895.	434	0.5	0.5	2.3	0.1	0.1	0.1	34	2.4
39957	0	0	1	0	Unknou	47.1096	67.8859	26.3	728.2	426	56894.	682	0.8	0.4	4.1	0.1	0.1	5.5	25	2.4
39956	0	0	1	0	Unknou	47.1096	67.8854	26.3	728.3	421	56894.	823	1.0	0.9	4.2	0.1	0.1	4.2	14	2.4
39955	0	0	1	0	Unknou	47.1097	67.8849	26.3	728.3	416	56895.	903	0.9	0.5	6.8	0.1	0.1	7.6	23	2.4
39954	0	0	1	0	Unknou	47.1097	67.8844	26.3	728.3	413	56897.	1034	1.1	1.2	4.5	0.1	0.1	4.4	25	2.5
39953	0	0	1	0	Unknou	47.1097	67.8839	26.3	728.4	411	56896.	1073	1.0	1.0	5.8	0.1	0.1	5.9	16	2.5
39952	0	0	0	0	Unknou	47.1097	67.8834	26.3	728.4	409	56894.	1063	1.1	1.6	6.0	1.4	0.3	5.5	26	2.4
39951	0	0	1	0	Unknou	47.1097	67.8829	26.3	728.3	408	56894.	1136	1.2	1.1	7.6	0.1	0.1	6.8	16	2.4
39950	0	0	1	0	Unknou	47.1098	67.8823	26.3	728.3	408	56894.	1161	1.4	1.4	7.0	0.1	0.1	5.3	18	2.4
39949	0	0	1	0	Unknou	47.1098	67.8818	26.3	728.3	410	56894.	1174	1.3	1.2	6.9	0.1	0.1	5.3	29	2.4
39948	0	0	0	0	Unknou	47.1098	67.8813	26.4	728.3	413	56894.	1105	1.4	1.8	6.6	1.3	0.3	4.9	27	2.3
39947	0	0	0	0	Unknou	47.1098	67.8808	26.4	728.3	416	56894.	1192	1.5	1.8	4.9	1.2	0.4	3.4	29	2.3
39946	0	0	1	0	Unknou	47.1099	67.8803	26.4	728.3	418	56892.	1112	1.2	0.3	7.1	0.1	0.1	5.9	28	2.3
39945	0	0	1	0	Unknou	47.1099	67.8798	26.4	728.2	418	56891.	1128	1.3	0.7	7.9	0.1	0.1	6.2	26	2.3
39944	0	0	1	0	Unknou	47.1099	67.8792	26.4	728.2	418	56889.	1060	1.2	0.5	7.5	0.1	0.1	6.4	20	2.3
39943	0	0	1	0	Unknou	47.1099	67.8787	26.4	728.2	416	56889.	1071	1.2	0.4	6.6	0.1	0.1	5.5	21	2.3
39942	0	0	0	0	Unknou	47.1099	67.8782	26.4	728.2	413	56890.	1052	1.1	2.0	5.2	1.8	0.4	4.8	26	2.3
39941	0	0	1	0	Unknou	47.1100	67.8777	26.4	728.2	408	56890.	1030	1.1	1.1	6.3	0.1	0.1	6.1	29	2.2
39940	0	0	0	0	Unknou	47.1100	67.8772	26.4	728.2	401	56890.	987	0.8	1.5	5.2	2.0	0.3	6.8	25	2.2
39939	0	0	0	0	Unknou	47.1100	67.8767	26.4	728.2	394	56889.	1046	1.0	1.4	4.4	1.4	0.3	4.6	22	2.3
39938	0	0	1	0	Unknou	47.1100	67.8761	26.4	728.3	386	56888.	998	1.1	0.2	5.4	0.1	0.1	5.2	24	2.3
39937	0	0	1	0	Unknou	47.1101	67.8756	26.4	728.3	379	56887.	1084	1.3	0.4	7.6	0.1	0.1	6.1	13	2.4
39936	0	0	1	0	Unknou	47.1101	67.8751	26.4	728.3	373	56887.	1021	1.0	1.0	6.2	0.1	0.1	6.2	25	2.4
39935	0	0	0	0	Unknou	47.1101	67.8746	26.4	728.4	369	56888.	1096	1.2	1.3	4.3	1.2	0.3	3.7	16	2.4

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
47631	0	0	0	0	DSu	47.0283	69.6705	29.6	709.6	428	56907.	716	0.8	1.4	4.1	1.8	0.4	5.4	27	1.0
47630	0	0	0	0	DSu	47.0282	69.6699	29.6	709.6	428	56908.	816	0.9	1.5	3.2	1.7	0.5	3.7	22	1.0
47629	0	0	1	0	DSu	47.0281	69.6693	29.6	709.6	426	56908.	768	0.9	0.5	3.2	0.1	0.1	3.8	31	1.0
47628	0	0	1	0	DSu	47.0281	69.6687	29.6	709.6	422	56908.	785	1.1	0.1	2.9	0.1	0.1	2.7	21	1.0
47627	0	0	1	0	DSu	47.0280	69.6681	29.6	709.6	418	56908.	738	0.7	0.3	2.6	0.1	0.1	3.9	17	1.0
47626	0	0	1	0	DSu	47.0279	69.6675	29.6	709.5	415	56908.	690	0.8	0.5	3.4	0.1	0.1	4.3	26	1.1
47625	0	0	0	0	DSu	47.0278	69.6669	29.6	709.5	414	56908.	687	0.6	1.3	3.7	2.6	0.4	7.3	29	1.1
47624	0	0	1	0	DSu	47.0278	69.6663	29.6	709.5	415	56909.	627	0.7	0.6	3.9	0.1	0.1	6.4	29	1.1
47623	0	0	1	0	DSu	47.0277	69.6659	29.6	709.4	416	56909.	605	0.8	-0.1	1.6	0.1	0.1	2.2	23	1.1
47622	0	0	1	0	DSu	47.0277	69.6652	29.6	709.4	417	56908.	614	0.7	0.4	3.8	0.1	0.1	5.9	20	1.1
47621	0	0	1	0	DSu	47.0277	69.6647	29.6	709.4	419	56908.	670	0.7	0.2	3.0	0.1	0.1	4.8	29	1.1
47620	0	0	1	0	DSu	47.0276	69.6641	29.6	709.3	423	56907.	596	0.8	0.2	2.6	0.1	0.1	3.6	22	1.1
47619	0	0	1	0	DSu	47.0276	69.6636	29.6	709.3	428	56907.	637	0.7	0.6	2.9	0.1	0.1	4.4	30	1.1
47618	0	0	1	0	DSu	47.0275	69.6630	29.6	709.2	435	56906.	598	0.8	0.4	2.6	0.1	0.1	3.3	24	1.1
47617	0	0	1	0	DSu	47.0275	69.6625	29.6	709.1	440	56905.	665	0.8	0.8	3.5	0.1	0.1	4.4	20	1.1
47616	0	0	1	0	DSu	47.0275	69.6619	29.6	709.0	442	56906.	573	0.7	-0.1	2.0	0.1	0.1	3.1	24	1.1
47615	0	0	1	0	DSu	47.0274	69.6614	29.6	709.0	441	56907.	604	0.7	1.1	4.6	0.1	0.1	7.1	30	1.1
47614	0	0	1	0	DSu	47.0274	69.6608	29.6	709.0	435	56908.	556	0.6	1.0	2.2	0.1	0.1	3.8	29	1.1
47613	0	0	1	0	DSu	47.0273	69.6602	29.6	709.0	426	56909.	589	0.4	0.5	2.5	0.1	0.1	0.1	35	1.1
47612	0	0	0	0	DSu	47.0273	69.6597	29.6	709.0	418	56910.	615	0.7	1.7	3.9	2.5	0.5	6.0	21	1.1
47611	0	0	1	0	DSu	47.0273	69.6591	29.6	709.0	413	56910.	597	0.5	-0.1	3.7	0.1	0.1	0.1	26	1.1
47610	0	0	1	0	DSu	47.0272	69.6586	29.6	709.0	412	56909.	651	0.6	0.3	3.9	0.1	0.1	7.3	22	1.1
47609	0	0	1	0	DSu	47.0272	69.6580	29.6	709.1	413	56908.	596	0.6	0.9	3.3	0.1	0.1	5.9	25	1.1
47608	0	0	1	0	DSu	47.0272	69.6575	29.6	709.1	415	56908.	676	0.6	0.7	4.3	0.1	0.1	7.1	20	1.1
47607	0	0	0	0	DSu	47.0271	69.6569	29.6	709.2	415	56907.	625	0.6	1.5	1.7	2.9	0.9	3.4	17	1.1
47606	0	0	0	0	DSu	47.0271	69.6564	29.6	709.2	414	56907.	633	0.4	1.9	1.5	0.1	1.3	0.1	28	1.0
47605	0	0	1	0	DSu	47.0270	69.6558	29.6	709.3	415	56907.	546	0.5	0.6	1.3	0.1	0.1	0.1	18	1.0
47604	0	0	1	0	DSu	47.0270	69.6553	29.6	709.4	417	56907.	661	0.6	0.6	3.3	0.1	0.1	5.9	18	1.0
47603	0	0	1	0	DSu	47.0270	69.6547	29.6	709.5	421	56906.	636	0.6	0.5	3.4	0.1	0.1	2.5	26	1.0
47602	0	0	1	0	DSu	47.0269	69.6542	29.6	709.5	422	56905.	633	0.6	-0.3	3.8	0.1	0.1	6.9	28	1.0
47601	0	0	1	0	DSu	47.0269	69.6536	29.6	709.6	426	56905.	571	0.7	0.0	3.2	0.1	0.1	5.1	24	1.0
47600	0	0	1	0	DSu	47.0268	69.6530	29.6	709.7	430	56905.	575	0.5	0.2	1.9	0.1	0.1	0.1	36	1.0
47599	0	0	1	0	DSu	47.0268	69.6525	29.6	709.7	435	56905.	563	0.6	0.9	1.9	0.1	0.1	3.5	28	1.0
47598	0	0	1	0	DSu	47.0268	69.6519	29.6	709.7	442	56905.	557	0.5	-0.2	3.1	0.1	0.1	0.1	29	1.0
47597	0	0	1	0	DSu	47.0267	69.6514	29.6	709.8	449	56906.	473	0.6	-0.2	1.4	0.1	0.1	2.7	25	1.0
47596	0	0	1	0	DSu	47.0267	69.6508	29.6	709.8	457	56906.	468	0.5	0.0	2.3	0.1	0.1	0.1	21	1.0
47595	0	0	1	0	DSu	47.0266	69.6503	29.6	709.8	462	56905.	524	0.6	0.0	2.5	0.1	0.1	4.7	28	1.0
47594	0	0	0	0	DSu	47.0266	69.6497	29.6	709.9	469	56904.	477	0.4	1.6	3.4	0.1	0.5	0.1	32	1.0
47593	0	0	1	0	DSu	47.0266	69.6492	29.6	709.9	475	56904.	495	0.6	0.8	2.6	0.1	0.1	4.5	24	1.0
47592	0	0	1	0	DSu	47.0265	69.6486	29.6	709.9	476	56904.	496	0.3	-1.2	4.9	0.1	0.1	0.1	23	1.0
47591	0	0	1	0	DSu	47.0265	69.6481	29.6	710.0	474	56905.	519	0.7	-0.1	3.1	0.1	0.1	4.9	21	1.0
47590	0	0	0	0	DSu	47.0264	69.6475	29.6	710.0	472	56904.	527	0.3	1.7	2.6	0.1	0.7	0.1	21	0.9
47589	0	0	1	0	DSu	47.0264	69.6469	29.6	710.1	478	56903.	482	0.5	0.8	1.4	0.1	0.1	0.1	32	0.9
47588	0	0	1	0	DSu	47.0264	69.6464	29.6	710.1	479	56903.	469	0.3	0.4	2.3	0.1	0.1	0.1	17	0.9
47587	0	0	1	0	DSu	47.0263	69.6458	29.6	710.2	474	56903.	474	0.5	0.0	2.4	0.1	0.1	0.1	27	0.9
47586	0	0	1	0	DSu	47.0263	69.6453	29.6	710.3	458	56903.	526	0.7	-0.1	2.9	0.1	0.1	4.2	7	0.9
47585	0	0	1	0	DSu	47.0262	69.6447	29.6	710.3	441	56903.	466	0.6	-0.7	4.2	0.1	0.1	8.1	2	0.9
47583	0	0	1	0	DSu	47.0262	69.6436	29.6	710.4	428	56903.	538	0.4	0.2	2.7	0.1	0.1	0.1	21	0.9
47582	0	0	1	0	DSu	47.0261	69.6431	29.6	710.5	421	56903.	458	0.5	-0.2	3.2	0.1	0.1	0.1	22	0.9
47581	0	0	1	0	DSu	47.0261	69.6425	29.6	710.6	417	56903.	471	0.4	1.1	2.0	0.1	0.1	0.1	30	0.9

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

- K13 -
 MAINE AERIAL SURVEY EDMUNDSTON QUADRANGLE, CARSON GEOSCIENCE INC., 1980

LINE NO. 60

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
47580	0	0	1	0	DSu	47.0261	69.6420	29.6	710.7	415	56903.	478	0.3	0.2	2.4	0.1	0.1	0.1	23	0.9
47579	0	0	1	0	DSu	47.0260	69.6414	29.6	710.8	413	56902.	440	0.3	0.3	2.4	0.1	0.1	0.1	33	0.8
47578	0	0	1	0	DSu	47.0260	69.6409	29.6	710.9	410	56902.	491	0.4	-0.2	1.2	0.1	0.1	0.1	18	0.8
47577	0	0	1	0	DSu	47.0259	69.6403	29.6	711.0	409	56901.	522	0.5	0.8	3.3	0.1	0.1	0.1	24	0.8
47576	0	0	1	0	DSu	47.0259	69.6397	29.6	711.1	409	56900.	533	0.7	0.5	3.1	0.1	0.1	4.5	22	0.7
47575	0	0	1	0	DSu	47.0259	69.6392	29.6	711.2	413	56900.	518	0.4	0.3	4.2	0.1	0.1	0.1	25	0.6
47574	0	0	1	0	DSu	47.0258	69.6386	29.6	711.2	414	56899.	547	0.3	1.1	3.3	0.1	0.1	0.1	13	0.6
47573	0	0	1	0	DSu	47.0258	69.6381	29.6	711.3	413	56898.	558	0.6	-0.3	4.4	0.1	0.1	7.6	16	0.5
47572	0	0	1	0	DSu	47.0257	69.6375	29.6	711.4	406	56899.	499	0.5	0.3	2.0	0.1	0.1	0.1	26	0.5
47571	0	0	1	0	DSu	47.0257	69.6370	29.6	711.4	400	56899.	519	0.6	0.2	1.6	0.1	0.1	3.0	22	0.4
47570	0	0	1	0	DSu	47.0257	69.6364	29.6	711.4	399	56898.	535	0.5	-0.1	3.0	0.1	0.1	0.1	24	0.3
47569	0	0	1	0	DSu	47.0256	69.6359	29.6	711.5	403	56898.	522	0.4	0.2	3.2	0.1	0.1	0.1	29	0.3
47568	0	0	0	0	DSu	47.0256	69.6353	29.6	711.5	407	56897.	486	0.4	1.3	2.8	0.1	0.5	0.1	19	0.2
47567	0	0	1	0	DSu	47.0255	69.6348	29.6	711.5	413	56896.	496	0.5	0.1	2.8	0.1	0.1	0.1	22	0.1
47566	0	0	1	0	DSu	47.0255	69.6342	29.6	711.4	419	56896.	487	0.6	0.1	2.7	0.1	0.1	5.0	22	0.0
47565	0	0	0	0	DSu	47.0255	69.6337	29.6	711.4	425	56895.	508	0.3	1.3	2.4	0.1	0.6	0.1	29	0.0
47564	0	0	0	0	DSu	47.0254	69.6331	29.6	711.4	428	56894.	592	0.5	3.2	2.5	0.1	1.3	0.1	25	0.0
47563	0	0	1	0	DSu	47.0254	69.6325	29.6	711.3	431	56894.	563	0.6	0.0	2.9	0.1	0.1	5.2	32	0.0
47562	0	0	1	0	DSu	47.0253	69.6320	29.6	711.2	435	56893.	548	0.6	1.0	2.2	0.1	0.1	3.7	26	0.0
47561	0	0	1	0	DSu	47.0253	69.6314	29.6	711.2	441	56892.	526	0.5	-0.1	1.7	0.1	0.1	0.1	36	0.0
47560	0	0	1	0	DSu	47.0253	69.6309	29.6	711.1	451	56891.	629	0.6	0.6	3.0	0.1	0.1	5.9	21	0.0
47559	0	0	1	0	DSu	47.0252	69.6303	29.6	711.0	464	56889.	639	0.6	0.4	3.1	0.1	0.1	6.1	19	0.0
47558	0	0	1	0	DSu	47.0252	69.6298	29.6	710.9	474	56889.	652	0.9	0.4	4.3	0.1	0.1	4.9	17	0.0
47557	0	0	1	0	DSu	47.0253	69.6292	29.6	710.8	479	56888.	589	0.6	0.0	3.8	0.1	0.1	7.3	19	0.0
47556	0	0	1	0	DSu	47.0254	69.6287	29.6	710.7	483	56887.	626	0.8	0.2	3.3	0.1	0.1	4.4	23	0.0
47555	0	0	1	0	DSu	47.0255	69.6281	29.6	710.6	490	56885.	600	0.6	0.1	4.2	0.1	0.1	7.0	28	0.0
47554	0	0	1	0	DSu	47.0256	69.6276	29.6	710.5	499	56884.	570	0.7	-0.2	2.9	0.1	0.1	4.3	36	0.0
47553	0	0	1	0	DSu	47.0257	69.6270	29.6	710.4	507	56883.	544	0.6	0.7	1.9	0.1	0.1	3.2	14	0.0
47552	0	0	1	0	DSu	47.0258	69.6265	29.5	710.2	508	56883.	628	0.7	0.3	3.4	0.1	0.1	5.2	31	0.0
47551	0	0	1	0	DSu	47.0259	69.6259	29.5	710.1	509	56883.	600	0.8	0.2	5.4	0.1	0.1	6.8	20	0.0
47550	0	0	1	0	DSu	47.0260	69.6254	29.5	710.1	506	56883.	605	0.7	0.4	4.3	0.1	0.1	6.9	13	0.0
47549	0	0	1	0	DSu	47.0261	69.6248	29.5	710.1	505	56882.	690	0.7	0.6	5.2	0.1	0.1	8.3	25	0.0
47548	0	0	1	0	DSu	47.0261	69.6243	29.5	710.1	497	56882.	571	0.5	1.4	3.3	0.1	0.1	0.1	18	0.0
47547	0	0	1	0	DSu	47.0262	69.6237	29.5	710.2	489	56881.	592	0.5	-0.1	1.7	0.1	0.1	0.1	26	0.0
47546	0	0	1	0	DSu	47.0263	69.6232	29.5	710.2	476	56880.	549	0.5	0.3	2.3	0.1	0.1	0.1	22	0.0
47545	0	0	1	0	DSu	47.0264	69.6226	29.5	710.2	467	56881.	592	0.5	0.8	4.0	0.1	0.1	0.1	23	0.0
47544	0	0	1	0	DSu	47.0265	69.6221	29.5	710.3	461	56881.	527	0.6	-0.6	2.5	0.1	0.1	4.4	30	0.0
47543	0	0	0	0	DSu	47.0266	69.6216	29.5	710.3	456	56879.	572	0.5	1.3	1.6	0.1	0.9	0.1	22	0.0
47542	0	0	1	0	DSu	47.0267	69.6210	29.5	710.3	449	56878.	611	0.5	0.3	3.6	0.1	0.1	0.1	19	0.0
47541	0	0	0	0	DSu	47.0268	69.6204	29.5	710.4	439	56878.	608	0.6	1.7	3.6	3.3	0.5	6.9	19	0.0
47540	0	0	1	0	DSu	47.0269	69.6199	29.5	710.4	431	56878.	566	0.5	0.1	2.8	0.1	0.1	0.1	23	0.0
47539	0	0	1	0	DSu	47.0270	69.6193	29.5	710.6	425	56878.	648	0.7	1.0	2.8	0.1	0.1	4.4	19	0.0
47538	0	0	1	0	DSu	47.0271	69.6188	29.5	710.7	419	56876.	575	0.5	0.6	2.1	0.1	0.1	0.1	23	0.0
47537	0	0	1	0	DSu	47.0272	69.6182	29.5	710.8	415	56875.	635	0.6	0.5	5.1	0.1	0.1	9.2	25	0.0
47536	0	0	1	0	DSu	47.0273	69.6177	29.5	710.9	409	56875.	593	0.5	0.5	2.7	0.1	0.1	0.1	19	0.0
47535	0	0	1	0	DSu	47.0274	69.6172	29.5	710.9	410	56874.	534	0.5	0.4	4.4	0.1	0.1	0.1	27	0.0
47534	0	0	1	0	DSu	47.0275	69.6166	29.5	711.0	411	56874.	425	0.3	0.2	1.9	0.1	0.1	0.1	22	0.0
47533	0	0	1	0	DSu	47.0276	69.6161	29.5	711.1	414	56872.	442	0.5	0.1	3.4	0.1	0.1	0.1	25	0.0
47532	0	0	1	0	DSu	47.0277	69.6155	29.5	711.1	413	56871.	353	0.2	0.1	2.7	0.1	0.1	0.1	20	0.0
47531	0	0	1	0	DSu	47.0278	69.6150	29.5	711.1	412	56870.	313	0.4	-0.2	2.0	0.1	0.1	0.1	19	0.0

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
47530	0	0	1	1	DSu	47.0279	69.6144	29.5	711.2	411	56870.	311	0.3	0.3	0.6	0.1	0.1	0.1	29	0.0
47529	0	0	1	0	DSu	47.0280	69.6139	29.5	711.2	409	56869.	344	0.2	0.5	2.9	0.1	0.1	0.1	27	0.0
47528	0	0	1	0	DSu	47.0281	69.6133	29.5	711.2	406	56868.	368	0.4	-0.3	1.2	0.1	0.1	0.1	26	0.0
47527	0	0	1	0	DSu	47.0282	69.6128	29.5	711.2	401	56868.	471	0.5	-0.1	4.1	0.1	0.1	0.1	30	0.0
47526	0	0	1	1	DSu	47.0283	69.6122	29.5	711.2	392	56868.	510	0.6	0.2	1.0	0.1	0.1	0.1	26	0.0
47525	0	0	0	0	DSu	47.0284	69.6117	29.5	711.1	386	56868.	551	0.7	1.1	2.6	1.7	0.5	4.1	23	0.0
47524	0	0	1	0	DSu	47.0285	69.6111	29.5	711.1	385	56868.	559	0.4	0.6	3.1	0.1	0.1	0.1	15	0.0
47523	0	0	1	0	DSu	47.0286	69.6106	29.5	711.0	388	56866.	538	0.6	0.1	2.4	0.1	0.1	3.9	21	0.0
47522	0	0	1	0	DSu	47.0287	69.6100	29.5	710.9	393	56865.	568	0.7	-0.3	3.5	0.1	0.1	5.4	29	0.0
47521	0	0	1	0	DSu	47.0288	69.6095	29.5	710.8	401	56863.	505	0.4	0.6	2.7	0.1	0.1	0.1	21	0.0
47520	0	0	1	0	DSu	47.0289	69.6089	29.5	710.8	410	56864.	579	0.5	0.7	3.3	0.1	0.1	0.1	21	0.0
47519	0	0	1	0	DSu	47.0289	69.6084	29.5	710.7	423	56863.	567	0.6	0.5	2.4	0.1	0.1	4.6	16	0.0
47518	0	0	1	0	DSu	47.0290	69.6078	29.5	710.6	429	56863.	605	0.6	0.7	3.2	0.1	0.1	5.7	22	0.0
47517	0	0	1	0	DSu	47.0291	69.6072	29.5	710.5	433	56863.	626	0.6	0.3	2.0	0.1	0.1	3.5	21	0.0
47516	0	0	1	0	DSu	47.0291	69.6066	29.5	710.3	433	56861.	668	0.5	0.5	2.4	0.1	0.1	0.1	24	0.0
47515	0	0	1	0	DSu	47.0292	69.6060	29.5	710.2	433	56859.	604	0.8	1.0	3.5	0.1	0.1	4.9	34	0.0
47514	0	0	1	0	DSu	47.0292	69.6054	29.5	710.1	435	56857.	680	0.6	0.5	2.6	0.1	0.1	4.3	18	0.0
47513	0	0	0	0	DSu	47.0293	69.6048	29.5	710.0	437	56858.	669	0.5	1.3	2.5	0.1	0.6	0.1	22	0.0
47512	0	0	0	0	DSu	47.0293	69.6042	29.5	709.8	440	56858.	665	0.8	1.4	2.1	1.7	0.7	2.6	28	0.0
47511	0	0	0	0	DSu	47.0293	69.6036	29.5	709.6	444	56857.	684	0.6	1.7	1.9	2.9	1.0	3.1	35	0.0
47510	0	0	0	0	DSu	47.0294	69.6030	29.5	709.5	449	56857.	645	0.6	1.3	1.5	2.3	0.9	2.6	26	0.0
47509	0	0	1	0	DSu	47.0294	69.6024	29.5	709.3	453	56855.	658	0.6	0.3	2.5	0.1	0.1	4.3	21	0.0
47508	0	0	0	0	DSu	47.0295	69.6017	29.5	709.1	457	56854.	680	0.8	1.8	4.7	2.3	0.4	5.9	34	0.0
47507	0	0	1	0	DSu	47.0295	69.6011	29.5	708.9	461	56854.	607	0.7	0.0	2.4	0.1	0.1	3.8	17	0.0
47506	0	0	1	0	DSu	47.0295	69.6005	29.5	708.6	464	56854.	684	0.9	0.3	3.7	0.1	0.1	4.4	33	0.0
47505	0	0	1	0	DSu	47.0296	69.5999	29.5	708.4	466	56853.	689	0.6	0.3	3.6	0.1	0.1	6.0	28	0.0
47504	0	0	1	0	DSu	47.0296	69.5993	29.5	708.2	467	56852.	647	0.6	-0.5	4.4	0.1	0.1	8.1	20	0.0
47503	0	0	1	0	DSu	47.0297	69.5987	29.5	708.0	467	56851.	726	0.5	0.5	4.3	0.1	0.1	0.1	24	0.0
47502	0	0	1	0	DSu	47.0297	69.5981	29.5	707.8	467	56851.	691	0.7	0.7	3.7	0.1	0.1	5.4	24	0.0
47501	0	0	1	0	DSu	47.0298	69.5975	29.5	707.6	466	56850.	730	1.1	0.1	2.1	0.1	0.1	1.9	20	0.0
47500	0	0	1	0	DSu	47.0298	69.5969	29.5	707.5	465	56850.	690	0.8	0.4	4.6	0.1	0.1	6.3	18	0.0
47499	0	0	1	0	DSu	47.0298	69.5963	29.5	707.3	462	56849.	730	0.8	1.1	4.1	0.1	0.1	5.8	22	0.0
47498	0	0	1	0	DSu	47.0299	69.5957	29.5	707.2	459	56849.	738	0.7	1.0	3.0	0.1	0.1	4.6	30	0.0
47497	0	0	1	0	DSu	47.0299	69.5951	29.5	707.0	457	56848.	717	1.0	0.5	2.4	0.1	0.1	2.5	22	0.0
47496	0	0	1	0	DSu	47.0300	69.5945	29.5	706.2	457	56848.	735	0.8	0.7	2.4	0.1	0.1	3.0	32	0.0
47495	0	0	1	0	DSu	47.0300	69.5938	29.5	706.2	458	56848.	667	0.6	-0.3	2.8	0.1	0.1	4.6	28	0.0
47494	0	0	1	0	DSu	47.0300	69.5932	29.5	706.2	461	56847.	651	0.9	-0.3	2.6	0.1	0.1	3.1	26	0.0
47493	0	0	1	0	DSu	47.0301	69.5926	29.5	706.2	468	56846.	708	0.7	0.9	4.4	0.1	0.1	6.6	21	0.0
47492	0	0	1	0	DSu	47.0301	69.5920	29.5	706.2	476	56845.	660	0.8	0.4	3.9	0.1	0.1	4.9	22	0.0
47491	0	0	1	0	DSu	47.0302	69.5914	29.5	706.2	483	56845.	640	0.7	0.5	2.9	0.1	0.1	4.5	37	0.0
47490	0	0	1	0	DSu	47.0302	69.5908	29.5	706.2	486	56844.	684	0.7	1.2	3.9	0.1	0.1	6.0	20	0.0
47489	0	0	1	0	DSu	47.0303	69.5902	29.5	706.2	486	56844.	726	0.7	0.5	5.0	0.1	0.1	7.2	14	0.0
47487	0	0	1	0	DSu	47.0303	69.5890	29.5	706.2	477	56845.	669	0.9	1.1	3.3	0.1	0.1	3.9	21	0.0
47486	0	0	0	0	DSu	47.0304	69.5884	29.5	706.2	468	56844.	685	0.6	1.2	1.5	2.1	0.9	2.6	26	0.0
47485	0	0	1	0	DSu	47.0304	69.5878	29.5	706.2	459	56843.	652	0.8	0.9	1.8	0.1	0.1	2.3	25	0.0
47484	0	0	1	0	DSu	47.0305	69.5872	29.5	706.2	455	56843.	769	0.6	0.6	5.1	0.1	0.1	9.1	22	0.0
47483	0	0	1	0	DSu	47.0305	69.5866	29.5	706.2	447	56842.	829	0.8	0.7	5.6	0.1	0.1	7.1	21	0.0
47482	0	0	1	0	DSu	47.0305	69.5860	29.5	706.1	439	56842.	820	1.1	0.4	4.3	0.1	0.1	4.1	33	0.0
47481	0	0	1	0	DSu	47.0306	69.5854	29.5	706.1	429	56843.	929	1.0	0.2	4.2	0.1	0.1	4.2	32	0.0
47480	0	0	1	0	DSu	47.0306	69.5847	29.5	706.1	421	56843.	961	1.1	1.1	3.8	0.1	0.1	3.7	17	0.0

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
47479	0	0	1	0	DSU	47.0307	69.5841	29.5	706.1	414	56842.	968	0.9	0.3	7.0	0.1	0.1	7.9	21	0.0
47478	0	0	1	0	DSU	47.0307	69.5835	29.5	706.2	410	56841.	933	1.1	1.2	6.2	0.1	0.1	5.8	32	0.0
47477	0	0	0	0	DSU	47.0308	69.5829	29.5	706.2	409	56842.	900	0.7	1.7	4.4	2.7	0.4	6.8	28	0.0
47476	0	0	1	0	DSU	47.0308	69.5823	29.5	706.2	408	56842.	865	0.8	0.1	4.4	0.1	0.1	5.5	29	0.0
47475	0	0	0	0	DSU	47.0308	69.5817	29.5	706.2	408	56840.	859	0.9	1.3	4.0	1.4	0.3	4.4	30	0.0
47474	0	0	1	0	DSU	47.0309	69.5811	29.5	706.2	409	56839.	806	0.7	0.8	2.0	0.1	0.1	2.9	25	0.0
47473	0	0	1	0	DSU	47.0309	69.5805	29.5	706.2	411	56839.	797	1.0	1.1	3.7	0.1	0.1	3.9	25	0.0
47472	0	0	1	0	DSU	47.0310	69.5799	29.5	706.3	412	56839.	684	0.7	0.5	3.1	0.1	0.1	4.4	21	0.0
47471	0	0	1	0	DSU	47.0310	69.5793	29.5	706.3	412	56839.	749	0.7	0.7	4.7	0.1	0.1	7.3	28	0.0
47470	0	0	1	0	DSU	47.0310	69.5787	29.5	706.4	411	56839.	720	0.6	0.7	3.5	0.1	0.1	5.9	18	0.0
47469	0	0	0	0	DSU	47.0311	69.5781	29.5	706.4	411	56839.	628	0.6	1.2	1.7	2.0	0.7	2.9	19	0.0
47468	0	0	1	0	DSU	47.0311	69.5774	29.5	706.5	413	56838.	691	0.9	-0.5	5.0	0.1	0.1	5.6	21	0.0
47467	0	0	1	0	DSU	47.0312	69.5768	29.5	706.5	416	56837.	595	0.7	0.1	2.9	0.1	0.1	4.5	21	0.0
47466	0	0	1	0	DSU	47.0312	69.5762	29.5	706.6	421	56836.	595	0.6	0.2	2.3	0.1	0.1	4.3	20	0.0
47465	0	0	1	0	OS	47.0313	69.5756	29.5	706.6	428	56834.	495	0.5	-0.2	4.5	0.1	0.1	0.1	19	0.0
47464	0	0	1	0	OS	47.0313	69.5750	29.5	706.6	434	56834.	490	0.6	0.9	1.2	0.1	0.1	2.1	30	0.0
47463	0	0	1	0	OS	47.0313	69.5744	29.5	706.7	436	56835.	518	0.6	0.5	2.7	0.1	0.1	4.9	24	0.0
47462	0	0	1	0	OS	47.0314	69.5738	29.5	706.7	431	56834.	499	0.4	0.6	1.9	0.1	0.1	0.1	24	0.0
47461	0	0	0	0	OS	47.0314	69.5732	29.5	706.8	421	56834.	568	0.4	2.1	2.7	0.1	0.8	0.1	24	0.0
47460	0	0	1	0	OS	47.0315	69.5726	29.5	706.8	410	56835.	515	0.4	0.1	3.7	0.1	0.1	0.1	30	0.0
47459	0	0	1	0	OS	47.0315	69.5720	29.5	706.8	405	56834.	570	0.7	1.0	1.6	0.1	0.1	2.5	29	0.0
47458	0	0	1	0	OS	47.0315	69.5714	29.5	706.9	402	56833.	594	0.7	0.7	3.5	0.1	0.1	5.7	20	0.0
47457	0	0	1	0	OS	47.0316	69.5708	29.5	707.0	402	56833.	571	0.8	-0.3	1.1	0.1	0.1	1.5	18	0.0
47456	0	0	1	0	OS	47.0316	69.5702	29.5	707.0	401	56833.	607	0.6	0.7	3.7	0.1	0.1	6.7	31	0.0
47455	0	0	1	0	OS	47.0317	69.5695	29.5	707.0	403	56833.	590	0.6	-0.1	2.5	0.1	0.1	4.1	21	0.0
47454	0	0	1	0	OS	47.0317	69.5689	29.5	707.1	403	56832.	631	0.5	0.1	3.6	0.1	0.1	0.1	10	0.0
47453	0	0	1	0	OS	47.0318	69.5683	29.5	707.2	404	56832.	604	0.5	0.2	3.1	0.1	0.1	0.1	22	0.0
47452	0	0	1	0	OS	47.0318	69.5677	29.5	707.3	404	56831.	591	0.6	0.9	2.8	0.1	0.1	5.5	36	0.0
47451	0	0	1	1	OS	47.0318	69.5671	29.5	707.3	406	56831.	575	0.8	0.2	0.3	0.1	0.1	0.1	21	0.0
47450	0	0	1	0	OS	47.0319	69.5665	29.5	707.4	407	56831.	582	0.6	-0.1	4.1	0.1	0.1	6.8	18	0.0
47449	0	0	1	0	OS	47.0319	69.5659	29.5	707.5	407	56830.	587	0.6	1.1	3.3	0.1	0.1	5.7	24	0.0
47448	0	0	1	0	OS	47.0319	69.5653	29.5	707.6	406	56830.	552	0.5	-0.2	2.3	0.1	0.1	0.1	29	0.0
47447	0	0	1	1	OS	47.0320	69.5647	29.5	707.7	405	56829.	512	0.6	0.9	1.1	0.1	0.1	0.1	26	0.0
47446	0	0	1	0	OS	47.0320	69.5641	29.5	707.7	405	56829.	594	0.6	1.0	2.7	0.1	0.1	4.5	29	0.0
47445	0	0	1	0	OS	47.0320	69.5635	29.5	707.8	405	56828.	534	0.5	1.0	1.8	0.1	0.1	0.1	22	0.0
47444	0	0	1	0	OS	47.0320	69.5629	29.5	707.8	407	56828.	518	0.6	0.9	1.8	0.1	0.1	3.2	21	0.0
47443	0	0	1	0	OS	47.0321	69.5623	29.5	707.9	412	56828.	490	0.3	0.2	2.8	0.1	0.1	0.1	30	0.0
47442	0	0	1	0	OS	47.0321	69.5617	29.5	707.9	421	56827.	451	0.6	0.7	1.6	0.1	0.1	2.8	31	0.0
47441	0	0	1	1	OS	47.0321	69.5611	29.5	708.0	428	56827.	459	0.5	0.5	1.2	0.1	0.1	0.1	25	0.0
47440	0	0	1	0	OS	47.0322	69.5605	29.5	708.0	429	56827.	465	0.6	1.0	1.1	0.1	0.1	2.0	21	0.0
47439	0	0	1	0	OS	47.0322	69.5599	29.6	708.5	424	56827.	515	0.6	0.0	2.4	0.1	0.1	4.3	27	0.0
47438	0	0	1	0	OS	47.0322	69.5593	29.6	708.4	422	56826.	478	0.5	-0.3	2.2	0.1	0.1	0.1	25	0.0
47437	0	0	1	0	OS	47.0322	69.5587	29.6	708.4	418	56825.	514	0.6	0.5	3.9	0.1	0.1	7.2	23	0.0
47436	0	0	1	0	OS	47.0323	69.5581	29.6	708.4	408	56826.	469	0.5	0.6	3.2	0.1	0.1	0.1	19	0.0
47435	0	0	1	0	OS	47.0323	69.5575	29.6	708.4	399	56826.	475	0.3	0.2	2.1	0.1	0.1	0.1	25	0.0
47434	0	0	1	0	OS	47.0323	69.5569	29.6	708.4	393	56824.	412	0.3	0.4	1.5	0.1	0.1	0.1	28	0.0
47433	0	0	1	0	OS	47.0323	69.5563	29.6	708.5	396	56823.	357	0.3	0.6	1.3	0.1	0.1	0.1	21	0.0
47432	0	0	1	0	OS	47.0324	69.5557	29.6	708.5	400	56823.	376	0.4	0.1	1.7	0.1	0.1	0.1	26	0.0
47431	0	0	1	0	OS	47.0324	69.5551	29.6	708.5	403	56823.	327	0.4	0.3	1.8	0.1	0.1	0.1	24	0.0
47430	0	0	1	0	OS	47.0324	69.5545	29.6	708.5	401	56822.	364	0.4	-0.4	1.4	0.1	0.1	0.1	31	0.0

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
47429	0	0	1	0	0s	47.0324	69.5539	29.6	708.6	400	56822.	403	0.4	0.6	2.6	0.1	0.1	0.1	19	0.0
47428	0	0	0	0	0s	47.0325	69.5533	29.6	708.6	396	56822.	526	0.5	1.5	3.3	0.1	0.5	0.1	21	0.0
47427	0	0	1	0	0s	47.0325	69.5527	29.6	708.6	400	56822.	550	0.6	0.5	2.4	0.1	0.1	4.7	22	0.0
47426	0	0	0	0	0s	47.0325	69.5521	29.6	708.6	404	56822.	616	0.7	1.5	1.6	2.5	1.0	2.6	20	0.0
47425	0	0	1	0	0s	47.0325	69.5515	29.6	708.6	413	56821.	620	0.5	1.0	2.6	0.1	0.1	0.1	22	0.0
47424	0	0	1	0	0s	47.0326	69.5509	29.6	708.6	417	56821.	582	0.6	0.6	2.4	0.1	0.1	4.3	19	0.0
47423	0	0	1	0	0s	47.0326	69.5503	29.6	708.6	420	56821.	574	0.8	0.2	2.3	0.1	0.1	2.9	24	0.0
47422	0	0	1	0	0s	47.0326	69.5498	29.6	708.6	422	56821.	568	0.6	0.3	2.3	0.1	0.1	3.9	28	0.0
47421	0	0	1	0	0s	47.0326	69.5491	29.6	708.6	423	56820.	618	0.6	0.5	1.9	0.1	0.1	3.2	15	0.0
47420	0	0	0	0	0s	47.0327	69.5485	29.6	708.6	421	56820.	645	0.8	2.0	2.2	2.8	1.0	3.1	24	0.0
47419	0	0	1	0	0s	47.0327	69.5480	29.6	708.5	419	56820.	603	0.5	0.9	1.6	0.1	0.1	0.1	27	0.0
47418	0	0	0	0	0s	47.0327	69.5473	29.6	708.5	420	56819.	639	0.6	2.3	2.4	4.0	1.0	4.3	19	0.0
47417	0	0	1	0	0s	47.0327	69.5468	29.6	708.4	424	56820.	578	0.4	0.9	2.7	0.1	0.1	0.1	26	0.0
47416	0	0	1	0	0s	47.0328	69.5462	29.6	708.3	430	56819.	669	0.7	-0.4	3.1	0.1	0.1	5.0	23	0.0
47415	0	0	1	0	0s	47.0328	69.5456	29.6	708.3	436	56819.	686	0.9	0.3	2.5	0.1	0.1	3.0	23	0.0
47414	0	0	1	0	0s	47.0328	69.5450	29.6	708.2	445	56819.	709	1.2	0.9	4.1	0.1	0.1	3.7	23	0.0
47413	0	0	1	0	0s	47.0328	69.5444	29.6	708.1	454	56818.	662	0.9	-0.3	3.3	0.1	0.1	4.0	17	0.0
47412	0	0	1	0	0s	47.0329	69.5438	29.6	708.1	464	56817.	657	0.9	0.9	1.8	0.1	0.1	2.2	24	0.1
47411	0	0	1	0	0s	47.0329	69.5432	29.6	708.0	472	56817.	585	0.6	0.2	2.0	0.1	0.1	3.4	26	0.3
47410	0	0	1	0	0s	47.0329	69.5426	29.6	708.0	480	56817.	595	0.6	0.3	2.4	0.1	0.1	3.9	33	0.6
47409	0	0	1	0	0s	47.0329	69.5420	29.6	708.0	484	56817.	621	0.7	0.8	2.1	0.1	0.1	3.0	21	0.8
47408	0	0	1	0	0s	47.0330	69.5414	29.7	708.0	486	56818.	609	0.6	0.3	3.9	0.1	0.1	6.6	25	1.0
47407	0	0	1	0	0s	47.0330	69.5408	29.7	708.0	484	56819.	602	0.6	0.9	1.8	0.1	0.1	3.3	24	1.2
47406	0	0	1	0	0s	47.0330	69.5402	29.7	708.1	484	56819.	567	0.8	0.3	2.3	0.1	0.1	3.0	25	1.4
47405	0	0	1	0	0s	47.0330	69.5396	29.7	708.2	485	56817.	573	0.8	0.1	4.4	0.1	0.1	5.5	25	1.4
47404	0	0	1	0	0s	47.0331	69.5390	29.7	708.3	483	56816.	558	0.7	-0.2	2.2	0.1	0.1	3.3	18	1.4
47403	0	0	0	0	0s	47.0331	69.5384	29.7	708.4	480	56816.	538	0.4	1.2	3.1	0.1	0.4	0.1	27	1.4
47402	0	0	1	0	0s	47.0331	69.5378	29.7	708.5	478	56816.	484	0.6	0.2	2.3	0.1	0.1	3.9	19	1.4
47401	0	0	1	0	0s	47.0331	69.5372	29.7	708.7	477	56816.	525	0.3	0.9	2.9	0.1	0.1	0.1	25	1.4
47400	0	0	1	0	0s	47.0332	69.5366	29.7	708.8	479	56816.	570	0.5	0.0	3.3	0.1	0.1	0.1	23	1.5
47399	0	0	1	0	0s	47.0332	69.5360	29.7	709.0	480	56816.	554	0.5	0.2	3.1	0.1	0.1	0.1	20	1.5
47398	0	0	1	0	0s	47.0332	69.5354	29.7	709.2	481	56815.	591	0.8	-1.0	4.5	0.1	0.1	5.8	30	1.5
47397	0	0	1	0	0s	47.0332	69.5348	29.7	709.4	479	56815.	521	0.6	-0.2	3.6	0.1	0.1	6.4	24	1.5
47396	0	0	1	0	0s	47.0333	69.5342	29.7	709.5	475	56814.	614	0.7	0.3	3.1	0.1	0.1	4.5	20	1.5
47395	0	0	1	0	0s	47.0333	69.5336	29.7	709.7	470	56813.	557	0.8	-0.4	1.9	0.1	0.1	2.7	27	1.6
47394	0	0	1	0	0s	47.0333	69.5330	29.7	709.9	464	56812.	621	0.9	0.4	3.8	0.1	0.1	4.6	14	1.6
47392	0	0	1	0	0s	47.0334	69.5318	29.7	710.0	457	56812.	553	0.7	0.0	2.6	0.1	0.1	4.2	29	1.6
47391	0	0	1	0	0s	47.0334	69.5312	29.7	710.1	448	56812.	536	0.6	0.4	2.7	0.1	0.1	4.8	11	1.7
47390	0	0	1	0	0s	47.0334	69.5306	29.7	710.2	444	56812.	522	0.6	1.0	1.4	0.1	0.1	2.7	26	1.6
47389	0	0	1	0	0s	47.0334	69.5300	29.7	710.3	443	56814.	505	0.7	0.6	2.4	0.1	0.1	3.7	25	1.6
47388	0	0	0	1	0s	47.0335	69.5294	29.7	710.4	445	56813.	582	0.8	2.0	0.3	2.6	0.1	0.1	23	1.6
47387	0	0	1	0	0s	47.0335	69.5289	29.7	710.5	443	56812.	529	0.5	0.4	3.4	0.1	0.1	0.1	34	1.6
47386	0	0	1	0	0s	47.0335	69.5283	29.7	710.5	440	56811.	549	0.6	0.7	3.8	0.1	0.1	7.3	26	1.6
47385	0	0	1	0	0s	47.0335	69.5277	29.7	710.6	440	56811.	523	0.6	0.2	2.8	0.1	0.1	4.9	24	1.6
47384	0	0	1	0	0s	47.0335	69.5272	29.7	710.6	440	56811.	489	0.6	0.4	1.8	0.1	0.1	3.4	16	1.6
47383	0	0	1	0	0s	47.0335	69.5266	29.7	710.6	440	56811.	517	0.5	1.1	1.6	0.1	0.1	0.1	34	1.6
47382	0	0	1	0	0s	47.0335	69.5260	29.6	710.5	441	56810.	544	0.5	0.6	2.3	0.1	0.1	0.1	20	1.6
47381	0	0	1	0	0s	47.0335	69.5255	29.6	710.5	439	56810.	536	0.7	0.7	1.4	0.1	0.1	2.2	25	1.6
47380	0	0	1	0	0s	47.0335	69.5249	29.6	710.5	438	56809.	505	0.6	0.6	1.6	0.1	0.1	3.0	29	1.7
47379	0	0	1	0	0s	47.0335	69.5243	29.6	710.5	440	56810.	571	0.6	-0.2	4.1	0.1	0.1	8.0	19	1.7

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

- B14 -
 MAINE AERIAL SURVEY EDMUNDSTON QUADRANGLE, CARSON GEOSCIENCE INC., 1980

LINE NO. 60

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
47378	0	0	1	0	Os	47.0336	69.5238	29.6	710.5	446	56809.	553	0.6	0.6	2.5	0.1	0.1	4.2	23	1.5
47377	0	0	1	0	Os	47.0336	69.5232	29.6	710.5	450	56808.	537	0.5	-0.3	2.7	0.1	0.1	0.1	21	1.5
47376	0	0	1	0	Os	47.0336	69.5226	29.6	710.5	450	56809.	633	0.9	0.2	4.4	0.1	0.1	5.4	29	1.6
47375	0	0	1	0	Os	47.0336	69.5221	29.6	710.5	447	56808.	561	0.8	0.3	1.7	0.1	0.1	2.4	24	1.6
47374	0	0	1	0	Os	47.0336	69.5215	29.6	710.5	442	56809.	592	0.7	0.4	3.3	0.1	0.1	5.3	28	1.7
47373	0	0	1	0	Os	47.0336	69.5209	29.6	710.5	435	56809.	567	0.8	-0.1	2.5	0.1	0.1	3.5	34	1.7
47372	0	0	1	0	Os	47.0336	69.5204	29.6	710.5	424	56808.	597	0.7	-0.2	4.0	0.1	0.1	6.0	25	1.7
47371	0	0	1	0	Os	47.0336	69.5198	29.6	710.4	411	56806.	597	0.8	0.1	3.3	0.1	0.1	4.2	28	1.7
47370	0	0	1	0	Os	47.0336	69.5192	29.6	710.4	397	56806.	642	0.6	-0.4	4.8	0.1	0.1	8.5	27	1.7
47369	0	0	1	0	Os	47.0336	69.5187	29.6	710.4	387	56807.	634	0.9	0.0	3.5	0.1	0.1	4.3	24	1.8
47368	0	0	1	0	Os	47.0336	69.5181	29.6	710.4	378	56806.	601	0.6	0.0	2.1	0.1	0.1	3.9	23	1.7
47367	0	0	1	0	Os	47.0336	69.5175	29.6	710.4	372	56806.	553	0.6	-0.2	3.4	0.1	0.1	6.0	23	1.9
47366	0	0	1	0	Os	47.0337	69.5170	29.6	710.4	367	56806.	569	0.7	-0.1	2.0	0.1	0.1	3.3	23	2.0
47365	0	0	1	0	Os	47.0337	69.5164	29.6	710.4	363	56805.	564	0.6	0.1	4.1	0.1	0.1	6.9	27	2.0
47364	0	0	1	0	Os	47.0337	69.5158	29.6	710.3	360	56806.	570	0.5	0.8	3.1	0.1	0.1	0.1	19	2.1
47363	0	0	1	0	Os	47.0337	69.5153	29.6	710.3	360	56806.	538	0.5	0.3	3.2	0.1	0.1	0.1	29	2.2
47362	0	0	1	0	Ss	47.0337	69.5147	29.6	710.2	362	56805.	510	0.4	0.0	2.0	0.1	0.1	0.1	29	2.2
47361	0	0	1	0	Ss	47.0337	69.5141	29.6	710.2	366	56805.	540	0.5	0.4	2.8	0.1	0.1	0.1	26	2.3
47360	0	0	1	0	Ss	47.0337	69.5136	29.6	710.1	372	56804.	556	0.5	0.1	2.4	0.1	0.1	0.1	24	2.3
47359	0	0	1	0	Ss	47.0337	69.5130	29.6	710.1	382	56803.	513	0.6	0.3	2.3	0.1	0.1	3.8	29	2.3
47358	0	0	1	0	Ss	47.0337	69.5124	29.6	710.0	391	56803.	591	0.5	-0.2	5.0	0.1	0.1	0.1	18	2.4
47357	0	0	0	0	Ss	47.0337	69.5119	29.6	710.0	403	56803.	589	0.6	1.2	2.9	2.0	0.5	4.9	24	2.4
47356	0	0	1	0	Ss	47.0337	69.5113	29.6	709.9	417	56802.	495	0.5	-0.1	2.0	0.1	0.1	0.1	31	2.5
47355	0	0	1	0	Ss	47.0338	69.5107	29.6	709.9	432	56801.	514	0.7	0.1	2.8	0.1	0.1	4.1	23	2.5
47354	0	0	1	0	Ss	47.0338	69.5102	29.6	709.8	443	56800.	517	0.5	-0.5	3.2	0.1	0.1	0.1	30	2.5
47353	0	0	1	0	Ss	47.0338	69.5096	29.6	709.8	447	56800.	577	0.6	0.1	3.6	0.1	0.1	6.8	19	2.7
47352	0	0	1	0	Ss	47.0338	69.5090	29.6	709.7	449	56800.	515	0.5	-0.8	2.5	0.1	0.1	0.1	18	2.8
47351	0	0	1	0	Ss	47.0338	69.5085	29.6	709.7	450	56800.	479	0.6	0.0	2.2	0.1	0.1	4.2	15	2.8
47350	0	0	1	0	Ss	47.0338	69.5079	29.6	709.7	448	56799.	430	0.6	-0.3	2.0	0.1	0.1	4.0	28	2.8
47349	0	0	1	0	Ss	47.0338	69.5073	29.6	709.7	446	56800.	418	0.5	-1.2	3.2	0.1	0.1	0.1	34	2.8
47348	0	0	1	0	Ss	47.0338	69.5068	29.6	709.7	443	56800.	437	0.5	-0.2	3.3	0.1	0.1	0.1	25	2.8
47347	0	0	1	0	Ss	47.0338	69.5062	29.6	709.7	445	56799.	533	0.5	-1.1	1.7	0.1	0.1	0.1	25	2.8
47346	0	0	0	0	Ss	47.0338	69.5056	29.6	709.8	445	56798.	555	0.6	2.1	3.2	3.9	0.7	5.9	30	2.8
47345	0	0	1	0	Ss	47.0338	69.5051	29.6	709.6	447	56797.	521	0.5	-0.2	1.6	0.1	0.1	0.1	26	2.8
47344	0	0	1	0	Ss	47.0339	69.5045	29.6	709.9	446	56797.	607	0.6	0.7	2.9	0.1	0.1	4.8	30	2.8
47343	0	0	1	0	Ss	47.0339	69.5039	29.6	710.0	442	56797.	638	0.6	0.9	4.4	0.1	0.1	8.1	23	2.7
47342	0	0	1	0	Ss	47.0339	69.5034	29.6	710.1	435	56798.	677	0.6	0.6	4.5	0.1	0.1	7.6	24	2.7
47341	0	0	1	0	Ss	47.0339	69.5028	29.6	710.2	429	56798.	701	0.8	-1.1	3.4	0.1	0.1	4.4	21	2.7
47340	0	0	1	0	Ss	47.0339	69.5022	29.6	710.3	422	56797.	687	0.9	0.2	4.9	0.1	0.1	5.7	31	2.7
47339	0	0	1	0	Ss	47.0339	69.5017	29.6	710.4	414	56796.	690	0.9	-0.8	2.4	0.1	0.1	2.7	19	2.7
47338	0	0	1	0	Ss	47.0339	69.5011	29.6	710.6	404	56795.	675	0.9	0.2	3.3	0.1	0.1	3.8	24	2.6
47337	0	0	1	0	Ss	47.0339	69.5005	29.6	710.7	394	56796.	681	0.9	0.5	3.0	0.1	0.1	3.7	25	2.6
47336	0	0	1	0	Ss	47.0339	69.5000	29.6	710.9	386	56795.	670	0.6	0.6	1.8	0.1	0.1	3.3	22	2.6
47335	0	0	1	0	Ss	47.0339	69.4994	29.6	711.0	380	56794.	779	0.8	0.7	4.1	0.1	0.1	5.7	23	2.5
47334	0	0	0	0	Ss	47.0339	69.4988	29.6	711.2	375	56794.	792	0.9	1.1	2.6	1.3	0.5	3.1	26	2.5
47333	0	0	1	0	Ss	47.0340	69.4983	29.6	711.4	367	56794.	847	1.0	0.3	3.1	0.1	0.1	3.3	20	2.4
47332	0	0	0	0	Ss	47.0340	69.4977	29.6	711.6	361	56793.	836	0.8	1.4	4.2	1.8	0.4	5.5	20	2.4
47331	0	0	0	0	Ss	47.0340	69.4971	29.6	711.7	357	56792.	778	0.8	1.2	2.0	1.5	0.6	2.6	18	2.3
47330	0	0	1	0	Ss	47.0340	69.4966	29.6	711.9	358	56790.	790	0.9	0.5	3.9	0.1	0.1	4.8	25	2.3
47329	0	0	1	0	Ss	47.0340	69.4960	29.6	712.0	356	56788.	765	0.8	0.9	3.6	0.1	0.1	4.8	25	2.2

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI			
												CPS	%	PPM	PPM							CPS	CPS
47328	0	0	1	0	Ss	47.0340	69.4954	29.6	712.2	352	56789.	708	0.8	0.6	2.5	0.1	0.1	3.3	16	2.2			
47327	0	0	1	0	Ss	47.0340	69.4949	29.6	712.3	349	56788.	727	0.7	0.7	3.4	0.1	0.1	5.3	23	2.1			
47326	0	0	1	0	Ss	47.0340	69.4943	29.5	713.1	357	56786.	615	0.7	0.5	3.9	0.1	0.1	6.1	23	2.1			
47325	0	0	1	0	Ss	47.0340	69.4937	29.5	713.1	362	56786.	612	0.8	0.5	2.9	0.1	0.1	4.1	20	2.0			
47324	0	0	1	0	Ss	47.0340	69.4932	29.5	713.1	366	56787.	635	0.8	0.2	4.0	0.1	0.1	5.1	33	1.9			
47323	0	0	1	0	Ss	47.0340	69.4926	29.5	713.1	374	56788.	596	0.5	-0.1	3.6	0.1	0.1	0.1	22	1.9			
47322	0	0	0	0	Ss	47.0340	69.4920	29.5	713.1	384	56788.	657	0.8	1.2	3.2	1.6	0.4	4.2	25	1.8			
47321	0	0	1	0	Svg	47.0341	69.4915	29.5	713.1	394	56788.	610	0.7	-0.6	3.3	0.1	0.1	5.2	20	1.8			
47320	0	0	1	0	Svg	47.0341	69.4909	29.5	713.1	409	56790.	612	0.6	1.2	3.2	0.1	0.1	5.6	26	1.8			
47319	0	0	1	0	Svg	47.0341	69.4903	29.5	713.1	422	56793.	596	0.7	1.1	2.3	0.1	0.1	3.3	19	1.7			
47318	0	0	1	0	Svg	47.0341	69.4898	29.5	713.1	436	56796.	591	0.7	0.4	2.8	0.1	0.1	4.2	31	1.7			
47317	0	0	1	0	Svg	47.0341	69.4892	29.5	713.0	448	56799.	511	0.6	0.8	2.4	0.1	0.1	4.6	20	1.6			
47316	0	0	1	0	Svg	47.0341	69.4886	29.5	713.0	459	56803.	526	0.6	0.4	2.2	0.1	0.1	4.1	17	1.6			
47315	0	0	0	0	Svg	47.0341	69.4881	29.5	713.0	470	56806.	464	0.4	1.5	3.9	0.1	0.4	0.1	30	1.5			
47314	0	0	1	0	Svg	47.0341	69.4875	29.5	712.9	478	56809.	436	0.6	0.7	2.1	0.1	0.1	3.8	28	1.5			
47313	0	0	0	0	Svg	47.0342	69.4869	29.5	712.9	484	56810.	417	0.4	1.7	1.6	0.1	1.1	0.1	20	1.4			
47312	0	0	1	1	Svg	47.0343	69.4863	29.5	712.8	486	56811.	409	0.3	-0.5	0.7	0.1	0.1	0.1	21	1.4			
47311	0	0	1	0	Svg	47.0344	69.4858	29.5	712.8	483	56813.	437	0.6	0.2	3.3	0.1	0.1	6.4	23	1.4			
47310	0	0	1	0	Svg	47.0345	69.4852	29.5	712.7	478	56815.	470	0.4	0.7	2.5	0.1	0.1	0.1	22	1.4			
47309	0	0	0	0	Svg	47.0345	69.4846	29.5	712.7	468	56816.	503	0.6	1.3	2.0	2.2	0.7	3.5	26	1.4			
47308	0	0	1	0	Svg	47.0346	69.4840	29.5	712.6	461	56816.	470	0.6	0.6	2.0	0.1	0.1	3.7	24	1.4			
47307	0	0	1	0	Svg	47.0347	69.4834	29.5	712.5	459	56815.	464	0.5	0.3	1.9	0.1	0.1	0.1	30	1.4			
47306	0	0	1	0	Svg	47.0348	69.4828	29.5	712.5	458	56814.	487	0.6	0.3	2.3	0.1	0.1	4.6	30	1.4			
47305	0	0	1	0	Svg	47.0349	69.4822	29.5	712.5	455	56813.	450	0.5	-0.2	2.6	0.1	0.1	0.1	21	1.4			
47304	0	0	1	0	Svg	47.0349	69.4817	29.5	712.4	448	56813.	376	0.4	-0.6	3.5	0.1	0.1	0.1	39	1.4			
47303	0	0	1	0	Svg	47.0350	69.4811	29.5	712.4	443	56813.	375	0.5	-1.2	2.4	0.1	0.1	0.1	21	1.4			
47302	0	0	1	0	Svg	47.0351	69.4805	29.5	712.4	438	56813.	421	0.6	-0.2	2.2	0.1	0.1	3.7	20	1.4			
47301	0	0	1	0	Svg	47.0352	69.4799	29.5	712.3	434	56812.	418	0.4	0.4	2.8	0.1	0.1	0.1	34	1.4			
47300	0	0	1	0	Svg	47.0353	69.4793	29.5	712.3	431	56810.	386	0.3	0.2	2.8	0.1	0.1	0.1	37	1.4			
47299	0	0	1	1	Svg	47.0353	69.4787	29.5	712.2	430	56809.	369	0.3	0.3	1.0	0.1	0.1	0.1	27	1.4			
47297	0	0	1	0	Svg	47.0355	69.4776	29.5	712.2	423	56809.	450	0.6	0.0	3.2	0.1	0.1	5.3	24	1.4			
47296	0	0	1	0	Svg	47.0356	69.4770	29.5	712.1	412	56807.	445	0.5	-0.1	2.8	0.1	0.1	0.1	33	1.5			
47295	0	0	1	0	Sls	47.0357	69.4764	29.5	712.1	397	56807.	462	0.4	-0.2	2.8	0.1	0.1	0.1	19	1.5			
47294	0	0	1	0	Sls	47.0357	69.4758	29.5	712.0	382	56808.	522	0.5	0.8	4.9	0.1	0.1	0.1	20	1.5			
47293	0	0	1	0	Sls	47.0358	69.4752	29.5	712.0	370	56810.	551	0.5	0.2	3.0	0.1	0.1	0.1	29	1.5			
47292	0	0	1	0	Sls	47.0359	69.4747	29.5	711.9	362	56816.	601	0.6	1.0	2.5	0.1	0.1	4.2	21	1.5			
47291	0	0	1	0	Sls	47.0360	69.4741	29.5	711.8	362	56825.	604	0.5	0.5	3.1	0.1	0.1	0.1	25	1.5			
47290	0	0	1	0	Sls	47.0361	69.4735	29.5	711.8	369	56835.	586	0.6	0.9	3.3	0.1	0.1	6.2	21	1.5			
47289	0	0	1	0	Sls	47.0361	69.4729	29.5	711.7	380	56844.	555	0.6	-0.4	2.3	0.1	0.1	4.0	19	1.5			
47288	0	0	1	0	Sls	47.0362	69.4723	29.5	711.6	389	56854.	527	0.6	0.0	2.2	0.1	0.1	4.2	27	1.5			
47287	0	0	1	0	Sls	47.0363	69.4717	29.5	711.4	396	56865.	508	0.6	1.0	2.3	0.1	0.1	4.1	18	1.5			
47286	0	0	1	0	Sls	47.0364	69.4712	29.5	711.3	403	56876.	418	0.4	-0.8	4.4	0.1	0.1	0.1	24	1.5			
47285	0	0	1	0	Sls	47.0365	69.4706	29.5	711.2	412	56884.	355	0.3	-0.1	2.5	0.1	0.1	0.1	26	1.5			
47284	0	0	1	1	Sls	47.0365	69.4700	29.5	711.1	422	56887.	291	0.3	0.0	0.8	0.1	0.1	0.1	26	1.5			
47283	0	0	1	1	DSu	47.0366	69.4694	29.5	710.9	433	56887.	234	0.3	-0.1	0.0	0.1	0.1	0.1	26	1.6			
47282	0	1	0	0	DSu	47.0367	69.4688	29.5	710.7	443	56886.	304	0.2	1.2	2.3	0.1	0.6	0.1	23	1.6			
47281	0	0	1	0	DSu	47.0368	69.4682	29.5	710.5	453	56884.	390	0.3	-0.2	2.4	0.1	0.1	0.1	25	1.6			
47280	0	0	1	0	DSu	47.0367	69.4676	29.5	710.2	460	56880.	525	0.7	0.5	1.9	0.1	0.1	2.8	26	1.5			
47279	0	0	0	0	DSu	47.0366	69.4670	29.4	710.0	464	56877.	557	0.5	1.7	2.7	0.1	0.7	0.1	18	1.5			
47278	0	0	1	0	DSu	47.0365	69.4664	29.4	709.8	463	56874.	651	0.7	-0.4	4.8	0.1	0.1	7.8	33	1.5			

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
47277	0	0	1	0	DSu	47.0364	69.4658	29.4	709.6	457	56871.	628	0.5	0.1	3.0	0.1	0.1	0.1	20	1.5
47276	0	0	1	0	DSu	47.0363	69.4652	29.4	709.4	449	56869.	576	0.6	0.9	4.4	0.1	0.1	8.5	25	1.5
47275	0	0	1	0	DSu	47.0362	69.4646	29.4	709.2	443	56867.	583	0.7	-0.3	2.3	0.1	0.1	3.3	26	1.5
47274	0	0	1	0	DSu	47.0361	69.4640	29.4	709.1	432	56865.	623	0.6	1.0	1.8	0.1	0.1	3.1	22	1.5
47273	0	0	1	0	DSu	47.0359	69.4634	29.4	708.9	425	56862.	590	0.6	1.1	3.7	0.1	0.1	6.5	18	1.5
47272	0	0	1	0	DSu	47.0359	69.4628	29.4	708.7	417	56861.	638	0.6	-0.1	3.2	0.1	0.1	5.6	24	1.5
47271	0	0	1	0	DSu	47.0357	69.4622	29.4	708.6	414	56860.	592	0.5	0.2	2.7	0.1	0.1	0.1	25	1.5
47270	0	0	1	0	DSu	47.0356	69.4616	29.4	708.5	407	56858.	700	0.8	-0.4	3.9	0.1	0.1	5.4	20	1.5
47269	0	0	1	0	DSu	47.0355	69.4610	29.3	707.2	393	56856.	618	0.5	0.0	6.1	0.1	0.1	0.1	29	1.5
47268	0	0	1	0	DSu	47.0354	69.4604	29.3	707.3	394	56856.	701	0.7	0.6	3.3	0.1	0.1	5.0	35	1.5
47267	0	0	1	0	DSu	47.0353	69.4598	29.3	707.3	393	56854.	732	0.8	1.0	1.9	0.1	0.1	2.6	19	1.5
47266	0	0	1	0	DSu	47.0352	69.4592	29.3	707.3	393	56853.	715	0.6	0.7	3.6	0.1	0.1	6.1	32	1.5
47265	0	0	1	0	DSu	47.0351	69.4586	29.3	707.3	390	56851.	706	0.7	0.7	4.7	0.1	0.1	7.7	19	1.5
47264	0	0	1	0	DSu	47.0350	69.4580	29.3	707.2	389	56850.	717	0.8	0.3	3.5	0.1	0.1	4.4	37	1.5
47263	0	0	1	0	DSu	47.0349	69.4574	29.3	707.2	391	56850.	727	0.5	0.3	4.8	0.1	0.1	0.1	26	1.5
47262	0	0	1	0	DSu	47.0348	69.4568	29.3	707.1	401	56849.	757	0.9	0.1	4.0	0.1	0.1	4.9	20	1.5
47261	0	0	1	0	DSu	47.0347	69.4562	29.3	707.0	415	56847.	762	0.8	-0.3	2.7	0.1	0.1	3.5	16	1.5
47260	0	0	1	0	DSu	47.0346	69.4556	29.3	706.9	431	56845.	706	0.9	0.6	4.0	0.1	0.1	4.7	22	1.5
47259	0	0	1	0	DSu	47.0345	69.4550	29.3	706.8	447	56844.	744	0.8	-0.2	2.9	0.1	0.1	3.8	24	1.5
47258	0	0	1	0	DSu	47.0344	69.4544	29.3	706.7	461	56843.	727	0.9	0.6	4.7	0.1	0.1	5.2	40	1.5
47257	0	0	1	0	DSu	47.0343	69.4538	29.3	706.6	473	56843.	682	0.8	-0.5	4.0	0.1	0.1	5.7	22	1.5
47256	0	0	1	0	DSu	47.0341	69.4532	29.3	706.4	481	56844.	678	0.8	0.6	4.8	0.1	0.1	6.8	25	1.5
47255	0	0	1	0	DSu	47.0340	69.4526	29.3	706.2	484	56844.	682	0.6	-0.3	3.0	0.1	0.1	5.2	29	1.5
47254	0	0	1	0	DSu	47.0339	69.4520	29.3	706.1	483	56846.	636	0.6	0.8	3.7	0.1	0.1	6.4	33	1.5
47253	0	0	1	0	DSu	47.0338	69.4514	29.3	705.9	476	56847.	717	0.5	0.3	6.5	0.1	0.1	0.1	31	1.5
47252	0	0	1	0	DSu	47.0337	69.4508	29.3	705.8	467	56847.	652	0.6	1.2	3.2	0.1	0.1	5.4	32	1.6
47251	0	0	1	0	DSu	47.0336	69.4502	29.3	705.7	458	56847.	666	0.6	0.4	1.5	0.1	0.1	2.5	29	1.6
47250	0	0	1	0	DSu	47.0335	69.4496	29.3	705.6	451	56845.	653	0.6	0.5	3.7	0.1	0.1	6.6	24	1.6
47249	0	0	1	0	DSu	47.0334	69.4490	29.3	705.6	445	56842.	696	0.7	0.8	1.3	0.1	0.1	2.0	31	1.6
47248	0	0	1	0	DSu	47.0333	69.4484	29.3	705.6	440	56840.	679	1.0	0.5	3.5	0.1	0.1	3.7	30	1.6
47247	0	0	1	0	DSu	47.0332	69.4478	29.3	705.7	438	56839.	669	0.9	-0.4	4.6	0.1	0.1	5.2	22	1.7
47246	0	0	0	0	DSu	47.0331	69.4472	29.3	705.7	438	56839.	715	0.8	1.3	2.1	1.8	0.7	2.8	27	1.7
47245	0	0	1	0	DSu	47.0330	69.4466	29.3	705.8	439	56839.	696	0.7	1.1	2.2	0.1	0.1	3.5	25	1.6
47244	0	0	1	0	DSu	47.0329	69.4460	29.3	705.9	441	56838.	651	0.8	1.2	3.1	0.1	0.1	4.2	35	1.6
47243	0	0	1	0	DSu	47.0328	69.4454	29.3	706.0	440	56838.	636	0.4	1.0	3.2	0.1	0.1	0.1	18	1.6
47242	0	0	1	0	DSu	47.0327	69.4448	29.3	706.1	438	56838.	676	0.6	0.2	3.4	0.1	0.1	5.6	23	1.6
47241	0	0	1	0	DSu	47.0326	69.4442	29.3	706.2	436	56839.	611	0.7	0.3	2.0	0.1	0.1	3.2	33	1.7
47240	0	0	1	0	DSu	47.0325	69.4436	29.3	706.4	434	56839.	633	0.8	0.5	3.4	0.1	0.1	4.5	27	1.7
47239	0	0	0	0	DSu	47.0324	69.4430	29.3	706.5	436	56839.	585	0.5	1.4	3.0	0.1	0.5	0.1	20	1.7
47238	0	0	1	0	DSu	47.0322	69.4423	29.3	706.6	438	56839.	601	0.4	0.1	4.3	0.1	0.1	0.1	17	1.7
47237	0	0	1	0	DSu	47.0322	69.4417	29.3	706.7	445	56838.	613	0.7	-0.4	3.4	0.1	0.1	4.8	33	1.7
47236	0	0	1	0	DSu	47.0320	69.4411	29.3	706.8	449	56838.	547	0.7	0.1	1.9	0.1	0.1	2.9	23	1.6
47235	0	0	1	0	DSu	47.0319	69.4406	29.3	707.0	453	56838.	512	0.5	0.9	1.7	0.1	0.1	0.1	29	1.6
47234	0	0	1	0	DSu	47.0318	69.4399	29.3	707.0	449	56837.	492	0.4	0.0	2.5	0.1	0.1	0.1	30	1.6
47233	0	0	1	0	DSu	47.0317	69.4393	29.3	707.1	451	56836.	463	0.5	0.5	1.6	0.1	0.1	0.1	28	1.5
47232	0	0	1	0	DSu	47.0316	69.4387	29.3	707.2	454	56836.	455	0.5	0.6	2.0	0.1	0.1	0.1	21	1.5
47231	0	0	1	0	DSu	47.0315	69.4381	29.3	707.3	458	56835.	451	0.6	-0.1	3.1	0.1	0.1	5.2	26	1.5
47230	0	0	1	0	DSu	47.0314	69.4375	29.3	707.3	465	56835.	448	0.3	0.3	1.9	0.1	0.1	0.1	34	1.4
47229	0	0	1	0	DSu	47.0313	69.4369	29.3	707.4	473	56835.	506	0.6	0.5	2.2	0.1	0.1	3.8	29	1.4
47228	0	0	1	0	DSu	47.0312	69.4363	29.3	707.4	482	56834.	543	0.6	-0.1	2.0	0.1	0.1	3.3	17	1.3

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI			
												CPS	%	PPM	PPM							CPS	CPS
47227	0	0	1	0	DSu	47.0311	69.4357	29.3	707.5	485	56834.	508	0.6	0.1	3.1	0.1	0.1	5.3	27	1.3			
47226	0	0	1	0	DSu	47.0310	69.4351	29.3	707.5	487	56835.	479	0.6	0.1	2.3	0.1	0.1	4.0	26	1.2			
47225	0	0	1	0	DSu	47.0309	69.4345	29.3	707.5	488	56835.	548	0.8	-0.1	4.2	0.1	0.1	5.3	29	1.1			
47224	0	0	1	0	DSu	47.0308	69.4339	29.3	707.5	485	56836.	541	0.7	-0.6	3.0	0.1	0.1	4.3	34	1.1			
47223	0	0	1	0	DSu	47.0307	69.4333	29.3	707.6	480	56836.	545	0.7	0.7	1.6	0.1	0.1	2.4	32	1.0			
47222	0	0	0	0	DSu	47.0306	69.4327	29.3	707.6	469	56836.	596	0.6	1.7	2.9	3.2	0.6	5.5	32	0.8			
47221	0	0	0	1	DSu	47.0305	69.4321	29.4	707.6	457	56837.	562	0.5	1.6	0.9	0.1	0.1	0.1	30	0.7			
47220	0	0	1	0	DSu	47.0303	69.4315	29.4	707.7	443	56836.	584	0.6	0.8	2.6	0.1	0.1	4.9	25	0.7			
47219	0	0	1	0	DSu	47.0302	69.4309	29.4	707.7	433	56835.	578	0.7	0.6	2.0	0.1	0.1	3.2	17	0.6			
47218	0	0	0	0	DSu	47.0301	69.4303	29.4	707.8	423	56836.	609	0.6	1.8	3.3	3.0	0.6	5.3	19	0.5			
47217	0	0	1	0	DSu	47.0300	69.4297	29.4	707.8	417	56836.	624	0.6	0.2	2.6	0.1	0.1	4.5	26	0.3			
47216	0	0	0	0	DSu	47.0299	69.4291	29.4	707.9	413	56837.	630	0.7	1.8	2.8	2.8	0.7	4.4	22	0.2			
47215	0	0	1	0	DSu	47.0298	69.4285	29.4	708.0	415	56837.	583	0.6	0.7	4.3	0.1	0.1	7.7	25	0.1			
47214	0	0	1	0	DSu	47.0297	69.4279	29.4	708.0	418	56836.	611	0.5	0.1	3.1	0.1	0.1	0.1	25	0.0			
47213	0	0	1	0	DSu	47.0296	69.4273	29.4	708.6	426	56835.	613	0.5	1.0	2.9	0.1	0.1	0.1	12	0.0			
47212	0	0	1	0	DSu	47.0295	69.4267	29.4	708.6	427	56835.	621	0.5	0.9	4.3	0.1	0.1	0.1	31	0.0			
47211	0	0	1	0	DSu	47.0294	69.4261	29.4	708.6	427	56835.	599	0.5	0.5	1.9	0.1	0.1	0.1	23	0.0			
47210	0	0	1	0	DSu	47.0293	69.4255	29.4	708.5	429	56834.	620	0.5	1.0	3.5	0.1	0.1	0.1	29	0.0			
47209	0	0	0	0	DSu	47.0292	69.4249	29.4	708.5	430	56835.	703	0.8	1.6	4.1	2.2	0.4	5.6	19	0.0			
47208	0	0	1	0	DSu	47.0291	69.4243	29.4	708.6	433	56836.	610	0.8	0.5	4.4	0.1	0.1	6.2	29	0.0			
47207	0	0	1	0	DSu	47.0290	69.4237	29.4	708.6	436	56837.	682	0.9	0.3	4.5	0.1	0.1	5.6	32	0.0			
47206	0	0	1	0	DSu	47.0289	69.4231	29.4	708.6	438	56837.	660	0.8	0.8	2.8	0.1	0.1	3.5	17	0.0			
47205	0	0	1	0	DSu	47.0288	69.4225	29.4	708.6	438	56836.	673	0.7	0.5	4.1	0.1	0.1	6.1	37	0.0			
47204	0	0	1	0	DSu	47.0287	69.4219	29.4	708.7	436	56837.	652	0.8	-0.1	4.5	0.1	0.1	5.8	23	0.0			
47203	0	0	1	0	DSu	47.0285	69.4213	29.4	708.8	436	56838.	686	0.8	0.6	4.1	0.1	0.1	5.3	30	0.0			
47201	0	C	1	0	DSu	47.0283	69.4201	29.4	708.9	433	56839.	721	0.8	0.6	3.6	0.1	0.1	5.0	24	0.0			
47200	0	0	1	0	DSu	47.0282	69.4195	29.4	709.0	428	56840.	653	0.6	0.9	5.2	0.1	0.1	8.5	25	0.0			
47199	0	0	1	0	DSu	47.0281	69.4189	29.4	709.1	422	56841.	673	0.9	-0.1	2.5	0.1	0.1	3.0	22	0.0			
47198	0	0	1	0	DSu	47.0280	69.4183	29.4	709.2	419	56842.	695	0.9	1.2	3.6	0.1	0.1	4.4	18	0.0			
47197	0	0	1	0	DSu	47.0279	69.4177	29.4	709.4	417	56842.	712	0.9	1.1	2.8	0.1	0.1	3.1	29	0.0			
47196	0	0	1	0	DSu	47.0278	69.4171	29.4	709.6	418	56845.	683	0.6	0.4	3.8	0.1	0.1	6.4	28	0.0			
47195	0	0	1	0	DSu	47.0277	69.4165	29.4	709.8	417	56847.	694	0.8	1.1	5.7	0.1	0.1	8.0	26	0.0			
47194	0	0	1	0	DSu	47.0276	69.4159	29.4	710.0	416	56846.	686	0.7	0.3	4.2	0.1	0.1	6.3	20	0.0			
47193	0	0	1	0	DSu	47.0275	69.4153	29.4	710.2	412	56846.	704	0.7	0.1	4.0	0.1	0.1	6.5	20	0.0			
47192	0	0	1	0	DSu	47.0274	69.4147	29.4	710.4	412	56847.	667	0.8	-0.2	3.4	0.1	0.1	4.5	12	0.0			
47191	0	0	1	0	DSu	47.0273	69.4141	29.4	710.6	412	56847.	697	0.7	0.4	3.8	0.1	0.1	5.7	30	0.0			
47190	0	0	1	0	DSu	47.0272	69.4135	29.4	710.8	415	56844.	688	0.7	0.0	3.6	0.1	0.1	5.3	18	0.0			
47189	0	0	0	0	DSu	47.0271	69.4129	29.4	711.0	410	56842.	686	0.8	1.3	4.6	1.7	0.3	6.2	14	0.0			
47188	0	0	0	0	DSu	47.0270	69.4122	29.4	711.1	409	56842.	723	0.8	1.3	2.7	1.8	0.5	3.6	29	0.0			
47187	0	0	0	0	DSu	47.0269	69.4117	29.4	711.3	404	56842.	668	0.7	1.5	3.5	2.4	0.5	5.6	19	0.0			
47186	0	0	1	0	DSu	47.0268	69.4110	29.4	711.4	403	56842.	719	0.8	1.0	1.8	0.1	0.1	2.4	31	0.0			
47185	0	0	1	0	DSu	47.0266	69.4104	29.4	711.6	398	56841.	652	0.6	0.4	2.9	0.1	0.1	5.0	22	0.0			
47184	0	0	0	0	DSu	47.0265	69.4099	29.4	711.7	397	56841.	674	0.6	2.5	3.6	4.8	0.7	7.0	37	0.0			
47183	0	0	1	0	DSu	47.0264	69.4092	29.4	711.8	403	56841.	578	0.6	0.9	1.9	0.1	0.1	3.6	22	0.0			
47182	0	0	1	0	DSu	47.0263	69.4086	29.4	711.8	414	56842.	604	0.8	0.7	2.5	0.1	0.1	3.3	17	0.0			
47181	0	0	1	1	DSu	47.0262	69.4080	29.4	711.9	427	56843.	532	0.4	0.8	1.1	0.1	0.1	0.1	29	0.0			
47180	0	0	1	1	DSu	47.0261	69.4074	29.4	712.0	438	56843.	486	0.6	1.0	0.5	0.1	0.1	0.1	30	0.0			
47179	0	0	1	0	DSu	47.0260	69.4068	29.4	712.0	446	56844.	405	0.3	0.5	1.8	0.1	0.1	0.1	28	0.0			
47178	0	0	1	0	DSu	47.0259	69.4062	29.4	712.1	448	56844.	329	0.3	0.2	1.6	0.1	0.1	0.1	20	0.0			
47177	0	0	1	0	DSu	47.0258	69.4056	29.4	712.1	452	56844.	307	0.2	0.4	1.5	0.1	0.1	0.1	34	0.0			

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI	
												CPS	%	PPM	PPM					CPS	CPS
47176	0	1	0	1	DSu	47.0257	69.4050	29.4	712.2	461	56843.	252	0.2	1.4	0.6	0.1	0.1	0.1	16	0.0	
47175	0	1	1	1	DSu	47.0256	69.4044	29.4	712.2	472	56843.	160	0.2	-0.5	0.4	0.1	0.1	0.1	21	0.0	
47174	0	1	1	0	DSu	47.0255	69.4038	29.4	712.3	478	56844.	131	0.2	0.1	1.7	0.1	0.1	0.1	34	0.0	
47173	0	1	1	1	DSu	47.0254	69.4033	29.4	712.3	475	56845.	205	0.2	-0.8	0.4	0.1	0.1	0.1	22	0.0	
47172	0	0	1	0	DSu	47.0253	69.4028	29.4	712.3	468	56845.	310	0.3	1.1	2.9	0.1	0.1	0.1	21	0.0	
47171	0	0	1	0	DSu	47.0252	69.4024	29.4	712.4	458	56846.	313	0.2	0.0	2.0	0.1	0.1	0.1	25	0.0	
47170	0	0	1	0	DSu	47.0251	69.4019	29.4	712.4	446	56847.	384	0.4	0.7	2.0	0.1	0.1	0.1	20	0.0	
47169	0	0	1	0	DSu	47.0250	69.4014	29.4	712.5	434	56847.	529	0.5	0.6	1.9	0.1	0.1	0.1	25	0.0	
47168	0	0	1	0	DSu	47.0249	69.4009	29.4	712.5	432	56847.	523	0.4	0.0	2.6	0.1	0.1	0.1	19	0.0	
47167	0	0	1	0	DSu	47.0248	69.4004	29.4	712.6	431	56848.	608	0.7	0.1	4.6	0.1	0.1	7.4	30	0.0	
47166	0	0	1	0	DSu	47.0247	69.3999	29.4	712.7	431	56848.	623	0.8	0.1	2.9	0.1	0.1	3.9	25	0.0	
47165	0	0	1	0	DSu	47.0246	69.3994	29.4	712.8	421	56849.	654	0.6	0.4	2.4	0.1	0.1	4.1	25	0.0	
47164	0	0	1	0	DSu	47.0245	69.3989	29.4	712.8	409	56849.	626	0.7	0.0	4.1	0.1	0.1	6.6	22	0.0	
47163	0	0	1	0	DSu	47.0244	69.3984	29.4	712.9	396	56849.	687	0.7	0.4	3.4	0.1	0.1	5.6	39	0.0	
47162	0	0	0	0	DSu	47.0243	69.3979	29.4	713.0	388	56849.	660	0.8	1.2	3.4	1.5	0.4	4.3	17	0.0	
47161	0	0	1	0	DSu	47.0242	69.3974	29.4	713.0	386	56849.	583	0.6	0.4	1.2	0.1	0.1	2.0	28	0.0	
47160	0	0	1	0	DSu	47.0241	69.3969	29.4	713.1	391	56850.	647	0.8	-0.5	4.5	0.1	0.1	5.6	32	0.0	
47159	0	0	0	0	DSu	47.0240	69.3964	29.4	713.2	397	56850.	542	0.6	1.8	2.1	3.4	0.9	4.0	32	0.0	
47158	0	0	1	0	DSu	47.0239	69.3959	29.4	713.3	396	56850.	570	0.7	0.1	2.8	0.1	0.1	4.6	25	0.0	
47157	0	0	1	0	DSu	47.0238	69.3954	29.4	713.3	386	56850.	602	0.7	0.9	4.1	0.1	0.1	6.4	20	0.0	
47156	0	0	1	0	DSu	47.0237	69.3950	29.2	713.5	374	56849.	603	0.5	0.3	3.8	0.1	0.1	0.1	26	0.0	
47155	0	0	1	0	DSu	47.0236	69.3945	29.2	713.5	377	56849.	658	0.8	0.5	2.9	0.1	0.1	3.8	23	0.0	
47154	0	0	0	0	DSu	47.0235	69.3940	29.2	713.5	380	56850.	589	0.6	1.1	2.6	2.0	0.5	4.7	25	0.0	
47153	0	0	1	0	DSu	47.0234	69.3935	29.2	713.5	384	56850.	593	0.6	0.3	3.3	0.1	0.1	6.2	30	0.0	
47152	0	0	0	0	DSu	47.0233	69.3930	29.2	713.5	385	56851.	578	0.6	1.4	1.9	2.5	0.8	3.5	20	0.0	
47151	0	0	1	0	DSu	47.0233	69.3925	29.2	713.5	390	56851.	580	0.6	0.8	2.7	0.1	0.1	4.8	18	0.0	
47150	0	0	1	0	DSu	47.0232	69.3920	29.2	713.5	391	56851.	564	0.3	0.8	4.4	0.1	0.1	0.1	21	0.0	
47149	0	0	1	0	DSu	47.0231	69.3915	29.2	713.5	387	56851.	592	0.6	0.0	2.8	0.1	0.1	4.7	15	0.0	
47148	0	0	1	0	DSu	47.0230	69.3910	29.2	713.5	378	56851.	605	0.6	0.9	3.2	0.1	0.1	5.5	16	0.0	
47147	0	0	1	0	DSu	47.0229	69.3905	29.2	713.5	373	56851.	598	0.6	0.3	2.6	0.1	0.1	4.9	16	0.0	
47146	0	0	1	0	DSu	47.0228	69.3900	29.2	713.5	376	56852.	616	0.6	0.5	3.1	0.1	0.1	5.7	22	0.0	
47145	0	0	1	0	DSu	47.0227	69.3895	29.2	713.5	382	56851.	625	0.6	-0.1	3.2	0.1	0.1	5.8	22	0.0	
47144	0	0	1	0	DSu	47.0226	69.3890	29.2	713.5	394	56851.	641	0.6	-0.3	5.3	0.1	0.1	9.9	24	0.0	
47143	0	0	1	0	DSu	47.0225	69.3885	29.2	713.5	407	56851.	655	0.6	0.8	3.6	0.1	0.1	6.4	31	0.0	
47142	0	0	1	0	DSu	47.0224	69.3880	29.2	713.5	421	56851.	664	0.8	-0.4	3.4	0.1	0.1	4.8	25	0.0	
47141	0	0	1	0	DSu	47.0223	69.3876	29.2	713.4	435	56851.	665	0.9	0.9	3.8	0.1	0.1	4.4	24	0.0	
47140	0	0	1	0	DSu	47.0222	69.3871	29.2	713.4	446	56851.	641	0.8	0.1	3.2	0.1	0.1	4.1	26	0.0	
47139	0	0	1	0	DSu	47.0221	69.3866	29.2	713.4	456	56851.	593	0.6	-0.1	2.5	0.1	0.1	4.7	27	0.0	
47138	0	0	1	0	DSu	47.0220	69.3861	29.2	713.3	459	56852.	637	0.7	1.0	2.8	0.1	0.1	4.6	23	0.0	
47137	0	0	1	0	DSu	47.0219	69.3856	29.2	713.3	459	56853.	696	0.6	0.8	5.6	0.1	0.1	10.3	29	0.0	
47136	0	0	1	0	DSu	47.0218	69.3851	29.2	713.2	458	56854.	672	0.7	0.9	3.3	0.1	0.1	4.8	21	0.0	
47135	0	0	1	0	DSu	47.0217	69.3846	29.2	713.2	460	56853.	670	0.5	0.4	6.5	0.1	0.1	0.1	20	0.0	
47134	0	0	1	0	DSu	47.0216	69.3841	29.2	713.1	461	56853.	740	0.9	0.0	4.3	0.1	0.1	4.8	24	0.0	
47133	0	0	1	0	DSu	47.0215	69.3836	29.2	713.1	462	56853.	730	0.8	-0.1	4.0	0.1	0.1	5.2	19	0.0	
47132	0	0	1	0	DSu	47.0214	69.3831	29.2	713.1	466	56855.	726	0.8	0.7	3.1	0.1	0.1	4.2	29	0.0	
47131	0	0	1	0	DSu	47.0213	69.3826	29.2	713.1	469	56856.	721	0.8	0.9	2.3	0.1	0.1	3.1	26	0.0	
47130	0	0	1	0	DSu	47.0212	69.3821	29.2	713.1	469	56856.	709	0.9	0.5	4.9	0.1	0.1	5.6	30	0.0	
47129	0	0	1	0	DSu	47.0211	69.3816	29.2	713.2	465	56857.	723	0.6	-1.0	3.7	0.1	0.1	6.2	19	0.0	
47128	0	0	1	0	DSu	47.0210	69.3811	29.2	713.2	463	56858.	732	1.0	0.1	5.2	0.1	0.1	5.5	25	0.0	
47127	0	0	1	0	DSu	47.0209	69.3807	29.2	713.3	461	56860.	725	0.9	0.4	4.5	0.1	0.1	5.0	23	0.0	

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
47126	0	0	1	0	DSu	47.0208	69.3802	29.2	713.5	460	56861.	750	1.0	0.1	3.4	0.1	0.1	3.6	24	0.0
47125	0	0	1	0	DSu	47.0207	69.3797	29.2	713.6	461	56860.	682	0.8	-0.1	4.4	0.1	0.1	6.2	19	0.0
47124	0	0	1	0	DSu	47.0206	69.3792	29.2	713.7	457	56859.	733	0.9	0.5	4.4	0.1	0.1	5.3	23	0.0
47123	0	0	1	0	DSu	47.0205	69.3787	29.2	713.9	450	56859.	757	0.9	1.1	2.5	0.1	0.1	2.8	19	0.0
47122	0	0	1	0	DSu	47.0204	69.3782	29.2	714.1	439	56861.	778	0.9	-0.6	5.2	0.1	0.1	6.4	21	0.0
47121	0	0	1	0	DSu	47.0203	69.3777	29.2	714.3	430	56862.	656	0.8	0.7	3.3	0.1	0.1	4.7	24	0.0
47120	0	0	1	0	DSu	47.0202	69.3772	29.2	714.5	423	56862.	725	0.9	1.1	2.5	0.1	0.1	2.8	23	0.0
47119	0	0	1	0	DSu	47.0201	69.3767	29.2	714.7	416	56861.	723	1.0	0.1	4.1	0.1	0.1	4.4	33	0.0
47118	0	0	1	0	DSu	47.0201	69.3762	29.2	714.9	409	56862.	732	0.9	-0.6	4.3	0.1	0.1	5.1	23	0.0
47117	0	0	1	0	DSu	47.0199	69.3757	29.2	715.2	399	56865.	713	0.9	0.6	4.5	0.1	0.1	5.6	29	0.0
47116	0	0	1	0	DSu	47.0199	69.3752	29.2	715.4	388	56865.	700	0.8	-0.6	3.8	0.1	0.1	5.1	22	0.0
47115	0	0	1	0	DSu	47.0198	69.3747	29.2	715.6	377	56865.	680	0.6	-0.3	4.8	0.1	0.1	8.6	26	0.0
47114	0	0	1	0	DSu	47.0197	69.3742	29.2	715.9	370	56865.	736	0.8	0.3	3.3	0.1	0.1	4.2	18	0.2
47113	0	0	1	0	DSu	47.0196	69.3738	29.2	716.1	364	56865.	691	0.7	-0.3	4.3	0.1	0.1	6.2	28	0.3
47112	0	0	1	0	DSu	47.0195	69.3733	29.2	716.4	361	56866.	751	0.7	1.1	4.3	0.1	0.1	6.7	29	0.3
47111	0	0	1	0	DSu	47.0194	69.3728	29.2	716.6	359	56866.	723	0.8	0.1	4.8	0.1	0.1	6.8	28	0.3
47110	0	0	1	0	DSu	47.0193	69.3723	29.2	716.9	362	56865.	743	0.8	0.5	4.9	0.1	0.1	6.4	25	0.3
47109	0	0	1	0	DSu	47.0192	69.3718	29.2	717.1	365	56865.	784	0.8	0.8	3.8	0.1	0.1	5.3	26	0.2
47108	0	0	0	0	DSu	47.0191	69.3713	29.2	717.3	367	56864.	801	0.8	1.4	4.3	1.8	0.3	5.8	23	0.2
47106	0	0	1	0	DSu	47.0189	69.3703	29.2	717.5	369	56862.	788	0.9	0.0	4.9	0.1	0.1	6.0	18	0.3
47105	0	0	0	0	DSu	47.0188	69.3698	29.1	717.7	368	56860.	849	0.9	1.1	3.6	1.2	0.3	4.0	31	0.5
47104	0	0	1	0	DSu	47.0187	69.3693	29.1	717.9	368	56859.	726	0.9	0.3	3.0	0.1	0.1	3.7	27	0.6
47103	0	0	1	0	DSu	47.0186	69.3688	29.1	718.1	367	56865.	740	0.9	0.7	4.2	0.1	0.1	5.2	26	0.6
47102	0	0	0	0	DSu	47.0185	69.3683	29.1	718.2	368	56872.	703	0.6	1.6	2.7	2.8	0.6	4.8	29	0.3
47101	0	0	0	0	DSu	47.0184	69.3678	29.1	718.4	367	56875.	723	0.9	1.1	2.9	1.3	0.4	3.3	28	0.1
47100	0	0	1	0	DSu	47.0183	69.3673	29.1	718.5	365	56874.	661	0.7	-0.1	3.9	0.1	0.1	5.9	18	0.1
47099	0	0	1	0	DSu	47.0182	69.3669	28.6	718.9	368	56871.	709	0.7	0.5	5.3	0.1	0.1	7.6	15	0.0
47098	0	0	1	0	DSu	47.0181	69.3664	28.6	719.0	368	56869.	686	0.7	0.9	3.2	0.1	0.1	4.7	18	0.0
47097	0	0	1	0	DSu	47.0180	69.3659	28.6	719.0	368	56867.	716	0.7	0.1	2.0	0.1	0.1	3.0	26	0.0
47096	0	0	0	0	DSu	47.0179	69.3654	28.6	719.0	369	56867.	695	0.6	1.7	3.5	3.2	0.5	6.6	24	0.0
47095	0	0	1	0	DSu	47.0178	69.3649	28.6	719.0	370	56866.	778	0.8	0.8	4.6	0.1	0.1	5.9	15	0.0
47094	0	0	1	0	DSu	47.0177	69.3644	28.6	719.0	374	56866.	728	0.8	1.0	3.5	0.1	0.1	4.5	33	0.0
47093	0	0	1	0	DSu	47.0176	69.3639	28.6	719.0	371	56865.	708	0.8	0.3	2.2	0.1	0.1	3.0	26	0.0
47092	0	0	1	0	DSu	47.0175	69.3634	28.7	719.0	364	56864.	744	0.9	0.5	2.7	0.1	0.1	3.2	15	0.0
47091	0	0	1	0	DSu	47.0174	69.3629	28.7	718.9	353	56863.	677	0.7	0.1	3.1	0.1	0.1	4.4	11	0.0
47090	0	0	1	0	DSu	47.0173	69.3624	28.7	718.8	354	56863.	648	0.7	0.6	4.1	0.1	0.1	6.7	22	0.0
47089	0	0	0	0	DSu	47.0172	69.3619	28.7	718.8	367	56862.	621	0.7	1.5	2.1	2.3	0.8	3.1	22	0.0
47088	0	0	1	0	Water	47.0171	69.3614	28.7	718.6	394	56860.	575	0.5	0.9	3.5	0.1	0.1	0.1	16	0.0
47087	0	0	1	0	Water	47.0170	69.3609	28.7	718.5	438	56858.	521	0.9	0.3	2.5	0.1	0.1	3.2	27	0.0
47086	0	0	1	0	Water	47.0169	69.3605	28.7	718.3	482	56856.	470	0.7	-1.2	3.4	0.1	0.1	5.0	16	0.0
47085	0	0	1	0	Water	47.0168	69.3600	28.7	718.1	514	56855.	560	0.7	0.6	4.7	0.1	0.1	7.2	21	0.0
47084	0	0	1	0	DSu	47.0169	69.3595	28.7	717.8	524	56855.	518	0.6	-1.3	2.8	0.1	0.1	5.1	27	0.0
47083	0	0	1	0	DSu	47.0169	69.3590	28.7	717.5	521	56855.	542	0.6	1.0	4.0	0.1	0.1	6.8	21	0.0
47082	0	0	1	0	DSu	47.0169	69.3585	28.7	717.1	507	56854.	553	0.7	0.3	1.6	0.1	0.1	2.3	23	0.0
47081	0	0	1	0	DSu	47.0169	69.3581	28.7	716.7	489	56853.	619	0.6	0.3	3.8	0.1	0.1	6.9	21	0.0
47080	0	0	1	0	DSu	47.0170	69.3576	28.7	716.3	470	56853.	700	0.8	-0.2	2.9	0.1	0.1	3.7	31	0.0
47079	0	0	1	0	DSu	47.0170	69.3571	28.7	715.8	453	56852.	660	0.6	1.2	4.2	0.1	0.1	7.4	16	0.0
47078	0	0	1	0	DSu	47.0170	69.3566	28.7	715.4	436	56852.	842	0.9	0.7	4.6	0.1	0.1	5.6	19	0.0
47077	0	0	1	0	DSu	47.0170	69.3562	28.6	714.9	419	56852.	753	0.7	1.1	4.2	0.1	0.1	6.3	22	0.0
47076	0	0	1	0	DSu	47.0170	69.3557	28.6	714.4	406	56853.	757	0.6	1.0	3.9	0.1	0.1	6.5	36	0.0

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

- H14 -
 MAINE AERIAL SURVEY EDMUNDSTON QUADRANGLE, CARSON GEOSCIENCE INC., 1980

LINE NO. 60

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
47075	0	0	1	0	DSu	47.0171	69.3552	28.6	714.0	399	56854.	822	0.9	0.6	4.9	0.1	0.1	5.6	23	0.0
47074	0	0	1	0	DSu	47.0171	69.3547	28.6	713.5	396	56855.	813	1.0	-0.2	4.1	0.1	0.1	4.4	27	0.0
47073	0	0	1	0	DSu	47.0171	69.3543	28.6	713.0	395	56855.	788	0.8	0.7	4.6	0.1	0.1	6.0	27	0.0
47072	0	0	1	0	DSu	47.0171	69.3538	28.6	712.5	396	56856.	803	0.9	0.4	3.6	0.1	0.1	4.4	27	0.0
47071	0	0	0	0	DSu	47.0172	69.3533	28.6	712.1	398	56855.	819	0.7	2.1	5.7	3.1	0.4	8.7	13	0.0
47070	0	0	1	0	DSu	47.0172	69.3528	28.6	711.7	403	56854.	734	0.7	0.8	3.0	0.1	0.1	4.6	17	0.0
47069	0	0	1	0	DSu	47.0172	69.3524	28.6	711.2	412	56854.	755	0.7	0.1	3.8	0.1	0.1	5.7	32	0.0
47068	0	0	1	0	DSu	47.0172	69.3519	28.6	710.8	423	56853.	819	1.1	0.4	4.4	0.1	0.1	4.1	18	0.0
47067	0	0	1	0	DSu	47.0173	69.3514	28.6	710.4	436	56853.	814	1.0	-0.3	5.0	0.1	0.1	5.3	24	0.0
47066	0	0	1	0	DSu	47.0173	69.3509	28.6	710.0	445	56853.	784	1.1	1.2	4.3	0.1	0.1	4.2	34	0.0
47065	0	0	1	0	DSu	47.0173	69.3505	28.6	709.6	449	56852.	768	0.9	1.0	3.5	0.1	0.1	4.3	28	0.0
47064	0	0	1	0	DSu	47.0173	69.3500	28.6	709.2	451	56852.	718	0.7	0.7	3.9	0.1	0.1	6.3	26	0.0
47063	0	0	1	0	DSu	47.0173	69.3495	28.6	708.9	454	56852.	757	0.7	0.6	4.0	0.1	0.1	5.8	27	0.0
47062	0	0	0	0	DSu	47.0174	69.3490	28.6	708.6	457	56851.	784	0.5	1.4	4.4	0.1	0.3	0.1	23	0.0
47061	0	0	0	0	DSu	47.0174	69.3486	28.6	708.2	457	56851.	850	1.0	1.4	3.5	1.4	0.4	3.6	31	0.0
47060	0	0	1	0	DSu	47.0174	69.3481	28.6	708.0	454	56852.	745	0.7	0.7	2.9	0.1	0.1	4.2	23	0.0
47059	0	0	0	0	DSu	47.0174	69.3476	28.6	707.7	449	56854.	826	0.7	1.7	2.8	2.7	0.6	4.4	41	0.0
47058	0	0	0	0	DSu	47.0175	69.3471	28.6	707.5	443	56856.	755	0.7	1.6	4.1	2.5	0.4	6.5	20	0.0
47057	0	0	0	0	DSu	47.0175	69.3467	28.6	707.3	437	56855.	756	0.8	1.8	4.0	2.3	0.5	5.2	18	0.0
47056	0	0	1	0	DSu	47.0175	69.3462	28.6	707.2	432	56854.	718	0.8	0.2	4.3	0.1	0.1	5.6	24	0.0
47055	0	0	1	0	DSu	47.0175	69.3457	28.6	707.1	426	56854.	799	0.9	0.7	3.3	0.1	0.1	4.0	31	0.0
47054	0	0	1	0	DSu	47.0175	69.3452	28.6	707.0	421	56856.	747	0.8	0.7	2.8	0.1	0.1	3.5	28	0.0
47053	0	0	1	0	DSu	47.0176	69.3448	28.6	706.9	415	56857.	767	0.8	-0.2	4.2	0.1	0.1	5.4	20	0.0
47052	0	0	1	0	DSu	47.0176	69.3443	28.6	706.8	411	56857.	714	0.8	-0.3	3.4	0.1	0.1	4.5	18	0.0
47051	0	0	1	0	DSu	47.0176	69.3438	28.6	706.7	408	56858.	749	0.7	0.5	4.4	0.1	0.1	6.7	24	0.0
47050	0	0	1	0	DSu	47.0177	69.3433	28.6	706.7	409	56859.	717	0.9	0.8	4.1	0.1	0.1	5.1	24	0.0
47049	0	0	0	0	DSu	47.0177	69.3429	28.6	706.6	411	56860.	760	0.6	1.2	3.3	2.0	0.4	5.6	27	0.0
47048	0	0	0	0	DSu	47.0177	69.3424	28.6	706.6	414	56861.	740	0.7	1.9	3.9	2.7	0.5	5.6	13	0.0
47047	0	0	1	0	DSu	47.0177	69.3419	28.6	706.6	415	56860.	786	0.8	0.9	4.4	0.1	0.1	6.1	26	0.0
47046	0	0	0	0	DSu	47.0177	69.3414	28.6	706.6	415	56860.	771	0.8	1.6	4.2	2.1	0.4	5.6	22	0.0
47045	0	0	1	0	DSu	47.0178	69.3410	28.6	706.5	418	56860.	725	0.9	1.2	3.5	0.1	0.1	4.2	20	0.0
47044	0	0	1	0	DSu	47.0178	69.3405	28.6	706.5	422	56859.	794	0.9	0.9	4.5	0.1	0.1	5.5	22	0.0
47043	0	0	0	0	DSu	47.0178	69.3400	28.6	706.2	431	56853.	760	0.6	1.3	4.5	2.3	0.3	8.1	17	0.0
47042	0	0	1	0	DSu	47.0178	69.3395	28.6	706.2	431	56853.	765	0.6	0.6	4.1	0.1	0.1	7.2	29	0.0
47041	0	0	1	0	DSu	47.0178	69.3391	28.6	706.2	432	56854.	788	0.9	1.0	3.8	0.1	0.1	4.7	29	0.0
47040	0	0	1	0	DSu	47.0179	69.3386	28.6	706.2	433	56856.	805	0.9	0.8	7.6	0.1	0.1	9.2	22	0.0
47039	0	0	1	0	DSu	47.0179	69.3381	28.6	706.2	437	56859.	806	0.9	-0.8	4.1	0.1	0.1	5.1	24	0.0
47038	0	0	1	0	DSu	47.0179	69.3377	28.6	706.2	439	56860.	787	0.9	0.8	3.2	0.1	0.1	3.5	23	0.0
47037	0	0	1	0	DSu	47.0179	69.3372	28.6	706.2	439	56861.	718	0.7	-0.5	3.7	0.1	0.1	5.6	24	0.0
47036	0	0	1	0	DSu	47.0180	69.3367	28.6	706.2	433	56861.	738	0.9	0.6	5.2	0.1	0.1	6.3	34	0.0
47035	0	0	1	0	DSu	47.0180	69.3362	28.6	706.1	429	56861.	737	0.6	0.4	3.4	0.1	0.1	6.8	17	0.0
47034	0	0	1	0	DSu	47.0180	69.3358	28.6	706.1	427	56861.	822	1.0	0.1	3.5	0.1	0.1	3.5	20	0.0
47033	0	0	1	0	DSu	47.0180	69.3353	28.6	706.1	430	56861.	815	0.8	0.1	5.0	0.1	0.1	6.6	28	0.0
47032	0	0	1	0	DSu	47.0181	69.3348	28.6	706.1	436	56860.	734	0.6	0.9	4.0	0.1	0.1	6.5	22	0.0
47031	0	0	0	0	DSu	47.0181	69.3343	28.6	706.1	445	56859.	782	1.0	2.1	2.1	2.2	1.0	2.2	27	0.0
47030	0	0	1	1	DSu	47.0181	69.3339	28.6	706.1	456	56859.	767	1.1	0.7	1.1	0.1	0.1	0.1	22	0.0
47029	0	0	1	0	DSu	47.0181	69.3334	28.6	706.0	466	56859.	720	0.8	0.4	3.7	0.1	0.1	4.7	24	0.0
47028	0	0	1	0	DSu	47.0182	69.3329	28.6	706.0	479	56858.	718	1.0	0.6	4.0	0.1	0.1	4.3	30	0.0
47027	0	0	0	0	DSu	47.0182	69.3324	28.6	706.0	489	56858.	761	0.6	1.5	4.1	2.8	0.4	7.8	33	0.0
47026	0	0	1	0	DSu	47.0182	69.3320	28.6	705.9	496	56859.	766	0.8	1.2	3.8	0.1	0.1	4.8	23	0.0

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI			
												CPS	%	PPM	PPM							CPS	CPS
47025	0	0	1	0	DSu	47.0182	69.3315	28.6	705.9	498	56859.	820	0.8	0.9	3.8	0.1	0.1	5.0	29	0.0			
47024	0	0	0	0	DSu	47.0182	69.3310	28.6	705.9	494	56860.	795	0.8	1.8	6.1	2.4	0.3	8.4	19	0.0			
47023	0	0	1	0	DSu	47.0183	69.3305	28.6	705.9	482	56861.	731	0.6	-0.2	3.3	0.1	0.1	5.6	16	0.0			
47022	0	0	0	0	DSu	47.0183	69.3301	28.6	706.0	467	56863.	788	0.9	2.4	5.2	2.8	0.5	6.0	26	0.0			
47021	0	0	1	0	DSu	47.0183	69.3296	28.6	706.0	454	56864.	744	0.9	0.4	4.0	0.1	0.1	4.5	26	0.0			
47020	0	0	0	0	DSu	47.0183	69.3291	28.6	706.1	442	56863.	761	1.0	2.2	5.0	2.4	0.5	5.4	26	0.0			
47019	0	0	1	0	DSu	47.0183	69.3286	28.6	706.1	433	56862.	794	0.8	0.3	5.9	0.1	0.1	7.9	28	0.0			
47018	0	0	1	0	DSu	47.0184	69.3282	28.6	706.2	426	56861.	756	0.9	-1.3	5.1	0.1	0.1	5.8	29	0.0			
47017	0	0	1	0	DSu	47.0184	69.3277	28.6	706.2	423	56861.	740	0.8	0.0	6.8	0.1	0.1	9.6	22	0.0			
47016	0	0	1	0	DSu	47.0184	69.3272	28.6	706.3	421	56860.	756	0.6	0.5	2.9	0.1	0.1	4.8	29	0.0			
47015	0	0	0	0	DSu	47.0184	69.3267	28.6	706.4	421	56857.	824	0.9	2.0	3.9	2.3	0.6	4.4	17	0.2			
47014	0	0	1	0	DSu	47.0185	69.3263	28.6	706.5	425	56858.	746	0.8	0.3	4.0	0.1	0.1	5.2	27	0.4			
47013	0	0	1	0	DSu	47.0185	69.3258	28.6	706.6	431	56859.	758	0.8	1.0	6.5	0.1	0.1	9.3	23	0.5			
47011	0	0	1	0	DSu	47.0185	69.3249	28.6	706.6	438	56859.	800	1.0	1.0	4.2	0.1	0.1	4.3	26	0.7			
47010	0	0	1	0	DSu	47.0186	69.3244	28.6	706.7	445	56859.	793	0.9	-0.2	4.1	0.1	0.1	4.7	29	0.9			
47009	0	0	0	0	DSu	47.0186	69.3239	28.6	706.7	453	56858.	861	0.7	1.5	4.2	2.3	0.4	6.3	21	1.0			
47008	0	0	1	0	DSu	47.0186	69.3234	28.6	706.8	461	56857.	787	0.8	0.1	3.2	0.1	0.1	4.3	24	1.0			
47007	0	0	1	0	DSu	47.0186	69.3229	28.6	706.8	468	56858.	775	0.8	0.6	4.3	0.1	0.1	6.0	27	0.9			
47006	0	0	1	0	DSu	47.0187	69.3225	28.6	706.7	474	56857.	830	0.9	-0.1	4.0	0.1	0.1	4.9	27	0.9			
47005	0	0	0	0	DSu	47.0187	69.3220	28.6	706.7	476	56857.	794	0.8	1.6	5.4	2.3	0.3	7.4	19	1.0			
47004	0	0	1	0	DSu	47.0187	69.3215	28.6	706.6	476	56857.	738	0.9	0.1	3.7	0.1	0.1	4.4	30	1.0			
47003	0	0	0	0	DSu	47.0187	69.3210	28.6	706.6	471	56857.	733	0.8	1.8	2.5	2.5	0.8	3.5	16	0.9			
47002	0	0	1	0	DSu	47.0187	69.3206	28.6	706.5	464	56857.	782	0.7	0.6	2.9	0.1	0.1	4.6	19	0.9			
47001	0	0	0	0	DSu	47.0188	69.3201	28.6	706.5	455	56857.	872	1.0	1.5	4.3	1.6	0.4	4.5	15	0.8			
47000	0	0	0	0	DSu	47.0188	69.3196	28.6	706.4	449	56857.	790	0.9	1.8	3.5	2.0	0.6	3.8	22	0.8			
46999	0	0	1	0	DSu	47.0188	69.3191	28.6	706.4	445	56859.	775	0.8	0.0	4.2	0.1	0.1	5.5	17	0.7			
46998	0	0	1	0	DSu	47.0188	69.3187	28.6	706.3	439	56860.	770	0.8	0.3	1.9	0.1	0.1	2.4	27	0.7			
46997	0	0	0	0	DSu	47.0188	69.3182	28.6	706.3	431	56859.	737	0.9	2.0	5.7	2.5	0.4	7.0	29	0.7			
46996	0	0	1	0	DSu	47.0189	69.3177	28.6	706.2	423	56859.	786	0.8	-0.3	5.6	0.1	0.1	7.1	34	0.7			
46995	0	0	1	0	DSu	47.0189	69.3172	28.6	706.2	415	56859.	818	0.9	-0.7	5.2	0.1	0.1	6.0	26	0.7			
46994	0	0	1	0	DSu	47.0189	69.3168	28.6	706.2	409	56860.	842	1.0	-0.3	4.6	0.1	0.1	4.5	15	0.7			
46993	0	0	1	0	DSu	47.0189	69.3163	28.6	706.2	403	56860.	765	0.7	0.7	5.8	0.1	0.1	8.9	16	0.6			
46992	0	0	1	0	DSu	47.0190	69.3158	28.6	706.2	403	56861.	755	0.9	0.2	4.1	0.1	0.1	4.6	21	0.6			
46991	0	0	1	0	DSu	47.0190	69.3154	28.6	706.2	404	56861.	757	0.9	1.1	3.1	0.1	0.1	3.9	26	0.5			
46990	0	0	0	0	DSu	47.0190	69.3149	28.6	706.2	406	56861.	769	0.8	1.4	3.0	1.9	0.5	4.0	15	0.4			
46989	0	0	1	0	DSu	47.0190	69.3144	28.6	706.3	403	56860.	624	0.6	0.3	3.6	0.1	0.1	7.1	31	0.4			
46988	0	0	1	0	DSu	47.0191	69.3139	28.6	706.3	400	56859.	560	0.7	0.5	3.1	0.1	0.1	4.9	19	0.4			
46987	0	0	1	0	DSu	47.0191	69.3135	28.6	706.3	397	56858.	488	0.6	0.1	2.4	0.1	0.1	4.5	21	0.4			
46986	0	0	1	0	DSu	47.0191	69.3130	28.6	705.9	395	56858.	386	0.5	0.3	2.2	0.1	0.1	0.1	19	0.4			
46985	0	0	1	0	DSu	47.0191	69.3125	28.6	706.0	395	56858.	376	0.4	0.1	2.0	0.1	0.1	0.1	23	0.4			
46984	0	0	0	0	DSu	47.0191	69.3120	28.6	706.0	400	56858.	364	0.3	1.1	2.8	0.1	0.4	0.1	21	0.4			
46983	0	0	1	0	DSu	47.0192	69.3116	28.6	706.0	405	56857.	419	0.3	0.1	2.3	0.1	0.1	0.1	24	0.4			
46982	0	0	1	0	DSu	47.0192	69.3111	28.6	706.0	411	56857.	444	0.5	0.4	2.5	0.1	0.1	0.1	25	0.4			
46981	0	0	1	0	DSu	47.0192	69.3106	28.6	706.0	412	56857.	550	0.7	-0.4	3.1	0.1	0.1	4.8	25	0.4			
46980	0	0	1	0	DSu	47.0192	69.3101	28.6	705.9	413	56856.	650	0.6	0.0	4.4	0.1	0.1	7.4	29	0.3			
46979	0	0	1	0	DSu	47.0193	69.3097	28.6	705.9	414	56856.	726	0.8	0.0	3.2	0.1	0.1	4.4	11	0.3			
46978	0	0	1	0	DSu	47.0193	69.3092	28.6	705.8	414	56857.	746	0.8	1.0	3.7	0.1	0.1	4.7	28	0.1			
46977	0	0	0	0	DSu	47.0193	69.3087	28.6	705.8	415	56856.	746	0.9	1.5	5.3	1.8	0.3	6.4	21	0.0			
46976	0	0	1	0	DSu	47.0193	69.3082	28.6	705.7	417	56856.	798	0.8	0.7	3.7	0.1	0.1	5.3	30	0.0			
46975	0	0	1	0	DSu	47.0194	69.3078	28.6	705.6	419	56855.	795	1.0	0.8	5.0	0.1	0.1	5.3	23	0.0			

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
46974	0	0	1	0	DSu	47.0194	69.3073	28.6	705.5	422	56854.	782	0.8	0.8	3.8	0.1	0.1	4.8	20	0.0
46973	0	0	0	0	DSu	47.0194	69.3068	28.6	705.4	424	56853.	780	0.7	1.7	4.4	2.7	0.4	6.8	27	0.0
46972	0	0	1	0	DSu	47.0194	69.3063	28.6	705.2	428	56853.	819	0.8	1.0	4.0	0.1	0.1	5.5	19	0.0
46971	0	0	1	0	DSu	47.0194	69.3059	28.6	705.1	429	56854.	891	0.9	0.6	4.3	0.1	0.1	4.8	19	0.0
46970	0	0	1	0	DSu	47.0195	69.3054	28.6	704.9	425	56855.	809	0.9	-0.7	6.0	0.1	0.1	6.8	23	0.0
46969	0	0	1	0	DSu	47.0195	69.3049	28.6	704.8	419	56855.	865	0.9	0.3	5.2	0.1	0.1	6.8	27	0.0
46968	0	0	1	0	DSu	47.0195	69.3044	28.6	704.6	413	56855.	853	1.0	0.4	4.6	0.1	0.1	5.0	27	0.0
46967	0	0	1	0	DSu	47.0195	69.3040	28.7	704.5	410	56854.	789	0.9	1.1	5.2	0.1	0.1	6.4	19	0.0
46966	0	0	1	0	DSu	47.0196	69.3035	28.7	704.3	407	56854.	800	0.8	1.2	5.3	0.1	0.1	7.3	19	0.0
46965	0	0	0	0	DSu	47.0196	69.3030	28.7	704.1	403	56853.	877	0.9	1.8	5.2	2.3	0.4	6.5	23	0.0
46964	0	0	0	0	DSu	47.0196	69.3026	28.7	704.0	402	56854.	874	0.9	1.6	3.5	1.8	0.5	4.0	31	0.0
46963	0	0	0	0	DSu	47.0196	69.3021	28.7	703.8	403	56855.	860	0.9	1.2	2.6	1.4	0.5	3.1	30	0.0
46962	0	0	1	0	DSu	47.0196	69.3016	28.7	703.6	406	56854.	794	1.1	0.8	4.3	0.1	0.1	3.9	28	0.0
46961	0	0	1	0	DSu	47.0197	69.3011	28.7	703.4	409	56855.	826	0.9	-0.5	4.2	0.1	0.1	5.0	30	0.0
46960	0	0	0	0	DSu	47.0197	69.3007	28.7	703.3	413	56855.	960	0.9	1.8	5.4	2.2	0.4	6.6	21	0.0
46959	0	0	1	0	DSu	47.0197	69.3002	28.7	703.1	416	56855.	795	1.0	0.3	4.2	0.1	0.1	4.5	21	0.0
46958	0	0	1	0	DSu	47.0197	69.2997	28.7	703.0	421	56856.	787	0.9	0.4	3.9	0.1	0.1	4.8	26	0.0
46957	0	0	1	0	DSu	47.0198	69.2992	28.7	702.9	427	56855.	779	0.8	-0.3	3.4	0.1	0.1	4.7	30	0.0
46956	0	0	0	0	DSu	47.0198	69.2988	28.7	702.8	443	56855.	724	0.8	1.7	4.2	2.4	0.4	6.0	25	0.0
46955	0	0	1	0	DSu	47.0198	69.2983	28.7	702.7	453	56857.	666	0.8	1.1	3.4	0.1	0.1	4.4	34	0.0
46954	0	0	1	0	DSu	47.0198	69.2978	28.7	702.6	460	56857.	650	0.8	0.4	1.7	0.1	0.1	2.3	20	0.0
46953	0	0	1	0	DSu	47.0199	69.2973	28.7	702.6	456	56856.	697	0.8	0.7	2.4	0.1	0.1	3.3	17	0.0
46952	0	0	1	0	DSu	47.0199	69.2968	28.7	702.5	454	56856.	729	0.8	0.3	5.5	0.1	0.1	7.5	22	0.0
46951	0	0	1	0	DSu	47.0199	69.2964	28.7	702.6	450	56857.	704	0.8	-0.6	3.4	0.1	0.1	4.5	24	0.0
46950	0	0	1	0	DSu	47.0199	69.2959	28.7	702.6	443	56857.	813	0.9	0.3	6.6	0.1	0.1	7.7	30	0.0
46949	0	0	1	0	DSu	47.0199	69.2954	28.7	702.7	432	56857.	758	0.9	-0.2	2.8	0.1	0.1	3.4	24	0.0
46948	0	0	1	0	DSu	47.0200	69.2949	28.7	702.8	417	56857.	808	0.9	1.1	3.8	0.1	0.1	4.7	27	0.0
46947	0	0	1	0	DSu	47.0200	69.2945	28.7	702.8	404	56857.	751	0.9	0.7	3.9	0.1	0.1	4.6	29	0.0
46946	0	0	0	0	DSu	47.0200	69.2940	28.7	702.8	394	56858.	812	0.8	2.0	3.4	2.7	0.6	4.6	16	0.0
46945	0	0	1	0	DSu	47.0200	69.2935	28.7	703.1	389	56858.	837	0.8	0.8	3.2	0.1	0.1	4.1	21	0.0
46944	0	0	1	0	DSu	47.0201	69.2931	28.7	703.2	386	56857.	825	0.8	1.1	5.2	0.1	0.1	7.0	19	0.0
46943	0	0	0	0	DSu	47.0201	69.2926	28.7	703.3	386	56858.	813	0.8	1.7	4.6	2.1	0.4	5.8	19	0.0
46942	0	0	1	0	DSu	47.0201	69.2921	28.7	703.6	385	56860.	839	1.0	0.3	5.2	0.1	0.1	5.6	29	0.0
46941	0	0	1	0	DSu	47.0201	69.2916	28.7	703.8	383	56859.	875	1.1	-0.2	3.9	0.1	0.1	3.8	30	0.0
46940	0	0	0	0	DSu	47.0201	69.2912	28.8	704.0	379	56859.	802	0.9	1.5	2.2	1.8	0.7	2.7	32	0.0
46939	0	0	0	0	DSu	47.0202	69.2907	28.8	704.2	376	56859.	759	0.6	1.6	4.6	3.2	0.4	9.1	30	0.0
46938	0	0	1	0	DSu	47.0202	69.2902	28.8	704.5	377	56860.	825	0.9	-0.1	3.7	0.1	0.1	4.5	24	0.0
46937	0	0	0	0	DSu	47.0202	69.2897	28.8	704.7	383	56860.	749	0.8	1.7	3.4	2.1	0.5	4.2	31	0.0
46936	0	0	1	0	DSu	47.0202	69.2893	28.8	704.9	390	56860.	840	1.0	0.7	3.2	0.1	0.1	3.4	31	0.0
46935	0	0	1	0	DSu	47.0203	69.2888	28.8	705.1	398	56859.	803	0.8	0.3	3.9	0.1	0.1	5.2	17	0.0
46934	0	0	1	0	DSu	47.0203	69.2883	28.8	705.4	407	56859.	710	0.6	0.2	4.1	0.1	0.1	6.8	24	0.0
46933	0	0	1	0	DSu	47.0203	69.2878	28.8	705.6	418	56859.	737	1.0	1.1	2.2	0.1	0.1	2.3	27	0.0
46932	0	0	1	0	DSu	47.0203	69.2874	28.8	705.7	430	56859.	765	0.7	0.3	2.8	0.1	0.1	3.9	21	0.0
46931	0	0	1	0	DSu	47.0204	69.2869	28.8	705.9	440	56858.	707	0.9	1.0	4.7	0.1	0.1	5.3	18	0.0
46930	0	0	1	0	DSu	47.0204	69.2864	29.0	707.1	452	56858.	705	0.6	0.9	2.4	0.1	0.1	4.1	37	0.0
46929	0	0	1	0	DSu	47.0204	69.2859	29.0	707.0	454	56858.	676	0.8	0.6	3.3	0.1	0.1	4.6	33	0.0
46928	0	0	1	0	DSu	47.0204	69.2855	29.0	707.0	457	56858.	781	0.8	-0.2	4.6	0.1	0.1	6.5	20	0.0
46927	0	0	1	0	DSu	47.0205	69.2850	29.0	707.0	460	56857.	760	1.0	0.9	3.2	0.1	0.1	3.4	21	0.0
46926	0	0	1	0	DSu	47.0205	69.2845	29.0	707.0	457	56858.	733	0.6	0.8	5.9	0.1	0.1	10.9	36	0.0
46925	0	0	1	0	DSu	47.0205	69.2840	29.0	707.0	446	56858.	831	0.9	0.1	4.4	0.1	0.1	5.3	18	0.0

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
46924	0	0	1	0	DSu	47.0205	69.2836	29.0	707.1	428	56859.	796	0.9	0.6	4.6	0.1	0.1	5.6	24	0.0
46923	0	0	1	0	DSu	47.0205	69.2831	29.0	707.2	408	56861.	763	1.2	0.6	4.0	0.1	0.1	3.5	25	0.0
46922	0	0	1	0	DSu	47.0206	69.2826	29.0	707.3	394	56861.	784	1.0	0.1	5.1	0.1	0.1	5.6	28	0.0
46921	0	0	1	0	DSu	47.0206	69.2821	29.0	707.4	387	56861.	784	0.9	1.1	3.2	0.1	0.1	3.7	30	0.0
46920	0	0	1	0	DSu	47.0206	69.2817	29.0	707.6	385	56861.	737	0.8	0.2	3.8	0.1	0.1	5.3	19	0.0
46919	0	0	1	0	DSu	47.0206	69.2812	29.0	707.7	381	56862.	773	0.9	0.6	5.9	0.1	0.1	7.3	26	0.0
46918	0	0	1	0	DSu	47.0207	69.2807	29.0	707.9	374	56863.	740	0.8	0.3	4.6	0.1	0.1	6.1	26	0.0
46917	0	0	1	0	DSu	47.0207	69.2802	29.0	708.2	367	56863.	775	1.0	1.0	4.0	0.1	0.1	4.2	23	0.0
46915	0	0	1	0	DSu	47.0207	69.2793	29.0	708.5	360	56862.	801	0.9	0.9	3.5	0.1	0.1	4.0	30	0.0
46914	0	0	0	0	DSu	47.0207	69.2788	29.0	708.9	355	56863.	814	0.8	1.7	4.8	2.2	0.4	6.0	28	0.0
46913	0	0	1	0	DSu	47.0208	69.2784	29.0	709.2	352	56863.	798	0.7	0.8	4.2	0.1	0.1	6.1	32	0.0
46912	0	0	0	0	DSu	47.0208	69.2779	29.0	709.6	354	56864.	791	0.7	1.4	4.4	2.2	0.3	7.1	27	0.0
46911	0	0	0	0	DSu	47.0208	69.2774	29.0	710.0	356	56865.	822	0.8	1.6	3.9	2.2	0.5	5.3	25	0.0
46910	0	0	1	0	DSu	47.0208	69.2769	29.0	710.4	357	56864.	812	1.0	-0.2	3.5	0.1	0.1	3.8	18	0.1
46919	0	0	0	0	DSu	47.0209	69.2765	29.0	710.8	360	56863.	821	0.9	1.1	4.7	1.2	0.3	5.4	27	0.2
46918	0	0	1	0	DSu	47.0209	69.2760	29.0	711.1	363	56863.	811	0.9	-0.4	2.6	0.1	0.1	3.0	30	0.4
46917	0	0	1	0	DSu	47.0209	69.2755	29.0	711.5	364	56863.	796	0.9	1.0	4.3	0.1	0.1	5.3	22	0.5
46916	0	0	0	0	DSu	47.0209	69.2750	29.0	711.8	363	56863.	816	0.7	1.8	4.0	2.6	0.5	5.7	28	0.6
46915	0	0	1	0	DSu	47.0210	69.2746	29.0	712.2	362	56863.	765	0.7	0.3	4.0	0.1	0.1	6.0	16	0.5
46914	0	0	1	0	DSu	47.0210	69.2741	29.0	712.4	363	56862.	753	0.9	0.9	3.9	0.1	0.1	4.7	20	0.6
46913	0	0	1	0	DSu	47.0210	69.2736	29.0	712.7	364	56862.	794	0.8	0.7	3.4	0.1	0.1	4.3	29	0.7
46912	0	0	0	0	DSu	47.0210	69.2731	29.0	712.9	369	56862.	751	0.9	1.8	3.7	2.1	0.5	4.2	15	0.8
46911	0	0	1	0	DSu	47.0210	69.2727	29.0	713.0	377	56860.	734	0.6	0.3	3.1	0.1	0.1	5.3	24	0.7
46910	0	0	0	0	DSu	47.0211	69.2722	29.0	713.2	389	56860.	723	0.7	1.4	3.7	2.1	0.4	5.6	19	0.6
46899	0	0	1	0	DSu	47.0211	69.2717	29.0	713.3	399	56860.	745	0.8	1.2	2.6	0.1	0.1	3.5	23	0.6
46898	0	0	1	0	DSu	47.0211	69.2712	29.0	713.4	404	56860.	708	0.6	0.9	2.8	0.1	0.1	5.0	21	0.5
46897	0	0	1	0	DSu	47.0211	69.2708	29.0	713.4	401	56860.	772	0.7	1.0	4.7	0.1	0.1	6.9	19	0.4
46896	0	0	1	0	DSu	47.0212	69.2703	29.0	713.4	393	56858.	703	0.7	0.4	3.4	0.1	0.1	4.8	18	0.3
46895	0	0	1	0	DSu	47.0212	69.2698	29.0	713.4	385	56858.	788	0.6	0.4	3.7	0.1	0.1	6.8	30	0.2
46894	0	0	0	0	DSu	47.0212	69.2693	29.0	713.4	381	56859.	806	0.8	1.8	4.1	2.4	0.5	5.3	31	0.1
46893	0	0	1	0	DSu	47.0212	69.2689	29.0	713.4	382	56860.	781	0.9	1.1	4.3	0.1	0.1	5.1	21	0.0
46892	0	0	0	0	DSu	47.0212	69.2684	29.0	713.4	384	56860.	779	0.7	1.6	3.6	2.3	0.5	5.1	27	0.0
46891	0	0	0	0	DSu	47.0213	69.2679	29.0	713.3	384	56859.	749	0.7	1.3	3.8	2.1	0.4	6.0	29	0.0
46890	0	0	1	0	DSu	47.0213	69.2674	29.0	713.3	385	56858.	741	1.0	0.4	4.9	0.1	0.1	5.2	28	0.0
46889	0	0	1	0	DSu	47.0213	69.2670	29.0	713.2	386	56859.	742	0.8	-0.6	2.5	0.1	0.1	3.5	33	0.0
46888	0	0	1	0	DSu	47.0213	69.2665	29.0	713.2	386	56859.	766	0.7	0.6	4.4	0.1	0.1	6.4	31	0.0
46887	0	0	1	0	DSu	47.0214	69.2660	29.0	713.2	386	56858.	748	0.9	0.3	3.6	0.1	0.1	4.0	18	0.0
46886	0	0	1	0	DSu	47.0214	69.2655	29.0	713.1	387	56858.	743	0.7	0.6	4.8	0.1	0.1	6.9	20	0.0
46885	0	0	1	0	DSu	47.0214	69.2651	29.0	713.2	391	56859.	766	0.6	0.5	4.7	0.1	0.1	7.8	30	0.0
46884	0	0	1	0	DSu	47.0214	69.2646	29.0	713.2	396	56859.	773	0.9	0.6	4.2	0.1	0.1	4.8	18	0.0
46883	0	0	1	0	DSu	47.0215	69.2641	29.0	713.2	400	56860.	706	0.6	1.1	3.5	0.1	0.1	5.7	26	0.0
46882	0	0	1	0	DSu	47.0215	69.2636	29.0	713.3	401	56861.	685	0.6	0.9	5.6	0.1	0.1	9.7	30	0.0
46881	0	0	1	0	DSu	47.0215	69.2632	29.0	713.3	401	56863.	760	0.8	0.8	6.0	0.1	0.1	8.0	34	0.0
46880	0	0	1	0	DSu	47.0215	69.2627	29.0	713.4	398	56864.	767	0.9	0.4	4.3	0.1	0.1	5.2	16	0.0
46879	0	0	1	0	DSu	47.0215	69.2622	29.0	713.5	394	56862.	768	0.6	1.0	5.8	0.1	0.1	9.6	14	0.0
46878	0	0	1	0	DSu	47.0216	69.2617	29.0	713.6	387	56862.	751	0.7	0.4	4.3	0.1	0.1	6.7	30	0.0
46877	0	0	1	0	DSu	47.0216	69.2613	29.0	713.8	382	56862.	713	0.7	0.5	5.0	0.1	0.1	7.4	27	0.0
46876	0	0	0	0	DSu	47.0216	69.2608	29.0	713.9	376	56862.	778	0.8	1.5	3.6	1.9	0.5	4.6	26	0.0
46875	0	0	1	0	DSu	47.0216	69.2603	28.9	714.1	370	56862.	784	0.8	-0.3	5.0	0.1	0.1	7.0	19	0.0
46874	0	0	1	0	DSu	47.0217	69.2598	28.9	714.2	363	56862.	757	1.0	0.9	4.2	0.1	0.1	4.6	34	0.0

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
46873	0	0	1	0	DSu	47.0217	69.2594	28.5	715.8	355	56863.	758	0.8	1.0	3.4	0.1	0.1	4.8	25	0.0
46872	0	0	0	0	DSu	47.0217	69.2589	28.6	715.8	355	56863.	772	0.8	1.7	4.4	2.2	0.4	5.8	33	0.0
46871	0	0	1	0	DSu	47.0217	69.2584	28.6	715.8	356	56862.	786	0.7	0.2	4.4	0.1	0.1	6.5	22	0.0
46870	0	0	1	0	DSu	47.0217	69.2579	28.6	715.8	357	56861.	757	0.9	0.0	4.6	0.1	0.1	5.5	23	0.0
46869	0	0	1	0	DSu	47.0218	69.2575	28.6	715.8	359	56861.	657	0.6	1.0	2.8	0.1	0.1	4.9	22	0.0
46868	0	0	1	0	DSu	47.0218	69.2570	28.6	715.8	361	56862.	711	0.8	0.7	3.9	0.1	0.1	5.3	27	0.0
46867	0	0	1	0	DSu	47.0218	69.2565	28.6	715.8	365	56863.	706	0.7	0.8	3.7	0.1	0.1	5.4	26	0.0
46866	0	0	1	0	DSu	47.0218	69.2561	28.6	715.9	371	56862.	696	1.0	0.0	3.5	0.1	0.1	3.7	27	0.0
46865	0	0	1	0	DSu	47.0219	69.2556	28.6	715.9	378	56861.	756	0.7	0.7	4.9	0.1	0.1	7.0	21	0.0
46864	0	0	1	0	DSu	47.0219	69.2551	28.6	715.9	390	56860.	812	0.9	1.1	4.5	0.1	0.1	5.0	22	0.0
46863	0	0	1	0	DSu	47.0219	69.2546	28.6	715.9	398	56859.	850	0.7	0.4	6.5	0.1	0.1	10.5	28	0.0
46862	0	0	1	0	DSu	47.0219	69.2542	28.6	715.9	403	56858.	817	0.9	0.3	4.6	0.1	0.1	5.1	22	0.0
46861	0	0	1	0	DSu	47.0219	69.2537	28.6	715.9	400	56857.	805	0.8	0.2	4.5	0.1	0.1	6.0	30	0.0
46860	0	0	1	0	DSu	47.0220	69.2532	28.6	715.9	396	56857.	898	1.1	1.1	3.9	0.1	0.1	3.8	29	0.0
46859	0	0	0	0	DSu	47.0220	69.2527	28.6	715.8	391	56857.	776	0.6	1.7	4.2	2.9	0.5	7.0	29	0.0
46858	0	0	1	0	DSu	47.0220	69.2523	28.6	715.8	388	56857.	821	1.0	0.7	6.1	0.1	0.1	6.4	26	0.0
46857	0	0	1	0	DSu	47.0220	69.2518	28.6	715.7	390	56856.	786	0.8	0.6	4.5	0.1	0.1	6.2	21	0.0
46856	0	0	1	0	DSu	47.0221	69.2513	28.6	715.7	396	56855.	840	0.8	0.9	5.7	0.1	0.1	7.7	23	0.0
46855	0	0	0	0	DSu	47.0221	69.2508	28.6	715.6	405	56854.	826	1.0	1.7	3.6	1.8	0.5	3.8	16	0.0
46854	0	0	1	0	DSu	47.0221	69.2504	28.6	715.4	416	56853.	770	0.7	0.4	3.5	0.1	0.1	5.3	17	0.0
46853	0	0	0	0	DSu	47.0221	69.2499	28.6	715.3	427	56853.	771	0.9	2.4	3.0	2.9	0.8	3.7	28	0.0
46852	0	0	1	0	DSu	47.0222	69.2494	28.6	715.2	437	56853.	716	0.7	0.7	3.8	0.1	0.1	6.1	29	0.0
46851	0	0	1	0	DSu	47.0222	69.2489	28.6	715.1	445	56854.	768	0.7	1.1	3.7	0.1	0.1	5.7	19	0.0
46850	0	0	1	0	DSu	47.0222	69.2485	28.6	714.9	454	56854.	848	1.0	0.0	4.5	0.1	0.1	4.5	26	0.0
46849	0	0	1	0	DSu	47.0222	69.2480	28.6	714.8	458	56856.	727	0.7	0.6	3.4	0.1	0.1	5.0	33	0.0
46848	0	0	1	0	DSu	47.0222	69.2475	28.6	714.8	451	56857.	862	0.9	0.4	4.6	0.1	0.1	5.4	20	0.0
46847	0	0	0	0	DSu	47.0223	69.2470	28.6	714.7	436	56858.	888	1.0	2.0	5.4	2.0	0.4	5.3	26	0.0
46846	0	0	1	0	DSu	47.0223	69.2466	28.6	714.7	412	56859.	806	0.9	0.6	3.3	0.1	0.1	3.7	24	0.0
46845	0	0	1	0	DSu	47.0223	69.2461	28.6	714.7	392	56858.	901	0.9	0.3	3.4	0.1	0.1	3.8	31	0.0
46844	0	0	1	0	DSu	47.0223	69.2456	28.6	714.7	381	56858.	871	1.0	1.0	4.6	0.1	0.1	4.8	21	0.0
46843	0	0	1	0	DSu	47.0224	69.2451	28.6	714.7	387	56858.	833	0.9	0.5	3.0	0.1	0.1	3.7	14	0.0
46842	0	0	0	0	DSu	47.0224	69.2447	28.6	714.7	399	56858.	813	0.9	1.3	5.7	1.4	0.3	6.4	32	0.0
46841	0	0	1	0	DSu	47.0224	69.2442	28.6	714.8	409	56858.	800	0.9	0.7	4.0	0.1	0.1	4.9	20	0.0
46840	0	0	1	0	DSu	47.0224	69.2437	28.6	714.8	414	56857.	788	0.8	0.5	5.0	0.1	0.1	6.7	25	0.0
46839	0	0	1	0	DSu	47.0225	69.2432	28.6	714.9	417	56858.	765	0.7	0.5	5.3	0.1	0.1	8.1	28	0.0
46838	0	0	1	0	DSu	47.0225	69.2428	28.6	714.9	422	56858.	682	0.8	0.5	1.4	0.1	0.1	1.8	24	0.0
46837	0	0	1	0	DSu	47.0225	69.2423	28.6	714.9	428	56857.	685	0.9	0.0	3.3	0.1	0.1	3.7	25	0.0
46836	0	0	1	0	DSu	47.0225	69.2418	28.6	714.9	436	56856.	652	0.8	0.2	2.8	0.1	0.1	3.7	29	0.0
46835	0	0	1	0	DSu	47.0225	69.2413	28.5	714.9	444	56855.	694	0.8	0.8	3.6	0.1	0.1	4.6	20	0.0
46834	0	0	0	0	DSu	47.0226	69.2408	28.5	714.8	452	56855.	639	0.5	1.5	2.2	0.1	0.8	0.1	23	0.0
46833	0	0	1	0	DSu	47.0226	69.2402	28.5	714.7	457	56855.	534	0.4	0.8	3.6	0.1	0.1	0.1	27	0.0
46832	0	0	1	0	DSu	47.0226	69.2396	28.5	714.6	461	56854.	615	0.6	0.9	3.5	0.1	0.1	6.6	16	0.0
46831	0	0	0	0	DSu	47.0227	69.2391	28.5	714.4	463	56854.	526	0.4	1.6	4.1	0.1	0.4	0.1	17	0.0
46830	0	0	1	0	DSu	47.0227	69.2385	28.5	714.2	466	56853.	536	0.3	0.2	3.4	0.1	0.1	0.1	29	0.0
46829	0	0	1	0	DSu	47.0227	69.2379	28.5	714.0	469	56853.	486	0.4	0.1	2.9	0.1	0.1	0.1	14	0.0
46828	0	0	0	0	DSu	47.0228	69.2373	28.5	713.7	473	56854.	588	0.6	2.2	2.4	4.0	1.0	4.3	17	0.0
46827	0	0	1	0	DSu	47.0228	69.2368	28.5	713.4	476	56853.	631	0.7	0.6	2.7	0.1	0.1	4.3	19	0.0
46826	0	0	1	0	DSu	47.0228	69.2362	28.5	713.1	484	56851.	588	0.5	0.1	2.7	0.1	0.1	0.1	16	0.0
46825	0	0	1	0	DSu	47.0229	69.2356	28.5	712.8	495	56852.	517	0.6	0.0	4.1	0.1	0.1	8.0	29	0.0
46824	0	0	1	0	DSu	47.0229	69.2350	28.5	712.5	502	56852.	573	0.6	0.7	4.0	0.1	0.1	6.7	27	0.0

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
46823	0	0	0	0	DSu	47.0229	69.2345	28.5	712.2	509	56851.	622	0.6	2.9	4.0	5.4	0.8	7.5	22	0.0
46822	0	0	1	1	DSu	47.0229	69.2339	28.5	712.0	517	56851.	551	0.6	1.3	1.4	0.1	0.1	0.1	27	0.0
46820	0	0	0	0	DSu	47.0230	69.2327	28.5	711.6	530	56851.	564	0.5	1.7	2.4	0.1	0.8	0.1	21	0.0
46819	0	0	1	0	DSu	47.0230	69.2322	28.5	711.3	536	56850.	625	0.6	0.7	4.5	0.1	0.1	7.9	35	0.0
46818	0	0	1	0	DSu	47.0231	69.2316	28.4	711.0	538	56849.	594	0.7	0.1	3.0	0.1	0.1	4.4	19	0.0
46817	0	0	1	0	DSu	47.0231	69.2310	28.4	710.7	540	56848.	592	0.7	1.1	1.7	0.1	0.1	2.7	22	0.0
46816	0	0	0	0	DSu	47.0231	69.2305	28.2	708.2	543	56848.	638	0.6	1.6	2.9	3.1	0.6	5.6	35	0.0
46815	0	0	1	0	DSu	47.0231	69.2299	28.2	708.3	542	56849.	653	0.9	0.2	2.6	0.1	0.1	3.1	25	0.0
46814	0	0	1	0	DSu	47.0232	69.2293	28.3	708.3	540	56848.	600	0.6	0.3	1.8	0.1	0.1	3.0	26	0.0
46813	0	0	1	0	DSu	47.0232	69.2287	28.3	708.3	537	56848.	714	0.8	0.9	4.1	0.1	0.1	5.3	22	0.0
46812	0	0	1	0	DSu	47.0232	69.2282	28.3	708.2	529	56849.	677	0.8	0.6	5.5	0.1	0.1	7.8	17	0.0
46811	0	0	1	0	DSu	47.0233	69.2276	28.3	708.2	517	56849.	722	0.9	0.7	4.7	0.1	0.1	5.3	28	0.0
46810	0	0	1	0	DSu	47.0233	69.2270	28.3	708.1	501	56850.	724	0.9	0.1	2.9	0.1	0.1	3.4	19	0.0
46809	0	0	1	0	DSu	47.0233	69.2264	28.3	708.1	488	56851.	874	1.0	1.1	6.7	0.1	0.1	6.7	28	0.0
46808	0	0	1	0	DSu	47.0234	69.2259	28.3	708.0	477	56851.	760	0.8	1.4	4.5	0.1	0.1	5.8	21	0.0
46807	0	0	1	0	DSu	47.0234	69.2253	28.3	708.0	465	56849.	784	1.0	1.2	5.4	0.1	0.1	5.8	27	0.0
46806	0	0	1	0	DSu	47.0234	69.2247	28.3	707.9	451	56850.	824	0.8	0.1	2.8	0.1	0.1	3.8	33	0.0
46805	0	0	1	0	DSu	47.0234	69.2242	28.3	707.8	438	56851.	774	1.1	1.2	2.7	0.1	0.1	2.5	16	0.0
46804	0	0	1	0	DSu	47.0235	69.2236	28.3	707.7	429	56851.	779	0.8	0.9	5.0	0.1	0.1	6.6	26	0.0
46803	0	0	1	0	DSu	47.0235	69.2230	28.3	707.6	426	56851.	730	0.8	-0.1	3.5	0.1	0.1	4.9	27	0.0
46802	0	0	1	0	DSu	47.0235	69.2224	28.3	707.5	425	56852.	730	0.7	0.9	3.6	0.1	0.1	5.4	21	0.0
46801	0	0	1	0	DSu	47.0236	69.2219	28.3	707.3	427	56852.	837	0.9	0.5	4.4	0.1	0.1	5.2	28	0.0
46800	0	0	1	0	DSu	47.0236	69.2213	28.3	707.2	423	56852.	780	0.6	0.7	5.5	0.1	0.1	10.1	29	0.0
46799	0	0	1	0	DSu	47.0236	69.2207	28.3	707.0	418	56852.	831	0.8	1.2	4.3	0.1	0.1	5.9	23	0.0
46798	0	0	1	0	DSu	47.0237	69.2201	28.3	706.9	410	56851.	767	0.8	0.2	3.9	0.1	0.1	4.9	17	0.0
46797	0	0	1	0	DSu	47.0237	69.2196	28.3	706.8	405	56851.	823	0.9	0.9	3.5	0.1	0.1	4.3	31	0.0
46796	0	0	1	0	DSu	47.0237	69.2190	28.3	706.7	401	56851.	745	1.0	0.2	3.0	0.1	0.1	3.2	26	0.0
46795	0	0	1	0	DSu	47.0238	69.2184	28.3	706.5	404	56850.	784	0.8	0.5	2.1	0.1	0.1	2.7	19	0.0
46794	0	0	1	0	DSu	47.0238	69.2179	28.3	706.4	410	56849.	739	0.7	-0.2	5.5	0.1	0.1	8.8	22	0.0
46793	0	0	1	0	DSu	47.0238	69.2173	28.3	706.2	422	56848.	710	0.9	1.0	4.5	0.1	0.1	5.5	23	0.0
46792	0	0	1	0	DSu	47.0238	69.2167	28.3	706.0	434	56848.	639	0.6	-0.7	4.0	0.1	0.1	7.4	27	0.0
46791	0	0	1	0	DSu	47.0239	69.2161	28.3	705.9	447	56848.	721	0.8	0.9	5.2	0.1	0.1	6.7	27	0.0
46790	0	0	0	0	DSu	47.0239	69.2156	28.3	705.7	456	56849.	732	0.7	1.8	4.3	2.8	0.5	6.8	27	0.0
46789	0	0	1	0	DSu	47.0239	69.2150	28.3	705.4	465	56849.	758	0.8	1.1	3.5	0.1	0.1	4.7	23	0.0
46788	0	0	1	0	DSu	47.0240	69.2144	28.3	705.2	470	56848.	707	0.6	0.3	3.7	0.1	0.1	6.3	26	0.0
46787	0	0	1	0	DSu	47.0240	69.2139	28.3	705.0	472	56848.	749	0.7	-0.1	4.9	0.1	0.1	7.6	22	0.0
46786	0	0	1	0	DSu	47.0240	69.2133	28.3	704.7	469	56848.	836	0.9	1.3	6.4	0.1	0.1	7.3	25	0.0
46785	0	0	1	0	DSu	47.0241	69.2127	28.3	704.5	463	56848.	850	0.8	0.9	3.7	0.1	0.1	5.1	23	0.0
46784	0	0	1	0	DSu	47.0241	69.2121	28.3	704.2	450	56848.	835	1.1	0.9	5.6	0.1	0.1	5.3	28	0.0
46783	0	0	1	0	DSu	47.0241	69.2116	28.3	704.0	436	56848.	840	1.0	0.2	5.4	0.1	0.1	5.8	24	0.0
46782	0	0	0	0	DSu	47.0241	69.2110	28.3	703.8	420	56848.	801	0.8	1.5	1.9	2.0	0.8	2.6	27	0.0
46781	0	0	1	0	DSu	47.0242	69.2104	28.3	703.5	408	56849.	785	0.8	1.2	6.0	0.1	0.1	8.4	30	0.0
46780	0	0	0	0	DSu	47.0242	69.2098	28.3	703.3	402	56849.	789	1.0	1.4	3.8	1.4	0.4	3.9	31	0.0
46779	0	0	1	0	DSu	47.0242	69.2093	28.3	703.1	403	56849.	778	0.9	-0.4	5.7	0.1	0.1	7.0	23	0.0
46778	0	0	1	0	DSu	47.0243	69.2087	28.3	702.9	406	56848.	776	0.8	0.1	4.6	0.1	0.1	6.5	24	0.0
46777	0	0	1	0	DSu	47.0243	69.2081	28.3	702.7	412	56847.	771	0.9	0.1	6.0	0.1	0.1	6.8	33	0.0
46776	0	0	1	0	DSu	47.0243	69.2076	28.3	702.5	421	56847.	722	0.9	-0.5	3.1	0.1	0.1	3.7	26	0.0
46775	0	0	1	0	DSu	47.0244	69.2070	28.3	702.3	434	56848.	788	0.8	1.1	3.7	0.1	0.1	5.1	27	0.0
46774	0	0	1	0	DSu	47.0244	69.2064	28.3	702.2	445	56849.	799	1.0	0.6	2.1	0.1	0.1	2.2	20	0.0
46773	0	0	1	0	DSu	47.0244	69.2058	28.3	702.0	451	56850.	862	0.7	0.5	4.0	0.1	0.1	6.2	27	0.0

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

- A15 -
 MAINE AERIAL SURVEY EDMUNDSTON QUADRANGLE, CARSON GEOSCIENCE INC., 1980

LINE NO. 60

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPH			CPS	CPS	
46772	0	0	0	0	DSU	47.0244	69.2053	28.3	701.9	455	56850.	856	0.9	1.6	3.4	2.0	0.5	4.2	21	0.0
46771	0	0	1	0	DSU	47.0245	69.2047	28.3	701.9	459	56848.	869	0.9	0.2	4.7	0.1	0.1	4.6	32	0.0
46770	0	0	1	0	DSU	47.0245	69.2041	28.3	701.9	467	56848.	927	1.1	0.4	4.8	0.1	0.1	4.7	28	0.0
46769	0	0	1	0	DSU	47.0245	69.2035	28.3	701.9	476	56849.	908	1.0	1.3	2.8	0.1	0.1	2.8	22	0.0
46768	0	0	0	0	DSU	47.0246	69.2030	28.3	701.8	486	56849.	846	0.9	1.8	4.8	2.2	0.4	5.9	34	0.0
46767	0	0	1	0	DSU	47.0246	69.2024	28.4	701.9	491	56848.	918	0.9	1.0	5.1	0.1	0.1	5.9	26	0.0
46766	0	0	1	0	DSU	47.0246	69.2018	28.4	701.9	496	56849.	830	0.9	0.6	7.1	0.1	0.1	8.8	35	0.0
46765	0	0	1	0	DSU	47.0247	69.2012	28.4	701.9	496	56849.	841	1.0	1.3	2.9	0.1	0.1	3.1	22	0.0
46764	0	0	1	0	DSU	47.0247	69.2007	28.4	702.0	497	56849.	818	0.9	1.2	3.6	0.1	0.1	4.4	28	0.0
46763	0	0	1	0	DSU	47.0247	69.2001	28.4	702.1	495	56849.	847	0.9	0.8	4.4	0.1	0.1	5.2	19	0.0
46762	0	0	1	0	DSU	47.0247	69.1995	28.4	702.2	489	56850.	832	1.1	0.0	6.6	0.1	0.1	6.4	34	0.0
46761	0	0	1	0	DSU	47.0248	69.1990	28.4	702.3	478	56850.	784	0.9	-0.2	5.0	0.1	0.1	5.6	30	0.0
46760	0	0	0	0	DSU	47.0248	69.1984	28.6	704.3	449	56851.	823	0.8	2.5	4.3	3.3	0.6	5.7	31	0.0
46759	0	0	1	0	DSU	47.0248	69.1978	28.6	704.2	445	56851.	822	0.9	1.2	3.2	0.1	0.1	3.5	22	0.0
46758	0	0	1	0	DSU	47.0249	69.1972	28.6	704.2	444	56852.	856	1.0	0.7	4.9	0.1	0.1	5.1	20	0.0
46757	0	0	1	0	DSU	47.0249	69.1967	28.6	704.2	441	56854.	797	0.9	-0.2	3.8	0.1	0.1	4.2	21	0.0
46756	0	0	0	0	DSU	47.0249	69.1961	28.6	704.2	440	56854.	954	1.2	1.3	4.2	1.1	0.3	3.6	32	0.0
46755	0	0	1	0	DSU	47.0250	69.1955	28.6	704.3	435	56854.	943	1.0	1.0	5.1	0.1	0.1	5.5	34	0.0
46754	0	0	1	0	DSU	47.0250	69.1949	28.6	704.3	427	56853.	916	1.1	0.8	3.4	0.1	0.1	3.3	22	0.0
46753	0	0	0	0	DSU	47.0250	69.1944	28.6	704.4	419	56851.	903	0.9	1.5	4.6	1.8	0.4	5.4	21	0.0
46752	0	0	0	0	DSU	47.0250	69.1938	28.6	704.5	412	56850.	814	0.7	1.4	4.0	2.0	0.4	5.7	18	0.0
46751	0	0	0	0	DSU	47.0251	69.1932	28.6	704.6	408	56849.	844	0.7	1.2	3.9	1.8	0.3	5.9	30	0.0
46750	0	0	1	0	DSU	47.0251	69.1927	28.6	704.7	404	56849.	796	0.9	0.7	3.6	0.1	0.1	4.0	31	0.0
46749	0	0	1	0	DSU	47.0252	69.1921	28.6	704.8	403	56849.	835	0.9	1.1	2.9	0.1	0.1	3.2	25	0.0
46748	0	0	0	0	DSU	47.0252	69.1915	28.6	704.9	404	56850.	762	0.7	1.9	3.4	2.8	0.6	5.2	27	0.0
46747	0	0	1	0	DSU	47.0252	69.1909	28.6	705.2	409	56850.	780	0.9	0.9	5.2	0.1	0.1	6.1	25	0.0
46746	0	0	1	0	DSU	47.0252	69.1904	28.6	705.4	415	56849.	769	1.0	-0.2	4.6	0.1	0.1	4.8	24	0.0
46745	0	0	1	0	DSU	47.0253	69.1898	28.6	705.6	423	56849.	690	0.7	0.8	2.8	0.1	0.1	4.3	22	0.0
46744	0	0	1	0	DSU	47.0253	69.1892	28.6	705.8	435	56849.	747	0.7	0.3	4.1	0.1	0.1	6.1	18	0.0
46743	0	0	1	0	DSU	47.0253	69.1887	28.6	705.9	445	56848.	715	0.7	1.2	3.7	0.1	0.1	5.5	25	0.0
46742	0	0	1	0	DSU	47.0254	69.1881	28.6	706.1	450	56849.	703	0.9	0.8	4.3	0.1	0.1	4.9	24	0.0
46741	0	0	1	0	DSU	47.0254	69.1875	28.6	706.2	448	56849.	697	0.7	0.3	3.6	0.1	0.1	5.2	20	0.0
46740	0	0	1	0	DSU	47.0254	69.1869	28.6	706.4	443	56848.	681	0.9	0.1	2.9	0.1	0.1	3.6	23	0.0
46739	0	0	0	0	DSU	47.0254	69.1864	28.6	706.5	435	56848.	639	0.6	1.6	4.5	3.0	0.4	8.4	34	0.0
46738	0	0	1	0	DSU	47.0255	69.1858	28.6	706.6	425	56847.	695	0.9	-0.2	2.4	0.1	0.1	2.8	23	0.0
46737	0	0	1	0	DSU	47.0255	69.1852	28.6	706.6	418	56846.	634	0.6	0.3	5.0	0.1	0.1	8.8	32	0.0
46736	0	0	1	0	DSU	47.0255	69.1846	28.6	706.7	415	56846.	582	0.5	0.3	2.9	0.1	0.1	0.1	25	0.0
46735	0	0	1	0	DSU	47.0255	69.1840	28.6	706.7	419	56847.	585	0.6	0.9	3.0	0.1	0.1	5.3	20	0.0
46734	0	0	1	0	DSU	47.0255	69.1834	28.6	706.7	427	56846.	499	0.4	0.6	2.0	0.1	0.1	0.1	23	0.0
46733	0	0	0	0	DSU	47.0255	69.1828	28.6	706.7	438	56846.	486	0.3	1.4	1.7	0.1	0.9	0.1	32	0.0
46732	0	0	1	0	DSU	47.0255	69.1822	28.6	706.7	450	56846.	423	0.3	0.9	2.0	0.1	0.1	0.1	32	0.0
46731	0	0	1	0	DSU	47.0255	69.1816	28.6	706.7	460	56846.	370	0.5	-0.8	1.9	0.1	0.1	0.1	25	0.0
46730	0	0	1	0	DSU	47.0255	69.1810	28.7	706.7	471	56846.	410	0.5	0.5	1.4	0.1	0.1	0.1	15	0.0
46729	0	0	1	0	DSU	47.0255	69.1804	28.7	706.6	480	56845.	380	0.4	0.6	1.6	0.1	0.1	0.1	25	0.0
46728	0	0	1	0	DSU	47.0255	69.1798	28.7	706.6	489	56844.	412	0.4	0.1	2.0	0.1	0.1	0.1	21	0.0
46727	0	0	1	0	DSU	47.0255	69.1792	28.7	706.6	497	56845.	336	0.4	0.3	1.6	0.1	0.1	0.1	30	0.0
46725	0	0	0	0	DSU	47.0254	69.1780	28.7	706.5	505	56847.	416	0.6	1.4	2.3	2.5	0.6	4.2	23	0.0
46724	0	0	1	0	DSU	47.0254	69.1774	28.7	706.5	516	56847.	444	0.5	0.0	2.6	0.1	0.1	0.1	15	0.0
46723	0	0	1	0	DSU	47.0254	69.1768	28.7	706.5	521	56847.	462	0.3	1.3	2.3	0.1	0.1	0.1	26	0.0
46722	0	0	1	0	DSU	47.0254	69.1762	28.7	706.5	523	56847.	478	0.3	1.3	2.9	0.1	0.1	0.1	31	0.0

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
46721	0	0	1	0	DSu	47.0254	69.1756	28.7	706.5	513	56847.	520	0.5	0.4	2.2	0.1	0.1	0.1	21	0.0
46720	0	0	1	0	DSu	47.0254	69.1750	28.7	706.5	496	56848.	589	0.7	0.3	3.8	0.1	0.1	5.8	26	0.0
46719	0	0	1	0	DSu	47.0254	69.1744	28.7	706.6	475	56849.	604	0.5	0.5	2.9	0.1	0.1	0.1	32	0.0
46718	0	0	0	1	DSu	47.0254	69.1738	28.7	706.6	455	56849.	677	0.8	1.3	1.1	1.7	0.1	0.1	22	0.0
46717	0	0	0	0	DSu	47.0254	69.1732	28.7	706.7	446	56849.	613	0.6	1.5	3.7	3.0	0.5	7.4	20	0.0
46716	0	0	1	0	DSu	47.0254	69.1726	28.7	706.8	439	56849.	691	0.8	0.4	3.7	0.1	0.1	5.2	31	0.0
46715	0	0	1	0	DSu	47.0254	69.1720	28.7	706.9	436	56849.	670	0.5	0.2	4.1	0.1	0.1	0.1	14	0.0
46714	0	0	1	0	DSu	47.0254	69.1714	28.7	707.1	434	56849.	715	0.8	0.5	3.4	0.1	0.1	4.8	25	0.0
46713	0	0	1	0	DSu	47.0254	69.1708	28.7	707.2	435	56849.	704	0.6	0.2	4.9	0.1	0.1	8.9	20	0.0
46712	0	0	1	0	DSu	47.0254	69.1702	28.7	707.4	438	56849.	731	0.7	0.8	3.0	0.1	0.1	4.3	26	0.0
46711	0	0	1	0	DSu	47.0254	69.1696	28.7	707.6	442	56849.	663	0.7	1.0	4.2	0.1	0.1	6.0	36	0.0
46710	0	0	1	0	DSu	47.0254	69.1690	28.7	707.8	445	56849.	629	0.7	0.1	3.4	0.1	0.1	5.3	35	0.0
46709	0	0	1	0	DSu	47.0254	69.1684	28.7	707.9	448	56849.	670	0.8	-0.8	3.7	0.1	0.1	4.7	29	0.0
46708	0	0	1	0	DSu	47.0254	69.1678	28.7	708.1	452	56849.	674	0.7	-0.4	6.2	0.1	0.1	9.6	32	0.0
46707	0	0	1	0	DSu	47.0254	69.1673	28.7	708.3	453	56849.	651	0.7	1.3	3.3	0.1	0.1	5.1	17	0.0
46706	0	0	1	0	DSu	47.0254	69.1667	28.7	708.5	453	56849.	613	0.7	-0.6	3.5	0.1	0.1	5.4	32	0.0
46705	0	0	1	0	DSu	47.0254	69.1661	28.7	708.6	450	56848.	660	0.5	0.3	2.6	0.1	0.1	0.1	15	0.0
46704	0	0	1	0	DSu	47.0254	69.1655	28.7	708.8	449	56848.	612	0.6	0.8	3.7	0.1	0.1	7.2	21	0.0
46703	0	0	1	0	DSu	47.0254	69.1649	28.9	710.5	444	56849.	643	0.5	0.5	4.6	0.1	0.1	0.1	22	0.0
46702	0	0	0	0	DSu	47.0254	69.1643	28.9	710.4	442	56849.	635	0.5	2.4	2.9	0.1	0.9	0.1	23	0.0
46701	0	0	1	0	DSu	47.0254	69.1637	28.9	710.4	437	56848.	569	0.4	1.2	2.0	0.1	0.1	0.1	24	0.0
46700	0	0	1	0	DSu	47.0254	69.1631	28.9	710.5	428	56848.	600	0.3	0.3	3.8	0.1	0.1	0.1	32	0.0
46699	0	0	1	0	DSu	47.0254	69.1625	28.9	710.5	418	56849.	626	0.6	1.2	3.5	0.1	0.1	7.0	32	0.0
46698	0	0	1	0	DSu	47.0254	69.1619	28.9	710.5	410	56849.	621	0.8	0.8	3.1	0.1	0.1	4.3	44	0.0
46697	0	0	1	0	DSu	47.0254	69.1613	28.9	710.5	406	56849.	672	0.6	0.8	2.7	0.1	0.1	4.5	24	0.0
46696	0	0	1	0	DSu	47.0254	69.1607	28.9	710.6	405	56848.	663	0.6	0.7	4.0	0.1	0.1	6.6	36	0.0
46695	0	0	1	0	DSu	47.0254	69.1601	28.9	710.6	405	56847.	639	0.7	1.0	3.1	0.1	0.1	4.8	20	0.0
46694	0	0	1	0	DSu	47.0254	69.1595	28.9	710.7	403	56847.	587	0.5	0.9	4.3	0.1	0.1	0.1	28	0.0
46693	0	0	1	0	DSu	47.0254	69.1589	28.9	710.7	402	56847.	532	0.6	-0.6	2.1	0.1	0.1	3.5	24	0.0
46692	0	0	1	0	DSu	47.0254	69.1583	28.9	710.7	399	56848.	628	0.5	0.9	3.3	0.1	0.1	0.1	19	0.0
46691	0	0	1	0	DSu	47.0254	69.1577	28.9	710.7	398	56848.	600	0.5	0.3	2.1	0.1	0.1	0.1	22	0.0
46690	0	0	1	0	DSu	47.0254	69.1571	28.9	710.8	399	56848.	609	0.7	0.5	2.2	0.1	0.1	3.3	23	0.0
46689	0	0	1	0	DSu	47.0254	69.1565	28.9	710.9	398	56847.	672	0.9	0.9	2.7	0.1	0.1	3.3	24	0.0
46688	0	0	0	0	DSu	47.0254	69.1559	28.9	711.0	393	56847.	693	0.6	1.5	2.8	2.5	0.6	4.8	22	0.0
46687	0	0	0	0	DSu	47.0254	69.1553	28.9	711.0	388	56847.	673	0.8	1.5	2.6	2.0	0.6	3.5	21	0.0
46686	0	0	0	0	DSu	47.0254	69.1547	28.9	711.1	387	56847.	755	0.8	2.1	2.6	2.6	0.8	3.4	24	0.0
46685	0	0	1	0	DSu	47.0254	69.1541	28.9	711.1	387	56847.	743	0.7	1.0	3.2	0.1	0.1	4.8	21	0.0
46684	0	0	0	0	DSu	47.0254	69.1535	28.9	711.2	389	56847.	774	0.7	1.4	2.5	2.1	0.6	3.7	28	0.0
46683	0	0	1	0	DSu	47.0254	69.1529	28.9	711.2	390	56847.	680	0.7	1.1	3.3	0.1	0.1	5.2	36	0.0
46682	0	0	1	0	DSu	47.0254	69.1523	28.9	711.2	396	56846.	709	0.7	0.3	5.8	0.1	0.1	8.3	22	0.0
46681	0	0	1	0	DSu	47.0254	69.1517	28.9	711.2	402	56846.	725	0.6	0.8	4.1	0.1	0.1	7.2	19	0.0
46680	0	0	1	0	DSu	47.0254	69.1511	28.9	711.3	410	56846.	766	1.0	0.7	3.3	0.1	0.1	3.3	20	0.0
46679	0	0	1	0	DSu	47.0254	69.1505	28.9	711.3	415	56847.	735	0.8	-0.3	2.9	0.1	0.1	3.9	31	0.0
46678	0	0	1	0	DSu	47.0254	69.1499	28.9	711.3	421	56848.	728	0.6	0.4	3.6	0.1	0.1	5.9	22	0.0
46677	0	0	1	0	DSu	47.0254	69.1493	28.9	711.3	426	56848.	718	0.7	1.1	3.0	0.1	0.1	4.6	28	0.0
46676	0	0	1	0	DSu	47.0254	69.1487	28.9	711.3	430	56847.	681	0.7	0.9	4.4	0.1	0.1	6.7	24	0.0
46675	0	0	1	0	DSu	47.0254	69.1481	28.9	711.3	435	56846.	706	0.6	0.6	4.1	0.1	0.1	7.9	19	0.0
46674	0	0	0	0	DSu	47.0254	69.1475	28.9	711.3	441	56846.	750	0.6	2.0	3.3	3.9	0.6	6.5	19	0.0
46673	0	0	1	0	DSu	47.0254	69.1469	28.9	711.3	445	56845.	669	0.5	0.8	4.1	0.1	0.1	0.1	25	0.0
46672	0	0	0	0	DSu	47.0253	69.1463	28.9	711.3	445	56845.	698	0.6	1.4	3.1	2.7	0.5	5.8	24	0.0

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
46671	0	0	1	0	DSU	47.0253	69.1457	28.9	711.3	439	56845.	727	0.7	0.4	5.1	0.1	0.1	8.2	28	0.0
46670	0	0	1	0	DSU	47.0253	69.1451	28.9	711.3	432	56844.	726	0.7	0.0	4.2	0.1	0.1	4.1	17	0.0
46669	0	0	1	0	DSU	47.0253	69.1445	28.9	711.3	427	56844.	653	0.6	0.4	2.6	0.1	0.1	5.3	19	0.0
46668	0	0	0	0	DSU	47.0253	69.1439	28.9	711.3	424	56845.	663	0.9	1.3	3.6	1.5	0.4	4.2	16	0.0
46667	0	0	1	0	DSU	47.0253	69.1433	28.9	711.4	423	56845.	682	0.8	-0.2	2.6	0.1	0.1	3.3	28	0.0
46666	0	0	1	0	DSU	47.0253	69.1427	28.9	711.4	421	56845.	610	0.7	0.2	3.7	0.1	0.1	6.1	26	0.0
46665	0	0	1	0	DSU	47.0253	69.1422	28.9	711.4	422	56844.	684	0.8	0.8	4.8	0.1	0.1	6.5	29	0.0
46664	0	0	1	0	DSU	47.0253	69.1415	28.9	711.4	425	56843.	671	0.9	-0.4	4.0	0.1	0.1	4.8	33	0.0
46663	0	0	1	0	DSU	47.0253	69.1410	28.9	711.4	428	56842.	680	0.7	0.1	3.4	0.1	0.1	5.0	15	0.0
46662	0	0	0	0	DSU	47.0253	69.1404	28.9	711.3	429	56842.	682	0.6	1.9	3.9	3.3	0.5	6.6	23	0.0
46661	0	0	1	0	DSU	47.0253	69.1398	28.9	711.3	429	56843.	658	0.8	0.5	2.5	0.1	0.1	3.4	18	0.0
46660	0	0	1	0	DSU	47.0253	69.1392	28.9	711.3	429	56843.	748	0.9	-0.1	2.8	0.1	0.1	3.3	20	0.0
46659	0	0	1	0	DSU	47.0253	69.1386	28.9	711.3	427	56843.	660	0.6	1.1	5.1	0.1	0.1	9.6	31	0.0
46658	0	0	1	0	DSU	47.0253	69.1380	29.0	711.4	422	56843.	742	0.8	1.2	4.0	0.1	0.1	5.7	39	0.0
46657	0	0	1	0	DSU	47.0253	69.1374	29.0	711.4	416	56843.	620	0.6	1.0	3.9	0.1	0.1	6.5	25	0.0
46656	0	0	1	0	DSU	47.0253	69.1368	29.0	711.4	409	56843.	742	0.9	0.7	2.9	0.1	0.1	3.6	29	0.0
46655	0	0	0	0	DSU	47.0253	69.1362	29.0	711.5	404	56843.	764	0.9	1.5	4.9	1.7	0.3	5.7	17	0.0
46654	0	0	1	0	DSU	47.0253	69.1356	29.0	711.6	403	56843.	692	0.6	0.7	2.4	0.1	0.1	4.3	20	0.0
46653	0	0	1	0	DSU	47.0253	69.1350	29.0	711.6	408	56842.	732	0.8	1.1	3.5	0.1	0.1	4.7	33	0.0
46652	0	0	0	0	DSU	47.0253	69.1344	29.0	711.7	416	56842.	791	0.9	1.4	3.5	1.7	0.4	4.3	16	0.0
46651	0	0	1	0	DSU	47.0253	69.1338	29.0	711.8	427	56841.	816	1.0	1.2	3.1	0.1	0.1	3.2	23	0.0
46650	0	0	1	0	DSU	47.0253	69.1332	29.0	711.9	432	56841.	746	0.6	0.5	4.1	0.1	0.1	7.6	21	0.0
46649	0	0	0	0	DSU	47.0253	69.1326	29.0	711.9	426	56841.	729	0.9	1.7	3.2	1.8	0.6	3.5	16	0.0
46648	0	0	1	0	DSU	47.0253	69.1320	29.0	712.0	418	56841.	681	0.8	0.3	2.4	0.1	0.1	3.3	19	0.0
46647	0	0	1	0	DSU	47.0253	69.1314	29.1	712.5	408	56840.	697	0.9	0.0	2.9	0.1	0.1	3.6	22	0.0
46646	0	0	1	0	DSU	47.0253	69.1308	29.1	712.5	410	56840.	614	0.6	0.7	2.3	0.1	0.1	3.8	20	0.0
46645	0	0	1	0	DSU	47.0253	69.1302	29.1	712.5	412	56840.	673	0.4	1.0	1.9	0.1	0.1	0.1	24	0.0
46644	0	0	1	0	DSU	47.0253	69.1296	29.1	712.5	414	56841.	683	0.8	1.0	1.8	0.1	0.1	2.4	22	0.0
46643	0	0	1	0	DSU	47.0253	69.1290	29.1	712.5	414	56842.	644	0.8	0.1	2.8	0.1	0.1	3.9	19	0.0
46642	0	0	1	0	DSU	47.0253	69.1284	29.1	712.5	415	56843.	627	0.7	0.1	2.9	0.1	0.1	4.6	18	0.0
46641	0	0	1	0	DSU	47.0253	69.1278	29.1	712.5	419	56843.	649	0.6	0.4	2.9	0.1	0.1	5.6	31	0.0
46640	0	0	1	0	DSU	47.0253	69.1272	29.1	712.5	423	56842.	572	0.6	1.2	2.5	0.1	0.1	4.4	35	0.0
46639	0	0	0	0	DSU	47.0253	69.1266	29.1	712.5	424	56842.	685	0.7	1.4	4.5	2.1	0.3	7.1	26	0.0
46638	0	0	1	0	DSU	47.0253	69.1260	29.1	712.5	427	56842.	603	0.5	0.9	4.6	0.1	0.1	0.1	22	0.0
46637	0	0	1	0	DSU	47.0253	69.1254	29.1	712.5	430	56843.	645	0.5	0.4	2.1	0.1	0.1	0.1	26	0.0
46636	0	0	1	1	DSU	47.0253	69.1248	29.1	712.5	432	56842.	565	0.6	0.4	0.8	0.1	0.1	0.1	21	0.0
46635	0	0	1	0	DSU	47.0253	69.1242	29.1	712.5	430	56842.	647	0.6	0.4	4.6	0.1	0.1	7.9	26	0.0
46634	0	0	1	0	DSU	47.0253	69.1236	29.1	712.5	425	56844.	589	0.6	-0.2	5.0	0.1	0.1	9.7	25	0.0
46633	0	0	1	0	DSU	47.0253	69.1230	29.1	712.5	419	56845.	667	0.6	1.0	3.7	0.1	0.1	7.1	24	0.0
46632	0	0	1	0	DSU	47.0253	69.1224	29.1	712.5	408	56846.	589	0.7	0.3	4.0	0.1	0.1	6.3	18	0.0
46630	0	0	1	0	DSU	47.0253	69.1212	29.1	712.6	394	56848.	628	0.6	0.1	4.0	0.1	0.1	6.6	20	0.0
46629	0	0	1	0	DSU	47.0253	69.1206	29.1	712.7	376	56849.	612	0.6	-0.1	3.2	0.1	0.1	5.8	28	0.0
46628	0	0	1	0	DSU	47.0253	69.1200	29.1	712.8	358	56850.	647	0.7	0.7	3.3	0.1	0.1	5.1	29	0.0
46627	0	0	1	0	DSU	47.0253	69.1194	29.1	712.9	340	56851.	689	0.5	0.3	2.9	0.1	0.1	0.1	26	0.0
46626	0	0	1	0	DSU	47.0253	69.1188	29.1	713.0	323	56850.	714	0.6	-0.3	5.3	0.1	0.1	9.5	26	0.0
46625	0	0	0	0	DSU	47.0253	69.1182	29.1	713.2	309	56847.	687	0.6	1.2	2.8	2.0	0.5	4.8	30	0.0
46624	0	0	0	0	DSU	47.0253	69.1176	29.1	713.3	301	56846.	736	0.9	1.5	4.8	1.7	0.3	5.3	23	0.0
46623	0	0	0	0	DSU	47.0253	69.1170	29.1	713.5	300	56846.	767	0.8	1.2	2.3	1.5	0.6	3.0	24	0.0
46622	0	0	1	0	DSU	47.0253	69.1164	29.1	713.7	306	56846.	834	0.7	0.3	4.7	0.1	0.1	6.9	18	0.0
46621	0	0	1	0	DSU	47.0253	69.1158	29.1	713.9	315	56845.	760	0.9	0.3	4.7	0.1	0.1	5.4	21	0.0

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
46620	0	0	1	0	DSu	47.0253	69.1152	29.1	714.2	324	56845.	782	0.8	0.6	3.9	0.1	0.1	5.1	37	0.0
46619	0	0	1	0	DSu	47.0253	69.1146	29.1	714.4	332	56846.	750	0.8	0.6	4.9	0.1	0.1	6.7	17	0.0
46618	0	0	1	0	DSu	47.0252	69.1141	29.1	714.6	336	56846.	804	0.8	0.2	3.5	0.1	0.1	4.8	21	0.0
46617	0	0	1	0	DSu	47.0252	69.1135	29.1	714.9	338	56846.	762	0.8	-0.3	4.2	0.1	0.1	5.7	30	0.0
46616	0	0	0	0	DSu	47.0252	69.1129	29.1	715.1	339	56846.	805	0.7	1.3	4.1	1.9	0.3	6.1	26	0.0
46615	0	0	0	0	DSu	47.0252	69.1123	29.1	715.3	343	56846.	746	0.7	1.2	3.5	2.0	0.4	5.6	26	0.0
46614	0	0	0	0	DSu	47.0252	69.1117	29.1	715.5	351	56846.	788	0.8	2.6	4.3	3.5	0.6	5.7	29	0.0
46613	0	0	1	0	DSu	47.0252	69.1111	29.1	715.7	361	56844.	789	0.6	0.7	3.4	0.1	0.1	6.0	13	0.0
46612	0	0	0	0	DSu	47.0252	69.1105	29.1	715.9	373	56843.	780	0.9	1.2	2.7	1.5	0.5	3.3	17	0.0
46611	0	0	0	0	DSu	47.0252	69.1099	29.1	716.0	388	56844.	685	0.7	1.5	2.4	2.2	0.6	3.6	29	0.0
46610	0	0	1	0	DSu	47.0252	69.1093	29.1	716.2	400	56844.	696	0.9	0.8	4.6	0.1	0.1	5.1	30	0.0
46609	0	0	1	0	DSu	47.0252	69.1087	29.1	716.3	399	56842.	627	0.6	0.4	3.7	0.1	0.1	6.7	25	0.0
46608	0	0	0	0	DSu	47.0252	69.1081	29.1	716.3	389	56840.	678	0.6	1.3	4.8	2.5	0.3	9.1	23	0.0
46607	0	0	1	0	DSu	47.0252	69.1075	29.1	716.3	380	56838.	706	0.8	0.6	3.8	0.1	0.1	5.3	19	0.0
46606	0	0	1	0	DSu	47.0252	69.1069	29.1	716.3	384	56836.	667	0.5	0.6	4.1	0.1	0.1	0.1	28	0.0
46605	0	0	0	0	DSu	47.0252	69.1063	29.1	716.2	401	56835.	732	0.8	1.3	4.0	1.8	0.4	5.4	18	0.0
46604	0	0	0	0	DSu	47.0252	69.1057	29.1	716.1	418	56835.	787	0.9	1.9	3.0	2.2	0.7	3.5	20	0.0
46603	0	0	1	0	DSu	47.0252	69.1051	29.1	716.0	432	56836.	790	0.7	0.8	4.4	0.1	0.1	6.7	13	0.0
46602	0	0	1	0	DSu	47.0252	69.1046	29.1	716.0	440	56837.	808	0.7	0.1	4.5	0.1	0.1	6.7	20	0.0
46601	0	0	1	0	DSu	47.0252	69.1041	29.1	715.9	452	56839.	778	0.9	0.5	4.7	0.1	0.1	5.6	24	0.0
46600	0	0	1	0	DSu	47.0252	69.1035	29.1	715.9	463	56840.	792	0.9	0.5	3.1	0.1	0.1	3.5	35	0.0
46599	0	0	0	0	DSu	47.0252	69.1030	29.1	715.8	471	56841.	784	0.8	1.4	3.0	1.9	0.5	4.1	26	0.0
46598	0	0	0	0	DSu	47.0252	69.1025	29.1	715.8	476	56842.	821	0.8	2.3	3.5	3.0	0.7	4.5	30	0.0
46597	0	0	1	0	DSu	47.0252	69.1020	29.1	715.7	477	56842.	837	1.0	1.1	5.7	0.1	0.1	5.8	26	0.0
46596	0	0	1	0	DSu	47.0252	69.1014	29.1	715.7	477	56842.	767	0.9	-0.5	4.2	0.1	0.1	5.2	28	0.0
46595	0	0	0	0	DSu	47.0252	69.1009	29.1	715.8	475	56841.	787	0.7	1.7	4.0	2.5	0.5	5.8	35	0.0
46594	0	0	1	0	DSu	47.0252	69.1004	29.1	715.8	474	56842.	786	0.7	0.7	4.0	0.1	0.1	5.8	19	0.0
46593	0	0	0	0	DSu	47.0252	69.0998	29.1	715.9	472	56843.	783	0.8	1.9	3.1	2.5	0.6	4.2	15	0.0
46592	0	0	1	0	DSu	47.0252	69.0993	29.1	716.0	465	56844.	736	0.8	-0.1	4.4	0.1	0.1	6.1	25	0.0
46591	0	0	1	0	DSu	47.0252	69.0988	29.1	716.1	458	56844.	731	1.0	0.2	7.1	0.1	0.1	7.6	30	0.0
46590	0	0	0	0	DSu	47.0251	69.0982	28.8	717.9	448	56845.	732	0.8	1.4	3.2	1.8	0.5	4.4	26	0.0
46589	0	0	1	0	DSu	47.0251	69.0977	28.9	717.8	448	56845.	695	0.7	0.1	4.8	0.1	0.1	7.2	29	0.0
46588	0	0	1	0	DSu	47.0251	69.0972	28.9	717.8	448	56845.	794	0.6	0.9	4.7	0.1	0.1	7.9	21	0.0
46587	0	0	1	0	DSu	47.0251	69.0966	28.9	717.8	449	56845.	687	0.8	0.5	3.8	0.1	0.1	5.2	24	0.0
46586	0	0	1	0	DSu	47.0251	69.0961	28.9	717.9	450	56845.	773	0.9	0.6	2.7	0.1	0.1	3.3	23	0.0
46585	0	0	1	0	DSu	47.0251	69.0956	28.9	717.9	446	56846.	681	0.8	0.4	3.3	0.1	0.1	4.2	28	0.0
46584	0	0	1	0	DSu	47.0251	69.0950	28.9	718.0	443	56846.	728	0.9	0.0	3.4	0.1	0.1	3.9	24	0.0
46583	0	0	1	0	DSu	47.0251	69.0945	28.9	718.1	439	56845.	783	0.9	0.3	4.7	0.1	0.1	5.3	22	0.0
46582	0	0	1	0	DSu	47.0251	69.0940	28.9	718.1	437	56845.	732	0.7	0.8	3.2	0.1	0.1	5.1	25	0.0
46581	0	0	1	0	DSu	47.0251	69.0934	28.9	718.2	432	56846.	715	0.7	1.0	3.2	0.1	0.1	5.1	17	0.0
46580	0	0	1	0	DSu	47.0251	69.0929	28.9	718.3	425	56846.	761	0.6	1.0	5.5	0.1	0.1	9.7	31	0.0
46579	0	0	1	0	DSu	47.0251	69.0924	28.9	718.5	419	56846.	747	0.7	0.4	4.0	0.1	0.1	6.2	22	0.0
46578	0	0	1	0	DSu	47.0251	69.0918	28.9	718.6	417	56847.	792	0.8	1.0	3.6	0.1	0.1	4.7	20	0.0
46577	0	0	1	0	DSu	47.0251	69.0913	28.9	718.8	418	56847.	752	0.9	0.2	5.5	0.1	0.1	6.4	23	0.0
46576	0	0	1	0	DSu	47.0250	69.0908	28.9	719.0	419	56846.	675	0.6	1.0	5.6	0.1	0.1	9.7	19	0.0
46575	0	0	1	0	DSu	47.0250	69.0902	28.9	719.2	417	56845.	675	0.7	0.6	2.7	0.1	0.1	4.3	32	0.0
46574	0	0	0	0	DSu	47.0250	69.0897	28.9	719.4	413	56845.	703	0.9	2.0	1.5	2.3	1.4	1.7	20	0.0
46573	0	0	1	0	DSu	47.0250	69.0892	28.9	719.6	408	56845.	742	0.8	1.2	3.1	0.1	0.1	4.2	17	0.0
46572	0	0	1	0	DSu	47.0250	69.0886	28.9	719.8	405	56845.	699	0.6	0.2	5.1	0.1	0.1	8.8	17	0.0
46571	0	0	1	0	DSu	47.0250	69.0881	28.9	720.0	405	56845.	619	0.5	0.3	3.3	0.1	0.1	0.1	25	0.0

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
46570	0	0	1	0	DSU	47.0250	69.0876	28.9	720.2	406	56846.	661	0.6	0.7	3.9	0.1	0.1	7.0	25	0.0
46569	0	0	1	0	DSU	47.0250	69.0870	28.9	720.4	405	56846.	576	0.4	0.4	3.3	0.1	0.1	0.1	27	0.0
46568	0	0	1	0	DSU	47.0250	69.0865	28.9	720.5	405	56844.	566	0.6	0.0	3.6	0.1	0.1	6.3	22	0.0
46567	0	0	1	0	DSU	47.0250	69.0860	28.9	720.7	410	56843.	645	0.6	1.0	3.3	0.1	0.1	5.6	34	0.0
46566	0	0	1	0	DSU	47.0250	69.0854	28.9	720.8	414	56844.	629	0.7	0.1	4.2	0.1	0.1	6.5	18	0.0
46565	0	0	1	0	DSU	47.0250	69.0849	28.9	720.9	416	56844.	639	0.6	1.2	3.4	0.1	0.1	5.8	15	0.0
46564	0	0	1	0	DSU	47.0250	69.0844	28.9	721.0	428	56843.	668	0.8	0.4	2.7	0.1	0.1	3.6	16	0.0
46563	0	0	1	0	DSU	47.0250	69.0838	28.9	721.1	444	56843.	681	0.8	0.3	3.3	0.1	0.1	4.1	20	0.0
46562	0	0	1	0	DSU	47.0250	69.0833	28.9	721.2	458	56844.	645	0.7	1.0	3.5	0.1	0.1	5.2	31	0.0
46561	0	0	1	0	DSU	47.0250	69.0828	28.9	721.3	460	56844.	615	0.6	-0.4	4.5	0.1	0.1	8.5	25	0.0
46560	0	0	1	0	DSU	47.0249	69.0822	28.9	721.3	463	56844.	636	0.5	-0.2	2.4	0.1	0.1	0.1	23	0.0
46559	0	0	1	0	DSU	47.0249	69.0817	28.9	721.4	468	56844.	659	0.7	-0.3	5.5	0.1	0.1	8.6	21	0.0
46558	0	0	1	0	DSU	47.0249	69.0812	28.9	721.4	468	56844.	635	0.6	0.6	3.4	0.1	0.1	5.8	26	0.0
46557	0	0	1	0	DSU	47.0249	69.0806	28.9	721.5	460	56844.	646	0.7	0.5	1.8	0.1	0.1	2.6	26	0.0
46556	0	0	1	0	DSU	47.0249	69.0801	28.9	721.5	446	56843.	672	0.8	0.5	5.2	0.1	0.1	7.2	18	0.0
46555	0	0	0	0	DSU	47.0249	69.0796	28.9	721.5	437	56844.	676	0.9	1.6	3.6	1.9	0.5	4.2	17	0.0
46554	0	0	1	0	DSU	47.0249	69.0790	28.9	721.5	432	56844.	649	0.8	0.1	4.2	0.1	0.1	5.9	38	0.0
46553	0	0	1	0	DSU	47.0249	69.0785	28.9	721.5	431	56844.	636	0.8	0.2	5.0	0.1	0.1	6.8	22	0.0
46552	0	0	1	0	DSU	47.0249	69.0780	28.9	721.4	433	56843.	722	0.8	0.6	4.7	0.1	0.1	6.1	25	0.0
46551	0	0	0	0	DSU	47.0249	69.0774	28.9	721.4	438	56841.	611	0.6	1.2	2.0	1.9	0.6	3.3	16	0.0
46550	0	0	1	1	Water	47.0249	69.0769	28.9	721.3	449	56842.	585	0.4	0.8	1.0	0.1	0.1	0.1	28	0.0
46549	0	0	1	0	Water	47.0249	69.0764	28.9	721.3	460	56843.	569	0.7	0.4	3.6	0.1	0.1	5.3	27	0.0
46548	0	0	1	0	Water	47.0249	69.0758	28.8	721.2	478	56842.	476	0.5	-1.3	3.6	0.1	0.1	0.1	27	0.0
46547	0	0	1	1	Water	47.0249	69.0753	28.8	721.0	485	56841.	424	0.4	-0.5	1.4	0.1	0.1	0.1	31	0.0
46546	0	0	1	0	Water	47.0249	69.0748	28.8	720.8	482	56841.	498	0.5	-0.2	2.4	0.1	0.1	0.1	34	0.0
46545	0	0	1	0	DSU	47.0248	69.0742	28.8	720.6	458	56840.	505	0.6	-0.2	2.2	0.1	0.1	4.1	27	0.0
46544	0	0	1	0	DSU	47.0248	69.0737	28.8	720.4	433	56840.	526	0.5	0.9	2.5	0.1	0.1	0.1	32	0.0
46543	0	0	0	0	DSU	47.0248	69.0732	28.8	720.2	411	56840.	551	0.5	1.1	3.3	0.1	0.4	0.1	12	0.0
46542	0	0	1	0	DSU	47.0249	69.0726	28.8	719.9	400	56840.	629	0.7	0.8	2.8	0.1	0.1	4.4	25	0.0
46541	0	0	1	0	DSU	47.0249	69.0721	28.8	719.7	395	56840.	601	0.6	0.3	4.7	0.1	0.1	8.3	18	0.0
46540	0	0	1	0	DSU	47.0249	69.0715	28.8	719.5	399	56840.	527	0.6	0.2	2.9	0.1	0.1	4.9	32	0.0
46539	0	0	1	1	DSU	47.0249	69.0710	28.8	719.3	406	56840.	550	0.8	0.1	1.2	0.1	0.1	0.1	26	0.0
46538	0	0	1	0	DSU	47.0249	69.0705	28.8	719.1	414	56840.	615	0.5	0.9	2.1	0.1	0.1	0.1	22	0.0
46537	0	0	1	0	DSU	47.0249	69.0699	28.8	718.9	418	56840.	640	0.7	0.9	4.0	0.1	0.1	6.4	17	0.0
46536	0	0	1	0	DSU	47.0249	69.0694	28.8	718.7	415	56841.	697	0.6	0.8	5.1	0.1	0.1	10.1	17	0.0
46534	0	0	1	0	DSU	47.0249	69.0683	28.7	718.4	410	56841.	621	0.6	-0.2	5.1	0.1	0.1	8.9	25	0.0
46533	0	0	1	0	DSU	47.0249	69.0678	28.2	716.0	412	56841.	583	0.6	-0.4	2.8	0.1	0.1	4.8	26	0.0
46532	0	0	1	0	DSU	47.0249	69.0673	28.2	716.1	415	56841.	626	0.8	0.3	3.5	0.1	0.1	4.5	28	0.0
46531	0	0	1	0	DSU	47.0249	69.0667	28.3	716.1	421	56840.	581	0.6	0.1	2.1	0.1	0.1	3.5	24	0.0
46530	0	0	0	0	DSU	47.0249	69.0662	28.3	716.1	432	56839.	603	0.5	1.3	2.8	0.1	0.5	0.1	31	0.0
46529	0	0	1	0	DSU	47.0249	69.0657	28.3	716.1	445	56839.	603	0.4	0.0	5.2	0.1	0.1	0.1	12	0.0
46528	0	0	1	0	DSU	47.0249	69.0651	28.3	716.0	452	56838.	734	0.7	0.1	5.7	0.1	0.1	8.3	22	0.0
46527	0	0	1	0	DSU	47.0249	69.0646	28.3	715.9	452	56838.	752	0.7	1.0	2.7	0.1	0.1	3.9	17	0.0
46526	0	0	1	0	DSU	47.0249	69.0640	28.3	715.7	448	56838.	792	1.2	1.0	3.2	0.1	0.1	2.8	19	0.0
46525	0	0	1	0	DSU	47.0249	69.0635	28.3	715.6	446	56838.	781	0.7	0.5	4.3	0.1	0.1	6.3	22	0.0
46524	0	0	0	0	DSU	47.0249	69.0630	28.3	715.4	446	56838.	791	0.9	1.4	5.4	1.7	0.3	6.5	20	0.0
46523	0	0	0	0	DSU	47.0249	69.0624	28.3	715.2	443	56838.	809	1.0	1.7	3.7	1.8	0.5	3.8	24	0.0
46522	0	0	0	0	DSU	47.0249	69.0619	28.3	715.1	445	56837.	884	1.0	1.4	2.4	1.4	0.6	2.4	21	0.0
46521	0	0	1	0	DSU	47.0249	69.0614	28.3	714.9	447	56837.	881	0.9	0.6	3.9	0.1	0.1	4.7	14	0.0
46520	0	0	0	0	DSU	47.0249	69.0608	28.3	714.5	452	56837.	828	0.8	1.4	5.0	2.0	0.3	6.9	29	0.1

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
46519	0	0	0	0	DSU	47.0249	69.0603	28.3	714.1	455	56837.	734	0.6	2.4	4.0	4.8	0.6	7.9	28	0.1
46518	0	0	1	0	DSU	47.0250	69.0597	28.3	713.7	457	56837.	679	0.7	0.5	3.5	0.1	0.1	5.6	29	0.3
46517	0	0	1	0	DSU	47.0250	69.0592	28.3	713.4	458	56838.	717	0.8	0.3	4.8	0.1	0.1	6.3	20	0.5
46516	0	0	1	0	DSU	47.0250	69.0587	28.3	713.0	455	56839.	690	0.8	0.7	4.0	0.1	0.1	5.0	20	0.7
46515	0	0	1	0	DSU	47.0250	69.0581	28.3	712.7	452	56840.	603	0.7	0.4	3.9	0.1	0.1	6.1	26	0.9
46514	0	0	1	0	DSU	47.0250	69.0576	28.3	712.4	456	56840.	647	0.6	-0.5	5.0	0.1	0.1	8.8	29	1.1
46513	0	0	1	0	DSU	47.0250	69.0571	28.3	712.2	461	56841.	692	0.6	1.4	2.8	0.1	0.1	5.0	24	1.3
46512	0	0	1	0	DSU	47.0250	69.0565	28.3	711.9	461	56841.	674	0.7	-1.1	5.2	0.1	0.1	7.5	21	1.5
46511	0	0	1	0	DSU	47.0250	69.0560	28.3	711.7	450	56841.	701	0.9	0.8	5.7	0.1	0.1	7.0	14	1.7
46510	0	0	1	0	DSU	47.0250	69.0555	28.3	711.6	438	56841.	681	0.6	0.2	6.4	0.1	0.1	11.3	30	1.8
46509	0	0	0	0	DSU	47.0250	69.0549	28.3	711.4	433	56841.	668	0.6	1.7	3.7	2.8	0.5	6.1	23	1.9
46508	0	0	1	0	DSU	47.0250	69.0544	28.3	711.3	429	56842.	654	0.7	1.0	3.3	0.1	0.1	5.5	18	1.9
46507	0	0	1	0	DSU	47.0250	69.0538	28.3	711.3	425	56841.	590	0.5	1.0	3.4	0.1	0.1	0.1	26	1.8
46506	0	0	1	0	DSU	47.0250	69.0533	28.3	711.2	414	56842.	616	0.6	0.4	1.4	0.1	0.1	2.5	20	1.8
46505	0	0	1	0	DSU	47.0250	69.0528	28.3	711.2	401	56842.	537	0.7	0.9	3.3	0.1	0.1	5.0	26	1.7
46504	0	0	1	0	DSU	47.0250	69.0522	28.3	711.2	390	56842.	538	0.7	0.7	3.2	0.1	0.1	5.0	34	1.7
46503	0	0	1	0	DSU	47.0250	69.0517	28.3	711.1	383	56841.	552	0.5	0.7	2.1	0.1	0.1	0.1	16	1.6
46502	0	0	1	0	DSU	47.0250	69.0512	28.3	711.1	383	56840.	602	0.6	0.3	3.2	0.1	0.1	6.1	18	1.6
46501	0	0	1	0	DSU	47.0250	69.0506	28.3	711.0	389	56840.	655	0.7	0.1	4.3	0.1	0.1	7.0	30	1.5
46500	0	0	0	0	DSU	47.0250	69.0501	28.3	711.0	396	56840.	591	0.6	1.2	2.0	2.1	0.6	3.5	22	1.5
46499	0	0	1	0	DSU	47.0250	69.0495	28.3	711.0	405	56840.	592	0.7	0.7	2.0	0.1	0.1	3.2	19	1.4
46498	0	0	1	0	DSU	47.0250	69.0490	28.3	710.9	410	56839.	587	0.4	0.6	4.7	0.1	0.1	0.1	27	1.4
46497	0	0	1	0	DSU	47.0250	69.0485	28.3	710.8	423	56838.	555	0.6	0.3	2.5	0.1	0.1	4.4	25	1.3
46496	0	0	0	C	DSU	47.0250	69.0479	28.3	710.7	434	56837.	454	0.3	1.7	3.1	0.1	0.6	0.1	32	1.2
46495	0	0	1	0	DSU	47.0251	69.0474	28.3	710.5	444	56837.	384	0.4	0.2	2.0	0.1	0.1	0.1	29	1.1
46494	0	0	1	0	DSU	47.0251	69.0469	28.2	710.4	449	56837.	356	0.3	0.1	2.3	0.1	0.1	0.1	26	1.1
46493	0	0	1	0	DSU	47.0251	69.0463	28.2	710.2	455	56837.	395	0.6	0.9	2.6	0.1	0.1	5.1	20	1.0
46492	0	0	1	0	DSU	47.0251	69.0458	28.2	710.0	461	56837.	378	0.3	0.0	2.3	0.1	0.1	0.1	32	0.9
46491	0	0	1	0	DSU	47.0251	69.0453	28.2	709.8	462	56838.	425	0.6	0.6	2.3	0.1	0.1	4.3	33	0.8
46490	0	0	1	0	DSU	47.0251	69.0447	28.2	709.6	458	56839.	574	0.9	0.2	3.4	0.1	0.1	3.9	21	0.7
46489	0	0	1	0	DSU	47.0251	69.0442	28.2	709.4	452	56839.	550	0.3	0.0	3.8	0.1	0.1	0.1	24	0.6
46488	0	0	1	0	DSU	47.0251	69.0436	28.2	709.2	442	56838.	578	0.6	-0.4	3.4	0.1	0.1	6.4	11	0.5
46487	0	0	1	0	DSU	47.0251	69.0431	28.2	709.0	433	56838.	573	0.6	-0.1	4.0	0.1	0.1	6.7	20	0.4
46486	0	0	1	0	DSU	47.0251	69.0426	28.2	708.8	432	56839.	558	0.5	0.3	3.9	0.1	0.1	0.1	27	0.3
46485	0	0	0	0	DSU	47.0251	69.0420	28.2	708.6	439	56840.	544	0.4	1.3	2.9	0.1	0.5	0.1	26	0.2
46484	0	0	1	0	DSU	47.0251	69.0415	28.2	708.4	446	56840.	576	0.4	0.4	3.4	0.1	0.1	0.1	22	0.0
46483	0	0	1	0	DSU	47.0251	69.0410	28.2	708.3	448	56839.	515	0.6	0.3	2.5	0.1	0.1	4.9	31	0.0
46482	0	0	1	0	DSU	47.0251	69.0405	28.2	708.1	452	56840.	524	0.6	0.4	3.2	0.1	0.1	6.1	27	0.0
46481	0	0	1	0	DSU	47.0251	69.0399	28.2	708.0	456	56839.	532	0.6	0.1	1.8	0.1	0.1	3.0	21	0.0
46480	0	0	1	0	DSU	47.0251	69.0394	28.2	707.9	456	56839.	617	0.7	1.2	2.0	0.1	0.1	2.9	28	0.0
46479	0	0	1	0	DSU	47.0251	69.0389	28.2	707.7	449	56839.	611	0.7	0.6	2.9	0.1	0.1	4.3	16	0.0
46478	0	0	1	0	DSU	47.0251	69.0383	28.2	707.6	444	56838.	637	0.9	-0.1	3.1	0.1	0.1	3.6	25	0.0
46477	0	0	1	0	DSU	47.0251	69.0378	28.1	706.2	439	56838.	745	0.7	-0.2	3.9	0.1	0.1	5.8	22	0.0
46476	0	0	1	0	DSU	47.0251	69.0373	28.1	706.2	437	56839.	720	1.0	0.4	2.7	0.1	0.1	2.9	29	0.0
46475	0	0	1	0	DSU	47.0251	69.0368	28.1	706.2	434	56839.	726	0.7	-0.5	5.2	0.1	0.1	7.7	23	0.0
46474	0	0	0	0	DSU	47.0251	69.0362	28.1	706.2	425	56839.	776	1.0	1.3	4.2	1.5	0.4	4.6	22	0.0
46473	0	0	1	0	DSU	47.0251	69.0357	28.1	706.2	413	56839.	756	0.8	0.0	6.8	0.1	0.1	9.3	26	0.0
46472	0	0	1	0	DSU	47.0251	69.0352	28.1	706.2	399	56839.	803	0.8	0.8	5.2	0.1	0.1	7.0	28	0.0
46471	0	0	1	0	DSU	47.0251	69.0346	28.1	706.2	390	56840.	803	1.0	-0.4	2.6	0.1	0.1	2.7	20	0.0
46470	0	0	1	0	DSU	47.0251	69.0341	28.1	706.1	386	56839.	789	0.8	-0.2	4.7	0.1	0.1	6.1	28	0.0

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
46469	0	0	1	0	DSu	47.0251	69.0336	28.1	706.1	385	56839.	769	0.8	1.0	4.9	0.1	0.1	6.3	23	0.0
46468	0	0	1	0	DSu	47.0251	69.0331	28.1	706.1	385	56840.	738	1.0	0.2	3.2	0.1	0.1	3.5	26	0.0
46467	0	0	1	0	DSu	47.0251	69.0325	28.1	706.0	386	56840.	745	0.8	0.9	3.6	0.1	0.1	4.8	24	0.0
46466	0	0	1	0	DSu	47.0251	69.0320	28.1	706.0	388	56840.	698	0.7	0.8	3.7	0.1	0.1	5.4	26	0.0
46465	0	0	1	0	DSu	47.0251	69.0315	28.1	705.9	388	56840.	762	0.7	0.6	4.8	0.1	0.1	7.0	22	0.0
46464	0	0	1	0	DSu	47.0251	69.0310	28.1	705.8	381	56841.	811	1.0	0.7	5.2	0.1	0.1	5.5	21	0.0
46463	0	0	1	0	DSu	47.0251	69.0304	28.1	705.8	372	56841.	771	0.6	1.0	3.0	0.1	0.1	5.3	21	0.0
46462	0	0	1	0	DSu	47.0251	69.0299	28.1	705.7	364	56841.	770	0.8	0.1	3.9	0.1	0.1	5.4	21	0.0
46461	0	0	1	0	DSu	47.0251	69.0294	28.1	705.6	358	56841.	796	0.7	0.8	3.7	0.1	0.1	5.8	17	0.0
46460	0	0	0	0	DSu	47.0251	69.0288	28.1	705.6	352	56840.	843	0.8	1.7	4.1	2.3	0.5	5.8	25	0.0
46459	0	0	1	0	DSu	47.0251	69.0283	28.1	705.5	350	56839.	778	0.7	0.7	5.9	0.1	0.1	9.4	22	0.0
46458	0	0	1	0	DSu	47.0251	69.0278	28.1	705.5	352	56840.	776	0.6	0.1	3.3	0.1	0.1	6.2	26	0.0
46457	0	0	0	0	DSu	47.0251	69.0273	28.1	705.4	360	56840.	754	0.9	1.2	3.6	1.4	0.4	4.4	21	0.0
46456	0	0	0	0	DSu	47.0251	69.0267	28.1	705.4	367	56840.	756	0.7	1.1	4.1	1.7	0.3	6.1	29	0.0
46455	0	0	1	0	DSu	47.0251	69.0262	28.1	705.4	372	56840.	748	1.0	0.9	2.1	0.1	0.1	2.3	18	0.0
46454	0	0	1	0	DSu	47.0251	69.0257	28.1	705.3	377	56841.	732	0.7	0.6	3.3	0.1	0.1	4.7	28	0.0
46453	0	0	1	0	DSu	47.0251	69.0252	28.1	705.3	382	56841.	725	0.8	0.5	4.3	0.1	0.1	5.5	31	0.0
46452	0	0	1	0	DSu	47.0251	69.0246	28.1	705.4	390	56841.	701	0.8	0.3	3.7	0.1	0.1	4.8	23	0.0
46451	0	0	1	0	DSu	47.0251	69.0241	28.1	705.4	398	56841.	765	0.7	1.0	3.9	0.1	0.1	6.1	21	0.0
46450	0	0	0	0	DSu	47.0251	69.0236	28.2	705.4	407	56842.	780	0.8	1.4	4.8	1.9	0.3	6.3	11	0.0
46449	0	0	0	0	DSu	47.0251	69.0230	28.2	705.4	417	56842.	783	0.7	1.7	4.5	2.5	0.4	6.6	19	0.0
46448	0	0	1	0	DSu	47.0251	69.0225	28.2	705.5	429	56841.	715	0.6	0.3	4.2	0.1	0.1	7.8	24	0.0
46447	0	0	1	0	DSu	47.0251	69.0220	28.2	705.5	442	56842.	695	0.7	0.4	2.8	0.1	0.1	4.3	20	0.0
46446	0	0	1	0	DSu	47.0251	69.0215	28.2	705.6	457	56842.	683	0.8	0.2	3.2	0.1	0.1	4.0	20	0.0
46445	0	0	1	0	DSu	47.0251	69.0209	28.2	705.7	472	56843.	724	0.9	0.5	4.0	0.1	0.1	4.7	24	0.0
46444	0	0	1	0	DSu	47.0251	69.0204	28.2	705.8	484	56843.	762	1.2	-0.2	4.3	0.1	0.1	3.8	17	0.0
46443	0	0	1	0	DSu	47.0251	69.0199	28.2	705.9	488	56842.	684	0.7	-0.1	3.4	0.1	0.1	4.9	22	0.0
46442	0	0	1	0	DSu	47.0251	69.0194	28.2	706.0	483	56843.	643	0.6	0.4	4.0	0.1	0.1	8.1	22	0.0
46441	0	0	1	0	DSu	47.0251	69.0188	28.2	706.2	471	56843.	750	1.0	0.1	4.9	0.1	0.1	4.9	32	0.0
46439	0	0	1	0	DSu	47.0251	69.0178	28.2	706.3	457	56844.	752	1.0	-0.2	3.8	0.1	0.1	4.1	19	0.0
46438	0	0	0	0	DSu	47.0251	69.0173	28.2	706.5	439	56845.	759	0.8	1.2	2.9	1.6	0.5	3.9	18	0.0
46437	0	0	1	0	DSu	47.0251	69.0167	28.2	706.8	421	56846.	782	1.0	0.9	2.2	0.1	0.1	2.3	22	0.0
46436	0	0	1	0	DSu	47.0251	69.0162	28.2	707.0	402	56847.	743	0.8	-0.2	4.0	0.1	0.1	5.1	31	0.0
46435	0	0	1	0	DSu	47.0251	69.0157	28.2	707.3	382	56848.	722	0.8	0.8	3.6	0.1	0.1	4.8	21	0.0
46434	0	0	1	0	DSu	47.0251	69.0151	28.2	707.6	365	56847.	715	0.7	0.7	4.0	0.1	0.1	5.7	23	0.0
46433	0	0	1	0	DSu	47.0251	69.0146	28.2	707.9	353	56848.	735	0.9	0.7	5.0	0.1	0.1	6.2	29	0.0
46432	0	0	1	0	DSu	47.0251	69.0141	28.2	708.3	347	56848.	806	1.0	0.2	4.7	0.1	0.1	4.7	21	0.0
46431	0	0	1	0	DSu	47.0251	69.0136	28.2	708.7	347	56848.	720	0.6	0.3	4.6	0.1	0.1	7.8	26	0.0
46430	0	0	1	0	DSu	47.0251	69.0130	28.2	709.0	348	56848.	756	0.8	0.5	3.7	0.1	0.1	5.1	21	0.0
46429	0	0	1	0	DSu	47.0251	69.0125	28.2	709.4	349	56849.	761	0.8	1.0	4.8	0.1	0.1	6.8	22	0.0
46428	0	0	0	0	DSu	47.0251	69.0120	28.2	709.8	351	56849.	800	1.1	1.1	2.7	1.0	0.4	2.5	15	0.0
46427	0	0	1	0	DSu	47.0251	69.0115	28.2	710.2	356	56850.	805	0.9	0.6	3.7	0.1	0.1	4.5	28	0.0
46426	0	0	1	0	DSu	47.0251	69.0109	28.2	710.6	365	56852.	738	0.7	1.0	4.2	0.1	0.1	6.4	20	0.0
46425	0	0	1	0	DSu	47.0251	69.0104	28.2	710.9	376	56851.	735	0.6	1.0	3.8	0.1	0.1	7.0	29	0.0
46424	0	0	0	0	DSu	47.0251	69.0099	28.2	711.2	384	56849.	736	0.7	1.4	3.8	2.2	0.4	6.1	22	0.0
46423	0	0	1	0	DSu	47.0251	69.0093	28.2	711.5	393	56852.	732	0.7	0.7	2.9	0.1	0.1	4.6	18	0.0
46422	0	0	1	0	DSu	47.0251	69.0088	28.2	711.8	405	56852.	702	0.7	0.8	2.8	0.1	0.1	4.0	23	0.0
46421	0	0	0	0	DSu	47.0251	69.0083	28.2	712.0	421	56849.	625	0.6	1.2	2.9	2.1	0.5	5.0	28	0.0
46420	0	0	1	0	DSu	47.0251	69.0078	28.0	712.7	439	56847.	613	0.7	1.1	1.8	0.1	0.1	3.0	17	0.0
46419	0	0	1	0	DSu	47.0251	69.0072	28.0	712.8	439	56848.	619	0.6	0.8	3.0	0.1	0.1	4.9	17	0.0

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
46418	0	0	1	0	DSU	47.0251	69.0067	28.0	712.8	439	56849.	509	0.6	0.3	4.2	0.1	0.1	8.0	23	0.0
46417	0	0	1	0	DSU	47.0251	69.0062	28.0	712.8	440	56848.	571	0.6	0.0	1.6	0.1	0.1	2.8	14	0.0
46416	0	0	1	0	DSU	47.0251	69.0056	28.0	712.8	442	56847.	560	0.7	-0.4	4.3	0.1	0.1	7.0	17	0.0
46415	0	0	1	0	DSU	47.0251	69.0051	28.0	712.8	449	56846.	566	0.7	-0.3	4.4	0.1	0.1	6.9	18	0.0
46414	0	0	1	0	DSU	47.0251	69.0046	28.0	712.7	455	56847.	613	0.6	0.9	1.9	0.1	0.1	3.7	24	0.0
46413	0	0	1	0	DSU	47.0251	69.0041	28.0	712.7	462	56848.	614	0.6	0.5	4.2	0.1	0.1	7.4	32	0.0
46412	0	0	1	0	DSU	47.0251	69.0035	28.0	712.7	468	56847.	677	0.7	0.1	3.6	0.1	0.1	5.7	30	0.0
46411	0	0	1	0	DSU	47.0251	69.0030	28.0	712.6	479	56845.	748	0.7	0.1	4.6	0.1	0.1	7.1	31	0.0
46410	0	0	1	0	DSU	47.0251	69.0025	28.0	712.6	493	56844.	728	0.5	1.1	4.3	0.1	0.1	0.1	15	0.0
46409	0	0	1	0	DSU	47.0251	69.0020	28.0	712.5	505	56844.	715	0.6	0.8	5.0	0.1	0.1	9.8	39	0.0
46408	0	0	0	0	DSU	47.0251	69.0014	28.0	712.5	511	56844.	791	1.0	1.6	2.6	1.7	0.6	2.8	20	0.0
46407	0	0	1	0	DSU	47.0251	69.0009	28.0	712.4	512	56846.	735	0.9	0.3	3.4	0.1	0.1	4.2	29	0.0
46406	0	0	0	0	DSU	47.0251	69.0004	28.0	712.4	511	56849.	801	0.8	1.5	5.5	2.1	0.3	7.5	19	0.0
46405	0	0	0	0	DSU	47.0251	68.9998	28.0	712.4	506	56852.	761	0.8	1.8	3.6	2.4	0.5	5.0	23	0.0
46404	0	0	1	0	DSU	47.0251	68.9993	28.0	712.4	500	56853.	756	0.6	0.3	4.0	0.1	0.1	7.6	26	0.0
46403	0	0	1	0	DSU	47.0251	68.9988	28.0	712.4	494	56853.	764	1.0	0.8	1.9	0.1	0.1	2.1	25	0.0
46402	0	0	1	0	DSU	47.0251	68.9983	28.0	712.5	492	56853.	747	0.7	0.8	3.6	0.1	0.1	5.4	31	0.0
46401	0	0	0	0	DSU	47.0251	68.9977	28.0	712.5	489	56854.	775	0.6	1.3	3.1	2.5	0.5	6.0	20	0.0
46400	0	0	0	0	DSU	47.0251	68.9972	28.0	712.6	484	56854.	804	1.1	1.5	2.6	1.4	0.6	2.5	27	0.0
46399	0	0	1	0	DSU	47.0251	68.9967	28.0	712.7	476	56855.	776	0.8	1.0	4.1	0.1	0.1	5.2	27	0.0
46398	0	0	0	0	DSU	47.0251	68.9962	28.0	712.9	469	56855.	789	0.9	1.9	4.2	2.1	0.5	4.6	21	0.0
46397	0	0	1	0	DSU	47.0251	68.9956	28.0	713.0	463	56854.	788	0.6	0.3	5.9	0.1	0.1	10.9	25	0.0
46396	0	0	1	0	DSU	47.0251	68.9951	28.0	713.2	459	56853.	796	1.0	0.9	5.8	0.1	0.1	6.3	18	0.0
46395	0	0	1	0	DSU	47.0251	68.9946	28.0	713.4	456	56854.	802	0.9	-0.3	6.5	0.1	0.1	8.0	22	0.0
46394	0	0	0	0	DSU	47.0251	68.9940	28.0	713.6	458	56853.	866	0.8	2.4	1.8	3.0	1.4	2.3	30	0.0
46393	0	0	1	0	DSU	47.0251	68.9935	28.0	713.8	456	56853.	691	0.6	1.1	4.1	0.1	0.1	7.5	20	0.0
46392	0	0	0	0	DSU	47.0251	68.9930	28.0	714.0	446	56853.	698	0.6	1.4	3.5	2.5	0.4	6.5	30	0.0
46391	0	0	1	0	DSU	47.0251	68.9925	28.0	714.1	428	56854.	694	0.8	1.0	3.6	0.1	0.1	5.1	31	0.0
46390	0	0	1	0	DSU	47.0251	68.9919	28.0	714.3	416	56854.	629	0.4	1.0	3.8	0.1	0.1	0.1	17	0.0
46389	0	0	1	0	DSU	47.0251	68.9914	28.0	714.5	412	56854.	594	0.4	0.4	6.1	0.1	0.1	0.1	21	0.0
46388	0	0	1	0	DSU	47.0251	68.9909	28.0	714.7	410	56853.	622	0.6	0.6	3.0	0.1	0.1	5.2	22	0.0
46387	0	0	1	0	DSU	47.0251	68.9903	28.0	714.8	407	56852.	614	0.5	0.6	1.7	0.1	0.1	0.1	23	0.0
46386	0	0	1	0	DSU	47.0251	68.9898	28.0	714.9	407	56852.	644	0.5	0.6	4.1	0.1	0.1	0.1	28	0.0
46385	0	0	0	0	DSU	47.0251	68.9893	28.0	715.0	412	56853.	597	0.5	1.2	4.2	0.1	0.3	0.1	24	0.0
46384	0	0	1	0	DSU	47.0251	68.9888	28.0	715.0	424	56853.	500	0.5	-0.1	1.9	0.1	0.1	0.1	30	0.0
46383	0	0	1	0	DSU	47.0251	68.9882	28.0	715.0	443	56852.	535	0.4	0.0	3.4	0.1	0.1	0.1	20	0.0
46382	0	0	1	0	DSU	47.0251	68.9877	28.0	715.0	461	56851.	470	0.5	-0.2	3.3	0.1	0.1	0.1	22	0.0
46381	0	0	1	0	DSU	47.0251	68.9872	28.0	715.0	479	56850.	471	0.4	0.7	2.3	0.1	0.1	0.1	20	0.0
46380	0	0	1	0	DSU	47.0251	68.9867	28.0	714.9	496	56849.	439	0.3	0.3	2.7	0.1	0.1	0.1	18	0.0
46379	0	0	1	0	DSU	47.0251	68.9861	28.0	714.8	511	56849.	521	0.5	1.1	3.5	0.1	0.1	0.1	22	0.0
46378	0	0	1	0	DSU	47.0251	68.9856	28.0	714.6	516	56850.	510	0.5	0.9	2.4	0.1	0.1	0.1	27	0.0
46377	0	0	1	0	DSU	47.0251	68.9851	28.0	714.5	510	56850.	504	0.6	0.6	1.7	0.1	0.1	3.1	26	0.0
46376	0	0	1	0	DSU	47.0251	68.9846	28.0	714.3	501	56851.	556	0.9	0.0	2.9	0.1	0.1	3.5	22	0.0
46375	0	0	1	0	DSU	47.0251	68.9841	28.0	714.1	495	56851.	524	0.6	0.8	2.2	0.1	0.1	3.8	18	0.0
46374	0	0	1	0	DSU	47.0251	68.9836	28.0	713.9	488	56851.	493	0.5	0.4	2.1	0.1	0.1	0.1	25	0.0
46373	0	0	1	1	DSU	47.0252	68.9831	28.0	713.7	480	56852.	425	0.6	0.7	1.1	0.1	0.1	0.1	23	0.0
46372	0	0	1	0	DSU	47.0252	68.9826	28.0	713.5	469	56852.	441	0.3	0.8	2.7	0.1	0.1	0.1	19	0.0
46371	0	0	1	0	DSU	47.0252	68.9821	28.0	713.3	464	56851.	348	0.4	-0.6	2.6	0.1	0.1	0.1	24	0.0
46370	0	0	1	0	DSU	47.0252	68.9816	28.0	713.1	465	56850.	351	0.4	0.4	2.7	0.1	0.1	0.1	22	0.0
46369	0	1	1	0	DSU	47.0252	68.9811	28.0	713.0	469	56851.	303	0.2	-0.3	1.2	0.1	0.1	0.1	23	0.0

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
46368	0	0	1	0	DSu	47.0252	68.9805	28.0	712.8	474	56851.	326	0.2	0.0	3.1	0.1	0.1	0.1	22	0.0
46367	0	0	1	0	DSu	47.0252	68.9801	27.9	712.6	477	56851.	385	0.4	0.5	2.6	0.1	0.1	0.1	24	0.0
46366	0	0	1	1	DSu	47.0252	68.9796	27.9	712.5	481	56851.	382	0.3	-0.9	0.4	0.1	0.1	0.1	26	0.0
46365	0	0	1	0	DSu	47.0252	68.9791	27.9	712.3	487	56851.	422	0.4	0.9	3.4	0.1	0.1	0.1	22	0.0
46364	0	0	1	0	DSu	47.0252	68.9786	27.7	710.7	504	56850.	426	0.5	0.4	1.6	0.1	0.1	0.1	19	0.0
46363	0	0	1	0	DSu	47.0253	68.9781	27.7	710.8	512	56851.	472	0.6	0.6	1.3	0.1	0.1	2.4	33	0.0
46362	0	0	1	0	DSu	47.0253	68.9775	27.7	710.7	516	56852.	530	0.6	0.6	4.3	0.1	0.1	7.1	25	0.0
46361	0	0	1	0	DSu	47.0253	68.9771	27.7	710.7	520	56853.	591	0.7	1.2	1.9	0.1	0.1	3.1	35	0.0
46360	0	0	1	0	DSu	47.0253	68.9765	27.7	710.7	512	56854.	620	0.7	-0.2	4.9	0.1	0.1	7.0	29	0.0
46359	0	0	1	0	DSu	47.0253	68.9760	27.7	710.7	495	56854.	687	0.4	1.0	3.6	0.1	0.1	0.1	25	0.0
46358	0	0	1	0	DSu	47.0253	68.9755	27.7	710.7	474	56856.	686	0.6	1.1	4.0	0.1	0.1	6.7	23	0.0
46357	0	0	1	0	DSu	47.0253	68.9750	27.7	710.7	455	56858.	710	1.0	0.0	4.1	0.1	0.1	4.1	29	0.0
46356	0	0	1	0	DSu	47.0253	68.9745	27.7	710.7	442	56859.	673	0.6	0.6	5.6	0.1	0.1	9.4	17	0.0
46355	0	0	1	0	DSu	47.0253	68.9740	27.7	710.7	435	56859.	679	0.8	0.6	4.2	0.1	0.1	5.5	20	0.0
46354	0	0	1	0	DSu	47.0254	68.9735	27.7	710.7	432	56860.	719	0.6	0.6	3.6	0.1	0.1	6.0	12	0.0
46353	0	0	1	0	DSu	47.0254	68.9730	27.7	710.6	436	56861.	687	0.6	0.3	1.7	0.1	0.1	2.9	22	0.0
46352	0	0	1	0	DSu	47.0254	68.9725	27.7	710.6	437	56861.	722	0.8	0.1	4.8	0.1	0.1	6.0	22	0.0
46351	0	0	0	0	DSu	47.0254	68.9720	27.7	710.6	431	56860.	634	0.7	1.6	3.9	2.5	0.5	6.2	24	0.0
46350	0	0	1	0	DSu	47.0254	68.9715	27.7	710.5	420	56860.	660	0.7	0.3	3.6	0.1	0.1	5.4	25	0.0
46349	0	0	1	0	DSu	47.0254	68.9710	27.7	710.5	411	56859.	746	0.8	0.8	2.7	0.1	0.1	3.8	26	0.0
46348	0	0	0	0	DSu	47.0254	68.9705	27.7	710.4	408	56857.	724	0.7	2.6	3.3	4.1	0.8	5.2	21	0.0
46347	0	0	1	0	DSu	47.0254	68.9700	27.7	710.4	405	56856.	704	0.6	1.1	3.4	0.1	0.1	6.1	14	0.0
46346	0	0	0	0	DSu	47.0254	68.9695	27.7	710.3	405	56855.	695	0.7	1.4	3.9	2.0	0.4	5.7	22	0.0
46344	0	0	0	0	DSu	47.0255	68.9685	27.7	710.2	412	56852.	692	0.7	1.3	3.1	2.2	0.5	5.1	28	0.0
46343	0	0	1	0	DSu	47.0255	68.9680	27.7	710.0	427	56850.	740	0.6	1.2	5.4	0.1	0.1	9.8	14	0.0
46342	0	0	1	0	DSu	47.0255	68.9675	27.7	709.9	449	56849.	782	0.8	1.1	5.6	0.1	0.1	7.7	19	0.0
46341	0	0	1	0	DSu	47.0255	68.9670	27.7	709.9	467	56848.	693	0.9	0.5	4.4	0.1	0.1	5.4	20	0.0
46340	0	0	0	0	DSu	47.0255	68.9665	27.7	709.5	479	56847.	731	0.9	1.7	3.2	1.9	0.6	3.5	28	0.0
46339	0	0	1	0	DSu	47.0255	68.9660	27.7	709.3	481	56847.	690	0.6	0.5	3.9	0.1	0.1	6.6	23	0.0
46338	0	0	0	0	DSu	47.0255	68.9655	27.7	709.2	478	56847.	739	0.7	1.9	4.5	3.0	0.5	6.9	29	0.0
46337	0	0	0	0	DSu	47.0255	68.9650	27.7	708.9	470	56848.	670	0.6	1.4	2.8	2.6	0.5	5.1	26	0.0
46336	0	0	1	0	DSu	47.0256	68.9645	27.7	708.7	462	56848.	715	0.7	1.1	4.9	0.1	0.1	7.9	23	0.0
46335	0	0	0	0	DSu	47.0256	68.9640	27.7	708.5	455	56848.	690	0.6	1.9	2.7	3.1	0.7	4.5	23	0.0
46334	0	0	0	0	DSu	47.0256	68.9634	27.7	708.3	453	56847.	674	0.7	1.4	3.7	2.3	0.4	6.0	21	0.0
46333	0	0	1	0	DSu	47.0256	68.9630	27.7	708.1	450	56847.	625	0.5	0.4	3.1	0.1	0.1	0.1	24	0.0
46332	0	0	0	0	DSu	47.0256	68.9624	27.7	707.9	444	56849.	664	0.6	1.6	2.7	2.6	0.6	4.5	29	0.0
46331	0	0	1	0	DSu	47.0256	68.9619	27.7	707.7	434	56850.	668	0.9	0.6	6.0	0.1	0.1	7.1	30	0.0
46330	0	0	1	0	DSu	47.0256	68.9614	27.7	707.6	425	56850.	608	0.5	0.9	2.7	0.1	0.1	0.1	26	0.0
46329	0	0	1	0	DSu	47.0256	68.9609	27.7	707.5	418	56852.	648	0.6	0.5	2.8	0.1	0.1	5.4	16	0.0
46328	0	0	1	0	DSu	47.0256	68.9604	27.7	707.4	412	56853.	633	0.7	0.8	2.6	0.1	0.1	4.2	30	0.0
46327	0	0	1	0	DSu	47.0257	68.9599	27.7	707.4	404	56854.	617	0.6	1.1	2.7	0.1	0.1	4.9	19	0.0
46326	0	0	0	0	DSu	47.0257	68.9594	27.7	707.4	397	56854.	694	0.6	1.5	4.3	2.5	0.4	7.2	23	0.0
46325	0	0	1	0	DSu	47.0257	68.9589	27.7	707.4	394	56854.	638	0.6	0.6	5.0	0.1	0.1	9.1	22	0.0
46324	0	0	1	0	DSu	47.0257	68.9584	27.7	707.4	394	56854.	628	0.6	0.0	3.2	0.1	0.1	5.6	21	0.0
46323	0	0	1	0	DSu	47.0257	68.9579	27.7	707.5	395	56855.	640	0.6	0.6	3.1	0.1	0.1	5.1	31	0.0
46322	0	0	1	0	DSu	47.0257	68.9574	27.7	707.6	394	56856.	624	0.7	0.2	4.0	0.1	0.1	6.3	27	0.0
46321	0	0	0	0	DSu	47.0257	68.9569	27.7	707.7	394	56856.	662	0.6	1.4	3.8	2.7	0.4	7.3	21	0.0
46320	0	0	1	0	DSu	47.0257	68.9564	27.7	707.8	397	56857.	675	0.5	1.0	2.8	0.1	0.1	0.1	21	0.0
46319	0	0	1	0	DSu	47.0257	68.9559	27.7	707.9	399	56857.	652	0.7	1.0	4.0	0.1	0.1	6.5	21	0.0
46318	0	0	1	0	DSu	47.0257	68.9554	27.7	707.9	393	56856.	648	0.6	0.4	3.2	0.1	0.1	5.4	23	0.0

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI	
												CPS	%	PPM	PPM					CPS	CPS
46317	0	0	0	0	DSu	47.0258	68.9549	27.7	708.0	383	56855.	696	0.5	1.3	4.6	0.1	0.3	0.1	24	0.0	
46316	0	0	1	0	DSu	47.0259	68.9544	27.7	708.0	374	56854.	723	0.8	0.2	3.4	0.1	0.1	4.7	18	0.0	
46315	0	0	1	0	DSu	47.0258	68.9539	27.7	708.0	372	56853.	729	0.9	0.0	5.6	0.1	0.1	6.6	26	0.0	
46314	0	0	1	0	DSu	47.0258	68.9534	27.7	708.1	377	56852.	686	0.7	0.4	2.8	0.1	0.1	4.2	24	0.0	
46313	0	0	0	0	DSu	47.0258	68.9529	27.7	708.1	387	56851.	699	0.7	1.6	3.2	2.6	0.5	5.2	30	0.0	
46312	0	0	1	0	DSu	47.0258	68.9524	27.7	708.1	398	56850.	661	0.7	0.7	4.5	0.1	0.1	7.0	19	0.0	
46311	0	0	0	0	DSu	47.0258	68.9519	27.7	708.1	405	56848.	631	0.5	1.3	2.3	0.1	0.6	0.1	24	0.0	
46310	0	0	1	0	DSu	47.0258	68.9514	27.7	708.1	414	56846.	621	0.6	0.6	3.7	0.1	0.1	7.4	28	0.0	
46309	0	0	1	0	DSu	47.0258	68.9509	27.7	708.0	430	56845.	579	0.6	0.9	2.4	0.1	0.1	4.8	19	0.0	
46308	0	0	1	0	DSu	47.0259	68.9504	27.7	708.0	447	56845.	546	0.5	0.6	3.4	0.1	0.1	0.1	24	0.0	
46307	0	0	1	0	DSu	47.0259	68.9499	27.6	706.6	478	56843.	612	0.6	1.3	2.1	0.1	0.1	3.8	19	0.0	
46306	0	0	1	0	DSu	47.0259	68.9493	27.6	706.7	481	56843.	540	0.4	0.7	4.6	0.1	0.1	0.1	26	0.0	
46305	0	0	1	0	DSu	47.0259	68.9488	27.6	706.7	484	56842.	601	0.7	0.3	4.4	0.1	0.1	6.8	32	0.0	
46304	0	0	1	0	DSu	47.0259	68.9483	27.6	706.7	485	56842.	667	0.7	1.0	4.7	0.1	0.1	7.1	24	0.0	
46303	0	0	1	0	DSu	47.0259	68.9478	27.6	706.6	483	56842.	597	0.4	1.2	2.3	0.1	0.1	0.1	29	0.0	
46302	0	0	1	0	DSu	47.0258	68.9473	27.6	706.6	480	56842.	597	0.8	-0.2	3.9	0.1	0.1	4.9	35	0.0	
46301	0	0	1	0	DSu	47.0257	68.9467	27.6	706.5	482	56843.	671	0.7	0.2	2.8	0.1	0.1	4.0	26	0.0	
46300	0	0	1	0	DSu	47.0256	68.9461	27.6	706.4	484	56843.	629	0.7	-0.1	1.6	0.1	0.1	2.6	23	0.0	
46299	0	0	1	0	DSu	47.0255	68.9455	27.6	706.4	484	56843.	637	0.8	-0.1	3.8	0.1	0.1	5.3	28	0.0	
46298	0	0	1	0	DSu	47.0254	68.9450	27.6	706.3	482	56844.	725	0.5	0.3	6.6	0.1	0.1	0.1	20	0.0	
46297	0	0	1	0	DSu	47.0253	68.9444	27.6	706.2	481	56845.	675	0.6	0.3	4.2	0.1	0.1	8.2	16	0.0	
46296	0	0	1	0	DSu	47.0252	68.9438	27.6	706.1	478	56846.	664	0.6	0.5	1.3	0.1	0.1	2.4	28	0.0	
46295	0	0	1	0	DSu	47.0252	68.9432	27.6	706.1	476	56844.	610	0.8	0.1	3.5	0.1	0.1	4.6	25	0.0	
46294	0	0	0	0	DSu	47.0250	68.9427	27.6	705.9	475	56846.	645	0.7	1.5	4.0	2.1	0.4	5.7	31	0.0	
46293	0	0	1	0	DSu	47.0250	68.9421	27.6	705.8	477	56847.	654	0.7	0.1	3.1	0.1	0.1	4.8	24	0.0	
46292	0	0	1	0	DSu	47.0249	68.9415	27.6	705.7	480	56848.	681	0.7	0.1	4.3	0.1	0.1	6.4	24	0.0	
46291	0	0	1	0	DSu	47.0248	68.9409	27.6	705.7	480	56849.	680	0.9	1.0	1.8	0.1	0.1	2.2	24	0.0	
46290	0	0	1	0	DSu	47.0247	68.9404	27.6	705.7	478	56849.	643	0.4	1.2	3.8	0.1	0.1	0.1	35	0.0	
46289	0	0	1	0	DSu	47.0246	68.9398	27.6	705.7	473	56850.	583	0.6	0.5	4.7	0.1	0.1	8.2	31	0.0	
46288	0	0	1	0	DSu	47.0245	68.9392	27.6	705.7	469	56849.	626	0.8	0.2	3.8	0.1	0.1	5.3	23	0.0	
46287	0	0	1	0	DSu	47.0244	68.9387	27.6	705.7	466	56848.	673	0.8	0.5	3.4	0.1	0.1	4.3	24	0.0	
46286	0	0	1	0	DSu	47.0243	68.9381	27.6	705.8	467	56848.	705	0.9	1.0	4.4	0.1	0.1	5.0	27	0.0	
46285	0	0	1	0	DSu	47.0242	68.9375	27.6	705.9	469	56847.	655	0.7	-0.2	1.8	0.1	0.1	2.9	31	0.0	
46284	0	0	0	0	DSu	47.0241	68.9369	27.6	706.0	472	56846.	737	0.8	2.1	3.8	2.6	0.6	4.7	19	0.0	
46283	0	0	0	0	DSu	47.0240	68.9363	27.6	706.1	474	56846.	727	0.9	1.6	4.0	1.9	0.4	4.7	24	0.0	
46282	0	0	1	0	DSu	47.0239	68.9358	27.6	706.2	472	56847.	745	0.5	0.4	3.0	0.1	0.1	0.1	28	0.0	
46281	0	0	0	0	DSu	47.0238	68.9352	27.6	706.3	467	56847.	696	0.7	1.7	6.0	2.8	0.3	9.6	28	0.0	
46280	0	0	0	0	DSu	47.0237	68.9346	27.6	706.4	459	56848.	683	0.6	1.3	3.9	2.2	0.4	6.5	21	0.0	
46279	0	0	1	0	DSu	47.0236	68.9341	27.6	706.5	448	56849.	680	0.7	0.8	3.3	0.1	0.1	4.9	22	0.0	
46278	0	0	1	0	DSu	47.0235	68.9335	27.6	706.6	437	56850.	692	0.9	0.9	4.0	0.1	0.1	5.0	30	0.0	
46277	0	0	1	0	DSu	47.0234	68.9329	27.6	706.7	429	56850.	687	0.5	0.1	3.5	0.1	0.1	0.1	24	0.0	
46276	0	0	1	0	DSu	47.0233	68.9323	27.6	706.8	426	56850.	698	0.6	1.1	4.2	0.1	0.1	7.3	18	0.0	
46275	0	0	1	0	DSu	47.0232	68.9317	27.6	706.9	428	56851.	754	0.9	1.0	2.9	0.1	0.1	3.5	22	0.0	
46274	0	0	1	0	DSu	47.0231	68.9312	27.6	707.0	434	56850.	701	0.7	1.0	3.9	0.1	0.1	5.6	23	0.0	
46273	0	0	1	0	DSu	47.0230	68.9306	27.6	707.1	439	56850.	691	0.7	0.6	4.1	0.1	0.1	6.6	29	0.0	
46272	0	0	1	0	DSu	47.0229	68.9300	27.6	707.2	439	56851.	720	0.7	0.7	3.9	0.1	0.1	5.7	23	0.0	
46271	0	0	1	0	DSu	47.0228	68.9295	27.6	707.3	434	56851.	735	0.7	1.2	3.8	0.1	0.1	5.6	19	0.0	
46270	0	0	1	0	DSu	47.0227	68.9289	27.6	707.4	428	56850.	679	0.7	0.1	4.6	0.1	0.1	7.3	22	0.0	
46269	0	0	1	0	DSu	47.0226	68.9283	27.6	707.5	423	56850.	662	0.6	0.0	3.1	0.1	0.1	5.1	22	0.0	
46268	0	0	1	0	DSu	47.0225	68.9277	27.6	707.6	420	56850.	666	0.5	0.8	5.9	0.1	0.1	0.1	28	0.0	

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI	
												CPS	%	PPM	PPM					CPS	CPS
46267	0	0	1	0	DSu	47.0224	68.9272	27.6	707.7	422	56849.	637	0.6	1.0	3.5	0.1	0.1	6.1	21	0.0	
46266	0	0	1	0	DSu	47.0224	68.9266	27.6	707.8	432	56849.	608	0.8	0.1	2.2	0.1	0.1	2.8	36	0.0	
46265	0	0	1	0	DSu	47.0223	68.9260	27.6	707.8	446	56848.	622	0.7	0.5	4.1	0.1	0.1	5.9	25	0.0	
46264	0	0	1	0	DSu	47.0222	68.9254	27.6	707.8	462	56847.	645	0.5	1.2	4.2	0.1	0.1	0.1	30	0.0	
46263	0	0	1	0	DSu	47.0221	68.9249	27.6	707.8	474	56846.	554	0.6	0.7	2.2	0.1	0.1	4.3	22	0.0	
46262	0	0	0	0	DSu	47.0221	68.9243	27.6	707.7	479	56846.	564	0.5	1.4	2.2	0.1	0.7	0.1	23	0.0	
46261	0	0	1	0	DSu	47.0221	68.9238	27.6	707.7	479	56845.	598	0.5	0.6	3.4	0.1	0.1	0.1	23	0.0	
46260	0	0	1	0	DSu	47.0221	68.9232	27.6	707.6	478	56844.	541	0.5	0.7	4.0	0.1	0.1	0.1	24	0.0	
46259	0	0	1	0	DSu	47.0221	68.9227	27.6	707.5	481	56844.	558	0.7	0.1	2.6	0.1	0.1	4.1	19	0.0	
46258	0	0	1	0	DSu	47.0221	68.9222	27.6	707.3	488	56844.	515	0.4	0.1	3.0	0.1	0.1	0.1	21	0.0	
46257	0	0	1	1	DSu	47.0221	68.9216	27.5	707.2	499	56844.	451	0.5	0.5	0.5	0.1	0.1	0.1	31	0.0	
46256	0	0	1	0	DSu	47.0221	68.9211	27.5	707.0	508	56844.	472	0.4	1.2	2.9	0.1	0.1	0.1	30	0.0	
46255	0	0	1	0	DSu	47.0221	68.9205	27.5	706.9	513	56843.	540	0.6	0.9	2.5	0.1	0.1	4.1	29	0.0	
46254	0	0	1	0	DSu	47.0222	68.9200	27.5	706.7	509	56842.	581	0.6	0.5	3.6	0.1	0.1	6.4	24	0.0	
46253	0	0	0	0	DSu	47.0222	68.9195	27.5	706.6	499	56843.	614	0.3	1.6	3.7	0.1	0.5	0.1	26	0.0	
46252	0	0	1	0	DSu	47.0222	68.9189	27.5	706.4	487	56842.	624	0.7	0.3	3.7	0.1	0.1	5.9	21	0.0	
46251	0	0	0	0	DSu	47.0222	68.9184	27.3	705.4	464	56843.	728	0.6	1.7	4.3	2.9	0.5	7.1	25	0.0	
46250	0	0	1	0	DSu	47.0222	68.9178	27.3	705.4	459	56846.	665	0.7	0.4	1.8	0.1	0.1	2.8	21	0.0	
46248	0	0	1	0	DSu	47.0222	68.9168	27.3	705.4	453	56847.	728	0.7	0.4	6.2	0.1	0.1	9.0	22	0.0	
46247	0	0	1	0	DSu	47.0222	68.9162	27.3	705.4	443	56846.	756	0.9	-0.7	4.6	0.1	0.1	5.7	22	0.0	
46246	0	0	1	0	DSu	47.0222	68.9157	27.3	705.4	439	56845.	675	0.7	1.0	3.8	0.1	0.1	5.6	23	0.0	
46245	0	0	1	0	DSu	47.0222	68.9151	27.3	705.4	441	56845.	693	0.9	1.2	3.5	0.1	0.1	4.3	21	0.0	
46244	0	0	1	0	DSu	47.0223	68.9146	27.3	705.3	447	56845.	659	0.6	0.4	3.3	0.1	0.1	6.4	36	0.0	
46243	0	0	1	0	DSu	47.0223	68.9141	27.3	705.3	453	56846.	639	0.7	0.9	2.8	0.1	0.1	4.2	14	0.0	
46242	0	0	0	0	DSu	47.0223	68.9135	27.3	705.2	455	56847.	646	0.8	1.7	2.9	2.3	0.6	4.1	35	0.0	
46241	0	0	1	0	DSu	47.0223	68.9130	27.3	705.2	453	56847.	707	0.6	0.0	4.0	0.1	0.1	7.6	31	0.0	
46240	0	0	0	0	DSu	47.0223	68.9125	27.3	705.2	448	56849.	719	0.6	1.6	2.9	2.9	0.6	5.3	20	0.0	
46239	0	0	1	0	DSu	47.0223	68.9119	27.3	705.2	441	56850.	639	0.3	0.1	5.1	0.1	0.1	0.1	20	0.0	
46238	0	0	0	0	DSu	47.0223	68.9114	27.3	705.2	432	56850.	640	0.5	1.3	4.1	0.1	0.3	0.1	30	0.0	
46237	0	0	1	0	DSu	47.0223	68.9108	27.3	705.2	422	56851.	686	0.7	-0.5	3.3	0.1	0.1	5.0	19	0.0	
46236	0	0	1	0	DSu	47.0223	68.9103	27.3	705.2	414	56851.	654	0.7	0.7	4.6	0.1	0.1	6.8	27	0.0	
46235	0	0	1	0	DSu	47.0224	68.9098	27.3	705.2	409	56851.	697	0.8	0.7	4.0	0.1	0.1	5.6	22	0.0	
46234	0	0	0	0	DSu	47.0224	68.9092	27.3	705.2	406	56850.	740	0.8	1.7	2.9	2.3	0.6	3.8	20	0.0	
46233	0	0	1	0	DSu	47.0224	68.9087	27.3	705.3	404	56850.	660	0.6	1.2	3.3	0.1	0.1	5.7	17	0.0	
46232	0	0	1	0	DSu	47.0224	68.9081	27.3	705.3	403	56851.	632	0.6	0.1	3.0	0.1	0.1	5.3	26	0.0	
46231	0	0	1	0	DSu	47.0224	68.9076	27.3	705.4	404	56850.	631	0.6	0.3	4.1	0.1	0.1	7.8	23	0.0	
46230	0	0	0	0	DSu	47.0224	68.9071	27.3	705.5	406	56849.	590	0.6	1.4	3.1	2.8	0.5	6.0	12	0.0	
46229	0	0	1	0	DSu	47.0224	68.9065	27.3	705.5	407	56849.	522	0.5	0.8	2.2	0.1	0.1	0.1	34	0.0	
46228	0	0	1	0	DSu	47.0224	68.9060	27.3	705.6	411	56849.	439	0.3	0.6	2.2	0.1	0.1	0.1	31	0.0	
46227	0	0	1	0	DSu	47.0224	68.9054	27.3	705.6	417	56848.	354	0.4	0.5	2.3	0.1	0.1	0.1	19	0.0	
46226	0	0	1	0	DSu	47.0224	68.9049	27.3	705.6	425	56848.	266	0.3	-0.5	1.5	0.1	0.1	0.1	19	0.0	
46225	0	0	1	0	DSu	47.0224	68.9044	27.3	705.6	434	56847.	235	0.2	-0.3	1.5	0.1	0.1	0.1	23	0.0	
46224	0	1	1	0	DSu	47.0225	68.9038	27.3	705.5	441	56847.	235	0.2	0.3	1.9	0.1	0.1	0.1	20	0.0	
46223	0	0	1	1	DSu	47.0225	68.9033	27.3	705.5	451	56847.	230	0.2	-0.1	0.7	0.1	0.1	0.1	31	0.0	
46222	0	0	1	0	DSu	47.0225	68.9027	27.3	705.4	461	56846.	295	0.2	-0.7	1.4	0.1	0.1	0.1	24	0.0	
46221	0	0	1	1	DSu	47.0225	68.9022	27.3	705.3	474	56845.	306	0.3	0.7	0.3	0.1	0.1	0.1	23	0.0	
46220	0	0	1	0	DSu	47.0225	68.9017	27.3	705.2	481	56845.	388	0.3	1.0	2.2	0.1	0.1	0.1	29	0.0	
46219	0	0	1	0	DSu	47.0225	68.9011	27.3	705.0	485	56844.	402	0.5	-0.2	4.2	0.1	0.1	0.1	30	0.0	
46218	0	0	1	0	DSu	47.0225	68.9006	27.3	704.9	483	56845.	432	0.4	-0.1	1.5	0.1	0.1	0.1	25	0.0	
46217	0	0	1	0	DSu	47.0225	68.9001	27.3	704.8	485	56846.	411	0.3	0.4	2.8	0.1	0.1	0.1	17	0.0	

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
46216	0	0	1	0	DSu	47.0225	68.8975	27.3	704.6	486	56846.	572	0.5	0.6	4.7	0.1	0.1	0.1	26	0.0
46215	0	0	1	0	DSu	47.0225	68.8991	27.3	704.4	483	56846.	530	0.3	0.5	2.1	0.1	0.1	0.1	24	0.0
46214	0	0	1	0	DSu	47.0226	68.8986	27.3	704.3	479	56845.	543	0.7	-0.5	2.4	0.1	0.1	3.9	29	0.0
46213	0	0	1	0	DSu	47.0226	68.8981	27.3	704.1	478	56845.	564	0.9	-0.4	2.5	0.1	0.1	2.9	15	0.0
46212	0	0	1	0	DSu	47.0226	68.8977	27.3	703.9	480	56845.	516	0.5	-0.1	1.3	0.1	0.1	0.1	22	0.0
46211	0	0	1	0	DSu	47.0226	68.8972	27.3	703.7	482	56846.	531	0.5	1.1	3.2	0.1	0.1	0.1	17	0.0
46210	0	0	1	0	DSu	47.0226	68.8968	27.3	703.6	485	56846.	524	0.4	0.1	3.1	0.1	0.1	0.1	23	0.0
46209	0	0	1	0	DSu	47.0226	68.8963	27.3	703.4	486	56845.	478	0.3	1.2	2.8	0.1	0.1	0.1	25	0.0
46208	0	0	1	1	DSu	47.0227	68.8959	27.3	703.2	485	56845.	407	0.5	0.4	0.8	0.1	0.1	0.1	28	0.0
46207	0	0	1	0	DSu	47.0227	68.8954	27.3	703.1	481	56846.	461	0.4	0.1	1.8	0.1	0.1	0.1	25	0.0
46206	0	0	1	0	DSu	47.0227	68.8949	27.3	702.9	476	56847.	502	0.5	-0.4	3.4	0.1	0.1	0.1	22	0.0
46205	0	0	1	0	DSu	47.0227	68.8945	27.3	702.8	469	56848.	455	0.3	1.2	2.2	0.1	0.1	0.1	27	0.0
46204	0	0	1	1	DSu	47.0227	68.8940	27.3	702.6	461	56847.	543	0.5	-0.1	0.9	0.1	0.1	0.1	29	0.0
46203	0	0	1	0	DSu	47.0227	68.8935	27.3	702.5	453	56847.	602	0.7	0.5	4.0	0.1	0.1	5.9	30	0.0
46202	0	0	1	0	DSu	47.0227	63.8931	27.3	702.3	446	56846.	507	0.4	-0.3	2.5	0.1	0.1	0.1	22	0.0
46201	0	0	1	0	DSu	47.0228	68.8926	27.3	702.2	437	56847.	599	0.5	0.8	4.3	0.1	0.1	0.1	24	0.0
46200	0	0	1	0	DSu	47.0228	68.8922	27.3	702.1	430	56847.	627	0.7	-0.1	2.6	0.1	0.1	4.0	25	0.0
46199	0	0	0	0	DSu	47.0228	68.8917	27.3	702.0	424	56846.	643	0.7	1.3	3.7	2.1	0.4	6.0	32	0.0
46198	0	0	0	0	DSu	47.0228	68.8912	27.3	701.9	423	56845.	629	0.6	1.4	3.2	2.6	0.5	6.1	24	0.0
46197	0	0	1	0	DSu	47.0228	68.8908	27.3	701.8	427	56845.	638	0.5	1.2	2.1	0.1	0.1	0.1	22	0.0
46196	0	0	1	0	DSu	47.0228	68.8903	27.3	701.7	438	56844.	660	0.7	0.8	5.5	0.1	0.1	8.0	18	0.0
46195	0	0	1	0	DSu	47.0229	68.8898	27.3	701.6	450	56844.	632	0.7	0.2	3.8	0.1	0.1	6.0	25	0.0
46194	0	0	1	0	DSu	47.0229	68.8894	27.2	700.7	472	56844.	620	0.6	0.2	4.8	0.1	0.1	8.5	22	0.0
46193	0	0	1	1	DSu	47.0229	68.8889	27.2	700.7	473	56844.	553	0.4	0.9	1.1	0.1	0.1	0.1	22	0.0
46192	0	0	1	0	DSu	47.0229	68.8885	27.2	700.7	476	56845.	611	0.9	0.3	2.6	0.1	0.1	3.1	28	0.0
46191	0	0	0	0	DSu	47.0229	68.8880	27.2	700.6	480	56844.	688	0.5	2.7	3.0	0.1	0.9	0.1	21	0.0
46190	0	0	0	0	DSu	47.0229	68.8876	27.2	700.6	484	56843.	649	0.5	1.3	1.9	0.1	0.7	0.1	30	0.0
46189	0	0	1	0	DSu	47.0229	68.8871	27.2	700.6	482	56844.	682	0.7	1.0	2.1	0.1	0.1	3.1	31	0.0
46188	0	0	1	0	DSu	47.0230	68.8866	27.2	700.6	477	56846.	710	0.9	-0.1	2.7	0.1	0.1	3.1	30	0.0
46187	0	0	0	0	DSu	47.0230	68.8862	27.2	700.6	466	56847.	705	0.6	1.7	3.0	3.1	0.6	5.7	21	0.0
46186	0	0	1	0	DSu	47.0230	68.8857	27.3	700.6	451	56848.	715	0.6	1.1	3.3	0.1	0.1	5.8	24	0.0
46185	0	0	1	0	DSu	47.0230	68.8852	27.3	700.6	435	56848.	756	0.6	0.5	4.2	0.1	0.1	7.8	29	0.0
46184	0	0	1	0	DSu	47.0230	68.8848	27.3	700.7	421	56848.	765	0.9	0.3	3.4	0.1	0.1	4.3	21	0.0
46183	0	0	1	0	DSu	47.0230	68.8843	27.3	700.7	411	56848.	711	0.8	0.1	3.7	0.1	0.1	4.8	30	0.0
46182	0	0	1	0	DSu	47.0230	68.8839	27.3	700.7	406	56849.	763	0.9	1.1	3.8	0.1	0.1	4.8	28	0.0
46181	0	0	1	0	DSu	47.0231	68.8834	27.3	700.7	407	56849.	752	0.7	1.2	2.5	0.1	0.1	3.9	24	0.0
46180	0	0	0	0	DSu	47.0231	68.8829	27.3	700.7	414	56848.	782	0.7	1.4	3.2	2.1	0.5	4.9	23	0.0
46179	0	0	1	0	DSu	47.0231	68.8825	27.3	700.7	421	56848.	795	0.9	0.3	2.8	0.1	0.1	3.3	25	0.0
46178	0	0	1	0	DSu	47.0231	68.8820	27.3	700.8	422	56848.	738	0.8	1.1	4.1	0.1	0.1	5.8	23	0.0
46177	0	0	1	0	DSu	47.0231	68.8816	27.3	700.8	420	56849.	725	0.5	1.1	4.8	0.1	0.1	0.1	23	0.0
46176	0	0	1	0	DSu	47.0231	68.8811	27.3	700.9	414	56849.	797	0.7	0.6	4.2	0.1	0.1	6.1	17	0.0
46175	0	0	1	0	DSu	47.0232	68.8806	27.3	700.9	404	56849.	781	0.7	0.8	5.6	0.1	0.1	8.4	27	0.0
46174	0	0	1	0	DSu	47.0232	68.8802	27.3	700.9	391	56849.	732	0.7	0.4	3.8	0.1	0.1	5.8	35	0.0
46173	0	0	1	0	DSu	47.0232	68.8797	27.3	701.0	381	56850.	712	0.9	0.5	3.1	0.1	0.1	3.5	28	0.0
46172	0	0	1	0	DSu	47.0232	68.8793	27.3	700.9	380	56850.	704	0.7	1.0	4.5	0.1	0.1	6.9	18	0.0
46171	0	0	0	0	DSu	47.0232	68.8788	27.3	700.9	385	56849.	681	0.6	2.1	3.2	3.7	0.7	5.6	35	0.0
46170	0	0	1	0	DSu	47.0232	68.8783	27.3	700.9	392	56850.	670	0.7	0.7	2.6	0.1	0.1	4.0	33	0.0
46169	0	0	1	0	DSu	47.0233	68.8779	27.3	700.9	398	56849.	698	0.8	0.4	4.8	0.1	0.1	6.7	21	0.0
46168	0	0	1	0	DSu	47.0233	68.8774	27.3	700.9	405	56848.	722	0.8	0.4	3.4	0.1	0.1	4.4	25	0.0
46167	0	0	0	0	DSu	47.0233	68.8770	27.3	700.8	410	56848.	778	0.7	1.6	2.9	2.4	0.6	4.2	23	0.0

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	P.ADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI			
												CPS	%	PPM	PPM							CPS	CPS
46166	0	0	1	0	DSu	47.0233	68.8765	27.3	700.8	412	56848.	701	0.8	0.2	3.0	0.1	0.1	4.2	27	0.0			
46165	0	0	0	0	DSu	47.0233	68.8760	27.3	700.7	410	56847.	757	0.8	2.2	5.1	2.8	0.5	6.6	25	0.0			
46164	0	0	1	0	DSu	47.0233	68.8756	27.3	700.6	411	56848.	812	0.7	0.8	4.5	0.1	0.1	7.2	31	0.0			
46163	0	0	1	0	DSu	47.0233	68.8751	27.3	700.6	413	56848.	739	0.7	0.3	5.3	0.1	0.1	7.9	27	0.0			
46162	0	0	1	0	DSu	47.0233	68.8747	27.3	700.5	420	56849.	750	0.6	0.0	4.6	0.1	0.1	8.4	33	0.0			
46161	0	0	1	0	DSu	47.0234	68.8742	27.3	700.4	425	56849.	758	0.8	0.8	4.2	0.1	0.1	5.9	25	0.0			
46160	0	0	1	0	DSu	47.0234	68.8737	27.3	700.3	432	56848.	752	0.9	-0.1	5.0	0.1	0.1	5.6	25	0.0			
46159	0	0	1	0	DSu	47.0234	68.8733	27.3	700.3	428	56849.	692	0.7	0.5	5.6	0.1	0.1	8.6	24	0.0			
46158	0	0	1	0	DSu	47.0234	68.8729	27.3	700.2	418	56850.	748	0.8	-0.1	5.0	0.1	0.1	6.9	29	0.0			
46157	0	0	1	0	DSu	47.0234	68.8724	27.3	700.2	401	56852.	766	0.8	-0.6	3.1	0.1	0.1	4.2	31	0.0			
46156	0	0	0	0	DSu	47.0234	68.8719	27.3	700.1	388	56853.	755	0.7	2.1	2.9	2.9	0.8	4.1	17	0.0			
46155	0	0	1	0	DSu	47.0235	68.8714	27.3	700.0	379	56853.	780	0.9	0.7	3.0	0.1	0.1	3.8	29	0.0			
46153	0	0	1	0	DSu	47.0235	68.8705	27.3	700.0	372	56853.	673	0.6	-0.3	2.8	0.1	0.1	4.6	23	0.0			
46152	0	0	0	0	DSu	47.0235	68.8701	27.3	700.0	364	56853.	691	0.8	1.3	4.5	1.8	0.3	6.3	33	0.0			
46151	0	0	1	0	DSu	47.0235	68.8696	27.3	699.9	361	56852.	684	0.9	0.6	2.4	0.1	0.1	2.7	29	0.0			
46150	0	0	1	0	DSu	47.0235	68.8691	27.3	699.9	365	56851.	639	0.6	0.9	4.3	0.1	0.1	8.1	32	0.0			
46149	0	0	1	0	DSu	47.0235	68.8687	27.3	699.8	380	56849.	556	0.4	0.6	2.0	0.1	0.1	0.1	32	0.0			
46148	0	0	1	0	DSu	47.0236	68.8682	27.3	699.8	400	56848.	539	0.7	0.3	2.7	0.1	0.1	4.1	24	0.0			
46147	0	0	1	0	DSu	47.0236	68.8678	27.3	699.7	427	56848.	502	0.6	0.5	3.5	0.1	0.1	5.9	24	0.0			
46146	0	0	1	1	DSu	47.0236	68.8673	27.3	699.6	448	56847.	463	0.3	0.9	0.4	0.1	0.1	0.1	24	0.0			
46145	0	0	1	0	DSu	47.0236	68.8669	27.3	699.5	464	56846.	452	0.5	0.9	2.5	0.1	0.1	0.1	15	0.0			
46144	0	0	1	0	DSu	47.0236	68.8664	27.3	699.4	465	56845.	469	0.4	0.7	3.3	0.1	0.1	0.1	20	0.0			
46143	0	0	1	0	DSu	47.0236	68.8659	27.3	699.3	464	56845.	491	0.4	0.4	2.1	0.1	0.1	0.1	19	0.0			
46142	0	0	1	0	DSu	47.0237	68.8655	27.3	699.2	459	56846.	499	0.4	0.3	3.2	0.1	0.1	0.1	32	0.0			
46141	0	0	1	0	DSu	47.0237	68.8650	27.3	699.0	455	56847.	535	0.5	-0.1	3.2	0.1	0.1	0.1	28	0.0			
46140	0	0	1	0	DSu	47.0237	68.8645	27.3	698.9	450	56848.	593	0.5	0.0	3.4	0.1	0.1	0.1	29	0.0			
46139	0	0	0	0	DSu	47.0237	68.8641	27.4	698.7	444	56848.	657	0.5	3.4	4.1	0.1	0.9	0.1	21	0.0			
46138	0	0	0	0	DSu	47.0237	68.8636	27.4	698.5	437	56848.	687	0.6	1.8	2.2	3.3	0.9	4.1	25	0.0			
46137	0	0	1	0	DSu	47.0237	68.8632	27.6	697.2	420	56849.	711	0.6	0.1	3.1	0.1	0.1	5.4	19	0.0			
46136	0	0	1	0	DSu	47.0238	68.8627	27.6	697.2	421	56850.	711	0.9	-0.9	4.2	0.1	0.1	4.8	22	0.0			
46135	0	0	1	0	DSu	47.0238	68.8623	27.6	697.2	424	56850.	710	0.9	0.0	2.5	0.1	0.1	3.1	27	0.0			
46134	0	0	1	0	DSu	47.0238	68.8618	27.6	697.2	428	56850.	693	0.8	0.7	3.2	0.1	0.1	4.2	29	0.0			
46133	0	0	1	0	DSu	47.0238	68.8613	27.6	697.1	430	56850.	675	0.8	0.3	4.2	0.1	0.1	5.5	17	0.0			
46132	0	0	1	0	DSu	47.0238	68.8609	27.6	697.1	426	56852.	704	0.8	0.0	3.4	0.1	0.1	4.4	37	0.0			
46131	0	0	1	0	DSu	47.0238	68.8604	27.6	697.1	418	56854.	777	0.9	1.0	5.1	0.1	0.1	6.2	26	0.0			
46130	0	0	1	0	DSu	47.0238	68.8599	27.6	697.1	405	56854.	774	0.7	1.0	5.1	0.1	0.1	7.9	31	0.0			
46129	0	0	1	0	DSu	47.0238	68.8595	27.6	697.1	395	56854.	777	0.7	0.2	3.6	0.1	0.1	5.2	23	0.0			
46128	0	0	1	0	DSu	47.0239	68.8590	27.6	697.2	387	56856.	864	0.9	0.0	6.6	0.1	0.1	8.0	32	0.0			
46127	0	0	1	0	DSu	47.0239	68.8586	27.6	697.2	382	56857.	774	0.8	-0.1	3.0	0.1	0.1	3.9	23	0.0			
46126	0	0	1	0	DSu	47.0239	68.8581	27.6	697.3	379	56858.	877	0.9	1.2	5.7	0.1	0.1	6.7	16	0.0			
46125	0	0	0	0	DSu	47.0239	68.8576	27.6	697.3	380	56858.	860	0.7	1.3	4.7	1.8	0.3	6.7	24	0.0			
46124	0	0	0	0	DSu	47.0239	68.8572	27.6	697.4	385	56858.	868	0.9	1.5	4.0	1.7	0.4	4.5	34	0.0			
46123	0	0	1	0	DSu	47.0239	68.8567	27.6	697.5	392	56859.	824	1.0	0.9	5.3	0.1	0.1	5.4	21	0.0			
46122	0	0	1	0	DSu	47.0240	68.8563	27.6	697.6	399	56858.	797	1.0	1.0	3.0	0.1	0.1	3.3	25	0.0			
46121	0	0	1	0	DSu	47.0240	68.8558	27.6	697.8	404	56858.	773	0.7	0.8	3.7	0.1	0.1	5.3	20	0.0			
46120	0	0	1	0	DSu	47.0240	68.8553	27.6	698.0	411	56860.	792	0.9	1.1	5.5	0.1	0.1	6.3	29	0.0			
46119	0	0	1	0	DSu	47.0240	68.8549	27.6	698.2	419	56861.	858	1.1	1.0	5.1	0.1	0.1	5.0	42	0.0			
46118	0	0	1	0	DSu	47.0240	68.8544	27.6	698.5	429	56860.	781	0.7	1.0	2.6	0.1	0.1	3.9	33	0.0			
46117	0	0	1	0	DSu	47.0240	68.8540	27.6	698.7	439	56860.	862	1.0	0.8	2.5	0.1	0.1	2.7	31	0.0			
46116	0	0	0	0	DSu	47.0240	68.8535	27.6	699.0	447	56859.	829	1.2	1.7	3.7	1.4	0.5	3.1	26	0.0			

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
46115	0	0	1	0	DSu	47.0241	68.8530	27.6	699.4	454	56859.	825	0.9	0.5	2.9	0.1	0.1	3.3	23	0.0
46114	0	0	1	0	DSu	47.0241	68.8526	27.6	699.7	461	56861.	813	0.9	1.0	2.0	0.1	0.1	2.2	27	0.0
46113	0	0	1	0	DSu	47.0241	68.8521	27.6	700.1	470	56861.	893	0.9	0.7	4.3	0.1	0.1	5.0	25	0.0
46112	0	0	1	0	DSu	47.0241	68.8517	27.7	700.5	478	56861.	904	1.0	0.4	5.8	0.1	0.1	6.3	25	0.0
46111	0	0	1	0	DSu	47.0241	68.8512	27.7	700.9	480	56861.	855	0.9	1.0	4.6	0.1	0.1	5.2	20	0.0
46110	0	0	1	0	DSu	47.0241	68.8507	27.7	701.3	477	56861.	756	0.9	0.9	4.6	0.1	0.1	5.7	24	0.0
46109	0	0	0	0	DSu	47.0241	68.8503	27.7	701.7	471	56860.	765	0.6	1.5	3.8	2.9	0.4	7.5	34	0.0
46108	0	0	0	0	DSu	47.0242	68.8498	27.7	702.1	463	56862.	762	0.7	1.4	4.1	2.1	0.4	6.1	24	0.0
46107	0	0	1	0	DSu	47.0242	68.8494	27.7	702.6	447	56865.	634	0.6	-0.5	3.6	0.1	0.1	6.2	24	0.0
46106	0	0	1	0	DSu	47.0242	68.8489	27.7	703.0	425	56866.	675	0.7	0.2	4.5	0.1	0.1	6.5	20	0.0
46105	0	0	1	0	DSu	47.0242	68.8484	27.7	703.4	398	56866.	736	0.6	0.7	3.9	0.1	0.1	7.4	26	0.0
46104	0	0	1	0	DSu	47.0242	68.8480	27.7	703.8	368	56866.	782	0.7	0.4	4.6	0.1	0.1	6.9	17	0.0
46103	0	0	1	0	DSu	47.0243	68.8475	27.7	704.3	338	56867.	828	0.8	0.3	4.3	0.1	0.1	5.6	31	0.0
46102	0	0	0	0	DSu	47.0243	68.8471	27.7	704.7	311	56869.	820	0.8	1.7	3.4	2.2	0.5	4.3	25	0.0
46101	0	0	0	0	DSu	47.0243	68.8466	27.7	705.0	295	56871.	888	0.9	1.2	3.5	1.4	0.4	4.0	30	0.0
46100	0	0	1	0	DSu	47.0243	68.8461	27.7	705.4	292	56871.	877	0.8	0.8	5.0	0.1	0.1	6.5	29	0.0
46099	0	0	1	0	DSu	47.0243	68.8457	27.7	705.7	304	56870.	932	1.0	0.2	4.6	0.1	0.1	4.6	24	0.0
46098	0	0	1	0	DSu	47.0243	68.8452	27.7	706.1	330	56870.	845	0.9	0.5	3.5	0.1	0.1	3.9	28	0.0
46097	0	0	1	0	DSu	47.0243	68.8448	27.7	706.4	361	56870.	781	0.8	1.1	3.1	0.1	0.1	4.3	26	0.0
46096	0	0	1	0	DSu	47.0243	68.8443	27.7	706.6	386	56869.	759	0.7	0.1	6.6	0.1	0.1	10.6	33	0.0
46095	0	0	1	0	DSu	47.0244	68.8438	27.7	706.9	402	56869.	672	0.8	0.9	2.5	0.1	0.1	3.2	33	0.0
46094	0	0	1	0	DSu	47.0244	68.8434	27.7	707.1	409	56869.	615	0.6	-0.2	4.1	0.1	0.1	8.0	32	0.0
46093	0	0	1	0	DSu	47.0244	68.8429	27.7	707.2	413	56867.	613	0.7	0.2	2.4	0.1	0.1	3.6	21	0.0
46092	0	0	1	0	DSu	47.0244	68.8425	27.7	707.3	417	56864.	516	0.6	-0.3	3.8	0.1	0.1	6.4	32	0.0
46091	0	0	1	0	DSu	47.0244	68.8420	27.7	707.3	430	56862.	504	0.5	-0.4	2.8	0.1	0.1	0.1	22	0.0
46090	0	0	1	0	DSu	47.0244	68.8415	27.7	707.3	447	56862.	457	0.4	-0.3	2.2	0.1	0.1	0.1	24	0.0
46089	0	0	1	0	DSu	47.0245	68.8411	27.7	707.3	464	56862.	467	0.3	1.0	2.2	0.1	0.1	0.1	26	0.0
46088	0	0	1	0	DSu	47.0245	68.8406	27.7	707.2	476	56861.	471	0.3	0.7	1.8	0.1	0.1	0.1	15	0.0
46087	0	0	1	0	DSu	47.0245	68.8402	27.7	707.1	483	56860.	489	0.6	0.4	3.1	0.1	0.1	6.0	27	0.0
46086	0	0	1	0	DSu	47.0245	68.8397	27.7	707.0	488	56860.	444	0.4	-0.1	2.7	0.1	0.1	0.1	24	0.0
46085	0	0	0	0	DSu	47.0245	68.8392	27.7	706.9	490	56860.	539	0.4	1.4	1.5	0.1	1.0	0.1	23	0.0
46084	0	0	1	0	DSu	47.0245	68.8388	27.7	706.7	489	56860.	556	0.3	0.8	2.7	0.1	0.1	0.1	23	0.0
46083	0	0	1	0	DSu	47.0245	68.8383	27.7	706.5	484	56860.	596	0.5	0.8	3.5	0.1	0.1	0.1	25	0.0
46082	0	0	1	0	DSu	47.0246	68.8379	27.7	706.3	480	56859.	618	0.6	0.5	3.2	0.1	0.1	5.6	14	0.0
46081	0	0	1	0	DSu	47.0246	68.8374	27.8	703.9	466	56860.	749	0.6	0.9	4.9	0.1	0.1	8.9	15	0.0
46080	0	0	1	0	DSu	47.0246	68.8368	27.8	704.0	462	56860.	699	0.8	0.8	5.4	0.1	0.1	7.0	28	0.0
46079	0	0	1	0	DSu	47.0246	68.8363	27.8	704.0	456	56859.	729	0.8	0.7	5.1	0.1	0.1	7.0	36	0.0
46078	0	0	1	0	DSu	47.0246	68.8357	27.8	704.0	445	56859.	714	0.7	-0.4	4.7	0.1	0.1	7.2	23	0.0
46077	0	0	1	0	DSu	47.0246	68.8351	27.8	703.9	432	56859.	795	1.0	0.9	4.2	0.1	0.1	4.2	22	0.0
46076	0	0	1	0	DSu	47.0246	68.8345	27.8	703.9	421	56859.	838	0.8	-0.3	3.7	0.1	0.1	5.2	21	0.0
46075	0	0	0	0	DSu	47.0246	68.8339	27.8	703.8	408	56859.	853	0.9	2.1	3.2	2.6	0.7	3.9	17	0.0
46074	0	0	0	0	DSu	47.0246	68.8334	27.8	703.7	400	56858.	879	0.8	1.6	5.7	2.0	0.3	7.2	28	0.0
46073	0	0	1	0	DSu	47.0245	68.8328	27.8	703.6	392	56858.	861	1.0	-0.5	5.5	0.1	0.1	5.8	28	0.0
46072	0	0	1	0	DSu	47.0245	68.8322	27.8	703.5	386	56860.	878	0.8	0.6	4.1	0.1	0.1	5.4	33	0.0
46071	0	0	1	0	DSu	47.0245	68.8316	27.8	703.4	383	56862.	819	0.9	0.7	4.6	0.1	0.1	5.4	42	0.0
46070	0	0	1	0	DSu	47.0245	68.8311	27.8	703.4	387	56861.	816	0.8	-0.6	5.1	0.1	0.1	7.2	23	0.0
46069	0	0	1	0	DSu	47.0245	68.8305	27.8	703.3	397	56861.	792	0.6	0.5	5.6	0.1	0.1	7.6	21	0.0
46068	0	0	1	0	DSu	47.0245	68.8299	27.8	703.1	405	56862.	856	0.9	0.9	4.7	0.1	0.1	5.6	31	0.0
46067	0	0	1	0	DSu	47.0245	68.8293	27.9	703.0	408	56863.	817	1.0	0.7	2.7	0.1	0.1	2.8	27	0.0
46066	0	0	1	0	DSu	47.0245	68.8288	27.9	702.9	401	56864.	858	0.9	0.9	5.1	0.1	0.1	5.7	22	0.0

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

- B16 -
 MAINE AERIAL SURVEY EDMUNDSTON QUADRANGLE, CARSON GEOSCIENCE INC., 1980

LINE NO. 60

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
46065	0	0	1	0	DSU	47.0245	68.8282	27.9	702.8	389	56865.	787	1.0	0.6	3.7	0.1	0.1	3.9	26	0.0
46064	0	0	0	0	DSU	47.0245	68.8276	27.9	702.8	371	56866.	750	0.8	1.2	3.9	1.6	0.4	5.2	34	0.0
46063	0	0	1	0	DSU	47.0245	68.8270	27.9	702.8	354	56868.	778	1.0	0.4	3.0	0.1	0.1	3.1	30	0.0
46062	0	0	1	0	DSU	47.0245	68.8265	27.9	702.8	337	56868.	813	0.9	0.9	4.1	0.1	0.1	5.0	24	0.0
46061	0	0	1	0	DSU	47.0245	68.8259	27.9	702.9	326	56868.	824	1.1	0.6	3.1	0.1	0.1	3.0	22	0.0
46060	0	0	1	0	DSU	47.0245	68.8253	27.9	703.1	321	56868.	796	0.7	0.5	6.5	0.1	0.1	10.3	21	0.0
46058	0	0	0	0	DSU	47.0245	68.8242	27.9	703.2	322	56869.	850	0.8	1.4	4.6	1.7	0.3	5.8	35	0.0
46057	0	0	0	0	DSU	47.0245	68.8236	27.9	703.4	323	56869.	874	0.9	2.0	3.1	2.3	0.7	3.5	22	0.0
46056	0	0	1	0	DSU	47.0245	68.8230	27.9	703.6	323	56869.	784	0.7	0.2	4.0	0.1	0.1	6.5	20	0.0
46055	0	0	1	0	DSU	47.0245	68.8224	27.9	703.7	326	56869.	792	0.8	0.9	4.6	0.1	0.1	5.7	27	0.0
46054	0	0	1	0	DSU	47.0245	68.8219	27.9	703.9	336	56869.	741	0.6	0.4	3.1	0.1	0.1	5.2	33	0.0
46053	0	0	1	0	DSU	47.0245	68.8213	27.9	704.1	351	56870.	762	0.8	0.5	3.1	0.1	0.1	4.0	21	0.0
46052	0	0	1	0	DSU	47.0245	68.8207	27.9	704.3	366	56870.	709	0.7	0.9	3.1	0.1	0.1	4.9	35	0.2
46051	0	0	1	0	DSU	47.0245	68.8201	27.9	704.4	381	56870.	712	0.9	1.0	3.8	0.1	0.1	4.6	16	0.4
46050	0	0	1	0	DSU	47.0245	68.8195	27.9	704.6	382	56871.	783	0.9	0.0	4.9	0.1	0.1	6.0	34	0.6
46049	0	0	1	0	DSU	47.0245	68.8190	27.9	704.7	377	56872.	811	1.0	-0.1	5.1	0.1	0.1	5.2	21	0.6
46048	0	0	0	0	DSU	47.0245	68.8184	27.9	704.8	364	56874.	823	1.0	1.6	4.8	1.8	0.4	5.2	26	0.6
46047	0	0	1	0	DSU	47.0245	68.8178	27.9	704.8	358	56874.	802	0.6	0.5	5.9	0.1	0.1	9.8	22	0.6
46046	0	0	0	0	DSU	47.0245	68.8172	27.9	704.8	355	56873.	837	0.9	1.4	5.0	1.7	0.3	6.2	28	0.5
46045	0	0	0	0	DSU	47.0245	68.8167	27.9	704.8	356	56872.	899	1.2	1.6	3.6	1.4	0.5	3.1	31	0.5
46044	0	0	1	0	DSU	47.0245	68.8161	27.9	704.7	357	56871.	769	0.9	0.8	3.1	0.1	0.1	3.6	20	0.4
46043	0	0	1	0	DSU	47.0245	68.8155	27.9	704.6	358	56871.	840	1.0	0.4	4.3	0.1	0.1	4.4	27	0.4
46042	0	0	1	0	DSU	47.0244	68.8149	27.9	704.5	359	56870.	789	0.9	0.5	7.2	0.1	0.1	8.7	30	0.4
46041	0	0	1	0	DSU	47.0244	68.8144	27.9	704.4	360	56868.	821	0.8	1.1	3.3	0.1	0.1	4.3	21	0.4
46040	0	0	1	0	DSU	47.0244	68.8138	27.9	704.3	360	56867.	791	1.0	0.1	3.3	0.1	0.1	3.5	35	0.3
46039	0	0	1	0	DSU	47.0244	68.8132	27.9	704.2	359	56867.	887	0.7	0.7	5.1	0.1	0.1	7.9	23	0.3
46038	0	0	1	0	DSU	47.0244	68.8126	27.9	704.1	358	56868.	777	0.8	0.9	3.7	0.1	0.1	5.1	25	0.3
46037	0	0	1	0	DSU	47.0244	68.8121	27.9	704.0	358	56868.	807	0.8	0.2	3.6	0.1	0.1	4.7	18	0.3
46036	0	0	1	0	DSU	47.0244	68.8115	27.9	703.9	359	56869.	912	1.0	1.1	5.9	0.1	0.1	6.3	31	0.3
46035	0	0	1	0	DSU	47.0244	68.8109	27.9	703.9	364	56869.	813	0.8	0.6	4.5	0.1	0.1	6.1	25	0.3
46034	0	0	1	0	DSU	47.0244	68.8103	27.9	703.9	372	56869.	812	0.9	0.9	3.5	0.1	0.1	4.1	17	0.2
46033	0	0	1	0	DSU	47.0244	68.8098	27.9	703.9	384	56870.	764	0.9	0.7	4.3	0.1	0.1	4.9	18	0.3
46032	0	0	1	0	DSU	47.0244	68.8092	28.0	704.0	398	56871.	758	0.9	0.5	2.9	0.1	0.1	3.6	31	0.3
46031	0	0	1	0	DSU	47.0244	68.8086	28.0	704.0	409	56871.	770	0.6	0.7	3.1	0.1	0.1	5.6	30	0.3
46030	0	0	1	0	DSU	47.0244	68.8080	28.0	704.1	418	56871.	782	1.0	0.7	4.0	0.1	0.1	4.3	23	0.3
46029	0	0	1	0	DSU	47.0244	68.8075	28.0	704.3	425	56871.	783	0.8	0.1	6.1	0.1	0.1	8.2	27	0.3
46028	0	0	0	0	DSU	47.0244	68.8069	28.0	704.4	435	56871.	797	0.9	1.7	3.8	2.0	0.5	4.4	14	0.3
46027	0	0	1	0	DSU	47.0244	68.8063	28.0	704.5	445	56871.	777	0.7	1.1	6.3	0.1	0.1	9.9	34	0.3
46026	0	0	1	0	DSU	47.0244	68.8057	28.0	704.7	453	56871.	743	1.0	1.3	2.5	0.1	0.1	2.6	31	0.3
46025	0	0	1	0	DSU	47.0244	68.8052	28.0	704.9	459	56872.	810	1.0	0.0	3.9	0.1	0.1	3.8	35	0.3
46024	0	0	1	0	DSU	47.0244	68.8046	28.3	706.0	466	56872.	729	0.6	-0.1	3.7	0.1	0.1	6.6	26	0.3
46023	0	0	1	0	DSU	47.0244	68.8040	28.3	706.0	468	56873.	723	0.7	0.8	4.1	0.1	0.1	6.4	27	0.3
46022	0	0	1	0	DSU	47.0244	68.8034	28.3	706.0	470	56873.	814	0.8	1.1	2.4	0.1	0.1	3.3	36	0.1
46021	0	0	1	0	DSU	47.0244	68.8029	28.3	706.0	472	56873.	757	0.8	1.2	3.8	0.1	0.1	4.9	22	0.0
46020	0	0	1	0	DSU	47.0244	68.8023	28.3	706.0	474	56871.	696	0.8	-0.3	3.9	0.1	0.1	5.0	33	0.0
46019	0	0	1	0	DSU	47.0244	68.8017	28.3	706.0	475	56871.	786	0.8	0.9	3.5	0.1	0.1	4.8	31	0.0
46018	0	0	1	0	DSU	47.0244	68.8011	28.3	706.0	478	56872.	804	0.6	1.3	4.9	0.1	0.1	8.6	26	0.0
46017	0	0	0	0	DSU	47.0244	68.8006	28.3	706.0	479	56873.	744	0.7	2.1	3.4	3.2	0.7	5.3	28	0.0
46016	0	0	1	0	DSU	47.0244	68.8000	28.3	706.0	480	56873.	758	0.8	0.2	2.6	0.1	0.1	3.5	24	0.0
46015	0	0	1	0	DSU	47.0244	68.7994	28.3	706.0	478	56873.	684	0.7	1.3	3.4	0.1	0.1	5.4	30	0.0

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
46014	0	0	0	0	DSu	47.0244	68.7988	28.3	706.0	477	56873.	748	0.7	1.9	3.9	2.8	0.5	5.7	23	0.0
46013	0	0	1	0	DSu	47.0244	68.7983	28.3	706.0	476	56873.	718	0.6	0.6	4.3	0.1	0.1	8.3	27	0.0
46012	0	0	1	0	DSu	47.0244	68.7977	28.3	706.0	477	56873.	718	0.9	0.5	3.2	0.1	0.1	3.8	30	0.0
46011	0	0	1	0	DSu	47.0243	68.7971	28.3	706.0	476	56874.	661	0.6	-0.2	4.5	0.1	0.1	8.1	30	0.0
46010	0	0	0	0	DSu	47.0243	68.7965	28.3	706.0	474	56874.	799	1.0	2.3	2.9	2.4	0.8	3.0	30	0.0
46009	0	0	0	0	DSu	47.0243	68.7960	28.3	706.0	470	56873.	764	0.7	1.5	5.5	2.4	0.3	8.8	27	0.0
46008	0	0	1	0	DSu	47.0243	68.7954	28.3	706.1	470	56874.	756	1.0	1.0	4.1	0.1	0.1	4.4	22	0.0
46007	0	0	1	0	DSu	47.0243	68.7948	28.3	706.1	468	56873.	707	0.7	0.6	2.1	0.1	0.1	3.2	25	0.0
46006	0	0	1	0	DSu	47.0243	68.7942	28.3	706.1	467	56873.	796	0.9	0.9	5.7	0.1	0.1	6.9	37	0.0
46005	0	0	1	0	DSu	47.0243	68.7936	28.3	706.1	467	56874.	780	0.8	0.6	2.0	0.1	0.1	2.7	27	0.0
46004	0	0	1	0	DSu	47.0243	68.7931	28.3	706.1	467	56874.	812	0.9	0.9	3.1	0.1	0.1	3.8	28	0.0
46003	0	0	0	0	DSu	47.0243	68.7925	28.3	706.1	466	56874.	767	0.8	1.6	4.2	2.1	0.4	5.5	28	0.0
46002	0	0	0	0	DSu	47.0243	68.7919	28.3	706.1	466	56874.	841	0.7	2.1	6.1	3.1	0.4	8.9	23	0.0
46001	0	0	1	0	DSu	47.0243	68.7914	28.3	706.2	469	56874.	718	0.7	0.5	2.4	0.1	0.1	3.8	19	0.0
46000	0	0	1	0	DSu	47.0243	68.7908	28.3	706.2	470	56872.	855	1.1	0.8	3.1	0.1	0.1	2.9	28	0.0
45999	0	0	1	0	DSu	47.0243	68.7902	28.3	706.2	470	56871.	858	0.9	0.6	5.8	0.1	0.1	6.5	24	0.0
45998	0	0	1	0	DSu	47.0243	68.7896	28.3	706.2	470	56871.	891	1.0	0.3	5.2	0.1	0.1	5.5	26	0.0
45997	0	0	0	0	DSu	47.0243	68.7890	28.3	706.3	470	56872.	878	0.8	1.6	5.0	2.0	0.4	6.3	25	0.0
45996	0	0	1	0	DSu	47.0243	68.7885	28.3	706.3	468	56872.	879	1.2	-0.2	6.0	0.1	0.1	5.3	22	0.0
45995	0	0	0	0	DSu	47.0243	68.7879	28.3	706.4	462	56873.	941	1.0	1.5	3.8	1.5	0.4	3.9	16	0.0
45994	0	0	1	0	DSu	47.0243	68.7873	28.3	706.4	456	56874.	943	1.1	0.1	4.2	0.1	0.1	4.1	17	0.0
45993	0	0	1	0	DSu	47.0243	68.7867	28.3	706.5	448	56875.	864	0.8	0.5	4.7	0.1	0.1	5.9	25	0.0
45992	0	0	1	0	DSu	47.0243	68.7862	28.3	706.6	439	56876.	927	1.3	1.3	4.2	0.1	0.1	3.5	32	0.0
45991	0	0	1	0	DSu	47.0243	68.7856	28.3	706.7	428	56877.	969	0.9	0.9	6.0	0.1	0.1	6.9	17	0.0
45990	0	0	1	0	DSu	47.0243	68.7850	28.3	706.9	417	56879.	902	1.1	1.0	3.9	0.1	0.1	3.7	31	0.0
45989	0	0	1	0	DSu	47.0243	68.7844	28.3	707.0	408	56879.	951	1.0	0.3	7.0	0.1	0.1	7.1	29	0.0
45988	0	0	0	0	DSu	47.0243	68.7839	28.4	707.3	402	56878.	916	1.1	1.8	6.1	1.6	0.3	5.6	27	0.0
45987	0	0	1	0	DSu	47.0243	68.7833	28.4	707.5	403	56878.	862	1.0	0.7	3.9	0.1	0.1	4.1	25	0.0
45986	0	0	1	0	DSu	47.0243	68.7827	28.4	707.7	407	56878.	921	1.0	0.6	6.1	0.1	0.1	6.4	20	0.0
45985	0	0	0	0	DSu	47.0243	68.7821	28.4	707.9	412	56879.	903	0.8	2.2	4.6	3.0	0.5	6.2	26	0.0
45984	0	0	1	0	DSu	47.0243	68.7816	28.4	708.2	418	56880.	853	0.7	0.5	3.5	0.1	0.1	5.3	31	0.0
45983	0	0	1	0	DSu	47.0243	68.7810	28.4	708.4	424	56880.	819	1.2	0.4	4.7	0.1	0.1	4.3	31	0.0
45982	0	0	1	0	DSu	47.0243	68.7804	28.4	708.7	427	56881.	836	1.1	-0.2	4.8	0.1	0.1	4.6	16	0.0
45981	0	0	1	0	DSu	47.0243	68.7798	28.4	709.0	426	56881.	868	1.1	0.6	5.3	0.1	0.1	4.9	29	0.0
45980	0	0	0	0	DSu	47.0243	68.7793	28.4	709.3	420	56880.	823	1.0	1.3	4.8	1.4	0.3	5.1	26	0.0
45979	0	0	1	0	DSu	47.0243	68.7787	28.4	709.6	417	56881.	784	0.8	0.8	2.7	0.1	0.1	3.7	28	0.0
45978	0	0	0	0	DSu	47.0243	68.7781	28.4	709.9	419	56880.	824	0.7	1.3	4.6	1.8	0.3	6.7	21	0.0
45977	0	0	1	0	DSu	47.0243	68.7775	28.4	710.1	425	56880.	764	0.6	1.1	5.9	0.1	0.1	10.6	22	0.0
45976	0	0	1	0	DSu	47.0242	68.7770	28.4	710.4	433	56880.	663	0.8	0.3	1.9	0.1	0.1	2.4	24	0.0
45975	0	0	0	0	DSu	47.0242	68.7764	28.4	710.7	438	56879.	652	0.8	1.4	3.4	1.8	0.5	4.3	29	0.0
45974	0	0	1	0	DSu	47.0242	68.7758	28.4	711.0	440	56879.	610	0.7	-0.1	1.5	0.1	0.1	2.3	26	0.0
45973	0	0	1	0	DSu	47.0242	68.7752	28.4	711.2	437	56879.	513	0.6	0.3	2.4	0.1	0.1	4.3	19	0.0
45972	0	0	1	0	DSu	47.0242	68.7747	28.4	711.5	433	56879.	513	0.5	0.2	4.5	0.1	0.1	0.1	25	0.0
45971	0	0	1	0	DSu	47.0242	68.7741	28.4	711.7	428	56879.	429	0.4	0.2	2.3	0.1	0.1	0.1	23	0.0
45970	0	0	1	0	DSu	47.0242	68.7735	28.4	711.9	422	56879.	384	0.4	0.9	1.4	0.1	0.1	0.1	24	0.0
45969	0	0	1	0	DSu	47.0242	68.7729	28.5	712.2	419	56879.	347	0.4	-0.2	1.3	0.1	0.1	0.1	33	0.0
45968	0	0	0	0	DSu	47.0242	68.7723	28.6	713.2	422	56879.	360	0.4	1.2	1.3	0.1	0.9	0.1	26	0.0
45967	0	0	1	0	DSu	47.0242	68.7718	28.6	713.2	422	56879.	354	0.3	0.6	1.5	0.1	0.1	0.1	18	0.0
45966	0	0	1	1	DSu	47.0242	68.7712	28.6	713.2	423	56879.	317	0.4	0.1	0.7	0.1	0.1	0.1	27	0.0
45965	0	1	1	0	DSu	47.0242	68.7706	28.6	713.2	425	56879.	288	0.2	0.8	1.5	0.1	0.1	0.1	23	0.0

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI			
												CPS	%	PPM	PPM							CPS	CPS
45964	0	0	1	0	DSu	47.0242	68.7701	28.6	713.2	426	56878.	333	0.3	1.1	2.2	0.1	0.1	0.1	32	0.0			
45962	0	1	1	0	DSu	47.0242	68.7689	28.6	713.2	426	56878.	269	0.1	0.2	2.6	0.1	0.1	0.1	24	0.0			
45961	0	1	1	1	DSu	47.0242	68.7683	28.6	713.2	429	56878.	300	0.2	0.2	1.0	0.1	0.1	0.1	25	0.0			
45960	0	0	1	0	DSu	47.0242	68.7677	28.6	713.2	436	56877.	329	0.3	0.3	2.4	0.1	0.1	0.1	14	0.0			
45959	0	0	1	1	DSu	47.0242	68.7672	28.6	713.2	446	56877.	318	0.3	-0.5	0.8	0.1	0.1	0.1	29	0.0			
45958	0	0	1	0	DSu	47.0242	68.7666	28.6	713.1	452	56877.	352	0.4	0.4	2.3	0.1	0.1	0.1	24	0.0			
45957	0	0	1	1	DSu	47.0242	68.7660	28.6	713.1	454	56877.	332	0.3	0.2	0.6	0.1	0.1	0.1	29	0.0			
45956	0	0	0	0	DSu	47.0242	68.7654	28.6	713.1	455	56877.	374	0.3	1.4	3.3	0.1	0.5	0.1	27	0.0			
45955	0	0	1	0	DSu	47.0242	68.7649	28.6	713.1	458	56877.	363	0.5	-0.8	2.1	0.1	0.1	0.1	24	0.0			
45954	0	0	1	0	DSu	47.0242	68.7643	28.6	713.1	463	56877.	348	0.4	0.3	3.1	0.1	0.1	0.1	23	0.0			
45953	0	0	0	0	DSu	47.0242	68.7637	28.6	713.1	467	56877.	443	0.4	1.2	2.8	0.1	0.5	0.1	30	0.0			
45952	0	0	1	0	DSu	47.0242	68.7631	28.6	713.0	468	56879.	471	0.5	0.7	3.1	0.1	0.1	0.1	16	0.0			
45951	0	0	1	0	DSu	47.0242	68.7626	28.6	713.0	466	56880.	513	0.4	0.4	2.3	0.1	0.1	0.1	27	0.0			
45950	0	0	1	0	DSu	47.0242	68.7620	28.6	713.0	463	56879.	508	0.6	-0.1	2.3	0.1	0.1	3.8	17	0.0			
45949	0	0	1	0	DSu	47.0242	68.7614	28.6	713.0	460	56879.	539	0.6	0.4	2.7	0.1	0.1	4.5	25	0.0			
45948	0	0	1	0	DSu	47.0241	68.7608	28.6	713.0	454	56879.	564	0.6	0.1	2.8	0.1	0.1	4.5	25	0.0			
45947	0	0	1	0	DSu	47.0241	68.7603	28.6	713.0	451	56880.	690	0.8	-0.3	4.9	0.1	0.1	6.6	11	0.0			
45946	0	0	1	0	DSu	47.0241	68.7597	28.6	713.0	446	56881.	688	0.7	-0.3	6.7	0.1	0.1	10.3	14	0.0			
45945	0	0	1	0	DSu	47.0241	68.7591	28.6	713.1	440	56882.	648	0.5	0.7	3.3	0.1	0.1	0.1	21	0.0			
45944	0	0	0	0	DSu	47.0241	68.7585	28.6	713.1	436	56882.	667	0.5	1.4	3.6	0.1	0.4	0.1	24	0.0			
45943	0	0	0	0	DSu	47.0241	68.7580	28.6	713.1	434	56882.	756	0.8	1.4	3.9	1.8	0.4	5.2	24	0.0			
45942	0	0	1	0	DSu	47.0241	68.7574	28.6	713.2	435	56882.	730	0.9	1.0	3.0	0.1	0.1	3.7	17	0.0			
45941	0	0	1	0	DSu	47.0241	68.7568	28.6	713.3	436	56882.	771	0.7	0.0	5.5	0.1	0.1	8.0	22	0.0			
45940	0	0	1	0	DSu	47.0241	68.7562	28.6	713.3	435	56883.	746	1.0	0.0	2.7	0.1	0.1	2.9	30	0.0			
45939	0	0	1	0	DSu	47.0241	68.7557	28.6	713.4	433	56884.	769	0.9	0.9	6.2	0.1	0.1	7.4	15	0.0			
45938	0	0	1	0	DSu	47.0241	68.7551	28.6	713.5	432	56885.	737	0.7	0.3	4.2	0.1	0.1	6.6	16	0.0			
45937	0	0	0	0	DSu	47.0241	68.7545	28.6	713.6	434	56886.	801	0.8	1.3	4.5	1.8	0.3	6.3	26	0.0			
45936	0	0	1	0	DSu	47.0241	68.7540	28.6	713.6	437	56885.	782	0.9	1.2	4.1	0.1	0.1	4.7	22	0.0			
45935	0	0	1	0	DSu	47.0241	68.7534	28.6	713.7	440	56885.	793	0.7	-0.3	4.0	0.1	0.1	6.3	11	0.0			
45934	0	0	0	0	DSu	47.0241	68.7529	28.6	713.8	443	56884.	811	0.9	1.6	2.4	1.9	0.7	2.8	20	0.0			
45933	0	0	0	0	DSu	47.0241	68.7523	28.6	713.9	445	56885.	822	1.0	1.4	4.0	1.4	0.4	4.0	22	0.0			
45932	0	0	1	0	DSu	47.0241	68.7518	28.6	714.0	447	56886.	788	1.0	0.6	4.3	0.1	0.1	4.6	29	0.0			
45931	0	0	1	0	DSu	47.0241	68.7513	28.6	714.1	446	56886.	782	0.8	-0.2	4.8	0.1	0.1	6.4	26	0.0			
45930	0	0	1	0	DSu	47.0241	68.7507	28.6	714.2	446	56885.	782	0.7	0.5	6.5	0.1	0.1	9.3	23	0.0			
45929	0	0	1	0	DSu	47.0241	68.7502	28.6	714.3	444	56884.	744	0.5	0.5	2.8	0.1	0.1	0.1	23	0.0			
45928	0	0	0	0	DSu	47.0241	68.7496	28.6	714.4	441	56884.	849	0.8	2.5	4.2	3.3	0.6	5.5	33	0.0			
45927	0	0	1	0	DSu	47.0241	68.7491	28.6	714.5	437	56881.	733	0.8	0.8	3.5	0.1	0.1	5.0	24	0.0			
45926	0	0	1	0	DSu	47.0241	68.7486	28.6	714.7	432	56879.	896	0.8	0.9	5.2	0.1	0.1	6.9	17	0.0			
45925	0	0	1	0	DSu	47.0241	68.7480	28.6	714.8	428	56890.	839	0.8	0.9	4.0	0.1	0.1	5.1	28	0.0			
45924	0	0	1	0	DSu	47.0241	68.7475	28.6	714.9	425	56881.	835	0.8	0.4	4.6	0.1	0.1	6.4	19	0.0			
45923	0	0	0	0	DSu	47.0241	68.7469	28.6	715.1	422	56882.	818	0.9	2.1	3.4	2.5	0.7	3.9	28	0.0			
45922	0	0	1	0	DSu	47.0241	68.7464	28.6	715.3	419	56882.	746	0.8	-0.1	3.3	0.1	0.1	4.6	24	0.0			
45921	0	0	1	0	DSu	47.0241	68.7458	28.6	715.5	417	56881.	777	0.8	0.3	6.0	0.1	0.1	7.7	21	0.0			
45920	0	0	1	0	DSu	47.0241	68.7453	28.6	715.7	414	56882.	752	0.7	0.3	3.0	0.1	0.1	4.3	21	0.0			
45919	0	0	1	0	DSu	47.0241	68.7448	28.6	715.9	412	56882.	767	0.9	0.3	4.1	0.1	0.1	5.1	22	0.0			
45918	0	0	1	0	DSu	47.0241	68.7442	28.6	716.1	410	56881.	767	0.7	0.7	4.3	0.1	0.1	6.5	29	0.0			
45917	0	0	1	0	DSu	47.0241	68.7437	28.6	716.2	409	56881.	676	0.8	0.6	4.3	0.1	0.1	5.5	29	0.0			
45916	0	0	0	0	DSu	47.0241	68.7431	28.6	716.4	407	56882.	685	0.8	1.2	2.4	1.7	0.6	3.4	21	0.0			
45915	0	0	1	0	DSu	47.0241	68.7426	28.6	716.6	404	56882.	688	0.7	0.7	3.3	0.1	0.1	5.3	28	0.0			
45914	0	0	1	0	DSu	47.0241	68.7421	28.6	716.7	402	56883.	640	0.6	-0.4	2.8	0.1	0.1	5.3	31	0.0			

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
45913	0	0	1	0	DSu	47.0241	68.7415	28.6	716.9	400	56884.	679	0.7	1.0	3.6	0.1	0.1	5.8	16	0.0
45912	0	0	1	0	DSu	47.0241	68.7410	28.6	717.0	400	56884.	672	0.6	0.3	1.5	0.1	0.1	2.4	21	0.0
45911	0	0	1	0	DSu	47.0240	68.7404	28.5	718.0	393	56882.	589	0.8	0.4	3.4	0.1	0.1	4.5	23	0.0
45910	0	0	1	0	DSu	47.0240	68.7399	28.5	718.0	391	56883.	642	0.9	0.4	2.2	0.1	0.1	2.6	32	0.0
45909	0	0	1	0	DSu	47.0240	68.7394	28.5	718.0	390	56883.	642	0.6	0.2	4.1	0.1	0.1	6.9	28	0.0
45908	0	0	1	0	DSu	47.0240	68.7388	28.5	718.0	389	56883.	682	0.8	1.1	3.6	0.1	0.1	4.8	23	0.0
45907	0	0	1	0	DSu	47.0240	68.7383	28.5	718.0	392	56883.	617	0.8	-0.8	4.8	0.1	0.1	6.8	32	0.0
45906	0	0	1	0	DSu	47.0240	68.7377	28.5	718.0	397	56883.	610	0.6	0.8	2.6	0.1	0.1	4.4	17	0.0
45905	0	0	1	0	DSu	47.0240	68.7372	28.5	718.1	403	56883.	557	0.5	0.9	2.7	0.1	0.1	0.1	23	0.0
45904	0	0	1	0	DSu	47.0240	68.7367	28.5	718.1	406	56883.	523	0.6	0.8	4.8	0.1	0.1	8.9	26	0.0
45903	0	0	1	0	DSu	47.0240	68.7361	28.5	718.1	405	56883.	472	0.5	0.0	4.6	0.1	0.1	0.1	31	0.0
45902	0	0	1	0	DSu	47.0240	68.7356	28.5	718.1	402	56882.	463	0.5	0.3	1.3	0.1	0.1	0.1	20	0.0
45901	0	0	1	0	DSu	47.0240	68.7350	28.5	718.1	400	56882.	467	0.3	0.9	3.0	0.1	0.1	0.1	23	0.0
45900	0	0	1	0	DSu	47.0240	68.7345	28.5	718.2	397	56883.	506	0.4	0.6	2.5	0.1	0.1	0.1	20	0.0
45899	0	0	1	0	DSu	47.0240	68.7339	28.5	718.2	393	56882.	417	0.4	-0.1	1.4	0.1	0.1	0.1	16	0.0
45898	0	0	1	0	DSu	47.0240	68.7334	28.5	718.2	388	56883.	476	0.6	0.2	2.2	0.1	0.1	4.0	19	0.0
45897	0	0	1	0	DSu	47.0240	68.7329	28.5	718.2	389	56883.	382	0.5	0.3	2.1	0.1	0.1	0.1	19	0.0
45896	0	0	1	0	DSu	47.0240	68.7323	28.5	718.3	394	56883.	357	0.3	0.0	2.1	0.1	0.1	0.1	23	0.0
45895	0	0	1	0	DSu	47.0240	68.7318	28.5	718.3	403	56883.	382	0.3	0.9	1.6	0.1	0.1	0.1	19	0.0
45894	0	0	1	0	DSu	47.0240	68.7312	28.5	718.2	412	56883.	363	0.4	-0.1	2.6	0.1	0.1	0.1	24	0.0
45893	0	0	1	0	DSu	47.0240	68.7307	28.5	718.2	419	56883.	364	0.4	-0.8	2.4	0.1	0.1	0.1	28	0.0
45892	0	0	1	0	DSu	47.0240	68.7302	28.5	718.2	427	56884.	282	0.3	0.1	2.2	0.1	0.1	0.1	28	0.0
45891	0	1	1	0	DSu	47.0240	68.7296	28.5	718.1	433	56884.	289	0.2	-0.1	1.4	0.1	0.1	0.1	29	0.0
45890	0	0	1	0	DSu	47.0240	68.7291	28.5	718.0	442	56885.	290	0.4	-0.1	1.5	0.1	0.1	0.1	14	0.0
45889	0	1	1	0	DSu	47.0240	68.7285	28.5	717.9	454	56884.	251	0.1	-0.1	1.6	0.1	0.1	0.1	23	0.0
45888	0	1	1	0	DSu	47.0240	68.7280	28.5	717.8	470	56884.	234	0.2	0.8	1.8	0.1	0.1	0.1	24	0.0
45887	0	1	1	0	DSu	47.0240	68.7275	28.5	717.7	487	56885.	212	0.2	0.6	2.1	0.1	0.1	0.1	29	0.0
45886	0	1	1	1	DSu	47.0240	68.7269	28.5	717.6	502	56886.	262	0.2	0.1	-0.1	0.1	0.1	0.1	26	0.0
45885	0	0	1	1	DSu	47.0240	68.7264	28.5	717.4	513	56887.	244	0.3	1.0	0.6	0.1	0.1	0.1	27	0.0
45884	0	0	1	0	DSu	47.0240	68.7258	28.5	717.3	519	56888.	320	0.6	0.2	2.5	0.1	0.1	4.3	20	0.0
45883	0	0	1	0	DSu	47.0240	68.7253	28.5	717.1	521	56889.	295	0.3	-0.2	2.1	0.1	0.1	0.1	18	0.0
45882	0	0	1	0	DSu	47.0240	68.7247	28.5	717.0	519	56889.	369	0.4	-0.1	2.0	0.1	0.1	0.1	16	0.0
45881	0	1	1	0	DSu	47.0240	68.7242	28.5	716.8	514	56891.	421	0.2	0.8	3.4	0.1	0.1	0.1	25	0.0
45880	0	0	1	0	DSu	47.0240	68.7237	28.5	716.7	508	56893.	519	0.4	0.6	4.1	0.1	0.1	0.1	19	0.0
45879	0	0	1	0	DSu	47.0240	68.7231	28.5	716.6	497	56895.	551	0.3	0.3	3.1	0.1	0.1	0.1	21	0.0
45878	0	0	0	0	DSu	47.0240	68.7226	28.5	716.6	485	56896.	636	0.4	2.2	3.2	0.1	0.7	0.1	21	0.0
45877	0	0	1	0	DSu	47.0240	68.7220	28.5	716.5	472	56897.	673	0.9	0.0	2.2	0.1	0.1	2.6	31	0.0
45876	0	0	1	0	DSu	47.0240	68.7215	28.5	716.5	459	56898.	664	0.7	1.2	3.7	0.1	0.1	5.5	24	0.0
45875	0	0	1	0	DSu	47.0240	68.7210	28.5	716.5	447	56899.	736	0.7	0.4	6.4	0.1	0.1	9.9	30	0.0
45874	0	0	1	0	DSu	47.0240	68.7204	28.5	716.5	434	56901.	774	0.9	0.8	3.4	0.1	0.1	4.2	31	0.0
45873	0	0	1	0	DSu	47.0240	68.7199	28.5	716.5	418	56902.	715	0.7	0.3	6.0	0.1	0.1	8.8	29	0.0
45872	0	0	1	0	DSu	47.0240	68.7193	28.5	716.6	398	56903.	794	0.7	0.1	6.1	0.1	0.1	8.9	31	0.0
45871	0	0	1	0	DSu	47.0239	68.7188	28.5	716.7	380	56904.	784	0.8	0.2	3.1	0.1	0.1	4.2	32	0.0
45870	0	0	1	0	DSu	47.0239	68.7183	28.5	716.8	372	56904.	815	0.9	0.7	5.6	0.1	0.1	6.7	28	0.0
45869	0	0	0	0	DSu	47.0239	68.7177	28.5	716.8	377	56903.	792	0.9	1.2	4.9	1.4	0.3	5.5	22	0.0
45867	0	0	1	0	DSu	47.0239	68.7166	28.5	716.9	392	56901.	791	1.0	0.2	4.0	0.1	0.1	4.1	19	0.2
45866	0	0	1	0	DSu	47.0239	68.7161	28.5	716.9	409	56898.	862	0.6	0.5	4.4	0.1	0.1	7.6	25	0.4
45865	0	0	1	0	DSu	47.0239	68.7156	28.5	716.9	421	56897.	902	1.0	0.3	3.9	0.1	0.1	4.0	25	0.6
45864	0	0	1	0	DSu	47.0239	68.7151	28.5	716.8	423	56895.	785	0.9	0.8	3.7	0.1	0.1	4.3	20	0.8
45863	0	0	0	0	DSu	47.0239	68.7146	28.5	716.8	420	56893.	825	1.0	1.3	3.0	1.3	0.5	3.1	23	1.0

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

- F16 -
 MAINE AERIAL SURVEY EDMUNDSTON QUADRANGLE, CARSON GEOSCIENCE INC., 1980

LINE NO. 60

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI			
												CPS	%	PPM	PPM							CPS	CPS
45862	0	0	0	0	DSu	47.0239	68.7141	28.5	716.7	415	56892.	812	0.9	2.0	4.2	2.4	0.5	5.1	26	1.1			
45861	0	0	0	0	DSu	47.0239	68.7136	28.5	716.7	412	56891.	771	0.6	3.0	4.1	5.6	0.8	7.7	24	1.3			
45860	0	0	1	0	DSu	47.0239	68.7131	28.5	716.6	409	56891.	789	0.8	0.7	3.8	0.1	0.1	5.2	26	1.3			
45859	0	0	0	0	DSu	47.0239	68.7126	28.5	716.5	408	56891.	735	0.8	1.4	3.6	1.8	0.4	4.8	18	1.3			
45858	0	0	1	0	DSu	47.0239	68.7122	28.5	716.3	410	56890.	756	0.7	0.8	3.3	0.1	0.1	5.4	32	1.3			
45857	0	0	0	0	DSu	47.0239	68.7117	28.5	716.1	420	56889.	751	0.7	1.8	4.2	2.9	0.5	6.7	24	1.3			
45856	0	0	1	0	DSu	47.0239	68.7112	26.5	715.9	435	56889.	805	0.9	0.9	2.2	0.1	0.1	2.7	36	1.5			
45855	0	0	1	0	DSu	47.0239	68.7107	28.5	715.7	453	56889.	959	1.2	0.3	6.6	0.1	0.1	5.6	17	1.6			
45854	0	0	1	0	DSu	47.0238	68.7102	28.5	713.3	470	56888.	882	1.0	-0.2	4.8	0.1	0.1	4.9	22	1.6			
45853	0	0	1	0	DSu	47.0238	68.7097	28.5	713.4	468	56888.	875	1.1	1.3	3.0	0.1	0.1	2.8	32	1.8			
45852	0	0	0	0	DSu	47.0238	68.7092	28.5	713.4	468	56888.	869	1.0	1.4	3.5	1.4	0.4	3.6	26	1.8			
45851	0	0	1	0	DSu	47.0238	68.7088	28.5	713.4	463	56888.	905	1.2	0.4	5.1	0.1	0.1	4.5	22	2.0			
45850	0	0	1	0	DSu	47.0238	68.7083	28.5	713.4	462	56887.	847	1.0	1.0	2.7	0.1	0.1	2.9	29	2.2			
45849	0	0	1	0	DSu	47.0238	68.7078	28.5	713.3	462	56886.	920	1.1	-0.2	4.2	0.1	0.1	3.9	26	2.2			
45848	0	0	1	0	DSu	47.0238	68.7073	28.5	713.2	469	56885.	893	1.0	-1.1	6.6	0.1	0.1	6.7	26	2.2			
45847	0	0	1	0	DSu	47.0238	68.7068	28.5	713.1	474	56885.	913	0.9	1.0	5.3	0.1	0.1	6.4	28	2.2			
45846	0	0	1	0	DSu	47.0238	68.7064	28.5	713.0	478	56885.	896	0.9	0.0	4.9	0.1	0.1	5.8	19	2.2			
45845	0	0	0	0	DSu	47.0238	68.7059	28.5	712.9	481	56885.	882	0.8	1.8	5.1	2.3	0.4	6.4	26	2.1			
45844	0	0	1	0	DSu	47.0238	68.7054	28.5	712.8	487	56885.	821	1.0	0.9	3.4	0.1	0.1	3.4	14	2.1			
45843	0	0	1	0	DSu	47.0238	68.7049	28.5	712.7	491	56886.	866	0.9	0.9	4.4	0.1	0.1	5.1	28	2.1			
45842	0	0	1	0	DSu	47.0238	68.7044	28.5	712.5	493	56886.	849	1.0	1.1	3.9	0.1	0.1	4.3	26	2.1			
45841	0	0	1	0	DSu	47.0238	68.7039	28.5	712.3	492	56886.	863	0.9	0.2	4.3	0.1	0.1	5.1	22	2.1			
45840	0	0	1	0	DSu	47.0237	68.7035	28.5	712.1	488	56887.	885	0.9	1.1	4.3	0.1	0.1	4.7	22	2.1			
45839	0	0	1	0	DSu	47.0237	68.7030	28.5	711.9	482	56888.	914	1.1	-0.3	5.8	0.1	0.1	5.7	19	2.1			
45838	0	0	1	0	DSu	47.0237	68.7025	28.5	711.7	473	56890.	818	0.9	0.3	5.5	0.1	0.1	6.4	9	2.2			
45837	0	0	1	0	DSu	47.0237	68.7020	28.5	711.5	463	56891.	864	1.1	-0.8	5.3	0.1	0.1	5.2	34	2.2			
45836	0	0	1	0	DSu	47.0237	68.7015	28.5	711.4	453	56892.	877	1.1	-0.8	4.7	0.1	0.1	4.6	25	2.3			
45835	0	0	1	0	DSu	47.0237	68.7010	28.5	711.3	444	56892.	872	1.0	-0.5	7.2	0.1	0.1	7.4	26	2.3			
45834	0	0	1	0	DSu	47.0237	68.7006	28.5	711.2	437	56893.	823	0.9	-0.5	3.6	0.1	0.1	4.3	28	2.3			
45833	0	0	1	0	DSu	47.0237	68.7001	28.5	711.2	433	56894.	932	1.0	0.5	3.9	0.1	0.1	4.1	27	2.3			
45832	0	0	1	0	DSu	47.0237	68.6996	28.5	711.2	429	56893.	909	1.3	0.5	2.8	0.1	0.1	2.2	27	2.5			
45831	0	0	1	0	DSu	47.0237	68.6991	28.5	711.2	426	56892.	898	1.0	-0.4	4.6	0.1	0.1	5.0	26	2.5			
45830	0	0	1	0	DSu	47.0237	68.6986	28.5	711.2	423	56894.	912	1.3	-0.2	4.7	0.1	0.1	3.8	26	2.5			
45829	0	0	1	0	DSu	47.0236	68.6981	28.5	711.3	420	56895.	877	1.1	0.1	7.0	0.1	0.1	6.9	31	2.5			
45828	0	0	1	0	DSu	47.0236	68.6976	28.5	711.3	421	56894.	832	0.9	0.4	3.0	0.1	0.1	3.4	28	2.5			
45827	0	0	1	0	DSu	47.0236	68.6972	28.5	711.4	422	56895.	868	1.0	-0.3	4.4	0.1	0.1	4.7	21	2.5			
45826	0	0	1	0	DSu	47.0236	68.6967	28.5	711.5	424	56896.	937	1.0	1.2	4.5	0.1	0.1	4.5	31	2.4			
45825	0	0	1	0	DSu	47.0236	68.6962	28.5	711.7	423	56896.	904	0.7	1.1	4.5	0.1	0.1	6.5	28	2.4			
45824	0	0	0	0	DSu	47.0236	68.6957	28.5	711.8	421	56894.	886	1.0	2.0	5.3	2.2	0.4	5.8	18	2.3			
45823	0	0	1	0	DSu	47.0236	68.6952	28.5	712.0	423	56897.	919	1.1	-0.1	4.1	0.1	0.1	4.0	26	2.3			
45822	0	0	1	0	DSu	47.0236	68.6947	28.5	712.1	425	56897.	863	1.0	-0.3	5.2	0.1	0.1	5.2	21	2.2			
45821	0	0	1	0	DSu	47.0236	68.6943	28.5	712.3	436	56897.	934	0.8	0.7	6.9	0.1	0.1	8.7	21	2.2			
45820	0	0	1	0	DSu	47.0236	68.6938	28.5	712.4	447	56898.	839	0.9	1.4	5.9	0.1	0.1	7.3	26	2.2			
45819	0	0	0	0	DSu	47.0236	68.6933	28.5	712.6	461	56898.	896	0.6	2.2	5.5	3.7	0.4	9.4	23	2.1			
45818	0	0	1	0	DSu	47.0236	68.6928	28.5	712.7	467	56898.	883	0.8	1.1	3.0	0.1	0.1	3.8	28	2.1			
45817	0	0	1	0	DSu	47.0235	68.6923	28.6	712.9	467	56899.	866	0.9	0.6	4.9	0.1	0.1	5.6	22	2.0			
45816	0	0	1	0	DSu	47.0235	68.6918	28.6	713.1	464	56899.	905	1.1	0.9	4.3	0.1	0.1	3.9	18	2.0			
45815	0	0	1	0	DSu	47.0235	68.6914	28.6	713.2	459	56899.	890	0.8	0.3	4.8	0.1	0.1	6.2	20	1.9			
45814	0	0	1	0	DSu	47.0235	68.6909	28.6	713.4	456	56901.	777	0.7	1.0	5.0	0.1	0.1	7.5	29	1.9			
45813	0	0	1	0	DSu	47.0235	68.6904	28.6	713.6	453	56903.	789	0.8	0.3	4.3	0.1	0.1	5.6	21	1.8			

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
45812	0	0	1	0	DSu	47.0235	68.6899	28.6	713.8	450	56903.	784	0.9	0.4	4.2	0.1	0.1	5.1	16	1.7
45811	0	0	1	0	DSu	47.0235	68.6894	28.6	714.0	445	56903.	801	0.9	1.0	3.9	0.1	0.1	4.7	22	1.6
45810	0	0	1	0	DSu	47.0235	68.6889	28.6	714.3	443	56904.	767	1.0	0.7	4.8	0.1	0.1	5.1	29	1.6
45809	0	0	1	0	DSu	47.0235	68.6885	28.6	714.5	439	56903.	727	0.8	-0.5	5.2	0.1	0.1	7.2	22	1.5
45808	0	0	1	0	DSu	47.0235	68.6880	28.6	714.7	438	56902.	766	0.8	-0.7	4.4	0.1	0.1	6.0	10	1.4
45807	0	0	0	0	DSu	47.0235	68.6875	28.6	714.9	436	56902.	772	0.8	2.2	5.6	2.9	0.4	7.4	21	1.4
45806	0	0	1	0	DSu	47.0235	68.6870	28.6	715.1	440	56902.	672	0.5	0.3	2.6	0.1	0.1	0.1	24	1.3
45805	0	0	1	0	DSu	47.0235	68.6865	28.6	715.3	444	56903.	761	0.8	0.7	4.3	0.1	0.1	5.6	27	1.2
45804	0	0	1	0	DSu	47.0234	68.6860	28.6	715.6	450	56903.	755	0.9	0.5	4.7	0.1	0.1	5.8	26	1.2
45803	0	0	1	0	DSu	47.0234	68.6856	28.6	715.8	450	56904.	706	0.9	-0.4	4.8	0.1	0.1	5.6	22	1.1
45802	0	0	1	0	DSu	47.0234	68.6851	28.6	716.0	447	56904.	779	0.7	0.1	5.4	0.1	0.1	8.7	20	1.1
45801	0	0	0	0	DSu	47.0234	68.6846	28.6	716.1	437	56904.	784	0.6	1.4	4.2	2.8	0.4	8.2	24	1.0
45800	0	0	0	0	DSu	47.0234	68.6841	28.6	716.3	426	56903.	837	0.8	1.5	3.4	2.0	0.5	4.5	20	1.0
45799	0	0	1	0	DSu	47.0234	68.6836	28.6	716.5	414	56903.	774	0.6	0.5	5.3	0.1	0.1	8.9	21	1.0
45798	0	0	1	0	DSu	47.0234	68.6831	28.6	717.7	400	56903.	825	0.9	0.8	3.7	0.1	0.1	4.5	21	0.8
45797	0	0	1	0	DSu	47.0234	68.6826	28.6	717.7	399	56904.	799	0.9	0.5	3.9	0.1	0.1	4.7	23	0.5
45796	0	0	1	0	DSu	47.0234	68.6822	28.6	717.7	400	56904.	804	0.7	0.6	3.2	0.1	0.1	4.9	16	0.3
45795	0	0	0	0	DSu	47.0234	68.6817	28.6	717.7	400	56904.	868	0.9	1.7	5.8	1.9	0.3	6.6	31	0.1
45794	0	0	1	0	DSu	47.0234	68.6812	28.6	717.7	402	56904.	822	0.9	0.9	4.8	0.1	0.1	5.3	25	0.0
45793	0	0	1	0	DSu	47.0234	68.6807	28.6	717.7	406	56904.	801	0.9	1.0	4.6	0.1	0.1	5.4	27	0.0
45792	0	0	1	0	DSu	47.0233	68.6802	28.6	717.8	413	56903.	772	0.8	0.5	4.6	0.1	0.1	6.5	20	0.0
45791	0	0	0	0	DSu	47.0233	68.6797	28.6	717.8	421	56903.	790	0.8	1.6	4.5	2.2	0.4	6.3	34	0.0
45790	0	0	1	0	DSu	47.0233	68.6793	28.6	717.8	430	56903.	689	0.8	0.4	1.7	0.1	0.1	2.3	16	0.0
45789	0	0	0	0	DSu	47.0233	68.6788	28.6	717.8	438	56903.	682	0.5	1.8	3.3	0.1	0.6	0.1	22	0.0
45788	0	0	1	0	DSu	47.0233	68.6783	28.6	717.8	445	56903.	727	0.9	0.5	5.4	0.1	0.1	6.5	20	0.0
45787	0	0	0	0	DSu	47.0233	68.6778	28.6	717.9	448	56902.	730	0.9	1.5	3.0	1.8	0.6	3.5	25	0.0
45786	0	0	0	0	DSu	47.0233	68.6773	28.6	717.9	450	56901.	749	0.7	1.2	1.4	1.9	0.9	2.2	16	0.0
45785	0	0	1	0	DSu	47.0233	68.6768	28.6	717.9	454	56902.	744	0.7	0.2	3.9	0.1	0.1	5.7	22	0.0
45784	0	0	1	0	DSu	47.0233	68.6764	28.6	718.0	461	56903.	751	0.7	0.3	4.9	0.1	0.1	7.1	24	0.0
45783	0	0	1	0	DSu	47.0233	68.6759	28.6	718.0	467	56904.	756	0.8	0.7	4.6	0.1	0.1	5.7	22	0.0
45782	0	0	1	0	DSu	47.0233	68.6754	28.6	718.0	467	56903.	745	1.0	-0.3	4.4	0.1	0.1	4.7	29	0.0
45781	0	0	1	0	DSu	47.0233	68.6749	28.6	718.1	459	56907.	797	0.8	0.3	5.2	0.1	0.1	6.9	22	0.0
45780	0	0	1	0	DSu	47.0233	68.6744	28.6	718.1	445	56909.	758	0.7	1.3	5.3	0.1	0.1	8.5	23	0.0
45779	0	0	0	0	DSu	47.0233	68.6739	28.6	718.2	428	56910.	826	0.7	2.6	5.5	3.7	0.5	7.9	22	0.0
45778	0	0	1	0	DSu	47.0232	68.6735	28.6	718.4	412	56911.	784	0.8	0.7	3.2	0.1	0.1	4.4	16	0.0
45777	0	0	1	0	DSu	47.0232	68.6730	28.6	718.5	403	56911.	801	1.2	0.7	3.8	0.1	0.1	3.4	25	0.0
45776	0	0	1	0	DSu	47.0232	68.6725	28.6	718.6	400	56911.	772	0.9	-0.6	5.4	0.1	0.1	6.1	23	0.0
45775	0	0	1	0	DSu	47.0232	68.6720	28.6	718.8	405	56911.	762	1.1	-0.1	5.0	0.1	0.1	4.8	30	0.0
45774	0	0	1	0	DSu	47.0232	68.6715	28.6	719.0	418	56912.	790	0.9	0.5	4.6	0.1	0.1	5.4	25	0.0
45772	0	0	1	0	DSu	47.0232	68.6705	28.6	719.2	434	56913.	819	0.8	0.9	5.8	0.1	0.1	7.5	19	0.0
45771	0	0	0	0	DSu	47.0232	68.6701	28.6	719.3	448	56914.	690	0.5	1.4	5.2	0.1	0.3	0.1	21	0.0
45770	0	0	1	0	DSu	47.0232	68.6696	28.6	719.5	458	56913.	671	0.7	1.3	1.6	0.1	0.1	2.6	30	0.0
45769	0	0	1	0	DSu	47.0232	68.6691	28.6	719.8	464	56911.	601	0.6	0.0	3.3	0.1	0.1	5.9	15	0.0
45768	0	0	1	0	DSu	47.0232	68.6686	28.6	720.0	468	56910.	646	0.7	1.2	3.5	0.1	0.1	5.5	26	0.1
45767	0	0	1	0	DSu	47.0231	68.6681	28.6	720.2	471	56910.	687	0.5	0.9	3.7	0.1	0.1	0.1	21	0.4
45766	0	0	1	0	DSu	47.0231	68.6676	28.6	720.3	475	56910.	663	0.6	-1.0	3.7	0.1	0.1	6.5	18	0.6
45765	0	0	1	0	DSu	47.0231	68.6672	28.6	720.5	481	56910.	548	0.5	0.4	3.1	0.1	0.1	0.1	24	0.6
45764	0	0	1	0	DSu	47.0231	68.6667	28.6	720.6	476	56910.	583	0.5	-0.6	3.7	0.1	0.1	0.1	23	0.9
45763	0	0	1	0	DSu	47.0232	68.6662	28.6	720.6	466	56910.	554	0.6	-0.1	4.3	0.1	0.1	7.7	24	1.1
45762	0	0	1	0	DSu	47.0232	68.6657	28.6	720.7	447	56909.	492	0.5	0.0	4.2	0.1	0.1	0.1	30	1.3

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI			
												CPS	%	PPM	PPM							CPS	CPS
45761	0	0	1	0	DSu	47.0232	68.6652	28.6	720.7	437	56909.	483	0.3	-0.2	2.3	0.1	0.1	0.1	15	1.4			
45760	0	0	1	0	DSu	47.0232	68.6646	28.6	720.7	430	56909.	521	0.4	1.1	2.3	0.1	0.1	0.1	17	1.6			
45759	0	0	1	0	DSu	47.0232	68.6641	28.6	720.6	427	56909.	466	0.3	0.3	1.9	0.1	0.1	0.1	23	1.8			
45758	0	0	0	0	DSu	47.0232	68.6637	28.6	720.6	424	56910.	491	0.3	1.5	1.6	0.1	0.9	0.1	21	1.7			
45757	0	0	0	0	DSu	47.0232	68.6631	28.6	720.5	421	56910.	504	0.6	1.8	2.3	3.4	0.8	4.3	19	1.8			
45756	0	0	1	0	DSu	47.0233	68.6626	28.6	720.4	416	56909.	456	0.4	0.3	3.1	0.1	0.1	0.1	23	1.8			
45755	0	0	1	0	DSu	47.0233	68.6621	28.6	720.2	411	56909.	440	0.4	0.3	1.7	0.1	0.1	0.1	18	1.7			
45754	0	0	1	0	DSu	47.0233	68.6616	28.6	720.0	408	56909.	481	0.3	-0.3	2.0	0.1	0.1	0.1	23	1.7			
45753	0	0	1	0	DSu	47.0233	68.6611	28.6	719.7	407	56909.	439	0.5	0.4	1.4	0.1	0.1	0.1	20	1.7			
45752	0	0	1	0	DSu	47.0233	68.6604	28.6	719.4	407	56909.	523	0.6	0.0	3.4	0.1	0.1	6.5	25	1.7			
45751	0	0	1	0	DSu	47.0233	68.6601	28.6	719.1	409	56910.	476	0.4	0.1	2.4	0.1	0.1	0.1	22	1.6			
45750	0	0	1	0	DSu	47.0233	68.6596	28.6	718.8	413	56910.	494	0.6	-0.1	1.1	0.1	0.1	1.9	24	1.6			
45749	0	0	1	0	DSu	47.0233	68.6591	28.6	718.5	418	56909.	494	0.4	0.9	3.7	0.1	0.1	0.1	17	1.5			
45748	0	0	1	0	DSu	47.0233	68.6586	28.6	718.2	423	56909.	449	0.4	0.6	1.1	0.1	0.1	0.1	26	1.4			
45747	0	0	1	0	DSu	47.0234	68.6581	28.6	717.9	428	56909.	517	0.4	-0.1	3.0	0.1	0.1	0.1	32	1.4			
45746	0	0	1	0	DSu	47.0234	68.6576	28.6	717.5	430	56908.	503	0.3	0.5	2.9	0.1	0.1	0.1	25	1.3			
45745	0	0	1	0	DSu	47.0234	68.6571	28.6	717.2	434	56907.	430	0.4	0.0	2.3	0.1	0.1	0.1	25	1.2			
45744	0	0	1	0	DSu	47.0234	68.6566	28.6	716.9	442	56907.	527	0.5	1.0	3.6	0.1	0.1	0.1	24	1.2			
45743	0	0	1	0	DSu	47.0234	68.6561	28.6	716.6	453	56907.	585	0.5	-0.5	4.1	0.1	0.1	0.1	16	1.1			
45742	0	0	1	0	DSu	47.0234	68.6556	28.6	716.2	463	56906.	566	0.4	0.4	3.8	0.1	0.1	0.1	19	1.0			
45741	0	0	0	0	DSu	47.0234	68.6551	28.6	713.3	471	56905.	751	0.5	2.7	3.4	0.1	0.8	0.1	21	0.8			
45740	0	0	1	0	DSu	47.0234	68.6546	28.6	713.4	471	56905.	695	0.7	1.2	3.0	0.1	0.1	4.7	26	0.9			
45739	0	0	1	0	DSu	47.0234	68.6541	28.6	713.4	470	56904.	769	0.9	-0.5	4.7	0.1	0.1	5.5	24	0.8			
45738	0	0	1	0	DSu	47.0235	68.6536	28.6	713.4	469	56905.	772	0.8	-0.1	3.1	0.1	0.1	4.2	30	0.6			
45737	0	0	0	0	DSu	47.0235	68.6531	28.6	713.3	465	56905.	780	0.5	2.3	7.1	0.1	0.4	0.1	18	0.5			
45736	0	0	1	0	DSu	47.0235	68.6526	28.6	713.3	458	56905.	842	0.9	0.6	4.4	0.1	0.1	5.0	23	0.3			
45735	0	0	1	0	DSu	47.0235	68.6521	28.6	713.2	448	56905.	853	0.9	1.2	5.3	0.1	0.1	6.5	32	0.2			
45734	0	0	1	0	DSu	47.0235	68.6516	28.6	713.1	437	56904.	897	0.9	0.8	5.0	0.1	0.1	5.6	34	0.1			
45733	0	0	0	0	DSu	47.0235	68.6511	28.6	713.0	427	56904.	857	0.9	1.6	5.8	2.0	0.3	7.0	26	0.0			
45732	0	0	1	0	DSu	47.0235	68.6506	28.6	712.9	419	56904.	881	0.9	1.2	3.3	0.1	0.1	3.8	20	0.0			
45731	0	0	1	0	DSu	47.0235	68.6501	28.6	712.8	415	56903.	909	0.8	1.3	5.7	0.1	0.1	7.6	20	0.0			
45730	0	0	1	0	DSu	47.0236	68.6496	28.6	712.7	414	56903.	869	0.9	0.8	5.2	0.1	0.1	6.2	21	0.0			
45729	0	0	0	0	DSu	47.0236	68.6491	28.6	712.5	415	56903.	825	0.9	1.4	3.4	1.5	0.5	3.8	34	0.0			
45728	0	0	1	0	DSu	47.0236	68.6486	28.6	712.3	416	56904.	857	1.1	1.2	4.8	0.1	0.1	4.6	29	0.0			
45727	0	0	0	0	DSu	47.0236	68.6481	28.6	712.1	414	56905.	921	0.9	1.4	5.3	1.7	0.3	6.5	19	0.0			
45726	0	0	1	0	DSu	47.0236	68.6476	28.6	711.9	412	56907.	936	1.0	1.1	4.0	0.1	0.1	4.3	15	0.0			
45725	0	0	0	0	DSu	47.0236	68.6470	28.6	711.8	411	56909.	886	0.8	2.1	3.8	2.7	0.6	4.8	21	0.0			
45724	0	0	0	0	DSu	47.0236	68.6465	28.6	711.7	411	56911.	879	0.8	1.9	3.1	2.5	0.6	4.1	30	0.0			
45723	0	0	1	0	DSu	47.0236	68.6460	28.6	711.7	411	56911.	908	0.9	1.0	4.9	0.1	0.1	6.1	23	0.0			
45722	0	0	1	0	DSu	47.0237	68.6455	28.6	711.7	411	56910.	861	0.9	0.9	6.9	0.1	0.1	8.5	21	0.0			
45721	0	0	1	0	DSu	47.0237	68.6450	28.6	711.7	411	56909.	916	1.1	0.3	5.3	0.1	0.1	5.1	20	0.0			
45720	0	0	1	0	DSu	47.0237	68.6445	28.6	711.7	411	56910.	876	0.8	0.6	7.0	0.1	0.1	9.1	28	0.0			
45719	0	0	1	0	DSu	47.0237	68.6440	28.6	711.8	411	56911.	923	1.0	1.3	4.8	0.1	0.1	4.8	26	0.0			
45718	0	0	0	0	DSu	47.0237	68.6435	28.7	712.0	410	56912.	921	1.1	1.6	3.7	1.5	0.5	3.4	15	0.0			
45717	0	0	1	0	DSu	47.0237	68.6430	28.7	712.1	409	56914.	888	0.8	0.5	5.2	0.1	0.1	7.1	33	0.0			
45716	0	0	1	0	DSu	47.0237	68.6425	28.7	712.3	407	56914.	926	0.9	0.9	5.3	0.1	0.1	6.0	10	0.0			
45715	0	0	0	0	DSu	47.0237	68.6420	28.7	712.5	405	56913.	910	0.9	1.8	4.5	2.1	0.4	5.1	25	0.0			
45714	0	0	1	0	DSu	47.0238	68.6415	28.7	712.7	402	56913.	940	0.8	1.0	5.6	0.1	0.1	7.0	32	0.0			
45713	0	0	1	0	DSu	47.0238	68.6410	28.7	712.9	397	56912.	908	0.9	0.6	3.9	0.1	0.1	4.4	20	0.0			
45712	0	0	1	0	DSu	47.0238	68.6405	28.7	713.2	392	56912.	840	0.8	1.1	5.0	0.1	0.1	7.0	26	0.0			

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI		
												CPS	%	PPM	PPM						CPS	CPS
45711	0	0	0	0	DSu	47.0238	68.6400	28.7	713.4	390	56912.	835	0.9	1.5	3.1	1.7	0.5	3.5	21	0.0		
45710	0	0	1	0	DSu	47.0238	68.6395	28.7	713.6	389	56912.	976	1.0	1.0	5.1	0.1	0.1	5.3	22	0.0		
45709	0	0	1	0	DSu	47.0238	68.6390	28.7	713.8	389	56911.	865	0.7	0.9	4.6	0.1	0.1	6.8	18	0.0		
45708	0	0	0	0	DSu	47.0238	68.6385	28.7	714.1	391	56912.	863	1.0	1.8	3.1	1.8	0.6	3.2	27	0.0		
45707	0	0	0	0	DSu	47.0238	68.6380	28.7	714.3	395	56912.	826	0.7	2.3	2.8	3.3	0.8	4.1	31	0.0		
45706	0	0	1	0	DSu	47.0238	68.6375	28.7	714.5	399	56912.	849	0.7	0.2	4.9	0.1	0.1	7.5	28	0.0		
45705	0	0	1	0	DSu	47.0239	68.6370	28.7	714.7	400	56912.	827	0.9	1.1	3.4	0.1	0.1	3.8	23	0.0		
45704	0	0	1	0	DSu	47.0239	68.6365	28.7	715.0	401	56912.	884	0.9	0.8	4.2	0.1	0.1	4.6	19	0.0		
45703	0	0	1	0	DSu	47.0239	68.6360	28.7	715.2	403	56911.	844	0.9	0.2	4.8	0.1	0.1	5.8	28	0.0		
45702	0	0	1	0	DSu	47.0239	68.6355	28.7	715.4	406	56912.	838	0.8	0.5	6.9	0.1	0.1	9.1	30	0.0		
45701	0	0	1	0	DSu	47.0239	68.6350	28.7	715.6	408	56912.	774	0.6	0.7	5.7	0.1	0.1	7.4	18	0.0		
45700	0	0	1	0	DSu	47.0239	68.6345	28.7	715.8	409	56912.	788	0.8	0.4	5.2	0.1	0.1	6.6	19	0.0		
45699	0	0	1	0	DSu	47.0239	68.6340	28.7	715.9	408	56913.	745	0.7	0.2	4.1	0.1	0.1	6.0	16	0.0		
45698	0	0	1	0	DSu	47.0239	68.6335	28.7	716.1	406	56912.	741	0.6	0.3	4.0	0.1	0.1	6.6	31	0.0		
45697	0	0	1	0	DSu	47.0240	68.6330	28.7	716.3	404	56912.	708	0.5	-0.3	3.2	0.1	0.1	0.1	21	0.0		
45696	0	0	1	0	DSu	47.0240	68.6325	28.7	716.4	403	56911.	687	0.7	1.1	4.5	0.1	0.1	7.2	25	0.0		
45695	0	0	1	0	DSu	47.0240	68.6320	28.7	716.6	405	56911.	699	1.0	0.1	4.8	0.1	0.1	5.3	29	0.0		
45694	0	0	1	0	DSu	47.0240	68.6315	28.7	716.7	411	56911.	695	0.7	0.0	4.5	0.1	0.1	6.9	19	0.0		
45693	0	0	1	0	DSu	47.0240	68.6310	28.7	716.9	418	56911.	639	0.5	0.9	3.7	0.1	0.1	0.1	22	0.0		
45692	0	0	0	1	DSu	47.0240	68.6305	28.7	717.0	423	56911.	624	0.8	1.5	1.0	2.1	0.1	0.1	34	0.0		
45691	0	0	0	0	DSu	47.0240	68.6300	28.7	717.1	431	56910.	629	0.5	1.6	4.1	0.1	0.4	0.1	24	0.0		
45690	0	0	1	0	DSu	47.0240	68.6294	28.8	717.2	441	56908.	618	0.5	0.8	3.2	0.1	0.1	0.1	17	0.0		
45689	0	0	1	0	DSu	47.0241	68.6290	28.8	717.3	455	56907.	649	0.6	1.0	5.2	0.1	0.1	9.6	23	0.0		
45688	0	0	1	0	DSu	47.0241	68.6284	28.8	717.3	471	56907.	659	0.6	1.2	2.7	0.1	0.1	5.0	20	0.0		
45687	0	0	1	0	DSu	47.0241	68.6279	28.8	717.3	488	56906.	655	0.6	0.0	4.4	0.1	0.1	7.9	20	0.0		
45686	0	0	1	0	DSu	47.0241	68.6274	28.8	717.3	506	56905.	698	0.8	-0.8	6.3	0.1	0.1	8.2	21	0.0		
45685	0	0	1	0	DSu	47.0241	68.6269	28.9	716.8	531	56903.	543	0.7	-1.2	4.9	0.1	0.1	7.8	27	0.0		
45684	0	0	1	0	DSu	47.0241	68.6264	28.9	716.8	533	56904.	571	0.6	0.6	2.7	0.1	0.1	4.6	29	0.0		
45683	0	0	1	0	DSu	47.0241	68.6259	28.9	716.8	536	56905.	538	0.7	-0.7	2.5	0.1	0.1	3.9	33	0.0		
45682	0	0	0	0	DSu	47.0241	68.6253	28.9	716.8	542	56905.	552	0.6	1.5	4.2	3.0	0.4	8.3	18	0.0		
45681	0	0	1	0	DSu	47.0241	68.6248	28.9	716.8	544	56903.	495	0.5	0.4	2.6	0.1	0.1	0.1	25	0.0		
45680	0	0	1	0	DSu	47.0241	68.6243	28.9	716.8	547	56903.	443	0.4	0.2	1.6	0.1	0.1	0.1	22	0.0		
45679	0	0	1	0	DSu	47.0241	68.6237	28.9	716.8	549	56904.	454	0.6	-0.1	2.5	0.1	0.1	4.7	32	0.0		
45678	0	0	1	0	DSu	47.0241	68.6232	28.9	716.8	553	56905.	420	0.3	-1.1	4.9	0.1	0.1	0.1	25	0.0		
45676	0	1	1	0	DSu	47.0241	68.6221	28.9	716.8	554	56906.	427	0.2	0.5	4.8	0.1	0.1	0.1	25	0.0		
45675	0	0	1	0	DSu	47.0240	68.6216	28.9	716.8	551	56906.	367	0.4	-0.4	3.0	0.1	0.1	0.1	12	0.0		
45674	0	0	1	0	DSu	47.0240	68.6210	28.9	716.9	547	56906.	400	0.5	-0.2	3.3	0.1	0.1	0.1	21	0.0		
45673	0	0	1	0	DSu	47.0240	68.6205	28.9	716.9	541	56905.	434	0.3	0.0	3.6	0.1	0.1	0.1	20	0.0		
45672	0	0	1	0	DSu	47.0240	68.6200	28.9	717.0	531	56905.	470	0.6	0.6	2.3	0.1	0.1	4.0	27	0.0		
45671	0	0	1	0	DSu	47.0240	68.6194	28.9	717.1	519	56905.	434	0.3	-0.3	3.1	0.1	0.1	0.1	22	0.0		
45670	0	0	0	0	DSu	47.0240	68.6189	28.9	717.2	505	56906.	629	0.8	1.4	2.9	1.8	0.5	3.6	20	0.1		
45669	0	0	0	0	DSu	47.0240	68.6184	28.9	717.4	490	56907.	690	0.7	2.4	3.1	3.7	0.8	4.7	22	0.4		
45668	0	0	1	0	DSu	47.0240	68.6178	28.9	717.5	478	56907.	684	0.5	-0.3	4.2	0.1	0.1	0.1	28	0.6		
45667	0	0	1	0	DSu	47.0240	68.6173	28.9	717.7	467	56905.	793	1.2	0.9	4.9	0.1	0.1	4.2	15	0.9		
45666	0	0	1	0	DSu	47.0240	68.6167	28.9	717.9	458	56906.	799	1.0	0.1	6.0	0.1	0.1	6.0	30	1.1		
45665	0	0	1	0	DSu	47.0240	68.6162	28.9	718.1	446	56907.	765	0.7	0.3	2.7	0.1	0.1	4.4	17	1.4		
45664	0	0	0	0	DSu	47.0240	68.6157	28.9	718.3	437	56907.	813	0.6	1.9	5.3	3.3	0.4	9.6	34	1.6		
45663	0	0	1	0	DSu	47.0240	68.6152	28.9	718.5	432	56906.	873	0.7	1.3	4.7	0.1	0.1	6.9	25	1.8		
45662	0	0	0	0	DSu	47.0240	68.6146	28.9	718.8	429	56906.	909	1.0	1.6	6.5	1.7	0.3	6.7	39	1.9		
45661	0	0	1	0	DSu	47.0240	68.6141	28.9	719.0	425	56906.	910	0.8	1.3	4.2	0.1	0.1	5.8	23	2.1		

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
45660	C	0	1	0	DSu	47.0240	68.6135	28.9	719.2	419	56905.	929	1.0	0.4	6.3	0.1	0.1	6.4	15	2.3
45659	0	0	1	0	DSu	47.0240	68.6130	28.9	719.4	415	56905.	898	1.0	0.0	6.7	0.1	0.1	6.9	27	2.5
45658	0	0	1	0	DSu	47.0240	68.6125	28.9	719.6	414	56906.	909	0.9	0.1	7.8	0.1	0.1	9.0	20	2.5
45657	0	0	1	0	DSu	47.0239	68.6119	28.9	719.8	415	56906.	949	0.9	1.2	4.9	0.1	0.1	5.7	20	2.5
45656	0	0	1	0	DSu	47.0239	68.6114	28.9	720.0	422	56906.	967	1.0	0.6	3.7	0.1	0.1	3.9	30	2.4
45655	0	0	0	0	DSu	47.0239	68.6109	28.9	720.2	425	56905.	970	1.1	1.8	2.7	1.6	0.7	2.4	27	2.4
45654	0	0	0	0	DSu	47.0239	68.6103	28.9	720.4	423	56905.	1019	1.1	1.9	5.8	1.8	0.4	5.5	24	2.3
45653	0	0	0	0	DSu	47.0239	68.6098	28.9	720.6	415	56905.	935	1.1	1.6	6.5	1.5	0.3	6.2	18	2.3
45652	0	0	1	0	DSu	47.0239	68.6092	28.9	720.8	411	56906.	880	0.9	0.0	4.1	0.1	0.1	4.8	19	2.2
45651	0	0	0	0	DSu	47.0239	68.6087	28.9	721.0	411	56907.	878	0.8	1.5	5.3	2.1	0.3	7.2	28	2.2
45650	0	0	1	0	DSu	47.0239	68.6082	28.9	721.2	413	56907.	894	1.0	0.6	3.7	0.1	0.1	3.9	15	2.2
45649	0	0	1	0	DSu	47.0239	68.6076	28.9	721.3	416	56906.	861	0.8	0.7	3.6	0.1	0.1	4.6	30	2.1
45648	0	0	1	0	DSu	47.0239	68.6071	28.9	721.5	419	56906.	823	0.9	0.7	3.9	0.1	0.1	4.7	28	2.1
45647	0	0	1	0	DSu	47.0239	68.6066	28.9	721.7	420	56906.	912	0.9	0.8	4.6	0.1	0.1	5.8	20	2.1
45646	0	0	1	0	DSu	47.0239	68.6060	28.9	721.8	420	56906.	794	0.6	0.1	4.6	0.1	0.1	8.1	13	2.1
45645	0	0	0	0	DSu	47.0239	68.6055	28.9	722.0	419	56907.	752	0.9	1.6	2.7	1.8	0.6	3.1	25	2.0
45644	0	0	1	0	DSu	47.0239	68.6050	28.9	722.1	417	56908.	766	0.8	0.8	3.9	0.1	0.1	5.3	30	2.0
45643	0	0	1	0	DSu	47.0239	68.6044	28.9	722.3	416	56908.	629	0.8	0.0	5.7	0.1	0.1	7.5	22	2.0
45642	0	0	1	0	DSu	47.0239	68.6039	28.9	722.4	416	56908.	562	0.5	0.2	2.7	0.1	0.1	0.1	24	2.0
45641	0	0	1	0	DSu	47.0239	68.6034	28.9	722.6	414	56908.	543	0.6	0.5	2.7	0.1	0.1	5.0	27	2.0
45640	C	0	1	0	DSu	47.0239	68.6028	28.9	722.7	405	56909.	496	0.4	-0.2	3.6	0.1	0.1	0.1	21	2.0
45639	0	0	1	0	DSu	47.0238	68.6023	28.9	722.8	391	56910.	583	0.7	-0.1	3.5	0.1	0.1	5.2	29	2.0
45638	0	0	1	0	DSu	47.0238	68.6017	28.9	722.9	385	56910.	650	1.0	0.5	4.1	0.1	0.1	4.4	19	2.0
45637	0	0	1	0	DSu	47.0238	68.6012	28.9	722.9	386	56910.	847	0.9	0.0	4.3	0.1	0.1	4.8	27	2.0
45636	0	0	1	0	DSu	47.0238	68.6007	28.9	723.0	388	56911.	900	0.8	0.6	3.2	0.1	0.1	4.3	18	2.0
45635	0	0	1	0	DSu	47.0238	68.6001	28.9	723.0	387	56911.	865	1.0	1.1	4.4	0.1	0.1	4.8	20	2.0
45634	0	0	1	0	DSu	47.0238	68.5996	28.9	723.0	386	56911.	906	1.0	0.9	5.4	0.1	0.1	5.4	24	1.9
45633	0	0	1	0	DSu	47.0238	68.5991	23.9	723.1	388	56911.	961	1.0	0.1	5.6	0.1	0.1	5.8	30	1.9
45632	0	0	0	0	DSu	47.0238	68.5985	28.9	723.1	389	56912.	1062	1.3	2.6	5.8	2.0	0.5	4.6	28	1.8
45631	C	0	0	0	DSu	47.0238	68.5980	28.9	723.0	391	56912.	1046	1.1	1.3	3.4	1.2	0.4	3.2	27	1.8
45630	0	0	1	0	DSu	47.0238	68.5975	28.9	723.0	393	56913.	1126	1.3	0.8	6.4	0.1	0.1	5.1	24	1.8
45629	0	0	1	0	DSu	47.0238	68.5969	28.9	723.0	396	56915.	1088	1.1	0.8	4.8	0.1	0.1	4.5	31	1.7
45628	0	0	1	0	DSu	47.0238	68.5964	28.8	722.0	400	56917.	1114	1.2	1.2	6.8	0.1	0.1	5.9	28	1.7
45627	0	0	1	0	DSu	47.0238	68.5958	28.8	722.0	402	56917.	1101	1.2	0.6	6.2	0.1	0.1	5.5	13	1.7
45626	0	0	0	0	DSu	47.0238	68.5953	28.8	722.1	402	56918.	1105	1.0	1.5	6.4	1.5	0.3	6.5	19	1.7
45625	0	0	1	0	DSu	47.0238	68.5948	28.8	722.0	404	56919.	1146	1.4	0.9	4.7	0.1	0.1	3.4	26	1.6
45624	0	0	0	0	DSu	47.0238	68.5942	28.8	722.0	405	56921.	1211	1.4	1.6	6.4	1.2	0.3	4.9	27	1.6
45623	0	0	0	0	DSu	47.0238	68.5937	28.8	722.0	407	56923.	1202	1.4	1.5	6.8	1.1	0.3	4.8	19	1.5
45622	0	0	1	0	DSu	47.0238	68.5931	28.8	721.9	408	56924.	1240	1.3	0.9	6.2	0.1	0.1	5.0	25	1.4
45621	0	0	1	0	DSu	47.0239	68.5926	28.8	721.9	407	56925.	1168	1.1	1.4	6.0	0.1	0.1	5.6	28	1.4
45620	0	0	1	0	DSu	47.0239	68.5920	28.8	721.8	406	56927.	1178	1.1	0.3	7.3	0.1	0.1	6.8	23	1.4
45619	0	0	1	0	DSu	47.0239	68.5915	28.8	721.8	406	56929.	1129	1.1	1.2	4.9	0.1	0.1	4.7	15	1.3
45618	0	0	0	0	DSu	47.0239	68.5910	28.8	721.7	405	56931.	1222	1.3	2.0	6.5	1.6	0.3	5.2	23	1.2
45617	0	0	0	0	DSu	47.0239	68.5904	28.8	721.6	405	56934.	1155	1.2	1.8	4.3	1.5	0.5	3.6	26	1.2
45616	0	0	1	0	DSu	47.0240	68.5899	28.8	721.6	406	56936.	1128	1.0	1.2	6.3	0.1	0.1	6.7	32	1.1
45615	0	0	0	0	DSu	47.0240	68.5893	28.8	721.4	407	56938.	1046	1.0	2.2	5.2	2.4	0.5	5.6	19	1.0
45614	0	0	1	0	DSu	47.0240	68.5888	28.8	721.3	408	56939.	1105	0.9	1.2	7.1	0.1	0.1	8.0	24	0.9
45613	0	0	1	0	DSu	47.0240	68.5882	28.8	721.2	409	56940.	1018	1.0	0.9	5.1	0.1	0.1	5.5	28	0.9
45612	0	0	0	0	DSu	47.0240	68.5877	28.8	721.1	409	56940.	1031	1.0	1.9	6.1	2.0	0.4	6.4	35	0.8
45611	0	0	1	0	DSu	47.0240	68.5872	28.8	721.0	408	56941.	973	0.9	0.2	6.2	0.1	0.1	7.7	21	0.7

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	DARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI	
												CPS	%	PPM	PPM					CPS	CPS
45610	0	0	0	0	DSU	47.0241	68.5866	28.8	720.9	408	56942.	954	1.1	1.7	4.3	1.6	0.4	4.1	27	0.7	
45609	0	0	1	0	DSU	47.0241	68.5861	28.8	720.9	408	56943.	920	1.0	1.0	5.3	0.1	0.1	5.4	25	0.6	
45608	0	0	0	0	DSU	47.0241	68.5855	28.8	720.8	407	56944.	912	1.1	1.3	5.9	1.3	0.3	5.6	19	0.6	
45607	0	0	1	0	DSU	47.0241	68.5850	28.8	720.9	402	56947.	842	0.6	0.7	5.2	0.1	0.1	8.8	23	0.5	
45606	0	0	0	0	DSU	47.0241	68.5844	28.8	720.9	396	56951.	929	0.9	2.1	4.7	2.4	0.5	5.5	31	0.4	
45605	0	0	1	0	DSU	47.0242	68.5839	28.8	720.9	391	56953.	859	0.6	0.9	5.1	0.1	0.1	8.4	20	0.4	
45604	0	0	0	0	DSU	47.0242	68.5833	28.8	721.0	387	56955.	814	0.9	1.3	4.6	1.6	0.3	5.6	19	0.3	
45603	0	0	1	0	DSU	47.0242	68.5828	28.8	721.2	388	56956.	804	0.7	0.5	4.0	0.1	0.1	6.5	20	0.2	
45602	0	0	0	0	DSU	47.0242	68.5822	28.8	721.3	388	56957.	828	0.9	1.5	6.1	1.8	0.3	7.2	30	0.1	
45601	0	0	1	0	DSU	47.0242	68.5817	28.8	721.5	391	56957.	795	0.8	1.1	3.7	0.1	0.1	4.8	27	0.0	
45600	0	0	0	0	DSU	47.0243	68.5811	28.8	721.6	394	56959.	889	0.9	1.9	3.8	2.2	0.5	4.6	30	0.0	
45599	0	0	1	0	DSU	47.0243	68.5806	28.8	721.8	399	56960.	877	0.9	0.5	6.0	0.1	0.1	7.2	19	0.0	
45598	0	0	1	0	DSU	47.0243	68.5801	28.8	722.0	404	56961.	903	1.1	0.3	5.8	0.1	0.1	5.5	33	0.0	
45597	0	0	0	0	DSU	47.0243	68.5795	28.8	722.2	409	56963.	868	1.0	1.8	5.3	1.9	0.4	5.7	30	0.0	
45596	0	0	1	0	DSU	47.0243	68.5790	28.8	722.5	414	56965.	936	0.9	0.5	5.1	0.1	0.1	5.8	27	0.0	
45595	0	0	1	0	DSU	47.0243	68.5784	28.8	722.7	424	56967.	866	1.1	0.2	4.7	0.1	0.1	4.6	22	0.0	
45594	0	0	1	0	DSU	47.0244	68.5779	28.8	722.9	435	56969.	904	1.2	0.7	6.1	0.1	0.1	5.2	23	0.0	
45593	0	0	1	0	DU	47.0244	68.5773	28.8	723.0	451	56971.	889	1.0	0.7	3.6	0.1	0.1	3.7	27	0.0	
45592	0	0	1	0	DU	47.0244	68.5768	28.8	723.2	460	56972.	788	0.8	0.9	5.2	0.1	0.1	7.0	16	0.0	
45591	0	0	1	0	DU	47.0244	68.5762	28.8	723.4	462	56974.	778	0.3	0.9	4.5	0.1	0.1	0.1	26	0.0	
45590	0	0	1	0	DU	47.0244	68.5757	28.8	723.5	461	56975.	699	0.6	1.2	5.1	0.1	0.1	8.6	18	0.0	
45589	0	0	1	0	DU	47.0244	68.5751	28.8	723.7	456	56976.	689	0.6	0.9	2.3	0.1	0.1	4.2	21	0.0	
45588	0	0	0	0	DU	47.0244	68.5746	28.8	723.8	448	56977.	675	0.7	1.3	3.9	2.0	0.4	5.8	23	0.0	
45587	0	0	0	0	DU	47.0244	68.5740	28.8	723.9	437	56978.	640	0.4	2.1	2.3	0.1	0.9	0.1	34	0.0	
45586	0	0	1	0	DU	47.0244	68.5735	28.8	723.9	430	56979.	692	0.7	0.9	5.5	0.1	0.1	8.3	22	0.0	
45585	0	0	1	0	DU	47.0245	68.5729	28.8	724.0	428	56980.	645	0.5	0.4	3.2	0.1	0.1	0.1	17	0.0	
45584	0	0	1	0	DU	47.0245	68.5723	28.8	724.0	427	56980.	669	0.6	0.5	4.1	0.1	0.1	7.7	15	0.0	
45583	0	0	0	0	DU	47.0245	68.5718	28.8	724.0	429	56980.	671	0.6	1.5	3.3	2.9	0.5	6.5	22	0.0	
45581	0	0	1	0	DU	47.0245	68.5707	28.8	724.0	433	56980.	612	0.4	0.8	4.5	0.1	0.1	0.1	26	0.0	
45580	0	0	1	0	DU	47.0245	68.5701	28.8	723.9	437	56981.	603	0.6	0.0	3.8	0.1	0.1	6.6	20	0.0	
45579	0	0	1	0	DU	47.0245	68.5696	28.8	723.9	442	56982.	540	0.5	0.6	3.9	0.1	0.1	0.1	15	0.0	
45578	0	0	1	0	DU	47.0245	68.5690	28.8	723.8	447	56983.	514	0.4	0.2	1.2	0.1	0.1	0.1	27	0.0	
45577	0	0	1	0	DU	47.0245	68.5684	28.8	723.7	451	56983.	512	0.6	-0.2	2.4	0.1	0.1	4.0	21	0.0	
45576	0	0	0	0	DU	47.0245	68.5679	28.8	723.6	451	56984.	467	0.4	1.3	2.0	0.1	0.7	0.1	21	0.0	
45575	0	0	1	0	DU	47.0245	68.5673	28.8	723.6	449	56986.	482	0.5	0.5	2.0	0.1	0.1	0.1	23	0.0	
45574	0	0	1	0	DU	47.0245	68.5668	28.8	723.5	452	56988.	565	0.8	1.1	4.0	0.1	0.1	5.5	25	0.0	
45573	0	0	1	0	DU	47.0245	68.5662	28.8	723.4	456	56989.	491	0.3	0.2	3.3	0.1	0.1	0.1	20	0.0	
45572	0	0	1	0	DU	47.0245	68.5657	28.8	723.3	459	56990.	509	0.6	0.5	4.0	0.1	0.1	6.8	24	0.0	
45571	0	0	1	0	DU	47.0245	68.5651	28.6	722.7	459	56991.	598	0.5	-1.0	3.6	0.1	0.1	0.1	22	0.0	
45570	0	0	1	0	DU	47.0245	68.5645	28.6	722.7	463	56991.	527	0.7	1.3	3.0	0.1	0.1	4.7	29	0.0	
45569	0	0	0	0	DU	47.0245	68.5640	28.6	722.7	472	56992.	644	0.5	1.5	2.6	0.1	0.6	0.1	31	0.0	
45568	0	0	1	0	DU	47.0245	68.5634	28.6	722.7	479	56994.	642	0.6	0.8	4.0	0.1	0.1	7.4	24	0.0	
45567	0	0	1	0	DU	47.0245	68.5629	28.6	722.6	479	56996.	708	0.8	1.3	2.9	0.1	0.1	3.9	26	0.0	
45566	0	0	1	0	DU	47.0245	68.5623	28.6	722.6	474	56997.	660	0.8	0.1	3.6	0.1	0.1	4.8	16	0.0	
45565	0	0	1	0	DU	47.0245	68.5617	28.6	722.6	473	56997.	690	0.9	-0.3	4.4	0.1	0.1	5.3	15	0.0	
45564	0	0	1	0	DU	47.0245	68.5612	28.6	722.6	474	56998.	653	0.8	0.3	3.1	0.1	0.1	4.3	22	0.0	
45563	0	0	0	0	DU	47.0245	68.5606	28.6	722.6	470	57000.	695	0.7	1.6	4.5	2.6	0.4	7.2	17	0.0	
45562	0	0	1	0	DU	47.0245	68.5601	28.6	722.6	468	57002.	645	0.6	0.0	5.9	0.1	0.1	11.6	16	0.0	
45561	0	0	1	0	DU	47.0245	68.5595	28.6	722.6	466	57004.	690	0.7	-0.8	2.0	0.1	0.1	2.9	20	0.0	
45560	0	0	1	0	DU	47.0246	68.5589	28.6	722.6	466	57005.	623	0.6	1.2	2.5	0.1	0.1	4.9	19	0.0	

*** NOTE *** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI	
												CPS	%	PPM	PPM					CPS	CPS
45559	0	0	0	0	DU	47.0246	68.5584	28.6	722.6	465	57005.	605	0.5	1.7	1.7	0.1	1.0	0.1	26	0.0	
45558	0	0	1	0	DU	47.0246	68.5578	28.6	722.6	468	57007.	597	0.4	1.1	4.0	0.1	0.1	0.1	28	0.0	
45557	0	0	0	0	DU	47.0246	68.5573	28.6	722.6	473	57007.	656	0.8	2.0	3.6	2.6	0.6	4.6	26	0.0	
45556	0	0	1	0	DU	47.0246	68.5567	28.6	722.5	472	57009.	550	0.5	0.5	2.6	0.1	0.1	0.1	25	0.0	
45555	0	0	1	0	DU	47.0246	68.5561	28.6	722.5	470	57011.	609	0.5	1.1	3.4	0.1	0.1	0.1	23	0.0	
45554	0	0	1	0	DU	47.0246	68.5556	28.6	722.5	468	57013.	558	0.6	0.4	2.5	0.1	0.1	4.1	19	0.0	
45553	0	0	0	0	DU	47.0246	68.5551	28.6	722.5	470	57015.	595	0.4	1.8	2.4	0.1	0.8	0.1	26	0.0	
45552	0	0	1	0	DU	47.0246	68.5546	28.6	722.6	468	57016.	559	0.5	0.9	4.2	0.1	0.1	0.1	17	0.0	
45551	0	0	1	0	DU	47.0245	68.5540	28.6	722.6	465	57017.	534	0.8	0.7	2.8	0.1	0.1	3.6	29	0.0	
45550	0	0	1	0	DU	47.0245	68.5535	28.6	722.6	463	57018.	554	0.7	0.2	2.6	0.1	0.1	4.1	23	0.0	
45549	0	0	1	0	DU	47.0245	68.5529	28.6	722.6	460	57018.	537	0.5	0.1	3.5	0.1	0.1	0.1	20	0.0	
45548	0	0	1	0	DU	47.0245	68.5524	28.6	722.6	457	57017.	520	0.5	0.5	3.0	0.1	0.1	0.1	31	0.0	
45547	0	0	1	0	DU	47.0245	68.5519	28.6	722.6	451	57018.	550	0.4	1.1	2.7	0.1	0.1	0.1	17	0.0	
45546	0	0	1	0	DU	47.0245	68.5513	28.6	722.6	445	57019.	545	0.6	0.2	3.1	0.1	0.1	5.6	30	0.0	
45545	0	0	1	0	DU	47.0245	68.5508	28.6	722.7	439	57020.	555	0.7	-0.1	4.1	0.1	0.1	6.4	26	0.0	
45544	0	0	0	0	DU	47.0245	68.5503	28.6	722.7	435	57019.	595	0.5	1.9	1.9	0.1	1.0	0.1	25	0.0	
45543	0	0	0	0	DU	47.0245	68.5497	28.6	722.7	432	57019.	567	0.5	1.6	1.3	0.1	1.3	0.1	23	0.0	
45542	0	0	1	0	DU	47.0245	68.5492	28.6	722.7	431	57017.	538	0.4	0.5	1.8	0.1	0.1	0.1	20	0.0	
45541	0	0	0	0	DU	47.0245	68.5487	28.6	722.7	430	57016.	629	0.6	2.0	3.2	3.8	0.7	6.0	25	0.0	
45540	0	0	1	0	DU	47.0245	68.5481	28.6	722.7	428	57016.	599	0.5	-0.1	3.5	0.1	0.1	0.1	19	0.0	
45539	0	0	1	0	DU	47.0245	68.5476	28.6	722.7	424	57015.	584	0.3	0.5	3.7	0.1	0.1	0.1	22	0.0	
45538	0	0	1	0	DU	47.0245	68.5471	28.6	722.7	421	57014.	566	0.4	0.2	3.8	0.1	0.1	0.1	35	0.0	
45537	0	0	1	0	DU	47.0245	68.5465	28.6	722.7	422	57014.	584	0.7	0.3	2.7	0.1	0.1	4.2	21	0.0	
45536	0	0	1	0	DU	47.0245	68.5460	28.6	722.7	425	57013.	567	0.6	0.3	4.0	0.1	0.1	6.8	27	0.0	
45535	0	0	1	0	DU	47.0245	68.5455	28.6	722.7	426	57011.	578	0.5	1.1	2.6	0.1	0.1	0.1	31	0.0	
45534	0	0	1	0	DU	47.0245	68.5449	28.6	722.7	427	57010.	580	0.5	0.6	2.8	0.1	0.1	0.1	19	0.0	
45533	0	0	1	0	DU	47.0244	68.5444	28.6	722.6	428	57008.	646	0.7	-0.3	2.0	0.1	0.1	2.9	24	0.0	
45532	0	0	1	0	DU	47.0244	68.5439	28.6	722.6	431	57007.	676	0.6	-0.3	5.2	0.1	0.1	9.3	22	0.0	
45531	0	0	0	0	DU	47.0244	68.5433	28.6	722.6	435	57006.	620	0.6	1.8	3.4	3.6	0.6	6.6	33	0.0	
45530	0	0	0	0	DU	47.0244	68.5428	28.6	722.5	441	57006.	693	0.7	1.5	2.8	2.3	0.6	4.3	24	0.0	
45529	0	0	1	0	DU	47.0244	68.5423	28.6	722.5	448	57004.	662	0.8	0.1	4.8	0.1	0.1	6.7	28	0.0	
45528	0	0	1	0	DU	47.0244	68.5417	28.6	722.5	453	57003.	659	0.8	0.3	3.5	0.1	0.1	4.9	19	0.0	
45527	0	0	1	0	DU	47.0244	68.5412	28.6	722.4	455	57002.	719	0.8	0.3	3.8	0.1	0.1	5.1	27	0.0	
45526	0	0	1	0	DU	47.0244	68.5407	28.6	722.4	455	57000.	701	0.9	0.4	4.5	0.1	0.1	5.4	24	0.0	
45525	0	0	1	0	DU	47.0244	68.5401	28.6	722.4	454	56999.	722	0.7	-0.6	3.3	0.1	0.1	5.4	28	0.0	
45524	0	0	1	0	DU	47.0244	68.5396	28.6	722.4	452	56998.	790	1.0	0.4	3.9	0.1	0.1	4.2	17	0.0	
45523	0	0	0	0	DU	47.0244	68.5391	28.6	722.4	449	56998.	763	0.7	1.5	4.4	2.3	0.4	6.7	18	0.0	
45522	0	0	1	0	DU	47.0244	68.5385	28.6	722.4	446	56998.	784	1.1	0.9	4.7	0.1	0.1	4.5	23	0.0	
45521	0	0	0	0	DU	47.0244	68.5380	28.6	722.3	442	56998.	788	0.7	1.5	4.3	2.3	0.4	6.9	32	0.0	
45520	0	0	1	0	DU	47.0244	68.5375	28.6	722.3	437	56997.	799	0.9	1.0	3.3	0.1	0.1	4.1	19	0.0	
45519	0	0	0	0	DU	47.0244	68.5369	28.6	722.3	431	56995.	737	0.9	1.6	3.5	1.9	0.5	4.2	28	0.0	
45518	0	0	1	0	DU	47.0244	68.5364	28.6	722.3	423	56993.	752	1.0	0.9	2.6	0.1	0.1	2.8	27	0.0	
45517	0	0	1	0	DU	47.0244	68.5359	28.6	722.4	414	56993.	748	0.6	0.7	4.2	0.1	0.1	6.9	26	0.0	
45516	0	0	0	0	DU	47.0244	68.5353	28.6	722.4	402	56992.	819	0.8	1.3	4.5	1.6	0.3	5.6	23	0.0	
45515	0	0	1	0	DU	47.0243	68.5348	28.5	722.5	384	56990.	777	0.7	0.7	3.3	0.1	0.1	5.0	21	0.0	
45514	0	0	1	0	DU	47.0243	68.5343	28.5	722.5	382	56989.	784	0.6	0.9	5.8	0.1	0.1	9.9	21	0.0	
45513	0	0	1	0	DU	47.0243	68.5337	28.5	722.5	378	56989.	780	0.6	0.4	5.8	0.1	0.1	10.4	20	0.0	
45512	0	0	0	0	DU	47.0243	68.5332	28.5	722.5	372	56989.	751	0.8	2.2	5.0	3.1	0.5	7.1	21	0.0	
45511	0	0	0	0	DU	47.0243	68.5326	28.5	722.5	367	56988.	693	0.8	1.2	2.2	1.6	0.6	3.1	21	0.0	
45510	0	0	1	0	DU	47.0243	68.5321	28.5	722.5	364	56988.	731	0.7	0.3	4.1	0.1	0.1	6.3	20	0.0	

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

INDEX

LINE RECORD	KEY	LINE RECORD	KEY	LINE RECORD	KEY	LINE RECORD	KEY
10 47313.....	A01	40 44149.....	A05	50 49577.....	A09	50 40379.....	A13
10 47363.....	B01	40 44098.....	B05	50 49628.....	B09	50 40328.....	B13
10 47414.....	C01	40 44048.....	C05	50 49678.....	C09	50 40278.....	C13
10 47464.....	D01	40 43997.....	D05	50 49729.....	D09	50 40227.....	D13
10 47515.....	E01	40 43947.....	E05	50 49780.....	E09	50 40177.....	E13
10 47565.....	F01	40 43896.....	F05	50 49830.....	F09	50 40126.....	F13
20 45431.....	G01	40 43846.....	G05	50 49781.....	G09	50 40076.....	G13
20 45482.....	H01	40 43795.....	H05	50 49931.....	H09	50 40025.....	H13
20 45532.....	I01	40 43745.....	I05	50 49982.....	I09	50 39975.....	I13
20 45583.....	J01	40 43694.....	J05	50 50032.....	J09	60 47631.....	J13
20 45633.....	K01	40 43644.....	K05	50 50083.....	K09	60 47580.....	K13
20 45684.....	L01	40 43593.....	L05	50 50133.....	L09	60 47530.....	L13
20 45734.....	M01	40 43543.....	M05	50 50184.....	M09	60 47479.....	M13
20 45785.....	A02	40 43492.....	A06	50 50234.....	A10	60 47429.....	A14
20 45835.....	B02	40 43442.....	B06	50 50285.....	B10	60 47378.....	B14
20 45886.....	C02	40 43391.....	C06	50 50335.....	C10	60 47328.....	C14
20 45936.....	D02	40 43341.....	D06	50 50386.....	D10	60 47277.....	D14
30 46894.....	E02	40 43290.....	E06	50 50436.....	E10	60 47227.....	E14
30 46843.....	F02	40 43239.....	F06	50 50487.....	F10	60 47176.....	F14
30 46793.....	G02	40 43189.....	G06	50 50538.....	G10	60 47126.....	G14
30 46742.....	H02	40 38043.....	H06	50 50588.....	H10	60 47075.....	H14
30 46692.....	I02	40 38093.....	I06	50 50639.....	I10	60 47025.....	I14
30 46641.....	J02	40 38144.....	J06	50 50689.....	J10	60 46974.....	J14
30 46591.....	K02	40 38194.....	K06	50 50740.....	K10	60 46924.....	K14
30 46540.....	L02	40 38245.....	L06	50 50790.....	L10	60 46873.....	L14
30 46490.....	M02	40 38295.....	M06	50 50841.....	M10	60 46823.....	M14
30 46439.....	A03	40 38346.....	A07	50 50891.....	A11	60 46772.....	A15
30 46389.....	B03	40 38396.....	B07	50 50942.....	B11	60 46721.....	B15
30 46338.....	C03	40 38447.....	C07	50 50992.....	C11	60 46671.....	C15
30 46287.....	D03	40 38497.....	D07	50 41541.....	D11	60 46620.....	D15
30 46237.....	E03	40 38548.....	E07	50 41491.....	E11	60 46570.....	E15
31 37363.....	F03	40 38598.....	F07	50 41440.....	F11	60 46519.....	F15
31 37313.....	G03	40 38649.....	G07	50 41389.....	G11	60 46469.....	G15
31 37262.....	H03	40 38699.....	H07	50 41339.....	H11	60 46418.....	H15
31 37212.....	I03	40 38750.....	I07	50 41288.....	I11	60 46368.....	I15
31 37161.....	J03	40 38801.....	J07	50 41238.....	J11	60 46317.....	J15
31 37111.....	K03	40 38851.....	K07	50 41187.....	K11	60 46267.....	K15
31 37060.....	L03	40 38902.....	L07	50 41137.....	L11	60 46216.....	L15
31 37010.....	M03	40 38952.....	M07	50 41086.....	M11	60 46166.....	M15
31 36959.....	A04	40 39003.....	A08	50 41036.....	A12	60 46115.....	A16
31 36909.....	B04	40 39053.....	B08	50 40985.....	B12	60 46065.....	B16
31 36858.....	C04	40 39104.....	C08	50 40935.....	C12	60 46014.....	C16
31 36808.....	D04	40 39154.....	D08	50 40884.....	D12	60 45964.....	D16
31 36757.....	E04	40 39205.....	E08	50 40834.....	E12	60 45913.....	E16
31 36707.....	F04	40 39255.....	F08	50 40783.....	F12	60 45862.....	F16
31 36656.....	G04	40 39306.....	G08	50 40733.....	G12	60 45812.....	G16
31 36605.....	H04	40 39356.....	H08	50 40682.....	H12	60 45761.....	H16
31 36555.....	I04	40 39407.....	I08	50 40632.....	I12	60 45711.....	I16
31 36504.....	J04	40 39457.....	J08	50 40581.....	J12	60 45660.....	J16
40 44301.....	K04	40 39508.....	K08	50 40530.....	K12	60 45610.....	K16
40 44250.....	L04	40 39559.....	L08	50 40480.....	L12	60 45559.....	L16
40 44200.....	M04	50 49527.....	M08	50 40429.....	M12		

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
45509	0	0	1	0	DU	47.0243	68.5316	28.5	722.5	361	56986.	705	0.6	0.3	4.0	0.1	0.1	7.5	22	0.0
45508	0	0	0	0	DU	47.0243	68.5311	28.5	722.5	362	56985.	735	0.8	1.1	4.3	1.5	0.3	5.6	19	0.0
45507	0	0	1	0	DU	47.0243	68.5305	28.5	722.5	365	56984.	736	0.7	0.2	4.6	0.1	0.1	7.3	20	0.0
45506	0	0	1	0	DU	47.0243	68.5300	28.5	722.5	371	56983.	691	0.7	0.6	3.9	0.1	0.1	6.2	18	0.0
45505	0	0	1	0	DU	47.0243	68.5294	28.5	722.5	377	56983.	632	0.7	0.5	3.6	0.1	0.1	5.8	25	0.0
45504	0	0	1	0	DU	47.0243	68.5289	28.5	722.4	384	56982.	650	0.6	0.1	2.8	0.1	0.1	5.1	28	0.0
45503	0	0	1	0	DU	47.0243	68.5284	28.5	722.4	389	56980.	609	0.5	0.7	2.6	0.1	0.1	0.1	20	0.0
45502	0	0	0	0	DU	47.0243	68.5278	28.5	722.4	392	56979.	621	0.4	1.5	2.5	0.1	0.6	0.1	15	0.0
45501	0	0	1	0	DU	47.0243	68.5273	28.5	722.3	395	56979.	691	0.7	1.0	4.3	0.1	0.1	6.6	15	0.0
45500	0	0	1	0	DU	47.0243	68.5268	28.5	722.3	400	56979.	585	0.7	0.2	3.2	0.1	0.1	5.2	26	0.0
45499	0	0	1	0	DU	47.0243	68.5262	28.5	722.2	407	56979.	545	0.4	-0.1	4.3	0.1	0.1	0.1	26	0.0
45498	0	0	1	0	DU	47.0243	68.5257	28.5	722.2	417	56978.	524	0.6	0.4	2.0	0.1	0.1	3.8	20	0.2
45497	0	0	1	0	DU	47.0243	68.5252	28.5	722.1	433	56977.	466	0.2	0.3	2.2	0.1	0.1	0.1	25	0.3
45496	0	0	1	0	DU	47.0242	68.5247	28.5	722.0	448	56977.	424	0.4	-0.8	2.1	0.1	0.1	0.1	26	0.3
45495	0	0	1	0	DU	47.0242	68.5241	28.5	721.9	461	56976.	432	0.4	0.5	3.2	0.1	0.1	0.1	22	0.5
45494	0	0	1	0	DU	47.0242	68.5236	28.5	721.8	463	56976.	525	0.5	0.0	4.3	0.1	0.1	0.1	24	0.7
45493	0	0	1	0	DU	47.0242	68.5230	28.5	721.8	463	56976.	557	0.4	0.1	2.6	0.1	0.1	0.1	25	0.9
45492	0	0	1	0	DU	47.0242	68.5225	28.5	721.7	463	56976.	561	0.6	-0.3	3.9	0.1	0.1	7.4	18	1.0
45491	0	0	1	0	DU	47.0242	68.5220	28.5	721.6	465	56976.	557	0.4	0.4	2.2	0.1	0.1	0.1	25	1.2
45490	0	0	0	0	DU	47.0242	68.5214	28.5	721.5	467	56975.	610	0.7	2.0	3.6	3.3	0.6	5.9	32	1.1
45489	0	0	1	0	DU	47.0242	68.5209	28.5	721.4	466	56973.	603	0.4	-0.2	4.2	0.1	0.1	0.1	17	1.0
45488	0	0	1	0	DU	47.0242	68.5204	28.5	721.3	461	56973.	673	0.6	1.0	3.3	0.1	0.1	6.1	19	0.9
45486	0	0	1	0	DU	47.0242	68.5193	28.5	721.3	456	56973.	607	0.5	0.3	3.9	0.1	0.1	0.1	21	0.9
45485	0	0	1	0	DU	47.0242	68.5188	28.5	721.2	451	56972.	611	0.7	1.2	2.4	0.1	0.1	3.7	29	0.8
45484	0	0	0	0	DU	47.0242	68.5182	28.5	721.2	447	56971.	658	0.6	1.9	5.2	3.7	0.4	10.4	20	0.7
45483	0	0	1	0	DU	47.0242	68.5177	28.5	721.1	442	56972.	640	1.0	0.2	3.7	0.1	0.1	4.1	20	0.6
45482	0	0	1	0	DU	47.0242	68.5172	28.5	721.1	436	56973.	568	0.5	-0.5	3.4	0.1	0.1	0.1	28	0.5
45481	0	0	1	0	DU	47.0242	68.5166	28.5	721.1	430	56973.	582	0.6	-0.1	3.4	0.1	0.1	5.7	26	0.4
45480	0	0	1	0	DU	47.0241	68.5161	28.5	721.1	427	56973.	609	0.5	0.8	3.9	0.1	0.1	0.1	23	0.3
45479	0	0	1	0	DU	47.0241	68.5156	28.5	721.1	427	56973.	525	0.5	-0.3	4.3	0.1	0.1	0.1	31	0.2
45478	0	0	1	0	DU	47.0241	68.5150	28.5	721.1	429	56973.	651	0.7	0.3	4.3	0.1	0.1	6.7	29	0.1
45477	0	0	1	0	DU	47.0241	68.5145	28.5	721.1	431	56973.	624	1.0	-0.6	2.1	0.1	0.1	2.3	11	0.1
45476	0	0	1	0	DU	47.0241	68.5140	28.5	721.1	432	56973.	629	0.7	0.5	4.0	0.1	0.1	5.8	23	0.0
45475	0	0	1	0	DU	47.0241	68.5134	28.5	721.1	433	56973.	597	0.6	0.6	3.5	0.1	0.1	6.7	20	0.0
45474	0	0	1	0	DU	47.0241	68.5128	28.5	721.1	434	56974.	553	0.6	-0.3	3.1	0.1	0.1	6.0	16	0.0
45473	0	0	1	0	DU	47.0241	68.5123	28.5	721.1	437	56975.	590	0.6	0.4	2.5	0.1	0.1	5.0	27	0.0
45472	0	0	1	0	DU	47.0241	68.5117	28.5	721.1	440	56975.	626	0.6	-0.1	4.6	0.1	0.1	7.6	17	0.0
45471	0	0	1	0	DU	47.0241	68.5111	28.5	721.1	438	56975.	611	0.5	-0.5	4.6	0.1	0.1	0.1	22	0.0
45470	0	0	1	0	DU	47.0242	68.5106	28.5	721.1	437	56976.	628	0.8	0.9	3.1	0.1	0.1	4.1	31	0.0
45469	0	0	1	0	DU	47.0242	68.5100	28.5	721.1	435	56977.	639	0.7	0.6	4.6	0.1	0.1	7.2	30	0.0
45468	0	0	1	0	DU	47.0242	68.5095	28.5	721.1	433	56978.	661	0.6	-0.2	1.7	0.1	0.1	3.0	17	0.0
45467	0	0	1	0	DU	47.0242	68.5089	28.5	721.1	428	56978.	629	0.7	0.8	2.9	0.1	0.1	4.5	20	0.0
45466	0	0	0	0	DU	47.0242	68.5083	28.5	721.0	425	56979.	625	0.7	1.5	3.9	2.4	0.4	6.1	17	0.0
45465	0	0	1	0	DU	47.0242	68.5078	28.5	721.0	423	56980.	651	0.8	0.3	3.7	0.1	0.1	5.0	21	0.0
45464	C	0	1	0	DU	47.0242	68.5072	28.5	721.0	424	56981.	605	0.6	0.7	3.0	0.1	0.1	5.3	15	0.0
45463	0	0	0	0	DU	47.0242	68.5066	28.5	721.0	426	56983.	616	0.6	1.7	3.7	3.1	0.5	6.8	23	0.0
45462	0	0	1	0	DU	47.0242	68.5061	28.5	721.0	428	56984.	617	0.6	0.9	3.2	0.1	0.1	6.3	20	0.0
45461	0	0	1	0	DU	47.0242	68.5055	28.5	720.9	429	56984.	559	0.4	-0.1	2.6	0.1	0.1	0.1	18	0.0
45460	0	0	1	0	DU	47.0242	68.5050	28.5	720.9	429	56985.	560	0.4	0.2	4.3	0.1	0.1	0.1	25	0.0
45459	0	0	1	0	DU	47.0242	68.5044	28.5	720.9	428	56987.	608	0.4	0.7	3.3	0.1	0.1	0.1	16	0.0

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	M/G	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
45458	0	0	1	0	Du	47.0242	68.5038	28.4	720.7	426	56989.	587	0.5	-0.1	5.3	0.1	0.1	0.1	18	0.0
45457	0	0	1	0	Du	47.0242	68.5033	28.4	720.7	425	56990.	530	0.5	0.3	2.0	0.1	0.1	0.1	18	0.0
45456	0	0	1	0	Du	47.0242	68.5027	28.4	720.7	424	56991.	509	0.5	-0.5	3.7	0.1	0.1	0.1	23	0.0
45455	0	0	1	0	Du	47.0242	68.5021	28.4	720.7	422	56992.	496	0.5	0.8	2.5	0.1	0.1	0.1	24	0.0
45454	0	0	0	0	Du	47.0242	68.5016	28.4	720.7	421	56993.	514	0.6	1.1	1.7	1.9	0.7	2.8	16	0.0
45453	0	0	1	0	Du	47.0242	68.5010	28.4	720.7	421	56994.	543	0.4	0.5	2.2	0.1	0.1	0.1	23	0.0
45452	0	0	0	0	Du	47.0243	68.5005	28.4	720.7	423	56996.	520	0.5	1.2	3.7	0.1	0.4	0.1	21	0.0
45451	0	0	1	0	Du	47.0243	68.4999	28.4	720.7	427	56997.	484	0.4	0.5	2.2	0.1	0.1	0.1	16	0.0
45450	0	0	1	0	Du	47.0243	68.4993	28.4	720.7	433	56998.	520	0.4	0.9	2.1	0.1	0.1	0.1	24	0.0
45449	0	0	1	0	Du	47.0243	68.4988	28.4	720.6	437	57000.	515	0.5	0.9	1.7	0.1	0.1	0.1	18	0.0
45448	0	0	1	0	Du	47.0243	68.4982	28.4	720.6	440	57000.	518	0.6	0.7	2.9	0.1	0.1	5.4	29	0.0
45447	0	0	1	0	Du	47.0243	68.4976	28.4	720.6	442	57000.	611	0.6	1.1	2.6	0.1	0.1	4.7	30	0.0
45446	0	0	1	0	Du	47.0243	68.4971	28.4	720.6	446	57001.	574	0.5	1.1	4.2	0.1	0.1	0.1	18	0.0
45445	0	0	1	0	Du	47.0243	68.4965	28.4	720.5	449	57002.	600	0.6	0.5	2.5	0.1	0.1	4.6	22	0.0
45444	0	0	0	0	Du	47.0243	68.4959	28.4	720.4	451	57003.	613	0.4	1.5	3.9	0.1	0.4	0.1	21	0.0
45443	0	0	1	0	Du	47.0243	68.4954	28.4	720.4	448	57003.	580	0.6	0.3	2.4	0.1	0.1	4.5	28	0.0
45442	0	0	1	0	Du	47.0243	68.4948	28.4	720.3	447	57003.	560	0.6	0.4	2.7	0.1	0.1	5.0	22	0.0
45441	0	0	1	0	Du	47.0243	68.4942	28.4	720.3	445	57004.	528	0.7	0.0	2.6	0.1	0.1	4.0	26	0.0
45440	0	0	1	0	Du	47.0243	68.4937	28.4	720.2	446	57005.	542	0.4	0.4	3.4	0.1	0.1	0.1	24	0.0
45439	0	0	1	0	Du	47.0243	68.4931	28.4	720.2	446	57006.	556	0.5	0.8	2.0	0.1	0.1	0.1	32	0.0
45438	0	0	1	0	Du	47.0243	68.4926	28.4	720.2	446	57007.	621	0.7	1.1	2.9	0.1	0.1	4.3	18	0.0
45437	0	0	1	0	Du	47.0243	68.4920	28.4	720.1	444	57008.	591	0.7	0.9	3.4	0.1	0.1	5.3	21	0.0
45436	0	0	1	0	Du	47.0243	68.4914	28.4	720.1	442	57008.	536	0.7	0.9	1.8	0.1	0.1	2.6	21	0.0
45435	0	0	1	0	Du	47.0243	68.4909	28.4	720.0	440	57008.	590	0.6	0.3	3.1	0.1	0.1	6.0	21	0.0
45434	0	0	1	0	Du	47.0243	68.4903	28.4	720.0	445	57009.	585	0.4	1.0	2.7	0.1	0.1	0.1	16	0.0
45433	0	0	1	0	Du	47.0243	68.4897	28.4	719.9	452	57009.	628	0.5	1.1	4.3	0.1	0.1	0.1	17	0.0
45432	0	0	1	0	Du	47.0243	68.4892	28.4	719.9	463	57008.	624	0.5	0.3	3.7	0.1	0.1	0.1	24	0.0
45431	0	0	1	0	Du	47.0243	68.4886	28.4	719.8	472	57008.	537	0.5	0.9	2.6	0.1	0.1	0.1	23	0.0
45430	0	0	1	0	Du	47.0244	68.4881	28.4	719.7	479	57008.	542	0.4	0.2	3.5	0.1	0.1	0.1	19	0.0
45429	0	0	1	0	Du	47.0244	68.4875	28.4	719.6	483	57010.	561	0.6	-0.2	3.0	0.1	0.1	5.7	27	0.0
45428	0	0	1	0	Du	47.0244	68.4869	28.4	719.5	486	57009.	573	0.4	0.3	2.9	0.1	0.1	0.1	20	0.0
45427	0	0	1	0	Du	47.0244	68.4864	28.4	719.4	492	57007.	592	0.6	-0.1	2.0	0.1	0.1	3.5	16	0.0
45426	0	0	1	0	Du	47.0244	68.4858	28.4	719.3	498	57007.	637	0.6	0.7	2.5	0.1	0.1	4.3	28	0.0
45425	0	0	1	0	Du	47.0244	68.4852	28.4	719.2	504	57007.	620	0.6	0.0	3.7	0.1	0.1	7.0	25	0.0
45424	0	0	1	0	Du	47.0244	68.4847	28.4	719.1	509	57006.	621	0.5	0.9	4.8	0.1	0.1	0.1	25	0.0
45423	0	0	1	0	Du	47.0244	68.4841	28.4	719.1	512	57005.	656	0.3	0.7	4.8	0.1	0.1	0.1	22	0.0
45422	0	0	0	0	Du	47.0244	68.4836	28.4	719.0	514	57004.	638	0.7	1.9	4.9	3.1	0.4	7.9	21	0.0
45421	0	0	1	0	Du	47.0244	68.4830	28.4	718.9	513	57004.	759	0.8	0.0	2.7	0.1	0.1	3.7	21	0.0
45420	0	0	1	0	Du	47.0244	68.4824	28.4	718.8	511	57003.	683	0.5	0.6	5.1	0.1	0.1	0.1	32	0.0
45419	0	0	0	0	Du	47.0244	68.4819	28.4	718.7	508	57001.	695	0.7	1.6	5.1	2.3	0.4	7.4	22	0.0
45418	0	0	1	0	Du	47.0244	68.4813	28.4	718.6	505	56999.	702	0.5	1.2	3.0	0.1	0.1	0.1	17	0.0
45417	0	0	1	0	Du	47.0244	68.4807	28.4	718.5	499	56997.	700	0.5	1.2	4.7	0.1	0.1	0.1	16	0.0
45416	0	0	1	0	Du	47.0244	68.4802	28.4	718.4	491	56996.	637	0.5	0.5	3.1	0.1	0.1	0.1	23	0.0
45415	0	0	1	0	Du	47.0244	68.4796	28.4	718.3	482	56995.	611	0.6	1.3	2.5	0.1	0.1	4.2	20	0.0
45414	0	0	1	0	Du	47.0244	68.4790	28.4	718.3	474	56995.	666	0.6	0.9	4.3	0.1	0.1	7.6	28	0.0
45413	0	0	1	0	Du	47.0244	68.4785	28.4	718.3	464	56994.	626	0.5	0.2	2.8	0.1	0.1	0.1	23	0.0
45412	0	0	1	0	Du	47.0244	68.4779	28.4	718.3	458	56993.	647	1.0	0.1	2.5	0.1	0.1	2.7	21	0.0
45411	0	0	1	0	Du	47.0244	68.4773	28.4	718.3	453	56992.	635	0.7	0.3	3.3	0.1	0.1	4.8	25	0.0
45410	0	0	1	0	Du	47.0244	68.4768	28.4	718.4	452	56990.	692	0.7	0.6	2.2	0.1	0.1	3.4	23	0.0
45409	0	0	0	0	Du	47.0245	68.4762	28.4	718.4	451	56989.	576	0.3	1.2	3.4	0.1	0.4	0.1	21	0.0

*** NOTE *** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
45408	0	0	1	0	Du	47.0245	68.4757	28.4	718.4	451	56988.	631	0.8	0.3	3.3	0.1	0.1	4.3	30	0.0
45407	0	0	1	0	Du	47.0245	68.4751	28.4	718.4	453	56987.	590	0.6	0.1	3.2	0.1	0.1	5.5	30	0.0
45406	0	0	1	0	Du	47.0245	68.4745	28.4	718.5	455	56985.	585	0.5	0.5	3.4	0.1	0.1	0.1	31	0.0
45405	0	0	1	0	Du	47.0245	68.4740	28.4	718.7	457	56985.	600	0.7	0.6	3.3	0.1	0.1	5.1	31	0.0
45404	0	0	1	0	Du	47.0245	68.4734	28.4	718.8	456	56984.	592	0.7	0.0	3.9	0.1	0.1	5.6	21	0.0
45403	0	0	1	0	Du	47.0245	68.4728	28.4	718.9	453	56982.	570	0.6	0.6	4.0	0.1	0.1	7.1	31	0.0
45402	0	0	1	0	Du	47.0245	68.4723	28.5	720.4	446	56980.	549	0.5	-0.4	3.5	0.1	0.1	0.1	35	0.0
45401	0	0	0	0	Du	47.0245	68.4717	28.5	720.3	445	56978.	590	0.5	1.7	3.8	0.1	0.5	0.1	25	0.0
45400	0	0	1	0	Du	47.0245	68.4712	28.5	720.3	442	56976.	565	0.4	0.5	4.1	0.1	0.1	0.1	32	0.0
45399	0	0	1	0	Du	47.0245	68.4706	28.5	720.3	437	56974.	547	0.3	1.2	3.2	0.1	0.1	0.1	34	0.0
45398	0	0	1	0	Du	47.0245	68.4700	28.5	720.3	430	56972.	523	0.6	0.3	2.5	0.1	0.1	4.7	32	0.0
45397	0	0	1	0	Du	47.0245	68.4695	28.5	720.4	421	56971.	596	0.6	0.0	3.1	0.1	0.1	6.1	19	0.0
45396	0	0	1	0	Du	47.0245	68.4689	28.5	720.4	411	56969.	633	0.7	0.1	3.8	0.1	0.1	5.9	21	0.0
45395	0	0	1	0	Du	47.0245	68.4683	28.5	720.5	402	56966.	632	0.6	1.2	3.8	0.1	0.1	6.5	22	0.0
45394	0	0	1	0	Du	47.0245	68.4678	28.5	720.5	399	56964.	553	0.5	0.9	2.5	0.1	0.1	0.1	30	0.0
45393	0	0	0	0	Du	47.0245	68.4672	28.5	720.6	401	56962.	581	0.6	1.6	3.6	3.1	0.5	7.1	22	0.0
45392	0	0	1	0	Du	47.0245	68.4667	28.5	720.7	407	56959.	585	0.5	0.1	2.5	0.1	0.1	0.1	23	0.0
45390	0	0	1	0	Du	47.0245	68.4655	28.5	720.7	412	56958.	532	0.6	0.5	2.5	0.1	0.1	4.7	13	0.0
45389	0	0	1	0	Du	47.0246	68.4650	28.5	720.8	415	56956.	541	0.6	-0.1	3.4	0.1	0.1	6.5	26	0.0
45388	0	0	1	0	Du	47.0246	68.4644	28.5	721.0	414	56954.	567	0.6	0.9	1.5	0.1	0.1	2.6	24	0.0
45387	0	0	1	0	Du	47.0246	68.4638	28.5	721.2	411	56952.	594	0.7	0.6	2.9	0.1	0.1	4.5	30	0.0
45386	0	0	1	0	Du	47.0246	68.4633	28.5	721.3	409	56950.	594	0.7	0.7	4.2	0.1	0.1	6.8	25	0.0
45385	0	0	1	0	Du	47.0246	68.4627	28.5	721.4	408	56947.	596	0.3	0.6	3.2	0.1	0.1	0.1	20	0.0
45384	0	0	1	0	Du	47.0246	68.4621	28.5	721.6	406	56945.	566	0.5	0.7	2.8	0.1	0.1	0.1	26	0.0
45383	0	0	1	0	Du	47.0246	68.4616	28.5	721.7	405	56943.	631	0.8	0.7	1.8	0.1	0.1	2.4	20	0.0
45382	0	0	1	0	Du	47.0246	68.4610	28.5	721.8	406	56940.	622	0.6	1.1	3.2	0.1	0.1	5.8	19	0.0
45381	0	0	1	0	Du	47.0246	68.4604	28.5	721.9	409	56938.	633	0.6	0.3	4.7	0.1	0.1	9.0	21	0.0
45380	0	0	1	0	Du	47.0246	68.4599	28.5	721.9	415	56936.	726	0.6	0.2	4.7	0.1	0.1	8.8	18	0.0
45379	0	0	0	0	Du	47.0246	68.4593	28.5	722.0	421	56933.	662	0.6	1.4	3.3	2.4	0.5	5.8	24	0.0
45378	0	0	1	0	Du	47.0246	68.4588	28.5	722.0	429	56931.	677	0.6	0.5	3.2	0.1	0.1	5.3	21	0.0
45377	0	0	1	0	Du	47.0246	68.4582	28.5	722.0	438	56928.	653	1.1	0.7	2.5	0.1	0.1	2.4	32	0.0
45376	0	0	1	0	Du	47.0246	68.4576	28.5	722.0	449	56925.	596	0.7	0.5	3.6	0.1	0.1	5.7	16	0.0
45375	0	0	0	0	Du	47.0246	68.4571	28.5	721.9	461	56922.	699	0.5	1.4	4.1	0.1	0.4	0.1	23	0.0
45374	0	0	1	0	Du	47.0246	68.4565	28.5	721.9	467	56920.	608	0.5	0.6	2.6	0.1	0.1	4.9	29	0.0
45373	0	0	1	0	Du	47.0246	68.4559	28.5	721.8	471	56917.	597	0.7	0.8	3.0	0.1	0.1	4.5	20	0.0
45372	0	0	1	0	Du	47.0246	68.4554	28.5	721.7	473	56915.	659	0.7	0.9	4.3	0.1	0.1	7.0	23	0.0
45371	0	0	1	0	Du	47.0247	68.4548	28.5	721.7	479	56914.	642	0.7	0.8	2.0	0.1	0.1	2.8	25	0.0
45370	0	0	1	0	Du	47.0247	68.4543	28.5	721.6	484	56912.	583	0.7	1.1	3.0	0.1	0.1	4.7	26	0.0
45369	0	0	1	0	Du	47.0247	68.4537	28.5	721.5	486	56910.	613	0.7	0.0	2.8	0.1	0.1	4.3	16	0.0
45368	0	0	1	0	Du	47.0247	68.4531	28.5	721.5	485	56909.	652	0.6	0.9	4.0	0.1	0.1	7.6	22	0.0
45367	0	0	0	0	OW	47.0247	68.4526	28.5	721.5	483	56908.	665	0.7	1.5	4.5	2.1	0.4	6.5	21	0.0
45366	0	0	1	0	OW	47.0247	68.4520	28.5	721.4	483	56908.	651	0.7	0.1	2.8	0.1	0.1	4.3	16	0.0
45365	0	0	1	0	OW	47.0247	68.4514	28.5	721.4	488	56908.	582	0.6	0.8	2.5	0.1	0.1	4.3	33	0.0
45364	0	0	1	0	OW	47.0247	68.4509	28.5	721.5	493	56907.	620	0.8	0.4	1.6	0.1	0.1	2.3	16	0.0
45363	0	0	0	0	OW	47.0247	68.4503	28.5	721.5	497	56906.	567	0.6	1.8	2.3	2.9	0.8	3.9	24	0.0
45362	0	0	1	0	OW	47.0247	68.4497	28.5	721.6	500	56907.	536	0.4	0.3	3.9	0.1	0.1	0.1	25	0.0
45361	0	0	1	0	OW	47.0247	68.4492	28.5	721.7	502	56907.	584	0.7	1.2	2.9	0.1	0.1	4.6	20	0.0
45360	0	0	0	0	OW	47.0247	68.4486	28.5	721.8	502	56907.	581	0.7	1.8	4.7	2.9	0.4	7.5	23	0.0
45359	0	0	1	0	OW	47.0247	68.4481	28.5	721.9	501	56907.	517	0.6	-0.6	2.7	0.1	0.1	5.3	17	0.0
45358	0	0	1	0	OW	47.0247	68.4475	28.5	722.1	499	56908.	569	0.7	0.1	4.2	0.1	0.1	6.7	27	0.0

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
45357	0	0	1	0	0w	47.0247	68.4469	28.5	722.2	498	56910.	488	0.7	0.4	2.8	0.1	0.1	4.5	13	0.0
45356	0	0	1	0	0w	47.0247	68.4464	28.5	722.4	496	56911.	531	0.5	0.4	5.0	0.1	0.1	0.1	23	0.0
45355	0	0	1	0	0w	47.0247	68.4458	28.5	722.5	493	56911.	509	0.5	0.6	1.4	0.1	0.1	0.1	21	0.0
45354	0	0	1	0	0w	47.0247	68.4453	28.5	722.7	494	56911.	382	0.3	0.5	2.7	0.1	0.1	0.1	25	0.0
45353	0	0	0	1	0w	47.0247	68.4447	28.5	722.8	503	56912.	391	0.5	1.8	0.8	0.1	0.1	0.1	28	0.0
45352	0	0	0	0	0w	47.0247	68.4441	28.5	723.0	512	56911.	388	0.3	1.5	1.3	0.1	1.2	0.1	23	0.0
45351	0	0	1	0	0w	47.0247	68.4436	28.5	723.1	517	56910.	382	0.4	0.6	1.4	0.1	0.1	0.1	20	0.0
45350	0	0	1	0	0w	47.0247	68.4430	28.5	723.2	513	56909.	294	0.4	0.6	2.8	0.1	0.1	0.1	23	0.0
45349	0	0	1	0	0w	47.0247	68.4425	28.5	723.3	508	56907.	370	0.3	0.3	2.0	0.1	0.1	0.1	24	0.0
45348	0	0	1	0	0w	47.0247	68.4419	28.5	723.3	499	56905.	374	0.3	0.2	1.9	0.1	0.1	0.1	20	0.0
45347	0	0	1	0	0w	47.0248	68.4413	28.5	723.4	486	56902.	485	0.4	-0.5	4.9	0.1	0.1	0.1	19	0.0
45346	0	0	1	0	0w	47.0248	68.4408	28.5	723.5	473	56899.	527	0.4	0.9	4.7	0.1	0.1	0.1	27	0.0
45345	0	0	1	0	0w	47.0248	68.4402	28.4	723.8	470	56895.	667	0.7	0.9	3.1	0.1	0.1	4.8	23	0.0
45344	0	0	1	0	0w	47.0248	68.4397	28.4	723.8	471	56894.	647	0.5	0.7	4.4	0.1	0.1	0.1	12	0.0
45343	0	0	1	0	0w	47.0248	68.4391	28.4	723.8	469	56892.	691	0.8	0.7	3.5	0.1	0.1	4.8	11	0.0
45342	0	0	1	0	0w	47.0248	68.4385	28.4	723.8	465	56891.	682	0.9	0.3	3.8	0.1	0.1	4.3	12	0.0
45341	0	0	1	0	0w	47.0248	68.4380	28.4	723.8	458	56889.	711	0.8	-0.2	4.5	0.1	0.1	6.3	33	0.0
45340	0	0	1	0	0w	47.0248	68.4374	28.4	723.8	452	56887.	700	0.7	0.3	6.1	0.1	0.1	9.6	23	0.0
45339	0	0	0	0	0w	47.0248	68.4369	28.4	723.8	446	56885.	630	0.4	1.4	1.9	0.1	0.8	0.1	25	0.0
45338	0	0	0	0	0w	47.0248	68.4363	28.4	723.8	438	56884.	553	0.3	1.3	1.9	0.1	0.7	0.1	28	0.0
45337	0	0	1	0	0w	47.0248	68.4357	28.4	723.8	429	56882.	574	0.5	1.0	2.1	0.1	0.1	0.1	21	0.0
45336	0	0	0	0	0w	47.0248	68.4352	28.4	723.8	416	56881.	587	0.7	1.7	2.5	2.8	0.7	4.0	19	0.0
45335	0	0	1	0	0w	47.0248	68.4346	28.4	723.8	406	56881.	576	0.7	0.2	2.8	0.1	0.1	4.5	20	0.0
45334	0	0	1	0	0w	47.0248	68.4341	28.4	723.8	401	56880.	566	0.4	0.1	2.6	0.1	0.1	0.1	19	0.0
45333	0	0	1	0	0w	47.0248	68.4335	28.4	723.8	403	56878.	620	0.5	1.1	3.1	0.1	0.1	0.1	24	0.0
45332	0	0	1	0	0w	47.0248	68.4329	28.4	723.8	405	56877.	597	0.6	0.6	2.8	0.1	0.1	5.1	28	0.0
45331	0	0	1	0	0w	47.0248	68.4324	28.4	723.8	408	56876.	664	0.6	0.4	3.3	0.1	0.1	6.5	19	0.0
45330	0	0	0	0	0w	47.0248	68.4318	28.4	723.8	411	56875.	690	0.8	2.0	2.3	2.5	0.9	2.9	19	0.0
45329	0	0	0	0	0w	47.0248	68.4313	28.4	723.8	421	56874.	745	0.7	1.2	2.8	1.8	0.5	4.2	35	0.0
45328	0	0	1	0	0w	47.0248	68.4307	28.4	723.8	429	56873.	784	0.8	0.7	2.7	0.1	0.1	3.7	31	0.0
45327	0	0	0	0	0w	47.0248	68.4301	28.4	723.7	437	56872.	831	0.6	1.4	4.9	2.4	0.3	8.5	22	0.0
45326	0	0	1	0	0w	47.0248	68.4296	28.4	723.7	439	56871.	827	0.8	1.0	6.1	0.1	0.1	7.6	24	0.0
45325	0	0	1	0	0w	47.0248	68.4290	28.4	723.7	442	56870.	847	0.7	1.1	3.9	0.1	0.1	5.8	15	0.0
45324	0	0	1	0	0w	47.0248	68.4285	28.4	723.7	446	56869.	776	0.7	1.0	5.2	0.1	0.1	8.2	27	0.0
45323	0	0	1	0	0w	47.0248	68.4279	28.4	723.6	449	56869.	823	0.9	0.2	2.7	0.1	0.1	3.1	22	0.0
45322	0	0	1	0	0w	47.0248	68.4273	28.4	723.6	453	56868.	786	0.7	0.3	4.4	0.1	0.1	6.6	24	0.0
45321	0	0	1	0	0w	47.0249	68.4268	28.4	723.5	459	56869.	801	0.6	0.6	4.7	0.1	0.1	7.8	18	0.0
45320	0	0	1	0	0w	47.0249	68.4262	28.4	723.5	467	56870.	751	0.8	0.0	4.9	0.1	0.1	6.8	22	0.0
45319	0	0	1	0	0w	47.0249	68.4257	28.4	723.5	473	56873.	742	0.8	0.9	5.9	0.1	0.1	7.8	23	0.0
45318	0	0	1	0	0w	47.0249	68.4251	28.4	723.5	472	56875.	757	0.9	0.4	3.7	0.1	0.1	4.2	32	0.0
45317	0	0	1	0	0w	47.0249	68.4245	28.4	723.4	466	56876.	782	0.7	0.3	4.8	0.1	0.1	7.3	19	0.0
45316	0	0	0	0	0w	47.0249	68.4240	28.4	723.4	456	56879.	777	0.7	1.5	4.4	2.2	0.4	6.4	14	0.0
45315	0	0	1	0	0w	47.0249	68.4234	28.4	723.4	442	56884.	869	0.8	0.1	3.5	0.1	0.1	5.0	18	0.0
45314	0	0	0	0	0w	47.0249	68.4229	28.4	723.5	421	56891.	820	0.6	2.0	6.4	3.5	0.4	11.2	20	0.0
45313	0	0	1	0	0w	47.0249	68.4223	28.4	723.5	401	56900.	784	0.9	0.1	4.8	0.1	0.1	5.9	21	0.0
45312	0	0	1	0	0w	47.0249	68.4217	28.4	723.5	385	56912.	766	0.8	1.0	3.8	0.1	0.1	4.8	30	0.0
45311	0	0	1	0	0w	47.0249	68.4212	28.4	723.6	378	56931.	739	0.8	0.3	3.6	0.1	0.1	4.8	21	0.0
45310	0	0	1	0	0w	47.0249	68.4206	28.4	723.7	370	56953.	764	0.8	0.1	2.7	0.1	0.1	3.4	27	0.0
45309	0	0	0	0	0w	47.0249	68.4201	28.4	723.7	357	56975.	714	0.6	1.2	5.3	2.4	0.3	10.4	23	0.0
45308	0	0	1	0	0w	47.0249	68.4195	28.4	723.8	344	56991.	696	0.7	0.5	4.2	0.1	0.1	6.6	16	0.0

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
45307	0	0	1	0	0W	47.0249	68.4189	28.4	723.9	334	56996.	722	0.6	0.8	4.1	0.1	0.1	7.2	25	0.0
45306	0	0	0	0	0W	47.0249	68.4184	28.4	724.0	332	56991.	756	0.7	1.5	3.3	2.3	0.5	4.9	20	0.0
45305	0	0	1	0	0W	47.0249	68.4178	28.4	724.0	337	56982.	696	0.7	-0.3	4.1	0.1	0.1	6.7	22	0.0
34036	0	0	1	0	0W	47.0231	68.4176	28.4	722.6	425	56990.	653	0.9	0.1	2.5	0.1	0.1	3.1	26	0.0
34037	0	0	1	0	0W	47.0230	68.4169	28.4	722.6	436	57006.	631	0.8	0.4	4.5	0.1	0.1	5.9	26	0.0
34038	0	0	1	0	0W	47.0230	68.4162	28.4	722.6	444	57032.	607	0.6	0.8	3.5	0.1	0.1	5.8	44	0.0
34039	0	0	1	0	0W	47.0229	68.4155	28.4	722.6	447	57066.	604	0.8	-0.1	3.8	0.1	0.1	5.1	22	0.0
34040	0	0	1	0	0W	47.0229	68.4148	28.4	722.7	446	57101.	558	0.5	0.9	4.2	0.1	0.1	0.1	30	0.0
34041	0	0	1	0	0W	47.0229	68.4142	28.4	722.7	442	57127.	634	0.6	0.1	2.4	0.1	0.1	4.1	15	0.0
34042	0	0	0	0	0W	47.0228	68.4135	28.4	722.8	439	57136.	630	0.6	1.6	4.3	2.9	0.4	7.8	26	0.0
34043	0	0	1	0	0W	47.0228	68.4128	28.4	722.8	437	57127.	509	0.5	0.5	1.6	0.1	0.1	0.1	24	0.0
34044	0	0	1	0	0W	47.0228	68.4121	28.4	722.9	436	57104.	548	0.4	0.3	2.3	0.1	0.1	0.1	26	0.0
34045	0	0	1	1	0W	47.0227	68.4114	28.4	722.9	438	57077.	524	0.6	0.8	1.0	0.1	0.1	0.1	19	0.0
34046	0	0	1	0	0W	47.0227	68.4107	28.4	723.0	443	57053.	350	0.3	0.5	2.7	0.1	0.1	0.1	26	0.0
34047	0	0	1	0	0W	47.0226	68.4101	28.4	723.1	448	57034.	355	0.3	0.8	1.8	0.1	0.1	0.1	29	0.0
34048	0	1	1	1	0W	47.0226	68.4094	28.4	723.1	453	57019.	183	0.1	-0.4	0.6	0.1	0.1	0.1	25	0.0
34049	0	1	1	1	0W	47.0226	68.4087	28.4	723.2	454	57009.	124	0.1	-0.3	1.1	0.1	0.1	0.1	19	0.0
34050	0	1	1	1	0W	47.0226	68.4081	28.4	723.3	456	56999.	110	0.2	-1.0	1.2	0.1	0.1	0.1	21	0.0
34051	0	1	1	1	0W	47.0226	68.4075	28.4	723.3	454	56990.	65	0.1	-0.7	0.2	0.1	0.1	0.1	21	0.0
34052	0	0	1	1	0W	47.0226	68.4069	28.4	723.4	450	56981.	83	0.2	0.1	-0.6	0.1	0.1	0.1	24	0.0
34053	0	1	1	1	0W	47.0226	68.4063	28.4	723.4	442	56969.	46	0.1	-0.2	0.0	0.1	0.1	0.1	19	0.0
34054	0	1	1	1	0W	47.0226	68.4056	28.4	723.4	433	56956.	81	0.0	-0.1	0.6	0.1	0.1	0.1	23	0.0
34055	0	1	1	1	0W	47.0227	68.4050	28.4	723.5	427	56941.	90	0.1	-0.6	1.0	0.1	0.1	0.1	13	0.0
34056	0	1	1	1	0W	47.0227	68.4044	28.4	723.5	422	56928.	140	0.0	-0.2	0.9	0.1	0.1	0.1	14	0.0
34057	0	1	1	1	0W	47.0227	68.4038	28.4	723.5	418	56916.	113	0.1	0.1	0.9	0.1	0.1	0.1	22	0.0
34058	0	0	1	1	0W	47.0227	68.4032	28.4	723.5	413	56907.	190	0.2	0.0	-0.9	0.1	0.1	0.1	22	0.0
34059	0	0	1	1	0W	47.0227	68.4026	28.4	723.5	411	56900.	169	0.2	0.6	0.6	0.1	0.1	0.1	31	0.0
34060	0	0	1	0	0W	47.0227	68.4020	28.4	723.5	411	56895.	272	0.2	0.5	2.2	0.1	0.1	0.1	27	0.0
34061	0	1	1	0	0W	47.0227	68.4014	28.4	723.5	412	56891.	331	0.2	0.1	3.3	0.1	0.1	0.1	20	0.0
34062	0	0	1	0	0W	47.0228	68.4008	28.4	723.5	412	56891.	384	0.4	0.3	2.9	0.1	0.1	0.1	29	0.0
34063	0	0	1	0	0W	47.0228	68.4002	28.5	722.9	416	56892.	504	0.5	0.5	2.5	0.1	0.1	0.1	25	0.0
34064	0	0	1	0	0W	47.0228	68.3996	28.4	722.8	423	56894.	481	0.5	-0.1	3.5	0.1	0.1	0.1	28	0.0
34065	0	0	0	0	0W	47.0228	68.3990	28.4	722.6	427	56897.	632	0.9	1.4	3.6	1.7	0.4	4.4	25	0.0
34066	0	0	1	0	0W	47.0228	68.3984	28.4	722.5	429	56899.	675	0.6	0.3	2.8	0.1	0.1	5.1	19	0.0
34067	0	0	1	0	0W	47.0228	68.3978	28.4	722.3	425	56901.	660	0.6	0.0	3.5	0.1	0.1	6.3	23	0.0
34068	0	0	1	0	0W	47.0229	68.3972	28.4	722.1	425	56904.	669	0.7	0.9	4.5	0.1	0.1	7.2	34	0.0
34069	0	0	1	0	0W	47.0229	68.3966	28.4	722.0	425	56907.	721	0.7	1.1	4.8	0.1	0.1	7.5	18	0.0
34070	0	0	1	0	0W	47.0229	68.3960	28.4	721.8	430	56911.	635	0.5	-0.2	3.3	0.1	0.1	0.1	16	0.0
34071	0	0	1	0	0W	47.0229	68.3953	28.4	721.6	439	56914.	685	0.6	0.0	3.1	0.1	0.1	6.1	28	0.0
34072	0	0	0	0	0W	47.0229	68.3947	28.4	721.5	450	56915.	656	0.8	1.4	3.0	2.0	0.5	4.2	31	0.0
34073	0	0	1	0	0W	47.0229	68.3941	28.4	721.3	461	56917.	634	0.7	-0.2	3.4	0.1	0.1	5.4	37	0.0
34074	0	0	0	0	0W	47.0229	68.3935	28.4	721.2	469	56920.	564	0.6	1.4	3.9	2.3	0.4	6.5	22	0.0
34075	0	0	1	0	0W	47.0230	68.3929	28.4	721.0	476	56922.	631	0.7	0.1	2.2	0.1	0.1	3.4	30	0.0
34077	0	0	1	0	0W	47.0230	68.3917	28.4	720.9	478	56924.	555	0.5	0.2	3.6	0.1	0.1	0.1	20	0.0
34078	0	0	0	0	0W	47.0230	68.3911	28.4	720.8	475	56926.	626	0.6	2.3	2.7	4.5	0.9	5.2	16	0.0
34079	0	0	1	0	0W	47.0230	68.3905	28.4	720.6	470	56928.	637	0.7	0.5	1.4	0.1	0.1	2.1	18	0.0
34080	0	0	1	0	0W	47.0230	68.3899	28.4	720.5	469	56933.	648	0.6	1.1	2.0	0.1	0.1	3.5	22	0.0
34081	0	0	1	0	0W	47.0230	68.3893	28.4	720.3	469	56945.	636	0.6	0.4	4.3	0.1	0.1	7.8	12	0.0
34082	0	0	1	0	0W	47.0231	68.3887	28.4	720.2	461	56966.	636	0.7	0.8	4.2	0.1	0.1	6.4	20	0.0
34083	0	0	1	0	0W	47.0231	68.3881	28.4	720.1	450	56997.	575	0.7	-0.6	2.5	0.1	0.1	3.8	29	0.0

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI			
												CPS	%	PPM	PPM							CPS	CPS
34084	0	0	1	0	0w	47.0231	68.3875	28.4	719.9	438	57039.	564	0.5	0.8	1.5	0.1	0.1	0.1	27	0.0			
34085	0	0	0	0	0w	47.0231	68.3868	28.4	719.8	429	57087.	604	0.5	1.6	2.9	0.1	0.6	0.1	19	0.0			
34086	0	0	0	0	0w	47.0231	68.3862	28.4	719.6	422	57129.	595	0.5	1.3	3.3	0.1	0.4	0.1	25	0.0			
34087	0	0	1	0	0w	47.0231	68.3856	28.4	719.5	418	57157.	606	0.7	0.7	3.8	0.1	0.1	5.8	29	0.1			
34088	0	0	1	0	0w	47.0231	68.3850	28.4	719.4	420	57164.	644	0.5	0.7	2.9	0.1	0.1	0.1	29	0.1			
34089	0	0	1	0	0w	47.0232	68.3844	28.4	719.2	423	57154.	695	0.7	-0.1	3.9	0.1	0.1	6.1	24	0.2			
34090	0	0	1	0	0w	47.0232	68.3838	28.4	719.1	423	57137.	674	0.7	0.7	3.0	0.1	0.1	4.6	28	0.2			
34091	0	0	1	0	0w	47.0232	68.3832	28.4	719.0	420	57120.	672	0.5	1.1	3.0	0.1	0.1	0.1	23	0.3			
34092	0	0	1	0	0w	47.0232	68.3826	28.4	718.9	416	57111.	734	0.7	0.2	4.5	0.1	0.1	6.5	22	0.3			
34093	0	0	1	0	0w	47.0232	68.3820	28.4	718.7	416	57113.	735	0.8	0.6	5.2	0.1	0.1	7.4	33	0.3			
34094	0	0	0	0	0w	47.0232	68.3814	28.4	718.6	420	57120.	691	0.5	1.7	3.4	0.1	0.5	0.1	17	0.4			
34095	0	0	1	0	0w	47.0233	68.3808	28.4	718.5	425	57124.	749	0.6	0.8	3.6	0.1	0.1	6.2	25	0.4			
34096	0	0	0	0	0w	47.0233	68.3802	28.4	718.5	423	57123.	758	0.8	1.5	4.1	2.1	0.4	5.9	20	0.5			
34097	0	0	1	0	0w	47.0233	68.3796	28.4	718.4	418	57118.	731	1.0	0.5	2.8	0.1	0.1	2.8	29	0.5			
34098	0	0	1	0	0w	47.0233	68.3790	28.4	718.3	414	57114.	631	0.6	0.8	4.1	0.1	0.1	8.0	30	0.6			
34099	0	0	1	0	0w	47.0233	68.3784	28.4	718.3	420	57113.	672	0.6	0.6	5.1	0.1	0.1	8.4	18	0.6			
34100	0	0	1	0	0w	47.0233	68.3778	28.4	718.3	432	57119.	647	0.6	1.1	2.5	0.1	0.1	4.4	25	0.7			
34101	0	0	1	0	0w	47.0233	68.3772	28.4	718.3	447	57130.	570	0.5	1.3	3.9	0.1	0.1	0.1	23	0.7			
34102	0	0	1	0	0w	47.0233	68.3765	28.4	718.3	459	57146.	600	0.6	0.4	3.6	0.1	0.1	6.9	22	0.6			
34103	0	0	0	0	0w	47.0234	68.3759	28.3	718.4	458	57163.	640	0.7	1.6	2.6	2.4	0.7	3.9	25	0.4			
34104	0	0	0	1	0w	47.0234	68.3753	28.3	718.5	451	57173.	610	0.7	1.8	1.1	2.7	0.1	0.1	28	0.2			
34105	0	0	1	0	0w	47.0234	68.3747	28.3	718.7	443	57172.	555	0.3	0.3	3.0	0.1	0.1	0.1	34	0.1			
34106	0	0	0	0	0w	47.0234	68.3741	28.3	718.9	442	57160.	561	0.7	1.9	2.2	3.1	0.9	3.6	29	0.0			
34107	0	0	1	0	0w	47.0234	68.3735	28.3	719.1	442	57141.	558	0.5	0.8	2.7	0.1	0.1	0.1	15	0.0			
34108	0	0	0	0	0w	47.0234	68.3729	28.3	719.2	439	57121.	567	0.6	1.7	2.3	2.8	0.8	3.8	20	0.0			
34109	0	0	1	0	0w	47.0234	68.3723	28.3	719.2	433	57100.	562	0.5	0.9	2.6	0.1	0.1	0.1	23	0.1			
34110	0	0	0	0	0w	47.0235	68.3717	28.3	719.4	424	57079.	629	0.5	1.1	2.6	0.1	0.5	0.1	27	0.1			
34111	0	0	0	0	0w	47.0235	68.3711	28.3	719.5	416	57055.	653	0.6	2.3	2.8	4.1	0.9	5.0	28	0.2			
34112	0	0	1	0	0w	47.0235	68.3705	28.3	719.6	412	57028.	647	0.7	-0.5	2.3	0.1	0.1	3.6	19	0.1			
34113	0	0	1	0	0w	47.0235	68.3699	28.3	719.7	411	57001.	607	0.6	0.1	3.1	0.1	0.1	5.6	28	0.0			
34114	0	0	1	0	0w	47.0235	68.3693	28.3	719.8	414	56981.	670	0.8	0.0	5.0	0.1	0.1	6.5	23	0.0			
34115	0	0	1	0	0w	47.0235	68.3687	28.3	719.9	423	56968.	676	0.9	0.9	3.1	0.1	0.1	3.7	29	0.0			
34116	0	0	1	0	0w	47.0235	68.3680	28.3	719.9	434	56961.	691	0.6	0.5	2.5	0.1	0.1	4.5	18	0.0			
34117	0	0	1	0	0w	47.0236	68.3674	28.3	719.9	440	56961.	641	0.7	0.4	2.3	0.1	0.1	3.5	20	0.0			
34118	0	0	1	0	0w	47.0236	68.3668	28.3	719.9	440	56963.	583	0.4	0.6	1.7	0.1	0.1	0.1	21	0.0			
34119	0	0	1	0	0w	47.0236	68.3662	28.3	719.8	438	56965.	571	0.6	0.5	2.2	0.1	0.1	3.8	17	0.0			
34120	0	0	1	0	0w	47.0236	68.3656	28.4	722.5	422	56964.	512	0.6	0.9	2.8	0.1	0.1	4.8	24	0.0			
34121	0	0	1	0	0w	47.0236	68.3650	28.4	722.8	408	56960.	499	0.5	0.2	2.7	0.1	0.1	0.1	13	0.0			
34122	0	0	0	0	0w	47.0236	68.3644	28.4	723.0	392	56953.	491	0.5	1.2	2.6	0.1	0.5	0.1	19	0.0			
34123	0	0	1	0	0w	47.0237	68.3638	28.4	723.2	378	56946.	527	0.2	0.6	2.6	0.1	0.1	0.1	25	0.0			
34124	0	0	0	0	0w	47.0237	68.3632	28.4	723.5	367	56941.	594	0.6	1.8	2.6	3.3	0.7	4.8	18	0.0			
34125	0	0	1	0	0w	47.0237	68.3626	28.4	723.7	359	56936.	615	0.5	0.2	3.1	0.1	0.1	0.1	28	0.0			
34126	0	0	0	0	0w	47.0237	68.3620	28.4	723.9	356	56934.	685	0.8	1.4	3.0	1.9	0.5	4.2	16	0.0			
34127	0	0	1	0	0w	47.0237	68.3614	28.4	724.1	356	56933.	641	0.6	0.6	3.4	0.1	0.1	5.9	22	0.0			
34128	0	0	1	0	0w	47.0237	68.3608	28.4	724.3	357	56932.	699	0.7	0.8	4.0	0.1	0.1	5.8	17	0.0			
34129	0	0	1	0	Water	47.0237	68.3602	28.4	724.5	358	56932.	622	0.5	0.7	3.1	0.1	0.1	0.1	17	0.0			
34130	0	0	1	0	Water	47.0238	68.3596	28.4	724.7	363	56933.	581	0.6	0.8	3.1	0.1	0.1	5.6	23	0.0			
34131	0	0	1	0	Water	47.0238	68.3589	28.4	724.9	373	56933.	448	0.4	0.8	1.4	0.1	0.1	0.1	26	0.0			
34132	0	0	1	0	Water	47.0238	68.3583	28.4	725.1	385	56931.	359	0.3	0.8	1.9	0.1	0.1	0.1	16	0.0			
34133	0	0	1	0	Water	47.0238	68.3577	28.4	725.3	393	56929.	153	0.3	0.1	1.4	0.1	0.1	0.1	20	0.0			

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
34134	0	1	1	1	Water	47.0238	68.3570	28.4	725.4	395	56927.	109	0.1	0.1	0.7	0.1	0.1	0.1	21	0.0
34135	0	1	1	1	Water	47.0238	68.3564	28.4	725.5	395	56923.	-1	0.1	0.0	0.3	0.1	0.1	0.1	14	0.0
34136	0	1	1	1	Water	47.0238	68.3558	28.4	725.6	394	56921.	-8	0.1	-0.6	0.4	0.1	0.1	0.1	17	0.0
34137	0	1	1	1	Water	47.0238	68.3551	28.4	725.7	393	56921.	17	0.2	0.1	0.4	0.1	0.1	0.1	26	0.0
34138	0	1	1	1	Water	47.0238	68.3545	28.4	725.8	392	56920.	-16	0.0	-0.1	0.0	0.1	0.1	0.1	15	0.0
34139	0	1	1	1	Water	47.0238	68.3538	28.4	725.9	390	56919.	-37	0.0	0.4	0.0	0.1	0.1	0.1	27	0.0
34140	0	1	1	1	Water	47.0238	68.3532	28.4	725.9	388	56920.	-52	0.0	-0.2	0.0	0.1	0.1	0.1	22	0.0
34141	0	1	1	1	Water	47.0238	68.3525	28.4	726.0	384	56920.	-30	0.0	0.0	-0.4	0.1	0.1	0.1	27	0.0
34142	0	1	1	1	Water	47.0238	68.3519	28.4	726.0	381	56918.	-5	0.1	-0.2	0.8	0.1	0.1	0.1	17	0.0
34143	0	1	1	1	Water	47.0238	68.3512	28.4	726.1	379	56916.	-44	0.0	-0.6	-0.2	0.1	0.1	0.1	16	0.0
34144	0	1	1	1	Water	47.0238	68.3506	28.4	726.1	378	56916.	-12	0.1	-0.1	0.1	0.1	0.1	0.1	16	0.0
34145	0	1	1	1	Water	47.0238	68.3499	28.4	726.1	379	56917.	-53	0.0	-0.4	0.0	0.1	0.1	0.1	25	0.0
34146	0	1	1	0	Water	47.0238	68.3493	28.4	726.1	380	56917.	-37	0.0	-0.1	1.1	0.1	0.1	0.1	27	0.0
34147	0	1	1	1	Water	47.0237	68.3486	28.4	726.1	381	56918.	-71	0.0	-0.7	-0.5	0.1	0.1	0.1	31	0.0
34148	0	1	1	1	Water	47.0237	68.3480	28.4	726.1	383	56917.	-36	0.0	-0.6	0.3	0.1	0.1	0.1	25	0.0
34149	0	1	1	1	Water	47.0237	68.3473	28.4	726.1	386	56917.	-39	0.0	-0.9	0.1	0.1	0.1	0.1	19	0.0
34150	0	1	1	1	Water	47.0237	68.3467	28.4	726.1	389	56916.	-36	0.1	-0.4	0.6	0.1	0.1	0.1	24	0.0
34151	0	1	1	1	Water	47.0237	68.3460	28.4	726.0	392	56916.	-24	0.1	-0.2	0.6	0.1	0.1	0.1	14	0.0
34152	0	1	1	1	Water	47.0237	68.3454	28.4	726.0	395	56916.	-20	0.0	-0.7	-0.1	0.1	0.1	0.1	17	0.0
34153	0	1	1	1	Water	47.0237	68.3447	28.4	726.0	398	56917.	-11	0.2	-0.4	0.2	0.1	0.1	0.1	25	0.0
34154	0	1	1	1	Water	47.0237	68.3441	28.4	726.0	400	56919.	-59	0.0	0.2	-0.1	0.1	0.1	0.1	10	0.0
34155	0	1	1	1	Water	47.0237	68.3434	28.4	725.9	402	56918.	-49	0.1	-0.3	-0.7	0.1	0.1	0.1	27	0.0
34156	0	1	1	1	Water	47.0237	68.3428	28.4	725.9	403	56917.	-73	0.1	-0.6	-0.4	0.1	0.1	0.1	21	0.0
34157	0	1	1	1	Water	47.0237	68.3422	28.4	725.9	404	56916.	-31	0.1	0.0	0.1	0.1	0.1	0.1	19	0.0
34158	0	1	1	1	Water	47.0237	68.3415	28.4	725.6	405	56916.	-48	0.0	-0.5	-0.2	0.1	0.1	0.1	20	0.0
34159	0	1	1	1	Water	47.0237	68.3409	28.4	725.7	406	56916.	-41	-0.1	-0.4	0.7	0.1	0.1	0.1	25	0.0
34160	0	1	1	1	Water	47.0237	68.3402	28.4	725.7	408	56916.	-51	0.0	-0.4	0.1	0.1	0.1	0.1	28	0.0
34161	0	1	1	1	Water	47.0237	68.3396	28.4	725.6	410	56916.	-29	0.1	0.6	0.7	0.1	0.1	0.1	24	0.0
34162	0	1	1	1	Water	47.0237	68.3389	28.4	725.6	413	56916.	-40	-0.1	-0.1	0.3	0.1	0.1	0.1	17	0.0
34163	0	1	1	1	Water	47.0237	68.3383	28.4	725.5	416	56916.	-21	0.1	0.2	0.3	0.1	0.1	0.1	20	0.0
34164	0	1	1	1	Water	47.0237	68.3376	28.4	725.5	419	56915.	-35	0.1	-0.5	-0.4	0.1	0.1	0.1	21	0.0
34165	0	1	1	1	Water	47.0237	68.3370	28.4	725.5	423	56914.	-14	0.0	-0.2	-0.1	0.1	0.1	0.1	17	0.0
34166	0	1	1	1	Water	47.0237	68.3363	28.4	725.4	427	56915.	-14	0.1	-0.3	-0.3	0.1	0.1	0.1	15	0.0
34167	0	1	1	1	Water	47.0237	68.3357	28.4	725.4	431	56915.	-9	0.1	-0.8	0.7	0.1	0.1	0.1	21	0.0
34169	0	1	1	1	Water	47.0237	68.3344	28.4	725.4	436	56916.	-31	0.1	-0.3	0.5	0.1	0.1	0.1	27	0.0
34170	0	1	1	1	Water	47.0237	68.3337	28.4	725.3	440	56916.	-69	-0.1	-0.9	0.0	0.1	0.1	0.1	28	0.0
34171	0	1	1	1	Water	47.0237	68.3331	28.4	725.3	443	56916.	-49	0.0	-0.3	0.6	0.1	0.1	0.1	27	0.0
34172	0	1	1	1	Water	47.0237	68.3324	28.4	725.3	446	56916.	-42	0.1	-0.4	0.1	0.1	0.1	0.1	25	0.0
34173	0	1	1	1	Water	47.0237	68.3318	28.4	725.3	448	56916.	0	0.1	0.4	-0.5	0.1	0.1	0.1	22	0.0
34174	0	1	1	1	OW	47.0237	68.3311	28.4	725.3	450	56916.	8	0.0	0.1	0.6	0.1	0.1	0.1	21	0.0
34175	0	1	1	1	OW	47.0237	68.3305	28.4	725.3	450	56916.	78	0.0	0.2	0.7	0.1	0.1	0.1	15	0.0
34176	0	0	1	0	OW	47.0236	68.3299	28.4	725.3	450	56916.	243	0.3	1.0	1.6	0.1	0.1	0.1	14	0.1
34177	0	0	1	0	OW	47.0236	68.3292	28.4	724.6	426	56917.	291	0.3	0.5	2.6	0.1	0.1	0.1	24	0.4
34178	0	0	1	1	OW	47.0236	68.3286	28.4	724.5	423	56917.	292	0.2	0.1	0.8	0.1	0.1	0.1	19	0.5
34179	0	1	1	0	OW	47.0236	68.3280	28.4	724.4	417	56917.	306	0.2	0.3	1.6	0.1	0.1	0.1	18	0.6
34180	0	0	1	0	OW	47.0236	68.3273	28.3	724.2	410	56916.	434	0.4	0.0	2.3	0.1	0.1	0.1	24	0.7
34181	0	0	1	0	OW	47.0235	68.3267	28.3	724.1	411	56915.	552	0.7	0.3	3.8	0.1	0.1	5.6	26	0.8
34182	0	0	1	0	OW	47.0235	68.3261	28.3	723.9	419	56914.	659	0.8	0.6	4.4	0.1	0.1	5.9	29	0.9
34183	0	0	0	0	OW	47.0235	68.3254	28.3	723.7	431	56914.	718	0.8	1.6	4.3	2.2	0.4	5.9	20	1.0
34184	0	0	1	0	OW	47.0235	68.3248	28.3	723.6	440	56913.	815	0.8	0.0	4.5	0.1	0.1	5.7	17	1.1

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI	
												CPS	%	PPM	PPM					CPS	CPS
34185	0	0	1	0	0w	47.0235	68.3242	28.3	723.4	446	56913.	821	0.7	1.0	3.5	0.1	0.1	5.3	15	1.2	
34186	0	0	1	0	0w	47.0234	68.3235	28.3	723.2	451	56913.	767	0.8	0.2	4.6	0.1	0.1	6.2	34	1.3	
34187	0	0	1	0	0w	47.0234	68.3229	28.3	722.9	457	56914.	761	1.0	1.2	4.7	0.1	0.1	5.2	18	1.4	
34188	0	0	1	0	0w	47.0234	68.3223	28.3	722.7	464	56913.	731	0.9	-0.4	4.9	0.1	0.1	5.9	18	1.5	
34189	0	0	1	0	0w	47.0234	68.3217	28.3	722.5	473	56912.	678	0.6	0.6	4.4	0.1	0.1	8.2	22	1.6	
34190	0	0	1	0	0w	47.0234	68.3210	28.3	722.3	478	56911.	651	0.8	-0.2	4.5	0.1	0.1	6.1	23	1.6	
34191	0	0	1	0	0w	47.0233	68.3204	28.3	722.0	481	56911.	606	0.6	0.2	3.9	0.1	0.1	6.7	16	1.7	
34192	0	0	1	0	0w	47.0233	68.3198	28.3	721.8	482	56912.	600	0.8	-1.5	1.7	0.1	0.1	2.4	23	1.7	
34193	0	0	1	0	0w	47.0233	68.3191	28.3	721.5	487	56912.	581	0.5	0.3	5.7	0.1	0.1	0.1	20	1.8	
34194	0	0	1	0	0w	47.0233	68.3185	28.3	721.3	494	56911.	544	0.5	-0.5	4.0	0.1	0.1	0.1	22	1.8	
34195	0	0	1	0	0w	47.0233	68.3179	28.3	721.1	501	56911.	598	0.6	0.5	5.2	0.1	0.1	9.0	26	1.9	
34196	0	0	1	0	0w	47.0233	68.3172	28.3	720.8	507	56910.	608	0.6	-0.6	2.4	0.1	0.1	4.2	33	1.9	
34197	0	0	1	0	0w	47.0232	68.3166	28.3	720.6	508	56910.	675	0.6	0.8	4.6	0.1	0.1	8.6	18	2.0	
34198	0	0	1	0	0w	47.0232	68.3160	28.3	720.3	507	56909.	730	0.6	-0.4	4.7	0.1	0.1	8.4	19	2.0	
34199	0	0	1	0	0w	47.0232	68.3153	28.3	720.1	509	56908.	753	0.7	0.9	7.9	0.1	0.1	12.4	29	2.1	
34200	0	0	1	0	0w	47.0232	68.3147	28.3	719.8	508	56909.	897	0.9	-0.8	4.1	0.1	0.1	5.0	21	2.1	
34201	0	0	1	0	0w	47.0232	68.3141	28.3	719.6	502	56909.	970	1.2	0.4	5.7	0.1	0.1	5.0	15	2.1	
34202	0	0	1	0	0w	47.0231	68.3134	28.3	719.4	488	56908.	886	1.0	0.1	7.0	0.1	0.1	7.3	23	2.2	
34203	0	0	1	0	0w	47.0231	68.3128	28.3	719.2	478	56908.	977	1.1	-0.4	4.2	0.1	0.1	3.9	21	2.2	
34204	0	0	1	0	0w	47.0231	68.3122	28.3	719.0	474	56909.	951	0.9	0.8	2.9	0.1	0.1	3.2	27	2.2	
34205	0	0	1	0	0w	47.0231	68.3115	28.3	718.8	477	56910.	935	1.2	0.8	5.1	0.1	0.1	4.5	23	2.2	
34206	0	0	1	0	0w	47.0231	68.3109	28.3	718.6	479	56911.	1002	0.9	-0.5	6.2	0.1	0.1	7.6	29	2.2	
34207	0	0	1	0	0w	47.0230	68.3103	28.3	718.4	480	56910.	1097	1.1	1.4	5.8	0.1	0.1	5.2	25	2.2	
34208	0	0	1	0	0ml	47.0230	68.3097	28.3	718.3	478	56910.	1010	1.0	-0.1	6.5	0.1	0.1	6.8	20	2.2	
34209	0	0	1	0	0ml	47.0230	68.3090	28.3	718.1	473	56910.	967	1.3	-0.6	4.3	0.1	0.1	3.3	23	2.2	
34210	0	0	1	0	0ml	47.0230	68.3084	28.3	718.0	464	56909.	976	1.4	0.4	6.1	0.1	0.1	4.5	19	2.2	
34211	0	0	1	0	0ml	47.0230	68.3078	28.3	717.8	455	56910.	869	1.0	-0.1	3.3	0.1	0.1	3.6	22	2.1	
34212	0	0	1	0	0ml	47.0229	68.3071	28.3	717.7	450	56909.	899	1.1	0.5	5.2	0.1	0.1	4.8	33	2.1	
34213	0	0	0	0	0ml	47.0229	68.3065	28.3	717.6	448	56909.	888	0.7	1.8	2.8	2.6	0.7	4.0	22	2.1	
34214	0	0	0	0	0ml	47.0229	68.3059	28.3	717.4	445	56909.	813	0.7	1.7	3.8	2.6	0.5	5.8	30	2.1	
34215	0	0	1	0	0ml	47.0229	68.3052	28.3	717.3	442	56909.	809	1.0	0.0	3.4	0.1	0.1	3.4	19	2.1	
34216	0	0	1	0	0ml	47.0229	68.3046	28.3	717.1	444	56909.	756	1.0	0.4	2.9	0.1	0.1	2.9	27	2.1	
34217	0	0	1	0	0ml	47.0229	68.3040	28.3	716.9	446	56908.	889	0.9	0.5	3.3	0.1	0.1	3.8	22	2.1	
34218	0	0	1	0	0ml	47.0228	68.3033	28.3	716.8	446	56908.	835	0.8	1.2	5.7	0.1	0.1	7.3	26	2.2	
34219	0	0	1	0	0ml	47.0228	68.3027	28.3	716.6	440	56907.	852	0.9	0.8	6.4	0.1	0.1	7.2	22	2.2	
34220	0	0	1	0	0ml	47.0228	68.3021	28.3	716.4	436	56905.	715	0.7	-0.1	4.5	0.1	0.1	6.6	24	2.2	
34221	0	0	1	0	0ml	47.0228	68.3014	28.2	716.3	440	56904.	831	0.9	0.9	3.2	0.1	0.1	3.7	21	2.2	
34222	0	0	1	0	0ml	47.0228	68.3008	28.2	716.2	445	56904.	825	0.8	0.4	2.9	0.1	0.1	3.9	19	2.2	
34223	0	0	1	0	0ml	47.0227	68.3002	28.2	716.1	451	56905.	808	1.1	0.6	4.1	0.1	0.1	3.9	24	2.2	
34224	0	0	1	0	0ml	47.0227	68.2995	28.2	716.0	454	56905.	802	0.7	0.8	3.7	0.1	0.1	5.9	20	2.2	
34225	0	0	1	0	0ml	47.0227	68.2989	28.2	715.9	456	56905.	783	0.9	-0.2	4.1	0.1	0.1	5.1	20	2.2	
34226	0	0	1	0	0ml	47.0227	68.2983	28.2	715.8	455	56906.	875	1.0	-0.7	5.0	0.1	0.1	5.3	22	2.2	
34227	0	0	0	0	0ml	47.0227	68.2977	28.2	715.8	448	56905.	876	0.9	2.1	5.7	2.6	0.4	7.0	24	2.2	
34228	0	0	1	0	0ml	47.0226	68.2970	28.2	715.7	441	56905.	884	1.0	0.4	3.0	0.1	0.1	3.3	26	2.2	
34229	0	0	0	0	0ml	47.0226	68.2964	28.2	715.7	436	56905.	997	1.1	2.1	5.8	2.0	0.4	5.6	22	2.2	
34230	0	0	0	0	0ml	47.0226	68.2958	28.2	715.7	431	56906.	1107	1.2	1.4	3.8	1.3	0.4	3.3	23	2.2	
34231	0	0	1	0	0ml	47.0226	68.2951	28.2	715.7	427	56907.	1052	1.1	1.1	4.9	0.1	0.1	4.7	26	2.1	
34232	0	0	1	0	0ml	47.0226	68.2945	28.2	715.8	421	56907.	1033	1.1	1.0	5.7	0.1	0.1	5.4	21	2.1	
34233	0	0	1	0	0ml	47.0225	68.2939	28.1	714.0	405	56907.	1124	1.2	0.8	5.3	0.1	0.1	4.7	23	2.1	
34234	0	0	0	0	0ml	47.0225	68.2932	28.1	713.9	398	56907.	1109	1.2	1.7	7.4	1.5	0.3	6.6	30	2.1	

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI			
												CPS	%	PPM	PPM							CPS	CPS
34235	0	0	1	0	Oml	47.0225	68.2926	28.1	713.8	392	56907.	1065	1.2	1.0	6.6	0.1	0.1	6.0	31	2.1			
34236	0	0	0	0	Oml	47.0225	68.2920	28.1	713.7	391	56907.	1172	0.8	2.2	6.5	3.0	0.4	8.8	26	2.1			
34237	0	0	1	0	Oml	47.0225	68.2913	28.1	713.6	394	56907.	1148	1.1	0.5	5.1	0.1	0.1	4.7	31	2.0			
34238	0	0	1	0	Oml	47.0225	68.2907	28.1	713.6	401	56907.	1123	1.3	1.2	5.4	0.1	0.1	4.3	20	2.0			
34239	0	0	1	0	Oml	47.0224	68.2901	28.1	713.6	409	56908.	1143	1.2	1.3	6.0	0.1	0.1	5.1	26	2.0			
34240	0	0	1	0	Oml	47.0224	68.2895	28.1	713.6	420	56910.	1058	1.3	-0.4	6.6	0.1	0.1	5.4	27	2.0			
34241	0	0	1	0	Oml	47.0224	68.2888	28.1	713.7	430	56911.	1110	1.2	0.6	5.8	0.1	0.1	5.0	29	1.9			
34242	0	0	1	0	Oml	47.0224	68.2882	28.1	713.7	442	56911.	1092	1.1	1.1	6.2	0.1	0.1	6.6	29	1.9			
34243	0	0	1	0	Oml	47.0224	68.2876	28.1	713.9	446	56910.	1080	1.0	0.0	7.2	0.1	0.1	7.7	31	1.8			
34244	0	0	1	0	Oml	47.0223	68.2869	28.1	714.1	445	56909.	1003	1.0	0.8	4.7	0.1	0.1	4.8	39	1.8			
34245	0	0	1	0	Oml	47.0223	68.2863	28.1	714.3	444	56906.	1057	1.1	-0.5	5.5	0.1	0.1	5.4	30	1.7			
34246	0	0	1	0	Oml	47.0223	68.2857	28.1	714.6	449	56905.	1152	1.2	1.2	6.1	0.1	0.1	5.3	30	1.4			
34247	0	0	1	0	Oml	47.0223	68.2850	28.1	714.9	459	56904.	1083	1.1	1.1	7.4	0.1	0.1	7.0	25	1.1			
34248	0	0	1	0	Oml	47.0223	68.2844	28.1	715.1	472	56903.	1075	1.0	1.0	5.8	0.1	0.1	5.8	35	0.9			
34249	0	0	1	0	Oml	47.0222	68.2838	28.1	715.4	485	56902.	1009	1.3	1.0	5.8	0.1	0.1	4.6	25	0.6			
34250	0	0	1	0	Oml	47.0222	68.2831	28.1	715.8	497	56901.	906	1.1	0.5	5.8	0.1	0.1	5.7	21	0.5			
34251	0	0	1	0	Oml	47.0222	68.2825	28.1	716.1	497	56899.	933	1.0	0.4	3.6	0.1	0.1	3.7	25	0.4			
34252	0	0	1	0	Oml	47.0222	68.2819	28.1	716.4	492	56898.	838	1.2	1.0	3.3	0.1	0.1	2.9	22	0.4			
34253	0	0	1	0	Oml	47.0222	68.2812	28.1	716.7	489	56898.	851	1.1	0.2	4.6	0.1	0.1	4.2	28	0.3			
34254	0	0	0	0	Oml	47.0221	68.2806	28.1	717.0	486	56898.	817	0.9	1.7	3.6	2.1	0.5	4.5	21	0.2			
34255	0	0	1	0	Oml	47.0221	68.2800	28.1	717.2	479	56899.	873	0.9	0.2	2.3	0.1	0.1	2.5	26	0.2			
34256	0	0	0	0	Oml	47.0221	68.2794	28.1	717.4	463	56900.	889	1.0	2.0	4.3	2.1	0.5	4.6	26	0.1			
34257	0	0	0	0	Oml	47.0221	68.2787	28.1	717.6	447	56901.	850	1.0	1.5	3.6	1.5	0.5	3.7	20	0.1			
34258	0	0	1	0	Oml	47.0221	68.2781	28.1	717.8	434	56901.	829	0.8	0.3	4.2	0.1	0.1	5.4	33	0.1			
34259	0	0	1	0	Oml	47.0221	68.2775	28.1	718.0	430	56901.	956	1.0	1.1	4.5	0.1	0.1	4.8	21	0.1			
34260	0	0	1	0	Oml	47.0220	68.2768	28.1	718.1	429	56902.	1072	1.2	0.5	6.2	0.1	0.1	5.6	29	0.0			
34261	0	0	0	0	Oml	47.0220	68.2762	28.1	718.2	430	56903.	1110	1.4	2.1	4.0	1.6	0.6	3.0	27	0.0			
34262	0	0	1	0	Oml	47.0220	68.2756	28.1	718.3	434	56905.	999	1.2	0.5	4.8	0.1	0.1	4.1	17	0.0			
34264	0	0	0	0	Oml	47.0220	68.2743	28.1	718.4	437	56907.	993	0.9	1.5	5.0	1.8	0.3	6.0	16	0.0			
34265	0	0	0	0	Oml	47.0219	68.2737	28.1	718.4	436	56907.	983	1.0	1.8	5.3	1.9	0.4	5.5	31	0.0			
34266	0	0	1	0	Oml	47.0219	68.2730	28.1	718.5	429	56907.	954	0.8	1.0	3.7	0.1	0.1	5.1	21	0.0			
34267	0	0	1	0	Oml	47.0219	68.2724	28.1	718.5	419	56905.	976	1.0	0.2	7.2	0.1	0.1	7.2	22	0.0			
34268	0	0	0	0	Oml	47.0219	68.2718	28.1	718.5	411	56904.	1009	0.9	1.5	4.5	1.8	0.4	5.3	26	0.0			
34269	0	0	0	0	Oml	47.0219	68.2711	28.1	718.5	405	56904.	975	1.0	1.8	3.2	1.8	0.6	3.3	14	0.0			
34270	0	0	0	0	Oml	47.0219	68.2705	28.1	718.5	399	56905.	978	0.9	2.5	4.7	2.9	0.6	5.4	22	0.0			
34271	0	0	0	0	Oml	47.0220	68.2699	28.1	718.5	396	56905.	916	1.0	1.4	4.1	1.5	0.4	4.4	27	0.0			
34272	0	0	0	0	Oml	47.0220	68.2692	28.1	718.5	393	56905.	925	0.6	1.6	3.4	2.8	0.5	5.8	28	0.0			
34273	0	0	0	0	Oml	47.0220	68.2686	28.1	718.5	395	56905.	934	0.7	1.7	5.6	2.6	0.3	8.5	27	0.0			
34274	0	0	1	0	Oml	47.0220	68.2680	28.1	718.5	398	56907.	934	1.0	0.6	5.7	0.1	0.1	6.1	26	0.0			
34275	0	0	1	0	Oml	47.0221	68.2673	28.1	718.4	399	56909.	914	0.7	1.2	5.4	0.1	0.1	7.9	26	0.0			
34276	0	0	0	0	Oml	47.0221	68.2667	28.1	718.4	406	56911.	944	1.0	1.9	3.4	1.9	0.6	3.5	26	0.0			
34277	0	0	1	0	Oml	47.0221	68.2661	28.1	718.4	415	56911.	946	0.9	1.0	7.0	0.1	0.1	8.0	26	0.0			
34278	0	0	1	0	Oml	47.0221	68.2654	28.1	718.4	427	56911.	937	1.0	1.2	4.8	0.1	0.1	5.2	25	0.0			
34279	0	0	0	0	Oml	47.0221	68.2648	28.1	718.4	431	56911.	961	1.0	2.7	4.2	2.7	0.7	4.2	23	0.0			
34280	0	0	1	0	Oml	47.0222	68.2642	28.1	718.4	434	56911.	984	1.1	1.2	4.2	0.1	0.1	4.2	15	0.0			
34281	0	0	1	0	Oml	47.0222	68.2636	28.1	718.4	436	56911.	939	1.1	0.1	5.5	0.1	0.1	5.4	18	0.0			
34282	0	0	1	0	Oml	47.0222	68.2629	28.1	718.4	438	56912.	900	0.8	0.9	6.9	0.1	0.1	9.0	32	0.0			
34283	0	0	1	0	Oml	47.0222	68.2623	28.1	718.4	439	56911.	992	1.0	0.6	3.9	0.1	0.1	4.0	22	0.0			
34284	0	0	1	0	Oml	47.0223	68.2617	28.1	718.4	439	56909.	891	0.8	-1.0	6.3	0.1	0.1	7.9	15	0.0			
34285	0	0	1	0	Oml	47.0223	68.2610	28.1	718.4	440	56908.	946	0.9	0.4	5.1	0.1	0.1	6.3	26	0.0			

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI			
												CPS	%	PPM	PPM							CPS	CPS
34286	0	0	1	0	Oml	47.0223	68.2604	28.1	718.4	438	56908.	953	0.9	0.8	6.3	0.1	0.1	7.3	28	0.0			
34287	0	0	1	0	Oml	47.0223	68.2598	28.1	718.5	434	56907.	1007	1.0	0.8	5.7	0.1	0.1	6.2	18	0.0			
34288	0	0	1	0	Oml	47.0224	68.2591	28.1	718.5	429	56906.	1053	1.4	0.3	5.6	0.1	0.1	4.2	29	0.0			
34289	0	0	1	0	Oml	47.0224	68.2555	28.1	718.5	426	56906.	985	1.2	0.4	4.8	0.1	0.1	4.4	21	0.0			
34290	0	0	1	0	Oml	47.0224	68.2579	28.2	719.4	438	56907.	964	1.2	0.3	4.5	0.1	0.1	3.8	23	0.0			
34291	0	0	1	0	Oml	47.0224	68.2572	28.2	719.5	436	56906.	985	0.8	0.5	6.5	0.1	0.1	8.8	18	0.0			
34292	0	0	0	0	Oml	47.0225	68.2566	28.2	719.6	432	56904.	1011	1.1	1.4	4.7	1.4	0.3	4.4	22	0.0			
34293	0	0	0	0	Oml	47.0225	68.2560	28.2	719.7	428	56904.	1015	1.0	2.1	5.9	2.2	0.4	6.3	18	0.0			
34294	0	0	1	0	Oml	47.0225	68.2553	28.3	719.8	431	56903.	982	1.1	1.3	3.8	0.1	0.1	3.5	22	0.0			
34295	0	0	0	0	Oml	47.0225	68.2547	28.3	719.9	433	56901.	921	1.0	1.6	4.7	1.7	0.4	4.9	23	0.0			
34296	0	0	1	0	Oml	47.0226	68.2541	28.3	719.9	435	56900.	900	0.9	0.8	4.6	0.1	0.1	5.2	15	0.0			
34297	0	0	0	0	Oml	47.0226	68.2534	28.3	719.9	436	56902.	800	0.8	1.5	5.8	2.0	0.3	7.5	19	0.0			
34298	0	0	1	0	Oml	47.0226	68.2528	28.3	719.9	435	56903.	877	0.9	-0.4	6.9	0.1	0.1	8.3	27	0.0			
34299	0	0	1	0	Oml	47.0226	68.2522	28.3	719.9	422	56903.	870	0.8	1.3	6.4	0.1	0.1	8.4	28	0.0			
34300	0	0	1	0	Oml	47.0227	68.2516	28.3	719.9	406	56904.	883	0.7	1.1	4.5	0.1	0.1	6.4	20	0.0			
34301	0	0	0	0	Oml	47.0227	68.2509	28.3	719.8	391	56904.	922	0.8	1.9	5.3	2.4	0.4	6.8	18	0.0			
34302	0	0	1	0	Oml	47.0227	68.2503	28.3	719.8	387	56905.	912	0.7	0.8	5.1	0.1	0.1	7.6	22	0.0			
34303	0	0	0	0	Oml	47.0227	68.2497	28.3	719.8	383	56906.	876	1.0	1.3	4.1	1.4	0.4	4.4	35	0.3			
34304	0	0	1	0	Oml	47.0227	68.2490	28.3	719.8	380	56908.	863	0.9	1.1	5.5	0.1	0.1	6.3	19	0.5			
34305	0	0	0	0	Oml	47.0228	68.2484	28.3	719.7	379	56910.	878	0.9	1.9	4.6	2.3	0.5	5.6	37	0.6			
34306	0	0	0	0	Oml	47.0228	68.2478	28.3	719.7	383	56910.	889	0.8	1.5	4.2	2.1	0.4	5.5	22	0.7			
34307	0	0	1	0	Oml	47.0228	68.2471	28.3	719.8	395	56910.	937	1.0	0.7	4.9	0.1	0.1	4.9	20	0.8			
34308	0	0	1	0	Oml	47.0229	68.2465	28.3	719.8	413	56909.	953	1.1	0.2	5.2	0.1	0.1	5.1	24	0.8			
34309	0	0	1	0	Oml	47.0229	68.2459	28.3	719.8	436	56909.	1018	1.0	0.1	7.2	0.1	0.1	7.6	13	0.9			
34310	0	0	1	0	Oml	47.0229	68.2452	28.3	719.9	454	56910.	983	1.1	0.8	5.3	0.1	0.1	5.1	15	0.9			
34311	0	0	1	0	Oml	47.0229	68.2446	28.3	719.9	461	56912.	975	1.1	0.7	4.6	0.1	0.1	4.2	16	0.9			
34312	0	0	1	0	Oml	47.0229	68.2440	28.3	720.0	467	56914.	902	0.9	-0.1	5.4	0.1	0.1	6.2	25	1.0			
34313	0	0	1	0	Oml	47.0230	68.2433	28.3	720.1	467	56913.	848	0.8	0.7	2.7	0.1	0.1	3.7	21	1.1			
34314	0	0	1	0	Oml	47.0230	68.2427	28.3	720.1	468	56912.	900	0.9	0.3	4.9	0.1	0.1	6.0	22	1.1			
34315	0	0	1	0	Oml	47.0230	68.2421	28.3	720.2	460	56910.	821	0.8	0.9	5.6	0.1	0.1	7.6	15	1.2			
34316	0	0	1	0	Oml	47.0230	68.2414	28.3	720.3	450	56907.	853	0.8	0.3	5.9	0.1	0.1	7.8	16	1.2			
34317	0	0	1	0	Oml	47.0231	68.2408	28.3	720.3	442	56905.	785	0.7	0.0	4.5	0.1	0.1	6.8	22	1.3			
34318	0	0	0	0	Oml	47.0231	68.2402	28.3	720.4	437	56905.	881	0.8	1.5	4.7	2.1	0.4	6.6	22	1.4			
34319	0	0	1	0	Oml	47.0231	68.2395	28.3	720.4	437	56905.	916	0.8	1.0	2.7	0.1	0.1	3.4	16	1.5			
34320	0	0	1	0	Oml	47.0231	68.2389	28.3	720.4	437	56906.	926	1.1	-0.5	4.6	0.1	0.1	4.2	30	1.6			
34321	0	0	1	0	Oml	47.0232	68.2383	28.3	720.4	437	56906.	945	1.0	0.5	4.4	0.1	0.1	4.8	17	1.7			
34322	0	0	1	0	Oml	47.0232	68.2377	28.3	720.4	433	56906.	981	1.1	-0.4	6.0	0.1	0.1	5.9	27	1.7			
34323	0	0	1	0	Oml	47.0232	68.2370	28.3	720.5	429	56906.	1027	1.3	1.3	7.1	0.1	0.1	5.8	22	1.8			
34324	0	0	1	0	Oml	47.0232	68.2364	28.3	720.5	424	56906.	1009	1.1	0.2	3.3	0.1	0.1	3.0	26	1.9			
34325	0	0	1	0	Oml	47.0233	68.2358	28.3	720.5	421	56906.	1021	1.0	0.9	6.5	0.1	0.1	7.0	18	1.9			
34326	0	0	1	0	Oml	47.0233	68.2351	28.3	720.5	418	56906.	948	0.9	0.3	5.7	0.1	0.1	6.6	22	2.0			
34327	0	0	0	0	Oml	47.0233	68.2345	28.3	720.6	416	56906.	986	0.8	1.6	5.3	2.0	0.3	6.7	20	2.1			
34328	0	0	0	0	Oml	47.0233	68.2339	28.3	720.7	416	56906.	1031	0.9	1.6	5.3	1.9	0.3	6.5	28	2.1			
34329	0	0	0	0	Oml	47.0233	68.2332	28.3	720.8	418	56906.	1030	1.2	1.8	5.6	1.6	0.4	4.9	21	2.2			
34330	0	0	1	0	Oml	47.0234	68.2326	28.3	720.9	420	56906.	970	1.0	1.3	4.7	0.1	0.1	4.8	24	2.3			
34331	0	0	1	0	Oml	47.0234	68.2320	28.3	721.1	420	56906.	928	1.1	0.8	4.3	0.1	0.1	4.3	17	2.4			
34332	0	0	1	0	Oml	47.0234	68.2313	28.3	721.3	419	56907.	918	0.7	0.8	4.5	0.1	0.1	6.5	24	2.5			
34333	0	0	1	0	Oml	47.0234	68.2307	28.3	721.5	417	56907.	932	1.1	0.5	6.4	0.1	0.1	6.3	24	2.5			
34334	0	0	1	0	Oml	47.0235	68.2301	28.3	721.6	419	56907.	881	0.8	0.9	6.2	0.1	0.1	7.9	22	2.6			
34335	0	0	1	0	Oml	47.0235	68.2294	28.3	721.7	419	56907.	837	1.0	0.5	3.3	0.1	0.1	3.4	23	2.6			

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	%F	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
34336	0	0	1	0	Oml	47.0235	68.2288	28.3	721.8	422	56906.	927	0.8	0.4	5.3	0.1	0.1	6.9	19	2.7
34337	0	0	1	0	Oml	47.0235	68.2282	28.3	722.0	428	56904.	899	1.2	0.5	3.7	0.1	0.1	3.2	26	2.7
34338	0	0	1	0	Oml	47.0236	68.2275	28.3	722.1	434	56903.	880	0.9	0.4	4.5	0.1	0.1	5.3	18	2.8
34339	0	0	1	0	Water	47.0236	68.2269	28.3	722.2	436	56903.	943	0.9	-0.1	5.0	0.1	0.1	5.8	14	2.8
34340	0	0	1	0	Water	47.0236	68.2263	28.3	722.3	432	56903.	856	0.7	0.2	5.7	0.1	0.1	8.5	27	2.9
34341	0	0	1	0	Water	47.0236	68.2257	28.3	722.4	431	56902.	841	1.0	1.3	3.4	0.1	0.1	3.4	21	2.9
34342	0	0	1	0	Water	47.0237	68.2250	28.3	722.4	436	56902.	684	0.7	0.3	4.0	0.1	0.1	5.8	27	3.0
34343	0	0	1	0	Water	47.0237	68.2244	28.3	722.4	441	56902.	584	0.7	0.0	3.4	0.1	0.1	5.2	20	3.0
34344	0	0	1	0	Water	47.0237	68.2238	28.3	722.4	446	56905.	348	0.3	0.2	2.0	0.1	0.1	0.1	22	3.0
34345	0	1	1	1	Water	47.0237	68.2232	28.3	722.3	445	56907.	191	0.1	-0.2	0.1	0.1	0.1	0.1	20	3.0
34346	0	1	1	1	Water	47.0237	68.2226	28.5	723.9	437	56908.	53	0.1	0.2	0.1	0.1	0.1	0.1	21	3.0
34347	0	1	1	1	Water	47.0237	68.2220	28.5	724.0	433	56908.	20	0.0	-0.6	-0.1	0.1	0.1	0.1	28	3.0
34348	0	1	1	1	Water	47.0237	68.2214	28.5	724.1	429	56908.	-16	0.0	-0.3	0.2	0.1	0.1	0.1	21	3.0
34349	0	1	1	1	Water	47.0237	68.2208	28.5	724.2	427	56908.	-25	0.1	-0.3	0.3	0.1	0.1	0.1	23	3.0
34350	0	1	1	1	Water	47.0237	68.2202	28.5	724.3	425	56908.	12	0.1	-0.7	0.0	0.1	0.1	0.1	25	3.0
34351	0	1	1	1	Water	47.0237	68.2196	28.5	724.3	424	56909.	-32	0.1	-0.3	-0.5	0.1	0.1	0.1	19	3.0
34352	0	1	1	1	Water	47.0237	68.2190	28.5	724.4	423	56908.	26	0.1	-0.6	0.4	0.1	0.1	0.1	23	3.0
34353	0	1	1	1	Water	47.0237	68.2183	28.5	724.4	422	56907.	-11	0.2	-0.9	0.3	0.1	0.1	0.1	16	3.0
34354	0	1	1	1	Water	47.0237	68.2178	28.5	724.4	421	56907.	-1	0.1	-0.9	0.4	0.1	0.1	0.1	23	3.0
34355	0	1	1	1	Water	47.0237	68.2171	28.5	724.4	421	56906.	-13	0.1	-0.3	0.6	0.1	0.1	0.1	26	3.0
34356	0	1	1	1	Water	47.0237	68.2165	28.5	724.4	422	56905.	-21	0.1	-0.5	0.5	0.1	0.1	0.1	23	3.0
34357	0	1	1	1	Water	47.0237	68.2159	28.5	724.4	424	56904.	11	0.0	-0.4	0.0	0.1	0.1	0.1	29	3.0
34359	0	1	1	1	Water	47.0237	68.2147	28.5	724.4	426	56904.	2	0.0	-0.3	1.0	0.1	0.1	0.1	19	3.0
34360	0	1	1	1	Sf	47.0237	68.2141	28.5	724.4	429	56904.	18	0.1	-0.8	0.8	0.1	0.1	0.1	17	2.9
34361	0	1	1	1	Sf	47.0237	68.2135	28.5	724.3	433	56904.	57	0.0	-0.6	0.2	0.1	0.1	0.1	18	2.9
34362	0	1	1	1	Sf	47.0237	68.2129	28.5	724.2	440	56903.	103	0.2	-0.4	0.4	0.1	0.1	0.1	25	2.9
34363	0	1	1	0	Sf	47.0237	68.2123	28.5	724.1	447	56903.	213	0.2	0.0	1.6	0.1	0.1	0.1	17	2.9
34364	0	0	1	0	Sf	47.0237	68.2117	28.5	724.0	448	56904.	452	0.6	0.5	2.1	0.1	0.1	3.5	24	2.9
34365	0	0	1	0	Sf	47.0237	68.2111	28.5	723.9	440	56905.	549	0.8	-0.5	2.7	0.1	0.1	3.7	32	2.8
34366	0	0	1	0	Sf	47.0237	68.2105	28.5	723.8	428	56906.	660	0.8	0.1	3.6	0.1	0.1	5.0	34	2.8
34367	0	0	1	0	Sf	47.0238	68.2099	28.5	723.7	418	56907.	799	0.9	0.4	4.7	0.1	0.1	5.2	19	2.8
34368	0	0	1	0	Sf	47.0238	68.2093	28.5	723.6	411	56907.	794	0.9	-0.6	4.6	0.1	0.1	5.2	33	2.8
34369	0	0	1	0	Sf	47.0238	68.2086	28.5	723.5	405	56908.	858	0.9	0.8	4.2	0.1	0.1	5.2	20	2.8
34370	0	0	1	0	Sf	47.0238	68.2080	28.5	723.4	400	56908.	863	0.9	0.2	5.7	0.1	0.1	6.8	23	2.7
34371	0	0	1	0	Sf	47.0238	68.2074	28.5	723.3	397	56908.	861	0.7	0.3	6.3	0.1	0.1	9.5	33	2.7
34372	0	0	1	0	Sf	47.0238	68.2068	28.5	723.2	393	56909.	889	0.8	0.7	6.3	0.1	0.1	8.4	32	2.7
34373	0	0	1	0	Sf	47.0238	68.2062	28.5	723.1	391	56909.	901	1.0	0.0	5.0	0.1	0.1	5.0	19	2.7
34374	0	0	1	0	Sf	47.0238	68.2056	28.5	723.0	390	56908.	804	0.9	0.5	6.2	0.1	0.1	7.1	23	2.7
34375	0	0	0	0	Sf	47.0238	68.2050	28.5	722.9	390	56909.	803	0.8	1.5	3.8	2.1	0.4	5.3	29	2.7
34376	0	0	1	0	Sf	47.0238	68.2044	28.5	722.8	391	56909.	787	0.6	-0.6	3.5	0.1	0.1	5.8	18	2.7
34377	0	0	1	0	Sf	47.0238	68.2038	28.5	722.7	395	56910.	884	0.7	0.6	8.1	0.1	0.1	12.5	25	2.7
34378	0	0	1	0	Sf	47.0238	68.2032	28.5	722.7	400	56911.	897	0.9	0.8	6.6	0.1	0.1	7.8	13	2.8
34379	0	0	1	0	Sf	47.0238	68.2026	28.5	722.6	405	56911.	848	0.8	0.5	4.7	0.1	0.1	6.3	25	2.7
34380	0	0	1	0	Sf	47.0238	68.2020	28.5	722.6	412	56911.	832	0.9	0.4	5.5	0.1	0.1	6.5	18	2.7
34381	0	0	1	0	Sf	47.0238	68.2014	28.5	722.6	417	56911.	869	0.8	0.3	4.8	0.1	0.1	6.8	28	2.7
34382	0	0	1	0	Sf	47.0238	68.2008	28.5	722.6	423	56910.	827	0.7	-0.5	4.0	0.1	0.1	5.9	28	2.7
34383	0	0	0	0	Sf	47.0238	68.2001	28.5	722.5	426	56910.	840	0.8	1.7	3.8	2.3	0.5	5.1	19	2.7
34384	0	0	1	0	Sf	47.0238	68.1995	28.5	722.6	429	56911.	869	1.0	0.8	3.9	0.1	0.1	3.9	29	2.7
34385	0	0	1	0	Sf	47.0238	68.1989	28.5	722.6	425	56910.	827	0.8	0.2	4.4	0.1	0.1	5.6	21	2.7
34386	0	0	1	0	Sf	47.0238	68.1983	28.5	722.6	418	56910.	853	0.9	0.6	6.7	0.1	0.1	8.3	21	2.7

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
34387	0	0	1	0	SF	47.0238	68.1977	28.5	722.7	409	56909.	831	0.9	0.3	3.5	0.1	0.1	4.3	19	2.7
34388	0	0	1	0	SF	47.0238	68.1971	28.5	722.7	403	56908.	847	0.7	0.7	3.5	0.1	0.1	5.3	23	2.7
34389	0	0	1	0	SF	47.0238	68.1965	28.5	722.8	400	56907.	854	1.0	1.3	4.7	0.1	0.1	4.8	20	2.7
34390	0	0	1	0	SF	47.0238	68.1959	28.5	722.8	404	56905.	870	0.7	0.7	4.2	0.1	0.1	6.5	21	2.7
34391	0	0	1	0	SF	47.0238	68.1953	28.5	722.8	403	56903.	889	0.8	0.8	5.9	0.1	0.1	7.7	23	2.7
34392	0	0	1	0	SF	47.0238	68.1947	28.5	722.9	400	56901.	930	1.0	0.2	4.4	0.1	0.1	4.6	22	2.7
34393	0	0	1	0	SF	47.0238	68.1941	28.5	722.9	391	56900.	825	0.8	0.8	5.6	0.1	0.1	7.0	17	2.7
34394	0	0	1	0	SF	47.0238	68.1935	28.5	722.9	389	56900.	806	0.7	-0.2	4.3	0.1	0.1	6.2	22	2.7
34395	0	0	1	0	SF	47.0238	68.1929	28.5	722.9	390	56900.	833	0.8	1.0	5.5	0.1	0.1	7.3	21	2.7
34396	0	0	1	0	SF	47.0238	68.1923	28.5	723.0	400	56900.	872	1.0	0.5	4.0	0.1	0.1	4.1	20	2.7
34397	0	0	1	0	SF	47.0238	68.1917	28.5	723.0	405	56901.	815	0.9	0.0	3.9	0.1	0.1	4.6	32	2.7
34398	0	0	1	0	SF	47.0238	68.1910	28.5	723.0	408	56901.	811	1.1	-0.2	2.5	0.1	0.1	2.4	38	2.7
34399	0	0	1	0	SF	47.0238	68.1904	28.5	723.0	406	56902.	795	0.8	1.2	3.7	0.1	0.1	5.1	19	2.7
34400	0	0	1	0	SF	47.0238	68.1898	28.5	723.0	406	56901.	778	0.8	0.2	4.0	0.1	0.1	5.1	20	2.7
34401	0	0	1	0	SF	47.0239	68.1892	28.5	723.0	405	56900.	811	0.7	-0.5	3.7	0.1	0.1	5.3	22	2.7
34402	0	0	1	0	SF	47.0239	68.1886	28.5	723.0	404	56901.	794	0.9	0.0	4.2	0.1	0.1	5.1	21	2.7
34403	0	0	1	0	SF	47.0239	68.1880	28.6	724.1	407	56900.	782	0.6	-0.1	5.0	0.1	0.1	8.5	18	2.7
34404	0	0	0	0	SF	47.0239	68.1874	28.6	724.3	408	56899.	817	0.8	2.4	2.2	3.4	1.1	3.1	31	2.7
34405	0	0	1	0	SF	47.0239	68.1868	28.6	724.4	407	56900.	827	0.8	0.5	4.0	0.1	0.1	5.4	30	2.7
34406	0	0	1	0	SF	47.0239	68.1862	28.6	724.5	404	56901.	756	0.8	1.1	2.8	0.1	0.1	3.7	24	2.7
34407	0	0	1	0	SF	47.0239	68.1856	28.6	724.6	403	56903.	742	1.0	0.1	4.0	0.1	0.1	4.4	18	2.7
34408	0	0	1	0	SF	47.0239	68.1850	28.6	724.7	404	56905.	704	0.8	-0.2	3.6	0.1	0.1	4.9	18	2.7
34409	0	0	1	0	SF	47.0239	68.1844	28.6	724.7	407	56907.	634	0.7	0.3	3.0	0.1	0.1	4.3	18	2.7
34410	0	0	1	0	SF	47.0239	68.1839	28.6	724.8	409	56908.	568	0.4	0.8	3.3	0.1	0.1	0.1	21	2.7
34411	0	0	1	0	SF	47.0239	68.1833	28.6	724.9	411	56910.	510	0.6	-0.8	2.6	0.1	0.1	5.0	25	2.7
34412	0	0	1	0	SF	47.0239	68.1825	28.6	724.9	413	56912.	597	0.7	1.0	2.0	0.1	0.1	3.1	21	2.6
34413	0	0	1	0	SF	47.0239	68.1819	28.6	724.9	419	56913.	570	0.6	-0.1	4.6	0.1	0.1	8.3	17	2.6
34414	0	0	1	0	SF	47.0239	68.1813	28.6	724.9	426	56913.	556	0.4	0.9	1.7	0.1	0.1	0.1	23	2.6
34415	0	0	0	0	SF	47.0239	68.1807	28.6	724.9	432	56913.	610	0.6	1.4	4.2	2.7	0.4	7.9	21	2.6
34416	0	0	1	0	SF	47.0239	68.1801	28.6	724.8	430	56913.	519	0.6	-0.8	3.3	0.1	0.1	6.2	18	2.5
34417	0	0	1	0	SF	47.0239	68.1795	28.6	724.7	428	56913.	613	0.5	1.2	2.8	0.1	0.1	0.1	31	2.5
34418	0	0	1	0	SF	47.0239	68.1790	28.6	724.6	423	56912.	618	0.4	-0.1	3.9	0.1	0.1	0.1	21	2.4
34419	0	0	1	0	SF	47.0239	68.1785	28.6	724.4	420	56910.	622	0.5	0.2	4.2	0.1	0.1	0.1	19	2.4
34420	0	0	1	0	SF	47.0239	68.1780	28.6	724.3	414	56909.	695	0.7	1.0	3.3	0.1	0.1	4.8	19	2.4
34421	0	0	1	0	SF	47.0239	68.1775	28.6	724.1	410	56909.	643	0.8	0.2	2.5	0.1	0.1	3.3	25	2.4
34422	0	0	1	0	SF	47.0239	68.1770	28.6	723.9	412	56907.	746	0.7	0.0	4.2	0.1	0.1	6.7	16	2.4
34423	0	0	0	0	SF	47.0239	68.1765	28.6	723.6	417	56905.	742	0.8	1.5	4.2	1.9	0.4	5.6	12	2.4
34424	0	0	1	0	SF	47.0239	68.1760	28.6	723.4	424	56905.	845	0.9	0.6	3.3	0.1	0.1	3.6	21	2.4
34425	0	0	1	0	SF	47.0239	68.1755	28.6	723.1	430	56904.	826	1.0	0.3	4.3	0.1	0.1	4.6	17	2.4
34426	0	0	1	0	SF	47.0239	68.1750	28.6	722.8	435	56904.	920	1.0	0.6	4.8	0.1	0.1	5.2	14	2.4
34427	0	0	0	0	SF	47.0239	68.1745	28.6	722.6	437	56905.	904	0.7	1.4	5.7	2.1	0.3	8.3	25	2.4
34428	0	0	1	0	SF	47.0239	68.1740	28.6	722.3	435	56905.	900	1.0	0.1	6.3	0.1	0.1	6.7	29	2.4
34429	0	0	1	0	SF	47.0239	68.1734	28.6	722.0	434	56905.	905	0.8	1.2	4.7	0.1	0.1	6.5	28	2.4
34430	0	0	1	0	SF	47.0239	68.1730	28.6	721.7	433	56904.	874	0.8	0.8	6.0	0.1	0.1	7.9	22	2.4
34431	0	0	1	0	SF	47.0239	68.1724	28.6	721.4	434	56904.	949	1.1	0.1	5.3	0.1	0.1	5.0	28	2.4
34432	0	0	1	0	SF	47.0239	68.1719	28.6	721.2	437	56903.	1032	1.1	0.1	5.1	0.1	0.1	4.9	21	2.3
34433	0	0	0	0	SF	47.0239	68.1714	28.6	720.9	442	56902.	1039	1.1	1.9	8.8	1.8	0.3	8.4	20	2.3
34434	0	0	1	0	SF	47.0239	68.1709	28.6	720.6	448	56901.	1161	1.3	0.0	6.0	0.1	0.1	4.8	18	2.3
34435	0	0	1	0	SF	47.0239	68.1704	28.6	720.4	450	56901.	1185	1.2	1.2	5.9	0.1	0.1	5.1	21	2.3
34436	0	0	1	0	SF	47.0239	68.1699	28.6	720.1	447	56902.	1179	1.3	1.1	6.9	0.1	0.1	5.5	20	2.3

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI	
												CPS	%	PPM	PPM					CPS	CPS
34437	0	0	1	0	Sf	47.0239	68.1694	28.5	719.9	441	56902.	1212	1.4	1.3	8.0	0.1	0.1	5.8	27	2.3	
34438	0	0	1	0	Sf	47.0240	68.1689	28.5	719.7	434	56903.	1217	1.4	1.4	8.1	0.1	0.1	5.9	18	2.3	
34439	0	0	0	0	Sf	47.0240	68.1684	28.5	719.6	428	56904.	1281	1.4	2.1	7.2	1.5	0.3	5.2	22	2.3	
34440	0	0	1	0	Sf	47.0240	68.1679	28.5	719.4	424	56905.	1173	1.3	1.4	6.2	0.1	0.1	5.1	28	2.3	
34441	0	0	0	0	Sf	47.0240	68.1674	28.5	719.3	423	56906.	1218	1.2	1.7	6.8	1.5	0.3	5.8	29	2.3	
34442	0	0	0	0	Dsfh	47.0240	68.1669	28.5	719.2	424	56905.	1241	1.2	1.6	8.6	1.4	0.2	7.4	18	2.3	
34443	0	0	1	0	Dsfh	47.0240	68.1664	28.5	719.1	429	56906.	1246	1.4	1.3	7.3	0.1	0.1	5.5	22	2.3	
34444	0	0	1	0	Dsfh	47.0240	68.1659	28.5	719.1	437	56905.	1217	1.3	0.1	6.8	0.1	0.1	5.5	24	2.3	
34445	0	0	1	0	Dsfh	47.0240	68.1654	28.5	719.0	448	56904.	1227	1.2	0.7	5.7	0.1	0.1	4.9	20	2.3	
34446	0	0	0	0	Dsfh	47.0240	68.1649	28.5	719.0	461	56903.	1360	1.2	1.9	5.8	1.6	0.4	4.9	20	2.3	
34447	0	0	1	0	Dsfh	47.0240	68.1643	28.5	718.9	475	56901.	1249	1.4	0.9	7.5	0.1	0.1	5.7	14	2.3	
34448	0	0	1	0	Dsfh	47.0240	68.1638	28.5	718.9	487	56901.	1146	1.1	1.2	6.9	0.1	0.1	6.3	16	2.3	
34449	0	0	1	0	Dsfh	47.0240	68.1633	28.5	718.9	493	56900.	1159	1.3	-0.5	7.1	0.1	0.1	5.6	26	2.2	
34450	0	0	1	0	Dsfh	47.0240	68.1628	28.5	718.9	492	56900.	1061	1.3	1.5	6.1	0.1	0.1	5.0	22	2.2	
34451	0	0	1	0	Dsfh	47.0240	68.1623	28.5	718.9	485	56901.	955	0.8	0.3	5.3	0.1	0.1	6.8	21	2.2	
34452	0	0	1	0	Dsfh	47.0240	68.1618	28.5	718.9	472	56900.	924	0.9	0.5	5.6	0.1	0.1	7.0	25	2.2	
34454	0	0	1	0	Dsfh	47.0240	68.1606	28.5	718.9	456	56900.	876	1.0	0.4	5.3	0.1	0.1	5.4	18	2.1	
34455	0	0	1	0	Dsfh	47.0240	68.1600	28.5	718.9	436	56899.	856	0.8	0.3	3.9	0.1	0.1	5.4	18	2.1	
34456	0	0	1	0	Dsfh	47.0240	68.1594	28.5	718.9	420	56899.	912	0.9	0.9	5.2	0.1	0.1	5.9	26	2.1	
34457	0	0	1	0	Dsfh	47.0240	68.1588	28.5	718.9	410	56898.	975	1.0	0.4	4.9	0.1	0.1	5.2	18	2.1	
34458	0	0	1	0	Dsfh	47.0240	68.1581	28.5	718.9	407	56898.	947	1.0	1.3	5.6	0.1	0.1	5.7	24	2.1	
34459	0	0	1	0	Dsfh	47.0240	68.1575	28.5	718.9	406	56898.	926	0.9	0.8	7.4	0.1	0.1	9.2	25	2.1	
34460	0	0	1	0	Dsfh	47.0240	68.1569	28.3	718.5	414	56899.	981	0.9	1.3	5.0	0.1	0.1	5.6	22	2.1	
34461	0	0	1	0	Dsfh	47.0240	68.1553	28.3	718.5	417	56900.	1065	1.1	0.2	8.2	0.1	0.1	7.8	18	2.1	
34462	0	0	0	0	Dsfh	47.0240	68.1557	28.3	718.4	419	56900.	1106	1.3	1.6	5.9	1.3	0.3	4.7	28	2.2	
34463	0	0	1	0	Dsfh	47.0241	68.1551	28.3	718.3	418	56901.	1033	1.1	-0.7	3.9	0.1	0.1	3.7	25	2.1	
34464	0	0	0	0	Dsfh	47.0241	68.1545	28.3	718.2	415	56902.	1092	1.0	1.7	6.7	1.7	0.3	6.7	23	2.1	
34465	0	0	1	0	Dsfh	47.0241	68.1538	28.3	718.1	411	56902.	1106	1.3	1.0	7.2	0.1	0.1	5.7	19	2.2	
34466	0	0	0	0	Dsfh	47.0241	68.1532	28.3	718.0	410	56902.	1106	1.3	1.5	6.1	1.2	0.3	4.9	19	2.2	
34467	0	0	1	0	Dsfh	47.0241	68.1526	28.3	717.9	410	56902.	1115	0.9	1.1	6.0	0.1	0.1	7.0	23	2.2	
34468	0	0	0	0	Dsfh	47.0241	68.1520	28.3	717.8	412	56902.	1152	1.2	1.7	6.6	1.4	0.3	5.7	20	2.2	
34469	0	0	0	0	Dsfh	47.0241	68.1514	28.3	717.7	412	56901.	1165	1.0	1.5	5.6	1.6	0.3	5.8	18	2.2	
34470	0	0	1	0	Dsfh	47.0241	68.1508	28.3	717.6	412	56900.	1199	1.5	1.2	7.4	0.1	0.1	5.0	26	2.2	
34471	0	0	1	0	Dsfh	47.0241	68.1502	28.3	717.5	414	56900.	1208	1.2	0.9	6.3	0.1	0.1	5.6	19	2.2	
34472	0	0	1	0	Dsfh	47.0241	68.1496	28.3	717.4	419	56900.	1158	1.0	1.0	5.2	0.1	0.1	5.2	26	2.2	
34473	0	0	1	0	Dsfh	47.0241	68.1489	28.3	717.3	425	56901.	1168	1.3	0.8	7.1	0.1	0.1	5.5	28	2.2	
34474	0	0	1	0	Dsfh	47.0241	68.1483	28.3	717.3	431	56902.	1137	1.3	0.6	6.0	0.1	0.1	4.9	28	2.2	
34475	0	0	0	0	Dsfh	47.0241	68.1477	28.3	717.2	436	56902.	1184	1.2	2.4	7.8	2.1	0.3	6.9	27	2.2	
34476	0	0	1	0	Dsfh	47.0241	68.1471	28.3	717.2	444	56902.	1136	1.5	1.2	6.6	0.1	0.1	4.6	29	2.2	
34477	0	0	1	0	Dsfh	47.0242	68.1465	28.3	717.2	454	56902.	1144	1.2	1.2	6.4	0.1	0.1	5.3	27	2.2	
34478	0	0	1	0	Dsfh	47.0242	68.1459	28.3	717.2	465	56901.	1215	1.5	0.8	3.5	0.1	0.1	2.5	27	2.2	
34479	0	0	1	0	Dsfh	47.0242	68.1453	28.3	717.2	478	56901.	1198	1.4	1.3	7.1	0.1	0.1	5.4	37	2.3	
34480	0	0	1	0	Dsfh	47.0242	68.1446	28.3	717.3	489	56900.	1117	1.4	1.7	6.4	0.1	0.1	4.7	30	2.3	
34481	0	0	1	0	Dsfh	47.0242	68.1440	28.2	717.3	499	56899.	1126	1.4	1.4	6.5	0.1	0.1	5.0	27	2.3	
34482	0	0	1	0	Dsfh	47.0242	68.1434	28.2	717.4	505	56898.	1108	1.3	-1.1	6.7	0.1	0.1	5.6	26	2.3	
34483	0	0	1	0	Dsfh	47.0242	68.1428	28.2	717.4	508	56898.	1027	1.4	0.8	4.7	0.1	0.1	3.4	24	2.3	
34484	0	0	1	0	Dsfh	47.0242	68.1422	28.2	717.5	507	56899.	1079	1.3	0.5	4.5	0.1	0.1	3.6	27	2.3	
34485	0	0	1	0	Dsfh	47.0242	68.1416	28.2	717.7	499	56898.	1055	1.3	0.3	4.9	0.1	0.1	4.1	26	2.3	
34486	0	0	1	0	Dsfh	47.0242	68.1410	28.2	717.8	486	56897.	1159	1.1	1.2	6.4	0.1	0.1	6.1	27	2.2	
34487	0	0	1	0	Dsfh	47.0242	68.1404	28.2	718.0	468	56896.	1130	1.0	0.4	5.1	0.1	0.1	5.3	27	2.2	

*** NOTE *** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
34488	0	0	1	0	DSfh	47.0242	68.1397	28.2	718.1	450	56895.	1115	1.4	0.5	4.9	0.1	0.1	3.7	25	2.3
34489	0	0	1	0	Sj	47.0242	68.1391	28.2	718.3	433	56894.	1167	1.3	0.9	8.2	0.1	0.1	6.6	29	2.3
34490	0	0	1	0	Sj	47.0242	68.1385	28.2	718.6	420	56894.	1253	1.6	0.4	9.1	0.1	0.1	6.0	27	2.3
34491	0	0	1	0	Sj	47.0243	68.1379	28.2	718.8	413	56894.	1269	1.4	1.1	5.7	0.1	0.1	4.1	22	2.3
34492	0	0	1	0	Sj	47.0243	68.1373	28.2	719.1	411	56894.	1273	1.4	0.1	6.9	0.1	0.1	5.0	22	2.3
34493	0	0	1	0	Sj	47.0243	68.1367	28.2	719.4	412	56894.	1182	1.4	0.8	9.0	0.1	0.1	6.6	26	2.3
34494	0	0	1	0	Sj	47.0243	68.1361	28.2	719.7	414	56896.	1245	1.2	1.4	8.5	0.1	0.1	7.4	17	2.3
34495	0	0	1	0	Sj	47.0243	68.1354	28.2	720.0	420	56897.	1200	1.2	1.3	6.0	0.1	0.1	5.4	26	2.3
34496	0	0	1	0	Sj	47.0243	68.1348	28.2	720.4	428	56896.	1192	1.4	0.8	8.9	0.1	0.1	6.6	29	2.3
34497	0	0	1	0	Sj	47.0243	68.1342	28.2	720.8	438	56895.	1218	1.5	1.2	7.7	0.1	0.1	5.2	24	2.3
34498	0	0	1	0	Sj	47.0243	68.1336	28.2	721.1	447	56894.	1084	1.2	1.3	4.5	0.1	0.1	4.0	25	2.3
34499	0	0	0	0	Sj	47.0243	68.1330	28.2	721.5	452	56893.	1108	1.1	2.2	7.0	2.2	0.3	6.9	17	2.3
34500	0	0	0	0	Sj	47.0243	68.1324	28.2	721.9	453	56892.	1039	1.1	2.1	5.8	2.0	0.4	5.7	29	2.3
34501	0	0	1	0	Sj	47.0243	68.1318	28.2	722.2	451	56892.	1077	1.2	0.2	4.6	0.1	0.1	3.9	22	2.3
34502	0	0	1	0	Sj	47.0243	68.1312	28.2	722.5	444	56891.	1029	1.2	-0.3	6.2	0.1	0.1	5.5	18	2.3
34503	0	0	1	0	Sj	47.0243	68.1305	28.2	722.8	434	56892.	1073	1.1	0.8	6.4	0.1	0.1	6.0	21	2.2
34504	0	0	1	0	Su	47.0243	68.1299	28.2	723.0	422	56892.	933	0.8	1.2	4.8	0.1	0.1	6.2	19	2.2
34505	0	0	1	0	Su	47.0243	68.1293	28.2	723.2	415	56893.	927	0.9	1.3	5.1	0.1	0.1	5.7	23	2.2
34506	0	0	1	0	Su	47.0243	68.1287	28.2	723.3	414	56895.	856	0.8	-0.2	5.9	0.1	0.1	7.4	21	2.1
34507	0	0	1	0	Su	47.0244	68.1281	28.2	723.4	419	56896.	829	0.9	0.7	3.6	0.1	0.1	4.5	34	2.1
34508	0	0	1	0	Su	47.0244	68.1275	28.2	723.5	429	56896.	758	0.9	0.7	5.4	0.1	0.1	6.0	24	2.1
34509	0	0	1	0	Su	47.0244	68.1269	28.2	723.6	437	56896.	768	1.0	1.2	3.4	0.1	0.1	3.6	22	2.1
34510	0	0	1	0	Su	47.0244	68.1263	28.2	723.6	439	56896.	775	0.8	1.0	5.3	0.1	0.1	7.2	16	2.1
34511	0	0	1	0	Su	47.0244	68.1256	28.2	723.7	439	56897.	712	0.6	0.2	2.8	0.1	0.1	5.0	21	2.1
34512	0	0	1	0	Su	47.0244	68.1250	28.2	723.7	441	56898.	673	0.9	-0.1	3.1	0.1	0.1	3.5	26	2.0
34513	0	0	1	0	Su	47.0244	68.1244	28.2	723.7	451	56899.	582	0.5	0.9	3.2	0.1	0.1	0.1	32	2.0
34514	0	0	1	0	Su	47.0244	68.1238	28.2	723.7	457	56897.	538	0.4	-0.5	4.6	0.1	0.1	0.1	17	1.9
34515	0	0	1	0	Su	47.0244	68.1232	28.2	723.6	460	56897.	628	0.6	-0.3	5.2	0.1	0.1	9.7	22	1.9
34516	0	0	1	0	Su	47.0244	68.1226	28.2	724.4	472	56895.	545	0.7	-0.1	2.1	0.1	0.1	3.2	27	1.8
34517	0	0	1	0	Su	47.0244	68.1219	28.2	724.4	462	56895.	538	0.6	-0.7	4.3	0.1	0.1	7.3	29	1.8
34518	0	0	1	0	Su	47.0244	68.1213	28.2	724.4	448	56896.	512	0.5	0.3	2.6	0.1	0.1	0.1	16	1.8
34519	0	0	1	0	Su	47.0244	68.1207	28.2	724.4	430	56898.	599	0.4	0.9	2.9	0.1	0.1	0.1	26	1.8
34520	0	0	1	0	Su	47.0244	68.1201	28.1	724.3	424	56899.	588	0.5	0.8	2.1	0.1	0.1	0.1	19	1.9
34521	0	0	1	0	Su	47.0244	68.1194	28.1	724.3	420	56898.	640	0.7	-0.1	3.9	0.1	0.1	5.9	24	1.9
34522	0	0	1	0	Su	47.0244	68.1188	28.1	724.2	419	56899.	687	0.6	-0.5	3.4	0.1	0.1	5.8	17	1.8
34523	0	0	1	0	Su	47.0244	68.1182	28.0	724.2	422	56901.	703	0.7	-0.3	5.9	0.1	0.1	9.4	12	1.8
34524	0	0	1	0	Su	47.0243	68.1176	28.0	724.1	422	56901.	744	0.6	0.9	3.3	0.1	0.1	6.0	22	1.8
34525	0	0	1	0	Su	47.0243	68.1169	28.0	724.0	420	56901.	712	0.5	0.7	5.6	0.1	0.1	0.1	18	1.8
34526	0	0	1	0	Su	47.0243	68.1163	28.0	724.0	408	56901.	668	0.5	1.2	5.1	0.1	0.1	0.1	21	1.8
34527	0	0	1	0	Su	47.0243	68.1157	28.0	723.9	402	56901.	655	0.6	0.6	3.1	0.1	0.1	6.0	23	1.8
34528	0	0	1	0	Su	47.0243	68.1151	28.0	723.8	399	56901.	639	0.7	0.6	4.9	0.1	0.1	7.2	23	1.8
34529	0	0	1	0	Su	47.0243	68.1144	28.0	723.7	400	56899.	605	0.7	-0.4	3.1	0.1	0.1	5.0	31	1.6
34530	0	0	1	0	Su	47.0243	68.1138	28.0	723.6	407	56898.	655	0.8	1.3	4.8	0.1	0.1	6.0	27	1.4
34531	0	0	1	0	Su	47.0243	68.1132	28.0	723.5	412	56899.	696	0.7	-0.3	3.9	0.1	0.1	5.7	24	1.3
34532	0	0	1	0	Su	47.0243	68.1126	28.0	723.4	419	56899.	657	0.5	0.8	2.9	0.1	0.1	0.1	29	1.1
34533	0	0	1	0	Su	47.0243	68.1119	27.9	723.3	424	56899.	630	0.8	-0.2	3.9	0.1	0.1	5.2	25	0.9
34534	0	0	1	0	Su	47.0243	68.1113	27.9	723.2	431	56899.	674	0.8	0.1	4.1	0.1	0.1	5.4	22	0.6
34535	0	0	1	0	Su	47.0243	68.1107	27.9	723.1	438	56898.	708	0.8	0.1	2.6	0.1	0.1	3.7	22	0.4
34536	0	0	1	0	Su	47.0243	68.1101	27.9	723.0	445	56896.	694	0.7	0.3	2.1	0.1	0.1	3.1	19	0.1
34537	0	0	0	0	Sj	47.0242	68.1094	27.9	722.9	446	56895.	744	0.7	1.7	2.8	2.3	0.6	3.9	21	0.0

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI			
												CPS	%	PPM	PPM							CPS	CPS
34538	0	0	0	0	Su	47.0242	68.1088	27.9	722.8	447	56896.	679	0.5	1.4	3.7	0.1	0.4	0.1	23	0.0			
34539	0	0	1	0	Su	47.0242	68.1082	27.9	722.7	444	56897.	691	0.6	0.4	5.7	0.1	0.1	9.5	25	0.0			
34540	0	0	1	0	Su	47.0242	68.1076	27.9	722.6	444	56898.	667	0.6	0.1	5.3	0.1	0.1	9.5	17	0.0			
34541	0	0	1	0	Su	47.0242	68.1069	27.9	722.5	443	56898.	555	0.6	0.7	3.1	0.1	0.1	5.9	24	0.0			
34542	0	0	0	0	Su	47.0242	68.1063	27.9	722.3	444	56897.	574	0.6	1.4	2.4	2.3	0.6	4.1	19	0.0			
34543	0	0	1	0	Su	47.0242	68.1057	27.8	722.2	442	56897.	512	0.5	0.3	2.8	0.1	0.1	0.1	25	0.0			
34544	0	0	1	0	Su	47.0242	68.1051	27.8	722.0	438	56899.	571	0.4	0.2	2.1	0.1	0.1	0.1	20	0.0			
34545	0	0	1	0	Su	47.0242	68.1044	27.8	721.9	432	56899.	504	0.4	0.2	3.3	0.1	0.1	0.1	20	0.0			
34546	0	0	1	0	Su	47.0242	68.1039	27.8	721.7	425	56898.	585	0.8	0.8	3.3	0.1	0.1	4.5	22	0.0			
34547	0	0	1	0	Su	47.0242	68.1032	27.8	721.6	418	56898.	680	0.6	0.1	4.2	0.1	0.1	7.4	19	0.0			
34548	0	0	1	0	Su	47.0241	68.1026	27.8	721.4	410	56898.	702	0.9	0.2	4.2	0.1	0.1	5.0	18	0.0			
34550	0	0	1	0	Su	47.0241	68.1013	27.8	721.3	406	56898.	740	0.9	0.1	4.3	0.1	0.1	5.4	26	0.0			
34551	0	0	1	0	Su	47.0241	68.1007	27.8	721.1	404	56899.	758	0.7	0.8	4.6	0.1	0.1	6.6	35	0.0			
34552	0	0	1	0	Su	47.0241	68.1001	27.8	720.9	404	56900.	717	0.6	0.9	3.2	0.1	0.1	5.6	20	0.0			
34553	0	0	0	0	Su	47.0241	68.0994	27.8	720.8	408	56902.	807	0.9	1.4	5.1	1.6	0.3	6.1	20	0.0			
34554	0	0	1	0	Su	47.0241	68.0988	27.8	720.7	413	56902.	787	0.8	0.5	4.1	0.1	0.1	5.3	19	0.0			
34555	0	0	0	0	Su	47.0241	68.0982	27.7	720.6	419	56902.	882	0.9	1.4	4.8	1.6	0.3	5.7	20	0.0			
34556	0	0	1	0	Su	47.0241	68.0975	27.7	720.5	424	56901.	865	0.8	0.7	3.9	0.1	0.1	5.1	28	0.0			
34557	0	0	0	0	Su	47.0241	68.0969	27.7	720.4	433	56900.	856	0.8	1.9	4.2	2.5	0.5	5.6	32	0.0			
34558	0	0	1	0	Su	47.0241	68.0963	27.7	720.4	443	56899.	1011	1.2	1.4	3.9	0.1	0.1	3.4	24	0.0			
34559	0	0	1	0	Su	47.0241	68.0957	27.7	720.3	455	56899.	1058	1.2	0.8	6.2	0.1	0.1	5.3	24	0.0			
34560	0	0	0	0	Su	47.0241	68.0951	27.7	720.3	462	56900.	1133	1.3	1.7	6.8	1.3	0.3	5.2	22	0.0			
34561	0	0	0	0	Su	47.0241	68.0945	27.7	720.2	467	56900.	1095	1.5	1.7	4.3	1.2	0.4	2.9	22	0.0			
34562	0	0	1	0	Su	47.0241	68.0939	27.6	720.2	463	56899.	1032	1.2	1.0	5.9	0.1	0.1	4.9	27	0.0			
34563	0	0	1	0	Su	47.0241	68.0933	27.6	720.1	455	56898.	942	0.9	1.4	5.8	0.1	0.1	6.7	18	0.0			
34564	0	0	0	0	Su	47.0241	68.0927	27.6	720.1	444	56898.	862	0.6	1.4	5.6	2.4	0.3	9.2	26	0.0			
34565	0	0	0	0	Su	47.0241	68.0921	27.6	720.1	438	56898.	781	0.7	1.3	3.7	1.9	0.4	5.5	20	0.2			
34566	0	0	0	0	Su	47.0241	68.0915	27.6	720.1	434	56898.	807	0.8	2.2	5.3	3.1	0.5	7.4	14	0.3			
34567	0	0	0	0	Su	47.0241	68.0909	27.6	720.1	430	56898.	729	0.5	1.6	4.0	0.1	0.5	0.1	24	0.3			
34568	0	0	1	0	Su	47.0241	68.0902	27.6	720.1	428	56898.	643	0.6	0.6	3.7	0.1	0.1	6.6	16	0.4			
34569	0	0	1	0	Su	47.0241	68.0896	27.6	720.1	430	56897.	745	0.6	0.6	4.1	0.1	0.1	7.3	16	0.6			
34570	0	0	1	0	Su	47.0241	68.0891	27.6	720.1	432	56897.	630	0.5	0.1	2.7	0.1	0.1	0.1	12	0.8			
34571	0	0	1	0	Su	47.0241	68.0884	27.7	720.2	435	56897.	657	0.6	0.8	5.0	0.1	0.1	8.9	28	1.0			
34572	0	0	1	0	Su	47.0241	68.0878	27.7	720.2	434	56897.	669	0.6	0.7	4.8	0.1	0.1	8.3	19	1.1			
34573	0	0	1	0	Su	47.0241	68.0872	27.6	720.2	430	56898.	591	0.7	0.9	2.7	0.1	0.1	4.2	18	1.2			
34574	0	0	1	0	Su	47.0241	68.0866	27.6	720.2	428	56898.	569	0.9	0.5	1.8	0.1	0.1	2.1	25	1.2			
34575	0	0	1	0	Su	47.0242	68.0860	27.6	720.1	427	56898.	611	0.5	0.5	3.3	0.1	0.1	0.1	26	1.3			
34576	0	0	1	0	Su	47.0242	68.0854	27.6	720.1	430	56898.	636	0.6	0.1	4.1	0.1	0.1	7.4	23	1.3			
34577	0	0	1	0	Su	47.0242	68.0848	27.7	720.1	433	56897.	649	0.6	1.0	4.7	0.1	0.1	8.8	20	1.3			
34578	0	0	0	1	Su	47.0242	68.0842	27.7	720.1	438	56897.	655	0.5	1.6	1.2	0.1	0.1	0.1	33	1.4			
34579	0	0	0	0	Su	47.0242	68.0836	27.7	720.0	438	56897.	612	0.5	1.3	2.4	0.1	0.6	0.1	23	1.5			
34580	0	0	1	0	Su	47.0242	68.0830	27.7	720.0	437	56896.	603	0.6	0.7	4.2	0.1	0.1	7.0	20	1.6			
34581	0	0	1	0	Su	47.0242	68.0824	27.8	719.9	439	56896.	549	0.5	-0.6	2.5	0.1	0.1	0.1	24	1.6			
34582	0	0	1	0	Su	47.0242	68.0818	27.7	719.9	443	56895.	614	0.5	0.9	3.1	0.1	0.1	0.1	25	1.7			
34583	C	0	1	0	Su	47.0242	68.0812	27.7	719.8	448	56897.	590	0.6	0.2	3.3	0.1	0.1	6.2	21	1.8			
34584	0	0	1	0	Su	47.0242	68.0806	27.7	719.8	449	56898.	558	0.4	0.8	2.5	0.1	0.1	0.1	20	1.8			
34585	0	0	1	0	Su	47.0242	68.0800	27.7	719.8	451	56899.	649	0.7	-0.1	2.3	0.1	0.1	3.3	21	1.9			
34586	0	0	1	0	Su	47.0242	68.0794	27.7	719.7	454	56899.	655	0.5	-0.2	5.1	0.1	0.1	0.1	30	2.0			
34587	0	0	1	0	Su	47.0242	68.0788	27.7	719.7	455	56898.	664	0.9	0.1	5.3	0.1	0.1	6.2	18	2.0			
34588	0	0	1	0	Su	47.0242	68.0782	27.7	719.7	458	56898.	670	0.7	-0.1	4.2	0.1	0.1	6.6	19	2.0			

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

- CD2 -
 MAINE AERIAL SURVEY EDMUNDSTON QUADRANGLE, CARSON GEOSCIENCE INC., 1980

LINE NO. 60

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CFJ	%	PPM	PPM				CPS	CPS
34589	0	0	1	0	Su	47.0243	68.0776	27.7	719.8	459	56898.	687	0.7	-0.4	3.1	0.1	0.1	4.5	21	2.1
34590	0	0	1	0	Su	47.0243	68.0770	27.7	719.8	457	56897.	703	0.9	0.5	3.6	0.1	0.1	4.0	22	2.1
34591	0	0	1	0	Su	47.0243	68.0764	27.7	719.8	452	56897.	688	0.7	-0.5	4.2	0.1	0.1	6.8	24	2.1
34592	0	0	1	0	Su	47.0243	68.0758	27.7	719.8	446	56897.	688	0.9	0.7	4.9	0.1	0.1	6.1	20	2.2
34593	0	0	0	0	Su	47.0243	68.0752	27.7	719.8	438	56898.	752	0.6	1.4	3.0	2.6	0.5	6.0	13	2.2
34594	0	0	1	0	Su	47.0243	68.0746	27.7	719.8	427	56898.	717	0.6	1.2	3.3	0.1	0.1	5.7	29	2.2
34595	0	0	1	0	Su	47.0243	68.0740	27.7	719.8	417	56897.	665	0.6	0.0	6.3	0.1	0.1	11.6	24	2.3
34596	0	0	1	0	Su	47.0243	68.0734	27.7	719.8	410	56894.	677	0.5	0.7	3.1	0.1	0.1	0.1	34	2.3
34597	0	0	1	0	Su	47.0243	68.0728	27.7	719.8	408	56893.	615	0.5	-0.1	2.8	0.1	0.1	0.1	20	2.3
34598	0	0	0	0	Su	47.0243	68.0722	27.7	719.8	409	56892.	649	0.6	1.2	2.8	2.4	0.5	5.6	27	2.4
34599	0	0	1	0	Su	47.0243	68.0716	27.6	719.8	412	56892.	595	0.5	1.1	2.3	0.1	0.1	0.1	21	2.4
34600	0	0	1	0	Su	47.0243	68.0710	27.6	719.8	414	56894.	611	0.6	0.3	3.2	0.1	0.1	6.2	21	2.5
34601	0	0	1	0	Su	47.0243	68.0704	27.6	719.8	417	56895.	670	0.7	1.0	4.5	0.1	0.1	7.2	28	2.5
34602	0	0	0	0	Su	47.0243	68.0697	27.6	719.9	418	56896.	689	0.4	1.5	2.8	0.1	0.6	0.1	29	2.6
34603	0	0	1	0	Su	47.0243	68.0691	27.6	720.0	422	56896.	719	0.6	1.0	1.9	0.1	0.1	3.2	27	2.6
34604	0	0	1	0	Su	47.0243	68.0686	27.7	720.1	429	56897.	740	0.8	-0.5	5.0	0.1	0.1	6.7	26	2.7
34605	0	0	1	0	Su	47.0243	68.0679	27.7	720.2	439	56899.	765	0.8	0.2	6.2	0.1	0.1	8.7	27	2.5
34606	0	0	1	0	Su	47.0244	68.0673	27.7	720.3	447	56899.	765	0.8	0.3	3.1	0.1	0.1	4.2	22	2.3
34607	0	0	1	0	Su	47.0244	68.0667	27.7	720.4	457	56899.	812	0.9	-1.2	5.6	0.1	0.1	6.2	26	2.2
34608	0	0	1	0	Su	47.0244	68.0661	27.7	720.6	466	56899.	770	0.8	0.8	4.6	0.1	0.1	6.5	23	2.0
34609	0	0	1	0	Su	47.0244	68.0655	27.7	720.8	472	56897.	705	0.8	-0.9	4.5	0.1	0.1	6.1	30	1.8
34610	0	0	1	0	Su	47.0244	68.0649	27.7	720.9	471	56896.	747	0.9	0.1	5.8	0.1	0.1	6.9	19	1.6
34611	0	0	0	0	Su	47.0244	68.0643	27.7	721.0	467	56895.	789	0.9	1.4	3.5	1.6	0.4	4.3	11	1.3
34612	0	0	1	0	Su	47.0244	68.0637	27.7	721.2	464	56894.	737	0.9	0.7	5.2	0.1	0.1	6.3	24	1.1
34613	0	0	1	0	Su	47.0244	68.0631	27.7	721.3	458	56893.	662	0.6	-0.1	2.7	0.1	0.1	5.0	25	0.9
34614	0	0	1	0	Su	47.0244	68.0625	27.7	721.5	452	56893.	661	0.6	0.6	3.8	0.1	0.1	6.9	16	0.6
34615	0	0	1	0	Su	47.0244	68.0619	27.7	721.6	446	56894.	630	0.7	0.2	3.9	0.1	0.1	6.0	29	0.4
34616	0	0	1	0	Su	47.0244	68.0613	27.7	721.8	439	56895.	554	0.8	-0.2	3.8	0.1	0.1	5.3	28	0.1
34617	0	0	1	0	Su	47.0244	68.0607	27.7	721.8	432	56894.	562	0.5	0.5	3.4	0.1	0.1	0.1	23	0.0
34618	0	0	0	0	Su	47.0244	68.0601	27.7	721.9	427	56893.	597	0.7	1.9	2.7	3.0	0.8	4.3	25	0.0
34619	0	0	0	0	Su	47.0244	68.0595	27.7	722.0	432	56891.	664	0.8	1.5	4.1	1.9	0.4	5.2	21	0.0
34620	0	0	1	0	Su	47.0244	68.0589	27.7	722.0	446	56891.	626	0.9	-0.4	4.0	0.1	0.1	4.9	23	0.0
34621	0	0	1	0	Su	47.0244	68.0583	27.7	722.0	461	56891.	641	0.6	0.7	4.8	0.1	0.1	8.4	22	0.0
34622	0	0	1	0	Su	47.0245	68.0577	27.6	722.1	467	56892.	637	0.5	0.4	4.3	0.1	0.1	0.1	25	0.0
34623	0	0	1	0	Su	47.0245	68.0571	27.6	722.1	463	56892.	596	0.5	0.7	2.0	0.1	0.1	0.1	18	0.0
34624	0	0	1	0	Su	47.0245	68.0565	27.6	722.2	452	56892.	505	0.4	0.7	2.2	0.1	0.1	0.1	27	0.0
34625	0	0	1	0	Su	47.0245	68.0559	27.6	722.2	441	56892.	526	0.5	-0.5	1.4	0.1	0.1	0.1	22	0.0
34626	0	0	1	0	Su	47.0245	68.0553	27.6	722.2	437	56893.	516	0.5	0.9	2.7	0.1	0.1	0.1	17	0.0
34627	0	0	1	0	Su	47.0244	68.0546	27.6	722.2	436	56894.	487	0.4	0.2	2.7	0.1	0.1	0.1	31	0.0
34628	0	0	1	0	Su	47.0244	68.0540	27.6	722.1	438	56895.	493	0.5	0.0	3.7	0.1	0.1	0.1	25	0.0
34629	0	0	1	0	Su	47.0244	68.0534	27.6	722.5	439	56895.	568	0.8	-0.5	3.3	0.1	0.1	4.6	15	0.0
34630	0	0	1	0	Su	47.0244	68.0528	27.6	722.4	433	56895.	615	0.6	-0.1	3.9	0.1	0.1	7.3	19	0.0
34631	0	0	1	0	Su	47.0244	68.0521	27.6	722.4	426	56895.	599	0.6	0.2	5.1	0.1	0.1	10.0	20	0.0
34632	0	0	1	0	Su	47.0244	68.0515	27.7	722.3	420	56895.	574	0.5	0.0	4.7	0.1	0.1	0.1	19	0.0
34633	0	0	1	0	Su	47.0244	68.0509	27.7	722.2	416	56895.	581	0.6	0.5	2.6	0.1	0.1	4.9	17	0.0
34634	0	0	1	0	Su	47.0244	68.0503	27.7	722.2	413	56895.	660	0.5	0.6	4.4	0.1	0.1	0.1	37	0.0
34635	0	0	0	0	Su	47.0244	68.0497	27.7	722.1	413	56895.	650	0.6	2.3	3.6	3.8	0.7	6.1	19	0.0
34636	0	0	1	0	Su	47.0243	68.0490	27.7	722.1	415	56896.	672	0.5	0.5	5.7	0.1	0.1	0.1	19	0.0
34637	0	0	1	0	Su	47.0243	68.0484	27.7	722.0	419	56897.	694	0.6	1.1	2.9	0.1	0.1	5.2	20	0.0
34638	0	0	0	0	Su	47.0243	68.0478	27.7	722.0	423	56898.	695	0.8	1.9	2.2	2.5	0.9	2.9	24	0.0

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	CI
												CPS	%	PPM	PPM				CPS	CPS
34639	0	0	0	0	SU	47.0243	68.0472	27.8	721.9	428	56898.	714	0.7	1.6	4.0	2.6	0.5	6.4	22	0.0
34640	0	0	0	0	SU	47.0243	68.0465	27.8	721.9	438	56898.	695	0.5	1.8	2.7	0.1	0.7	0.1	18	0.0
34641	0	0	0	0	SU	47.0243	68.0459	27.8	721.8	448	56898.	709	0.5	1.6	5.6	0.1	0.3	0.1	25	0.0
34642	0	0	1	0	SU	47.0243	68.0453	27.8	721.8	458	56899.	695	0.7	1.3	2.9	0.1	0.1	4.1	21	0.0
34643	0	0	1	0	SU	47.0243	68.0447	27.8	721.7	463	56899.	714	0.7	0.8	3.2	0.1	0.1	4.8	28	0.0
34645	0	0	0	0	SU	47.0243	68.0434	27.8	721.7	467	56897.	729	0.6	1.8	3.3	3.0	0.6	5.5	16	0.0
34646	0	0	1	0	SU	47.0242	68.0428	27.8	721.6	470	56895.	679	0.7	0.5	3.1	0.1	0.1	5.0	17	0.0
34647	0	0	1	0	SU	47.0242	68.0422	27.8	721.6	473	56895.	678	0.6	0.8	2.9	0.1	0.1	5.1	16	0.0
34648	0	0	1	0	SU	47.0242	68.0416	27.8	721.6	473	56895.	700	0.5	1.2	4.6	0.1	0.1	0.1	20	0.0
34649	0	0	1	0	SU	47.0242	68.0409	27.8	721.6	470	56896.	706	0.5	1.4	4.8	0.1	0.1	0.1	25	0.0
34650	0	0	1	0	SU	47.0242	68.0403	27.8	721.6	465	56897.	592	0.7	1.1	3.7	0.1	0.1	5.8	18	0.0
34651	0	0	1	0	SU	47.0242	68.0397	27.8	721.6	461	56897.	558	0.7	-0.3	3.2	0.1	0.1	4.8	31	0.0
34652	0	0	1	0	SU	47.0242	68.0391	27.8	721.6	462	56897.	571	0.6	0.4	2.7	0.1	0.1	4.6	20	0.0
34653	0	0	1	0	SU	47.0242	68.0385	27.8	721.6	461	56896.	614	0.5	-0.1	1.9	0.1	0.1	0.1	22	0.0
34654	0	0	1	0	SU	47.0241	68.0378	27.8	721.7	465	56896.	614	0.6	0.9	3.3	0.1	0.1	6.0	15	0.0
34655	0	0	1	0	SU	47.0241	68.0372	27.8	721.8	466	56896.	640	0.6	1.2	2.9	0.1	0.1	5.5	27	0.0
34656	0	0	1	0	SU	47.0241	68.0366	27.8	721.8	472	56896.	603	0.7	0.8	2.6	0.1	0.1	4.2	20	0.0
34657	0	0	1	0	SU	47.0241	68.0360	27.8	721.9	478	56893.	638	0.9	0.1	2.8	0.1	0.1	3.3	18	0.0
34658	0	0	1	0	SU	47.0241	68.0353	27.8	722.0	485	56891.	519	0.5	0.5	3.5	0.1	0.1	0.1	31	0.0
34659	0	0	1	0	SU	47.0241	68.0347	27.8	722.1	488	56890.	549	0.5	0.8	1.4	0.1	0.1	0.1	36	0.0
34660	0	0	0	0	SU	47.0241	68.0341	27.8	722.1	486	56889.	590	0.8	2.0	2.5	2.8	0.8	3.5	19	0.0
34661	0	0	1	0	SU	47.0241	68.0335	27.8	722.2	479	56888.	653	0.5	1.0	5.4	0.1	0.1	0.1	19	0.0
34662	0	0	1	0	SU	47.0241	68.0329	27.8	722.3	470	56888.	713	0.8	1.2	2.8	0.1	0.1	4.0	18	0.0
34663	0	0	1	0	SU	47.0240	68.0322	27.8	722.4	459	56887.	688	0.8	0.5	2.2	0.1	0.1	3.0	17	0.0
34664	0	0	1	0	SU	47.0240	68.0316	27.8	722.4	449	56886.	730	0.6	0.1	4.9	0.1	0.1	8.9	28	0.0
34665	0	0	1	0	SU	47.0240	68.0310	27.8	722.5	440	56887.	756	0.7	0.2	3.3	0.1	0.1	5.0	37	0.0
34666	0	0	1	0	SU	47.0240	68.0304	27.8	722.6	431	56887.	784	0.8	0.6	3.7	0.1	0.1	5.0	26	0.0
34667	0	0	1	0	SU	47.0240	68.0297	27.8	722.7	418	56886.	830	1.0	0.9	5.2	0.1	0.1	5.3	29	0.0
34668	0	0	1	0	SU	47.0240	68.0291	27.8	722.7	410	56886.	906	0.8	0.9	5.5	0.1	0.1	7.1	23	0.0
34669	0	0	0	0	SU	47.0240	68.0285	27.8	722.7	405	56887.	874	0.9	2.5	3.5	3.0	0.8	4.1	14	0.0
34670	0	0	1	0	SU	47.0240	68.0279	27.8	722.8	406	56887.	984	0.8	0.0	6.4	0.1	0.1	8.6	20	0.0
34671	0	0	0	0	SU	47.0239	68.0272	27.8	722.8	406	56887.	1058	1.1	2.8	5.2	2.7	0.6	5.1	12	0.0
34672	0	0	0	0	SU	47.0239	68.0266	27.8	722.8	404	56889.	1030	1.0	2.0	4.4	2.1	0.5	4.7	15	0.0
34673	0	0	1	0	SU	47.0239	68.0260	27.8	722.9	402	56889.	918	1.0	1.3	4.7	0.1	0.1	4.7	29	0.0
34674	0	0	1	0	SU	47.0239	68.0254	27.8	722.9	392	56889.	994	1.0	1.0	6.1	0.1	0.1	6.3	20	0.0
34675	0	0	1	0	SU	47.0239	68.0248	27.8	722.9	377	56888.	875	1.1	0.9	4.6	0.1	0.1	4.5	29	0.0
34676	0	0	1	0	SU	47.0239	68.0241	27.8	722.9	363	56887.	843	0.9	0.3	3.1	0.1	0.1	3.4	33	0.0
34677	0	0	1	0	SU	47.0239	68.0235	27.8	722.9	357	56885.	845	0.7	0.5	4.3	0.1	0.1	6.7	18	0.0
34678	0	0	0	0	SU	47.0239	68.0229	27.8	722.9	357	56885.	774	0.7	1.2	4.0	1.8	0.3	6.2	20	0.0
34679	0	0	1	0	SU	47.0239	68.0223	27.8	722.9	363	56885.	741	0.5	1.0	3.5	0.1	0.1	0.1	27	0.0
34680	0	0	1	0	SU	47.0238	68.0216	27.8	722.9	370	56886.	753	0.5	0.9	4.5	0.1	0.1	0.1	28	0.0
34681	0	0	1	0	SU	47.0238	68.0210	27.8	722.9	380	56886.	692	0.5	0.4	3.2	0.1	0.1	0.1	21	0.0
34682	0	0	0	0	SU	47.0238	68.0204	27.8	722.9	388	56886.	675	0.5	1.5	2.1	0.1	0.8	0.1	14	0.0
34683	0	0	1	0	SU	47.0238	68.0198	27.8	722.9	397	56885.	726	0.8	0.4	3.3	0.1	0.1	4.4	23	0.0
34684	0	0	1	0	SU	47.0238	68.0192	27.8	722.9	400	56885.	662	0.8	1.0	1.6	0.1	0.1	2.0	24	0.0
34685	0	0	1	0	SU	47.0238	68.0185	27.8	722.9	403	56886.	688	0.7	0.0	2.6	0.1	0.1	4.3	25	0.0
34686	0	0	1	0	SU	47.0238	68.0179	27.7	722.7	417	56886.	498	0.5	0.5	2.3	0.1	0.1	0.1	21	0.0
34687	0	0	1	0	SU	47.0238	68.0173	27.7	722.7	418	56887.	414	0.3	0.6	3.1	0.1	0.1	0.1	22	0.0
34688	0	0	1	0	SU	47.0238	68.0167	27.7	722.6	419	56888.	389	0.4	1.0	2.0	0.1	0.1	0.1	26	0.0
34689	0	1	1	0	SU	47.0238	68.0160	27.7	722.6	419	56888.	436	0.2	0.7	2.8	0.1	0.1	0.1	20	0.0

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
34690	0	0	1	0	SU	47.0237	68.0154	27.7	722.5	424	56888.	515	0.5	-0.1	3.2	0.1	0.1	0.1	25	0.0
34691	0	0	1	0	SU	47.0237	68.0148	27.7	722.5	430	56889.	593	0.6	0.1	3.7	0.1	0.1	6.3	22	0.0
34692	0	0	1	0	SU	47.0237	68.0142	27.7	722.5	439	56890.	618	0.7	1.0	4.1	0.1	0.1	6.1	22	0.0
34693	0	0	1	0	SU	47.0237	68.0136	27.7	722.4	439	56890.	680	0.6	0.4	3.3	0.1	0.1	6.4	25	0.0
34694	0	0	1	0	SU	47.0237	68.0129	27.7	722.4	437	56889.	711	0.7	-0.2	3.9	0.1	0.1	5.9	18	0.0
34695	0	0	1	0	SU	47.0237	68.0123	27.7	722.3	435	56888.	591	0.5	0.4	3.8	0.1	0.1	0.1	24	0.0
34696	0	0	1	0	SU	47.0237	68.0117	27.6	722.2	432	56887.	622	0.6	0.2	4.1	0.1	0.1	8.1	34	0.0
34697	0	0	1	0	SU	47.0237	68.0111	27.6	722.2	426	56887.	622	0.5	-0.2	2.9	0.1	0.1	0.1	19	0.0
34698	0	0	1	0	SU	47.0236	68.0104	27.6	722.1	417	56888.	649	0.8	0.9	3.8	0.1	0.1	5.1	26	0.0
34699	0	0	1	0	SU	47.0236	68.0098	27.6	722.1	412	56890.	694	0.7	-0.2	3.8	0.1	0.1	5.8	22	0.0
34700	0	0	1	0	SU	47.0236	68.0092	27.6	722.1	410	56890.	743	0.8	0.8	4.7	0.1	0.1	6.5	28	0.0
34701	0	0	1	0	SU	47.0236	68.0086	27.6	722.1	408	56888.	762	0.7	0.0	4.8	0.1	0.1	7.7	27	0.0
34702	0	0	1	0	SU	47.0236	68.0080	27.6	722.1	411	56886.	798	1.1	0.4	4.7	0.1	0.1	4.5	23	0.0
34703	0	0	1	0	SU	47.0236	68.0073	27.6	722.1	411	56885.	834	0.9	-0.1	4.1	0.1	0.1	5.0	28	0.0
34704	0	0	1	0	SU	47.0236	68.0067	27.6	722.1	408	56885.	836	1.0	1.0	5.1	0.1	0.1	5.3	28	0.0
34705	0	0	1	0	SU	47.0236	68.0061	27.6	722.1	402	56889.	715	0.7	0.0	4.1	0.1	0.1	6.0	23	0.0
34706	0	0	1	0	SU	47.0235	68.0055	27.6	722.1	400	56892.	818	0.9	0.8	5.5	0.1	0.1	6.7	18	0.0
34707	0	0	1	0	SU	47.0235	68.0048	27.6	722.1	404	56891.	815	0.6	0.6	4.4	0.1	0.1	8.5	25	0.0
34708	0	0	1	0	SU	47.0235	68.0042	27.6	722.1	406	56890.	757	0.7	1.0	3.8	0.1	0.1	6.1	24	0.0
34709	0	0	0	0	SU	47.0235	68.0036	27.5	722.0	407	56890.	820	0.8	1.2	5.4	1.6	0.3	7.2	17	0.0
34710	0	0	0	0	SU	47.0235	68.0030	27.5	722.0	402	56890.	792	0.7	1.4	3.6	1.9	0.4	5.2	20	0.0
34711	0	0	1	0	SU	47.0235	68.0023	27.5	722.0	395	56889.	761	0.5	0.7	4.3	0.1	0.1	0.1	27	0.0
34712	0	0	0	0	SU	47.0235	68.0017	27.5	722.0	389	56888.	773	0.9	1.7	3.0	2.0	0.6	3.5	16	0.0
34713	0	0	1	0	SU	47.0235	68.0011	27.5	722.0	385	56887.	768	0.7	-0.1	4.8	0.1	0.1	7.5	19	0.0
34714	0	0	1	0	SU	47.0235	68.0005	27.5	722.0	382	56885.	765	0.7	0.9	6.1	0.1	0.1	9.0	24	0.0
34715	0	0	1	0	SOCM	47.0234	67.9999	27.5	721.9	381	56886.	762	0.8	0.5	3.9	0.1	0.1	4.9	23	0.0
34716	0	0	1	0	SOCM	47.0234	67.9992	27.5	721.9	385	56887.	777	0.8	0.7	3.3	0.1	0.1	4.7	23	0.0
34717	0	0	1	0	SOCM	47.0234	67.9986	27.4	721.8	391	56888.	746	0.8	0.6	3.6	0.1	0.1	5.0	24	0.0
34718	0	0	0	0	SOCM	47.0234	67.9980	27.4	721.8	397	56888.	746	0.7	1.8	2.5	2.8	0.8	3.9	30	0.0
34719	0	0	0	0	SOCM	47.0234	67.9974	27.4	721.7	404	56889.	841	0.7	1.7	2.5	2.5	0.7	3.9	26	0.0
34720	0	0	1	0	SOCM	47.0234	67.9967	27.4	721.7	412	56889.	836	0.8	-0.1	5.1	0.1	0.1	6.4	22	0.0
34721	0	0	0	0	SOCM	47.0234	67.9961	27.4	721.6	417	56888.	808	0.9	1.8	2.6	2.2	0.7	3.2	27	0.0
34722	0	0	1	0	SOCM	47.0234	67.9955	27.4	721.5	418	56888.	773	1.0	1.0	3.0	0.1	0.1	3.2	30	0.0
34723	0	0	0	0	SOCM	47.0234	67.9949	27.4	721.5	420	56888.	701	0.7	1.2	3.9	1.8	0.3	5.9	26	0.0
34724	0	0	1	0	SOCM	47.0233	67.9943	27.4	721.4	426	56887.	718	0.7	0.5	4.2	0.1	0.1	6.5	20	0.0
34725	0	0	1	0	SOCM	47.0233	67.9936	27.4	721.4	432	56887.	747	0.7	0.5	3.7	0.1	0.1	5.9	29	0.0
34726	0	0	1	0	SOCM	47.0233	67.9930	27.4	721.3	436	56887.	726	0.7	0.3	5.1	0.1	0.1	7.6	15	0.0
34727	0	0	0	0	SOCM	47.0233	67.9924	27.4	721.3	439	56887.	771	0.7	1.3	4.0	2.1	0.4	6.2	17	0.0
34728	0	0	1	0	SOCM	47.0233	67.9918	27.4	721.3	440	56888.	717	0.9	-0.4	3.7	0.1	0.1	4.6	28	0.0
34729	0	0	1	0	SOCM	47.0233	67.9911	27.4	721.3	438	56888.	739	0.9	0.3	3.9	0.1	0.1	4.4	24	0.0
34730	0	0	1	0	SOCM	47.0233	67.9905	27.5	721.3	430	56888.	719	0.7	0.3	3.3	0.1	0.1	5.2	17	0.0
34731	0	0	0	0	SOCM	47.0233	67.9899	27.5	721.3	424	56887.	745	0.8	2.8	5.2	3.9	0.6	7.2	26	0.0
34732	0	0	1	0	SOCM	47.0233	67.9893	27.5	721.2	421	56886.	687	0.7	0.9	2.6	0.1	0.1	3.8	24	0.0
34733	0	0	1	0	SOCM	47.0232	67.9887	27.5	721.2	423	56886.	739	0.6	0.0	4.9	0.1	0.1	8.6	31	0.0
34734	0	0	1	0	SOCM	47.0232	67.9880	27.4	721.3	427	56885.	718	0.8	0.5	3.6	0.1	0.1	4.9	16	0.0
34735	0	0	1	0	SOCM	47.0232	67.9874	27.4	721.3	432	56885.	714	1.0	-0.3	4.5	0.1	0.1	4.7	26	0.0
34736	0	0	0	0	SOCM	47.0232	67.9868	27.4	721.3	439	56885.	829	0.8	1.4	3.9	1.9	0.4	5.3	24	0.0
34737	0	0	1	0	SOCM	47.0232	67.9862	27.4	721.3	440	56884.	717	1.1	0.1	4.1	0.1	0.1	3.9	24	0.0
34738	0	0	1	0	SOCM	47.0232	67.9855	27.4	721.3	438	56883.	706	0.8	0.6	1.9	0.1	0.1	2.3	32	0.0
34739	0	0	1	0	SOCM	47.0232	67.9849	27.4	721.3	429	56883.	728	0.7	1.2	4.5	0.1	0.1	6.5	27	0.0

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	V	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
34741	0	0	1	0	SOCM	47.0231	67.9837	27.4	721.3	426	56882.	752	0.8	0.2	4.4	0.1	0.1	5.8	18	0.0
34742	0	0	1	0	SOCM	47.0231	67.9831	27.4	721.3	423	56882.	813	0.9	1.1	5.5	0.1	0.1	6.3	22	0.0
34743	0	0	1	0	SOCM	47.0231	67.9824	27.5	720.7	420	56882.	790	1.0	0.2	5.5	0.1	0.1	6.1	27	0.0
34744	0	0	1	0	SOCM	47.0231	67.9818	27.5	720.6	424	56882.	807	0.7	0.1	5.3	0.1	0.1	8.5	32	0.0
34745	0	0	1	0	SOCM	47.0231	67.9812	27.6	720.5	428	56883.	833	0.9	0.7	4.7	0.1	0.1	5.4	16	0.0
34746	0	0	0	0	SOCM	47.0231	67.9806	27.6	720.4	428	56883.	855	0.8	2.2	5.8	2.9	0.4	7.6	29	0.0
34747	0	0	1	0	SOCM	47.0231	67.9800	27.6	720.4	426	56883.	889	0.6	1.2	4.4	0.1	0.1	8.2	17	0.0
34748	0	0	1	0	SOCM	47.0231	67.9794	27.6	720.3	425	56881.	802	0.7	0.8	5.7	0.1	0.1	9.2	18	0.0
34749	0	0	1	0	SOCM	47.0231	67.9788	27.6	720.3	427	56881.	851	0.8	0.8	4.7	0.1	0.1	6.2	29	0.0
34750	0	0	1	0	SOCM	47.0231	67.9782	27.6	720.3	431	56881.	809	0.8	0.9	5.3	0.1	0.1	6.8	22	0.0
34751	0	0	1	0	SOCM	47.0232	67.9776	27.6	720.3	439	56882.	845	0.8	0.7	5.6	0.1	0.1	7.9	25	0.0
34752	0	0	1	0	SOCM	47.0232	67.9770	27.6	720.3	447	56882.	805	1.1	-0.5	5.2	0.1	0.1	5.0	22	0.0
34753	0	0	1	0	SOCM	47.0232	67.9763	27.6	720.3	453	56882.	717	0.8	-1.3	3.3	0.1	0.1	4.5	29	0.0
34754	0	0	0	0	SOCM	47.0232	67.9757	27.6	720.3	456	56881.	822	1.0	1.6	3.1	1.6	0.5	3.2	24	0.0
34755	0	0	0	0	SOCM	47.0232	67.9751	27.6	720.4	457	56879.	799	0.8	2.4	2.1	3.3	1.2	2.9	28	0.0
34756	0	0	1	0	SOCM	47.0232	67.9745	27.6	720.4	456	56878.	756	0.6	0.3	4.5	0.1	0.1	8.4	28	0.0
34757	0	0	1	0	SOCM	47.0232	67.9739	27.6	720.5	451	56876.	819	0.9	1.3	6.1	0.1	0.1	6.8	21	0.0
34758	0	0	1	0	SOCM	47.0232	67.9733	27.6	720.5	446	56875.	791	0.9	-0.5	6.5	0.1	0.1	7.8	14	0.0
34759	0	0	1	0	SOCM	47.0232	67.9727	27.6	720.6	439	56875.	788	1.1	-0.3	6.1	0.1	0.1	5.6	21	0.0
34760	0	0	1	0	SOCM	47.0233	67.9721	27.6	720.6	432	56876.	787	0.7	0.3	5.3	0.1	0.1	7.8	27	0.0
34761	0	0	1	0	SOCM	47.0233	67.9715	27.6	720.7	424	56877.	788	0.5	1.0	3.2	0.1	0.1	0.1	23	0.1
34762	0	0	0	0	SOCM	47.0233	67.9709	27.6	720.7	418	56878.	757	0.6	2.0	2.1	3.3	1.0	3.4	18	0.4
34763	0	0	1	0	SOCM	47.0233	67.9703	27.6	720.7	412	56878.	765	0.9	0.6	4.8	0.1	0.1	6.0	27	0.6
34764	0	0	1	0	SOCM	47.0233	67.9697	27.6	720.7	411	56878.	730	0.8	0.7	3.8	0.1	0.1	5.2	17	0.9
34765	0	0	0	0	SOCM	47.0233	67.9691	27.6	720.7	413	56878.	763	1.0	1.6	2.1	1.6	0.8	2.1	26	0.9
34766	0	0	0	0	SOCM	47.0233	67.9685	27.6	720.7	414	56877.	747	0.9	1.3	5.5	1.5	0.3	6.5	20	1.0
34767	0	0	1	0	SOCM	47.0233	67.9679	27.6	720.7	411	56877.	805	1.0	0.2	3.0	0.1	0.1	3.1	25	1.1
34768	0	0	1	0	SOCM	47.0233	67.9673	27.6	720.7	402	56878.	786	1.0	-0.2	5.2	0.1	0.1	5.6	26	1.1
34769	0	0	1	0	SOCM	47.0233	67.9667	27.6	720.6	394	56879.	790	0.7	1.1	5.6	0.1	0.1	8.1	15	1.2
34770	0	0	1	0	SOCM	47.0233	67.9661	27.6	720.5	389	56881.	787	0.6	-0.1	5.1	0.1	0.1	8.7	22	1.2
34771	0	0	0	0	SOCM	47.0233	67.9655	27.6	720.5	388	56882.	746	0.8	1.2	1.9	1.6	0.7	2.6	21	1.3
34772	0	0	1	0	SOCM	47.0234	67.9649	27.6	720.4	391	56882.	756	0.8	0.7	3.6	0.1	0.1	5.0	19	1.3
34773	0	0	1	0	SOCM	47.0234	67.9642	27.6	720.4	394	56883.	779	0.9	0.9	3.6	0.1	0.1	4.2	14	1.4
34774	0	0	0	0	SOCM	47.0234	67.9636	27.6	720.3	395	56883.	757	0.7	1.6	2.6	2.3	0.7	3.8	21	1.4
34775	0	0	0	0	SOCM	47.0234	67.9630	27.6	720.3	395	56881.	713	0.8	1.2	4.0	1.6	0.3	5.4	13	1.5
34776	0	0	1	0	SOCM	47.0234	67.9624	27.6	720.2	396	56880.	728	0.7	1.2	5.2	0.1	0.1	8.2	27	1.5
34777	0	0	1	0	SOCM	47.0234	67.9618	27.6	720.1	396	56878.	690	0.6	0.7	4.7	0.1	0.1	8.1	17	1.6
34778	0	0	1	0	SOCM	47.0234	67.9612	27.6	720.0	397	56876.	679	0.7	0.9	4.1	0.1	0.1	6.4	17	1.7
34779	0	0	1	0	SOCM	47.0234	67.9606	27.6	719.9	400	56877.	602	0.5	-0.3	3.7	0.1	0.1	0.1	29	1.8
34780	0	0	1	0	SOCM	47.0234	67.9600	27.7	719.9	408	56878.	559	0.6	0.0	2.8	0.1	0.1	5.2	19	1.8
34781	0	0	1	0	SOCM	47.0234	67.9594	27.7	719.8	414	56878.	532	0.6	0.2	2.3	0.1	0.1	4.4	23	1.9
34782	0	0	0	0	SOCM	47.0234	67.9588	27.7	719.8	418	56878.	448	0.4	1.4	2.1	0.1	0.7	0.1	24	1.9
34783	0	0	1	1	SOCM	47.0235	67.9582	27.7	719.7	418	56878.	372	0.2	-0.1	1.1	0.1	0.1	0.1	25	2.0
34784	0	0	0	0	SOCM	47.0235	67.9576	27.7	719.7	421	56877.	407	0.3	1.5	1.8	0.1	0.9	0.1	33	2.1
34785	0	0	1	0	SOCM	47.0235	67.9570	27.7	719.7	423	56877.	372	0.4	-0.1	1.9	0.1	0.1	0.1	23	2.1
34786	0	0	1	0	SOCM	47.0235	67.9564	27.6	719.6	425	56877.	423	0.4	0.3	2.6	0.1	0.1	0.1	21	2.2
34787	0	0	0	0	SOCM	47.0235	67.9558	27.6	719.6	425	56876.	490	0.5	1.4	2.2	0.1	0.7	0.1	26	2.2
34788	0	0	1	0	SOCM	47.0235	67.9552	27.6	719.6	427	56873.	542	0.3	0.0	3.2	0.1	0.1	0.1	17	2.3
34789	0	0	0	0	SOCM	47.0235	67.9546	27.6	719.5	428	56872.	610	0.6	1.6	2.9	2.7	0.6	5.0	28	2.3
34790	0	0	0	0	SOCM	47.0235	67.9540	27.6	719.5	429	56872.	598	0.3	1.3	3.5	0.1	0.4	0.1	23	2.4

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
34791	0	0	1	0	S0cm	47.0235	67.9534	27.6	719.5	430	56871.	604	0.5	0.4	2.5	0.1	0.1	0.1	20	2.4
34792	0	0	1	0	S0cm	47.0235	67.9528	27.6	719.5	430	56871.	688	0.6	0.0	3.0	0.1	0.1	5.4	25	2.4
34793	0	0	1	0	S0cm	47.0235	67.9521	27.6	719.5	432	56871.	596	0.5	0.5	4.7	0.1	0.1	0.1	21	2.4
34794	0	0	1	0	S0cm	47.0236	67.9515	27.6	719.5	433	56872.	658	0.6	0.0	5.0	0.1	0.1	8.4	21	2.4
34795	0	0	1	0	S0cm	47.0236	67.9510	27.6	719.5	434	56872.	649	0.7	0.5	4.2	0.1	0.1	6.1	21	2.3
34796	0	0	1	0	S0cm	47.0236	67.9503	27.6	719.5	434	56872.	636	0.8	0.6	4.6	0.1	0.1	6.5	21	2.1
34797	0	0	1	0	S0cm	47.0236	67.9497	27.6	719.5	434	56872.	578	0.5	0.8	4.1	0.1	0.1	0.1	28	1.9
34798	0	0	1	0	S0cm	47.0236	67.9491	27.6	719.5	434	56872.	465	0.4	-0.1	1.9	0.1	0.1	0.1	27	1.7
34799	0	1	1	0	S0cm	47.0236	67.9485	27.8	719.7	454	56870.	384	0.2	0.3	3.3	0.1	0.1	0.1	22	1.6
34800	0	0	1	0	S0cm	47.0236	67.9479	27.8	719.8	466	56868.	331	0.3	-0.6	2.4	0.1	0.1	0.1	24	1.4
34801	0	0	1	0	S0cm	47.0236	67.9473	27.8	719.8	473	56867.	307	0.4	0.5	2.8	0.1	0.1	0.1	21	1.2
34802	0	0	1	0	S0cm	47.0236	67.9467	27.8	719.8	468	56866.	307	0.3	-0.8	2.4	0.1	0.1	0.1	27	1.0
34803	0	0	1	1	S0cm	47.0236	67.9461	27.8	719.8	460	56866.	308	0.3	-0.1	0.6	0.1	0.1	0.1	19	0.8
34804	0	0	1	0	S0cm	47.0236	67.9455	27.8	719.9	447	56866.	350	0.4	-0.4	2.3	0.1	0.1	0.1	18	0.5
34805	0	0	1	0	S0cm	47.0237	67.9449	27.8	719.9	441	56866.	373	0.5	-0.2	3.4	0.1	0.1	0.1	17	0.3
34806	0	0	1	0	S0cm	47.0237	67.9443	27.8	719.8	434	56866.	418	0.5	0.5	2.3	0.1	0.1	0.1	24	0.1
34807	0	0	1	0	S0cm	47.0237	67.9437	27.8	719.8	427	56865.	365	0.4	0.3	3.1	0.1	0.1	0.1	27	0.0
34808	0	0	1	0	S0cm	47.0237	67.9431	27.8	719.8	420	56865.	478	0.4	0.3	1.6	0.1	0.1	0.1	23	0.0
34809	0	0	0	0	S0cm	47.0237	67.9425	27.8	719.7	419	56865.	539	0.5	1.2	2.8	0.1	0.5	0.1	19	0.0
34810	0	0	1	0	S0cm	47.0237	67.9419	27.8	719.6	415	56866.	568	0.6	-0.3	3.1	0.1	0.1	6.0	11	0.0
34811	0	0	1	0	S0cm	47.0237	67.9413	27.8	719.6	412	56867.	655	0.8	-0.4	4.5	0.1	0.1	6.0	22	0.0
34812	0	0	1	0	S0cm	47.0237	67.9407	27.8	719.5	405	56867.	689	0.6	0.7	3.1	0.1	0.1	5.0	22	0.0
34813	0	0	1	0	S0cm	47.0237	67.9401	27.8	719.4	402	56866.	650	0.7	0.1	3.9	0.1	0.1	6.1	27	0.0
34814	0	0	0	0	S0cm	47.0238	67.9394	27.8	719.4	401	56864.	607	0.5	1.3	3.0	0.1	0.5	0.1	34	0.0
34815	0	0	1	0	S0cm	47.0238	67.9389	27.8	719.3	402	56864.	663	0.5	0.5	3.6	0.1	0.1	0.1	22	0.0
34816	0	0	0	0	S0cm	47.0238	67.9382	27.8	719.2	402	56864.	676	0.6	2.1	4.0	3.7	0.6	7.2	32	0.0
34817	0	0	1	0	S0cm	47.0238	67.9376	27.8	719.2	404	56865.	580	0.4	0.7	2.2	0.1	0.1	0.1	28	0.0
34818	0	0	1	0	S0cm	47.0238	67.9370	27.8	719.1	405	56866.	596	0.5	1.2	4.4	0.1	0.1	0.1	34	0.0
34819	0	0	1	0	S0cm	47.0238	67.9364	27.8	719.1	409	56866.	615	0.6	0.1	4.4	0.1	0.1	7.9	33	0.0
34820	0	0	1	0	S0cm	47.0238	67.9358	27.8	719.1	412	56865.	625	0.6	0.2	4.5	0.1	0.1	8.3	32	0.0
34821	0	0	1	0	S0cm	47.0238	67.9352	27.8	719.1	418	56865.	623	0.5	0.8	3.8	0.1	0.1	0.1	20	0.0
34822	0	0	1	0	S0cm	47.0238	67.9346	27.8	719.1	420	56864.	652	0.6	1.0	4.1	0.1	0.1	7.8	28	0.0
34823	0	0	1	0	S0cm	47.0238	67.9340	27.8	719.0	420	56864.	623	0.6	0.0	2.3	0.1	0.1	3.9	20	0.0
34824	0	0	1	0	S0cm	47.0238	67.9334	27.8	719.0	416	56864.	589	0.7	0.5	3.2	0.1	0.1	4.8	36	0.0
34825	0	0	1	0	S0cm	47.0238	67.9328	27.8	719.1	411	56864.	646	0.6	0.8	3.0	0.1	0.1	5.1	25	0.0
34826	0	0	1	0	S0cm	47.0239	67.9322	27.8	719.1	408	56864.	648	0.4	0.7	5.8	0.1	0.1	0.1	27	0.0
34827	0	0	1	0	S0cm	47.0239	67.9316	27.8	719.1	407	56864.	646	0.6	0.5	2.8	0.1	0.1	4.7	18	0.0
34828	0	0	1	0	S0cm	47.0239	67.9310	27.8	719.1	407	56864.	753	0.9	1.2	3.2	0.1	0.1	4.0	29	0.0
34829	0	0	1	0	S0cm	47.0239	67.9304	27.8	719.1	406	56863.	624	0.6	-0.3	3.0	0.1	0.1	5.9	18	0.0
34830	0	0	0	0	S0cm	47.0239	67.9298	27.8	719.1	408	56863.	605	0.6	1.3	3.4	2.4	0.4	6.4	19	0.0
34831	0	0	1	0	S0cm	47.0239	67.9292	27.8	719.2	414	56863.	634	0.5	0.6	2.6	0.1	0.1	0.1	24	0.0
34832	0	0	1	0	S0cm	47.0239	67.9286	27.8	719.2	421	56861.	598	0.6	1.1	2.1	0.1	0.1	3.5	34	0.0
34833	0	0	1	0	S0cm	47.0239	67.9280	27.8	719.2	428	56860.	528	0.5	-0.2	3.5	0.1	0.1	0.1	26	0.0
34834	0	0	1	0	S0cm	47.0239	67.9274	27.8	719.3	437	56861.	426	0.4	0.5	2.9	0.1	0.1	0.1	21	0.0
34836	0	0	1	0	S0cm	47.0239	67.9261	27.8	719.4	443	56862.	419	0.5	0.2	1.8	0.1	0.1	0.1	24	0.0
34837	0	0	1	0	S0cm	47.0240	67.9255	27.8	719.4	443	56862.	451	0.3	0.5	3.1	0.1	0.1	0.1	30	0.0
34838	0	0	1	0	S0cm	47.0240	67.9249	27.8	719.5	437	56862.	489	0.3	0.6	2.8	0.1	0.1	0.1	22	0.0
34839	0	0	1	0	S0cm	47.0240	67.9243	27.8	719.5	433	56860.	520	0.4	0.9	2.7	0.1	0.1	0.1	26	0.0
34840	0	0	1	0	S0cm	47.0240	67.9237	27.8	719.6	436	56859.	592	0.9	0.9	1.3	0.1	0.1	1.6	22	0.0
34841	0	0	1	0	S0cm	47.0240	67.9231	27.8	719.7	442	56859.	603	0.3	0.8	3.9	0.1	0.1	0.1	21	0.0

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
34842	0	0	0	0	S0cm	47.0240	67.9225	27.8	719.7	445	56860.	657	0.5	1.5	3.7	0.1	0.4	0.1	20	0.0
34843	0	0	1	0	S0cm	47.0240	67.9219	27.8	719.8	444	56861.	682	0.5	0.2	4.3	0.1	0.1	0.1	21	0.0
34844	0	0	1	0	S0cm	47.0240	67.9213	27.8	719.8	439	56861.	695	0.5	0.6	4.7	0.1	0.1	0.1	22	0.0
34845	0	0	1	0	S0cm	47.0240	67.9206	27.8	719.9	430	56859.	730	0.6	1.1	3.8	0.1	0.1	7.2	24	0.0
34846	0	0	1	0	S0cm	47.0240	67.9200	27.8	719.9	416	56858.	696	0.6	0.7	5.4	0.1	0.1	10.4	21	0.0
34847	0	0	1	0	S0cm	47.0240	67.9194	27.8	719.9	410	56857.	676	0.5	0.3	4.0	0.1	0.1	0.1	24	0.0
34848	0	0	1	0	S0cm	47.0240	67.9188	27.8	720.0	401	56857.	659	0.8	0.2	3.5	0.1	0.1	4.8	21	0.0
34849	0	0	1	0	S0cm	47.0240	67.9182	27.8	720.0	398	56857.	724	0.9	-0.2	5.2	0.1	0.1	6.4	19	0.0
34850	0	0	1	0	S0cm	47.0240	67.9175	27.8	720.0	393	56857.	630	0.6	0.8	3.6	0.1	0.1	6.1	24	0.0
34851	0	0	1	0	S0cm	47.0240	67.9169	27.8	720.0	391	56857.	616	0.6	0.9	1.9	0.1	0.1	3.6	19	0.0
34852	0	0	0	0	S0cm	47.0240	67.9163	27.8	720.0	387	56857.	682	0.7	1.3	2.1	1.9	0.7	3.0	19	0.0
34853	0	0	1	0	S0cm	47.0240	67.9157	27.8	720.0	381	56857.	678	0.6	0.7	3.2	0.1	0.1	5.8	21	0.0
34854	0	0	0	0	S0cm	47.0240	67.9150	27.8	720.0	378	56857.	603	0.5	1.2	3.3	0.1	0.4	0.1	18	0.0
34855	0	0	1	0	S0cm	47.0240	67.9144	27.8	719.9	377	56857.	613	0.6	-0.1	3.0	0.1	0.1	5.3	26	0.0
34856	0	0	1	0	S0cm	47.0240	67.9133	27.8	719.5	377	56856.	738	0.7	1.1	4.1	0.1	0.1	6.0	37	0.0
34857	0	0	1	0	S0cm	47.0240	67.9132	27.8	719.5	380	56855.	680	0.6	0.0	4.8	0.1	0.1	9.4	17	0.0
34858	0	0	0	0	S0cm	47.0240	67.9126	27.8	719.5	384	56856.	660	0.6	1.2	2.9	2.2	0.4	5.6	23	0.0
34859	0	0	1	0	S0cm	47.0240	67.9119	27.8	719.4	388	56857.	606	0.6	0.5	1.2	0.1	0.1	2.2	23	0.0
34860	0	0	1	0	S0cm	47.0240	67.9113	27.8	719.4	392	56857.	624	0.5	0.7	4.3	0.1	0.1	0.1	22	0.0
34861	0	0	0	0	S0cm	47.0240	67.9107	27.8	719.3	396	56856.	607	0.6	1.4	4.3	2.4	0.4	7.3	21	0.0
34862	0	0	1	0	S0cm	47.0240	67.9101	27.8	719.3	398	56854.	508	0.5	-0.1	1.9	0.1	0.1	0.1	23	0.0
34863	0	0	1	0	S0cm	47.0240	67.9095	27.8	719.2	406	56853.	552	0.8	0.8	3.3	0.1	0.1	4.3	23	0.0
34864	0	0	1	0	S0cm	47.0240	67.9088	27.8	719.2	416	56854.	558	0.4	-0.1	4.3	0.1	0.1	0.1	17	0.0
34865	0	0	1	0	S0cm	47.0240	67.9082	27.8	719.1	428	56854.	472	0.7	0.2	2.6	0.1	0.1	3.8	23	0.1
34866	0	0	1	0	S0cm	47.0240	67.9076	27.8	719.0	435	56855.	522	0.6	-0.2	2.1	0.1	0.1	4.1	25	0.2
34867	0	0	1	0	S0cm	47.0240	67.9070	27.8	719.0	437	56856.	545	0.5	0.5	1.4	0.1	0.1	0.1	18	0.3
34868	0	0	1	0	S0cm	47.0241	67.9063	27.8	718.9	432	56857.	615	0.8	0.0	3.2	0.1	0.1	4.3	29	0.3
34869	0	0	1	0	S0cm	47.0241	67.9057	27.8	718.8	416	56858.	589	0.7	-0.7	2.4	0.1	0.1	3.7	23	0.4
34870	0	0	0	0	S0cm	47.0241	67.9051	27.8	718.8	398	56858.	664	0.6	1.4	4.1	2.3	0.4	6.8	19	0.5
34871	0	0	1	0	S0cm	47.0241	67.9045	27.8	718.7	383	56857.	660	0.6	0.9	3.2	0.1	0.1	5.7	30	0.6
34872	0	0	1	0	S0cm	47.0241	67.9039	27.8	718.7	383	56856.	669	0.8	0.1	3.1	0.1	0.1	4.3	16	0.7
34873	0	0	1	0	S0cm	47.0241	67.9032	27.8	718.6	387	56855.	674	0.7	0.7	3.5	0.1	0.1	5.2	27	0.8
34874	0	0	1	0	S0cm	47.0241	67.9026	27.8	718.6	392	56855.	691	0.8	0.9	2.9	0.1	0.1	3.9	27	0.9
34875	0	0	1	0	S0cm	47.0241	67.9020	27.8	718.5	396	56854.	647	0.5	0.3	3.7	0.1	0.1	0.1	14	1.1
34876	0	0	1	0	S0cm	47.0241	67.9014	27.8	718.5	399	56853.	664	0.6	0.6	4.1	0.1	0.1	7.8	24	1.2
34877	0	0	1	0	S0cm	47.0241	67.9007	27.8	718.4	401	56852.	664	0.7	0.7	3.5	0.1	0.1	5.0	22	1.3
34878	0	0	1	0	S0cm	47.0241	67.9001	27.8	718.4	401	56853.	669	0.8	-0.1	4.2	0.1	0.1	5.8	22	1.4
34879	0	0	1	0	S0cm	47.0241	67.8995	27.8	718.4	400	56853.	687	0.8	0.6	3.9	0.1	0.1	5.4	28	1.5
34880	0	0	1	0	S0cm	47.0241	67.8989	27.8	718.4	395	56854.	709	0.6	0.4	3.9	0.1	0.1	7.6	23	1.5
34881	0	0	1	0	S0cm	47.0241	67.8983	27.8	718.4	391	56853.	751	0.7	1.1	3.8	0.1	0.1	5.5	26	1.6
34882	0	0	1	0	S0cm	47.0241	67.8976	27.8	718.3	386	56853.	716	0.8	0.4	4.5	0.1	0.1	6.0	17	1.7
34883	0	0	1	0	S0cm	47.0241	67.8970	27.8	718.3	386	56853.	836	0.6	0.5	5.8	0.1	0.1	9.6	27	1.8
34884	0	0	1	0	S0cm	47.0241	67.8964	27.8	718.3	397	56854.	794	0.9	0.3	5.4	0.1	0.1	6.1	28	1.8
34885	0	0	1	0	S0cm	47.0241	67.8958	27.8	718.3	411	56855.	801	0.7	-0.5	4.9	0.1	0.1	8.0	22	1.8
34886	0	0	0	0	S0cm	47.0241	67.8951	27.8	718.3	420	56856.	714	0.5	2.0	3.3	0.1	0.6	0.1	30	1.9
34887	0	0	1	0	S0cm	47.0241	67.8945	27.8	718.3	420	56857.	762	0.9	1.2	3.5	0.1	0.1	4.3	24	1.9
34888	0	0	1	0	S0cm	47.0241	67.8939	27.8	718.3	421	56857.	679	0.6	-0.3	2.6	0.1	0.1	5.0	17	2.0
34889	0	0	0	0	S0cm	47.0241	67.8933	27.8	718.3	425	56857.	769	0.8	1.5	2.4	1.8	0.7	3.0	28	2.0
34890	0	0	1	0	S0cm	47.0241	67.8927	27.8	718.3	430	56858.	670	0.5	0.9	2.4	0.1	0.1	0.1	30	2.1
34891	0	0	1	0	S0cm	47.0241	67.8920	27.8	718.3	432	56857.	654	0.6	0.6	3.0	0.1	0.1	5.5	25	2.1

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
34892	0	0	0	0	S0cm	47.0241	67.8914	27.8	718.4	433	56857.	686	0.5	1.9	4.2	0.1	0.5	0.1	18	2.2
34893	0	0	1	0	S0cm	47.0241	67.8908	27.8	718.4	434	56857.	635	0.5	0.1	4.8	0.1	0.1	0.1	22	2.2
34894	0	0	1	0	S0cm	47.0241	67.8902	27.8	718.4	435	56855.	558	0.4	0.4	3.4	0.1	0.1	0.1	28	2.2
34895	0	0	1	0	S0cm	47.0241	67.8895	27.8	718.4	436	56853.	413	0.2	0.4	4.0	0.1	0.1	0.1	25	2.3
34896	0	0	1	0	S0cm	47.0241	67.8889	27.8	718.5	433	56852.	356	0.4	-0.6	3.1	0.1	0.1	0.1	24	2.3
34897	0	0	1	0	S0cm	47.0241	67.8883	27.8	718.5	424	56853.	351	0.2	-1.2	2.8	0.1	0.1	0.1	19	2.3
34898	0	0	1	0	S0cm	47.0241	67.8877	27.8	718.5	411	56853.	411	0.2	0.4	3.7	0.1	0.1	0.1	19	2.4
34899	0	0	1	0	S0cm	47.0241	67.8871	27.8	718.5	399	56853.	469	0.5	-1.1	2.8	0.1	0.1	0.1	20	2.4
34900	0	0	1	0	S0cm	47.0241	67.8865	27.8	718.5	394	56854.	536	0.4	0.1	3.6	0.1	0.1	0.1	24	2.4
34901	0	0	1	0	S0cm	47.0241	67.8858	27.8	718.6	393	56853.	583	0.6	0.3	3.9	0.1	0.1	6.4	30	2.4
34902	0	0	1	0	S0cm	47.0241	67.8852	27.8	718.6	390	56852.	635	0.5	-0.4	4.1	0.1	0.1	0.1	28	2.4
34903	0	0	1	0	S0cm	47.0241	67.8846	27.8	718.6	383	56853.	652	0.7	-0.7	5.0	0.1	0.1	7.4	23	2.4
34904	0	0	1	0	S0cm	47.0241	67.8840	27.8	718.6	373	56854.	710	0.8	0.0	4.0	0.1	0.1	5.2	20	2.4
34905	0	0	1	0	S0cm	47.0241	67.8833	27.8	718.6	366	56855.	633	0.7	-0.2	2.2	0.1	0.1	3.3	26	2.4
34906	0	0	0	0	S0cm	47.0241	67.8827	27.8	718.6	359	56856.	678	0.7	1.2	2.6	1.8	0.5	3.9	36	2.4
34907	0	0	1	0	S0cm	47.0241	67.8821	27.8	718.6	354	56856.	667	0.7	0.5	4.2	0.1	0.1	6.4	20	2.4
34908	0	0	1	0	S0cm	47.0241	67.8815	27.8	718.6	350	56856.	658	0.6	0.5	4.4	0.1	0.1	8.4	21	2.4
34909	0	0	1	0	S0cm	47.0241	67.8809	27.8	718.6	346	56856.	719	0.7	0.9	3.1	0.1	0.1	4.7	31	2.4
34910	0	0	1	0	S0cm	47.0241	67.8802	27.8	718.6	345	56856.	729	0.8	-0.1	3.7	0.1	0.1	4.7	17	2.4
34911	0	0	1	0	S0cm	47.0241	67.8796	27.8	718.6	343	56857.	702	0.7	0.9	3.5	0.1	0.1	5.3	28	2.4
34912	0	0	1	0	S0cm	47.0241	67.8790	27.8	718.4	348	56857.	718	0.6	0.9	4.2	0.1	0.1	7.0	28	2.4
34913	0	0	1	0	S0cm	47.0241	67.8784	27.8	718.3	356	56858.	687	0.7	-0.1	3.1	0.1	0.1	4.6	27	2.4
34914	0	0	1	0	S0cm	47.0241	67.8777	27.8	718.3	366	56858.	705	0.6	0.2	5.5	0.1	0.1	9.8	18	2.4
34915	0	0	1	0	S0cm	47.0241	67.8771	27.8	718.3	376	56857.	692	0.7	0.4	4.4	0.1	0.1	6.8	27	2.5
34916	0	0	1	0	S0cm	47.0241	67.8765	27.8	718.3	380	56857.	661	0.8	1.2	3.3	0.1	0.1	4.5	27	2.5
34917	0	0	1	0	S0cm	47.0241	67.8759	27.8	718.3	381	56856.	636	0.5	0.4	3.1	0.1	0.1	0.1	27	2.5
34918	0	0	1	0	S0cm	47.0241	67.8753	27.8	718.2	381	56855.	718	0.5	0.6	4.0	0.1	0.1	0.1	26	2.6
34919	0	0	1	0	S0cm	47.0241	67.8746	27.8	718.2	383	56855.	673	0.6	-0.2	3.0	0.1	0.1	5.7	24	2.6
34920	0	0	1	0	S0cm	47.0241	67.8740	27.8	718.2	387	56855.	722	0.7	0.8	7.4	0.1	0.1	11.1	19	2.6
34921	0	0	1	0	S0cm	47.0241	67.8734	27.8	718.3	389	56855.	689	0.7	-0.3	2.8	0.1	0.1	4.4	28	2.6
34922	0	0	1	0	S0cm	47.0241	67.8728	27.8	718.3	389	56855.	631	0.6	-0.5	6.3	0.1	0.1	10.9	24	2.6
34923	0	0	1	0	S0cm	47.0242	67.8721	27.8	718.3	390	56853.	652	0.6	0.2	4.4	0.1	0.1	7.7	18	2.6
34924	0	0	1	0	S0cm	47.0242	67.8715	27.8	718.3	396	56851.	702	0.6	-0.1	4.0	0.1	0.1	7.7	18	2.6
34925	0	0	1	0	S0cm	47.0242	67.8709	27.8	718.3	405	56851.	789	0.9	0.3	3.5	0.1	0.1	4.0	22	2.6
34926	0	0	1	0	S0cm	47.0242	67.8703	27.8	718.3	408	56852.	770	0.8	0.3	4.3	0.1	0.1	5.9	24	2.6
34927	0	0	1	0	S0cm	47.0242	67.8697	27.8	718.3	405	56853.	717	0.6	-0.6	4.7	0.1	0.1	9.4	19	2.6
34928	0	0	1	0	S0cm	47.0242	67.8690	27.8	718.3	399	56853.	752	0.8	0.9	4.6	0.1	0.1	6.3	24	2.6
34929	0	0	1	0	S0cm	47.0242	67.8684	27.8	718.3	393	56852.	653	0.5	1.0	5.7	0.1	0.1	0.1	17	2.7
34931	0	0	0	0	S0cm	47.0242	67.8672	27.8	718.3	387	56850.	660	0.5	1.4	4.2	0.1	0.4	0.1	34	2.7
34932	0	0	1	0	S0cm	47.0242	67.8665	27.8	718.3	382	56849.	637	0.5	0.5	2.8	0.1	0.1	0.1	19	2.7
34933	0	0	1	0	S0cm	47.0242	67.8659	27.8	718.3	385	56849.	624	0.4	0.5	3.0	0.1	0.1	0.1	20	2.7
34934	0	0	0	0	S0cm	47.0242	67.8653	27.8	718.3	394	56851.	670	0.5	2.1	4.0	0.1	0.6	0.1	24	2.8
34935	0	0	0	0	S0cm	47.0242	67.8647	27.9	718.4	400	56852.	665	0.5	2.1	2.4	0.1	0.9	0.1	22	2.9
34936	0	0	1	0	S0cm	47.0242	67.8641	27.9	718.4	402	56852.	642	0.6	1.1	3.4	0.1	0.1	5.8	30	2.9
34937	0	0	1	0	S0cm	47.0242	67.8635	27.9	718.4	398	56853.	557	0.6	0.3	2.7	0.1	0.1	5.0	27	3.0
34938	0	0	1	0	S0cm	47.0241	67.8629	27.9	718.4	398	56852.	596	0.5	0.1	3.0	0.1	0.1	0.1	34	3.0
34939	0	0	1	0	S0cm	47.0241	67.8624	27.9	718.4	396	56852.	515	0.6	-0.4	2.5	0.1	0.1	4.5	23	3.0
34940	0	0	1	0	S0cm	47.0241	67.8618	27.9	718.5	398	56850.	496	0.4	-0.2	2.1	0.1	0.1	0.1	19	3.0
34941	0	0	1	0	S0cm	47.0241	67.8612	27.9	718.5	403	56850.	553	0.7	-0.2	2.7	0.1	0.1	4.3	23	3.0
34942	0	0	1	0	S0cm	47.0241	67.8606	27.9	718.5	409	56850.	537	0.5	-0.7	2.5	0.1	0.1	0.1	29	3.0

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	INIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
34943	0	0	1	0	S0cm	47.0241	67.8601	27.9	718.6	415	56851.	555	0.5	-0.3	4.6	0.1	0.1	0.1	24	3.0
34944	0	0	1	0	S0cm	47.0241	67.8595	27.9	718.6	416	56851.	644	0.7	-0.4	3.3	0.1	0.1	5.3	17	3.0
34945	0	0	1	0	S0cm	47.0241	67.8589	27.9	718.6	413	56850.	612	0.5	0.3	4.0	0.1	0.1	0.1	22	3.0
34946	0	0	1	0	S0cm	47.0241	67.8583	27.9	718.7	414	56851.	565	0.6	-0.2	3.5	0.1	0.1	6.3	29	3.0
34947	0	0	1	0	S0cm	47.0241	67.8577	27.9	718.7	409	56852.	626	0.5	0.5	3.5	0.1	0.1	0.1	26	3.1
34948	0	0	1	0	S0cm	47.0241	67.8572	27.9	718.8	406	56853.	559	0.5	0.2	3.9	0.1	0.1	0.1	19	3.1
34949	0	0	1	0	S0cm	47.0240	67.8566	27.9	718.8	397	56853.	590	0.6	-0.6	2.5	0.1	0.1	4.3	24	3.1
34950	0	0	1	0	S0cm	47.0240	67.8560	27.9	718.8	393	56852.	615	0.7	-0.3	4.9	0.1	0.1	7.8	29	3.1
34951	0	0	1	0	S0cm	47.0240	67.8554	27.9	718.9	395	56852.	617	0.6	0.6	3.0	0.1	0.1	5.8	16	3.1
34952	0	0	1	0	S0cm	47.0240	67.8549	27.9	718.9	403	56852.	500	0.5	0.0	4.8	0.1	0.1	0.1	21	3.1
34953	0	0	1	0	S0cm	47.0240	67.8543	27.9	719.0	414	56852.	551	0.6	0.2	2.7	0.1	0.1	4.9	22	3.2
34954	0	0	1	0	S0cm	47.0240	67.8537	27.9	719.0	421	56852.	496	0.6	-0.3	2.4	0.1	0.1	4.0	15	3.2
34955	0	0	1	0	S0cm	47.0240	67.8531	27.9	719.1	424	56851.	518	0.6	-0.1	3.0	0.1	0.1	6.0	20	3.2
34956	0	0	1	0	S0cm	47.0240	67.8525	27.9	719.1	426	56852.	570	0.4	0.6	3.0	0.1	0.1	0.1	14	3.2
34957	0	0	1	0	S0cm	47.0240	67.8520	27.9	719.2	426	56852.	455	0.5	0.2	1.9	0.1	0.1	0.1	22	3.3
34958	0	0	1	0	S0cm	47.0240	67.8514	27.9	719.2	426	56852.	433	0.5	-0.2	2.7	0.1	0.1	0.1	29	3.1
34959	0	0	1	0	S0cm	47.0239	67.8508	27.9	719.2	425	56852.	467	0.4	-0.5	3.4	0.1	0.1	0.1	19	2.9
34960	0	0	1	0	S0cm	47.0239	67.8502	27.8	719.2	424	56851.	491	0.4	0.8	2.2	0.1	0.1	0.1	36	2.7
34961	0	0	1	0	S0cm	47.0239	67.8497	27.8	719.2	422	56849.	511	0.3	0.5	1.7	0.1	0.1	0.1	22	2.5
34962	0	0	1	0	S0cm	47.0239	67.8491	27.8	719.3	420	56847.	428	0.5	0.2	2.9	0.1	0.1	0.1	21	2.3
34963	0	0	1	0	S0cm	47.0239	67.8485	27.8	719.3	418	56846.	461	0.6	0.6	1.7	0.1	0.1	3.0	26	2.1
34964	0	0	1	0	S0cm	47.0239	67.8479	27.8	719.3	414	56846.	491	0.4	0.4	2.6	0.1	0.1	0.1	20	1.9
34965	0	0	1	0	S0cm	47.0239	67.8474	27.8	719.3	410	56846.	557	0.6	0.4	3.0	0.1	0.1	5.3	22	1.7
34966	0	0	1	0	S0cm	47.0239	67.8468	27.8	719.3	407	56846.	486	0.6	-1.0	2.6	0.1	0.1	4.5	16	1.5
34967	0	0	1	0	S0cm	47.0239	67.8462	27.8	719.4	406	56846.	526	0.5	0.2	2.3	0.1	0.1	0.1	30	1.2
34968	0	0	1	0	S0cm	47.0239	67.8456	27.8	719.3	405	56846.	504	0.5	0.1	3.5	0.1	0.1	0.1	24	1.0
34969	0	0	1	0	S0cm	47.0239	67.8450	28.0	719.9	404	56846.	461	0.4	0.0	3.4	0.1	0.1	0.1	18	0.7
34970	0	0	1	0	S0cm	47.0238	67.8445	28.0	719.9	404	56847.	425	0.4	0.6	2.3	0.1	0.1	0.1	10	0.5
34971	0	0	1	1	S0cm	47.0238	67.8439	28.0	719.9	404	56849.	301	0.2	0.0	1.0	0.1	0.1	0.1	20	0.2
34972	0	1	1	0	S0cm	47.0238	67.8433	28.0	719.9	403	56850.	228	0.1	0.3	2.0	0.1	0.1	0.1	23	0.0
34973	0	1	1	1	S0cm	47.0238	67.8427	28.0	719.9	403	56850.	152	0.1	-0.4	0.4	0.1	0.1	0.1	25	0.0
34974	0	1	1	1	S0cm	47.0238	67.8422	28.0	719.9	402	56850.	84	0.1	-0.4	0.1	0.1	0.1	0.1	22	0.0
34975	0	1	1	1	S0cm	47.0238	67.8416	28.0	719.9	403	56850.	74	0.1	0.1	0.4	0.1	0.1	0.1	15	0.0
34976	0	1	1	1	S0cm	47.0238	67.8410	28.0	719.9	403	56849.	151	0.1	-0.1	0.4	0.1	0.1	0.1	34	0.0
34977	0	0	1	1	S0cm	47.0238	67.8404	28.0	719.9	394	56849.	225	0.3	0.4	0.7	0.1	0.1	0.1	24	0.0
34978	0	0	1	1	S0cm	47.0238	67.8399	28.0	719.9	384	56851.	295	0.4	-0.2	0.4	0.1	0.1	0.1	16	0.0
34979	0	0	1	0	S0cm	47.0238	67.8393	28.0	719.9	374	56853.	439	0.5	-0.1	3.3	0.1	0.1	0.1	18	0.0
34980	0	0	1	0	S0cm	47.0238	67.8387	28.0	719.9	371	56854.	493	0.5	0.0	2.2	0.1	0.1	0.1	23	0.0
34981	0	0	1	0	S0cm	47.0238	67.8381	28.0	719.9	370	56854.	503	0.5	0.0	1.9	0.1	0.1	0.1	19	0.0
34982	0	0	1	0	S0cm	47.0237	67.8375	28.0	719.9	371	56853.	537	0.5	0.4	3.9	0.1	0.1	0.1	21	0.0
34983	0	0	1	0	S0cm	47.0237	67.8370	28.0	719.9	372	56852.	563	0.6	-0.2	2.6	0.1	0.1	4.5	16	0.0
34984	0	0	1	0	S0cm	47.0237	67.8364	28.0	719.9	372	56850.	518	0.6	0.5	2.4	0.1	0.1	4.5	17	0.0
34985	0	0	1	0	S0cm	47.0237	67.8358	28.0	719.9	372	56849.	467	0.6	0.2	2.2	0.1	0.1	4.2	23	0.0
34986	0	0	1	0	S0cm	47.0237	67.8352	28.0	719.8	373	56850.	435	0.5	0.1	1.7	0.1	0.1	0.1	24	0.0
34987	0	0	0	0	S0cm	47.0237	67.8347	28.0	719.8	378	56850.	383	0.3	1.0	3.0	0.1	0.4	0.1	18	0.0
34988	0	0	1	0	S0cm	47.0237	67.8341	28.0	719.7	387	56850.	349	0.3	1.0	2.4	0.1	0.1	0.1	22	0.0
34989	0	0	1	0	S0cm	47.0237	67.8335	28.0	719.7	396	56850.	318	0.3	-0.2	2.7	0.1	0.1	0.1	16	0.0
34990	0	0	1	0	S0cm	47.0237	67.8329	28.0	719.6	406	56850.	258	0.2	-0.4	1.7	0.1	0.1	0.1	29	0.0
34991	0	1	1	0	S0cm	47.0237	67.8324	28.0	719.5	412	56851.	205	0.2	0.1	1.7	0.1	0.1	0.1	20	0.0
34992	0	1	1	1	S0cm	47.0237	67.8318	28.0	719.4	416	56852.	168	0.1	-0.1	0.5	0.1	0.1	0.1	20	0.0

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI	
												CPS	%	PPM	PPM					CPS	CPS
34993	0	0	1	0	Socm	47.0237	67.8312	28.0	719.4	414	56853.	135	0.2	-0.3	1.5	0.1	0.1	0.1	23	0.0	
34994	0	1	1	1	Socm	47.0237	67.8307	28.0	719.3	411	56852.	95	0.1	-0.4	0.1	0.1	0.1	0.1	33	0.0	
34995	0	0	1	1	Socm	47.0237	67.8301	28.0	719.2	413	56849.	150	0.2	0.3	0.3	0.1	0.1	0.1	21	0.0	
34996	0	0	1	1	Socm	47.0237	67.8295	28.0	719.2	417	56845.	206	0.2	0.2	0.4	0.1	0.1	0.1	23	0.0	
34997	0	0	1	0	Socm	47.0237	67.8290	28.0	719.1	420	56845.	330	0.2	-0.1	2.0	0.1	0.1	0.1	24	0.0	
34998	0	0	1	0	Socm	47.0237	67.8284	28.0	719.1	416	56846.	352	0.3	0.0	2.9	0.1	0.1	0.1	24	0.0	
34999	0	0	1	0	Socm	47.0237	67.8278	28.0	719.0	410	56846.	427	0.4	0.1	2.2	0.1	0.1	0.1	31	0.0	
35000	0	0	1	0	Socm	47.0237	67.8273	28.0	719.0	405	56845.	504	0.6	0.5	3.4	0.1	0.1	6.1	25	0.0	
35001	0	0	1	0	Socm	47.0237	67.8267	28.0	719.0	402	56845.	538	0.3	-0.1	2.2	0.1	0.1	0.1	22	0.0	
35002	0	0	1	0	Socm	47.0237	67.8261	28.0	719.0	405	56844.	560	0.5	0.3	3.0	0.1	0.1	0.1	25	0.0	
35003	0	0	1	0	Socm	47.0237	67.8256	28.0	719.0	415	56843.	548	0.5	0.8	4.8	0.1	0.1	0.1	23	0.0	
35004	0	0	1	0	Socm	47.0237	67.8250	28.0	719.1	427	56843.	546	0.5	0.6	2.7	0.1	0.1	0.1	22	0.0	
35005	0	0	1	0	Socm	47.0237	67.8244	28.0	719.1	427	56843.	497	0.6	0.0	2.3	0.1	0.1	4.2	22	0.0	
35006	0	0	1	1	Socm	47.0237	67.8239	28.0	719.1	420	56842.	428	0.3	0.5	1.0	0.1	0.1	0.1	26	0.0	
35007	0	0	0	0	Socm	47.0237	67.8233	28.0	719.1	407	56842.	424	0.4	1.1	3.0	0.1	0.4	0.1	26	0.0	
35008	0	0	1	0	Socm	47.0237	67.8227	28.0	719.1	401	56842.	432	0.5	0.5	1.2	0.1	0.1	0.1	26	0.0	
35009	0	0	1	0	Socm	47.0238	67.8222	28.0	719.1	401	56840.	388	0.4	0.4	1.8	0.1	0.1	0.1	22	0.0	
35010	0	0	1	1	Socm	47.0238	67.8216	28.0	719.1	406	56839.	268	0.3	-0.4	0.6	0.1	0.1	0.1	21	0.0	
35011	0	0	1	0	Socm	47.0238	67.8211	28.0	719.2	412	56839.	225	0.3	-0.6	1.9	0.1	0.1	0.1	29	0.0	
35012	0	1	1	0	Socm	47.0238	67.8205	28.0	719.2	416	56839.	241	0.2	-0.6	2.2	0.1	0.1	0.1	33	0.0	
35013	0	0	1	0	Socm	47.0238	67.8199	28.0	719.2	418	56839.	345	0.2	0.2	1.5	0.1	0.1	0.1	24	0.0	
35014	0	0	1	0	Socm	47.0238	67.8194	28.0	719.2	418	56841.	334	0.4	0.5	1.5	0.1	0.1	0.1	14	0.0	
35015	0	0	1	0	Socm	47.0238	67.8188	28.0	719.2	417	56841.	464	0.4	-0.5	2.0	0.1	0.1	0.1	20	0.0	
35016	0	0	1	0	Socm	47.0238	67.8182	28.0	719.2	419	56841.	529	0.6	0.1	4.2	0.1	0.1	8.1	21	0.0	
35017	0	0	1	0	Socm	47.0238	67.8177	28.0	719.2	421	56841.	609	0.5	1.0	4.2	0.1	0.1	0.1	20	0.0	
35018	0	0	1	0	Socm	47.0238	67.8171	28.0	719.2	422	56841.	598	0.4	-0.3	3.1	0.1	0.1	0.1	21	0.0	
35019	0	0	1	0	Socm	47.0238	67.8165	28.0	719.3	421	56842.	646	0.5	1.0	3.6	0.1	0.1	0.1	28	0.0	
35020	0	0	1	0	Socm	47.0238	67.8160	28.0	719.3	419	56842.	654	0.8	0.5	4.5	0.1	0.1	5.9	21	0.0	
35021	0	0	1	0	Socm	47.0238	67.8154	28.0	719.3	414	56843.	683	0.7	-0.1	3.7	0.1	0.1	5.5	28	0.0	
35022	0	0	1	0	Socm	47.0238	67.8148	28.0	719.3	406	56843.	659	0.4	0.9	3.4	0.1	0.1	0.1	20	0.0	
35023	0	0	1	0	Socm	47.0238	67.8143	28.0	719.3	401	56842.	726	0.5	1.2	3.9	0.1	0.1	0.1	23	0.0	
35024	0	0	1	0	Socm	47.0238	67.8137	28.0	719.3	397	56842.	681	0.5	0.2	4.1	0.1	0.1	0.1	20	0.0	
35025	0	0	1	0	Socm	47.0238	67.8132	28.1	719.9	387	56840.	772	0.9	0.5	3.7	0.1	0.1	4.3	25	0.0	
35027	0	0	1	0	Socm	47.0238	67.8120	28.1	719.9	383	56839.	843	1.0	0.9	4.0	0.1	0.1	4.0	19	0.0	
35028	0	0	1	0	Socm	47.0238	67.8115	28.1	720.0	377	56840.	802	0.7	0.6	4.6	0.1	0.1	7.1	28	0.0	
35029	0	0	1	0	Socm	47.0238	67.8109	28.1	720.0	376	56841.	815	0.9	0.6	3.8	0.1	0.1	4.3	20	0.0	
35030	0	0	1	0	Socm	47.0239	67.8103	28.1	720.0	377	56842.	855	0.7	0.6	4.4	0.1	0.1	6.5	22	0.0	
35031	0	0	1	0	Socm	47.0239	67.8098	28.1	720.0	380	56843.	860	0.9	0.7	3.9	0.1	0.1	4.5	20	0.0	
35032	0	0	0	0	Socm	47.0239	67.8092	28.1	720.1	382	56843.	858	0.8	1.8	4.2	2.5	0.5	5.8	15	0.0	
35033	0	0	1	0	Socm	47.0239	67.8086	28.1	720.1	384	56843.	923	1.1	0.5	5.0	0.1	0.1	4.8	25	0.0	
35034	0	0	1	0	Socm	47.0239	67.8081	28.1	720.1	388	56844.	981	1.0	-0.5	6.8	0.1	0.1	7.0	27	0.0	
35035	0	0	1	0	Socm	47.0239	67.8075	28.1	720.1	394	56844.	1030	0.8	0.9	6.9	0.1	0.1	9.0	20	0.0	
35036	0	0	1	0	Socm	47.0239	67.8069	28.1	720.2	403	56845.	1136	1.3	0.0	6.9	0.1	0.1	5.4	23	0.0	
35037	0	0	0	0	Socm	47.0239	67.8064	28.2	720.2	413	56847.	1066	1.0	1.4	6.6	1.5	0.3	6.8	18	0.0	
35038	0	0	1	0	Socm	47.0239	67.8058	28.2	720.3	424	56848.	995	1.1	-0.2	5.0	0.1	0.1	4.7	19	0.0	
35039	0	0	0	0	Socm	47.0239	67.8053	28.2	720.3	433	56848.	1076	1.1	1.8	7.1	1.7	0.3	6.7	29	0.2	
35040	0	0	1	0	Socm	47.0239	67.8047	28.2	720.3	441	56847.	1025	1.1	0.5	5.8	0.1	0.1	5.4	20	0.3	
35041	0	0	0	0	Socm	47.0239	67.8042	28.2	720.3	448	56846.	1070	1.4	2.3	6.5	1.7	0.4	4.7	31	0.4	
35042	0	0	1	0	Socm	47.0239	67.8036	28.2	720.4	447	56844.	883	1.1	0.8	3.9	0.1	0.1	3.6	22	0.5	
35043	0	0	1	0	Socm	47.0239	67.8031	28.2	720.4	444	56843.	883	0.8	0.7	2.7	0.1	0.1	3.6	22	0.6	

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
35044	0	0	0	0	S0cm	47.0239	67.8026	28.2	720.4	439	56841.	837	1.0	1.8	3.3	2.0	0.6	3.6	22	0.7
35045	0	0	1	0	S0cm	47.0239	67.8020	28.2	720.4	438	56841.	742	0.9	1.3	2.8	0.1	0.1	3.1	26	0.8
35046	0	0	1	0	S0cm	47.0239	67.8015	28.2	720.4	441	56840.	795	0.8	-0.9	4.4	0.1	0.1	5.8	27	0.8
35047	0	0	1	0	S0cm	47.0240	67.8009	28.2	720.4	450	56839.	889	1.2	0.0	4.7	0.1	0.1	4.1	17	0.9
35048	0	0	0	0	S0cm	47.0240	67.8004	28.2	720.3	463	56838.	886	1.1	1.6	3.7	1.5	0.5	3.5	20	0.9
35049	0	0	1	0	S0cm	47.0240	67.7999	28.2	720.3	475	56838.	828	0.7	0.8	3.1	0.1	0.1	4.7	26	1.0
35050	0	0	1	0	S0cm	47.0240	67.7993	28.2	720.3	484	56838.	815	1.1	-0.5	6.1	0.1	0.1	6.0	21	1.0
35051	0	0	0	0	S0cm	47.0240	67.7988	28.2	720.4	490	56839.	833	0.9	2.6	5.0	3.1	0.6	5.9	27	1.1
35052	0	0	1	0	S0cm	47.0240	67.7982	28.2	720.4	492	56838.	920	1.0	1.0	4.9	0.1	0.1	5.0	23	1.1
35053	0	0	0	0	S0cm	47.0240	67.7977	28.2	720.4	493	56837.	936	1.1	1.7	6.3	1.5	0.3	5.7	18	1.2
35054	0	0	1	0	S0cm	47.0240	67.7971	28.2	720.5	493	56835.	936	1.2	0.8	4.8	0.1	0.1	4.1	23	1.2
35055	0	0	1	0	S0cm	47.0240	67.7966	28.2	720.6	494	56835.	1019	1.1	1.0	5.3	0.1	0.1	5.3	27	1.2
35056	0	0	1	0	S0cm	47.0240	67.7960	28.2	720.7	496	56836.	1078	1.2	0.3	5.7	0.1	0.1	5.0	26	1.2
35057	0	0	1	0	S0cm	47.0240	67.7955	28.2	720.8	496	56838.	1002	1.3	1.0	5.7	0.1	0.1	4.6	25	1.2
35058	0	0	0	0	S0cm	47.0240	67.7950	28.2	720.9	493	56840.	1102	1.1	2.2	6.6	2.0	0.4	6.1	22	1.2
35059	0	0	1	0	S0cm	47.0240	67.7944	28.2	721.0	487	56840.	1074	1.3	1.3	6.9	0.1	0.1	5.7	22	1.2
35060	0	0	1	0	S0cm	47.0240	67.7939	28.2	721.1	475	56840.	1012	1.1	1.4	6.8	0.1	0.1	6.3	22	1.2
35061	0	0	0	0	S0cm	47.0241	67.7933	28.2	721.2	461	56839.	1018	1.0	2.1	6.9	2.1	0.3	7.2	20	1.2
35062	0	0	0	0	S0cm	47.0241	67.7928	28.2	721.3	445	56838.	1112	1.5	2.2	5.1	1.5	0.5	3.5	20	1.2
35063	0	0	1	0	S0cm	47.0241	67.7922	28.2	721.3	430	56836.	1056	1.2	0.7	6.4	0.1	0.1	5.5	22	1.3
35064	0	0	1	0	S0cm	47.0241	67.7917	28.2	721.4	416	56836.	1131	1.3	0.8	4.7	0.1	0.1	3.8	32	1.3
35065	0	0	1	0	S0cm	47.0241	67.7912	28.2	721.5	405	56835.	1135	1.5	0.9	6.0	0.1	0.1	4.2	19	1.3
35066	0	0	1	0	S0cm	47.0241	67.7906	28.2	721.5	396	56836.	1165	1.3	1.3	7.6	0.1	0.1	6.0	19	1.3
35067	0	0	1	0	S0cm	47.0241	67.7901	28.2	721.5	390	56838.	1025	1.4	1.2	5.1	0.1	0.1	3.6	31	1.3
35068	0	0	1	0	S0cm	47.0241	67.7895	28.2	721.6	387	56838.	1054	1.3	0.2	6.1	0.1	0.1	5.0	23	1.3
35069	0	0	1	0	S0cm	47.0241	67.7890	28.2	721.6	386	56836.	1035	1.0	0.7	6.7	0.1	0.1	7.1	26	1.3
35070	0	0	0	0	S0cm	47.0241	67.7884	28.2	721.6	388	56835.	1050	1.2	1.8	8.3	1.5	0.3	7.0	25	1.2
35071	0	0	1	0	S0cm	47.0241	67.7879	28.2	721.7	390	56835.	1017	1.1	0.5	4.4	0.1	0.1	4.0	25	1.2
35072	0	0	1	0	S0cm	47.0241	67.7874	28.2	721.7	394	56837.	1063	1.3	1.0	7.2	0.1	0.1	5.6	33	1.2
35073	0	0	1	0	S0cm	47.0241	67.7868	28.2	721.8	398	56837.	1022	1.3	0.8	5.3	0.1	0.1	4.1	20	1.2
35074	0	0	0	0	S0cm	47.0241	67.7863	28.2	721.8	402	56836.	1168	1.3	2.1	5.8	1.6	0.4	4.5	19	1.2
35075	0	0	0	0	S0cm	47.0242	67.7857	28.2	721.9	406	56835.	1065	1.2	1.7	6.2	1.5	0.3	5.4	17	1.2
35076	0	0	0	0	S0cm	47.0242	67.7852	28.2	721.9	409	56835.	1108	1.1	1.5	4.7	1.5	0.4	4.7	25	1.2
35077	0	0	1	0	S0cm	47.0242	67.7846	28.2	722.0	411	56835.	1076	1.3	0.6	4.8	0.1	0.1	3.9	36	1.2
35078	0	0	0	0	S0cm	47.0242	67.7841	28.2	722.1	412	56835.	1082	1.1	2.2	6.2	2.0	0.4	5.7	15	1.2

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	PARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI	
												CPS	%	PPM	PPM					CPS	CPS
48452	0	0	1	0	0s	47.0005	69.5727	10.0	707.5	388	56829.	651	0.6	0.1	2.8	0.1	0.1	5.4	25	0.8	
48453	0	0	1	0	0s	47.0010	69.5727	10.0	707.3	387	56828.	689	0.5	0.9	2.8	0.1	0.1	0.1	29	0.8	
48454	0	1	1	0	0s	47.0015	69.5727	10.0	707.1	388	56827.	714	0.2	0.2	2.1	0.1	0.1	0.1	30	0.7	
48455	0	0	0	0	0s	47.0020	69.5727	10.0	706.9	390	56825.	669	0.4	1.5	2.5	0.1	0.6	0.1	23	0.6	
48456	0	0	1	0	0s	47.0025	69.5727	9.9	706.7	395	56823.	712	0.5	0.6	3.3	0.1	0.1	0.1	24	0.6	
48457	0	0	1	0	0s	47.0030	69.5727	9.9	706.6	400	56820.	789	0.8	0.6	2.7	0.1	0.1	3.7	31	0.6	
48458	0	0	1	0	0s	47.0035	69.5727	9.9	706.4	405	56818.	773	0.6	0.7	2.9	0.1	0.1	5.3	18	0.6	
48459	0	0	0	0	0s	47.0040	69.5727	9.9	706.2	411	56815.	840	0.8	1.2	2.8	1.5	0.5	3.6	33	0.6	
48460	0	0	1	0	0s	47.0045	69.5727	9.9	706.0	414	56813.	774	0.6	0.8	3.3	0.1	0.1	6.5	21	0.6	
48461	0	0	1	0	0s	47.0050	69.5727	9.9	705.9	417	56811.	889	0.8	0.9	2.8	0.1	0.1	4.0	20	0.5	
48462	0	0	1	0	0s	47.0055	69.5727	9.9	705.7	419	56810.	819	0.5	0.9	3.8	0.1	0.1	0.1	21	0.5	
48463	0	0	1	0	0s	47.0061	69.5728	9.9	705.6	421	56811.	828	0.6	0.7	3.8	0.1	0.1	7.4	31	0.4	
48464	0	0	0	0	0s	47.0066	69.5728	9.9	705.5	422	56812.	740	0.6	1.4	2.5	2.4	0.6	4.4	23	0.4	
48465	0	0	1	0	0s	47.0071	69.5728	9.9	705.4	422	56811.	837	0.6	0.7	3.2	0.1	0.1	5.9	23	0.3	
48466	0	0	1	0	0s	47.0076	69.5728	9.9	705.3	422	56809.	738	0.6	0.6	2.2	0.1	0.1	4.2	29	0.3	
48467	0	0	0	0	0s	47.0081	69.5728	9.9	705.3	420	56809.	690	0.6	1.6	3.0	3.0	0.6	5.7	26	0.3	
48469	0	0	1	0	0s	47.0091	69.5728	9.9	705.3	419	56808.	721	0.4	1.0	2.3	0.1	0.1	0.1	29	0.3	
48470	0	0	0	0	0s	47.0096	69.5728	9.9	705.3	417	56807.	765	0.5	1.3	2.8	0.1	0.5	0.1	24	0.4	
48471	0	0	1	0	0s	47.0101	69.5728	9.9	705.3	415	56807.	724	0.5	0.6	2.2	0.1	0.1	0.1	28	0.4	
48472	0	0	0	0	0s	47.0106	69.5728	9.9	705.3	411	56808.	776	0.7	1.4	2.2	2.2	0.7	3.5	33	0.4	
48473	0	0	1	0	0s	47.0111	69.5728	9.9	705.3	407	56808.	720	0.5	0.9	2.1	0.1	0.1	0.1	25	0.4	
48474	0	0	0	0	0s	47.0116	69.5728	9.9	705.4	403	56809.	768	0.7	1.5	3.1	2.4	0.5	5.0	27	0.5	
48475	0	0	1	0	0s	47.0121	69.5728	9.9	705.5	327	56809.	776	0.7	0.6	3.3	0.1	0.1	4.8	22	0.5	
48476	0	0	0	0	0s	47.0127	69.5728	9.9	705.5	390	56811.	780	0.7	1.6	2.4	2.5	0.7	3.9	31	0.5	
48477	0	0	0	0	0s	47.0132	69.5728	9.9	705.6	382	56812.	794	0.5	1.9	2.6	0.1	0.8	0.1	27	0.6	
48478	0	0	0	0	0s	47.0137	69.5728	9.9	705.6	376	56811.	819	0.5	1.0	4.3	0.1	0.3	0.1	23	0.7	
48479	0	0	0	0	0s	47.0142	69.5728	9.9	705.7	369	56811.	804	0.6	1.1	5.2	2.1	0.3	9.6	32	0.8	
48480	0	0	1	0	0s	47.0147	69.5728	9.9	705.7	366	56812.	769	0.6	0.5	2.0	0.1	0.1	3.4	31	0.8	
48481	0	0	1	0	0s	47.0152	69.5728	9.9	705.7	365	56813.	721	0.7	0.7	1.8	0.1	0.1	2.8	25	0.8	
48482	0	0	1	0	0s	47.0157	69.5728	9.9	705.7	367	56813.	774	0.5	0.7	3.3	0.1	0.1	0.1	20	0.8	
48483	0	0	1	0	0s	47.0162	69.5728	9.9	705.8	371	56812.	754	0.4	0.4	2.7	0.1	0.1	0.1	24	0.8	
48484	0	0	1	0	0s	47.0167	69.5728	9.9	705.8	375	56812.	788	0.7	0.2	2.4	0.1	0.1	3.6	24	0.8	
48485	0	0	1	0	0s	47.0172	69.5728	9.9	705.8	376	56813.	740	0.4	0.1	4.1	0.1	0.1	0.1	26	0.7	
48486	0	0	1	0	0s	47.0177	69.5728	9.9	705.7	376	56814.	739	0.6	0.7	3.0	0.1	0.1	5.7	21	0.7	
48487	0	0	0	0	0s	47.0182	69.5728	9.9	705.7	373	56814.	749	0.6	1.2	1.5	2.2	0.8	2.9	21	0.7	
48488	0	0	0	0	0s	47.0188	69.5728	9.8	705.8	371	56814.	767	0.5	1.8	3.6	0.1	0.5	0.1	18	0.7	
48489	0	0	0	0	0s	47.0193	69.5728	9.8	705.8	369	56814.	659	0.3	1.4	2.5	0.1	0.6	0.1	21	0.8	
48490	0	0	0	0	0s	47.0198	69.5728	9.8	705.7	367	56813.	638	0.5	1.0	2.4	0.1	0.5	0.1	36	0.8	
48491	0	0	1	0	0s	47.0203	69.5728	9.8	705.7	367	56812.	705	0.5	0.3	2.8	0.1	0.1	0.1	25	0.8	
48492	0	0	1	0	0s	47.0208	69.5728	9.8	705.6	367	56812.	686	0.5	0.5	2.2	0.1	0.1	0.1	16	0.8	
48493	0	0	1	0	0s	47.0213	69.5728	9.8	705.6	370	56812.	707	0.7	0.4	3.5	0.1	0.1	5.6	33	0.8	
48494	0	0	1	0	0s	47.0218	69.5728	9.8	705.5	372	56812.	668	0.5	-0.5	4.4	0.1	0.1	0.1	17	0.7	
48495	0	0	1	0	0s	47.0223	69.5728	9.8	705.4	377	56812.	721	0.7	-0.1	3.5	0.1	0.1	5.2	24	0.7	
48496	0	0	1	0	0s	47.0228	69.5728	9.8	705.3	380	56813.	739	0.7	0.9	3.7	0.1	0.1	5.7	29	0.6	
48497	0	0	1	0	0s	47.0233	69.5728	9.8	705.2	382	56814.	699	0.4	-0.1	4.8	0.1	0.1	0.1	27	0.6	
48498	0	0	1	0	0s	47.0238	69.5728	9.8	705.1	381	56815.	683	0.6	0.2	2.7	0.1	0.1	5.0	19	0.6	
48499	0	0	1	0	0s	47.0243	69.5728	9.8	705.0	383	56815.	776	0.6	0.1	5.1	0.1	0.1	9.9	24	0.5	
48500	0	0	1	0	0s	47.0249	69.5728	9.8	704.9	387	56815.	820	0.6	0.3	3.7	0.1	0.1	6.2	28	0.5	
48501	0	0	1	0	0s	47.0254	69.5728	9.8	704.7	392	56815.	671	0.5	0.0	2.7	0.1	0.1	0.1	25	0.5	
48502	0	0	1	0	0s	47.0259	69.5728	9.8	704.6	396	56815.	674	0.6	-0.3	3.5	0.1	0.1	6.5	31	0.4	

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
48503	0	0	1	0	Os	47.0264	69.5728	9.8	704.5	400	56816.	678	0.5	0.0	2.0	0.1	0.1	0.1	28	0.3
48504	0	0	1	0	Os	47.0269	69.5728	9.8	704.4	404	56816.	726	0.6	0.2	1.9	0.1	0.1	3.2	19	0.3
48505	0	0	0	0	Os	47.0274	69.5728	9.8	704.3	408	56816.	709	0.4	0.9	2.6	0.1	0.4	0.1	22	0.2
48506	0	0	0	0	Os	47.0279	69.5728	9.8	704.2	410	56816.	717	0.4	1.4	2.4	0.1	0.6	0.1	20	0.2
48507	0	0	0	0	Os	47.0284	69.5728	9.8	704.1	411	56818.	746	0.5	1.3	3.7	0.1	0.4	0.1	20	0.2
48508	0	0	1	0	Os	47.0289	69.5728	9.8	704.0	412	56818.	723	0.6	0.9	2.1	0.1	0.1	3.4	20	0.2
48509	0	0	0	0	Os	47.0294	69.5728	9.8	703.9	413	56818.	708	0.5	1.7	5.0	0.1	0.4	0.1	27	0.2
48510	0	0	0	0	Os	47.0299	69.5728	9.8	703.8	413	56820.	698	0.6	1.1	2.8	2.1	0.4	5.3	25	0.2
48511	0	0	1	0	Os	47.0305	69.5728	9.8	703.7	413	56820.	733	0.5	0.6	2.3	0.1	0.1	0.1	28	0.3
48512	0	0	1	0	Os	47.0310	69.5728	9.8	703.6	417	56820.	693	0.7	0.3	2.3	0.1	0.1	3.7	31	0.3
48513	0	0	0	0	Os	47.0315	69.5729	9.7	703.5	416	56820.	773	0.6	1.7	2.6	3.3	0.7	5.1	37	0.3
48514	0	0	0	0	Os	47.0320	69.5729	9.7	703.4	414	56821.	854	0.4	2.6	3.3	0.1	0.8	0.1	17	0.4
48515	0	0	1	0	DSu	47.0325	69.5729	9.7	703.3	406	56821.	810	0.7	0.6	2.7	0.1	0.1	3.9	24	0.4
48516	0	0	1	0	DSu	47.0330	69.5729	9.7	703.2	404	56821.	765	0.8	0.5	2.9	0.1	0.1	3.8	25	0.4
48517	0	0	0	0	DSu	47.0335	69.5729	9.7	703.1	402	56821.	784	0.6	1.5	2.6	2.7	0.6	4.9	29	0.3
48518	0	0	1	0	DSu	47.0340	69.5729	9.7	702.9	401	56820.	767	0.6	0.8	2.7	0.1	0.1	5.1	30	0.3
48519	0	0	0	0	DSu	47.0345	69.5729	9.7	702.8	402	56820.	771	0.5	2.0	3.0	0.1	0.7	0.1	25	0.3
48520	0	0	1	0	DSu	47.0350	69.5729	9.7	702.7	406	56820.	729	0.4	0.1	2.6	0.1	0.1	0.1	28	0.4
48521	0	0	0	0	DSu	47.0355	69.5729	9.7	702.6	411	56820.	701	0.4	1.8	2.6	0.1	0.7	0.1	30	0.4
48522	0	0	1	0	DSu	47.0360	69.5729	9.7	702.5	414	56821.	758	0.4	0.7	2.3	0.1	0.1	0.1	22	0.4
48523	0	0	1	0	DSu	47.0366	69.5729	9.7	702.4	414	56821.	723	0.6	1.0	2.1	0.1	0.1	3.4	28	0.4
48524	0	0	1	0	DSu	47.0371	69.5729	9.7	702.3	412	56820.	712	0.6	0.3	3.1	0.1	0.1	6.0	21	0.3
48525	0	0	0	0	DSu	47.0376	69.5729	9.7	702.1	409	56820.	777	0.4	1.1	2.7	0.1	0.4	0.1	27	0.4
48526	0	0	0	0	DSu	47.0381	69.5729	9.7	702.0	408	56820.	736	0.5	1.7	2.4	0.1	0.8	0.1	18	0.4
48527	0	0	0	0	DSu	47.0386	69.5729	9.7	701.9	408	56819.	637	0.3	1.3	3.1	0.1	0.5	0.1	29	0.4
48528	0	0	1	0	DSu	47.0391	69.5729	9.7	701.8	411	56819.	677	0.5	0.7	1.9	0.1	0.1	0.1	37	0.4
48529	0	0	1	0	DSu	47.0396	69.5729	9.7	701.7	413	56820.	667	0.5	0.7	1.7	0.1	0.1	0.1	23	0.4
48530	0	0	0	0	DSu	47.0401	69.5729	9.7	701.6	416	56820.	658	0.4	1.6	2.8	0.1	0.6	0.1	25	0.5
48531	0	0	1	0	DSu	47.0406	69.5729	9.7	701.5	418	56820.	664	0.6	1.0	3.6	0.1	0.1	6.5	21	0.5
48532	0	0	1	0	DSu	47.0411	69.5729	9.7	701.4	419	56821.	705	0.4	0.9	2.5	0.1	0.1	0.1	19	0.5
48533	0	0	0	1	DSu	47.0416	69.5729	9.7	701.4	418	56821.	662	0.6	1.2	1.2	2.2	0.1	0.1	29	0.6
48534	0	0	1	0	DSu	47.0421	69.5729	9.7	701.3	416	56820.	683	0.6	0.2	3.5	0.1	0.1	6.0	32	0.6
48535	0	0	1	0	DSu	47.0427	69.5729	9.7	701.3	414	56820.	735	0.6	-0.5	2.3	0.1	0.1	4.4	22	0.6
48536	0	0	1	0	DSu	47.0432	69.5729	9.7	701.2	413	56820.	691	0.6	-0.2	3.1	0.1	0.1	5.6	22	0.6
48537	0	0	1	0	DSu	47.0437	69.5729	9.7	701.2	412	56819.	735	0.7	-0.6	2.9	0.1	0.1	4.3	32	0.5
48538	0	0	1	0	DSu	47.0442	69.5729	9.7	701.2	410	56819.	720	0.5	0.9	3.7	0.1	0.1	0.1	21	0.5
48539	0	0	0	0	DSu	47.0447	69.5729	9.7	701.2	409	56819.	727	0.4	1.5	2.5	0.1	0.6	0.1	33	0.5
48540	0	0	0	0	DSu	47.0452	69.5729	9.7	701.2	407	56820.	816	0.6	1.9	3.4	3.3	0.6	5.8	24	0.6
48541	0	0	1	0	DSu	47.0457	69.5729	9.7	701.2	407	56820.	735	0.4	1.0	2.8	0.1	0.1	0.1	23	0.6
48542	0	0	1	0	DSu	47.0462	69.5729	9.7	701.2	406	56821.	668	0.5	0.8	1.8	0.1	0.1	0.1	34	0.7
48543	0	0	0	0	DSu	47.0467	69.5729	9.7	701.2	406	56821.	678	0.4	1.0	3.1	0.1	0.4	0.1	31	0.7
48544	0	0	1	1	DSu	47.0472	69.5729	9.4	700.5	412	56823.	702	0.6	-0.3	1.3	0.1	0.1	0.1	22	0.8
48545	0	0	1	0	DSu	47.0477	69.5729	9.4	700.5	415	56825.	730	0.6	0.0	5.1	0.1	0.1	9.8	18	0.8
48546	0	0	0	0	DSu	47.0483	69.5729	9.4	700.4	420	56826.	764	0.7	1.1	2.2	1.6	0.5	3.3	27	0.8
48547	0	0	0	1	DSu	47.0488	69.5729	9.4	700.4	424	56826.	703	0.6	2.6	0.3	5.0	0.1	0.1	26	0.9
48548	0	0	1	0	DSu	47.0493	69.5729	9.4	700.3	429	56826.	713	0.3	0.5	4.9	0.1	0.1	0.1	24	0.9
48549	0	0	1	0	DSu	47.0498	69.5729	9.4	700.3	432	56825.	613	0.5	0.8	2.9	0.1	0.1	0.1	18	0.9
48550	0	0	1	1	DSu	47.0503	69.5729	9.4	700.2	433	56825.	615	0.4	0.6	0.2	0.1	0.1	0.1	33	0.9
48551	0	0	1	1	DSu	47.0508	69.5729	9.4	700.2	432	56824.	595	0.5	0.4	1.4	0.1	0.1	0.1	29	0.9
48552	0	0	1	0	DSu	47.0513	69.5729	9.4	700.1	431	56822.	608	0.4	0.4	3.5	0.1	0.1	0.1	33	0.9

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
48553	0	0	0	0	DSu	47.0518	69.5729	9.4	700.0	430	56820.	661	0.6	1.3	3.3	2.3	0.5	5.7	17	0.9
48554	0	0	0	0	DSu	47.0523	69.5729	9.4	699.9	431	56821.	681	0.6	1.4	2.0	2.8	0.8	3.9	21	1.0
48555	0	0	1	0	DSu	47.0528	69.5729	9.4	699.8	433	56822.	672	0.6	-0.1	2.4	0.1	0.1	4.3	30	1.0
48556	0	0	1	0	DSu	47.0533	69.5729	9.4	699.7	435	56823.	599	0.5	0.1	3.3	0.1	0.1	0.1	32	1.0
48557	0	0	1	0	DSu	47.0538	69.5729	9.4	699.7	438	56823.	630	0.6	0.3	2.0	0.1	0.1	3.8	31	1.0
48558	0	0	1	1	DSu	47.0544	69.5729	9.3	699.6	442	56822.	586	0.3	0.9	1.3	0.1	0.1	0.1	22	1.0
48560	0	0	1	0	DSu	47.0554	69.5729	9.3	699.5	448	56822.	639	0.6	0.1	2.4	0.1	0.1	4.2	21	1.0
48561	0	0	1	0	DSu	47.0559	69.5729	9.3	699.4	457	56821.	620	0.6	0.3	4.4	0.1	0.1	8.5	28	1.0
48562	0	0	1	0	DSu	47.0564	69.5729	9.3	699.3	467	56821.	730	0.5	1.0	2.3	0.1	0.1	0.1	33	1.0
48563	0	0	1	0	DSu	47.0569	69.5729	9.3	699.3	476	56822.	700	0.4	0.5	2.6	0.1	0.1	0.1	25	1.0
48564	0	0	0	1	DSu	47.0574	69.5730	9.3	699.2	475	56823.	647	0.6	1.3	1.3	2.4	0.1	0.1	19	1.0
48565	0	0	1	1	DSu	47.0579	69.5730	9.3	699.1	471	56823.	688	0.5	0.5	1.2	0.1	0.1	0.1	35	1.0
48566	0	0	1	0	DSu	47.0584	69.5730	9.3	699.1	465	56822.	648	0.5	0.5	2.6	0.1	0.1	0.1	21	1.0
48567	0	0	1	0	DSu	47.0589	69.5730	9.3	699.0	463	56821.	688	0.6	0.5	3.3	0.1	0.1	5.4	19	0.9
48568	0	0	1	0	DSu	47.0594	69.5730	9.3	699.0	463	56821.	660	0.5	-0.6	2.2	0.1	0.1	0.1	27	0.9
48569	0	0	1	0	DSu	47.0599	69.5730	9.3	698.9	467	56821.	680	0.4	0.5	2.6	0.1	0.1	0.1	25	0.8
48570	0	0	1	1	DSu	47.0605	69.5730	9.3	698.9	469	56821.	588	0.5	0.3	1.3	0.1	0.1	0.1	26	0.8
48571	0	0	1	0	DSu	47.0610	69.5730	9.3	698.9	470	56820.	564	0.4	0.1	1.6	0.1	0.1	0.1	19	0.8
48572	0	0	1	0	DSu	47.0615	69.5730	9.3	698.9	466	56819.	623	0.5	0.1	2.9	0.1	0.1	0.1	30	0.8
48573	0	0	1	0	DSu	47.0620	69.5730	9.3	698.9	462	56819.	622	0.3	0.6	2.6	0.1	0.1	0.1	31	0.7
48574	0	1	0	0	DSu	47.0625	69.5730	9.3	698.9	456	56820.	666	0.2	1.8	2.3	0.1	0.8	0.1	25	0.7
48575	0	0	0	0	DSu	47.0630	69.5730	9.3	698.9	450	56822.	715	0.5	1.3	1.9	0.1	0.7	0.1	23	0.6
48576	0	0	1	0	DSu	47.0635	69.5730	9.3	698.9	440	56823.	664	0.5	0.3	2.2	0.1	0.1	0.1	28	0.6
48577	0	0	1	0	DSu	47.0640	69.5730	9.3	698.9	433	56822.	749	0.6	0.9	2.8	0.1	0.1	5.3	29	0.6
48578	0	0	1	0	DSu	47.0645	69.5730	9.3	698.9	427	56823.	748	0.6	0.2	3.7	0.1	0.1	6.5	22	0.6
48579	0	0	0	0	DSu	47.0650	69.5730	9.3	698.9	423	56823.	744	0.5	1.4	2.6	0.1	0.6	0.1	22	0.5
48580	0	0	1	0	DSu	47.0655	69.5730	9.3	698.8	419	56822.	643	0.2	0.3	2.3	0.1	0.1	0.1	30	0.5
48581	0	0	1	0	DSu	47.0660	69.5730	9.3	698.8	416	56822.	724	0.3	0.5	3.9	0.1	0.1	0.1	16	0.4
48582	0	0	1	0	DSu	47.0666	69.5730	9.3	698.8	410	56822.	696	0.5	0.3	2.4	0.1	0.1	0.1	22	0.4
48583	0	0	1	0	DSu	47.0671	69.5730	9.3	698.7	406	56821.	650	0.8	0.6	3.7	0.1	0.1	5.2	22	0.4
48584	0	0	0	0	DSu	47.0676	69.5730	9.3	698.7	399	56822.	678	0.4	1.0	1.8	0.1	0.6	0.1	33	0.4
48585	0	0	1	0	DSu	47.0681	69.5730	9.3	698.6	397	56822.	671	0.6	0.7	1.4	0.1	0.1	2.6	19	0.4
48586	0	0	1	0	DSu	47.0686	69.5730	9.3	698.6	395	56823.	682	0.6	0.8	2.7	0.1	0.1	4.9	33	0.3
48587	0	0	1	0	DSu	47.0691	69.5730	9.3	698.6	394	56824.	721	0.6	0.5	2.3	0.1	0.1	3.7	27	0.5
48588	0	0	1	0	DSu	47.0696	69.5730	9.3	698.5	392	56825.	737	0.6	0.6	3.5	0.1	0.1	6.7	28	0.7
48589	0	0	0	0	DSu	47.0701	69.5730	9.3	698.5	391	56827.	726	0.6	1.0	1.4	1.8	0.7	2.5	18	0.9
48590	0	0	1	0	DSu	47.0706	69.5730	9.3	698.4	392	56828.	782	0.6	0.7	3.1	0.1	0.1	5.3	33	1.1
48591	0	0	1	0	DSu	47.0711	69.5730	9.3	698.4	392	56829.	788	0.7	0.9	3.0	0.1	0.1	4.3	29	1.2
48592	0	0	1	0	DSu	47.0716	69.5730	9.2	698.4	387	56829.	852	1.0	0.3	2.6	0.1	0.1	2.7	31	1.5
48593	0	0	1	0	DSu	47.0722	69.5730	9.2	698.4	379	56830.	839	0.7	0.3	3.1	0.1	0.1	4.6	22	1.7
48594	0	0	0	0	DSu	47.0727	69.5730	9.2	698.4	367	56832.	842	0.7	1.3	4.5	1.9	0.3	6.5	21	1.9
48595	0	0	1	0	DSu	47.0732	69.5730	9.2	698.4	355	56833.	853	0.7	-0.1	3.5	0.1	0.1	5.6	35	2.2
48596	0	0	1	0	DSu	47.0737	69.5730	9.2	698.4	345	56833.	780	0.7	0.1	3.7	0.1	0.1	5.3	30	2.4
48597	0	0	0	0	DSu	47.0742	69.5730	9.2	698.4	338	56832.	826	0.5	1.1	3.3	0.1	0.4	0.1	32	2.7
48598	0	0	0	0	DSu	47.0747	69.5730	9.2	698.4	335	56832.	803	0.6	1.1	3.0	1.9	0.4	5.6	23	2.9
48599	0	0	1	0	DSu	47.0752	69.5730	9.2	698.4	333	56831.	862	0.8	0.6	2.5	0.1	0.1	3.6	20	3.2
48600	1	1	1	1	DSu	47.0757	69.5730	9.2	698.4	333	56831.	826	0.6	0.1	2.9	0.1	0.1	0.1	33	3.5
48601	0	0	0	0	DSu	47.0762	69.5730	9.1	698.4	342	56827.	871	0.9	1.5	3.4	1.7	0.5	4.1	34	3.8
48602	0	0	1	0	DSu	47.0767	69.5730	9.1	698.5	352	56825.	988	0.9	0.7	5.2	0.1	0.1	5.8	20	4.1
48603	0	0	1	0	DSu	47.0772	69.5730	9.1	698.5	366	56825.	941	0.8	0.5	3.2	0.1	0.1	4.2	19	4.4

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI	
												CPS	%	PPM	PPM					CPS	CPS
48604	0	0	1	0	DSU	47.0777	69.5730	9.1	698.5	383	56825.	941	0.7	0.9	3.6	0.1	0.1	5.3	29	4.7	
48605	0	0	0	0	DSU	47.0783	69.5730	9.1	698.6	400	56826.	923	0.9	1.5	2.7	1.8	0.6	3.2	16	5.0	
48606	0	0	1	0	DSU	47.0788	69.5730	9.1	698.7	418	56826.	910	0.9	0.0	3.4	0.1	0.1	4.3	47	5.3	
48607	0	0	1	0	DSU	47.0793	69.5730	9.1	698.8	432	56826.	855	0.8	-0.4	2.9	0.1	0.1	3.9	27	5.7	
48608	0	0	1	0	DSU	47.0798	69.5730	9.1	698.8	444	56825.	860	0.6	-0.2	3.0	0.1	0.1	5.4	23	5.9	
48609	0	0	1	0	DSU	47.0803	69.5731	9.1	698.9	454	56825.	935	0.8	1.0	4.0	0.1	0.1	5.2	36	6.2	
48610	0	0	1	0	DSU	47.0808	69.5731	9.1	699.0	459	56826.	926	0.7	0.2	3.4	0.1	0.1	5.2	24	6.5	
48611	0	0	1	0	DSU	47.0813	69.5731	9.1	699.0	461	56826.	872	0.7	0.3	3.5	0.1	0.1	5.7	24	6.9	
48612	0	0	1	0	DSU	47.0818	69.5731	9.1	699.1	460	56824.	868	0.8	0.3	3.6	0.1	0.1	4.6	19	7.0	
48613	0	0	1	0	DSU	47.0823	69.5731	9.1	699.2	461	56823.	891	0.7	0.7	3.5	0.1	0.1	5.4	29	7.2	
48614	0	0	1	0	DSU	47.0828	69.5731	9.1	699.3	464	56821.	791	0.6	0.6	1.8	0.1	0.1	3.3	29	7.3	
48615	0	0	1	0	DSU	47.0833	69.5731	9.1	699.3	470	56820.	835	0.6	0.4	3.0	0.1	0.1	5.0	34	7.5	
48616	0	0	1	0	DSU	47.0838	69.5731	9.1	699.4	479	56820.	829	0.5	0.8	3.3	0.1	0.1	0.1	30	7.6	
48617	0	0	1	0	DSU	47.0844	69.5731	9.1	699.5	483	56822.	778	0.5	-0.4	2.9	0.1	0.1	0.1	30	7.7	
48618	0	0	1	0	DSU	47.0849	69.5731	9.1	699.6	480	56823.	787	0.9	-0.6	1.7	0.1	0.1	1.9	25	7.9	
48619	0	0	1	0	DSU	47.0854	69.5731	9.1	699.7	470	56824.	727	0.6	-1.3	3.8	0.1	0.1	6.2	30	8.0	
48620	0	0	1	0	DSU	47.0859	69.5731	9.1	699.8	458	56826.	806	0.8	0.1	1.9	0.1	0.1	2.6	29	8.0	
48621	0	0	1	1	DSU	47.0864	69.5731	9.1	699.9	447	56827.	695	0.5	-0.5	1.0	0.1	0.1	0.1	31	8.1	
48622	0	0	1	0	DSU	47.0869	69.5731	9.1	700.0	439	56826.	719	0.6	0.0	3.7	0.1	0.1	6.4	25	8.3	
48623	0	0	1	0	DSU	47.0874	69.5731	9.1	700.1	435	56826.	739	0.4	-0.1	3.1	0.1	0.1	0.1	14	8.4	
48624	0	0	1	0	DSU	47.0879	69.5731	9.1	700.2	433	56826.	726	0.4	0.1	3.0	0.1	0.1	0.1	23	8.6	
48625	0	0	1	0	DSU	47.0884	69.5730	9.1	700.3	429	56826.	642	0.7	-0.4	2.1	0.1	0.1	3.2	33	8.7	
48626	0	0	1	0	DSU	47.0889	69.5730	9.1	700.4	423	56826.	648	0.6	-0.2	2.4	0.1	0.1	4.6	33	8.8	
48627	0	0	1	0	DSU	47.0894	69.5730	9.1	700.5	414	56825.	654	0.4	-1.0	1.8	0.1	0.1	0.1	27	8.9	
48628	0	0	1	1	DSU	47.0899	69.5730	9.1	700.6	403	56825.	671	0.5	0.6	1.2	0.1	0.1	0.1	33	9.0	
48629	0	0	1	1	DSU	47.0904	69.5730	9.1	700.7	393	56825.	652	0.5	-0.1	1.1	0.1	0.1	0.1	31	9.1	
48630	0	0	1	0	DSU	47.0909	69.5730	9.1	700.8	385	56825.	671	0.4	-0.2	4.1	0.1	0.1	0.1	28	9.2	
48631	0	0	1	0	DSU	47.0914	69.5730	9.1	700.9	378	56825.	651	0.5	-0.4	2.9	0.1	0.1	0.1	14	9.2	
48632	0	0	1	0	DSU	47.0919	69.5730	9.1	701.1	374	56825.	688	0.4	-0.3	4.2	0.1	0.1	0.1	25	9.3	
48633	0	0	1	0	DSU	47.0924	69.5730	9.1	701.2	370	56825.	615	0.6	-0.1	1.4	0.1	0.1	2.5	31	9.2	
48634	0	0	1	1	DSU	47.0929	69.5730	9.1	701.3	364	56825.	602	0.4	0.6	1.1	0.1	0.1	0.1	24	9.0	
48635	0	0	1	0	DSU	47.0934	69.5730	9.1	701.4	356	56825.	672	0.4	-0.5	2.9	0.1	0.1	0.1	15	8.9	
48636	0	0	1	0	DSU	47.0939	69.5730	9.1	701.5	348	56826.	667	0.7	0.1	3.0	0.1	0.1	4.8	23	8.7	
48637	0	0	1	0	DSU	47.0944	69.5730	9.1	701.6	343	56824.	619	0.5	-0.2	2.3	0.1	0.1	0.1	34	8.5	
48638	0	0	1	0	DSU	47.0949	69.5730	9.1	701.6	335	56823.	727	0.5	-0.6	3.5	0.1	0.1	0.1	31	8.3	
48639	0	0	1	0	DSU	47.0954	69.5730	9.1	701.7	330	56823.	735	0.6	0.6	4.4	0.1	0.1	8.6	21	8.1	
48640	0	0	1	0	DSU	47.0959	69.5730	9.1	701.7	324	56822.	672	0.5	0.2	1.9	0.1	0.1	0.1	26	7.9	
48641	0	0	1	0	DSU	47.0964	69.5729	9.1	701.7	322	56823.	691	0.5	-0.4	1.6	0.1	0.1	0.1	23	7.7	
48642	0	0	1	0	DSU	47.0969	69.5729	9.1	701.7	316	56824.	697	0.5	-0.3	3.5	0.1	0.1	0.1	22	7.4	
48643	0	0	1	0	DSU	47.0975	69.5729	9.1	701.7	311	56824.	642	0.6	0.6	2.0	0.1	0.1	3.5	41	7.2	
48644	0	0	1	0	DSU	47.0979	69.5729	9.1	701.7	308	56823.	659	0.5	-0.1	1.4	0.1	0.1	0.1	26	7.0	
48645	0	0	1	0	DSU	47.0984	69.5729	9.1	701.7	310	56823.	675	0.5	-0.4	2.6	0.1	0.1	0.1	28	6.8	
48646	0	0	1	0	DSU	47.0989	69.5729	9.1	701.7	315	56822.	663	0.7	0.1	3.5	0.1	0.1	5.2	28	6.6	
48647	0	0	1	0	DSU	47.0995	69.5729	9.1	701.6	319	56821.	646	0.4	-0.7	2.9	0.1	0.1	0.1	33	6.3	
48648	0	0	1	0	DSU	47.1000	69.5729	9.1	701.6	322	56821.	638	0.4	0.0	3.2	0.1	0.1	0.1	25	6.0	
48649	0	0	1	0	DSU	47.1005	69.5729	9.1	701.6	327	56822.	614	0.5	-0.7	2.8	0.1	0.1	0.1	23	5.7	
48651	0	0	1	0	DSU	47.1015	69.5729	9.1	701.6	334	56822.	649	0.6	-0.1	3.2	0.1	0.1	5.8	31	5.5	
48652	0	0	1	0	DSU	47.1020	69.5729	9.1	701.6	340	56822.	674	0.6	-0.1	1.5	0.1	0.1	2.9	23	5.2	
48653	0	0	1	0	DSU	47.1025	69.5729	9.1	701.6	340	56821.	652	0.6	0.7	2.2	0.1	0.1	4.3	19	4.9	
48654	0	0	1	0	DSU	47.1030	69.5729	9.1	701.5	341	56821.	599	0.4	0.5	1.2	0.1	0.1	0.1	19	4.7	

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
48655	0	0	1	1	DSU	47.1035	69.5729	9.1	701.6	344	56821.	587	0.5	0.5	1.1	0.1	0.1	0.1	29	4.4
48656	0	0	1	0	DSU	47.1040	69.5729	9.1	701.6	347	56821.	658	0.4	-0.6	2.6	0.1	0.1	0.1	32	4.1
48657	0	0	1	0	DSU	47.1045	69.5729	9.1	701.6	350	56822.	672	0.6	0.9	3.5	0.1	0.1	6.4	21	3.9
48658	0	0	1	0	DSU	47.1050	69.5729	9.1	700.7	352	56822.	687	0.4	-0.1	3.0	0.1	0.1	0.1	25	3.6
48659	0	0	1	0	DSU	47.1055	69.5728	9.1	700.5	349	56821.	691	0.5	0.8	2.0	0.1	0.1	0.1	22	3.5
48660	0	0	1	0	DSU	47.1060	69.5728	9.1	700.3	349	56821.	729	0.5	0.3	1.6	0.1	0.1	0.1	23	3.5
48661	0	0	0	0	DSU	47.1065	69.5728	9.1	700.2	350	56820.	728	0.5	0.9	2.8	0.1	0.4	0.1	20	3.5
48662	0	0	1	0	DSU	47.1070	69.5728	9.1	700.0	354	56820.	685	0.5	-0.3	2.2	0.1	0.1	0.1	25	3.4
48663	0	0	0	0	DSU	47.1075	69.5728	9.1	699.8	359	56820.	697	0.5	1.4	1.9	0.1	0.8	0.1	28	3.4
48664	0	0	0	0	DSU	47.1080	69.5728	9.1	699.6	364	56818.	699	0.6	0.9	3.5	1.7	0.3	6.7	23	3.4
48665	0	0	0	0	DSU	47.1085	69.5728	9.1	699.4	369	56818.	721	0.5	1.2	2.3	0.1	0.6	0.1	28	3.4
48666	0	0	0	0	DSU	47.1090	69.5728	9.1	699.2	373	56818.	751	0.4	1.5	3.0	0.1	0.6	0.1	18	3.4
48667	0	0	1	0	DSU	47.1095	69.5728	9.1	699.0	377	56819.	731	0.5	0.0	2.3	0.1	0.1	0.1	30	3.4
48668	0	0	1	0	DSU	47.1100	69.5728	9.1	698.8	385	56819.	745	0.6	0.3	4.4	0.1	0.1	8.4	31	3.4
48669	0	0	1	0	DSU	47.1105	69.5728	9.1	698.6	395	56820.	701	0.6	0.4	2.2	0.1	0.1	3.9	24	3.3
48670	0	0	1	0	DSU	47.1110	69.5728	9.1	698.4	406	56820.	723	0.7	0.6	2.5	0.1	0.1	4.1	29	3.3
48671	0	0	1	0	DSU	47.1115	69.5728	9.1	698.3	416	56821.	703	0.4	0.2	4.0	0.1	0.1	0.1	31	3.3
48672	0	0	1	1	DSU	47.1120	69.5728	9.1	698.1	422	56821.	720	0.6	0.9	1.0	0.1	0.1	0.1	29	3.3
48673	0	0	1	0	DSU	47.1125	69.5728	9.1	698.0	427	56821.	692	0.6	0.3	1.5	0.1	0.1	2.6	23	3.2
48674	0	0	1	0	DSU	47.1130	69.5728	9.1	697.9	432	56822.	693	0.8	0.1	2.1	0.1	0.1	3.0	32	3.2
48675	0	0	1	0	DSU	47.1135	69.5728	9.1	697.7	439	56822.	759	0.7	-0.1	4.6	0.1	0.1	7.1	35	3.2
48676	0	0	1	1	DSU	47.1140	69.5728	9.1	697.6	441	56823.	749	0.7	-0.1	1.5	0.1	0.1	0.1	19	3.2
48677	0	0	1	0	DSU	47.1145	69.5727	9.1	697.5	439	56822.	703	0.5	0.5	2.7	0.1	0.1	0.1	26	3.1
48678	0	0	1	0	DSU	47.1150	69.5727	9.1	697.3	433	56820.	779	0.7	0.3	2.1	0.1	0.1	3.1	22	3.1
48679	0	0	1	0	DSU	47.1155	69.5727	9.1	697.2	427	56819.	726	0.6	0.8	2.0	0.1	0.1	3.9	12	3.2
48680	0	0	1	0	DSU	47.1160	69.5727	9.1	697.1	421	56819.	755	0.5	0.3	2.9	0.1	0.1	0.1	29	3.2

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
44960	0	0	1	0	DSU	47.0002	69.1891	8.0	699.8	311	56845.	795	0.6	0.2	2.5	0.1	0.1	4.9	22	0.0
44959	0	0	0	0	DSU	47.0005	69.1890	8.0	699.7	305	56845.	845	0.6	1.5	3.4	2.9	0.5	6.7	27	0.0
44958	0	0	0	0	DSU	47.0008	69.1890	8.0	699.5	300	56844.	883	0.6	1.8	2.3	3.0	0.8	3.7	29	0.0
44957	0	0	0	0	DSU	47.0011	69.1890	8.0	699.3	296	56844.	838	0.7	1.1	3.2	1.7	0.4	5.0	29	0.0
44956	0	0	1	0	DSU	47.0014	69.1890	8.0	699.1	292	56843.	902	0.6	0.7	2.9	0.1	0.1	4.9	26	0.0
44955	0	0	1	0	DSU	47.0016	69.1890	8.0	699.0	287	56843.	885	0.6	0.8	5.2	0.1	0.1	8.8	31	0.0
44954	0	0	1	0	DSU	47.0019	69.1890	8.0	698.8	284	56842.	878	0.7	0.4	3.7	0.1	0.1	6.0	26	0.0
44953	0	0	0	0	DSU	47.0022	69.1890	8.0	698.7	279	56842.	843	0.6	1.0	3.4	1.7	0.3	6.0	26	0.0
44952	0	0	0	0	DSU	47.0025	69.1890	8.0	698.5	273	56842.	918	0.8	1.8	3.5	2.3	0.6	4.5	26	0.0
44950	0	0	0	0	DSU	47.0031	69.1890	8.0	698.4	267	56842.	894	0.8	1.6	3.6	2.2	0.5	5.0	28	0.0
44949	0	0	1	0	DSU	47.0034	69.1890	8.0	698.3	263	56842.	952	0.9	0.6	4.5	0.1	0.1	5.6	24	0.0
44948	0	0	0	0	DSU	47.0037	69.1889	8.0	698.2	261	56842.	971	0.8	0.9	5.6	1.2	0.2	7.7	27	0.0
44947	0	0	0	0	DSU	47.0039	69.1889	8.0	698.1	261	56841.	991	1.1	1.1	5.3	1.1	0.3	5.1	37	0.0
44946	0	0	1	0	DSU	47.0042	69.1889	8.0	698.0	262	56841.	1017	1.0	0.6	3.7	0.1	0.1	3.9	33	0.0
44945	0	0	0	0	DSU	47.0045	69.1889	8.0	697.9	265	56841.	1007	0.9	1.3	4.9	1.5	0.3	5.6	27	0.0
44944	0	0	1	0	DSU	47.0048	69.1889	8.0	697.8	270	56842.	1010	0.9	0.8	5.3	0.1	0.1	6.4	23	0.0
44943	0	0	0	0	DSU	47.0051	69.1889	8.0	697.7	276	56841.	952	0.9	1.2	3.6	1.4	0.4	4.1	28	0.0
44942	0	0	1	0	DSU	47.0054	69.1889	8.0	697.7	285	56841.	1039	0.8	0.7	4.2	0.1	0.1	5.4	22	0.0
44941	0	0	0	0	DSU	47.0056	69.1889	8.0	697.6	295	56842.	923	0.9	0.9	3.8	1.1	0.3	4.3	27	0.0
44940	0	0	0	0	DSU	47.0059	69.1889	8.0	697.6	307	56840.	916	0.7	1.3	3.7	2.0	0.4	5.6	29	0.0
44939	0	0	0	0	DSU	47.0062	69.1889	8.0	697.6	316	56840.	942	0.8	1.5	3.7	1.9	0.4	4.8	30	0.0
44938	0	0	1	0	DSU	47.0065	69.1889	8.0	697.6	325	56842.	896	0.6	0.9	3.5	0.1	0.1	5.8	24	0.0
44937	0	0	0	0	DSU	47.0068	69.1889	8.0	697.7	331	56843.	913	0.7	0.9	4.2	1.4	0.3	6.8	28	0.0
44936	0	0	0	0	DSU	47.0071	69.1888	8.0	697.7	335	56842.	875	0.7	1.7	2.3	2.8	0.8	3.8	20	0.0
44935	0	0	1	0	DSU	47.0074	69.1888	8.0	697.8	337	56843.	916	0.6	0.6	4.3	0.1	0.1	8.1	21	0.0
44934	0	0	0	0	DSU	47.0077	69.1888	8.0	697.9	337	56847.	917	0.9	1.6	4.6	2.0	0.4	5.5	36	0.0
44933	0	0	1	0	DSU	47.0079	69.1888	8.0	698.0	336	56853.	880	0.8	0.9	4.5	0.1	0.1	6.3	29	0.0
44932	0	0	0	0	DSU	47.0082	69.1888	8.0	698.1	335	56856.	868	0.8	1.1	2.5	1.5	0.5	3.6	21	0.0
44931	0	0	0	0	DSU	47.0085	69.1888	8.0	698.2	332	56856.	953	0.7	1.3	3.7	1.8	0.4	5.3	27	0.0
44930	0	0	0	0	DSU	47.0088	69.1888	8.0	698.3	329	56857.	897	0.9	1.0	4.6	1.2	0.3	5.8	23	0.0
44929	0	0	1	0	DSU	47.0091	69.1888	8.0	698.5	324	56857.	882	0.8	0.2	3.7	0.1	0.1	4.7	23	0.0
44928	0	0	1	0	DSU	47.0094	69.1888	8.0	698.6	319	56857.	892	0.9	0.4	2.9	0.1	0.1	3.4	25	0.0
44927	0	0	1	0	DSU	47.0097	69.1888	8.0	698.7	314	56857.	920	0.7	0.7	3.7	0.1	0.1	5.8	21	0.0
44926	0	0	1	0	DSU	47.0099	69.1887	8.0	698.8	314	56856.	933	0.8	0.3	4.6	0.1	0.1	5.7	33	0.0
44925	0	0	0	0	DSU	47.0102	69.1887	8.0	698.9	318	56855.	921	1.1	1.3	4.4	1.3	0.3	4.3	27	0.0
44924	0	0	0	0	DSU	47.0105	69.1887	8.0	699.0	325	56855.	900	0.8	1.4	4.1	2.0	0.4	5.7	26	0.0
44923	0	0	0	0	DSU	47.0108	69.1887	8.0	699.1	334	56857.	844	0.7	1.2	2.5	1.8	0.5	3.7	27	0.0
44922	0	0	0	0	DSU	47.0111	69.1887	8.0	699.1	341	56857.	866	0.6	1.5	4.6	2.5	0.4	7.8	29	0.0
44921	0	0	0	0	DSU	47.0114	69.1887	8.0	699.2	348	56854.	801	0.7	1.6	3.6	2.4	0.5	5.6	12	0.0
44920	0	0	0	0	DSU	47.0117	69.1887	8.0	699.3	355	56851.	722	0.5	1.2	3.2	0.1	0.4	0.1	30	0.0
44919	0	0	1	0	DSU	47.0119	69.1887	8.0	699.3	362	56847.	713	0.5	0.6	2.7	0.1	0.1	0.1	18	0.0
44918	0	0	0	0	DSU	47.0122	69.1887	8.0	699.4	368	56845.	723	0.5	1.1	4.3	0.1	0.3	0.1	17	0.0
44917	0	0	0	0	DSU	47.0125	69.1887	8.0	699.4	369	56845.	646	0.4	1.2	1.6	0.1	0.8	0.1	21	0.0
44916	0	0	0	0	DSU	47.0128	69.1887	8.1	699.0	372	56845.	656	0.5	2.1	1.7	0.1	1.3	0.1	30	0.0
44915	0	0	1	0	DSU	47.0131	69.1886	8.1	699.1	376	56845.	627	0.4	0.0	3.4	0.1	0.1	0.1	21	0.0
44914	0	0	0	0	DSU	47.0134	69.1886	8.1	699.1	378	56844.	684	0.4	1.0	2.9	0.1	0.4	0.1	25	0.0
44913	0	0	0	0	DSU	47.0137	69.1886	8.1	699.1	380	56845.	685	0.3	1.3	3.5	0.1	0.4	0.1	25	0.0
44912	0	0	0	0	DSU	47.0140	69.1886	8.1	699.0	377	56845.	804	0.6	1.7	2.6	2.9	0.7	4.7	30	0.0
44911	0	0	1	0	DSU	47.0142	69.1886	8.1	699.0	371	56846.	788	0.7	0.2	2.7	0.1	0.1	4.4	21	0.0
44910	0	0	0	0	DSU	47.0145	69.1886	8.1	699.0	365	56846.	862	0.7	1.2	3.0	1.8	0.5	4.4	26	0.0

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

- F03 -
 MAINE AERIAL SURVEY EDMUNDSTON QUADRANGLE, CARSON GEOSCIENCE INC., 1980

LINE NO. 1020

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
44909	0	0	0	0	DSu	47.0148	69.1886	8.1	698.9	358	56846.	861	0.7	1.4	3.2	2.0	0.5	4.6	26	0.0
44908	0	0	1	0	DSu	47.0151	69.1886	8.1	698.9	349	56844.	800	0.5	-0.1	3.6	0.1	0.1	0.1	32	0.0
44907	0	0	0	0	DSu	47.0154	69.1886	8.1	698.9	340	56844.	874	0.7	1.4	4.2	2.0	0.4	6.1	19	0.0
44906	0	0	0	0	DSu	47.0157	69.1886	8.1	698.8	330	56844.	860	0.8	1.0	3.6	1.4	0.3	4.9	31	0.0
44905	0	0	0	0	DSu	47.0160	69.1885	8.1	698.8	322	56843.	912	0.9	0.9	2.9	1.1	0.3	3.5	30	0.0
44904	0	0	1	0	DSu	47.0162	69.1885	8.1	698.7	312	56842.	1005	0.8	0.4	4.8	0.1	0.1	6.2	29	0.0
44903	0	0	0	0	DSu	47.0165	69.1885	8.1	698.6	301	56843.	948	0.8	1.2	3.8	1.5	0.3	4.9	38	0.0
44902	0	0	0	0	DSu	47.0168	69.1885	8.1	698.5	289	56844.	984	0.8	1.3	4.4	1.8	0.3	6.2	27	0.0
44901	0	0	1	0	DSu	47.0171	69.1885	8.1	698.4	281	56842.	963	0.9	0.6	3.2	0.1	0.1	3.7	24	0.0
44900	0	0	1	0	DSu	47.0174	69.1885	8.1	698.2	276	56841.	968	1.0	0.5	2.9	0.1	0.1	3.1	29	0.0
44899	0	0	0	0	DSu	47.0177	69.1885	8.1	698.1	275	56841.	1022	0.8	0.9	4.3	1.3	0.3	5.8	27	0.0
44898	0	0	0	0	DSu	47.0180	69.1885	8.1	698.0	272	56842.	1010	0.8	1.0	5.5	1.3	0.2	7.0	27	0.0
44897	0	0	0	0	DSu	47.0182	69.1885	8.1	697.9	268	56844.	1073	0.8	1.3	5.9	1.6	0.3	7.5	28	0.0
44896	0	0	0	0	DSu	47.0185	69.1885	8.1	697.7	265	56843.	1037	0.9	1.7	5.9	2.0	0.3	6.9	28	0.0
44895	0	0	1	0	DSu	47.0188	69.1885	8.1	697.6	266	56842.	954	0.8	0.9	4.9	0.1	0.1	6.6	30	0.0
44894	0	0	0	0	DSu	47.0191	69.1884	8.1	697.5	270	56842.	1004	1.0	1.1	4.6	1.2	0.3	4.9	32	0.0
44893	0	0	0	0	DSu	47.0194	69.1884	8.1	697.4	277	56842.	1046	1.0	1.1	2.7	1.2	0.5	2.8	25	0.0
44892	0	0	0	0	DSu	47.0197	69.1884	8.1	697.3	285	56841.	1042	0.9	1.9	3.1	2.2	0.7	3.4	20	0.0
44891	0	0	0	0	DSu	47.0200	69.1884	8.1	697.3	295	56841.	1031	0.8	1.2	3.1	1.6	0.4	4.2	25	0.0
44890	0	0	0	0	DSu	47.0202	69.1884	8.1	697.2	303	56841.	1062	1.0	2.5	6.4	2.7	0.4	6.9	29	0.0
44889	0	0	0	0	DSu	47.0205	69.1884	8.2	697.2	310	56841.	1072	1.1	1.1	5.7	1.1	0.2	5.5	21	0.0
44888	0	0	1	0	DSu	47.0208	69.1884	8.2	697.2	316	56841.	1020	0.6	0.1	5.1	0.1	0.1	8.6	29	0.0
44887	0	0	1	0	DSu	47.0211	69.1884	8.2	697.2	322	56843.	1110	1.0	0.8	5.1	0.1	0.1	5.5	19	0.0
44886	0	0	1	0	DSu	47.0214	69.1884	8.2	697.4	326	56845.	1041	1.1	0.7	5.6	0.1	0.1	5.6	29	0.0
44885	0	0	0	0	DSu	47.0217	69.1884	8.2	697.5	327	56848.	1173	1.0	1.1	4.5	1.1	0.3	4.5	16	0.0
44884	0	0	0	0	DSu	47.0220	69.1883	8.2	697.7	326	56847.	1105	0.9	1.8	4.8	2.1	0.4	5.7	25	0.0
44883	0	0	1	0	DSu	47.0222	69.1883	8.2	697.9	322	56846.	1072	0.9	0.6	3.3	0.1	0.1	3.9	38	0.0
44882	0	0	0	0	DSu	47.0225	69.1883	8.2	698.1	317	56846.	1018	1.1	1.4	6.1	1.3	0.3	5.7	29	0.0
44881	0	0	0	0	DSu	47.0228	69.1883	8.2	698.3	311	56845.	1033	1.0	1.7	3.9	1.7	0.5	4.1	29	0.0
44880	0	0	0	0	DSu	47.0231	69.1883	8.2	698.6	305	56846.	985	0.8	1.0	6.4	1.4	0.2	8.8	30	0.0
44879	0	0	0	0	DSu	47.0234	69.1883	8.2	698.9	303	56845.	1028	0.8	1.8	4.6	2.3	0.4	5.8	17	0.0
44878	0	0	0	0	DSu	47.0237	69.1883	8.2	699.1	305	56845.	960	0.7	1.3	4.2	2.0	0.3	6.3	31	0.0
44877	0	0	1	0	DSu	47.0240	69.1883	8.2	699.4	312	56844.	922	0.8	0.8	3.9	0.1	0.1	5.2	18	0.0
44876	0	0	0	0	DSu	47.0243	69.1883	8.2	699.6	323	56844.	928	0.8	1.1	4.7	1.5	0.3	6.4	25	0.0
44875	0	0	0	0	DSu	47.0245	69.1883	8.2	699.8	336	56843.	867	0.8	1.0	4.6	1.4	0.3	6.2	33	0.0
44874	0	0	1	0	DSu	47.0248	69.1883	8.2	700.0	349	56844.	848	0.8	0.0	2.5	0.1	0.1	3.5	29	0.0
44873	0	0	0	0	DSu	47.0251	69.1882	8.2	700.2	356	56845.	729	0.8	1.1	1.8	1.5	0.6	2.5	26	0.0
44872	0	0	1	0	DSu	47.0254	69.1882	8.2	700.3	360	56847.	681	0.4	0.1	3.4	0.1	0.1	0.1	27	0.0
44871	0	0	0	0	DSu	47.0257	69.1882	8.2	700.4	361	56846.	657	0.6	1.3	2.7	2.3	0.5	4.7	23	0.0
44870	0	0	1	0	DSu	47.0260	69.1882	8.2	700.5	363	56845.	622	0.5	0.7	2.5	0.1	0.1	0.1	28	0.0
44869	0	0	1	0	DSu	47.0263	69.1882	8.2	700.6	363	56845.	558	0.5	0.3	1.7	0.1	0.1	0.1	19	0.0
44868	0	0	1	0	DSu	47.0266	69.1882	8.2	700.6	362	56846.	520	0.4	0.8	3.1	0.1	0.1	0.1	36	0.0
44867	0	0	1	0	DSu	47.0268	69.1882	8.2	700.6	360	56847.	585	0.4	0.0	3.0	0.1	0.1	0.1	29	0.0
44866	0	0	1	0	DSu	47.0271	69.1882	8.2	700.7	359	56847.	651	0.6	0.6	2.5	0.1	0.1	4.6	21	0.0
44865	0	0	1	0	DSu	47.0274	69.1882	8.2	700.7	357	56847.	693	0.5	0.0	3.6	0.1	0.1	0.1	28	0.1
44864	0	0	0	0	DSu	47.0277	69.1882	8.2	700.7	354	56846.	792	0.7	0.9	3.3	1.3	0.3	4.9	23	0.2
44863	0	0	0	0	DSu	47.0280	69.1882	8.2	700.6	352	56846.	777	0.7	0.9	2.7	1.4	0.4	4.1	20	0.2
44862	0	0	0	0	DSu	47.0283	69.1881	8.2	700.6	349	56845.	859	0.6	1.0	3.9	1.8	0.3	7.3	31	0.1
44860	0	0	1	0	DSu	47.0288	69.1881	8.2	700.5	346	56844.	785	0.6	0.5	2.8	0.1	0.1	5.2	28	0.1
44859	0	0	1	0	DSu	47.0291	69.1881	8.3	699.9	343	56843.	772	0.6	0.7	2.9	0.1	0.1	4.8	28	0.2

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
44858	0	0	1	0	DSU	47.0294	69.1881	8.3	699.9	344	56844.	780	0.5	0.6	4.7	0.1	0.1	0.1	32	0.2
44857	0	0	0	0	DSU	47.0297	69.1881	8.3	699.9	345	56845.	782	0.4	1.1	4.1	0.1	0.3	0.1	25	0.2
44856	0	0	0	0	DSU	47.0300	69.1881	8.3	699.9	347	56844.	858	0.6	1.3	1.8	2.2	0.8	3.0	23	0.2
44855	0	0	0	0	DSU	47.0303	69.1881	8.3	699.9	347	56843.	821	0.7	1.8	3.8	2.8	0.5	6.0	22	0.2
44854	0	0	1	0	DSU	47.0305	69.1881	8.3	699.9	343	56843.	846	0.6	0.2	3.6	0.1	0.1	6.2	28	0.3
44853	0	0	1	0	DSU	47.0308	69.1881	8.3	699.9	337	56844.	838	0.7	0.7	4.4	0.1	0.1	6.3	26	0.3
44852	0	0	0	0	DSU	47.0311	69.1881	8.3	699.8	333	56846.	839	0.7	1.4	4.9	2.0	0.3	7.3	28	0.3
44851	0	0	0	0	DSU	47.0314	69.1880	8.3	699.8	332	56847.	905	0.7	1.6	2.3	2.3	0.7	3.4	17	0.3
44850	0	0	1	0	DSU	47.0317	69.1880	8.3	699.8	332	56847.	862	0.6	0.8	4.3	0.1	0.1	7.9	35	0.3
44849	0	0	1	0	DSU	47.0320	69.1880	8.3	699.7	329	56847.	892	0.9	0.2	3.6	0.1	0.1	4.0	31	0.3
44848	0	0	0	0	DSU	47.0323	69.1880	8.3	699.7	326	56845.	917	0.7	2.1	5.1	3.4	0.5	8.3	31	0.3
44847	0	0	1	0	DSU	47.0326	69.1880	8.3	699.6	320	56844.	951	0.7	0.6	4.6	0.1	0.1	6.7	29	0.2
44846	0	0	0	0	DSU	47.0328	69.1880	8.3	699.5	316	56844.	951	0.8	1.8	4.4	2.3	0.5	5.7	32	0.2
44845	0	0	1	0	DSU	47.0331	69.1880	8.3	699.4	312	56845.	868	0.7	0.2	4.7	0.1	0.1	7.3	25	0.2
44844	0	0	1	0	DSU	47.0334	69.1880	8.3	699.3	311	56845.	888	0.9	0.8	2.9	0.1	0.1	3.6	24	0.2
44843	0	0	0	0	DSU	47.0337	69.1880	8.3	699.2	313	56843.	940	0.7	1.3	2.6	1.9	0.5	3.7	24	0.1
44842	0	0	1	0	DSU	47.0340	69.1880	8.3	699.1	316	56843.	903	0.6	0.1	2.5	0.1	0.1	4.2	31	0.1
44841	0	0	0	0	DSU	47.0343	69.1880	8.4	699.0	320	56844.	929	0.9	1.1	4.1	1.3	0.3	4.9	22	0.1
44840	0	0	0	0	DSU	47.0346	69.1879	8.4	698.9	323	56844.	924	0.9	1.6	2.7	2.0	0.6	3.3	24	0.0
44839	0	0	1	0	DSU	47.0348	69.1879	8.4	698.7	327	56843.	899	0.9	0.7	2.4	0.1	0.1	2.7	24	0.0
44838	0	0	0	0	DSU	47.0351	69.1879	8.4	698.6	332	56842.	835	0.7	0.9	3.0	1.4	0.3	4.5	27	0.0
44837	0	0	0	0	DSU	47.0354	69.1879	8.4	698.5	337	56843.	884	0.7	1.4	3.1	2.1	0.5	4.5	23	0.0
44836	0	0	0	0	DSU	47.0357	69.1879	8.4	698.4	340	56843.	953	0.9	2.3	2.8	2.8	0.9	3.3	25	0.0
44835	0	0	1	0	DSU	47.0360	69.1879	8.4	698.3	341	56843.	892	0.9	0.1	2.5	0.1	0.1	2.8	31	0.0
44834	0	0	1	0	DSU	47.0363	69.1879	8.4	698.3	343	56844.	886	0.6	0.7	3.4	0.1	0.1	5.6	18	0.0
44833	0	0	0	0	DSU	47.0366	69.1879	8.4	698.2	346	56845.	883	0.8	1.0	4.1	1.2	0.3	5.2	23	0.0
44832	0	0	1	0	DSU	47.0368	69.1879	8.4	698.2	350	56845.	882	0.9	-0.6	3.8	0.1	0.1	4.8	22	0.0
44831	0	0	0	0	DSU	47.0371	69.1879	8.4	698.2	354	56845.	927	0.8	1.7	5.0	2.1	0.4	6.4	28	0.1
44830	0	0	1	0	DSU	47.0374	69.1879	8.4	698.2	359	56845.	846	0.6	0.5	4.7	0.1	0.1	8.2	27	0.1
44829	0	0	0	0	DSU	47.0377	69.1878	8.4	698.2	363	56845.	885	0.9	1.2	3.4	1.3	0.4	3.9	22	0.1
44828	0	0	0	0	DSU	47.0380	69.1878	8.4	698.3	367	56845.	832	0.9	1.2	3.4	1.4	0.4	4.1	18	0.1
44827	0	0	1	0	DSU	47.0383	69.1878	8.4	698.3	370	56846.	866	0.9	0.1	3.6	0.1	0.1	4.2	28	0.1
44826	0	0	1	0	DSU	47.0386	69.1878	8.4	698.4	374	56844.	865	1.0	0.1	5.3	0.1	0.1	5.5	25	0.2
44825	0	0	1	0	DSU	47.0388	69.1878	8.4	698.4	382	56843.	886	0.8	0.4	4.7	0.1	0.1	6.4	31	0.3
44824	0	0	1	0	DSU	47.0391	69.1878	8.4	698.5	394	56842.	845	0.6	0.6	4.4	0.1	0.1	7.9	21	0.3
44823	0	0	0	0	DSU	47.0394	69.1878	8.4	698.5	403	56842.	853	0.8	1.5	1.7	2.0	0.9	2.3	30	0.3
44822	0	0	0	0	DSU	47.0397	69.1878	8.4	698.5	410	56842.	794	0.7	1.6	2.4	2.5	0.7	3.8	33	0.3
44821	0	0	0	0	DSU	47.0400	69.1878	8.4	698.6	413	56843.	805	0.6	1.5	2.7	2.8	0.6	5.0	40	0.3
44820	0	0	1	0	DSU	47.0403	69.1878	8.4	698.6	416	56843.	708	0.6	0.4	2.7	0.1	0.1	5.0	28	0.3
44819	0	0	0	0	DSU	47.0406	69.1878	8.4	698.6	413	56844.	777	0.4	1.2	2.9	0.1	0.5	0.1	35	0.3
44818	0	0	0	0	DSU	47.0409	69.1877	8.4	698.7	408	56843.	797	0.6	1.6	2.4	2.6	0.7	4.0	22	0.3
44817	0	0	1	0	DSU	47.0411	69.1877	8.4	698.7	400	56844.	776	0.6	0.9	3.5	0.1	0.1	6.9	25	0.3
44816	0	0	0	0	DSU	47.0414	69.1877	8.4	698.7	395	56845.	728	0.3	1.1	4.1	0.1	0.3	0.1	25	0.3
44815	0	0	1	0	DSU	47.0417	69.1877	8.5	698.8	392	56846.	729	0.6	0.9	2.4	0.1	0.1	4.4	23	0.4
44814	0	0	1	0	DSU	47.0420	69.1877	8.5	698.9	392	56848.	828	0.8	-0.1	4.4	0.1	0.1	5.6	27	0.4
44813	0	0	1	0	DSU	47.0423	69.1877	8.5	698.9	390	56849.	855	0.7	-0.1	3.2	0.1	0.1	5.0	36	0.5
44812	0	0	1	0	DSU	47.0426	69.1877	8.5	699.0	384	56848.	845	0.9	1.0	3.3	0.1	0.1	4.0	29	0.5
44811	0	0	0	0	DSU	47.0429	69.1877	8.5	699.1	374	56847.	957	0.9	1.9	4.8	2.1	0.4	5.4	22	0.5
44810	0	0	1	0	DSU	47.0431	69.1877	8.5	699.1	362	56847.	857	0.7	0.4	2.8	0.1	0.1	4.3	22	0.5
44809	0	0	0	0	DSU	47.0434	69.1877	8.5	699.2	353	56848.	876	0.7	1.4	2.8	2.3	0.5	4.5	28	0.5

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

- H03 -
 MAINE AERIAL SURVEY EDMUNDSTON QUADRANGLE, CARSON GEOSCIENCE INC., 1980

LINE NO. 1020

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
44808	0	0	0	0	DSu	47.0437	69.1876	8.5	699.3	345	56850.	867	0.8	1.2	2.4	1.6	0.5	3.3	24	0.4
44807	0	0	1	0	DSu	47.0440	69.1876	8.5	699.4	339	56850.	891	0.9	0.6	2.9	0.1	0.1	3.5	26	0.4
44806	0	0	0	0	DSu	47.0443	69.1876	8.5	699.5	333	56850.	943	0.8	1.0	3.8	1.3	0.3	5.1	20	0.4
44805	0	0	0	0	DSu	47.0446	69.1876	8.5	699.7	329	56850.	905	0.7	1.4	4.8	2.3	0.3	7.6	31	0.3
44804	0	0	0	0	DSu	47.0449	69.1876	8.5	699.8	325	56850.	918	0.7	1.6	3.9	2.3	0.5	5.6	24	0.3
44803	0	0	1	0	DSu	47.0451	69.1876	8.7	701.0	318	56850.	926	0.8	0.7	4.7	0.1	0.1	6.3	17	0.3
44802	0	0	1	0	DSu	47.0454	69.1876	8.7	701.0	315	56849.	912	0.8	0.8	3.3	0.1	0.1	4.6	20	0.3
44801	0	0	1	0	DSu	47.0457	69.1876	8.7	701.0	312	56849.	966	1.0	0.3	3.7	0.1	0.1	3.8	28	0.2
44800	0	0	0	0	DSu	47.0460	69.1876	8.7	701.0	306	56849.	971	0.8	1.5	3.2	2.1	0.5	4.4	20	0.2
44799	0	0	1	0	DSu	47.0463	69.1876	8.7	701.0	301	56849.	908	0.8	0.4	4.8	0.1	0.1	6.5	18	0.2
44798	0	0	1	0	DSu	47.0466	69.1875	8.7	701.0	297	56848.	926	0.7	0.8	3.9	0.1	0.1	5.7	33	0.2
44797	0	0	1	0	DSu	47.0469	69.1875	8.7	701.1	292	56849.	906	1.0	0.7	4.3	0.1	0.1	4.6	29	0.2
44796	0	0	1	0	DSu	47.0471	69.1875	8.7	701.1	290	56849.	896	0.8	0.3	4.7	0.1	0.1	6.1	33	0.3
44795	0	0	1	0	DSu	47.0474	69.1875	8.8	701.2	292	56849.	871	0.8	0.1	4.4	0.1	0.1	5.8	26	0.3
44794	0	0	1	0	DSu	47.0477	69.1875	8.8	701.2	299	56847.	952	0.8	0.2	4.1	0.1	0.1	5.1	29	0.3
44793	0	0	0	0	DSu	47.0480	69.1875	8.8	701.3	309	56847.	962	0.9	1.1	3.5	1.2	0.3	4.0	26	0.3
44792	0	0	1	0	DSu	47.0483	69.1875	8.8	701.3	321	56847.	961	0.9	0.8	4.9	0.1	0.1	5.7	26	0.3
44791	0	0	1	0	DSu	47.0486	69.1875	8.8	701.4	333	56846.	876	0.8	0.8	4.6	0.1	0.1	5.8	30	0.3
44790	0	0	0	0	DSu	47.0489	69.1875	8.8	701.5	344	56845.	852	0.7	1.6	2.2	2.4	0.7	3.4	35	0.3
44789	0	0	0	0	DSu	47.0491	69.1875	8.8	701.6	355	56844.	899	0.8	1.2	4.4	1.5	0.3	5.5	20	0.2
44788	0	0	1	0	DSu	47.0494	69.1875	8.8	701.7	362	56843.	908	0.8	0.3	3.8	0.1	0.1	4.8	20	0.2
44787	0	0	1	0	DSu	47.0497	69.1874	8.8	701.8	367	56844.	883	0.7	0.9	4.1	0.1	0.1	6.4	19	0.2
44786	0	0	0	0	DSu	47.0500	69.1874	8.8	701.8	370	56845.	886	0.8	1.7	4.3	2.1	0.4	5.4	33	0.2
44785	0	0	1	0	DSu	47.0503	69.1874	8.8	701.9	372	56847.	771	0.7	-0.3	3.5	0.1	0.1	5.7	24	0.2
44784	0	0	0	0	DSu	47.0506	69.1874	8.8	702.0	375	56848.	789	0.7	1.3	2.4	2.0	0.6	3.6	30	0.3
44783	0	0	0	0	DSu	47.0509	69.1874	8.8	702.1	384	56848.	831	0.8	1.5	4.3	2.1	0.4	5.9	24	0.3
44782	0	0	1	0	DSu	47.0512	69.1874	8.8	702.1	395	56847.	798	0.7	0.9	4.1	0.1	0.1	5.9	26	0.3
44781	0	0	0	0	DSu	47.0514	69.1874	8.8	702.2	409	56847.	834	0.6	1.5	3.8	2.9	0.5	7.2	25	0.3
44780	0	0	1	0	DSu	47.0517	69.1874	8.8	702.2	414	56846.	790	0.6	0.1	3.1	0.1	0.1	6.1	21	0.3
44779	0	0	0	0	DSu	47.0520	69.1874	8.8	702.2	412	56846.	922	0.5	2.0	3.4	0.1	0.6	0.1	31	0.3
44778	0	0	1	0	DSu	47.0523	69.1874	8.8	702.3	405	56844.	863	0.5	0.6	2.6	0.1	0.1	0.1	19	0.3
44777	0	0	0	0	DSu	47.0526	69.1874	8.8	702.3	399	56844.	812	0.6	1.6	3.8	2.8	0.5	6.8	23	0.3
44776	0	0	1	0	DSu	47.0529	69.1873	8.8	702.3	398	56845.	892	0.7	0.7	3.5	0.1	0.1	5.1	36	0.3
44775	0	0	1	0	DSu	47.0532	69.1873	8.8	702.3	395	56847.	793	0.6	0.6	2.2	0.1	0.1	3.7	18	0.4
44774	0	0	1	0	DSu	47.0534	69.1873	8.8	702.3	394	56847.	830	0.9	0.9	3.4	0.1	0.1	4.1	31	0.4
44773	0	0	1	0	DSu	47.0537	69.1873	8.8	702.3	393	56848.	949	0.6	0.6	4.2	0.1	0.1	7.7	27	0.4
44772	0	0	1	0	DSu	47.0540	69.1873	8.8	702.3	389	56848.	917	0.7	0.4	3.4	0.1	0.1	5.2	19	0.4
44771	0	0	0	0	DSu	47.0543	69.1873	8.8	702.3	381	56848.	895	0.9	1.9	4.0	2.3	0.5	4.8	33	0.4
44769	0	0	1	0	DSu	47.0549	69.1873	8.8	702.4	371	56848.	961	0.8	-0.1	5.3	0.1	0.1	6.9	23	0.4
44768	0	0	1	0	DSu	47.0552	69.1873	8.8	702.4	362	56848.	913	0.8	0.3	5.3	0.1	0.1	7.2	25	0.4
44767	0	0	1	0	DSu	47.0555	69.1873	8.8	702.5	355	56848.	915	0.8	0.6	4.7	0.1	0.1	6.2	26	0.4
44766	0	0	0	0	DSu	47.0557	69.1873	8.8	702.5	349	56846.	987	1.0	1.3	2.2	1.4	0.6	2.4	29	0.4
44765	0	0	1	0	DSu	47.0560	69.1872	8.8	702.6	344	56845.	961	0.7	0.7	5.2	0.1	0.1	7.7	22	0.4
44764	0	0	0	0	DSu	47.0563	69.1872	8.8	702.7	343	56844.	964	0.8	1.2	3.0	1.7	0.4	4.2	33	0.4
44763	0	0	0	0	DSu	47.0566	69.1872	8.8	702.8	344	56842.	942	0.8	1.4	4.0	1.8	0.4	5.3	24	0.4
44762	0	0	0	0	DSu	47.0569	69.1872	8.8	703.0	347	56841.	961	0.9	1.0	5.1	1.2	0.2	6.0	29	0.4
44761	0	0	1	0	DSu	47.0572	69.1872	8.8	703.1	352	56841.	1012	0.9	0.3	4.5	0.1	0.1	5.3	18	0.4
44760	0	0	0	0	DSu	47.0574	69.1872	8.9	703.2	356	56841.	988	1.0	1.6	4.0	1.6	0.4	4.2	21	0.3
44759	0	0	0	0	DSu	47.0577	69.1872	8.9	703.4	359	56842.	906	0.6	1.1	5.2	2.0	0.3	9.7	19	0.3
44758	0	0	0	0	DSu	47.0580	69.1872	8.9	703.5	361	56843.	928	0.7	1.2	4.5	2.0	0.3	7.3	34	0.3

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
44757	0	0	0	0	DSu	47.0583	69.1872	8.9	703.7	361	56843.	863	0.9	2.0	2.9	2.5	0.8	3.5	17	0.3
44756	0	0	0	0	DSu	47.0586	69.1872	8.9	703.9	361	56842.	887	0.6	1.4	2.4	2.4	0.6	4.2	27	0.3
44755	0	0	0	0	DSu	47.0589	69.1871	8.9	704.0	361	56842.	844	0.7	2.1	3.2	3.4	0.7	5.0	22	0.2
44754	0	0	0	0	DSu	47.0592	69.1871	8.9	704.2	360	56842.	873	0.6	2.0	3.5	3.8	0.6	6.8	26	0.2
44753	0	0	1	0	DSu	47.0595	69.1871	8.9	704.4	357	56842.	823	0.6	0.9	3.2	0.1	0.1	6.3	23	0.2
44752	0	0	1	0	DSu	47.0597	69.1871	8.9	704.5	353	56843.	765	0.7	0.7	4.4	0.1	0.1	6.5	28	0.3
44751	0	0	1	0	DSu	47.0600	69.1871	8.9	704.7	348	56843.	786	0.6	0.1	3.9	0.1	0.1	6.7	19	0.3
44750	0	0	0	0	DSu	47.0603	69.1871	8.9	704.8	343	56843.	818	0.6	1.0	4.0	2.0	0.3	7.9	17	0.3
44749	0	0	0	0	DSu	47.0606	69.1871	8.9	705.0	337	56843.	780	0.6	1.3	3.9	2.5	0.4	7.3	19	0.3
44748	0	0	0	0	DSu	47.0609	69.1871	8.9	705.2	329	56842.	803	0.6	0.9	2.4	1.7	0.4	4.3	30	0.3
44747	0	0	1	0	DSu	47.0612	69.1871	8.9	705.3	322	56842.	751	0.7	-0.1	3.4	0.1	0.1	5.0	31	0.3
44746	0	0	1	0	DSu	47.0615	69.1871	9.1	706.6	310	56842.	761	0.6	0.2	5.0	0.1	0.1	8.5	28	0.4
44745	0	0	1	0	DSu	47.0617	69.1871	9.1	706.6	308	56842.	751	0.6	0.5	3.6	0.1	0.1	5.9	26	0.4
44744	0	0	0	0	DSu	47.0620	69.1870	9.1	706.6	303	56842.	746	0.4	1.0	3.3	0.1	0.3	0.1	23	0.4
44743	0	0	0	0	DSu	47.0623	69.1870	9.1	706.6	296	56843.	774	0.5	1.2	2.2	0.1	0.6	0.1	28	0.4
44742	0	0	1	0	DSu	47.0626	69.1870	9.1	706.6	292	56843.	726	0.5	0.7	3.4	0.1	0.1	0.1	22	0.4
44741	0	0	0	0	DSu	47.0629	69.1870	9.1	706.6	293	56844.	787	0.6	1.6	4.0	3.1	0.4	7.8	38	0.4
44740	0	0	0	0	DSu	47.0632	69.1870	9.1	706.6	296	56845.	755	0.8	1.4	3.3	1.9	0.5	4.4	17	0.4
44739	0	0	0	0	DSu	47.0635	69.1870	9.1	706.6	299	56847.	762	0.6	1.1	3.3	1.9	0.4	6.1	22	0.4
44738	0	0	0	0	DSu	47.0637	69.1870	9.1	706.7	304	56847.	735	0.5	1.2	3.6	0.1	0.4	0.1	15	0.5
44737	0	0	1	0	DSu	47.0640	69.1870	9.1	706.7	307	56846.	711	0.6	0.8	3.4	0.1	0.1	6.3	24	0.5
44736	0	0	1	0	DSu	47.0643	69.1870	9.1	706.7	312	56846.	711	0.5	0.0	2.2	0.1	0.1	0.1	24	0.6
44735	0	0	0	0	DSu	47.0646	69.1870	9.1	706.7	316	56845.	685	0.6	0.8	3.0	1.4	0.3	5.3	20	0.7
44734	0	0	1	0	DSu	47.0649	69.1870	9.1	706.7	324	56844.	641	0.4	0.0	1.2	0.1	0.1	0.1	27	0.8
44733	0	0	0	0	DSu	47.0652	69.1870	9.1	706.8	330	56843.	635	0.5	1.0	2.1	0.1	0.5	0.1	25	0.9
44732	0	0	1	1	DSu	47.0655	69.1869	9.1	706.8	335	56844.	546	0.4	0.7	0.9	0.1	0.1	0.1	29	0.9
44731	0	0	1	0	DSu	47.0658	69.1869	9.1	706.8	337	56845.	534	0.4	0.4	1.8	0.1	0.1	0.1	24	1.1
44730	0	0	1	0	DSu	47.0660	69.1869	9.1	706.9	338	56844.	456	0.3	0.5	1.6	0.1	0.1	0.1	26	1.2
44729	0	0	1	0	DSu	47.0663	69.1869	9.1	706.9	333	56845.	542	0.4	0.7	1.8	0.1	0.1	0.1	16	1.3
44728	0	0	0	0	DSu	47.0666	69.1869	9.1	706.9	329	56846.	616	0.5	2.1	2.7	0.1	0.8	0.1	21	1.3
44727	0	0	1	0	DSu	47.0669	69.1869	9.1	706.9	329	56846.	631	0.2	0.2	2.0	0.1	0.1	0.1	24	1.3
44726	0	0	1	0	DSu	47.0672	69.1869	9.1	706.9	334	56846.	717	0.5	-0.1	3.7	0.1	0.1	0.1	22	1.4
44725	0	0	1	0	DSu	47.0675	69.1869	9.1	706.9	340	56846.	736	0.3	0.4	3.9	0.1	0.1	0.1	26	1.5
44724	0	0	1	0	DSu	47.0678	69.1869	9.1	706.9	342	56845.	776	0.8	0.9	3.1	0.1	0.1	4.2	26	1.6
44723	0	0	1	0	DSu	47.0680	69.1869	9.1	706.8	344	56844.	817	0.8	0.5	3.7	0.1	0.1	5.1	32	1.7
44722	0	0	1	0	DSu	47.0683	69.1869	9.1	706.8	341	56843.	919	0.7	0.5	4.8	0.1	0.1	7.3	28	1.8
44721	0	0	1	0	DSu	47.0686	69.1868	9.1	706.8	336	56842.	881	0.9	0.4	3.9	0.1	0.1	4.7	30	1.9
44720	0	0	1	0	DSu	47.0689	69.1868	9.1	706.8	328	56843.	924	0.8	-0.3	4.9	0.1	0.1	6.3	24	1.9
44719	0	0	0	0	DSu	47.0692	69.1868	9.1	706.7	322	56844.	976	0.8	1.2	4.3	1.5	0.3	5.5	28	2.1
44718	0	0	1	0	DSu	47.0695	69.1868	9.1	706.7	317	56844.	989	0.8	0.1	4.5	0.1	0.1	6.2	26	2.2
44717	0	0	0	0	DSu	47.0698	69.1868	9.1	706.7	316	56845.	1025	0.2	1.2	5.5	1.5	0.3	6.7	23	2.3
44716	0	0	1	0	DSu	47.0700	69.1868	9.1	706.7	315	56847.	1002	0.9	0.8	3.1	0.1	0.1	3.6	18	2.4
44715	0	0	1	0	DSu	47.0703	69.1868	9.1	706.7	313	56848.	977	1.0	0.1	5.3	0.1	0.1	5.6	25	2.6
44714	0	0	1	0	DSu	47.0706	69.1868	9.1	706.7	312	56850.	1062	0.9	0.2	6.0	0.1	0.1	7.2	29	2.7
44713	0	0	1	0	DSu	47.0709	69.1868	9.1	706.8	310	56854.	1094	1.0	0.5	3.9	0.1	0.1	4.1	25	2.8
44712	0	0	0	0	DSu	47.0712	69.1867	9.1	706.9	315	56856.	1112	0.9	1.0	4.6	1.2	0.3	5.2	25	2.9
44711	0	0	1	0	DSu	47.0715	69.1867	9.1	707.0	315	56856.	1183	1.2	0.9	4.5	0.1	0.1	3.9	18	3.0
44710	0	0	1	0	DSu	47.0718	69.1867	9.1	707.1	311	56854.	1100	1.0	0.8	4.2	0.1	0.1	4.4	34	3.0
44709	0	0	1	0	DSu	47.0720	69.1867	9.1	707.2	304	56852.	1132	1.1	0.9	3.7	0.1	0.1	3.4	36	3.1
44708	0	0	0	0	DSu	47.0723	69.1867	9.1	707.4	304	56853.	1113	0.9	1.6	5.0	1.8	0.3	5.7	14	3.1

*** NOTE*** QUALITY CODF. 1 INDICATES DATA FAILED SIGN.FICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
44707	0	0	1	0	DSu	47.0726	69.1867	9.1	707.5	313	56854.	1120	1.1	1.0	5.2	0.1	0.1	5.1	24	3.4
44706	0	0	1	0	DSu	47.0729	69.1867	9.1	707.6	326	56853.	1097	1.2	0.6	3.0	0.1	0.1	2.6	26	3.7
44705	0	0	1	0	DSu	47.0732	69.1867	9.1	707.8	339	56853.	1124	0.9	0.8	5.4	0.1	0.1	6.2	29	4.0
44704	0	0	1	0	DSu	47.0735	69.1867	9.1	707.9	354	56854.	1187	1.1	0.1	3.8	0.1	0.1	3.8	24	4.3
44703	0	0	1	0	DSu	47.0738	69.1867	9.1	708.1	368	56853.	1043	0.9	0.5	4.2	0.1	0.1	4.7	24	4.6
44702	0	0	0	0	DSu	47.0740	69.1867	9.1	708.2	382	56852.	1107	0.9	1.5	4.8	1.6	0.3	5.4	17	4.8
44701	0	0	1	0	DSu	47.0743	69.1866	9.1	708.4	400	56851.	1077	1.0	0.9	3.6	0.1	0.1	3.6	18	5.0
44700	0	0	1	0	DSu	47.0746	69.1866	9.1	708.5	417	56848.	1067	1.1	0.3	6.6	0.1	0.1	6.5	29	5.3
44699	0	0	1	0	DSu	47.0749	69.1866	9.2	708.6	431	56844.	1035	1.0	-0.1	5.4	0.1	0.1	5.8	28	5.6
44698	0	0	1	0	DSu	47.0752	69.1866	9.2	708.6	436	56842.	1056	1.1	0.6	4.0	0.1	0.1	3.9	25	5.8
44697	0	0	1	0	DSu	47.0755	69.1866	9.2	708.7	435	56842.	1043	0.9	0.8	3.4	0.1	0.1	3.9	31	6.0
44696	0	0	1	0	DSu	47.0758	69.1866	9.2	708.8	426	56841.	1016	1.0	0.7	4.7	0.1	0.1	4.7	22	6.2
44695	0	0	1	0	DSu	47.0761	69.1866	9.2	708.8	410	56841.	974	0.8	-1.1	2.7	0.1	0.1	3.5	28	6.5
44694	0	0	1	0	DSu	47.0763	69.1866	9.2	708.9	394	56841.	976	0.8	-0.2	5.9	0.1	0.1	7.5	26	6.7
44693	0	0	1	0	DSu	47.0766	69.1866	9.2	708.9	380	56841.	898	0.7	-0.2	6.3	0.1	0.1	9.4	25	6.9
44692	0	0	1	0	DSu	47.0769	69.1866	9.2	708.9	366	56842.	922	0.6	1.0	5.2	0.1	0.1	9.5	20	7.1
44691	0	0	0	0	DSu	47.0772	69.1866	9.2	709.0	351	56843.	914	0.7	1.3	3.5	1.9	0.4	5.1	32	7.3
44690	0	0	1	0	DSu	47.0775	69.1865	9.2	709.8	332	56843.	865	0.9	0.0	3.3	0.1	0.1	4.0	29	7.5
44689	0	0	1	0	DSu	47.0778	69.1865	9.2	709.8	332	56844.	852	0.7	-0.8	3.1	0.1	0.1	4.6	28	7.7
44688	0	0	1	0	DSu	47.0781	69.1865	9.2	709.7	335	56844.	966	0.8	0.1	5.7	0.1	0.1	7.9	30	7.9
44687	0	0	1	0	DSu	47.0784	69.1865	9.2	709.7	344	56843.	962	0.8	-0.7	6.8	0.1	0.1	8.7	21	8.1
44686	0	0	1	0	DSu	47.0786	69.1865	9.2	709.8	357	56844.	957	0.8	1.2	4.9	0.1	0.1	7.0	26	8.3
44685	0	0	1	0	DSu	47.0789	69.1865	9.2	709.8	372	56843.	1008	0.9	0.8	4.5	0.1	0.1	5.6	22	8.4
44684	0	0	1	0	DSu	47.0792	69.1865	9.2	709.8	385	56843.	872	0.8	-0.3	2.7	0.1	0.1	3.5	29	8.6
44683	0	0	1	0	DSu	47.0795	69.1865	9.2	709.9	400	56844.	947	0.9	0.5	4.2	0.1	0.1	4.8	25	8.8
44682	0	0	1	0	DSu	47.0798	69.1865	9.2	709.9	406	56843.	893	0.9	-0.2	2.8	0.1	0.1	3.4	23	8.7
44681	0	0	1	0	DSu	47.0801	69.1865	9.2	710.0	409	56842.	873	0.7	-0.2	2.1	0.1	0.1	3.3	27	8.7
44680	0	0	1	0	DSu	47.0803	69.1865	9.2	710.0	407	56841.	890	0.6	1.0	1.6	0.1	0.1	3.0	30	8.6
44678	0	0	1	0	DSu	47.0809	69.1864	9.2	710.1	412	56842.	885	0.6	1.0	3.2	0.1	0.1	6.0	24	8.4
44677	0	0	1	0	DSu	47.0812	69.1864	9.2	710.2	418	56843.	899	0.4	0.7	3.9	0.1	0.1	0.1	24	8.3
44676	0	0	1	0	DSu	47.0815	69.1864	9.2	710.3	423	56843.	836	0.8	0.9	1.7	0.1	0.1	2.1	18	8.3
44675	0	0	1	0	DSu	47.0818	69.1864	9.2	710.4	422	56842.	800	0.6	-0.4	4.7	0.1	0.1	9.1	40	8.1
44674	0	0	1	0	DSu	47.0821	69.1864	9.2	710.5	417	56842.	904	0.8	0.4	4.3	0.1	0.1	5.8	29	8.0
44673	0	0	1	0	DSu	47.0823	69.1864	9.2	710.5	407	56841.	865	0.6	1.0	1.6	0.1	0.1	2.8	25	7.7
44672	0	0	1	0	DSu	47.0826	69.1864	9.2	710.6	395	56841.	817	0.5	1.1	2.9	0.1	0.1	0.1	22	7.6
44671	0	0	1	0	DSu	47.0829	69.1864	9.2	710.6	383	56841.	853	0.7	0.1	2.8	0.1	0.1	4.1	24	7.3
44670	0	0	1	0	DSu	47.0832	69.1864	9.2	710.7	373	56841.	870	0.6	0.5	2.1	0.1	0.1	3.5	34	7.2
44669	0	0	1	0	DSu	47.0835	69.1864	9.2	710.7	361	56841.	888	0.8	0.9	1.5	0.1	0.1	2.1	20	7.1
44668	0	0	1	0	DSu	47.0838	69.1863	9.2	710.7	363	56841.	878	0.8	0.2	3.5	0.1	0.1	4.7	25	7.0
44667	0	0	1	0	DSu	47.0841	69.1863	9.2	710.7	359	56842.	867	0.7	-0.6	5.5	0.1	0.1	8.5	28	7.0
44666	0	0	1	0	DSu	47.0844	69.1863	9.2	710.7	350	56843.	828	0.7	0.4	4.0	0.1	0.1	5.8	24	7.0
44665	0	0	0	0	DSu	47.0846	69.1863	9.2	710.7	339	56843.	930	0.7	1.3	4.1	2.0	0.4	6.3	37	6.7
44664	0	0	1	0	DSu	47.0849	69.1863	9.2	710.7	327	56844.	890	0.7	-0.2	4.7	0.1	0.1	7.5	22	6.6
44663	0	0	1	0	DSu	47.0852	69.1863	9.2	710.7	319	56846.	915	1.0	0.3	2.9	0.1	0.1	3.1	23	6.3
44662	0	0	1	0	DSu	47.0855	69.1863	9.2	710.7	310	56847.	915	1.0	0.6	4.7	0.1	0.1	5.0	33	6.0
44661	0	0	1	0	DSu	47.0858	69.1863	9.2	710.7	301	56847.	873	0.7	0.3	4.1	0.1	0.1	5.9	20	5.8
44660	0	0	1	0	DSu	47.0861	69.1863	9.2	710.7	294	56847.	918	0.7	0.7	3.4	0.1	0.1	4.9	25	5.5
44659	0	0	1	0	DSu	47.0864	69.1863	9.2	710.7	294	56848.	926	0.7	0.6	4.4	0.1	0.1	6.8	21	5.3
44658	0	0	1	0	DSu	47.0866	69.1862	9.2	710.8	300	56849.	910	0.7	0.8	4.4	0.1	0.1	7.0	30	5.1
44657	0	0	1	0	DSu	47.0869	69.1862	9.2	710.8	309	56848.	854	0.8	-0.6	3.6	0.1	0.1	4.9	28	4.9

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

- K03 -
 MAINE AERIAL SURVEY EDMUNDSTON QUADRANGLE, CARSON GEOSCIENCE INC., 1980

LINE NO. 1020

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI		
												CPS	%	PPM	PPM						CPS	CPS
44656	0	0	0	0	DSu	47.0872	69.1862	9.2	710.8	320	56849.	966	0.9	1.2	5.3	1.5	0.3	6.4	20	4.7		
44655	0	0	1	0	DSu	47.0875	69.1862	9.2	710.9	332	56848.	896	0.9	0.8	4.0	0.1	0.1	4.5	35	4.4		
44654	0	0	1	0	DSu	47.0878	69.1862	9.2	710.9	345	56846.	812	0.6	0.7	3.2	0.1	0.1	5.4	16	4.3		
44653	0	0	1	0	DSu	47.0881	69.1862	9.2	710.9	361	56846.	874	0.7	0.4	3.1	0.1	0.1	4.6	21	4.1		
44652	0	0	1	0	DSu	47.0884	69.1862	9.2	710.9	376	56847.	811	0.8	0.1	2.6	0.1	0.1	3.5	31	4.0		
44651	0	0	1	0	DSu	47.0886	69.1862	9.2	710.9	391	56847.	803	0.7	0.7	2.6	0.1	0.1	4.1	17	3.8		
44650	0	0	1	0	DSu	47.0889	69.1862	9.2	711.0	404	56847.	786	0.8	0.0	3.2	0.1	0.1	4.4	16	3.7		
44649	0	0	1	0	DSu	47.0892	69.1862	9.2	711.0	419	56848.	716	0.6	0.9	4.1	0.1	0.1	7.1	20	3.6		
44648	0	0	1	0	DSu	47.0895	69.1862	9.2	711.0	430	56848.	683	0.5	-0.4	3.1	0.1	0.1	0.1	29	3.6		
44647	0	0	1	0	DSu	47.0898	69.1861	9.2	711.0	432	56847.	718	0.7	1.0	3.4	0.1	0.1	5.1	17	3.4		
44646	0	0	1	0	DSu	47.0901	69.1861	9.2	711.1	428	56847.	744	0.4	0.7	2.8	0.1	0.1	0.1	19	3.5		
44645	0	0	1	0	DSu	47.0904	69.1861	9.2	711.2	420	56847.	795	0.6	0.8	3.5	0.1	0.1	6.4	30	3.3		
44644	0	0	1	0	DSu	47.0906	69.1861	9.2	711.3	415	56846.	818	0.6	0.3	4.3	0.1	0.1	8.4	26	3.2		
44643	0	0	0	0	DSu	47.0909	69.1861	9.2	711.4	413	56846.	859	0.6	1.7	3.3	3.2	0.6	6.4	19	3.0		
44642	0	0	1	0	DSu	47.0912	69.1861	9.2	711.5	419	56846.	863	0.6	0.3	4.5	0.1	0.1	7.4	21	2.7		
44641	0	0	1	0	DSu	47.0915	69.1861	9.2	711.6	426	56844.	840	0.7	0.9	3.5	0.1	0.1	5.7	33	2.5		
44640	0	0	1	0	DSu	47.0918	69.1861	9.2	711.7	431	56842.	842	0.7	1.0	4.7	0.1	0.1	7.2	30	2.6		
44639	0	0	1	0	DSu	47.0921	69.1861	9.2	711.7	431	56842.	839	0.6	-0.1	5.8	0.1	0.1	10.3	26	2.4		
44638	0	0	1	0	DSu	47.0924	69.1861	9.2	711.9	429	56842.	929	0.9	0.6	3.2	0.1	0.1	3.9	27	2.5		
44637	0	0	1	0	DSu	47.0926	69.1861	9.2	712.0	426	56843.	869	0.8	-0.1	3.9	0.1	0.1	5.1	20	2.5		
44636	0	0	0	0	DSu	47.0929	69.1861	9.2	712.1	421	56843.	872	0.9	1.4	1.8	1.6	0.9	2.0	26	2.6		
44635	0	0	0	0	DSu	47.0932	69.1860	9.2	712.2	416	56842.	854	0.7	1.3	3.0	2.0	0.5	4.6	27	2.6		
44634	0	0	0	0	DSu	47.0935	69.1860	9.2	712.4	414	56843.	909	0.7	2.2	2.7	3.2	0.8	4.0	33	2.6		
44633	0	0	1	0	DSu	47.0938	69.1860	8.8	713.9	419	56844.	921	0.8	1.0	3.6	0.1	0.1	5.0	19	2.6		
44632	0	0	1	0	DSu	47.0941	69.1860	8.8	713.9	421	56844.	936	0.9	0.9	4.5	0.1	0.1	5.4	30	2.6		
44631	0	0	0	0	DSu	47.0944	69.1860	8.8	713.9	424	56843.	901	0.8	1.2	2.1	1.7	0.6	2.9	30	2.6		
44630	0	0	1	0	DSu	47.0947	69.1860	8.9	713.9	428	56844.	925	0.7	0.7	4.7	0.1	0.1	7.1	24	2.6		
44629	0	0	1	0	DSu	47.0949	69.1860	8.9	713.9	433	56844.	835	0.6	-0.1	4.5	0.1	0.1	8.4	26	2.7		
44628	0	0	1	0	DSu	47.0952	69.1860	8.9	714.0	437	56843.	926	0.8	-0.3	6.8	0.1	0.1	9.6	18	2.7		
44627	0	0	1	0	DSu	47.0955	69.1860	8.9	714.0	441	56843.	842	0.8	1.0	2.9	0.1	0.1	3.8	29	2.8		
44626	0	0	1	0	DSu	47.0958	69.1860	8.9	714.1	446	56842.	812	0.5	0.9	2.8	0.1	0.1	0.1	23	2.7		
44625	0	0	0	0	DSu	47.0961	69.1860	8.9	714.1	455	56841.	804	0.6	1.6	3.5	2.9	0.5	6.5	28	2.7		
44624	0	0	0	0	DSu	47.0964	69.1859	8.9	714.2	467	56841.	744	0.4	1.3	3.8	0.1	0.4	0.1	29	2.7		
44623	0	0	1	0	DSu	47.0967	69.1859	8.9	714.3	479	56843.	767	0.8	-0.2	2.1	0.1	0.1	2.8	22	2.7		
44622	0	0	1	0	DSu	47.0970	69.1859	8.9	714.4	490	56844.	792	0.7	0.6	3.5	0.1	0.1	5.4	17	2.7		
44621	0	0	1	0	DSu	47.0972	69.1859	8.9	714.5	497	56845.	647	0.5	0.8	2.6	0.1	0.1	0.1	12	2.8		
44620	0	0	1	1	Water	47.0975	69.1859	8.9	714.7	499	56846.	529	0.6	-1.2	1.4	0.1	0.1	0.1	25	2.8		
44619	0	0	1	1	Water	47.0978	69.1859	8.9	714.8	509	56846.	434	0.4	0.4	0.1	0.1	0.1	0.1	24	2.9		
44618	0	0	1	1	Water	47.0981	69.1859	8.9	715.0	520	56845.	362	0.3	-0.3	1.5	0.1	0.1	0.1	28	2.9		
44617	0	1	1	1	Water	47.0984	69.1859	8.9	715.1	532	56845.	343	0.2	-0.2	1.5	0.1	0.1	0.1	22	2.9		
44616	0	1	1	1	Water	47.0987	69.1859	8.9	715.2	535	56845.	295	0.2	0.6	1.2	0.1	0.1	0.1	24	3.0		
44615	0	1	1	0	Water	47.0989	69.1859	8.9	715.3	539	56845.	325	0.3	-0.3	2.1	0.1	0.1	0.1	22	3.0		
44614	0	0	1	0	Water	47.0992	69.1858	8.9	715.3	544	56844.	337	0.3	-0.6	1.8	0.1	0.1	0.1	15	3.0		
44613	0	0	1	1	DSu	47.0995	69.1858	8.9	715.3	548	56842.	570	0.3	-0.3	0.1	0.1	0.1	0.1	20	3.0		
44612	0	1	1	1	DSu	47.0998	69.1858	8.9	715.3	552	56842.	407	0.2	0.5	-0.9	0.1	0.1	0.1	20	3.0		
44611	0	0	1	1	DSu	47.1001	69.1858	8.9	715.2	553	56842.	476	0.3	0.3	1.0	0.1	0.1	0.1	26	3.0		
44610	0	0	0	1	DSu	47.1004	69.1858	8.9	715.1	548	56842.	535	0.6	2.6	1.6	4.5	0.1	0.1	27	3.0		
44609	0	0	1	0	DSu	47.1007	69.1858	8.9	715.0	542	56842.	601	0.4	0.7	3.4	0.1	0.1	0.1	20	3.1		
44608	0	0	1	0	DSu	47.1010	69.1858	8.9	714.9	531	56842.	608	0.4	-0.4	2.2	0.1	0.1	0.1	33	3.1		
44607	0	0	1	0	DSu	47.1013	69.1858	8.9	714.8	527	56841.	634	0.5	0.2	2.9	0.1	0.1	0.1	30	3.1		

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI	
												CPS	%	PPM	PPM					CPS	CPS
44606	0	0	1	1	DSu	47.1016	69.1858	8.9	714.6	519	56841.	742	0.9	0.4	1.2	0.1	0.1	0.1	23	3.1	
44605	0	0	1	0	DSu	47.1019	69.1858	8.9	714.4	510	56841.	730	0.6	0.4	2.0	0.1	0.1	3.8	22	3.1	
44604	0	0	1	0	DSu	47.1022	69.1857	8.9	714.2	493	56839.	802	0.8	1.1	2.9	0.1	0.1	3.8	25	3.1	
44603	0	0	1	0	DSu	47.1025	69.1857	8.8	714.1	476	56837.	727	0.5	0.5	3.0	0.1	0.1	0.1	23	3.0	
44602	0	0	1	1	DSu	47.1028	69.1857	8.8	713.9	461	56836.	672	0.5	0.6	1.5	0.1	0.1	0.1	28	3.0	
44601	0	0	1	0	DSu	47.1031	69.1857	8.8	713.7	452	56837.	735	0.9	1.1	2.4	0.1	0.1	2.6	28	3.0	
44600	0	0	1	0	DSu	47.1034	69.1857	8.8	713.5	446	56836.	785	0.8	0.3	3.3	0.1	0.1	4.2	21	3.0	
44599	0	0	0	0	DSu	47.1037	69.1857	8.8	713.3	439	56835.	800	0.7	1.6	2.1	2.6	0.8	3.3	19	2.9	
44598	0	0	1	0	DSu	47.1040	69.1857	8.8	713.1	428	56836.	776	0.9	0.8	2.6	0.1	0.1	3.2	26	2.9	
44597	0	0	1	0	DSu	47.1043	69.1857	8.8	712.9	417	56836.	752	0.6	-0.1	3.4	0.1	0.1	6.6	29	2.9	
44596	0	0	1	0	DSu	47.1046	69.1857	8.8	712.7	410	56836.	811	0.8	1.0	4.2	0.1	0.1	5.5	23	2.8	
44595	0	0	1	0	DSu	47.1049	69.1857	8.8	712.4	407	56836.	745	0.8	-0.1	2.5	0.1	0.1	3.6	27	2.7	
44594	0	0	0	0	DSu	47.1052	69.1857	8.8	712.2	404	56837.	754	0.6	1.4	3.8	2.4	0.4	6.6	22	2.7	
44593	0	0	1	1	DSu	47.1055	69.1857	8.8	711.9	402	56838.	743	0.6	0.3	1.1	0.1	0.1	0.1	20	2.6	
44592	0	0	1	0	DSu	47.1058	69.1856	8.8	711.7	402	56838.	801	1.0	0.6	2.0	0.1	0.1	2.1	16	2.5	
44591	0	0	1	0	DSu	47.1061	69.1856	8.8	711.4	403	56838.	707	0.6	0.9	1.7	0.1	0.1	3.3	26	2.5	
44590	0	0	1	0	DSu	47.1064	69.1856	8.8	711.1	405	56837.	745	0.8	0.1	4.4	0.1	0.1	6.0	24	2.4	
44589	0	0	1	0	DSu	47.1067	69.1856	8.8	710.7	407	56837.	724	0.5	-0.1	4.0	0.1	0.1	0.1	19	2.4	
44587	0	0	0	0	DSu	47.1073	69.1856	8.8	710.3	410	56837.	770	0.7	1.3	4.2	2.0	0.3	6.7	22	2.3	
44586	0	0	0	0	DSu	47.1076	69.1856	8.8	709.9	412	56837.	769	0.6	1.2	3.3	2.0	0.4	5.7	28	2.2	
44585	0	0	0	0	DSu	47.1079	69.1856	8.8	709.5	413	56837.	738	0.6	1.2	2.9	1.9	0.4	4.8	21	2.2	
44584	0	0	1	0	DSu	47.1082	69.1856	8.8	709.2	410	56837.	824	0.8	0.4	3.9	0.1	0.1	5.5	21	2.2	
44583	0	0	0	0	DSu	47.1085	69.1856	8.7	708.8	405	56836.	791	0.7	1.2	3.6	1.8	0.4	5.8	23	2.1	
44582	0	0	0	0	DSu	47.1088	69.1856	8.7	708.5	401	56837.	733	0.6	2.1	2.8	3.9	0.8	5.2	25	2.0	
44581	0	0	1	0	DSu	47.1091	69.1855	8.7	708.1	400	56837.	760	0.7	0.0	4.0	0.1	0.1	6.1	28	2.0	
44580	0	0	1	0	DSu	47.1094	69.1855	8.7	707.8	402	56837.	751	0.7	0.6	2.6	0.1	0.1	4.0	27	2.0	
44579	0	0	1	0	DSu	47.1097	69.1855	8.7	707.5	400	56836.	768	0.8	0.5	3.0	0.1	0.1	4.2	15	1.9	
44578	0	0	1	0	DSu	47.1100	69.1855	8.7	707.1	398	56835.	764	0.8	0.4	3.1	0.1	0.1	3.8	27	1.8	
44577	0	0	0	0	DSu	47.1103	69.1855	8.7	706.8	393	56835.	756	0.6	1.8	1.8	3.3	1.0	3.4	18	1.8	
44576	0	0	1	0	DSu	47.1106	69.1855	8.4	704.5	385	56835.	689	0.6	-0.3	1.7	0.1	0.1	2.7	30	1.7	
44575	0	0	0	0	DSu	47.1109	69.1855	8.4	704.5	388	56835.	774	0.6	1.4	2.9	2.6	0.5	5.3	28	1.7	
44574	0	0	1	0	DSu	47.1112	69.1855	8.4	704.5	392	56836.	800	0.6	0.8	5.4	0.1	0.1	9.2	28	1.6	
44573	0	0	0	0	DSu	47.1115	69.1855	8.4	704.5	399	56834.	766	0.5	1.6	2.9	0.1	0.6	0.1	29	1.5	
44572	0	0	0	0	DSu	47.1118	69.1855	8.4	704.5	402	56832.	782	0.7	1.1	4.1	1.7	0.3	6.1	16	1.5	
44571	0	0	1	0	DSu	47.1121	69.1855	8.4	704.4	407	56831.	841	0.5	0.9	4.7	0.1	0.1	0.1	19	1.4	
44570	0	0	0	0	DSu	47.1124	69.1854	8.4	704.4	411	56831.	737	0.5	1.4	1.9	0.1	0.8	0.1	14	1.3	
44569	0	0	0	0	DSu	47.1127	69.1854	8.4	704.3	418	56831.	780	0.6	1.7	4.4	3.3	0.4	8.8	36	1.3	
44568	0	0	1	0	DSu	47.1130	69.1854	8.4	704.2	424	56830.	719	0.5	-0.2	3.2	0.1	0.1	0.1	30	1.2	
44567	0	0	1	0	DSu	47.1133	69.1854	8.4	704.1	427	56831.	676	0.6	0.0	2.9	0.1	0.1	4.8	14	1.2	
44566	0	0	1	0	DSu	47.1136	69.1854	8.4	704.0	426	56831.	720	0.3	0.8	2.0	0.1	0.1	0.1	24	1.2	
44565	0	0	0	0	DSu	47.1139	69.1854	8.4	703.9	419	56831.	768	0.8	1.8	1.5	2.5	1.2	2.1	27	1.1	
44564	0	0	1	0	DSu	47.1142	69.1854	8.4	703.9	406	56832.	829	0.6	0.6	3.2	0.1	0.1	5.5	28	1.0	
44563	0	0	1	0	DSu	47.1145	69.1854	8.4	703.7	390	56833.	778	0.6	-0.1	4.1	0.1	0.1	6.7	18	1.0	
44562	0	0	0	0	DSu	47.1148	69.1854	8.4	703.5	375	56832.	844	0.7	1.4	4.0	2.1	0.4	5.9	23	1.0	
44561	0	0	1	0	DSu	47.1151	69.1854	8.4	703.3	368	56832.	811	0.6	0.7	3.8	0.1	0.1	6.2	20	0.9	
44560	0	0	1	0	DSu	47.1154	69.1854	8.4	703.2	368	56833.	838	0.7	0.2	4.6	0.1	0.1	6.9	33	0.9	
44559	0	0	1	0	DSu	47.1157	69.1854	8.4	703.1	374	56832.	791	0.5	0.2	5.1	0.1	0.1	0.1	23	0.9	
44558	0	0	1	0	DSu	47.1160	69.1853	8.4	703.0	384	56831.	769	0.6	0.4	3.0	0.1	0.1	5.0	23	0.9	
44557	0	0	1	0	DSu	47.1163	69.1853	8.4	702.9	398	56832.	753	0.6	0.9	3.4	0.1	0.1	6.6	20	0.9	
44556	0	0	1	0	DSu	47.1166	69.1853	8.4	702.8	411	56832.	693	0.5	0.0	1.6	0.1	0.1	0.1	37	0.9	

*** NOTE *** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

- M03 -
 MAINE AERIAL SURVEY EDMUNDSTON QUADRANGLE, CARSON GEOSCIENCE INC., 1980 LINE NO. 1020

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI	
												CPS	%	PPM	PPM					CPS	CPS
44555	0	0	1	0	DSU	47.1169	69.1853	8.4	702.7	425	56832.	736	0.9	0.1	3.0	0.1	0.1	3.7	30	0.9	
44554	0	0	1	0	DSU	47.1172	69.1853	8.4	702.6	435	56832.	692	0.5	0.9	2.9	0.1	0.1	0.1	22	0.9	
44553	0	0	1	0	DSU	47.1175	69.1853	8.4	702.6	444	56832.	666	0.5	0.9	1.7	0.1	0.1	0.1	29	0.9	
44552	0	0	1	0	DSU	47.1178	69.1853	8.4	702.5	448	56831.	616	0.3	0.8	2.9	0.1	0.1	0.1	21	0.9	
44551	0	0	1	0	DSU	47.1181	69.1853	8.4	702.4	449	56831.	617	0.4	0.6	2.0	0.1	0.1	0.1	24	0.9	
44550	0	0	1	0	DSU	47.1184	69.1853	8.4	702.4	451	56832.	690	0.5	0.5	2.1	0.1	0.1	0.1	32	0.9	
44549	0	0	1	0	DSU	47.1187	69.1853	8.4	702.3	450	56833.	648	0.5	0.1	2.1	0.1	0.1	0.1	21	0.9	
44548	0	0	0	0	DSU	47.1190	69.1853	8.4	702.2	454	56833.	675	0.6	1.6	2.7	2.6	0.6	4.3	28	0.9	
44547	0	0	1	0	DSU	47.1193	69.1852	8.4	702.2	459	56833.	672	0.6	-0.1	3.1	0.1	0.1	5.5	20	1.0	
44546	0	0	1	0	DSU	47.1196	69.1852	8.4	702.1	473	56834.	649	0.7	1.1	4.4	0.1	0.1	6.8	32	1.0	
44545	0	0	0	0	DSU	47.1199	69.1852	8.4	702.1	482	56833.	749	0.5	1.9	3.0	0.1	0.7	0.1	29	1.0	
44544	0	0	0	0	DSU	47.1202	69.1852	8.4	702.0	487	56833.	733	0.5	1.7	1.9	0.1	0.9	0.1	28	0.9	
44543	0	0	0	1	DSU	47.1205	69.1852	8.4	701.9	484	56834.	743	0.6	1.1	1.3	2.0	0.1	0.1	28	0.9	
44542	0	0	0	0	DSU	47.1208	69.1852	8.4	701.9	483	56833.	831	0.8	1.9	3.8	2.4	0.5	4.9	21	0.8	
44541	0	0	0	1	DSU	47.1211	69.1852	8.4	701.8	481	56834.	747	0.6	1.3	1.2	2.3	0.1	0.1	21	0.8	
44540	0	0	0	0	DSU	47.1214	69.1852	8.4	701.8	478	56834.	759	0.5	1.3	2.6	0.1	0.5	0.1	29	0.8	
44539	0	0	1	0	DSU	47.1217	69.1852	8.4	701.8	471	56834.	651	0.6	0.7	2.0	0.1	0.1	3.6	26	0.8	
44538	0	0	1	0	DSU	47.1220	69.1852	8.4	701.7	461	56834.	776	0.7	-0.1	2.6	0.1	0.1	4.1	31	0.8	
44537	0	0	1	0	DSU	47.1223	69.1852	8.4	701.7	446	56834.	690	0.5	0.6	2.3	0.1	0.1	0.1	18	0.8	
44536	0	0	0	1	DSU	47.1226	69.1852	8.4	701.7	432	56833.	650	0.3	2.5	1.0	0.1	0.1	0.1	24	0.8	
44535	0	0	0	0	DSU	47.1229	69.1851	8.4	701.7	422	56832.	678	0.4	1.2	2.1	0.1	0.6	0.1	22	0.7	
44534	0	0	1	1	DSU	47.1232	69.1851	8.4	701.6	415	56832.	644	0.5	0.9	0.9	0.1	0.1	0.1	36	0.7	
44533	0	0	0	0	DSU	47.1235	69.1851	8.4	701.6	408	56832.	662	0.3	1.0	2.5	0.1	0.4	0.1	19	0.6	
44532	0	0	0	0	DSU	47.1238	69.1851	8.4	701.6	403	56832.	688	0.5	1.6	3.3	0.1	0.5	0.1	26	0.6	
44531	0	0	1	0	DSU	47.1241	69.1851	8.4	701.5	401	56831.	672	0.4	0.6	2.7	0.1	0.1	0.1	21	0.6	
44530	0	0	0	0	DSU	47.1244	69.1851	8.4	701.5	398	56831.	791	0.7	1.1	1.8	1.7	0.6	2.8	31	0.5	
44529	0	0	1	0	DSU	47.1247	69.1851	8.4	701.5	393	56831.	773	0.6	0.1	3.2	0.1	0.1	5.3	27	0.5	
44528	0	0	0	0	DSU	47.1250	69.1851	8.4	701.4	386	56829.	727	0.5	2.3	2.0	0.1	1.2	0.1	23	0.5	
44527	0	0	1	0	DSU	47.1253	69.1851	8.4	701.4	379	56828.	744	0.3	0.7	3.2	0.1	0.1	0.1	35	0.4	
44526	0	0	0	0	DSU	47.1256	69.1851	8.4	701.3	370	56828.	813	0.7	1.6	2.6	2.4	0.7	3.7	34	0.4	
44525	0	0	1	0	DSU	47.1259	69.1851	8.4	701.3	362	56829.	797	0.9	0.8	3.9	0.1	0.1	4.6	22	0.4	
44524	0	0	0	0	DSU	47.1262	69.1851	8.4	701.3	357	56829.	798	0.7	1.0	2.3	1.5	0.5	3.5	31	0.3	
44523	0	0	0	0	DSU	47.1265	69.1850	8.4	701.2	354	56828.	789	0.7	1.0	1.3	1.5	0.8	2.0	29	0.3	
44522	0	0	1	0	DSU	47.1268	69.1850	8.4	701.2	354	56828.	781	0.8	0.8	2.8	0.1	0.1	3.7	36	0.3	
44521	0	0	1	0	DSU	47.1271	69.1850	8.4	701.2	354	56828.	841	0.7	0.4	4.3	0.1	0.1	6.6	31	0.3	
44520	0	0	0	0	DSU	47.1274	69.1850	8.5	700.9	358	56827.	840	0.8	1.2	3.6	1.5	0.4	4.6	22	0.3	
44519	0	0	0	0	DSU	47.1277	69.1850	8.5	700.9	359	56828.	859	0.7	2.0	3.3	3.0	0.6	4.9	17	0.2	
44518	0	0	0	0	DSU	47.1280	69.1850	8.5	700.9	359	56829.	856	0.8	1.4	3.9	1.9	0.4	5.4	26	0.2	
44517	0	0	0	0	DSU	47.1283	69.1850	8.5	700.9	359	56829.	878	0.7	2.2	3.6	3.3	0.7	5.5	26	0.2	
44516	0	0	1	0	DSU	47.1286	69.1850	8.5	700.9	357	56828.	860	0.7	-0.4	4.3	0.1	0.1	7.0	22	0.2	
44515	0	0	0	0	DSU	47.1289	69.1850	8.5	700.9	355	56828.	891	0.8	1.6	3.5	2.2	0.5	4.8	22	0.2	
44514	0	0	0	0	DSU	47.1292	69.1850	8.5	700.9	355	56828.	914	0.7	1.0	3.3	1.4	0.3	4.9	21	0.2	
44513	0	0	0	0	DSU	47.1295	69.1850	8.5	700.8	355	56828.	916	0.7	1.6	4.8	2.3	0.4	6.9	21	0.1	
44512	0	0	1	0	DSU	47.1298	69.1849	8.5	700.7	356	56827.	948	0.8	0.7	4.2	0.1	0.1	6.1	30	0.2	
44511	0	0	1	0	DSU	47.1301	69.1849	8.5	700.7	356	56827.	953	1.0	-0.5	3.8	0.1	0.1	4.0	21	0.2	
44510	0	0	1	0	DSU	47.1304	69.1849	8.5	700.7	358	56828.	962	0.9	0.6	5.3	0.1	0.1	6.6	18	0.3	
44509	0	0	1	0	DSU	47.1307	69.1849	8.5	700.6	358	56829.	880	0.6	0.3	3.3	0.1	0.1	5.5	29	0.3	
44508	0	0	1	0	DSU	47.1310	69.1849	8.5	700.6	357	56829.	884	0.8	0.8	3.4	0.1	0.1	4.3	30	0.3	
44507	0	0	0	0	DSU	47.1313	69.1849	8.5	700.5	358	56829.	881	0.8	1.1	3.9	1.5	0.3	5.3	30	0.3	
44506	0	0	0	0	DSU	47.1316	69.1849	8.5	700.5	361	56832.	870	0.9	1.1	2.9	1.3	0.4	3.5	27	0.4	

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
44505	0	0	1	0	DSu	47.1319	69.1849	8.5	700.4	363	56832.	812	0.8	0.1	1.8	0.1	0.1	2.4	29	0.4
44504	0	0	1	0	DSu	47.1322	69.1849	8.5	700.3	364	56831.	865	1.0	0.7	2.6	0.1	0.1	2.8	29	0.4
44503	0	0	1	0	DSu	47.1325	69.1849	8.5	700.3	366	56831.	773	0.8	0.0	2.9	0.1	0.1	4.0	24	0.4
44502	0	0	1	0	DSu	47.1328	69.1848	8.5	700.2	367	56831.	788	0.7	0.9	4.7	0.1	0.1	7.1	26	0.5
44501	0	0	0	0	DSu	47.1331	69.1848	8.5	700.2	368	56830.	809	0.8	1.5	3.3	2.0	0.5	4.3	26	0.5
44500	0	0	1	0	DSu	47.1334	69.1848	8.5	700.1	369	56828.	793	0.6	0.2	3.1	0.1	0.1	6.0	27	0.5
44499	0	0	1	0	DSu	47.1337	69.1848	8.5	700.1	371	56828.	814	0.6	0.4	4.7	0.1	0.1	8.0	21	0.6
44497	0	0	1	0	DSu	47.1343	69.1848	8.5	700.1	374	56828.	783	0.9	0.2	2.7	0.1	0.1	3.3	21	0.6
44496	0	0	1	0	DSu	47.1346	69.1848	8.5	700.1	377	56829.	880	0.8	0.4	3.5	0.1	0.1	4.6	20	0.6
44495	0	0	0	0	DSu	47.1349	69.1848	8.5	700.0	377	56830.	888	0.6	1.7	2.8	2.8	0.6	4.8	22	0.6
44494	0	0	1	0	DSu	47.1352	69.1848	8.5	700.0	374	56831.	802	0.5	0.3	4.3	0.1	0.1	0.1	32	0.7
44493	0	0	1	0	DSu	47.1355	69.1848	8.5	700.1	369	56832.	748	0.7	0.5	1.8	0.1	0.1	2.7	30	0.7
44492	0	0	1	0	DSu	47.1358	69.1848	8.5	700.1	364	56833.	802	0.4	0.3	3.1	0.1	0.1	0.1	28	0.8
44491	0	0	0	0	DSu	47.1361	69.1847	8.5	700.1	362	56833.	787	0.6	1.1	1.7	2.1	0.7	3.3	15	0.8
44490	0	0	0	0	DSu	47.1364	69.1847	8.5	700.2	360	56833.	802	0.7	1.3	2.0	1.8	0.7	2.9	29	0.8
44489	0	0	0	0	DSu	47.1367	69.1847	8.5	700.2	358	56833.	840	0.7	1.5	4.5	2.4	0.4	7.1	22	0.8
44488	0	0	1	0	DSu	47.1370	69.1847	8.5	700.2	355	56833.	843	0.8	0.5	2.2	0.1	0.1	2.8	17	0.8
44487	0	0	1	0	DSu	47.1373	69.1847	8.5	700.3	350	56832.	796	0.5	0.8	3.4	0.1	0.1	0.1	14	0.8
44486	0	0	0	0	DSu	47.1376	69.1847	8.6	700.4	343	56832.	810	0.6	2.0	3.9	3.9	0.6	7.6	27	0.8
44485	0	0	1	0	DSu	47.1379	69.1847	8.6	700.4	335	56831.	675	0.5	0.8	2.2	0.1	0.1	0.1	33	0.7
44484	0	0	1	0	DSu	47.1382	69.1847	8.6	700.5	328	56830.	802	0.7	0.4	5.2	0.1	0.1	8.5	25	0.7
44483	0	0	0	0	DSu	47.1385	69.1847	8.6	700.6	323	56830.	752	0.6	1.1	2.6	2.2	0.5	4.9	38	0.7
44482	0	0	1	0	DSu	47.1388	69.1847	8.6	700.7	319	56831.	715	0.6	0.8	2.3	0.1	0.1	4.4	24	0.7
44481	0	0	0	0	DSu	47.1391	69.1847	8.6	700.8	318	56831.	822	0.7	0.9	1.5	1.4	0.6	2.3	16	0.7
44480	0	0	0	0	DSu	47.1394	69.1847	8.6	700.8	317	56831.	832	0.7	1.6	2.3	2.5	0.7	3.7	28	0.7
44479	0	0	1	0	DSu	47.1397	69.1846	8.6	700.9	318	56831.	823	0.8	0.8	3.6	0.1	0.1	4.8	28	0.7
44478	0	0	0	0	DSu	47.1400	69.1846	8.6	701.0	318	56830.	804	0.5	1.2	3.7	0.1	0.4	0.1	23	0.8
44477	0	0	1	0	DSu	47.1403	69.1846	8.6	701.1	319	56830.	846	0.6	0.6	2.4	0.1	0.1	3.9	26	0.8
44476	0	0	0	0	DSu	47.1406	69.1846	8.6	701.2	320	56831.	798	0.8	0.9	3.7	1.2	0.3	4.8	22	0.8
44475	0	0	1	0	DSu	47.1409	69.1846	8.6	701.3	323	56831.	837	0.9	0.4	4.2	0.1	0.1	5.1	28	0.9
44474	0	0	1	0	DSu	47.1412	69.1846	8.6	701.4	325	56833.	840	0.8	0.1	3.7	0.1	0.1	5.2	16	0.9
44473	0	0	1	0	DSu	47.1415	69.1846	8.6	701.5	328	56836.	889	0.9	0.8	3.5	0.1	0.1	3.9	29	0.9
44472	0	0	0	0	DSu	47.1418	69.1846	8.6	701.6	331	56838.	813	0.7	1.7	2.6	2.4	0.7	3.8	32	0.8
44471	0	0	0	0	DSu	47.1421	69.1846	8.6	701.8	334	56837.	808	0.7	1.1	3.8	1.8	0.3	6.1	33	0.8
44470	0	0	0	0	DSu	47.1424	69.1846	8.6	701.9	337	56837.	853	0.7	1.2	4.4	1.9	0.3	7.2	21	0.8
44469	0	0	0	0	DSu	47.1427	69.1846	8.6	702.0	339	56837.	882	0.8	1.2	3.8	1.7	0.4	5.3	27	0.8
44468	0	0	0	0	DSu	47.1430	69.1845	8.6	702.1	339	56837.	834	0.7	1.0	3.7	1.5	0.3	5.8	20	0.8
44467	0	0	0	0	DSu	47.1433	69.1845	8.6	702.2	338	56835.	838	0.6	1.4	4.2	2.4	0.4	7.6	26	0.8
44466	0	0	1	0	DSu	47.1436	69.1845	8.6	702.3	338	56835.	751	0.5	0.2	4.0	0.1	0.1	0.1	17	0.9
44465	0	0	1	0	DSu	47.1439	69.1845	8.6	702.4	335	56836.	707	0.5	0.3	2.8	0.1	0.1	0.1	22	1.0
44464	0	0	1	0	DSu	47.1442	69.1845	8.6	702.5	332	56836.	645	0.4	0.4	2.3	0.1	0.1	0.1	21	1.0
44463	0	0	0	0	DSu	47.1445	69.1845	8.8	703.1	322	56836.	497	0.5	0.9	2.1	0.1	0.5	0.1	46	1.0
44462	0	0	0	1	DSu	47.1448	69.1845	8.8	703.1	321	56836.	497	0.3	0.8	1.2	0.1	0.1	0.1	26	1.1
44461	0	0	0	0	DSu	47.1451	69.1845	8.8	703.1	319	56835.	542	0.2	1.1	1.4	0.1	0.8	0.1	15	1.1
44460	0	1	0	0	DSu	47.1454	69.1845	8.8	703.1	314	56832.	558	0.2	1.5	3.4	0.1	0.5	0.1	22	1.2
44459	0	0	1	0	DSu	47.1457	69.1845	8.8	703.1	306	56830.	511	0.3	0.0	2.6	0.1	0.1	0.1	23	1.2
44458	0	0	0	0	DSu	47.1460	69.1845	8.8	703.1	301	56830.	574	0.3	0.9	2.1	0.1	0.5	0.1	36	1.2
44457	0	0	0	0	DSu	47.1463	69.1844	8.8	703.1	297	56831.	606	0.4	1.9	2.7	0.1	0.8	0.1	37	1.3
44456	0	0	1	0	DSu	47.1466	69.1844	8.8	703.1	289	56830.	637	0.4	-0.3	1.9	0.1	0.1	0.1	24	1.3
44455	0	0	0	0	DSu	47.1469	69.1844	8.8	703.1	278	56829.	644	0.4	1.0	3.0	0.1	0.4	0.1	19	1.4

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
44454	0	0	0	0	DSu	47.1472	69.1844	8.8	703.0	272	56829.	644	0.3	0.8	3.7	0.1	0.3	0.1	30	1.4
44453	0	0	1	0	DSu	47.1475	69.1844	8.8	703.0	274	56829.	646	0.5	0.7	1.7	0.1	0.1	0.1	21	1.5
44452	0	0	1	0	DSu	47.1478	69.1844	8.8	702.9	279	56829.	655	0.5	0.2	3.1	0.1	0.1	0.1	34	1.5
44451	0	0	0	0	DSu	47.1481	69.1844	8.8	702.9	286	56829.	630	0.6	1.0	2.4	1.6	0.4	4.1	34	1.6
44450	0	0	1	0	DSu	47.1484	69.1844	8.8	702.8	294	56829.	657	0.5	0.0	2.3	0.1	0.1	0.1	31	1.6
44449	0	0	1	0	DSu	47.1487	69.1844	8.8	702.6	304	56829.	640	0.5	0.3	2.5	0.1	0.1	0.1	27	1.7
44448	0	0	0	0	DSu	47.1490	69.1844	8.8	702.4	312	56829.	671	0.5	1.1	3.1	0.1	0.4	0.1	18	1.8
44447	0	0	0	0	DSu	47.1493	69.1844	8.8	702.3	318	56830.	642	0.5	1.0	1.4	0.1	0.7	0.1	23	1.8
44446	0	0	0	0	DSu	47.1496	69.1844	8.8	702.1	322	56830.	678	0.6	0.9	1.8	1.7	0.5	3.4	29	1.9
44445	0	0	0	0	DSu	47.1499	69.1843	8.8	701.9	326	56830.	691	0.5	1.0	2.6	0.1	0.4	0.1	22	2.1
44444	0	0	1	0	DSu	47.1502	69.1843	8.8	701.7	331	56829.	645	0.4	0.0	3.6	0.1	0.1	0.1	30	2.2
44443	0	0	1	0	DSu	47.1505	69.1843	8.8	701.5	333	56829.	640	0.6	0.8	1.4	0.1	0.1	2.5	33	2.3
44442	0	0	1	0	DSu	47.1508	69.1843	8.8	701.3	334	56829.	691	0.7	0.8	1.8	0.1	0.1	2.9	35	2.4
44441	0	0	1	0	DSu	47.1511	69.1843	8.8	701.1	334	56829.	688	0.4	0.5	3.1	0.1	0.1	0.1	29	2.4
44440	0	0	1	0	DSu	47.1514	69.1843	8.8	700.9	335	56827.	727	0.6	0.3	3.3	0.1	0.1	5.9	32	2.5
44439	0	0	1	0	DSu	47.1517	69.1843	8.8	700.7	336	56827.	652	0.8	0.1	2.5	0.1	0.1	3.4	27	2.6
44438	0	0	1	0	DSu	47.1520	69.1843	8.8	700.5	339	56827.	715	0.6	0.1	3.7	0.1	0.1	6.6	28	2.9
44437	0	0	0	0	DSu	47.1523	69.1843	8.8	700.3	343	56825.	713	0.5	1.1	2.6	0.1	0.5	0.1	21	3.2
44436	0	0	1	0	DSu	47.1526	69.1843	8.8	700.2	347	56825.	716	0.6	0.6	1.3	0.1	0.1	2.4	31	3.5
44435	0	0	0	0	DSu	47.1529	69.1843	8.8	700.0	350	56825.	793	0.6	1.3	2.7	2.6	0.5	5.3	34	3.8
44434	0	0	1	0	DSu	47.1532	69.1842	8.8	699.9	349	56824.	701	0.5	0.1	2.9	0.1	0.1	0.1	30	4.0
44433	0	0	0	0	DSu	47.1535	69.1842	8.8	699.7	347	56823.	789	0.6	1.1	4.6	1.9	0.3	8.2	39	4.1
44432	0	0	1	0	DSu	47.1538	69.1842	8.8	699.6	341	56823.	753	0.6	0.4	2.4	0.1	0.1	4.3	23	4.4
44431	0	0	1	0	DSu	47.1541	69.1842	8.9	699.6	334	56824.	750	0.6	0.8	2.6	0.1	0.1	4.6	17	4.6
44430	0	0	1	0	DSu	47.1544	69.1842	8.9	699.5	323	56825.	805	0.5	0.3	4.6	0.1	0.1	0.1	26	4.9
44429	0	0	1	0	DSu	47.1547	69.1842	8.9	699.4	314	56825.	778	0.7	0.2	5.7	0.1	0.1	8.9	24	5.1
44428	0	0	1	0	DSu	47.1550	69.1842	8.9	699.4	306	56825.	733	0.5	-0.3	2.3	0.1	0.1	0.1	27	5.4
44427	0	0	1	0	DSu	47.1553	69.1842	8.9	699.3	299	56825.	808	0.8	0.8	4.1	0.1	0.1	5.5	31	5.6
44426	0	0	1	0	DSu	47.1556	69.1842	8.9	699.3	294	56825.	757	0.6	0.3	2.5	0.1	0.1	4.4	16	5.7
44425	0	0	1	0	DSu	47.1559	69.1842	8.9	699.3	290	56824.	781	0.7	0.8	2.8	0.1	0.1	4.3	29	5.9
44424	0	0	1	0	DSu	47.1562	69.1842	8.9	699.3	289	56825.	758	0.5	0.7	2.0	0.1	0.1	0.1	29	6.0
44423	0	0	0	0	DSu	47.1565	69.1842	8.9	699.3	290	56825.	795	0.6	1.0	5.6	1.8	0.2	10.8	23	6.1
44422	0	0	1	0	DSu	47.1568	69.1841	8.9	699.3	293	56825.	820	0.6	0.8	3.0	0.1	0.1	5.7	25	6.3
44421	0	0	1	0	DSu	47.1571	69.1841	8.9	699.4	296	56825.	787	0.6	0.0	3.7	0.1	0.1	7.0	17	6.5
44420	0	0	1	0	DSu	47.1574	69.1841	8.9	699.4	296	56824.	803	0.7	0.4	5.2	0.1	0.1	8.4	25	6.6
44419	0	0	1	0	DSu	47.1577	69.1841	8.9	699.6	295	56824.	816	0.7	-0.1	4.0	0.1	0.1	6.1	30	6.8
44418	0	0	1	0	DSu	47.1580	69.1841	8.9	699.7	292	56824.	858	0.8	0.8	3.0	0.1	0.1	4.0	24	6.9
44417	0	0	0	0	DSu	47.1583	69.1841	8.9	699.9	290	56825.	911	0.7	1.1	3.7	1.6	0.3	5.6	16	7.0
44416	0	0	1	0	DSu	47.1586	69.1841	8.9	700.1	288	56826.	889	0.7	0.4	4.4	0.1	0.1	6.7	25	7.0
44415	0	0	0	0	DSu	47.1589	69.1841	8.9	700.3	288	56827.	807	0.6	1.1	2.6	1.7	0.5	4.2	30	7.1
44414	0	0	1	0	DSu	47.1592	69.1841	8.9	700.5	288	56827.	852	0.7	0.7	3.4	0.1	0.1	5.1	31	7.2
44413	0	0	1	0	DSu	47.1595	69.1841	8.9	700.7	290	56828.	823	0.9	-0.2	5.6	0.1	0.1	6.7	28	7.1
44412	0	0	1	0	DSu	47.1598	69.1841	9.0	701.0	294	56827.	891	0.7	0.3	1.5	0.1	0.1	2.4	27	7.0
44411	0	0	1	0	DSu	47.1601	69.1841	9.0	701.2	301	56827.	846	0.9	-0.5	4.3	0.1	0.1	5.4	25	7.0
44410	0	0	1	0	DSu	47.1604	69.1840	9.0	701.5	310	56827.	806	0.8	0.2	1.9	0.1	0.1	2.5	29	6.9
44409	0	0	0	0	DSu	47.1607	69.1840	9.0	701.7	322	56826.	924	0.9	1.7	4.0	2.2	0.5	5.0	24	6.7
44408	0	0	1	0	DSu	47.1610	69.1840	9.0	702.0	333	56825.	887	0.9	0.3	2.4	0.1	0.1	2.9	27	6.8
44406	0	0	1	0	DSu	47.1616	69.1840	9.4	705.0	357	56826.	903	0.8	0.9	4.9	0.1	0.1	6.6	20	6.5
44405	0	0	1	0	DSu	47.1619	69.1840	9.4	704.9	361	56825.	909	0.7	0.4	5.6	0.1	0.1	8.7	25	6.2
44404	0	0	1	0	DSu	47.1622	69.1840	9.4	704.9	367	56825.	863	0.8	0.7	4.3	0.1	0.1	5.9	27	5.9

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI	
												CPS	%	PPM	PPM					CPS	CPS
44403	0	0	1	0	DSU	47.1625	69.1840	9.4	704.9	380	56825.	968	1.1	0.7	3.2	0.1	0.1	3.1	26	5.7	
44402	0	0	1	0	DSU	47.1628	69.1840	9.4	705.0	395	56826.	848	0.9	1.0	3.7	0.1	0.1	4.4	27	5.4	
44401	0	0	1	0	DSU	47.1631	69.1840	9.4	705.0	410	56826.	906	0.8	0.1	3.6	0.1	0.1	4.8	29	5.1	
44400	0	0	1	0	DSU	47.1634	69.1839	9.4	705.2	426	56826.	879	0.6	0.7	2.8	0.1	0.1	4.8	24	4.9	
44399	0	0	0	0	DSU	47.1637	69.1839	9.4	705.3	440	56827.	932	1.1	1.9	4.4	1.7	0.5	4.0	28	4.7	
44398	0	0	1	0	DSU	47.1640	69.1839	9.4	705.4	455	56827.	847	0.7	-0.3	3.2	0.1	0.1	5.0	26	4.5	
44397	0	0	1	0	DSU	47.1643	69.1839	9.4	705.5	466	56827.	830	1.1	0.7	2.3	0.1	0.1	2.2	22	4.3	
44396	0	0	1	0	DSU	47.1646	69.1839	9.4	705.6	472	56827.	847	0.7	-0.1	2.3	0.1	0.1	3.4	27	4.2	
44395	0	0	1	0	DSU	47.1649	69.1839	9.4	705.8	473	56826.	781	0.7	-0.4	5.2	0.1	0.1	7.9	31	4.7	
44394	0	0	1	0	DSU	47.1652	69.1839	9.4	706.0	470	56824.	760	0.5	-0.4	4.7	0.1	0.1	0.1	26	3.8	
44393	0	0	0	0	DSU	47.1655	69.1839	9.4	706.3	465	56823.	763	0.7	1.9	2.8	2.9	0.7	4.3	27	3.7	
44392	0	0	1	0	DSU	47.1658	69.1839	9.4	706.6	459	56823.	768	0.7	0.3	1.9	0.1	0.1	3.0	21	3.5	
44391	0	0	1	0	DSU	47.1661	69.1839	9.4	706.9	454	56823.	788	0.6	0.0	3.7	0.1	0.1	6.3	24	3.3	
44390	0	0	0	1	DSU	47.1664	69.1839	9.4	707.2	451	56823.	728	0.8	1.2	1.5	1.6	0.1	0.1	19	3.2	
44389	0	0	1	0	DSU	47.1667	69.1838	9.4	707.4	444	56823.	747	0.5	0.7	2.5	0.1	0.1	0.1	18	3.0	
44388	0	0	1	0	DSU	47.1670	69.1838	9.4	707.7	428	56824.	615	0.5	0.9	3.3	0.1	0.1	0.1	25	2.9	
44387	0	0	1	0	DSU	47.1673	69.1838	9.4	707.9	411	56823.	617	0.3	0.4	2.8	0.1	0.1	0.1	33	2.7	
44386	0	0	1	1	DSU	47.1676	69.1838	9.4	708.1	400	56825.	587	0.4	0.9	0.8	0.1	0.1	0.1	29	2.5	
44385	0	0	0	0	DSU	47.1679	69.1838	9.4	708.3	397	56826.	587	0.5	1.1	1.4	0.1	0.8	0.1	33	2.3	
44384	0	0	1	0	DSU	47.1682	69.1838	9.4	708.4	395	56826.	654	0.5	0.6	3.0	0.1	0.1	0.1	21	2.1	
44383	0	0	1	0	DSU	47.1685	69.1838	9.4	708.5	392	56826.	568	0.4	0.5	2.2	0.1	0.1	0.1	25	2.0	
44382	0	0	1	0	DSU	47.1688	69.1838	9.4	708.6	390	56826.	654	0.5	-0.2	2.7	0.1	0.1	0.1	25	1.8	
44381	0	0	0	0	DSU	47.1691	69.1838	9.4	708.6	389	56825.	679	0.6	1.1	2.2	1.8	0.5	3.8	31	1.9	
44380	0	0	1	0	DSU	47.1694	69.1838	9.4	708.6	391	56824.	655	0.6	-0.6	3.8	0.1	0.1	7.4	15	1.9	
44379	0	0	1	0	DSU	47.1697	69.1838	9.4	708.6	395	56823.	692	0.6	0.3	4.3	0.1	0.1	7.1	33	2.0	
44378	0	0	1	0	DSU	47.1700	69.1838	9.4	708.6	395	56823.	725	0.4	0.7	2.1	0.1	0.1	0.1	21	2.0	
44377	0	0	0	0	DSU	47.1703	69.1837	9.4	708.5	393	56824.	748	0.4	1.4	3.3	0.1	0.5	0.1	28	2.0	
44376	0	0	1	0	DSU	47.1706	69.1837	9.4	708.4	388	56823.	727	0.4	0.7	2.0	0.1	0.1	0.1	26	2.0	
44375	0	0	0	0	DSU	47.1709	69.1837	9.4	708.2	384	56823.	731	0.7	1.1	2.4	1.8	0.5	3.8	27	2.0	
44374	0	0	0	0	DSU	47.1712	69.1837	9.4	708.1	379	56823.	785	0.8	1.3	2.7	1.7	0.5	3.6	32	2.0	
44373	0	0	1	0	DSU	47.1715	69.1837	9.4	708.0	373	56824.	770	0.6	0.0	3.7	0.1	0.1	6.6	22	1.9	
44372	0	0	1	0	DSU	47.1718	69.1837	9.4	707.8	367	56824.	815	0.6	0.8	4.8	0.1	0.1	8.8	21	1.9	
44371	0	0	1	0	DSU	47.1721	69.1837	9.4	707.7	361	56825.	797	0.5	0.5	3.4	0.1	0.1	0.1	20	1.8	
44370	0	0	0	0	DSU	47.1724	69.1837	9.4	707.6	356	56825.	846	0.7	2.3	4.5	3.5	0.6	6.9	35	1.7	
44369	0	0	1	0	DSU	47.1727	69.1837	9.4	707.4	352	56824.	839	0.7	-0.3	4.9	0.1	0.1	7.1	30	1.6	
44368	0	0	0	0	DSU	47.1730	69.1837	9.4	707.4	348	56824.	917	0.7	2.1	4.3	3.0	0.5	6.3	28	1.6	
44367	0	0	1	0	DSU	47.1733	69.1837	9.5	707.3	344	56824.	932	0.8	0.8	3.8	0.1	0.1	4.8	20	1.5	
44366	0	0	0	0	DSU	47.1736	69.1836	9.5	707.3	344	56824.	916	0.7	1.3	3.6	1.9	0.4	5.4	20	1.4	
44365	0	0	0	0	DSU	47.1739	69.1836	9.5	707.2	346	56823.	858	0.6	1.4	3.6	2.5	0.4	6.7	15	1.3	
44364	0	0	0	0	DSU	47.1742	69.1836	9.5	707.2	351	56823.	951	1.0	1.2	3.6	1.2	0.4	3.8	21	1.3	
44363	0	0	1	0	DSU	47.1745	62.1836	9.5	707.2	353	56822.	981	0.8	0.7	7.1	0.1	0.1	10.0	28	1.2	
44362	0	0	0	0	DSU	47.1748	69.1836	9.5	707.3	356	56823.	875	0.7	1.2	3.1	1.8	0.4	4.6	28	1.1	
44361	0	0	1	0	DSU	47.1751	69.1836	9.5	707.4	360	56824.	904	0.8	0.9	5.1	0.1	0.1	6.7	32	1.0	
44360	0	0	0	0	DSU	47.1754	69.1836	9.5	707.4	364	56824.	858	0.6	1.1	3.7	1.9	0.3	6.3	24	1.0	
44359	0	0	0	0	DSU	47.1757	69.1836	9.5	707.5	367	56825.	909	0.6	1.6	5.7	2.7	0.3	9.7	27	0.9	
44358	0	0	0	0	DSU	47.1760	69.1836	9.5	707.5	369	56826.	888	0.6	1.1	3.0	1.9	0.4	5.4	22	0.8	
44357	0	0	1	0	DSU	47.1763	69.1836	9.5	707.6	370	56827.	890	0.8	0.9	4.6	0.1	0.1	5.8	27	0.8	
44356	0	0	1	0	DSU	47.1766	69.1836	9.5	707.6	372	56826.	835	0.7	0.9	3.0	0.1	0.1	4.6	22	0.7	
44355	0	0	0	0	DSU	47.1769	69.1835	9.5	707.7	374	56825.	849	0.4	1.7	4.8	0.1	0.4	0.1	29	0.6	
44354	0	0	0	0	DSU	47.1772	69.1835	9.5	707.7	378	56825.	875	0.5	2.6	4.7	0.1	0.6	0.1	22	0.5	

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

- D04 -
 MAINE AERIAL SURVEY EDMUNDSTON QUADRANGLE, CARSON GEOSCIENCE INC., 1980

LINE NO. 1020

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
44353	0	0	1	0	DSu	47.1775	69.1835	9.5	707.8	376	56825.	853	0.6	0.0	4.0	0.1	0.1	7.1	29	0.5
44352	0	0	0	0	DSu	47.1778	69.1835	9.5	707.8	376	56825.	800	0.6	1.1	3.7	2.1	0.3	7.1	23	0.4
44351	0	0	0	0	DSu	47.1781	69.1835	9.5	707.9	377	56825.	795	0.6	1.2	5.2	2.0	0.3	9.1	28	0.4
44350	0	0	1	0	DSu	47.1784	69.1835	9.7	708.5	379	56823.	824	0.6	0.8	2.9	0.1	0.1	5.5	40	0.4
44349	0	0	1	0	DSu	47.1787	69.1835	9.7	708.5	379	56823.	764	0.5	0.9	4.2	0.1	0.1	0.1	27	0.4
44348	0	0	1	0	DSu	47.1790	69.1835	9.7	708.4	379	56824.	806	0.8	0.6	4.5	0.1	0.1	5.9	23	0.3
44347	0	0	1	0	DSu	47.1793	69.1835	9.7	708.5	379	56824.	756	0.7	0.1	3.1	0.1	0.1	5.0	32	0.3
44346	0	0	1	0	DSu	47.1796	69.1835	9.7	708.5	381	56824.	708	0.6	0.4	2.2	0.1	0.1	3.6	23	0.3
44345	0	0	0	0	DSu	47.1799	69.1835	9.7	708.5	383	56823.	765	0.7	1.1	2.6	1.7	0.5	3.9	25	0.3
44344	0	0	0	0	DSu	47.1802	69.1835	9.7	708.5	385	56823.	722	0.6	1.9	4.5	3.6	0.5	8.6	17	0.3
44343	0	0	0	0	DSu	47.1805	69.1834	9.7	708.5	388	56822.	769	0.6	1.5	2.9	2.5	0.6	4.8	27	0.2
44342	0	0	0	0	DSu	47.1808	69.1834	9.7	708.5	390	56822.	782	0.5	2.3	1.5	0.1	1.5	0.1	28	0.2
44341	0	0	0	0	DSu	47.1811	69.1834	9.7	708.5	388	56822.	749	0.6	1.5	2.6	2.8	0.6	4.9	21	0.1
44340	0	0	0	0	DSu	47.1814	69.1834	9.7	708.6	382	56823.	799	0.6	1.1	3.2	1.8	0.4	5.5	27	0.2
44339	0	0	0	0	DSu	47.1817	69.1833	9.7	708.6	376	56824.	874	0.7	1.2	3.9	1.9	0.3	6.2	23	0.2
44338	0	0	0	0	DSu	47.1820	69.1833	9.7	708.6	367	56825.	780	0.7	1.2	2.7	1.8	0.5	4.2	29	0.2
44337	0	0	0	0	DSu	47.1823	69.1833	9.7	708.7	358	56826.	856	0.7	0.9	4.5	1.4	0.3	7.0	26	0.2
44336	0	0	0	0	DSu	47.1826	69.1832	9.7	708.8	346	56826.	826	0.7	1.3	4.5	2.0	0.3	6.9	18	0.3
44335	0	0	0	0	DSu	47.1829	69.1832	9.7	708.8	338	56823.	830	0.7	1.1	3.5	1.7	0.3	5.6	33	0.3
44334	0	0	0	0	DSu	47.1833	69.1831	9.7	708.9	333	56822.	846	0.7	0.9	3.4	1.3	0.3	5.0	20	0.3
44333	0	0	0	0	DSu	47.1836	69.1831	9.7	709.0	332	56824.	873	1.0	1.1	2.9	1.1	0.4	3.1	27	0.3
44332	0	0	0	0	DSu	47.1839	69.1831	9.7	709.1	336	56824.	822	0.9	1.4	3.5	1.7	0.4	4.3	24	0.3
44331	0	0	1	0	DSu	47.1842	69.1830	9.7	709.2	345	56824.	853	0.7	0.8	3.6	0.1	0.1	5.5	27	0.2
44330	0	0	1	0	DSu	47.1845	69.1830	9.7	709.3	357	56824.	899	0.9	0.6	4.1	0.1	0.1	5.0	22	0.3
44329	0	0	1	0	DSu	47.1848	69.1830	9.7	709.4	371	56824.	916	0.7	0.8	4.6	0.1	0.1	6.6	20	0.3
44328	0	0	0	0	DSu	47.1851	69.1829	9.7	709.6	382	56824.	885	0.7	1.1	4.0	1.7	0.3	6.3	32	0.4
44327	0	0	1	0	DSu	47.1854	69.1829	9.7	709.7	391	56824.	948	0.9	0.6	3.4	0.1	0.1	4.0	31	0.4
44326	0	0	0	0	DSu	47.1858	69.1828	9.7	709.8	399	56825.	886	0.8	1.8	4.8	2.6	0.4	6.8	30	0.4
44325	0	0	1	0	DSu	47.1861	69.1828	9.7	710.0	408	56827.	895	0.9	0.6	3.5	0.1	0.1	4.2	29	0.4
44324	0	0	0	0	DSu	47.1864	69.1828	9.7	710.1	418	56829.	845	0.6	1.3	3.6	2.5	0.4	6.8	22	0.4
44323	0	0	1	0	DSu	47.1867	69.1827	9.8	710.2	426	56830.	873	0.7	1.0	6.2	0.1	0.1	9.1	22	0.4
44322	0	0	0	0	DSu	47.1870	69.1827	9.8	710.3	432	56829.	882	0.7	1.2	5.3	2.0	0.3	8.4	15	0.3
44321	0	0	0	0	DSu	47.1873	69.1827	9.8	710.5	441	56827.	862	0.9	1.5	2.0	1.9	0.8	2.5	24	0.3
44320	0	0	0	0	DSu	47.1876	69.1826	9.8	710.6	452	56827.	844	0.5	1.7	4.0	0.1	0.5	0.1	27	0.4
44319	0	0	0	0	DSu	47.1880	69.1826	9.8	710.7	463	56827.	860	0.7	1.2	2.4	1.9	0.5	3.7	14	0.4
44318	0	0	0	0	DSu	47.1883	69.1826	9.8	710.8	470	56827.	794	0.8	1.3	3.6	1.8	0.4	5.0	21	0.5
44317	0	0	1	0	DSu	47.1886	69.1825	9.8	711.0	472	56828.	862	0.8	0.9	2.2	0.1	0.1	3.0	29	0.6
44315	0	0	1	0	DSu	47.1892	69.1824	9.8	711.1	467	56829.	840	0.7	0.9	4.6	0.1	0.1	7.4	18	0.7
44314	0	0	1	0	DSu	47.1895	69.1824	9.8	711.3	461	56827.	709	0.6	0.2	3.3	0.1	0.1	6.3	18	0.7
44313	0	0	0	0	DSu	47.1898	69.1824	9.8	711.5	455	56826.	825	0.7	1.1	2.6	1.7	0.5	3.9	24	0.8
44312	0	0	0	0	DSu	47.1901	69.1823	9.8	711.7	458	56826.	767	0.5	1.6	3.2	0.1	0.5	0.1	28	0.8
44311	0	0	0	0	DSu	47.1905	69.1823	9.8	711.9	455	56826.	811	0.8	1.2	4.3	1.6	0.3	5.6	28	0.9
44310	0	0	1	0	DSu	47.1908	69.1823	9.8	712.1	450	56826.	719	0.5	0.3	2.4	0.1	0.1	0.1	22	0.9
44309	0	0	1	0	DSu	47.1911	69.1822	9.8	712.4	437	56826.	763	0.6	0.8	1.8	0.1	0.1	3.2	36	0.9
44308	0	0	1	0	DSu	47.1914	69.1822	9.8	712.6	427	56826.	743	0.7	1.0	4.5	0.1	0.1	7.1	21	1.0
44307	0	0	1	0	DSu	47.1917	69.1822	9.8	712.9	419	56827.	696	0.6	0.4	2.9	0.1	0.1	5.6	32	1.0
44306	0	0	1	0	DSu	47.1920	69.1821	9.8	713.2	411	56826.	773	0.8	0.8	3.1	0.1	0.1	4.2	25	1.0
44305	0	0	0	0	DSu	47.1923	69.1821	9.8	713.6	402	56824.	762	0.6	1.2	2.0	2.1	0.6	3.5	25	1.0
44304	0	0	0	0	DSu	47.1926	69.1820	9.8	713.9	394	56823.	792	0.7	1.2	3.3	1.8	0.4	5.1	34	1.0
44303	0	0	1	0	DSu	47.1930	69.1820	9.8	714.3	392	56822.	758	0.8	0.9	2.4	0.1	0.1	3.3	20	1.0

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
44302	0	0	1	0	DSu	47.1933	69.1820	9.8	714.6	396	56822.	717	0.6	0.3	2.8	0.1	0.1	5.2	23	1.0
44301	0	0	1	0	DSu	47.1936	69.1819	9.8	714.9	401	56822.	807	0.8	0.3	5.0	0.1	0.1	7.1	25	1.0
44300	0	0	1	0	DSu	47.1939	69.1819	9.8	715.2	406	56822.	822	0.5	0.9	3.4	0.1	0.1	0.1	19	1.0
44299	0	0	0	0	DSu	47.1942	69.1819	9.8	715.5	405	56822.	779	0.6	1.2	3.7	2.2	0.4	6.9	24	1.1
44298	0	0	1	0	DSu	47.1945	69.1818	9.8	715.8	404	56822.	747	0.5	0.8	2.4	0.1	0.1	0.1	26	1.1
44297	0	0	1	0	DSu	47.1948	69.1818	9.8	716.1	399	56822.	757	0.8	0.0	2.2	0.1	0.1	3.2	37	1.1
44296	0	0	1	0	DSu	47.1951	69.1817	9.8	716.4	393	56822.	705	0.6	-0.6	3.3	0.1	0.1	6.1	29	1.1
44295	0	0	0	0	DSu	47.1955	69.1817	9.9	716.7	385	56822.	700	0.5	1.3	3.6	0.1	0.4	0.1	29	1.2
44294	0	0	0	0	DSu	47.1958	69.1817	9.9	716.9	379	56823.	714	0.5	1.3	2.7	0.1	0.5	0.1	22	1.2
44293	0	0	1	0	DSu	47.1961	69.1816	9.7	719.0	374	56824.	626	0.7	0.9	2.1	0.1	0.1	3.0	23	1.0
44292	0	0	1	0	DSu	47.1964	69.1816	9.7	718.9	372	56825.	712	0.6	0.6	2.5	0.1	0.1	4.5	35	0.9
44291	0	0	1	0	DSu	47.1967	69.1816	9.7	718.9	368	56825.	620	0.6	0.5	1.9	0.1	0.1	3.2	16	0.7
44290	0	0	1	0	DSu	47.1970	69.1815	9.7	718.9	358	56825.	552	0.4	-0.6	2.3	0.1	0.1	0.1	33	0.7
44289	0	0	1	0	DSu	47.1973	69.1815	9.7	718.9	351	56825.	629	0.5	0.9	3.8	0.1	0.1	0.1	29	0.7
44288	0	0	1	1	DSu	47.1976	69.1815	9.7	719.0	342	56825.	566	0.5	0.3	0.7	0.1	0.1	0.1	24	0.7
44287	0	0	0	0	DSu	47.1980	69.1814	9.7	719.0	337	56825.	613	0.5	1.4	1.4	0.1	1.0	0.1	19	0.7
44286	0	0	1	0	DSu	47.1983	69.1814	9.7	719.1	334	56824.	581	0.6	0.4	2.2	0.1	0.1	3.7	26	0.7
44285	0	0	0	1	DSu	47.1986	69.1814	9.7	719.1	335	56822.	597	0.5	1.1	0.9	0.1	0.1	0.1	29	0.6
44284	0	0	0	0	DSu	47.1989	69.1813	9.7	719.2	336	56822.	641	0.6	1.1	2.6	2.0	0.5	5.0	31	0.6
44283	0	0	1	1	DSu	47.1992	69.1813	9.7	719.2	342	56823.	642	0.6	-0.3	1.1	0.1	0.1	0.1	16	0.7
44282	0	0	1	0	DSu	47.1995	69.1812	9.7	719.2	352	56824.	590	0.7	-0.1	2.8	0.1	0.1	4.5	23	0.7
44281	0	0	1	1	DSu	47.1998	69.1812	9.7	719.3	367	56826.	562	0.5	0.4	1.0	0.1	0.1	0.1	29	0.8
44280	0	0	0	1	DSu	47.2001	69.1812	9.7	719.3	385	56827.	557	0.5	1.0	1.3	0.1	0.1	0.1	31	0.8
44279	0	0	1	0	DSu	47.2005	69.1811	9.7	719.4	405	56828.	552	0.5	-0.1	2.1	0.1	0.1	0.1	25	0.9
44278	0	0	0	0	DSu	47.2008	69.1811	9.7	719.4	422	56829.	643	0.6	1.3	1.8	2.4	0.7	3.5	17	0.9
44277	0	0	1	0	DSu	47.2011	69.1810	9.7	719.5	429	56828.	527	0.6	-0.3	2.6	0.1	0.1	4.4	20	1.0
44276	0	0	1	0	DSu	47.2014	69.1810	9.7	719.5	430	56828.	540	0.5	0.4	3.3	0.1	0.1	0.1	20	1.0
44275	0	0	1	1	DSu	47.2017	69.1810	9.7	719.4	430	56828.	510	0.5	-0.4	0.7	0.1	0.1	0.1	20	1.0
44274	0	0	0	1	DSu	47.2020	69.1809	9.7	719.4	430	56829.	503	0.3	1.7	0.1	0.1	0.1	0.1	30	1.1
44273	0	1	0	0	DSu	47.2023	69.1809	9.7	719.4	425	56829.	457	0.2	1.2	1.5	0.1	0.8	0.1	23	1.1
44272	0	0	1	0	DSu	47.2027	69.1809	9.7	719.3	420	56828.	507	0.4	0.0	2.4	0.1	0.1	0.1	20	1.1
44271	0	0	1	0	DSu	47.2030	69.1808	9.7	719.3	409	56828.	518	0.3	-0.1	1.7	0.1	0.1	0.1	26	1.1
44270	0	0	1	1	DSu	47.2033	69.1808	9.7	719.2	401	56827.	575	0.5	0.6	1.2	0.1	0.1	0.1	24	1.2
44269	0	0	1	0	DSu	47.2036	69.1808	9.7	719.1	393	56826.	552	0.5	0.1	1.5	0.1	0.1	0.1	24	1.2
44268	0	0	0	1	DSu	47.2039	69.1807	9.7	719.1	393	56826.	527	0.4	1.0	1.3	0.1	0.1	0.1	20	1.4
44267	0	0	1	1	DSu	47.2042	69.1807	9.7	719.0	391	56827.	582	0.4	0.8	1.3	0.1	0.1	0.1	22	1.6
44266	0	0	1	1	DSu	47.2045	69.1806	9.7	719.0	394	56829.	592	0.5	0.8	1.2	0.1	0.1	0.1	34	1.8
44265	0	0	1	0	DSu	47.2048	69.1806	9.7	718.9	400	56830.	608	0.5	-0.2	2.8	0.1	0.1	0.1	26	1.7
44264	0	0	1	0	DSu	47.2052	69.1806	9.7	718.8	411	56832.	653	0.7	0.5	2.2	0.1	0.1	3.5	23	1.7
44263	0	0	1	0	DSu	47.2055	69.1805	9.7	718.7	418	56834.	615	0.5	0.9	1.6	0.1	0.1	0.1	30	1.7
44262	0	0	1	0	DSu	47.2058	69.1805	9.7	718.7	428	56836.	653	0.5	1.0	2.4	0.1	0.1	0.1	24	1.7
44261	0	0	0	0	DSu	47.2061	69.1805	9.7	718.6	445	56836.	720	0.6	1.2	3.0	2.0	0.4	5.1	24	1.8
44260	0	0	1	0	DSu	47.2064	69.1804	9.7	718.5	465	56836.	641	0.5	-0.7	1.4	0.1	0.1	0.1	20	1.8
44259	0	0	0	0	DSu	47.2067	69.1804	9.7	718.5	479	56836.	738	0.8	1.1	3.2	1.5	0.4	4.3	18	1.9
44258	0	0	1	0	DSu	47.2070	69.1804	9.7	718.4	481	56836.	688	0.6	0.5	2.2	0.1	0.1	3.7	19	1.9
44257	0	0	1	1	DSu	47.2073	69.1803	9.7	718.3	481	56837.	690	0.7	0.1	1.5	0.1	0.1	0.1	25	1.9
44256	0	0	1	0	DSu	47.2077	69.1803	9.7	718.2	478	56837.	646	0.6	0.3	1.9	0.1	0.1	3.7	31	2.0
44255	0	0	1	1	DSu	47.2080	69.1802	9.7	718.2	468	56836.	594	0.4	1.0	1.0	0.1	0.1	0.1	24	2.0
44254	0	0	1	0	DSu	47.2083	69.1802	9.7	718.1	458	56835.	655	0.5	0.8	3.6	0.1	0.1	0.1	22	2.0
44253	0	0	1	0	DSu	47.2086	69.1802	9.7	718.0	450	56833.	581	0.4	0.3	3.3	0.1	0.1	0.1	21	2.1

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
44252	0	0	1	0	DSu	47.2089	69.1801	9.7	717.9	451	56832.	588	0.3	-0.2	2.2	0.1	0.1	0.1	20	2.1
44251	0	0	1	0	DSu	47.2092	69.1801	9.7	717.9	455	56829.	600	0.9	0.2	2.6	0.1	0.1	3.2	17	2.2
44250	0	0	1	0	DSu	47.2095	69.1801	9.7	717.8	460	56827.	588	0.5	-0.4	3.2	0.1	0.1	0.1	19	2.2
44249	0	0	1	0	DSu	47.2099	69.1800	9.7	717.7	465	56828.	523	0.3	0.5	2.8	0.1	0.1	0.1	29	2.2
44248	0	0	1	0	DSu	47.2102	69.1800	9.7	717.6	470	56829.	572	0.5	0.5	2.2	0.1	0.1	0.1	18	2.2
44247	0	0	1	1	DSu	47.2105	69.1799	9.7	717.5	474	56829.	595	0.5	0.5	1.0	0.1	0.1	0.1	26	2.2
44246	0	0	1	0	DSu	47.2108	69.1799	9.7	717.5	480	56828.	633	0.3	0.6	3.9	0.1	0.1	0.1	26	2.1
44245	0	0	1	0	DSu	47.2111	69.1799	9.7	717.4	480	56827.	625	0.5	1.0	3.0	0.1	0.1	0.1	22	2.1
44244	0	0	1	0	DSu	47.2114	69.1798	9.7	717.3	478	56825.	644	0.6	-0.8	1.7	0.1	0.1	3.4	25	2.1
44243	0	0	1	0	DSu	47.2117	69.1798	9.7	717.3	474	56825.	661	0.5	0.6	2.9	0.1	0.1	0.1	22	2.1
44242	0	0	1	0	DSu	47.2120	69.1798	9.7	717.2	474	56825.	621	0.5	1.0	3.6	0.1	0.1	0.1	29	2.2
44241	0	0	1	0	DSu	47.2124	69.1797	9.7	717.2	475	56825.	627	0.6	0.0	4.9	0.1	0.1	9.8	29	2.2
44240	0	0	1	0	DSu	47.2127	69.1797	9.7	717.2	478	56824.	701	0.5	0.8	4.1	0.1	0.1	0.1	29	2.2
44239	0	0	1	0	DSu	47.2130	69.1797	9.7	717.1	481	56824.	655	0.6	-0.1	3.2	0.1	0.1	5.8	17	2.1
44238	0	0	1	1	DSu	47.2133	69.1796	9.7	717.1	482	56824.	685	0.6	0.7	0.7	0.1	0.1	0.1	20	2.2
44237	0	0	1	0	DSu	47.2136	69.1796	9.3	716.6	485	56825.	679	0.4	0.0	4.4	0.1	0.1	0.1	31	2.2
44236	0	0	0	0	DSu	47.2139	69.1796	9.3	716.6	487	56824.	629	0.5	1.3	2.0	0.1	0.7	0.1	22	2.2
44235	0	0	1	1	DSu	47.2142	69.1797	9.3	716.6	493	56823.	522	0.3	1.0	0.0	0.1	0.1	0.1	36	2.1
44234	0	0	1	1	DSu	47.2145	69.1797	9.3	716.6	498	56822.	581	0.6	1.0	1.3	0.1	0.1	0.1	25	2.1
44233	0	0	1	0	DSu	47.2148	69.1797	9.3	716.6	499	56821.	598	0.6	0.3	1.7	0.1	0.1	3.3	15	2.0
44232	0	0	1	0	DSu	47.2152	69.1798	9.3	716.6	495	56819.	606	0.5	-0.3	4.0	0.1	0.1	0.1	35	2.0
44231	0	0	1	0	DSu	47.2155	69.1798	9.3	716.6	494	56819.	591	0.5	0.2	2.0	0.1	0.1	0.1	29	2.0
44230	0	0	1	0	DSu	47.2158	69.1798	9.3	716.5	494	56818.	678	0.7	-0.5	2.5	0.1	0.1	3.9	11	2.0
44229	0	0	0	0	DSu	47.2161	69.1799	9.3	716.5	491	56818.	695	0.4	2.0	4.1	0.1	0.5	0.1	31	1.9
44228	0	0	1	0	DSu	47.2164	69.1799	9.3	716.5	486	56818.	647	0.6	0.1	1.8	0.1	0.1	3.4	22	1.9
44227	0	0	1	0	DSu	47.2167	69.1799	9.3	716.5	477	56818.	667	0.5	0.8	2.1	0.1	0.1	0.1	22	1.8
44226	0	0	1	0	DSu	47.2170	69.1800	9.3	716.5	469	56817.	709	0.6	0.5	2.0	0.1	0.1	3.8	24	1.7
44224	0	0	1	1	DSu	47.2176	69.1800	9.3	716.5	459	56816.	648	0.5	0.9	1.3	0.1	0.1	0.1	25	1.7
44223	0	0	1	1	DSu	47.2180	69.1801	9.3	716.5	448	56816.	649	0.6	0.2	1.2	0.1	0.1	0.1	30	1.7
44222	0	0	0	0	DSu	47.2183	69.1801	9.3	716.5	437	56814.	635	0.4	1.4	3.7	0.1	0.4	0.1	20	1.7
44221	0	0	1	0	DSu	47.2186	69.1802	9.3	716.5	427	56812.	652	0.6	-0.2	1.9	0.1	0.1	3.3	12	1.7
44220	0	0	0	0	DSu	47.2189	69.1802	9.3	716.5	417	56812.	650	0.4	1.4	2.1	0.1	0.7	0.1	19	1.7
44219	0	0	1	0	DSu	47.2192	69.1802	9.3	716.5	405	56811.	565	0.3	0.2	1.9	0.1	0.1	0.1	18	1.7
44218	0	0	1	0	DSu	47.2195	69.1803	9.3	716.6	394	56811.	586	0.3	0.6	1.4	0.1	0.1	0.1	21	1.7
44217	0	0	1	0	DSu	47.2198	69.1803	9.3	716.6	384	56811.	584	0.4	0.5	1.5	0.1	0.1	0.1	23	1.7
44216	0	0	0	0	DSu	47.2201	69.1803	9.3	716.7	376	56812.	631	0.5	0.9	2.3	0.1	0.4	0.1	19	1.7
44215	0	0	1	0	DSu	47.2204	69.1804	9.3	716.7	375	56812.	615	0.6	0.9	1.9	0.1	0.1	3.5	30	1.7
44214	0	0	1	0	DSu	47.2208	69.1804	9.3	716.7	374	56812.	581	0.3	0.8	1.5	0.1	0.1	0.1	26	1.6
44213	0	0	0	1	DSu	47.2211	69.1804	9.3	716.7	373	56812.	617	0.4	1.9	0.9	0.1	0.1	0.1	23	1.6
44212	0	0	1	0	DSu	47.2214	69.1805	9.3	716.7	370	56811.	618	0.6	0.1	2.8	0.1	0.1	5.1	22	1.6
44211	0	0	1	0	DSu	47.2217	69.1805	9.3	716.8	367	56810.	579	0.7	-0.5	3.3	0.1	0.1	4.7	30	1.6
44210	0	0	1	0	DSu	47.2220	69.1805	9.3	716.8	365	56810.	702	0.5	0.6	2.9	0.1	0.1	0.1	28	1.7
44209	0	0	1	0	DSu	47.2223	69.1806	9.3	716.7	363	56810.	614	0.5	0.7	1.6	0.1	0.1	0.1	21	1.7
44208	0	0	0	0	DSu	47.2226	69.1806	9.3	716.7	361	56810.	659	0.5	0.9	1.9	0.1	0.5	0.1	23	1.7
44207	0	0	1	0	DSu	47.2229	69.1807	9.3	716.7	358	56810.	615	0.6	0.1	1.5	0.1	0.1	2.0	30	1.7
44206	0	0	0	0	DSu	47.2233	69.1807	9.3	716.6	357	56810.	637	0.4	1.2	2.7	0.1	0.5	0.1	14	1.7
44205	0	0	1	1	DSu	47.2236	69.1807	9.3	716.6	357	56810.	574	0.5	0.7	1.1	0.1	0.1	0.1	24	1.6
44204	0	0	1	0	DSu	47.2239	69.1808	9.3	716.5	358	56810.	579	0.5	0.5	1.8	0.1	0.1	0.1	23	1.7
44203	0	0	1	0	DSu	47.2242	69.1808	9.3	716.4	354	56809.	551	0.5	-0.3	1.9	0.1	0.1	0.1	27	1.8
44202	0	0	1	0	DSu	47.2245	69.1808	9.3	716.4	353	56809.	592	0.5	0.4	1.8	0.1	0.1	0.1	24	1.8

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

- 604 -
 MAINE AERIAL SURVEY EDMUNDSTON QUADRANGLE, CARSON GEOSCIENCE INC., 1980

LINE NO. 1020

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	EARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI	
												CPS	%	PPM	PPM					CPS	CPS
44201	0	0	1	0	DSu	47.2248	69.1809	9.3	716.3	357	56809.	584	0.4	0.1	2.2	0.1	0.1	0.1	19	1.9	
44200	0	0	1	0	DSu	47.2251	69.1809	9.3	716.2	367	56810.	587	0.6	-0.1	2.0	0.1	0.1	3.6	20	2.0	
44199	0	0	1	0	DSu	47.2254	69.1809	9.3	716.1	379	56811.	665	0.6	0.8	1.9	0.1	0.1	3.4	28	2.0	
44198	0	0	1	1	DSu	47.2257	69.1810	9.3	716.0	386	56811.	638	0.6	0.6	1.1	0.1	0.1	0.1	22	2.1	
44197	0	0	1	0	DSu	47.2261	69.1810	9.3	715.9	384	56811.	698	0.9	0.2	2.0	0.1	0.1	2.4	34	2.1	
44196	0	0	1	1	DSu	47.2264	69.1810	9.3	715.7	375	56811.	650	0.6	0.5	1.2	0.1	0.1	0.1	18	2.2	
44195	0	0	0	0	DSu	47.2267	69.1811	9.3	715.6	368	56811.	671	0.6	1.3	3.3	2.6	0.4	6.5	25	2.2	
44194	0	0	1	0	DSu	47.2270	69.1811	9.3	715.5	368	56811.	565	0.4	0.1	2.8	0.1	0.1	0.1	15	2.3	
44193	0	0	1	1	DSu	47.2273	69.1812	9.3	715.3	369	56812.	549	0.6	0.3	0.7	0.1	0.1	0.1	23	2.3	
44192	0	0	0	0	DSu	47.2276	69.1812	9.3	715.2	369	56812.	589	0.5	1.4	2.2	0.1	0.7	0.1	25	2.4	
44191	0	0	0	1	DSu	47.2279	69.1812	9.3	715.0	366	56812.	526	0.3	1.3	0.1	0.1	0.1	0.1	20	2.4	
44190	0	0	0	0	DSu	47.2282	69.1813	9.3	714.9	361	56812.	575	0.4	1.3	1.8	0.1	0.8	0.1	25	2.4	
44189	0	0	1	0	DSu	47.2285	69.1813	9.3	714.7	357	56813.	582	0.4	0.5	3.1	0.1	0.1	0.1	20	2.5	
44188	0	0	1	0	DSu	47.2289	69.1813	9.3	714.6	355	56814.	607	0.5	0.9	2.2	0.1	0.1	0.1	16	2.5	
44187	0	0	1	0	DSu	47.2292	69.1814	9.3	714.4	358	56816.	621	0.4	0.8	1.6	0.1	0.1	0.1	23	2.5	
44186	0	0	1	0	DSu	47.2295	69.1814	9.3	714.3	362	56817.	573	0.3	0.7	3.1	0.1	0.1	0.1	30	2.6	
44185	0	0	1	0	DSu	47.2298	69.1814	9.2	714.1	368	56816.	585	0.5	-0.7	2.5	0.1	0.1	0.1	24	2.6	
44184	0	0	1	0	DSu	47.2301	69.1815	9.2	714.0	375	56814.	602	0.5	-0.5	2.3	0.1	0.1	0.1	25	2.7	
44183	0	0	1	0	DSu	47.2304	69.1815	9.2	713.9	380	56813.	576	0.5	-0.3	2.7	0.1	0.1	0.1	19	2.8	
44182	0	0	1	1	DSu	47.2307	69.1815	9.2	713.8	380	56811.	601	0.3	0.8	1.0	0.1	0.1	0.1	21	2.9	
44181	0	0	1	0	DSu	47.2310	69.1816	9.2	713.6	377	56811.	579	0.3	0.9	2.0	0.1	0.1	0.1	23	2.9	
44180	0	0	1	0	DSu	47.2313	69.1816	8.8	712.3	369	56811.	641	0.5	-0.8	3.1	0.1	0.1	0.1	24	3.0	
44179	0	0	1	0	DSu	47.2317	69.1817	8.8	712.4	370	56810.	602	0.4	0.2	2.2	0.1	0.1	0.1	22	3.0	
44178	0	0	0	1	DSu	47.2320	69.1817	8.8	712.4	377	56810.	637	0.5	1.1	1.2	0.1	0.1	0.1	32	3.0	
44177	0	0	0	0	DSu	47.2323	69.1817	8.8	712.4	395	56810.	698	0.8	1.1	1.8	1.5	0.6	2.5	19	2.9	
44176	0	0	1	0	DSu	47.2326	69.1818	8.8	712.4	413	56811.	685	0.6	0.3	2.8	0.1	0.1	4.6	25	2.9	
44175	0	0	1	0	DSu	47.2329	69.1818	8.8	712.4	424	56811.	706	0.6	0.0	3.3	0.1	0.1	6.2	25	2.9	
44174	0	0	1	0	DSu	47.2332	69.1818	8.8	712.3	427	56812.	692	0.6	-0.7	3.1	0.1	0.1	5.1	15	2.9	
44173	0	0	1	0	DSu	47.2335	69.1819	8.8	712.2	429	56813.	632	0.7	-0.4	2.3	0.1	0.1	3.6	35	2.9	
44172	0	0	1	1	DSu	47.2338	69.1819	8.8	712.2	431	56813.	682	0.5	0.8	1.2	0.1	0.1	0.1	28	3.0	
44171	0	0	1	0	DSu	47.2341	69.1819	8.8	712.1	432	56814.	714	0.6	-0.3	1.8	0.1	0.1	3.0	10	3.0	
44170	0	0	1	0	DSq	47.2345	69.1820	8.8	712.0	431	56813.	736	0.7	0.8	2.6	0.1	0.1	4.2	26	3.0	
44169	0	0	1	0	DSq	47.2348	69.1820	8.8	711.9	436	56811.	762	0.6	-0.1	3.2	0.1	0.1	6.2	18	2.9	
44168	0	0	0	0	DSq	47.2351	69.1820	8.8	711.8	443	56809.	739	0.5	2.0	1.7	0.1	1.2	0.1	23	2.9	
44167	0	0	1	0	DSq	47.2354	69.1821	8.8	711.6	455	56809.	753	0.5	0.8	1.6	0.1	0.1	0.1	25	2.9	
44166	0	0	0	0	DSq	47.2357	69.1821	8.8	711.4	463	56809.	727	0.5	1.6	3.0	0.1	0.6	0.1	25	2.9	
44165	0	0	1	0	DSq	47.2360	69.1822	8.8	711.2	469	56809.	705	0.5	-0.8	2.5	0.1	0.1	0.1	21	3.0	
44164	0	0	1	0	DSq	47.2363	69.1822	8.8	711.0	472	56809.	753	0.6	0.8	4.5	0.1	0.1	7.8	28	3.0	
44163	0	0	1	0	DSq	47.2366	69.1822	8.8	710.8	472	56810.	712	0.6	-0.6	4.7	0.1	0.1	8.6	20	3.0	
44162	0	0	1	0	DSq	47.2369	69.1823	8.8	710.6	472	56810.	781	0.7	-0.5	3.8	0.1	0.1	6.1	34	3.0	
44161	0	0	1	0	DSq	47.2373	69.1823	8.8	710.3	473	56809.	816	0.8	1.1	3.4	0.1	0.1	4.6	23	3.0	
44160	0	0	1	0	DSq	47.2376	69.1823	8.8	710.1	474	56809.	757	0.8	1.1	3.5	0.1	0.1	4.7	19	2.9	
44159	0	0	1	0	DSq	47.2379	69.1824	8.8	709.9	479	56808.	821	0.7	0.6	1.9	0.1	0.1	2.8	18	2.8	
44158	0	0	1	0	DSq	47.2382	69.1824	8.8	709.7	487	56808.	783	0.6	0.7	4.3	0.1	0.1	7.4	16	2.8	
44157	0	0	1	0	DSq	47.2385	69.1824	8.8	709.5	496	56807.	780	0.8	-0.3	2.9	0.1	0.1	4.1	39	2.8	
44156	0	0	1	0	DSq	47.2388	69.1825	8.8	709.2	500	56307.	798	0.8	-0.4	3.3	0.1	0.1	4.2	36	2.8	
44155	0	0	1	0	DSq	47.2391	69.1825	8.8	709.0	497	56817.	765	0.7	-0.7	3.0	0.1	0.1	4.4	14	2.8	
44154	0	0	0	0	DSq	47.2394	69.1825	8.8	708.8	492	56807.	856	0.6	1.3	4.0	2.3	0.4	7.0	28	2.8	
44153	0	0	1	1	DSq	47.2397	69.1826	8.8	708.6	492	56806.	772	0.8	0.0	0.9	0.1	0.1	0.1	29	2.7	
44152	0	0	1	0	DSq	47.2401	69.1826	8.8	708.4	496	56805.	836	0.5	0.7	3.6	0.1	0.1	0.1	33	2.7	

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

- HQ4 -
 MAINE AERIAL SURVEY EDMUNDSTON QUADRANGLE, CARSON GEOSCIENCE INC., 1980

LINE NO. 1020

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI	
												CPS	%	PPM	PPM					CPS	CPS
44151	0	0	1	0	DSq	47.2404	69.1827	8.8	708.2	501	56806.	831	0.7	-0.2	3.5	0.1	0.1	5.7	15	2.6	
44150	0	0	1	1	DSq	47.2407	69.1827	8.8	708.0	502	56807.	899	0.8	1.1	1.1	0.1	0.1	0.1	46	2.6	
44149	0	0	1	0	DSq	47.2410	69.1827	8.8	707.8	503	56806.	784	0.6	-0.1	1.9	0.1	0.1	3.7	34	2.5	
44148	0	0	1	1	DSq	47.2413	69.1828	8.8	707.6	502	56806.	831	0.7	1.1	1.1	0.1	0.1	0.1	22	2.4	
44147	0	0	1	0	DSq	47.2416	69.1828	8.8	707.5	498	56806.	926	0.9	0.5	4.7	0.1	0.1	5.2	33	2.3	
44146	0	0	1	0	DSq	47.2419	69.1828	8.8	707.3	494	56805.	821	0.6	1.0	4.3	0.1	0.1	7.4	20	2.2	
44145	0	0	0	0	DSq	47.2422	69.1829	8.8	707.1	490	56805.	886	0.6	1.4	3.3	2.5	0.5	5.8	31	2.2	
44144	0	0	1	0	DSq	47.2425	69.1829	8.8	707.0	487	56804.	866	0.7	0.4	4.1	0.1	0.1	5.9	25	2.1	
44143	0	0	1	0	DSq	47.2429	69.1829	8.8	706.8	486	56803.	907	0.7	0.8	2.8	0.1	0.1	4.0	28	2.1	
44142	0	0	0	0	DSq	47.2432	69.1830	8.8	706.7	487	56803.	894	0.6	2.3	3.5	4.0	0.7	6.2	31	2.0	
44141	0	0	0	0	DSq	47.2435	69.1830	8.8	706.5	488	56803.	854	0.6	1.5	2.3	2.9	0.7	4.4	24	2.0	
44140	0	0	0	0	DSq	47.2438	69.1831	8.8	706.4	487	56804.	813	0.7	1.3	3.5	1.9	0.4	5.3	33	1.9	
44139	0	0	1	0	DSq	47.2441	69.1831	8.8	706.2	485	56804.	899	0.8	0.6	2.6	0.1	0.1	3.5	22	1.8	
44138	0	0	0	0	DSq	47.2444	69.1831	8.8	706.0	485	56803.	822	0.6	1.8	1.7	3.3	1.1	3.2	23	1.7	
44137	0	0	0	0	DSq	47.2447	69.1832	8.8	705.8	487	56802.	831	0.6	1.3	4.1	2.6	0.4	8.0	32	1.7	
44136	0	0	1	0	DSq	47.2450	69.1832	8.8	705.6	491	56802.	787	0.7	-0.4	2.0	0.1	0.1	3.1	28	1.6	
44134	0	0	0	0	DSq	47.2457	69.1833	8.7	705.4	494	56802.	836	0.8	2.4	2.1	3.1	1.2	2.8	26	1.6	
44133	0	0	0	0	DSq	47.2460	69.1833	8.7	705.2	494	56802.	895	0.7	1.1	1.9	1.8	0.6	3.1	22	1.5	
44132	0	0	0	0	DSq	47.2463	69.1833	8.7	704.9	491	56803.	874	0.7	2.3	2.7	3.8	0.9	4.3	23	1.5	
44131	0	0	0	0	DSq	47.2466	69.1834	8.7	704.7	487	56802.	877	0.6	1.2	3.0	2.1	0.4	5.1	28	1.4	
44130	0	0	1	0	DSq	47.2469	69.1834	8.7	704.5	487	56801.	843	0.7	0.5	3.8	0.1	0.1	5.8	21	1.4	
44129	0	0	1	0	DSq	47.2472	69.1834	8.7	704.3	488	56801.	863	0.8	-0.2	3.8	0.1	0.1	5.1	30	1.3	
44128	0	0	1	0	DSq	47.2475	69.1835	8.7	704.0	490	56802.	924	0.7	0.6	3.4	0.1	0.1	5.2	19	1.3	
44127	0	0	1	0	DSq	47.2478	69.1835	8.7	703.8	488	56802.	878	0.8	0.4	4.5	0.1	0.1	5.8	23	1.3	
44126	0	0	1	0	DSq	47.2481	69.1835	8.7	703.5	486	56803.	798	0.6	0.9	3.1	0.1	0.1	5.2	26	1.3	
44125	0	0	0	0	DSq	47.2485	69.1836	8.7	703.3	478	56804.	886	0.7	2.7	2.8	4.0	1.0	4.2	30	1.3	
44124	0	0	0	0	DSq	47.2498	69.1836	8.7	703.1	468	56803.	983	0.9	1.7	4.4	1.9	0.4	4.9	27	1.3	
44123	0	0	1	0	DSq	47.2491	69.1837	8.6	701.8	435	56803.	898	0.7	-0.2	5.2	0.1	0.1	8.2	29	1.3	
44122	0	0	1	0	DSq	47.2494	69.1837	8.6	701.7	428	56803.	936	0.8	0.1	5.1	0.1	0.1	6.3	33	1.4	
44121	0	0	1	0	DSq	47.2497	69.1837	8.6	701.7	419	56803.	991	0.9	0.4	6.0	0.1	0.1	7.1	23	1.4	
44120	0	0	0	0	DSq	47.2500	69.1838	8.6	701.7	403	56802.	938	0.8	1.0	2.3	1.4	0.5	3.1	23	1.4	
44119	0	0	0	0	DSq	47.2503	69.1838	8.6	701.7	392	56802.	909	0.8	1.5	3.5	2.0	0.5	4.9	18	1.6	
44118	0	0	1	0	DSq	47.2506	69.1838	8.6	701.7	385	56803.	921	0.9	0.3	2.4	0.1	0.1	2.8	30	1.6	
44117	0	0	0	0	DSq	47.2509	69.1839	8.6	701.7	381	56803.	942	0.9	1.4	2.7	1.6	0.5	3.2	35	1.6	
44116	0	0	1	0	DSq	47.2513	69.1839	8.6	701.8	381	56802.	967	0.8	0.8	4.1	0.1	0.1	5.2	17	1.7	
44115	0	0	1	0	DSq	47.2516	69.1839	8.6	701.8	383	56802.	943	1.0	0.1	4.9	0.1	0.1	5.0	31	1.7	
44114	0	0	1	0	DSq	47.2519	69.1840	8.6	701.8	386	56802.	926	0.9	-0.5	2.8	0.1	0.1	3.3	29	1.8	
44113	0	0	1	0	DSq	47.2522	69.1840	8.6	701.9	388	56802.	916	0.8	0.4	5.2	0.1	0.1	7.2	33	1.9	
44112	0	0	1	0	DSq	47.2525	69.1841	8.6	701.9	389	56802.	969	0.8	0.3	2.9	0.1	0.1	3.8	21	1.9	
44111	0	0	0	0	DSq	47.2528	69.1841	8.6	702.0	389	56802.	938	0.9	1.1	4.1	1.3	0.3	4.9	18	1.9	
44110	0	0	1	0	DSq	47.2531	69.1841	8.6	702.1	388	56802.	951	1.0	0.4	2.2	0.1	0.1	2.2	25	1.9	
44109	0	0	1	0	DSq	47.2534	69.1842	8.6	702.2	388	56802.	885	0.8	0.8	4.4	0.1	0.1	6.2	28	1.9	
44108	0	0	0	0	DSq	47.2538	69.1842	8.6	702.3	387	56803.	946	0.9	1.1	3.2	1.3	0.4	3.8	31	2.0	
44107	0	0	1	0	DSq	47.2541	69.1842	8.6	702.4	386	56803.	900	0.7	0.5	5.1	0.1	0.1	7.9	26	2.0	
44106	0	0	1	0	DSq	47.2544	69.1843	8.6	702.6	384	56803.	864	0.8	0.9	3.5	0.1	0.1	4.7	23	2.1	
44105	0	0	0	0	DSq	47.2547	69.1843	8.6	702.7	383	56802.	967	0.9	1.0	3.9	1.2	0.3	4.6	20	2.1	
44104	0	0	0	0	DSq	47.2550	69.1843	8.6	702.8	382	56801.	968	0.8	1.1	2.2	1.4	0.5	2.9	13	2.1	
44103	0	0	1	0	DSq	47.2553	69.1844	8.7	703.0	380	56801.	972	0.9	0.8	3.4	0.1	0.1	4.2	11	2.1	
44102	0	0	1	0	DSq	47.2556	69.1844	8.7	703.1	375	56801.	917	1.0	0.6	2.4	0.1	0.1	2.5	22	2.1	
44101	0	0	0	0	Ss	47.2559	69.1844	8.7	703.2	369	56802.	944	1.0	0.9	4.5	1.0	0.2	4.9	25	2.2	

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
44100	0	0	1	0	Ss	47.2562	69.1845	8.7	703.4	368	56804.	962	1.1	0.1	2.8	0.1	0.1	2.7	30	2.4
44099	0	0	1	0	Ss	47.2566	69.1845	8.7	703.5	370	56805.	941	0.9	0.2	4.9	0.1	0.1	5.8	25	2.7
44098	0	0	1	0	Ss	47.2569	69.1845	8.7	703.6	375	56803.	992	0.9	0.8	4.9	0.1	0.1	5.6	22	2.7
44097	0	0	1	0	Ss	47.2572	69.1846	8.7	703.8	383	56802.	969	0.9	0.8	4.4	0.1	0.1	5.5	27	2.6
44096	0	0	0	0	Ss	47.2575	69.1846	8.7	703.9	392	56801.	1008	1.1	1.5	4.4	1.4	0.4	4.2	30	2.6
44095	0	0	1	0	Ss	47.2578	69.1847	8.7	704.1	399	56801.	931	0.9	0.2	2.4	0.1	0.1	3.0	20	2.7
44094	0	0	0	0	Ss	47.2581	69.1847	8.7	704.2	402	56801.	997	1.0	1.6	2.0	1.6	0.8	2.0	23	2.5
44093	0	0	1	0	Ss	47.2584	69.1847	8.7	704.3	405	56801.	954	1.0	0.8	3.2	0.1	0.1	3.3	32	2.5
44092	0	0	1	0	Ss	47.2587	69.1849	8.7	704.4	407	56800.	891	0.9	0.2	3.9	0.1	0.1	4.4	25	2.6
44091	0	0	1	0	Ss	47.2590	69.1848	8.7	704.6	406	56800.	910	0.8	0.7	4.1	0.1	0.1	5.8	34	2.7
44090	0	0	1	0	Ss	47.2594	69.1848	8.7	704.7	403	56800.	895	0.8	0.5	4.9	0.1	0.1	6.1	33	2.7
44089	0	0	1	0	Ss	47.2597	69.1849	8.7	704.8	399	56801.	872	0.7	0.8	2.0	0.1	0.1	3.0	22	2.7
44088	0	0	1	1	Ss	47.2600	69.1849	8.7	704.9	397	56802.	835	0.8	0.9	1.3	0.1	0.1	0.1	31	2.7
44087	0	0	1	0	Ss	47.2603	69.1849	8.7	705.0	393	56801.	880	0.8	0.7	4.6	0.1	0.1	6.4	27	2.9
44086	0	0	1	0	Ss	47.2606	69.1850	8.7	705.1	388	56802.	915	0.9	1.0	3.7	0.1	0.1	4.3	26	3.1
44085	0	0	0	0	Ss	47.2609	69.1850	8.7	705.3	383	56803.	859	0.5	1.7	1.7	0.1	1.0	0.1	23	3.3
44084	0	0	1	0	Ss	47.2612	69.1851	8.7	705.4	381	56802.	861	0.8	0.7	3.6	0.1	0.1	5.1	27	3.6
44083	0	0	1	0	Ss	47.2615	69.1851	8.7	705.4	384	56801.	806	0.9	-0.3	3.0	0.1	0.1	3.6	33	3.8
44082	0	0	1	0	Ss	47.2618	69.1851	8.7	705.5	389	56801.	885	0.8	0.9	2.9	0.1	0.1	3.7	28	4.0
44081	0	0	0	0	Ss	47.2622	69.1852	8.7	705.6	393	56801.	842	0.8	1.1	2.8	1.5	0.4	3.7	26	4.2
44080	0	0	1	0	Ss	47.2625	69.1852	8.7	705.7	395	56801.	855	0.8	-0.3	4.2	0.1	0.1	5.4	32	4.4
44079	0	0	1	0	Ss	47.2628	69.1852	8.7	705.7	395	56801.	804	0.8	0.1	1.7	0.1	0.1	2.2	26	4.4
44078	0	0	1	0	Ss	47.2631	69.1853	8.7	705.8	395	56800.	797	0.7	0.6	3.4	0.1	0.1	5.1	30	4.4
44077	0	0	1	0	Ss	47.2634	69.1853	8.7	705.8	393	56800.	860	1.0	0.0	3.2	0.1	0.1	3.4	29	4.4
44076	0	0	1	0	Ss	47.2637	69.1853	8.7	705.9	386	56801.	797	0.8	0.8	2.3	0.1	0.1	3.1	21	4.4
44075	0	0	1	0	Ss	47.2640	69.1854	8.7	705.9	381	56801.	775	0.6	0.2	3.0	0.1	0.1	5.3	26	4.2
44074	0	0	1	0	Ss	47.2643	69.1854	8.7	706.0	376	56801.	712	0.8	-0.5	3.8	0.1	0.1	5.3	31	4.0
44073	0	0	1	0	Ss	47.2646	69.1854	8.7	706.0	377	56801.	775	0.8	0.2	2.0	0.1	0.1	2.6	18	3.9
44072	0	0	1	0	Ss	47.2650	69.1855	8.7	706.0	384	56801.	775	0.6	0.6	2.8	0.1	0.1	5.0	21	4.0
44071	0	0	1	0	Ss	47.2653	69.1855	8.7	706.0	394	56802.	843	0.7	-0.5	3.2	0.1	0.1	4.9	29	4.0
44070	0	0	1	0	Ss	47.2656	69.1855	8.7	706.0	411	56805.	855	0.9	0.1	2.7	0.1	0.1	3.0	15	4.0
44069	0	0	1	0	Ss	47.2659	69.1856	8.7	706.0	426	56808.	922	0.8	1.0	4.6	0.1	0.1	5.9	19	4.0
44068	0	0	1	0	Ss	47.2662	69.1856	8.7	706.0	443	56807.	871	0.8	0.6	2.5	0.1	0.1	3.2	10	3.9
44067	0	0	1	0	Ss	47.2665	69.1857	8.6	704.8	460	56807.	843	0.8	0.8	1.7	0.1	0.1	2.3	32	3.9
44066	0	0	1	0	Ss	47.2668	69.1857	8.6	704.8	461	56807.	890	0.6	0.8	4.1	0.1	0.1	6.9	26	3.7
44065	0	0	0	0	Ss	47.2671	69.1857	8.6	704.8	458	56807.	865	0.6	2.0	2.8	3.3	0.8	4.7	17	3.6
44064	0	0	1	0	Ss	47.2674	69.1858	8.6	704.8	453	56806.	841	0.8	0.1	4.1	0.1	0.1	5.3	27	3.5
44063	0	0	1	0	Ss	47.2678	69.1858	8.6	704.8	445	56807.	820	0.9	0.5	2.7	0.1	0.1	3.3	16	3.5
44062	0	0	1	0	Ss	47.2681	69.1858	8.6	704.8	435	56808.	761	0.8	-0.6	4.3	0.1	0.1	5.4	26	3.3
44061	0	0	1	0	Ss	47.2684	69.1859	8.6	704.7	425	56807.	805	0.8	-0.9	4.7	0.1	0.1	6.3	28	3.1
44060	0	0	1	0	Ss	47.2687	69.1859	8.6	704.6	416	56807.	767	0.6	0.3	3.6	0.1	0.1	6.0	21	2.9
44059	0	0	1	1	Ss	47.2690	69.1859	8.6	704.5	414	56806.	714	0.6	-0.1	1.2	0.1	0.1	0.1	29	2.7
44058	0	0	0	0	Os	47.2693	69.1860	8.6	704.4	413	56806.	787	0.8	1.2	2.0	1.5	0.6	2.5	28	2.4
44057	0	0	1	0	Os	47.2696	69.1860	8.6	704.3	411	56807.	737	0.6	0.6	3.1	0.1	0.1	6.1	25	2.2
44056	0	0	1	0	Os	47.2699	69.1861	8.6	704.2	407	56807.	771	0.6	0.8	2.4	0.1	0.1	4.7	22	1.9
44055	0	0	0	0	Os	47.2702	69.1861	8.6	704.1	402	56806.	753	0.6	1.1	1.6	1.9	0.7	2.8	19	1.6
44054	0	0	0	0	Os	47.2706	69.1861	8.6	703.8	398	56805.	736	0.7	1.7	2.3	2.5	0.8	3.5	20	1.5
44053	0	0	0	0	Os	47.2709	69.1862	8.6	703.6	396	56805.	787	0.6	2.0	2.9	4.0	0.7	5.8	21	1.4
44052	0	0	0	0	Os	47.2712	69.1862	8.6	703.4	398	56805.	814	0.8	1.6	3.5	2.1	0.5	4.7	20	1.3
44051	0	0	0	0	Os	47.2715	69.1862	8.6	703.1	403	56805.	809	0.7	1.2	2.8	1.8	0.5	3.9	27	1.2

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
44050	0	0	1	0	0s	47.2718	69.1863	8.6	702.8	404	56805.	761	0.4	0.9	2.9	0.1	0.1	0.1	14	1.2
44049	0	0	0	0	0s	47.2721	69.1863	8.6	702.6	402	56805.	824	0.7	1.2	2.5	1.9	0.5	3.8	23	1.1
44048	0	0	0	0	0s	47.2724	69.1863	8.6	702.4	397	56804.	825	0.8	1.1	3.1	1.4	0.4	3.9	21	1.0
44047	0	0	0	1	0s	47.2727	69.1864	8.6	702.1	392	56905.	816	0.6	1.4	0.9	2.7	0.1	0.1	24	0.9
44046	0	0	0	0	0s	47.2730	69.1864	8.6	701.9	387	56804.	856	0.8	1.1	3.6	1.5	0.3	4.9	22	0.9
44045	0	0	1	0	0s	47.2734	69.1864	8.6	701.7	382	56803.	784	0.8	0.0	3.6	0.1	0.1	5.0	26	0.8
44043	0	0	1	0	0s	47.2740	69.1865	8.6	701.5	378	56803.	876	0.9	0.3	2.8	0.1	0.1	3.3	30	0.8
44042	0	0	1	0	0s	47.2743	69.1865	8.6	701.3	375	56803.	844	0.7	0.9	4.3	0.1	0.1	6.4	25	0.8
44041	0	0	1	0	0s	47.2746	69.1865	8.6	701.1	371	56803.	855	0.6	0.9	3.0	0.1	0.1	5.1	37	0.8
44040	0	0	1	0	0s	47.2749	69.1866	8.6	700.9	364	56803.	866	0.8	0.8	4.3	0.1	0.1	6.0	20	0.8
44039	0	0	1	0	0s	47.2752	69.1867	8.6	700.8	355	56803.	861	0.9	0.3	3.4	0.1	0.1	3.9	21	0.8
44038	0	0	1	0	0s	47.2755	69.1867	8.6	700.6	343	56804.	905	1.0	0.2	3.6	0.1	0.1	3.7	26	0.8
44037	0	0	0	0	0s	47.2758	69.1867	8.6	700.6	333	56805.	820	0.7	1.6	3.1	2.5	0.5	4.9	26	0.7
44036	0	0	1	0	0s	47.2762	69.1868	8.6	700.5	325	56805.	804	0.6	0.6	3.4	0.1	0.1	5.5	28	0.6
44035	0	0	1	0	0s	47.2765	69.1868	8.6	700.5	320	56805.	802	0.8	0.4	2.8	0.1	0.1	3.8	30	0.6
44034	0	0	1	0	0s	47.2768	69.1868	8.6	700.4	320	56805.	812	0.9	0.2	2.7	0.1	0.1	3.1	27	0.6
44033	0	0	0	0	0s	47.2771	69.1869	8.6	700.4	321	56806.	744	0.6	1.6	3.5	2.8	0.5	6.2	29	0.5
44032	0	0	1	0	0s	47.2774	69.1869	8.6	700.5	322	56807.	740	0.7	0.1	1.9	0.1	0.1	3.1	30	0.5
44031	0	0	1	0	0s	47.2777	69.1869	8.6	700.5	323	56808.	776	0.7	0.8	4.4	0.1	0.1	6.8	26	0.5
44030	0	0	1	0	0s	47.2780	69.1870	8.6	700.6	325	56807.	846	0.6	0.5	4.9	0.1	0.1	8.8	23	0.5
44029	0	0	1	0	0s	47.2783	69.1870	8.6	700.7	330	56808.	720	0.8	0.7	4.3	0.1	0.1	6.0	22	0.5
44028	0	0	1	0	0s	47.2786	69.1870	8.6	700.8	336	56808.	781	0.7	0.1	2.6	0.1	0.1	4.1	28	0.6
44027	0	0	0	0	0s	47.2790	69.1871	8.6	700.9	344	56809.	808	0.6	0.9	3.2	1.6	0.3	5.5	29	0.6
44026	0	0	0	0	0s	47.2793	69.1871	8.6	701.0	352	56811.	819	0.6	1.8	4.8	3.5	0.4	9.5	20	0.7
44025	0	0	1	0	0s	47.2796	69.1872	8.6	701.1	360	56811.	816	0.7	0.3	3.2	0.1	0.1	4.8	28	0.7
44024	0	0	1	0	0s	47.2799	69.1872	8.6	701.2	368	56811.	764	0.8	0.2	3.5	0.1	0.1	4.8	25	0.7
44023	0	0	1	0	0s	47.2802	69.1872	8.6	701.3	374	56812.	845	0.9	0.5	3.4	0.1	0.1	4.2	25	0.8
44022	0	0	1	0	0s	47.2805	69.1873	8.6	701.5	380	56812.	756	0.7	-0.4	2.7	0.1	0.1	3.9	18	0.8
44021	0	0	0	0	0s	47.2808	69.1873	8.6	701.6	384	56813.	811	0.5	1.6	4.1	0.1	0.4	0.1	22	0.8
44020	0	0	0	0	0s	47.2811	69.1873	8.6	701.7	386	56814.	787	0.6	1.1	2.9	1.8	0.4	4.9	30	0.8
44019	0	0	1	0	0s	47.2814	69.1874	8.6	701.8	387	56815.	729	0.8	0.2	1.5	0.1	0.1	2.2	29	0.8
44018	0	0	0	0	0s	47.2818	69.1874	8.6	701.9	386	56815.	766	0.6	1.0	2.6	1.7	0.4	4.6	26	0.8
44017	0	0	0	0	0s	47.2821	69.1874	8.6	702.0	386	56815.	709	0.7	1.8	1.6	2.8	1.1	2.6	24	0.8
44016	0	0	0	0	0s	47.2824	69.1875	8.6	702.0	387	56815.	783	0.6	1.1	4.5	2.0	0.3	3.1	24	0.7
44015	0	0	0	0	0s	47.2827	69.1875	8.6	702.1	390	56814.	698	0.4	1.1	1.9	0.1	0.6	0.1	27	0.7
44014	0	0	0	0	0s	47.2830	69.1875	8.7	702.1	397	56814.	797	0.6	1.1	2.9	1.8	0.4	5.0	25	0.7
44013	0	0	1	0	0s	47.2833	69.1876	8.7	702.2	404	56814.	736	0.6	0.4	3.4	0.1	0.1	5.8	22	0.7
44012	0	0	0	0	0s	47.2836	69.1876	8.7	702.2	413	56815.	795	0.7	1.7	2.2	2.6	0.8	3.5	25	0.7
44011	0	0	1	0	0s	47.2839	69.1877	8.7	702.2	421	56816.	699	0.7	0.8	2.1	0.1	0.1	3.3	23	0.8
44010	0	0	1	0	0s	47.2842	69.1877	8.8	703.2	428	56817.	708	0.9	-0.5	2.7	0.1	0.1	3.1	41	0.8
44009	0	0	0	0	0s	47.2846	69.1877	8.8	703.1	428	56817.	672	0.8	1.8	2.4	2.4	0.8	3.2	25	0.8
44008	0	0	1	0	0s	47.2849	69.1878	8.8	703.0	427	56818.	736	0.7	0.9	2.6	0.1	0.1	4.0	27	0.8
44007	0	0	0	0	0s	47.2852	69.1878	8.8	703.0	423	56821.	789	0.5	2.1	3.5	0.1	0.6	0.1	31	0.8
44006	0	0	1	0	0s	47.2855	69.1878	8.8	703.0	417	56823.	754	0.6	-0.2	4.0	0.1	0.1	7.9	36	0.8
44005	0	0	1	0	0s	47.2858	69.1879	8.8	703.1	410	56825.	793	0.7	0.5	3.8	0.1	0.1	5.8	20	0.8
44004	0	0	1	0	0s	47.2861	69.1879	8.8	703.2	406	56825.	844	0.6	0.9	3.1	0.1	0.1	5.1	21	0.8
44003	0	0	1	0	0s	47.2864	69.1879	8.8	703.3	402	56826.	712	0.6	0.9	3.3	0.1	0.1	5.9	24	0.8
44002	0	0	1	0	0s	47.2867	69.1880	8.8	703.4	398	56826.	780	0.8	-0.2	2.4	0.1	0.1	3.2	30	0.9
44001	0	0	1	0	0s	47.2871	69.1880	8.8	703.5	391	56825.	827	0.7	0.8	2.7	0.1	0.1	3.8	18	0.9
44000	0	0	1	0	0s	47.2874	69.1880	8.8	703.6	385	56825.	833	0.9	0.9	4.6	0.1	0.1	5.4	21	0.9

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

- K04 -
 MAINE AERIAL SURVEY EDMUNDSTON QUADRANGLE, CARSON GEOSCIENCE INC., 1980

LINE NO. 1020

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI	
												CPS	%	PPM	PPM					CPS	CPS
43999	0	0	1	0	Os	47.2877	69.1881	8.8	703.7	381	56824.	795	0.7	0.0	4.0	0.1	0.1	6.1	22	0.9	
43998	0	0	1	0	Os	47.2880	69.1881	8.8	703.9	378	56824.	852	0.9	-0.4	2.5	0.1	0.1	2.9	31	1.0	
43997	0	0	1	0	Os	47.2883	69.1881	8.8	704.1	375	56823.	806	0.8	0.5	3.7	0.1	0.1	5.3	21	0.9	
43996	0	0	0	0	Os	47.2886	69.1882	8.8	704.3	372	56823.	916	1.0	1.7	2.7	1.7	0.7	2.8	23	0.9	
43995	0	0	0	0	Os	47.2889	69.1882	8.8	704.6	369	56823.	898	0.9	1.7	2.2	2.0	0.8	2.7	20	0.9	
43994	0	0	0	0	Os	47.2892	69.1883	8.8	704.9	367	56822.	944	0.9	1.0	3.6	1.2	0.3	4.4	20	0.9	
43993	0	0	1	0	Os	47.2895	69.1883	8.8	705.1	365	56818.	885	0.8	0.4	2.8	0.1	0.1	3.8	22	0.9	
43992	0	0	1	0	Os	47.2899	69.1883	8.8	705.3	364	56815.	865	0.6	0.6	4.5	0.1	0.1	7.6	32	0.9	
43991	0	0	1	0	Os	47.2902	69.1884	8.8	705.5	362	56814.	747	0.9	0.9	1.4	0.1	0.1	1.7	20	1.0	
43990	0	0	1	0	Os	47.2905	69.1884	8.8	705.7	359	56814.	767	0.6	0.2	3.7	0.1	0.1	6.7	29	1.0	
43989	0	0	1	0	Os	47.2908	69.1884	8.8	705.9	354	56815.	711	0.5	0.6	1.9	0.1	0.1	0.1	34	1.0	
43988	0	0	1	0	Os	47.2911	69.1885	8.8	706.1	351	56815.	657	0.5	0.3	2.8	0.1	0.1	0.1	28	1.1	
43987	0	0	1	1	Os	47.2914	69.1885	8.8	706.3	352	56815.	659	0.5	0.5	1.2	0.1	0.1	0.1	28	1.1	
43986	0	0	1	0	Os	47.2917	69.1885	8.8	706.4	356	56815.	630	0.5	0.1	1.8	0.1	0.1	0.1	25	1.1	
43985	0	0	0	0	Os	47.2920	69.1886	8.8	706.6	360	56815.	620	0.4	1.1	2.4	0.1	0.5	0.1	17	1.1	
43984	0	0	1	0	Os	47.2923	69.1886	8.8	706.7	365	56814.	638	0.6	0.5	2.8	0.1	0.1	4.6	26	1.1	
43983	0	0	1	0	Ocp	47.2927	69.1887	8.8	706.8	369	56815.	692	0.6	0.9	1.6	0.1	0.1	3.0	31	1.1	
43982	0	0	0	0	Ocp	47.2930	69.1887	8.8	706.9	373	56816.	699	0.6	1.9	1.9	3.6	1.0	3.7	24	1.1	
43981	0	0	1	0	Ocp	47.2933	69.1887	8.8	707.0	374	56817.	705	0.5	0.9	2.0	0.1	0.1	0.1	23	1.1	
43980	0	0	0	0	Ocp	47.2936	69.1888	8.8	707.0	373	56819.	696	0.5	1.0	2.3	0.1	0.5	0.1	28	1.1	
43979	0	0	1	0	Ocp	47.2939	69.1888	8.8	707.1	372	56820.	704	0.6	0.2	1.4	0.1	0.1	2.8	19	1.1	
43978	0	0	1	0	Ocp	47.2942	69.1888	8.8	707.1	373	56819.	718	0.9	0.4	2.4	0.1	0.1	2.9	36	1.1	
43977	0	0	1	0	Ocp	47.2945	69.1889	8.8	707.1	374	56819.	741	0.5	0.9	1.6	0.1	0.1	0.1	31	1.1	
43976	0	0	1	0	Ocp	47.2948	69.1889	8.8	707.2	372	56820.	768	0.9	0.5	2.7	0.1	0.1	3.2	21	1.1	
43975	0	0	1	0	Ocp	47.2951	69.1889	8.8	707.2	370	56820.	726	0.5	0.2	1.9	0.1	0.1	0.1	25	1.1	
43974	0	0	0	0	Ocp	47.2955	69.1890	8.8	707.2	369	56821.	844	0.7	0.9	3.3	1.4	0.3	4.8	27	1.1	
43973	0	0	0	0	Ocp	47.2958	69.1890	8.8	707.2	369	56822.	813	0.9	1.0	3.2	1.2	0.3	3.9	22	1.0	
43972	0	0	1	0	Ocp	47.2961	69.1890	8.8	707.3	369	56822.	786	0.7	0.9	4.4	0.1	0.1	6.5	27	1.0	
43971	0	0	1	0	Ocp	47.2964	69.1891	8.8	707.3	370	56823.	742	0.7	0.7	2.4	0.1	0.1	3.7	26	1.1	
43970	0	0	0	0	Ocp	47.2967	69.1891	8.8	707.3	372	56825.	757	0.6	1.5	3.3	2.6	0.5	5.6	31	1.1	
43969	0	0	1	0	Ocp	47.2970	69.1891	8.8	707.4	376	56825.	794	0.8	0.2	4.5	0.1	0.1	6.3	28	1.2	
43968	0	0	1	1	Ocp	47.2973	69.1892	8.8	707.4	381	56825.	746	0.7	-0.2	1.2	0.1	0.1	0.1	21	1.3	
43967	0	0	1	0	Ocp	47.2976	69.1892	8.8	707.5	387	56827.	715	0.9	-0.2	3.1	0.1	0.1	3.7	30	1.3	
43966	0	0	1	0	Ocp	47.2979	69.1893	8.8	707.6	392	56827.	694	0.7	0.6	1.5	0.1	0.1	2.4	24	1.4	
43965	0	0	0	0	Ocp	47.2983	69.1893	8.8	707.8	399	56826.	742	0.6	1.4	2.0	2.4	0.7	3.6	36	1.4	
43964	0	0	0	1	Ocp	47.2986	69.1893	8.8	707.9	406	56826.	732	0.6	1.2	0.9	1.9	0.1	0.1	22	1.4	
43963	0	0	1	0	DSu	47.2989	69.1894	8.8	708.1	412	56827.	816	0.6	0.8	2.6	0.1	0.1	1.5	27	1.4	
43962	0	0	1	0	DSu	47.2992	69.1894	8.8	708.2	418	56827.	738	0.8	0.6	3.0	0.1	0.1	4.2	19	1.4	
43961	0	0	1	0	DSu	47.2995	69.1894	8.8	708.4	422	56827.	714	0.9	0.0	3.3	0.1	0.1	4.1	22	1.5	
43960	0	0	1	0	DSu	47.2998	69.1895	8.8	708.6	424	56827.	801	0.8	0.8	2.5	0.1	0.1	3.4	28	1.5	
43959	0	0	0	0	DSu	47.3001	69.1895	8.8	708.7	423	56827.	822	0.8	1.5	3.3	2.0	0.5	4.3	23	1.5	
43958	0	0	1	0	DSu	47.3004	69.1895	8.8	708.9	420	56828.	813	0.8	0.5	2.9	0.1	0.1	4.0	16	1.6	
43957	0	0	1	0	DSu	47.3007	69.1896	8.8	709.1	416	56829.	812	0.9	-0.8	2.4	0.1	0.1	2.9	23	1.7	
43956	0	0	1	0	DSu	47.3011	69.1896	8.8	709.3	412	56829.	790	0.7	0.8	3.5	0.1	0.1	5.3	25	1.7	
43955	0	0	1	0	DSu	47.3014	69.1897	8.8	709.5	408	56829.	800	0.9	1.0	3.5	0.1	0.1	4.1	20	1.7	
43954	0	0	1	0	DSu	47.3017	69.1897	8.6	710.7	399	56828.	775	0.6	0.5	2.5	0.1	0.1	4.6	27	1.7	
43953	0	0	1	0	DSu	47.3023	69.1898	8.6	710.7	398	56827.	727	0.5	0.7	4.6	0.1	0.1	0.1	15	1.7	
43951	0	0	0	1	DSu	47.3026	69.1898	8.6	710.7	396	56827.	758	0.6	1.8	1.3	3.0	0.1	0.1	25	1.6	
43950	0	0	0	0	DSu	47.3029	69.1898	8.6	710.7	390	56827.	788	0.6	2.0	3.0	3.6	0.7	5.5	31	1.6	
43949	0	0	1	0	DSu	47.3032	69.1899	8.6	710.7	386	56827.	745	0.5	0.5	4.4	0.1	0.1	0.1	25	1.6	

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI	
												CPS	%	PPM	PPM					CPS	CPS
43948	0	0	1	0	DSu	47.3035	69.1899	8.6	710.7	384	56827.	764	0.6	0.8	1.8	0.1	0.1	3.1	17	1.6	
43947	0	0	1	0	DSu	47.3039	69.1899	8.6	710.7	386	56827.	734	0.6	0.6	2.3	0.1	0.1	4.0	21	1.6	
43946	0	0	0	0	DSu	47.3042	69.1900	8.6	710.7	389	56828.	765	0.7	1.2	2.7	1.8	0.5	4.1	28	1.6	
43945	0	0	0	0	DSu	47.3045	69.1900	8.6	710.7	393	56829.	799	0.7	1.1	2.4	1.6	0.5	3.7	23	1.6	
43944	0	0	1	0	DSu	47.3048	69.1900	8.6	710.7	394	56830.	756	0.6	0.6	3.1	0.1	0.1	5.2	22	1.6	
43943	0	0	1	0	DSu	47.3051	69.1901	8.6	710.7	394	56829.	790	0.8	0.4	4.9	0.1	0.1	6.7	31	1.6	
43942	0	0	1	0	DSu	47.3054	69.1901	8.6	710.7	393	56830.	764	0.8	-0.9	4.9	0.1	0.1	6.7	23	1.6	
43941	0	0	0	0	DSu	47.3057	69.1901	8.6	710.7	394	56830.	781	0.8	1.2	4.2	1.5	0.3	5.4	21	1.5	
43940	0	0	0	0	DSu	47.3060	69.1902	8.6	710.8	399	56832.	786	0.6	1.5	2.9	2.8	0.6	5.5	19	1.5	
43939	0	0	1	0	DSu	47.3064	69.1902	8.6	710.8	403	56833.	834	0.8	0.6	2.5	0.1	0.1	3.5	18	1.5	
43938	0	0	1	0	DSu	47.3067	69.1903	8.6	710.8	404	56831.	854	0.6	0.4	3.0	0.1	0.1	5.1	25	1.5	
43937	0	0	1	0	DSu	47.3070	69.1903	8.6	710.8	395	56830.	804	0.6	0.5	3.4	0.1	0.1	6.1	31	1.5	
43936	0	0	1	0	DSu	47.3073	69.1903	8.6	710.8	386	56831.	770	0.6	0.4	2.9	0.1	0.1	3.7	23	1.4	
43935	0	0	1	0	DSu	47.3076	69.1904	8.6	710.8	379	56832.	763	0.7	0.0	2.7	0.1	0.1	4.2	24	1.5	
43934	0	0	1	0	DSu	47.3079	69.1904	8.6	710.8	377	56834.	758	0.8	-0.2	1.9	0.1	0.1	2.4	23	1.5	
43933	0	0	1	0	DSu	47.3082	69.1904	8.6	710.8	376	56835.	747	0.6	0.6	4.7	0.1	0.1	7.9	24	1.5	
43932	0	0	1	1	DSu	47.3085	69.1905	8.6	710.8	380	56835.	667	0.6	0.2	1.2	0.1	0.1	0.1	30	1.5	
43931	0	0	1	0	DSu	47.3088	69.1905	8.6	710.8	388	56836.	743	0.7	-0.3	3.6	0.1	0.1	5.3	25	1.5	
43930	0	0	1	0	DSu	47.3092	69.1906	8.6	710.7	399	56837.	720	0.6	-0.6	3.3	0.1	0.1	5.9	18	1.5	
43929	0	0	1	0	DSu	47.3095	69.1906	8.6	710.7	409	56838.	705	0.6	0.3	1.9	0.1	0.1	3.2	23	1.6	
43928	0	0	0	0	DSu	47.3098	69.1906	8.6	710.7	416	56838.	716	0.7	1.1	4.2	1.7	0.3	6.4	21	1.6	
43927	0	0	1	0	DSu	47.3101	69.1907	8.6	710.6	420	56838.	716	0.6	0.1	2.5	0.1	0.1	4.1	19	1.7	
43926	0	0	1	0	DSu	47.3104	69.1907	8.6	710.6	422	56839.	706	0.6	-0.4	3.8	0.1	0.1	6.7	21	1.8	
43925	0	0	0	0	DSu	47.3107	69.1907	8.6	710.5	423	56839.	682	0.6	1.8	3.0	3.0	0.7	4.9	18	1.8	
43924	0	0	1	0	DSu	47.3110	69.1908	8.6	710.5	421	56839.	701	0.5	0.6	2.5	0.1	0.1	0.1	34	1.9	
43923	0	0	0	1	DSu	47.3113	69.1908	8.6	710.4	419	56839.	618	0.4	1.2	1.2	0.1	0.1	0.1	25	1.9	
43922	0	0	1	0	DSu	47.3116	69.1908	8.6	710.4	417	56839.	618	0.4	0.8	2.3	0.1	0.1	0.1	22	2.0	
43921	0	0	1	0	DSu	47.3120	69.1909	8.6	710.4	415	56840.	689	0.6	0.0	2.9	0.1	0.1	5.6	23	2.0	
43920	0	0	1	0	DSu	47.3123	69.1909	8.6	710.3	413	56839.	666	0.6	0.4	2.7	0.1	0.1	4.8	29	2.1	
43919	0	0	0	0	DSu	47.3126	69.1909	8.6	710.3	413	56840.	678	0.3	1.3	1.5	0.1	0.9	0.1	23	2.1	
43918	0	0	0	0	DSu	47.3129	69.1910	8.6	710.3	412	56840.	657	0.5	1.8	3.0	0.1	0.6	0.1	26	2.1	
43917	0	0	0	0	DSu	47.3132	69.1910	8.6	710.2	412	56839.	724	0.5	1.5	2.5	0.1	0.6	0.1	32	2.0	
43916	0	0	1	0	DSu	47.3135	69.1910	8.6	710.2	411	56839.	741	0.5	0.5	3.2	0.1	0.1	0.1	17	2.0	
43915	0	0	1	0	DSu	47.3138	69.1911	8.6	710.2	411	56840.	791	0.6	0.8	3.6	0.1	0.1	6.3	24	2.0	
43914	0	0	1	0	DSu	47.3141	69.1911	8.6	710.2	409	56840.	763	0.8	0.5	3.9	0.1	0.1	5.3	28	2.1	
43913	0	0	1	0	DSu	47.3144	69.1911	8.6	710.2	411	56840.	735	0.5	-1.1	4.1	0.1	0.1	0.1	25	2.1	
43912	0	0	1	0	DSu	47.3148	69.1912	8.6	710.2	408	56840.	730	0.7	-0.5	4.4	0.1	0.1	6.4	30	2.2	
43911	0	0	1	0	DSu	47.3151	69.1912	8.6	710.2	405	56840.	705	0.6	-0.7	2.6	0.1	0.1	4.6	27	2.2	
43910	0	0	1	0	DSu	47.3154	69.1913	8.6	710.2	399	56840.	718	0.6	0.6	3.8	0.1	0.1	6.6	23	2.2	
43909	0	0	1	1	DSu	47.3157	69.1913	8.6	710.1	400	56840.	690	0.7	0.8	0.3	0.1	0.1	0.1	24	2.1	
43908	0	0	1	1	DSu	47.3160	69.1913	8.6	710.1	402	56840.	638	0.5	0.1	1.3	0.1	0.1	0.1	23	2.1	
43907	0	0	0	1	DSu	47.3163	69.1914	8.6	710.0	406	56841.	579	0.5	1.1	0.9	0.1	0.1	0.1	34	2.1	
43906	0	0	1	1	DSu	47.3166	69.1914	8.6	710.0	411	56842.	553	0.4	0.6	0.6	0.1	0.1	0.1	41	2.0	
43905	0	1	1	1	DSu	47.3169	69.1914	8.6	709.9	418	56844.	505	0.2	0.3	1.0	0.1	0.1	0.1	20	2.0	
43904	0	0	1	0	DSu	47.3172	69.1915	8.6	709.8	424	56844.	604	0.7	0.8	2.0	0.1	0.1	3.1	27	2.0	
43903	0	0	1	0	DSu	47.3176	69.1915	8.6	709.8	430	56844.	443	0.2	0.3	1.8	0.1	0.1	0.1	27	2.0	
43902	0	0	1	0	DSu	47.3179	69.1916	8.6	709.7	436	56844.	547	0.5	-0.2	2.0	0.1	0.1	0.1	21	2.0	
43901	0	0	1	1	DSu	47.3182	69.1916	8.6	709.6	442	56843.	499	0.3	1.0	0.9	0.1	0.1	0.1	31	1.9	
43900	0	0	1	0	DSu	47.3185	69.1916	8.6	709.5	449	56845.	520	0.5	-0.6	3.6	0.1	0.1	0.1	21	1.9	
43899	0	0	1	0	DSu	47.3188	69.1917	8.5	709.3	457	56847.	585	0.6	0.7	3.3	0.1	0.1	5.5	24	1.9	

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPH				CPS	CPS
43898	0	0	1	0	DSu	47.3191	69.1917	8.5	709.2	463	56848.	686	0.5	0.3	2.6	0.1	0.1	0.1	23	1.9
43897	0	0	1	0	DSu	47.3194	69.1917	8.2	707.8	475	56848.	705	0.6	0.3	2.0	0.1	0.1	3.8	18	1.9
43896	0	0	1	0	DSu	47.3197	69.1918	8.2	707.9	479	56848.	717	0.8	0.6	3.1	0.1	0.1	4.4	28	1.9
43895	0	0	1	0	DSu	47.3200	69.1918	8.2	707.9	486	56849.	690	0.5	-1.0	5.0	0.1	0.1	0.1	17	1.9
43894	0	0	1	0	DSu	47.3204	69.1918	8.2	707.9	497	56849.	791	0.8	0.2	3.7	0.1	0.1	4.8	21	1.9
43893	0	0	1	0	DSu	47.3207	69.1919	8.2	707.9	505	56851.	793	0.6	0.3	2.6	0.1	0.1	4.4	19	1.9
43892	0	0	0	0	DSu	47.3210	69.1918	8.2	707.8	504	56851.	781	0.4	1.4	5.6	0.1	0.3	0.1	26	1.9
43891	0	0	1	0	DSu	47.3213	69.1918	8.2	707.8	498	56850.	729	0.5	0.3	4.4	0.1	0.1	0.1	24	1.9
43890	0	0	1	0	DSu	47.3216	69.1919	8.2	707.7	491	56850.	746	0.7	-0.2	2.9	0.1	0.1	4.7	23	1.9
43889	0	0	0	1	DSu	47.3220	69.1918	8.2	707.6	486	56852.	733	0.7	1.5	0.7	2.4	0.1	0.1	21	1.9
43888	0	0	1	0	DSu	47.3223	69.1917	8.2	707.6	487	56852.	753	0.8	-0.2	4.1	0.1	0.1	5.2	24	1.8
43887	0	0	1	0	DSu	47.3226	69.1917	8.2	707.5	487	56852.	722	0.7	0.1	2.6	0.1	0.1	3.8	28	1.8
43886	0	0	1	0	DSu	47.3229	69.1917	8.2	707.4	490	56852.	748	0.6	0.6	2.6	0.1	0.1	4.6	23	1.7
43885	0	0	1	0	DSu	47.3232	69.1917	8.2	707.2	490	56853.	781	0.6	0.7	2.8	0.1	0.1	4.6	27	1.7
43884	0	0	1	0	DSu	47.3236	69.1916	8.2	707.0	491	56853.	792	0.9	0.2	3.8	0.1	0.1	4.5	26	1.7
43883	0	0	1	0	DSu	47.3239	69.1916	8.2	706.8	492	56853.	844	0.9	0.4	1.9	0.1	0.1	2.3	28	1.7
43882	0	0	1	0	DSu	47.3242	69.1916	8.2	706.6	488	56852.	838	0.9	1.0	4.0	0.1	0.1	4.7	32	1.7
43881	0	0	0	0	DSu	47.3246	69.1916	8.2	706.4	480	56852.	858	0.8	1.8	3.1	2.2	0.6	4.0	28	1.7
43880	0	0	1	0	DSu	47.3249	69.1915	8.2	706.2	468	56852.	890	0.8	0.7	3.2	0.1	0.1	4.3	21	1.6
43879	0	0	0	0	DSu	47.3252	69.1915	8.2	706.0	458	56853.	920	0.8	1.5	4.1	1.9	0.4	5.3	18	1.6
43878	0	0	1	0	DSu	47.3255	69.1915	8.2	705.8	450	56853.	909	0.8	0.5	3.4	0.1	0.1	4.3	27	1.5
43877	0	0	0	0	DSu	47.3258	69.1915	8.2	705.7	442	56854.	897	0.7	1.2	3.3	2.0	0.4	5.3	28	1.5
43876	0	0	0	0	DSu	47.3262	69.1914	8.2	705.5	436	56856.	909	0.5	1.5	4.5	0.1	0.4	0.1	23	1.4
43875	0	0	0	1	DSu	47.3265	69.1914	8.2	705.3	430	56858.	867	0.8	1.6	1.1	2.0	0.1	0.1	16	1.4
43874	0	0	1	0	DSu	47.3268	69.1914	8.2	705.1	424	56858.	874	0.6	0.5	4.0	0.1	0.1	7.0	23	1.3
43873	0	0	0	0	DSu	47.3271	69.1913	8.2	705.0	415	56859.	854	0.8	1.8	2.7	2.3	0.7	3.5	21	1.2
43872	0	0	0	0	DSu	47.3275	69.1913	8.2	704.8	406	56860.	902	0.6	1.6	2.7	3.1	0.6	5.3	26	1.2
43871	0	0	1	0	DSu	47.3278	69.1913	8.2	704.7	396	56861.	860	0.7	0.6	4.7	0.1	0.1	6.9	31	1.2
43870	0	0	1	0	DSu	47.3281	69.1913	8.2	704.6	388	56861.	854	0.8	0.5	4.2	0.1	0.1	5.6	26	1.2
43869	0	0	1	0	DSu	47.3284	69.1912	8.2	704.5	379	56862.	851	0.7	0.1	2.9	0.1	0.1	4.1	26	1.2
43868	0	0	1	0	DSu	47.3288	69.1912	8.2	704.4	372	56863.	832	1.0	0.4	1.8	0.1	0.1	1.9	23	1.2
43867	0	0	1	0	DSu	47.3291	69.1912	8.2	704.3	366	56863.	822	0.8	0.5	3.5	0.1	0.1	4.5	29	1.3
43866	0	0	1	0	DSu	47.3294	69.1912	8.2	704.2	360	56863.	808	0.6	0.2	2.4	0.1	0.1	4.4	30	1.2
43865	0	0	0	0	DSu	47.3297	69.1911	8.2	704.1	356	56864.	919	1.0	1.7	2.8	1.8	0.7	3.0	19	1.2
43864	0	0	0	0	DSu	47.3300	69.1911	8.2	704.1	351	56863.	893	0.8	1.0	3.0	1.3	0.4	3.9	32	1.2
43863	0	0	1	0	DSu	47.3304	69.1911	8.2	704.0	346	56862.	860	0.7	0.8	4.1	0.1	0.1	5.9	20	1.2
43861	0	0	1	0	DSu	47.3310	69.1910	8.2	704.0	342	56862.	853	0.8	0.0	4.1	0.1	0.1	5.4	22	1.2
43860	0	0	0	0	DSu	47.3313	69.1910	8.2	703.9	339	56863.	916	0.9	1.2	3.3	1.4	0.4	3.8	18	1.2
43859	0	0	1	0	DSu	47.3317	69.1910	8.2	703.9	337	56865.	881	0.8	0.7	2.5	0.1	0.1	3.1	24	1.2
43858	0	0	1	0	DSu	47.3320	69.1910	8.2	703.8	335	56866.	740	0.7	0.6	3.2	0.1	0.1	4.8	28	1.1
43857	0	0	1	0	DSu	47.3323	69.1909	8.2	703.8	332	56868.	714	0.6	0.3	4.3	0.1	0.1	8.0	20	1.1
43856	0	0	1	0	DSu	47.3326	69.1909	8.2	703.8	333	56869.	736	0.6	0.6	2.8	0.1	0.1	5.3	22	1.1
43855	0	0	1	0	DSu	47.3330	69.1909	8.2	703.7	334	56870.	742	0.6	0.8	2.6	0.1	0.1	5.0	25	1.1
43854	0	0	0	0	DSu	47.3333	69.1909	8.2	703.7	337	56870.	714	0.5	1.0	2.4	0.1	0.5	0.1	24	1.1
43853	0	0	1	0	DSu	47.3336	69.1908	8.2	703.7	338	56870.	719	0.5	0.1	2.5	0.1	0.1	0.1	24	1.0
43852	0	0	0	0	DSu	47.3339	69.1908	8.2	703.6	337	56869.	716	0.7	0.9	2.4	1.3	0.4	3.6	31	1.0
43851	0	0	0	0	DSu	47.3342	69.1908	8.2	703.6	334	56870.	703	0.8	1.0	1.5	1.3	0.7	1.9	24	1.0
43850	0	0	0	0	DSu	47.3344	69.1908	8.2	703.5	330	56871.	767	0.5	0.9	3.7	0.1	0.3	0.1	29	1.0
43849	0	0	0	0	DSu	47.3349	69.1907	8.2	703.5	326	56871.	716	0.6	1.6	2.5	3.1	0.7	4.7	32	1.0
43848	0	0	1	0	DSu	47.3352	69.1907	8.2	703.4	321	56871.	689	0.6	0.3	2.2	0.1	0.1	3.7	20	1.0

*** NOTE *** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI	
												CPS	%	PPM	PPM					CPS	CPS
43847	0	0	1	0	DSU	47.3355	69.1907	8.2	703.4	315	56872.	650	0.6	0.1	3.0	0.1	0.1	5.9	27	1.0	
43846	0	0	1	0	DSU	47.3359	69.1907	8.2	703.3	309	56872.	677	0.6	0.1	2.9	0.1	0.1	4.9	29	1.0	
43845	0	0	0	0	DSU	47.3362	69.1906	8.2	703.2	303	56872.	659	0.6	1.1	1.7	2.0	0.7	3.1	31	1.0	
43844	0	0	1	0	DSU	47.3365	69.1906	8.2	703.2	299	56874.	708	0.5	0.5	1.4	0.1	0.1	0.1	23	0.9	
43843	0	0	0	0	DSU	47.3368	69.1906	8.2	703.1	297	56876.	742	0.5	1.2	2.9	0.1	0.5	0.1	19	0.8	
43842	0	0	0	0	DSU	47.3372	69.1906	8.2	703.1	297	56876.	671	0.4	1.0	1.7	0.1	0.6	0.1	37	0.7	
43841	0	0	1	0	DSU	47.3375	69.1905	8.2	703.1	298	56876.	728	0.7	0.8	3.6	0.1	0.1	5.3	29	0.7	
43840	0	0	1	0	DSU	47.3378	69.1905	8.1	703.0	306	56876.	745	0.8	0.0	3.0	0.1	0.1	4.2	21	0.7	
43839	0	0	1	0	DSU	47.3381	69.1905	8.1	703.0	307	56876.	762	0.7	0.5	3.4	0.1	0.1	5.0	21	0.7	
43838	0	0	1	0	DSU	47.3384	69.1904	8.1	703.0	308	56876.	728	0.8	0.5	2.0	0.1	0.1	2.7	19	0.7	
43837	0	0	0	0	DSU	47.3388	69.1904	8.1	703.0	311	56875.	737	0.6	1.1	1.5	2.0	0.8	2.8	33	0.6	
43836	0	0	1	0	DSU	47.3391	69.1904	8.1	703.0	313	56875.	698	0.7	0.7	2.7	0.1	0.1	4.0	26	0.6	
43835	0	0	1	0	DSU	47.3394	69.1904	8.1	703.0	317	56875.	693	0.7	0.5	2.4	0.1	0.1	3.8	24	0.5	
43834	0	0	0	0	DSU	47.3397	69.1903	8.1	703.0	322	56875.	719	0.6	1.3	3.1	2.2	0.5	5.2	27	0.5	
43833	0	0	1	0	DSU	47.3401	69.1903	8.1	703.0	328	56875.	718	0.6	0.7	3.6	0.1	0.1	6.7	21	0.5	
43832	0	C	1	0	DSU	47.3404	69.1903	8.1	703.0	332	56875.	718	0.6	0.8	3.5	0.1	0.1	5.8	27	0.5	
43831	0	0	1	0	DSU	47.3407	69.1903	8.2	703.0	333	56875.	735	0.6	0.4	4.5	0.1	0.1	7.8	23	0.5	
43830	0	0	0	0	DSU	47.3410	69.1902	8.2	703.0	332	56876.	726	0.6	0.9	3.5	1.8	0.3	6.9	29	0.5	
43829	0	0	0	0	DSU	47.3414	69.1902	8.2	703.0	329	56877.	772	0.7	1.1	4.0	1.6	0.3	5.8	26	0.5	
43828	0	0	0	0	DSU	47.3417	69.1902	8.2	703.0	325	56878.	721	0.4	1.2	3.1	0.1	0.4	0.1	27	0.5	
43827	0	0	1	0	DSU	47.3420	69.1902	8.2	703.1	323	56879.	788	0.7	0.4	3.2	0.1	0.1	4.9	19	0.5	
43826	0	0	0	0	DSU	47.3423	69.1901	8.2	703.1	321	56878.	833	0.8	0.9	2.6	1.2	0.4	3.5	27	0.5	
43825	0	0	1	0	DSU	47.3426	69.1901	8.2	703.1	320	56878.	804	0.7	0.8	3.8	0.1	0.1	6.0	22	0.5	
43824	0	0	1	0	DSU	47.3430	69.1901	8.2	703.1	321	56878.	804	0.8	0.4	4.0	0.1	0.1	5.6	20	0.6	
43823	0	0	1	0	DSU	47.3433	69.1901	8.2	703.1	322	56879.	836	0.8	0.6	4.4	0.1	0.1	5.5	23	0.6	
43822	0	0	1	0	DSU	47.3436	69.1900	8.2	703.1	325	56880.	833	0.6	0.8	3.6	0.1	0.1	6.4	22	0.6	
43821	0	0	1	0	DSU	47.3439	69.1900	8.2	703.2	326	56881.	768	0.7	0.2	4.1	0.1	0.1	6.4	26	0.6	
43820	0	0	1	0	DSU	47.3443	69.1900	8.2	703.2	326	56881.	776	0.8	0.3	3.1	0.1	0.1	4.2	30	0.7	
43819	0	0	1	0	DSU	47.3446	69.1899	8.2	703.2	329	56880.	805	0.6	0.2	4.8	0.1	0.1	9.0	15	0.7	
43818	0	0	1	0	DSU	47.3449	69.1899	8.2	703.2	333	56881.	783	0.6	0.7	2.9	0.1	0.1	4.8	22	0.8	
43817	0	0	0	0	DSU	47.3452	69.1899	8.2	703.2	338	56882.	800	0.6	0.9	3.3	1.6	0.3	6.2	22	0.8	
43816	0	0	0	0	DSU	47.3456	69.1899	8.2	703.2	341	56882.	773	0.5	1.8	2.7	0.1	0.7	0.1	25	0.7	
43815	0	0	0	0	DSU	47.3459	69.1898	8.2	703.2	345	56882.	783	0.5	2.9	4.3	0.1	0.7	0.1	24	0.7	
43814	0	0	1	0	DSU	47.3462	69.1898	8.2	703.2	351	56883.	799	0.6	-0.4	4.9	0.1	0.1	9.2	24	0.6	
43813	0	0	1	0	DSU	47.3465	69.1898	8.2	703.2	356	56883.	770	0.7	0.2	2.4	0.1	0.1	3.4	19	0.7	
43812	0	0	1	0	DSU	47.3468	69.1898	8.2	703.1	360	56882.	766	0.7	0.7	4.7	0.1	0.1	7.4	19	0.8	
43811	0	0	1	0	DSU	47.3472	69.1898	8.2	703.1	365	56882.	824	0.8	0.0	2.9	0.1	0.1	3.9	32	0.8	
43810	0	0	0	0	DSU	47.3475	69.1897	8.2	703.1	370	56882.	750	0.6	1.2	2.8	2.2	0.5	5.1	26	0.8	
43809	0	0	1	0	DSU	47.3478	69.1897	8.2	703.0	377	56884.	732	0.5	0.9	1.8	0.1	0.1	0.1	14	0.9	
43808	0	0	1	0	DSU	47.3481	69.1897	8.2	703.0	383	56885.	672	0.3	0.9	2.7	0.1	0.1	0.1	28	0.9	
43807	0	0	1	0	DSU	47.3485	69.1896	8.2	702.9	389	56887.	641	0.4	0.8	3.9	0.1	0.1	0.1	20	0.9	
43806	0	0	1	1	DSU	47.3488	69.1896	8.2	702.9	394	56887.	584	0.5	0.5	1.2	0.1	0.1	0.1	20	0.9	
43805	0	0	1	0	DSU	47.3491	69.1896	8.2	702.8	396	56887.	565	0.5	0.8	2.8	0.1	0.1	0.1	24	1.0	
43804	0	0	1	0	DSU	47.3494	69.1896	8.2	702.8	397	56888.	473	0.3	0.5	1.5	0.1	0.1	0.1	30	1.0	
43803	0	0	0	1	DSU	47.3498	69.1895	8.2	702.8	397	56890.	440	0.3	1.5	1.0	0.1	0.1	0.1	26	1.1	
43802	0	0	1	1	DSU	47.3501	69.1895	6.2	702.7	394	56889.	401	0.2	0.1	1.0	0.1	0.1	0.1	25	1.1	
43801	0	0	1	1	DSU	47.3504	69.1895	8.2	702.7	389	56890.	395	0.3	0.8	0.9	0.1	0.1	0.1	32	1.2	
43800	0	0	1	1	DSU	47.3507	69.1895	8.2	702.7	383	56890.	446	0.3	-0.6	0.5	0.1	0.1	0.1	21	1.2	
43799	0	0	1	0	DSU	47.3510	69.1894	8.2	702.7	377	56890.	560	0.6	0.7	2.8	0.1	0.1	5.1	33	1.3	
43798	0	0	1	0	DSU	47.3514	69.1894	8.2	702.7	372	56890.	554	0.4	-0.5	3.0	0.1	0.1	0.1	22	1.3	

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
43797	0	0	1	0	DSu	47.3517	69.1894	8.2	702.7	366	56890.	632	0.6	0.1	2.9	0.1	0.1	5.0	23	1.3
43796	0	0	1	0	DSu	47.3520	69.1894	8.2	702.7	363	56890.	648	0.6	0.6	3.3	0.1	0.1	6.5	26	1.4
43795	0	0	1	0	DSu	47.3523	69.1893	8.2	702.7	365	56889.	653	0.5	-0.1	2.0	0.1	0.1	0.1	33	1.4
43794	0	0	0	0	DSu	47.3527	69.1893	8.2	702.7	372	56889.	647	0.4	1.1	3.1	0.1	0.4	0.1	20	1.4
43793	0	0	1	0	DSu	47.3530	69.1893	8.2	702.7	383	56889.	633	0.5	0.8	1.9	0.1	0.1	0.1	23	1.4
43792	0	0	1	0	DSu	47.3533	69.1892	8.2	702.7	392	56890.	651	0.7	0.1	2.5	0.1	0.1	3.9	20	1.5
43791	0	0	1	0	DSu	47.3536	69.1892	8.2	702.7	397	56891.	614	0.4	-0.5	4.4	0.1	0.1	0.1	31	1.6
43790	0	0	1	0	DSu	47.3540	69.1892	8.2	702.7	394	56890.	562	0.4	0.5	2.5	0.1	0.1	0.1	36	1.7
43789	0	0	1	1	DSu	47.3543	69.1892	8.2	702.6	389	56890.	627	0.5	-0.9	1.1	0.1	0.1	0.1	26	1.8
43788	0	0	1	0	DSu	47.3546	69.1891	8.2	702.6	386	56890.	664	0.4	0.8	2.8	0.1	0.1	0.1	26	1.8
43787	0	0	1	0	DSu	47.3549	69.1891	8.2	702.5	386	56890.	675	0.5	0.2	2.7	0.1	0.1	0.1	23	1.8
43786	0	0	0	0	DSu	47.3553	69.1891	8.2	702.5	391	56890.	717	0.6	1.4	2.5	2.3	0.6	4.1	30	1.8
43785	0	0	1	0	DSu	47.3556	69.1891	8.2	702.4	392	56890.	712	0.5	0.4	2.7	0.1	0.1	0.1	31	1.8
43784	0	0	1	0	DSu	47.3559	69.1890	8.3	701.8	375	56890.	780	0.5	0.4	3.8	0.1	0.1	0.1	33	1.8
43783	0	0	1	0	DSu	47.3562	69.1890	8.3	701.8	369	56890.	743	0.6	0.6	3.7	0.1	0.1	6.1	21	1.8
43782	0	0	0	0	DSu	47.3565	69.1890	8.3	701.9	359	56890.	803	0.6	1.3	4.1	2.4	0.4	7.5	17	1.9
43781	0	0	1	0	DSu	47.3569	69.1890	8.3	701.8	347	56889.	769	0.8	0.2	4.4	0.1	0.1	6.1	25	1.9
43780	0	0	1	0	DSu	47.3572	69.1889	8.3	701.8	340	56889.	815	0.7	0.7	4.2	0.1	0.1	6.5	27	2.0
43779	0	0	1	0	DSu	47.3575	69.1889	8.3	701.8	338	56889.	763	0.7	0.7	2.2	0.1	0.1	3.5	22	2.0
43778	0	0	0	0	DSu	47.3578	69.1889	8.3	701.8	334	56889.	798	0.7	1.0	4.8	1.5	0.3	7.0	20	2.0
43777	0	0	1	0	DSu	47.3582	69.1889	8.3	701.8	329	56888.	764	0.7	0.1	2.6	0.1	0.1	3.8	29	2.0
43776	0	0	1	0	DSu	47.3585	69.1888	8.3	701.8	323	56888.	720	0.5	0.7	3.1	0.1	0.1	0.1	27	2.0
43775	0	0	0	0	DSu	47.3588	69.1888	8.3	701.8	322	56888.	727	0.4	1.7	2.2	0.1	0.8	0.1	27	2.0
43774	0	0	0	0	DSu	47.3591	69.1888	8.4	701.8	323	56889.	669	0.5	0.9	2.9	0.1	0.3	0.1	22	1.9
43773	0	0	0	0	DSu	47.3595	69.1888	8.4	701.8	325	56889.	691	0.6	1.1	1.8	2.0	0.6	3.3	23	2.0
43771	0	0	1	0	DSu	47.3601	69.1887	8.4	701.7	324	56890.	690	0.5	-0.1	2.5	0.1	0.1	0.1	33	2.0
43770	0	0	1	0	DSu	47.3604	69.1887	8.4	701.7	320	56893.	760	0.8	0.4	2.5	0.1	0.1	3.5	22	2.1
43769	0	0	1	0	DSu	47.3607	69.1887	8.4	701.6	314	56895.	680	0.7	0.5	3.2	0.1	0.1	4.8	31	2.1
43768	0	0	1	0	DSu	47.3611	69.1886	8.4	701.6	310	56896.	702	0.5	0.6	2.0	0.1	0.1	0.1	22	2.1
43767	0	0	0	0	DSu	47.3614	69.1886	8.4	701.5	306	56897.	716	0.7	0.9	2.9	1.4	0.3	4.6	20	2.2
43766	0	0	0	0	DSu	47.3617	69.1886	8.4	701.5	303	56897.	782	0.7	1.3	3.4	2.1	0.4	5.4	29	2.2
43765	0	0	0	0	DSu	47.3620	69.1886	8.4	701.4	303	56897.	797	0.6	1.0	2.5	1.6	0.4	4.2	32	2.2
43764	0	0	1	0	DSu	47.3624	69.1885	8.4	701.4	303	56897.	732	0.8	0.0	2.0	0.1	0.1	2.8	18	2.2
43763	0	0	1	0	DSu	47.3627	69.1885	8.4	701.3	304	56896.	756	0.7	0.3	2.7	0.1	0.1	4.2	28	2.3
43762	0	0	1	0	DSu	47.3630	69.1885	8.4	701.2	305	56896.	768	0.6	0.7	3.0	0.1	0.1	5.2	20	2.3
43761	0	0	0	0	DSu	47.3633	69.1884	8.4	701.1	308	56898.	811	0.7	1.0	2.4	1.4	0.4	3.6	25	2.4
43760	0	0	1	0	DSu	47.3637	69.1884	8.4	701.0	311	56898.	742	0.6	0.3	2.6	0.1	0.1	4.8	23	2.5
43759	0	0	1	0	DSu	47.3640	69.1884	8.4	700.9	315	56897.	747	0.6	0.7	3.4	0.1	0.1	5.6	22	2.6
43758	0	0	1	0	DSu	47.3643	69.1884	8.4	700.8	318	56899.	813	1.0	-0.4	3.8	0.1	0.1	4.1	27	2.7
43757	0	0	1	0	DSu	47.3646	69.1883	8.4	700.7	321	56896.	718	0.6	0.1	3.8	0.1	0.1	6.9	24	2.8
43756	0	0	1	0	DSu	47.3649	69.1883	8.4	700.6	322	56892.	788	0.5	0.9	5.1	0.1	0.1	0.1	28	2.9
43755	0	0	1	0	DSu	47.3653	69.1883	8.4	700.4	320	56888.	800	0.5	0.2	3.6	0.1	0.1	0.1	22	2.9
43754	0	0	0	0	DSu	47.3656	69.1883	8.4	700.3	316	56886.	855	0.9	1.1	3.8	1.2	0.3	4.3	19	3.0
43753	0	0	1	0	DSu	47.3659	69.1882	8.4	700.2	313	56887.	885	0.9	-0.1	3.3	0.1	0.1	3.8	28	3.0
43752	0	0	1	0	DSu	47.3662	69.1882	8.4	700.1	315	56887.	894	0.8	0.8	2.9	0.1	0.1	3.9	15	3.1
43751	0	0	1	0	DSu	47.3666	69.1882	8.4	700.0	320	56887.	873	0.8	0.4	3.7	0.1	0.1	5.2	21	3.2
43750	0	0	0	0	DSu	47.3669	69.1882	8.4	700.0	327	56887.	859	0.7	1.3	2.8	2.0	0.5	4.1	25	3.3
43749	0	0	1	0	DSu	47.3672	69.1881	8.4	699.9	333	56887.	860	0.9	0.4	3.1	0.1	0.1	3.8	21	3.3
43748	0	0	1	0	DSu	47.3675	69.1881	8.4	699.9	340	56886.	823	0.8	0.1	3.2	0.1	0.1	4.4	30	3.7
43747	0	0	1	0	DSu	47.3679	69.1881	8.4	699.9	346	56886.	809	0.7	0.4	4.0	0.1	0.1	5.9	29	3.7

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	I/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
43746	0	0	1	0	DSu	47.3682	69.1881	8.4	700.0	351	56886.	831	0.7	0.5	1.7	0.1	0.1	2.5	21	3.7
43745	0	0	1	0	DSu	47.3685	69.1880	8.4	700.0	351	56886.	799	0.8	-0.3	3.5	0.1	0.1	4.8	23	3.9
43744	0	0	0	0	DSu	47.3688	69.1880	8.4	700.1	349	56885.	822	0.7	1.0	4.2	1.6	0.3	6.7	21	4.0
43743	0	0	1	1	DSu	47.3692	69.1880	8.5	700.2	347	56884.	783	0.7	0.4	1.2	0.1	0.1	0.1	33	4.2
43742	0	0	0	0	DSu	47.3695	69.1880	8.5	700.3	347	56883.	789	0.5	1.1	2.7	0.1	0.5	0.1	30	4.4
43741	0	0	1	0	DSu	47.3698	69.1879	8.5	700.5	348	56882.	755	0.7	0.6	2.0	0.1	0.1	3.1	31	4.6
43740	0	0	1	0	DSu	47.3701	69.1879	8.5	700.6	350	56880.	772	0.6	0.2	2.7	0.1	0.1	4.8	35	4.9
43739	0	0	1	0	DSu	47.3704	69.1879	8.5	700.8	352	56879.	763	0.7	0.2	3.3	0.1	0.1	5.3	19	5.0
43738	0	0	1	0	DSu	47.3708	69.1879	8.5	701.0	354	56880.	774	0.7	0.6	3.9	0.1	0.1	6.1	27	5.2
43737	0	0	1	0	DSu	47.3711	69.1878	8.5	701.2	354	56880.	749	0.4	-0.3	4.2	0.1	0.1	0.1	28	5.2
43736	0	0	1	0	DSu	47.3714	69.1878	8.5	701.3	355	56880.	713	0.6	0.3	3.8	0.1	0.1	7.4	30	5.2
43735	0	0	1	0	DSu	47.3717	69.1878	8.5	701.5	355	56879.	801	0.7	0.8	2.0	0.1	0.1	3.2	33	5.2
43734	0	0	1	0	DSu	47.3721	69.1878	8.5	701.7	357	56878.	801	0.8	0.5	3.5	0.1	0.1	4.6	37	5.1
43733	0	0	1	0	DSu	47.3724	69.1877	8.5	701.8	357	56877.	741	0.6	0.4	1.7	0.1	0.1	3.1	18	5.0
43732	0	0	1	0	DSu	47.3727	69.1877	8.5	702.0	357	56877.	717	0.7	0.5	3.7	0.1	0.1	5.5	23	5.0
43731	0	0	1	0	DSu	47.3730	69.1877	8.5	702.1	356	56876.	734	0.8	0.2	3.4	0.1	0.1	4.3	27	4.9
43730	0	0	1	0	DSu	47.3734	69.1876	8.5	702.2	355	56877.	713	0.6	0.2	3.9	0.1	0.1	6.6	30	4.9
43729	0	0	1	0	DSu	47.3737	69.1876	8.5	702.4	356	56879.	726	0.5	0.1	3.8	0.1	0.1	0.1	26	4.9
43728	0	0	1	0	DSu	47.3740	69.1876	8.6	702.5	357	56878.	698	0.4	0.0	2.4	0.1	0.1	0.1	31	4.9
43727	0	0	1	0	DSu	47.3743	69.1876	8.8	703.6	361	56877.	740	0.7	0.5	2.4	0.1	0.1	3.8	22	5.0
43726	0	0	1	0	DSu	47.3746	69.1875	8.8	703.5	362	56877.	839	0.7	-0.1	4.0	0.1	0.1	6.2	30	5.2
43725	0	0	1	0	DSu	47.3750	69.1875	8.8	703.5	364	56876.	733	0.6	-1.0	3.1	0.1	0.1	5.3	17	5.4
43724	0	0	1	0	DSu	47.3753	69.1875	8.8	703.5	367	56876.	737	0.7	0.1	1.9	0.1	0.1	3.0	35	5.4
43723	0	0	1	0	DSu	47.3756	69.1875	8.8	703.5	369	56877.	750	0.7	0.9	2.4	0.1	0.1	3.9	21	5.1
43722	0	0	1	1	DSu	47.3759	69.1874	8.8	703.5	368	56880.	756	0.8	0.4	1.2	0.1	0.1	0.1	19	5.0
43721	0	0	1	0	DSu	47.3763	69.1874	8.8	703.6	367	56881.	780	0.6	0.8	2.6	0.1	0.1	4.3	29	4.9
43720	0	0	1	0	DSu	47.3766	69.1874	8.8	703.6	366	56880.	766	0.6	0.6	2.7	0.1	0.1	5.0	28	4.7
43719	0	0	1	0	DSu	47.3769	69.1874	8.8	703.7	369	56880.	795	0.7	-0.6	4.4	0.1	0.1	6.3	24	4.7
43718	0	0	1	0	DSu	47.3772	69.1873	8.8	703.8	371	56881.	736	0.7	-0.4	4.1	0.1	0.1	5.8	34	4.5
43717	0	0	1	0	DSu	47.3776	69.1873	8.8	703.8	373	56881.	729	0.7	0.6	2.5	0.1	0.1	4.0	26	4.3
43716	0	0	1	0	DSu	47.3779	69.1873	8.8	703.9	371	56881.	766	0.6	0.2	3.0	0.1	0.1	4.9	28	4.1
43715	0	0	1	0	DSu	47.3782	69.1873	8.8	703.9	367	56880.	739	0.5	0.0	1.4	0.1	0.1	0.1	33	3.9
43714	0	0	1	0	DSu	47.3785	69.1872	8.8	704.1	362	56880.	757	0.6	0.9	2.7	0.1	0.1	4.6	30	3.6
43713	0	0	1	0	DSu	47.3789	69.1872	8.8	704.3	357	56881.	786	0.7	0.6	3.5	0.1	0.1	5.4	19	3.4
43712	0	0	1	0	DSu	47.3792	69.1872	8.8	704.4	352	56881.	819	0.8	0.1	3.2	0.1	0.1	4.4	29	3.3
43711	0	0	1	0	DSu	47.3795	69.1872	8.8	704.6	346	56882.	779	0.7	0.9	2.4	0.1	0.1	3.8	20	3.3
43710	0	0	1	0	DSu	47.3798	69.1871	8.8	704.8	342	56881.	753	0.7	0.0	4.1	0.1	0.1	6.6	26	3.3
43709	0	0	1	0	DSu	47.3801	69.1871	8.8	704.9	339	56881.	776	0.7	-0.1	2.7	0.1	0.1	4.2	23	3.3
43708	0	0	1	0	DSu	47.3805	69.1871	8.8	705.1	338	56880.	801	0.8	0.4	2.6	0.1	0.1	3.7	26	3.3
43707	0	0	1	0	DSu	47.3808	69.1870	8.8	705.3	336	56879.	799	0.8	0.3	2.2	0.1	0.1	2.9	27	3.3
43706	0	0	1	0	DSu	47.3811	69.1870	8.8	705.5	335	56879.	816	0.7	0.2	4.2	0.1	0.1	6.0	24	3.3
43705	0	0	0	0	DSu	47.3814	69.1870	8.8	705.6	332	56879.	727	0.6	1.5	3.4	2.4	0.5	5.7	27	3.2
43704	0	0	1	0	DSu	47.3818	69.1870	8.8	705.8	328	56878.	699	0.8	0.1	2.6	0.1	0.1	3.4	21	3.2
43703	0	0	1	0	DSu	47.3821	69.1870	8.8	706.0	325	56879.	696	0.5	0.8	3.0	0.1	0.1	0.1	22	3.1
43702	0	0	0	0	DSu	47.3824	69.1869	8.8	706.3	325	56879.	780	0.5	1.1	3.2	0.1	0.4	0.1	26	2.9
43701	0	0	1	1	DSu	47.3827	69.1869	8.8	706.5	328	56878.	746	0.6	0.6	1.1	0.1	0.1	0.1	25	2.7
43700	0	0	1	0	DSu	47.3831	69.1869	8.8	706.7	333	56877.	763	0.7	0.7	1.6	0.1	0.1	2.5	27	2.5
43699	0	0	1	0	DSu	47.3834	69.1869	8.8	707.0	338	56877.	711	0.7	-0.1	2.1	0.1	0.1	3.2	27	2.5
43698	0	0	1	0	DSu	47.3837	69.1868	8.8	707.2	344	56877.	708	0.7	0.8	1.9	0.1	0.1	3.0	34	2.5
43697	0	0	1	0	DSu	47.3840	69.1868	8.8	707.5	350	56876.	730	0.5	0.4	3.3	0.1	0.1	0.1	32	2.5

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
43696	0	0	1	0	DSu	47.3843	69.1868	8.8	707.7	357	56877.	749	0.5	-0.2	3.9	0.1	0.1	0.1	20	2.6
43695	0	0	1	0	DSu	47.3847	69.1867	8.8	708.0	364	56876.	785	0.7	0.8	5.8	0.1	0.1	8.7	22	2.6
43694	0	0	1	0	DSu	47.3850	69.1867	8.8	708.3	371	56874.	784	0.8	-0.9	2.6	0.1	0.1	3.7	23	2.6
43693	0	0	1	0	DSu	47.3853	69.1867	8.8	708.6	378	56874.	768	0.6	1.0	3.6	0.1	0.1	6.3	21	2.6
43692	0	0	1	0	DSu	47.3856	69.1867	8.8	708.9	383	56874.	787	0.5	0.6	3.4	0.1	0.1	0.1	33	2.6
43691	0	0	1	1	DSu	47.3860	69.1866	8.8	709.2	386	56874.	793	0.9	0.8	1.1	0.1	0.1	0.1	21	2.6
43690	0	0	1	0	DSu	47.3863	69.1866	8.8	709.4	387	56873.	740	0.7	0.3	2.5	0.1	0.1	3.9	28	2.5
43689	0	0	0	0	DSu	47.3866	69.1866	8.8	709.7	389	56872.	792	0.8	1.5	2.3	1.9	0.7	2.8	30	2.6
43688	0	0	1	0	DSu	47.3869	69.1865	8.8	710.0	392	56872.	747	0.8	0.2	3.7	0.1	0.1	5.2	34	2.6
43687	0	0	0	0	DSu	47.3873	69.1865	8.8	710.3	396	56872.	799	0.7	1.4	3.1	2.2	0.5	4.9	29	2.6
43686	0	0	1	0	DSu	47.3876	69.1865	8.9	710.6	398	56873.	763	0.7	0.0	2.6	0.1	0.1	4.1	29	2.6
43685	0	0	0	0	DSu	47.3879	69.1865	8.9	710.8	398	56874.	826	0.8	1.6	4.1	2.1	0.4	5.2	29	2.6
43684	0	0	0	0	DSu	47.3882	69.1865	8.9	711.1	395	56875.	911	0.7	1.7	3.1	2.6	0.6	4.8	20	2.5
43683	0	0	0	0	DSu	47.3885	69.1864	8.9	711.4	388	56875.	886	0.7	1.1	3.5	1.6	0.3	5.1	26	2.5
43682	0	0	1	0	DSu	47.3889	69.1864	8.9	711.6	374	56873.	769	0.7	0.3	2.7	0.1	0.1	3.9	26	2.5
43680	0	0	0	0	DSu	47.3895	69.1864	8.9	711.9	360	56873.	776	0.6	1.0	3.9	1.9	0.3	7.4	37	2.5
43679	0	0	1	0	DSu	47.3899	69.1863	8.9	712.1	349	56875.	769	0.8	0.5	3.5	0.1	0.1	4.5	26	2.5
43678	0	0	1	0	0Epa	47.3902	69.1863	8.9	712.4	347	56874.	722	0.4	0.4	2.6	0.1	0.1	0.1	15	2.6
43677	0	0	0	0	0Epa	47.3905	69.1863	8.9	712.6	351	56874.	831	0.6	1.3	3.3	2.2	0.4	5.6	23	2.6
43676	0	0	1	0	0Epa	47.3908	69.1862	8.9	712.8	357	56875.	770	0.6	0.8	2.4	0.1	0.1	4.3	18	2.6
43675	0	0	1	0	0Epa	47.3911	69.1862	8.9	713.0	362	56875.	785	0.6	0.2	3.0	0.1	0.1	5.1	25	2.6
43674	0	0	1	0	0Epa	47.3915	69.1862	8.9	713.2	365	56875.	726	0.8	-0.1	3.0	0.1	0.1	4.2	30	2.7
43673	0	0	1	0	0Epa	47.3918	69.1862	8.9	713.4	364	56876.	773	0.7	-0.1	3.3	0.1	0.1	5.3	29	2.7
43672	0	0	1	0	0Epa	47.3921	69.1861	8.9	713.5	365	56877.	742	0.6	0.1	3.2	0.1	0.1	5.5	16	2.7
43671	0	0	1	0	0Epa	47.3924	69.1861	8.9	713.6	365	56876.	683	0.6	0.1	3.5	0.1	0.1	7.0	21	2.8
43670	0	0	1	1	0Epa	47.3928	69.1861	8.6	714.3	358	56876.	647	0.5	0.0	0.7	0.1	0.1	0.1	28	2.8
43669	0	0	1	0	0Epa	47.3931	69.1861	8.6	714.3	358	56875.	706	0.7	0.8	3.3	0.1	0.1	4.9	30	2.7
43668	0	0	1	0	0Epa	47.3934	69.1861	8.6	714.3	360	56876.	646	0.6	0.4	1.4	0.1	0.1	2.3	24	2.7
43667	0	0	1	0	0Epa	47.3937	69.1860	8.6	714.3	361	56877.	711	0.5	0.3	1.3	0.1	0.1	0.1	24	2.7
43666	0	0	1	0	0Epa	47.3941	69.1860	8.6	714.3	364	56877.	764	0.8	0.9	2.5	0.1	0.1	3.5	21	2.7
43665	0	0	1	0	0Epa	47.3944	69.1860	8.6	714.3	370	56876.	717	0.7	0.2	4.5	0.1	0.1	7.3	28	2.7
43664	0	0	1	0	0Epa	47.3947	69.1859	8.6	714.3	376	56876.	770	0.7	0.3	3.9	0.1	0.1	6.3	27	2.8
43663	0	0	1	0	0Epa	47.3950	69.1859	8.6	714.4	380	56376.	775	0.7	0.5	3.8	0.1	0.1	6.1	26	2.8
43662	0	0	1	0	0Epa	47.3953	69.1859	8.6	714.4	377	56876.	812	0.8	0.6	3.1	0.1	0.1	4.0	22	2.8
43661	0	0	1	0	0Epa	47.3957	69.1859	8.6	714.5	371	56876.	793	0.7	0.8	3.4	0.1	0.1	5.2	19	2.8
43660	0	0	1	0	0Epa	47.3960	69.1858	8.6	714.5	366	56876.	805	0.5	0.5	2.3	0.1	0.1	0.1	20	2.9
43659	0	0	1	0	0Epa	47.3963	69.1858	8.6	714.6	361	56877.	741	1.0	0.3	3.5	0.1	0.1	3.7	24	2.9
43658	0	0	1	0	0Epa	47.3966	69.1858	8.6	714.6	356	56877.	757	0.7	0.2	2.8	0.1	0.1	4.3	22	3.0
43657	0	0	1	0	0Epa	47.3970	69.1858	8.6	714.8	351	56876.	782	0.9	0.7	3.6	0.1	0.1	4.4	22	3.0
43656	0	0	1	0	0Epa	47.3973	69.1857	8.6	714.9	343	56877.	758	0.7	-0.4	4.3	0.1	0.1	6.6	21	3.0
43655	0	0	1	0	0Epa	47.3976	69.1857	8.6	715.0	341	56876.	737	0.7	0.8	1.5	0.1	0.1	2.1	31	3.0
43654	0	0	1	1	0Epa	47.3979	69.1857	8.6	715.1	346	56876.	705	0.6	0.8	1.3	0.1	0.1	0.1	31	3.0
43653	0	0	0	0	0Epa	47.3983	69.1857	8.6	715.1	360	56877.	721	0.5	1.7	3.1	0.1	0.6	0.1	34	3.0
43652	0	0	0	0	0Epa	47.3986	69.1856	8.6	715.2	372	56878.	680	0.4	1.2	3.1	0.1	0.4	0.1	24	3.0
43651	0	0	1	0	0Epa	47.3989	69.1856	8.6	715.2	386	56880.	675	0.5	0.4	3.9	0.1	0.1	0.1	23	3.0
43650	0	0	1	0	0Epa	47.3992	69.1856	8.6	715.2	400	56882.	693	0.6	0.2	2.0	0.1	0.1	3.3	24	3.0
43649	0	0	1	0	0Epa	47.3995	69.1855	8.6	715.2	415	56883.	600	0.5	0.3	2.9	0.1	0.1	0.1	19	3.0
43648	0	0	1	0	0Epa	47.3999	69.1855	8.6	715.1	428	56883.	623	0.4	0.8	2.3	0.1	0.1	0.1	20	3.0
43647	0	0	1	0	0Epa	47.4002	69.1855	8.6	715.0	433	56882.	569	0.5	0.5	1.6	0.1	0.1	0.1	24	2.9
43646	0	0	1	1	0Epa	47.4005	69.1855	8.6	714.8	435	56882.	527	0.3	0.8	0.3	0.1	0.1	0.1	20	2.9

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
43645	0	0	1	0	0Epq	47.4008	69.1855	8.6	714.6	435	56882.	613	0.6	-0.2	2.6	0.1	0.1	5.0	17	3.0
43644	0	0	1	0	0Epq	47.4011	69.1855	8.6	714.4	437	56883.	573	0.4	0.2	1.9	0.1	0.1	0.1	18	3.0
43643	0	0	1	0	0Epq	47.4014	69.1855	8.6	714.2	434	56883.	668	0.3	0.5	3.8	0.1	0.1	0.1	25	3.0
43642	0	0	1	0	0Epq	47.4017	69.1855	8.6	714.0	429	56883.	656	0.5	0.1	2.7	0.1	0.1	0.1	24	3.1
43641	0	0	1	0	0Epq	47.4020	69.1855	8.6	713.7	423	56883.	680	0.7	-0.1	3.5	0.1	0.1	5.7	25	3.1
43640	0	0	1	0	0Epq	47.4023	69.1855	8.6	713.4	416	56885.	704	0.5	-1.0	4.7	0.1	0.1	0.1	30	3.2
43639	0	0	1	0	0Epq	47.4026	69.1855	8.6	713.1	406	56885.	713	0.7	0.0	2.3	0.1	0.1	3.4	12	3.2
43638	0	0	1	0	0Epq	47.4029	69.1855	8.6	712.8	399	56885.	725	0.5	-0.7	3.7	0.1	0.1	0.1	25	3.2
43637	0	0	1	0	0Epq	47.4032	69.1855	8.6	712.5	396	56886.	699	0.7	-0.4	4.0	0.1	0.1	6.2	25	3.3
43636	0	0	1	0	0Epq	47.4035	69.1855	8.6	712.2	399	56885.	709	0.6	-0.1	1.7	0.1	0.1	2.8	26	3.3
43635	0	0	1	0	0Epq	47.4038	69.1855	8.6	711.9	404	56884.	727	0.7	0.5	3.8	0.1	0.1	5.6	16	3.3
43634	0	0	1	0	0Epq	47.4041	69.1855	8.6	711.5	411	56884.	754	0.6	0.7	2.6	0.1	0.1	4.8	22	3.3
43633	0	0	1	0	0Epq	47.4044	69.1855	8.6	711.2	418	56885.	752	0.3	0.8	3.1	0.1	0.1	0.1	20	3.3
43632	0	0	1	0	0Epq	47.4047	69.1855	8.6	710.9	425	56886.	782	0.7	0.5	4.0	0.1	0.1	6.3	29	3.3
43631	0	0	1	0	0Epq	47.4050	69.1855	8.6	710.5	432	56887.	761	0.6	0.8	3.1	0.1	0.1	5.7	22	3.2
43630	0	0	1	0	0Epq	47.4053	69.1855	8.6	710.2	436	56888.	779	0.6	0.5	3.5	0.1	0.1	6.1	31	3.2
43629	0	0	1	0	0Epq	47.4056	69.1855	8.6	709.9	442	56888.	738	0.7	0.9	2.6	0.1	0.1	4.1	34	3.3
43628	0	0	1	0	0Epq	47.4059	69.1855	8.6	709.6	451	56888.	784	0.7	0.3	3.7	0.1	0.1	5.3	19	3.3
43627	0	0	1	0	0Epq	47.4062	69.1855	8.6	709.3	464	56889.	770	0.8	-0.4	3.9	0.1	0.1	5.1	31	3.4
43626	0	0	1	0	0Epq	47.4065	69.1855	8.6	709.0	473	56890.	783	0.6	-0.2	3.6	0.1	0.1	6.0	15	3.4
43625	0	0	1	0	0Epq	47.4068	69.1855	8.6	708.7	474	56890.	825	0.9	-0.7	5.1	0.1	0.1	6.2	21	3.4
43624	0	0	1	0	0Epq	47.4071	69.1855	8.6	708.4	465	56891.	787	0.6	0.4	3.3	0.1	0.1	5.8	24	3.4
43623	0	0	1	0	0Epq	47.4074	69.1855	8.6	708.2	459	56892.	814	0.7	0.4	2.9	0.1	0.1	4.1	25	3.4
43622	0	0	1	0	0Epq	47.4077	69.1856	8.6	707.9	455	56893.	754	0.6	0.5	3.5	0.1	0.1	6.1	22	3.4
43621	0	0	1	0	0Epq	47.4080	69.1856	8.6	707.7	455	56894.	753	0.6	-0.1	2.3	0.1	0.1	4.4	14	3.4
43620	0	0	1	0	0Epq	47.4083	69.1856	8.6	707.5	443	56895.	804	0.6	0.4	3.1	0.1	0.1	6.1	11	3.4
43619	0	0	1	0	0Epq	47.4086	69.1856	8.5	707.3	426	56896.	775	0.6	0.1	3.2	0.1	0.1	6.3	30	3.4
43618	0	0	1	0	0Epq	47.4089	69.1856	8.5	707.2	406	56897.	785	0.7	0.6	3.9	0.1	0.1	6.1	27	3.4
43617	0	0	1	0	0Epq	47.4092	69.1856	8.5	707.0	393	56899.	746	0.6	-0.2	3.0	0.1	0.1	5.4	23	3.4
43616	0	0	1	0	0Epq	47.4095	69.1856	8.5	706.9	384	56901.	727	0.8	-0.5	2.9	0.1	0.1	4.0	26	3.3
43615	0	0	1	0	0Epq	47.4098	69.1856	8.5	706.8	376	56903.	739	0.6	0.0	4.0	0.1	0.1	6.8	14	3.3
43614	0	0	0	0	0Epq	47.4101	69.1856	8.4	706.1	364	56904.	705	0.4	1.6	1.8	0.1	0.9	0.1	28	3.2
43613	0	0	0	0	0Epq	47.4104	69.1856	8.4	706.1	364	56904.	755	0.6	1.2	2.4	1.9	0.5	3.9	21	3.1
43612	0	0	1	0	0Epq	47.4107	69.1856	8.4	706.1	364	56904.	755	0.5	0.1	5.4	0.1	0.1	0.1	15	3.0
43611	0	0	1	0	0Epq	47.4110	69.1856	8.4	706.1	359	56905.	736	0.7	0.0	3.3	0.1	0.1	4.7	30	3.0
43610	0	0	0	1	0Epq	47.4113	69.1856	8.4	706.1	354	56908.	702	0.6	1.0	1.2	1.8	0.1	0.1	25	2.9
43609	0	0	0	0	0Epq	47.4116	69.1856	8.4	706.1	346	56909.	663	0.6	0.9	1.8	1.6	0.6	3.2	20	2.9
43608	0	0	1	0	0Epq	47.4119	69.1856	8.4	706.1	344	56909.	594	0.5	0.0	1.4	0.1	0.1	0.1	25	2.9
43607	0	0	1	0	0Epq	47.4122	69.1856	8.4	706.0	342	56909.	621	0.6	0.9	3.0	0.1	0.1	5.5	30	2.9
43606	0	0	1	0	0Epq	47.4125	69.1856	8.4	706.0	343	56911.	619	0.5	-0.8	2.8	0.1	0.1	0.1	25	2.9
43605	0	0	1	0	0Epq	47.4128	69.1856	8.5	705.9	343	56911.	616	0.5	0.7	2.0	0.1	0.1	0.1	23	2.9
43604	0	0	1	0	0Epq	47.4131	69.1856	8.5	705.9	345	56911.	649	0.4	0.2	1.7	0.1	0.1	0.1	24	2.9
43603	0	0	1	0	0Epq	47.4134	69.1856	8.5	705.8	344	56912.	726	0.7	0.0	2.3	0.1	0.1	3.5	22	2.9
43602	0	0	0	0	0Epq	47.4137	69.1856	8.5	705.8	341	56913.	670	0.6	0.9	4.0	1.7	0.3	7.8	21	2.8
43601	0	0	1	0	0Epq	47.4140	69.1856	8.5	705.7	334	56914.	669	0.6	-0.1	2.3	0.1	0.1	4.2	27	2.8
43600	0	0	1	0	0Epq	47.4143	69.1856	8.5	705.6	327	56914.	674	0.6	0.1	3.8	0.1	0.1	7.3	31	2.8
43599	0	0	1	0	0Epq	47.4146	69.1856	8.5	705.5	324	56914.	739	0.8	0.4	1.5	0.1	0.1	2.0	22	2.7
43598	0	0	1	0	0Epq	47.4149	69.1856	8.5	705.3	323	56915.	717	0.6	0.7	1.8	0.1	0.1	3.3	31	2.7
43597	0	0	0	0	0Epq	47.4152	69.1856	8.5	705.2	321	56915.	714	0.6	1.2	2.8	2.2	0.5	5.1	24	2.6
43596	0	0	1	0	0Epq	47.4156	69.1856	8.5	705.1	315	56916.	768	0.7	0.7	2.6	0.1	0.1	4.0	17	2.6

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

- F05 -
 MAINE AERIAL SURVEY EDMUNDSTON QUADRANGLE, CARSON GEOSCIENCE INC., 1980

LINE NO. 1020

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
43595	0	0	1	0	0Epa	47.4158	69.1856	8.5	705.0	309	56918.	722	0.6	-0.2	4.8	0.1	0.1	8.5	23	2.6
43594	0	0	1	0	0Epa	47.4161	69.1856	8.5	704.9	304	56919.	658	0.5	-0.5	3.0	0.1	0.1	0.1	32	2.6
43593	0	0	1	0	0Epa	47.4165	69.1856	8.5	704.8	301	56920.	687	0.7	0.2	4.0	0.1	0.1	6.5	19	2.6
43592	0	0	1	0	0Epa	47.4167	69.1856	8.5	704.7	298	56920.	628	0.6	0.0	1.6	0.1	0.1	2.9	20	2.6
43591	0	0	1	0	0Epa	47.4171	69.1856	8.5	704.6	297	56921.	632	0.5	-0.1	3.0	0.1	0.1	0.1	30	2.5
43589	0	0	1	0	0Epa	47.4177	69.1856	8.5	704.5	297	56921.	630	0.6	-0.2	1.7	0.1	0.1	2.9	22	2.5
43588	0	0	1	0	0Epa	47.4180	69.1856	8.5	704.4	300	56923.	673	0.6	0.4	1.5	0.1	0.1	2.6	28	2.5
43587	0	0	0	0	0Epa	47.4183	69.1856	8.5	704.3	304	56924.	627	0.3	1.0	3.2	0.1	0.4	0.1	25	2.4
43586	0	0	0	0	0Epa	47.4186	69.1856	8.5	704.2	308	56924.	644	0.4	2.1	2.2	0.1	1.0	0.1	36	2.3
43585	0	0	1	0	0Epa	47.4189	69.1856	8.5	704.1	310	56925.	641	0.5	0.9	2.5	0.1	0.1	0.1	20	2.2
43584	0	0	1	0	0Epa	47.4192	69.1856	8.5	704.0	310	56926.	647	0.5	0.2	4.3	0.1	0.1	0.1	30	2.1
43583	0	0	1	0	0Epa	47.4195	69.1856	8.5	703.9	311	56926.	635	0.5	0.2	1.4	0.1	0.1	0.1	34	2.1
43582	0	0	1	0	0Epa	47.4198	69.1856	8.5	703.8	314	56925.	625	0.6	0.5	1.7	0.1	0.1	3.4	31	2.1
43581	0	0	1	0	0Epa	47.4201	69.1856	8.5	703.7	318	56926.	632	0.7	0.4	3.0	0.1	0.1	4.9	23	2.0
43580	0	0	1	0	0Epa	47.4204	69.1856	8.5	703.6	320	56928.	652	0.6	0.3	2.8	0.1	0.1	5.1	28	2.0
43579	0	0	1	0	0Epa	47.4207	69.1856	8.5	703.5	322	56930.	615	0.4	0.3	2.7	0.1	0.1	0.1	30	2.0
43578	0	0	1	0	0Epa	47.4210	69.1856	8.5	703.4	324	56932.	626	0.7	0.5	2.1	0.1	0.1	3.3	19	2.0
43577	0	0	1	0	0Epa	47.4213	69.1856	8.5	703.3	329	56932.	627	0.6	-0.1	1.7	0.1	0.1	3.0	21	2.0
43576	0	0	1	0	0Epa	47.4216	69.1856	8.5	703.2	336	56932.	603	0.5	0.3	1.7	0.1	0.1	0.1	32	2.0
43575	0	0	1	0	0Epa	47.4219	69.1856	8.5	703.1	340	56932.	672	0.8	0.0	1.7	0.1	0.1	2.3	31	2.0
43574	0	0	1	0	0Epa	47.4222	69.1856	8.5	703.0	342	56932.	629	0.5	0.2	2.7	0.1	0.1	0.1	25	2.0
43573	0	0	1	0	0Epa	47.4225	69.1856	8.5	702.9	340	56933.	661	0.5	0.2	3.3	0.1	0.1	0.1	33	2.0
43572	0	0	1	0	0Epa	47.4228	69.1856	8.5	702.8	341	56933.	638	0.5	0.5	2.9	0.1	0.1	0.1	25	2.0
43571	0	0	1	0	0Epa	47.4231	69.1856	8.5	702.8	341	56933.	607	0.6	0.1	1.6	0.1	0.1	2.6	25	2.1
43570	0	0	1	0	0Epa	47.4234	69.1856	8.5	702.8	344	56933.	649	0.7	0.5	1.6	0.1	0.1	2.4	23	2.1
43569	0	0	1	0	0Epa	47.4237	69.1856	8.5	702.8	346	56933.	565	0.5	0.5	2.6	0.1	0.1	0.1	23	2.0
43568	0	0	1	0	0Epa	47.4240	69.1856	8.6	702.8	347	56932.	647	0.6	0.5	2.7	0.1	0.1	5.2	25	1.9
43567	0	0	1	0	0Epa	47.4243	69.1856	8.6	702.8	345	56931.	639	0.5	0.7	3.6	0.1	0.1	0.1	22	1.9
43566	0	0	1	0	0Epa	47.4246	69.1856	8.6	702.7	341	56931.	717	0.5	-0.1	3.7	0.1	0.1	0.1	32	1.8
43565	0	0	0	0	0Epa	47.4249	69.1856	8.6	702.8	335	56932.	697	0.6	1.0	3.9	1.8	0.3	7.1	24	1.8
43564	0	0	1	0	0Epa	47.4252	69.1856	8.6	702.8	330	56931.	707	0.6	0.5	2.7	0.1	0.1	4.6	29	1.7
43563	0	0	1	0	0Epa	47.4255	69.1856	8.6	702.8	326	56931.	696	0.7	0.7	2.9	0.1	0.1	4.6	21	1.7
43562	0	0	1	0	0Epa	47.4258	69.1856	8.6	702.8	323	56931.	716	0.7	-0.1	2.7	0.1	0.1	4.0	20	1.8
43561	0	0	1	0	0Epa	47.4261	69.1856	8.6	702.9	321	56931.	665	0.6	0.3	1.6	0.1	0.1	2.7	24	1.9
43560	0	0	1	0	0Epa	47.4264	69.1856	8.6	702.9	321	56929.	677	0.7	-0.5	2.4	0.1	0.1	3.8	35	2.0
43559	0	0	1	0	0Epa	47.4267	69.1856	8.6	703.0	326	56927.	664	0.5	0.2	2.3	0.1	0.1	0.1	22	2.0
43558	0	0	1	0	0Epa	47.4270	69.1856	8.6	703.0	332	56925.	632	0.8	-0.3	3.3	0.1	0.1	4.6	31	2.0
43557	0	0	1	0	0Epa	47.4273	69.1856	8.9	703.6	343	56923.	636	0.6	0.4	2.4	0.1	0.1	4.7	33	2.0
43556	0	0	1	0	0Epa	47.4276	69.1856	8.9	703.6	344	56923.	634	0.5	0.3	2.9	0.1	0.1	0.1	28	2.0
43555	0	0	1	0	0Epa	47.4279	69.1856	8.9	703.6	347	56924.	663	0.4	0.5	3.4	0.1	0.1	0.1	19	2.0
43554	0	0	1	0	0Epa	47.4282	69.1856	8.9	703.6	350	56924.	612	0.6	0.2	2.0	0.1	0.1	3.4	25	2.0
43553	0	0	1	0	0Epa	47.4285	69.1856	8.9	703.6	353	56923.	638	0.4	0.6	2.0	0.1	0.1	0.1	25	1.9
43552	0	0	1	0	0Epa	47.4288	69.1856	8.9	703.6	353	56922.	657	0.6	0.5	1.9	0.1	0.1	3.3	20	1.9
43551	0	0	1	0	0Epa	47.4291	69.1856	8.9	703.6	351	56922.	701	0.6	0.2	4.1	0.1	0.1	8.0	26	1.8
43550	0	0	1	0	0Epa	47.4294	69.1856	8.9	703.6	346	56922.	656	0.5	0.3	2.7	0.1	0.1	0.1	33	1.8
43549	0	0	1	0	0Epa	47.4297	69.1856	8.9	703.7	339	56922.	632	0.5	0.9	3.1	0.1	0.1	0.1	33	1.7
43548	0	0	1	0	0Epa	47.4300	69.1856	8.9	703.7	335	56922.	757	0.7	-0.5	3.3	0.1	0.1	5.1	22	1.7
43547	0	0	1	0	0Epa	47.4303	69.1856	8.9	703.8	333	56921.	748	0.6	0.1	3.0	0.1	0.1	5.1	22	1.7
43546	0	0	1	0	0Epa	47.4306	69.1856	8.9	703.9	333	56920.	689	0.7	0.0	3.1	0.1	0.1	4.6	18	1.6
43545	0	0	1	0	0Epa	47.4309	69.1856	8.9	703.9	332	56918.	676	0.5	-0.4	2.2	0.1	0.1	0.1	23	1.6

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
43544	0	0	1	0	OEpa	47.4312	69.1856	8.9	704.1	330	56917.	627	0.5	0.7	3.7	0.1	0.1	0.1	24	1.6
43543	0	0	1	0	OEpa	47.4315	69.1856	8.9	704.2	329	56916.	632	0.4	-0.4	2.0	0.1	0.1	0.1	24	1.6
43542	0	0	1	0	OEpa	47.4318	69.1856	8.9	704.3	329	56915.	657	0.5	0.5	2.6	0.1	0.1	0.1	18	1.6
43541	0	0	0	0	OEpa	47.4321	69.1856	8.9	704.5	330	56914.	650	0.5	0.9	3.0	0.1	0.3	0.1	20	1.6
43540	0	0	1	0	OEpa	47.4324	69.1856	8.9	704.6	333	56913.	674	0.6	0.5	3.8	0.1	0.1	7.4	26	1.6
43539	0	0	1	0	OEpa	47.4327	69.1856	8.9	704.7	336	56911.	603	0.4	0.2	3.6	0.1	0.1	0.1	29	1.6
43538	0	0	1	0	OEpa	47.4330	69.1856	8.9	704.9	341	56911.	606	0.6	0.7	3.5	0.1	0.1	6.8	27	1.6
43537	0	0	1	0	OEpa	47.4333	69.1856	8.9	705.1	349	56910.	651	0.5	-0.2	2.4	0.1	0.1	0.1	25	1.6
43536	0	0	0	0	OEpa	47.4336	69.1856	8.9	705.2	362	56909.	662	0.6	0.9	2.7	1.6	0.4	4.7	24	1.6
43535	0	0	1	0	OEpa	47.4339	69.1856	8.9	705.3	372	56910.	726	0.7	0.7	3.1	0.1	0.1	5.0	18	1.5
43534	0	0	1	0	OEpa	47.4342	69.1856	8.9	705.5	378	56910.	717	0.6	0.5	3.8	0.1	0.1	7.0	19	1.5
43533	0	0	1	0	OEpa	47.4345	69.1856	8.9	705.6	377	56909.	750	0.5	0.7	4.1	0.1	0.1	0.1	21	1.5
43532	0	0	1	0	OEpa	47.4348	69.1856	8.9	705.8	376	56910.	724	0.6	0.9	2.0	0.1	0.1	3.4	28	1.4
43531	0	0	1	0	OEpa	47.4352	69.1856	8.9	705.9	374	56910.	698	0.7	0.7	3.4	0.1	0.1	5.5	27	1.4
43530	0	0	1	0	OEpa	47.4354	69.1856	8.9	706.1	374	56910.	717	0.6	-0.3	3.6	0.1	0.1	6.5	28	1.5
43529	0	0	1	0	OEpa	47.4357	69.1856	8.9	706.2	375	56910.	764	0.9	0.3	2.8	0.1	0.1	3.5	23	1.5
43528	0	0	1	0	OEpa	47.4361	69.1857	8.9	706.4	380	56911.	777	0.7	0.3	1.9	0.1	0.1	2.8	31	1.5
43527	0	0	0	0	OEpa	47.4363	69.1857	9.0	706.6	388	56912.	790	0.7	1.7	3.7	2.6	0.5	5.6	23	1.5
43526	0	0	1	0	OEpa	47.4367	69.1857	9.0	706.8	396	56912.	822	0.9	0.8	5.2	0.1	0.1	5.8	19	1.4
43525	0	0	1	0	OEpa	47.4370	69.1857	9.0	707.0	400	56912.	758	0.5	0.7	3.0	0.1	0.1	0.1	22	1.4
43524	0	0	1	0	OEpa	47.4373	69.1857	9.0	707.1	397	56912.	732	0.8	0.0	2.7	0.1	0.1	3.8	17	1.5
43523	0	0	1	0	OEpa	47.4376	69.1857	9.0	707.3	393	56912.	762	0.6	0.4	3.3	0.1	0.1	5.9	15	1.5
43522	0	0	1	0	OEpa	47.4379	69.1857	9.0	707.6	384	56912.	827	0.8	0.5	2.7	0.1	0.1	3.8	26	1.4
43521	0	0	1	0	OEpa	47.4382	69.1857	9.0	707.8	376	56912.	907	0.6	0.8	6.7	0.1	0.1	11.7	26	1.4
43520	0	0	1	0	OEpa	47.4385	69.1857	9.0	708.0	368	56912.	837	0.8	0.1	3.5	0.1	0.1	4.5	26	1.4
43519	0	0	1	0	OEpa	47.4388	69.1857	9.0	708.3	363	56912.	810	0.6	0.8	3.8	0.1	0.1	6.8	25	1.4
43518	0	0	0	0	OEpa	47.4391	69.1857	9.0	708.5	361	56912.	871	0.9	1.1	1.9	1.3	0.6	2.3	23	1.4
43517	0	0	1	0	OEpa	47.4394	69.1857	9.0	708.8	361	56911.	808	0.8	0.6	3.6	0.1	0.1	4.7	37	1.4
43516	0	0	1	0	OEpa	47.4397	69.1857	9.0	709.0	363	56910.	829	0.8	0.3	4.9	0.1	0.1	6.9	20	1.4
43515	0	0	1	0	OEpa	47.4400	69.1857	9.0	709.2	366	56909.	829	0.9	0.3	3.0	0.1	0.1	3.5	15	1.4
43514	0	0	1	0	OEpa	47.4403	69.1857	9.0	709.5	371	56907.	802	0.7	0.8	2.9	0.1	0.1	4.2	33	1.4
43513	0	0	0	0	OEpa	47.4406	69.1857	9.0	709.8	374	56904.	840	0.8	1.3	2.2	1.8	0.6	2.9	18	1.4
43512	0	0	0	0	OEpa	47.4409	69.1857	9.0	710.1	375	56900.	766	0.6	0.9	1.7	1.5	0.6	2.9	24	1.4
43511	0	0	0	0	OEpa	47.4412	69.1857	9.0	710.3	374	56896.	824	0.8	1.5	1.2	1.9	1.3	1.5	18	1.4
43510	0	0	1	0	OEpa	47.4415	69.1857	9.0	710.6	376	56896.	790	0.7	-0.4	4.4	0.1	0.1	6.6	15	1.4
43509	0	0	1	0	OEpa	47.4418	69.1857	9.0	710.9	378	56896.	823	0.9	0.7	4.4	0.1	0.1	5.3	25	1.5
43508	0	0	1	0	OEpa	47.4421	69.1857	9.0	711.1	381	56895.	788	0.8	-0.1	2.7	0.1	0.1	3.5	24	1.6
43507	0	0	1	0	OEpa	47.4424	69.1857	9.0	711.4	381	56895.	729	0.6	0.3	2.7	0.1	0.1	4.7	30	1.6
43506	0	0	1	0	OEpa	47.4427	69.1857	9.0	711.6	379	56894.	716	0.5	-0.1	3.4	0.1	0.1	0.1	28	1.6
43505	0	0	0	0	OEpa	47.4430	69.1857	9.1	711.9	377	56893.	745	0.5	1.3	2.3	0.1	0.6	0.1	24	1.6
43504	0	0	0	0	OEpa	47.4433	69.1857	9.1	712.1	377	56892.	831	0.7	1.6	3.8	2.4	0.5	5.7	19	1.6
43503	0	0	0	0	OEpa	47.4436	69.1857	9.1	712.4	377	56890.	847	0.7	1.0	2.6	1.5	0.4	4.0	17	1.6
43502	0	0	1	0	OEpa	47.4439	69.1857	9.1	712.6	377	56891.	802	0.5	0.3	3.6	0.1	0.1	0.1	27	1.7
43501	0	0	1	0	OEpa	47.4442	69.1857	9.1	712.9	375	56893.	852	0.8	-1.0	3.0	0.1	0.1	3.8	26	1.8
43500	0	0	1	0	OEpa	47.4445	69.1857	9.1	713.1	373	56895.	774	0.6	0.5	2.4	0.1	0.1	4.7	30	1.8
43498	0	0	0	0	OEpa	47.4451	69.1857	9.1	713.4	370	56895.	845	0.9	1.1	6.1	1.4	0.2	7.4	21	1.8
43497	0	0	1	0	OEpa	47.4454	69.1857	9.1	713.6	368	56895.	830	0.7	-0.8	3.9	0.1	0.1	6.0	28	1.9
43496	0	0	1	0	OEpa	47.4457	69.1857	9.1	713.9	367	56895.	918	0.9	0.9	4.1	0.1	0.1	4.6	20	1.9
43495	0	0	1	0	OEpa	47.4460	69.1857	9.1	714.1	370	56895.	928	0.8	0.4	3.5	0.1	0.1	4.4	21	2.0
43494	0	0	1	0	OEpa	47.4463	69.1857	9.1	714.4	376	56895.	915	0.8	0.8	4.4	0.1	0.1	6.1	29	2.1

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

- H05 -
 MAINE AERIAL SURVEY EDMUNDSTON QUADRANGLE, CARSON GEOSCIENCE INC., 1980

LINE NO. 1020

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
43493	0	0	1	0	0Epg	47.4466	69.1857	9.1	714.6	382	56895.	1005	1.0	-0.2	2.9	0.1	0.1	3.0	26	2.1
43492	0	0	1	0	0Epg	47.4469	69.1857	9.1	714.9	388	56894.	974	1.1	0.6	4.8	0.1	0.1	4.7	22	2.2
43491	0	0	1	0	0Epg	47.4472	69.1857	9.1	715.1	393	56894.	972	0.9	0.7	4.8	0.1	0.1	5.8	25	2.3
43490	0	0	0	0	0Epg	47.4475	69.1857	9.1	715.4	399	56896.	994	0.9	1.1	4.8	1.4	0.3	6.0	22	2.3
43489	0	0	1	0	0Epg	47.4478	69.1857	9.1	715.6	402	56898.	929	1.1	0.6	5.1	0.1	0.1	5.0	29	2.4
43488	0	0	0	0	0Epg	47.4481	69.1857	9.1	715.8	405	56898.	959	0.7	1.3	2.7	1.9	0.5	4.1	29	2.4
43487	0	0	1	0	0Epg	47.4484	69.1857	9.1	716.0	411	56899.	860	0.8	0.5	3.6	0.1	0.1	5.0	27	2.5
43486	0	0	1	0	0Epg	47.4487	69.1857	9.1	716.2	421	56899.	756	0.9	-0.7	2.8	0.1	0.1	3.5	18	2.6
43485	0	0	1	0	0Epg	47.4490	69.1857	9.1	716.3	431	56899.	745	0.8	0.2	3.4	0.1	0.1	4.8	30	2.7
43484	0	1	1	0	0Epg	47.4493	69.1857	9.1	716.5	441	56900.	603	0.2	0.5	2.3	0.1	0.1	0.1	26	2.8
43483	0	0	1	0	0Epg	47.4496	69.1857	9.1	716.5	454	56900.	565	0.5	0.4	2.4	0.1	0.1	0.1	17	2.8
43482	0	0	0	0	0Epg	47.4499	69.1857	9.1	716.6	470	56900.	463	0.3	1.2	1.5	0.1	0.9	0.1	18	2.8
43481	0	0	1	1	0Epg	47.4502	69.1857	9.1	716.7	483	56900.	386	0.4	-0.4	1.1	0.1	0.1	0.1	24	2.8
43480	0	1	1	1	0Epg	47.4505	69.1857	9.1	716.7	489	56900.	312	0.1	0.0	-0.8	0.1	0.1	0.1	19	2.9
43479	0	1	1	1	0Epg	47.4508	69.1857	9.1	716.8	489	56899.	233	0.1	-0.3	0.8	0.1	0.1	0.1	23	3.0
43478	0	1	1	1	0Epg	47.4511	69.1857	9.1	716.8	489	56899.	273	0.2	0.0	0.8	0.1	0.1	0.1	17	3.1
43477	0	0	1	1	0Epg	47.4514	69.1857	9.1	716.7	490	56899.	250	0.3	-0.6	0.8	0.1	0.1	0.1	25	3.3
43476	0	1	1	1	0Epg	47.4517	69.1857	9.1	716.7	491	56899.	235	0.1	-0.9	-0.6	0.1	0.1	0.1	18	3.3
43475	0	1	1	0	0Epg	47.4520	69.1857	9.1	716.7	492	56900.	292	0.1	0.4	1.7	0.1	0.1	0.1	29	3.4
43474	0	0	1	1	0Epg	47.4523	69.1857	9.1	716.6	493	56900.	355	0.3	-0.4	1.2	0.1	0.1	0.1	21	3.4
43473	0	1	1	1	0Epg	47.4526	69.1857	9.1	716.6	494	56900.	311	0.1	0.3	0.2	0.1	0.1	0.1	26	3.4
43472	0	0	1	1	0Epg	47.4529	69.1857	9.1	716.5	496	56901.	348	0.3	0.8	-0.2	0.1	0.1	0.1	29	3.4
43471	0	0	1	0	0Epg	47.4532	69.1857	9.1	716.4	498	56900.	394	0.4	-0.3	2.2	0.1	0.1	0.1	18	3.3
43470	0	0	1	1	0Epg	47.4535	69.1857	9.1	716.4	501	56899.	474	0.5	0.3	0.9	0.1	0.1	0.1	24	3.3
43469	0	0	1	1	0Epg	47.4538	69.1857	9.1	716.3	505	56899.	445	0.3	0.1	0.7	0.1	0.1	0.1	24	3.3
43468	0	1	1	0	0Epg	47.4541	69.1857	9.1	716.2	510	56899.	480	0.2	-0.1	2.1	0.1	0.1	0.1	19	3.3
43467	0	0	1	0	0Epg	47.4544	69.1857	9.1	716.1	516	56898.	520	0.4	0.4	3.1	0.1	0.1	0.1	24	3.2
43466	0	0	1	0	0Epg	47.4548	69.1857	9.1	716.0	523	56897.	402	0.5	-0.4	2.1	0.1	0.1	0.1	25	3.3
43465	0	0	1	0	0Epg	47.4550	69.1857	9.1	715.9	531	56898.	501	0.6	-0.4	2.2	0.1	0.1	4.1	34	3.3
43464	0	1	1	0	0Epg	47.4553	69.1857	9.1	715.8	538	56898.	422	0.2	0.4	2.5	0.1	0.1	0.1	24	3.3
43463	0	0	1	1	0Epg	47.4557	69.1857	9.1	715.6	545	56898.	390	0.3	-0.9	1.1	0.1	0.1	0.1	33	3.3
43462	0	0	1	0	0Epg	47.4559	69.1857	9.1	715.5	552	56898.	380	0.3	-2.1	2.8	0.1	0.1	0.1	26	3.3
43461	0	0	1	0	0Epg	47.4563	69.1857	9.1	715.3	558	56897.	400	0.6	0.8	2.0	0.1	0.1	3.7	37	3.3
43460	0	1	1	1	0Epg	47.4566	69.1857	9.1	715.2	561	56898.	485	0.1	0.5	0.8	0.1	0.1	0.1	22	3.2

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
52675	0	0	0	0	DSu	47.0001	68.8189	10.7	704.3	390	56866.	945	0.8	1.2	3.6	1.6	0.4	4.7	22	0.0
52676	0	0	0	0	DSu	47.0005	68.8189	10.7	704.5	387	56867.	930	1.0	2.0	4.5	2.2	0.5	4.9	28	0.0
52677	0	0	0	0	DSu	47.0009	68.8189	10.7	704.7	382	56867.	880	0.8	1.0	2.9	1.3	0.4	3.7	26	0.0
52678	0	0	1	0	DSu	47.0012	68.8189	10.7	704.9	378	56867.	849	0.9	0.6	3.6	0.1	0.1	4.4	30	0.0
52679	0	0	0	0	DSu	47.0016	68.8188	10.7	705.2	379	56868.	874	0.8	1.4	3.6	1.8	0.4	4.7	23	0.0
52680	0	0	0	0	DSu	47.0020	68.8188	10.7	705.4	386	56868.	880	0.8	1.7	4.7	2.3	0.4	6.4	23	0.0
52681	0	0	0	0	DSu	47.0023	68.8188	10.7	705.7	397	56868.	913	0.9	1.6	4.6	2.0	0.4	5.7	26	0.0
52682	0	0	1	0	DSu	47.0027	68.8188	10.7	705.9	410	56868.	830	0.8	0.5	3.0	0.1	0.1	3.9	31	0.0
52683	0	0	1	0	DSu	47.0030	68.8187	10.7	706.1	422	56868.	808	0.6	0.3	4.5	0.1	0.1	8.5	27	0.0
52684	0	0	1	0	DSu	47.0034	68.8187	10.7	706.2	439	56870.	762	0.7	0.6	5.0	0.1	0.1	8.1	21	0.0
52685	0	0	0	0	DSu	47.0038	68.8187	10.7	706.3	456	56871.	761	0.8	1.4	3.8	1.9	0.4	5.2	18	0.0
52686	0	0	1	0	DSu	47.0041	68.8187	10.7	706.5	477	56871.	699	0.7	0.9	4.9	0.1	0.1	7.0	29	0.0
52687	0	0	1	0	DSu	47.0045	68.8186	10.7	706.6	496	56870.	710	0.7	1.0	3.4	0.1	0.1	4.9	29	0.0
52688	0	0	1	0	DSu	47.0049	68.8186	10.7	706.7	512	56870.	637	0.6	1.0	2.6	0.1	0.1	4.7	20	0.0
52689	0	0	0	0	DSu	47.0052	68.8186	10.7	706.7	522	56869.	541	0.3	1.7	2.3	0.1	0.8	0.1	33	0.0
52690	0	0	1	0	DSu	47.0056	68.8186	10.7	706.8	526	56869.	471	0.3	0.9	2.8	0.1	0.1	0.1	32	0.0
52691	0	0	1	0	DSu	47.0060	68.8185	10.7	706.8	526	56869.	440	0.4	0.6	1.9	0.1	0.1	0.1	28	0.0
52692	0	1	1	0	DSu	47.0063	68.8185	10.7	706.9	522	56868.	368	0.1	0.2	2.5	0.1	0.1	0.1	29	0.0
52693	0	0	0	0	DSu	47.0067	68.8185	10.7	706.8	519	56867.	362	0.3	1.8	2.4	0.1	0.8	0.1	25	0.0
52694	0	1	1	0	DSu	47.0070	68.8185	10.7	706.7	516	56867.	371	0.1	1.0	2.1	0.1	0.1	0.1	19	0.0
52695	0	1	1	0	DSu	47.0074	68.8184	10.7	707.6	511	56867.	421	0.2	0.2	1.8	0.1	0.1	0.1	28	0.0
52696	0	0	0	1	DSu	47.0078	68.8184	10.7	707.5	506	56867.	447	0.7	1.5	1.5	0.1	0.1	0.1	25	0.0
52697	0	0	1	1	DSu	47.0081	68.8184	10.7	707.5	500	56867.	541	0.6	0.8	1.4	0.1	0.1	0.1	28	0.0
52698	0	0	1	0	DSu	47.0085	68.8184	10.7	707.4	495	56868.	601	0.6	0.4	4.5	0.1	0.1	8.3	22	0.0
52699	0	0	1	0	DSu	47.0089	68.8183	10.7	707.2	490	56869.	618	0.5	0.1	3.5	0.1	0.1	0.1	31	0.0
52700	0	0	0	0	DSu	47.0092	68.8183	10.7	707.1	486	56869.	650	0.7	1.2	3.2	1.8	0.4	4.7	29	0.0
52701	0	0	0	0	DSu	47.0096	68.8183	10.7	707.0	484	56868.	679	0.8	1.4	2.2	1.9	0.7	3.0	29	0.1
52702	0	0	0	0	DSu	47.0099	68.8183	10.7	706.8	482	56867.	689	0.5	1.9	2.1	0.1	0.9	0.1	32	0.1
52703	0	0	1	0	DSu	47.0103	68.8182	10.7	706.7	479	56868.	735	0.8	0.6	3.9	0.1	0.1	5.3	21	0.1
52704	0	0	1	0	DSu	47.0107	68.8182	10.7	706.5	478	56872.	705	0.8	1.1	4.1	0.1	0.1	5.6	33	0.2
52705	0	0	1	1	DSu	47.0110	68.8182	10.7	706.3	480	56875.	668	0.7	0.7	1.3	0.1	0.1	0.1	29	0.2
52706	0	0	0	1	DSu	47.0114	68.8182	10.7	706.2	485	56876.	764	0.6	2.1	1.5	3.7	0.1	0.1	26	0.2
52707	0	0	1	0	DSu	47.0118	68.8181	10.7	706.0	491	56876.	765	0.8	0.9	3.4	0.1	0.1	4.4	22	0.3
52708	0	0	0	0	DSu	47.0121	68.8181	10.7	705.8	496	56875.	811	0.7	1.6	4.3	2.4	0.4	6.6	23	0.4
52709	0	0	0	0	DSu	47.0125	68.8181	10.7	705.6	499	56875.	799	0.5	1.3	3.4	0.1	0.4	0.1	31	0.4
52710	0	0	1	0	DSu	47.0128	68.8181	10.7	705.4	498	56876.	726	0.8	1.0	3.6	0.1	0.1	5.1	20	0.5
52711	0	0	0	0	DSu	47.0132	68.8180	10.6	705.2	496	56875.	811	0.4	3.6	4.2	0.1	0.9	0.1	19	0.5
52712	0	0	1	0	DSu	47.0136	68.8180	10.6	705.0	494	56873.	748	0.5	1.1	3.9	0.1	0.1	0.1	38	0.5
52713	0	0	0	0	DSu	47.0139	68.8180	10.6	704.7	491	56871.	863	0.8	1.8	5.7	2.4	0.4	7.5	23	0.6
52714	0	0	1	0	DSu	47.0143	68.8180	10.6	704.5	485	56870.	776	0.6	1.2	6.3	0.1	0.1	10.9	20	0.6
52715	0	0	1	0	DSu	47.0147	68.8179	10.6	704.3	479	56869.	845	1.0	1.1	3.3	0.1	0.1	3.4	26	0.6
52716	0	0	0	0	DSu	47.0150	68.8179	10.6	704.1	472	56869.	850	0.7	1.7	4.5	2.5	0.4	6.4	25	0.6
52717	0	0	0	0	DSu	47.0154	68.8179	10.6	703.8	467	56869.	818	0.6	1.4	3.4	2.7	0.5	6.5	21	0.6
52718	0	0	0	0	DSu	47.0158	68.8179	10.6	703.6	462	56868.	889	0.9	1.5	3.7	1.7	0.4	4.2	24	0.6
52719	0	0	1	0	DSu	47.0161	68.8178	10.6	703.4	455	56868.	776	0.8	0.8	2.9	0.1	0.1	3.8	31	0.6
52720	0	0	1	0	DSu	47.0165	68.8178	10.6	703.2	447	56869.	888	0.6	1.0	4.2	0.1	0.1	6.8	28	0.6
52721	0	0	1	0	DSu	47.0168	68.8178	10.6	703.0	436	56870.	840	0.8	1.1	6.3	0.1	0.1	8.4	28	0.7
52722	0	0	0	0	DSu	47.0172	68.8178	10.6	702.8	428	56869.	913	0.8	1.3	3.5	1.7	0.4	4.4	22	0.7
52723	0	0	1	0	DSu	47.0176	68.8177	10.6	702.6	418	56868.	882	0.7	0.5	5.8	0.1	0.1	8.4	26	0.7
52724	0	0	1	0	DSu	47.0179	68.8177	10.6	702.4	406	56868.	855	0.7	0.9	5.2	0.1	0.1	7.6	20	0.7

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

- J05 -
 MAINE AERIAL SURVEY EDMUNDSTON QUADRANGLE, CARSON GEOSCIENCE INC., 1980 LINE NO. 1030

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI	
												CPS	%	PPM	PPM					CPS	CPS
52725	0	0	0	0	DSu	47.0183	68.8177	10.6	702.2	401	56867.	393	0.9	2.2	3.9	2.6	0.6	4.8	30	0.6	
52726	0	0	0	0	DSu	47.0187	68.8177	10.6	702.0	398	56866.	885	0.6	1.3	4.3	2.2	0.3	7.6	19	0.7	
52727	0	0	0	0	DSu	47.0190	68.8176	10.6	701.9	396	56866.	873	0.7	2.0	4.8	3.1	0.5	7.4	32	0.7	
52728	0	0	1	0	DSu	47.0194	68.8176	10.6	701.7	395	56865.	880	0.9	0.5	5.8	0.1	0.1	7.2	33	0.8	
52729	0	0	0	0	DSu	47.0197	68.8176	10.6	701.6	394	56865.	882	0.7	1.8	4.0	2.7	0.5	6.0	22	0.8	
52730	0	0	0	0	DSu	47.0201	68.8176	10.6	701.5	397	56864.	930	0.7	1.1	6.0	1.7	0.2	9.4	20	0.9	
52731	0	0	1	0	DSu	47.0205	68.8175	10.6	701.4	399	56863.	869	0.9	0.6	5.8	0.1	0.1	7.2	26	0.9	
52732	0	0	1	0	DSu	47.0208	68.8175	10.6	701.3	400	56862.	900	1.0	0.9	4.7	0.1	0.1	4.9	26	0.9	
52733	0	0	0	0	DSu	47.0212	68.8175	10.6	701.3	392	56862.	865	0.9	1.2	5.0	1.3	0.3	5.5	24	1.0	
52734	0	0	1	0	DSu	47.0216	68.8175	10.6	701.2	379	56863.	889	0.7	0.8	4.3	0.1	0.1	6.9	31	1.0	
52735	0	0	0	0	DSu	47.0219	68.8174	10.6	701.2	361	56864.	871	0.8	2.1	4.9	2.7	0.5	6.3	11	1.1	
52736	0	0	0	0	DSu	47.0223	68.8174	10.6	701.3	345	56864.	898	0.8	1.4	3.8	1.9	0.4	5.1	20	0.9	
52737	0	0	0	0	DSu	47.0226	68.8174	10.6	701.4	333	56865.	899	0.8	1.6	2.3	2.0	0.8	2.9	19	1.0	
52738	0	0	0	0	DSu	47.0230	68.8174	10.6	701.5	325	56864.	902	0.9	1.1	4.2	1.3	0.3	4.8	26	1.0	
52739	0	0	0	0	DSu	47.0234	68.8173	10.5	701.5	324	56865.	856	0.9	1.5	4.3	1.7	0.4	4.7	21	1.1	
52740	0	0	0	0	DSu	47.0237	68.8173	10.5	701.6	327	56867.	888	0.9	1.2	3.7	1.4	0.4	4.5	28	1.2	
52741	0	0	0	0	DSu	47.0241	68.8173	10.5	701.6	334	56868.	840	0.8	1.1	3.6	1.4	0.3	4.6	25	1.2	
52742	0	0	0	0	DSu	47.0245	68.8173	10.5	701.7	342	56867.	884	0.8	1.5	4.5	2.0	0.4	6.2	27	1.3	
52743	0	0	0	0	DSu	47.0248	68.8172	10.5	701.7	353	56867.	870	0.8	1.5	4.1	2.1	0.4	5.8	26	1.3	
52744	0	0	0	0	DSu	47.0252	68.8172	10.5	701.8	366	56868.	894	0.7	1.2	6.8	1.8	0.2	10.8	23	1.4	
52745	0	0	0	0	DSu	47.0256	68.8172	10.5	701.9	380	56870.	921	0.8	1.4	4.5	1.8	0.3	5.9	18	1.5	
52746	0	0	1	0	DSu	47.0259	68.8172	10.5	701.9	392	56870.	844	0.7	0.9	4.4	0.1	0.1	6.3	18	1.5	
52747	0	0	0	0	DSu	47.0263	68.8171	10.5	702.0	403	56870.	907	0.9	1.2	3.2	1.3	0.4	3.5	32	1.6	
52748	0	0	0	0	DSu	47.0266	68.8171	10.5	702.0	411	56870.	854	0.9	1.9	3.1	2.3	0.6	3.7	33	1.6	
52749	0	0	0	0	DSu	47.0270	68.8171	10.5	702.0	414	56869.	812	0.9	1.4	3.3	1.7	0.5	3.8	25	1.6	
52750	0	0	0	0	DSu	47.0274	68.8171	10.5	701.9	416	56869.	811	0.7	1.4	2.9	2.0	0.5	4.3	22	1.7	
52751	0	0	1	0	DSu	47.0277	68.8170	10.4	703.5	434	56871.	684	0.7	0.4	4.5	0.1	0.1	7.3	22	1.7	
52752	0	0	1	0	DSu	47.0281	68.8170	10.3	703.5	441	56871.	652	0.7	1.0	2.3	0.1	0.1	3.4	34	1.7	
52753	0	0	1	1	DSu	47.0285	68.8170	10.3	703.6	446	56871.	487	0.4	0.6	1.2	0.1	0.1	0.1	28	1.7	
52754	0	0	1	0	DSu	47.0288	68.8170	10.3	703.5	448	56871.	468	0.6	0.6	2.6	0.1	0.1	5.0	27	1.7	
52755	0	0	1	0	DSu	47.0292	68.8169	10.3	703.5	448	56872.	422	0.3	-0.2	1.6	0.1	0.1	0.1	27	1.7	
52756	0	0	1	1	DSu	47.0295	68.8169	10.3	703.5	448	56873.	366	0.3	0.9	0.8	0.1	0.1	0.1	25	1.7	
52757	0	0	1	1	DSu	47.0299	68.8169	10.3	703.4	449	56873.	376	0.3	0.5	0.7	0.1	0.1	0.1	21	1.7	
52759	0	0	1	0	DSu	47.0306	68.8168	10.3	703.2	451	56874.	467	0.4	0.7	1.6	0.1	0.1	0.1	34	1.7	
52760	0	0	1	0	DSu	47.0310	68.8168	10.3	703.1	455	56874.	556	0.5	0.4	2.8	0.1	0.1	0.1	21	1.7	
52761	0	0	1	0	DSu	47.0314	68.8168	10.3	703.0	460	56873.	541	0.4	0.0	3.8	0.1	0.1	0.1	16	1.7	
52762	0	0	0	0	DSu	47.0317	68.8168	10.3	702.8	467	56871.	642	0.3	1.4	2.4	0.1	0.6	0.1	22	1.9	
52763	0	0	0	1	DSu	47.0321	68.8167	10.3	702.7	470	56870.	704	0.8	1.9	1.5	2.5	0.1	0.1	27	1.9	
52764	0	0	1	0	DSu	47.0324	68.8167	10.3	702.5	471	56867.	661	0.4	0.6	2.1	0.1	0.1	0.1	29	2.0	
52765	0	0	1	0	DSu	47.0328	68.8167	10.3	702.3	471	56865.	682	0.6	0.0	2.5	0.1	0.1	4.2	25	2.0	
52766	0	0	0	0	DSu	47.0332	68.8167	10.3	702.1	472	56867.	696	0.9	1.4	3.0	1.7	0.5	3.6	29	2.0	
52767	0	0	1	0	DSu	47.0335	68.8167	10.3	701.8	475	56870.	761	0.6	0.4	3.2	0.1	0.1	5.8	30	2.0	
52768	0	0	1	0	DSu	47.0339	68.8166	10.3	701.5	478	56873.	744	0.9	1.1	4.7	0.1	0.1	5.6	32	2.0	
52769	0	0	1	0	DSu	47.0343	68.8166	10.3	701.3	479	56874.	785	0.7	1.1	4.1	0.1	0.1	6.1	28	2.0	
52770	0	0	1	0	DSu	47.0346	68.8166	10.3	701.1	478	56874.	739	0.7	0.7	2.9	0.1	0.1	4.4	21	2.0	
52771	0	0	1	0	DSu	47.0350	68.8166	10.3	700.8	474	56874.	822	0.9	0.6	2.9	0.1	0.1	3.2	28	2.0	
52772	0	0	1	0	DSu	47.0354	68.8165	10.3	700.6	469	56874.	772	0.8	-0.3	4.0	0.1	0.1	5.4	31	1.9	
52773	0	0	0	0	DSu	47.0357	68.8165	10.3	700.4	461	56874.	796	0.6	1.6	3.1	2.6	0.6	5.1	29	1.9	
52774	0	0	0	0	DSu	47.0361	68.8165	10.3	700.2	451	56874.	808	0.7	1.9	3.6	2.8	0.6	5.4	18	1.9	
52775	0	0	1	0	DSu	47.0364	68.8165	10.3	700.0	438	56874.	775	0.7	0.8	4.3	0.1	0.1	6.8	23	2.0	

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

- K05 -
 MAINE AERIAL SURVEY EDMUNDSTON QUADRANGLE, CARSON GEOSCIENCE INC., 1980 LINE NO. 1030

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
52776	0	0	1	0	DSU	47.0368	68.8164	10.3	699.8	424	56872.	799	0.9	0.5	5.5	0.1	0.1	6.7	23	2.0
52777	0	0	0	0	DSU	47.0372	68.8164	10.3	699.7	413	56870.	775	0.8	1.3	3.6	1.8	0.4	5.0	23	2.0
52778	0	0	0	0	DSU	47.0375	68.8164	10.3	699.6	407	56869.	843	0.6	1.8	3.5	3.0	0.6	5.7	17	2.0
52779	0	0	0	0	DSU	47.0379	68.8163	10.2	699.4	405	56869.	817	0.6	1.4	3.7	2.6	0.4	6.8	27	2.1
52780	0	0	1	0	DSU	47.0383	68.8163	10.2	699.4	405	56868.	757	0.6	0.0	3.5	0.1	0.1	6.3	37	2.1
52781	0	0	1	0	DSU	47.0386	68.8163	10.2	699.4	405	56866.	760	0.8	-0.1	4.6	0.1	0.1	6.1	29	2.0
52782	0	0	0	0	DSU	47.0390	68.8163	10.2	699.4	407	56866.	777	0.7	1.2	3.7	1.8	0.4	5.6	27	2.0
52783	0	0	1	0	DSU	47.0393	68.8162	10.2	699.5	408	56865.	793	0.5	1.0	3.9	0.1	0.1	0.1	26	2.0
52784	0	0	0	0	DSU	47.0397	68.8162	10.2	699.6	409	56865.	815	0.7	1.5	4.9	2.4	0.3	7.8	35	2.1
52785	0	0	1	0	DSU	47.0401	68.8162	10.2	699.8	408	56866.	762	0.6	0.4	3.9	0.1	0.1	6.7	32	2.1
52786	0	0	1	0	DSU	47.0404	68.8162	10.2	699.9	405	56867.	812	0.8	0.9	3.3	0.1	0.1	4.2	30	2.1
52787	0	0	1	0	DSU	47.0408	68.8161	10.2	700.2	402	56866.	884	1.0	0.2	2.9	0.1	0.1	2.9	30	2.1
52788	0	0	1	0	DSU	47.0412	68.8161	10.2	700.4	402	56866.	942	1.1	0.6	5.2	0.1	0.1	5.0	22	2.0
52789	0	0	0	0	DSU	47.0415	68.8161	10.2	700.7	406	56866.	968	1.1	1.6	6.1	1.5	0.3	5.8	34	2.0
52790	0	0	1	0	DSU	47.0419	68.8161	10.2	701.0	415	56866.	1056	0.9	-0.1	3.8	0.1	0.1	4.5	25	2.0
52791	0	0	0	0	DSU	47.0422	68.8160	10.2	701.3	427	56867.	1068	1.2	1.4	6.0	1.2	0.3	5.1	26	2.0
52792	0	0	1	0	DSU	47.0426	68.8160	10.2	701.6	443	56867.	1105	1.0	-0.2	3.7	0.1	0.1	3.7	22	2.0
52793	0	0	0	0	DSU	47.0430	68.8160	10.2	701.9	460	56865.	1078	1.2	2.0	5.2	1.7	0.4	4.4	32	2.0
52794	0	0	1	0	DSU	47.0433	68.8160	10.2	702.2	478	56865.	1137	1.3	1.2	4.7	0.1	0.1	3.7	23	2.0
52795	0	0	1	0	DSU	47.0437	68.8159	10.2	702.5	493	56866.	1065	1.3	1.0	6.8	0.1	0.1	5.5	22	1.8
52796	0	0	0	0	DSU	47.0441	68.8159	10.2	702.6	507	56867.	1060	0.9	2.6	5.1	3.1	0.6	6.2	28	1.6
52797	0	0	1	0	DSU	47.0444	68.8159	10.2	702.7	525	56867.	953	0.9	1.3	6.9	0.1	0.1	8.4	28	1.5
52798	0	0	1	0	DSU	47.0448	68.8159	10.2	702.9	544	56866.	903	0.9	1.1	4.8	0.1	0.1	5.8	29	1.3
52799	0	0	1	0	DSU	47.0452	68.8158	10.2	703.0	563	56866.	844	1.0	1.0	4.4	0.1	0.1	4.7	24	1.1
52800	0	0	1	0	DSU	47.0455	68.8158	10.2	703.1	573	56865.	798	0.9	0.6	3.9	0.1	0.1	4.5	30	0.9
52801	0	0	0	0	DSU	47.0459	68.8158	10.2	703.2	580	56865.	801	0.7	2.1	3.0	3.2	0.7	4.7	22	0.7
52802	0	0	0	0	DSU	47.0462	68.8158	10.2	703.2	584	56865.	720	0.5	1.4	2.6	0.1	0.6	0.1	29	0.5
52803	0	0	0	0	DSU	47.0466	68.8158	10.2	703.3	586	56865.	650	0.5	2.1	3.4	0.1	0.6	0.1	26	0.3
52804	0	0	0	0	DSU	47.0470	68.8157	10.2	703.3	583	56865.	655	0.7	2.7	2.3	4.1	1.2	3.6	27	0.0
52805	0	0	1	1	DSU	47.0473	68.8157	10.2	703.3	571	56864.	673	0.7	1.1	1.6	0.1	0.1	0.1	27	0.0
52806	0	0	0	0	DSU	47.0477	68.8157	10.2	703.3	565	56862.	680	0.8	1.5	2.0	2.0	0.8	2.9	26	0.0
52807	0	0	0	0	DSU	47.0481	68.8157	10.2	703.2	558	56862.	805	0.7	1.5	4.3	2.2	0.4	6.5	29	0.0
52808	0	0	0	0	DSU	47.0484	68.8156	10.3	703.3	499	56864.	874	0.9	1.3	4.3	1.5	0.3	5.0	22	0.0
52809	0	0	1	0	DSU	47.0488	68.8156	10.3	703.2	462	56864.	829	0.6	0.5	4.4	0.1	0.1	7.6	30	0.0
52810	0	0	0	0	DSU	47.0491	68.8156	10.4	703.0	433	56863.	846	0.6	2.5	3.6	4.5	0.7	6.5	22	0.0
52811	0	0	0	0	DSU	47.0495	68.8156	10.4	702.8	416	56863.	803	0.6	1.1	3.4	2.1	0.4	6.5	25	0.0
52812	0	0	1	0	DSU	47.0499	68.8155	10.4	702.6	408	56864.	826	0.8	1.0	4.2	0.1	0.1	6.0	26	0.0
52813	0	0	0	0	DSU	47.0502	68.8155	10.4	702.5	409	56864.	847	1.0	1.5	4.4	1.5	0.4	4.5	27	0.0
52814	0	0	1	0	DSU	47.0506	68.8155	10.4	702.3	413	56865.	813	0.8	0.5	4.0	0.1	0.1	5.5	30	0.0
52815	0	0	0	0	DSU	47.0510	68.8154	10.4	702.1	420	56865.	905	0.8	1.4	4.4	1.8	0.4	5.7	20	0.0
52816	0	0	0	0	DSU	47.0513	68.8154	10.4	701.9	429	56865.	907	0.7	2.5	4.5	3.9	0.6	7.0	38	0.0
52817	0	0	1	0	DSU	47.0517	68.8154	10.4	701.7	442	56866.	839	0.9	0.5	5.3	0.1	0.1	6.0	28	0.0
52818	0	0	1	0	DSU	47.0520	68.8154	10.4	701.6	459	56868.	929	0.9	0.5	4.3	0.1	0.1	4.8	22	0.0
52819	0	0	0	0	DSU	47.0524	68.8153	10.4	701.4	480	56870.	902	0.8	1.9	5.8	2.7	0.4	8.2	34	0.0
52820	0	0	0	0	DSU	47.0528	68.8153	10.4	701.3	505	56873.	955	1.0	1.6	2.8	1.6	0.6	2.9	30	0.0
52821	0	0	0	0	DSU	47.0531	68.8153	10.4	701.2	530	56875.	909	0.9	1.4	3.4	1.6	0.5	3.7	24	0.0
52822	0	0	1	0	DSU	47.0535	68.8153	10.4	701.1	553	56877.	980	1.2	0.0	5.7	0.1	0.1	5.2	24	0.0
52823	0	0	1	0	DSU	47.0539	68.8152	10.4	701.1	569	56879.	1037	1.1	1.0	5.6	0.1	0.1	5.2	21	0.0
52824	0	0	1	0	DSU	47.0542	68.8152	10.4	701.1	575	56880.	994	1.1	1.1	5.5	0.1	0.1	5.4	22	0.0
52825	0	0	0	0	DSU	47.0546	68.8152	10.4	701.1	572	56881.	882	0.9	1.9	3.1	2.1	0.6	3.4	28	0.0

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI	
												CPS	%	PPM	PPM					CPS	CPS
52826	0	0	0	0	DSU	47.0550	68.8152	10.4	701.1	562	56882.	927	0.7	1.6	3.0	2.3	0.6	4.5	19	0.0	
52827	0	0	0	0	DSU	47.0553	68.8151	10.4	701.2	552	56881.	866	1.0	2.1	3.8	2.1	0.6	3.8	21	0.0	
52828	0	0	0	0	DSU	47.0557	68.8151	10.4	701.2	543	56880.	867	0.9	2.3	4.0	2.8	0.6	5.0	30	0.0	
52829	0	0	0	1	DSU	47.0560	68.8151	10.4	701.3	538	56880.	883	0.6	2.2	1.6	4.1	0.1	0.1	26	0.0	
52830	0	0	1	0	DSU	47.0564	68.8151	10.4	701.4	534	56880.	877	0.9	1.1	3.3	0.1	0.1	3.8	20	0.0	
52831	0	0	1	0	DSU	47.0568	68.8150	10.4	701.4	537	56880.	779	1.0	1.0	4.2	0.1	0.1	4.4	20	0.0	
52832	0	0	0	0	DSU	47.0571	68.8150	10.4	701.5	545	56877.	834	0.9	2.8	4.1	3.3	0.7	4.9	34	0.0	
52833	0	0	0	1	DSU	47.0575	68.8150	10.4	701.6	554	56876.	850	0.4	2.0	1.7	0.1	0.1	0.1	28	0.0	
52834	0	0	0	0	DSU	47.0579	68.8150	10.4	701.6	561	56878.	765	1.0	2.6	5.0	2.8	0.6	5.3	21	0.0	
52835	0	0	0	0	DSU	47.0582	68.8149	10.4	701.6	558	56879.	761	0.8	1.4	2.9	1.8	0.5	3.9	25	0.0	
52836	0	0	1	0	DSU	47.0586	68.8149	10.4	701.7	543	56879.	663	0.7	0.0	4.3	0.1	0.1	6.4	32	0.0	
52837	0	0	0	0	DSU	47.0589	68.8149	10.4	701.7	522	56878.	761	0.9	2.1	4.2	2.4	0.5	4.9	33	0.0	
52838	0	0	1	0	DSU	47.0593	68.8149	10.4	701.7	500	56878.	757	0.6	0.7	3.0	0.1	0.1	5.3	21	0.0	
52839	0	0	0	0	DSU	47.0597	68.8148	10.4	701.7	483	56877.	808	0.8	3.0	2.5	4.3	1.3	3.5	19	0.0	
52840	0	0	0	0	DSU	47.0600	68.8148	10.4	701.7	466	56876.	819	0.4	1.9	3.4	0.1	0.6	0.1	36	0.0	
52841	0	0	1	0	DSU	47.0604	68.8148	10.4	701.7	448	56875.	772	0.7	0.9	4.8	0.1	0.1	7.3	20	0.0	
52842	0	0	1	0	DSU	47.0608	68.8148	10.4	701.6	432	56872.	799	0.8	0.3	3.2	0.1	0.1	4.3	21	0.0	
52843	0	0	1	0	DSU	47.0611	68.8148	10.4	701.6	421	56870.	796	0.6	0.9	2.6	0.1	0.1	3.4	31	0.0	
52844	0	0	1	0	DSU	47.0615	68.8147	10.4	701.5	416	56869.	794	0.6	0.7	3.6	0.1	0.1	6.8	24	0.0	
52846	0	0	1	0	DSU	47.0622	68.8147	10.4	701.4	417	56868.	814	0.8	0.3	3.7	0.1	0.1	4.9	34	0.0	
52847	0	0	1	0	DSU	47.0626	68.8147	10.4	701.3	420	56868.	824	0.8	1.0	4.8	0.1	0.1	6.3	22	0.0	
52848	0	0	1	0	DSU	47.0629	68.8146	10.4	701.1	424	56869.	817	0.6	1.0	7.6	0.1	0.1	15.1	31	0.0	
52849	0	0	1	0	DSU	47.0633	68.8146	10.4	701.0	426	56870.	868	0.8	0.2	6.1	0.1	0.1	8.0	20	0.0	
52850	0	0	1	0	DSU	47.0637	68.8146	10.4	700.8	426	56871.	812	0.9	0.8	3.3	0.1	0.1	3.8	27	0.0	
52851	0	0	1	0	DSU	47.0640	68.8146	10.4	700.7	423	56870.	874	1.0	0.8	4.4	0.1	0.1	4.6	35	0.0	
52852	0	0	1	0	DSU	47.0644	68.8145	10.4	700.5	419	56870.	828	0.8	0.6	4.5	0.1	0.1	6.0	36	0.0	
52853	0	0	0	0	DSU	47.0648	68.8145	10.4	700.5	416	56870.	759	0.9	1.9	3.3	2.2	0.6	3.8	34	0.0	
52854	0	0	1	0	DSU	47.0651	68.8145	10.4	700.4	415	56870.	833	0.6	0.9	3.6	0.1	0.1	6.1	30	0.0	
52855	0	0	0	0	DSU	47.0655	68.8145	10.4	700.3	416	56870.	863	0.7	1.5	3.2	2.3	0.5	5.0	27	0.0	
52856	0	0	0	0	DSU	47.0658	68.8144	10.4	700.2	418	56869.	839	0.8	1.3	2.8	1.7	0.5	3.6	31	0.0	
52857	0	0	0	0	DSU	47.0662	68.8144	10.4	700.1	418	56869.	819	0.6	1.4	4.0	2.4	0.4	6.8	27	0.0	
52858	0	0	0	0	DSU	47.0666	68.8144	10.4	700.0	420	56868.	800	0.7	1.7	3.8	2.5	0.5	5.9	32	0.0	
52859	0	0	0	0	DSU	47.0669	68.8144	10.4	700.0	423	56867.	827	0.7	1.4	2.5	2.3	0.6	3.9	33	0.0	
52860	0	0	0	0	DSU	47.0673	68.8143	10.4	700.0	431	56866.	826	1.0	1.7	2.7	1.8	0.7	2.7	32	0.0	
52861	0	0	1	0	DSU	47.0677	68.8143	10.4	699.9	437	56866.	853	0.8	0.8	3.7	0.1	0.1	5.0	19	0.0	
52862	0	0	1	0	DSU	47.0680	68.8143	10.4	700.0	442	56866.	904	0.8	1.0	5.5	0.1	0.1	7.1	34	0.0	
52863	0	0	0	0	DSU	47.0684	68.8143	10.4	700.0	443	56864.	845	0.8	1.8	4.1	2.5	0.5	5.7	30	0.0	
52864	0	0	0	0	DSU	47.0687	68.8142	10.4	700.0	445	56863.	863	0.9	1.7	3.5	2.0	0.5	4.2	18	0.0	
52865	0	0	1	0	DSU	47.0691	68.8142	10.2	698.8	434	56863.	919	1.0	0.4	4.6	0.1	0.1	4.5	24	0.0	
52866	0	0	0	0	DSU	47.0695	68.8142	10.2	698.6	424	56864.	829	0.7	1.2	3.4	1.7	0.4	5.0	28	0.0	
52867	0	0	0	0	DSU	47.0698	68.8142	10.2	698.5	416	56863.	866	0.6	1.3	4.5	2.4	0.3	8.2	29	0.0	
52868	0	0	0	0	DSU	47.0702	68.8141	10.2	698.3	410	56862.	829	1.0	1.1	3.3	1.2	0.4	3.5	27	0.0	
52869	0	0	0	0	DSU	47.0706	68.8141	10.2	698.2	406	56863.	799	0.6	2.0	4.5	3.3	0.5	7.0	17	0.0	
52870	0	0	1	0	DSU	47.0709	68.8141	10.2	698.0	405	56864.	863	0.8	0.0	5.0	0.1	0.1	6.4	31	0.0	
52871	0	0	1	0	DSU	47.0713	68.8141	10.2	697.9	408	56865.	824	0.8	0.7	4.8	0.1	0.1	6.2	30	0.0	
52872	0	0	0	0	DSU	47.0716	68.8140	10.2	697.7	417	56865.	783	0.6	1.2	5.1	2.1	0.3	8.9	28	0.0	
52873	0	0	1	0	DSU	47.0720	68.8140	10.2	697.6	429	56864.	860	0.7	0.8	4.4	0.1	0.1	6.4	26	0.0	
52874	0	0	1	0	DSU	47.0724	68.8140	10.2	697.4	444	56863.	899	0.8	0.6	5.4	0.1	0.1	7.0	17	0.0	
52875	0	0	1	0	DSU	47.0727	68.8140	10.1	697.2	460	56862.	893	0.8	0.8	5.9	0.1	0.1	8.0	21	0.0	
52876	0	0	1	0	DSU	47.0731	68.8139	10.1	697.1	474	56860.	836	0.9	0.9	4.5	0.1	0.1	5.5	29	0.0	

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

- M05 -
 MAINE AERIAL SURVEY EDMUNDSTON QUADRANGLE, CARSON GEOSCIENCE INC., 1980
 LINE NO. 1030

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	B:
												CPS	%	PPM	PPM			CPS	CPS	
52877	0	0	1	0	DSu	47.0735	68.8139	10.1	696.9	486	56857.	863	1.2	0.1	5.0	0.1	0.1	4.2	25	0.0
52878	0	0	0	0	DSu	47.0738	68.8139	10.1	696.8	490	56857.	929	1.2	1.8	6.0	1.6	0.3	5.3	19	0.0
52879	0	0	1	0	DSu	47.0742	68.8139	10.1	696.7	488	56858.	935	1.2	0.6	3.4	0.1	0.1	2.9	22	0.0
52880	0	0	1	0	DSu	47.0746	68.8138	10.1	696.7	473	56860.	889	0.8	-0.5	5.0	0.1	0.1	6.6	30	0.0
52881	0	0	0	0	DSu	47.0749	68.8138	10.1	696.6	455	56862.	873	0.9	1.6	4.1	1.9	0.4	5.0	31	0.0
52882	0	0	0	0	DSu	47.0753	68.8138	10.1	696.6	432	56864.	905	1.0	1.4	3.4	1.5	0.5	3.6	34	0.0
52883	0	0	0	0	DSu	47.0756	68.8138	10.1	696.6	414	56865.	837	0.6	1.8	4.1	3.6	0.5	8.0	22	0.0
52884	0	0	0	0	DSu	47.0760	68.8137	10.1	696.7	396	56864.	859	0.8	2.0	4.0	2.7	0.6	5.4	35	0.0
52885	0	0	0	0	DSu	47.0764	68.8137	10.1	696.7	383	56863.	854	0.8	1.5	4.2	2.0	0.4	5.5	26	0.0
52886	0	0	0	0	DSu	47.0767	68.8137	10.1	696.7	372	56863.	912	0.9	1.0	3.5	1.2	0.3	4.3	26	0.0
52887	0	0	1	0	DSu	47.0771	68.8137	10.1	696.8	364	56861.	886	0.9	0.2	7.3	0.1	0.1	8.8	29	0.0
52888	0	0	0	0	DSu	47.0775	68.8136	10.1	696.9	361	56861.	887	0.8	1.6	3.6	2.1	0.5	4.8	30	0.0
52889	0	0	1	0	DSu	47.0778	68.8136	10.1	697.0	362	56861.	899	0.9	1.0	4.7	0.1	0.1	5.2	27	0.0
52890	0	0	1	0	DSu	47.0782	68.8136	10.1	697.2	366	56862.	889	0.8	0.8	5.0	0.1	0.1	6.8	27	0.0
52891	0	0	1	0	DSu	47.0785	68.8136	10.1	697.3	374	56862.	936	0.9	0.6	3.5	0.1	0.1	4.0	17	0.0
52892	0	0	1	0	DSu	47.0789	68.8135	10.1	697.5	385	56862.	887	0.8	0.7	6.6	0.1	0.1	8.8	28	0.0
52893	0	0	1	0	DSu	47.0793	68.8135	10.1	697.7	397	56861.	870	0.9	0.7	4.4	0.1	0.1	5.2	28	0.0
52894	0	0	1	0	DSu	47.0796	68.8135	10.1	697.9	407	56859.	854	0.8	0.7	4.0	0.1	0.1	5.2	21	0.0
52895	0	0	1	0	DSu	47.0800	68.8135	10.1	698.1	418	56856.	864	0.9	0.9	4.4	0.1	0.1	5.0	28	0.0
52896	0	0	1	0	DSu	47.0804	68.8134	10.1	698.3	427	56855.	863	0.7	1.0	5.1	0.1	0.1	7.5	28	0.0
52897	0	0	0	0	DSu	47.0807	68.8134	10.1	698.5	436	56855.	887	0.9	1.7	5.3	2.0	0.4	6.4	13	0.0
52898	0	0	0	0	DSu	47.0811	68.8134	10.1	698.8	441	56856.	916	0.8	1.7	5.3	2.3	0.3	7.5	23	0.0
52899	0	0	0	0	DSu	47.0814	68.8134	10.1	699.0	437	56858.	897	1.0	1.3	3.2	1.4	0.5	3.5	24	0.0
52900	0	0	1	0	DSu	47.0818	68.8133	10.0	699.3	426	56859.	945	0.8	0.8	2.7	0.1	0.1	3.7	34	0.0
52901	0	0	1	0	DSu	47.0822	68.8133	10.0	699.6	416	56859.	878	0.9	1.0	5.1	0.1	0.1	5.8	26	0.0
52902	0	0	1	0	DSu	47.0825	68.8133	10.0	699.9	408	56859.	884	0.9	-0.5	4.6	0.1	0.1	5.7	25	0.0
52903	0	0	0	0	DSu	47.0829	68.8133	10.0	700.2	405	56860.	931	0.8	1.4	4.2	1.8	0.4	5.5	30	0.0
52904	0	0	0	0	DSu	47.0833	68.8132	10.0	700.5	400	56860.	846	1.1	1.7	3.3	1.7	0.6	3.2	26	0.0
52905	0	0	1	0	DSu	47.0836	68.8132	10.0	700.7	396	56860.	829	1.0	0.9	5.0	0.1	0.1	5.1	29	0.0
52906	0	0	1	0	DSu	47.0840	68.8132	10.0	701.0	394	56860.	794	0.8	-0.1	2.8	0.1	0.1	3.8	37	0.0
52907	0	0	1	0	DSu	47.0844	68.8132	10.0	701.3	396	56860.	842	0.7	0.9	5.3	0.1	0.1	7.6	24	0.0
52908	0	0	0	0	DSu	47.0847	68.8131	10.0	701.5	400	56859.	801	0.7	1.4	3.8	2.2	0.4	5.8	14	0.0
52909	0	0	1	0	DSu	47.0851	68.8131	10.0	701.7	405	56858.	833	0.7	0.8	3.4	0.1	0.1	5.5	31	0.0
52910	0	0	1	0	DSu	47.0854	68.8131	10.0	701.8	412	56858.	813	0.7	0.6	5.3	0.1	0.1	8.0	21	0.0
52911	0	0	1	0	DSu	47.0858	68.8131	10.0	701.9	420	56858.	787	0.8	1.0	2.7	0.1	0.1	3.4	27	0.0
52912	0	0	1	0	DSu	47.0862	68.8130	10.0	702.0	428	56858.	772	0.8	0.5	3.5	0.1	0.1	4.7	26	0.0
52913	0	0	0	0	DSu	47.0865	68.8130	10.0	702.1	437	56859.	803	0.8	1.1	4.4	1.5	0.3	5.6	22	0.0
52914	0	0	1	0	DSu	47.0869	68.8130	10.0	702.2	447	56860.	824	1.0	0.9	1.8	0.1	0.1	1.8	28	0.0
52915	0	0	0	0	DSu	47.0873	68.8130	10.0	702.2	456	56861.	693	0.6	1.2	4.7	2.1	0.3	8.5	33	0.0
52916	0	0	1	0	DSu	47.0876	68.8129	10.0	702.2	465	56861.	648	0.7	0.7	2.9	0.1	0.1	4.7	30	0.0
52917	0	0	1	1	DSu	47.0880	68.8129	10.0	702.3	477	56860.	617	0.6	0.6	1.1	0.1	0.1	0.1	24	0.0
52918	0	0	0	1	DSu	47.0883	68.8129	10.0	702.3	490	56860.	602	0.7	1.2	1.2	1.9	0.1	0.1	21	0.0
52919	0	0	1	0	DSu	47.0887	68.8129	10.0	702.2	498	56859.	538	0.6	1.0	2.1	0.1	0.1	3.7	25	0.0
52920	0	0	1	0	DSu	47.0891	68.8128	10.0	702.2	503	56859.	493	0.6	-0.2	4.9	0.1	0.1	9.1	31	0.0
52921	0	0	1	0	DSu	47.0894	68.8128	10.1	703.1	489	56860.	678	0.8	0.3	2.9	0.1	0.1	4.0	22	0.0
52922	0	0	1	0	DSu	47.0898	68.8128	10.1	703.1	475	56861.	730	0.7	0.9	3.2	0.1	0.1	5.1	23	0.0
52923	0	0	0	0	DSu	47.0902	68.8128	10.1	703.2	461	56862.	844	0.8	2.1	4.6	3.0	0.5	6.3	18	0.0
52924	0	0	1	0	DSu	47.0905	68.8127	10.1	703.2	450	56863.	780	0.7	1.0	3.7	0.1	0.1	5.6	33	0.0
52925	0	0	0	0	DSu	47.0909	68.8127	10.1	703.3	443	56862.	841	0.7	2.2	3.5	3.3	0.7	5.2	24	0.0
52926	0	0	0	0	DSu	47.0912	68.8127	10.2	703.3	438	56862.	876	0.7	1.6	4.2	2.0	0.4	5.2	21	0.1

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI			
												CPS	%	PPM	PPM							CPS	CPS
52927	0	0	0	0	DSU	47.0916	68.8127	10.2	703.4	431	56862.	860	0.7	1.8	5.0	2.9	0.4	8.2	38	0.3			
52928	0	0	1	0	DSU	47.0920	68.8126	10.2	703.4	425	56862.	872	0.9	0.0	4.3	0.1	0.1	5.1	26	0.3			
52929	0	0	1	0	DSU	47.0923	68.8126	10.2	703.5	421	56863.	909	0.9	0.9	3.3	0.1	0.1	4.1	30	0.4			
52930	0	0	0	0	DSU	47.0927	68.8126	10.2	703.5	423	56863.	957	0.8	1.4	6.9	1.8	0.2	8.9	21	0.4			
52931	0	0	0	0	DSU	47.0931	68.8126	10.2	703.6	428	56863.	885	0.8	1.2	4.2	1.5	0.3	5.6	15	0.5			
52933	0	0	1	0	DSU	47.0938	68.8125	10.2	703.7	433	56862.	960	0.9	0.7	4.5	0.1	0.1	5.5	18	0.5			
52934	0	0	0	0	DSU	47.0942	68.8125	10.2	703.7	436	56862.	908	1.0	1.9	3.4	2.0	0.6	3.6	22	0.5			
52935	0	0	0	0	DSU	47.0945	68.8125	10.2	703.8	438	56863.	898	0.9	1.3	2.3	1.6	0.6	2.8	27	0.5			
52936	0	0	1	0	DSU	47.0949	68.8124	10.2	703.9	441	56863.	871	0.8	1.0	5.6	0.1	0.1	7.9	29	0.6			
52937	0	0	1	0	DSU	47.0952	68.8124	10.2	704.0	444	56864.	817	0.9	0.7	2.6	0.1	0.1	3.1	31	0.7			
52938	0	0	1	0	DSU	47.0956	68.8124	10.2	704.1	447	56866.	882	1.1	0.9	3.1	0.1	0.1	2.9	39	0.7			
52939	0	0	1	0	DSU	47.0960	68.8124	10.2	704.2	449	56868.	793	0.7	0.7	2.5	0.1	0.1	3.9	22	0.7			
52940	0	0	1	0	DSU	47.0963	68.8123	10.2	704.4	444	56869.	840	0.7	-0.1	3.7	0.1	0.1	5.8	28	0.7			
52941	0	0	1	0	DSU	47.0967	68.8123	10.2	704.5	432	56870.	886	0.6	0.3	4.2	0.1	0.1	8.3	21	0.7			
52942	0	0	0	0	DSU	47.0971	68.8123	10.2	704.7	415	56871.	835	0.7	2.1	5.4	3.0	0.4	8.0	26	0.8			
52943	0	0	0	0	DSU	47.0974	68.8123	10.2	704.9	399	56872.	817	0.5	2.1	3.5	0.1	0.6	0.1	33	0.9			
52944	0	0	0	0	DSU	47.0978	68.8122	10.2	705.1	389	56872.	895	0.9	1.6	5.2	1.8	0.3	6.1	30	0.8			
52945	0	0	1	0	DSU	47.0981	68.8122	10.2	705.4	387	56873.	800	0.8	0.6	3.2	0.1	0.1	4.3	24	0.7			
52946	0	0	1	0	DSU	47.0985	68.8122	10.2	705.6	398	56875.	854	1.1	0.3	4.2	0.1	0.1	4.1	29	0.6			
52947	0	0	1	0	DSU	47.0989	68.8122	10.2	705.9	414	56876.	895	0.9	0.7	3.2	0.1	0.1	3.7	15	0.5			
52948	0	0	0	0	DSU	47.0992	68.8121	10.2	706.2	432	56876.	947	1.1	2.2	2.5	2.2	0.9	2.4	23	0.4			
52949	0	0	0	0	DSU	47.0996	68.8121	10.2	706.4	442	56874.	899	1.0	1.4	3.2	1.5	0.5	3.3	24	0.2			
52950	0	0	1	0	DSU	47.1000	68.8121	10.2	706.7	448	56873.	852	0.8	1.0	5.0	0.1	0.1	7.0	26	0.1			
52951	0	0	1	0	DSU	47.1003	68.8121	10.2	706.9	448	56874.	862	0.8	0.9	5.2	0.1	0.1	6.9	26	0.0			
52952	0	0	1	0	DSU	47.1007	68.8120	10.2	707.2	447	56872.	810	0.8	-0.2	5.0	0.1	0.1	6.8	27	0.0			
52953	0	0	0	0	DSU	47.1010	68.8120	10.2	707.5	443	56869.	858	0.8	1.3	3.8	1.8	0.4	5.1	25	0.0			
52954	0	0	0	0	DSU	47.1014	68.8120	10.2	707.7	436	56867.	797	1.0	2.3	2.4	2.5	1.0	2.6	29	0.0			
52955	0	0	0	0	DSU	47.1018	68.8120	10.2	708.0	428	56864.	868	0.9	1.2	3.8	1.4	0.4	4.5	26	0.0			
52956	0	0	1	0	DSU	47.1021	68.8119	10.3	708.3	426	56861.	882	0.7	0.9	5.2	0.1	0.1	8.1	20	0.0			
52957	0	0	0	0	DSU	47.1025	68.8119	10.3	708.6	431	56858.	931	0.7	2.4	3.4	3.8	0.7	5.5	18	0.0			
52958	0	0	0	0	DSU	47.1029	68.8119	10.3	708.8	442	56857.	886	0.8	2.7	4.0	3.5	0.7	5.3	27	0.0			
52959	0	0	0	0	DSU	47.1032	68.8119	10.3	709.1	454	56856.	835	0.6	2.1	5.1	4.0	0.5	9.8	22	0.0			
52960	0	0	1	0	DSU	47.1036	68.8118	10.3	709.3	464	56855.	826	0.6	1.1	4.9	0.1	0.1	8.1	30	0.0			
52961	0	0	1	0	DSU	47.1040	68.8118	10.3	709.5	475	56855.	848	0.9	1.2	5.7	0.1	0.1	6.4	30	0.0			
52962	0	0	1	0	DSU	47.1043	68.8118	10.3	709.7	488	56834.	780	0.7	0.7	3.4	0.1	0.1	4.8	28	0.0			
52963	0	0	0	0	DSU	47.1047	68.8118	10.3	709.9	503	56855.	827	0.9	2.5	3.2	2.8	0.8	3.5	31	0.0			
52964	0	0	0	0	DSU	47.1050	68.8117	10.3	710.0	516	56856.	762	0.6	2.0	2.1	3.6	1.0	3.7	20	0.0			
52965	0	0	0	0	DSU	47.1054	68.8117	10.3	710.2	527	56857.	755	0.8	1.2	2.6	1.6	0.5	3.6	24	0.0			
52966	0	0	1	0	DSU	47.1058	68.8117	10.3	710.3	534	56859.	694	0.6	0.5	2.4	0.1	0.1	4.3	32	0.0			
52967	0	0	0	0	DSU	47.1061	68.8117	10.3	710.3	538	56860.	694	0.6	1.8	3.9	3.0	0.5	6.5	25	0.0			
52968	0	0	0	1	DSU	47.1065	68.8116	10.3	710.4	540	56859.	640	0.5	1.8	1.7	0.1	0.1	0.1	19	0.0			
52969	0	0	1	0	DSU	47.1069	68.8116	10.3	710.5	536	56858.	658	0.9	1.2	6.5	0.1	0.1	7.7	25	0.0			
52970	0	0	1	0	DSU	47.1072	68.8116	10.3	710.5	528	56857.	612	0.7	-0.3	3.5	0.1	0.1	5.5	19	0.0			
52971	0	0	1	0	DSU	47.1076	68.8116	10.3	710.5	517	56856.	654	0.7	0.5	3.0	0.1	0.1	4.3	18	0.0			
52972	0	0	1	0	DSU	47.1079	68.8115	10.3	710.5	506	56855.	716	0.9	0.6	1.9	0.1	0.1	2.3	29	0.0			
52973	0	0	1	0	DSU	47.1083	68.8115	10.2	710.5	498	56855.	749	0.6	0.8	3.6	0.1	0.1	6.9	26	0.0			
52974	0	0	1	1	DSU	47.1087	68.8115	10.2	710.5	490	56855.	770	0.9	1.0	1.1	0.1	0.1	0.1	21	0.0			
52975	0	0	0	0	DSU	47.1091	68.8114	10.2	710.5	486	56855.	820	1.0	2.0	5.1	2.1	0.4	5.3	31	0.0			
52976	0	0	1	0	DSU	47.1095	68.8113	10.2	710.5	482	56855.	842	0.7	0.4	3.9	0.1	0.1	6.3	20	0.0			
52977	0	0	0	0	DSU	47.1099	68.8113	10.2	710.4	482	56856.	835	0.8	1.8	2.7	2.5	0.7	3.9	22	0.0			

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
52978	0	0	0	0	DSu	47.1104	68.8112	10.6	709.3	493	56856.	829	0.6	2.5	3.4	5.0	0.8	6.7	34	0.0
52979	0	0	0	0	DSu	47.1108	68.8112	10.6	709.1	499	56855.	815	0.6	1.6	4.1	2.7	0.4	6.9	25	0.0
52980	0	0	0	0	DSu	47.1112	68.8111	10.6	708.8	503	56855.	886	0.8	1.7	2.7	2.3	0.7	3.7	21	0.0
52981	0	0	0	0	DSu	47.1116	68.8111	10.6	708.6	500	56855.	821	0.8	2.0	2.4	2.7	0.9	3.2	25	0.0
52982	0	0	0	0	DSu	47.1120	68.8110	10.6	708.4	498	56855.	863	0.9	2.0	3.3	2.5	0.6	4.0	29	0.0
52983	0	0	1	0	DSu	47.1124	68.8110	10.6	708.2	497	56855.	856	0.8	1.0	5.0	0.1	0.1	7.1	29	0.0
52984	0	0	1	0	DSu	47.1128	68.8109	10.6	708.0	501	56855.	860	0.9	0.9	4.1	0.1	0.1	5.0	24	0.0
52985	0	0	0	0	DSu	47.1132	68.8108	10.6	707.8	511	56856.	877	0.8	2.3	5.5	2.9	0.5	7.1	33	0.0
52986	0	0	0	0	DSu	47.1137	68.8108	10.6	707.5	525	56857.	914	0.7	1.7	5.5	2.6	0.4	8.1	22	0.0
52987	0	0	0	0	DSu	47.1141	68.8107	10.6	707.3	536	56857.	825	0.7	1.6	5.2	2.3	0.3	7.5	25	0.0
52988	0	0	0	0	DSu	47.1145	68.8107	10.6	707.1	541	56857.	827	0.8	1.6	3.0	2.0	0.6	3.9	29	0.0
52989	0	0	0	0	DSu	47.1149	68.8106	10.6	706.8	546	56855.	805	0.4	2.3	4.7	0.1	0.5	0.1	36	0.0
52990	0	0	0	0	DSu	47.1153	68.8105	10.6	706.5	535	56854.	864	0.7	1.7	4.6	2.6	0.4	7.0	17	0.0
52991	0	0	1	0	DSu	47.1157	68.8105	10.6	706.3	526	56852.	836	0.6	0.9	4.7	0.1	0.1	8.2	26	0.0
52992	0	0	1	0	DSu	47.1161	68.8104	10.6	706.1	516	56849.	829	0.8	1.2	5.6	0.1	0.1	7.5	23	0.0
52993	0	0	0	0	DSu	47.1165	68.8104	10.6	705.9	507	56849.	879	0.6	1.9	5.9	3.3	0.4	10.1	31	0.0
52994	0	0	1	0	DSu	47.1170	68.8103	10.6	705.6	498	56851.	824	0.7	0.8	4.1	0.1	0.1	6.4	22	0.0
52995	0	0	1	0	DSu	47.1174	68.8103	10.6	705.4	490	56854.	889	0.9	1.1	4.8	0.1	0.1	5.3	26	0.0
52996	0	0	0	0	DSu	47.1178	68.8102	10.6	705.2	482	56856.	901	0.7	2.2	2.9	3.1	0.8	4.1	27	0.0
52997	0	0	0	0	DSu	47.1182	68.8102	10.6	704.9	472	56856.	829	0.9	1.3	4.4	1.5	0.3	5.4	25	0.0
52998	0	0	1	0	DSu	47.1186	68.8101	10.6	704.7	456	56856.	869	1.0	0.2	3.3	0.1	0.1	3.5	18	0.0
52999	0	0	0	0	DSu	47.1190	68.8100	10.6	704.4	436	56858.	888	1.0	1.4	4.4	1.5	0.4	4.7	20	0.0
53000	0	0	0	0	DSu	47.1194	68.8100	10.5	704.2	417	56857.	806	0.7	1.1	4.1	1.5	0.3	5.8	20	0.0
53001	0	0	0	0	DSu	47.1198	68.8099	10.5	703.9	406	56856.	808	0.6	1.4	4.4	2.3	0.4	7.2	17	0.0
53002	0	0	0	0	DSu	47.1203	68.8099	10.5	703.6	406	56858.	937	0.7	1.7	4.2	2.5	0.5	6.1	28	0.0
53003	0	0	0	0	DSu	47.1207	68.8098	10.5	703.4	412	56859.	877	0.8	1.2	4.5	1.5	0.3	5.6	23	0.0
53004	0	0	0	0	DSu	47.1211	68.8097	10.5	703.1	420	56858.	882	0.9	1.1	3.2	1.3	0.4	3.8	21	0.0
53005	0	0	0	0	DSu	47.1215	68.8097	10.5	702.8	423	56857.	901	0.9	1.6	3.6	1.9	0.5	4.4	22	0.0
53006	0	0	0	0	DSu	47.1219	68.8096	10.5	702.5	424	56858.	916	0.9	1.8	3.8	2.1	0.5	4.4	31	0.0
53007	0	0	1	0	DSu	47.1223	68.8096	10.5	702.2	418	56859.	885	0.9	0.6	4.4	0.1	0.1	5.3	30	0.0
53008	0	0	1	0	DSu	47.1227	68.8095	10.5	701.9	406	56860.	936	0.7	1.0	5.6	0.1	0.1	8.4	28	0.0
53009	0	0	0	0	DSu	47.1231	68.8095	10.5	701.6	387	56859.	922	0.7	1.4	5.7	2.0	0.3	8.5	30	0.0
53010	0	0	0	0	DSu	47.1236	68.8094	10.5	701.3	371	56860.	917	0.9	2.0	3.6	2.3	0.6	4.2	33	0.0
53011	0	0	1	0	DSu	47.1240	68.8093	10.5	701.0	361	56861.	881	1.1	0.9	3.3	0.1	0.1	3.3	31	0.0
53012	0	0	0	0	DSu	47.1244	68.8093	10.5	700.7	356	56862.	901	0.7	1.4	4.4	2.0	0.3	6.6	25	0.0
53013	0	0	1	0	DSu	47.1248	68.8092	10.5	700.5	352	56863.	834	0.8	0.7	4.8	0.1	0.1	6.7	26	0.0
53014	0	0	1	0	DSu	47.1252	68.8092	10.5	700.2	349	56861.	842	0.8	0.8	4.2	0.1	0.1	5.9	21	0.0
53015	0	0	1	0	DSu	47.1256	68.8091	10.5	699.9	346	56858.	834	0.7	0.8	3.7	0.1	0.1	5.3	27	0.0
53016	0	0	0	0	DSu	47.1260	68.8091	10.5	699.6	344	56855.	857	0.7	2.1	3.5	3.3	0.6	5.6	26	0.0
53017	0	0	0	0	DSu	47.1264	68.8090	10.5	699.3	343	56852.	764	0.7	1.5	3.1	2.2	0.5	4.5	30	0.0
53018	0	0	0	0	DSu	47.1268	68.8089	10.5	699.1	344	56851.	825	0.9	2.1	2.9	2.6	0.8	3.5	25	0.0
53020	0	0	0	0	DSu	47.1277	68.8088	10.5	698.8	350	56850.	752	0.7	1.8	1.6	2.7	1.1	2.4	41	0.0
53021	0	0	0	0	DSu	47.1281	68.8088	10.5	698.6	359	56851.	766	0.7	1.5	4.7	2.2	0.3	7.2	22	0.0
53022	0	0	0	0	DSu	47.1285	68.8087	10.5	698.3	369	56852.	858	0.8	1.1	4.0	1.4	0.3	5.1	27	0.0
53023	0	0	0	0	DSu	47.1289	68.8087	10.5	698.2	379	56852.	744	0.6	2.4	2.1	4.5	1.2	3.9	27	0.0
53024	0	0	0	0	DSu	47.1293	68.8086	10.5	698.1	388	56850.	845	0.8	1.2	5.1	1.6	0.3	6.8	28	0.0
53025	0	0	1	0	DSu	47.1297	68.8085	10.5	698.0	396	56848.	831	0.8	0.7	4.3	0.1	0.1	5.7	23	0.0
53026	0	0	1	0	DSu	47.1301	68.8085	10.5	697.8	405	56848.	776	0.5	0.8	3.2	0.1	0.1	0.1	34	0.0
53027	0	0	1	0	DSu	47.1306	68.8084	10.5	697.8	417	56849.	862	1.1	0.6	3.5	0.1	0.1	3.3	35	0.0
53028	0	0	0	0	DSu	47.1310	68.8084	10.5	697.7	431	56851.	862	0.9	1.3	4.2	1.6	0.4	5.1	26	0.0

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
53029	0	0	0	0	DSu	47.1314	68.8083	10.5	697.6	442	56852.	909	0.9	1.1	5.0	1.4	0.3	6.2	23	0.0
53030	0	0	0	0	DSu	47.1318	68.8083	10.5	697.6	449	56852.	896	0.9	1.3	2.1	1.6	0.7	2.5	27	0.0
53031	0	0	0	0	DSu	47.1322	68.8082	10.5	697.6	452	56853.	958	1.2	1.3	6.2	1.1	0.3	5.5	23	0.0
53032	0	0	1	0	DSu	47.1326	68.8081	10.5	697.6	451	56855.	892	0.8	0.6	5.1	0.1	0.1	7.3	36	0.0
53033	0	0	0	0	DSu	47.1330	68.8061	10.5	697.6	451	56857.	948	0.8	2.1	5.9	2.8	0.4	7.9	33	0.1
53034	0	0	1	0	DSu	47.1334	68.8080	10.5	697.7	449	56858.	957	0.7	0.6	4.5	0.1	0.1	6.9	32	0.1
53035	C	0	0	0	DSu	47.1338	68.8080	10.2	696.2	428	56857.	938	0.9	1.3	7.5	1.5	0.2	8.7	21	0.4
53036	0	0	0	0	DSu	47.1343	68.8079	10.2	696.1	415	56855.	854	0.7	1.6	6.3	2.5	0.3	10.2	24	0.4
53037	0	0	0	0	DSu	47.1347	68.8079	10.2	696.0	401	56852.	843	0.8	1.4	3.1	1.9	0.5	4.0	31	0.5
53038	0	0	1	0	DSu	47.1351	68.8078	10.2	695.9	393	56849.	928	0.9	0.8	5.8	0.1	0.1	7.2	20	0.6
53039	0	0	1	0	DSu	47.1355	68.8077	10.2	695.8	391	56849.	943	0.9	0.0	4.1	0.1	0.1	4.8	32	0.6
53040	0	0	0	0	DSu	47.1359	68.8077	10.2	695.7	396	56851.	858	0.9	1.4	5.4	1.6	0.3	6.3	29	0.7
53041	0	0	0	0	DSu	47.1363	68.8076	10.2	695.6	404	56853.	948	0.8	1.2	6.1	1.5	0.2	8.1	16	0.7
53042	0	0	1	0	DSu	47.1367	68.8076	10.2	695.5	413	56853.	933	0.8	1.1	4.6	0.1	0.1	6.1	29	0.7
53043	0	0	0	0	DSu	47.1371	68.8075	10.2	695.4	421	56854.	921	0.8	1.2	3.2	1.7	0.4	4.4	31	0.8
53044	0	0	0	0	DSu	47.1376	68.8075	10.2	695.3	430	56854.	960	0.8	2.1	4.5	2.9	0.5	6.3	28	0.8
53045	0	0	0	0	DSu	47.1380	68.8074	10.2	695.3	439	56854.	958	1.1	1.3	4.8	1.2	0.3	4.4	34	0.9
53046	0	0	1	0	DSu	47.1384	68.8073	10.2	695.2	445	56857.	829	0.8	0.1	3.0	0.1	0.1	4.1	30	1.0
53047	0	0	0	0	DSu	47.1388	68.8073	10.2	695.2	447	56859.	847	0.7	1.5	3.2	2.3	0.5	4.9	30	1.0
53048	0	0	0	0	DSu	47.1392	68.8072	10.2	695.3	443	56860.	921	0.9	2.4	3.6	2.6	0.7	4.0	32	1.1
53049	0	0	1	0	DSu	47.1396	68.8072	10.2	695.3	433	56862.	919	0.7	1.1	4.1	0.1	0.1	6.0	26	1.2
53050	0	0	1	0	DSu	47.1400	68.8071	10.2	695.4	420	56863.	872	0.8	1.1	5.9	0.1	0.1	7.6	15	1.3
53051	0	0	1	0	DSu	47.1404	68.8071	10.1	695.5	410	56864.	914	1.0	0.2	2.9	0.1	0.1	3.2	38	1.3
53052	0	0	1	0	DSu	47.1408	68.8070	10.1	695.7	406	56864.	862	0.9	0.6	4.6	0.1	0.1	5.4	36	1.3
53053	0	0	1	0	DSu	47.1413	68.8069	10.1	695.8	410	56864.	936	1.1	0.9	6.0	0.1	0.1	5.8	29	1.2
53054	0	0	1	0	DSu	47.1417	68.8069	10.1	696.0	422	56865.	961	0.9	0.6	4.0	0.1	0.1	4.4	30	1.2
53055	0	0	0	0	DSu	47.1421	68.8068	10.1	696.2	438	56864.	1019	1.1	1.6	3.7	1.6	0.5	3.6	22	1.2
53056	0	0	1	0	DSu	47.1425	68.8068	10.1	696.3	456	56862.	958	0.8	0.2	6.3	0.1	0.1	8.5	26	1.2
53057	0	0	1	0	DSu	47.1429	68.8067	10.1	696.5	476	56861.	919	0.8	0.5	5.3	0.1	0.1	7.2	22	1.1
53058	0	0	1	0	DSu	47.1433	68.8067	10.1	696.7	498	56860.	986	0.9	0.9	3.9	0.1	0.1	4.3	36	1.1
53059	0	0	0	0	DSu	47.1437	68.8066	10.1	696.8	517	56859.	905	0.4	1.9	3.6	0.1	0.6	0.1	19	1.1
53060	0	0	0	0	DSu	47.1441	68.8065	10.1	697.0	533	56857.	999	0.7	2.2	4.1	3.4	0.6	6.2	25	1.1
53061	0	0	0	0	DSu	47.1446	68.8065	10.1	697.1	542	56856.	935	1.1	1.5	5.5	1.4	0.3	5.2	34	1.1
53062	0	0	1	0	DSu	47.1450	68.8064	10.1	697.3	546	56854.	966	1.2	0.4	6.2	0.1	0.1	5.3	29	1.1
53063	0	0	1	0	DSu	47.1454	68.8064	10.1	697.4	542	56852.	1057	1.0	0.6	5.8	0.1	0.1	6.0	26	0.9
53064	0	0	0	0	DSu	47.1458	68.8063	10.1	697.5	531	56851.	996	0.8	1.5	5.6	2.0	0.3	7.7	26	0.6
53065	0	0	0	0	DSu	47.1462	68.8063	10.1	697.6	518	56850.	946	0.6	1.9	3.2	3.6	0.6	6.2	34	0.4
53066	0	0	0	0	DSu	47.1466	68.8062	10.1	697.6	505	56850.	1039	1.2	2.8	2.9	2.4	1.0	2.5	16	0.4
53067	0	0	0	0	DSu	47.1470	68.8061	10.1	697.7	491	56851.	1042	1.0	1.6	5.6	1.6	0.3	5.7	28	0.4
53068	0	0	0	0	DSu	47.1474	68.8061	10.1	697.8	473	56853.	1012	1.1	1.8	5.2	1.7	0.4	5.0	30	0.4
53069	0	0	1	0	DSu	47.1478	68.8060	10.1	697.8	451	56855.	981	1.1	0.9	3.8	0.1	0.1	3.5	27	0.4
53070	0	0	0	0	DSu	47.1483	68.8060	10.1	697.9	425	56857.	1019	0.8	2.0	4.3	2.8	0.5	6.1	27	0.4
53071	0	0	0	0	DSu	47.1487	68.8059	10.1	698.0	398	56857.	1033	1.1	1.5	5.6	1.5	0.3	5.4	21	0.4
53072	0	0	1	0	DSu	47.1491	68.8059	10.1	698.0	373	56859.	906	0.9	0.2	3.0	0.1	0.1	3.3	29	0.4
53073	0	0	1	0	DSu	47.1495	68.8058	10.1	698.1	353	56859.	943	1.0	0.3	5.2	0.1	0.1	5.7	31	0.4
53074	0	0	0	0	DSu	47.1499	68.8057	10.1	698.2	336	56857.	850	0.8	1.4	4.7	1.9	0.3	6.6	27	0.3
53075	0	0	1	0	DSu	47.1503	68.8057	10.1	698.3	323	56853.	880	0.9	0.9	2.7	0.1	0.1	3.4	31	0.3
53076	0	0	0	0	DSu	47.1507	68.8056	10.1	698.5	315	56850.	943	0.9	1.0	5.4	1.1	0.2	6.2	28	0.3
53077	0	0	0	0	DSu	47.1511	68.8056	10.1	698.6	313	56848.	928	0.8	2.2	4.0	2.8	0.6	5.2	33	0.3
53078	0	0	0	0	DSu	47.1516	68.8055	10.1	698.8	319	56848.	883	0.8	1.2	3.5	1.6	0.4	4.5	18	0.3

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
53079	0	0	0	0	DSu	47.1520	68.8055	10.1	698.9	333	56848.	971	0.8	1.9	7.0	2.4	0.3	9.1	31	0.3
53080	0	0	0	0	DSu	47.1524	68.8054	10.1	699.0	350	56848.	993	1.0	1.1	4.4	1.2	0.3	4.7	24	0.3
53081	0	0	0	0	DSu	47.1528	68.8053	10.1	699.0	369	56848.	932	0.8	1.9	5.6	2.6	0.4	7.4	29	0.3
53082	0	0	0	0	DSu	47.1532	68.8053	10.1	699.1	386	56849.	945	1.0	1.2	4.6	1.3	0.3	5.0	30	0.3
53083	0	0	0	0	DSu	47.1536	68.8052	10.1	699.2	399	56849.	999	1.1	1.3	3.9	1.3	0.4	3.6	35	0.3
53084	0	0	0	0	DSu	47.1540	68.8052	10.1	699.3	405	56850.	931	1.0	1.8	3.4	1.8	0.6	3.4	19	0.3
53085	0	0	0	0	DSu	47.1544	68.8051	10.1	699.4	406	56850.	931	0.8	1.4	5.0	1.9	0.3	6.9	26	0.4
53086	0	0	0	0	DSu	47.1548	68.8051	10.1	699.4	407	56850.	927	0.7	1.5	5.2	2.3	0.3	7.9	28	0.5
53087	0	0	0	0	DSu	47.1553	68.8050	10.1	699.4	407	56850.	952	1.1	1.6	3.6	1.6	0.5	3.5	23	0.5
53088	0	0	0	0	DSu	47.1557	68.8049	10.1	699.5	409	56852.	946	0.8	1.8	3.3	2.3	0.6	4.3	23	0.8
53089	0	0	0	0	DSu	47.1561	68.8049	10.1	699.4	410	56854.	1014	1.1	1.7	2.8	1.5	0.6	2.6	25	1.1
53090	0	0	1	0	DSu	47.1565	68.8048	10.1	699.4	411	56855.	962	0.9	0.7	4.3	0.1	0.1	5.2	17	1.3
53091	0	0	0	0	DSu	47.1569	68.8048	10.2	701.6	423	56857.	962	1.0	1.2	5.1	1.2	0.3	5.3	28	1.4
53092	0	0	1	0	DSu	47.1573	68.8047	10.2	701.9	432	56857.	1007	0.8	1.0	7.2	0.1	0.1	9.5	27	1.5
53093	0	0	1	0	DSu	47.1577	68.8047	10.2	702.2	436	56856.	1025	1.2	0.4	5.5	0.1	0.1	4.8	29	1.5
53094	0	0	0	0	DSu	47.1581	68.8046	10.2	702.5	430	56855.	997	0.8	1.3	3.7	1.7	0.4	4.6	25	1.6
53095	0	0	0	0	DSu	47.1586	68.8045	10.2	702.8	420	56853.	1028	0.9	1.3	5.2	1.4	0.3	5.8	20	1.6
53096	0	0	1	0	DSu	47.1590	68.8045	10.2	703.1	416	56850.	953	0.7	0.7	3.5	0.1	0.1	5.0	26	1.7
53097	0	0	0	0	DSu	47.1594	68.8044	10.2	703.5	421	56846.	1002	1.2	1.7	4.4	1.4	0.4	3.8	21	1.8
53098	0	0	0	0	DSu	47.1598	68.8044	10.2	703.9	422	56843.	989	1.0	1.8	4.4	1.9	0.4	4.7	26	1.9
53099	0	0	1	0	DSu	47.1602	68.8043	10.3	704.3	415	56841.	992	1.0	1.0	3.4	0.1	0.1	3.5	27	2.0
53100	0	0	0	0	DSu	47.1606	68.8043	10.3	704.6	399	56839.	1028	1.0	1.3	4.8	1.4	0.3	5.1	26	2.1
53101	0	0	1	0	DSu	47.1610	68.8042	10.3	705.1	387	56838.	958	1.0	1.0	5.3	0.1	0.1	5.3	22	2.1
53102	0	0	1	0	DSu	47.1614	68.8041	10.3	705.5	383	56837.	962	0.8	0.9	5.3	0.1	0.1	6.7	23	2.2
53103	0	0	0	0	DSu	47.1618	68.8041	10.3	705.9	390	56835.	956	0.8	2.1	3.4	2.6	0.6	4.4	32	2.3
53104	0	0	0	0	DSu	47.1623	68.8040	10.3	706.3	406	56835.	1045	1.1	1.6	5.5	1.5	0.3	5.3	23	2.4
53106	0	0	0	0	DSu	47.1631	68.8039	10.3	706.7	426	56834.	1050	1.1	1.9	4.1	1.9	0.5	4.0	29	2.6
53107	0	0	0	0	DSu	47.1635	68.8038	10.3	707.1	445	56834.	1088	1.2	1.9	4.5	1.7	0.5	3.9	18	2.6
53108	0	0	1	0	DSu	47.1639	68.8038	10.3	707.4	465	56834.	1081	1.0	1.2	3.0	0.1	0.1	3.0	18	2.7
53109	0	0	0	0	DSu	47.1643	68.8037	10.3	707.7	485	56835.	1081	1.2	1.9	6.3	1.6	0.3	5.5	23	2.7
53110	0	0	1	0	DSu	47.1647	68.8037	10.3	708.1	507	56834.	1048	1.0	1.3	4.1	0.1	0.1	4.1	29	2.7
53111	0	0	1	0	DSu	47.1651	68.8036	10.3	708.4	528	56832.	1052	1.3	-0.6	6.1	0.1	0.1	4.8	24	2.7
53112	0	0	1	0	DSu	47.1656	68.8036	10.3	708.6	545	56831.	1055	1.1	0.8	7.4	0.1	0.1	7.2	19	2.7
53113	0	0	1	0	DSu	47.1660	68.8035	10.3	708.9	556	56831.	958	1.0	0.2	5.9	0.1	0.1	6.0	14	2.7
53114	0	0	0	0	DSu	47.1664	68.8035	10.3	709.1	567	56832.	866	1.0	1.7	3.0	1.8	0.6	3.2	28	2.7
53115	0	0	0	0	DSu	47.1668	68.8034	10.3	709.3	575	56834.	730	0.6	1.7	3.9	3.0	0.5	7.0	31	2.7
53116	0	0	1	0	DSu	47.1672	68.8035	10.3	709.5	578	56835.	833	0.7	0.9	4.3	0.1	0.1	6.6	16	2.5
53117	0	0	1	0	DSu	47.1675	68.8035	10.3	709.7	567	56836.	808	0.5	0.7	4.1	0.1	0.1	0.1	24	2.2
53118	0	0	1	0	DSu	47.1679	68.8035	10.3	709.8	552	56837.	735	0.5	1.2	3.9	0.1	0.1	0.1	25	2.0
53119	0	0	1	0	DSu	47.1683	68.8036	10.3	710.0	535	56838.	862	0.9	1.1	3.5	0.1	0.1	4.0	22	1.7
53120	0	0	0	0	DSu	47.1686	68.8036	10.3	710.1	523	56839.	916	1.2	1.6	4.5	1.4	0.4	4.0	24	1.4
53121	0	0	0	0	DSu	47.1690	68.8037	10.3	710.2	510	56840.	1008	0.8	1.3	5.3	1.6	0.3	7.0	20	1.1
53122	0	0	1	0	DSu	47.1694	68.8037	10.3	710.3	498	56842.	1009	1.2	0.8	3.2	0.1	0.1	2.8	24	0.8
53123	0	0	1	0	DSu	47.1698	68.8038	10.3	710.3	485	56842.	963	0.9	0.5	3.8	0.1	0.1	4.2	23	0.5
53124	0	0	0	0	DSu	47.1701	68.8038	10.3	710.4	472	56841.	1039	1.0	2.4	4.4	2.6	0.6	4.8	22	0.4
53125	0	0	0	0	DSu	47.1705	68.8039	10.3	710.4	458	56841.	994	0.9	1.6	5.0	1.9	0.4	6.0	20	0.3
53126	0	0	0	0	DSu	47.1709	68.8039	10.3	710.5	443	56843.	964	1.0	1.4	6.3	1.5	0.3	6.6	34	0.3
53127	0	0	1	0	DSu	47.1712	68.8040	10.3	710.5	430	56845.	1001	0.8	1.0	4.9	0.1	0.1	6.7	34	0.2
53128	0	0	0	0	DSu	47.1716	68.8040	10.3	710.5	418	56845.	936	0.8	1.5	5.2	1.9	0.3	6.9	15	0.2
53129	0	0	1	0	DSu	47.1720	68.8041	10.3	710.5	410	56845.	996	0.8	0.5	4.0	0.1	0.1	5.0	26	0.1

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
53130	0	0	0	0	DSu	47.1723	68.8041	10.3	710.4	400	56845.	944	1.0	1.4	3.7	1.6	0.4	4.1	21	0.0
53131	0	0	0	0	DSu	47.1727	68.8042	10.3	710.4	387	56845.	929	0.9	1.9	5.5	2.2	0.4	6.1	21	0.0
53132	0	0	0	0	DSu	47.1731	68.8042	10.3	710.3	368	56845.	954	0.9	1.5	4.6	1.8	0.4	5.4	20	0.0
53133	0	0	0	0	DSu	47.1735	68.8043	10.3	710.3	344	56844.	982	0.7	1.1	5.5	1.6	0.2	8.4	34	0.0
53134	0	0	0	0	DSu	47.1738	68.8043	10.3	710.2	320	56844.	896	0.9	1.2	4.8	1.4	0.3	5.7	25	0.0
53135	0	0	0	0	DSu	47.1742	68.8044	10.3	710.1	301	56844.	964	0.7	1.1	4.7	1.5	0.3	6.7	29	0.0
53136	0	0	0	0	DSu	47.1746	68.8044	10.3	710.0	290	56844.	929	1.0	1.7	4.9	1.8	0.4	5.1	21	0.0
53137	0	0	0	0	DSu	47.1749	68.8045	10.3	710.0	291	56844.	1069	1.1	0.9	3.9	0.8	0.3	3.7	15	0.0
53138	0	0	1	0	DSu	47.1753	68.8045	10.3	710.0	301	56843.	961	0.9	0.8	3.6	0.1	0.1	4.2	29	0.0
53139	0	0	0	0	DSu	47.1757	68.8046	10.3	709.9	315	56843.	942	0.8	2.0	5.5	2.6	0.4	7.3	35	0.0
53140	0	0	0	0	DSu	47.1761	68.8046	10.3	709.9	324	56844.	889	0.9	1.5	4.6	1.8	0.4	5.7	20	0.0
53141	0	0	0	0	DSu	47.1764	68.8047	10.3	709.9	324	56844.	876	0.9	1.4	2.6	1.8	0.6	3.2	30	0.0
53142	0	0	1	0	DSu	47.1768	68.8047	10.3	709.8	318	56843.	879	1.0	0.6	2.8	0.1	0.1	2.9	22	0.0
53143	0	0	0	0	DSu	47.1772	68.8048	10.3	709.8	315	56843.	959	1.0	1.4	4.0	1.4	0.4	4.0	20	0.0
53144	0	0	0	0	DSu	47.1775	68.8048	10.3	709.8	317	56842.	848	0.7	1.2	4.0	1.7	0.3	6.0	25	0.2
53145	0	0	0	0	DSu	47.1779	68.8049	10.3	709.8	326	56842.	967	0.8	1.9	3.5	2.6	0.6	4.9	39	0.5
53146	0	0	0	0	DSu	47.1783	68.8049	10.3	709.8	331	56843.	1012	0.9	1.1	6.7	1.3	0.2	8.1	28	0.7
53147	0	0	0	0	DSu	47.1787	68.8050	10.3	709.8	336	56843.	862	0.6	2.0	2.8	3.7	0.7	5.4	35	0.9
53148	0	0	0	0	DSu	47.1790	68.8050	10.6	709.5	367	56842.	928	0.7	1.8	5.8	2.8	0.3	9.2	28	1.1
53149	0	0	0	0	DSu	47.1794	68.8051	10.6	709.5	388	56842.	978	0.9	1.9	2.8	2.2	0.5	4.5	26	1.2
53150	0	0	0	0	DSu	47.1798	68.8051	10.6	709.6	410	56842.	1027	1.0	1.1	6.3	1.2	0.2	6.5	35	1.2
53151	0	0	1	0	DSu	47.1801	68.8052	10.6	709.7	428	56842.	902	0.8	0.6	5.6	0.1	0.1	7.0	23	1.1
53152	0	0	0	0	DSu	47.1805	68.8052	10.7	709.8	443	56843.	895	0.7	1.5	5.4	2.3	0.3	8.4	23	1.1
53153	0	0	1	0	DSu	47.1809	68.8053	10.7	710.0	457	56846.	919	0.8	0.9	4.8	0.1	0.1	6.5	18	1.1
53154	0	0	1	0	DSu	47.1813	68.8053	10.7	710.1	470	56849.	926	1.0	1.0	4.3	0.1	0.1	4.3	28	1.2
53155	0	0	1	0	DSu	47.1816	68.8054	10.7	710.3	484	56850.	896	0.8	0.3	3.2	0.1	0.1	4.3	21	1.2
53156	0	0	1	0	DSu	47.1820	68.8054	10.7	710.6	495	56850.	911	1.0	0.4	3.8	0.1	0.1	4.0	28	1.2
53157	0	0	0	0	DSu	47.1824	68.8055	10.7	710.8	504	56850.	966	1.0	1.2	4.9	1.2	0.3	4.9	28	1.2
53158	0	0	1	0	DSu	47.1827	68.8055	10.7	711.1	514	56850.	833	1.0	0.6	4.1	0.1	0.1	4.5	27	1.2
53159	0	0	1	0	DSu	47.1831	68.8056	10.8	711.4	526	56852.	990	1.1	1.2	3.9	0.1	0.1	3.6	35	1.2
53160	0	0	0	0	DSu	47.1835	68.8056	10.8	711.7	537	56853.	920	0.8	1.7	3.4	2.1	0.5	4.2	23	1.2
53161	0	0	1	0	DSu	47.1838	68.8057	10.8	712.0	544	56854.	937	0.9	1.0	3.7	0.1	0.1	4.1	25	1.2
53162	0	0	0	0	DSu	47.1842	68.8057	10.8	712.4	545	56855.	934	0.9	3.5	4.3	4.3	0.9	5.3	22	1.2
53163	0	0	1	0	DSu	47.1846	68.8057	10.8	712.8	545	56855.	852	0.6	1.3	3.1	0.1	0.1	5.8	25	1.3
53164	0	0	0	0	DSu	47.1850	68.8058	10.8	713.2	544	56855.	904	0.7	1.7	3.5	2.5	0.5	5.1	24	1.3
53165	0	0	0	0	DSu	47.1853	68.8058	10.9	713.5	543	56855.	872	0.7	1.7	2.9	2.6	0.6	4.6	25	1.4
53166	0	0	1	0	DSu	47.1857	68.8059	10.9	713.9	537	56856.	818	0.7	0.8	4.8	0.1	0.1	7.1	21	1.4
53167	0	0	1	0	DSu	47.1861	68.8059	10.9	714.3	527	56856.	839	0.7	0.1	6.2	0.1	0.1	9.4	27	1.5
53168	0	0	1	0	DSu	47.1864	68.8060	10.9	714.7	513	56855.	837	0.8	-0.3	5.2	0.1	0.1	7.1	25	1.5
53169	0	0	1	0	DSu	47.1868	68.8060	10.9	715.0	498	56853.	830	0.9	0.7	3.3	0.1	0.1	3.8	28	1.4
53170	0	0	0	0	DSu	47.1872	68.8061	11.0	715.4	483	56853.	875	0.6	2.5	3.1	4.2	0.8	5.3	18	1.5
53171	0	0	0	0	DSu	47.1876	68.8061	11.0	715.8	469	56853.	975	0.8	2.4	4.6	3.0	0.6	5.7	22	1.5
53172	0	0	1	0	DSu	47.1879	68.8062	11.0	716.1	456	56854.	907	0.9	0.8	5.8	0.1	0.1	6.5	22	1.5
53173	0	0	0	0	DSu	47.1883	68.8062	11.0	716.4	445	56855.	964	0.9	1.6	7.1	1.8	0.3	8.2	30	1.5
53174	0	0	0	0	DSu	47.1887	68.8063	11.0	716.7	439	56855.	967	1.0	1.4	4.7	1.5	0.3	5.0	29	1.5
53175	0	0	0	0	DSu	47.1890	68.8063	11.1	717.0	439	56854.	905	1.0	2.0	6.6	2.1	0.3	7.1	33	1.5
53176	0	0	0	0	DSu	47.1894	68.8064	11.1	717.3	445	56852.	988	0.9	1.6	4.5	1.8	0.4	5.1	29	1.6
53177	0	0	0	0	DSu	47.1898	68.8064	11.1	717.6	453	56849.	946	0.8	1.3	3.6	1.7	0.4	4.9	18	1.6
53178	0	0	1	0	DSu	47.1902	68.8065	11.1	717.9	463	56847.	948	1.0	0.9	6.9	0.1	0.1	7.5	19	1.7
53179	0	0	0	0	DSu	47.1905	68.8065	11.1	718.2	475	56846.	955	0.9	1.3	3.4	1.6	0.4	4.2	23	1.8

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

- F06 -
MAINE AERIAL SURVEY EDMUNDSTON QUADRANGLE, CARSON GEOSCIENCE INC., 1980

LINE NO. 1030

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
53180	0	0	0	0	DSu	47.1909	68.8066	11.2	718.5	484	56846.	891	0.9	1.3	3.6	1.6	0.4	4.4	26	1.8
53181	0	0	1	0	DSu	47.1913	68.8066	11.2	718.7	487	56846.	874	0.9	0.9	4.5	0.1	0.1	5.1	20	1.8
53182	0	0	1	0	DSu	47.1916	68.8067	11.2	719.0	486	56847.	825	1.0	1.1	3.2	0.1	0.1	3.3	29	1.9
53183	0	0	0	0	DSu	47.1920	68.8067	11.2	719.2	484	56850.	741	0.6	1.7	4.9	3.2	0.4	9.5	25	1.9
53184	0	0	0	0	DSu	47.1924	68.8068	11.2	719.5	483	56852.	719	0.5	1.9	3.6	0.1	0.6	0.1	25	2.0
53185	0	0	0	0	DSu	47.1928	68.8068	11.3	719.7	479	56854.	706	0.7	1.6	2.8	2.4	0.6	4.3	18	2.1
53186	0	0	1	1	DSu	47.1931	68.8069	11.3	720.0	472	56855.	587	0.5	0.7	0.7	0.1	0.1	0.1	30	2.2
53187	0	0	1	0	DSu	47.1935	68.8069	11.3	720.2	460	56853.	648	0.6	0.7	2.5	0.1	0.1	4.6	15	2.3
53188	0	0	0	0	DSu	47.1939	68.8070	11.3	720.4	446	56850.	633	0.6	1.1	3.8	1.9	0.3	6.3	15	2.4
53189	0	0	1	0	DSu	47.1942	68.8070	11.3	720.7	430	56849.	643	0.6	0.6	3.5	0.1	0.1	6.8	32	2.4
53190	0	0	1	0	DSu	47.1946	68.8071	11.4	720.9	421	56849.	646	0.7	0.7	5.4	0.1	0.1	8.5	16	2.4
53191	0	0	1	0	DSu	47.1950	68.8071	11.4	721.1	416	56850.	736	0.6	0.2	1.3	0.1	0.1	2.2	26	2.4
53193	0	0	0	0	DSu	47.1957	68.8072	11.4	721.4	417	56850.	768	0.6	1.6	4.1	2.6	0.4	6.7	26	2.4
53194	0	0	1	0	DSu	47.1961	68.8073	11.4	721.7	419	56849.	774	0.8	0.4	4.3	0.1	0.1	6.2	30	2.4
53195	0	0	0	0	DSu	47.1965	68.8073	11.5	722.0	420	56849.	731	0.7	1.4	4.1	2.1	0.4	6.0	14	2.5
53196	0	0	1	0	DSu	47.1968	68.8074	11.5	722.2	418	56849.	822	0.6	0.6	3.5	0.1	0.1	5.8	32	2.5
53197	0	0	0	0	DSu	47.1972	68.8074	11.5	722.5	413	56849.	862	0.7	1.2	6.6	1.8	0.2	10.2	13	2.5
53198	0	0	0	0	DSu	47.1976	68.8075	11.5	722.7	404	56848.	800	0.7	1.6	2.5	2.5	0.7	4.1	20	2.5
53199	0	0	0	0	DSu	47.1979	68.8075	11.5	723.0	394	56848.	783	0.6	1.1	2.6	1.9	0.5	4.5	27	2.6
53200	0	0	0	0	DSu	47.1983	68.8076	11.5	723.3	386	56847.	776	0.6	1.4	4.1	2.4	0.4	7.5	18	2.6
53201	0	0	0	0	DSu	47.1987	68.8076	11.5	723.6	379	56846.	843	0.8	1.2	4.2	1.7	0.3	5.6	32	2.7
53202	0	0	1	0	DSu	47.1991	68.8077	11.6	723.8	373	56847.	791	0.5	0.9	3.1	0.1	0.1	0.1	16	2.7
53203	0	0	1	0	DSu	47.1994	68.8077	11.6	724.1	368	56849.	744	0.6	0.3	6.2	0.1	0.1	12.2	23	2.7
53204	0	0	1	0	DSu	47.1998	68.8078	11.6	724.3	361	56851.	729	0.6	1.0	5.0	0.1	0.1	9.4	20	2.7
53205	0	0	1	0	DSu	47.2002	68.8078	11.6	724.6	354	56851.	630	0.4	0.9	4.1	0.1	0.1	0.1	21	2.8
53206	0	0	1	0	DSu	47.2006	68.8079	11.6	724.7	346	56850.	719	0.5	0.5	2.9	0.1	0.1	0.1	17	2.8
53207	0	0	1	0	DSu	47.2009	68.8079	11.6	724.9	339	56850.	649	0.5	0.9	4.8	0.1	0.1	0.1	22	2.8
53208	0	0	1	0	DSu	47.2013	68.8080	11.6	725.1	328	56850.	639	0.6	0.8	1.8	0.1	0.1	3.0	14	2.9
53209	0	0	1	0	DSu	47.2017	68.8080	11.6	725.2	317	56849.	651	0.6	0.6	4.7	0.1	0.1	8.9	17	2.9
53210	0	0	1	0	DSu	47.2020	68.8081	11.6	725.3	308	56849.	639	0.6	-0.2	2.7	0.1	0.1	5.3	27	2.9
53211	0	0	1	0	DSu	47.2024	68.8081	11.6	725.4	301	56847.	568	0.5	0.3	3.8	0.1	0.1	0.1	23	2.9
53212	0	0	1	0	DSu	47.2028	68.8082	11.6	725.5	299	56846.	570	0.5	0.2	3.4	0.1	0.1	0.1	25	2.9
53213	0	0	1	0	DSu	47.2031	68.8082	11.6	725.5	297	56846.	599	0.4	0.3	3.8	0.1	0.1	0.1	23	2.9
53214	0	0	0	0	DSu	47.2035	68.8083	11.6	725.5	297	56846.	623	0.6	1.8	4.2	3.4	0.5	7.7	24	2.9
53215	0	0	0	0	DSu	47.2039	68.8083	11.6	725.5	296	56847.	615	0.6	1.1	1.7	2.0	0.7	3.1	22	3.0
53216	0	0	0	0	DSu	47.2043	68.8083	11.6	725.5	295	56848.	671	0.5	0.8	2.5	0.1	0.4	0.1	23	3.0
53217	0	0	0	0	DSu	47.2046	68.8084	11.7	725.5	298	56849.	655	0.5	1.6	3.1	0.1	0.5	0.1	23	3.1
53218	0	0	1	0	DSu	47.2050	68.8084	11.7	725.5	305	56848.	757	0.6	0.7	5.1	0.1	0.1	8.5	31	3.2
53219	0	0	0	0	DSu	47.2054	68.8085	11.7	725.4	318	56848.	693	0.6	1.1	3.0	1.9	0.4	5.3	28	3.3
53220	0	0	1	0	DSu	47.2057	68.8085	11.7	725.3	333	56847.	772	0.6	0.4	4.3	0.1	0.1	7.2	29	3.3
53221	0	0	0	0	DSu	47.2061	68.8086	11.7	725.3	349	56845.	773	0.6	2.3	2.4	4.1	1.0	4.3	22	3.4
53222	0	0	0	0	DSu	47.2065	68.8086	11.7	725.2	367	56843.	810	0.8	1.4	2.6	1.9	0.6	3.4	18	3.5
53223	0	0	1	0	DSu	47.2068	68.8087	11.7	725.1	388	56843.	844	0.7	0.7	5.3	0.1	0.1	8.0	21	3.6
53224	0	0	0	0	DSu	47.2072	68.8087	11.7	725.0	408	56844.	935	0.9	1.8	5.1	2.1	0.4	5.9	30	3.6
53225	0	0	1	0	DSu	47.2076	68.8088	11.7	725.0	422	56847.	909	0.8	0.9	4.5	0.1	0.1	5.7	16	3.7
53226	0	0	1	0	Water	47.2080	68.8088	11.7	724.9	431	56850.	839	0.8	0.9	4.7	0.1	0.1	6.3	24	3.7
53227	0	0	0	0	Water	47.2083	68.8089	11.7	724.8	443	56850.	859	0.9	1.3	3.9	1.5	0.4	4.5	22	3.7
53228	0	0	0	0	Water	47.2087	68.8089	11.7	724.7	459	56849.	698	0.9	1.5	2.3	1.7	0.7	2.8	22	3.8
53229	0	0	1	0	Water	47.2091	68.8090	11.7	724.6	477	56847.	696	0.6	0.9	2.1	0.1	0.1	4.1	27	3.8
53230	0	0	1	0	Water	47.2094	68.8090	11.7	724.5	491	56846.	602	0.5	0.8	5.8	0.1	0.1	0.1	17	3.9

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
53231	0	0	1	0	Water	47.2098	68.8091	11.7	724.4	502	56846.	574	0.5	0.2	2.1	0.1	0.1	0.1	14	3.9
53232	0	0	1	1	Water	47.2102	68.8091	11.7	724.4	510	56848.	472	0.5	1.0	1.5	0.1	0.1	0.1	33	3.9
53233	0	0	1	0	Water	47.2106	68.8092	11.7	724.3	518	56851.	500	0.3	1.0	2.2	0.1	0.1	0.1	22	3.9
53234	0	0	1	0	Water	47.2109	68.8092	11.7	724.2	523	56851.	530	0.5	-0.3	3.8	0.1	0.1	0.1	25	3.9
53235	0	0	1	1	Water	47.2113	68.8093	11.7	724.2	528	56850.	430	0.6	0.0	0.5	0.1	0.1	0.1	20	3.9
53236	0	0	1	0	Water	47.2117	68.8093	11.7	724.1	531	56851.	501	0.3	0.2	3.5	0.1	0.1	0.1	20	3.9
53237	0	0	1	0	Water	47.2120	68.8094	11.7	724.1	534	56852.	519	0.9	1.2	2.1	0.1	0.1	2.4	24	3.9
53238	0	0	0	1	Water	47.2124	68.8094	11.7	724.1	534	56853.	495	0.5	1.4	1.0	0.1	0.1	0.1	30	3.9
53239	0	0	1	0	Water	47.2128	68.8095	11.7	724.1	535	56853.	590	0.3	0.8	2.4	0.1	0.1	0.1	25	3.9
53240	0	0	1	0	Water	47.2132	68.8095	11.7	724.0	535	56853.	659	0.7	1.1	3.2	0.1	0.1	4.9	21	4.0
53241	0	0	1	0	Water	47.2135	68.8096	11.7	724.0	536	56851.	726	0.7	0.9	2.9	0.1	0.1	4.6	20	4.0
53242	0	0	1	0	Unknon	47.2139	68.8096	11.7	724.0	535	56850.	778	0.5	0.3	5.8	0.1	0.1	0.1	22	4.0
53243	0	0	1	0	Unknon	47.2143	68.8097	11.7	724.0	533	56849.	790	1.0	0.1	3.2	0.1	0.1	3.4	20	4.0
53244	0	0	1	0	Unknon	47.2146	68.8097	11.7	724.0	531	56849.	711	0.8	-0.3	3.7	0.1	0.1	4.7	20	4.0
53245	0	0	1	0	Unknon	47.2150	68.8098	11.6	724.0	530	56849.	750	0.9	-0.1	5.2	0.1	0.1	6.2	21	4.0
53246	0	0	1	0	Unknon	47.2154	68.8098	11.6	724.0	530	56848.	765	0.8	-1.3	3.4	0.1	0.1	4.8	17	3.9

- H06 -
MAINE AERIAL SURVEY EDMUNDSTON QUADRANGLE, CARSON GEOSCIENCE INC., 1980

LINE NO. 1040

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
53659	0	0	1	0	0w	47.0002	68.4314	29.7	717.7	353	56944.	752	0.8	0.1	6.7	0.1	0.1	8.6	16	0.0
53658	0	0	1	0	0w	47.0005	68.4314	29.7	717.7	353	56947.	716	0.6	1.0	3.6	0.1	0.1	6.2	26	0.0
53657	0	0	1	0	0w	47.0009	68.4314	29.7	717.7	351	56952.	684	0.7	1.0	3.2	0.1	0.1	4.8	31	0.0
53656	0	0	1	0	0w	47.0012	68.4314	29.7	717.8	355	56957.	726	0.7	0.6	2.5	0.1	0.1	3.7	21	0.0
53655	0	0	1	0	0w	47.0016	68.4314	29.7	717.8	358	56963.	674	0.6	0.5	3.8	0.1	0.1	6.8	24	0.0
53654	0	0	0	0	0w	47.0020	68.4314	29.7	717.8	361	56965.	619	0.6	1.4	3.8	2.5	0.4	7.1	24	0.0
53653	0	0	1	0	0w	47.0023	68.4314	29.7	717.9	362	56963.	634	0.7	0.4	2.6	0.1	0.1	3.8	21	0.0
53652	0	0	1	0	0w	47.0027	68.4314	29.7	717.9	364	56956.	633	0.7	0.4	5.1	0.1	0.1	7.9	26	0.0
53651	0	0	1	0	0w	47.0031	68.4314	29.7	718.0	371	56946.	634	0.6	0.6	3.5	0.1	0.1	6.5	18	0.0
53650	0	0	0	0	0w	47.0034	68.4314	29.7	718.1	377	56937.	669	0.5	1.2	2.3	0.1	0.6	0.1	28	0.0
53649	0	0	1	0	0w	47.0038	68.4314	29.7	718.2	380	56932.	680	0.8	1.0	2.4	0.1	0.1	3.4	31	0.0
53648	0	0	0	0	0w	47.0042	68.4314	29.7	718.2	376	56930.	715	0.8	1.2	3.0	1.6	0.4	4.2	17	0.0
53647	0	0	1	0	0w	47.0045	68.4314	29.7	718.3	370	56929.	717	0.6	0.2	4.4	0.1	0.1	7.9	26	0.0
53646	0	0	1	0	0w	47.0049	68.4313	29.7	718.4	365	56928.	647	0.8	0.9	3.5	0.1	0.1	4.5	18	0.0
53645	0	0	1	0	0w	47.0052	68.4313	29.7	718.4	366	56926.	682	0.7	0.7	3.3	0.1	0.1	5.2	21	0.0
53644	0	0	1	0	0w	47.0056	68.4313	29.7	718.5	376	56923.	691	0.6	0.7	2.7	0.1	0.1	4.5	19	0.0
53643	0	0	1	0	0w	47.0060	68.4313	29.7	718.6	389	56922.	651	0.7	0.9	2.1	0.1	0.1	3.0	11	0.0
53642	0	0	0	0	0w	47.0063	68.4313	29.7	718.6	402	56921.	708	0.7	1.3	3.9	2.1	0.4	6.3	27	0.0
53641	0	0	0	0	0w	47.0067	68.4313	29.7	718.7	406	56922.	713	0.6	1.6	3.1	2.8	0.6	5.4	21	0.0
53640	0	0	1	0	0w	47.0071	68.4313	29.7	718.7	406	56924.	674	0.8	0.3	3.5	0.1	0.1	4.8	25	0.0
53639	0	0	1	0	0w	47.0074	68.4313	29.7	718.8	402	56926.	693	0.7	0.2	4.1	0.1	0.1	6.0	18	0.0
53638	0	0	1	0	0w	47.0078	68.4313	29.7	718.9	398	56925.	615	0.9	0.2	3.1	0.1	0.1	3.8	22	0.0
53637	0	0	1	0	0w	47.0081	68.4313	29.7	718.9	392	56920.	636	0.7	1.0	3.9	0.1	0.1	5.7	27	0.0
53636	0	0	1	0	0w	47.0085	68.4313	29.7	718.9	387	56915.	564	0.5	-0.4	3.4	0.1	0.1	0.1	29	0.0
53635	0	0	1	0	0w	47.0089	68.4313	29.7	719.0	384	56914.	574	0.6	-0.3	2.7	0.1	0.1	5.0	14	0.0
53634	0	0	1	0	0w	47.0092	68.4313	29.7	719.0	386	56914.	621	0.6	1.1	3.7	0.1	0.1	6.5	22	0.0
53633	0	0	1	0	0w	47.0096	68.4313	29.7	719.1	391	56912.	605	0.5	0.7	4.4	0.1	0.1	0.1	24	0.0
53632	0	0	1	0	0w	47.0100	68.4313	29.7	719.1	393	56910.	595	0.7	0.8	3.5	0.1	0.1	5.7	17	0.0
53631	0	0	1	0	0w	47.0103	68.4312	29.7	719.2	397	56910.	568	0.5	1.0	3.0	0.1	0.1	0.1	22	0.0
53630	0	0	1	0	0w	47.0107	68.4312	29.7	719.2	402	56911.	577	0.5	0.3	1.7	0.1	0.1	0.1	18	0.0
53629	0	0	1	0	0w	47.0110	68.4312	29.7	719.3	407	56913.	606	0.6	-0.3	5.3	0.1	0.1	9.9	33	0.0
53628	0	0	1	0	0w	47.0114	68.4312	29.7	719.4	413	56913.	573	0.5	0.2	2.8	0.1	0.1	0.1	14	0.0
53627	0	0	1	0	0w	47.0118	68.4312	29.7	719.4	414	56911.	539	0.6	0.0	3.7	0.1	0.1	6.9	25	0.0
53626	0	0	1	0	0w	47.0121	68.4312	29.7	719.5	416	56908.	620	0.6	-0.5	2.5	0.1	0.1	4.4	38	0.0
53625	0	0	1	0	0w	47.0125	68.4312	29.7	719.5	417	56906.	654	0.6	0.6	4.4	0.1	0.1	8.2	17	0.0
53624	0	0	0	0	0w	47.0129	68.4312	29.7	719.5	423	56907.	645	0.5	1.6	2.7	0.1	0.6	0.1	22	0.0
53623	0	0	1	0	0w	47.0132	68.4312	29.7	719.5	432	56907.	669	0.7	0.4	3.4	0.1	0.1	5.2	19	0.0
53622	0	0	1	0	0w	47.0136	68.4312	29.7	719.5	440	56904.	709	0.8	0.1	5.5	0.1	0.1	7.4	20	0.0
53621	0	0	1	0	0w	47.0140	68.4312	29.7	719.5	442	56902.	660	0.5	0.3	3.5	0.1	0.1	0.1	11	0.0
53620	0	0	0	0	0w	47.0143	68.4312	29.7	719.5	443	56903.	650	0.6	1.8	2.9	3.2	0.7	5.0	25	0.0
53619	0	0	1	0	0w	47.0147	68.4312	29.7	719.5	444	56903.	629	0.5	1.1	5.0	0.1	0.1	0.1	15	0.0
53618	0	0	1	0	0w	47.0150	68.4312	29.7	719.5	441	56900.	579	0.4	0.8	3.0	0.1	0.1	0.1	13	0.0
53617	0	0	1	0	0w	47.0154	68.4311	29.7	719.5	430	56898.	587	0.4	0.5	2.9	0.1	0.1	0.1	24	0.0
53616	0	0	1	0	0w	47.0158	68.4311	29.7	719.5	411	56894.	530	0.4	1.1	2.4	0.1	0.1	0.1	21	0.0
53615	0	0	1	0	0w	47.0161	68.4311	29.7	719.4	397	56892.	544	0.4	0.4	3.5	0.1	0.1	0.1	25	0.0
53614	0	0	0	0	0w	47.0165	68.4311	29.7	719.4	386	56891.	524	0.4	1.4	2.5	0.1	0.6	0.1	26	0.0
53613	0	0	0	0	0w	47.0169	68.4311	29.7	719.4	380	56887.	547	0.5	1.4	2.3	0.1	0.6	0.1	20	0.0
53612	0	0	0	0	0w	47.0172	68.4311	29.7	719.4	376	56881.	621	0.6	1.1	4.2	1.9	0.3	7.2	15	0.0
53611	0	0	0	0	0w	47.0176	68.4311	29.7	719.5	374	56878.	582	0.6	1.0	2.2	1.8	0.5	4.0	22	0.0
53610	0	0	1	0	0w	47.0179	68.4311	29.8	719.9	369	56877.	598	0.5	0.9	1.6	0.1	0.1	0.1	27	0.0

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
53609	0	0	0	0	0W	47.0183	68.4311	29.8	719.9	370	56874.	590	0.6	1.2	3.0	2.2	0.4	5.6	23	0.0
53608	0	0	1	0	0W	47.0187	68.4311	29.8	719.9	370	56868.	593	0.5	0.9	3.0	0.1	0.1	0.1	20	0.0
53607	0	0	0	0	0W	47.0190	68.4311	29.8	719.9	374	56866.	633	0.6	1.4	3.3	2.6	0.5	6.0	28	0.0
53606	0	0	1	0	0W	47.0194	68.4311	29.8	719.9	377	56865.	623	0.7	0.1	2.6	0.1	0.1	3.6	24	0.0
53605	0	0	1	0	0W	47.0198	68.4311	29.8	719.9	381	56863.	639	0.7	-0.1	3.8	0.1	0.1	5.5	30	0.0
53603	0	0	1	0	0W	47.0205	68.4311	29.8	719.9	383	56861.	573	0.6	0.5	3.2	0.1	0.1	5.8	36	0.0
53602	0	0	1	0	0W	47.0209	68.4310	29.8	719.9	388	56859.	620	0.8	0.2	5.3	0.1	0.1	7.0	21	0.0
53601	0	0	1	0	0W	47.0212	68.4310	29.8	720.0	392	56858.	573	0.5	-0.3	2.9	0.1	0.1	0.1	20	0.0
53600	0	0	1	0	0W	47.0216	68.4310	29.8	720.0	406	56856.	582	0.6	0.0	2.6	0.1	0.1	4.8	24	0.0
53599	0	0	1	0	0W	47.0219	68.4310	29.8	720.0	419	56855.	667	0.7	0.2	4.6	0.1	0.1	7.3	23	0.0
53598	0	0	1	0	0W	47.0223	68.4310	29.8	720.1	432	56854.	678	0.8	0.5	2.3	0.1	0.1	3.3	17	0.0
53597	0	0	1	0	0W	47.0227	68.4310	29.8	720.1	435	56853.	668	0.8	0.3	3.8	0.1	0.1	5.3	30	0.0
53596	0	0	1	0	0W	47.0230	68.4310	29.8	720.1	434	56852.	693	0.7	0.9	4.0	0.1	0.1	5.8	25	0.0
53595	0	0	1	0	0W	47.0234	68.4310	29.8	720.2	434	56852.	641	0.6	0.1	4.3	0.1	0.1	7.2	29	0.0
53594	0	0	1	0	0W	47.0238	68.4310	29.8	720.2	434	56850.	728	0.6	0.7	3.2	0.1	0.1	5.9	31	0.0
53593	0	0	1	0	0W	47.0241	68.4310	29.8	720.3	436	56849.	673	0.5	1.1	2.7	0.1	0.1	0.1	21	0.0
53592	0	0	0	0	0W	47.0245	68.4310	29.8	720.4	439	56850.	667	0.7	1.4	4.2	2.2	0.4	6.5	37	0.0
53591	0	0	1	0	0W	47.0248	68.4310	29.8	720.5	443	56850.	631	0.6	0.2	3.7	0.1	0.1	6.3	20	0.0
53590	0	0	0	0	0W	47.0252	68.4310	29.8	720.6	445	56849.	636	0.6	1.6	3.9	2.8	0.5	7.0	20	0.0
53589	0	0	1	0	0W	47.0256	68.4310	29.8	720.6	446	56848.	704	0.6	1.0	4.4	0.1	0.1	7.5	15	0.0
53588	0	0	0	0	0W	47.0259	68.4310	29.8	720.7	446	56848.	705	0.6	2.3	3.1	4.2	0.8	5.7	12	0.0
53587	0	0	1	0	0W	47.0263	68.4309	29.8	720.7	446	56849.	722	0.5	0.9	2.8	0.1	0.1	0.1	16	0.0
53586	0	0	1	0	0W	47.0267	68.4309	29.8	720.8	444	56848.	699	0.9	-0.1	4.3	0.1	0.1	5.2	28	0.0
53585	0	0	1	0	0W	47.0270	68.4309	29.8	720.8	439	56847.	693	0.6	1.0	5.0	0.1	0.1	9.7	17	0.0
53584	0	0	1	0	0W	47.0274	68.4309	29.8	720.9	428	56846.	733	0.6	1.2	3.5	0.1	0.1	5.8	22	0.0
53583	0	0	0	0	0W	47.0277	68.4309	29.8	721.0	417	56846.	749	0.6	2.1	5.4	3.5	0.4	9.3	19	0.0
53582	0	0	1	0	0W	47.0281	68.4309	29.8	721.0	407	56845.	737	0.7	0.9	2.2	0.1	0.1	3.2	21	0.0
53581	0	0	1	0	0W	47.0285	68.4309	29.8	721.1	404	56843.	776	0.8	1.2	3.2	0.1	0.1	4.2	20	0.0
53580	0	0	0	0	0W	47.0288	68.4309	29.8	721.1	404	56843.	738	0.5	2.1	4.4	0.1	0.5	0.1	18	0.0
53579	0	0	1	0	0W	47.0292	68.4309	29.8	721.1	405	56844.	745	1.0	0.7	3.8	0.1	0.1	4.1	27	0.0
53578	0	0	0	0	0W	47.0296	68.4309	29.8	721.1	406	56846.	743	0.6	1.7	4.0	3.3	0.5	7.7	21	0.0
53577	0	0	0	0	0W	47.0299	68.4309	29.8	721.1	406	56850.	798	0.9	2.1	3.3	2.4	0.7	3.8	19	0.0
53576	0	0	1	0	0W	47.0303	68.4309	29.8	721.1	407	56852.	774	0.7	1.2	3.9	0.1	0.1	5.8	22	0.0
53575	0	0	1	0	0W	47.0307	68.4309	29.8	721.0	409	56851.	766	0.8	1.2	3.4	0.1	0.1	4.6	20	0.0
53574	0	0	0	0	0W	47.0310	68.4309	29.8	721.0	410	56850.	806	0.8	1.3	4.1	1.8	0.4	5.5	29	0.0
53573	0	0	1	0	0W	47.0314	68.4308	29.8	721.0	412	56849.	892	0.8	1.0	5.5	0.1	0.1	7.5	27	0.0
53572	0	0	1	0	0W	47.0317	68.4308	29.8	721.0	412	56849.	809	0.9	0.2	4.6	0.1	0.1	5.2	29	0.0
53571	0	0	1	0	0W	47.0321	68.4308	29.8	721.0	411	56848.	817	0.7	1.0	4.1	0.1	0.1	6.5	23	0.0
53570	0	0	0	0	0W	47.0325	68.4308	29.8	720.9	409	56848.	782	0.7	2.5	5.0	3.7	0.6	7.3	26	0.0
53569	0	0	1	0	0W	47.0328	68.4308	29.8	720.9	407	56848.	788	0.6	0.7	4.9	0.1	0.1	8.6	29	0.0
53568	0	0	0	0	0W	47.0332	68.4308	29.8	720.9	403	56846.	859	0.6	1.5	5.3	2.6	0.3	9.5	26	0.0
53567	0	0	0	0	0W	47.0336	68.4308	29.8	720.9	399	56844.	865	0.7	2.2	4.9	3.2	0.5	7.2	17	0.0
53566	0	0	1	0	0W	47.0339	68.4308	29.8	720.9	395	56842.	906	1.0	1.0	4.6	0.1	0.1	5.0	18	0.0
53565	0	0	0	0	0W	47.0343	68.4308	29.8	721.0	391	56841.	850	0.8	1.4	4.6	1.8	0.3	5.9	23	0.0
53564	0	0	1	0	0W	47.0346	68.4308	29.8	721.0	387	56842.	840	1.0	0.5	3.7	0.1	0.1	4.1	17	0.0
53563	0	0	1	0	0W	47.0350	68.4308	29.8	721.1	385	56842.	874	0.8	0.8	6.0	0.1	0.1	7.6	15	0.0
53562	0	0	1	0	0W	47.0354	68.4308	29.8	721.1	384	56842.	741	0.8	0.3	2.7	0.1	0.1	3.6	22	0.0
53561	0	0	0	0	0W	47.0357	68.4308	29.8	721.2	386	56842.	776	0.7	1.8	4.6	2.7	0.4	7.0	27	0.0
53560	0	0	1	0	0W	47.0361	68.4308	29.8	721.2	392	56845.	738	0.8	0.3	3.1	0.1	0.1	4.1	27	0.0
53559	0	0	1	0	0W	47.0365	68.4308	29.8	721.3	401	56844.	742	1.1	0.5	3.1	0.1	0.1	2.9	20	0.0

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

- J06 -
 MAINE AERIAL SURVEY EDMUNDSTON QUADRANGLE, CARSON GEOSCIENCE INC., 1980

LINE NO. 1040

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI	
												CPS	X	PPM	PPM					CPS	CPS
53558	0	0	1	0	OW	47.0368	68.4307	29.8	721.4	410	56843.	726	0.7	0.8	3.5	0.1	0.1	5.1	20	0.0	
53557	0	0	0	0	OW	47.0372	68.4307	29.8	721.4	415	56844.	820	0.9	1.4	4.1	1.7	0.4	5.0	24	0.0	
53556	0	0	0	0	OW	47.0375	68.4307	29.8	721.5	414	56844.	763	0.7	1.3	2.6	1.9	0.5	3.9	24	0.0	
53555	0	0	1	0	OW	47.0379	68.4307	29.8	721.5	412	56843.	795	1.1	-0.1	3.8	0.1	0.1	3.7	28	0.0	
53554	0	0	1	0	OW	47.0383	68.4307	29.8	721.6	409	56843.	816	1.2	0.0	4.6	0.1	0.1	4.1	19	0.0	
53553	0	0	1	0	OW	47.0386	68.4307	29.7	722.6	401	56842.	604	0.6	0.7	3.8	0.1	0.1	7.2	27	0.0	
53552	0	0	1	0	OW	47.0390	68.4307	29.7	722.6	401	56843.	684	0.7	0.8	3.0	0.1	0.1	4.7	22	0.0	
53551	0	0	1	0	OW	47.0394	68.4307	29.7	722.6	399	56844.	596	0.6	0.3	3.6	0.1	0.1	7.1	32	0.0	
53550	0	0	1	0	OW	47.0397	68.4307	29.7	722.6	404	56842.	504	0.6	1.1	3.0	0.1	0.1	5.3	29	0.0	
53549	0	0	1	0	OW	47.0401	68.4307	29.7	722.6	406	56840.	343	0.4	-0.8	1.6	0.1	0.1	0.1	26	0.0	
53548	0	0	1	1	OW	47.0405	68.4307	29.7	722.7	406	56839.	204	0.4	0.4	1.0	0.1	0.1	0.1	21	0.0	
53547	0	1	1	1	Water	47.0409	68.4307	29.7	722.7	395	56837.	90	0.1	0.3	0.3	0.1	0.1	0.1	12	0.0	
53546	0	1	1	1	Water	47.0413	68.4307	29.7	722.7	385	56836.	43	0.1	-0.3	0.8	0.1	0.1	0.1	20	0.0	
53545	0	1	1	1	Water	47.0417	68.4306	29.7	722.7	377	56837.	-9	0.1	-0.5	0.9	0.1	0.1	0.1	18	0.0	
53544	0	1	1	1	Water	47.0421	68.4306	29.7	722.7	372	56838.	-33	0.0	-0.3	0.5	0.1	0.1	0.1	34	0.0	
53543	0	1	1	1	Water	47.0425	68.4306	29.7	722.7	370	56839.	-44	0.1	0.0	-0.4	0.1	0.1	0.1	22	0.0	
53542	0	1	1	1	Water	47.0429	68.4306	29.7	722.7	371	56840.	-23	0.1	-0.1	0.1	0.1	0.1	0.1	19	0.0	
53541	0	1	1	1	Water	47.0433	68.4306	29.7	722.7	375	56841.	-33	0.1	-0.1	-0.2	0.1	0.1	0.1	31	0.0	
53540	0	1	1	1	Water	47.0437	68.4306	29.7	722.7	380	56840.	-40	0.0	0.1	-0.5	0.1	0.1	0.1	23	0.0	
53539	0	1	1	1	Water	47.0441	68.4306	29.7	722.7	386	56840.	-45	0.0	0.3	0.6	0.1	0.1	0.1	17	0.0	
53538	0	1	1	1	Water	47.0445	68.4306	29.7	722.7	392	56841.	-28	0.0	0.1	-0.1	0.1	0.1	0.1	23	0.0	
53537	0	1	1	1	Water	47.0449	68.4305	29.7	722.6	398	56840.	-3	0.1	-0.5	0.1	0.1	0.1	0.1	22	0.0	
53536	0	1	1	0	Water	47.0453	68.4305	29.7	722.6	403	56839.	61	0.1	0.1	1.3	0.1	0.1	0.1	27	0.0	
53535	0	1	1	1	Water	47.0457	68.4305	29.7	722.5	407	56838.	98	0.0	-0.5	1.0	0.1	0.1	0.1	23	0.0	
53534	0	0	1	0	Water	47.0461	68.4305	29.7	722.4	410	56836.	219	0.2	0.0	1.7	0.1	0.1	0.1	22	0.0	
53533	0	0	1	0	Water	47.0465	68.4305	29.7	722.4	407	56836.	374	0.4	1.0	1.9	0.1	0.1	0.1	21	0.0	
53532	0	0	0	0	Water	47.0469	68.4305	29.7	722.2	401	56837.	595	0.4	1.4	3.9	0.1	0.4	0.1	29	0.0	
53531	0	0	0	0	Water	47.0473	68.4305	29.7	722.1	396	56839.	638	0.5	1.3	3.9	0.1	0.4	0.1	23	0.0	
53530	0	0	0	0	Du	47.0477	68.4305	29.7	722.0	396	56842.	762	0.8	1.3	5.0	1.6	0.3	6.6	21	0.0	
53529	0	0	1	0	Du	47.0481	68.4305	29.7	721.9	398	56843.	807	0.7	0.3	3.0	0.1	0.1	4.4	15	0.0	
53528	0	0	0	0	Du	47.0485	68.4304	29.7	721.8	399	56840.	800	0.9	1.8	3.3	2.2	0.6	3.9	21	0.0	
53527	0	0	1	0	Du	47.0488	68.4304	29.7	721.7	399	56840.	697	0.7	0.7	4.3	0.1	0.1	7.0	28	0.0	
53526	0	0	1	0	Du	47.0492	68.4304	29.7	721.6	401	56841.	746	0.6	0.1	5.0	0.1	0.1	8.6	21	0.0	
53525	0	0	1	0	Du	47.0496	68.4304	29.7	721.5	403	56842.	706	0.9	0.9	4.1	0.1	0.1	5.0	29	0.0	
53524	0	0	0	0	Du	47.0500	68.4304	29.7	721.5	409	56843.	674	0.5	2.1	4.6	0.1	0.5	0.1	27	0.0	
53523	0	0	1	0	Du	47.0504	68.4304	29.7	721.4	419	56843.	750	0.6	0.8	2.6	0.1	0.1	4.8	19	0.0	
53522	0	0	0	0	Du	47.0508	68.4304	29.7	721.4	427	56842.	834	0.9	1.8	4.1	2.1	0.5	4.7	24	0.0	
53521	0	0	0	0	Du	47.0513	68.4304	29.7	721.4	431	56841.	800	0.6	1.8	5.0	2.9	0.4	8.3	22	0.0	
53520	0	0	0	0	Du	47.0516	68.4303	29.7	721.3	428	56841.	805	0.7	1.9	3.9	2.9	0.5	6.0	19	0.0	
53519	0	0	0	0	Du	47.0520	68.4303	29.7	721.3	423	56841.	783	0.8	2.1	4.0	2.9	0.6	5.6	17	0.0	
53518	0	0	1	0	Du	47.0524	68.4303	29.7	721.4	415	56843.	793	1.0	-1.4	6.0	0.1	0.1	6.3	23	0.0	
53517	0	0	1	0	Du	47.0528	68.4303	29.7	721.4	404	56842.	688	0.5	0.5	5.1	0.1	0.1	0.1	23	0.0	
53516	0	0	0	0	Du	47.0532	68.4303	29.7	721.5	402	56842.	687	0.7	1.8	4.9	2.8	0.4	7.7	22	0.0	
53515	0	0	1	0	Du	47.0536	68.4303	29.7	721.6	404	56841.	716	0.7	-0.5	4.3	0.1	0.1	6.4	28	0.0	
53514	0	0	0	0	Du	47.0541	68.4303	29.7	721.6	408	56840.	663	0.5	1.5	2.5	0.1	0.6	0.1	23	0.0	
53513	U	U	1	U	Du	47.0544	68.4303	29.7	721.7	397	56836.	596	0.5	0.5	3.1	0.1	0.1	0.1	23	0.0	
53512	0	0	1	0	Du	47.0548	68.4302	29.7	721.7	384	56838.	636	0.7	0.6	3.0	0.1	0.1	4.7	21	0.0	
53511	0	0	0	0	Du	47.0552	68.4302	29.7	721.8	377	56839.	625	0.6	1.2	4.4	2.1	0.3	7.7	23	0.0	
53510	0	0	0	0	Du	47.0556	68.4302	29.7	721.8	377	56841.	620	0.6	1.3	3.2	2.2	0.5	5.3	27	0.0	
53509	0	0	1	0	Du	47.0560	68.4302	29.7	721.8	382	56842.	711	0.6	0.7	3.1	0.1	0.1	5.9	22	0.0	

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

MAINE AERIAL SURVEY EDMUNDSTON QUADRANGLE, CARSON GEOSCIENCE INC., 1980

- K06 -

LINE NO. 1040

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
53507	0	0	0	0	Du	47.0569	68.4302	29.7	721.9	382	56844.	714	0.7	2.7	3.3	4.3	0.9	5.3	16	0.0
53506	0	0	1	0	Du	47.0572	68.4302	29.7	721.9	385	56845.	737	0.6	0.6	3.0	0.1	0.1	5.0	35	0.0
53505	0	0	0	0	Du	47.0576	68.4302	29.7	721.9	388	56845.	709	0.8	1.2	3.6	1.6	0.4	5.0	26	0.0
53504	0	0	1	0	Du	47.0580	68.4301	29.7	721.9	393	56844.	712	0.5	0.4	4.1	0.1	0.1	0.1	23	0.0
53503	0	0	0	0	Du	47.0584	68.4301	29.7	721.9	396	56844.	731	0.7	1.4	2.8	2.2	0.6	4.2	31	0.0
53502	0	0	0	0	Du	47.0588	68.4301	29.7	721.9	394	56843.	727	0.6	1.4	4.0	2.3	0.4	6.7	27	0.0
53501	0	0	1	0	Du	47.0592	68.4301	29.7	721.9	392	56841.	648	0.8	0.8	3.6	0.1	0.1	4.6	21	0.0
53500	0	0	1	0	Du	47.0597	68.4301	29.7	721.9	387	56841.	649	0.6	0.7	3.3	0.1	0.1	5.7	21	0.0
53499	0	0	1	0	Du	47.0600	68.4301	29.7	721.9	384	56842.	654	0.7	0.7	2.8	0.1	0.1	4.5	28	0.0
53498	0	0	1	0	Du	47.0604	68.4301	29.7	721.9	374	56841.	625	0.6	-0.1	4.8	0.1	0.1	7.9	29	0.0
53497	0	0	1	0	Du	47.0608	68.4301	29.7	721.9	365	56840.	625	0.4	-0.6	3.3	0.1	0.1	0.1	22	0.0
53496	0	0	0	0	Du	47.0612	68.4300	29.7	722.1	356	56842.	603	0.6	1.5	4.0	2.9	0.4	7.8	22	0.0
53495	0	0	1	0	Du	47.0616	68.4300	29.7	722.1	356	56842.	613	0.6	0.7	2.6	0.1	0.1	4.8	19	0.0
53494	0	0	1	0	Du	47.0620	68.4300	29.7	722.1	356	56841.	588	0.5	0.4	2.8	0.1	0.1	0.1	21	0.0
53493	0	0	1	0	Du	47.0625	68.4300	29.7	722.1	355	56841.	604	0.6	0.7	2.8	0.1	0.1	5.3	22	0.0
53492	0	0	0	0	Du	47.0628	68.4300	29.7	722.1	351	56842.	580	0.6	1.0	1.9	2.0	0.6	3.7	25	0.0
53491	0	0	1	0	Du	47.0632	68.4300	29.7	722.1	344	56840.	592	0.6	0.5	2.8	0.1	0.1	4.9	18	0.0
53490	0	0	1	0	Du	47.0636	68.4300	29.7	722.1	338	56838.	605	0.5	0.6	3.3	0.1	0.1	0.1	26	0.0
53489	0	0	0	0	Du	47.0640	68.4300	29.7	722.1	334	56838.	582	0.5	1.9	1.5	0.1	1.3	0.1	25	0.0
53488	0	0	0	0	Du	47.0644	68.4299	29.7	722.1	330	56838.	568	0.6	1.5	1.2	2.5	1.2	2.1	25	0.0
53487	0	0	1	0	Du	47.0648	68.4299	29.7	722.1	328	56837.	649	0.6	1.0	4.7	0.1	0.1	8.1	24	0.0
53486	0	0	1	0	Du	47.0653	68.4299	29.7	722.1	326	56838.	619	0.6	0.6	2.8	0.1	0.1	5.0	19	0.0
53485	0	0	1	0	Du	47.0656	68.4299	29.7	722.1	328	56838.	574	0.6	0.9	2.1	0.1	0.1	3.9	24	0.0
53484	0	0	1	0	Du	47.0660	68.4299	29.7	722.1	333	56839.	623	0.6	0.6	4.2	0.1	0.1	8.3	20	0.0
53483	0	0	1	0	Du	47.0664	68.4299	29.7	722.1	345	56840.	622	0.4	0.9	3.7	0.1	0.1	0.1	21	0.0
53482	0	0	1	0	Du	47.0668	68.4299	29.7	722.1	349	56840.	598	0.5	0.4	2.0	0.1	0.1	0.1	21	0.0
53481	0	0	1	0	Du	47.0672	68.4299	29.7	722.1	352	56838.	662	0.7	0.8	2.7	0.1	0.1	4.1	18	0.0
53480	0	0	1	0	Du	47.0676	68.4298	29.7	722.1	356	56839.	690	0.6	0.4	3.6	0.1	0.1	6.1	29	0.2
53479	0	0	1	0	Du	47.0681	68.4298	29.7	722.1	376	56841.	681	0.8	0.5	3.8	0.1	0.1	5.2	21	0.5
53478	0	0	1	0	Du	47.0684	68.4298	29.7	722.0	393	56841.	743	0.8	0.2	3.6	0.1	0.1	4.8	22	0.7
53477	0	0	1	0	Du	47.0688	68.4298	29.7	722.0	403	56842.	776	1.0	0.2	4.8	0.1	0.1	5.1	17	0.9
53476	0	0	1	0	Du	47.0692	68.4298	29.7	722.0	403	56840.	828	0.9	0.9	4.6	0.1	0.1	5.7	20	1.2
53475	0	0	1	0	Du	47.0696	68.4298	29.7	721.9	401	56839.	773	0.6	-0.5	6.2	0.1	0.1	10.8	30	1.4
53474	0	0	0	0	Du	47.0700	68.4298	29.7	721.9	399	56840.	736	0.5	1.6	5.0	0.1	0.4	0.1	21	1.6
53473	0	0	1	0	Du	47.0704	68.4298	29.7	721.9	396	56838.	783	0.7	0.5	3.6	0.1	0.1	5.3	26	1.7
53472	0	0	0	0	Du	47.0709	68.4297	29.7	721.9	393	56838.	782	0.9	1.5	2.7	1.8	0.6	3.3	21	1.9
53471	0	0	1	0	Du	47.0712	68.4297	29.7	721.8	386	56842.	735	0.6	0.2	2.5	0.1	0.1	4.3	19	2.1
53470	0	0	0	0	Du	47.0716	68.4297	29.7	721.8	380	56843.	791	0.9	1.2	4.5	1.5	0.3	5.5	27	2.1
53469	0	0	1	0	Du	47.0720	68.4297	29.7	721.7	372	56843.	674	0.6	-0.3	4.8	0.1	0.1	8.6	18	2.0
53468	0	0	1	0	Water	47.0724	68.4297	29.7	721.6	370	56842.	661	0.8	0.3	2.6	0.1	0.1	3.4	17	2.0
53467	0	0	1	0	Water	47.0728	68.4297	29.7	721.6	371	56841.	756	0.9	0.7	4.5	0.1	0.1	5.0	29	2.0
53466	0	0	1	0	Water	47.0732	68.4297	29.7	721.5	374	56841.	761	0.6	0.7	5.4	0.1	0.1	10.5	22	2.0
53465	0	0	1	0	Water	47.0736	68.4297	29.7	721.5	378	56842.	696	0.8	-0.1	3.3	0.1	0.1	4.4	26	2.0
53464	0	0	1	0	Water	47.0739	68.4297	29.7	721.4	382	56840.	682	0.7	0.4	3.4	0.1	0.1	5.3	21	2.0
53463	0	0	1	0	Water	47.0743	68.4297	29.7	721.4	389	56839.	608	0.5	0.7	3.6	0.1	0.1	0.1	24	2.0
53462	0	0	1	0	Du	47.0747	68.4297	29.7	721.3	400	56839.	626	0.7	-0.2	4.4	0.1	0.1	6.7	29	2.0
53461	0	0	1	0	Du	47.0750	68.4297	29.7	721.2	405	56840.	612	0.7	0.1	3.2	0.1	0.1	4.9	14	2.0
53460	0	0	1	0	Du	47.0754	68.4297	29.7	721.2	409	56842.	689	0.8	0.5	4.6	0.1	0.1	6.1	22	1.9
53459	0	0	0	0	Du	47.0757	68.4297	29.7	721.1	408	56842.	741	0.7	1.7	3.5	2.5	0.5	5.3	17	1.9
53458	0	0	1	0	Du	47.0761	68.4297	29.7	721.0	410	56842.	666	0.6	0.3	2.1	0.1	0.1	3.8	24	1.8

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
53457	0	0	1	0	DU	47.0765	68.4297	29.7	721.0	410	56842.	722	0.9	0.4	3.6	0.1	0.1	4.3	26	1.8
53456	0	0	1	0	DU	47.0768	68.4297	29.7	721.0	408	56841.	724	0.8	-0.2	3.0	0.1	0.1	3.7	26	1.7
53455	0	0	1	0	DU	47.0772	68.4297	29.7	720.9	408	56841.	699	0.7	-0.1	4.3	0.1	0.1	6.9	23	1.7
53454	0	0	1	0	DU	47.0776	68.4297	29.7	720.9	406	56843.	770	0.9	0.5	6.0	0.1	0.1	7.2	22	1.7
53453	0	0	1	0	DU	47.0779	68.4297	29.7	720.8	404	56843.	794	0.6	0.7	3.6	0.1	0.1	6.8	22	1.6
53452	0	0	1	0	DU	47.0783	68.4297	29.7	720.8	399	56842.	842	0.9	0.5	2.8	0.1	0.1	3.3	22	1.6
53451	0	0	0	0	DU	47.0787	68.4297	29.7	720.8	399	56841.	842	0.7	2.1	5.9	3.0	0.4	8.6	22	1.5
53450	0	0	1	0	DU	47.0790	68.4297	29.7	720.8	404	56841.	836	0.8	0.1	3.1	0.1	0.1	4.3	18	1.5
53449	0	0	1	0	DU	47.0794	68.4298	29.7	720.8	409	56843.	880	0.9	0.1	5.5	0.1	0.1	6.6	17	1.5
53448	0	0	0	0	DU	47.0798	68.4298	29.7	720.8	413	56845.	917	1.0	2.0	4.2	2.1	0.5	4.6	20	1.5
53447	0	0	1	0	DU	47.0801	68.4298	29.7	720.8	405	56845.	883	0.9	0.0	4.6	0.1	0.1	5.4	22	1.4
53446	0	0	1	0	DU	47.0805	68.4298	29.7	720.8	395	56843.	854	0.8	0.3	5.8	0.1	0.1	7.4	21	1.4
53445	0	0	1	0	DU	47.0808	68.4298	29.7	720.8	381	56843.	804	0.8	1.1	5.1	0.1	0.1	6.5	26	1.4
53444	0	0	1	0	DU	47.0812	68.4298	29.7	720.8	374	56841.	795	0.9	0.4	3.5	0.1	0.1	4.4	32	1.4
53443	0	0	1	0	DU	47.0816	68.4298	29.7	720.8	369	56841.	786	1.0	0.4	3.8	0.1	0.1	3.9	23	1.3
53442	0	0	1	0	DU	47.0819	68.4298	29.7	720.9	363	56842.	913	0.8	0.0	5.0	0.1	0.1	6.8	18	1.3
53441	0	0	1	0	DU	47.0823	68.4298	29.7	720.9	357	56844.	888	0.9	1.0	4.0	0.1	0.1	4.8	21	1.3
53440	0	0	0	0	DU	47.0826	68.4298	29.5	721.4	351	56842.	903	0.9	1.2	4.5	1.4	0.3	5.3	17	1.2
53439	0	0	1	0	DU	47.0830	68.4298	29.5	721.4	349	56841.	861	0.8	1.1	4.2	0.1	0.1	5.3	14	1.2
53438	0	0	0	0	DU	47.0834	68.4298	29.5	721.4	344	56839.	883	0.9	1.5	5.0	1.6	0.3	5.6	30	1.1
53437	0	0	1	0	DU	47.0837	68.4298	29.5	721.4	334	56838.	857	0.8	0.7	4.6	0.1	0.1	6.0	29	1.1
53436	0	0	1	0	DU	47.0841	68.4298	29.5	721.4	327	56839.	903	0.9	1.0	4.6	0.1	0.1	5.4	20	1.0
53435	0	0	1	0	DU	47.0845	68.4298	29.5	721.4	327	56844.	897	0.9	0.1	3.6	0.1	0.1	4.1	26	1.0
53434	0	0	1	0	DU	47.0848	68.4298	29.5	721.4	332	56848.	864	1.0	1.1	4.8	0.1	0.1	5.2	24	1.0
53433	0	0	1	0	DU	47.0852	68.4298	29.5	721.4	335	56847.	900	1.0	0.9	4.8	0.1	0.1	5.1	28	0.9
53432	0	0	1	0	DU	47.0856	68.4298	29.5	721.4	337	56843.	903	0.8	1.0	5.4	0.1	0.1	7.3	28	0.8
53431	0	0	0	0	DU	47.0859	68.4298	29.5	721.5	339	56841.	913	0.7	1.3	4.0	1.9	0.4	6.0	26	0.8
53430	0	0	1	0	DU	47.0863	68.4298	29.5	721.5	348	56841.	947	0.9	0.6	3.9	0.1	0.1	4.5	26	0.7
53429	0	0	1	0	DU	47.0866	68.4298	29.5	721.5	364	56845.	928	0.9	0.9	5.9	0.1	0.1	6.5	24	0.6
53428	0	0	1	0	DU	47.0870	68.4298	29.5	721.5	381	56846.	891	0.7	0.9	6.3	0.1	0.1	9.1	17	0.5
53427	0	0	1	0	DU	47.0874	68.4298	29.5	721.5	396	56845.	901	1.1	0.9	4.5	0.1	0.1	4.3	21	0.4
53426	0	0	0	0	DU	47.0877	68.4298	29.5	721.5	404	56843.	899	0.8	1.5	5.8	2.1	0.3	8.2	21	0.3
53425	0	0	0	0	DU	47.0881	68.4298	29.5	721.6	410	56839.	816	0.9	1.4	5.0	1.6	0.3	6.0	18	0.3
53424	0	0	1	0	DU	47.0885	68.4298	29.5	721.6	416	56837.	803	0.7	0.6	3.5	0.1	0.1	5.2	27	0.2
53423	0	0	1	0	DU	47.0888	68.4299	29.5	721.6	421	56839.	799	0.9	0.8	3.5	0.1	0.1	3.9	21	0.1
53422	0	0	0	0	DU	47.0892	68.4299	29.5	721.6	427	56842.	842	0.8	1.6	3.3	2.1	0.5	4.3	25	0.0
53421	0	0	0	0	DU	47.0896	68.4299	29.5	721.6	432	56844.	736	0.6	2.0	4.0	3.5	0.5	7.2	18	0.0
53420	0	0	0	0	DU	47.0899	68.4299	29.5	721.6	437	56845.	793	0.8	1.7	4.6	2.1	0.4	5.8	27	0.0
53419	0	0	1	0	DU	47.0903	68.4299	29.5	721.6	439	56845.	781	0.8	1.1	4.2	0.1	0.1	5.4	21	0.0
53418	0	0	1	0	DU	47.0906	68.4299	29.5	721.5	440	56845.	848	1.2	0.8	3.0	0.1	0.1	2.7	24	0.0
53417	0	0	1	0	DU	47.0910	68.4299	29.5	721.5	435	56847.	783	0.9	0.4	6.4	0.1	0.1	7.9	23	0.0
53416	0	0	1	0	DU	47.0914	68.4299	29.5	721.5	425	56847.	732	0.8	-0.3	2.3	0.1	0.1	3.1	18	0.0
53415	0	0	1	0	DU	47.0917	68.4299	29.5	721.5	417	56847.	703	0.7	0.8	3.2	0.1	0.1	4.7	28	0.0
53414	0	0	1	0	DU	47.0921	68.4299	29.5	721.5	414	56846.	655	0.6	0.6	3.1	0.1	0.1	5.4	25	0.0
53412	0	0	1	0	DU	47.0928	68.4299	29.5	721.5	416	56843.	708	0.7	0.4	2.4	0.1	0.1	3.6	22	0.0
53411	0	0	1	0	DU	47.0932	68.4299	29.5	721.5	413	56839.	641	0.6	0.5	3.8	0.1	0.1	7.0	10	0.0
53410	0	0	1	0	DU	47.0935	68.4299	29.5	721.5	411	56838.	692	0.7	-0.2	4.0	0.1	0.1	5.8	27	0.0
53409	0	0	0	0	DU	47.0939	68.4299	29.5	721.5	408	56841.	706	0.7	1.3	2.9	2.0	0.5	4.3	27	0.0
53408	0	0	0	0	DU	47.0943	68.4299	29.5	721.5	408	56843.	709	0.8	1.2	3.4	1.7	0.4	4.8	13	0.0
53407	0	0	1	0	DU	47.0946	68.4299	29.5	721.5	407	56845.	629	0.7	0.4	2.3	0.1	0.1	3.3	28	0.0

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	bi
												CPS	%	PPM	PPM				CPS	CPS
53406	0	0	1	0	DU	47.0950	68.4299	29.5	721.5	407	56849.	659	0.7	0.8	3.3	0.1	0.1	4.8	21	0.0
53405	0	0	1	0	DU	47.0954	68.4299	29.5	721.5	409	56851.	651	0.7	-0.3	3.4	0.1	0.1	5.4	26	0.0
53404	0	0	1	0	DU	47.0957	68.4299	29.5	721.5	408	56850.	593	0.5	0.6	3.8	0.1	0.1	0.1	19	0.0
53403	0	0	1	0	DU	47.0961	68.4299	29.5	721.5	406	56848.	657	0.7	0.9	3.6	0.1	0.1	5.4	24	0.0
53402	0	0	1	0	DU	47.0964	68.4299	29.5	721.5	399	56846.	651	0.7	-0.4	3.1	0.1	0.1	4.7	28	0.0
53401	0	0	1	0	DU	47.0968	68.4299	29.5	721.5	395	56846.	680	0.9	0.2	4.8	0.1	0.1	5.8	24	0.0
53400	0	0	1	0	DU	47.0972	68.4299	29.5	721.5	388	56848.	698	0.9	-0.2	4.5	0.1	0.1	5.4	29	0.0
53399	0	0	0	0	DU	47.0975	68.4299	29.5	721.4	388	56847.	710	0.5	1.6	4.6	0.1	0.4	0.1	26	0.0
53398	0	0	0	0	DU	47.0979	68.4299	29.5	721.4	389	56847.	707	0.7	1.8	3.2	2.8	0.6	4.8	19	0.0
53397	0	0	1	0	DU	47.0983	68.4300	29.5	721.4	394	56849.	679	0.5	0.5	4.0	0.1	0.1	0.1	20	0.0
53396	0	0	1	0	DU	47.0986	68.4300	29.5	721.3	396	56850.	754	0.7	0.9	3.3	0.1	0.1	5.2	21	0.0
53395	0	0	0	0	DU	47.0990	68.4300	29.5	721.3	403	56851.	719	0.9	2.5	3.0	3.0	0.9	3.6	31	0.0
53394	0	0	1	0	DU	47.0994	68.4300	29.5	721.3	413	56852.	786	0.8	0.8	3.2	0.1	0.1	4.0	24	0.0
53393	0	0	1	0	DU	47.0997	68.4300	29.5	721.2	421	56853.	756	0.7	1.2	3.1	0.1	0.1	4.7	17	0.0
53392	0	0	1	0	DU	47.1001	68.4300	29.5	721.2	424	56853.	793	0.9	0.7	5.8	0.1	0.1	7.1	19	0.0
53391	0	0	1	0	DU	47.1004	68.4300	29.5	721.2	426	56853.	772	0.8	0.2	4.6	0.1	0.1	6.5	24	0.0
53390	0	0	1	0	DU	47.1008	68.4300	29.5	721.1	425	56852.	630	0.5	-0.1	4.3	0.1	0.1	0.1	16	0.0
53389	0	0	1	0	DU	47.1012	68.4300	29.5	721.1	423	56851.	622	0.8	0.3	3.2	0.1	0.1	4.1	23	0.0
53388	0	0	0	0	DU	47.1015	68.4300	29.5	721.0	415	56852.	627	0.6	1.1	2.9	1.8	0.4	4.8	25	0.0
53387	0	0	1	0	DU	47.1019	68.4300	29.5	721.0	407	56851.	588	0.8	-0.6	2.6	0.1	0.1	3.6	24	0.0
53386	0	0	1	0	DU	47.1023	68.4300	29.5	721.0	396	56850.	687	0.8	0.4	5.2	0.1	0.1	7.3	17	0.0
53385	0	0	1	0	DU	47.1026	68.4300	29.5	720.9	395	56851.	688	0.6	-0.1	2.8	0.1	0.1	5.2	20	0.0
53384	0	0	0	0	DU	47.1030	68.4300	29.5	720.9	398	56851.	653	0.5	1.2	3.6	0.1	0.4	0.1	22	0.0
53383	0	0	1	0	DU	47.1033	68.4300	29.4	720.6	423	56850.	720	0.7	0.6	2.9	0.1	0.1	4.2	13	0.0
53382	0	0	1	0	DU	47.1037	68.4300	29.4	720.6	426	56851.	645	0.7	0.1	3.0	0.1	0.1	4.7	15	0.0
53381	0	0	1	0	DU	47.1041	68.4300	29.4	720.7	429	56852.	635	0.6	0.6	3.3	0.1	0.1	6.6	21	0.0
53380	0	0	1	0	DU	47.1044	68.4300	29.4	720.7	428	56850.	657	0.5	0.6	2.0	0.1	0.1	0.1	18	0.0
53379	0	0	1	0	DU	47.1048	68.4300	29.4	720.7	423	56850.	697	0.9	0.6	3.9	0.1	0.1	4.7	29	0.0
53378	0	0	1	0	DU	47.1052	68.4300	29.4	720.6	416	56851.	653	0.9	0.4	1.8	0.1	0.1	1.9	21	0.0
53377	0	0	0	0	DU	47.1055	68.4300	29.4	720.6	419	56851.	730	0.7	1.4	3.2	2.3	0.5	5.2	19	0.0
53376	0	0	0	0	DU	47.1059	68.4300	29.4	720.6	430	56850.	749	0.7	1.8	3.2	2.7	0.6	4.8	24	0.0
53375	0	0	1	0	DU	47.1063	68.4300	29.4	720.6	442	56849.	867	1.1	0.6	3.9	0.1	0.1	3.7	27	0.0
53374	0	0	1	0	DU	47.1066	68.4300	29.4	720.6	450	56850.	925	1.0	1.3	5.6	0.1	0.1	5.6	25	0.0
53373	0	0	1	0	DU	47.1070	68.4300	29.4	720.6	452	56853.	867	1.0	0.6	5.3	0.1	0.1	5.7	22	0.0
53372	0	0	1	0	DU	47.1073	68.4300	29.4	720.5	454	56852.	940	0.9	1.0	5.8	0.1	0.1	7.2	17	0.0
53371	0	0	1	0	DU	47.1077	68.4301	29.4	720.5	454	56852.	849	1.0	0.6	6.5	0.1	0.1	6.5	23	0.0
53370	0	0	1	0	DU	47.1081	68.4301	29.4	720.5	453	56854.	825	0.9	0.1	5.5	0.1	0.1	6.2	20	0.0
53369	0	0	1	0	DU	47.1084	68.4301	29.4	720.5	451	56855.	760	0.9	0.7	4.4	0.1	0.1	5.1	23	0.0
53368	0	0	1	0	DU	47.1088	68.4301	29.4	720.4	449	56856.	730	0.7	1.0	5.0	0.1	0.1	7.2	29	0.0
53367	0	0	1	0	DU	47.1092	68.4301	29.4	720.4	445	56855.	747	0.7	0.9	4.1	0.1	0.1	5.9	26	0.0
53366	0	0	1	0	DU	47.1095	68.4301	29.4	720.4	441	56854.	591	0.7	0.0	4.3	0.1	0.1	6.6	23	0.0
53365	0	0	1	0	DU	47.1099	68.4301	29.4	720.4	438	56853.	632	0.6	1.1	3.8	0.1	0.1	7.3	21	0.0
53364	0	0	1	0	DU	47.1102	68.4301	29.4	720.4	435	56852.	612	0.6	-0.1	2.7	0.1	0.1	4.7	21	0.0
53363	0	0	1	0	DU	47.1106	68.4301	29.4	720.4	434	56852.	659	0.6	0.5	3.3	0.1	0.1	5.6	25	0.0
53362	0	0	1	0	DU	47.1110	68.4301	29.4	720.4	434	56853.	577	0.6	0.3	2.9	0.1	0.1	4.8	18	0.0
53361	0	0	1	0	DU	47.1113	68.4301	29.4	720.4	434	56854.	597	0.5	0.8	3.4	0.1	0.1	0.1	23	0.0
53360	0	0	1	0	DU	47.1117	68.4301	29.4	720.4	435	56855.	592	0.6	1.2	3.0	0.1	0.1	5.9	23	0.0
53359	0	0	0	0	DU	47.1121	68.4301	29.4	720.4	435	56854.	724	0.7	1.9	3.7	3.0	0.6	5.7	19	0.0
53358	0	0	1	0	DU	47.1124	68.4301	29.4	720.4	436	56854.	708	0.5	0.5	4.4	0.1	0.1	0.1	17	0.1
53357	0	0	0	0	DU	47.1128	68.4301	29.4	720.4	429	56852.	850	0.8	1.4	3.5	1.8	0.4	4.5	22	0.3

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI			
												CPS	%	PPM	PPM							CPS	CPS
53356	0	0	0	0	DU	47.1132	68.4301	29.4	720.4	428	56850.	876	0.8	2.2	3.7	2.8	0.6	4.9	19	0.4			
53355	0	0	0	0	DU	47.1135	68.4301	29.4	720.3	426	56850.	853	0.9	1.3	3.2	1.6	0.5	3.9	19	0.5			
53354	0	0	1	0	DU	47.1139	68.4301	29.4	720.3	428	56850.	918	1.2	1.0	4.1	0.1	0.1	3.5	32	0.4			
53353	0	0	1	0	DU	47.1143	68.4301	29.4	720.3	416	56849.	929	1.0	0.2	5.3	0.1	0.1	5.6	28	0.4			
53352	0	0	1	0	DE	47.1146	68.4301	29.4	720.3	402	56849.	818	1.1	0.7	1.6	0.1	0.1	1.5	22	0.4			
53351	0	0	0	0	DU	47.1150	68.4301	29.4	720.3	394	56848.	859	0.8	1.3	4.2	1.7	0.3	5.6	30	0.3			
53350	0	0	0	0	DU	47.1153	68.4301	29.4	720.2	395	56846.	853	0.9	1.6	4.0	1.9	0.4	4.8	32	0.3			
53349	0	0	0	0	DE	47.1157	68.4301	29.4	720.2	398	56845.	902	0.7	1.2	4.3	1.9	0.3	6.8	22	0.2			
53348	0	0	1	0	DU	47.1161	68.4301	29.4	720.2	396	56844.	915	1.1	1.1	3.9	0.1	0.1	3.9	18	0.2			
53347	0	0	1	0	DU	47.1164	68.4301	29.4	720.2	394	56844.	877	1.0	1.0	3.8	0.1	0.1	4.0	31	0.1			
53346	0	0	1	0	DE	47.1168	68.4301	29.4	720.2	394	56845.	867	0.8	0.6	5.2	0.1	0.1	6.7	23	0.1			
53345	0	0	0	0	DU	47.1171	68.4302	29.4	720.2	393	56847.	861	0.5	2.1	6.1	0.1	0.4	0.1	22	0.0			
53344	0	0	1	0	DU	47.1175	68.4302	29.4	720.2	398	56849.	818	0.6	0.7	4.1	0.1	0.1	6.7	28	0.0			
53343	0	0	1	0	DE	47.1179	68.4302	29.4	720.2	404	56847.	741	0.7	0.5	4.7	0.1	0.1	6.9	24	0.0			
53342	0	0	1	0	DU	47.1182	68.4302	29.4	720.2	421	56843.	731	0.4	0.3	5.3	0.1	0.1	0.1	19	0.0			
53341	0	0	0	0	DU	47.1186	68.4302	29.4	720.2	431	56840.	797	0.7	1.6	4.5	2.5	0.4	7.3	13	0.0			
53340	0	0	1	0	DE	47.1190	68.4302	29.4	720.2	441	56839.	708	0.5	0.9	2.9	0.1	0.1	0.1	27	0.0			
53339	0	0	1	0	DU	47.1193	68.4302	29.4	720.1	443	56842.	855	0.8	0.9	5.5	0.1	0.1	7.5	19	0.0			
53338	0	0	1	0	DU	47.1197	68.4302	29.4	720.1	449	56846.	822	0.8	0.2	5.3	0.1	0.1	7.0	24	0.0			
53337	0	0	0	0	DE	47.1201	68.4302	29.4	720.1	455	56849.	847	0.9	1.9	4.7	2.3	0.5	5.6	22	0.0			
53336	0	0	1	0	DU	47.1204	68.4302	29.4	720.0	465	56852.	823	0.9	-0.2	6.4	0.1	0.1	7.6	23	0.0			
53335	0	0	1	0	DU	47.1208	68.4302	29.4	719.9	472	56852.	853	0.9	0.8	3.7	0.1	0.1	4.3	24	0.0			
53334	0	0	0	0	DE	47.1211	68.4302	29.4	719.9	476	56852.	853	1.2	1.7	4.5	1.5	0.4	4.0	24	0.0			
53333	0	0	1	0	DU	47.1215	68.4302	29.4	719.8	474	56850.	849	1.1	1.0	3.5	0.1	0.1	3.4	29	0.0			
53332	0	0	1	0	DU	47.1219	68.4302	29.4	719.8	468	56848.	932	1.0	-0.2	6.9	0.1	0.1	7.3	23	0.0			
53331	0	0	1	0	DE	47.1222	68.4302	29.4	719.7	457	56848.	941	1.1	0.1	4.9	0.1	0.1	4.6	16	0.0			
53330	0	0	1	0	DU	47.1226	68.4302	29.4	719.7	445	56848.	937	1.2	-0.4	6.1	0.1	0.1	5.4	18	0.0			
53329	0	0	1	0	DU	47.1230	68.4302	29.4	719.7	431	56848.	885	0.8	0.3	5.6	0.1	0.1	7.8	26	0.0			
53328	0	0	1	0	DE	47.1233	68.4302	29.4	719.6	422	56848.	866	0.6	1.1	3.6	0.1	0.1	6.1	13	0.0			
53327	0	0	1	0	DU	47.1237	68.4302	29.4	719.8	409	56850.	873	0.9	0.9	4.3	0.1	0.1	5.0	27	0.0			
53326	0	0	1	0	DU	47.1241	68.4302	29.4	719.8	406	56850.	975	1.2	1.1	3.4	0.1	0.1	3.1	19	0.0			
53325	0	0	1	0	DE	47.1244	68.4302	29.4	719.8	403	56849.	992	1.1	0.6	5.6	0.1	0.1	5.2	20	0.0			
53324	0	0	1	0	DU	47.1248	68.4302	29.4	719.8	398	56847.	956	1.0	0.8	3.6	0.1	0.1	3.6	30	0.0			
53323	0	0	1	0	DU	47.1251	68.4302	29.4	719.8	396	56847.	976	1.0	0.6	4.9	0.1	0.1	5.2	32	0.0			
53322	0	0	1	0	DE	47.1255	68.4303	29.4	719.8	396	56848.	949	0.6	0.8	6.3	0.1	0.1	10.8	12	0.0			
53321	0	0	1	0	DU	47.1259	68.4303	29.4	719.8	397	56849.	877	1.0	0.5	2.9	0.1	0.1	2.9	24	0.0			
53320	0	0	1	0	DU	47.1262	68.4303	29.4	719.8	399	56850.	857	1.0	0.4	4.2	0.1	0.1	4.2	22	0.0			
53319	0	0	1	0	DE	47.1266	68.4303	29.4	719.8	400	56850.	811	0.9	0.7	4.8	0.1	0.1	5.6	25	0.0			
53318	0	0	1	0	DU	47.1270	68.4303	29.4	719.8	401	56848.	851	0.8	1.2	3.5	0.1	0.1	4.8	26	0.0			
53316	0	0	0	0	DU	47.1277	68.4303	29.4	719.9	397	56846.	856	1.2	1.5	2.9	1.3	0.6	2.6	22	0.0			
53315	0	0	1	0	DU	47.1280	68.4303	29.4	719.9	392	56844.	837	0.7	0.0	4.6	0.1	0.1	7.3	26	0.0			
53314	0	0	1	0	DU	47.1284	68.4303	29.4	719.9	385	56843.	821	0.7	0.7	5.0	0.1	0.1	7.3	16	0.0			
53313	0	0	1	0	DU	47.1288	68.4303	29.4	720.0	382	56843.	850	0.6	0.8	5.0	0.1	0.1	8.4	14	0.0			
53312	0	0	0	0	DU	47.1291	68.4303	29.4	720.1	380	56845.	878	0.8	2.0	4.8	2.7	0.5	6.7	26	0.0			
53311	0	0	1	0	DU	47.1295	68.4303	29.4	720.2	377	56847.	805	0.8	0.4	3.9	0.1	0.1	5.6	22	0.0			
53310	0	0	1	0	DU	47.1299	68.4303	29.4	720.2	375	56849.	856	0.9	0.7	3.2	0.1	0.1	3.6	26	0.0			
53309	0	0	0	0	DU	47.1302	68.4303	29.4	720.3	373	56849.	911	1.0	1.9	3.7	2.1	0.6	3.9	21	0.0			
53308	0	0	1	0	DU	47.1306	68.4303	29.4	720.4	376	56849.	920	0.9	1.0	3.1	0.1	0.1	3.5	29	0.0			
53307	0	0	0	0	DU	47.1309	68.4303	29.4	720.5	381	56849.	944	1.0	1.3	4.2	1.4	0.3	4.6	30	0.0			
53306	0	0	0	0	DU	47.1313	68.4303	29.4	720.5	386	56848.	953	1.1	1.4	4.4	1.3	0.3	4.2	30	0.0			

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
53305	0	0	1	0	Du	47.1317	68.4303	29.4	720.6	391	56849.	896	1.0	0.6	2.9	0.1	0.1	3.2	14	0.0
53304	0	0	0	0	Du	47.1320	68.4303	29.4	720.7	396	56849.	861	1.0	2.4	3.9	2.6	0.7	4.2	26	0.0
53303	0	0	1	0	Du	47.1324	68.4303	29.4	720.7	400	56849.	850	0.8	0.3	5.5	0.1	0.1	7.0	21	0.0
53302	0	0	1	0	Du	47.1328	68.4303	29.4	720.7	405	56849.	736	0.8	0.9	4.7	0.1	0.1	6.3	11	0.0
53301	0	0	1	0	Du	47.1331	68.4303	29.4	720.7	410	56848.	677	0.7	0.1	3.8	0.1	0.1	5.4	28	0.0
53300	0	0	1	0	Du	47.1335	68.4303	29.4	720.7	415	56847.	658	0.7	0.2	3.8	0.1	0.1	5.6	20	0.0
53299	0	0	1	0	Du	47.1339	68.4303	29.4	720.7	415	56847.	674	0.6	0.2	3.8	0.1	0.1	6.3	29	0.0
53298	0	0	1	0	Du	47.1342	68.4303	29.4	720.7	413	56846.	679	0.6	0.5	4.2	0.1	0.1	7.1	26	0.0
53297	0	0	1	0	Du	47.1346	68.4303	29.4	720.7	407	56847.	801	0.9	1.1	4.4	0.1	0.1	5.3	24	0.0
53296	0	0	1	0	Du	47.1349	68.4304	29.4	720.7	399	56849.	832	0.9	0.3	6.1	0.1	0.1	6.9	18	0.0
53295	0	0	1	0	Du	47.1353	68.4303	29.4	720.6	393	56849.	792	0.7	0.7	4.7	0.1	0.1	7.6	19	0.0
53294	0	0	0	0	Du	47.1357	68.4303	29.4	720.6	395	56848.	844	1.0	1.7	4.4	1.8	0.4	4.7	17	0.0
53293	0	0	1	0	Du	47.1361	68.4303	29.4	720.5	398	56848.	789	0.9	-0.6	3.3	0.1	0.1	4.0	24	0.0
53292	0	0	1	0	Du	47.1364	68.4303	29.4	720.5	400	56848.	830	0.7	0.0	6.3	0.1	0.1	10.4	13	0.0
53291	0	0	1	0	Du	47.1368	68.4303	29.4	720.4	398	56847.	773	0.8	0.2	5.5	0.1	0.1	7.2	24	0.0
53290	0	0	1	0	Du	47.1372	68.4303	29.4	720.4	394	56846.	837	0.9	-0.9	5.0	0.1	0.1	5.6	16	0.0
53289	0	0	1	0	Du	47.1376	68.4303	29.4	720.4	390	56846.	853	0.8	-0.5	5.8	0.1	0.1	7.7	18	0.0
53288	0	0	1	0	Du	47.1379	68.4303	29.4	720.3	386	56846.	860	1.0	1.0	5.9	0.1	0.1	6.1	21	0.0
53287	0	0	1	0	Du	47.1383	68.4303	29.4	720.3	386	56846.	874	0.7	0.3	5.6	0.1	0.1	8.1	19	0.0
53286	0	0	1	0	Du	47.1387	68.4303	29.4	720.3	387	56847.	830	0.8	0.4	5.1	0.1	0.1	6.7	28	0.0
53285	0	0	1	0	Du	47.1391	68.4303	29.4	720.3	388	56849.	795	0.9	0.8	3.3	0.1	0.1	3.9	26	0.0
53284	0	0	1	0	Du	47.1394	68.4303	29.4	720.3	390	56849.	772	0.7	0.4	3.0	0.1	0.1	4.7	21	0.0
53283	0	0	1	0	Du	47.1398	68.4303	29.4	720.2	397	56849.	855	1.0	0.3	4.7	0.1	0.1	4.9	31	0.0
53282	0	0	1	0	Du	47.1402	68.4303	29.4	720.2	406	56848.	795	0.9	0.7	3.8	0.1	0.1	4.6	13	0.0
53281	0	0	1	0	Du	47.1406	68.4303	29.4	720.2	415	56848.	854	1.0	0.6	3.5	0.1	0.1	3.7	34	0.0
53280	0	0	1	0	Du	47.1409	68.4303	29.4	720.2	420	56848.	787	0.8	0.2	5.9	0.1	0.1	8.1	26	0.0
53279	0	0	1	0	Du	47.1413	68.4303	29.4	720.2	423	56849.	837	0.9	-0.2	4.7	0.1	0.1	5.2	31	0.0
53278	0	0	1	0	Du	47.1417	68.4303	29.4	720.2	426	56848.	800	0.9	0.7	5.7	0.1	0.1	6.9	30	0.0
53277	0	0	0	0	Du	47.1421	68.4303	29.4	720.2	428	56846.	834	0.9	1.3	4.2	1.6	0.3	5.1	22	0.0
53276	0	0	1	0	Du	47.1424	68.4303	29.4	720.2	431	56846.	851	1.0	0.5	2.2	0.1	0.1	2.2	18	0.0
53275	0	0	0	0	Du	47.1428	68.4303	29.4	720.2	437	56846.	850	1.0	1.4	2.6	1.5	0.6	2.8	34	0.0
53274	0	0	1	0	Du	47.1432	68.4303	29.4	720.2	444	56845.	781	0.9	0.9	3.5	0.1	0.1	4.2	32	0.0
53273	0	0	1	0	Du	47.1436	68.4303	29.4	720.2	448	56844.	850	0.9	1.2	4.8	0.1	0.1	6.0	17	0.0
53272	0	0	1	0	Du	47.1439	68.4303	29.4	720.2	441	56843.	904	1.0	1.3	4.4	0.1	0.1	4.7	25	0.0
53271	0	0	1	0	Du	47.1443	68.4303	29.4	720.3	428	56842.	886	0.7	1.0	4.6	0.1	0.1	7.4	22	0.0
53270	0	0	1	0	Du	47.1447	68.4302	29.4	720.7	404	56840.	888	0.8	1.1	7.2	0.1	0.1	9.3	18	0.0
53269	0	0	0	0	Du	47.1451	68.4302	29.4	720.7	396	56841.	897	0.7	2.3	3.4	3.3	0.7	5.0	19	0.0
53268	0	0	1	0	Du	47.1454	68.4302	29.4	720.7	388	56842.	810	1.0	0.5	3.9	0.1	0.1	4.3	21	0.0
53267	0	0	1	0	Du	47.1458	68.4302	29.4	720.7	374	56842.	857	1.0	0.8	1.8	0.1	0.1	1.9	20	0.0
53266	0	0	0	0	Du	47.1462	68.4302	29.4	720.7	369	56843.	825	0.7	2.0	3.5	3.0	0.6	5.4	22	0.0
53265	0	0	1	0	Du	47.1465	68.4302	29.4	720.7	366	56845.	826	1.0	0.6	4.3	0.1	0.1	4.6	20	0.0
53264	0	0	0	0	Du	47.1469	68.4302	29.4	720.7	366	56848.	805	0.7	1.3	3.1	1.9	0.5	4.6	28	0.0
53263	0	0	0	0	Du	47.1473	68.4302	29.4	720.7	367	56850.	731	0.6	1.4	3.9	2.3	0.4	6.4	21	0.0
53262	0	0	1	0	Du	47.1477	68.4302	29.4	720.7	370	56849.	761	0.8	0.6	4.6	0.1	0.1	6.3	21	0.0
53261	0	0	1	0	Du	47.1480	68.4302	29.4	720.6	375	56848.	757	0.7	1.1	2.3	0.1	0.1	3.5	16	0.0
53260	0	0	1	0	Du	47.1484	68.4302	29.4	720.6	379	56848.	673	0.6	1.0	4.8	0.1	0.1	8.6	18	0.0
53259	0	0	1	0	Du	47.1488	68.4302	29.4	720.6	383	56849.	648	0.5	0.6	4.8	0.1	0.1	0.1	30	0.0
53258	0	0	1	0	Du	47.1492	68.4302	29.4	720.6	389	56849.	641	0.5	1.0	2.8	0.1	0.1	0.1	18	0.0
53257	0	0	1	0	Du	47.1495	68.4302	29.4	720.5	395	56848.	704	0.5	1.1	4.6	0.1	0.1	0.1	12	0.0
53256	0	0	1	0	Du	47.1499	68.4302	29.4	720.5	396	56848.	734	0.7	0.3	5.1	0.1	0.1	7.3	13	0.0

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
53255	0	0	1	0	Du	47.1503	68.4302	29.4	720.5	396	56848.	759	0.7	1.1	4.3	0.1	0.1	6.6	28	0.0
53254	0	0	1	0	Du	47.1507	68.4302	29.4	720.4	393	56848.	807	0.8	1.0	4.3	0.1	0.1	5.6	17	0.0
53253	0	0	1	0	Du	47.1510	68.4302	29.4	720.3	391	56848.	837	0.8	0.5	5.1	0.1	0.1	6.7	32	0.0
53252	0	0	1	0	Du	47.1514	68.4302	29.4	720.2	389	56848.	803	0.8	0.2	5.0	0.1	0.1	6.9	28	0.0
53251	0	0	1	0	Du	47.1518	68.4302	29.4	720.2	388	56847.	835	0.7	1.1	4.4	0.1	0.1	6.4	28	0.0
53250	0	0	1	0	Du	47.1522	68.4302	29.4	720.1	385	56847.	851	0.7	0.6	4.1	0.1	0.1	5.8	23	0.0
53249	0	0	0	0	Du	47.1525	68.4302	29.4	720.0	380	56846.	874	0.7	1.3	5.4	1.8	0.3	7.8	27	0.0
53248	0	0	0	0	Du	47.1529	68.4301	29.4	720.0	371	56845.	828	1.0	1.4	2.8	1.5	0.5	3.0	25	0.0
53247	0	0	1	0	Du	47.1533	68.4301	29.4	719.9	362	56844.	935	1.1	0.5	3.6	0.1	0.1	3.4	21	0.0
53246	0	0	0	0	Du	47.1537	68.4301	29.4	719.9	354	56842.	880	0.8	1.8	4.3	2.4	0.5	5.6	18	0.0
53245	0	0	1	0	Du	47.1540	68.4301	29.4	719.9	350	56843.	944	0.9	0.0	6.1	0.1	0.1	6.9	23	0.0
53244	0	0	0	0	Du	47.1544	68.4301	29.4	719.8	348	56844.	887	0.7	2.0	4.5	2.9	0.5	6.6	27	0.0
53243	0	0	1	0	Du	47.1548	68.4301	29.4	719.8	347	56845.	846	0.8	0.8	2.9	0.1	0.1	3.6	24	0.0
53242	0	0	0	0	Du	47.1552	68.4301	29.4	719.7	346	56847.	888	0.8	1.3	4.5	1.6	0.3	5.7	31	0.0
53241	0	0	1	0	Du	47.1555	68.4301	29.4	719.7	350	56849.	954	1.0	0.7	4.8	0.1	0.1	5.0	24	0.0
53240	0	0	1	0	Du	47.1559	68.4301	29.4	719.7	362	56849.	822	0.9	-0.1	5.2	0.1	0.1	5.8	28	0.0
53239	0	0	1	0	Du	47.1563	68.4301	29.4	719.7	378	56849.	829	0.8	0.6	5.1	0.1	0.1	7.0	27	0.0
53238	0	0	1	0	Du	47.1567	68.4301	29.4	719.6	396	56849.	861	0.9	0.9	5.8	0.1	0.1	6.6	21	0.0
53237	0	0	1	0	Du	47.1570	68.4301	29.4	719.6	407	56845.	850	0.7	-0.1	5.0	0.1	0.1	7.5	21	0.0
53236	0	0	1	0	Du	47.1574	68.4301	29.4	719.6	413	56841.	803	0.8	0.6	4.3	0.1	0.1	6.0	15	0.0
53235	0	0	1	0	Du	47.1578	68.4301	29.4	719.6	413	56841.	734	0.8	0.7	4.5	0.1	0.1	5.7	18	0.0
53234	0	0	0	0	Du	47.1581	68.4301	29.4	719.6	411	56844.	724	0.6	2.0	1.3	3.6	1.6	2.3	22	0.0
53233	0	0	0	0	Du	47.1585	68.4301	29.4	719.5	414	56846.	602	0.5	1.6	1.4	0.1	1.2	0.1	18	0.0
53232	0	0	0	0	Du	47.1589	68.4301	29.4	719.5	418	56846.	526	0.5	1.3	2.9	0.1	0.5	0.1	22	0.0
53231	0	1	1	1	Du	47.1593	68.4301	29.4	719.5	423	56847.	279	0.2	-0.1	0.7	0.1	0.1	0.1	26	0.0
53230	0	0	1	1	Du	47.1596	68.4301	29.4	719.4	428	56848.	278	0.4	0.5	0.9	0.1	0.1	0.1	19	0.0
53229	0	1	1	0	Du	47.1600	68.4301	29.4	719.4	435	56848.	210	0.2	-0.5	1.5	0.1	0.1	0.1	22	0.0
53228	0	1	1	0	Du	47.1604	68.4301	29.4	719.3	442	56849.	193	0.1	-0.7	1.5	0.1	0.1	0.1	27	0.0
53227	0	1	1	1	Du	47.1608	68.4301	29.4	719.3	445	56849.	189	0.1	0.6	-0.1	0.1	0.1	0.1	19	0.0
53226	0	1	1	0	Du	47.1611	68.4301	29.4	719.3	447	56849.	178	0.1	0.3	1.8	0.1	0.1	0.1	24	0.0
53225	0	1	1	1	Du	47.1615	68.4301	29.4	719.2	448	56850.	204	0.1	-0.2	1.0	0.1	0.1	0.1	26	0.0
53224	0	1	1	1	Du	47.1619	68.4300	29.4	719.2	450	56853.	225	0.2	0.0	-0.1	0.1	0.1	0.1	12	0.0
53223	0	0	1	1	Du	47.1623	68.4300	29.4	719.1	451	56853.	283	0.3	0.2	0.9	0.1	0.1	0.1	20	0.0
53221	0	1	1	0	Du	47.1630	68.4300	29.4	719.1	452	56853.	320	0.1	0.3	1.7	0.1	0.1	0.1	24	0.0
53220	0	0	1	0	Du	47.1634	68.4300	29.4	719.0	453	56855.	406	0.5	-0.4	2.8	0.1	0.1	0.1	24	0.0
53219	0	0	1	0	Du	47.1638	68.4300	29.4	719.0	452	56854.	499	0.6	0.1	3.8	0.1	0.1	6.9	29	0.0
53218	0	0	1	0	Du	47.1641	68.4300	29.4	719.0	450	56852.	651	0.6	0.1	4.5	0.1	0.1	7.8	21	0.0
53217	0	0	1	0	Du	47.1645	68.4300	29.4	718.9	444	56853.	751	0.8	0.7	3.0	0.1	0.1	4.0	15	0.0
53216	0	0	1	0	Du	47.1649	68.4300	29.4	718.9	436	56857.	780	0.5	1.2	3.6	0.1	0.1	0.1	21	0.0
53215	0	0	1	0	Du	47.1653	68.4300	29.4	718.9	433	56861.	796	1.0	1.1	5.1	0.1	0.1	5.1	22	0.0
53214	0	0	1	0	Du	47.1656	68.4300	29.4	718.9	435	56863.	811	0.8	0.9	3.7	0.1	0.1	4.9	26	0.0
53213	0	0	0	0	Du	47.1660	68.4300	29.1	718.8	440	56863.	981	0.9	2.3	3.1	2.7	0.8	3.7	25	0.0
53212	0	0	1	0	Du	47.1664	68.4300	29.2	718.8	437	56862.	868	1.0	0.9	3.4	0.1	0.1	3.7	22	0.0
53211	0	0	0	0	Du	47.1668	68.4300	29.2	718.8	427	56862.	954	1.1	1.7	3.3	1.6	0.5	3.3	20	0.0
53210	0	0	0	0	Du	47.1671	68.4300	29.2	718.8	410	56864.	1043	1.4	1.9	3.8	1.4	0.5	2.8	29	0.0
53209	0	0	1	0	Du	47.1675	68.4300	29.2	718.8	395	56865.	958	1.1	0.1	5.0	0.1	0.1	4.8	17	0.0
53208	0	0	1	0	Du	47.1679	68.4300	29.2	718.8	391	56865.	943	0.9	0.6	5.0	0.1	0.1	5.5	29	0.0
53207	0	0	1	0	Du	47.1683	68.4300	29.2	718.8	394	56864.	928	1.2	0.9	3.6	0.1	0.1	3.2	25	0.0
53206	0	0	1	0	Du	47.1686	68.4300	29.2	718.8	403	56862.	889	0.8	0.9	4.3	0.1	0.1	5.8	19	0.0
53205	0	0	1	0	Du	47.1690	68.4300	29.2	718.8	410	56862.	926	1.0	1.0	3.1	0.1	0.1	3.1	22	0.0

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
53204	0	0	1	0	DU	47.1694	68.4300	29.2	718.8	410	56864.	938	0.9	0.2	4.1	0.1	0.1	4.9	17	0.0
53203	0	0	0	0	DU	47.1698	68.4300	29.2	718.8	404	56864.	1023	1.1	1.4	6.5	1.3	0.3	6.0	27	0.0
53202	0	0	1	0	DU	47.1701	68.4300	29.2	718.8	394	56865.	1005	1.2	0.5	7.4	0.1	0.1	6.5	27	0.0
53201	0	0	0	0	DU	47.1705	68.4300	29.2	718.9	387	56865.	960	0.8	1.6	3.9	2.1	0.5	5.0	27	0.0
53200	0	0	0	0	DU	47.1709	68.4300	29.2	718.9	380	56863.	1029	1.0	2.1	6.6	2.2	0.4	6.8	28	0.0
53199	0	0	0	0	DU	47.1712	68.4299	29.2	718.9	377	56859.	1047	1.1	1.3	5.3	1.3	0.3	5.0	17	0.0
53198	0	0	0	0	DU	47.1716	68.4299	29.2	719.0	377	56858.	1059	1.2	1.4	6.2	1.2	0.3	5.3	19	0.0
53197	0	0	1	0	DU	47.1720	68.4299	29.2	719.0	390	56860.	1082	0.9	1.2	3.9	0.1	0.1	4.6	26	0.0
53196	0	0	1	0	DU	47.1724	68.4299	29.2	719.1	398	56860.	1086	1.2	0.6	4.7	0.1	0.1	3.9	22	0.0
53195	0	0	1	0	DU	47.1727	68.4299	29.2	719.2	404	56861.	975	0.9	0.4	7.4	0.1	0.1	8.7	27	0.0
53194	0	0	0	0	DU	47.1731	68.4299	29.2	719.3	395	56862.	912	0.9	1.8	4.0	2.2	0.5	4.9	18	0.0
53193	0	0	1	0	DU	47.1735	68.4299	29.2	719.4	389	56862.	860	0.7	1.0	6.3	0.1	0.1	9.8	21	0.0
53192	0	0	1	0	DU	47.1739	68.4299	29.2	719.5	383	56861.	747	0.7	1.1	4.2	0.1	0.1	6.3	22	0.0
53191	0	0	0	0	DU	47.1742	68.4299	29.2	719.6	380	56859.	734	0.8	1.3	3.6	1.8	0.4	4.9	25	0.1
53190	0	0	1	0	DU	47.1746	68.4299	29.2	719.6	376	56859.	709	0.6	0.8	3.0	0.1	0.1	5.0	27	0.3
53189	0	0	1	0	DU	47.1750	68.4299	29.2	719.7	371	56860.	877	0.9	0.5	4.4	0.1	0.1	5.5	25	0.5
53188	0	0	0	0	DU	47.1754	68.4299	29.2	719.8	369	56861.	990	1.0	1.5	3.9	1.6	0.4	4.1	23	0.5
53187	0	0	0	0	DU	47.1757	68.4299	29.2	719.8	367	56861.	1088	1.4	1.6	4.7	1.2	0.4	3.6	23	0.5
53186	0	0	1	0	DU	47.1761	68.4299	29.2	719.9	369	56861.	1093	1.2	0.3	5.1	0.1	0.1	4.5	24	0.5
53185	0	0	0	0	DU	47.1765	68.4299	29.2	719.9	371	56862.	1127	1.3	1.3	6.7	1.0	0.2	5.3	29	0.5
53184	0	0	1	0	DU	47.1769	68.4299	29.2	719.9	374	56862.	1202	1.3	1.1	4.9	0.1	0.1	3.8	17	0.6
53183	0	0	1	0	DU	47.1772	68.4299	29.2	720.0	376	56862.	1188	1.4	0.9	6.9	0.1	0.1	5.2	23	0.6
53182	0	0	1	0	DU	47.1776	68.4299	29.2	720.0	381	56862.	1188	1.3	0.5	5.1	0.1	0.1	4.0	24	0.6
53181	0	0	1	0	DU	47.1780	68.4299	29.2	720.0	387	56862.	1056	1.0	1.1	5.8	0.1	0.1	6.1	19	0.6
53180	0	0	0	0	DU	47.1784	68.4299	29.2	720.0	394	56862.	1103	1.1	2.9	5.4	2.7	0.6	5.0	19	0.6
53179	0	0	1	0	DU	47.1789	68.4299	29.2	720.0	400	56862.	1072	1.2	0.8	6.1	0.1	0.1	5.3	19	0.5
53178	0	0	1	0	DU	47.1793	68.4299	29.2	720.0	401	56862.	869	0.9	0.7	3.3	0.1	0.1	3.8	17	0.6
53177	0	0	1	0	DU	47.1797	68.4299	29.2	720.0	402	56863.	800	0.9	-0.3	5.0	0.1	0.1	5.7	21	0.6
53176	0	0	1	0	DU	47.1801	68.4299	29.2	719.9	405	56863.	666	0.7	0.2	3.4	0.1	0.1	5.3	20	0.6
53175	0	0	1	0	DU	47.1805	68.4299	29.2	719.9	411	56864.	525	0.5	0.0	3.3	0.1	0.1	0.1	24	0.7
53174	0	0	1	0	DU	47.1809	68.4298	29.2	719.9	416	56865.	387	0.3	0.0	1.7	0.1	0.1	0.1	18	0.7
53173	0	1	1	0	DU	47.1813	68.4298	29.2	719.8	416	56865.	335	0.2	0.7	1.6	0.1	0.1	0.1	23	0.7
53172	0	0	1	0	DU	47.1817	68.4298	29.2	719.8	418	56867.	303	0.4	-0.7	1.5	0.1	0.1	0.1	17	0.8
53171	0	0	1	0	DU	47.1821	68.4298	29.2	719.7	416	56868.	305	0.3	-0.4	1.5	0.1	0.1	0.1	32	0.8
53170	0	0	1	0	DU	47.1825	68.4298	29.2	719.7	417	56867.	413	0.3	-0.1	2.2	0.1	0.1	0.1	25	0.8
53169	0	0	1	0	DU	47.1829	68.4298	29.1	719.5	421	56867.	448	0.5	-0.2	2.5	0.1	0.1	0.1	22	0.8
53168	0	0	1	0	DU	47.1833	68.4298	29.1	719.4	429	56867.	618	0.7	0.8	2.3	0.1	0.1	3.7	21	0.8
53167	0	0	1	0	DU	47.1837	68.4298	29.1	719.2	433	56868.	747	0.8	0.6	2.7	0.1	0.1	3.8	23	0.8
53166	0	0	1	0	DU	47.1841	68.4298	29.1	719.1	433	56869.	928	1.1	0.6	5.4	0.1	0.1	5.0	18	0.6
53165	0	0	1	0	DU	47.1845	68.4298	29.1	719.0	430	56867.	1162	1.2	0.6	6.1	0.1	0.1	5.1	20	0.8
53164	0	0	0	0	DU	47.1849	68.4298	29.1	718.9	426	56865.	1245	1.5	1.8	5.2	1.2	0.4	3.5	26	0.8
53163	0	0	1	0	DU	47.1853	68.4298	29.1	718.8	421	56863.	1400	1.7	1.0	6.5	0.1	0.1	3.9	19	0.8
53162	0	0	0	0	DU	47.1857	68.4298	29.1	718.6	417	56862.	1352	1.4	1.9	8.3	1.4	0.3	6.1	24	0.7
53161	0	0	0	0	DU	47.1861	68.4298	29.1	718.5	410	56862.	1435	1.7	1.8	8.0	1.1	0.3	4.9	26	0.7
53160	0	0	0	0	DU	47.1864	68.4298	29.1	718.4	401	56861.	1485	1.6	2.0	5.6	1.3	0.4	3.5	32	0.7
53159	0	0	0	0	DU	47.1868	68.4299	29.1	718.2	393	56862.	1464	1.6	1.7	7.3	1.1	0.3	4.8	23	0.6
53158	0	0	1	0	DU	47.1872	68.4299	29.1	718.0	390	56862.	1470	1.6	1.2	6.7	0.1	0.1	4.4	25	0.6
53157	0	0	1	0	DU	47.1875	68.4299	28.9	716.3	398	56864.	1451	1.3	1.0	9.3	0.1	0.1	7.5	22	0.5
53156	0	0	0	0	DU	47.1879	68.4299	28.9	716.3	400	56864.	1508	1.6	3.0	8.3	1.9	0.4	5.4	14	0.4
53155	0	0	0	0	DU	47.1883	68.4299	28.9	716.4	404	56864.	1432	1.6	3.6	8.3	2.3	0.5	5.3	26	0.4

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
53154	0	0	1	0	DU	47.1886	68.4299	28.9	716.4	412	56865.	1447	1.6	0.5	7.8	0.1	0.1	4.9	18	0.4
53153	0	0	0	0	DU	47.1890	68.4299	28.9	716.3	420	56866.	1434	1.4	2.1	8.4	1.5	0.3	6.2	28	0.3
53152	0	0	0	0	DU	47.1894	68.4299	28.9	716.3	427	56866.	1391	1.4	2.9	8.1	2.2	0.4	6.1	26	0.3
53151	0	0	0	0	DU	47.1898	68.4300	28.9	716.2	433	56865.	1318	1.7	2.2	5.5	1.3	0.5	3.2	26	0.2
53150	0	0	0	0	DU	47.1901	68.4300	28.9	716.2	435	56864.	1376	1.5	3.2	5.4	2.3	0.6	3.8	22	0.2
53149	0	0	0	0	DU	47.1905	68.4300	28.9	716.1	432	56863.	1307	1.2	2.1	6.7	1.8	0.4	5.8	18	0.1
53148	0	0	0	0	DU	47.1909	68.4300	28.9	716.1	426	56862.	1206	1.3	2.4	5.8	1.9	0.5	4.5	28	0.1
53147	0	0	1	0	DU	47.1912	68.4300	28.9	716.0	416	56861.	1149	1.0	1.1	5.8	0.1	0.1	5.8	23	0.0
53146	0	0	0	0	DU	47.1916	68.4300	28.9	715.9	410	56859.	1159	1.2	3.3	7.2	2.8	0.5	6.2	24	0.0
53145	0	0	0	0	DU	47.1920	68.4300	28.9	715.8	406	56859.	1124	1.0	2.1	5.8	2.1	0.4	5.8	27	0.0
53144	0	0	1	0	DU	47.1923	68.4301	28.9	715.7	409	56861.	1106	1.2	-0.2	6.4	0.1	0.1	5.6	19	0.0
53143	0	0	1	0	DU	47.1927	68.4301	28.9	715.5	414	56863.	1096	1.0	0.7	5.1	0.1	0.1	5.2	22	0.0
53142	0	0	0	0	DU	47.1931	68.4301	28.9	715.4	420	56864.	1053	1.2	1.6	6.2	1.5	0.3	5.4	27	0.0
53141	0	0	0	0	DU	47.1934	68.4301	28.9	715.2	427	56865.	1105	1.0	2.1	5.3	2.1	0.5	5.3	29	0.0
53140	0	0	1	0	DU	47.1938	68.4301	28.9	715.2	433	56866.	1083	1.5	0.4	6.0	0.1	0.1	4.2	25	0.0
53139	0	0	0	0	DU	47.1942	68.4301	28.9	715.1	436	56867.	1041	1.0	1.5	5.3	1.5	0.3	5.3	24	0.0
53138	0	0	0	0	DU	47.1945	68.4301	28.9	715.0	435	56867.	1121	1.2	1.8	6.1	1.6	0.3	5.3	29	0.0
53137	0	0	0	0	DU	47.1949	68.4301	28.9	715.0	429	56866.	1115	1.2	1.9	5.3	1.7	0.4	4.6	18	0.0
53136	0	0	0	0	DU	47.1953	68.4302	28.9	715.0	422	56865.	1107	1.1	1.4	6.7	1.3	0.3	6.4	28	0.0
53135	0	0	1	0	DU	47.1956	68.4302	28.9	715.0	417	56865.	1041	1.1	0.5	6.7	0.1	0.1	6.2	19	0.1
53134	0	0	1	0	DU	47.1960	68.4302	28.9	715.1	413	56864.	1095	1.2	1.2	4.7	0.1	0.1	4.2	29	0.1
53133	0	0	0	0	DU	47.1964	68.4302	28.9	715.1	409	56861.	1023	1.0	1.8	4.9	1.9	0.4	5.0	22	0.2
53132	0	0	1	0	DU	47.1968	68.4302	28.9	715.2	405	56860.	1057	0.9	0.6	5.4	0.1	0.1	5.9	24	0.2
53131	0	0	0	0	DSU	47.1971	68.4302	28.9	715.3	401	56862.	897	1.0	2.0	4.8	2.1	0.5	5.1	22	0.2
53130	0	0	0	0	DSU	47.1975	68.4302	28.9	715.4	398	56864.	946	0.9	1.7	4.3	2.0	0.4	5.1	30	0.3
53129	0	0	0	0	DSU	47.1979	68.4303	28.9	715.5	396	56862.	990	1.0	2.0	3.1	2.0	0.7	3.3	18	0.3
53128	0	0	0	0	DSU	47.1982	68.4303	28.9	715.7	393	56860.	928	0.6	2.0	5.4	3.4	0.4	9.0	18	0.3
53126	0	0	0	0	DSU	47.1990	68.4303	28.9	715.8	389	56860.	944	0.9	1.4	4.6	1.6	0.3	5.2	25	0.4
53125	0	0	0	0	DSU	47.1993	68.4303	28.9	715.9	385	56860.	912	0.9	1.3	3.6	1.5	0.4	4.3	22	0.5
53124	0	0	0	0	DSU	47.1997	68.4303	28.9	716.0	382	56860.	922	0.9	1.6	3.7	1.9	0.5	4.4	12	0.5
53123	0	0	1	0	DSU	47.2001	68.4303	28.9	716.1	378	56859.	989	0.9	0.4	4.2	0.1	0.1	4.7	27	0.6
53122	0	0	0	0	DSU	47.2004	68.4304	28.9	716.2	374	56856.	991	1.0	1.7	7.1	1.9	0.3	7.5	27	0.6
53121	0	0	1	0	DSU	47.2008	68.4304	28.9	716.4	368	56853.	1005	0.9	-0.1	6.0	0.1	0.1	7.2	25	0.7
53120	0	0	1	0	DSU	47.2012	68.4304	28.9	716.5	361	56853.	996	1.4	0.4	4.7	0.1	0.1	3.5	27	0.8
53119	0	0	1	0	DSU	47.2015	68.4304	28.9	716.6	355	56853.	1014	1.0	0.8	5.2	0.1	0.1	5.5	24	0.8
53118	0	0	0	0	DSU	47.2019	68.4304	28.9	716.8	351	56852.	1028	1.2	2.0	5.3	1.7	0.4	4.7	31	0.8
53117	0	0	1	0	DSU	47.2023	68.4304	28.9	716.9	350	56852.	1038	1.0	1.1	3.3	0.1	0.1	3.3	29	0.9
53116	0	0	1	0	DSU	47.2026	68.4304	28.9	717.1	352	56852.	1031	1.0	0.0	4.7	0.1	0.1	4.9	21	0.9
53115	0	0	0	0	DSU	47.2030	68.4304	28.9	717.2	355	56854.	1034	1.1	2.1	4.6	1.9	0.5	4.3	20	0.9
53114	0	0	0	0	DSU	47.2034	68.4305	28.9	717.4	358	56854.	974	1.1	1.7	4.1	1.6	0.5	3.8	23	0.9
53113	0	0	0	0	DSU	47.2038	68.4305	28.9	717.5	360	56853.	1015	1.0	2.3	3.7	2.5	0.7	4.0	26	0.9
53112	0	0	1	0	DSU	47.2041	68.4305	28.9	717.6	363	56852.	897	0.8	0.0	5.5	0.1	0.1	7.6	19	0.9
53111	0	0	0	0	DSU	47.2045	68.4305	28.9	717.7	369	56850.	890	1.0	1.2	4.0	1.3	0.3	4.2	27	1.0
53110	0	0	1	0	DSU	47.2048	68.4305	28.9	717.7	382	56852.	847	0.9	0.3	4.8	0.1	0.1	5.6	29	1.0
53109	0	0	1	0	DSU	47.2052	68.4305	28.9	717.7	401	56855.	772	0.9	-0.3	5.3	0.1	0.1	5.9	14	1.1
53108	0	0	1	0	DSU	47.2056	68.4305	28.9	717.7	425	56855.	813	0.9	0.9	5.2	0.1	0.1	6.3	27	1.1
53107	0	0	0	0	DSU	47.2060	68.4305	28.9	717.7	445	56859.	791	0.8	1.6	3.3	2.1	0.5	4.3	30	1.1
53106	0	0	1	0	DSU	47.2063	68.4306	28.8	717.6	456	56864.	779	0.8	0.5	4.4	0.1	0.1	6.1	30	1.1
53105	0	0	1	0	DSU	47.2067	68.4306	28.8	717.5	456	56865.	894	1.1	0.6	4.6	0.1	0.1	4.5	27	1.1
53104	0	0	1	0	DSU	47.2071	68.4306	28.8	717.4	450	56864.	1014	1.3	-0.2	6.1	0.1	0.1	4.8	31	1.2

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

- F07 -
 MAINE AERIAL SURVEY EDMUNDSTON QUADRANGLE, CARSON GEOSCIENCE INC., 1980

LINE NO. 1040

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
53103	0	0	1	0	DSu	47.2074	68.4306	28.8	717.3	443	56864.	1025	1.2	0.9	4.3	0.1	0.1	3.8	28	1.2
53102	0	0	1	0	DSu	47.2078	68.4306	28.8	717.1	437	56864.	1105	1.2	1.2	5.4	0.1	0.1	4.7	21	1.2
53101	0	0	0	0	DSu	47.2082	68.4306	28.8	716.9	432	56863.	1030	1.0	2.4	4.6	2.4	0.6	4.6	19	1.1
53100	0	0	0	0	DSu	47.2085	68.4306	28.6	715.1	428	56865.	1120	1.2	1.4	5.5	1.2	0.3	4.6	19	1.1
53099	0	0	1	0	DSu	47.2089	68.4306	28.6	715.1	430	56864.	1072	1.1	-0.4	6.6	0.1	0.1	6.2	21	1.1
53098	0	0	0	0	DSu	47.2093	68.4307	28.6	715.1	432	56862.	1146	1.2	2.2	5.7	1.9	0.4	4.7	26	1.1
53097	0	0	1	0	DSu	47.2096	68.4307	28.6	715.1	434	56861.	1139	1.3	0.9	8.0	0.1	0.1	6.2	25	1.0
53096	0	0	1	0	DSu	47.2100	68.4307	28.6	715.1	432	56861.	1128	1.2	0.2	8.6	0.1	0.1	7.6	19	1.0
53095	0	0	1	0	DSu	47.2104	68.4307	28.6	715.1	424	56860.	1109	1.2	1.4	6.9	0.1	0.1	5.8	27	0.9
53094	0	0	0	0	DSu	47.2107	68.4307	28.6	715.0	413	56859.	1138	1.2	1.5	4.7	1.3	0.4	4.0	18	0.9
53093	0	0	1	0	DSu	47.2111	68.4307	28.6	715.0	402	56860.	1176	1.3	0.7	7.0	0.1	0.1	5.5	25	0.8
53092	0	0	1	0	DSu	47.2115	68.4307	28.6	715.0	393	56863.	1056	1.0	0.7	4.5	0.1	0.1	4.6	28	0.8
53091	0	0	1	0	DSu	47.2118	68.4307	28.6	715.0	392	56863.	1218	1.3	0.7	6.3	0.1	0.1	4.9	24	0.8
53090	0	0	1	0	DSu	47.2122	68.4308	28.6	715.0	400	56864.	1256	1.4	0.1	6.4	0.1	0.1	4.6	18	0.8
53089	0	0	1	0	DSu	47.2126	68.4308	28.6	715.0	419	56863.	1196	1.7	-0.6	5.5	0.1	0.1	3.4	36	0.9
53088	0	0	1	0	DSu	47.2129	68.4308	28.6	715.0	439	56862.	1304	1.5	0.3	6.0	0.1	0.1	4.2	20	0.8
53087	0	0	0	0	DSu	47.2133	68.4308	28.6	715.0	456	56858.	1335	1.6	2.8	5.6	1.8	0.6	3.6	25	0.8
53086	0	0	1	0	DSu	47.2137	68.4308	28.6	715.0	463	56856.	1306	1.4	0.8	5.5	0.1	0.1	4.1	23	0.7
53085	0	0	0	0	DSu	47.2141	68.4308	28.6	715.1	465	56856.	1377	1.4	2.3	8.6	1.7	0.3	6.4	25	0.7
53084	0	0	0	0	DSu	47.2145	68.4308	28.6	715.1	462	56853.	1231	1.4	2.1	8.5	1.6	0.3	6.4	31	0.6
53083	0	0	1	0	DSu	47.2149	68.4309	28.6	715.1	458	56854.	1166	1.0	1.2	6.1	0.1	0.1	6.2	29	0.6
53082	0	0	0	0	DSu	47.2153	68.4309	28.6	715.2	451	56855.	1210	1.3	2.2	6.5	1.8	0.4	5.2	19	0.5
53081	0	0	0	0	DSu	47.2157	68.4309	28.6	715.2	445	56858.	1094	1.3	1.6	5.1	1.3	0.4	4.2	22	0.5
53080	0	0	0	0	DSu	47.2161	68.4309	28.6	715.2	438	56861.	1027	1.1	2.1	8.5	2.0	0.3	7.9	22	0.5
53079	0	0	1	0	DSu	47.2165	68.4309	28.6	715.3	433	56862.	1062	1.2	0.6	6.7	0.1	0.1	5.8	28	0.4
53078	0	0	1	0	DSu	47.2169	68.4310	28.6	715.3	424	56861.	997	1.0	0.8	5.3	0.1	0.1	5.6	15	0.4
53077	0	0	0	0	DSu	47.2173	68.4310	28.6	715.2	410	56861.	1083	1.0	1.8	6.8	1.9	0.3	7.3	13	0.4
53076	0	0	0	0	DSu	47.2177	68.4310	28.6	715.2	401	56861.	1050	1.1	1.5	5.6	1.4	0.3	5.2	23	0.4
53075	0	0	0	0	DSu	47.2181	68.4310	28.6	715.1	397	56861.	1186	1.3	1.5	4.3	1.2	0.4	3.6	15	0.4
53074	0	0	0	0	DSu	47.2185	68.4310	28.6	715.0	402	56861.	1143	1.2	1.7	7.1	1.5	0.3	6.0	28	0.4
53073	0	0	1	0	DSu	47.2189	68.4311	28.6	714.9	406	56864.	1283	1.3	1.1	7.6	0.1	0.1	5.9	26	0.3
53072	0	0	1	0	DSu	47.2193	68.4311	28.6	714.8	419	56866.	1314	1.6	1.2	4.9	0.1	0.1	3.2	33	0.3
53071	0	0	0	0	DSu	47.2197	68.4311	28.6	714.6	431	56866.	1442	1.8	1.7	6.3	1.0	0.3	3.6	23	0.3
53070	0	0	0	0	DSu	47.2201	68.4311	28.6	714.4	441	56864.	1431	1.7	1.6	7.9	1.0	0.3	4.7	19	0.3
53069	0	0	1	0	DSu	47.2206	68.4311	28.6	714.2	441	56863.	1314	1.9	-0.1	6.2	0.1	0.1	3.5	28	0.3
53068	0	0	1	0	DSu	47.2209	68.4311	28.6	714.0	435	56864.	1435	1.6	1.4	7.6	0.1	0.1	5.0	26	0.3
53067	0	0	0	0	DSu	47.2213	68.4312	28.6	713.9	427	56865.	1421	1.6	1.7	8.9	1.2	0.2	5.8	22	0.3
53066	0	0	0	0	DSu	47.2218	68.4312	28.6	713.7	419	56866.	1389	1.4	2.7	7.6	2.0	0.4	5.6	25	0.3
53065	0	0	0	0	DSu	47.2222	68.4312	28.6	713.5	411	56864.	1360	1.2	2.2	5.0	1.9	0.5	4.4	26	0.2
53064	0	0	0	0	DSu	47.2226	68.4312	28.6	713.4	403	56862.	1325	1.4	1.8	6.5	1.4	0.3	4.9	19	0.2
53063	0	0	0	0	DSu	47.2230	68.4313	28.6	713.2	390	56862.	1340	1.4	2.4	8.4	1.8	0.3	6.3	24	0.1
53062	0	0	1	0	DSu	47.2234	68.4313	28.6	713.1	374	56860.	1194	1.3	0.9	4.4	0.1	0.1	3.4	13	0.1
53061	0	0	0	0	DSu	47.2238	68.4313	28.6	713.0	360	56857.	1287	1.3	1.3	8.1	1.0	0.2	6.3	24	0.1
53060	0	0	1	0	DSu	47.2242	68.4313	28.6	712.9	356	56854.	1268	1.3	0.6	7.5	0.1	0.1	5.9	22	0.2
53059	0	0	1	0	DSu	47.2246	68.4313	28.6	712.8	344	56853.	1190	1.3	0.6	5.3	0.1	0.1	4.4	26	0.2
53058	0	0	0	0	DSu	47.2250	68.4313	28.6	712.8	378	56853.	1355	1.5	1.7	8.2	1.2	0.3	5.6	28	0.3
53057	0	0	1	0	DSu	47.2254	68.4314	28.6	712.8	392	56854.	1385	1.3	0.6	10.1	0.1	0.1	8.2	27	0.3
53056	0	0	0	0	DSu	47.2257	68.4313	28.6	712.7	399	56856.	1328	1.0	2.9	5.3	3.0	0.6	5.4	29	0.3
53055	0	0	0	0	DSu	47.2261	68.4312	28.6	712.7	400	56858.	1364	1.3	2.0	6.2	1.6	0.4	5.0	32	0.3
53054	0	0	0	0	DSu	47.2265	68.4311	28.6	712.6	399	56859.	1345	1.2	1.6	5.9	1.4	0.3	4.9	24	0.3

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
53053	0	0	1	0	DSu	47.2268	68.4311	28.6	712.6	397	56859.	1286	1.5	1.3	7.3	0.1	0.1	5.1	27	0.3
53052	0	0	1	0	DSu	47.2272	68.4310	28.6	712.6	394	56858.	1337	1.3	1.0	8.3	0.1	0.1	6.6	26	0.3
53051	0	0	0	0	DSu	47.2275	68.4309	28.6	712.5	388	56857.	1300	1.4	1.8	7.4	1.3	0.3	5.3	20	0.3
53050	0	0	0	0	DSu	47.2279	68.4308	28.6	712.5	382	56857.	1308	1.4	1.9	9.1	1.4	0.3	6.6	22	0.3
53049	0	0	1	0	DSu	47.2282	68.4308	28.6	712.5	376	56857.	1281	1.4	0.5	6.6	0.1	0.1	5.0	26	0.4
53048	0	0	1	0	DSu	47.2286	68.4307	28.6	712.4	374	56856.	1281	1.5	0.0	6.1	0.1	0.1	4.3	28	0.4
53047	0	0	0	0	DSu	47.2290	68.4306	28.6	712.4	368	56854.	1231	1.5	2.4	6.2	1.6	0.4	4.2	30	0.3
53046	0	0	0	0	DSu	47.2293	68.4306	28.6	712.3	363	56853.	1156	1.1	2.0	6.5	1.8	0.4	5.8	23	0.3
53045	0	0	0	0	DSu	47.2297	68.4305	28.6	712.3	355	56855.	1152	1.1	1.9	7.1	1.8	0.3	6.9	24	0.3
53044	0	0	1	0	DSu	47.2300	68.4304	28.6	711.8	360	56857.	1121	1.2	0.8	5.1	0.1	0.1	4.4	20	0.3
53043	0	0	1	0	DSu	47.2304	68.4304	28.6	711.8	364	56859.	1115	1.1	1.1	5.9	0.1	0.1	5.4	31	0.3
53042	0	0	0	0	DSu	47.2307	68.4303	28.6	711.8	367	56861.	1099	1.0	1.9	7.3	2.0	0.3	7.6	21	0.4
53041	0	0	1	0	DSu	47.2311	68.4302	28.6	711.7	376	56860.	1214	1.2	1.2	5.8	0.1	0.1	5.1	26	0.4
53040	0	0	1	0	DSu	47.2314	68.4301	28.6	711.7	382	56859.	1254	1.5	0.4	8.3	0.1	0.1	5.6	20	0.5
53039	0	0	1	0	DSu	47.2318	68.4301	28.6	711.7	386	56856.	1388	1.6	1.3	5.8	0.1	0.1	3.7	33	0.6
53038	0	0	0	0	DSu	47.2322	68.4300	28.6	711.7	382	56853.	1454	1.6	2.4	5.5	1.6	0.5	3.6	23	0.6
53037	0	0	0	0	DSu	47.2325	68.4299	28.6	711.7	378	56851.	1379	1.4	2.8	5.2	2.1	0.6	4.0	17	0.6
53036	0	0	0	0	DSu	47.2329	68.4298	28.6	711.7	374	56852.	1377	1.5	2.1	5.8	1.4	0.4	3.9	31	0.6
53035	0	0	1	0	DSu	47.2332	68.4298	28.6	711.7	372	56854.	1328	1.4	0.6	7.1	0.1	0.1	5.3	36	0.6
53034	0	0	0	0	DSu	47.2336	68.4297	28.6	711.7	369	56855.	1476	1.5	1.7	8.8	1.2	0.2	5.9	23	0.6
53033	0	0	0	0	DSu	47.2339	68.4296	28.6	711.7	369	56854.	1500	1.7	2.5	7.0	1.5	0.4	4.2	24	0.5
53032	0	0	0	0	DSu	47.2343	68.4296	28.6	711.7	373	56852.	1442	1.6	1.5	6.8	1.0	0.3	4.3	27	0.5
53030	0	0	1	0	DSu	47.2350	68.4294	28.6	711.7	379	56852.	1467	1.8	1.0	10.3	0.1	0.1	5.9	23	0.5
53029	0	0	1	0	DSu	47.2354	68.4293	28.6	711.7	384	56851.	1450	1.6	1.0	8.1	0.1	0.1	5.3	26	0.5
53028	0	0	0	0	DSu	47.2357	68.4293	28.7	711.7	388	56850.	1491	1.6	2.0	7.8	1.3	0.3	4.9	32	0.6
53027	0	0	1	0	DSu	47.2361	68.4292	28.7	711.7	392	56851.	1489	1.5	-0.2	9.1	0.1	0.1	6.2	20	0.6
53026	0	0	0	0	DSu	47.2364	68.4292	28.7	711.7	398	56852.	1514	1.7	2.8	7.5	1.6	0.4	4.5	27	0.6
53025	0	0	0	0	DSu	47.2368	68.4292	28.7	711.8	403	56852.	1441	1.4	1.5	8.6	1.1	0.2	6.3	25	0.6
53024	0	0	0	0	DSu	47.2371	68.4292	28.7	711.8	406	56851.	1508	1.9	1.8	6.1	1.0	0.3	3.4	28	0.6
53023	0	0	0	0	DSu	47.2374	68.4292	28.7	711.9	408	56851.	1393	1.6	2.4	6.6	1.5	0.4	4.1	25	0.6
53022	0	0	0	0	DSu	47.2378	68.4291	28.7	711.9	411	56852.	1318	1.4	1.6	7.8	1.2	0.3	5.9	29	0.6
53021	0	0	1	0	DSu	47.2381	68.4291	28.7	712.0	415	56854.	1312	1.4	1.1	7.6	0.1	0.1	5.4	20	0.7
53020	0	0	0	0	DSu	47.2385	68.4291	28.7	712.1	418	56853.	1239	1.4	1.9	6.9	1.4	0.3	5.1	35	0.7
53019	0	0	0	0	DSu	47.2388	68.4291	28.7	712.1	417	56852.	1237	1.5	1.7	5.7	1.2	0.3	4.0	27	0.8
53018	0	0	1	0	DSu	47.2392	68.4291	28.7	712.2	417	56853.	1158	1.0	0.9	5.3	0.1	0.1	5.7	23	0.7
53017	0	0	0	0	DSu	47.2395	68.4291	28.7	712.3	414	56853.	1149	1.1	1.8	7.1	1.7	0.3	6.8	20	0.7
53016	0	0	1	0	DSu	47.2398	68.4290	28.7	712.4	405	56853.	1148	1.3	0.9	6.1	0.1	0.1	4.8	29	0.8
53015	0	0	0	0	DSu	47.2402	68.4290	28.7	712.5	385	56855.	1191	1.3	1.4	7.4	1.1	0.2	5.8	32	0.7
53014	0	0	0	0	DSu	47.2405	68.4290	28.7	712.6	364	56854.	1117	1.3	2.4	4.2	2.0	0.6	3.4	25	0.7
53013	0	0	1	0	DSu	47.2409	68.4290	28.7	712.7	351	56849.	1081	1.2	0.3	6.2	0.1	0.1	5.2	29	0.7
53012	0	0	0	0	DSu	47.2412	68.4290	28.7	712.8	351	56846.	1171	1.1	2.2	5.8	2.0	0.4	5.3	27	0.7
53011	0	0	1	0	DSu	47.2416	68.4289	28.7	712.9	358	56846.	1201	1.2	0.6	4.8	0.1	0.1	4.2	32	0.7
53010	0	0	1	0	DSu	47.2419	68.4289	28.7	713.0	361	56849.	1204	1.3	0.9	7.9	0.1	0.1	6.1	23	0.7
53009	0	0	0	0	DSu	47.2422	68.4289	28.7	713.1	360	56853.	1143	1.1	1.5	4.7	1.4	0.4	4.4	23	0.7
53008	0	0	1	0	DSu	47.2426	68.4289	28.7	713.3	355	56855.	1185	1.3	0.6	5.5	0.1	0.1	4.2	30	0.7
53007	0	0	1	0	DSu	47.2429	68.4289	28.7	713.4	350	56855.	1163	1.1	0.6	5.1	0.1	0.1	4.6	25	0.7
53006	0	0	0	0	DSu	47.2433	68.4288	28.7	713.6	346	56854.	1197	1.4	2.2	4.5	1.6	0.5	3.3	15	0.7
53005	0	0	1	0	DSu	47.2436	68.4288	28.7	713.7	344	56852.	1232	1.1	0.9	6.0	0.1	0.1	5.6	28	0.6
53004	0	0	0	0	DSu	47.2440	68.4288	28.7	713.9	344	56850.	1206	1.2	2.4	4.5	2.2	0.6	4.1	22	0.6
53003	0	0	0	0	DSu	47.2443	68.4288	28.7	714.1	344	56850.	1285	1.3	2.2	6.2	1.7	0.4	4.8	37	0.5

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
53002	0	0	1	0	DSu	47.2446	68.4288	28.7	714.2	348	56849.	1336	1.4	0.7	6.2	0.1	0.1	4.4	21	0.5
53001	0	0	1	0	DSu	47.2450	68.4288	28.7	714.4	354	56849.	1360	1.5	0.8	6.2	0.1	0.1	4.3	20	0.5
53000	0	0	1	0	DSu	47.2453	68.4287	28.7	714.5	360	56850.	1315	1.6	1.0	6.5	0.1	0.1	4.3	27	0.5
52999	0	0	0	0	DSu	47.2457	68.4287	28.7	714.7	364	56849.	1310	1.4	1.8	5.6	1.4	0.4	4.1	16	0.5
52998	0	0	0	0	DSu	47.2460	68.4287	28.7	714.8	370	56849.	1281	1.2	1.8	7.4	1.5	0.3	6.3	32	0.5
52997	0	0	0	0	DSu	47.2464	68.4287	28.7	714.9	376	56852.	1223	1.4	2.3	5.4	1.7	0.5	3.9	27	0.4
52996	0	0	0	0	DSu	47.2467	68.4287	28.7	715.0	380	56853.	1260	1.6	2.6	7.3	1.7	0.4	4.8	26	0.4
52995	0	0	0	0	DSu	47.2471	68.4286	28.7	715.1	378	56853.	1240	1.3	2.1	6.2	1.7	0.4	5.1	30	0.3
52994	0	0	0	0	DSu	47.2474	68.4286	28.7	715.2	370	56854.	1299	1.5	1.5	7.3	1.1	0.3	5.2	26	0.3
52993	0	0	1	0	DSu	47.2477	68.4286	28.7	715.3	361	56852.	1320	1.5	0.9	6.3	0.1	0.1	4.3	28	0.3
52992	0	0	0	0	DSu	47.2481	68.4286	28.7	715.4	353	56850.	1422	1.6	2.0	5.3	1.3	0.4	3.4	24	0.3
52991	0	0	0	0	DSu	47.2484	68.4286	28.7	715.5	346	56848.	1474	1.7	1.8	7.4	1.1	0.3	4.5	23	0.2
52990	0	0	0	0	DSu	47.2488	68.4286	28.7	715.5	339	56848.	1391	1.6	2.3	7.9	1.5	0.3	5.2	26	0.1
52989	0	0	0	0	DSu	47.2491	68.4285	28.7	715.6	331	56849.	1475	1.6	2.5	6.8	1.6	0.4	4.3	33	0.1
52988	0	0	0	0	DSu	47.2495	68.4285	28.7	715.6	325	56849.	1485	1.5	1.2	8.2	0.9	0.2	5.7	23	0.0
52987	0	0	0	0	DSu	47.2498	68.4285	28.8	715.4	326	56851.	1380	1.5	1.4	6.5	1.0	0.3	4.4	21	0.0
52986	0	0	0	0	DSu	47.2501	68.4285	28.8	715.5	327	56851.	1459	1.5	2.2	7.6	1.5	0.3	5.1	30	0.0
52985	0	0	0	0	DSu	47.2505	68.4285	28.8	715.4	329	56852.	1342	1.3	3.0	6.7	2.3	0.5	5.1	27	0.0
52984	0	0	1	0	DSu	47.2508	68.4284	28.8	715.4	333	56854.	1364	1.7	1.1	8.1	0.1	0.1	4.9	25	0.0
52983	0	0	0	0	DSu	47.2512	68.4284	28.8	715.4	337	56856.	1311	1.5	1.6	7.0	1.1	0.3	4.9	17	0.0
52982	0	0	0	0	DSu	47.2515	68.4284	28.8	715.4	343	56855.	1353	1.6	1.3	5.8	0.9	0.3	3.8	23	0.0
52981	0	0	0	0	DSu	47.2519	68.4284	28.8	715.4	352	56855.	1328	1.1	3.1	6.6	2.9	0.5	6.1	29	0.0
52980	0	0	0	0	DSu	47.2522	68.4284	28.8	715.4	362	56855.	1357	1.5	2.9	6.7	2.0	0.5	4.6	20	0.0
52979	0	0	0	0	DSu	47.2525	68.4283	28.8	715.4	373	56855.	1293	1.4	1.5	7.9	1.1	0.2	5.7	34	0.0
52978	0	0	0	0	DSu	47.2529	68.4283	28.8	715.4	383	56852.	1229	1.2	1.8	6.0	1.6	0.3	5.3	24	0.0
52977	0	0	0	0	DSu	47.2532	68.4283	28.8	715.4	391	56851.	1182	1.3	1.5	4.6	1.2	0.4	3.8	22	0.0
52976	0	0	0	0	DSu	47.2536	68.4283	28.8	715.3	399	56852.	1181	1.2	1.6	6.6	1.4	0.3	5.7	17	0.0
52975	0	0	0	0	DSu	47.2539	68.4283	28.8	715.3	406	56853.	1074	1.3	1.3	5.6	1.0	0.3	4.5	21	0.0
52974	0	0	0	0	DSu	47.2543	68.4282	28.8	715.3	414	56853.	1076	1.2	1.6	4.7	1.5	0.4	4.2	19	0.0
52973	0	0	1	0	DSu	47.2546	68.4282	28.8	715.3	421	56853.	1022	1.2	0.7	5.6	0.1	0.1	4.9	30	0.0
52972	0	0	1	0	DSu	47.2550	68.4282	28.8	715.2	427	56852.	999	1.2	-0.1	3.8	0.1	0.1	3.4	24	0.0
52971	0	0	0	0	DSu	47.2553	68.4282	28.8	715.2	431	56849.	1061	1.1	2.6	6.7	2.5	0.4	6.4	24	0.0
52970	0	0	1	0	DSu	47.2556	68.4282	28.8	715.2	431	56846.	1095	1.0	0.8	5.8	0.1	0.1	5.9	30	0.0
52969	0	0	0	0	DSu	47.2560	68.4282	28.8	715.1	430	56845.	1102	1.3	1.6	6.6	1.3	0.3	5.3	26	0.0
52968	0	0	1	0	DSu	47.2563	68.4281	28.8	715.1	429	56847.	1160	1.0	1.0	5.0	0.1	0.1	5.2	28	0.0
52967	0	0	0	0	DSu	47.2567	68.4281	28.8	715.1	430	56850.	1284	1.3	2.5	7.9	2.0	0.4	6.3	28	0.0
52966	0	0	1	0	DSu	47.2570	68.4281	28.8	715.0	432	56850.	1261	1.5	1.2	2.2	0.1	0.1	1.5	23	0.0
52965	0	0	0	0	DSu	47.2574	68.4281	28.8	715.0	434	56849.	1317	1.5	1.7	3.7	1.2	0.5	2.6	19	0.0
52964	0	0	0	0	DSu	47.2577	68.4281	28.8	715.0	437	56850.	1250	1.3	1.8	7.5	1.4	0.3	5.8	24	0.0
52963	0	0	1	0	DSu	47.2580	68.4280	28.8	714.9	437	56852.	1359	1.7	1.5	6.5	0.1	0.1	4.0	26	0.0
52962	0	0	1	0	DSu	47.2584	68.4280	28.8	714.8	435	56853.	1330	1.5	1.1	6.1	0.1	0.1	4.1	26	0.0
52961	0	0	0	0	DSu	47.2587	68.4280	28.8	714.7	431	56851.	1312	1.7	2.0	4.6	1.2	0.5	2.9	25	0.0
52960	0	0	1	0	DSu	47.2591	68.4280	28.8	714.7	428	56848.	1323	1.9	0.8	5.6	0.1	0.1	3.0	24	0.0
52959	0	0	0	0	DSu	47.2594	68.4280	28.8	714.6	427	56849.	1249	1.6	1.9	5.7	1.2	0.4	3.6	35	0.0
52958	0	0	0	0	DSu	47.2598	68.4279	28.8	714.5	433	56850.	1323	1.5	1.6	6.9	1.1	0.3	4.7	26	0.0
52957	0	0	1	0	DSu	47.2601	68.4279	28.8	714.5	445	56850.	1239	1.3	0.4	7.0	0.1	0.1	5.6	26	0.0
52956	0	0	1	0	DSu	47.2604	68.4279	28.8	714.4	461	56849.	1278	1.5	1.4	6.0	0.1	0.1	4.1	29	0.0
52955	0	0	1	0	DSu	47.2608	68.4279	28.8	714.4	475	56850.	1202	1.5	1.0	8.0	0.1	0.1	5.5	29	0.0
52954	0	0	0	0	DSu	47.2611	68.4279	28.8	714.3	486	56852.	1151	1.1	2.2	4.3	2.1	0.5	4.1	44	0.0
52953	0	0	0	0	DSu	47.2615	68.4278	28.8	714.3	490	56852.	1211	1.3	2.1	6.3	1.7	0.4	5.2	20	0.0

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
52952	0	0	1	0	DSU	47.2618	68.4278	28.8	714.2	484	56854.	1187	1.0	1.1	7.0	0.1	0.1	7.4	19	0.0
52951	0	0	0	0	DSU	47.2622	68.4278	28.8	714.3	474	56855.	1196	1.4	2.1	5.7	1.6	0.4	4.2	27	0.0
52950	0	0	1	0	DSU	47.2625	68.4278	28.8	714.3	455	56854.	1169	1.2	1.3	5.0	0.1	0.1	4.4	26	0.0
52949	0	0	1	0	DSU	47.2628	68.4278	28.8	714.4	433	56852.	1154	1.3	1.3	6.8	0.1	0.1	5.2	32	0.0
52948	0	0	1	0	DSU	47.2632	68.4278	28.8	714.5	405	56851.	1055	1.1	1.1	3.6	0.1	0.1	3.3	27	0.0
52947	0	0	0	0	DSU	47.2635	68.4277	28.8	714.6	383	56852.	1105	1.2	1.9	4.8	1.7	0.4	4.3	15	0.0
52946	0	0	0	0	DSU	47.2639	68.4277	28.8	714.7	368	56850.	1095	1.0	2.8	7.3	2.9	0.4	7.7	21	0.0
52945	0	0	0	0	DSU	47.2642	68.4277	28.9	714.8	359	56848.	1016	1.2	1.8	5.5	1.6	0.4	4.7	20	0.0
52944	0	0	1	0	DSU	47.2646	68.4277	28.9	715.0	355	56847.	1010	1.1	0.6	3.6	0.1	0.1	3.4	32	0.0
52943	0	0	0	0	DSU	47.2649	68.4277	28.9	715.1	357	56846.	1025	1.1	1.5	4.6	1.4	0.4	4.3	14	0.0
52942	0	0	0	0	DSU	47.2653	68.4277	28.9	715.3	362	56844.	1036	0.9	1.9	4.4	2.2	0.5	5.1	25	0.0
52941	0	0	0	0	DSU	47.2656	68.4276	28.9	715.5	370	56843.	1032	1.2	1.6	6.0	1.4	0.3	5.4	19	0.0
52940	0	0	1	0	DSU	47.2659	68.4276	28.9	715.6	377	56846.	1127	1.2	0.8	5.2	0.1	0.1	4.4	29	0.0
52939	0	0	1	0	DSU	47.2663	68.4276	28.9	715.8	382	56850.	1069	1.1	0.6	4.9	0.1	0.1	4.9	30	0.0
52938	0	0	0	0	DSU	47.2666	68.4276	28.9	716.0	387	56851.	1120	1.3	1.4	6.5	1.2	0.3	5.3	19	0.0
52937	0	0	1	0	DSU	47.2670	68.4276	28.9	716.2	393	56852.	1045	1.1	0.9	5.7	0.1	0.1	5.2	24	0.0
52935	0	0	0	0	DSU	47.2677	68.4275	28.9	716.4	400	56852.	1056	0.9	1.4	3.5	1.6	0.4	4.1	23	0.0
52934	0	0	1	0	DSU	47.2680	68.4275	28.9	716.6	406	56850.	1073	1.2	0.4	7.0	0.1	0.1	6.3	21	0.0
52933	0	0	1	0	DSU	47.2683	68.4275	28.9	716.8	412	56848.	1094	1.2	1.0	7.4	0.1	0.1	6.2	21	0.0
52932	0	0	1	0	DSU	47.2687	68.4275	28.9	717.0	420	56847.	1058	1.3	0.7	5.4	0.1	0.1	4.4	26	0.0
52931	0	0	1	0	DSU	47.2690	68.4274	28.9	717.2	429	56847.	1063	1.0	1.1	6.3	0.1	0.1	6.5	20	0.0
52930	0	0	1	0	DSU	47.2694	68.4274	28.9	717.4	437	56849.	1021	1.2	1.1	7.2	0.1	0.1	6.1	22	0.0
52929	0	0	1	0	DSU	47.2697	68.4274	28.9	717.7	436	56850.	1085	1.0	1.3	7.0	0.1	0.1	7.5	20	0.0
52928	0	0	0	0	DSU	47.2701	68.4274	28.9	717.9	431	56848.	1131	1.1	1.7	6.2	1.6	0.3	5.8	20	0.0
52927	0	0	0	0	DSU	47.2704	68.4274	28.9	718.1	424	56847.	1124	1.3	2.3	4.9	1.8	0.5	3.8	23	0.0
52926	0	0	1	0	DSU	47.2707	68.4273	28.9	718.3	419	56850.	1216	1.2	1.1	6.8	0.1	0.1	6.0	27	0.0
52925	0	0	1	0	DSU	47.2711	68.4273	28.9	718.5	415	56851.	1202	1.0	1.0	6.3	0.1	0.1	6.3	20	0.0
52924	0	0	0	0	DSU	47.2714	68.4273	28.9	718.7	409	56851.	1214	1.1	2.7	5.7	2.6	0.5	5.4	15	0.0
52923	0	0	0	0	DSU	47.2718	68.4273	28.9	719.0	406	56852.	1258	1.2	3.3	8.8	2.9	0.4	7.7	29	0.0
52922	0	0	0	0	DSU	47.2721	68.4273	28.9	719.2	403	56851.	1242	1.2	1.8	6.2	1.6	0.3	5.6	26	0.0
52921	0	0	0	0	DSU	47.2725	68.4272	29.0	719.4	401	56848.	1223	1.3	2.0	6.2	1.6	0.4	4.9	27	0.1
52920	0	0	1	0	DSU	47.2728	68.4272	29.0	719.6	401	56847.	1227	1.5	0.5	5.4	0.1	0.1	3.8	33	0.3
52919	0	0	0	0	DSU	47.2731	68.4272	29.0	719.8	404	56848.	1187	1.2	2.1	6.2	1.8	0.4	5.1	27	0.6
52918	0	0	1	0	DSU	47.2735	68.4272	29.0	720.1	410	56850.	1224	1.4	1.3	5.3	0.1	0.1	3.9	33	0.8
52917	0	0	1	0	DSU	47.2738	68.4272	29.0	720.3	417	56849.	1165	1.1	1.3	8.2	0.1	0.1	7.7	21	1.0
52916	0	0	0	0	DSU	47.2742	68.4272	29.0	720.5	423	56847.	1262	1.5	1.5	7.1	1.0	0.3	4.8	26	1.3
52915	0	0	1	0	DSU	47.2745	68.4271	29.0	720.7	427	56845.	1266	1.6	0.6	9.1	0.1	0.1	5.9	16	1.5
52914	0	0	1	0	DSU	47.2749	68.4271	29.0	721.0	427	56845.	1210	1.3	-0.4	7.7	0.1	0.1	6.2	27	1.5
52913	0	0	1	0	DSU	47.2752	68.4271	29.0	721.2	426	56846.	1231	1.4	1.2	9.3	0.1	0.1	6.8	27	1.7
52912	0	0	0	0	DSU	47.2756	68.4271	29.0	721.5	423	56844.	1266	1.3	2.0	5.7	1.7	0.4	4.7	23	1.7
52911	0	0	1	0	DSU	47.2759	68.4271	29.0	721.7	420	56843.	1288	1.5	1.1	6.7	0.1	0.1	4.5	20	1.7
52910	0	0	1	0	DSU	47.2762	68.4270	29.0	722.0	419	56843.	1216	1.6	0.3	6.5	0.1	0.1	4.3	28	1.7
52909	0	0	0	0	DSU	47.2766	68.4270	29.0	722.2	422	56842.	1259	1.1	3.0	6.5	2.8	0.5	6.1	19	1.7
52908	0	0	0	0	DSU	47.2769	68.4270	29.0	722.4	427	56841.	1225	1.3	2.5	4.7	2.1	0.6	3.8	19	1.7
52907	0	0	0	0	DSU	47.2773	68.4270	29.0	722.7	430	56840.	1294	1.3	1.8	6.0	1.4	0.3	4.8	18	1.6
52906	0	0	1	0	DSU	47.2776	68.4270	29.0	722.9	430	56837.	1297	1.4	1.4	6.6	0.1	0.1	4.7	20	1.6
52905	0	0	0	0	DSU	47.2780	68.4269	29.0	723.1	427	56837.	1263	1.5	1.6	7.8	1.1	0.3	5.5	22	1.6
52904	0	0	0	0	DSU	47.2783	68.4269	29.0	723.3	423	56839.	1344	1.6	2.7	6.8	1.7	0.4	4.3	29	1.6
52903	0	0	1	0	DSU	47.2786	68.4269	29.0	723.6	422	56840.	1218	1.7	0.6	4.7	0.1	0.1	2.9	21	1.6
52902	0	0	0	0	DSU	47.2790	68.4269	29.0	723.8	423	56842.	1278	1.3	2.5	6.1	1.9	0.5	4.7	18	1.7

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
52901	0	0	1	0	DSu	47.2793	68.4269	29.0	724.0	423	56844.	1235	1.2	1.3	8.0	0.1	0.1	6.7	27	1.7
52900	0	0	0	0	DSu	47.2797	68.4268	29.0	724.2	420	56846.	1185	1.5	2.5	5.3	1.7	0.5	3.7	28	1.7
52899	0	0	1	0	DSu	47.2800	68.4268	29.0	724.3	416	56848.	1224	1.5	0.9	6.8	0.1	0.1	4.6	18	1.7
52898	0	0	1	0	DSu	47.2804	68.4268	29.0	724.5	414	56848.	1171	1.4	1.4	5.0	0.1	0.1	3.6	17	1.8
52897	0	0	1	0	DSu	47.2807	68.4268	29.0	724.7	413	56844.	1137	1.4	0.7	6.7	0.1	0.1	4.9	27	1.8
52896	0	0	0	0	DSu	47.2811	68.4268	29.0	724.9	411	56843.	1191	1.5	2.5	7.4	1.7	0.4	5.2	18	1.8
52895	0	0	0	0	DSu	47.2815	68.4268	29.0	725.1	407	56845.	1125	1.2	1.6	5.5	1.4	0.3	4.8	21	1.8
52894	0	0	1	0	DSu	47.2818	68.4268	28.9	725.2	400	56844.	977	1.0	0.7	2.6	0.1	0.1	2.6	32	1.8
52893	0	0	1	0	DSu	47.2822	68.4268	28.9	725.4	398	56842.	717	0.7	0.3	2.9	0.1	0.1	4.2	18	1.8
52892	0	0	1	0	DSu	47.2826	68.4268	28.9	725.6	394	56842.	613	0.8	1.0	3.2	0.1	0.1	4.2	24	1.9
52891	0	0	1	0	DSu	47.2830	68.4268	28.9	725.8	390	56843.	485	0.7	0.2	3.9	0.1	0.1	6.3	19	1.9
52890	0	0	1	0	Water	47.2833	68.4268	28.9	725.9	381	56844.	470	0.6	0.1	4.3	0.1	0.1	8.2	21	1.9
52889	0	0	1	0	Water	47.2837	68.4268	28.9	726.0	372	56845.	527	0.5	0.4	3.6	0.1	0.1	0.1	17	1.9
52888	0	0	1	0	Water	47.2841	68.4268	28.9	726.1	363	56847.	613	0.8	-0.8	4.8	0.1	0.1	6.9	23	2.0
52887	0	0	1	0	Water	47.2845	68.4268	28.8	726.2	354	56847.	707	1.0	-0.3	3.8	0.1	0.1	4.0	29	2.0
52886	0	0	1	0	Unknou	47.2848	68.4268	28.8	726.3	345	56847.	778	0.9	0.6	5.1	0.1	0.1	5.9	23	2.1
52885	0	0	1	0	Unknou	47.2852	68.4268	28.8	726.4	340	56849.	916	1.0	-0.2	5.3	0.1	0.1	5.2	18	2.1
52884	0	0	1	0	Unknou	47.2856	68.4268	28.8	726.5	341	56848.	931	1.1	0.7	5.4	0.1	0.1	5.3	28	2.2
52883	0	0	0	0	Unknou	47.2859	68.4267	28.8	726.6	350	56847.	897	0.9	1.3	4.1	1.5	0.4	4.6	18	2.3
52882	0	0	1	0	Unknou	47.2863	68.4267	28.7	726.6	364	56847.	921	0.9	0.5	4.1	0.1	0.1	4.6	31	2.3
52881	0	0	1	0	Unknou	47.2867	68.4267	28.7	726.7	381	56846.	955	1.0	1.0	4.1	0.1	0.1	4.3	21	2.4
52880	0	0	1	0	Unknou	47.2871	68.4267	28.7	726.7	398	56845.	942	1.0	0.4	5.7	0.1	0.1	5.7	16	2.5
52879	0	0	1	0	Unknou	47.2874	68.4267	28.7	726.6	411	56845.	947	1.3	0.8	6.3	0.1	0.1	5.0	22	2.6
52878	0	0	1	0	Unknou	47.2878	68.4267	28.6	726.5	423	56843.	943	0.9	0.3	5.5	0.1	0.1	6.3	27	2.7
52877	0	0	1	0	Unknou	47.2882	68.4267	28.6	726.3	434	56840.	871	1.0	0.1	5.2	0.1	0.1	5.3	27	2.8
52876	0	0	1	0	Unknou	47.2886	68.4267	28.6	726.1	446	56837.	951	1.2	-0.1	6.9	0.1	0.1	5.9	32	3.0
52875	0	0	1	0	Unknou	47.2889	68.4267	28.6	725.8	451	56836.	806	1.0	0.2	4.7	0.1	0.1	5.1	32	3.1

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
35721	0	0	1	0	SOCm	47.0002	68.0434	28.3	722.9	399	56819.	1347	1.3	0.9	7.2	0.1	0.1	5.6	34	1.9
35722	0	0	1	0	SOCm	47.0006	68.0435	28.3	722.9	399	56821.	1234	1.4	0.6	5.3	0.1	0.1	4.0	26	2.0
35723	0	0	1	0	SOCm	47.0010	68.0434	28.3	722.9	400	56824.	1241	1.7	0.1	6.6	0.1	0.1	4.0	19	2.0
35724	0	0	0	0	SOCm	47.0015	68.0433	28.3	722.9	401	56828.	1207	1.4	2.2	8.7	1.6	0.3	6.3	25	2.1
35725	0	0	1	0	SOCm	47.0019	68.0432	28.3	722.9	402	56829.	1205	1.3	0.1	6.9	0.1	0.1	5.3	35	2.1
35726	0	0	1	0	SOCm	47.0023	68.0431	28.3	722.9	397	56827.	1166	1.4	1.0	7.0	0.1	0.1	5.0	16	2.1
35727	0	0	0	0	SOCm	47.0027	68.0430	28.3	723.0	391	56826.	1023	1.2	1.4	3.2	1.3	0.5	2.8	26	2.2
35728	0	0	1	0	SOCm	47.0031	68.0429	28.3	723.0	386	56826.	952	1.1	0.8	3.5	0.1	0.1	3.4	26	2.2
35729	0	0	1	0	SOCm	47.0035	68.0428	28.3	723.1	384	56826.	763	0.8	0.0	4.4	0.1	0.1	5.8	16	2.2
35730	0	0	1	0	SOCm	47.0038	68.0427	28.3	723.1	388	56825.	698	0.8	0.1	3.5	0.1	0.1	4.8	21	2.3
35731	0	0	1	0	SOCm	47.0042	68.0426	28.3	723.2	391	56825.	641	0.7	0.6	4.4	0.1	0.1	7.0	25	2.3
35732	0	0	1	0	SOCm	47.0046	68.0426	28.3	723.2	398	56825.	651	0.7	0.7	3.8	0.1	0.1	5.8	27	2.3
35733	0	0	1	0	SOCm	47.0050	68.0425	28.3	723.2	397	56824.	603	0.5	-0.2	2.6	0.1	0.1	0.1	29	2.3
35734	0	0	1	0	SOCm	47.0053	68.0424	28.3	723.2	394	56822.	625	0.5	0.8	1.9	0.1	0.1	0.1	25	2.3
35735	0	0	1	0	SOCm	47.0057	68.0423	28.3	723.2	390	56821.	597	0.4	1.1	2.3	0.1	0.1	0.1	25	2.4
35736	0	0	1	0	SOCm	47.0061	68.0422	28.3	723.2	386	56822.	650	0.6	0.1	3.0	0.1	0.1	5.9	25	2.4
35737	0	0	1	0	SOCm	47.0065	68.0422	28.3	723.2	381	56823.	624	0.8	0.2	5.3	0.1	0.1	7.0	19	2.4
35738	0	0	1	0	SOCm	47.0068	68.0421	28.3	723.2	383	56824.	748	0.7	1.0	4.1	0.1	0.1	6.0	21	2.4
35739	0	0	0	0	SOCm	47.0072	68.0420	28.3	723.2	395	56825.	746	0.8	1.3	3.0	1.8	0.5	4.3	24	2.4
35740	0	0	0	0	SOCm	47.0076	68.0419	28.3	723.2	413	56824.	804	0.7	1.6	3.7	2.6	0.5	6.0	20	2.4
35741	0	0	1	0	SOCm	47.0080	68.0418	28.3	723.2	424	56824.	805	0.9	0.0	6.5	0.1	0.1	7.7	21	2.4
35742	0	0	1	0	SOCm	47.0083	68.0417	28.3	723.2	424	56824.	731	0.7	0.6	5.7	0.1	0.1	8.5	26	2.4
35743	0	0	1	0	SOCm	47.0087	68.0417	28.3	723.2	430	56825.	756	1.0	0.6	4.8	0.1	0.1	4.9	22	2.4
35744	0	0	1	0	SOCm	47.0091	68.0416	28.3	723.1	435	56825.	720	0.8	0.8	4.5	0.1	0.1	5.8	21	2.4
35745	0	0	1	0	SOCm	47.0095	68.0415	28.3	723.1	445	56826.	705	0.5	0.8	3.0	0.1	0.1	0.1	22	2.4
35746	0	0	1	0	SOCm	47.0098	68.0414	28.3	723.1	449	56827.	763	0.7	-0.3	4.0	0.1	0.1	6.3	27	2.4
35747	0	0	1	0	SOCm	47.0102	68.0413	28.3	723.0	452	56828.	724	0.5	-0.7	5.5	0.1	0.1	0.1	18	2.4
35748	0	0	1	0	SOCm	47.0106	68.0413	28.3	723.0	454	56829.	830	0.9	0.6	4.3	0.1	0.1	5.2	27	2.4
35749	0	0	1	0	SOCm	47.0110	68.0412	28.3	722.9	454	56829.	734	0.8	0.9	3.5	0.1	0.1	4.7	11	2.4
35750	0	0	1	0	SOCm	47.0113	68.0411	28.3	722.9	454	56830.	725	0.6	0.6	3.9	0.1	0.1	7.4	30	2.4
35751	0	0	1	0	SOCm	47.0117	68.0410	28.3	722.8	448	56830.	756	0.8	1.2	6.0	0.1	0.1	8.1	20	2.4
35752	0	0	1	0	SOCm	47.0121	68.0409	28.3	722.8	439	56830.	732	0.8	0.3	4.0	0.1	0.1	5.1	30	2.5
35753	0	0	1	0	SOCm	47.0125	68.0408	28.3	722.8	429	56831.	666	0.7	-0.3	2.6	0.1	0.1	3.9	20	2.5
35754	0	0	1	0	SOCm	47.0128	68.0408	28.3	722.7	424	56831.	701	0.6	0.0	3.3	0.1	0.1	6.0	14	2.5
35755	0	0	1	0	SOCm	47.0132	68.0407	28.3	722.7	420	56831.	686	0.8	0.5	3.8	0.1	0.1	5.3	21	2.5
35756	0	0	1	0	SOCm	47.0136	68.0406	28.3	722.7	418	56827.	676	0.6	0.1	3.6	0.1	0.1	7.0	27	2.5
35757	0	0	1	0	SOCm	47.0140	68.0405	28.3	722.7	415	56825.	716	0.5	0.4	4.6	0.1	0.1	0.1	30	2.5
35758	0	0	1	0	SOCm	47.0143	68.0404	28.3	722.6	412	56826.	686	0.7	0.5	3.1	0.1	0.1	4.8	31	2.5
35759	0	0	1	0	SOCm	47.0147	68.0404	28.3	722.6	408	56828.	738	0.5	0.1	4.9	0.1	0.1	0.1	21	2.5
35760	0	0	1	0	SOCm	47.0151	68.0403	28.3	722.6	403	56828.	725	0.7	-0.5	3.2	0.1	0.1	4.6	20	2.5
35761	0	0	1	0	SOCm	47.0155	68.0402	28.3	722.6	399	56828.	772	0.9	1.0	3.1	0.1	0.1	3.8	27	2.5
35762	0	0	1	0	SOCm	47.0158	68.0401	28.3	722.6	397	56829.	787	0.6	0.9	4.1	0.1	0.1	7.2	22	2.5
35763	0	0	0	0	SOCm	47.0162	68.0400	28.3	722.6	395	56830.	762	0.8	1.6	2.9	2.1	0.6	3.8	19	2.5
35764	0	0	1	0	SOCm	47.0166	68.0399	28.5	721.7	406	56831.	791	0.6	0.8	3.8	0.1	0.1	6.5	24	2.5
35765	0	0	0	0	SOCm	47.0170	68.0399	28.5	721.5	413	56832.	774	0.5	1.6	3.9	0.1	0.5	0.1	14	2.6
35766	0	0	1	0	SOCm	47.0173	68.0398	28.5	721.4	412	56831.	770	0.7	0.8	4.5	0.1	0.1	6.8	21	2.6
35767	0	0	1	0	SOCm	47.0177	68.0397	28.5	721.3	406	56830.	782	0.8	0.6	4.1	0.1	0.1	5.4	22	2.6
35768	0	0	1	0	SOCm	47.0181	68.0396	28.5	721.1	403	56828.	750	0.6	1.1	2.8	0.1	0.1	4.7	23	2.7
35769	0	0	1	0	SOCm	47.0185	68.0396	28.5	721.0	405	56828.	677	0.5	0.5	3.4	0.1	0.1	0.1	28	2.7
35770	0	0	1	0	SOCm	47.0188	68.0395	28.5	720.8	412	56829.	647	0.5	0.6	2.2	0.1	0.1	0.1	33	2.7

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI			
												CPS	%	PPM	PPM							CPS	CPS
35771	0	0	1	0	SOCM	47.0192	68.0394	28.5	720.7	422	56830.	660	0.4	0.3	5.7	0.1	0.1	0.1	28	2.8			
35772	0	0	1	0	SOCM	47.0196	68.0393	28.5	720.5	434	56829.	680	0.5	0.5	4.6	0.1	0.1	0.1	17	2.8			
35773	0	0	1	0	SOCM	47.0200	68.0392	28.5	720.4	446	56829.	641	0.8	0.3	3.1	0.1	0.1	4.0	29	2.9			
35774	0	0	1	0	SOCM	47.0203	68.0391	28.5	720.2	456	56830.	619	0.7	0.9	2.9	0.1	0.1	4.3	32	2.8			
35775	0	0	1	0	SOCM	47.0207	68.0391	28.5	720.1	465	56830.	594	0.5	0.9	2.1	0.1	0.1	0.1	21	2.8			
35776	0	0	1	0	SOCM	47.0211	68.0390	28.5	719.9	473	56829.	622	0.6	0.1	2.9	0.1	0.1	5.3	32	2.8			
35777	0	0	1	0	SOCM	47.0215	68.0389	28.5	719.9	479	56830.	616	0.9	-0.3	3.0	0.1	0.1	3.6	25	2.8			
35778	0	0	1	0	SOCM	47.0219	68.0388	28.5	719.8	483	56830.	563	0.5	0.3	3.4	0.1	0.1	0.1	24	2.8			
35779	0	0	1	0	SOCM	47.0222	68.0387	28.5	719.7	484	56830.	660	0.5	0.7	2.8	0.1	0.1	0.1	24	2.8			
35780	0	0	1	0	SOCM	47.0226	68.0387	28.5	719.7	492	56828.	635	0.4	0.2	2.7	0.1	0.1	0.1	23	2.8			
35781	0	0	1	0	SOCM	47.0230	68.0386	28.5	719.6	500	56825.	639	0.7	-0.1	2.6	0.1	0.1	3.9	28	2.8			
35782	0	0	1	0	SOCM	47.0233	68.0385	28.5	719.6	511	56822.	630	0.7	0.5	1.7	0.1	0.1	2.6	23	2.8			
35783	0	0	1	0	SOCM	47.0237	68.0384	28.5	719.6	516	56820.	641	0.6	0.2	4.8	0.1	0.1	9.1	29	2.8			
35784	0	0	1	1	SOCM	47.0241	68.0383	28.5	719.6	518	56821.	688	0.9	-0.4	1.2	0.1	0.1	0.1	20	2.8			
35785	0	0	0	0	SOCM	47.0245	68.0382	28.5	719.6	519	56819.	678	0.6	2.8	4.8	5.2	0.6	9.0	19	2.8			
35786	0	0	1	0	SOCM	47.0248	68.0382	28.5	719.6	517	56817.	644	0.6	1.1	2.8	0.1	0.1	5.2	20	2.8			
35787	0	0	1	0	SOCM	47.0252	68.0381	28.5	719.6	514	56816.	660	0.7	0.1	3.0	0.1	0.1	4.8	20	2.8			
35788	0	0	1	0	SOCM	47.0256	68.0380	28.5	719.7	510	56817.	759	0.9	0.0	4.3	0.1	0.1	5.2	23	2.8			
35789	0	0	1	0	SOCM	47.0260	68.0379	28.5	719.8	505	56817.	697	0.6	-0.1	5.0	0.1	0.1	8.7	26	2.8			
35790	0	0	1	0	SOCM	47.0263	68.0378	28.5	719.8	500	56818.	771	0.9	-1.4	4.6	2.1	0.1	5.7	23	2.8			
35791	0	0	1	0	SOCM	47.0267	68.0378	28.5	719.9	489	56817.	690	0.8	0.1	3.6	0.1	0.1	5.0	22	2.8			
35792	0	0	1	0	SOCM	47.0271	68.0377	28.5	720.0	476	56817.	724	0.7	0.8	3.2	0.1	0.1	4.6	24	2.8			
35793	0	0	1	0	SOCM	47.0275	68.0376	28.5	720.0	464	56817.	775	0.8	-0.8	4.6	0.1	0.1	6.3	16	2.8			
35794	0	0	1	0	SOCM	47.0278	68.0375	28.5	720.1	454	56818.	802	0.8	-0.5	6.7	0.1	0.1	8.7	31	2.8			
35795	0	0	1	0	SOCM	47.0282	68.0374	28.5	720.2	443	56819.	722	0.8	0.4	2.3	0.1	0.1	3.0	28	2.8			
35797	0	0	1	0	SOCM	47.0290	68.0373	28.5	720.2	435	56821.	791	0.5	0.1	3.1	0.1	0.1	0.1	24	2.7			
35798	0	0	1	0	SOCM	47.0294	68.0372	28.5	720.3	431	56822.	782	0.9	0.2	4.3	0.1	0.1	5.1	21	2.7			
35799	0	0	0	0	SOCM	47.0297	68.0371	28.5	720.3	433	56822.	767	0.8	1.5	4.1	2.0	0.4	5.4	25	2.7			
35800	0	0	1	0	SOCM	47.0301	68.0370	28.5	720.4	431	56824.	746	0.7	0.2	4.8	0.1	0.1	7.0	23	2.7			
35801	0	0	1	0	SOCM	47.0305	68.0369	28.5	720.4	429	56826.	824	0.9	0.6	4.9	0.1	0.1	5.7	24	2.7			
35802	0	0	1	0	SOCM	47.0308	68.0368	28.5	720.4	425	56827.	781	0.6	0.2	4.1	0.1	0.1	6.9	23	2.7			
35803	0	0	1	0	SOCM	47.0312	68.0368	28.5	720.4	421	56828.	836	0.9	1.1	6.0	0.1	0.1	6.8	21	2.7			
35804	0	0	1	0	SOCM	47.0316	68.0367	28.5	720.4	418	56828.	827	0.8	0.4	3.6	0.1	0.1	4.9	34	2.6			
35805	0	0	1	0	SOCM	47.0320	68.0366	28.5	720.4	418	56827.	843	0.8	0.1	6.2	0.1	0.1	8.6	20	2.6			
35806	0	0	1	0	SOCM	47.0324	68.0366	28.5	720.4	419	56827.	806	0.6	-0.4	3.8	0.1	0.1	6.3	26	2.6			
35807	0	0	1	0	SOCM	47.0329	68.0365	28.5	720.3	416	56828.	837	0.9	0.7	3.9	0.1	0.1	4.4	29	2.6			
35808	0	0	1	0	SOCM	47.0334	68.0365	28.5	720.3	413	56829.	800	0.8	0.1	4.1	0.1	0.1	5.1	25	2.6			
35809	0	0	1	0	SOCM	47.0338	68.0365	28.5	720.3	412	56829.	851	0.9	0.5	3.5	0.1	0.1	4.2	22	2.6			
35810	0	0	0	0	SOCM	47.0343	68.0365	28.5	720.3	417	56829.	881	0.9	1.4	3.4	1.7	0.4	4.2	17	2.6			
35811	0	0	1	0	SOCM	47.0348	68.0364	28.5	720.3	424	56829.	810	0.7	-0.1	3.9	0.1	0.1	5.7	22	2.6			
35812	0	0	1	0	SOCM	47.0353	68.0364	28.5	720.3	424	56829.	738	0.8	0.7	2.9	0.1	0.1	3.6	29	2.6			
35813	0	0	1	0	SOCM	47.0357	68.0364	28.5	720.3	416	56829.	712	0.8	0.5	2.3	0.1	0.1	3.0	23	2.6			
35814	0	0	0	0	SOCM	47.0362	68.0364	28.5	720.2	407	56830.	655	0.8	1.4	3.8	1.8	0.4	4.8	23	2.6			
35815	0	0	1	0	SOCM	47.0367	68.0363	28.5	720.2	397	56830.	685	0.6	-0.4	2.2	0.1	0.1	4.1	21	2.6			
35816	0	0	1	0	SOCM	47.0371	68.0363	28.5	720.2	394	56827.	604	0.5	0.9	4.3	0.1	0.1	0.1	20	2.6			
35817	0	0	1	0	SOCM	47.0376	68.0363	28.5	720.2	393	56827.	665	0.4	1.2	2.0	0.1	0.1	0.1	25	2.6			
35818	0	0	1	0	SOCM	47.0381	68.0362	28.5	720.2	395	56828.	593	0.5	1.0	3.0	0.1	0.1	0.1	20	2.6			
35819	0	0	1	0	SOCM	47.0385	68.0362	28.5	720.2	396	56829.	681	0.8	0.0	4.1	0.1	0.1	5.3	25	2.6			
35820	0	0	1	0	SOCM	47.0390	68.0362	28.5	720.2	397	56829.	635	0.6	-0.7	3.2	0.1	0.1	5.8	20	2.6			
35821	0	0	1	0	SOCM	47.0395	68.0362	28.5	719.3	395	56828.	653	0.4	0.7	4.2	0.1	0.1	0.1	23	2.6			

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
35822	0	0	0	0	S0cm	47.0399	68.0361	28.5	719.2	397	56829.	644	0.5	1.4	3.6	0.1	0.4	0.1	22	2.6
35823	0	0	1	0	S0cm	47.0404	68.0361	28.5	719.1	399	56829.	607	0.6	0.7	2.3	0.1	0.1	4.0	25	2.6
35824	0	0	1	0	S0cm	47.0409	68.0361	28.5	719.0	402	56830.	580	0.5	0.7	3.0	0.1	0.1	0.1	28	2.6
35825	0	0	1	0	S0cm	47.0414	68.0361	28.5	718.9	402	56830.	686	0.8	-0.2	3.4	0.1	0.1	4.5	24	2.5
35826	0	0	0	0	S0cm	47.0418	68.0360	28.5	718.8	404	56829.	734	0.6	1.2	4.1	2.1	0.3	7.1	17	2.5
35827	0	0	0	0	S0cm	47.0423	68.0360	28.5	718.7	406	56827.	824	0.9	1.9	3.0	2.2	0.7	3.5	16	2.4
35828	0	0	1	0	S0cm	47.0428	68.0360	28.4	718.5	408	56826.	805	0.9	0.6	3.9	0.1	0.1	4.8	26	2.4
35829	0	0	1	0	S0cm	47.0432	68.0359	28.4	718.4	411	56825.	797	0.6	1.2	5.1	0.1	0.1	9.1	23	2.4
35830	0	0	1	0	S0cm	47.0437	68.0359	28.4	718.3	412	56826.	809	0.8	0.4	5.9	0.1	0.1	7.8	33	2.4
35831	0	0	1	0	S0cm	47.0442	68.0359	28.4	718.1	417	56828.	741	0.6	0.6	4.0	0.1	0.1	7.2	16	2.3
35832	0	0	1	0	S0cm	47.0446	68.0359	28.4	718.0	420	56830.	737	0.8	0.7	5.2	0.1	0.1	6.9	21	2.3
35833	0	0	1	0	S0cm	47.0451	68.0358	28.4	717.9	423	56831.	790	0.8	0.0	6.0	0.1	0.1	8.3	24	2.3
35834	0	0	1	0	S0cm	47.0456	68.0358	28.4	717.8	425	56830.	701	0.7	1.2	5.1	0.1	0.1	7.9	22	2.2
35835	0	0	1	0	S0cm	47.0460	68.0358	28.4	717.8	430	56827.	706	0.6	0.3	4.1	0.1	0.1	7.1	26	2.2
35836	0	0	1	0	S0cm	47.0465	68.0358	28.4	717.7	434	56826.	738	0.7	0.1	4.0	0.1	0.1	6.4	26	2.2
35837	0	0	1	0	S0cm	47.0470	68.0357	28.4	717.6	436	56826.	721	0.7	0.3	3.5	0.1	0.1	5.1	31	2.1
35838	0	0	1	0	S0cm	47.0474	68.0357	28.4	717.5	435	56824.	689	0.6	0.3	3.1	0.1	0.1	5.7	32	2.1
35839	0	0	1	0	S0cm	47.0479	68.0357	28.4	717.5	437	56823.	671	0.5	0.4	2.1	0.1	0.1	0.1	21	2.0
35840	0	0	0	0	S0cm	47.0484	68.0356	28.4	717.4	439	56823.	588	0.5	2.0	3.1	0.1	0.7	0.1	17	2.0
35841	0	0	1	0	S0cm	47.0489	68.0356	28.4	717.3	439	56824.	610	0.5	0.3	3.9	0.1	0.1	0.1	18	1.9
35842	0	0	1	0	S0cm	47.0493	68.0356	28.4	717.3	435	56824.	691	0.6	0.4	5.2	0.1	0.1	9.4	28	1.9
35843	0	0	1	0	S0cm	47.0498	68.0356	28.4	717.2	428	56825.	669	0.7	0.5	3.1	0.1	0.1	4.9	29	1.8
35844	0	0	1	0	S0cm	47.0503	68.0355	28.4	717.1	421	56824.	647	0.8	0.2	3.7	0.1	0.1	5.2	27	1.8
35845	0	0	1	0	S0cm	47.0507	68.0355	28.4	717.1	414	56823.	625	0.5	-0.3	3.3	0.1	0.1	0.1	16	1.7
35846	0	0	1	0	S0cm	47.0512	68.0355	28.4	717.0	409	56823.	689	0.8	0.9	4.0	0.1	0.1	5.3	19	1.6
35847	0	0	1	0	S0cm	47.0517	68.0355	28.4	716.9	402	56822.	643	0.7	0.8	2.3	0.1	0.1	3.5	28	1.6
35848	0	0	1	0	S0cm	47.0521	68.0354	28.4	716.8	396	56823.	676	0.9	0.3	4.4	0.1	0.1	5.3	24	1.5
35849	0	0	1	0	S0cm	47.0526	68.0354	28.4	716.7	391	56825.	641	0.5	1.1	3.6	0.1	0.1	0.1	21	1.5
35850	0	0	0	0	S0cm	47.0531	68.0354	28.4	716.6	391	56825.	694	0.5	1.0	4.4	0.1	0.4	0.1	24	1.5
35851	0	0	1	0	S0cm	47.0535	68.0353	28.4	716.5	394	56825.	659	0.7	0.6	3.4	0.1	0.1	5.3	19	1.6
35852	0	0	1	0	S0cm	47.0540	68.0353	28.4	716.4	403	56826.	664	0.6	0.4	3.6	0.1	0.1	6.5	32	1.6
35853	0	0	1	0	S0cm	47.0545	68.0353	28.4	716.3	413	56826.	608	0.5	0.7	2.2	0.1	0.1	0.1	24	1.6
35854	0	0	1	0	S0cm	47.0550	68.0353	28.4	716.2	418	56827.	610	0.6	0.2	3.3	0.1	0.1	6.0	28	1.6
35855	0	0	1	0	S0cm	47.0554	68.0352	28.4	716.1	413	56828.	679	0.7	1.1	3.4	0.1	0.1	5.5	18	1.6
35856	0	0	1	0	S0cm	47.0557	68.0352	28.3	715.9	405	56828.	657	0.6	0.6	3.6	0.1	0.1	6.3	32	1.7
35857	0	0	1	0	S0cm	47.0564	68.0352	28.3	715.8	402	56826.	723	0.7	0.3	3.1	0.1	0.1	4.8	29	1.7
35858	0	0	1	0	S0cm	47.0568	68.0352	28.3	715.6	411	56825.	674	0.8	-0.2	5.0	0.1	0.1	6.6	25	1.7
35859	0	0	1	0	S0cm	47.0573	68.0351	28.3	715.5	424	56826.	701	0.5	0.3	2.7	0.1	0.1	0.1	24	1.8
35860	0	0	0	0	S0cm	47.0578	68.0351	28.3	715.3	438	56826.	735	0.8	1.7	3.3	2.4	0.6	4.7	28	1.8
35861	0	0	1	0	S0cm	47.0582	68.0351	28.3	715.2	446	56826.	716	0.7	-1.0	3.7	0.1	0.1	5.7	31	1.8
35862	0	0	1	0	S0cm	47.0587	68.0350	28.3	715.1	443	56825.	758	0.7	0.4	4.1	0.1	0.1	5.9	30	1.8
35863	0	0	1	0	S0cm	47.0592	68.0350	28.3	714.9	431	56825.	793	0.7	0.3	5.1	0.1	0.1	8.0	21	1.6
35864	0	0	1	0	S0cm	47.0597	68.0350	28.3	714.8	417	56825.	770	0.9	1.1	3.9	0.1	0.1	4.4	32	1.4
35865	0	0	1	0	S0cm	47.0601	68.0350	28.3	714.8	409	56824.	739	0.7	0.8	2.2	0.1	0.1	3.5	19	1.2
35866	0	0	0	0	S0cm	47.0606	68.0349	28.3	714.7	406	56825.	856	0.8	2.3	4.8	3.0	0.5	6.5	21	1.1
35867	0	0	1	0	S0cm	47.0611	68.0349	28.3	714.6	405	56826.	836	0.8	0.5	4.6	0.1	0.1	5.9	22	0.9
35868	0	0	1	0	S0cm	47.0615	68.0349	28.3	714.6	408	56827.	822	0.9	0.4	2.9	0.1	0.1	3.3	26	0.7
35869	0	0	1	0	S0cm	47.0620	68.0349	28.3	714.6	417	56827.	762	0.8	0.6	4.9	0.1	0.1	6.8	29	0.5
35870	0	0	0	0	S0cm	47.0625	68.0348	28.3	714.5	433	56825.	811	0.8	1.3	2.9	1.8	0.5	3.9	27	0.3
35871	0	0	0	0	S0cm	47.0629	68.0348	28.3	714.5	452	56822.	747	0.9	1.4	3.3	1.6	0.5	3.7	31	0.1

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI	
												CPS	%	PPM	PPM					CPS	CPS
35872	0	0	1	0	SOcm	47.0634	68.0348	28.3	714.5	467	56818.	617	0.8	0.2	1.3	0.1	0.1	1.9	20	0.0	
35873	0	0	1	0	SOcm	47.0639	68.0348	28.3	714.5	481	56815.	521	0.6	-0.3	3.4	0.1	0.1	6.1	28	0.0	
35874	0	0	1	0	SOcm	47.0643	68.0347	28.3	714.5	489	56815.	474	0.4	-0.1	1.8	0.1	0.1	0.1	16	0.0	
35875	0	0	1	1	SOcm	47.0648	68.0347	28.3	714.6	495	56813.	313	0.3	0.4	0.7	0.1	0.1	0.1	19	0.0	
35876	0	0	1	0	SOcm	47.0652	68.0347	28.3	714.6	496	56812.	287	0.3	1.0	1.3	0.1	0.1	0.1	27	0.0	
35877	0	0	0	0	SOcm	47.0656	68.0346	28.2	714.6	476	56812.	220	0.2	1.1	2.0	0.1	0.6	0.1	19	0.0	
35878	0	1	1	1	SOcm	47.0660	68.0346	28.1	714.6	462	56814.	327	0.2	0.9	0.9	0.1	0.1	0.1	19	0.0	
35879	0	0	1	0	SOcm	47.0664	68.0346	28.1	714.6	449	56815.	395	0.2	0.0	1.9	0.1	0.1	0.1	20	0.0	
35880	0	0	1	0	SOcm	47.0668	68.0345	28.1	714.5	435	56818.	549	0.6	-0.1	3.1	0.1	0.1	5.2	34	0.0	
35881	0	0	1	0	SOcm	47.0672	68.0345	28.1	714.4	422	56821.	611	0.7	0.4	4.0	0.1	0.1	6.5	24	0.0	
35882	0	0	1	0	SOcm	47.0676	68.0345	28.1	714.3	408	56823.	672	0.7	-0.5	4.3	0.1	0.1	6.8	20	0.0	
35883	0	0	1	0	SOcm	47.0679	68.0344	28.1	714.2	398	56823.	735	0.6	-0.2	5.6	0.1	0.1	10.2	18	0.0	
35884	0	0	0	0	SOcm	47.0683	68.0344	28.1	714.1	394	56822.	688	0.6	2.0	3.4	3.6	0.6	6.2	28	0.0	
35885	0	0	0	0	SOcm	47.0687	68.0344	28.1	714.1	397	56821.	724	0.6	1.3	2.9	2.4	0.5	5.6	32	0.0	
35886	0	0	0	0	SOcm	47.0691	68.0343	28.1	714.0	405	56820.	665	0.8	1.5	2.6	2.1	0.6	3.6	24	0.0	
35887	0	0	1	0	SOcm	47.0695	68.0343	28.1	714.0	415	56819.	645	0.5	0.1	5.9	0.1	0.1	0.1	27	0.0	
35888	0	0	1	0	SOcm	47.0699	68.0343	28.1	713.9	423	56821.	628	0.6	0.1	4.1	0.1	0.1	7.3	27	0.0	
35889	0	0	1	0	SOcm	47.0703	68.0343	28.1	713.8	425	56821.	644	0.7	0.4	4.0	0.1	0.1	6.4	16	0.0	
35890	0	0	1	0	SOcm	47.0707	68.0342	28.1	713.8	421	56818.	623	0.5	0.6	3.4	0.1	0.1	0.1	30	0.0	
35892	0	0	1	0	SOcm	47.0715	68.0342	28.1	713.7	415	56818.	618	0.6	0.9	3.5	0.1	0.1	6.1	21	0.0	
35893	0	0	1	0	SOcm	47.0718	68.0341	28.1	713.6	413	56821.	567	0.5	0.5	3.7	0.1	0.1	0.1	18	0.0	
35894	0	0	1	0	SOcm	47.0722	68.0341	28.1	713.5	412	56823.	512	0.6	-0.4	3.3	0.1	0.1	6.4	26	0.0	
35895	0	0	1	0	SOcm	47.0726	68.0341	28.1	713.5	410	56822.	590	0.6	0.1	4.1	0.1	0.1	7.7	28	0.0	
35896	0	0	1	0	SOcm	47.0730	68.0340	28.1	713.4	408	56824.	543	0.5	0.1	2.5	0.1	0.1	0.1	23	0.0	
35897	0	0	1	0	SOcm	47.0734	68.0340	28.1	713.3	405	56826.	582	0.6	0.4	3.0	0.1	0.1	5.2	25	0.0	
35898	0	0	1	0	SOcm	47.0738	68.0340	28.1	713.2	401	56826.	655	0.4	0.4	6.7	0.1	0.1	0.1	23	0.0	
35899	0	0	0	0	SOcm	47.0742	68.0339	28.1	713.1	401	56824.	675	0.7	1.9	3.7	3.0	0.5	5.9	23	0.0	
35900	0	0	1	0	SOcm	47.0746	68.0339	28.1	713.0	402	56823.	677	0.9	0.5	2.6	0.1	0.1	3.2	20	0.0	
35901	0	0	0	0	SOcm	47.0750	68.0339	28.1	713.0	405	56824.	630	0.6	1.3	1.7	2.5	0.8	3.3	25	0.0	
35902	0	0	0	0	SOcm	47.0754	68.0339	28.0	712.8	410	56824.	684	0.6	1.2	3.7	2.3	0.4	7.1	18	0.0	
35903	0	0	1	0	SOcm	47.0758	68.0338	28.0	712.8	416	56823.	612	0.6	0.6	4.1	0.1	0.1	6.9	23	0.0	
35904	0	0	1	0	SOcm	47.0762	68.0338	28.0	712.7	425	56822.	582	0.5	-0.3	1.5	0.1	0.1	0.1	23	0.0	
35905	0	0	1	0	SOcm	47.0765	68.0337	28.0	712.6	433	56821.	621	0.6	1.0	2.7	0.1	0.1	4.8	24	0.0	
35906	0	0	1	0	SOcm	47.0769	68.0337	28.0	712.6	446	56823.	551	0.7	0.4	3.3	0.1	0.1	5.2	17	0.0	
35907	0	0	1	0	SOcm	47.0773	68.0337	28.0	712.5	456	56825.	604	0.6	0.5	2.4	0.1	0.1	4.2	22	0.0	
35908	0	0	1	0	SOcm	47.0777	68.0337	28.0	712.4	464	56825.	627	0.6	1.1	3.5	0.1	0.1	5.7	16	0.0	
35909	0	0	1	0	SOcm	47.0781	68.0336	28.0	712.4	463	56825.	705	0.8	1.0	3.1	0.1	0.1	4.4	16	0.0	
35910	0	0	1	0	SOcm	47.0785	68.0336	28.0	712.3	449	56824.	675	0.5	0.7	3.2	0.1	0.1	0.1	24	0.0	
35911	0	0	1	0	SOcm	47.0789	68.0336	28.0	712.3	429	56824.	719	0.7	0.1	3.9	0.1	0.1	5.9	21	0.0	
35912	0	0	1	0	SOcm	47.0793	68.0335	28.0	712.2	406	56824.	767	0.8	0.9	4.1	0.1	0.1	5.1	23	0.0	
35913	0	0	0	0	SOcm	47.0797	68.0335	28.0	712.2	393	56824.	788	0.7	1.7	2.5	2.6	0.7	3.7	20	0.0	
35914	0	0	0	0	SOcm	47.0801	68.0335	28.0	712.2	387	56825.	796	0.6	2.0	2.5	3.4	0.9	4.2	30	0.0	
35915	0	0	1	0	SOcm	47.0805	68.0334	28.0	712.1	386	56826.	786	0.6	1.1	3.8	0.1	0.1	6.4	13	0.0	
35916	0	0	0	0	SOcm	47.0808	68.0334	28.0	712.1	387	56829.	791	0.8	1.3	3.7	1.7	0.4	5.0	26	0.0	
35917	0	0	0	0	SOcm	47.0812	68.0334	28.0	712.2	392	56830.	749	0.7	1.8	1.2	2.7	1.5	1.9	23	0.0	
35918	0	0	0	0	SOcm	47.0816	68.0333	28.0	712.2	397	56830.	765	0.8	1.2	3.0	1.6	0.4	4.2	26	0.0	
35919	0	0	1	0	SOcm	47.0820	68.0333	28.0	712.2	402	56827.	794	0.9	0.9	3.1	0.1	0.1	3.8	33	0.0	
35920	0	0	0	0	SOcm	47.0824	68.0333	28.0	712.3	407	56823.	709	0.6	1.6	1.8	2.9	0.9	3.4	21	0.0	
35921	0	0	0	0	SOcm	47.0828	68.0332	28.0	712.4	416	56823.	707	0.5	2.1	3.6	0.1	0.6	0.1	28	0.0	
35922	0	0	1	0	SOcm	47.0832	68.0332	28.0	712.4	430	56823.	697	0.7	0.3	5.8	0.1	0.1	9.0	19	0.0	

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
35923	0	0	1	0	S0cm	47.0836	68.0332	28.0	712.4	447	56824.	674	0.5	0.7	4.6	0.1	0.1	0.1	20	0.0
35924	0	0	1	0	S0cm	47.0840	68.0331	28.0	712.4	461	56822.	735	0.8	0.4	4.6	0.1	0.1	6.4	20	0.0
35925	0	0	1	0	S0cm	47.0844	68.0331	28.0	712.5	462	56819.	684	0.7	-0.1	4.3	0.1	0.1	6.8	23	0.0
35926	0	0	1	0	S0cm	47.0848	68.0331	28.0	712.5	459	56818.	746	0.7	0.5	4.6	0.1	0.1	6.7	23	0.0
35927	0	0	1	0	S0cm	47.0851	68.0331	28.0	712.6	457	56818.	777	0.8	0.7	3.0	0.1	0.1	4.1	21	0.0
35928	0	0	1	0	S0cm	47.0855	68.0330	28.0	712.6	462	56819.	687	0.6	0.8	2.9	0.1	0.1	4.8	18	0.0
35929	0	0	1	0	S0cm	47.0859	68.0330	28.0	712.6	464	56822.	707	0.5	0.4	5.1	0.1	0.1	0.1	21	0.0
35930	0	0	1	0	S0cm	47.0863	68.0330	28.0	712.7	462	56825.	691	0.6	0.7	3.3	0.1	0.1	5.8	16	0.0
35931	0	0	1	0	S0cm	47.0867	68.0329	28.0	712.7	456	56824.	533	0.5	0.2	3.2	0.1	0.1	0.1	23	0.0
35932	0	0	1	0	S0cm	47.0871	68.0329	28.0	712.7	453	56822.	463	0.5	0.8	2.2	0.1	0.1	0.1	24	0.0
35933	0	1	1	0	S0cm	47.0875	68.0329	28.0	712.6	451	56820.	414	0.2	0.3	2.0	0.1	0.1	0.1	17	0.0
35934	0	0	1	1	S0cm	47.0879	68.0328	27.9	713.9	434	56816.	291	0.3	-0.7	0.9	0.1	0.1	0.1	20	0.0
35935	0	1	1	0	S0cm	47.0883	68.0328	27.9	714.0	423	56813.	193	0.2	-0.6	2.3	0.1	0.1	0.1	26	0.0
35936	0	1	1	1	S0cm	47.0887	68.0328	27.9	714.1	410	56815.	191	0.2	0.0	0.3	0.1	0.1	0.1	26	0.0
35937	0	0	1	0	S0cm	47.0891	68.0327	27.9	714.2	395	56817.	324	0.3	0.8	1.4	0.1	0.1	0.1	23	0.0
35938	0	0	1	0	S0cm	47.0895	68.0327	27.9	714.2	380	56818.	443	0.7	0.7	2.1	0.1	0.1	3.4	19	0.0
35939	0	0	1	0	S0cm	47.0898	68.0327	27.9	714.3	370	56816.	551	0.4	1.0	2.9	0.1	0.1	0.1	23	0.0
35940	0	0	1	0	S0cm	47.0902	68.0326	27.9	714.4	368	56816.	679	0.8	0.3	2.0	0.1	0.1	2.8	28	0.0
35941	0	0	1	0	S0cm	47.0906	68.0326	27.9	714.4	373	56816.	656	0.7	0.8	1.9	0.1	0.1	2.8	19	0.0
35942	0	0	1	0	S0cm	47.0910	68.0326	27.9	714.5	380	56816.	660	0.4	0.5	3.2	0.1	0.1	0.1	23	0.0
35943	0	0	1	0	S0cm	47.0914	68.0326	27.9	714.5	387	56817.	586	0.6	1.1	2.3	0.1	0.1	3.7	33	0.0
35944	0	0	1	0	S0cm	47.0918	68.0325	27.9	714.6	392	56818.	603	0.3	0.8	3.3	0.1	0.1	0.1	26	0.0
35945	0	0	1	0	S0cm	47.0922	68.0325	27.9	714.7	404	56818.	628	0.6	0.4	2.7	0.1	0.1	5.1	22	0.0
35946	0	0	1	0	S0cm	47.0926	68.0325	27.9	714.8	420	56818.	647	0.7	0.7	2.9	0.1	0.1	4.3	31	0.0
35947	0	0	0	0	S0cm	47.0930	68.0324	27.9	714.8	430	56819.	595	0.5	1.8	2.4	0.1	0.8	0.1	31	0.0
35948	0	0	1	0	S0cm	47.0934	68.0324	27.9	714.8	426	56819.	601	0.5	0.9	1.8	0.1	0.1	0.1	20	0.0
35949	0	0	0	0	S0cm	47.0938	68.0324	27.9	714.9	414	56820.	638	0.7	1.2	2.9	1.8	0.5	4.3	30	0.0
35950	0	0	1	0	S0cm	47.0942	68.0323	27.9	714.9	405	56821.	645	0.8	0.8	2.4	0.1	0.1	3.2	23	0.1
35951	0	0	1	0	S0cm	47.0945	68.0323	27.9	715.0	407	56822.	627	0.6	-0.4	5.0	0.1	0.1	9.6	28	0.4
35952	0	0	1	0	S0cm	47.0949	68.0323	27.9	715.0	410	56822.	581	0.7	1.2	2.2	0.1	0.1	3.5	34	0.6
35953	0	0	1	0	S0cm	47.0953	68.0322	27.9	715.0	414	56822.	593	0.6	0.1	3.6	0.1	0.1	6.1	25	0.7
35954	0	0	1	0	S0cm	47.0957	68.0322	27.9	715.1	416	56821.	605	0.6	0.5	2.8	0.1	0.1	5.1	33	0.7
35955	0	0	1	0	S0cm	47.0961	68.0322	27.9	715.1	417	56820.	639	0.6	0.9	2.9	0.1	0.1	5.3	23	0.8
35956	0	0	1	0	S0cm	47.0965	68.0322	27.9	715.1	418	56820.	622	0.5	1.2	3.7	0.1	0.1	0.1	25	0.9
35957	0	0	1	0	S0cm	47.0969	68.0321	27.9	715.1	415	56820.	556	0.7	0.7	1.9	0.1	0.1	2.9	20	0.9
35958	0	0	1	0	S0cm	47.0973	68.0321	27.9	715.2	409	56819.	645	0.6	0.0	3.1	0.1	0.1	5.7	17	1.0
35959	0	0	1	0	S0cm	47.0977	68.0321	27.9	715.2	402	56818.	708	0.8	0.6	2.5	0.1	0.1	3.5	26	1.0
35960	0	0	0	0	S0cm	47.0981	68.0320	27.9	715.3	402	56819.	634	0.6	1.2	2.7	2.1	0.5	4.4	22	1.0
35961	0	0	0	0	S0cm	47.0985	68.0320	27.9	715.3	409	56820.	699	0.6	1.6	2.2	3.1	0.8	4.2	28	1.1
35962	0	0	1	0	S0cm	47.0989	68.0320	27.9	715.3	422	56821.	666	0.4	0.2	1.9	0.1	0.1	0.1	25	1.2
35963	0	0	1	0	S0cm	47.0992	68.0319	27.9	715.4	436	56822.	620	0.6	0.0	4.0	0.1	0.1	7.1	32	1.3
35964	0	0	1	0	S0cm	47.0996	68.0319	27.9	715.4	445	56823.	604	0.6	0.3	3.7	0.1	0.1	6.4	30	1.3
35965	0	0	0	0	S0cm	47.1000	68.0319	27.9	715.5	450	56822.	623	0.8	1.6	2.9	2.2	0.6	3.8	19	1.4
35966	0	0	0	0	S0cm	47.1004	68.0318	27.9	715.6	453	56822.	631	0.4	2.1	2.6	0.1	0.9	0.1	14	1.2
35967	0	0	1	0	S0cm	47.1008	68.0318	27.9	715.7	457	56821.	678	0.7	-0.5	2.4	0.1	0.1	3.5	16	1.3
35968	0	0	1	0	S0cm	47.1012	68.0318	27.9	715.7	461	56819.	658	0.5	1.2	6.3	0.1	0.1	0.1	21	1.4
35969	0	0	1	0	S0cm	47.1016	68.0317	27.9	715.8	463	56817.	704	0.9	0.8	2.6	0.1	0.1	2.9	28	1.4
35970	0	0	1	0	S0cm	47.1020	68.0317	27.9	715.8	464	56818.	709	0.8	0.1	4.6	0.1	0.1	6.5	27	1.4
35971	0	0	1	0	S0cm	47.1024	68.0317	27.9	715.9	465	56819.	654	0.9	1.2	2.2	0.1	0.1	2.8	25	1.5
35972	0	0	0	0	S0cm	47.1028	68.0316	27.9	715.9	472	56820.	612	0.4	1.5	3.5	0.1	0.5	0.1	20	1.5

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
35973	0	0	1	0	S0cm	47.1031	68.0316	27.9	715.9	478	56820.	630	0.4	1.2	3.2	0.1	0.1	0.1	25	1.5
35974	0	0	1	0	S0cm	47.1035	68.0316	27.9	715.9	475	56821.	655	0.6	0.1	5.5	0.1	0.1	10.9	29	1.5
35975	0	0	1	0	S0cm	47.1039	68.0315	27.9	715.9	462	56821.	665	0.8	-0.3	1.5	0.1	0.1	2.0	18	1.5
35976	0	0	0	0	S0cm	47.1043	68.0315	27.9	715.9	444	56820.	671	0.6	2.0	1.9	3.4	1.1	3.1	28	1.5
35977	0	0	1	0	S0cm	47.1047	68.0315	27.9	715.9	430	56820.	627	0.6	0.1	3.9	0.1	0.1	7.2	35	1.3
35978	0	0	1	0	S0cm	47.1051	68.0314	27.9	715.9	418	56819.	657	0.6	0.6	5.1	0.1	0.1	9.3	21	1.1
35979	0	0	1	0	S0cm	47.1055	68.0314	27.9	715.9	411	56819.	642	0.4	0.2	3.2	0.1	0.1	0.1	28	0.9
35980	0	0	0	0	S0cm	47.1059	68.0314	27.9	715.9	404	56819.	726	0.5	1.6	4.2	0.1	0.4	0.1	27	0.7
35981	0	0	1	0	S0cm	47.1063	68.0314	27.9	715.9	399	56819.	630	0.5	0.3	4.1	0.1	0.1	0.1	23	0.5
35982	0	0	0	0	S0cm	47.1067	68.0313	27.9	715.8	395	56816.	682	0.5	1.2	3.3	0.1	0.4	0.1	20	0.3
35983	0	0	0	0	S0cm	47.1071	68.0313	27.9	715.8	393	56814.	690	0.6	1.8	2.8	3.3	0.7	5.4	11	0.1
35984	0	0	0	0	S0cm	47.1075	68.0313	27.9	715.8	394	56815.	703	0.6	1.3	3.4	2.5	0.4	6.8	21	0.0
35985	0	0	1	0	S0cm	47.1080	68.0312	27.9	715.8	396	56818.	653	0.5	0.3	4.4	0.1	0.1	0.1	12	0.0
35987	0	0	1	0	S0cm	47.1090	68.0311	27.9	715.8	399	56820.	705	0.6	0.8	4.1	0.1	0.1	6.8	21	0.0
35988	0	0	1	0	S0cm	47.1095	68.0311	27.9	715.8	402	56820.	578	0.5	0.6	3.1	0.1	0.1	0.1	20	0.0
35989	0	0	1	0	S0cm	47.1099	68.0310	27.9	715.8	403	56819.	692	0.4	0.8	3.1	0.1	0.1	0.1	25	0.0
35990	0	0	0	0	S0cm	47.1104	68.0310	27.9	715.8	404	56819.	656	0.5	1.2	2.6	0.1	0.5	0.1	20	0.0
35991	0	0	1	0	S0cm	47.1109	68.0309	28.0	715.7	404	56817.	691	0.7	0.4	3.5	0.1	0.1	5.6	29	0.0
35992	0	0	0	0	S0cm	47.1114	68.0309	28.0	715.7	406	56817.	740	0.8	2.1	3.5	2.8	0.6	4.8	18	0.0
35993	0	0	1	0	S0cm	47.1119	68.0308	28.0	715.6	407	56817.	721	0.5	0.2	5.0	0.1	0.1	0.1	25	0.0
35994	0	0	1	0	S0cm	47.1124	68.0308	28.0	715.6	405	56818.	688	0.7	0.9	2.5	0.1	0.1	3.8	39	0.0
35995	0	0	1	0	S0cm	47.1128	68.0308	28.0	715.5	399	56818.	688	0.6	0.6	3.2	0.1	0.1	6.2	20	0.0
35996	0	0	0	0	S0cm	47.1133	68.0307	28.0	715.4	393	56819.	737	0.9	1.7	3.9	2.2	0.5	4.8	22	0.0
35997	0	0	1	0	S0cm	47.1138	68.0307	28.0	715.4	386	56820.	785	0.6	0.8	3.5	0.1	0.1	6.4	20	0.0
35998	0	0	1	0	S0cm	47.1143	68.0306	28.0	715.3	381	56820.	795	0.8	1.0	3.4	0.1	0.1	4.8	23	0.0
35999	0	0	1	0	S0cm	47.1147	68.0306	28.0	715.2	376	56819.	748	0.9	0.8	3.4	0.1	0.1	4.2	25	0.0
36000	0	0	0	0	S0cm	47.1152	68.0305	28.0	715.1	373	56818.	865	0.8	1.6	3.5	2.1	0.5	4.5	25	0.0
36001	0	0	1	0	S0cm	47.1157	68.0305	28.0	715.1	372	56818.	834	0.8	0.7	4.8	0.1	0.1	6.1	21	0.0
36002	0	0	0	0	S0cm	47.1162	68.0305	28.0	715.0	375	56818.	827	0.7	1.2	3.8	1.8	0.4	5.5	20	0.0
36003	0	0	0	0	S0cm	47.1167	68.0304	28.0	715.0	380	56818.	851	1.0	1.2	2.7	1.2	0.5	2.7	27	0.0
36004	0	0	1	0	S0cm	47.1171	68.0304	28.0	715.0	388	56818.	879	0.9	0.9	4.1	0.1	0.1	4.9	29	0.0
36005	0	0	0	0	S0cm	47.1176	68.0303	28.0	714.9	397	56821.	846	0.8	1.4	4.8	1.7	0.3	6.2	31	0.0
36006	0	0	0	0	S0cm	47.1181	68.0303	28.0	715.0	406	56824.	842	0.8	1.7	2.3	2.2	0.8	3.0	25	0.0
36007	0	0	0	0	S0cm	47.1186	68.0302	28.0	715.0	422	56825.	899	0.8	1.5	3.8	1.9	0.4	4.8	26	0.0
36008	0	0	1	0	S0cm	47.1191	68.0302	28.0	715.0	434	56824.	863	1.0	0.9	5.0	0.1	0.1	4.9	30	0.0
36009	0	0	1	0	S0cm	47.1195	68.0302	28.0	715.0	449	56824.	924	0.8	1.2	4.6	0.1	0.1	5.9	23	0.0
36010	0	0	1	0	S0cm	47.1200	68.0301	28.0	715.1	451	56825.	871	0.9	0.5	4.3	0.1	0.1	5.3	26	0.0
36011	0	0	0	0	S0cm	47.1205	68.0301	28.0	715.1	448	56824.	949	0.9	2.3	4.5	2.6	0.6	4.9	27	0.0
36012	0	0	1	0	S0cm	47.1210	68.0300	28.0	715.2	442	56823.	965	1.1	0.7	3.2	0.1	0.1	3.1	20	0.0
36013	0	0	1	0	S0cm	47.1215	68.0300	28.0	715.2	433	56822.	895	1.0	0.1	5.2	0.1	0.1	5.7	30	0.0
36014	0	0	1	0	S0cm	47.1219	68.0299	27.9	715.2	427	56823.	1011	1.3	1.0	6.2	0.1	0.1	5.1	24	0.0
36015	0	0	0	0	S0cm	47.1224	68.0299	27.9	715.2	420	56822.	977	1.1	1.5	5.7	1.4	0.3	5.3	26	0.0
36016	0	0	1	0	S0cm	47.1229	68.0298	27.9	715.2	416	56821.	925	0.9	0.9	5.0	0.1	0.1	5.5	26	0.0
36017	0	0	0	0	S0cm	47.1234	68.0298	27.9	715.2	416	56820.	938	0.9	2.3	3.7	2.8	0.6	4.6	19	0.0
36018	0	0	0	0	S0cm	47.1239	68.0297	27.9	715.2	425	56819.	909	1.0	2.6	3.6	2.8	0.8	3.8	21	0.0
36019	0	0	0	0	S0cm	47.1243	68.0297	27.9	715.2	432	56819.	850	0.9	2.4	2.1	2.6	1.1	2.4	28	0.0
36020	0	0	0	0	S0cm	47.1248	68.0297	27.9	715.1	437	56820.	801	0.6	1.9	3.9	3.1	0.5	6.6	22	0.0
36021	0	0	1	0	S0cm	47.1253	68.0296	27.9	715.1	438	56820.	832	0.6	1.2	3.8	0.1	0.1	6.3	26	0.0
36022	0	0	1	0	S0cm	47.1258	68.0296	27.9	715.0	444	56821.	785	0.7	0.4	5.1	0.1	0.1	8.1	17	0.0
36023	0	0	0	0	S0cm	47.1263	68.0295	27.9	714.9	451	56820.	853	0.9	2.2	3.3	2.5	0.7	3.8	28	0.0

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
36024	0	0	0	0	S0cm	47.1267	68.0295	27.9	714.9	457	56820.	900	0.9	1.4	5.1	1.6	0.3	6.1	29	0.0
36025	0	0	1	0	S0cm	47.1272	68.0294	27.9	714.8	458	56821.	921	0.5	1.2	5.4	0.1	0.1	0.1	21	0.0
36026	0	0	1	0	S0cm	47.1277	68.0294	27.9	714.7	452	56822.	903	0.7	1.2	3.1	0.1	0.1	4.5	23	0.0
36027	0	0	1	0	S0cm	47.1282	68.0294	27.9	714.6	440	56821.	924	0.9	1.2	5.8	0.1	0.1	6.4	21	0.0
36028	0	0	0	0	S0cm	47.1287	68.0293	27.9	714.5	427	56820.	985	1.1	2.7	5.8	2.5	0.5	5.5	21	0.0
36029	0	0	1	0	S0cm	47.1292	68.0293	27.9	714.4	422	56822.	947	0.8	1.3	4.9	0.1	0.1	6.5	18	0.0
36030	0	0	0	0	S0cm	47.1296	68.0292	27.9	714.3	418	56825.	966	0.8	1.4	4.6	1.8	0.3	6.2	28	0.0
36031	0	0	0	0	S0cm	47.1301	68.0292	27.9	714.1	416	56825.	941	0.9	1.8	4.9	2.0	0.4	5.4	29	0.0
36032	0	0	0	0	S0cm	47.1306	68.0291	27.9	714.0	409	56823.	1089	1.0	1.7	4.0	1.7	0.5	4.0	19	0.0
36033	0	0	1	0	S0cm	47.1311	68.0291	27.9	713.8	403	56823.	1057	1.2	0.4	6.6	0.1	0.1	5.5	26	0.0
36034	0	0	0	0	S0cm	47.1315	68.0290	27.9	713.7	396	56824.	1045	0.8	2.4	5.8	3.1	0.5	7.5	31	0.0
36035	0	0	0	0	S0cm	47.1320	68.0290	27.9	713.6	391	56825.	1031	1.0	2.2	5.4	2.2	0.4	5.4	27	0.0
36036	0	0	0	0	S0cm	47.1325	68.0289	27.9	713.5	385	56822.	1048	1.1	1.4	3.9	1.3	0.4	3.8	26	0.0
36037	0	0	0	0	S0cm	47.1330	68.0289	27.9	713.5	377	56818.	960	0.8	2.3	5.3	3.0	0.5	7.0	32	0.0
36038	0	0	0	0	S0cm	47.1335	68.0289	27.9	713.4	367	56816.	933	1.0	1.9	3.9	2.1	0.5	4.3	23	0.0
36039	0	0	0	0	S0cm	47.1339	68.0288	27.9	713.3	360	56818.	882	0.8	1.5	3.7	2.0	0.4	5.0	13	0.0
36040	0	0	1	0	S0cm	47.1344	68.0288	27.9	713.3	358	56820.	863	0.9	0.6	3.9	0.1	0.1	4.5	26	0.0
36041	0	0	0	0	S0cm	47.1349	68.0287	27.9	713.2	359	56822.	838	0.7	1.6	5.0	2.3	0.4	7.3	31	0.0
36042	0	0	1	0	S0cm	47.1354	68.0287	27.9	713.2	365	56825.	829	0.8	-0.2	5.1	0.1	0.1	6.8	29	0.0
36043	0	0	1	0	S0cm	47.1359	68.0286	27.9	713.2	374	56826.	856	0.8	0.4	6.1	0.1	0.1	8.4	29	0.0
36044	0	0	1	0	S0cm	47.1363	68.0286	27.9	713.1	384	56826.	784	0.9	0.0	4.4	0.1	0.1	5.3	23	0.0
36045	0	0	1	0	S0cm	47.1368	68.0285	27.9	713.2	389	56825.	834	0.8	0.6	5.5	0.1	0.1	6.9	3	0.0
36046	0	0	1	0	S0cm	47.1373	68.0285	27.9	713.2	392	56825.	871	0.9	0.3	6.4	0.1	0.1	7.8	23	0.0
36047	0	0	1	0	S0cm	47.1378	68.0285	27.8	712.2	415	56821.	811	1.1	-0.6	2.5	0.1	0.1	2.4	23	0.0
36048	0	0	0	0	S0cm	47.1383	68.0284	27.8	712.2	424	56821.	809	0.7	1.8	4.9	2.7	0.4	7.3	28	0.0
36049	0	0	0	0	S0cm	47.1387	68.0284	27.8	712.2	436	56821.	889	0.6	2.3	5.4	3.9	0.5	9.2	20	0.1
36050	0	0	1	0	S0cm	47.1392	68.0283	27.8	712.2	448	56822.	881	0.9	1.1	3.2	0.1	0.1	4.0	15	0.2
36051	0	0	0	0	S0cm	47.1397	68.0283	27.8	712.3	460	56822.	848	0.8	1.8	4.0	2.5	0.5	5.6	23	0.3
36052	0	0	1	0	S0cm	47.1402	68.0282	27.8	712.3	468	56820.	864	0.8	1.2	3.5	0.1	0.1	4.8	24	0.4
36053	0	0	1	0	S0cm	47.1407	68.0282	27.8	712.3	473	56818.	864	1.0	1.0	6.0	0.1	0.1	6.4	33	0.5
36054	0	0	1	0	S0cm	47.1411	68.0281	27.8	712.4	473	56817.	880	0.9	0.9	2.4	0.1	0.1	2.7	26	0.6
36055	0	0	0	0	S0cm	47.1416	68.0281	27.8	712.4	474	56815.	864	0.8	2.6	5.2	3.3	0.6	6.4	23	0.6
36056	0	0	0	0	S0cm	47.1421	68.0281	27.8	712.4	479	56813.	902	0.9	1.8	2.6	2.2	0.7	3.1	24	0.7
36057	0	0	1	0	S0cm	47.1426	68.0280	27.8	712.4	482	56814.	921	1.0	1.4	3.5	0.1	0.1	3.7	18	0.8
36058	0	0	1	0	S0cm	47.1430	68.0281	27.8	712.4	477	56816.	937	1.0	1.1	5.7	0.1	0.1	6.0	26	0.9
36059	0	0	1	0	S0cm	47.1435	68.0281	27.8	712.4	462	56816.	864	0.8	0.3	4.8	0.1	0.1	6.3	27	1.0
36060	0	0	1	0	S0cm	47.1439	68.0281	27.8	712.4	446	56817.	823	0.8	0.1	6.4	0.1	0.1	8.4	11	1.1
36061	0	0	1	0	S0cm	47.1443	68.0282	27.8	712.4	437	56817.	853	0.8	0.0	4.6	0.1	0.1	6.3	22	1.1
36062	0	0	0	0	S0cm	47.1448	68.0282	27.8	712.4	430	56818.	919	1.0	1.5	4.6	1.5	0.4	4.6	23	1.2
36063	0	0	1	0	S0cm	47.1452	68.0283	27.8	712.4	425	56821.	832	0.8	0.3	5.4	0.1	0.1	7.3	22	1.2
36064	0	0	0	0	S0cm	47.1457	68.0283	27.8	712.4	420	56824.	811	0.9	1.7	4.0	1.9	0.5	4.6	27	1.3
36065	0	0	1	0	S0cm	47.1461	68.0284	27.8	712.3	417	56824.	807	0.7	1.2	5.3	0.1	0.1	8.2	26	1.4
36066	0	0	1	0	S0cm	47.1466	68.0284	27.8	712.3	415	56822.	796	0.7	0.3	5.0	0.1	0.1	7.5	32	1.5
36067	0	0	1	0	S0cm	47.1470	68.0285	27.8	712.2	415	56822.	796	0.8	-0.4	4.0	0.1	0.1	5.2	18	1.6
36068	0	0	1	0	S0cm	47.1474	68.0285	27.8	712.2	415	56822.	862	0.8	0.6	5.1	0.1	0.1	7.1	24	1.6
36069	0	0	1	0	S0cm	47.1479	68.0285	27.8	712.2	415	56823.	853	0.7	0.9	4.2	0.1	0.1	6.4	26	1.6
36070	0	0	1	0	S0cm	47.1483	68.0286	27.8	712.1	416	56825.	818	0.9	1.0	3.7	0.1	0.1	4.7	22	1.7
36071	0	0	1	0	S0cm	47.1488	68.0286	27.8	712.1	420	56825.	821	0.9	1.0	3.9	0.1	0.1	4.4	23	1.7
36072	0	0	1	0	S0cm	47.1492	68.0287	27.8	712.1	427	56824.	815	0.9	0.5	3.2	0.1	0.1	3.7	31	1.8
36073	0	0	0	0	S0cm	47.1497	68.0287	27.8	712.2	433	56823.	849	0.7	1.6	5.4	2.4	0.3	8.2	28	1.9

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
36074	0	0	0	0	SOCM	47.1501	68.0288	27.8	712.2	436	56823.	676	1.0	1.6	4.6	1.7	0.4	4.7	19	1.7
36075	0	0	1	0	SOCM	47.1505	68.0288	27.8	712.3	438	56825.	817	0.9	0.0	4.3	0.1	0.1	5.2	22	1.5
36076	0	0	0	0	SOCM	47.1510	68.0288	27.8	712.4	442	56826.	800	0.5	1.4	4.1	0.1	0.4	0.1	36	1.3
36077	0	0	0	0	SOCM	47.1514	68.0289	27.8	712.6	449	56825.	844	0.6	3.1	4.9	0.1	0.7	9.6	22	1.1
36078	0	0	1	0	SOCM	47.1519	68.0289	27.8	712.7	458	56823.	820	0.9	0.9	3.8	0.1	0.1	4.4	19	1.2
36079	0	0	0	0	SOCM	47.1523	68.0290	27.8	713.0	467	56821.	917	0.9	1.6	4.7	1.9	0.4	5.7	27	1.2
36080	0	0	1	0	SOCM	47.1527	68.0290	27.8	713.2	476	56819.	849	0.9	1.2	4.8	0.1	0.1	5.3	21	1.2
36081	0	0	1	0	SOCM	47.1532	68.0291	27.8	713.5	484	56816.	801	0.9	1.1	2.9	0.1	0.1	3.3	30	1.0
36082	0	0	1	0	SOCM	47.1541	68.0292	27.8	713.8	491	56813.	855	0.8	1.1	3.5	0.1	0.1	4.6	17	1.1
36084	0	0	1	0	SOCM	47.1545	68.0292	27.8	714.1	498	56811.	799	0.8	-0.3	4.3	0.1	0.1	5.6	21	1.0
36085	0	0	1	0	SOCM	47.1549	68.0292	27.8	714.5	504	56810.	836	0.7	1.1	3.7	0.1	0.1	5.7	17	0.8
36086	0	0	1	0	SOCM	47.1554	68.0293	27.8	714.9	513	56811.	816	0.6	1.0	5.7	0.1	0.1	10.0	26	0.6
36087	0	0	1	0	SOCM	47.1558	68.0293	27.8	715.3	522	56813.	822	0.9	0.8	5.1	0.1	0.1	5.6	16	2.4
36088	0	0	1	0	SOCM	47.1563	68.0294	27.8	715.7	531	56813.	775	0.6	0.3	3.9	0.1	0.1	6.8	28	0.2
36089	0	0	1	0	SOCM	47.1567	68.0294	27.8	716.2	538	56812.	753	0.8	0.3	3.2	0.1	0.1	4.1	31	0.0
36090	0	0	1	0	SOCM	47.1572	68.0295	27.8	716.7	545	56809.	820	1.3	-0.2	5.6	0.1	0.1	4.6	21	0.0
36091	0	0	1	0	SOCM	47.1576	68.0295	27.8	717.1	550	56807.	714	0.8	-0.5	4.8	0.1	0.1	6.2	21	0.0
36092	0	0	1	0	SOCM	47.1580	68.0295	27.8	717.3	552	56805.	772	1.1	1.2	6.1	0.1	0.1	5.8	30	0.0
36093	0	0	1	0	SOCM	47.1585	68.0296	27.8	717.5	545	56805.	763	0.8	0.2	3.7	0.1	0.1	5.2	32	0.0
36094	0	0	1	0	SOCM	47.1589	68.0296	27.8	717.7	526	56804.	792	0.9	0.2	3.8	0.1	0.1	4.4	24	0.0
36095	0	0	0	0	SOCM	47.1594	68.0297	27.8	717.9	497	56804.	800	0.7	2.9	4.6	4.4	0.7	7.1	23	0.0
36096	0	0	1	0	SOCM	47.1598	68.0297	27.8	718.1	466	56807.	803	0.7	1.0	2.5	0.1	0.1	3.7	21	0.0
36097	0	0	1	0	SOCM	47.1602	68.0298	27.8	718.3	437	56810.	846	1.1	-0.3	4.9	0.1	0.1	4.7	24	0.0
36098	0	0	1	0	SOCM	47.1607	68.0298	27.8	718.4	412	56813.	858	0.9	0.1	5.1	0.1	0.1	6.1	21	0.0
36099	0	0	1	0	SOCM	47.1611	68.0298	27.8	718.5	393	56815.	825	0.9	0.9	4.0	0.1	0.1	4.7	27	0.0
36100	0	0	0	0	SOCM	47.1616	68.0299	27.8	718.6	383	56817.	856	1.0	1.2	3.4	1.3	0.4	3.7	31	0.0
36101	0	0	0	0	SOCM	47.1620	68.0299	27.8	718.6	382	56819.	886	0.8	2.0	5.1	2.8	0.4	7.1	20	0.0
36102	0	0	0	0	SOCM	47.1625	68.0300	27.8	718.5	383	56820.	945	1.2	1.5	4.0	1.3	0.4	3.4	20	0.0
36103	0	0	1	0	SOCM	47.1629	68.0300	27.8	718.4	384	56821.	900	0.8	1.0	5.2	0.1	0.1	6.5	26	0.0
36104	0	0	1	0	SOCM	47.1633	68.0301	28.1	721.2	393	56820.	933	1.0	1.0	4.6	0.1	0.1	4.6	24	0.0
36105	0	0	1	0	SOCM	47.1638	68.0301	28.1	721.6	400	56820.	908	0.9	0.6	5.8	0.1	0.1	6.6	28	0.0
36106	0	0	1	0	SOCM	47.1642	68.0302	28.1	721.9	412	56821.	971	1.1	0.5	7.3	0.1	0.1	7.2	22	0.0
36107	0	0	1	0	SOCM	47.1647	68.0302	28.1	722.2	423	56822.	906	0.9	1.2	3.9	0.1	0.1	4.3	21	0.0
36108	0	0	1	0	SOCM	47.1651	68.0303	28.1	722.6	431	56823.	914	0.8	0.5	4.4	0.1	0.1	6.0	29	0.0
36109	0	0	0	0	SOCM	47.1656	68.0302	28.1	722.9	433	56823.	996	1.2	2.1	5.5	1.7	0.4	4.7	17	0.0
36110	0	0	1	0	SOCM	47.1660	68.0302	28.2	723.2	433	56821.	930	0.9	0.2	6.7	0.1	0.1	7.5	17	0.0
36111	0	0	1	0	SOCM	47.1665	68.0302	28.2	723.6	433	56820.	953	1.0	0.9	5.6	0.1	0.1	5.6	27	0.0
36112	0	0	1	0	SOCM	47.1669	68.0302	28.2	723.9	435	56819.	927	1.2	0.9	4.5	0.1	0.1	3.9	16	0.0
36113	0	0	1	0	SOCM	47.1674	68.0302	28.2	724.2	437	56818.	801	0.9	0.9	4.4	0.1	0.1	5.4	23	0.0
36114	0	0	1	0	SOCM	47.1679	68.0302	28.2	724.5	437	56818.	634	0.8	0.4	2.5	0.1	0.1	3.2	25	0.0
36115	0	0	1	0	SOCM	47.1683	68.0302	28.2	724.8	430	56818.	578	0.5	0.5	4.5	0.1	0.1	0.1	25	0.0
36116	0	0	1	0	SOCM	47.1688	68.0302	28.2	725.0	421	56819.	564	0.6	0.6	2.7	0.1	0.1	5.3	21	0.0
36117	0	0	1	0	SOCM	47.1692	68.0302	28.2	725.2	406	56820.	571	0.5	0.8	3.8	0.1	0.1	0.1	21	0.0
36118	0	0	1	0	SOCM	47.1697	68.0302	28.2	725.4	392	56820.	498	0.5	0.3	2.8	0.1	0.1	0.1	16	0.0
36119	0	0	1	0	SOCM	47.1701	68.0302	28.2	725.5	374	56822.	492	0.4	0.7	1.2	0.1	0.1	0.1	15	0.0
36120	0	0	0	0	SOCM	47.1706	68.0302	28.2	725.6	360	56823.	442	0.3	1.3	1.5	0.1	0.9	0.1	25	0.0
36121	0	0	0	0	SOCM	47.1711	68.0301	28.2	725.7	353	56824.	569	0.3	1.6	3.1	0.1	0.6	0.1	14	0.0
36122	0	0	1	0	SOCM	47.1715	68.0301	28.2	725.8	352	56827.	645	0.7	0.8	3.9	0.1	0.1	5.8	15	0.0
36123	0	0	1	0	SOCM	47.1720	68.0301	28.2	725.9	356	56832.	679	0.9	-0.4	3.6	0.1	0.1	4.4	28	0.0
36124	0	0	1	0	SOCM	47.1724	68.0301	28.2	726.0	360	56836.	676	0.9	-0.1	3.3	0.1	0.1	4.0	14	0.0

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI	
												CPS	%	PPM	PPM					CPS	CPS
36125	0	0	0	0	S0cm	47.1729	68.0301	28.2	726.0	365	56837.	712	0.8	1.2	3.9	1.5	0.3	5.2	26	0.0	
36126	0	0	0	0	S0cm	47.1734	68.0301	28.2	726.1	371	56834.	641	0.6	1.5	2.7	2.9	0.6	5.2	27	0.0	
36127	0	0	1	0	S0cm	47.1738	68.0301	28.2	726.1	378	56831.	612	0.6	0.8	4.1	0.1	0.1	7.6	22	0.0	
36128	0	0	1	0	S0cm	47.1743	68.0301	28.2	726.1	384	56830.	567	0.6	1.1	3.1	0.1	0.1	5.4	28	0.0	
36129	0	0	1	0	S0cm	47.1747	68.0301	28.3	726.2	388	56830.	437	0.3	0.5	2.0	0.1	0.1	0.1	14	0.0	
36130	0	0	1	0	S0cm	47.1752	68.0301	28.3	726.2	389	56831.	396	0.2	0.4	1.4	0.1	0.1	0.1	21	0.0	
36131	0	0	0	0	S0cm	47.1757	68.0300	28.3	726.2	389	56831.	359	0.3	1.3	1.8	0.1	0.8	0.1	18	0.0	
36132	0	0	0	0	S0cm	47.1761	68.0300	28.3	726.2	389	56830.	400	0.4	1.2	1.2	0.1	1.0	0.1	31	0.0	
36133	0	1	1	0	S0cm	47.1766	68.0300	28.3	726.2	388	56829.	425	0.1	0.1	3.7	0.1	0.1	0.1	23	0.0	
36134	0	0	1	0	S0cm	47.1770	68.0300	28.3	726.2	387	56829.	475	0.5	0.5	3.0	0.1	0.1	0.1	22	0.0	
36135	0	0	1	0	S0cm	47.1775	68.0300	28.3	726.1	386	56831.	526	0.4	0.3	4.8	0.1	0.1	0.1	22	0.0	
36136	0	0	1	0	S0cm	47.1779	68.0300	28.3	726.1	387	56832.	630	0.6	0.3	3.6	0.1	0.1	5.9	22	0.0	
36137	0	0	0	0	S0cm	47.1784	68.0300	28.3	726.0	383	56832.	701	0.5	1.4	2.9	0.1	0.5	0.1	34	0.0	
36138	0	0	1	0	S0cm	47.1789	68.0300	28.3	726.0	376	56832.	665	0.7	0.1	3.7	0.1	0.1	5.7	13	0.0	
36139	0	0	1	0	S0cm	47.1793	68.0300	28.3	725.9	371	56832.	733	0.8	0.9	3.9	0.1	0.1	5.3	11	0.0	
36140	0	0	0	0	S0cm	47.1798	68.0300	28.3	725.8	373	56834.	788	0.6	1.3	3.3	2.1	0.4	5.4	28	0.0	
36141	0	0	1	0	S0cm	47.1802	68.0300	28.3	725.7	380	56835.	772	0.9	0.2	3.6	0.1	0.1	4.3	13	0.0	
36142	0	0	1	0	S0cm	47.1807	68.0300	28.3	725.6	386	56836.	789	0.6	1.1	4.5	0.1	0.1	7.9	29	0.0	
36143	0	0	0	0	S0cm	47.1812	68.0299	28.3	725.4	384	56836.	777	0.7	3.2	2.9	4.8	1.2	4.3	23	0.0	
36144	0	0	1	0	S0cm	47.1816	68.0299	28.3	725.3	379	56835.	748	0.7	0.4	4.6	0.1	0.1	7.1	25	0.0	
36145	0	0	1	0	S0cm	47.1821	68.0299	28.3	725.1	369	56835.	781	0.8	0.9	4.2	0.1	0.1	5.3	31	0.0	
36146	0	0	1	0	S0cm	47.1825	68.0299	28.3	725.0	361	56837.	795	0.8	0.1	4.8	0.1	0.1	6.7	18	0.0	
36147	0	0	0	0	S0cm	47.1830	68.0299	28.3	724.8	355	56831.	810	0.9	1.4	4.3	1.7	0.4	5.2	22	0.0	
36148	0	0	1	0	S0cm	47.1835	68.0299	28.3	724.7	360	56843.	829	0.8	0.5	5.9	0.1	0.1	8.2	20	0.0	
36149	0	0	1	0	S0cm	47.1839	68.0299	28.3	724.6	369	56841.	829	0.6	0.9	4.1	0.1	0.1	8.1	29	0.0	
36150	0	0	0	0	S0cm	47.1844	68.0299	28.3	724.5	380	56839.	918	0.8	2.0	4.0	2.7	0.5	5.4	32	0.0	
36151	0	0	0	0	S0cm	47.1848	68.0299	28.3	724.4	378	56838.	810	0.6	1.9	3.7	3.1	0.6	6.2	30	0.0	
36152	0	0	0	0	S0cm	47.1853	68.0299	28.3	724.3	372	56839.	903	1.0	1.4	3.8	1.5	0.4	4.1	29	0.0	
36153	0	0	0	0	S0cm	47.1857	68.0299	28.3	724.3	363	56840.	891	0.9	1.2	4.6	1.5	0.3	5.6	31	0.0	
36154	0	0	1	0	S0cm	47.1862	68.0299	28.3	724.2	361	56840.	917	0.9	0.8	4.7	0.1	0.1	5.7	21	0.0	
36155	0	0	1	0	S0cm	47.1867	68.0298	28.3	724.2	360	56842.	886	0.9	0.1	5.1	0.1	0.1	6.0	26	0.0	
36156	0	0	0	0	S0cm	47.1871	68.0298	28.3	724.1	366	56846.	1020	1.1	1.6	4.9	1.4	0.4	4.5	14	0.0	
36157	0	0	1	0	S0cm	47.1876	68.0298	28.2	724.1	370	56848.	943	0.9	1.1	6.3	0.1	0.1	7.4	18	0.0	
36158	0	0	1	0	S0cm	47.1880	68.0298	28.2	724.2	376	56846.	1040	1.0	0.4	5.8	0.1	0.1	6.1	36	0.0	
36159	0	0	0	0	S0cm	47.1884	68.0298	28.2	724.2	376	56845.	989	1.0	1.5	6.1	1.5	0.3	6.4	25	0.0	
36160	0	0	1	0	S0cm	47.1888	68.0299	28.7	722.9	382	56842.	1062	1.1	-0.3	6.6	0.1	0.1	6.0	25	0.0	
36161	0	0	1	0	S0cm	47.1892	68.0299	28.7	722.7	385	56839.	1042	1.1	0.8	7.8	0.1	0.1	7.3	28	0.0	
36162	0	0	1	0	S0cm	47.1896	68.0299	28.7	722.6	388	56837.	1087	1.2	0.8	4.9	0.1	0.1	4.3	27	0.0	
36163	0	0	0	0	S0cm	47.1899	68.0300	28.7	722.5	391	56836.	1093	1.1	1.7	3.1	1.6	0.6	2.8	20	0.0	
36164	0	0	1	0	S0cm	47.1903	68.0300	28.7	722.4	392	56834.	986	1.1	0.9	4.7	0.1	0.1	4.5	24	0.0	
36165	0	0	1	0	S0cm	47.1907	68.0300	28.7	722.3	397	56835.	964	1.1	1.0	6.5	0.1	0.1	6.2	20	0.0	
36166	0	0	1	0	S0cm	47.1911	68.0300	28.7	722.3	401	56838.	945	0.9	0.9	6.1	0.1	0.1	6.8	21	0.0	
36167	0	0	0	0	S0cm	47.1915	68.0301	28.7	722.3	407	56839.	1003	1.2	1.6	3.5	1.4	0.5	3.0	30	0.0	
36168	0	0	1	0	S0cm	47.1919	68.0301	28.7	722.3	409	56840.	1039	0.8	1.2	8.1	0.1	0.1	10.4	21	0.0	
36169	0	0	1	0	S0cm	47.1922	68.0301	28.7	722.3	411	56840.	1172	1.5	0.7	7.9	0.1	0.1	5.4	19	0.0	
36170	0	0	1	0	S0cm	47.1926	68.0302	28.7	722.3	414	56840.	1244	1.5	1.1	6.5	0.1	0.1	4.6	14	0.0	
36171	0	0	1	0	S0cm	47.1930	68.0302	28.7	722.3	418	56839.	1199	1.3	0.6	6.7	0.1	0.1	5.2	13	0.0	
36172	0	0	1	0	S0cm	47.1934	68.0302	28.7	722.3	422	56838.	1140	1.3	0.8	6.9	0.1	0.1	5.6	27	0.0	
36173	0	0	1	0	S0cm	47.1938	68.0302	28.7	722.3	426	56838.	1138	1.3	-0.1	6.8	0.1	0.1	5.3	17	0.0	
36174	0	0	0	0	S0cm	47.1941	68.0303	28.7	722.4	420	56837.	1037	1.1	1.4	7.6	1.3	0.2	7.0	20	0.0	

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
36175	0	0	1	0	SOCm	47.1945	68.0303	28.7	722.5	415	56837.	995	1.3	0.8	6.0	0.1	0.1	4.9	13	0.0
36176	0	0	1	0	SU	47.1949	68.0303	28.7	722.6	408	56835.	928	0.6	1.2	6.0	0.1	0.1	9.9	27	0.0
36178	0	0	0	0	SU	47.1957	68.0304	28.7	722.7	407	56832.	938	0.9	2.9	4.3	3.6	0.7	5.2	19	0.0
36179	0	0	0	0	SU	47.1960	68.0304	28.7	722.7	403	56829.	965	1.1	1.4	5.0	1.3	0.3	4.9	24	0.0
36180	0	0	0	0	SU	47.1964	68.0304	28.7	722.8	400	56828.	915	0.9	1.5	5.0	1.7	0.3	5.8	23	0.0
36181	0	0	0	0	SU	47.1968	68.0304	28.7	722.9	394	56828.	832	0.8	1.8	3.8	2.4	0.5	5.0	28	0.0
36182	0	0	0	0	SU	47.1972	68.0305	28.7	722.9	389	56829.	839	0.8	1.4	4.3	1.9	0.4	6.0	29	0.0
36183	0	0	1	0	SU	47.1976	68.0305	28.7	723.0	385	56829.	703	0.6	0.1	4.0	0.1	0.1	6.7	28	0.0
36184	0	0	1	0	SU	47.1979	68.0305	28.7	723.1	384	56829.	587	0.7	-0.1	3.5	0.1	0.1	5.7	26	0.1
36185	0	0	1	0	SU	47.1983	68.0305	28.7	723.2	382	56831.	488	0.4	-0.2	1.6	0.1	0.1	0.1	31	0.4
36186	0	0	1	0	SU	47.1987	68.0306	28.7	723.3	378	56833.	511	0.4	0.6	2.5	0.1	0.1	0.1	21	0.4
36187	0	0	1	0	SU	47.1991	68.0306	28.7	723.4	374	56834.	507	0.5	0.5	2.8	0.1	0.1	0.1	16	0.5
36188	0	0	1	0	SU	47.1995	68.0306	28.7	723.4	369	56834.	470	0.4	0.8	1.8	0.1	0.1	0.1	24	0.6
36189	0	0	1	0	SU	47.1998	68.0307	28.7	723.5	365	56832.	381	0.3	-0.2	2.1	0.1	0.1	0.1	18	0.6
36190	0	0	1	0	SU	47.2002	68.0307	28.7	723.5	355	56829.	361	0.3	-0.3	4.0	0.1	0.1	0.1	28	0.7
36191	0	0	1	0	SU	47.2006	68.0307	28.7	723.6	345	56827.	355	0.3	-0.3	1.7	0.1	0.1	0.1	21	0.7
36192	0	0	1	0	SU	47.2010	68.0307	28.7	723.6	332	56828.	402	0.3	0.1	3.1	0.1	0.1	0.1	19	0.7
36193	0	0	1	0	SU	47.2014	68.0308	28.7	723.7	327	56829.	546	0.5	0.2	3.2	0.1	0.1	0.1	20	0.7
36194	0	0	0	0	SU	47.2018	68.0308	28.7	723.7	330	56830.	593	0.5	1.3	2.5	0.1	0.5	0.1	24	0.8
36195	0	0	1	0	SU	47.2021	68.0308	28.7	723.7	338	56831.	807	0.9	0.6	4.5	0.1	0.1	5.4	32	0.9
36196	0	0	1	0	SU	47.2025	68.0308	28.7	723.7	345	56831.	914	1.1	0.6	5.4	0.1	0.1	5.3	33	0.9
36197	0	0	1	0	SU	47.2029	68.0309	28.7	723.7	348	56831.	989	1.0	0.9	4.0	0.1	0.1	4.3	17	1.0
36198	0	0	1	0	SU	47.2033	68.0309	28.7	723.7	351	56832.	978	1.1	0.8	7.2	0.1	0.1	6.7	15	1.0
36199	0	0	1	0	SU	47.2038	68.0310	28.7	723.6	355	56831.	991	1.2	1.2	4.8	0.1	0.1	4.2	18	1.1
36200	0	0	1	0	SU	47.2042	68.0310	28.7	723.6	360	56830.	949	0.9	1.0	5.5	0.1	0.1	6.7	21	1.1
36201	0	0	1	0	SU	47.2046	68.0311	28.7	723.5	360	56830.	968	1.0	0.8	5.7	0.1	0.1	6.3	21	1.2
36202	0	0	1	0	SU	47.2051	68.0311	28.7	723.4	359	56831.	782	0.9	0.9	5.3	0.1	0.1	6.5	22	1.2
36203	0	0	1	0	SU	47.2055	68.0311	28.7	723.3	355	56832.	754	0.8	-0.5	4.5	0.1	0.1	6.0	30	1.3
36204	0	0	1	0	SU	47.2059	68.0312	28.7	723.3	354	56833.	722	0.7	-0.1	3.1	0.1	0.1	4.5	31	1.3
36205	0	0	0	0	SU	47.2064	68.0312	28.7	723.2	355	56833.	691	0.8	2.1	2.5	2.7	0.9	3.3	14	1.3
36206	0	0	1	0	SU	47.2068	68.0313	28.7	723.2	359	56835.	630	0.7	0.8	2.9	0.1	0.1	4.4	23	1.3
36207	0	0	1	0	SU	47.2072	68.0313	28.7	723.1	366	56836.	575	0.5	0.7	2.6	0.1	0.1	0.1	23	1.4
36208	0	0	1	0	SU	47.2077	68.0313	28.7	723.1	372	56835.	531	0.5	0.0	3.0	0.1	0.1	0.1	26	1.4
36209	0	0	1	0	SU	47.2081	68.0314	28.7	723.0	376	56834.	555	0.5	0.9	2.7	0.1	0.1	0.1	19	1.4
36210	0	0	0	0	SU	47.2085	68.0314	28.7	723.0	382	56832.	667	0.6	1.7	2.9	3.0	0.6	5.3	19	1.5
36211	0	0	1	0	SU	47.2090	68.0315	28.7	722.9	391	56831.	828	0.9	0.5	3.6	0.1	0.1	4.4	18	1.5
36212	0	0	1	0	SU	47.2094	68.0315	28.7	722.9	401	56833.	970	0.9	1.1	6.7	0.1	0.1	7.6	16	1.5
36213	0	0	0	0	SU	47.2098	68.0316	28.7	722.9	410	56835.	1093	1.1	2.8	6.9	2.6	0.5	6.4	20	1.6
36214	0	0	1	0	SU	47.2103	68.0316	28.7	722.9	412	56838.	1130	1.0	0.7	5.8	0.1	0.1	5.9	16	1.6
36215	0	0	1	0	SU	47.2107	68.0316	28.7	722.9	413	56837.	1275	1.6	1.1	6.8	0.1	0.1	4.5	32	1.7
36216	0	0	0	0	SU	47.2111	68.0317	28.7	723.0	412	56834.	1154	1.3	1.5	5.3	1.2	0.3	4.3	16	1.7
36217	0	0	0	0	SU	47.2116	68.0317	28.9	722.3	403	56835.	1273	1.3	1.7	6.8	1.3	0.3	5.3	22	1.8
36218	0	0	0	0	SU	47.2120	68.0318	28.9	722.2	397	56841.	1241	1.5	1.5	6.7	1.1	0.3	4.6	23	1.8
36219	0	0	1	0	SU	47.2124	68.0318	28.9	722.1	389	56845.	1289	1.5	0.2	7.7	0.1	0.1	5.4	25	1.8
36220	0	0	1	0	SU	47.2129	68.0319	28.9	722.0	382	56843.	1286	1.6	0.5	7.5	0.1	0.1	4.7	24	1.9
36221	0	0	1	0	SU	47.2133	68.0319	28.9	721.9	375	56841.	1282	1.6	0.9	7.6	0.1	0.1	4.8	18	1.9
36222	0	0	1	0	SU	47.2137	68.0320	28.9	721.7	371	56842.	1270	1.4	1.1	5.6	0.1	0.1	4.0	15	1.9
36223	0	0	1	0	SU	47.2142	68.0320	28.9	721.6	370	56842.	1191	1.3	0.7	8.3	0.1	0.1	6.4	28	2.0
36224	0	0	1	0	SU	47.2146	68.0320	28.9	721.4	373	56843.	1198	1.3	1.2	5.5	0.1	0.1	4.3	23	2.0
36225	0	0	1	0	SU	47.2149	68.0320	28.9	721.3	380	56845.	1171	1.3	0.5	5.5	0.1	0.1	4.4	27	2.0

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI	
												CPS	%	PPM	PPM					CPS	CPS
36226	0	0	1	0	SU	47.2153	68.0321	28.9	721.2	390	56845.	1145	1.3	0.2	7.2	0.1	0.1	5.8	19	2.0	
36227	0	0	0	0	SU	47.2157	68.0321	28.9	721.1	394	56845.	1069	1.3	1.6	4.5	1.3	0.4	3.6	14	2.0	
36228	0	0	1	0	SU	47.2161	68.0321	28.9	721.1	392	56846.	1008	1.3	0.6	4.4	0.1	0.1	3.6	14	2.1	
36229	0	0	1	0	SU	47.2165	68.0321	28.9	721.0	385	56848.	910	1.1	0.6	4.0	0.1	0.1	4.0	26	2.1	
36230	0	0	0	0	SU	47.2169	68.0322	29.0	721.0	381	56847.	926	0.7	1.3	3.8	2.1	0.4	6.0	28	2.2	
36231	0	0	1	0	SU	47.2173	68.0322	29.0	721.1	380	56847.	860	0.9	0.9	5.3	0.1	0.1	6.4	23	2.2	
36232	0	0	1	0	SU	47.2176	68.0322	29.0	721.2	382	56846.	928	1.0	0.1	4.5	0.1	0.1	4.6	18	2.3	
36233	0	0	1	0	SU	47.2180	68.0322	29.0	721.3	386	56843.	889	1.0	0.2	4.6	0.1	0.1	5.0	31	2.3	
36234	0	0	1	0	SU	47.2184	68.0322	29.0	721.5	390	56838.	895	0.9	0.7	3.6	0.1	0.1	4.5	28	2.3	
36235	0	0	1	0	SU	47.2188	68.0323	29.0	721.7	395	56836.	915	0.9	0.5	5.4	0.1	0.1	6.6	25	2.3	
36236	0	0	1	0	SU	47.2192	68.0323	29.0	721.9	400	56836.	873	0.9	0.5	5.1	0.1	0.1	6.3	25	2.3	
36237	0	0	1	0	SU	47.2196	68.0323	29.0	722.1	404	56835.	905	0.9	1.3	8.2	0.1	0.1	9.4	14	2.2	
36238	0	0	1	0	SU	47.2200	68.0323	29.0	722.4	408	56833.	896	0.8	0.5	4.8	0.1	0.1	6.1	18	2.2	
36239	0	0	1	0	SU	47.2204	68.0324	29.0	722.7	410	56828.	899	1.0	-0.1	4.6	0.1	0.1	4.6	20	2.2	
36240	0	0	1	0	SU	47.2207	68.0324	29.0	723.0	410	56825.	863	1.0	0.5	4.3	0.1	0.1	4.5	18	2.2	
36241	0	0	1	0	SU	47.2211	68.0324	29.0	723.3	405	56824.	875	1.0	0.6	4.9	0.1	0.1	5.3	27	2.2	
36242	0	0	1	0	SU	47.2215	68.0324	29.0	723.6	401	56823.	901	1.0	1.2	3.3	0.1	0.1	3.2	20	2.2	
36243	0	0	1	0	SU	47.2219	68.0325	29.0	723.8	404	56822.	860	0.9	0.2	5.2	0.1	0.1	6.1	23	2.2	
36244	0	0	1	0	SU	47.2223	68.0325	29.0	724.1	412	56821.	898	1.0	0.7	4.6	0.1	0.1	4.6	21	2.2	
36245	0	0	1	0	SU	47.2227	68.0325	29.0	724.3	423	56820.	884	0.9	0.5	3.8	0.1	0.1	4.2	33	2.0	
36246	0	0	1	0	SU	47.2231	68.0325	29.1	724.5	431	56819.	913	0.9	0.4	3.5	0.1	0.1	4.2	27	1.8	
36247	0	0	1	0	SU	47.2235	68.0326	29.1	724.7	439	56821.	944	1.3	0.9	3.9	0.1	0.1	3.1	31	1.8	
36248	0	0	1	0	SU	47.2239	68.0326	29.1	724.9	444	56823.	882	1.0	1.2	3.8	0.1	0.1	4.1	32	1.6	
36249	0	0	0	0	SU	47.2242	68.0326	29.1	725.1	445	56825.	873	0.9	1.7	3.3	1.9	0.6	3.7	20	1.6	
36250	0	0	1	0	SU	47.2246	68.0326	29.1	725.3	441	56827.	817	0.8	1.1	5.1	0.1	0.1	6.7	16	1.6	
36251	0	0	1	0	SU	47.2250	68.0326	29.1	725.5	436	56828.	763	1.0	-0.1	3.2	0.1	0.1	3.3	27	1.6	
36252	0	0	1	0	SU	47.2254	68.0327	29.1	725.7	427	56828.	728	0.9	0.4	3.5	0.1	0.1	4.0	26	1.5	
36253	0	0	1	0	SU	47.2258	68.0327	29.1	725.8	420	56828.	692	0.7	0.6	5.8	0.1	0.1	8.8	25	1.5	
36254	0	0	1	0	SU	47.2262	68.0327	29.1	726.0	413	56829.	704	0.6	-0.7	4.8	0.1	0.1	8.3	24	1.5	
36255	0	0	1	0	SU	47.2266	68.0327	29.1	726.2	408	56833.	753	0.7	0.2	5.4	0.1	0.1	7.7	21	1.2	
36256	0	0	1	0	SU	47.2270	68.0328	29.1	726.3	400	56836.	855	0.9	0.4	4.3	0.1	0.1	5.2	15	1.0	
36257	0	0	1	0	SU	47.2273	68.0328	29.1	726.5	389	56835.	899	0.8	0.9	5.2	0.1	0.1	7.2	29	0.7	
36258	0	0	0	0	SU	47.2277	68.0328	29.2	726.7	379	56834.	926	0.7	1.4	5.4	2.0	0.3	7.9	24	0.5	
36259	0	0	1	0	SU	47.2281	68.0328	29.2	726.9	370	56833.	976	1.0	0.8	4.6	0.1	0.1	4.7	10	0.3	
36260	0	0	1	0	SOCM	47.2285	68.0329	29.2	727.0	366	56832.	967	1.2	1.0	3.8	0.1	0.1	3.2	16	0.0	
36261	0	0	0	0	SOCM	47.2289	68.0329	29.2	727.2	359	56832.	1009	1.3	2.3	4.4	1.8	0.6	3.4	34	0.0	
36262	0	0	0	0	SOCM	47.2293	68.0329	29.2	727.4	353	56832.	934	1.1	1.2	3.4	1.1	0.4	3.3	29	0.0	
36263	0	0	1	0	SOCM	47.2297	68.0329	29.2	727.5	346	56833.	869	0.8	1.1	4.8	0.1	0.1	6.1	25	0.0	
36264	0	0	1	0	SOCM	47.2301	68.0330	29.2	727.7	349	56835.	869	0.9	0.0	6.5	0.1	0.1	7.8	27	0.0	
36265	0	0	1	0	SOCM	47.2304	68.0330	29.2	727.8	355	56836.	852	1.0	0.4	4.0	0.1	0.1	4.1	18	0.0	
36266	0	0	0	0	SOCM	47.2308	68.0330	29.2	727.9	362	56835.	878	1.0	1.4	5.4	1.5	0.3	5.8	21	0.0	
36267	0	0	0	0	SOCM	47.2312	68.0330	29.2	728.0	361	56835.	789	0.8	1.3	3.0	1.6	0.5	3.8	30	0.0	
36268	0	0	1	0	SOCM	47.2316	68.0331	29.2	728.1	355	56835.	760	0.8	0.9	2.3	0.1	0.1	2.8	20	0.0	
36269	0	0	1	0	SOCM	47.2320	68.0331	29.2	728.2	347	56835.	670	0.7	0.3	4.5	0.1	0.1	7.0	19	0.0	
36270	0	0	1	0	SOCM	47.2324	68.0331	29.2	728.3	341	56837.	636	0.6	-0.1	2.7	0.1	0.1	5.1	18	0.0	
36271	0	0	1	0	SOCM	47.2328	68.0331	29.2	728.4	335	56838.	701	0.6	0.7	4.9	0.1	0.1	8.2	19	0.0	
36272	0	0	1	0	SOCM	47.2332	68.0331	29.3	728.4	338	56838.	660	0.8	1.0	3.6	0.1	0.1	4.5	23	0.0	
36274	0	0	1	0	SOCM	47.2339	68.0332	29.3	728.5	348	56836.	820	0.7	0.4	4.6	0.1	0.1	6.8	21	0.0	
36275	0	0	1	0	SOCM	47.2343	68.0332	29.3	728.5	359	56837.	937	1.1	1.1	6.2	0.1	0.1	5.8	17	0.0	
36276	0	0	1	0	SOCM	47.2347	68.0332	29.3	728.6	363	56840.	915	0.9	1.1	4.8	0.1	0.1	6.0	29	0.0	

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
36277	0	0	0	0	S0cm	47.2351	68.0333	29.3	728.6	365	56841.	983	1.0	1.3	4.1	1.4	0.4	4.2	27	0.0
36278	0	0	1	0	S0cm	47.2355	68.0333	29.3	728.7	365	56840.	973	1.0	0.7	5.8	0.1	0.1	6.1	19	0.0
36279	0	0	1	0	S0cm	47.2359	68.0333	29.3	728.7	364	56838.	948	0.9	1.0	6.2	0.1	0.1	6.9	25	0.0
36280	0	0	1	0	S0cm	47.2363	68.0333	29.3	728.7	357	56837.	894	0.8	-0.1	6.3	0.1	0.1	8.9	17	0.0
36281	0	0	1	0	S0cm	47.2366	68.0333	29.3	728.8	351	56835.	853	0.9	0.7	5.1	0.1	0.1	5.6	27	0.0
36282	0	0	0	0	S0cm	47.2370	68.0334	29.3	728.8	346	56835.	798	0.8	1.6	3.3	2.2	0.5	4.4	22	0.0
36283	0	0	1	0	S0cm	47.2374	68.0334	29.3	728.8	349	56836.	726	0.8	0.7	4.0	0.1	0.1	5.3	27	0.0
36284	0	0	0	0	S0cm	47.2378	68.0334	29.3	728.8	351	56836.	725	0.7	1.1	3.1	1.8	0.4	5.1	19	0.0
36285	0	0	1	0	S0cm	47.2382	68.0334	29.3	728.9	358	56837.	801	0.6	0.4	4.8	0.1	0.1	9.5	23	0.0
36286	0	0	1	0	S0cm	47.2386	68.0335	29.3	728.9	364	56837.	751	0.9	0.4	4.6	0.1	0.1	5.1	31	0.0
36287	0	0	1	0	S0cm	47.2390	68.0335	29.3	728.9	366	56837.	724	0.8	0.6	3.1	0.1	0.1	4.3	26	0.1
36288	0	0	0	0	S0cm	47.2394	68.0335	29.3	729.0	359	56836.	701	0.6	1.6	2.7	2.6	0.6	4.4	23	0.3
36289	0	0	0	0	Water	47.2398	68.0339	29.3	729.0	358	56835.	707	0.5	1.8	3.9	0.1	0.5	0.1	19	0.5
36290	0	0	1	0	Water	47.2403	68.0343	29.3	729.1	365	56836.	729	0.7	0.0	5.1	0.1	0.1	7.6	28	0.8
36291	0	0	1	0	Water	47.2408	68.0347	29.3	729.1	379	56837.	791	0.8	0.9	4.4	0.1	0.1	5.8	18	1.0
36292	0	0	1	0	Water	47.2413	68.0350	29.3	729.2	389	56837.	757	0.9	-0.7	5.6	0.1	0.1	6.5	27	1.3
36293	0	0	1	0	Water	47.2418	68.0354	29.3	729.2	394	56836.	756	0.7	-0.3	5.4	0.1	0.1	8.0	18	1.3
36294	0	0	1	0	Water	47.2423	68.0358	29.3	729.3	394	56835.	737	0.8	0.3	4.2	0.1	0.1	5.4	20	1.3
36295	0	0	0	0	Water	47.2427	68.0362	29.3	729.3	393	56833.	755	0.9	1.9	2.5	2.2	0.8	3.0	31	1.3
36296	0	0	1	0	Water	47.2432	68.0366	29.3	729.3	393	56834.	720	0.9	0.8	4.5	0.1	0.1	5.0	21	1.4
36297	0	0	1	0	Water	47.2437	68.0370	29.3	729.4	395	56834.	639	0.7	0.0	3.7	0.1	0.1	5.4	20	1.4
36298	0	0	1	0	Water	47.2442	68.0374	29.3	729.4	396	56834.	611	0.6	0.5	2.8	0.1	0.1	5.2	21	1.4
36299	0	0	1	0	Water	47.2447	68.0377	29.3	729.4	396	56836.	485	0.7	-0.7	2.6	0.1	0.1	4.0	20	1.4
36300	0	0	1	0	Water	47.2451	68.0381	29.3	729.5	394	56836.	320	0.5	-0.1	2.4	0.1	0.1	0.1	23	1.5
36301	0	0	1	0	Water	47.2456	68.0385	29.3	729.5	392	56836.	224	0.3	-0.8	2.5	0.1	0.1	0.1	19	1.5
36302	0	0	1	0	Water	47.2461	68.0389	29.3	729.5	390	56835.	143	0.4	0.0	1.4	0.1	0.1	0.1	23	1.5
36303	0	1	1	1	Water	47.2466	68.0393	29.3	729.5	389	56834.	104	0.2	-0.7	0.6	0.1	0.1	0.1	19	1.5
36304	0	1	1	0	Water	47.2471	68.0397	29.3	729.5	389	56834.	101	0.2	-0.3	1.2	0.1	0.1	0.1	25	1.5
36305	0	0	1	1	Water	47.2475	68.0400	29.3	729.4	388	56834.	131	0.3	-0.4	0.6	0.1	0.1	0.1	21	1.5
36306	0	0	1	0	Water	47.2480	68.0404	29.3	729.4	388	56834.	212	0.3	0.2	1.4	0.1	0.1	0.1	25	1.5
36307	0	0	1	0	Water	47.2485	68.0408	29.3	729.4	388	56833.	268	0.5	0.1	1.7	0.1	0.1	0.1	16	1.5
36308	0	0	1	1	Water	47.2490	68.0412	29.3	729.3	388	56834.	372	0.3	0.0	1.0	0.1	0.1	0.1	21	1.5
36309	0	0	1	0	Water	47.2495	68.0416	29.3	729.2	386	56836.	426	0.4	-0.1	2.1	0.1	0.1	0.1	22	1.5
36310	0	0	1	0	Water	47.2500	68.0420	29.3	729.2	384	56837.	520	0.7	0.6	2.2	0.1	0.1	3.4	30	1.5
36311	0	0	1	0	Water	47.2504	68.0423	29.3	729.1	384	56838.	568	0.5	0.6	4.4	0.1	0.1	0.1	26	1.5
36312	0	0	1	0	Water	47.2509	68.0427	29.3	729.0	388	56838.	553	0.6	0.6	3.3	0.1	0.1	6.4	30	1.5
36313	0	0	1	0	Water	47.2514	68.0431	29.3	728.9	394	56839.	686	0.8	0.7	5.1	0.1	0.1	6.7	20	1.5
36314	0	0	1	0	Water	47.2519	68.0435	29.3	728.8	402	56838.	694	0.8	0.7	3.2	0.1	0.1	4.2	16	1.5
36315	0	0	1	0	Water	47.2524	68.0439	29.3	728.8	411	56835.	764	0.9	0.5	3.4	0.1	0.1	3.8	17	1.5
36316	0	0	1	0	Water	47.2528	68.0443	29.3	728.7	420	56832.	989	1.1	0.8	4.5	0.1	0.1	4.4	19	1.5
36317	0	0	0	0	Water	47.2533	68.0446	29.3	728.7	424	56833.	995	1.1	1.5	4.9	1.4	0.3	4.6	21	1.5
36318	0	0	1	0		47.2538	68.0450	29.3	728.6	427	56833.	1079	1.3	0.5	5.4	0.1	0.1	4.4	15	1.5
36319	0	0	0	0		47.2543	68.0454	29.3	728.6	428	56835.	1076	1.3	2.3	6.9	1.8	0.4	5.4	25	1.5
36320	0	0	1	0		47.2548	68.0458	29.3	728.6	432	56837.	1068	1.2	0.7	4.5	0.1	0.1	4.0	12	1.4

INDEX

LINE RECORD	KEY	LINE RECORD	KEY	LINE RECORD	KEY	LINE RECORD	KEY
60 45509.....	A01	1020 43847.....	A05				
60 45458.....	B01	1020 43797.....	B05				
60 45408.....	C01	1020 43746.....	C05				
60 45357.....	D01	1020 43696.....	D05				
60 45307.....	E01	1020 43645.....	E05				
60 34084.....	F01	1020 43595.....	F05				
60 34134.....	G01	1020 43544.....	G05				
60 34185.....	H01	1020 43493.....	H05				
60 34235.....	I01	1030 52675.....	I05				
60 34286.....	J01	1030 52725.....	J05				
60 34336.....	K01	1030 52776.....	K05				
60 34387.....	L01	1030 52826.....	L05				
60 34437.....	M01	1030 52877.....	M05				
60 34488.....	A02	1030 52927.....	A06				
60 34538.....	B02	1030 52978.....	B06				
60 34589.....	C02	1030 53029.....	C06				
60 34639.....	D02	1030 53079.....	D06				
60 34690.....	E02	1030 53130.....	E06				
60 34741.....	F02	1030 53180.....	F06				
60 34791.....	G02	1030 53231.....	G06				
60 34842.....	H02	1040 53659.....	H06				
60 34892.....	I02	1040 53609.....	I06				
60 34943.....	J02	1040 53558.....	J06				
60 34993.....	K02	1040 53507.....	K06				
60 35044.....	L02	1040 53457.....	L06				
1010 48452.....	M02	1040 53406.....	M06				
1010 48503.....	A03	1040 53356.....	A07				
1010 48553.....	B03	1040 53305.....	B07				
1010 48604.....	C03	1040 53255.....	C07				
1010 48655.....	D03	1040 53204.....	D07				
1020 44960.....	E03	1040 53154.....	E07				
1020 44909.....	F03	1040 53103.....	F07				
1020 44858.....	G03	1040 53053.....	G07				
1020 44808.....	H03	1040 53002.....	H07				
1020 44757.....	I03	1040 52952.....	I07				
1020 44707.....	J03	1040 52901.....	J07				
1020 44656.....	K03	1050 35721.....	K07				
1020 44606.....	L03	1050 35771.....	L07				
1020 44555.....	M03	1050 35822.....	M07				
1020 44505.....	A04	1050 35872.....	A08				
1020 44454.....	B04	1050 35923.....	B08				
1020 44403.....	C04	1050 35973.....	C08				
1020 44353.....	D04	1050 36024.....	D08				
1020 44302.....	E04	1050 36074.....	E08				
1020 44252.....	F04	1050 36125.....	F08				
1020 44201.....	G04	1050 36175.....	G08				
1020 44151.....	H04	1050 36226.....	H08				
1020 44100.....	I04	1050 36277.....	I08				
1020 44050.....	J04						
1020 43999.....	K04						
1020 43948.....	L04						
1020 43898.....	M04						