

MAINE AERIAL SURVEY BATH QUADRANGLE, CARSON GEOSCIENCE INC., 1980

- A01 -

LINE NO. 600

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI	
												CPS	%	PPM	PPM					CPS	CPS
52667	0	0	0	0	DSv	43.9875	69.9982	18.2	745.1	559	56728.	1565	1.5	2.0	10.4	1.4	0.2	7.3	22	2.6	
52668	0	0	0	0	DSv	43.9875	69.9976	18.2	745.1	557	56730.	1656	1.7	2.4	7.8	1.4	0.3	4.7	14	2.6	
52669	0	0	1	0	DSv	43.9875	69.9970	18.2	745.2	546	56732.	1553	1.5	1.2	4.2	0.1	0.1	2.9	16	2.5	
52670	0	0	0	0	DSv	43.9875	69.9964	18.2	745.2	533	56734.	1499	1.5	1.6	5.7	1.1	0.3	3.9	14	2.5	
52671	0	0	0	0	DSv	43.9876	69.9959	18.2	745.2	522	56735.	1499	1.4	2.5	7.3	1.9	0.4	5.4	19	2.5	
52672	0	0	1	0	DSv	43.9876	69.9953	18.2	745.2	517	56737.	1497	1.4	1.4	6.2	0.1	0.1	4.5	19	2.5	
52673	0	0	0	0	DSv	43.9876	69.9947	18.2	745.2	511	56739.	1366	1.1	3.3	4.8	3.0	0.7	4.4	25	2.5	
52674	0	0	0	0	DSv	43.9876	69.9941	18.2	745.2	505	56740.	1309	1.5	2.3	3.5	1.6	0.7	2.4	29	2.6	
52675	0	0	0	0	DSv	43.9876	69.9935	18.2	745.2	499	56740.	1331	1.6	1.6	4.1	1.0	0.4	2.6	24	2.7	
52676	0	0	0	0	DSv	43.9877	69.9929	18.2	745.2	497	56738.	1387	1.3	2.0	6.5	1.6	0.3	5.2	14	2.7	
52677	0	0	1	0	DSv	43.9877	69.9924	18.1	745.2	496	56736.	1352	1.2	0.2	5.6	0.1	0.1	5.0	15	2.7	
52678	0	0	0	0	DSv	43.9877	69.9918	18.1	745.1	498	56733.	1244	1.2	1.7	5.5	1.4	0.3	4.5	33	2.7	
52679	0	0	0	0	DSv	43.9877	69.9912	18.1	745.1	501	56730.	1389	1.3	2.7	6.0	2.2	0.5	4.9	19	2.6	
52680	0	0	1	0	DSv	43.9878	69.9906	18.1	745.1	504	56727.	1284	0.8	1.2	5.2	0.1	0.1	6.7	16	2.7	
52681	0	0	0	0	DSv	43.9878	69.9900	18.1	745.1	508	56724.	1388	1.1	2.6	5.4	2.3	0.5	4.9	19	2.7	
52682	0	0	0	0	DSv	43.9878	69.9894	18.1	745.1	511	56720.	1423	0.9	3.7	6.7	4.6	0.6	8.3	20	2.8	
52683	0	0	0	0	DSv	43.9878	69.9888	18.1	745.1	514	56717.	1336	1.1	1.7	7.1	1.7	0.3	6.9	21	2.9	
52684	0	0	1	0	DSv	43.9879	69.9883	18.1	745.1	514	56715.	1325	1.1	1.3	5.6	0.1	0.1	5.1	31	2.9	
52685	0	0	0	0	DSv	43.9879	69.9877	18.1	745.1	515	56714.	1338	1.5	1.8	6.4	1.3	0.3	4.5	14	3.0	
52686	0	0	0	0	DSv	43.9879	69.9871	18.1	745.1	514	56713.	1322	1.1	1.6	6.1	1.6	0.3	5.8	23	3.0	
52687	0	0	0	0	DSv	43.9879	69.9865	18.1	745.1	517	56711.	1325	0.9	2.1	3.2	2.4	0.7	3.7	24	3.0	
52688	0	0	0	0	DSv	43.9879	69.9859	18.1	745.0	519	56709.	1346	1.0	2.6	6.0	2.8	0.5	6.5	32	3.1	
52689	0	0	0	0	DSv	43.9880	69.9853	18.1	745.0	512	56707.	1401	1.4	2.3	4.9	1.7	0.5	3.6	27	3.1	
52690	0	0	0	0	OEc	43.9880	69.9847	18.1	745.0	497	56706.	1363	1.2	2.3	7.4	2.0	0.3	6.5	26	3.2	
52691	0	0	1	0	OEc	43.9880	69.9842	18.1	745.0	482	56705.	1385	1.4	1.4	7.2	0.1	0.1	5.4	22	3.2	
52692	0	0	0	0	OEc	43.9880	69.9836	18.1	745.0	478	56704.	1354	1.2	1.6	5.8	1.4	0.3	5.0	17	3.3	
52693	0	0	0	0	OEc	43.9881	69.9830	18.1	744.9	479	56703.	1365	1.4	2.2	7.4	1.7	0.3	5.6	15	3.4	
52694	0	0	0	0	OEc	43.9880	69.9825	18.1	744.9	482	56702.	1323	1.0	1.5	4.2	1.5	0.4	4.2	21	3.4	
52695	0	0	0	0	OEc	43.9880	69.9820	18.1	744.9	485	56701.	1307	1.4	1.7	4.2	1.3	0.4	3.2	27	3.5	
52696	0	0	0	0	OEc	43.9880	69.9814	18.1	744.9	493	56700.	1334	1.1	2.3	6.1	2.1	0.4	5.6	28	3.5	
52697	0	0	1	0	OEc	43.9880	69.9809	18.1	744.9	503	56700.	1245	1.0	0.8	4.0	0.1	0.1	4.2	26	3.6	
52698	0	0	1	0	OEc	43.9880	69.9804	18.1	744.9	519	56699.	1223	1.2	1.3	5.2	0.1	0.1	4.5	23	3.6	
52699	0	0	1	0	OEc	43.9880	69.9799	18.1	744.9	534	56698.	1215	1.2	-0.3	6.4	0.1	0.1	5.6	33	3.6	
52700	0	0	1	0	OEc	43.9880	69.9793	18.1	744.9	551	56695.	1081	0.8	1.3	5.3	0.1	0.1	7.2	21	3.7	
52701	0	0	0	0	OEc	43.9880	69.9788	18.1	744.9	568	56693.	1043	0.8	2.9	4.5	3.8	0.7	5.8	21	3.7	
52702	0	0	0	0	OEc	43.9880	69.9783	18.1	744.9	590	56692.	948	0.5	2.1	2.6	0.1	0.8	0.1	23	3.8	
52703	0	0	0	1	OEc	43.9880	69.9778	18.1	744.9	615	56691.	832	0.8	2.2	2.0	3.0	0.1	0.1	16	3.8	
52704	0	0	0	1	OEc	43.9880	69.9773	18.1	745.0	634	56691.	720	0.5	2.1	-0.5	0.1	0.1	0.1	24	3.8	
52705	0	0	1	1	OEc	43.9880	69.9767	18.1	745.0	643	56692.	618	0.9	0.1	1.9	0.1	0.1	0.1	18	3.8	
52706	0	0	1	1	OEc	43.9880	69.9762	18.1	745.0	641	56696.	605	0.5	0.8	1.6	0.1	0.1	0.1	17	3.8	
52707	0	0	0	1	OEc	43.9880	69.9757	18.1	745.1	635	56701.	539	0.4	1.6	1.7	0.1	0.1	0.1	22	3.8	
52708	0	1	1	1	OEc	43.9880	69.9752	18.1	745.1	627	56708.	459	0.2	0.6	-0.5	0.1	0.1	0.1	25	3.8	
52709	0	0	1	0	OEc	43.9880	69.9747	18.1	745.1	619	56714.	440	0.4	0.5	2.5	0.1	0.1	0.1	19	3.8	
52710	0	1	1	1	OEc	43.9880	69.9741	18.1	745.1	611	56722.	402	0.1	0.6	1.4	0.1	0.1	0.1	20	3.7	
52712	0	1	1	1	OEc	43.9880	69.9731	18.1	745.1	604	56731.	411	0.2	1.2	-0.3	0.1	0.1	0.1	25	3.7	
52713	0	1	1	0	OEc	43.9880	69.9726	18.1	745.1	598	56740.	480	0.3	1.0	1.8	0.1	0.1	0.1	25	3.7	
52714	0	0	1	0	OEc	43.9880	69.9721	18.1	745.2	592	56748.	478	0.3	-0.1	2.0	0.1	0.1	0.1	16	3.7	
52715	0	1	1	0	OEc	43.9880	69.9715	18.1	745.2	587	56758.	418	0.2	0.5	2.7	0.1	0.1	0.1	14	3.6	
52716	0	1	0	1	OEc	43.9879	69.9710	18.1	745.2	584	56766.	423	0.2	1.5	0.7	0.1	0.1	0.1	26	3.6	
52717	0	1	1	1	OEc	43.9879	69.9705	18.1	745.2	582	56770.	370	0.2	0.8	1.8	0.1	0.1	0.1	24	3.6	

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
52718	0	0	1	1	OEc	43.9879	69.9700	18.0	745.7	575	56773.	377	0.4	-0.7	1.1	0.1	0.1	0.1	21	3.6
52719	0	1	1	1	OEc	43.9879	69.9695	18.0	745.8	570	56773.	333	0.2	0.6	1.2	0.1	0.1	0.1	21	3.5
52720	0	1	1	1	OEc	43.9879	69.9689	18.0	745.9	567	56772.	289	0.0	0.6	-0.5	0.1	0.1	0.1	23	3.5
52721	0	1	0	1	OEc	43.9879	69.9684	18.0	746.0	563	56769.	260	0.0	2.0	0.7	0.1	0.1	0.1	22	3.4
52722	0	1	1	1	OEc	43.9879	69.9679	18.0	746.1	559	56765.	229	-0.1	0.8	-0.2	0.1	0.1	0.1	25	3.4
52723	0	1	0	1	OEc	43.9879	69.9674	18.0	746.1	553	56763.	283	0.1	1.4	-0.2	0.1	0.1	0.1	22	3.3
52724	0	1	1	1	OEc	43.9879	69.9669	18.0	746.2	548	56761.	254	0.1	0.1	-0.3	0.1	0.1	0.1	19	3.2
52725	0	0	1	1	OEc	43.9879	69.9663	18.0	746.3	543	56758.	359	0.3	0.4	0.9	0.1	0.1	0.1	30	3.2
52726	0	1	1	1	OEc	43.9879	69.9658	18.0	746.4	540	56755.	350	0.2	-0.2	1.3	0.1	0.1	0.1	14	3.1
52727	0	1	0	1	OEc	43.9879	69.9653	18.0	746.4	537	56753.	405	0.1	1.7	1.4	0.1	0.1	0.1	17	3.0
52728	0	0	0	0	OEc	43.9879	69.9648	18.0	746.5	527	56753.	633	0.3	2.7	2.5	0.1	1.1	0.1	16	2.9
52729	0	0	1	0	OEc	43.9879	69.9642	18.0	746.6	512	56752.	761	0.5	1.2	3.0	0.1	0.1	0.1	18	2.9
52730	0	0	0	0	OEc	43.9879	69.9637	18.0	746.6	496	56751.	976	0.9	1.8	3.4	2.2	0.6	4.0	17	2.9
52731	0	0	1	0	OEc	43.9879	69.9632	18.0	746.7	489	56750.	1163	0.9	0.7	5.4	0.1	0.1	6.4	16	2.8
52732	0	0	0	0	OEc	43.9879	69.9627	18.0	746.8	492	56750.	1305	1.3	1.7	4.8	1.3	0.4	3.7	18	2.8
52733	0	0	0	0	OEc	43.9879	69.9622	18.0	746.8	502	56751.	1368	1.4	2.6	4.5	2.0	0.6	3.4	25	2.7
52734	0	0	1	0	OEc	43.9879	69.9616	18.0	746.9	514	56754.	1458	1.6	1.2	5.3	0.1	0.1	3.5	20	2.7
52735	0	0	0	0	OEc	43.9879	69.9611	18.0	747.0	521	56759.	1563	1.0	2.9	9.4	3.0	0.3	9.8	24	2.7
52736	0	0	0	0	OEc	43.9879	69.9606	18.0	747.1	522	56765.	1609	1.4	1.9	7.7	1.3	0.3	5.5	18	2.6
52737	0	0	0	0	OEc	43.9879	69.9601	18.0	747.2	519	56772.	1573	1.7	1.9	6.6	1.2	0.3	4.0	24	2.6
52738	0	0	0	0	OEc	43.9879	69.9596	18.0	747.3	515	56780.	1584	1.4	1.8	7.2	1.3	0.3	5.4	27	2.6
52739	0	0	0	0	OEc	43.9879	69.9590	18.0	747.4	510	56787.	1566	1.6	2.0	8.4	1.3	0.3	5.3	20	2.5
52740	0	0	0	0	OEc	43.9879	69.9585	18.0	747.5	503	56790.	1568	1.7	2.0	6.4	1.2	0.4	3.9	26	2.4
52741	0	0	0	0	OEc	43.9878	69.9580	18.0	747.6	497	56791.	1513	1.5	1.7	6.8	1.2	0.3	4.6	24	2.4
52742	0	0	0	0	OEc	43.9878	69.9575	18.0	747.7	482	56791.	1505	1.5	1.5	7.4	1.1	0.3	5.2	14	2.3
52743	0	0	1	0	OEc	43.9878	69.9570	18.0	747.8	469	56790.	1436	1.1	1.1	6.7	0.1	0.1	6.2	27	2.2
52744	0	0	1	0	OEc	43.9878	69.9564	18.0	748.0	461	56788.	1453	1.2	1.1	5.9	0.1	0.1	4.9	15	2.1
52745	0	0	0	0	OEc	43.9877	69.9559	18.0	748.1	462	56785.	1537	1.6	2.9	6.3	1.9	0.5	4.1	20	2.1
52746	0	0	0	0	OEc	43.9876	69.9554	18.0	748.2	463	56783.	1495	1.2	2.7	7.4	2.3	0.4	6.4	16	2.1
52747	0	0	0	0	OEc	43.9874	69.9549	18.0	748.3	459	56781.	1431	1.5	1.8	6.7	1.3	0.3	4.7	24	2.1
52748	0	0	0	0	OEc	43.9873	69.9544	18.0	748.4	455	56778.	1471	1.1	3.4	5.6	3.1	0.6	5.1	18	2.1
52749	0	0	0	0	OEc	43.9872	69.9539	18.0	748.4	443	56774.	1316	1.1	2.7	6.5	2.5	0.5	6.1	24	2.1
52750	0	0	1	0	OEc	43.9870	69.9534	18.0	748.5	428	56770.	1320	1.3	1.1	5.1	0.1	0.1	4.2	31	2.1
52751	0	0	0	0	OEc	43.9869	69.9529	18.0	748.5	418	56767.	1358	1.5	2.9	3.8	2.0	0.8	2.6	25	2.1
52752	0	0	0	0	OEc	43.9868	69.9523	18.0	748.5	413	56766.	1241	1.1	1.2	4.2	1.1	0.3	4.0	18	2.0
52753	0	1	0	0	OEc	43.9867	69.9518	18.0	748.5	408	56767.	1353	1.0	2.2	7.9	2.3	0.3	8.5	16	2.0
52754	0	0	0	0	OEc	43.9865	69.9513	18.0	748.5	399	56769.	1212	1.2	1.7	5.2	1.4	0.4	4.3	8	1.9
52755	0	0	0	0	OEc	43.9864	69.9508	18.0	748.5	389	56771.	1237	0.9	1.4	6.1	1.6	0.3	7.1	25	1.8
52756	0	0	0	0	OEc	43.9863	69.9503	18.0	748.4	381	56772.	1216	1.3	1.4	5.7	1.1	0.3	4.4	24	1.7
52757	0	0	1	0	OEc	43.9861	69.9498	18.0	748.4	378	56771.	1189	0.9	0.9	5.6	0.1	0.1	6.8	14	1.6
52758	0	0	0	0	OEc	43.9860	69.9493	18.0	748.3	379	56770.	1127	1.0	2.8	4.9	3.0	0.6	5.3	23	1.6
52759	0	0	0	0	OEc	43.9859	69.9487	18.0	748.1	384	56769.	1088	1.0	1.9	5.0	1.9	0.4	5.1	19	1.5
52760	0	0	0	0	OEc	43.9858	69.9482	18.0	748.0	389	56766.	1178	0.9	1.7	6.3	2.2	0.3	7.8	20	1.5
52761	0	0	1	0	OEc	43.9856	69.9477	18.0	747.9	393	56765.	1102	1.2	0.8	4.3	0.1	0.1	3.7	15	1.5
52762	0	0	0	0	OEc	43.9855	69.9472	18.0	747.9	394	56764.	1143	0.8	1.9	3.1	2.4	0.6	3.9	19	1.5
52763	0	0	0	0	OEc	43.9854	69.9467	18.0	747.8	395	56762.	1119	0.8	1.8	4.7	2.3	0.4	5.9	27	1.5
52764	0	0	0	0	OEc	43.9852	69.9462	18.0	747.8	399	56762.	1325	1.1	2.9	4.3	2.6	0.7	3.9	26	1.5
52765	0	0	0	0	OEc	43.9851	69.9457	18.0	747.7	403	56764.	1373	1.2	3.1	3.1	2.7	1.1	2.6	22	1.5
52766	0	0	0	0	OEc	43.9850	69.9452	18.0	747.7	411	56765.	1496	1.5	2.0	5.7	1.4	0.4	3.8	23	1.5
52767	0	0	0	0	OEc	43.9849	69.9447	18.0	747.6	423	56764.	1567	1.4	2.0	5.9	1.5	0.4	4.4	30	1.5

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
52768	0	0	0	0	OEc	43.9847	69.9441	18.0	747.6	444	56759.	1556	1.5	2.4	6.0	1.6	0.5	4.1	23	1.5
52769	0	0	0	0	OEc	43.9846	69.9436	18.0	747.6	470	56753.	1600	1.5	2.5	7.9	1.7	0.4	5.3	20	1.5
52770	0	0	1	0	OEc	43.9845	69.9431	18.0	747.5	498	56749.	1655	1.7	1.5	6.6	0.1	0.1	4.0	20	1.5
52771	0	0	1	0	OEc	43.9843	69.9426	18.0	747.5	515	56748.	1620	2.0	0.6	7.1	0.1	0.1	3.7	31	1.4
52772	0	0	0	0	OEc	43.9842	69.9421	18.0	747.5	522	56748.	1707	1.5	2.7	8.5	1.8	0.3	5.8	25	1.4
52773	0	0	0	0	OEc	43.9841	69.9416	18.0	747.6	522	56747.	1702	1.3	4.2	9.1	3.4	0.5	7.4	22	1.4
52774	0	0	0	0	OEc	43.9840	69.9411	18.0	746.8	511	56743.	1735	1.4	2.0	6.8	1.5	0.3	5.0	15	1.4
52775	0	0	0	0	OEc	43.9838	69.9406	18.0	746.8	503	56742.	1825	1.5	3.2	11.1	2.3	0.3	7.9	17	1.4
52776	0	0	0	0	OEc	43.9837	69.9400	18.0	746.8	495	56740.	1949	1.6	2.5	8.8	1.7	0.3	5.8	17	1.4
52777	0	0	0	0	OEc	43.9836	69.9395	18.0	746.7	488	56738.	1977	1.8	4.4	7.0	2.6	0.7	4.1	25	1.4
52778	0	0	0	0	OEc	43.9834	69.9390	18.0	746.7	484	56738.	2013	1.5	3.5	8.1	2.5	0.5	5.7	17	1.4
52779	0	0	0	0	OEc	43.9833	69.9385	18.0	746.7	482	56736.	2111	1.7	4.5	10.3	2.7	0.5	6.0	18	1.4
52780	0	0	0	0	OEc	43.9832	69.9380	18.0	746.7	482	56733.	1936	1.5	3.3	6.9	2.3	0.5	4.8	19	1.4
52781	0	0	0	0	OEc	43.9831	69.9375	18.0	746.8	482	56730.	1943	1.8	4.5	8.5	2.6	0.6	4.9	29	1.5
52782	0	0	0	0	OEc	43.9829	69.9370	18.0	746.8	484	56729.	1870	1.3	3.3	8.3	2.6	0.4	6.6	14	1.5
52783	0	0	0	0	OEc	43.9828	69.9365	18.0	746.8	483	56728.	1706	1.3	2.2	6.2	1.8	0.4	5.1	13	1.6
52784	0	0	0	0	OEc	43.9827	69.9360	18.0	746.9	480	56728.	1592	1.4	2.7	9.1	2.0	0.3	6.7	20	1.6
52785	0	0	0	0	OEc	43.9825	69.9354	18.0	746.9	474	56728.	1382	1.0	2.9	6.6	3.2	0.5	7.2	17	1.6
52786	0	0	1	0	OEc	43.9824	69.9349	18.0	746.9	466	56729.	1380	1.1	1.1	6.9	0.1	0.1	6.8	20	1.6
52787	0	0	1	0	OEc	43.9823	69.9344	18.0	747.0	456	56731.	1379	1.1	1.2	6.3	0.1	0.1	6.2	15	1.6
52788	0	0	0	0	OEc	43.9822	69.9339	18.0	747.1	449	56732.	1367	1.4	1.3	6.7	0.9	0.2	4.9	20	1.6
52789	0	0	0	0	OEc	43.9820	69.9334	18.0	747.2	446	56732.	1276	1.4	1.5	5.4	1.1	0.3	3.9	25	1.6
52790	0	0	0	0	OEc	43.9819	69.9329	18.0	747.2	448	56733.	1402	1.1	3.8	5.8	3.7	0.7	5.7	24	1.7
52791	0	0	0	0	OEc	43.9818	69.9325	18.0	747.3	451	56734.	1459	1.5	3.7	3.5	2.6	1.1	2.5	17	1.7
52792	0	0	0	0	OEc	43.9816	69.9320	18.0	747.4	454	56736.	1452	1.7	1.8	3.3	1.1	0.5	2.0	17	1.8
52793	0	0	0	0	OEc	43.9815	69.9315	18.0	747.5	456	56738.	1498	1.5	2.1	6.9	1.4	0.3	4.8	18	1.8
52794	0	0	0	0	OEc	43.9814	69.9311	18.0	747.5	455	56741.	1492	1.6	2.0	5.0	1.3	0.4	3.2	19	1.8
52795	0	0	0	0	OEc	43.9813	69.9306	18.0	747.6	452	56743.	1625	1.5	1.5	5.8	1.0	0.3	4.1	19	1.8
52796	0	0	0	0	OEc	43.9811	69.9301	18.0	747.7	449	56744.	1592	1.3	2.3	7.3	1.8	0.3	5.8	16	1.8
52797	0	0	0	0	OEc	43.9810	69.9297	18.0	747.8	449	56744.	1586	1.3	1.7	9.3	1.3	0.2	7.3	16	1.8
52798	0	0	0	0	OEc	43.9809	69.9292	18.0	747.9	451	56744.	1718	1.9	1.7	4.0	0.9	0.5	2.1	26	1.8
52799	0	0	1	0	OEc	43.9807	69.9287	18.0	748.0	454	56743.	1761	1.9	1.5	10.4	0.1	0.1	5.7	21	1.9
52800	0	0	0	0	OEc	43.9806	69.9282	18.0	748.0	462	56741.	1834	1.2	3.0	9.6	2.5	0.4	8.0	23	1.9
52801	0	0	0	0	OEc	43.9805	69.9278	18.0	748.1	471	56739.	1789	1.3	2.8	4.9	2.2	0.6	3.8	29	2.0
52803	0	0	0	0	OEc	43.9802	69.9268	18.0	748.1	482	56737.	1846	1.7	3.1	7.9	1.9	0.4	4.7	23	2.1
52804	0	0	0	0	OEc	43.9801	69.9264	18.0	748.2	491	56735.	1692	1.3	4.3	8.0	3.5	0.6	6.4	12	2.3
52805	0	0	0	0	OEc	43.9800	69.9259	18.0	748.3	497	56733.	1719	1.5	1.9	9.2	1.3	0.3	6.2	14	2.4
52806	0	0	0	0	OEc	43.9798	69.9254	18.0	748.3	499	56732.	1543	1.4	2.2	7.2	1.6	0.3	5.3	23	2.5
52807	0	0	0	0	OEc	43.9797	69.9249	18.0	748.3	498	56729.	1493	1.3	1.9	5.8	1.6	0.4	4.8	14	2.6
52808	0	0	0	0	OEc	43.9796	69.9245	18.0	748.3	499	56727.	1490	1.5	1.8	5.5	1.3	0.4	3.8	29	2.6
52809	0	0	0	0	OEc	43.9795	69.9240	18.0	748.3	504	56726.	1448	1.5	2.7	5.9	1.8	0.5	4.0	16	2.7
52810	0	0	0	0	OEc	43.9793	69.9235	18.0	748.3	507	56725.	1463	1.4	3.0	6.4	2.3	0.5	4.9	31	2.7
52811	0	0	0	0	OEc	43.9792	69.9231	18.0	748.3	509	56722.	1423	1.4	2.3	5.3	1.7	0.5	3.8	20	2.8
52812	0	0	1	0	OEc	43.9791	69.9226	18.0	748.3	514	56720.	1438	1.6	1.3	7.2	0.1	0.1	4.5	30	2.8
52813	0	0	0	0	OEc	43.9789	69.9221	18.0	748.3	524	56720.	1369	1.3	1.6	7.4	1.3	0.3	6.1	24	2.9
52814	0	0	1	0	OEc	43.9788	69.9216	18.0	748.2	532	56723.	1483	1.7	0.8	6.9	0.1	0.1	4.3	17	2.9
52815	0	0	1	0	OEc	43.9787	69.9212	18.0	748.2	533	56724.	1438	1.3	0.7	6.6	0.1	0.1	5.2	29	2.9
52816	0	0	0	0	OEc	43.9785	69.9207	18.0	748.1	528	56725.	1378	1.1	2.0	5.6	1.9	0.4	5.3	14	2.9
52817	0	0	0	0	OEc	43.9784	69.9202	18.0	748.1	522	56726.	1509	1.3	2.4	7.1	2.0	0.4	5.8	20	2.9
52818	0	0	0	0	OEc	43.9783	69.9198	18.0	748.0	523	56730.	1427	1.3	2.5	5.3	2.1	0.5	4.4	17	2.9

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI			
												CPS	%	PPM	PPM							CPS	CPS
52819	0	0	0	0	OEc	43.9782	69.9193	18.0	748.0	528	56736.	1415	1.4	3.0	6.8	2.3	0.5	5.2	24	3.0			
52820	0	0	0	0	OEc	43.9780	69.9188	18.0	747.9	531	56742.	1419	1.1	2.9	4.4	2.8	0.7	4.3	18	3.0			
52821	0	0	0	0	Water	43.9779	69.9184	18.0	747.9	531	56747.	1418	1.3	1.8	6.5	1.4	0.3	5.3	30	3.1			
52822	0	0	0	0	Water	43.9778	69.9179	18.0	747.9	533	56752.	1384	1.2	3.8	7.8	3.2	0.5	6.6	18	3.7			
52823	0	0	1	0	Water	43.9776	69.9174	18.0	747.8	539	56757.	1311	1.3	0.6	3.4	0.1	0.1	2.8	26	3.2			
52824	0	0	0	0	Water	43.9775	69.9169	18.0	747.8	553	56762.	1202	0.9	3.2	6.6	3.6	0.5	7.3	28	3.2			
52825	0	0	0	0	Water	43.9774	69.9165	18.0	747.8	568	56765.	1249	0.9	2.0	4.2	2.2	0.5	4.6	8	3.3			
52826	0	0	1	0	Water	43.9773	69.9160	18.0	747.7	580	56766.	1152	1.0	1.4	3.2	0.1	0.1	3.4	33	3.3			
52827	0	0	0	0	Water	43.9771	69.9155	18.0	747.7	583	56764.	1177	0.9	2.7	5.1	3.3	0.6	6.4	25	3.3			
52828	0	0	0	0	Water	43.9771	69.9150	18.0	747.7	584	56762.	1204	0.9	2.1	7.4	2.4	0.3	8.4	17	3.2			
52829	0	0	1	0	OEc	43.9771	69.9145	18.0	747.7	584	56762.	1238	0.9	0.5	7.5	0.1	0.1	8.6	21	3.2			
52830	0	0	1	0	OEc	43.9771	69.9139	18.0	747.8	585	56762.	1210	1.5	1.4	5.0	0.1	0.1	3.4	23	3.1			
52831	0	0	0	0	OEc	43.9771	69.9134	18.0	747.3	583	56760.	1312	1.1	2.2	7.4	2.1	0.3	7.1	18	3.0			
52832	0	0	1	0	OEc	43.9771	69.9129	18.0	747.4	584	56759.	1304	1.4	0.5	6.6	0.1	0.1	4.8	30	2.8			
52833	0	0	0	0	OEc	43.9771	69.9124	18.0	747.4	587	56759.	1348	1.3	2.8	8.1	2.3	0.4	6.4	25	2.6			
52834	0	0	1	0	OEc	43.9771	69.9118	18.0	747.4	589	56759.	1428	0.9	-0.3	6.6	0.1	0.1	8.2	18	2.3			
52835	0	0	0	0	OEc	43.9771	69.9113	18.0	747.5	588	56759.	1435	1.4	3.3	7.8	2.5	0.5	5.9	21	2.1			
52836	0	0	0	0	OEc	43.9771	69.9108	18.0	747.5	587	56758.	1523	1.2	2.1	6.8	1.8	0.3	6.0	18	1.9			
52837	0	0	0	0	OEc	43.9771	69.9102	18.0	747.5	588	56759.	1483	1.7	1.9	6.1	1.2	0.3	3.8	18	1.6			
52838	0	0	0	0	OEc	43.9771	69.9097	18.0	747.6	587	56760.	1458	1.5	2.0	2.9	1.4	0.7	2.0	25	1.4			
52839	0	0	0	0	OEc	43.9771	69.9092	18.0	747.6	582	56762.	1509	1.3	1.8	5.3	1.4	0.4	4.2	18	1.1			
52840	0	0	0	0	OEc	43.9771	69.9087	18.0	747.7	573	56762.	1572	1.4	2.9	7.4	2.2	0.4	5.6	24	0.9			
52841	0	0	0	0	OEc	43.9771	69.9081	18.0	747.7	568	56762.	1540	1.1	2.9	7.4	2.6	0.4	6.9	14	0.7			
52842	0	0	0	0	OEc	43.9771	69.9076	18.0	747.7	568	56763.	1573	1.6	2.4	5.6	1.5	0.5	3.5	21	0.4			
52843	0	0	0	0	OEc	43.9771	69.9071	18.0	747.8	568	56763.	1407	1.0	2.7	8.2	2.8	0.4	8.4	27	0.1			
52844	0	0	0	0	OEc	43.9771	69.9066	18.0	747.9	567	56764.	1472	1.2	2.2	6.9	2.0	0.4	6.2	18	0.0			
52845	0	0	0	0	OEc	43.9771	69.9060	18.0	747.9	560	56766.	1482	1.2	2.4	4.7	2.1	0.6	4.1	19	0.0			
52846	0	0	1	0	OEc	43.9771	69.9055	18.0	748.0	547	56767.	1429	1.6	1.3	6.9	0.1	0.1	4.4	27	0.0			
52847	0	0	0	0	OEc	43.9771	69.9050	18.0	748.0	532	56769.	1396	1.1	2.6	7.1	2.4	0.4	6.6	18	0.0			
52848	0	0	1	0	OEc	43.9771	69.9045	17.9	748.1	518	56771.	1540	1.5	1.4	10.7	0.1	0.1	7.3	26	0.0			
52849	0	0	0	0	OEc	43.9771	69.9039	17.9	748.1	509	56771.	1429	1.4	1.6	7.3	1.2	0.3	5.5	25	0.0			
52850	0	0	1	0	OEc	43.9771	69.9034	17.9	748.2	499	56770.	1352	1.2	0.9	6.3	0.1	0.1	5.3	15	0.0			
52851	0	0	0	0	OEc	43.9771	69.9029	17.9	748.2	489	56767.	1471	1.5	2.4	6.3	1.7	0.4	4.4	23	0.0			
52852	0	0	0	0	OEc	43.9771	69.9024	17.9	748.3	476	56762.	1371	1.3	1.8	5.5	1.4	0.4	4.4	23	0.0			
52853	0	0	0	0	OEc	43.9771	69.9018	17.9	748.3	459	56756.	1390	1.6	2.5	5.2	1.6	0.5	3.4	15	0.0			
52854	0	0	0	0	OEc	43.9771	69.9013	17.9	748.3	445	56750.	1367	1.3	2.4	3.5	1.9	0.7	2.7	17	0.0			
52855	0	0	0	0	OEc	43.9771	69.9008	17.9	748.4	434	56743.	1506	1.2	2.9	6.1	2.4	0.5	5.1	18	0.0			
52856	0	0	0	0	OEc	43.9771	69.9002	17.9	748.4	431	56738.	1459	1.3	2.3	5.8	1.8	0.4	4.5	18	0.0			
52857	0	0	0	0	OEc	43.9771	69.8997	17.9	748.4	434	56734.	1386	1.2	1.7	4.3	1.5	0.5	3.6	13	0.0			
52858	0	0	0	0	OEc	43.9771	69.8992	17.9	748.4	443	56732.	1424	1.6	2.2	6.1	1.4	0.4	3.9	24	0.0			
52859	0	0	0	0	OEc	43.9771	69.8987	17.9	748.4	455	56730.	1306	1.3	1.5	6.1	1.2	0.3	4.9	17	0.0			
52860	0	0	0	0	OEc	43.9771	69.8981	17.9	748.4	468	56728.	1396	1.3	3.3	3.6	2.6	1.0	2.8	24	0.0			
52861	0	0	0	0	OEc	43.9771	69.8976	17.9	748.4	474	56727.	1314	1.1	2.7	4.2	2.6	0.7	4.0	26	0.0			
52862	0	0	0	0	OEc	43.9771	69.8971	17.9	748.4	477	56725.	1231	1.3	2.6	3.8	2.1	0.7	3.0	17	0.0			
52863	0	0	0	0	OEc	43.9771	69.8966	17.9	748.4	477	56725.	1234	1.4	2.4	4.1	1.8	0.6	3.1	17	0.0			
52864	0	0	1	0	OEc	43.9771	69.8960	17.9	748.4	476	56728.	1227	1.4	0.8	4.4	0.1	0.1	3.2	21	0.0			
52865	0	0	0	0	OEc	43.9771	69.8955	17.9	748.4	474	56731.	1244	1.2	2.5	3.3	2.1	0.8	2.8	24	0.0			
52866	0	0	0	0	OEc	43.9771	69.8950	17.9	748.4	470	56735.	1248	1.4	2.6	4.5	1.8	0.6	3.3	25	0.0			
52867	0	0	0	0	OEc	43.9771	69.8945	17.9	748.3	466	56740.	1301	1.2	3.2	3.6	2.7	0.9	3.1	19	0.0			
52868	0	0	0	0	OEc	43.9771	69.8939	17.9	748.3	459	56749.	1219	1.0	2.3	2.8	2.3	0.9	2.9	19	0.0			

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
52869	0	0	0	0	OEc	43.9771	69.8934	17.9	748.3	452	56761.	1250	1.4	1.7	5.8	1.3	0.3	4.3	20	0.0
52870	0	0	0	0	OEc	43.9771	69.8929	17.9	748.2	444	56774.	1256	1.0	2.3	4.6	2.3	0.5	4.6	16	0.0
52871	0	0	0	0	OEc	43.9771	69.8924	17.9	748.2	437	56787.	1181	1.1	3.0	4.1	2.7	0.8	3.7	25	0.0
52872	0	0	0	0	OEc	43.9771	69.8918	17.9	748.2	436	56800.	1265	1.3	1.8	4.0	1.5	0.5	3.2	14	0.0
52873	0	0	0	0	OEc	43.9771	69.8913	17.9	748.2	441	56812.	1276	1.3	2.1	6.3	1.6	0.4	5.0	21	0.0
52874	0	0	0	0	OEc	43.9771	69.8908	17.9	748.2	452	56821.	1289	1.2	1.5	5.2	1.3	0.3	4.4	29	0.0
52875	0	0	0	0	OEc	43.9771	69.8903	17.9	748.2	463	56830.	1403	1.3	2.3	7.2	1.8	0.4	5.5	17	0.0
52876	0	0	1	0	OEc	43.9771	69.8897	17.9	748.2	471	56830.	1370	1.7	1.2	7.0	0.1	0.1	4.2	32	0.0
52877	0	0	0	0	OEc	43.9771	69.8892	17.9	748.2	483	56822.	1507	1.5	3.3	7.8	2.3	0.5	5.4	19	0.0
52878	0	0	1	0	OEc	43.9771	69.8887	17.9	748.2	494	56815.	1293	1.4	0.8	2.8	0.1	0.1	2.1	27	0.0
52879	0	0	0	0	OEc	43.9771	69.8881	17.9	748.2	500	56803.	1383	1.6	2.0	7.8	1.3	0.3	4.9	17	0.0
52880	0	0	0	0	OEc	43.9771	69.8876	17.9	748.2	495	56788.	1187	1.0	2.4	3.9	2.4	0.7	4.0	23	0.0
52881	0	0	0	0	OEc	43.9771	69.8871	17.9	748.3	486	56774.	1191	1.2	1.9	4.1	1.7	0.5	3.6	28	0.0
52882	0	0	0	0	OEc	43.9771	69.8865	17.9	748.3	479	56763.	1156	1.1	1.3	5.6	1.3	0.3	5.4	28	0.0
52883	0	0	0	0	OEc	43.9772	69.8860	17.9	748.3	478	56755.	1190	1.1	2.4	3.9	2.3	0.6	3.7	15	0.0
52884	0	0	1	0	OEc	43.9772	69.8854	17.9	748.4	481	56751.	1098	1.2	0.8	4.0	0.1	0.1	3.5	22	0.0
52885	0	0	0	0	OEc	43.9772	69.8849	17.9	748.3	484	56750.	1100	1.2	3.1	3.6	2.6	0.9	3.1	27	0.0
52886	0	0	0	0	Water	43.9772	69.8844	17.9	748.3	487	56750.	1136	0.9	1.6	4.3	2.0	0.4	5.2	20	0.0
52887	0	0	0	0	Water	43.9773	69.8838	18.0	749.5	502	56754.	952	1.2	1.3	5.6	1.1	0.3	5.1	17	0.0
52888	0	0	1	0	Water	43.9773	69.8833	18.0	749.7	514	56756.	950	1.1	0.6	1.9	0.1	0.1	1.8	29	0.0
52889	0	0	1	0	Water	43.9773	69.8828	18.0	749.9	523	56753.	893	1.1	0.8	4.0	0.1	0.1	4.0	15	0.0
52890	0	0	1	0	Water	43.9773	69.8822	18.0	750.0	527	56746.	775	0.9	0.5	4.1	0.1	0.1	5.0	26	0.0
52891	0	0	0	0	Water	43.9774	69.8817	18.0	750.2	525	56739.	764	0.5	2.3	3.7	0.1	0.7	0.1	22	0.0
52893	0	0	0	0	Water	43.9774	69.8806	18.0	750.3	520	56733.	814	0.6	1.6	2.9	2.9	0.6	5.3	25	0.0
52894	0	0	0	0	Water	43.9774	69.8800	18.0	750.4	513	56729.	658	0.4	1.2	3.4	0.1	0.4	0.1	22	0.0
52895	0	0	0	0	Water	43.9775	69.8795	18.0	750.6	506	56726.	675	0.5	1.3	2.6	0.1	0.5	0.1	17	0.0
52896	0	0	0	0	Water	43.9775	69.8790	18.0	750.7	499	56726.	623	0.3	1.5	4.5	0.1	0.4	0.1	18	0.0
52897	0	0	0	0	Water	43.9775	69.8784	18.0	750.8	493	56728.	747	0.6	1.5	4.0	2.7	0.4	7.4	24	0.0
52898	0	0	1	0	Water	43.9776	69.8779	18.0	750.9	488	56732.	610	0.5	1.2	3.6	0.1	0.1	0.1	22	0.0
52899	0	0	0	0	Water	43.9776	69.8773	18.0	751.1	484	56738.	634	0.5	2.4	3.5	0.1	0.7	0.1	26	0.0
52900	0	0	0	0	Water	43.9776	69.8768	18.0	751.2	482	56745.	655	0.3	1.9	3.1	0.1	0.7	0.1	20	0.0
52901	0	0	0	0	Water	43.9776	69.8763	18.0	751.3	480	56754.	540	0.6	1.3	2.6	2.6	0.6	5.0	18	0.0
52902	0	0	0	0	Water	43.9776	69.8757	18.0	751.4	479	56763.	458	0.3	1.1	3.5	0.1	0.3	0.1	14	0.0
52903	0	0	0	0	Water	43.9777	69.8752	18.0	751.4	479	56771.	469	0.4	1.3	1.5	0.1	0.9	0.1	24	0.0
52904	0	0	1	0	Water	43.9777	69.8746	18.0	751.5	479	56781.	392	0.4	0.8	2.1	0.1	0.1	0.1	23	0.0
52905	0	1	0	0	Water	43.9777	69.8741	18.0	751.6	478	56791.	323	0.2	1.4	2.4	0.1	0.6	0.1	15	0.0
52906	0	1	1	1	Water	43.9777	69.8736	18.0	751.7	476	56799.	263	0.2	0.7	1.0	0.1	0.1	0.1	29	0.0
52907	0	1	1	1	Water	43.9778	69.8730	18.0	751.7	474	56809.	211	0.2	0.3	0.0	0.1	0.1	0.1	15	0.0
52908	0	1	0	1	Water	43.9778	69.8725	18.0	751.8	472	56819.	185	0.0	1.8	1.2	0.1	0.1	0.1	12	0.0
52909	0	1	1	1	Water	43.9778	69.8719	18.0	751.9	470	56829.	133	0.1	0.5	1.3	0.1	0.1	0.1	28	0.0
52910	0	1	1	1	Water	43.9778	69.8714	18.0	751.9	469	56839.	78	0.1	-0.3	-0.1	0.1	0.1	0.1	25	0.0
52911	0	1	0	1	Water	43.9779	69.8709	18.0	752.0	469	56849.	80	0.0	1.3	0.9	0.1	0.1	0.1	30	0.0
52912	0	1	1	1	Water	43.9779	69.8703	18.0	752.0	469	56860.	31	0.0	-0.2	-0.4	0.1	0.1	0.1	21	0.0
52913	0	1	1	1	Water	43.9779	69.8698	18.0	752.0	469	56872.	38	0.0	0.6	-0.2	0.1	0.1	0.1	20	0.0
52914	0	1	1	1	Water	43.9780	69.8692	18.0	752.1	467	56883.	80	0.0	0.3	0.4	0.1	0.1	0.1	17	0.0
52915	0	1	1	1	Water	43.9780	69.8687	18.0	752.1	465	56890.	65	0.0	0.4	-0.3	0.1	0.1	0.1	15	0.0
52916	0	1	1	1	Water	43.9780	69.8682	18.0	752.1	463	56893.	77	0.0	0.2	0.8	0.1	0.1	0.1	26	0.0
52917	0	1	1	1	Water	43.9780	69.8676	18.0	752.1	462	56890.	14	0.0	-0.1	-1.0	0.1	0.1	0.1	23	0.0
52918	0	1	1	1	Water	43.9781	69.8671	18.0	752.2	461	56883.	64	0.0	0.5	0.0	0.1	0.1	0.1	21	0.0
52919	0	0	1	1	Water	43.9781	69.8665	18.0	752.2	460	56873.	95	0.2	0.6	-0.3	0.1	0.1	0.1	16	0.0

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
52920	0	1	0	1	Water	43.9781	69.8660	18.0	752.2	460	56863.	98	0.1	0.8	0.4	0.1	0.1	0.1	14	0.0
52921	0	1	1	1	Water	43.9781	69.8655	18.0	752.2	460	56854.	44	0.1	0.3	-0.1	0.1	0.1	0.1	21	0.0
52922	0	1	1	1	Water	43.9782	69.8649	18.0	752.2	462	56844.	32	0.0	0.7	-0.6	0.1	0.1	0.1	25	0.0
52923	0	1	1	1	Water	43.9782	69.8644	18.0	752.2	464	56834.	36	0.0	0.8	0.4	0.1	0.1	0.1	28	0.0
52924	0	1	0	1	Water	43.9782	69.8638	18.0	752.3	465	56824.	54	0.1	0.8	0.4	0.1	0.1	0.1	27	0.0
52925	0	1	1	1	Water	43.9782	69.8633	18.0	752.3	465	56814.	75	0.0	0.5	0.0	0.1	0.1	0.1	27	0.0
52926	0	1	0	1	Water	43.9783	69.8628	18.0	752.3	464	56804.	126	0.2	1.3	0.6	0.1	0.1	0.1	14	0.0
52927	0	1	1	1	Water	43.9783	69.8622	18.0	752.3	462	56796.	135	0.1	0.6	0.2	0.1	0.1	0.1	20	0.0
52928	0	0	0	1	Water	43.9783	69.8617	18.0	752.3	461	56789.	237	0.3	0.9	0.0	0.1	0.1	0.1	19	0.0
52929	0	0	1	1	Water	43.9783	69.8611	18.0	752.3	459	56782.	374	0.4	0.4	1.1	0.1	0.1	0.1	17	0.0
52930	0	0	1	0	Water	43.9784	69.8606	18.0	752.3	458	56776.	358	0.4	0.7	1.8	0.1	0.1	0.1	19	0.0
52931	0	0	0	1	Water	43.9783	69.8600	18.0	752.3	458	56770.	410	0.2	1.2	0.1	0.1	0.1	0.1	17	0.0
52932	0	0	1	0	Water	43.9783	69.8594	18.0	752.3	457	56767.	415	0.4	0.7	1.5	0.1	0.1	0.1	14	0.0
52933	0	0	1	1	Water	43.9783	69.8588	18.0	752.3	457	56765.	310	0.2	0.6	1.1	0.1	0.1	0.1	19	0.0
52934	0	0	0	1	Water	43.9783	69.8583	18.0	752.3	457	56764.	285	0.3	1.0	0.9	0.1	0.1	0.1	17	0.0
52935	0	1	1	1	Water	43.9783	69.8577	18.0	752.3	458	56763.	198	0.2	0.8	0.4	0.1	0.1	0.1	20	0.0
52936	0	1	0	1	Water	43.9782	69.8571	18.0	752.3	460	56761.	181	0.1	1.4	-0.6	0.1	0.1	0.1	23	0.0
52937	0	1	0	1	Water	43.9782	69.8565	18.0	752.2	463	56761.	173	0.2	1.0	0.2	0.1	0.1	0.1	14	0.0
52938	0	0	0	1	Water	43.9782	69.8559	18.0	752.2	465	56761.	141	0.2	0.9	0.4	0.1	0.1	0.1	14	0.0
52939	0	1	1	1	Water	43.9782	69.8553	18.0	752.2	466	56762.	99	0.0	0.4	0.3	0.1	0.1	0.1	23	0.0
52940	0	1	1	1	Water	43.9781	69.8548	18.0	752.2	466	56763.	63	0.1	0.7	-0.3	0.1	0.1	0.1	9	0.1
52941	0	1	1	1	Water	43.9781	69.8542	18.0	752.2	466	56765.	70	0.1	0.3	-0.5	0.1	0.1	0.1	19	0.4
52942	0	1	1	1	Water	43.9781	69.8536	18.0	752.2	466	56767.	57	0.0	0.2	1.2	0.1	0.1	0.1	23	0.7
52943	0	1	1	1	Water	43.9781	69.8530	18.0	752.3	466	56768.	61	0.1	0.8	0.3	0.1	0.1	0.1	16	0.9
52944	0	1	1	1	Water	43.9781	69.8524	18.3	752.4	463	56772.	77	0.0	-0.2	0.3	0.1	0.1	0.1	22	1.2
52945	0	1	1	1	Water	43.9780	69.8518	18.3	752.4	461	56776.	50	0.0	0.6	0.0	0.1	0.1	0.1	23	1.5
52946	0	1	1	1	Water	43.9780	69.8513	18.3	752.5	459	56783.	61	0.0	0.4	0.3	0.1	0.1	0.1	14	1.8
52947	0	1	1	1	Water	43.9780	69.8507	18.3	752.5	457	56791.	69	0.1	0.3	0.7	0.1	0.1	0.1	24	2.1
52948	0	1	1	1	Water	43.9780	69.8501	18.3	752.5	455	56802.	57	0.0	0.2	-1.1	0.1	0.1	0.1	16	1.9
52949	0	1	1	1	Water	43.9779	69.8495	18.3	752.5	453	56813.	74	0.2	0.4	0.3	0.1	0.1	0.1	19	2.0
52950	0	1	1	1	Water	43.9779	69.8489	18.3	752.5	452	56826.	68	0.0	0.7	0.2	0.1	0.1	0.1	20	2.0
52951	0	1	1	1	Water	43.9779	69.8483	18.3	752.5	452	56838.	74	-0.1	0.2	-0.1	0.1	0.1	0.1	24	2.0
52952	0	1	0	1	Water	43.9779	69.8477	18.3	752.5	452	56846.	72	0.0	1.0	0.3	0.1	0.1	0.1	18	2.0
52953	0	1	1	1	Water	43.9778	69.8472	18.3	752.5	451	56852.	60	0.1	0.3	-0.7	0.1	0.1	0.1	20	1.8
52954	0	1	1	1	Water	43.9778	69.8466	18.3	752.4	450	56855.	16	0.0	-0.2	0.3	0.1	0.1	0.1	13	1.8
52955	0	1	1	1	Water	43.9778	69.8460	18.3	752.4	448	56853.	32	0.1	0.5	-1.2	0.1	0.1	0.1	27	1.5
52956	0	1	0	1	Water	43.9778	69.8454	18.3	752.4	447	56849.	40	0.0	1.1	-1.0	0.1	0.1	0.1	25	1.3
52957	0	1	0	1	Water	43.9778	69.8448	18.3	752.4	446	56841.	22	0.0	0.8	-0.3	0.1	0.1	0.1	20	1.0
52958	0	1	1	1	Water	43.9777	69.8442	18.3	752.4	446	56833.	58	0.1	-0.1	0.2	0.1	0.1	0.1	22	0.8
52959	0	1	1	1	Water	43.9777	69.8437	18.3	752.3	447	56824.	68	0.1	0.5	0.4	0.1	0.1	0.1	17	0.6
52960	0	1	1	1	Water	43.9777	69.8431	18.4	752.3	450	56815.	99	0.1	0.0	0.5	0.1	0.1	0.1	12	0.4
52961	0	1	1	1	Water	43.9777	69.8425	18.4	752.3	455	56809.	79	0.0	0.4	-0.2	0.1	0.1	0.1	16	0.2
52962	0	1	0	1	Water	43.9776	69.8419	18.4	752.3	460	56803.	106	0.1	1.3	-0.2	0.1	0.1	0.1	16	0.2
52963	0	1	1	1	Water	43.9776	69.8413	18.4	752.3	463	56798.	82	0.0	0.7	-0.4	0.1	0.1	0.1	22	0.2
52964	0	1	1	1	Water	43.9776	69.8408	18.4	752.3	465	56794.	84	0.2	0.0	0.5	0.1	0.1	0.1	19	0.0
52965	0	1	1	1	Water	43.9776	69.8402	18.4	752.3	466	56791.	107	0.1	-0.2	0.1	0.1	0.1	0.1	19	0.0
52966	0	1	1	1	Water	43.9776	69.8396	18.4	752.3	466	56789.	125	0.0	0.6	0.3	0.1	0.1	0.1	13	0.0
52967	0	1	0	1	Water	43.9775	69.8390	18.4	752.3	466	56788.	119	0.1	1.7	0.0	0.1	0.1	0.1	14	0.0
52968	0	1	0	1	Water	43.9775	69.8384	18.4	752.4	465	56787.	182	0.2	0.8	0.2	0.1	0.1	0.1	24	0.0
52969	0	0	1	0	OEce	43.9775	69.8378	18.4	752.4	464	56785.	278	0.3	0.5	1.7	0.1	0.1	0.1	14	0.0

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
52970	0	0	0	1	OEce	43.9775	69.8372	18.4	752.4	463	56784.	483	0.3	1.1	0.5	0.1	0.1	0.1	19	0.0
52971	0	0	0	0	OEce	43.9774	69.8367	18.4	752.4	455	56783.	609	0.7	1.1	2.7	1.8	0.5	4.3	25	0.0
52972	0	0	0	0	OEce	43.9774	69.8361	18.4	752.4	436	56784.	842	0.7	2.2	3.8	3.4	0.6	5.9	14	0.0
52973	0	0	0	0	OEce	43.9774	69.8355	18.4	752.4	408	56787.	1026	1.0	1.5	3.5	1.5	0.5	3.5	16	0.0
52974	0	0	0	0	OEce	43.9774	69.8350	18.4	752.3	382	56792.	1221	1.1	2.9	5.6	2.8	0.6	5.3	10	0.0
52975	0	0	0	0	OEce	43.9774	69.8345	18.4	752.3	364	56797.	1237	1.2	2.7	5.0	2.3	0.6	4.2	17	0.0
52976	0	0	0	0	OEce	43.9775	69.8339	18.4	752.3	351	56801.	1337	1.4	1.2	6.3	0.9	0.2	4.7	20	0.0
52977	0	0	0	0	OEce	43.9775	69.8334	18.4	752.3	340	56802.	1296	1.2	1.9	6.1	1.6	0.3	5.3	24	0.0
52978	0	0	0	0	OEce	43.9775	69.8329	18.4	752.3	332	56801.	1290	1.1	3.0	4.8	2.8	0.7	4.4	13	0.0
52979	0	0	0	0	OEce	43.9775	69.8324	18.4	752.2	331	56798.	1295	1.3	2.7	5.0	2.2	0.6	4.1	17	0.0
52980	0	0	0	0	OEce	43.9775	69.8318	18.4	752.2	336	56795.	1224	1.0	2.2	4.9	2.4	0.5	5.4	16	0.0
52981	0	0	0	0	OEce	43.9775	69.8313	18.4	752.2	350	56793.	1143	1.0	1.9	5.1	2.0	0.4	5.3	20	0.0
52982	0	0	0	0	Water	43.9775	69.8308	18.4	752.1	376	56792.	960	0.7	2.6	5.2	3.7	0.5	7.6	18	0.0
52984	0	0	0	0	Water	43.9775	69.8297	18.4	752.1	407	56792.	758	0.6	2.2	3.8	3.9	0.6	6.7	12	0.0
52985	0	0	1	0	Water	43.9775	69.8292	18.4	752.0	437	56793.	515	0.5	0.9	2.0	0.1	0.1	0.1	17	0.0
52986	0	0	1	1	Water	43.9775	69.8286	18.4	752.0	455	56795.	292	0.3	0.6	1.1	0.1	0.1	0.1	25	0.0
52987	0	1	0	1	Water	43.9776	69.8281	18.4	751.9	466	56799.	216	0.0	0.8	0.5	0.1	0.1	0.1	24	0.0
52988	0	1	0	1	Water	43.9776	69.8276	18.4	751.9	472	56803.	105	0.1	1.5	0.0	0.1	0.1	0.1	20	0.0
52989	0	1	1	1	Water	43.9776	69.8270	18.4	751.8	476	56807.	92	0.1	0.4	-0.1	0.1	0.1	0.1	35	0.0
52990	0	1	1	1	Water	43.9776	69.8265	18.4	751.8	478	56810.	45	0.2	0.1	0.3	0.1	0.1	0.1	19	0.0
52991	0	1	1	1	Water	43.9776	69.8260	18.4	751.8	479	56813.	60	0.2	0.1	-0.8	0.1	0.1	0.1	21	0.0
52992	0	1	1	1	Water	43.9776	69.8254	18.4	751.7	482	56815.	42	0.0	0.4	0.3	0.1	0.1	0.1	23	0.0
52993	0	1	1	1	Water	43.9776	69.8249	18.4	751.7	485	56819.	121	0.0	0.8	0.3	0.1	0.1	0.1	20	0.0
52994	0	1	1	1	Water	43.9776	69.8244	18.4	751.7	489	56822.	128	0.0	0.8	0.1	0.1	0.1	0.1	18	0.0
52995	0	1	1	1	Water	43.9776	69.8239	18.4	751.7	494	56826.	191	0.0	0.8	1.3	0.1	0.1	0.1	19	0.0
52996	0	0	1	1	Water	43.9776	69.8233	18.4	751.6	499	56828.	295	0.3	0.8	0.9	0.1	0.1	0.1	14	0.0
52997	0	1	0	1	Water	43.9776	69.8228	18.4	751.6	497	56827.	460	0.2	2.1	1.0	0.1	0.1	0.1	19	0.0
52998	0	0	0	0	Water	43.9776	69.8223	18.4	751.6	484	56825.	688	0.7	1.6	3.5	2.6	0.5	5.7	23	0.0
52999	0	0	1	0	Water	43.9776	69.8217	18.4	751.6	474	56825.	858	1.1	1.1	3.7	0.1	0.1	3.5	21	0.1
53000	0	0	0	0	OEce	43.9776	69.8212	18.3	751.7	465	56825.	653	1.0	2.6	5.3	2.8	0.5	5.7	16	0.3
53001	0	0	0	0	OEce	43.9777	69.8207	18.6	750.7	452	56828.	1232	1.1	1.6	7.3	1.5	0.3	6.6	18	0.6
53002	0	0	0	0	OEce	43.9777	69.8201	18.6	750.6	447	56828.	1247	1.5	1.5	5.9	1.0	0.3	4.1	17	0.6
53003	0	0	0	0	OEce	43.9777	69.8196	18.6	750.5	443	56826.	1295	1.3	2.5	4.4	2.0	0.6	3.6	22	0.6
53004	0	0	1	0	OEce	43.9777	69.8191	18.6	750.4	439	56824.	1256	1.2	0.6	7.0	0.1	0.1	5.9	20	0.6
53005	0	0	0	0	OEce	43.9777	69.8186	18.6	750.4	442	56821.	1375	1.1	1.5	6.1	1.4	0.3	5.8	10	0.7
53006	0	0	0	0	OEce	43.9777	69.8180	18.6	750.3	448	56820.	1357	1.1	1.4	7.8	1.4	0.2	7.7	18	0.7
53007	0	0	0	0	OEce	43.9777	69.8175	18.6	750.2	452	56818.	1439	1.5	2.2	7.6	1.5	0.3	5.3	23	0.8
53008	0	0	1	0	OEce	43.9777	69.8169	18.6	750.2	449	56816.	1369	1.1	0.7	6.6	0.1	0.1	6.0	16	0.9
53009	0	0	0	0	OEce	43.9777	69.8164	18.6	750.1	440	56813.	1439	1.3	1.7	8.7	1.4	0.2	7.0	17	0.9
53010	0	0	0	0	OEce	43.9777	69.8159	18.6	750.1	427	56811.	1403	1.2	2.1	6.7	1.8	0.3	5.8	10	0.9
53011	0	0	0	0	OEce	43.9777	69.8154	18.6	750.0	415	56809.	1468	1.2	3.4	5.6	2.9	0.6	4.7	15	1.0
53012	0	0	0	0	OEce	43.9777	69.8148	18.6	750.0	404	56808.	1527	1.5	2.3	6.0	1.6	0.4	4.0	19	1.1
53013	0	0	0	0	OEce	43.9778	69.8143	18.6	749.9	401	56808.	1509	1.3	1.6	8.4	1.3	0.2	6.5	13	1.2
53014	0	0	0	0	OEce	43.9778	69.8138	18.6	749.9	400	56808.	1556	1.5	2.8	8.1	1.9	0.4	5.6	31	1.3
53015	0	0	0	0	OEce	43.9778	69.8132	18.6	749.9	403	56809.	1556	1.5	2.7	7.7	1.9	0.4	5.4	24	1.3
53016	0	0	0	0	OEce	43.9778	69.8127	18.6	749.9	408	56809.	1441	1.1	2.3	4.1	2.1	0.6	3.7	27	1.4
53017	0	0	0	0	OEce	43.9778	69.8122	18.6	749.9	426	56808.	1436	1.5	2.0	5.4	1.4	0.4	3.7	25	1.5
53018	0	0	1	0	OEce	43.9778	69.8116	18.6	749.8	449	56806.	1496	1.4	1.0	6.4	0.1	0.1	4.7	13	1.5
53019	0	0	0	0	OEce	43.9778	69.8111	18.6	749.8	471	56804.	1478	1.4	1.9	5.7	1.4	0.4	4.3	27	1.6
53020	0	0	0	0	OEce	43.9775	69.8106	18.6	749.8	484	56803.	1610	1.8	2.1	8.2	1.2	0.3	4.7	17	1.6

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
53021	0	0	0	0	OEce	43.9778	69.8101	18.6	749.7	493	56802.	1582	1.8	3.5	6.7	2.0	0.6	3.8	26	1.6
53022	0	0	0	0	OEce	43.9778	69.8095	18.6	749.7	498	56801.	1688	1.5	3.5	8.6	2.4	0.5	5.8	30	1.7
53023	0	0	1	0	OEce	43.9778	69.8090	18.6	749.6	501	56800.	1659	1.4	1.1	5.2	0.1	0.1	3.8	27	1.7
53024	0	0	1	0	OEce	43.9778	69.8084	18.6	749.6	500	56799.	1584	1.6	0.7	8.5	0.1	0.1	5.4	18	1.7
53025	0	0	0	0	OEce	43.9778	69.8079	18.6	749.6	494	56800.	1662	1.4	2.6	8.9	2.0	0.3	6.8	20	1.7
53026	0	0	0	0	OEce	43.9779	69.8074	18.6	749.5	487	56800.	1506	1.3	4.2	8.0	3.3	0.6	6.2	20	1.7
53027	0	0	0	0	OEce	43.9779	69.8069	18.6	749.5	484	56800.	1438	1.2	2.7	5.1	2.3	0.6	4.4	27	1.8
53028	0	0	1	0	OEce	43.9779	69.8063	18.6	749.4	486	56798.	1386	1.2	1.2	6.9	0.1	0.1	5.9	26	1.9
53029	0	0	0	0	OEce	43.9780	69.8058	18.6	749.3	489	56796.	1287	1.0	1.8	7.4	1.9	0.3	7.9	20	1.9
53030	0	0	0	0	OEce	43.9780	69.8052	18.6	749.3	488	56795.	1415	1.5	2.2	7.1	1.5	0.3	4.9	15	1.9
53031	0	0	1	0	OEce	43.9781	69.8047	18.6	749.2	484	56795.	1351	1.3	0.0	6.4	0.1	0.1	5.2	21	1.9
53032	0	0	0	0	OEce	43.9781	69.8041	18.6	749.2	477	56796.	1245	1.4	1.7	5.4	1.2	0.3	4.0	21	1.9
53033	0	0	0	0	OEce	43.9781	69.8036	18.6	749.1	468	56796.	1193	1.0	2.6	3.5	2.8	0.8	3.7	20	1.9
53034	0	0	0	0	OEce	43.9782	69.8031	18.6	749.1	458	56798.	1074	1.0	1.3	2.0	1.5	0.7	2.1	25	2.0
53035	0	0	0	0	OEce	43.9782	69.8025	18.6	749.0	449	56799.	1217	0.9	2.6	6.0	3.0	0.5	7.1	20	2.0
53036	0	0	1	0	OEce	43.9783	69.8020	18.6	748.9	441	56799.	1100	0.9	1.0	5.8	0.1	0.1	6.3	23	2.1
53037	0	0	0	0	OEce	43.9783	69.8014	18.6	748.8	435	56799.	1059	1.1	1.5	3.3	1.4	0.5	3.1	40	2.1
53038	0	0	1	0	OEce	43.9784	69.8009	18.6	748.7	430	56800.	1040	0.9	0.7	3.8	0.1	0.1	4.3	21	2.1
53039	0	0	0	0	OEce	43.9784	69.8003	18.6	748.7	426	56806.	1143	1.1	1.4	5.5	1.3	0.3	5.1	17	2.1
53040	0	0	0	0	OEce	43.9785	69.7998	18.6	748.6	423	56816.	1183	1.1	3.0	2.5	2.7	1.2	2.3	18	2.2
53041	0	0	1	0	OEce	43.9785	69.7993	18.6	748.5	420	56830.	1230	1.3	0.9	4.3	0.1	0.1	3.5	19	2.2
53042	0	0	0	0	OEce	43.9785	69.7987	18.6	748.4	418	56848.	1251	1.2	2.2	5.3	1.8	0.5	4.5	18	2.3
53043	0	0	1	0	OEce	43.9786	69.7982	18.6	748.4	416	56869.	1353	1.1	0.8	6.9	0.1	0.1	6.5	19	2.3
53044	0	0	0	0	OEce	43.9786	69.7976	18.6	748.3	413	56887.	1364	1.1	1.8	6.7	1.7	0.3	6.5	18	2.3
53045	0	0	0	0	OEce	43.9787	69.7971	18.6	748.2	410	56900.	1445	1.3	1.9	5.0	1.5	0.4	4.0	17	2.4
53046	0	0	0	0	OEce	43.9787	69.7965	18.6	748.2	406	56908.	1497	1.8	1.8	7.3	1.1	0.3	4.2	22	2.4
53047	0	0	0	0	OEce	43.9788	69.7960	18.6	748.2	402	56912.	1443	1.4	2.4	7.5	1.7	0.4	5.4	18	2.5
53048	0	0	0	0	OEce	43.9788	69.7955	18.6	748.1	397	56914.	1389	1.3	2.7	5.0	2.1	0.6	3.9	25	2.6
53049	0	0	0	0	OEce	43.9788	69.7949	18.6	748.1	392	56920.	1344	1.2	1.2	4.4	1.1	0.3	3.8	17	2.6
53050	0	0	0	0	OEce	43.9789	69.7944	18.6	748.1	389	56930.	1245	1.3	1.3	3.1	1.1	0.5	2.5	25	2.7
53051	0	0	0	0	OEce	43.9789	69.7938	18.6	748.1	391	56945.	1260	1.1	1.2	4.0	1.1	0.3	3.7	32	2.7
53052	0	0	1	0	OEce	43.9790	69.7933	18.6	748.1	398	56958.	1208	0.9	0.9	5.3	0.1	0.1	6.5	22	2.7
53053	0	0	0	0	OEce	43.9790	69.7927	18.6	748.1	407	56969.	1182	1.2	2.0	4.4	1.8	0.5	3.9	14	2.7
53054	0	0	0	0	OEce	43.9791	69.7922	18.6	748.0	417	56979.	1112	1.1	1.7	2.6	1.6	0.7	2.5	16	2.7
53055	0	0	1	0	OEce	43.9791	69.7917	18.6	748.1	422	56974.	1095	0.9	0.9	3.9	0.1	0.1	4.7	25	2.8
53056	0	0	0	0	OEce	43.9792	69.7911	18.6	748.1	425	56963.	1142	0.9	1.3	4.2	1.4	0.3	4.6	15	2.8
53057	0	0	0	0	OEce	43.9792	69.7906	18.6	747.4	441	56936.	1197	1.1	1.6	4.9	1.6	0.4	4.6	17	2.8
53058	0	0	1	0	OEce	43.9792	69.7900	18.6	747.3	449	56912.	1160	1.3	0.7	5.5	0.1	0.1	4.4	25	2.8
53059	0	0	1	0	OEce	43.9793	69.7895	18.6	747.2	459	56890.	1176	1.3	0.6	6.4	0.1	0.1	5.1	18	2.7
53060	0	0	0	0	OEce	43.9793	69.7889	18.6	747.2	468	56872.	1316	1.3	1.5	5.9	1.2	0.3	4.6	24	2.7
53061	0	0	0	0	OEce	43.9794	69.7884	18.6	747.1	476	56856.	1337	1.1	2.1	5.9	2.0	0.4	5.6	24	2.8
53062	0	0	1	0	OEce	43.9794	69.7879	18.6	747.1	490	56843.	1333	1.3	1.1	4.7	0.1	0.1	3.9	10	2.8
53063	0	0	1	0	OEce	43.9795	69.7873	18.6	747.0	506	56832.	1317	1.3	1.2	5.1	0.1	0.1	4.0	24	2.8
53064	0	0	0	0	OEce	43.9795	69.7868	18.6	747.0	527	56823.	1470	1.7	1.6	6.7	0.9	0.3	4.0	26	2.8
53065	0	0	1	0	OEce	43.9796	69.7862	18.6	747.0	544	56816.	1455	1.6	1.2	4.9	0.1	0.1	3.1	22	2.9
53066	0	0	0	0	OEce	43.9796	69.7857	18.6	747.0	561	56810.	1563	1.6	1.6	6.1	1.0	0.3	3.8	18	2.9
53067	0	0	0	0	OEce	43.9796	69.7851	18.6	747.0	576	56805.	1535	1.7	2.3	6.0	1.4	0.4	3.6	17	2.9
53068	0	0	0	0	OEce	43.9797	69.7846	18.6	747.0	590	56801.	1581	1.7	2.3	7.2	1.4	0.4	4.3	27	2.9
53069	0	0	0	0	OEce	43.9797	69.7841	18.6	747.0	598	56798.	1487	1.5	2.3	6.1	1.6	0.4	4.2	20	3.0
53070	0	0	1	0	OEce	43.9798	69.7835	18.6	747.0	597	56794.	1540	1.7	0.4	7.4	0.1	0.1	4.4	23	3.0

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
53071	0	0	1	0	OEce	43.9798	69.7830	18.5	747.0	591	56793.	1472	1.4	1.6	5.0	0.1	0.1	3.7	21	3.0
53072	0	0	0	0	OEce	43.9799	69.7824	18.5	747.0	586	56792.	1488	1.2	1.7	9.1	1.6	0.2	8.1	9	3.0
53073	0	0	1	0	OEce	43.9799	69.7819	18.5	747.0	584	56794.	1465	1.5	1.6	6.0	0.1	0.1	4.1	19	3.0
53075	0	0	0	0	OEce	43.9800	69.7808	18.5	747.0	586	56797.	1501	1.3	2.6	4.2	2.1	0.7	3.4	25	3.0
53076	0	0	0	0	OEce	43.9800	69.7803	18.5	747.0	588	56801.	1555	1.2	2.6	5.1	2.3	0.6	4.3	18	3.0
53077	0	0	1	0	OEce	43.9801	69.7797	18.5	747.0	590	56804.	1529	2.0	1.3	7.0	0.1	0.1	3.6	24	3.0
53078	0	0	0	0	OEce	43.9801	69.7792	18.5	747.0	590	56807.	1573	1.6	3.1	6.0	2.1	0.6	3.9	22	3.1
53079	0	0	0	0	OEce	43.9802	69.7786	18.5	747.0	589	56809.	1492	1.1	3.4	6.8	3.1	0.6	6.2	20	3.1
53080	0	0	1	0	Dg	43.9802	69.7781	18.5	746.9	587	56809.	1456	1.3	0.6	5.9	0.1	0.1	4.5	19	3.2
53081	0	0	0	0	Dg	43.9803	69.7775	18.5	746.9	583	56810.	1531	1.7	2.5	6.3	1.5	0.4	3.8	20	3.2
53082	0	0	0	0	Dg	43.9803	69.7770	18.5	746.8	579	56810.	1446	1.1	4.3	7.3	4.2	0.6	7.2	18	3.2
53083	0	0	0	0	Dg	43.9804	69.7765	18.5	746.8	581	56809.	1254	1.1	2.0	4.5	2.0	0.5	4.4	16	3.2
53084	0	0	0	0	Dg	43.9804	69.7759	18.5	746.7	591	56807.	1382	1.3	2.7	6.3	2.2	0.5	5.2	15	3.3
53085	0	0	0	0	Dg	43.9805	69.7754	18.5	746.7	600	56806.	1410	1.0	2.1	8.2	2.2	0.3	8.5	17	3.3
53086	0	0	1	0	Dg	43.9805	69.7748	18.5	746.6	601	56806.	1283	1.1	1.4	6.0	0.1	0.1	5.9	24	3.3
53087	0	0	0	0	Dg	43.9805	69.7743	18.5	746.5	595	56805.	1290	1.2	2.5	5.3	2.3	0.5	4.7	22	3.3
53088	0	0	1	0	Dg	43.9806	69.7738	18.5	746.4	589	56806.	1347	1.1	1.1	7.0	0.1	0.1	6.3	15	3.2
53089	0	0	1	0	Dg	43.9806	69.7732	18.5	746.3	584	56807.	1310	1.1	1.1	5.6	0.1	0.1	5.2	29	3.2
53090	0	0	1	0	Dg	43.9807	69.7727	18.5	746.2	578	56810.	1272	1.0	-0.4	6.0	0.1	0.1	6.0	25	3.1
53091	0	0	0	0	Dg	43.9807	69.7721	18.5	746.1	570	56812.	1319	1.6	2.8	5.0	1.8	0.6	3.2	26	3.1
53092	0	0	0	0	Dg	43.9808	69.7716	18.5	746.0	562	56813.	1251	1.0	2.1	4.1	2.1	0.6	4.1	28	3.1
53093	0	0	1	0	Dg	43.9808	69.7710	18.5	745.9	560	56815.	1340	1.3	0.8	5.8	0.1	0.1	4.5	20	3.0
53094	0	0	1	0	Dg	43.9809	69.7705	18.5	745.8	559	56817.	1330	1.3	1.4	3.7	0.1	0.1	2.9	13	3.0
53095	0	0	1	0	OEce	43.9809	69.7700	18.5	745.7	558	56818.	1424	1.7	1.1	6.7	0.1	0.1	4.1	14	2.9
53096	0	0	1	0	OEce	43.9809	69.7695	18.5	745.5	553	56819.	1462	1.6	0.6	6.2	0.1	0.1	4.1	22	2.9
53097	0	0	0	0	OEce	43.9810	69.7690	18.5	745.4	553	56818.	1408	1.7	2.4	4.0	1.4	0.6	2.4	24	2.9
53098	0	0	1	0	OEce	43.9810	69.7685	18.5	745.2	558	56817.	1388	1.2	0.8	4.4	0.1	0.1	3.9	17	2.8
53099	0	0	0	0	OEce	43.9811	69.7680	18.5	745.1	567	56818.	1396	1.5	3.2	6.3	2.3	0.6	4.5	21	2.8
53100	0	0	0	0	OEce	43.9811	69.7674	18.5	745.0	578	56819.	1406	1.4	1.9	4.4	1.4	0.5	3.2	19	2.8
53101	0	0	1	0	OEce	43.9811	69.7669	18.5	744.8	587	56818.	1408	1.9	1.4	5.7	0.1	0.1	3.1	21	2.8
53102	0	0	1	0	OEce	43.9812	69.7664	18.5	744.8	596	56818.	1543	1.7	1.1	5.6	0.1	0.1	3.4	17	2.7
53103	0	0	1	0	OEce	43.9812	69.7659	18.5	744.7	599	56819.	1498	2.0	0.5	6.5	0.1	0.1	3.4	22	2.7
53104	0	0	0	0	OEce	43.9813	69.7654	18.5	744.6	601	56820.	1402	1.4	2.0	6.3	1.5	0.4	4.5	25	2.7
53105	0	0	0	0	OEce	43.9813	69.7649	18.5	744.6	601	56823.	1513	1.7	1.8	3.1	1.1	0.6	1.9	16	2.7
53106	0	0	0	0	OEce	43.9814	69.7644	18.5	744.5	600	56827.	1558	1.9	2.6	6.0	1.4	0.5	3.1	22	2.7
53107	0	0	0	0	OEce	43.9814	69.7639	18.5	744.5	597	56830.	1438	1.5	1.7	5.2	1.2	0.4	3.6	25	2.6
53108	0	0	0	0	OEce	43.9814	69.7634	18.5	744.4	592	56833.	1434	1.4	2.3	3.5	1.6	0.7	2.5	16	2.6
53109	0	0	0	0	OEce	43.9815	69.7628	18.5	744.4	589	56836.	1385	1.0	2.9	6.3	2.9	0.5	6.4	22	2.7
53110	0	0	0	0	OEce	43.9815	69.7623	18.5	744.4	588	56840.	1437	1.5	3.0	7.1	2.1	0.5	4.9	17	2.7
53111	0	0	0	0	OEce	43.9816	69.7618	18.5	744.4	590	56844.	1467	1.5	2.2	7.1	1.5	0.3	5.0	13	2.6
53112	0	0	0	0	OEce	43.9816	69.7613	18.5	744.4	592	56849.	1395	1.4	3.0	2.9	2.3	1.1	2.2	19	2.6
53113	0	0	0	0	OEce	43.9816	69.7608	18.5	744.5	594	56852.	1343	1.1	4.3	6.2	4.1	0.7	5.9	23	2.6
53114	0	0	0	0	OEce	43.9817	69.7603	18.3	743.8	604	56863.	1319	1.2	2.2	4.7	1.8	0.5	3.9	38	2.7
53115	0	0	1	0	OEce	43.9817	69.7598	18.3	743.8	613	56874.	1288	1.1	0.5	4.8	0.1	0.1	4.3	27	2.7
53116	0	0	0	0	OEce	43.9818	69.7593	18.3	743.7	620	56884.	1378	1.5	3.6	4.9	2.5	0.8	3.3	20	2.7
53117	0	0	1	0	OEce	43.9818	69.7588	18.3	743.7	622	56894.	1284	1.3	1.5	5.9	0.1	0.1	4.8	24	2.8
53118	0	0	0	0	OEce	43.9819	69.7583	18.3	743.7	620	56906.	1423	1.7	1.8	4.6	1.1	0.4	2.8	22	2.8
53119	0	0	0	0	OEce	43.9819	69.7578	18.3	743.7	618	56920.	1387	1.4	1.8	6.8	1.3	0.3	5.0	26	2.9
53120	0	0	0	0	OEce	43.9819	69.7572	18.3	743.8	621	56935.	1235	1.3	2.0	5.5	1.6	0.4	4.4	7	2.9
53121	0	0	1	0	OEce	43.9820	69.7567	18.3	743.8	631	56952.	1362	1.0	1.2	7.2	0.1	0.1	7.2	18	2.9

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI	
												CPS	%	PPM	PPM					CPS	CPS
53122	0	0	0	0	OEce	43.9820	69.7562	18.3	743.8	638	56971.	1365	1.2	2.5	5.8	2.1	0.5	4.8	18	2.9	
53123	0	0	0	0	OEce	43.9821	69.7557	18.3	743.9	637	56990.	1282	1.0	3.2	3.2	3.3	1.0	3.3	20	2.9	
53124	0	0	0	0	OEce	43.9821	69.7552	18.3	743.9	624	57009.	1135	1.1	1.6	3.2	1.5	0.6	2.9	20	3.0	
53125	0	0	1	0	OEce	43.9821	69.7547	18.3	744.0	610	57025.	1199	1.7	0.5	4.5	0.1	0.1	2.7	17	3.0	
53126	0	0	1	0	OEce	43.9822	69.7542	18.3	744.1	596	57039.	1157	1.5	1.1	3.8	0.1	0.1	2.7	26	3.0	
53127	0	0	1	0	OEce	43.9822	69.7537	18.3	744.2	587	57051.	1161	1.4	1.1	5.4	0.1	0.1	4.0	30	3.1	
53128	0	0	0	0	OEce	43.9823	69.7532	18.3	744.3	584	57060.	1184	1.1	2.1	5.5	1.9	0.4	5.0	19	3.1	
53129	0	0	1	0	OEce	43.9823	69.7526	18.3	744.3	581	57065.	1174	1.0	1.1	4.7	0.1	0.1	4.9	22	3.1	
53130	0	0	0	0	OEce	43.9824	69.7521	18.3	744.4	573	57067.	1322	1.0	2.6	3.1	2.6	0.9	3.1	33	3.2	
53131	0	0	0	0	OEce	43.9824	69.7516	18.3	744.5	559	57068.	1143	1.0	1.7	4.1	1.8	0.5	4.4	16	3.2	
53132	0	0	1	0	OEce	43.9824	69.7511	18.3	744.5	544	57070.	1217	1.5	1.2	3.6	0.1	0.1	2.6	21	3.2	
53133	0	0	1	0	OEce	43.9825	69.7506	18.3	744.6	533	57073.	1226	1.3	0.8	5.8	0.1	0.1	4.5	18	3.3	
53134	0	0	1	0	OEce	43.9825	69.7501	18.3	744.6	527	57076.	1221	1.4	1.4	6.3	0.1	0.1	4.8	20	3.3	
53135	0	0	0	0	OEce	43.9826	69.7496	18.3	744.6	523	57080.	1211	1.2	2.3	4.0	2.0	0.6	3.5	22	3.3	
53136	0	0	0	0	OEce	43.9826	69.7491	18.3	744.7	517	57085.	1240	1.0	2.3	5.0	2.5	0.5	5.3	29	3.3	
53137	0	0	1	0	OEce	43.9827	69.7486	18.3	744.7	509	57089.	1288	1.2	0.9	4.0	0.1	0.1	3.4	20	3.3	
53138	0	0	0	0	OEce	43.9827	69.7481	18.3	744.7	503	57094.	1270	1.5	2.1	4.5	1.4	0.5	3.1	17	3.4	
53139	0	0	0	0	OEce	43.9827	69.7476	18.3	744.7	501	57099.	1247	1.0	2.0	4.4	2.1	0.5	4.5	19	3.4	
53140	0	0	1	0	OEce	43.9828	69.7470	18.3	744.7	506	57101.	1191	1.0	0.6	5.7	0.1	0.1	5.8	22	3.5	
53141	0	0	1	0	OEce	43.9828	69.7465	18.3	744.7	513	57101.	1284	1.5	0.8	7.4	0.1	0.1	5.1	31	3.5	
53142	0	0	1	0	OEce	43.9829	69.7460	18.3	744.7	521	57101.	1190	1.2	0.0	6.3	0.1	0.1	5.4	20	3.5	
53143	0	0	0	0	OEce	43.9829	69.7455	18.3	744.7	529	57099.	1128	0.8	1.5	5.1	2.0	0.3	6.9	26	3.5	
53144	0	0	0	0	OEce	43.9829	69.7450	18.3	744.8	539	57096.	1203	1.1	2.0	7.1	1.8	0.3	6.6	15	3.5	
53145	0	0	0	0	OEce	43.9830	69.7445	18.3	744.8	551	57092.	1065	0.9	1.8	3.0	2.2	0.6	3.5	28	3.5	
53146	0	0	0	0	OEce	43.9830	69.7440	18.3	744.8	568	57087.	1001	0.9	2.2	2.8	2.7	0.8	3.4	24	3.6	
53147	0	0	0	0	OEce	43.9831	69.7435	18.3	744.8	584	57083.	961	0.8	2.2	5.1	2.8	0.5	6.6	21	3.6	
53148	0	0	1	0	OEce	43.9831	69.7430	18.3	744.9	600	57080.	844	0.6	1.4	2.1	0.1	0.1	3.9	17	3.6	
53149	0	0	1	0	OEce	43.9832	69.7425	18.3	744.9	608	57077.	775	0.8	1.3	2.7	0.1	0.1	3.8	21	3.6	
53150	0	0	1	0	OEce	43.9832	69.7420	18.3	744.9	612	57077.	715	0.7	0.8	2.9	0.1	0.1	4.6	19	3.6	
53151	0	0	1	0	OEce	43.9832	69.7414	18.3	745.0	615	57079.	752	0.7	1.1	2.0	0.1	0.1	2.8	18	3.4	
53152	0	0	1	0	OEce	43.9833	69.7409	18.3	745.0	617	57080.	672	0.7	0.0	2.6	0.1	0.1	3.9	13	3.4	
53153	0	0	1	0	OEce	43.9833	69.7404	18.3	745.1	617	57080.	709	0.6	0.4	2.4	0.1	0.1	4.7	23	3.3	
53154	0	0	0	0	OEce	43.9832	69.7399	18.3	745.2	616	57076.	750	0.4	1.6	3.3	0.1	0.5	0.1	17	3.3	
53155	0	0	1	0	OEce	43.9832	69.7394	18.3	745.3	612	57070.	843	0.6	1.5	3.5	0.1	0.1	6.4	13	3.3	
53156	0	0	1	0	OEce	43.9832	69.7389	18.3	745.4	606	57062.	923	0.6	1.3	3.4	0.1	0.1	6.4	23	3.3	
53157	0	0	1	0	OEce	43.9832	69.7384	18.3	745.5	590	57052.	913	0.6	1.0	3.1	0.1	0.1	5.3	18	3.0	
53158	0	0	1	0	OEce	43.9832	69.7379	18.3	745.5	573	57041.	886	0.8	1.4	3.3	0.1	0.1	4.1	13	2.8	
53159	0	0	0	0	OEce	43.9832	69.7374	18.3	745.5	558	57030.	955	0.6	1.6	2.1	3.0	0.8	4.1	17	2.6	
53160	0	0	0	0	OEce	43.9832	69.7369	18.3	745.6	551	57020.	1059	1.0	2.9	5.3	3.0	0.6	5.5	27	2.3	
53161	0	0	1	0	OEce	43.9832	69.7364	18.3	745.7	543	57008.	1008	0.6	1.2	5.2	0.1	0.1	8.9	16	2.1	
53162	0	0	1	0	OEce	43.9832	69.7359	18.3	745.7	534	56996.	1085	0.9	0.3	8.0	0.1	0.1	9.5	20	1.8	
53163	0	0	0	0	OEce	43.9832	69.7354	18.3	745.7	523	56987.	1106	1.2	1.5	3.5	1.3	0.5	3.2	16	1.5	
53165	0	0	1	0	OEce	43.9831	69.7345	18.3	745.8	512	56980.	1044	0.8	0.7	4.9	0.1	0.1	6.3	22	1.2	
53166	0	0	1	0	OEce	43.9831	69.7339	18.3	745.8	504	56976.	1063	1.2	1.0	4.4	0.1	0.1	3.9	26	0.9	
53167	0	0	0	0	OEce	43.9831	69.7335	18.3	745.8	502	56974.	1067	0.8	2.0	5.0	2.8	0.4	7.0	19	0.6	
53168	0	0	0	0	OEce	43.9831	69.7329	18.3	745.8	503	56975.	1092	1.0	2.3	3.4	2.4	0.7	3.6	20	0.4	
53169	0	0	0	0	OEce	43.9831	69.7324	18.3	745.8	504	56978.	1143	1.1	1.7	6.1	1.6	0.3	6.0	21	0.1	
53170	0	0	0	0	OEce	43.9831	69.7319	18.3	745.7	504	56980.	1094	0.9	1.3	3.2	1.6	0.5	3.8	26	0.0	
53171	0	0	0	0	OEce	43.9831	69.7314	18.3	746.6	490	56991.	1068	1.3	1.6	2.5	1.3	0.6	2.1	19	0.0	
53172	0	0	0	0	OEce	43.9830	69.7310	18.3	746.7	479	57000.	1191	1.0	2.0	6.2	2.0	0.4	6.2	22	0.0	

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

- K01 -
MAINE AERIAL SURVEY BATH QUADRANGLE, CARSON GEOSCIENCE INC., 1980

LINE NO. 600

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI			
												CPS	%	PPM	PPM							CPS	CPS
53173	0	0	1	0	OEce	43.9830	69.7305	18.3	746.7	473	57006.	1117	0.9	1.0	3.5	0.1	0.1	3.9	15	0.0			
53174	0	0	0	0	OEce	43.9830	69.7300	18.3	746.8	470	57010.	1224	1.0	2.5	6.0	2.5	0.5	6.1	19	0.0			
53175	0	0	0	0	OEce	43.9830	69.7295	18.3	746.9	472	57016.	1265	0.9	2.3	5.3	2.8	0.5	6.4	25	0.0			
53176	0	0	1	0	OEce	43.9830	69.7290	18.3	747.0	473	57023.	1318	1.2	1.3	4.4	0.1	0.1	3.9	26	0.0			
53177	0	0	0	0	OEce	43.9830	69.7285	18.3	747.1	476	57029.	1278	1.4	1.4	7.1	1.1	0.3	5.4	29	0.0			
53178	0	0	0	0	OEce	43.9830	69.7280	18.3	747.1	479	57032.	1354	1.2	2.1	1.9	1.8	1.1	1.6	16	0.0			
53179	0	0	0	0	OEce	43.9830	69.7275	18.3	747.1	481	57030.	1328	1.4	2.2	4.2	1.5	0.6	3.0	20	0.0			
53180	0	0	0	0	OEce	43.9830	69.7270	18.3	747.1	480	57023.	1294	1.5	2.0	7.5	1.4	0.3	5.0	24	0.0			
53181	0	0	0	0	OEce	43.9829	69.7265	18.3	747.2	476	57013.	1337	1.3	1.6	6.8	1.3	0.3	5.7	15	0.0			
53182	0	0	1	0	OEce	43.9829	69.7260	18.3	747.1	468	57002.	1253	1.1	1.1	6.3	0.1	0.1	5.7	22	0.0			
53183	0	0	0	0	OEce	43.9829	69.7255	18.3	747.1	456	56994.	1326	1.3	2.7	6.9	2.2	0.4	5.5	27	0.0			
53184	0	0	0	0	OEce	43.9829	69.7250	18.3	747.1	443	56990.	1258	1.1	2.9	5.2	2.8	0.6	5.0	18	0.0			
53185	0	0	0	0	OEce	43.9829	69.7245	18.3	747.0	432	56990.	1325	1.3	1.4	5.7	1.1	0.3	4.6	19	0.0			
53186	0	0	0	0	OEce	43.9829	69.7240	18.3	746.8	421	57002.	1226	1.3	1.3	6.4	1.1	0.3	5.2	13	0.0			
53187	0	0	0	0	OEce	43.9829	69.7235	18.3	746.7	414	57022.	1343	0.9	2.8	5.4	3.1	0.6	6.1	20	0.0			
53188	0	0	0	0	OEce	43.9828	69.7229	18.3	746.6	417	57040.	1364	1.3	4.4	5.3	3.6	0.9	4.3	24	0.0			
53189	0	0	0	0	OEce	43.9828	69.7223	18.3	746.4	429	57063.	1285	1.2	1.7	5.5	1.5	0.3	5.0	13	0.0			
53190	0	0	0	0	OEce	43.9828	69.7218	18.3	746.2	449	57093.	1317	1.3	2.2	3.5	1.7	0.6	2.8	27	0.0			
53191	0	0	0	0	OEce	43.9828	69.7212	18.3	746.1	468	57123.	1342	1.1	1.8	5.4	1.6	0.4	4.9	28	0.0			
53192	0	0	0	0	OEce	43.9827	69.7206	18.3	746.0	488	57148.	1271	1.1	2.3	6.9	2.3	0.4	6.8	20	0.0			
53193	0	0	0	0	OEce	43.9827	69.7200	18.3	745.9	505	57165.	1181	1.1	1.8	5.9	1.7	0.3	5.5	27	0.0			
53194	0	0	0	0	OEce	43.9827	69.7195	18.3	745.8	520	57176.	1246	0.9	1.7	4.7	2.0	0.4	5.7	34	0.0			
53195	0	0	0	0	OEce	43.9826	69.7189	18.3	745.7	532	57182.	1257	1.3	1.7	7.8	1.4	0.3	6.3	21	0.0			
53196	0	0	0	0	OEce	43.9826	69.7183	18.3	745.7	547	57188.	1176	1.0	2.1	6.0	2.2	0.4	6.2	20	0.0			
53197	0	0	1	0	OEce	43.9826	69.7178	18.3	745.7	565	57197.	1172	1.1	1.1	4.6	0.1	0.1	4.4	28	0.0			
53198	0	0	0	0	OEce	43.9825	69.7172	18.3	745.7	582	57208.	1206	1.5	1.5	4.6	1.0	0.4	3.1	32	0.0			
53199	0	0	0	0	OEce	43.9825	69.7166	18.3	745.7	596	57219.	1225	1.2	1.8	4.8	1.6	0.4	4.2	24	0.0			
53200	0	0	0	0	OEce	43.9825	69.7161	18.3	745.7	607	57221.	1290	0.9	4.1	3.3	4.8	1.3	3.9	21	0.0			
53201	0	0	0	0	OEce	43.9824	69.7155	13.2	745.8	620	57217.	1193	1.2	1.9	5.2	1.7	0.4	4.6	11	0.0			
53202	0	0	1	0	OEce	43.9824	69.7149	18.2	745.9	629	57212.	1218	1.0	0.9	6.2	0.1	0.1	6.3	36	0.0			
53203	0	0	0	0	Dg	43.9824	69.7143	18.2	746.0	631	57202.	1231	0.6	2.0	2.3	3.3	0.9	3.8	16	0.0			
53204	0	0	0	0	Dg	43.9824	69.7138	18.2	746.1	622	57183.	1199	1.1	1.9	7.3	1.9	0.3	7.0	21	0.0			
53205	0	0	0	0	Dg	43.9823	69.7132	18.2	746.2	607	57161.	1253	1.1	3.0	3.8	2.9	0.8	3.7	21	0.0			
53206	0	0	0	0	Dg	43.9823	69.7126	18.2	746.3	590	57139.	1202	1.0	1.6	7.4	1.7	0.3	7.9	16	0.0			
53207	0	0	1	0	Dg	43.9823	69.7121	18.2	746.4	575	57120.	1131	0.9	0.5	4.4	0.1	0.1	5.3	20	0.0			
53208	0	0	0	0	Dg	43.9822	69.7115	18.2	746.5	561	57106.	1306	1.0	1.5	8.5	1.5	0.2	8.5	20	0.0			
53209	0	0	0	0	Dg	43.9822	69.7109	18.2	746.6	548	57095.	1221	0.9	1.9	5.1	2.3	0.4	6.0	21	0.0			
53210	0	0	0	0	Dg	43.9822	69.7104	18.2	746.7	534	57088.	1118	0.9	1.5	4.7	1.7	0.4	5.2	23	0.0			
53211	0	0	0	0	Dg	43.9821	69.7098	18.2	746.8	520	57081.	1171	1.0	2.1	5.8	2.1	0.4	5.8	17	0.0			
53212	0	0	0	0	Dg	43.9821	69.7092	18.2	746.9	508	57072.	1248	0.9	1.9	5.1	2.3	0.4	6.4	20	0.0			
53213	0	0	0	0	Dg	43.9821	69.7086	18.2	747.0	498	57060.	1235	1.1	1.8	2.2	1.8	0.9	2.1	18	0.0			
53214	0	0	0	0	Dg	43.9820	69.7081	18.2	747.0	493	57047.	1265	1.4	2.3	4.8	1.7	0.5	3.7	29	0.0			
53215	0	0	0	0	Dg	43.9820	69.7075	18.2	747.1	491	57034.	1257	1.1	1.5	5.4	1.5	0.3	5.2	24	0.0			
53216	0	0	0	0	Dg	43.9820	69.7069	18.2	747.1	493	57025.	1308	1.3	1.7	5.0	1.4	0.4	3.9	17	0.0			
53217	0	0	0	0	Dg	43.9820	69.7064	18.2	747.1	500	57018.	1346	1.4	3.3	5.6	2.4	0.6	4.1	29	0.0			
53218	0	0	0	0	Dg	43.9819	69.7058	18.2	747.1	512	57014.	1346	1.4	2.4	6.4	1.8	0.4	4.8	21	0.0			
53219	0	0	0	0	Dg	43.9819	69.7052	18.2	747.2	526	57013.	1458	1.1	2.7	6.6	2.5	0.4	6.2	23	0.0			
53220	0	0	0	0	Dg	43.9818	69.7047	18.2	747.2	534	57012.	1492	1.6	2.1	7.2	1.4	0.3	4.8	20	0.0			
53221	0	0	0	0	Dg	43.9817	69.7042	18.2	747.2	537	57013.	1457	1.1	2.8	4.9	2.6	0.6	4.6	27	0.0			
53222	0	0	0	0	Dg	43.9817	69.7037	18.2	747.2	529	57015.	1417	1.3	4.8	4.3	3.9	1.2	3.5	21	0.0			

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
53223	0	0	0	0	Dg	43.9816	69.7032	18.2	747.2	520	57019.	1354	0.9	2.6	4.0	2.9	0.7	4.6	31	0.0
53224	0	0	0	0	Dg	43.9815	69.7027	18.2	747.2	511	57028.	1371	1.0	4.3	4.0	4.6	1.1	4.2	20	0.0
53225	0	0	0	0	Dg	43.9814	69.7022	18.2	747.2	510	57041.	1419	1.1	1.9	4.0	1.8	0.5	3.8	24	0.0
53226	0	0	0	0	Dg	43.9814	69.7017	18.2	747.2	508	57048.	1383	0.9	2.5	5.9	2.8	0.5	6.6	14	0.0
53227	0	0	1	0	Dg	43.9813	69.7012	18.0	747.3	515	57065.	1399	1.4	1.1	4.7	0.1	0.1	3.4	24	0.0
53228	0	0	0	0	Dg	43.9812	69.7007	18.0	747.3	521	57075.	1454	1.4	4.1	6.7	3.0	0.6	5.0	19	0.0
53229	0	0	0	0	OEce	43.9811	69.7002	18.0	747.4	518	57080.	1435	1.1	2.8	5.7	2.8	0.5	5.6	19	0.0
53230	0	0	0	0	OEce	43.9810	69.6997	18.0	747.4	509	57082.	1421	1.3	2.2	6.1	1.7	0.4	4.8	20	0.0
53231	0	0	0	0	OEce	43.9810	69.6992	18.0	747.5	494	57085.	1374	1.4	1.4	6.8	1.0	0.3	4.9	16	0.1
53232	0	0	0	0	OEce	43.9809	69.6987	17.9	747.5	465	57092.	1203	1.2	1.9	4.1	1.6	0.5	3.5	29	0.2
53233	0	0	0	0	OEce	43.9808	69.6982	17.9	747.5	437	57103.	1246	0.9	3.4	4.5	4.0	0.8	5.3	25	0.3
53234	0	0	0	0	OEce	43.9807	69.6977	17.9	747.6	418	57116.	1150	1.0	2.1	4.1	2.3	0.5	4.5	18	0.4
53235	0	0	1	0	OEce	43.9807	69.6972	17.9	747.6	420	57129.	1228	0.8	1.1	5.5	0.1	0.1	7.5	24	0.5
53236	0	0	0	0	OEce	43.9806	69.6967	17.9	747.6	430	57139.	1210	0.9	1.6	4.6	1.7	0.4	5.1	20	0.6
53237	0	0	0	0	OEce	43.9805	69.6962	17.9	747.7	440	57143.	1231	1.1	2.1	4.2	1.9	0.5	3.8	26	0.7
53238	0	0	0	0	OEce	43.9804	69.6957	17.9	747.7	446	57141.	1230	0.9	1.7	3.2	1.8	0.6	3.5	19	0.8
53239	0	0	0	0	OEce	43.9804	69.6952	17.9	747.8	450	57135.	1186	1.1	2.7	5.4	2.6	0.5	5.2	19	0.9
53240	0	0	0	0	OEce	43.9803	69.6947	17.9	747.8	454	57131.	1323	1.0	2.4	3.3	2.4	0.8	3.3	18	1.0
53241	0	0	1	0	OEce	43.9802	69.6942	17.9	747.8	464	57133.	1229	1.1	0.8	3.8	0.1	0.1	3.8	25	1.1
53242	0	0	0	0	OEce	43.9801	69.6937	17.9	747.9	471	57136.	1265	1.0	2.4	6.2	2.5	0.4	6.5	13	1.1
53243	0	0	0	0	OEce	43.9800	69.6932	17.9	748.0	477	57139.	1267	1.0	2.8	4.2	3.0	0.7	4.5	20	1.2
53244	0	0	0	0	OEce	43.9800	69.6927	17.9	748.0	474	57149.	1293	1.1	3.3	4.6	3.3	0.8	4.5	20	1.2
53245	0	0	0	0	OEce	43.9799	69.6922	17.9	748.0	474	57169.	1287	1.0	2.2	7.1	2.3	0.3	7.4	27	1.3
53246	0	0	0	0	OEce	43.9798	69.6917	17.9	748.1	480	57184.	1266	1.2	1.6	3.4	1.5	0.5	3.1	14	1.3
53247	0	0	0	0	OEce	43.9797	69.6912	17.9	748.1	499	57189.	1400	1.6	2.1	6.0	1.4	0.4	4.0	24	1.3
53248	0	0	1	0	OEce	43.9797	69.6907	17.9	748.2	515	57191.	1514	1.6	1.0	4.2	0.1	0.1	2.7	20	1.3
53249	0	0	0	0	OEce	43.9796	69.6902	17.9	748.2	519	57191.	1433	1.9	2.2	6.4	1.2	0.4	3.5	15	1.3
53250	0	0	0	0	OEce	43.9795	69.6897	17.9	748.3	514	57183.	1464	1.6	1.8	4.9	1.2	0.4	3.2	13	1.4
53251	0	0	0	0	OEce	43.9794	69.6892	17.8	748.3	513	57166.	1496	1.4	2.6	8.3	2.0	0.4	6.3	19	1.4
53252	0	0	1	0	OEce	43.9793	69.6887	17.8	748.4	517	57145.	1448	1.5	0.2	6.8	0.1	0.1	4.7	20	1.4
53253	0	0	0	0	OEce	43.9793	69.6882	17.8	748.4	520	57125.	1504	1.4	3.1	6.3	2.3	0.5	4.7	16	1.5
53254	0	0	0	0	OEce	43.9792	69.6877	17.8	748.5	517	57109.	1437	1.4	2.0	6.8	1.4	0.3	4.9	15	1.5
53256	0	0	1	0	OEce	43.9790	69.6867	17.8	748.6	513	57096.	1504	1.5	-0.5	7.7	0.1	0.1	5.2	19	1.5
53257	0	0	0	0	OEce	43.9790	69.6862	17.8	748.6	509	57085.	1433	1.9	1.5	8.8	0.8	0.2	4.7	25	1.5
53258	0	0	0	0	OEce	43.9789	69.6857	17.8	748.7	505	57076.	1333	1.3	2.2	7.3	1.7	0.3	5.6	25	1.5
53259	0	0	0	0	OEce	43.9788	69.6852	17.8	748.8	500	57069.	1330	1.7	2.0	4.7	1.2	0.5	2.9	29	1.5
53260	0	0	0	0	OEce	43.9787	69.6847	17.8	748.9	497	57063.	1403	1.3	2.8	6.5	2.3	0.5	5.1	25	1.6
53261	0	0	0	0	OEce	43.9786	69.6842	17.8	749.0	495	57058.	1401	1.7	2.1	5.6	1.3	0.4	3.4	20	1.6
53262	0	0	0	0	OEce	43.9786	69.6837	17.8	749.1	492	57055.	1436	1.4	2.0	6.4	1.5	0.4	4.8	24	1.7
53263	0	0	0	0	OEce	43.9785	69.6833	17.8	749.2	484	57052.	1486	1.5	2.5	6.0	1.8	0.5	4.2	18	1.8
53264	0	0	0	0	OEce	43.9784	69.6827	17.8	749.3	474	57049.	1316	1.1	1.6	7.2	1.5	0.3	6.5	16	1.8
53265	0	0	1	0	OEce	43.9783	69.6823	17.8	749.4	465	57047.	1410	1.6	1.0	5.3	0.1	0.1	3.4	12	1.9
53266	0	0	0	0	OEce	43.9783	69.6817	17.8	749.5	454	57045.	1312	1.2	1.6	6.7	1.3	0.3	5.6	19	1.9
53267	0	0	0	0	OEce	43.9782	69.6813	17.8	749.6	435	57043.	1334	1.2	3.0	2.9	2.6	1.1	2.5	12	2.0
53268	0	0	0	0	OEce	43.9781	69.6807	17.8	749.7	408	57041.	1414	1.2	2.4	6.7	2.2	0.4	6.0	17	2.1
53269	0	0	0	0	OEce	43.9780	69.6802	17.8	749.8	377	57040.	1263	1.2	2.1	4.3	1.7	0.5	3.7	18	2.2
53270	0	0	0	0	OEce	43.9780	69.6797	17.8	749.9	350	57039.	1274	1.3	2.9	4.4	2.3	0.7	3.5	21	2.2
53271	0	0	0	0	OEce	43.9779	69.6793	17.8	750.0	334	57040.	1330	1.2	1.7	6.5	1.4	0.3	5.4	23	2.3
53272	0	0	0	0	OEce	43.9773	69.6788	17.8	750.0	335	57042.	1293	1.2	1.4	4.9	1.1	0.3	4.1	16	2.3
53273	0	0	0	0	OEce	43.9777	69.6783	17.8	750.1	357	57044.	1327	1.2	2.5	4.7	2.1	0.6	4.1	20	2.4

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI	
												CPS	%	PPM	PPM					CPS	CPS
53274	0	0	0	0	OEce	43.9776	69.6778	17.8	750.1	401	57046.	1338	1.3	1.7	5.4	1.4	0.4	4.3	22	2.4	
53275	0	0	0	0	OEce	43.9777	69.6772	17.8	750.1	446	57050.	1387	1.6	2.0	4.7	1.3	0.5	3.0	27	2.5	
53276	0	0	1	0	OEce	43.9777	69.6766	17.8	750.1	482	57053.	1247	1.5	1.1	4.5	0.1	0.1	3.0	25	2.5	
53277	0	0	0	0	OEce	43.9777	69.6761	17.8	750.2	499	57058.	1093	1.1	2.2	2.9	2.1	0.8	2.8	17	2.6	
53278	0	0	1	0	OEce	43.9777	69.6755	17.8	750.2	504	57065.	1069	1.0	1.2	4.5	0.1	0.1	4.7	18	2.6	
53279	0	0	0	0	OEce	43.9777	69.6750	17.8	750.2	489	57076.	1110	1.2	1.7	3.7	1.5	0.5	3.1	21	2.7	
53280	0	0	0	1	OEce	43.9777	69.6744	17.8	750.3	465	57090.	978	0.9	1.6	1.5	1.8	0.1	0.1	17	2.8	
53281	0	0	0	0	OEce	43.9778	69.6739	17.8	750.3	436	57106.	954	0.9	2.2	2.6	2.5	0.9	3.0	26	2.8	
53282	0	0	0	0	OEce	43.9778	69.6733	17.8	750.3	425	57118.	957	0.8	1.7	2.6	2.3	0.7	3.7	21	2.9	
53283	0	0	1	0	Water	43.9778	69.6727	17.8	750.2	416	57122.	925	0.9	0.5	3.5	0.1	0.1	4.2	15	3.0	
53284	0	0	0	0	Water	43.9778	69.6722	17.7	751.0	436	57114.	793	0.6	1.5	1.8	2.6	0.9	3.1	20	3.1	
53285	0	0	0	0	Water	43.9778	69.6716	17.7	751.1	452	57102.	630	0.6	1.2	2.4	2.1	0.5	4.3	23	3.1	
53286	0	0	1	1	Water	43.9778	69.6711	17.7	751.1	467	57086.	454	0.4	0.4	0.1	0.1	0.1	0.1	13	3.2	
53287	0	0	1	1	Water	43.9779	69.6705	17.7	751.2	471	57068.	344	0.3	0.1	0.9	0.1	0.1	0.1	18	3.2	
53288	0	0	1	1	Water	43.9779	69.6700	17.7	751.2	473	57051.	223	0.2	0.8	0.7	0.1	0.1	0.1	26	3.2	
53289	0	1	1	1	Water	43.9779	69.6694	17.7	751.3	473	57035.	195	0.2	0.4	-0.4	0.1	0.1	0.1	22	3.1	
53290	0	1	0	0	Water	43.9779	69.6688	17.7	751.3	472	57040.	278	0.1	1.4	1.5	0.1	1.0	0.1	17	3.1	
53291	0	0	1	1	OEce	43.9779	69.6683	17.7	751.4	472	57063.	379	0.5	0.8	1.3	0.1	0.1	0.1	22	3.1	
53292	0	0	1	1	OEce	43.9779	69.6677	17.7	751.4	468	57082.	546	0.6	0.4	0.8	0.1	0.1	0.1	19	3.1	
53293	0	0	1	0	OEce	43.9779	69.6672	17.7	751.5	458	57094.	779	1.1	0.4	2.5	0.1	0.1	2.3	21	3.0	
53294	0	0	0	0	OEce	43.9780	69.6666	17.7	751.5	442	57101.	988	0.9	2.7	2.9	3.1	1.0	3.5	23	3.1	
53295	0	0	0	0	OEce	43.9780	69.6661	17.7	751.6	424	57105.	1207	1.3	3.0	3.8	2.4	0.8	3.0	22	3.1	
53296	0	0	1	0	OEce	43.9780	69.6655	17.7	751.6	411	57124.	1245	1.2	0.9	4.2	0.1	0.1	3.6	24	3.2	
53297	0	0	0	0	OEce	43.9780	69.6650	17.7	751.7	401	57153.	1196	1.2	1.5	6.0	1.3	0.3	5.2	18	3.3	
53298	0	0	1	0	OEce	43.9780	69.6644	17.7	751.7	398	57175.	1203	0.9	1.2	5.1	0.1	0.1	5.7	15	3.3	
53299	0	0	0	0	Water	43.9781	69.6638	17.7	751.8	405	57188.	1054	1.1	1.2	5.5	1.1	0.3	5.0	15	3.3	
53300	0	0	0	0	Water	43.9781	69.6633	17.7	751.8	423	57196.	715	0.7	2.1	4.4	3.1	0.5	6.3	25	3.3	
53301	0	0	1	0	Water	43.9781	69.6627	17.7	751.8	445	57196.	782	0.6	-0.2	3.1	0.1	0.1	5.3	20	3.3	
53302	0	0	1	0	Water	43.9781	69.6622	17.7	751.9	461	57186.	546	0.3	0.4	3.1	0.1	0.1	0.1	22	3.2	
53303	0	1	0	0	Water	43.9781	69.6617	17.7	751.9	468	57172.	385	0.2	1.3	2.1	0.1	0.7	0.1	9	3.1	
53304	0	0	1	1	Water	43.9781	69.6611	17.7	751.9	471	57156.	258	0.3	0.0	-0.1	0.1	0.1	0.1	14	3.0	
53305	0	0	1	1	Water	43.9781	69.6606	17.7	751.9	472	57138.	256	0.2	0.2	0.5	0.1	0.1	0.1	21	3.0	
53306	0	0	1	1	Water	43.9781	69.6600	17.7	751.9	470	57119.	158	0.3	-0.1	0.6	0.1	0.1	0.1	10	2.9	
53307	0	0	1	1	Water	43.9781	69.6595	17.7	751.9	469	57100.	203	0.3	0.6	0.2	0.1	0.1	0.1	21	2.8	
53308	0	0	1	1	Water	43.9781	69.6589	17.7	751.9	468	57085.	242	0.3	0.0	0.3	0.1	0.1	0.1	22	2.7	
53309	0	0	1	0	Water	43.9781	69.6584	17.7	751.8	468	57073.	276	0.3	0.5	1.7	0.1	0.1	0.1	12	2.6	
53310	0	0	0	0	Water	43.9781	69.6578	17.7	751.8	465	57063.	538	0.6	1.4	1.8	2.5	0.8	3.3	23	2.6	
53311	0	0	1	0	OEce	43.9781	69.6573	17.7	751.7	448	57056.	617	0.7	1.0	2.3	0.1	0.1	3.4	29	2.6	
53312	0	0	0	0	OEce	43.9781	69.6567	17.7	751.6	428	57051.	799	0.8	1.9	2.4	2.4	0.8	3.1	19	2.6	
53313	0	0	0	0	OEce	43.9781	69.6562	17.7	751.5	407	57047.	979	1.1	2.2	3.3	2.1	0.7	3.2	19	2.6	
53314	0	0	0	0	OEce	43.9781	69.6557	17.7	751.5	401	57043.	1083	1.0	2.3	5.2	2.2	0.5	5.1	20	2.6	
53315	0	0	0	0	OEce	43.9781	69.6551	17.7	751.4	400	57042.	1197	1.3	1.1	4.8	0.9	0.3	3.8	14	2.6	
53316	0	0	0	0	OEce	43.9781	69.6546	17.7	751.2	404	57045.	1097	1.2	1.4	5.4	1.2	0.3	4.8	26	2.6	
53317	0	0	0	0	OEce	43.9781	69.6540	17.7	751.1	407	57050.	1056	0.9	1.3	3.6	1.5	0.4	4.3	16	2.6	
53318	0	0	0	0	OEce	43.9782	69.6535	17.7	751.0	407	57053.	1068	1.1	1.3	4.4	1.2	0.3	4.2	9	2.5	
53319	0	0	1	0	OEce	43.9782	69.6529	17.7	750.8	410	57051.	1051	1.0	0.6	6.3	0.1	0.1	6.9	19	2.5	
53320	0	0	1	0	OEce	43.9782	69.6524	17.7	750.7	414	57044.	1167	1.2	1.1	5.3	0.1	0.1	4.7	16	2.5	
53321	0	0	0	0	OEce	43.9782	69.6518	17.7	750.5	418	57034.	1171	1.1	1.3	3.9	1.2	0.4	3.7	22	2.5	
53322	0	0	1	0	OEce	43.9782	69.6513	17.7	750.4	416	57025.	1252	1.3	0.8	6.5	0.1	0.1	5.3	30	2.5	
53323	0	0	0	0	OEce	43.9782	69.6507	17.7	750.3	411	57019.	1317	1.5	1.1	4.8	0.8	0.3	3.4	23	2.4	

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
53324	0	0	0	0	OEc	43.9782	69.6502	17.7	750.1	413	57016.	1373	1.3	2.2	3.9	1.7	0.6	3.0	29	2.4
53325	0	0	0	0	OEc	43.9782	69.6497	17.7	750.0	416	57013.	1331	1.3	1.7	5.8	1.3	0.3	4.6	25	2.4
53326	0	0	0	0	OEc	43.9782	69.6491	17.7	749.9	422	57014.	1338	1.4	2.5	4.7	1.9	0.6	3.4	24	2.5
53327	0	0	0	0	OEc	43.9782	69.6486	17.7	749.8	425	57019.	1401	1.1	3.8	7.4	3.5	0.6	6.8	27	2.5
53328	0	0	0	0	OEc	43.9782	69.6480	17.7	749.7	431	57027.	1403	1.4	1.7	4.1	1.2	0.5	2.9	23	2.5
53329	0	0	0	0	OEc	43.9782	69.6475	17.7	749.6	438	57033.	1339	1.3	2.5	5.8	2.0	0.5	4.7	21	2.6
53330	0	0	0	0	OEc	43.9781	69.6470	17.7	749.6	444	57036.	1351	1.1	2.3	7.0	2.2	0.4	6.8	30	2.6
53331	0	0	0	0	OEc	43.9781	69.6465	17.7	749.6	447	57034.	1314	1.2	1.7	6.5	1.5	0.3	5.8	16	2.7
53332	0	0	0	0	OEc	43.9780	69.6460	17.7	749.5	440	57024.	1375	1.2	2.4	5.0	2.0	0.5	4.3	19	2.7
53333	0	0	0	0	OEc	43.9780	69.6455	17.7	749.5	436	57010.	1352	1.3	1.7	7.3	1.4	0.3	5.8	17	2.8
53334	0	0	0	0	OEc	43.9779	69.6450	17.7	749.4	428	56998.	1309	1.2	2.0	5.6	1.8	0.4	4.8	25	2.8
53335	0	0	1	0	DSb	43.9779	69.6445	17.7	749.4	425	56987.	1259	0.9	0.3	6.3	0.1	0.1	7.1	29	2.7
53336	0	0	0	0	DSb	43.9778	69.6440	17.7	749.4	420	56980.	1312	1.4	1.4	6.4	1.0	0.3	4.8	26	2.7
53337	0	0	0	0	DSb	43.9778	69.6435	17.7	749.4	421	56977.	1266	1.1	1.4	5.7	1.4	0.3	5.5	16	2.7
53338	0	0	0	0	DSb	43.9778	69.6430	17.7	749.4	424	56975.	1285	1.0	1.7	5.0	1.9	0.4	5.4	25	2.7
53339	0	0	0	0	DSb	43.9777	69.6425	17.7	749.4	427	56974.	1296	1.0	2.0	5.5	2.0	0.4	5.8	21	2.8
53340	0	0	0	0	DSb	43.9777	69.6420	17.6	748.6	455	56968.	1253	1.1	1.8	4.8	1.6	0.4	4.5	18	2.8
53341	0	0	1	0	DSb	43.9776	69.6415	17.6	748.5	471	56965.	1305	1.3	1.2	3.6	0.1	0.1	2.9	16	2.8
53342	0	0	0	0	DSb	43.9776	69.6410	17.6	748.4	490	56963.	1344	1.2	2.1	5.5	1.8	0.4	4.8	24	2.8
53343	0	0	0	0	DSb	43.9775	69.6405	17.6	748.3	504	56961.	1299	1.2	2.8	5.5	2.4	0.6	4.6	15	2.9
53344	0	0	1	0	DSb	43.9775	69.6400	17.6	748.2	516	56958.	1266	1.1	0.6	3.5	0.1	0.1	3.2	20	2.9
53345	0	0	1	0	DSb	43.9774	69.6395	17.6	748.2	524	56955.	1281	1.4	1.2	6.7	0.1	0.1	5.1	18	2.9
53347	0	0	1	0	DSb	43.9773	69.6384	17.6	748.1	531	56954.	1293	1.1	0.7	7.2	0.1	0.1	6.6	28	2.9
53348	0	0	0	0	DSb	43.9773	69.6379	17.6	748.0	537	56952.	1117	0.7	2.7	3.5	4.1	0.8	5.4	16	2.9
53349	0	0	0	0	DSb	43.9773	69.6374	17.6	747.9	543	56951.	1123	0.9	2.3	5.2	2.6	0.5	5.9	15	2.9
53350	0	0	0	0	DSb	43.9772	69.6369	17.6	747.9	551	56950.	1161	1.0	1.6	3.0	1.6	0.6	3.1	26	2.9
53351	0	0	0	0	DSb	43.9772	69.6364	17.6	747.8	556	56949.	1179	1.3	1.7	3.6	1.3	0.5	2.8	15	2.9
53352	0	0	1	0	DSb	43.9771	69.6359	17.6	747.6	556	56948.	1155	1.2	1.4	5.0	0.1	0.1	4.4	22	2.9
53353	0	0	0	0	DSb	43.9771	69.6354	17.6	747.6	550	56948.	1147	1.1	2.7	5.9	2.7	0.5	5.8	21	2.9
53354	0	0	0	0	DSb	43.9770	69.6349	17.6	747.5	547	56946.	1245	1.1	1.9	3.9	1.8	0.5	3.7	16	2.9
53355	0	0	1	0	DSb	43.9770	69.6344	17.6	747.4	543	56944.	1248	1.4	1.2	5.5	0.1	0.1	4.2	30	2.9
53356	0	0	1	0	DSb	43.9769	69.6339	17.6	747.3	538	56942.	1325	1.6	1.2	4.8	0.1	0.1	3.0	23	2.9
53357	0	0	1	0	DSb	43.9769	69.6334	17.6	747.2	531	56940.	1332	1.6	0.4	4.5	0.1	0.1	2.9	25	2.9
53358	0	0	0	0	DSb	43.9768	69.6329	17.6	747.2	526	56939.	1294	1.5	1.6	3.9	1.1	0.4	2.6	18	2.9
53359	0	0	0	0	DSb	43.9768	69.6324	17.6	747.1	517	56937.	1368	1.3	3.0	4.2	2.4	0.8	3.3	25	2.9
53360	0	0	0	0	DSb	43.9768	69.6319	17.6	747.1	507	56935.	1267	1.3	3.2	4.3	2.6	0.8	3.6	17	2.9
53361	0	0	0	0	DSb	43.9767	69.6314	17.6	747.0	496	56934.	1212	1.4	1.4	5.5	1.0	0.3	4.0	22	2.9
53362	0	0	0	0	DSb	43.9767	69.6309	17.6	747.0	493	56932.	1359	1.3	2.1	5.9	1.7	0.4	4.9	21	2.9
53363	0	0	1	0	DSb	43.9766	69.6304	17.6	746.9	493	56930.	1293	1.1	0.7	5.7	0.1	0.1	5.5	18	2.9
53364	0	0	0	0	DSb	43.9766	69.6299	17.6	746.9	494	56929.	1244	1.1	1.8	4.2	1.7	0.5	3.9	21	2.9
53365	0	0	0	0	DSb	43.9765	69.6294	17.6	746.8	493	56930.	1262	0.9	2.4	5.2	2.8	0.5	6.0	22	2.9
53366	0	0	0	0	DSb	43.9765	69.6289	17.6	746.8	490	56934.	1200	1.2	1.6	4.8	1.4	0.4	4.1	24	2.9
53367	0	0	1	0	DSb	43.9764	69.6284	17.6	746.8	486	56942.	1243	0.7	0.3	6.4	0.1	0.1	9.4	25	2.9
53368	0	0	1	0	DSb	43.9764	69.6278	17.6	746.8	484	56952.	1298	1.4	1.3	6.3	0.1	0.1	4.8	26	2.8
53369	0	0	0	0	DSb	43.9763	69.6273	17.6	746.7	485	56964.	1352	1.4	1.4	7.1	1.0	0.2	5.1	23	2.8
53370	0	0	1	0	DSb	43.9763	69.6268	17.6	746.7	483	56981.	1298	1.2	0.5	3.8	0.1	0.1	3.2	20	2.7
53371	0	0	0	0	DSb	43.9763	69.6263	17.6	746.7	481	57002.	1351	1.3	1.8	6.3	1.5	0.3	5.0	15	2.7
53372	0	0	0	0	DSb	43.9762	69.6258	17.6	746.7	478	57024.	1410	1.3	2.4	7.7	1.9	0.3	6.2	27	2.7
53373	0	0	0	0	DSb	43.9762	69.6253	17.6	746.7	481	57040.	1355	0.9	1.9	5.2	2.3	0.4	6.2	15	2.7
53374	0	0	1	0	DSb	43.9761	69.6248	17.6	746.6	486	57050.	1460	1.1	0.8	7.2	0.1	0.1	6.8	20	2.7

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BAR1	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
53375	0	0	0	0	DSb	43.9761	69.6243	17.6	746.6	490	57056.	1358	1.2	2.1	8.6	1.8	0.3	7.3	22	2.6
53376	0	0	1	0	DSb	43.9760	69.6238	17.6	746.6	490	57060.	1415	1.4	1.4	7.9	0.1	0.1	5.9	17	2.5
53377	0	0	1	0	DSb	43.9760	69.6233	17.6	746.6	486	57056.	1400	1.0	1.0	6.1	0.1	0.1	6.6	12	2.4
53378	0	0	0	0	DSb	43.9759	69.6228	17.6	746.5	480	57044.	1366	1.1	2.6	5.4	2.4	0.5	4.8	26	2.4
53379	0	0	0	0	DSb	43.9759	69.6223	17.6	746.5	473	57027.	1266	1.3	1.8	6.6	1.4	0.3	5.1	21	2.3
53380	0	0	0	0	DSb	43.9759	69.6218	17.6	746.4	471	57010.	1430	1.4	1.6	7.9	1.2	0.2	5.8	24	2.3
53381	0	0	0	0	DSb	43.9758	69.6213	17.6	746.4	470	56995.	1293	1.2	2.2	4.7	2.0	0.5	4.2	19	2.2
53382	0	0	1	0	DSb	43.9758	69.6208	17.6	746.4	473	56983.	1341	1.3	0.8	6.5	0.1	0.1	5.1	18	2.0
53383	0	0	0	0	DSb	43.9757	69.6203	17.6	746.3	477	56973.	1365	1.4	1.8	9.0	1.4	0.2	6.8	18	1.9
53384	0	0	0	0	DSb	43.9757	69.6198	17.6	746.3	481	56964.	1374	1.5	3.0	7.4	2.1	0.4	5.2	16	1.8
53385	0	0	1	0	DSb	43.9756	69.6193	17.6	746.3	487	56956.	1380	1.1	0.9	5.9	0.1	0.1	5.3	24	1.7
53386	0	0	1	0	DSb	43.9756	69.6188	17.6	746.3	493	56950.	1280	0.9	0.6	6.2	0.1	0.1	6.8	14	1.6
53387	0	0	0	0	DSb	43.9755	69.6183	17.6	746.3	500	56945.	1343	1.3	3.3	3.3	2.6	1.1	2.6	16	1.6
53388	0	0	0	0	DSb	43.9755	69.6178	17.6	746.2	507	56942.	1384	1.2	2.0	6.3	1.7	0.4	5.5	14	1.5
53389	0	0	0	0	DSb	43.9754	69.6173	17.6	746.2	516	56939.	1498	1.7	1.4	7.1	0.9	0.2	4.3	22	1.5
53390	0	0	0	0	DSb	43.9754	69.6168	17.6	746.2	532	56936.	1351	1.2	2.5	5.2	2.1	0.5	4.3	15	1.5
53391	0	0	0	0	DSb	43.9754	69.6162	17.6	746.2	545	56934.	1429	1.2	4.8	5.5	4.0	0.9	4.6	28	1.4
53392	0	0	0	0	DSb	43.9753	69.6157	17.6	746.2	548	56932.	1405	1.3	2.6	5.1	2.1	0.6	4.1	17	1.4
53393	0	0	0	0	DSb	43.9753	69.6152	17.6	746.2	537	56931.	1356	1.4	2.7	4.3	2.0	0.7	3.2	17	1.4
53394	0	0	0	0	DSb	43.9752	69.6147	17.6	746.2	518	56930.	1516	1.3	2.3	7.7	1.8	0.3	6.0	12	1.5
53395	0	0	0	0	DSb	43.9752	69.6142	17.6	746.2	508	56929.	1421	1.5	3.3	4.7	2.3	0.7	3.3	17	1.5
53396	0	0	0	0	DSb	43.9751	69.6137	17.6	746.2	501	56929.	1358	1.3	2.0	5.5	1.6	0.4	4.4	24	1.5
53397	0	0	1	0	DSb	43.9751	69.6132	17.6	746.3	475	56929.	1433	1.7	1.0	6.4	0.1	0.1	3.9	31	1.5
53398	0	0	0	0	DSb	43.9750	69.6127	17.6	746.3	465	56928.	1436	1.6	2.1	2.8	1.4	0.8	1.9	24	1.5
53399	0	0	0	0	DSb	43.9750	69.6122	17.6	746.3	453	56927.	1455	1.2	3.2	4.8	2.8	0.7	4.1	17	1.5
53400	0	0	0	0	DSb	43.9749	69.6117	17.6	746.4	444	56928.	1489	1.2	4.6	6.1	4.0	0.8	5.3	14	1.6
53401	0	0	1	0	DSb	43.9749	69.6112	17.6	746.4	438	56929.	1543	1.2	1.2	5.3	0.1	0.1	4.5	13	1.6
53402	0	0	0	0	DSb	43.9749	69.6107	17.6	746.4	433	56930.	1443	1.3	3.1	5.4	2.5	0.6	4.3	31	1.7
53403	0	0	0	0	DSb	43.9748	69.6102	17.6	746.4	430	56930.	1473	1.4	1.8	4.2	1.3	0.5	3.0	28	1.7
53404	0	0	0	0	DSb	43.9748	69.6097	17.6	746.4	426	56931.	1508	1.2	3.3	4.5	2.8	0.8	3.7	17	1.7
53405	0	0	0	0	DSb	43.9747	69.6092	17.6	746.4	419	56931.	1410	0.9	4.1	4.5	4.6	1.0	5.0	30	1.8
53406	0	0	0	0	DSb	43.9747	69.6087	17.6	746.4	412	56930.	1373	1.2	3.6	4.6	3.1	0.8	3.9	29	1.9
53407	0	0	0	0	DSb	43.9746	69.6082	17.6	746.4	404	56930.	1500	1.3	3.6	5.0	2.8	0.8	3.8	20	2.0
53408	0	0	0	0	DSb	43.9746	69.6077	17.6	746.4	398	56930.	1440	1.3	3.2	5.0	2.5	0.7	3.9	17	2.1
53409	0	0	0	0	DSb	43.9745	69.6072	17.6	746.4	392	56929.	1398	1.1	3.8	5.6	3.5	0.7	5.1	17	2.2
53410	0	0	1	0	DSb	43.9745	69.6067	17.6	746.4	389	56928.	1349	1.3	1.1	6.5	0.1	0.1	5.3	30	2.2
53411	0	0	0	0	DSb	43.9744	69.6062	17.6	746.5	388	56929.	1322	1.1	1.3	6.4	1.3	0.3	6.1	14	2.3
53412	0	0	0	0	DSb	43.9744	69.6057	17.6	746.5	389	56931.	1456	1.4	2.0	5.7	1.5	0.4	4.1	33	2.3
53413	0	0	1	0	DSb	43.9744	69.6052	17.6	746.6	390	56930.	1333	1.3	0.8	4.2	0.1	0.1	3.4	16	2.3
53414	0	0	0	0	DSb	43.9743	69.6046	17.6	746.6	393	56929.	1376	1.1	2.1	7.1	2.1	0.3	6.9	37	2.3
53415	0	0	1	0	DSb	43.9743	69.6041	17.6	746.6	401	56928.	1298	1.3	1.1	7.3	0.1	0.1	5.9	22	2.2
53416	0	0	0	0	DSb	43.9742	69.6036	17.6	746.7	413	56928.	1316	1.4	1.9	5.9	1.4	0.4	4.5	21	2.3
53417	0	0	1	0	DSb	43.9742	69.6031	17.6	746.7	425	56928.	1322	1.3	1.1	5.2	0.1	0.1	4.1	16	2.3
53418	0	0	1	0	DSb	43.9741	69.6026	17.6	746.8	436	56927.	1255	0.9	0.8	5.7	0.1	0.1	6.3	20	2.3
53419	0	0	1	0	DSb	43.9741	69.6021	17.6	746.8	447	56925.	1348	1.2	0.6	7.0	0.1	0.1	6.3	24	2.2
53420	0	0	0	0	DSb	43.9740	69.6016	17.6	746.9	461	56925.	1348	1.3	1.7	6.1	1.3	0.3	4.9	16	2.2
53421	0	0	0	0	DSb	43.9740	69.6011	17.6	746.9	475	56926.	1291	1.0	2.2	3.5	2.2	0.7	3.5	18	2.2
53422	0	0	1	0	DSb	43.9740	69.6006	17.6	747.0	491	56926.	1361	1.4	1.1	6.3	0.1	0.1	4.8	25	2.2
53423	0	0	1	0	DSb	43.9739	69.6001	17.6	747.0	506	56926.	1310	1.5	0.0	6.7	0.1	0.1	4.6	17	2.2
53424	0	0	0	0	DSb	43.9739	69.5996	17.6	747.0	517	56925.	1297	1.2	1.5	6.7	1.3	0.3	6.0	25	2.2

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI			
												CPS	%	PPM	PPM							CPS	CPS
53425	0	0	0	0	DSb	43.9738	69.5991	17.6	747.0	521	56924.	1405	1.4	2.4	5.9	1.8	0.5	4.3	28	2.1			
53426	0	0	1	0	DSb	43.9738	69.5986	17.6	746.9	515	56924.	1428	1.5	-0.1	7.7	0.1	0.1	5.1	18	2.1			
53427	0	0	0	0	DSb	43.9737	69.5981	17.6	746.9	505	56923.	1386	1.4	2.9	7.0	2.1	0.5	5.0	21	2.0			
53428	0	0	0	0	DSb	43.9737	69.5976	17.6	746.8	494	56923.	1330	1.1	2.0	5.1	1.9	0.4	4.9	26	2.0			
53429	0	0	0	0	DSb	43.9736	69.5971	17.6	746.7	486	56922.	1342	1.6	1.3	6.5	0.9	0.3	4.2	25	2.0			
53430	0	0	0	0	DSb	43.9736	69.5966	17.6	746.6	483	56924.	1296	1.3	1.5	4.3	1.2	0.4	3.4	20	2.0			
53431	0	0	0	0	DSb	43.9735	69.5961	17.6	746.4	482	56926.	1293	1.3	2.0	4.6	1.6	0.5	3.7	17	2.0			
53432	0	0	0	0	DSb	43.9735	69.5956	17.6	746.3	484	56926.	1269	1.2	2.7	2.8	2.4	1.0	2.4	21	2.0			
53433	0	0	0	0	DSb	43.9735	69.5951	17.6	746.1	487	56923.	1254	1.0	2.5	4.7	2.5	0.6	4.8	16	2.0			
53434	0	0	0	0	DSb	43.9734	69.5946	17.6	745.9	497	56921.	1316	1.0	2.3	8.3	2.4	0.3	8.4	16	2.0			
53435	0	0	0	0	DSb	43.9734	69.5941	17.6	745.8	510	56921.	1278	1.1	2.0	5.3	1.8	0.4	4.7	20	1.9			
53436	0	0	0	0	DSb	43.9733	69.5936	17.6	745.6	521	56922.	1349	0.8	2.0	5.7	2.5	0.4	7.1	24	1.9			
53438	0	0	0	0	DSb	43.9732	69.5925	17.6	745.5	522	56921.	1254	1.1	3.1	5.9	3.0	0.6	5.8	17	1.8			
53439	0	0	0	0	DSb	43.9732	69.5920	17.6	745.3	515	56919.	1387	1.0	3.8	5.3	3.9	0.8	5.5	18	1.8			
53440	0	0	0	0	DSb	43.9731	69.5915	17.6	745.2	505	56919.	1307	1.3	3.7	3.5	3.0	1.1	2.9	27	1.9			
53441	0	0	0	0	DSb	43.9731	69.5910	17.6	745.1	498	56918.	1266	1.4	1.5	3.0	1.1	0.5	2.2	17	1.9			
53442	0	0	0	0	DSb	43.9730	69.5905	17.6	745.0	497	56917.	1229	1.1	1.3	3.1	1.3	0.5	3.0	16	1.9			
53443	0	0	0	0	DSb	43.9730	69.5900	17.6	744.9	505	56917.	1228	1.3	1.8	4.0	1.4	0.5	3.2	21	1.9			
53444	0	0	0	0	DSb	43.9730	69.5895	17.6	744.9	518	56921.	1327	1.3	2.7	3.2	2.1	0.9	2.5	26	1.9			
53445	0	0	0	0	DSb	43.9729	69.5890	17.6	744.9	530	56924.	1336	1.2	2.9	4.7	2.5	0.6	4.1	35	2.0			
53446	0	0	1	0	DSb	43.9729	69.5885	17.6	744.8	533	56926.	1321	1.2	1.2	5.3	0.1	0.1	4.6	22	2.0			
53447	0	0	0	0	DSb	43.9728	69.5880	17.6	744.8	531	56928.	1383	1.4	2.3	3.5	1.8	0.7	2.7	20	2.0			
53448	0	0	1	0	DSb	43.9728	69.5875	17.6	744.8	524	56929.	1381	1.6	0.5	3.6	0.1	0.1	2.3	29	2.0			
53449	0	0	0	0	DSb	43.9727	69.5870	17.6	744.9	514	56930.	1410	1.3	3.9	9.3	3.1	0.5	7.4	21	2.0			
53450	0	0	0	0	DSb	43.9727	69.5865	17.6	744.9	502	56931.	1472	1.4	2.3	4.2	1.7	0.6	3.2	18	2.0			
53451	0	0	0	0	DSb	43.9726	69.5860	17.6	744.9	490	56932.	1520	1.3	3.6	4.9	2.8	0.8	3.8	25	2.0			
53452	0	0	0	0	DSb	43.9726	69.5855	17.6	744.9	484	56932.	1468	1.3	2.2	6.1	1.8	0.4	4.8	21	2.1			
53453	0	0	0	0	DSb	43.9726	69.5850	17.6	744.9	480	56933.	1501	1.4	2.5	6.1	1.9	0.5	4.6	23	2.2			
53454	0	0	0	0	DSb	43.9725	69.5845	17.6	745.0	481	56932.	1485	1.5	2.2	6.9	1.5	0.4	4.7	20	2.2			
53455	0	0	0	0	DSb	43.9725	69.5840	17.6	745.1	482	56933.	1538	1.3	2.5	6.9	2.0	0.4	5.5	33	2.3			
53456	0	0	0	0	DSb	43.9724	69.5835	17.6	745.2	486	56934.	1709	1.4	2.1	7.8	1.5	0.3	5.6	15	2.4			
53457	0	0	1	0	DSb	43.9724	69.5830	17.6	745.4	490	56936.	1591	1.3	1.3	6.5	0.1	0.1	5.0	15	2.4			
53458	0	0	0	0	DSb	43.9723	69.5825	17.6	745.5	499	56939.	1859	1.7	2.5	7.5	1.6	0.4	4.7	34	2.5			
53459	0	0	0	0	DSb	43.9723	69.5820	17.6	745.7	512	56942.	1828	1.7	3.0	7.4	1.9	0.5	4.6	18	2.6			
53460	0	0	0	0	DSb	43.9722	69.5815	17.6	746.0	527	56943.	1813	1.7	3.9	6.6	2.3	0.6	4.0	19	2.7			
53461	0	0	0	0	DSb	43.9722	69.5809	17.6	746.2	537	56944.	1765	1.7	4.1	5.3	2.5	0.8	3.2	26	2.9			
53462	0	0	0	0	DSb	43.9721	69.5804	17.6	746.5	548	56945.	1664	1.4	4.2	2.7	3.0	1.6	1.9	17	3.0			
53463	0	0	0	0	DSb	43.9721	69.5799	17.5	746.8	559	56944.	1576	1.4	2.8	5.0	2.1	0.6	3.8	33	3.1			
53464	0	0	0	0	DSb	43.9721	69.5794	17.5	747.0	571	56944.	1643	1.8	1.8	6.2	1.1	0.3	3.5	25	3.2			
53465	0	0	1	0	DSb	43.9720	69.5789	17.5	747.3	574	56944.	1703	1.8	0.3	8.2	0.1	0.1	4.6	19	3.3			
53466	0	0	0	0	DSb	43.9720	69.5784	17.5	747.6	561	56942.	1540	1.4	2.2	8.5	1.6	0.3	6.0	24	3.3			
53467	0	0	0	0	DSb	43.9721	69.5779	17.5	747.9	543	56940.	1499	1.6	2.4	6.4	1.6	0.4	4.2	17	3.4			
53468	0	0	0	0	DSb	43.9721	69.5773	17.5	748.1	524	56938.	1379	1.1	2.0	5.5	1.9	0.4	5.3	20	3.3			
53469	0	0	1	0	DSb	43.9722	69.5768	17.5	748.4	514	56935.	1245	1.1	1.0	7.6	0.1	0.1	7.5	17	3.2			
53470	0	0	0	0	DSb	43.9723	69.5762	17.5	748.6	502	56933.	1307	1.3	2.2	7.1	1.8	0.4	5.8	15	3.1			
53471	0	0	1	0	DSb	43.9724	69.5757	17.5	748.9	491	56931.	1185	1.2	1.0	7.6	0.1	0.1	6.3	25	3.1			
53472	0	0	0	0	DSb	43.9725	69.5751	17.5	749.1	479	56929.	1227	1.2	2.1	3.2	1.9	0.7	2.9	19	3.2			
53473	0	0	0	0	DSb	43.9726	69.5746	17.5	749.3	470	56928.	1188	1.0	2.0	4.3	2.1	0.5	4.5	25	3.2			
53474	0	0	1	0	DSb	43.9727	69.5740	17.5	749.5	467	56930.	1044	1.2	0.9	5.3	0.1	0.1	4.6	16	3.1			
53475	0	0	1	0	DSb	43.9728	69.5735	17.5	749.6	476	56931.	947	1.1	0.6	4.1	0.1	0.1	4.0	23	2.9			

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI			
												CPS	%	PPM	PPM							CPS	CPS
53476	0	0	0	0	Water	43.9729	69.5729	17.5	749.8	489	56929.	783	0.6	2.1	5.1	3.5	0.5	8.5	24	2.7			
53477	0	0	1	1	Water	43.9730	69.5724	17.5	749.9	500	56926.	614	0.3	0.8	1.7	0.1	0.1	0.1	18	2.5			
53478	0	0	0	0	Water	43.9731	69.5718	17.5	750.0	502	56924.	414	0.3	1.2	2.5	0.1	0.5	0.1	22	2.3			
53479	0	0	1	1	Water	43.9731	69.5713	17.5	750.1	503	56924.	231	0.4	-0.3	1.0	0.1	0.1	0.1	19	2.0			
53480	0	0	1	1	Water	43.9732	69.5707	17.5	750.2	502	56923.	211	0.3	0.6	0.4	0.1	0.1	0.1	13	1.8			
53481	0	0	1	1	Water	43.9733	69.5702	17.5	750.2	502	56922.	149	0.3	0.7	0.2	0.1	0.1	0.1	21	1.5			
53482	0	1	1	1	Water	43.9734	69.5696	17.5	750.3	503	56923.	82	0.1	-0.3	-0.4	0.1	0.1	0.1	24	1.2			
53483	0	0	1	1	Water	43.9735	69.5691	17.5	750.3	505	56924.	121	0.3	0.8	-0.2	0.1	0.1	0.1	25	1.0			
53484	0	1	1	1	Water	43.9736	69.5686	17.5	750.3	507	56925.	63	0.0	-0.3	0.1	0.1	0.1	0.1	26	0.6			
53485	0	1	1	1	Water	43.9737	69.5680	17.5	750.3	510	56924.	86	0.2	0.4	-0.8	0.1	0.1	0.1	24	0.3			
53486	0	1	1	1	Water	43.9738	69.5675	17.5	750.3	513	56924.	92	0.1	0.2	0.4	0.1	0.1	0.1	22	0.2			
53487	0	1	0	1	Water	43.9739	69.5669	17.5	750.3	516	56924.	107	0.1	1.0	-0.1	0.1	0.1	0.1	22	0.0			
53488	0	1	0	1	Water	43.9740	69.5664	17.5	750.2	520	56925.	144	0.1	1.3	0.3	0.1	0.1	0.1	19	0.0			
53489	0	1	0	1	Water	43.9741	69.5658	17.5	750.2	525	56926.	143	0.1	1.0	0.5	0.1	0.1	0.1	14	0.0			
53490	0	1	1	1	Water	43.9741	69.5653	17.5	750.1	530	56927.	170	0.2	0.8	1.4	0.1	0.1	0.1	25	0.0			
53491	0	1	1	1	Water	43.9742	69.5647	17.5	750.1	535	56929.	183	0.2	0.9	0.9	0.1	0.1	0.1	18	0.0			
53492	0	0	1	1	Water	43.9743	69.5642	17.5	750.1	539	56929.	182	0.3	0.4	0.6	0.1	0.1	0.1	20	0.0			
53493	0	0	1	1	Water	43.9744	69.5636	17.5	750.0	542	56929.	245	0.3	0.3	0.1	0.1	0.1	0.1	22	0.0			
53494	0	1	1	1	Water	43.9745	69.5631	17.5	749.9	545	56931.	303	0.2	0.8	1.0	0.1	0.1	0.1	23	0.0			
53495	0	1	0	1	Water	43.9746	69.5625	17.5	749.9	548	56932.	359	0.3	1.9	0.6	0.1	0.1	0.1	14	0.0			
53496	0	0	1	1	Water	43.9747	69.5620	17.5	749.8	551	56933.	483	0.3	0.6	0.9	0.1	0.1	0.1	16	0.0			
53497	0	0	0	0	Water	43.9748	69.5614	17.5	749.8	547	56934.	658	0.5	1.6	1.9	0.1	0.9	0.1	16	0.0			
53498	0	0	0	1	Water	43.9749	69.5609	17.5	749.8	529	56934.	822	1.0	2.4	1.5	2.5	0.1	0.1	17	0.0			
53499	0	0	0	0	Water	43.9750	69.5603	17.5	749.8	504	56934.	1045	1.2	1.4	3.5	1.2	0.4	3.0	25	0.0			
53500	0	0	0	0	Water	43.9751	69.5598	17.5	749.7	482	56935.	1070	1.0	2.7	3.5	2.8	0.8	3.5	13	0.0			
53501	0	0	0	0	DSb	43.9751	69.5592	17.5	749.7	475	56936.	1205	1.3	3.2	4.4	2.5	0.8	3.5	22	0.0			
53502	0	0	0	0	DSb	43.9751	69.5587	17.5	749.7	473	56937.	1324	1.1	2.0	5.5	2.0	0.4	5.5	20	0.0			
53503	0	0	0	0	DSb	43.9751	69.5582	17.5	749.7	471	56937.	1302	1.2	2.1	4.8	1.8	0.5	4.1	27	0.0			
53504	0	0	0	0	DSb	43.9751	69.5577	17.5	749.7	458	56938.	1344	1.3	2.8	6.5	2.3	0.5	5.3	31	0.0			
53505	0	0	0	0	DSb	43.9751	69.5571	17.5	749.7	441	56939.	1357	1.6	1.2	5.2	0.8	0.3	3.5	20	0.0			
53506	0	0	0	0	DSb	43.9751	69.5566	17.5	749.7	426	56939.	1399	1.2	2.2	7.2	1.9	0.3	6.2	15	0.1			
53507	0	0	0	0	DSb	43.9751	69.5561	17.5	749.7	420	56938.	1406	1.3	1.4	6.5	1.2	0.3	5.3	27	0.3			
53508	0	0	0	0	DSb	43.9751	69.5556	17.5	749.7	418	56938.	1354	1.5	1.8	5.7	1.2	0.3	3.9	16	0.4			
53509	0	0	0	0	DSb	43.9751	69.5550	17.5	749.7	418	56938.	1384	1.3	2.4	5.5	1.9	0.5	4.3	20	0.6			
53510	0	0	0	0	DSb	43.9751	69.5545	17.4	749.5	441	56937.	1465	1.5	1.8	4.1	1.2	0.5	2.8	23	0.8			
53511	0	0	0	0	DSb	43.9751	69.5540	17.4	749.4	450	56936.	1480	1.5	2.9	5.4	2.0	0.6	3.7	11	0.9			
53512	0	0	0	0	DSb	43.9751	69.5535	17.4	749.4	455	56936.	1554	1.5	1.8	5.5	1.3	0.4	3.8	23	0.9			
53513	0	0	0	0	DSb	43.9751	69.5529	17.4	749.4	457	56936.	1591	1.6	2.9	8.4	1.8	0.4	5.3	22	0.9			
53514	0	0	0	0	DSb	43.9751	69.5524	17.4	749.4	458	56937.	1553	1.6	2.6	4.5	1.7	0.6	2.9	18	1.0			
53515	0	0	0	0	DSb	43.9751	69.5519	17.4	749.4	459	56938.	1612	1.7	2.9	6.6	1.8	0.5	4.1	20	1.0			
53516	0	0	0	0	DSb	43.9751	69.5513	17.4	749.3	454	56938.	1596	1.7	2.7	4.7	1.7	0.6	2.9	22	1.1			
53517	0	0	0	0	DSb	43.9751	69.5508	17.3	749.3	444	56938.	1507	1.2	2.1	5.9	1.8	0.4	5.1	20	1.2			
53518	0	0	0	0	DSb	43.9751	69.5503	17.3	749.3	432	56937.	1384	1.4	2.0	6.8	1.5	0.3	5.1	16	1.2			
53519	0	0	0	0	DSb	43.9751	69.5498	17.3	749.2	428	56937.	1395	1.2	2.4	5.1	2.1	0.5	4.3	17	1.3			
53520	0	0	1	0	DSb	43.9751	69.5492	17.3	749.2	435	56936.	1295	1.6	0.5	6.6	0.1	0.1	4.3	24	1.4			
53521	0	0	0	0	DSb	43.9751	69.5487	17.3	749.1	449	56934.	1341	1.1	1.8	5.4	1.6	0.4	5.0	27	1.4			
53522	0	0	1	0	DSb	43.9751	69.5482	17.3	749.1	462	56933.	1300	1.4	1.0	4.3	0.1	0.1	3.2	19	1.4			
53523	0	0	0	0	DSb	43.9751	69.5476	17.3	749.0	468	56932.	1334	1.0	3.0	5.3	3.3	0.6	5.7	26	1.5			
53524	0	0	0	0	DSb	43.9751	69.5471	17.3	749.0	468	56930.	1252	1.2	1.9	5.3	1.7	0.4	4.7	24	1.6			
53525	0	0	0	0	DSb	43.9751	69.5466	17.3	748.9	463	56926.	1273	1.3	1.6	4.6	1.3	0.4	3.6	17	1.7			

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI	
												CPS	%	PPM	PPM					CPS	CPS
53526	0	0	1	0	DSb	43.9751	69.5461	17.3	748.9	460	56924.	1217	1.1	0.8	5.5	0.1	0.1	5.1	26	1.7	
53528	0	0	0	0	DSb	43.9751	69.5450	17.3	748.9	462	56924.	1250	1.1	3.8	5.3	3.4	0.8	4.8	21	1.8	
53529	0	0	0	0	DSb	43.9751	69.5445	17.3	748.8	468	56924.	1247	0.9	2.6	4.7	3.0	0.6	5.3	18	1.8	
53530	0	0	0	0	DSb	43.9751	69.5440	17.3	748.8	470	56923.	1251	1.1	1.9	3.1	1.9	0.7	3.0	21	1.9	
53531	0	0	0	0	DSb	43.9751	69.5434	17.3	748.8	468	56922.	1307	1.2	1.9	6.9	1.6	0.3	5.8	17	1.9	
53532	0	0	0	0	DSb	43.9751	69.5429	17.3	748.7	464	56923.	1255	1.1	1.7	4.7	1.6	0.4	4.2	18	1.9	
53533	0	0	0	0	DSb	43.9751	69.5424	17.3	748.7	462	56924.	1345	1.2	2.9	5.5	2.4	0.6	4.5	19	1.9	
53534	0	0	0	0	DSb	43.9751	69.5418	17.3	748.7	459	56925.	1342	1.3	2.6	6.3	2.0	0.5	4.9	23	1.9	
53535	0	0	1	0	DSb	43.9751	69.5413	17.3	748.6	457	56926.	1151	1.0	0.6	3.7	0.1	0.1	3.7	22	1.9	
53536	0	0	0	0	DSb	43.9751	69.5408	17.3	748.6	456	56927.	1326	1.3	2.3	4.4	1.8	0.6	3.4	29	1.9	
53537	0	0	0	0	DSb	43.9751	69.5403	17.3	748.6	459	56928.	1274	1.0	2.1	4.8	2.2	0.5	5.1	13	1.8	
53538	0	0	1	0	DSb	43.9751	69.5397	17.3	748.5	467	56929.	1246	1.1	0.9	5.3	0.1	0.1	4.9	18	1.8	
53539	0	0	0	0	DSb	43.9751	69.5392	17.3	748.5	473	56928.	1301	1.1	3.3	7.3	3.0	0.5	6.7	22	1.8	
53540	0	0	0	0	DSb	43.9751	69.5387	17.3	748.5	480	56929.	1172	0.8	1.8	3.6	2.4	0.5	4.8	21	1.7	
53541	0	0	0	0	DSb	43.9751	69.5381	17.3	748.5	488	56931.	1016	0.9	2.2	2.9	2.6	0.8	3.5	19	1.6	
53542	0	0	1	0	DSb	43.9751	69.5376	17.3	748.5	499	56933.	935	0.8	1.0	4.0	0.1	0.1	5.2	29	1.5	
53543	0	0	0	0	DSb	43.9751	69.5371	17.3	748.5	510	56934.	900	0.8	2.3	4.6	3.2	0.6	6.3	17	1.4	
53544	0	0	0	0	DSb	43.9751	69.5366	17.3	748.5	522	56936.	824	0.6	2.9	5.3	5.1	0.6	9.3	25	1.4	
53545	0	0	1	1	DSb	43.9751	69.5360	17.3	748.5	531	56939.	848	0.9	1.1	1.7	0.1	0.1	0.1	28	1.3	
53546	0	0	1	0	DSb	43.9751	69.5355	17.3	748.5	537	56944.	762	0.5	1.0	3.9	0.1	0.1	0.1	18	1.3	
53547	0	0	0	0	DSb	43.9751	69.5350	17.3	748.5	535	56949.	840	0.7	2.3	2.7	3.4	0.9	4.0	18	1.2	
53548	0	0	0	0	DSb	43.9751	69.5345	17.3	748.5	529	56951.	808	0.8	1.5	3.0	1.9	0.5	3.9	22	1.1	
53549	0	0	0	0	DSb	43.9751	69.5339	17.3	748.5	516	56953.	850	0.5	1.4	3.4	0.1	0.5	0.1	20	1.1	
53550	0	0	1	0	DSb	43.9751	69.5334	17.3	748.5	498	56953.	869	0.7	1.0	2.7	0.1	0.1	4.3	19	1.0	
53551	0	0	0	0	DSb	43.9751	69.5329	17.3	748.5	476	56951.	960	1.0	1.6	3.4	1.7	0.5	3.5	26	0.7	
53552	0	0	0	0	DSb	43.9751	69.5323	17.3	748.5	452	56947.	1046	0.9	1.7	5.1	1.9	0.4	5.9	28	0.6	
53553	0	0	0	0	DSb	43.9751	69.5318	17.3	748.4	429	56942.	1124	1.2	2.3	3.9	2.0	0.6	3.4	20	0.6	
53554	0	0	0	0	DSb	43.9751	69.5313	17.3	748.4	411	56939.	1181	1.1	1.6	3.8	1.4	0.5	3.5	18	0.6	
53555	0	0	0	0	DSb	43.9751	69.5308	17.3	748.4	396	56936.	1254	1.1	3.1	4.9	3.0	0.7	4.8	21	0.4	
53556	0	0	0	0	DSb	43.9751	69.5302	17.3	748.4	383	56933.	1277	1.0	2.7	2.7	2.8	1.0	2.8	13	0.2	
53557	0	0	0	0	DSb	43.9751	69.5297	17.2	748.4	376	56929.	1323	1.2	2.6	3.7	2.3	0.7	3.3	14	0.0	
53558	0	0	0	0	DSb	43.9751	69.5292	17.2	748.4	376	56925.	1316	1.0	2.1	4.0	2.1	0.6	4.0	19	0.0	
53559	0	0	0	0	DSb	43.9751	69.5287	17.2	748.3	379	56924.	1332	1.2	1.8	5.0	1.5	0.4	4.3	30	0.0	
53560	0	0	0	0	DSb	43.9751	69.5281	17.2	748.3	380	56923.	1275	0.9	2.4	4.6	2.7	0.6	5.2	23	0.0	
53561	0	0	0	0	DSb	43.9751	69.5276	17.2	748.3	377	56922.	1331	1.3	3.0	4.9	2.3	0.6	3.8	29	0.0	
53562	0	0	0	0	DSb	43.9751	69.5271	17.2	748.3	372	56921.	1343	1.2	1.6	5.9	1.4	0.3	5.1	24	0.0	
53563	0	0	0	0	DSb	43.9751	69.5266	17.2	748.3	367	56919.	1333	1.4	2.2	5.6	1.6	0.4	4.1	14	0.0	
53564	0	0	0	0	DSb	43.9751	69.5260	17.2	748.3	364	56917.	1419	1.3	4.7	2.4	3.7	2.0	1.9	15	0.0	
53565	0	0	0	0	DSb	43.9751	69.5255	17.2	748.3	363	56918.	1317	1.0	3.4	3.2	3.6	1.1	3.3	23	0.0	
53566	0	0	0	0	DSb	43.9751	69.5250	17.2	748.3	364	56917.	1343	1.0	2.7	3.9	2.9	0.7	4.3	19	0.0	
53567	0	0	0	0	DSb	43.9751	69.5244	17.1	748.1	384	56915.	1237	1.2	2.9	4.6	2.5	0.7	4.0	24	0.0	
53568	0	0	0	0	DSb	43.9751	69.5239	17.1	748.0	393	56914.	1170	1.0	2.9	4.8	3.2	0.7	5.2	18	0.0	
53569	0	0	0	0	DSb	43.9751	69.5234	17.1	748.0	397	56913.	1146	1.1	1.6	4.5	1.6	0.4	4.4	16	0.0	
53570	0	0	0	0	DSb	43.9751	69.5229	17.1	748.0	394	56911.	1228	1.1	2.6	2.5	2.4	1.1	2.3	25	0.0	
53571	0	0	0	0	DSb	43.9751	69.5223	17.1	747.9	395	56910.	1265	1.5	3.4	2.6	2.4	1.3	1.9	27	0.0	
53572	0	0	0	0	DSb	43.9751	69.5218	17.1	747.9	398	56912.	1407	1.1	2.3	6.0	2.1	0.4	5.5	27	0.0	
53573	0	0	0	0	DSb	43.9751	69.5213	17.1	747.9	403	56912.	1443	1.3	1.9	6.9	1.6	0.3	5.7	31	0.0	
53574	0	0	0	0	DSb	43.9752	69.5208	17.1	747.9	408	56911.	1480	1.3	2.1	8.1	1.7	0.3	6.4	27	0.0	
53575	0	0	0	0	DSb	43.9752	69.5202	17.1	747.9	414	56910.	1488	1.7	4.0	4.6	2.4	0.9	2.8	22	0.0	
53576	0	0	0	0	DSb	43.9752	69.5197	17.1	748.0	421	56911.	1504	1.5	1.2	3.4	0.8	0.4	2.3	26	0.0	

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
53577	0	0	0	0	DSb	43.9753	69.5192	17.1	748.0	429	56912.	1395	1.4	2.9	7.3	2.1	0.4	5.3	19	0.0
53578	0	0	0	0	DSb	43.9753	69.5187	17.1	748.0	434	56914.	1292	1.1	1.5	3.5	1.4	0.5	3.2	27	0.0
53579	0	0	0	0	DSb	43.9753	69.5182	17.1	748.0	436	56913.	1387	1.4	2.5	5.7	1.9	0.5	4.4	19	0.0
53580	0	0	0	0	DSb	43.9754	69.5176	17.1	748.0	434	56911.	1254	1.4	1.7	5.0	1.2	0.4	3.7	18	0.0
53581	0	0	0	0	DSb	43.9754	69.5171	17.1	748.1	430	56910.	1231	1.2	1.7	3.9	1.5	0.5	3.3	28	0.0
53582	0	0	0	0	DSb	43.9754	69.5166	17.1	748.1	424	56909.	1246	1.2	1.4	6.8	1.2	0.2	6.1	27	0.0
53583	0	0	1	0	DSb	43.9754	69.5161	17.1	748.2	417	56908.	1240	1.5	0.9	3.0	0.1	0.1	2.1	26	0.0
53584	0	0	0	0	DSb	43.9755	69.5156	17.1	748.2	412	56907.	1314	1.1	1.8	4.9	1.7	0.4	4.6	22	0.0
53585	0	0	0	0	DSb	43.9755	69.5150	17.1	748.3	407	56907.	1395	1.4	3.0	5.5	2.3	0.6	4.2	20	0.0
53586	0	0	0	0	DSb	43.9755	69.5145	17.1	748.3	404	56905.	1365	1.3	2.9	4.2	2.3	0.8	3.3	25	0.0
53587	0	0	0	0	DSb	43.9756	69.5140	17.1	748.4	398	56903.	1498	1.3	3.4	3.9	2.6	0.9	3.0	16	0.0
53588	0	0	0	0	DSb	43.9756	69.5135	17.1	748.4	398	56904.	1529	1.4	1.2	5.4	0.9	0.3	4.0	12	0.0
53589	0	0	0	0	DSb	43.9756	69.5130	17.1	748.5	398	56905.	1535	1.6	2.5	7.4	1.6	0.4	4.7	23	0.0
53590	0	0	0	0	DSb	43.9757	69.5125	17.1	748.5	400	56905.	1552	1.6	3.4	6.3	2.2	0.6	4.0	15	0.0
53591	0	0	0	0	DSb	43.9757	69.5119	17.1	748.6	398	56907.	1686	1.9	1.9	7.0	1.0	0.3	3.9	21	0.0
53592	0	0	0	0	DSb	43.9757	69.5114	17.1	748.6	397	56910.	1610	1.7	2.2	6.9	1.4	0.4	4.2	12	0.0
53593	0	0	0	0	DSb	43.9757	69.5109	17.1	748.7	400	56910.	1611	1.7	2.5	5.4	1.5	0.5	3.2	17	0.0
53594	0	0	0	0	DSb	43.9758	69.5104	17.1	748.8	410	56911.	1638	1.7	2.2	6.8	1.3	0.4	4.0	18	0.0
53595	0	0	0	0	DSb	43.9758	69.5098	17.1	748.8	425	56912.	1639	1.8	2.4	5.1	1.4	0.5	2.9	16	0.0
53596	0	0	0	0	DSb	43.9758	69.5093	17.1	748.8	443	56914.	1656	1.8	3.7	6.0	2.1	0.7	3.4	24	0.0
53597	0	0	0	0	DSb	43.9759	69.5088	17.1	748.9	456	56916.	1552	1.6	3.5	5.1	2.2	0.7	3.3	23	0.0
53598	0	0	0	0	DSb	43.9759	69.5083	17.1	748.9	461	56920.	1440	1.5	2.4	3.9	1.7	0.6	2.8	19	0.0
53599	0	0	0	0	DSb	43.9759	69.5078	17.1	748.9	457	56924.	1405	1.3	2.3	4.2	1.8	0.6	3.4	23	0.0
53600	0	0	0	0	DSb	43.9759	69.5072	17.1	748.9	452	56928.	1314	1.4	1.7	6.2	1.2	0.3	4.6	33	0.0
53601	0	0	1	0	DSb	43.9760	69.5067	17.1	748.9	448	56931.	1273	1.1	0.4	6.4	0.1	0.1	5.9	17	0.0
53602	0	0	0	0	DSb	43.9760	69.5062	17.1	749.0	445	56934.	1284	1.1	2.4	7.1	2.3	0.4	6.8	23	0.0
53603	0	0	0	0	Water	43.9760	69.5057	17.1	749.0	445	56934.	1212	1.1	1.8	6.4	1.8	0.3	6.3	24	0.0
53604	0	0	0	0	Water	43.9761	69.5052	17.1	748.9	455	56933.	1114	1.1	1.5	4.3	1.4	0.4	4.0	16	0.0
53605	0	0	0	0	Water	43.9761	69.5046	17.1	748.9	468	56933.	1143	1.2	1.2	6.7	1.0	0.2	5.8	17	0.0
53606	0	0	1	0	Water	43.9761	69.5041	17.1	748.9	471	56932.	922	1.1	1.1	5.1	0.1	0.1	4.7	18	0.0
53607	0	0	0	0	Water	43.9762	69.5036	17.1	748.8	466	56929.	1007	0.9	1.3	4.9	1.5	0.3	6.0	24	0.0
53608	0	0	0	0	Water	43.9762	69.5031	17.1	748.8	456	56925.	1049	0.8	1.9	3.4	2.5	0.6	4.5	20	0.0
53609	0	0	0	0	Water	43.9762	69.5026	17.1	748.7	447	56920.	1053	1.0	3.2	4.0	3.3	0.8	4.2	21	0.0
53610	0	0	0	0	Water	43.9762	69.5020	17.1	748.6	430	56917.	1159	0.9	1.6	3.0	1.9	0.6	3.5	25	0.0
53611	0	0	0	0	Water	43.9763	69.5015	17.1	748.6	409	56914.	1285	1.6	2.1	4.7	1.4	0.5	3.1	23	0.0
53612	0	0	0	0	DSb	43.9763	69.5010	17.1	748.6	397	56910.	1278	1.0	2.7	3.6	2.9	0.8	3.8	20	0.0
53613	0	0	0	0	DSb	43.9763	69.5005	17.1	748.5	396	56908.	1276	1.3	2.8	5.0	2.2	0.6	3.9	15	0.0
53614	0	0	0	0	DSb	43.9764	69.5000	17.1	748.5	409	56906.	1294	1.0	3.3	5.8	3.5	0.6	6.2	16	0.0
53615	0	0	0	0	DSb	43.9764	69.4995	17.1	748.4	430	56905.	1378	1.2	2.0	6.8	1.7	0.3	5.8	17	0.0
53616	0	0	0	0	DSb	43.9764	69.4989	17.1	748.4	456	56905.	1549	1.2	2.2	6.9	1.9	0.4	5.8	15	0.0
53617	0	0	0	0	DSb	43.9765	69.4984	17.1	748.3	482	56904.	1343	1.2	1.6	4.7	1.5	0.4	4.2	27	0.0
53619	0	0	0	0	Water	43.9765	69.4974	17.1	748.3	504	56904.	1460	1.6	1.6	8.6	1.0	0.2	5.5	19	0.0
53620	0	0	0	0	Water	43.9765	69.4968	17.1	748.3	518	56905.	1526	1.5	2.7	5.3	1.9	0.6	3.8	27	0.0
53621	0	0	1	0	Water	43.9765	69.4963	17.1	748.3	518	56904.	1306	1.5	0.9	5.0	0.1	0.1	3.3	20	0.0
53622	0	0	0	0	Water	43.9765	69.4958	17.1	748.3	515	56903.	1148	0.9	2.0	5.5	2.3	0.4	6.4	18	0.0
53623	0	0	1	0	Water	43.9765	69.4952	17.1	748.3	509	56903.	1320	1.0	0.8	5.7	0.1	0.1	6.1	17	0.0
53624	0	0	0	0	Water	43.9765	69.4947	17.1	747.7	524	56904.	1089	0.9	1.5	3.2	1.8	0.5	3.8	14	0.0
53625	0	0	0	0	DSb	43.9765	69.4942	17.1	747.6	534	56905.	1103	0.7	1.7	4.0	2.4	0.5	5.7	22	0.0
53626	0	0	0	0	DSb	43.9765	69.4936	17.1	747.6	539	56907.	1122	1.1	1.6	6.0	1.5	0.3	5.5	21	0.1
53627	0	0	1	0	DSb	43.9765	69.4931	17.1	747.6	535	56907.	1141	1.2	1.0	5.5	0.1	0.1	4.9	13	0.2

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
53628	0	0	0	0	DSb	43.9765	69.4926	17.1	747.5	526	56907.	1184	1.4	1.3	4.2	1.0	0.3	3.0	25	0.2
53629	0	0	1	0	DSb	43.9765	69.4921	17.1	747.5	514	56908.	1320	1.1	0.9	7.0	0.1	0.1	6.6	31	0.3
53630	0	0	0	0	DSb	43.9765	69.4915	17.2	747.5	502	56910.	1238	1.2	1.6	3.2	1.4	0.5	2.8	22	0.3
53631	0	0	0	0	DSb	43.9765	69.4910	17.2	747.5	489	56911.	1243	1.0	1.9	4.8	1.9	0.4	4.8	28	0.4
53632	0	0	0	0	DSb	43.9766	69.4905	17.2	747.5	478	56911.	1210	1.0	2.0	4.8	2.2	0.5	5.1	17	0.4
53633	0	0	0	0	DSb	43.9766	69.4899	17.2	747.4	473	56911.	1329	1.3	4.4	6.0	3.5	0.8	4.8	22	0.5
53634	0	0	0	0	DSb	43.9766	69.4894	17.2	747.4	473	56911.	1208	1.2	1.6	3.4	1.4	0.5	2.8	17	0.6
53635	0	0	0	0	Dg	43.9766	69.4889	17.2	747.4	473	56910.	1277	1.3	2.1	6.9	1.7	0.3	5.7	33	0.7
53636	0	0	1	0	Dg	43.9766	69.4883	17.2	747.4	472	56910.	1245	1.3	0.5	6.7	0.1	0.1	5.5	16	0.8
53637	0	0	0	0	Dg	43.9766	69.4878	17.2	747.4	474	56910.	1179	1.2	1.6	3.1	1.4	0.5	2.8	21	0.8
53638	0	0	0	0	Dg	43.9766	69.4873	17.2	747.4	477	56909.	1125	1.1	1.7	4.3	1.6	0.4	4.0	28	0.8
53639	0	0	0	0	Dg	43.9766	69.4867	17.2	747.4	477	56909.	1140	0.9	1.5	4.6	1.9	0.4	5.7	19	0.8
53640	0	0	0	0	Dg	43.9766	69.4862	17.2	747.4	475	56910.	1097	0.9	2.9	5.5	3.3	0.6	6.2	10	0.8
53641	0	0	0	0	Dg	43.9766	69.4857	17.2	747.4	470	56911.	1233	0.9	1.7	4.2	1.9	0.4	4.9	17	0.8
53642	0	0	0	0	Dg	43.9766	69.4851	17.2	747.4	468	56912.	1246	1.1	1.3	6.9	1.2	0.2	6.7	17	0.8
53643	0	0	1	0	Dg	43.9766	69.4846	17.2	747.4	463	56912.	1247	1.1	1.1	6.2	0.1	0.1	5.7	16	0.8
53644	0	0	0	0	Dg	43.9766	69.4841	17.2	747.4	457	56911.	1189	1.0	1.9	3.8	1.9	0.5	3.8	28	0.8
53645	0	0	0	0	Dg	43.9766	69.4836	17.2	747.5	448	56910.	1168	1.0	1.7	5.9	1.7	0.3	6.1	30	0.9
53646	0	0	1	0	Dg	43.9766	69.4830	17.2	747.5	440	56906.	1159	1.2	1.1	3.6	0.1	0.1	3.2	18	0.9
53647	0	0	0	0	Dg	43.9766	69.4825	17.2	747.5	431	56904.	1299	1.2	1.5	4.5	1.3	0.4	3.9	17	1.0
53648	0	0	0	0	Dg	43.9766	69.4820	17.2	747.5	422	56905.	1283	1.3	1.6	5.1	1.3	0.4	4.0	20	0.8
53649	0	0	0	0	Dg	43.9767	69.4814	17.2	747.6	421	56906.	1333	1.1	2.8	5.3	2.6	0.6	5.1	27	0.6
53650	0	0	0	0	Dg	43.9767	69.4809	17.2	747.6	423	56906.	1376	1.2	1.8	7.1	1.5	0.3	6.1	22	0.3
53651	0	0	0	0	Dg	43.9767	69.4804	17.2	747.7	429	56906.	1467	1.3	1.8	4.4	1.4	0.4	3.5	25	0.1
53652	0	0	0	0	Dg	43.9767	69.4798	17.2	747.7	428	56906.	1459	1.6	2.4	4.7	1.6	0.5	3.1	23	0.1
53653	0	0	0	0	Dg	43.9767	69.4793	17.2	747.7	425	56906.	1446	1.6	2.8	6.9	1.8	0.4	4.6	17	0.1
53654	0	0	0	0	Dg	43.9767	69.4788	17.2	747.8	421	56906.	1361	1.0	1.4	5.6	1.4	0.3	5.7	29	0.1
53655	0	0	0	0	Dg	43.9767	69.4782	17.2	747.8	420	56904.	1521	1.5	3.3	6.8	2.3	0.5	4.6	26	0.1
53656	0	0	0	0	Dg	43.9767	69.4777	17.2	747.9	417	56903.	1469	1.4	2.2	4.0	1.6	0.6	2.9	12	0.1
53657	0	0	0	0	Dg	43.9767	69.4772	17.2	747.9	413	56900.	1466	1.3	2.8	5.8	2.3	0.5	4.7	23	0.2
53658	0	0	0	0	Dg	43.9767	69.4766	17.2	748.0	405	56898.	1488	1.5	2.2	5.2	1.5	0.5	3.6	24	0.2
53659	0	0	0	0	Dg	43.9767	69.4761	17.2	748.1	395	56899.	1472	1.4	1.3	4.3	1.0	0.3	3.2	17	0.2
53660	0	0	0	0	Dg	43.9767	69.4756	17.2	748.1	386	56898.	1483	1.6	2.7	6.4	1.8	0.5	4.1	22	0.2
53661	0	0	0	0	Dg	43.9767	69.4751	17.2	748.2	379	56898.	1481	1.1	1.7	6.7	1.7	0.3	6.5	12	0.2
53662	0	0	0	0	Dg	43.9767	69.4745	17.2	748.2	376	56900.	1555	1.5	3.5	6.6	2.4	0.6	4.6	21	0.3
53663	0	0	0	0	Dg	43.9767	69.4740	17.2	748.4	375	56901.	1480	1.3	2.5	5.1	1.9	0.5	4.0	24	0.3
53664	0	0	0	0	Dg	43.9767	69.4734	17.2	748.4	376	56901.	1559	1.3	2.3	7.1	1.8	0.4	5.5	23	0.4
53665	0	0	0	0	Dg	43.9767	69.4729	17.2	748.5	381	56901.	1523	1.3	4.1	5.2	3.3	0.8	4.2	21	0.4
53666	0	0	0	0	Dg	43.9767	69.4724	17.2	748.6	387	56901.	1438	1.2	1.2	5.9	1.1	0.2	5.3	23	0.4
53667	0	0	0	0	Dg	43.9767	69.4719	17.2	748.7	395	56900.	1412	1.2	2.3	4.9	1.9	0.5	4.1	20	0.4
53668	0	0	0	0	Dg	43.9767	69.4713	17.2	748.8	401	56899.	1254	1.1	1.7	4.3	1.6	0.4	4.1	15	0.3
53669	0	0	0	0	Dg	43.9767	69.4708	17.2	748.8	401	56898.	1117	1.0	1.0	5.1	1.0	0.2	5.2	22	0.3
53670	0	0	1	0	Dg	43.9767	69.4703	17.2	748.8	393	56897.	1017	1.1	0.6	4.2	0.1	0.1	4.1	26	0.1
53671	0	0	0	0	Dg	43.9768	69.4697	17.2	748.9	381	56896.	1084	1.2	1.2	4.7	1.1	0.3	4.2	22	0.0
53672	0	0	1	0	Dg	43.9768	69.4692	17.2	748.9	369	56896.	1387	1.5	1.0	3.7	0.1	0.1	2.5	23	0.0
53673	0	0	0	0	Dg	43.9768	69.4687	17.2	748.9	362	56896.	1559	1.7	2.8	5.6	1.8	0.6	3.4	19	0.0
53674	0	0	0	0	Dg	43.9768	69.4681	17.2	749.0	356	56895.	1689	1.8	2.4	5.4	1.4	0.5	3.1	31	0.1
53675	0	0	0	0	Dg	43.9768	69.4676	17.2	749.0	357	56894.	1858	2.3	1.3	7.0	0.6	0.2	3.1	23	0.3
53676	0	0	0	0	Dg	43.9768	69.4671	17.2	749.0	356	56893.	1973	2.3	2.4	6.7	1.1	0.4	3.0	16	0.5
53677	0	0	0	0	Dg	43.9768	69.4665	17.2	749.0	357	56893.	1903	2.3	1.8	7.6	0.8	0.3	3.4	21	0.5

*** NOTE *** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
53678	0	0	0	0	Dg	43.9768	69.4660	17.2	749.0	355	56893.	1738	1.9	1.5	5.7	0.9	0.3	3.2	23	0.5
53679	0	0	0	0	Dg	43.9768	69.4655	17.2	749.0	355	56893.	1870	2.2	1.6	6.6	0.8	0.3	3.1	15	0.5
53680	0	0	0	0	Dg	43.9768	69.4650	17.2	749.6	365	56892.	1326	1.6	2.0	5.6	1.3	0.4	3.7	19	0.5
53681	0	0	0	0	Dg	43.9768	69.4644	17.2	749.6	380	56889.	1156	1.1	1.9	3.4	1.7	0.6	3.1	18	0.5
53682	0	0	0	0	Dg	43.9768	69.4639	17.2	749.7	402	56887.	985	0.8	1.7	2.4	2.2	0.8	3.0	17	0.5
53683	0	0	0	0	Dg	43.9768	69.4634	17.2	749.8	417	56887.	769	0.5	1.9	2.2	0.1	0.9	0.1	23	0.5
53684	0	0	0	0	Dg	43.9768	69.4628	17.2	749.8	421	56887.	711	0.6	1.2	3.0	2.4	0.5	5.9	15	0.3
53685	0	0	0	0	Dg	43.9768	69.4623	17.2	749.8	414	56886.	744	0.7	0.9	1.7	1.4	0.6	2.6	23	0.2
53686	0	0	0	0	Dg	43.9768	69.4618	17.2	749.7	404	56885.	914	0.8	1.9	3.1	2.5	0.6	4.1	16	0.0
53687	0	0	0	0	Dg	43.9768	69.4612	17.2	749.9	395	56885.	1058	0.7	2.3	4.6	3.6	0.6	7.2	29	0.0
53688	0	0	0	0	Dg	43.9768	69.4607	17.2	750.0	388	56885.	1035	0.6	1.3	5.8	2.1	0.3	9.9	30	0.0
53689	0	0	0	0	Dg	43.9768	69.4602	17.2	750.1	381	56884.	1161	0.8	2.0	5.0	2.6	0.5	6.5	9	0.0
53690	0	0	0	0	Dg	43.9769	69.4596	17.2	750.2	375	56883.	1221	1.0	2.2	4.5	2.4	0.5	4.8	29	0.0
53691	0	0	0	0	Dg	43.9769	69.4591	17.2	750.2	368	56882.	1248	1.1	3.2	4.4	3.1	0.8	4.4	19	0.0
53692	0	0	0	0	Dg	43.9769	69.4586	17.2	750.3	364	56881.	1216	1.0	2.0	5.0	2.2	0.5	5.3	25	0.0
53693	0	0	0	0	Dg	43.9769	69.4580	17.2	750.4	359	56879.	1261	1.0	3.0	4.5	3.1	0.7	4.6	19	0.0
53694	0	0	0	0	Dg	43.9769	69.4575	17.2	750.5	354	56878.	1373	1.3	2.5	3.7	2.0	0.7	3.0	16	0.0
53695	0	0	0	0	Dg	43.9769	69.4570	17.2	750.6	348	56877.	1375	1.3	4.2	5.2	3.4	0.9	4.1	15	0.0
53696	0	0	0	0	Dg	43.9769	69.4565	17.2	750.7	347	56878.	1477	1.3	2.0	4.9	1.6	0.4	3.9	19	0.0
53697	0	0	0	0	Dg	43.9769	69.4559	17.2	750.9	349	56878.	1467	1.3	3.5	5.5	2.7	0.7	4.3	18	0.0
53698	0	0	0	0	Dg	43.9769	69.4554	17.2	751.0	355	56879.	1430	1.5	2.3	4.6	1.5	0.5	3.1	22	0.0
53699	0	0	0	0	Dg	43.9769	69.4548	17.2	751.1	369	56879.	1506	1.8	2.7	7.2	1.5	0.4	4.1	11	0.0
53700	0	0	0	0	DSb	43.9769	69.4543	17.2	751.2	375	56879.	1526	1.5	1.4	5.6	1.0	0.3	4.0	23	0.0
53701	0	0	0	0	DSb	43.9769	69.4538	17.2	751.3	380	56880.	1345	1.1	2.3	6.1	2.0	0.4	5.5	20	0.0
53702	0	0	0	0	DSb	43.9769	69.4533	17.2	751.4	379	56880.	1313	1.2	1.6	3.3	1.4	0.5	2.9	17	0.0
53703	0	0	0	0	DSb	43.9769	69.4527	17.2	751.5	387	56879.	1294	1.1	2.2	3.8	2.1	0.6	3.7	22	0.0
53704	0	0	0	0	DSb	43.9769	69.4522	17.2	751.5	392	56879.	1314	1.0	1.6	5.0	1.6	0.4	5.0	22	0.0
53705	0	0	0	0	DSb	43.9769	69.4517	17.2	751.6	382	56881.	1287	1.0	2.2	3.7	2.3	0.6	3.8	17	0.0
53706	0	0	0	0	DSb	43.9769	69.4511	17.2	751.6	362	56883.	1342	1.3	2.0	3.8	1.6	0.6	3.1	17	0.0
53707	0	0	0	0	DSb	43.9769	69.4506	17.1	751.6	336	56885.	1353	1.1	3.4	5.0	3.2	0.7	4.8	16	0.0
53708	0	0	0	0	DSb	43.9769	69.4501	17.1	751.6	314	56886.	1372	0.9	2.6	4.5	2.8	0.6	4.9	23	0.0
53710	0	0	0	0	DSb	43.9770	69.4490	17.1	751.5	298	56887.	1536	1.4	3.5	3.9	2.7	0.9	3.0	14	0.0
53711	0	0	0	0	DSb	43.9770	69.4485	17.1	751.5	280	56886.	1528	1.5	3.4	4.1	2.3	0.9	2.8	19	0.0
53712	0	0	0	0	DSb	43.9770	69.4479	17.1	751.4	266	56887.	1637	1.9	3.5	4.6	1.9	0.8	2.5	20	0.0
53713	0	0	0	0	DSb	43.9770	69.4474	17.1	751.4	250	56887.	1705	1.8	2.9	3.5	1.6	0.9	2.0	20	0.0
53714	0	0	0	0	DSb	43.9770	69.4469	17.1	751.3	241	56885.	1651	1.4	3.0	4.7	2.3	0.7	3.5	28	0.0
53715	0	0	0	0	DSb	43.9770	69.4464	17.1	751.2	241	56883.	1567	1.4	3.5	4.1	2.6	0.9	3.0	10	0.0
53716	0	0	0	0	DSb	43.9770	69.4458	17.1	751.1	250	56880.	1571	1.7	3.5	3.1	2.1	1.2	1.9	20	0.0
53717	0	0	0	0	DSb	43.9770	69.4453	17.1	751.1	263	56878.	1601	1.6	2.8	3.4	1.9	0.9	2.2	16	0.0
53718	0	0	0	0	DSb	43.9770	69.4448	17.1	751.0	278	56878.	1534	1.5	3.0	2.9	2.0	1.1	1.9	19	0.0
53719	0	0	0	0	DSb	43.9770	69.4442	17.1	750.9	292	56878.	1387	1.3	3.5	3.5	2.8	1.0	2.8	31	0.0
53720	0	0	0	0	DSb	43.9770	69.4437	17.1	750.9	307	56879.	1451	1.3	4.6	2.1	3.8	2.3	1.7	29	0.0
53721	0	0	0	0	DSb	43.9770	69.4432	17.1	750.8	320	56880.	1423	1.0	2.4	4.9	2.4	0.5	4.9	22	0.0
53722	0	0	0	0	DSb	43.9770	69.4426	17.1	750.8	331	56881.	1425	1.4	2.9	5.1	2.2	0.6	3.9	19	0.0
53723	0	0	0	0	DSb	43.9770	69.4421	17.1	750.8	341	56881.	1497	1.5	4.1	2.8	2.8	1.5	1.9	21	0.0
53724	0	0	0	0	DSb	43.9770	69.4416	17.1	750.8	347	56881.	1597	1.4	3.5	3.8	2.7	1.0	2.9	25	0.0
53725	0	0	0	0	DSb	43.9770	69.4410	17.1	750.8	355	56880.	1608	1.8	3.2	5.2	1.8	0.7	2.9	20	0.0
53726	0	0	0	0	DSb	43.9770	69.4405	17.1	750.8	364	56881.	1556	1.6	3.2	5.7	2.1	0.6	3.7	16	0.0
53727	0	0	0	0	DSb	43.9771	69.4400	17.1	750.8	379	56881.	1455	1.5	2.5	4.6	1.8	0.6	3.3	17	0.0
53728	0	0	0	0	DSb	43.9771	69.4394	17.1	750.8	394	56883.	1426	1.1	3.0	3.0	2.9	1.0	2.9	24	0.0

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
53729	0	0	0	0	DSb	43.9771	69.4389	17.1	750.8	412	56885.	1224	1.4	3.6	2.6	2.6	1.4	1.9	30	0.0
53730	0	0	0	0	DSb	43.9771	69.4384	17.1	750.8	437	56887.	1202	1.1	2.1	2.2	2.0	1.0	2.1	22	0.0
53731	0	0	0	0	Water	43.9771	69.4379	17.1	750.8	466	56888.	1079	1.1	1.7	3.3	1.6	0.5	3.1	18	0.0
53732	0	0	0	1	Water	43.9771	69.4373	17.1	750.8	491	56889.	854	0.8	1.5	1.4	1.9	0.1	0.1	17	0.0
53733	0	0	1	0	Water	43.9770	69.4369	17.1	750.8	506	56890.	642	0.8	0.8	2.4	0.1	0.1	3.2	21	0.0
53734	0	0	0	0	Water	43.9770	69.4364	17.1	750.8	513	56891.	489	0.5	2.0	2.3	0.1	0.9	0.1	20	0.0
53735	0	0	1	1	Water	43.9770	69.4359	17.1	750.8	515	56893.	392	0.4	0.8	0.3	0.1	0.1	0.1	20	0.0
53736	0	0	1	1	Water	43.9770	69.4354	17.1	750.8	516	56895.	285	0.2	0.5	1.0	0.1	0.1	0.1	14	0.0
53737	0	1	1	1	Water	43.9770	69.4349	16.9	751.1	515	56900.	226	0.2	0.1	0.3	0.1	0.1	0.1	18	0.0
53738	0	1	1	1	Water	43.9770	69.4344	16.8	751.2	513	56906.	197	0.1	0.4	0.0	0.1	0.1	0.1	28	0.0
53739	0	1	1	1	Water	43.9769	69.4339	16.8	751.2	511	56911.	182	0.2	-0.3	-0.6	0.1	0.1	0.1	27	0.0
53740	0	0	1	1	Water	43.9769	69.4334	16.8	751.3	508	56917.	203	0.3	0.6	0.2	0.1	0.1	0.1	16	0.0
53741	0	0	1	1	Water	43.9769	69.4329	16.8	751.4	505	56922.	265	0.2	0.4	0.3	0.1	0.1	0.1	13	0.0
53742	0	0	0	1	Water	43.9769	69.4324	16.8	751.4	502	56924.	246	0.3	1.1	0.2	0.1	0.1	0.1	20	0.0
53743	0	0	1	1	Water	43.9769	69.4319	16.8	751.5	498	56925.	232	0.3	0.6	1.0	0.1	0.1	0.1	20	0.0
53744	0	1	0	1	Water	43.9769	69.4314	16.8	751.6	494	56924.	167	0.2	1.0	-0.9	0.1	0.1	0.1	21	0.0
53745	0	1	1	1	Water	43.9769	69.4309	16.8	751.6	490	56922.	144	0.1	0.5	-1.1	0.1	0.1	0.1	19	0.0
53746	0	1	0	1	Water	43.9769	69.4304	16.8	751.7	486	56918.	150	0.1	0.9	0.3	0.1	0.1	0.1	20	0.0
53747	0	1	1	1	Water	43.9768	69.4299	16.8	751.8	482	56913.	106	0.0	-0.3	-0.6	0.1	0.1	0.1	22	0.0
53748	0	0	0	1	Water	43.9768	69.4294	16.8	751.8	479	56909.	131	0.2	0.9	0.5	0.1	0.1	0.1	18	0.0
53749	0	1	1	1	Water	43.9768	69.4289	16.8	751.8	477	56908.	162	0.1	0.5	0.2	0.1	0.1	0.1	20	0.0
53750	0	1	0	1	Water	43.9768	69.4284	16.8	751.9	476	56910.	151	0.1	1.2	0.4	0.1	0.1	0.1	16	0.0
53751	0	1	0	1	Water	43.9768	69.4279	16.8	751.9	475	56911.	166	0.1	0.9	-0.4	0.1	0.1	0.1	15	0.0
53752	0	1	1	1	Water	43.9768	69.4274	16.8	752.0	474	56911.	160	0.0	0.3	1.1	0.1	0.1	0.1	13	0.0
53753	0	0	1	1	Water	43.9768	69.4269	16.8	752.0	472	56910.	209	0.3	0.7	0.3	0.1	0.1	0.1	27	0.0
53754	0	0	0	1	Water	43.9767	69.4264	16.8	752.1	471	56910.	302	0.2	1.0	0.0	0.1	0.1	0.1	19	0.0
53755	0	0	0	1	Water	43.9767	69.4259	16.8	752.1	471	56909.	389	0.3	1.3	0.1	0.1	0.1	0.1	18	0.0
53756	0	0	0	1	Water	43.9767	69.4254	16.8	752.1	471	56908.	617	0.6	1.4	1.3	2.7	0.1	0.1	17	0.0
53757	0	0	1	0	DSb	43.9767	69.4249	16.8	752.2	463	56907.	684	0.6	0.9	1.6	0.1	0.1	2.8	26	0.0
53758	0	0	1	0	DSb	43.9767	69.4244	16.8	752.2	447	56907.	909	1.0	0.8	1.7	0.1	0.1	1.8	23	0.0
53759	0	0	0	0	DSb	43.9767	69.4239	16.8	752.2	428	56906.	1061	1.5	1.7	4.0	1.2	0.5	2.8	17	0.0
53760	0	0	0	0	DSb	43.9767	69.4234	16.8	752.3	412	56905.	1105	1.1	1.8	6.4	1.7	0.3	6.0	27	0.0
53761	0	0	0	0	DSb	43.9766	69.4229	16.7	752.3	401	56905.	1071	0.9	1.0	3.6	1.2	0.3	4.3	22	0.0
53762	0	0	0	0	DSb	43.9766	69.4224	16.7	752.4	392	56903.	1160	1.3	3.1	3.3	2.5	1.0	2.6	16	0.0
53763	0	0	0	0	DSb	43.9766	69.4219	16.7	752.4	388	56901.	1133	1.2	3.2	4.0	2.9	0.8	3.6	16	0.0
53764	0	0	0	0	DSb	43.9766	69.4214	16.7	752.5	388	56901.	1110	1.0	2.1	2.9	2.1	0.8	3.0	17	0.0
53765	0	0	0	0	DSb	43.9766	69.4209	16.7	752.5	368	56900.	1074	1.1	1.1	2.2	1.1	0.6	2.0	14	0.0
53766	0	0	0	0	DSb	43.9766	69.4204	16.7	752.5	386	56900.	1082	1.0	2.2	3.3	2.4	0.7	3.5	13	0.0
53767	0	0	0	0	DSb	43.9766	69.4199	16.7	752.6	380	56899.	1062	0.8	2.5	3.5	3.3	0.8	4.6	16	0.0
53768	0	0	0	0	Dg	43.9766	69.4194	16.7	752.6	378	56899.	1060	0.8	2.7	3.0	3.3	0.9	3.8	24	0.0
53769	0	0	0	0	Dg	43.9766	69.4189	16.7	752.7	382	56898.	1135	1.1	2.0	3.1	1.9	0.7	3.0	27	0.0
53770	0	0	0	0	Dg	43.9766	69.4183	16.7	752.8	390	56897.	1150	1.3	2.3	3.1	1.8	0.8	2.4	14	0.0
53771	0	0	0	0	Dg	43.9766	69.4178	16.7	752.8	402	56896.	1163	1.1	2.5	1.4	2.2	1.8	1.3	26	0.0
53772	0	0	0	0	Dg	43.9766	69.4173	16.7	752.8	417	56896.	1025	1.0	2.5	1.9	2.5	1.3	1.9	23	0.0
53773	0	0	0	0	Dg	43.9766	69.4167	16.7	752.9	430	56895.	866	0.8	1.6	3.5	2.1	0.5	4.8	23	0.0
53774	0	0	0	0	Water	43.9766	69.4162	16.7	752.9	437	56894.	655	0.7	1.9	3.6	3.0	0.6	5.6	16	0.0
53775	0	0	0	1	Water	43.9766	69.4156	16.7	752.9	438	56892.	398	0.4	1.0	0.4	0.1	0.1	0.1	24	0.0
53776	0	0	1	1	Water	43.9766	69.4151	16.7	753.0	438	56892.	256	0.3	0.6	0.2	0.1	0.1	0.1	34	0.0
53777	0	1	0	1	Water	43.9766	69.4146	16.7	753.0	436	56892.	216	0.2	0.9	-0.2	0.1	0.1	0.1	18	0.0
53778	0	0	1	1	Water	43.9766	69.4140	16.7	753.1	433	56891.	238	0.2	0.7	-0.1	0.1	0.1	0.1	19	0.0

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI			
												CPS	%	PPM	PPM							CPS	CPS
53779	0	1	0	1	Water	43.9766	69.4135	16.7	753.1	430	56890.	352	0.2	2.0	0.2	0.1	0.1	0.1	18	0.0			
53780	0	0	0	0	Water	43.9766	69.4130	16.7	753.1	426	56888.	544	0.5	2.1	1.7	0.1	1.3	0.1	20	0.0			
53781	0	0	0	1	Water	43.9766	69.4124	16.7	753.1	426	56886.	761	0.8	1.8	0.2	2.3	0.1	0.1	16	0.0			
53782	0	0	0	1	Water	43.9766	69.4119	16.7	753.1	427	56885.	877	1.1	2.5	1.0	2.4	0.1	0.1	14	0.0			
53783	0	0	0	1	Water	43.9766	69.4114	16.7	753.1	431	56883.	651	0.9	1.4	1.0	1.6	0.1	0.1	26	0.0			
53784	0	0	0	1	Water	43.9766	69.4108	16.7	753.1	433	56881.	454	0.7	1.4	0.9	2.2	0.1	0.1	19	0.0			
53785	0	0	1	1	Water	43.9766	69.4103	16.7	753.1	436	56881.	276	0.3	0.6	0.4	0.1	0.1	0.1	19	0.0			
53786	0	1	1	1	Water	43.9766	69.4098	16.7	753.1	437	56881.	151	0.2	0.7	-0.3	0.1	0.1	0.1	23	0.0			
53787	0	1	1	1	Water	43.9767	69.4092	16.7	753.2	437	56881.	101	0.1	0.3	-0.1	0.1	0.1	0.1	12	0.0			
53788	0	1	1	0	Water	43.9767	69.4087	16.7	753.2	436	56882.	122	0.2	0.5	1.2	0.1	0.1	0.1	16	0.1			
53789	0	1	1	1	Water	43.9767	69.4082	16.7	753.2	434	56882.	95	0.1	0.6	-0.3	0.1	0.1	0.1	15	0.4			
53790	0	1	1	1	Water	43.9767	69.4076	16.7	753.2	432	56882.	71	0.1	0.0	-0.2	0.1	0.1	0.1	22	0.6			
53791	0	1	0	1	Water	43.9767	69.4071	16.7	753.2	431	56881.	88	0.1	0.9	-0.2	0.1	0.1	0.1	18	0.9			
53792	0	1	1	1	Water	43.9767	69.4065	16.7	753.2	430	56881.	97	0.1	0.4	-0.4	0.1	0.1	0.1	21	1.2			
53793	0	1	1	1	Water	43.9767	69.4060	16.3	753.3	429	56880.	96	0.1	0.6	0.1	0.1	0.1	0.1	30	1.5			
53794	0	1	0	1	Water	43.9767	69.4055	16.3	753.3	428	56880.	109	0.2	0.8	-0.6	0.1	0.1	0.1	14	1.5			
53795	0	1	1	1	Water	43.9767	69.4049	16.3	753.4	428	56879.	161	0.2	0.5	0.4	0.1	0.1	0.1	14	1.6			
53796	0	1	1	1	Water	43.9767	69.4044	16.3	753.4	427	56879.	220	0.1	0.8	0.5	0.1	0.1	0.1	33	1.5			
53797	0	0	1	1	Water	43.9767	69.4039	16.2	753.4	427	56879.	306	0.4	0.5	-0.1	0.1	0.1	0.1	17	1.5			
53798	0	0	1	0	Water	43.9767	69.4033	16.2	753.4	425	56879.	362	0.6	0.4	1.4	0.1	0.1	2.3	23	1.5			
53800	0	0	1	1	Water	43.9767	69.4023	16.2	753.4	424	56878.	236	0.3	0.8	0.3	0.1	0.1	0.1	23	1.5			
53801	0	0	0	1	Water	43.9767	69.4017	16.2	753.5	423	56879.	225	0.2	1.3	1.3	0.1	0.1	0.1	13	1.4			
53802	0	1	1	1	Water	43.9767	69.4012	16.2	753.5	421	56879.	118	0.1	-0.5	0.8	0.1	0.1	0.1	25	1.3			
53803	0	1	1	1	Water	43.9767	69.4007	16.2	753.5	420	56880.	99	0.1	0.4	-1.1	0.1	0.1	0.1	20	1.2			
53804	0	1	1	1	Water	43.9767	69.4001	16.2	753.6	418	56881.	96	0.0	0.3	-0.2	0.1	0.1	0.1	24	1.0			
53805	0	1	1	1	Water	43.9767	69.3996	16.2	753.6	415	56882.	117	0.1	-0.1	0.9	0.1	0.1	0.1	16	0.9			
53806	0	0	1	1	Water	43.9767	69.3990	16.2	753.6	412	56882.	193	0.3	0.0	0.1	0.1	0.1	0.1	23	0.8			
53807	0	0	1	1	Water	43.9767	69.3985	16.2	753.6	409	56882.	251	0.3	0.7	0.1	0.1	0.1	0.1	21	0.7			
53808	0	0	0	1	Water	43.9767	69.3980	16.2	753.6	405	56881.	377	0.5	1.1	0.9	0.1	0.1	0.1	27	0.7			
53809	0	0	1	0	Water	43.9767	69.3974	16.2	753.6	402	56880.	404	0.5	0.7	1.7	0.1	0.1	0.1	22	0.7			
53810	0	0	0	1	Water	43.9767	69.3969	16.2	753.7	400	56878.	414	0.5	1.8	-0.2	0.1	0.1	0.1	22	0.6			
53811	0	0	0	1	Water	43.9768	69.3964	16.2	753.7	401	56876.	334	0.5	0.9	0.7	0.1	0.1	0.1	19	0.6			
53812	0	0	0	1	Water	43.9768	69.3958	16.2	753.7	402	56877.	334	0.3	1.1	0.8	0.1	0.1	0.1	25	0.6			
53813	0	0	1	1	Water	43.9768	69.3953	16.2	753.7	404	56878.	307	0.2	0.1	1.1	0.1	0.1	0.1	22	0.6			
53814	0	0	1	0	Water	43.9768	69.3948	16.2	753.7	405	56879.	371	0.3	0.7	2.0	0.1	0.1	0.1	14	0.6			
53815	0	0	0	1	Water	43.9768	69.3942	16.2	753.7	405	56878.	490	0.5	1.4	0.2	0.1	0.1	0.1	10	0.6			
53816	0	0	1	1	Water	43.9768	69.3937	16.2	753.7	404	56878.	585	0.5	0.7	1.1	0.1	0.1	0.1	22	0.6			
53817	0	0	0	0	Dg	43.9768	69.3932	16.1	753.7	402	56877.	788	0.9	1.2	2.7	1.4	0.5	3.0	23	0.6			
53818	0	0	0	0	Dg	43.9768	69.3926	16.1	753.7	396	56877.	1109	1.2	2.2	2.4	1.9	0.9	2.1	26	0.6			
53819	0	0	0	0	Dg	43.9768	69.3921	16.1	753.7	382	56879.	1244	1.3	2.5	2.4	2.0	1.1	2.0	19	0.6			
53820	0	0	0	0	Dg	43.9768	69.3916	16.1	753.7	362	56879.	1353	1.3	2.3	5.0	1.8	0.5	3.9	22	0.7			
53821	0	0	0	0	Dg	43.9768	69.3911	16.1	753.7	341	56880.	1277	1.3	2.0	2.7	1.6	0.8	2.1	28	0.8			
53822	0	0	0	0	Dg	43.9768	69.3905	16.1	753.7	325	56882.	1288	1.1	4.2	4.6	4.1	0.9	4.5	9	1.0			
53823	0	0	0	0	Dg	43.9768	69.3900	16.1	753.7	314	56886.	1302	1.1	1.7	4.1	1.6	0.5	3.8	19	1.1			
53824	0	0	0	0	Dg	43.9767	69.3895	16.1	753.7	305	56889.	1345	1.1	2.5	2.0	2.5	1.3	2.0	21	1.3			
53825	0	0	0	0	Dg	43.9767	69.3890	16.1	753.7	302	56889.	1346	1.2	3.2	3.9	2.9	0.9	3.5	15	1.4			
53826	0	0	0	0	Dg	43.9767	69.3885	16.1	753.7	307	56888.	1463	1.3	2.7	4.7	2.1	0.6	3.7	14	1.6			
53827	0	0	0	0	Dg	43.9767	69.3879	16.1	753.7	320	56887.	1478	1.3	4.3	3.1	3.5	1.4	2.5	21	1.9			
53828	0	0	0	0	Dg	43.9767	69.3874	16.1	753.7	331	56885.	1406	1.2	3.0	4.9	2.6	0.6	4.2	22	2.1			
53829	0	0	0	0	Dg	43.9767	69.3869	16.1	753.7	341	56885.	1375	1.2	2.6	3.9	2.2	0.7	3.3	25	2.3			

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI			
												CPS	%	PPM	PPM							CPS	CPS
53830	0	0	0	0	Dg	43.9767	69.3863	16.1	753.8	348	56885.	1419	1.2	2.3	3.6	1.9	0.7	3.1	16	2.5			
53831	0	0	0	0	Dg	43.9767	69.3858	16.1	753.8	355	56887.	1320	1.2	1.5	4.6	1.3	0.4	3.9	21	2.7			
53832	0	0	1	0	Dg	43.9767	69.3853	16.1	753.8	354	56888.	1280	1.1	1.0	6.1	0.1	0.1	5.5	14	2.8			
53833	0	0	0	0	Dg	43.9767	69.3848	16.1	753.8	349	56888.	1299	1.4	1.5	5.0	1.1	0.3	3.6	23	2.9			
53834	0	0	0	0	Water	43.9767	69.3843	16.1	753.8	349	56888.	1330	1.2	2.5	2.7	2.1	1.0	2.3	15	3.0			
53835	0	0	0	1	Water	43.9767	69.3837	16.1	753.8	360	56887.	1302	1.3	2.6	1.1	2.1	0.1	0.1	11	3.1			
53836	0	0	0	0	Water	43.9767	69.3832	16.1	753.8	372	56887.	1050	1.0	1.2	3.2	1.3	0.4	3.5	26	3.2			
53837	0	0	0	1	Water	43.9767	69.3827	16.1	753.8	381	56887.	670	0.6	1.2	1.4	2.2	0.1	0.1	17	3.2			
53838	0	0	1	0	Water	43.9767	69.3822	16.1	753.8	384	56888.	425	0.4	0.2	2.6	0.1	0.1	0.1	24	3.2			
53839	0	0	1	1	Water	43.9767	69.3816	16.1	753.8	386	56888.	256	0.2	0.6	1.2	0.1	0.1	0.1	25	3.1			
53840	0	1	1	1	Water	43.9767	69.3811	16.0	753.8	386	56890.	176	0.1	0.4	-0.5	0.1	0.1	0.1	13	3.0			
53841	0	1	0	1	Water	43.9767	69.3806	16.0	753.8	385	56891.	134	0.1	0.8	0.6	0.1	0.1	0.1	19	3.0			
53842	0	1	1	1	Water	43.9767	69.3801	16.0	753.8	383	56892.	93	0.2	0.5	0.6	0.1	0.1	0.1	11	3.0			
53843	0	1	1	1	Water	43.9767	69.3796	16.0	753.8	381	56893.	89	0.0	-0.1	0.0	0.1	0.1	0.1	24	2.9			
53844	0	1	1	1	Water	43.9767	69.3790	16.0	753.8	379	56894.	90	0.1	0.0	0.7	0.1	0.1	0.1	20	2.9			
53845	0	1	1	1	Water	43.9766	69.3785	16.0	753.8	376	56895.	81	0.1	0.3	0.4	0.1	0.1	0.1	16	2.9			
53846	0	1	1	1	Water	43.9766	69.3780	16.0	753.8	373	56895.	62	0.1	0.2	0.0	0.1	0.1	0.1	23	2.8			
53847	0	1	1	1	Water	43.9766	69.3775	16.0	753.8	370	56896.	47	0.1	0.0	0.1	0.1	0.1	0.1	21	2.7			
53848	0	1	1	1	Water	43.9766	69.3769	16.1	753.8	369	56896.	73	0.1	0.5	-0.2	0.1	0.1	0.1	15	2.6			
53849	0	1	1	1	Water	43.9766	69.3764	16.1	753.8	368	56896.	77	0.1	-0.2	0.5	0.1	0.1	0.1	12	2.5			
53850	0	0	1	1	Water	43.9766	69.3759	15.8	753.9	364	56896.	86	0.2	0.0	0.0	0.1	0.1	0.1	14	2.4			
53851	0	1	1	1	Water	43.9766	69.3754	15.8	753.9	362	56899.	71	0.1	0.3	0.1	0.1	0.1	0.1	21	2.3			
53852	0	0	1	1	Water	43.9766	69.3748	15.8	753.9	359	56901.	57	0.2	0.5	0.1	0.1	0.1	0.1	27	2.2			
53853	0	1	1	1	Water	43.9766	69.3743	15.8	753.9	358	56902.	67	0.0	0.2	-0.5	0.1	0.1	0.1	22	2.0			
53854	0	1	1	1	Water	43.9766	69.3738	15.8	753.9	356	56902.	45	0.1	0.1	0.3	0.1	0.1	0.1	13	1.9			
53855	0	1	1	1	Water	43.9766	69.3733	15.8	753.9	355	56901.	61	0.1	0.4	-1.0	0.1	0.1	0.1	24	1.7			
53856	0	1	1	1	Water	43.9766	69.3728	15.7	753.9	355	56901.	82	0.1	0.4	0.4	0.1	0.1	0.1	26	1.5			
53857	0	1	1	1	Water	43.9766	69.3722	15.7	753.9	355	56901.	76	0.1	0.2	0.5	0.1	0.1	0.1	23	1.4			
53858	0	1	0	1	Water	43.9766	69.3717	15.7	753.9	355	56902.	137	0.2	0.8	-0.5	0.1	0.1	0.1	13	1.2			
53859	0	1	0	1	Water	43.9766	69.3712	15.7	753.9	354	56903.	201	0.2	1.4	-0.3	0.1	0.1	0.1	17	1.1			
53860	0	0	0	1	Water	43.9766	69.3707	15.7	753.9	353	56904.	301	0.2	0.9	-0.4	0.1	0.1	0.1	16	1.0			
53861	0	0	0	1	Water	43.9765	69.3701	15.7	753.8	352	56904.	594	0.4	3.2	0.7	0.1	0.1	0.1	16	1.0			
53862	0	0	0	0	Water	43.9765	69.3696	15.7	753.8	352	56904.	793	0.4	3.2	1.4	0.1	2.3	0.1	20	0.9			
53863	0	0	0	1	Water	43.9766	69.3691	15.7	753.8	353	56903.	860	0.6	2.9	0.3	5.2	0.1	0.1	20	1.0			
53864	0	0	0	1	Water	43.9766	69.3686	15.7	753.8	356	56903.	738	0.8	2.7	0.0	3.7	0.1	0.1	19	1.0			
53865	0	0	0	1	Water	43.9766	69.3681	15.7	753.8	360	56903.	639	0.6	2.5	0.6	5.0	0.1	0.1	19	1.1			
53866	0	0	0	1	Water	43.9766	69.3676	15.7	753.7	366	56903.	536	0.5	1.7	0.8	0.1	0.1	0.1	20	1.1			
53867	0	0	0	1	Water	43.9766	69.3671	15.7	753.7	372	56902.	618	0.6	1.9	0.1	3.4	0.1	0.1	25	1.1			
53868	0	0	0	0	Water	43.9766	69.3666	15.7	753.7	371	56902.	675	0.7	1.7	1.7	2.7	1.0	2.8	20	1.1			
53869	0	0	0	1	Dg	43.9766	69.3661	15.7	753.6	356	56901.	877	1.1	1.4	0.7	1.3	0.1	0.1	20	1.1			
53870	0	0	0	1	Dg	43.9767	69.3655	15.7	753.5	338	56902.	976	1.1	1.9	0.4	1.7	2.1	0.1	19	1.2			
53871	0	0	0	0	Dg	43.9767	69.3650	15.7	753.5	324	56902.	1164	1.3	2.3	2.5	1.8	1.0	1.9	20	1.2			
53872	0	0	0	0	Dg	43.9767	69.3645	15.7	753.5	320	56902.	1277	1.4	3.3	2.3	2.4	1.5	1.6	23	1.3			
53873	0	0	0	0	Dg	43.9767	69.3640	15.7	753.4	317	56902.	1263	1.5	1.5	2.0	1.1	0.8	1.4	27	1.4			
53874	0	0	0	0	Dg	43.9767	69.3635	15.7	753.3	314	56902.	1251	1.4	1.0	3.5	0.8	0.3	2.5	16	1.5			
53875	0	0	0	0	Dg	43.9767	69.3630	15.7	753.2	316	56902.	1247	1.3	2.4	3.7	1.9	0.7	2.9	22	1.6			
53876	0	0	0	0	Dg	43.9767	69.3625	15.7	753.1	319	56901.	1283	1.3	1.7	2.9	1.4	0.6	2.3	16	1.6			
53877	0	0	0	0	Dg	43.9767	69.3620	15.7	753.1	325	56900.	1372	1.7	3.2	2.5	2.0	1.3	1.6	21	1.8			
53878	0	0	0	0	Dg	43.9767	69.3615	15.7	753.0	333	56899.	1315	1.4	3.0	2.8	2.2	1.1	2.1	14	1.9			
53879	0	0	0	0	Dg	43.9768	69.3610	15.7	752.9	346	56898.	1223	1.2	1.8	2.0	1.6	0.9	1.7	22	2.0			

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
53880	0	0	0	0	Dg	43.9768	69.3605	15.7	752.8	362	56898.	1241	1.1	3.4	2.5	3.2	1.4	2.4	19	2.2
53881	0	0	0	0	Dg	43.9768	69.3599	15.7	752.7	377	56896.	1283	1.4	2.4	3.6	1.8	0.7	2.7	17	2.3
53882	0	0	0	1	Dg	43.9768	69.3594	15.7	752.6	392	56895.	1313	1.4	2.1	1.4	1.5	0.1	0.1	16	2.5
53883	0	0	0	0	Dg	43.9768	69.3589	15.7	752.5	409	56894.	1386	1.2	3.3	3.5	2.8	1.0	3.0	17	2.6
53884	0	0	0	0	Dg	43.9768	69.3584	15.7	752.3	428	56895.	1323	1.3	1.6	3.4	1.3	0.5	2.8	25	2.7
53885	0	0	0	0	Dg	43.9768	69.3579	15.7	752.3	443	56894.	1327	1.3	2.3	3.9	1.8	0.6	3.1	18	2.9
53886	0	0	0	0	Dg	43.9769	69.3574	15.7	752.2	457	56892.	1317	1.2	3.0	3.8	2.5	0.8	3.2	19	2.8
53887	0	0	0	0	Dg	43.9769	69.3569	15.7	752.1	466	56888.	1298	1.4	3.4	4.4	2.4	0.8	3.2	21	2.7
53888	0	0	0	0	Dg	43.9769	69.3564	15.7	752.0	476	56886.	1143	1.1	1.3	2.0	1.3	0.7	1.9	20	2.6
53889	0	0	0	0	Water	43.9769	69.3559	15.7	751.9	482	56884.	972	1.0	1.4	3.3	1.5	0.5	3.4	17	2.6
53891	0	0	0	0	Water	43.9769	69.3548	15.7	751.9	488	56882.	823	1.2	1.6	2.1	1.4	0.8	1.9	16	2.4
53892	0	0	1	1	Water	43.9769	69.3543	15.7	751.8	492	56881.	616	0.7	0.5	1.2	0.1	0.1	0.1	25	2.2
53893	0	0	0	1	Water	43.9769	69.3538	15.7	751.8	496	56879.	527	0.4	1.6	0.9	0.1	0.1	0.1	19	2.0
53894	0	0	0	1	Water	43.9770	69.3533	15.7	751.7	499	56877.	371	0.3	1.5	0.8	0.1	0.1	0.1	21	1.8
53895	0	1	1	1	Water	43.9770	69.3528	15.7	751.7	501	56876.	291	0.2	0.5	0.4	0.1	0.1	0.1	20	1.6
53896	0	1	1	1	Water	43.9770	69.3523	15.7	751.6	502	56876.	212	0.2	0.7	0.0	0.1	0.1	0.1	20	1.3
53897	0	1	1	1	Water	43.9770	69.3518	15.7	751.6	504	56876.	141	0.0	0.5	0.9	0.1	0.1	0.1	27	1.1
53898	0	1	1	1	Water	43.9770	69.3513	15.7	751.6	504	56876.	150	0.2	0.3	-0.6	0.1	0.1	0.1	17	0.8
53899	0	1	0	1	Water	43.9770	69.3508	15.6	751.6	505	56876.	123	0.1	0.9	0.7	0.1	0.1	0.1	22	0.6
53900	0	1	1	1	Water	43.9770	69.3503	15.6	751.6	505	56875.	82	0.0	0.4	-0.7	0.1	0.1	0.1	25	0.3
53901	0	1	0	1	Water	43.9771	69.3497	15.6	751.6	505	56874.	80	0.1	1.1	-0.5	0.1	0.1	0.1	25	0.0
53902	0	1	0	1	Water	43.9771	69.3492	15.6	751.6	506	56873.	143	0.2	1.9	-0.7	0.1	0.1	0.1	20	0.0
53903	0	1	1	1	Water	43.9771	69.3487	15.6	751.6	507	56872.	102	0.0	0.6	0.1	0.1	0.1	0.1	12	0.0
53904	0	1	0	1	Water	43.9771	69.3482	15.6	751.5	509	56871.	99	0.1	1.0	-1.5	0.1	0.1	0.1	24	0.0
53905	0	1	0	1	Water	43.9771	69.3477	15.6	751.6	510	56870.	85	0.2	1.0	-0.1	0.1	0.1	0.1	21	0.0
53906	0	1	1	1	Water	43.9771	69.3472	15.6	751.6	510	56870.	112	0.1	0.1	0.5	0.1	0.1	0.1	19	0.0
53907	0	1	0	1	Water	43.9771	69.3467	15.6	751.1	511	56868.	85	0.1	0.9	-0.2	0.1	0.1	0.1	14	0.0
53908	0	1	0	1	Water	43.9771	69.3462	15.6	751.0	513	56866.	173	0.1	1.3	0.8	0.1	0.1	0.1	9	0.0
53909	0	1	1	1	Water	43.9771	69.3457	15.6	750.9	516	56864.	213	0.2	0.5	0.2	0.1	0.1	0.1	16	0.0
53910	0	1	0	1	Water	43.9772	69.3451	15.6	750.9	519	56863.	174	-0.1	1.3	1.0	0.1	0.1	0.1	13	0.0
53911	0	1	0	1	Water	43.9772	69.3446	15.6	750.8	523	56863.	207	0.1	1.5	-0.1	0.1	0.1	0.1	21	0.0
53912	0	0	0	0	Water	43.9772	69.3441	15.6	750.7	527	56862.	339	0.4	1.4	2.1	0.1	0.7	0.1	24	0.0
53913	0	0	1	1	Water	43.9772	69.3436	15.6	750.6	517	56860.	515	0.6	0.1	0.4	0.1	0.1	0.1	20	0.0
53914	0	0	0	0	Water	43.9772	69.3431	15.6	750.6	502	56860.	616	0.6	1.3	2.8	2.2	0.5	4.7	12	0.0
53915	0	0	1	0	Dg	43.9772	69.3426	15.6	750.5	480	56861.	776	0.9	0.8	2.9	0.1	0.1	3.2	18	0.0
53916	0	0	0	0	Dg	43.9772	69.3421	15.6	750.4	469	56862.	932	0.9	1.6	2.4	1.9	0.7	2.8	16	0.0
53917	0	0	0	0	Dg	43.9773	69.3415	15.6	750.3	458	56864.	996	0.8	2.9	1.8	3.7	1.6	2.3	21	0.0
53918	0	0	0	0	Dg	43.9773	69.3410	15.6	750.2	453	56867.	1121	1.1	3.3	4.0	3.0	0.9	3.7	23	0.0
53919	0	0	0	0	Dg	43.9773	69.3404	15.6	750.2	447	56869.	1085	0.9	1.7	2.6	2.0	0.7	2.9	30	0.0
53920	0	0	0	0	Dg	43.9774	69.3399	15.5	750.1	442	56871.	1271	1.3	2.3	4.7	1.8	0.5	3.8	21	0.0
53921	0	0	0	0	Dg	43.9774	69.3394	15.5	750.0	430	56874.	1230	0.8	1.3	2.8	1.7	0.5	3.7	23	0.0
53922	0	0	0	0	Dg	43.9774	69.3389	15.5	750.0	425	56877.	1358	1.2	2.2	5.1	1.9	0.5	4.4	34	0.0
53923	0	0	0	0	Dg	43.9774	69.3383	15.5	749.9	422	56882.	1482	1.3	1.5	7.2	1.2	0.2	5.9	14	0.0
53924	0	0	0	0	Dg	43.9775	69.3378	15.5	749.8	425	56889.	1459	1.7	2.3	5.3	1.4	0.5	3.1	25	0.0
53925	0	0	0	0	Dg	43.9775	69.3372	15.5	749.8	422	56899.	1473	1.5	1.8	6.0	1.2	0.3	4.0	32	0.0
53926	0	0	0	0	Dg	43.9775	69.3367	15.5	749.7	419	56909.	1428	1.3	2.7	5.3	2.1	0.6	4.1	24	0.0
53927	0	0	0	0	Dg	43.9776	69.3362	15.5	749.7	416	56917.	1428	1.4	2.5	6.6	1.8	0.4	4.8	29	0.0
53928	0	0	0	0	Dg	43.9776	69.3356	15.5	749.6	418	56923.	1409	1.5	1.8	3.8	1.2	0.5	2.5	17	0.0
53929	0	0	0	0	Dg	43.9776	69.3351	15.5	749.6	422	56928.	1445	1.4	3.5	4.1	2.6	0.9	3.0	25	0.0
53930	0	0	0	0	Dg	43.9776	69.3346	15.5	749.6	424	56930.	1459	1.4	3.4	3.6	2.6	1.0	2.7	13	0.0

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

- M02 -
 MAINE AERIAL SURVEY BATH QUADRANGLE, CARSON GEOSCIENCE INC., 1980

LINE NO. 600

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
53931	0	0	0	0	Dg	43.9777	69.3340	15.5	749.6	426	56930.	1513	1.5	3.0	4.2	2.2	0.8	3.0	25	0.0
53932	0	0	0	0	Dg	43.9777	69.3335	15.5	749.5	429	56928.	1463	1.5	2.6	4.4	1.9	0.6	3.1	22	0.0
53933	0	0	0	0	Dg	43.9777	69.3330	15.5	749.5	437	56927.	1541	1.6	4.0	3.9	2.6	1.1	2.6	15	0.0
53934	0	0	0	0	Water	43.9777	69.3324	15.5	749.5	446	56926.	1342	1.5	2.1	3.5	1.4	0.6	2.4	30	0.0
53935	0	0	0	0	Water	43.9778	69.3319	15.5	749.4	462	56923.	1334	1.7	2.1	4.5	1.3	0.5	2.7	18	0.0
53936	0	0	0	0	Water	43.9778	69.3313	15.5	749.4	480	56918.	1310	1.2	2.2	3.2	1.9	0.7	2.7	21	0.0
53937	0	0	0	0	Water	43.9778	69.3308	15.5	749.4	503	56913.	1240	1.1	2.1	3.9	2.1	0.6	3.8	15	0.0
53938	0	0	0	0	Water	43.9779	69.3303	15.5	749.4	517	56908.	1192	1.1	3.6	5.6	3.5	0.7	5.4	22	0.0
53939	0	0	1	0	Water	43.9779	69.3297	15.5	749.4	523	56903.	1064	0.9	1.0	3.7	0.1	0.1	4.2	24	0.0
53940	0	0	0	0	Water	43.9779	69.3292	15.5	749.4	524	56900.	1015	1.1	2.0	3.6	1.9	0.6	3.5	23	0.0
53941	0	0	0	0	Water	43.9779	69.3287	15.5	749.4	535	56898.	1058	0.9	2.3	3.5	2.7	0.7	4.3	18	0.0
53942	0	0	0	0	Water	43.9780	69.3281	15.5	749.5	549	56897.	1045	1.1	1.5	3.7	1.5	0.5	3.5	20	0.0
53943	0	0	0	0	Water	43.9780	69.3276	15.5	749.5	562	56895.	1030	1.1	1.6	6.4	1.5	0.3	5.9	24	0.0
53944	0	0	0	0	Water	43.9780	69.3271	15.5	749.5	567	56893.	1002	0.9	2.5	4.7	2.8	0.6	5.4	21	0.0
53945	0	0	0	0	Water	43.9781	69.3265	15.5	749.6	570	56890.	982	1.2	1.5	3.4	1.3	0.5	3.0	17	0.0
53946	0	0	1	0	Opg	43.9781	69.3260	15.5	749.6	568	56887.	1008	0.9	1.1	2.5	0.1	0.1	2.9	20	0.0
53947	0	0	0	0	Opg	43.9781	69.3256	15.5	749.7	554	56884.	1108	1.3	2.3	2.8	1.8	0.9	2.2	21	0.0
53948	0	0	0	0	Opg	43.9781	69.3251	15.5	749.8	532	56883.	1115	1.0	1.2	2.4	1.3	0.6	2.5	27	0.0
53949	0	0	0	0	Opg	43.9781	69.3246	15.5	749.9	506	56885.	1241	1.1	3.0	4.1	2.7	0.8	3.8	15	0.0
53950	0	0	0	1	Opg	43.9781	69.3241	15.5	749.9	485	56889.	1149	1.2	2.4	1.3	2.0	0.1	0.1	17	0.0
53951	0	0	0	0	Opg	43.9781	69.3236	15.5	750.0	468	56895.	1145	1.2	3.2	3.1	2.8	1.1	2.7	21	0.0
53952	0	0	0	0	Opg	43.9781	69.3231	15.5	750.0	455	56904.	1077	0.8	2.8	3.2	3.8	0.9	4.3	26	0.0
53953	0	0	0	0	Opg	43.9782	69.3226	15.5	750.0	447	56917.	1156	1.0	2.9	3.8	3.1	0.8	4.1	19	0.0
53954	0	0	0	0	Opg	43.9782	69.3222	15.5	750.1	435	56931.	1066	1.1	1.5	3.4	1.4	0.5	3.1	9	0.0
53955	0	0	0	0	Opg	43.9782	69.3217	15.5	750.1	429	56943.	1110	1.1	1.8	3.8	1.7	0.5	3.5	20	0.0
53956	0	0	1	0	Opg	43.9782	69.3212	15.5	750.2	429	56952.	1137	1.0	0.8	2.0	0.1	0.1	2.1	29	0.0
53957	0	0	0	0	Opg	43.9782	69.3207	15.5	750.2	441	56954.	1222	1.0	2.1	5.6	2.2	0.4	5.7	14	0.0
53958	0	0	0	0	Opg	43.9782	69.3202	15.5	750.2	454	56951.	1314	1.1	2.2	5.1	2.0	0.5	4.6	18	0.0
53959	0	0	0	0	Opg	43.9782	69.3197	15.5	750.2	467	56944.	1216	1.0	3.5	4.2	3.5	0.9	4.2	25	0.0
53960	0	0	0	0	Opg	43.9783	69.3192	15.5	750.2	477	56935.	1181	0.9	4.4	1.8	5.5	2.4	2.3	22	0.0
53961	0	0	0	0	Water	43.9783	69.3187	15.5	750.2	482	56925.	1185	1.1	3.7	3.3	3.3	1.2	3.0	23	0.0
53962	0	0	0	0	Water	43.9783	69.3183	15.5	750.2	484	56921.	1027	0.4	2.5	3.0	0.1	0.9	0.1	19	0.0
53963	0	0	0	0	Water	43.9783	69.3178	15.5	750.8	496	56910.	1043	1.0	2.6	3.2	2.7	0.9	3.3	23	0.0
53964	0	0	1	0	Water	43.9783	69.3173	15.5	750.8	499	56904.	777	0.8	1.1	2.6	0.1	0.1	3.2	19	0.0
53965	0	0	0	0	Water	43.9783	69.3168	15.5	750.9	501	56900.	724	0.6	2.4	3.1	4.2	0.8	5.4	27	0.0
53966	0	0	0	1	Water	43.9783	69.3163	15.5	751.0	502	56897.	518	0.6	1.2	0.2	2.1	0.1	0.1	22	0.0
53967	0	0	0	1	Water	43.9784	69.3158	15.6	751.0	502	56895.	415	0.4	1.1	0.2	0.1	0.1	0.1	14	0.0
53968	0	0	1	1	Water	43.9784	69.3153	15.6	751.1	502	56894.	265	0.3	0.8	-0.2	0.1	0.1	0.1	27	0.0
53969	0	0	0	1	Water	43.9784	69.3149	15.6	751.2	501	56891.	223	0.2	1.5	0.8	0.1	0.1	0.1	27	0.0
53970	0	1	1	1	Water	43.9784	69.3144	15.6	751.2	499	56887.	187	0.2	-0.2	0.6	0.1	0.1	0.1	15	0.0
53971	0	0	1	0	Water	43.9784	69.3139	15.6	751.3	498	56885.	148	0.3	0.6	1.9	0.1	0.1	0.1	15	0.2
53972	0	1	1	1	Water	43.9784	69.3134	15.6	751.4	496	56883.	105	0.1	-0.2	0.3	0.1	0.1	0.1	21	0.2
53973	0	1	1	1	Water	43.9784	69.3129	15.6	751.5	495	56882.	120	0.2	0.2	1.0	0.1	0.1	0.1	15	0.4
53974	0	1	1	1	Water	43.9785	69.3124	15.6	751.6	492	56880.	86	0.1	0.1	-0.1	0.1	0.1	0.1	22	0.6
53975	0	0	1	1	Water	43.9785	69.3119	15.6	751.7	490	56878.	98	0.3	0.6	-0.1	0.1	0.1	0.1	26	0.7
53976	0	0	1	1	Water	43.9785	69.3115	15.6	751.8	487	56877.	149	0.3	0.4	0.0	0.1	0.1	0.1	18	0.7
53977	0	1	1	1	Water	43.9785	69.3110	15.6	751.9	485	56876.	161	0.2	-0.2	0.7	0.1	0.1	0.1	11	0.7
53978	0	0	1	1	Water	43.9785	69.3105	15.6	751.9	482	56876.	289	0.3	0.5	0.8	0.1	0.1	0.1	21	0.8
53979	0	0	1	1	Water	43.9785	69.3100	15.6	752.0	478	56875.	275	0.3	0.8	1.0	0.1	0.1	0.1	24	0.8
53980	0	0	0	0	Water	43.9785	69.3095	15.6	752.1	473	56875.	414	0.6	1.4	2.1	2.8	0.7	4.1	17	0.9

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	JF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
53982	0	0	0	1	Water	43.9786	69.3085	15.6	752.2	467	56874.	539	0.4	1.7	0.8	0.1	0.1	0.1	18	1.0
53983	0	0	0	0	Water	43.9786	69.3081	15.6	752.2	462	56872.	564	0.4	1.4	1.9	0.1	0.8	0.1	17	1.0
53984	0	0	0	1	Water	43.9786	69.3076	15.6	752.3	458	56871.	666	0.9	1.4	1.3	1.7	0.1	0.1	16	1.1
53985	0	0	1	0	Water	43.9786	69.3070	15.6	752.4	455	56870.	604	0.8	0.7	1.4	0.1	0.1	1.9	16	1.1
53986	0	0	0	0	Water	43.9786	69.3065	15.6	752.4	452	56869.	506	0.4	1.6	2.1	0.1	0.8	0.1	16	1.2
53987	0	0	0	0	Water	43.9786	69.3060	15.6	752.5	450	56870.	375	0.5	1.0	1.6	0.1	0.7	0.1	17	1.2
53988	0	0	1	1	Water	43.9786	69.3055	15.6	752.5	449	56870.	308	0.4	0.6	1.2	0.1	0.1	0.1	17	1.1
53989	0	0	0	0	Water	43.9786	69.3050	15.6	752.5	448	56872.	296	0.5	0.9	1.5	0.1	0.6	0.1	21	1.1
53990	0	0	1	1	Water	43.9786	69.3045	15.6	752.5	448	56876.	298	0.4	-0.3	0.7	0.1	0.1	0.1	25	1.0
53991	0	0	1	1	Water	43.9785	69.3040	15.6	752.6	448	56881.	372	0.4	0.2	1.1	0.1	0.1	0.1	23	1.0
53992	0	0	0	0	Water	43.9785	69.3035	15.6	752.6	444	56886.	530	0.7	2.1	2.1	3.3	1.0	3.4	12	0.9
53993	0	0	0	0	Op	43.9785	69.3029	15.6	752.6	424	56891.	749	0.7	1.5	3.2	2.4	0.5	5.0	25	0.9
53994	0	0	0	0	Op	43.9785	69.3024	15.6	752.7	394	56893.	918	0.9	2.8	2.1	3.2	1.4	2.4	18	0.9
53995	0	0	0	0	Op	43.9785	69.3019	15.6	752.7	358	56892.	1023	1.0	1.5	4.7	1.6	0.4	5.1	24	0.9
53996	0	0	0	0	Op	43.9785	69.3014	15.6	752.8	332	56889.	1081	1.4	2.2	2.5	1.7	0.9	1.9	26	0.9
53997	0	0	0	1	Op	43.9785	69.3009	15.6	752.8	313	56885.	1063	1.3	1.2	0.8	0.9	0.1	0.1	21	0.9
53998	0	0	0	0	Op	43.9785	69.3004	15.6	752.8	306	56881.	1094	1.2	1.1	3.8	0.9	0.3	3.3	22	0.9
53999	0	0	0	0	Op	43.9785	69.2999	15.6	752.7	309	56877.	1134	1.0	2.5	2.9	2.5	0.9	3.0	25	0.9
54000	0	0	0	0	Op	43.9785	69.2994	15.6	752.7	316	56871.	1168	1.2	2.9	1.7	2.6	1.8	1.5	17	1.0
54001	0	0	0	0	Op	43.9785	69.2989	15.6	752.7	322	56865.	1140	0.8	2.7	5.8	3.7	0.5	7.9	24	1.1
54002	0	0	0	0	Op	43.9785	69.2983	15.6	752.7	323	56864.	1039	0.8	1.4	2.3	1.8	0.6	3.1	22	1.2
54003	0	0	1	0	Op	43.9785	69.2978	15.6	752.6	320	56865.	858	0.7	0.7	4.9	0.1	0.1	7.3	11	1.2
54004	0	0	0	0	Op	43.9785	69.2973	15.6	752.6	319	56867.	805	0.8	1.1	5.1	1.5	0.3	6.9	18	1.2
54005	0	0	1	0	Op	43.9785	69.2968	15.6	752.6	324	56869.	676	0.4	0.6	3.3	0.1	0.1	0.1	19	1.2
54006	0	0	0	0	Op	43.9785	69.2963	15.6	752.5	327	56870.	689	0.3	1.4	3.3	0.1	0.5	0.1	15	1.2
54007	0	0	0	0	Op	43.9784	69.2958	15.6	752.5	330	56870.	659	0.5	1.8	2.7	0.1	0.7	0.1	19	1.2
54008	0	0	0	0	Op	43.9784	69.2953	15.6	752.4	332	56873.	729	0.6	1.7	2.1	2.9	0.9	3.5	19	1.2
54009	0	0	1	0	Op	43.9784	69.2947	15.6	752.4	337	56876.	824	0.6	0.4	2.7	0.1	0.1	4.7	21	1.2
54010	0	0	0	0	Op	43.9784	69.2942	15.6	752.4	340	56877.	948	0.8	2.4	4.3	3.3	0.6	5.9	19	1.3
54011	0	0	0	0	Op	43.9784	69.2937	15.6	752.3	341	56878.	997	1.0	1.2	3.6	1.2	0.4	3.7	18	1.3
54012	0	0	0	0	Op	43.9784	69.2932	15.6	752.3	342	56879.	1017	0.7	2.3	3.1	3.5	0.8	4.7	29	1.4
54013	0	0	0	0	Op	43.9784	69.2927	15.6	752.3	341	56880.	1111	0.8	2.5	4.7	3.3	0.6	6.2	25	1.5
54014	0	0	0	0	Op	43.9784	69.2922	15.6	752.3	341	56882.	1062	0.9	1.6	4.8	1.9	0.4	5.7	15	1.5
54015	0	0	0	0	Op	43.9784	69.2917	15.6	752.3	344	56881.	1050	0.9	2.3	3.4	2.8	0.7	4.1	20	1.6
54016	0	0	0	0	Op	43.9784	69.2911	15.6	752.3	348	56875.	1074	0.9	1.4	4.6	1.7	0.3	5.6	25	1.7
54017	0	0	0	0	Op	43.9784	69.2906	15.6	752.3	353	56865.	1057	1.0	2.6	3.0	2.7	0.9	3.1	13	1.8
54018	0	0	0	0	Op	43.9784	69.2901	15.6	752.3	354	56853.	1095	1.0	2.4	4.0	2.4	0.7	3.9	23	2.0
54019	0	0	0	0	Op	43.9784	69.2896	15.6	752.3	355	56847.	1077	0.7	1.0	3.0	1.4	0.3	4.7	17	2.1
54020	0	0	0	0	Op	43.9783	69.2891	15.7	751.9	359	56836.	967	0.9	2.8	2.7	3.2	1.1	3.1	10	2.2
54021	0	0	0	0	Op	43.9783	69.2886	15.7	751.9	365	56829.	1043	0.9	1.9	3.5	2.2	0.6	3.9	20	2.4
54022	0	0	0	0	Op	43.9783	69.2881	15.7	751.9	380	56826.	965	1.0	1.6	2.5	1.7	0.7	2.7	20	2.5
54023	0	0	0	0	Water	43.9783	69.2876	15.7	751.8	400	56829.	984	0.9	1.9	4.2	2.3	0.5	5.1	13	2.6
54024	0	0	0	0	Water	43.9783	69.2870	15.7	751.8	419	56836.	1015	1.0	1.8	3.0	1.8	0.6	3.0	22	2.7
54025	0	0	0	0	Water	43.9783	69.2865	15.7	751.8	428	56844.	997	0.9	1.6	3.0	1.8	0.6	3.3	22	2.9
54026	0	0	1	0	Water	43.9783	69.2860	15.6	751.7	430	56851.	1010	0.8	0.9	3.5	0.1	0.1	4.7	23	2.9
54027	0	0	0	0	Water	43.9783	69.2855	15.6	751.7	428	56855.	1040	0.7	2.4	2.5	3.6	1.0	3.8	18	3.0
54028	0	0	0	0	Water	43.9783	69.2850	15.6	751.7	431	56858.	1027	1.2	1.5	4.4	1.3	0.4	3.7	18	3.1
54029	0	0	0	0	Water	43.9783	69.2845	15.6	751.7	437	56858.	1099	1.0	1.7	3.5	1.8	0.5	3.6	23	3.3
54030	0	0	0	0	Water	43.9783	69.2840	15.6	751.7	447	56858.	1099	0.9	1.2	6.0	1.4	0.3	6.9	16	3.4
54031	0	0	1	0	Water	43.9783	69.2835	15.6	751.7	455	56857.	1110	1.0	1.1	4.6	0.1	0.1	4.9	18	3.4

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
54032	0	0	0	0	Water	43.9783	69.2829	15.6	751.7	462	56856.	1091	1.0	2.7	4.4	2.9	0.7	4.6	26	3.5
54033	0	0	0	0	Water	43.9783	69.2824	15.6	751.7	470	56856.	997	0.8	1.6	2.6	2.0	0.7	3.3	22	3.6
54034	0	0	1	0	Water	43.9783	69.2819	15.6	751.7	478	56856.	854	0.8	1.2	4.0	0.1	0.1	5.5	16	3.8
54035	0	0	1	0	Water	43.9782	69.2814	15.6	751.8	486	56858.	765	0.8	1.0	2.2	0.1	0.1	2.9	20	3.9
54036	0	0	1	0	Water	43.9782	69.2809	15.6	751.8	490	56860.	468	0.6	0.3	2.4	0.1	0.1	4.5	20	3.9
54037	0	0	1	1	Water	43.9782	69.2804	15.6	751.8	492	56860.	341	0.3	0.3	1.0	0.1	0.1	0.1	31	4.0
54038	0	1	0	0	Water	43.9781	69.2799	15.6	751.9	491	56860.	279	0.2	1.6	2.4	0.1	0.7	0.1	23	4.1
54039	0	1	0	1	Water	43.9781	69.2795	15.6	751.9	490	56858.	182	-0.1	1.1	0.3	0.1	0.1	0.1	12	4.2
54040	0	1	1	1	Water	43.9781	69.2790	15.6	752.0	488	56857.	118	0.1	0.5	0.1	0.1	0.1	0.1	19	4.3
54041	0	1	1	1	Water	43.9780	69.2785	15.6	752.0	485	56855.	82	0.1	0.3	-0.2	0.1	0.1	0.1	28	4.4
54042	0	1	1	1	Water	43.9780	69.2780	15.6	752.1	481	56855.	122	0.2	-0.3	-0.2	0.1	0.1	0.1	20	4.5
54043	0	1	1	1	Water	43.9779	69.2775	15.6	752.2	477	56853.	99	0.0	-0.2	-0.2	0.1	0.1	0.1	22	4.5
54044	0	0	1	1	Water	43.9779	69.2770	15.6	752.2	474	56848.	99	0.2	-0.3	0.2	0.1	0.1	0.1	20	4.5
54045	0	1	1	1	Water	43.9779	69.2765	15.6	752.3	471	56844.	97	0.1	-0.5	0.1	0.1	0.1	0.1	18	4.6
54046	0	1	1	1	Water	43.9778	69.2760	15.6	752.3	469	56841.	87	0.0	-0.8	-0.1	0.1	0.1	0.1	27	4.6
54047	0	0	1	1	Water	43.9778	69.2755	15.6	752.4	467	56837.	118	0.2	1.0	0.5	0.1	0.1	0.1	18	4.7
54048	0	1	1	1	Water	43.9778	69.2750	15.6	752.5	465	56836.	121	0.2	-0.5	0.6	0.1	0.1	0.1	20	4.8
54049	0	1	1	1	Water	43.9777	69.2746	15.6	752.5	463	56835.	130	0.2	-0.3	0.0	0.1	0.1	0.1	23	4.8
54050	0	1	1	1	Water	43.9777	69.2741	15.6	752.6	460	56832.	118	0.0	0.3	0.8	0.1	0.1	0.1	16	4.9
54051	0	1	1	1	Water	43.9777	69.2736	15.6	752.7	458	56830.	172	0.2	-0.2	0.8	0.1	0.1	0.1	13	4.9
54052	0	1	1	1	Water	43.9776	69.2731	15.6	752.8	455	56827.	184	0.2	-0.2	0.9	0.1	0.1	0.1	24	5.0
54053	0	1	1	0	Water	43.9776	69.2726	15.6	752.8	453	56826.	203	0.1	-0.2	1.4	0.1	0.1	0.1	24	5.0
54054	0	1	1	1	Water	43.9776	69.2721	15.6	752.9	450	56825.	219	0.1	0.6	1.0	0.1	0.1	0.1	21	5.1
54055	0	1	1	1	Water	43.9775	69.2716	15.6	752.9	448	56822.	224	0.1	-0.4	0.6	0.1	0.1	0.1	18	5.1
54056	0	0	0	1	Water	43.9775	69.2711	15.6	753.0	446	56819.	236	0.2	1.2	0.9	0.1	0.1	0.1	19	5.2
54057	0	1	1	1	Water	43.9775	69.2706	15.6	753.1	444	56818.	199	0.2	-0.3	1.1	0.1	0.1	0.1	12	5.2
54058	0	1	1	1	Water	43.9774	69.2701	15.6	753.1	441	56817.	112	0.2	-0.8	0.6	0.1	0.1	0.1	20	5.3
54059	0	1	1	1	Water	43.9774	69.2696	15.6	753.2	438	56816.	121	0.1	-0.2	-0.1	0.1	0.1	0.1	17	5.3
54060	0	1	1	1	Water	43.9774	69.2691	15.6	753.2	435	56817.	113	0.2	0.0	1.2	0.1	0.1	0.1	17	5.3
54061	0	1	1	1	Water	43.9773	69.2687	15.6	753.2	431	56818.	113	0.1	0.3	-0.4	0.1	0.1	0.1	19	5.3
54062	0	1	1	0	Water	43.9773	69.2682	15.6	753.3	428	56820.	102	0.0	-0.5	1.4	0.1	0.1	0.1	14	5.3
54063	0	0	1	1	Water	43.9773	69.2677	15.6	753.3	426	56821.	128	0.2	-0.7	0.8	0.1	0.1	0.1	24	5.2
54064	0	1	1	1	Water	43.9772	69.2672	15.6	753.4	424	56822.	89	0.1	0.2	0.3	0.1	0.1	0.1	13	5.1
54065	0	1	1	1	Water	43.9772	69.2667	15.6	753.4	423	56822.	81	0.2	-0.2	0.2	0.1	0.1	0.1	23	5.1
54066	0	1	1	1	Water	43.9772	69.2662	15.6	753.4	422	56820.	117	0.2	-0.1	0.3	0.1	0.1	0.1	18	5.0
54067	0	0	1	1	Water	43.9771	69.2657	15.6	753.4	421	56818.	80	0.2	0.0	-0.5	0.1	0.1	0.1	20	4.9
54068	0	0	1	1	Water	43.9771	69.2652	15.6	753.4	421	56816.	103	0.2	-0.4	0.4	0.1	0.1	0.1	16	4.8
54069	0	1	1	0	Water	43.9771	69.2647	15.6	753.4	420	56814.	71	0.1	0.0	1.7	0.1	0.1	0.1	14	4.8
54070	0	1	1	1	Water	43.9770	69.2642	15.6	753.4	420	56812.	102	0.1	-0.3	0.3	0.1	0.1	0.1	15	4.7
54071	0	0	1	1	Water	43.9770	69.2637	15.6	753.4	420	56812.	104	0.3	-0.9	0.8	0.1	0.1	0.1	21	4.6
54073	0	1	1	1	Water	43.9769	69.2628	15.6	753.4	420	56813.	49	0.1	-0.6	0.9	0.1	0.1	0.1	15	4.5
54074	0	1	1	1	Water	43.9769	69.2623	15.6	753.4	420	56815.	40	0.0	-0.4	-0.3	0.1	0.1	0.1	19	4.3
54075	0	1	1	1	Water	43.9769	69.2618	15.6	753.4	420	56819.	52	0.1	0.3	-0.1	0.1	0.1	0.1	22	4.2
54076	0	1	1	1	Water	43.9768	69.2613	15.6	753.4	420	56821.	100	0.2	-0.5	0.5	0.1	0.1	0.1	15	4.2
54077	0	0	1	1	Water	43.9768	69.2608	15.7	753.4	418	56828.	59	0.2	0.3	-0.1	0.1	0.1	0.1	22	4.1
54078	0	1	1	1	Water	43.9768	69.2603	15.7	753.4	417	56832.	25	0.1	-0.4	-0.2	0.1	0.1	0.1	29	4.0
54079	0	1	1	1	Water	43.9767	69.2598	15.7	753.3	416	56835.	77	0.1	0.2	-0.1	0.1	0.1	0.1	23	3.9
54080	0	1	1	1	Water	43.9767	69.2593	15.7	753.2	417	56836.	44	0.1	-0.5	-0.1	0.1	0.1	0.1	18	3.7
54081	0	1	1	1	Water	43.9767	69.2588	15.7	753.1	419	56836.	85	0.0	-0.1	-0.3	0.1	0.1	0.1	28	3.7
54082	0	1	1	1	Water	43.9766	69.2583	15.8	753.1	423	56835.	133	0.1	0.3	-0.2	0.1	0.1	0.1	26	3.6

*** NOTE *** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI	
												CPS	%	PPM	PPM					CPS	CPS
54083	0	0	1	1	Water	43.9766	69.2579	15.8	753.0	427	56834.	240	0.3	0.7	0.5	0.1	0.1	0.1	17	3.6	
54084	0	0	1	1	Water	43.9765	69.2574	15.8	752.9	428	56833.	434	0.3	-0.3	1.1	0.1	0.1	0.1	11	3.5	
54085	0	0	0	0	Water	43.9765	69.2569	15.8	752.8	420	56831.	591	0.5	1.2	2.3	0.1	0.6	0.1	21	3.4	
54086	0	0	1	1	Dg	43.9765	69.2564	15.8	752.7	410	56830.	793	0.7	0.3	1.2	0.1	0.1	0.1	23	3.3	
54087	0	0	1	0	Dg	43.9765	69.2558	15.8	752.6	398	56828.	908	0.7	0.6	4.4	0.1	0.1	6.4	18	3.3	
54088	0	0	0	0	Dg	43.9765	69.2553	15.8	752.5	393	56828.	1008	1.0	1.4	3.6	1.4	0.4	3.7	19	3.2	
54089	0	0	0	0	Dg	43.9765	69.2548	15.8	752.5	393	56828.	1122	1.1	2.4	4.0	2.2	0.6	3.7	9	3.2	
54090	0	0	0	0	Dg	43.9765	69.2543	15.8	752.4	396	56828.	1147	0.9	1.2	3.9	1.3	0.3	4.4	24	3.2	
54091	0	0	0	0	Dg	43.9764	69.2538	15.8	752.4	396	56827.	1150	0.8	2.0	5.5	2.6	0.4	7.1	26	3.2	
54092	0	0	0	0	Dg	43.9764	69.2533	15.8	752.3	393	56824.	1248	1.0	2.1	4.9	2.3	0.5	5.2	25	3.1	
54093	0	0	0	0	Dg	43.9764	69.2527	15.8	752.2	387	56820.	1225	1.1	1.5	4.3	1.4	0.4	3.9	17	3.1	
54094	0	0	0	0	Dg	43.9764	69.2522	15.8	752.2	380	56815.	1338	1.1	1.2	5.0	1.1	0.3	4.7	19	3.1	
54095	0	0	0	0	Dg	43.9764	69.2517	15.8	752.1	374	56809.	1304	1.4	1.7	4.1	1.2	0.5	2.9	13	3.1	
54096	0	0	0	0	Dg	43.9764	69.2512	15.8	752.1	371	56802.	1294	1.4	1.6	3.9	1.2	0.5	2.9	16	3.1	
54097	0	0	0	0	Dg	43.9764	69.2507	15.8	752.0	371	56793.	1218	1.2	1.8	3.8	1.6	0.5	3.3	13	3.2	
54098	0	0	0	0	Dg	43.9764	69.2502	15.8	752.0	374	56786.	1102	0.9	2.2	3.4	2.5	0.7	3.9	12	3.2	
54099	0	0	0	0	Dg	43.9763	69.2496	15.8	751.9	378	56781.	1172	1.2	1.8	6.0	1.6	0.3	5.2	23	3.3	
54100	0	0	1	0	Dg	43.9763	69.2491	15.9	751.9	387	56779.	1079	1.0	0.9	4.3	0.1	0.1	4.3	25	3.3	
54101	0	0	0	0	Dg	43.9763	69.2486	15.9	751.8	398	56779.	1129	1.2	1.2	3.0	1.0	0.4	2.7	15	3.3	
54102	0	0	0	0	Dg	43.9763	69.2481	15.9	751.7	409	56778.	1154	1.1	1.9	4.9	1.9	0.4	4.7	19	3.3	
54103	0	0	0	0	Dg	43.9763	69.2476	15.9	751.7	416	56777.	1029	0.6	2.0	3.2	3.4	0.7	5.4	23	3.3	
54104	0	0	0	0	Dg	43.9763	69.2471	15.9	751.6	421	56776.	1106	1.1	1.6	3.2	1.6	0.6	3.0	18	3.2	
54105	0	0	0	0	Dg	43.9763	69.2466	15.9	751.6	426	56777.	1152	1.1	1.3	6.3	1.3	0.3	6.2	29	3.2	
54106	0	0	1	0	Dg	43.9763	69.2460	15.9	751.5	433	56781.	1110	1.2	0.1	5.0	0.1	0.1	4.5	18	3.2	
54107	0	0	1	0	Dg	43.9762	69.2455	15.9	751.4	439	56788.	1122	1.4	0.3	7.2	0.1	0.1	5.1	17	3.2	
54108	0	0	0	0	Dg	43.9762	69.2450	15.9	751.3	446	56799.	1146	1.0	1.9	5.2	1.9	0.4	5.2	26	3.1	
54109	0	0	1	0	Dg	43.9762	69.2445	15.9	751.2	450	56812.	1050	0.6	1.1	3.9	0.1	0.1	6.7	15	3.1	
54110	0	0	0	0	Dg	43.9762	69.2440	15.9	751.2	455	56827.	1117	0.8	1.4	5.4	1.9	0.3	7.1	28	3.1	
54111	0	0	0	0	Dg	43.9762	69.2434	15.9	751.1	458	56842.	1072	1.0	2.1	4.7	2.2	0.5	4.8	28	3.1	
54112	0	0	1	0	Dg	43.9762	69.2429	15.9	751.0	460	56858.	1093	0.9	0.9	4.3	0.1	0.1	5.2	21	3.1	
54113	0	0	0	0	Dg	43.9762	69.2424	15.9	750.9	460	56872.	1154	1.0	1.9	2.8	1.9	0.7	2.8	28	3.1	
54114	0	0	1	0	Dg	43.9762	69.2419	15.9	750.9	464	56881.	1119	1.1	0.8	4.5	0.1	0.1	4.4	22	3.1	
54115	0	0	0	0	Dg	43.9762	69.2414	15.9	750.8	468	56887.	1143	1.0	1.4	4.0	1.5	0.4	4.2	27	3.1	
54116	0	0	0	0	Dg	43.9761	69.2409	15.9	750.7	474	56892.	1084	1.1	2.2	3.2	2.2	0.7	3.1	27	3.1	
54117	0	0	0	0	Dg	43.9761	69.2404	15.9	750.6	478	56898.	1043	1.0	1.8	4.8	1.8	0.4	4.9	26	3.1	
54118	0	0	0	0	Dg	43.9761	69.2399	15.9	750.6	487	56906.	1153	0.8	1.4	3.5	1.8	0.4	4.5	20	3.2	
54119	0	0	0	0	Dg	43.9761	69.2394	15.9	750.5	498	56920.	1127	1.3	1.4	3.9	1.2	0.4	3.2	22	3.1	
54120	0	0	1	0	Dg	43.9761	69.2389	15.9	750.5	509	56937.	1175	1.0	0.5	3.3	0.1	0.1	3.3	16	3.1	
54121	0	0	1	0	Dg	43.9761	69.2384	15.9	750.5	517	56950.	1172	1.0	1.0	6.8	0.1	0.1	7.3	18	3.1	
54122	0	0	1	0	Dg	43.9761	69.2379	15.9	750.5	519	56958.	1106	1.1	0.8	5.2	0.1	0.1	4.8	20	3.1	
54123	0	0	1	0	Dg	43.9761	69.2374	15.9	750.4	517	56961.	1122	0.9	1.1	4.5	0.1	0.1	5.1	17	3.1	
54124	0	0	1	0	Dg	43.9761	69.2369	15.9	750.4	506	56961.	1076	0.9	1.1	5.4	0.1	0.1	6.2	26	3.0	
54125	0	0	1	0	Dg	43.9760	69.2364	15.9	750.4	488	56960.	1050	1.0	0.8	1.9	0.1	0.1	2.0	17	3.0	
54126	0	0	0	0	Dg	43.9760	69.2358	15.9	750.4	466	56960.	1157	0.9	1.8	6.6	2.2	0.3	7.8	21	3.0	
54127	0	0	0	0	Dg	43.9760	69.2354	15.9	750.4	452	56961.	1094	1.1	2.3	4.2	2.2	0.6	4.0	21	3.0	
54128	0	0	0	0	Dg	43.9760	69.2348	15.9	750.4	447	56961.	1078	0.7	2.1	3.0	3.1	0.8	4.4	17	3.0	
54129	0	0	0	0	Dg	43.9760	69.2343	15.9	750.4	449	56958.	1034	0.9	3.0	3.1	3.5	1.0	3.6	19	3.1	
54130	0	0	1	0	Dg	43.9760	69.2338	15.9	750.4	450	56950.	1020	0.8	0.9	7.3	0.1	0.1	10.2	22	3.1	
54131	0	0	0	0	Dg	43.9760	69.2333	15.9	750.4	450	56937.	1015	0.7	1.7	4.6	2.5	0.4	6.8	29	3.1	
54132	0	0	1	0	Dg	43.9760	69.2328	15.9	750.4	448	56921.	993	1.0	0.3	2.9	0.1	0.1	3.2	28	3.0	

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI			
												CPS	%	PPM	PPM							CPS	CPS
54133	0	0	1	0	Dg	43.9760	69.2323	15.9	750.4	448	56906.	996	1.0	1.2	4.1	0.1	0.1	4.2	23	3.0			
54134	0	0	0	0	Dg	43.9760	69.2318	15.9	750.4	454	56893.	1040	1.2	1.4	4.5	1.2	0.3	4.0	13	3.0			
54135	0	0	0	0	Dg	43.9759	69.2313	15.9	750.5	451	56883.	1065	0.9	2.1	3.5	2.4	0.6	4.0	19	3.0			
54136	0	0	1	0	Dg	43.9759	69.2308	15.9	750.5	446	56877.	1041	1.1	0.3	3.7	0.1	0.1	3.3	20	3.0			
54137	0	0	0	0	Dg	43.9759	69.2303	15.9	750.5	431	56877.	1090	1.1	1.8	5.1	1.7	0.4	4.9	22	3.0			
54138	0	0	0	0	Dg	43.9759	69.2298	15.9	750.5	423	56879.	957	0.7	1.2	4.5	1.8	0.3	6.7	19	3.1			
54139	0	0	0	0	Dg	43.9759	69.2293	15.9	750.6	416	56881.	919	0.7	1.8	4.5	2.6	0.4	6.7	23	3.1			
54140	0	0	1	0	Dg	43.9759	69.2288	15.9	750.6	417	56880.	956	0.9	0.7	3.5	0.1	0.1	4.2	16	3.1			
54141	0	0	1	0	Dg	43.9759	69.2283	15.9	750.6	423	56876.	926	0.7	0.5	3.8	0.1	0.1	6.0	18	3.2			
54142	0	0	0	0	Dg	43.9759	69.2278	15.9	750.7	430	56867.	919	0.7	1.4	3.8	2.0	0.4	5.5	24	3.1			
54143	0	0	0	0	Dg	43.9759	69.2273	15.9	750.7	434	56855.	944	0.8	2.3	2.7	3.1	0.9	3.7	16	3.1			
54144	0	0	1	0	Dg	43.9759	69.2268	15.9	750.8	432	56840.	876	0.9	1.0	2.2	0.1	0.1	2.8	18	3.2			
54145	0	0	0	0	Dg	43.9758	69.2263	15.9	750.8	431	56826.	919	0.9	1.4	3.0	1.5	0.5	3.3	22	3.2			
54146	0	0	1	0	Dg	43.9758	69.2258	15.9	750.9	428	56812.	880	1.0	0.3	2.4	0.1	0.1	2.5	18	3.2			
54147	0	0	1	0	Dg	43.9758	69.2253	15.9	750.9	427	56807.	902	0.8	1.1	4.5	0.1	0.1	6.4	23	3.2			
54148	0	0	1	0	Dg	43.9758	69.2248	15.9	751.0	425	56812.	991	1.0	1.2	5.0	0.1	0.1	5.2	16	3.1			
54149	0	0	0	0	Dg	43.9758	69.2243	15.9	751.0	425	56817.	1024	0.8	2.2	2.6	3.1	0.9	3.5	29	3.2			
54150	0	0	0	0	Dg	43.9758	69.2238	15.9	751.0	430	56820.	1134	1.2	1.3	6.1	1.1	0.3	5.4	21	3.2			
54151	0	0	0	0	Dg	43.9758	69.2233	15.9	751.1	437	56832.	1048	0.9	1.4	4.3	1.7	0.4	5.3	25	3.2			
54152	0	0	0	0	Dg	43.9758	69.2228	15.9	751.1	447	56854.	1073	1.3	1.5	3.9	1.3	0.4	3.2	33	3.2			
54153	0	0	1	0	Dg	43.9758	69.2223	15.9	751.1	456	56880.	1047	1.0	1.0	5.5	0.1	0.1	5.6	15	3.2			
54154	0	0	1	0	Dg	43.9758	69.2217	15.9	751.1	459	56902.	1135	1.1	1.2	5.1	0.1	0.1	4.9	16	3.2			
54155	0	0	0	0	Dg	43.9758	69.2212	15.9	751.1	458	56917.	1080	0.9	2.9	6.2	3.4	0.5	7.1	27	3.2			
54156	0	0	0	0	Dg	43.9757	69.2207	15.9	751.1	458	56927.	983	0.7	1.5	3.6	2.3	0.5	5.5	20	3.3			
54157	0	0	0	0	Dg	43.9757	69.2202	15.9	751.1	460	56930.	919	0.6	1.7	2.9	3.1	0.6	5.2	31	3.3			
54158	0	0	0	0	Dg	43.9757	69.2197	15.9	751.1	461	56924.	905	1.0	1.6	3.7	1.7	0.5	3.8	23	3.4			
54159	0	0	0	0	Dg	43.9757	69.2192	15.9	751.1	459	56913.	888	0.8	1.6	2.0	2.2	0.8	2.8	24	3.4			
54160	0	0	1	0	Dg	43.9757	69.2187	15.9	751.1	456	56902.	927	0.8	0.9	4.7	0.1	0.1	5.9	11	3.4			
54161	0	0	1	0	Dg	43.9757	69.2182	15.9	751.1	455	56891.	1055	1.0	0.2	7.5	0.1	0.1	7.7	13	3.4			
54163	0	0	1	0	Dg	43.9757	69.2172	15.9	751.1	460	56881.	1103	1.0	0.9	4.5	0.1	0.1	4.8	13	3.4			
54164	0	0	1	0	Dg	43.9757	69.2167	15.9	751.1	472	56874.	1114	0.9	-0.2	6.0	0.1	0.1	7.3	17	3.4			
54165	0	0	1	0	Dg	43.9757	69.2162	15.9	751.1	481	56871.	1093	1.2	0.6	4.6	0.1	0.1	4.1	18	3.3			
54166	0	0	1	0	Dg	43.9757	69.2157	15.9	751.1	483	56870.	1067	1.2	0.3	5.1	0.1	0.1	4.5	15	3.2			

- E03 -
 MAINE AERIAL SURVEY BATH QUADRANGLE, CARSON GEOSCIENCE INC., 1980

LINE NO. 610

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI			
												CPS	%	PPM	PPM							CPS	CPS
58538	0	0	1	0		43.9418	70.0094	17.1	750.2	394	56783.	1061	0.9	0.8	4.3	0.1	0.1	4.9	19	2.3			
58537	0	0	0	0		43.9416	70.0089	17.1	750.3	404	56780.	1069	1.1	1.9	5.1	1.8	0.4	4.9	10	2.4			
58536	0	0	1	0		43.9415	70.0084	17.1	750.3	413	56776.	963	0.7	0.8	3.9	0.1	0.1	5.7	21	2.4			
58535	0	0	1	0		43.9414	70.0079	17.1	750.3	435	56773.	950	0.9	0.6	3.1	0.1	0.1	3.5	21	2.4			
58534	0	0	0	0	OEc	43.9413	70.0074	17.1	750.3	454	56769.	971	1.1	1.8	4.2	1.7	0.5	4.0	19	2.5			
58533	0	0	1	0	OEc	43.9412	70.0070	17.1	750.3	468	56766.	924	0.9	0.4	3.3	0.1	0.1	4.0	17	2.5			
58532	0	0	1	0	OEc	43.9411	70.0065	17.1	750.3	463	56762.	938	0.9	0.5	5.3	0.1	0.1	5.9	14	2.5			
58531	0	0	1	0	OEc	43.9409	70.0060	17.1	750.4	451	56757.	979	0.9	0.5	4.8	0.1	0.1	5.4	21	2.5			
58530	0	0	1	0	OEc	43.9408	70.0055	17.1	750.4	439	56752.	902	1.0	0.8	4.6	0.1	0.1	5.0	30	2.4			
58529	0	0	1	0	OEc	43.9407	70.0050	17.1	750.4	430	56748.	973	0.9	1.1	5.6	0.1	0.1	6.8	18	2.5			
58528	0	0	0	0	OEc	43.9406	70.0045	17.1	750.4	435	56745.	1203	0.9	1.5	5.8	1.9	0.3	7.1	19	2.5			
58527	0	0	0	0	OEc	43.9405	70.0040	17.1	750.4	442	56743.	1294	1.0	2.3	6.0	2.5	0.4	6.5	28	2.5			
58526	0	0	0	0	OEc	43.9404	70.0035	17.1	750.4	449	56741.	1339	1.2	1.7	6.0	1.4	0.3	5.0	17	2.5			
58525	0	0	1	0	OEc	43.9402	70.0030	17.1	750.4	449	56741.	1475	1.2	0.7	5.2	0.1	0.1	4.5	13	2.5			
58524	0	0	0	0	OEc	43.9401	70.0025	17.1	750.4	444	56742.	1501	1.4	1.8	7.8	1.4	0.3	5.8	25	2.6			
58523	0	0	0	0	OEc	43.9400	70.0020	17.1	750.4	435	56746.	1449	1.2	2.6	6.8	2.2	0.4	5.7	25	2.6			
58522	0	0	0	0	OEc	43.9399	70.0015	17.1	750.4	423	56753.	1486	1.6	1.8	6.7	1.1	0.3	4.2	23	2.6			
58521	0	0	1	0	OEc	43.9398	70.0010	17.1	750.4	413	56758.	1366	1.1	1.1	5.5	0.1	0.1	5.1	24	2.3			
58520	0	0	0	0	OEc	43.9397	70.0005	17.1	750.4	404	56762.	1429	1.5	2.9	6.6	2.0	0.5	4.6	30	2.1			
58519	0	0	0	0	OEc	43.9395	70.0000	17.1	750.4	390	56767.	1410	1.2	2.0	5.5	1.7	0.4	4.6	16	1.8			
58518	0	0	0	0	OEc	43.9394	69.9995	17.1	750.4	373	56768.	1381	1.0	2.1	5.3	2.1	0.4	5.3	29	1.6			
58517	0	0	0	0	OEc	43.9394	69.9990	17.1	750.5	362	56766.	1239	1.0	2.1	6.1	2.2	0.4	6.4	14	1.4			
58516	0	0	0	0	OEc	43.9394	69.9985	17.1	750.5	367	56761.	1266	1.2	1.4	6.5	1.3	0.3	5.7	23	1.3			
58515	0	0	0	0	OEc	43.9393	69.9979	17.1	750.5	375	56756.	1148	1.0	1.2	5.9	1.3	0.3	6.1	15	1.2			
58514	0	0	0	0	OEc	43.9393	69.9974	17.1	750.5	381	56752.	1144	0.9	1.6	4.0	1.8	0.5	4.5	27	1.3			
58513	0	0	0	0	OEc	43.9393	69.9969	17.1	750.5	378	56751.	1004	0.9	1.5	3.9	1.7	0.4	4.3	20	1.4			
58512	0	0	0	0	OEc	43.9392	69.9964	17.1	750.4	375	56754.	988	0.7	1.4	4.1	2.0	0.4	6.1	20	1.4			
58511	0	0	0	0	OEc	43.9392	69.9959	17.1	750.4	373	56761.	951	0.7	2.4	3.9	3.7	0.7	6.0	21	1.4			
58510	0	0	0	0	OEc	43.9391	69.9953	17.1	750.4	373	56770.	1061	0.8	3.8	4.6	4.8	0.9	5.8	14	1.4			
58509	0	0	0	0	OEc	43.9391	69.9948	17.1	750.4	376	56779.	968	0.8	1.4	3.6	1.9	0.4	4.9	20	1.5			
58508	0	0	1	0	OEc	43.9391	69.9943	17.1	750.4	379	56788.	1001	0.9	0.9	3.4	0.1	0.1	3.9	28	1.6			
58507	0	0	1	0	OEc	43.9390	69.9938	17.1	750.3	379	56797.	1103	1.1	0.9	5.8	0.1	0.1	5.4	17	1.7			
58506	0	0	0	0	OEc	43.9390	69.9932	17.1	750.3	378	56803.	1171	1.1	1.1	5.6	1.0	0.2	5.1	26	1.8			
58505	0	0	0	0	OEc	43.9390	69.9927	17.1	750.2	372	56809.	1216	1.0	1.2	5.0	1.4	0.3	5.5	18	2.1			
58504	0	0	0	0	OEc	43.9389	69.9922	17.1	750.2	367	56816.	1221	1.2	1.4	3.5	1.2	0.4	3.1	17	2.3			
58503	0	0	0	0	OEc	43.9389	69.9917	17.1	750.0	346	56824.	1148	0.9	1.8	4.5	2.2	0.4	5.4	16	2.6			
58502	0	0	0	0	OEc	43.9389	69.9911	17.1	750.0	342	56824.	1270	1.0	1.9	5.5	2.0	0.4	5.6	24	2.8			
58501	0	0	0	0	OEc	43.9389	69.9906	17.1	750.0	336	56820.	1304	1.0	1.1	6.8	1.3	0.2	7.4	13	2.9			
58500	0	0	0	0	OEc	43.9388	69.9901	17.1	750.0	334	56809.	1355	1.0	2.6	5.6	2.8	0.5	5.9	14	3.0			
58499	0	0	0	0	OEc	43.9388	69.9896	17.1	750.0	335	56797.	1406	1.1	2.1	6.0	2.0	0.4	5.5	12	3.1			
58498	0	0	0	0	OEc	43.9387	69.9891	17.1	750.0	342	56787.	1423	1.3	1.5	6.3	1.2	0.3	5.0	19	3.0			
58497	0	0	1	0	OEc	43.9387	69.9885	17.1	750.0	348	56779.	1447	1.3	0.9	5.7	0.1	0.1	4.5	8	3.0			
58496	0	0	0	0	OEc	43.9387	69.9880	17.1	750.0	357	56772.	1373	1.4	1.4	4.6	1.0	0.3	3.3	17	3.1			
58495	0	0	0	0	OEc	43.9386	69.9875	17.1	750.0	368	56768.	1409	1.5	2.4	5.0	1.7	0.5	3.5	24	3.3			
58494	0	0	0	0	OEc	43.9386	69.9870	17.1	750.0	374	56766.	1440	1.5	2.2	5.6	1.5	0.4	3.9	17	3.5			
58493	0	0	1	0	OEc	43.9386	69.9864	17.1	750.0	379	56764.	1441	1.3	1.0	7.8	0.1	0.1	6.0	29	3.7			
58492	0	0	0	0	OEc	43.9385	69.9859	17.1	750.0	385	56763.	1465	1.5	2.9	5.0	2.0	0.6	3.5	22	3.8			
58491	0	0	0	0	OEc	43.9385	69.9854	17.1	750.0	390	56764.	1437	1.5	1.6	4.9	1.1	0.4	3.3	27	4.1			
58490	0	0	0	0	OEc	43.9385	69.9849	17.1	749.9	396	56765.	1554	1.7	3.3	4.1	2.1	0.9	2.6	22	4.2			
58488	0	0	0	0	OEc	43.9384	69.9838	17.1	749.9	400	56767.	1615	1.7	2.3	6.7	1.4	0.4	4.0	28	4.2			

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI	
												CPS	%	PPM	PPM					CPS	CPS
58487	0	0	0	0	OEc	43.9384	69.9833	17.1	749.8	402	56768.	1536	1.8	2.3	4.7	1.3	0.5	2.7	25	4.3	
58486	0	0	0	0	OEc	43.9383	69.9828	17.1	749.8	400	56769.	1600	1.1	2.7	6.8	2.5	0.4	6.3	22	4.4	
58485	0	0	0	0	OEc	43.9383	69.9822	17.1	749.7	400	56770.	1607	1.4	2.4	5.4	1.7	0.5	3.9	18	4.3	
58484	0	0	0	0	OEc	43.9383	69.9817	17.1	749.7	402	56768.	1439	1.6	1.5	7.7	1.0	0.2	4.8	23	4.2	
58483	0	0	1	0	OEc	43.9382	69.9812	17.1	749.6	416	56764.	1453	1.3	-0.2	6.6	0.1	0.1	5.4	16	4.2	
58482	0	0	0	0	OEc	43.9382	69.9807	17.1	749.6	430	56760.	1439	1.6	2.6	4.3	1.7	0.6	2.7	24	4.1	
58481	0	0	0	0	OEc	43.9382	69.9802	17.1	749.5	442	56759.	1395	1.4	2.7	4.9	2.0	0.6	3.6	27	3.9	
58480	0	0	0	0	OEc	43.9381	69.9796	17.1	749.5	446	56758.	1371	1.4	1.6	4.9	1.2	0.4	3.7	21	3.5	
58479	0	0	1	0	OEc	43.9381	69.9791	17.1	749.4	448	56757.	1375	1.6	0.9	5.1	0.1	0.1	3.2	21	3.0	
58478	0	0	0	0	OEc	43.9381	69.9786	17.1	749.3	451	56757.	1340	1.5	1.4	4.7	1.0	0.3	3.3	21	2.6	
58477	0	0	0	0	OEc	43.9380	69.9781	17.1	749.3	452	56757.	1380	1.5	1.9	4.0	1.3	0.5	2.7	21	2.1	
58476	0	0	0	0	OEc	43.9380	69.9775	17.1	749.3	451	56757.	1317	1.5	2.5	5.3	1.7	0.5	3.6	18	1.9	
58475	0	0	0	0	OEc	43.9380	69.9770	17.1	749.2	448	56755.	1351	1.4	2.5	4.8	1.8	0.6	3.4	27	1.8	
58474	0	0	0	0	OEc	43.9379	69.9765	17.1	749.2	439	56752.	1295	1.2	2.0	4.5	1.7	0.5	3.8	19	1.6	
58473	0	0	1	0	OEc	43.9379	69.9760	17.1	749.2	429	56748.	1271	1.5	0.8	5.5	0.1	0.1	3.9	40	1.3	
58472	0	0	1	0	OEc	43.9378	69.9754	17.1	749.2	419	56747.	1154	1.2	1.1	4.6	0.1	0.1	3.9	24	1.1	
58471	0	0	0	0	OEc	43.9378	69.9749	17.1	749.1	415	56749.	1361	1.3	1.3	7.3	1.0	0.2	5.7	25	1.0	
58470	0	0	0	0	OEc	43.9378	69.9744	17.1	749.1	412	56753.	1309	1.2	1.1	5.2	1.0	0.3	4.5	24	0.8	
58469	0	0	0	0	OEc	43.9377	69.9739	17.1	749.1	408	56754.	1394	1.8	2.2	6.3	1.3	0.4	3.7	18	0.7	
58468	0	0	1	0	OEc	43.9377	69.9734	17.1	749.2	403	56753.	1395	1.5	0.5	5.8	0.1	0.1	3.9	18	0.5	
58467	0	0	0	0	OEc	43.9377	69.9728	17.2	749.2	396	56757.	1324	1.5	1.7	4.2	1.2	0.4	2.9	23	0.4	
58466	0	0	0	0	OEc	43.9376	69.9723	17.2	749.2	391	56763.	1348	1.5	2.7	5.3	1.9	0.5	3.7	27	0.4	
58465	0	0	0	0	OEc	43.9376	69.9718	17.2	749.2	389	56772.	1314	1.6	2.2	5.0	1.4	0.5	3.2	19	0.2	
58464	0	0	0	0	OEc	43.9376	69.9713	17.2	749.3	385	56782.	1343	1.4	2.7	4.0	2.1	0.7	3.1	34	0.3	
58463	0	0	0	0	OEc	43.9375	69.9707	17.2	749.3	379	56790.	1259	1.2	2.0	6.1	1.7	0.4	5.2	26	0.2	
58462	0	0	0	0	OEc	43.9375	69.9702	17.2	749.4	373	56796.	1303	1.4	1.5	4.7	1.2	0.4	3.5	14	0.2	
58461	0	0	0	0	OEc	43.9375	69.9697	17.2	749.8	375	56801.	1264	1.1	2.8	4.4	2.7	0.7	4.3	19	0.2	
58460	0	0	0	0	OEc	43.9374	69.9692	17.2	749.9	382	56806.	1335	1.3	3.0	4.4	2.4	0.7	3.6	15	0.4	
58459	0	0	0	0	OEc	43.9374	69.9687	17.2	749.9	395	56809.	1505	1.6	2.6	6.8	1.7	0.4	4.4	19	0.6	
58458	0	0	0	0	OEc	43.9374	69.9681	17.2	749.9	403	56808.	1393	1.4	1.4	4.7	1.0	0.3	3.5	15	0.5	
58457	0	0	0	0	OEc	43.9373	69.9676	17.2	749.9	407	56807.	1399	1.5	2.2	4.4	1.5	0.6	3.0	31	0.5	
58456	0	0	0	0	OEc	43.9373	69.9671	17.2	750.0	401	56805.	1450	1.3	2.7	7.6	2.2	0.4	6.0	19	0.5	
58455	0	0	0	0	OEc	43.9372	69.9666	17.2	750.0	392	56801.	1326	1.2	1.3	3.9	1.2	0.4	3.4	28	0.7	
58454	0	0	0	0	OEc	43.9372	69.9660	17.2	750.0	382	56794.	1251	1.4	2.3	5.6	1.7	0.5	4.1	28	0.8	
58453	0	0	0	0	OEc	43.9371	69.9655	17.2	750.1	375	56787.	1193	1.3	2.0	1.7	1.6	1.2	1.4	25	0.9	
58452	0	0	0	0	OEc	43.9371	69.9650	17.2	750.1	375	56782.	1100	1.1	2.1	3.8	2.1	0.6	3.7	23	1.0	
58451	0	0	0	0	OEc	43.9370	69.9645	17.2	750.1	376	56779.	1090	1.0	1.2	4.9	1.3	0.3	5.4	22	0.8	
58450	0	0	0	0	OEc	43.9370	69.9640	17.2	750.1	378	56777.	1118	1.2	1.5	2.2	1.4	0.8	2.0	23	0.8	
58449	0	0	0	0	OEc	43.9370	69.9635	17.2	750.1	378	56777.	1114	1.2	1.7	5.2	1.5	0.4	4.7	26	0.8	
58448	0	0	0	0	OEc	43.9369	69.9629	17.2	749.8	381	56777.	1146	1.1	1.5	4.6	1.4	0.4	4.4	20	0.7	
58447	0	0	0	0	OEc	43.9368	69.9624	17.2	749.8	385	56777.	1217	1.1	2.4	4.7	2.4	0.6	4.6	14	0.8	
58446	0	0	0	0	OEc	43.9368	69.9619	17.2	749.9	388	56775.	1144	1.1	2.0	3.1	2.0	0.7	3.1	21	0.8	
58445	0	0	0	0	OEc	43.9367	69.9614	17.2	749.9	389	56775.	1200	1.0	1.8	4.3	1.9	0.5	4.5	24	0.7	
58444	0	0	0	0	OEc	43.9367	69.9609	17.2	749.9	388	56775.	1163	1.1	1.7	5.7	1.7	0.3	5.5	19	0.8	
58443	0	0	0	0	OEc	43.9366	69.9604	17.2	749.8	387	56776.	1065	0.9	1.4	4.4	1.8	0.4	5.5	28	0.9	
58442	0	0	0	0	OEc	43.9366	69.9598	17.2	749.8	379	56780.	1022	0.9	1.3	4.1	1.5	0.4	4.9	22	1.0	
58441	0	0	0	0	OEc	43.9366	69.9593	17.2	749.8	374	56787.	1064	1.1	2.4	2.9	2.2	0.9	2.7	22	0.9	
58440	0	0	0	0	OEc	43.9365	69.9588	17.2	749.8	370	56796.	1029	0.7	2.2	3.2	3.2	0.7	4.7	21	0.9	
58439	0	0	0	0	OEc	43.9365	69.9583	17.2	749.8	371	56804.	980	0.8	1.8	3.0	2.4	0.6	4.0	21	0.7	
58438	0	0	0	0	OEc	43.9364	69.9578	17.2	749.8	373	56807.	1047	1.1	1.4	3.6	1.3	0.4	3.4	16	0.7	

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI			
												CPS	%	PPM	PPM							CPS	CPS
58437	0	0	0	0	OEc	43.9364	69.9572	17.2	749.9	371	56804.	1095	0.9	1.5	4.3	1.7	0.4	5.0	15	0.4			
58436	0	0	0	0	OEc	43.9363	69.9567	17.2	749.9	367	56798.	1050	0.7	2.7	2.8	4.3	1.0	4.4	18	0.2			
58435	0	0	0	0	OEc	43.9363	69.9562	17.2	749.9	365	56789.	1141	1.1	2.1	6.6	2.1	0.4	6.5	13	0.0			
58434	0	0	1	0	OEc	43.9362	69.9557	17.2	749.9	365	56780.	1218	1.4	0.4	5.7	0.1	0.1	4.3	20	0.0			
58433	0	0	0	0	OEc	43.9362	69.9552	17.2	749.9	370	56772.	1213	1.2	1.8	4.8	1.6	0.4	4.3	25	0.0			
58432	0	0	0	0	OEc	43.9361	69.9547	17.2	750.0	376	56764.	1180	1.2	1.2	5.6	1.0	0.3	5.0	24	0.0			
58431	0	0	0	0	OEc	43.9361	69.9541	17.2	750.0	382	56760.	1149	1.1	1.9	4.7	1.9	0.4	4.6	31	0.0			
58430	0	0	0	0	OEc	43.9360	69.9536	17.2	750.0	387	56758.	1146	1.2	1.6	5.6	1.3	0.3	4.8	27	0.0			
58429	0	0	1	0	OEc	43.9360	69.9531	17.2	750.1	394	56757.	1132	1.1	0.3	5.3	0.1	0.1	4.9	20	0.0			
58428	0	0	0	0	OEc	43.9359	69.9526	17.2	750.1	400	56756.	1181	1.2	1.4	4.8	1.3	0.3	4.3	24	0.0			
58427	0	0	1	0	OEc	43.9359	69.9521	17.1	750.1	406	56756.	1239	1.2	0.5	7.3	0.1	0.1	6.2	27	0.1			
58426	0	0	0	0	OEc	43.9358	69.9515	17.1	750.2	411	56756.	1251	1.4	1.3	5.0	1.0	0.3	3.7	13	0.2			
58425	0	0	0	0	OEc	43.9358	69.9510	17.1	750.2	417	56755.	1287	1.4	1.7	4.8	1.2	0.4	3.4	19	0.1			
58424	0	0	0	0	OEc	43.9357	69.9505	17.1	750.2	423	56754.	1199	1.1	1.8	4.5	1.7	0.4	4.2	25	0.0			
58423	0	0	0	0	OEc	43.9357	69.9500	17.1	750.2	427	56752.	1211	1.4	1.5	6.2	1.1	0.3	4.5	32	0.0			
58422	0	0	0	0	OEc	43.9356	69.9495	17.0	750.3	428	56749.	1162	1.4	1.6	3.3	1.2	0.5	2.5	21	0.0			
58421	0	0	1	0	OEc	43.9356	69.9490	17.0	750.3	425	56747.	1139	1.3	0.7	2.2	0.1	0.1	1.7	18	0.0			
58420	0	0	0	0	OEc	43.9355	69.9484	16.9	750.3	420	56747.	1169	1.4	1.3	2.4	1.0	0.6	1.8	26	0.3			
58419	0	0	0	0	OEc	43.9355	69.9479	16.8	750.3	415	56746.	1112	1.2	1.3	2.2	1.1	0.6	1.8	18	0.4			
58418	0	0	0	0	OEc	43.9354	69.9474	16.8	750.3	412	56745.	1236	1.4	1.1	2.8	0.8	0.4	2.0	15	0.6			
58417	0	0	0	0	OEc	43.9354	69.9469	16.8	750.4	414	56746.	1218	1.4	1.2	2.7	0.9	0.5	2.0	16	0.7			
58416	0	0	0	0	OEc	43.9353	69.9464	16.8	750.4	417	56751.	1202	1.5	1.5	5.1	1.1	0.3	3.6	23	0.9			
58415	0	0	0	0	OEc	43.9353	69.9458	16.8	750.4	419	56757.	1239	1.3	1.2	3.7	1.0	0.4	3.0	21	1.1			
58414	0	0	0	0	OEc	43.9353	69.9453	16.8	750.4	411	56766.	1119	1.1	1.4	3.7	1.3	0.4	3.4	28	1.1			
58413	0	0	1	0	OEc	43.9352	69.9448	16.8	750.4	404	56775.	1116	1.5	1.0	3.4	0.1	0.1	2.4	19	1.1			
58412	0	0	1	0	OEc	43.9352	69.9443	16.8	750.4	398	56783.	973	1.0	1.0	2.2	0.1	0.1	2.3	27	1.2			
58411	0	0	0	0	OEc	43.9352	69.9438	16.8	750.4	399	56786.	914	1.1	1.5	2.7	1.5	0.6	2.6	29	1.4			
58410	0	0	0	0	OEc	43.9352	69.9433	16.8	750.4	401	56787.	985	1.3	1.1	2.6	0.9	0.5	2.0	20	1.5			
58409	0	0	0	0	OEc	43.9352	69.9428	16.9	750.4	401	56787.	947	1.2	1.1	3.7	0.9	0.3	3.3	23	1.7			
58408	0	0	1	0	OEc	43.9351	69.9423	16.9	750.4	403	56787.	968	1.1	0.6	2.3	0.1	0.1	2.1	22	1.8			
58407	0	0	0	0	OEc	43.9351	69.9418	16.9	750.4	403	56789.	1009	1.1	2.8	3.0	2.6	1.0	2.8	26	2.0			
58406	0	0	0	0	OEc	43.9351	69.9413	17.0	750.4	404	56795.	1046	1.0	2.1	1.7	2.3	1.3	1.8	26	2.3			
58405	0	0	0	0	OEc	43.9351	69.9408	17.0	750.4	400	56801.	959	1.0	1.1	2.8	1.2	0.4	3.0	18	2.5			
58404	0	0	0	0	OEc	43.9350	69.9402	17.0	750.4	394	56807.	953	1.0	1.4	3.5	1.5	0.4	3.7	19	2.7			
58403	0	0	0	0	OEc	43.9350	69.9397	16.9	750.4	387	56807.	980	0.8	2.1	2.5	2.6	0.9	3.1	18	2.7			
58402	0	0	1	0	OEc	43.9350	69.9392	16.8	750.4	388	56802.	1002	1.0	0.9	3.6	0.1	0.1	3.7	25	2.7			
58401	0	0	1	0	OEc	43.9350	69.9387	16.8	750.4	391	56791.	1106	1.2	0.5	4.4	0.1	0.1	3.9	20	2.8			
58400	0	0	0	0	OEc	43.9350	69.9382	16.7	750.5	402	56778.	1182	1.4	1.1	2.6	0.9	0.5	2.0	25	3.0			
58399	0	0	0	0	OEc	43.9349	69.9377	16.7	750.5	409	56765.	1183	1.1	2.1	2.8	1.9	0.8	2.5	23	3.2			
58397	0	0	0	0	OEc	43.9349	69.9367	16.7	750.5	413	56754.	1265	1.3	2.0	5.0	1.6	0.5	3.9	20	3.4			
58396	0	0	0	0	OEc	43.9349	69.9362	16.6	750.6	408	56745.	1144	1.1	1.2	4.4	1.1	0.3	4.2	17	3.6			
58395	0	0	1	0	OEc	43.9348	69.9356	16.6	750.6	403	56738.	1090	1.1	1.0	2.2	0.1	0.1	2.0	17	3.7			
58394	0	0	0	0	OEc	43.9348	69.9351	16.6	750.6	402	56732.	1043	1.2	1.2	2.1	1.1	0.6	1.9	15	3.7			
58393	0	0	1	0	OEc	43.9348	69.9346	16.6	750.7	405	56727.	903	1.1	0.6	4.4	0.1	0.1	4.0	26	3.7			
58392	0	0	1	0	OEc	43.9348	69.9341	16.6	750.7	409	56724.	872	0.9	-0.3	3.5	0.1	0.1	4.3	24	3.7			
58391	0	0	1	0	OEc	43.9348	69.9336	16.5	750.8	412	56721.	895	0.9	0.8	4.3	0.1	0.1	4.7	13	3.7			
58390	0	0	0	0	OEc	43.9347	69.9331	16.5	750.8	414	56720.	994	0.8	1.8	4.4	2.3	0.5	5.6	16	3.6			
58389	0	0	0	0	OEc	43.9347	69.9326	16.2	751.3	410	56721.	1238	1.2	1.3	2.2	1.2	0.6	1.9	20	3.5			
58388	0	0	0	0	OEc	43.9347	69.9321	16.2	751.3	413	56723.	1179	1.4	2.8	4.1	2.1	0.7	3.1	10	3.6			
58387	0	0	0	0	OEc	43.9347	69.9316	16.2	751.3	415	56726.	1297	1.5	1.3	4.8	0.9	0.3	3.3	25	3.8			

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
58386	0	0	0	0	OEc	43.9347	69.9311	16.2	751.3	417	56728.	1216	1.5	1.3	4.5	0.9	0.3	3.1	20	3.8
58385	0	0	1	0	OEc	43.9346	69.9305	16.2	751.3	412	56730.	1298	1.4	0.5	4.8	0.1	0.1	3.4	28	3.8
58384	0	0	1	0	OEc	43.9346	69.9300	16.2	751.3	408	56732.	1197	1.4	0.3	5.5	0.1	0.1	3.9	20	3.8
58383	0	0	0	0	OEc	43.9346	69.9295	16.2	751.3	406	56732.	1272	1.6	1.4	2.8	0.9	0.5	1.9	21	3.7
58382	0	0	0	0	OEc	43.9346	69.9290	16.2	751.3	404	56731.	1233	1.5	2.0	3.3	1.4	0.6	2.3	25	3.6
58381	0	0	0	0	OEc	43.9345	69.9285	16.2	751.4	395	56730.	1239	1.4	1.2	5.4	0.9	0.3	4.0	20	3.3
58380	0	0	0	0	OEc	43.9345	69.9280	16.3	751.4	384	56729.	1219	1.6	1.2	3.3	0.8	0.4	2.2	14	3.1
58379	0	0	0	0	OEc	43.9345	69.9275	16.3	751.4	378	56730.	1175	1.1	1.0	2.2	0.9	0.5	2.0	24	2.8
58378	0	0	0	0	OEc	43.9345	69.9270	16.3	751.4	375	56732.	1171	1.1	1.6	4.2	1.5	0.4	3.9	18	2.5
58377	0	0	1	0	OEc	43.9344	69.9265	16.4	751.5	374	56736.	1080	1.2	0.3	4.9	0.1	0.1	4.2	16	2.4
58376	0	0	1	0	OEc	43.9344	69.9260	16.4	751.5	373	56741.	1149	1.2	1.0	4.4	0.1	0.1	3.6	26	2.4
58375	0	0	1	0	OEc	43.9344	69.9255	16.4	751.6	371	56747.	1102	1.1	0.9	4.8	0.1	0.1	4.4	17	2.4
58374	0	0	1	0	OEc	43.9344	69.9249	16.5	751.6	370	56757.	1036	1.1	0.8	3.8	0.1	0.1	3.5	16	2.4
58373	0	0	1	0	OEc	43.9344	69.9244	16.5	751.7	370	56768.	1071	1.2	0.7	2.3	0.1	0.1	2.0	16	2.4
58372	0	0	0	0	OEc	43.9343	69.9239	16.6	751.7	369	56776.	1048	1.4	1.4	3.4	1.1	0.5	2.6	37	2.4
58371	0	0	0	0	OEc	43.9343	69.9234	16.7	751.8	368	56783.	1083	1.3	1.2	2.4	1.0	0.5	2.0	13	2.4
58370	0	0	0	0	OEc	43.9343	69.9229	16.8	751.8	368	56789.	1086	1.3	1.6	3.5	1.2	0.5	2.8	22	2.4
58369	0	0	0	0	OEc	43.9343	69.9224	16.8	751.8	370	56793.	1142	1.0	2.2	2.4	2.2	1.0	2.4	15	2.3
58368	0	0	0	0	OEc	43.9342	69.9219	16.9	751.9	377	56795.	1202	1.3	1.8	1.7	1.5	1.1	1.4	19	2.2
58367	0	0	0	0	OEc	43.9342	69.9214	16.9	751.9	380	56796.	1280	1.5	2.9	3.7	2.0	0.8	2.5	20	2.1
58366	0	0	0	0	OEc	43.9342	69.9209	17.0	751.9	379	56797.	1256	1.2	1.3	4.5	1.1	0.3	4.0	24	2.1
58365	0	0	0	0	OEc	43.9342	69.9204	17.1	752.0	363	56796.	1260	1.4	1.4	4.2	1.0	0.4	3.1	16	2.1
58364	0	0	0	0	OEc	43.9342	69.9198	17.1	752.0	349	56793.	1213	1.4	1.3	6.3	1.0	0.3	4.6	17	2.1
58363	0	0	1	0	OEc	43.9341	69.9193	17.2	752.0	340	56791.	1149	1.3	0.8	3.6	0.1	0.1	3.0	18	2.0
58362	0	0	0	0	OEc	43.9341	69.9188	17.2	752.0	342	56788.	1187	1.2	1.4	6.4	1.2	0.3	5.6	19	2.2
58361	0	0	0	0	OEc	43.9341	69.9183	17.3	752.0	346	56784.	1097	0.9	1.1	3.3	1.2	0.4	3.8	16	2.2
58360	0	0	0	0	OEc	43.9341	69.9178	17.3	752.1	350	56779.	1131	0.9	1.2	4.5	1.4	0.3	5.1	15	2.2
58359	0	0	0	0	OEc	43.9340	69.9173	17.3	752.1	353	56774.	1146	1.1	1.8	6.0	1.8	0.3	5.9	18	2.3
58358	0	0	0	0	OEc	43.9340	69.9168	17.3	752.1	350	56769.	1154	1.0	1.4	4.0	1.4	0.4	4.0	17	2.1
58357	0	0	0	0	OEc	43.9340	69.9163	17.3	752.1	351	56766.	1209	0.9	1.3	2.5	1.5	0.6	3.0	16	2.0
58356	0	0	0	0	OEc	43.9340	69.9158	17.3	752.2	351	56761.	1230	1.0	2.6	6.5	2.7	0.4	6.8	16	1.9
58355	0	0	1	0	OEc	43.9340	69.9153	17.3	752.2	354	56756.	1227	1.0	1.0	5.8	0.1	0.1	5.8	29	1.6
58354	0	0	0	0	OEc	43.9339	69.9147	17.4	752.2	353	56752.	1271	1.2	1.4	6.3	1.2	0.3	5.3	23	1.3
58353	0	0	1	0	OEc	43.9339	69.9142	17.4	752.2	348	56749.	1383	1.3	1.0	6.0	0.1	0.1	4.9	28	1.0
58352	0	0	0	0	OEc	43.9339	69.9137	17.4	752.3	340	56747.	1276	1.3	1.5	5.9	1.2	0.3	4.8	20	0.8
58351	0	0	1	0	OEc	43.9339	69.9132	17.4	752.3	330	56748.	1312	1.2	0.9	6.0	0.1	0.1	5.1	24	0.7
58350	0	0	1	0	OEc	43.9338	69.9127	17.4	752.3	324	56750.	1292	1.4	0.7	6.8	0.1	0.1	5.1	22	0.6
58349	0	0	0	0	OEc	43.9338	69.9122	17.4	752.4	320	56752.	1258	1.0	1.6	5.5	1.6	0.3	5.7	22	0.5
58348	0	0	0	0	OEc	43.9338	69.9117	17.4	752.4	317	56752.	1123	0.8	1.8	3.8	2.4	0.5	4.9	18	0.4
58347	0	0	0	0	OEc	43.9338	69.9112	17.4	752.4	313	56751.	1128	1.1	1.5	2.9	1.4	0.5	2.8	31	0.2
58346	0	0	0	0	OEc	43.9338	69.9107	17.4	752.5	313	56751.	1211	1.1	2.0	4.2	1.9	0.5	4.0	20	0.1
58345	0	0	0	0	OEc	43.9337	69.9102	17.4	752.5	316	56753.	1190	1.2	1.7	5.1	1.4	0.4	4.4	20	0.0
58344	0	0	0	0	OEc	43.9337	69.9096	17.4	752.6	321	56758.	1300	1.2	1.9	5.5	1.6	0.4	4.6	33	0.0
58343	0	0	0	0	OEc	43.9337	69.9091	17.4	752.6	331	56768.	1449	1.4	2.3	6.7	1.6	0.4	4.8	28	0.0
58342	0	0	0	0	OEc	43.9337	69.9086	17.4	752.7	348	56778.	1467	1.5	1.8	6.3	1.2	0.3	4.3	23	0.0
58341	0	0	0	0	OEce	43.9337	69.9081	17.4	752.7	360	56787.	1583	1.7	3.2	7.5	1.9	0.5	4.5	18	0.0
58340	0	0	0	0	OEce	43.9336	69.9076	17.4	752.7	366	56790.	1638	1.7	1.7	8.7	1.0	0.2	5.2	20	0.0
58339	0	0	0	0	OEce	43.9336	69.9071	17.4	752.8	360	56790.	1640	1.7	2.2	6.0	1.3	0.4	3.5	15	0.0
58338	0	0	0	0	OEce	43.9336	69.9066	17.4	752.8	350	56785.	1601	1.4	1.8	5.8	1.3	0.3	4.2	17	0.0
58337	0	0	0	0	OEce	43.9336	69.9061	17.4	752.8	342	56776.	1503	1.5	1.8	7.5	1.3	0.3	5.1	27	0.0

*** NOTE *** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
58336	0	0	0	0	OEce	43.9335	69.9056	17.4	752.9	338	56763.	1479	1.5	2.4	5.6	1.6	0.5	3.7	18	0.0
58335	0	0	0	0	OEce	43.9335	69.9051	17.4	752.9	343	56753.	1456	1.4	3.1	5.6	2.2	0.6	4.0	27	0.0
58334	0	0	0	0	OEce	43.9335	69.9045	17.4	752.9	350	56751.	1499	1.6	2.6	5.7	1.7	0.5	3.7	18	0.0
58333	0	0	0	0	OEce	43.9335	69.9040	17.4	753.2	368	56755.	1108	1.0	3.0	5.7	3.1	0.6	5.8	21	0.0
58332	0	0	0	0	OEce	43.9335	69.9035	17.4	753.2	379	56758.	1349	1.2	2.0	4.8	1.7	0.5	4.2	13	0.0
58331	0	0	1	0	OEce	43.9334	69.9030	17.4	753.2	388	56766.	1162	1.3	0.9	6.3	0.1	0.1	5.2	21	0.0
58330	0	0	1	0	OEce	43.9334	69.9025	17.4	753.2	405	56775.	963	1.2	0.8	2.9	0.1	0.1	2.5	13	0.0
58329	0	0	0	0	Water	43.9334	69.9020	17.4	753.2	410	56781.	686	0.7	1.1	2.9	1.7	0.4	4.6	15	0.0
58328	0	0	0	0	Water	43.9334	69.9015	17.4	753.2	411	56782.	620	0.6	1.5	2.5	2.7	0.6	4.6	23	0.0
58327	0	0	1	0	Water	43.9333	69.9010	17.4	753.2	410	56778.	584	0.6	0.0	1.8	0.1	0.1	3.2	15	0.0
58326	0	0	1	0	Water	43.9333	69.9005	17.4	753.2	409	56774.	680	0.8	0.2	2.7	0.1	0.1	3.3	19	0.0
58325	0	0	1	0	Water	43.9333	69.9000	17.4	753.2	408	56773.	900	1.1	0.9	3.2	0.1	0.1	3.1	19	0.0
58324	0	0	0	0	Water	43.9333	69.8995	17.4	753.3	408	56773.	965	1.0	2.1	4.0	2.2	0.6	4.3	21	0.0
58323	0	0	0	0	Water	43.9333	69.8989	17.4	753.3	408	56774.	980	1.0	1.4	3.0	1.4	0.5	3.0	11	0.0
58322	0	0	1	0	Water	43.9332	69.8984	17.4	753.3	409	56774.	863	1.1	0.8	4.6	0.1	0.1	4.4	26	0.0
58321	0	0	1	0	Water	43.9332	69.8979	17.4	753.3	409	56771.	712	0.8	0.1	3.6	0.1	0.1	5.0	32	0.0
58320	0	0	1	0	Water	43.9331	69.8975	17.4	753.3	409	56767.	552	0.6	0.5	1.7	0.1	0.1	3.1	18	0.0
58319	0	0	1	0	Water	43.9331	69.8970	17.4	753.3	408	56764.	512	0.6	0.6	1.7	0.1	0.1	3.1	11	0.0
58318	0	0	1	0	Water	43.9331	69.8965	17.4	753.3	407	56761.	431	0.5	0.6	1.7	0.1	0.1	0.1	18	0.0
58317	0	1	1	0	Water	43.9330	69.8960	17.4	753.3	407	56758.	310	0.2	0.0	1.9	0.1	0.1	0.1	19	0.0
58316	0	0	0	1	Water	43.9330	69.8955	17.4	753.3	409	56756.	342	0.3	0.9	0.6	0.1	0.1	0.1	35	0.0
58315	0	0	1	1	Water	43.9329	69.8950	17.4	753.3	410	56755.	351	0.3	0.6	0.6	0.1	0.1	0.1	16	0.0
58314	0	0	0	0	OEce	43.9329	69.8945	17.4	753.3	411	56753.	564	0.7	1.5	2.0	2.2	0.8	2.8	15	0.0
58313	0	0	0	0	OEce	43.9328	69.8940	17.4	753.3	408	56755.	693	0.7	1.0	3.7	1.6	0.3	5.6	18	0.0
58312	0	0	1	0	OEce	43.9328	69.8935	17.4	753.3	399	56760.	834	1.0	0.6	2.8	0.1	0.1	2.9	24	0.0
58311	0	0	1	0	OEce	43.9328	69.8930	17.4	753.3	381	56766.	960	1.0	0.1	4.2	0.1	0.1	4.4	19	0.0
58310	0	0	0	0	OEce	43.9327	69.8925	17.4	753.3	361	56773.	919	1.0	1.0	3.3	1.1	0.3	3.5	25	0.0
58309	0	0	0	0	OEce	43.9327	69.8921	17.4	753.3	349	56778.	973	1.3	1.3	2.3	1.1	0.6	1.8	22	0.1
58308	0	0	0	0	OEce	43.9326	69.8916	17.4	753.3	347	56778.	1081	1.2	1.3	2.8	1.1	0.5	2.4	23	0.1
58306	0	0	0	0	OEce	43.9325	69.8906	17.4	753.3	347	56773.	1088	1.3	2.1	1.7	1.8	1.3	1.4	21	0.1
58305	0	0	1	0	OEce	43.9325	69.8901	17.4	753.3	343	56766.	1076	1.2	0.9	2.5	0.1	0.1	2.1	21	0.2
58304	0	0	0	0	OEce	43.9324	69.8896	17.4	753.4	337	56758.	1151	1.0	1.7	3.4	1.8	0.6	3.6	35	0.4
58303	0	0	0	0	OEce	43.9324	69.8891	17.4	753.4	330	56753.	1135	1.3	1.4	3.7	1.1	0.4	2.9	23	0.6
58302	0	0	0	0	OEce	43.9324	69.8886	17.4	753.4	329	56751.	1197	1.4	1.1	3.8	0.9	0.3	2.9	23	0.8
58301	0	0	0	0	OEce	43.9323	69.8881	17.4	753.4	329	56753.	1120	1.1	1.1	4.0	1.1	0.3	3.9	24	1.0
58300	0	0	0	0	OEce	43.9323	69.8876	17.4	753.4	327	56758.	1120	1.2	1.1	4.6	1.0	0.3	4.1	21	1.2
58299	0	0	1	0	OEce	43.9322	69.8871	17.4	753.5	324	56765.	1176	1.3	0.9	3.9	0.1	0.1	3.0	17	1.4
58298	0	0	0	0	OEce	43.9322	69.8867	17.4	753.5	324	56771.	1134	1.1	1.4	2.8	1.4	0.5	2.8	29	1.6
58297	0	0	0	0	OEce	43.9321	69.8862	17.4	753.5	328	56775.	1146	1.2	1.8	4.7	1.5	0.4	4.0	19	1.8
58296	0	0	0	0	OEce	43.9321	69.8857	17.4	753.5	331	56775.	1138	1.1	1.1	5.2	1.0	0.3	4.8	19	1.9
58295	0	0	0	0	OEce	43.9321	69.8852	17.4	753.5	331	56772.	1161	1.2	1.1	2.7	1.0	0.5	2.3	26	2.0
58294	0	0	0	0	OEce	43.9320	69.8847	17.4	753.6	328	56767.	1095	1.0	1.2	3.5	1.2	0.4	3.6	26	2.3
58293	0	0	0	0	OEce	43.9320	69.8842	17.4	753.6	322	56766.	1157	1.2	2.6	5.2	2.3	0.5	4.7	19	2.6
58292	0	0	0	0	OEce	43.9319	69.8837	17.4	753.6	319	56768.	1136	1.4	1.0	3.7	0.8	0.3	2.8	15	2.7
58291	0	0	0	0	OEce	43.9319	69.8832	17.4	753.6	322	56774.	1183	1.2	1.3	3.4	1.1	0.4	3.1	17	2.8
58290	0	0	0	0	OEce	43.9318	69.8827	17.4	753.6	328	56783.	1287	1.4	1.7	4.7	1.3	0.4	3.5	15	2.9
58289	0	0	0	0	OEce	43.9318	69.8822	17.4	753.6	337	56792.	1293	1.6	2.4	2.6	1.5	0.9	1.7	27	2.9
58288	0	0	0	0	OEce	43.9317	69.8817	17.4	753.7	348	56798.	1309	1.7	1.7	3.2	1.0	0.6	1.9	17	2.8
58287	0	0	0	0	OEce	43.9317	69.8812	17.4	753.7	358	56802.	1318	1.3	1.8	4.8	1.4	0.4	3.9	19	2.7
58286	0	0	1	0	OEce	43.9317	69.8808	17.4	753.7	363	56806.	1262	1.6	1.0	5.2	0.1	0.1	3.4	16	2.4

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
58285	0	0	0	0	OEc	43.9316	69.8803	17.4	753.7	360	56809.	1253	1.6	1.6	3.3	1.1	0.5	2.2	27	2.4
58284	0	0	0	0	OEc	43.9316	69.8798	17.4	753.7	353	56811.	1287	1.3	1.5	3.3	1.1	0.5	2.5	23	2.3
58283	0	0	0	0	OEc	43.9315	69.8793	17.4	753.7	344	56810.	1280	1.4	1.6	4.6	1.2	0.4	3.5	17	2.3
58282	0	0	0	0	OEc	43.9315	69.8788	17.4	753.7	337	56807.	1047	0.9	1.3	3.5	1.5	0.4	4.0	19	2.3
58281	0	0	0	0	OEc	43.9314	69.8783	17.4	753.7	333	56801.	1124	1.3	2.1	3.7	1.6	0.6	2.9	21	2.4
58280	0	0	1	0	OEc	43.9314	69.8778	17.4	753.7	332	56794.	1079	1.1	0.4	3.2	0.1	0.1	3.0	23	2.5
58279	0	0	0	0	OEc	43.9314	69.8773	17.4	753.7	331	56788.	1052	1.1	1.6	5.2	1.5	0.3	5.0	28	2.5
58278	0	0	1	0	OEc	43.9313	69.8768	17.4	753.7	330	56784.	1257	1.4	0.8	5.0	0.1	0.1	3.7	15	2.5
58277	0	0	0	0	OEc	43.9313	69.8763	17.4	753.7	334	56783.	1264	1.1	2.5	4.8	2.3	0.6	4.3	13	2.4
58276	0	0	0	0	OEc	43.9312	69.8758	17.4	753.8	335	56783.	1333	1.6	1.4	5.3	0.9	0.3	3.5	29	2.4
58275	0	0	0	0	OEc	43.9312	69.8754	17.4	753.8	332	56786.	1363	1.1	1.9	4.9	1.8	0.4	4.7	21	2.2
58274	0	0	0	0	OEc	43.9311	69.8749	17.4	753.8	324	56792.	1477	1.3	2.5	6.0	2.0	0.5	4.8	28	2.1
58273	0	0	0	0	OEc	43.9311	69.8744	17.4	753.8	311	56800.	1557	1.4	2.0	5.6	1.4	0.4	4.1	11	2.0
58272	0	0	0	0	OEc	43.9310	69.8739	17.4	753.8	302	56802.	1601	1.3	1.3	8.0	1.1	0.2	6.6	17	1.8
58271	0	0	0	0	OEc	43.9310	69.8734	17.4	753.8	298	56799.	1812	1.7	2.2	11.0	1.4	0.2	6.7	10	1.5
58270	0	0	0	0	OEc	43.9310	69.8729	17.4	753.8	294	56794.	1983	2.0	1.2	8.1	0.6	0.2	4.2	22	1.2
58269	0	0	0	0	OEc	43.9309	69.8724	17.4	753.8	288	56789.	1953	1.7	2.9	8.3	1.7	0.4	5.0	16	1.0
58268	0	0	0	0	OEc	43.9309	69.8719	17.4	753.8	279	56781.	1764	1.4	2.1	9.0	1.6	0.3	6.7	25	0.8
58267	0	0	1	0	OEc	43.9308	69.8714	17.4	753.8	275	56770.	1547	1.3	0.9	8.1	0.1	0.1	6.5	26	0.8
58266	0	0	0	0	OEc	43.9308	69.8709	17.4	753.8	277	56759.	1434	1.3	2.3	9.1	1.8	0.3	7.2	24	0.8
58265	0	0	0	0	OEc	43.9307	69.8704	17.4	753.8	286	56750.	1571	1.3	1.3	8.4	1.0	0.2	6.7	15	0.8
58264	0	0	0	0	OEc	43.9307	69.8700	17.4	753.8	295	56742.	1595	1.4	2.2	6.8	1.7	0.4	5.2	22	1.0
58263	0	0	0	0	OEc	43.9307	69.8695	17.4	753.8	295	56736.	1788	1.5	3.7	6.3	2.5	0.6	4.2	21	1.2
58262	0	0	0	0	OEc	43.9306	69.8690	17.4	753.8	288	56734.	1701	1.4	2.7	7.2	2.0	0.4	5.3	21	1.2
58261	0	0	0	0	OEc	43.9306	69.8685	17.4	753.8	282	56732.	1781	1.5	3.6	7.0	2.5	0.6	4.9	22	1.5
58260	0	0	0	0	OEc	43.9305	69.8680	17.4	753.8	285	56734.	1682	1.5	3.7	6.8	2.5	0.6	4.6	30	1.5
58259	0	0	0	0	Dg	43.9305	69.8675	17.4	753.8	301	56739.	1655	1.5	1.8	6.3	1.3	0.3	4.3	26	1.4
58258	0	0	1	0	Dg	43.9304	69.8670	17.4	753.8	322	56748.	1343	1.4	0.9	5.4	0.1	0.1	4.2	17	1.4
58257	0	0	0	0	Dg	43.9304	69.8665	17.4	753.8	344	56762.	1036	0.9	1.5	4.3	1.8	0.4	5.0	23	1.4
58256	0	0	0	0	Dg	43.9303	69.8660	17.4	753.8	358	56781.	715	0.7	2.0	1.9	3.3	1.1	3.0	21	1.2
58255	0	0	1	0	Dg	43.9303	69.8655	17.4	753.8	367	56804.	476	0.4	0.3	2.1	0.1	0.1	0.1	19	1.2
58254	0	0	1	0	Water	43.9303	69.8651	17.4	753.8	373	56827.	298	0.3	0.3	1.7	0.1	0.1	0.1	20	1.1
58253	0	0	0	1	Water	43.9302	69.8646	17.4	753.8	377	56847.	207	0.2	0.9	-0.2	0.1	0.1	0.1	26	0.9
58252	0	1	1	1	Water	43.9302	69.8641	17.4	753.8	380	56863.	178	0.2	0.5	0.2	0.1	0.1	0.1	12	0.8
58251	0	1	1	0	Water	43.9301	69.8636	17.4	753.8	382	56872.	195	0.1	0.3	1.9	0.1	0.1	0.1	10	0.8
58250	0	0	1	1	Water	43.9301	69.8631	17.4	753.8	382	56875.	235	0.3	0.0	0.6	0.1	0.1	0.1	20	0.8
58249	0	0	1	1	Water	43.9300	69.8626	17.4	753.8	382	56875.	320	0.4	0.4	0.5	0.1	0.1	0.1	19	0.8
58248	0	0	1	0	Water	43.9300	69.8621	17.3	753.8	380	56876.	468	0.4	-0.2	2.9	0.1	0.1	0.1	19	1.0
58247	0	0	1	0	Water	43.9300	69.8616	17.3	753.8	377	56878.	718	0.6	0.7	3.0	0.1	0.1	5.2	19	1.4
58246	0	0	0	0	Water	43.9299	69.8611	17.3	753.8	372	56877.	1124	1.2	1.6	4.5	1.4	0.4	4.0	16	1.7
58245	0	0	0	0	OEc	43.9299	69.8606	17.3	753.8	366	56871.	1351	1.4	1.5	5.0	1.1	0.3	3.6	17	2.0
58244	0	0	0	0	OEc	43.9298	69.8601	17.3	753.7	360	56860.	1559	1.6	1.6	8.0	1.0	0.2	5.0	20	2.0
58243	0	0	0	0	OEc	43.9298	69.8596	17.2	753.7	358	56846.	1713	1.6	3.5	8.5	2.3	0.5	5.5	18	2.2
58242	0	0	0	0	OEc	43.9297	69.8592	17.2	753.7	357	56834.	1865	1.7	1.7	8.4	1.0	0.2	5.2	11	2.5
58241	0	0	0	0	OEc	43.9297	69.8587	17.1	753.7	356	56824.	1727	2.0	1.5	7.5	0.8	0.2	3.9	20	2.4
58240	0	0	0	0	OEc	43.9296	69.8582	17.1	753.7	355	56816.	1821	1.8	2.0	8.1	1.1	0.3	4.6	15	2.4
58239	0	0	0	0	OEce	43.9296	69.8577	17.1	753.7	359	56811.	1742	1.6	2.5	7.7	1.6	0.4	4.8	29	2.4
58238	0	0	0	0	OEce	43.9296	69.8572	17.1	753.7	365	56806.	1839	2.0	1.9	8.4	1.0	0.3	4.3	26	2.3
58237	0	0	0	0	OEce	43.9296	69.8567	17.1	753.7	371	56800.	1843	1.7	2.5	8.5	1.6	0.3	5.3	32	2.2
58236	0	0	0	0	OEce	43.9296	69.8562	17.1	753.7	373	56796.	1864	1.9	2.6	8.9	1.4	0.3	4.7	23	2.1

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
58235	0	0	0	0	OEce	43.9296	69.8557	17.1	753.7	371	56794.	1844	1.9	2.8	7.0	1.6	0.5	3.9	30	2.1
58234	0	0	0	0	OEce	43.9296	69.8552	17.1	753.7	366	56793.	1847	2.0	2.5	8.3	1.3	0.3	4.2	31	2.1
58233	0	0	0	0	OEce	43.9296	69.8547	17.1	753.7	357	56795.	1870	1.9	1.3	7.8	0.7	0.2	4.2	16	2.4
58232	0	0	0	0	OEce	43.9296	69.8542	17.1	753.7	344	56798.	1891	2.0	2.5	9.6	1.3	0.3	5.0	20	2.4
58231	0	0	1	0	OEce	43.9296	69.8538	17.1	753.6	329	56804.	1714	1.5	1.0	6.7	0.1	0.1	4.7	17	2.5
58230	0	0	0	0	OEce	43.9296	69.8533	17.1	753.6	313	56812.	1697	1.7	3.1	8.1	1.9	0.4	5.0	23	2.5
58229	0	0	0	0	OEce	43.9296	69.8528	17.2	753.6	301	56819.	1709	1.5	1.8	7.4	1.2	0.3	5.2	14	2.3
58228	0	0	0	0	OEce	43.9296	69.8523	17.2	753.6	290	56821.	1655	1.6	1.6	6.2	1.0	0.3	3.9	15	2.2
58227	0	0	0	0	OEce	43.9296	69.8518	17.2	753.6	282	56820.	1791	1.4	2.0	9.6	1.4	0.3	7.0	29	2.3
58226	0	0	0	0	OEce	43.9295	69.8513	17.2	753.6	275	56822.	1572	1.4	1.5	9.6	1.1	0.2	6.9	20	2.3
58225	0	0	0	0	OEce	43.9295	69.8508	17.2	753.5	273	56827.	1457	1.3	1.8	6.0	1.4	0.3	4.8	22	2.4
58224	0	0	0	0	OEce	43.9295	69.8503	17.2	753.5	274	56835.	1438	1.2	1.3	6.3	1.1	0.3	5.5	14	2.7
58223	0	0	0	0	OEce	43.9295	69.8498	17.1	753.5	278	56848.	1343	0.9	1.2	7.2	1.4	0.2	8.6	31	2.8
58222	0	0	0	0	OEce	43.9295	69.8493	17.0	753.5	283	56861.	1377	1.3	1.3	6.2	1.0	0.2	5.1	21	2.9
58221	0	0	0	0	OEce	43.9295	69.8489	17.0	753.5	287	56863.	1393	1.1	1.9	6.8	1.9	0.3	6.6	25	3.1
58220	0	0	0	0	OEce	43.9295	69.8484	16.7	753.3	295	56851.	1472	1.3	2.6	6.0	2.1	0.5	4.8	6	3.0
58219	0	0	0	0	OEce	43.9295	69.8479	16.7	753.3	297	56845.	1531	1.2	2.6	6.8	2.3	0.4	6.0	24	3.0
58218	0	0	0	0	OEce	43.9295	69.8474	16.7	753.3	302	56835.	1482	1.3	1.3	6.8	1.0	0.2	5.3	18	2.9
58216	0	0	0	0	OEce	43.9295	69.8464	16.7	753.3	310	56830.	1444	1.3	2.0	5.4	1.6	0.4	4.3	20	2.7
58215	0	0	1	0	OEce	43.9295	69.8459	16.7	753.3	314	56828.	1409	1.4	1.0	5.7	0.1	0.1	4.2	18	2.8
58214	0	0	0	0	OEce	43.9295	69.8454	16.7	753.3	318	56826.	1463	1.7	2.5	4.3	1.6	0.6	2.7	12	2.9
58213	0	0	0	0	OEce	43.9295	69.8449	16.7	753.3	317	56822.	1419	1.2	1.8	4.3	1.5	0.5	3.6	29	2.7
58212	0	0	1	0	OEce	43.9295	69.8444	16.7	753.3	312	56821.	1338	1.6	0.8	4.2	0.1	0.1	2.7	28	2.8
58211	0	0	1	0	OEce	43.9295	69.8439	16.7	753.2	304	56823.	1318	1.6	0.9	3.0	0.1	0.1	2.0	13	2.9
58210	0	0	0	0	OEce	43.9295	69.8435	16.8	753.2	298	56825.	1224	1.3	1.3	5.9	1.1	0.3	4.8	23	3.0
58209	0	0	0	0	OEce	43.9295	69.8430	16.9	753.2	299	56829.	1209	1.1	1.4	4.2	1.3	0.4	3.8	12	3.0
58208	0	0	0	0	OEce	43.9294	69.8425	17.0	753.2	302	56833.	1277	1.2	1.4	6.1	1.2	0.3	5.1	23	3.1
58207	0	0	0	0	OEce	43.9294	69.8420	17.0	753.2	308	56837.	1281	1.1	1.7	3.2	1.7	0.6	3.1	18	2.9
58206	0	0	0	0	OEce	43.9294	69.8415	17.1	753.1	319	56842.	1240	1.2	1.5	4.9	1.3	0.3	4.3	20	2.8
58205	0	0	0	0	OEce	43.9294	69.8410	17.1	753.1	329	56845.	1280	1.1	2.0	4.9	1.9	0.5	4.6	15	3.1
58204	0	0	0	0	OEce	43.9294	69.8405	17.2	753.1	335	56849.	1383	1.3	1.3	6.3	1.0	0.3	4.9	21	3.4
58203	0	0	1	0	OEce	43.9294	69.8400	17.4	753.0	338	56852.	1306	1.1	0.6	6.2	0.1	0.1	6.1	18	3.7
58202	0	0	1	0	OEce	43.9294	69.8395	17.5	753.0	341	56855.	1287	1.3	0.9	7.1	0.1	0.1	5.9	14	4.2
58201	0	0	1	0	OEce	43.9294	69.8390	17.7	753.0	347	56857.	1178	1.1	1.2	6.9	0.1	0.1	6.6	24	4.2
58200	0	0	1	0	OEce	43.9294	69.8385	17.9	753.0	358	56857.	1120	1.1	0.2	4.8	0.1	0.1	4.6	20	4.3
58199	0	0	1	0	OEce	43.9294	69.8381	18.1	752.9	374	56857.	923	1.1	0.4	2.9	0.1	0.1	2.8	10	4.4
58198	0	0	1	0	OEce	43.9294	69.8376	18.3	752.9	385	56857.	798	0.7	-0.2	3.1	0.1	0.1	4.5	21	4.2
58197	0	0	1	0	OEce	43.9294	69.8371	18.5	752.9	386	56856.	845	0.6	0.5	4.5	0.1	0.1	7.3	22	4.1
58196	0	0	1	0	OEce	43.9294	69.8366	18.6	752.9	373	56856.	947	1.1	1.0	2.2	0.1	0.1	2.1	16	4.1
58195	0	0	1	0	OEce	43.9294	69.8361	18.7	752.8	355	56855.	1061	1.3	0.3	3.0	0.1	0.1	2.4	16	4.0
58194	0	0	0	0	Dg	43.9294	69.8356	18.9	752.8	342	56853.	1194	1.3	1.1	3.0	0.9	0.4	2.4	21	4.1
58193	0	0	0	0	Dg	43.9294	69.8351	19.1	752.7	334	56853.	1187	1.4	1.3	3.0	1.0	0.5	2.3	19	4.3
58192	0	0	0	0	Dg	43.9294	69.8346	19.2	752.7	337	56854.	1248	1.2	1.8	4.2	1.6	0.5	3.6	24	4.4
58191	0	0	0	0	Dg	43.9294	69.8341	19.3	752.6	343	56853.	1304	1.3	2.1	4.1	1.7	0.6	3.3	15	4.6
58190	0	0	1	0	Dg	43.9294	69.8336	19.4	752.6	354	56855.	1391	1.2	0.2	4.8	0.1	0.1	4.1	22	4.7
58189	0	0	1	0	Dg	43.9294	69.8332	19.4	752.5	365	56856.	1454	1.5	1.2	7.4	0.1	0.1	5.1	22	4.6
58188	0	0	0	0	Dg	43.9294	69.8327	19.5	752.4	375	56856.	1470	1.6	1.7	6.1	1.1	0.3	3.8	22	4.7
58187	0	0	0	0	Dg	43.9293	69.8322	19.5	752.4	371	56856.	1506	1.4	2.3	6.3	1.7	0.4	4.8	21	4.8
58186	0	0	1	0	Dg	43.9293	69.8317	19.5	752.3	359	56856.	1480	1.6	1.1	4.8	0.1	0.1	3.0	26	4.9
58185	0	0	1	0	Dg	43.9293	69.8312	19.4	752.2	349	56858.	1404	1.7	0.5	6.0	0.1	0.1	3.6	21	5.0

*** NOTE *** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
58184	0	0	0	0	Dg	43.9293	69.8307	19.3	752.1	365	56863.	1508	1.7	1.3	9.0	0.8	0.2	5.3	23	4.8
58183	0	0	0	0	Dg	43.9293	69.8302	19.2	752.1	387	56867.	1587	1.4	2.4	7.3	1.8	0.4	5.4	25	5.0
58182	0	0	0	0	Dg	43.9293	69.8297	19.1	752.0	406	56866.	1672	1.6	2.4	7.1	1.5	0.4	4.5	15	4.8
58181	0	0	0	0	OEce	43.9293	69.8292	19.1	751.9	408	56860.	1599	1.7	1.9	8.4	1.2	0.3	5.0	21	4.8
58180	0	0	0	0	OEce	43.9293	69.8287	19.0	751.8	400	56854.	1655	1.3	1.8	9.7	1.5	0.2	7.8	18	4.3
58179	0	0	0	0	OEce	43.9293	69.8282	19.1	751.7	393	56851.	1617	1.7	2.1	8.4	1.3	0.3	5.1	17	3.8
58178	0	0	0	0	OEce	43.9293	69.8278	19.1	751.6	396	56850.	1490	1.4	2.2	9.2	1.7	0.3	6.8	23	3.4
58177	0	0	0	0	OEce	43.9293	69.8273	19.1	751.6	409	56849.	1536	1.4	2.5	6.4	1.8	0.4	4.6	24	3.0
58176	0	0	0	0	OEce	43.9293	69.8268	19.1	751.4	420	56846.	1610	1.3	2.7	6.6	2.2	0.5	5.3	24	2.7
58175	0	0	0	0	OEce	43.9293	69.8263	19.2	751.4	422	56843.	1546	1.4	2.4	5.6	1.7	0.5	4.0	13	2.6
58174	0	0	0	0	OEce	43.9293	69.8258	19.2	751.3	417	56840.	1532	1.4	2.4	5.6	1.8	0.5	4.2	18	2.4
58173	0	0	0	0	OEce	43.9293	69.8253	19.3	751.2	401	56838.	1585	1.8	2.0	6.7	1.2	0.3	3.9	24	2.6
58172	0	0	0	0	OEce	43.9293	69.8248	19.3	751.1	382	56836.	1457	1.8	1.4	4.9	0.8	0.3	2.8	21	2.7
58171	0	0	1	0	OEce	43.9293	69.8243	19.4	751.0	363	56833.	1368	1.5	1.0	7.0	0.1	0.1	4.7	15	2.6
58170	0	0	1	0	OEce	43.9293	69.8238	19.5	750.9	359	56829.	1397	1.6	0.7	5.0	0.1	0.1	3.2	18	2.7
58169	0	0	1	0	OEce	43.9293	69.8233	19.6	750.8	365	56827.	1500	2.0	0.6	7.4	0.1	0.1	3.9	22	2.9
58168	0	0	1	0	OEce	43.9293	69.8228	19.6	750.8	379	56825.	1389	1.6	1.2	4.3	0.1	0.1	2.7	16	2.9
58167	0	0	0	0	OEce	43.9292	69.8224	19.7	750.7	399	56823.	1489	1.6	3.2	5.6	2.0	0.6	3.6	17	2.8
58166	0	0	0	0	Dg	43.9292	69.8219	19.7	750.6	420	56822.	1586	1.6	2.8	5.0	1.8	0.6	3.2	21	2.5
58165	0	0	0	0	Dg	43.9292	69.8214	19.7	750.6	443	56820.	1610	1.4	1.8	5.4	1.3	0.4	3.9	23	2.3
58164	0	0	0	0	Dg	43.9292	69.8209	19.7	750.5	459	56819.	1632	1.9	1.6	5.2	0.9	0.3	2.8	22	2.3
58163	0	0	0	0	Dg	43.9292	69.8204	19.3	750.1	458	56818.	1643	1.7	2.3	5.9	1.4	0.4	3.6	23	1.9
58162	0	0	1	0	Dg	43.9292	69.8199	19.4	750.1	466	56817.	1710	1.7	0.5	7.9	0.1	0.1	4.7	17	1.5
58161	0	0	0	0	Dg	43.9293	69.8194	19.4	750.1	472	56816.	1644	1.8	1.8	5.9	1.0	0.3	3.3	24	1.1
58160	0	0	0	0	Dg	43.9294	69.8189	19.3	750.1	483	56815.	1682	1.6	2.8	7.1	1.9	0.4	4.7	29	0.7
58159	0	0	0	0	Dg	43.9294	69.8184	19.3	750.1	484	56814.	1713	1.8	2.9	6.4	1.6	0.5	3.6	28	0.6
58158	0	0	0	0	Dg	43.9295	69.8179	19.3	750.1	483	56812.	1651	1.6	2.6	7.4	1.7	0.4	4.9	19	0.4
58157	0	0	1	0	Dg	43.9296	69.8174	19.3	750.1	472	56812.	1726	1.6	1.0	8.3	0.1	0.1	5.3	14	0.5
58156	0	0	0	0	Dg	43.9297	69.8169	19.2	750.1	460	56813.	1615	1.6	2.5	7.3	1.6	0.4	4.7	15	0.3
58155	0	0	0	0	Dg	43.9297	69.8164	19.3	750.1	447	56813.	1626	2.0	2.5	9.0	1.3	0.3	4.6	19	0.6
58154	0	0	1	0	Dg	43.9298	69.8159	19.3	750.1	450	56813.	1512	1.7	1.2	5.3	0.1	0.1	3.3	27	0.8
58153	0	0	0	0	Dg	43.9299	69.8154	19.3	750.1	458	56812.	1426	1.5	2.4	6.2	1.7	0.4	4.4	18	1.0
58152	0	0	0	0	OEce	43.9300	69.8149	19.3	750.1	466	56811.	1281	1.5	1.4	6.1	1.0	0.3	4.2	27	1.2
58151	0	0	1	0	OEce	43.9301	69.8144	19.3	750.1	476	56810.	1035	0.9	0.8	6.0	0.1	0.1	7.1	18	1.5
58150	0	0	0	0	OEce	43.9301	69.8139	19.3	750.1	498	56809.	860	0.9	2.6	2.3	3.2	1.1	2.9	19	1.4
58149	0	0	0	0	OEce	43.9302	69.8134	19.2	750.1	522	56808.	723	0.7	1.3	3.7	2.1	0.4	5.8	20	1.2
58148	0	1	0	0	OEce	43.9303	69.8129	19.2	750.1	538	56808.	443	0.2	1.3	2.2	0.1	0.6	0.1	17	0.8
58147	0	1	0	1	OEce	43.9304	69.8124	19.3	750.1	541	56809.	300	0.1	2.1	-0.2	0.1	0.1	0.1	14	0.4
58146	0	1	0	1	OEce	43.9304	69.8119	19.4	750.0	542	56810.	176	0.2	1.1	-0.3	0.1	0.1	0.1	26	0.1
58145	0	0	1	1	Water	43.9305	69.8114	19.5	750.0	542	56812.	170	0.4	-0.3	-0.6	0.1	0.1	0.1	14	0.0
58144	0	0	1	1	Water	43.9306	69.8109	19.6	750.0	542	56814.	155	0.3	0.4	-0.1	0.1	0.1	0.1	16	0.0
58143	0	1	1	1	Water	43.9307	69.8103	19.9	750.0	543	56816.	96	0.1	0.1	-0.6	0.1	0.1	0.1	22	0.0
58142	0	1	1	1	Water	43.9307	69.8098	19.9	750.0	544	56819.	82	0.1	0.2	0.9	0.1	0.1	0.1	19	0.0
58141	0	1	1	1	Water	43.9308	69.8093	20.0	750.0	544	56825.	105	0.0	-0.1	-0.1	0.1	0.1	0.1	28	0.0
58140	0	1	0	1	Water	43.9309	69.8088	20.1	750.0	543	56833.	90	0.1	1.1	0.3	0.1	0.1	0.1	15	0.0
58139	0	0	1	1	Water	43.9310	69.8083	20.2	749.9	542	56839.	131	0.2	0.2	0.6	0.1	0.1	0.1	19	0.0
58138	0	1	1	0	Water	43.9310	69.8078	20.2	749.9	540	56845.	169	0.1	0.6	2.3	0.1	0.1	0.1	20	0.0
58137	0	1	1	1	Water	43.9311	69.8073	20.3	749.9	539	56853.	276	0.2	0.7	0.8	0.1	0.1	0.1	17	0.0
58136	0	0	0	1	Water	43.9312	69.8068	20.5	749.9	536	56861.	361	0.3	1.5	0.6	0.1	0.1	0.1	14	0.0
58135	0	0	0	0	Water	43.9313	69.8063	20.6	749.9	530	56868.	531	0.3	1.5	2.3	0.1	0.7	0.1	22	0.3

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI	
												CPS	%	PPM	PPM					CPS	CPS
58134	0	0	0	0	Water	43.9313	69.8058	20.6	750.0	517	56876.	684	0.8	2.0	2.5	2.7	0.8	3.4	19	0.6	
58133	0	0	1	0	Water	43.9314	69.8053	20.6	750.0	496	56888.	830	1.0	1.0	4.2	0.1	0.1	4.3	24	0.7	
58132	0	0	0	0	Water	43.9315	69.8048	20.6	750.0	473	56902.	1014	1.1	2.3	4.7	2.2	0.5	4.4	26	0.6	
58131	0	0	0	0	OEce	43.9316	69.8043	20.6	750.0	455	56917.	1200	0.9	1.9	4.9	2.2	0.4	5.8	14	0.7	
58130	0	0	1	0	OEce	43.9316	69.8038	20.5	750.0	447	56934.	1224	1.4	0.8	4.6	0.1	0.1	3.4	22	0.6	
58129	0	0	0	0	OEce	43.9317	69.8033	20.5	750.0	442	56951.	1281	1.3	2.4	5.7	1.9	0.5	4.4	18	0.6	
58128	0	0	0	0	OEce	43.9318	69.8028	20.5	750.1	436	56965.	1308	1.0	1.4	5.7	1.4	0.3	5.8	19	0.5	
58127	0	0	0	0	OEce	43.9319	69.8023	20.5	750.1	427	56975.	1373	1.4	2.3	5.1	1.7	0.5	3.8	24	0.5	
58125	0	0	1	0	OEce	43.9320	69.8013	20.5	750.1	419	56980.	1330	1.3	1.1	5.1	0.1	0.1	4.1	24	0.6	
58124	0	0	0	0	OEce	43.9321	69.8008	20.5	750.1	412	56982.	1430	1.4	2.5	5.2	1.8	0.5	3.8	23	0.9	
58123	0	0	1	0	OEce	43.9322	69.8003	20.5	750.2	406	56983.	1412	1.2	0.9	7.1	0.1	0.1	6.2	13	1.2	
58122	0	0	0	0	OEce	43.9322	69.7998	20.5	750.2	406	56980.	1442	1.4	1.2	6.6	0.9	0.2	4.8	22	1.5	
58121	0	0	0	0	OEce	43.9323	69.7993	20.5	750.2	411	56971.	1448	1.6	3.2	6.0	2.0	0.6	3.7	20	1.7	
58120	0	0	0	0	OEce	43.9324	69.7988	20.4	750.2	422	56958.	1367	1.6	1.4	6.0	0.9	0.3	3.9	17	1.9	
58119	0	0	0	0	OEce	43.9325	69.7983	20.4	750.2	431	56941.	1412	1.4	1.7	6.2	1.3	0.3	4.6	16	2.0	
58118	0	0	1	0	OEce	43.9325	69.7978	20.3	750.2	441	56925.	1528	1.5	0.8	9.8	0.1	0.1	6.9	18	2.2	
58117	0	0	1	0	OEce	43.9326	69.7973	20.3	750.2	448	56912.	1330	1.4	0.4	6.0	0.1	0.1	4.5	15	2.5	
58116	0	0	1	0	OEce	43.9327	69.7968	20.3	750.2	460	56899.	1450	1.5	0.7	7.2	0.1	0.1	5.0	15	2.6	
58115	0	0	0	0	OEce	43.9328	69.7963	20.3	750.2	469	56888.	1277	1.2	2.4	9.6	2.1	0.3	8.5	28	2.8	
58114	0	0	0	0	OEce	43.9328	69.7958	20.2	750.2	470	56882.	1288	1.1	1.4	4.7	1.4	0.3	4.6	19	2.9	
58113	0	0	0	0	OEce	43.9329	69.7953	20.2	750.2	466	56881.	1176	1.0	2.5	6.0	2.6	0.5	6.0	20	3.1	
58112	0	0	1	0	OEce	43.9329	69.7947	20.2	750.1	459	56882.	1055	1.0	1.0	7.3	0.1	0.1	7.7	19	3.1	
58111	0	0	0	0	OEce	43.9329	69.7942	20.2	750.1	457	56884.	991	0.9	1.3	3.0	1.6	0.5	3.8	21	3.2	
58110	0	0	0	0	OEce	43.9329	69.7936	20.2	750.1	454	56888.	968	0.4	1.9	5.2	0.1	0.4	0.1	17	3.2	
58109	0	0	1	0	OEce	43.9329	69.7931	20.1	750.0	451	56890.	1072	0.7	1.1	5.2	0.1	0.1	8.1	18	3.2	
58108	0	0	1	0	OEce	43.9329	69.7925	20.1	750.0	454	56886.	1271	1.2	0.3	5.2	0.1	0.1	4.4	15	3.3	
58107	0	0	0	0	OEce	43.9328	69.7920	20.1	750.0	455	56875.	1376	1.3	1.3	6.3	1.0	0.2	5.0	27	3.4	
58106	0	0	0	0	OEce	43.9328	69.7915	20.0	749.5	441	56863.	1484	1.4	2.9	4.9	2.1	0.6	3.5	20	3.6	
58105	0	0	0	0	OEce	43.9328	69.7909	20.0	749.5	442	56860.	1409	1.2	2.1	4.6	1.8	0.5	3.9	24	3.8	
58104	0	0	0	0	OEce	43.9328	69.7904	20.0	749.5	441	56855.	1593	1.5	3.7	6.1	2.5	0.6	4.2	16	3.9	
58103	0	0	0	0	OEce	43.9328	69.7898	20.0	749.5	442	56851.	1501	1.5	1.7	3.4	1.2	0.5	2.3	18	4.1	
58102	0	0	0	0	OEce	43.9328	69.7893	20.0	749.5	442	56849.	1549	1.4	1.7	5.0	1.3	0.4	3.8	16	4.3	
58101	0	0	1	0	OEce	43.9328	69.7887	20.0	749.5	449	56849.	1481	1.5	0.9	6.2	0.1	0.1	4.4	21	4.7	
58100	0	0	1	0	OEce	43.9328	69.7882	20.0	749.4	460	56848.	1556	1.5	1.1	6.0	0.1	0.1	4.2	26	4.9	
58099	0	0	1	0	OEce	43.9328	69.7877	20.0	749.4	477	56848.	1457	1.6	0.8	6.9	0.1	0.1	4.6	22	5.0	
58098	0	0	1	0	OEce	43.9327	69.7871	20.0	749.4	486	56850.	1565	1.5	0.4	6.0	0.1	0.1	4.2	24	5.0	
58097	0	0	0	0	OEce	43.9327	69.7866	20.0	749.4	487	56852.	1565	1.7	1.5	6.2	0.9	0.3	3.8	18	5.0	
58096	0	0	0	0	OEce	43.9327	69.7860	20.0	749.3	481	56854.	1581	1.6	2.0	5.6	1.3	0.4	3.6	15	5.0	
58095	0	0	0	0	OEce	43.9327	69.7855	20.0	749.3	476	56857.	1558	1.2	2.4	6.0	2.1	0.4	5.4	17	5.1	
58094	0	0	0	0	OEce	43.9327	69.7849	20.0	749.3	471	56860.	1579	1.3	2.7	6.9	2.1	0.4	5.4	19	5.1	
58093	0	0	0	0	OEce	43.9327	69.7844	20.0	749.3	467	56863.	1489	1.4	1.9	4.7	1.4	0.5	3.3	12	5.2	
58092	0	0	0	0	OEce	43.9327	69.7838	20.0	749.2	469	56868.	1486	1.4	1.8	6.0	1.3	0.3	4.3	21	5.4	
58091	0	0	0	0	OEce	43.9327	69.7833	20.0	749.2	472	56873.	1555	1.4	3.4	4.9	2.5	0.7	3.7	25	5.7	
58090	0	0	1	0	OEce	43.9326	69.7827	20.0	749.2	474	56878.	1535	1.5	0.5	7.3	0.1	0.1	5.0	22	6.1	
58089	0	0	0	0	OEce	43.9326	69.7822	20.0	749.1	471	56885.	1596	1.6	1.8	6.2	1.1	0.3	3.9	23	6.5	
58088	0	0	1	0	OEce	43.9326	69.7817	19.9	749.1	470	56894.	1542	1.5	1.4	5.8	0.1	0.1	3.9	16	6.8	
58087	0	0	0	0	OEce	43.9326	69.7811	19.9	749.1	478	56904.	1513	1.5	2.0	7.0	1.4	0.3	4.9	26	7.1	
58086	0	0	1	0	OEce	43.9326	69.7806	19.9	749.0	497	56916.	1464	1.6	1.3	6.0	0.1	0.1	4.0	29	7.2	
58085	0	0	1	0	OEce	43.9326	69.7800	19.9	749.0	509	56931.	1485	1.5	0.9	6.8	0.1	0.1	4.7	10	7.4	
58084	0	0	1	0	OEce	43.9326	69.7795	19.9	749.0	515	56948.	1406	1.5	1.1	6.1	0.1	0.1	4.1	24	7.4	

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
58083	0	0	1	0	OEce	43.9326	69.7789	19.9	749.0	519	56966.	1432	1.3	1.5	4.9	0.1	0.1	3.9	24	7.3
58082	0	0	1	0	OEce	43.9326	69.7784	19.9	748.9	526	56984.	1419	1.3	0.3	4.5	0.1	0.1	3.6	19	7.3
58081	0	0	1	0	OEce	43.9325	69.7779	19.9	748.9	530	57003.	1433	1.5	1.0	4.3	0.1	0.1	3.0	13	7.4
58080	0	0	1	0	OEce	43.9325	69.7774	19.9	748.9	518	57022.	1340	1.5	1.1	4.5	0.1	0.1	3.1	27	7.4
58079	0	0	1	0	OEce	43.9326	69.7768	19.9	748.9	506	57034.	1311	1.6	0.8	4.9	0.1	0.1	3.2	20	7.4
58078	0	0	0	0	OEce	43.9326	69.7763	19.9	748.8	493	57041.	1384	1.4	1.7	5.7	1.3	0.3	4.3	19	7.4
58077	0	0	1	0	OEce	43.9326	69.7758	19.9	748.8	487	57043.	1369	1.5	0.8	6.9	0.1	0.1	4.9	18	7.4
58076	0	0	0	0	OEce	43.9326	69.7753	19.9	748.8	483	57042.	1403	1.5	2.1	4.7	1.4	0.5	3.2	18	7.1
58075	0	0	1	0	OEce	43.9326	69.7748	19.9	748.7	485	57039.	1328	1.3	0.6	5.7	0.1	0.1	4.6	22	6.8
58074	0	0	1	0	OEce	43.9326	69.7743	19.9	748.7	485	57037.	1365	1.4	1.0	6.3	0.1	0.1	4.7	23	6.7
58073	0	0	0	0	OEce	43.9326	69.7738	19.9	748.7	480	57036.	1517	1.3	3.5	6.0	2.9	0.6	4.9	30	6.7
58072	0	0	1	0	OEce	43.9326	69.7733	20.0	748.7	470	57035.	1445	1.6	0.6	5.6	0.1	0.1	3.7	24	6.6
58071	0	0	0	0	OEce	43.9326	69.7728	20.0	748.7	457	57035.	1413	1.3	1.7	8.0	1.4	0.3	6.5	12	6.5
58070	0	0	0	0	OEce	43.9326	69.7722	20.0	748.8	443	57036.	1482	1.3	1.6	6.5	1.3	0.3	5.0	30	6.5
58069	0	0	1	0	OEce	43.9326	69.7717	20.0	748.8	428	57036.	1357	1.4	0.9	3.7	0.1	0.1	2.6	17	6.5
58068	0	0	0	0	OEce	43.9326	69.7712	20.0	748.8	415	57036.	1303	1.3	1.9	4.9	1.5	0.4	3.9	21	6.3
58067	0	0	1	0	OEce	43.9326	69.7707	20.0	748.9	406	57035.	1287	1.4	1.0	6.0	0.1	0.1	4.6	20	6.3
58066	0	0	1	0	OEce	43.9326	69.7702	20.1	748.9	401	57033.	1307	1.3	0.6	5.9	0.1	0.1	4.6	12	6.1
58065	0	0	1	0	OEce	43.9326	69.7697	20.1	749.0	400	57034.	1108	1.1	-0.1	6.1	0.1	0.1	5.8	21	5.9
58064	0	0	0	0	OEce	43.9327	69.7692	20.1	749.1	400	57033.	1134	1.2	1.2	3.1	1.0	0.4	2.7	21	5.7
58063	0	0	1	0	OEce	43.9327	69.7687	20.1	749.2	402	57032.	1047	0.9	0.1	4.7	0.1	0.1	5.5	15	5.6
58062	0	0	1	0	OEce	43.9327	69.7682	20.1	749.3	407	57029.	1145	1.1	0.6	5.0	0.1	0.1	5.0	18	5.4
58061	0	0	1	0	OEce	43.9327	69.7677	20.1	749.4	417	57023.	1178	1.1	0.3	4.2	0.1	0.1	3.8	15	5.6
58060	0	0	0	0	OEce	43.9327	69.7672	20.2	749.5	430	57017.	1234	1.1	1.9	5.3	1.8	0.4	5.0	18	5.5
58059	0	0	1	0	OEce	43.9327	69.7666	20.2	749.6	442	57014.	1242	1.0	0.3	4.4	0.1	0.1	4.6	26	5.4
58058	0	0	0	0	OEce	43.9327	69.7661	20.2	749.7	445	57012.	1302	1.3	2.9	3.1	2.4	1.0	2.5	28	5.3
58057	0	0	0	0	OEce	43.9327	69.7656	20.2	749.8	439	57011.	1300	1.0	1.6	5.0	1.6	0.4	5.0	18	5.2
58056	0	0	1	0	OEce	43.9327	69.7651	20.2	749.9	424	57013.	1316	1.3	0.6	4.5	0.1	0.1	3.7	17	4.9
58055	0	0	1	0	OEce	43.9327	69.7646	20.2	750.0	407	57016.	1235	1.3	0.9	4.8	0.1	0.1	3.8	24	4.7
58054	0	0	1	0	OEce	43.9327	69.7641	20.2	750.1	389	57021.	1284	1.2	0.1	5.1	0.1	0.1	4.4	22	4.4
58053	0	0	0	0	OEce	43.9327	69.7636	20.2	750.2	373	57028.	1294	1.3	1.9	5.8	1.5	0.4	4.7	30	4.2
58052	0	0	0	0	OEce	43.9327	69.7631	20.2	750.3	357	57035.	1300	1.2	1.4	4.9	1.3	0.3	4.4	16	3.9
58051	0	0	0	0	OEce	43.9327	69.7626	20.2	750.3	343	57044.	1260	1.5	2.1	4.1	1.4	0.6	2.8	27	3.6
58050	0	0	0	0	OEce	43.9328	69.7620	20.3	750.8	329	57056.	1250	1.1	1.2	5.6	1.1	0.3	5.1	29	3.6
58049	0	0	0	0	OEce	43.9328	69.7615	20.3	750.8	328	57060.	1201	1.4	1.1	3.9	0.8	0.3	2.9	16	3.5
58048	0	0	0	0	OEce	43.9328	69.7610	20.3	750.8	328	57065.	1268	1.3	1.7	4.1	1.4	0.5	3.4	25	3.5
58047	0	0	0	0	OEce	43.9328	69.7605	20.4	750.8	325	57067.	1268	1.0	1.8	2.6	2.0	0.8	2.8	20	3.4
58046	0	0	0	0	OEce	43.9328	69.7600	20.4	750.8	324	57065.	1234	1.2	1.6	5.8	1.4	0.3	5.1	24	3.4
58045	0	0	1	0	OEce	43.9328	69.7595	20.4	750.8	326	57061.	1303	1.3	0.6	5.4	0.1	0.1	4.3	27	3.6
58044	0	0	1	0	OEce	43.9328	69.7590	20.4	750.8	333	57053.	1281	1.3	0.9	3.2	0.1	0.1	2.6	23	3.8
58043	0	0	0	0	OEce	43.9328	69.7585	20.4	750.9	342	57044.	1358	1.2	1.8	5.2	1.6	0.4	4.5	14	4.0
58042	0	0	0	0	OEce	43.9328	69.7580	20.4	750.9	348	57036.	1402	1.2	1.2	5.4	1.1	0.3	4.8	12	4.0
58041	0	0	0	0	OEce	43.9328	69.7574	20.4	750.9	350	57032.	1399	1.5	2.0	4.8	1.4	0.5	3.3	20	4.0
58040	0	0	0	0	OEce	43.9328	69.7569	20.4	751.0	347	57029.	1365	1.5	1.4	5.5	1.0	0.3	3.9	18	3.9
58039	0	0	1	0	OEce	43.9328	69.7564	20.4	751.0	343	57027.	1406	1.1	0.7	7.8	0.1	0.1	7.3	31	3.9
58038	0	0	1	0	OEce	43.9328	69.7559	20.4	751.0	338	57030.	1361	1.5	1.0	6.9	0.1	0.1	4.8	14	3.7
58037	0	0	1	0	OEce	43.9328	69.7554	20.4	751.1	336	57036.	1442	1.4	1.0	6.9	0.1	0.1	5.3	19	3.4
58036	0	0	0	0	OEce	43.9328	69.7549	20.4	751.2	333	57040.	1365	1.4	1.3	7.0	1.0	0.2	5.1	24	3.0
58034	0	0	0	0	OEce	43.9328	69.7539	20.4	751.2	331	57044.	1400	1.3	2.4	6.9	1.9	0.4	5.6	23	2.7
58033	0	0	0	0	OEce	43.9329	69.7534	20.4	751.3	324	57049.	1400	1.1	2.6	5.7	2.5	0.5	5.4	20	2.7

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
58032	0	0	0	0	OEce	43.9329	69.7529	20.4	751.4	315	57055.	1390	1.1	1.3	6.9	1.2	0.2	6.4	16	2.7
58031	0	0	0	0	OEce	43.9329	69.7523	20.4	751.5	304	57062.	1286	1.0	1.6	6.0	1.7	0.3	6.1	17	2.9
58030	0	0	1	0	OEce	43.9329	69.7518	20.4	751.5	294	57072.	1276	1.0	0.9	6.7	0.1	0.1	7.0	21	3.3
58029	0	0	0	0	OEce	43.9329	69.7513	20.4	751.6	285	57083.	1212	1.2	2.2	5.1	1.9	0.5	4.5	19	3.6
58028	0	0	1	0	OEce	43.9329	69.7508	20.4	751.7	279	57088.	1179	1.0	0.5	3.7	0.1	0.1	4.0	16	3.9
58027	0	0	0	0	OEce	43.9329	69.7503	20.4	751.8	275	57082.	1216	1.1	1.5	6.6	1.3	0.3	6.0	23	4.2
58026	0	0	0	0	OEce	43.9329	69.7498	20.4	751.9	275	57065.	1128	0.8	1.9	4.2	2.4	0.5	5.3	22	4.4
58025	0	0	0	0	OEce	43.9329	69.7493	20.4	752.0	276	57045.	1184	1.2	1.1	4.2	1.0	0.3	3.7	13	4.6
58024	0	0	1	0	OEce	43.9329	69.7488	20.4	752.1	281	57025.	1153	0.9	0.5	5.5	0.1	0.1	6.1	23	4.6
58023	0	0	1	0	OEce	43.9329	69.7483	20.4	752.2	283	57010.	1141	0.9	0.4	5.6	0.1	0.1	6.3	18	4.6
58022	0	0	0	0	OEce	43.9329	69.7478	20.4	752.3	285	57000.	1149	0.8	1.2	5.1	1.7	0.3	7.1	26	4.6
58021	0	0	0	0	OEce	43.9329	69.7472	20.4	752.3	284	56995.	1162	1.1	1.2	6.5	1.1	0.2	6.1	17	4.6
58020	0	0	0	0	OEce	43.9329	69.7467	20.4	752.4	283	56994.	1202	0.9	1.6	4.8	1.7	0.4	5.4	14	4.5
58019	0	0	1	0	OEce	43.9329	69.7462	20.4	752.5	285	56997.	1133	0.9	0.9	4.7	0.1	0.1	5.5	24	4.3
58018	0	0	1	0	OEce	43.9329	69.7457	20.4	752.6	290	57004.	1125	1.0	0.1	6.5	0.1	0.1	6.6	29	4.0
58017	0	0	0	0	OEce	43.9330	69.7452	20.4	752.6	300	57017.	1178	1.0	1.3	4.8	1.4	0.3	5.3	19	3.8
58016	0	0	0	0	OEce	43.9330	69.7447	20.4	752.7	307	57032.	1214	1.0	1.9	4.7	2.0	0.5	4.9	27	3.5
58015	0	0	0	0	OEce	43.9330	69.7442	20.4	752.7	312	57045.	1203	0.9	1.8	5.7	2.0	0.4	6.3	27	3.2
58014	0	0	1	0	OEce	43.9330	69.7437	20.4	752.8	313	57057.	1233	1.1	0.7	5.1	0.1	0.1	4.8	23	3.0
58013	0	0	0	0	OEce	43.9330	69.7432	20.4	752.8	311	57066.	1224	1.0	1.5	5.2	1.6	0.3	5.7	19	2.7
58012	0	0	0	0	OEce	43.9330	69.7427	20.4	752.9	307	57072.	1212	1.2	1.4	3.6	1.3	0.4	3.1	20	2.6
58011	0	0	0	0	OEce	43.9330	69.7421	20.4	752.9	304	57075.	1296	1.3	1.9	5.4	1.6	0.4	4.3	17	2.5
58010	0	0	0	0	OEce	43.9330	69.7416	20.3	752.9	304	57075.	1140	0.9	1.4	5.7	1.6	0.3	6.5	20	2.5
58009	0	0	1	0	OEce	43.9330	69.7411	20.3	752.9	304	57074.	1197	0.8	0.9	5.2	0.1	0.1	6.5	18	2.6
58008	0	0	1	0	OEce	43.9330	69.7406	20.3	753.0	303	57070.	1206	1.1	0.9	7.9	0.1	0.1	7.6	22	2.6
58007	0	0	0	0	OEce	43.9330	69.7401	20.3	753.0	305	57058.	1192	0.9	1.9	5.3	2.1	0.4	5.8	17	2.5
58006	0	0	0	0	OEce	43.9330	69.7396	20.3	753.0	309	57038.	1206	1.0	2.3	4.9	2.5	0.5	5.3	17	2.2
58005	0	0	0	0	OEce	43.9330	69.7391	20.3	753.0	311	57008.	1160	0.9	1.5	4.4	1.8	0.4	5.2	23	2.0
58004	0	0	0	0	OEce	43.9330	69.7386	20.3	753.0	309	56976.	1252	1.1	1.8	4.2	1.6	0.5	3.8	23	1.7
58003	0	0	0	0	OEce	43.9330	69.7381	20.2	753.1	307	56948.	1214	1.2	1.5	3.2	1.3	0.5	2.8	18	1.5
58002	0	0	0	0	OEce	43.9331	69.7376	20.2	753.1	309	56929.	1266	1.2	1.6	5.6	1.4	0.3	5.0	18	1.3
58001	0	0	0	0	OEce	43.9331	69.7370	20.2	753.1	315	56917.	1305	1.2	1.4	5.4	1.2	0.3	4.8	18	1.3
58000	0	0	0	0	OEce	43.9331	69.7365	20.2	753.1	321	56909.	1330	1.3	1.4	6.4	1.1	0.3	5.0	29	1.4
57999	0	0	1	0	OEce	43.9331	69.7360	20.2	753.1	324	56906.	1339	1.4	1.0	6.7	0.1	0.1	5.0	31	1.3
57998	0	0	0	0	OEce	43.9331	69.7355	20.1	753.0	325	56906.	1324	1.4	3.4	5.4	2.6	0.7	4.1	23	1.3
57997	0	0	0	0	OEce	43.9331	69.7350	20.1	753.0	332	56911.	1465	1.1	2.1	5.0	2.0	0.5	4.7	21	1.2
57996	0	0	0	0	OEce	43.9331	69.7345	20.1	753.0	338	56923.	1427	1.5	1.9	6.3	1.4	0.3	4.5	22	1.2
57995	0	0	1	0	OEce	43.9331	69.7340	20.1	753.0	345	56944.	1482	1.3	0.7	6.6	0.1	0.1	5.4	15	1.2
57994	0	0	0	0	OEce	43.9331	69.7335	20.1	753.0	349	56976.	1517	1.4	1.7	7.2	1.3	0.3	5.2	27	1.2
57993	0	0	0	0	OEce	43.9331	69.7330	19.9	753.0	375	57026.	1461	1.3	2.0	6.6	1.6	0.3	5.2	18	1.2
57992	0	0	0	0	OEce	43.9331	69.7325	19.9	753.0	376	57049.	1508	1.4	1.9	6.7	1.3	0.3	4.8	15	1.2
57991	0	0	0	0	OEce	43.9331	69.7319	19.9	753.0	378	57091.	1517	1.3	1.3	7.1	1.0	0.2	5.5	14	1.3
57990	0	0	0	0	OEce	43.9331	69.7314	19.9	753.0	378	57122.	1388	1.3	1.6	7.3	1.3	0.3	5.8	20	1.3
57989	0	0	0	0	OEce	43.9331	69.7309	19.9	753.0	380	57136.	1311	1.3	1.4	7.2	1.2	0.2	5.8	13	1.3
57988	0	0	1	0	OEce	43.9331	69.7304	19.9	753.0	390	57136.	1207	1.1	0.6	4.0	0.1	0.1	3.8	21	1.3
57987	0	0	0	0	Water	43.9331	69.7299	19.9	753.0	400	57123.	969	0.7	2.0	3.1	2.9	0.7	4.5	6	1.4
57986	0	0	0	0	Water	43.9332	69.7294	19.9	753.0	406	57104.	793	0.7	2.0	3.8	3.1	0.6	6.0	24	1.4
57985	0	0	0	0	Water	43.9332	69.7289	19.9	753.0	403	57079.	524	0.6	1.1	2.5	2.1	0.5	4.9	20	1.4
57984	0	0	1	1	Water	43.9332	69.7284	19.8	753.0	401	57053.	454	0.8	0.5	1.2	0.1	0.1	0.1	23	1.4
57983	0	0	1	1	Water	43.9332	69.7279	19.8	753.0	401	57033.	323	0.4	0.3	1.2	0.1	0.1	0.1	26	1.4

*** NOTE *** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
57982	0	0	0	1	Water	43.9332	69.7274	19.8	753.0	402	57018.	318	0.4	0.9	0.2	0.1	0.1	0.1	25	1.5
57981	0	0	0	1	Water	43.9332	69.7268	19.8	753.0	404	57009.	231	0.2	0.9	0.9	0.1	0.1	0.1	14	1.4
57980	0	0	1	1	Water	43.9332	69.7263	19.7	753.0	407	57005.	201	0.2	-0.2	0.6	0.1	0.1	0.1	20	1.3
57979	0	1	1	1	Water	43.9332	69.7258	19.7	752.9	411	57003.	163	0.1	0.4	0.8	0.1	0.1	0.1	12	1.2
57978	0	1	1	1	Water	43.9332	69.7253	19.7	752.9	416	57000.	134	0.1	0.6	-0.1	0.1	0.1	0.1	23	1.1
57977	0	1	1	1	Water	43.9332	69.7248	19.6	752.9	421	56997.	157	0.0	0.1	0.8	0.1	0.1	0.1	18	1.0
57976	0	1	0	1	Water	43.9332	69.7243	19.6	752.8	424	56996.	176	0.2	0.8	-0.4	0.1	0.1	0.1	20	0.9
57975	0	1	0	1	Water	43.9332	69.7238	19.5	752.7	426	56997.	235	0.2	1.2	-0.4	0.1	0.1	0.1	19	0.7
57974	0	1	0	0	Water	43.9332	69.7233	19.5	752.6	426	56999.	347	0.0	1.8	2.1	0.1	0.9	0.1	13	0.6
57973	0	0	1	0	Water	43.9333	69.7228	19.4	752.5	423	57001.	429	0.4	0.6	1.9	0.1	0.1	0.1	19	0.4
57972	0	0	0	0	Water	43.9333	69.7223	19.4	752.4	417	57002.	618	0.6	1.1	2.1	1.8	0.6	3.4	22	0.4
57971	0	0	1	0	Water	43.9333	69.7217	19.3	752.3	400	57002.	813	0.8	0.8	2.6	0.1	0.1	3.2	18	0.2
57970	0	0	0	0	Water	43.9333	69.7212	19.3	752.2	383	57002.	956	1.1	1.1	3.1	1.0	0.4	2.8	23	0.0
57969	0	0	0	0	Water	43.9333	69.7207	19.2	752.1	372	57001.	1026	1.0	1.5	4.0	1.5	0.4	4.2	25	0.0
57968	0	0	0	0	Water	43.9333	69.7202	19.1	751.9	376	57000.	1242	1.3	2.0	3.4	1.6	0.6	2.7	18	0.0
57967	0	0	0	0	Water	43.9333	69.7198	19.1	751.8	382	57002.	1362	1.2	2.3	6.8	2.1	0.4	5.9	18	0.0
57966	0	0	0	0	Water	43.9333	69.7193	19.0	751.6	390	57006.	1322	1.3	2.2	3.1	1.7	0.7	2.4	20	0.0
57965	0	0	0	0	Water	43.9333	69.7188	18.9	751.5	403	57011.	1230	1.3	1.5	4.6	1.2	0.4	3.8	20	0.0
57964	0	0	0	0	Water	43.9333	69.7184	18.8	751.3	424	57016.	1175	1.1	1.8	5.2	1.7	0.4	4.7	22	0.0
57963	0	0	0	0	Water	43.9333	69.7179	18.7	751.2	445	57018.	1013	1.0	1.9	4.8	2.0	0.4	5.3	20	0.0
57962	0	0	0	0	Water	43.9333	69.7174	18.6	751.1	471	57016.	840	0.8	1.9	4.2	2.7	0.5	5.9	19	0.0
57961	0	0	0	0	Water	43.9333	69.7170	18.5	750.9	492	57009.	721	0.7	1.3	3.8	1.8	0.4	5.7	22	0.0
57960	0	0	1	0	Water	43.9333	69.7165	18.4	750.8	512	57000.	488	0.4	0.8	3.7	0.1	0.1	0.1	19	0.0
57959	0	1	0	0	Water	43.9333	69.7161	18.2	750.6	520	56992.	400	0.2	1.3	2.0	0.1	0.7	0.1	17	0.0
57958	0	0	0	1	Water	43.9333	69.7156	18.0	750.5	528	56985.	277	0.3	1.4	-0.2	0.1	0.1	0.1	12	0.0
57957	0	1	1	1	Water	43.9333	69.7151	17.9	750.4	536	56980.	195	0.1	0.6	0.8	0.1	0.1	0.1	24	0.0
57956	0	1	0	1	Water	43.9333	69.7147	17.7	750.2	544	56976.	124	0.1	1.5	-0.7	0.1	0.1	0.1	27	0.0
57955	0	1	1	1	Water	43.9333	69.7142	17.5	750.1	552	56974.	103	0.0	0.6	0.9	0.1	0.1	0.1	23	0.0
57954	0	1	1	1	Water	43.9333	69.7138	17.3	750.0	561	56971.	158	0.1	0.3	0.4	0.1	0.1	0.1	14	0.0
57953	0	1	0	1	Water	43.9333	69.7133	17.1	749.8	570	56970.	117	0.1	1.4	0.4	0.1	0.1	0.1	21	0.0
57952	0	1	0	1	Water	43.9333	69.7128	17.0	749.7	577	56970.	138	0.2	1.3	0.3	0.1	0.1	0.1	20	0.1
57951	0	1	1	1	Water	43.9333	69.7124	16.8	749.6	581	56971.	98	0.0	0.6	0.3	0.1	0.1	0.1	20	0.3
57950	0	1	1	1	Water	43.9333	69.7119	16.7	749.5	583	56972.	86	0.0	0.7	0.1	0.1	0.1	0.1	24	0.5
57949	0	1	1	0	Water	43.9333	69.7114	16.6	749.5	583	56974.	76	0.1	0.0	2.1	0.1	0.1	0.1	21	0.7
57948	0	1	1	1	Water	43.9333	69.7110	16.6	749.4	581	56977.	89	0.0	-0.4	1.3	0.1	0.1	0.1	24	0.9
57947	0	1	1	1	Water	43.9333	69.7105	16.6	749.4	579	56978.	76	0.2	0.0	-1.3	0.1	0.1	0.1	16	1.1
57946	0	1	1	1	Water	43.9333	69.7101	16.6	749.3	577	56980.	105	0.1	0.6	0.6	0.1	0.1	0.1	27	1.1
57945	0	1	1	1	Water	43.9333	69.7096	16.6	749.3	577	56980.	62	0.0	0.5	-0.1	0.1	0.1	0.1	16	1.2
57943	0	1	1	1	Water	43.9333	69.7087	16.6	749.3	578	56978.	82	0.2	0.2	0.5	0.1	0.1	0.1	19	1.1
57942	0	1	1	1	Water	43.9333	69.7082	16.6	749.3	580	56976.	70	0.0	-0.2	0.2	0.1	0.1	0.1	16	1.1
57941	0	1	1	1	Water	43.9333	69.7078	16.6	749.3	582	56975.	69	0.1	0.7	-0.4	0.1	0.1	0.1	20	1.2
57940	0	1	1	1	Water	43.9333	69.7073	16.6	749.3	584	56975.	57	0.0	-0.3	-0.6	0.1	0.1	0.1	22	1.4
57939	0	1	1	1	Water	43.9333	69.7068	16.6	749.4	585	56976.	83	0.1	0.5	-0.6	0.1	0.1	0.1	23	1.6
57938	0	1	1	1	Water	43.9333	69.7064	16.6	749.4	585	56974.	64	-0.1	0.0	-1.1	0.1	0.1	0.1	20	1.8
57937	0	1	1	1	Water	43.9333	69.7059	16.6	749.4	585	56971.	65	0.0	0.1	-0.6	0.1	0.1	0.1	24	1.9
57936	0	1	1	1	Water	43.9333	69.7055	16.6	749.8	581	56970.	48	0.2	-0.4	-0.4	0.1	0.1	0.1	19	2.0
57935	0	1	1	1	Water	43.9333	69.7050	16.6	749.8	580	56972.	39	0.1	-0.1	0.2	0.1	0.1	0.1	27	2.0
57934	0	1	1	1	Water	43.9333	69.7045	16.6	749.8	578	56975.	108	0.1	0.8	-0.1	0.1	0.1	0.1	26	2.1
57933	0	1	1	1	Water	43.9333	69.7041	16.6	749.8	573	56977.	108	0.1	0.2	0.9	0.1	0.1	0.1	19	2.1
57932	0	1	1	1	Water	43.9333	69.7036	16.6	749.8	568	56980.	87	0.0	-1.0	0.0	0.1	0.1	0.1	14	2.1

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI			
												CPS	%	PPM	PPM							CPS	CPS
57931	0	0	1	1	Water	43.9333	69.7031	16.6	749.8	562	56983.	162	0.3	0.6	1.1	0.1	0.1	0.1	14	2.1			
57930	0	1	1	1	Water	43.9333	69.7027	16.6	749.8	557	56986.	179	0.1	-0.3	1.0	0.1	0.1	0.1	15	1.9			
57929	0	1	1	1	Water	43.9333	69.7022	16.6	749.8	552	56989.	129	0.1	0.0	0.0	0.1	0.1	0.1	16	1.7			
57928	0	1	0	1	Water	43.9333	69.7018	16.6	749.9	548	56994.	165	0.1	1.2	-0.2	0.1	0.1	0.1	24	1.3			
57927	0	1	1	1	Water	43.9333	69.7013	16.6	749.9	544	56999.	209	0.1	0.8	0.2	0.1	0.1	0.1	13	0.9			
57926	0	1	1	1	Water	43.9333	69.7008	16.6	749.9	541	57004.	280	0.1	0.5	1.1	0.1	0.1	0.1	16	0.5			
57925	0	1	0	1	Water	43.9333	69.7004	16.6	750.0	537	57008.	280	0.2	1.1	0.6	0.1	0.1	0.1	21	0.3			
57924	0	1	1	0	Water	43.9333	69.6999	16.6	750.0	533	57015.	352	0.1	0.3	2.1	0.1	0.1	0.1	22	0.1			
57923	0	0	0	0	Water	43.9333	69.6994	16.6	750.1	527	57024.	425	0.5	1.1	2.1	0.1	0.6	0.1	23	0.0			
57922	0	0	1	1	OEce	43.9333	69.6990	16.6	750.2	518	57032.	524	0.5	0.2	1.2	0.1	0.1	0.1	23	0.0			
57921	0	0	0	0	OEce	43.9333	69.6985	16.6	750.2	501	57040.	750	0.6	1.7	1.9	3.0	0.9	3.3	21	0.0			
57920	0	0	1	0	OEce	43.9333	69.6981	16.6	750.3	477	57050.	816	1.1	0.8	2.6	0.1	0.1	2.5	11	0.0			
57919	0	0	1	0	OEce	43.9333	69.6975	16.6	750.3	450	57058.	933	1.1	0.9	3.3	0.1	0.1	3.1	17	0.0			
57918	0	0	0	0	OEce	43.9333	69.6970	16.6	750.4	426	57065.	1021	1.0	2.5	4.2	2.6	0.6	4.5	14	0.0			
57917	0	0	0	0	OEce	43.9334	69.6965	16.6	750.5	410	57074.	1088	1.1	1.5	2.5	1.5	0.7	2.4	14	0.0			
57916	0	0	0	0	OEce	43.9334	69.6960	16.6	750.5	399	57084.	1119	0.9	1.4	5.1	1.6	0.3	6.1	24	0.0			
57915	0	0	0	0	OEce	43.9334	69.6955	16.6	750.6	388	57097.	1218	1.3	1.9	5.0	1.5	0.4	3.9	19	0.0			
57914	0	0	0	0	OEce	43.9335	69.6949	16.6	750.6	377	57117.	1215	1.1	2.0	3.7	1.8	0.6	3.4	19	0.0			
57913	0	0	0	0	OEce	43.9335	69.6944	16.6	750.7	363	57141.	1189	1.2	1.9	3.0	1.6	0.7	2.5	32	0.0			
57912	0	0	0	0	OEce	43.9335	69.6939	16.6	750.8	349	57162.	1213	1.1	1.1	6.2	1.1	0.2	5.9	23	0.0			
57911	0	0	1	0	OEce	43.9336	69.6934	16.6	750.8	340	57175.	1203	1.3	0.3	5.0	0.1	0.1	3.9	17	0.0			
57910	0	0	0	0	OEce	43.9336	69.6929	16.6	750.8	339	57176.	1124	0.9	2.3	4.2	2.6	0.6	4.6	23	0.0			
57909	0	0	0	0	OEce	43.9336	69.6923	16.6	750.9	342	57170.	1175	1.0	3.1	5.0	3.3	0.7	5.4	23	0.0			
57908	0	0	0	0	OEce	43.9337	69.6918	16.6	750.9	347	57162.	1216	1.0	1.3	5.0	1.3	0.3	5.1	19	0.0			
57907	0	0	0	0	OEce	43.9337	69.6913	16.6	751.0	351	57150.	1221	1.1	2.2	4.8	2.1	0.5	4.6	20	0.0			
57906	0	0	0	0	OEce	43.9338	69.6908	16.6	751.0	355	57141.	1218	1.1	1.5	5.8	1.4	0.3	5.4	21	0.0			
57905	0	0	0	0	OEce	43.9338	69.6902	16.6	751.0	356	57131.	1190	1.0	1.9	3.8	1.9	0.6	3.7	18	0.0			
57904	0	0	0	0	OEce	43.9338	69.6897	16.6	751.1	354	57116.	1225	1.2	2.6	4.6	2.3	0.6	4.0	21	0.0			
57903	0	0	0	0	OEce	43.9339	69.6892	16.6	751.1	354	57100.	1159	1.0	2.3	2.9	2.3	0.8	2.9	24	0.0			
57902	0	0	0	0	OEce	43.9339	69.6887	16.6	751.1	359	57089.	1204	1.0	1.8	3.5	1.8	0.6	3.5	21	0.0			
57901	0	0	0	0	OEce	43.9339	69.6882	16.6	751.1	367	57080.	1227	1.2	2.2	3.6	1.9	0.6	3.1	16	0.0			
57900	0	0	0	0	OEce	43.9340	69.6876	16.6	751.2	372	57074.	1306	1.5	1.6	4.8	1.1	0.4	3.4	17	0.0			
57899	0	0	0	0	OEce	43.9340	69.6871	16.6	751.2	370	57076.	1335	1.4	1.8	3.9	1.3	0.5	2.9	14	0.0			
57898	0	0	0	0	OEce	43.9340	69.6866	16.6	751.2	364	57084.	1254	1.1	1.2	5.4	1.2	0.3	5.1	18	0.0			
57897	0	0	0	0	OEce	43.9341	69.6861	16.6	751.2	359	57096.	1408	1.3	2.3	5.4	1.8	0.5	4.2	12	0.0			
57896	0	0	0	0	OEce	43.9341	69.6856	16.6	751.3	356	57106.	1368	1.4	3.9	3.7	2.9	1.1	2.8	13	0.0			
57895	0	0	0	0	OEce	43.9342	69.6850	16.6	751.3	355	57108.	1336	1.5	3.2	2.7	2.2	1.2	1.8	28	0.0			
57894	0	0	0	0	OEce	43.9342	69.6845	16.6	751.3	358	57104.	1300	1.2	2.0	3.8	1.8	0.6	3.4	35	0.0			
57893	0	0	0	0	OEce	43.9342	69.6840	16.6	751.3	363	57093.	1358	1.6	1.7	4.2	1.1	0.5	2.8	18	0.0			
57892	0	0	1	0	OEce	43.9343	69.6835	16.6	751.4	373	57078.	1250	1.3	0.8	5.7	0.1	0.1	4.6	23	0.0			
57891	0	0	0	0	OEce	43.9343	69.6830	16.7	751.5	381	57060.	1227	1.2	2.0	3.5	1.7	0.6	2.9	18	0.3			
57890	0	0	0	0	OEce	43.9343	69.6824	16.7	751.5	384	57046.	1191	1.3	1.5	6.1	1.3	0.3	5.0	29	0.7			
57889	0	0	0	0	OEce	43.9344	69.6819	16.7	751.5	379	57037.	1156	1.3	1.7	3.4	1.4	0.5	2.8	23	1.0			
57888	0	0	0	0	OEce	43.9344	69.6814	16.7	751.6	371	57034.	1155	1.1	2.0	5.0	1.9	0.4	4.9	34	1.2			
57887	0	0	0	0	OEce	43.9344	69.6809	16.7	751.6	362	57034.	1283	1.1	2.3	6.9	2.2	0.4	6.5	22	1.4			
57886	0	0	0	0	OEce	43.9345	69.6804	16.7	751.6	353	57032.	1317	1.1	2.1	3.1	2.1	0.7	3.1	22	1.6			
57885	0	0	0	0	OEce	43.9345	69.6798	16.7	751.7	345	57023.	1257	1.1	2.2	3.6	2.0	0.6	3.4	13	1.7			
57884	0	0	0	0	OEce	43.9345	69.6793	16.7	751.7	340	57009.	1349	1.4	2.0	3.7	1.4	0.6	2.7	22	1.7			
57883	0	0	0	0	OEce	43.9346	69.6788	16.7	751.7	337	56997.	1418	1.3	2.8	4.2	2.2	0.7	3.4	15	1.6			
57882	0	0	0	0	OEce	43.9346	69.6783	16.7	751.7	340	56986.	1431	1.3	2.4	4.8	1.9	0.5	3.7	13	1.5			

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
57881	0	0	0	0	OEce	43.9347	69.6777	16.7	751.7	347	56978.	1153	1.3	3.0	4.7	2.4	0.7	3.7	18	1.4
57880	0	0	0	0	OEce	43.9347	69.6772	16.7	751.7	394	56971.	874	0.6	2.0	4.7	3.3	0.5	7.8	13	1.4
57879	0	0	0	0	OEce	43.9347	69.6767	16.7	751.7	402	56969.	1210	1.0	2.4	4.6	2.5	0.6	5.0	18	1.4
57878	0	0	0	0	OEce	43.9348	69.6762	16.7	751.7	427	56966.	832	0.8	1.3	2.5	1.7	0.6	3.2	28	1.4
57877	0	0	0	0	OEce	43.9348	69.6757	16.7	751.6	455	56965.	674	0.7	1.3	1.5	1.9	0.9	2.2	18	1.4
57876	0	0	1	1	Water	43.9348	69.6751	16.7	751.6	474	56964.	567	0.7	0.4	1.3	0.1	0.1	0.1	15	1.3
57875	0	0	1	0	Water	43.9349	69.6746	16.7	751.6	471	56964.	482	0.5	0.7	2.1	0.1	0.1	0.1	19	1.1
57874	0	0	1	0	Water	43.9349	69.6741	16.7	751.6	464	56965.	534	0.3	0.5	1.9	0.1	0.1	0.1	27	0.9
57873	0	0	0	0	Water	43.9349	69.6736	16.7	751.6	452	56968.	695	0.7	2.1	2.2	3.2	1.0	3.5	21	0.7
57872	0	0	0	0	Water	43.9350	69.6731	16.7	751.6	428	56974.	845	0.7	1.7	2.6	2.7	0.7	4.2	18	0.6
57871	0	0	0	0	Water	43.9350	69.6725	16.7	751.6	401	56981.	980	0.7	2.1	3.0	3.1	0.8	4.3	22	0.4
57870	0	0	0	0	Water	43.9350	69.6721	16.7	751.6	377	56991.	1107	1.3	2.1	4.7	1.6	0.5	3.6	22	0.5
57869	0	0	0	0	Water	43.9350	69.6716	16.7	751.6	369	57002.	1181	1.1	1.9	5.1	1.7	0.4	4.6	30	0.6
57868	0	0	0	0	Water	43.9350	69.6711	16.7	751.7	367	57019.	1244	1.1	3.0	4.0	2.8	0.8	3.7	19	0.6
57867	0	0	0	0	Water	43.9349	69.6706	16.7	751.7	369	57040.	1304	1.2	2.3	4.7	1.9	0.5	4.0	20	0.6
57866	0	0	0	0	Water	43.9349	69.6701	16.7	751.7	368	57067.	1292	1.2	1.2	6.9	1.1	0.2	5.9	22	0.5
57865	0	0	0	0	OEec	43.9349	69.6697	16.7	751.7	364	57099.	1359	1.0	1.7	5.8	1.8	0.3	6.1	32	0.3
57864	0	0	0	0	OEec	43.9349	69.6692	16.7	751.7	358	57127.	1308	1.3	1.5	6.7	1.2	0.3	5.2	22	0.2
57863	0	0	1	0	OEec	43.9349	69.6687	16.7	751.7	352	57139.	1393	1.3	0.8	7.1	0.1	0.1	5.8	21	0.2
57862	0	0	0	0	OEec	43.9349	69.6682	16.7	751.7	351	57130.	1396	1.4	1.2	5.9	0.9	0.3	4.5	27	0.0
57861	0	0	0	0	OEec	43.9348	69.6677	16.7	751.7	350	57104.	1310	1.2	2.8	3.3	2.5	0.9	2.9	19	0.0
57860	0	0	0	0	OEec	43.9348	69.6673	16.7	751.7	349	57073.	1314	1.2	1.8	5.4	1.6	0.4	4.8	16	0.0
57859	0	0	0	0	OEec	43.9348	69.6668	16.7	751.7	346	57045.	1329	1.1	2.4	4.5	2.2	0.6	4.1	25	0.0
57858	0	0	0	0	DSb	43.9348	69.6663	16.7	751.7	344	57021.	1290	1.4	1.6	4.2	1.1	0.4	3.0	14	0.0
57857	0	0	0	0	DSb	43.9348	69.6658	16.7	751.7	339	57000.	1230	1.1	2.2	6.1	2.0	0.4	5.7	31	0.0
57856	0	0	0	0	DSb	43.9347	69.6653	16.7	751.7	333	56983.	1197	1.1	1.1	3.2	1.1	0.4	3.0	27	0.0
57855	0	0	0	0	DSb	43.9347	69.6649	16.7	751.7	328	56966.	1231	1.2	2.1	5.1	1.8	0.5	4.4	17	0.2
57854	0	0	0	0	DSb	43.9347	69.6644	16.7	751.8	325	56953.	1262	1.2	2.6	4.8	2.3	0.6	4.3	12	0.4
57852	0	0	1	0	DSb	43.9347	69.6634	16.7	751.8	326	56946.	1218	0.9	0.5	6.1	0.1	0.1	7.1	18	0.6
57851	0	0	0	0	DSb	43.9347	69.6629	16.8	751.8	326	56941.	1260	1.1	2.5	6.2	2.3	0.4	5.7	16	1.1
57850	0	0	0	0	DSb	43.9347	69.6625	16.8	751.8	336	56937.	1284	1.3	2.1	3.6	1.7	0.6	2.9	28	1.5
57849	0	0	1	0	DSb	43.9346	69.6620	16.8	751.8	351	56934.	1287	1.4	0.4	4.7	0.1	0.1	3.4	23	1.9
57848	0	0	0	0	DSb	43.9346	69.6615	16.8	751.9	373	56932.	1373	0.8	2.1	6.2	2.8	0.4	8.3	19	2.2
57847	0	0	0	0	DSb	43.9346	69.6610	16.8	751.9	391	56929.	1434	1.3	2.5	6.6	2.0	0.4	5.2	7	2.6
57846	0	0	1	0	DSb	43.9346	69.6605	16.8	751.9	403	56926.	1433	1.2	1.2	6.6	0.1	0.1	5.7	15	3.1
57845	0	0	1	0	DSb	43.9346	69.6601	16.8	752.0	410	56921.	1460	1.4	0.9	6.3	0.1	0.1	4.7	25	3.7
57844	0	0	0	0	Water	43.9345	69.6596	16.8	752.0	411	56916.	1469	1.4	2.0	5.8	1.5	0.4	4.3	15	4.1
57843	0	0	0	0	Water	43.9345	69.6591	16.9	752.0	404	56914.	1425	1.2	2.3	4.2	2.0	0.6	3.6	23	4.2
57842	0	0	0	0	Water	43.9345	69.6586	16.9	752.1	384	56915.	1504	1.5	1.6	6.9	1.2	0.3	4.9	25	4.4
57841	0	0	1	0	Water	43.9345	69.6581	16.9	752.1	361	56917.	1550	1.5	1.0	9.0	0.1	0.1	6.0	20	4.5
57840	0	0	0	0	Water	43.9345	69.6577	16.9	752.2	337	56920.	1667	1.6	1.3	8.6	0.8	0.2	5.6	22	4.6
57839	0	0	1	0	Water	43.9345	69.6572	16.9	752.2	318	56924.	1596	1.8	0.7	7.0	0.1	0.1	3.9	14	4.7
57838	0	0	0	0	Water	43.9344	69.6567	16.9	752.2	304	56927.	1429	1.4	1.9	7.1	1.4	0.3	5.2	22	4.5
57837	0	0	0	0	Water	43.9344	69.6562	16.9	752.3	302	56933.	1255	1.3	1.5	4.9	1.2	0.3	3.7	18	4.2
57836	0	0	0	0	Water	43.9344	69.6557	16.9	752.4	317	56941.	1172	1.1	1.6	6.0	1.5	0.3	5.7	18	4.1
57835	0	0	1	0	Water	43.9344	69.6553	16.9	752.4	343	56951.	1099	1.2	0.4	2.6	0.1	0.1	2.1	14	4.1
57834	0	0	1	0	Water	43.9344	69.6548	16.9	752.5	385	56960.	958	1.0	0.9	4.3	0.1	0.1	4.4	18	4.1
57833	0	0	0	0	Water	43.9344	69.6543	17.0	752.5	420	56968.	747	0.7	1.5	3.1	2.4	0.5	4.9	18	4.0
57832	0	0	1	0	Water	43.9343	69.6538	17.0	752.6	444	56974.	627	0.6	0.2	1.6	0.1	0.1	2.7	18	4.0
57831	0	0	1	1	Water	43.9343	69.6534	17.0	752.7	445	56976.	410	0.3	0.6	1.3	0.1	0.1	0.1	23	4.0

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
57830	0	0	1	1	Water	43.9343	69.6529	17.0	752.7	443	56971.	357	0.3	0.5	0.0	0.1	0.1	0.1	21	4.0
57829	0	0	1	0	Water	43.9343	69.6524	17.0	752.8	441	56964.	349	0.3	0.9	3.1	0.1	0.1	0.1	18	3.8
57828	0	0	1	0	Water	43.9343	69.6519	17.0	752.8	439	56956.	345	0.3	0.2	2.2	0.1	0.1	0.1	25	3.6
57827	0	0	1	0	Water	43.9343	69.6514	17.0	752.8	436	56948.	468	0.6	0.6	3.0	0.1	0.1	5.5	12	3.5
57826	0	0	1	0	Water	43.9342	69.6510	17.0	752.9	431	56941.	714	0.8	-0.1	3.7	0.1	0.1	4.9	29	3.1
57825	0	0	1	0	DSb	43.9342	69.6505	17.0	752.9	419	56936.	726	0.7	1.0	3.8	0.1	0.1	5.6	19	2.7
57824	0	0	0	0	DSb	43.9342	69.6500	17.0	753.0	407	56933.	865	0.9	1.0	3.6	1.2	0.3	4.4	24	2.3
57823	0	0	0	0	DSb	43.9342	69.6495	17.0	753.2	400	56931.	781	0.8	1.5	3.0	1.9	0.5	3.9	15	2.2
57822	0	0	1	0	DSb	43.9342	69.6490	17.0	753.2	414	56930.	905	0.9	0.5	3.3	0.1	0.1	4.1	28	1.8
57821	0	0	1	0	DSb	43.9341	69.6485	17.0	753.2	420	56928.	806	0.9	0.7	4.4	0.1	0.1	5.0	20	1.5
57820	0	0	0	0	DSb	43.9341	69.6479	17.0	753.2	431	56925.	743	0.8	1.7	1.6	2.3	1.1	2.2	16	1.0
57819	0	0	1	0	DSb	43.9340	69.6474	17.0	753.2	426	56922.	710	0.8	0.8	2.1	0.1	0.1	2.7	23	0.5
57818	0	0	0	0	DSb	43.9340	69.6469	17.0	753.2	418	56919.	692	0.5	1.4	2.8	0.1	0.6	0.1	19	0.2
57817	0	0	0	0	DSb	43.9340	69.6463	17.0	753.2	405	56916.	807	0.9	1.4	3.4	1.5	0.5	3.8	22	0.0
57816	0	0	1	0	DSb	43.9339	69.6458	17.0	753.2	385	56914.	926	1.0	0.9	3.6	0.1	0.1	3.6	21	0.0
57815	0	0	1	0	DSb	43.9339	69.6452	17.0	753.2	365	56912.	993	1.2	0.2	5.5	0.1	0.1	4.9	27	0.0
57814	0	0	0	0	DSb	43.9338	69.6447	17.0	753.2	349	56911.	998	1.0	1.2	3.3	1.3	0.4	3.4	28	0.0
57813	0	0	0	0	DSb	43.9338	69.6441	17.0	753.2	345	56912.	1068	1.0	1.3	4.5	1.4	0.3	4.6	21	0.0
57812	0	0	1	0	DSb	43.9338	69.6436	17.0	753.2	348	56912.	1032	1.0	0.7	5.8	0.1	0.1	6.2	14	0.0
57811	0	0	0	0	DSb	43.9337	69.6431	17.0	753.2	362	56911.	1012	1.0	1.2	5.2	1.2	0.3	5.5	16	0.0
57810	0	0	0	0	DSb	43.9337	69.6425	17.0	753.3	361	56912.	1005	0.9	1.8	5.5	2.2	0.4	6.7	19	0.0
57809	0	0	0	0	DSb	43.9336	69.6420	17.0	753.3	352	56914.	1029	1.0	1.7	3.7	1.9	0.5	4.0	14	0.0
57808	0	0	0	0	DSb	43.9336	69.6414	17.0	753.3	334	56916.	1056	1.0	1.2	3.1	1.2	0.4	3.2	23	0.0
57807	0	0	1	0	DSb	43.9336	69.6409	17.0	753.3	332	56916.	960	0.9	0.6	5.3	0.1	0.1	6.2	28	0.0
57806	0	0	0	0	DSb	43.9335	69.6403	17.0	753.3	337	56916.	892	0.9	1.3	4.9	1.6	0.3	6.1	11	0.0
57805	0	0	0	0	DSb	43.9335	69.6398	17.0	753.3	346	56916.	762	0.8	1.2	2.3	1.6	0.6	3.1	23	0.2
57804	0	0	0	0	DSb	43.9334	69.6392	17.0	753.3	366	56916.	594	0.5	1.8	3.1	0.1	0.6	0.1	18	0.3
57803	0	0	0	1	DSb	43.9334	69.6387	16.9	753.3	384	56915.	403	0.4	1.2	1.1	0.1	0.1	0.1	13	0.5
57802	0	1	0	0	Water	43.9333	69.6381	16.9	753.2	400	56915.	244	0.2	0.9	1.4	0.1	0.7	0.1	23	0.8
57801	0	0	1	1	Water	43.9333	69.6376	16.9	753.2	402	56914.	159	0.2	-0.2	0.9	0.1	0.1	0.1	23	1.0
57800	0	1	1	0	Water	43.9333	69.6371	16.9	753.2	403	56914.	158	0.1	0.1	2.5	0.1	0.1	0.1	18	1.3
57799	0	1	1	1	Water	43.9332	69.6365	16.9	753.2	404	56914.	189	0.1	0.7	0.6	0.1	0.1	0.1	21	1.5
57798	0	0	1	1	Water	43.9332	69.6360	16.9	753.2	404	56915.	219	0.3	0.3	0.4	0.1	0.1	0.1	19	1.6
57797	0	0	1	0	Water	43.9331	69.6354	16.9	753.1	403	56917.	326	0.4	-0.5	1.8	0.1	0.1	0.1	23	1.9
57796	0	0	1	0	Water	43.9331	69.6349	16.9	753.1	403	56918.	452	0.5	0.2	1.4	0.1	0.1	0.1	26	2.1
57795	0	0	1	0	Water	43.9331	69.6343	16.9	753.1	402	56921.	646	0.4	0.9	3.1	0.1	0.1	0.1	15	2.3
57794	0	0	0	0	Water	43.9330	69.6338	16.9	753.1	400	56924.	866	0.6	1.1	3.1	2.0	0.4	5.6	17	2.4
57793	0	0	0	0	Water	43.9330	69.6332	16.9	753.0	391	56925.	997	1.0	3.2	2.9	3.4	1.1	3.1	21	2.5
57792	0	0	0	0	Water	43.9329	69.6327	16.9	752.9	378	56925.	1070	1.1	1.8	4.0	1.8	0.5	3.9	16	2.5
57791	0	0	0	0	Water	43.9329	69.6322	16.9	752.9	365	56923.	1166	0.9	1.9	4.5	2.1	0.5	5.0	21	2.6
57790	0	0	0	0	Water	43.9328	69.6316	16.9	752.8	359	56923.	1230	1.0	2.5	5.4	2.5	0.5	5.5	28	2.4
57789	0	0	0	0	Water	43.9328	69.6311	16.9	752.7	359	56925.	1216	0.8	1.9	5.3	2.3	0.4	6.6	24	2.3
57788	0	0	0	0	Water	43.9328	69.6305	16.9	752.7	362	56926.	1259	1.1	1.3	5.5	1.3	0.3	5.2	24	2.0
57787	0	0	0	0	Water	43.9327	69.6300	16.9	752.6	368	56926.	1345	1.1	2.4	6.6	2.2	0.4	6.1	13	1.7
57786	0	0	0	0	DSb	43.9327	69.6294	16.9	752.5	376	56923.	1393	1.2	1.5	6.2	1.3	0.3	5.3	22	1.4
57785	0	0	0	0	DSb	43.9326	69.6289	16.9	752.4	382	56921.	1442	1.2	1.4	5.1	1.3	0.3	4.5	18	1.2
57784	0	0	0	0	DSb	43.9326	69.6283	16.9	752.3	384	56921.	1467	1.3	1.9	6.9	1.5	0.3	5.3	9	1.1
57783	0	0	0	0	DSb	43.9326	69.6278	16.9	752.2	383	56926.	1438	1.2	2.8	7.8	2.4	0.4	6.7	25	1.5
57782	0	0	0	0	DSb	43.9325	69.6273	16.9	752.1	375	56934.	1454	1.1	2.0	5.8	1.9	0.4	5.3	13	1.6
57781	0	0	0	0	DSb	43.9325	69.6267	16.9	752.0	366	56941.	1513	1.1	3.2	6.0	3.0	0.6	5.4	27	1.7

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
57780	0	0	0	0	DSb	43.9324	69.6262	16.9	751.9	358	56948.	1359	1.0	2.0	7.9	2.0	0.3	8.1	28	1.8
57779	0	0	0	0	DSb	43.9324	69.6256	16.9	751.8	357	56954.	1420	1.4	1.5	6.1	1.1	0.3	4.4	16	2.0
57778	0	0	0	0	DSb	43.9324	69.6251	16.9	751.8	359	56957.	1585	1.4	1.6	5.4	1.1	0.3	3.9	25	2.1
57777	0	0	0	0	DSb	43.9323	69.6245	16.9	751.7	360	56958.	1543	1.2	3.2	7.5	2.7	0.5	6.5	20	2.2
57776	0	0	0	0	DSb	43.9323	69.6240	16.9	751.6	362	56958.	1541	1.6	2.3	6.4	1.5	0.4	4.2	21	2.0
57775	0	0	1	0	DSb	43.9322	69.6235	16.9	751.5	365	56960.	1453	1.2	1.1	7.9	0.1	0.1	6.9	27	1.9
57774	0	0	1	0	DSb	43.9322	69.6229	16.9	751.5	372	56964.	1516	1.4	0.6	5.8	0.1	0.1	4.3	15	1.9
57773	0	0	0	0	DSb	43.9321	69.6224	16.9	751.4	378	56969.	1640	1.4	1.8	8.8	1.3	0.2	6.4	17	1.7
57772	0	0	0	0	DSb	43.9321	69.6218	16.9	751.4	389	56975.	1528	1.3	2.9	8.0	2.4	0.4	6.5	22	1.5
57771	0	0	0	0	DSb	43.9321	69.6213	16.9	751.4	400	56980.	1532	1.3	2.3	3.8	1.8	0.6	3.0	15	1.3
57770	0	0	0	0	DSb	43.9320	69.6207	16.9	751.3	417	56981.	1627	1.4	2.5	5.3	1.9	0.5	4.0	12	1.1
57769	0	0	0	0	DSb	43.9320	69.6202	16.9	751.3	436	56977.	1637	1.7	3.1	5.5	1.9	0.6	3.4	22	0.9
57768	0	0	0	0	DSb	43.9320	69.6198	16.9	751.2	453	56970.	1711	1.5	3.1	7.5	2.2	0.5	5.2	14	0.9
57767	0	0	0	0	DSb	43.9320	69.6193	16.9	751.0	471	56961.	1598	1.4	1.5	9.4	1.1	0.2	7.0	16	1.0
57766	0	0	0	0	DSb	43.9319	69.6188	16.9	751.0	472	56958.	1680	1.7	2.6	6.2	1.6	0.5	3.8	22	1.0
57765	0	0	0	0	DSb	43.9319	69.6183	16.9	751.0	473	56952.	1602	1.4	3.6	8.3	2.6	0.5	6.0	16	1.2
57764	0	0	1	0	DSb	43.9319	69.6178	16.9	751.0	474	56948.	1615	1.5	0.9	7.1	0.1	0.1	4.8	14	1.5
57762	0	0	0	0	DSb	43.9319	69.6168	16.9	751.0	471	56945.	1479	1.4	2.6	5.6	1.9	0.5	4.1	33	1.7
57761	0	0	0	0	DSb	43.9319	69.6164	16.9	751.0	463	56944.	1495	1.5	2.3	7.0	1.6	0.4	4.8	16	1.8
57760	0	0	0	0	DSb	43.9318	69.6159	16.9	750.9	458	56946.	1438	1.1	1.9	7.7	1.8	0.3	7.3	23	1.8
57759	0	0	0	0	DSb	43.9318	69.6154	16.9	750.9	458	56947.	1368	1.2	1.6	6.6	1.4	0.3	5.7	17	1.9
57758	0	0	0	0	DSb	43.9318	69.6149	16.9	750.9	461	56949.	1406	1.3	2.2	6.8	1.8	0.4	5.5	18	1.8
57757	0	0	0	0	DSb	43.9318	69.6144	16.9	750.9	460	56951.	1344	1.0	2.3	6.1	2.4	0.4	6.4	25	1.5
57756	0	0	0	0	DSb	43.9317	69.6139	16.9	750.9	456	56952.	1312	0.9	2.0	4.8	2.3	0.5	5.5	24	1.4
57755	0	0	0	0	DSb	43.9317	69.6134	16.9	750.9	453	56951.	1282	1.1	1.8	5.3	1.7	0.4	5.0	20	1.3
57754	0	0	0	0	DSb	43.9317	69.6129	16.9	750.9	448	56951.	1260	1.2	1.6	4.3	1.4	0.4	3.7	18	1.3
57753	0	0	1	0	DSb	43.9317	69.6125	16.9	750.9	444	56953.	1232	1.0	0.7	7.7	0.1	0.1	7.8	15	1.2
57752	0	0	0	0	DSb	43.9317	69.6120	16.9	750.9	442	56952.	1291	1.4	1.8	4.7	1.3	0.4	3.4	18	1.1
57751	0	0	0	0	DSb	43.9316	69.6115	16.9	750.9	441	56950.	1336	1.4	1.3	3.0	1.0	0.5	2.3	19	1.0
57750	0	0	0	0	DSb	43.9316	69.6110	16.9	750.9	437	56948.	1243	1.0	1.8	5.1	1.8	0.4	5.1	26	1.2
57749	0	0	0	0	DSb	43.9316	69.6105	16.9	750.9	430	56947.	1314	1.2	1.7	6.2	1.4	0.3	5.3	18	1.0
57748	0	0	0	0	DSb	43.9316	69.6100	16.9	750.9	423	56944.	1300	1.0	1.7	5.8	1.7	0.3	5.8	22	1.1
57747	0	0	0	0	DSb	43.9316	69.6096	16.9	750.9	416	56939.	1377	1.3	1.4	3.9	1.2	0.4	3.1	27	1.1
57746	0	0	0	0	DSb	43.9316	69.6091	16.9	751.0	409	56937.	1339	1.4	1.6	5.2	1.2	0.3	3.9	15	1.0
57745	0	0	0	0	DSb	43.9315	69.6086	16.9	751.0	400	56935.	1414	1.3	2.3	3.7	1.8	0.6	2.9	27	1.0
57744	0	0	0	0	DSb	43.9315	69.6081	16.9	751.0	395	56934.	1372	1.7	1.3	4.8	0.8	0.3	2.9	27	1.1
57743	0	0	1	0	DSb	43.9315	69.6076	16.9	751.0	389	56934.	1538	1.6	1.1	6.5	0.1	0.1	4.1	13	1.3
57742	0	0	0	0	DSb	43.9315	69.6071	16.8	751.1	386	56933.	1522	1.5	2.0	6.7	1.4	0.3	4.5	17	1.4
57741	0	0	0	0	DSb	43.9315	69.6066	16.8	751.1	378	56931.	1543	1.5	2.0	6.0	1.4	0.4	4.1	17	1.4
57740	0	0	0	0	DSb	43.9314	69.6061	16.8	751.2	369	56930.	1616	1.7	1.7	6.3	1.1	0.3	3.9	21	1.6
57739	0	0	0	0	DSb	43.9314	69.6057	16.8	751.2	359	56927.	1435	1.6	1.2	5.7	0.8	0.3	3.6	12	1.8
57738	0	0	0	0	DSb	43.9314	69.6052	16.8	751.3	351	56925.	1475	1.5	1.7	5.3	1.1	0.3	3.6	15	2.2
57737	0	0	0	0	DSb	43.9314	69.6047	16.8	751.3	345	56924.	1496	1.5	2.1	5.3	1.5	0.4	3.7	18	2.6
57736	0	0	0	0	DSb	43.9314	69.6042	16.8	751.4	339	56923.	1370	1.5	1.6	4.5	1.1	0.4	3.1	28	3.1
57735	0	0	0	0	DSb	43.9313	69.6037	16.8	751.5	332	56924.	1301	1.2	1.6	5.6	1.4	0.3	4.7	24	3.4
57734	0	0	0	0	DSb	43.9313	69.6032	16.7	751.5	326	56924.	1340	1.4	2.5	5.5	1.8	0.5	4.0	26	3.7
57733	0	0	1	0	DSb	43.9313	69.6027	16.7	751.6	326	56923.	1219	1.2	0.1	4.5	0.1	0.1	4.0	27	4.0
57732	0	0	1	0	DSb	43.9313	69.6023	16.7	751.6	332	56921.	1200	1.1	1.0	5.0	0.1	0.1	4.5	16	4.4
57731	0	0	1	0	DSb	43.9313	69.6018	16.7	751.7	340	56920.	1149	1.3	0.5	3.9	0.1	0.1	3.2	18	4.3
57730	0	0	1	0	DSb	43.9312	69.6013	16.7	751.8	351	56919.	1154	1.1	0.8	5.3	0.1	0.1	5.2	23	4.3

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
57729	0	0	1	0	DSb	43.9312	69.6008	16.7	751.8	361	56918.	1046	0.9	1.0	3.3	0.1	0.1	3.8	14	4.1
57728	0	0	0	0	DSb	43.9312	69.6003	16.7	751.9	366	56917.	1060	0.7	1.4	4.3	2.0	0.4	6.4	24	4.2
57727	0	0	0	0	DSb	43.9312	69.5998	16.6	752.0	364	56916.	1143	0.9	2.0	2.8	2.4	0.8	3.4	24	4.0
57726	0	0	0	0	DSb	43.9312	69.5993	16.6	752.1	350	56915.	1172	1.0	3.5	5.3	3.8	0.7	5.7	17	3.8
57725	0	0	0	0	DSb	43.9311	69.5989	16.6	752.2	331	56915.	1070	1.0	1.0	4.0	1.1	0.3	4.2	21	3.7
57724	0	0	0	0	DSb	43.9311	69.5984	16.6	752.3	307	56915.	1232	1.3	1.4	3.7	1.1	0.4	3.0	22	4.1
57723	0	0	0	0	DSb	43.9311	69.5979	16.6	752.3	285	56915.	1306	1.2	1.0	5.2	0.9	0.2	4.6	15	4.1
57722	0	0	0	0	OEce	43.9311	69.5974	16.6	752.5	268	56915.	1317	1.2	2.2	4.4	2.0	0.5	3.9	21	4.3
57721	0	0	0	0	OEce	43.9311	69.5969	16.5	752.5	256	56914.	1429	1.4	2.3	3.6	1.8	0.7	2.7	21	4.4
57720	0	0	0	0	OEce	43.9310	69.5964	16.5	752.6	251	56913.	1572	1.4	4.4	4.8	3.3	1.0	3.6	24	4.7
57719	0	0	0	U	OEce	43.9310	69.5959	16.5	752.7	255	56912.	1496	1.4	3.3	3.6	2.5	0.9	2.8	28	4.7
57718	0	0	0	0	OEce	43.9310	69.5955	16.5	752.9	270	56911.	1431	1.3	2.4	4.4	2.0	0.6	3.6	16	4.6
57717	0	0	1	0	OEce	43.9310	69.5950	16.4	752.9	297	56911.	1301	1.2	0.8	4.2	0.1	0.1	3.7	25	4.7
57716	0	0	0	0	OEce	43.9310	69.5945	16.4	753.0	327	56911.	1271	1.2	1.4	5.6	1.2	0.3	4.8	22	4.6
57715	0	0	0	0	OEce	43.9310	69.5940	16.4	753.1	362	56910.	1164	1.1	1.4	5.7	1.3	0.3	5.5	12	4.3
57714	0	0	1	0	OEce	43.9309	69.5935	16.4	753.2	386	56910.	1004	1.1	0.4	4.8	0.1	0.1	4.6	27	4.0
57713	0	0	1	0	OEce	43.9309	69.5930	16.4	753.3	400	56910.	751	1.0	0.7	1.9	0.1	0.1	2.0	14	3.4
57712	0	0	1	0	OEce	43.9308	69.5925	16.4	753.3	401	56909.	445	0.6	0.6	1.7	0.1	0.1	3.2	12	2.7
57711	0	0	1	0	Water	43.9307	69.5919	16.4	753.4	402	56908.	357	0.4	0.1	1.8	0.1	0.1	0.1	22	2.1
57710	0	1	0	1	Water	43.9306	69.5914	16.2	753.4	403	56909.	215	0.2	1.1	1.0	0.1	0.1	0.1	19	1.7
57709	0	0	1	1	Water	43.9305	69.5909	16.2	753.4	403	56910.	157	0.3	0.4	-0.3	0.1	0.1	0.1	23	1.3
57708	0	1	1	1	Water	43.9304	69.5903	16.2	753.4	403	56912.	106	0.1	0.4	-0.3	0.1	0.1	0.1	25	0.9
57707	0	1	1	1	Water	43.9303	69.5897	16.2	753.4	402	56914.	80	0.1	-0.1	0.0	0.1	0.1	0.1	23	0.5
57706	0	1	1	1	Water	43.9303	69.5892	16.2	753.4	401	56916.	65	0.1	0.2	-0.1	0.1	0.1	0.1	25	0.3
57705	0	1	1	1	Water	43.9302	69.5886	16.2	753.4	398	56917.	60	0.1	-0.5	-0.4	0.1	0.1	0.1	25	0.1
57704	0	1	1	1	Water	43.9301	69.5881	16.2	753.4	396	56919.	94	0.1	0.2	0.5	0.1	0.1	0.1	19	0.0
57703	0	1	1	1	Water	43.9300	69.5876	16.2	753.4	393	56920.	101	0.1	0.3	0.3	0.1	0.1	0.1	18	0.0
57702	0	1	1	0	Water	43.9299	69.5870	16.2	753.4	392	56920.	111	0.1	0.1	1.4	0.1	0.1	0.1	26	0.0
57701	0	0	1	0	Water	43.9298	69.5865	16.2	753.4	392	56920.	107	0.2	0.6	1.4	0.1	0.1	0.1	18	0.0
57700	0	1	1	1	Water	43.9297	69.5859	16.2	753.4	393	56920.	128	0.2	0.3	-0.4	0.1	0.1	0.1	29	0.0
57699	0	0	1	1	Water	43.9296	69.5854	16.2	753.4	395	56919.	88	0.2	0.1	0.5	0.1	0.1	0.1	17	0.0
57698	0	1	1	1	Water	43.9295	69.5848	16.2	753.4	398	56918.	49	0.0	0.6	-1.1	0.1	0.1	0.1	21	0.0
57697	0	1	1	1	Water	43.9294	69.5843	16.1	753.3	400	56918.	36	0.1	0.5	0.0	0.1	0.1	0.1	16	0.0
57696	0	1	0	1	Water	43.9293	69.5837	16.1	753.3	402	56918.	27	-0.1	0.7	-0.8	0.1	0.1	0.1	21	0.0
57695	0	1	0	1	Water	43.9292	69.5832	16.1	753.3	403	56917.	58	0.0	0.9	-0.1	0.1	0.1	0.1	26	0.0
57694	0	1	1	1	Water	43.9291	69.5826	16.1	753.3	405	56916.	53	0.2	0.1	0.1	0.1	0.1	0.1	17	0.0
57693	0	1	1	1	Water	43.9291	69.5821	16.0	753.2	406	56917.	29	0.1	0.0	0.0	0.1	0.1	0.1	32	0.0
57692	0	1	1	1	Water	43.9290	69.5815	16.0	753.2	409	56918.	34	0.0	0.1	-0.4	0.1	0.1	0.1	25	0.0
57691	0	0	1	0	Water	43.9289	69.5810	16.0	753.1	413	56918.	107	0.3	0.1	1.5	0.1	0.1	0.1	26	0.0
57690	0	1	1	0	Water	43.9288	69.5804	16.0	753.1	419	56918.	99	0.2	0.2	1.3	0.1	0.1	0.1	11	0.0
57689	0	1	1	1	Water	43.9287	69.5799	16.0	753.0	425	56918.	154	0.2	0.6	0.3	0.1	0.1	0.1	20	0.0
57688	0	1	1	1	Water	43.9286	69.5793	15.9	752.9	431	56917.	119	0.0	0.2	1.2	0.1	0.1	0.1	16	0.0
57687	0	0	1	1	Water	43.9285	69.5788	15.9	752.8	436	56918.	156	0.3	-0.2	-0.1	0.1	0.1	0.1	26	0.0
57686	0	1	1	1	Water	43.9284	69.5782	15.9	752.8	441	56920.	96	0.0	0.3	1.0	0.1	0.1	0.1	12	0.0
57685	0	1	0	1	Water	43.9283	69.5777	15.9	752.7	444	56922.	140	0.1	0.9	1.0	0.1	0.1	0.1	25	0.0
57684	0	1	1	1	Water	43.9282	69.5771	15.9	752.6	447	56924.	92	0.1	0.3	-0.6	0.1	0.1	0.1	20	0.0
57683	0	1	1	1	Water	43.9281	69.5766	15.9	752.5	450	56926.	76	0.1	0.3	-0.6	0.1	0.1	0.1	28	0.0
57682	0	0	1	1	Water	43.9280	69.5760	15.9	752.4	453	56927.	86	0.2	0.0	0.5	0.1	0.1	0.1	18	0.0
57681	0	0	1	1	Water	43.9279	69.5755	15.8	752.4	456	56925.	63	0.3	-0.1	-0.8	0.1	0.1	0.1	21	0.0
57680	0	0	1	1	Water	43.9278	69.5750	15.8	752.2	459	56924.	93	0.2	0.1	-0.2	0.1	0.1	0.1	24	0.0

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
57679	0	1	1	1	Water	43.9278	69.5744	15.8	752.2	461	56922.	106	0.1	0.7	0.2	0.1	0.1	0.1	19	0.0
57678	0	1	1	1	Water	43.9277	69.5739	15.8	752.1	463	56918.	92	0.1	0.2	0.4	0.1	0.1	0.1	16	0.0
57677	0	1	0	1	Water	43.9276	69.5733	15.8	752.0	465	56915.	132	0.1	1.0	-0.7	0.1	0.1	0.1	15	0.0
57676	0	1	0	1	Water	43.9275	69.5728	15.8	751.9	468	56913.	118	0.1	1.0	-0.3	0.1	0.1	0.1	21	0.0
57675	0	0	1	1	Water	43.9274	69.5722	15.8	751.9	470	56911.	149	0.3	0.6	0.3	0.1	0.1	0.1	21	0.0
57674	0	1	1	1	Water	43.9273	69.5717	15.8	751.8	472	56909.	133	0.0	0.8	-0.7	0.1	0.1	0.1	14	0.0
57673	0	1	1	1	Water	43.9272	69.5711	15.8	751.8	474	56908.	177	0.1	0.6	0.9	0.1	0.1	0.1	20	0.0
57671	0	0	0	1	Water	43.9270	69.5700	15.8	751.7	477	56906.	180	0.3	1.5	0.2	0.1	0.1	0.1	20	0.0
57670	0	1	1	1	Water	43.9269	69.5695	15.8	751.7	480	56906.	170	0.1	0.8	-0.5	0.1	0.1	0.1	24	0.0
57669	0	1	1	1	Water	43.9268	69.5689	15.8	751.6	482	56904.	134	0.1	0.4	0.4	0.1	0.1	0.1	19	0.0
57668	0	1	1	0	Water	43.9267	69.5684	15.8	751.6	483	56902.	166	0.1	0.4	1.9	0.1	0.1	0.1	26	0.0
57667	0	1	1	1	Water	43.9266	69.5678	15.8	751.6	483	56901.	200	0.2	0.8	1.0	0.1	0.1	0.1	22	0.0
57666	0	1	0	1	Water	43.9266	69.5673	15.8	751.5	482	56902.	199	0.1	0.9	0.0	0.1	0.1	0.1	16	0.0
57665	0	1	0	0	Water	43.9265	69.5667	15.8	751.5	481	56902.	238	0.0	1.5	1.5	0.1	1.0	0.1	15	0.0
57664	0	1	1	1	Water	43.9264	69.5662	15.8	751.5	479	56900.	209	0.2	0.4	0.2	0.1	0.1	0.1	19	0.0
57663	0	0	1	1	Water	43.9263	69.5656	15.8	751.5	477	56898.	404	0.7	0.5	0.6	0.1	0.1	0.1	20	0.0
57662	0	0	0	1	OEce	43.9262	69.5651	15.8	751.5	474	56898.	487	0.6	1.6	0.3	2.9	0.1	0.1	24	0.2
57661	0	0	0	0	OEce	43.9261	69.5645	15.7	751.4	470	56899.	591	0.6	1.4	3.3	2.4	0.5	5.9	26	0.3
57660	0	0	0	1	OEce	43.9260	69.5640	15.7	751.4	462	56899.	678	0.7	1.0	1.2	1.5	0.1	0.1	26	0.4
57659	0	0	0	0	OEce	43.9259	69.5634	15.7	751.4	445	56900.	893	1.1	1.5	1.6	1.5	1.0	1.5	33	0.6
57658	0	0	1	0	OEce	43.9258	69.5629	15.7	751.4	423	56900.	897	0.9	0.9	4.2	0.1	0.1	4.9	21	0.8
57657	0	0	0	0	OEce	43.9258	69.5624	15.7	751.3	402	56901.	962	1.0	1.8	4.1	1.7	0.5	4.0	23	0.9
57656	0	0	1	0	OEce	43.9258	69.5619	15.7	751.3	385	56902.	1067	0.8	0.6	3.3	0.1	0.1	4.3	16	1.1
57655	0	0	0	0	OEce	43.9258	69.5614	15.7	751.3	365	56903.	1056	1.0	1.7	4.6	1.8	0.4	4.7	21	1.2
57654	0	0	1	0	OEce	43.9258	69.5609	15.7	751.3	344	56902.	1034	0.9	0.8	4.1	0.1	0.1	4.6	20	1.4
57653	0	0	1	0	OEce	43.9258	69.5604	15.7	751.3	302	56900.	1143	1.0	0.7	3.4	0.1	0.1	3.5	19	1.5
57652	0	0	0	0	DSb	43.9258	69.5599	15.7	751.3	296	56899.	1101	1.1	1.6	5.3	1.5	0.3	5.1	17	1.5
57651	0	0	1	0	DSb	43.9258	69.5593	15.7	751.3	288	56899.	1088	0.9	0.8	5.5	0.1	0.1	6.2	23	1.4
57650	0	0	0	0	DSb	43.9258	69.5588	15.7	751.3	275	56897.	1131	1.1	1.6	4.0	1.5	0.4	3.9	16	1.4
57649	0	0	0	0	DSb	43.9258	69.5583	15.7	751.3	266	56893.	1187	0.8	2.5	5.4	3.3	0.5	7.0	19	1.2
57648	0	0	0	0	DSb	43.9258	69.5578	15.7	751.3	262	56890.	1126	1.2	1.6	2.6	1.4	0.7	2.2	19	1.1
57647	0	0	0	0	DSb	43.9258	69.5573	15.7	751.3	259	56889.	1190	1.3	1.6	4.1	1.3	0.4	3.3	27	1.0
57646	0	0	0	0	DSb	43.9258	69.5568	15.7	751.3	258	56887.	1213	1.2	2.2	4.1	1.9	0.6	3.5	13	0.9
57645	0	0	0	0	DSb	43.9258	69.5563	15.7	751.3	257	56886.	1157	0.9	2.0	3.0	2.4	0.7	3.6	17	0.8
57644	0	0	1	0	DSb	43.9258	69.5558	15.7	751.3	259	56884.	1209	1.1	0.8	5.3	0.1	0.1	5.3	16	0.9
57643	0	0	1	0	DSb	43.9258	69.5553	15.7	751.3	263	56882.	1136	1.0	0.5	6.7	0.1	0.1	7.1	18	1.0
57642	0	0	0	0	DSb	43.9258	69.5548	15.7	751.3	268	56880.	1133	1.0	2.4	4.1	2.6	0.6	4.5	27	1.0
57641	0	0	0	0	DSb	43.9258	69.5543	15.7	751.4	272	56877.	1138	0.9	2.0	5.0	2.2	0.4	5.5	25	1.3
57640	0	0	0	0	DSb	43.9257	69.5538	15.7	751.4	276	56876.	1155	1.0	1.8	4.1	2.0	0.5	4.5	24	1.5
57639	0	0	0	0	DSb	43.9257	69.5533	15.7	751.4	280	56877.	1120	1.0	1.9	3.8	1.9	0.5	3.9	18	1.7
57638	0	0	0	0	DSb	43.9257	69.5528	15.7	751.5	284	56876.	1171	1.0	1.3	5.7	1.3	0.3	5.7	26	2.0
57637	0	0	0	0	DSb	43.9257	69.5522	15.7	751.5	289	56874.	1143	0.8	1.5	5.8	2.1	0.3	7.7	20	2.0
57636	0	0	0	0	DSb	43.9257	69.5517	15.7	751.5	293	56873.	1247	1.0	2.0	3.5	2.1	0.6	3.5	17	2.2
57635	0	0	0	0	DSb	43.9257	69.5512	15.7	751.6	298	56873.	1257	1.1	2.7	5.6	2.6	0.5	5.4	16	2.3
57634	0	0	0	0	DSb	43.9257	69.5507	15.7	751.6	304	56873.	1328	1.2	1.6	4.7	1.4	0.4	4.0	24	2.4
57633	0	0	0	0	DSb	43.9257	69.5502	15.7	751.6	318	56874.	1370	1.4	2.2	4.1	1.6	0.6	3.1	22	2.4
57632	0	0	0	0	DSb	43.9257	69.5497	15.7	751.6	326	56874.	1389	1.3	2.0	6.3	1.6	0.3	5.2	17	2.5
57631	0	0	0	0	DSb	43.9257	69.5492	15.7	751.7	334	56874.	1311	1.2	1.7	5.1	1.5	0.4	4.4	18	2.5
57630	0	0	0	0	DSb	43.9257	69.5487	15.7	751.7	338	56875.	1270	1.4	3.1	4.0	2.4	0.8	3.0	9	2.4
57629	0	0	1	0	DSb	43.9257	69.5482	15.7	751.7	352	56878.	1226	0.9	0.8	5.3	0.1	0.1	6.0	28	2.3

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
57628	0	0	1	0	DSb	43.9257	69.5477	15.7	751.7	364	56883.	1187	1.2	1.0	3.3	0.1	0.1	2.8	17	2.3
57627	0	0	0	0	DSb	43.9257	69.5472	15.7	751.7	371	56889.	1188	0.9	1.3	5.2	1.5	0.3	6.2	15	2.2
57626	0	0	0	0	DSb	43.9257	69.5467	15.7	751.6	375	56895.	1234	1.0	1.9	6.2	2.0	0.3	6.6	19	2.1
57625	0	0	1	0	DSb	43.9257	69.5462	15.7	751.6	379	56901.	1199	1.2	0.9	4.7	0.1	0.1	4.2	21	2.1
57624	0	0	0	0	DSb	43.9257	69.5457	15.7	751.6	379	56907.	1243	1.1	1.2	4.5	1.1	0.3	4.3	27	2.1
57623	0	0	0	0	DSb	43.9257	69.5452	15.7	751.6	379	56912.	1276	1.2	1.5	5.7	1.3	0.3	5.0	15	2.1
57622	0	0	0	0	DSb	43.9257	69.5446	15.7	751.5	377	56915.	1292	0.9	2.1	5.5	2.3	0.4	6.1	14	2.0
57621	0	0	0	0	DSb	43.9257	69.5441	15.7	751.5	381	56917.	1281	0.8	2.6	4.8	3.6	0.6	6.5	18	2.0
57620	0	0	0	0	DSb	43.9257	69.5436	15.7	751.5	385	56920.	1322	1.0	1.8	5.4	1.8	0.4	5.6	21	2.1
57619	0	0	0	0	DSb	43.9257	69.5431	15.7	751.4	393	56923.	1298	0.9	1.5	6.8	1.8	0.3	8.3	20	2.0
57618	0	0	0	0	DSb	43.9256	69.5426	15.7	751.4	399	56925.	1228	1.0	1.2	4.2	1.2	0.3	4.3	21	2.0
57617	0	0	1	0	DSb	43.9256	69.5421	15.7	751.4	406	56926.	1266	1.2	1.1	4.0	0.1	0.1	3.5	24	2.0
57616	0	0	0	0	DSb	43.9256	69.5416	15.7	751.3	412	56926.	1355	1.1	2.1	6.3	1.9	0.4	5.9	17	1.8
57615	0	0	0	0	DSb	43.9256	69.5411	15.7	751.3	416	56927.	1354	1.0	1.7	5.8	1.9	0.3	6.2	15	1.6
57614	0	0	0	0	DSb	43.9256	69.5406	15.7	751.2	420	56929.	1308	1.1	1.2	6.7	1.2	0.2	6.5	15	1.3
57613	0	0	0	0	DSb	43.9256	69.5401	15.7	751.2	424	56931.	1377	1.3	1.6	4.1	1.3	0.4	3.3	13	0.9
57612	0	0	0	0	DSb	43.9256	69.5396	15.7	751.2	431	56934.	1540	1.4	2.6	5.2	2.0	0.6	3.9	24	0.5
57611	0	0	0	0	DSb	43.9257	69.5391	15.7	751.2	432	56936.	1469	1.1	1.8	8.9	1.7	0.2	8.5	13	0.1
57610	0	0	0	0	DSb	43.9257	69.5385	15.7	751.2	427	56937.	1505	1.3	2.8	7.1	2.1	0.4	5.5	20	0.0
57609	0	0	1	0	DSb	43.9257	69.5380	15.7	751.1	410	56938.	1516	1.2	1.0	6.4	0.1	0.1	5.7	16	0.0
57608	0	0	0	0	DSb	43.9258	69.5375	15.7	751.1	392	56939.	1446	1.1	1.5	7.4	1.4	0.2	7.1	23	0.0
57607	0	0	0	0	DSb	43.9258	69.5370	15.7	751.1	376	56940.	1412	1.1	2.4	7.4	2.2	0.4	6.9	24	0.0
57606	0	0	0	0	DSb	43.9258	69.5364	15.7	751.1	370	56940.	1344	1.1	2.8	5.7	2.7	0.5	5.6	15	0.0
57605	0	0	0	0	DSb	43.9259	69.5359	15.7	751.1	369	56942.	1309	1.2	2.3	5.8	2.0	0.4	5.0	20	0.0
57604	0	0	0	0	DSb	43.9259	69.5354	15.7	751.0	372	56946.	1255	1.1	2.7	4.4	2.5	0.7	4.1	24	0.0
57603	0	0	0	0	DSb	43.9260	69.5349	15.7	751.0	375	56952.	1376	1.2	3.3	4.4	2.7	0.8	3.7	20	0.0
57602	0	0	0	0	DSb	43.9260	69.5344	15.7	751.0	375	56958.	1404	1.2	3.5	4.9	3.1	0.8	4.3	28	0.0
57601	0	0	0	0	DSb	43.9260	69.5339	15.7	751.0	371	56963.	1287	0.8	2.4	4.5	3.3	0.6	6.3	18	0.0
57600	0	0	0	0	DSb	43.9261	69.5333	15.7	751.0	363	56966.	1378	1.1	4.5	4.6	4.3	1.0	4.4	21	0.0
57599	0	0	0	0	DSb	43.9261	69.5328	15.7	751.0	356	56965.	1306	1.0	2.2	6.0	2.2	0.4	6.0	18	0.0
57598	0	0	0	0	DSb	43.9261	69.5323	15.7	751.0	350	56961.	1229	0.9	1.3	4.5	1.5	0.3	5.1	13	0.0
57597	0	0	0	0	DSb	43.9262	69.5318	15.7	751.0	349	56951.	1200	0.9	2.5	5.1	3.1	0.5	6.4	24	0.0
57596	0	0	0	0	DSb	43.9262	69.5313	15.7	751.0	352	56948.	1219	1.1	2.3	5.3	2.3	0.5	5.1	15	0.0
57595	0	0	0	0	DSb	43.9263	69.5307	15.7	751.0	357	56943.	1260	0.9	1.3	6.1	1.5	0.3	7.1	26	0.0
57594	0	0	0	0	DSb	43.9263	69.5302	15.7	751.0	365	56942.	1164	0.7	2.9	5.5	4.5	0.6	8.4	19	0.0
57593	0	0	0	0	DSb	43.9263	69.5297	15.7	751.0	371	56941.	1145	0.8	2.5	2.8	3.1	0.9	3.5	21	0.0
57592	0	0	0	0	DSb	43.9264	69.5292	15.7	751.0	377	56939.	1102	1.0	1.9	5.9	2.0	0.4	6.2	19	0.0
57591	0	0	0	0	DSb	43.9264	69.5286	15.7	750.9	383	56937.	1157	1.1	1.9	4.2	1.8	0.5	4.1	25	0.0
57590	0	0	0	0	DSb	43.9264	69.5281	15.7	750.9	390	56935.	1053	1.0	1.2	4.3	1.3	0.3	4.7	13	0.0
57589	0	0	0	0	DSb	43.9265	69.5276	15.7	750.9	396	56935.	1049	1.0	1.7	3.8	1.7	0.5	3.8	13	0.0
57588	0	0	0	0	DSb	43.9265	69.5271	15.7	750.9	403	56934.	1118	0.9	1.8	2.7	2.0	0.7	3.1	24	0.0
57587	0	0	0	0	DSb	43.9265	69.5266	15.7	750.9	407	56933.	1103	0.8	1.7	5.5	2.2	0.3	7.2	24	0.0
57586	0	0	0	0	DSb	43.9266	69.5260	15.7	750.9	405	56932.	1163	0.9	2.1	4.5	2.5	0.5	5.4	10	0.0
57585	0	0	1	0	DSb	43.9266	69.5255	15.7	750.9	398	56932.	1164	0.9	1.1	6.5	0.1	0.1	7.2	17	0.0
57584	0	0	0	0	DSb	43.9266	69.5250	15.7	750.9	387	56933.	1095	1.0	1.7	4.7	1.8	0.4	5.1	25	0.0
57583	0	0	0	0	DSb	43.9267	69.5245	15.7	750.9	376	56934.	1123	1.0	1.3	3.9	1.4	0.4	4.2	24	0.0
57582	0	0	0	0	DSb	43.9267	69.5240	15.7	750.9	366	56934.	1131	0.7	2.3	3.9	3.7	0.6	6.2	17	0.0
57580	0	0	0	0	DSb	43.9268	69.5229	15.7	750.8	362	56935.	1113	0.8	3.5	5.9	4.6	0.6	7.7	10	0.0
57579	0	0	1	0	DSb	43.9268	69.5224	15.6	750.8	364	56936.	1121	0.9	0.8	4.9	0.1	0.1	6.0	16	0.0
57578	0	0	0	0	DSb	43.9269	69.5219	15.6	750.7	371	56937.	1186	0.9	2.5	4.5	2.8	0.6	5.0	19	0.0

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
57577	0	0	0	0	DSb	43.9269	69.5214	15.6	750.7	378	56939.	1194	1.1	2.7	4.3	2.5	0.7	4.0	9	0.0
57576	0	0	0	0	DSb	43.9269	69.5208	15.6	750.6	382	56941.	1188	1.2	1.2	4.8	1.1	0.3	4.2	23	0.3
57575	0	0	0	0	DSb	43.9270	69.5203	15.6	750.5	382	56942.	1223	1.2	1.8	4.7	1.6	0.4	4.0	21	0.5
57574	0	0	0	0	DSb	43.9270	69.5198	15.6	750.5	381	56941.	1181	1.0	1.4	4.8	1.5	0.3	5.1	17	0.8
57573	0	0	0	0	DSb	43.9270	69.5193	15.6	750.4	379	56940.	1165	0.8	1.7	3.8	2.2	0.5	4.9	24	0.8
57572	0	0	0	0	DSb	43.9271	69.5188	15.6	750.3	378	56940.	1231	1.3	2.5	5.2	2.0	0.5	4.1	21	0.8
57571	0	0	0	0	DSb	43.9271	69.5182	15.6	750.2	378	56941.	1325	1.1	1.3	6.3	1.2	0.2	5.9	19	0.9
57570	0	0	0	0	DSb	43.9272	69.5177	15.6	750.1	382	56941.	1337	1.4	1.4	4.3	1.0	0.4	3.2	17	0.9
57569	0	0	0	0	DSb	43.9272	69.5172	15.6	750.0	388	56941.	1244	1.2	2.3	3.1	1.9	0.8	2.6	25	0.9
57568	0	0	0	0	DSb	43.9272	69.5167	15.6	749.9	397	56941.	1284	1.2	1.6	4.3	1.4	0.4	3.6	33	0.9
57567	0	0	0	0	DSb	43.9273	69.5162	15.6	749.8	406	56942.	1352	1.6	1.7	6.7	1.1	0.3	4.4	28	1.0
57566	0	0	0	0	DSb	43.9273	69.5156	15.7	749.7	426	56942.	1331	1.3	2.8	4.2	2.1	0.7	3.3	24	1.0
57565	0	0	0	0	DSb	43.9273	69.5151	15.7	749.6	446	56941.	1420	1.1	2.3	5.8	2.1	0.5	5.2	14	1.0
57564	0	0	0	0	DSb	43.9274	69.5146	15.7	749.6	466	56940.	1382	1.0	2.1	5.5	2.2	0.4	5.8	16	1.0
57563	0	0	0	0	DSb	43.9274	69.5141	15.7	749.5	471	56941.	1420	1.2	2.6	6.3	2.3	0.5	5.5	24	1.2
57562	0	0	0	0	DSb	43.9274	69.5135	15.7	749.4	471	56941.	1329	1.3	2.6	4.0	2.0	0.7	3.1	22	1.2
57561	0	0	0	0	DSb	43.9275	69.5130	15.7	749.4	473	56941.	1227	1.2	2.1	3.5	1.9	0.6	3.2	24	1.4
57560	0	0	0	0	DSb	43.9275	69.5125	15.7	749.3	477	56941.	1235	1.2	1.7	4.9	1.4	0.4	4.1	22	1.6
57559	0	0	0	0	DSb	43.9276	69.5120	15.7	749.3	485	56942.	1204	1.2	2.2	7.0	1.9	0.3	6.1	22	1.5
57558	0	0	0	0	DSb	43.9276	69.5115	15.7	749.2	492	56942.	1100	0.8	2.0	3.6	2.7	0.6	4.9	26	1.6
57557	0	0	0	0	DSb	43.9276	69.5109	15.7	749.2	502	56942.	1032	0.8	2.1	4.1	2.9	0.6	5.6	22	1.7
57556	0	0	0	0	DSb	43.9277	69.5104	15.7	749.2	512	56942.	1006	0.9	1.7	3.3	2.1	0.6	4.1	24	1.7
57555	0	0	0	0	DSb	43.9277	69.5099	15.7	749.1	523	56942.	888	0.6	1.6	3.5	2.8	0.5	5.9	18	1.8
57554	0	0	0	0	DSb	43.9277	69.5094	15.7	749.1	536	56940.	913	0.6	2.0	4.7	3.7	0.5	8.8	15	2.0
57553	0	0	0	0	DSb	43.9278	69.5089	15.7	749.1	551	56937.	802	0.6	2.2	3.4	4.0	0.7	6.3	21	2.1
57552	0	0	1	1	DSb	43.9278	69.5083	15.7	749.1	559	56934.	744	0.8	0.9	1.0	0.1	0.1	0.1	24	2.2
57551	0	0	0	1	DSb	43.9278	69.5078	15.7	749.1	559	56934.	692	0.6	1.4	1.6	2.4	0.1	0.1	18	2.4
57550	0	0	0	0	DSb	43.9279	69.5073	15.7	749.1	553	56933.	725	0.7	1.6	2.4	2.4	0.7	3.5	15	2.5
57549	0	0	0	0	DSb	43.9279	69.5068	15.7	749.2	546	56931.	744	0.5	1.6	3.0	0.1	0.6	0.1	26	2.5
57548	0	0	1	0	DSb	43.9280	69.5063	15.7	749.2	539	56930.	634	0.5	1.3	3.2	0.1	0.1	0.1	21	2.6
57547	0	0	1	1	DSb	43.9281	69.5059	15.8	749.2	531	56929.	676	0.5	0.4	0.9	0.1	0.1	0.1	25	2.6
57546	0	0	0	1	DSb	43.9282	69.5054	15.8	749.3	523	56928.	682	0.7	1.5	1.0	2.3	0.1	0.1	23	2.6
57545	0	0	0	0	DSb	43.9283	69.5050	15.8	749.3	515	56927.	716	0.5	1.6	2.3	0.1	0.8	0.1	15	2.6
57544	0	0	0	0	DSb	43.9284	69.5045	15.8	749.4	506	56927.	646	0.3	1.6	1.9	0.1	0.9	0.1	13	2.6
57543	0	0	0	0	DSb	43.9285	69.5041	15.8	749.5	496	56925.	736	0.3	3.3	3.1	0.1	1.1	0.1	19	2.5
57542	0	0	1	0	DSb	43.9286	69.5036	15.8	749.5	480	56922.	692	0.5	1.1	1.7	0.1	0.1	0.1	23	2.5
57541	0	0	1	0	DSb	43.9287	69.5032	15.8	749.6	466	56919.	722	0.6	0.5	2.7	0.1	0.1	4.5	29	2.5
57540	0	0	1	0	DSb	43.9288	69.5027	15.9	749.9	452	56918.	1001	0.6	0.3	4.8	0.1	0.1	8.1	20	2.5
57539	0	0	0	0	DSb	43.9289	69.5023	15.9	749.9	451	56917.	979	0.7	2.1	3.1	3.4	0.7	5.0	23	2.5
57538	0	0	0	0	DSb	43.9290	69.5018	15.9	749.9	451	56915.	1007	0.9	1.5	2.9	1.7	0.6	3.4	25	2.5
57537	0	0	1	0	DSb	43.9291	69.5014	15.9	749.9	453	56913.	1004	1.0	0.6	5.5	0.1	0.1	5.6	20	2.4
57536	0	0	0	0	DSb	43.9291	69.5009	15.9	749.9	461	56911.	919	0.8	1.3	3.0	1.7	0.5	3.8	23	2.4
57535	0	0	0	1	DSb	43.9292	69.5005	15.9	749.9	471	56910.	784	0.8	1.3	1.4	1.8	0.1	0.1	24	2.4
57534	0	0	0	0	DSb	43.9293	69.5000	15.9	749.9	483	56909.	792	0.9	1.5	2.3	1.8	0.7	2.7	20	2.4
57533	0	0	1	0	DSb	43.9294	69.4996	15.9	749.9	488	56910.	843	0.9	0.2	4.0	0.1	0.1	4.8	14	2.4
57532	0	0	1	0	DSb	43.9295	69.4991	15.9	749.9	482	56911.	964	1.0	0.3	5.1	0.1	0.1	5.3	21	2.2
57531	0	0	0	0	DSb	43.9296	69.4987	15.9	749.9	465	56913.	1013	0.9	1.6	4.2	1.7	0.4	4.7	13	2.1
57530	0	0	0	0	DSb	43.9297	69.4982	15.9	749.9	447	56916.	1148	1.1	2.3	3.9	2.1	0.6	3.6	23	2.0
57529	0	0	0	0	Dg	43.9298	69.4978	15.9	749.9	432	56920.	1287	1.2	1.9	3.4	1.6	0.6	2.8	20	1.9
57528	0	0	0	0	Dg	43.9299	69.4973	15.9	749.9	423	56923.	1368	1.4	1.6	5.4	1.2	0.3	4.1	16	1.8

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
57527	0	0	0	0	Dg	43.9300	69.4969	15.9	749.9	415	56926.	1405	1.5	1.7	7.3	1.2	0.3	5.2	23	1.6
57526	0	0	1	0	Dg	43.9301	69.4964	15.9	749.9	414	56931.	1517	1.5	1.2	6.5	0.1	0.1	4.5	22	1.3
57525	0	0	0	0	Dg	43.9302	69.4960	15.9	749.9	416	56936.	1664	1.7	2.2	5.2	1.3	0.5	3.0	26	1.0
57524	0	0	0	0	Dg	43.9303	69.4955	15.9	749.9	415	56939.	1880	2.1	1.8	7.4	0.9	0.3	3.6	22	0.6
57523	0	0	0	0	Dg	43.9304	69.4951	15.9	749.9	406	56940.	1873	1.8	3.3	6.6	1.9	0.6	3.7	26	0.3
57522	0	0	0	0	Dg	43.9305	69.4947	16.0	750.0	391	56939.	1877	1.8	2.2	4.2	1.2	0.6	2.4	26	0.0
57521	0	0	0	0	Dg	43.9306	69.4942	16.0	750.0	375	56936.	1762	1.5	2.1	6.6	1.5	0.4	4.5	29	0.0
57520	0	0	0	0	Dg	43.9306	69.4937	16.0	750.0	355	56932.	1713	1.9	3.3	7.3	1.8	0.5	4.0	25	0.0
57519	0	0	0	0	Dg	43.9306	69.4932	16.0	750.1	336	56927.	1681	1.8	2.8	4.5	1.6	0.7	2.6	15	0.0
57518	0	0	0	0	Dg	43.9307	69.4927	16.0	750.1	321	56923.	1566	1.6	2.2	6.1	1.4	0.4	3.9	13	0.0
57517	0	0	0	0	Dg	43.9307	69.4922	16.0	750.1	314	56921.	1529	1.4	2.4	3.8	1.8	0.6	2.8	18	0.0
57516	0	0	0	0	Dg	43.9307	69.4917	16.0	750.2	310	56921.	1481	1.4	3.0	3.3	2.3	0.9	2.5	23	0.0
57515	0	0	0	0	Dg	43.9308	69.4912	16.0	750.3	306	56919.	1506	1.4	2.6	5.2	2.0	0.5	3.9	19	0.0
57514	0	0	0	0	Dg	43.9308	69.4907	16.0	750.3	302	56918.	1469	1.3	2.6	6.3	2.1	0.5	5.1	18	0.0
57513	0	0	0	0	Dg	43.9308	69.4902	16.0	750.4	300	56918.	1431	1.3	2.0	5.8	1.6	0.4	4.6	23	0.0
57512	0	0	0	0	Dg	43.9309	69.4897	16.0	750.4	300	56917.	1325	1.5	1.9	3.5	1.4	0.6	2.5	22	0.0
57511	0	0	0	0	Dg	43.9309	69.4892	16.0	750.5	302	56917.	1361	1.0	2.7	5.3	2.7	0.6	5.3	28	0.0
57510	0	0	0	0	Dg	43.9309	69.4887	16.0	750.5	306	56916.	1401	1.4	1.5	5.7	1.1	0.3	4.2	26	0.0
57509	0	0	0	0	Dg	43.9310	69.4882	15.9	750.6	307	56916.	1374	1.2	3.3	4.6	3.0	0.8	4.2	17	0.0
57508	0	0	0	0	Dg	43.9310	69.4877	15.9	750.6	305	56916.	1457	1.1	2.7	6.8	2.7	0.4	6.7	20	0.0
57507	0	0	1	0	Dg	43.9310	69.4872	15.9	750.7	299	56916.	1522	1.3	0.9	7.6	0.1	0.1	6.1	14	0.0
57506	0	0	0	0	Dg	43.9311	69.4867	15.9	750.7	294	56915.	1629	1.5	2.1	7.6	1.5	0.3	5.3	29	0.0
57505	0	0	0	0	Dg	43.9311	69.4862	15.9	750.8	290	56914.	1551	1.5	2.4	6.1	1.7	0.4	4.2	16	0.0
57504	0	0	0	0	Dg	43.9311	69.4857	15.9	750.8	290	56914.	1443	1.4	2.4	6.9	1.8	0.4	5.1	30	0.0
57503	0	0	0	0	Dg	43.9312	69.4852	15.9	750.9	295	56914.	1369	1.2	1.1	5.6	0.9	0.2	5.1	13	0.0
57502	0	0	0	0	Dg	43.9312	69.4847	15.9	750.9	301	56914.	1273	1.3	2.1	4.9	1.6	0.5	3.8	24	0.0
57501	0	0	0	0	Dg	43.9312	69.4841	15.9	751.0	306	56913.	1233	1.1	1.1	5.6	1.0	0.2	5.3	22	0.0
57500	0	0	0	0	Dg	43.9313	69.4837	15.9	751.0	309	56913.	1184	1.1	2.5	5.0	2.3	0.5	4.6	24	0.0
57499	0	0	0	0	Dg	43.9313	69.4831	15.9	751.1	311	56914.	1180	1.1	1.2	4.6	1.2	0.3	4.3	14	0.0
57498	0	0	0	0	Dg	43.9313	69.4827	15.9	751.1	312	56916.	1140	1.0	2.1	4.1	2.3	0.6	4.4	17	0.0
57497	0	0	0	0	Dg	43.9314	69.4821	15.9	751.2	313	56920.	1196	1.1	2.3	5.8	2.2	0.4	5.6	22	0.0
57496	0	0	1	0	Dg	43.9314	69.4816	15.9	751.2	312	56924.	1202	1.1	0.6	4.5	0.1	0.1	4.2	19	0.0
57495	0	0	0	0	Dg	43.9314	69.4811	15.8	751.3	311	56927.	1251	1.2	1.2	5.2	1.1	0.3	4.6	18	0.2
57494	0	0	0	0	Dg	43.9315	69.4806	15.8	751.3	308	56929.	1284	1.3	1.8	4.8	1.4	0.4	3.8	18	0.5
57493	0	0	0	0	Dg	43.9315	69.4801	15.8	751.4	307	56931.	1253	1.0	1.6	4.5	1.7	0.4	4.7	23	0.8
57492	0	0	0	0	Dg	43.9315	69.4796	15.8	751.4	309	56933.	1234	1.3	1.2	3.4	1.0	0.4	2.7	11	0.9
57491	0	0	0	0	Dg	43.9316	69.4791	15.8	751.4	315	56932.	1161	1.2	1.9	4.9	1.7	0.4	4.4	17	1.0
57489	0	0	1	0	Dg	43.9316	69.4781	15.8	751.5	322	56932.	1120	1.2	-0.1	4.8	0.1	0.1	4.1	27	0.9
57488	0	0	0	0	Dg	43.9317	69.4776	15.8	751.5	327	56932.	1080	1.2	2.2	2.1	2.0	1.1	1.8	21	0.8
57487	0	0	0	0	Dg	43.9317	69.4771	15.8	751.5	324	56932.	1207	1.1	1.7	5.7	1.6	0.3	5.5	28	0.5
57486	0	0	0	0	Dg	43.9317	69.4766	15.7	751.6	323	56929.	1345	1.3	1.3	5.7	1.1	0.3	4.7	24	0.3
57485	0	0	0	0	Dg	43.9318	69.4761	15.7	751.6	320	56927.	1420	1.5	2.0	4.7	1.4	0.5	3.2	14	0.1
57484	0	0	0	0	Dg	43.9318	69.4756	15.7	751.7	321	56926.	1547	1.5	2.9	6.1	2.0	0.5	4.2	25	0.0
57483	1	1	1	1	Dg	43.9318	69.4751	15.6	752.0	321	56923.	1461	1.4	2.3	5.9	0.1	0.1	0.1	30	0.0
57482	0	0	0	0	Dg	43.9319	69.4746	15.6	752.0	322	56923.	1510	1.4	1.9	4.6	1.4	0.4	3.4	14	0.0
57481	0	0	0	0	Dg	43.9319	69.4741	15.6	752.0	325	56922.	1418	1.4	1.4	6.6	1.0	0.3	4.8	18	0.0
57480	0	0	0	0	Dg	43.9319	69.4736	15.6	752.0	335	56922.	1538	1.4	2.5	7.2	1.9	0.4	5.5	21	0.0
57479	0	0	1	0	Dg	43.9320	69.4731	15.6	752.0	346	56920.	1402	1.7	1.0	5.1	0.1	0.1	3.2	23	0.0
57478	0	0	0	0	Dg	43.9320	69.4726	15.6	752.0	354	56918.	1396	1.6	3.5	6.9	2.3	0.6	4.5	32	0.0
57477	0	0	0	0	Dg	43.9320	69.4721	15.6	752.0	357	56916.	1332	1.4	1.7	5.9	1.3	0.3	4.5	16	0.0

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

- M04 -
MAINE AERIAL SURVEY BATH QUADRANGLE, CARSON GEOSCIENCE INC., 1980

LINE NO. 610

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
57476	0	0	0	0	Dg	43.9321	69.4716	15.6	752.0	362	56915.	1284	1.2	1.7	2.7	1.4	0.7	2.3	31	0.0
57475	0	0	0	0	Dg	43.9321	69.4711	15.6	752.0	367	56913.	1340	1.1	2.1	4.9	2.0	0.5	4.6	11	0.0
57474	0	0	0	0	Dg	43.9321	69.4706	15.6	752.0	371	56914.	1293	0.9	3.2	3.7	3.5	0.9	4.2	18	0.0
57473	0	0	0	0	Dg	43.9322	69.4701	15.6	752.0	372	56914.	1223	1.1	3.0	3.3	2.8	0.9	3.1	22	0.0
57472	0	0	0	0	Dg	43.9322	69.4696	15.6	752.0	373	56914.	1222	0.9	2.0	6.9	2.3	0.3	8.2	28	0.0
57471	0	0	0	0	Dg	43.9322	69.4691	15.6	752.0	374	56914.	1277	1.0	3.7	4.0	3.7	1.0	4.0	19	0.0
57470	0	0	0	0	Dg	43.9322	69.4686	15.6	752.0	377	56913.	1322	1.1	2.7	2.5	2.6	1.1	2.4	22	0.0
57469	0	0	0	0	Dg	43.9323	69.4681	15.6	752.0	382	56912.	1253	1.2	1.3	5.2	1.1	0.3	4.5	20	0.0
57468	0	0	0	0	Dg	43.9323	69.4676	15.5	752.0	385	56911.	1217	1.3	1.2	4.2	1.0	0.3	3.4	14	0.0
57467	0	0	0	0	Dg	43.9324	69.4671	15.5	752.0	382	56910.	1294	1.0	1.6	5.6	1.6	0.3	5.7	19	0.0
57466	0	0	1	0	Dg	43.9324	69.4666	15.5	752.0	380	56910.	1196	1.3	0.9	6.1	0.1	0.1	4.9	18	0.0
57465	0	0	1	0	Dg	43.9324	69.4661	15.5	752.0	377	56909.	1193	1.2	0.9	4.1	0.1	0.1	3.6	24	0.0
57464	0	0	0	0	Dg	43.9324	69.4656	15.5	752.1	379	56910.	1198	1.0	2.1	5.0	2.2	0.5	5.2	22	0.0
57463	0	0	0	0	Dg	43.9325	69.4651	15.4	752.1	381	56912.	1207	1.0	2.8	5.7	2.9	0.5	6.0	17	0.0
57462	0	0	0	0	Dg	43.9325	69.4646	15.4	752.1	381	56914.	1273	0.9	2.8	5.9	3.3	0.5	7.2	10	0.0
57461	0	0	0	0	Dg	43.9325	69.4641	15.4	752.1	376	56917.	1298	1.1	2.1	4.6	1.9	0.5	4.3	23	0.0
57460	0	0	0	0	Dg	43.9326	69.4636	15.4	752.1	370	56920.	1236	1.3	1.6	6.0	1.4	0.3	5.0	21	0.0
57459	0	0	0	0	DSb	43.9326	69.4631	15.4	752.2	365	56921.	1263	1.1	1.1	6.8	1.1	0.2	6.3	23	0.0
57458	0	0	0	0	DSb	43.9326	69.4626	15.3	752.2	360	56923.	1280	1.5	1.7	5.2	1.2	0.4	3.6	30	0.0
57457	0	0	0	0	DSb	43.9327	69.4621	15.3	752.2	351	56924.	1324	1.3	2.6	5.2	2.0	0.5	4.0	24	0.0
57456	0	0	0	0	DSb	43.9327	69.4615	15.3	752.2	339	56925.	1374	1.0	3.7	3.1	3.7	1.2	3.2	26	0.1
57455	0	0	0	0	DSb	43.9328	69.4611	15.3	752.3	328	56927.	1295	1.1	2.8	3.1	2.6	0.9	2.9	19	0.0
57454	0	0	0	0	DSb	43.9328	69.4605	15.3	752.3	319	56928.	1225	1.2	2.1	3.5	1.8	0.6	2.9	18	0.3
57453	0	0	0	0	DSb	43.9328	69.4600	15.3	752.3	312	56927.	1233	1.2	3.0	3.3	2.5	1.0	2.8	18	0.2
57452	0	0	0	0	DSb	43.9328	69.4595	15.2	752.4	304	56927.	1195	1.1	1.8	2.5	1.8	0.8	2.4	26	0.3
57451	0	0	0	0	DSb	43.9329	69.4590	15.2	752.4	297	56926.	1222	1.1	3.4	3.5	3.2	1.0	3.2	24	0.0
57450	0	0	0	0	DSb	43.9329	69.4585	15.2	752.5	291	56924.	1299	1.2	3.0	2.3	2.6	1.4	2.0	36	0.0
57449	0	0	0	0	DSb	43.9329	69.4580	15.2	752.5	292	56922.	1366	1.4	2.2	4.3	1.6	0.6	3.1	27	0.0
57448	0	0	0	0	DSb	43.9330	69.4575	15.2	752.6	297	56921.	1364	1.3	2.8	3.8	2.3	0.8	3.1	13	0.0
57447	0	0	0	0	DSb	43.9330	69.4570	15.2	752.6	305	56920.	1339	1.3	2.6	4.1	2.1	0.7	3.3	24	0.0
57446	0	0	0	0	DSb	43.9330	69.4565	15.2	752.6	314	56920.	1373	1.2	3.5	4.4	3.0	0.8	3.8	24	0.0
57445	0	0	0	0	DSb	43.9331	69.4560	15.2	752.7	324	56921.	1265	1.2	2.3	4.0	2.0	0.6	3.3	14	0.0
57444	0	0	0	0	DSb	43.9331	69.4555	15.2	752.7	337	56920.	1323	1.2	2.6	4.6	2.3	0.6	3.9	25	0.0
57443	0	0	0	0	DSb	43.9331	69.4550	15.2	752.7	353	56918.	1254	1.2	2.2	3.1	1.8	0.7	2.7	17	0.0
57442	0	0	0	0	DSb	43.9332	69.4545	15.2	752.7	376	56914.	1214	1.2	2.2	4.7	1.9	0.5	4.2	17	0.0
57441	0	0	0	0	Water	43.9332	69.4540	15.2	752.7	396	56908.	1050	1.3	1.3	4.0	1.0	0.4	3.2	16	0.0
57440	0	0	1	0	Water	43.9333	69.4535	15.2	752.8	414	56905.	757	1.0	0.4	2.0	0.1	0.1	2.0	19	0.0
57439	0	0	1	0	Water	43.9333	69.4530	15.2	752.8	421	56904.	528	0.6	0.5	1.4	0.1	0.1	2.8	20	0.0
57438	0	0	1	0	Water	43.9332	69.4525	15.2	752.7	425	56904.	329	0.4	0.2	1.4	0.1	0.1	0.1	26	0.0
57437	0	1	1	1	Water	43.9332	69.4520	15.2	752.7	427	56903.	179	0.1	0.1	1.0	0.1	0.1	0.1	20	0.0
57436	0	0	1	1	Water	43.9332	69.4515	15.2	752.7	429	56903.	158	0.2	0.4	0.1	0.1	0.1	0.1	18	0.0
57435	0	1	1	1	Water	43.9332	69.4510	15.2	752.7	432	56904.	96	0.0	0.7	0.5	0.1	0.1	0.1	23	0.0
57434	0	1	1	1	Water	43.9332	69.4505	15.2	752.7	434	56905.	102	0.1	0.1	-0.1	0.1	0.1	0.1	19	0.0
57433	0	1	1	1	Water	43.9332	69.4501	15.2	752.7	437	56906.	46	0.0	0.0	-0.8	0.1	0.1	0.1	22	0.0
57432	0	1	1	1	Water	43.9332	69.4495	15.3	752.6	440	56906.	65	0.0	0.2	-0.1	0.1	0.1	0.1	15	0.0
57431	0	1	1	1	Water	43.9332	69.4491	15.3	752.6	444	56906.	61	0.1	0.4	-0.2	0.1	0.1	0.1	28	0.0
57430	0	1	0	1	Water	43.9332	69.4486	15.3	752.6	447	56907.	67	0.1	1.0	-1.0	0.1	0.1	0.1	17	0.0
57429	0	1	1	1	Water	43.9332	69.4481	15.3	752.5	451	56906.	36	0.0	0.3	-0.5	0.1	0.1	0.1	23	0.0
57428	0	1	1	1	Water	43.9332	69.4476	15.3	752.5	454	56907.	41	0.1	0.5	-0.5	0.1	0.1	0.1	23	0.1
57427	0	1	1	1	Water	43.9332	69.4471	15.6	752.1	459	56908.	62	0.2	0.3	0.5	0.1	0.1	0.1	26	0.0

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI			
												CPS	%	PPM	PPM							CPS	CPS
57426	0	1	1	1	Water	43.9332	69.4466	15.5	752.1	460	56908.	60	0.0	0.7	0.1	0.1	0.1	0.1	17	0.2			
57425	0	1	1	1	Water	43.9332	69.4461	15.5	752.1	461	56908.	46	0.1	0.3	-0.2	0.1	0.1	0.1	9	0.4			
57424	0	1	1	1	Water	43.9332	69.4456	15.5	752.1	463	56908.	124	0.2	-0.2	0.6	0.1	0.1	0.1	24	0.5			
57423	0	1	1	1	Water	43.9332	69.4451	15.5	752.1	465	56908.	67	0.1	0.8	-0.5	0.1	0.1	0.1	15	0.7			
57422	0	1	0	1	Water	43.9332	69.4446	15.5	752.1	465	56908.	67	-0.1	0.9	0.0	0.1	0.1	0.1	15	0.8			
57421	0	1	1	1	Water	43.9332	69.4441	15.5	752.1	465	56907.	94	0.1	0.3	-0.9	0.1	0.1	0.1	22	1.0			
57420	0	1	1	1	Water	43.9332	69.4436	15.5	752.1	463	56906.	91	0.2	-0.1	-0.1	0.1	0.1	0.1	14	1.1			
57419	0	1	1	1	Water	43.9332	69.4431	15.6	752.1	462	56907.	105	0.0	-0.2	1.1	0.1	0.1	0.1	19	1.3			
57418	0	1	1	1	Water	43.9332	69.4426	15.7	752.1	459	56906.	118	0.1	0.6	-0.5	0.1	0.1	0.1	22	1.4			
57417	0	1	1	1	Water	43.9332	69.4421	15.7	752.1	457	56905.	126	0.2	-0.2	0.7	0.1	0.1	0.1	13	1.4			
57416	0	1	0	1	Water	43.9332	69.4416	15.7	752.1	455	56904.	148	0.1	0.8	-0.3	0.1	0.1	0.1	22	1.2			
57415	0	0	0	1	Water	43.9332	69.4411	15.7	752.1	452	56903.	239	0.4	1.1	0.0	0.1	0.1	0.1	28	1.2			
57414	0	0	1	1	Water	43.9332	69.4406	15.7	752.2	447	56902.	325	0.3	0.4	1.3	0.1	0.1	0.1	14	1.2			
57413	0	0	1	0	Water	43.9332	69.4401	15.7	752.2	440	56901.	636	0.8	0.9	2.1	0.1	0.1	2.7	18	1.2			
57412	0	0	0	0	Water	43.9332	69.4396	15.8	752.2	424	56900.	762	0.6	1.0	2.9	1.7	0.4	4.8	18	1.1			
57411	0	0	0	0	Water	43.9332	69.4391	15.9	752.2	402	56898.	959	0.9	2.7	2.9	3.1	1.0	3.3	18	1.3			
57410	0	0	0	0	Water	43.9332	69.4386	15.9	752.2	381	56896.	1045	1.0	1.4	4.1	1.4	0.4	4.1	25	1.4			
57409	0	0	0	0	Water	43.9332	69.4381	16.0	752.2	370	56894.	1025	1.1	1.8	1.6	1.8	1.2	1.6	18	1.6			
57408	0	0	0	0	DSb	43.9332	69.4376	16.0	752.3	365	56893.	1116	0.9	1.6	2.1	1.9	0.8	2.6	17	1.7			
57407	0	0	0	0	DSb	43.9332	69.4371	15.9	752.3	365	56891.	1242	1.2	1.6	5.8	1.4	0.3	5.2	28	1.8			
57406	0	0	0	0	DSb	43.9332	69.4366	15.9	752.3	360	56891.	1222	1.2	1.5	4.6	1.3	0.4	4.1	17	2.0			
57405	0	0	0	0	DSb	43.9332	69.4362	15.9	752.4	356	56891.	1315	1.1	1.7	5.9	1.6	0.3	5.4	15	1.9			
57404	0	0	1	0	DSb	43.9332	69.4357	15.9	752.4	344	56891.	1243	1.1	0.9	2.9	0.1	0.1	2.8	22	1.8			
57403	0	0	0	0	DSb	43.9332	69.4352	15.9	752.4	336	56890.	1231	1.4	2.5	4.2	1.9	0.6	3.2	16	1.7			
57402	0	0	0	0	DSb	43.9332	69.4347	15.8	752.5	333	56889.	1240	1.0	1.8	4.1	1.9	0.5	4.5	19	1.8			
57401	0	0	0	0	DSb	43.9332	69.4342	15.7	752.5	340	56887.	1126	1.0	1.4	4.6	1.4	0.3	4.6	14	1.9			
57399	0	0	0	0	DSb	43.9332	69.4332	15.7	752.5	350	56887.	1146	1.2	1.9	3.0	1.6	0.7	2.6	23	2.0			
57398	0	0	0	0	DSb	43.9332	69.4327	15.5	752.6	356	56890.	1127	1.2	1.4	2.9	1.3	0.5	2.6	24	2.1			
57397	0	0	0	0	DSb	43.9332	69.4322	15.4	752.6	356	56892.	1116	0.9	2.1	4.1	2.5	0.6	4.8	25	2.2			
57396	0	0	0	0	DSb	43.9332	69.4317	15.2	752.7	351	56892.	1126	0.9	1.5	5.1	1.8	0.3	6.4	16	2.3			
57395	0	0	0	0	DSb	43.9332	69.4312	15.1	752.7	342	56893.	1157	1.0	2.0	4.8	2.0	0.5	4.8	14	2.4			
57394	0	0	0	0	DSb	43.9332	69.4307	15.0	752.7	332	56894.	1196	1.1	1.3	6.4	1.2	0.2	5.9	12	2.3			
57393	0	0	0	0	DSb	43.9332	69.4302	15.0	752.8	322	56894.	1125	1.1	1.1	3.2	1.1	0.4	3.0	18	2.2			
57392	0	0	0	0	DSb	43.9332	69.4297	14.9	752.8	314	56894.	1160	1.1	1.0	3.6	1.0	0.3	3.4	25	2.3			
57391	0	0	0	0	DSb	43.9332	69.4292	14.8	752.9	309	56894.	1124	1.2	1.2	3.7	1.1	0.4	3.3	21	2.4			
57390	0	0	0	0	DSb	43.9332	69.4287	14.6	752.9	308	56894.	1112	1.1	1.0	2.7	1.0	0.4	2.5	23	2.6			
57389	0	0	0	0	DSb	43.9332	69.4282	14.6	752.9	311	56895.	1137	1.2	1.5	4.3	1.3	0.4	3.7	25	2.7			
57388	0	0	0	0	DSb	43.9332	69.4277	14.6	753.0	319	56895.	1019	0.9	1.1	3.5	1.2	0.3	4.1	19	2.8			
57387	0	0	0	0	DSb	43.9332	69.4272	14.6	753.0	329	56894.	1022	1.1	1.1	3.6	1.1	0.3	3.5	22	2.9			
57386	0	0	1	0	DSb	43.9332	69.4267	14.6	753.1	348	56893.	939	0.9	0.6	6.0	0.1	0.1	6.8	18	2.9			
57385	0	0	1	0	Water	43.9332	69.4262	14.6	753.1	376	56893.	773	0.9	0.0	2.9	0.1	0.1	3.4	19	2.9			
57384	0	0	1	0	Water	43.9332	69.4257	14.6	753.2	399	56892.	563	0.6	0.6	1.5	0.1	0.1	3.0	22	2.9			
57383	0	0	1	0	Water	43.9332	69.4252	14.6	753.2	411	56891.	395	0.5	0.2	2.2	0.1	0.1	0.1	22	2.9			
57382	0	0	1	1	Water	43.9332	69.4247	14.6	753.3	409	56892.	242	0.4	-0.2	1.2	0.1	0.1	0.1	24	2.8			
57381	0	1	1	1	Water	43.9332	69.4241	14.6	753.4	407	56893.	168	0.2	0.1	0.7	0.1	0.1	0.1	20	2.8			
57380	0	0	1	1	Water	43.9332	69.4236	14.6	753.4	405	56892.	119	0.2	0.5	-0.2	0.1	0.1	0.1	19	2.7			
57379	0	1	1	1	Water	43.9332	69.4230	14.6	753.4	402	56891.	121	0.2	0.0	-0.2	0.1	0.1	0.1	22	2.7			
57378	0	0	1	1	Water	43.9332	69.4224	14.6	753.5	399	56892.	79	0.2	-0.3	0.6	0.1	0.1	0.1	24	2.7			
57377	0	1	1	1	Water	43.9332	69.4219	14.6	753.5	395	56893.	83	0.2	-0.6	0.6	0.1	0.1	0.1	17	2.7			
57376	0	1	1	1	Water	43.9332	69.4213	14.6	753.6	392	56893.	78	0.1	0.0	0.3	0.1	0.1	0.1	23	2.7			

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
57375	0	1	1	1	Water	43.9332	69.4208	14.6	753.6	390	56893.	81	0.1	-0.2	0.9	0.1	0.1	0.1	26	2.5
57374	0	1	1	1	Water	43.9332	69.4202	14.6	753.6	390	56893.	48	0.0	-0.1	-0.4	0.1	0.1	0.1	14	2.3
57373	0	1	1	1	Water	43.9332	69.4196	14.6	753.7	391	56893.	67	0.1	0.1	0.8	0.1	0.1	0.1	17	2.2
57372	0	0	1	1	Water	43.9332	69.4191	14.6	753.7	391	56894.	54	0.2	-0.3	-0.3	0.1	0.1	0.1	15	2.0
57371	0	1	1	1	Water	43.9332	69.4185	14.6	753.7	392	56895.	79	0.0	0.0	0.1	0.1	0.1	0.1	11	1.9
57370	0	1	1	1	Water	43.9332	69.4180	14.6	753.7	390	56895.	47	0.1	0.0	0.0	0.1	0.1	0.1	23	2.0
57369	0	1	1	1	Water	43.9332	69.4174	14.6	753.7	390	56895.	6	-0.1	0.6	0.3	0.1	0.1	0.1	23	1.8
57368	0	1	1	1	Water	43.9332	69.4169	14.6	753.7	389	56896.	30	-0.1	0.3	-0.3	0.1	0.1	0.1	22	1.6
57367	0	0	1	1	Water	43.9332	69.4163	14.6	753.7	387	56897.	48	0.2	0.5	-1.1	0.1	0.1	0.1	24	1.2
57366	0	1	0	1	Water	43.9332	69.4157	14.6	753.7	385	56897.	80	0.1	0.8	1.1	0.1	0.1	0.1	24	0.8
57365	0	1	1	1	Water	43.9332	69.4152	14.6	753.7	383	56897.	100	0.0	0.3	0.2	0.1	0.1	0.1	19	0.4
57364	0	1	1	1	Water	43.9332	69.4146	14.6	753.7	382	56898.	98	0.0	0.2	0.6	0.1	0.1	0.1	10	0.0
57363	0	1	1	1	Water	43.9332	69.4141	14.6	753.7	381	56899.	93	0.0	0.6	0.5	0.1	0.1	0.1	10	0.0
57362	0	1	1	1	Water	43.9332	69.4135	14.6	753.7	381	56898.	100	0.0	0.1	0.5	0.1	0.1	0.1	23	0.0
57361	0	1	0	1	Water	43.9332	69.4129	14.6	753.7	381	56897.	72	0.1	1.0	-0.7	0.1	0.1	0.1	20	0.0
57360	0	1	0	1	Water	43.9332	69.4124	14.6	753.7	382	56897.	85	0.1	0.8	-0.5	0.1	0.1	0.1	15	0.0
57359	0	1	1	1	Water	43.9332	69.4118	14.6	753.7	383	56896.	56	0.1	0.7	-0.2	0.1	0.1	0.1	24	0.0
57358	0	1	1	1	Water	43.9332	69.4113	14.6	753.7	384	56893.	87	0.2	0.2	-0.1	0.1	0.1	0.1	20	0.0
57357	0	1	1	1	Water	43.9332	69.4107	14.6	753.7	385	56890.	146	0.1	0.1	0.0	0.1	0.1	0.1	20	0.0
57356	0	0	1	1	Water	43.9332	69.4101	14.6	753.7	386	56890.	238	0.2	0.6	0.5	0.1	0.1	0.1	18	0.0
57355	0	0	1	1	Water	43.9332	69.4096	14.6	753.7	387	56890.	248	0.4	0.6	0.6	0.1	0.1	0.1	16	0.0
57354	0	0	1	1	Water	43.9332	69.4090	14.6	753.7	388	56889.	238	0.3	0.1	-0.1	0.1	0.1	0.1	25	0.0
57353	0	0	0	1	Water	43.9332	69.4085	14.6	753.7	389	56889.	225	0.3	1.3	0.3	0.1	0.1	0.1	22	0.0
57352	0	0	1	1	Water	43.9332	69.4079	14.6	753.7	389	56888.	207	0.3	0.6	1.2	0.1	0.1	0.1	10	0.0
57351	0	1	1	1	Water	43.9332	69.4074	14.6	753.7	391	56888.	158	0.1	0.4	0.5	0.1	0.1	0.1	15	0.0
57350	0	1	1	1	Water	43.9332	69.4068	14.6	753.7	392	56888.	128	0.1	0.7	0.6	0.1	0.1	0.1	14	0.0
57349	0	1	1	1	Water	43.9332	69.4063	14.6	753.7	394	56888.	92	0.1	0.6	-0.5	0.1	0.1	0.1	13	0.0
57348	0	1	0	1	Water	43.9332	69.4057	14.6	753.7	395	56889.	45	0.1	0.9	0.2	0.1	0.1	0.1	25	0.0
57347	0	1	1	1	Water	43.9332	69.4052	14.6	753.7	396	56890.	56	0.0	0.1	-0.1	0.1	0.1	0.1	27	0.0
57346	0	1	1	1	Water	43.9331	69.4047	14.6	753.7	395	56891.	75	0.1	0.2	-0.1	0.1	0.1	0.1	16	0.0
57345	0	1	1	1	Water	43.9331	69.4041	14.6	753.7	394	56891.	49	0.1	0.1	0.0	0.1	0.1	0.1	15	0.0
57344	0	1	1	1	Water	43.9331	69.4036	14.6	753.7	391	56893.	37	0.1	0.1	-0.1	0.1	0.1	0.1	26	0.0
57343	0	1	1	1	Water	43.9331	69.4030	14.6	753.7	388	56895.	57	0.0	0.5	0.3	0.1	0.1	0.1	23	0.0
57342	0	1	1	1	Water	43.9331	69.4025	14.6	753.7	385	56898.	37	0.1	0.5	0.5	0.1	0.1	0.1	24	0.0
57341	0	1	1	1	Water	43.9331	69.4019	14.6	753.7	383	56898.	49	0.0	0.6	-0.4	0.1	0.1	0.1	21	0.0
57340	0	1	1	1	Water	43.9331	69.4014	14.6	753.7	382	56898.	73	0.1	0.2	-0.2	0.1	0.1	0.1	23	0.0
57339	0	1	1	1	Water	43.9331	69.4009	14.6	753.7	382	56898.	27	0.0	0.3	-0.9	0.1	0.1	0.1	20	0.0
57338	0	1	0	1	Water	43.9331	69.4003	14.6	753.7	382	56898.	41	0.1	0.8	0.6	0.1	0.1	0.1	22	0.0
57337	0	1	1	1	Water	43.9331	69.3998	14.6	753.7	383	56896.	66	0.1	0.2	0.2	0.1	0.1	0.1	20	0.0
57336	0	1	1	1	Water	43.9331	69.3992	14.6	753.7	384	56896.	50	0.1	0.1	-0.8	0.1	0.1	0.1	25	0.0
57335	0	1	1	1	Water	43.9330	69.3987	14.6	753.7	385	56896.	40	0.1	0.6	-0.5	0.1	0.1	0.1	25	0.0
57334	0	1	1	1	Water	43.9330	69.3981	14.6	753.7	385	56895.	28	0.0	0.4	-0.7	0.1	0.1	0.1	25	0.0
57333	0	1	1	1	Water	43.9330	69.3976	14.6	753.7	386	56895.	24	0.1	0.7	-1.3	0.1	0.1	0.1	23	0.0
57332	0	0	1	1	Water	43.9330	69.3971	14.6	753.7	386	56895.	40	0.2	-0.4	0.7	0.1	0.1	0.1	28	0.0
57331	0	1	1	1	Water	43.9330	69.3965	14.6	753.6	387	56895.	85	0.1	0.5	-0.5	0.1	0.1	0.1	14	0.0
57330	0	1	0	1	Water	43.9330	69.3960	14.6	753.6	388	56895.	92	-0.1	0.7	-0.4	0.1	0.1	0.1	11	0.0
57329	0	1	1	1	Water	43.9330	69.3954	14.6	753.6	389	56894.	57	0.1	0.1	0.5	0.1	0.1	0.1	14	0.0
57328	0	1	0	1	Water	43.9330	69.3949	14.6	753.6	390	56895.	54	0.1	0.8	0.1	0.1	0.1	0.1	17	0.0
57327	0	1	1	1	Water	43.9330	69.3943	14.6	753.6	390	56896.	26	-0.1	0.1	0.3	0.1	0.1	0.1	21	0.2
57326	0	1	1	1	Water	43.9330	69.3938	14.6	753.5	390	56896.	30	0.1	0.6	0.1	0.1	0.1	0.1	20	0.4

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
57325	0	0	1	1	Water	43.9330	69.3933	14.6	753.5	389	56897.	30	0.2	0.6	-0.8	0.1	0.1	0.1	19	0.6
57324	0	1	1	1	Water	43.9329	69.3927	14.6	753.5	389	56897.	10	0.2	0.0	-1.1	0.1	0.1	0.1	23	0.6
57323	0	1	1	1	Water	43.9329	69.3922	14.6	753.5	390	56897.	39	0.1	0.5	-0.1	0.1	0.1	0.1	27	0.5
57322	0	1	0	1	Water	43.9329	69.3916	14.6	753.5	391	56897.	37	0.1	1.1	-0.3	0.1	0.1	0.1	27	0.5
57321	0	1	1	1	Water	43.9329	69.3911	14.6	753.4	392	56898.	48	0.1	0.0	0.2	0.1	0.1	0.1	25	0.4
57320	0	1	1	1	Water	43.9329	69.3905	14.6	753.4	394	56898.	26	0.1	-0.4	-0.1	0.1	0.1	0.1	14	0.4
57319	0	1	1	1	Water	43.9329	69.3900	14.6	753.4	396	56898.	85	0.1	0.2	0.6	0.1	0.1	0.1	20	0.4
57318	0	1	1	1	Water	43.9329	69.3895	14.6	753.4	398	56898.	71	0.0	0.6	1.0	0.1	0.1	0.1	16	0.3
57317	0	0	0	1	Water	43.9329	69.3889	14.6	753.4	400	56897.	85	0.2	0.9	0.1	0.1	0.1	0.1	16	0.3
57316	0	1	1	1	Water	43.9329	69.3884	14.6	753.3	403	56896.	38	0.1	0.3	-0.1	0.1	0.1	0.1	15	0.0
57315	0	1	1	1	Water	43.9329	69.3878	14.6	753.3	405	56896.	56	0.0	0.6	-0.8	0.1	0.1	0.1	20	0.1
57314	0	1	1	1	Water	43.9328	69.3873	14.6	753.0	409	56896.	60	0.1	0.5	-0.8	0.1	0.1	0.1	23	0.1
57313	0	1	0	1	Water	43.9328	69.3867	14.6	753.0	410	56897.	26	0.1	1.0	0.2	0.1	0.1	0.1	23	0.0
57312	0	1	1	1	Water	43.9328	69.3862	14.6	753.0	411	56897.	52	0.2	0.6	-0.8	0.1	0.1	0.1	22	0.0
57311	0	1	1	1	Water	43.9328	69.3857	14.6	753.0	413	56898.	46	0.0	0.2	-0.2	0.1	0.1	0.1	26	0.0
57310	0	1	0	1	Water	43.9328	69.3851	14.6	753.0	415	56899.	80	0.1	1.1	-0.2	0.1	0.1	0.1	14	0.0
57308	0	1	1	1	Water	43.9328	69.3840	14.6	753.0	417	56899.	53	0.0	0.1	0.1	0.1	0.1	0.1	23	0.0
57307	0	1	0	1	Water	43.9328	69.3835	14.6	753.0	420	56898.	76	0.0	0.9	0.0	0.1	0.1	0.1	13	0.0
57306	0	1	1	1	Water	43.9328	69.3829	14.6	752.9	422	56898.	30	-0.1	0.2	0.2	0.1	0.1	0.1	20	0.0
57305	0	1	1	1	Water	43.9328	69.3824	14.6	752.9	424	56898.	34	0.0	0.1	0.0	0.1	0.1	0.1	23	0.0
57304	0	1	0	1	Water	43.9328	69.3819	14.6	752.9	426	56901.	40	0.1	0.9	-0.3	0.1	0.1	0.1	30	0.0
57303	0	1	1	1	Water	43.9328	69.3813	14.6	752.9	428	56903.	73	0.1	0.6	-0.6	0.1	0.1	0.1	12	0.0
57302	0	1	1	1	Water	43.9327	69.3808	14.6	752.9	430	56903.	67	0.1	-0.4	0.8	0.1	0.1	0.1	10	0.0
57301	0	1	1	1	Water	43.9327	69.3802	14.6	752.8	431	56903.	55	0.1	0.2	0.3	0.1	0.1	0.1	23	0.0
57300	0	1	1	1	Water	43.9327	69.3797	14.6	752.8	433	56907.	71	0.0	0.4	-0.5	0.1	0.1	0.1	20	0.0
57299	0	1	0	0	Water	43.9327	69.3792	14.6	752.8	435	56908.	56	0.1	0.9	1.7	0.1	0.5	0.1	9	0.0
57298	0	1	1	1	Water	43.9327	69.3786	14.6	752.7	437	56908.	69	0.1	0.2	0.7	0.1	0.1	0.1	26	0.0
57297	0	1	1	1	Water	43.9327	69.3781	14.6	752.6	439	56907.	42	0.1	-0.6	0.3	0.1	0.1	0.1	23	0.0
57296	0	1	1	1	Water	43.9327	69.3775	14.6	752.6	441	56907.	26	0.1	-0.1	-0.1	0.1	0.1	0.1	21	0.0
57295	0	1	1	1	Water	43.9327	69.3770	14.6	752.6	444	56907.	6	-0.1	0.5	0.2	0.1	0.1	0.1	26	0.0
57294	0	1	1	1	Water	43.9327	69.3764	14.6	752.5	446	56907.	30	0.1	-0.1	-1.0	0.1	0.1	0.1	22	0.0
57293	0	1	1	1	Water	43.9327	69.3759	14.6	752.5	448	56907.	40	0.1	0.0	-0.4	0.1	0.1	0.1	20	0.0
57292	0	1	1	1	Water	43.9326	69.3754	14.6	752.5	450	56907.	61	0.2	0.5	-0.8	0.1	0.1	0.1	20	0.0
57291	0	1	1	1	Water	43.9326	69.3748	14.6	752.4	453	56908.	26	0.0	0.5	-0.7	0.1	0.1	0.1	22	0.0
57290	0	1	1	1	Water	43.9326	69.3743	14.6	752.4	455	56909.	68	0.1	0.3	-0.3	0.1	0.1	0.1	17	0.0
57289	0	1	0	1	Water	43.9326	69.3737	14.5	752.3	458	56910.	78	0.1	0.8	0.4	0.1	0.1	0.1	14	0.0
57288	0	1	1	1	Water	43.9326	69.3732	14.5	752.3	460	56910.	80	0.1	-0.4	1.0	0.1	0.1	0.1	13	0.0
57287	0	1	1	1	Water	43.9326	69.3726	14.5	752.3	463	56910.	115	0.1	-0.3	0.5	0.1	0.1	0.1	11	0.0
57286	0	1	0	1	Water	43.9326	69.3721	14.5	752.3	465	56912.	155	0.2	1.6	0.2	0.1	0.1	0.1	14	0.0
57285	0	1	1	1	Water	43.9326	69.3716	14.5	752.2	466	56913.	138	0.1	0.3	-0.1	0.1	0.1	0.1	19	0.0
57284	0	0	1	1	Water	43.9326	69.3710	14.5	752.2	466	56911.	198	0.2	0.6	-0.4	0.1	0.1	0.1	26	0.0
57283	0	0	1	0	Water	43.9326	69.3705	14.5	752.2	466	56910.	289	0.3	0.4	1.7	0.1	0.1	0.1	20	0.0
57282	0	1	0	1	Water	43.9325	69.3699	14.5	752.2	466	56909.	437	0.2	1.9	-0.6	0.1	0.1	0.1	16	0.0
57281	0	0	0	1	Water	43.9325	69.3694	14.5	752.2	464	56908.	758	0.7	1.3	1.3	2.0	0.1	0.1	21	0.0
57280	0	0	0	0	Water	43.9325	69.3688	14.5	752.2	461	56907.	1089	1.2	2.8	1.7	2.5	1.7	1.5	16	0.0
57279	0	0	0	1	Dg	43.9325	69.3683	14.5	752.2	456	56907.	1202	1.1	4.4	0.4	4.1	0.1	0.1	20	0.0
57278	0	0	0	0	Dg	43.9325	69.3677	14.5	752.2	450	56908.	1318	1.3	3.5	2.4	2.9	1.5	2.0	14	0.0
57277	0	0	0	0	Dg	43.9325	69.3672	14.5	752.3	443	56908.	1356	1.6	4.8	2.8	3.1	1.8	1.8	21	0.0
57276	0	0	0	1	Dg	43.9325	69.3667	14.5	752.3	435	56907.	1356	1.7	3.6	0.7	2.2	0.1	0.1	18	0.0
57275	0	0	0	0	Dg	43.9325	69.3662	14.5	752.3	426	56906.	1336	1.6	1.7	2.1	1.1	0.8	1.3	27	0.0

*** NOTE *** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
57274	0	0	0	0	Dg	43.9325	69.3657	14.5	752.4	415	56906.	1445	1.6	3.0	3.6	1.9	0.9	2.3	26	0.0
57273	0	0	0	1	Dg	43.9325	69.3652	14.5	752.4	403	56905.	1444	1.7	2.8	1.1	1.7	0.1	0.1	19	0.0
57272	0	0	0	0	Dg	43.9326	69.3646	14.5	752.5	387	56906.	1433	1.5	3.3	1.6	2.2	2.2	1.0	14	0.0
57271	0	0	0	1	Dg	43.9326	69.3641	14.5	752.5	370	56905.	1524	1.7	3.6	1.0	2.2	0.1	0.1	22	0.0
57270	0	0	0	1	Dg	43.9326	69.3636	14.5	752.6	358	56904.	1451	1.5	3.8	-0.2	2.6	0.1	0.1	22	0.0
57269	0	0	0	1	Dg	43.9326	69.3631	14.5	752.6	353	56905.	1597	1.7	3.7	0.8	2.3	0.1	0.1	21	0.0
57268	0	0	0	1	Dg	43.9326	69.3626	14.5	752.6	352	56905.	1685	1.8	4.7	0.2	2.6	0.1	0.1	20	0.0
57267	0	0	0	1	Dg	43.9326	69.3620	14.5	752.7	351	56905.	1676	1.8	3.4	0.7	1.9	0.1	0.1	12	0.0
57266	0	0	0	0	Dg	43.9326	69.3615	14.5	752.7	351	56906.	1532	1.7	3.1	1.7	1.8	1.9	1.0	15	0.0
57265	0	0	0	0	Dg	43.9326	69.3610	14.5	752.8	352	56910.	1543	1.6	3.2	1.8	2.1	1.8	1.2	16	0.0
57264	0	0	0	0	Dg	43.9326	69.3605	14.5	752.8	353	56917.	1506	1.7	3.0	2.6	1.9	1.2	1.6	17	0.0
57263	0	0	0	1	Dg	43.9326	69.3600	14.5	752.8	355	56926.	1315	1.3	3.7	0.5	2.9	0.1	0.1	18	0.0
57262	0	0	0	0	Dg	43.9326	69.3595	14.5	752.8	362	56940.	1295	1.2	4.2	3.2	3.7	1.3	2.8	24	0.0
57261	0	0	1	0	Dg	43.9326	69.3589	14.5	752.8	375	56956.	1228	1.4	0.6	3.4	0.1	0.1	2.6	25	0.0
57260	0	0	1	0	Water	43.9326	69.3584	14.5	752.8	397	56972.	1099	1.1	0.6	3.6	0.1	0.1	3.3	21	0.0
57259	0	0	0	0	Water	43.9326	69.3579	14.5	752.8	418	56984.	860	1.2	1.0	1.4	0.9	0.8	1.2	17	0.0
57258	0	0	0	0	Water	43.9326	69.3574	14.5	752.8	433	56993.	682	0.8	1.1	3.3	1.5	0.4	4.4	22	0.0
57257	0	0	0	1	Water	43.9326	69.3569	14.6	752.6	444	56998.	363	0.5	1.7	0.9	0.1	0.1	0.1	19	0.0
57256	0	0	1	0	Water	43.9327	69.3563	14.6	752.6	446	56994.	432	0.6	0.5	2.1	0.1	0.1	4.0	26	0.0
57255	0	0	1	0	Water	43.9327	69.3558	14.6	752.6	448	56983.	382	0.5	0.9	2.2	0.1	0.1	0.1	19	0.0
57254	0	0	0	0	Water	43.9327	69.3553	14.6	752.6	451	56969.	317	0.3	1.6	1.5	0.1	1.2	0.1	19	0.0
57253	0	1	1	0	Water	43.9327	69.3548	14.6	752.6	454	56957.	290	0.2	0.3	2.3	0.1	0.1	0.1	11	0.0
57252	0	0	0	0	Water	43.9327	69.3543	14.6	752.6	456	56946.	251	0.3	1.0	1.7	0.1	0.6	0.1	14	0.0
57251	0	0	1	1	Water	43.9327	69.3537	14.6	752.6	457	56939.	146	0.2	0.3	0.7	0.1	0.1	0.1	24	0.0
57250	0	0	0	1	Water	43.9327	69.3532	14.7	752.5	457	56936.	119	0.3	1.0	-1.0	0.1	0.1	0.1	19	0.0
57249	0	1	1	1	Water	43.9327	69.3527	14.7	752.6	456	56935.	120	0.2	0.0	-0.1	0.1	0.1	0.1	10	0.0
57248	0	1	1	1	Water	43.9327	69.3522	14.7	752.6	455	56937.	99	0.2	0.6	-0.4	0.1	0.1	0.1	19	0.0
57247	0	1	1	1	Water	43.9327	69.3517	14.7	752.6	452	56939.	73	0.1	-0.2	0.3	0.1	0.1	0.1	19	0.0
57246	0	1	1	1	Water	43.9327	69.3512	14.7	752.6	450	56942.	64	0.1	0.2	1.0	0.1	0.1	0.1	22	0.0
57245	0	1	1	1	Water	43.9327	69.3506	14.7	752.6	446	56942.	61	0.0	0.4	-1.2	0.1	0.1	0.1	21	0.0
57244	0	1	0	1	Water	43.9327	69.3501	14.7	752.6	443	56940.	62	0.1	0.7	-1.0	0.1	0.1	0.1	26	0.0
57243	0	1	1	1	Water	43.9327	69.3496	14.8	752.7	439	56936.	84	0.1	0.1	-0.5	0.1	0.1	0.1	21	0.0
57242	0	1	1	1	Water	43.9328	69.3491	14.8	752.7	437	56932.	68	0.1	0.6	0.4	0.1	0.1	0.1	26	0.0
57241	0	1	0	1	Water	43.9328	69.3486	14.8	752.7	435	56928.	84	0.0	0.9	-0.7	0.1	0.1	0.1	19	0.0
57240	0	1	0	1	Water	43.9328	69.3480	14.9	752.7	434	56923.	145	0.1	1.2	-0.5	0.1	0.1	0.1	25	0.0
57239	0	1	0	1	Water	43.9328	69.3475	14.9	752.8	434	56918.	174	0.1	0.9	0.2	0.1	0.1	0.1	21	0.0
57238	0	0	0	1	Water	43.9328	69.3470	15.0	752.8	433	56914.	314	0.3	1.4	-0.2	0.1	0.1	0.1	16	0.0
57237	0	0	0	1	Water	43.9328	69.3465	15.0	752.8	432	56910.	461	0.4	2.1	0.7	0.1	0.1	0.1	13	0.0
57236	0	0	0	1	Water	43.9328	69.3460	15.1	752.9	428	56908.	722	0.8	2.7	0.8	3.5	0.1	0.1	23	0.0
57235	0	0	0	1	Dg	43.9328	69.3455	15.1	752.9	422	56907.	975	0.9	2.8	1.0	3.3	0.1	0.1	22	0.0
57234	0	0	0	1	Dg	43.9328	69.3449	15.2	752.9	408	56908.	1258	1.3	3.3	1.3	2.5	0.1	0.1	20	0.0
57233	0	0	0	1	Dg	43.9328	69.3444	15.2	753.0	398	56909.	1323	1.1	4.1	0.4	3.9	0.1	0.1	16	0.0
57232	0	0	0	0	Dg	43.9328	69.3439	15.3	753.0	394	56909.	1482	1.3	4.9	2.3	3.9	2.2	1.8	18	0.0
57231	0	0	0	0	Dg	43.9328	69.3434	15.4	753.0	399	56909.	1549	1.5	5.2	2.5	3.6	2.2	1.7	26	0.0
57230	0	0	0	1	Dg	43.9328	69.3429	15.5	753.0	405	56910.	1538	1.3	4.2	0.9	3.2	0.1	0.1	19	0.0
57229	0	0	0	1	Dg	43.9328	69.3423	15.6	753.0	410	56912.	1457	1.3	5.5	1.3	4.3	0.1	0.1	9	0.0
57228	0	0	0	0	Dg	43.9328	69.3418	15.8	753.0	415	56913.	1363	1.1	4.7	2.5	4.3	1.9	2.3	14	0.0
57227	0	0	0	0	Dg	43.9328	69.3413	15.9	753.1	421	56914.	1029	1.1	3.0	1.6	2.8	1.9	1.5	16	0.0
57226	0	0	0	1	Dg	43.9328	69.3408	16.0	753.1	423	56914.	665	0.7	2.5	0.7	3.9	0.1	0.1	15	0.0
57225	0	0	1	1	Water	43.9328	69.3403	16.1	753.1	423	56914.	391	0.4	0.7	-0.5	0.1	0.1	0.1	19	0.0

*** NOTE *** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
57224	0	0	1	1	Water	43.9328	69.3397	16.2	753.1	422	56915.	222	0.4	0.2	-0.3	0.1	0.1	0.1	11	0.0
57223	0	1	0	1	Water	43.9328	69.3392	16.3	753.1	421	56915.	170	0.1	1.0	0.0	0.1	0.1	0.1	18	0.0
57222	0	1	0	1	Water	43.9328	69.3387	16.4	753.2	421	56917.	126	0.1	0.8	-0.2	0.1	0.1	0.1	15	0.0
57221	0	1	0	1	Water	43.9328	69.3382	16.4	753.2	421	56920.	113	0.1	0.8	-0.5	0.1	0.1	0.1	19	0.0
57220	0	1	1	1	Water	43.9328	69.3377	16.4	753.2	421	56921.	99	0.1	0.6	0.4	0.1	0.1	0.1	21	0.0
57219	0	1	1	1	Water	43.9328	69.3372	16.4	753.2	420	56923.	79	0.1	0.3	1.3	0.1	0.1	0.1	12	0.0
57217	0	1	1	1	Water	43.9327	69.3361	16.4	753.2	419	56924.	61	0.1	0.2	-0.6	0.1	0.1	0.1	14	0.0
57216	0	1	1	1	Water	43.9327	69.3356	16.3	753.1	418	56924.	75	0.1	0.2	-0.4	0.1	0.1	0.1	22	0.0
57215	0	1	1	1	Water	43.9327	69.3351	16.2	753.1	417	56923.	35	0.1	0.0	0.5	0.1	0.1	0.1	14	0.0
57214	0	1	1	1	Water	43.9327	69.3345	16.1	753.1	416	56921.	61	0.1	0.0	0.0	0.1	0.1	0.1	21	0.0
57213	0	1	1	1	Water	43.9327	69.3340	16.0	753.1	417	56919.	68	0.1	0.2	0.5	0.1	0.1	0.1	12	0.0
57212	0	1	1	1	Water	43.9326	69.3335	16.0	753.1	418	56919.	52	0.1	0.2	-0.4	0.1	0.1	0.1	17	0.0
57211	0	1	0	1	Water	43.9326	69.3330	15.9	753.1	420	56918.	85	0.1	1.1	0.6	0.1	0.1	0.1	21	0.0
57210	0	1	1	1	Water	43.9326	69.3325	15.9	753.0	422	56918.	48	0.1	-0.3	0.6	0.1	0.1	0.1	10	0.0
57209	0	0	1	1	Water	43.9326	69.3319	15.9	753.0	425	56917.	66	0.2	0.0	-0.4	0.1	0.1	0.1	22	0.0
57208	0	1	1	1	Water	43.9326	69.3314	15.8	752.9	428	56918.	57	0.1	0.2	1.3	0.1	0.1	0.1	20	0.0
57207	0	1	1	1	Water	43.9326	69.3309	15.8	752.9	432	56919.	46	0.1	-0.1	-0.3	0.1	0.1	0.1	9	0.0
57206	0	1	1	1	Water	43.9326	69.3304	15.9	752.9	435	56920.	45	0.1	0.1	0.1	0.1	0.1	0.1	29	0.0
57205	0	1	0	1	Water	43.9325	69.3298	15.9	752.8	439	56922.	83	0.1	1.1	0.6	0.1	0.1	0.1	26	0.0
57204	0	1	1	1	Water	43.9325	69.3293	16.0	752.8	443	56922.	53	0.2	0.5	-1.4	0.1	0.1	0.1	17	0.0
57203	0	1	1	1	Water	43.9325	69.3288	16.0	752.7	447	56924.	54	0.0	0.6	-0.2	0.1	0.1	0.1	22	0.0
57202	0	1	0	1	Water	43.9325	69.3283	16.0	752.7	452	56926.	59	0.1	0.9	0.4	0.1	0.1	0.1	12	0.0
57201	0	1	1	1	Water	43.9325	69.3278	16.1	752.6	457	56928.	51	0.1	-0.4	-0.1	0.1	0.1	0.1	20	0.0
57200	0	1	1	1	Water	43.9325	69.3272	17.0	752.3	465	56928.	18	0.1	-0.1	0.2	0.1	0.1	0.1	22	0.0
57199	0	0	1	1	Water	43.9325	69.3267	17.0	752.3	466	56927.	39	0.2	-0.2	-0.8	0.1	0.1	0.1	27	0.0
57198	0	1	1	1	Water	43.9324	69.3262	17.1	752.3	467	56923.	24	0.1	-0.2	0.7	0.1	0.1	0.1	15	0.0
57197	0	1	1	1	Water	43.9324	69.3257	17.1	752.3	469	56918.	16	0.0	-0.1	0.6	0.1	0.1	0.1	22	0.0
57196	0	1	1	1	Water	43.9324	69.3251	17.1	752.3	471	56912.	30	0.1	0.0	0.4	0.1	0.1	0.1	23	0.0
57195	0	1	1	1	Water	43.9324	69.3246	17.1	752.3	472	56906.	48	0.1	-0.4	0.3	0.1	0.1	0.1	14	0.0
57194	0	1	1	0	Water	43.9324	69.3241	17.1	752.3	472	56899.	74	0.2	0.0	1.8	0.1	0.1	0.1	14	0.0
57193	0	0	1	1	Water	43.9324	69.3236	17.1	752.3	472	56892.	64	0.3	-0.4	-0.4	0.1	0.1	0.1	26	0.0
57192	0	1	1	1	Water	43.9324	69.3231	17.1	752.3	471	56886.	75	0.2	-0.3	-0.5	0.1	0.1	0.1	14	0.0
57191	0	0	0	1	Water	43.9323	69.3225	17.0	752.3	469	56879.	98	0.2	1.1	-0.7	0.1	0.1	0.1	13	0.0
57190	0	1	1	1	Water	43.9323	69.3220	17.0	752.4	466	56872.	72	0.1	0.8	-0.2	0.1	0.1	0.1	25	0.0
57189	0	1	1	1	Water	43.9323	69.3215	17.0	752.4	463	56867.	62	0.0	0.5	0.2	0.1	0.1	0.1	16	0.0
57188	0	1	1	1	Water	43.9323	69.3210	17.0	752.4	459	56863.	41	0.0	0.3	0.0	0.1	0.1	0.1	13	0.0
57187	0	1	0	1	Water	43.9323	69.3204	16.9	752.5	456	56859.	55	0.1	0.8	-0.1	0.1	0.1	0.1	15	0.0
57186	0	1	0	1	Water	43.9323	69.3199	16.8	752.5	453	56854.	115	0.1	1.2	-0.4	0.1	0.1	0.1	16	0.0
57185	0	1	1	1	Water	43.9323	69.3194	16.6	752.6	451	56850.	77	0.1	0.2	1.2	0.1	0.1	0.1	16	0.0
57184	0	1	1	1	Water	43.9322	69.3189	16.5	752.6	448	56847.	46	0.1	0.1	0.1	0.1	0.1	0.1	29	0.0
57183	0	1	1	1	Water	43.9322	69.3184	16.3	752.7	447	56844.	43	0.0	0.5	-0.4	0.1	0.1	0.1	22	0.0
57182	0	1	0	1	Water	43.9322	69.3178	16.1	752.7	445	56840.	96	0.2	1.5	-1.0	0.1	0.1	0.1	20	0.0
57181	0	1	1	1	Water	43.9322	69.3173	15.9	752.8	444	56837.	81	0.2	0.6	-0.1	0.1	0.1	0.1	20	0.0
57180	0	1	1	1	Water	43.9322	69.3168	15.7	752.8	442	56834.	54	0.1	0.5	-1.2	0.1	0.1	0.1	10	0.0
57179	0	1	1	1	Water	43.9322	69.3163	15.6	752.9	440	56832.	28	0.0	0.2	0.9	0.1	0.1	0.1	22	0.0
57178	0	1	1	1	Water	43.9321	69.3158	15.4	752.9	437	56832.	45	0.1	-0.2	-0.5	0.1	0.1	0.1	25	0.0
57177	0	1	1	1	Water	43.9321	69.3152	15.3	753.0	434	56829.	36	0.1	0.6	-0.4	0.1	0.1	0.1	25	0.0
57176	0	1	1	1	Water	43.9321	69.3147	15.1	753.0	431	56827.	47	0.0	-0.2	0.5	0.1	0.1	0.1	17	0.0
57175	0	1	1	1	Water	43.9321	69.3142	15.0	753.1	429	56824.	98	0.2	0.5	0.8	0.1	0.1	0.1	15	0.0
57174	0	1	1	1	Water	43.9321	69.3137	15.0	753.1	427	56823.	85	0.1	0.1	-0.7	0.1	0.1	0.1	17	0.0

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI			
												CPS	%	PPM	PPM							CPS	CPS
57173	0	1	1	1	Water	43.9321	69.3131	15.0	753.2	425	56822.	82	0.1	-0.1	0.8	0.1	0.1	0.1	16	0.0			
57172	0	1	1	0	Water	43.9321	69.3126	15.0	753.2	423	56822.	83	0.1	0.0	2.1	0.1	0.1	0.1	15	0.0			
57171	0	1	1	1	Water	43.9320	69.3121	15.0	753.3	421	56822.	63	0.2	-0.1	0.3	0.1	0.1	0.1	20	0.0			
57170	0	1	1	1	Water	43.9320	69.3116	15.0	753.3	420	56822.	63	0.0	0.7	0.4	0.1	0.1	0.1	15	0.0			
57169	0	1	1	1	Water	43.9320	69.3111	15.0	753.4	418	56822.	78	0.1	-0.1	0.1	0.1	0.1	0.1	21	0.0			
57168	0	1	1	1	Water	43.9320	69.3105	15.0	753.4	417	56822.	59	0.1	0.5	1.1	0.1	0.1	0.1	15	0.0			
57167	0	1	1	1	Water	43.9320	69.3100	15.0	753.4	415	56823.	40	0.1	-0.1	0.0	0.1	0.1	0.1	24	0.0			
57166	0	0	1	1	Water	43.9320	69.3095	15.0	753.5	414	56824.	61	0.2	0.2	0.5	0.1	0.1	0.1	22	0.0			
57165	0	1	1	1	Water	43.9320	69.3090	15.0	753.5	413	56826.	70	0.0	0.7	0.1	0.1	0.1	0.1	27	0.0			
57164	0	1	1	1	Water	43.9319	69.3084	15.0	753.5	411	56829.	88	0.1	0.6	-0.3	0.1	0.1	0.1	9	0.0			
57163	0	1	1	1	Water	43.9319	69.3079	15.0	753.5	409	56830.	76	0.0	0.2	0.4	0.1	0.1	0.1	16	0.0			
57162	0	1	1	1	Water	43.9320	69.3074	15.0	753.5	408	56830.	55	0.1	0.5	-0.7	0.1	0.1	0.1	23	0.1			
57161	0	1	1	1	Water	43.9320	69.3069	15.0	753.6	406	56829.	57	0.1	0.6	-0.5	0.1	0.1	0.1	24	0.1			
57160	0	1	1	1	Water	43.9320	69.3064	15.0	753.6	405	56825.	6	0.0	0.5	-0.1	0.1	0.1	0.1	13	0.0			
57159	0	1	1	1	Water	43.9320	69.3059	15.0	753.6	404	56824.	63	0.0	0.5	-1.1	0.1	0.1	0.1	28	0.0			
57158	0	1	0	1	Water	43.9320	69.3054	15.0	753.6	403	56825.	50	0.1	0.9	-0.8	0.1	0.1	0.1	21	0.0			
57157	0	1	0	1	Water	43.9321	69.3049	15.0	753.6	403	56825.	59	0.0	0.8	0.5	0.1	0.1	0.1	22	0.0			
57156	0	1	1	1	Water	43.9321	69.3044	15.0	753.6	404	56825.	56	0.1	0.1	-0.1	0.1	0.1	0.1	16	0.0			
57155	0	1	1	1	Water	43.9321	69.3039	15.0	753.6	405	56826.	78	0.2	0.4	-0.3	0.1	0.1	0.1	14	0.0			
57154	0	1	1	1	Water	43.9321	69.3034	15.0	753.6	407	56827.	105	0.2	0.4	0.2	0.1	0.1	0.1	14	0.0			
57153	0	1	1	1	Water	43.9322	69.3029	15.0	753.6	408	56829.	40	0.1	-0.1	-0.2	0.1	0.1	0.1	23	0.0			
57152	0	1	1	1	Water	43.9322	69.3024	15.0	753.6	409	56830.	96	0.1	0.4	0.3	0.1	0.1	0.1	20	0.0			
57151	0	1	1	1	Water	43.9322	69.3019	15.0	753.6	409	56830.	160	0.2	0.2	0.3	0.1	0.1	0.1	19	0.0			
57150	0	0	1	1	Water	43.9322	69.3014	15.0	753.6	408	56827.	197	0.2	0.6	0.1	0.1	0.1	0.1	24	0.0			
57149	0	0	0	1	Water	43.9323	69.3009	15.0	753.6	407	56824.	330	0.3	1.1	0.4	0.1	0.1	0.1	12	0.0			
57148	0	0	1	0	Water	43.9323	69.3004	15.0	753.6	407	56823.	509	0.5	0.5	2.2	0.1	0.1	0.1	11	0.0			
57147	0	0	1	0	Water	43.9323	69.2999	15.0	753.6	407	56827.	644	0.6	0.8	1.8	0.1	0.1	3.3	23	0.0			
57146	0	0	0	0	Water	43.9323	69.2994	15.0	753.5	407	56834.	753	0.8	1.2	3.1	1.7	0.4	4.2	18	0.0			
57145	0	0	0	0	Water	43.9324	69.2989	15.0	753.5	407	56846.	858	1.0	1.3	2.8	1.4	0.5	2.9	27	0.0			
57144	0	0	1	0	Water	43.9324	69.2984	15.0	753.4	407	56868.	748	0.8	0.2	3.9	0.1	0.1	5.3	19	0.0			
57143	0	0	0	0	Water	43.9324	69.2979	15.0	753.4	407	56880.	801	0.8	1.4	4.6	2.0	0.3	6.5	17	0.0			
57142	0	0	1	0	Water	43.9324	69.2974	15.0	753.4	407	56906.	726	0.7	0.5	3.1	0.1	0.1	4.9	19	0.0			
57141	0	0	1	0	Water	43.9324	69.2969	15.0	753.4	407	56936.	703	0.9	0.9	4.9	0.1	0.1	5.4	29	0.0			
57140	0	0	1	0	Water	43.9325	69.2964	15.0	753.4	407	56963.	575	0.5	0.2	1.8	0.1	0.1	0.1	11	0.0			
57139	0	0	0	0	Water	43.9325	69.2959	15.0	753.4	408	56985.	546	0.6	1.8	2.6	3.0	0.7	4.4	23	0.0			
57138	0	0	0	1	Water	43.9325	69.2954	15.0	753.4	409	57000.	447	0.5	1.4	-0.1	0.1	0.1	0.1	20	0.0			
57137	0	0	0	1	Water	43.9325	69.2949	15.0	753.4	410	57011.	407	0.4	1.7	0.7	0.1	0.1	0.1	11	0.0			
57136	0	1	1	1	Water	43.9326	69.2944	15.0	753.4	411	57023.	330	0.1	0.6	0.3	0.1	0.1	0.1	15	0.0			
57135	0	0	1	0	Water	43.9326	69.2938	15.0	753.4	412	57035.	336	0.3	0.2	2.3	0.1	0.1	0.1	15	0.0			
57134	0	0	1	0	Water	43.9326	69.2934	15.0	753.4	413	57048.	375	0.3	0.9	2.9	0.1	0.1	0.1	17	0.0			
57133	0	0	0	0	Water	43.9326	69.2928	15.0	753.4	413	57062.	391	0.4	1.0	3.3	0.1	0.3	0.1	19	0.0			
57132	0	0	1	0	Water	43.9327	69.2924	15.0	753.4	413	57074.	501	0.5	0.6	1.4	0.1	0.1	0.1	19	0.0			
57131	0	0	1	0	Water	43.9327	69.2918	15.0	753.3	412	57085.	736	0.7	0.9	2.0	0.1	0.1	3.1	19	0.0			
57130	0	0	0	0	Water	43.9327	69.2913	15.0	753.3	408	57095.	887	0.9	1.7	4.2	1.9	0.4	4.8	20	0.0			
57129	0	0	1	0	Water	43.9327	69.2908	15.1	753.3	403	57101.	830	0.8	0.7	3.5	0.1	0.1	4.6	31	0.0			
57128	0	0	1	0	Water	43.9328	69.2903	15.1	753.3	406	57100.	855	0.9	0.8	4.5	0.1	0.1	5.1	21	0.0			
57126	0	0	0	0	Water	43.9328	69.2893	15.1	753.2	414	57091.	839	0.6	1.1	3.4	2.0	0.4	6.3	20	0.0			
57125	0	0	0	0	Water	43.9328	69.2888	15.1	753.2	426	57075.	733	0.8	1.2	2.4	1.7	0.5	3.5	17	0.0			
57124	0	0	0	0	Water	43.9328	69.2883	15.1	753.1	431	57056.	623	0.6	1.0	2.2	1.8	0.5	3.7	20	0.0			
57123	0	0	0	1	Water	43.9328	69.2877	15.1	753.1	433	57035.	465	0.5	0.9	0.5	0.1	0.1	0.1	17	0.0			

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
57122	0	0	1	0	Water	43.9328	69.2872	15.1	753.1	435	57013.	352	0.5	0.5	1.7	0.1	0.1	0.1	20	0.0
57121	0	0	1	0	Water	43.9328	69.2867	15.1	753.0	435	56990.	224	0.3	0.3	2.0	0.1	0.1	0.1	20	0.0
57120	0	0	1	1	Water	43.9328	69.2861	15.1	753.0	435	56967.	181	0.3	0.3	0.6	0.1	0.1	0.1	24	0.0
57119	0	1	1	0	Water	43.9328	69.2856	15.1	753.0	435	56946.	120	0.1	0.1	1.4	0.1	0.1	0.1	22	0.0
57118	0	1	1	1	Water	43.9328	69.2850	15.1	752.9	435	56929.	91	0.1	0.7	-0.2	0.1	0.1	0.1	23	0.0
57117	0	1	1	0	Water	43.9328	69.2845	15.1	752.9	435	56918.	87	0.1	-0.2	1.5	0.1	0.1	0.1	16	0.0
57116	0	1	1	1	Water	43.9328	69.2840	15.1	752.8	436	56910.	49	-0.1	0.0	0.7	0.1	0.1	0.1	24	0.0
57115	0	1	1	1	Water	43.9328	69.2834	15.1	752.8	436	56905.	48	0.1	0.2	-0.1	0.1	0.1	0.1	21	0.0
57114	0	1	1	1	Water	43.9327	69.2829	15.1	752.8	436	56902.	62	0.1	0.6	0.5	0.1	0.1	0.1	22	0.0
57113	0	0	1	1	Water	43.9327	69.2823	15.1	752.8	436	56903.	64	0.2	-0.1	0.3	0.1	0.1	0.1	15	0.0
57112	0	1	1	0	Water	43.9327	69.2818	15.1	752.7	436	56906.	42	0.1	-0.4	2.5	0.1	0.1	0.1	24	0.0
57111	0	1	1	1	Water	43.9327	69.2813	15.1	752.7	436	56909.	87	0.2	-0.5	1.2	0.1	0.1	0.1	19	0.0
57110	0	1	1	1	Water	43.9327	69.2807	15.1	752.7	436	56911.	27	0.1	0.2	0.7	0.1	0.1	0.1	22	0.0
57109	0	1	1	1	Water	43.9327	69.2802	15.1	752.7	436	56912.	46	0.1	0.1	-0.1	0.1	0.1	0.1	23	0.0
57108	0	1	1	1	Water	43.9327	69.2796	15.1	752.6	436	56913.	51	0.1	0.2	0.1	0.1	0.1	0.1	25	0.0
57107	0	1	1	1	Water	43.9327	69.2791	15.1	752.6	436	56917.	31	0.1	0.5	-0.8	0.1	0.1	0.1	20	0.0
57106	0	1	1	1	Water	43.9327	69.2785	15.1	752.6	436	56922.	79	0.1	0.4	-0.8	0.1	0.1	0.1	20	0.0
57105	0	1	0	1	Water	43.9327	69.2780	15.1	752.6	436	56925.	58	0.1	1.0	-0.4	0.1	0.1	0.1	21	0.0
57104	0	1	1	1	Water	43.9327	69.2775	15.1	752.5	436	56929.	46	0.1	0.4	-0.5	0.1	0.1	0.1	16	0.0
57103	0	1	1	1	Water	43.9327	69.2769	15.1	752.5	437	56936.	82	0.2	0.6	-0.8	0.1	0.1	0.1	16	0.0
57102	0	1	1	1	Water	43.9327	69.2764	15.1	752.5	438	56941.	99	0.1	0.6	0.3	0.1	0.1	0.1	19	0.0
57101	0	1	1	1	Water	43.9326	69.2758	15.1	752.4	440	56943.	99	0.2	0.1	-0.1	0.1	0.1	0.1	12	0.0
57100	0	1	0	1	Water	43.9326	69.2753	15.1	752.4	442	56947.	105	0.2	0.8	-0.8	0.1	0.1	0.1	18	0.0
57099	0	0	1	1	Water	43.9326	69.2747	15.1	752.4	446	56951.	107	0.3	0.3	0.0	0.1	0.1	0.1	19	0.0
57098	0	0	1	1	Water	43.9326	69.2742	15.1	752.4	450	56958.	83	0.3	0.3	0.2	0.1	0.1	0.1	19	0.0
57097	0	1	1	0	Water	43.9326	69.2737	15.1	752.3	454	56968.	115	0.1	-0.2	1.4	0.1	0.1	0.1	16	0.0
57096	0	1	1	1	Water	43.9326	69.2731	15.1	752.3	458	56980.	93	0.2	-0.1	-0.1	0.1	0.1	0.1	14	0.0
57095	0	1	0	1	Water	43.9326	69.2726	15.1	752.2	462	56991.	110	0.1	1.0	-0.6	0.1	0.1	0.1	23	0.0
57094	0	1	1	1	Water	43.9326	69.2720	15.1	752.2	466	57002.	118	0.1	0.5	-1.0	0.1	0.1	0.1	26	0.0
57093	0	0	1	1	Water	43.9326	69.2715	15.0	752.1	469	57013.	125	0.3	0.1	0.4	0.1	0.1	0.1	23	0.0
57092	0	1	1	1	Water	43.9326	69.2710	15.0	752.1	472	57023.	173	0.1	0.0	0.6	0.1	0.1	0.1	23	0.0
57091	0	1	1	1	Water	43.9326	69.2704	15.0	752.1	474	57032.	157	0.2	0.2	0.9	0.1	0.1	0.1	22	0.0
57090	0	0	1	1	Water	43.9326	69.2699	15.0	752.0	476	57040.	208	0.4	0.7	0.9	0.1	0.1	0.1	27	0.0
57089	0	0	1	1	Water	43.9326	69.2693	15.0	752.0	476	57049.	197	0.3	0.6	-0.1	0.1	0.1	0.1	7	0.0
57088	0	1	0	1	Water	43.9326	69.2688	15.0	752.0	476	57060.	248	0.1	1.1	0.6	0.1	0.1	0.1	29	0.0
57087	0	0	1	0	Water	43.9326	69.2682	14.9	752.0	472	57073.	292	0.5	0.7	1.5	0.1	0.1	0.1	17	0.0
57086	0	0	1	0	Water	43.9325	69.2677	14.9	752.0	471	57079.	331	0.3	0.9	1.8	0.1	0.1	0.1	19	0.0
57085	0	0	1	1	Water	43.9325	69.2672	14.9	752.0	469	57090.	453	0.6	0.6	0.6	0.1	0.1	0.1	21	0.0
57084	0	0	1	0	Water	43.9325	69.2666	14.9	752.0	466	57100.	493	0.4	0.6	2.7	0.1	0.1	0.1	23	0.0
57083	0	0	1	0	Water	43.9325	69.2661	14.9	752.0	462	57108.	586	0.8	-0.1	3.2	0.1	0.1	4.3	18	0.0
57082	0	0	0	0	Water	43.9325	69.2655	14.9	752.0	456	57115.	632	0.7	1.3	2.6	1.9	0.5	3.7	19	0.0
57081	0	0	1	0	Water	43.9325	69.2650	14.9	752.0	449	57123.	685	0.4	0.5	4.8	0.1	0.1	0.1	26	0.0
57080	0	0	1	0	Water	43.9325	69.2645	14.9	752.0	439	57132.	708	0.7	0.8	1.7	0.1	0.1	2.4	22	0.0
57079	0	0	0	0	Water	43.9325	69.2639	14.9	752.0	423	57144.	798	0.5	1.6	2.2	0.1	0.8	0.1	23	0.0
57078	0	0	0	0	Op	43.9325	69.2634	14.9	752.0	407	57156.	803	0.9	1.2	2.3	1.5	0.6	2.7	18	0.0
57077	0	0	0	0	Op	43.9325	69.2628	14.9	752.0	392	57165.	913	0.7	1.3	3.7	2.0	0.4	5.5	20	0.0
57076	0	0	0	0	Op	43.9325	69.2623	14.9	752.0	389	57169.	895	0.9	1.1	3.0	1.4	0.4	3.6	20	0.0
57075	0	0	0	0	Op	43.9326	69.2617	14.9	752.0	393	57178.	963	0.9	1.6	4.3	1.9	0.4	5.2	20	0.0
57074	0	0	0	0	Op	43.9326	69.2612	14.9	752.1	401	57201.	947	0.8	1.7	4.0	2.3	0.5	5.3	25	0.0
57073	0	0	0	0	Op	43.9326	69.2606	14.9	752.1	398	57236.	989	0.8	2.7	4.3	3.6	0.7	5.6	15	0.0

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI	
												CPS	%	PPM	PPM					CPS	CPS
57072	0	0	0	0	Op	43.9326	69.2601	14.9	752.1	385	57264.	1063	0.6	1.3	6.6	2.3	0.2	12.0	25	0.0	
57071	0	0	0	0	Op	43.9326	69.2595	14.9	752.1	367	57263.	1075	0.9	1.6	4.1	1.9	0.4	4.7	14	0.0	
57070	0	0	0	0	Op	43.9327	69.2590	14.9	752.1	358	57237.	1222	1.1	1.9	4.5	1.9	0.5	4.3	20	0.0	
57069	0	0	0	0	Op	43.9327	69.2584	14.9	752.1	355	57207.	1278	1.1	2.7	6.3	2.6	0.5	5.9	17	0.0	
57068	0	0	0	0	Op	43.9327	69.2579	14.9	752.1	356	57191.	1321	1.4	1.5	5.3	1.1	0.3	3.9	20	0.0	
57067	0	0	0	0	Op	43.9327	69.2573	14.9	752.1	359	57187.	1302	1.0	1.7	6.1	1.8	0.3	6.5	24	0.0	
57066	0	0	0	0	Op	43.9328	69.2568	14.9	752.1	365	57184.	1406	1.4	2.3	4.8	1.6	0.5	3.5	18	0.0	
57065	0	0	0	0	Op	43.9328	69.2562	14.9	752.1	371	57172.	1306	1.4	1.4	6.0	1.1	0.3	4.5	17	0.0	
57064	0	0	1	0	Op	43.9328	69.2557	14.9	752.1	372	57149.	1180	1.1	0.6	4.8	0.1	0.1	4.6	25	0.1	
57063	0	0	0	0	Op	43.9328	69.2551	14.9	752.1	372	57119.	1137	1.1	1.0	3.2	1.0	0.3	3.2	22	0.2	
57062	0	0	0	0	Op	43.9328	69.2546	14.9	752.1	374	57095.	1079	1.1	1.6	5.5	1.6	0.3	5.4	15	0.5	
57061	0	0	1	0	Op	43.9329	69.2540	14.9	752.1	375	57082.	1076	1.1	0.4	4.6	0.1	0.1	4.3	16	0.8	
57060	0	0	0	0	Op	43.9329	69.2535	14.9	752.1	375	57077.	1085	0.9	1.8	5.8	2.2	0.4	6.9	20	1.0	
57059	0	0	1	0	Op	43.9329	69.2529	14.9	752.0	375	57077.	1067	0.9	0.6	4.4	0.1	0.1	4.8	20	1.3	
57058	0	0	0	0	Op	43.9329	69.2524	14.9	752.0	378	57079.	1017	1.0	1.5	4.4	1.6	0.4	4.8	16	1.1	
57057	0	0	0	0	Op	43.9330	69.2518	14.9	752.0	386	57085.	988	0.9	1.4	2.8	1.5	0.5	3.1	19	0.9	
57056	0	0	0	0	Op	43.9330	69.2513	14.9	752.0	398	57095.	894	0.9	2.3	3.2	2.8	0.8	3.9	27	0.8	
57055	0	0	1	0	Op	43.9330	69.2507	14.9	752.0	407	57108.	949	0.9	0.5	4.7	0.1	0.1	5.6	14	0.6	
57054	0	0	0	0	Op	43.9330	69.2502	14.9	752.0	417	57123.	927	0.8	1.2	4.2	1.6	0.3	5.8	26	0.5	
57053	0	C	1	0	Op	43.9330	69.2496	14.9	752.0	421	57140.	949	1.0	0.4	3.1	0.1	0.1	3.3	27	0.2	
57052	0	0	0	0	Op	43.9331	69.2491	14.9	752.0	422	57159.	973	0.9	1.5	3.2	1.6	0.5	3.6	18	0.0	
57051	0	0	1	0	Op	43.9331	69.2485	14.9	752.0	417	57177.	981	0.9	0.8	4.3	0.1	0.1	4.8	18	0.0	
57050	0	C	0	0	Op	43.9331	69.2480	14.9	752.0	413	57197.	927	0.9	2.5	3.9	2.8	0.7	4.3	26	0.0	
57049	0	0	1	0	Op	43.9331	69.2474	14.8	752.0	411	57217.	945	0.8	0.5	3.3	0.1	0.1	4.6	25	0.0	
57048	0	0	0	0	Op	43.9332	69.2469	14.8	752.0	410	57237.	869	0.6	1.4	4.6	2.6	0.3	8.9	13	0.0	
57047	0	0	0	0	Op	43.9332	69.2463	14.8	752.0	406	57253.	900	0.6	2.6	3.8	4.7	0.7	6.9	26	0.0	
57046	0	0	1	0	Op	43.9332	69.2458	14.8	752.0	402	57262.	889	0.8	0.5	4.4	0.1	0.1	6.2	31	0.0	
57045	0	0	0	0	Op	43.9332	69.2452	14.8	752.1	397	57260.	898	0.8	1.3	4.5	1.8	0.3	6.3	14	0.0	
57044	0	0	0	0	Op	43.9333	69.2447	14.8	752.1	394	57250.	865	0.7	1.3	3.0	2.1	0.5	4.9	20	0.0	
57043	0	0	0	0	Op	43.9333	69.2441	14.8	752.1	392	57237.	818	0.7	1.4	3.9	2.1	0.4	6.0	27	0.0	
57042	0	0	0	0	Op	43.9333	69.2436	14.8	752.1	390	57228.	925	0.9	1.4	3.0	1.5	0.5	3.4	17	0.0	
57041	0	0	0	0	Op	43.9333	69.2430	14.8	752.2	389	57227.	1004	1.1	1.5	3.0	1.4	0.5	2.8	13	0.0	
57040	0	0	0	0	Op	43.9333	69.2425	14.8	752.2	390	57238.	942	0.7	1.2	2.8	1.7	0.5	4.0	16	0.0	
57039	0	0	0	0	Op	43.9334	69.2419	14.8	752.2	391	57258.	1003	0.9	3.3	3.5	3.7	1.0	3.9	13	0.0	
57038	0	0	1	0	Op	43.9334	69.2414	14.8	752.2	392	57286.	1005	1.1	0.7	2.4	0.1	0.1	2.3	38	0.0	
57037	0	0	1	0	Op	43.9334	69.2408	14.8	752.3	391	57321.	1017	1.1	0.8	6.4	0.1	0.1	5.8	26	0.0	
57035	0	0	1	0	Op	43.9334	69.2397	14.8	752.3	393	57364.	1090	1.0	-0.1	3.1	0.1	0.1	3.2	20	0.0	
57034	0	0	0	0	Op	43.9335	69.2392	14.8	752.3	397	57411.	1140	1.1	1.8	5.5	1.7	0.4	5.3	17	0.0	
57033	0	0	1	0	Op	43.9335	69.2387	14.8	752.4	402	57453.	1246	1.2	0.8	5.2	0.1	0.1	4.7	23	0.0	
57032	0	0	0	0	Op	43.9335	69.2382	14.8	752.4	406	57475.	1262	1.0	3.0	4.6	3.0	0.7	4.6	15	0.0	
57031	0	0	0	0	Op	43.9335	69.2376	14.8	752.4	406	57470.	1297	1.3	2.8	3.7	2.2	0.8	3.0	25	0.0	
57030	0	0	0	0	Op	43.9335	69.2371	14.8	752.5	407	57442.	1226	1.1	2.6	5.3	2.3	0.5	4.8	23	0.0	
57029	0	0	1	0	Op	43.9335	69.2366	14.8	752.5	407	57397.	1115	1.2	0.1	4.8	0.1	0.1	4.2	20	0.0	
57028	0	0	1	0	Op	43.9335	69.2361	14.8	752.5	404	57343.	1058	1.1	0.5	3.6	0.1	0.1	3.3	21	0.0	
57027	0	0	0	0	Op	43.9334	69.2356	14.8	752.5	403	57285.	816	0.8	1.1	3.5	1.5	0.3	4.7	29	0.0	
57026	0	0	1	0	Op	43.9334	69.2351	14.8	752.6	405	57231.	686	0.6	0.9	4.3	0.1	0.1	8.4	28	0.0	
57025	0	0	1	0	Op	43.9334	69.2346	14.9	752.6	412	57183.	524	0.4	0.6	1.4	0.1	0.1	0.1	16	0.0	
57024	0	0	1	0	Op	43.9334	69.2341	14.9	752.7	414	57132.	492	0.5	0.4	2.3	0.1	0.1	0.1	20	0.0	
57023	0	0	1	1	Op	43.9334	69.2336	14.9	752.7	412	57079.	438	0.5	0.6	1.0	0.1	0.1	0.1	22	0.0	
57022	0	0	0	0	Op	43.9334	69.2331	14.9	752.8	406	57027.	469	0.3	1.3	3.8	0.1	0.4	0.1	13	0.0	

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
57021	0	0	1	0	Op	43.9334	69.2326	14.9	752.8	403	56983.	527	0.6	0.8	2.3	0.1	0.1	4.2	23	0.0
57020	0	0	1	0	Water	43.9334	69.2321	14.9	752.8	401	56950.	658	0.7	0.3	3.2	0.1	0.1	4.7	16	0.0
57019	0	0	1	0	Water	43.9334	69.2316	14.9	752.9	406	56928.	762	0.8	0.8	3.6	0.1	0.1	4.9	16	0.0
57018	0	0	1	0	Water	43.9334	69.2311	14.9	752.9	412	56917.	799	0.9	0.9	3.8	0.1	0.1	4.3	22	0.0
57017	0	0	1	0	Water	43.9334	69.2306	14.9	753.0	422	56915.	844	0.8	0.1	3.3	0.1	0.1	4.6	16	0.0
57016	0	0	0	0	Water	43.9334	69.2301	14.9	753.0	428	56927.	769	0.8	1.2	2.5	1.5	0.5	3.2	22	0.0
57015	0	0	0	0	Water	43.9334	69.2296	14.9	753.0	434	56953.	702	0.8	1.1	2.7	1.3	0.4	3.3	22	0.0
57014	0	0	0	1	Water	43.9334	69.2291	14.9	753.1	437	56987.	472	0.5	1.0	1.0	0.1	0.1	0.1	13	0.0
57013	0	1	1	1	Water	43.9334	69.2286	14.9	753.1	437	57022.	270	0.2	0.6	0.5	0.1	0.1	0.1	18	0.0
57012	0	1	1	1	Water	43.9334	69.2281	14.9	753.1	436	57054.	196	0.1	0.6	1.3	0.1	0.1	0.1	20	0.0
57011	0	0	1	1	Water	43.9334	69.2276	14.9	753.1	435	57079.	115	0.2	-0.3	0.3	0.1	0.1	0.1	27	0.0
57010	0	0	1	1	Water	43.9334	69.2271	14.9	753.2	432	57093.	132	0.2	0.4	0.0	0.1	0.1	0.1	26	0.0
57009	0	1	1	1	Water	43.9334	69.2266	14.9	753.2	429	57098.	103	0.2	0.6	0.5	0.1	0.1	0.1	22	0.0
57008	0	1	1	1	Water	43.9334	69.2261	14.9	753.3	425	57101.	122	0.2	0.7	-0.4	0.1	0.1	0.1	25	0.0
57007	0	0	1	1	Water	43.9334	69.2256	14.9	753.3	422	57105.	252	0.4	0.3	-0.7	0.1	0.1	0.1	27	0.0
57006	0	0	0	0	Water	43.9334	69.2251	14.9	753.3	417	57107.	328	0.4	1.0	1.8	0.1	0.6	0.1	29	0.0
57005	0	0	0	1	Water	43.9334	69.2246	14.9	753.4	412	57103.	461	0.4	1.4	0.5	0.1	0.1	0.1	22	0.0
57004	0	0	1	0	Water	43.9334	69.2241	14.9	753.4	407	57088.	606	0.8	0.3	4.5	0.1	0.1	5.9	18	0.0
57003	0	0	0	0	Water	43.9334	69.2236	15.0	753.5	401	57065.	733	0.7	1.1	4.1	1.6	0.3	5.8	19	0.0
57002	0	0	1	0	Water	43.9334	69.2231	15.0	753.5	396	57036.	670	0.7	1.0	4.3	0.1	0.1	6.2	15	0.0
57001	0	0	1	0	Water	43.9334	69.2226	15.0	753.6	390	57008.	527	0.6	0.3	1.9	0.1	0.1	3.2	21	0.0
57000	0	0	0	0	Water	43.9334	69.2221	15.0	753.6	384	56985.	337	0.5	1.2	1.4	0.1	0.9	0.1	20	0.0
56999	0	0	0	0	Water	43.9334	69.2216	15.0	753.7	379	56972.	302	0.3	1.3	1.2	0.1	1.1	0.1	27	0.0
56998	0	1	0	1	Water	43.9334	69.2211	15.0	753.7	374	56966.	207	0.1	1.3	1.2	0.1	0.1	0.1	14	0.0
56997	0	0	1	0	Water	43.9334	69.2206	15.0	753.7	369	56962.	178	0.3	0.1	1.9	0.1	0.1	0.1	14	0.0
56996	0	0	1	1	Water	43.9334	69.2201	15.0	753.7	364	56961.	259	0.2	0.4	1.1	0.1	0.1	0.1	22	0.0
56995	0	0	1	0	Water	43.9334	69.2196	15.1	753.8	358	56963.	337	0.4	0.4	1.6	0.1	0.1	0.1	21	0.0
56994	0	0	1	0	Water	43.9334	69.2191	15.1	753.8	350	56966.	521	0.6	0.5	2.0	0.1	0.1	3.2	19	0.0
56993	0	0	1	0	Water	43.9334	69.2186	15.1	753.8	338	56970.	797	1.2	0.6	3.6	0.1	0.1	3.2	24	0.0
56992	0	0	0	0	Water	43.9334	69.2181	15.1	753.8	317	56979.	1025	1.1	1.4	4.7	1.4	0.3	4.5	24	0.0
56991	0	0	0	0	Water	43.9334	69.2176	15.1	753.8	291	56992.	1165	1.2	1.8	5.0	1.6	0.4	4.3	14	0.0
56990	0	0	0	0	Op	43.9334	69.2171	15.2	753.9	267	57008.	1254	1.2	1.5	6.6	1.3	0.3	5.8	21	0.0
56989	0	0	0	0	Op	43.9334	69.2166	15.2	753.9	251	57021.	1229	1.2	1.8	5.3	1.6	0.4	4.7	18	0.0
56988	0	0	0	0	Op	43.9334	69.2161	15.2	753.9	241	57029.	1207	1.0	1.6	6.3	1.7	0.3	6.7	29	0.0
56987	0	0	0	0	Op	43.9334	69.2156	15.3	753.9	234	57027.	1175	1.3	1.1	4.7	0.9	0.3	3.7	14	0.0
56986	0	0	0	0	Op	43.9334	69.2151	15.3	753.9	233	57019.	1157	1.1	1.2	4.9	1.1	0.3	4.7	27	0.0
56985	0	0	0	0	Op	43.9334	69.2146	15.3	753.9	237	57007.	1136	0.9	1.1	5.0	1.2	0.3	5.6	21	0.0
56984	0	0	0	0	Op	43.9334	69.2141	15.3	753.9	244	56991.	1215	1.1	1.5	5.9	1.4	0.3	5.3	12	0.0
56983	0	0	0	0	Op	43.9334	69.2136	15.3	753.9	253	56972.	1270	1.1	1.5	6.3	1.4	0.3	5.9	22	0.0
56982	0	0	0	0	Op	43.9334	69.2131	15.4	753.9	262	56952.	1182	1.2	1.8	4.3	1.6	0.5	3.6	19	0.0
56981	0	0	0	0	Op	43.9334	69.2126	15.4	753.9	275	56934.	1111	1.1	1.4	4.9	1.3	0.3	4.6	24	0.0
56980	0	0	0	0	Op	43.9334	69.2121	15.5	753.9	292	56918.	1013	1.0	1.2	4.3	1.2	0.3	4.4	14	0.0
56979	0	0	0	0	Op	43.9334	69.2116	15.5	753.9	321	56911.	794	0.8	2.4	3.9	3.2	0.7	5.2	22	0.0
56978	0	0	1	1	Op	43.9334	69.2111	15.5	753.9	353	56917.	597	0.6	0.3	-0.5	0.1	0.1	0.1	26	0.0
56977	0	1	1	1	Op	43.9334	69.2106	15.6	753.9	377	56925.	115	0.1	0.6	-0.6	0.1	0.1	0.1	26	0.0

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
58977	0	0	0	0	OEce	43.8747	69.9483	17.5	753.7	294	56766.	1006	0.8	1.4	3.8	1.8	0.4	4.8	19	0.0
58978	0	0	1	0	OEce	43.8747	69.9479	17.5	753.7	295	56762.	1147	1.2	0.6	4.8	0.1	0.1	4.3	12	0.0
58979	0	0	0	0	OEce	43.8747	69.9474	17.5	753.8	299	56759.	1222	1.0	2.1	4.1	2.1	0.6	4.2	25	0.0
58980	0	0	0	0	OEce	43.8747	69.9470	17.5	753.8	306	56756.	1286	1.2	1.2	4.4	1.0	0.3	3.8	27	0.0
58981	0	0	0	0	OEce	43.8747	69.9465	17.5	753.8	313	56754.	1445	1.5	2.0	7.4	1.4	0.3	5.1	19	0.0
58982	0	0	0	0	OEce	43.8747	69.9461	17.5	753.8	319	56749.	1515	1.3	1.7	6.0	1.4	0.3	4.8	15	0.0
58983	0	0	0	0	OEce	43.8747	69.9456	17.5	753.9	321	56744.	1535	1.6	2.9	6.7	1.9	0.5	4.4	20	0.0
58984	0	0	0	0	OEce	43.8747	69.9452	17.5	753.9	320	56738.	1688	1.5	2.0	7.7	1.4	0.3	5.3	19	0.0
58985	0	0	0	0	OEce	43.8747	69.9447	17.5	753.9	317	56734.	1702	1.7	2.0	9.6	1.2	0.2	5.9	17	0.0
58986	0	0	0	0	OEce	43.8747	69.9443	17.5	753.9	315	56733.	1748	1.5	2.3	7.1	1.7	0.4	5.1	21	0.0
58987	0	0	0	0	OEce	43.8747	69.9438	17.5	753.9	311	56736.	1703	1.7	2.6	7.3	1.6	0.4	4.4	21	0.0
58988	0	0	0	0	OEce	43.8747	69.9434	17.5	753.9	306	56743.	1744	1.5	2.6	8.0	1.8	0.4	5.4	17	0.0
58989	0	0	0	0	OEce	43.8747	69.9429	17.5	753.9	296	56751.	1649	1.6	2.3	5.0	1.5	0.5	3.3	21	0.0
58990	0	0	0	0	OEce	43.8747	69.9425	17.5	753.9	285	56758.	1531	1.6	2.0	6.7	1.3	0.3	4.3	23	0.1
58991	0	0	0	0	OEce	43.8747	69.9420	17.5	753.9	274	56762.	1434	1.6	1.0	6.5	0.7	0.2	4.1	23	0.2
58992	0	0	0	0	OEce	43.8747	69.9416	17.5	753.9	263	56761.	1275	1.3	2.3	5.1	1.8	0.5	4.1	26	0.2
58993	0	0	0	0	OEce	43.8747	69.9411	17.5	753.9	254	56756.	1293	1.5	1.0	5.3	0.7	0.2	3.6	16	0.2
58994	0	0	0	0	OEce	43.8747	69.9407	17.5	753.9	251	56748.	1229	1.3	0.9	6.1	0.8	0.2	4.9	21	0.2
58995	0	0	0	0	OEce	43.8747	69.9402	17.5	753.9	256	56739.	1308	1.4	1.3	5.4	1.0	0.3	4.0	21	0.2
58996	0	0	0	0	OEce	43.8747	69.9398	17.5	753.9	261	56731.	1345	1.4	2.1	4.4	1.5	0.5	3.2	21	0.2
58997	0	0	0	0	OEce	43.8747	69.9393	17.5	753.9	261	56725.	1366	1.4	2.3	6.3	1.7	0.4	4.8	14	0.2
58998	0	0	0	0	OEce	43.8747	69.9388	17.5	753.9	259	56719.	1366	1.2	2.5	5.2	2.1	0.5	4.4	22	0.4
58999	0	0	0	0	OEce	43.8747	69.9384	17.5	753.9	248	56712.	1403	1.5	2.5	5.8	1.8	0.5	4.0	14	0.5
59000	0	0	0	0	OEce	43.8747	69.9379	17.5	753.9	233	56704.	1270	1.3	1.2	4.1	0.9	0.3	3.2	19	0.6
59001	0	0	0	0	OEce	43.8747	69.9375	17.5	753.9	217	56696.	1200	1.2	1.5	5.1	1.2	0.3	4.3	28	0.6
59002	0	0	0	0	OEce	43.8747	69.9370	17.5	753.9	210	56690.	1179	1.1	1.4	3.5	1.3	0.4	3.3	17	0.6
59003	0	0	0	0	OEce	43.8747	69.9366	17.5	753.9	214	56687.	1207	1.4	1.6	5.5	1.2	0.3	4.1	17	0.6
59004	0	0	0	0	OEce	43.8748	69.9361	17.5	753.9	222	56691.	1236	1.2	1.3	3.5	1.1	0.4	3.0	20	0.6
59005	0	0	0	0	OEce	43.8748	69.9356	17.5	753.9	233	56701.	1284	1.4	2.3	5.0	1.7	0.5	3.6	20	0.6
59006	0	0	0	0	OEce	43.8749	69.9351	17.5	753.9	234	56715.	1313	1.4	2.1	4.5	1.5	0.5	3.2	17	0.7
59007	0	0	0	0	OEce	43.8750	69.9346	17.5	753.9	234	56728.	1290	1.5	1.3	4.6	0.9	0.3	3.1	18	0.8
59008	0	0	0	0	OEce	43.8751	69.9341	17.5	753.9	235	56738.	1127	1.0	1.1	5.5	1.2	0.2	5.9	16	0.8
59009	0	0	0	0	OEce	43.8751	69.9336	17.5	753.9	244	56742.	1061	1.1	1.2	4.6	1.1	0.3	4.3	17	0.8
59010	0	0	0	0	OEce	43.8752	69.9331	17.5	753.9	254	56748.	977	0.8	1.2	4.7	1.6	0.3	6.1	21	0.7
59011	0	0	1	0	OEce	43.8753	69.9326	17.5	753.9	265	56762.	949	0.9	0.8	2.7	0.1	0.1	3.0	16	0.7
59012	0	0	0	0	OEce	43.8754	69.9322	17.5	753.9	278	56772.	921	0.9	1.6	3.5	2.0	0.5	4.3	31	0.6
59013	0	0	0	0	OEce	43.8755	69.9317	17.5	753.9	296	56779.	931	0.9	0.9	4.5	1.1	0.3	5.3	16	0.6
59014	0	0	0	0	OEce	43.8755	69.9312	17.5	753.9	312	56783.	854	0.8	0.9	3.3	1.2	0.3	4.4	23	0.6
59015	0	0	0	0	OEce	43.8756	69.9307	17.5	753.9	326	56791.	830	0.6	1.2	2.8	2.1	0.5	4.7	19	0.5
59016	0	0	0	0	OEce	43.8757	69.9302	17.5	753.9	335	56804.	823	0.8	1.6	2.4	2.1	0.7	3.0	22	0.4
59017	0	0	0	0	OEce	43.8758	69.9297	17.5	753.9	343	56817.	868	0.8	2.0	2.6	2.7	0.8	3.6	17	0.4
59018	0	0	0	0	OEce	43.8759	69.9292	17.5	753.9	343	56829.	1003	0.7	1.2	3.5	1.7	0.4	5.1	9	0.3
59019	0	0	0	0	OEce	43.8759	69.9287	17.5	753.9	338	56841.	1030	1.0	1.9	3.6	2.0	0.6	3.8	22	0.3
59020	0	0	0	0	OEce	43.8760	69.9282	17.5	753.9	337	56853.	923	0.9	2.2	2.7	2.6	0.9	3.2	20	0.3
59021	0	0	0	0	OEce	43.8761	69.9277	17.5	753.9	339	56867.	1029	1.0	1.1	4.0	1.2	0.3	4.3	25	0.2
59022	0	0	0	0	OEce	43.8762	69.9272	17.5	753.9	339	56883.	1009	0.9	1.7	3.6	1.9	0.5	4.0	26	0.2
59023	0	0	1	0	OEce	43.8763	69.9268	17.5	753.9	333	56903.	1116	1.0	0.8	5.0	0.1	0.1	5.3	23	0.1
59024	0	0	0	0	OEce	43.8764	69.9263	17.5	753.8	328	56923.	1225	1.1	1.5	6.0	1.5	0.3	5.8	25	0.0
59026	0	0	0	0	OEce	43.8765	69.9253	17.5	753.8	323	56941.	1376	1.5	2.1	5.8	1.5	0.4	4.1	16	0.0
59027	0	0	0	0	OEce	43.8766	69.9248	17.5	753.8	317	56956.	1457	1.1	2.5	6.7	2.4	0.4	6.2	26	0.0

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
59028	0	0	0	0	OEce	43.8767	69.9243	17.5	753.7	311	56968.	1485	1.3	2.2	5.2	1.7	0.5	4.0	17	0.1
59029	0	0	0	0	OEce	43.8767	69.9238	17.5	753.7	309	56976.	1519	1.6	2.7	7.4	1.8	0.4	4.9	15	0.1
59030	0	0	0	0	OEce	43.8768	69.9233	17.5	753.7	306	56982.	1442	1.3	1.4	7.7	1.2	0.2	6.1	20	0.2
59031	0	0	0	0	OEce	43.8769	69.9228	17.5	753.7	304	56983.	1409	1.1	1.7	6.8	1.6	0.3	6.5	26	0.2
59032	0	0	0	0	OEce	43.8770	69.9223	17.5	753.6	301	56981.	1351	1.4	2.0	5.2	1.5	0.4	3.8	19	0.1
59033	0	0	0	0	OEce	43.8771	69.9218	17.5	753.6	299	56972.	1266	1.1	2.4	5.1	2.4	0.5	5.1	22	0.2
59034	0	0	0	0	OEce	43.8771	69.9213	17.5	753.6	296	56960.	1248	0.9	2.0	4.8	2.2	0.5	5.3	27	0.2
59035	0	0	0	0	OEce	43.8772	69.9208	17.5	753.5	293	56942.	1317	1.0	1.7	6.2	1.7	0.3	6.3	27	0.2
59036	0	0	0	0	OEce	43.8773	69.9204	17.5	753.5	289	56922.	1310	1.0	2.4	4.8	2.5	0.5	5.1	17	0.3
59037	0	0	0	0	OEce	43.8774	69.9199	17.5	753.5	290	56905.	1275	1.2	2.1	5.7	1.8	0.4	4.7	16	0.3
59038	0	0	0	0	OEce	43.8775	69.9194	17.5	753.5	296	56883.	1272	1.2	1.6	5.1	1.5	0.4	4.6	19	0.4
59039	0	0	0	0	OEce	43.8775	69.9189	17.5	753.5	307	56860.	1324	1.1	1.6	5.7	1.5	0.3	5.3	27	0.4
59040	0	0	0	0	OEce	43.8776	69.9184	17.5	753.4	313	56841.	1360	1.2	2.3	4.5	2.0	0.6	3.9	27	0.4
59041	0	0	0	0	OEce	43.8778	69.9179	17.5	753.4	318	56821.	1348	1.3	2.5	3.7	2.0	0.7	2.9	22	0.5
59042	0	0	0	0	OEce	43.8780	69.9175	17.5	753.4	319	56798.	1346	1.3	2.7	5.8	2.2	0.5	4.8	17	0.6
59043	0	0	0	0	OEce	43.8782	69.9170	17.5	753.4	324	56778.	1391	1.4	1.9	7.4	1.4	0.3	5.5	31	0.7
59044	0	0	0	0	OEce	43.8784	69.9165	17.5	753.3	322	56764.	1378	1.4	2.3	4.4	1.7	0.6	3.3	24	0.8
59045	0	0	0	0	OEce	43.8786	69.9161	17.5	753.3	322	56752.	1559	1.4	2.2	5.8	1.6	0.4	4.3	21	0.8
59046	0	0	0	0	OEce	43.8788	69.9156	17.5	753.3	327	56745.	1554	1.3	2.6	7.0	2.0	0.4	5.4	27	0.9
59047	0	0	0	0	OEce	43.8789	69.9152	17.5	753.2	337	56742.	1707	1.7	1.7	7.6	1.1	0.3	4.7	15	0.8
59048	0	0	0	0	OEce	43.8792	69.9147	17.5	753.2	348	56740.	1673	1.7	2.7	8.6	1.6	0.3	5.2	18	0.8
59049	0	0	0	0	OEce	43.8793	69.9142	17.5	753.2	354	56740.	1629	1.5	2.3	5.0	1.6	0.5	3.4	18	0.8
59050	0	0	0	0	OEce	43.8795	69.9138	17.5	753.1	358	56741.	1640	1.3	2.9	6.5	2.3	0.5	5.1	24	0.8
59051	0	0	0	0	OEce	43.8797	69.9133	17.5	753.0	358	56744.	1642	1.6	1.2	6.9	0.8	0.2	4.6	23	0.8
59052	0	0	0	0	OEce	43.8799	69.9129	17.5	753.0	358	56749.	1443	1.5	1.6	4.5	1.1	0.4	3.1	27	0.7
59053	0	0	0	0	OEce	43.8801	69.9124	17.5	753.0	360	56755.	1436	1.6	1.8	6.9	1.1	0.3	4.3	18	0.6
59054	0	0	0	0	OEce	43.8803	69.9119	17.5	752.9	362	56765.	1395	1.4	2.0	5.7	1.5	0.4	4.4	21	0.5
59055	0	0	0	0	OEce	43.8805	69.9115	17.5	752.9	359	56778.	1314	1.3	1.7	4.7	1.4	0.4	3.8	26	0.4
59056	0	0	0	0	OEce	43.8807	69.9110	17.5	752.9	356	56790.	1277	1.2	2.4	5.4	2.2	0.5	4.8	19	0.4
59057	0	0	0	0	OEce	43.8809	69.9106	17.5	752.9	353	56802.	1253	1.1	2.1	5.3	2.1	0.4	5.1	12	0.4
59058	0	0	0	0	OEce	43.8811	69.9101	17.5	752.8	359	56813.	1252	1.2	1.6	5.3	1.3	0.3	4.4	17	0.3
59059	0	0	0	0	OEce	43.8812	69.9096	17.5	752.8	361	56823.	1300	1.3	1.9	4.6	1.5	0.5	3.6	17	0.2
59060	0	0	0	0	OEce	43.8814	69.9092	17.5	752.9	369	56830.	1361	1.5	2.2	4.3	1.6	0.6	3.1	17	0.2
59061	0	0	0	0	OEce	43.8816	69.9087	17.5	752.9	374	56833.	1340	1.1	1.3	6.9	1.1	0.2	6.3	27	0.2
59062	0	0	0	0	OEce	43.8818	69.9083	17.5	752.9	390	56831.	1277	1.4	1.7	4.0	1.3	0.5	3.0	12	0.2
59063	0	0	0	0	OEce	43.8820	69.9078	17.5	752.9	405	56823.	1129	1.1	1.0	4.8	1.0	0.3	4.6	17	0.2
59064	0	0	0	0	OEce	43.8822	69.9073	17.5	752.9	416	56813.	1047	1.1	2.6	3.8	2.5	0.7	3.6	22	0.2
59065	0	0	0	0	OEce	43.8824	69.9069	17.5	752.9	411	56802.	1051	0.8	2.6	4.4	3.5	0.6	5.8	16	0.2
59066	0	0	0	0	OEce	43.8826	69.9064	17.5	752.9	401	56795.	1077	1.0	1.5	5.4	1.5	0.3	5.5	20	0.2
59067	0	0	1	0	OEce	43.8828	69.9059	17.5	752.8	383	56789.	1127	1.0	0.8	3.5	0.1	0.1	3.5	13	0.2
59068	0	0	0	0	OEce	43.8830	69.9055	17.5	752.8	366	56783.	1228	1.3	1.4	4.3	1.1	0.4	3.4	23	0.2
59069	0	0	0	0	OEce	43.8832	69.9050	17.5	752.8	351	56777.	1369	1.4	1.4	7.2	1.0	0.2	5.1	30	0.2
59070	0	0	0	0	OEce	43.8834	69.9046	17.5	752.7	338	56772.	1346	1.3	2.4	6.7	2.0	0.4	5.4	20	0.3
59071	0	0	0	0	OEce	43.8835	69.9041	17.5	752.7	335	56772.	1458	1.4	2.5	3.9	1.8	0.7	2.8	20	0.3
59072	0	0	0	0	OEce	43.8837	69.9036	17.5	752.6	334	56780.	1454	1.2	3.3	4.4	3.0	0.8	4.0	32	0.5
59073	0	0	0	0	OEce	43.8839	69.9032	17.5	752.6	335	56792.	1465	1.3	1.9	4.8	1.5	0.4	4.0	29	0.6
59074	0	0	0	0	OEce	43.8841	69.9027	17.5	752.6	331	56807.	1507	1.2	2.7	5.7	2.3	0.5	4.8	28	0.7
59075	0	0	0	0	OEce	43.8843	69.9023	17.5	752.5	324	56819.	1414	1.4	3.6	4.9	2.6	0.8	3.5	21	0.9
59076	0	0	0	0	OEce	43.8845	69.9018	17.5	752.4	318	56828.	1411	1.3	1.5	2.9	1.2	0.5	2.3	20	1.0
59077	0	0	0	0	OEce	43.8847	69.9013	17.5	752.4	318	56830.	1436	1.2	3.7	3.5	3.3	1.1	3.1	24	1.2

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
59078	0	0	0	0	OEc	43.8849	69.9009	17.5	752.4	326	56829.	1537	1.5	2.5	5.5	1.7	0.5	3.8	20	1.4
59079	0	0	0	0	OEc	43.8851	69.9004	17.5	752.3	338	56822.	1485	1.0	3.0	6.6	3.1	0.5	6.8	14	1.5
59080	0	0	0	0	OEc	43.8853	69.9000	17.5	752.3	358	56814.	1565	1.4	2.2	5.2	1.6	0.5	3.8	30	1.6
59081	0	0	0	0	OEc	43.8854	69.8995	17.5	752.3	380	56807.	1611	1.8	3.3	6.3	1.9	0.6	3.6	22	1.7
59082	0	0	0	0	OEc	43.8856	69.8990	17.5	752.3	402	56798.	1612	1.5	3.0	6.9	2.1	0.5	4.8	21	1.7
59083	0	0	0	0	OEc	43.8858	69.8986	17.5	752.3	415	56794.	1744	1.3	4.9	6.0	3.9	0.9	4.8	25	1.8
59084	0	0	0	0	OEc	43.8860	69.8981	17.5	752.3	423	56795.	1751	1.6	2.4	7.4	1.6	0.4	4.8	34	1.7
59085	0	0	1	0	OEc	43.8862	69.8976	17.5	752.3	418	56798.	1664	1.8	1.2	6.3	0.1	0.1	3.6	12	1.7
59086	0	0	0	0	OEc	43.8865	69.8971	17.5	752.3	414	56803.	1659	1.7	1.7	9.5	1.0	0.2	5.6	16	1.5
59087	0	0	0	0	OEc	43.8867	69.8966	17.5	752.3	407	56812.	1524	1.5	1.4	8.3	1.0	0.2	5.9	21	1.4
59088	0	0	0	0	OEc	43.8869	69.8961	17.5	752.3	410	56817.	1385	1.0	1.6	5.6	1.8	0.3	6.0	23	1.3
59089	0	0	0	0	Water	43.8871	69.8957	17.4	752.2	417	56824.	1294	1.3	2.3	5.1	1.8	0.5	3.9	23	1.3
59090	0	0	0	0	Water	43.8873	69.8952	17.4	752.3	424	56824.	1088	0.9	2.2	2.8	2.5	0.8	3.1	23	1.4
59091	0	0	0	0	Water	43.8875	69.8947	17.4	752.3	438	56819.	937	1.2	1.5	4.7	1.4	0.4	4.3	23	1.4
59092	0	0	1	0	Water	43.8877	69.8942	17.4	752.3	447	56812.	721	0.6	1.0	1.6	0.1	0.1	2.9	22	1.5
59093	0	0	1	0	Water	43.8879	69.8937	17.4	752.3	450	56804.	525	0.6	0.6	2.3	0.1	0.1	3.7	18	1.5
59094	0	0	1	0	Water	43.8881	69.8933	17.4	752.3	451	56795.	373	0.3	0.9	1.9	0.1	0.1	0.1	26	1.5
59095	0	1	1	1	Water	43.8883	69.8928	17.4	752.3	450	56787.	191	0.1	0.7	1.1	0.1	0.1	0.1	28	1.6
59096	0	1	1	1	Water	43.8885	69.8923	17.4	752.3	449	56781.	148	0.2	0.6	0.3	0.1	0.1	0.1	22	1.6
59097	0	1	1	1	Water	43.8887	69.8918	17.4	752.3	447	56776.	174	0.1	0.4	1.0	0.1	0.1	0.1	21	1.6
59098	0	0	1	1	Water	43.8889	69.8913	17.4	752.3	445	56772.	191	0.2	0.5	0.9	0.1	0.1	0.1	3	1.5
59099	0	0	1	1	Water	43.8891	69.8909	17.4	752.3	444	56767.	192	0.3	0.3	-0.7	0.1	0.1	0.1	15	1.4
59100	0	0	1	1	Water	43.8893	69.8904	17.4	752.4	443	56762.	269	0.4	0.4	0.7	0.1	0.1	0.1	25	1.4
59101	0	0	1	1	Water	43.8895	69.8899	17.4	752.4	441	56759.	449	0.4	0.6	0.6	0.1	0.1	0.1	14	1.3
59102	0	0	1	0	Water	43.8897	69.8894	17.4	752.4	425	56757.	707	0.8	0.7	3.7	0.1	0.1	4.8	18	1.3
59103	0	0	1	0	Water	43.8898	69.8889	17.4	752.4	403	56756.	961	1.0	0.9	5.5	0.1	0.1	5.7	21	1.2
59104	0	0	0	0	Water	43.8899	69.8884	17.4	752.4	377	56753.	1311	1.3	2.2	4.8	1.7	0.5	3.7	20	1.1
59105	0	0	0	0	Water	43.8900	69.8879	17.4	752.4	359	56749.	1613	1.3	2.3	6.8	1.8	0.4	5.5	13	1.1
59106	0	0	0	0	Water	43.8901	69.8874	17.4	752.4	339	56747.	1791	1.8	1.8	9.6	1.0	0.2	5.4	23	1.1
59107	0	0	0	0	Water	43.8902	69.8869	17.4	752.4	322	56746.	1901	1.9	2.7	7.1	1.5	0.4	3.9	13	1.2
59108	0	0	0	0	Water	43.8904	69.8864	17.4	752.4	313	56746.	1893	1.8	2.3	8.1	1.3	0.3	4.7	15	1.1
59109	0	0	0	0	Water	43.8904	69.8859	17.4	752.4	314	56745.	1856	1.5	4.4	9.8	3.1	0.5	6.9	16	1.2
59110	0	0	0	0	Water	43.8905	69.8854	17.4	752.4	319	56746.	1776	1.6	4.8	7.9	3.2	0.6	5.2	16	1.4
59111	0	0	0	0	Water	43.8907	69.8848	17.4	752.4	331	56747.	1540	1.5	3.2	5.0	2.2	0.7	3.4	15	1.6
59112	0	0	0	0	Water	43.8908	69.8843	17.4	752.4	343	56748.	1397	1.3	1.3	6.5	1.1	0.2	5.3	11	1.7
59113	0	0	0	0	Water	43.8909	69.8838	17.4	752.4	355	56750.	1211	1.0	2.5	4.9	2.5	0.6	5.0	20	1.8
59114	0	0	1	0	Water	43.8910	69.8833	17.4	752.4	362	56755.	1073	1.1	1.0	3.0	0.1	0.1	3.0	21	1.8
59115	0	0	0	0	Water	43.8911	69.8828	17.4	752.4	374	56761.	866	0.9	1.2	3.4	1.4	0.4	4.0	25	1.8
59117	0	0	0	0	Water	43.8913	69.8818	17.4	752.4	392	56767.	806	1.0	1.2	2.5	1.3	0.5	2.8	10	1.7
59118	0	0	0	0	Water	43.8914	69.8813	17.4	752.4	413	56771.	701	0.8	1.4	2.7	1.8	0.6	3.4	12	1.7
59119	0	0	1	0	Water	43.8915	69.8808	17.4	752.4	427	56778.	582	0.7	0.3	1.6	0.1	0.1	2.3	18	1.6
59120	0	0	1	0	Water	43.8916	69.8803	17.4	752.4	432	56788.	588	0.7	0.5	2.4	0.1	0.1	3.4	13	1.5
59121	0	0	1	0	Water	43.8917	69.8798	17.4	752.4	432	56803.	753	0.8	0.6	2.1	0.1	0.1	2.6	25	1.4
59122	0	0	0	0	Water	43.8918	69.8793	17.4	752.4	422	56836.	919	0.8	1.9	4.6	2.4	0.5	5.9	11	1.3
59123	0	0	0	0	Water	43.8919	69.8788	17.4	752.4	408	56878.	1039	1.0	2.1	4.1	2.1	0.6	4.0	13	1.2
59124	0	0	0	0	Water	43.8920	69.8783	17.4	752.4	392	56913.	1095	1.1	2.0	2.1	1.8	1.0	2.0	17	1.2
59125	0	0	0	0	Water	43.8921	69.8777	17.4	752.4	382	56944.	1313	1.5	2.2	3.5	1.5	0.7	2.4	32	1.2
59126	0	0	1	0	OEc	43.8922	69.8772	17.4	752.4	371	56967.	1291	1.1	0.9	6.2	0.1	0.1	5.6	15	1.2
59127	0	0	0	0	OEc	43.8923	69.8767	17.4	752.4	358	56982.	1270	1.2	1.7	5.6	1.5	0.3	4.9	18	1.2
59128	0	0	0	0	OEc	43.8924	69.8762	17.4	752.4	343	56990.	1213	1.1	2.2	6.0	2.1	0.4	5.6	29	1.2

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
59129	0	0	0	0	OEc	43.8925	69.8757	17.4	752.5	332	56996.	1029	0.7	2.3	5.1	3.3	0.5	7.3	25	1.2
59130	0	0	0	0	OEc	43.8926	69.8752	17.4	752.5	324	56986.	1035	0.8	1.1	2.8	1.4	0.4	3.6	23	1.2
59131	0	0	0	0	OEc	43.8927	69.8747	17.4	752.5	319	56964.	974	0.8	1.2	4.8	1.6	0.3	6.6	21	1.2
59132	0	0	0	0	OEc	43.8928	69.8742	17.4	752.5	318	56944.	1101	1.0	1.3	4.4	1.3	0.3	4.5	26	1.2
59133	0	0	0	0	OEc	43.8929	69.8737	17.4	752.5	317	56928.	1040	0.7	1.8	4.3	2.7	0.5	6.5	25	1.1
59134	0	0	0	0	OEc	43.8930	69.8732	17.4	752.5	316	56914.	1140	0.9	3.1	5.6	3.5	0.6	6.3	17	1.1
59135	0	0	1	0	OEc	43.8931	69.8727	17.4	752.6	315	56900.	1193	1.1	0.9	4.8	0.1	0.1	4.5	23	1.2
59136	0	0	1	0	OEc	43.8931	69.8721	17.4	752.6	321	56884.	1275	1.4	0.5	7.2	0.1	0.1	5.3	24	1.2
59137	0	0	0	0	OEce	43.8931	69.8716	17.4	752.6	332	56867.	1286	1.0	1.8	6.5	1.9	0.3	6.8	23	1.2
59138	0	0	0	0	OEce	43.8932	69.8711	17.4	752.6	344	56852.	1378	1.2	1.2	5.7	1.0	0.3	4.8	13	1.1
59139	0	0	0	0	OEce	43.8932	69.8706	17.4	752.6	356	56839.	1402	1.4	2.4	5.3	1.8	0.5	4.1	21	1.1
59140	0	0	0	0	OEce	43.8932	69.8701	17.4	752.6	364	56830.	1467	1.5	1.5	5.2	1.0	0.3	3.6	21	1.0
59141	0	0	0	0	OEce	43.8932	69.8696	17.4	752.6	366	56824.	1423	1.0	1.7	5.3	1.7	0.4	5.3	18	0.9
59142	0	0	0	0	OEce	43.8932	69.8690	17.4	752.6	364	56821.	1472	1.0	3.1	5.8	3.1	0.6	5.7	27	0.9
59143	0	0	0	0	OEce	43.8932	69.8685	17.4	752.6	356	56819.	1420	1.1	2.5	6.0	2.3	0.5	5.4	24	0.9
59144	0	0	0	0	OEce	43.8932	69.8680	17.4	752.6	354	56817.	1485	1.5	2.5	5.8	1.7	0.5	4.0	14	1.0
59145	0	0	0	0	OEce	43.8933	69.8675	17.4	752.6	349	56816.	1450	1.2	1.8	7.2	1.5	0.3	6.1	19	1.1
59146	0	0	0	0	OEce	43.8933	69.8670	17.4	752.3	339	56816.	1330	1.1	2.6	4.1	2.5	0.7	3.9	18	1.1
59147	0	0	0	0	OEce	43.8933	69.8665	17.4	752.3	335	56818.	1333	1.3	1.2	5.3	1.0	0.3	4.4	23	1.1
59148	0	0	0	0	OEce	43.8933	69.8660	17.4	752.2	335	56825.	1291	1.1	1.7	5.6	1.7	0.3	5.6	15	1.1
59149	0	0	0	0	OEce	43.8933	69.8654	17.4	752.2	342	56833.	1329	1.1	2.3	5.4	2.2	0.5	5.2	19	1.1
59150	0	0	0	0	OEce	43.8933	69.8649	17.4	752.1	350	56839.	1303	1.1	1.5	6.6	1.5	0.3	6.5	20	1.1
59151	0	0	0	0	OEce	43.8933	69.8644	17.4	752.0	359	56840.	1242	1.0	1.5	7.0	1.6	0.3	7.6	22	1.1
59152	0	0	1	0	OEce	43.8934	69.8639	17.4	752.0	365	56839.	1194	0.9	0.4	7.2	0.1	0.1	8.5	19	1.0
59153	0	0	0	0	OEce	43.8934	69.8634	17.4	751.9	376	56835.	1262	1.3	2.9	5.4	2.4	0.6	4.5	16	1.0
59154	0	0	0	0	OEce	43.8934	69.8628	17.4	751.9	380	56832.	1167	1.0	1.8	4.9	1.9	0.4	5.1	16	1.0
59155	0	0	0	0	OEce	43.8934	69.8623	17.4	751.8	376	56832.	1093	0.9	2.7	4.0	3.0	0.7	4.5	19	1.0
59156	0	0	0	0	OEce	43.8934	69.8618	17.4	751.7	361	56834.	1089	0.8	1.2	3.7	1.5	0.3	4.8	13	1.0
59157	0	0	0	0	OEce	43.8934	69.8613	17.4	751.7	346	56839.	1162	1.0	3.7	4.0	3.7	1.0	4.0	18	1.0
59158	0	0	0	0	OEce	43.8935	69.8608	17.4	751.6	332	56843.	1311	1.1	1.6	6.2	1.5	0.3	6.1	21	1.1
59159	0	0	0	0	Dg	43.8935	69.8603	17.4	751.6	319	56847.	1335	1.2	1.3	5.2	1.1	0.3	4.4	22	1.1
59160	0	0	1	0	Dg	43.8935	69.8597	17.4	751.5	312	56852.	1340	1.3	0.4	6.2	0.1	0.1	4.8	24	1.1
59161	0	0	0	0	Dg	43.8935	69.8592	17.4	751.5	310	56854.	1432	1.6	2.1	4.4	1.4	0.5	2.8	34	1.1
59162	0	0	0	0	Dg	43.8935	69.8587	17.4	751.4	308	56855.	1439	1.5	2.0	4.6	1.4	0.5	3.1	21	1.0
59163	0	0	0	0	Dg	43.8935	69.8582	17.4	751.4	308	56855.	1437	1.4	1.6	8.2	1.2	0.2	6.0	26	1.0
59164	0	0	0	0	Dg	43.8935	69.8577	17.4	751.3	307	56857.	1379	1.4	1.8	4.9	1.3	0.4	3.7	22	1.0
59165	0	0	0	0	Dg	43.8936	69.8572	17.4	751.3	311	56860.	1374	1.5	2.7	4.3	1.9	0.7	3.0	23	1.0
59166	0	0	0	0	Dg	43.8936	69.8567	17.4	751.3	315	56862.	1367	1.4	1.8	3.7	1.3	0.5	2.7	23	1.1
59167	0	0	0	0	Dg	43.8936	69.8561	17.4	751.2	320	56866.	1327	1.4	1.6	6.6	1.2	0.3	4.9	14	1.1
59168	0	0	1	0	Dg	43.8936	69.8556	17.4	751.2	321	56871.	1322	1.1	0.3	6.5	0.1	0.1	6.2	23	1.1
59169	0	0	0	0	Dg	43.8936	69.8551	17.4	751.2	320	56876.	1283	1.1	1.3	6.5	1.2	0.2	5.9	22	1.1
59170	0	0	0	0	Dg	43.8936	69.8546	17.4	751.1	321	56881.	1307	1.1	2.6	5.8	2.5	0.5	5.6	24	1.1
59171	0	0	0	0	Dg	43.8937	69.8541	17.4	751.1	328	56885.	1231	1.0	1.3	5.1	1.4	0.3	5.5	18	1.1
59172	0	0	0	0	Dg	43.8937	69.8535	17.4	751.0	338	56889.	1169	1.0	1.6	4.5	1.6	0.4	4.5	20	1.2
59173	0	0	0	0	Dg	43.8937	69.8530	17.4	751.0	345	56891.	1077	0.9	1.9	3.1	2.1	0.7	3.4	21	1.2
59174	0	0	0	0	Dg	43.8937	69.8525	17.4	751.0	348	56891.	944	0.6	1.7	3.8	3.0	0.5	6.7	19	1.2
59175	0	0	0	0	Dg	43.8937	69.8520	17.4	751.0	344	56893.	966	0.7	1.5	4.6	2.3	0.4	6.9	21	1.1
59176	0	0	0	0	Dg	43.8937	69.8515	17.4	750.9	337	56894.	1001	0.6	1.5	4.1	2.8	0.4	7.4	18	1.1
59177	0	0	0	0	Dg	43.8937	69.8510	17.4	750.9	329	56895.	1077	1.1	2.5	4.6	2.5	0.6	4.5	16	1.1
59178	0	0	0	0	Dg	43.8938	69.8505	17.4	750.9	324	56895.	1242	1.0	1.2	6.8	1.2	0.2	6.8	22	1.1

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
59179	0	0	0	0	Dg	43.8938	69.8499	17.4	750.8	321	56893.	1218	1.0	1.7	3.5	1.7	0.5	3.5	12	1.0
59180	0	0	0	0	Dg	43.8938	69.8494	17.4	750.8	318	56891.	1239	1.2	1.9	6.6	1.7	0.3	5.9	26	1.0
59181	0	0	0	0	Dg	43.8938	69.8489	17.4	750.8	316	56890.	1229	1.0	1.9	4.7	2.1	0.5	5.1	14	1.0
59182	0	0	0	0	Dg	43.8938	69.8484	17.4	750.7	315	56888.	1231	1.3	1.3	3.9	1.0	0.4	3.1	26	0.9
59183	0	0	1	0	OEce	43.8938	69.8479	17.4	750.7	318	56886.	1332	1.6	0.3	3.7	0.1	0.1	2.4	23	0.8
59184	0	0	0	0	OEce	43.8938	69.8474	17.4	750.7	323	56883.	1393	1.4	1.6	5.5	1.2	0.3	4.0	27	0.8
59185	0	0	0	0	OEce	43.8939	69.8468	17.4	750.6	330	56883.	1363	1.4	1.8	6.3	1.4	0.3	4.7	24	0.7
59186	0	0	0	0	OEce	43.8939	69.8463	17.4	750.6	338	56883.	1375	1.4	2.7	5.9	2.0	0.5	4.4	17	0.7
59187	0	0	0	0	OEce	43.8939	69.8458	17.4	750.6	345	56882.	1367	1.0	2.6	5.0	2.7	0.6	5.2	26	0.7
59188	0	0	0	0	OEce	43.8939	69.8453	17.4	750.5	349	56879.	1409	1.6	1.9	5.8	1.2	0.4	3.8	24	0.8
59189	0	0	0	0	OEce	43.8939	69.8448	17.4	750.5	360	56877.	1329	1.3	1.6	3.3	1.3	0.5	2.7	15	0.8
59190	0	0	0	0	OEce	43.8939	69.8443	17.4	750.5	375	56876.	1373	1.3	2.6	5.0	2.0	0.6	3.9	19	0.8
59191	0	0	0	0	OEce	43.8940	69.8437	17.4	750.5	393	56874.	1358	1.3	2.0	7.7	1.6	0.3	6.2	18	0.7
59192	0	0	0	0	OEce	43.8940	69.8432	17.4	750.5	398	56873.	1382	1.2	2.3	5.9	2.0	0.4	5.0	17	0.7
59193	0	0	1	0	OEce	43.8940	69.8427	17.4	750.5	394	56872.	1416	1.3	0.6	5.3	0.1	0.1	4.2	26	0.6
59194	0	0	0	0	OEce	43.8940	69.8422	17.4	750.5	397	56871.	1341	1.1	2.1	7.1	2.0	0.3	6.6	25	0.5
59195	0	0	0	0	OEce	43.8940	69.8417	17.4	750.5	383	56872.	1432	1.4	1.4	8.1	1.0	0.2	5.9	18	0.4
59196	0	0	0	0	OEce	43.8940	69.8412	17.4	750.5	381	56873.	1474	1.6	1.7	5.2	1.1	0.4	3.4	23	0.3
59197	0	0	0	0	OEce	43.8941	69.8406	17.4	750.5	385	56873.	1447	1.5	2.1	6.6	1.5	0.4	4.7	23	0.2
59198	0	0	0	0	OEce	43.8941	69.8401	17.4	750.5	396	56871.	1384	1.1	2.4	5.7	2.2	0.5	5.1	26	0.2
59199	0	0	0	0	OEce	43.8941	69.8396	17.4	750.5	415	56869.	1387	1.2	2.1	5.0	1.8	0.5	4.3	24	0.2
59200	0	0	0	0	OEce	43.8941	69.8391	17.4	750.5	426	56868.	1432	1.2	3.3	5.8	2.9	0.6	5.0	25	0.2
59201	0	0	0	0	OEce	43.8941	69.8385	17.4	750.5	434	56867.	1477	1.2	3.3	4.7	2.9	0.8	4.1	17	0.2
59202	0	0	0	0	OEce	43.8941	69.8380	17.5	750.8	405	56869.	1513	1.2	2.1	6.9	1.8	0.3	5.8	22	0.2
59203	0	0	0	0	OEce	43.8942	69.8374	17.5	750.9	394	56873.	1633	1.4	3.1	8.5	2.3	0.4	6.3	31	0.2
59204	0	0	0	0	OEce	43.8942	69.8359	17.5	750.9	385	56878.	1693	1.5	3.7	7.4	2.5	0.5	5.1	14	0.2
59205	0	0	0	0	OEce	43.8942	69.8363	17.5	750.9	378	56880.	1605	1.4	2.0	5.1	1.4	0.4	3.6	20	0.2
59206	0	0	0	0	OEce	43.8942	69.8357	17.5	750.9	373	56880.	1636	1.4	3.1	3.1	2.3	1.0	2.3	25	0.3
59208	0	0	0	0	OEce	43.8943	69.8346	17.5	750.9	368	56879.	1544	1.3	3.2	5.6	2.5	0.6	4.4	15	0.3
59209	0	0	0	0	OEce	43.8943	69.8340	17.6	750.9	368	56878.	1610	1.2	3.0	8.8	2.5	0.4	7.3	23	0.4
59210	0	0	0	0	OEce	43.8944	69.8335	17.6	750.9	367	56879.	1469	1.3	1.2	6.3	0.9	0.2	4.8	17	0.4
59211	0	0	0	0	OEce	43.8944	69.8329	17.6	750.9	364	56879.	1465	1.4	2.0	6.2	1.5	0.4	4.6	15	0.5
59212	0	0	0	0	OEce	43.8944	69.8324	17.6	750.8	352	56878.	1513	1.7	2.4	4.9	1.4	0.5	3.0	18	0.5
59213	0	0	0	0	OEce	43.8944	69.8318	17.6	750.8	335	56874.	1530	1.4	2.6	6.1	1.9	0.5	4.5	22	0.5
59214	0	0	1	0	OEce	43.8945	69.8312	17.6	750.8	319	56867.	1568	1.4	0.6	6.8	0.1	0.1	4.9	26	0.4
59215	0	0	0	0	OEce	43.8945	69.8307	17.6	750.8	311	56859.	1567	1.4	2.5	6.1	1.8	0.4	4.5	22	0.4
59216	0	0	0	0	OEce	43.8945	69.8301	17.6	750.7	310	56853.	1479	1.4	2.1	5.5	1.6	0.4	4.1	15	0.5
59217	0	0	0	0	OEce	43.8945	69.8296	17.6	750.7	315	56848.	1410	1.0	2.4	6.5	2.4	0.4	6.4	16	0.6
59218	0	0	0	0	OEce	43.8946	69.8290	17.6	750.7	326	56844.	1366	1.1	3.0	5.1	2.7	0.6	4.6	19	0.7
59219	0	0	0	0	OEce	43.8946	69.8284	17.6	750.7	336	56843.	1325	1.1	2.6	7.3	2.4	0.4	6.7	11	0.8
59220	0	0	0	0	OEce	43.8946	69.8279	17.6	750.7	343	56844.	1244	1.0	1.5	4.5	1.5	0.4	4.5	25	0.9
59221	0	0	0	0	OEce	43.8946	69.8273	17.6	750.6	344	56845.	1268	1.1	3.4	3.9	3.4	0.9	3.9	18	1.0
59222	0	0	0	0	OEce	43.8947	69.8268	17.6	750.6	341	56846.	1279	1.1	2.1	7.7	1.9	0.3	6.9	16	1.2
59223	0	0	0	0	OEce	43.8947	69.8262	17.6	750.6	337	56845.	1407	1.4	1.8	5.3	1.3	0.4	3.9	17	1.3
59224	0	0	0	0	OEce	43.8947	69.8256	17.6	750.6	334	56845.	1428	1.3	2.0	5.3	1.5	0.4	4.2	19	1.3
59225	0	0	0	0	OEce	43.8947	69.8251	17.6	750.7	333	56846.	1415	1.3	1.7	5.4	1.3	0.3	4.3	26	1.2
59226	0	0	0	0	OEce	43.8948	69.8245	17.6	750.7	334	56849.	1442	1.4	1.6	5.5	1.2	0.3	4.0	27	1.1
59227	0	0	0	0	OEce	43.8948	69.8240	17.6	750.7	335	56850.	1455	1.3	2.4	6.0	1.9	0.4	4.8	16	1.0
59228	0	0	0	0	OEce	43.8948	69.8234	17.6	750.7	339	56851.	1382	1.3	2.1	6.1	1.7	0.4	4.7	19	1.0
59229	0	0	0	0	OEce	43.8948	69.8228	17.6	750.7	341	56851.	1413	1.3	1.2	5.3	1.0	0.3	4.4	19	0.9

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI			
												CPS	%	PPM	PPM							CPS	CPS
59230	0	0	0	0	OEce	43.8949	69.8223	17.6	750.8	349	56852.	1484	1.4	2.1	7.7	1.5	0.3	5.5	25	0.8			
59231	0	0	0	0	OEce	43.8949	69.8217	17.6	750.8	360	56852.	1475	1.5	1.9	7.1	1.3	0.3	5.0	22	0.7			
59232	0	0	1	0	OEce	43.8949	69.8212	17.6	750.8	377	56853.	1550	2.0	0.8	8.9	0.1	0.1	4.6	12	0.6			
59233	0	0	0	0	OEce	43.8949	69.8206	17.6	750.8	389	56855.	1586	1.6	1.7	6.9	1.1	0.3	4.5	23	0.4			
59234	0	0	0	0	OEce	43.8950	69.8200	17.6	750.9	394	56857.	1556	1.4	1.4	8.1	1.0	0.2	5.8	16	0.2			
59235	0	0	0	0	OEce	43.8950	69.8195	17.6	750.9	399	56860.	1537	1.4	2.1	6.2	1.6	0.4	4.7	29	0.2			
59236	0	0	0	0	OEce	43.8950	69.8189	17.6	750.9	406	56863.	1469	1.3	1.6	6.4	1.3	0.3	5.0	19	0.2			
59237	0	0	0	0	OEce	43.8951	69.8184	17.6	751.0	411	56866.	1532	1.6	3.1	4.1	2.0	0.8	2.7	22	0.2			
59238	0	0	0	0	OEce	43.8951	69.8178	17.6	751.0	417	56869.	1353	1.4	3.5	4.7	2.7	0.8	3.6	17	0.2			
59239	0	0	0	0	OEce	43.8951	69.8172	17.6	751.1	429	56872.	1377	1.5	2.3	6.5	1.6	0.4	4.4	13	0.2			
59240	0	0	1	0	OEce	43.8951	69.8167	17.6	751.1	446	56876.	1162	1.0	1.2	4.7	0.1	0.1	5.0	30	0.2			
59241	0	0	0	0	OEce	43.8952	69.8161	17.6	751.1	462	56877.	1020	0.9	2.4	5.4	2.6	0.5	5.9	22	0.2			
59242	0	0	0	0	OEce	43.8952	69.8156	17.6	751.1	471	56877.	783	0.8	1.6	2.3	2.3	0.7	3.3	25	0.2			
59243	0	0	1	1	Water	43.8952	69.8150	17.6	751.2	475	56876.	477	0.3	0.8	0.8	0.1	0.1	0.1	20	0.2			
59244	0	0	0	1	Water	43.8953	69.8145	17.6	751.2	476	56874.	360	0.4	1.9	0.5	0.1	0.1	0.1	22	0.2			
59245	0	1	1	0	Water	43.8954	69.8139	17.6	751.2	477	56871.	229	0.1	0.5	2.0	0.1	0.1	0.1	29	0.1			
59246	0	1	1	1	Water	43.8954	69.8134	17.6	751.2	478	56868.	125	0.1	-0.4	1.1	0.1	0.1	0.1	11	0.1			
59247	0	1	1	1	Water	43.8955	69.8128	17.6	751.2	478	56867.	136	0.0	0.1	0.5	0.1	0.1	0.1	20	0.0			
59248	0	1	0	1	Water	43.8955	69.8123	17.6	751.2	479	56868.	115	0.1	1.5	-0.1	0.1	0.1	0.1	16	0.0			
59249	0	1	1	1	Water	43.8956	69.8117	17.6	751.2	478	56870.	97	0.0	-0.1	0.4	0.1	0.1	0.1	25	0.0			
59250	0	1	0	1	Water	43.8957	69.8112	17.6	751.2	478	56872.	40	0.1	0.9	0.5	0.1	0.1	0.1	24	0.1			
59251	0	1	1	1	Water	43.8957	69.8106	17.6	751.2	479	56873.	74	0.1	0.4	-1.3	0.1	0.1	0.1	24	0.1			
59252	0	1	0	0	Water	43.8958	69.8101	17.6	751.2	481	56874.	141	0.2	1.0	1.6	0.1	0.6	0.1	21	0.2			
59253	0	1	1	1	Water	43.8959	69.8095	17.6	751.2	484	56875.	131	0.0	0.2	0.8	0.1	0.1	0.1	12	0.3			
59254	0	0	1	1	Water	43.8959	69.8090	17.6	751.1	488	56876.	248	0.3	0.3	1.3	0.1	0.1	0.1	23	0.4			
59255	0	0	1	0	Water	43.8960	69.8084	17.6	751.1	491	56878.	422	0.5	0.5	2.4	0.1	0.1	0.1	20	0.4			
59256	0	0	0	0	Water	43.8960	69.8079	17.6	751.1	480	56882.	581	0.5	1.2	2.8	0.1	0.5	0.1	17	0.5			
59257	0	0	0	0	Water	43.8961	69.8073	17.6	751.1	474	56887.	806	0.8	2.4	3.1	3.4	0.8	4.3	14	0.6			
59258	0	0	0	0	Water	43.8962	69.8068	17.6	751.1	461	56890.	587	0.9	1.3	3.2	1.6	0.5	3.8	18	0.8			
59259	0	0	0	0	OEce	43.8962	69.8062	17.8	751.1	440	56903.	1063	1.3	1.5	5.1	1.3	0.3	4.2	20	1.0			
59260	0	0	0	0	OEce	43.8963	69.8057	17.8	751.1	430	56918.	1179	1.0	2.0	5.1	2.0	0.4	5.2	31	0.9			
59261	0	0	0	0	OEce	43.8963	69.8051	17.8	751.1	421	56935.	1273	0.8	3.4	5.0	4.3	0.7	6.2	14	0.9			
59262	0	0	0	0	OEce	43.8964	69.8046	17.8	751.1	415	56952.	1296	0.9	2.7	5.4	2.9	0.5	6.0	21	1.0			
59263	0	0	0	0	OEce	43.8965	69.8040	17.8	751.1	413	56964.	1321	1.2	3.0	5.7	2.6	0.6	5.0	24	1.0			
59264	0	0	0	0	OEce	43.8965	69.8035	17.8	751.1	409	56971.	1333	1.3	1.7	6.2	1.4	0.3	5.1	13	1.1			
59265	0	0	1	0	OEce	43.8966	69.8029	17.8	751.1	410	56973.	1308	1.1	1.0	5.9	0.1	0.1	5.6	18	1.1			
59266	0	0	0	0	OEce	43.8966	69.8024	17.8	751.1	414	56972.	1428	1.3	1.6	6.7	1.3	0.3	5.4	26	1.0			
59267	0	0	0	0	OEce	43.8967	69.8019	17.8	751.1	419	56974.	1413	1.4	1.7	5.4	1.3	0.4	4.0	34	1.0			
59268	0	0	1	0	OEce	43.8968	69.8013	17.8	751.1	415	56978.	1439	1.5	1.2	6.1	0.1	0.1	4.2	23	1.0			
59269	0	0	0	0	OEce	43.8968	69.8008	17.8	751.1	402	56979.	1452	1.4	1.6	7.1	1.2	0.3	5.4	27	0.9			
59270	0	0	0	0	OEce	43.8969	69.8002	17.8	751.1	389	56974.	1368	1.3	1.2	5.8	1.0	0.3	4.6	19	0.9			
59271	0	0	0	0	OEce	43.8970	69.7997	17.8	751.1	386	56964.	1363	1.6	1.9	6.0	1.2	0.3	3.8	25	0.9			
59272	0	0	1	0	OEce	43.8970	69.7992	17.8	751.0	389	56949.	1402	1.3	0.8	7.2	0.1	0.1	5.6	26	0.9			
59273	0	0	0	0	OEce	43.8971	69.7986	17.8	751.0	393	56935.	1410	1.1	2.3	6.8	2.2	0.4	6.4	18	0.9			
59274	0	0	0	0	OEce	43.8972	69.7981	17.8	751.0	392	56925.	1442	1.3	1.8	5.2	1.4	0.4	4.0	32	1.0			
59275	0	0	0	0	OEce	43.8972	69.7976	17.8	751.0	390	56921.	1404	1.5	2.5	6.1	1.8	0.5	4.3	25	1.0			
59276	0	0	0	0	OEce	43.8973	69.7970	17.8	751.0	387	56922.	1474	1.5	1.6	6.5	1.1	0.3	4.4	13	1.1			
59277	0	0	0	0	OEce	43.8974	69.7965	17.8	750.9	382	56927.	1528	1.7	2.4	6.6	1.5	0.4	4.1	24	1.2			
59278	0	0	0	0	OEce	43.8974	69.7960	17.8	750.9	377	56938.	1546	1.3	2.4	4.4	1.9	0.6	3.4	30	1.3			
59279	0	0	0	0	OEce	43.8975	69.7954	17.8	750.9	371	56954.	1516	1.5	2.7	7.8	1.9	0.4	5.5	36	1.4			

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI	
												CPS	%	PPM	PPM					CPS	CPS
59280	0	0	0	0	OEce	43.8976	69.7949	17.8	750.9	368	56977.	1533	1.2	2.3	6.2	2.0	0.4	5.3	32	1.5	
59281	0	0	0	0	OEce	43.8976	69.7944	17.8	750.9	370	56997.	1516	1.3	2.1	4.6	1.7	0.5	3.8	24	1.7	
59282	0	0	0	0	OEce	43.8977	69.7938	17.8	750.9	375	57009.	1396	1.5	1.3	8.3	0.9	0.2	5.6	31	1.7	
59283	0	0	1	0	OEce	43.8978	69.7933	17.8	750.9	383	57016.	1356	1.1	1.2	6.1	0.1	0.1	5.5	16	1.8	
59284	0	0	0	0	OEce	43.8978	69.7927	17.8	750.9	392	57020.	1436	1.2	1.9	5.8	1.6	0.4	4.8	24	1.8	
59285	0	0	0	0	OEce	43.8979	69.7922	17.8	750.9	399	57016.	1309	1.2	2.5	6.4	2.2	0.4	5.6	14	1.9	
59286	0	0	0	0	OEce	43.8980	69.7917	17.8	750.9	408	57001.	1393	1.1	1.4	6.3	1.3	0.3	6.0	15	2.0	
59287	0	0	0	0	OEce	43.8980	69.7911	17.8	750.9	413	56980.	1478	1.3	1.9	7.9	1.4	0.3	6.1	15	2.0	
59288	0	0	0	0	OEce	43.8981	69.7906	17.8	750.8	415	56961.	1399	1.3	2.4	4.4	1.9	0.6	3.5	23	2.1	
59289	0	0	0	0	OEce	43.8982	69.7901	17.8	750.8	406	56946.	1441	1.5	2.2	5.5	1.5	0.4	3.7	17	2.0	
59290	0	0	0	0	OEce	43.8982	69.7896	17.8	750.8	393	56938.	1431	1.4	1.7	7.0	1.2	0.3	5.0	23	1.9	
59291	0	0	0	0	OEce	43.8983	69.7890	17.8	750.8	379	56937.	1448	1.2	2.2	6.7	1.9	0.4	5.9	26	1.9	
59292	0	0	0	0	OEce	43.8984	69.7885	17.8	750.8	375	56941.	1380	1.1	1.8	5.2	1.7	0.4	4.8	24	1.9	
59293	0	0	0	0	OEce	43.8984	69.7879	17.8	750.8	380	56947.	1376	1.7	2.3	4.0	1.5	0.6	2.5	25	2.0	
59294	0	0	0	0	OEce	43.8985	69.7874	17.8	750.8	395	56952.	1428	1.4	1.4	6.0	1.0	0.3	4.5	14	2.0	
59295	0	0	0	0	OEce	43.8986	69.7869	17.8	750.8	413	56956.	1298	1.0	2.1	6.5	2.3	0.4	6.9	14	2.0	
59296	0	0	0	0	OEce	43.8986	69.7863	17.8	750.9	431	56958.	1284	1.1	2.4	4.8	2.3	0.6	4.6	34	2.0	
59297	0	0	0	0	OEce	43.8987	69.7858	17.8	750.9	443	56957.	1250	0.9	1.5	5.5	1.8	0.3	6.8	17	2.1	
59299	0	0	1	0	OEce	43.8988	69.7847	17.8	751.0	449	56953.	1109	0.9	0.8	4.8	0.1	0.1	5.3	25	2.0	
59300	0	0	0	0	OEce	43.8989	69.7842	17.8	751.0	451	56948.	1080	0.8	2.9	2.9	3.7	1.0	3.8	25	2.0	
59301	0	0	0	0	OEce	43.8990	69.7837	17.8	751.1	456	56946.	1078	1.1	1.3	3.3	1.2	0.5	3.0	10	1.9	
59302	0	0	1	0	OEce	43.8990	69.7831	17.8	751.2	465	56943.	963	1.1	0.0	5.1	0.1	0.1	4.7	20	1.9	
59303	0	0	1	0	OEce	43.8991	69.7826	17.8	751.2	474	56941.	919	0.9	0.1	4.3	0.1	0.1	5.1	14	1.8	
59304	0	0	1	0	OEce	43.8991	69.7821	17.8	751.3	479	56941.	926	0.9	0.7	6.4	0.1	0.1	7.8	17	1.7	
59305	0	0	1	0	OEce	43.8990	69.7815	17.8	751.3	479	56942.	827	0.7	0.9	2.9	0.1	0.1	4.5	22	1.6	
59306	0	0	1	0	OEce	43.8990	69.7810	17.8	751.3	477	56945.	782	0.9	0.7	2.7	0.1	0.1	3.0	19	1.6	
59307	0	0	0	0	OEce	43.8989	69.7804	17.8	751.4	474	56950.	824	0.8	1.6	2.7	2.1	0.6	3.5	29	1.5	
59308	0	0	0	0	OEce	43.8989	69.7799	17.8	751.4	471	56956.	992	0.9	1.5	4.5	1.7	0.4	5.1	18	1.4	
59309	0	0	0	0	OEce	43.8988	69.7794	17.8	751.4	468	56962.	1025	0.9	1.4	5.5	1.5	0.3	6.0	12	1.4	
59310	0	0	1	0	OEce	43.8988	69.7788	17.8	751.4	465	56967.	907	1.0	0.9	2.8	0.1	0.1	3.0	18	1.4	
59311	0	0	0	0	OEce	43.8987	69.7783	17.8	751.5	463	56971.	950	1.0	1.6	3.3	1.7	0.5	3.6	22	1.4	
59312	0	0	1	0	OEce	43.8987	69.7778	17.8	751.5	457	56974.	840	0.9	0.7	3.9	0.1	0.1	4.8	21	1.3	
59313	0	0	0	0	OEce	43.8986	69.7772	17.8	751.5	436	56976.	890	0.8	1.1	3.7	1.5	0.3	5.1	21	1.2	
59314	0	0	1	0	OEce	43.8986	69.7767	17.8	751.5	424	56979.	1026	1.2	-0.2	3.3	0.1	0.1	2.9	30	1.1	
59315	0	0	0	0	Water	43.8985	69.7761	17.8	751.5	408	56982.	862	1.2	2.9	2.8	2.5	1.1	2.4	18	1.2	
59316	0	0	0	0	Water	43.8985	69.7756	18.0	751.6	384	56995.	1118	1.1	1.7	3.9	1.6	0.5	3.6	25	1.4	
59317	0	0	0	0	Water	43.8984	69.7751	18.0	751.7	377	57010.	1071	1.0	1.2	4.1	1.3	0.3	4.3	20	1.4	
59318	0	0	0	0	Water	43.8984	69.7745	18.0	751.7	374	57027.	1156	1.2	2.3	3.4	2.0	0.7	3.1	26	1.4	
59319	0	0	0	0	Water	43.8984	69.7740	18.0	751.7	373	57044.	1228	1.3	1.4	3.9	1.1	0.4	3.2	33	1.5	
59320	0	0	0	0	Water	43.8983	69.7734	18.0	751.7	371	57061.	1260	1.3	2.4	4.7	1.9	0.6	3.8	20	1.5	
59321	0	0	0	0	Water	43.8983	69.7729	18.0	751.7	365	57076.	1250	1.3	1.7	7.2	1.4	0.3	5.7	19	1.6	
59322	0	0	0	0	OEce	43.8982	69.7724	18.0	751.7	357	57091.	1408	1.3	1.4	5.2	1.1	0.3	4.0	11	1.7	
59323	0	0	0	0	OEce	43.8982	69.7718	18.0	751.7	350	57105.	1427	1.4	1.4	6.4	1.0	0.3	4.7	29	1.7	
59324	0	0	0	0	OEce	43.8981	69.7713	18.0	751.7	343	57117.	1277	1.4	2.7	3.8	1.9	0.8	2.7	14	1.8	
59325	0	0	0	0	OEce	43.8981	69.7708	18.0	751.8	337	57124.	1383	1.3	3.1	6.3	2.5	0.5	5.1	15	1.9	
59326	0	0	0	0	OEce	43.8980	69.7702	18.0	751.8	332	57127.	1369	1.2	1.4	4.1	1.3	0.4	3.7	11	2.0	
59327	0	0	0	0	OEce	43.8980	69.7697	18.0	751.8	329	57129.	1276	1.1	2.3	5.3	2.2	0.5	5.1	28	2.1	
59328	0	0	0	0	OEce	43.8979	69.7691	18.0	751.9	329	57128.	1322	1.5	1.3	5.6	0.9	0.3	3.8	24	2.2	
59329	0	0	0	0	OEce	43.8979	69.7686	18.0	751.9	331	57125.	1322	1.2	2.0	7.0	1.6	0.3	5.9	29	2.3	
59330	0	0	1	0	OEce	43.8979	69.7681	18.0	751.9	336	57123.	1251	1.1	1.0	4.9	0.1	0.1	4.6	19	2.4	

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
59331	0	0	0	0	OEce	43.8978	69.7675	18.0	752.0	341	57122.	1391	1.4	1.9	7.1	1.4	0.3	5.2	13	2.5
59332	0	0	0	0	OEce	43.8977	69.7670	18.0	752.0	349	57123.	1385	1.2	1.9	5.2	1.6	0.4	4.5	15	2.7
59333	0	0	1	0	OEce	43.8977	69.7665	18.0	752.0	359	57125.	1376	1.6	0.9	5.8	0.1	0.1	3.7	16	2.8
59334	0	0	1	0	OEce	43.8977	69.7659	18.0	752.1	372	57128.	1357	1.3	0.1	7.3	0.1	0.1	5.6	19	2.9
59335	0	0	0	0	OEce	43.8976	69.7654	18.0	752.1	383	57129.	1206	1.1	2.1	5.5	1.9	0.4	5.2	29	3.0
59336	0	0	0	0	OEce	43.8976	69.7648	18.0	752.1	386	57129.	1208	1.3	1.5	3.3	1.2	0.5	2.8	20	3.1
59337	0	0	0	0	OEce	43.8975	69.7643	18.0	752.2	383	57127.	1134	1.1	3.0	4.4	2.8	0.7	4.1	21	3.2
59338	0	0	0	0	OEce	43.8975	69.7638	18.0	752.2	380	57122.	1137	1.1	1.8	4.8	1.8	0.4	4.7	29	3.4
59339	0	0	0	0	OEce	43.8974	69.7632	18.0	752.3	388	57115.	1069	1.1	1.4	4.4	1.3	0.4	4.1	18	3.6
59340	0	0	0	0	OEce	43.8974	69.7627	18.0	752.3	403	57107.	876	0.9	1.6	2.0	1.8	0.9	2.3	18	3.7
59341	0	0	0	1	OEce	43.8973	69.7622	18.0	752.4	417	57097.	660	0.6	1.1	0.6	1.8	0.1	0.1	17	3.8
59342	0	0	1	0	OEce	43.8973	69.7616	18.0	752.4	425	57086.	550	0.6	0.9	2.9	0.1	0.1	5.0	18	3.8
59343	0	0	1	0	OEce	43.8972	69.7611	18.0	752.5	429	57075.	552	0.5	1.0	1.7	0.1	0.1	0.1	19	3.7
59344	0	0	1	0	OEce	43.8972	69.7605	18.0	752.5	431	57064.	507	0.5	0.2	1.6	0.1	0.1	0.1	15	3.8
59345	0	0	1	0	OEce	43.8971	69.7600	18.0	752.6	432	57055.	529	0.7	0.5	3.2	0.1	0.1	5.1	23	3.9
59346	0	0	1	1	OEce	43.8971	69.7595	18.0	752.7	423	57046.	463	0.4	1.0	-0.8	0.1	0.1	0.1	19	4.0
59347	0	0	1	0	OEce	43.8970	69.7589	18.0	752.8	410	57037.	603	0.6	0.4	2.4	0.1	0.1	4.3	16	4.0
59348	0	0	1	1	OEce	43.8970	69.7584	18.0	752.8	394	57028.	634	0.6	0.1	0.2	0.1	0.1	0.1	19	3.9
59349	0	0	0	0	Water	43.8970	69.7579	18.0	752.9	391	57017.	624	0.6	1.1	1.4	1.9	0.9	2.3	15	3.8
59350	0	0	1	1	Water	43.8969	69.7573	18.0	753.0	397	57006.	649	0.7	0.8	1.2	0.1	0.1	0.1	21	3.7
59351	0	0	1	1	Water	43.8969	69.7568	18.0	753.1	406	56995.	509	0.6	0.5	0.7	0.1	0.1	0.1	16	3.6
59352	0	0	1	0	Water	43.8967	69.7563	18.0	753.1	411	56984.	350	0.4	0.0	1.3	0.1	0.1	0.1	24	3.4
59353	0	0	1	1	Water	43.8966	69.7558	18.0	753.2	411	56975.	223	0.4	-0.2	0.3	0.1	0.1	0.1	15	3.3
59354	0	1	1	1	Water	43.8965	69.7553	18.0	753.2	409	56969.	120	0.1	-0.1	0.8	0.1	0.1	0.1	23	3.1
59355	0	1	1	1	Water	43.8964	69.7548	18.0	753.3	407	56965.	87	0.1	0.0	-0.3	0.1	0.1	0.1	19	2.9
59356	0	1	1	1	Water	43.8963	69.7543	18.0	753.4	403	56964.	92	0.1	-0.3	-0.2	0.1	0.1	0.1	13	2.7
59357	0	1	1	1	Water	43.8961	69.7538	18.0	753.4	397	56966.	83	0.1	0.1	0.5	0.1	0.1	0.1	17	2.5
59358	0	1	1	1	Water	43.8960	69.7533	18.0	753.4	394	56968.	86	0.0	-0.3	0.6	0.1	0.1	0.1	15	2.3
59359	0	1	1	0	Water	43.8959	69.7528	18.0	753.5	390	56972.	60	0.1	0.3	1.5	0.1	0.1	0.1	17	2.1
59360	0	1	1	1	Water	43.8958	69.7524	18.0	753.5	386	56977.	52	0.1	-0.2	0.2	0.1	0.1	0.1	19	1.9
59361	0	1	1	1	Water	43.8957	69.7519	18.0	753.5	382	56981.	57	0.1	0.1	0.8	0.1	0.1	0.1	16	1.6
59362	0	1	1	1	Water	43.8955	69.7514	18.0	753.5	380	56983.	39	0.1	-0.1	-0.3	0.1	0.1	0.1	22	1.4
59363	0	1	1	1	Water	43.8954	69.7509	18.0	753.5	377	56982.	27	0.1	0.1	-0.3	0.1	0.1	0.1	22	1.1
59364	0	1	1	1	Water	43.8953	69.7504	18.0	753.6	375	56978.	54	0.0	0.3	0.5	0.1	0.1	0.1	27	0.8
59365	0	1	1	1	Water	43.8952	69.7499	18.0	753.6	374	56974.	30	0.1	-0.1	0.4	0.1	0.1	0.1	22	0.4
59366	0	1	1	1	Water	43.8951	69.7494	18.0	753.6	374	56971.	51	0.1	0.1	0.9	0.1	0.1	0.1	16	0.0
59367	0	1	1	1	Water	43.8949	69.7489	18.0	753.6	375	56969.	38	0.1	0.3	-0.5	0.1	0.1	0.1	10	0.0
59368	0	1	1	1	Water	43.8948	69.7484	18.0	753.6	376	56963.	29	0.2	-0.4	-0.3	0.1	0.1	0.1	22	0.0
59369	0	1	1	1	Water	43.8947	69.7479	18.0	753.6	377	56955.	29	0.1	0.1	0.9	0.1	0.1	0.1	27	0.0
59370	0	1	1	1	Water	43.8946	69.7474	18.0	753.6	377	56946.	58	0.1	0.1	0.6	0.1	0.1	0.1	19	0.0
59371	0	1	1	1	Water	43.8945	69.7469	18.0	753.6	377	56941.	77	0.0	0.4	0.4	0.1	0.1	0.1	16	0.0
59372	0	1	1	1	Water	43.8943	69.7465	18.1	753.7	375	56928.	34	0.2	0.3	-0.1	0.1	0.1	0.1	27	0.0
59373	0	1	1	1	Water	43.8942	69.7460	18.1	753.8	373	56919.	14	0.0	0.4	-0.8	0.1	0.1	0.1	28	0.0
59374	0	1	1	1	Water	43.8941	69.7455	18.1	753.8	370	56913.	46	0.1	0.4	0.1	0.1	0.1	0.1	22	0.0
59375	0	1	1	1	Water	43.8940	69.7450	18.1	753.8	367	56908.	28	0.0	0.4	0.1	0.1	0.1	0.1	22	0.0
59376	0	1	1	1	Water	43.8938	69.7445	18.1	753.8	362	56904.	31	0.1	0.1	0.0	0.1	0.1	0.1	17	0.0
59377	0	1	1	1	Water	43.8937	69.7440	18.1	753.8	358	56901.	41	0.1	0.6	-0.4	0.1	0.1	0.1	17	0.0
59378	0	1	1	1	Water	43.8936	69.7435	18.1	753.8	354	56898.	32	0.0	-0.2	-0.3	0.1	0.1	0.1	23	0.0
59379	0	1	1	1	Water	43.8935	69.7430	18.1	753.8	351	56897.	39	0.1	0.1	-0.4	0.1	0.1	0.1	21	0.0
59380	0	1	1	1	Water	43.8934	69.7425	18.1	753.8	348	56898.	42	0.1	0.1	0.9	0.1	0.1	0.1	18	0.0

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
59381	0	1	1	1	Water	43.8932	69.7420	18.1	753.8	346	56900.	28	0.0	0.4	0.7	0.1	0.1	0.1	23	0.0
59382	0	1	1	1	Water	43.8931	69.7415	18.1	753.8	344	56902.	46	0.1	0.0	0.7	0.1	0.1	0.1	23	0.0
59383	0	1	1	1	Water	43.8930	69.7411	18.1	753.8	343	56905.	89	0.1	0.0	0.5	0.1	0.1	0.1	14	0.0
59384	0	1	1	1	Water	43.8929	69.7406	18.1	753.9	342	56908.	83	0.0	0.2	0.9	0.1	0.1	0.1	12	0.0
59385	0	0	0	1	Water	43.8928	69.7401	18.1	753.9	341	56910.	180	0.2	0.7	0.5	0.1	0.1	0.1	24	0.0
59386	0	0	1	1	Water	43.8927	69.7396	18.1	753.9	340	56913.	279	0.4	0.3	0.3	0.1	0.1	0.1	14	0.0
59387	0	0	1	0	Water	43.8925	69.7391	18.1	753.9	329	56917.	554	0.5	0.7	3.4	0.1	0.1	0.1	19	0.0
59389	0	0	0	0	Water	43.8923	69.7381	18.1	753.9	310	56923.	888	0.8	1.3	3.0	1.8	0.5	4.2	17	0.0
59390	0	0	0	0	Water	43.8922	69.7376	18.1	753.9	288	56933.	1225	1.0	1.4	7.2	1.4	0.2	7.1	26	0.0
59391	0	0	0	0	Water	43.8921	69.7371	18.1	753.9	280	56946.	1336	1.0	2.5	5.3	2.5	0.5	5.3	15	0.0
59392	0	0	0	0	Water	43.8921	69.7367	18.1	753.9	291	56964.	1208	1.2	1.8	3.7	1.6	0.5	3.3	16	0.0
59393	0	0	0	0	Water	43.8920	69.7362	18.1	753.9	313	56986.	1058	0.9	2.1	6.2	2.5	0.4	7.3	21	0.0
59394	0	0	1	0	Water	43.8920	69.7357	18.1	753.8	337	57011.	767	0.6	0.6	3.7	0.1	0.1	7.0	20	0.0
59395	0	0	0	0	Water	43.8920	69.7352	18.1	753.8	353	57037.	629	0.6	1.3	2.7	2.5	0.5	5.2	20	0.0
59396	0	0	0	0	Water	43.8919	69.7347	18.1	753.8	363	57063.	444	0.3	1.4	2.1	0.1	0.7	0.1	16	0.0
59397	0	0	0	1	Water	43.8919	69.7343	18.1	753.8	370	57088.	382	0.3	1.0	0.6	0.1	0.1	0.1	22	0.0
59398	0	0	1	0	Water	43.8918	69.7338	18.1	753.8	375	57104.	401	0.4	0.3	2.5	0.1	0.1	0.1	12	0.0
59399	0	0	1	0	Water	43.8918	69.7333	18.1	753.8	379	57109.	474	0.4	0.8	1.8	0.1	0.1	0.1	23	0.0
59400	0	0	1	0	Water	43.8918	69.7328	18.1	753.8	381	57111.	449	0.6	0.0	2.2	0.1	0.1	3.8	28	0.0
59401	0	0	1	1	Water	43.8917	69.7324	18.1	753.8	383	57111.	520	0.8	0.8	0.0	0.1	0.1	0.1	25	0.0
59402	0	0	1	0	Water	43.8917	69.7319	18.1	753.7	382	57111.	596	0.9	0.4	2.6	0.1	0.1	3.2	17	0.0
59403	0	0	1	0	OEce	43.8916	69.7314	18.1	753.7	365	57103.	715	0.5	0.9	2.6	0.1	0.1	0.1	29	0.0
59404	0	0	0	0	OEce	43.8916	69.7309	18.1	753.6	337	57085.	1045	0.9	1.3	3.8	1.6	0.4	4.6	24	0.0
59405	0	0	0	0	OEce	43.8915	69.7304	18.1	753.6	300	57064.	1202	1.2	2.2	6.3	1.9	0.4	5.4	15	0.0
59406	0	0	0	0	OEce	43.8915	69.7300	18.1	753.5	273	57047.	1400	1.1	1.9	4.9	1.7	0.4	4.5	18	0.0
59407	0	0	0	0	OEce	43.8915	69.7295	18.1	753.4	251	57035.	1447	1.2	3.0	5.8	2.5	0.6	4.8	16	0.0
59408	0	0	0	0	OEce	43.8914	69.7290	18.1	753.4	239	57027.	1528	1.3	1.9	5.7	1.5	0.4	4.6	12	0.0
59409	0	0	0	0	OEce	43.8914	69.7285	18.1	753.3	237	57020.	1473	1.5	1.9	4.1	1.3	0.5	2.8	28	0.0
59410	0	0	0	0	OEce	43.8913	69.7281	18.1	753.2	242	57017.	1496	1.5	3.2	3.8	2.1	0.9	2.5	16	0.0
59411	0	0	0	0	OEce	43.8913	69.7276	18.1	753.2	251	57020.	1428	1.5	2.4	4.7	1.7	0.5	3.3	24	0.1
59412	0	0	0	0	OEce	43.8913	69.7271	18.1	753.1	263	57025.	1358	1.0	2.9	4.1	2.9	0.8	4.1	18	0.3
59413	0	0	0	0	OEce	43.8912	69.7266	18.1	753.0	276	57029.	1361	0.9	1.2	6.0	1.4	0.2	6.9	15	0.4
59414	0	0	0	0	OEce	43.8912	69.7262	18.1	752.9	291	57029.	1447	1.2	1.9	6.7	1.6	0.3	5.6	24	0.5
59415	0	0	0	0	OEce	43.8911	69.7257	18.1	752.9	305	57026.	1410	1.4	2.2	5.6	1.6	0.4	4.2	13	0.6
59416	0	0	0	0	OEce	43.8911	69.7252	18.1	752.8	316	57024.	1406	1.2	2.3	5.4	2.0	0.5	4.7	25	0.6
59417	0	0	0	0	OEce	43.8910	69.7247	18.1	752.8	322	57021.	1345	1.3	1.4	4.9	1.1	0.3	3.8	16	0.7
59418	0	0	0	0	OEce	43.8910	69.7242	18.1	752.8	323	57017.	1276	1.1	1.4	6.9	1.3	0.3	6.5	24	0.7
59419	0	0	0	0	OEce	43.8910	69.7238	18.1	752.7	324	57010.	1288	1.3	1.3	5.2	1.0	0.3	4.1	18	0.8
59420	0	0	0	0	OEce	43.8909	69.7233	18.1	752.7	324	57001.	1377	1.5	1.0	4.2	0.7	0.3	3.0	26	0.7
59421	0	0	0	0	OEce	43.8909	69.7228	18.1	752.7	328	56990.	1300	1.5	2.3	4.7	1.6	0.5	3.2	20	0.8
59422	0	0	1	0	OEce	43.8909	69.7223	18.1	752.7	329	56978.	1299	1.3	0.9	4.8	0.1	0.1	3.7	14	0.8
59423	0	0	0	0	OEce	43.8908	69.7218	18.1	752.7	337	56967.	1239	1.4	1.4	5.2	1.1	0.3	3.9	17	0.9
59424	0	0	1	0	OEce	43.8908	69.7214	18.1	752.6	345	56960.	1266	1.5	0.4	5.2	0.1	0.1	3.5	22	0.9
59425	0	0	0	0	OEce	43.8907	69.7209	18.1	752.6	356	56955.	1182	1.2	2.3	3.8	2.0	0.7	3.2	21	0.9
59426	0	0	0	0	OEce	43.8907	69.7204	18.1	752.6	366	56954.	1169	1.0	2.4	3.4	2.6	0.8	3.7	18	0.9
59427	0	0	1	0	OEce	43.8906	69.7199	18.1	752.6	371	56953.	1271	1.2	0.7	3.6	0.1	0.1	3.0	19	0.9
59428	0	0	0	0	OEce	43.8906	69.7195	18.1	752.7	375	56952.	1233	1.2	2.8	5.6	2.5	0.5	5.0	20	0.9
59429	0	0	0	0	OEce	43.8906	69.7190	17.8	752.3	398	56953.	1347	1.3	2.1	3.6	1.7	0.6	2.8	19	0.8
59430	0	0	0	0	OEce	43.8905	69.7185	17.8	752.3	407	56955.	1286	1.3	2.8	4.5	2.1	0.6	3.5	17	0.9
59431	0	0	0	0	OEce	43.8905	69.7180	17.8	752.3	415	56958.	1348	1.0	1.4	7.2	1.4	0.2	7.3	23	0.8

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
59432	0	0	0	0	OEce	43.8904	69.7175	17.7	752.3	418	56964.	1470	1.3	3.1	3.6	2.5	0.9	2.9	27	0.8
59433	0	0	0	0	OEce	43.8904	69.7171	17.7	752.4	411	56972.	1294	0.9	2.5	4.9	3.1	0.6	6.0	17	0.8
59434	0	0	0	0	OEce	43.8904	69.7166	17.7	752.4	394	56982.	1275	1.2	2.8	5.2	2.4	0.6	4.4	20	0.8
59435	0	0	0	0	OEce	43.8903	69.7161	17.7	752.4	373	56994.	1350	1.1	3.0	5.6	2.8	0.6	5.2	29	0.9
59436	0	0	0	0	OEce	43.8903	69.7156	17.7	752.4	354	57007.	1219	1.0	2.2	5.0	2.4	0.5	5.4	17	0.9
59437	0	0	0	0	OEce	43.8902	69.7152	17.7	752.4	338	57018.	1247	1.1	1.9	5.1	1.7	0.4	4.6	17	1.0
59438	0	0	1	0	OEce	43.8902	69.7147	17.7	752.5	325	57028.	1252	1.2	0.8	5.1	0.1	0.1	4.6	27	1.0
59439	0	0	0	0	OEce	43.8901	69.7142	17.7	752.5	318	57034.	1197	1.2	1.6	6.8	1.4	0.3	5.9	15	1.0
59440	0	0	0	0	OEce	43.8901	69.7137	17.7	752.5	320	57040.	1199	1.2	1.2	4.7	1.1	0.3	4.2	19	1.0
59441	0	0	0	0	OEce	43.8901	69.7132	17.7	752.5	321	57046.	1102	0.8	2.2	5.4	2.8	0.4	6.8	15	1.0
59442	0	0	0	0	OEce	43.8900	69.7128	17.7	752.5	323	57057.	1081	0.9	1.7	5.6	2.1	0.3	6.7	16	1.0
59443	0	0	0	0	OEce	43.8900	69.7123	17.7	752.5	330	57076.	892	0.7	1.6	3.8	2.3	0.5	5.5	20	1.0
59444	0	0	0	0	OEce	43.8899	69.7118	17.6	752.5	349	57103.	760	0.5	1.9	2.3	0.1	0.9	0.1	28	1.1
59445	0	0	0	0	OEce	43.8899	69.7113	17.6	752.4	369	57130.	729	0.6	2.0	2.1	3.3	1.0	3.5	23	1.1
59446	0	0	0	0	OEce	43.8899	69.7109	17.6	752.4	383	57151.	692	0.8	1.1	1.4	1.5	0.8	1.9	21	1.1
59447	0	0	1	0	OEce	43.8898	69.7104	17.6	752.4	385	57167.	717	0.8	1.0	3.9	0.1	0.1	5.6	11	1.1
59448	0	0	0	0	OEce	43.8898	69.7099	17.6	752.4	381	57179.	897	0.9	1.4	3.7	1.7	0.4	4.6	25	1.0
59449	0	0	0	0	OEce	43.8897	69.7094	17.6	752.4	369	57186.	1000	1.0	1.4	2.3	1.5	0.7	2.4	25	1.0
59450	0	0	0	0	OEce	43.8897	69.7089	17.6	752.4	358	57191.	1181	1.0	1.9	7.1	2.0	0.3	7.2	17	1.0
59451	0	0	0	0	OEce	43.8896	69.7085	17.6	752.4	349	57192.	1194	1.3	1.3	4.9	1.1	0.3	3.9	16	0.9
59452	0	0	0	0	OEce	43.8896	69.7080	17.6	752.4	343	57190.	1314	1.3	2.2	4.5	1.8	0.5	3.5	25	1.0
59453	0	0	0	0	OEce	43.8896	69.7075	17.6	752.4	337	57185.	1384	1.4	1.5	3.7	1.1	0.5	2.7	25	1.1
59454	0	0	0	0	OEce	43.8895	69.7070	17.6	752.4	333	57175.	1396	1.5	2.7	6.9	1.9	0.4	4.7	9	1.2
59455	0	0	0	0	OEce	43.8895	69.7066	17.6	752.4	330	57162.	1410	1.1	2.3	4.7	2.2	0.5	4.3	17	1.3
59456	0	0	0	0	OEce	43.8894	69.7061	17.6	752.4	332	57148.	1341	1.2	1.8	6.4	1.5	0.3	5.4	14	1.5
59457	0	0	0	0	OEce	43.8894	69.7056	17.6	752.5	336	57132.	1323	1.3	2.2	5.0	1.7	0.5	3.9	21	1.7
59458	0	0	0	0	OEce	43.8894	69.7051	17.6	752.5	340	57112.	1327	1.5	2.1	5.5	1.5	0.4	3.8	15	1.9
59459	0	0	0	0	OEce	43.8893	69.7047	17.6	752.5	342	57087.	1372	1.2	1.9	4.1	1.7	0.5	3.5	9	2.0
59460	0	0	0	0	OEce	43.8893	69.7042	17.5	752.5	343	57062.	1236	1.1	1.8	5.2	1.7	0.4	5.0	23	2.2
59461	0	0	0	0	OEce	43.8893	69.7037	17.5	752.6	342	57040.	1288	1.2	1.3	3.7	1.1	0.4	3.1	17	2.4
59462	0	0	0	0	OEce	43.8893	69.7033	17.5	752.6	343	57021.	1247	1.0	2.4	4.7	2.6	0.6	5.0	17	2.5
59463	0	0	0	0	OEce	43.8894	69.7028	17.5	752.7	348	57007.	1265	1.2	1.8	4.7	1.5	0.4	4.1	20	2.7
59464	0	0	1	0	OEce	43.8894	69.7024	17.5	752.7	357	56997.	1263	1.2	0.6	4.7	0.1	0.1	4.1	13	2.8
59465	0	0	0	0	OEce	43.8894	69.7019	17.5	752.8	367	56993.	1276	1.3	1.2	5.5	0.9	0.3	4.4	17	3.0
59466	0	0	0	0	OEce	43.8894	69.7015	17.5	752.8	371	56994.	1215	0.9	2.0	6.4	2.3	0.4	7.1	22	3.1
59467	0	0	0	0	OEce	43.8895	69.7010	17.5	752.9	369	56997.	1257	1.3	1.5	6.2	1.2	0.3	4.9	16	3.2
59468	0	0	1	0	OEce	43.8895	69.7005	17.5	752.9	360	57001.	1154	1.1	1.0	3.4	0.1	0.1	3.2	24	3.4
59469	0	0	0	0	OEce	43.8895	69.7001	17.5	753.0	351	57005.	1169	1.1	1.4	4.2	1.3	0.4	3.8	20	3.5
59470	0	0	0	0	OEce	43.8895	69.6996	17.5	753.0	343	57017.	1231	1.2	1.5	3.6	1.3	0.5	3.1	29	3.7
59471	0	0	0	0	OEce	43.8896	69.6992	17.5	753.1	336	57034.	1192	1.1	1.1	4.7	1.1	0.3	4.4	22	3.8
59472	0	0	0	0	OEce	43.8896	69.6987	17.5	753.2	327	57049.	1109	1.1	1.7	2.6	1.6	0.7	2.4	14	3.9
59473	0	0	0	0	OEce	43.8896	69.6983	17.5	753.2	320	57056.	1154	1.3	1.8	3.8	1.4	0.5	3.0	26	4.1
59474	0	0	1	0	OEce	43.8896	69.6978	17.5	753.2	318	57054.	1203	1.1	0.1	3.6	0.1	0.1	3.5	16	4.2
59475	0	0	0	0	OEce	43.8897	69.6974	17.5	753.2	324	57052.	1166	1.0	2.6	6.6	2.6	0.4	6.6	24	4.2
59476	0	0	0	0	Water	43.8897	69.6969	17.5	753.3	344	57050.	1024	1.0	1.8	4.6	1.8	0.4	4.6	18	4.3
59477	0	0	1	0	Water	43.8897	69.6965	17.5	753.3	365	57031.	859	0.8	0.6	3.3	0.1	0.1	4.5	31	4.4
59478	0	0	1	0	Water	43.8898	69.6960	17.5	753.3	386	56999.	604	0.5	0.3	3.3	0.1	0.1	0.1	16	4.4
59480	0	0	1	0	Water	43.8898	69.6951	17.5	753.3	394	56976.	371	0.2	0.6	1.8	0.1	0.1	0.1	14	4.3
59481	0	0	1	1	Water	43.8898	69.6946	17.5	753.3	399	56959.	259	0.3	0.0	1.1	0.1	0.1	0.1	22	4.3
59482	0	0	1	1	Water	43.8899	69.6942	17.5	753.3	401	56948.	155	0.2	-0.1	0.0	0.1	0.1	0.1	19	4.2

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
59483	0	1	1	1	Water	43.8899	69.6937	17.5	753.3	403	56943.	109	0.2	-0.3	0.8	0.1	0.1	0.1	16	4.2
59484	0	1	1	1	Water	43.8899	69.6933	17.5	753.3	403	56941.	85	0.1	0.6	-0.4	0.1	0.1	0.1	24	4.1
59485	0	1	1	1	Water	43.8899	69.6928	17.5	753.3	403	56941.	61	0.1	-0.1	-0.5	0.1	0.1	0.1	20	4.1
59486	0	1	1	1	Water	43.8900	69.6924	17.2	753.5	404	56945.	50	0.1	-0.2	0.2	0.1	0.1	0.1	16	4.0
59487	0	0	0	1	Water	43.8900	69.6919	17.2	753.5	404	56948.	62	0.2	0.9	-0.1	0.1	0.1	0.1	19	3.9
59488	0	1	1	1	Water	43.8900	69.6915	17.2	753.5	403	56950.	47	0.0	0.1	-0.6	0.1	0.1	0.1	25	3.8
59489	0	1	1	1	Water	43.8900	69.6910	17.2	753.5	402	56951.	35	0.1	-0.1	-0.2	0.1	0.1	0.1	23	3.7
59490	0	1	1	1	Water	43.8901	69.6906	17.2	753.5	400	56954.	71	0.1	0.2	0.9	0.1	0.1	0.1	23	3.6
59491	0	1	1	1	Water	43.8901	69.6901	17.2	753.5	398	56957.	66	0.0	-0.1	0.7	0.1	0.1	0.1	19	3.4
59492	0	1	1	1	Water	43.8901	69.6897	17.2	753.5	397	56959.	94	0.2	0.6	0.2	0.1	0.1	0.1	19	3.3
59493	0	1	1	1	Water	43.8902	69.6892	17.2	753.5	397	56962.	113	0.1	-0.3	0.2	0.1	0.1	0.1	17	3.2
59494	0	0	1	1	Water	43.8902	69.6888	17.1	753.5	397	56964.	49	0.3	-0.1	-0.3	0.1	0.1	0.1	13	3.0
59495	0	0	1	1	Water	43.8902	69.6883	17.1	753.5	398	56967.	130	0.3	0.2	1.0	0.1	0.1	0.1	30	2.8
59496	0	0	1	1	Water	43.8902	69.6879	17.1	753.5	399	56971.	146	0.2	0.1	-1.1	0.1	0.1	0.1	22	2.7
59497	0	0	1	1	Water	43.8903	69.6874	17.1	753.4	400	56974.	325	0.5	0.2	0.3	0.1	0.1	0.1	28	2.6
59498	0	0	1	0	OEce	43.8903	69.6869	17.1	753.4	392	56977.	661	0.7	0.8	2.3	0.1	0.1	3.4	20	2.4
59499	0	0	0	0	OEce	43.8903	69.6865	17.1	753.3	377	56981.	922	1.0	1.3	2.7	1.4	0.5	2.9	26	2.3
59500	0	0	0	0	OEce	43.8903	69.6860	17.1	753.3	356	56986.	1111	1.1	1.5	3.3	1.4	0.5	3.2	17	2.2
59501	0	0	0	0	OEce	43.8903	69.6855	17.1	753.2	339	56993.	1331	1.3	1.1	4.1	0.9	0.3	3.2	12	2.1
59502	0	0	0	0	OEce	43.8903	69.6850	17.1	753.2	327	57003.	1340	1.4	2.3	5.0	1.6	0.5	3.6	12	2.0
59503	0	0	0	0	OEce	43.8903	69.6844	17.1	753.1	321	57016.	1384	1.5	1.1	4.5	0.8	0.3	3.2	16	2.0
59504	0	0	0	0	OEce	43.8903	69.6839	17.1	753.1	322	57024.	1376	1.7	1.3	6.2	0.8	0.3	3.8	16	2.1
59505	0	0	0	0	OEce	43.8904	69.6834	17.1	753.0	335	57026.	1260	1.2	1.1	6.3	0.9	0.2	5.3	29	2.1
59506	0	0	0	0	OEce	43.8904	69.6829	17.1	753.0	353	57025.	1246	0.9	2.0	4.8	2.5	0.5	5.9	22	2.1
59507	0	0	0	0	OEce	43.8904	69.6824	17.1	752.9	365	57019.	1237	1.0	1.7	6.4	1.8	0.3	6.9	20	2.1
59508	0	0	0	0	OEce	43.8904	69.6819	17.1	752.8	367	57005.	1257	1.2	1.6	6.0	1.3	0.3	5.2	19	2.1
59509	0	0	1	0	OEce	43.8904	69.6814	17.1	752.8	366	56989.	1329	1.3	0.8	3.4	0.1	0.1	2.8	19	2.1
59510	0	0	1	0	OEce	43.8904	69.6808	17.1	752.7	371	56974.	1360	1.3	1.1	6.6	0.1	0.1	5.5	27	2.0
59511	0	0	0	0	OEce	43.8904	69.6803	17.1	752.7	379	56961.	1433	1.4	2.3	6.9	1.7	0.4	5.2	19	2.0
59512	0	0	0	0	OEce	43.8904	69.6798	17.1	752.6	381	56950.	1495	1.2	2.6	5.8	2.2	0.5	4.8	21	2.1
59513	0	0	0	0	DSb	43.8904	69.6793	17.1	752.6	378	56939.	1455	1.3	1.2	7.8	1.0	0.2	6.4	21	2.2
59514	0	0	0	0	DSb	43.8904	69.6788	17.1	752.5	366	56929.	1503	1.2	2.8	7.1	2.5	0.4	6.2	25	2.2
59515	0	0	0	0	DSb	43.8904	69.6783	17.1	752.5	357	56922.	1629	1.4	2.4	6.0	1.7	0.4	4.3	20	2.3
59516	0	0	1	0	DSb	43.8904	69.6778	17.1	752.5	347	56915.	1631	1.5	0.1	7.1	0.1	0.1	4.7	28	2.4
59517	0	0	0	0	DSb	43.8904	69.6773	17.1	752.4	337	56909.	1683	1.7	3.3	6.8	2.0	0.5	4.1	21	2.5
59518	0	0	0	0	DSb	43.8904	69.6768	17.0	752.4	325	56903.	1685	1.6	2.9	4.2	1.8	0.7	2.6	21	2.6
59519	0	0	0	0	DSb	43.8904	69.6762	17.0	752.4	312	56899.	1632	1.5	1.2	6.3	0.8	0.2	4.2	24	2.8
59520	0	0	0	0	DSb	43.8904	69.6757	17.0	752.3	302	56896.	1709	1.7	1.9	7.1	1.2	0.3	4.3	19	2.9
59521	0	0	0	0	DSb	43.8904	69.6752	17.0	752.3	297	56894.	1671	1.6	1.6	6.1	1.0	0.3	3.9	25	3.0
59522	0	0	0	0	DSb	43.8904	69.6747	17.0	752.3	299	56895.	1577	1.6	1.2	6.0	0.8	0.3	3.7	23	3.1
59523	0	0	0	0	DSb	43.8904	69.6742	17.0	752.3	308	56895.	1516	1.4	2.9	5.2	2.1	0.6	3.7	23	3.2
59524	0	0	0	0	DSb	43.8904	69.6737	17.0	752.3	322	56894.	1504	1.6	1.8	5.3	1.1	0.4	3.4	24	3.3
59525	0	0	0	0	DSb	43.8904	69.6732	17.0	752.3	339	56892.	1395	1.4	1.5	4.6	1.1	0.4	3.3	24	3.4
59526	0	0	0	0	DSb	43.8905	69.6726	17.0	752.3	351	56893.	1359	1.2	1.6	5.2	1.3	0.3	4.4	17	3.5
59527	0	0	0	0	DSb	43.8905	69.6721	17.0	752.3	354	56893.	1393	1.3	1.5	4.2	1.2	0.4	3.3	16	3.5
59528	0	0	1	0	DSb	43.8905	69.6716	17.0	752.3	351	56894.	1435	1.5	1.0	5.0	0.1	0.1	3.4	15	3.4
59529	0	0	1	0	DSb	43.8905	69.6711	17.0	752.3	348	56894.	1458	1.3	0.9	6.3	0.1	0.1	4.9	16	3.3
59530	0	0	1	0	DSb	43.8905	69.6706	17.0	752.3	350	56895.	1468	1.5	0.6	5.9	0.1	0.1	4.1	29	3.2
59531	0	0	1	0	DSb	43.8905	69.6701	17.0	752.4	355	56898.	1575	1.6	1.0	7.2	0.1	0.1	4.5	13	3.1
59532	0	0	0	0	OEce	43.8905	69.6696	17.0	752.4	365	56903.	1625	1.7	1.9	6.6	1.2	0.3	4.0	21	3.0

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
59533	0	0	0	0	OEce	43.8905	69.6691	17.0	752.4	379	56910.	1511	1.5	2.1	6.2	1.5	0.4	4.4	24	2.9
59534	0	0	0	0	OEce	43.8905	69.6685	17.0	752.4	401	56922.	1458	1.4	1.8	6.9	1.3	0.3	5.0	32	2.9
59535	0	0	0	0	OEce	43.8905	69.6680	17.0	752.4	421	56935.	1224	1.1	2.6	4.8	2.4	0.6	4.4	23	2.8
59536	0	0	1	0	OEce	43.8905	69.6675	17.0	752.4	437	56947.	1085	1.2	0.2	6.1	0.1	0.1	5.2	21	2.7
59537	0	0	1	0	OEce	43.8905	69.6670	17.0	752.4	445	56957.	819	0.8	0.1	5.4	0.1	0.1	6.8	16	2.6
59538	0	0	0	0	Water	43.8905	69.6665	17.0	752.4	449	56964.	560	0.7	1.3	2.7	2.0	0.5	4.3	22	2.5
59539	0	0	1	1	Water	43.8905	69.6660	17.0	752.4	451	56965.	399	0.6	-0.2	1.3	0.1	0.1	0.1	15	2.4
59540	0	0	1	1	Water	43.8905	69.6655	17.0	752.4	451	56964.	261	0.3	0.1	0.6	0.1	0.1	0.1	25	2.3
59541	0	0	1	1	Water	43.8905	69.6650	17.0	752.4	451	56963.	195	0.3	0.1	1.4	0.1	0.1	0.1	26	2.2
59542	0	0	1	0	Water	43.8905	69.6645	16.8	752.3	451	56960.	197	0.3	0.4	1.4	0.1	0.1	0.1	18	2.0
59543	0	1	1	1	Water	43.8905	69.6640	16.8	752.3	451	56955.	240	0.2	0.4	0.6	0.1	0.1	0.1	12	1.9
59544	0	1	1	1	Water	43.8905	69.6635	16.8	752.2	451	56950.	285	0.2	0.7	0.9	0.1	0.1	0.1	22	1.8
59545	0	0	1	1	Water	43.8905	69.6630	16.8	752.2	453	56945.	304	0.3	0.9	0.9	0.1	0.1	0.1	14	1.8
59546	0	0	1	0	Water	43.8905	69.6625	16.8	752.2	456	56940.	496	0.6	0.1	2.1	0.1	0.1	3.7	20	1.7
59547	0	0	0	0	Water	43.8905	69.6620	16.8	752.1	450	56936.	740	0.6	2.0	2.1	3.8	1.0	4.0	29	1.6
59548	0	0	1	0	Water	43.8905	69.6615	16.8	752.0	436	56932.	880	0.8	0.6	3.4	0.1	0.1	4.5	29	1.4
59549	0	0	1	0	OEce	43.8905	69.6610	16.8	752.0	415	56928.	1198	1.1	0.6	3.7	0.1	0.1	3.4	24	1.3
59550	0	0	0	0	OEce	43.8905	69.6605	16.8	751.9	397	56923.	1356	1.4	2.7	5.8	2.0	0.5	4.4	19	1.2
59551	0	0	0	0	OEce	43.8905	69.6600	16.8	751.8	380	56918.	1465	1.4	2.1	5.7	1.6	0.4	4.2	17	1.1
59552	0	0	0	0	OEce	43.8905	69.6595	16.8	751.8	362	56914.	1554	1.4	3.4	6.9	2.6	0.5	5.3	28	1.0
59553	0	0	0	0	OEce	43.8905	69.6590	16.8	751.6	347	56911.	1430	1.4	2.2	6.3	1.6	0.4	4.7	14	1.0
59554	0	0	0	0	OEce	43.8905	69.6585	16.8	751.6	333	56908.	1514	1.4	2.4	4.1	1.8	0.6	2.9	26	0.9
59555	0	0	0	0	OEce	43.8905	69.6580	16.8	751.5	323	56907.	1599	1.7	3.4	7.8	2.1	0.5	4.8	22	0.9
59556	0	0	0	0	OEce	43.8905	69.6575	16.8	751.4	312	56907.	1580	1.4	1.3	6.2	1.0	0.3	4.4	17	0.9
59557	0	0	0	0	OEce	43.8905	69.6570	16.8	751.3	307	56906.	1608	1.7	2.7	5.7	1.7	0.5	3.5	13	0.9
59558	0	0	0	0	DSb	43.8905	69.6565	16.8	751.2	306	56903.	1545	1.5	1.7	5.8	1.2	0.3	4.0	20	0.9
59559	0	0	0	0	DSb	43.8905	69.6560	16.8	751.1	311	56900.	1461	1.2	2.0	4.3	1.7	0.5	3.6	19	1.0
59560	0	0	0	0	DSb	43.8905	69.6555	16.8	751.0	318	56896.	1469	1.6	2.2	4.1	1.4	0.6	2.7	18	1.0
59561	0	0	0	0	DSb	43.8905	69.6550	16.8	750.9	331	56894.	1478	1.4	2.4	3.8	1.7	0.7	2.7	24	1.0
59562	0	0	0	0	DSb	43.8905	69.6545	16.8	750.8	346	56895.	1448	1.4	2.8	6.4	2.1	0.5	4.8	19	0.8
59563	0	0	0	0	DSb	43.8905	69.6540	16.8	750.7	365	56895.	1436	1.6	1.9	2.7	1.3	0.8	1.7	15	0.5
59564	0	0	0	0	DSb	43.8906	69.6535	16.8	750.7	384	56894.	1302	1.2	2.6	4.2	2.3	0.7	3.7	15	0.3
59565	0	0	0	0	DSb	43.8906	69.6530	16.8	750.6	409	56893.	1374	1.1	2.7	3.7	2.4	0.8	3.3	20	0.0
59566	0	0	0	0	DSb	43.8906	69.6525	16.8	750.5	429	56893.	1187	1.0	3.0	6.1	3.0	0.5	6.1	21	0.0
59567	0	0	0	0	DSb	43.8906	69.6520	16.8	750.5	448	56893.	1235	0.8	1.3	3.9	1.8	0.4	5.3	26	0.0
59568	0	0	0	0	DSb	43.8906	69.6515	16.8	750.4	455	56894.	1209	1.2	2.3	5.5	2.0	0.5	4.7	22	0.0
59569	0	0	0	0	DSb	43.8906	69.6510	16.8	750.4	451	56895.	1309	1.0	3.1	5.5	3.2	0.6	5.6	23	0.0
59571	0	0	0	0	DSb	43.8906	69.6500	16.8	750.3	433	56897.	1401	1.4	2.5	7.0	1.9	0.4	5.3	18	0.0
59572	0	0	0	0	DSb	43.8906	69.6495	16.8	750.2	409	56899.	1407	1.2	2.0	6.0	1.7	0.4	5.0	22	0.0
59573	0	0	0	0	DSb	43.8906	69.6490	16.8	750.2	389	56900.	1376	1.1	2.3	4.5	2.2	0.6	4.3	17	0.0
59574	0	0	0	0	DSb	43.8906	69.6485	16.8	750.2	375	56900.	1435	1.2	3.9	5.1	3.3	0.8	4.3	21	0.0
59575	0	0	0	0	DSb	43.8906	69.6480	16.8	750.2	366	56900.	1330	0.9	2.8	8.0	3.3	0.4	9.2	20	0.0
59576	0	0	0	0	DSb	43.8906	69.6475	16.8	750.1	358	56900.	1365	1.2	1.4	2.8	1.2	0.5	2.4	14	0.0
59577	0	0	0	0	DSb	43.8906	69.6470	16.8	750.1	352	56901.	1260	1.1	2.8	6.9	2.6	0.5	6.3	18	0.0
59578	0	0	0	0	DSb	43.8906	69.6465	16.8	750.1	347	56903.	1236	1.0	2.8	3.5	2.9	0.8	3.8	31	0.0
59579	0	0	0	0	DSb	43.8906	69.6460	16.8	750.1	347	56905.	1176	1.0	2.6	3.4	2.6	0.8	3.4	17	0.0
59580	0	0	0	0	DSb	43.8906	69.6455	16.8	750.1	351	56906.	1175	1.1	2.8	4.1	2.7	0.7	3.9	20	0.0
59581	0	0	0	0	DSb	43.8906	69.6450	16.8	750.1	358	56906.	1221	1.0	1.8	4.8	1.9	0.4	4.8	24	0.0
59582	0	0	0	0	DSb	43.8906	69.6445	16.8	750.0	360	56907.	1293	1.2	1.8	4.9	1.6	0.4	4.4	19	0.0
59583	0	0	0	0	DSb	43.8906	69.6440	16.8	750.0	358	56908.	1246	1.0	1.6	5.9	1.7	0.3	6.1	12	0.0

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
59584	0	0	0	0	DSb	43.8906	69.6435	16.8	750.0	350	56910.	1146	1.0	1.8	5.4	1.9	0.4	5.7	15	0.0
59585	0	0	0	0	DSb	43.8906	69.6430	16.8	750.0	348	56910.	1168	0.9	1.0	4.8	1.2	0.3	5.8	20	0.0
59586	0	0	0	0	DSb	43.8906	69.6425	16.8	750.0	352	56911.	1170	0.9	1.6	4.6	2.0	0.4	5.6	20	0.0
59587	0	0	0	0	DSb	43.8906	69.6420	16.8	750.0	364	56912.	1155	0.9	2.3	4.5	2.6	0.6	5.0	21	0.0
59588	0	0	0	0	DSb	43.8906	69.6415	16.8	750.0	371	56914.	1260	0.9	2.5	4.3	2.8	0.6	4.9	13	0.0
59589	0	0	0	0	DSb	43.8906	69.6410	16.8	750.0	377	56917.	1223	0.9	2.4	4.1	2.7	0.6	4.7	12	0.0
59590	0	0	0	0	DSb	43.8906	69.6405	16.8	750.0	384	56919.	1227	1.1	2.3	6.1	2.3	0.4	6.0	25	0.0
59591	0	0	0	0	DSb	43.8906	69.6399	16.7	749.9	394	56921.	1262	1.1	1.3	5.7	1.2	0.3	5.3	27	0.0
59592	0	0	0	0	DSb	43.8906	69.6395	16.7	749.9	402	56923.	1360	1.0	1.6	5.7	1.7	0.3	5.9	25	0.0
59593	0	0	0	0	DSb	43.8906	69.6389	16.7	749.9	407	56925.	1385	1.3	2.5	5.2	2.0	0.5	4.2	18	0.2
59594	0	0	0	0	DSb	43.8906	69.6385	16.7	749.9	413	56925.	1381	1.2	1.3	3.8	1.1	0.4	3.3	26	0.5
59595	0	0	0	0	DSb	43.8906	69.6379	16.7	749.9	426	56926.	1353	1.1	1.6	4.0	1.5	0.4	3.6	20	0.7
59596	0	0	0	0	DSb	43.8906	69.6375	16.7	749.9	440	56926.	1223	1.4	1.9	4.8	1.4	0.4	3.5	16	0.9
59597	0	0	0	0	DSb	43.8906	69.6369	16.7	749.9	449	56928.	1128	0.8	1.5	4.8	1.9	0.3	6.0	16	1.1
59598	0	0	0	0	DSb	43.8906	69.6364	16.7	749.9	451	56929.	1286	0.9	2.9	3.4	3.4	0.9	4.0	8	1.3
59599	0	0	0	0	DSb	43.8906	69.6359	16.7	749.5	464	56935.	1094	1.2	2.4	4.3	2.1	0.6	3.7	18	1.7
59600	0	0	0	0	DSb	43.8906	69.6354	16.7	749.5	468	56938.	1088	0.9	1.5	4.8	1.8	0.4	5.7	19	1.7
59601	0	0	0	0	DSb	43.8906	69.6349	16.6	749.4	478	56942.	969	0.8	1.5	4.0	2.0	0.4	5.2	17	1.8
59602	0	0	1	1	DSb	43.8906	69.6344	16.6	749.4	491	56947.	983	1.1	1.0	-0.1	0.1	0.1	0.1	18	1.9
59603	0	0	0	0	DSb	43.8906	69.6339	16.6	749.3	508	56951.	896	0.9	1.8	5.0	2.0	0.4	5.5	19	1.9
59604	0	0	1	0	DSb	43.8905	69.6334	16.6	749.3	521	56957.	762	0.7	0.6	3.1	0.1	0.1	4.4	22	2.0
59605	0	0	1	0	DSb	43.8905	69.6328	16.6	749.2	530	56963.	525	0.6	0.6	1.6	0.1	0.1	2.9	22	2.0
59606	0	0	1	0	DSb	43.8904	69.6323	16.6	749.1	537	56968.	457	0.5	0.2	1.7	0.1	0.1	0.1	10	1.9
59607	0	1	1	1	DSb	43.8904	69.6318	16.6	749.1	542	56970.	317	0.1	0.2	1.4	0.1	0.1	0.1	22	1.9
59608	0	1	1	0	DSb	43.8903	69.6312	16.6	749.0	546	56971.	312	0.3	-0.3	1.9	0.1	0.1	0.1	31	2.0
59609	0	0	1	0	DSb	43.8903	69.6307	16.6	749.0	547	56975.	492	0.5	1.1	2.2	0.1	0.1	0.1	18	2.0
59610	0	0	1	0	DSb	43.8902	69.6301	16.6	748.9	544	56979.	509	0.5	0.7	3.1	0.1	0.1	0.1	12	2.0
59611	0	0	1	0	DSb	43.8902	69.6296	16.6	748.9	537	56983.	782	0.6	0.2	5.9	0.1	0.1	10.2	15	2.0
59612	0	0	1	0	DSb	43.8901	69.6291	16.6	748.8	529	56985.	980	0.8	1.3	5.4	0.1	0.1	6.9	21	2.1
59613	0	0	1	0	DSb	43.8901	69.6285	16.6	748.8	520	56984.	1241	1.3	0.9	6.4	0.1	0.1	5.1	27	2.1
59614	0	0	0	0	DSb	43.8901	69.6280	16.6	748.8	508	56980.	1384	1.3	2.6	7.0	2.2	0.4	5.7	18	2.1
59615	0	0	1	0	DSb	43.8900	69.6275	16.6	748.7	500	56975.	1459	1.4	0.5	5.2	0.1	0.1	3.9	26	2.1
59616	0	0	0	0	DSb	43.8900	69.6269	16.6	748.7	489	56970.	1492	1.6	2.6	5.8	1.7	0.5	3.8	32	2.0
59617	0	0	0	0	DSb	43.8899	69.6264	16.6	748.6	477	56965.	1522	1.5	1.6	5.8	1.1	0.3	4.1	20	2.0
59618	0	0	0	0	DSb	43.8899	69.6258	16.6	748.6	457	56959.	1591	1.3	3.5	8.4	2.8	0.5	6.8	13	2.0
59619	0	0	0	0	DSb	43.8898	69.6253	16.6	748.6	440	56952.	1602	1.4	2.3	7.8	1.7	0.3	5.6	15	2.0
59620	0	0	0	0	DSb	43.8898	69.6248	16.6	748.5	423	56946.	1508	1.5	2.9	5.0	2.0	0.6	3.4	20	2.0
59621	0	0	0	0	DSb	43.8897	69.6242	16.6	748.5	409	56940.	1578	1.6	2.3	5.9	1.6	0.4	3.9	27	2.1
59622	0	0	1	0	DSb	43.8897	69.6237	16.6	748.4	394	56933.	1767	2.2	0.1	7.8	0.1	0.1	3.7	17	2.1
59623	0	0	0	0	DSb	43.8896	69.6232	16.6	748.4	381	56927.	1854	2.2	2.6	6.8	1.2	0.4	3.2	24	2.1
59624	0	0	0	0	DSb	43.8896	69.6226	16.6	748.3	368	56921.	1862	2.1	2.0	5.8	1.0	0.4	2.9	14	2.0
59625	0	0	1	0	DSb	43.8895	69.6221	16.6	748.3	358	56916.	1823	2.0	0.9	6.2	0.1	0.1	3.1	16	2.0
59626	0	0	0	0	DSb	43.8895	69.6216	16.6	748.2	350	56913.	1871	2.0	1.9	7.6	1.0	0.3	3.9	28	1.9
59627	0	0	0	0	DSb	43.8895	69.6210	16.6	748.2	347	56912.	1825	2.3	1.6	6.0	0.7	0.3	2.7	24	1.9
59628	0	0	0	0	DSb	43.8894	69.6205	16.6	748.2	347	56913.	1805	1.9	1.2	7.9	0.7	0.2	4.3	24	1.9
59629	0	0	0	0	DSb	43.8894	69.6199	16.6	748.2	351	56912.	1951	2.1	1.6	7.7	0.8	0.3	3.8	15	1.9
59630	0	0	0	0	DSb	43.8893	69.6194	16.6	748.1	359	56910.	1738	1.9	2.1	4.9	1.1	0.5	2.6	18	1.9
59631	0	0	0	0	DSb	43.8893	69.6189	16.6	748.1	371	56909.	1723	1.7	2.1	7.9	1.3	0.3	4.9	16	2.0
59632	0	0	1	0	DSb	43.8892	69.6183	16.6	748.1	384	56911.	1520	1.6	0.2	9.2	0.1	0.1	6.0	24	2.0
59633	0	0	1	0	DSb	43.8892	69.6178	16.6	748.1	400	56911.	1413	1.4	1.1	5.7	0.1	0.1	4.3	35	2.0

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
59634	0	0	0	0	DSb	43.8891	69.6173	16.6	748.1	411	56908.	1289	1.2	1.7	4.4	1.4	0.4	3.8	26	2.0
59635	0	0	0	0	DSb	43.8891	69.6167	16.6	748.1	418	56905.	1087	1.1	1.2	2.6	1.2	0.5	2.6	24	2.0
59636	0	0	0	0	DSb	43.8890	69.6162	16.5	748.1	426	56902.	1078	1.1	1.7	4.5	1.6	0.4	4.5	24	2.0
59637	0	0	0	0	DSb	43.8890	69.6156	16.5	748.1	437	56899.	1042	1.2	1.5	3.5	1.4	0.5	3.1	25	2.0
59638	0	0	0	0	DSb	43.8889	69.6151	16.5	748.1	440	56897.	1203	1.2	2.1	5.4	1.8	0.4	4.8	17	1.9
59639	0	0	0	0	DSb	43.8889	69.6146	16.5	748.1	431	56896.	1367	1.4	1.6	3.8	1.1	0.5	2.7	23	1.9
59640	0	0	0	0	DSb	43.8888	69.6140	16.5	748.1	415	56894.	1577	1.7	2.4	6.8	1.5	0.4	4.1	24	1.9
59641	0	0	0	0	DSb	43.8888	69.6135	16.5	748.1	405	56892.	1596	1.4	2.8	7.1	2.1	0.4	5.3	12	2.0
59642	0	0	0	0	DSb	43.8888	69.6130	16.5	748.2	403	56892.	1585	1.5	1.4	6.8	0.9	0.2	4.6	23	1.9
59643	0	0	0	0	DSb	43.8888	69.6125	16.5	748.2	412	56892.	1568	1.5	1.4	5.2	1.0	0.3	3.5	28	1.9
59644	0	0	0	0	DSb	43.8888	69.6119	16.5	748.2	434	56892.	1606	1.5	2.5	5.5	1.7	0.5	3.7	22	1.8
59645	0	0	0	0	DSb	43.8888	69.6114	16.5	748.2	458	56891.	1689	1.5	1.7	7.5	1.1	0.3	5.0	17	1.7
59646	0	0	0	0	DSb	43.8888	69.6109	16.5	748.2	478	56890.	1663	1.7	2.6	8.7	1.6	0.3	5.3	19	1.6
59647	0	0	0	0	DSb	43.8888	69.6104	16.5	748.3	490	56889.	1676	1.3	3.0	6.4	2.5	0.5	5.3	19	1.5
59648	0	0	0	0	DSb	43.8888	69.6098	16.5	748.3	497	56889.	1672	1.8	3.3	5.4	1.9	0.6	3.1	14	1.5
59649	0	0	0	0	DSb	43.8888	69.6093	16.5	748.3	494	56889.	1535	1.6	3.2	5.6	2.1	0.6	3.7	26	1.4
59650	0	0	0	0	DSb	43.8888	69.6088	16.5	748.3	482	56890.	1456	1.1	2.4	6.5	2.3	0.4	6.0	18	1.2
59651	0	0	0	0	OEce	43.8888	69.6083	16.5	748.4	469	56891.	1298	1.2	3.0	5.0	2.6	0.6	4.4	14	1.1
59652	0	0	0	0	OEce	43.8888	69.6078	16.5	748.4	463	56893.	1154	1.0	2.5	5.6	2.7	0.5	6.1	18	1.0
59653	0	0	0	0	OEce	43.8888	69.6072	16.5	748.4	461	56895.	1046	0.7	3.2	4.7	5.0	0.7	7.2	15	0.8
59654	0	0	0	0	OEce	43.8888	69.6067	16.5	748.4	462	56896.	1149	1.0	1.5	3.7	1.6	0.4	4.0	23	0.7
59655	0	0	1	0	OEce	43.8888	69.6062	16.5	749.2	457	56905.	900	0.8	0.5	2.8	0.1	0.1	3.5	16	0.5
59656	0	0	1	0	OEce	43.8888	69.6057	16.5	749.3	449	56915.	884	0.7	0.8	3.7	0.1	0.1	5.5	33	0.3
59657	0	0	0	0	OEce	43.8888	69.6051	16.4	749.5	433	56932.	952	0.6	1.5	3.2	2.7	0.5	5.7	27	0.1
59658	0	0	0	0	OEce	43.8888	69.6046	16.4	749.6	411	56954.	1065	1.2	1.5	3.9	1.4	0.4	3.5	21	0.0
59659	0	0	0	0	OEce	43.8888	69.6041	16.4	749.8	388	56972.	1215	1.0	1.6	4.2	1.6	0.4	4.2	24	0.0
59660	0	0	0	0	OEce	43.8888	69.6036	16.4	749.9	370	56993.	1333	1.0	1.8	5.8	1.8	0.3	5.9	15	0.0
59662	0	0	0	0	OEds	43.8887	69.6025	16.4	750.1	358	57015.	1292	1.2	1.6	3.5	1.4	0.5	3.1	29	0.0
59663	0	0	0	0	OEds	43.8887	69.6020	16.4	750.2	352	57032.	1335	1.3	2.4	6.0	1.9	0.5	4.7	20	0.0
59664	0	0	0	0	OEds	43.8887	69.6015	16.4	750.4	350	57042.	1329	1.3	1.3	3.9	1.0	0.4	3.1	25	0.0
59665	0	0	1	0	OEds	43.8887	69.6010	16.4	750.5	350	57044.	1323	1.3	1.0	7.3	0.1	0.1	5.9	27	0.0
59666	0	0	0	0	OEds	43.8887	69.6004	16.4	750.7	351	57039.	1376	1.2	2.3	6.4	2.0	0.4	5.5	25	0.0
59667	0	0	0	0	OEds	43.8887	69.5999	16.4	750.9	350	57025.	1360	1.3	2.1	3.6	1.6	0.6	2.8	25	0.0
59668	0	0	0	0	OEds	43.8887	69.5994	16.4	751.0	349	57006.	1353	1.2	2.6	3.4	2.3	0.8	3.0	18	0.0
59669	0	0	0	0	OEds	43.8887	69.5989	16.4	751.2	348	56982.	1358	1.1	2.5	4.7	2.4	0.6	4.5	26	0.0
59670	0	0	0	0	OEds	43.8887	69.5984	16.4	751.3	349	56955.	1436	1.2	2.6	5.6	2.4	0.5	5.0	29	0.0
59671	0	0	0	0	OEds	43.8887	69.5978	16.4	751.4	351	56928.	1497	1.4	3.3	5.2	2.5	0.7	3.9	13	0.0
59672	0	0	0	0	OEds	43.8887	69.5973	16.4	751.6	352	56905.	1504	1.2	4.0	4.8	3.4	0.9	4.1	19	0.1
59673	0	0	0	0	OEds	43.8887	69.5968	16.4	751.7	351	56887.	1483	1.3	2.2	6.2	1.7	0.4	4.9	24	0.2
59674	0	0	0	0	OEds	43.8887	69.5963	16.4	751.8	346	56876.	1555	1.4	3.4	3.9	2.6	0.9	2.9	14	0.3
59675	0	0	0	0	OEds	43.8887	69.5957	16.4	751.9	339	56869.	1535	1.2	4.4	2.7	3.7	1.7	2.3	30	0.5
59676	0	0	0	0	OEds	43.8887	69.5952	16.4	752.0	331	56866.	1562	1.3	2.8	5.0	2.3	0.6	4.1	15	0.6
59677	0	0	0	0	OEds	43.8887	69.5947	16.4	752.1	325	56866.	1623	1.3	4.0	3.0	3.1	1.4	2.4	21	0.8
59678	0	0	0	0	OEds	43.8887	69.5941	16.4	752.2	320	56867.	1567	1.3	3.3	4.5	2.7	0.8	3.7	17	1.0
59679	0	0	0	0	OEds	43.8887	69.5935	16.4	752.2	316	56869.	1512	1.5	3.7	4.2	2.5	0.9	2.8	14	1.1
59680	0	0	0	0	OEds	43.8887	69.5929	16.4	752.3	309	56872.	1393	1.2	3.4	4.4	2.9	0.8	3.7	24	1.1
59681	0	0	0	0	OEds	43.8888	69.5924	16.4	752.3	302	56876.	1323	1.3	3.0	3.5	2.5	0.9	2.8	18	1.0
59682	0	0	0	0	OEds	43.8888	69.5918	16.4	752.4	297	56880.	1196	1.0	2.0	3.9	2.0	0.6	4.0	24	0.9
59683	0	0	0	0	OEds	43.8888	69.5912	16.4	752.4	299	56882.	1173	1.1	2.2	3.6	2.0	0.6	3.3	24	0.8
59684	0	0	0	0	OEds	43.8888	69.5906	16.4	752.5	308	56882.	1231	1.0	1.9	3.0	1.9	0.7	3.0	21	0.7

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
59685	0	0	0	0	OEds	43.8888	69.5901	16.4	752.5	330	56877.	1227	1.1	3.3	3.5	3.2	1.0	3.3	22	0.6
59686	0	0	0	0	OEds	43.8889	69.5895	16.4	752.6	360	56873.	1093	1.2	1.6	3.4	1.4	0.5	3.0	24	0.4
59687	0	0	0	0	OEds	43.8889	69.5889	16.4	752.6	389	56869.	782	0.7	1.1	2.3	1.6	0.5	3.5	23	0.3
59688	0	0	1	0	Water	43.8889	69.5883	16.4	752.6	409	56866.	502	0.4	0.3	2.1	0.1	0.1	0.1	19	0.2
59689	0	0	1	0	Water	43.8889	69.5877	16.4	752.7	418	56865.	457	0.5	0.7	1.4	0.1	0.1	0.1	9	0.2
59690	0	0	0	0	Water	43.8890	69.5872	16.4	752.7	425	56865.	453	0.5	0.9	1.7	0.1	0.6	0.1	20	0.1
59691	0	0	1	0	Water	43.8890	69.5866	16.4	752.7	429	56866.	391	0.4	0.8	1.7	0.1	0.1	0.1	12	0.1
59692	0	0	0	0	Water	43.8890	69.5860	16.4	752.7	432	56865.	511	0.4	1.7	1.7	0.1	1.1	0.1	19	0.0
59693	0	0	0	0	Water	43.8890	69.5854	16.4	752.8	434	56861.	598	0.7	1.4	1.7	2.1	0.8	2.6	22	0.0
59694	0	0	0	1	Water	43.8890	69.5849	16.4	752.8	426	56855.	698	0.8	1.4	1.5	1.9	0.1	0.1	21	0.0
59695	0	0	0	0	Water	43.8891	69.5843	16.4	752.9	417	56850.	737	0.6	1.2	2.0	2.0	0.6	3.5	23	0.1
59696	0	0	0	0	Water	43.8891	69.5837	16.4	752.9	414	56849.	765	0.7	1.3	2.5	2.1	0.5	4.1	15	0.1
59697	0	0	1	0	Water	43.8891	69.5831	16.4	752.9	420	56853.	637	0.8	0.8	2.0	0.1	0.1	2.5	22	0.2
59698	0	0	0	1	Water	43.8891	69.5826	16.4	753.0	427	56858.	440	0.4	1.2	0.4	0.1	0.1	0.1	14	0.2
59699	0	1	1	1	Water	43.8891	69.5820	16.4	753.0	428	56861.	297	0.1	0.8	1.2	0.1	0.1	0.1	23	0.1
59700	0	0	1	0	Water	43.8892	69.5814	16.4	753.0	427	56863.	341	0.4	0.6	1.9	0.1	0.1	0.1	28	0.1
59701	0	0	1	1	Water	43.8892	69.5808	16.3	753.0	415	56865.	461	0.5	0.9	0.9	0.1	0.1	0.1	11	0.0
59702	0	0	0	0	Water	43.8892	69.5802	16.3	753.1	395	56864.	590	0.6	1.4	3.5	2.3	0.4	5.7	18	0.0
59703	0	0	0	0	DSb	43.8892	69.5797	16.3	753.1	370	56864.	731	0.7	1.9	2.3	2.9	0.9	3.5	17	0.0
59704	0	0	0	0	DSb	43.8893	69.5791	16.3	753.1	354	56864.	834	0.7	1.6	4.5	2.3	0.4	6.5	22	0.0
59705	0	0	0	0	DSb	43.8893	69.5785	16.3	753.1	349	56864.	860	0.8	1.6	3.8	2.0	0.5	4.9	26	0.2
59706	0	0	0	0	DSb	43.8893	69.5779	16.3	753.1	347	56864.	978	0.6	1.7	5.1	2.8	0.4	8.3	20	0.3
59707	0	0	0	0	DSb	43.8893	69.5773	16.3	753.1	344	56865.	1092	0.9	1.8	4.3	2.1	0.5	5.1	26	0.5
59708	0	0	0	0	DSb	43.8893	69.5768	16.3	753.1	340	56865.	1130	1.0	2.0	3.9	2.0	0.6	4.1	20	0.8
59709	0	0	0	0	DSb	43.8893	69.5763	16.3	753.1	339	56866.	1182	1.0	1.7	6.2	1.8	0.3	6.4	16	1.0
59710	0	0	1	0	DSb	43.8893	69.5758	16.3	753.1	340	56866.	1195	1.2	0.6	5.8	0.1	0.1	4.8	21	1.2
59711	0	0	0	0	DSb	43.8893	69.5752	16.3	753.1	341	56866.	1169	1.1	1.7	7.1	1.6	0.3	6.7	20	1.4
59712	0	0	0	0	DSb	43.8893	69.5747	16.2	753.2	344	56866.	1236	1.0	1.3	6.5	1.4	0.3	6.8	17	1.5
59713	0	0	0	0	DSb	43.8893	69.5742	16.2	753.2	342	56867.	1231	1.2	1.7	5.7	1.5	0.3	5.1	20	1.5
59714	0	0	0	0	DSb	43.8892	69.5736	16.2	753.1	346	56868.	1089	1.0	1.3	4.0	1.4	0.3	4.3	19	1.4
59715	0	0	0	0	Water	43.8892	69.5731	16.2	753.1	360	56869.	1115	1.1	2.5	3.3	2.4	0.8	3.3	23	1.3
59716	0	0	0	0	Water	43.8892	69.5726	16.2	753.1	379	56868.	876	0.6	1.4	3.0	2.4	0.5	5.2	21	1.2
59717	0	0	0	0	Water	43.8892	69.5721	16.2	753.1	400	56868.	649	0.7	1.5	1.8	2.3	0.9	2.7	17	1.2
59718	0	0	1	0	Water	43.8892	69.5715	16.2	753.1	411	56868.	494	0.5	0.5	3.2	0.1	0.1	0.1	21	1.1
59719	0	0	1	0	Water	43.8892	69.5710	16.2	753.1	417	56869.	397	0.6	-0.2	1.4	0.1	0.1	2.3	27	1.1
59720	0	0	1	0	Water	43.8892	69.5705	16.2	753.1	421	56871.	271	0.4	-0.2	1.5	0.1	0.1	0.1	19	1.0
59721	0	0	1	0	Water	43.8892	69.5699	16.2	753.1	424	56873.	401	0.3	0.6	1.4	0.1	0.1	0.1	24	0.9
59722	0	0	0	0	Water	43.8892	69.5694	16.2	753.1	427	56876.	429	0.5	1.3	2.3	0.1	0.6	0.1	25	0.9
59723	0	0	0	0	Water	43.8891	69.5689	16.2	753.1	428	56878.	588	0.6	1.9	2.3	3.5	0.9	4.1	23	0.9
59724	0	0	0	0	Water	43.8891	69.5684	16.2	753.1	418	56879.	597	0.5	1.4	2.0	0.1	0.8	0.1	19	1.0
59725	0	0	0	0	Water	43.8891	69.5678	16.2	753.1	395	56879.	709	0.9	1.3	2.1	1.6	0.7	2.5	18	1.1
59726	0	0	0	0	Water	43.8891	69.5673	16.2	753.1	367	56881.	858	0.9	1.1	4.9	1.3	0.3	5.8	25	1.1
59727	0	0	1	0	Water	43.8891	69.5668	16.2	753.1	349	56886.	995	0.8	0.5	4.5	0.1	0.1	5.8	17	1.2
59728	0	0	1	0	OEcb	43.8891	69.5662	16.2	753.1	344	56895.	1075	0.9	0.7	5.3	0.1	0.1	5.9	13	1.2
59729	0	0	0	0	OEcb	43.8891	69.5657	16.2	753.1	346	56905.	1145	1.0	1.8	5.5	1.9	0.4	5.7	18	1.3
59730	0	0	0	0	OEcb	43.8891	69.5652	16.2	753.0	350	56910.	1244	0.9	2.3	5.4	2.6	0.5	6.2	16	1.3
59731	0	0	0	0	OEcb	43.8891	69.5646	16.2	753.0	358	56912.	1335	1.3	2.0	5.1	1.5	0.4	3.9	16	1.5
59732	0	0	1	0	OEcb	43.8890	69.5641	16.2	752.9	363	56911.	1304	1.2	1.0	5.3	0.1	0.1	4.6	19	1.5
59733	0	0	1	0	OEcb	43.8890	69.5636	16.2	752.9	363	56908.	1193	1.1	0.5	4.9	0.1	0.1	4.5	23	1.6
59734	0	0	0	0	OEcb	43.8890	69.5630	16.2	752.8	354	56906.	1194	1.3	2.4	3.9	1.9	0.7	3.1	23	1.6

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
59735	0	0	0	0	OEcb	43.8890	69.5625	16.2	752.8	344	56905.	1317	1.0	1.7	3.6	1.8	0.5	3.7	19	1.6
59736	0	0	0	0	OEcb	43.8890	69.5620	16.2	752.7	335	56903.	1341	1.3	2.4	5.4	1.9	0.5	4.3	19	1.7
59737	0	0	0	0	OEcb	43.8890	69.5615	16.2	752.7	326	56901.	1444	1.4	2.9	6.5	2.1	0.5	4.7	21	1.8
59738	0	0	0	0	OEce	43.8890	69.5609	16.2	752.6	317	56901.	1544	1.5	3.0	4.6	2.1	0.7	3.2	27	1.9
59739	0	0	0	0	OEce	43.8890	69.5604	16.2	752.6	314	56900.	1511	1.5	3.5	3.7	2.4	1.0	2.5	18	2.0
59740	0	0	0	0	OEce	43.8890	69.5599	16.2	752.5	320	56900.	1469	1.7	2.8	4.0	1.8	0.8	2.5	13	2.2
59741	0	0	0	0	OEce	43.8890	69.5593	16.2	752.5	335	56903.	1417	1.2	2.5	4.6	2.1	0.6	3.9	19	2.4
59742	0	0	0	0	OEce	43.8889	69.5588	16.2	752.5	352	56906.	1392	1.6	1.7	4.8	1.1	0.4	3.2	22	2.6
59743	0	0	0	0	OEce	43.8889	69.5583	16.2	752.4	365	56906.	1298	1.2	1.6	3.8	1.4	0.5	3.2	14	2.7
59744	0	0	0	0	OEce	43.8889	69.5578	16.2	752.4	373	56906.	1216	1.1	2.6	4.2	2.4	0.6	4.0	25	2.8
59745	0	0	0	0	OEce	43.8889	69.5572	16.1	752.4	387	56906.	1036	1.1	1.8	4.3	1.7	0.5	4.1	17	3.0
59746	0	0	1	0	OEce	43.8889	69.5567	16.1	752.4	409	56906.	730	0.6	0.1	1.7	0.1	0.1	2.9	24	3.1
59747	0	0	1	0	OEce	43.8889	69.5562	16.1	752.4	431	56908.	630	0.7	1.0	2.1	0.1	0.1	3.3	14	3.2
59748	0	0	1	0	OEce	43.8888	69.5556	16.1	752.4	446	56910.	452	0.3	0.7	1.6	0.1	0.1	0.1	22	3.2
59749	0	0	1	0	Water	43.8888	69.5551	16.1	752.4	453	56911.	250	0.4	-0.4	1.4	0.1	0.1	0.1	14	3.3
59750	0	0	1	1	Water	43.8888	69.5546	16.1	752.4	457	56911.	265	0.2	0.2	0.6	0.1	0.1	0.1	20	3.4
59752	0	0	1	1	Water	43.8888	69.5535	16.1	752.4	459	56913.	237	0.2	0.2	-0.1	0.1	0.1	0.1	19	3.4
59753	0	0	1	1	Water	43.8887	69.5529	16.1	752.4	453	56915.	316	0.3	0.4	0.6	0.1	0.1	0.1	22	3.4
59754	0	0	1	0	Water	43.8887	69.5524	16.1	752.4	448	56918.	404	0.5	0.8	2.2	0.1	0.1	0.1	21	3.4
59755	0	0	1	0	Water	43.8887	69.5518	16.1	752.4	445	56920.	561	0.3	0.2	2.8	0.1	0.1	0.1	22	3.4
59756	0	0	1	0	Water	43.8887	69.5513	16.1	752.4	449	56922.	560	0.5	0.7	2.1	0.1	0.1	0.1	13	3.4
59757	0	0	1	0	Water	43.8887	69.5508	16.1	752.4	452	56925.	553	0.5	-0.6	2.2	0.1	0.1	0.1	22	3.3
59758	0	0	0	0	Water	43.8886	69.5502	16.1	752.4	453	56929.	640	0.6	2.9	2.3	5.5	1.3	4.4	22	3.3
59759	0	0	1	0	Water	43.8886	69.5497	16.1	752.5	436	56932.	712	0.7	0.4	1.8	0.1	0.1	2.7	20	3.3
59760	0	0	0	0	Water	43.8886	69.5492	16.1	752.5	411	56936.	838	0.9	1.4	3.6	1.5	0.4	4.1	24	3.3
59761	0	0	1	0	Water	43.8886	69.5486	16.1	752.5	378	56941.	887	0.9	0.9	2.1	0.1	0.1	2.6	18	3.3
59762	0	0	1	0	Water	43.8885	69.5481	16.1	752.5	361	56944.	876	0.7	0.7	3.2	0.1	0.1	4.8	23	3.2
59763	0	0	0	0	Water	43.8885	69.5475	16.1	752.5	352	56948.	880	0.7	1.5	3.0	2.2	0.5	4.3	22	3.1
59764	0	0	0	0	Water	43.8885	69.5470	16.1	752.5	358	56953.	823	0.6	1.5	4.0	2.6	0.4	7.2	23	3.0
59765	0	0	1	0	Water	43.8885	69.5465	16.1	752.5	378	56957.	642	0.4	-0.1	3.1	0.1	0.1	0.1	28	2.9
59766	0	0	1	0	Water	43.8885	69.5459	16.1	752.5	403	56960.	584	0.7	0.9	2.4	0.1	0.1	3.8	15	2.8
59767	0	0	1	1	Water	43.8884	69.5454	16.1	752.5	419	56961.	447	0.4	-0.2	0.7	0.1	0.1	0.1	16	2.6
59768	0	0	1	0	Water	43.8884	69.5449	16.1	752.5	423	56962.	347	0.2	0.6	2.8	0.1	0.1	0.1	19	2.4
59769	0	1	1	1	Water	43.8884	69.5443	15.9	752.8	436	56965.	248	0.2	0.1	1.3	0.1	0.1	0.1	12	2.1
59770	0	1	1	0	Water	43.8884	69.5438	15.9	752.8	438	56969.	176	0.2	0.1	1.4	0.1	0.1	0.1	18	1.9
59771	0	1	1	1	Water	43.8883	69.5432	15.8	752.8	440	56972.	164	0.1	0.5	-0.6	0.1	0.1	0.1	24	1.6
59772	0	1	1	1	Water	43.8883	69.5427	15.8	752.9	439	56974.	111	0.1	0.4	0.3	0.1	0.1	0.1	23	1.4
59773	0	1	0	1	Water	43.8883	69.5422	15.8	752.9	436	56973.	121	0.1	0.9	0.3	0.1	0.1	0.1	20	1.3
59774	0	0	1	1	Water	43.8883	69.5416	15.8	752.9	433	56972.	143	0.3	0.0	0.5	0.1	0.1	0.1	26	1.1
59775	0	1	1	0	Water	43.8883	69.5411	15.8	753.0	430	56971.	139	0.2	-0.5	1.7	0.1	0.1	0.1	16	0.9
59776	0	0	1	1	Water	43.8882	69.5406	15.8	753.0	427	56968.	204	0.4	0.3	0.4	0.1	0.1	0.1	15	0.7
59777	0	0	1	1	Water	43.8882	69.5400	15.8	753.0	419	56965.	456	0.5	0.7	0.6	0.1	0.1	0.1	21	0.5
59778	0	0	0	0	Water	43.8882	69.5395	15.8	753.1	402	56961.	687	0.7	2.3	1.7	3.7	1.4	2.7	19	0.3
59779	0	0	0	0	Water	43.8882	69.5390	15.8	753.1	379	56957.	979	0.8	1.8	3.3	2.3	0.6	4.3	27	0.2
59780	0	0	0	0	Water	43.8882	69.5384	15.8	753.1	358	56953.	1135	1.2	2.1	3.8	1.8	0.6	3.2	12	0.0
59781	0	0	0	0	DSb	43.8882	69.5379	15.8	753.1	343	56948.	1374	1.4	1.7	4.6	1.3	0.4	3.5	21	0.0
59782	0	0	0	0	DSb	43.8882	69.5374	15.8	753.1	333	56943.	1477	1.2	2.6	4.7	2.1	0.6	3.9	23	0.0
59783	0	0	1	0	DSb	43.8882	69.5369	15.8	753.1	329	56940.	1541	1.6	1.0	5.9	0.1	0.1	3.8	21	0.0
59784	0	0	0	0	DSb	43.8883	69.5363	15.8	753.1	325	56937.	1590	1.6	1.6	5.1	1.0	0.4	3.2	29	0.0
59785	0	0	0	0	DSb	43.8883	69.5358	15.8	753.1	324	56934.	1666	1.5	2.2	6.3	1.6	0.4	4.4	15	0.0

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
59786	0	0	0	0	DSb	43.8883	69.5353	15.8	753.0	321	56931.	1762	1.7	3.0	8.4	1.8	0.4	5.1	14	0.0
59787	0	0	0	0	DSb	43.8883	69.5348	15.7	753.0	320	56927.	1921	1.6	3.1	7.7	2.0	0.5	4.9	28	0.0
59788	0	0	0	0	DSb	43.8883	69.5343	15.7	752.9	312	56923.	1888	1.5	2.3	6.5	1.5	0.4	4.3	18	0.0
59789	0	0	0	0	DSb	43.8883	69.5337	15.7	752.9	306	56919.	2100	1.9	3.3	8.0	1.7	0.5	4.2	13	0.0
59790	0	0	0	0	DSb	43.8883	69.5332	15.7	752.8	299	56918.	2079	2.1	2.1	8.7	1.1	0.3	4.3	21	0.0
59791	0	0	0	0	DSb	43.8883	69.5327	15.7	752.7	295	56917.	2053	2.0	3.1	5.3	1.6	0.6	2.7	9	0.0
59792	0	0	0	0	DSb	43.8883	69.5322	15.7	752.6	290	56919.	2164	2.2	3.9	8.4	1.8	0.5	3.9	27	0.0
59793	0	0	0	0	DSb	43.8884	69.5316	15.7	752.5	284	56923.	2327	2.3	3.2	9.4	1.4	0.4	4.2	21	0.0
59794	0	0	0	0	DSb	43.8884	69.5311	15.7	752.3	278	56926.	2328	2.1	3.1	8.1	1.5	0.4	4.0	14	0.2
59795	0	0	0	0	DSb	43.8884	69.5306	15.7	752.2	275	56926.	2167	1.7	3.2	8.8	1.9	0.4	5.2	26	0.3
59796	0	0	0	0	DSb	43.8884	69.5301	15.7	752.1	275	56926.	1999	1.8	3.3	9.2	1.8	0.4	5.2	9	0.5
59797	0	0	0	0	DSb	43.8884	69.5296	15.7	752.0	277	56926.	1795	1.6	1.8	9.7	1.2	0.2	6.4	20	0.6
59798	0	0	0	0	DSb	43.8884	69.5290	15.7	751.9	281	56926.	1528	1.5	1.4	6.1	0.9	0.3	4.1	16	0.7
59799	0	0	0	0	DSb	43.8884	69.5285	15.7	751.7	286	56926.	1556	1.4	3.0	7.4	2.1	0.4	5.3	17	0.8
59800	0	0	0	0	DSb	43.8884	69.5280	15.7	751.6	293	56926.	1454	1.5	1.3	4.6	0.9	0.3	3.2	22	0.9
59801	0	0	0	0	DSb	43.8885	69.5275	15.7	751.5	300	56927.	1500	1.5	2.1	4.5	1.4	0.5	3.0	21	1.0
59802	0	0	0	0	DSb	43.8885	69.5269	15.7	751.4	307	56927.	1494	1.3	2.0	3.9	1.7	0.6	3.2	26	1.0
59803	0	0	0	0	DSb	43.8885	69.5264	15.7	751.3	312	56927.	1445	1.5	4.0	4.3	2.7	1.0	2.9	24	1.2
59804	0	0	0	0	DSb	43.8885	69.5259	15.7	751.2	315	56928.	1446	1.1	1.7	5.3	1.5	0.4	4.8	22	1.4
59805	0	0	0	0	DSb	43.8885	69.5254	15.7	751.1	318	56929.	1497	1.3	2.5	4.5	2.0	0.6	3.5	22	1.6
59806	0	0	1	0	DSb	43.8885	69.5249	15.7	751.0	323	56930.	1388	1.4	0.0	5.7	0.1	0.1	4.2	32	1.8
59807	0	0	0	0	DSb	43.8885	69.5243	15.7	750.9	330	56929.	1382	1.3	2.6	6.6	2.0	0.4	5.1	28	1.9
59808	0	0	0	0	DSb	43.8885	69.5238	15.7	750.9	336	56929.	1353	1.2	1.5	6.5	1.3	0.3	5.5	24	2.1
59809	0	0	0	0	DSb	43.8885	69.5233	15.7	750.8	344	56928.	1331	1.4	1.5	5.0	1.1	0.3	3.7	22	2.2
59810	0	0	0	0	DSb	43.8886	69.5228	15.7	750.8	354	56928.	1416	1.3	1.4	5.1	1.1	0.3	3.9	13	2.4
59811	0	0	0	0	DSb	43.8886	69.5222	15.6	750.7	361	56928.	1444	1.5	1.2	6.7	0.8	0.2	4.5	18	2.5
59812	0	0	0	0	DSb	43.8886	69.5217	15.6	750.7	367	56927.	1440	1.4	1.5	6.6	1.1	0.3	4.8	17	2.6
59813	0	0	0	0	DSb	43.8886	69.5212	15.6	750.7	370	56925.	1424	1.1	1.9	5.1	1.7	0.4	4.6	15	2.7
59814	0	0	0	0	DSb	43.8885	69.5207	15.6	750.7	372	56923.	1348	1.4	2.4	3.7	1.8	0.7	2.8	24	2.9
59815	0	0	1	0	DSb	43.8885	69.5201	15.6	750.7	371	56922.	1296	1.3	0.8	4.5	0.1	0.1	3.6	24	2.9
59816	0	0	0	0	DSb	43.8885	69.5196	15.6	750.7	371	56921.	1137	1.2	1.4	5.8	1.2	0.3	4.9	18	3.0
59817	0	0	1	0	DSb	43.8885	69.5191	15.6	750.7	378	56921.	1230	1.2	0.3	5.5	0.1	0.1	4.8	21	3.0
59818	0	0	0	0	DSb	43.8885	69.5186	15.6	750.7	392	56923.	1212	1.4	1.6	5.9	1.2	0.3	4.4	15	3.0
59819	0	0	1	0	DSb	43.8884	69.5181	15.6	750.7	406	56925.	1197	1.1	1.1	4.9	0.1	0.1	4.8	24	2.9
59820	0	0	1	0	DSb	43.8884	69.5175	15.6	750.7	417	56927.	1191	1.1	0.9	3.7	0.1	0.1	3.5	18	2.9
59821	0	0	0	0	DSb	43.8884	69.5170	15.6	750.7	417	56929.	1187	1.1	1.7	5.5	1.6	0.4	5.0	17	2.8
59822	0	0	1	0	DSb	43.8884	69.5165	15.6	750.7	416	56928.	1237	1.5	1.0	3.0	0.1	0.1	2.1	24	2.8
59823	0	0	1	0	DSb	43.8884	69.5159	15.6	750.7	414	56927.	1167	1.2	0.6	5.6	0.1	0.1	5.0	20	2.7
59824	0	0	1	0	DSb	43.8883	69.5154	15.6	750.7	415	56927.	1196	1.3	0.9	3.5	0.1	0.1	2.9	20	2.6
59825	0	0	0	0	DSb	43.8883	69.5149	15.5	750.9	442	56928.	1027	0.9	1.6	2.8	1.9	0.6	3.4	22	2.5
59826	0	0	1	0	DSb	43.8883	69.5144	15.5	751.0	459	56928.	797	0.9	1.0	2.5	0.1	0.1	2.9	19	2.4
59827	0	0	0	0	DSb	43.8883	69.5138	15.5	751.0	477	56927.	695	0.6	1.8	2.1	3.3	0.9	3.8	21	2.3
59828	0	0	1	1	DSb	43.8883	69.5133	15.5	751.0	484	56927.	555	0.5	0.8	1.2	0.1	0.1	0.1	19	2.2
59829	0	0	1	1	Water	43.8882	69.5128	15.5	751.1	489	56928.	390	0.5	0.5	1.5	0.1	0.1	0.1	18	2.0
59830	0	0	1	1	Water	43.8882	69.5123	15.5	751.1	492	56928.	293	0.4	0.2	1.0	0.1	0.1	0.1	20	1.8
59831	0	0	1	0	Water	43.8882	69.5117	15.5	751.2	493	56929.	345	0.4	0.6	2.4	0.1	0.1	0.1	15	1.6
59832	0	0	1	1	Water	43.8882	69.5112	15.5	751.3	493	56928.	246	0.3	0.4	0.5	0.1	0.1	0.1	14	1.5
59833	0	0	1	1	Water	43.8882	69.5107	15.5	751.3	492	56928.	242	0.3	0.2	0.1	0.1	0.1	0.1	19	1.2
59834	0	1	1	1	Water	43.8881	69.5102	15.5	751.4	491	56929.	209	0.2	0.4	0.3	0.1	0.1	0.1	27	1.0
59835	0	0	1	0	Water	43.8881	69.5097	15.5	751.4	488	56931.	264	0.4	0.4	1.8	0.1	0.1	0.1	19	0.8

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
59836	0	1	1	1	Water	43.8881	69.5091	15.5	751.5	485	56931.	352	0.2	0.3	-0.2	0.1	0.1	0.1	21	0.7
59837	0	0	1	0	Water	43.8881	69.5086	15.5	751.6	475	56932.	533	0.6	0.6	2.1	0.1	0.1	3.6	27	0.5
59838	0	0	0	0	Water	43.8881	69.5081	15.5	751.7	457	56934.	781	0.9	1.1	2.3	1.3	0.5	2.7	18	0.4
59839	0	0	0	0	Water	43.8880	69.5076	15.5	751.7	434	56936.	1072	0.9	3.1	3.7	3.6	0.9	4.2	22	0.2
59840	0	0	0	0	Water	43.8880	69.5070	15.5	751.6	415	56938.	1326	1.0	2.4	4.6	2.6	0.6	4.9	21	0.1
59841	0	0	0	0	DSb	43.8880	69.5065	15.6	751.9	405	56941.	1507	1.4	2.4	5.1	1.8	0.5	3.8	11	0.1
59843	0	0	0	0	DSb	43.8880	69.5055	15.6	752.0	400	56943.	1659	1.4	3.5	9.2	2.5	0.4	6.7	29	0.0
59844	0	0	0	0	DSb	43.8879	69.5049	15.6	752.0	395	56946.	1732	1.6	2.9	8.5	1.8	0.4	5.3	18	0.0
59845	0	0	0	0	DSb	43.8879	69.5044	15.6	752.1	387	56950.	1741	1.5	3.6	5.4	2.6	0.7	3.8	17	0.0
59846	0	0	0	0	DSb	43.8879	69.5039	15.6	752.2	377	56954.	1674	1.6	3.8	5.2	2.5	0.8	3.4	23	0.0
59847	0	0	0	0	DSb	43.8879	69.5034	15.6	752.2	365	56957.	1792	1.7	3.1	5.7	1.9	0.6	3.5	19	0.0
59848	0	0	0	0	DSb	43.8879	69.5028	15.6	752.3	347	56960.	1694	1.6	3.1	4.8	2.0	0.7	3.1	25	0.0
59849	0	0	0	0	DSb	43.8878	69.5023	15.6	752.3	334	56962.	1599	1.5	2.8	7.1	1.9	0.4	5.0	27	0.0
59850	0	0	0	0	DSb	43.8878	69.5018	15.6	752.4	323	56964.	1597	1.5	3.2	6.6	2.3	0.5	4.6	26	0.0
59851	0	0	0	0	DSb	43.8878	69.5013	15.6	752.4	326	56963.	1664	1.6	3.1	6.3	2.0	0.5	4.2	24	0.0
59852	0	0	0	0	DSb	43.8878	69.5007	15.6	752.5	322	56962.	1580	1.5	2.5	7.4	1.7	0.4	5.0	14	0.0
59853	0	0	0	0	DSb	43.8878	69.5002	15.6	752.5	318	56959.	1519	1.4	2.3	5.1	1.7	0.5	3.8	17	0.0
59854	0	0	0	0	DSb	43.8878	69.4996	15.6	752.5	306	56956.	1430	1.4	3.9	6.5	2.9	0.6	4.8	17	0.0
59855	0	0	0	0	DSb	43.8878	69.4991	15.6	752.6	303	56951.	1410	1.1	2.6	4.7	2.4	0.6	4.3	18	0.0
59856	0	0	0	0	DSb	43.8878	69.4986	15.6	752.6	298	56948.	1335	1.2	2.1	5.4	1.8	0.4	4.5	14	0.0
59857	0	0	0	0	DSb	43.8878	69.4980	15.6	752.6	293	56945.	1387	1.4	2.5	6.0	1.9	0.5	4.5	18	0.0
59858	0	0	0	0	DSb	43.8878	69.4975	15.7	752.7	282	56944.	1309	1.1	2.6	6.5	2.3	0.4	5.9	18	0.0
59859	0	0	0	0	DSb	43.8878	69.4970	15.7	752.7	272	56943.	1280	1.2	2.3	3.9	2.0	0.6	3.4	14	0.0
59860	0	0	0	0	DSb	43.8877	69.4964	15.7	752.8	266	56943.	1207	1.1	3.0	5.0	2.9	0.7	4.8	19	0.0
59861	0	0	0	0	DSb	43.8877	69.4959	15.7	752.8	260	56943.	1249	1.2	1.1	4.4	0.9	0.3	3.8	27	0.0
59862	0	0	0	0	DSb	43.8877	69.4954	15.7	752.8	255	56942.	1217	1.1	1.5	5.8	1.5	0.3	5.6	25	0.0
59863	0	0	0	0	DSb	43.8877	69.4948	15.7	752.9	249	56941.	1248	1.2	2.1	5.4	1.9	0.4	4.8	21	0.0
59864	0	0	0	0	DSb	43.8877	69.4943	15.7	752.9	248	56940.	1303	1.1	1.6	6.2	1.5	0.3	5.8	19	0.0
59865	0	0	0	0	DSb	43.8877	69.4938	15.7	753.0	250	56939.	1304	1.2	1.5	4.1	1.3	0.4	3.4	21	0.0
59866	0	0	0	0	DSb	43.8877	69.4932	15.7	753.0	256	56937.	1316	1.4	1.2	5.0	0.9	0.3	3.8	20	0.0
59867	0	0	0	0	DSb	43.8877	69.4927	15.7	753.1	263	56936.	1318	1.1	2.3	4.2	2.1	0.6	3.8	13	0.0
59868	0	0	0	0	DSb	43.8877	69.4921	15.7	753.1	272	56934.	1356	1.2	1.9	4.5	1.7	0.5	3.9	18	0.0
59869	0	0	0	0	DSb	43.8877	69.4916	15.7	753.2	282	56931.	1399	1.5	2.8	2.8	1.9	1.0	2.0	17	0.0
59870	0	0	0	0	DSb	43.8877	69.4911	15.7	753.2	288	56930.	1424	1.2	2.8	6.4	2.4	0.5	5.4	21	0.0
59871	0	0	0	0	DSb	43.8877	69.4905	15.7	753.3	287	56928.	1422	1.2	2.5	6.0	2.3	0.5	5.3	15	0.0
59872	0	0	0	0	DSb	43.8877	69.4900	15.7	753.3	281	56925.	1516	1.3	3.6	4.5	2.9	0.9	3.6	23	0.0
59873	0	0	0	0	DSb	43.8877	69.4895	15.7	753.4	271	56923.	1633	1.4	3.9	4.5	2.8	0.9	3.3	21	0.0
59874	0	0	0	0	DSb	43.8877	69.4889	15.7	753.4	260	56924.	1660	1.4	1.8	7.1	1.4	0.3	5.3	32	0.0
59875	0	0	0	0	DSb	43.8877	69.4884	15.7	753.4	251	56924.	1573	1.4	2.5	4.4	1.8	0.6	3.2	19	0.0
59876	0	0	0	0	DSb	43.8876	69.4878	15.7	753.4	245	56922.	1547	1.4	2.9	6.1	2.2	0.5	4.6	30	0.0
59877	0	0	0	0	DSb	43.8876	69.4873	15.7	753.5	244	56921.	1590	1.5	2.9	5.4	2.0	0.6	3.7	24	0.0
59878	0	0	0	0	DSb	43.8876	69.4868	15.7	753.5	246	56920.	1607	1.4	3.9	3.1	2.9	1.3	2.3	26	0.0
59879	0	0	0	0	DSb	43.8876	69.4862	15.7	753.5	250	56918.	1474	1.4	2.0	4.1	1.5	0.5	3.0	29	0.0
59880	0	0	0	0	DSb	43.8876	69.4857	15.7	753.5	253	56916.	1436	1.5	2.0	2.7	1.4	0.8	1.9	20	0.0
59881	0	0	0	0	DSb	43.8876	69.4852	15.7	753.5	255	56914.	1537	1.1	1.7	5.1	1.6	0.4	4.8	26	0.0
59882	0	0	0	0	DSb	43.8876	69.4846	15.7	753.6	255	56913.	1304	1.1	2.2	2.9	2.1	0.8	2.9	16	0.0
59883	0	0	0	0	DSb	43.8876	69.4841	15.7	753.6	256	56912.	1350	1.2	2.6	5.8	2.2	0.5	4.9	16	0.0
59884	0	0	0	0	DSb	43.8876	69.4836	15.7	753.6	257	56912.	1346	1.1	2.1	5.2	2.0	0.5	4.9	24	0.0
59885	0	0	0	0	DSb	43.8876	69.4830	15.7	753.6	260	56912.	1288	1.2	2.3	4.5	1.9	0.5	3.8	22	0.0
59886	0	0	0	0	DSb	43.8876	69.4825	15.7	753.7	265	56913.	1171	1.0	2.7	3.4	2.9	0.9	3.5	19	0.1

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
59887	0	0	0	0	DSb	43.8876	69.4819	15.7	753.7	274	56913.	1174	1.0	1.7	4.1	1.9	0.5	4.4	18	0.2
59888	0	0	0	0	DSb	43.8876	69.4814	15.7	753.7	288	56912.	1177	0.9	2.4	4.3	2.6	0.6	4.8	22	0.3
59889	0	0	0	0	DSb	43.8876	69.4809	15.7	753.7	307	56912.	1118	0.8	2.2	3.5	2.7	0.7	4.4	12	0.4
59890	0	0	0	0	DSb	43.8876	69.4803	15.7	753.7	330	56910.	1155	1.0	1.7	4.3	1.7	0.4	4.3	30	0.5
59891	0	0	0	0	DSb	43.8876	69.4798	15.7	753.7	350	56906.	1120	1.0	1.5	4.2	1.6	0.4	4.2	21	0.6
59892	0	0	0	0	DSb	43.8876	69.4793	15.7	753.8	363	56902.	837	0.8	1.6	1.5	2.1	1.1	1.9	17	0.6
59893	0	0	1	0	Water	43.8876	69.4787	15.7	753.8	367	56900.	673	0.6	0.7	2.4	0.1	0.1	4.5	25	0.6
59894	0	0	1	1	Water	43.8875	69.4782	15.7	753.8	367	56901.	418	0.3	0.6	1.0	0.1	0.1	0.1	14	0.6
59895	0	0	0	1	Water	43.8875	69.4777	15.7	753.8	365	56903.	295	0.2	1.0	0.6	0.1	0.1	0.1	22	0.5
59896	0	0	1	1	Water	43.8875	69.4771	15.7	753.8	363	56907.	281	0.3	0.8	0.4	0.1	0.1	0.1	19	0.4
59897	0	0	1	1	Water	43.8875	69.4766	15.7	753.8	360	56911.	355	0.4	0.3	0.7	0.1	0.1	0.1	25	0.4
59898	0	0	1	0	Water	43.8875	69.4761	15.7	753.8	350	56913.	561	0.6	0.6	1.6	0.1	0.1	2.8	26	0.2
59899	0	0	0	0	Water	43.8875	69.4755	15.7	753.8	335	56914.	892	1.1	1.5	4.8	1.4	0.4	4.3	18	0.1

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
64180	0	1	1	1	OEc	43.8458	70.0157	17.6	742.5	527	56897.	95	0.1	-0.1	0.4	0.1	0.1	0.1	21	3.5
64179	0	1	1	1	OEc	43.8458	70.0152	17.6	742.5	528	56900.	66	0.0	-0.1	0.4	0.1	0.1	0.1	10	3.5
64178	0	1	1	1	OEc	43.8458	70.0147	17.6	742.6	529	56904.	48	-0.1	0.1	-0.2	0.1	0.1	0.1	24	3.6
64177	0	1	1	1	OEc	43.8458	70.0142	17.6	742.6	530	56905.	59	0.1	0.9	0.0	0.1	0.1	0.1	20	3.6
64176	0	1	1	1	OEc	43.8458	70.0137	17.6	742.6	532	56905.	120	0.2	1.1	0.6	0.1	0.1	0.1	21	3.5
64175	0	1	1	1	OEc	43.8458	70.0132	17.6	742.6	533	56902.	56	-0.1	0.5	0.3	0.1	0.1	0.1	26	3.5
64174	0	1	1	1	OEc	43.8458	70.0127	17.6	742.6	534	56897.	52	0.0	-0.1	-0.8	0.1	0.1	0.1	13	3.6
64173	0	1	1	1	OEc	43.8457	70.0122	17.6	742.6	534	56890.	84	0.2	0.1	-0.8	0.1	0.1	0.1	16	3.6
64172	0	1	1	1	OEc	43.8457	70.0117	17.6	742.6	535	56882.	78	0.1	0.6	-0.8	0.1	0.1	0.1	25	3.6
64171	0	1	1	1	OEc	43.8457	70.0112	17.6	742.6	535	56873.	53	0.1	0.2	-0.3	0.1	0.1	0.1	14	3.6
64170	0	1	1	1	OEc	43.8457	70.0107	17.6	742.6	535	56865.	36	0.1	-0.9	0.9	0.1	0.1	0.1	29	3.6
64169	0	1	1	1	OEc	43.8457	70.0102	17.6	742.7	535	56859.	74	0.1	-0.5	1.3	0.1	0.1	0.1	13	3.6
64168	0	1	1	1	OEc	43.8457	70.0098	17.6	742.7	535	56854.	119	0.0	0.5	-0.5	0.1	0.1	0.1	14	3.6
64167	0	1	1	1	OEc	43.8457	70.0092	17.6	742.7	534	56851.	145	0.1	0.5	-0.3	0.1	0.1	0.1	23	3.6
64166	0	1	0	1	OEc	43.8457	70.0088	17.6	742.8	532	56850.	206	0.1	1.9	-1.1	0.1	0.1	0.1	17	3.5
64165	0	1	1	1	OEc	43.8456	70.0083	17.6	742.8	529	56848.	201	0.3	0.8	0.3	0.1	0.1	0.1	15	3.5
64164	0	1	1	1	OEc	43.8456	70.0078	17.6	742.9	524	56846.	221	0.2	1.1	-0.6	0.1	0.1	0.1	21	3.4
64163	0	0	1	0	OEc	43.8456	70.0073	17.6	742.9	516	56842.	390	0.4	0.2	2.5	0.1	0.1	0.1	31	3.4
64162	0	0	1	0	OEc	43.8456	70.0068	17.6	743.0	505	56837.	479	0.5	0.8	2.8	0.1	0.1	0.1	18	3.4
64161	0	0	1	0	OEc	43.8456	70.0063	17.6	743.1	485	56833.	681	0.8	0.4	3.6	0.1	0.1	5.1	24	3.3
64160	0	0	0	0	OEc	43.8456	70.0058	17.6	743.2	464	56827.	836	0.9	1.4	3.9	1.7	0.4	4.7	23	3.3
64159	0	0	0	0	OEc	43.8456	70.0053	17.6	743.3	444	56822.	948	1.1	2.2	2.9	2.0	0.8	2.7	18	3.2
64158	0	0	0	0	OEc	43.8456	70.0048	17.6	743.5	430	56817.	1123	1.3	2.2	5.4	1.8	0.5	4.5	17	3.1
64157	0	0	0	0	OEc	43.8455	70.0043	17.6	743.6	416	56813.	1127	1.2	2.1	2.7	1.8	0.8	2.4	11	3.0
64156	0	0	0	0	OEc	43.8455	70.0038	17.6	743.7	400	56807.	1230	1.4	1.9	4.8	1.4	0.4	3.5	26	2.9
64155	0	0	0	0	OEc	43.8455	70.0033	17.6	743.8	387	56801.	1191	1.3	2.4	4.9	1.9	0.5	3.8	20	2.8
64154	0	0	0	0	OEc	43.8455	70.0028	17.6	743.9	380	56798.	1266	1.5	3.2	7.1	2.2	0.5	4.7	20	2.6
64153	0	0	0	0	OEc	43.8455	70.0023	17.6	744.0	374	56797.	1248	1.2	2.3	5.1	1.9	0.5	4.4	17	2.5
64152	0	0	0	0	OEc	43.8455	70.0018	17.6	744.2	366	56797.	1341	1.5	2.3	6.7	1.6	0.4	4.7	23	2.3
64151	0	0	0	0	OEc	43.8455	70.0013	17.6	744.3	356	56795.	1257	1.4	1.7	4.4	1.3	0.4	3.3	24	2.2
64149	0	0	0	0	OEc	43.8454	70.0003	17.6	744.5	348	56794.	1278	1.6	2.5	6.5	1.6	0.4	4.3	27	2.1
64148	0	0	0	0	OEc	43.8454	69.9998	17.5	745.9	342	56793.	1378	1.5	1.4	6.7	1.0	0.3	4.6	28	2.0
64147	0	0	0	0	OEc	43.8454	69.9993	17.5	745.8	342	56793.	1332	1.7	1.8	7.5	1.1	0.3	4.6	17	1.9
64146	0	0	0	0	OEc	43.8454	69.9988	17.5	745.8	343	56793.	1382	1.3	1.9	7.2	1.5	0.3	5.8	20	1.8
64145	0	0	0	0	OEc	43.8454	69.9983	17.5	745.8	343	56795.	1439	1.4	2.8	7.1	2.0	0.4	5.1	21	1.7
64144	0	0	0	0	OEc	43.8454	69.9978	17.5	745.8	344	56797.	1405	1.3	1.9	8.1	1.6	0.3	6.7	25	1.5
64143	0	0	0	0	OEc	43.8454	69.9973	17.5	745.9	347	56800.	1497	1.7	1.3	6.4	0.8	0.2	3.9	24	1.4
64142	0	0	0	0	OEc	43.8453	69.9968	17.5	745.9	357	56803.	1473	1.7	1.8	8.3	1.1	0.3	5.0	19	1.3
64141	0	0	0	0	Water	43.8453	69.9963	17.5	746.0	370	56807.	1454	1.9	1.9	6.4	1.1	0.3	3.5	21	1.3
64140	0	0	0	0	Water	43.8453	69.9958	17.5	746.0	378	56809.	1463	1.4	4.0	8.4	2.9	0.5	6.0	27	1.2
64139	0	0	0	0	Water	43.8453	69.9953	17.5	746.1	377	56808.	1412	1.6	2.4	5.1	1.6	0.5	3.3	22	1.1
64138	0	0	0	0	Water	43.8453	69.9948	17.5	746.2	368	56805.	1233	1.6	1.8	7.0	1.1	0.3	4.5	19	1.0
64137	0	0	0	0	Water	43.8453	69.9943	17.5	746.3	360	56802.	1126	1.2	1.3	6.0	1.1	0.3	5.0	28	1.0
64136	0	0	0	0	Water	43.8453	69.9939	17.5	746.4	352	56799.	1213	1.4	1.5	7.9	1.1	0.2	5.7	17	1.0
64135	0	0	0	0	Water	43.8453	69.9934	17.5	746.5	344	56794.	1055	1.1	2.5	5.3	2.3	0.5	4.8	21	0.9
64134	0	0	0	0	Water	43.8454	69.9929	17.5	746.7	338	56790.	1040	1.3	1.8	3.7	1.5	0.5	3.1	19	0.9
64133	0	0	0	0	Water	43.8454	69.9924	17.5	746.8	333	56788.	999	1.0	2.3	3.6	2.3	0.7	3.7	16	0.8
64132	0	0	0	0	Water	43.8454	69.9919	17.5	747.0	329	56786.	944	1.1	1.7	2.4	1.6	0.8	2.2	17	0.9
64131	0	0	0	0	Water	43.8454	69.9914	17.5	747.1	326	56785.	992	1.3	1.4	4.5	1.1	0.3	3.6	30	0.9
64130	0	0	1	0	Water	43.8454	69.9909	17.5	747.2	324	56784.	919	1.1	0.9	4.5	0.1	0.1	4.4	16	1.0

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
64129	0	0	0	0	Water	43.8454	69.9904	17.5	747.3	322	56785.	943	1.1	1.3	4.3	1.2	0.3	3.9	18	1.0
64128	0	0	0	0	Water	43.8454	69.9899	17.5	747.3	321	56785.	909	1.2	1.8	2.8	1.6	0.7	2.5	18	1.1
64127	0	0	0	0	Water	43.8454	69.9894	17.5	747.4	319	56784.	904	1.1	2.0	4.4	1.8	0.5	4.0	26	1.1
64126	0	0	0	0	Water	43.8454	69.9890	17.5	747.4	317	56781.	896	0.9	1.9	4.0	2.2	0.5	4.6	20	1.1
64125	0	0	0	0	Water	43.8454	69.9885	17.5	747.5	315	56777.	821	1.0	2.0	1.7	2.2	1.3	1.8	26	1.2
64124	0	0	0	0	Water	43.8454	69.9880	17.5	747.5	314	56774.	873	1.2	1.4	1.8	1.2	0.8	1.6	16	1.2
64123	0	0	0	0	Water	43.8454	69.9875	17.5	747.5	314	56771.	848	1.0	1.1	5.1	1.1	0.3	5.2	18	1.2
64122	0	0	0	0	Water	43.8454	69.9870	17.5	747.5	315	56770.	808	1.1	1.9	2.9	1.7	0.7	2.7	18	1.3
64121	0	0	1	0	Water	43.8454	69.9865	17.5	747.5	317	56768.	786	0.9	0.8	2.5	0.1	0.1	2.9	16	1.4
64120	0	0	0	0	Water	43.8454	69.9860	17.5	747.4	320	56765.	807	1.0	2.0	1.9	2.2	1.1	2.1	23	1.4
64119	0	0	0	0	Water	43.8455	69.9855	17.5	747.4	324	56762.	788	0.9	1.5	2.3	1.7	0.7	2.6	19	1.5
64118	0	0	1	0	Water	43.8455	69.9850	17.5	747.3	330	56761.	719	0.8	0.5	3.1	0.1	0.1	4.1	16	1.6
64117	0	0	0	0	Water	43.8455	69.9846	17.5	747.3	337	56763.	688	0.9	1.3	3.5	1.5	0.4	4.1	19	1.7
64116	0	0	0	0	Water	43.8455	69.9841	17.5	747.2	344	56770.	590	0.6	1.6	2.5	2.8	0.7	4.3	16	1.7
64115	0	0	1	0	Water	43.8455	69.9836	17.5	747.1	351	56780.	591	0.6	0.8	2.7	0.1	0.1	5.0	19	1.9
64114	0	0	1	0	Water	43.8455	69.9831	17.5	747.0	357	56793.	549	0.6	0.9	2.5	0.1	0.1	4.3	21	2.0
64113	0	0	0	0	Water	43.8455	69.9826	17.5	746.9	362	56807.	548	0.5	1.2	3.3	0.1	0.4	0.1	22	2.1
64112	0	0	1	0	Water	43.8455	69.9821	17.5	746.8	367	56820.	528	0.8	0.7	1.6	0.1	0.1	2.2	19	1.9
64111	0	0	1	0	Water	43.8455	69.9816	17.5	746.7	371	56831.	520	0.6	0.6	2.9	0.1	0.1	5.4	25	1.8
64110	0	0	0	0	Water	43.8455	69.9811	17.5	746.6	375	56840.	552	0.8	1.0	1.7	1.5	0.6	2.4	28	1.7
64109	0	0	1	0	Water	43.8455	69.9806	17.5	746.5	378	56846.	485	0.4	0.3	2.0	0.1	0.1	0.1	27	1.7
64108	0	0	0	0	Water	43.8455	69.9801	17.5	746.4	382	56850.	509	0.6	0.9	2.1	1.5	0.5	3.6	23	1.6
64107	0	0	1	0	Water	43.8455	69.9796	17.5	746.2	385	56852.	418	0.6	0.1	1.4	0.1	0.1	2.7	21	1.6
64106	0	0	0	0	Water	43.8456	69.9792	17.5	746.1	388	56854.	362	0.3	1.3	1.4	0.1	1.0	0.1	18	1.7
64105	0	0	1	0	Water	43.8456	69.9787	17.5	746.0	391	56856.	300	0.4	0.6	1.4	0.1	0.1	0.1	16	1.8
64104	0	0	1	0	Water	43.8456	69.9782	17.5	745.9	394	56857.	265	0.3	0.2	1.9	0.1	0.1	0.1	22	1.9
64103	0	1	1	0	Water	43.8456	69.9777	17.5	745.8	398	56857.	203	0.2	0.3	1.4	0.1	0.1	0.1	21	2.0
64102	0	0	1	1	Water	43.8456	69.9772	17.5	745.6	401	56856.	173	0.3	0.3	0.3	0.1	0.1	0.1	18	2.2
64101	0	1	1	1	Water	43.8456	69.9767	17.5	745.5	405	56853.	104	0.2	0.1	0.9	0.1	0.1	0.1	20	2.4
64100	0	1	1	1	Water	43.8456	69.9762	17.5	745.5	409	56852.	80	0.1	0.6	0.0	0.1	0.1	0.1	22	2.5
64099	0	1	1	1	Water	43.8456	69.9757	17.5	745.3	413	56853.	30	0.1	0.6	-0.6	0.1	0.1	0.1	28	2.6
64098	0	1	1	1	Water	43.8456	69.9752	17.5	745.2	417	56855.	48	0.1	0.3	-0.4	0.1	0.1	0.1	27	2.7
64097	0	1	1	1	Water	43.8456	69.9747	17.5	745.2	422	56858.	52	0.1	0.5	-0.7	0.1	0.1	0.1	21	2.8
64096	0	1	1	1	Water	43.8456	69.9743	17.5	745.1	428	56859.	52	0.1	0.3	-0.3	0.1	0.1	0.1	26	2.9
64095	0	0	1	1	Water	43.8456	69.9738	17.5	744.9	434	56855.	62	0.2	0.5	0.1	0.1	0.1	0.1	20	3.0
64094	0	1	1	1	Water	43.8456	69.9733	17.5	744.9	440	56848.	84	0.1	0.1	0.3	0.1	0.1	0.1	16	3.1
64093	0	1	1	1	Water	43.8456	69.9728	17.5	744.8	446	56837.	72	0.2	0.2	0.6	0.1	0.1	0.1	19	3.2
64092	0	1	1	1	Water	43.8456	69.9723	17.3	744.2	453	56818.	50	0.0	0.3	0.3	0.1	0.1	0.1	15	3.3
64091	0	1	0	1	Water	43.8456	69.9718	17.3	744.2	454	56812.	36	0.0	1.1	0.9	0.1	0.1	0.1	21	3.3
64090	0	1	1	1	Water	43.8456	69.9713	17.3	744.2	455	56802.	41	0.0	-0.3	-0.8	0.1	0.1	0.1	20	3.4
64089	0	1	1	1	Water	43.8457	69.9708	17.3	744.1	457	56793.	31	0.1	0.1	-0.1	0.1	0.1	0.1	20	3.4
64088	0	1	1	1	Water	43.8457	69.9703	17.3	744.1	458	56784.	68	0.0	0.7	0.6	0.1	0.1	0.1	20	3.5
64087	0	1	1	1	Water	43.8457	69.9698	17.3	744.1	459	56777.	38	0.1	-0.7	0.4	0.1	0.1	0.1	13	3.7
64086	0	1	1	1	Water	43.8457	69.9694	17.3	744.1	459	56770.	74	0.0	0.4	1.2	0.1	0.1	0.1	23	3.9
64085	0	1	1	1	Water	43.8457	69.9689	17.3	744.1	459	56764.	37	0.1	0.3	-0.7	0.1	0.1	0.1	23	4.2
64084	0	1	1	1	Water	43.8457	69.9684	17.3	744.1	460	56759.	42	0.0	-0.6	0.2	0.1	0.1	0.1	26	4.4
64083	0	1	1	1	Water	43.8457	69.9679	17.3	744.1	461	56755.	79	0.0	0.1	0.8	0.1	0.1	0.1	22	4.6
64082	0	1	1	1	Water	43.8457	69.9674	17.3	744.1	462	56751.	49	0.0	0.0	0.3	0.1	0.1	0.1	15	4.8
64081	0	1	1	1	Water	43.8457	69.9669	17.3	744.1	464	56748.	73	0.1	-0.3	0.4	0.1	0.1	0.1	22	4.8
64080	0	1	1	1	Water	43.8457	69.9664	17.3	744.1	464	56748.	68	0.0	0.4	0.0	0.1	0.1	0.1	19	4.7

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI			
												CPS	%	PPM	PPM							CPS	CPS
64079	0	1	1	1	Water	43.8457	69.9659	17.3	744.0	464	56749.	58	0.2	0.5	-1.1	0.1	0.1	0.1	28	4.7			
64078	0	1	1	1	Water	43.8457	69.9654	17.3	744.0	463	56751.	32	0.1	-0.3	-0.1	0.1	0.1	0.1	25	4.7			
64077	0	1	1	1	Water	43.8457	69.9650	17.3	744.0	461	56754.	82	0.1	0.1	-0.2	0.1	0.1	0.1	27	4.7			
64076	0	1	1	1	Water	43.8457	69.9645	17.3	743.9	458	56759.	87	0.1	0.0	-0.3	0.1	0.1	0.1	20	4.6			
64075	0	1	1	0	Water	43.8458	69.9640	17.3	743.9	456	56767.	79	0.0	-0.2	1.4	0.1	0.1	0.1	22	4.6			
64074	0	1	1	1	Water	43.8458	69.9635	17.3	743.9	454	56776.	115	0.1	0.2	-0.2	0.1	0.1	0.1	27	4.6			
64073	0	1	1	1	Water	43.8458	69.9630	17.3	743.8	452	56785.	92	0.1	0.0	-0.3	0.1	0.1	0.1	20	4.6			
64072	0	0	1	1	Water	43.8458	69.9625	17.3	743.8	449	56792.	194	0.3	0.5	1.3	0.1	0.1	0.1	29	4.5			
64071	0	0	1	0	Water	43.8458	69.9620	17.3	743.8	446	56796.	315	0.2	1.1	2.0	0.1	0.1	0.1	24	4.4			
64070	0	0	1	0	Water	43.8458	69.9615	17.3	743.7	443	56797.	365	0.3	0.5	1.5	0.1	0.1	0.1	18	4.4			
64069	0	0	0	0	Water	43.8458	69.9610	17.3	743.7	439	56795.	609	0.6	1.7	1.4	3.1	1.3	2.4	19	4.3			
64068	0	0	0	0	Water	43.8458	69.9605	17.3	743.6	435	56789.	784	0.9	2.5	2.8	2.9	0.9	3.3	18	4.2			
64067	0	0	1	0	OEce	43.8458	69.9601	17.3	743.6	428	56781.	966	1.0	0.6	3.5	0.1	0.1	3.6	21	4.1			
64066	0	0	1	0	OEce	43.8458	69.9596	17.3	743.5	420	56773.	1075	1.2	0.8	7.1	0.1	0.1	6.0	21	4.1			
64065	0	0	1	0	OEce	43.8458	69.9591	17.3	743.4	418	56765.	1126	1.3	0.9	5.9	0.1	0.1	4.5	28	4.0			
64064	0	0	1	0	OEce	43.8458	69.9586	17.3	743.3	431	56757.	1164	1.3	0.9	4.4	0.1	0.1	3.4	17	4.0			
64063	0	0	1	0	OEce	43.8458	69.9581	17.3	743.2	452	56750.	1185	1.3	0.7	5.7	0.1	0.1	4.5	20	3.9			
64062	0	0	1	0	OEce	43.8458	69.9576	17.3	743.0	473	56744.	1240	1.4	0.6	5.9	0.1	0.1	4.3	17	3.9			
64061	0	0	0	0	OEce	43.8458	69.9571	17.3	742.9	486	56741.	1315	1.8	1.5	8.6	0.9	0.2	5.0	21	3.8			
64059	0	0	1	0	OEce	43.8459	69.9561	17.3	742.7	493	56737.	1320	1.6	1.1	6.8	0.1	0.1	4.4	27	3.7			
64058	0	0	0	0	OEce	43.8459	69.9557	17.3	742.5	499	56734.	1288	1.7	1.5	6.2	0.9	0.3	3.8	20	3.7			
64057	0	0	1	0	OEce	43.8459	69.9552	17.3	742.3	496	56731.	1379	1.5	1.3	5.3	0.1	0.1	3.6	21	3.6			
64056	0	0	0	0	OEce	43.8459	69.9547	17.3	742.1	495	56730.	1363	1.7	2.3	7.7	1.4	0.3	4.8	17	3.5			
64055	0	0	1	0	OEce	43.8459	69.9542	17.3	741.8	497	56729.	1346	1.3	0.7	4.9	0.1	0.1	3.8	27	3.4			
64054	0	0	0	0	OEce	43.8459	69.9537	17.3	741.6	511	56727.	1404	1.3	1.8	8.3	1.5	0.3	6.7	20	3.4			
64053	0	0	0	0	OEce	43.8459	69.9533	17.3	741.3	528	56726.	1383	1.8	2.7	7.8	1.5	0.4	4.5	19	3.3			
64052	0	0	1	0	OEce	43.8460	69.9528	17.3	741.0	545	56727.	1302	1.6	0.8	4.4	0.1	0.1	2.8	16	3.2			
64051	0	0	0	0	OEce	43.8460	69.9524	17.3	740.8	565	56728.	1418	1.7	1.9	6.1	1.2	0.3	3.7	21	3.1			
64050	0	0	0	0	OEce	43.8461	69.9520	17.3	740.5	585	56731.	1350	1.2	3.7	7.0	3.3	0.6	6.2	29	3.1			
64049	0	0	0	0	OEce	43.8461	69.9515	17.3	740.3	606	56735.	1473	1.3	2.3	6.3	1.9	0.4	5.0	16	3.0			
64048	0	0	1	0	OEce	43.8461	69.9511	17.3	740.1	627	56740.	1566	1.5	1.9	9.6	0.1	0.1	6.4	24	2.9			
64047	0	0	1	0	OEce	43.8462	69.9507	17.3	739.9	646	56744.	1550	1.8	1.6	8.2	0.1	0.1	4.7	17	2.9			
64046	0	0	1	0	OEce	43.8462	69.9503	17.3	739.7	658	56749.	1531	1.8	0.7	6.8	0.1	0.1	3.9	32	2.9			
64045	0	0	0	0	OEce	43.8462	69.9498	17.3	739.6	661	56753.	1538	1.7	2.4	7.9	1.5	0.3	4.9	22	2.9			
64044	0	0	0	0	OEce	43.8463	69.9494	17.3	739.5	660	56756.	1636	1.5	3.9	6.8	2.7	0.6	4.7	16	2.8			
64043	0	0	0	0	OEce	43.8463	69.9490	17.3	739.5	657	56759.	1715	0.9	5.0	8.7	5.7	0.6	9.9	12	2.8			
64042	0	0	0	0	OEce	43.8464	69.9485	17.3	739.5	651	56762.	1706	1.9	5.1	4.8	2.8	1.1	2.6	20	2.8			
64041	0	0	0	0	OEce	43.8464	69.9481	17.3	739.5	641	56764.	1724	1.9	2.9	6.9	1.6	0.5	3.7	16	2.8			
64040	0	0	0	0	OEce	43.8464	69.9477	17.3	739.5	628	56765.	1613	1.6	2.7	9.9	1.8	0.3	6.4	23	2.7			
64039	0	0	0	0	OEce	43.8465	69.9473	17.3	739.6	612	56766.	1532	1.1	5.3	6.0	5.1	0.9	5.8	20	2.7			
64038	0	0	1	0	OEce	43.8465	69.9468	17.3	739.7	593	56768.	1510	1.6	0.7	8.3	0.1	0.1	5.2	20	2.7			
64037	0	0	0	0	OEce	43.8466	69.9464	17.3	739.8	571	56771.	1427	1.5	1.9	6.4	1.3	0.3	4.5	26	2.7			
64036	0	0	1	0	OEce	43.8466	69.9460	17.3	740.0	552	56779.	1346	1.7	1.3	4.4	0.1	0.1	2.7	18	2.6			
64035	0	0	0	0	OEce	43.8466	69.9455	17.4	741.5	531	56791.	1302	1.3	2.1	6.4	1.6	0.4	4.9	15	2.6			
64034	0	0	0	0	OEce	43.8467	69.9451	17.4	741.4	528	56796.	1279	1.4	1.6	6.7	1.2	0.3	4.9	22	2.6			
64033	0	0	0	0	OEce	43.8467	69.9447	17.4	741.4	526	56808.	1196	1.0	3.4	6.4	3.6	0.6	6.8	29	2.5			
64032	0	0	0	0	OEce	43.8468	69.9443	17.4	741.4	518	56821.	1218	1.2	2.3	4.5	2.1	0.6	4.0	21	2.5			
64031	0	0	0	0	OEce	43.8468	69.9438	17.4	741.4	509	56834.	1179	1.0	2.4	6.5	2.6	0.4	6.9	17	2.5			
64030	0	0	0	0	OEce	43.8468	69.9434	17.4	741.5	499	56846.	1153	1.4	2.3	5.0	1.7	0.5	3.6	9	2.5			
64029	0	0	0	0	OEce	43.8469	69.9430	17.4	741.5	491	56853.	1111	0.9	1.6	4.2	2.0	0.4	5.2	28	2.4			

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
64028	0	0	0	0	OEce	43.8469	69.9426	17.4	741.6	484	56855.	1072	1.2	2.8	3.5	2.5	0.9	3.2	25	2.4
64027	0	0	0	0	OEce	43.8470	69.9421	17.4	741.6	478	56854.	1045	1.1	1.6	4.0	1.6	0.5	3.9	31	2.4
64026	0	0	0	0	OEce	43.8470	69.9417	17.4	741.7	473	56853.	1110	1.1	1.4	4.5	1.3	0.3	4.1	35	2.4
64025	0	0	1	0	OEce	43.8470	69.9413	17.4	741.7	473	56851.	1067	1.1	0.5	5.1	0.1	0.1	4.9	12	2.4
64024	0	0	0	0	Water	43.8471	69.9408	17.4	741.8	478	56849.	1144	1.2	1.5	5.6	1.3	0.3	4.8	13	2.4
64023	0	0	0	0	Water	43.8471	69.9404	17.4	741.9	490	56851.	1143	0.9	2.4	6.1	2.7	0.4	6.9	15	2.4
64022	0	0	1	0	Water	43.8472	69.9400	17.4	742.0	508	56856.	1116	1.1	1.2	7.9	0.1	0.1	7.7	25	2.4
64021	0	0	1	0	Water	43.8472	69.9395	17.4	742.1	520	56862.	1030	1.2	0.4	4.9	0.1	0.1	4.2	15	2.4
64020	0	0	1	0	Water	43.8472	69.9391	17.4	742.3	524	56871.	865	1.1	-0.1	6.0	0.1	0.1	5.9	23	2.4
64019	0	0	0	0	Water	43.8473	69.9387	17.4	742.4	521	56881.	730	0.8	2.0	2.3	2.7	0.9	3.2	18	2.4
64018	0	0	0	0	Water	43.8473	69.9383	17.4	742.5	517	56892.	709	0.8	1.4	2.7	1.9	0.6	3.7	28	2.4
64017	0	0	1	0	Water	43.8474	69.9378	17.4	742.6	513	56902.	607	0.9	0.5	3.4	0.1	0.1	3.9	21	2.5
64016	0	0	1	0	Water	43.8474	69.9374	17.4	742.7	509	56911.	533	0.6	0.9	2.7	0.1	0.1	5.1	23	2.5
64015	0	0	1	0	Water	43.8474	69.9370	17.4	742.8	504	56921.	572	0.6	0.7	3.5	0.1	0.1	6.3	26	2.5
64014	0	0	0	0	Water	43.8475	69.9365	17.4	742.8	499	56929.	639	0.6	1.4	4.1	2.2	0.4	6.7	27	2.5
64013	0	0	0	0	Water	43.8475	69.9361	17.4	742.9	492	56939.	796	0.9	1.8	4.2	2.1	0.5	5.1	19	2.5
64012	0	0	0	0	Water	43.8476	69.9357	17.4	743.0	483	56951.	965	1.1	2.0	4.4	2.0	0.5	4.3	21	2.4
64011	0	0	0	0	Water	43.8476	69.9353	17.4	743.0	471	56965.	1116	1.3	1.8	4.1	1.4	0.5	3.2	23	2.3
64010	0	0	1	0	OEce	43.8476	69.9348	17.4	743.1	450	56979.	1140	1.4	1.1	4.5	0.1	0.1	3.3	18	2.3
64009	0	0	0	0	OEce	43.8477	69.9344	17.4	743.2	427	56990.	1186	1.2	1.7	7.8	1.5	0.3	6.8	20	2.3
64008	0	0	0	0	OEce	43.8477	69.9340	17.4	743.2	409	56995.	1183	1.2	3.0	6.3	2.6	0.5	5.5	19	2.2
64007	0	0	0	0	OEce	43.8478	69.9335	17.4	743.3	401	56994.	1185	1.2	1.8	7.3	1.5	0.3	6.2	19	2.2
64006	0	0	0	0	OEce	43.8478	69.9330	17.4	743.3	399	56986.	1293	1.4	1.4	5.9	1.0	0.3	4.3	20	2.1
64005	0	0	0	0	OEce	43.8479	69.9325	17.4	743.3	395	56972.	1260	1.3	1.9	6.3	1.5	0.3	4.9	20	2.1
64004	0	0	0	0	OEce	43.8479	69.9319	17.4	743.4	392	56953.	1286	1.1	2.6	6.6	2.5	0.4	6.4	30	2.0
64003	0	0	0	0	OEce	43.8480	69.9314	17.4	743.4	390	56928.	1364	1.6	1.4	5.8	0.9	0.3	3.8	17	2.0
64002	0	0	0	0	OEce	43.8480	69.9309	17.4	743.5	395	56901.	1317	1.5	2.7	7.0	1.9	0.4	4.9	31	1.9
64001	0	0	0	0	OEce	43.8481	69.9303	17.4	743.5	398	56876.	1309	1.3	1.1	5.4	0.9	0.3	4.3	19	1.8
64000	0	0	0	0	OEce	43.8481	69.9298	17.4	743.5	397	56852.	1369	1.6	3.6	4.0	2.3	0.9	2.5	26	1.7
63999	0	0	0	0	OEce	43.8482	69.9293	17.4	743.6	398	56830.	1319	1.6	1.2	6.6	0.8	0.2	4.3	15	1.7
63998	0	0	0	0	Water	43.8482	69.9287	17.4	743.6	407	56812.	1275	1.3	2.6	4.6	2.1	0.6	3.6	22	1.6
63997	0	0	0	0	Water	43.8483	69.9282	17.4	743.6	427	56797.	1273	1.1	3.2	6.1	3.0	0.6	5.7	21	1.5
63996	0	0	0	0	Water	43.8483	69.9277	17.4	743.7	443	56784.	1266	1.6	2.6	5.1	1.7	0.5	3.4	26	1.4
63995	0	0	0	0	Water	43.8484	69.9271	17.4	743.7	454	56774.	1228	1.5	2.1	4.2	1.5	0.5	2.9	19	1.3
63994	0	0	0	0	Water	43.8484	69.9266	17.4	743.7	455	56766.	1098	1.3	3.8	3.6	3.0	1.1	2.8	18	1.2
63993	0	0	0	0	Water	43.8485	69.9260	17.4	743.7	456	56760.	1149	1.5	2.0	4.5	1.3	0.5	3.0	23	1.1
63992	0	0	1	0	Water	43.8485	69.9255	17.4	743.7	457	56757.	1044	1.2	1.0	3.9	0.1	0.1	3.3	22	1.0
63991	0	0	0	0	Water	43.8486	69.9250	17.4	743.8	458	56754.	1090	1.2	2.9	6.8	2.6	0.5	6.0	25	1.0
63990	0	0	0	0	Water	43.8486	69.9244	17.4	743.8	459	56751.	993	1.0	1.6	4.2	1.7	0.4	4.4	25	0.9
63989	0	0	0	0	Water	43.8487	69.9239	17.4	743.8	459	56749.	1052	1.0	2.4	5.1	2.4	0.5	5.2	19	0.8
63988	0	0	0	0	Water	43.8487	69.9233	17.4	743.7	456	56749.	1021	1.2	3.1	4.6	2.8	0.7	4.1	31	0.8
63987	0	0	0	0	Water	43.8488	69.9228	17.4	743.7	451	56750.	1137	1.0	2.8	5.2	2.9	0.6	5.3	25	0.7
63986	0	0	0	0	Water	43.8488	69.9223	17.4	743.7	435	56750.	1223	1.2	1.3	6.5	1.2	0.2	5.9	14	0.7
63985	0	0	0	0	Water	43.8489	69.9217	17.4	743.7	417	56749.	1222	1.2	2.5	6.4	2.1	0.4	5.6	24	0.6
63984	0	0	0	0	Water	43.8489	69.9212	17.4	743.7	403	56747.	1301	1.1	2.3	6.3	2.2	0.4	5.9	29	0.6
63983	0	0	0	0	OEce	43.8490	69.9207	17.4	743.7	408	56746.	1279	1.3	2.4	7.5	1.9	0.4	6.0	17	0.6
63982	0	0	0	0	OEce	43.8490	69.9201	17.4	743.6	422	56749.	1448	1.5	1.7	7.7	1.2	0.3	5.4	19	0.5
63981	0	0	0	0	OEce	43.8491	69.9196	17.4	743.6	436	56759.	1382	1.3	2.6	6.6	2.1	0.4	5.3	11	0.5
63980	0	0	0	0	OEce	43.8491	69.9191	17.4	743.6	440	56773.	1390	1.5	2.4	6.0	1.6	0.5	4.0	15	0.5
63979	0	0	0	0	OEce	43.8492	69.9185	17.4	743.5	464	56791.	1084	1.8	3.3	5.4	1.8	0.6	3.0	13	0.4

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
63978	0	0	0	0	OEce	43.8492	69.9180	17.4	743.5	464	56797.	1179	1.4	2.8	3.8	2.0	0.8	2.8	30	0.4
63977	0	0	0	0	OEce	43.8493	69.9174	17.4	743.5	463	56808.	1069	1.2	1.9	3.1	1.7	0.6	2.8	21	0.3
63976	0	0	0	0	Water	43.8493	69.9169	17.4	743.5	459	56816.	988	1.2	3.0	4.7	2.6	0.7	4.2	21	0.3
63975	0	0	0	0	Water	43.8494	69.9164	17.4	743.5	452	56820.	1014	1.0	3.2	3.7	3.3	0.9	3.8	16	0.3
63974	0	0	0	0	Water	43.8494	69.9158	17.4	743.5	435	56822.	992	1.1	1.9	1.7	1.8	1.2	1.6	28	0.2
63973	0	0	0	1	Water	43.8495	69.9153	17.4	743.5	413	56823.	946	1.1	2.7	0.8	2.6	0.1	0.1	19	0.2
63972	0	0	0	0	Water	43.8495	69.9148	17.4	743.5	390	56824.	1039	0.9	2.9	5.6	3.4	0.6	6.5	29	0.1
63971	0	0	0	0	OEc	43.8494	69.9143	17.4	743.5	378	56825.	1074	0.9	2.4	3.7	2.7	0.7	4.2	15	0.1
63970	0	0	0	0	OEc	43.8494	69.9138	17.4	743.5	374	56824.	1155	1.0	2.9	2.8	3.0	1.1	3.0	22	0.0
63968	0	0	0	0	OEc	43.8493	69.9128	17.4	743.4	367	56823.	1281	1.4	2.6	6.5	1.9	0.4	4.8	13	0.0
63967	0	0	0	0	OEc	43.8493	69.9123	17.4	743.4	358	56822.	1194	1.3	1.1	4.7	0.9	0.3	3.8	26	0.0
63966	0	0	0	0	OEc	43.8493	69.9118	17.4	743.4	353	56822.	1194	1.2	2.9	5.1	2.6	0.6	4.6	25	0.0
63965	0	0	0	0	OEc	43.8492	69.9113	17.4	743.4	358	56823.	1135	1.1	2.4	5.2	2.3	0.5	4.8	16	0.0
63964	0	0	0	0	OEc	43.8492	69.9108	17.4	743.4	365	56821.	1176	1.3	2.4	3.5	1.9	0.7	2.8	29	0.0
63963	0	0	0	0	OEc	43.8491	69.9102	17.4	743.4	368	56815.	1219	1.1	3.3	3.4	3.0	1.0	3.1	18	0.0
63962	0	0	0	0	OEc	43.8491	69.9097	17.4	743.4	364	56806.	1350	1.0	3.4	4.3	3.4	0.8	4.3	27	0.0
63961	0	0	0	0	OEc	43.8491	69.9092	17.4	743.4	358	56796.	1360	1.3	2.7	4.9	2.1	0.6	3.8	24	0.0
63960	0	0	0	0	OEc	43.8490	69.9087	17.4	743.4	351	56787.	1406	1.2	3.9	5.2	3.3	0.8	4.3	24	0.0
63959	0	0	0	0	OEc	43.8490	69.9082	17.4	743.4	347	56784.	1390	1.4	2.7	3.6	2.1	0.8	2.8	22	0.0
63958	0	0	0	0	OEc	43.8490	69.9077	17.4	743.4	345	56785.	1544	1.8	4.3	3.4	2.5	1.3	2.0	8	0.0
63957	0	0	0	0	OEc	43.8489	69.9072	17.4	743.5	343	56785.	1637	1.8	4.9	4.1	2.8	1.2	2.4	16	0.0
63956	0	0	0	0	OEc	43.8489	69.9067	17.4	743.5	340	56785.	1630	1.7	3.9	3.5	2.4	1.2	2.2	17	0.0
63955	0	0	0	0	OEc	43.8489	69.9062	17.4	743.5	336	56785.	1542	1.3	5.4	4.0	4.4	1.4	3.3	16	0.0
63954	0	0	0	0	OEc	43.8488	69.9057	17.4	743.6	330	56786.	1493	1.3	2.8	3.9	2.3	0.8	3.2	19	0.0
63953	0	0	0	0	OEc	43.8488	69.9052	17.4	743.6	322	56791.	1436	1.3	3.0	5.1	2.4	0.6	4.1	33	0.0
63952	0	0	0	0	OEc	43.8488	69.9047	17.4	743.6	314	56799.	1388	1.1	3.4	4.7	3.4	0.8	4.6	22	0.0
63951	0	0	0	0	OEc	43.8487	69.9042	17.4	743.7	309	56812.	1366	1.3	3.9	4.3	3.1	0.9	3.4	27	0.0
63950	0	0	0	0	OEc	43.8487	69.9037	17.4	743.7	308	56828.	1437	1.2	4.1	5.6	3.5	0.8	4.8	18	0.0
63949	0	0	0	0	OEc	43.8487	69.9032	17.4	743.7	312	56847.	1370	1.1	2.7	6.7	2.5	0.4	6.2	25	0.0
63948	0	0	0	0	OEc	43.8486	69.9027	17.4	743.8	320	56871.	1426	1.5	3.4	5.4	2.4	0.7	3.8	20	0.0
63947	0	0	0	0	OEc	43.8486	69.9021	17.4	743.8	329	56895.	1411	1.2	3.9	5.9	3.4	0.7	5.1	35	0.0
63946	0	0	0	0	OEc	43.8486	69.9016	17.5	743.9	337	56907.	1434	1.5	2.1	5.2	1.4	0.4	3.5	21	0.0
63945	0	0	0	0	OEc	43.8485	69.9011	17.5	743.9	343	56910.	1488	1.6	2.8	5.5	1.9	0.6	3.6	16	0.0
63944	0	0	0	0	OEc	43.8485	69.9006	17.5	743.9	350	56913.	1344	1.6	2.8	5.1	1.8	0.6	3.4	31	0.0
63943	0	0	0	0	OEc	43.8485	69.9001	17.5	744.0	355	56916.	1331	1.1	2.1	4.8	2.0	0.5	4.5	20	0.0
63942	0	0	0	0	OEc	43.8484	69.8996	17.5	744.0	349	56908.	1246	1.3	2.2	4.9	1.7	0.5	3.9	23	0.0
63941	0	0	0	0	OEc	43.8484	69.8991	17.5	744.1	335	56891.	1236	1.4	1.9	5.1	1.4	0.4	3.8	27	0.0
63940	0	0	0	0	OEc	43.8484	69.8986	17.5	744.1	320	56874.	1135	1.1	2.3	5.4	2.1	0.5	5.0	24	0.0
63939	0	0	0	0	OEc	43.8483	69.8981	17.5	744.2	310	56859.	1179	1.3	2.3	5.8	1.9	0.4	4.7	19	0.0
63938	0	0	0	0	OEc	43.8483	69.8976	17.5	744.2	306	56848.	1226	1.1	2.2	5.0	2.0	0.5	4.5	16	0.0
63937	0	0	0	0	OEc	43.8482	69.8971	17.5	744.3	305	56841.	1255	1.1	2.5	3.6	2.4	0.7	3.5	23	0.0
63936	0	0	0	0	OEc	43.8482	69.8966	17.5	744.3	308	56837.	1352	1.3	2.9	3.1	2.3	1.0	2.4	27	0.0
63935	0	0	0	0	OEc	43.8482	69.8961	17.5	744.4	314	56837.	1308	1.6	3.4	1.8	2.2	1.9	1.2	13	0.0
63934	0	0	0	0	OEc	43.8481	69.8956	17.5	744.5	324	56835.	1285	1.3	4.1	3.2	3.3	1.3	2.6	23	0.0
63933	0	0	0	0	OEc	43.8481	69.8951	17.5	744.5	332	56827.	1245	1.2	1.5	6.8	1.3	0.3	5.7	27	0.0
63932	0	0	0	0	OEc	43.8481	69.8946	17.5	744.6	339	56816.	1215	1.2	2.4	5.8	2.1	0.5	5.0	11	0.0
63931	0	0	0	0	OEc	43.8480	69.8941	17.5	744.6	341	56804.	1134	1.0	1.3	5.3	1.3	0.3	5.5	20	0.0
63930	0	0	0	0	OEc	43.8480	69.8935	17.5	744.7	343	56794.	1185	1.1	2.5	3.8	2.3	0.7	3.5	17	0.0
63929	0	0	0	0	OEc	43.8480	69.8930	17.5	744.7	339	56786.	1228	1.3	1.9	5.5	1.5	0.4	4.4	19	0.0
63928	0	0	0	0	OEc	43.8479	69.8925	17.5	744.8	334	56780.	1252	1.4	1.8	4.9	1.4	0.4	3.7	28	0.0

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
63927	0	0	0	0	OEc	43.8479	69.8920	17.5	744.8	329	56776.	1276	1.2	1.7	6.3	1.4	0.3	5.3	23	0.0
63926	0	0	0	0	OEc	43.8479	69.8915	17.5	744.8	329	56775.	1437	1.6	2.5	8.0	1.6	0.3	5.2	22	0.0
63925	0	0	0	0	OEc	43.8478	69.8910	17.5	744.9	333	56774.	1390	1.6	1.2	4.5	0.8	0.3	2.9	16	0.2
63924	0	0	0	0	OEc	43.8478	69.8905	17.5	744.9	340	56772.	1454	1.5	3.2	5.6	2.2	0.6	3.8	22	0.3
63923	0	0	0	0	OEc	43.8478	69.8900	17.5	744.9	349	56771.	1441	1.4	2.4	6.6	1.8	0.4	4.9	23	0.4
63922	0	0	0	0	OEc	43.8477	69.8895	17.6	745.0	373	56772.	1323	1.3	2.4	7.3	1.9	0.4	5.8	23	0.5
63921	0	0	0	0	OEc	43.8477	69.8890	17.6	745.0	371	56772.	1382	1.6	2.1	5.3	1.4	0.4	3.5	16	0.6
63920	0	0	0	0	OEc	43.8477	69.8885	17.6	745.0	373	56775.	1380	1.4	1.9	4.8	1.4	0.4	3.6	18	0.7
63919	0	0	0	0	OEc	43.8476	69.8880	17.6	745.0	374	56782.	1204	1.1	2.7	6.1	2.5	0.5	5.6	18	0.8
63918	0	0	0	0	OEc	43.8476	69.8875	17.6	745.0	384	56790.	1073	1.0	1.9	5.9	1.9	0.4	5.9	27	0.9
63917	0	0	0	0	Water	43.8475	69.8869	17.6	745.0	396	56800.	823	0.9	1.7	3.2	2.1	0.6	3.9	22	0.9
63916	0	0	0	0	Water	43.8475	69.8864	17.6	745.0	407	56812.	617	0.8	1.4	3.3	1.8	0.5	4.2	19	1.1
63915	0	0	1	0	Water	43.8474	69.8858	17.6	745.0	411	56822.	495	0.3	0.5	2.6	0.1	0.1	0.1	27	1.2
63914	0	0	1	1	Water	43.8474	69.8853	17.6	744.9	410	56829.	331	0.3	0.8	0.8	0.1	0.1	0.1	22	1.3
63913	0	0	1	1	Water	43.8473	69.8847	17.6	744.9	411	56834.	223	0.3	0.2	1.1	0.1	0.1	0.1	21	1.5
63912	0	0	1	1	Water	43.8473	69.8842	17.6	744.9	412	56837.	166	0.3	0.0	1.3	0.1	0.1	0.1	18	1.7
63911	0	1	1	1	Water	43.8472	69.8836	17.6	744.9	414	56840.	164	0.2	0.0	0.6	0.1	0.1	0.1	22	1.9
63910	0	0	1	0	Water	43.8472	69.8830	17.6	744.9	416	56844.	205	0.4	0.9	1.5	0.1	0.1	0.1	24	2.1
63909	0	0	1	1	Water	43.8471	69.8825	17.6	744.9	417	56847.	265	0.4	0.5	0.5	0.1	0.1	0.1	22	2.3
63908	0	0	0	0	Water	43.8471	69.8819	17.6	744.8	417	56848.	434	0.4	1.0	2.5	0.1	0.5	0.1	21	2.4
63907	0	0	0	1	Water	43.8470	69.8814	17.6	744.8	416	56849.	564	0.6	1.3	0.5	2.2	0.1	0.1	17	2.4
63906	0	0	0	0	Water	43.8470	69.8808	17.6	744.7	406	56849.	772	1.2	1.3	2.9	1.1	0.5	2.6	21	2.5
63905	0	0	1	0	Water	43.8469	69.8803	17.6	744.7	397	56849.	885	1.0	0.3	4.6	0.1	0.1	4.9	20	2.5
63904	0	0	1	0	Water	43.8469	69.8797	17.6	744.6	392	56849.	983	1.2	0.7	3.2	0.1	0.1	2.7	22	2.6
63903	0	0	0	0	Water	43.8468	69.8792	17.6	744.5	401	56849.	830	0.9	3.6	2.9	4.4	1.3	3.6	29	2.5
63902	0	0	0	1	Water	43.8467	69.8786	17.6	744.5	421	56850.	678	0.5	2.9	1.2	0.1	0.1	0.1	23	2.5
63901	0	0	0	1	Water	43.8467	69.8781	17.6	744.4	439	56853.	369	0.5	1.1	0.7	0.1	0.1	0.1	16	2.5
63900	0	1	1	0	Water	43.8466	69.8775	17.6	744.3	452	56858.	255	0.2	0.3	1.8	0.1	0.1	0.1	31	2.6
63899	0	1	1	1	Water	43.8466	69.8770	17.6	744.3	454	56866.	146	0.1	0.5	0.2	0.1	0.1	0.1	18	2.7
63898	0	1	0	1	Water	43.8465	69.8764	17.6	744.2	456	56874.	151	0.1	1.0	0.8	0.1	0.1	0.1	30	2.8
63897	0	1	0	1	Water	43.8465	69.8758	17.6	744.1	458	56882.	122	0.1	1.2	-0.4	0.1	0.1	0.1	11	2.9
63896	0	1	0	1	Water	43.8464	69.8753	17.6	744.0	460	56886.	107	0.1	0.9	-0.1	0.1	0.1	0.1	23	2.9
63895	0	1	1	1	Water	43.8464	69.8747	17.6	744.0	462	56888.	121	0.1	0.7	0.4	0.1	0.1	0.1	23	3.0
63894	0	0	1	1	Water	43.8463	69.8742	17.6	743.9	464	56887.	211	0.4	0.2	0.2	0.1	0.1	0.1	19	3.0
63893	0	0	1	0	Water	43.8463	69.8736	17.6	743.8	463	56884.	408	0.5	0.2	1.8	0.1	0.1	0.1	23	3.1
63892	0	0	1	0	Water	43.8462	69.8731	17.6	743.8	458	56882.	543	0.8	0.9	2.5	0.1	0.1	3.4	23	3.1
63891	0	0	1	0	Water	43.8462	69.8725	17.6	743.7	443	56883.	821	0.9	0.4	5.5	0.1	0.1	6.5	17	3.1
63890	0	0	0	0	Water	43.8461	69.8720	17.6	743.6	422	56885.	1074	1.4	2.0	4.9	1.5	0.5	3.6	20	3.0
63889	0	0	0	0	Water	43.8461	69.8715	17.6	743.6	401	56886.	1183	1.0	1.5	4.9	1.7	0.3	5.4	19	2.9
63888	0	0	0	0	Water	43.8462	69.8710	17.6	743.5	391	56887.	1317	1.3	2.8	8.1	2.3	0.4	6.4	16	2.8
63887	0	0	0	0	Water	43.8462	69.8705	17.6	743.5	387	56886.	1226	1.1	2.3	6.1	2.2	0.4	5.8	19	2.7
63886	0	0	0	0	OEce	43.8462	69.8700	17.6	743.4	386	56885.	1328	1.4	2.9	5.6	2.2	0.6	4.2	21	2.6
63885	0	0	0	0	OEce	43.8462	69.8695	17.6	743.3	383	56884.	1331	1.3	2.6	4.8	2.0	0.6	3.6	15	2.4
63884	0	0	0	0	OEce	43.8463	69.8690	17.6	743.3	379	56885.	1377	1.6	3.0	5.0	2.0	0.6	3.3	21	2.3
63883	0	0	0	0	OEce	43.8463	69.8685	17.6	743.2	375	56886.	1399	1.4	2.7	4.5	2.0	0.6	3.4	21	2.3
63882	0	0	0	0	OEce	43.8463	69.8680	17.6	743.2	372	56888.	1393	1.4	2.4	6.4	1.8	0.4	4.9	18	2.2
63881	0	0	0	0	OEce	43.8463	69.8675	17.6	743.1	368	56893.	1516	1.5	3.3	4.9	2.3	0.7	3.4	27	2.1
63880	0	0	0	0	OEce	43.8464	69.8670	17.6	743.1	364	56897.	1495	1.5	2.8	7.7	1.9	0.4	5.2	26	2.0
63879	0	0	0	0	OEce	43.8464	69.8665	17.6	743.1	360	56900.	1467	1.1	2.5	7.4	2.4	0.4	7.1	20	2.0
63877	0	0	0	0	OEce	43.8464	69.8655	17.6	743.0	355	56902.	1550	1.5	2.8	6.1	1.9	0.5	4.2	13	2.0

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
63876	0	0	0	0	OEce	43.8465	69.8650	17.6	743.0	354	56904.	1427	1.3	2.5	6.4	2.1	0.4	5.3	17	2.0
63875	0	0	0	0	OEce	43.8465	69.8645	17.6	743.0	357	56904.	1352	1.4	2.4	6.4	1.8	0.4	4.8	24	2.0
63874	0	0	0	0	OEce	43.8465	69.8640	17.6	742.9	363	56904.	1191	1.2	1.2	6.8	1.0	0.2	6.0	29	2.0
63873	0	0	0	0	OEce	43.8465	69.8635	17.6	742.9	369	56904.	1021	0.8	1.9	4.5	2.4	0.5	5.6	14	1.9
63872	0	0	0	0	OEce	43.8466	69.8630	17.6	742.9	376	56904.	913	0.7	2.2	4.9	3.5	0.5	7.6	13	1.9
63871	0	0	0	0	OEce	43.8466	69.8625	17.6	742.8	379	56904.	920	0.8	1.7	4.1	2.3	0.5	5.5	21	1.9
63870	0	0	0	0	OEce	43.8466	69.8620	17.6	742.8	379	56904.	892	0.8	2.1	3.2	3.0	0.7	4.6	17	1.9
63869	0	0	0	0	OEce	43.8466	69.8615	17.6	742.8	376	56904.	852	0.8	1.2	5.8	1.7	0.3	8.0	18	1.9
63868	0	0	0	0	OEce	43.8467	69.8609	17.6	742.8	375	56903.	969	0.7	1.0	3.9	1.5	0.3	5.7	31	1.8
63867	0	0	0	0	OEce	43.8467	69.8605	17.6	742.8	371	56901.	1093	0.9	1.9	6.6	2.3	0.3	8.0	16	1.8
63866	0	0	0	0	OEce	43.8467	69.8599	17.6	742.8	366	56898.	1166	1.1	2.0	4.6	1.9	0.5	4.3	22	1.8
63865	0	0	1	0	OEce	43.8467	69.8595	17.6	743.0	358	56896.	1277	1.3	0.8	6.1	0.1	0.1	5.0	19	2.0
63864	0	0	0	0	OEce	43.8468	69.8589	17.6	743.0	357	56897.	1328	1.5	1.9	6.6	1.3	0.3	4.5	27	2.2
63863	0	0	0	0	OEce	43.8468	69.8585	17.6	743.0	352	56898.	1364	1.4	2.4	5.4	1.7	0.5	4.0	22	2.4
63862	0	0	1	0	OEce	43.8468	69.8579	17.6	743.0	343	56898.	1417	1.3	0.5	7.7	0.1	0.1	6.1	34	2.6
63861	0	0	0	0	OEce	43.8468	69.8574	17.6	743.0	334	56897.	1466	1.3	3.0	7.0	2.4	0.5	5.5	17	2.8
63860	0	0	0	0	OEce	43.8469	69.8569	17.6	743.0	327	56896.	1464	1.3	1.1	8.0	0.9	0.2	6.5	22	3.0
63859	0	0	0	0	OEce	43.8469	69.8564	17.6	743.0	321	56896.	1437	1.1	2.1	7.9	2.0	0.3	7.7	38	3.2
63858	0	0	0	0	OEce	43.8469	69.8559	17.6	743.0	315	56895.	1503	1.3	2.5	7.5	1.9	0.4	5.9	23	3.3
63857	0	0	0	0	OEce	43.8470	69.8554	17.6	743.1	309	56895.	1562	1.6	3.5	8.1	2.3	0.5	5.4	19	3.4
63856	0	0	0	0	OEce	43.8470	69.8549	17.6	743.1	301	56897.	1554	1.5	1.4	7.9	1.0	0.2	5.6	13	3.6
63855	0	0	0	0	OEce	43.8470	69.8544	17.6	743.1	292	56899.	1638	1.5	2.4	8.1	1.6	0.3	5.4	27	3.7
63854	0	0	0	0	OEce	43.8470	69.8539	17.6	743.2	285	56901.	1712	1.7	2.3	7.1	1.4	0.4	4.3	27	3.8
63853	0	0	0	0	OEce	43.8470	69.8534	17.6	743.2	284	56902.	1737	1.5	4.2	8.9	2.9	0.5	6.1	24	3.8
63852	0	0	0	0	OEce	43.8471	69.8529	17.6	743.3	289	56903.	1689	1.6	2.8	4.9	1.9	0.6	3.2	32	3.9
63851	0	0	0	0	OEce	43.8471	69.8524	17.6	743.4	294	56903.	1670	1.7	2.4	8.8	1.4	0.3	5.2	19	4.0
63850	0	0	0	0	OEce	43.8471	69.8519	17.6	743.5	300	56901.	1521	1.5	2.3	5.1	1.6	0.5	3.5	18	4.0
63849	0	0	0	0	OEce	43.8472	69.8514	17.6	743.6	306	56899.	1430	1.2	2.8	6.3	2.3	0.5	5.3	24	4.1
63848	0	0	0	0	OEce	43.8472	69.8509	17.6	743.7	311	56898.	1282	1.1	3.2	4.8	3.0	0.7	4.5	27	3.9
63847	0	0	0	0	OEce	43.8472	69.8504	17.6	743.8	314	56897.	1143	1.0	2.6	4.3	2.8	0.6	4.5	29	3.7
63846	0	0	0	0	OEce	43.8472	69.8499	17.6	743.8	318	56896.	1117	0.9	2.5	4.9	2.8	0.6	5.5	27	3.6
63845	0	0	1	0	OEce	43.8473	69.8494	17.6	743.9	315	56895.	1235	1.1	0.5	6.7	0.1	0.1	6.3	25	3.6
63844	0	0	0	0	OEce	43.8473	69.8489	17.6	744.0	309	56894.	1248	1.0	1.8	5.8	2.0	0.4	6.2	23	3.5
63843	0	0	0	0	OEce	43.8473	69.8484	17.6	744.0	300	56892.	1285	1.3	1.9	7.0	1.5	0.3	5.4	14	3.3
63842	0	0	0	0	OEce	43.8473	69.8479	17.6	744.1	296	56889.	1283	1.1	3.0	5.4	2.8	0.6	5.0	17	3.2
63841	0	0	0	0	OEce	43.8474	69.8474	17.6	744.2	297	56885.	1335	1.3	2.0	4.5	1.6	0.5	3.6	20	3.1
63840	0	0	0	0	OEce	43.8474	69.8469	17.6	744.2	295	56879.	1340	1.5	1.9	5.6	1.3	0.4	3.9	23	2.8
63839	0	0	0	0	OEce	43.8474	69.8464	17.6	744.3	290	56873.	1303	1.4	1.9	5.9	1.4	0.4	4.4	20	2.5
63838	0	0	0	0	OEce	43.8474	69.8459	17.6	744.3	284	56868.	1287	1.3	2.0	6.0	1.6	0.4	4.8	21	2.3
63837	0	0	0	0	OEce	43.8475	69.8454	17.6	744.4	284	56862.	1380	1.4	1.0	5.0	0.8	0.2	3.8	14	2.1
63836	0	0	0	0	OEce	43.8475	69.8449	17.6	744.4	295	56855.	1374	1.5	1.7	5.9	1.2	0.3	4.0	28	1.9
63835	0	0	0	0	OEce	43.8475	69.8444	17.6	744.4	310	56850.	1390	1.5	2.1	6.6	1.5	0.3	4.7	20	1.6
63834	0	0	0	0	OEce	43.8475	69.8439	17.6	744.5	328	56848.	1417	1.5	2.9	6.2	2.0	0.5	4.2	23	1.4
63833	0	0	0	0	OEce	43.8476	69.8434	17.6	744.5	342	56847.	1417	1.2	2.3	8.0	1.9	0.3	6.8	21	1.3
63832	0	0	0	0	OEce	43.8476	69.8429	17.6	744.5	352	56845.	1392	1.2	2.8	7.9	2.4	0.4	6.6	24	1.1
63831	0	0	0	0	OEce	43.8476	69.8424	17.6	744.5	354	56843.	1319	1.0	1.7	5.8	1.8	0.3	6.3	27	1.0
63830	0	0	0	0	OEce	43.8476	69.8419	17.6	744.6	347	56842.	1351	1.3	3.7	5.8	2.9	0.7	4.6	18	0.8
63829	0	0	0	0	OEce	43.8477	69.8414	17.6	744.6	338	56841.	1284	1.1	2.8	6.2	2.6	0.5	5.6	33	0.7
63828	0	0	0	0	OEce	43.8477	69.8409	17.6	744.6	337	56839.	1251	1.1	1.4	6.3	1.2	0.3	5.7	27	0.6
63827	0	0	0	0	OEce	43.8477	69.8404	17.6	744.6	343	56838.	1207	1.2	2.0	7.2	1.7	0.3	6.3	25	0.6

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
63826	0	0	1	0	OEce	43.8477	69.8399	17.6	744.6	357	56839.	1101	0.8	0.5	5.6	0.1	0.1	7.5	19	0.6
63825	0	0	0	0	OEce	43.8478	69.8394	17.6	744.6	372	56839.	1025	1.2	2.5	3.3	2.3	0.8	3.0	22	0.5
63824	0	0	0	0	OEce	43.8478	69.8389	17.6	744.6	392	56837.	772	0.6	1.2	4.5	2.3	0.3	8.3	20	0.5
63823	0	0	0	0	OEce	43.8478	69.8384	17.6	744.6	409	56835.	737	0.7	2.5	3.2	4.0	0.8	5.1	16	0.6
63822	0	0	0	0	OEce	43.8478	69.8379	17.6	744.6	421	56836.	613	0.5	1.3	1.8	0.1	0.8	0.1	23	0.8
63821	0	0	1	0	OEce	43.8479	69.8374	17.6	744.5	423	56836.	619	0.7	0.3	3.2	0.1	0.1	4.7	22	0.9
63820	0	0	1	0	Dg	43.8479	69.8369	17.6	744.5	419	56836.	550	0.5	0.3	3.0	0.1	0.1	0.1	23	1.1
63819	0	0	1	0	Dg	43.8479	69.8364	17.6	744.5	406	56835.	640	0.9	0.1	2.8	0.1	0.1	3.3	25	1.2
63818	0	0	0	0	Dg	43.8479	69.8359	17.6	744.4	391	56833.	754	0.8	1.5	2.8	2.1	0.6	3.9	28	1.3
63817	0	0	0	0	Dg	43.8480	69.8354	17.6	744.4	375	56833.	832	0.6	1.4	3.4	2.3	0.5	5.8	25	1.4
63816	0	0	0	0	Dg	43.8480	69.8349	17.6	744.4	370	56833.	840	1.0	1.3	2.6	1.3	0.6	2.6	29	1.5
63815	0	0	0	0	Dg	43.8480	69.8344	17.6	744.3	373	56833.	827	0.9	1.5	1.5	1.8	1.0	1.9	31	1.6
63814	0	0	0	0	Dg	43.8480	69.8339	17.6	744.3	385	56832.	900	0.8	3.0	2.3	3.7	1.3	2.9	16	1.6
63813	0	0	0	0	OEce	43.8481	69.8334	17.6	744.3	399	56833.	982	1.0	2.8	5.0	3.0	0.6	5.4	16	1.6
63812	0	0	0	0	OEce	43.8480	69.8328	17.6	744.2	410	56833.	956	1.1	2.2	3.6	2.1	0.6	3.5	18	1.6
63811	0	0	0	0	OEce	43.8480	69.8323	17.6	744.2	417	56832.	1046	1.1	1.6	6.5	1.5	0.3	6.1	26	1.6
63810	0	0	0	0	OEce	43.8480	69.8318	17.6	744.1	420	56832.	1005	0.9	1.2	2.3	1.4	0.6	2.6	20	1.7
63809	0	0	0	0	OEce	43.8480	69.8312	17.5	743.8	434	56832.	640	1.0	2.1	4.8	2.2	0.5	5.2	27	1.8
63808	0	0	1	1	OEce	43.8479	69.8307	17.5	743.8	443	56833.	739	0.8	0.7	1.3	0.1	0.1	0.1	27	1.9
63807	0	0	0	0	OEce	43.8479	69.8301	17.5	743.8	450	56836.	691	0.8	1.3	1.7	1.8	0.8	2.5	31	1.9
63806	0	0	0	0	OEcb	43.8479	69.8296	17.5	743.8	463	56840.	580	0.5	1.7	2.4	0.1	0.7	0.1	18	2.0
63805	0	1	1	1	OEcb	43.8479	69.8290	17.5	743.8	466	56843.	517	0.2	0.7	1.4	0.1	0.1	0.1	17	2.1
63804	0	0	0	0	OEcb	43.8478	69.8285	17.5	743.8	468	56847.	551	0.3	1.5	2.0	0.1	0.8	0.1	17	2.2
63803	0	0	0	0	OEcb	43.8478	69.8279	17.5	743.8	469	56850.	565	0.4	1.5	2.7	0.1	0.6	0.1	15	2.2
63802	0	0	0	1	OEcb	43.8478	69.8274	17.5	743.8	470	56852.	564	0.6	1.3	1.1	2.5	0.1	0.1	25	2.2
63801	0	0	0	1	OEcb	43.8477	69.8268	17.5	743.8	470	56855.	525	0.6	1.1	1.3	1.7	0.1	0.1	18	2.2
63800	0	0	1	0	OEcb	43.8477	69.8263	17.5	743.8	470	56857.	639	0.5	0.6	4.5	0.1	0.1	0.1	17	2.2
63799	0	0	1	0	OEce	43.8477	69.8257	17.5	743.8	467	56858.	609	0.6	1.0	3.8	0.1	0.1	6.3	21	2.3
63798	0	0	1	0	OEce	43.8477	69.8252	17.5	743.7	457	56859.	701	0.8	0.4	3.8	0.1	0.1	5.4	17	2.3
63797	0	0	0	0	OEce	43.8476	69.8246	17.5	743.7	439	56862.	887	0.8	2.3	4.6	3.0	0.6	5.9	18	2.2
63796	0	0	1	0	OEce	43.8476	69.8241	17.5	743.7	418	56862.	940	0.9	0.9	5.8	0.1	0.1	6.5	20	2.1
63795	0	0	0	0	OEce	43.8476	69.8236	17.5	743.7	401	56862.	1087	1.1	1.5	5.0	1.5	0.3	4.9	13	2.0
63794	0	0	0	0	OEce	43.8476	69.8230	17.5	743.7	390	56863.	1194	1.4	2.3	3.7	1.7	0.6	2.8	23	1.9
63793	0	0	0	0	OEce	43.8475	69.8225	17.5	743.7	385	56864.	1248	1.2	2.5	6.3	2.1	0.4	5.4	20	1.8
63792	0	0	0	0	OEce	43.8475	69.8219	17.5	743.7	377	56865.	1416	1.3	4.1	5.4	3.3	0.8	4.4	14	1.7
63791	0	0	0	0	OEce	43.8475	69.8214	17.5	743.7	371	56868.	1369	1.1	3.9	5.3	3.6	0.8	4.9	20	1.5
63790	0	0	0	0	OEce	43.8475	69.8208	17.5	743.7	361	56871.	1439	1.4	1.8	8.4	1.3	0.3	6.3	29	1.5
63789	0	0	0	0	OEce	43.8475	69.8203	17.5	743.8	353	56872.	1368	1.2	2.0	6.3	1.8	0.4	5.6	25	1.5
63788	0	0	0	0	OEce	43.8474	69.8197	17.5	743.8	344	56869.	1331	1.2	2.4	8.4	2.1	0.3	7.3	20	1.5
63786	0	0	0	0	OEce	43.8474	69.8186	17.5	743.8	340	56862.	1209	1.3	1.5	8.3	1.2	0.2	6.7	23	1.4
63785	0	0	0	0	OEce	43.8473	69.8181	17.5	743.9	345	56853.	1203	1.3	2.3	4.0	1.9	0.6	3.3	18	1.4
63784	0	0	0	0	OEce	43.8473	69.8176	17.5	743.9	357	56846.	1167	1.1	1.7	5.6	1.6	0.3	5.3	28	1.3
63783	0	0	0	0	OEce	43.8473	69.8170	17.5	743.9	370	56840.	1197	1.3	2.3	4.3	1.9	0.6	3.5	24	1.3
63782	0	0	1	0	OEce	43.8473	69.8165	17.5	744.0	380	56836.	1186	1.2	0.8	7.4	0.1	0.1	6.6	24	1.3
63781	0	0	0	0	OEce	43.8472	69.8159	17.5	744.0	383	56834.	1199	1.3	1.9	5.0	1.5	0.4	3.9	27	1.3
63780	0	0	0	0	OEce	43.8472	69.8154	17.5	744.0	384	56833.	1264	1.2	1.9	5.6	1.6	0.4	4.7	29	1.2
63779	0	0	0	0	OEce	43.8472	69.8148	17.5	744.1	382	56832.	1324	1.1	2.4	6.6	2.3	0.4	6.3	16	1.1
63778	0	0	0	0	OEce	43.8472	69.8143	17.5	744.1	383	56833.	1467	1.4	2.9	8.1	2.2	0.4	6.2	22	1.0
63777	0	0	0	0	OEce	43.8471	69.8137	17.5	744.1	389	56834.	1464	1.5	2.4	6.5	1.7	0.4	4.6	14	1.0
63776	0	0	0	0	OEce	43.8471	69.8132	17.5	744.1	395	56834.	1650	1.7	2.5	9.4	1.5	0.3	5.6	17	0.9

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
63775	0	0	0	0	OEce	43.8471	69.8126	17.5	744.1	398	56835.	1485	1.8	3.3	7.3	1.9	0.5	4.2	21	0.8
63774	0	0	0	0	OEce	43.8471	69.8121	17.5	744.1	392	56835.	1441	1.5	3.0	5.1	2.0	0.6	3.5	24	0.7
63773	0	0	0	0	OEce	43.8471	69.8115	17.5	744.1	387	56836.	1419	1.7	1.9	6.2	1.2	0.3	3.8	20	0.6
63772	0	0	0	0	OEce	43.8471	69.8110	17.5	744.1	387	56838.	1347	1.2	3.2	8.0	2.9	0.5	7.2	15	0.5
63771	0	0	0	0	OEce	43.8471	69.8105	17.5	744.1	394	56843.	1232	1.1	2.7	6.3	2.5	0.5	5.9	23	0.5
63770	0	0	0	0	OEce	43.8471	69.8099	17.5	744.1	405	56849.	1170	0.9	2.4	4.9	3.0	0.5	6.0	21	0.5
63769	0	0	0	0	Dg	43.8471	69.8094	17.5	744.0	418	56853.	899	1.0	2.0	5.4	2.0	0.4	5.6	17	0.5
63768	0	0	0	0	Dg	43.8471	69.8088	17.5	744.0	441	56858.	824	1.0	1.3	3.0	1.4	0.5	3.1	20	0.5
63767	0	0	0	0	Dg	43.8470	69.8083	17.5	743.9	460	56864.	955	0.8	2.0	4.0	2.7	0.5	5.5	15	0.6
63766	0	0	0	0	Dg	43.8470	69.8078	17.5	743.8	465	56873.	1017	1.1	2.9	5.7	2.9	0.6	5.6	15	0.7
63765	0	0	0	0	Dg	43.8470	69.8072	17.5	743.7	451	56885.	1228	1.0	2.0	5.3	2.1	0.4	5.6	25	0.8
63764	0	0	0	0	Dg	43.8470	69.8067	17.5	743.7	434	56901.	1237	1.1	1.9	7.9	1.8	0.3	7.4	20	0.9
63763	0	0	0	0	Dg	43.8470	69.8061	17.5	743.7	417	56918.	1333	1.1	2.1	8.0	2.0	0.3	7.5	20	1.0
63762	0	0	0	0	Dg	43.8470	69.8056	17.5	743.7	397	56934.	1416	1.4	1.8	8.3	1.4	0.3	6.2	34	1.0
63761	0	0	0	0	Dg	43.8470	69.8051	17.5	743.6	373	56944.	1443	1.2	2.5	7.2	2.2	0.4	6.3	22	1.0
63760	0	0	0	0	Dg	43.8470	69.8045	17.5	743.6	356	56950.	1443	1.3	2.0	9.9	1.6	0.3	7.9	18	1.0
63759	0	0	0	0	Dg	43.8470	69.8040	17.5	743.6	346	56953.	1504	1.5	1.7	8.6	1.2	0.2	6.0	20	1.1
63758	0	0	1	0	Dg	43.8470	69.8035	17.5	743.7	340	56954.	1478	1.6	1.0	7.7	0.1	0.1	5.0	20	1.1
63757	0	0	0	0	OEce	43.8470	69.8029	17.5	743.7	336	56954.	1452	1.4	2.9	5.8	2.1	0.5	4.2	26	1.0
63756	0	0	0	0	OEce	43.8470	69.8024	17.5	743.7	333	56958.	1540	1.6	3.3	7.5	2.1	0.5	4.7	25	1.0
63755	0	0	0	0	OEce	43.8470	69.8018	17.5	743.8	331	56967.	1529	1.4	1.4	8.8	1.0	0.2	6.5	15	1.0
63754	0	0	0	0	OEce	43.8470	69.8013	17.5	743.9	330	56977.	1490	1.7	2.2	6.8	1.3	0.4	4.1	17	1.0
63753	0	0	0	0	OEce	43.8470	69.8008	17.5	744.0	328	56985.	1350	1.3	1.8	6.1	1.5	0.3	4.9	14	1.1
63752	0	0	0	0	OEce	43.8470	69.8002	17.3	745.6	321	56988.	1236	1.3	2.2	5.1	1.7	0.5	3.9	22	0.8
63751	0	0	0	0	OEce	43.8470	69.7997	17.3	745.5	321	56985.	1297	1.5	3.0	3.4	2.1	0.9	2.4	15	0.9
63750	0	0	0	0	OEce	43.8470	69.7991	17.3	745.5	325	56977.	1286	1.4	1.0	7.0	0.8	0.2	5.0	18	0.9
63749	0	0	0	0	OEce	43.8470	69.7986	17.3	745.6	335	56966.	1173	1.4	1.9	4.2	1.5	0.5	3.2	18	0.8
63748	0	0	1	0	OEce	43.8470	69.7980	17.3	745.6	349	56951.	1041	1.3	1.0	5.0	0.1	0.1	4.2	17	0.9
63747	0	0	0	0	OEce	43.8470	69.7975	17.3	745.7	356	56935.	943	1.0	1.5	5.7	1.5	0.3	6.0	27	1.0
63746	0	0	1	0	Water	43.8470	69.7970	17.3	745.7	367	56918.	626	0.7	0.7	3.7	0.1	0.1	6.1	20	1.2
63745	0	0	0	0	Water	43.8470	69.7964	17.3	745.8	374	56905.	441	0.5	1.1	1.7	0.1	0.7	0.1	16	1.3
63744	0	0	1	1	Water	43.8470	69.7959	17.3	745.8	383	56896.	286	0.3	0.3	1.0	0.1	0.1	0.1	23	1.3
63743	0	0	0	1	Water	43.8470	69.7953	17.3	745.9	382	56891.	162	0.2	1.2	0.5	0.1	0.1	0.1	17	1.4
63742	0	1	1	1	Water	43.8470	69.7948	17.3	745.9	381	56893.	137	0.1	-0.1	0.1	0.1	0.1	0.1	24	1.5
63741	0	1	1	1	Water	43.8470	69.7943	17.3	745.9	381	56896.	98	0.2	0.7	0.0	0.1	0.1	0.1	15	1.6
63740	0	1	0	1	Water	43.8470	69.7937	17.3	745.9	382	56898.	74	0.0	0.7	-0.6	0.1	0.1	0.1	18	1.7
63739	0	1	1	1	Water	43.8470	69.7932	17.3	746.0	383	56898.	23	0.0	0.4	-0.6	0.1	0.1	0.1	21	1.7
63738	0	1	1	1	Water	43.8470	69.7927	17.3	746.1	384	56898.	80	0.1	0.4	0.3	0.1	0.1	0.1	25	1.8
63737	0	1	1	1	Water	43.8470	69.7921	17.3	746.2	385	56898.	90	0.2	0.0	-0.6	0.1	0.1	0.1	16	1.9
63736	0	1	1	1	Water	43.8470	69.7916	17.3	746.2	384	56897.	83	0.1	0.4	0.6	0.1	0.1	0.1	26	2.0
63735	0	1	0	1	Water	43.8470	69.7910	17.3	746.2	384	56897.	97	0.1	1.0	0.4	0.1	0.1	0.1	24	2.1
63734	0	0	1	1	Water	43.8470	69.7905	17.3	746.2	383	56898.	145	0.2	-0.3	0.1	0.1	0.1	0.1	22	2.1
63733	0	0	0	1	Water	43.8470	69.7900	17.3	746.1	382	56900.	269	0.3	0.9	0.5	0.1	0.1	0.1	27	2.2
63732	0	0	1	1	Water	43.8470	69.7894	17.3	746.1	379	56902.	441	0.7	0.2	0.6	0.1	0.1	0.1	21	2.3
63731	0	0	1	0	OEce	43.8470	69.7889	17.3	746.1	373	56905.	692	0.7	0.8	4.4	0.1	0.1	6.3	19	2.4
63730	0	0	1	0	OEce	43.8470	69.7883	17.3	746.0	364	56910.	956	1.0	1.0	5.0	0.1	0.1	5.0	16	2.5
63729	0	0	0	0	OEce	43.8470	69.7878	17.3	745.9	346	56920.	1173	1.5	2.8	2.9	2.0	1.0	2.1	24	2.5
63728	0	0	0	0	OEce	43.8469	69.7874	17.3	745.9	323	56935.	1369	1.7	1.5	5.6	0.9	0.3	3.4	22	2.4
63727	0	0	0	0	OEce	43.8469	69.7869	17.3	745.8	301	56955.	1327	1.4	1.9	5.1	1.4	0.4	3.7	17	2.7
63726	0	0	0	0	OEce	43.8469	69.7864	17.3	745.8	289	56981.	1457	1.6	1.5	5.8	1.0	0.3	3.7	23	2.7

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
63725	0	0	0	0	OEce	43.8468	69.7859	17.3	745.7	285	57009.	1453	1.9	1.3	5.8	0.7	0.3	3.1	22	2.7
63724	0	0	0	0	OEce	43.8468	69.7854	17.3	745.6	286	57032.	1443	1.7	1.2	6.4	0.7	0.2	3.8	20	2.8
63723	0	0	0	0	OEce	43.8468	69.7849	17.3	745.5	286	57051.	1304	1.5	1.6	4.1	1.1	0.4	2.8	16	2.8
63722	0	0	0	0	OEce	43.8468	69.7844	17.3	745.5	287	57075.	1320	1.6	1.5	3.9	1.0	0.4	2.5	14	2.7
63721	0	0	0	0	OEce	43.8467	69.7839	17.3	745.4	290	57093.	1187	1.4	1.3	6.1	0.9	0.3	4.4	28	2.7
63720	0	0	0	0	OEce	43.8467	69.7834	17.3	745.3	296	57103.	1311	1.3	1.4	6.4	1.1	0.3	5.0	26	2.6
63719	0	0	0	0	OEce	43.8467	69.7830	17.3	745.2	307	57112.	1237	1.2	1.7	3.8	1.5	0.5	3.4	28	2.5
63718	0	0	1	0	OEce	43.8466	69.7825	17.3	745.1	321	57120.	1182	1.4	0.7	5.6	0.1	0.1	4.2	25	2.5
63717	0	0	0	0	OEce	43.8466	69.7820	17.3	745.0	337	57126.	1211	1.3	1.9	5.3	1.6	0.4	4.4	21	2.4
63716	0	0	0	0	OEce	43.8466	69.7815	17.3	744.9	351	57133.	1107	0.8	2.1	5.7	2.9	0.4	7.8	27	2.3
63715	0	0	0	0	OEce	43.8466	69.7810	17.3	744.8	366	57139.	1120	1.0	1.8	5.4	1.8	0.4	5.6	17	2.2
63714	0	0	0	0	OEce	43.8465	69.7805	17.3	744.7	372	57144.	1146	0.8	2.8	3.9	3.6	0.8	5.2	19	2.1
63713	0	0	0	0	OEce	43.8465	69.7800	17.3	744.6	374	57146.	1175	1.2	1.4	5.2	1.2	0.3	4.5	15	2.0
63712	0	0	1	0	OEce	43.8465	69.7795	17.3	744.5	373	57144.	1249	1.2	0.7	8.5	0.1	0.1	7.2	20	2.0
63711	0	0	0	0	OEce	43.8465	69.7790	17.3	744.5	378	57141.	1277	1.1	2.3	5.0	2.1	0.5	4.7	21	2.0
63710	0	0	0	0	OEce	43.8464	69.7785	17.3	744.3	386	57139.	1214	1.1	1.5	6.1	1.5	0.3	5.8	22	1.9
63709	0	0	0	0	OEce	43.8464	69.7781	17.3	744.3	394	57137.	1214	1.4	1.8	4.8	1.4	0.4	3.6	25	1.9
63708	0	0	1	0	OEce	43.8464	69.7776	17.3	744.2	399	57132.	1196	1.3	0.3	3.8	0.1	0.1	3.0	12	1.8
63707	0	0	0	0	OEce	43.8463	69.7771	17.3	744.1	409	57126.	1114	1.1	1.4	6.2	1.3	0.3	5.9	15	1.8
63706	0	0	0	0	OEce	43.8463	69.7766	17.3	743.9	424	57117.	996	1.1	2.0	6.6	1.8	0.3	6.1	17	1.8
63705	0	0	1	0	OEce	43.8463	69.7761	17.3	743.8	443	57106.	936	0.8	0.7	5.3	0.1	0.1	6.7	25	1.8
63704	0	0	1	0	OEce	43.8463	69.7756	17.3	743.8	458	57094.	899	1.3	0.6	3.3	0.1	0.1	2.6	17	1.9
63703	0	0	0	0	OEce	43.8462	69.7751	17.3	743.7	468	57084.	702	0.8	1.8	2.2	2.4	0.9	2.9	25	2.0
63702	0	0	0	1	OEce	43.8462	69.7746	17.3	743.6	473	57077.	725	0.9	1.9	1.5	2.3	0.1	0.1	17	2.0
63701	0	0	0	0	OEce	43.8462	69.7741	17.3	743.5	477	57072.	775	1.0	1.4	2.3	1.5	0.6	2.5	25	2.1
63700	0	0	0	0	OEce	43.8461	69.7737	17.3	743.4	480	57068.	725	1.0	1.5	2.1	1.6	0.8	2.2	23	2.1
63699	0	0	1	0	OEce	43.8461	69.7732	17.2	743.3	484	57063.	700	0.9	1.1	3.8	0.1	0.1	4.7	21	2.2
63698	0	0	1	0	OEce	43.8461	69.7727	17.2	743.3	489	57059.	620	0.9	0.7	2.8	0.1	0.1	3.4	27	2.3
63696	0	0	1	0	OEce	43.8460	69.7717	17.2	743.2	493	57055.	646	0.8	0.6	2.1	0.1	0.1	2.9	18	2.3
63695	0	0	0	0	OEce	43.8460	69.7712	17.0	742.5	495	57050.	760	0.8	1.5	1.8	2.0	0.9	2.4	17	2.4
63694	0	0	1	1	Water	43.8460	69.7707	17.0	742.6	496	57047.	704	0.8	0.6	1.2	0.1	0.1	0.1	20	2.4
63693	0	0	0	0	Water	43.8460	69.7702	17.0	742.6	496	57041.	716	0.8	1.4	2.3	2.0	0.6	3.2	17	2.4
63692	0	0	0	0	Water	43.8459	69.7697	17.0	742.6	496	57034.	837	0.8	1.3	4.3	1.6	0.3	5.5	23	2.5
63691	0	0	1	0	Water	43.8459	69.7692	16.9	742.6	493	57027.	879	0.9	1.1	3.6	0.1	0.1	4.2	27	2.5
63690	0	0	0	0	Water	43.8459	69.7688	16.9	742.5	494	57019.	872	1.1	1.9	3.7	1.8	0.5	3.6	30	2.5
63689	0	0	1	0	Water	43.8458	69.7683	16.9	742.5	507	57011.	921	1.2	1.1	3.9	0.1	0.1	3.5	22	2.6
63688	0	0	0	0	Water	43.8458	69.7678	16.9	742.5	525	57003.	909	1.1	2.2	4.4	2.1	0.5	4.3	18	2.6
63687	0	0	0	0	Water	43.8458	69.7673	16.9	742.4	541	56996.	879	0.7	2.3	3.4	3.4	0.7	5.0	20	2.6
63686	0	0	0	0	Water	43.8458	69.7668	16.9	742.4	545	56990.	878	0.9	1.8	2.5	2.1	0.8	2.9	22	2.5
63685	0	0	0	0	Water	43.8457	69.7663	16.9	742.4	545	56983.	844	1.1	2.4	2.9	2.2	0.9	2.7	29	2.5
63684	0	0	1	0	Water	43.8457	69.7658	17.0	742.4	538	56978.	886	1.2	0.4	2.6	0.1	0.1	2.2	28	2.5
63683	0	0	0	0	OEce	43.8457	69.7653	17.0	742.3	523	56974.	871	1.0	1.8	2.5	1.9	0.8	2.6	24	2.5
63682	0	0	1	0	OEce	43.8456	69.7648	17.0	742.3	505	56970.	988	1.1	0.9	4.3	0.1	0.1	4.1	21	2.4
63681	0	0	0	0	OEce	43.8456	69.7644	17.0	742.2	487	56967.	1021	1.3	1.3	3.4	1.0	0.4	2.8	25	2.4
63680	0	0	0	0	OEce	43.8456	69.7639	17.0	742.2	477	56964.	1015	1.5	1.8	3.1	1.3	0.6	2.2	25	2.3
63679	0	0	0	0	OEce	43.8456	69.7634	17.0	742.1	471	56959.	1031	1.1	2.2	3.0	2.1	0.8	2.8	20	2.3
63678	0	0	0	0	OEce	43.8455	69.7629	17.0	742.1	469	56956.	1179	1.6	1.7	3.7	1.1	0.5	2.4	18	2.2
63677	0	0	0	0	OEce	43.8455	69.7624	17.0	742.1	466	56954.	1178	1.5	2.4	6.8	1.6	0.4	4.5	24	2.1
63676	0	0	0	0	OEce	43.8455	69.7619	17.0	742.2	466	56953.	1152	1.3	2.3	2.9	1.9	0.8	2.4	17	2.1
63675	0	0	0	0	OEce	43.8454	69.7614	17.0	742.2	468	56950.	1066	1.3	1.6	2.2	1.3	0.8	1.8	22	2.0

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
63674	0	0	0	0	OEce	43.8454	69.7609	17.0	742.2	474	56947.	1092	1.2	1.6	3.5	1.4	0.5	3.0	27	1.9
63673	0	0	0	0	OEce	43.8454	69.7604	17.0	742.3	472	56946.	1101	1.5	1.9	3.9	1.3	0.5	2.6	24	1.9
63672	0	0	0	0	OEce	43.8454	69.7599	17.0	742.3	463	56944.	1159	1.4	1.7	3.5	1.3	0.5	2.7	20	1.8
63671	0	0	0	0	OEce	43.8453	69.7594	17.0	742.3	446	56943.	1183	1.7	2.2	3.7	1.4	0.6	2.3	14	1.6
63670	0	0	0	0	OEce	43.8453	69.7589	17.1	742.3	428	56941.	1220	1.2	3.3	3.6	2.8	0.9	3.1	21	1.5
63669	0	0	1	0	OEce	43.8453	69.7584	17.1	742.4	411	56942.	1199	1.6	0.9	4.2	0.1	0.1	2.7	22	1.4
63668	0	0	0	0	OEce	43.8453	69.7579	17.1	742.4	396	56946.	1222	1.6	1.8	5.4	1.2	0.4	3.6	30	1.4
63667	0	0	0	0	OEce	43.8452	69.7575	17.1	742.4	386	56951.	1142	1.3	1.2	5.8	0.9	0.2	4.6	17	1.3
63666	0	0	1	0	OEce	43.8452	69.7570	17.1	742.5	380	56956.	1199	1.3	1.0	3.6	0.1	0.1	2.8	18	1.2
63665	0	0	0	0	OEce	43.8452	69.7565	17.1	742.5	378	56958.	1254	1.5	2.9	5.1	2.0	0.6	3.4	18	1.1
63664	0	0	0	0	OEce	43.8452	69.7560	17.1	742.5	377	56956.	1300	1.3	3.0	2.8	2.3	1.1	2.1	15	0.9
63663	0	0	0	0	OEce	43.8451	69.7555	17.1	742.5	375	56949.	1290	1.3	3.4	4.6	2.8	0.8	3.7	15	0.8
63662	0	0	0	0	OEce	43.8451	69.7550	17.1	742.5	371	56937.	1327	1.1	2.9	5.3	2.7	0.6	4.9	21	0.7
63661	0	0	0	0	OEce	43.8451	69.7545	17.1	742.5	364	56924.	1403	1.1	1.7	6.7	1.5	0.3	6.1	20	0.6
63660	0	0	0	0	OEce	43.8451	69.7540	17.1	742.5	354	56911.	1393	1.2	3.5	6.4	2.9	0.6	5.4	15	0.4
63659	0	0	0	0	OEce	43.8451	69.7535	17.1	742.6	344	56901.	1394	1.1	2.7	4.8	2.5	0.6	4.6	27	0.3
63658	0	0	0	0	OEce	43.8450	69.7530	17.1	742.6	337	56893.	1347	1.0	2.1	8.2	2.1	0.3	8.3	32	0.2
63657	0	0	0	0	OEce	43.8450	69.7525	17.1	742.6	331	56889.	1434	1.2	2.6	5.9	2.1	0.5	4.9	26	0.1
63656	0	0	0	0	OEce	43.8450	69.7520	17.1	742.6	325	56888.	1457	1.1	2.5	8.6	2.4	0.3	8.0	24	0.0
63655	0	0	0	0	OEce	43.8450	69.7515	17.1	742.6	319	56887.	1518	1.1	2.3	8.9	2.1	0.3	8.1	17	0.0
63654	0	0	0	0	OEce	43.8449	69.7510	17.1	742.6	312	56887.	1588	1.5	1.8	8.2	1.2	0.3	5.5	22	0.0
63653	0	0	0	0	OEce	43.8449	69.7505	17.2	742.7	305	56890.	1726	1.5	4.0	9.2	2.8	0.5	6.4	15	0.0
63652	0	0	0	0	OEce	43.8449	69.7500	17.2	742.7	301	56897.	1722	1.4	3.7	7.7	2.7	0.5	5.6	23	0.0
63651	0	0	0	0	OEce	43.8449	69.7495	17.2	742.7	299	56906.	1769	1.8	3.8	8.2	2.3	0.5	4.8	26	0.0
63650	0	0	0	0	OEce	43.8448	69.7490	17.2	742.7	298	56915.	1797	1.6	3.6	7.4	2.4	0.5	4.8	27	0.0
63649	0	0	0	0	OEce	43.8448	69.7485	17.2	742.8	298	56922.	1748	1.3	2.7	9.8	2.1	0.3	7.5	26	0.0
63648	0	0	0	0	OEce	43.8448	69.7480	17.2	742.8	298	56930.	1726	1.4	3.2	8.6	2.3	0.4	6.1	26	0.0
63647	0	0	0	0	OEce	43.8448	69.7475	17.2	742.9	300	56942.	1637	1.1	3.5	8.2	3.1	0.5	7.4	24	0.0
63646	0	0	0	0	OEce	43.8447	69.7470	17.2	742.9	301	56958.	1537	1.4	2.3	5.9	1.7	0.4	4.3	29	0.0
63645	0	0	0	0	OEce	43.8447	69.7465	17.2	743.0	304	56978.	1501	1.2	4.4	5.7	3.7	0.8	4.8	12	0.0
63644	0	0	0	0	OEce	43.8447	69.7460	17.2	743.0	307	57004.	1408	1.3	2.7	5.7	2.1	0.5	4.5	24	0.0
63643	0	0	0	0	OEce	43.8447	69.7455	17.2	743.1	310	57043.	1379	1.6	2.9	6.9	1.9	0.5	4.5	16	0.0
63642	0	0	0	0	OEce	43.8446	69.7450	17.2	743.1	312	57100.	1278	1.2	3.2	5.5	2.7	0.6	4.6	18	0.0
63641	0	0	0	0	OEce	43.8446	69.7445	17.2	743.2	315	57151.	1347	1.4	2.9	5.0	2.1	0.6	3.7	33	0.0
63640	0	0	0	0	OEce	43.8446	69.7440	17.2	743.2	320	57191.	1306	1.3	2.4	6.9	1.9	0.4	5.6	22	0.0
63639	0	0	0	0	OEce	43.8446	69.7436	17.4	743.4	331	57247.	1148	1.0	2.4	5.5	2.5	0.5	5.9	26	0.0
63638	0	0	0	0	OEce	43.8445	69.7431	17.4	743.4	334	57249.	1109	0.9	3.2	5.9	3.9	0.6	7.0	25	0.0
63637	0	0	0	0	OEce	43.8445	69.7426	17.4	743.4	339	57240.	1185	1.1	2.8	4.7	2.6	0.6	4.4	19	0.0
63636	0	0	0	0	OEce	43.8445	69.7421	17.4	743.4	342	57218.	1245	1.1	1.8	9.5	1.7	0.2	8.9	18	0.0
63635	0	0	0	0	OEce	43.8445	69.7416	17.4	743.4	346	57193.	1220	1.1	1.2	8.1	1.1	0.2	7.7	18	0.0
63634	0	0	0	0	OEce	43.8444	69.7411	17.4	743.4	353	57159.	1221	1.1	1.4	6.1	1.3	0.3	5.8	23	0.0
63633	0	0	0	0	OEce	43.8444	69.7406	17.4	743.4	368	57120.	1180	1.2	1.7	6.3	1.4	0.3	5.2	18	0.0
63632	0	0	0	0	OEce	43.8444	69.7401	17.4	743.4	383	57084.	1158	1.1	2.5	6.2	2.3	0.4	5.8	29	0.0
63631	0	0	0	0	OEce	43.8444	69.7396	17.4	743.4	398	57055.	1119	0.9	1.1	5.9	1.3	0.2	7.0	22	0.0
63630	0	0	0	0	OEce	43.8443	69.7391	17.4	743.4	411	57032.	1087	1.0	2.3	6.7	2.6	0.4	7.3	16	0.0
63629	0	0	0	0	OEce	43.8443	69.7386	17.4	743.3	441	57016.	1055	1.3	2.3	4.3	1.8	0.6	3.4	19	0.0
63628	0	0	0	0	Water	43.8443	69.7381	17.4	743.3	472	57007.	880	0.9	2.0	3.8	2.3	0.6	4.3	20	0.0
63627	0	0	0	0	Water	43.8443	69.7376	17.4	743.3	499	57003.	808	0.8	2.6	2.3	3.6	1.2	3.2	20	0.0
63626	0	0	0	1	Water	43.8443	69.7371	17.4	743.2	508	57001.	585	0.5	2.4	1.1	0.1	0.1	0.1	26	0.2
63625	0	0	0	1	Water	43.8443	69.7365	17.4	743.2	512	57001.	518	0.6	1.4	1.6	2.5	0.1	0.1	26	0.4

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
63624	0	0	0	0	Water	43.8443	69.7360	17.4	743.1	515	57003.	389	0.4	2.1	1.9	0.1	1.2	0.1	22	0.6
63623	0	1	1	1	Water	43.8444	69.7355	17.4	743.0	517	57008.	288	0.2	0.3	0.1	0.1	0.1	0.1	22	0.8
63622	0	0	0	1	Water	43.8444	69.7350	17.4	743.0	518	57015.	355	0.4	1.1	1.2	0.1	0.1	0.1	28	1.0
63621	0	0	1	0	Water	43.8444	69.7345	17.4	742.9	517	57020.	348	0.5	0.8	2.6	0.1	0.1	0.1	15	1.2
63620	0	0	1	0	Water	43.8444	69.7339	17.4	742.9	514	57025.	500	0.6	1.0	2.2	0.1	0.1	3.9	19	1.4
63619	0	0	0	0	Water	43.8445	69.7334	17.4	742.8	507	57029.	622	0.8	1.2	2.8	1.5	0.5	3.5	16	1.6
63618	0	0	0	0	Water	43.8445	69.7329	17.4	742.8	494	57032.	816	0.6	2.2	3.0	4.0	0.8	5.4	22	1.7
63617	0	0	1	0	Water	43.8445	69.7324	17.4	742.7	471	57034.	903	0.7	0.7	3.5	0.1	0.1	5.4	28	1.8
63616	0	0	0	0	Water	43.8445	69.7318	17.4	742.7	446	57035.	1034	0.9	2.6	5.2	3.1	0.5	6.2	14	1.9
63615	0	0	0	0	OEce	43.8445	69.7313	17.4	742.6	426	57037.	1183	1.1	2.4	4.2	2.3	0.6	4.2	25	1.9
63614	0	0	0	0	OEce	43.8446	69.7308	17.4	742.6	417	57039.	1128	1.1	2.2	4.5	2.1	0.5	4.3	18	2.0
63613	0	0	0	0	OEce	43.8446	69.7303	17.4	742.6	416	57041.	1187	1.4	1.4	5.1	1.0	0.3	3.7	15	2.0
63612	0	0	0	0	OEce	43.8446	69.7297	17.4	742.5	419	57042.	1232	1.0	1.8	7.6	1.9	0.3	8.2	20	2.1
63611	0	0	0	0	OEce	43.8447	69.7292	17.4	742.5	423	57042.	1246	1.2	3.3	5.0	2.9	0.7	4.4	13	2.0
63610	0	0	0	0	OEce	43.8447	69.7287	17.4	742.5	429	57041.	1206	1.2	3.3	4.6	3.0	0.8	4.0	25	2.0
63609	0	0	0	0	OEce	43.8447	69.7282	17.4	742.5	434	57039.	1330	1.3	2.4	6.0	1.9	0.4	4.7	16	1.9
63608	0	0	0	0	OEce	43.8447	69.7276	17.4	742.5	439	57039.	1300	1.5	2.6	5.2	1.8	0.5	3.6	18	1.8
63607	0	0	0	0	OEce	43.8447	69.7271	17.4	742.5	442	57040.	1245	1.4	3.2	7.1	2.4	0.5	5.2	24	1.8
63605	0	0	1	0	OEce	43.8448	69.7261	17.4	742.5	442	57043.	1221	1.2	1.2	4.7	0.1	0.1	4.0	23	1.8
63604	0	0	1	0	OEce	43.8448	69.7255	17.4	742.5	439	57047.	1280	1.2	0.8	10.2	0.1	0.1	9.2	23	1.8
63603	0	0	0	0	OEce	43.8448	69.7250	17.4	742.6	433	57056.	1267	1.0	2.8	6.6	3.0	0.5	7.2	19	1.8
63602	0	0	1	0	OEce	43.8448	69.7245	17.4	742.6	425	57069.	1255	1.2	1.0	7.6	0.1	0.1	6.9	20	1.7
63601	0	0	0	0	OEce	43.8449	69.7240	17.4	742.6	417	57084.	1299	1.0	2.3	5.2	2.4	0.5	5.4	30	1.7
63500	0	0	0	0	OEce	43.8449	69.7234	17.4	742.7	407	57103.	1346	1.5	2.4	7.7	1.7	0.3	5.3	22	1.6
63599	0	0	0	0	OEce	43.8449	69.7229	17.4	742.8	400	57125.	1351	1.4	2.7	6.4	1.9	0.5	4.6	14	1.5
63598	0	0	0	0	OEce	43.8449	69.7224	17.4	742.8	396	57147.	1444	1.4	1.7	6.5	1.3	0.3	4.9	24	1.5
63597	0	0	0	0	OEce	43.8450	69.7219	17.4	742.9	393	57167.	1343	1.3	1.8	6.4	1.5	0.3	5.3	23	1.4
63596	0	0	1	0	OEce	43.8450	69.7214	17.4	743.0	392	57178.	1424	1.3	0.8	6.9	0.1	0.1	5.3	18	1.4
63595	0	0	0	0	OEce	43.8450	69.7208	17.4	743.1	397	57181.	1394	1.3	1.5	7.4	1.2	0.2	6.1	17	1.4
63594	0	0	0	0	OEce	43.8450	69.7203	17.4	743.2	406	57184.	1389	1.6	2.6	6.0	1.7	0.5	3.9	22	1.3
63593	0	0	0	0	OEce	43.8451	69.7198	17.4	743.3	416	57185.	1241	1.3	3.4	5.5	2.8	0.7	4.5	20	1.2
63592	0	0	0	0	OEce	43.8451	69.7192	17.4	743.4	424	57176.	1177	1.1	2.1	4.7	2.0	0.5	4.5	14	1.1
63591	0	0	0	0	OEce	43.8451	69.7187	17.4	743.6	433	57155.	1111	0.9	3.9	4.9	4.6	0.8	5.9	20	1.1
63590	0	0	0	0	OEce	43.8451	69.7182	17.4	743.6	442	57130.	954	0.8	1.9	4.1	2.4	0.5	5.3	26	1.1
63589	0	0	1	0	OEce	43.8451	69.7177	17.4	743.7	465	57105.	755	0.9	0.9	2.4	0.1	0.1	2.6	27	1.2
63588	0	0	1	0	Water	43.8452	69.7172	17.4	743.8	484	57090.	602	0.6	1.1	3.4	0.1	0.1	6.0	20	1.2
63587	0	0	1	0	Water	43.8451	69.7167	17.4	744.0	497	57084.	413	0.3	1.0	2.5	0.1	0.1	0.1	25	1.3
63586	0	1	1	0	Water	43.8451	69.7161	17.4	744.0	493	57075.	338	0.2	0.6	1.6	0.1	0.1	0.1	17	1.4
63585	0	0	1	0	Water	43.8451	69.7156	17.4	744.1	487	57059.	360	0.4	0.8	2.3	0.1	0.1	0.1	16	1.5
63584	0	0	1	0	Water	43.8451	69.7151	17.4	744.2	476	57039.	325	0.3	-0.3	1.2	0.1	0.1	0.1	17	1.6
63583	0	0	1	0	Water	43.8451	69.7146	17.4	744.3	464	57033.	444	0.6	0.3	4.2	0.1	0.1	7.8	12	1.7
63582	0	0	0	1	Water	43.8450	69.7141	17.4	745.4	430	57043.	528	0.4	1.8	1.0	0.1	0.1	0.1	18	1.8
63581	0	0	1	0	Water	43.8450	69.7136	17.4	745.4	414	57047.	731	0.8	0.7	5.1	0.1	0.1	6.9	14	1.8
63580	0	0	0	0	OEce	43.8450	69.7131	17.4	745.4	393	57051.	887	0.9	1.5	4.1	1.7	0.4	4.6	25	1.9
63579	0	0	0	0	OEce	43.8450	69.7126	17.4	745.4	355	57049.	1066	1.2	1.7	2.8	1.5	0.6	2.4	22	1.9
63578	0	0	1	0	OEce	43.8449	69.7121	17.4	745.4	328	57045.	1090	1.3	0.5	3.2	0.1	0.1	2.5	29	1.9
63577	0	0	0	0	OEce	43.8449	69.7116	17.4	745.4	311	57037.	1096	1.4	1.3	5.0	1.0	0.3	3.7	22	2.0
63576	0	0	0	0	OEce	43.8449	69.7111	17.4	745.4	300	57022.	1089	1.2	1.7	4.1	1.5	0.5	3.6	23	2.0
63575	0	0	0	0	OEce	43.8449	69.7105	17.4	745.5	296	57004.	1167	1.2	1.8	5.2	1.6	0.4	4.5	19	2.0
63574	0	0	0	0	OEce	43.8448	69.7100	17.4	745.6	296	56989.	1218	1.1	2.3	6.7	2.0	0.4	6.1	15	2.0

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI			
												CPS	%	PPM	PPM							CPS	CPS
63573	0	0	0	0	OEce	43.8448	69.7095	17.4	745.6	298	56980.	1211	1.3	2.6	2.4	2.1	1.1	2.0	30	1.9			
63572	0	0	0	0	OEce	43.8448	69.7090	17.4	745.7	302	56975.	1246	1.4	3.2	4.4	2.3	0.8	3.2	28	1.7			
63571	0	0	0	0	OEce	43.8448	69.7085	17.4	745.7	311	56974.	1197	0.9	1.9	5.9	2.1	0.4	6.6	23	1.6			
63570	0	0	0	0	OEce	43.8447	69.7080	17.4	745.8	314	56978.	1163	1.2	1.8	5.2	1.6	0.4	4.5	25	1.6			
63569	0	0	0	0	OEce	43.8447	69.7075	17.4	746.0	312	56986.	1105	1.0	1.0	4.0	1.0	0.3	4.1	15	1.6			
63568	0	0	0	0	OEce	43.8447	69.7070	17.4	746.1	304	56998.	1053	1.0	2.4	4.6	2.5	0.6	4.8	18	1.6			
63567	0	0	0	0	OEce	43.8447	69.7065	17.4	746.3	298	57014.	1068	1.0	1.2	5.1	1.3	0.3	5.4	24	1.6			
63566	0	0	0	0	OEce	43.8447	69.7060	17.4	746.5	292	57031.	1120	1.2	1.7	5.5	1.4	0.3	4.5	22	1.7			
63565	0	0	0	0	OEce	43.8446	69.7055	17.4	746.6	292	57038.	1085	1.1	1.7	5.5	1.5	0.3	5.1	23	1.6			
63564	0	0	0	0	OEce	43.8446	69.7049	17.4	746.8	296	57034.	972	1.1	1.8	3.5	1.8	0.6	3.4	13	1.6			
63563	0	0	0	0	OEce	43.8446	69.7044	17.4	747.0	313	57026.	836	1.1	1.3	3.4	1.3	0.4	3.2	26	1.5			
63562	0	0	1	0	OEce	43.8446	69.7039	17.4	747.2	326	57013.	519	0.5	0.7	1.9	0.1	0.1	0.1	18	1.5			
63561	0	0	1	0	OEce	43.8446	69.7034	17.4	747.4	333	56993.	331	0.3	0.6	1.4	0.1	0.1	0.1	19	1.5			
63560	0	0	1	0	Water	43.8446	69.7029	17.4	747.6	326	56972.	208	0.3	0.3	1.2	0.1	0.1	0.1	16	1.5			
63559	0	0	0	1	Water	43.8446	69.7025	17.4	747.7	317	56952.	128	0.2	0.6	-0.5	0.1	0.1	0.1	24	1.5			
63558	0	1	1	1	Water	43.8446	69.7020	17.4	747.9	309	56928.	88	0.1	0.3	0.0	0.1	0.1	0.1	16	1.5			
63557	0	1	1	1	Water	43.8447	69.7015	17.4	748.1	302	56910.	74	0.2	0.2	-0.2	0.1	0.1	0.1	13	1.6			
63556	0	1	1	1	Water	43.8447	69.7010	17.4	748.2	298	56902.	89	0.1	0.5	0.4	0.1	0.1	0.1	16	1.6			
63555	0	1	1	1	Water	43.8447	69.7005	17.4	748.4	295	56897.	39	0.1	-0.1	-0.5	0.1	0.1	0.1	23	1.7			
63554	0	1	1	1	Water	43.8447	69.7000	17.4	748.5	293	56894.	38	0.1	0.2	0.2	0.1	0.1	0.1	23	1.8			
63553	0	1	1	1	Water	43.8447	69.6995	17.4	748.6	292	56893.	52	0.1	0.3	-0.1	0.1	0.1	0.1	20	1.6			
63552	0	1	1	1	Water	43.8447	69.6991	17.4	748.7	292	56893.	62	0.1	0.3	-0.1	0.1	0.1	0.1	20	1.5			
63551	0	1	1	1	Water	43.8447	69.6986	17.4	748.7	291	56893.	65	0.1	0.1	0.0	0.1	0.1	0.1	23	1.4			
63550	0	1	1	1	Water	43.8448	69.6981	17.4	748.8	291	56893.	37	0.1	-0.2	0.2	0.1	0.1	0.1	28	1.4			
63549	0	0	1	1	Water	43.8448	69.6976	17.4	748.8	290	56894.	16	0.1	0.2	-0.3	0.1	0.1	0.1	25	1.4			
63548	0	1	1	1	Water	43.8448	69.6971	17.4	748.8	289	56895.	50	0.1	-0.2	0.2	0.1	0.1	0.1	25	1.4			
63547	0	1	1	1	Water	43.8448	69.6966	17.4	748.8	289	56896.	79	0.1	0.0	-0.5	0.1	0.1	0.1	18	1.4			
63546	0	1	1	1	Water	43.8448	69.6961	17.4	748.8	290	56896.	95	0.1	0.5	0.5	0.1	0.1	0.1	21	1.6			
63545	0	1	1	1	Water	43.8449	69.6956	17.4	748.8	291	56894.	55	0.1	0.4	-0.2	0.1	0.1	0.1	15	1.7			
63544	0	1	0	1	Water	43.8449	69.6952	17.4	748.8	293	56891.	52	0.1	0.6	-0.2	0.1	0.1	0.1	24	1.6			
63543	0	1	0	1	Water	43.8449	69.6947	17.4	748.7	296	56888.	25	0.0	0.6	-0.6	0.1	0.1	0.1	24	1.7			
63542	0	1	1	1	Water	43.8449	69.6942	17.4	748.7	299	56884.	30	0.0	0.2	0.2	0.1	0.1	0.1	27	1.9			
63541	0	1	1	1	Water	43.8449	69.6937	17.4	748.6	303	56880.	33	0.0	0.3	0.0	0.1	0.1	0.1	21	2.0			
63540	0	1	0	1	Water	43.8449	69.6932	17.4	748.6	307	56878.	60	0.1	1.0	-0.1	0.1	0.1	0.1	19	1.9			
63539	0	1	1	1	Water	43.8450	69.6927	17.4	748.5	311	56876.	54	0.1	0.1	-0.1	0.1	0.1	0.1	23	1.8			
63538	0	1	1	1	Water	43.8450	69.6922	17.4	748.4	315	56875.	27	0.1	0.2	-0.3	0.1	0.1	0.1	20	1.7			
63537	0	1	1	1	Water	43.8450	69.6917	17.4	748.4	318	56877.	19	0.1	0.5	-0.3	0.1	0.1	0.1	21	1.6			
63536	0	1	1	1	Water	43.8450	69.6913	17.4	748.3	321	56879.	53	0.1	0.0	-0.5	0.1	0.1	0.1	23	1.5			
63535	0	1	1	1	Water	43.8450	69.6908	17.4	748.2	324	56880.	74	0.1	0.5	0.8	0.1	0.1	0.1	23	1.4			
63534	0	1	1	1	Water	43.8451	69.6903	17.4	748.1	328	56881.	37	0.1	0.2	-0.4	0.1	0.1	0.1	27	1.4			
63533	0	0	1	1	Water	43.8451	69.6898	17.4	748.1	332	56881.	68	0.2	0.4	-0.1	0.1	0.1	0.1	21	1.5			
63532	0	1	0	1	Water	43.8451	69.6893	17.4	748.0	336	56883.	53	0.1	0.6	-0.8	0.1	0.1	0.1	22	1.5			
63531	0	1	0	1	Water	43.8451	69.6888	17.4	747.9	340	56885.	78	0.1	0.7	-0.1	0.1	0.1	0.1	22	1.6			
63530	0	1	1	1	Water	43.8451	69.6883	17.4	747.8	344	56888.	60	0.0	0.2	0.4	0.1	0.1	0.1	20	1.6			
63529	0	1	1	1	Water	43.8451	69.6879	17.4	747.8	348	56891.	71	0.1	0.1	0.0	0.1	0.1	0.1	18	1.7			
63528	0	0	1	1	Water	43.8452	69.6874	17.4	747.7	352	56896.	102	0.2	0.1	0.3	0.1	0.1	0.1	22	1.9			
63527	0	1	1	1	Water	43.8452	69.6869	17.4	747.6	356	56902.	89	0.1	0.8	1.1	0.1	0.1	0.1	29	2.1			
63526	0	0	1	1	Water	43.8452	69.6864	17.3	747.2	361	56910.	180	0.3	0.1	0.3	0.1	0.1	0.1	22	2.4			
63525	0	0	1	1	Water	43.8452	69.6859	17.3	747.2	362	56915.	196	0.2	0.2	0.5	0.1	0.1	0.1	17	2.6			
63524	0	0	1	1	Water	43.8452	69.6854	17.3	747.2	363	56924.	261	0.4	-0.3	0.5	0.1	0.1	0.1	18	2.8			

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
63523	0	0	1	0	Water	43.8452	69.6849	17.3	747.2	364	56936.	297	0.4	0.7	1.7	0.1	0.1	0.1	21	3.0
63522	0	0	1	1	Water	43.8453	69.6844	17.3	747.2	366	56949.	249	0.4	0.6	1.1	0.1	0.1	0.1	29	3.2
63521	0	0	1	1	Water	43.8453	69.6840	17.3	747.2	367	56963.	254	0.3	0.1	0.5	0.1	0.1	0.1	17	3.2
63520	0	0	1	1	Water	43.8453	69.6835	17.3	747.2	369	56978.	255	0.4	0.4	1.2	0.1	0.1	0.1	22	3.2
63519	0	0	1	0	Water	43.8453	69.6830	17.3	747.1	370	56992.	317	0.5	0.3	2.3	0.1	0.1	0.1	18	3.4
63518	0	0	1	0	Water	43.8453	69.6825	17.3	747.1	370	56998.	369	0.3	0.3	2.0	0.1	0.1	0.1	24	3.4
63517	0	0	1	0	Water	43.8454	69.6820	17.3	747.1	370	56998.	547	0.9	0.4	2.3	0.1	0.1	2.6	18	3.4
63516	0	0	1	0	Water	43.8454	69.6815	17.3	747.1	369	56997.	669	0.9	0.0	3.7	0.1	0.1	4.3	21	3.4
63514	0	0	0	0	Water	43.8454	69.6805	17.3	747.1	369	56993.	828	1.0	1.8	4.4	1.8	0.5	4.5	28	3.5
63513	0	0	0	0	Water	43.8454	69.6801	17.3	747.0	369	56981.	774	0.7	1.2	1.5	1.8	0.9	2.2	23	3.6
63512	0	0	0	0	Water	43.8454	69.6796	17.3	747.0	371	56962.	728	1.0	1.2	2.6	1.2	0.5	2.6	19	3.8
63511	0	0	0	0	Water	43.8455	69.6791	17.3	747.0	374	56944.	638	0.7	1.0	2.1	1.5	0.5	3.3	24	3.9
63510	0	0	1	0	Water	43.8455	69.6786	17.3	746.9	378	56929.	388	0.6	0.0	1.2	0.1	0.1	2.4	17	4.1
63509	0	0	1	0	Water	43.8455	69.6781	17.3	746.9	382	56917.	257	0.4	0.1	2.0	0.1	0.1	0.1	11	4.2
63508	0	1	1	1	Water	43.8455	69.6776	17.3	746.8	385	56908.	188	0.1	0.6	0.0	0.1	0.1	0.1	22	4.2
63507	0	1	1	1	Water	43.8455	69.6771	17.3	746.8	388	56901.	111	0.2	0.3	1.2	0.1	0.1	0.1	24	4.1
63506	0	1	1	1	Water	43.8456	69.6767	17.3	746.7	391	56896.	62	0.1	0.1	0.1	0.1	0.1	0.1	24	4.1
63505	0	1	1	1	Water	43.8456	69.6762	17.3	746.6	393	56893.	79	0.1	0.2	-0.2	0.1	0.1	0.1	25	4.1
63504	0	1	1	1	Water	43.8456	69.6757	17.3	746.6	396	56890.	101	0.0	-0.3	0.1	0.1	0.1	0.1	16	4.0
63503	0	1	0	1	Water	43.8456	69.6752	17.3	746.5	399	56888.	120	0.1	0.9	0.3	0.1	0.1	0.1	22	4.0
63502	0	1	1	1	Water	43.8456	69.6747	17.3	746.5	402	56889.	75	0.1	0.0	0.3	0.1	0.1	0.1	20	3.9
63501	0	1	1	1	Water	43.8456	69.6742	17.3	746.4	405	56889.	59	0.1	0.1	0.0	0.1	0.1	0.1	30	3.9
63500	0	1	1	1	Water	43.8457	69.6737	17.3	746.3	407	56889.	127	0.1	0.6	0.1	0.1	0.1	0.1	23	3.8
63499	0	1	1	1	Water	43.8457	69.6732	17.3	746.3	408	56890.	152	0.1	0.9	0.2	0.1	0.1	0.1	20	3.7
63498	0	1	1	1	Water	43.8457	69.6727	17.3	746.2	407	56893.	189	0.1	-0.4	1.2	0.1	0.1	0.1	20	3.7
63497	0	0	1	0	Water	43.8457	69.6723	17.3	746.1	404	56895.	231	0.2	0.3	1.6	0.1	0.1	0.1	17	3.6
63496	0	0	0	1	Water	43.8457	69.6718	17.3	746.1	399	56898.	349	0.5	1.0	0.1	0.1	0.1	0.1	19	3.6
63495	0	0	1	0	Water	43.8457	69.6713	17.3	746.0	389	56901.	605	0.7	0.7	3.7	0.1	0.1	5.9	23	3.5
63494	0	0	1	0	Water	43.8458	69.6708	17.3	746.0	371	56903.	789	1.2	0.7	2.9	0.1	0.1	2.6	28	3.4
63493	0	0	1	0	Water	43.8458	69.6703	17.3	745.9	352	56902.	942	1.2	0.2	3.3	0.1	0.1	2.8	27	3.4
63492	0	0	0	0	OEce	43.8458	69.6699	17.3	745.9	337	56901.	1152	1.3	1.5	5.4	1.2	0.3	4.3	10	3.3
63491	0	0	0	0	OEce	43.8458	69.6694	17.3	745.8	328	56898.	1257	1.4	1.1	5.2	0.8	0.3	3.8	23	3.2
63490	0	0	0	0	OEce	43.8459	69.6689	17.3	745.8	321	56895.	1267	1.6	2.3	4.4	1.5	0.6	2.9	15	3.1
63489	0	0	0	0	OEce	43.8459	69.6685	17.3	745.7	316	56893.	1253	1.4	2.0	4.1	1.5	0.5	3.0	12	3.0
63488	0	0	0	0	OEce	43.8459	69.6680	17.3	745.7	318	56891.	1222	1.4	1.0	3.0	0.7	0.4	2.2	20	2.9
63487	0	0	0	0	OEce	43.8460	69.6676	17.3	745.7	327	56891.	1220	1.4	1.5	5.7	1.1	0.3	4.1	23	2.9
63486	0	0	0	0	OEce	43.8460	69.6671	17.3	745.6	339	56894.	1244	1.5	1.4	3.2	1.0	0.5	2.2	18	2.8
63485	0	0	0	0	OEce	43.8460	69.6666	17.3	745.6	351	56897.	1286	1.5	2.1	5.0	1.5	0.5	3.5	22	2.7
63484	0	0	0	0	OEce	43.8460	69.6662	17.3	745.5	360	56901.	1195	1.4	2.2	2.5	1.7	0.9	1.9	14	2.6
63483	0	0	0	0	OEce	43.8461	69.6657	17.3	745.5	358	56906.	1281	1.3	2.9	5.3	2.3	0.6	4.1	28	2.5
63482	0	0	0	0	OEce	43.8461	69.6653	17.3	745.5	351	56910.	1207	1.4	2.7	4.1	2.0	0.7	3.0	19	2.4
63481	0	0	0	0	OEce	43.8461	69.6648	17.3	745.4	342	56914.	1193	1.5	2.5	2.1	1.7	1.2	1.5	21	2.2
63480	0	0	0	0	OEce	43.8461	69.6643	17.3	745.4	340	56919.	1163	1.3	2.9	3.1	2.3	1.0	2.5	19	2.1
63479	0	0	0	0	OEce	43.8462	69.6639	17.3	745.3	342	56923.	1184	1.2	2.4	5.1	2.1	0.5	4.3	31	1.9
63478	0	0	0	0	OEce	43.8462	69.6634	17.3	745.3	344	56928.	1210	1.4	2.2	6.1	1.7	0.4	4.5	25	1.9
63477	0	0	0	0	OEce	43.8462	69.6630	17.3	745.3	348	56932.	1190	1.2	1.5	5.1	1.2	0.3	4.3	17	1.8
63476	0	0	0	0	OEce	43.8463	69.6625	17.3	745.2	356	56935.	1102	1.3	2.2	4.4	1.8	0.5	3.6	20	1.7
63475	0	0	0	0	OEce	43.8463	69.6620	17.3	745.2	366	56935.	1080	1.1	2.8	2.9	2.6	1.0	2.7	23	1.6
63474	0	0	0	0	OEce	43.8463	69.6616	17.3	745.2	383	56934.	923	0.9	2.4	3.7	2.7	0.7	4.2	16	1.6
63473	0	0	0	0	OEce	43.8463	69.6611	17.3	745.1	401	56933.	865	0.9	1.5	2.6	1.8	0.6	3.1	25	1.5

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PFM			CPS	CPS	
63472	0	0	1	0	OEce	43.8464	69.6607	17.3	745.1	423	56930.	777	0.8	1.0	3.9	0.1	0.1	5.2	15	1.5
63471	0	0	1	0	OEce	43.8464	69.6602	17.3	745.1	438	56928.	668	0.7	0.6	2.1	0.1	0.1	3.1	15	1.5
63470	0	0	1	0	OEce	43.8464	69.6597	17.3	745.0	449	56926.	478	0.6	0.8	2.4	0.1	0.1	4.2	16	1.6
63469	0	0	0	0	Water	43.8465	69.6593	17.2	744.8	453	56923.	356	0.4	1.1	2.4	0.1	0.5	0.1	25	1.6
63468	0	0	1	0	Water	43.8465	69.6588	17.2	744.8	453	56922.	269	0.2	-0.1	1.8	0.1	0.1	0.1	23	1.7
63467	0	0	1	0	Water	43.8465	69.6584	17.2	744.8	453	56920.	227	0.3	-0.3	1.8	0.1	0.1	0.1	22	1.7
63466	0	0	0	1	Water	43.8465	69.6579	17.2	744.8	453	56916.	243	0.4	1.3	-0.1	0.1	0.1	0.1	21	1.8
63465	0	0	1	0	Water	43.8466	69.6574	17.2	744.8	452	56912.	287	0.2	0.1	1.6	0.1	0.1	0.1	25	1.9
63464	0	0	0	1	Water	43.8466	69.6570	17.2	744.8	449	56908.	333	0.3	1.0	1.2	0.1	0.1	0.1	16	2.0
63463	0	0	1	0	Water	43.8466	69.6565	17.2	744.8	445	56905.	458	0.6	-0.1	1.5	0.1	0.1	2.4	18	2.1
63462	0	0	1	0	Water	43.8467	69.6561	17.2	744.8	436	56902.	582	0.6	0.1	4.3	0.1	0.1	7.6	29	2.2
63461	0	0	1	0	Water	43.8467	69.6556	17.2	744.8	423	56901.	752	0.9	0.7	2.5	0.1	0.1	3.0	17	2.3
63460	0	0	1	0	Water	43.8467	69.6551	17.2	744.8	409	56899.	823	1.0	0.4	2.8	0.1	0.1	2.8	25	2.4
63459	0	0	1	0	Water	43.8467	69.6547	17.2	744.8	399	56896.	950	1.2	0.4	4.9	0.1	0.1	4.3	12	2.4
63458	0	0	0	0	OEce	43.8468	69.6542	17.2	744.8	393	56893.	1038	1.0	1.2	3.6	1.2	0.4	3.6	18	2.5
63457	0	0	0	0	OEce	43.8468	69.6538	17.2	744.8	388	56892.	1060	1.1	2.1	4.9	2.0	0.5	4.6	18	2.6
63456	0	0	0	0	OEce	43.8468	69.6533	17.2	744.8	379	56889.	1124	1.2	2.6	6.1	2.3	0.5	5.4	24	2.6
63455	0	0	1	0	OEce	43.8468	69.6528	17.2	744.8	370	56886.	1123	1.0	0.9	5.6	0.1	0.1	5.7	25	2.7
63454	0	0	0	0	OEce	43.8469	69.6524	17.2	744.8	363	56882.	1316	1.5	1.9	6.3	1.3	0.3	4.3	18	2.7
63453	0	0	0	0	OEce	43.8469	69.6519	17.2	744.8	357	56880.	1274	1.4	1.3	4.2	1.3	0.5	3.0	19	2.7
63452	0	0	0	0	OEce	43.8469	69.6515	17.2	744.7	349	56878.	1474	1.6	1.7	6.2	1.2	0.3	4.0	21	2.7
63451	0	0	0	0	OEce	43.8470	69.6510	17.2	744.7	340	56876.	1466	1.8	1.8	7.1	1.0	0.3	4.1	19	2.7
63450	0	0	0	0	OEce	43.8470	69.6505	17.2	744.7	335	56875.	1544	1.9	2.2	8.2	1.2	0.3	4.4	15	2.7
63449	0	0	0	0	OEce	43.8470	69.6501	17.2	744.7	337	56876.	1587	2.0	3.1	7.3	1.6	0.5	3.7	24	2.7
63448	0	0	0	0	OEce	43.8470	69.6496	17.3	744.7	343	56876.	1570	1.6	2.3	5.4	1.5	0.5	3.6	21	2.6
63447	0	0	0	0	OEce	43.8471	69.6492	17.3	744.7	349	56877.	1490	1.6	2.4	8.5	1.6	0.3	5.5	15	2.5
63446	0	0	0	0	OEce	43.8470	69.6487	17.3	744.7	354	56878.	1425	1.3	1.4	5.3	1.2	0.3	4.4	16	2.5
63445	0	0	0	0	OEce	43.8470	69.6482	17.2	744.7	358	56879.	1317	1.4	3.1	5.8	2.3	0.6	4.3	26	2.4
63444	0	0	0	0	OEce	43.8470	69.6478	17.2	744.7	365	56880.	1182	1.1	1.8	3.7	1.6	0.5	3.4	27	2.3
63443	0	0	0	0	Water	43.8470	69.6473	17.2	744.7	379	56882.	1116	1.2	2.7	4.2	2.4	0.7	3.8	27	2.2
63442	0	0	0	0	Water	43.8469	69.6468	17.2	744.7	399	56885.	1040	1.0	1.7	4.0	1.7	0.5	4.0	31	2.2
63441	0	0	0	0	Water	43.8469	69.6464	17.2	744.7	406	56886.	1012	1.1	1.4	3.6	1.4	0.4	3.4	20	2.1
63440	0	0	0	0	Water	43.8469	69.6459	17.2	744.7	403	56886.	1029	1.2	1.6	3.8	1.4	0.5	3.3	27	2.1
63439	0	0	0	0	Water	43.8469	69.6454	17.2	744.7	398	56886.	1088	1.4	1.4	3.7	1.1	0.4	2.8	25	2.1
63438	0	0	0	0	Water	43.8468	69.6450	17.2	744.7	410	56885.	978	1.1	1.2	3.5	1.2	0.4	3.4	18	2.1
63437	0	0	0	0	Water	43.8468	69.6445	17.2	744.7	430	56884.	1023	1.2	2.2	5.3	1.9	0.5	4.4	17	2.0
63436	0	0	0	0	Water	43.8468	69.6440	17.2	744.7	444	56884.	886	0.8	2.0	1.7	2.7	1.2	2.3	16	2.0
63435	0	0	0	0	Water	43.8467	69.6436	17.2	744.7	450	56885.	818	0.9	1.6	1.9	1.8	0.9	2.1	21	2.0
63434	0	0	0	0	Water	43.8467	69.6431	17.2	744.6	451	56887.	734	1.0	1.8	2.4	1.9	0.8	2.6	20	2.0
63433	0	0	0	1	Water	43.8467	69.6426	17.2	744.6	451	56889.	558	1.0	1.5	0.9	1.6	0.1	0.1	18	2.1
63432	0	0	1	0	Water	43.8467	69.6422	17.2	744.6	452	56890.	494	0.5	0.5	2.9	0.1	0.1	0.1	19	2.2
63431	0	0	0	0	Water	43.8466	69.6417	17.2	744.5	452	56893.	425	0.5	1.3	2.0	0.1	0.7	0.1	19	2.3
63430	0	0	1	1	Water	43.8466	69.6412	17.2	744.5	453	56895.	415	0.3	1.0	1.2	0.1	0.1	0.1	21	2.3
63429	0	0	1	1	Water	43.8466	69.6408	17.2	744.4	455	56896.	413	0.4	0.5	0.4	0.1	0.1	0.1	25	2.4
63428	0	0	1	1	Water	43.8465	69.6403	17.2	744.4	458	56898.	425	0.7	0.6	-0.3	0.1	0.1	0.1	26	2.5
63427	0	0	0	1	Water	43.8465	69.6398	17.2	744.3	462	56899.	420	0.6	1.3	1.5	2.2	0.1	0.1	20	2.6
63426	0	0	1	0	Water	43.8465	69.6394	17.2	744.2	468	56900.	466	0.4	0.8	2.1	0.1	0.1	0.1	23	2.7
63425	0	0	1	0	Water	43.8465	69.6389	17.2	744.1	474	56900.	362	0.4	-0.3	1.6	0.1	0.1	0.1	18	2.9
63423	0	0	1	0	Water	43.8464	69.6380	17.2	744.0	481	56901.	271	0.4	0.9	2.3	0.1	0.1	0.1	17	3.0
63422	0	0	0	1	Water	43.8464	69.6375	17.2	743.9	488	56902.	234	0.3	1.2	0.6	0.1	0.1	0.1	22	3.2

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
63421	0	1	1	1	Water	43.8464	69.6370	17.2	743.8	495	56902.	183	0.1	-0.2	1.2	0.1	0.1	0.1	25	3.3
63420	0	1	1	0	Water	43.8463	69.6366	17.2	743.6	501	56904.	185	0.1	0.2	2.1	0.1	0.1	0.1	13	3.4
63419	0	1	1	1	Water	43.8463	69.6361	17.2	743.5	508	56905.	198	0.2	0.5	0.9	0.1	0.1	0.1	21	3.5
63418	0	0	1	1	Water	43.8463	69.6357	17.2	743.4	514	56906.	225	0.4	0.3	0.8	0.1	0.1	0.1	26	3.6
63417	0	1	1	1	Water	43.8462	69.6352	17.2	743.3	520	56908.	264	0.2	0.6	1.1	0.1	0.1	0.1	20	3.7
63416	0	0	1	1	Water	43.8462	69.6347	17.2	743.1	526	56910.	290	0.4	0.9	-0.1	0.1	0.1	0.1	24	3.8
63415	0	0	1	1	Water	43.8462	69.6343	17.2	743.0	533	56910.	310	0.3	0.8	0.5	0.1	0.1	0.1	28	3.8
63414	0	1	1	1	Water	43.8462	69.6338	17.2	742.9	539	56910.	317	0.2	1.2	0.1	0.1	0.1	0.1	17	3.8
63413	0	0	1	0	Water	43.8461	69.6333	17.2	742.8	544	56910.	438	0.5	0.6	1.9	0.1	0.1	0.1	12	3.8
63412	0	0	0	1	Water	43.8461	69.6329	17.3	742.1	550	56911.	339	0.3	1.5	0.4	0.1	0.1	0.1	18	3.8
63411	0	0	1	0	Water	43.8461	69.6324	17.3	742.1	551	56911.	351	0.4	0.3	2.0	0.1	0.1	0.1	22	3.9
63410	0	0	1	1	Water	43.8461	69.6319	17.3	742.1	552	56910.	455	0.6	0.1	0.2	0.1	0.1	0.1	35	3.9
63409	0	0	1	1	Water	43.8460	69.6315	17.3	742.1	553	56908.	454	0.6	1.2	0.7	0.1	0.1	0.1	25	3.9
63408	0	0	0	0	Water	43.8460	69.6310	17.3	742.1	553	56906.	510	0.6	1.3	1.8	2.5	0.8	3.4	17	3.9
63407	0	0	0	1	Water	43.8460	69.6305	17.3	742.1	554	56903.	531	0.7	1.3	1.4	1.9	0.1	0.1	13	3.9
63406	0	0	1	0	Water	43.8459	69.6301	17.3	742.1	559	56901.	502	0.6	0.4	3.0	0.1	0.1	5.0	12	3.9
63405	0	0	0	1	Water	43.8459	69.6296	17.3	742.1	565	56899.	377	0.5	1.4	0.5	0.1	0.1	0.1	28	3.9
63404	0	1	1	1	Water	43.8459	69.6291	17.3	742.0	572	56896.	334	0.2	1.0	0.4	0.1	0.1	0.1	22	3.8
63403	0	1	1	1	Water	43.8459	69.6287	17.3	742.0	576	56893.	254	0.1	0.7	1.7	0.1	0.1	0.1	17	3.8
63402	0	0	1	1	Water	43.8458	69.6282	17.3	742.0	579	56890.	406	0.4	1.0	1.4	0.1	0.1	0.1	31	3.8
63401	0	1	1	1	Water	43.8458	69.6277	17.3	742.0	582	56887.	361	0.1	0.1	0.4	0.1	0.1	0.1	13	3.8
63400	0	1	1	1	Water	43.8458	69.6273	17.3	742.0	582	56884.	334	0.1	0.5	1.1	0.1	0.1	0.1	25	3.7
63399	0	0	0	1	Water	43.8457	69.6268	17.3	741.9	581	56882.	493	0.6	1.9	1.4	3.3	0.1	0.1	26	3.7
63398	0	0	1	1	Water	43.8457	69.6263	17.3	741.9	578	56881.	679	0.7	0.6	1.9	0.1	0.1	0.1	23	3.6
63397	0	0	0	0	Water	43.8457	69.6259	17.3	741.9	573	56878.	971	1.0	2.1	4.3	2.1	0.5	4.4	16	3.6
63396	0	0	1	0	DSb	43.8457	69.6254	17.3	741.9	564	56874.	1082	1.4	0.6	4.5	0.1	0.1	3.3	20	3.6
63395	0	0	1	0	DSb	43.8456	69.6249	17.3	741.9	545	56871.	1179	1.5	0.7	5.1	0.1	0.1	3.4	32	3.5
63394	0	0	1	0	DSb	43.8456	69.6245	17.3	741.9	520	56869.	1339	1.5	1.1	5.7	0.1	0.1	3.9	26	3.5
63393	0	0	0	0	DSb	43.8455	69.6240	17.3	741.9	492	56866.	1367	1.5	2.2	6.6	1.5	0.4	4.5	24	3.4
63392	0	0	0	0	DSb	43.8453	69.6235	17.3	741.9	463	56865.	1423	1.6	2.4	5.8	1.6	0.5	3.8	19	3.3
63391	0	0	0	0	DSb	43.8452	69.6230	17.3	741.9	436	56863.	1348	1.4	2.2	5.3	1.6	0.5	3.8	21	3.2
63390	0	0	0	0	DSb	43.8451	69.6225	17.3	742.0	412	56862.	1391	1.5	2.8	6.5	2.0	0.5	4.5	24	3.1
63389	0	0	0	0	DSb	43.8450	69.6219	17.3	742.0	399	56861.	1212	1.6	1.6	3.6	1.1	0.5	2.3	19	3.1
63388	0	0	0	0	DSb	43.8448	69.6214	17.3	742.1	391	56860.	1292	1.4	2.1	5.7	1.5	0.4	4.0	12	3.0
63387	0	0	0	0	DSb	43.8447	69.6209	17.3	742.1	386	56859.	1208	1.3	2.2	3.9	1.8	0.6	3.2	30	2.9
63386	0	0	0	0	DSb	43.8446	69.6204	17.3	742.2	385	56858.	1208	1.0	2.8	4.9	2.9	0.6	5.1	17	2.8
63385	0	0	0	0	DSb	43.8445	69.6199	17.3	742.3	386	56857.	1298	1.4	2.8	4.0	2.1	0.8	2.9	18	2.7
63384	0	0	0	0	DSb	43.8443	69.6194	17.3	742.4	389	56856.	1235	1.4	3.8	3.0	2.9	1.3	2.3	22	2.6
63383	0	0	0	0	DSb	43.8442	69.6189	17.3	742.5	391	56855.	1206	1.1	1.9	2.8	1.8	0.7	2.6	22	2.5
63382	0	0	0	0	DSb	43.8441	69.6184	17.3	742.6	394	56854.	1130	1.1	3.1	5.3	2.9	0.6	4.9	23	2.5
63381	0	0	0	0	DSb	43.8439	69.6179	17.3	742.7	401	56852.	1018	1.1	2.4	1.8	2.3	1.3	1.8	18	2.4
63380	0	0	0	0	DSb	43.8438	69.6174	17.3	742.9	429	56850.	939	0.9	2.5	2.1	2.9	1.3	2.3	22	2.4
63379	0	0	0	0	DSb	43.8437	69.6169	17.3	743.0	458	56849.	873	0.6	2.1	2.7	3.6	0.8	4.7	18	2.4
63378	0	0	0	0	DSb	43.8436	69.6164	17.3	743.1	482	56849.	699	0.6	2.3	4.1	3.9	0.6	7.0	22	2.4
63377	0	0	1	1	DSb	43.8434	69.6159	17.3	743.2	485	56849.	547	0.6	0.7	1.2	0.1	0.1	0.1	22	2.4
63376	0	0	0	0	DSb	43.8433	69.6154	17.3	743.3	485	56850.	419	0.4	1.6	1.5	0.1	1.1	0.1	20	2.4
63375	0	0	1	1	DSb	43.8432	69.6149	17.3	743.4	485	56852.	360	0.4	1.0	0.9	0.1	0.1	0.1	18	2.4
63374	0	0	1	1	Water	43.8430	69.6144	17.3	743.5	486	56855.	298	0.3	0.6	0.9	0.1	0.1	0.1	22	2.5
63373	0	1	0	0	Water	43.8429	69.6139	17.3	743.6	486	56858.	242	0.2	1.2	1.7	0.1	0.7	0.1	11	2.5
63372	0	1	0	1	Water	43.8428	69.6133	17.3	743.6	486	56863.	232	0.2	1.0	0.8	0.1	0.1	0.1	18	2.6

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
63371	0	1	1	1	Water	43.8427	69.6128	17.3	743.7	486	56866.	181	0.1	0.3	-0.8	0.1	0.1	0.1	13	2.6
63370	0	1	0	1	Water	43.8425	69.6123	17.3	743.7	487	56868.	130	0.0	1.0	0.5	0.1	0.1	0.1	22	2.6
63369	0	1	1	1	Water	43.8424	69.6118	17.3	743.7	488	56871.	122	0.1	0.5	0.7	0.1	0.1	0.1	19	2.7
63368	0	1	1	1	Water	43.8423	69.6113	17.3	743.6	490	56873.	123	0.1	0.4	0.5	0.1	0.1	0.1	18	2.8
63367	0	1	1	1	Water	43.8422	69.6108	17.4	743.6	491	56874.	99	0.0	0.1	-0.3	0.1	0.1	0.1	21	2.9
63366	0	1	1	1	Water	43.8420	69.6103	17.4	743.6	493	56875.	118	0.0	0.2	0.7	0.1	0.1	0.1	24	3.1
63365	0	1	1	1	Water	43.8419	69.6098	17.4	743.5	494	56877.	141	0.0	0.2	0.1	0.1	0.1	0.1	16	3.2
63364	0	1	1	1	Water	43.8418	69.6093	17.4	743.5	495	56878.	122	0.1	0.0	0.4	0.1	0.1	0.1	24	3.3
63363	0	1	1	1	Water	43.8416	69.6088	17.4	743.4	496	56881.	163	0.1	1.0	0.1	0.1	0.1	0.1	23	3.4
63362	0	0	1	1	Water	43.8415	69.6083	17.4	743.4	496	56887.	343	0.4	0.9	0.3	0.1	0.1	0.1	12	3.5
63361	0	0	1	1	Water	43.8414	69.6078	17.4	743.3	495	56895.	388	0.5	0.4	1.1	0.1	0.1	0.1	16	3.6
63360	0	0	1	1	Water	43.8413	69.6073	17.4	743.3	489	56904.	431	0.3	0.1	0.9	0.1	0.1	0.1	27	3.7
63359	0	0	0	0	Water	43.8411	69.6068	17.4	743.2	484	56914.	450	0.6	1.8	1.6	3.1	1.1	2.8	20	3.8
63358	0	1	1	1	Water	43.8410	69.6063	17.4	743.2	492	56921.	411	0.2	0.2	0.2	0.1	0.1	0.1	20	3.9
63357	0	0	1	1	Water	43.8410	69.6058	17.4	743.1	506	56926.	343	0.4	1.1	1.2	0.1	0.1	0.1	22	4.0
63356	0	0	1	1	Water	43.8409	69.6053	17.4	742.7	524	56930.	170	0.4	0.0	-0.2	0.1	0.1	0.1	21	4.1
63355	0	1	1	1	Water	43.8408	69.6048	17.4	742.7	525	56931.	177	0.2	0.4	1.4	0.1	0.1	0.1	23	4.2
63354	0	1	1	1	Water	43.8408	69.6043	17.4	742.7	527	56933.	114	0.1	-0.2	0.4	0.1	0.1	0.1	23	4.3
63353	0	1	1	1	Water	43.8407	69.6039	17.4	742.7	530	56934.	98	0.1	-0.6	-0.1	0.1	0.1	0.1	28	4.4
63352	0	1	1	1	Water	43.8406	69.6034	17.4	742.7	533	56935.	69	0.1	0.6	-0.8	0.1	0.1	0.1	25	4.4
63351	0	1	1	1	Water	43.8406	69.6029	17.4	742.7	536	56935.	92	0.1	1.0	-0.2	0.1	0.1	0.1	14	4.4
63350	0	1	1	1	Water	43.8405	69.6024	17.4	742.6	539	56936.	105	0.1	-0.1	-0.8	0.1	0.1	0.1	24	4.3
63349	0	1	1	1	Water	43.8405	69.6020	17.4	742.6	542	56936.	73	0.0	0.3	0.4	0.1	0.1	0.1	24	4.3
63348	0	1	1	1	Water	43.8404	69.6015	17.4	742.6	544	56937.	121	0.1	-0.2	0.6	0.1	0.1	0.1	9	4.3
63347	0	1	1	1	Water	43.8403	69.6010	17.4	742.6	546	56937.	126	0.2	0.0	1.1	0.1	0.1	0.1	23	4.3
63346	0	1	1	1	Water	43.8403	69.6005	17.4	742.6	547	56938.	93	0.1	-0.2	0.3	0.1	0.1	0.1	21	4.3
63345	0	1	0	1	Water	43.8402	69.6000	17.4	742.6	548	56939.	132	0.2	1.4	0.6	0.1	0.1	0.1	18	4.3
63344	0	1	1	1	Water	43.8402	69.5996	17.4	742.6	548	56941.	115	0.0	0.5	-1.3	0.1	0.1	0.1	14	4.2
63343	0	1	0	1	Water	43.8401	69.5991	17.4	742.6	548	56942.	112	0.0	1.1	0.1	0.1	0.1	0.1	19	4.2
63342	0	1	1	1	Water	43.8400	69.5986	17.4	742.6	547	56943.	107	0.2	0.2	-0.6	0.1	0.1	0.1	22	4.1
63341	0	0	1	1	Water	43.8400	69.5981	17.4	742.5	546	56943.	133	0.3	-0.2	1.1	0.1	0.1	0.1	25	4.1
63340	0	1	1	1	Water	43.8399	69.5976	17.4	742.5	545	56942.	83	0.1	-0.4	-0.4	0.1	0.1	0.1	22	4.0
63339	0	1	1	1	Water	43.8399	69.5972	17.4	742.5	543	56940.	173	0.1	1.1	0.9	0.1	0.1	0.1	24	4.0
63338	0	1	1	1	Water	43.8398	69.5967	17.4	742.5	540	56936.	198	0.1	0.4	0.4	0.1	0.1	0.1	18	4.0
63337	0	0	1	0	Water	43.8397	69.5962	17.4	742.6	536	56932.	379	0.3	0.6	2.9	0.1	0.1	0.1	26	3.9
63336	0	1	1	1	Water	43.8397	69.5957	17.4	742.6	529	56928.	412	0.3	-0.2	1.5	0.1	0.1	0.1	9	3.9
63335	0	0	0	0	Water	43.8396	69.5952	17.4	742.6	517	56925.	637	0.5	2.3	1.8	0.1	1.3	0.1	24	3.8
63334	0	0	0	0	Water	43.8396	69.5948	17.4	742.6	494	56923.	842	0.9	2.0	2.2	2.5	1.0	2.6	22	3.7
63332	0	0	0	0	OEds	43.8394	69.5938	17.4	742.6	469	56924.	966	1.1	1.4	4.3	1.4	0.4	4.3	14	3.7
63331	0	0	0	0	OEds	43.8394	69.5933	17.4	742.6	444	56929.	1107	1.2	1.6	3.9	1.4	0.5	3.2	23	3.6
63330	0	0	1	0	OEds	43.8393	69.5928	17.4	742.7	431	56934.	1049	1.2	0.8	2.3	0.1	0.1	2.0	29	3.5
63329	0	0	0	0	OEds	43.8393	69.5924	17.4	742.7	425	56939.	1258	1.4	2.6	4.9	2.0	0.6	3.7	23	3.4
63328	0	0	0	0	OEds	43.8392	69.5919	17.4	742.7	423	56941.	1190	1.0	1.4	5.4	1.4	0.3	5.5	26	3.2
63327	0	0	0	0	OEds	43.8391	69.5914	17.4	742.7	424	56942.	1164	1.0	2.6	3.2	2.6	0.9	3.2	25	3.1
63326	0	0	0	0	OEds	43.8391	69.5909	17.4	742.8	427	56941.	1198	1.2	2.3	4.5	2.0	0.6	3.8	27	3.0
63325	0	0	0	0	OEds	43.8392	69.5905	17.4	742.8	434	56938.	1191	1.4	1.3	5.3	1.0	0.3	4.0	16	2.9
63324	0	0	0	0	OEds	43.8393	69.5901	17.4	742.8	436	56933.	1123	0.9	1.5	5.3	1.8	0.3	6.2	23	2.8
63323	0	0	0	0	OEds	43.8394	69.5896	17.4	742.8	437	56928.	1151	1.4	1.6	4.4	1.2	0.4	3.3	29	2.7
63322	0	0	0	0	OEds	43.8396	69.5892	17.4	742.9	439	56922.	1071	1.3	1.5	5.9	1.2	0.3	4.7	26	2.6
63321	0	0	0	0	DSb	43.8397	69.5888	17.4	742.9	445	56916.	1094	0.9	1.9	4.2	2.1	0.5	4.7	22	2.5

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
63320	0	0	0	0	DSb	43.8398	69.5883	17.4	742.9	451	56911.	1094	1.1	2.8	4.4	2.7	0.7	4.2	17	2.4
63319	0	0	1	0	DSb	43.8399	69.5879	17.4	743.0	454	56907.	1107	1.1	0.6	4.6	0.1	0.1	4.3	18	2.4
63318	0	0	0	0	DSb	43.8400	69.5875	17.4	743.0	456	56904.	1060	1.2	1.3	4.8	1.1	0.3	4.3	24	2.3
63317	0	0	1	0	DSb	43.8401	69.5870	17.4	743.1	451	56901.	1049	1.0	1.2	2.9	0.1	0.1	2.9	17	2.3
63316	0	0	0	0	DSb	43.8402	69.5866	17.4	743.1	438	56898.	1114	1.2	1.7	4.9	1.4	0.4	4.2	30	2.2
63315	0	0	0	0	DSb	43.8404	69.5862	17.4	743.2	421	56897.	1142	1.0	2.0	4.1	2.0	0.5	4.2	29	2.1
63314	0	0	0	0	DSb	43.8405	69.5857	17.4	743.3	405	56896.	1044	1.0	1.2	4.0	1.3	0.3	4.1	29	2.0
63313	0	0	0	C	DSb	43.8406	69.5853	17.4	743.4	392	56895.	1082	1.1	2.1	5.2	2.1	0.5	5.1	13	2.0
63312	0	0	0	0	DSb	43.8407	69.5848	17.4	743.5	382	56894.	1062	1.1	1.8	4.4	1.6	0.5	3.9	23	1.9
63311	0	0	0	0	DSb	43.8408	69.5844	17.4	743.6	374	56892.	1013	1.0	1.9	4.0	2.1	0.5	4.3	24	1.8
63310	0	0	0	0	DSb	43.8410	69.5840	17.4	743.8	370	56890.	1052	0.9	1.6	5.0	1.8	0.3	5.6	14	1.7
63309	0	0	0	0	DSb	43.8411	69.5835	17.4	743.9	368	56889.	1077	1.0	2.3	3.0	2.3	0.8	3.0	21	1.7
63308	0	0	0	0	DSb	43.8412	69.5831	17.4	744.1	367	56889.	991	0.8	2.7	4.1	3.6	0.7	5.5	17	1.6
63307	0	0	0	0	DSb	43.8413	69.5827	17.4	744.2	364	56888.	1078	0.8	2.8	4.2	3.5	0.7	5.4	18	1.5
63306	0	0	0	0	DSb	43.8414	69.5822	17.4	744.3	357	56887.	1004	0.8	1.2	3.1	1.6	0.4	4.1	20	1.5
63305	0	0	0	0	DSb	43.8415	69.5818	17.4	744.5	351	56885.	1015	1.1	2.1	5.2	2.0	0.5	5.0	13	1.5
63304	0	0	0	0	DSb	43.8416	69.5814	17.4	744.6	341	56883.	1065	0.9	1.7	2.3	1.9	0.8	2.6	19	1.5
63303	0	0	0	0	DSb	43.8418	69.5809	17.4	744.8	332	56882.	1084	0.9	1.6	5.2	1.8	0.3	5.8	18	1.5
63302	0	0	0	0	DSb	43.8419	69.5805	17.4	744.9	320	56882.	1082	0.9	2.3	4.7	2.6	0.5	5.4	20	1.5
63301	0	0	0	0	DSb	43.8420	69.5801	17.4	745.0	313	56885.	1115	0.9	2.4	5.2	2.8	0.5	5.9	22	1.4
63300	0	0	0	0	DSb	43.8421	69.5796	17.4	745.1	306	56890.	1138	1.1	1.5	5.9	1.4	0.3	5.4	18	1.4
63299	0	0	0	0	DSb	43.8422	69.5792	17.4	746.2	297	56896.	1116	1.1	2.0	4.4	1.9	0.5	4.1	31	1.3
63298	0	0	0	0	DSb	43.8424	69.5788	17.4	746.1	296	56896.	1191	1.1	2.5	5.3	2.3	0.5	4.8	23	1.3
63297	0	0	0	0	DSb	43.8425	69.5783	17.4	746.1	296	56898.	1156	1.1	2.7	3.2	2.5	0.9	3.0	19	1.2
63296	0	0	0	0	DSb	43.8426	69.5779	17.4	746.1	298	56902.	1056	1.0	2.8	4.5	2.8	0.6	4.6	17	1.1
63295	0	0	0	0	DSb	43.8427	69.5775	17.4	746.1	309	56905.	1020	1.0	2.6	3.5	2.8	0.8	3.7	23	1.0
63294	0	0	0	0	DSb	43.8428	69.5770	17.4	746.2	329	56908.	900	0.7	2.1	4.8	3.2	0.5	7.2	30	1.0
63293	0	0	0	0	DSb	43.8429	69.5766	17.4	746.2	362	56911.	684	0.6	1.1	2.3	1.9	0.5	3.8	15	1.0
63292	0	0	0	1	DSb	43.8430	69.5762	17.4	746.3	385	56912.	571	0.6	1.4	1.0	2.3	0.1	0.1	21	1.0
63291	0	0	0	0	DSb	43.8432	69.5757	17.4	746.3	396	56914.	352	0.3	0.9	1.5	0.1	0.7	0.1	14	1.1
63290	0	1	1	1	Water	43.8433	69.5753	17.4	746.4	390	56916.	212	0.2	0.7	-0.3	0.1	0.1	0.1	24	1.1
63289	0	1	0	1	Water	43.8434	69.5749	17.4	746.5	385	56917.	163	0.1	1.4	0.7	0.1	0.1	0.1	23	1.2
63288	0	1	1	1	Water	43.8435	69.5744	17.4	746.5	381	56920.	135	0.1	0.3	0.4	0.1	0.1	0.1	23	1.3
63287	0	1	1	1	Water	43.8436	69.5740	17.4	746.6	378	56926.	97	0.2	0.1	0.2	0.1	0.1	0.1	13	1.4
63286	0	1	1	1	Water	43.8438	69.5736	17.4	746.7	375	56933.	76	0.1	0.3	0.0	0.1	0.1	0.1	32	1.4
63285	0	1	0	1	Water	43.8439	69.5731	17.4	746.8	372	56937.	101	0.0	0.9	0.2	0.1	0.1	0.1	21	1.5
63284	0	1	0	1	Water	43.8440	69.5727	17.4	746.9	370	56938.	62	0.1	0.8	-0.2	0.1	0.1	0.1	19	1.6
63283	0	1	1	1	Water	43.8441	69.5723	17.4	747.0	368	56937.	75	0.0	0.3	-0.4	0.1	0.1	0.1	19	1.7
63282	0	1	1	1	Water	43.8442	69.5718	17.4	747.0	367	56936.	63	0.1	0.2	-0.6	0.1	0.1	0.1	18	1.8
63281	0	1	0	1	Water	43.8443	69.5714	17.4	747.1	366	56936.	102	0.1	0.7	0.5	0.1	0.1	0.1	18	1.9
63280	0	1	1	1	Water	43.8444	69.5710	17.4	747.2	365	56937.	73	0.1	0.2	0.3	0.1	0.1	0.1	12	1.9
63279	0	1	1	1	Water	43.8446	69.5705	17.4	747.2	364	56937.	102	0.1	0.1	0.2	0.1	0.1	0.1	21	2.0
63278	0	0	1	1	Water	43.8447	69.5701	17.4	747.2	363	56939.	129	0.2	0.2	-0.3	0.1	0.1	0.1	20	2.1
63277	0	0	1	1	Water	43.8448	69.5697	17.4	747.2	362	56942.	177	0.2	0.2	0.3	0.1	0.1	0.1	14	2.2
63276	0	0	0	1	Water	43.8449	69.5692	17.4	747.2	361	56945.	263	0.3	1.0	0.1	0.1	0.1	0.1	24	2.2
63275	0	1	1	1	Water	43.8450	69.5688	17.4	747.2	358	56948.	353	0.2	0.7	0.8	0.1	0.1	0.1	21	2.2
63274	0	0	0	1	Water	43.8451	69.5684	17.4	747.2	354	56950.	485	0.4	2.6	0.8	0.1	0.1	0.1	35	2.3
63273	0	0	0	0	Water	43.8453	69.5679	17.4	747.2	344	56951.	708	0.7	1.0	3.2	1.6	0.4	4.8	20	2.3
63272	0	0	0	0	Water	43.8454	69.5675	17.4	747.2	329	56950.	880	1.0	1.9	2.3	2.0	0.9	2.4	17	2.3
63271	0	0	0	0	Water	43.8455	69.5671	17.4	747.2	315	56947.	934	0.8	1.6	3.8	2.1	0.5	5.1	28	2.4

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
63270	0	0	1	0	OEce	43.8455	69.5666	17.4	747.1	309	56943.	940	1.1	0.8	4.1	0.1	0.1	3.7	18	2.4
63269	0	0	0	0	OEce	43.8455	69.5660	17.4	747.1	318	56940.	1099	1.2	1.3	3.9	1.2	0.4	3.5	23	2.3
63268	0	0	0	0	OEce	43.8455	69.5656	17.4	747.0	327	56937.	1063	1.2	3.0	2.8	2.7	1.1	2.4	14	2.2
63267	0	0	0	0	OEce	43.8455	69.5650	17.4	747.0	338	56935.	1010	1.0	2.4	2.7	2.4	0.9	2.8	24	2.1
63266	0	0	0	0	OEce	43.8455	69.5645	17.4	747.0	351	56935.	939	1.1	1.3	3.5	1.2	0.4	3.2	18	1.9
63265	0	0	0	0	OEce	43.8455	69.5640	17.4	746.9	371	56936.	894	1.2	2.4	2.6	2.1	1.0	2.2	22	1.8
63264	0	0	0	0	Water	43.8454	69.5635	17.4	746.9	390	56938.	687	0.7	1.5	2.2	2.4	0.7	3.6	15	1.6
63263	0	0	0	1	Water	43.8454	69.5630	17.4	746.8	397	56940.	607	0.6	1.2	1.2	2.1	0.1	0.1	16	1.5
63262	0	0	0	0	Water	43.8454	69.5625	17.4	746.8	399	56941.	457	0.5	1.2	1.4	0.1	0.9	0.1	23	1.4
63261	0	0	0	1	Water	43.8454	69.5620	17.4	746.8	400	56942.	416	0.5	1.3	0.3	0.1	0.1	0.1	23	1.3
63260	0	0	0	0	Water	43.8454	69.5615	17.4	746.7	401	56942.	323	0.2	1.0	1.8	0.1	0.6	0.1	27	1.2
63259	0	0	0	1	Water	43.8454	69.5610	17.4	746.7	402	56943.	362	0.4	0.9	0.5	0.1	0.1	0.1	11	1.1
63258	0	0	0	1	Water	43.8454	69.5605	17.4	746.6	404	56942.	302	0.2	1.2	0.3	0.1	0.1	0.1	27	0.9
63257	0	0	0	1	Water	43.8454	69.5600	17.4	746.6	407	56941.	368	0.5	1.9	1.0	0.1	0.1	0.1	19	0.8
63256	0	0	1	1	Water	43.8454	69.5595	17.4	746.6	409	56940.	322	0.5	0.7	0.2	0.1	0.1	0.1	25	0.7
63255	0	0	1	1	Water	43.8454	69.5590	17.4	746.6	412	56940.	372	0.5	0.5	0.9	0.1	0.1	0.1	16	0.6
63254	0	0	1	0	Water	43.8454	69.5585	17.4	746.6	413	56940.	430	0.5	0.2	1.7	0.1	0.1	0.1	22	0.5
63253	0	0	0	1	Water	43.8454	69.5580	17.4	746.5	414	56941.	381	0.3	1.1	0.9	0.1	0.1	0.1	28	0.4
63252	0	0	0	1	Water	43.8454	69.5575	17.4	746.5	414	56942.	414	0.4	1.1	1.0	0.1	0.1	0.1	21	0.3
63251	0	0	0	1	Water	43.8454	69.5570	17.4	746.5	413	56942.	360	0.3	1.4	0.9	0.1	0.1	0.1	23	0.2
63250	0	0	1	1	Water	43.8454	69.5565	17.4	746.5	412	56943.	354	0.4	0.6	0.9	0.1	0.1	0.1	13	0.2
63249	0	0	0	1	Water	43.8454	69.5560	17.4	746.5	411	56944.	437	0.3	2.0	0.1	0.1	0.1	0.1	31	0.1
63248	0	0	0	0	Water	43.8453	69.5555	17.4	746.5	411	56945.	492	0.4	2.4	2.1	0.1	1.2	0.1	23	0.0
63247	0	0	0	0	Water	43.8453	69.5550	17.4	746.6	410	56947.	472	0.7	1.1	1.8	1.7	0.7	2.8	17	0.0
63246	0	0	0	0	DSb	43.8453	69.5545	17.4	746.6	409	56951.	612	0.7	1.3	3.4	2.1	0.4	5.3	27	0.0
63245	0	0	0	0	DSb	43.8453	69.5540	17.4	746.6	406	56955.	745	1.0	2.2	2.4	2.4	1.0	2.6	17	0.0
63244	0	0	0	0	DSb	43.8453	69.5535	17.4	746.6	403	56960.	925	0.7	1.8	3.9	2.8	0.5	6.0	16	0.0
63242	0	0	0	0	DSb	43.8453	69.5525	17.4	747.0	394	56962.	994	1.0	2.1	3.3	2.3	0.7	3.5	25	0.0
63241	0	0	0	0	DSb	43.8453	69.5520	17.4	746.9	390	56963.	1174	1.1	2.1	5.7	2.0	0.4	5.5	20	0.0
63240	0	0	0	0	DSb	43.8453	69.5515	17.4	746.9	389	56964.	1129	1.2	2.1	4.7	1.9	0.5	4.2	16	0.0
63239	0	0	0	0	Water	43.8453	69.5510	17.4	746.9	386	56963.	1107	1.2	4.3	3.4	3.7	1.3	3.0	18	0.0
63238	0	0	0	0	Water	43.8453	69.5505	17.4	746.9	387	56960.	1036	1.3	2.9	3.2	2.4	1.0	2.6	18	0.0
63237	0	0	0	0	Water	43.8453	69.5500	17.4	747.0	386	56959.	965	1.4	1.7	3.5	1.2	0.5	2.5	15	0.0
63236	0	0	0	0	Water	43.8453	69.5495	17.4	747.0	381	56958.	888	1.0	1.7	3.1	1.9	0.6	3.3	17	0.0
63235	0	0	0	0	Water	43.8453	69.5490	17.4	747.0	369	56957.	927	1.1	2.6	3.4	2.5	0.8	3.2	24	0.0
63234	0	0	0	0	Water	43.8453	69.5485	17.4	747.0	355	56957.	875	0.9	1.9	5.0	2.3	0.4	6.1	21	0.0
63233	0	0	0	0	Water	43.8452	69.5480	17.4	747.0	351	56956.	739	0.7	1.8	2.6	2.7	0.7	4.0	20	0.0
63232	0	0	1	0	Water	43.8452	69.5475	17.4	747.1	361	56956.	560	0.6	0.7	2.3	0.1	0.1	4.1	18	0.0
63231	0	0	0	1	Water	43.8452	69.5470	17.4	747.1	374	56956.	410	0.4	1.4	0.5	0.1	0.1	0.1	30	0.0
63230	0	1	0	1	Water	43.8452	69.5465	17.4	747.1	378	56956.	225	0.2	1.4	0.4	0.1	0.1	0.1	11	0.0
63229	0	1	0	1	Water	43.8452	69.5460	17.4	747.2	376	56957.	214	0.1	1.4	1.1	0.1	0.1	0.1	12	0.0
63228	0	0	1	1	Water	43.8452	69.5455	17.4	747.2	373	56959.	98	0.2	0.5	0.2	0.1	0.1	0.1	18	0.0
63227	0	1	1	1	Water	43.8452	69.5451	17.4	747.3	371	56961.	104	0.2	0.3	0.0	0.1	0.1	0.1	23	0.0
63226	0	1	1	1	Water	43.8452	69.5446	17.4	747.3	368	56963.	84	0.1	0.6	-0.1	0.1	0.1	0.1	25	0.0
63225	0	1	1	0	Water	43.8452	69.5441	17.4	747.4	366	56964.	79	0.1	0.2	1.4	0.1	0.1	0.1	23	0.0
63224	0	1	0	1	Water	43.8452	69.5436	17.4	747.5	364	56965.	106	0.1	1.1	0.7	0.1	0.1	0.1	20	0.0
63223	0	1	1	1	Water	43.8452	69.5431	17.4	747.5	363	56965.	63	0.1	0.6	-0.1	0.1	0.1	0.1	15	0.0
63222	0	1	1	1	Water	43.8452	69.5426	17.4	747.5	361	56964.	58	0.0	0.5	0.2	0.1	0.1	0.1	28	0.0
63221	0	1	1	1	Water	43.8452	69.5421	17.4	747.6	361	56964.	94	0.1	0.6	-0.6	0.1	0.1	0.1	20	0.0
63220	0	1	0	1	Water	43.8452	69.5416	17.4	747.6	360	56965.	77	0.1	1.2	-0.1	0.1	0.1	0.1	22	0.0

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
63219	0	1	1	1	Water	43.8452	69.5411	17.4	747.7	360	56967.	80	0.1	0.6	-0.7	0.1	0.1	0.1	20	0.0
63218	0	1	0	1	Water	43.8451	69.5407	17.4	747.7	359	56969.	59	0.1	0.7	0.1	0.1	0.1	0.1	20	0.0
63217	0	1	1	1	Water	43.8451	69.5402	17.4	747.7	358	56973.	71	0.1	0.6	-0.8	0.1	0.1	0.1	17	0.0
63216	0	1	0	1	Water	43.8451	69.5397	17.4	747.8	357	56979.	85	0.1	1.1	-0.3	0.1	0.1	0.1	23	0.0
63215	0	1	0	1	Water	43.8451	69.5392	17.4	747.8	356	56986.	75	0.1	0.9	-0.5	0.1	0.1	0.1	12	0.0
63214	0	1	1	1	Water	43.8451	69.5387	17.4	747.9	354	56994.	65	0.0	0.2	0.6	0.1	0.1	0.1	22	0.0
63213	0	0	1	1	Water	43.8451	69.5382	17.4	747.9	352	57002.	95	0.3	0.3	0.2	0.1	0.1	0.1	23	0.0
63212	0	0	1	1	Water	43.8451	69.5377	17.4	747.9	350	57010.	58	0.3	0.6	-1.2	0.1	0.1	0.1	24	0.0
63211	0	1	0	1	Water	43.8451	69.5372	17.4	748.0	347	57015.	47	0.0	0.6	-0.9	0.1	0.1	0.1	23	0.0
63210	0	1	0	1	Water	43.8451	69.5368	17.4	748.0	344	57016.	50	0.1	0.7	0.2	0.1	0.1	0.1	22	0.0
63209	0	1	0	1	Water	43.8451	69.5363	17.4	748.0	341	57017.	54	0.1	0.6	-0.3	0.1	0.1	0.1	18	0.0
63208	0	1	1	1	Water	43.8451	69.5358	17.4	748.1	338	57018.	91	0.1	0.6	0.3	0.1	0.1	0.1	19	0.0
63207	0	1	1	1	Water	43.8451	69.5353	17.4	748.1	335	57018.	83	0.1	0.5	0.4	0.1	0.1	0.1	21	0.0
63206	0	1	1	1	Water	43.8451	69.5348	17.4	748.1	332	57016.	69	0.1	0.6	0.0	0.1	0.1	0.1	18	0.0
63205	0	1	1	1	Water	43.8451	69.5343	17.4	748.2	329	57013.	58	0.1	0.2	0.1	0.1	0.1	0.1	22	0.0
63204	0	1	1	1	Water	43.8451	69.5338	17.4	748.2	326	57009.	73	0.1	0.6	0.4	0.1	0.1	0.1	20	0.0
63203	0	1	1	1	Water	43.8450	69.5333	17.4	748.3	322	57004.	99	0.1	0.4	0.5	0.1	0.1	0.1	14	0.0
63202	0	1	1	1	Water	43.8450	69.5328	17.4	748.3	318	56999.	70	0.1	0.4	0.3	0.1	0.1	0.1	11	0.0
63201	0	1	0	1	Water	43.8450	69.5323	17.4	748.3	314	56996.	43	0.0	0.8	0.2	0.1	0.1	0.1	19	0.0
63200	0	1	0	1	Water	43.8450	69.5319	17.4	748.4	311	56993.	27	0.0	0.6	-0.9	0.1	0.1	0.1	23	0.0
63199	0	1	0	1	Water	43.8450	69.5314	17.4	748.4	308	56989.	31	0.1	0.9	-0.1	0.1	0.1	0.1	22	0.0
63198	0	1	1	1	Water	43.8450	69.5309	17.4	748.4	305	56985.	68	0.2	0.2	0.3	0.1	0.1	0.1	26	0.0
63197	0	1	1	1	Water	43.8450	69.5304	17.4	748.4	303	56981.	38	0.0	0.6	-0.7	0.1	0.1	0.1	20	0.0
63196	0	1	1	1	Water	43.8450	69.5299	17.4	748.4	302	56977.	69	0.1	0.4	0.4	0.1	0.1	0.1	14	0.0
63195	0	1	0	1	Water	43.8450	69.5294	17.4	748.4	303	56973.	73	0.1	0.7	0.4	0.1	0.1	0.1	18	0.0
63194	0	1	0	1	Water	43.8450	69.5289	17.4	748.4	305	56972.	108	0.1	0.7	-0.1	0.1	0.1	0.1	18	0.0
63193	0	1	1	1	Water	43.8450	69.5285	17.4	748.4	307	56971.	49	0.1	0.3	0.1	0.1	0.1	0.1	27	0.0
63192	0	1	1	1	Water	43.8450	69.5280	17.4	748.4	310	56968.	62	0.1	0.2	0.4	0.1	0.1	0.1	14	0.0
63191	0	1	0	1	Water	43.8450	69.5275	17.4	748.4	312	56963.	82	0.1	0.7	-0.1	0.1	0.1	0.1	14	0.0
63190	0	1	0	1	Water	43.8450	69.5270	17.4	748.3	315	56958.	97	0.1	0.7	0.9	0.1	0.1	0.1	12	0.0
63189	0	1	1	1	Water	43.8449	69.5265	17.4	748.3	317	56953.	84	0.1	0.3	0.2	0.1	0.1	0.1	19	0.0
63188	0	1	0	1	Water	43.8449	69.5260	17.4	748.2	319	56949.	52	0.1	0.6	-0.4	0.1	0.1	0.1	15	0.0
63187	0	0	1	1	Water	43.8449	69.5255	17.4	748.1	321	56945.	70	0.2	-0.1	0.8	0.1	0.1	0.1	26	0.0
63186	0	1	1	1	Water	43.8449	69.5250	17.4	748.0	323	56945.	67	0.1	0.6	-0.2	0.1	0.1	0.1	20	0.0
63185	0	0	0	1	Water	43.8449	69.5245	17.4	747.9	326	56947.	68	0.2	1.2	0.5	0.1	0.1	0.1	16	0.0
63184	0	1	1	1	Water	43.8449	69.5240	17.4	747.8	329	56948.	60	0.0	0.6	-0.7	0.1	0.1	0.1	24	0.0
63183	0	1	0	1	Water	43.8449	69.5236	17.4	747.7	333	56947.	68	0.1	0.7	-0.3	0.1	0.1	0.1	13	0.0
63182	0	0	1	1	Water	43.8449	69.5231	17.4	747.6	336	56946.	82	0.2	0.4	0.0	0.1	0.1	0.1	21	0.0
63181	0	1	1	1	Water	43.8449	69.5226	17.4	747.5	339	56945.	53	0.1	0.4	0.5	0.1	0.1	0.1	18	0.1
63180	0	0	1	1	Water	43.8449	69.5221	17.4	747.4	342	56944.	63	0.2	0.0	0.3	0.1	0.1	0.1	25	0.4
63179	0	0	1	1	Water	43.8449	69.5216	17.4	747.3	346	56944.	53	0.2	0.3	-0.2	0.1	0.1	0.1	14	0.7
63178	0	1	1	1	Water	43.8449	69.5211	17.4	747.1	350	56944.	62	0.1	0.2	0.3	0.1	0.1	0.1	22	1.0
63177	0	1	0	1	Water	43.8449	69.5206	17.4	747.0	354	56944.	72	0.1	0.7	1.0	0.1	0.1	0.1	16	1.3
63176	0	1	1	1	Water	43.8449	69.5201	17.4	746.8	359	56945.	54	0.0	-0.1	0.6	0.1	0.1	0.1	26	1.5
63175	0	1	1	1	Water	43.8449	69.5197	17.4	746.7	365	56946.	73	0.0	0.6	-0.2	0.1	0.1	0.1	23	1.8
63174	0	1	1	1	Water	43.8448	69.5192	17.3	746.5	372	56946.	76	0.0	0.7	0.9	0.1	0.1	0.1	26	2.0
63173	0	1	1	1	Water	43.8448	69.5187	17.3	746.3	380	56946.	99	0.1	0.5	-0.1	0.1	0.1	0.1	20	2.2
63172	U	1	1	U	Water	43.8448	69.5182	17.3	746.2	389	56946.	130	0.1	0.1	1.3	0.1	0.1	0.1	18	2.4
63171	0	1	1	1	Water	43.8448	69.5177	17.3	745.9	399	56946.	125	0.0	0.8	1.2	0.1	0.1	0.1	15	2.5
63170	0	1	0	1	Water	43.8448	69.5172	17.3	745.7	410	56945.	220	0.2	0.9	1.1	0.1	0.1	0.1	29	2.7

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
63169	0	0	0	1	Water	43.8448	69.5167	17.3	745.5	421	56946.	342	0.3	1.0	0.2	0.1	0.1	0.1	19	2.8
63168	0	0	0	1	Water	43.8448	69.5162	17.3	745.3	432	56947.	564	0.6	2.9	0.8	5.5	0.1	0.1	23	2.9
63167	0	0	0	0	Water	43.8448	69.5157	17.3	745.0	441	56948.	746	1.1	1.7	2.4	1.5	0.7	2.2	27	2.9
63166	0	0	0	0	Water	43.8448	69.5153	17.3	744.8	448	56946.	963	1.0	1.6	3.2	1.8	0.6	3.4	19	3.0
63165	0	0	0	0	Water	43.8448	69.5148	17.3	744.5	451	56945.	1087	1.1	2.1	4.1	1.9	0.6	3.7	22	3.1
63164	0	0	0	1	Water	43.8448	69.5143	17.3	744.2	447	56944.	1084	1.3	1.6	0.9	1.2	0.1	0.1	22	3.2
63163	0	0	0	0	DSb	43.8448	69.5138	17.3	744.0	441	56944.	999	1.2	1.5	2.5	1.3	0.6	2.2	19	3.3
63162	0	0	1	0	DSb	43.8448	69.5133	17.3	743.7	441	56944.	898	1.2	0.7	1.6	0.1	0.1	1.4	34	3.4
63161	0	0	1	0	DSb	43.8448	69.5128	17.3	743.4	447	56945.	817	0.8	0.9	5.0	0.1	0.1	7.0	32	3.5
63160	0	0	0	0	DSb	43.8448	69.5123	17.3	743.2	456	56944.	854	1.0	1.4	2.4	1.5	0.6	2.6	27	3.6
63159	0	0	0	0	DSb	43.8448	69.5118	17.3	742.9	463	56943.	840	0.8	2.4	3.3	3.3	0.8	4.7	17	3.7
63158	0	0	0	0	DSb	43.8448	69.5114	17.3	742.7	468	56943.	907	0.9	1.5	3.1	1.8	0.5	3.9	31	3.6
63157	0	0	1	0	DSb	43.8448	69.5109	17.3	742.5	470	56942.	918	1.2	1.1	2.6	0.1	0.1	2.3	19	3.5
63156	0	0	0	0	DSb	43.8448	69.5104	17.3	742.3	467	56939.	984	0.9	1.7	4.1	1.9	0.5	4.5	21	3.4
63155	0	0	0	0	DSb	43.8448	69.5099	17.3	742.1	465	56936.	1005	1.3	1.6	2.5	1.3	0.7	2.1	24	3.3
63154	0	0	1	0	DSb	43.8448	69.5094	17.3	741.9	466	56932.	1002	1.2	1.1	3.6	0.1	0.1	3.1	26	3.2
63153	0	0	1	0	DSb	43.8448	69.5089	17.3	741.8	468	56930.	1027	1.2	0.7	2.9	0.1	0.1	2.4	22	3.1
63151	0	0	0	0	DSb	43.8448	69.5080	17.2	741.6	473	56927.	1015	1.0	1.7	5.1	1.8	0.4	5.3	27	3.0
63150	0	0	0	0	DSb	43.8448	69.5075	17.2	741.5	477	56925.	1065	1.1	1.6	2.8	1.5	0.6	2.7	28	3.0
63149	0	0	0	0	DSb	43.8448	69.5070	17.2	741.3	481	56924.	1084	0.9	2.3	4.8	2.7	0.5	5.6	25	2.9
63148	0	0	0	0	DSb	43.8448	69.5065	17.2	741.2	485	56921.	1080	0.8	1.7	5.6	2.4	0.3	7.8	21	2.8
63147	0	0	0	0	DSb	43.8448	69.5060	17.2	741.1	489	56918.	1149	1.0	2.1	3.9	2.2	0.6	4.1	27	2.8
63146	0	0	0	0	DSb	43.8448	69.5055	17.2	741.0	494	56918.	1219	1.2	2.8	3.0	2.4	1.0	2.6	23	2.7
63145	0	0	0	0	DSb	43.8448	69.5050	17.2	740.9	497	56919.	1160	1.2	2.8	5.5	2.4	0.6	4.8	15	2.6
63144	0	0	1	0	DSb	43.8448	69.5045	17.2	740.8	501	56919.	1191	1.2	0.8	4.2	0.1	0.1	3.5	21	2.6
63143	0	0	0	0	DSb	43.8448	69.5041	17.2	740.7	502	56918.	1101	1.0	1.7	3.3	1.8	0.5	3.6	24	2.6
63142	0	0	0	0	DSb	43.8448	69.5036	17.2	740.7	506	56916.	1128	1.2	1.8	5.7	1.6	0.4	5.0	24	2.6
63141	0	0	0	0	DSb	43.8449	69.5031	17.2	740.6	511	56915.	1178	1.1	1.7	6.2	1.6	0.3	6.1	21	2.7
63140	0	0	0	0	DSb	43.8449	69.5026	17.2	740.6	524	56914.	1215	1.5	2.1	4.2	1.5	0.5	3.0	16	2.7
63139	0	0	1	0	DSb	43.8449	69.5021	17.2	740.5	537	56915.	1192	1.3	1.1	4.3	0.1	0.1	3.5	10	2.7
63138	0	0	0	0	DSb	43.8449	69.5016	17.2	740.5	546	56915.	1166	0.6	3.5	3.6	6.0	1.0	6.3	29	2.8
63137	0	0	0	0	DSb	43.8449	69.5012	17.2	740.5	544	56916.	1178	1.2	1.7	3.0	1.6	0.6	2.7	26	2.7
63136	0	0	0	0	DSb	43.8449	69.5007	17.2	740.5	539	56917.	1238	1.3	2.1	6.2	1.6	0.4	4.8	21	2.7
63135	0	0	1	0	DSb	43.8449	69.5002	17.2	740.4	538	56918.	1031	1.5	0.8	5.0	0.1	0.1	3.4	17	2.7
63134	0	0	0	0	DSb	43.8449	69.4997	17.2	740.4	544	56918.	1092	1.2	2.2	3.3	1.8	0.7	2.8	18	2.8
63133	0	0	1	0	DSb	43.8449	69.4992	17.2	740.4	554	56918.	1033	1.0	1.4	3.7	0.1	0.1	3.8	10	2.8
63132	0	0	0	0	DSb	43.8449	69.4987	17.2	740.4	568	56917.	957	1.1	1.9	2.8	1.8	0.7	2.6	22	2.8

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
62080	0	0	0	0	OEce	43.8022	70.0311	15.2	746.0	357	56886.	749	0.8	2.3	3.1	3.1	0.8	4.3	26	0.3
62081	0	0	0	1	OEce	43.8022	70.0306	15.2	745.9	386	56889.	659	0.6	1.5	1.3	2.6	0.1	0.1	29	0.3
62082	0	0	0	1	OEce	43.8022	70.0301	15.2	745.9	403	56888.	503	0.5	0.9	0.7	0.1	0.1	0.1	21	0.4
62083	0	0	0	0	OEce	43.8022	70.0296	15.2	745.8	413	56887.	374	0.3	0.9	1.5	0.1	0.6	0.1	19	0.4
62084	0	0	0	0	OEce	43.8022	70.0291	15.2	745.8	419	56884.	312	0.5	1.7	1.9	0.1	0.9	0.1	22	0.0
62085	0	1	1	1	OEce	43.8022	70.0285	15.2	745.7	423	56881.	224	0.2	0.4	0.7	0.1	0.1	0.1	15	0.0
62086	0	1	0	0	OEce	43.8022	70.0280	15.2	745.6	426	56877.	203	0.2	0.9	1.4	0.1	0.7	0.1	25	0.0
62087	0	1	0	1	OEce	43.8022	70.0275	15.2	745.6	428	56873.	149	0.2	0.9	-0.2	0.1	0.1	0.1	24	0.0
62088	0	1	1	1	OEce	43.8021	70.0270	15.1	745.5	430	56869.	108	0.2	0.1	0.5	0.1	0.1	0.1	22	0.0
62089	0	0	1	1	OEce	43.8021	70.0265	15.1	745.5	432	56864.	131	0.4	-0.2	0.0	0.1	0.1	0.1	23	0.0
62090	0	1	1	1	OEce	43.8021	70.0260	15.1	745.4	434	56859.	88	0.1	0.3	-0.3	0.1	0.1	0.1	27	0.0
62091	0	1	0	1	OEce	43.8021	70.0254	15.1	745.4	436	56856.	112	0.1	1.1	0.9	0.1	0.1	0.1	17	0.0
62092	0	1	1	1	OEce	43.8021	70.0249	15.1	745.4	437	56853.	86	0.1	0.5	1.3	0.1	0.1	0.1	21	0.0
62093	0	0	0	1	OEce	43.8021	70.0244	15.1	745.4	439	56850.	103	0.2	0.9	0.1	0.1	0.1	0.1	23	0.0
62094	0	1	1	1	OEce	43.8021	70.0239	15.1	745.3	441	56847.	75	0.1	0.0	-0.4	0.1	0.1	0.1	14	0.0
62095	0	1	1	1	OEce	43.8021	70.0234	15.1	745.3	443	56846.	80	0.1	0.6	-0.3	0.1	0.1	0.1	26	0.0
62096	0	1	1	1	OEce	43.8020	70.0229	15.1	745.3	444	56844.	92	0.1	0.5	0.4	0.1	0.1	0.1	16	0.0
62097	0	0	0	1	OEce	43.8020	70.0223	15.1	745.3	445	56843.	104	0.3	0.9	0.0	0.1	0.1	0.1	19	0.0
62098	0	1	1	1	OEce	43.8020	70.0218	15.1	745.3	446	56841.	60	0.2	-0.1	-0.6	0.1	0.1	0.1	25	0.0
62099	0	1	1	1	OEce	43.8020	70.0213	15.1	745.3	446	56840.	65	0.1	0.1	-0.8	0.1	0.1	0.1	18	0.0
62100	0	1	0	1	OEce	43.8020	70.0208	15.1	745.2	446	56837.	68	0.1	1.1	-0.1	0.1	0.1	0.1	23	0.0
62101	0	0	1	1	OEce	43.8020	70.0203	15.1	745.2	445	56831.	98	0.2	0.5	-1.0	0.1	0.1	0.1	20	0.0
62102	0	1	1	1	OEce	43.8020	70.0197	15.1	745.2	444	56827.	69	0.2	0.2	-0.3	0.1	0.1	0.1	25	0.0
62103	0	1	1	1	OEce	43.8020	70.0192	15.1	745.2	443	56824.	79	0.2	0.4	-1.4	0.1	0.1	0.1	20	0.0
62104	0	1	0	1	OEce	43.8019	70.0187	15.1	745.3	443	56822.	92	0.0	1.1	0.5	0.1	0.1	0.1	26	0.0
62105	0	1	0	1	OEce	43.8019	70.0182	15.1	745.3	443	56820.	56	0.0	1.0	0.5	0.1	0.1	0.1	23	0.0
62106	0	1	1	1	OEce	43.8019	70.0177	15.1	745.3	443	56818.	59	0.1	-0.5	0.0	0.1	0.1	0.1	26	0.0
62107	0	1	0	0	OEce	43.8019	70.0172	15.1	745.3	443	56817.	98	0.1	0.9	1.6	0.1	0.6	0.1	22	0.2
62108	0	1	1	1	OEce	43.8019	70.0166	15.1	745.3	442	56817.	33	0.0	0.3	-1.2	0.1	0.1	0.1	24	0.4
62109	0	1	1	1	OEce	43.8019	70.0161	15.1	745.3	441	56815.	83	0.1	-0.2	0.3	0.1	0.1	0.1	24	0.7
62110	0	1	1	1	OEce	43.8019	70.0156	15.0	745.3	440	56812.	84	0.0	0.4	0.2	0.1	0.1	0.1	25	0.9
62111	0	1	1	1	OEce	43.8019	70.0151	15.0	745.4	439	56811.	109	0.1	0.6	0.2	0.1	0.1	0.1	20	1.2
62112	0	1	1	0	OEce	43.8018	70.0146	15.0	745.4	438	56810.	68	0.0	0.4	1.6	0.1	0.1	0.1	21	1.5
62113	0	1	1	1	OEce	43.8018	70.0141	15.0	745.4	437	56808.	83	0.0	0.6	1.0	0.1	0.1	0.1	25	1.8
62114	0	1	1	1	OEce	43.8018	70.0135	15.0	745.5	436	56805.	67	0.1	0.7	-0.2	0.1	0.1	0.1	13	2.0
62115	0	1	1	1	OEce	43.8018	70.0130	15.0	745.5	435	56799.	71	0.1	0.1	-0.5	0.1	0.1	0.1	19	2.3
62116	0	1	1	1	OEce	43.8018	70.0125	15.0	745.5	434	56793.	95	0.1	0.3	0.4	0.1	0.1	0.1	24	2.4
62117	0	1	1	1	OEce	43.8018	70.0120	15.0	745.6	434	56789.	76	0.1	0.5	-0.5	0.1	0.1	0.1	21	2.5
62118	0	1	0	1	OEce	43.8018	70.0115	15.0	745.6	432	56787.	76	0.1	0.9	-1.1	0.1	0.1	0.1	22	2.6
62119	0	1	1	1	OEce	43.8018	70.0109	15.0	745.7	430	56787.	114	0.1	-0.2	0.2	0.1	0.1	0.1	22	2.7
62120	0	0	1	1	OEce	43.8018	70.0104	15.0	745.7	427	56788.	116	0.2	0.3	0.3	0.1	0.1	0.1	9	2.8
62121	0	1	1	1	OEce	43.8017	70.0099	15.0	745.8	424	56790.	71	0.1	-0.6	-0.1	0.1	0.1	0.1	19	2.8
62122	0	1	1	1	OEce	43.8017	70.0094	15.0	745.8	422	56792.	86	0.1	0.8	0.6	0.1	0.1	0.1	20	2.8
62123	0	1	0	1	OEce	43.8017	70.0089	15.0	745.9	419	56796.	92	0.0	0.9	-0.5	0.1	0.1	0.1	21	2.8
62124	0	1	1	1	OEce	43.8017	70.0084	15.0	745.9	416	56805.	86	0.0	0.3	0.4	0.1	0.1	0.1	14	2.7
62125	0	1	1	1	OEce	43.8017	70.0078	15.0	745.9	414	56820.	108	0.1	0.5	-0.1	0.1	0.1	0.1	26	2.7
62126	0	1	1	1	OEce	43.8017	70.0073	15.0	746.0	412	56842.	105	0.1	0.6	-0.2	0.1	0.1	0.1	12	2.8
62127	0	1	1	1	OEce	43.8017	70.0068	15.0	746.0	410	56865.	92	0.2	0.2	-0.3	0.1	0.1	0.1	15	2.9
62128	0	1	1	1	OEce	43.8017	70.0063	15.0	746.1	410	56884.	97	0.0	0.4	0.5	0.1	0.1	0.1	22	2.9
62129	0	1	1	1	OEce	43.8016	70.0058	15.0	746.1	409	56896.	73	0.1	0.7	-0.7	0.1	0.1	0.1	16	2.9

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
62130	0	1	1	1	OEce	43.8016	70.0053	15.0	746.2	408	56903.	115	0.2	-0.4	0.8	0.1	0.1	0.1	22	2.8
62131	0	1	1	1	OEce	43.8016	70.0047	15.0	746.2	407	56904.	76	0.1	-0.1	-0.4	0.1	0.1	0.1	20	2.6
62133	0	1	1	1	OEce	43.8016	70.0037	15.0	746.2	406	56900.	72	0.1	0.0	-0.3	0.1	0.1	0.1	22	2.6
62134	0	1	1	1	OEce	43.8016	70.0032	15.0	746.2	404	56892.	74	0.1	0.6	-0.9	0.1	0.1	0.1	23	2.5
62135	0	1	1	1	OEce	43.8016	70.0027	15.0	746.2	403	56880.	74	0.2	0.2	0.4	0.1	0.1	0.1	15	2.3
62136	0	1	0	1	OEce	43.8016	70.0022	15.0	746.2	401	56867.	83	0.1	1.0	0.7	0.1	0.1	0.1	19	2.3
62137	0	1	1	1	Water	43.8015	70.0016	15.0	746.2	400	56853.	83	0.1	0.0	0.3	0.1	0.1	0.1	19	2.3
62138	0	1	1	1	Water	43.8015	70.0011	15.0	746.2	398	56838.	82	0.1	0.1	0.2	0.1	0.1	0.1	19	2.3
62139	0	1	0	1	Water	43.8015	70.0006	15.0	746.2	397	56824.	151	0.0	0.9	0.3	0.1	0.1	0.1	18	2.4
62140	0	0	1	1	Water	43.8015	70.0001	15.0	746.2	397	56815.	130	0.2	0.4	0.1	0.1	0.1	0.1	18	2.8
62141	0	1	1	1	Water	43.8015	69.9996	15.0	746.2	397	56807.	147	0.1	0.5	0.7	0.1	0.1	0.1	20	2.9
62142	0	1	1	1	Water	43.8015	69.9990	15.0	746.2	397	56801.	214	0.1	0.7	0.8	0.1	0.1	0.1	8	3.1
62143	0	0	0	1	Water	43.8015	69.9985	15.0	746.2	398	56796.	314	0.4	1.0	0.7	0.1	0.1	0.1	18	3.3
62144	0	0	1	0	Water	43.3015	69.9980	15.0	746.1	400	56793.	398	0.4	0.1	2.4	0.1	0.1	0.1	18	3.4
62145	0	0	1	0	Water	43.8014	69.9975	15.0	746.1	394	56789.	635	0.7	-0.1	2.6	0.1	0.1	4.0	19	3.6
62146	0	0	0	0	OEce	43.8014	69.9970	15.0	746.0	378	56788.	868	0.9	1.8	2.6	2.0	0.7	2.9	10	3.5
62147	0	0	1	0	OEce	43.8014	69.9965	15.0	746.0	357	56788.	1015	1.1	1.0	6.7	0.1	0.1	6.3	24	3.4
62148	0	0	0	0	OEce	43.8014	69.9959	15.0	745.9	338	56789.	1100	0.8	1.6	5.8	2.0	0.3	7.2	17	3.4
62149	0	0	0	0	OEce	43.8014	69.9954	15.0	745.9	323	56792.	1156	1.2	1.6	3.8	1.4	0.5	3.3	23	3.3
62150	0	0	0	0	OEce	43.8014	69.9949	15.0	745.8	309	56796.	1225	1.1	1.1	6.3	1.0	0.2	6.0	21	3.2
62151	0	0	0	0	OEce	43.8014	69.9944	15.0	745.8	296	56802.	1193	1.1	2.1	6.6	2.1	0.4	6.5	16	3.2
62152	0	0	0	0	OEce	43.8014	69.9939	15.0	745.7	287	56810.	1162	0.9	2.4	4.9	2.7	0.5	5.4	19	3.2
62153	0	0	0	0	OEce	43.8014	69.9934	14.9	745.6	280	56819.	1090	1.1	2.6	6.7	2.4	0.4	6.3	27	3.3
62154	0	0	0	0	OEce	43.8014	69.9929	14.9	745.5	279	56830.	1028	1.0	1.7	3.9	1.7	0.5	3.8	32	3.3
62155	0	0	0	0	OEce	43.8014	69.9924	14.9	745.5	280	56846.	1143	1.0	2.3	4.1	2.4	0.6	4.3	19	3.1
62156	0	0	0	0	OEce	43.8014	69.9919	14.9	745.4	281	56863.	1283	1.1	2.9	5.8	2.8	0.6	5.4	18	3.0
62157	0	0	0	0	OEce	43.8014	69.9914	14.9	745.3	286	56878.	1363	1.1	2.1	7.8	2.0	0.3	7.3	15	2.9
62158	0	0	0	0	OEce	43.8014	69.9909	14.9	745.2	295	56888.	1336	1.3	1.8	6.4	1.4	0.3	5.1	15	2.8
62159	0	0	0	0	OEce	43.8014	69.9904	14.9	745.1	301	56892.	1290	1.1	2.2	6.0	2.1	0.4	5.8	31	2.8
62160	0	0	0	0	OEce	43.8014	69.9899	14.9	745.1	299	56890.	1413	1.0	4.1	6.1	4.1	0.7	6.1	20	3.0
62161	0	0	0	0	OEce	43.8014	69.9894	14.9	745.0	291	56882.	1357	1.1	2.1	7.1	2.1	0.3	7.0	14	3.0
62162	0	0	0	0	OEce	43.8014	69.9889	14.9	744.9	284	56869.	1366	1.2	2.8	7.7	2.4	0.4	6.7	15	2.9
62163	0	0	0	0	OEce	43.8014	69.9884	14.9	744.8	279	56855.	1305	1.2	1.2	7.4	1.0	0.2	6.3	27	2.9
62164	0	0	1	0	OEce	43.8014	69.9879	14.9	744.8	277	56839.	1296	1.3	0.8	9.2	0.1	0.1	7.5	22	2.7
62165	0	0	1	0	OEce	43.8014	69.9874	14.8	744.8	286	56823.	1239	1.4	0.6	6.0	0.1	0.1	4.5	14	2.4
62166	0	0	0	0	OEce	43.8014	69.9868	14.8	744.7	299	56808.	1194	1.2	1.7	5.8	1.5	0.3	5.2	18	2.2
62167	0	0	0	0	OEce	43.8014	69.9863	14.8	744.7	315	56794.	1118	1.0	2.0	6.3	2.0	0.3	6.3	21	1.9
62168	0	0	0	0	OEce	43.8014	69.9858	14.8	744.7	322	56781.	1155	1.3	1.8	3.9	1.5	0.5	3.2	22	1.7
62169	0	0	0	0	OEce	43.8014	69.9853	14.8	744.7	327	56770.	1151	1.4	1.5	5.0	1.1	0.3	3.7	22	1.4
62170	0	0	0	0	OEce	43.8014	69.9848	14.8	744.7	327	56760.	1192	1.2	1.7	6.3	1.4	0.3	5.3	28	1.0
62171	0	0	0	0	OEce	43.8014	69.9843	14.8	744.7	322	56752.	1201	1.1	2.8	4.8	2.6	0.6	4.5	14	1.0
62172	0	0	0	0	OEce	43.8013	69.9838	14.8	744.7	314	56745.	1178	1.0	1.8	4.1	1.9	0.5	4.4	26	0.9
62173	0	0	0	0	OEce	43.8013	69.9833	14.8	744.7	306	56742.	1114	1.1	3.6	4.3	3.3	0.9	3.9	23	0.9
62174	0	0	0	0	OEce	43.8013	69.9828	14.8	744.7	302	56742.	1152	0.9	1.7	4.3	2.0	0.4	5.2	23	0.8
62175	0	0	0	0	OEce	43.8013	69.9823	14.8	744.7	300	56746.	1090	1.0	2.4	6.6	2.4	0.4	6.7	19	0.8
62176	0	0	0	0	OEce	43.8013	69.9818	14.8	744.7	301	56758.	1183	0.9	2.0	5.4	2.2	0.4	6.1	18	0.8
62177	0	0	0	0	OEce	43.8013	69.9813	14.8	744.7	309	56776.	1234	1.2	1.9	5.4	1.7	0.4	4.7	15	0.8
62178	0	0	0	0	OEce	43.8013	69.9808	14.8	744.7	322	56797.	1242	1.2	1.7	6.4	1.5	0.3	5.6	19	0.9
62179	0	0	0	0	OEce	43.8013	69.9803	14.8	744.7	343	56818.	1238	1.0	2.7	6.8	2.9	0.4	7.3	22	0.9
62180	0	0	0	0	OEce	43.8013	69.9798	14.8	744.7	361	56840.	1215	1.1	2.1	5.0	1.9	0.5	4.7	20	1.1

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
62181	0	0	0	0	OEce	43.8013	69.9792	14.8	744.7	371	56860.	1196	1.0	2.1	4.6	2.2	0.5	4.9	22	1.2
62182	0	0	0	0	Water	43.8013	69.9787	14.8	744.7	374	56870.	1204	1.3	2.2	4.9	1.8	0.5	4.0	29	1.1
62183	0	0	0	0	Water	43.8013	69.9782	14.8	745.0	395	56890.	1257	1.4	2.1	6.4	1.5	0.4	4.6	26	1.0
62184	0	0	1	0	Water	43.8013	69.9777	14.8	745.1	408	56903.	1238	1.5	0.7	5.4	0.1	0.1	3.8	11	0.6
62185	0	0	0	0	Water	43.8013	69.9772	14.8	745.1	422	56910.	1160	1.4	2.5	6.0	1.9	0.5	4.5	17	0.5
62186	0	0	1	0	Water	43.8013	69.9767	14.8	745.2	426	56913.	1069	1.4	1.0	4.2	0.1	0.1	3.2	18	0.4
62187	0	0	1	0	Water	43.8013	69.9762	14.8	745.2	428	56915.	1038	1.3	0.8	5.0	0.1	0.1	4.1	26	0.4
62188	0	0	0	0	Water	43.8013	69.9757	14.8	745.3	428	56914.	985	0.9	2.5	3.1	2.8	0.9	3.5	34	0.3
62189	0	0	0	0	Water	43.8013	69.9752	14.8	745.3	427	56911.	857	1.1	2.2	2.9	2.1	0.8	2.8	22	0.5
62190	0	0	1	0	Water	43.8013	69.9747	14.8	745.4	426	56905.	823	1.0	0.8	2.2	0.1	0.1	2.3	22	0.6
62191	0	0	0	0	Water	43.8013	69.9742	14.8	745.5	425	56896.	821	1.2	1.3	3.3	1.1	0.4	2.9	17	0.9
62192	0	0	1	0	Water	43.8013	69.9737	14.8	745.5	424	56884.	776	1.0	0.9	4.6	0.1	0.1	5.0	30	1.1
62193	0	0	0	0	Water	43.8013	69.9732	14.8	745.6	423	56872.	881	0.9	2.1	3.7	2.5	0.6	4.6	23	1.2
62194	0	0	0	0	Water	43.8013	69.9727	14.8	745.7	417	56861.	925	1.1	1.5	2.8	1.4	0.6	2.6	16	1.2
62195	0	0	0	0	Water	43.8013	69.9722	14.8	745.8	409	56854.	945	1.0	1.2	2.3	1.2	0.6	2.3	20	1.3
62196	0	0	1	0	Water	43.8013	69.9717	14.8	745.8	399	56848.	1096	1.2	0.7	5.4	0.1	0.1	4.8	23	1.5
62197	0	0	0	0	Water	43.8013	69.9712	14.8	745.9	397	56844.	1193	1.3	3.4	5.8	2.6	0.6	4.5	20	1.5
62198	0	0	0	0	Water	43.8013	69.9706	14.8	746.0	399	56841.	995	1.2	1.7	3.9	1.5	0.5	3.5	24	1.6
62199	0	0	0	0	Water	43.8013	69.9701	14.8	746.0	403	56841.	963	1.3	2.2	2.2	1.7	1.0	1.7	15	1.7
62200	0	0	0	1	Water	43.8013	69.9696	14.8	746.1	403	56845.	692	0.9	2.2	1.4	2.8	0.1	0.1	27	1.9
62201	0	0	1	0	Water	43.8014	69.9691	14.8	746.2	400	56849.	511	0.6	0.8	2.1	0.1	0.1	4.2	20	2.2
62202	0	0	1	0	Water	43.8014	69.9686	14.8	746.3	397	56856.	486	0.5	0.8	3.2	0.1	0.1	0.1	23	2.4
62203	0	0	0	1	Water	43.8014	69.9681	14.8	746.3	393	56863.	481	0.7	1.4	1.3	2.0	0.1	0.1	20	2.7
62204	0	0	0	1	Water	43.8014	69.9676	14.8	746.4	389	56870.	540	0.5	1.3	0.7	0.1	0.1	0.1	23	2.9
62205	0	0	0	0	OEce	43.8015	69.9670	14.8	746.5	386	56876.	744	0.6	2.5	2.9	4.3	0.9	4.9	15	3.3
62206	0	0	1	0	OEce	43.8015	69.9665	14.8	746.6	384	56883.	840	0.9	0.9	2.8	0.1	0.1	3.4	25	3.6
62207	0	0	0	0	OEce	43.8015	69.9660	14.8	746.6	382	56892.	989	1.1	4.0	4.5	3.7	0.9	4.2	30	4.0
62208	0	0	0	0	OEce	43.8015	69.9655	14.8	746.7	379	56905.	1147	1.3	2.0	4.0	1.6	0.5	3.2	22	4.4
62209	0	0	1	0	OEce	43.8016	69.9650	14.8	746.8	366	56920.	1077	1.0	0.8	5.6	0.1	0.1	5.7	22	4.8
62210	0	0	0	0	OEce	43.8016	69.9645	14.8	746.8	353	56932.	1212	1.2	1.9	6.1	1.6	0.3	5.2	22	5.0
62211	0	0	1	0	OEce	43.8016	69.9640	14.8	746.9	335	56943.	1167	1.2	0.5	4.5	0.1	0.1	3.8	18	5.0
62212	0	0	0	0	OEce	43.8016	69.9634	14.8	746.9	327	56957.	1263	1.3	1.6	6.5	1.3	0.3	5.3	20	4.9
62213	0	0	0	0	OEce	43.8017	69.9629	14.8	746.9	319	56974.	1214	1.2	2.1	4.8	1.7	0.5	4.1	25	4.9
62214	0	0	0	0	OEce	43.8017	69.9624	14.8	747.0	319	56997.	1284	1.4	1.6	4.6	1.2	0.4	3.5	27	4.7
62215	0	0	1	0	OEce	43.8017	69.9619	14.8	747.0	321	57025.	1338	1.7	0.7	7.5	0.1	0.1	4.6	24	4.5
62216	0	0	1	0	OEce	43.8017	69.9614	14.8	747.0	324	57052.	1392	1.6	0.7	6.0	0.1	0.1	3.9	20	4.2
62217	0	0	0	0	OEce	43.8018	69.9609	14.8	747.0	332	57068.	1362	1.4	1.2	6.6	0.9	0.2	4.9	21	3.8
62218	0	0	0	0	OEce	43.8018	69.9604	14.9	746.9	341	57078.	1161	1.4	1.9	5.7	1.4	0.4	4.3	20	3.9
62219	0	0	1	0	OEce	43.8018	69.9599	14.9	746.9	350	57083.	774	0.9	0.5	4.5	0.1	0.1	5.3	17	4.0
62220	0	0	1	0	OEce	43.8018	69.9594	14.9	746.9	355	57080.	426	0.3	0.4	4.0	0.1	0.1	0.1	23	4.0
62221	0	0	1	1	Water	43.8019	69.9588	14.9	746.8	360	57068.	244	0.4	0.2	0.9	0.1	0.1	0.1	22	4.0
62222	0	1	1	1	Water	43.8019	69.9583	14.9	746.7	364	57044.	151	0.2	-0.1	0.0	0.1	0.1	0.1	22	4.2
62224	0	0	1	1	Water	43.8019	69.9573	14.9	746.7	368	57010.	124	0.2	0.3	0.2	0.1	0.1	0.1	23	4.2
62225	0	0	1	1	Water	43.8020	69.9568	14.9	746.6	372	56977.	109	0.2	0.5	0.6	0.1	0.1	0.1	17	4.1
62226	0	1	1	1	Water	43.8020	69.9563	14.9	746.6	376	56949.	77	0.1	0.1	-0.1	0.1	0.1	0.1	28	4.1
62227	0	1	1	1	Water	43.8020	69.9557	14.9	746.5	381	56929.	50	0.1	0.1	0.1	0.1	0.1	0.1	19	3.9
62228	0	0	1	1	Water	43.8020	69.9552	14.9	746.5	386	56915.	75	0.3	-0.1	-0.4	0.1	0.1	0.1	26	3.6
62229	0	1	1	1	Water	43.8021	69.9547	14.9	746.4	391	56908.	61	0.1	0.4	-0.7	0.1	0.1	0.1	16	3.3
62230	0	1	1	1	Water	43.8021	69.9542	14.9	746.4	397	56906.	66	0.1	-0.6	0.0	0.1	0.1	0.1	20	3.0
62231	0	1	1	1	Water	43.8021	69.9537	14.9	746.4	402	56911.	99	0.2	0.1	1.2	0.1	0.1	0.1	21	2.6

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI	
												CPS	%	PPM	PPM					CPS	CPS
62232	0	1	0	1	Water	43.8021	69.9532	14.9	746.3	407	56923.	123	0.0	1.1	1.0	0.1	0.1	0.1	20	2.3	
62233	0	1	0	1	Water	43.8022	69.9527	14.9	746.3	411	56942.	121	0.1	0.9	-0.3	0.1	0.1	0.1	20	2.1	
62234	0	1	0	1	Water	43.8022	69.9522	14.9	746.3	415	56966.	166	0.2	0.8	-0.5	0.1	0.1	0.1	17	2.0	
62235	0	1	1	1	Water	43.8022	69.9516	14.9	746.3	418	56991.	180	0.1	0.5	1.1	0.1	0.1	0.1	14	1.8	
62236	0	1	0	1	Water	43.8022	69.9511	14.9	746.3	420	57012.	197	0.1	1.1	0.3	0.1	0.1	0.1	28	1.7	
62237	0	1	0	1	Water	43.8023	69.9506	14.9	746.3	419	57029.	152	0.1	0.8	0.2	0.1	0.1	0.1	12	1.7	
62238	0	1	0	1	Water	43.8023	69.9501	14.9	746.3	419	57041.	146	0.1	0.8	0.2	0.1	0.1	0.1	19	1.6	
62239	0	1	0	1	Water	43.8023	69.9496	14.9	746.3	418	57045.	140	0.0	1.4	2.8	0.1	0.1	0.1	16	1.5	
62240	0	1	1	1	Water	43.8023	69.9491	14.9	746.3	414	57038.	102	0.1	0.0	0.0	0.1	0.1	0.1	22	1.4	
62241	0	1	1	0	Water	43.8024	69.9486	14.9	746.2	412	57026.	163	0.1	0.3	1.8	0.1	0.1	0.1	18	1.4	
62242	0	1	0	1	Water	43.8024	69.9481	14.9	746.2	409	57011.	148	0.1	0.9	0.1	0.1	0.1	0.1	18	1.4	
62243	0	1	1	1	Water	43.8024	69.9475	14.9	746.1	407	56994.	140	0.1	0.8	0.4	0.1	0.1	0.1	22	1.5	
62244	0	1	0	1	Water	43.8024	69.9470	14.9	746.0	405	56975.	189	0.2	1.0	0.9	0.1	0.1	0.1	15	1.4	
62245	0	0	1	1	Water	43.8024	69.9465	14.9	745.9	403	56952.	279	0.3	0.1	0.3	0.1	0.1	0.1	18	1.5	
62246	0	0	1	1	Water	43.8025	69.9460	14.9	745.8	399	56928.	400	0.7	0.9	1.2	0.1	0.1	0.1	19	1.6	
62247	0	0	0	0	OEce	43.8025	69.9455	14.9	745.7	390	56904.	623	0.6	1.7	2.8	3.2	0.6	5.2	22	1.7	
62248	0	0	0	0	OEce	43.8025	69.9450	14.9	745.6	382	56883.	835	1.0	1.7	5.1	1.8	0.4	5.4	17	1.7	
62249	0	0	0	0	OEce	43.8025	69.9445	14.9	745.4	386	56865.	1025	1.2	2.6	2.9	2.3	0.9	2.6	12	1.8	
62250	0	0	0	0	OEce	43.8025	69.9440	14.9	745.3	400	56850.	1024	1.1	1.7	6.4	1.6	0.3	6.1	16	1.9	
62251	0	0	0	0	OEce	43.8025	69.9435	14.9	745.1	416	56836.	1107	1.2	2.6	4.2	2.3	0.6	3.7	26	1.8	
62252	0	0	0	0	OEce	43.8025	69.9430	14.9	744.9	417	56824.	1124	0.9	2.5	5.5	3.0	0.5	6.7	16	1.9	
62253	0	0	0	0	OEce	43.8025	69.9425	14.9	744.8	407	56815.	1245	1.3	2.6	5.1	2.0	0.6	4.0	27	1.9	
62254	0	0	0	0	OEce	43.8025	69.9420	14.9	744.6	386	56807.	1263	1.1	4.2	5.9	3.9	0.8	5.5	21	1.9	
62255	0	0	0	0	OEce	43.8025	69.9416	14.8	744.5	370	56799.	1316	1.2	3.7	7.6	3.2	0.5	6.4	23	2.0	
62256	0	0	0	0	OEce	43.8025	69.9411	14.8	744.3	358	56792.	1386	1.3	2.1	5.6	1.6	0.4	4.3	17	1.8	
62257	0	0	0	0	OEce	43.8025	69.9406	14.8	744.1	352	56787.	1436	1.4	2.6	7.2	1.9	0.4	5.2	20	1.9	
62258	0	0	0	0	OEce	43.8025	69.9401	14.8	744.0	349	56779.	1358	1.4	2.8	5.3	2.0	0.6	3.8	22	2.0	
62259	0	0	1	0	OEce	43.8025	69.9396	14.8	743.8	349	56772.	1241	1.0	1.0	6.1	0.1	0.1	6.1	31	1.8	
62260	0	0	0	0	OEce	43.8025	69.9391	14.8	743.7	353	56770.	1297	1.4	2.6	6.3	1.9	0.5	4.6	28	1.8	
62261	0	0	0	0	OEce	43.8026	69.9386	14.8	743.6	357	56770.	1274	1.2	1.5	6.2	1.4	0.3	5.6	19	1.8	
62262	0	0	0	0	OEce	43.8026	69.9381	14.8	743.5	363	56767.	1245	1.0	2.1	6.5	2.3	0.4	6.8	18	1.8	
62263	0	0	0	0	OEce	43.8026	69.9376	14.8	743.4	365	56765.	1308	1.2	3.8	4.3	3.3	0.9	3.8	16	1.9	
62264	0	0	0	0	OEce	43.8026	69.9371	14.8	743.3	369	56762.	1350	1.1	3.3	5.6	3.1	0.6	5.5	25	2.1	
62265	0	0	0	0	OEce	43.8026	69.9367	14.7	743.2	373	56761.	1368	1.4	1.7	7.9	1.2	0.3	5.7	17	2.3	
62266	0	0	0	0	OEce	43.8026	69.9362	14.7	743.1	381	56762.	1347	1.5	2.1	8.0	1.5	0.3	5.7	21	2.2	
62267	0	0	0	0	OEce	43.8026	69.9357	14.7	743.1	391	56765.	1310	1.1	2.2	7.8	2.0	0.3	7.0	18	2.3	
62268	0	0	0	0	OEce	43.8026	69.9352	14.7	743.1	408	56767.	1366	1.2	3.2	7.9	2.8	0.5	6.8	18	2.5	
62269	0	0	1	0	OEce	43.8026	69.9347	14.7	743.1	421	56769.	1383	1.4	0.9	8.2	0.1	0.1	6.0	24	2.6	
62270	0	0	1	0	OEce	43.8026	69.9342	14.7	743.0	427	56770.	1434	1.5	0.6	7.2	0.1	0.1	4.9	17	2.3	
62271	0	0	0	0	OEce	43.8026	69.9337	14.7	743.0	423	56772.	1369	1.4	3.7	4.5	2.8	0.9	3.4	19	2.1	
62272	0	0	0	0	Water	43.8026	69.9332	14.7	743.1	427	56773.	1282	1.1	2.1	7.1	2.0	0.3	6.8	16	2.0	
62273	0	0	0	0	Water	43.8026	69.9328	14.6	743.0	447	56773.	1292	1.2	4.3	3.9	3.6	1.2	3.3	18	2.0	
62274	0	0	0	0	Water	43.8026	69.9323	14.6	743.0	474	56773.	1149	1.0	3.0	6.1	3.3	0.5	6.6	21	2.1	
62275	0	0	1	0	Water	43.8026	69.9318	14.6	743.1	492	56772.	1071	0.8	1.0	5.8	0.1	0.1	8.0	19	2.2	
62276	0	0	0	0	Water	43.8026	69.9313	14.6	743.1	487	56772.	1021	1.3	1.8	3.3	1.5	0.6	2.6	27	2.4	
62277	0	0	1	0	Water	43.8026	69.9308	14.6	743.1	473	56774.	1014	1.2	1.2	5.0	0.1	0.1	4.4	22	2.6	
62278	0	0	0	0	Water	43.8026	69.9303	14.6	743.1	463	56777.	931	0.8	1.5	4.2	1.9	0.4	5.2	20	2.8	
62279	0	0	0	0	OEc	43.8026	69.9298	14.6	743.1	457	56783.	882	0.9	2.3	3.0	2.8	0.8	3.6	31	2.9	
62280	0	0	0	0	OEc	43.8026	69.9293	14.6	743.1	449	56793.	863	1.0	1.8	1.6	1.8	1.2	1.6	21	3.0	
62281	0	0	1	0	OEc	43.8026	69.9288	14.6	743.1	432	56808.	923	1.0	0.6	3.7	0.1	0.1	4.0	21	3.3	

*** NOTE *** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI	
												CPS	%	PPM	PPM					CPS	CPS
62282	0	0	1	0	OEc	43.8026	69.9284	14.6	743.1	421	56825.	925	0.9	1.1	4.2	0.1	0.1	4.6	18	3.4	
62283	0	0	0	0	OEc	43.8026	69.9279	14.6	743.1	411	56840.	826	0.9	1.3	2.7	1.4	0.5	3.0	24	3.4	
62284	0	0	0	0	OEc	43.8026	69.9274	14.6	743.1	406	56852.	819	0.7	1.2	4.0	1.9	0.3	6.2	27	3.6	
62285	0	0	0	0	OEc	43.8026	69.9269	14.5	743.1	400	56861.	869	0.7	2.6	3.5	4.1	0.8	5.5	10	3.7	
62286	0	0	0	0	OEc	43.8026	69.9264	14.5	743.1	403	56867.	806	0.7	1.9	3.4	2.8	0.6	4.9	19	3.8	
62287	0	0	0	0	OEc	43.8026	69.9259	14.5	743.1	419	56869.	789	0.9	2.2	2.5	2.5	0.9	2.8	18	3.8	
62288	0	0	0	0	OEc	43.8026	69.9254	14.5	743.1	447	56870.	792	0.9	1.4	3.8	1.5	0.4	4.3	17	3.9	
62289	0	0	1	0	OEc	43.8026	69.9249	14.5	743.1	474	56872.	664	0.9	1.0	2.0	0.1	0.1	2.4	23	3.9	
62290	0	0	0	1	OEc	43.8027	69.9244	14.5	743.1	493	56875.	513	0.6	1.4	-1.1	2.6	0.1	0.1	25	3.8	
62291	0	0	1	1	Water	43.8027	69.9240	14.5	743.1	502	56878.	375	0.5	0.5	0.4	0.1	0.1	0.1	14	3.9	
62292	0	0	1	0	Water	43.8027	69.9235	14.5	743.1	508	56881.	298	0.4	0.7	2.2	0.1	0.1	0.1	25	3.8	
62293	0	1	0	1	Water	43.8027	69.9230	14.5	743.1	510	56884.	235	0.2	1.6	0.9	0.1	0.1	0.1	19	3.5	
62294	0	1	0	1	Water	43.8027	69.9225	14.5	743.1	511	56887.	156	0.1	1.5	-0.5	0.1	0.1	0.1	19	3.3	
62295	0	1	1	1	Water	43.8028	69.9220	14.5	743.1	511	56888.	217	0.1	0.8	-0.1	0.1	0.1	0.1	16	3.4	
62296	0	1	1	1	Water	43.8028	69.9215	14.5	743.4	505	56887.	101	0.1	0.7	-0.4	0.1	0.1	0.1	24	3.3	
62297	0	1	1	1	Water	43.8028	69.9210	14.5	743.4	502	56886.	128	0.2	0.5	0.2	0.1	0.1	0.1	26	3.1	
62298	0	1	1	1	Water	43.8028	69.9205	14.5	743.5	498	56887.	142	0.1	0.5	0.3	0.1	0.1	0.1	18	3.0	
62299	0	1	1	1	Water	43.8028	69.9200	14.5	743.5	496	56890.	154	0.1	0.9	0.2	0.1	0.1	0.1	10	2.9	
62300	0	1	1	1	Water	43.8029	69.9195	14.5	743.6	493	56895.	160	0.0	-0.3	0.5	0.1	0.1	0.1	14	2.8	
62301	0	1	1	1	Water	43.8029	69.9191	14.5	743.6	491	56900.	200	0.1	0.8	0.3	0.1	0.1	0.1	19	2.8	
62302	0	0	0	1	Water	43.8029	69.9186	14.5	743.6	488	56905.	212	0.3	1.1	0.7	0.1	0.1	0.1	21	2.8	
62303	0	1	1	1	Water	43.8029	69.9181	14.5	743.7	485	56908.	224	0.2	0.3	0.6	0.1	0.1	0.1	18	2.7	
62304	0	1	1	1	Water	43.8029	69.9176	14.5	743.7	483	56907.	298	0.2	0.6	0.8	0.1	0.1	0.1	13	2.7	
62305	0	0	0	1	Water	43.8030	69.9171	14.5	743.7	466	56904.	510	0.6	1.1	0.6	2.0	0.1	0.1	16	2.7	
62306	0	0	1	0	OEc	43.8030	69.9166	14.5	743.8	447	56899.	608	0.8	0.9	2.7	0.1	0.1	3.6	15	2.8	
62307	0	0	0	0	OEc	43.8030	69.9161	14.5	743.8	424	56892.	746	0.6	1.8	3.1	3.5	0.6	6.0	26	2.9	
62308	0	0	0	0	OEc	43.8030	69.9156	14.5	743.8	416	56886.	856	0.6	1.8	3.7	3.4	0.5	7.2	26	3.0	
62309	0	0	0	0	OEc	43.8031	69.9151	14.5	743.9	406	56881.	976	0.9	1.7	1.9	2.0	0.9	2.3	25	3.1	
62310	0	0	0	0	OEc	43.8031	69.9146	14.5	743.9	398	56879.	1021	0.9	1.9	3.4	2.2	0.6	3.8	15	3.3	
62311	0	0	0	0	OEc	43.8031	69.9142	14.5	743.9	389	56878.	1073	1.1	1.9	5.7	1.8	0.4	5.4	20	3.4	
62312	0	0	0	0	OEc	43.8031	69.9137	14.5	743.9	384	56878.	1105	1.1	2.0	2.2	1.9	1.0	2.1	23	3.8	
62314	0	0	0	0	OEc	43.8032	69.9127	14.5	744.0	381	56879.	1127	1.2	3.1	4.4	2.6	0.8	3.7	17	3.9	
62315	0	0	0	0	OEc	43.8032	69.9122	14.5	744.0	380	56882.	1129	1.0	2.0	3.2	2.2	0.7	3.5	16	4.1	
62316	0	0	0	0	OEc	43.8032	69.9117	14.5	744.1	380	56885.	1194	1.3	3.5	3.5	2.8	1.0	2.8	23	4.1	
62317	0	0	0	0	OEc	43.8032	69.9112	14.5	744.1	379	56890.	1226	1.2	3.6	5.5	3.2	0.7	4.8	29	4.1	
62318	0	0	0	0	OEc	43.8032	69.9107	14.5	744.1	376	56895.	1166	1.0	2.8	3.8	3.0	0.8	4.1	19	4.1	
62319	0	0	0	0	OEc	43.8033	69.9102	14.5	744.2	369	56900.	1264	1.0	3.4	4.5	3.3	0.8	4.5	30	4.3	
62320	0	0	1	0	OEc	43.8033	69.9098	14.5	744.2	361	56904.	1264	1.1	0.7	4.8	0.1	0.1	4.7	24	4.3	
62321	0	0	0	0	OEc	43.8033	69.9093	14.5	744.3	359	56909.	1244	1.2	3.1	5.8	2.8	0.6	5.3	19	4.4	
62322	0	0	0	0	OEc	43.8033	69.9088	14.5	744.3	361	56917.	1261	1.0	2.2	3.9	2.3	0.6	4.0	13	4.5	
62323	0	0	0	0	OEc	43.8033	69.9083	14.5	744.3	366	56927.	1199	0.9	2.8	4.8	3.2	0.6	5.5	28	4.6	
62324	0	0	0	0	OEc	43.8034	69.9078	14.5	744.4	367	56935.	1072	1.1	2.2	4.5	2.1	0.5	4.1	33	4.7	
62325	0	0	0	0	OEc	43.8034	69.9073	14.5	744.4	368	56939.	1157	1.3	2.1	4.5	1.7	0.5	3.5	19	4.6	
62326	0	0	0	0	OEc	43.8034	69.9068	14.5	744.4	369	56939.	1085	0.8	2.3	3.9	2.9	0.6	4.9	25	4.5	
62327	0	0	0	0	OEc	43.8034	69.9063	14.5	744.5	370	56935.	1099	1.3	1.7	3.5	1.4	0.5	2.8	19	4.3	
62328	0	0	0	0	OEc	43.8034	69.9058	14.5	744.5	372	56932.	1231	1.3	1.3	4.9	1.0	0.3	3.8	18	4.2	
62329	0	0	0	0	OEc	43.8035	69.9053	14.5	744.5	369	56932.	1274	1.5	1.3	5.1	0.9	0.3	3.5	18	4.1	
62330	0	0	0	0	OEc	43.8035	69.9048	14.5	744.5	361	56935.	1251	1.3	1.4	5.8	1.1	0.3	4.7	16	4.2	
62331	0	0	0	0	OEc	43.8035	69.9044	14.5	744.5	351	56939.	1223	1.4	1.7	3.9	1.2	0.5	2.8	18	4.3	
62332	0	0	0	0	OEc	43.8035	69.9039	14.5	744.5	347	56945.	1323	1.5	1.8	3.3	1.3	0.6	2.3	24	4.4	

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
62333	0	0	0	0	OEc	43.8036	69.9034	14.5	744.5	346	56948.	1274	1.2	2.9	4.2	2.4	0.7	3.6	16	4.4
62334	0	0	0	0	OEc	43.8036	69.9029	14.5	744.5	345	56945.	1262	1.3	2.0	3.9	1.6	0.5	3.2	30	4.5
62335	0	0	0	0	OEc	43.8036	69.9024	14.5	744.4	343	56938.	1294	1.4	3.4	4.5	2.5	0.8	3.3	19	4.6
62336	0	0	0	0	OEc	43.8036	69.9019	14.5	744.4	344	56928.	1241	1.3	1.1	4.8	0.9	0.3	3.9	17	4.7
62337	0	0	0	0	OEc	43.8036	69.9014	14.5	744.4	350	56919.	1205	1.2	1.2	5.4	1.0	0.3	4.6	23	4.8
62338	0	0	0	0	OEc	43.8036	69.9008	14.5	744.3	353	56909.	1301	1.4	2.7	4.5	2.0	0.6	3.3	23	4.5
62339	0	0	0	0	OEc	43.8036	69.9003	14.5	744.3	355	56901.	1279	1.2	2.5	2.9	2.3	0.9	2.6	21	4.4
62340	0	0	0	0	OEc	43.8035	69.8998	14.5	744.3	351	56894.	1204	1.3	1.9	3.7	1.5	0.6	2.8	21	4.3
62341	0	0	0	0	OEc	43.8035	69.8993	14.5	744.2	349	56890.	1171	1.3	1.8	4.6	1.4	0.4	3.8	31	4.3
62342	0	0	0	0	OEc	43.8035	69.8988	14.5	744.2	350	56889.	1222	1.1	3.1	4.6	2.9	0.7	4.3	23	4.2
62343	0	0	0	0	OEc	43.8035	69.8983	14.5	744.2	355	56888.	1161	0.9	2.2	5.2	2.6	0.5	6.3	23	4.1
62344	0	0	0	0	OEc	43.8035	69.8978	14.5	744.1	362	56887.	1151	1.0	1.6	4.9	1.6	0.4	5.0	18	4.3
62345	0	0	0	0	OEc	43.8035	69.8972	14.5	744.1	368	56886.	1086	1.4	2.6	4.4	2.0	0.6	3.3	23	4.4
62346	0	0	0	0	OEc	43.8035	69.8967	14.5	744.1	373	56883.	1098	0.9	1.4	4.1	1.6	0.4	4.5	23	4.4
62347	0	0	0	0	OEc	43.8035	69.8962	14.5	744.1	373	56880.	1115	1.3	2.2	5.0	1.8	0.5	4.1	20	4.5
62348	0	0	0	0	OEc	43.8035	69.8957	14.5	744.1	368	56877.	1011	1.1	1.2	4.5	1.2	0.3	4.4	27	4.5
62349	0	0	1	0	OEc	43.8034	69.8952	14.5	744.1	362	56876.	985	1.0	0.9	5.1	0.1	0.1	5.1	25	4.6
62350	0	0	0	0	OEc	43.8034	69.8946	14.5	744.1	356	56875.	979	0.9	1.8	4.2	2.2	0.5	5.2	18	4.6
62351	0	0	1	0	OEc	43.8034	69.8941	14.5	744.1	354	56876.	979	0.9	0.7	4.4	0.1	0.1	5.2	25	4.6
62352	0	0	0	0	OEc	43.8034	69.8936	14.5	744.1	351	56877.	958	0.8	1.9	3.0	2.5	0.7	3.7	27	4.7
62353	0	0	0	0	OEc	43.8034	69.8931	14.5	743.8	354	56878.	1129	1.3	1.7	3.7	1.4	0.5	3.0	17	4.8
62354	0	0	0	0	OEc	43.8034	69.8926	14.5	743.8	360	56878.	1167	1.3	3.1	3.6	2.5	0.9	2.9	19	5.0
62355	0	0	1	0	OEc	43.8034	69.8921	14.4	743.8	369	56879.	1139	1.1	1.0	5.4	0.1	0.1	5.0	20	5.0
62356	0	0	0	0	OEc	43.8034	69.8915	14.4	743.9	384	56881.	1230	1.3	1.9	4.6	1.6	0.5	3.6	13	4.8
62357	0	0	0	0	OEce	43.8034	69.8910	14.4	743.9	401	56886.	1271	1.0	2.0	5.6	2.0	0.4	5.6	30	4.5
62358	0	0	0	0	OEce	43.8033	69.8905	14.4	743.9	425	56893.	1167	1.3	2.2	4.2	1.7	0.6	3.3	21	4.2
62359	0	0	0	0	OEce	43.8033	69.8900	14.4	743.9	448	56899.	1215	1.3	2.6	4.3	2.1	0.6	3.5	25	3.9
62360	0	0	1	0	OEce	43.8033	69.8895	14.4	743.9	457	56902.	1227	1.4	1.1	5.5	0.1	0.1	3.9	18	3.5
62361	0	0	0	0	OEce	43.8033	69.8890	14.4	744.0	449	56902.	1173	1.3	2.7	3.6	2.2	0.8	2.9	15	3.3
62362	0	0	0	0	OEce	43.8033	69.8885	14.4	744.0	438	56900.	1108	1.2	2.4	4.7	2.1	0.6	4.1	28	3.1
62363	0	0	0	0	OEce	43.8033	69.8879	14.4	744.1	441	56898.	882	0.8	1.5	4.4	1.9	0.4	5.7	19	3.1
62364	0	0	1	0	Water	43.8033	69.8874	14.4	744.1	452	56896.	851	1.1	0.8	2.2	0.1	0.1	2.1	21	3.1
62365	0	0	0	0	Water	43.8033	69.8869	14.4	744.1	464	56896.	647	0.7	1.7	2.4	2.7	0.8	3.7	15	3.1
62366	0	0	0	1	Water	43.8033	69.8864	14.4	744.2	468	56897.	435	0.5	1.6	0.7	0.1	0.1	0.1	23	3.1
62367	0	0	1	0	Water	43.8032	69.8859	14.4	744.2	470	56899.	356	0.3	0.3	1.8	0.1	0.1	0.1	24	3.4
62368	0	0	1	0	Water	43.8032	69.8854	14.4	744.2	469	56900.	293	0.2	0.1	1.8	0.1	0.1	0.1	23	3.6
62369	0	0	1	0	Water	43.8032	69.8848	14.4	744.3	468	56899.	369	0.3	0.3	1.8	0.1	0.1	0.1	22	3.5
62370	0	0	0	0	Water	43.8032	69.8843	14.4	744.3	460	56899.	493	0.6	1.6	1.8	2.8	0.9	3.1	22	3.5
62371	0	0	1	1	Water	43.8032	69.8838	14.4	744.4	440	56903.	599	0.7	0.5	1.0	0.1	0.1	0.1	16	3.6
62372	0	0	1	0	Water	43.8032	69.8833	14.4	744.4	416	56910.	714	0.7	0.4	3.6	0.1	0.1	5.2	12	3.6
62373	0	0	0	0	Water	43.8032	69.8828	14.4	744.5	400	56916.	853	1.0	1.5	1.8	1.6	0.9	2.0	26	3.6
62374	0	0	0	0	Water	43.8032	69.8823	14.4	744.5	408	56923.	842	0.7	2.4	2.9	3.8	0.9	4.6	25	3.6
62375	0	0	1	0	Water	43.8032	69.8818	14.4	744.6	423	56928.	678	0.6	1.0	5.6	0.1	0.1	9.5	18	3.4
62376	0	0	0	0	Water	43.8032	69.8812	14.4	744.6	439	56934.	609	0.8	1.5	1.9	2.1	0.9	2.6	25	3.2
62377	0	0	1	0	Water	43.8032	69.8807	14.4	744.7	444	56938.	405	0.3	0.9	1.6	0.1	0.1	0.1	19	3.1
62378	0	0	1	0	Water	43.8031	69.8802	14.4	744.8	447	56939.	298	0.4	-0.4	2.2	0.1	0.1	0.1	20	3.1
62379	0	0	1	1	Water	43.8031	69.8797	14.4	744.8	446	56938.	212	0.4	0.3	-0.2	0.1	0.1	0.1	6	3.0
62380	0	1	1	1	Water	43.8031	69.8792	14.4	744.9	445	56937.	149	0.2	0.5	-0.1	0.1	0.1	0.1	19	3.1
62381	0	1	1	1	Water	43.8031	69.8787	14.4	744.9	443	56935.	105	0.1	-0.2	0.1	0.1	0.1	0.1	25	3.4
62382	0	0	1	1	Water	43.8031	69.8782	14.4	745.0	441	56930.	97	0.2	-0.5	0.5	0.1	0.1	0.1	24	3.7

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
62383	0	1	1	1	Water	43.8031	69.8776	14.4	745.1	439	56926.	73	0.1	-0.1	-0.1	0.1	0.1	0.1	15	4.0
62384	0	1	1	1	Water	43.8031	69.8771	14.4	745.2	438	56924.	85	0.1	0.8	0.0	0.1	0.1	0.1	23	4.4
62385	0	1	1	1	Water	43.8031	69.8766	14.4	745.2	437	56924.	65	0.0	0.4	-1.0	0.1	0.1	0.1	18	4.8
62386	0	1	1	1	Water	43.8031	69.8761	14.4	745.3	435	56926.	63	0.0	0.0	-0.3	0.1	0.1	0.1	24	5.0
62387	0	1	1	1	Water	43.8031	69.8756	14.4	745.4	433	56930.	57	0.1	0.2	0.4	0.1	0.1	0.1	20	5.2
62388	0	1	1	1	Water	43.8030	69.8751	14.4	745.5	430	56934.	43	0.1	-0.1	0.0	0.1	0.1	0.1	31	5.4
62389	0	0	1	1	Water	43.8030	69.8746	14.4	745.5	427	56936.	77	0.3	0.4	-0.6	0.1	0.1	0.1	20	5.5
62390	0	1	1	1	Water	43.8030	69.8741	14.4	745.6	424	56938.	61	0.1	0.3	-1.1	0.1	0.1	0.1	28	5.7
62391	0	1	1	1	Water	43.8030	69.8736	14.4	745.7	421	56938.	72	0.0	0.1	0.3	0.1	0.1	0.1	21	5.9
62392	0	1	1	1	Water	43.8030	69.8730	14.4	745.8	419	56938.	64	0.0	-0.2	1.2	0.1	0.1	0.1	22	5.9
62393	0	1	1	1	Water	43.8030	69.8725	14.5	745.8	416	56937.	62	0.1	-0.4	0.0	0.1	0.1	0.1	21	5.8
62394	0	1	1	0	Water	43.8030	69.8720	14.5	745.9	414	56937.	70	0.1	0.1	1.6	0.1	0.1	0.1	16	5.8
62395	0	1	1	1	Water	43.8030	69.8715	14.5	746.0	411	56937.	80	0.1	-0.4	0.2	0.1	0.1	0.1	35	6.0
62396	0	1	1	1	Water	43.8030	69.8710	14.5	746.1	408	56938.	87	0.1	-0.5	0.2	0.1	0.1	0.1	20	5.9
62397	0	0	1	0	Water	43.8030	69.8705	14.5	746.1	405	56938.	95	0.2	-0.3	1.3	0.1	0.1	0.1	15	6.0
62398	0	1	1	1	Water	43.8029	69.8700	14.5	746.1	403	56937.	120	0.1	0.4	0.5	0.1	0.1	0.1	22	6.2
62399	0	0	1	1	OEce	43.8029	69.8694	14.5	746.1	401	56937.	164	0.2	0.4	0.2	0.1	0.1	0.1	17	6.2
62400	0	1	1	0	OEce	43.8029	69.8689	14.5	746.2	399	56938.	214	0.1	-0.1	1.4	0.1	0.1	0.1	24	6.7
62401	0	0	1	1	OEce	43.8029	69.8684	14.5	746.2	397	56939.	225	0.2	0.3	0.3	0.1	0.1	0.1	14	7.1
62402	0	1	1	1	OEce	43.8029	69.8679	14.5	746.2	394	56938.	275	0.1	0.3	1.0	0.1	0.1	0.1	12	7.1
62403	0	0	1	1	OEce	43.8029	69.8674	14.5	746.2	392	56936.	396	0.5	-0.1	1.0	0.1	0.1	0.1	19	7.1
62405	0	0	0	1	OEce	43.8029	69.8664	14.5	746.2	390	56935.	444	0.4	1.0	0.9	0.1	0.1	0.1	24	7.1
62406	0	0	0	0	OEce	43.8029	69.8659	14.5	746.2	389	56934.	663	0.7	1.3	2.7	2.0	0.5	4.2	19	6.9
62407	0	0	0	0	OEce	43.8029	69.8653	14.5	746.2	388	56933.	777	0.6	1.3	3.5	2.1	0.4	5.9	13	6.5
62408	0	0	0	0	OEce	43.8029	69.8648	14.5	746.2	388	56931.	818	0.8	1.1	3.5	1.5	0.3	4.8	17	6.1
62409	0	0	1	0	OEce	43.8028	69.8643	14.5	746.2	388	56930.	745	0.7	0.7	3.8	0.1	0.1	5.7	22	5.7
62410	0	0	1	0	OEce	43.8028	69.8638	14.5	745.9	391	56928.	828	0.8	1.2	4.5	0.1	0.1	6.4	20	5.5
62411	0	0	1	0	OEce	43.8028	69.8633	14.5	745.8	394	56927.	757	1.0	-0.2	3.5	0.1	0.1	3.7	30	5.3
62412	0	0	0	0	OEce	43.8028	69.8628	14.6	745.7	399	56926.	783	0.8	1.5	4.5	2.0	0.4	6.2	15	5.1
62413	0	0	0	0	OEce	43.8028	69.8623	14.6	745.7	405	56926.	925	1.0	2.0	4.4	2.2	0.5	4.8	13	4.9
62414	0	0	1	1	OEce	43.8028	69.8618	14.6	745.5	396	56926.	814	0.9	0.8	1.4	0.1	0.1	0.1	23	4.8
62415	0	0	0	0	OEce	43.8028	69.8613	14.6	745.5	384	56926.	942	1.1	1.6	3.6	1.5	0.5	3.3	26	4.6
62416	0	0	0	0	Water	43.8028	69.8607	14.6	745.4	369	56929.	968	1.1	2.0	2.8	1.9	0.8	2.7	17	4.5
62417	0	0	0	0	Water	43.8028	69.8602	14.6	745.3	370	56933.	1073	1.1	1.8	5.0	1.8	0.4	4.8	14	4.3
62418	0	0	1	0	Water	43.8028	69.8597	14.6	745.2	378	56937.	1086	1.1	1.0	4.4	0.1	0.1	3.9	27	4.3
62419	0	0	1	0	Water	43.8028	69.8592	14.6	745.1	387	56938.	1048	1.0	0.9	3.9	0.1	0.1	4.2	26	4.3
62420	0	0	0	0	Water	43.8027	69.8587	14.6	745.0	395	56938.	1022	1.0	3.0	6.1	3.1	0.5	6.3	21	4.3
62421	0	0	1	0	Water	43.8027	69.8582	14.6	744.8	406	56938.	984	0.8	0.9	2.9	0.1	0.1	3.7	17	4.0
62422	0	0	0	0	Water	43.8027	69.8577	14.6	744.7	421	56937.	940	1.1	2.3	3.1	2.2	0.8	3.0	18	3.9
62423	0	0	0	0	Water	43.8027	69.8573	14.6	744.6	440	56937.	767	1.0	1.5	3.7	1.6	0.5	3.8	11	3.7
62424	0	0	1	0	Water	43.8027	69.8568	14.6	744.4	453	56936.	663	0.7	-0.3	2.8	0.1	0.1	4.3	23	3.5
62425	0	0	1	0	OEce	43.8027	69.8563	14.6	744.3	462	56934.	496	0.5	0.2	2.8	0.1	0.1	0.1	25	3.4
62426	0	0	0	1	OEce	43.8026	69.8559	14.6	744.2	468	56932.	455	0.5	1.8	1.2	0.1	0.1	0.1	23	3.1
62427	0	0	1	0	OEce	43.8026	69.8554	14.6	744.1	473	56930.	496	0.5	0.1	3.8	0.1	0.1	0.1	23	2.8
62428	0	0	0	1	OEce	43.8026	69.8549	14.6	744.0	477	56929.	495	0.6	1.9	0.8	3.7	0.1	0.1	19	2.7
62429	0	0	0	1	OEce	43.8026	69.8545	14.6	743.9	478	56928.	624	0.7	1.9	1.1	2.8	0.1	0.1	24	2.3
62430	0	0	0	0	OEce	43.8026	69.8540	14.6	743.8	464	56926.	714	0.8	1.8	4.6	2.3	0.4	5.9	27	2.2
62431	U	U	1	U	OEce	43.8026	69.8535	14.6	743.7	447	56924.	759	0.6	0.9	3.0	0.1	0.1	5.3	18	2.1
62432	0	0	0	0	OEce	43.8025	69.8531	14.6	743.6	438	56921.	826	0.8	1.8	4.1	2.3	0.5	5.4	17	2.2
62433	0	0	0	0	OEce	43.8025	69.8526	14.6	743.5	452	56916.	826	0.9	1.5	4.7	1.7	0.4	5.3	13	2.3

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
62434	0	0	0	0	Water	43.8025	69.8521	14.6	743.4	472	56911.	788	0.6	1.5	4.1	2.6	0.4	7.3	19	2.7
62435	0	0	0	0	Water	43.8025	69.8516	14.6	743.4	490	56906.	724	0.6	1.7	2.0	3.1	0.9	3.9	21	2.8
62436	0	0	0	0	Water	43.8025	69.8512	14.6	743.3	498	56900.	664	0.6	1.7	2.4	3.1	0.7	4.5	22	3.0
62437	0	0	0	1	Water	43.8024	69.8507	14.6	743.3	491	56894.	563	0.6	1.5	0.8	2.5	0.1	0.1	25	2.9
62438	0	0	1	0	Water	43.8024	69.8502	14.6	743.2	485	56891.	556	0.6	1.0	3.1	0.1	0.1	6.0	27	2.8
62439	0	0	1	0	Water	43.8024	69.8498	14.6	743.1	486	56888.	485	0.5	0.1	2.3	0.1	0.1	0.1	18	2.8
62440	0	0	0	0	Water	43.8024	69.8493	14.6	743.1	500	56885.	538	0.4	1.8	2.5	0.1	0.7	0.1	30	2.9
62441	0	0	0	1	Dg	43.8024	69.8488	14.6	743.0	512	56883.	614	0.7	2.5	1.5	4.1	0.1	0.1	26	2.9
62442	0	0	1	0	Dg	43.8024	69.8484	14.6	743.0	517	56880.	760	1.0	0.9	3.1	0.1	0.1	3.3	21	2.9
62443	0	0	1	0	Dg	43.8023	69.8479	14.6	742.9	503	56880.	838	0.9	0.7	4.5	0.1	0.1	4.9	19	3.0
62444	0	0	0	0	Dg	43.8023	69.8474	14.6	742.9	481	56883.	1012	1.1	3.0	2.2	2.7	1.4	2.0	20	3.2
62445	0	0	0	0	Dg	43.8023	69.8470	14.6	742.9	454	56886.	1179	1.3	2.3	3.9	1.8	0.6	3.2	19	3.4
62446	0	0	0	0	Dg	43.8023	69.8465	14.6	742.8	438	56889.	1234	1.7	1.9	2.4	1.2	0.8	1.5	22	3.6
62447	0	0	0	0	Dg	43.8023	69.8460	14.6	742.8	426	56895.	1297	1.4	1.7	6.0	1.3	0.3	4.4	24	3.6
62448	0	0	0	0	Dg	43.8023	69.8456	14.6	742.8	415	56903.	1313	1.4	2.0	7.5	1.4	0.3	5.4	23	3.6
62449	0	0	0	0	Dg	43.8022	69.8451	14.6	742.7	404	56914.	1279	1.6	2.5	4.7	1.7	0.6	3.1	27	3.7
62450	0	0	1	0	Dg	43.8022	69.8446	14.6	742.7	395	56926.	1397	1.7	1.1	4.9	0.1	0.1	3.0	28	3.9
62451	0	0	0	0	Dg	43.8022	69.8441	14.6	742.7	394	56939.	1415	1.5	2.4	6.4	1.6	0.4	4.3	12	4.0
62452	0	0	0	0	Dg	43.8022	69.8437	14.6	742.7	399	56951.	1313	1.5	2.1	5.0	1.4	0.5	3.3	24	3.9
62453	0	0	0	0	Dg	43.8022	69.8432	14.6	742.7	401	56960.	1397	1.4	2.3	4.1	1.7	0.6	3.1	26	4.1
62454	0	0	0	0	Dg	43.8022	69.8427	14.6	742.7	396	56962.	1340	1.2	2.8	5.3	2.4	0.6	4.5	15	4.5
62455	0	0	0	0	Dg	43.8021	69.8423	14.6	742.7	388	56958.	1488	1.6	2.1	5.1	1.4	0.5	3.4	18	4.6
62456	0	0	0	0	Dg	43.8021	69.8418	14.6	742.7	379	56948.	1494	1.6	1.9	4.9	1.2	0.4	3.2	22	4.8
62457	0	0	0	0	OEce	43.8021	69.8413	14.6	742.6	372	56935.	1494	2.1	1.5	4.6	0.8	0.4	2.2	29	4.8
62458	0	0	0	0	OEce	43.8021	69.8408	14.6	742.6	361	56922.	1563	1.9	2.6	5.0	1.4	0.6	2.7	25	4.9
62459	0	0	1	0	OEce	43.8021	69.8402	14.6	742.6	351	56910.	1612	2.0	0.9	6.8	0.1	0.1	3.5	19	4.7
62460	0	0	0	0	OEce	43.8021	69.8397	14.6	742.6	343	56898.	1539	1.9	1.9	5.9	1.0	0.4	3.1	27	4.5
62461	0	0	0	0	OEce	43.8021	69.8392	14.6	742.6	340	56886.	1511	1.8	2.2	7.0	1.3	0.4	4.0	16	4.3
62462	0	0	1	0	OEce	43.8021	69.8387	14.6	742.6	340	56875.	1486	1.6	1.1	8.5	0.1	0.1	5.4	17	4.3
62463	0	0	0	0	OEce	43.8021	69.8381	14.6	742.6	342	56866.	1480	1.6	1.3	8.0	0.9	0.2	5.2	15	4.2
62464	0	0	1	0	OEce	43.8021	69.8376	14.6	742.6	342	56858.	1346	1.3	1.0	7.0	0.1	0.1	5.5	16	4.2
62465	0	0	0	0	OEce	43.8021	69.8371	14.6	742.6	342	56854.	1428	1.5	2.2	5.1	1.5	0.5	3.4	25	3.9
62466	0	0	0	0	OEce	43.8021	69.8366	14.6	742.5	356	56846.	1161	1.2	1.4	5.4	1.2	0.3	4.6	28	3.9
62467	0	0	1	0	OEce	43.8021	69.8361	14.6	742.5	359	56843.	1010	1.1	0.9	5.0	0.1	0.1	5.0	18	3.9
62468	0	0	0	0	OEce	43.8022	69.8355	14.6	742.5	357	56841.	923	0.8	2.0	4.3	2.6	0.5	5.7	24	3.6
62469	0	0	0	0	OEce	43.8022	69.8350	14.6	742.4	346	56840.	984	1.0	1.4	2.5	1.6	0.6	2.7	18	3.4
62470	0	0	0	0	OEce	43.8022	69.8345	14.6	742.4	335	56840.	1115	1.1	1.9	6.0	1.9	0.4	5.9	19	3.2
62471	0	0	0	0	OEce	43.8022	69.8339	14.6	742.3	326	56841.	1204	1.3	1.4	5.6	1.1	0.3	4.4	24	3.0
62472	0	0	0	0	OEcb	43.8022	69.8334	14.6	742.2	318	56842.	1145	1.1	2.0	5.6	1.9	0.4	5.1	21	3.0
62473	0	0	0	0	OEcb	43.8022	69.8329	14.6	742.2	311	56841.	1278	1.2	1.8	4.6	1.5	0.4	3.9	25	3.1
62474	0	0	0	0	OEcb	43.8022	69.8324	14.6	742.1	305	56842.	1245	1.5	1.3	6.2	0.9	0.2	4.3	22	2.9
62475	0	0	0	0	OEcb	43.8022	69.8319	14.6	742.0	302	56843.	1331	1.6	1.8	5.3	1.2	0.4	3.4	24	2.7
62476	0	0	0	0	OEcb	43.8022	69.8313	14.6	741.9	302	56843.	1314	1.5	1.6	4.4	1.1	0.4	3.1	27	2.6
62477	0	0	0	0	OEcb	43.8022	69.8308	14.6	741.8	305	56843.	1396	1.4	1.9	6.7	1.4	0.3	4.8	24	2.6
62478	0	0	0	0	OEcb	43.8022	69.8303	14.6	741.7	313	56843.	1390	1.4	2.9	5.0	2.1	0.6	3.6	20	2.7
62479	0	0	0	0	OEcb	43.8022	69.8298	14.6	741.6	322	56843.	1403	1.3	3.0	7.4	2.4	0.5	5.8	24	2.8
62480	0	0	0	0	OEce	43.8022	69.8292	14.6	741.5	334	56844.	1413	1.4	2.4	5.8	1.7	0.5	4.2	25	2.9
62481	0	0	0	0	OEce	43.8022	69.8287	14.6	741.5	346	56844.	1371	1.3	2.4	6.5	1.9	0.4	5.1	20	2.9
62482	0	0	0	0	OEce	43.8022	69.8282	14.6	741.4	361	56845.	1353	1.2	1.3	6.3	1.1	0.3	5.5	22	3.1
62483	0	0	0	0	OEce	43.8022	69.8277	14.6	741.4	376	56846.	1337	1.2	1.7	5.7	1.4	0.3	4.7	16	3.2

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
62484	0	0	0	0	OEcb	43.8022	69.8272	14.6	741.4	393	56848.	1296	1.2	2.9	4.5	2.4	0.7	3.8	13	3.3
62485	0	0	0	0	OEcb	43.8022	69.8266	14.6	741.4	412	56852.	1210	1.0	1.9	2.2	1.9	0.9	2.2	23	3.3
62486	0	0	0	0	OEcb	43.8022	69.8261	14.6	741.4	435	56857.	1325	1.1	2.8	6.5	2.6	0.5	6.0	16	3.2
62487	0	0	1	0	OEcb	43.8022	69.8256	14.6	741.4	463	56862.	1389	1.5	1.2	7.5	0.1	0.1	5.1	15	2.9
62488	0	0	0	0	OEcb	43.8022	69.8251	14.6	741.4	492	56867.	1459	1.4	4.1	4.8	3.0	0.9	3.6	20	2.9
62489	0	0	0	0	OEcb	43.8022	69.8245	14.5	741.5	513	56875.	1485	1.5	2.9	6.7	2.0	0.5	4.6	23	2.9
62490	0	0	0	0	OEcb	43.8022	69.8240	14.5	741.5	516	56883.	1416	1.1	3.3	6.3	3.1	0.6	5.9	20	2.9
62491	0	0	0	0	OEcb	43.8022	69.8235	14.5	741.6	508	56889.	1394	1.6	1.6	5.2	1.1	0.3	3.4	18	2.8
62492	0	0	0	0	OEcb	43.8022	69.8230	14.5	741.6	502	56893.	1453	1.4	2.2	5.5	1.6	0.4	4.2	20	2.6
62493	0	0	0	0	OEce	43.8022	69.8224	14.5	741.7	496	56897.	1402	1.3	3.9	5.5	3.2	0.8	4.5	24	2.8
62494	0	0	0	0	OEce	43.8022	69.8219	14.5	741.8	485	56901.	1472	1.5	2.1	5.4	1.4	0.4	3.7	25	2.9
62496	0	0	1	0	OEce	43.8022	69.8209	14.5	741.8	472	56905.	1434	1.5	1.2	9.3	0.1	0.1	6.3	22	3.0
62497	0	0	0	0	OEce	43.8022	69.8204	14.5	741.9	467	56907.	1495	1.5	1.8	6.8	1.2	0.3	4.7	18	3.0
62498	0	0	0	0	OEce	43.8022	69.8198	14.5	741.9	468	56909.	1446	1.3	2.2	8.6	1.8	0.3	7.0	23	2.9
62499	0	0	0	0	OEce	43.8022	69.8193	14.5	741.9	463	56913.	1385	1.4	2.7	8.9	1.9	0.3	6.3	23	3.1
62500	0	0	0	0	OEce	43.8022	69.8188	14.5	742.0	450	56923.	1384	1.0	3.5	7.3	3.6	0.5	7.6	30	3.3
62501	0	0	0	0	OEce	43.8022	69.8183	14.5	742.0	435	56939.	1311	1.2	2.0	6.1	1.7	0.4	5.2	25	3.5
62502	0	0	0	0	Dg	43.8022	69.8177	14.5	742.0	424	56962.	1405	1.3	1.6	7.4	1.3	0.3	6.1	15	3.7
62503	0	0	0	0	Dg	43.8022	69.8172	14.5	742.1	418	56987.	1321	1.0	3.3	5.7	3.5	0.6	6.0	20	3.8
62504	0	0	1	0	Dg	43.8022	69.8167	14.5	742.1	415	57009.	1360	1.5	1.0	7.4	0.1	0.1	5.2	25	3.6
62505	0	0	0	0	Dg	43.8022	69.8162	14.5	742.2	413	57023.	1375	1.3	1.7	7.8	1.4	0.3	6.4	23	3.4
62506	0	0	0	0	Dg	43.8022	69.8157	14.5	742.2	415	57031.	1387	1.6	1.6	6.5	1.1	0.3	4.3	19	3.2
62507	0	0	0	0	Dg	43.8022	69.8151	14.5	742.2	421	57035.	1568	1.4	2.7	8.7	2.0	0.3	6.4	22	3.0
62508	0	0	0	0	Dg	43.8022	69.8146	14.5	742.3	425	57039.	1448	1.2	3.0	6.5	2.7	0.5	5.8	18	2.8
62509	0	0	0	0	Dg	43.8022	69.8141	14.5	742.3	425	57045.	1482	1.4	2.7	9.0	2.0	0.3	6.7	21	2.6
62510	0	0	1	0	Dg	43.8022	69.8136	14.5	742.3	420	57050.	1405	1.5	0.6	10.1	0.1	0.1	7.1	20	2.6
62511	0	0	1	0	OEce	43.8022	69.8130	14.5	742.4	413	57052.	1425	1.4	0.9	8.2	0.1	0.1	6.2	28	2.7
62512	0	0	0	0	OEce	43.8022	69.8125	14.5	742.4	405	57050.	1334	1.1	3.6	6.9	3.3	0.6	6.5	22	3.1
62513	0	0	0	0	OEce	43.8022	69.8120	14.5	742.4	395	57045.	1355	1.4	2.0	7.4	1.5	0.3	5.4	16	3.5
62514	0	0	1	0	OEce	43.8022	69.8115	14.5	742.4	383	57040.	1242	1.3	0.6	5.5	0.1	0.1	4.5	21	3.6
62515	0	0	0	0	OEce	43.8022	69.8110	14.5	742.4	371	57034.	1240	1.1	2.5	5.0	2.3	0.5	4.7	23	3.7
62516	0	0	0	0	OEce	43.8022	69.8104	14.5	742.4	362	57029.	1278	1.0	2.1	5.7	2.2	0.4	6.1	23	3.8
62517	0	0	0	0	OEce	43.8022	69.8099	14.5	742.5	357	57028.	1259	1.2	2.4	6.0	2.1	0.4	5.2	12	3.9
62518	0	0	0	0	OEce	43.8022	69.8094	14.5	742.5	352	57033.	1291	1.2	1.8	4.3	1.5	0.5	3.5	18	4.1
62519	0	0	0	0	OEce	43.8022	69.8088	14.5	742.5	349	57041.	1336	1.3	1.4	7.4	1.1	0.2	5.9	19	4.1
62520	0	0	0	0	OEce	43.8022	69.8083	14.5	742.5	346	57047.	1317	1.4	1.6	6.9	1.2	0.3	5.3	17	4.0
62521	0	0	0	0	OEce	43.8022	69.8078	14.5	742.5	346	57048.	1268	1.3	2.3	5.9	1.8	0.4	4.5	17	3.9
62522	0	0	0	0	OEce	43.8022	69.8073	14.5	742.5	346	57046.	1305	1.3	1.9	6.3	1.5	0.3	5.0	17	3.9
62523	0	0	0	0	OEce	43.8022	69.8068	14.5	742.8	375	57028.	1360	1.3	2.6	4.8	2.0	0.6	3.7	32	3.9
62524	0	0	0	0	OEce	43.8022	69.8062	14.5	742.8	400	57013.	1327	1.4	2.1	3.2	1.5	0.7	2.3	21	3.6
62525	0	0	0	0	OEce	43.8022	69.8057	14.5	742.9	423	57000.	1308	1.3	2.5	4.1	2.0	0.6	3.4	24	3.4
62526	0	0	0	0	OEce	43.8022	69.8052	14.5	742.9	434	56987.	1340	1.2	2.4	6.6	2.0	0.4	5.5	23	3.3
62527	0	0	0	0	OEce	43.8022	69.8047	14.5	743.0	438	56976.	1341	1.3	1.9	5.1	1.6	0.4	4.2	20	3.2
62528	0	0	0	0	OEce	43.8022	69.8041	14.5	743.0	437	56967.	1327	1.4	2.4	7.3	1.8	0.4	5.4	26	3.3
62529	0	0	0	0	OEce	43.8022	69.8036	14.5	743.1	434	56960.	1337	1.5	3.6	5.3	2.4	0.7	3.6	25	3.4
62530	0	0	0	0	OEce	43.8022	69.8031	14.5	743.1	426	56962.	1370	1.2	1.8	6.1	1.5	0.3	5.1	23	3.6
62531	0	0	0	0	OEce	43.8022	69.8026	14.5	743.2	418	56969.	1324	1.2	1.3	5.0	1.1	0.3	4.2	25	3.5
62532	0	0	0	0	OEce	43.8022	69.8021	14.5	743.2	406	56976.	1257	1.3	1.9	6.5	1.5	0.3	5.3	19	3.5
62533	0	0	0	0	OEce	43.8022	69.8015	14.5	743.3	397	56979.	1264	1.4	2.2	6.5	1.7	0.4	4.9	22	3.5
62534	0	0	0	0	OEce	43.8022	69.8010	14.5	743.3	391	56977.	1224	1.2	2.9	4.0	2.6	0.8	3.5	20	3.4

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
62535	0	0	0	0	OEce	43.8022	69.8005	14.5	743.4	394	56971.	1237	1.4	1.3	5.0	1.0	0.3	3.8	34	3.4
62536	0	0	0	0	OEce	43.8023	69.8000	14.5	743.4	400	56964.	1240	1.1	1.4	5.1	1.3	0.3	4.8	15	3.3
62537	0	0	0	0	OEce	43.8023	69.7995	14.5	743.4	413	56958.	1309	1.2	1.8	7.2	1.6	0.3	6.3	26	3.2
62538	0	0	0	0	OEce	43.8023	69.7990	14.5	743.5	432	56952.	1177	1.2	3.0	4.9	2.6	0.7	4.3	18	3.0
62539	0	0	1	0	OEce	43.8023	69.7985	14.5	743.5	453	56944.	1075	1.1	0.6	4.2	0.1	0.1	3.8	25	3.0
62540	0	0	0	0	Water	43.8023	69.7980	14.5	743.6	469	56937.	967	0.8	1.6	5.2	2.0	0.3	6.5	22	3.0
62541	0	0	0	0	Water	43.8023	69.7975	14.5	743.6	478	56931.	737	0.6	2.9	4.2	4.8	0.7	6.8	21	3.1
62542	0	0	1	0	Water	43.8023	69.7970	14.5	743.7	484	56929.	711	1.0	0.5	3.0	0.1	0.1	3.2	25	3.0
62543	0	0	0	0	Water	43.8023	69.7965	14.5	743.7	486	56928.	570	0.5	1.5	2.7	0.1	0.6	0.1	27	2.9
62544	0	0	1	1	Water	43.8023	69.7960	14.5	743.8	487	56925.	434	0.5	1.0	1.6	0.1	0.1	0.1	24	2.8
62545	0	0	1	0	Water	43.8023	69.7955	14.5	743.9	487	56922.	355	0.3	-0.3	2.0	0.1	0.1	0.1	18	2.7
62546	0	0	1	0	Water	43.8023	69.7950	14.5	744.0	486	56922.	272	0.3	0.9	1.7	0.1	0.1	0.1	13	2.6
62547	0	1	1	1	Water	43.8023	69.7945	14.5	744.0	484	56922.	170	0.1	0.0	0.8	0.1	0.1	0.1	23	2.7
62548	0	1	1	1	Water	43.8023	69.7940	14.5	744.1	482	56920.	163	0.2	0.7	0.8	0.1	0.1	0.1	25	2.8
62549	0	1	1	1	Water	43.8023	69.7935	14.5	744.2	479	56920.	120	0.1	0.3	-0.4	0.1	0.1	0.1	20	2.9
62550	0	1	1	1	Water	43.8024	69.7930	14.5	744.3	476	56920.	62	0.1	0.4	0.6	0.1	0.1	0.1	24	2.8
62551	0	1	1	1	Water	43.8024	69.7925	14.5	744.4	473	56919.	112	0.1	-0.5	0.6	0.1	0.1	0.1	24	2.7
62552	0	1	1	1	Water	43.8024	69.7920	14.5	744.5	469	56917.	93	0.1	0.6	0.1	0.1	0.1	0.1	20	2.6
62553	0	0	1	1	Water	43.8024	69.7915	14.5	744.6	466	56917.	89	0.2	-0.2	0.1	0.1	0.1	0.1	21	2.5
62554	0	1	1	1	Water	43.8024	69.7910	14.5	744.7	462	56916.	89	0.1	0.4	-0.3	0.1	0.1	0.1	24	2.4
62555	0	1	1	1	Water	43.8024	69.7905	14.5	744.7	458	56916.	75	0.2	0.5	0.8	0.1	0.1	0.1	23	2.2
62556	0	1	1	1	Water	43.8024	69.7900	14.5	744.8	453	56916.	61	0.1	-0.5	-0.4	0.1	0.1	0.1	29	2.2
62557	0	1	0	1	Water	43.8024	69.7895	14.5	744.9	448	56915.	72	0.1	1.2	0.2	0.1	0.1	0.1	19	2.2
62558	0	1	1	1	Water	43.8024	69.7890	14.5	745.0	443	56913.	68	0.0	-0.1	0.9	0.1	0.1	0.1	21	2.2
62559	0	1	1	1	Water	43.8024	69.7885	14.5	745.1	439	56912.	80	0.1	0.3	1.2	0.1	0.1	0.1	14	2.3
62560	0	0	1	1	Water	43.8024	69.7880	14.5	745.1	436	56912.	68	0.2	0.1	0.1	0.1	0.1	0.1	23	2.1
62561	0	1	0	1	Water	43.8024	69.7875	14.5	745.2	433	56912.	76	0.1	0.8	-0.8	0.1	0.1	0.1	22	2.0
62562	0	1	1	1	Water	43.8024	69.7870	14.5	745.2	431	56911.	55	0.1	0.3	0.3	0.1	0.1	0.1	15	2.0
62563	0	1	1	1	Water	43.8025	69.7865	14.5	745.1	429	56910.	65	0.1	-0.2	0.0	0.1	0.1	0.1	25	2.1
62564	0	1	1	1	Water	43.8025	69.7860	14.5	745.1	427	56908.	63	0.1	-0.5	0.8	0.1	0.1	0.1	24	2.1
62565	0	1	1	1	Water	43.8025	69.7855	14.5	745.0	425	56909.	78	0.2	0.3	0.5	0.1	0.1	0.1	19	2.0
62566	0	1	1	1	Water	43.8025	69.7850	14.5	744.9	423	56910.	80	0.2	0.5	-0.2	0.1	0.1	0.1	13	1.8
62567	0	1	1	1	Water	43.8025	69.7845	14.5	744.9	422	56910.	109	0.1	0.7	0.0	0.1	0.1	0.1	25	1.9
62568	0	1	1	1	Water	43.8025	69.7840	14.5	744.9	421	56910.	98	-0.1	0.8	0.5	0.1	0.1	0.1	16	1.9
62569	0	0	0	1	Water	43.8025	69.7835	14.5	744.8	422	56909.	139	0.3	1.0	0.6	0.1	0.1	0.1	21	1.9
62570	0	0	1	1	Water	43.8025	69.7831	14.5	744.8	424	56909.	165	0.2	0.5	0.4	0.1	0.1	0.1	10	1.9
62571	0	1	1	1	Water	43.8025	69.7825	14.5	744.7	430	56908.	244	0.1	0.6	1.3	0.1	0.1	0.1	29	1.9
62572	0	0	0	1	Water	43.8025	69.7821	14.5	744.6	439	56907.	314	0.3	1.5	1.2	0.1	0.1	0.1	17	1.9
62573	0	0	0	0	Water	43.8025	69.7815	14.5	744.5	452	56906.	457	0.4	1.1	2.8	0.1	0.4	0.1	18	1.9
62574	0	0	0	0	Water	43.8025	69.7811	14.5	744.5	464	56906.	644	0.8	1.9	2.1	2.4	1.0	2.6	23	2.0
62575	0	0	0	0	OEce	43.8025	69.7806	14.5	744.4	448	56905.	1023	1.2	2.4	3.1	2.1	0.8	2.7	21	2.0
62576	0	0	0	0	OEce	43.8025	69.7801	14.5	744.4	420	56906.	1217	1.4	2.5	7.0	1.9	0.4	5.3	26	2.0
62577	0	0	0	0	OEce	43.8025	69.7796	14.5	744.4	393	56908.	1269	1.3	2.0	6.3	1.6	0.4	4.8	18	2.0
62578	0	0	0	0	OEce	43.8025	69.7791	14.5	744.5	385	56910.	1096	1.1	1.8	7.8	1.6	0.3	7.1	28	2.0
62579	0	0	0	0	OEce	43.8024	69.7786	14.5	743.3	372	56912.	1354	1.3	1.3	3.3	1.1	0.4	2.6	14	1.9
62580	0	0	0	0	OEce	43.8024	69.7781	14.5	743.3	371	56914.	1435	1.4	3.9	5.5	2.9	0.8	4.0	20	1.9
62581	0	0	0	0	OEce	43.8024	69.7776	14.5	743.2	372	56918.	1414	1.3	2.2	6.1	1.7	0.4	4.7	24	1.8
62582	0	0	0	0	OEce	43.8024	69.7771	14.5	743.1	380	56922.	1422	1.4	2.3	5.7	1.7	0.5	4.2	22	1.8
62583	0	0	0	0	OEce	43.8023	69.7767	14.5	743.1	392	56927.	1400	1.4	1.5	5.6	1.1	0.3	4.2	21	2.0
62584	0	0	0	0	OEds	43.8023	69.7762	14.5	743.0	404	56933.	1430	1.5	2.2	3.3	1.5	0.7	2.2	29	2.1

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
62585	0	0	0	0	0Eds	43.8023	69.7757	14.5	742.9	415	56941.	1441	1.7	1.6	5.8	1.0	0.3	3.6	23	2.3
62587	0	0	1	0	0Eds	43.8023	69.7747	14.5	742.9	418	56948.	1394	1.6	0.7	7.4	0.1	0.1	4.9	26	2.5
62588	0	0	0	0	0Eds	43.8022	69.7742	14.5	742.8	415	56954.	1370	1.2	2.3	9.3	2.0	0.3	8.0	31	2.4
62589	0	0	0	0	0Eds	43.8022	69.7737	14.5	742.7	401	56960.	1316	1.1	2.6	6.9	2.4	0.4	6.5	19	2.3
62590	0	0	0	0	0Eds	43.8022	69.7732	14.5	742.6	386	56963.	1325	1.1	2.4	5.1	2.4	0.5	5.0	15	2.2
62591	0	0	0	0	0Ecb	43.8022	69.7728	14.5	742.4	373	56965.	1282	1.4	2.5	5.5	1.8	0.5	4.0	17	2.1
62592	0	0	0	0	0Ecb	43.8021	69.7723	14.5	742.3	368	56970.	1390	1.5	2.7	6.3	1.9	0.5	4.3	24	2.1
62593	0	0	0	0	0Ecb	43.8021	69.7718	14.5	742.3	370	56974.	1310	1.4	2.4	3.3	1.8	0.8	2.5	22	1.8
62594	0	0	0	0	0Ecb	43.8021	69.7713	14.5	742.2	374	56970.	1367	1.3	2.2	4.4	1.8	0.5	3.5	28	1.7
62595	0	0	0	0	0Ecb	43.8021	69.7708	14.5	742.1	378	56956.	1341	1.2	1.4	7.3	1.3	0.2	6.5	31	1.7
62596	0	0	0	0	0Ecb	43.8020	69.7703	14.5	742.0	380	56936.	1406	1.4	2.7	5.6	1.9	0.5	4.1	25	1.7
62597	0	0	0	0	0Ecb	43.8020	69.7698	14.5	742.0	381	56916.	1355	1.3	1.9	6.2	1.5	0.3	5.0	18	1.6
62598	0	0	0	0	0Ecb	43.8020	69.7694	14.4	741.9	378	56901.	1307	1.3	1.7	6.9	1.4	0.3	5.7	17	1.6
62599	0	0	0	0	0Eds	43.8020	69.7689	14.4	741.8	376	56890.	1329	1.6	2.2	4.4	1.4	0.5	2.9	15	1.7
62600	0	0	0	0	0Eds	43.8019	69.7684	14.4	741.7	376	56885.	1372	1.4	2.0	5.1	1.5	0.4	3.9	22	1.7
62601	0	0	0	0	0Eds	43.8019	69.7679	14.4	741.6	381	56883.	1364	1.5	1.3	6.8	0.9	0.2	4.8	24	1.8
62602	0	0	0	0	0Eds	43.8019	69.7674	14.4	741.5	388	56885.	1465	1.9	1.5	3.8	0.8	0.4	2.0	28	1.8
62603	0	0	0	0	0Eds	43.8019	69.7669	14.4	741.5	395	56890.	1536	1.6	3.2	5.1	2.0	0.7	3.2	16	2.0
62604	0	0	0	0	0Eds	43.8018	69.7664	14.4	741.4	402	56896.	1618	1.8	5.5	4.6	3.2	1.3	2.7	18	2.0
62605	0	0	0	0	0Eds	43.8018	69.7659	14.4	741.4	408	56902.	1452	1.5	4.1	1.6	2.7	2.6	1.1	15	2.1
62606	0	0	0	0	0Eds	43.8018	69.7655	14.4	741.4	414	56900.	1493	1.7	3.9	3.3	2.4	1.2	2.0	22	2.1
62607	0	0	0	0	0Ece	43.8018	69.7650	14.4	741.4	420	56890.	1314	1.3	3.1	3.8	2.5	0.9	3.1	25	2.1
62608	0	0	0	0	0Ece	43.8018	69.7645	14.4	741.5	428	56877.	1374	1.6	2.6	4.1	1.7	0.7	2.7	27	2.1
62609	0	0	0	0	0Ece	43.8017	69.7640	14.4	741.5	439	56866.	1353	1.1	2.8	4.0	2.6	0.7	3.8	20	1.9
62610	0	0	0	0	0Ece	43.8017	69.7635	14.4	741.6	451	56858.	1344	1.4	3.5	4.3	2.5	0.9	3.1	19	1.8
62611	0	0	0	0	0Ece	43.8017	69.7630	14.4	741.7	464	56850.	1284	1.4	2.3	5.4	1.7	0.5	4.1	33	1.6
62612	0	0	0	0	0Ece	43.8016	69.7625	14.4	741.9	475	56844.	1245	1.3	2.6	3.7	2.2	0.8	3.1	23	1.2
62613	0	0	0	0	0Ece	43.8016	69.7620	14.4	742.0	488	56839.	1227	1.3	3.4	5.7	2.6	0.6	4.4	21	1.2
62614	0	0	0	0	0Ece	43.8016	69.7616	14.4	742.1	499	56836.	1117	1.0	2.1	5.4	2.3	0.4	5.8	9	1.0
62615	0	0	0	0	0Ece	43.8016	69.7611	14.4	742.3	507	56834.	996	0.9	2.2	4.8	2.5	0.5	5.3	11	0.7
62616	0	0	0	0	0Ece	43.8015	69.7606	14.4	742.5	505	56831.	1031	0.8	3.9	3.4	5.0	1.2	4.3	27	0.8
62617	0	0	0	0	0Ece	43.8015	69.7601	14.4	742.6	497	56827.	1000	1.0	2.0	2.1	2.0	1.0	2.1	19	0.6
62618	0	0	0	0	0Ece	43.8015	69.7596	14.4	742.7	474	56827.	970	1.1	1.6	5.3	1.5	0.3	5.1	20	0.7
62619	0	0	0	0	0Ece	43.8015	69.7591	14.4	742.9	442	56830.	1097	1.0	1.6	6.5	1.6	0.3	6.8	25	1.1
62620	0	0	0	0	0Ece	43.8014	69.7587	14.4	743.0	407	56836.	1036	1.0	1.3	5.6	1.3	0.3	5.7	22	1.3
62621	0	0	0	0	0Ece	43.8014	69.7582	14.4	743.1	382	56843.	1104	0.9	2.4	5.4	2.8	0.5	6.2	29	1.4
62622	0	0	0	0	0Ece	43.8014	69.7577	14.4	743.2	373	56851.	1188	1.1	2.5	3.8	2.5	0.7	3.7	20	1.6
62623	0	0	0	0	0Ece	43.8014	69.7572	14.4	743.3	370	56856.	1280	1.0	1.6	5.8	1.7	0.3	6.2	19	1.8
62624	0	0	0	0	0Eds	43.8014	69.7567	14.4	743.3	375	56854.	1252	1.2	2.6	7.8	2.3	0.4	6.7	18	1.7
62625	0	0	0	0	0Eds	43.8014	69.7562	14.4	743.3	380	56852.	1182	1.4	1.4	6.4	1.1	0.3	4.8	28	1.8
62626	0	0	0	0	0Eds	43.8014	69.7557	14.4	743.4	388	56856.	1329	1.3	3.0	5.0	2.3	0.6	3.9	26	1.7
62627	0	0	0	0	0Eds	43.8014	69.7552	14.4	743.4	388	56864.	1224	1.3	1.8	4.7	1.4	0.4	3.6	23	1.8
62628	0	0	0	0	0Eds	43.8014	69.7547	14.4	743.4	388	56875.	1239	1.2	1.6	6.6	1.4	0.3	5.5	29	1.7
62629	0	0	0	0	0Eds	43.8014	69.7542	14.4	743.4	388	56891.	1096	1.0	1.4	4.3	1.5	0.4	4.6	19	1.8
62630	0	0	0	0	0Ecb	43.8014	69.7537	14.4	743.4	395	56909.	1091	1.0	2.4	4.2	2.5	0.6	4.3	17	1.9
62631	0	0	0	0	0Ecb	43.8014	69.7532	14.4	743.5	410	56925.	1136	1.2	3.9	4.6	3.3	0.9	3.8	30	2.1
62632	0	0	0	0	0Ecb	43.8014	69.7527	14.4	743.5	430	56936.	1073	1.3	2.8	4.8	2.3	0.6	3.9	26	2.1
62633	0	0	1	0	0Ecb	43.8014	69.7522	14.4	743.5	450	56943.	1080	1.3	0.6	4.9	0.1	0.1	3.8	19	2.1
62634	0	0	0	0	0Ecb	43.8015	69.7516	14.4	743.5	458	56947.	1201	1.3	1.7	6.2	1.3	0.3	4.9	27	2.0
62635	0	0	0	0	0Ecb	43.8015	69.7511	14.4	743.4	461	56948.	1153	1.4	2.2	4.5	1.7	0.5	3.4	20	1.9

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
62636	0	0	0	0	0Ecb	43.8015	69.7506	14.4	744.0	399	56949.	1133	1.0	2.2	5.8	2.2	0.4	5.8	22	2.1
62637	0	0	0	0	0Ecb	43.8015	69.7501	14.5	744.1	378	56950.	1147	1.0	1.5	5.9	1.6	0.3	6.2	26	2.4
62638	0	0	0	0	0Ecb	43.8015	69.7496	14.5	744.1	359	56952.	1134	1.0	1.2	6.1	1.3	0.2	6.2	23	2.4
62639	0	0	0	0	0Ecb	43.8015	69.7491	14.5	744.1	350	56956.	1149	1.3	1.9	5.1	1.6	0.4	4.1	20	2.5
62640	0	0	0	0	0Ecb	43.8015	69.7486	14.5	744.2	346	56960.	1136	0.9	3.2	4.7	3.6	0.7	5.2	23	2.7
62641	0	0	0	0	0Ecb	43.8015	69.7481	14.5	744.3	344	56963.	1105	1.1	1.4	4.2	1.4	0.4	4.0	28	2.8
62642	0	0	0	0	0Ecb	43.8015	69.7476	14.5	744.3	343	56964.	1034	1.0	2.1	6.4	2.1	0.4	6.4	20	3.2
62643	0	0	0	0	0Eds	43.8016	69.7471	14.5	744.3	349	56965.	1016	1.0	1.2	5.0	1.3	0.3	5.3	27	3.4
62644	0	0	0	0	0Eds	43.8016	69.7466	14.5	744.4	356	56970.	986	0.8	1.4	5.7	1.7	0.3	7.2	17	3.5
62645	0	0	1	0	0Eds	43.8016	69.7461	14.5	744.4	358	56983.	933	0.7	0.5	5.7	0.1	0.1	9.3	22	3.5
62646	0	0	0	0	0Eds	43.8016	69.7456	14.5	744.4	347	57004.	1091	1.1	2.6	4.4	2.4	0.6	4.0	20	3.5
62647	0	0	0	0	0Eds	43.8016	69.7451	14.5	744.5	332	57022.	1098	1.2	2.8	1.9	2.5	1.6	1.6	32	3.6
62648	0	0	0	0	0Eds	43.8016	69.7446	14.5	744.5	319	57021.	1183	1.3	1.8	6.7	1.5	0.3	5.4	16	3.7
62649	0	0	0	0	0Eds	43.8016	69.7441	14.5	744.5	307	56996.	1204	1.3	3.3	2.8	2.6	1.2	2.3	18	3.5
62650	0	0	0	0	0Eds	43.8016	69.7436	14.5	744.6	301	56962.	1205	1.0	3.3	4.5	3.4	0.8	4.7	16	3.4
62651	0	0	0	0	0Eds	43.8016	69.7431	14.5	744.6	301	56932.	1140	0.8	2.3	5.0	3.1	0.5	6.9	26	3.4
62652	0	0	0	0	0Eds	43.8016	69.7426	14.5	744.6	304	56909.	1080	0.8	1.8	5.2	2.4	0.4	6.8	18	3.2
62653	0	0	0	0	0Eds	43.8017	69.7421	14.5	744.7	309	56893.	1129	1.0	2.8	4.7	2.8	0.6	4.7	17	3.1
62654	0	0	0	0	0Eds	43.8017	69.7415	14.5	744.7	317	56882.	1313	1.2	3.1	4.3	2.7	0.8	3.7	21	3.0
62655	0	0	0	0	0Ece	43.8017	69.7410	14.5	744.7	327	56878.	1336	1.1	2.7	5.5	2.5	0.5	5.0	21	2.8
62656	0	0	0	0	0Ece	43.8017	69.7405	14.5	744.7	335	56879.	1330	1.0	2.6	5.5	2.7	0.5	5.6	17	2.6
62657	0	0	0	0	0Ece	43.8017	69.7400	14.5	744.7	334	56886.	1350	1.4	2.8	3.1	2.0	1.0	2.2	22	2.7
62658	0	0	0	0	0Ece	43.8017	69.7395	14.5	744.7	323	56899.	1268	1.2	2.7	5.3	2.2	0.5	4.5	30	2.7
62659	0	0	0	0	0Ece	43.8017	69.7390	14.5	744.6	309	56920.	1314	1.3	2.9	4.6	2.4	0.7	3.8	33	2.8
62660	0	0	0	0	0Ece	43.8017	69.7385	14.5	744.6	304	56948.	1292	1.1	2.5	6.8	2.3	0.4	6.3	18	2.9
62661	0	0	1	0	0Ece	43.8017	69.7380	14.5	744.6	307	56986.	1218	1.2	0.4	6.1	0.1	0.1	5.1	23	2.7
62662	0	0	0	0	0Ece	43.8018	69.7375	14.5	744.5	313	57031.	1213	1.1	2.5	5.3	2.3	0.5	4.9	13	2.6
62663	0	0	0	0	0Ece	43.8018	69.7370	14.5	744.5	314	57082.	1201	1.2	2.1	7.0	1.9	0.3	6.2	26	2.4
62664	0	0	0	0	0Ece	43.8018	69.7365	14.5	744.5	313	57132.	1248	1.1	2.4	5.7	2.2	0.5	5.1	15	2.5
62665	0	0	0	0	0Ece	43.8018	69.7360	14.5	744.4	316	57176.	1184	1.2	1.7	5.5	1.5	0.4	4.8	23	2.6
62666	0	0	0	0	0Ece	43.8018	69.7355	14.5	744.4	325	57209.	1122	0.9	1.8	6.3	2.1	0.3	7.2	16	2.6
62667	0	0	0	0	0Ece	43.8018	69.7350	14.5	744.3	337	57232.	1126	1.0	1.8	5.4	1.9	0.4	5.9	17	2.5
62668	0	0	0	0	0Ece	43.8018	69.7345	14.5	744.3	347	57248.	1103	1.0	1.9	9.1	1.9	0.3	9.4	30	2.3
62669	0	0	0	0	0Ece	43.8018	69.7340	14.5	744.3	350	57259.	1072	1.0	1.5	5.2	1.5	0.3	5.2	25	2.0
62670	0	0	0	0	0Ece	43.8018	69.7335	14.5	744.2	352	57262.	1039	1.2	1.5	4.5	1.3	0.4	3.9	16	1.9
62671	0	0	0	0	0Ece	43.8018	69.7330	14.5	744.2	355	57256.	1162	1.0	2.6	4.2	2.7	0.7	4.4	28	1.8
62672	0	0	0	0	0Ece	43.8019	69.7325	14.5	744.1	361	57243.	1116	1.0	2.6	4.5	2.8	0.6	4.9	19	1.8
62673	0	0	0	0	0Ece	43.8019	69.7320	14.5	744.1	370	57226.	1231	1.2	2.1	6.3	1.8	0.4	5.5	9	1.6
62674	0	0	0	0	0Ece	43.8019	69.7314	14.5	744.1	380	57206.	1182	0.8	1.5	6.6	1.9	0.3	8.3	24	1.7
62675	0	0	0	0	0Ece	43.8019	69.7309	14.5	744.0	381	57182.	1302	1.2	1.8	7.4	1.6	0.3	6.5	28	1.9
62676	0	0	0	0	0Ece	43.8019	69.7304	14.5	744.0	377	57155.	1228	1.1	1.9	5.3	1.7	0.4	4.9	15	2.2
62678	0	0	0	0	0Ece	43.8019	69.7294	14.5	744.0	369	57132.	1303	1.2	2.3	6.2	2.0	0.4	5.3	26	2.3
62679	0	0	0	0	0Ece	43.8019	69.7289	14.5	743.9	369	57114.	1309	1.4	2.7	6.9	2.0	0.4	5.0	16	2.3
62680	0	0	0	0	0Ece	43.8019	69.7284	14.5	743.9	374	57101.	1306	1.2	3.3	4.9	3.0	0.7	4.4	23	2.4
62681	0	0	0	0	0Ece	43.8019	69.7279	14.5	743.9	383	57087.	1290	1.1	2.8	6.4	2.8	0.5	6.3	24	2.6
62682	0	0	0	0	0Ece	43.8020	69.7274	14.5	743.9	387	57071.	1291	1.4	1.3	6.3	1.0	0.3	4.8	12	2.7
62683	0	0	0	0	0Ece	43.8020	69.7269	14.5	743.8	387	57053.	1252	1.1	3.0	6.0	2.8	0.5	5.6	20	2.6
62684	0	0	0	0	0Ece	43.8020	69.7264	14.5	743.8	385	57034.	1197	0.8	2.4	4.4	3.0	0.6	5.6	15	2.6
62685	0	0	1	0	0Ece	43.8020	69.7259	14.5	743.8	386	57014.	1177	1.4	1.2	7.3	0.1	0.1	5.6	23	2.5
62686	0	0	0	0	0Ece	43.8020	69.7254	14.5	743.8	390	56995.	1220	1.1	2.6	5.7	2.5	0.5	5.6	25	2.3

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
62687	0	0	0	0	OEce	43.8020	69.7249	14.5	743.8	397	56979.	1294	1.3	2.3	5.9	1.8	0.4	4.7	18	2.2
62688	0	0	0	0	OEce	43.8020	69.7244	14.5	743.8	400	56971.	1293	1.7	1.8	4.1	1.1	0.5	2.5	18	2.1
62689	0	0	0	0	OEce	43.8020	69.7239	14.5	743.8	397	56970.	1321	1.4	1.5	5.0	1.2	0.3	3.8	21	2.2
62690	0	0	0	0	OEce	43.8020	69.7234	14.5	743.8	390	56976.	1268	1.4	4.0	4.2	3.0	1.0	3.1	19	2.1
62691	0	0	0	0	OEce	43.8020	69.7229	14.5	743.8	386	56991.	1315	1.6	1.3	4.5	0.9	0.3	3.0	28	2.0
62692	0	0	0	0	OEce	43.8021	69.7224	14.5	743.8	384	57000.	1285	1.4	2.2	6.7	1.6	0.4	5.0	26	2.0
62693	0	0	0	0	OEce	43.8021	69.7219	14.5	744.4	368	57039.	1280	1.4	2.5	5.0	1.9	0.5	3.7	18	2.1
62694	0	0	0	0	OEce	43.8021	69.7214	14.5	744.6	363	57071.	1310	1.2	1.4	6.7	1.3	0.3	6.0	19	2.2
62695	0	0	0	0	OEce	43.8021	69.7208	14.5	744.7	357	57094.	1278	1.3	2.6	4.4	2.0	0.6	3.5	19	2.4
62696	0	0	0	0	OEce	43.8021	69.7203	14.5	744.8	355	57105.	1225	1.2	2.3	5.3	2.0	0.5	4.7	17	2.4
62697	0	0	0	0	OEce	43.8021	69.7198	14.5	745.0	355	57105.	1134	1.3	2.1	5.3	1.6	0.4	4.1	16	2.4
62698	0	0	1	0	OEce	43.8021	69.7193	14.5	745.1	367	57100.	1047	0.9	0.7	3.5	0.1	0.1	4.3	11	2.4
62699	0	0	0	0	OEce	43.8021	69.7188	14.5	745.3	384	57092.	951	1.0	3.0	3.2	3.0	1.0	3.2	21	2.5
62700	0	0	0	0	OEce	43.8021	69.7183	14.5	745.4	400	57084.	747	0.6	2.3	2.8	4.1	0.9	5.1	26	2.7
62701	0	0	0	0	OEce	43.8021	69.7178	14.5	745.6	405	57072.	465	0.4	1.2	1.4	0.1	0.9	0.1	22	2.6
62702	0	1	1	0	Water	43.8022	69.7173	14.5	745.7	404	57056.	269	0.2	0.3	1.4	0.1	0.1	0.1	13	2.2
62703	0	0	1	1	Water	43.8022	69.7168	14.5	745.9	400	57037.	213	0.3	0.8	-0.3	0.1	0.1	0.1	31	2.0
62704	0	1	0	1	Water	43.8022	69.7163	14.5	746.0	395	57017.	153	0.1	1.5	0.4	0.1	0.1	0.1	14	1.8
62705	0	1	1	1	Water	43.8022	69.7158	14.5	746.2	389	57000.	96	0.1	0.5	1.1	0.1	0.1	0.1	14	1.5
62706	0	1	1	1	Water	43.8022	69.7152	14.5	746.3	384	56987.	106	0.1	0.0	0.8	0.1	0.1	0.1	23	1.3
62707	0	1	1	1	Water	43.8022	69.7147	14.5	746.4	379	56975.	33	0.1	0.1	-0.1	0.1	0.1	0.1	22	1.1
62708	0	1	1	1	Water	43.8022	69.7142	14.5	746.5	373	56964.	66	0.1	0.1	-0.4	0.1	0.1	0.1	26	1.1
62709	0	0	1	1	Water	43.8022	69.7137	14.5	746.6	368	56951.	62	0.2	0.5	0.1	0.1	0.1	0.1	20	1.1
62710	0	1	0	1	Water	43.8022	69.7132	14.5	746.7	363	56940.	40	-0.1	0.8	-0.6	0.1	0.1	0.1	16	1.1
62711	0	1	0	1	Water	43.8022	69.7127	14.6	746.8	360	56931.	58	0.0	1.3	-1.0	0.1	0.1	0.1	24	1.1
62712	0	1	1	1	Water	43.8022	69.7122	14.6	747.0	357	56923.	31	0.1	0.5	0.3	0.1	0.1	0.1	19	1.0
62713	0	1	1	1	Water	43.8022	69.7117	14.6	747.0	355	56917.	59	0.1	0.5	-0.3	0.1	0.1	0.1	13	0.9
62714	0	1	1	1	Water	43.8022	69.7112	14.6	747.1	354	56912.	74	0.0	0.2	0.3	0.1	0.1	0.1	23	1.0
62715	0	1	0	1	Water	43.8022	69.7106	14.6	747.2	353	56906.	74	0.1	0.8	0.1	0.1	0.1	0.1	16	1.1
62716	0	1	1	1	Water	43.8022	69.7101	14.6	747.3	352	56901.	73	0.1	0.4	0.0	0.1	0.1	0.1	18	1.2
62717	0	1	1	1	Water	43.8022	69.7096	14.6	747.4	350	56897.	50	0.1	0.2	-0.3	0.1	0.1	0.1	20	1.3
62718	0	1	0	1	Water	43.8022	69.7091	14.6	747.5	348	56895.	63	0.1	0.8	-0.4	0.1	0.1	0.1	17	1.3
62719	0	1	0	1	Water	43.8022	69.7086	14.6	747.5	345	56894.	41	0.0	1.1	-0.3	0.1	0.1	0.1	24	1.2
62720	0	1	1	1	Water	43.8022	69.7081	14.7	747.6	342	56894.	34	0.1	0.1	0.1	0.1	0.1	0.1	24	1.1
62721	0	1	1	1	Water	43.8022	69.7076	14.7	747.7	339	56893.	65	0.1	-0.3	0.1	0.1	0.1	0.1	19	0.8
62722	0	1	1	0	Water	43.8022	69.7070	14.7	747.7	336	56891.	61	0.0	0.2	1.3	0.1	0.1	0.1	24	0.4
62723	0	1	1	1	Water	43.8022	69.7065	14.7	747.8	333	56891.	44	0.1	0.2	0.0	0.1	0.1	0.1	30	0.1
62724	0	1	1	1	Water	43.8022	69.7060	14.7	747.8	331	56893.	34	0.1	0.3	-0.6	0.1	0.1	0.1	16	0.0
62725	0	1	0	1	Water	43.8022	69.7055	14.7	747.9	329	56897.	62	0.1	0.7	-0.1	0.1	0.1	0.1	24	0.0
62726	0	1	1	1	Water	43.8022	69.7050	14.7	747.9	328	56903.	67	0.0	0.4	0.8	0.1	0.1	0.1	16	0.0
62727	0	1	1	1	Water	43.8022	69.7045	14.7	748.0	327	56910.	87	0.1	0.4	-0.1	0.1	0.1	0.1	21	0.0
62728	0	1	0	1	Water	43.8022	69.7040	14.7	748.0	327	56913.	83	0.1	1.0	-0.5	0.1	0.1	0.1	15	0.0
62729	0	1	0	1	Water	43.8022	69.7035	14.7	748.0	326	56912.	69	0.0	1.4	-0.4	0.1	0.1	0.1	22	0.0
62730	0	1	1	1	Water	43.8022	69.7029	14.7	748.1	326	56906.	70	0.1	0.6	0.1	0.1	0.1	0.1	15	0.0
62731	0	1	1	1	Water	43.8022	69.7024	14.7	748.1	326	56899.	78	0.1	0.3	0.0	0.1	0.1	0.1	21	0.0
62732	0	1	1	1	Water	43.8022	69.7019	14.7	748.1	326	56894.	72	0.1	0.3	0.3	0.1	0.1	0.1	19	0.0
62733	0	1	1	1	Water	43.8022	69.7014	14.7	748.1	326	56890.	49	0.1	0.4	-0.2	0.1	0.1	0.1	23	0.0
62734	0	1	1	1	Water	43.8022	69.7009	14.7	748.1	326	56887.	40	0.0	0.1	-0.1	0.1	0.1	0.1	19	0.0
62735	0	1	1	1	Water	43.8022	69.7004	14.7	748.2	326	56886.	72	0.0	0.0	-0.2	0.1	0.1	0.1	24	0.0
62736	0	1	1	1	Water	43.8022	69.6999	14.7	748.2	326	56885.	39	0.0	0.3	-0.6	0.1	0.1	0.1	21	0.0

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
62737	0	1	0	1	Water	43.8022	69.6994	14.7	748.2	326	56884.	73	0.0	0.9	0.3	0.1	0.1	0.1	22	0.0
62738	0	1	0	1	Water	43.8022	69.6989	14.7	748.2	326	56884.	49	0.0	1.0	-0.8	0.1	0.1	0.1	19	0.0
62739	0	1	0	1	Water	43.8023	69.6983	14.7	748.2	326	56884.	88	0.1	0.9	-0.1	0.1	0.1	0.1	16	0.0
62740	0	1	0	1	Water	43.8023	69.6978	14.7	748.2	326	56883.	82	0.1	0.9	0.6	0.1	0.1	0.1	13	0.0
62741	0	1	1	1	Water	43.8023	69.6973	14.7	748.2	327	56884.	83	0.1	0.2	0.4	0.1	0.1	0.1	23	0.0
62742	0	1	1	0	Water	43.8023	69.6968	14.7	748.2	327	56886.	58	0.1	0.5	1.1	0.1	0.1	0.1	20	0.0
62743	0	1	1	1	Water	43.8023	69.6963	14.7	748.2	327	56888.	49	0.1	0.1	0.3	0.1	0.1	0.1	15	0.0
62744	0	1	1	1	Water	43.8023	69.6958	14.7	748.2	327	56890.	47	0.1	0.5	0.0	0.1	0.1	0.1	28	0.0
62745	0	1	0	1	Water	43.8023	69.6953	14.7	748.2	326	56892.	77	0.1	0.6	1.0	0.1	0.1	0.1	18	0.0
62746	0	0	1	1	Water	43.8023	69.6948	14.7	748.2	325	56895.	67	0.2	0.3	-0.3	0.1	0.1	0.1	19	0.0
62747	0	1	1	1	Water	43.8023	69.6943	14.7	748.2	324	56897.	14	0.1	0.3	-0.6	0.1	0.1	0.1	26	0.0
62748	0	1	1	1	Water	43.8023	69.6937	14.7	748.2	324	56898.	73	0.0	0.5	0.1	0.1	0.1	0.1	17	0.0
62749	0	1	1	1	Water	43.8023	69.6932	14.8	748.6	320	56897.	50	0.1	0.2	-0.3	0.1	0.1	0.1	24	0.2
62750	0	1	0	1	Water	43.8023	69.6927	14.8	748.6	318	56896.	59	0.1	0.8	0.6	0.1	0.1	0.1	18	0.1
62751	0	1	0	1	Water	43.8023	69.6922	14.8	748.6	315	56895.	53	0.0	0.8	-0.4	0.1	0.1	0.1	26	0.0
62752	0	1	1	1	Water	43.8023	69.6917	14.8	748.7	312	56894.	15	0.0	0.3	-0.7	0.1	0.1	0.1	25	0.0
62753	0	1	1	1	Water	43.8023	69.6912	14.8	748.7	308	56893.	41	0.1	0.6	-0.6	0.1	0.1	0.1	32	0.0
62754	0	1	1	1	Water	43.8023	69.6907	14.8	748.8	304	56892.	24	0.1	0.6	-0.8	0.1	0.1	0.1	20	0.0
62755	0	1	0	1	Water	43.8023	69.6901	14.8	748.8	300	56892.	60	0.1	1.0	0.2	0.1	0.1	0.1	27	0.0
62756	0	1	0	1	Water	43.8023	69.6896	14.8	748.9	297	56891.	42	0.1	0.8	-0.7	0.1	0.1	0.1	15	0.0
62757	0	1	1	1	Water	43.8023	69.6891	14.8	748.9	295	56889.	70	0.1	0.3	0.3	0.1	0.1	0.1	30	0.0
62758	0	1	1	1	Water	43.8023	69.6886	14.8	749.0	293	56888.	61	0.1	0.3	-0.1	0.1	0.1	0.1	15	0.0
62759	0	1	0	1	Water	43.8023	69.6881	14.8	749.0	291	56887.	85	0.0	1.1	0.4	0.1	0.1	0.1	21	0.0
62760	0	1	1	1	Water	43.8023	69.6876	14.8	749.0	289	56888.	100	0.1	0.2	0.3	0.1	0.1	0.1	31	0.0
62761	0	1	0	1	Water	43.8023	69.6871	14.8	749.1	288	56889.	86	0.1	0.9	0.7	0.1	0.1	0.1	15	0.0
62762	0	1	0	1	Water	43.8023	69.6866	14.8	749.1	288	56888.	117	0.1	0.6	0.1	0.1	0.1	0.1	21	0.0
62763	0	1	0	1	Water	43.8023	69.6861	14.8	749.2	288	56887.	177	0.1	0.9	0.1	0.1	0.1	0.1	28	0.0
62764	0	0	1	1	Water	43.8023	69.6855	14.8	749.2	288	56888.	207	0.3	0.5	0.2	0.1	0.1	0.1	13	0.0
62765	0	0	0	1	Water	43.8023	69.6850	14.8	749.2	287	56890.	203	0.3	1.3	-0.2	0.1	0.1	0.1	21	0.0
62766	0	0	1	0	Water	43.8023	69.6845	14.8	749.3	285	56893.	215	0.4	0.3	1.2	0.1	0.1	0.1	27	0.0
62768	0	1	1	1	Water	43.8023	69.6835	14.8	749.3	283	56894.	129	0.1	0.2	0.3	0.1	0.1	0.1	19	0.0
62769	0	1	1	1	Water	43.8023	69.6830	14.8	749.3	280	56893.	121	0.1	0.4	-0.1	0.1	0.1	0.1	22	0.0
62770	0	1	1	1	Water	43.8023	69.6825	14.8	749.3	277	56891.	66	0.1	0.5	0.6	0.1	0.1	0.1	23	0.0
62771	0	0	1	1	Water	43.8023	69.6820	14.8	749.3	275	56889.	64	0.2	0.4	0.6	0.1	0.1	0.1	33	0.0
62772	0	1	1	1	Water	43.8023	69.6814	14.8	749.3	273	56887.	53	0.1	-0.1	0.3	0.1	0.1	0.1	25	0.2
62773	0	0	1	1	Water	43.8024	69.6809	14.8	749.3	272	56886.	72	0.2	0.1	-0.1	0.1	0.1	0.1	26	0.5
62774	0	1	0	1	Water	43.8024	69.6804	14.8	749.3	272	56885.	86	0.1	0.9	-0.1	0.1	0.1	0.1	19	0.8
62775	0	0	1	1	Water	43.8024	69.6799	14.8	749.3	273	56882.	83	0.2	0.0	0.0	0.1	0.1	0.1	21	0.9
62776	0	1	1	1	Water	43.8024	69.6794	14.9	749.3	275	56879.	70	0.1	0.2	0.2	0.1	0.1	0.1	12	1.2
62777	0	1	0	1	Water	43.8024	69.6789	14.9	749.2	277	56876.	75	0.1	0.9	-0.3	0.1	0.1	0.1	16	1.2
62778	0	1	0	1	Water	43.8024	69.6784	14.9	749.2	280	56875.	59	0.0	1.0	-0.5	0.1	0.1	0.1	17	1.4
62779	0	0	0	1	Water	43.8024	69.6779	14.9	749.2	282	56876.	87	0.2	0.6	0.2	0.1	0.1	0.1	24	1.5
62780	0	1	1	1	Water	43.8024	69.6773	14.9	749.1	284	56875.	80	0.1	0.5	0.4	0.1	0.1	0.1	15	1.7
62781	0	1	1	1	Water	43.8024	69.6768	15.0	749.1	286	56874.	104	0.1	0.5	0.7	0.1	0.1	0.1	14	1.8
62782	0	1	1	1	Water	43.8024	69.6763	15.0	749.1	288	56872.	93	0.1	0.2	0.5	0.1	0.1	0.1	17	2.0
62783	0	0	1	1	Water	43.8024	69.6758	15.1	749.0	292	56871.	71	0.2	0.1	0.3	0.1	0.1	0.1	24	2.0
62784	0	1	1	1	Water	43.8024	69.6753	15.1	748.9	295	56870.	54	0.1	0.3	-0.3	0.1	0.1	0.1	20	2.0
62785	0	1	1	1	Water	43.8024	69.6748	15.2	748.9	299	56869.	72	0.1	0.0	0.2	0.1	0.1	0.1	21	1.9
62786	0	1	1	1	Water	43.8024	69.6743	15.2	748.9	302	56867.	75	0.1	0.5	-0.5	0.1	0.1	0.1	20	1.9
62787	0	1	1	1	Water	43.8024	69.6738	15.2	748.8	305	56867.	81	0.1	0.1	-0.5	0.1	0.1	0.1	23	1.8

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
62788	0	1	1	1	Water	43.8024	69.6732	15.2	748.8	308	56868.	51	0.1	0.4	0.2	0.1	0.1	0.1	26	1.8
62789	0	1	1	1	Water	43.8024	69.6727	15.2	748.7	311	56868.	94	0.1	0.6	0.1	0.1	0.1	0.1	23	2.0
62790	0	1	1	1	Water	43.8024	69.6722	15.2	748.7	313	56868.	71	0.0	-0.1	-0.2	0.1	0.1	0.1	25	2.2
62791	0	0	1	1	Water	43.8024	69.6717	15.2	748.6	315	56868.	168	0.3	0.6	0.0	0.1	0.1	0.1	26	2.3
62792	0	0	1	0	Water	43.8024	69.6712	15.2	748.6	317	56869.	246	0.3	0.4	1.5	0.1	0.1	0.1	22	2.7
62793	0	0	1	0	Water	43.8024	69.6707	15.2	748.5	319	56869.	428	0.4	0.5	2.9	0.1	0.1	0.1	18	2.9
62794	0	0	1	0	Water	43.8024	69.6702	15.2	748.5	320	56869.	550	0.6	0.5	2.8	0.1	0.1	5.5	20	3.3
62795	0	0	1	0	Water	43.8024	69.6697	15.2	748.4	321	56870.	635	0.7	-0.1	2.6	0.1	0.1	4.0	24	3.5
62796	0	0	0	0	Water	43.8024	69.6692	15.1	748.4	323	56869.	862	0.9	1.9	6.1	2.1	0.4	6.8	18	3.8
62797	0	0	0	0	Water	43.8024	69.6686	15.1	748.4	325	56868.	1091	1.1	2.0	5.9	1.9	0.4	5.7	24	3.6
62798	0	0	0	0	Water	43.8024	69.6681	15.1	748.4	325	56868.	1315	1.3	1.8	6.1	1.4	0.3	4.9	17	3.4
62799	0	0	0	0	Water	43.8024	69.6676	15.0	748.3	318	56869.	1498	1.3	2.2	9.1	1.8	0.3	7.5	23	3.2
62800	0	0	0	0	OEce	43.8024	69.6671	15.0	748.3	305	56869.	1458	1.2	2.2	9.1	1.9	0.3	7.8	20	3.0
62801	0	0	0	0	OEce	43.8024	69.6666	15.0	748.3	290	56869.	1403	1.3	2.3	6.4	1.9	0.4	5.2	22	2.8
62802	0	0	0	0	OEce	43.8024	69.6661	15.0	748.3	279	56868.	1288	1.1	1.6	5.5	1.5	0.3	5.0	16	2.8
62803	0	0	0	0	OEce	43.8024	69.6655	15.0	748.3	275	56866.	1299	1.3	2.5	4.5	2.0	0.6	3.5	20	2.9
62804	0	0	0	0	OEce	43.8024	69.6650	15.0	748.3	273	56864.	1218	1.0	2.7	6.0	2.7	0.5	6.1	23	2.9
62805	0	0	0	0	OEce	43.8023	69.6645	15.0	748.3	274	56864.	1259	1.2	1.1	4.5	1.0	0.3	4.0	19	3.1
62806	0	0	1	0	OEce	43.8023	69.6640	15.0	747.4	299	56864.	977	1.0	1.0	4.7	0.1	0.1	4.7	23	3.2
62807	0	0	0	0	OEce	43.8023	69.6634	15.1	747.3	315	56866.	827	0.8	1.2	4.0	1.6	0.3	5.3	18	3.4
62808	0	0	0	0	OEce	43.8023	69.6629	15.2	747.1	330	56869.	670	0.4	1.5	2.2	0.1	0.7	0.1	14	3.6
62809	0	0	0	0	OEce	43.8023	69.6624	15.3	747.0	338	56871.	664	0.4	2.0	3.8	0.1	0.6	0.1	7	3.6
62810	0	0	1	0	OEce	43.8023	69.6619	15.4	746.8	340	56872.	623	0.5	0.8	3.5	0.1	0.1	0.1	20	3.6
62811	0	0	0	0	OEce	43.8023	69.6613	15.5	746.7	337	56873.	633	0.4	1.2	4.0	0.1	0.3	0.1	11	3.6
62812	0	0	0	0	OEce	43.8022	69.6608	15.6	746.6	333	56873.	783	0.5	1.7	4.2	0.1	0.4	0.1	21	3.6
62813	0	0	0	0	OEce	43.8022	69.6603	15.8	746.4	329	56874.	898	0.8	1.1	4.0	1.5	0.3	5.4	25	3.5
62814	0	0	0	0	OEce	43.8022	69.6598	15.9	746.3	329	56874.	988	0.7	1.1	5.2	1.7	0.3	8.0	18	3.4
62815	0	0	0	0	OEce	43.8022	69.6592	16.1	746.1	330	56875.	1004	0.9	2.7	5.8	3.1	0.5	6.6	25	3.4
62816	0	0	0	0	OEce	43.8022	69.6587	16.2	745.9	337	56876.	1082	0.9	2.4	4.6	2.7	0.6	5.3	19	3.5
62817	0	0	1	0	OEce	43.8022	69.6582	16.3	745.8	344	56876.	1065	0.8	0.9	4.1	0.1	0.1	5.5	18	3.2
62818	0	0	0	0	OEce	43.8021	69.6577	16.4	745.6	349	56874.	1062	0.8	2.5	4.5	3.5	0.6	6.3	16	3.0
62819	0	0	0	0	OEce	43.8021	69.6572	16.5	745.5	352	56874.	1001	0.9	1.6	5.5	1.8	0.3	6.3	25	2.5
62820	0	0	0	0	OEce	43.8021	69.6566	16.6	745.3	353	56873.	1038	1.0	1.8	4.6	1.9	0.4	4.8	28	2.1
62821	0	0	0	0	OEce	43.8021	69.6561	16.6	745.1	354	56873.	1102	0.9	2.6	6.0	3.1	0.5	7.3	32	1.6
62822	0	0	0	0	OEce	43.8021	69.6556	16.7	745.0	353	56873.	1158	0.9	2.0	3.3	2.3	0.6	3.7	27	1.3
62823	0	0	0	0	OEce	43.8021	69.6550	16.8	744.8	353	56873.	1327	1.3	2.6	4.5	2.1	0.6	3.5	11	1.0
62824	0	0	0	0	OEce	43.8020	69.6545	16.9	744.6	356	56873.	1236	1.0	3.3	5.5	3.3	0.6	5.5	12	0.8
62825	0	0	0	0	OEce	43.8020	69.6540	17.0	744.4	362	56874.	1287	1.2	2.8	6.7	2.3	0.5	5.6	24	0.7
62826	0	0	0	0	OEce	43.8020	69.6535	17.0	744.3	374	56876.	1192	1.3	2.0	4.9	1.6	0.4	4.0	20	0.7
62827	0	0	0	0	Water	43.8020	69.6529	17.1	744.1	389	56880.	1191	1.3	2.1	4.7	1.6	0.5	3.7	17	0.8
62828	0	0	0	0	Water	43.8020	69.6524	17.1	743.9	405	56885.	1163	1.1	2.6	4.5	2.5	0.6	4.4	23	0.9
62829	0	0	0	0	Water	43.8020	69.6519	17.1	743.7	425	56890.	1017	1.2	2.1	2.0	1.9	1.1	1.8	20	1.0
62830	0	0	0	0	Water	43.8019	69.6514	17.1	743.5	449	56893.	986	1.3	2.4	3.1	2.0	0.8	2.5	25	1.0
62831	0	0	0	0	Water	43.8019	69.6508	17.2	743.3	473	56893.	813	0.9	1.7	3.7	2.0	0.5	4.4	14	1.0
62832	0	0	1	1	Water	43.8019	69.6503	17.2	743.1	493	56890.	636	0.7	0.9	0.2	0.1	0.1	0.1	17	1.0
62833	0	0	0	0	Water	43.8019	69.6498	17.2	742.9	509	56888.	408	0.4	1.5	3.1	0.1	0.5	0.1	27	1.1
62834	0	0	1	1	Water	43.8019	69.6493	17.2	742.8	523	56886.	231	0.5	0.3	0.5	0.1	0.1	0.1	25	1.4
62835	0	0	1	1	Water	43.8019	69.6488	17.3	742.6	536	56883.	214	0.3	0.2	-0.4	0.1	0.1	0.1	25	1.5
62836	0	1	0	1	Water	43.8018	69.6482	17.3	742.5	547	56882.	203	0.2	1.1	0.4	0.1	0.1	0.1	19	1.5
62837	0	1	1	1	Water	43.8018	69.6477	17.3	742.3	557	56881.	129	0.2	0.9	-0.4	0.1	0.1	0.1	23	1.6

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
62838	0	1	1	0	Water	43.8018	69.6472	17.3	742.2	564	56880.	194	0.1	1.0	2.1	0.1	0.1	0.1	22	1.6
62839	0	1	1	1	Water	43.8018	69.6467	17.3	742.1	570	56879.	120	0.1	-0.3	0.5	0.1	0.1	0.1	11	1.7
62840	0	0	1	0	Water	43.8018	69.6461	17.3	741.9	574	56878.	156	0.3	0.1	2.4	0.1	0.1	0.1	21	1.7
62841	0	1	1	1	Water	43.8018	69.6456	17.3	741.8	578	56876.	119	0.0	-0.6	0.5	0.1	0.1	0.1	14	1.7
62842	0	1	1	0	Water	43.8017	69.6451	17.4	741.7	581	56874.	152	0.1	0.5	1.9	0.1	0.1	0.1	19	1.7
62843	0	1	1	1	Water	43.8017	69.6446	17.4	741.6	583	56873.	71	0.0	0.1	1.0	0.1	0.1	0.1	19	1.7
62844	0	1	0	1	Water	43.8017	69.6440	17.4	741.5	585	56871.	106	-0.1	1.3	-0.2	0.1	0.1	0.1	25	1.8
62845	0	1	1	1	Water	43.8017	69.6435	17.4	741.5	587	56870.	81	0.1	0.9	-0.7	0.1	0.1	0.1	19	1.9
62846	0	1	1	1	Water	43.8017	69.6430	17.4	741.4	588	56866.	74	0.1	0.2	0.0	0.1	0.1	0.1	24	2.0
62847	0	1	1	1	Water	43.8017	69.6425	17.4	741.3	590	56861.	104	0.1	0.6	-0.1	0.1	0.1	0.1	24	2.2
62848	0	1	1	1	Water	43.8016	69.6419	17.4	741.3	591	56859.	114	0.2	1.1	0.4	0.1	0.1	0.1	25	2.4
62849	0	1	1	1	Water	43.8016	69.6414	17.4	741.2	593	56858.	84	0.2	-0.5	0.3	0.1	0.1	0.1	22	2.6
62850	0	1	1	1	Water	43.8016	69.6409	17.4	741.2	594	56858.	68	0.2	-1.0	0.8	0.1	0.1	0.1	22	2.8
62851	0	1	1	1	Water	43.8016	69.6404	17.4	741.1	595	56857.	96	0.2	-0.3	0.8	0.1	0.1	0.1	22	2.9
62852	0	1	1	1	Water	43.8016	69.6398	17.4	741.1	597	56858.	84	0.2	-0.5	0.4	0.1	0.1	0.1	22	2.9
62853	0	1	0	1	Water	43.8016	69.6393	17.4	741.1	598	56859.	121	0.1	1.2	-0.1	0.1	0.1	0.1	28	2.9
62854	0	1	1	1	Water	43.8015	69.6388	17.4	741.1	598	56860.	173	0.1	0.8	-0.2	0.1	0.1	0.1	10	2.9
62855	0	1	0	1	Water	43.8015	69.6383	17.4	741.1	598	56860.	257	0.2	1.5	0.3	0.1	0.1	0.1	11	2.9
62856	0	0	1	1	Water	43.8015	69.6377	17.4	741.1	597	56861.	272	0.3	0.4	-0.5	0.1	0.1	0.1	23	3.0
62857	0	0	1	1	Water	43.8015	69.6372	17.4	741.1	596	56862.	370	0.6	1.0	1.3	0.1	0.1	0.1	17	2.7
62859	0	0	0	1	Water	43.8015	69.6362	17.4	741.2	595	56863.	473	0.6	1.2	0.9	2.0	0.1	0.1	11	2.5
62860	0	0	0	0	Water	43.8014	69.6357	17.4	741.2	593	56863.	660	0.6	3.5	2.1	6.5	1.7	3.9	17	2.2
62861	0	0	0	1	Water	43.8014	69.6351	17.4	741.3	587	56864.	912	0.8	4.0	1.6	5.4	0.1	0.1	22	2.2
62862	0	0	0	0	Water	43.8014	69.6346	17.4	741.3	583	56865.	654	1.2	2.6	2.1	2.3	1.3	1.9	20	2.2
62863	0	0	0	0	Water	43.8014	69.6341	17.4	741.4	579	56865.	1170	1.3	2.1	3.7	1.6	0.6	3.0	18	2.2

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
61778	0	1	1	1	Water	43.7672	69.9007	14.6	744.5	432	56842.	67	-0.1	0.0	-0.1	0.1	0.1	0.1	23	2.0
61777	0	1	0	1	Water	43.7676	69.9007	14.6	744.5	434	56841.	103	0.1	1.2	1.0	0.1	0.1	0.1	9	2.0
61776	0	1	1	0	Water	43.7680	69.9007	14.6	744.5	436	56840.	132	0.0	0.2	2.1	0.1	0.1	0.1	27	2.1
61775	0	1	1	1	Water	43.7684	69.9007	14.6	744.5	440	56839.	139	0.2	0.7	-0.2	0.1	0.1	0.1	17	2.1
61774	0	1	1	1	Water	43.7688	69.9008	14.6	744.5	443	56840.	186	0.2	0.4	-0.3	0.1	0.1	0.1	24	2.2
61773	0	0	1	1	Water	43.7692	69.9008	14.6	744.5	446	56842.	265	0.4	-0.2	1.0	0.1	0.1	0.1	22	2.3
61772	0	0	1	1	Water	43.7696	69.9008	14.6	744.5	446	56843.	376	0.3	0.6	0.9	0.1	0.1	0.1	26	2.3
61771	0	0	0	1	Water	43.7700	69.9008	14.6	744.4	445	56844.	565	0.5	1.4	0.8	0.1	0.1	0.1	18	2.3
61770	0	0	0	0	Water	43.7705	69.9008	14.6	744.4	439	56846.	780	0.9	2.3	5.0	2.6	0.5	5.7	20	2.3
61769	0	0	0	0	Water	43.7709	69.9008	14.6	744.4	425	56847.	1001	1.0	1.7	2.6	1.7	0.7	2.7	24	2.2
61768	0	0	0	0	Water	43.7713	69.9008	14.6	744.4	407	56848.	1080	1.2	3.3	4.2	2.9	0.8	3.7	27	2.1
61767	0	0	0	0	Water	43.7717	69.9008	14.6	744.3	392	56849.	1062	1.2	1.9	5.0	1.7	0.4	4.5	18	2.1
61766	0	0	0	0	OEc	43.7721	69.9008	14.6	744.3	384	56850.	1141	1.3	1.4	5.3	1.1	0.3	4.3	25	2.0
61765	0	0	0	0	OEc	43.7725	69.9008	14.6	744.3	384	56852.	1041	1.1	2.1	5.6	1.9	0.4	5.1	14	2.0
61764	0	0	0	0	OEc	43.7729	69.9008	14.6	744.2	385	56853.	1161	1.4	2.2	4.7	1.7	0.5	3.5	20	2.0
61763	0	0	0	0	OEc	43.7733	69.9008	14.6	744.2	388	56853.	1139	1.3	1.3	3.7	1.0	0.4	2.9	18	2.0
61761	0	0	0	0	OEc	43.7741	69.9008	14.6	744.1	393	56854.	1147	1.4	1.3	2.9	1.0	0.5	2.2	25	2.0
61760	0	0	0	0	OEc	43.7746	69.9008	14.6	744.1	397	56856.	1089	1.5	2.4	3.8	1.7	0.7	2.7	20	1.9
61759	0	0	0	0	OEc	43.7750	69.9008	14.6	744.1	399	56858.	1146	1.5	2.7	3.8	1.9	0.7	2.7	22	1.9
61758	0	0	0	0	OEc	43.7754	69.9009	14.6	744.1	399	56860.	1160	1.1	2.1	2.5	2.1	0.9	2.5	23	1.8
61757	0	0	0	0	OEc	43.7758	69.9009	14.6	744.1	394	56863.	1195	1.2	2.7	5.6	2.2	0.5	4.7	18	1.8
61756	0	0	1	0	OEc	43.7762	69.9009	14.6	744.1	388	56866.	1159	1.3	0.5	4.5	0.1	0.1	3.5	19	1.8
61755	0	0	0	0	OEc	43.7766	69.9009	14.6	744.1	383	56869.	1148	1.4	2.5	4.2	1.9	0.6	3.2	23	1.8
61754	0	0	0	0	OEc	43.7770	69.9009	14.6	744.1	383	56871.	1169	1.0	3.8	3.5	4.1	1.1	3.8	15	1.7
61753	0	0	0	0	OEc	43.7775	69.9009	14.6	744.1	382	56872.	1194	1.1	2.7	6.3	2.6	0.5	6.1	22	1.7
61752	0	0	0	0	OEc	43.7779	69.9009	14.6	744.1	383	56873.	1186	1.2	1.2	3.0	1.1	0.5	2.7	28	1.6
61751	0	0	0	0	OEc	43.7783	69.9009	14.6	744.2	386	56873.	1061	1.2	2.1	2.1	1.8	1.0	1.9	23	1.6
61750	0	0	0	0	OEc	43.7787	69.9009	14.6	744.2	392	56874.	1107	1.4	1.7	5.5	1.3	0.3	4.1	23	1.6
61749	0	0	0	0	OEc	43.7791	69.9009	14.6	744.2	399	56873.	1124	1.3	2.2	4.1	1.7	0.6	3.2	25	1.6
61748	0	0	0	0	OEc	43.7795	69.9009	14.6	744.3	403	56872.	1021	1.1	1.8	4.1	1.7	0.5	4.0	28	1.5
61747	0	0	0	0	OEc	43.7799	69.9009	14.6	744.3	406	56870.	1004	1.1	2.1	2.7	2.1	0.8	2.6	25	1.4
61746	0	0	0	0	OEc	43.7803	69.9009	14.6	744.3	409	56870.	1002	1.2	2.3	4.0	2.0	0.6	3.5	21	1.4
61745	0	0	1	0	Water	43.7807	69.9009	14.6	744.4	414	56871.	920	1.2	1.0	5.3	0.1	0.1	4.7	16	1.3
61744	0	0	0	0	Water	43.7811	69.9009	14.6	744.4	426	56873.	892	0.9	2.9	3.7	3.5	0.8	4.4	23	1.4
61743	0	0	0	0	Water	43.7815	69.9009	14.6	744.4	437	56874.	684	0.6	1.7	3.7	3.1	0.5	6.8	22	1.4
61742	0	0	0	0	Water	43.7819	69.9009	14.6	744.5	444	56873.	556	0.7	2.6	1.8	3.9	1.5	2.7	24	1.4
61741	0	0	1	0	Water	43.7823	69.9009	14.6	744.5	443	56874.	452	0.5	0.7	1.4	0.1	0.1	0.1	20	1.5
61740	0	0	0	1	Water	43.7826	69.9009	14.6	744.6	440	56875.	360	0.3	1.0	0.8	0.1	0.1	0.1	18	1.5
61739	0	0	0	1	Water	43.7830	69.9009	14.6	744.6	436	56877.	333	0.5	0.9	0.3	0.1	0.1	0.1	31	1.6
61738	0	0	0	0	Water	43.7834	69.9009	14.6	744.6	433	56879.	456	0.4	1.5	1.6	0.1	1.0	0.1	15	1.6
61737	0	0	0	0	Water	43.7838	69.9009	14.6	744.7	429	56882.	631	0.9	1.1	1.4	1.2	0.8	1.6	22	1.6
61736	0	0	0	0	Water	43.7842	69.9009	14.6	744.7	423	56885.	891	1.0	2.1	3.9	2.2	0.6	4.1	14	1.7
61735	0	0	0	0	Water	43.7846	69.9009	14.6	744.7	414	56888.	1060	1.3	1.4	5.9	1.1	0.3	4.7	15	1.7
61734	0	0	0	0	Water	43.7850	69.9009	14.6	744.8	396	56890.	1134	1.2	2.0	4.0	1.7	0.6	3.3	18	1.7
61733	0	0	0	0	Water	43.7853	69.9009	14.6	744.8	378	56890.	1118	1.3	1.5	5.2	1.3	0.3	4.3	23	1.7
61732	0	0	0	0	Water	43.7857	69.9009	14.6	744.8	362	56888.	1114	1.4	1.1	3.5	0.8	0.3	2.7	16	1.7
61731	0	0	0	0	Water	43.7861	69.9009	14.6	744.8	358	56886.	1119	1.1	2.1	5.7	2.0	0.4	5.4	24	1.7
61730	0	0	0	0	Water	43.7865	69.9009	14.6	744.8	359	56885.	1155	1.3	2.6	3.7	2.0	0.8	2.8	22	1.7
61729	0	0	0	0	Water	43.7869	69.9009	14.6	744.8	366	56885.	1036	1.2	1.2	2.0	1.1	0.6	1.8	24	1.7
61728	0	0	0	0	Water	43.7873	69.9009	14.6	744.8	378	56884.	970	1.1	3.5	4.7	3.2	0.8	4.3	21	1.7

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
61727	0	0	0	0	Water	43.7876	69.9009	14.6	744.8	401	56886.	776	0.7	1.1	1.7	1.6	0.7	2.5	15	1.7
61726	0	0	0	0	Water	43.7880	69.9009	14.6	744.8	421	56888.	663	0.9	1.8	2.7	2.0	0.7	3.0	21	1.7
61725	0	0	0	0	Water	43.7884	69.9009	14.6	744.8	436	56890.	466	0.4	1.9	1.7	0.1	1.1	0.1	23	1.7
61724	0	0	1	1	Water	43.7888	69.9009	14.6	744.8	439	56892.	333	0.3	0.0	1.3	0.1	0.1	0.1	21	1.8
61723	0	0	1	1	Water	43.7892	69.9009	14.6	744.7	439	56896.	298	0.4	0.6	0.8	0.1	0.1	0.1	17	1.8
61722	0	0	1	1	Water	43.7896	69.9009	14.6	744.7	439	56901.	266	0.5	0.4	1.2	0.1	0.1	0.1	24	1.9
61721	0	0	1	1	Water	43.7899	69.9009	14.6	744.7	436	56906.	327	0.3	0.6	0.9	0.1	0.1	0.1	28	1.9
61720	0	0	0	1	Water	43.7903	69.9009	14.6	744.6	430	56903.	394	0.3	2.0	1.3	0.1	0.1	0.1	24	1.9
61719	0	0	0	0	Water	43.7907	69.9009	14.6	744.6	418	56895.	597	0.6	1.4	3.0	2.3	0.5	5.2	14	1.9
61718	0	0	0	0	Water	43.7911	69.9009	14.6	744.6	398	56891.	854	0.9	1.1	4.1	1.3	0.3	4.7	18	1.9
61717	0	0	0	0	OEc	43.7915	69.9009	14.6	744.5	375	56889.	952	1.0	2.2	3.4	2.2	0.7	3.4	21	1.8
61716	0	0	0	0	OEc	43.7919	69.9009	14.6	744.5	355	56887.	1050	0.9	1.4	3.8	1.5	0.4	4.2	17	1.7
61715	0	0	0	0	OEc	43.7922	69.9009	14.6	744.4	343	56886.	1132	1.4	2.0	4.6	1.6	0.5	5.5	20	1.7
61714	0	0	0	0	OEc	43.7926	69.9008	14.6	744.4	336	56886.	1152	1.3	1.5	6.0	1.2	0.3	4.7	22	1.6
61713	0	0	0	0	OEc	43.7930	69.9008	14.6	744.4	334	56888.	1202	1.4	2.0	4.7	1.5	0.5	3.5	21	1.5
61712	0	0	0	0	OEc	43.7934	69.9008	14.6	744.3	334	56890.	1176	1.2	2.0	3.7	1.7	0.6	3.1	25	1.4
61711	0	0	0	0	OEc	43.7938	69.9008	14.6	744.3	337	56892.	1180	1.2	1.8	4.3	1.5	0.5	3.6	15	1.3
61710	0	0	0	0	OEc	43.7942	69.9008	14.6	744.2	340	56892.	1145	1.0	2.7	4.5	2.8	0.6	4.7	23	1.2
61709	0	0	0	0	OEc	43.7945	69.9008	14.6	744.2	343	56890.	1043	0.8	2.4	2.2	3.1	1.1	2.9	18	1.1
61708	0	0	0	0	OEc	43.7949	69.9008	14.6	744.2	345	56888.	1073	1.1	2.4	4.2	2.1	0.6	3.9	27	1.1
61707	0	0	0	0	OEc	43.7953	69.9008	14.6	744.1	347	56887.	1068	1.0	2.1	4.9	2.1	0.5	5.0	26	1.0
61706	0	0	0	0	OEc	43.7957	69.9008	14.6	744.1	347	56888.	1134	1.3	1.3	3.4	1.1	0.4	2.8	18	1.0
61705	0	0	0	0	OEc	43.7961	69.9008	14.6	744.1	345	56892.	1178	1.3	1.8	3.9	1.4	0.5	3.0	20	1.0
61704	0	0	0	0	OEc	43.7965	69.9008	14.6	744.1	340	56898.	1217	1.2	2.4	4.8	2.0	0.5	4.0	17	1.0
61703	0	0	0	0	OEc	43.7968	69.9008	14.6	744.1	336	56902.	1218	1.2	1.5	3.8	1.3	0.4	3.3	25	1.0
61702	0	0	0	0	OEc	43.7972	69.9008	14.6	744.1	333	56903.	1263	1.2	2.2	4.1	1.9	0.6	3.5	22	0.9
61701	0	0	0	0	OEc	43.7976	69.9008	14.6	744.1	331	56903.	1206	1.3	2.6	5.0	2.0	0.6	3.9	15	0.9
61700	0	0	0	0	OEc	43.7980	69.9008	14.6	744.1	331	56899.	1226	1.3	2.1	3.5	1.6	0.6	2.7	16	0.8
61699	0	0	0	0	OEc	43.7984	69.9008	14.6	744.1	332	56893.	1204	1.3	1.8	6.0	1.5	0.3	5.0	19	0.7
61698	0	0	0	0	OEc	43.7988	69.9008	14.6	744.1	333	56886.	1177	1.1	1.6	3.3	1.5	0.5	3.1	20	0.6
61697	0	0	0	0	OEc	43.7991	69.9008	14.6	744.1	334	56881.	1167	1.3	2.4	2.6	2.0	1.0	2.2	24	0.5
61696	0	0	0	0	OEc	43.7995	69.9008	14.6	744.1	335	56877.	1192	1.3	3.3	3.4	2.5	1.0	2.6	16	0.3
61695	0	0	0	0	OEc	43.7999	69.9008	14.6	744.1	337	56873.	1160	1.1	2.7	4.7	2.7	0.6	4.6	19	0.2
61694	0	0	0	0	OEc	43.8003	69.9008	14.6	744.1	337	56871.	1111	1.1	2.7	4.5	2.6	0.6	4.2	19	0.2
61693	0	0	0	0	OEc	43.8007	69.9008	14.6	744.1	337	56868.	1117	1.1	2.4	2.5	2.3	1.0	2.4	30	0.1
61692	0	0	0	0	OEc	43.8011	69.9008	14.6	744.1	336	56868.	1199	1.0	2.6	3.9	2.7	0.7	3.9	26	0.1
61691	0	0	0	0	OEc	43.8014	69.9008	14.6	744.1	335	56869.	1209	1.1	3.5	3.5	3.3	1.0	3.3	22	0.0
61690	0	0	0	0	OEc	43.8018	69.9008	14.6	744.1	337	56872.	1230	1.3	1.9	4.1	1.5	0.5	3.2	9	0.0
61689	0	0	0	0	OEc	43.8022	69.9008	14.6	744.1	337	56874.	1331	1.5	3.4	3.8	2.4	0.9	2.7	13	0.0
61688	0	0	0	0	OEc	43.8026	69.9008	14.6	744.1	342	56876.	1283	1.6	2.3	3.7	1.5	0.7	2.4	21	0.0
61687	0	0	0	0	OEc	43.8030	69.9008	14.6	744.1	349	56879.	1290	1.3	2.7	2.6	2.1	1.1	2.0	21	0.0
61686	0	0	0	0	OEc	43.8034	69.9008	14.6	744.0	360	56883.	1249	1.2	3.5	5.5	3.1	0.7	4.9	20	0.0
61685	0	0	0	0	OEc	43.8037	69.9008	14.6	744.0	371	56887.	1239	1.3	2.2	3.9	1.8	0.6	3.2	16	0.0
61684	0	0	0	0	OEc	43.8041	69.9008	14.6	744.0	378	56889.	1215	1.2	2.3	3.2	2.1	0.8	2.8	25	0.0
61683	0	0	0	0	OEc	43.8045	69.9008	14.6	744.0	382	56890.	1096	1.2	1.8	5.4	1.6	0.4	4.8	16	0.1
61682	0	0	0	0	OEc	43.8049	69.9008	14.6	744.0	383	56891.	1147	1.2	2.3	3.6	1.9	0.7	3.0	30	0.1
61681	0	0	0	0	OEc	43.8053	69.9008	14.6	744.0	384	56891.	1212	1.4	1.9	3.5	1.4	0.6	2.7	18	0.2
61680	0	0	0	0	OEc	43.8057	69.9008	14.6	744.0	384	56890.	1169	1.2	2.5	3.4	2.2	0.8	2.9	22	0.2
61679	0	0	0	0	OEc	43.8060	69.9008	14.6	744.0	385	56891.	1223	1.3	3.1	4.4	2.5	0.8	3.5	25	0.2
61678	0	0	0	0	OEc	43.8064	69.9008	14.6	743.9	386	56892.	1227	1.2	3.1	1.7	2.6	1.9	1.4	24	0.2

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI	
												CPS	%	PPM	PPM					CPS	CPS
61677	0	0	0	0	OEc	43.8068	69.9007	14.6	743.9	389	56893.	1271	1.3	2.9	3.2	2.4	1.0	2.6	20	0.2	
61676	0	0	0	0	OEc	43.8072	69.9007	14.6	743.9	394	56895.	1240	1.4	3.1	3.2	2.2	1.0	2.3	23	0.3	
61675	0	0	0	0	OEc	43.8076	69.9007	14.6	743.9	400	56896.	1143	1.2	1.4	5.8	1.2	0.3	4.9	18	0.3	
61674	0	0	0	0	OEc	43.8080	69.9007	14.6	743.9	407	56896.	1107	1.3	1.3	4.5	1.1	0.3	3.7	23	0.4	
61673	0	0	0	0	OEc	43.8083	69.9007	14.6	743.9	415	56896.	985	1.0	2.8	2.3	2.8	1.2	2.3	19	0.5	
61672	0	0	0	0	OEc	43.8087	69.9007	14.6	743.9	427	56896.	1031	1.2	1.4	3.6	1.2	0.4	3.1	25	0.6	
61670	0	0	0	0	OEc	43.8095	69.9007	14.6	743.9	431	56896.	953	0.9	1.4	5.3	1.6	0.3	6.1	22	0.7	
61669	0	0	0	0	OEc	43.8099	69.9007	14.6	743.9	422	56896.	937	1.2	1.2	2.3	1.1	0.6	2.0	32	0.9	
61668	0	0	0	0	OEc	43.8103	69.9007	14.6	743.9	406	56898.	955	1.0	1.4	2.3	1.5	0.6	2.5	22	1.0	
61667	0	0	0	0	OEc	43.8106	69.9007	14.6	743.9	391	56899.	905	0.8	2.4	4.3	3.2	0.6	5.6	25	1.0	
61666	0	0	0	0	OEc	43.8110	69.9007	14.6	743.9	382	56899.	916	0.9	1.6	2.9	1.9	0.6	3.6	22	1.1	
61665	0	0	0	0	OEc	43.8114	69.9007	14.6	743.9	376	56898.	915	1.2	2.5	3.2	2.1	0.8	2.7	18	1.2	
61664	0	0	1	0	OEc	43.8118	69.9007	14.6	743.9	376	56895.	900	0.9	0.6	3.1	0.1	0.1	3.7	20	1.3	
61663	0	0	0	0	OEc	43.8122	69.9007	14.6	743.9	380	56892.	914	0.9	2.3	3.9	2.8	0.6	4.6	12	1.4	
61662	0	0	0	1	OEc	43.8126	69.9007	14.6	743.9	386	56888.	897	1.0	2.4	1.2	2.7	0.1	0.1	30	1.4	
61661	0	0	0	0	OEc	43.8130	69.9007	14.6	743.9	397	56886.	839	0.9	2.5	3.6	2.8	0.8	4.0	22	1.5	
61660	0	0	0	0	OEc	43.8133	69.9007	14.6	743.9	409	56883.	797	0.7	1.4	1.6	2.2	0.9	2.4	20	1.5	
61659	0	0	0	0	OEc	43.8137	69.9007	14.6	743.9	436	56882.	780	0.6	1.3	2.4	2.3	0.6	4.2	15	1.6	
61658	0	0	0	0	OEc	43.8141	69.9007	14.6	743.9	455	56883.	717	0.8	2.2	5.6	3.1	0.4	7.9	21	1.7	
61657	0	0	0	0	Water	43.8145	69.9007	14.6	743.9	471	56886.	664	0.6	1.9	1.7	3.7	1.1	3.4	17	1.7	
61656	0	0	0	0	Water	43.8149	69.9007	14.6	743.9	471	56890.	566	0.6	1.6	3.1	2.9	0.5	5.7	25	1.7	
61655	0	0	1	0	Water	43.8153	69.9007	14.6	743.9	472	56896.	455	0.6	0.3	2.3	0.1	0.1	4.1	23	1.8	
61654	0	0	0	1	Water	43.8156	69.9007	14.6	743.9	473	56902.	429	0.5	1.4	1.4	0.1	0.1	0.1	25	1.9	
61653	0	0	1	0	Water	43.8160	69.9007	14.6	743.9	474	56910.	371	0.5	0.8	1.5	0.1	0.1	0.1	10	2.0	
61652	0	0	1	1	Water	43.8164	69.9007	14.6	743.9	475	56917.	357	0.5	0.3	0.8	0.1	0.1	0.1	25	2.1	
61651	0	0	1	1	Water	43.8168	69.9007	14.6	743.9	477	56922.	385	0.4	0.7	1.4	0.1	0.1	0.1	16	2.2	
61650	0	0	1	1	Water	43.8172	69.9007	14.6	743.9	479	56925.	441	0.4	0.8	-0.3	0.1	0.1	0.1	30	2.3	
61649	0	0	1	1	Water	43.8176	69.9007	14.6	743.9	481	56926.	560	0.8	0.8	1.6	0.1	0.1	0.1	27	2.3	
61648	0	0	0	0	Water	43.8179	69.9007	14.6	743.8	484	56922.	752	0.9	2.0	3.1	2.3	0.7	3.6	11	2.3	
61647	0	0	0	0	Water	43.8183	69.9007	14.6	743.8	487	56911.	858	1.0	2.5	2.7	2.5	1.0	2.8	13	2.2	
61646	0	0	0	0	Water	43.8187	69.9007	14.6	743.8	489	56897.	931	0.6	1.7	1.6	3.2	1.1	3.0	13	2.2	
61645	0	0	0	0	Water	43.8191	69.9007	14.6	743.7	490	56882.	917	0.7	2.6	3.3	3.9	0.8	5.0	18	2.1	
61644	0	0	0	0	Water	43.8195	69.9007	14.6	743.7	491	56870.	972	0.7	1.9	4.2	2.8	0.5	6.2	15	2.1	
61643	0	0	0	0	Water	43.8199	69.9007	14.6	743.7	489	56862.	1020	1.1	3.2	5.1	2.9	0.7	4.6	20	2.0	
61642	0	0	0	0	Water	43.8202	69.9007	14.6	743.7	488	56859.	916	0.7	2.1	1.7	3.4	1.3	2.8	19	2.0	
61641	0	0	0	0	Water	43.8206	69.9007	14.6	743.6	488	56857.	838	0.8	2.9	2.1	4.0	1.4	2.9	21	2.0	
61640	0	0	0	0	Water	43.8210	69.9007	14.6	743.6	487	56857.	827	0.9	2.3	1.8	2.9	1.3	2.2	24	1.9	
61639	0	0	0	1	Water	43.8214	69.9007	14.6	743.6	485	56856.	832	0.7	2.5	1.5	4.0	0.1	0.1	26	1.9	
61638	0	0	0	0	Water	43.8218	69.9007	14.7	743.8	476	56853.	679	0.8	2.6	2.8	3.3	1.0	3.5	18	1.9	
61637	0	0	1	0	Water	43.8222	69.9007	14.7	743.8	474	56853.	682	1.0	0.9	1.5	0.1	0.1	1.6	20	1.9	
61636	0	0	0	0	Water	43.8225	69.9007	14.7	743.8	470	56851.	649	0.7	1.2	3.0	1.8	0.4	4.7	21	1.9	
61635	0	0	0	1	Water	43.8229	69.9007	14.7	743.8	457	56849.	654	0.6	2.8	1.1	4.5	0.1	0.1	23	1.9	
61634	0	0	0	0	Water	43.8233	69.9006	14.7	743.8	437	56848.	715	0.7	2.1	1.9	3.0	1.2	2.7	20	1.9	
61633	0	0	0	0	Water	43.8237	69.9006	14.7	743.8	417	56848.	814	0.9	1.2	2.9	1.4	0.4	3.6	13	1.9	
61632	0	0	0	0	Water	43.8241	69.9006	14.7	743.8	404	56849.	965	1.1	1.9	3.7	1.8	0.5	3.5	26	1.8	
61631	0	0	0	0	OEc	43.8245	69.9006	14.7	743.8	399	56850.	951	0.8	2.0	3.7	2.6	0.6	4.9	16	1.8	
61630	0	0	0	0	OEc	43.8249	69.9006	14.7	743.8	396	56851.	984	1.2	1.8	2.8	1.5	0.7	2.5	39	1.7	
61629	0	0	0	0	OEc	43.8252	69.9006	14.7	743.9	395	56851.	1120	1.2	2.0	5.6	1.8	0.4	5.0	30	1.6	
61628	0	0	0	0	OEc	43.8256	69.9006	14.7	743.9	394	56852.	1128	1.0	2.1	4.6	2.1	0.5	4.7	25	1.4	
61627	0	0	0	0	OEc	43.8260	69.9006	14.7	743.9	396	56853.	1147	1.2	3.3	2.6	2.9	1.3	2.3	19	1.3	

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
61626	0	0	0	0	OEc	43.8264	69.9006	14.7	743.9	395	56852.	1195	1.4	2.4	4.7	1.8	0.6	3.6	35	1.2
61625	0	0	0	0	OEc	43.8268	69.9006	14.7	743.9	394	56852.	1285	1.2	3.8	4.6	3.1	0.9	3.9	19	1.0
61624	0	0	0	0	OEc	43.8272	69.9006	14.7	744.0	394	56853.	1349	1.3	4.9	4.9	3.8	1.0	3.7	22	0.8
61623	0	0	0	0	OEc	43.8275	69.9006	14.7	744.0	395	56854.	1379	1.2	3.7	4.0	3.2	1.0	3.4	19	0.7
61622	0	0	0	0	OEc	43.8279	69.9006	14.7	744.1	392	56855.	1391	1.3	3.5	5.2	2.8	0.7	4.2	17	0.6
61621	0	0	0	0	OEc	43.8283	69.9006	14.7	744.2	382	56854.	1430	1.3	4.3	5.3	3.5	0.9	4.2	16	0.5
61620	0	0	0	0	OEc	43.8287	69.9006	14.7	744.3	368	56852.	1378	1.1	2.4	5.7	2.4	0.5	5.5	19	0.4
61619	0	0	0	0	OEc	43.8291	69.9006	14.7	744.4	351	56846.	1340	1.3	4.1	4.6	3.3	0.9	3.6	20	0.3
61618	0	0	0	0	OEc	43.8295	69.9006	14.7	744.5	334	56841.	1365	1.5	2.3	4.7	1.5	0.5	3.2	29	0.3
61617	0	0	0	0	OEc	43.8298	69.9006	14.7	744.6	316	56840.	1395	1.6	2.6	5.0	1.7	0.6	3.2	17	0.3
61616	0	0	0	0	OEc	43.8302	69.9006	14.7	744.7	304	56842.	1397	1.7	2.1	6.0	1.3	0.4	3.6	22	0.2
61615	0	0	0	0	OEc	43.8306	69.9006	14.7	744.8	292	56847.	1444	1.3	2.1	5.7	1.6	0.4	4.5	12	0.2
61614	0	0	0	0	OEc	43.8310	69.9006	14.7	745.0	285	56856.	1411	1.3	2.3	5.3	1.8	0.5	4.1	13	0.2
61613	0	0	0	0	OEc	43.8314	69.9006	14.7	745.1	280	56868.	1419	1.4	3.4	5.4	2.6	0.7	4.1	26	0.1
61612	0	0	0	0	OEc	43.8318	69.9006	14.7	745.2	277	56881.	1194	1.3	2.0	4.1	1.6	0.5	3.4	18	0.1
61611	0	0	0	0	OEc	43.8322	69.9006	14.7	745.3	276	56890.	1242	1.2	2.0	6.7	1.8	0.3	6.0	26	0.0
61610	0	0	0	0	OEc	43.8325	69.9006	14.7	745.3	275	56894.	1287	1.2	2.7	5.3	2.4	0.6	4.7	29	0.0
61609	0	0	0	0	OEc	43.8329	69.9006	14.7	745.4	274	56896.	1168	1.0	3.6	4.1	3.9	0.9	4.4	12	0.0
61608	0	0	0	0	OEc	43.8333	69.9006	14.7	745.4	272	56897.	1194	0.8	2.3	2.9	3.1	0.8	3.8	18	0.0
61607	0	0	0	0	OEc	43.8337	69.9006	14.7	745.5	272	56899.	1108	1.0	2.2	3.8	2.4	0.6	4.1	21	0.0
61606	0	0	0	0	OEc	43.8341	69.9006	14.7	745.5	276	56898.	1115	1.2	1.9	3.7	1.7	0.6	3.3	18	0.0
61605	0	0	0	0	OEc	43.8345	69.9006	14.7	745.5	284	56894.	1182	1.1	2.6	5.2	2.5	0.5	5.1	20	0.0
61604	0	0	0	0	OEc	43.8348	69.9006	14.7	745.6	291	56885.	1207	1.3	4.5	3.7	3.6	1.3	3.0	13	0.0
61603	0	0	0	0	OEc	43.8352	69.9006	14.7	745.5	299	56872.	1203	1.1	2.2	4.8	2.0	0.5	4.4	13	0.0
61602	0	0	0	0	OEc	43.8356	69.9006	14.7	745.5	302	56861.	1255	1.3	2.0	5.5	1.6	0.4	4.4	21	0.0
61601	0	0	0	0	OEc	43.8360	69.9006	14.7	745.5	308	56855.	1245	1.4	2.3	5.8	1.8	0.4	4.4	25	0.1
61600	0	0	0	0	OEc	43.8364	69.9006	14.7	745.4	313	56853.	1210	1.3	3.4	3.1	2.6	1.1	2.4	23	0.2
61599	0	0	0	0	OEc	43.8368	69.9006	14.7	745.4	316	56851.	1251	1.1	3.0	6.2	2.7	0.5	5.7	19	0.3
61598	0	0	0	0	OEc	43.8372	69.9006	14.7	745.4	322	56850.	1186	0.9	2.3	3.2	2.6	0.8	3.6	18	0.5
61597	0	0	0	0	OEc	43.8375	69.9006	14.7	745.3	327	56850.	1281	1.3	2.6	4.3	2.1	0.7	3.3	16	0.6
61596	0	0	0	0	OEc	43.8379	69.9006	14.7	745.3	336	56852.	1270	1.3	2.7	5.7	2.1	0.5	4.4	27	0.9
61595	0	0	0	0	OEc	43.8383	69.9005	14.7	745.2	339	56857.	1260	1.5	3.1	6.8	2.1	0.5	4.8	16	1.3
61594	0	0	0	0	OEc	43.8387	69.9005	14.7	745.1	339	56864.	1256	1.0	1.9	6.0	1.9	0.3	6.1	17	1.6
61593	0	0	0	0	OEc	43.8391	69.9005	14.7	745.1	336	56871.	1176	1.0	2.4	4.8	2.6	0.6	5.2	25	1.9
61592	0	0	0	0	OEc	43.8395	69.9005	14.7	745.1	332	56877.	1260	1.3	3.0	6.6	2.4	0.5	5.2	18	2.1
61591	0	0	0	0	OEc	43.8399	69.9005	14.7	745.0	331	56882.	1151	1.0	2.1	5.9	2.1	0.4	5.9	17	2.3
61590	0	0	0	0	OEc	43.8403	69.9005	14.7	745.0	330	56885.	1075	0.8	1.7	4.9	2.1	0.4	6.2	26	2.6
61589	0	0	0	0	OEc	43.8407	69.9005	14.7	745.0	326	56886.	1106	1.1	2.0	6.3	1.9	0.3	6.2	19	2.9
61588	0	0	0	0	OEc	43.8411	69.9005	14.7	745.0	322	56887.	1022	0.8	2.2	5.7	2.8	0.4	7.2	18	3.2
61587	0	0	0	0	OEc	43.8415	69.9005	14.7	745.0	323	56885.	933	0.8	1.2	4.1	1.5	0.3	5.3	16	3.5
61586	0	0	0	0	OEc	43.8419	69.9005	14.7	745.0	329	56884.	931	1.0	2.2	3.7	2.4	0.6	4.0	17	3.8
61585	0	0	0	0	OEc	43.8424	69.9005	14.7	745.0	334	56882.	988	0.9	1.5	2.5	1.8	0.6	3.0	25	4.0
61584	0	0	0	0	OEc	43.8428	69.9005	14.7	744.9	335	56881.	1009	1.1	2.3	3.1	2.2	0.8	3.0	24	4.3
61583	0	0	0	0	OEc	43.8431	69.9005	14.7	744.9	333	56882.	1118	1.3	1.7	3.7	1.4	0.5	3.0	13	4.6
61582	0	0	0	0	OEc	43.8436	69.9005	14.8	745.1	324	56889.	1201	1.1	1.2	5.4	1.2	0.3	5.2	24	4.9
61580	0	0	1	0	OEc	43.8444	69.9004	14.8	745.1	322	56892.	1175	1.1	0.6	4.9	0.1	0.1	4.8	18	5.1
61579	0	0	0	0	OEc	43.8448	69.9004	14.8	745.1	319	56898.	1257	1.1	2.0	7.1	1.8	0.3	6.6	15	5.4
61578	0	0	0	0	OEc	43.8452	69.9004	14.8	745.1	315	56905.	1156	1.1	1.6	5.9	1.5	0.3	5.6	21	5.6
61577	0	0	0	0	OEc	43.8456	69.9004	14.8	745.1	316	56913.	1191	1.2	1.8	4.4	1.5	0.4	3.7	21	5.8
61576	0	0	0	0	OEc	43.8460	69.9004	14.8	745.1	320	56916.	1164	1.0	2.9	4.7	3.1	0.6	5.1	27	5.9

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
61575	0	0	0	0	OEc	43.8464	69.9004	14.8	745.1	325	56916.	1212	1.1	1.5	5.2	1.5	0.3	5.0	23	6.1
61574	0	0	0	0	OEc	43.8468	69.9004	14.8	745.1	330	56914.	1370	1.3	2.5	6.8	2.0	0.4	5.5	23	6.2
61573	0	0	0	0	OEc	43.8472	69.9004	14.8	745.1	334	56907.	1325	1.2	1.2	5.6	1.1	0.3	4.7	23	6.4
61572	0	0	0	0	OEc	43.8476	69.9004	14.8	745.1	337	56896.	1269	1.2	2.0	6.2	1.7	0.4	5.5	12	6.3
61571	0	0	0	0	OEc	43.8480	69.9004	14.8	745.0	337	56889.	1255	1.2	2.4	3.1	2.1	0.8	2.8	29	6.3
61570	0	0	0	0	OEc	43.8484	69.9004	14.8	745.0	334	56885.	1219	1.1	2.1	6.6	1.9	0.4	6.1	19	6.0
61569	0	0	0	0	OEc	43.8488	69.9004	14.8	745.0	331	56885.	1230	1.2	1.2	5.7	1.1	0.3	5.0	15	5.8
61568	0	0	0	0	OEc	43.8492	69.9003	14.8	745.0	329	56888.	1282	1.2	1.3	5.6	1.1	0.3	4.7	24	5.6
61567	0	0	0	0	OEc	43.8496	69.9003	14.8	745.0	330	56892.	1320	1.3	2.8	3.5	2.2	0.8	2.8	21	5.3
61566	0	0	0	0	OEc	43.8500	69.9003	14.8	744.9	331	56898.	1315	1.2	2.0	5.2	1.8	0.4	4.6	26	5.0
61565	0	0	0	0	OEc	43.8504	69.9003	14.8	744.9	334	56908.	1379	1.3	2.7	4.6	2.1	0.6	3.6	22	5.0
61564	0	0	0	0	OEc	43.8508	69.9003	14.8	744.9	338	56919.	1507	1.5	2.9	6.6	2.0	0.5	4.5	26	4.9
61563	0	0	0	0	OEc	43.8512	69.9003	14.8	744.8	343	56927.	1449	1.5	2.0	4.5	1.4	0.5	3.1	28	4.8
61562	0	0	0	0	OEc	43.8516	69.9003	14.8	744.8	345	56931.	1506	1.6	2.8	4.2	1.9	0.7	2.8	21	4.7
61561	0	0	0	0	OEc	43.8520	69.9003	14.8	744.8	346	56931.	1423	1.3	3.4	6.3	2.7	0.6	5.1	17	4.6
61560	0	0	0	0	OEc	43.8524	69.9003	14.8	744.7	348	56928.	1454	1.5	4.0	6.4	2.8	0.7	4.5	27	4.5
61559	0	0	0	0	OEc	43.8528	69.9003	14.8	744.7	352	56928.	1381	1.1	1.5	5.9	1.3	0.3	5.5	24	4.4
61558	0	0	0	0	OEc	43.8532	69.9003	14.8	744.7	357	56922.	1392	1.3	3.5	2.4	2.8	1.5	2.0	20	4.1
61557	0	0	0	0	OEc	43.8536	69.9003	14.8	744.7	362	56911.	1366	1.1	4.6	5.3	4.2	0.9	4.8	25	3.8
61556	0	0	0	0	OEc	43.8540	69.9003	14.8	744.6	362	56894.	1312	1.1	2.3	5.4	2.2	0.5	5.0	23	3.5
61555	0	0	0	0	OEc	43.8544	69.9003	14.8	744.6	361	56876.	1355	1.2	2.8	5.1	2.4	0.6	4.3	16	3.2
61554	0	0	0	0	OEc	43.8548	69.9003	14.8	744.6	357	56863.	1284	1.1	3.4	4.5	3.0	0.8	4.0	22	3.0
61553	0	0	0	0	OEc	43.8552	69.9002	14.8	744.6	355	56852.	1286	1.2	3.5	7.4	3.1	0.5	6.6	24	2.8
61552	0	0	1	0	OEc	43.8556	69.9002	14.8	744.6	355	56843.	1264	1.2	0.8	5.1	0.1	0.1	4.4	22	2.6
61551	0	0	0	0	OEc	43.8560	69.9002	14.8	744.5	358	56834.	1367	1.2	3.1	6.1	2.6	0.5	5.2	18	2.5
61550	0	0	0	0	OEc	43.8564	69.9002	14.8	744.5	361	56823.	1279	0.8	2.9	5.6	3.6	0.6	7.1	16	2.3
61549	0	0	0	0	OEc	43.8568	69.9002	14.8	744.5	364	56815.	1333	1.3	4.0	6.3	3.1	0.7	4.9	23	2.2
61548	0	0	0	0	Water	43.8573	69.9002	14.8	744.5	370	56810.	1316	1.3	2.3	7.3	1.8	0.4	5.6	17	2.0
61547	0	0	0	0	Water	43.8577	69.9002	14.8	744.4	379	56807.	1302	1.3	2.4	5.2	2.0	0.5	4.3	16	2.1
61546	0	0	0	0	Water	43.8581	69.9002	14.8	744.4	390	56804.	1218	1.0	3.1	4.1	3.1	0.8	4.2	15	2.2
61545	0	0	1	0	Water	43.8585	69.9002	14.8	744.4	405	56802.	1117	0.7	0.8	5.8	0.1	0.1	8.3	19	2.3
61544	0	0	0	0	Water	43.8589	69.9002	14.8	744.4	426	56800.	1148	1.4	2.2	6.2	1.6	0.4	4.5	24	2.5
61543	0	0	0	0	Water	43.8593	69.9002	14.8	744.4	443	56799.	1063	1.0	1.8	5.5	1.8	0.4	5.5	14	2.6
61542	0	0	0	0	Water	43.8597	69.9002	14.8	744.4	451	56800.	985	1.1	1.9	4.6	1.7	0.5	4.1	21	2.8
61541	0	0	0	0	Water	43.8601	69.9002	14.8	744.4	450	56803.	852	0.7	2.0	3.5	2.9	0.6	5.1	24	3.0
61540	0	0	1	0	Water	43.8605	69.9002	14.8	744.4	447	56806.	809	0.7	0.8	3.5	0.1	0.1	5.4	15	3.0
61539	0	0	0	0	Water	43.8609	69.9001	14.8	744.4	445	56809.	676	0.6	2.3	2.2	4.1	1.1	3.9	16	3.0
61538	0	0	0	0	Water	43.8613	69.9001	14.8	744.4	442	56812.	635	0.6	1.8	3.3	3.5	0.6	6.3	18	3.0
61537	0	0	1	0	Water	43.8617	69.9001	14.8	744.4	440	56814.	481	0.5	0.9	1.5	0.1	0.1	0.1	32	3.0
61536	0	0	1	0	Water	43.8621	69.9001	14.8	744.4	439	56815.	471	0.5	0.9	2.0	0.1	0.1	0.1	26	3.1
61535	0	0	1	0	Water	43.8625	69.9001	14.8	744.4	438	56815.	393	0.4	0.9	2.7	0.1	0.1	0.1	24	3.1
61534	0	0	1	0	Water	43.8629	69.9001	14.8	744.5	439	56814.	303	0.3	0.6	1.7	0.1	0.1	0.1	16	3.2
61533	0	1	1	1	Water	43.8633	69.9001	14.8	744.5	440	56813.	279	0.1	0.5	0.8	0.1	0.1	0.1	25	3.4
61532	0	0	1	1	Water	43.8637	69.9001	14.8	744.4	442	56812.	252	0.3	0.2	0.5	0.1	0.1	0.1	19	3.7
61531	0	1	0	1	Water	43.8641	69.9001	14.8	744.4	445	56811.	216	0.1	1.4	-0.2	0.1	0.1	0.1	24	3.9
61530	0	1	0	1	Water	43.8645	69.9001	14.8	744.4	448	56811.	225	0.0	1.4	-0.3	0.1	0.1	0.1	22	4.1
61529	0	1	1	1	Water	43.8649	69.9001	14.9	744.4	451	56812.	260	0.2	0.6	-0.1	0.1	0.1	0.1	11	4.4
61528	0	0	1	1	Water	43.8653	69.9001	14.9	744.4	454	56812.	217	0.3	0.7	1.1	0.1	0.1	0.1	20	4.6
61527	0	0	1	1	Water	43.8657	69.9001	14.9	744.4	459	56813.	317	0.2	0.9	0.7	0.1	0.1	0.1	26	4.7
61526	0	0	0	1	Water	43.8661	69.9001	14.9	744.3	464	56815.	405	0.4	1.7	-0.6	0.1	0.1	0.1	27	4.9

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
61525	0	0	0	1	Water	43.8665	69.9000	14.9	744.1	472	56815.	459	0.5	1.6	1.0	0.1	0.1	0.1	22	5.3
61524	0	0	1	0	Water	43.8669	69.9000	14.9	744.0	473	56815.	626	0.5	0.8	3.1	0.1	0.1	0.1	30	5.6
61523	0	0	1	1	Water	43.8673	69.9000	14.9	744.0	473	56814.	659	0.7	0.4	1.6	0.1	0.1	0.1	12	6.0
61522	0	0	0	0	Water	43.8677	69.9000	14.9	744.0	473	56813.	698	0.7	2.1	3.7	3.2	0.6	5.7	21	6.3
61521	0	0	1	0	Water	43.8681	69.9000	14.9	744.1	473	56812.	574	0.5	0.8	2.6	0.1	0.1	0.1	26	6.6
61520	0	0	1	0	Water	43.8685	69.9000	14.9	744.1	471	56813.	563	0.4	0.9	2.3	0.1	0.1	0.1	19	6.8
61519	0	0	1	0	Water	43.8689	69.9000	14.9	744.1	469	56816.	548	0.6	1.1	1.5	0.1	0.1	2.9	21	7.0
61518	0	0	0	0	Water	43.8693	69.9000	14.9	744.1	465	56819.	538	0.3	1.8	2.0	0.1	0.9	0.1	10	7.2
61517	0	0	0	1	Water	43.8697	69.9000	14.9	744.1	459	56821.	702	0.6	1.5	1.3	2.5	0.1	0.1	32	7.4
61516	0	0	0	0	OEc	43.8701	69.9000	14.9	744.1	449	56823.	713	0.8	1.6	1.7	2.5	1.1	2.4	18	7.6
61515	0	0	0	0	OEc	43.8705	69.9000	14.9	744.1	429	56823.	846	0.8	2.1	3.1	2.8	0.7	4.1	19	7.7
61514	0	0	0	0	OEc	43.8709	69.9000	14.9	744.1	406	56823.	892	0.8	2.0	2.2	2.6	1.0	2.8	20	7.8
61513	0	0	0	0	OEc	43.8713	69.9000	14.9	744.1	383	56821.	1013	0.8	1.7	1.8	2.3	1.0	2.3	15	8.0
61512	0	0	0	0	OEc	43.8718	69.9000	14.9	744.2	372	56819.	949	1.0	1.9	5.6	2.0	0.4	5.8	21	8.1
61511	0	0	0	0	OEc	43.8722	69.9000	14.9	744.2	371	56815.	1092	1.0	1.3	4.7	1.4	0.3	4.8	17	8.2
61510	0	0	0	0	OEc	43.8726	69.8999	14.9	744.2	373	56812.	1211	1.2	3.0	3.6	2.5	0.9	3.0	20	8.2
61509	0	0	0	0	OEc	43.8730	69.8999	14.9	744.2	377	56808.	1260	1.2	1.4	6.3	1.2	0.3	5.5	23	8.3
61508	0	0	0	0	OEc	43.8734	69.8999	14.9	744.3	380	56804.	1361	1.5	2.6	6.9	1.7	0.4	4.6	21	8.3
61507	0	0	1	0	OEc	43.8738	69.8999	14.9	744.3	392	56801.	1425	1.3	0.4	7.7	0.1	0.1	6.2	25	8.4
61506	0	0	1	0	OEc	43.8742	69.8999	14.9	744.3	405	56800.	1511	1.5	0.4	7.9	0.1	0.1	5.3	27	8.6
61505	0	0	1	0	OEc	43.8746	69.8999	14.9	744.3	413	56801.	1634	1.8	1.4	10.0	0.1	0.1	5.8	15	8.7
61504	0	0	0	0	OEc	43.8750	69.8999	14.9	744.3	408	56805.	1687	1.7	2.3	8.5	1.4	0.3	5.3	27	8.7
61503	0	0	0	0	OEc	43.8754	69.8999	14.9	744.3	408	56811.	1598	1.7	2.4	8.4	1.4	0.3	5.1	19	8.8
61502	0	0	0	0	OEc	43.8758	69.8999	14.9	744.3	411	56817.	1758	1.8	1.9	7.5	1.1	0.3	4.3	22	8.8
61501	0	0	0	0	OEc	43.8762	69.8999	14.9	744.3	417	56819.	1710	1.9	2.0	8.6	1.1	0.3	4.6	22	8.9
61500	0	0	0	0	OEc	43.8766	69.8999	14.9	744.3	413	56819.	1691	1.3	2.2	8.7	1.7	0.3	6.7	17	8.7
61499	0	0	0	0	OEc	43.8769	69.8999	14.9	744.3	401	56817.	1609	1.4	3.5	6.9	2.6	0.6	5.0	20	8.5
61498	0	0	0	0	OEc	43.8773	69.8999	14.9	744.3	388	56812.	1550	1.4	2.4	7.8	1.8	0.3	5.7	18	8.4
61497	0	0	0	0	OEc	43.8777	69.8999	14.9	744.3	378	56806.	1509	1.3	2.2	5.7	1.7	0.4	4.4	18	8.2
61496	0	0	0	0	OEc	43.8780	69.8999	14.9	744.3	375	56801.	1510	1.5	2.1	7.1	1.5	0.3	5.0	22	8.1
61495	0	0	0	0	OEc	43.8784	69.8999	14.9	744.3	372	56795.	1557	1.5	2.3	7.3	1.6	0.4	5.0	23	7.9
61494	0	0	0	0	OEc	43.8788	69.8998	14.9	744.3	367	56789.	1503	1.6	1.7	5.6	1.1	0.3	3.6	16	7.8
61493	0	0	0	0	OEc	43.8791	69.8998	14.9	744.4	362	56784.	1514	1.8	2.0	7.1	1.2	0.3	4.1	20	7.7
61492	0	0	0	0	OEc	43.8795	69.8998	14.9	744.4	357	56778.	1460	1.4	2.2	5.7	1.6	0.4	4.1	15	7.5
61491	0	0	0	0	OEc	43.8799	69.8998	14.9	744.4	353	56772.	1412	1.3	3.0	3.1	2.4	1.0	2.4	28	7.4
61489	0	0	0	0	OEc	43.8806	69.8998	14.9	744.4	350	56769.	1394	1.3	4.0	5.6	3.1	0.8	4.3	15	7.2
61488	0	0	0	0	OEc	43.8810	69.8998	14.9	744.4	347	56768.	1423	1.1	1.7	5.6	1.6	0.3	5.2	13	7.0
61487	0	0	0	0	OEc	43.8813	69.8998	14.9	744.5	345	56770.	1423	1.6	3.3	6.9	2.2	0.5	4.6	22	6.9
61486	0	0	0	0	OEc	43.8817	69.8998	14.9	744.5	343	56773.	1464	1.4	1.9	5.1	1.5	0.4	3.8	39	6.8
61485	0	0	0	0	OEc	43.8821	69.8998	14.9	744.5	343	56775.	1492	1.3	3.2	7.7	2.4	0.5	5.9	27	6.7
61484	0	0	0	0	OEc	43.8824	69.8998	14.9	744.5	343	56775.	1504	1.4	2.2	4.9	1.6	0.5	3.6	19	6.5
61483	0	0	0	0	OEc	43.8828	69.8998	14.9	744.6	344	56772.	1455	1.3	2.5	6.8	2.0	0.4	5.4	15	6.5
61482	0	0	0	0	OEc	43.8832	69.8998	14.9	744.6	347	56765.	1380	1.3	2.0	6.9	1.6	0.3	5.5	21	6.3
61481	0	0	0	0	OEc	43.8835	69.8998	14.9	744.6	350	56760.	1507	1.4	3.4	5.2	2.5	0.7	3.8	24	6.1
61480	0	0	0	0	OEc	43.8839	69.8998	14.9	744.6	354	56759.	1533	1.5	2.4	5.2	1.7	0.5	3.5	13	5.9
61479	0	0	0	0	OEc	43.8843	69.8998	14.9	744.7	358	56760.	1557	1.6	2.7	5.2	1.7	0.6	3.3	25	5.7
61478	0	0	0	0	OEc	43.8846	69.8998	14.9	744.7	363	56764.	1606	1.7	3.8	5.8	2.4	0.7	3.6	26	5.6
61477	0	0	0	0	OEc	43.8850	69.8998	14.9	744.7	370	56768.	1570	1.6	4.2	5.8	2.7	0.8	3.7	19	5.4
61476	0	0	0	0	OEc	43.8854	69.8998	14.9	744.7	376	56773.	1629	1.5	3.1	5.4	2.2	0.6	3.8	26	5.2
61475	0	0	0	0	OEc	43.8857	69.8998	14.9	744.7	386	56778.	1691	1.9	3.2	7.0	1.8	0.5	3.8	23	5.1

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
61474	0	0	0	0	OEc	43.8861	69.8998	14.9	744.7	395	56778.	1692	1.7	2.6	9.0	1.6	0.3	5.6	22	5.0
61473	0	0	0	0	OEc	43.8865	69.8997	14.9	744.7	404	56773.	1718	2.0	2.0	8.3	1.0	0.3	4.2	31	4.9
61472	0	0	0	0	OEc	43.8868	69.8997	14.9	744.7	407	56767.	1712	2.0	3.4	8.9	1.8	0.4	4.6	15	4.9
61471	0	0	0	0	OEc	43.8872	69.8997	14.9	744.7	409	56761.	1743	1.6	3.2	6.9	2.1	0.5	4.6	26	4.7
61470	0	0	0	0	OEc	43.8876	69.8997	14.9	744.7	409	56756.	1864	1.7	3.4	6.1	2.0	0.6	3.6	19	4.6
61469	0	0	0	0	OEc	43.8880	69.8997	14.9	744.7	409	56750.	1897	2.0	2.0	10.4	1.1	0.2	5.4	15	4.5
61468	0	0	0	0	OEc	43.8883	69.8997	14.9	744.7	408	56744.	1825	1.7	3.2	6.4	1.9	0.6	3.8	29	4.2
61467	0	0	0	0	OEc	43.8887	69.8997	14.9	744.7	409	56741.	1860	1.5	3.4	10.9	2.4	0.4	7.5	13	3.9
61466	0	0	0	0	OEc	43.8891	69.8997	14.9	744.7	410	56736.	1847	1.7	5.0	7.0	3.1	0.8	4.3	22	3.7
61465	0	0	0	0	OEc	43.8894	69.8997	14.9	744.7	411	56732.	1817	2.0	2.5	8.5	1.3	0.3	4.3	15	3.4
61464	0	0	0	0	OEc	43.8898	69.8997	14.9	744.7	411	56730.	1840	1.6	4.0	8.4	2.5	0.5	5.3	23	3.2
61463	0	0	0	0	OEc	43.8902	69.8997	14.9	744.7	411	56731.	1806	1.9	3.9	9.2	2.1	0.5	5.0	24	3.0
61462	0	0	0	0	OEc	43.8905	69.8997	14.9	744.7	410	56735.	1810	1.8	1.8	5.6	1.0	0.4	3.1	17	2.8
61461	0	0	0	0	OEc	43.8909	69.8997	14.9	744.7	407	56739.	1803	2.0	2.6	8.1	1.3	0.4	4.1	28	2.7
61460	0	0	0	0	OEc	43.8913	69.8997	14.9	744.7	403	56744.	1835	2.2	2.9	7.7	1.3	0.4	3.6	30	2.5
61459	0	0	0	0	OEc	43.8916	69.8997	14.9	744.8	397	56749.	1885	2.0	3.7	8.8	1.9	0.5	4.5	20	2.3
61458	0	0	0	0	OEc	43.8920	69.8997	14.9	744.8	391	56754.	1756	2.0	3.1	7.1	1.6	0.5	3.6	21	2.0
61457	0	0	0	0	OEc	43.8924	69.8997	14.9	744.8	382	56757.	1856	2.2	4.0	8.0	1.9	0.5	3.7	11	1.8
61456	0	0	0	0	OEc	43.8927	69.8997	14.9	744.8	372	56758.	1877	1.9	3.9	7.0	2.1	0.6	3.8	35	1.6
61455	0	0	0	0	OEc	43.8931	69.8997	14.9	744.8	370	56756.	1765	1.5	4.0	7.8	2.8	0.6	5.4	14	1.3
61454	0	0	0	0	OEc	43.8935	69.8997	14.9	744.8	373	56754.	1880	1.7	5.1	6.1	3.0	0.9	3.6	31	1.1
61453	0	0	0	0	OEc	43.8938	69.8997	14.9	744.8	380	56752.	1853	2.0	5.0	9.3	2.5	0.6	4.7	23	0.9
61452	0	0	0	0	OEc	43.8942	69.8997	14.9	744.8	383	56751.	1711	1.8	2.0	7.3	1.1	0.3	4.2	16	0.8
61451	0	0	0	0	OEc	43.8946	69.8997	14.9	744.8	386	56755.	1721	1.6	3.2	7.0	2.0	0.5	4.4	19	0.7
61450	0	0	0	0	OEc	43.8949	69.8996	14.9	744.8	389	56762.	1661	1.6	3.7	6.1	2.3	0.6	3.8	19	0.5
61449	0	0	0	0	OEc	43.8953	69.8996	14.9	744.8	389	56769.	1668	1.7	3.4	8.8	2.1	0.4	5.3	29	0.3
61448	0	0	0	0	OEc	43.8957	69.8996	14.9	744.8	386	56774.	1746	1.5	4.4	8.6	3.1	0.6	6.1	15	0.1
61447	0	0	0	0	OEc	43.8960	69.8996	14.9	744.7	379	56776.	1690	1.6	3.8	7.0	2.4	0.6	4.5	19	0.0
61446	0	0	0	0	OEc	43.8964	69.8996	14.9	744.7	374	56777.	1586	1.4	4.0	6.0	3.0	0.7	4.5	21	0.0
61445	0	0	0	0	OEc	43.8968	69.8996	14.9	744.7	375	56777.	1611	1.5	3.2	8.5	2.3	0.4	6.0	30	0.0
61444	0	0	0	0	OEc	43.8971	69.8996	14.9	744.6	380	56775.	1637	1.6	2.4	8.1	1.6	0.3	5.2	21	0.0
61443	0	0	0	0	OEc	43.8975	69.8996	14.9	744.6	382	56771.	1603	1.4	3.1	5.1	2.2	0.6	3.7	20	0.0
61442	0	0	0	0	OEc	43.8979	69.8996	14.9	744.6	373	56763.	1544	1.6	2.4	6.7	1.6	0.4	4.3	19	0.0
61441	0	0	0	0	OEc	43.8983	69.8996	15.0	744.6	357	56755.	1545	1.5	3.1	5.7	2.1	0.6	3.9	34	0.0
61440	0	0	0	0	OEc	43.8986	69.8996	15.0	744.6	343	56748.	1470	1.4	3.5	4.7	2.6	0.8	3.4	24	0.0
61439	0	0	0	0	OEc	43.8990	69.8996	15.0	744.6	331	56745.	1460	1.4	2.2	5.6	1.6	0.4	4.1	15	0.0
61438	0	0	0	0	OEc	43.8994	69.8996	15.0	744.6	325	56743.	1334	1.4	3.0	4.2	2.3	0.8	3.1	18	0.0
61437	0	0	0	0	OEc	43.8997	69.8996	15.0	744.6	320	56743.	1267	1.4	3.1	2.7	2.2	1.2	2.0	21	0.0
61436	0	0	0	0	OEc	43.9001	69.8996	15.0	744.7	320	56743.	1365	1.3	2.6	5.3	2.0	0.5	4.0	16	0.0
61435	0	0	0	0	OEc	43.9005	69.8996	15.0	744.7	322	56744.	1347	1.2	4.4	5.5	3.9	0.8	4.9	22	0.0
61434	0	0	0	0	OEc	43.9008	69.8996	15.0	744.7	326	56747.	1304	1.3	2.7	4.9	2.2	0.6	3.8	14	0.0
61433	0	0	0	0	OEc	43.9012	69.8996	15.0	744.7	330	56749.	1314	1.2	3.7	4.5	3.2	0.9	3.9	25	0.0
61432	0	0	0	0	OEc	43.9016	69.8996	15.0	744.7	332	56751.	1241	1.2	2.8	4.1	2.4	0.7	3.5	13	0.0
61431	0	0	0	0	OEc	43.9019	69.8996	15.0	744.8	332	56751.	1233	1.4	2.8	3.9	2.1	0.8	2.8	13	0.0
61430	0	0	0	0	OEc	43.9023	69.8995	15.0	744.8	334	56752.	1188	1.2	2.9	4.3	2.6	0.7	3.8	24	0.1
61429	0	0	0	0	OEc	43.9027	69.8995	15.0	744.9	338	56757.	1202	1.0	3.9	4.1	4.0	1.0	4.3	18	0.3
61428	0	0	0	0	OEc	43.9030	69.8995	15.0	744.9	348	56762.	1085	1.2	3.6	1.6	3.2	2.3	1.4	19	0.4
61427	0	0	0	0	OEce	43.9034	69.8995	15.0	744.9	356	56765.	1005	0.8	2.7	2.6	3.4	1.1	3.3	25	0.5
61426	0	0	0	0	OEce	43.9038	69.8995	15.0	745.0	356	56766.	956	1.1	1.9	3.0	1.8	0.7	2.9	33	0.7
61425	0	0	0	1	OEce	43.9041	69.8995	15.0	745.0	349	56765.	782	0.6	2.2	1.2	3.7	0.1	0.1	23	0.9

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
61424	0	0	0	0	OEce	43.9045	69.8995	15.0	745.1	340	56765.	725	0.6	1.5	3.1	2.6	0.5	5.3	23	1.0
61423	0	0	0	1	OEce	43.9049	69.8995	15.0	745.2	333	56764.	705	0.5	2.5	1.1	0.1	0.1	0.1	20	1.3
61422	0	0	0	0	OEce	43.9052	69.8995	15.0	745.2	328	56763.	730	0.9	1.4	3.4	1.6	0.5	4.0	27	1.5
61421	0	0	0	1	OEce	43.9056	69.8995	15.0	745.4	322	56760.	710	0.8	1.0	0.9	1.2	0.1	0.1	13	1.8
61420	0	0	1	0	OEce	43.9060	69.8995	15.0	745.5	317	56756.	762	0.9	0.7	3.3	0.1	0.1	4.1	33	2.0
61419	0	0	0	0	OEce	43.9063	69.8995	15.0	745.6	307	56752.	783	1.1	1.0	3.4	1.0	0.3	3.3	16	2.2
61418	0	0	0	0	OEce	43.9067	69.8995	15.0	745.7	302	56749.	772	0.9	1.1	1.3	1.2	0.9	1.5	18	2.4
61417	0	0	0	0	OEce	43.9071	69.8995	15.0	745.8	301	56745.	835	1.0	1.8	1.5	1.8	1.3	1.5	23	2.6
61416	0	0	0	0	OEce	43.9074	69.8995	15.0	745.9	303	56737.	849	1.1	1.3	3.2	1.3	0.5	3.0	24	3.0
61415	0	0	1	0	OEce	43.9078	69.8995	15.0	746.0	300	56728.	818	0.7	0.6	2.2	0.1	0.1	3.2	27	3.4
61414	0	0	0	0	OEce	43.9082	69.8995	15.0	746.1	298	56724.	902	1.1	1.8	2.1	1.7	0.9	2.0	25	3.8
61413	0	0	0	0	OEce	43.9086	69.8995	15.0	746.2	301	56723.	956	1.0	0.9	2.7	0.9	0.4	2.7	18	4.2
61412	0	0	0	0	OEce	43.9089	69.8995	15.0	746.3	314	56715.	1379	1.0	1.3	4.1	1.3	0.3	4.1	9	4.5
61411	0	0	1	0	OEce	43.9093	69.8994	15.0	746.4	315	56697.	1272	1.5	1.0	5.3	0.1	0.1	3.6	16	4.9
61410	0	0	0	0	OEce	43.9096	69.8994	15.0	746.3	313	56684.	1311	1.7	1.3	4.8	0.8	0.3	2.9	36	5.3
61409	0	0	0	0	OEce	43.9100	69.8994	15.0	746.3	312	56693.	1435	1.9	2.1	4.9	1.2	0.5	2.7	25	5.6
61408	0	0	0	0	OEce	43.9104	69.8994	15.0	746.3	314	56701.	1520	2.2	2.4	6.3	1.1	0.4	2.9	20	5.9
61407	0	0	0	0	OEce	43.9108	69.8994	15.0	746.3	319	56710.	1582	2.1	2.1	5.6	1.1	0.4	2.8	17	6.2
61406	0	0	0	0	OEce	43.9111	69.8994	15.0	746.3	324	56718.	1462	1.6	2.2	5.1	1.4	0.5	3.2	20	6.4
61405	0	0	0	0	OEce	43.9115	69.8994	15.0	746.3	325	56725.	1332	1.7	2.1	3.6	1.3	0.6	2.2	28	6.6
61404	0	0	0	0	OEce	43.9119	69.8994	15.0	746.3	322	56731.	1193	1.6	2.4	3.6	1.6	0.7	2.4	25	6.9
61403	0	0	0	0	OEce	43.9122	69.8994	15.0	746.3	320	56736.	1105	1.3	1.3	4.1	1.1	0.4	3.3	32	7.2
61402	0	0	1	0	OEce	43.9126	69.8994	15.0	746.3	319	56742.	980	1.1	0.8	3.2	0.1	0.1	3.0	19	7.5
61401	0	0	1	0	OEce	43.9130	69.8994	15.0	746.2	321	56748.	1012	1.3	0.7	3.3	0.1	0.1	2.6	20	7.7
61400	0	0	0	0	OEce	43.9133	69.8994	15.0	746.2	325	56754.	1089	1.1	1.3	5.6	1.3	0.3	5.2	22	7.9
61398	0	0	1	0	OEce	43.9141	69.8994	15.0	746.2	334	56760.	1167	1.2	0.7	4.3	0.1	0.1	3.6	25	8.1
61397	0	0	1	0	OEce	43.9144	69.8994	15.0	746.2	343	56766.	1159	1.3	0.6	4.7	0.1	0.1	3.8	24	8.3
61396	0	0	1	0	OEce	43.9148	69.8994	15.0	746.1	345	56772.	1184	1.3	0.6	4.8	0.1	0.1	3.7	14	8.5
61395	0	0	1	0	OEce	43.9152	69.8994	15.0	746.1	344	56777.	1156	1.3	0.4	6.1	0.1	0.1	5.0	27	8.6
61394	0	0	0	0	OEce	43.9155	69.8994	15.0	746.1	339	56781.	995	1.1	1.6	3.1	1.6	0.6	3.0	25	8.7
61393	0	0	1	0	OEce	43.9159	69.8994	15.0	746.1	339	56785.	977	1.1	1.1	2.1	0.1	0.1	2.1	19	8.8
61392	0	0	0	0	OEce	43.9163	69.8994	15.0	746.0	336	56787.	998	1.2	1.3	2.9	1.1	0.5	2.5	24	8.9
61391	0	0	0	0	OEce	43.9166	69.8994	15.0	746.0	338	56789.	914	1.0	1.8	2.3	1.9	0.8	2.5	13	9.0
61390	0	0	0	0	OEce	43.9170	69.8993	15.0	746.0	338	56789.	894	1.0	1.4	1.3	1.5	1.1	1.4	18	8.9
61389	0	0	1	0	OEce	43.9174	69.8993	15.0	746.0	334	56788.	905	1.0	0.4	4.1	0.1	0.1	4.4	30	8.8
61388	0	0	1	0	OEce	43.9177	69.8993	15.0	746.0	327	56787.	846	1.0	0.8	2.3	0.1	0.1	2.3	19	8.8
61387	0	0	0	0	OEce	43.9181	69.8993	15.0	746.1	322	56786.	875	1.0	1.4	3.6	1.5	0.4	3.8	19	8.7
61386	0	0	1	0	OEce	43.9185	69.8993	15.0	746.1	319	56785.	977	1.1	0.8	3.6	0.1	0.1	3.5	23	8.6
61385	0	0	0	0	OEce	43.9188	69.8993	15.0	746.1	318	56784.	928	1.0	1.5	3.3	1.5	0.5	3.3	24	8.5
61384	0	0	1	0	OEce	43.9192	69.8993	15.0	746.1	316	56782.	1073	1.2	0.8	3.6	0.1	0.1	3.1	19	8.5
61383	0	0	0	0	OEce	43.9196	69.8993	15.0	746.1	315	56781.	1121	1.4	1.9	4.4	1.4	0.5	3.3	15	8.2
61382	0	0	0	0	OEce	43.9199	69.8993	15.0	746.2	311	56780.	1132	1.3	1.3	5.0	1.0	0.3	3.8	12	8.0
61381	0	0	0	0	OEce	43.9203	69.8993	15.0	746.2	308	56780.	1120	1.6	1.1	3.6	0.7	0.3	2.4	25	7.8
61380	0	0	0	0	OEce	43.9207	69.8993	15.0	746.3	306	56779.	1122	1.4	1.8	3.3	1.3	0.6	2.4	22	7.6
61379	0	0	1	0	OEce	43.9211	69.8993	15.0	746.3	308	56778.	994	1.2	0.7	4.3	0.1	0.1	3.8	19	7.5
61378	0	0	1	0	OEce	43.9214	69.8992	15.0	746.4	312	56775.	964	1.0	0.2	5.5	0.1	0.1	5.9	20	7.3
61377	0	0	1	0	OEce	43.9218	69.8992	15.0	746.4	316	56773.	925	0.9	0.7	2.9	0.1	0.1	3.3	20	7.2
61376	0	0	0	0	OEce	43.9222	69.8992	15.0	746.4	320	56769.	963	1.2	1.3	3.5	1.1	0.4	3.0	12	6.9
61375	0	0	0	0	OEce	43.9225	69.8992	15.0	746.5	328	56764.	872	0.9	1.6	4.0	1.9	0.4	4.8	18	6.7
61374	0	0	0	0	OEce	43.9229	69.8992	15.0	746.5	340	56760.	745	0.8	1.1	3.7	1.5	0.3	5.2	25	6.5

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
61373	0	0	0	0	OEce	43.9233	69.8991	15.0	746.5	357	56758.	693	0.7	1.7	2.0	2.6	0.9	3.1	22	6.3
61372	0	0	0	1	OEce	43.9236	69.8991	15.0	746.6	370	56757.	568	0.5	1.9	1.3	0.1	0.1	0.1	24	6.1
61371	0	0	0	1	Water	43.9240	69.8991	15.0	746.6	376	56755.	475	0.3	1.1	0.9	0.1	0.1	0.1	23	6.0
61370	0	0	1	1	Water	43.9244	69.8991	15.0	746.6	375	56754.	352	0.5	0.4	-0.2	0.1	0.1	0.1	20	5.8
61369	0	0	1	1	Water	43.9247	69.8991	15.0	746.6	372	56753.	330	0.3	0.8	0.8	0.1	0.1	0.1	32	5.7
61368	0	0	1	1	Water	43.9251	69.8990	15.0	746.6	370	56753.	323	0.4	0.5	0.3	0.1	0.1	0.1	24	5.7
61367	0	0	1	0	Water	43.9255	69.8990	15.0	746.6	368	56754.	467	0.3	0.7	2.0	0.1	0.1	0.1	12	5.6
61366	0	0	1	0	Water	43.9259	69.8990	15.0	746.6	367	56754.	420	0.4	0.7	2.5	0.1	0.1	0.1	18	5.6
61365	0	0	1	0	Water	43.9262	69.8990	15.0	746.7	367	56754.	458	0.4	0.7	1.2	0.1	0.1	0.1	22	5.5
61364	0	0	1	0	Water	43.9266	69.8990	15.0	746.7	367	56755.	383	0.3	0.6	1.4	0.1	0.1	0.1	17	5.4
61363	0	0	1	1	Water	43.9270	69.8989	15.0	746.7	367	56756.	365	0.4	0.0	0.3	0.1	0.1	0.1	17	5.4
61362	0	0	1	0	Water	43.9273	69.8989	15.0	746.7	367	56756.	269	0.3	-0.1	1.5	0.1	0.1	0.1	23	5.4
61361	0	0	1	1	Water	43.9277	69.8989	15.0	746.7	368	56756.	253	0.2	0.4	0.2	0.1	0.1	0.1	17	5.3
61360	0	1	1	1	Water	43.9281	69.8989	15.0	746.7	368	56757.	209	0.1	0.4	0.4	0.1	0.1	0.1	25	5.3
61359	0	1	1	1	Water	43.9284	69.8989	15.0	746.7	369	56758.	145	0.1	0.3	0.9	0.1	0.1	0.1	26	5.3
61358	0	0	1	1	Water	43.9288	69.8988	15.0	746.7	369	56759.	183	0.2	0.5	0.4	0.1	0.1	0.1	17	5.5
61357	0	1	1	1	Water	43.9292	69.8988	15.0	746.7	369	56761.	169	0.2	-0.2	0.9	0.1	0.1	0.1	29	5.7
61356	0	1	1	1	Water	43.9296	69.8988	15.0	746.8	369	56763.	201	0.2	0.7	0.0	0.1	0.1	0.1	21	5.9
61355	0	1	1	1	Water	43.9299	69.8988	15.1	746.8	367	56767.	225	0.1	0.4	1.0	0.1	0.1	0.1	17	6.0
61354	0	1	1	1	Water	43.9303	69.8988	15.1	746.8	367	56771.	286	0.2	0.6	0.7	0.1	0.1	0.1	26	6.4
61353	0	1	1	0	Water	43.9307	69.8988	15.1	746.8	367	56775.	219	0.0	0.2	1.5	0.1	0.1	0.1	12	6.7
61352	0	0	1	0	Water	43.9310	69.8987	15.1	746.8	366	56773.	218	0.3	0.9	2.0	0.1	0.1	0.1	26	7.0
61351	0	0	1	1	Water	43.9314	69.8987	15.1	746.8	366	56771.	177	0.4	0.2	-1.3	0.1	0.1	0.1	23	7.3
61350	0	1	0	1	Water	43.9318	69.8987	15.1	746.7	366	56769.	231	0.2	1.0	1.1	0.1	0.1	0.1	24	7.6
61349	0	1	1	0	Water	43.9321	69.8987	15.1	746.7	367	56767.	240	0.1	-0.1	1.3	0.1	0.1	0.1	12	7.9
61348	0	0	1	0	Water	43.9325	69.8987	15.1	746.7	366	56767.	357	0.2	0.3	2.7	0.1	0.1	0.1	18	8.2
61347	0	0	1	0	Water	43.9329	69.8986	15.1	746.7	362	56769.	452	0.3	-0.3	1.2	0.1	0.1	0.1	25	8.5
61346	0	0	1	0	Water	43.9333	69.8986	15.1	746.7	351	56772.	561	0.6	0.2	3.9	0.1	0.1	6.8	24	8.8
61345	0	0	1	0	Water	43.9336	69.8986	15.1	746.7	338	56775.	669	0.8	0.9	1.4	0.1	0.1	1.9	21	9.0
61344	0	0	1	0	Water	43.9340	69.8986	15.1	746.7	329	56777.	745	0.7	0.9	1.5	0.1	0.1	2.2	28	9.1
61343	0	0	1	0	Water	43.9344	69.8986	15.1	746.7	330	56779.	784	0.8	0.6	2.7	0.1	0.1	3.5	13	9.3
61342	0	0	0	0	Water	43.9347	69.8985	15.1	746.7	330	56780.	878	0.9	1.7	3.1	2.0	0.6	3.6	22	9.5
61341	0	0	1	0	Water	43.9351	69.8985	15.1	746.7	328	56779.	832	0.8	0.0	4.0	0.1	0.1	5.5	22	9.6
61340	0	0	1	0	Water	43.9355	69.8985	15.1	746.6	325	56778.	797	0.7	0.5	2.2	0.1	0.1	3.2	16	9.8
61339	0	0	1	0	Water	43.9358	69.8985	15.1	746.6	327	56777.	719	0.8	0.6	1.7	0.1	0.1	2.3	27	9.9
61338	0	0	0	0	Water	43.9362	69.8984	15.1	746.6	330	56776.	769	0.8	1.3	2.2	1.7	0.6	2.8	21	10.0
61337	0	0	1	0	Water	43.9366	69.8984	15.1	746.6	334	56773.	695	0.7	0.6	3.4	0.1	0.1	5.6	23	10.1
61336	0	0	1	0	Water	43.9370	69.8984	15.1	746.6	347	56769.	686	0.7	1.1	2.4	0.1	0.1	3.4	17	10.2
61335	0	0	1	0	Water	43.9373	69.8984	15.1	746.6	356	56761.	659	0.7	0.5	3.4	0.1	0.1	5.4	8	10.4
61334	0	0	1	0	Water	43.9377	69.8984	15.1	746.6	360	56752.	738	0.6	-0.3	4.5	0.1	0.1	7.5	21	10.5
61333	0	0	0	0	Water	43.9381	69.8984	15.1	746.6	348	56741.	744	0.6	2.1	3.6	3.4	0.6	5.9	21	10.5
61332	0	0	0	0	Water	43.9384	69.8983	15.1	746.6	331	56733.	852	0.7	1.7	2.4	2.8	0.8	3.8	22	10.6
61331	0	0	1	0	Water	43.9388	69.8983	15.1	746.6	316	56730.	984	1.1	0.2	6.2	0.1	0.1	5.8	19	10.7
61330	0	0	1	0	Water	43.9392	69.8983	15.1	746.6	306	56730.	1092	1.0	0.4	7.8	0.1	0.1	7.8	22	10.8
61329	0	0	1	0	OEce	43.9395	69.8983	15.1	746.6	306	56731.	1238	1.4	0.5	5.0	0.1	0.1	3.8	23	10.7
61328	0	0	0	0	OEce	43.9399	69.8983	15.1	746.6	303	56732.	1342	1.4	1.8	6.9	1.4	0.3	5.2	16	10.5
61327	0	0	0	0	OEce	43.9403	69.8982	15.1	746.6	303	56735.	1478	1.3	1.2	7.8	0.9	0.2	6.2	24	10.4
61326	0	0	0	0	OEce	43.9406	69.8982	15.1	746.6	299	56739.	1367	1.6	2.0	3.6	1.3	0.6	2.4	20	10.2
61325	0	0	0	0	OEce	43.9410	69.8982	15.1	746.6	299	56745.	1425	1.4	1.6	6.3	1.2	0.3	4.8	22	10.1
61324	0	0	1	0	OEce	43.9414	69.8982	15.1	746.6	296	56752.	1261	1.4	1.0	6.7	0.1	0.1	4.9	22	9.9

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
61323	0	0	0	0	OEce	43.9418	69.8982	15.1	746.6	293	56759.	1243	1.2	2.0	5.0	1.8	0.5	4.4	18	9.8
61322	0	0	0	0	OEce	43.9421	69.8981	15.1	746.6	288	56764.	1332	1.2	1.6	7.7	1.4	0.2	6.6	21	9.6
61321	0	0	0	0	OEce	43.9425	69.8981	15.1	746.6	289	56766.	1263	1.2	1.4	5.6	1.1	0.3	4.7	11	9.5
61320	0	0	0	0	OEce	43.9429	69.8981	15.1	746.5	296	56766.	1288	1.3	1.3	6.1	1.0	0.3	4.8	13	9.3
61319	0	0	0	0	OEce	43.9432	69.8981	15.1	746.5	306	56762.	1370	1.4	1.9	6.6	1.4	0.3	5.0	18	9.2
61318	0	0	0	0	OEce	43.9436	69.8981	15.1	746.5	309	56756.	1375	1.4	2.3	4.9	1.7	0.5	3.8	23	9.1
61317	0	0	0	0	OEce	43.9440	69.8980	15.1	746.5	314	56749.	1400	1.7	2.9	4.7	1.8	0.7	2.8	14	8.9
61316	0	0	0	0	OEce	43.9443	69.8980	15.1	746.4	312	56743.	1376	1.5	1.3	7.1	0.9	0.2	4.8	23	8.8
61315	0	0	0	0	OEce	43.9447	69.8980	15.1	746.4	307	56738.	1278	1.2	1.5	7.1	1.3	0.2	6.2	26	8.6
61314	0	0	0	0	OEce	43.9451	69.8980	15.1	746.4	298	56734.	1290	1.0	1.7	5.8	1.7	0.3	5.9	16	8.5
61313	0	0	0	0	OEce	43.9455	69.8980	15.1	746.4	295	56731.	1313	1.5	1.2	5.5	0.9	0.3	3.9	20	8.4
61312	0	0	0	0	OEce	43.9458	69.8979	15.1	746.4	305	56728.	1282	1.4	2.0	4.9	1.4	0.4	3.5	18	8.4
61311	0	0	1	0	OEce	43.9462	69.8979	15.1	746.3	314	56728.	1302	1.4	1.1	6.3	0.1	0.1	4.7	29	8.3
61310	0	0	1	0	OEec	43.9466	69.8979	15.1	746.3	321	56728.	1377	1.6	1.0	6.2	0.1	0.1	4.1	18	8.2
61309	0	0	1	0	OEec	43.9469	69.8979	15.1	746.3	326	56727.	1348	1.3	1.0	8.6	0.1	0.1	7.0	25	8.1
61307	0	0	1	0	OEec	43.9477	69.8978	15.1	746.2	331	56729.	1354	1.2	0.9	6.9	0.1	0.1	5.8	22	8.1
61306	0	0	0	0	OEec	43.9480	69.8978	15.1	746.2	336	56732.	1189	1.3	1.5	3.6	1.2	0.5	2.8	21	8.0
61305	0	0	0	0	OEec	43.9484	69.8978	15.1	746.2	338	56735.	1104	0.9	1.9	4.1	2.2	0.5	4.7	18	7.9
61304	0	0	0	0	OEec	43.9488	69.8978	15.1	746.2	341	56740.	1030	1.0	1.1	3.2	1.2	0.4	3.4	15	7.8
61303	0	0	0	0	OEec	43.9492	69.8978	15.1	746.1	347	56745.	971	0.8	1.6	5.6	2.2	0.3	7.7	23	7.7
61302	0	0	0	0	OEec	43.9495	69.8977	15.1	746.1	354	56750.	868	0.6	1.5	2.9	2.6	0.6	5.0	20	7.7
61301	0	0	0	0	OEec	43.9499	69.8977	15.1	746.1	365	56757.	926	0.8	1.7	4.2	2.2	0.5	5.3	24	7.6
61300	0	0	0	0	OEec	43.9503	69.8977	15.1	746.1	377	56767.	828	0.9	1.4	2.6	1.7	0.6	3.3	23	7.6
61299	0	0	1	0	OEec	43.9506	69.8977	15.1	746.0	387	56778.	846	0.8	0.1	4.7	0.1	0.1	6.1	19	7.6
61298	0	0	1	0	OEec	43.9510	69.8977	15.1	745.8	393	56792.	765	0.7	0.8	3.5	0.1	0.1	5.6	19	7.5
61297	0	0	1	0	OEec	43.9514	69.8976	15.1	745.8	394	56797.	762	0.6	0.9	5.4	0.1	0.1	9.0	20	7.3
61296	0	0	1	0	OEec	43.9517	69.8976	15.1	745.8	393	56809.	798	0.6	1.1	3.4	0.1	0.1	6.0	15	7.1
61295	0	0	1	0	OEec	43.9521	69.8976	15.1	745.8	391	56822.	752	0.5	1.0	2.4	0.1	0.1	0.1	19	6.9
61294	0	0	0	0	OEec	43.9525	69.8976	15.1	745.8	385	56834.	644	0.5	1.2	2.5	0.1	0.5	0.1	19	6.7
61293	0	0	0	0	OEec	43.9529	69.8976	15.1	745.8	382	56845.	647	0.5	1.2	2.3	0.1	0.6	0.1	18	6.5
61292	0	0	1	0	OEec	43.9532	69.8975	15.1	745.8	384	56857.	610	0.5	0.6	2.7	0.1	0.1	0.1	23	6.4
61291	0	0	0	0	OEec	43.9536	69.8975	15.1	745.8	382	56867.	570	0.4	1.5	1.7	0.1	0.9	0.1	22	6.2
61290	0	0	0	0	OEec	43.9540	69.8975	15.1	745.8	381	56873.	541	0.3	1.4	1.5	0.1	1.0	0.1	24	6.1
61289	0	0	1	0	OEec	43.9543	69.8975	15.1	745.8	377	56876.	527	0.3	0.3	2.0	0.1	0.1	0.1	16	5.9
61288	0	0	1	0	OEec	43.9547	69.8975	15.1	745.8	376	56877.	505	0.4	-0.2	3.7	0.1	0.1	0.1	20	5.8
61287	0	0	1	0	OEec	43.9551	69.8974	15.1	745.8	369	56874.	467	0.3	0.4	2.0	0.1	0.1	0.1	28	5.7
61286	0	0	1	0	OEec	43.9554	69.8974	15.1	745.8	361	56868.	522	0.3	0.7	3.6	0.1	0.1	0.1	20	5.6
61285	0	0	0	0	OEec	43.9558	69.8974	15.1	745.7	355	56859.	582	0.3	1.3	2.1	0.1	0.6	0.1	24	5.4
61284	0	0	1	0	OEec	43.9562	69.8974	15.1	745.7	351	56848.	610	0.6	0.6	3.3	0.1	0.1	6.0	23	5.2
61283	0	0	1	0	OEec	43.9566	69.8974	15.1	745.7	350	56833.	671	0.6	0.5	2.8	0.1	0.1	5.4	31	5.1
61282	0	0	0	0	OEec	43.9569	69.8973	15.1	745.7	349	56818.	754	0.6	1.6	3.1	2.9	0.6	5.8	20	4.9
61281	0	0	1	0	OEec	43.9573	69.8973	15.1	745.7	348	56803.	787	0.6	0.8	3.8	0.1	0.1	6.6	22	4.8
61280	0	0	0	0	OEec	43.9577	69.8973	15.1	745.7	346	56788.	819	0.6	1.6	3.8	2.8	0.5	6.6	20	4.6
61279	0	0	1	0	OEec	43.9580	69.8973	15.1	745.7	342	56772.	809	0.9	1.0	4.3	0.1	0.1	5.2	21	4.5
61278	0	0	1	0	OEec	43.9584	69.8973	15.1	745.7	340	56758.	804	0.8	0.6	3.6	0.1	0.1	4.7	19	4.4
61277	0	0	0	0	OEec	43.9588	69.8972	15.1	745.8	338	56746.	824	0.5	1.7	4.2	0.1	0.4	0.1	16	4.3
61276	0	0	0	0	OEec	43.9591	69.8972	15.1	745.8	340	56737.	858	0.6	2.0	3.8	3.6	0.6	7.0	24	4.2
61275	0	0	0	0	OEec	43.9595	69.8972	15.1	745.8	344	56729.	856	1.0	1.0	2.5	1.0	0.5	2.5	14	4.0
61274	0	0	0	0	OEec	43.9599	69.8972	15.1	745.8	348	56724.	893	0.9	1.7	4.1	2.0	0.5	4.7	26	3.9
61273	0	0	0	0	OEec	43.9602	69.8972	15.1	745.8	350	56721.	931	1.0	1.3	4.0	1.3	0.4	4.1	27	3.9

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
61272	0	0	0	0	OEc	43.9606	69.8971	15.1	745.8	351	56719.	956	0.8	1.9	2.7	2.4	0.8	3.4	24	4.0
61271	0	0	0	0	OEc	43.9610	69.8971	15.1	745.8	354	56718.	982	0.8	1.8	1.9	2.3	1.0	2.4	18	4.0
61270	0	0	0	0	OEc	43.9614	69.8971	15.1	745.7	356	56718.	941	1.0	2.1	4.4	2.2	0.5	4.5	16	4.0
61269	0	0	0	0	OEc	43.9617	69.8971	15.1	745.7	358	56719.	934	0.7	1.4	4.4	2.1	0.4	6.7	22	4.1
61268	0	0	1	0	OEc	43.9621	69.8971	15.1	745.7	359	56720.	986	1.0	0.5	4.8	0.1	0.1	5.1	20	4.2
61267	0	0	0	0	OEc	43.9625	69.8970	15.1	745.7	358	56721.	955	1.1	1.2	2.0	1.1	0.6	2.0	16	4.3
61266	0	0	0	0	Water	43.9628	69.8970	15.1	745.7	356	56723.	1029	1.0	1.8	4.5	1.9	0.4	4.7	25	4.4
61265	0	0	0	0	Water	43.9632	69.8970	15.1	745.6	355	56726.	1029	0.8	2.0	5.1	2.7	0.4	6.7	18	4.4
61264	0	0	0	0	Water	43.9636	69.8970	15.1	745.6	357	56728.	1009	0.8	1.9	2.9	2.5	0.7	3.9	15	4.6
61263	0	0	0	0	Water	43.9639	69.8970	15.1	745.5	363	56732.	920	1.0	2.8	2.9	3.1	1.0	3.1	18	4.8
61262	0	0	0	0	Water	43.9643	69.8969	15.1	745.5	370	56736.	909	0.7	1.5	4.2	2.4	0.4	6.5	25	4.9
61261	0	0	0	0	Water	43.9647	69.8969	15.1	745.5	383	56742.	813	0.7	1.1	3.9	1.7	0.3	6.1	25	5.2
61260	0	0	0	0	Water	43.9651	69.8969	15.1	745.4	394	56747.	788	0.8	2.1	3.9	2.8	0.6	5.1	17	5.5
61259	0	0	1	0	Water	43.9654	69.8969	15.1	745.4	400	56752.	685	0.7	0.5	3.0	0.1	0.1	4.7	20	5.7
61258	0	0	0	0	OEc	43.9658	69.8969	15.1	745.3	395	56758.	690	0.8	1.5	1.7	2.1	0.9	2.4	20	5.9
61257	0	0	1	0	OEc	43.9662	69.8969	15.1	745.3	379	56767.	801	0.8	0.7	3.1	0.1	0.1	4.0	21	6.2
61256	0	0	1	0	OEc	43.9665	69.8969	15.1	745.3	360	56780.	933	0.9	0.9	5.7	0.1	0.1	6.4	14	6.5
61255	0	0	1	0	OEc	43.9669	69.8969	15.1	745.2	349	56789.	975	1.1	0.6	4.4	0.1	0.1	4.2	21	6.7
61254	0	0	0	0	OEc	43.9673	69.8969	15.1	745.2	349	56795.	1091	1.4	2.2	3.1	1.7	0.8	2.3	27	6.9
61253	0	0	1	0	OEc	43.9676	69.8969	15.1	745.1	347	56794.	1198	1.2	0.7	6.2	0.1	0.1	5.4	32	7.1
61252	0	0	1	0	OEc	43.9680	69.8969	15.1	745.1	340	56786.	1286	1.4	1.0	4.5	0.1	0.1	3.4	24	7.3
61251	0	0	0	0	OEc	43.9683	69.8969	15.1	745.0	336	56774.	1211	1.5	1.9	4.0	1.3	0.5	2.7	16	7.5
61250	0	0	0	0	OEc	43.9687	69.8969	15.1	745.0	339	56758.	1315	1.5	1.5	5.4	1.1	0.3	3.7	21	7.7
61249	0	0	0	0	OEc	43.9691	69.8969	15.1	744.9	344	56740.	1361	1.4	2.5	5.2	1.8	0.5	3.9	27	7.8
61248	0	0	0	0	OEc	43.9694	69.8969	15.1	744.9	345	56725.	1369	1.4	1.3	5.3	0.9	0.3	3.8	23	8.0
61247	0	0	0	0	OEc	43.9698	69.8969	15.1	744.8	344	56715.	1432	1.6	1.4	7.0	0.9	0.2	4.3	18	8.2
61246	0	0	1	0	OEc	43.9702	69.8969	15.1	744.8	343	56710.	1402	1.4	1.2	7.4	0.1	0.1	5.3	20	8.4
61245	0	0	0	0	OEc	43.9705	69.8969	15.1	744.7	345	56709.	1470	1.7	2.1	6.5	1.3	0.4	3.9	18	8.5
61244	0	0	0	0	OEc	43.9709	69.8969	15.1	744.7	346	56711.	1502	1.4	1.5	6.4	1.1	0.3	4.6	26	8.5
61243	0	0	1	0	OEc	43.9713	69.8969	15.1	744.6	346	56716.	1377	1.3	0.4	6.8	0.1	0.1	5.6	20	8.4
61242	0	0	1	0	OEc	43.9716	69.8970	15.1	744.1	339	56723.	1394	1.2	0.9	6.5	0.1	0.1	5.8	20	8.4
61241	0	0	0	0	OEc	43.9720	69.8970	15.1	744.1	335	56723.	1372	1.5	2.1	7.4	1.4	0.3	5.0	16	8.5
61240	0	0	0	0	OEc	43.9724	69.8970	15.1	744.1	331	56724.	1348	1.1	1.9	5.1	1.8	0.4	4.7	20	8.7
61239	0	0	0	0	OEc	43.9727	69.8970	15.1	744.1	322	56722.	1308	1.3	2.5	6.2	2.1	0.5	5.1	27	8.6
61238	0	0	1	0	OEc	43.9731	69.8970	15.1	744.1	319	56719.	1293	1.2	0.3	5.9	0.1	0.1	5.1	16	8.6
61237	0	0	0	0	OEc	43.9735	69.8970	15.1	744.1	317	56716.	1346	1.5	1.6	5.3	1.1	0.3	3.6	29	8.6
61236	0	0	0	0	OEc	43.9738	69.8970	15.1	744.1	318	56713.	1308	1.3	2.3	7.0	1.8	0.4	5.3	20	8.5
61235	0	0	1	0	OEc	43.9742	69.8970	15.1	744.1	318	56710.	1249	1.3	0.9	5.6	0.1	0.1	4.5	13	8.4
61234	0	0	1	0	OEc	43.9745	69.8970	15.1	744.1	316	56708.	1172	1.4	0.6	4.4	0.1	0.1	3.3	23	8.4
61233	0	0	0	0	OEc	43.9749	69.8970	15.1	744.1	315	56708.	1234	1.3	1.2	3.9	1.0	0.3	3.1	16	8.4
61232	0	0	1	0	OEc	43.9753	69.8970	15.1	744.1	312	56710.	1178	1.4	0.9	5.1	0.1	0.1	3.9	16	8.3
61231	0	0	0	0	OEc	43.9757	69.8970	15.1	744.1	315	56712.	1220	1.3	1.7	6.0	1.4	0.3	4.9	26	8.3
61230	0	0	1	0	OEc	43.9760	69.8970	15.1	744.1	320	56714.	1181	1.1	0.7	4.3	0.1	0.1	4.0	12	8.2
61229	0	0	0	0	OEc	43.9764	69.8970	15.1	744.0	326	56717.	1138	1.2	1.7	5.3	1.5	0.3	4.7	21	8.1
61228	0	0	0	0	OEc	43.9767	69.8970	15.1	744.0	330	56721.	1247	1.3	1.7	4.2	1.3	0.4	3.4	25	8.1
61227	0	0	0	0	OEc	43.9771	69.8970	15.1	744.0	332	56727.	1247	1.2	2.4	5.7	2.0	0.5	4.8	13	8.0
61226	0	0	0	0	OEc	43.9775	69.8970	15.1	744.0	335	56735.	1296	1.3	1.9	5.2	1.5	0.4	4.1	21	7.9
61225	0	0	0	0	OEc	43.9778	69.8970	15.1	744.0	337	56744.	1251	1.2	1.5	6.5	1.3	0.3	5.5	17	7.9
61224	0	0	0	0	OEc	43.9782	69.8971	15.1	744.0	338	56753.	1272	1.2	2.5	4.0	2.2	0.7	3.5	19	7.9
61223	0	0	0	0	OEc	43.9786	69.8971	15.1	744.0	339	56762.	1242	1.5	1.3	6.1	0.9	0.3	4.2	26	7.7

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
61222	0	0	1	0	OEc	43.9789	69.8971	15.1	743.9	338	56773.	1266	1.2	0.1	6.4	0.1	0.1	5.7	23	7.5
61221	0	0	1	0	OEc	43.9793	69.8971	15.1	743.9	336	56786.	1335	1.4	0.3	8.6	0.1	0.1	6.4	13	7.3
61220	0	0	1	0	OEc	43.9797	69.8971	15.1	743.9	334	56799.	1300	1.2	0.9	7.1	0.1	0.1	6.0	23	7.2
61219	0	0	0	0	OEc	43.9800	69.8971	15.1	743.9	332	56812.	1224	1.3	1.4	4.9	1.2	0.3	4.0	16	7.2
61217	0	0	0	0	OEc	43.9808	69.8971	15.1	744.0	332	56823.	1335	1.4	2.8	6.5	2.1	0.5	4.8	23	7.3
61216	0	0	1	0	OEc	43.9811	69.8971	15.1	744.0	328	56826.	1270	1.3	0.8	7.4	0.1	0.1	6.0	20	7.5
61215	0	0	0	0	OEc	43.9815	69.8971	15.1	744.0	328	56826.	1253	1.2	1.5	5.5	1.3	0.3	4.7	17	7.5
61214	0	0	0	0	OEc	43.9818	69.8971	15.1	744.0	322	56826.	1265	1.3	1.8	6.3	1.4	0.3	4.8	12	7.5
61213	0	0	0	0	OEc	43.9822	69.8971	15.1	744.0	318	56824.	1211	1.3	1.7	3.9	1.3	0.5	3.1	25	7.5
61212	0	0	1	0	OEc	43.9826	69.8971	15.2	744.0	311	56824.	1159	1.0	1.0	6.0	0.1	0.1	6.2	18	7.5
61211	0	0	1	0	OEc	43.9829	69.8971	15.2	744.0	309	56827.	1143	1.2	1.0	4.8	0.1	0.1	4.1	19	7.5
61210	0	0	1	0	OEc	43.9833	69.8971	15.2	744.1	312	56831.	1116	1.2	1.0	5.7	0.1	0.1	5.0	23	7.4
61209	0	0	0	0	OEc	43.9837	69.8971	15.2	744.1	315	56836.	1244	1.4	2.7	3.2	2.0	0.9	2.3	29	7.3
61208	0	0	1	0	OEc	43.9840	69.8971	15.2	744.1	318	56845.	1189	1.0	0.9	4.9	0.1	0.1	5.0	13	7.2
61207	0	0	0	0	OEc	43.9844	69.8971	15.2	744.2	320	56853.	1313	1.1	2.1	6.3	2.0	0.4	5.8	18	7.1
61206	0	0	0	0	OEc	43.9848	69.8972	15.2	744.2	320	56857.	1310	1.5	1.8	5.6	1.3	0.4	3.9	25	7.0
61205	0	0	0	0	OEc	43.9851	69.8972	15.2	744.2	322	56853.	1309	1.3	1.2	7.1	1.0	0.2	5.6	12	6.9
61204	0	0	0	0	OEc	43.9855	69.8972	15.2	744.2	328	56841.	1357	1.2	2.7	6.8	2.3	0.4	5.8	13	6.8
61203	0	0	0	0	OEc	43.9859	69.8972	15.2	744.2	335	56823.	1367	1.3	1.4	5.9	1.1	0.3	4.8	23	6.7
61202	0	0	0	0	OEc	43.9862	69.8972	15.2	744.2	337	56797.	1475	1.6	2.3	6.9	1.5	0.4	4.4	23	6.7
61201	0	0	0	0	OEc	43.9866	69.8972	15.2	744.3	337	56772.	1414	1.5	1.5	7.2	1.1	0.3	5.1	21	6.6
61200	0	0	1	0	OEc	43.9870	69.8972	15.2	744.3	338	56749.	1399	1.3	1.1	7.8	0.1	0.1	6.3	22	6.6
61199	0	0	1	0	OEc	43.9873	69.8972	15.2	744.3	340	56722.	1392	1.4	1.0	5.7	0.1	0.1	4.2	24	6.6
61198	0	0	0	0	OEc	43.9877	69.8972	15.2	744.3	343	56700.	1390	1.3	2.4	8.3	2.0	0.3	6.7	18	6.5
61197	0	0	0	0	OEc	43.9880	69.8972	15.2	744.3	345	56689.	1395	1.6	1.8	5.9	1.2	0.3	3.9	19	6.6
61196	0	0	1	0	OEc	43.9884	69.8972	15.2	744.3	348	56681.	1308	1.3	0.6	7.7	0.1	0.1	6.3	34	6.7
61195	0	0	0	0	OEc	43.9888	69.8972	15.2	744.3	349	56675.	1261	1.3	1.6	8.2	1.3	0.2	6.7	26	6.7
61194	0	0	0	0	OEc	43.9891	69.8972	15.2	744.3	347	56672.	1285	1.1	2.2	4.5	2.0	0.5	4.2	17	6.8
61193	0	0	0	0	OEc	43.9895	69.8972	15.2	744.3	343	56670.	1276	1.3	1.6	5.1	1.3	0.3	4.1	32	6.9
61192	0	0	0	0	OEc	43.9899	69.8972	15.2	744.3	338	56670.	1311	1.3	1.3	6.3	1.0	0.2	5.0	20	6.7
61191	0	0	0	0	OEc	43.9902	69.8972	15.2	744.3	334	56671.	1315	1.4	2.0	4.4	1.5	0.5	3.4	18	6.6
61190	0	0	0	0	OEc	43.9906	69.8972	15.2	744.4	332	56673.	1420	1.5	1.7	5.7	1.1	0.3	3.8	21	6.3
61189	0	0	0	0	OEc	43.9910	69.8972	15.2	744.4	331	56674.	1333	1.4	1.7	5.4	1.3	0.4	4.0	18	6.0
61188	0	0	0	0	OEc	43.9913	69.8973	15.2	744.4	330	56678.	1305	1.2	2.4	6.3	2.1	0.4	5.6	14	5.6
61187	0	0	0	0	OEc	43.9917	69.8973	15.2	744.4	330	56684.	1350	1.2	2.7	6.7	2.3	0.4	5.7	24	5.3
61186	0	0	1	0	OEc	43.9921	69.8973	15.2	744.4	331	56689.	1247	1.4	0.9	4.9	0.1	0.1	3.6	27	5.0
61185	0	0	0	0	OEc	43.9924	69.8973	15.0	744.5	331	56697.	1326	1.3	2.1	5.8	1.6	0.4	4.5	14	4.7
61184	0	0	0	0	OEc	43.9928	69.8973	14.9	744.5	331	56699.	1326	1.3	1.8	5.5	1.4	0.4	4.3	22	4.4
61183	0	0	0	0	OEc	43.9932	69.8973	14.9	744.5	331	56704.	1359	1.3	3.8	5.0	3.0	0.8	3.9	13	4.1
61182	0	0	0	0	OEc	43.9935	69.8973	14.9	744.5	331	56707.	1328	1.2	1.3	7.3	1.1	0.2	6.3	12	3.8
61181	0	0	0	0	OEc	43.9939	69.8973	14.9	744.5	330	56711.	1327	1.5	2.0	4.9	1.4	0.4	3.4	15	3.6
61180	0	0	1	0	OEc	43.9943	69.8973	14.9	744.5	327	56714.	1324	1.4	0.9	6.8	0.1	0.1	5.2	28	3.4
61179	0	0	0	0	OEc	43.9946	69.8973	15.0	744.5	323	56716.	1436	1.7	1.7	7.2	1.0	0.3	4.3	31	3.2
61178	0	0	0	0	OEc	43.9950	69.8973	15.0	744.5	322	56719.	1330	1.5	1.2	6.3	0.8	0.2	4.4	24	3.1
61177	0	0	1	0	OEc	43.9953	69.8973	15.0	744.5	321	56723.	1408	1.8	0.8	8.0	0.1	0.1	4.5	20	2.9
61176	0	0	1	0	OEc	43.9957	69.8973	15.0	744.5	323	56729.	1375	1.5	0.2	8.1	0.1	0.1	5.7	16	2.8
61175	0	0	0	0	OEc	43.9961	69.8973	15.0	744.5	323	56733.	1404	1.6	1.9	10.5	1.3	0.2	6.8	29	2.5
61174	0	0	0	0	OEc	43.9964	69.8973	15.0	744.5	324	56737.	1362	1.3	2.4	6.4	1.9	0.4	5.0	27	2.3
61173	0	0	0	0	OEc	43.9968	69.8973	15.0	744.5	323	56739.	1336	1.2	1.8	6.0	1.6	0.3	5.1	16	2.1
61172	0	0	0	0	OEc	43.9972	69.8973	15.0	744.5	323	56741.	1315	1.4	1.1	5.8	0.8	0.2	4.2	22	1.9

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
61171	0	0	0	0	OEc	43.9975	69.8973	15.0	744.5	324	56747.	1276	1.1	2.0	5.9	1.8	0.4	5.5	15	1.7
61170	0	0	0	0	OEc	43.9979	69.8974	15.0	744.5	326	56755.	1360	1.3	3.9	5.7	3.0	0.7	4.4	24	1.4
61169	0	0	0	0	OEc	43.9983	69.8974	15.0	744.5	331	56763.	1352	1.6	2.6	4.5	1.7	0.6	2.9	18	1.2
61168	0	0	0	0	OEc	43.9986	69.8974	15.0	744.5	335	56774.	1444	1.6	2.0	5.3	1.3	0.4	3.4	27	1.0
61167	0	0	0	0	OEc	43.9990	69.8974	15.1	744.5	339	56785.	1346	1.3	2.6	6.1	2.0	0.5	4.7	21	0.8
61166	0	0	0	0	OEc	43.9994	69.8974	15.1	744.5	342	56792.	1256	1.2	2.1	5.9	1.8	0.4	5.1	20	0.6
61165	0	0	0	0		43.9997	69.8974	15.1	744.5	347	56793.	1251	1.2	2.0	6.6	1.7	0.3	5.5	23	0.7

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												PPS	%	PPM	PPM			CPS	CPS	
65145	0	0	0	0	DSb	43.8372	69.5087	15.3	745.7	410	56930.	843	1.0	1.0	3.0	1.0	0.4	3.0	17	0.0
65146	0	0	0	0	DSb	43.8376	69.5089	15.3	745.6	396	56923.	1052	1.1	3.0	2.7	2.8	1.1	2.6	16	0.0
65147	0	0	0	0	DSb	43.8379	69.5090	15.3	745.6	374	56913.	1157	1.5	1.8	3.5	1.2	0.5	2.4	20	0.0
65148	0	0	0	0	DSb	43.8383	69.5091	15.3	745.5	349	56906.	1204	1.4	1.5	5.3	1.2	0.3	4.0	16	0.1
65149	0	0	0	0	DSb	43.8387	69.5093	15.3	745.4	330	56901.	1116	1.4	2.1	4.2	1.5	0.5	3.0	16	0.3
65150	0	0	0	0	DSb	43.8391	69.5094	15.3	745.4	319	56898.	1045	1.2	1.7	2.3	1.4	0.8	1.9	27	0.5
65151	0	0	0	0	DSb	43.8394	69.5095	15.3	745.3	314	56899.	1015	1.3	1.1	5.0	0.9	0.3	4.0	28	0.7
65152	0	0	0	0	DSb	43.8398	69.5097	15.3	745.2	314	56902.	972	1.0	1.3	4.6	1.3	0.3	4.7	21	1.1
65153	0	0	0	0	DSb	43.8402	69.5098	15.2	745.1	314	56905.	957	0.9	1.7	4.8	2.0	0.4	5.5	16	1.5
65154	0	0	0	0	DSb	43.8406	69.5099	15.2	744.9	316	56909.	958	1.3	0.9	3.9	0.8	0.3	3.1	17	1.8
65155	0	0	0	0	DSb	43.8410	69.5101	15.2	744.8	316	56912.	967	1.1	1.0	3.9	0.9	0.3	3.8	13	2.1
65156	0	0	0	0	DSb	43.8413	69.5102	15.2	744.7	319	56913.	968	1.0	1.9	4.1	1.9	0.5	4.1	17	2.4
65157	0	0	0	0	DSb	43.8417	69.5103	15.2	744.6	321	56915.	978	1.0	1.1	3.0	1.1	0.4	3.0	25	2.7
65158	0	0	0	0	DSb	43.8421	69.5105	15.2	744.4	325	56918.	1045	1.1	2.0	3.7	1.8	0.6	3.3	15	3.0
65159	0	0	0	0	DSb	43.8425	69.5106	15.1	744.3	330	56922.	1002	1.0	2.1	3.8	2.1	0.6	3.9	17	2.9
65160	0	0	1	0	DSb	43.8428	69.5107	15.1	744.2	337	56925.	976	0.9	0.2	5.6	0.1	0.1	6.4	18	3.1
65161	0	0	0	0	DSb	43.8432	69.5109	15.1	744.1	342	56927.	967	0.9	1.6	4.3	1.8	0.4	4.8	19	3.3
65162	0	0	0	0	DSb	43.8436	69.5110	15.1	744.0	349	56929.	1097	1.1	1.6	3.7	1.4	0.5	3.4	11	3.5
65163	0	0	1	0	DSb	43.8440	69.5111	15.1	743.9	356	56929.	1072	1.2	0.9	3.4	0.1	0.1	2.8	30	3.8
65164	0	0	0	0	DSb	43.8444	69.5113	15.1	743.8	365	56929.	1110	1.3	2.4	3.6	2.0	0.7	2.9	27	3.8
65165	0	0	0	0	DSb	43.8447	69.5114	15.1	743.7	374	56930.	1194	1.4	2.1	3.5	1.5	0.6	2.6	25	3.6
65166	0	0	0	0	DSb	43.8451	69.5115	15.0	743.6	380	56930.	1083	1.3	1.6	3.0	1.3	0.6	2.5	23	3.4
65167	0	0	0	0	DSb	43.8455	69.5117	15.0	743.6	390	56932.	1057	1.0	1.5	2.9	1.5	0.5	2.9	13	3.0
65168	0	0	0	0	DSb	43.8459	69.5118	15.0	743.5	401	56933.	1093	1.3	1.8	4.7	1.4	0.4	3.7	24	2.7
65169	0	0	0	0	DSb	43.8462	69.5119	15.0	743.4	415	56933.	1154	1.0	1.5	5.6	1.6	0.3	6.1	26	2.5
65170	0	0	0	0	DSb	43.8466	69.5121	15.0	743.4	425	56934.	1127	1.3	2.1	4.3	1.7	0.5	3.4	16	2.2
65171	0	0	0	0	DSb	43.8470	69.5122	15.0	743.3	427	56936.	1022	1.5	1.4	6.2	1.0	0.3	4.2	26	1.9
65172	0	0	0	0	DSb	43.8474	69.5123	15.0	743.3	426	56939.	959	1.2	1.4	2.8	1.3	0.6	2.5	22	1.6
65173	0	0	1	1	DSb	43.8477	69.5125	14.9	743.2	425	56940.	929	1.1	0.5	1.4	0.1	0.1	0.1	20	1.3
65174	0	0	0	0	DSb	43.8481	69.5126	14.9	743.1	426	56940.	902	1.1	1.0	3.1	1.0	0.4	3.0	27	1.0
65175	0	0	0	0	DSb	43.8485	69.5127	14.9	743.1	426	56942.	878	0.9	1.7	2.0	1.9	0.9	2.2	21	0.8
65176	0	0	1	0	DSb	43.8489	69.5129	14.9	743.1	424	56945.	812	0.8	0.6	3.1	0.1	0.1	4.2	23	0.6
65177	0	0	0	0	DSb	43.8493	69.5130	14.9	743.0	421	56949.	792	0.9	1.6	1.5	1.8	1.1	1.7	19	0.4
65178	0	0	0	0	DSb	43.8496	69.5131	14.9	743.0	417	56952.	794	1.0	1.8	3.0	2.0	0.6	3.3	22	0.2
65179	0	0	0	1	DSb	43.8500	69.5133	14.9	743.0	414	56954.	723	0.7	1.7	1.2	2.4	0.1	0.1	26	0.0
65180	0	0	0	0	DSb	43.8504	69.5134	14.9	742.9	411	56957.	832	0.9	1.9	3.7	2.2	0.5	4.4	20	0.0
65181	0	0	0	0	DSb	43.8508	69.5135	14.9	742.9	411	56960.	871	0.9	1.5	4.4	1.8	0.4	5.3	18	0.0
65182	0	0	0	0	DSb	43.8512	69.5137	14.8	742.8	417	56963.	939	0.9	2.6	3.0	3.0	0.9	3.4	20	0.0
65183	0	0	0	0	DSb	43.8515	69.5138	14.8	742.8	431	56966.	917	0.7	2.1	4.2	3.1	0.6	6.1	17	0.0
65184	0	0	0	0	DSb	43.8519	69.5139	14.8	742.8	447	56968.	1026	1.1	2.7	3.4	2.4	0.8	3.0	19	0.0
65185	0	0	0	0	DSb	43.8523	69.5141	14.8	742.8	452	56966.	994	1.0	2.2	2.1	2.2	1.0	2.2	27	0.0
65186	0	0	0	0	DSb	43.8527	69.5142	14.8	742.8	447	56957.	1001	1.1	1.3	5.2	1.3	0.3	4.9	22	0.0
65187	0	0	0	0	DSb	43.8530	69.5144	14.8	742.8	440	56946.	962	1.0	2.4	4.5	2.6	0.6	4.9	28	0.0
65188	0	0	0	0	DSb	43.8534	69.5145	14.8	742.8	440	56939.	896	0.9	1.7	4.8	2.0	0.4	5.8	21	0.0
65189	0	0	0	0	DSb	43.8538	69.5146	14.8	742.8	443	56936.	873	1.0	1.9	1.9	2.0	1.0	2.0	26	0.0
65190	0	0	0	1	DSb	43.8542	69.5147	14.8	742.8	446	56933.	879	0.9	3.2	1.0	3.5	0.1	0.1	20	0.0
65191	0	0	0	0	DSb	43.8545	69.5149	14.8	742.8	447	56931.	923	0.9	1.6	2.9	2.0	0.6	3.6	25	0.1
65192	0	0	0	0	DSb	43.8549	69.5150	14.8	742.8	447	56931.	940	0.7	2.6	3.2	3.9	0.9	4.8	22	0.5
65193	0	0	0	0	DSb	43.8553	69.5152	14.7	742.8	446	56929.	934	0.9	1.9	3.8	2.1	0.6	4.1	21	0.8
65194	0	0	1	0	DSb	43.8557	69.5153	14.7	742.9	446	56926.	866	1.0	0.1	3.8	0.1	0.1	4.0	23	1.1

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
65195	0	0	1	0	DSb	43.8560	69.5154	14.7	742.9	446	56922.	893	1.2	0.7	1.9	0.1	0.1	1.6	28	1.4
65196	0	0	0	0	DSb	43.8564	69.5155	14.7	742.9	448	56918.	895	0.8	1.7	3.0	2.1	0.6	3.7	20	1.8
65197	0	0	0	0	DSb	43.8568	69.5157	14.7	742.9	454	56914.	935	1.0	2.3	3.1	2.4	0.8	3.2	26	2.0
65199	0	0	0	0	DSb	43.8576	69.5159	14.7	742.9	461	56912.	910	1.1	1.4	2.6	1.3	0.6	2.4	29	2.3
65200	0	0	0	0	DSb	43.8579	69.5161	14.7	743.0	465	56910.	961	1.1	2.3	2.5	2.3	1.0	2.4	19	2.6
65201	0	0	1	0	DSb	43.8583	69.5162	14.7	743.0	462	56908.	973	1.4	1.1	4.0	0.1	0.1	2.9	28	2.7
65202	0	0	1	0	DSb	43.8587	69.5164	14.7	743.0	455	56907.	832	0.8	0.3	3.4	0.1	0.1	4.8	26	2.9
65203	0	0	1	0	DSb	43.8591	69.5165	14.7	743.1	444	56906.	931	0.9	1.1	2.1	0.1	0.1	2.5	23	3.1
65204	0	0	0	0	DSb	43.8594	69.5166	14.7	743.1	437	56904.	886	0.9	1.7	4.6	2.0	0.4	5.5	16	3.3
65205	0	0	0	0	DSb	43.8598	69.5168	14.7	743.1	432	56902.	968	1.3	2.0	2.4	1.6	0.9	1.9	16	3.6
65206	0	0	0	0	DSb	43.8602	69.5169	14.7	743.1	427	56901.	1121	1.3	2.3	5.2	1.9	0.5	4.2	21	3.7
65207	0	0	0	0	DSb	43.8606	69.5170	14.7	743.2	422	56898.	1111	1.2	1.7	2.2	1.5	0.8	1.9	17	3.7
65208	0	0	0	0	DSb	43.8610	69.5172	14.7	743.2	416	56895.	1094	1.3	3.5	5.5	2.8	0.7	4.5	21	3.7
65209	0	0	0	0	DSb	43.8613	69.5173	14.7	743.2	413	56894.	1033	1.2	1.4	2.6	1.3	0.6	2.3	20	3.6
65210	0	0	1	0	DSb	43.8617	69.5174	14.7	743.2	410	56894.	1024	1.3	0.9	4.4	0.1	0.1	3.5	25	3.4
65211	0	0	0	0	DSb	43.8621	69.5176	14.7	743.2	408	56897.	1031	1.1	1.7	3.4	1.6	0.6	3.2	28	3.0
65212	0	0	0	0	DSb	43.8625	69.5177	14.7	743.3	408	56899.	1006	1.0	1.4	3.7	1.5	0.4	3.9	22	2.6
65213	0	0	0	0	DSb	43.8628	69.5178	14.7	743.3	409	56901.	1059	1.3	2.3	6.5	1.8	0.4	5.1	19	2.2
65214	0	0	1	0	DSb	43.8632	69.5180	14.7	743.3	412	56902.	1042	1.0	0.3	2.8	0.1	0.1	2.8	22	1.9
65215	0	0	0	0	DSb	43.8636	69.5181	14.7	743.3	416	56903.	1166	1.2	1.5	5.6	1.3	0.3	4.7	16	1.5
65216	0	0	1	0	DSb	43.8640	69.5182	14.7	743.4	420	56904.	1204	1.4	0.9	5.7	0.1	0.1	4.1	16	1.1
65217	0	0	0	0	DSb	43.8643	69.5184	14.7	743.4	422	56906.	1127	1.2	2.7	4.8	2.3	0.6	4.2	20	0.7
65218	0	0	0	0	DSb	43.8647	69.5185	14.7	743.5	423	56907.	1168	1.2	2.8	3.9	2.5	0.8	3.4	20	0.6
65219	0	0	0	0	DSb	43.8651	69.5186	14.7	743.5	421	56908.	1194	1.1	2.8	4.3	2.7	0.7	4.1	30	0.5
65220	0	0	0	0	DSb	43.8655	69.5188	14.7	743.5	419	56908.	1214	1.5	1.4	5.5	1.0	0.3	3.8	18	0.4
65221	0	0	0	0	DSb	43.8659	69.5189	14.7	743.6	417	56909.	1249	1.6	2.2	4.8	1.4	0.5	3.1	23	0.2
65222	0	0	0	0	DSb	43.8662	69.5190	14.7	743.6	418	56911.	1220	1.2	2.4	3.2	2.1	0.8	2.7	16	0.2
65223	0	0	0	0	DSb	43.8666	69.5192	14.7	743.7	421	56912.	1336	1.7	1.3	5.5	0.8	0.3	3.4	21	0.4
65224	0	0	0	0	DSb	43.8670	69.5193	14.6	743.7	424	56913.	1171	1.5	1.6	6.3	1.1	0.3	4.2	19	0.4
65225	0	0	0	0	DSb	43.8674	69.5194	14.6	743.7	425	56914.	1161	0.8	2.6	6.8	3.3	0.4	8.6	24	0.3
65226	0	0	0	0	DSb	43.8677	69.5196	14.6	743.8	426	56915.	1196	1.2	3.6	6.0	3.1	0.6	5.2	17	0.3
65227	0	0	0	0	DSb	43.8681	69.5197	14.6	743.8	433	56916.	1157	1.2	2.1	5.0	1.8	0.5	4.2	14	0.4
65228	0	0	0	0	DSb	43.8686	69.5198	14.6	743.9	443	56916.	1011	1.0	1.7	4.5	1.8	0.4	4.6	19	0.2
65229	0	0	0	0	DSb	43.8690	69.5200	14.6	743.9	453	56915.	917	0.9	1.8	3.7	2.2	0.5	4.5	24	0.3
65230	0	0	0	0	DSb	43.8694	69.5201	14.6	743.9	457	56915.	680	0.8	1.3	1.7	1.6	0.8	2.1	21	0.3
65231	0	0	1	0	DSb	43.8698	69.5202	14.6	743.9	459	56915.	572	0.7	0.7	1.5	0.1	0.1	2.4	13	0.5
65232	0	0	0	0	DSb	43.8702	69.5204	14.6	744.0	459	56914.	518	0.6	2.1	3.1	4.0	0.7	6.0	22	0.7
65233	0	0	1	1	DSb	43.8706	69.5205	14.6	744.0	458	56914.	473	0.4	1.0	0.3	0.1	0.1	0.1	24	0.9
65234	0	0	0	1	DSb	43.8710	69.5206	14.6	744.0	456	56912.	546	0.8	1.7	1.1	2.2	0.1	0.1	19	1.1
65235	0	0	1	1	DSb	43.8714	69.5208	14.6	744.0	453	56910.	697	0.9	0.8	1.2	0.1	0.1	0.1	27	1.3
65236	0	0	0	0	DSb	43.8718	69.5209	14.6	744.0	451	56909.	833	1.1	2.3	2.3	2.1	1.1	2.1	13	1.4
65237	0	0	0	0	DSb	43.8722	69.5211	14.6	744.0	450	56910.	963	1.2	2.7	4.2	2.3	0.7	3.6	18	1.7
65238	0	0	0	0	DSb	43.8726	69.5212	14.6	744.0	449	56912.	987	1.2	2.0	2.5	1.8	0.9	2.2	21	1.9
65239	0	0	0	0	DSb	43.8730	69.5213	14.6	744.1	446	56914.	1156	1.3	1.1	2.6	0.9	0.5	2.0	30	2.0
65240	0	0	0	0	DSb	43.8734	69.5215	14.6	744.1	442	56917.	1127	1.6	2.0	3.5	1.3	0.6	2.2	21	2.2
65241	0	0	0	0	DSb	43.8738	69.5216	14.6	744.1	441	56919.	1224	1.0	1.8	5.4	1.9	0.4	5.7	20	2.3
65242	0	0	1	0	DSb	43.8742	69.5217	14.6	744.1	442	56921.	1245	1.7	1.1	4.7	0.1	0.1	2.8	18	2.3
65243	0	0	1	0	DSb	43.8746	69.5219	14.6	744.1	447	56922.	1199	1.5	1.1	4.6	0.1	0.1	3.2	25	2.0
65244	0	0	0	0	DSb	43.8750	69.5220	14.6	744.1	450	56923.	1016	1.3	1.6	3.9	1.3	0.5	3.2	18	1.7
65245	0	0	0	0	DSb	43.8754	69.5221	14.6	744.1	452	56923.	1032	1.2	1.8	4.9	1.6	0.4	4.2	17	1.3

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
													CPS	%	PPM	PPM			CPS	CPS
65246	0	0	0	0	DSb	43.8758	69.5223	14.6	744.1	453	56923.	969	1.3	1.4	3.7	1.2	0.4	3.0	25	1.1
65247	0	0	0	0	Water	43.8762	69.5224	14.6	744.1	452	56920.	958	1.0	1.9	3.1	2.1	0.7	3.4	22	0.8
65248	0	0	0	0	Water	43.8766	69.5225	14.6	744.1	445	56913.	937	0.8	1.7	3.1	2.1	0.6	4.0	21	0.6
65249	0	0	0	0	Water	43.8770	69.5227	14.6	744.1	436	56903.	944	1.1	2.4	3.5	2.3	0.7	3.3	28	0.6
65250	0	0	0	0	Water	43.8775	69.5228	14.6	744.1	430	56893.	906	0.8	2.4	2.6	3.3	1.0	3.5	14	0.6
65251	0	0	1	0	Water	43.8779	69.5230	14.6	744.1	427	56888.	852	1.2	1.0	5.3	0.1	0.1	4.6	23	0.5
65252	0	0	0	1	Water	43.8783	69.5231	14.7	744.1	446	56881.	743	0.8	1.1	1.1	1.4	0.1	0.1	23	0.5
65253	0	0	1	1	Water	43.8787	69.5232	14.7	744.1	450	56878.	515	0.6	0.3	1.3	0.1	0.1	0.1	16	0.4
65254	0	0	1	0	Water	43.8791	69.5234	14.7	744.0	454	56878.	434	0.5	0.8	2.0	0.1	0.1	0.1	26	0.1
65255	0	0	0	0	Water	43.8795	69.5235	14.7	744.0	456	56879.	362	0.4	1.2	2.0	0.1	0.6	0.1	23	0.0
65256	0	0	1	1	Water	43.8799	69.5236	14.7	743.9	458	56880.	326	0.5	0.2	1.2	0.1	0.1	0.1	12	0.0
65257	0	1	1	1	Water	43.8803	69.5238	14.7	743.8	460	56882.	271	0.1	0.9	1.2	0.1	0.1	0.1	22	0.0
65258	0	0	0	0	Water	43.8807	69.5239	14.7	743.8	462	56883.	310	0.3	1.4	2.4	0.1	0.6	0.1	27	0.0
65259	0	1	0	1	Water	43.8811	69.5240	14.8	743.7	464	56885.	369	0.2	1.1	1.0	0.1	0.1	0.1	12	0.0
65260	0	0	1	0	DSb	43.8815	69.5242	14.8	743.6	466	56887.	533	0.6	1.0	2.1	0.1	0.1	3.9	27	0.0
65261	0	0	0	0	DSb	43.8819	69.5243	14.8	743.5	461	56887.	733	0.5	2.9	2.9	0.1	1.0	0.1	22	0.0
65262	0	0	0	0	DSb	43.8823	69.5244	14.8	743.4	445	56888.	1041	1.1	2.1	5.2	2.0	0.5	4.7	17	0.0
65263	0	0	0	0	DSb	43.8827	69.5246	14.8	743.2	422	56889.	1157	1.1	2.7	2.5	2.6	1.1	2.4	29	0.0
65264	0	0	0	0	DSb	43.8831	69.5247	14.8	743.1	401	56891.	1332	1.2	3.0	4.9	2.6	0.7	4.2	31	0.0
65265	0	0	0	0	DSb	43.8835	69.5249	14.8	743.0	389	56893.	1439	1.6	2.1	4.4	1.4	0.5	2.8	21	0.0
65266	0	0	0	0	DSb	43.8839	69.5250	14.8	742.9	383	56897.	1421	1.6	2.0	5.7	1.3	0.4	3.8	15	0.0
65267	0	0	0	0	DSb	43.8843	69.5250	14.8	742.7	379	56899.	1429	1.5	2.5	6.1	1.7	0.5	4.1	15	0.0
65268	0	0	0	0	DSb	43.8848	69.5250	14.8	742.6	373	56900.	1305	1.2	3.1	5.8	2.7	0.6	5.0	22	0.0
65269	0	0	0	0	DSb	43.8852	69.5250	14.8	742.5	368	56901.	1323	1.2	1.9	4.3	1.6	0.5	3.6	22	0.0
65270	0	0	0	0	DSb	43.8856	69.5250	14.8	742.3	366	56901.	1320	1.5	2.4	5.8	1.6	0.5	3.9	27	0.0
65271	0	0	0	0	DSb	43.8860	69.5250	14.8	742.2	367	56901.	1181	1.1	1.7	3.7	1.5	0.5	3.4	28	0.0
65272	0	0	0	0	DSb	43.8865	69.5251	14.8	742.0	370	56904.	1222	1.3	1.8	2.9	1.4	0.7	2.3	19	0.0
65273	0	0	0	0	DSb	43.8869	69.5251	14.8	741.9	370	56909.	1248	1.2	1.1	5.2	0.9	0.3	4.3	23	0.0
65274	0	0	0	0	DSb	43.8873	69.5251	14.8	741.8	376	56913.	1323	1.4	2.5	7.2	1.9	0.4	5.5	27	0.0
65275	0	0	0	0	DSb	43.8877	69.5251	14.8	741.6	380	56916.	1363	1.4	2.1	4.1	1.5	0.6	2.9	18	0.0
65276	0	0	0	0	DSb	43.8882	69.5251	14.8	741.5	385	56918.	1461	1.5	1.7	7.9	1.1	0.3	5.3	18	0.0
65277	0	0	0	0	DSb	43.8886	69.5251	14.8	741.4	386	56921.	1495	1.5	1.9	6.0	1.3	0.3	4.3	24	0.0
65278	0	0	1	0	DSb	43.8890	69.5251	14.8	741.2	387	56923.	1376	1.7	1.1	5.2	0.1	0.1	3.2	22	0.0
65279	0	0	0	0	DSb	43.8894	69.5251	14.8	741.1	387	56922.	1475	1.6	1.9	5.3	1.3	0.4	3.4	24	0.0
65280	0	0	0	0	DSb	43.8899	69.5251	14.8	741.0	388	56921.	1387	1.4	1.5	6.2	1.1	0.3	4.7	18	0.0
65281	0	0	0	0	DSb	43.8903	69.5251	14.8	740.8	390	56921.	1432	1.6	1.5	5.4	1.0	0.3	3.5	22	0.0
65282	0	0	0	0	DSb	43.8907	69.5251	14.8	740.7	395	56922.	1590	1.7	3.1	7.6	1.9	0.5	4.6	24	0.0
65283	0	0	0	0	DSb	43.8911	69.5252	14.8	740.6	396	56924.	1657	1.5	3.4	4.3	2.4	0.9	3.0	14	0.0
65284	0	0	0	0	DSb	43.8915	69.5252	14.8	740.5	397	56926.	1790	1.7	2.2	6.5	1.4	0.4	4.0	23	0.0
65285	0	0	0	0	DSb	43.8920	69.5252	14.8	740.4	392	56929.	1906	1.8	4.2	6.7	2.4	0.7	3.8	19	0.0
65286	0	0	0	0	DSb	43.8924	69.5252	14.8	740.2	389	56931.	1791	1.7	3.9	7.7	2.3	0.6	4.6	22	0.0
65287	0	0	0	0	DSb	43.8928	69.5252	14.7	740.1	387	56932.	1796	1.7	2.8	6.4	1.7	0.5	3.8	24	0.0
65288	0	0	0	0	DSb	43.8932	69.5252	14.7	740.0	389	56933.	1735	1.9	5.1	5.9	2.8	0.9	3.2	12	0.0
65290	0	0	0	0	DSb	43.8941	69.5252	14.7	739.9	394	56933.	1721	1.7	2.5	8.3	1.5	0.3	5.1	18	0.0
65291	0	0	0	0	DSb	43.8945	69.5252	14.7	739.8	400	56932.	1584	1.6	3.4	8.6	2.2	0.4	5.5	24	0.0
65292	0	0	0	0	DSb	43.8949	69.5252	14.7	739.8	408	56932.	1567	1.5	2.6	5.9	1.8	0.5	4.1	24	0.2
65293	0	0	0	0	DSb	43.8954	69.5253	14.7	739.7	418	56931.	1516	1.2	2.0	7.2	1.7	0.3	6.0	25	0.3
65294	0	0	0	0	DSb	43.8958	69.5253	14.7	739.6	427	56929.	1490	1.4	3.1	5.6	2.2	0.6	4.0	22	0.4
65295	0	0	0	0	DSb	43.8962	69.5253	14.7	739.5	432	56927.	1537	1.7	3.1	7.7	1.9	0.5	4.7	27	0.7
65296	0	0	0	0	DSb	43.8966	69.5253	14.7	739.4	434	56925.	1513	1.5	2.0	7.3	1.3	0.3	4.9	12	0.8

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
65297	0	0	0	0	DSb	43.8971	69.5253	14.7	739.4	436	56923.	1486	1.4	2.2	8.2	1.6	0.3	6.0	27	0.9
65298	0	0	0	0	DSb	43.8975	69.5253	14.7	739.4	441	56920.	1519	1.4	2.7	7.1	1.9	0.4	5.2	19	1.0
65299	0	0	0	0	DSb	43.8979	69.5253	14.7	739.3	447	56919.	1410	1.5	3.1	5.1	2.2	0.6	3.6	27	1.0
65300	0	0	0	0	DSb	43.8983	69.5253	14.7	739.3	451	56919.	1410	1.3	1.4	8.6	1.1	0.2	7.1	29	1.0
65301	0	0	0	0	DSb	43.8988	69.5253	14.6	739.3	453	56921.	1393	1.4	3.0	4.6	2.3	0.7	3.5	23	1.0
65302	0	0	0	0	DSb	43.8992	69.5253	14.6	739.2	455	56924.	1525	1.6	1.9	8.4	1.3	0.3	5.5	18	1.0
65303	0	0	0	0	DSb	43.8996	69.5254	14.6	739.2	457	56924.	1704	1.9	3.7	6.4	2.0	0.6	3.4	12	1.1
65304	0	0	0	0	DSb	43.9000	69.5254	14.6	739.2	461	56923.	1735	1.6	2.3	7.4	1.5	0.3	4.8	34	1.3
65305	0	0	0	0	DSb	43.9004	69.5254	14.6	739.2	463	56921.	1683	1.9	2.9	8.6	1.6	0.4	4.7	23	1.6
65306	0	0	1	0	DSb	43.9009	69.5254	14.6	739.2	466	56920.	1657	1.8	1.2	7.3	0.1	0.1	4.1	17	1.6
65307	0	0	0	0	DSb	43.9013	69.5254	14.6	739.2	467	56919.	1618	1.7	3.9	6.7	2.3	0.6	3.9	19	1.6
65308	0	0	0	0	DSb	43.9017	69.5254	14.6	739.2	467	56918.	1541	1.4	2.3	6.0	1.8	0.4	4.5	18	1.7
65309	0	0	0	0	DSb	43.9021	69.5254	14.6	738.8	480	56917.	1485	1.7	3.1	7.3	1.9	0.5	4.5	22	1.8
65310	0	0	0	0	DSb	43.9026	69.5254	14.6	738.8	489	56917.	1345	1.2	2.5	6.3	2.1	0.4	5.3	19	1.8
65311	0	0	1	0	DSb	43.9030	69.5254	14.6	738.8	500	56917.	1267	1.5	1.2	6.9	0.1	0.1	4.6	23	1.9
65312	0	0	0	0	DSb	43.9034	69.5255	14.6	738.7	509	56918.	1093	0.9	2.0	4.5	2.4	0.5	5.4	18	1.9
65313	0	0	0	0	DSb	43.9038	69.5255	14.6	738.7	516	56920.	1247	1.4	1.8	7.4	1.3	0.3	5.5	19	1.8
65314	0	0	0	0	DSb	43.9043	69.5255	14.6	738.7	520	56920.	1160	1.2	2.2	6.9	1.9	0.4	5.9	19	1.8
65315	0	0	0	0	DSb	43.9047	69.5255	14.6	738.6	523	56920.	1322	1.4	2.4	6.8	1.8	0.4	5.0	28	1.8
65316	0	0	1	0	DSb	43.9051	69.5255	14.6	738.6	525	56920.	1330	1.1	1.1	5.6	0.1	0.1	5.2	29	1.6
65317	0	0	0	0	DSb	43.9055	69.5255	14.6	738.6	532	56920.	1347	1.3	3.0	7.3	2.3	0.5	5.6	22	1.5
65318	0	0	0	0	DSb	43.9060	69.5256	14.6	738.5	535	56920.	1324	1.0	2.2	4.0	2.3	0.6	4.1	27	1.5
65319	0	0	0	0	DSb	43.9064	69.5257	14.6	738.5	537	56919.	1386	1.6	1.7	8.3	1.1	0.2	5.3	19	1.5
65320	0	0	0	0	DSb	43.9068	69.5257	14.6	738.5	534	56917.	1464	1.4	4.9	7.2	3.7	0.7	5.4	19	1.4
65321	0	0	0	0	DSb	43.9073	69.5258	14.6	738.5	536	56916.	1441	1.2	2.9	3.3	2.5	0.9	2.8	15	1.4
65322	0	0	0	0	DSb	43.9077	69.5259	14.6	738.5	541	56916.	1369	1.4	3.2	5.0	2.3	0.7	3.6	24	1.3
65323	0	0	0	0	DSb	43.9081	69.5260	14.6	738.5	547	56915.	1496	1.3	2.8	6.1	2.2	0.5	4.8	16	1.3
65324	0	0	0	0	DSb	43.9086	69.5260	14.6	738.5	553	56914.	1347	1.3	1.8	4.2	1.5	0.5	3.4	15	1.3
65325	0	0	0	0	DSb	43.9090	69.5261	14.6	738.5	557	56913.	1359	1.4	2.9	4.3	2.1	0.7	3.1	27	1.3
65326	0	0	1	0	DSb	43.9094	69.5262	14.6	738.5	558	56913.	1287	1.3	1.2	5.1	0.1	0.1	3.9	20	1.2
65327	0	0	0	0	DSb	43.9098	69.5263	14.6	738.5	556	56914.	1290	1.5	1.8	4.1	1.3	0.5	2.8	21	1.2
65328	0	0	0	0	DSb	43.9103	69.5264	14.6	738.5	551	56916.	1331	1.4	1.5	3.6	1.1	0.5	2.7	22	1.2
65329	0	0	0	0	DSb	43.9107	69.5264	14.6	738.6	547	56917.	1269	1.5	2.8	2.7	2.0	1.1	1.9	18	1.4
65330	0	0	0	0	DSb	43.9111	69.5265	14.6	738.6	544	56918.	1259	1.1	1.6	5.7	1.6	0.3	5.5	10	1.6
65331	0	0	0	0	DSb	43.9115	69.5266	14.6	738.6	542	56920.	1337	1.5	2.2	4.3	1.5	0.6	2.9	16	1.8
65332	0	0	0	0	DSb	43.9120	69.5267	14.6	738.6	539	56921.	1216	1.5	3.0	3.1	2.2	1.0	2.2	22	1.8
65333	0	0	0	0	DSb	43.9124	69.5267	14.6	738.7	537	56922.	1249	1.3	2.5	4.9	2.0	0.6	3.9	16	1.9
65334	0	0	1	0	DSb	43.9128	69.5268	14.5	738.7	536	56922.	1296	1.4	0.7	3.4	0.1	0.1	2.5	25	1.9
65335	0	0	0	0	DSb	43.9133	69.5269	14.5	738.7	534	56922.	1268	1.3	1.9	3.4	1.5	0.6	2.7	26	1.9
65336	0	0	0	0	DSb	43.9137	69.5270	14.5	738.8	531	56920.	1322	1.3	2.5	6.7	2.0	0.4	5.4	27	1.8
65337	0	0	0	0	DSb	43.9141	69.5271	14.5	738.8	529	56918.	1299	1.3	1.7	7.1	1.3	0.3	5.5	10	1.8
65338	0	0	0	0	DSb	43.9146	69.5271	14.5	738.9	527	56917.	1349	1.4	2.9	4.8	2.2	0.6	3.6	21	2.0
65339	0	0	0	0	DSb	43.9150	69.5272	14.5	738.9	525	56917.	1281	1.4	3.3	4.6	2.4	0.8	3.3	15	2.1
65340	0	0	0	0	DSb	43.9154	69.5273	14.5	739.0	522	56918.	1202	1.3	1.9	3.4	1.5	0.6	2.6	32	2.1
65341	0	0	0	0	DSb	43.9158	69.5274	14.5	739.0	519	56921.	1153	0.8	2.6	4.2	3.4	0.7	5.4	20	2.2
65342	0	0	0	0	DSb	43.9163	69.5275	14.5	739.1	515	56923.	1219	1.3	2.3	5.2	1.8	0.5	4.1	17	2.2
65343	0	0	0	0	DSb	43.9167	69.5275	14.5	739.2	512	56926.	1190	1.1	2.7	4.8	2.6	0.6	4.5	23	2.3
65344	0	0	1	0	DSb	43.9171	69.5276	14.5	739.3	514	56929.	1145	1.4	0.8	4.5	0.1	0.1	3.4	25	2.2
65345	0	0	0	0	DSb	43.9176	69.5277	14.5	739.3	516	56932.	1216	1.7	1.7	6.9	1.1	0.3	4.2	16	2.2
65346	0	0	0	0	DSb	43.9180	69.5278	14.5	739.4	519	56934.	1216	1.3	2.4	6.3	1.9	0.4	4.9	24	2.2

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
65347	0	0	0	0	DSb	43.9184	69.5278	14.5	739.6	519	56936.	1204	1.2	3.1	4.8	2.8	0.7	4.3	17	2.2
65348	0	0	0	0	DSb	43.9189	69.5279	14.5	739.7	516	56938.	1179	1.4	2.0	5.2	1.5	0.4	3.9	28	2.2
65349	0	0	0	0	DSb	43.9193	69.5280	14.5	739.8	512	56940.	1096	1.1	3.6	2.8	3.3	1.3	2.7	18	2.2
65350	0	0	0	0	DSb	43.9197	69.5281	14.5	739.9	502	56942.	1209	1.3	4.3	4.2	3.4	1.1	3.3	22	2.2
65351	0	0	0	0	DSb	43.9202	69.5282	14.5	740.1	492	56943.	1208	1.0	3.1	5.3	3.1	0.6	5.4	25	2.3
65352	0	0	0	0	DSb	43.9206	69.5282	14.6	740.2	478	56945.	1182	1.1	1.5	4.9	1.4	0.3	4.5	17	2.4
65353	0	0	0	0	DSb	43.9210	69.5283	14.6	740.3	467	56947.	1176	1.2	1.5	4.1	1.3	0.4	3.5	19	2.4
65354	0	0	0	0	DSb	43.9214	69.5284	14.6	740.3	453	56950.	1159	1.2	2.3	5.2	2.1	0.5	4.6	28	2.3
65355	0	0	1	0	DSb	43.9219	69.5285	14.6	740.4	441	56952.	1192	1.1	1.1	7.3	0.1	0.1	6.8	19	2.1
65356	0	0	0	0	DSb	43.9223	69.5285	14.6	740.4	429	56953.	1190	1.3	1.8	6.1	1.5	0.3	5.0	20	1.9
65357	0	0	0	0	DSb	43.9227	69.5286	14.6	740.5	420	56953.	1215	1.1	1.8	6.3	1.8	0.3	5.9	17	2.1
65358	0	0	0	0	DSb	43.9232	69.5287	14.6	740.6	414	56952.	1168	1.0	2.8	5.3	3.0	0.6	5.6	17	2.5
65359	0	0	0	0	DSb	43.9236	69.5288	14.6	740.6	410	56951.	1183	1.3	1.3	6.5	1.0	0.3	5.0	16	2.9
65360	0	0	0	0	DSb	43.9240	69.5289	14.6	740.6	409	56950.	1164	1.3	2.1	4.2	1.7	0.5	3.3	18	3.2
65361	0	0	1	0	DSb	43.9244	69.5289	14.6	740.7	409	56951.	1181	1.1	1.1	5.6	0.1	0.1	5.3	15	3.6
65362	0	0	0	0	DSb	43.9249	69.5290	14.6	740.7	411	56953.	1171	1.0	2.4	5.1	2.5	0.5	5.4	9	4.0
65363	0	0	0	0	DSb	43.9253	69.5291	14.6	740.6	412	56954.	1189	1.1	1.8	6.1	1.7	0.3	5.9	17	4.2
65364	0	0	1	0	DSb	43.9257	69.5292	14.6	740.6	412	56955.	1161	1.0	1.1	4.5	0.1	0.1	4.7	24	4.4
65365	0	0	0	0	DSb	43.9262	69.5293	14.6	741.5	405	56957.	1185	0.9	2.7	4.9	3.0	0.6	5.4	22	4.5
65366	0	0	0	0	DSb	43.9266	69.5293	14.6	741.6	401	56956.	1131	0.9	1.5	4.0	1.8	0.4	4.9	17	4.6
65367	0	0	0	0	DSb	43.9270	69.5294	14.6	741.6	399	56953.	1187	1.2	1.4	5.2	1.2	0.3	4.5	24	4.9
65368	0	0	1	0	DSb	43.9274	69.5295	14.6	741.8	402	56950.	1208	1.2	1.0	5.5	0.1	0.1	4.6	20	5.1
65369	0	0	0	0	DSb	43.9279	69.5296	14.6	741.8	409	56949.	1185	1.1	2.2	3.9	2.0	0.6	3.6	23	5.3
65370	0	0	0	0	DSb	43.9283	69.5296	14.6	741.9	412	56949.	1174	1.3	1.4	6.1	1.1	0.3	4.7	24	5.6
65371	0	0	0	0	DSb	43.9287	69.5297	14.6	742.0	413	56948.	1194	1.0	1.7	7.9	1.9	0.3	8.6	19	5.9
65372	0	0	0	0	DSb	43.9292	69.5298	14.6	742.1	411	56946.	1216	1.1	2.8	5.6	2.7	0.5	5.3	18	6.2
65373	0	0	1	0	DSb	43.9296	69.5299	14.6	742.2	411	56943.	1171	1.0	0.8	4.9	0.1	0.1	5.2	25	6.5
65374	0	0	0	0	DSb	43.9300	69.5300	14.6	742.3	412	56940.	1144	1.1	1.9	4.6	1.9	0.5	4.5	20	6.7
65375	0	0	0	0	DSb	43.9305	69.5300	14.6	742.4	409	56936.	1124	1.0	1.3	4.5	1.4	0.3	4.8	20	6.7
65376	0	0	1	0	DSb	43.9309	69.5301	14.6	742.5	401	56935.	924	0.9	0.9	5.0	0.1	0.1	5.5	24	6.6
65377	0	0	1	0	DSb	43.9313	69.5302	14.6	742.5	386	56934.	915	0.8	0.6	3.0	0.1	0.1	4.2	29	6.4
65378	0	0	0	0	DSb	43.9317	69.5303	14.6	742.6	372	56933.	908	0.8	1.6	4.8	2.3	0.4	6.8	18	6.3
65379	0	0	1	0	DSb	43.9322	69.5303	14.6	742.6	357	56933.	875	0.7	0.3	3.8	0.1	0.1	5.8	15	6.1
65381	0	0	0	0	DSb	43.9330	69.5305	14.6	742.6	347	56931.	1027	1.1	1.5	5.3	1.5	0.3	5.2	22	6.0
65382	0	0	1	0	DSb	43.9335	69.5306	14.6	742.6	341	56928.	913	0.7	0.5	5.5	0.1	0.1	8.1	16	5.9
65383	0	0	0	0	DSb	43.9339	69.5307	14.6	742.6	343	56925.	1074	1.1	1.9	3.7	1.7	0.5	3.5	22	5.7
65384	0	0	0	0	DSb	43.9343	69.5307	14.6	742.6	347	56924.	1153	1.3	1.7	3.0	1.4	0.6	2.4	29	5.4
65385	0	0	0	0	DSb	43.9348	69.5308	14.6	742.6	354	56921.	1158	1.1	1.9	5.4	1.8	0.4	5.1	17	5.3
65386	0	0	1	0	DSb	43.9352	69.5308	14.6	742.6	364	56920.	1160	1.2	0.9	5.1	0.1	0.1	4.4	22	5.2
65387	0	0	0	0	DSb	43.9356	69.5308	14.6	742.5	372	56921.	1086	1.2	2.0	4.8	1.8	0.5	4.3	26	5.1
65388	0	0	0	0	DSb	43.9361	69.5309	14.6	742.5	383	56920.	1034	1.0	1.7	3.0	1.7	0.6	3.0	22	4.8
65389	0	0	1	0	DSb	43.9365	69.5309	14.6	742.5	399	56918.	948	0.7	0.8	3.6	0.1	0.1	5.5	14	4.7
65390	0	0	0	0	DSb	43.9369	69.5310	14.6	742.4	419	56914.	910	1.0	1.3	5.7	1.3	0.3	5.6	17	4.5
65391	0	0	1	0	DSb	43.9374	69.5310	14.6	742.3	432	56911.	883	0.9	-0.1	4.1	0.1	0.1	4.8	18	4.5
65392	0	0	0	0	DSb	43.9378	69.5310	14.6	742.3	436	56910.	857	0.7	1.4	3.7	2.1	0.4	5.8	26	4.2
65393	0	0	0	0	DSb	43.9382	69.5311	14.6	742.2	434	56909.	876	0.8	1.7	3.6	2.3	0.5	4.7	19	4.0
65394	0	0	0	0	DSb	43.9387	69.5311	14.6	742.1	431	56909.	999	1.0	1.7	5.0	1.7	0.4	5.2	25	3.7
65395	0	0	0	0	DSb	43.9391	69.5312	14.6	742.0	427	56911.	1041	0.8	2.0	4.9	2.8	0.5	6.9	21	3.5
65396	0	0	1	0	DSb	43.9396	69.5312	14.6	741.9	427	56914.	1104	1.1	1.1	5.4	0.1	0.1	5.1	12	3.2
65397	0	0	0	0	DSb	43.9400	69.5312	14.6	741.9	429	56917.	1176	1.1	1.6	4.9	1.5	0.4	4.7	23	3.0

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	CPS
65398	0	0	0	0	DSb	43.9404	69.5313	14.6	741.8	430	56918.	1313	1.2	1.4	6.3	1.2	0.3	5.5	22	2.7
65399	0	0	0	0	DSb	43.9409	69.5313	14.6	741.7	426	56917.	1389	1.4	1.3	7.4	1.0	0.2	5.5	24	2.3
65400	0	0	0	0	DSb	43.9413	69.5313	14.6	741.6	421	56915.	1413	1.4	2.0	6.9	1.5	0.3	5.1	28	2.2
65401	0	0	0	0	DSb	43.9417	69.5314	14.6	741.5	415	56914.	1432	1.2	3.4	6.9	3.1	0.5	6.2	12	2.2
65402	0	0	0	0	DSb	43.9422	69.5314	14.6	741.4	411	56913.	1400	1.3	1.9	5.4	1.5	0.4	4.1	21	2.5
65403	0	0	0	0	DSb	43.9426	69.5315	14.6	741.3	406	56913.	1458	1.7	2.7	6.2	1.7	0.5	3.9	29	2.8
65404	0	0	0	0	DSb	43.9431	69.5315	14.6	741.2	400	56912.	1354	1.6	1.8	5.8	1.2	0.4	3.7	23	3.1
65405	0	0	0	0	DSb	43.9435	69.5315	14.6	741.1	394	56913.	1402	1.5	1.5	4.4	1.1	0.4	3.0	16	3.3
65406	0	0	0	0	DSb	43.9439	69.5316	14.6	741.1	392	56913.	1276	1.4	1.8	4.8	1.4	0.4	3.7	17	3.6
65407	0	0	0	0	DSb	43.9444	69.5316	14.6	741.0	394	56914.	1280	1.1	1.5	5.8	1.4	0.3	5.4	26	3.8
65408	0	0	0	0	DSb	43.9448	69.5316	14.6	740.9	397	56915.	1216	1.0	3.1	5.9	3.1	0.6	5.9	24	3.8
65409	0	0	0	0	DSb	43.9452	69.5317	14.6	740.8	400	56917.	1253	1.2	2.6	3.8	2.2	0.7	3.2	25	3.6
65410	0	0	1	0	DSb	43.9457	69.5317	14.6	740.8	405	56919.	1176	1.1	0.9	5.4	0.1	0.1	4.9	19	3.3
65411	0	0	1	0	DSb	43.9461	69.5318	14.6	740.7	411	56920.	1131	1.2	0.3	6.2	0.1	0.1	5.3	25	3.0
65412	0	0	0	0	DSb	43.9465	69.5318	14.6	740.7	418	56921.	1209	1.2	2.8	5.1	2.5	0.6	4.5	19	2.6
65413	0	0	0	0	DSb	43.9470	69.5318	14.6	740.7	425	56919.	1160	1.2	1.3	3.4	1.1	0.4	2.8	19	2.5
65414	0	0	0	0	DSb	43.9474	69.5319	14.6	740.6	426	56918.	1137	1.2	1.6	6.2	1.4	0.3	5.3	28	2.3
65415	0	0	0	0	DSb	43.9478	69.5319	14.6	740.6	425	56915.	1168	1.0	1.5	4.1	1.5	0.4	4.1	32	2.2
65416	0	0	0	0	DSb	43.9483	69.5320	14.6	740.6	420	56913.	1135	1.0	2.1	4.8	2.1	0.5	4.9	20	2.1
65417	0	0	0	0	DSb	43.9487	69.5320	14.6	740.6	415	56912.	1158	1.1	1.6	2.7	1.4	0.6	2.5	31	2.2
65418	0	0	0	0	DSb	43.9492	69.5320	14.6	740.6	411	56911.	1167	1.1	2.0	4.8	1.8	0.5	4.4	23	2.1
65419	0	0	0	0	DSb	43.9496	69.5321	14.6	740.6	406	56912.	1217	0.8	2.3	4.3	3.0	0.6	5.6	25	2.1
65420	0	0	1	0	DSb	43.9500	69.5321	14.6	740.6	403	56912.	1240	1.2	0.2	5.6	0.1	0.1	5.0	16	2.1
65421	0	0	0	0	DSb	43.9505	69.5321	14.6	740.6	401	56910.	1214	1.0	2.3	7.3	2.3	0.3	7.4	18	2.2
65422	0	0	0	0	DSb	43.9509	69.5322	14.5	739.9	382	56908.	1195	1.3	2.0	3.5	1.6	0.6	2.8	19	2.4
65423	0	0	0	0	DSb	43.9513	69.5322	14.5	739.8	369	56906.	1271	1.2	1.7	5.4	1.5	0.4	4.7	35	2.6
65424	0	0	0	0	DSb	43.9518	69.5322	14.5	739.7	358	56906.	1294	1.4	3.9	3.9	2.9	1.0	2.9	22	2.9
65425	0	0	0	0	DSb	43.9522	69.5323	14.5	739.7	352	56907.	1321	1.2	2.1	3.8	1.8	0.6	3.4	23	3.1
65426	0	0	0	0	DSb	43.9526	69.5323	14.5	739.6	349	56908.	1359	1.3	2.2	5.5	1.7	0.4	4.3	20	3.0
65427	0	0	0	0	DSb	43.9531	69.5324	14.5	739.5	348	56908.	1409	1.4	2.4	4.6	1.8	0.6	3.4	15	2.9
65428	0	0	0	0	DSb	43.9535	69.5324	14.5	739.4	349	56909.	1347	1.5	2.9	5.7	2.0	0.5	3.9	29	2.8
65429	0	0	0	0	DSb	43.9540	69.5324	14.5	739.4	351	56910.	1381	1.4	2.7	5.9	1.9	0.5	4.2	21	2.8
65430	0	0	0	0	DSb	43.9544	69.5325	14.5	739.3	353	56911.	1502	1.2	3.8	5.2	3.4	0.8	4.5	24	2.9
65431	0	0	0	0	DSb	43.9548	69.5325	14.5	739.2	354	56912.	1565	1.5	1.8	7.5	1.3	0.3	5.2	17	2.7
65432	0	0	0	0	DSb	43.9553	69.5325	14.4	739.1	355	56913.	1593	1.7	3.4	6.3	2.0	0.6	3.8	20	2.6
65433	0	0	0	0	DSb	43.9557	69.5326	14.4	739.0	358	56913.	1451	1.4	2.8	7.4	2.1	0.4	5.5	19	2.6
65434	0	0	0	0	DSb	43.9561	69.5326	14.4	738.9	369	56912.	1498	1.6	2.6	8.6	1.7	0.3	5.4	23	2.6
65435	0	0	0	0	DSb	43.9566	69.5327	14.4	738.9	373	56911.	1552	1.3	2.7	7.5	2.1	0.4	5.9	17	2.7
65436	0	0	0	0	DSb	43.9570	69.5327	14.4	738.8	379	56912.	1597	1.6	2.8	6.4	1.9	0.5	4.3	28	2.7
65437	0	0	0	0	DSb	43.9574	69.5327	14.4	738.7	380	56914.	1640	1.3	4.4	8.5	3.6	0.6	6.9	19	2.8
65438	0	0	0	0	DSb	43.9579	69.5328	14.4	738.7	390	56915.	1675	1.3	3.6	7.4	2.8	0.5	5.8	20	2.9
65439	0	0	0	0	DSb	43.9583	69.5328	14.4	738.6	399	56915.	1802	1.8	2.1	8.8	1.2	0.3	5.0	19	3.0
65440	0	0	0	0	DSb	43.9587	69.5329	14.4	738.6	407	56916.	1830	1.9	3.4	8.8	1.8	0.4	4.7	25	3.1
65441	0	0	0	0	DSb	43.9592	69.5329	14.4	738.6	410	56916.	1748	1.8	3.9	6.3	2.2	0.7	3.6	17	3.2
65442	0	0	0	0	DSb	43.9596	69.5329	14.4	738.5	410	56917.	1691	1.7	2.3	5.9	1.4	0.4	3.5	17	3.4
65443	0	0	0	0	DSb	43.9601	69.5330	14.4	738.5	408	56918.	1492	1.5	3.4	5.9	2.3	0.6	4.0	17	3.5
65444	0	0	0	0	DSb	43.9605	69.5330	14.4	738.5	411	56919.	1403	1.4	2.1	4.2	1.5	0.5	3.0	16	3.6
65445	0	0	0	0	DSb	43.9609	69.5330	14.4	738.4	415	56919.	1237	1.5	2.2	4.3	1.5	0.5	3.1	19	3.7
65446	0	0	0	0	DSb	43.9614	69.5331	14.4	738.4	420	56920.	1410	1.3	2.5	6.1	2.0	0.5	4.7	20	3.6
65447	0	0	0	0	DSb	43.9618	69.5331	14.4	738.4	424	56922.	1248	1.1	2.2	6.2	2.0	0.4	5.8	11	3.5

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
65448	0	0	0	0	DSb	43.9622	69.5332	14.4	738.4	427	56924.	1388	1.5	2.0	5.5	1.4	0.4	3.7	16	3.3
65449	0	0	0	0	DSb	43.9627	69.5332	14.4	738.3	429	56926.	1399	1.7	2.6	4.7	1.6	0.6	2.8	16	3.2
65450	0	0	0	0	DSb	43.9631	69.5332	14.4	738.3	428	56926.	1296	1.5	1.2	3.4	0.8	0.4	2.3	24	3.0
65451	0	0	0	0	DSb	43.9636	69.5333	14.3	738.2	424	56927.	1249	1.4	1.6	6.3	1.2	0.3	4.8	23	2.9
65452	0	0	0	0	DSb	43.9640	69.5333	14.3	738.1	419	56927.	1111	1.0	1.7	5.5	1.8	0.3	5.6	26	2.8
65453	0	0	0	0	DSb	43.9644	69.5333	14.3	738.1	416	56928.	1127	1.0	1.4	4.7	1.4	0.3	4.7	21	2.7
65454	0	0	0	0	DSb	43.9649	69.5334	14.3	738.0	415	56929.	1170	1.2	2.4	2.3	2.1	1.1	2.0	23	2.4
65455	0	0	0	0	DSb	43.9653	69.5334	14.3	737.9	414	56930.	1208	1.0	2.3	5.1	2.4	0.5	5.4	25	2.0
65456	0	0	0	0	DSb	43.9657	69.5335	14.3	737.9	415	56930.	1219	1.0	3.0	3.0	3.1	1.0	3.1	26	1.8
65457	0	0	0	0	DSb	43.9662	69.5335	14.3	737.8	419	56932.	1223	1.4	2.4	3.4	1.8	0.8	2.5	16	1.8
65458	0	0	0	0	DSb	43.9666	69.5335	14.3	737.7	425	56934.	1228	1.2	3.0	5.6	2.6	0.6	4.9	26	1.9
65459	0	0	0	0	DSb	43.9670	69.5336	14.3	737.7	432	56933.	1161	0.7	2.2	3.0	3.2	0.8	4.3	27	1.9
65460	0	0	0	0	DSb	43.9675	69.5336	14.3	737.6	439	56930.	1186	1.2	2.7	4.7	2.3	0.6	4.2	24	1.9
65461	0	0	0	0	DSb	43.9679	69.5336	14.3	737.5	444	56929.	1161	1.4	1.8	5.3	1.3	0.4	3.9	23	2.0
65462	0	0	0	0	DSb	43.9683	69.5337	14.3	737.5	449	56930.	1122	0.9	1.3	5.6	1.5	0.3	6.7	18	2.2
65463	0	0	0	0	DSb	43.9688	69.5337	14.3	737.5	454	56932.	1262	1.2	2.7	5.3	2.3	0.6	4.6	17	2.4
65464	0	0	0	0	DSb	43.9692	69.5338	14.3	737.4	461	56935.	1165	1.1	2.1	3.8	2.0	0.6	3.6	21	2.4
65465	0	0	0	0	DSb	43.9697	69.5338	14.3	737.4	468	56937.	1211	1.4	2.3	4.3	1.7	0.6	3.2	24	2.4
65466	0	0	0	0	DSb	43.9701	69.5338	14.3	737.4	477	56938.	1244	1.2	3.7	3.1	3.3	1.2	2.7	24	2.3
65467	0	0	0	0	DSb	43.9705	69.5339	14.3	737.4	484	56938.	1253	1.2	1.5	2.0	1.3	0.8	1.8	23	2.1
65468	0	0	0	0	DSb	43.9710	69.5339	14.3	737.4	494	56937.	1312	1.2	3.0	4.8	2.5	0.7	4.0	16	1.9
65469	0	0	1	0	DSb	43.9714	69.5340	14.3	737.4	506	56936.	1219	1.2	1.4	6.6	0.1	0.1	5.4	18	1.6
65470	0	0	0	0	DSb	43.9718	69.5340	14.3	737.3	521	56937.	1323	1.4	3.4	3.8	2.6	0.9	2.8	25	1.4
65472	0	0	0	0	DSb	43.9727	69.5341	14.3	737.3	533	56938.	1239	1.3	1.8	3.7	1.5	0.5	3.0	30	1.1
65473	0	0	0	0	DSb	43.9731	69.5341	14.3	737.3	541	56939.	1163	1.0	2.5	3.8	2.5	0.7	3.9	27	0.9
65474	0	0	0	0	DSb	43.9736	69.5341	14.3	737.3	545	56941.	969	1.2	3.4	2.3	2.9	1.5	1.9	19	0.8
65475	0	0	0	0	DSb	43.9740	69.5342	14.3	737.3	549	56945.	1063	1.1	2.9	3.9	2.8	0.8	3.8	21	0.8
65476	0	0	1	0	DSb	43.9745	69.5342	14.3	737.3	558	56950.	966	1.0	1.4	4.3	0.1	0.1	4.3	21	0.7
65477	0	0	1	0	DSb	43.9749	69.5343	14.3	737.3	563	56952.	849	1.0	0.2	2.5	0.1	0.1	2.8	21	0.7
65478	0	0	0	0	DSb	43.9753	69.5343	14.3	737.4	569	56953.	781	0.8	2.2	3.5	3.1	0.7	4.9	14	0.8
65479	0	0	0	0	DSb	43.9758	69.5343	14.3	737.5	572	56951.	788	0.5	2.6	2.5	0.1	1.1	0.1	18	0.8
65480	0	0	0	0	DSb	43.9762	69.5344	14.3	737.5	566	56949.	879	0.5	3.0	2.8	0.1	1.1	0.1	18	1.2
65481	0	0	0	0	DSb	43.9766	69.5344	14.3	737.5	561	56948.	933	0.6	2.1	5.1	3.5	0.5	8.7	26	1.3
65482	0	0	0	0	DSb	43.9771	69.5344	14.3	737.6	556	56946.	955	1.0	1.5	3.8	1.6	0.5	3.9	19	1.5
65483	0	0	0	0	DSb	43.9775	69.5345	14.3	737.6	548	56944.	1104	1.5	2.0	3.6	1.4	0.6	2.5	20	1.5
65484	0	0	0	0	DSb	43.9779	69.5345	14.3	737.6	543	56942.	1162	1.2	3.2	4.8	2.8	0.7	4.2	18	1.5
65485	0	0	0	0	DSb	43.9784	69.5346	14.3	737.7	540	56942.	1198	1.4	2.9	6.3	2.2	0.5	4.7	34	1.4
65486	0	0	0	0	DSb	43.9788	69.5346	14.3	737.7	535	56941.	1230	1.3	2.6	3.5	2.0	0.8	2.7	13	1.4
65487	0	0	0	0	DSb	43.9793	69.5346	14.3	737.8	529	56940.	1383	1.3	2.3	7.8	1.9	0.3	6.4	19	1.1
65488	0	0	0	0	DSb	43.9797	69.5347	14.3	737.8	523	56939.	1195	1.0	2.6	5.0	2.6	0.6	5.0	20	0.8
65489	0	0	0	0	DSb	43.9801	69.5347	14.3	737.9	522	56940.	1241	1.3	2.7	5.8	2.1	0.5	4.4	19	0.5
65490	0	0	0	0	DSb	43.9806	69.5348	14.3	737.9	524	56941.	1211	1.0	2.9	4.4	2.9	0.7	4.5	16	0.4
65491	0	0	0	0	DSb	43.9810	69.5348	14.3	738.0	522	56939.	1231	1.0	2.2	5.4	2.3	0.5	5.7	22	0.2
65492	0	0	0	0	DSb	43.9814	69.5348	14.3	738.1	522	56938.	1247	1.4	2.0	4.8	1.5	0.5	3.7	24	0.3
65493	0	0	0	0	DSb	43.9819	69.5349	14.3	738.1	525	56937.	1276	1.1	3.8	4.5	3.6	0.9	4.3	22	0.4
65494	0	0	0	0	DSb	43.9823	69.5349	14.3	738.2	532	56937.	1274	1.2	3.1	5.0	2.6	0.7	4.2	19	0.5
65495	0	0	0	0	DSb	43.9827	69.5349	14.3	738.3	532	56938.	1346	1.5	2.4	6.5	1.7	0.4	4.5	19	0.7
65496	0	0	0	0	DSb	43.9832	69.5350	14.3	738.3	523	56939.	1346	1.4	2.5	5.6	1.8	0.5	4.0	20	0.9
65497	0	0	0	0	DSb	43.9836	69.5350	14.3	738.4	509	56940.	1275	1.4	1.5	7.3	1.1	0.2	5.3	26	1.0
65498	0	0	0	0	DSb	43.9841	69.5350	14.3	738.5	494	56940.	1272	1.2	1.6	4.2	1.5	0.4	3.8	25	1.1

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
65499	0	0	0	0	DSb	43.9845	69.5351	14.3	738.5	480	56940.	1275	1.1	1.3	6.3	1.2	0.3	5.7	23	0.8
65500	0	0	0	0	DSb	43.9849	69.5351	14.3	738.6	468	56939.	1248	0.9	1.9	7.3	2.2	0.3	8.2	27	0.6
65501	0	0	0	0	DSb	43.9854	69.5352	14.3	738.7	459	56940.	1231	1.1	3.4	4.7	3.1	0.8	4.3	20	0.4
65502	0	0	0	0	DSb	43.9858	69.5352	14.3	738.8	454	56940.	1242	1.3	1.9	5.8	1.6	0.4	4.7	13	0.2
65503	0	0	0	0	DSb	43.9862	69.5352	14.3	738.9	453	56941.	1303	1.5	1.7	5.4	1.1	0.3	3.6	24	0.1
65504	0	0	0	0	DSb	43.9867	69.5353	14.3	739.0	455	56941.	1251	1.2	3.5	6.1	3.0	0.6	5.4	24	0.1
65505	0	0	0	0	DSb	43.9871	69.5353	14.3	739.1	459	56941.	1315	1.0	2.5	7.1	2.7	0.4	7.5	24	0.0
65506	0	0	0	0	DSb	43.9875	69.5353	14.3	739.2	463	56942.	1293	1.4	1.9	4.3	1.4	0.5	3.3	24	0.0
65507	0	0	0	0	DSb	43.9880	69.5354	14.3	739.3	464	56942.	1299	1.5	1.7	6.3	1.1	0.3	4.3	24	0.0
65508	0	0	0	0	DSb	43.9884	69.5354	14.3	739.4	467	56941.	1350	1.1	1.7	6.3	1.5	0.3	5.7	15	0.0
65509	0	0	0	0	DSb	43.9888	69.5355	14.3	739.5	475	56939.	1302	1.5	3.4	6.2	2.3	0.6	4.3	24	0.0
65510	0	0	0	0	DSb	43.9893	69.5355	14.3	739.6	489	56938.	1440	1.7	2.9	5.0	1.8	0.6	3.0	21	0.0
65511	0	0	0	0	DSb	43.9897	69.5355	14.3	739.7	501	56937.	1277	1.2	2.7	6.7	2.4	0.4	6.0	24	0.0
65512	0	0	0	0	DSb	43.9902	69.5356	14.3	739.8	499	56937.	1423	1.7	2.3	6.6	1.4	0.4	4.0	27	0.0
65513	0	0	0	0	DSb	43.9906	69.5356	14.3	739.9	484	56938.	1456	1.5	2.0	7.1	1.4	0.3	4.8	17	0.2
65514	0	0	0	0	DSb	43.9910	69.5356	14.3	740.0	466	56941.	1349	1.5	2.9	7.7	2.0	0.4	5.2	17	0.3
65515	0	0	0	0	DSb	43.9915	69.5357	14.3	740.1	454	56944.	1376	1.2	3.4	7.1	2.9	0.5	6.1	26	0.5
65516	0	0	0	0	DSb	43.9919	69.5357	14.3	740.2	449	56946.	1313	1.3	2.4	6.5	1.9	0.4	5.1	17	0.6
65517	0	0	0	0	DSb	43.9923	69.5358	14.3	740.3	453	56947.	1394	1.5	2.5	5.4	1.7	0.5	3.7	21	0.7
65518	0	0	0	0	DSb	43.9928	69.5358	14.3	740.4	453	56947.	1371	1.4	2.4	4.8	1.8	0.5	3.6	20	0.8
65519	0	0	1	0	DSb	43.9932	69.5358	14.3	740.5	454	56947.	1431	1.2	0.4	9.2	0.1	0.1	7.8	16	0.8
65520	0	0	0	0	DSb	43.9936	69.5359	14.3	740.6	452	56946.	1374	1.6	2.5	6.9	1.6	0.4	4.4	21	0.6
65521	0	0	0	0	DSb	43.9941	69.5359	14.3	740.7	449	56946.	1391	1.4	3.0	6.6	2.2	0.5	4.9	34	0.7
65522	0	0	0	0	DSb	43.9945	69.5360	14.3	740.8	443	56945.	1371	1.5	2.2	4.6	1.5	0.5	3.1	26	0.8
65523	0	0	0	0	DSb	43.9950	69.5360	14.3	740.9	435	56945.	1381	1.4	2.3	7.2	1.7	0.4	5.3	29	0.8
65524	0	0	0	0	DSb	43.9954	69.5360	14.3	740.9	434	56946.	1376	1.2	2.3	6.4	2.0	0.4	5.4	15	1.0
65525	0	0	0	0	DSb	43.9958	69.5361	14.3	740.9	436	56946.	1430	1.5	2.6	5.7	1.8	0.5	3.8	18	1.3
65526	0	0	0	0	DSb	43.9963	69.5361	14.3	741.0	432	56945.	1333	1.4	2.8	3.8	2.0	0.8	2.8	14	1.6
65527	0	0	0	0	DSb	43.9967	69.5361	14.3	741.0	432	56944.	1335	1.3	1.6	4.3	1.3	0.4	3.5	26	1.8
65528	0	0	0	0	DSb	43.9971	69.5362	14.3	741.1	430	56943.	1387	1.5	2.1	7.6	1.4	0.3	5.1	20	1.9
65529	0	0	0	0	DSb	43.9976	69.5362	14.3	741.1	437	56943.	1369	1.6	2.1	6.1	1.4	0.4	4.1	14	1.9
65530	0	0	0	0	DSb	43.9980	69.5363	14.3	741.1	441	56945.	1376	1.4	3.1	7.1	2.2	0.5	5.1	23	2.0
65531	0	0	0	0	DSb	43.9984	69.5363	14.3	741.1	444	56947.	1342	1.2	2.8	5.2	2.3	0.6	4.3	26	2.2
65532	0	0	0	0		43.9988	69.5364	14.3	741.1	442	56948.	1254	1.1	2.5	4.0	2.3	0.7	3.6	15	2.3
65533	0	0	0	0		43.9992	69.5365	14.3	741.1	438	56948.	1036	0.9	2.1	2.5	2.5	0.9	2.9	20	2.2
65534	0	0	0	0		43.9996	69.5366	14.3	741.1	437	56947.	1196	0.9	2.2	5.5	2.6	0.4	6.5	23	1.9

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM			CPS	CPS	
30694	0	0	0	0	Dg	43.9800	69.1808	20.0	748.4	379	56905.	916	0.7	1.2	2.2	1.9	0.6	3.6	27	4.9
30693	0	0	0	0	Dg	43.9804	69.1808	20.0	748.3	383	56901.	966	0.8	2.1	2.5	2.8	0.9	3.3	22	4.9
30692	0	0	0	0	Dg	43.9807	69.1808	20.0	748.3	386	56895.	1018	1.0	1.4	2.2	1.5	0.7	2.4	18	4.8
30691	0	0	0	0	Dg	43.9811	69.1808	20.4	748.0	396	56888.	1265	0.9	1.9	3.3	2.2	0.6	3.7	17	4.8
30690	0	0	0	0	Dg	43.9815	69.1808	20.4	748.0	397	56885.	1193	1.2	1.6	3.9	1.5	0.5	3.5	20	4.7
30689	0	0	0	0	Dg	43.9819	69.1808	20.4	748.0	399	56880.	1298	1.4	1.8	2.4	1.3	0.8	1.8	19	4.7
30688	0	0	0	0	Dg	43.9822	69.1807	20.4	748.0	402	56875.	1333	1.4	2.8	4.2	2.0	0.7	3.0	16	4.6
30687	0	0	0	0	Dg	43.9826	69.1807	20.4	748.0	401	56869.	1421	1.0	4.1	6.2	4.1	0.7	6.1	18	4.5
30686	0	0	0	0	Dg	43.9830	69.1807	20.4	748.0	400	56863.	1515	1.7	1.9	3.9	1.2	0.5	2.4	21	4.7
30685	0	0	0	0	Dg	43.9834	69.1807	20.4	747.9	400	56857.	1616	1.4	2.2	5.9	1.6	0.4	4.3	21	4.9
30684	0	0	0	0	Dg	43.9837	69.1807	20.4	747.9	404	56852.	1694	1.4	3.5	6.8	2.6	0.6	5.0	14	4.8
30683	0	0	0	0	Dg	43.9841	69.1807	20.4	747.9	407	56848.	1636	1.6	3.9	5.4	2.5	0.8	3.4	21	4.8
30682	0	0	0	0	Dg	43.9845	69.1807	20.4	747.9	412	56847.	1576	1.7	1.8	6.4	1.1	0.3	3.9	24	5.0
30681	0	0	0	0	Dg	43.9849	69.1807	20.4	747.9	425	56849.	1429	1.5	2.1	4.4	1.4	0.5	3.0	18	5.2
30680	0	0	0	0	Dg	43.9852	69.1807	20.4	747.9	437	56852.	1102	1.1	1.9	4.8	1.8	0.4	4.6	27	5.2
30679	0	0	0	0	Dg	43.9856	69.1807	20.4	747.9	445	56856.	960	0.8	1.6	3.0	2.0	0.6	3.7	17	5.2
30678	0	0	0	0	Dg	43.9860	69.1807	20.4	747.9	445	56860.	880	0.8	1.7	3.8	2.4	0.5	5.3	21	5.2
30677	0	0	1	0	Dg	43.9864	69.1807	20.4	747.9	446	56863.	775	0.7	1.0	2.7	0.1	0.1	4.1	28	5.3
30676	0	0	0	0	Dg	43.9867	69.1807	20.4	747.8	447	56865.	779	0.7	1.7	2.8	2.5	0.7	4.1	25	5.3
30675	0	0	1	0	Dg	43.9871	69.1807	20.4	747.8	448	56866.	688	0.6	0.9	3.6	0.1	0.1	6.8	16	5.3
30674	0	0	0	0	Dg	43.9875	69.1807	20.4	747.8	449	56865.	681	0.8	1.3	2.8	1.8	0.5	3.8	23	5.6
30673	0	0	0	0	Dg	43.9879	69.1807	20.4	747.8	450	56863.	749	0.5	1.5	3.3	0.1	0.5	0.1	30	5.8
30672	0	0	1	1	Water	43.9883	69.1806	20.4	747.7	450	56862.	679	0.7	1.0	1.0	0.1	0.1	0.1	23	6.0
30671	0	0	0	0	Water	43.9886	69.1806	20.4	747.7	450	56861.	789	0.9	1.6	3.4	1.9	0.5	4.1	9	6.2
30670	0	0	1	0	Water	43.9890	69.1806	20.4	747.7	450	56858.	683	0.5	0.3	3.4	0.1	0.1	0.1	18	6.4
30669	0	0	0	0	Water	43.9894	69.1806	20.4	747.6	450	56855.	705	0.6	1.9	2.3	3.1	0.9	3.9	20	6.7
30668	0	0	1	0	Water	43.9898	69.1806	20.4	747.6	450	56854.	737	0.7	1.0	2.3	0.1	0.1	3.3	15	6.9
30667	0	0	0	0	Dg	43.9901	69.1806	20.4	747.6	450	56854.	914	0.8	1.9	2.5	2.6	0.8	3.5	28	7.2
30666	0	0	0	0	Dg	43.9905	69.1806	20.4	747.5	448	56856.	1093	1.3	1.5	3.1	1.2	0.5	2.5	16	7.4
30665	0	0	0	0	Dg	43.9909	69.1806	20.4	747.4	445	56860.	1329	1.0	2.1	7.3	2.1	0.3	7.3	23	7.7
30664	0	0	0	0	Dg	43.9913	69.1806	20.4	747.4	436	56864.	1400	1.0	2.5	4.1	2.6	0.6	4.3	19	7.9
30663	0	0	0	0	Dg	43.9916	69.1806	20.4	747.3	426	56868.	1361	1.3	2.0	7.3	1.6	0.3	5.8	17	8.1
30662	0	0	0	0	Dg	43.9920	69.1806	20.5	747.3	419	56873.	1458	1.4	1.9	6.4	1.4	0.3	4.7	27	8.4
30661	0	0	0	0	Dg	43.9924	69.1806	20.5	747.2	418	56877.	1405	1.3	2.6	4.7	2.1	0.6	3.7	16	8.4
30660	0	0	0	0	Dg	43.9928	69.1806	20.5	747.1	419	56882.	1418	1.3	1.5	5.6	1.2	0.3	4.4	24	8.4
30659	0	0	0	0	Dg	43.9931	69.1806	20.5	747.1	422	56884.	1445	1.3	1.6	6.7	1.3	0.3	5.5	23	8.7
30658	0	0	0	0	Dg	43.9935	69.1806	20.5	747.0	425	56887.	1471	1.3	2.9	3.8	2.3	0.8	3.0	18	8.9
30657	0	0	0	0	Dg	43.9939	69.1806	20.5	746.9	428	56888.	1433	1.2	3.4	6.3	2.9	0.6	5.4	17	8.9
30656	0	0	0	0	Dg	43.9943	69.1805	20.5	746.9	429	56885.	1358	1.2	2.6	6.1	2.2	0.5	5.3	17	8.8
30655	0	0	1	0	Dg	43.9946	69.1805	20.5	746.8	429	56879.	1403	1.0	1.0	3.9	0.1	0.1	4.3	29	9.0
30654	0	0	0	0	Dg	43.9950	69.1805	20.5	746.7	430	56868.	1378	1.3	2.0	3.2	1.6	0.7	2.5	20	9.2
30653	0	0	0	0	Dg	43.9954	69.1805	20.5	746.7	432	56856.	1451	1.3	1.7	5.3	1.4	0.4	4.3	23	9.4
30651	0	0	0	0	Dg	43.9961	69.1805	20.5	746.6	436	56842.	1539	1.5	1.5	4.7	1.1	0.4	3.3	14	9.5
30650	0	0	0	0	Dg	43.9965	69.1805	20.5	746.5	440	56826.	1654	1.4	2.1	7.0	1.5	0.3	5.0	16	9.7
30649	0	0	1	0	Dg	43.9969	69.1805	20.5	746.5	444	56809.	1718	1.4	1.4	7.2	0.1	0.1	5.2	22	9.8
30648	0	0	0	0	Dg	43.9973	69.1805	20.5	746.5	447	56794.	1825	1.7	2.8	6.0	1.7	0.5	3.6	22	9.7
30647	0	0	0	0	Dg	43.9977	69.1805	20.5	746.4	449	56782.	2038	1.9	2.9	7.6	1.6	0.4	4.1	21	9.6
30646	0	0	0	0	Dg	43.9980	69.1805	20.5	746.4	450	56773.	2002	2.3	3.9	7.4	1.7	0.6	3.3	23	9.5
30645	0	0	0	0	Dg	43.9984	69.1805	20.5	746.3	452	56767.	1950	1.8	3.0	5.4	1.7	0.6	3.1	27	9.4
30644	0	0	0	0	Dg	43.9988	69.1805	20.5	746.3	452	56762.	1962	1.9	2.6	7.5	1.4	0.4	4.0	27	9.3

*** NOTE *** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
30643	0	0	1	0	Dg	43.9992	69.1805	20.6	746.2	451	56760.	2018	1.9	0.5	10.0	0.1	0.1	5.5	24	9.3
30642	0	0	0	0	Dg	43.9995	69.1805	20.6	746.2	448	56761.	1890	2.0	3.3	6.5	1.7	0.6	3.3	22	9.3
30641	0	0	0	0	Dg	43.9999	69.1805	20.6	746.1	447	56764.	1817	1.5	3.1	6.9	2.1	0.5	4.8	20	9.2

INDEX

LINE RECORD	KEY	LINE RECORD	KEY	LINE RECORD	KEY	LINE RECORD	KEY
600 52667	A01	610 57426	A05	640 62232	A09		
600 52718	B01	610 57375	B05	640 62282	B09		
600 52768	C01	610 57325	C05	640 62333	C09		
600 52819	D01	610 57274	D05	640 62383	D09		
600 52869	E01	610 57224	E05	640 62434	E09		
600 52920	F01	610 57173	F05	640 62484	F09		
600 52970	G01	610 57122	G05	640 62535	G09		
600 53021	H01	610 57072	H05	640 62585	H09		
600 53071	I01	610 57021	I05	640 62636	I09		
600 53122	J01	620 58977	J05	640 62687	J09		
600 53173	K01	620 59028	K05	640 62737	K09		
600 53223	L01	620 59078	L05	640 62788	L09		
600 53274	M01	620 59129	M05	640 62838	M09		
600 53324	A02	620 59179	A06	1000 61778	A10		
600 53375	B02	620 59230	B06	1000 61727	B10		
600 53425	C02	620 59280	C06	1000 61677	C10		
600 53476	D02	620 59331	D06	1000 61626	D10		
600 53526	E02	620 59381	E06	1000 61575	E10		
600 53577	F02	620 59432	F06	1000 61525	F10		
600 53628	G02	620 59483	G06	1000 61474	G10		
600 53678	H02	620 59533	H06	1000 61424	H10		
600 53729	I02	620 59584	I06	1000 61373	I10		
600 53779	J02	620 59634	J06	1000 61323	J10		
600 53830	K02	620 59685	K06	1000 61272	K10		
600 53880	L02	620 59735	L06	1000 61222	L10		
600 53931	M02	620 59786	M06	1000 61171	M10		
600 53982	A03	620 59836	A07	1010 65145	A11		
600 54032	B03	620 59887	B07	1010 65195	B11		
600 54083	C03	630 64180	C07	1010 65246	C11		
600 54133	D03	630 64129	D07	1010 65297	D11		
610 58538	E03	630 64079	E07	1010 65347	E11		
610 58487	F03	630 64028	F07	1010 65398	F11		
610 58437	G03	630 63978	G07	1010 65448	G11		
610 58386	H03	630 63927	H07	1010 65499	H11		
610 58336	I03	630 63876	I07	1020 30694	I11		
610 58285	J03	630 63826	J07	1020 30643	J11		
610 58235	K03	630 63775	K07				
610 58184	L03	630 63725	L07				
610 58134	M03	630 63674	M07				
610 58083	A04	630 63624	A08				
610 58032	B04	630 63573	B08				
610 57982	C04	630 63523	C08				
610 57931	D04	630 63472	D08				
610 57881	E04	630 63421	E08				
610 57830	F04	630 63371	F08				
610 57780	G04	630 63320	G08				
610 57729	H04	630 63270	H08				
610 57679	I04	630 63219	I08				
610 57628	J04	630 63169	J08				
610 57577	K04	640 62080	K08				
610 57527	L04	640 62130	L08				
610 57476	M04	640 62181	M08				